

Aptitude Questions — Records 1-30 of 100,000

id=1 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=C | option_b=F | option_c=E | option_d=D | answer=C | explanation=Move 1 positions forward from D; the resulting letter is E.

id=2 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49265 at 4% per annum for 5 years. | option_a=59118 | option_b=9953 | option_c=9753 | option_d=9853 | answer=D | explanation=SI = PRT/100 = 49265×4×5/100 = **■**9853.

id=3 | topic=Percentages | difficulty=Easy | question=What is 10% of 111? | option_a=16 | option_b=22 | option_c=6 | option_d=11 | answer=D | explanation=10% of 111 = (10/100) × 111 = 11.

id=4 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=R | option_c=Z | option_d=N | answer=A | explanation=Move 4 positions forward from R; the resulting letter is V.

id=5 | topic=Percentages | difficulty=Easy | question=What is 12% of 1604? | option_a=384 | option_b=192 | option_c=212 | option_d=182 | answer=B | explanation=12% of 1604 = (12/100) × 1604 = 192.

id=6 | topic=Averages | difficulty=Easy | question=Find the average of 23, 21, 58, 22, 55, 54, 87, 48. | option_a=48 | option_b=47 | option_c=45 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 368 ÷ 8 = 46.

id=7 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 13, 21, 30? | option_a=30 | option_b=5 | option_c=21 | option_d=13 | answer=A | explanation=The first three numbers increase by 8, so the next should be 29. Therefore 30 is the odd one out.

id=8 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=23 | option_b=21 | option_c=17 | option_d=20 | answer=D | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=9 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:8 and the first is 15, what is the second? | option_a=40 | option_b=32 | option_c=43 | option_d=55 | answer=A | explanation=Scale factor = 15/3 = 5. Therefore second quantity = 8×5 = 40.

id=10 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=N | option_c=J | option_d=L | answer=B | explanation=Move 2 positions forward from L; the resulting letter is N.

id=11 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=J | option_c=I | option_d=H | answer=B | explanation=Move 1 positions forward from I; the resulting letter is J.

id=12 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31294 at 8% per annum for 3 years. | option_a=7510 | option_b=38804 | option_c=7410 | option_d=7610 | answer=A | explanation=SI = PRT/100 = 31294×8×3/100 = **■**7510.

id=13 | topic=Percentages | difficulty=Easy | question=What is 5% of 519? | option_a=35 | option_b=50 | option_c=25 | option_d=15 | answer=C | explanation=5% of 519 = (5/100) × 519 = 25.

id=14 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=32 | option_b=27 | option_c=37 | option_d=33 | answer=A | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

id=15 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18359 at 5% per annum for 2 years. | option_a=1835 | option_b=1935 | option_c=20194 | option_d=1735 | answer=A | explanation=SI = PRT/100 = 18359×5×2/100 = **■**1835.

id=16 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=35 | option_b=43 | option_c=42 | option_d=49 | answer=C | explanation=The common difference is 7. Therefore the next term is 35 + 7 = 42.

id=17 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**485. If it is sold at a profit of 10%, what is its selling price? | option_a=495 | option_b=533 | option_c=485 | option_d=581 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 485 × 110/100 = **■**533.

id=18 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=X | option_b=N | option_c=I | option_d=S | answer=D | explanation=Move 5 positions forward from N; the resulting letter is S.

id=19 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=66 | option_b=56 | option_c=57 | option_d=46 | answer=B | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=20 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=I | option_b=Y | option_c=N | option_d=D | answer=A | explanation=Move 5 positions forward from D; the resulting letter is I.

id=21 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2504. If it is sold at a profit of 40%, what is its selling price? | option_a=3255 | option_b=3505 | option_c=2544 | option_d=3755 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2504 × 140/100 = **■**3505.

id=22 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:6 and the first is 306, what is the second? | option_a=414 | option_b=125 | option_c=102 | option_d=108 | answer=D | explanation=Scale factor = 306/17 = 18. Therefore second quantity = 6×18 = 108.

id=23 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=A | option_c=V | option_d=L | answer=C | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=24 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36348 at 15% per annum for 5 years. | option_a=63609 | option_b=27361 | option_c=27161 | option_d=27261 | answer=D | explanation=SI = PRT/100 = 36348×15×5/100 = **■**27261.

id=25 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=26 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4081. If it is sold at a profit of 10%, what is its selling price? | option_a=4081 | option_b=4091 | option_c=4489 | option_d=4897 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4081 × 110/100 = **■**4489.

id=27 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 13, 19, 28? | option_a=7 | option_b=13 | option_c=28 | option_d=19 | answer=C | explanation=The first three numbers increase by 6, so the next should be 25. Therefore 28 is the odd one out.

id=28 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:12 and the first is 208, what is the second? | option_a=205 | option_b=180 | option_c=192 | option_d=400 | answer=C | explanation=Scale factor = 208/13 = 16. Therefore second quantity = 12×16 = 192.

id=29 | topic=Averages | difficulty=Easy | question=Find the average of 53, 12, 85, 82. | option_a=60 | option_b=58 | option_c=57 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 232 ÷ 4 = 58.

id=30 | topic=Percentages | difficulty=Easy | question=What is 5% of 195? | option_a=4 | option_b=18 | option_c=14 | option_d=9 | answer=D | explanation=5% of 195 = (5/100) × 195 = 9.

Aptitude Questions — Records 31-60 of 100,000

id=31 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 15, 21, 30? | option_a=9 | option_b=15 | option_c=30 | option_d=21 | answer=C | explanation=The first three numbers increase by 6, so the next should be 27. Therefore 30 is the odd one out.

id=32 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=56 | option_b=47 | option_c=57 | option_d=65 | answer=A | explanation=The common difference is 9. Therefore the next term is 47 + 9 = 56.

id=33 | topic=Averages | difficulty=Easy | question=Find the average of 22, 94, 65, 55. | option_a=59 | option_b=58 | option_c=60 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 236 ÷ 4 = 59.

id=34 | topic=Percentages | difficulty=Easy | question=What is 10% of 1429? | option_a=147 | option_b=284 | option_c=142 | option_d=132 | answer=C | explanation=10% of 1429 = (10/100) × 1429 = 142.

id=35 | topic=Averages | difficulty=Easy | question=Find the average of 78, 67, 27, 64, 33, 49. | option_a=54 | option_b=52 | option_c=53 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 318 ÷ 6 = 53.

id=36 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 14? | option_a=5 | option_b=7 | option_c=9 | option_d=14 | answer=D | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 14 is the odd one out.

id=37 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**27634 at 8% per annum for 4 years. | option_a=8742 | option_b=8842 | option_c=36476 | option_d=8942 | answer=B | explanation=SI = PRT/100 = 27634×8×4/100 = **₹**8842.

id=38 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**25836 at 4% per annum for 4 years. | option_a=4133 | option_b=29969 | option_c=4233 | option_d=4033 | answer=A | explanation=SI = PRT/100 = 25836×4×4/100 = **₹**4133.

id=39 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=40 | topic=Percentages | difficulty=Easy | question=What is 50% of 1236? | option_a=623 | option_b=1236 | option_c=618 | option_d=598 | answer=C | explanation=50% of 1236 = (50/100) × 1236 = 618.

id=41 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=58 | option_b=47 | option_c=57 | option_d=67 | answer=C | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

id=42 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**5490 at 10% per annum for 1 years. | option_a=449 | option_b=549 | option_c=6039 | option_d=649 | answer=B | explanation=SI = PRT/100 = 5490×10×1/100 = **₹**549.

id=43 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=64 | option_b=54 | option_c=42 | option_d=53 | answer=D | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.

id=44 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=45 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**700. If it is sold at a profit of 20%, what is its selling price? | option_a=720 | option_b=910 | option_c=840 | option_d=770 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 700 × 120/100 = **₹**840.

id=46 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2101. If it is sold at a profit of 30%, what is its selling price? | option_a=2131 | option_b=2941 | option_c=2731 | option_d=2521 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2101 × 130/100 = **₹**2731.

id=47 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 45? | option_a=36 | option_b=24 | option_c=30 | option_d=45 | answer=D | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 45 is the odd one out.

id=48 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=B | option_b=H | option_c=F | option_d=D | answer=C | explanation=Move 2 positions forward from D; the resulting letter is F.

id=49 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 26? | option_a=26 | option_b=18 | option_c=12 | option_d=6 | answer=A | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 26 is the odd one out.

id=50 | topic=Averages | difficulty=Easy | question=Find the average of 74, 72, 42, 16, 21, 91, 69. | option_a=56 | option_b=57 | option_c=55 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 385 ÷ 7 = 55.

id=51 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=52 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 32, 40, 51? | option_a=24 | option_b=32 | option_c=40 | option_d=51 | answer=D | explanation=The first three numbers increase by 8, so the next should be 48. Therefore 51 is the odd one out.

id=53 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**36755 at 4% per annum for 3 years. | option_a=4310 | option_b=4410 | option_c=41165 | option_d=4510 | answer=B | explanation=SI = PRT/100 = 36755×4×3/100 = **₹**4410.

id=54 | topic=Percentages | difficulty=Easy | question=What is 25% of 681? | option_a=340 | option_b=170 | option_c=160 | option_d=175 | answer=B | explanation=25% of 681 = (25/100) × 681 = 170.

id=55 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=A | option_b=G | option_c=D | option_d=J | answer=B | explanation=Move 3 positions forward from D; the resulting letter is G.

id=56 | topic=Averages | difficulty=Easy | question=Find the average of 32, 62, 13, 32, 56. | option_a=40 | option_b=39 | option_c=38 | option_d=41 | answer=B | explanation=Average = sum of values ÷ number of values = 195 ÷ 5 = 39.

id=57 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:4 and the first is 84, what is the second? | option_a=52 | option_b=140 | option_c=62 | option_d=56 | answer=D | explanation=Scale factor = 84/6 = 14. Therefore second quantity = 4×14 = 56.

id=58 | topic=Averages | difficulty=Easy | question=Find the average of 54, 49, 39, 38, 13, 94, 34, 61, 52, 46. | option_a=50 | option_b=47 | option_c=49 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = 480 ÷ 10 = 48.

id=59 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=M | option_b=Y | option_c=U | option_d=Q | answer=C | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=60 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:19 and the first is 60, what is the second? | option_a=171 | option_b=196 | option_c=250 | option_d=190 | answer=D | explanation=Scale factor = 60/6 = 10. Therefore second quantity = 19×10 = 190.

Aptitude Questions — Records 61-90 of 100,000

id=61 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=96 | option_c=53 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=62 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:14 and the first is 4, what is the second? | option_a=28 | option_b=14 | option_c=32 | option_d=30 | answer=A | explanation=Scale factor = 4/2 = 2. Therefore second quantity = 14×2 = 28.

id=63 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2804. If it is sold at a profit of 30%, what is its selling price? | option_a=2834 | option_b=3925 | option_c=3365 | option_d=3645 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2804 × 130/100 = █3645.

id=64 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 19, 27, 37? | option_a=37 | option_b=11 | option_c=19 | option_d=27 | answer=A | explanation=The first three numbers increase by 8, so the next should be 35. Therefore 37 is the odd one out.

id=65 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 11, 16, 23? | option_a=6 | option_b=23 | option_c=11 | option_d=16 | answer=B | explanation=The first three numbers increase by 5, so the next should be 21. Therefore 23 is the odd one out.

id=66 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=50 | option_b=44 | option_c=38 | option_d=45 | answer=B | explanation=The common difference is 6. Therefore the next term is 38 + 6 = 44.

id=67 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:7 and the first is 150, what is the second? | option_a=105 | option_b=255 | option_c=115 | option_d=98 | answer=A | explanation=Scale factor = 150/10 = 15. Therefore second quantity = 7×15 = 105.

id=68 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 21, 25, 32? | option_a=25 | option_b=21 | option_c=17 | option_d=32 | answer=D | explanation=The first three numbers increase by 4, so the next should be 29. Therefore 32 is the odd one out.

id=69 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2024. If it is sold at a profit of 25%, what is its selling price? | option_a=2049 | option_b=2328 | option_c=2530 | option_d=2732 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2024 × 125/100 = █2530.

id=70 | topic=Percentages | difficulty=Easy | question=What is 15% of 144? | option_a=42 | option_b=1 | option_c=31 | option_d=21 | answer=D | explanation=15% of 144 = (15/100) × 144 = 21.

id=71 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=S | option_c=Q | option_d=W | answer=A | explanation=Move 2 positions forward from S; the resulting letter is U.

id=72 | topic=Averages | difficulty=Easy | question=Find the average of 93, 98, 10, 23, 66. | option_a=57 | option_b=60 | option_c=58 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 290 ÷ 5 = 58.

id=73 | topic=Percentages | difficulty=Easy | question=What is 15% of 1191? | option_a=178 | option_b=168 | option_c=356 | option_d=183 | answer=A | explanation=15% of 1191 = (15/100) × 1191 = 178.

id=74 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 28. | option_a=84 | option_b=105 | option_c=56 | option_d=588 | answer=A | explanation=LCM × HCF = 21×28; HCF(21,28) = 7, so LCM = 84.

id=75 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49736 at 15% per annum for 4 years. | option_a=29741 | option_b=29841 | option_c=29941 | option_d=79577 | answer=B | explanation=SI = PRT/100 = 49736×15×4/100 = █29841.

id=76 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=D | option_b=N | option_c=I | option_d=S | answer=B | explanation=Move 5 positions forward from I; the resulting letter is N.

id=77 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 165, what is the second? | option_a=33 | option_b=30 | option_c=198 | option_d=48 | answer=A | explanation=Scale factor = 165/15 = 11. Therefore second quantity = 3×11 = 33.

id=78 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=79 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47295 at 5% per annum for 1 years. | option_a=2364 | option_b=2264 | option_c=2464 | option_d=49659 | answer=A | explanation=SI = PRT/100 = 47295×5×1/100 = █2364.

id=80 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 24, 32, 41? | option_a=41 | option_b=24 | option_c=32 | option_d=16 | answer=A | explanation=The first three numbers increase by 8, so the next should be 40. Therefore 41 is the odd one out.

id=81 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=35 | option_b=46 | option_c=57 | option_d=47 | answer=B | explanation=The common difference is 11. Therefore the next term is 35 + 11 = 46.

id=82 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=18 | option_c=23 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=83 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=84 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3611. If it is sold at a profit of 15%, what is its selling price? | option_a=4513 | option_b=3791 | option_c=4152 | option_d=3626 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3611 × 115/100 = █4152.

id=85 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:11 and the first is 104, what is the second? | option_a=88 | option_b=77 | option_c=101 | option_d=192 | answer=A | explanation=Scale factor = 104/13 = 8. Therefore second quantity = 11×8 = 88.

id=86 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=87 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=4 | option_c=18 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=88 | topic=Averages | difficulty=Easy | question=Find the average of 89, 29, 41. | option_a=52 | option_b=53 | option_c=55 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 159 ÷ 3 = 53.

id=89 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=45 | option_b=44 | option_c=53 | option_d=35 | answer=B | explanation=The common difference is 9. Therefore the next term is 35 + 9 = 44.

id=90 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=25 | option_b=22 | option_c=21 | option_d=17 | answer=C | explanation=The common difference is 4. Therefore the next term is 17 + 4 = 21.

Aptitude Questions — Records 91-120 of 100,000

- id=91 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:13 and the first is 266, what is the second? | option_a=448 | option_b=169 | option_c=182 | option_d=201 | answer=C | explanation=Scale factor = $266/19 = 14$. Therefore second quantity = $13 \times 14 = 182$.
- id=92 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2570. If it is sold at a profit of 10%, what is its selling price? | option_a=2580 | option_b=2570 | option_c=3084 | option_d=2827 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2570 \times 110/100 = \text{₹}2827$.
- id=93 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=K | option_c=M | option_d=L | answer=C | explanation=Move 1 positions forward from L; the resulting letter is M.
- id=94 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 15. | option_a=15 | option_b=20 | option_c=75 | option_d=1 | answer=A | explanation= $LCM \times HCF = 5 \times 15$; $HCF(5,15) = 5$, so $LCM = 15$.
- id=95 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**29540 at 5% per annum for 5 years. | option_a=7385 | option_b=7485 | option_c=36925 | option_d=7285 | answer=A | explanation= $SI = PRT/100 = 29540 \times 5 \times 5/100 = \text{₹}7385$.
- id=96 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=31 | option_b=39 | option_c=38 | option_d=45 | answer=C | explanation=The common difference is 7. Therefore the next term is $31 + 7 = 38$.
- id=97 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=S | option_b=M | option_c=J | option_d=P | answer=D | explanation=Move 3 positions forward from M; the resulting letter is P.
- id=98 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**32952 at 5% per annum for 3 years. | option_a=4942 | option_b=37894 | option_c=5042 | option_d=4842 | answer=A | explanation= $SI = PRT/100 = 32952 \times 5 \times 3/100 = \text{₹}4942$.
- id=99 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=60 | option_b=51 | option_c=40 | option_d=50 | answer=D | explanation=The common difference is 10. Therefore the next term is $40 + 10 = 50$.
- id=100 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2077. If it is sold at a profit of 40%, what is its selling price? | option_a=3114 | option_b=2907 | option_c=2700 | option_d=2117 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2077 \times 140/100 = \text{₹}2907$.
- id=101 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 24. | option_a=240 | option_b=264 | option_c=286 | option_d=528 | answer=B | explanation= $LCM \times HCF = 22 \times 24$; $HCF(22,24) = 2$, so $LCM = 264$.
- id=102 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2510. If it is sold at a profit of 20%, what is its selling price? | option_a=3263 | option_b=3012 | option_c=2761 | option_d=2530 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2510 \times 120/100 = \text{₹}3012$.
- id=103 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:12 and the first is 323, what is the second? | option_a=204 | option_b=527 | option_c=223 | option_d=192 | answer=A | explanation=Scale factor = $323/19 = 17$. Therefore second quantity = $12 \times 17 = 204$.
- id=104 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=90 | option_c=95 | option_d=85 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 360 \div 4 = 90 \text{ km/h}$.
- id=105 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1677. If it is sold at a profit of 30%, what is its selling price? | option_a=2347 | option_b=1707 | option_c=2013 | option_d=2180 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1677 \times 130/100 = \text{₹}2180$.
- id=106 | topic=Averages | difficulty=Easy | question=Find the average of 71, 45, 85, 77, 86, 50. | option_a=68 | option_b=70 | option_c=71 | option_d=69 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 414 \div 6 = 69$.
- id=107 | topic=Averages | difficulty=Easy | question=Find the average of 32, 48, 11, 100, 78, 26, 45, 20. | option_a=47 | option_b=46 | option_c=44 | option_d=45 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 360 \div 8 = 45$.
- id=108 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**42803 at 15% per annum for 4 years. | option_a=25581 | option_b=25781 | option_c=68484 | option_d=25681 | answer=D | explanation= $SI = PRT/100 = 42803 \times 15 \times 4/100 = \text{₹}25681$.
- id=109 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 120 \div 2 = 60 \text{ km/h}$.
- id=110 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3382. If it is sold at a profit of 50%, what is its selling price? | option_a=5411 | option_b=3432 | option_c=4735 | option_d=5073 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3382 \times 150/100 = \text{₹}5073$.
- id=111 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**10777 at 15% per annum for 5 years. | option_a=8182 | option_b=18859 | option_c=8082 | option_d=7982 | answer=C | explanation= $SI = PRT/100 = 10777 \times 15 \times 5/100 = \text{₹}8082$.
- id=112 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4671. If it is sold at a profit of 40%, what is its selling price? | option_a=6539 | option_b=4711 | option_c=6072 | option_d=7006 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4671 \times 140/100 = \text{₹}6539$.
- id=113 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=45 | option_b=40 | option_c=33 | option_d=39 | answer=D | explanation=The common difference is 6. Therefore the next term is $33 + 6 = 39$.
- id=114 | topic=Averages | difficulty=Easy | question=Find the average of 43, 94, 20, 30, 40, 37. | option_a=45 | option_b=43 | option_c=46 | option_d=44 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 264 \div 6 = 44$.
- id=115 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6 \text{ days}$.
- id=116 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:15 and the first is 40, what is the second? | option_a=45 | option_b=60 | option_c=100 | option_d=70 | answer=B | explanation=Scale factor = $40/10 = 4$. Therefore second quantity = $15 \times 4 = 60$.
- id=117 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3 \text{ days}$.
- id=118 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:9 and the first is 234, what is the second? | option_a=153 | option_b=162 | option_c=175 | option_d=396 | answer=B | explanation=Scale factor = $234/13 = 18$. Therefore second quantity = $9 \times 18 = 162$.
- id=119 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=35 | option_b=43 | option_c=36 | option_d=27 | answer=A | explanation=The common difference is 8. Therefore the next term is $27 + 8 = 35$.
- id=120 | topic=Percentages | difficulty=Easy | question=What is 15% of 237? | option_a=70 | option_b=55 | option_c=15 | option_d=35 | answer=D | explanation= $15\% \text{ of } 237 = (15/100) \times 237 = 35$.

Aptitude Questions — Records 121-150 of 100,000

id=121 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=19 | option_b=23 | option_c=15 | option_d=20 | answer=A | explanation=The common difference is 4. Therefore the next term is 15 + 4 = 19.

id=122 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:19 and the first is 90, what is the second? | option_a=266 | option_b=291 | option_c=285 | option_d=375 | answer=C | explanation=Scale factor = 90/6 = 15. Therefore second quantity = 19×15 = 285.

id=123 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=150 | option_d=70 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=124 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22614 at 8% per annum for 4 years. | option_a=7236 | option_b=7336 | option_c=29850 | option_d=7136 | answer=A | explanation=SI = PRT/100 = 22614×8×4/100 = **■**7236.

id=125 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 12, 21, 31? | option_a=31 | option_b=21 | option_c=3 | option_d=12 | answer=A | explanation=The first three numbers increase by 9, so the next should be 30. Therefore 31 is the odd one out.

id=126 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3411. If it is sold at a profit of 5%, what is its selling price? | option_a=3240 | option_b=3581 | option_c=3922 | option_d=3416 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3411 × 105/100 = **■**3581.

id=127 | topic=Averages | difficulty=Easy | question=Find the average of 89, 73, 90, 66, 16, 36, 44, 82. | option_a=62 | option_b=61 | option_c=64 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 496 ÷ 8 = 62.

id=128 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=V | option_c=X | option_d=R | answer=B | explanation=Move 2 positions forward from T; the resulting letter is V.

id=129 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 25? | option_a=18 | option_b=21 | option_c=15 | option_d=25 | answer=D | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 25 is the odd one out.

id=130 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=A | option_c=M | option_d=E | answer=A | explanation=Move 4 positions forward from E; the resulting letter is I.

id=131 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=24 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=132 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=133 | topic=Percentages | difficulty=Easy | question=What is 20% of 629? | option_a=105 | option_b=145 | option_c=125 | option_d=250 | answer=C | explanation=20% of 629 = (20/100) × 629 = 125.

id=134 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 24, 31, 40? | option_a=40 | option_b=24 | option_c=17 | option_d=31 | answer=A | explanation=The first three numbers increase by 7, so the next should be 38. Therefore 40 is the odd one out.

id=135 | topic=Averages | difficulty=Easy | question=Find the average of 83, 59, 39, 62, 15, 54. | option_a=52 | option_b=53 | option_c=51 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 312 ÷ 6 = 52.

id=136 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=137 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3706. If it is sold at a profit of 10%, what is its selling price? | option_a=4446 | option_b=3706 | option_c=4076 | option_d=3716 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3706 × 110/100 = **■**4076.

id=138 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=139 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=F | option_b=C | option_c=Z | option_d=I | answer=A | explanation=Move 3 positions forward from C; the resulting letter is F.

id=140 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 13? | option_a=3 | option_b=9 | option_c=13 | option_d=6 | answer=C | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 13 is the odd one out.

id=141 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=142 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=143 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17003 at 10% per annum for 4 years. | option_a=23804 | option_b=6701 | option_c=6801 | option_d=6901 | answer=C | explanation=SI = PRT/100 = 17003×10×4/100 = **■**6801.

id=144 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3233. If it is sold at a profit of 20%, what is its selling price? | option_a=4202 | option_b=3879 | option_c=3556 | option_d=3253 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3233 × 120/100 = **■**3879.

id=145 | topic=Averages | difficulty=Easy | question=Find the average of 91, 42, 68, 42, 95, 11, 69, 46, 96, 80. | option_a=63 | option_b=66 | option_c=64 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = 640 ÷ 10 = 64.

id=146 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=41 | option_c=36 | option_d=31 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=147 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=41 | option_b=42 | option_c=35 | option_d=47 | answer=A | explanation=The common difference is 6. Therefore the next term is 35 + 6 = 41.

id=148 | topic=Averages | difficulty=Easy | question=Find the average of 89, 42, 96, 94, 97, 32. | option_a=76 | option_b=77 | option_c=74 | option_d=75 | answer=D | explanation=Average = sum of values ÷ number of values = 450 ÷ 6 = 75.

id=149 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:2 and the first is 300, what is the second? | option_a=55 | option_b=40 | option_c=340 | option_d=38 | answer=B | explanation=Scale factor = 300/15 = 20. Therefore second quantity = 2×20 = 40.

id=150 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2517. If it is sold at a profit of 30%, what is its selling price? | option_a=3523 | option_b=3021 | option_c=3272 | option_d=2547 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2517 × 130/100 = **■**3272.

Aptitude Questions — Records 151-180 of 100,000

- id=151 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36350 at 6% per annum for 5 years. | option_a=47255 | option_b=11005 | option_c=10905 | option_d=10805 | answer=C | explanation=SI = $PRT/100 = 36350 \times 6 \times 5/100 = \text{■}10905$.
- id=152 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=13 | option_c=36 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = $90 \div 5 = 18$ km/h.
- id=153 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=W | option_b=H | option_c=R | option_d=M | answer=C | explanation=Move 5 positions forward from M; the resulting letter is R.
- id=154 | topic=Percentages | difficulty=Easy | question=What is 50% of 591? | option_a=295 | option_b=300 | option_c=590 | option_d=285 | answer=A | explanation=50% of 591 = $(50/100) \times 591 = 295$.
- id=155 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=74 | option_b=63 | option_c=62 | option_d=50 | answer=C | explanation=The common difference is 12. Therefore the next term is $50 + 12 = 62$.
- id=156 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 17, 22, 30? | option_a=22 | option_b=12 | option_c=17 | option_d=30 | answer=D | explanation=The first three numbers increase by 5, so the next should be 27. Therefore 30 is the odd one out.
- id=157 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:4 and the first is 84, what is the second? | option_a=20 | option_b=38 | option_c=108 | option_d=24 | answer=D | explanation=Scale factor = $84/14 = 6$. Therefore second quantity = $4 \times 6 = 24$.
- id=158 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 5. | option_a=25 | option_b=5 | option_c=1 | option_d=10 | answer=B | explanation=LCM $\times$ HCF = 5×5 ; HCF(5,5) = 5, so LCM = 5.
- id=159 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=24 | option_d=7 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.
- id=160 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=V | option_b=G | option_c=Q | option_d=L | answer=C | explanation=Move 5 positions forward from L; the resulting letter is Q.
- id=161 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:4 and the first is 112, what is the second? | option_a=71 | option_b=176 | option_c=60 | option_d=64 | answer=D | explanation=Scale factor = $112/7 = 16$. Therefore second quantity = $4 \times 16 = 64$.
- id=162 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=P | option_c=E | option_d=Z | answer=D | explanation=Move 5 positions forward from U; the resulting letter is Z.
- id=163 | topic=Averages | difficulty=Easy | question=Find the average of 82, 36, 18, 80, 39. | option_a=50 | option_b=53 | option_c=51 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = $255 \div 5 = 51$.
- id=164 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40058 at 4% per annum for 3 years. | option_a=4706 | option_b=44864 | option_c=4806 | option_d=4906 | answer=C | explanation=SI = $PRT/100 = 40058 \times 4 \times 3/100 = \text{■}4806$.
- id=165 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8204 at 12% per annum for 1 years. | option_a=884 | option_b=9188 | option_c=984 | option_d=1084 | answer=C | explanation=SI = $PRT/100 = 8204 \times 12 \times 1/100 = \text{■}984$.
- id=166 | topic=Averages | difficulty=Easy | question=Find the average of 12, 32, 43, 16, 26, 63, 77, 27. | option_a=39 | option_b=36 | option_c=38 | option_d=37 | answer=D | explanation=Average = sum of values ÷ number of values = $296 \div 8 = 37$.
- id=167 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=18 | option_c=13 | option_d=23 | answer=B | explanation=Speed = distance ÷ time = $90 \div 5 = 18$ km/h.
- id=168 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=N | option_b=T | option_c=Q | option_d=W | answer=B | explanation=Move 3 positions forward from Q; the resulting letter is T.
- id=169 | topic=Percentages | difficulty=Easy | question=What is 30% of 1030? | option_a=618 | option_b=289 | option_c=319 | option_d=309 | answer=D | explanation=30% of 1030 = $(30/100) \times 1030 = 309$.
- id=170 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**761. If it is sold at a profit of 30%, what is its selling price? | option_a=791 | option_b=913 | option_c=989 | option_d=1065 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 761 \times 130/100 = \text{■}989$.
- id=171 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:19 and the first is 380, what is the second? | option_a=361 | option_b=741 | option_c=381 | option_d=342 | answer=A | explanation=Scale factor = $380/20 = 19$. Therefore second quantity = $19 \times 19 = 361$.
- id=172 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 21. | option_a=144 | option_b=105 | option_c=126 | option_d=378 | answer=C | explanation=LCM $\times$ HCF = 18×21 ; HCF(18,21) = 3, so LCM = 126.
- id=173 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=Z | option_b=U | option_c=E | option_d=P | answer=A | explanation=Move 5 positions forward from U; the resulting letter is Z.
- id=174 | topic=Averages | difficulty=Easy | question=Find the average of 53, 68, 61, 63, 22, 50, 64, 50, 100. | option_a=61 | option_b=59 | option_c=60 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = $531 \div 9 = 59$.
- id=175 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=O | option_b=P | option_c=R | option_d=Q | answer=D | explanation=Move 1 positions forward from P; the resulting letter is Q.
- id=176 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.
- id=177 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44039 at 8% per annum for 2 years. | option_a=51085 | option_b=6946 | option_c=7146 | option_d=7046 | answer=D | explanation=SI = $PRT/100 = 44039 \times 8 \times 2/100 = \text{■}7046$.
- id=178 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2382. If it is sold at a profit of 20%, what is its selling price? | option_a=3096 | option_b=2858 | option_c=2620 | option_d=2402 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2382 \times 120/100 = \text{■}2858$.
- id=179 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=18 | option_b=16 | option_c=19 | option_d=20 | answer=A | explanation=The common difference is 2. Therefore the next term is $16 + 2 = 18$.
- id=180 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=240 | option_c=120 | option_d=125 | answer=C | explanation=Speed = distance ÷ time = $240 \div 2 = 120$ km/h.

Aptitude Questions — Records 181-210 of 100,000

- id=181 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1262. If it is sold at a profit of 5%, what is its selling price? | option_a=1451 | option_b=1267 | option_c=1199 | option_d=1325 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1262 × 105/100 = █1325.
- id=182 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.
- id=183 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.
- id=184 | topic=Averages | difficulty=Easy | question=Find the average of 37, 27, 42, 47, 51, 25, 16. | option_a=35 | option_b=36 | option_c=34 | option_d=37 | answer=A | explanation=Average = sum of values ÷ number of values = 245 ÷ 7 = 35.
- id=185 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9466 at 8% per annum for 5 years. | option_a=3786 | option_b=13252 | option_c=3686 | option_d=3886 | answer=A | explanation=SI = PRT/100 = 9466×8×5/100 = █3786.
- id=186 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3352. If it is sold at a profit of 5%, what is its selling price? | option_a=3184 | option_b=3854 | option_c=3519 | option_d=3357 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3352 × 105/100 = █3519.
- id=187 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2664. If it is sold at a profit of 40%, what is its selling price? | option_a=3729 | option_b=3995 | option_c=3463 | option_d=2704 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2664 × 140/100 = █3729.
- id=188 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:13 and the first is 8, what is the second? | option_a=34 | option_b=30 | option_c=26 | option_d=13 | answer=C | explanation=Scale factor = 8/4 = 2. Therefore second quantity = 13×2 = 26.
- id=189 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=23 | option_c=36 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.
- id=190 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=55 | option_b=44 | option_c=64 | option_d=54 | answer=D | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.
- id=191 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.
- id=192 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.
- id=193 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17775 at 5% per annum for 2 years. | option_a=19552 | option_b=1777 | option_c=1677 | option_d=1877 | answer=B | explanation=SI = PRT/100 = 17775×5×2/100 = █1777.
- id=194 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42153 at 8% per annum for 4 years. | option_a=13488 | option_b=13588 | option_c=13388 | option_d=55641 | answer=A | explanation=SI = PRT/100 = 42153×8×4/100 = █13488.
- id=195 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=I | option_c=M | option_d=O | answer=C | explanation=Move 2 positions forward from K; the resulting letter is M.
- id=196 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 11. | option_a=44 | option_b=22 | option_c=242 | option_d=11 | answer=B | explanation=LCM × HCF = 22×11; HCF(22,11) = 11, so LCM = 22.
- id=197 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=77 | option_c=144 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.
- id=198 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:3 and the first is 54, what is the second? | option_a=51 | option_b=54 | option_c=57 | option_d=108 | answer=B | explanation=Scale factor = 54/3 = 18. Therefore second quantity = 3×18 = 54.
- id=199 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=D | option_b=J | option_c=G | option_d=M | answer=B | explanation=Move 3 positions forward from G; the resulting letter is J.
- id=200 | topic=Percentages | difficulty=Easy | question=What is 10% of 972? | option_a=107 | option_b=194 | option_c=77 | option_d=97 | answer=D | explanation=10% of 972 = (10/100) × 972 = 97.
- id=201 | topic=Percentages | difficulty=Easy | question=What is 40% of 557? | option_a=222 | option_b=202 | option_c=444 | option_d=232 | answer=A | explanation=40% of 557 = (40/100) × 557 = 222.
- id=202 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:14 and the first is 156, what is the second? | option_a=324 | option_b=181 | option_c=154 | option_d=168 | answer=D | explanation=Scale factor = 156/13 = 12. Therefore second quantity = 14×12 = 168.
- id=203 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2800. If it is sold at a profit of 10%, what is its selling price? | option_a=3080 | option_b=2800 | option_c=3360 | option_d=2810 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2800 × 110/100 = █3080.
- id=204 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=R | option_b=X | option_c=V | option_d=T | answer=C | explanation=Move 2 positions forward from T; the resulting letter is V.
- id=205 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=95 | option_c=105 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.
- id=206 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=I | option_c=K | option_d=M | answer=D | explanation=Move 2 positions forward from K; the resulting letter is M.
- id=207 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 21? | option_a=13 | option_b=17 | option_c=21 | option_d=15 | answer=C | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 21 is the odd one out.
- id=208 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=115 | option_c=120 | option_d=125 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.
- id=209 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2523. If it is sold at a profit of 10%, what is its selling price? | option_a=2533 | option_b=3027 | option_c=2523 | option_d=2775 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2523 × 110/100 = █2775.
- id=210 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=61 | option_b=39 | option_c=50 | option_d=51 | answer=C | explanation=The common difference is 11. Therefore the next term is 39 + 11 = 50.

Aptitude Questions — Records 211-240 of 100,000

id=211 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46406 at 15% per annum for 5 years. | option_a=34804 | option_b=81210 | option_c=34704 | option_d=34904 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{46406 \times 15 \times 5}{100} = \text{■}34804$.

id=212 | topic=Percentages | difficulty=Easy | question=What is 25% of 891? | option_a=222 | option_b=202 | option_c=444 | option_d=242 | answer=A | explanation= $25\% \text{ of } 891 = \frac{(25/100) \times 891}{1} = 222$.

id=213 | topic=Averages | difficulty=Easy | question=Find the average of 70, 34, 57, 96, 83, 66, 70. | option_a=68 | option_b=70 | option_c=69 | option_d=67 | answer=A | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{476}{7} = 68$.

id=214 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14087 at 15% per annum for 5 years. | option_a=10465 | option_b=10565 | option_c=24652 | option_d=10665 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{14087 \times 15 \times 5}{100} = \text{■}10565$.

id=215 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=M | option_b=V | option_c=P | option_d=S | answer=D | explanation=Move 3 positions forward from P; the resulting letter is S.

id=216 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:6 and the first is 30, what is the second? | option_a=63 | option_b=60 | option_c=54 | option_d=90 | answer=B | explanation= $\text{Scale factor} = \frac{30}{3} = 10$. Therefore second quantity = $6 \times 10 = 60$.

id=217 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation= $\text{Combined rate} = \frac{1}{4} + \frac{1}{4} = \frac{8}{16}$. Time = $\frac{16}{8} = 2$ days.

id=218 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47238 at 8% per annum for 4 years. | option_a=15216 | option_b=15016 | option_c=62354 | option_d=15116 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{47238 \times 8 \times 4}{100} = \text{■}15116$.

id=219 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:5 and the first is 133, what is the second? | option_a=90 | option_b=102 | option_c=95 | option_d=228 | answer=C | explanation= $\text{Scale factor} = \frac{133}{7} = 19$. Therefore second quantity = $5 \times 19 = 95$.

id=220 | topic=Averages | difficulty=Easy | question=Find the average of 25, 16, 40, 63, 91, 89, 68. | option_a=55 | option_b=57 | option_c=58 | option_d=56 | answer=D | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{392}{7} = 56$.

id=221 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 21, 23, 25, ? | option_a=28 | option_b=27 | option_c=25 | option_d=29 | answer=B | explanation=The common difference is 2. Therefore the next term is $25 + 2 = 27$.

id=222 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:1 and the first is 182, what is the second? | option_a=13 | option_b=195 | option_c=12 | option_d=27 | answer=A | explanation= $\text{Scale factor} = \frac{182}{14} = 13$. Therefore second quantity = $1 \times 13 = 13$.

id=223 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44540 at 12% per annum for 1 years. | option_a=5444 | option_b=49884 | option_c=5344 | option_d=5244 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{44540 \times 12 \times 1}{100} = \text{■}5344$.

id=224 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=5 | answer=A | explanation= $\text{Combined rate} = \frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

id=225 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5135 at 12% per annum for 4 years. | option_a=2364 | option_b=7599 | option_c=2564 | option_d=2464 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{5135 \times 12 \times 4}{100} = \text{■}2464$.

id=226 | topic=Percentages | difficulty=Easy | question=What is 15% of 1670? | option_a=250 | option_b=255 | option_c=500 | option_d=240 | answer=A | explanation= $15\% \text{ of } 1670 = \frac{(15/100) \times 1670}{1} = 250$.

id=227 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 36? | option_a=36 | option_b=23 | option_c=29 | option_d=17 | answer=A | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 36 is the odd one out.

id=228 | topic=Percentages | difficulty=Easy | question=What is 25% of 1823? | option_a=455 | option_b=910 | option_c=465 | option_d=450 | answer=A | explanation= $25\% \text{ of } 1823 = \frac{(25/100) \times 1823}{1} = 455$.

id=229 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 14. | option_a=420 | option_b=240 | option_c=210 | option_d=196 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 30 \times 14$; $\text{HCF}(30,14) = 2$, so $\text{LCM} = 210$.

id=230 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 13, 16, 22? | option_a=13 | option_b=10 | option_c=22 | option_d=16 | answer=C | explanation=The first three numbers increase by 3, so the next should be 19. Therefore 22 is the odd one out.

id=231 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=48 | option_b=47 | option_c=57 | option_d=37 | answer=B | explanation=The common difference is 10. Therefore the next term is $37 + 10 = 47$.

id=232 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2786. If it is sold at a profit of 25%, what is its selling price? | option_a=3482 | option_b=2811 | option_c=3760 | option_d=3204 | answer=A | explanation= $\text{Selling price} = \text{CP} \times (100 + \text{profit}\%) / 100 = \frac{2786 \times 125}{100} = \text{■}3482$.

id=233 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46204 at 8% per annum for 3 years. | option_a=10988 | option_b=11188 | option_c=11088 | option_d=57292 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{46204 \times 8 \times 3}{100} = \text{■}11088$.

id=234 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=33 | option_b=45 | option_c=40 | option_d=39 | answer=D | explanation=The common difference is 6. Therefore the next term is $33 + 6 = 39$.

id=235 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{120}{2} = 60 \text{ km/h}$.

id=236 | topic=Percentages | difficulty=Easy | question=What is 10% of 308? | option_a=30 | option_b=60 | option_c=35 | option_d=10 | answer=A | explanation= $10\% \text{ of } 308 = \frac{(10/100) \times 308}{1} = 30$.

id=237 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=47 | option_b=48 | option_c=36 | option_d=58 | answer=A | explanation=The common difference is 11. Therefore the next term is $36 + 11 = 47$.

id=238 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=96 | option_c=43 | option_d=48 | answer=D | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{240}{5} = 48 \text{ km/h}$.

id=239 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 39? | option_a=13 | option_b=29 | option_c=39 | option_d=21 | answer=C | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 39 is the odd one out.

id=240 | topic=Percentages | difficulty=Easy | question=What is 12% of 1556? | option_a=196 | option_b=186 | option_c=166 | option_d=372 | answer=B | explanation= $12\% \text{ of } 1556 = \frac{(12/100) \times 1556}{1} = 186$.

Aptitude Questions — Records 241-270 of 100,000

id=241 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:15 and the first is 72, what is the second? | option_a=120 | option_b=129 | option_c=192 | option_d=105 | answer=A | explanation=Scale factor = 72/9 = 8. Therefore second quantity = 15×8 = 120.

id=242 | topic=Averages | difficulty=Easy | question=Find the average of 27, 19, 67, 35. | option_a=36 | option_b=38 | option_c=37 | option_d=39 | answer=C | explanation=Average = sum of values ÷ number of values = 148 ÷ 4 = 37.

id=243 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=M | option_c=K | option_d=L | answer=B | explanation=Move 1 positions forward from L; the resulting letter is M.

id=244 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=L | option_b=F | option_c=I | option_d=C | answer=C | explanation=Move 3 positions forward from F; the resulting letter is I.

id=245 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16514 at 15% per annum for 4 years. | option_a=26422 | option_b=9808 | option_c=10008 | option_d=9908 | answer=D | explanation=SI = $\text{PRT}/100 = 16514 \times 15 \times 4 / 100 = \text{■}9908$.

id=246 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41104 at 4% per annum for 1 years. | option_a=1644 | option_b=42748 | option_c=1744 | option_d=1544 | answer=A | explanation=SI = $\text{PRT}/100 = 41104 \times 4 \times 1 / 100 = \text{■}1644$.

id=247 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 42? | option_a=23 | option_b=15 | option_c=31 | option_d=42 | answer=D | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 42 is the odd one out.

id=248 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=Y | option_c=C | option_d=K | answer=A | explanation=Move 4 positions forward from C; the resulting letter is G.

id=249 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37130 at 12% per annum for 5 years. | option_a=22178 | option_b=59408 | option_c=22278 | option_d=22378 | answer=C | explanation=SI = $\text{PRT}/100 = 37130 \times 12 \times 5 / 100 = \text{■}22278$.

id=250 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 31, 33, 36? | option_a=31 | option_b=36 | option_c=33 | option_d=29 | answer=B | explanation=The first three numbers increase by 2, so the next should be 35. Therefore 36 is the odd one out.

id=251 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22145 at 12% per annum for 2 years. | option_a=5314 | option_b=5414 | option_c=27459 | option_d=5214 | answer=A | explanation=SI = $\text{PRT}/100 = 22145 \times 12 \times 2 / 100 = \text{■}5314$.

id=252 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2152. If it is sold at a profit of 20%, what is its selling price? | option_a=2172 | option_b=2797 | option_c=2582 | option_d=2367 | answer=C | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 2152 \times 120 / 100 = \text{■}2582$.

id=253 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=32 | option_b=31 | option_c=28 | option_d=34 | answer=B | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=254 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44170 at 10% per annum for 5 years. | option_a=22185 | option_b=22085 | option_c=66255 | option_d=21985 | answer=B | explanation=SI = $\text{PRT}/100 = 44170 \times 10 \times 5 / 100 = \text{■}22085$.

id=255 | topic=Percentages | difficulty=Easy | question=What is 5% of 216? | option_a=30 | option_b=10 | option_c=20 | option_d=0 | answer=B | explanation=5% of 216 = $(5/100) \times 216 = 10$.

id=256 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=60 | option_b=48 | option_c=70 | option_d=59 | answer=D | explanation=The common difference is 11. Therefore the next term is 48 + 11 = 59.

id=257 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=R | option_c=J | option_d=F | answer=A | explanation=Move 4 positions forward from J; the resulting letter is N.

id=258 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 45, what is the second? | option_a=9 | option_b=6 | option_c=54 | option_d=24 | answer=A | explanation=Scale factor = 45/15 = 3. Therefore second quantity = 3×3 = 9.

id=259 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 8. | option_a=32 | option_b=16 | option_c=128 | option_d=8 | answer=B | explanation= $\text{LCM} \times \text{HCF} = 16 \times 8$; $\text{HCF}(16,8) = 8$, so LCM = 16.

id=260 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=261 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=262 | topic=Averages | difficulty=Easy | question=Find the average of 22, 16, 47, 59, 91. | option_a=48 | option_b=46 | option_c=47 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 235 ÷ 5 = 47.

id=263 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=160 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=264 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 4. | option_a=4 | option_b=6 | option_c=1 | option_d=8 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 2 \times 4$; $\text{HCF}(2,4) = 2$, so LCM = 4.

id=265 | topic=Averages | difficulty=Easy | question=Find the average of 84, 55, 16, 16, 46, 77. | option_a=48 | option_b=49 | option_c=50 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 294 ÷ 6 = 49.

id=266 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3630. If it is sold at a profit of 15%, what is its selling price? | option_a=4174 | option_b=4537 | option_c=3645 | option_d=3811 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 3630 \times 115 / 100 = \text{■}4174$.

id=267 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=268 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 13, 16, 20? | option_a=16 | option_b=13 | option_c=10 | option_d=20 | answer=D | explanation=The first three numbers increase by 3, so the next should be 19. Therefore 20 is the odd one out.

id=269 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=24 | option_d=29 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=270 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 5, 7, 10? | option_a=10 | option_b=7 | option_c=5 | option_d=3 | answer=A | explanation=The first three numbers increase by 2, so the next should be 9. Therefore 10 is the odd one out.

Aptitude Questions — Records 271-300 of 100,000

id=271 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 16. | option_a=288 | option_b=144 | option_c=128 | option_d=162 | answer=B | explanation=LCM × HCF = 18×16; HCF(18,16) = 2, so LCM = 144.

id=272 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=85 | option_c=75 | option_d=160 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=273 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=52 | option_b=62 | option_c=42 | option_d=53 | answer=A | explanation=The common difference is 10. Therefore the next term is 42 + 10 = 52.

id=274 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=275 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=F | option_c=V | option_d=K | answer=B | explanation=Move 5 positions forward from A; the resulting letter is F.

id=276 | topic=Percentages | difficulty=Easy | question=What is 40% of 1245? | option_a=503 | option_b=478 | option_c=498 | option_d=996 | answer=C | explanation=40% of 1245 = (40/100) × 1245 = 498.

id=277 | topic=Percentages | difficulty=Easy | question=What is 10% of 1222? | option_a=122 | option_b=117 | option_c=127 | option_d=244 | answer=A | explanation=10% of 1222 = (10/100) × 1222 = 122.

id=278 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹28063 at 12% per annum for 2 years. | option_a=6735 | option_b=6835 | option_c=6635 | option_d=34798 | answer=A | explanation=SI = PRT/100 = 28063×12×2/100 = ₹6735.

id=279 | topic=Percentages | difficulty=Easy | question=What is 12% of 1495? | option_a=179 | option_b=199 | option_c=358 | option_d=174 | answer=A | explanation=12% of 1495 = (12/100) × 1495 = 179.

id=280 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 21, 28, 36? | option_a=36 | option_b=14 | option_c=21 | option_d=28 | answer=A | explanation=The first three numbers increase by 7, so the next should be 35. Therefore 36 is the odd one out.

id=281 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 19, 25, 34? | option_a=13 | option_b=19 | option_c=34 | option_d=25 | answer=C | explanation=The first three numbers increase by 6, so the next should be 31. Therefore 34 is the odd one out.

id=282 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:10 and the first is 162, what is the second? | option_a=252 | option_b=90 | option_c=108 | option_d=80 | answer=B | explanation=Scale factor = 162/18 = 9. Therefore second quantity = 10×9 = 90.

id=283 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=90 | option_b=50 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=284 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=285 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 8. | option_a=8 | option_b=16 | option_c=64 | option_d=1 | answer=A | explanation=LCM × HCF = 8×8; HCF(8,8) = 8, so LCM = 8.

id=286 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹8158 at 10% per annum for 5 years. | option_a=12237 | option_b=3979 | option_c=4079 | option_d=4179 | answer=C | explanation=SI = PRT/100 = 8158×10×5/100 = ₹4079.

id=287 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=Q | option_c=S | option_d=O | answer=C | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=288 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=289 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:20 and the first is 95, what is the second? | option_a=100 | option_b=195 | option_c=119 | option_d=80 | answer=A | explanation=Scale factor = 95/19 = 5. Therefore second quantity = 20×5 = 100.

id=290 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=M | option_c=W | option_d=B | answer=C | explanation=Move 5 positions forward from R; the resulting letter is W.

id=291 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:4 and the first is 84, what is the second? | option_a=48 | option_b=132 | option_c=44 | option_d=55 | answer=A | explanation=Scale factor = 84/7 = 12. Therefore second quantity = 4×12 = 48.

id=292 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=M | option_b=G | option_c=I | option_d=K | answer=D | explanation=Move 2 positions forward from I; the resulting letter is K.

id=293 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:7 and the first is 133, what is the second? | option_a=49 | option_b=42 | option_c=68 | option_d=182 | answer=A | explanation=Scale factor = 133/19 = 7. Therefore second quantity = 7×7 = 49.

id=294 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹3383. If it is sold at a profit of 10%, what is its selling price? | option_a=3383 | option_b=3393 | option_c=3721 | option_d=4059 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3383 × 110/100 = ₹3721.

id=295 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=75 | option_c=80 | option_d=70 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=296 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 10. | option_a=260 | option_b=130 | option_c=156 | option_d=120 | answer=B | explanation=LCM × HCF = 26×10; HCF(26,10) = 2, so LCM = 130.

id=297 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:8 and the first is 36, what is the second? | option_a=60 | option_b=16 | option_c=36 | option_d=24 | answer=D | explanation=Scale factor = 36/12 = 3. Therefore second quantity = 8×3 = 24.

id=298 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹27569 at 12% per annum for 5 years. | option_a=16641 | option_b=16541 | option_c=44110 | option_d=16441 | answer=B | explanation=SI = PRT/100 = 27569×12×5/100 = ₹16541.

id=299 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=P | option_b=J | option_c=M | option_d=G | answer=C | explanation=Move 3 positions forward from J; the resulting letter is M.

id=300 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 16. | option_a=48 | option_b=96 | option_c=54 | option_d=32 | answer=A | explanation=LCM × HCF = 6×16; HCF(6,16) = 2, so LCM = 48.

Aptitude Questions — Records 301-330 of 100,000

- id=301 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 43? | option_a=37 | option_b=27 | option_c=32 | option_d=43 | answer=D | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 43 is the odd one out.
- id=302 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 46? | option_a=24 | option_b=31 | option_c=38 | option_d=46 | answer=D | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 46 is the odd one out.
- id=303 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=35 | option_b=31 | option_c=36 | option_d=39 | answer=A | explanation=The common difference is 4. Therefore the next term is 31 + 4 = 35.
- id=304 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1782. If it is sold at a profit of 50%, what is its selling price? | option_a=1832 | option_b=2851 | option_c=2495 | option_d=2673 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1782 × 150/100 = █2673.
- id=305 | topic=Percentages | difficulty=Easy | question=What is 12% of 978? | option_a=137 | option_b=117 | option_c=107 | option_d=234 | answer=B | explanation=12% of 978 = (12/100) × 978 = 117.
- id=306 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 22, 28, 37? | option_a=28 | option_b=22 | option_c=16 | option_d=37 | answer=D | explanation=The first three numbers increase by 6, so the next should be 34. Therefore 37 is the odd one out.
- id=307 | topic=Percentages | difficulty=Easy | question=What is 15% of 1577? | option_a=472 | option_b=231 | option_c=256 | option_d=236 | answer=D | explanation=15% of 1577 = (15/100) × 1577 = 236.
- id=308 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4533. If it is sold at a profit of 5%, what is its selling price? | option_a=4306 | option_b=4538 | option_c=5212 | option_d=4759 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4533 × 105/100 = █4759.
- id=309 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:6 and the first is 84, what is the second? | option_a=36 | option_b=30 | option_c=50 | option_d=120 | answer=A | explanation=Scale factor = 84/14 = 6. Therefore second quantity = 6×6 = 36.
- id=310 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:18 and the first is 225, what is the second? | option_a=285 | option_b=252 | option_c=270 | option_d=495 | answer=C | explanation=Scale factor = 225/15 = 15. Therefore second quantity = 18×15 = 270.
- id=311 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:4 and the first is 21, what is the second? | option_a=19 | option_b=12 | option_c=8 | option_d=33 | answer=B | explanation=Scale factor = 21/7 = 3. Therefore second quantity = 4×3 = 12.
- id=312 | topic=Averages | difficulty=Easy | question=Find the average of 18, 22, 86, 14, 67, 87. | option_a=50 | option_b=48 | option_c=51 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 294 ÷ 6 = 49.
- id=313 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=314 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=I | option_c=S | option_d=X | answer=C | explanation=Move 5 positions forward from N; the resulting letter is S.
- id=315 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=R | option_b=H | option_c=W | option_d=M | answer=A | explanation=Move 5 positions forward from M; the resulting letter is R.
- id=316 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.
- id=317 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=12 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=318 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 28. | option_a=728 | option_b=390 | option_c=364 | option_d=336 | answer=C | explanation=LCM × HCF = 26×28; HCF(26,28) = 2, so LCM = 364.
- id=319 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=150 | option_c=145 | option_d=155 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.
- id=320 | topic=Percentages | difficulty=Easy | question=What is 50% of 584? | option_a=272 | option_b=292 | option_c=312 | option_d=584 | answer=B | explanation=50% of 584 = (50/100) × 584 = 292.
- id=321 | topic=Averages | difficulty=Easy | question=Find the average of 39, 58, 82, 41, 73, 80, 93, 102. | option_a=71 | option_b=73 | option_c=72 | option_d=70 | answer=A | explanation=Average = sum of values ÷ number of values = 568 ÷ 8 = 71.
- id=322 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=X | option_c=P | option_d=L | answer=A | explanation=Move 4 positions forward from P; the resulting letter is T.
- id=323 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10172 at 12% per annum for 5 years. | option_a=6203 | option_b=6003 | option_c=6103 | option_d=16275 | answer=C | explanation=SI = PRT/100 = 10172×12×5/100 = █6103.
- id=324 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 15? | option_a=6 | option_b=3 | option_c=9 | option_d=15 | answer=D | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 15 is the odd one out.
- id=325 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42333 at 5% per annum for 1 years. | option_a=44449 | option_b=2016 | option_c=2116 | option_d=2216 | answer=C | explanation=SI = PRT/100 = 42333×5×1/100 = █2116.
- id=326 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 23, 30, 38? | option_a=38 | option_b=16 | option_c=23 | option_d=30 | answer=A | explanation=The first three numbers increase by 7, so the next should be 37. Therefore 38 is the odd one out.
- id=327 | topic=Percentages | difficulty=Easy | question=What is 50% of 63? | option_a=21 | option_b=51 | option_c=62 | option_d=31 | answer=D | explanation=50% of 63 = (50/100) × 63 = 31.
- id=328 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 20? | option_a=11 | option_b=13 | option_c=20 | option_d=15 | answer=C | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 20 is the odd one out.
- id=329 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4395. If it is sold at a profit of 15%, what is its selling price? | option_a=4615 | option_b=4410 | option_c=5054 | option_d=5493 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4395 × 115/100 = █5054.
- id=330 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=23 | option_c=18 | option_d=36 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

Aptitude Questions — Records 331-360 of 100,000

id=331 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=332 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■6418 at 8% per annum for 4 years. | option_a=2153 | option_b=2053 | option_c=8471 | option_d=1953 | answer=B | explanation=SI = PRT/100 = 6418×8×4/100 = ■2053.

id=333 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 8, 13, 19? | option_a=8 | option_b=19 | option_c=3 | option_d=13 | answer=B | explanation=The first three numbers increase by 5, so the next should be 18. Therefore 19 is the odd one out.

id=334 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2396. If it is sold at a profit of 5%, what is its selling price? | option_a=2276 | option_b=2515 | option_c=2401 | option_d=2754 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2396 × 105/100 = ■2515.

id=335 | topic=Averages | difficulty=Easy | question=Find the average of 60, 19, 48, 30, 83. | option_a=48 | option_b=50 | option_c=47 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 240 ÷ 5 = 48.

id=336 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=O | option_b=U | option_c=R | option_d=X | answer=B | explanation=Move 3 positions forward from R; the resulting letter is U.

id=337 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4202. If it is sold at a profit of 30%, what is its selling price? | option_a=5042 | option_b=5882 | option_c=4232 | option_d=5462 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4202 × 130/100 = ■5462.

id=338 | topic=Averages | difficulty=Easy | question=Find the average of 53, 87, 88, 88. | option_a=78 | option_b=79 | option_c=80 | option_d=81 | answer=B | explanation=Average = sum of values ÷ number of values = 316 ÷ 4 = 79.

id=339 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=E | option_c=M | option_d=Q | answer=C | explanation=Move 4 positions forward from I; the resulting letter is M.

id=340 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 39? | option_a=22 | option_b=14 | option_c=39 | option_d=30 | answer=C | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 39 is the odd one out.

id=341 | topic=Averages | difficulty=Easy | question=Find the average of 20, 44, 29, 59. | option_a=38 | option_b=40 | option_c=37 | option_d=39 | answer=A | explanation=Average = sum of values ÷ number of values = 152 ÷ 4 = 38.

id=342 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=125 | option_c=240 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=343 | topic=Number System | difficulty=Easy | question=Find the LCM of 13 and 26. | option_a=39 | option_b=338 | option_c=26 | option_d=1 | answer=C | explanation=LCM × HCF = 13×26; HCF(13,26) = 13, so LCM = 26.

id=344 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1635. If it is sold at a profit of 40%, what is its selling price? | option_a=2289 | option_b=2452 | option_c=2126 | option_d=1675 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1635 × 140/100 = ■2289.

id=345 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■315. If it is sold at a profit of 10%, what is its selling price? | option_a=377 | option_b=346 | option_c=325 | option_d=315 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 315 × 110/100 = ■346.

id=346 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=45 | option_b=36 | option_c=52 | option_d=44 | answer=D | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.

id=347 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=348 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 4. | option_a=12 | option_b=8 | option_c=24 | option_d=18 | answer=A | explanation=LCM × HCF = 6×4; HCF(6,4) = 2, so LCM = 12.

id=349 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=350 | topic=Averages | difficulty=Easy | question=Find the average of 86, 88, 35, 68, 23, 27, 48, 10, 60, 55. | option_a=50 | option_b=49 | option_c=51 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 500 ÷ 10 = 50.

id=351 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=352 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=45 | option_b=53 | option_c=44 | option_d=35 | answer=C | explanation=The common difference is 9. Therefore the next term is 35 + 9 = 44.

id=353 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=120 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=354 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:12 and the first is 65, what is the second? | option_a=125 | option_b=60 | option_c=48 | option_d=73 | answer=B | explanation=Scale factor = 65/13 = 5. Therefore second quantity = 12×5 = 60.

id=355 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=Q | option_b=S | option_c=R | option_d=T | answer=B | explanation=Move 1 positions forward from R; the resulting letter is S.

id=356 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3451. If it is sold at a profit of 50%, what is its selling price? | option_a=5176 | option_b=3501 | option_c=4831 | option_d=5521 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3451 × 150/100 = ■5176.

id=357 | topic=Averages | difficulty=Easy | question=Find the average of 94, 29, 64, 58, 19, 67, 89. | option_a=60 | option_b=61 | option_c=59 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 420 ÷ 7 = 60.

id=358 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 45? | option_a=26 | option_b=34 | option_c=18 | option_d=45 | answer=D | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 45 is the odd one out.

id=359 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2133. If it is sold at a profit of 30%, what is its selling price? | option_a=2163 | option_b=2772 | option_c=2559 | option_d=2985 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2133 × 130/100 = ■2772.

id=360 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=49 | option_b=35 | option_c=42 | option_d=43 | answer=C | explanation=The common difference is 7. Therefore the next term is 35 + 7 = 42.

Aptitude Questions — Records 361-390 of 100,000

- id=361 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2219. If it is sold at a profit of 20%, what is its selling price? | option_a=2662 | option_b=2441 | option_c=2239 | option_d=2883 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2219 × 120/100 = █2662.
- id=362 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.
- id=363 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2520. If it is sold at a profit of 40%, what is its selling price? | option_a=3780 | option_b=3276 | option_c=2560 | option_d=3528 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2520 × 140/100 = █3528.
- id=364 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.
- id=365 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=185 | option_c=175 | option_d=360 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.
- id=366 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=11 | option_c=12 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.
- id=367 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=F | option_c=D | option_d=B | answer=B | explanation=Move 2 positions forward from D; the resulting letter is F.
- id=368 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 14, 21, 31? | option_a=14 | option_b=31 | option_c=7 | option_d=21 | answer=B | explanation=The first three numbers increase by 7, so the next should be 28. Therefore 31 is the odd one out.
- id=369 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=370 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=35 | option_b=44 | option_c=53 | option_d=45 | answer=B | explanation=The common difference is 9. Therefore the next term is 35 + 9 = 44.
- id=371 | topic=Averages | difficulty=Easy | question=Find the average of 45, 100, 18, 83, 23, 79. | option_a=58 | option_b=57 | option_c=60 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 348 ÷ 6 = 58.
- id=372 | topic=Averages | difficulty=Easy | question=Find the average of 24, 43, 95, 72, 77, 91, 50, 86, 59, 93. | option_a=70 | option_b=69 | option_c=68 | option_d=71 | answer=B | explanation=Average = sum of values ÷ number of values = 690 ÷ 10 = 69.
- id=373 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=24 | option_c=19 | option_d=48 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.
- id=374 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=E | option_b=T | option_c=J | option_d=O | answer=D | explanation=Move 5 positions forward from J; the resulting letter is O.
- id=375 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.
- id=376 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=25 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.
- id=377 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=38 | option_b=46 | option_c=47 | option_d=54 | answer=B | explanation=The common difference is 8. Therefore the next term is 38 + 8 = 46.
- id=378 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 16, 25, 36? | option_a=16 | option_b=25 | option_c=36 | option_d=7 | answer=C | explanation=The first three numbers increase by 9, so the next should be 34. Therefore 36 is the odd one out.
- id=379 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 3. | option_a=63 | option_b=42 | option_c=21 | option_d=18 | answer=C | explanation=LCM × HCF = 21×3; HCF(21,3) = 3, so LCM = 21.
- id=380 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13787 at 15% per annum for 4 years. | option_a=8272 | option_b=8172 | option_c=8372 | option_d=22059 | answer=A | explanation=SI = PRT/100 = 13787×15×4/100 = █8272.
- id=381 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.
- id=382 | topic=Averages | difficulty=Easy | question=Find the average of 14, 45, 38, 78, 46, 31, 70. | option_a=47 | option_b=46 | option_c=45 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 322 ÷ 7 = 46.
- id=383 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=35 | option_b=29 | option_c=30 | option_d=23 | answer=B | explanation=The common difference is 6. Therefore the next term is 23 + 6 = 29.
- id=384 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.
- id=385 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2041. If it is sold at a profit of 20%, what is its selling price? | option_a=2449 | option_b=2653 | option_c=2061 | option_d=2245 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2041 × 120/100 = █2449.
- id=386 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41380 at 5% per annum for 2 years. | option_a=4038 | option_b=45518 | option_c=4138 | option_d=4238 | answer=C | explanation=SI = PRT/100 = 41380×5×2/100 = █4138.
- id=387 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 20, 30, 41? | option_a=41 | option_b=10 | option_c=30 | option_d=20 | answer=A | explanation=The first three numbers increase by 10, so the next should be 40. Therefore 41 is the odd one out.
- id=388 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:9 and the first is 342, what is the second? | option_a=153 | option_b=181 | option_c=504 | option_d=162 | answer=D | explanation=Scale factor = 342/19 = 18. Therefore second quantity = 9×18 = 162.
- id=389 | topic=Percentages | difficulty=Easy | question=What is 12% of 617? | option_a=69 | option_b=148 | option_c=74 | option_d=94 | answer=C | explanation=12% of 617 = (12/100) × 617 = 74.
- id=390 | topic=Averages | difficulty=Easy | question=Find the average of 72, 28, 83, 90, 44, 90, 63, 58, 75. | option_a=68 | option_b=69 | option_c=66 | option_d=67 | answer=D | explanation=Average = sum of values ÷ number of values = 603 ÷ 9 = 67.

Aptitude Questions — Records 391-420 of 100,000

id=391 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=24 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=392 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3855. If it is sold at a profit of 30%, what is its selling price? | option_a=3885 | option_b=5396 | option_c=4626 | option_d=5011 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3855 × 130/100 = █5011.

id=393 | topic=Averages | difficulty=Easy | question=Find the average of 37, 73, 44, 51, 46, 53, 80, 83, 28. | option_a=54 | option_b=55 | option_c=56 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.

id=394 | topic=Percentages | difficulty=Easy | question=What is 40% of 253? | option_a=101 | option_b=96 | option_c=202 | option_d=106 | answer=A | explanation=40% of 253 = (40/100) × 253 = 101.

id=395 | topic=Percentages | difficulty=Easy | question=What is 15% of 926? | option_a=276 | option_b=158 | option_c=138 | option_d=133 | answer=C | explanation=15% of 926 = (15/100) × 926 = 138.

id=396 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3052. If it is sold at a profit of 25%, what is its selling price? | option_a=3510 | option_b=3077 | option_c=4120 | option_d=3815 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3052 × 125/100 = █3815.

id=397 | topic=Percentages | difficulty=Easy | question=What is 20% of 861? | option_a=152 | option_b=172 | option_c=344 | option_d=192 | answer=B | explanation=20% of 861 = (20/100) × 861 = 172.

id=398 | topic=Profit & Loss | difficulty=Easy | question=An article costs █108. If it is sold at a profit of 20%, what is its selling price? | option_a=139 | option_b=119 | option_c=129 | option_d=128 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 108 × 120/100 = █129.

id=399 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=59 | option_b=39 | option_c=49 | option_d=50 | answer=C | explanation=The common difference is 10. Therefore the next term is 39 + 10 = 49.

id=400 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=9 | option_c=4 | option_d=18 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=401 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=402 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=52 | option_b=43 | option_c=44 | option_d=34 | answer=B | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

id=403 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=A | option_b=E | option_c=I | option_d=M | answer=C | explanation=Move 4 positions forward from E; the resulting letter is I.

id=404 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1246. If it is sold at a profit of 10%, what is its selling price? | option_a=1370 | option_b=1246 | option_c=1494 | option_d=1256 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1246 × 110/100 = █1370.

id=405 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=80 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=406 | topic=Averages | difficulty=Easy | question=Find the average of 98, 13, 94, 48, 36, 76, 90. | option_a=65 | option_b=67 | option_c=64 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 455 ÷ 7 = 65.

id=407 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:8 and the first is 34, what is the second? | option_a=138 | option_b=128 | option_c=136 | option_d=170 | answer=C | explanation=Scale factor = 34/2 = 17. Therefore second quantity = 8×17 = 136.

id=408 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4427. If it is sold at a profit of 5%, what is its selling price? | option_a=4432 | option_b=4648 | option_c=5090 | option_d=4206 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4427 × 105/100 = █4648.

id=409 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=410 | topic=Percentages | difficulty=Easy | question=What is 15% of 586? | option_a=87 | option_b=92 | option_c=82 | option_d=174 | answer=A | explanation=15% of 586 = (15/100) × 586 = 87.

id=411 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=M | option_c=Q | option_d=Y | answer=A | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=412 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4495. If it is sold at a profit of 15%, what is its selling price? | option_a=4510 | option_b=5618 | option_c=5169 | option_d=4720 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4495 × 115/100 = █5169.

id=413 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4288. If it is sold at a profit of 20%, what is its selling price? | option_a=5145 | option_b=4308 | option_c=4717 | option_d=5573 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4288 × 120/100 = █5145.

id=414 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=415 | topic=Percentages | difficulty=Easy | question=What is 10% of 550? | option_a=65 | option_b=55 | option_c=50 | option_d=110 | answer=B | explanation=10% of 550 = (10/100) × 550 = 55.

id=416 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:4 and the first is 12, what is the second? | option_a=20 | option_b=8 | option_c=4 | option_d=14 | answer=B | explanation=Scale factor = 12/6 = 2. Therefore second quantity = 4×2 = 8.

id=417 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33532 at 6% per annum for 5 years. | option_a=43591 | option_b=10159 | option_c=10059 | option_d=9959 | answer=C | explanation=SI = PRT/100 = 33532×6×5/100 = █10059.

id=418 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18613 at 12% per annum for 1 years. | option_a=20846 | option_b=2133 | option_c=2333 | option_d=2233 | answer=D | explanation=SI = PRT/100 = 18613×12×1/100 = █2233.

id=419 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:3 and the first is 170, what is the second? | option_a=200 | option_b=27 | option_c=47 | option_d=30 | answer=D | explanation=Scale factor = 170/17 = 10. Therefore second quantity = 3×10 = 30.

id=420 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 21? | option_a=15 | option_b=21 | option_c=17 | option_d=13 | answer=B | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 21 is the odd one out.

Aptitude Questions — Records 421-450 of 100,000

id=421 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:19 and the first is 20, what is the second? | option_a=115 | option_b=95 | option_c=76 | option_d=99 | answer=B | explanation=Scale factor = 20/4 = 5. Therefore second quantity = 19×5 = 95.

id=422 | topic=Percentages | difficulty=Easy | question=What is 5% of 1808? | option_a=90 | option_b=85 | option_c=95 | option_d=180 | answer=A | explanation=5% of 1808 = (5/100) × 1808 = 90.

id=423 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12728 at 15% per annum for 1 years. | option_a=1809 | option_b=2009 | option_c=1909 | option_d=14637 | answer=C | explanation=SI = PRT/100 = 12728×15×1/100 = **■**1909.

id=424 | topic=Averages | difficulty=Easy | question=Find the average of 50, 44, 19, 83, 57, 25, 74, 96, 20. | option_a=54 | option_b=51 | option_c=52 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 468 ÷ 9 = 52.

id=425 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=426 | topic=Percentages | difficulty=Easy | question=What is 15% of 805? | option_a=130 | option_b=120 | option_c=240 | option_d=100 | answer=B | explanation=15% of 805 = (15/100) × 805 = 120.

id=427 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 26. | option_a=676 | option_b=26 | option_c=1 | option_d=52 | answer=B | explanation=LCM × HCF = 26×26; HCF(26,26) = 26, so LCM = 26.

id=428 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1417 at 8% per annum for 1 years. | option_a=113 | option_b=1530 | option_c=13 | option_d=213 | answer=A | explanation=SI = PRT/100 = 1417×8×1/100 = **■**113.

id=429 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=G | option_b=X | option_c=A | option_d=D | answer=D | explanation=Move 3 positions forward from A; the resulting letter is D.

id=430 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:7 and the first is 72, what is the second? | option_a=126 | option_b=119 | option_c=198 | option_d=130 | answer=A | explanation=Scale factor = 72/4 = 18. Therefore second quantity = 7×18 = 126.

id=431 | topic=Percentages | difficulty=Easy | question=What is 20% of 341? | option_a=68 | option_b=136 | option_c=63 | option_d=73 | answer=A | explanation=20% of 341 = (20/100) × 341 = 68.

id=432 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=433 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 14, 22, 31? | option_a=14 | option_b=22 | option_c=6 | option_d=31 | answer=D | explanation=The first three numbers increase by 8, so the next should be 30. Therefore 31 is the odd one out.

id=434 | topic=Averages | difficulty=Easy | question=Find the average of 43, 50, 60, 99, 51, 50, 67. | option_a=61 | option_b=62 | option_c=60 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 420 ÷ 7 = 60.

id=435 | topic=Averages | difficulty=Easy | question=Find the average of 84, 23, 29, 23, 31. | option_a=38 | option_b=37 | option_c=39 | option_d=40 | answer=A | explanation=Average = sum of values ÷ number of values = 190 ÷ 5 = 38.

id=436 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=437 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45961 at 6% per annum for 5 years. | option_a=13688 | option_b=13888 | option_c=59749 | option_d=13788 | answer=D | explanation=SI = PRT/100 = 45961×6×5/100 = **■**13788.

id=438 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**69777 at 12% per annum for 2 years. | option_a=8651 | option_b=1674 | option_c=1774 | option_d=1574 | answer=B | explanation=SI = PRT/100 = 6977×12×2/100 = **■**1674.

id=439 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=P | option_c=M | option_d=G | answer=C | explanation=Move 3 positions forward from J; the resulting letter is M.

id=440 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 20? | option_a=9 | option_b=12 | option_c=15 | option_d=20 | answer=D | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 20 is the odd one out.

id=441 | topic=Percentages | difficulty=Easy | question=What is 15% of 176? | option_a=21 | option_b=26 | option_c=31 | option_d=52 | answer=B | explanation=15% of 176 = (15/100) × 176 = 26.

id=442 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=50 | option_b=38 | option_c=45 | option_d=44 | answer=D | explanation=The common difference is 6. Therefore the next term is 38 + 6 = 44.

id=443 | topic=Averages | difficulty=Easy | question=Find the average of 26, 21, 52, 25, 15, 69, 16, 31, 83, 72. | option_a=40 | option_b=41 | option_c=42 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = 410 ÷ 10 = 41.

id=444 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=445 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=F | option_c=J | option_d=R | answer=A | explanation=Move 4 positions forward from J; the resulting letter is N.

id=446 | topic=Percentages | difficulty=Easy | question=What is 20% of 229? | option_a=55 | option_b=40 | option_c=45 | option_d=90 | answer=C | explanation=20% of 229 = (20/100) × 229 = 45.

id=447 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=S | option_b=Q | option_c=R | option_d=T | answer=A | explanation=Move 1 positions forward from R; the resulting letter is S.

id=448 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 20, 28, 38? | option_a=20 | option_b=28 | option_c=38 | option_d=12 | answer=C | explanation=The first three numbers increase by 8, so the next should be 36. Therefore 38 is the odd one out.

id=449 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=18 | option_b=19 | option_c=17 | option_d=15 | answer=C | explanation=The common difference is 2. Therefore the next term is 15 + 2 = 17.

id=450 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 29? | option_a=13 | option_b=18 | option_c=23 | option_d=29 | answer=D | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 29 is the odd one out.

Aptitude Questions — Records 451-480 of 100,000

id=451 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:2 and the first is 162, what is the second? | option_a=16 | option_b=18 | option_c=36 | option_d=180 | answer=B | explanation=Scale factor = 162/18 = 9. Therefore second quantity = 2×9 = 18.

id=452 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16502 at 10% per annum for 3 years. | option_a=5050 | option_b=4950 | option_c=21452 | option_d=4850 | answer=B | explanation=SI = $PRT/100 = 16502 \times 10 \times 3 / 100 = \text{■}4950$.

id=453 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=40 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=454 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33141 at 4% per annum for 1 years. | option_a=1425 | option_b=1225 | option_c=34466 | option_d=1325 | answer=D | explanation=SI = $PRT/100 = 33141 \times 4 \times 1 / 100 = \text{■}1325$.

id=455 | topic=Percentages | difficulty=Easy | question=What is 40% of 1128? | option_a=441 | option_b=902 | option_c=451 | option_d=456 | answer=C | explanation=40% of 1128 = $(40/100) \times 1128 = 451$.

id=456 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22206 at 4% per annum for 1 years. | option_a=23094 | option_b=888 | option_c=788 | option_d=988 | answer=B | explanation=SI = $PRT/100 = 22206 \times 4 \times 1 / 100 = \text{■}888$.

id=457 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4411. If it is sold at a profit of 30%, what is its selling price? | option_a=4441 | option_b=5293 | option_c=6175 | option_d=5734 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4411 \times 130 / 100 = \text{■}5734$.

id=458 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=34 | option_b=33 | option_c=40 | option_d=26 | answer=B | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

id=459 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48995 at 8% per annum for 4 years. | option_a=64673 | option_b=15778 | option_c=15678 | option_d=15578 | answer=C | explanation=SI = $PRT/100 = 48995 \times 8 \times 4 / 100 = \text{■}15678$.

id=460 | topic=Averages | difficulty=Easy | question=Find the average of 58, 49, 98, 47, 28. | option_a=58 | option_b=56 | option_c=55 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 280 ÷ 5 = 56.

id=461 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=47 | option_b=69 | option_c=59 | option_d=58 | answer=D | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.

id=462 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=45 | option_b=58 | option_c=69 | option_d=57 | answer=D | explanation=The common difference is 12. Therefore the next term is 45 + 12 = 57.

id=463 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=464 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=Z | option_c=F | option_d=I | answer=C | explanation=Move 3 positions forward from C; the resulting letter is F.

id=465 | topic=Averages | difficulty=Easy | question=Find the average of 98, 18, 54, 42, 23, 11. | option_a=43 | option_b=40 | option_c=42 | option_d=41 | answer=D | explanation=Average = sum of values ÷ number of values = 246 ÷ 6 = 41.

id=466 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=467 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=468 | topic=Percentages | difficulty=Easy | question=What is 50% of 854? | option_a=422 | option_b=854 | option_c=437 | option_d=427 | answer=D | explanation=50% of 854 = $(50/100) \times 854 = 427$.

id=469 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=470 | topic=Percentages | difficulty=Easy | question=What is 12% of 473? | option_a=46 | option_b=112 | option_c=76 | option_d=56 | answer=D | explanation=12% of 473 = $(12/100) \times 473 = 56$.

id=471 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:16 and the first is 221, what is the second? | option_a=493 | option_b=285 | option_c=272 | option_d=256 | answer=C | explanation=Scale factor = 221/13 = 17. Therefore second quantity = 16×17 = 272.

id=472 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25315 at 8% per annum for 3 years. | option_a=5975 | option_b=6075 | option_c=31390 | option_d=6175 | answer=B | explanation=SI = $PRT/100 = 25315 \times 8 \times 3 / 100 = \text{■}6075$.

id=473 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:15 and the first is 150, what is the second? | option_a=135 | option_b=150 | option_c=300 | option_d=165 | answer=B | explanation=Scale factor = 150/15 = 10. Therefore second quantity = 15×10 = 150.

id=474 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46643 at 12% per annum for 1 years. | option_a=52240 | option_b=5697 | option_c=5497 | option_d=5597 | answer=D | explanation=SI = $PRT/100 = 46643 \times 12 \times 1 / 100 = \text{■}5597$.

id=475 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 33? | option_a=25 | option_b=20 | option_c=15 | option_d=33 | answer=D | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 33 is the odd one out.

id=476 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 53? | option_a=53 | option_b=32 | option_c=41 | option_d=23 | answer=A | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 53 is the odd one out.

id=477 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3334. If it is sold at a profit of 5%, what is its selling price? | option_a=3167 | option_b=3339 | option_c=3500 | option_d=3833 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3334 \times 105 / 100 = \text{■}3500$.

id=478 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11955 at 5% per annum for 2 years. | option_a=1095 | option_b=13150 | option_c=1195 | option_d=1295 | answer=C | explanation=SI = $PRT/100 = 11955 \times 5 \times 2 / 100 = \text{■}1195$.

id=479 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3666. If it is sold at a profit of 20%, what is its selling price? | option_a=4399 | option_b=3686 | option_c=4033 | option_d=4765 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3666 \times 120 / 100 = \text{■}4399$.

id=480 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=40 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

Aptitude Questions — Records 481-510 of 100,000

id=481 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 33? | option_a=18 | option_b=12 | option_c=33 | option_d=24 | answer=C | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 33 is the odd one out.

id=482 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3495. If it is sold at a profit of 15%, what is its selling price? | option_a=3510 | option_b=4019 | option_c=3670 | option_d=4368 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3495 × 115/100 = █4019.

id=483 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4709. If it is sold at a profit of 10%, what is its selling price? | option_a=5179 | option_b=5649 | option_c=4719 | option_d=4709 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4709 × 110/100 = █5179.

id=484 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=485 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=486 | topic=Averages | difficulty=Easy | question=Find the average of 48, 66, 51, 44, 66. | option_a=54 | option_b=56 | option_c=57 | option_d=55 | answer=D | explanation=Average = sum of values + number of values = 275 ÷ 5 = 55.

id=487 | topic=Averages | difficulty=Easy | question=Find the average of 72, 76, 57, 17, 75, 30, 18, 49, 101. | option_a=56 | option_b=54 | option_c=55 | option_d=57 | answer=C | explanation=Average = sum of values + number of values = 495 ÷ 9 = 55.

id=488 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13632 at 15% per annum for 2 years. | option_a=4189 | option_b=3989 | option_c=17721 | option_d=4089 | answer=D | explanation=SI = PRT/100 = 13632×15×2/100 = █4089.

id=489 | topic=Averages | difficulty=Easy | question=Find the average of 57, 69, 74, 60, 91, 25, 100. | option_a=67 | option_b=69 | option_c=70 | option_d=68 | answer=D | explanation=Average = sum of values + number of values = 476 ÷ 7 = 68.

id=490 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32102 at 10% per annum for 5 years. | option_a=48153 | option_b=16051 | option_c=16151 | option_d=15951 | answer=B | explanation=SI = PRT/100 = 32102×10×5/100 = █16051.

id=491 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:10 and the first is 6, what is the second? | option_a=23 | option_b=10 | option_c=20 | option_d=26 | answer=C | explanation=Scale factor = 6/3 = 2. Therefore second quantity = 10×2 = 20.

id=492 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 13, 18, 23, ? | option_a=29 | option_b=28 | option_c=23 | option_d=33 | answer=B | explanation=The common difference is 5. Therefore the next term is 23 + 5 = 28.

id=493 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:17 and the first is 28, what is the second? | option_a=17 | option_b=62 | option_c=48 | option_d=34 | answer=D | explanation=Scale factor = 28/14 = 2. Therefore second quantity = 17×2 = 34.

id=494 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=A | option_c=P | option_d=K | answer=D | explanation=Move 5 positions forward from F; the resulting letter is K.

id=495 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=59 | option_b=60 | option_c=71 | option_d=47 | answer=A | explanation=The common difference is 12. Therefore the next term is 47 + 12 = 59.

id=496 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=180 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=497 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=L | option_b=V | option_c=Q | option_d=A | answer=B | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=498 | topic=Percentages | difficulty=Easy | question=What is 25% of 1097? | option_a=548 | option_b=274 | option_c=294 | option_d=254 | answer=B | explanation=25% of 1097 = (25/100) × 1097 = 274.

id=499 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 12. | option_a=12 | option_b=16 | option_c=48 | option_d=1 | answer=A | explanation=LCM × HCF = 4×12; HCF(4,12) = 4, so LCM = 12.

id=500 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:10 and the first is 72, what is the second? | option_a=152 | option_b=80 | option_c=70 | option_d=89 | answer=B | explanation=Scale factor = 72/9 = 8. Therefore second quantity = 10×8 = 80.

id=501 | topic=Percentages | difficulty=Easy | question=What is 30% of 1699? | option_a=1018 | option_b=509 | option_c=499 | option_d=529 | answer=B | explanation=30% of 1699 = (30/100) × 1699 = 509.

id=502 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=S | option_b=V | option_c=M | option_d=P | answer=A | explanation=Move 3 positions forward from P; the resulting letter is S.

id=503 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=16 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=504 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=C | option_c=N | option_d=X | answer=D | explanation=Move 5 positions forward from S; the resulting letter is X.

id=505 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 13, 21, 32? | option_a=21 | option_b=32 | option_c=5 | option_d=13 | answer=B | explanation=The first three numbers increase by 8, so the next should be 29. Therefore 32 is the odd one out.

id=506 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10002 at 5% per annum for 3 years. | option_a=1500 | option_b=1600 | option_c=1400 | option_d=11502 | answer=A | explanation=SI = PRT/100 = 10002×5×3/100 = █1500.

id=507 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21734 at 15% per annum for 2 years. | option_a=28254 | option_b=6420 | option_c=6620 | option_d=6520 | answer=D | explanation=SI = PRT/100 = 21734×15×2/100 = █6520.

id=508 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=C | option_c=L | option_d=I | answer=D | explanation=Move 3 positions forward from F; the resulting letter is I.

id=509 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:6 and the first is 140, what is the second? | option_a=114 | option_b=120 | option_c=260 | option_d=127 | answer=B | explanation=Scale factor = 140/7 = 20. Therefore second quantity = 6×20 = 120.

id=510 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41270 at 8% per annum for 4 years. | option_a=13206 | option_b=13106 | option_c=13306 | option_d=54476 | answer=A | explanation=SI = PRT/100 = 41270×8×4/100 = █13206.

Aptitude Questions — Records 511-540 of 100,000

id=511 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 15, 22, 30? | option_a=8 | option_b=30 | option_c=22 | option_d=15 | answer=B | explanation=The first three numbers increase by 7, so the next should be 29. Therefore 30 is the odd one out.

id=512 | topic=Percentages | difficulty=Easy | question=What is 5% of 1435? | option_a=51 | option_b=142 | option_c=71 | option_d=91 | answer=C | explanation=5% of 1435 = (5/100) × 1435 = 71.

id=513 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:4 and the first is 70, what is the second? | option_a=61 | option_b=126 | option_c=56 | option_d=52 | answer=C | explanation=Scale factor = 70/5 = 14. Therefore second quantity = 4×14 = 56.

id=514 | topic=Percentages | difficulty=Easy | question=What is 20% of 660? | option_a=264 | option_b=132 | option_c=142 | option_d=112 | answer=B | explanation=20% of 660 = (20/100) × 660 = 132.

id=515 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=180 | option_c=90 | option_d=95 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=516 | topic=Percentages | difficulty=Easy | question=What is 15% of 517? | option_a=154 | option_b=77 | option_c=72 | option_d=97 | answer=B | explanation=15% of 517 = (15/100) × 517 = 77.

id=517 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=30 | option_b=35 | option_c=38 | option_d=34 | answer=D | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.

id=518 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3514. If it is sold at a profit of 50%, what is its selling price? | option_a=4920 | option_b=5622 | option_c=5271 | option_d=3564 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3514 × 150/100 = █5271.

id=519 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 6. | option_a=144 | option_b=24 | option_c=18 | option_d=48 | answer=B | explanation=LCM × HCF = 24×6; HCF(24,6) = 6, so LCM = 24.

id=520 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:4 and the first is 252, what is the second? | option_a=86 | option_b=72 | option_c=324 | option_d=68 | answer=B | explanation=Scale factor = 252/14 = 18. Therefore second quantity = 4×18 = 72.

id=521 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=522 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=32 | option_b=26 | option_c=33 | option_d=38 | answer=A | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=523 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:2 and the first is 114, what is the second? | option_a=36 | option_b=44 | option_c=38 | option_d=152 | answer=C | explanation=Scale factor = 114/6 = 19. Therefore second quantity = 2×19 = 38.

id=524 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=150 | option_c=70 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=525 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4803. If it is sold at a profit of 50%, what is its selling price? | option_a=4853 | option_b=6724 | option_c=7204 | option_d=7684 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4803 × 150/100 = █7204.

id=526 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2196. If it is sold at a profit of 20%, what is its selling price? | option_a=2635 | option_b=2416 | option_c=2854 | option_d=2216 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2196 × 120/100 = █2635.

id=527 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3585 at 15% per annum for 3 years. | option_a=1613 | option_b=1713 | option_c=5198 | option_d=1513 | answer=A | explanation=SI = PRT/100 = 3585×15×3/100 = █1613.

id=528 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44473 at 12% per annum for 2 years. | option_a=10673 | option_b=55146 | option_c=10773 | option_d=10573 | answer=A | explanation=SI = PRT/100 = 44473×12×2/100 = █10673.

id=529 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=23 | option_b=22 | option_c=25 | option_d=19 | answer=B | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.

id=530 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3383. If it is sold at a profit of 40%, what is its selling price? | option_a=4736 | option_b=4398 | option_c=5074 | option_d=3423 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3383 × 140/100 = █4736.

id=531 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 15. | option_a=405 | option_b=120 | option_c=135 | option_d=162 | answer=C | explanation=LCM × HCF = 27×15; HCF(27,15) = 3, so LCM = 135.

id=532 | topic=Percentages | difficulty=Easy | question=What is 12% of 1980? | option_a=237 | option_b=242 | option_c=227 | option_d=474 | answer=A | explanation=12% of 1980 = (12/100) × 1980 = 237.

id=533 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41063 at 8% per annum for 3 years. | option_a=9955 | option_b=50918 | option_c=9755 | option_d=9855 | answer=D | explanation=SI = PRT/100 = 41063×8×3/100 = █9855.

id=534 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=535 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=U | option_c=F | option_d=P | answer=D | explanation=Move 5 positions forward from K; the resulting letter is P.

id=536 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=C | option_b=Y | option_c=U | option_d=Q | answer=B | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=537 | topic=Percentages | difficulty=Easy | question=What is 12% of 1367? | option_a=184 | option_b=154 | option_c=164 | option_d=328 | answer=C | explanation=12% of 1367 = (12/100) × 1367 = 164.

id=538 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 9. | option_a=108 | option_b=36 | option_c=48 | option_d=27 | answer=B | explanation=LCM × HCF = 12×9; HCF(12,9) = 3, so LCM = 36.

id=539 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 19, 29, 42? | option_a=19 | option_b=42 | option_c=9 | option_d=29 | answer=B | explanation=The first three numbers increase by 10, so the next should be 39. Therefore 42 is the odd one out.

id=540 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3860. If it is sold at a profit of 50%, what is its selling price? | option_a=5404 | option_b=6176 | option_c=5790 | option_d=3910 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3860 × 150/100 = █5790.

Aptitude Questions — Records 541-570 of 100,000

- id=541 | topic=Percentages | difficulty=Easy | question=What is 30% of 260? | option_a=73 | option_b=88 | option_c=156 | option_d=78 | answer=D | explanation=30% of 260 = (30/100) × 260 = 78.
- id=542 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 37? | option_a=37 | option_b=24 | option_c=19 | option_d=29 | answer=A | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 37 is the odd one out.
- id=543 | topic=Percentages | difficulty=Easy | question=What is 15% of 1722? | option_a=258 | option_b=268 | option_c=248 | option_d=516 | answer=A | explanation=15% of 1722 = (15/100) × 1722 = 258.
- id=544 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 5. | option_a=1 | option_b=25 | option_c=5 | option_d=10 | answer=C | explanation=LCM × HCF = 5×5; HCF(5,5) = 5, so LCM = 5.
- id=545 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.
- id=546 | topic=Percentages | difficulty=Easy | question=What is 12% of 1886? | option_a=221 | option_b=236 | option_c=226 | option_d=452 | answer=C | explanation=12% of 1886 = (12/100) × 1886 = 226.
- id=547 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 13, 18, 23, ? | option_a=23 | option_b=29 | option_c=33 | option_d=28 | answer=D | explanation=The common difference is 5. Therefore the next term is 23 + 5 = 28.
- id=548 | topic=Averages | difficulty=Easy | question=Find the average of 23, 63, 15, 91, 96, 85, 25, 74. | option_a=60 | option_b=59 | option_c=58 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 472 ÷ 8 = 59.
- id=549 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 18. | option_a=36 | option_b=20 | option_c=1 | option_d=18 | answer=D | explanation=LCM × HCF = 2×18; HCF(2,18) = 2, so LCM = 18.
- id=550 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=58 | option_b=57 | option_c=47 | option_d=67 | answer=B | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.
- id=551 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹7786 at 8% per annum for 5 years. | option_a=3114 | option_b=3214 | option_c=10900 | option_d=3014 | answer=A | explanation=SI = PRT/100 = 7786×8×5/100 = ₹3114.
- id=552 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.
- id=553 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 24, 30, 36, ? | option_a=48 | option_b=42 | option_c=43 | option_d=36 | answer=B | explanation=The common difference is 6. Therefore the next term is 36 + 6 = 42.
- id=554 | topic=Averages | difficulty=Easy | question=Find the average of 89, 47, 97, 54, 96, 31. | option_a=69 | option_b=71 | option_c=68 | option_d=70 | answer=A | explanation=Average = sum of values ÷ number of values = 414 ÷ 6 = 69.
- id=555 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2985. If it is sold at a profit of 50%, what is its selling price? | option_a=4477 | option_b=4775 | option_c=4179 | option_d=3035 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2985 × 150/100 = ₹4477.
- id=556 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=557 | topic=Averages | difficulty=Easy | question=Find the average of 55, 67, 25. | option_a=49 | option_b=51 | option_c=48 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 147 ÷ 3 = 49.
- id=558 | topic=Averages | difficulty=Easy | question=Find the average of 98, 95, 16, 58, 59, 63, 101. | option_a=71 | option_b=70 | option_c=72 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 490 ÷ 7 = 70.
- id=559 | topic=Percentages | difficulty=Easy | question=What is 20% of 1573? | option_a=294 | option_b=319 | option_c=314 | option_d=628 | answer=C | explanation=20% of 1573 = (20/100) × 1573 = 314.
- id=560 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=64 | option_b=63 | option_c=52 | option_d=74 | answer=B | explanation=The common difference is 11. Therefore the next term is 52 + 11 = 63.
- id=561 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:6 and the first is 60, what is the second? | option_a=84 | option_b=18 | option_c=24 | option_d=39 | answer=C | explanation=Scale factor = 60/15 = 4. Therefore second quantity = 6×4 = 24.
- id=562 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=563 | topic=Percentages | difficulty=Easy | question=What is 40% of 726? | option_a=285 | option_b=310 | option_c=580 | option_d=290 | answer=D | explanation=40% of 726 = (40/100) × 726 = 290.
- id=564 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=51 | option_b=52 | option_c=63 | option_d=39 | answer=A | explanation=The common difference is 12. Therefore the next term is 39 + 12 = 51.
- id=565 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2703. If it is sold at a profit of 20%, what is its selling price? | option_a=2723 | option_b=3243 | option_c=2973 | option_d=3513 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2703 × 120/100 = ₹3243.
- id=566 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 15, 23, 34? | option_a=15 | option_b=7 | option_c=34 | option_d=23 | answer=C | explanation=The first three numbers increase by 8, so the next should be 31. Therefore 34 is the odd one out.
- id=567 | topic=Averages | difficulty=Easy | question=Find the average of 94, 52, 52, 56, 47, 41. | option_a=58 | option_b=57 | option_c=56 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 342 ÷ 6 = 57.
- id=568 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2934. If it is sold at a profit of 50%, what is its selling price? | option_a=2984 | option_b=4401 | option_c=4108 | option_d=4694 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2934 × 150/100 = ₹4401.
- id=569 | topic=Percentages | difficulty=Easy | question=What is 25% of 1447? | option_a=361 | option_b=356 | option_c=371 | option_d=722 | answer=A | explanation=25% of 1447 = (25/100) × 1447 = 361.
- id=570 | topic=Percentages | difficulty=Easy | question=What is 50% of 1916? | option_a=938 | option_b=958 | option_c=968 | option_d=1916 | answer=B | explanation=50% of 1916 = (50/100) × 1916 = 958.

Aptitude Questions — Records 571-600 of 100,000

- id=571 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:11 and the first is 126, what is the second? | option_a=205 | option_b=187 | option_c=324 | option_d=198 | answer=D | explanation=Scale factor = 126/7 = 18. Therefore second quantity = 11×18 = 198.
- id=572 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 21, 23, 28? | option_a=19 | option_b=21 | option_c=23 | option_d=28 | answer=D | explanation=The first three numbers increase by 2, so the next should be 25. Therefore 28 is the odd one out.
- id=573 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=O | option_b=P | option_c=N | option_d=M | answer=A | explanation=Move 1 positions forward from N; the resulting letter is O.
- id=574 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=C | option_c=A | option_d=E | answer=D | explanation=Move 2 positions forward from C; the resulting letter is E.
- id=575 | topic=Percentages | difficulty=Easy | question=What is 10% of 229? | option_a=27 | option_b=22 | option_c=44 | option_d=17 | answer=B | explanation=10% of 229 = (10/100) × 229 = 22.
- id=576 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=33 | option_b=27 | option_c=39 | option_d=34 | answer=A | explanation=The common difference is 6. Therefore the next term is 27 + 6 = 33.
- id=577 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=U | option_b=I | option_c=Q | option_d=M | answer=C | explanation=Move 4 positions forward from M; the resulting letter is Q.
- id=578 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=Y | option_b=N | option_c=D | option_d=I | answer=D | explanation=Move 5 positions forward from D; the resulting letter is I.
- id=579 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=18 | option_b=15 | option_c=16 | option_d=12 | answer=B | explanation=The common difference is 3. Therefore the next term is 12 + 3 = 15.
- id=580 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:20 and the first is 40, what is the second? | option_a=80 | option_b=120 | option_c=90 | option_d=60 | answer=A | explanation=Scale factor = 40/10 = 4. Therefore second quantity = 20×4 = 80.
- id=581 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.
- id=582 | topic=Averages | difficulty=Easy | question=Find the average of 92, 75, 28, 30, 33, 38, 88, 42, 42. | option_a=53 | option_b=51 | option_c=54 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 468 ÷ 9 = 52.
- id=583 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 26, 36, 47? | option_a=16 | option_b=47 | option_c=36 | option_d=26 | answer=B | explanation=The first three numbers increase by 10, so the next should be 46. Therefore 47 is the odd one out.
- id=584 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:7 and the first is 80, what is the second? | option_a=140 | option_b=133 | option_c=144 | option_d=220 | answer=A | explanation=Scale factor = 80/4 = 20. Therefore second quantity = 7×20 = 140.
- id=585 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44994 at 12% per annum for 2 years. | option_a=10698 | option_b=55792 | option_c=10898 | option_d=10798 | answer=D | explanation=SI = PRT/100 = 44994×12×2/100 = **■**10798.
- id=586 | topic=Averages | difficulty=Easy | question=Find the average of 72, 67, 52, 88, 94, 49, 98, 88. | option_a=76 | option_b=78 | option_c=75 | option_d=77 | answer=A | explanation=Average = sum of values ÷ number of values = 608 ÷ 8 = 76.
- id=587 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=200 | option_c=105 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.
- id=588 | topic=Averages | difficulty=Easy | question=Find the average of 45, 56, 27, 96, 52, 71, 69, 67, 57. | option_a=62 | option_b=60 | option_c=61 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 540 ÷ 9 = 60.
- id=589 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43306 at 10% per annum for 1 years. | option_a=4430 | option_b=47636 | option_c=4330 | option_d=4230 | answer=C | explanation=SI = PRT/100 = 43306×10×1/100 = **■**4330.
- id=590 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:3 and the first is 6, what is the second? | option_a=12 | option_b=9 | option_c=3 | option_d=6 | answer=D | explanation=Scale factor = 6/3 = 2. Therefore second quantity = 3×2 = 6.
- id=591 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 10, 12, 14, ? | option_a=16 | option_b=18 | option_c=17 | option_d=14 | answer=A | explanation=The common difference is 2. Therefore the next term is 14 + 2 = 16.
- id=592 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=B | option_c=H | option_d=K | answer=C | explanation=Move 3 positions forward from E; the resulting letter is H.
- id=593 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31454 at 10% per annum for 5 years. | option_a=47181 | option_b=15627 | option_c=15827 | option_d=15727 | answer=D | explanation=SI = PRT/100 = 31454×10×5/100 = **■**15727.
- id=594 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 7, 12, 20? | option_a=12 | option_b=20 | option_c=7 | option_d=2 | answer=B | explanation=The first three numbers increase by 5, so the next should be 17. Therefore 20 is the odd one out.
- id=595 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 7. | option_a=7 | option_b=49 | option_c=1 | option_d=14 | answer=A | explanation=LCM × HCF = 7×7; HCF(7,7) = 7, so LCM = 7.
- id=596 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=15 | option_c=20 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.
- id=597 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:8 and the first is 36, what is the second? | option_a=24 | option_b=60 | option_c=16 | option_d=36 | answer=A | explanation=Scale factor = 36/12 = 3. Therefore second quantity = 8×3 = 24.
- id=598 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.
- id=599 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4371. If it is sold at a profit of 25%, what is its selling price? | option_a=5900 | option_b=5463 | option_c=4396 | option_d=5026 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4371 × 125/100 = **■**5463.
- id=600 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 601-630 of 100,000

id=601 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=48 | option_c=43 | option_d=96 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=602 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 44? | option_a=38 | option_b=34 | option_c=44 | option_d=30 | answer=C | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 44 is the odd one out.

id=603 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 41? | option_a=34 | option_b=28 | option_c=41 | option_d=22 | answer=C | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 41 is the odd one out.

id=604 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=605 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 20. | option_a=40 | option_b=160 | option_c=20 | option_d=48 | answer=A | explanation=LCM × HCF = 8×20; HCF(8,20) = 4, so LCM = 40.

id=606 | topic=Percentages | difficulty=Easy | question=What is 5% of 549? | option_a=54 | option_b=7 | option_c=27 | option_d=32 | answer=C | explanation=5% of 549 = (5/100) × 549 = 27.

id=607 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=12 | option_b=14 | option_c=15 | option_d=16 | answer=B | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=608 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 23? | option_a=14 | option_b=18 | option_c=23 | option_d=16 | answer=C | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 23 is the odd one out.

id=609 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=610 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1982. If it is sold at a profit of 40%, what is its selling price? | option_a=2972 | option_b=2576 | option_c=2774 | option_d=2022 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1982 × 140/100 = █2774.

id=611 | topic=Percentages | difficulty=Easy | question=What is 50% of 464? | option_a=252 | option_b=212 | option_c=232 | option_d=464 | answer=C | explanation=50% of 464 = (50/100) × 464 = 232.

id=612 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32186 at 10% per annum for 5 years. | option_a=16193 | option_b=48279 | option_c=15993 | option_d=16093 | answer=D | explanation=SI = PRT/100 = 32186×10×5/100 = █16093.

id=613 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4050. If it is sold at a profit of 15%, what is its selling price? | option_a=4065 | option_b=5062 | option_c=4252 | option_d=4657 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4050 × 115/100 = █4657.

id=614 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 22, 29, 37? | option_a=22 | option_b=15 | option_c=37 | option_d=29 | answer=C | explanation=The first three numbers increase by 7, so the next should be 36. Therefore 37 is the odd one out.

id=615 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=616 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43, ? | option_a=59 | option_b=52 | option_c=51 | option_d=43 | answer=C | explanation=The common difference is 8. Therefore the next term is 43 + 8 = 51.

id=617 | topic=Percentages | difficulty=Easy | question=What is 50% of 1233? | option_a=596 | option_b=1232 | option_c=621 | option_d=616 | answer=D | explanation=50% of 1233 = (50/100) × 1233 = 616.

id=618 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=70 | option_b=80 | option_c=150 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=619 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=V | option_b=P | option_c=Y | option_d=S | answer=A | explanation=Move 3 positions forward from S; the resulting letter is V.

id=620 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=57 | option_b=68 | option_c=58 | option_d=46 | answer=A | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.

id=621 | topic=Averages | difficulty=Easy | question=Find the average of 80, 81, 71, 32, 57, 81, 81, 71, 49. | option_a=67 | option_b=68 | option_c=69 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 603 ÷ 9 = 67.

id=622 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=623 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:12 and the first is 32, what is the second? | option_a=80 | option_b=56 | option_c=36 | option_d=48 | answer=D | explanation=Scale factor = 32/8 = 4. Therefore second quantity = 12×4 = 48.

id=624 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=625 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=W | option_b=Q | option_c=T | option_d=N | answer=C | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=626 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=43 | option_b=56 | option_c=67 | option_d=55 | answer=D | explanation=The common difference is 12. Therefore the next term is 43 + 12 = 55.

id=627 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=A | option_c=Y | option_d=C | answer=D | explanation=Move 2 positions forward from A; the resulting letter is C.

id=628 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=629 | topic=Profit & Loss | difficulty=Easy | question=An article costs █838. If it is sold at a profit of 25%, what is its selling price? | option_a=1047 | option_b=863 | option_c=1130 | option_d=964 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 838 × 125/100 = █1047.

id=630 | topic=Averages | difficulty=Easy | question=Find the average of 68, 61, 83, 10, 43, 35. | option_a=51 | option_b=50 | option_c=49 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 300 ÷ 6 = 50.

Aptitude Questions — Records 631-660 of 100,000

- id=631 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 36? | option_a=24 | option_b=4 | option_c=36 | option_d=14 | answer=C | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 36 is the odd one out.
- id=632 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 49? | option_a=49 | option_b=34 | option_c=28 | option_d=40 | answer=A | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 49 is the odd one out.
- id=633 | topic=Averages | difficulty=Easy | question=Find the average of 68, 97, 68, 85, 13, 71, 24, 46. | option_a=58 | option_b=61 | option_c=60 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = $472 \div 8 = 59$.
- id=634 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=K | option_c=E | option_d=N | answer=B | explanation=Move 3 positions forward from H; the resulting letter is K.
- id=635 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:10 and the first is 32, what is the second? | option_a=40 | option_b=48 | option_c=30 | option_d=72 | answer=A | explanation=Scale factor = $32/8 = 4$. Therefore second quantity = $10 \times 4 = 40$.
- id=636 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4642. If it is sold at a profit of 15%, what is its selling price? | option_a=5338 | option_b=4874 | option_c=5802 | option_d=4657 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4642 \times 115/100 = \text{■}5338$.
- id=637 | topic=Averages | difficulty=Easy | question=Find the average of 33, 97, 34, 73, 35, 40, 45. | option_a=52 | option_b=53 | option_c=51 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = $357 \div 7 = 51$.
- id=638 | topic=Averages | difficulty=Easy | question=Find the average of 89, 55, 29, 23, 25, 25. | option_a=42 | option_b=41 | option_c=40 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = $246 \div 6 = 41$.
- id=639 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 12, 21, 32? | option_a=32 | option_b=21 | option_c=3 | option_d=12 | answer=A | explanation=The first three numbers increase by 9, so the next should be 30. Therefore 32 is the odd one out.
- id=640 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 18, 26, 35? | option_a=18 | option_b=26 | option_c=35 | option_d=10 | answer=C | explanation=The first three numbers increase by 8, so the next should be 34. Therefore 35 is the odd one out.
- id=641 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 40? | option_a=21 | option_b=40 | option_c=29 | option_d=13 | answer=B | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 40 is the odd one out.
- id=642 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 23, 30, 40? | option_a=16 | option_b=23 | option_c=30 | option_d=40 | answer=D | explanation=The first three numbers increase by 7, so the next should be 37. Therefore 40 is the odd one out.
- id=643 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=16 | answer=A | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.
- id=644 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38447 at 5% per annum for 5 years. | option_a=9511 | option_b=48058 | option_c=9611 | option_d=9711 | answer=C | explanation=SI = $PRT/100 = 38447 \times 5 \times 5/100 = \text{■}9611$.
- id=645 | topic=Averages | difficulty=Easy | question=Find the average of 58, 35, 28, 29, 70, 11, 32, 63, 79. | option_a=45 | option_b=47 | option_c=44 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = $405 \div 9 = 45$.
- id=646 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 31, 33, 37? | option_a=29 | option_b=33 | option_c=31 | option_d=37 | answer=D | explanation=The first three numbers increase by 2, so the next should be 35. Therefore 37 is the odd one out.
- id=647 | topic=Percentages | difficulty=Easy | question=What is 20% of 491? | option_a=196 | option_b=78 | option_c=108 | option_d=98 | answer=D | explanation=20% of 491 = $(20/100) \times 491 = 98$.
- id=648 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:12 and the first is 228, what is the second? | option_a=456 | option_b=228 | option_c=240 | option_d=216 | answer=B | explanation=Scale factor = $228/12 = 19$. Therefore second quantity = $12 \times 19 = 228$.
- id=649 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.
- id=650 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=16 | option_d=3 | answer=A | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.
- id=651 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=38 | option_b=32 | option_c=44 | option_d=39 | answer=A | explanation=The common difference is 6. Therefore the next term is $32 + 6 = 38$.
- id=652 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.
- id=653 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=K | option_c=J | option_d=H | answer=C | explanation=Move 1 positions forward from I; the resulting letter is J.
- id=654 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**882. If it is sold at a profit of 10%, what is its selling price? | option_a=1058 | option_b=970 | option_c=882 | option_d=892 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 882 \times 110/100 = \text{■}970$.
- id=655 | topic=Percentages | difficulty=Easy | question=What is 30% of 1628? | option_a=483 | option_b=976 | option_c=508 | option_d=488 | answer=D | explanation=30% of 1628 = $(30/100) \times 1628 = 488$.
- id=656 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3293. If it is sold at a profit of 25%, what is its selling price? | option_a=3787 | option_b=3318 | option_c=4116 | option_d=4445 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3293 \times 125/100 = \text{■}4116$.
- id=657 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 6. | option_a=132 | option_b=66 | option_c=60 | option_d=88 | answer=B | explanation= $LCM \times HCF = 22 \times 6$; $HCF(22, 6) = 2$, so $LCM = 66$.
- id=658 | topic=Percentages | difficulty=Easy | question=What is 25% of 121? | option_a=30 | option_b=40 | option_c=20 | option_d=60 | answer=A | explanation=25% of 121 = $(25/100) \times 121 = 30$.
- id=659 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 31? | option_a=31 | option_b=24 | option_c=20 | option_d=16 | answer=A | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 31 is the odd one out.
- id=660 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=Z | option_b=P | option_c=U | option_d=E | answer=A | explanation=Move 5 positions forward from U; the resulting letter is Z.

Aptitude Questions — Records 661-690 of 100,000

id=661 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=662 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:14 and the first is 120, what is the second? | option_a=126 | option_b=140 | option_c=260 | option_d=152 | answer=B | explanation=Scale factor = 120/12 = 10. Therefore second quantity = 14×10 = 140.

id=663 | topic=Percentages | difficulty=Easy | question=What is 12% of 1121? | option_a=144 | option_b=134 | option_c=124 | option_d=268 | answer=B | explanation=12% of 1121 = (12/100) × 1121 = 134.

id=664 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:14 and the first is 11, what is the second? | option_a=140 | option_b=165 | option_c=154 | option_d=155 | answer=C | explanation=Scale factor = 11/1 = 11. Therefore second quantity = 14×11 = 154.

id=665 | topic=Averages | difficulty=Easy | question=Find the average of 81, 65, 60, 41, 30, 92, 59, 58, 45. | option_a=61 | option_b=60 | option_c=59 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 531 ÷ 9 = 59.

id=666 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=M | option_b=R | option_c=C | option_d=H | answer=A | explanation=Move 5 positions forward from H; the resulting letter is M.

id=667 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=668 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=34 | option_b=46 | option_c=40 | option_d=41 | answer=C | explanation=The common difference is 6. Therefore the next term is 34 + 6 = 40.

id=669 | topic=Percentages | difficulty=Easy | question=What is 5% of 361? | option_a=13 | option_b=36 | option_c=18 | option_d=38 | answer=C | explanation=5% of 361 = (5/100) × 361 = 18.

id=670 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:15 and the first is 10, what is the second? | option_a=40 | option_b=15 | option_c=30 | option_d=35 | answer=C | explanation=Scale factor = 10/5 = 2. Therefore second quantity = 15×2 = 30.

id=671 | topic=Percentages | difficulty=Easy | question=What is 15% of 1060? | option_a=159 | option_b=318 | option_c=169 | option_d=149 | answer=A | explanation=15% of 1060 = (15/100) × 1060 = 159.

id=672 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 27. | option_a=189 | option_b=648 | option_c=240 | option_d=216 | answer=D | explanation=LCM × HCF = 24×27; HCF(24,27) = 3, so LCM = 216.

id=673 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4672 at 6% per annum for 4 years. | option_a=5793 | option_b=1221 | option_c=1021 | option_d=1121 | answer=D | explanation=SI = PRT/100 = 4672×6×4/100 = **■**1121.

id=674 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13595 at 15% per annum for 3 years. | option_a=6217 | option_b=6017 | option_c=6117 | option_d=19712 | answer=C | explanation=SI = PRT/100 = 13595×15×3/100 = **■**6117.

id=675 | topic=Averages | difficulty=Easy | question=Find the average of 66, 41, 14, 35, 68, 22, 76, 95, 42. | option_a=51 | option_b=50 | option_c=52 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 459 ÷ 9 = 51.

id=676 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=677 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:10 and the first is 128, what is the second? | option_a=96 | option_b=208 | option_c=80 | option_d=70 | answer=C | explanation=Scale factor = 128/16 = 8. Therefore second quantity = 10×8 = 80.

id=678 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2033. If it is sold at a profit of 40%, what is its selling price? | option_a=3049 | option_b=2073 | option_c=2846 | option_d=2643 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2033 × 140/100 = **■**2846.

id=679 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:4 and the first is 266, what is the second? | option_a=322 | option_b=52 | option_c=56 | option_d=75 | answer=C | explanation=Scale factor = 266/19 = 14. Therefore second quantity = 4×14 = 56.

id=680 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=50 | option_b=61 | option_c=62 | option_d=72 | answer=B | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.

id=681 | topic=Averages | difficulty=Easy | question=Find the average of 73, 21, 97, 89, 55. | option_a=66 | option_b=68 | option_c=69 | option_d=67 | answer=D | explanation=Average = sum of values ÷ number of values = 335 ÷ 5 = 67.

id=682 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=Z | option_c=O | option_d=J | answer=D | explanation=Move 5 positions forward from E; the resulting letter is J.

id=683 | topic=Averages | difficulty=Easy | question=Find the average of 81, 92, 54, 66, 34, 12, 98, 59. | option_a=63 | option_b=62 | option_c=64 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 496 ÷ 8 = 62.

id=684 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:16 and the first is 32, what is the second? | option_a=256 | option_b=258 | option_c=288 | option_d=240 | answer=A | explanation=Scale factor = 32/2 = 16. Therefore second quantity = 16×16 = 256.

id=685 | topic=Averages | difficulty=Easy | question=Find the average of 79, 54, 51, 69, 47. | option_a=62 | option_b=59 | option_c=60 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 300 ÷ 5 = 60.

id=686 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:12 and the first is 288, what is the second? | option_a=480 | option_b=210 | option_c=180 | option_d=192 | answer=D | explanation=Scale factor = 288/18 = 16. Therefore second quantity = 12×16 = 192.

id=687 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2226 at 10% per annum for 3 years. | option_a=567 | option_b=667 | option_c=2893 | option_d=767 | answer=B | explanation=SI = PRT/100 = 2226×10×3/100 = **■**667.

id=688 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=Z | option_c=R | option_d=N | answer=A | explanation=Move 4 positions forward from R; the resulting letter is V.

id=689 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 26? | option_a=26 | option_b=6 | option_c=12 | option_d=18 | answer=A | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 26 is the odd one out.

id=690 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**888. If it is sold at a profit of 10%, what is its selling price? | option_a=1064 | option_b=888 | option_c=898 | option_d=976 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 888 × 110/100 = **■**976.

Aptitude Questions — Records 691-720 of 100,000

id=691 | topic=Percentages | difficulty=Easy | question=What is 10% of 463? | option_a=41 | option_b=56 | option_c=92 | option_d=46 | answer=D | explanation=10% of 463 = $(10/100) \times 463 = 46$.

id=692 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=Z | option_b=K | option_c=U | option_d=P | answer=C | explanation=Move 5 positions forward from P; the resulting letter is U.

id=693 | topic=Averages | difficulty=Easy | question=Find the average of 11, 36, 93, 72. | option_a=52 | option_b=55 | option_c=54 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = $212 \div 4 = 53$.

id=694 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = $300 \div 10 = 30$ km/h.

id=695 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=60 | option_b=51 | option_c=40 | option_d=50 | answer=D | explanation=The common difference is 10. Therefore the next term is $40 + 10 = 50$.

id=696 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:7 and the first is 54, what is the second? | option_a=129 | option_b=119 | option_c=180 | option_d=126 | answer=D | explanation=Scale factor = $54/3 = 18$. Therefore second quantity = $7 \times 18 = 126$.

id=697 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 30? | option_a=24 | option_b=30 | option_c=19 | option_d=14 | answer=B | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 30 is the odd one out.

id=698 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 35, 45, 57? | option_a=45 | option_b=25 | option_c=35 | option_d=57 | answer=D | explanation=The first three numbers increase by 10, so the next should be 55. Therefore 57 is the odd one out.

id=699 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=K | option_b=O | option_c=W | option_d=S | answer=D | explanation=Move 4 positions forward from O; the resulting letter is S.

id=700 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 24, 34, 46? | option_a=46 | option_b=34 | option_c=24 | option_d=14 | answer=A | explanation=The first three numbers increase by 10, so the next should be 44. Therefore 46 is the odd one out.

id=701 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=80 | option_c=45 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = $240 \div 6 = 40$ km/h.

id=702 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=T | option_b=Q | option_c=N | option_d=K | answer=B | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=703 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=704 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:1 and the first is 360, what is the second? | option_a=17 | option_b=18 | option_c=378 | option_d=38 | answer=B | explanation=Scale factor = $360/20 = 18$. Therefore second quantity = $1 \times 18 = 18$.

id=705 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:7 and the first is 96, what is the second? | option_a=180 | option_b=92 | option_c=77 | option_d=84 | answer=D | explanation=Scale factor = $96/8 = 12$. Therefore second quantity = $7 \times 12 = 84$.

id=706 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 28, 38, 51? | option_a=38 | option_b=28 | option_c=51 | option_d=18 | answer=C | explanation=The first three numbers increase by 10, so the next should be 48. Therefore 51 is the odd one out.

id=707 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■18366 at 6% per annum for 5 years. | option_a=5409 | option_b=23875 | option_c=5509 | option_d=5609 | answer=C | explanation=SI = $PRT/100 = 18366 \times 6 \times 5/100 = \blacksquare 5509$.

id=708 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:19 and the first is 42, what is the second? | option_a=308 | option_b=266 | option_c=247 | option_d=269 | answer=B | explanation=Scale factor = $42/3 = 14$. Therefore second quantity = $19 \times 14 = 266$.

id=709 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=120 | option_c=115 | option_d=240 | answer=B | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.

id=710 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=21 | option_b=17 | option_c=19 | option_d=20 | answer=C | explanation=The common difference is 2. Therefore the next term is $17 + 2 = 19$.

id=711 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=24 | option_c=29 | option_d=48 | answer=B | explanation=Speed = distance ÷ time = $240 \div 10 = 24$ km/h.

id=712 | topic=Averages | difficulty=Easy | question=Find the average of 91, 90, 59. | option_a=79 | option_b=82 | option_c=81 | option_d=80 | answer=D | explanation=Average = sum of values ÷ number of values = $240 \div 3 = 80$.

id=713 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = $120 \div 4 = 30$ km/h.

id=714 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=I | option_c=U | option_d=Q | answer=D | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=715 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:5 and the first is 78, what is the second? | option_a=108 | option_b=43 | option_c=30 | option_d=25 | answer=C | explanation=Scale factor = $78/13 = 6$. Therefore second quantity = $5 \times 6 = 30$.

id=716 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=33 | option_b=43 | option_c=53 | option_d=44 | answer=B | explanation=The common difference is 10. Therefore the next term is $33 + 10 = 43$.

id=717 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=718 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=S | option_c=U | option_d=Q | answer=C | explanation=Move 2 positions forward from S; the resulting letter is U.

id=719 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:11 and the first is 280, what is the second? | option_a=209 | option_b=234 | option_c=500 | option_d=220 | answer=D | explanation=Scale factor = $280/14 = 20$. Therefore second quantity = $11 \times 20 = 220$.

id=720 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=5 | answer=A | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

Aptitude Questions — Records 721-750 of 100,000

id=721 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=26 | option_b=20 | option_c=27 | option_d=32 | answer=A | explanation=The common difference is 6. Therefore the next term is 20 + 6 = 26.

id=722 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=51 | option_b=33 | option_c=43 | option_d=42 | answer=D | explanation=The common difference is 9. Therefore the next term is 33 + 9 = 42.

id=723 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=J | option_b=L | option_c=P | option_d=N | answer=D | explanation=Move 2 positions forward from L; the resulting letter is N.

id=724 | topic=Averages | difficulty=Easy | question=Find the average of 46, 11, 53, 98, 27. | option_a=47 | option_b=49 | option_c=48 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 235 ÷ 5 = 47.

id=725 | topic=Percentages | difficulty=Easy | question=What is 15% of 729? | option_a=89 | option_b=218 | option_c=109 | option_d=129 | answer=C | explanation=15% of 729 = (15/100) × 729 = 109.

id=726 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 21, 25, 32? | option_a=21 | option_b=25 | option_c=17 | option_d=32 | answer=D | explanation=The first three numbers increase by 4, so the next should be 29. Therefore 32 is the odd one out.

id=727 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:2 and the first is 66, what is the second? | option_a=22 | option_b=88 | option_c=20 | option_d=28 | answer=A | explanation=Scale factor = 66/6 = 11. Therefore second quantity = 2×11 = 22.

id=728 | topic=Percentages | difficulty=Easy | question=What is 5% of 1002? | option_a=50 | option_b=55 | option_c=100 | option_d=40 | answer=A | explanation=5% of 1002 = (5/100) × 1002 = 50.

id=729 | topic=Profit & Loss | difficulty=Easy | question=An article costs █256. If it is sold at a profit of 25%, what is its selling price? | option_a=295 | option_b=345 | option_c=320 | option_d=281 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 256 × 125/100 = █320.

id=730 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 27, 30, 35? | option_a=24 | option_b=35 | option_c=27 | option_d=30 | answer=B | explanation=The first three numbers increase by 3, so the next should be 33. Therefore 35 is the odd one out.

id=731 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14033 at 10% per annum for 4 years. | option_a=5713 | option_b=5513 | option_c=19646 | option_d=5613 | answer=D | explanation=SI = PRT/100 = 14033×10×4/100 = █5613.

id=732 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 18, 25, 34? | option_a=11 | option_b=34 | option_c=18 | option_d=25 | answer=B | explanation=The first three numbers increase by 7, so the next should be 32. Therefore 34 is the odd one out.

id=733 | topic=Percentages | difficulty=Easy | question=What is 25% of 760? | option_a=380 | option_b=200 | option_c=190 | option_d=170 | answer=C | explanation=25% of 760 = (25/100) × 760 = 190.

id=734 | topic=Percentages | difficulty=Easy | question=What is 20% of 1331? | option_a=276 | option_b=532 | option_c=266 | option_d=261 | answer=C | explanation=20% of 1331 = (20/100) × 1331 = 266.

id=735 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=736 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=737 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21814 at 15% per annum for 2 years. | option_a=28358 | option_b=6444 | option_c=6644 | option_d=6544 | answer=D | explanation=SI = PRT/100 = 21814×15×2/100 = █6544.

id=738 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=739 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1177. If it is sold at a profit of 15%, what is its selling price? | option_a=1192 | option_b=1470 | option_c=1236 | option_d=1353 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1177 × 115/100 = █1353.

id=740 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 31, 42, 53, ? | option_a=65 | option_b=64 | option_c=53 | option_d=75 | answer=B | explanation=The common difference is 11. Therefore the next term is 53 + 11 = 64.

id=741 | topic=Averages | difficulty=Easy | question=Find the average of 55, 20, 99. | option_a=57 | option_b=59 | option_c=58 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 174 ÷ 3 = 58.

id=742 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=L | option_c=J | option_d=P | answer=A | explanation=Move 2 positions forward from L; the resulting letter is N.

id=743 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11733 at 5% per annum for 2 years. | option_a=1073 | option_b=12906 | option_c=1273 | option_d=1173 | answer=D | explanation=SI = PRT/100 = 11733×5×2/100 = █1173.

id=744 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:8 and the first is 112, what is the second? | option_a=176 | option_b=56 | option_c=64 | option_d=78 | answer=C | explanation=Scale factor = 112/14 = 8. Therefore second quantity = 8×8 = 64.

id=745 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 12. | option_a=12 | option_b=48 | option_c=24 | option_d=288 | answer=C | explanation=LCM × HCF = 24×12; HCF(24,12) = 12, so LCM = 24.

id=746 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=747 | topic=Percentages | difficulty=Easy | question=What is 30% of 1192? | option_a=337 | option_b=377 | option_c=714 | option_d=357 | answer=D | explanation=30% of 1192 = (30/100) × 1192 = 357.

id=748 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 30. | option_a=210 | option_b=420 | option_c=224 | option_d=180 | answer=A | explanation=LCM × HCF = 14×30; HCF(14,30) = 2, so LCM = 210.

id=749 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28686 at 6% per annum for 5 years. | option_a=8705 | option_b=37291 | option_c=8505 | option_d=8605 | answer=D | explanation=SI = PRT/100 = 28686×6×5/100 = █8605.

id=750 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 22. | option_a=336 | option_b=286 | option_c=308 | option_d=616 | answer=C | explanation=LCM × HCF = 28×22; HCF(28,22) = 2, so LCM = 308.

Aptitude Questions — Records 751-780 of 100,000

id=751 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39367 at 12% per annum for 5 years. | option_a=23620 | option_b=23520 | option_c=62987 | option_d=23720 | answer=A | explanation=SI = PRT/100 = 39367×12×5/100 = **■**23620.

id=752 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=180 | option_c=360 | option_d=185 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=753 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 10. | option_a=24 | option_b=20 | option_c=40 | option_d=10 | answer=B | explanation=LCM × HCF = 4×10; HCF(4,10) = 2, so LCM = 20.

id=754 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**847. If it is sold at a profit of 10%, what is its selling price? | option_a=931 | option_b=1015 | option_c=847 | option_d=857 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 847 × 110/100 = **■**931.

id=755 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4391. If it is sold at a profit of 40%, what is its selling price? | option_a=6147 | option_b=5708 | option_c=4431 | option_d=6586 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4391 × 140/100 = **■**6147.

id=756 | topic=Percentages | difficulty=Easy | question=What is 12% of 1623? | option_a=388 | option_b=174 | option_c=194 | option_d=204 | answer=C | explanation=12% of 1623 = (12/100) × 1623 = 194.

id=757 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47664 at 4% per annum for 4 years. | option_a=7626 | option_b=55290 | option_c=7726 | option_d=7526 | answer=A | explanation=SI = PRT/100 = 47664×4×4/100 = **■**7626.

id=758 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:4 and the first is 36, what is the second? | option_a=20 | option_b=60 | option_c=24 | option_d=30 | answer=C | explanation=Scale factor = 36/6 = 6. Therefore second quantity = 4×6 = 24.

id=759 | topic=Percentages | difficulty=Easy | question=What is 40% of 989? | option_a=790 | option_b=405 | option_c=375 | option_d=395 | answer=D | explanation=40% of 989 = (40/100) × 989 = 395.

id=760 | topic=Averages | difficulty=Easy | question=Find the average of 85, 94, 70, 68, 62, 71. | option_a=76 | option_b=77 | option_c=74 | option_d=75 | answer=D | explanation=Average = sum of values ÷ number of values = 450 ÷ 6 = 75.

id=761 | topic=Averages | difficulty=Easy | question=Find the average of 89, 90, 81, 36, 16, 33, 33. | option_a=56 | option_b=55 | option_c=53 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

id=762 | topic=Percentages | difficulty=Easy | question=What is 5% of 347? | option_a=34 | option_b=17 | option_c=37 | option_d=0 | answer=B | explanation=5% of 347 = (5/100) × 347 = 17.

id=763 | topic=Percentages | difficulty=Easy | question=What is 30% of 273? | option_a=86 | option_b=81 | option_c=162 | option_d=76 | answer=B | explanation=30% of 273 = (30/100) × 273 = 81.

id=764 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 20. | option_a=125 | option_b=500 | option_c=100 | option_d=80 | answer=C | explanation=LCM × HCF = 25×20; HCF(25,20) = 5, so LCM = 100.

id=765 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:12 and the first is 154, what is the second? | option_a=156 | option_b=322 | option_c=179 | option_d=168 | answer=D | explanation=Scale factor = 154/11 = 14. Therefore second quantity = 12×14 = 168.

id=766 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:5 and the first is 80, what is the second? | option_a=25 | option_b=105 | option_c=41 | option_d=20 | answer=A | explanation=Scale factor = 80/16 = 5. Therefore second quantity = 5×5 = 25.

id=767 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 13, 18, 26? | option_a=8 | option_b=13 | option_c=18 | option_d=26 | answer=D | explanation=The first three numbers increase by 5, so the next should be 23. Therefore 26 is the odd one out.

id=768 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=43 | option_b=44 | option_c=51 | option_d=35 | answer=A | explanation=The common difference is 8. Therefore the next term is 35 + 8 = 43.

id=769 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41258 at 10% per annum for 4 years. | option_a=16403 | option_b=16503 | option_c=16603 | option_d=57761 | answer=B | explanation=SI = PRT/100 = 41258×10×4/100 = **■**16503.

id=770 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=34 | option_b=27 | option_c=33 | option_d=39 | answer=C | explanation=The common difference is 6. Therefore the next term is 27 + 6 = 33.

id=771 | topic=Percentages | difficulty=Easy | question=What is 10% of 1002? | option_a=95 | option_b=100 | option_c=120 | option_d=200 | answer=B | explanation=10% of 1002 = (10/100) × 1002 = 100.

id=772 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=40 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=773 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:3 and the first is 99, what is the second? | option_a=33 | option_b=42 | option_c=132 | option_d=30 | answer=A | explanation=Scale factor = 99/9 = 11. Therefore second quantity = 3×11 = 33.

id=774 | topic=Percentages | difficulty=Easy | question=What is 25% of 283? | option_a=80 | option_b=60 | option_c=140 | option_d=70 | answer=D | explanation=25% of 283 = (25/100) × 283 = 70.

id=775 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=776 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=M | option_c=E | option_d=A | answer=A | explanation=Move 4 positions forward from E; the resulting letter is I.

id=777 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 37, 44, 53? | option_a=30 | option_b=53 | option_c=37 | option_d=44 | answer=B | explanation=The first three numbers increase by 7, so the next should be 51. Therefore 53 is the odd one out.

id=778 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 18, 25, 35? | option_a=18 | option_b=11 | option_c=25 | option_d=35 | answer=D | explanation=The first three numbers increase by 7, so the next should be 32. Therefore 35 is the odd one out.

id=779 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=780 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

Aptitude Questions — Records 781-810 of 100,000

- id=781 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 13, 17, 21, ? | option_a=26 | option_b=21 | option_c=29 | option_d=25 | answer=D | explanation=The common difference is 4. Therefore the next term is 21 + 4 = 25.
- id=782 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 23? | option_a=18 | option_b=20 | option_c=16 | option_d=23 | answer=D | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 23 is the odd one out.
- id=783 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3242. If it is sold at a profit of 5%, what is its selling price? | option_a=3247 | option_b=3080 | option_c=3728 | option_d=3404 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3242 \times 105/100 = \text{█}3404$.
- id=784 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47181 at 10% per annum for 5 years. | option_a=23590 | option_b=23690 | option_c=23490 | option_d=70771 | answer=A | explanation=SI = $PRT/100 = 47181 \times 10 \times 5/100 = \text{█}23590$.
- id=785 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:7 and the first is 209, what is the second? | option_a=126 | option_b=342 | option_c=144 | option_d=133 | answer=D | explanation=Scale factor = $209/11 = 19$. Therefore second quantity = $7 \times 19 = 133$.
- id=786 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3936. If it is sold at a profit of 10%, what is its selling price? | option_a=4329 | option_b=3936 | option_c=4722 | option_d=3946 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3936 \times 110/100 = \text{█}4329$.
- id=787 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 9. | option_a=9 | option_b=81 | option_c=1 | option_d=18 | answer=A | explanation= $LCM \times HCF = 9 \times 9$; $HCF(9,9) = 9$, so $LCM = 9$.
- id=788 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=200 | option_c=105 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = $300 \div 3 = 100$ km/h.
- id=789 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 4. | option_a=1 | option_b=6 | option_c=4 | option_d=8 | answer=C | explanation= $LCM \times HCF = 2 \times 4$; $HCF(2,4) = 2$, so $LCM = 4$.
- id=790 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19498 at 15% per annum for 3 years. | option_a=28272 | option_b=8774 | option_c=8674 | option_d=8874 | answer=B | explanation=SI = $PRT/100 = 19498 \times 15 \times 3/100 = \text{█}8774$.
- id=791 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.
- id=792 | topic=Averages | difficulty=Easy | question=Find the average of 80, 30, 71, 59, 18, 54. | option_a=52 | option_b=54 | option_c=51 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = $312 \div 6 = 52$.
- id=793 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.
- id=794 | topic=Averages | difficulty=Easy | question=Find the average of 97, 50, 48, 82, 96, 53. | option_a=71 | option_b=72 | option_c=70 | option_d=73 | answer=A | explanation=Average = sum of values ÷ number of values = $426 \div 6 = 71$.
- id=795 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4873. If it is sold at a profit of 5%, what is its selling price? | option_a=4629 | option_b=5603 | option_c=5116 | option_d=4878 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4873 \times 105/100 = \text{█}5116$.
- id=796 | topic=Percentages | difficulty=Easy | question=What is 50% of 806? | option_a=806 | option_b=408 | option_c=403 | option_d=398 | answer=C | explanation=50% of 806 = $(50/100) \times 806 = 403$.
- id=797 | topic=Percentages | difficulty=Easy | question=What is 30% of 531? | option_a=159 | option_b=179 | option_c=139 | option_d=318 | answer=A | explanation=30% of 531 = $(30/100) \times 531 = 159$.
- id=798 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=4 | option_d=20 | answer=B | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.
- id=799 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=N | option_c=J | option_d=B | answer=C | explanation=Move 4 positions forward from F; the resulting letter is J.
- id=800 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=100 | option_c=200 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = $300 \div 3 = 100$ km/h.
- id=801 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1760 at 4% per annum for 1 years. | option_a=70 | option_b=1830 | option_c=0 | option_d=170 | answer=A | explanation=SI = $PRT/100 = 1760 \times 4 \times 1/100 = \text{█}70$.
- id=802 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=L | option_c=R | option_d=P | answer=D | explanation=Move 2 positions forward from N; the resulting letter is P.
- id=803 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 27. | option_a=300 | option_b=270 | option_c=243 | option_d=810 | answer=B | explanation= $LCM \times HCF = 30 \times 27$; $HCF(30,27) = 3$, so $LCM = 270$.
- id=804 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 15. | option_a=90 | option_b=75 | option_c=108 | option_d=270 | answer=A | explanation= $LCM \times HCF = 18 \times 15$; $HCF(18,15) = 3$, so $LCM = 90$.
- id=805 | topic=Averages | difficulty=Easy | question=Find the average of 64, 87, 10, 83, 76. | option_a=64 | option_b=66 | option_c=63 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = $320 \div 5 = 64$.
- id=806 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=5 | option_d=24 | answer=A | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.
- id=807 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.
- id=808 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=32 | option_b=20 | option_c=26 | option_d=27 | answer=C | explanation=The common difference is 6. Therefore the next term is $20 + 6 = 26$.
- id=809 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 10, 16, 24? | option_a=24 | option_b=16 | option_c=10 | option_d=4 | answer=A | explanation=The first three numbers increase by 6, so the next should be 22. Therefore 24 is the odd one out.
- id=810 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:1 and the first is 45, what is the second? | option_a=50 | option_b=5 | option_c=4 | option_d=14 | answer=B | explanation=Scale factor = $45/9 = 5$. Therefore second quantity = $1 \times 5 = 5$.

Aptitude Questions — Records 811-840 of 100,000

- id=811 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=R | option_c=U | option_d=L | answer=B | explanation=Move 3 positions forward from O; the resulting letter is R.
- id=812 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 31, 33, 37? | option_a=29 | option_b=31 | option_c=33 | option_d=37 | answer=D | explanation=The first three numbers increase by 2, so the next should be 35. Therefore 37 is the odd one out.
- id=813 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=814 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.
- id=815 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.
- id=816 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 25, 27, 30? | option_a=30 | option_b=27 | option_c=23 | option_d=25 | answer=A | explanation=The first three numbers increase by 2, so the next should be 29. Therefore 30 is the odd one out.
- id=817 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=50 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.
- id=818 | topic=Averages | difficulty=Easy | question=Find the average of 76, 53, 96, 98, 33, 52. | option_a=69 | option_b=70 | option_c=67 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = 408 ÷ 6 = 68.
- id=819 | topic=Profit & Loss | difficulty=Easy | question=An article costs █197. If it is sold at a profit of 40%, what is its selling price? | option_a=294 | option_b=237 | option_c=256 | option_d=275 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 197 × 140/100 = █275.
- id=820 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=R | option_b=U | option_c=O | option_d=L | answer=A | explanation=Move 3 positions forward from O; the resulting letter is R.
- id=821 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:2 and the first is 14, what is the second? | option_a=11 | option_b=2 | option_c=18 | option_d=4 | answer=D | explanation=Scale factor = 14/7 = 2. Therefore second quantity = 2×2 = 4.
- id=822 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 8, 11, 14, ? | option_a=20 | option_b=18 | option_c=14 | option_d=17 | answer=D | explanation=The common difference is 3. Therefore the next term is 14 + 3 = 17.
- id=823 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.
- id=824 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:11 and the first is 140, what is the second? | option_a=99 | option_b=250 | option_c=110 | option_d=124 | answer=C | explanation=Scale factor = 140/14 = 10. Therefore second quantity = 11×10 = 110.
- id=825 | topic=Percentages | difficulty=Easy | question=What is 30% of 833? | option_a=498 | option_b=249 | option_c=259 | option_d=244 | answer=B | explanation=30% of 833 = (30/100) × 833 = 249.
- id=826 | topic=Averages | difficulty=Easy | question=Find the average of 32, 92, 72, 23, 28, 79, 65, 37, 94. | option_a=60 | option_b=57 | option_c=59 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 522 ÷ 9 = 58.
- id=827 | topic=Profit & Loss | difficulty=Easy | question=An article costs █385. If it is sold at a profit of 10%, what is its selling price? | option_a=395 | option_b=461 | option_c=385 | option_d=423 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 385 × 110/100 = █423.
- id=828 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 30. | option_a=32 | option_b=1 | option_c=30 | option_d=60 | answer=C | explanation=LCM × HCF = 2×30; HCF(2,30) = 2, so LCM = 30.
- id=829 | topic=Percentages | difficulty=Easy | question=What is 30% of 1411? | option_a=846 | option_b=423 | option_c=433 | option_d=418 | answer=B | explanation=30% of 1411 = (30/100) × 1411 = 423.
- id=830 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 33, 42, 53? | option_a=33 | option_b=53 | option_c=24 | option_d=42 | answer=B | explanation=The first three numbers increase by 9, so the next should be 51. Therefore 53 is the odd one out.
- id=831 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 17? | option_a=11 | option_b=9 | option_c=17 | option_d=13 | answer=C | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 17 is the odd one out.
- id=832 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=72 | option_c=31 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.
- id=833 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=120 | option_c=125 | option_d=240 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.
- id=834 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37338 at 4% per annum for 4 years. | option_a=5974 | option_b=5874 | option_c=43312 | option_d=6074 | answer=A | explanation=SI = PRT/100 = 37338×4×4/100 = █5974.
- id=835 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3043. If it is sold at a profit of 50%, what is its selling price? | option_a=3093 | option_b=4868 | option_c=4260 | option_d=4564 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3043 × 150/100 = █4564.
- id=836 | topic=Averages | difficulty=Easy | question=Find the average of 14, 34, 13, 85, 44. | option_a=37 | option_b=38 | option_c=39 | option_d=40 | answer=B | explanation=Average = sum of values ÷ number of values = 190 ÷ 5 = 38.
- id=837 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 42? | option_a=22 | option_b=28 | option_c=42 | option_d=34 | answer=C | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 42 is the odd one out.
- id=838 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.
- id=839 | topic=Averages | difficulty=Easy | question=Find the average of 96, 78, 29, 84, 39, 19, 14, 28, 72, 101. | option_a=55 | option_b=58 | option_c=57 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 560 ÷ 10 = 56.
- id=840 | topic=Averages | difficulty=Easy | question=Find the average of 11, 32, 90, 16, 51. | option_a=39 | option_b=42 | option_c=41 | option_d=40 | answer=D | explanation=Average = sum of values ÷ number of values = 200 ÷ 5 = 40.

Aptitude Questions — Records 841-870 of 100,000

id=841 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=13 | option_b=17 | option_c=19 | option_d=16 | answer=D | explanation=The common difference is 3. Therefore the next term is 13 + 3 = 16.

id=842 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1760. If it is sold at a profit of 40%, what is its selling price? | option_a=2464 | option_b=2640 | option_c=1800 | option_d=2288 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1760 × 140/100 = █2464.

id=843 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=844 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=50 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=845 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46632 at 6% per annum for 5 years. | option_a=13889 | option_b=13989 | option_c=60621 | option_d=14089 | answer=B | explanation=SI = PRT/100 = 46632×6×5/100 = █13989.

id=846 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=20 | option_b=23 | option_c=15 | option_d=19 | answer=D | explanation=The common difference is 4. Therefore the next term is 15 + 4 = 19.

id=847 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2024 at 8% per annum for 1 years. | option_a=261 | option_b=61 | option_c=2185 | option_d=161 | answer=D | explanation=SI = PRT/100 = 2024×8×1/100 = █161.

id=848 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4963. If it is sold at a profit of 25%, what is its selling price? | option_a=6203 | option_b=6699 | option_c=5707 | option_d=4988 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4963 × 125/100 = █6203.

id=849 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14510 at 5% per annum for 3 years. | option_a=2076 | option_b=2176 | option_c=2276 | option_d=16686 | answer=B | explanation=SI = PRT/100 = 14510×5×3/100 = █2176.

id=850 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41012 at 12% per annum for 1 years. | option_a=4921 | option_b=45933 | option_c=4821 | option_d=5021 | answer=A | explanation=SI = PRT/100 = 41012×12×1/100 = █4921.

id=851 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=52 | option_b=53 | option_c=64 | option_d=40 | answer=A | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.

id=852 | topic=Percentages | difficulty=Easy | question=What is 15% of 1192? | option_a=356 | option_b=183 | option_c=173 | option_d=178 | answer=D | explanation=15% of 1192 = (15/100) × 1192 = 178.

id=853 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 23, 28, 35? | option_a=23 | option_b=35 | option_c=28 | option_d=18 | answer=B | explanation=The first three numbers increase by 5, so the next should be 33. Therefore 35 is the odd one out.

id=854 | topic=Averages | difficulty=Easy | question=Find the average of 29, 97, 70, 76. | option_a=70 | option_b=67 | option_c=68 | option_d=69 | answer=C | explanation=Average = sum of values ÷ number of values = 272 ÷ 4 = 68.

id=855 | topic=Percentages | difficulty=Easy | question=What is 25% of 1370? | option_a=342 | option_b=337 | option_c=352 | option_d=684 | answer=A | explanation=25% of 1370 = (25/100) × 1370 = 342.

id=856 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=26 | option_b=25 | option_c=22 | option_d=24 | answer=D | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.

id=857 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 20? | option_a=7 | option_b=20 | option_c=11 | option_d=15 | answer=B | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 20 is the odd one out.

id=858 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2027. If it is sold at a profit of 50%, what is its selling price? | option_a=2077 | option_b=3040 | option_c=3242 | option_d=2838 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2027 × 150/100 = █3040.

id=859 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=O | option_c=I | option_d=M | answer=D | explanation=Move 2 positions forward from K; the resulting letter is M.

id=860 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2042. If it is sold at a profit of 40%, what is its selling price? | option_a=2654 | option_b=2858 | option_c=2082 | option_d=3062 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2042 × 140/100 = █2858.

id=861 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3958. If it is sold at a profit of 50%, what is its selling price? | option_a=5542 | option_b=4008 | option_c=6332 | option_d=5937 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3958 × 150/100 = █5937.

id=862 | topic=Averages | difficulty=Easy | question=Find the average of 32, 59, 57, 27, 68, 34, 90, 55, 44, 44. | option_a=52 | option_b=53 | option_c=51 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

id=863 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=21 | option_b=28 | option_c=27 | option_d=33 | answer=C | explanation=The common difference is 6. Therefore the next term is 21 + 6 = 27.

id=864 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=7 | option_d=17 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=865 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3472. If it is sold at a profit of 50%, what is its selling price? | option_a=5208 | option_b=3522 | option_c=4861 | option_d=5555 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3472 × 150/100 = █5208.

id=866 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 11, 19, 30? | option_a=11 | option_b=30 | option_c=3 | option_d=19 | answer=B | explanation=The first three numbers increase by 8, so the next should be 27. Therefore 30 is the odd one out.

id=867 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4675. If it is sold at a profit of 5%, what is its selling price? | option_a=5375 | option_b=4441 | option_c=4908 | option_d=4680 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4675 × 105/100 = █4908.

id=868 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=869 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=H | option_b=L | option_c=J | option_d=N | answer=B | explanation=Move 2 positions forward from J; the resulting letter is L.

id=870 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 26. | option_a=208 | option_b=416 | option_c=182 | option_d=224 | answer=A | explanation=LCM × HCF = 16×26; HCF(16,26) = 2, so LCM = 208.

Aptitude Questions — Records 871-900 of 100,000

id=871 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■25275 at 12% per annum for 4 years. | option_a=12232 | option_b=37407 | option_c=12032 | option_d=12132 | answer=D | explanation=SI = PRT/100 = 25275×12×4/100 = ■12132.

id=872 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=873 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 29, 34, 40? | option_a=24 | option_b=34 | option_c=40 | option_d=29 | answer=C | explanation=The first three numbers increase by 5, so the next should be 39. Therefore 40 is the odd one out.

id=874 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=Z | option_b=U | option_c=P | option_d=K | answer=B | explanation=Move 5 positions forward from P; the resulting letter is U.

id=875 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=876 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3154. If it is sold at a profit of 30%, what is its selling price? | option_a=3785 | option_b=4100 | option_c=4415 | option_d=3184 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3154 × 130/100 = ■4100.

id=877 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=U | option_b=O | option_c=R | option_d=X | answer=A | explanation=Move 3 positions forward from R; the resulting letter is U.

id=878 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=A | option_b=C | option_c=E | option_d=G | answer=C | explanation=Move 2 positions forward from C; the resulting letter is E.

id=879 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=880 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:18 and the first is 84, what is the second? | option_a=108 | option_b=90 | option_c=122 | option_d=192 | answer=A | explanation=Scale factor = 84/14 = 6. Therefore second quantity = 18×6 = 108.

id=881 | topic=Percentages | difficulty=Easy | question=What is 15% of 647? | option_a=97 | option_b=194 | option_c=92 | option_d=102 | answer=A | explanation=15% of 647 = (15/100) × 647 = 97.

id=882 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=883 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■21086 at 5% per annum for 3 years. | option_a=3162 | option_b=3062 | option_c=24248 | option_d=3262 | answer=A | explanation=SI = PRT/100 = 21086×5×3/100 = ■3162.

id=884 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:5 and the first is 26, what is the second? | option_a=91 | option_b=65 | option_c=67 | option_d=60 | answer=B | explanation=Scale factor = 26/2 = 13. Therefore second quantity = 5×13 = 65.

id=885 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=57 | option_b=48 | option_c=47 | option_d=37 | answer=C | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

id=886 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=E | option_c=G | option_d=C | answer=C | explanation=Move 2 positions forward from E; the resulting letter is G.

id=887 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=24 | option_c=29 | option_d=19 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=888 | topic=Averages | difficulty=Easy | question=Find the average of 95, 50, 56. | option_a=67 | option_b=66 | option_c=69 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = 201 ÷ 3 = 67.

id=889 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 17, 27, 39? | option_a=17 | option_b=7 | option_c=27 | option_d=39 | answer=D | explanation=The first three numbers increase by 10, so the next should be 37. Therefore 39 is the odd one out.

id=890 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 6. | option_a=72 | option_b=78 | option_c=104 | option_d=156 | answer=B | explanation=LCM × HCF = 26×6; HCF(26,6) = 2, so LCM = 78.

id=891 | topic=Percentages | difficulty=Easy | question=What is 50% of 1562? | option_a=781 | option_b=1562 | option_c=801 | option_d=771 | answer=A | explanation=50% of 1562 = (50/100) × 1562 = 781.

id=892 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=39 | option_b=50 | option_c=61 | option_d=51 | answer=B | explanation=The common difference is 11. Therefore the next term is 39 + 11 = 50.

id=893 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 3. | option_a=90 | option_b=30 | option_c=27 | option_d=60 | answer=B | explanation=LCM × HCF = 30×3; HCF(30,3) = 3, so LCM = 30.

id=894 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:13 and the first is 9, what is the second? | option_a=104 | option_b=117 | option_c=118 | option_d=126 | answer=B | explanation=Scale factor = 9/1 = 9. Therefore second quantity = 13×9 = 117.

id=895 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=5 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=896 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:1 and the first is 28, what is the second? | option_a=11 | option_b=4 | option_c=3 | option_d=32 | answer=B | explanation=Scale factor = 28/7 = 4. Therefore second quantity = 1×4 = 4.

id=897 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 31? | option_a=14 | option_b=31 | option_c=24 | option_d=19 | answer=B | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 31 is the odd one out.

id=898 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=T | option_c=L | option_d=H | answer=A | explanation=Move 4 positions forward from L; the resulting letter is P.

id=899 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=70 | option_c=80 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=900 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=41 | option_c=72 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

Aptitude Questions — Records 901-930 of 100,000

id=901 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=902 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = $\frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=903 | topic=Profit & Loss | difficulty=Easy | question=An article costs █154. If it is sold at a profit of 40%, what is its selling price? | option_a=194 | option_b=215 | option_c=230 | option_d=200 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 154 \times 140/100 = \text{█}215$.

id=904 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 29? | option_a=29 | option_b=20 | option_c=24 | option_d=16 | answer=A | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 29 is the odd one out.

id=905 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 25? | option_a=25 | option_b=21 | option_c=17 | option_d=19 | answer=A | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 25 is the odd one out.

id=906 | topic=Averages | difficulty=Easy | question=Find the average of 10, 29, 45. | option_a=28 | option_b=29 | option_c=30 | option_d=27 | answer=A | explanation=Average = sum of values ÷ number of values = $84 \div 3 = 28$.

id=907 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2456. If it is sold at a profit of 40%, what is its selling price? | option_a=3193 | option_b=3438 | option_c=2496 | option_d=3683 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2456 \times 140/100 = \text{█}3438$.

id=908 | topic=Percentages | difficulty=Easy | question=What is 20% of 294? | option_a=58 | option_b=68 | option_c=116 | option_d=53 | answer=A | explanation=20% of 294 = $(20/100) \times 294 = 58$.

id=909 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=45 | option_b=39 | option_c=33 | option_d=40 | answer=B | explanation=The common difference is 6. Therefore the next term is $33 + 6 = 39$.

id=910 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=12 | option_c=6 | option_d=1 | answer=C | explanation=Speed = distance ÷ time = $60 \div 10 = 6$ km/h.

id=911 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21950 at 8% per annum for 2 years. | option_a=3612 | option_b=25462 | option_c=3512 | option_d=3412 | answer=C | explanation=SI = $PRT/100 = 21950 \times 8 \times 2/100 = \text{█}3512$.

id=912 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:14 and the first is 156, what is the second? | option_a=338 | option_b=168 | option_c=194 | option_d=182 | answer=D | explanation=Scale factor = $156/12 = 13$. Therefore second quantity = $14 \times 13 = 182$.

id=913 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 34? | option_a=28 | option_b=34 | option_c=25 | option_d=22 | answer=B | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 34 is the odd one out.

id=914 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1469. If it is sold at a profit of 30%, what is its selling price? | option_a=1909 | option_b=2055 | option_c=1499 | option_d=1763 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 1469 \times 130/100 = \text{█}1909$.

id=915 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:4 and the first is 228, what is the second? | option_a=88 | option_b=304 | option_c=76 | option_d=72 | answer=C | explanation=Scale factor = $228/12 = 19$. Therefore second quantity = $4 \times 19 = 76$.

id=916 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34958 at 6% per annum for 3 years. | option_a=6292 | option_b=6192 | option_c=6392 | option_d=41250 | answer=A | explanation=SI = $PRT/100 = 34958 \times 6 \times 3/100 = \text{█}6292$.

id=917 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7712 at 5% per annum for 2 years. | option_a=8483 | option_b=671 | option_c=771 | option_d=871 | answer=C | explanation=SI = $PRT/100 = 7712 \times 5 \times 2/100 = \text{█}771$.

id=918 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 10. | option_a=1 | option_b=15 | option_c=50 | option_d=10 | answer=D | explanation=LCM $\times$ HCF = 5×10 ; HCF(5,10) = 5, so LCM = 10.

id=919 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=Z | option_b=C | option_c=A | option_d=B | answer=D | explanation=Move 1 positions forward from A; the resulting letter is B.

id=920 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=28 | option_b=25 | option_c=24 | option_d=20 | answer=C | explanation=The common difference is 4. Therefore the next term is $20 + 4 = 24$.

id=921 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49902 at 6% per annum for 5 years. | option_a=64872 | option_b=14970 | option_c=15070 | option_d=14870 | answer=B | explanation=SI = $PRT/100 = 49902 \times 6 \times 5/100 = \text{█}14970$.

id=922 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 31, 36, 44? | option_a=26 | option_b=31 | option_c=36 | option_d=44 | answer=D | explanation=The first three numbers increase by 5, so the next should be 41. Therefore 44 is the odd one out.

id=923 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 13, 18, 25? | option_a=18 | option_b=25 | option_c=13 | option_d=8 | answer=B | explanation=The first three numbers increase by 5, so the next should be 23. Therefore 25 is the odd one out.

id=924 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1853. If it is sold at a profit of 50%, what is its selling price? | option_a=2964 | option_b=2779 | option_c=1903 | option_d=2594 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 1853 \times 150/100 = \text{█}2779$.

id=925 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24253 at 8% per annum for 4 years. | option_a=32013 | option_b=7760 | option_c=7660 | option_d=7860 | answer=B | explanation=SI = $PRT/100 = 24253 \times 8 \times 4/100 = \text{█}7760$.

id=926 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=927 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:7 and the first is 56, what is the second? | option_a=28 | option_b=42 | option_c=21 | option_d=84 | answer=A | explanation=Scale factor = $56/14 = 4$. Therefore second quantity = $7 \times 4 = 28$.

id=928 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1837 at 12% per annum for 4 years. | option_a=2718 | option_b=781 | option_c=981 | option_d=881 | answer=D | explanation=SI = $PRT/100 = 1837 \times 12 \times 4/100 = \text{█}881$.

id=929 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 26, 29, 33? | option_a=33 | option_b=26 | option_c=29 | option_d=23 | answer=A | explanation=The first three numbers increase by 3, so the next should be 32. Therefore 33 is the odd one out.

id=930 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=17 | option_b=22 | option_c=25 | option_d=21 | answer=D | explanation=The common difference is 4. Therefore the next term is $17 + 4 = 21$.

Aptitude Questions — Records 931-960 of 100,000

id=931 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=25 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=932 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=933 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=50 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=934 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30794 at 4% per annum for 1 years. | option_a=1231 | option_b=32025 | option_c=1331 | option_d=1131 | answer=A | explanation=SI = PRT/100 = 30794×4×1/100 = **■**1231.

id=935 | topic=Averages | difficulty=Easy | question=Find the average of 13, 22, 16, 18, 76. | option_a=28 | option_b=30 | option_c=31 | option_d=29 | answer=D | explanation=Average = sum of values ÷ number of values = 145 ÷ 5 = 29.

id=936 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=32 | option_b=28 | option_c=29 | option_d=24 | answer=B | explanation=The common difference is 4. Therefore the next term is 24 + 4 = 28.

id=937 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4359. If it is sold at a profit of 50%, what is its selling price? | option_a=6103 | option_b=6973 | option_c=6538 | option_d=4409 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4359 × 150/100 = **■**6538.

id=938 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=L | option_c=X | option_d=P | answer=A | explanation=Move 4 positions forward from P; the resulting letter is T.

id=939 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 21, 23, 26? | option_a=21 | option_b=19 | option_c=26 | option_d=23 | answer=C | explanation=The first three numbers increase by 2, so the next should be 25. Therefore 26 is the odd one out.

id=940 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=941 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 44? | option_a=44 | option_b=29 | option_c=35 | option_d=23 | answer=A | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 44 is the odd one out.

id=942 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21477 at 12% per annum for 4 years. | option_a=10208 | option_b=10408 | option_c=10308 | option_d=31785 | answer=C | explanation=SI = PRT/100 = 21477×12×4/100 = **■**10308.

id=943 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=W | option_c=M | option_d=B | answer=B | explanation=Move 5 positions forward from R; the resulting letter is W.

id=944 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 11, 19, 29? | option_a=29 | option_b=3 | option_c=11 | option_d=19 | answer=A | explanation=The first three numbers increase by 8, so the next should be 27. Therefore 29 is the odd one out.

id=945 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=43 | option_b=38 | option_c=37 | option_d=31 | answer=C | explanation=The common difference is 6. Therefore the next term is 31 + 6 = 37.

id=946 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=20 | option_b=19 | option_c=23 | option_d=15 | answer=B | explanation=The common difference is 4. Therefore the next term is 15 + 4 = 19.

id=947 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=S | option_b=K | option_c=G | option_d=O | answer=D | explanation=Move 4 positions forward from K; the resulting letter is O.

id=948 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=150 | option_c=70 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=949 | topic=Averages | difficulty=Easy | question=Find the average of 92, 49, 85, 20, 98, 22. | option_a=63 | option_b=62 | option_c=61 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 366 ÷ 6 = 61.

id=950 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2291 at 10% per annum for 3 years. | option_a=2978 | option_b=587 | option_c=787 | option_d=687 | answer=D | explanation=SI = PRT/100 = 2291×10×3/100 = **■**687.

id=951 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 26, 34, 42, ? | option_a=51 | option_b=58 | option_c=50 | option_d=42 | answer=C | explanation=The common difference is 8. Therefore the next term is 42 + 8 = 50.

id=952 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=30 | option_b=37 | option_c=23 | option_d=31 | answer=A | explanation=The common difference is 7. Therefore the next term is 23 + 7 = 30.

id=953 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=4 | option_c=9 | option_d=18 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=954 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=955 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=100 | option_c=95 | option_d=200 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=956 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 14, 20, 28? | option_a=20 | option_b=14 | option_c=8 | option_d=28 | answer=D | explanation=The first three numbers increase by 6, so the next should be 26. Therefore 28 is the odd one out.

id=957 | topic=Averages | difficulty=Easy | question=Find the average of 84, 22, 85, 53. | option_a=63 | option_b=62 | option_c=61 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 244 ÷ 4 = 61.

id=958 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=959 | topic=Averages | difficulty=Easy | question=Find the average of 61, 42, 89, 75, 68, 95, 80, 33, 15. | option_a=62 | option_b=64 | option_c=61 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 558 ÷ 9 = 62.

id=960 | topic=Averages | difficulty=Easy | question=Find the average of 44, 91, 78, 88, 65, 82, 90, 17, 76, 39. | option_a=69 | option_b=67 | option_c=68 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 670 ÷ 10 = 67.

Aptitude Questions — Records 961-990 of 100,000

id=961 | topic=Averages | difficulty=Easy | question=Find the average of 97, 48, 65, 62, 53. | option_a=66 | option_b=67 | option_c=64 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 325 ÷ 5 = 65.

id=962 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=12 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=963 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=964 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=965 | topic=Percentages | difficulty=Easy | question=What is 10% of 1810? | option_a=362 | option_b=191 | option_c=181 | option_d=161 | answer=C | explanation=10% of 1810 = (10/100) × 1810 = 181.

id=966 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=13 | option_c=18 | option_d=23 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=967 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=31 | option_b=30 | option_c=33 | option_d=27 | answer=B | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.

id=968 | topic=Averages | difficulty=Easy | question=Find the average of 50, 52, 84, 62. | option_a=61 | option_b=62 | option_c=64 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 248 ÷ 4 = 62.

id=969 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8000 at 5% per annum for 2 years. | option_a=800 | option_b=8800 | option_c=900 | option_d=700 | answer=A | explanation=SI = PRT/100 = 8000×5×2/100 = **■**800.

id=970 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:2 and the first is 323, what is the second? | option_a=53 | option_b=34 | option_c=357 | option_d=32 | answer=B | explanation=Scale factor = 323/19 = 17. Therefore second quantity = 2×17 = 34.

id=971 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=972 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=50 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=973 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=S | option_b=V | option_c=T | option_d=U | answer=D | explanation=Move 1 positions forward from T; the resulting letter is U.

id=974 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:13 and the first is 198, what is the second? | option_a=161 | option_b=143 | option_c=341 | option_d=130 | answer=B | explanation=Scale factor = 198/18 = 11. Therefore second quantity = 13×11 = 143.

id=975 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 34, 39, 46? | option_a=34 | option_b=29 | option_c=46 | option_d=39 | answer=C | explanation=The first three numbers increase by 5, so the next should be 44. Therefore 46 is the odd one out.

id=976 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:3 and the first is 90, what is the second? | option_a=37 | option_b=117 | option_c=27 | option_d=24 | answer=C | explanation=Scale factor = 90/10 = 9. Therefore second quantity = 3×9 = 27.

id=977 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 12. | option_a=120 | option_b=154 | option_c=132 | option_d=264 | answer=C | explanation=LCM × HCF = 22×12; HCF(22,12) = 2, so LCM = 132.

id=978 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4127. If it is sold at a profit of 50%, what is its selling price? | option_a=6190 | option_b=5778 | option_c=6602 | option_d=4177 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4127 × 150/100 = **■**6190.

id=979 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1413. If it is sold at a profit of 25%, what is its selling price? | option_a=1438 | option_b=1625 | option_c=1907 | option_d=1766 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1413 × 125/100 = **■**1766.

id=980 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=54 | option_b=47 | option_c=40 | option_d=48 | answer=B | explanation=The common difference is 7. Therefore the next term is 40 + 7 = 47.

id=981 | topic=Percentages | difficulty=Easy | question=What is 12% of 1363? | option_a=153 | option_b=326 | option_c=163 | option_d=183 | answer=C | explanation=12% of 1363 = (12/100) × 1363 = 163.

id=982 | topic=Averages | difficulty=Easy | question=Find the average of 50, 83, 20, 24, 30, 41, 81. | option_a=47 | option_b=49 | option_c=46 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = 329 ÷ 7 = 47.

id=983 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=72 | option_c=144 | option_d=77 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=984 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=P | option_b=Y | option_c=V | option_d=S | answer=C | explanation=Move 3 positions forward from S; the resulting letter is V.

id=985 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=986 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 27, 32, 38? | option_a=27 | option_b=22 | option_c=38 | option_d=32 | answer=C | explanation=The first three numbers increase by 5, so the next should be 37. Therefore 38 is the odd one out.

id=987 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4262 at 8% per annum for 5 years. | option_a=1704 | option_b=1804 | option_c=1604 | option_d=5966 | answer=A | explanation=SI = PRT/100 = 4262×8×5/100 = **■**1704.

id=988 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6836 at 6% per annum for 2 years. | option_a=720 | option_b=920 | option_c=7656 | option_d=820 | answer=D | explanation=SI = PRT/100 = 6836×6×2/100 = **■**820.

id=989 | topic=Averages | difficulty=Easy | question=Find the average of 44, 46, 73, 58, 26, 65. | option_a=54 | option_b=52 | option_c=51 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 312 ÷ 6 = 52.

id=990 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:14 and the first is 49, what is the second? | option_a=105 | option_b=84 | option_c=98 | option_d=147 | answer=C | explanation=Scale factor = 49/7 = 7. Therefore second quantity = 14×7 = 98.

Aptitude Questions — Records 991-1,020 of 100,000

id=991 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:8 and the first is 144, what is the second? | option_a=128 | option_b=120 | option_c=272 | option_d=137 | answer=A | explanation=Scale factor = $144/9 = 16$. Therefore second quantity = $8 \times 16 = 128$.

id=992 | topic=Profit & Loss | difficulty=Easy | question=An article costs █184. If it is sold at a profit of 50%, what is its selling price? | option_a=276 | option_b=258 | option_c=234 | option_d=294 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 184 \times 150/100 = \text{█}276$.

id=993 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=C | option_c=G | option_d=O | answer=A | explanation=Move 4 positions forward from G; the resulting letter is K.

id=994 | topic=Profit & Loss | difficulty=Easy | question=An article costs █880. If it is sold at a profit of 5%, what is its selling price? | option_a=836 | option_b=885 | option_c=1012 | option_d=924 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 880 \times 105/100 = \text{█}924$.

id=995 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=T | option_c=S | option_d=U | answer=D | explanation=Move 1 positions forward from T; the resulting letter is U.

id=996 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:12 and the first is 78, what is the second? | option_a=85 | option_b=150 | option_c=60 | option_d=72 | answer=D | explanation=Scale factor = $78/13 = 6$. Therefore second quantity = $12 \times 6 = 72$.

id=997 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:17 and the first is 102, what is the second? | option_a=391 | option_b=289 | option_c=295 | option_d=272 | answer=B | explanation=Scale factor = $102/6 = 17$. Therefore second quantity = $17 \times 17 = 289$.

id=998 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2699. If it is sold at a profit of 40%, what is its selling price? | option_a=3509 | option_b=3778 | option_c=2739 | option_d=4047 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2699 \times 140/100 = \text{█}3778$.

id=999 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=25 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = $60 \div 3 = 20$ km/h.

id=1000 | topic=Profit & Loss | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=12 | option_d=2 | answer=A | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=1001 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=1002 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4576 at 5% per annum for 2 years. | option_a=5033 | option_b=357 | option_c=557 | option_d=457 | answer=D | explanation=SI = $PRT/100 = 4576 \times 5 \times 2/100 = \text{█}457$.

id=1003 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47265 at 8% per annum for 4 years. | option_a=15024 | option_b=62389 | option_c=15224 | option_d=15124 | answer=D | explanation=SI = $PRT/100 = 47265 \times 8 \times 4/100 = \text{█}15124$.

id=1004 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 26, 35, 46? | option_a=17 | option_b=35 | option_c=26 | option_d=46 | answer=D | explanation=The first three numbers increase by 9, so the next should be 44. Therefore 46 is the odd one out.

id=1005 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2963. If it is sold at a profit of 10%, what is its selling price? | option_a=2963 | option_b=3259 | option_c=2973 | option_d=3555 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2963 \times 110/100 = \text{█}3259$.

id=1006 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34340 at 15% per annum for 3 years. | option_a=49793 | option_b=15453 | option_c=15353 | option_d=15553 | answer=B | explanation=SI = $PRT/100 = 34340 \times 15 \times 3/100 = \text{█}15453$.

id=1007 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 30, 34, 40? | option_a=30 | option_b=26 | option_c=34 | option_d=40 | answer=D | explanation=The first three numbers increase by 4, so the next should be 38. Therefore 40 is the odd one out.

id=1008 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=J | option_c=A | option_d=G | answer=D | explanation=Move 3 positions forward from D; the resulting letter is G.

id=1009 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=5 | option_d=24 | answer=A | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=1010 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=31 | option_b=37 | option_c=23 | option_d=30 | answer=D | explanation=The common difference is 7. Therefore the next term is $23 + 7 = 30$.

id=1011 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=45 | option_c=35 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = $120 \div 3 = 40$ km/h.

id=1012 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = $90 \div 6 = 15$ km/h.

id=1013 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:8 and the first is 84, what is the second? | option_a=118 | option_b=104 | option_c=196 | option_d=112 | answer=D | explanation=Scale factor = $84/6 = 14$. Therefore second quantity = $8 \times 14 = 112$.

id=1014 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26460 at 15% per annum for 4 years. | option_a=15976 | option_b=15876 | option_c=42336 | option_d=15776 | answer=B | explanation=SI = $PRT/100 = 26460 \times 15 \times 4/100 = \text{█}15876$.

id=1015 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2545. If it is sold at a profit of 50%, what is its selling price? | option_a=3817 | option_b=4071 | option_c=3563 | option_d=2595 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2545 \times 150/100 = \text{█}3817$.

id=1016 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=R | option_b=V | option_c=X | option_d=T | answer=B | explanation=Move 2 positions forward from T; the resulting letter is V.

id=1017 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = $150 \div 5 = 30$ km/h.

id=1018 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:20 and the first is 285, what is the second? | option_a=585 | option_b=280 | option_c=319 | option_d=300 | answer=D | explanation=Scale factor = $285/19 = 15$. Therefore second quantity = $20 \times 15 = 300$.

id=1019 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=47 | option_b=31 | option_c=39 | option_d=40 | answer=C | explanation=The common difference is 8. Therefore the next term is $31 + 8 = 39$.

id=1020 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 21, 30, 42? | option_a=30 | option_b=42 | option_c=21 | option_d=12 | answer=B | explanation=The first three numbers increase by 9, so the next should be 39. Therefore 42 is the odd one out.

Aptitude Questions — Records 1,021-1,050 of 100,000

id=1021 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 22. | option_a=396 | option_b=176 | option_c=216 | option_d=198 | answer=D | explanation= $\text{LCM} \times \text{HCF} = 18 \times 22$; $\text{HCF}(18,22) = 2$, so $\text{LCM} = 198$.

id=1022 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=1023 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 5, 8, 14? | option_a=2 | option_b=5 | option_c=14 | option_d=8 | answer=C | explanation=The first three numbers increase by 3, so the next should be 11. Therefore 14 is the odd one out.

id=1024 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=1025 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on $\text{₹}6126$ at 12% per annum for 5 years. | option_a=3775 | option_b=3675 | option_c=9801 | option_d=3575 | answer=B | explanation= $\text{SI} = \text{PRT}/100 = 6126 \times 12 \times 5 / 100 = \text{₹}3675$.

id=1026 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=1027 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=X | option_b=P | option_c=B | option_d=T | answer=A | explanation=Move 4 positions forward from T; the resulting letter is X.

id=1028 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=J | option_b=M | option_c=S | option_d=P | answer=D | explanation=Move 3 positions forward from M; the resulting letter is P.

id=1029 | topic=Percentages | difficulty=Easy | question=What is 10% of 440? | option_a=88 | option_b=24 | option_c=44 | option_d=49 | answer=C | explanation= 10% of 440 = $(10/100) \times 440 = 44$.

id=1030 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 6. | option_a=60 | option_b=66 | option_c=132 | option_d=88 | answer=B | explanation= $\text{LCM} \times \text{HCF} = 22 \times 6$; $\text{HCF}(22,6) = 2$, so $\text{LCM} = 66$.

id=1031 | topic=Profit & Loss | difficulty=Easy | question=An article costs $\text{₹}2565$. If it is sold at a profit of 50%, what is its selling price? | option_a=3847 | option_b=3591 | option_c=2615 | option_d=4103 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 2565 \times 150/100 = \text{₹}3847$.

id=1032 | topic=Percentages | difficulty=Easy | question=What is 12% of 288? | option_a=34 | option_b=14 | option_c=39 | option_d=68 | answer=A | explanation= 12% of 288 = $(12/100) \times 288 = 34$.

id=1033 | topic=Percentages | difficulty=Easy | question=What is 40% of 1810? | option_a=724 | option_b=719 | option_c=1448 | option_d=744 | answer=A | explanation= 40% of 1810 = $(40/100) \times 1810 = 724$.

id=1034 | topic=Percentages | difficulty=Easy | question=What is 5% of 733? | option_a=36 | option_b=16 | option_c=41 | option_d=72 | answer=A | explanation= 5% of 733 = $(5/100) \times 733 = 36$.

id=1035 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=44 | option_b=37 | option_c=49 | option_d=43 | answer=D | explanation=The common difference is 6. Therefore the next term is $37 + 6 = 43$.

id=1036 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 20. | option_a=198 | option_b=160 | option_c=180 | option_d=360 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 18 \times 20$; $\text{HCF}(18,20) = 2$, so $\text{LCM} = 180$.

id=1037 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 10, 18, 29? | option_a=2 | option_b=29 | option_c=18 | option_d=10 | answer=B | explanation=The first three numbers increase by 8, so the next should be 26. Therefore 29 is the odd one out.

id=1038 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:16 and the first is 70, what is the second? | option_a=80 | option_b=94 | option_c=64 | option_d=150 | answer=A | explanation=Scale factor = $70/14 = 5$. Therefore second quantity = $16 \times 5 = 80$.

id=1039 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 15. | option_a=105 | option_b=144 | option_c=360 | option_d=120 | answer=D | explanation= $\text{LCM} \times \text{HCF} = 24 \times 15$; $\text{HCF}(24,15) = 3$, so $\text{LCM} = 120$.

id=1040 | topic=Averages | difficulty=Easy | question=Find the average of 54, 66, 39, 74, 38, 85, 97, 53, 87, 97. | option_a=68 | option_b=70 | option_c=69 | option_d=71 | answer=C | explanation=Average = sum of values ÷ number of values = $690 \div 10 = 69$.

id=1041 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=1042 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=P | option_c=R | option_d=N | answer=C | explanation=Move 2 positions forward from P; the resulting letter is R.

id=1043 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=29 | option_b=26 | option_c=32 | option_d=30 | answer=A | explanation=The common difference is 3. Therefore the next term is $26 + 3 = 29$.

id=1044 | topic=Averages | difficulty=Easy | question=Find the average of 81, 16, 12, 55, 43, 57. | option_a=46 | option_b=43 | option_c=44 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = $264 \div 6 = 44$.

id=1045 | topic=Profit & Loss | difficulty=Easy | question=An article costs $\text{₹}2866$. If it is sold at a profit of 40%, what is its selling price? | option_a=4298 | option_b=2906 | option_c=3726 | option_d=4012 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 2866 \times 140/100 = \text{₹}4012$.

id=1046 | topic=Profit & Loss | difficulty=Easy | question=An article costs $\text{₹}4703$. If it is sold at a profit of 20%, what is its selling price? | option_a=5643 | option_b=5173 | option_c=6113 | option_d=4723 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 4703 \times 120/100 = \text{₹}5643$.

id=1047 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=12 | option_c=6 | option_d=1 | answer=C | explanation=Speed = distance ÷ time = $60 \div 10 = 6$ km/h.

id=1048 | topic=Percentages | difficulty=Easy | question=What is 40% of 1947? | option_a=788 | option_b=1556 | option_c=773 | option_d=778 | answer=D | explanation= 40% of 1947 = $(40/100) \times 1947 = 778$.

id=1049 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 13, 23, 34? | option_a=23 | option_b=34 | option_c=13 | option_d=3 | answer=B | explanation=The first three numbers increase by 10, so the next should be 33. Therefore 34 is the odd one out.

id=1050 | topic=Averages | difficulty=Easy | question=Find the average of 30, 47, 100, 66, 74, 73, 22, 36. | option_a=58 | option_b=56 | option_c=57 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = $448 \div 8 = 56$.

Aptitude Questions — Records 1,051-1,080 of 100,000

- id=1051 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1753. If it is sold at a profit of 50%, what is its selling price? | option_a=2804 | option_b=2454 | option_c=2629 | option_d=1803 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1753 × 150/100 = █2629.
- id=1052 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 10, 13, 18? | option_a=18 | option_b=7 | option_c=13 | option_d=10 | answer=A | explanation=The first three numbers increase by 3, so the next should be 16. Therefore 18 is the odd one out.
- id=1053 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=50 | option_d=100 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.
- id=1054 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=4 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=1055 | topic=Percentages | difficulty=Easy | question=What is 12% of 956? | option_a=94 | option_b=119 | option_c=228 | option_d=114 | answer=D | explanation=12% of 956 = (12/100) × 956 = 114.
- id=1056 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.
- id=1057 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=20 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=1058 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=6 | option_c=12 | option_d=1 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.
- id=1059 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=1060 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.
- id=1061 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 36? | option_a=6 | option_b=15 | option_c=36 | option_d=24 | answer=C | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 36 is the odd one out.
- id=1062 | topic=Averages | difficulty=Easy | question=Find the average of 70, 14, 30, 81, 57, 25, 87, 62, 24, 30. | option_a=48 | option_b=49 | option_c=50 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 480 ÷ 10 = 48.
- id=1063 | topic=Percentages | difficulty=Easy | question=What is 12% of 1120? | option_a=134 | option_b=268 | option_c=139 | option_d=124 | answer=A | explanation=12% of 1120 = (12/100) × 1120 = 134.
- id=1064 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:1 and the first is 96, what is the second? | option_a=6 | option_b=102 | option_c=5 | option_d=22 | answer=A | explanation=Scale factor = 96/16 = 6. Therefore second quantity = 1×6 = 6.
- id=1065 | topic=Percentages | difficulty=Easy | question=What is 20% of 1968? | option_a=393 | option_b=786 | option_c=388 | option_d=403 | answer=A | explanation=20% of 1968 = (20/100) × 1968 = 393.
- id=1066 | topic=Percentages | difficulty=Easy | question=What is 50% of 300? | option_a=300 | option_b=145 | option_c=160 | option_d=150 | answer=D | explanation=50% of 300 = (50/100) × 300 = 150.
- id=1067 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=55 | option_b=44 | option_c=66 | option_d=56 | answer=A | explanation=The common difference is 11. Therefore the next term is 44 + 11 = 55.
- id=1068 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=22 | option_b=18 | option_c=26 | option_d=23 | answer=A | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.
- id=1069 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48701 at 6% per annum for 1 years. | option_a=2822 | option_b=2922 | option_c=3022 | option_d=51623 | answer=B | explanation=SI = PRT/100 = 48701×6×1/100 = █2922.
- id=1070 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.
- id=1071 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=61 | option_b=52 | option_c=41 | option_d=51 | answer=D | explanation=The common difference is 10. Therefore the next term is 41 + 10 = 51.
- id=1072 | topic=Averages | difficulty=Easy | question=Find the average of 82, 76, 34. | option_a=65 | option_b=64 | option_c=63 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 192 ÷ 3 = 64.
- id=1073 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4456. If it is sold at a profit of 15%, what is its selling price? | option_a=4679 | option_b=4471 | option_c=5569 | option_d=5124 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4456 × 115/100 = █5124.
- id=1074 | topic=Averages | difficulty=Easy | question=Find the average of 20, 78, 87, 51, 61, 85, 15, 72, 12, 59. | option_a=53 | option_b=55 | option_c=54 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.
- id=1075 | topic=Percentages | difficulty=Easy | question=What is 50% of 1810? | option_a=915 | option_b=1810 | option_c=905 | option_d=895 | answer=C | explanation=50% of 1810 = (50/100) × 1810 = 905.
- id=1076 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4538. If it is sold at a profit of 15%, what is its selling price? | option_a=5671 | option_b=4553 | option_c=5218 | option_d=4765 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4538 × 115/100 = █5218.
- id=1077 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:5 and the first is 33, what is the second? | option_a=58 | option_b=55 | option_c=50 | option_d=88 | answer=B | explanation=Scale factor = 33/3 = 11. Therefore second quantity = 5×11 = 55.
- id=1078 | topic=Percentages | difficulty=Easy | question=What is 25% of 1308? | option_a=654 | option_b=322 | option_c=332 | option_d=327 | answer=D | explanation=25% of 1308 = (25/100) × 1308 = 327.
- id=1079 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2721. If it is sold at a profit of 15%, what is its selling price? | option_a=3129 | option_b=2857 | option_c=3401 | option_d=2736 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2721 × 115/100 = █3129.
- id=1080 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 21. | option_a=112 | option_b=84 | option_c=588 | option_d=63 | answer=B | explanation=LCM × HCF = 28×21; HCF(28,21) = 7, so LCM = 84.

Aptitude Questions — Records 1,081-1,110 of 100,000

- id=1081 | topic=Percentages | difficulty=Easy | question=What is 40% of 173? | option_a=69 | option_b=79 | option_c=138 | option_d=49 | answer=A | explanation=40% of 173 = $(40/100) \times 173 = 69$.
- id=1082 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=50 | option_c=25 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = $150 \div 6 = 25$ km/h.
- id=1083 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 23, 26, 31? | option_a=23 | option_b=26 | option_c=20 | option_d=31 | answer=D | explanation=The first three numbers increase by 3, so the next should be 29. Therefore 31 is the odd one out.
- id=1084 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48518 at 10% per annum for 3 years. | option_a=14455 | option_b=14655 | option_c=14555 | option_d=63073 | answer=C | explanation=SI = $PRT/100 = 48518 \times 10 \times 3/100 = \text{■}14555$.
- id=1085 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=N | option_c=H | option_d=Q | answer=B | explanation=Move 3 positions forward from K; the resulting letter is N.
- id=1086 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=N | option_b=K | option_c=Q | option_d=H | answer=A | explanation=Move 3 positions forward from K; the resulting letter is N.
- id=1087 | topic=Percentages | difficulty=Easy | question=What is 12% of 1921? | option_a=250 | option_b=225 | option_c=230 | option_d=460 | answer=C | explanation=12% of 1921 = $(12/100) \times 1921 = 230$.
- id=1088 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=J | option_c=B | option_d=N | answer=B | explanation=Move 4 positions forward from F; the resulting letter is J.
- id=1089 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=T | option_c=U | option_d=V | answer=D | explanation=Move 1 positions forward from U; the resulting letter is V.
- id=1090 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=G | option_b=A | option_c=D | option_d=J | answer=A | explanation=Move 3 positions forward from D; the resulting letter is G.
- id=1091 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.
- id=1092 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=N | option_b=L | option_c=O | option_d=M | answer=A | explanation=Move 1 positions forward from M; the resulting letter is N.
- id=1093 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37161 at 5% per annum for 5 years. | option_a=46451 | option_b=9190 | option_c=9290 | option_d=9390 | answer=C | explanation=SI = $PRT/100 = 37161 \times 5 \times 5/100 = \text{■}9290$.
- id=1094 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1143. If it is sold at a profit of 25%, what is its selling price? | option_a=1428 | option_b=1168 | option_c=1314 | option_d=1542 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1143 \times 125/100 = \text{■}1428$.
- id=1095 | topic=Averages | difficulty=Easy | question=Find the average of 98, 96, 79. | option_a=91 | option_b=92 | option_c=93 | option_d=90 | answer=A | explanation=Average = sum of values ÷ number of values = $273 \div 3 = 91$.
- id=1096 | topic=Percentages | difficulty=Easy | question=What is 30% of 1970? | option_a=1182 | option_b=571 | option_c=611 | option_d=591 | answer=D | explanation=30% of 1970 = $(30/100) \times 1970 = 591$.
- id=1097 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.
- id=1098 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 35? | option_a=28 | option_b=30 | option_c=35 | option_d=26 | answer=C | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 35 is the odd one out.
- id=1099 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:13 and the first is 65, what is the second? | option_a=78 | option_b=52 | option_c=65 | option_d=130 | answer=C | explanation=Scale factor = $65/13 = 5$. Therefore second quantity = $13 \times 5 = 65$.
- id=1100 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 16. | option_a=126 | option_b=112 | option_c=96 | option_d=224 | answer=B | explanation= $LCM \times HCF = 14 \times 16$; $HCF(14,16) = 2$, so $LCM = 112$.
- id=1101 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=12 | option_c=24 | option_d=7 | answer=B | explanation=Speed = distance ÷ time = $60 \div 5 = 12$ km/h.
- id=1102 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**941. If it is sold at a profit of 5%, what is its selling price? | option_a=1082 | option_b=946 | option_c=894 | option_d=988 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 941 \times 105/100 = \text{■}988$.
- id=1103 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=54 | option_b=55 | option_c=66 | option_d=42 | answer=A | explanation=The common difference is 12. Therefore the next term is $42 + 12 = 54$.
- id=1104 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3888 at 4% per annum for 2 years. | option_a=311 | option_b=411 | option_c=4199 | option_d=211 | answer=A | explanation=SI = $PRT/100 = 3888 \times 4 \times 2/100 = \text{■}311$.
- id=1105 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 29, 36, 45? | option_a=29 | option_b=36 | option_c=45 | option_d=22 | answer=C | explanation=The first three numbers increase by 7, so the next should be 43. Therefore 45 is the odd one out.
- id=1106 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:11 and the first is 220, what is the second? | option_a=141 | option_b=341 | option_c=121 | option_d=110 | answer=C | explanation=Scale factor = $220/20 = 11$. Therefore second quantity = $11 \times 11 = 121$.
- id=1107 | topic=Percentages | difficulty=Easy | question=What is 50% of 536? | option_a=263 | option_b=268 | option_c=288 | option_d=536 | answer=B | explanation=50% of 536 = $(50/100) \times 536 = 268$.
- id=1108 | topic=Averages | difficulty=Easy | question=Find the average of 18, 53, 34, 95, 70, 102. | option_a=62 | option_b=63 | option_c=61 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = $372 \div 6 = 62$.
- id=1109 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=48 | option_b=49 | option_c=55 | option_d=41 | answer=A | explanation=The common difference is 7. Therefore the next term is $41 + 7 = 48$.
- id=1110 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7871 at 8% per annum for 1 years. | option_a=729 | option_b=529 | option_c=629 | option_d=8500 | answer=C | explanation=SI = $PRT/100 = 7871 \times 8 \times 1/100 = \text{■}629$.

Aptitude Questions — Records 1,111-1,140 of 100,000

- id=1111 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=F | option_b=J | option_c=H | option_d=L | answer=B | explanation=Move 2 positions forward from H; the resulting letter is J.
- id=1112 | topic=Averages | difficulty=Easy | question=Find the average of 52, 58, 36, 61, 33, 10, 56, 11, 19, 64. | option_a=41 | option_b=42 | option_c=39 | option_d=40 | answer=D | explanation=Average = sum of values ÷ number of values = 400 ÷ 10 = 40.
- id=1113 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20043 at 8% per annum for 2 years. | option_a=3306 | option_b=23249 | option_c=3206 | option_d=3106 | answer=C | explanation=SI = $PRT/100 = 20043 \times 8 \times 2/100 =$ █3206.
- id=1114 | topic=Averages | difficulty=Easy | question=Find the average of 46, 32, 38, 43, 32, 55. | option_a=43 | option_b=40 | option_c=41 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = 246 ÷ 6 = 41.
- id=1115 | topic=Percentages | difficulty=Easy | question=What is 20% of 410? | option_a=77 | option_b=82 | option_c=164 | option_d=87 | answer=B | explanation=20% of 410 = $(20/100) \times 410 =$ 82.
- id=1116 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=120 | option_c=125 | option_d=115 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.
- id=1117 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 35, 43, 54? | option_a=27 | option_b=35 | option_c=43 | option_d=54 | answer=D | explanation=The first three numbers increase by 8, so the next should be 51. Therefore 54 is the odd one out.
- id=1118 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13428 at 5% per annum for 5 years. | option_a=3357 | option_b=3457 | option_c=3257 | option_d=16785 | answer=A | explanation=SI = $PRT/100 = 13428 \times 5 \times 5/100 =$ █3357.
- id=1119 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=150 | option_c=70 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.
- id=1120 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22474 at 5% per annum for 1 years. | option_a=23597 | option_b=1223 | option_c=1123 | option_d=1023 | answer=C | explanation=SI = $PRT/100 = 22474 \times 5 \times 1/100 =$ █1123.
- id=1121 | topic=Averages | difficulty=Easy | question=Find the average of 70, 94, 88, 20. | option_a=68 | option_b=70 | option_c=67 | option_d=69 | answer=A | explanation=Average = sum of values ÷ number of values = 272 ÷ 4 = 68.
- id=1122 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=T | option_b=N | option_c=Q | option_d=W | answer=A | explanation=Move 3 positions forward from Q; the resulting letter is T.
- id=1123 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22091 at 12% per annum for 3 years. | option_a=7952 | option_b=8052 | option_c=7852 | option_d=30043 | answer=A | explanation=SI = $PRT/100 = 22091 \times 12 \times 3/100 =$ █7952.
- id=1124 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 20. | option_a=30 | option_b=20 | option_c=1 | option_d=200 | answer=B | explanation=LCM × HCF = 10×20; HCF(10,20) = 10, so LCM = 20.
- id=1125 | topic=Averages | difficulty=Easy | question=Find the average of 35, 67, 40, 60, 37, 49. | option_a=47 | option_b=48 | option_c=49 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 288 ÷ 6 = 48.
- id=1126 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.
- id=1127 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:17 and the first is 195, what is the second? | option_a=416 | option_b=221 | option_c=204 | option_d=236 | answer=B | explanation=Scale factor = 195/15 = 13. Therefore second quantity = 17×13 = 221.
- id=1128 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 21. | option_a=126 | option_b=378 | option_c=144 | option_d=105 | answer=A | explanation=LCM × HCF = 18×21; HCF(18,21) = 3, so LCM = 126.
- id=1129 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 15. | option_a=15 | option_b=225 | option_c=30 | option_d=1 | answer=A | explanation=LCM × HCF = 15×15; HCF(15,15) = 15, so LCM = 15.
- id=1130 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:1 and the first is 91, what is the second? | option_a=6 | option_b=20 | option_c=7 | option_d=98 | answer=C | explanation=Scale factor = 91/13 = 7. Therefore second quantity = 1×7 = 7.
- id=1131 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=I | option_c=Z | option_d=F | answer=D | explanation=Move 3 positions forward from C; the resulting letter is F.
- id=1132 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:4 and the first is 40, what is the second? | option_a=16 | option_b=60 | option_c=28 | option_d=20 | answer=D | explanation=Scale factor = 40/8 = 5. Therefore second quantity = 4×5 = 20.
- id=1133 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 15, 22, 30? | option_a=30 | option_b=22 | option_c=8 | option_d=15 | answer=A | explanation=The first three numbers increase by 7, so the next should be 29. Therefore 30 is the odd one out.
- id=1134 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=M | option_c=I | option_d=G | answer=A | explanation=Move 2 positions forward from I; the resulting letter is K.
- id=1135 | topic=Percentages | difficulty=Easy | question=What is 20% of 1627? | option_a=315 | option_b=325 | option_c=335 | option_d=650 | answer=B | explanation=20% of 1627 = $(20/100) \times 1627 =$ 325.
- id=1136 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 18. | option_a=180 | option_b=198 | option_c=396 | option_d=220 | answer=B | explanation=LCM × HCF = 22×18; HCF(22,18) = 2, so LCM = 198.
- id=1137 | topic=Averages | difficulty=Easy | question=Find the average of 70, 39, 76, 85, 80, 70. | option_a=69 | option_b=70 | option_c=71 | option_d=72 | answer=B | explanation=Average = sum of values ÷ number of values = 420 ÷ 6 = 70.
- id=1138 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.
- id=1139 | topic=Percentages | difficulty=Easy | question=What is 12% of 817? | option_a=118 | option_b=98 | option_c=196 | option_d=93 | answer=B | explanation=12% of 817 = $(12/100) \times 817 =$ 98.
- id=1140 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=85 | option_d=160 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

Aptitude Questions — Records 1,141-1,170 of 100,000

- id=1141 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 18, 25, 35? | option_a=11 | option_b=25 | option_c=18 | option_d=35 | answer=D | explanation=The first three numbers increase by 7, so the next should be 32. Therefore 35 is the odd one out.
- id=1142 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11072 at 6% per annum for 5 years. | option_a=3221 | option_b=3321 | option_c=3421 | option_d=14393 | answer=B | explanation=SI = PRT/100 = 11072×6×5/100 = **■**3321.
- id=1143 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.
- id=1144 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=P | option_c=R | option_d=T | answer=D | explanation=Move 2 positions forward from R; the resulting letter is T.
- id=1145 | topic=Percentages | difficulty=Easy | question=What is 15% of 432? | option_a=69 | option_b=128 | option_c=64 | option_d=54 | answer=C | explanation=15% of 432 = (15/100) × 432 = 64.
- id=1146 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:3 and the first is 272, what is the second? | option_a=45 | option_b=320 | option_c=65 | option_d=48 | answer=D | explanation=Scale factor = 272/17 = 16. Therefore second quantity = 3×16 = 48.
- id=1147 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22415 at 15% per annum for 4 years. | option_a=13549 | option_b=13349 | option_c=13449 | option_d=35864 | answer=C | explanation=SI = PRT/100 = 22415×15×4/100 = **■**13449.
- id=1148 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36156 at 8% per annum for 4 years. | option_a=11469 | option_b=47725 | option_c=11669 | option_d=11569 | answer=D | explanation=SI = PRT/100 = 36156×8×4/100 = **■**11569.
- id=1149 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14479 at 6% per annum for 4 years. | option_a=3374 | option_b=3574 | option_c=3474 | option_d=17953 | answer=C | explanation=SI = PRT/100 = 14479×6×4/100 = **■**3474.
- id=1150 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 18, 28, 38, ? | option_a=38 | option_b=48 | option_c=58 | option_d=49 | answer=B | explanation=The common difference is 10. Therefore the next term is 38 + 10 = 48.
- id=1151 | topic=Percentages | difficulty=Easy | question=What is 40% of 342? | option_a=136 | option_b=272 | option_c=126 | option_d=141 | answer=A | explanation=40% of 342 = (40/100) × 342 = 136.
- id=1152 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=62 | option_b=53 | option_c=44 | option_d=54 | answer=B | explanation=The common difference is 9. Therefore the next term is 44 + 9 = 53.
- id=1153 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2458. If it is sold at a profit of 50%, what is its selling price? | option_a=3687 | option_b=3932 | option_c=2508 | option_d=3442 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2458 × 150/100 = **■**3687.
- id=1154 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=1155 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 27? | option_a=19 | option_b=5 | option_c=12 | option_d=27 | answer=D | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 27 is the odd one out.
- id=1156 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.
- id=1157 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 4. | option_a=4 | option_b=1 | option_c=6 | option_d=8 | answer=A | explanation=LCM × HCF = 2×4; HCF(2,4) = 2, so LCM = 4.
- id=1158 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:5 and the first is 48, what is the second? | option_a=60 | option_b=55 | option_c=64 | option_d=108 | answer=A | explanation=Scale factor = 48/4 = 12. Therefore second quantity = 5×12 = 60.
- id=1159 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**776. If it is sold at a profit of 20%, what is its selling price? | option_a=854 | option_b=1008 | option_c=931 | option_d=796 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 776 × 120/100 = **■**931.
- id=1160 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:6 and the first is 12, what is the second? | option_a=6 | option_b=18 | option_c=24 | option_d=12 | answer=D | explanation=Scale factor = 12/6 = 2. Therefore second quantity = 6×2 = 12.
- id=1161 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4479. If it is sold at a profit of 40%, what is its selling price? | option_a=4519 | option_b=5823 | option_c=6270 | option_d=6717 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4479 × 140/100 = **■**6270.
- id=1162 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=K | option_c=G | option_d=M | answer=B | explanation=Move 2 positions forward from I; the resulting letter is K.
- id=1163 | topic=Averages | difficulty=Easy | question=Find the average of 96, 78, 39. | option_a=72 | option_b=71 | option_c=70 | option_d=73 | answer=B | explanation=Average = sum of values ÷ number of values = 213 ÷ 3 = 71.
- id=1164 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=R | option_b=P | option_c=Q | option_d=S | answer=A | explanation=Move 1 positions forward from Q; the resulting letter is R.
- id=1165 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 21. | option_a=1 | option_b=24 | option_c=63 | option_d=21 | answer=D | explanation=LCM × HCF = 3×21; HCF(3,21) = 3, so LCM = 21.
- id=1166 | topic=Averages | difficulty=Easy | question=Find the average of 57, 40, 35, 21, 12, 63. | option_a=37 | option_b=39 | option_c=40 | option_d=38 | answer=D | explanation=Average = sum of values ÷ number of values = 228 ÷ 6 = 38.
- id=1167 | topic=Averages | difficulty=Easy | question=Find the average of 38, 22, 95, 33. | option_a=46 | option_b=49 | option_c=47 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 188 ÷ 4 = 47.
- id=1168 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 28? | option_a=19 | option_b=28 | option_c=12 | option_d=5 | answer=B | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 28 is the odd one out.
- id=1169 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 39? | option_a=30 | option_b=22 | option_c=39 | option_d=14 | answer=C | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 39 is the odd one out.
- id=1170 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=75 | option_c=85 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

Aptitude Questions — Records 1,171-1,200 of 100,000

- id=1171 | topic=Percentages | difficulty=Easy | question=What is 15% of 847? | option_a=254 | option_b=137 | option_c=122 | option_d=127 | answer=D | explanation=15% of 847 = (15/100) × 847 = 127.
- id=1172 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Q | option_b=T | option_c=Z | option_d=W | answer=D | explanation=Move 3 positions forward from T; the resulting letter is W.
- id=1173 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.
- id=1174 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:20 and the first is 48, what is the second? | option_a=244 | option_b=240 | option_c=220 | option_d=288 | answer=B | explanation=Scale factor = $\frac{48}{4} = 12$. Therefore second quantity = $20 \times 12 = 240$.
- id=1175 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=30 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = $\frac{120}{8} = 15$ km/h.
- id=1176 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2845. If it is sold at a profit of 5%, what is its selling price? | option_a=2703 | option_b=2987 | option_c=3271 | option_d=2850 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2845 \times 105 / 100 = \text{₹}2987$.
- id=1177 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 27? | option_a=20 | option_b=24 | option_c=22 | option_d=27 | answer=D | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 27 is the odd one out.
- id=1178 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:14 and the first is 72, what is the second? | option_a=134 | option_b=112 | option_c=198 | option_d=126 | answer=D | explanation=Scale factor = $\frac{72}{8} = 9$. Therefore second quantity = $14 \times 9 = 126$.
- id=1179 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=180 | option_c=90 | option_d=95 | answer=C | explanation=Speed = distance ÷ time = $\frac{360}{4} = 90$ km/h.
- id=1180 | topic=Averages | difficulty=Easy | question=Find the average of 40, 86, 66. | option_a=66 | option_b=65 | option_c=64 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{192}{3} = 64$.
- id=1181 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=5 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = $\frac{60}{6} = 10$ km/h.
- id=1182 | topic=Percentages | difficulty=Easy | question=What is 25% of 519? | option_a=258 | option_b=129 | option_c=124 | option_d=139 | answer=B | explanation=25% of 519 = $(\frac{25}{100}) \times 519 = 129$.
- id=1183 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=F | option_c=H | option_d=L | answer=A | explanation=Move 2 positions forward from H; the resulting letter is J.
- id=1184 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹29990 at 12% per annum for 1 years. | option_a=3498 | option_b=33588 | option_c=3698 | option_d=3598 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{29990 \times 12 \times 1}{100} = \text{₹}3598$.
- id=1185 | topic=Averages | difficulty=Easy | question=Find the average of 91, 28, 37. | option_a=54 | option_b=51 | option_c=52 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{156}{3} = 52$.
- id=1186 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=40 | option_b=39 | option_c=34 | option_d=44 | answer=B | explanation=The common difference is 5. Therefore the next term is $34 + 5 = 39$.
- id=1187 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.
- id=1188 | topic=Averages | difficulty=Easy | question=Find the average of 32, 87, 41, 48, 46, 83, 67, 91, 36. | option_a=61 | option_b=59 | option_c=60 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{531}{9} = 59$.
- id=1189 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=120 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = $\frac{300}{5} = 60$ km/h.
- id=1190 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.
- id=1191 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 29, 33, 39? | option_a=39 | option_b=29 | option_c=25 | option_d=33 | answer=A | explanation=The first three numbers increase by 4, so the next should be 37. Therefore 39 is the odd one out.
- id=1192 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 49? | option_a=39 | option_b=21 | option_c=49 | option_d=30 | answer=C | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 49 is the odd one out.
- id=1193 | topic=Averages | difficulty=Easy | question=Find the average of 34, 10, 11, 74, 61. | option_a=38 | option_b=37 | option_c=39 | option_d=40 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{190}{5} = 38$.
- id=1194 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.
- id=1195 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹3252. If it is sold at a profit of 15%, what is its selling price? | option_a=3739 | option_b=3414 | option_c=3267 | option_d=4064 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3252 \times 115 / 100 = \text{₹}3739$.
- id=1196 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=90 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = $\frac{360}{8} = 45$ km/h.
- id=1197 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=U | option_c=Q | option_d=I | answer=C | explanation=Move 4 positions forward from M; the resulting letter is Q.
- id=1198 | topic=Percentages | difficulty=Easy | question=What is 25% of 1937? | option_a=504 | option_b=968 | option_c=464 | option_d=484 | answer=D | explanation=25% of 1937 = $(\frac{25}{100}) \times 1937 = 484$.
- id=1199 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:15 and the first is 120, what is the second? | option_a=110 | option_b=210 | option_c=90 | option_d=75 | answer=C | explanation=Scale factor = $\frac{120}{20} = 6$. Therefore second quantity = $15 \times 6 = 90$.
- id=1200 | topic=Percentages | difficulty=Easy | question=What is 10% of 289? | option_a=8 | option_b=28 | option_c=48 | option_d=56 | answer=B | explanation=10% of 289 = $(\frac{10}{100}) \times 289 = 28$.

Aptitude Questions — Records 1,201-1,230 of 100,000

id=1201 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 33? | option_a=33 | option_b=16 | option_c=8 | option_d=24 | answer=A | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 33 is the odd one out.

id=1202 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 46? | option_a=46 | option_b=19 | option_c=35 | option_d=27 | answer=A | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 46 is the odd one out.

id=1203 | topic=Profit & Loss | difficulty=Easy | question=An article costs █995. If it is sold at a profit of 30%, what is its selling price? | option_a=1194 | option_b=1293 | option_c=1025 | option_d=1392 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 995 \times 130/100 = \text{█}1293$.

id=1204 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=1205 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=8 | option_d=3 | answer=B | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=1206 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 14, 23, 35? | option_a=23 | option_b=14 | option_c=35 | option_d=5 | answer=C | explanation=The first three numbers increase by 9, so the next should be 32. Therefore 35 is the odd one out.

id=1207 | topic=Percentages | difficulty=Easy | question=What is 12% of 1585? | option_a=180 | option_b=190 | option_c=195 | option_d=380 | answer=B | explanation= $12\% \text{ of } 1585 = (12/100) \times 1585 = 190$.

id=1208 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=E | option_c=G | option_d=F | answer=C | explanation=Move 1 positions forward from F; the resulting letter is G.

id=1209 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2367. If it is sold at a profit of 10%, what is its selling price? | option_a=2839 | option_b=2377 | option_c=2603 | option_d=2367 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2367 \times 110/100 = \text{█}2603$.

id=1210 | topic=Profit & Loss | difficulty=Easy | question=An article costs █177. If it is sold at a profit of 5%, what is its selling price? | option_a=202 | option_b=182 | option_c=185 | option_d=168 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 177 \times 105/100 = \text{█}185$.

id=1211 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1829. If it is sold at a profit of 5%, what is its selling price? | option_a=1920 | option_b=2102 | option_c=1738 | option_d=1834 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1829 \times 105/100 = \text{█}1920$.

id=1212 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=150 | option_d=70 | answer=A | explanation=Speed = distance ÷ time = $300 \div 4 = 75$ km/h.

id=1213 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.

id=1214 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=1215 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=67 | option_b=57 | option_c=47 | option_d=58 | answer=B | explanation=The common difference is 10. Therefore the next term is $47 + 10 = 57$.

id=1216 | topic=Percentages | difficulty=Easy | question=What is 25% of 1356? | option_a=678 | option_b=344 | option_c=339 | option_d=319 | answer=C | explanation= $25\% \text{ of } 1356 = (25/100) \times 1356 = 339$.

id=1217 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=Q | option_c=M | option_d=S | answer=B | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=1218 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.

id=1219 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:7 and the first is 120, what is the second? | option_a=35 | option_b=62 | option_c=162 | option_d=42 | answer=D | explanation=Scale factor = $120/20 = 6$. Therefore second quantity = $7 \times 6 = 42$.

id=1220 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2568. If it is sold at a profit of 50%, what is its selling price? | option_a=3596 | option_b=3852 | option_c=2618 | option_d=4108 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2568 \times 150/100 = \text{█}3852$.

id=1221 | topic=Averages | difficulty=Easy | question=Find the average of 37, 31, 94, 99, 21, 24. | option_a=52 | option_b=51 | option_c=50 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = $306 \div 6 = 51$.

id=1222 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22397 at 8% per annum for 3 years. | option_a=5375 | option_b=27772 | option_c=5275 | option_d=5475 | answer=A | explanation= $SI = PRT/100 = 22397 \times 8 \times 3/100 = \text{█}5375$.

id=1223 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=Q | option_b=R | option_c=P | option_d=O | answer=A | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=1224 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2826. If it is sold at a profit of 20%, what is its selling price? | option_a=2846 | option_b=3673 | option_c=3109 | option_d=3391 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2826 \times 120/100 = \text{█}3391$.

id=1225 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=1226 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2483. If it is sold at a profit of 10%, what is its selling price? | option_a=2483 | option_b=2979 | option_c=2493 | option_d=2731 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2483 \times 110/100 = \text{█}2731$.

id=1227 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=21 | option_b=23 | option_c=20 | option_d=17 | answer=C | explanation=The common difference is 3. Therefore the next term is $17 + 3 = 20$.

id=1228 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=6 | option_d=4 | answer=B | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=1229 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 28, 33, 39? | option_a=28 | option_b=23 | option_c=39 | option_d=33 | answer=C | explanation=The first three numbers increase by 5, so the next should be 38. Therefore 39 is the odd one out.

id=1230 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=17 | option_c=12 | option_d=7 | answer=C | explanation=Speed = distance ÷ time = $120 \div 10 = 12$ km/h.

Aptitude Questions — Records 1,231-1,260 of 100,000

id=1231 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=M | option_b=S | option_c=Q | option_d=O | answer=C | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=1232 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 18, 24, 30, ? | option_a=37 | option_b=30 | option_c=42 | option_d=36 | answer=D | explanation=The common difference is 6. Therefore the next term is 30 + 6 = 36.

id=1233 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=C | option_c=O | option_d=G | answer=A | explanation=Move 4 positions forward from G; the resulting letter is K.

id=1234 | topic=Percentages | difficulty=Easy | question=What is 25% of 1709? | option_a=854 | option_b=427 | option_c=407 | option_d=432 | answer=B | explanation=25% of 1709 = (25/100) × 1709 = 427.

id=1235 | topic=Percentages | difficulty=Easy | question=What is 12% of 1940? | option_a=212 | option_b=232 | option_c=242 | option_d=464 | answer=B | explanation=12% of 1940 = (12/100) × 1940 = 232.

id=1236 | topic=Percentages | difficulty=Easy | question=What is 30% of 1172? | option_a=351 | option_b=341 | option_c=361 | option_d=702 | answer=A | explanation=30% of 1172 = (30/100) × 1172 = 351.

id=1237 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=1238 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 17, 20, 24? | option_a=14 | option_b=24 | option_c=20 | option_d=17 | answer=B | explanation=The first three numbers increase by 3, so the next should be 23. Therefore 24 is the odd one out.

id=1239 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:6 and the first is 300, what is the second? | option_a=120 | option_b=114 | option_c=420 | option_d=135 | answer=A | explanation=Scale factor = 300/15 = 20. Therefore second quantity = 6×20 = 120.

id=1240 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:7 and the first is 40, what is the second? | option_a=96 | option_b=56 | option_c=49 | option_d=61 | answer=B | explanation=Scale factor = 40/5 = 8. Therefore second quantity = 7×8 = 56.

id=1241 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=24 | option_c=19 | option_d=48 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=1242 | topic=Percentages | difficulty=Easy | question=What is 25% of 246? | option_a=56 | option_b=71 | option_c=122 | option_d=61 | answer=D | explanation=25% of 246 = (25/100) × 246 = 61.

id=1243 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=35 | option_b=27 | option_c=31 | option_d=32 | answer=C | explanation=The common difference is 4. Therefore the next term is 27 + 4 = 31.

id=1244 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2073. If it is sold at a profit of 40%, what is its selling price? | option_a=2695 | option_b=2902 | option_c=3109 | option_d=2113 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2073 × 140/100 = █2902.

id=1245 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=N | option_b=L | option_c=M | option_d=O | answer=A | explanation=Move 1 positions forward from M; the resulting letter is N.

id=1246 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:12 and the first is 30, what is the second? | option_a=39 | option_b=12 | option_c=54 | option_d=24 | answer=D | explanation=Scale factor = 30/15 = 2. Therefore second quantity = 12×2 = 24.

id=1247 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4107. If it is sold at a profit of 20%, what is its selling price? | option_a=4127 | option_b=5338 | option_c=4518 | option_d=4928 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4107 × 120/100 = █4928.

id=1248 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:19 and the first is 28, what is the second? | option_a=133 | option_b=114 | option_c=137 | option_d=161 | answer=A | explanation=Scale factor = 28/4 = 7. Therefore second quantity = 19×7 = 133.

id=1249 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:5 and the first is 95, what is the second? | option_a=44 | option_b=120 | option_c=25 | option_d=20 | answer=C | explanation=Scale factor = 95/19 = 5. Therefore second quantity = 5×5 = 25.

id=1250 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=1251 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=40 | option_c=35 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=1252 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=Z | option_b=B | option_c=F | option_d=D | answer=D | explanation=Move 2 positions forward from B; the resulting letter is D.

id=1253 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:5 and the first is 133, what is the second? | option_a=95 | option_b=228 | option_c=90 | option_d=102 | answer=A | explanation=Scale factor = 133/7 = 19. Therefore second quantity = 5×19 = 95.

id=1254 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:20 and the first is 75, what is the second? | option_a=375 | option_b=305 | option_c=280 | option_d=300 | answer=D | explanation=Scale factor = 75/5 = 15. Therefore second quantity = 20×15 = 300.

id=1255 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:6 and the first is 182, what is the second? | option_a=78 | option_b=97 | option_c=84 | option_d=266 | answer=C | explanation=Scale factor = 182/13 = 14. Therefore second quantity = 6×14 = 84.

id=1256 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=R | option_c=P | option_d=L | answer=C | explanation=Move 2 positions forward from N; the resulting letter is P.

id=1257 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=S | option_b=W | option_c=Y | option_d=U | answer=B | explanation=Move 2 positions forward from U; the resulting letter is W.

id=1258 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=1259 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2312. If it is sold at a profit of 10%, what is its selling price? | option_a=2322 | option_b=2774 | option_c=2312 | option_d=2543 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2312 × 110/100 = █2543.

id=1260 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2798. If it is sold at a profit of 10%, what is its selling price? | option_a=3077 | option_b=2808 | option_c=3356 | option_d=2798 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2798 × 110/100 = █3077.

Aptitude Questions — Records 1,261-1,290 of 100,000

- id=1261 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■15795 at 6% per annum for 1 years. | option_a=847 | option_b=16742 | option_c=1047 | option_d=947 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{15795 \times 6 \times 1}{100} = \blacksquare 947$.
- id=1262 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.
- id=1263 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=8 | answer=A | explanation=Combined rate = $\frac{1}{4} + \frac{1}{4} = \frac{8}{16}$. Time = $\frac{16}{8} = 2$ days.
- id=1264 | topic=Percentages | difficulty=Easy | question=What is 25% of 1930? | option_a=482 | option_b=502 | option_c=477 | option_d=964 | answer=A | explanation= $25\% \text{ of } 1930 = \frac{(25 \times 100)}{100} \times 1930 = 482$.
- id=1265 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■29767 at 6% per annum for 4 years. | option_a=7144 | option_b=36911 | option_c=7244 | option_d=7044 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{29767 \times 6 \times 4}{100} = \blacksquare 7144$.
- id=1266 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 29, 34, 41? | option_a=34 | option_b=29 | option_c=24 | option_d=41 | answer=D | explanation=The first three numbers increase by 5, so the next should be 39. Therefore 41 is the odd one out.
- id=1267 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = $90 \div 2 = 45$ km/h.
- id=1268 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=15 | option_b=18 | option_c=16 | option_d=12 | answer=A | explanation=The common difference is 3. Therefore the next term is $12 + 3 = 15$.
- id=1269 | topic=Percentages | difficulty=Easy | question=What is 30% of 1992? | option_a=597 | option_b=577 | option_c=1194 | option_d=617 | answer=A | explanation= $30\% \text{ of } 1992 = \frac{(30 \times 100)}{100} \times 1992 = 597$.
- id=1270 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 33, 43, 56? | option_a=33 | option_b=43 | option_c=23 | option_d=56 | answer=D | explanation=The first three numbers increase by 10, so the next should be 53. Therefore 56 is the odd one out.
- id=1271 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 10, 12, 14, ? | option_a=16 | option_b=18 | option_c=14 | option_d=17 | answer=A | explanation=The common difference is 2. Therefore the next term is $14 + 2 = 16$.
- id=1272 | topic=Averages | difficulty=Easy | question=Find the average of 87, 67, 32. | option_a=64 | option_b=61 | option_c=62 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{186}{3} = 62$.
- id=1273 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=25 | option_c=20 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = $120 \div 6 = 20$ km/h.
- id=1274 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 7. | option_a=98 | option_b=28 | option_c=14 | option_d=7 | answer=C | explanation= $LCM \times HCF = 14 \times 7$; $HCF(14,7) = 7$, so $LCM = 14$.
- id=1275 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=R | option_b=H | option_c=C | option_d=M | answer=D | explanation=Move 5 positions forward from H; the resulting letter is M.
- id=1276 | topic=Averages | difficulty=Easy | question=Find the average of 90, 82, 62. | option_a=77 | option_b=78 | option_c=80 | option_d=79 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{234}{3} = 78$.
- id=1277 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 21. | option_a=189 | option_b=240 | option_c=210 | option_d=630 | answer=C | explanation= $LCM \times HCF = 30 \times 21$; $HCF(30,21) = 3$, so $LCM = 210$.
- id=1278 | topic=Percentages | difficulty=Easy | question=What is 40% of 1310? | option_a=534 | option_b=1048 | option_c=524 | option_d=514 | answer=C | explanation= $40\% \text{ of } 1310 = \frac{(40 \times 100)}{100} \times 1310 = 524$.
- id=1279 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=48 | option_c=24 | option_d=19 | answer=C | explanation=Speed = distance ÷ time = $120 \div 5 = 24$ km/h.
- id=1280 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.
- id=1281 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■10166 at 6% per annum for 4 years. | option_a=2339 | option_b=12605 | option_c=2539 | option_d=2439 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{10166 \times 6 \times 4}{100} = \blacksquare 2439$.
- id=1282 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1652. If it is sold at a profit of 25%, what is its selling price? | option_a=1900 | option_b=2230 | option_c=1677 | option_d=2065 | answer=D | explanation=Selling price = $CP \times \frac{(100 + \text{profit}\%)}{100} = 1652 \times \frac{125}{100} = \blacksquare 2065$.
- id=1283 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.
- id=1284 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 21, 25, 31? | option_a=31 | option_b=17 | option_c=21 | option_d=25 | answer=A | explanation=The first three numbers increase by 4, so the next should be 29. Therefore 31 is the odd one out.
- id=1285 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■8191 at 4% per annum for 1 years. | option_a=227 | option_b=8518 | option_c=327 | option_d=427 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{8191 \times 4 \times 1}{100} = \blacksquare 327$.
- id=1286 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 7, 12, 18? | option_a=12 | option_b=18 | option_c=2 | option_d=7 | answer=B | explanation=The first three numbers increase by 5, so the next should be 17. Therefore 18 is the odd one out.
- id=1287 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.
- id=1288 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.
- id=1289 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=L | option_b=P | option_c=N | option_d=R | answer=B | explanation=Move 2 positions forward from N; the resulting letter is P.
- id=1290 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 34? | option_a=29 | option_b=25 | option_c=34 | option_d=21 | answer=C | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 34 is the odd one out.

Aptitude Questions — Records 1,291-1,320 of 100,000

id=1291 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27298 at 4% per annum for 3 years. | option_a=3175 | option_b=30573 | option_c=3275 | option_d=3375 | answer=C | explanation= $SI = PRT/100 = 27298 \times 4 \times 3/100 = \text{■}3275$.

id=1292 | topic=Percentages | difficulty=Easy | question=What is 15% of 1312? | option_a=196 | option_b=191 | option_c=201 | option_d=392 | answer=A | explanation= $15\% \text{ of } 1312 = (15/100) \times 1312 = 196$.

id=1293 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=L | option_c=F | option_d=H | answer=A | explanation=Move 2 positions forward from H; the resulting letter is J.

id=1294 | topic=Percentages | difficulty=Easy | question=What is 30% of 1094? | option_a=656 | option_b=348 | option_c=328 | option_d=323 | answer=C | explanation= $30\% \text{ of } 1094 = (30/100) \times 1094 = 328$.

id=1295 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=45 | option_d=90 | answer=C | explanation= $\text{Speed} = \text{distance} \div \text{time} = 180 \div 4 = 45 \text{ km/h}$.

id=1296 | topic=Percentages | difficulty=Easy | question=What is 5% of 422? | option_a=42 | option_b=26 | option_c=21 | option_d=16 | answer=C | explanation= $5\% \text{ of } 422 = (5/100) \times 422 = 21$.

id=1297 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3629. If it is sold at a profit of 15%, what is its selling price? | option_a=4173 | option_b=3644 | option_c=4535 | option_d=3811 | answer=A | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%)/100 = 3629 \times 115/100 = \text{■}4173$.

id=1298 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=180 | option_c=85 | option_d=90 | answer=D | explanation= $\text{Speed} = \text{distance} \div \text{time} = 180 \div 2 = 90 \text{ km/h}$.

id=1299 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=T | option_b=V | option_c=P | option_d=R | answer=A | explanation=Move 2 positions forward from R; the resulting letter is T.

id=1300 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=63 | option_b=73 | option_c=62 | option_d=51 | answer=C | explanation=The common difference is 11. Therefore the next term is $51 + 11 = 62$.

id=1301 | topic=Averages | difficulty=Easy | question=Find the average of 21, 23, 26, 90, 87, 25, 15, 85, 96. | option_a=51 | option_b=54 | option_c=52 | option_d=53 | answer=C | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 468 \div 9 = 52$.

id=1302 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**713. If it is sold at a profit of 30%, what is its selling price? | option_a=926 | option_b=997 | option_c=743 | option_d=855 | answer=A | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%)/100 = 713 \times 130/100 = \text{■}926$.

id=1303 | topic=Averages | difficulty=Easy | question=Find the average of 15, 26, 34, 63, 82. | option_a=44 | option_b=45 | option_c=46 | option_d=43 | answer=A | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 220 \div 5 = 44$.

id=1304 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=50 | option_d=45 | answer=D | explanation= $\text{Speed} = \text{distance} \div \text{time} = 360 \div 8 = 45 \text{ km/h}$.

id=1305 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 18. | option_a=72 | option_b=105 | option_c=270 | option_d=90 | answer=D | explanation= $\text{LCM} \times \text{HCF} = 15 \times 18$; $\text{HCF}(15, 18) = 3$, so $\text{LCM} = 90$.

id=1306 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19982 at 4% per annum for 5 years. | option_a=4096 | option_b=23978 | option_c=3896 | option_d=3996 | answer=D | explanation= $SI = PRT/100 = 19982 \times 4 \times 5/100 = \text{■}3996$.

id=1307 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation= $\text{Combined rate} = 1/4 + 1/12 = 16/48$. $\text{Time} = 48/16 = 3 \text{ days}$.

id=1308 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation= $\text{Combined rate} = 1/6 + 1/6 = 12/36$. $\text{Time} = 36/12 = 3 \text{ days}$.

id=1309 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 9, 13, 18? | option_a=5 | option_b=13 | option_c=9 | option_d=18 | answer=D | explanation=The first three numbers increase by 4, so the next should be 17. Therefore 18 is the odd one out.

id=1310 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:5 and the first is 20, what is the second? | option_a=45 | option_b=50 | option_c=70 | option_d=52 | answer=B | explanation= $\text{Scale factor} = 20/2 = 10$. Therefore second quantity = $5 \times 10 = 50$.

id=1311 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=F | option_c=L | option_d=J | answer=D | explanation=Move 2 positions forward from H; the resulting letter is J.

id=1312 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Z | option_b=Q | option_c=W | option_d=T | answer=C | explanation=Move 3 positions forward from T; the resulting letter is W.

id=1313 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27761 at 10% per annum for 3 years. | option_a=8428 | option_b=36089 | option_c=8328 | option_d=8228 | answer=C | explanation= $SI = PRT/100 = 27761 \times 10 \times 3/100 = \text{■}8328$.

id=1314 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=60 | option_d=55 | answer=C | explanation= $\text{Speed} = \text{distance} \div \text{time} = 180 \div 3 = 60 \text{ km/h}$.

id=1315 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation= $\text{Combined rate} = 1/4 + 1/12 = 16/48$. $\text{Time} = 48/16 = 3 \text{ days}$.

id=1316 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=29 | option_d=24 | answer=D | explanation= $\text{Speed} = \text{distance} \div \text{time} = 120 \div 5 = 24 \text{ km/h}$.

id=1317 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 28. | option_a=1 | option_b=196 | option_c=28 | option_d=35 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 7 \times 28$; $\text{HCF}(7, 28) = 7$, so $\text{LCM} = 28$.

id=1318 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43438 at 6% per annum for 1 years. | option_a=2706 | option_b=46044 | option_c=2606 | option_d=2506 | answer=C | explanation= $SI = PRT/100 = 43438 \times 6 \times 1/100 = \text{■}2606$.

id=1319 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=20 | option_d=5 | answer=D | explanation= $\text{Combined rate} = 1/10 + 1/10 = 20/100$. $\text{Time} = 100/20 = 5 \text{ days}$.

id=1320 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=F | option_c=D | option_d=Z | answer=C | explanation=Move 2 positions forward from B; the resulting letter is D.

Aptitude Questions — Records 1,321-1,350 of 100,000

id=1321 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■42116 at 10% per annum for 1 years. | option_a=4111 | option_b=4311 | option_c=46327 | option_d=4211 | answer=D | explanation=SI = $PRT/100 = 42116 \times 10 \times 1/100 =$ ■4211.

id=1322 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1757. If it is sold at a profit of 15%, what is its selling price? | option_a=2020 | option_b=2195 | option_c=1845 | option_d=1772 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1757 \times 115/100 =$ ■2020.

id=1323 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■21144 at 6% per annum for 4 years. | option_a=26218 | option_b=4974 | option_c=5074 | option_d=5174 | answer=C | explanation=SI = $PRT/100 = 21144 \times 6 \times 4/100 =$ ■5074.

id=1324 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 45? | option_a=24 | option_b=30 | option_c=36 | option_d=45 | answer=D | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 45 is the odd one out.

id=1325 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4561. If it is sold at a profit of 25%, what is its selling price? | option_a=4586 | option_b=6157 | option_c=5245 | option_d=5701 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4561 \times 125/100 =$ ■5701.

id=1326 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■1079 at 5% per annum for 1 years. | option_a=53 | option_b=0 | option_c=1132 | option_d=153 | answer=A | explanation=SI = $PRT/100 = 1079 \times 5 \times 1/100 =$ ■53.

id=1327 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■24154 at 12% per annum for 3 years. | option_a=8695 | option_b=32849 | option_c=8595 | option_d=8795 | answer=A | explanation=SI = $PRT/100 = 24154 \times 12 \times 3/100 =$ ■8695.

id=1328 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=L | option_b=D | option_c=H | option_d=Z | answer=C | explanation=Move 4 positions forward from D; the resulting letter is H.

id=1329 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2408. If it is sold at a profit of 30%, what is its selling price? | option_a=2438 | option_b=3370 | option_c=2890 | option_d=3130 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2408 \times 130/100 =$ ■3130.

id=1330 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3053. If it is sold at a profit of 10%, what is its selling price? | option_a=3663 | option_b=3063 | option_c=3053 | option_d=3358 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3053 \times 110/100 =$ ■3358.

id=1331 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■29090 at 10% per annum for 3 years. | option_a=8727 | option_b=37817 | option_c=8627 | option_d=8827 | answer=A | explanation=SI = $PRT/100 = 29090 \times 10 \times 3/100 =$ ■8727.

id=1332 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■44730 at 12% per annum for 3 years. | option_a=60832 | option_b=16102 | option_c=16202 | option_d=16002 | answer=B | explanation=SI = $PRT/100 = 44730 \times 12 \times 3/100 =$ ■16102.

id=1333 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:12 and the first is 160, what is the second? | option_a=136 | option_b=108 | option_c=280 | option_d=120 | answer=D | explanation=Scale factor = $160/16 = 10$. Therefore second quantity = $12 \times 10 = 120$.

id=1334 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=H | option_b=E | option_c=K | option_d=B | answer=A | explanation=Move 3 positions forward from E; the resulting letter is H.

id=1335 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 4. | option_a=112 | option_b=56 | option_c=24 | option_d=28 | answer=D | explanation= $LCM \times HCF = 28 \times 4$; $HCF(28, 4) = 4$, so $LCM = 28$.

id=1336 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:3 and the first is 60, what is the second? | option_a=33 | option_b=96 | option_c=36 | option_d=41 | answer=C | explanation=Scale factor = $60/5 = 12$. Therefore second quantity = $3 \times 12 = 36$.

id=1337 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=43 | option_c=53 | option_d=96 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 240 \div 5 = 48$ km/h.

id=1338 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=28 | option_b=24 | option_c=29 | option_d=32 | answer=A | explanation=The common difference is 4. Therefore the next term is $24 + 4 = 28$.

id=1339 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 50? | option_a=17 | option_b=50 | option_c=27 | option_d=37 | answer=B | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 50 is the odd one out.

id=1340 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=1341 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 120 \div 4 = 30$ km/h.

id=1342 | topic=Averages | difficulty=Easy | question=Find the average of 38, 17, 27, 25, 99, 100. | option_a=50 | option_b=51 | option_c=53 | option_d=52 | answer=B | explanation=Average = $\text{sum of values} \div \text{number of values} = 306 \div 6 = 51$.

id=1343 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=1344 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■6176 at 5% per annum for 1 years. | option_a=6484 | option_b=408 | option_c=208 | option_d=308 | answer=D | explanation=SI = $PRT/100 = 6176 \times 5 \times 1/100 =$ ■308.

id=1345 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■12955 at 8% per annum for 2 years. | option_a=2072 | option_b=15027 | option_c=2172 | option_d=1972 | answer=A | explanation=SI = $PRT/100 = 12955 \times 8 \times 2/100 =$ ■2072.

id=1346 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=72 | option_c=41 | option_d=36 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 360 \div 10 = 36$ km/h.

id=1347 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■4932 at 12% per annum for 1 years. | option_a=5523 | option_b=591 | option_c=491 | option_d=691 | answer=B | explanation=SI = $PRT/100 = 4932 \times 12 \times 1/100 =$ ■591.

id=1348 | topic=Percentages | difficulty=Easy | question=What is 30% of 861? | option_a=258 | option_b=278 | option_c=516 | option_d=248 | answer=A | explanation= 30% of 861 = $(30/100) \times 861 = 258$.

id=1349 | topic=Averages | difficulty=Easy | question=Find the average of 30, 44, 21, 76, 58, 26, 37, 61, 97. | option_a=49 | option_b=51 | option_c=52 | option_d=50 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 450 \div 9 = 50$.

id=1350 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■49889 at 10% per annum for 5 years. | option_a=74833 | option_b=25044 | option_c=24844 | option_d=24944 | answer=D | explanation=SI = $PRT/100 = 49889 \times 10 \times 5/100 =$ ■24944.

Aptitude Questions — Records 1,351-1,380 of 100,000

id=1351 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 22. | option_a=110 | option_b=132 | option_c=144 | option_d=264 | answer=B | explanation= $LCM \times HCF = 12 \times 22$; $HCF(12,22) = 2$, so $LCM = 132$.

id=1352 | topic=Percentages | difficulty=Easy | question=What is 25% of 1695? | option_a=413 | option_b=423 | option_c=846 | option_d=443 | answer=B | explanation= $25\% \text{ of } 1695 = (25/100) \times 1695 = 423$.

id=1353 | topic=Profit & Loss | difficulty=Easy | question=An article costs █737. If it is sold at a profit of 30%, what is its selling price? | option_a=1031 | option_b=767 | option_c=958 | option_d=885 | answer=C | explanation= $Selling\ price = CP \times (100 + profit\%)/100 = 737 \times 130/100 = \text{█}958$.

id=1354 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:18 and the first is 30, what is the second? | option_a=96 | option_b=72 | option_c=120 | option_d=90 | answer=D | explanation= $Scale\ factor = 30/6 = 5$. Therefore second quantity = $18 \times 5 = 90$.

id=1355 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:18 and the first is 56, what is the second? | option_a=126 | option_b=151 | option_c=200 | option_d=144 | answer=D | explanation= $Scale\ factor = 56/7 = 8$. Therefore second quantity = $18 \times 8 = 144$.

id=1356 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4770. If it is sold at a profit of 5%, what is its selling price? | option_a=5485 | option_b=4531 | option_c=5008 | option_d=4775 | answer=C | explanation= $Selling\ price = CP \times (100 + profit\%)/100 = 4770 \times 105/100 = \text{█}5008$.

id=1357 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=20 | option_d=10 | answer=B | explanation= $Speed = distance \div time = 60 \div 4 = 15\ km/h$.

id=1358 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=75 | option_c=85 | option_d=80 | answer=D | explanation= $Speed = distance \div time = 240 \div 3 = 80\ km/h$.

id=1359 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 36? | option_a=25 | option_b=5 | option_c=15 | option_d=36 | answer=D | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 36 is the odd one out.

id=1360 | topic=Percentages | difficulty=Easy | question=What is 12% of 644? | option_a=82 | option_b=57 | option_c=77 | option_d=154 | answer=C | explanation= $12\% \text{ of } 644 = (12/100) \times 644 = 77$.

id=1361 | topic=Averages | difficulty=Easy | question=Find the average of 97, 93, 28, 30, 74, 80. | option_a=69 | option_b=67 | option_c=68 | option_d=66 | answer=B | explanation= $Average = \text{sum of values} \div \text{number of values} = 402 \div 6 = 67$.

id=1362 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=45 | option_d=90 | answer=C | explanation= $Speed = distance \div time = 180 \div 4 = 45\ km/h$.

id=1363 | topic=Averages | difficulty=Easy | question=Find the average of 88, 87, 19, 29, 82, 91. | option_a=67 | option_b=65 | option_c=66 | option_d=68 | answer=C | explanation= $Average = \text{sum of values} \div \text{number of values} = 396 \div 6 = 66$.

id=1364 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21286 at 10% per annum for 1 years. | option_a=2028 | option_b=2228 | option_c=2128 | option_d=23414 | answer=C | explanation= $SI = PRT/100 = 21286 \times 10 \times 1/100 = \text{█}2128$.

id=1365 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation= $Speed = distance \div time = 120 \div 4 = 30\ km/h$.

id=1366 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=48 | option_b=34 | option_c=42 | option_d=41 | answer=D | explanation=The common difference is 7. Therefore the next term is $34 + 7 = 41$.

id=1367 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:5 and the first is 75, what is the second? | option_a=20 | option_b=40 | option_c=25 | option_d=100 | answer=C | explanation= $Scale\ factor = 75/15 = 5$. Therefore second quantity = $5 \times 5 = 25$.

id=1368 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:14 and the first is 78, what is the second? | option_a=84 | option_b=70 | option_c=97 | option_d=162 | answer=A | explanation= $Scale\ factor = 78/13 = 6$. Therefore second quantity = $14 \times 6 = 84$.

id=1369 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=55 | option_d=100 | answer=B | explanation= $Speed = distance \div time = 300 \div 6 = 50\ km/h$.

id=1370 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=28 | option_b=18 | option_c=24 | option_d=23 | answer=D | explanation=The common difference is 5. Therefore the next term is $18 + 5 = 23$.

id=1371 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:6 and the first is 260, what is the second? | option_a=133 | option_b=114 | option_c=120 | option_d=380 | answer=C | explanation= $Scale\ factor = 260/13 = 20$. Therefore second quantity = $6 \times 20 = 120$.

id=1372 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=24 | option_d=6 | answer=D | explanation= $Combined\ rate = 1/12 + 1/12 = 24/144$. Time = $144/24 = 6\ days$.

id=1373 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3351. If it is sold at a profit of 40%, what is its selling price? | option_a=4691 | option_b=4356 | option_c=3391 | option_d=5026 | answer=A | explanation= $Selling\ price = CP \times (100 + profit\%)/100 = 3351 \times 140/100 = \text{█}4691$.

id=1374 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2699. If it is sold at a profit of 30%, what is its selling price? | option_a=3239 | option_b=3777 | option_c=3508 | option_d=2729 | answer=C | explanation= $Selling\ price = CP \times (100 + profit\%)/100 = 2699 \times 130/100 = \text{█}3508$.

id=1375 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2380. If it is sold at a profit of 50%, what is its selling price? | option_a=3808 | option_b=2430 | option_c=3332 | option_d=3570 | answer=D | explanation= $Selling\ price = CP \times (100 + profit\%)/100 = 2380 \times 150/100 = \text{█}3570$.

id=1376 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 22. | option_a=44 | option_b=66 | option_c=132 | option_d=72 | answer=B | explanation= $LCM \times HCF = 6 \times 22$; $HCF(6,22) = 2$, so $LCM = 66$.

id=1377 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=22 | option_b=23 | option_c=24 | option_d=20 | answer=A | explanation=The common difference is 2. Therefore the next term is $20 + 2 = 22$.

id=1378 | topic=Averages | difficulty=Easy | question=Find the average of 37, 12, 98. | option_a=49 | option_b=48 | option_c=50 | option_d=51 | answer=A | explanation= $Average = \text{sum of values} \div \text{number of values} = 147 \div 3 = 49$.

id=1379 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=H | option_c=G | option_d=E | answer=C | explanation=Move 1 positions forward from F; the resulting letter is G.

id=1380 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation= $Combined\ rate = 1/3 + 1/6 = 9/18$. Time = $18/9 = 2\ days$.

Aptitude Questions — Records 1,381-1,410 of 100,000

id=1381 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=G | option_c=M | option_d=K | answer=D | explanation=Move 2 positions forward from I; the resulting letter is K.

id=1382 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=120 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=1383 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46658 at 8% per annum for 3 years. | option_a=11297 | option_b=11097 | option_c=11197 | option_d=57855 | answer=C | explanation=SI = $PRT/100 = 46658 \times 8 \times 3/100 = \text{█}11197$.

id=1384 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4838. If it is sold at a profit of 15%, what is its selling price? | option_a=5563 | option_b=6046 | option_c=4853 | option_d=5080 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4838 \times 115/100 = \text{█}5563$.

id=1385 | topic=Percentages | difficulty=Easy | question=What is 40% of 358? | option_a=286 | option_b=148 | option_c=143 | option_d=133 | answer=C | explanation=40% of 358 = $(40/100) \times 358 = 143$.

id=1386 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:1 and the first is 272, what is the second? | option_a=16 | option_b=288 | option_c=15 | option_d=33 | answer=A | explanation=Scale factor = $272/17 = 16$. Therefore second quantity = $1 \times 16 = 16$.

id=1387 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=R | option_b=S | option_c=U | option_d=T | answer=D | explanation=Move 1 positions forward from S; the resulting letter is T.

id=1388 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=1389 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=O | option_c=K | option_d=W | answer=A | explanation=Move 4 positions forward from O; the resulting letter is S.

id=1390 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 25, 35, 47? | option_a=25 | option_b=15 | option_c=35 | option_d=47 | answer=D | explanation=The first three numbers increase by 10, so the next should be 45. Therefore 47 is the odd one out.

id=1391 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=1392 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=G | option_b=H | option_c=I | option_d=J | answer=C | explanation=Move 1 positions forward from H; the resulting letter is I.

id=1393 | topic=Percentages | difficulty=Easy | question=What is 25% of 364? | option_a=182 | option_b=91 | option_c=111 | option_d=71 | answer=B | explanation=25% of 364 = $(25/100) \times 364 = 91$.

id=1394 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=30 | option_b=40 | option_c=35 | option_d=36 | answer=C | explanation=The common difference is 5. Therefore the next term is $30 + 5 = 35$.

id=1395 | topic=Percentages | difficulty=Easy | question=What is 30% of 1691? | option_a=512 | option_b=507 | option_c=487 | option_d=1014 | answer=B | explanation=30% of 1691 = $(30/100) \times 1691 = 507$.

id=1396 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=1397 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=N | option_b=K | option_c=H | option_d=E | answer=B | explanation=Move 3 positions forward from H; the resulting letter is K.

id=1398 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=1399 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=U | option_c=R | option_d=T | answer=D | explanation=Move 1 positions forward from S; the resulting letter is T.

id=1400 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1261. If it is sold at a profit of 25%, what is its selling price? | option_a=1702 | option_b=1286 | option_c=1576 | option_d=1450 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1261 \times 125/100 = \text{█}1576$.

id=1401 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4148. If it is sold at a profit of 30%, what is its selling price? | option_a=4978 | option_b=5392 | option_c=4178 | option_d=5806 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4148 \times 130/100 = \text{█}5392$.

id=1402 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=20 | option_d=4 | answer=A | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=1403 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12783 at 6% per annum for 1 years. | option_a=13549 | option_b=766 | option_c=666 | option_d=866 | answer=B | explanation=SI = $PRT/100 = 12783 \times 6 \times 1/100 = \text{█}766$.

id=1404 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2908. If it is sold at a profit of 30%, what is its selling price? | option_a=4070 | option_b=3780 | option_c=3490 | option_d=2938 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2908 \times 130/100 = \text{█}3780$.

id=1405 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35193 at 12% per annum for 3 years. | option_a=12769 | option_b=12569 | option_c=47862 | option_d=12669 | answer=D | explanation=SI = $PRT/100 = 35193 \times 12 \times 3/100 = \text{█}12669$.

id=1406 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 35? | option_a=12 | option_b=22 | option_c=35 | option_d=2 | answer=C | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 35 is the odd one out.

id=1407 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1877. If it is sold at a profit of 5%, what is its selling price? | option_a=2157 | option_b=1882 | option_c=1970 | option_d=1783 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1877 \times 105/100 = \text{█}1970$.

id=1408 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1136. If it is sold at a profit of 25%, what is its selling price? | option_a=1161 | option_b=1420 | option_c=1533 | option_d=1307 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1136 \times 125/100 = \text{█}1420$.

id=1409 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2955. If it is sold at a profit of 25%, what is its selling price? | option_a=3693 | option_b=3988 | option_c=3398 | option_d=2980 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2955 \times 125/100 = \text{█}3693$.

id=1410 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=4 | option_d=6 | answer=A | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

Aptitude Questions — Records 1,411-1,440 of 100,000

- id=1411 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=36 | option_c=18 | option_d=23 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.
- id=1412 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=40 | option_b=39 | option_c=45 | option_d=33 | answer=B | explanation=The common difference is 6. Therefore the next term is 33 + 6 = 39.
- id=1413 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1573. If it is sold at a profit of 30%, what is its selling price? | option_a=1887 | option_b=2201 | option_c=2044 | option_d=1603 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1573 × 130/100 = █2044.
- id=1414 | topic=Averages | difficulty=Easy | question=Find the average of 37, 94, 57, 60. | option_a=61 | option_b=62 | option_c=64 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 248 ÷ 4 = 62.
- id=1415 | topic=Percentages | difficulty=Easy | question=What is 5% of 702? | option_a=35 | option_b=25 | option_c=70 | option_d=55 | answer=A | explanation=5% of 702 = (5/100) × 702 = 35.
- id=1416 | topic=Averages | difficulty=Easy | question=Find the average of 59, 46, 87, 40. | option_a=57 | option_b=60 | option_c=58 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 232 ÷ 4 = 58.
- id=1417 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=48 | option_b=59 | option_c=37 | option_d=49 | answer=A | explanation=The common difference is 11. Therefore the next term is 37 + 11 = 48.
- id=1418 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=160 | option_c=80 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.
- id=1419 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.
- id=1420 | topic=Averages | difficulty=Easy | question=Find the average of 46, 12, 92. | option_a=52 | option_b=49 | option_c=51 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 150 ÷ 3 = 50.
- id=1421 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27398 at 4% per annum for 5 years. | option_a=5379 | option_b=32877 | option_c=5579 | option_d=5479 | answer=D | explanation=SI = PRT/100 = 27398×4×5/100 = █5479.
- id=1422 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3949. If it is sold at a profit of 10%, what is its selling price? | option_a=4343 | option_b=4737 | option_c=3949 | option_d=3959 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3949 × 110/100 = █4343.
- id=1423 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:12 and the first is 154, what is the second? | option_a=322 | option_b=179 | option_c=156 | option_d=168 | answer=D | explanation=Scale factor = 154/11 = 14. Therefore second quantity = 12×14 = 168.
- id=1424 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 3. | option_a=21 | option_b=18 | option_c=42 | option_d=63 | answer=A | explanation=LCM × HCF = 21×3; HCF(21,3) = 3, so LCM = 21.
- id=1425 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3163. If it is sold at a profit of 10%, what is its selling price? | option_a=3795 | option_b=3163 | option_c=3173 | option_d=3479 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3163 × 110/100 = █3479.
- id=1426 | topic=Percentages | difficulty=Easy | question=What is 10% of 334? | option_a=43 | option_b=13 | option_c=33 | option_d=66 | answer=C | explanation=10% of 334 = (10/100) × 334 = 33.
- id=1427 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1665. If it is sold at a profit of 30%, what is its selling price? | option_a=2330 | option_b=1695 | option_c=1998 | option_d=2164 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1665 × 130/100 = █2164.
- id=1428 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:4 and the first is 6, what is the second? | option_a=18 | option_b=14 | option_c=12 | option_d=8 | answer=C | explanation=Scale factor = 6/2 = 3. Therefore second quantity = 4×3 = 12.
- id=1429 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=70 | option_b=150 | option_c=75 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.
- id=1430 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1134. If it is sold at a profit of 30%, what is its selling price? | option_a=1474 | option_b=1164 | option_c=1361 | option_d=1587 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1134 × 130/100 = █1474.
- id=1431 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=P | option_b=Q | option_c=O | option_d=N | answer=A | explanation=Move 1 positions forward from O; the resulting letter is P.
- id=1432 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=S | option_b=M | option_c=V | option_d=P | answer=A | explanation=Move 3 positions forward from P; the resulting letter is S.
- id=1433 | topic=Averages | difficulty=Easy | question=Find the average of 43, 47, 20, 58. | option_a=44 | option_b=42 | option_c=41 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = 168 ÷ 4 = 42.
- id=1434 | topic=Profit & Loss | difficulty=Easy | question=An article costs █715. If it is sold at a profit of 50%, what is its selling price? | option_a=1143 | option_b=1001 | option_c=765 | option_d=1072 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 715 × 150/100 = █1072.
- id=1435 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=C | option_c=K | option_d=O | answer=C | explanation=Move 4 positions forward from G; the resulting letter is K.
- id=1436 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2888. If it is sold at a profit of 20%, what is its selling price? | option_a=3465 | option_b=2908 | option_c=3753 | option_d=3177 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2888 × 120/100 = █3465.
- id=1437 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=Z | option_b=E | option_c=O | option_d=J | answer=D | explanation=Move 5 positions forward from E; the resulting letter is J.
- id=1438 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.
- id=1439 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2376. If it is sold at a profit of 40%, what is its selling price? | option_a=3326 | option_b=2416 | option_c=3089 | option_d=3563 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2376 × 140/100 = █3326.
- id=1440 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=25 | option_b=17 | option_c=21 | option_d=22 | answer=C | explanation=The common difference is 4. Therefore the next term is 17 + 4 = 21.

Aptitude Questions — Records 1,441-1,470 of 100,000

- id=1441 | topic=Averages | difficulty=Easy | question=Find the average of 68, 33, 46. | option_a=51 | option_b=48 | option_c=50 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = $147 \div 3 = 49$.
- id=1442 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=85 | option_c=95 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = $180 \div 2 = 90$ km/h.
- id=1443 | topic=Averages | difficulty=Easy | question=Find the average of 60, 74, 65, 75, 56. | option_a=68 | option_b=65 | option_c=67 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = $330 \div 5 = 66$.
- id=1444 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=40 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = $90 \div 2 = 45$ km/h.
- id=1445 | topic=Averages | difficulty=Easy | question=Find the average of 34, 61, 32, 86, 45, 77, 92. | option_a=61 | option_b=62 | option_c=60 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = $427 \div 7 = 61$.
- id=1446 | topic=Profit & Loss | difficulty=Easy | question=An article costs █508. If it is sold at a profit of 20%, what is its selling price? | option_a=659 | option_b=559 | option_c=528 | option_d=609 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 508 \times 120/100 = \text{█}609$.
- id=1447 | topic=Percentages | difficulty=Easy | question=What is 5% of 1883? | option_a=188 | option_b=84 | option_c=94 | option_d=114 | answer=C | explanation=5% of 1883 = $(5/100) \times 1883 = 94$.
- id=1448 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:20 and the first is 112, what is the second? | option_a=260 | option_b=280 | option_c=288 | option_d=392 | answer=B | explanation=Scale factor = $112/8 = 14$. Therefore second quantity = $20 \times 14 = 280$.
- id=1449 | topic=Averages | difficulty=Easy | question=Find the average of 73, 36, 31, 36, 54, 91, 50. | option_a=54 | option_b=53 | option_c=55 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = $371 \div 7 = 53$.
- id=1450 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1616. If it is sold at a profit of 50%, what is its selling price? | option_a=2585 | option_b=2424 | option_c=1666 | option_d=2263 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1616 \times 150/100 = \text{█}2424$.
- id=1451 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21651 at 12% per annum for 1 years. | option_a=2498 | option_b=24249 | option_c=2598 | option_d=2698 | answer=C | explanation=SI = $PRT/100 = 21651 \times 12 \times 1/100 = \text{█}2598$.
- id=1452 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=L | option_b=X | option_c=T | option_d=P | answer=C | explanation=Move 4 positions forward from P; the resulting letter is T.
- id=1453 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:6 and the first is 6, what is the second? | option_a=18 | option_b=12 | option_c=15 | option_d=6 | answer=B | explanation=Scale factor = $6/3 = 2$. Therefore second quantity = $6 \times 2 = 12$.
- id=1454 | topic=Percentages | difficulty=Easy | question=What is 20% of 1211? | option_a=484 | option_b=222 | option_c=242 | option_d=247 | answer=C | explanation=20% of 1211 = $(20/100) \times 1211 = 242$.
- id=1455 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2595. If it is sold at a profit of 30%, what is its selling price? | option_a=3373 | option_b=3114 | option_c=3632 | option_d=2625 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2595 \times 130/100 = \text{█}3373$.
- id=1456 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 39? | option_a=28 | option_b=39 | option_c=10 | option_d=19 | answer=B | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 39 is the odd one out.
- id=1457 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=40 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = $240 \div 6 = 40$ km/h.
- id=1458 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=R | option_c=S | option_d=P | answer=B | explanation=Move 1 positions forward from Q; the resulting letter is R.
- id=1459 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=B | option_b=E | option_c=H | option_d=K | answer=C | explanation=Move 3 positions forward from E; the resulting letter is H.
- id=1460 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=44 | option_b=43 | option_c=36 | option_d=50 | answer=B | explanation=The common difference is 7. Therefore the next term is $36 + 7 = 43$.
- id=1461 | topic=Averages | difficulty=Easy | question=Find the average of 91, 23, 45, 90, 96, 79, 67, 77, 35. | option_a=67 | option_b=68 | option_c=69 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = $603 \div 9 = 67$.
- id=1462 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=55 | option_d=100 | answer=A | explanation=Speed = distance ÷ time = $300 \div 6 = 50$ km/h.
- id=1463 | topic=Averages | difficulty=Easy | question=Find the average of 84, 76, 101. | option_a=88 | option_b=87 | option_c=89 | option_d=86 | answer=B | explanation=Average = sum of values ÷ number of values = $261 \div 3 = 87$.
- id=1464 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.
- id=1465 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 44? | option_a=44 | option_b=21 | option_c=31 | option_d=11 | answer=A | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 44 is the odd one out.
- id=1466 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:10 and the first is 6, what is the second? | option_a=23 | option_b=10 | option_c=20 | option_d=26 | answer=C | explanation=Scale factor = $6/3 = 2$. Therefore second quantity = $10 \times 2 = 20$.
- id=1467 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:4 and the first is 57, what is the second? | option_a=8 | option_b=12 | option_c=31 | option_d=69 | answer=B | explanation=Scale factor = $57/19 = 3$. Therefore second quantity = $4 \times 3 = 12$.
- id=1468 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.
- id=1469 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.
- id=1470 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = $150 \div 10 = 15$ km/h.

Aptitude Questions — Records 1,471-1,500 of 100,000

- id=1471 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2240. If it is sold at a profit of 25%, what is its selling price? | option_a=2265 | option_b=3024 | option_c=2800 | option_d=2576 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2240 × 125/100 = ■2800.
- id=1472 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=U | option_b=P | option_c=K | option_d=F | answer=B | explanation=Move 5 positions forward from K; the resulting letter is P.
- id=1473 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:14 and the first is 95, what is the second? | option_a=266 | option_b=252 | option_c=361 | option_d=271 | answer=A | explanation=Scale factor = 95/5 = 19. Therefore second quantity = 14×19 = 266.
- id=1474 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2535. If it is sold at a profit of 50%, what is its selling price? | option_a=3802 | option_b=3549 | option_c=2585 | option_d=4055 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2535 × 150/100 = ■3802.
- id=1475 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1235. If it is sold at a profit of 50%, what is its selling price? | option_a=1852 | option_b=1975 | option_c=1285 | option_d=1729 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1235 × 150/100 = ■1852.
- id=1476 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 15. | option_a=30 | option_b=1 | option_c=15 | option_d=225 | answer=C | explanation=LCM × HCF = 15×15; HCF(15,15) = 15, so LCM = 15.
- id=1477 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.
- id=1478 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:11 and the first is 20, what is the second? | option_a=55 | option_b=59 | option_c=75 | option_d=44 | answer=A | explanation=Scale factor = 20/4 = 5. Therefore second quantity = 11×5 = 55.
- id=1479 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.
- id=1480 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 16, 26, 39? | option_a=6 | option_b=16 | option_c=39 | option_d=26 | answer=C | explanation=The first three numbers increase by 10, so the next should be 36. Therefore 39 is the odd one out.
- id=1481 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=S | option_c=Y | option_d=U | answer=A | explanation=Move 2 positions forward from U; the resulting letter is W.
- id=1482 | topic=Percentages | difficulty=Easy | question=What is 40% of 1699? | option_a=1358 | option_b=659 | option_c=679 | option_d=699 | answer=C | explanation=40% of 1699 = (40/100) × 1699 = 679.
- id=1483 | topic=Percentages | difficulty=Easy | question=What is 10% of 363? | option_a=72 | option_b=31 | option_c=36 | option_d=56 | answer=C | explanation=10% of 363 = (10/100) × 363 = 36.
- id=1484 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 28. | option_a=1 | option_b=28 | option_c=30 | option_d=56 | answer=B | explanation=LCM × HCF = 2×28; HCF(2,28) = 2, so LCM = 28.
- id=1485 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2556. If it is sold at a profit of 40%, what is its selling price? | option_a=3833 | option_b=3323 | option_c=3578 | option_d=2596 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2556 × 140/100 = ■3578.
- id=1486 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 40? | option_a=19 | option_b=28 | option_c=10 | option_d=40 | answer=D | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 40 is the odd one out.
- id=1487 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=C | option_c=A | option_d=Y | answer=B | explanation=Move 2 positions forward from A; the resulting letter is C.
- id=1488 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■34522 at 12% per annum for 5 years. | option_a=20713 | option_b=20613 | option_c=55235 | option_d=20813 | answer=A | explanation=SI = PRT/100 = 34522×12×5/100 = ■20713.
- id=1489 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:4 and the first is 200, what is the second? | option_a=80 | option_b=76 | option_c=90 | option_d=280 | answer=A | explanation=Scale factor = 200/10 = 20. Therefore second quantity = 4×20 = 80.
- id=1490 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.
- id=1491 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=100 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.
- id=1492 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=43 | option_c=96 | option_d=53 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.
- id=1493 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=1494 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■406. If it is sold at a profit of 10%, what is its selling price? | option_a=406 | option_b=446 | option_c=486 | option_d=416 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 406 × 110/100 = ■446.
- id=1495 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■22047 at 4% per annum for 4 years. | option_a=3627 | option_b=3427 | option_c=3527 | option_d=25574 | answer=C | explanation=SI = PRT/100 = 22047×4×4/100 = ■3527.
- id=1496 | topic=Averages | difficulty=Easy | question=Find the average of 72, 66, 96, 46, 38, 35, 32. | option_a=56 | option_b=55 | option_c=54 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 385 ÷ 7 = 55.
- id=1497 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4868. If it is sold at a profit of 5%, what is its selling price? | option_a=5597 | option_b=4625 | option_c=4873 | option_d=5111 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4868 × 105/100 = ■5111.
- id=1498 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■1343 at 6% per annum for 4 years. | option_a=222 | option_b=1665 | option_c=422 | option_d=322 | answer=D | explanation=SI = PRT/100 = 1343×6×4/100 = ■322.
- id=1499 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=P | option_b=U | option_c=Z | option_d=E | answer=C | explanation=Move 5 positions forward from U; the resulting letter is Z.
- id=1500 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=58 | option_b=57 | option_c=67 | option_d=47 | answer=B | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

Aptitude Questions — Records 1,501-1,530 of 100,000

id=1501 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3695. If it is sold at a profit of 40%, what is its selling price? | option_a=5542 | option_b=4804 | option_c=5173 | option_d=3735 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3695 × 140/100 = █5173.

id=1502 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34898 at 6% per annum for 1 years. | option_a=1993 | option_b=36991 | option_c=2193 | option_d=2093 | answer=D | explanation=SI = PRT/100 = 34898×6×1/100 = █2093.

id=1503 | topic=Percentages | difficulty=Easy | question=What is 50% of 1281? | option_a=640 | option_b=635 | option_c=1280 | option_d=650 | answer=A | explanation=50% of 1281 = (50/100) × 1281 = 640.

id=1504 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=1505 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=1506 | topic=Profit & Loss | difficulty=Easy | question=An article costs █391. If it is sold at a profit of 50%, what is its selling price? | option_a=586 | option_b=441 | option_c=547 | option_d=625 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 391 × 150/100 = █586.

id=1507 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=1508 | topic=Percentages | difficulty=Easy | question=What is 15% of 1634? | option_a=265 | option_b=245 | option_c=225 | option_d=490 | answer=B | explanation=15% of 1634 = (15/100) × 1634 = 245.

id=1509 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 25? | option_a=17 | option_b=25 | option_c=19 | option_d=21 | answer=B | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 25 is the odd one out.

id=1510 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=1511 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=25 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=1512 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=B | option_b=D | option_c=E | option_d=C | answer=B | explanation=Move 1 positions forward from C; the resulting letter is D.

id=1513 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=1514 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=R | option_b=M | option_c=C | option_d=H | answer=B | explanation=Move 5 positions forward from H; the resulting letter is M.

id=1515 | topic=Percentages | difficulty=Easy | question=What is 30% of 759? | option_a=207 | option_b=227 | option_c=247 | option_d=454 | answer=B | explanation=30% of 759 = (30/100) × 759 = 227.

id=1516 | topic=Averages | difficulty=Easy | question=Find the average of 76, 39, 49, 80, 36. | option_a=55 | option_b=58 | option_c=57 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 280 ÷ 5 = 56.

id=1517 | topic=Percentages | difficulty=Easy | question=What is 40% of 531? | option_a=202 | option_b=232 | option_c=424 | option_d=212 | answer=D | explanation=40% of 531 = (40/100) × 531 = 212.

id=1518 | topic=Percentages | difficulty=Easy | question=What is 20% of 603? | option_a=140 | option_b=240 | option_c=120 | option_d=110 | answer=C | explanation=20% of 603 = (20/100) × 603 = 120.

id=1519 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:13 and the first is 340, what is the second? | option_a=561 | option_b=208 | option_c=241 | option_d=221 | answer=D | explanation=Scale factor = 340/20 = 17. Therefore second quantity = 13×17 = 221.

id=1520 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 9. | option_a=1 | option_b=9 | option_c=27 | option_d=12 | answer=B | explanation=LCM × HCF = 3×9; HCF(3,9) = 3, so LCM = 9.

id=1521 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=X | option_b=I | option_c=N | option_d=S | answer=D | explanation=Move 5 positions forward from N; the resulting letter is S.

id=1522 | topic=Percentages | difficulty=Easy | question=What is 25% of 1159? | option_a=578 | option_b=289 | option_c=294 | option_d=269 | answer=B | explanation=25% of 1159 = (25/100) × 1159 = 289.

id=1523 | topic=Percentages | difficulty=Easy | question=What is 30% of 748? | option_a=204 | option_b=234 | option_c=448 | option_d=224 | answer=D | explanation=30% of 748 = (30/100) × 748 = 224.

id=1524 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=O | option_b=J | option_c=E | option_d=T | answer=A | explanation=Move 5 positions forward from J; the resulting letter is O.

id=1525 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25988 at 8% per annum for 2 years. | option_a=4058 | option_b=30146 | option_c=4158 | option_d=4258 | answer=C | explanation=SI = PRT/100 = 25988×8×2/100 = █4158.

id=1526 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=J | option_b=K | option_c=I | option_d=H | answer=A | explanation=Move 1 positions forward from I; the resulting letter is J.

id=1527 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=300 | option_c=155 | option_d=145 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=1528 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=D | option_c=S | option_d=N | answer=D | explanation=Move 5 positions forward from I; the resulting letter is N.

id=1529 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 18, 24, 30, ? | option_a=36 | option_b=30 | option_c=37 | option_d=42 | answer=A | explanation=The common difference is 6. Therefore the next term is 30 + 6 = 36.

id=1530 | topic=Percentages | difficulty=Easy | question=What is 5% of 950? | option_a=94 | option_b=47 | option_c=57 | option_d=42 | answer=B | explanation=5% of 950 = (5/100) × 950 = 47.

Aptitude Questions — Records 1,531-1,560 of 100,000

id=1531 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=1532 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=D | option_b=F | option_c=J | option_d=H | answer=D | explanation=Move 2 positions forward from F; the resulting letter is H.

id=1533 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=Z | option_c=B | option_d=F | answer=A | explanation=Move 2 positions forward from B; the resulting letter is D.

id=1534 | topic=Percentages | difficulty=Easy | question=What is 15% of 1183? | option_a=354 | option_b=177 | option_c=182 | option_d=157 | answer=B | explanation=15% of 1183 = (15/100) × 1183 = 177.

id=1535 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=G | option_b=V | option_c=L | option_d=Q | answer=D | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=1536 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=1537 | topic=Averages | difficulty=Easy | question=Find the average of 51, 83, 57, 97, 63, 21. | option_a=61 | option_b=62 | option_c=63 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 372 ÷ 6 = 62.

id=1538 | topic=Percentages | difficulty=Easy | question=What is 25% of 718? | option_a=179 | option_b=358 | option_c=189 | option_d=169 | answer=A | explanation=25% of 718 = (25/100) × 718 = 179.

id=1539 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=19 | option_b=22 | option_c=18 | option_d=14 | answer=C | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.

id=1540 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹39746 at 4% per annum for 1 years. | option_a=1589 | option_b=1489 | option_c=41335 | option_d=1689 | answer=A | explanation=SI = PRT/100 = 39746×4×1/100 = ₹1589.

id=1541 | topic=Averages | difficulty=Easy | question=Find the average of 84, 14, 94, 29, 58, 93, 20, 19, 39. | option_a=51 | option_b=50 | option_c=49 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 450 ÷ 9 = 50.

id=1542 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 29, 31, 36? | option_a=36 | option_b=27 | option_c=29 | option_d=31 | answer=A | explanation=The first three numbers increase by 2, so the next should be 33. Therefore 36 is the odd one out.

id=1543 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=1544 | topic=Averages | difficulty=Easy | question=Find the average of 39, 68, 50, 24, 98, 40, 66, 63. | option_a=58 | option_b=57 | option_c=56 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 448 ÷ 8 = 56.

id=1545 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 29? | option_a=18 | option_b=29 | option_c=21 | option_d=24 | answer=B | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 29 is the odd one out.

id=1546 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 15. | option_a=405 | option_b=135 | option_c=120 | option_d=162 | answer=B | explanation=LCM × HCF = 27×15; HCF(27,15) = 3, so LCM = 135.

id=1547 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 36? | option_a=36 | option_b=25 | option_c=17 | option_d=9 | answer=A | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 36 is the odd one out.

id=1548 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:11 and the first is 55, what is the second? | option_a=110 | option_b=44 | option_c=66 | option_d=55 | answer=D | explanation=Scale factor = 55/11 = 5. Therefore second quantity = 11×5 = 55.

id=1549 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 36? | option_a=15 | option_b=24 | option_c=36 | option_d=6 | answer=C | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 36 is the odd one out.

id=1550 | topic=Percentages | difficulty=Easy | question=What is 10% of 391? | option_a=49 | option_b=39 | option_c=29 | option_d=78 | answer=B | explanation=10% of 391 = (10/100) × 391 = 39.

id=1551 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹3233 at 15% per annum for 4 years. | option_a=2039 | option_b=5172 | option_c=1839 | option_d=1939 | answer=D | explanation=SI = PRT/100 = 3233×15×4/100 = ₹1939.

id=1552 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1184. If it is sold at a profit of 40%, what is its selling price? | option_a=1539 | option_b=1657 | option_c=1775 | option_d=1224 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1184 × 140/100 = ₹1657.

id=1553 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=1554 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹1510 at 10% per annum for 5 years. | option_a=755 | option_b=855 | option_c=2265 | option_d=655 | answer=A | explanation=SI = PRT/100 = 1510×10×5/100 = ₹755.

id=1555 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=1556 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:13 and the first is 132, what is the second? | option_a=288 | option_b=143 | option_c=156 | option_d=167 | answer=C | explanation=Scale factor = 132/11 = 12. Therefore second quantity = 13×12 = 156.

id=1557 | topic=Averages | difficulty=Easy | question=Find the average of 76, 45, 83, 88, 50, 22, 54, 46, 31. | option_a=57 | option_b=54 | option_c=56 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.

id=1558 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹19905 at 6% per annum for 5 years. | option_a=5871 | option_b=6071 | option_c=25876 | option_d=5971 | answer=D | explanation=SI = PRT/100 = 19905×6×5/100 = ₹5971.

id=1559 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹7289 at 5% per annum for 5 years. | option_a=9111 | option_b=1722 | option_c=1822 | option_d=1922 | answer=C | explanation=SI = PRT/100 = 7289×5×5/100 = ₹1822.

id=1560 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 35? | option_a=24 | option_b=19 | option_c=35 | option_d=29 | answer=C | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 35 is the odd one out.

Aptitude Questions — Records 1,561-1,590 of 100,000

id=1561 | topic=Averages | difficulty=Easy | question=Find the average of 83, 64, 66, 76, 26, 68, 51. | option_a=63 | option_b=64 | option_c=61 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 434 ÷ 7 = 62.

id=1562 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 15. | option_a=15 | option_b=30 | option_c=60 | option_d=450 | answer=B | explanation=LCM × HCF = 30×15; HCF(30,15) = 15, so LCM = 30.

id=1563 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19248 at 12% per annum for 1 years. | option_a=2409 | option_b=21557 | option_c=2309 | option_d=2209 | answer=C | explanation=SI = PRT/100 = 19248×12×1/100 = █2309.

id=1564 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2779. If it is sold at a profit of 15%, what is its selling price? | option_a=3195 | option_b=2794 | option_c=3472 | option_d=2918 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2779 × 115/100 = █3195.

id=1565 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=P | option_c=R | option_d=Q | answer=C | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=1566 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4370. If it is sold at a profit of 30%, what is its selling price? | option_a=4400 | option_b=5681 | option_c=5244 | option_d=6118 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4370 × 130/100 = █5681.

id=1567 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=W | option_c=V | option_d=T | answer=C | explanation=Move 1 positions forward from U; the resulting letter is V.

id=1568 | topic=Averages | difficulty=Easy | question=Find the average of 43, 70, 29, 72, 33, 77. | option_a=55 | option_b=56 | option_c=54 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 324 ÷ 6 = 54.

id=1569 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=M | option_c=H | option_d=X | answer=C | explanation=Move 5 positions forward from C; the resulting letter is H.

id=1570 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4119. If it is sold at a profit of 20%, what is its selling price? | option_a=4531 | option_b=4139 | option_c=4942 | option_d=5353 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4119 × 120/100 = █4942.

id=1571 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:13 and the first is 400, what is the second? | option_a=260 | option_b=660 | option_c=247 | option_d=280 | answer=A | explanation=Scale factor = 400/20 = 20. Therefore second quantity = 13×20 = 260.

id=1572 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20667 at 15% per annum for 2 years. | option_a=6200 | option_b=6300 | option_c=26867 | option_d=6100 | answer=A | explanation=SI = PRT/100 = 20667×15×2/100 = █6200.

id=1573 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=1574 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=1575 | topic=Percentages | difficulty=Easy | question=What is 20% of 645? | option_a=124 | option_b=149 | option_c=129 | option_d=258 | answer=C | explanation=20% of 645 = (20/100) × 645 = 129.

id=1576 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:14 and the first is 154, what is the second? | option_a=196 | option_b=182 | option_c=207 | option_d=350 | answer=A | explanation=Scale factor = 154/11 = 14. Therefore second quantity = 14×14 = 196.

id=1577 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:9 and the first is 34, what is the second? | option_a=144 | option_b=153 | option_c=187 | option_d=155 | answer=B | explanation=Scale factor = 34/2 = 17. Therefore second quantity = 9×17 = 153.

id=1578 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:14 and the first is 135, what is the second? | option_a=261 | option_b=126 | option_c=112 | option_d=141 | answer=B | explanation=Scale factor = 135/15 = 9. Therefore second quantity = 14×9 = 126.

id=1579 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=Y | option_b=N | option_c=I | option_d=D | answer=C | explanation=Move 5 positions forward from D; the resulting letter is I.

id=1580 | topic=Percentages | difficulty=Easy | question=What is 30% of 1693? | option_a=1014 | option_b=507 | option_c=512 | option_d=487 | answer=B | explanation=30% of 1693 = (30/100) × 1693 = 507.

id=1581 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=G | option_c=L | option_d=W | answer=B | explanation=Move 5 positions forward from B; the resulting letter is G.

id=1582 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36107 at 8% per annum for 2 years. | option_a=41884 | option_b=5877 | option_c=5777 | option_d=5677 | answer=C | explanation=SI = PRT/100 = 36107×8×2/100 = █5777.

id=1583 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=95 | option_c=100 | option_d=105 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=1584 | topic=Percentages | difficulty=Easy | question=What is 50% of 1596? | option_a=778 | option_b=798 | option_c=803 | option_d=1596 | answer=B | explanation=50% of 1596 = (50/100) × 1596 = 798.

id=1585 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19552 at 6% per annum for 1 years. | option_a=20725 | option_b=1173 | option_c=1073 | option_d=1273 | answer=B | explanation=SI = PRT/100 = 19552×6×1/100 = █1173.

id=1586 | topic=Percentages | difficulty=Easy | question=What is 10% of 607? | option_a=40 | option_b=70 | option_c=60 | option_d=120 | answer=C | explanation=10% of 607 = (10/100) × 607 = 60.

id=1587 | topic=Profit & Loss | difficulty=Easy | question=An article costs █726. If it is sold at a profit of 10%, what is its selling price? | option_a=870 | option_b=726 | option_c=798 | option_d=736 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 726 × 110/100 = █798.

id=1588 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 34? | option_a=25 | option_b=21 | option_c=34 | option_d=29 | answer=C | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 34 is the odd one out.

id=1589 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=45 | option_c=55 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=1590 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:16 and the first is 266, what is the second? | option_a=490 | option_b=224 | option_c=243 | option_d=208 | answer=B | explanation=Scale factor = 266/19 = 14. Therefore second quantity = 16×14 = 224.

Aptitude Questions — Records 1,591-1,620 of 100,000

id=1591 | topic=Averages | difficulty=Easy | question=Find the average of 81, 45, 71, 46, 99, 78, 74, 41, 59. | option_a=68 | option_b=65 | option_c=67 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = 594 ÷ 9 = 66.

id=1592 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=18 | option_c=13 | option_d=23 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=1593 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=1594 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4694. If it is sold at a profit of 15%, what is its selling price? | option_a=4929 | option_b=5398 | option_c=4709 | option_d=5867 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4694 × 115/100 = █5398.

id=1595 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1257. If it is sold at a profit of 40%, what is its selling price? | option_a=1884 | option_b=1759 | option_c=1634 | option_d=1297 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1257 × 140/100 = █1759.

id=1596 | topic=Percentages | difficulty=Easy | question=What is 40% of 1621? | option_a=648 | option_b=658 | option_c=1296 | option_d=638 | answer=A | explanation=40% of 1621 = (40/100) × 1621 = 648.

id=1597 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3392 at 6% per annum for 5 years. | option_a=917 | option_b=1117 | option_c=1017 | option_d=4409 | answer=C | explanation=SI = PRT/100 = 3392×6×5/100 = █1017.

id=1598 | topic=Averages | difficulty=Easy | question=Find the average of 79, 73, 50, 93, 40, 51, 69, 100, 71, 84. | option_a=70 | option_b=72 | option_c=73 | option_d=71 | answer=D | explanation=Average = sum of values ÷ number of values = 710 ÷ 10 = 71.

id=1599 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3177. If it is sold at a profit of 15%, what is its selling price? | option_a=3970 | option_b=3336 | option_c=3192 | option_d=3653 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3177 × 115/100 = █3653.

id=1600 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13934 at 8% per annum for 1 years. | option_a=15048 | option_b=1014 | option_c=1214 | option_d=1114 | answer=D | explanation=SI = PRT/100 = 13934×8×1/100 = █1114.

id=1601 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42036 at 15% per annum for 5 years. | option_a=31427 | option_b=31627 | option_c=31527 | option_d=73563 | answer=C | explanation=SI = PRT/100 = 42036×15×5/100 = █31527.

id=1602 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=12 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=1603 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=27 | option_b=23 | option_c=24 | option_d=19 | answer=B | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=1604 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=53 | option_b=54 | option_c=63 | option_d=43 | answer=A | explanation=The common difference is 10. Therefore the next term is 43 + 10 = 53.

id=1605 | topic=Averages | difficulty=Easy | question=Find the average of 27, 31, 77, 70, 11, 50, 63, 39. | option_a=45 | option_b=46 | option_c=48 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 368 ÷ 8 = 46.

id=1606 | topic=Percentages | difficulty=Easy | question=What is 15% of 688? | option_a=206 | option_b=108 | option_c=83 | option_d=103 | answer=D | explanation=15% of 688 = (15/100) × 688 = 103.

id=1607 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=40 | option_d=90 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=1608 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2970. If it is sold at a profit of 20%, what is its selling price? | option_a=3861 | option_b=3564 | option_c=2990 | option_d=3267 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2970 × 120/100 = █3564.

id=1609 | topic=Averages | difficulty=Easy | question=Find the average of 46, 64, 84, 49, 57, 89, 66. | option_a=66 | option_b=65 | option_c=67 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 455 ÷ 7 = 65.

id=1610 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4954. If it is sold at a profit of 15%, what is its selling price? | option_a=6192 | option_b=4969 | option_c=5202 | option_d=5697 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4954 × 115/100 = █5697.

id=1611 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:9 and the first is 120, what is the second? | option_a=171 | option_b=186 | option_c=300 | option_d=180 | answer=D | explanation=Scale factor = 120/6 = 20. Therefore second quantity = 9×20 = 180.

id=1612 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=13 | option_c=18 | option_d=36 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=1613 | topic=Percentages | difficulty=Easy | question=What is 15% of 1654? | option_a=496 | option_b=243 | option_c=248 | option_d=253 | answer=C | explanation=15% of 1654 = (15/100) × 1654 = 248.

id=1614 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=90 | option_c=40 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=1615 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=1616 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=1617 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=L | option_c=J | option_d=N | answer=D | explanation=Move 2 positions forward from L; the resulting letter is N.

id=1618 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=T | option_b=P | option_c=L | option_d=H | answer=B | explanation=Move 4 positions forward from L; the resulting letter is P.

id=1619 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=1620 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:19 and the first is 4, what is the second? | option_a=38 | option_b=40 | option_c=19 | option_d=42 | answer=A | explanation=Scale factor = 4/2 = 2. Therefore second quantity = 19×2 = 38.

Aptitude Questions — Records 1,621-1,650 of 100,000

id=1621 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=T | option_c=Q | option_d=S | answer=D | explanation=Move 1 positions forward from R; the resulting letter is S.

id=1622 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=18 | option_b=23 | option_c=22 | option_d=26 | answer=C | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

id=1623 | topic=Profit & Loss | difficulty=Easy | question=An article costs █559. If it is sold at a profit of 50%, what is its selling price? | option_a=783 | option_b=609 | option_c=893 | option_d=838 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 559 × 150/100 = █838.

id=1624 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 15, 20, 28? | option_a=20 | option_b=15 | option_c=10 | option_d=28 | answer=D | explanation=The first three numbers increase by 5, so the next should be 25. Therefore 28 is the odd one out.

id=1625 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39459 at 12% per annum for 3 years. | option_a=53664 | option_b=14305 | option_c=14105 | option_d=14205 | answer=D | explanation=SI = PRT/100 = 39459×12×3/100 = █14205.

id=1626 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=1627 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:7 and the first is 360, what is the second? | option_a=146 | option_b=119 | option_c=126 | option_d=486 | answer=C | explanation=Scale factor = 360/20 = 18. Therefore second quantity = 7×18 = 126.

id=1628 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:18 and the first is 117, what is the second? | option_a=351 | option_b=216 | option_c=243 | option_d=234 | answer=D | explanation=Scale factor = 117/9 = 13. Therefore second quantity = 18×13 = 234.

id=1629 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=59 | option_b=37 | option_c=48 | option_d=49 | answer=C | explanation=The common difference is 11. Therefore the next term is 37 + 11 = 48.

id=1630 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1595. If it is sold at a profit of 10%, what is its selling price? | option_a=1595 | option_b=1754 | option_c=1605 | option_d=1913 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1595 × 110/100 = █1754.

id=1631 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1684 at 5% per annum for 3 years. | option_a=352 | option_b=152 | option_c=252 | option_d=1936 | answer=C | explanation=SI = PRT/100 = 1684×5×3/100 = █252.

id=1632 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:5 and the first is 77, what is the second? | option_a=132 | option_b=50 | option_c=62 | option_d=55 | answer=D | explanation=Scale factor = 77/7 = 11. Therefore second quantity = 5×11 = 55.

id=1633 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19282 at 5% per annum for 5 years. | option_a=24102 | option_b=4820 | option_c=4920 | option_d=4720 | answer=B | explanation=SI = PRT/100 = 19282×5×5/100 = █4820.

id=1634 | topic=Averages | difficulty=Easy | question=Find the average of 35, 32, 47, 43, 99, 66, 49. | option_a=55 | option_b=52 | option_c=54 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 371 ÷ 7 = 53.

id=1635 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=48 | option_b=41 | option_c=34 | option_d=42 | answer=B | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=1636 | topic=Percentages | difficulty=Easy | question=What is 30% of 1994? | option_a=598 | option_b=1196 | option_c=578 | option_d=603 | answer=A | explanation=30% of 1994 = (30/100) × 1994 = 598.

id=1637 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=1638 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4304. If it is sold at a profit of 20%, what is its selling price? | option_a=4324 | option_b=5594 | option_c=5164 | option_d=4734 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4304 × 120/100 = █5164.

id=1639 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:4 and the first is 36, what is the second? | option_a=68 | option_b=72 | option_c=108 | option_d=74 | answer=B | explanation=Scale factor = 36/2 = 18. Therefore second quantity = 4×18 = 72.

id=1640 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 12. | option_a=60 | option_b=80 | option_c=240 | option_d=48 | answer=A | explanation=LCM × HCF = 20×12; HCF(20,12) = 4, so LCM = 60.

id=1641 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=R | option_b=T | option_c=U | option_d=S | answer=B | explanation=Move 1 positions forward from S; the resulting letter is T.

id=1642 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=M | option_b=L | option_c=N | option_d=K | answer=A | explanation=Move 1 positions forward from L; the resulting letter is M.

id=1643 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=1644 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:15 and the first is 114, what is the second? | option_a=270 | option_b=399 | option_c=285 | option_d=291 | answer=C | explanation=Scale factor = 114/6 = 19. Therefore second quantity = 15×19 = 285.

id=1645 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=60 | option_b=71 | option_c=49 | option_d=61 | answer=A | explanation=The common difference is 11. Therefore the next term is 49 + 11 = 60.

id=1646 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:20 and the first is 144, what is the second? | option_a=240 | option_b=252 | option_c=220 | option_d=384 | answer=A | explanation=Scale factor = 144/12 = 12. Therefore second quantity = 20×12 = 240.

id=1647 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:8 and the first is 36, what is the second? | option_a=180 | option_b=136 | option_c=146 | option_d=144 | answer=D | explanation=Scale factor = 36/2 = 18. Therefore second quantity = 8×18 = 144.

id=1648 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:13 and the first is 380, what is the second? | option_a=279 | option_b=247 | option_c=640 | option_d=260 | answer=D | explanation=Scale factor = 380/19 = 20. Therefore second quantity = 13×20 = 260.

id=1649 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:17 and the first is 160, what is the second? | option_a=119 | option_b=296 | option_c=136 | option_d=156 | answer=C | explanation=Scale factor = 160/20 = 8. Therefore second quantity = 17×8 = 136.

id=1650 | topic=Percentages | difficulty=Easy | question=What is 20% of 235? | option_a=37 | option_b=47 | option_c=52 | option_d=94 | answer=B | explanation=20% of 235 = (20/100) × 235 = 47.

Aptitude Questions — Records 1,651-1,680 of 100,000

id=1651 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14133 at 5% per annum for 3 years. | option_a=2219 | option_b=16252 | option_c=2119 | option_d=2019 | answer=C | explanation=SI = PRT/100 = 14133×5×3/100 = ■2119.

id=1652 | topic=Averages | difficulty=Easy | question=Find the average of 65, 21, 41, 29, 97, 83. | option_a=58 | option_b=57 | option_c=56 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 336 ÷ 6 = 56.

id=1653 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■23591 at 4% per annum for 4 years. | option_a=3874 | option_b=3774 | option_c=3674 | option_d=27365 | answer=B | explanation=SI = PRT/100 = 23591×4×4/100 = ■3774.

id=1654 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 9. | option_a=63 | option_b=216 | option_c=96 | option_d=72 | answer=D | explanation=LCM × HCF = 24×9; HCF(24,9) = 3, so LCM = 72.

id=1655 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=29 | option_d=19 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=1656 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=55 | option_b=44 | option_c=64 | option_d=54 | answer=D | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=1657 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=T | option_c=S | option_d=R | answer=B | explanation=Move 1 positions forward from S; the resulting letter is T.

id=1658 | topic=Averages | difficulty=Easy | question=Find the average of 56, 53, 74, 10, 88, 86, 60, 21. | option_a=55 | option_b=58 | option_c=56 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 448 ÷ 8 = 56.

id=1659 | topic=Averages | difficulty=Easy | question=Find the average of 37, 48, 65. | option_a=52 | option_b=49 | option_c=51 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 150 ÷ 3 = 50.

id=1660 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=J | option_b=F | option_c=N | option_d=B | answer=A | explanation=Move 4 positions forward from F; the resulting letter is J.

id=1661 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=1662 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=1663 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■38662 at 10% per annum for 4 years. | option_a=15364 | option_b=15564 | option_c=15464 | option_d=54126 | answer=C | explanation=SI = PRT/100 = 38662×10×4/100 = ■15464.

id=1664 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=U | option_b=M | option_c=I | option_d=Q | answer=D | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=1665 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:20 and the first is 64, what is the second? | option_a=320 | option_b=384 | option_c=324 | option_d=300 | answer=A | explanation=Scale factor = 64/4 = 16. Therefore second quantity = 20×16 = 320.

id=1666 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 16, 19, 23? | option_a=23 | option_b=13 | option_c=16 | option_d=19 | answer=A | explanation=The first three numbers increase by 3, so the next should be 22. Therefore 23 is the odd one out.

id=1667 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=C | option_c=A | option_d=E | answer=D | explanation=Move 2 positions forward from C; the resulting letter is E.

id=1668 | topic=Averages | difficulty=Easy | question=Find the average of 65, 16, 69, 46, 15, 25, 72, 68, 56, 18. | option_a=45 | option_b=47 | option_c=46 | option_d=44 | answer=A | explanation=Average = sum of values ÷ number of values = 450 ÷ 10 = 45.

id=1669 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=13 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=1670 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■20217 at 6% per annum for 4 years. | option_a=25069 | option_b=4752 | option_c=4952 | option_d=4852 | answer=D | explanation=SI = PRT/100 = 20217×6×4/100 = ■4852.

id=1671 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:20 and the first is 10, what is the second? | option_a=102 | option_b=100 | option_c=110 | option_d=80 | answer=B | explanation=Scale factor = 10/2 = 5. Therefore second quantity = 20×5 = 100.

id=1672 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 50? | option_a=41 | option_b=33 | option_c=50 | option_d=25 | answer=C | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 50 is the odd one out.

id=1673 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■48630 at 5% per annum for 4 years. | option_a=9726 | option_b=9626 | option_c=9826 | option_d=58356 | answer=A | explanation=SI = PRT/100 = 48630×5×4/100 = ■9726.

id=1674 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 21. | option_a=168 | option_b=504 | option_c=147 | option_d=192 | answer=A | explanation=LCM × HCF = 24×21; HCF(24,21) = 3, so LCM = 168.

id=1675 | topic=Percentages | difficulty=Easy | question=What is 25% of 206? | option_a=102 | option_b=51 | option_c=46 | option_d=61 | answer=B | explanation=25% of 206 = (25/100) × 206 = 51.

id=1676 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=1677 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=120 | option_c=125 | option_d=240 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=1678 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:2 and the first is 238, what is the second? | option_a=28 | option_b=266 | option_c=26 | option_d=45 | answer=A | explanation=Scale factor = 238/17 = 14. Therefore second quantity = 2×14 = 28.

id=1679 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:14 and the first is 8, what is the second? | option_a=98 | option_b=120 | option_c=113 | option_d=112 | answer=D | explanation=Scale factor = 8/1 = 8. Therefore second quantity = 14×8 = 112.

id=1680 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:15 and the first is 108, what is the second? | option_a=189 | option_b=165 | option_c=288 | option_d=180 | answer=D | explanation=Scale factor = 108/9 = 12. Therefore second quantity = 15×12 = 180.

Aptitude Questions — Records 1,681-1,710 of 100,000

id=1681 | topic=Percentages | difficulty=Easy | question=What is 25% of 1502? | option_a=375 | option_b=380 | option_c=750 | option_d=370 | answer=A | explanation=25% of 1502 = $(25/100) \times 1502 = 375$.

id=1682 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 27, 39, 51, ? | option_a=63 | option_b=75 | option_c=64 | option_d=51 | answer=A | explanation=The common difference is 12. Therefore the next term is $51 + 12 = 63$.

id=1683 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.

id=1684 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■45104 at 8% per annum for 3 years. | option_a=10924 | option_b=10724 | option_c=10824 | option_d=55928 | answer=C | explanation=SI = $PRT/100 = 45104 \times 8 \times 3/100 = \blacksquare 10824$.

id=1685 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=K | option_b=Z | option_c=U | option_d=P | answer=C | explanation=Move 5 positions forward from P; the resulting letter is U.

id=1686 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 19, 25, 33? | option_a=33 | option_b=25 | option_c=13 | option_d=19 | answer=A | explanation=The first three numbers increase by 6, so the next should be 31. Therefore 33 is the odd one out.

id=1687 | topic=Percentages | difficulty=Easy | question=What is 12% of 369? | option_a=34 | option_b=44 | option_c=64 | option_d=88 | answer=B | explanation=12% of 369 = $(12/100) \times 369 = 44$.

id=1688 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:16 and the first is 162, what is the second? | option_a=162 | option_b=144 | option_c=128 | option_d=306 | answer=B | explanation=Scale factor = $162/18 = 9$. Therefore second quantity = $16 \times 9 = 144$.

id=1689 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=7 | option_d=5 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=1690 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■27217 at 6% per annum for 1 years. | option_a=28850 | option_b=1633 | option_c=1733 | option_d=1533 | answer=B | explanation=SI = $PRT/100 = 27217 \times 6 \times 1/100 = \blacksquare 1633$.

id=1691 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=D | option_c=Z | option_d=L | answer=A | explanation=Move 4 positions forward from D; the resulting letter is H.

id=1692 | topic=Averages | difficulty=Easy | question=Find the average of 89, 38, 29. | option_a=54 | option_b=53 | option_c=51 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = $156 \div 3 = 52$.

id=1693 | topic=Percentages | difficulty=Easy | question=What is 15% of 715? | option_a=112 | option_b=107 | option_c=87 | option_d=214 | answer=B | explanation=15% of 715 = $(15/100) \times 715 = 107$.

id=1694 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=100 | option_c=50 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = $300 \div 6 = 50$ km/h.

id=1695 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=50 | option_c=45 | option_d=100 | answer=B | explanation=Speed = distance ÷ time = $150 \div 3 = 50$ km/h.

id=1696 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $120 \div 4 = 30$ km/h.

id=1697 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 25, 34, 43, ? | option_a=52 | option_b=53 | option_c=43 | option_d=61 | answer=A | explanation=The common difference is 9. Therefore the next term is $43 + 9 = 52$.

id=1698 | topic=Averages | difficulty=Easy | question=Find the average of 69, 74, 92, 24, 91. | option_a=71 | option_b=72 | option_c=70 | option_d=69 | answer=C | explanation=Average = sum of values ÷ number of values = $350 \div 5 = 70$.

id=1699 | topic=Percentages | difficulty=Easy | question=What is 5% of 1583? | option_a=79 | option_b=99 | option_c=59 | option_d=158 | answer=A | explanation=5% of 1583 = $(5/100) \times 1583 = 79$.

id=1700 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=1701 | topic=Percentages | difficulty=Easy | question=What is 30% of 649? | option_a=194 | option_b=388 | option_c=214 | option_d=189 | answer=A | explanation=30% of 649 = $(30/100) \times 649 = 194$.

id=1702 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=1703 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=65 | option_b=43 | option_c=55 | option_d=54 | answer=D | explanation=The common difference is 11. Therefore the next term is $43 + 11 = 54$.

id=1704 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 18? | option_a=18 | option_b=11 | option_c=15 | option_d=13 | answer=A | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 18 is the odd one out.

id=1705 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:6 and the first is 200, what is the second? | option_a=120 | option_b=320 | option_c=130 | option_d=114 | answer=A | explanation=Scale factor = $200/10 = 20$. Therefore second quantity = $6 \times 20 = 120$.

id=1706 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=N | option_c=L | option_d=H | answer=C | explanation=Move 2 positions forward from J; the resulting letter is L.

id=1707 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=1708 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=46 | option_b=47 | option_c=53 | option_d=39 | answer=A | explanation=The common difference is 7. Therefore the next term is $39 + 7 = 46$.

id=1709 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=A | option_c=K | option_d=P | answer=C | explanation=Move 5 positions forward from F; the resulting letter is K.

id=1710 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

Aptitude Questions — Records 1,711-1,740 of 100,000

- id=1711 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 22. | option_a=240 | option_b=440 | option_c=198 | option_d=220 | answer=D | explanation= $LCM \times HCF = 20 \times 22$; $HCF(20,22) = 2$, so $LCM = 220$.
- id=1712 | topic=Averages | difficulty=Easy | question=Find the average of 95, 14, 61, 90, 22, 52, 74, 24. | option_a=55 | option_b=54 | option_c=56 | option_d=53 | answer=B | explanation= $Average = \text{sum of values} \div \text{number of values} = 432 \div 8 = 54$.
- id=1713 | topic=Percentages | difficulty=Easy | question=What is 50% of 964? | option_a=487 | option_b=482 | option_c=964 | option_d=477 | answer=B | explanation= $50\% \text{ of } 964 = (50/100) \times 964 = 482$.
- id=1714 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=F | option_b=H | option_c=J | option_d=L | answer=C | explanation=Move 2 positions forward from H; the resulting letter is J.
- id=1715 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=60 | option_b=51 | option_c=50 | option_d=40 | answer=C | explanation=The common difference is 10. Therefore the next term is $40 + 10 = 50$.
- id=1716 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1185. If it is sold at a profit of 25%, what is its selling price? | option_a=1599 | option_b=1363 | option_c=1210 | option_d=1481 | answer=D | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%)/100 = 1185 \times 125/100 = \text{■}1481$.
- id=1717 | topic=Averages | difficulty=Easy | question=Find the average of 69, 22, 78, 16, 50, 91, 19, 35, 71, 29. | option_a=47 | option_b=49 | option_c=48 | option_d=50 | answer=C | explanation= $Average = \text{sum of values} \div \text{number of values} = 480 \div 10 = 48$.
- id=1718 | topic=Averages | difficulty=Easy | question=Find the average of 79, 85, 37, 87. | option_a=71 | option_b=72 | option_c=73 | option_d=74 | answer=B | explanation= $Average = \text{sum of values} \div \text{number of values} = 288 \div 4 = 72$.
- id=1719 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=30 | option_b=27 | option_c=24 | option_d=28 | answer=B | explanation=The common difference is 3. Therefore the next term is $24 + 3 = 27$.
- id=1720 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=24 | option_b=25 | option_c=26 | option_d=22 | answer=A | explanation=The common difference is 2. Therefore the next term is $22 + 2 = 24$.
- id=1721 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation= $Speed = \text{distance} \div \text{time} = 360 \div 6 = 60 \text{ km/h}$.
- id=1722 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:8 and the first is 216, what is the second? | option_a=96 | option_b=114 | option_c=312 | option_d=88 | answer=A | explanation= $Scale \text{ factor} = 216/18 = 12$. Therefore second quantity = $8 \times 12 = 96$.
- id=1723 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=P | option_c=Q | option_d=N | answer=B | explanation=Move 1 positions forward from O; the resulting letter is P.
- id=1724 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=67 | option_c=72 | option_d=77 | answer=C | explanation= $Speed = \text{distance} \div \text{time} = 360 \div 5 = 72 \text{ km/h}$.
- id=1725 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation= $Combined \text{ rate} = 1/6 + 1/3 = 9/18$. Time = $18/9 = 2 \text{ days}$.
- id=1726 | topic=Averages | difficulty=Easy | question=Find the average of 39, 37, 49, 75. | option_a=50 | option_b=52 | option_c=51 | option_d=49 | answer=A | explanation= $Average = \text{sum of values} \div \text{number of values} = 200 \div 4 = 50$.
- id=1727 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2558. If it is sold at a profit of 20%, what is its selling price? | option_a=2814 | option_b=3069 | option_c=2578 | option_d=3324 | answer=B | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%)/100 = 2558 \times 120/100 = \text{■}3069$.
- id=1728 | topic=Averages | difficulty=Easy | question=Find the average of 31, 30, 88, 94, 30, 51, 76, 70, 97. | option_a=63 | option_b=64 | option_c=62 | option_d=65 | answer=A | explanation= $Average = \text{sum of values} \div \text{number of values} = 567 \div 9 = 63$.
- id=1729 | topic=Averages | difficulty=Easy | question=Find the average of 70, 48, 57, 28, 49, 52, 60. | option_a=52 | option_b=54 | option_c=53 | option_d=51 | answer=A | explanation= $Average = \text{sum of values} \div \text{number of values} = 364 \div 7 = 52$.
- id=1730 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation= $Combined \text{ rate} = 1/10 + 1/10 = 20/100$. Time = $100/20 = 5 \text{ days}$.
- id=1731 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation= $Combined \text{ rate} = 1/12 + 1/6 = 18/72$. Time = $72/18 = 4 \text{ days}$.
- id=1732 | topic=Averages | difficulty=Easy | question=Find the average of 47, 57, 13, 51, 64, 58, 53. | option_a=48 | option_b=51 | option_c=49 | option_d=50 | answer=C | explanation= $Average = \text{sum of values} \div \text{number of values} = 343 \div 7 = 49$.
- id=1733 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:3 and the first is 36, what is the second? | option_a=27 | option_b=24 | option_c=63 | option_d=31 | answer=A | explanation= $Scale \text{ factor} = 36/4 = 9$. Therefore second quantity = $3 \times 9 = 27$.
- id=1734 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=25 | option_b=27 | option_c=23 | option_d=26 | answer=A | explanation=The common difference is 2. Therefore the next term is $23 + 2 = 25$.
- id=1735 | topic=Averages | difficulty=Easy | question=Find the average of 87, 85, 58, 17, 22, 17, 92. | option_a=54 | option_b=56 | option_c=55 | option_d=53 | answer=A | explanation= $Average = \text{sum of values} \div \text{number of values} = 378 \div 7 = 54$.
- id=1736 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 30. | option_a=180 | option_b=1 | option_c=36 | option_d=30 | answer=D | explanation= $LCM \times HCF = 6 \times 30$; $HCF(6,30) = 6$, so $LCM = 30$.
- id=1737 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10857 at 10% per annum for 3 years. | option_a=14114 | option_b=3257 | option_c=3157 | option_d=3357 | answer=B | explanation= $SI = PRT/100 = 10857 \times 10 \times 3/100 = \text{■}3257$.
- id=1738 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 12. | option_a=36 | option_b=45 | option_c=108 | option_d=24 | answer=A | explanation= $LCM \times HCF = 9 \times 12$; $HCF(9,12) = 3$, so $LCM = 36$.
- id=1739 | topic=Percentages | difficulty=Easy | question=What is 10% of 337? | option_a=33 | option_b=66 | option_c=53 | option_d=13 | answer=A | explanation= $10\% \text{ of } 337 = (10/100) \times 337 = 33$.
- id=1740 | topic=Averages | difficulty=Easy | question=Find the average of 51, 69, 39, 68, 58. | option_a=59 | option_b=58 | option_c=57 | option_d=56 | answer=C | explanation= $Average = \text{sum of values} \div \text{number of values} = 285 \div 5 = 57$.

Aptitude Questions — Records 1,741-1,770 of 100,000

- id=1741 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:1 and the first is 120, what is the second? | option_a=126 | option_b=26 | option_c=5 | option_d=6 | answer=D | explanation=Scale factor = 120/20 = 6. Therefore second quantity = 1×6 = 6.
- id=1742 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 22? | option_a=15 | option_b=13 | option_c=22 | option_d=17 | answer=C | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 22 is the odd one out.
- id=1743 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 38? | option_a=17 | option_b=38 | option_c=29 | option_d=23 | answer=B | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 38 is the odd one out.
- id=1744 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4730. If it is sold at a profit of 10%, what is its selling price? | option_a=5676 | option_b=4740 | option_c=4730 | option_d=5203 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4730 × 110/100 = █5203.
- id=1745 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 32, 35, 41? | option_a=29 | option_b=41 | option_c=32 | option_d=35 | answer=B | explanation=The first three numbers increase by 3, so the next should be 38. Therefore 41 is the odd one out.
- id=1746 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3630. If it is sold at a profit of 25%, what is its selling price? | option_a=4174 | option_b=4537 | option_c=4900 | option_d=3655 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3630 × 125/100 = █4537.
- id=1747 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=L | option_b=M | option_c=K | option_d=J | answer=A | explanation=Move 1 positions forward from K; the resulting letter is L.
- id=1748 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 26. | option_a=208 | option_b=252 | option_c=234 | option_d=468 | answer=C | explanation=LCM × HCF = 18×26; HCF(18,26) = 2, so LCM = 234.
- id=1749 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=21 | option_b=17 | option_c=19 | option_d=20 | answer=C | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.
- id=1750 | topic=Averages | difficulty=Easy | question=Find the average of 64, 29, 43, 38, 84, 96, 51, 83. | option_a=62 | option_b=61 | option_c=60 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 488 ÷ 8 = 61.
- id=1751 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=58 | option_b=46 | option_c=57 | option_d=68 | answer=C | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.
- id=1752 | topic=Averages | difficulty=Easy | question=Find the average of 33, 22, 13, 78, 87, 15, 32. | option_a=42 | option_b=41 | option_c=40 | option_d=39 | answer=C | explanation=Average = sum of values ÷ number of values = 280 ÷ 7 = 40.
- id=1753 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=55 | option_c=50 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.
- id=1754 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:7 and the first is 104, what is the second? | option_a=84 | option_b=99 | option_c=195 | option_d=91 | answer=D | explanation=Scale factor = 104/8 = 13. Therefore second quantity = 7×13 = 91.
- id=1755 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3172. If it is sold at a profit of 5%, what is its selling price? | option_a=3647 | option_b=3330 | option_c=3013 | option_d=3177 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3172 × 105/100 = █3330.
- id=1756 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.
- id=1757 | topic=Percentages | difficulty=Easy | question=What is 30% of 828? | option_a=248 | option_b=496 | option_c=258 | option_d=243 | answer=A | explanation=30% of 828 = (30/100) × 828 = 248.
- id=1758 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3656. If it is sold at a profit of 25%, what is its selling price? | option_a=3681 | option_b=4570 | option_c=4205 | option_d=4935 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3656 × 125/100 = █4570.
- id=1759 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=Q | option_c=Y | option_d=C | answer=C | explanation=Move 4 positions forward from U; the resulting letter is Y.
- id=1760 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=K | option_c=L | option_d=J | answer=C | explanation=Move 1 positions forward from K; the resulting letter is L.
- id=1761 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=14 | option_b=19 | option_c=18 | option_d=22 | answer=C | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.
- id=1762 | topic=Percentages | difficulty=Easy | question=What is 15% of 175? | option_a=26 | option_b=52 | option_c=46 | option_d=6 | answer=A | explanation=15% of 175 = (15/100) × 175 = 26.
- id=1763 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28475 at 5% per annum for 2 years. | option_a=31322 | option_b=2847 | option_c=2747 | option_d=2947 | answer=B | explanation=SI = PRT/100 = 28475×5×2/100 = █2847.
- id=1764 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=18 | option_c=9 | option_d=14 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.
- id=1765 | topic=Averages | difficulty=Easy | question=Find the average of 61, 90, 57, 43, 89, 51, 15. | option_a=57 | option_b=60 | option_c=59 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 406 ÷ 7 = 58.
- id=1766 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27716 at 4% per annum for 5 years. | option_a=5643 | option_b=5543 | option_c=5443 | option_d=33259 | answer=B | explanation=SI = PRT/100 = 27716×4×5/100 = █5543.
- id=1767 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7561 at 4% per annum for 3 years. | option_a=807 | option_b=8468 | option_c=907 | option_d=1007 | answer=C | explanation=SI = PRT/100 = 7561×4×3/100 = █907.
- id=1768 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1020. If it is sold at a profit of 50%, what is its selling price? | option_a=1530 | option_b=1428 | option_c=1632 | option_d=1070 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1020 × 150/100 = █1530.
- id=1769 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40535 at 15% per annum for 1 years. | option_a=6080 | option_b=46615 | option_c=6180 | option_d=5980 | answer=A | explanation=SI = PRT/100 = 40535×15×1/100 = █6080.
- id=1770 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:11 and the first is 95, what is the second? | option_a=214 | option_b=209 | option_c=304 | option_d=198 | answer=B | explanation=Scale factor = 95/5 = 19. Therefore second quantity = 11×19 = 209.

Aptitude Questions — Records 1,771-1,800 of 100,000

id=1771 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=25 | option_b=24 | option_c=20 | option_d=28 | answer=B | explanation=The common difference is 4. Therefore the next term is 20 + 4 = 24.

id=1772 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15781 at 12% per annum for 1 years. | option_a=17674 | option_b=1993 | option_c=1793 | option_d=1893 | answer=D | explanation=SI = $PRT/100 = 15781 \times 12 \times 1/100 = \text{█}1893$.

id=1773 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:4 and the first is 180, what is the second? | option_a=32 | option_b=36 | option_c=216 | option_d=56 | answer=B | explanation=Scale factor = $180/20 = 9$. Therefore second quantity = $4 \times 9 = 36$.

id=1774 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=M | option_b=G | option_c=J | option_d=P | answer=A | explanation=Move 3 positions forward from J; the resulting letter is M.

id=1775 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22492 at 8% per annum for 3 years. | option_a=27890 | option_b=5398 | option_c=5298 | option_d=5498 | answer=B | explanation=SI = $PRT/100 = 22492 \times 8 \times 3/100 = \text{█}5398$.

id=1776 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=1777 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=W | option_b=N | option_c=T | option_d=Q | answer=C | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=1778 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=36 | option_c=31 | option_d=72 | answer=B | explanation=Speed = distance ÷ time = $360 \div 10 = 36$ km/h.

id=1779 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=U | option_b=F | option_c=P | option_d=K | answer=C | explanation=Move 5 positions forward from K; the resulting letter is P.

id=1780 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=1781 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4234. If it is sold at a profit of 15%, what is its selling price? | option_a=5292 | option_b=4869 | option_c=4446 | option_d=4249 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4234 \times 115/100 = \text{█}4869$.

id=1782 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45602 at 5% per annum for 1 years. | option_a=2280 | option_b=47882 | option_c=2180 | option_d=2380 | answer=A | explanation=SI = $PRT/100 = 45602 \times 5 \times 1/100 = \text{█}2280$.

id=1783 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 36? | option_a=29 | option_b=21 | option_c=25 | option_d=36 | answer=D | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 36 is the odd one out.

id=1784 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 19, 29, 40? | option_a=9 | option_b=29 | option_c=40 | option_d=19 | answer=C | explanation=The first three numbers increase by 10, so the next should be 39. Therefore 40 is the odd one out.

id=1785 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=P | option_b=K | option_c=F | option_d=A | answer=B | explanation=Move 5 positions forward from F; the resulting letter is K.

id=1786 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 29, 37, 46? | option_a=37 | option_b=21 | option_c=46 | option_d=29 | answer=C | explanation=The first three numbers increase by 8, so the next should be 45. Therefore 46 is the odd one out.

id=1787 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:17 and the first is 195, what is the second? | option_a=255 | option_b=238 | option_c=268 | option_d=450 | answer=A | explanation=Scale factor = $195/13 = 15$. Therefore second quantity = $17 \times 15 = 255$.

id=1788 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48287 at 6% per annum for 1 years. | option_a=51184 | option_b=2797 | option_c=2997 | option_d=2897 | answer=D | explanation=SI = $PRT/100 = 48287 \times 6 \times 1/100 = \text{█}2897$.

id=1789 | topic=Averages | difficulty=Easy | question=Find the average of 17, 62, 27, 30. | option_a=35 | option_b=33 | option_c=34 | option_d=36 | answer=C | explanation=Average = sum of values ÷ number of values = $136 \div 4 = 34$.

id=1790 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=1791 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=Y | option_b=I | option_c=N | option_d=D | answer=B | explanation=Move 5 positions forward from D; the resulting letter is I.

id=1792 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=X | option_b=B | option_c=T | option_d=P | answer=A | explanation=Move 4 positions forward from T; the resulting letter is X.

id=1793 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:18 and the first is 64, what is the second? | option_a=270 | option_b=352 | option_c=288 | option_d=292 | answer=C | explanation=Scale factor = $64/4 = 16$. Therefore second quantity = $18 \times 16 = 288$.

id=1794 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:13 and the first is 20, what is the second? | option_a=150 | option_b=132 | option_c=117 | option_d=130 | answer=D | explanation=Scale factor = $20/2 = 10$. Therefore second quantity = $13 \times 10 = 130$.

id=1795 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=1796 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3070. If it is sold at a profit of 20%, what is its selling price? | option_a=3684 | option_b=3991 | option_c=3377 | option_d=3090 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3070 \times 120/100 = \text{█}3684$.

id=1797 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=12 | option_d=2 | answer=A | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=1798 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=1799 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=78 | option_b=54 | option_c=66 | option_d=67 | answer=C | explanation=The common difference is 12. Therefore the next term is $54 + 12 = 66$.

id=1800 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=60 | option_b=38 | option_c=50 | option_d=49 | answer=D | explanation=The common difference is 11. Therefore the next term is $38 + 11 = 49$.

Aptitude Questions — Records 1,801-1,830 of 100,000

- id=1801 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.
- id=1802 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=36 | option_c=31 | option_d=72 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.
- id=1803 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.
- id=1804 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:12 and the first is 156, what is the second? | option_a=156 | option_b=144 | option_c=312 | option_d=168 | answer=A | explanation=Scale factor = 156/12 = 13. Therefore second quantity = 12×13 = 156.
- id=1805 | topic=Percentages | difficulty=Easy | question=What is 40% of 714? | option_a=305 | option_b=570 | option_c=285 | option_d=265 | answer=C | explanation=40% of 714 = (40/100) × 714 = 285.
- id=1806 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 59? | option_a=59 | option_b=26 | option_c=46 | option_d=36 | answer=A | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 59 is the odd one out.
- id=1807 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=17 | option_c=12 | option_d=24 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.
- id=1808 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=95 | option_c=85 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.
- id=1809 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=90 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.
- id=1810 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:12 and the first is 192, what is the second? | option_a=132 | option_b=144 | option_c=160 | option_d=336 | answer=B | explanation=Scale factor = 192/16 = 12. Therefore second quantity = 12×12 = 144.
- id=1811 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹22152 at 4% per annum for 1 years. | option_a=886 | option_b=23038 | option_c=786 | option_d=986 | answer=A | explanation=SI = PRT/100 = 22152×4×1/100 = ₹886.
- id=1812 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 34, 44, 56? | option_a=34 | option_b=56 | option_c=44 | option_d=24 | answer=B | explanation=The first three numbers increase by 10, so the next should be 54. Therefore 56 is the odd one out.
- id=1813 | topic=Averages | difficulty=Easy | question=Find the average of 21, 86, 94, 63. | option_a=68 | option_b=67 | option_c=66 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = 264 ÷ 4 = 66.
- id=1814 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 38? | option_a=21 | option_b=13 | option_c=38 | option_d=29 | answer=C | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 38 is the odd one out.
- id=1815 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=33 | option_b=35 | option_c=32 | option_d=29 | answer=C | explanation=The common difference is 3. Therefore the next term is 29 + 3 = 32.
- id=1816 | topic=Percentages | difficulty=Easy | question=What is 50% of 553? | option_a=552 | option_b=281 | option_c=276 | option_d=256 | answer=C | explanation=50% of 553 = (50/100) × 553 = 276.
- id=1817 | topic=Averages | difficulty=Easy | question=Find the average of 41, 38, 66, 92, 37, 32. | option_a=50 | option_b=53 | option_c=52 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 306 ÷ 6 = 51.
- id=1818 | topic=Percentages | difficulty=Easy | question=What is 40% of 1806? | option_a=712 | option_b=722 | option_c=1444 | option_d=732 | answer=B | explanation=40% of 1806 = (40/100) × 1806 = 722.
- id=1819 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 28, 36, 47? | option_a=47 | option_b=20 | option_c=28 | option_d=36 | answer=A | explanation=The first three numbers increase by 8, so the next should be 44. Therefore 47 is the odd one out.
- id=1820 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=36 | option_c=41 | option_d=31 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.
- id=1821 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=120 | option_c=240 | option_d=125 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.
- id=1822 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 33? | option_a=33 | option_b=20 | option_c=24 | option_d=28 | answer=A | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 33 is the odd one out.
- id=1823 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1966. If it is sold at a profit of 30%, what is its selling price? | option_a=2555 | option_b=2359 | option_c=1996 | option_d=2751 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1966 × 130/100 = ₹2555.
- id=1824 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 12, 21, 30, ? | option_a=39 | option_b=30 | option_c=48 | option_d=40 | answer=A | explanation=The common difference is 9. Therefore the next term is 30 + 9 = 39.
- id=1825 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1503. If it is sold at a profit of 5%, what is its selling price? | option_a=1728 | option_b=1578 | option_c=1428 | option_d=1508 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1503 × 105/100 = ₹1578.
- id=1826 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=72 | option_c=36 | option_d=41 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.
- id=1827 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2361. If it is sold at a profit of 25%, what is its selling price? | option_a=2386 | option_b=3187 | option_c=2715 | option_d=2951 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2361 × 125/100 = ₹2951.
- id=1828 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=1829 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹36364 at 12% per annum for 5 years. | option_a=21918 | option_b=58182 | option_c=21818 | option_d=21718 | answer=C | explanation=SI = PRT/100 = 36364×12×5/100 = ₹21818.
- id=1830 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=18 | option_c=4 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

Aptitude Questions — Records 1,831-1,860 of 100,000

id=1831 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 30? | option_a=23 | option_b=19 | option_c=30 | option_d=15 | answer=C | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 30 is the odd one out.

id=1832 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**2932 at 12% per annum for 4 years. | option_a=1307 | option_b=4339 | option_c=1507 | option_d=1407 | answer=D | explanation=SI = $PRT/100 = 2932 \times 12 \times 4 / 100 = \text{₹}1407$.

id=1833 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3405. If it is sold at a profit of 40%, what is its selling price? | option_a=4767 | option_b=4427 | option_c=5107 | option_d=3445 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3405 \times 140 / 100 = \text{₹}4767$.

id=1834 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**23498 at 5% per annum for 1 years. | option_a=24672 | option_b=1174 | option_c=1274 | option_d=1074 | answer=B | explanation=SI = $PRT/100 = 23498 \times 5 \times 1 / 100 = \text{₹}1174$.

id=1835 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=1836 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=1837 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 10, 17, 25? | option_a=17 | option_b=10 | option_c=25 | option_d=3 | answer=C | explanation=The first three numbers increase by 7, so the next should be 24. Therefore 25 is the odd one out.

id=1838 | topic=Percentages | difficulty=Easy | question=What is 30% of 719? | option_a=225 | option_b=430 | option_c=215 | option_d=210 | answer=C | explanation=30% of 719 = $(30/100) \times 719 = 215$.

id=1839 | topic=Averages | difficulty=Easy | question=Find the average of 33, 78, 37, 54, 22, 97, 29, 86, 57, 87. | option_a=57 | option_b=58 | option_c=60 | option_d=59 | answer=B | explanation=Average = $\text{sum of values} \div \text{number of values} = 580 \div 10 = 58$.

id=1840 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 34? | option_a=6 | option_b=24 | option_c=15 | option_d=34 | answer=D | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 34 is the odd one out.

id=1841 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:4 and the first is 130, what is the second? | option_a=182 | option_b=52 | option_c=48 | option_d=62 | answer=B | explanation=Scale factor = $130/10 = 13$. Therefore second quantity = $4 \times 13 = 52$.

id=1842 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4176. If it is sold at a profit of 20%, what is its selling price? | option_a=5011 | option_b=4196 | option_c=4594 | option_d=5428 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4176 \times 120 / 100 = \text{₹}5011$.

id=1843 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=1844 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=1845 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 43? | option_a=25 | option_b=43 | option_c=17 | option_d=33 | answer=B | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 43 is the odd one out.

id=1846 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 30, 32, 35? | option_a=30 | option_b=32 | option_c=28 | option_d=35 | answer=D | explanation=The first three numbers increase by 2, so the next should be 34. Therefore 35 is the odd one out.

id=1847 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=J | option_c=M | option_d=L | answer=D | explanation=Move 1 positions forward from K; the resulting letter is L.

id=1848 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=1849 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=1850 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:1 and the first is 280, what is the second? | option_a=294 | option_b=34 | option_c=13 | option_d=14 | answer=D | explanation=Scale factor = $280/20 = 14$. Therefore second quantity = $1 \times 14 = 14$.

id=1851 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**44447 at 12% per annum for 2 years. | option_a=10767 | option_b=55114 | option_c=10567 | option_d=10667 | answer=D | explanation=SI = $PRT/100 = 44447 \times 12 \times 2 / 100 = \text{₹}10667$.

id=1852 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1401. If it is sold at a profit of 50%, what is its selling price? | option_a=1961 | option_b=2241 | option_c=1451 | option_d=2101 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1401 \times 150 / 100 = \text{₹}2101$.

id=1853 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**49502 at 6% per annum for 4 years. | option_a=11880 | option_b=11980 | option_c=61382 | option_d=11780 | answer=A | explanation=SI = $PRT/100 = 49502 \times 6 \times 4 / 100 = \text{₹}11880$.

id=1854 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:9 and the first is 95, what is the second? | option_a=36 | option_b=140 | option_c=64 | option_d=45 | answer=D | explanation=Scale factor = $95/19 = 5$. Therefore second quantity = $9 \times 5 = 45$.

id=1855 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4644. If it is sold at a profit of 50%, what is its selling price? | option_a=4694 | option_b=6502 | option_c=6966 | option_d=7430 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4644 \times 150 / 100 = \text{₹}6966$.

id=1856 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1973. If it is sold at a profit of 5%, what is its selling price? | option_a=2268 | option_b=1874 | option_c=2071 | option_d=1978 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1973 \times 105 / 100 = \text{₹}2071$.

id=1857 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2080. If it is sold at a profit of 40%, what is its selling price? | option_a=2120 | option_b=2912 | option_c=3120 | option_d=2704 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2080 \times 140 / 100 = \text{₹}2912$.

id=1858 | topic=Percentages | difficulty=Easy | question=What is 50% of 1407? | option_a=708 | option_b=1406 | option_c=703 | option_d=698 | answer=C | explanation=50% of 1407 = $(50/100) \times 1407 = 703$.

id=1859 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**23370 at 15% per annum for 3 years. | option_a=10516 | option_b=10416 | option_c=33886 | option_d=10616 | answer=A | explanation=SI = $PRT/100 = 23370 \times 15 \times 3 / 100 = \text{₹}10516$.

id=1860 | topic=Averages | difficulty=Easy | question=Find the average of 60, 58, 29. | option_a=50 | option_b=49 | option_c=51 | option_d=48 | answer=B | explanation=Average = $\text{sum of values} \div \text{number of values} = 147 \div 3 = 49$.

Aptitude Questions — Records 1,861-1,890 of 100,000

- id=1861 | topic=Averages | difficulty=Easy | question=Find the average of 90, 34, 52, 94, 70. | option_a=67 | option_b=70 | option_c=69 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = 340 ÷ 5 = 68.
- id=1862 | topic=Averages | difficulty=Easy | question=Find the average of 81, 30, 28, 80, 50, 17, 29. | option_a=44 | option_b=47 | option_c=46 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 315 ÷ 7 = 45.
- id=1863 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=42 | option_b=36 | option_c=35 | option_d=28 | answer=C | explanation=The common difference is 7. Therefore the next term is 28 + 7 = 35.
- id=1864 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2014. If it is sold at a profit of 5%, what is its selling price? | option_a=2315 | option_b=1913 | option_c=2114 | option_d=2019 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2014 × 105/100 = █2114.
- id=1865 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=24 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.
- id=1866 | topic=Averages | difficulty=Easy | question=Find the average of 46, 91, 32, 59, 42. | option_a=53 | option_b=54 | option_c=56 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 270 ÷ 5 = 54.
- id=1867 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=6 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=1868 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 16. | option_a=112 | option_b=224 | option_c=126 | option_d=96 | answer=A | explanation=LCM × HCF = 14×16; HCF(14,16) = 2, so LCM = 112.
- id=1869 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=M | option_c=O | option_d=K | answer=C | explanation=Move 2 positions forward from M; the resulting letter is O.
- id=1870 | topic=Averages | difficulty=Easy | question=Find the average of 94, 89, 56, 69, 80, 62. | option_a=75 | option_b=76 | option_c=77 | option_d=74 | answer=A | explanation=Average = sum of values ÷ number of values = 450 ÷ 6 = 75.
- id=1871 | topic=Averages | difficulty=Easy | question=Find the average of 28, 70, 23, 79, 93, 67, 48, 89, 70. | option_a=64 | option_b=62 | option_c=65 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 567 ÷ 9 = 63.
- id=1872 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=10 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.
- id=1873 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30031 at 4% per annum for 2 years. | option_a=2502 | option_b=2402 | option_c=2302 | option_d=32433 | answer=B | explanation=SI = PRT/100 = 30031×4×2/100 = █2402.
- id=1874 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:5 and the first is 266, what is the second? | option_a=65 | option_b=336 | option_c=70 | option_d=89 | answer=C | explanation=Scale factor = 266/19 = 14. Therefore second quantity = 5×14 = 70.
- id=1875 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=240 | option_d=125 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.
- id=1876 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=78 | option_b=67 | option_c=54 | option_d=66 | answer=D | explanation=The common difference is 12. Therefore the next term is 54 + 12 = 66.
- id=1877 | topic=Profit & Loss | difficulty=Easy | question=An article costs █802. If it is sold at a profit of 5%, what is its selling price? | option_a=762 | option_b=922 | option_c=807 | option_d=842 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 802 × 105/100 = █842.
- id=1878 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2666. If it is sold at a profit of 30%, what is its selling price? | option_a=2696 | option_b=3465 | option_c=3199 | option_d=3731 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2666 × 130/100 = █3465.
- id=1879 | topic=Averages | difficulty=Easy | question=Find the average of 18, 56, 89, 50, 84, 67, 70. | option_a=63 | option_b=62 | option_c=64 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 434 ÷ 7 = 62.
- id=1880 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:4 and the first is 190, what is the second? | option_a=266 | option_b=72 | option_c=76 | option_d=86 | answer=C | explanation=Scale factor = 190/10 = 19. Therefore second quantity = 4×19 = 76.
- id=1881 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.
- id=1882 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1301. If it is sold at a profit of 50%, what is its selling price? | option_a=2081 | option_b=1821 | option_c=1351 | option_d=1951 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1301 × 150/100 = █1951.
- id=1883 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.
- id=1884 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 20. | option_a=1 | option_b=20 | option_c=400 | option_d=40 | answer=B | explanation=LCM × HCF = 20×20; HCF(20,20) = 20, so LCM = 20.
- id=1885 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=125 | option_b=240 | option_c=120 | option_d=115 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.
- id=1886 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41896 at 6% per annum for 4 years. | option_a=51951 | option_b=9955 | option_c=10055 | option_d=10155 | answer=C | explanation=SI = PRT/100 = 41896×6×4/100 = █10055.
- id=1887 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=Q | option_b=K | option_c=H | option_d=N | answer=D | explanation=Move 3 positions forward from K; the resulting letter is N.
- id=1888 | topic=Percentages | difficulty=Easy | question=What is 30% of 1323? | option_a=792 | option_b=401 | option_c=396 | option_d=386 | answer=C | explanation=30% of 1323 = (30/100) × 1323 = 396.
- id=1889 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 38? | option_a=30 | option_b=34 | option_c=38 | option_d=32 | answer=C | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 38 is the odd one out.
- id=1890 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=K | option_b=N | option_c=E | option_d=H | answer=A | explanation=Move 3 positions forward from H; the resulting letter is K.

Aptitude Questions — Records 1,891-1,920 of 100,000

- id=1891 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.
- id=1892 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=40 | option_c=15 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.
- id=1893 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:7 and the first is 221, what is the second? | option_a=112 | option_b=119 | option_c=132 | option_d=340 | answer=B | explanation=Scale factor = 221/13 = 17. Therefore second quantity = 7×17 = 119.
- id=1894 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=M | option_b=Q | option_c=E | option_d=I | answer=A | explanation=Move 4 positions forward from I; the resulting letter is M.
- id=1895 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=1896 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=F | option_b=K | option_c=U | option_d=P | answer=D | explanation=Move 5 positions forward from K; the resulting letter is P.
- id=1897 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2090. If it is sold at a profit of 10%, what is its selling price? | option_a=2090 | option_b=2299 | option_c=2100 | option_d=2508 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2090 × 110/100 = █2299.
- id=1898 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38480 at 15% per annum for 2 years. | option_a=11644 | option_b=11444 | option_c=50024 | option_d=11544 | answer=D | explanation=SI = PRT/100 = 38480×15×2/100 = █11544.
- id=1899 | topic=Percentages | difficulty=Easy | question=What is 25% of 1558? | option_a=389 | option_b=778 | option_c=384 | option_d=409 | answer=A | explanation=25% of 1558 = (25/100) × 1558 = 389.
- id=1900 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=J | option_b=K | option_c=M | option_d=L | answer=D | explanation=Move 1 positions forward from K; the resulting letter is L.
- id=1901 | topic=Averages | difficulty=Easy | question=Find the average of 33, 21, 21, 13. | option_a=23 | option_b=22 | option_c=21 | option_d=24 | answer=B | explanation=Average = sum of values ÷ number of values = 88 ÷ 4 = 22.
- id=1902 | topic=Averages | difficulty=Easy | question=Find the average of 20, 59, 53. | option_a=43 | option_b=44 | option_c=46 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = 132 ÷ 3 = 44.
- id=1903 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 24. | option_a=168 | option_b=144 | option_c=504 | option_d=189 | answer=A | explanation=LCM × HCF = 21×24; HCF(21,24) = 3, so LCM = 168.
- id=1904 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=R | option_b=S | option_c=T | option_d=U | answer=C | explanation=Move 1 positions forward from S; the resulting letter is T.
- id=1905 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1540. If it is sold at a profit of 20%, what is its selling price? | option_a=2002 | option_b=1560 | option_c=1848 | option_d=1694 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1540 × 120/100 = █1848.
- id=1906 | topic=Profit & Loss | difficulty=Easy | question=An article costs █720. If it is sold at a profit of 20%, what is its selling price? | option_a=792 | option_b=864 | option_c=740 | option_d=936 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 720 × 120/100 = █864.
- id=1907 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26864 at 12% per annum for 5 years. | option_a=16118 | option_b=16218 | option_c=42982 | option_d=16018 | answer=A | explanation=SI = PRT/100 = 26864×12×5/100 = █16118.
- id=1908 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 41? | option_a=41 | option_b=28 | option_c=22 | option_d=34 | answer=A | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 41 is the odd one out.
- id=1909 | topic=Averages | difficulty=Easy | question=Find the average of 93, 97, 44. | option_a=79 | option_b=80 | option_c=78 | option_d=77 | answer=C | explanation=Average = sum of values ÷ number of values = 234 ÷ 3 = 78.
- id=1910 | topic=Percentages | difficulty=Easy | question=What is 40% of 178? | option_a=142 | option_b=81 | option_c=51 | option_d=71 | answer=D | explanation=40% of 178 = (40/100) × 178 = 71.
- id=1911 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3753. If it is sold at a profit of 5%, what is its selling price? | option_a=3758 | option_b=3565 | option_c=4315 | option_d=3940 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3753 × 105/100 = █3940.
- id=1912 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=U | option_b=S | option_c=V | option_d=T | answer=A | explanation=Move 1 positions forward from T; the resulting letter is U.
- id=1913 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:11 and the first is 304, what is the second? | option_a=513 | option_b=198 | option_c=209 | option_d=225 | answer=C | explanation=Scale factor = 304/16 = 19. Therefore second quantity = 11×19 = 209.
- id=1914 | topic=Percentages | difficulty=Easy | question=What is 25% of 1464? | option_a=366 | option_b=356 | option_c=376 | option_d=732 | answer=A | explanation=25% of 1464 = (25/100) × 1464 = 366.
- id=1915 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 6. | option_a=48 | option_b=96 | option_c=42 | option_d=64 | answer=A | explanation=LCM × HCF = 16×6; HCF(16,6) = 2, so LCM = 48.
- id=1916 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=B | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=1917 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.
- id=1918 | topic=Percentages | difficulty=Easy | question=What is 30% of 1068? | option_a=325 | option_b=640 | option_c=320 | option_d=310 | answer=C | explanation=30% of 1068 = (30/100) × 1068 = 320.
- id=1919 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 15. | option_a=1 | option_b=15 | option_c=225 | option_d=30 | answer=B | explanation=LCM × HCF = 15×15; HCF(15,15) = 15, so LCM = 15.
- id=1920 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=90 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

Aptitude Questions — Records 1,921-1,950 of 100,000

id=1921 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=27 | option_b=28 | option_c=23 | option_d=31 | answer=A | explanation=The common difference is 4. Therefore the next term is $23 + 4 = 27$.

id=1922 | topic=Averages | difficulty=Easy | question=Find the average of 72, 11, 49, 90, 30, 53, 90, 49, 105. | option_a=62 | option_b=61 | option_c=60 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = $549 \div 9 = 61$.

id=1923 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=46 | option_b=47 | option_c=56 | option_d=36 | answer=A | explanation=The common difference is 10. Therefore the next term is $36 + 10 = 46$.

id=1924 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on $\text{₹}25219$ at 10% per annum for 4 years. | option_a=9987 | option_b=10187 | option_c=35306 | option_d=10087 | answer=D | explanation=SI = $\text{PRT}/100 = 25219 \times 10 \times 4 / 100 = \text{₹}10087$.

id=1925 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=100 | option_c=200 | option_d=105 | answer=B | explanation=Speed = distance ÷ time = $300 \div 3 = 100$ km/h.

id=1926 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=36 | option_b=41 | option_c=72 | option_d=31 | answer=A | explanation=Speed = distance ÷ time = $360 \div 10 = 36$ km/h.

id=1927 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=27 | option_b=32 | option_c=33 | option_d=37 | answer=B | explanation=The common difference is 5. Therefore the next term is $27 + 5 = 32$.

id=1928 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=29 | option_b=34 | option_c=24 | option_d=30 | answer=A | explanation=The common difference is 5. Therefore the next term is $24 + 5 = 29$.

id=1929 | topic=Percentages | difficulty=Easy | question=What is 50% of 691? | option_a=345 | option_b=690 | option_c=335 | option_d=350 | answer=A | explanation=50% of 691 = $(50/100) \times 691 = 345$.

id=1930 | topic=Profit & Loss | difficulty=Easy | question=An article costs $\text{₹}4435$. If it is sold at a profit of 50%, what is its selling price? | option_a=6652 | option_b=7095 | option_c=6209 | option_d=4485 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 4435 \times 150 / 100 = \text{₹}6652$.

id=1931 | topic=Profit & Loss | difficulty=Easy | question=An article costs $\text{₹}3782$. If it is sold at a profit of 40%, what is its selling price? | option_a=4916 | option_b=5294 | option_c=3822 | option_d=5672 | answer=B | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 3782 \times 140 / 100 = \text{₹}5294$.

id=1932 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=7 | option_c=12 | option_d=17 | answer=C | explanation=Speed = distance ÷ time = $60 \div 5 = 12$ km/h.

id=1933 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=24 | option_c=19 | option_d=48 | answer=B | explanation=Speed = distance ÷ time = $240 \div 10 = 24$ km/h.

id=1934 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 132, what is the second? | option_a=324 | option_b=192 | option_c=176 | option_d=203 | answer=B | explanation=Scale factor = $132 / 11 = 12$. Therefore second quantity = $16 \times 12 = 192$.

id=1935 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=35 | option_b=30 | option_c=23 | option_d=29 | answer=D | explanation=The common difference is 6. Therefore the next term is $23 + 6 = 29$.

id=1936 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 59? | option_a=59 | option_b=37 | option_c=47 | option_d=27 | answer=A | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 59 is the odd one out.

id=1937 | topic=Percentages | difficulty=Easy | question=What is 20% of 660? | option_a=137 | option_b=264 | option_c=132 | option_d=127 | answer=C | explanation=20% of 660 = $(20/100) \times 660 = 132$.

id=1938 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=C | option_b=U | option_c=Q | option_d=Y | answer=D | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=1939 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on $\text{₹}30273$ at 12% per annum for 4 years. | option_a=14531 | option_b=44804 | option_c=14431 | option_d=14631 | answer=A | explanation=SI = $\text{PRT}/100 = 30273 \times 12 \times 4 / 100 = \text{₹}14531$.

id=1940 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=180 | option_c=85 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = $360 \div 4 = 90$ km/h.

id=1941 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:19 and the first is 36, what is the second? | option_a=120 | option_b=150 | option_c=114 | option_d=95 | answer=C | explanation=Scale factor = $36 / 6 = 6$. Therefore second quantity = $19 \times 6 = 114$.

id=1942 | topic=Percentages | difficulty=Easy | question=What is 25% of 1827? | option_a=912 | option_b=476 | option_c=456 | option_d=446 | answer=C | explanation=25% of 1827 = $(25/100) \times 1827 = 456$.

id=1943 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64 / 16 = 4$ days.

id=1944 | topic=Profit & Loss | difficulty=Easy | question=An article costs $\text{₹}4134$. If it is sold at a profit of 40%, what is its selling price? | option_a=4174 | option_b=6200 | option_c=5374 | option_d=5787 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 4134 \times 140 / 100 = \text{₹}5787$.

id=1945 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=K | option_c=Q | option_d=O | answer=D | explanation=Move 2 positions forward from M; the resulting letter is O.

id=1946 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on $\text{₹}8552$ at 15% per annum for 3 years. | option_a=12400 | option_b=3748 | option_c=3848 | option_d=3948 | answer=C | explanation=SI = $\text{PRT}/100 = 8552 \times 15 \times 3 / 100 = \text{₹}3848$.

id=1947 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=Q | option_b=T | option_c=R | option_d=S | answer=D | explanation=Move 1 positions forward from R; the resulting letter is S.

id=1948 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 3. | option_a=9 | option_b=1 | option_c=3 | option_d=6 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 3 \times 3$; $\text{HCF}(3,3) = 3$, so $\text{LCM} = 3$.

id=1949 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on $\text{₹}33806$ at 6% per annum for 3 years. | option_a=6085 | option_b=6185 | option_c=5985 | option_d=39891 | answer=A | explanation=SI = $\text{PRT}/100 = 33806 \times 6 \times 3 / 100 = \text{₹}6085$.

id=1950 | topic=Percentages | difficulty=Easy | question=What is 20% of 1094? | option_a=228 | option_b=218 | option_c=213 | option_d=436 | answer=B | explanation=20% of 1094 = $(20/100) \times 1094 = 218$.

Aptitude Questions — Records 1,951-1,980 of 100,000

id=1951 | topic=Percentages | difficulty=Easy | question=What is 5% of 459? | option_a=17 | option_b=27 | option_c=22 | option_d=44 | answer=C | explanation=5% of 459 = (5/100) × 459 = 22.

id=1952 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4864. If it is sold at a profit of 30%, what is its selling price? | option_a=5837 | option_b=6323 | option_c=4894 | option_d=6809 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4864 × 130/100 = █6323.

id=1953 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36142 at 4% per annum for 5 years. | option_a=7228 | option_b=43370 | option_c=7328 | option_d=7128 | answer=A | explanation=SI = PRT/100 = 36142×4×5/100 = █7228.

id=1954 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 18, 22, 27? | option_a=22 | option_b=27 | option_c=14 | option_d=18 | answer=B | explanation=The first three numbers increase by 4, so the next should be 26. Therefore 27 is the odd one out.

id=1955 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=41 | option_c=31 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=1956 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 16. | option_a=18 | option_b=1 | option_c=16 | option_d=32 | answer=C | explanation=LCM × HCF = 2×16; HCF(2,16) = 2, so LCM = 16.

id=1957 | topic=Profit & Loss | difficulty=Easy | question=An article costs █441. If it is sold at a profit of 40%, what is its selling price? | option_a=661 | option_b=481 | option_c=573 | option_d=617 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 441 × 140/100 = █617.

id=1958 | topic=Averages | difficulty=Easy | question=Find the average of 98, 96, 37, 85, 48, 56, 70. | option_a=71 | option_b=72 | option_c=69 | option_d=70 | answer=D | explanation=Average = sum of values ÷ number of values = 490 ÷ 7 = 70.

id=1959 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=25 | option_b=31 | option_c=35 | option_d=30 | answer=D | explanation=The common difference is 5. Therefore the next term is 25 + 5 = 30.

id=1960 | topic=Averages | difficulty=Easy | question=Find the average of 52, 36, 73, 59, 55. | option_a=54 | option_b=55 | option_c=56 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 275 ÷ 5 = 55.

id=1961 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=60 | option_b=47 | option_c=59 | option_d=71 | answer=C | explanation=The common difference is 12. Therefore the next term is 47 + 12 = 59.

id=1962 | topic=Percentages | difficulty=Easy | question=What is 5% of 1796? | option_a=84 | option_b=178 | option_c=109 | option_d=89 | answer=D | explanation=5% of 1796 = (5/100) × 1796 = 89.

id=1963 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:13 and the first is 300, what is the second? | option_a=560 | option_b=247 | option_c=260 | option_d=275 | answer=C | explanation=Scale factor = 300/15 = 20. Therefore second quantity = 13×20 = 260.

id=1964 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=1965 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=1966 | topic=Profit & Loss | difficulty=Easy | question=An article costs █805. If it is sold at a profit of 20%, what is its selling price? | option_a=966 | option_b=1046 | option_c=886 | option_d=825 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 805 × 120/100 = █966.

id=1967 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:19 and the first is 17, what is the second? | option_a=324 | option_b=340 | option_c=304 | option_d=323 | answer=D | explanation=Scale factor = 17/1 = 17. Therefore second quantity = 19×17 = 323.

id=1968 | topic=Averages | difficulty=Easy | question=Find the average of 60, 96, 58, 14. | option_a=59 | option_b=56 | option_c=58 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 228 ÷ 4 = 57.

id=1969 | topic=Percentages | difficulty=Easy | question=What is 5% of 1231? | option_a=61 | option_b=81 | option_c=122 | option_d=56 | answer=A | explanation=5% of 1231 = (5/100) × 1231 = 61.

id=1970 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:9 and the first is 8, what is the second? | option_a=72 | option_b=80 | option_c=63 | option_d=73 | answer=A | explanation=Scale factor = 8/1 = 8. Therefore second quantity = 9×8 = 72.

id=1971 | topic=Percentages | difficulty=Easy | question=What is 5% of 1381? | option_a=89 | option_b=59 | option_c=69 | option_d=138 | answer=C | explanation=5% of 1381 = (5/100) × 1381 = 69.

id=1972 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:3 and the first is 156, what is the second? | option_a=36 | option_b=39 | option_c=51 | option_d=195 | answer=B | explanation=Scale factor = 156/12 = 13. Therefore second quantity = 3×13 = 39.

id=1973 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=1974 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=1975 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2174. If it is sold at a profit of 15%, what is its selling price? | option_a=2500 | option_b=2189 | option_c=2717 | option_d=2283 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2174 × 115/100 = █2500.

id=1976 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=E | option_b=G | option_c=H | option_d=F | answer=B | explanation=Move 1 positions forward from F; the resulting letter is G.

id=1977 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=53 | option_b=52 | option_c=42 | option_d=62 | answer=B | explanation=The common difference is 10. Therefore the next term is 42 + 10 = 52.

id=1978 | topic=Averages | difficulty=Easy | question=Find the average of 20, 63, 24, 74, 79, 15, 76, 23, 85. | option_a=50 | option_b=53 | option_c=52 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 459 ÷ 9 = 51.

id=1979 | topic=Averages | difficulty=Easy | question=Find the average of 72, 24, 51, 57, 80, 60, 76, 100. | option_a=64 | option_b=66 | option_c=65 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 520 ÷ 8 = 65.

id=1980 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 1,981-2,010 of 100,000

id=1981 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 30, 33, 38? | option_a=30 | option_b=33 | option_c=38 | option_d=27 | answer=C | explanation=The first three numbers increase by 3, so the next should be 36. Therefore 38 is the odd one out.

id=1982 | topic=Averages | difficulty=Easy | question=Find the average of 48, 36, 79, 91, 22, 34, 13, 12, 16. | option_a=40 | option_b=41 | option_c=39 | option_d=38 | answer=C | explanation=Average = sum of values ÷ number of values = 351 ÷ 9 = 39.

id=1983 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■45596 at 4% per annum for 1 years. | option_a=47419 | option_b=1823 | option_c=1923 | option_d=1723 | answer=B | explanation=SI = PRT/100 = 45596×4×1/100 = ■1823.

id=1984 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=1985 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=1986 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=25 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=1987 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:15 and the first is 144, what is the second? | option_a=138 | option_b=105 | option_c=120 | option_d=264 | answer=C | explanation=Scale factor = 144/18 = 8. Therefore second quantity = 15×8 = 120.

id=1988 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=O | option_b=Z | option_c=E | option_d=J | answer=D | explanation=Move 5 positions forward from E; the resulting letter is J.

id=1989 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4212. If it is sold at a profit of 15%, what is its selling price? | option_a=4843 | option_b=4422 | option_c=5264 | option_d=4227 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4212 × 115/100 = ■4843.

id=1990 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 30? | option_a=26 | option_b=22 | option_c=24 | option_d=30 | answer=D | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 30 is the odd one out.

id=1991 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■30604 at 6% per annum for 2 years. | option_a=34276 | option_b=3572 | option_c=3772 | option_d=3672 | answer=D | explanation=SI = PRT/100 = 30604×6×2/100 = ■3672.

id=1992 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=1993 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=N | option_c=B | option_d=J | answer=D | explanation=Move 4 positions forward from F; the resulting letter is J.

id=1994 | topic=Averages | difficulty=Easy | question=Find the average of 97, 84, 73, 39, 66, 99, 24, 22. | option_a=65 | option_b=62 | option_c=63 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 504 ÷ 8 = 63.

id=1995 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=28 | option_b=26 | option_c=30 | option_d=29 | answer=A | explanation=The common difference is 2. Therefore the next term is 26 + 2 = 28.

id=1996 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=1997 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=30 | option_b=24 | option_c=28 | option_d=27 | answer=D | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=1998 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■20683 at 5% per annum for 4 years. | option_a=4036 | option_b=24819 | option_c=4236 | option_d=4136 | answer=D | explanation=SI = PRT/100 = 20683×5×4/100 = ■4136.

id=1999 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 29, 31, 34? | option_a=27 | option_b=34 | option_c=31 | option_d=29 | answer=B | explanation=The first three numbers increase by 2, so the next should be 33. Therefore 34 is the odd one out.

id=2000 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:11 and the first is 45, what is the second? | option_a=104 | option_b=88 | option_c=99 | option_d=144 | answer=C | explanation=Scale factor = 45/5 = 9. Therefore second quantity = 11×9 = 99.

id=2001 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=L | option_b=P | option_c=T | option_d=X | answer=C | explanation=Move 4 positions forward from P; the resulting letter is T.

id=2002 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■26418 at 10% per annum for 5 years. | option_a=13309 | option_b=13109 | option_c=39627 | option_d=13209 | answer=D | explanation=SI = PRT/100 = 26418×10×5/100 = ■13209.

id=2003 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 9, 12, 17? | option_a=6 | option_b=12 | option_c=9 | option_d=17 | answer=D | explanation=The first three numbers increase by 3, so the next should be 15. Therefore 17 is the odd one out.

id=2004 | topic=Averages | difficulty=Easy | question=Find the average of 90, 56, 38, 43, 62, 17, 65, 15, 55. | option_a=50 | option_b=48 | option_c=49 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 441 ÷ 9 = 49.

id=2005 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=H | option_b=P | option_c=L | option_d=T | answer=B | explanation=Move 4 positions forward from L; the resulting letter is P.

id=2006 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■32415 at 10% per annum for 5 years. | option_a=16307 | option_b=16207 | option_c=16107 | option_d=48622 | answer=B | explanation=SI = PRT/100 = 32415×10×5/100 = ■16207.

id=2007 | topic=Averages | difficulty=Easy | question=Find the average of 73, 19, 65, 86, 13, 63, 24. | option_a=50 | option_b=51 | option_c=48 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 343 ÷ 7 = 49.

id=2008 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=E | option_b=H | option_c=Y | option_d=B | answer=A | explanation=Move 3 positions forward from B; the resulting letter is E.

id=2009 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=23 | option_d=13 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=2010 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 44? | option_a=44 | option_b=25 | option_c=33 | option_d=17 | answer=A | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 44 is the odd one out.

Aptitude Questions — Records 2,011-2,040 of 100,000

id=2011 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4111. If it is sold at a profit of 30%, what is its selling price? | option_a=4141 | option_b=4933 | option_c=5755 | option_d=5344 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4111 × 130/100 = █5344.

id=2012 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:20 and the first is 180, what is the second? | option_a=360 | option_b=340 | option_c=540 | option_d=370 | answer=A | explanation=Scale factor = 180/10 = 18. Therefore second quantity = 20×18 = 360.

id=2013 | topic=Averages | difficulty=Easy | question=Find the average of 54, 49, 34, 52, 76, 101. | option_a=61 | option_b=60 | option_c=62 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 366 ÷ 6 = 61.

id=2014 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 27, 39, 51, ? | option_a=64 | option_b=63 | option_c=51 | option_d=75 | answer=B | explanation=The common difference is 12. Therefore the next term is 51 + 12 = 63.

id=2015 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:12 and the first is 133, what is the second? | option_a=361 | option_b=235 | option_c=228 | option_d=216 | answer=C | explanation=Scale factor = 133/7 = 19. Therefore second quantity = 12×19 = 228.

id=2016 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=35 | option_b=38 | option_c=30 | option_d=34 | answer=D | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.

id=2017 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=F | option_c=J | option_d=H | answer=C | explanation=Move 2 positions forward from H; the resulting letter is J.

id=2018 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=2019 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=57 | option_b=66 | option_c=56 | option_d=46 | answer=C | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=2020 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=29 | option_b=22 | option_c=34 | option_d=28 | answer=D | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.

id=2021 | topic=Percentages | difficulty=Easy | question=What is 15% of 186? | option_a=27 | option_b=37 | option_c=17 | option_d=54 | answer=A | explanation=15% of 186 = (15/100) × 186 = 27.

id=2022 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 28, 36, 45? | option_a=36 | option_b=20 | option_c=45 | option_d=28 | answer=C | explanation=The first three numbers increase by 8, so the next should be 44. Therefore 45 is the odd one out.

id=2023 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=Z | option_b=P | option_c=K | option_d=U | answer=D | explanation=Move 5 positions forward from P; the resulting letter is U.

id=2024 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=2025 | topic=Percentages | difficulty=Easy | question=What is 10% of 1785? | option_a=188 | option_b=356 | option_c=178 | option_d=173 | answer=C | explanation=10% of 1785 = (10/100) × 1785 = 178.

id=2026 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=L | option_b=R | option_c=N | option_d=P | answer=D | explanation=Move 2 positions forward from N; the resulting letter is P.

id=2027 | topic=Percentages | difficulty=Easy | question=What is 25% of 278? | option_a=69 | option_b=138 | option_c=89 | option_d=49 | answer=A | explanation=25% of 278 = (25/100) × 278 = 69.

id=2028 | topic=Averages | difficulty=Easy | question=Find the average of 38, 89, 87, 83, 44, 85. | option_a=72 | option_b=73 | option_c=71 | option_d=70 | answer=C | explanation=Average = sum of values ÷ number of values = 426 ÷ 6 = 71.

id=2029 | topic=Percentages | difficulty=Easy | question=What is 25% of 1183? | option_a=300 | option_b=290 | option_c=295 | option_d=590 | answer=C | explanation=25% of 1183 = (25/100) × 1183 = 295.

id=2030 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6975 at 10% per annum for 5 years. | option_a=10462 | option_b=3487 | option_c=3587 | option_d=3387 | answer=B | explanation=SI = PRT/100 = 6975×10×5/100 = █3487.

id=2031 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2116. If it is sold at a profit of 40%, what is its selling price? | option_a=2751 | option_b=2156 | option_c=2962 | option_d=3173 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2116 × 140/100 = █2962.

id=2032 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=19 | option_b=23 | option_c=24 | option_d=27 | answer=B | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=2033 | topic=Percentages | difficulty=Easy | question=What is 20% of 539? | option_a=87 | option_b=107 | option_c=117 | option_d=214 | answer=B | explanation=20% of 539 = (20/100) × 539 = 107.

id=2034 | topic=Averages | difficulty=Easy | question=Find the average of 20, 62, 66, 68. | option_a=54 | option_b=56 | option_c=53 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 216 ÷ 4 = 54.

id=2035 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=23 | option_b=24 | option_c=22 | option_d=20 | answer=C | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=2036 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=2037 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=2038 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27476 at 5% per annum for 2 years. | option_a=2747 | option_b=30223 | option_c=2847 | option_d=2647 | answer=A | explanation=SI = PRT/100 = 27476×5×2/100 = █2747.

id=2039 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:10 and the first is 72, what is the second? | option_a=90 | option_b=98 | option_c=80 | option_d=162 | answer=A | explanation=Scale factor = 72/8 = 9. Therefore second quantity = 10×9 = 90.

id=2040 | topic=Percentages | difficulty=Easy | question=What is 15% of 1455? | option_a=198 | option_b=436 | option_c=238 | option_d=218 | answer=D | explanation=15% of 1455 = (15/100) × 1455 = 218.

Aptitude Questions — Records 2,041-2,070 of 100,000

- id=2041 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=2042 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.
- id=2043 | topic=Percentages | difficulty=Easy | question=What is 25% of 831? | option_a=212 | option_b=414 | option_c=202 | option_d=207 | answer=D | explanation=25% of 831 = (25/100) × 831 = 207.
- id=2044 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4628. If it is sold at a profit of 5%, what is its selling price? | option_a=4633 | option_b=5321 | option_c=4859 | option_d=4397 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4628 × 105/100 = █4859.
- id=2045 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29566 at 6% per annum for 2 years. | option_a=3547 | option_b=3447 | option_c=33113 | option_d=3647 | answer=A | explanation=SI = PRT/100 = 29566×6×2/100 = █3547.
- id=2046 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35112 at 4% per annum for 2 years. | option_a=2908 | option_b=37920 | option_c=2708 | option_d=2808 | answer=D | explanation=SI = PRT/100 = 35112×4×2/100 = █2808.
- id=2047 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=25 | option_b=31 | option_c=37 | option_d=32 | answer=B | explanation=The common difference is 6. Therefore the next term is 25 + 6 = 31.
- id=2048 | topic=Averages | difficulty=Easy | question=Find the average of 35, 87, 19. | option_a=46 | option_b=48 | option_c=49 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 141 ÷ 3 = 47.
- id=2049 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35993 at 4% per annum for 4 years. | option_a=5858 | option_b=5758 | option_c=41751 | option_d=5658 | answer=B | explanation=SI = PRT/100 = 35993×4×4/100 = █5758.
- id=2050 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35973 at 5% per annum for 2 years. | option_a=3497 | option_b=39570 | option_c=3697 | option_d=3597 | answer=D | explanation=SI = PRT/100 = 35973×5×2/100 = █3597.
- id=2051 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:1 and the first is 306, what is the second? | option_a=17 | option_b=324 | option_c=35 | option_d=18 | answer=D | explanation=Scale factor = 306/17 = 18. Therefore second quantity = 1×18 = 18.
- id=2052 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4168 at 8% per annum for 2 years. | option_a=566 | option_b=4834 | option_c=666 | option_d=766 | answer=C | explanation=SI = PRT/100 = 4168×8×2/100 = █666.
- id=2053 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=37 | option_b=46 | option_c=47 | option_d=55 | answer=B | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.
- id=2054 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2133. If it is sold at a profit of 15%, what is its selling price? | option_a=2239 | option_b=2665 | option_c=2148 | option_d=2452 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2133 × 115/100 = █2452.
- id=2055 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1037 at 6% per annum for 4 years. | option_a=248 | option_b=348 | option_c=148 | option_d=1285 | answer=A | explanation=SI = PRT/100 = 1037×6×4/100 = █248.
- id=2056 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 46? | option_a=46 | option_b=19 | option_c=27 | option_d=35 | answer=A | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 46 is the odd one out.
- id=2057 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 28, 36, 44, ? | option_a=52 | option_b=60 | option_c=53 | option_d=44 | answer=A | explanation=The common difference is 8. Therefore the next term is 44 + 8 = 52.
- id=2058 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33974 at 15% per annum for 4 years. | option_a=54358 | option_b=20284 | option_c=20384 | option_d=20484 | answer=C | explanation=SI = PRT/100 = 33974×15×4/100 = █20384.
- id=2059 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3110. If it is sold at a profit of 25%, what is its selling price? | option_a=3135 | option_b=4198 | option_c=3576 | option_d=3887 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3110 × 125/100 = █3887.
- id=2060 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.
- id=2061 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.
- id=2062 | topic=Averages | difficulty=Easy | question=Find the average of 26, 63, 16, 41, 28, 91, 22, 47, 57, 19. | option_a=41 | option_b=43 | option_c=42 | option_d=40 | answer=A | explanation=Average = sum of values ÷ number of values = 410 ÷ 10 = 41.
- id=2063 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=O | option_b=P | option_c=M | option_d=N | answer=A | explanation=Move 1 positions forward from N; the resulting letter is O.
- id=2064 | topic=Percentages | difficulty=Easy | question=What is 40% of 1962? | option_a=1568 | option_b=789 | option_c=784 | option_d=774 | answer=C | explanation=40% of 1962 = (40/100) × 1962 = 784.
- id=2065 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 9, 11, 14? | option_a=14 | option_b=11 | option_c=9 | option_d=7 | answer=A | explanation=The first three numbers increase by 2, so the next should be 13. Therefore 14 is the odd one out.
- id=2066 | topic=Percentages | difficulty=Easy | question=What is 50% of 100? | option_a=100 | option_b=55 | option_c=50 | option_d=30 | answer=C | explanation=50% of 100 = (50/100) × 100 = 50.
- id=2067 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=2068 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 23, 26, 31? | option_a=23 | option_b=31 | option_c=20 | option_d=26 | answer=B | explanation=The first three numbers increase by 3, so the next should be 29. Therefore 31 is the odd one out.
- id=2069 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=M | option_c=B | option_d=W | answer=D | explanation=Move 5 positions forward from R; the resulting letter is W.
- id=2070 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

Aptitude Questions — Records 2,071-2,100 of 100,000

- id=2071 | topic=Averages | difficulty=Easy | question=Find the average of 88, 59, 45, 60. | option_a=65 | option_b=62 | option_c=63 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = $252 \div 4 = 63$.
- id=2072 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:5 and the first is 8, what is the second? | option_a=41 | option_b=40 | option_c=35 | option_d=48 | answer=B | explanation=Scale factor = $8/1 = 8$. Therefore second quantity = $5 \times 8 = 40$.
- id=2073 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.
- id=2074 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■45080 at 8% per annum for 1 years. | option_a=48686 | option_b=3706 | option_c=3506 | option_d=3606 | answer=D | explanation=SI = $PRT/100 = 45080 \times 8 \times 1/100 = \blacksquare 3606$.
- id=2075 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=19 | option_c=29 | option_d=48 | answer=A | explanation=Speed = distance ÷ time = $240 \div 10 = 24$ km/h.
- id=2076 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=P | option_b=U | option_c=K | option_d=F | answer=A | explanation=Move 5 positions forward from K; the resulting letter is P.
- id=2077 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=30 | option_b=24 | option_c=34 | option_d=29 | answer=D | explanation=The common difference is 5. Therefore the next term is $24 + 5 = 29$.
- id=2078 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:17 and the first is 121, what is the second? | option_a=187 | option_b=198 | option_c=170 | option_d=308 | answer=A | explanation=Scale factor = $121/11 = 11$. Therefore second quantity = $17 \times 11 = 187$.
- id=2079 | topic=Percentages | difficulty=Easy | question=What is 20% of 1999? | option_a=798 | option_b=399 | option_c=394 | option_d=409 | answer=B | explanation=20% of 1999 = $(20/100) \times 1999 = 399$.
- id=2080 | topic=Averages | difficulty=Easy | question=Find the average of 69, 29, 22, 99, 79, 74. | option_a=62 | option_b=64 | option_c=63 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = $372 \div 6 = 62$.
- id=2081 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.
- id=2082 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=20 | option_d=6 | answer=A | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.
- id=2083 | topic=Percentages | difficulty=Easy | question=What is 25% of 733? | option_a=183 | option_b=173 | option_c=366 | option_d=188 | answer=A | explanation=25% of 733 = $(25/100) \times 733 = 183$.
- id=2084 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.
- id=2085 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:4 and the first is 33, what is the second? | option_a=23 | option_b=8 | option_c=45 | option_d=12 | answer=D | explanation=Scale factor = $33/11 = 3$. Therefore second quantity = $4 \times 3 = 12$.
- id=2086 | topic=Averages | difficulty=Easy | question=Find the average of 60, 72, 23, 44, 86. | option_a=58 | option_b=57 | option_c=59 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = $285 \div 5 = 57$.
- id=2087 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=28 | option_b=23 | option_c=31 | option_d=27 | answer=D | explanation=The common difference is 4. Therefore the next term is $23 + 4 = 27$.
- id=2088 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■43170 at 15% per annum for 5 years. | option_a=32277 | option_b=75547 | option_c=32477 | option_d=32377 | answer=D | explanation=SI = $PRT/100 = 43170 \times 15 \times 5/100 = \blacksquare 32377$.
- id=2089 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:13 and the first is 24, what is the second? | option_a=156 | option_b=180 | option_c=143 | option_d=158 | answer=A | explanation=Scale factor = $24/2 = 12$. Therefore second quantity = $13 \times 12 = 156$.
- id=2090 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:13 and the first is 150, what is the second? | option_a=195 | option_b=182 | option_c=345 | option_d=205 | answer=A | explanation=Scale factor = $150/10 = 15$. Therefore second quantity = $13 \times 15 = 195$.
- id=2091 | topic=Averages | difficulty=Easy | question=Find the average of 69, 29, 100, 29, 14, 23. | option_a=45 | option_b=46 | option_c=43 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = $264 \div 6 = 44$.
- id=2092 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■8056 at 8% per annum for 2 years. | option_a=9344 | option_b=1288 | option_c=1188 | option_d=1388 | answer=B | explanation=SI = $PRT/100 = 8056 \times 8 \times 2/100 = \blacksquare 1288$.
- id=2093 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:11 and the first is 220, what is the second? | option_a=220 | option_b=440 | option_c=209 | option_d=231 | answer=A | explanation=Scale factor = $220/11 = 20$. Therefore second quantity = $11 \times 20 = 220$.
- id=2094 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:6 and the first is 221, what is the second? | option_a=102 | option_b=115 | option_c=96 | option_d=323 | answer=A | explanation=Scale factor = $221/13 = 17$. Therefore second quantity = $6 \times 17 = 102$.
- id=2095 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=240 | option_d=115 | answer=A | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.
- id=2096 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=U | option_b=K | option_c=P | option_d=F | answer=C | explanation=Move 5 positions forward from K; the resulting letter is P.
- id=2097 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:3 and the first is 238, what is the second? | option_a=65 | option_b=289 | option_c=51 | option_d=48 | answer=C | explanation=Scale factor = $238/14 = 17$. Therefore second quantity = $3 \times 17 = 51$.
- id=2098 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■16730 at 10% per annum for 5 years. | option_a=8265 | option_b=8365 | option_c=8465 | option_d=25095 | answer=B | explanation=SI = $PRT/100 = 16730 \times 10 \times 5/100 = \blacksquare 8365$.
- id=2099 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■28385 at 4% per annum for 1 years. | option_a=1135 | option_b=1235 | option_c=29520 | option_d=1035 | answer=A | explanation=SI = $PRT/100 = 28385 \times 4 \times 1/100 = \blacksquare 1135$.
- id=2100 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=34 | option_b=48 | option_c=42 | option_d=41 | answer=D | explanation=The common difference is 7. Therefore the next term is $34 + 7 = 41$.

Aptitude Questions — Records 2,101-2,130 of 100,000

id=2101 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 13, 18, 24? | option_a=24 | option_b=8 | option_c=18 | option_d=13 | answer=A | explanation=The first three numbers increase by 5, so the next should be 23. Therefore 24 is the odd one out.

id=2102 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 24, 34, 47? | option_a=24 | option_b=47 | option_c=34 | option_d=14 | answer=B | explanation=The first three numbers increase by 10, so the next should be 44. Therefore 47 is the odd one out.

id=2103 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 20. | option_a=100 | option_b=125 | option_c=500 | option_d=80 | answer=A | explanation= $LCM \times HCF = 25 \times 20$; $HCF(25,20) = 5$, so $LCM = 100$.

id=2104 | topic=Percentages | difficulty=Easy | question=What is 25% of 632? | option_a=316 | option_b=148 | option_c=163 | option_d=158 | answer=D | explanation= $25\% \text{ of } 632 = (25/100) \times 632 = 158$.

id=2105 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 21. | option_a=189 | option_b=210 | option_c=630 | option_d=240 | answer=B | explanation= $LCM \times HCF = 30 \times 21$; $HCF(30,21) = 3$, so $LCM = 210$.

id=2106 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=F | option_c=Z | option_d=B | answer=A | explanation=Move 2 positions forward from B; the resulting letter is D.

id=2107 | topic=Percentages | difficulty=Easy | question=What is 15% of 1136? | option_a=165 | option_b=175 | option_c=170 | option_d=340 | answer=C | explanation= $15\% \text{ of } 1136 = (15/100) \times 1136 = 170$.

id=2108 | topic=Percentages | difficulty=Easy | question=What is 5% of 930? | option_a=36 | option_b=51 | option_c=46 | option_d=92 | answer=C | explanation= $5\% \text{ of } 930 = (5/100) \times 930 = 46$.

id=2109 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 12, 21, 30, ? | option_a=39 | option_b=40 | option_c=30 | option_d=48 | answer=A | explanation=The common difference is 9. Therefore the next term is $30 + 9 = 39$.

id=2110 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2023. If it is sold at a profit of 40%, what is its selling price? | option_a=3034 | option_b=2063 | option_c=2832 | option_d=2630 | answer=C | explanation= $Selling\ price = CP \times (100 + profit\%)/100 = 2023 \times 140/100 = \text{█}2832$.

id=2111 | topic=Percentages | difficulty=Easy | question=What is 30% of 1453? | option_a=425 | option_b=435 | option_c=870 | option_d=440 | answer=B | explanation= $30\% \text{ of } 1453 = (30/100) \times 1453 = 435$.

id=2112 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1163. If it is sold at a profit of 25%, what is its selling price? | option_a=1453 | option_b=1188 | option_c=1337 | option_d=1569 | answer=A | explanation= $Selling\ price = CP \times (100 + profit\%)/100 = 1163 \times 125/100 = \text{█}1453$.

id=2113 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=M | option_c=Q | option_d=E | answer=B | explanation=Move 4 positions forward from I; the resulting letter is M.

id=2114 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24686 at 4% per annum for 3 years. | option_a=3062 | option_b=2962 | option_c=27648 | option_d=2862 | answer=B | explanation= $SI = PRT/100 = 24686 \times 4 \times 3/100 = \text{█}2962$.

id=2115 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1374. If it is sold at a profit of 10%, what is its selling price? | option_a=1648 | option_b=1374 | option_c=1384 | option_d=1511 | answer=D | explanation= $Selling\ price = CP \times (100 + profit\%)/100 = 1374 \times 110/100 = \text{█}1511$.

id=2116 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:4 and the first is 96, what is the second? | option_a=160 | option_b=70 | option_c=64 | option_d=60 | answer=C | explanation= $Scale\ factor = 96/6 = 16$. Therefore second quantity = $4 \times 16 = 64$.

id=2117 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 14, 23, 35? | option_a=23 | option_b=5 | option_c=35 | option_d=14 | answer=C | explanation=The first three numbers increase by 9, so the next should be 32. Therefore 35 is the odd one out.

id=2118 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2993. If it is sold at a profit of 15%, what is its selling price? | option_a=3142 | option_b=3740 | option_c=3441 | option_d=3008 | answer=C | explanation= $Selling\ price = CP \times (100 + profit\%)/100 = 2993 \times 115/100 = \text{█}3441$.

id=2119 | topic=Percentages | difficulty=Easy | question=What is 10% of 1915? | option_a=186 | option_b=191 | option_c=382 | option_d=196 | answer=B | explanation= $10\% \text{ of } 1915 = (10/100) \times 1915 = 191$.

id=2120 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 38, 48, 59? | option_a=59 | option_b=28 | option_c=38 | option_d=48 | answer=A | explanation=The first three numbers increase by 10, so the next should be 58. Therefore 59 is the odd one out.

id=2121 | topic=Percentages | difficulty=Easy | question=What is 30% of 746? | option_a=233 | option_b=218 | option_c=223 | option_d=446 | answer=C | explanation= $30\% \text{ of } 746 = (30/100) \times 746 = 223$.

id=2122 | topic=Averages | difficulty=Easy | question=Find the average of 85, 99, 18, 39, 94, 73, 81, 68, 59, 54. | option_a=68 | option_b=69 | option_c=67 | option_d=66 | answer=C | explanation= $Average = \text{sum of values} \div \text{number of values} = 670 \div 10 = 67$.

id=2123 | topic=Percentages | difficulty=Easy | question=What is 15% of 977? | option_a=292 | option_b=151 | option_c=146 | option_d=126 | answer=C | explanation= $15\% \text{ of } 977 = (15/100) \times 977 = 146$.

id=2124 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=S | option_b=K | option_c=G | option_d=O | answer=D | explanation=Move 4 positions forward from K; the resulting letter is O.

id=2125 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1198. If it is sold at a profit of 10%, what is its selling price? | option_a=1436 | option_b=1208 | option_c=1198 | option_d=1317 | answer=D | explanation= $Selling\ price = CP \times (100 + profit\%)/100 = 1198 \times 110/100 = \text{█}1317$.

id=2126 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 32, 39, 47? | option_a=39 | option_b=25 | option_c=32 | option_d=47 | answer=D | explanation=The first three numbers increase by 7, so the next should be 46. Therefore 47 is the odd one out.

id=2127 | topic=Averages | difficulty=Easy | question=Find the average of 78, 64, 47, 14, 23, 17, 51. | option_a=42 | option_b=44 | option_c=41 | option_d=43 | answer=A | explanation= $Average = \text{sum of values} \div \text{number of values} = 294 \div 7 = 42$.

id=2128 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=12 | answer=C | explanation= $Combined\ rate = 1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=2129 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:6 and the first is 44, what is the second? | option_a=68 | option_b=24 | option_c=18 | option_d=35 | answer=B | explanation= $Scale\ factor = 44/11 = 4$. Therefore second quantity = $6 \times 4 = 24$.

id=2130 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=90 | option_c=50 | option_d=40 | answer=A | explanation= $Speed = \text{distance} \div \text{time} = 90 \div 2 = 45\text{ km/h}$.

Aptitude Questions — Records 2,131-2,160 of 100,000

id=2131 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1596. If it is sold at a profit of 20%, what is its selling price? | option_a=2074 | option_b=1756 | option_c=1616 | option_d=1915 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1596 × 120/100 = ■1915.

id=2132 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:18 and the first is 190, what is the second? | option_a=532 | option_b=352 | option_c=324 | option_d=342 | answer=D | explanation=Scale factor = 190/10 = 19. Therefore second quantity = 18×19 = 342.

id=2133 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 42? | option_a=29 | option_b=23 | option_c=42 | option_d=35 | answer=C | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 42 is the odd one out.

id=2134 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=2135 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2836. If it is sold at a profit of 15%, what is its selling price? | option_a=2851 | option_b=3261 | option_c=2978 | option_d=3544 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2836 × 115/100 = ■3261.

id=2136 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=I | option_b=E | option_c=A | option_d=W | answer=B | explanation=Move 4 positions forward from A; the resulting letter is E.

id=2137 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■49356 at 15% per annum for 5 years. | option_a=36917 | option_b=37017 | option_c=86373 | option_d=37117 | answer=B | explanation=SI = PRT/100 = 49356×15×5/100 = ■37017.

id=2138 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=T | option_c=W | option_d=N | answer=B | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=2139 | topic=Percentages | difficulty=Easy | question=What is 15% of 930? | option_a=119 | option_b=159 | option_c=139 | option_d=278 | answer=C | explanation=15% of 930 = (15/100) × 930 = 139.

id=2140 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=29 | option_c=19 | option_d=48 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=2141 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:20 and the first is 40, what is the second? | option_a=100 | option_b=80 | option_c=108 | option_d=140 | answer=A | explanation=Scale factor = 40/8 = 5. Therefore second quantity = 20×5 = 100.

id=2142 | topic=Percentages | difficulty=Easy | question=What is 30% of 284? | option_a=105 | option_b=85 | option_c=170 | option_d=80 | answer=B | explanation=30% of 284 = (30/100) × 284 = 85.

id=2143 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=67 | option_b=56 | option_c=43 | option_d=55 | answer=D | explanation=The common difference is 12. Therefore the next term is 43 + 12 = 55.

id=2144 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■47600 at 4% per annum for 2 years. | option_a=51408 | option_b=3808 | option_c=3708 | option_d=3908 | answer=B | explanation=SI = PRT/100 = 47600×4×2/100 = ■3808.

id=2145 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3333. If it is sold at a profit of 15%, what is its selling price? | option_a=3499 | option_b=3832 | option_c=3348 | option_d=4165 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3333 × 115/100 = ■3832.

id=2146 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=51 | option_b=50 | option_c=38 | option_d=62 | answer=B | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=2147 | topic=Percentages | difficulty=Easy | question=What is 10% of 896? | option_a=99 | option_b=84 | option_c=89 | option_d=178 | answer=C | explanation=10% of 896 = (10/100) × 896 = 89.

id=2148 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=G | option_b=J | option_c=A | option_d=D | answer=A | explanation=Move 3 positions forward from D; the resulting letter is G.

id=2149 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=N | option_b=T | option_c=Q | option_d=W | answer=B | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=2150 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=G | option_c=C | option_d=I | answer=B | explanation=Move 2 positions forward from E; the resulting letter is G.

id=2151 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=H | option_c=D | option_d=P | answer=A | explanation=Move 4 positions forward from H; the resulting letter is L.

id=2152 | topic=Percentages | difficulty=Easy | question=What is 5% of 566? | option_a=56 | option_b=18 | option_c=28 | option_d=38 | answer=C | explanation=5% of 566 = (5/100) × 566 = 28.

id=2153 | topic=Averages | difficulty=Easy | question=Find the average of 24, 46, 28, 46, 45, 32, 64, 11, 73. | option_a=43 | option_b=42 | option_c=40 | option_d=41 | answer=D | explanation=Average = sum of values ÷ number of values = 369 ÷ 9 = 41.

id=2154 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=2155 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 10. | option_a=60 | option_b=70 | option_c=140 | option_d=84 | answer=B | explanation=LCM × HCF = 14×10; HCF(14,10) = 2, so LCM = 70.

id=2156 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 6. | option_a=24 | option_b=60 | option_c=180 | option_d=30 | answer=D | explanation=LCM × HCF = 30×6; HCF(30,6) = 6, so LCM = 30.

id=2157 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=2158 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2326. If it is sold at a profit of 25%, what is its selling price? | option_a=3139 | option_b=2675 | option_c=2907 | option_d=2351 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2326 × 125/100 = ■2907.

id=2159 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 10, 15, 20, ? | option_a=26 | option_b=25 | option_c=30 | option_d=20 | answer=B | explanation=The common difference is 5. Therefore the next term is 20 + 5 = 25.

id=2160 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=W | option_b=B | option_c=R | option_d=M | answer=A | explanation=Move 5 positions forward from R; the resulting letter is W.

Aptitude Questions — Records 2,161-2,190 of 100,000

- id=2161 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 6, 10, 15? | option_a=15 | option_b=2 | option_c=10 | option_d=6 | answer=A | explanation=The first three numbers increase by 4, so the next should be 14. Therefore 15 is the odd one out.
- id=2162 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=22 | option_b=18 | option_c=20 | option_d=21 | answer=C | explanation=The common difference is 2. Therefore the next term is 18 + 2 = 20.
- id=2163 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2609. If it is sold at a profit of 40%, what is its selling price? | option_a=3652 | option_b=3912 | option_c=2649 | option_d=3392 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2609 × 140/100 = █3652.
- id=2164 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=56 | option_b=68 | option_c=44 | option_d=57 | answer=A | explanation=The common difference is 12. Therefore the next term is 44 + 12 = 56.
- id=2165 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3212. If it is sold at a profit of 50%, what is its selling price? | option_a=4497 | option_b=3262 | option_c=4818 | option_d=5139 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3212 × 150/100 = █4818.
- id=2166 | topic=Percentages | difficulty=Easy | question=What is 25% of 1806? | option_a=451 | option_b=902 | option_c=441 | option_d=461 | answer=A | explanation=25% of 1806 = (25/100) × 1806 = 451.
- id=2167 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 15. | option_a=54 | option_b=135 | option_c=30 | option_d=45 | answer=D | explanation=LCM × HCF = 9×15; HCF(9,15) = 3, so LCM = 45.
- id=2168 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4729. If it is sold at a profit of 15%, what is its selling price? | option_a=4966 | option_b=5438 | option_c=4744 | option_d=5910 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4729 × 115/100 = █5438.
- id=2169 | topic=Averages | difficulty=Easy | question=Find the average of 62, 78, 19, 23, 97, 80, 66, 27, 38, 40. | option_a=52 | option_b=53 | option_c=55 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.
- id=2170 | topic=Percentages | difficulty=Easy | question=What is 5% of 575? | option_a=56 | option_b=18 | option_c=48 | option_d=28 | answer=D | explanation=5% of 575 = (5/100) × 575 = 28.
- id=2171 | topic=Averages | difficulty=Easy | question=Find the average of 53, 40, 88, 27. | option_a=51 | option_b=54 | option_c=53 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 208 ÷ 4 = 52.
- id=2172 | topic=Percentages | difficulty=Easy | question=What is 20% of 1024? | option_a=199 | option_b=408 | option_c=224 | option_d=204 | answer=D | explanation=20% of 1024 = (20/100) × 1024 = 204.
- id=2173 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=2174 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13835 at 15% per annum for 2 years. | option_a=4050 | option_b=17985 | option_c=4150 | option_d=4250 | answer=C | explanation=SI = PRT/100 = 13835×15×2/100 = █4150.
- id=2175 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 21. | option_a=189 | option_b=42 | option_c=63 | option_d=72 | answer=C | explanation=LCM × HCF = 9×21; HCF(9,21) = 3, so LCM = 63.
- id=2176 | topic=Averages | difficulty=Easy | question=Find the average of 90, 48, 97, 65, 29, 98, 18, 35. | option_a=59 | option_b=60 | option_c=61 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 480 ÷ 8 = 60.
- id=2177 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25545 at 4% per annum for 5 years. | option_a=5109 | option_b=30654 | option_c=5009 | option_d=5209 | answer=A | explanation=SI = PRT/100 = 25545×4×5/100 = █5109.
- id=2178 | topic=Profit & Loss | difficulty=Easy | question=An article costs █794. If it is sold at a profit of 15%, what is its selling price? | option_a=809 | option_b=834 | option_c=913 | option_d=992 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 794 × 115/100 = █913.
- id=2179 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.
- id=2180 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41039 at 15% per annum for 4 years. | option_a=24623 | option_b=65662 | option_c=24723 | option_d=24523 | answer=A | explanation=SI = PRT/100 = 41039×15×4/100 = █24623.
- id=2181 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 10, 12, 14, ? | option_a=16 | option_b=14 | option_c=17 | option_d=18 | answer=A | explanation=The common difference is 2. Therefore the next term is 14 + 2 = 16.
- id=2182 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.
- id=2183 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3884 at 8% per annum for 4 years. | option_a=5126 | option_b=1142 | option_c=1242 | option_d=1342 | answer=C | explanation=SI = PRT/100 = 3884×8×4/100 = █1242.
- id=2184 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=H | option_b=M | option_c=C | option_d=X | answer=A | explanation=Move 5 positions forward from C; the resulting letter is H.
- id=2185 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3558. If it is sold at a profit of 10%, what is its selling price? | option_a=3568 | option_b=3913 | option_c=4268 | option_d=3558 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3558 × 110/100 = █3913.
- id=2186 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=F | option_b=I | option_c=O | option_d=L | answer=D | explanation=Move 3 positions forward from I; the resulting letter is L.
- id=2187 | topic=Percentages | difficulty=Easy | question=What is 5% of 1637? | option_a=76 | option_b=162 | option_c=101 | option_d=81 | answer=D | explanation=5% of 1637 = (5/100) × 1637 = 81.
- id=2188 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=R | option_b=U | option_c=S | option_d=T | answer=D | explanation=Move 1 positions forward from S; the resulting letter is T.
- id=2189 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 30. | option_a=297 | option_b=810 | option_c=270 | option_d=240 | answer=C | explanation=LCM × HCF = 27×30; HCF(27,30) = 3, so LCM = 270.
- id=2190 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24156 at 6% per annum for 4 years. | option_a=29953 | option_b=5897 | option_c=5697 | option_d=5797 | answer=D | explanation=SI = PRT/100 = 24156×6×4/100 = █5797.

Aptitude Questions — Records 2,191-2,220 of 100,000

- id=2191 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:6 and the first is 36, what is the second? | option_a=24 | option_b=60 | option_c=18 | option_d=33 | answer=A | explanation=Scale factor = $36/9 = 4$. Therefore second quantity = $6 \times 4 = 24$.
- id=2192 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:17 and the first is 64, what is the second? | option_a=51 | option_b=132 | option_c=68 | option_d=84 | answer=C | explanation=Scale factor = $64/16 = 4$. Therefore second quantity = $17 \times 4 = 68$.
- id=2193 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 23, 25, 29? | option_a=23 | option_b=29 | option_c=21 | option_d=25 | answer=B | explanation=The first three numbers increase by 2, so the next should be 27. Therefore 29 is the odd one out.
- id=2194 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 24, 33, 43? | option_a=15 | option_b=33 | option_c=24 | option_d=43 | answer=D | explanation=The first three numbers increase by 9, so the next should be 42. Therefore 43 is the odd one out.
- id=2195 | topic=Percentages | difficulty=Easy | question=What is 20% of 1405? | option_a=281 | option_b=286 | option_c=562 | option_d=271 | answer=A | explanation=20% of 1405 = $(20/100) \times 1405 = 281$.
- id=2196 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3061. If it is sold at a profit of 25%, what is its selling price? | option_a=3826 | option_b=3520 | option_c=3086 | option_d=4132 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3061 \times 125/100 = \text{█}3826$.
- id=2197 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 10, 15, 20, ? | option_a=20 | option_b=30 | option_c=25 | option_d=26 | answer=C | explanation=The common difference is 5. Therefore the next term is $20 + 5 = 25$.
- id=2198 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 16, 23, 32? | option_a=23 | option_b=16 | option_c=9 | option_d=32 | answer=D | explanation=The first three numbers increase by 7, so the next should be 30. Therefore 32 is the odd one out.
- id=2199 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38802 at 8% per annum for 1 years. | option_a=41906 | option_b=3204 | option_c=3004 | option_d=3104 | answer=D | explanation=SI = $PRT/100 = 38802 \times 8 \times 1/100 = \text{█}3104$.
- id=2200 | topic=Percentages | difficulty=Easy | question=What is 15% of 882? | option_a=132 | option_b=137 | option_c=122 | option_d=264 | answer=A | explanation=15% of 882 = $(15/100) \times 882 = 132$.
- id=2201 | topic=Percentages | difficulty=Easy | question=What is 50% of 1631? | option_a=810 | option_b=820 | option_c=1630 | option_d=815 | answer=D | explanation=50% of 1631 = $(50/100) \times 1631 = 815$.
- id=2202 | topic=Percentages | difficulty=Easy | question=What is 10% of 1950? | option_a=205 | option_b=390 | option_c=185 | option_d=195 | answer=D | explanation=10% of 1950 = $(10/100) \times 1950 = 195$.
- id=2203 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:6 and the first is 171, what is the second? | option_a=108 | option_b=114 | option_c=123 | option_d=285 | answer=B | explanation=Scale factor = $171/9 = 19$. Therefore second quantity = $6 \times 19 = 114$.
- id=2204 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 35? | option_a=24 | option_b=35 | option_c=16 | option_d=8 | answer=B | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 35 is the odd one out.
- id=2205 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.
- id=2206 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=5 | answer=B | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.
- id=2207 | topic=Percentages | difficulty=Easy | question=What is 10% of 1419? | option_a=141 | option_b=282 | option_c=151 | option_d=131 | answer=A | explanation=10% of 1419 = $(10/100) \times 1419 = 141$.
- id=2208 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:19 and the first is 306, what is the second? | option_a=359 | option_b=323 | option_c=648 | option_d=342 | answer=D | explanation=Scale factor = $306/17 = 18$. Therefore second quantity = $19 \times 18 = 342$.
- id=2209 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=50 | option_d=30 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 150 \div 6 = 25$ km/h.
- id=2210 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31518 at 10% per annum for 1 years. | option_a=34669 | option_b=3251 | option_c=3151 | option_d=3051 | answer=C | explanation=SI = $PRT/100 = 31518 \times 10 \times 1/100 = \text{█}3151$.
- id=2211 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=T | option_b=W | option_c=V | option_d=U | answer=C | explanation=Move 1 positions forward from U; the resulting letter is V.
- id=2212 | topic=Averages | difficulty=Easy | question=Find the average of 55, 34, 77, 42, 85, 55. | option_a=57 | option_b=60 | option_c=59 | option_d=58 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 348 \div 6 = 58$.
- id=2213 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7696 at 4% per annum for 1 years. | option_a=307 | option_b=407 | option_c=207 | option_d=8003 | answer=A | explanation=SI = $PRT/100 = 7696 \times 4 \times 1/100 = \text{█}307$.
- id=2214 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4559. If it is sold at a profit of 5%, what is its selling price? | option_a=4564 | option_b=4331 | option_c=4786 | option_d=5241 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4559 \times 105/100 = \text{█}4786$.
- id=2215 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=O | option_c=K | option_d=C | answer=C | explanation=Move 4 positions forward from G; the resulting letter is K.
- id=2216 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=O | option_c=I | option_d=M | answer=D | explanation=Move 2 positions forward from K; the resulting letter is M.
- id=2217 | topic=Profit & Loss | difficulty=Easy | question=An article costs █787. If it is sold at a profit of 50%, what is its selling price? | option_a=837 | option_b=1180 | option_c=1258 | option_d=1102 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 787 \times 150/100 = \text{█}1180$.
- id=2218 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14677 at 15% per annum for 1 years. | option_a=2301 | option_b=16878 | option_c=2101 | option_d=2201 | answer=D | explanation=SI = $PRT/100 = 14677 \times 15 \times 1/100 = \text{█}2201$.
- id=2219 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=150 | option_c=145 | option_d=155 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 300 \div 2 = 150$ km/h.
- id=2220 | topic=Averages | difficulty=Easy | question=Find the average of 52, 70, 91, 99, 73, 43, 46, 86, 25. | option_a=66 | option_b=64 | option_c=65 | option_d=67 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 585 \div 9 = 65$.

Aptitude Questions — Records 2,221-2,250 of 100,000

- id=2221 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=2222 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:3 and the first is 100, what is the second? | option_a=115 | option_b=35 | option_c=15 | option_d=12 | answer=C | explanation=Scale factor = 100/20 = 5. Therefore second quantity = 3×5 = 15.
- id=2223 | topic=Averages | difficulty=Easy | question=Find the average of 60, 77, 71, 53, 13, 86. | option_a=59 | option_b=60 | option_c=62 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 360 ÷ 6 = 60.
- id=2224 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■48379 at 5% per annum for 2 years. | option_a=53216 | option_b=4737 | option_c=4837 | option_d=4937 | answer=C | explanation=SI = PRT/100 = 48379×5×2/100 = ■4837.
- id=2225 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 12. | option_a=120 | option_b=60 | option_c=70 | option_d=48 | answer=B | explanation=LCM × HCF = 10×12; HCF(10,12) = 2, so LCM = 60.
- id=2226 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2190. If it is sold at a profit of 5%, what is its selling price? | option_a=2195 | option_b=2518 | option_c=2299 | option_d=2080 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2190 × 105/100 = ■2299.
- id=2227 | topic=Percentages | difficulty=Easy | question=What is 25% of 1748? | option_a=874 | option_b=457 | option_c=437 | option_d=432 | answer=C | explanation=25% of 1748 = (25/100) × 1748 = 437.
- id=2228 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=2229 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1155. If it is sold at a profit of 40%, what is its selling price? | option_a=1732 | option_b=1502 | option_c=1195 | option_d=1617 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1155 × 140/100 = ■1617.
- id=2230 | topic=Percentages | difficulty=Easy | question=What is 15% of 1115? | option_a=177 | option_b=167 | option_c=157 | option_d=334 | answer=B | explanation=15% of 1115 = (15/100) × 1115 = 167.
- id=2231 | topic=Percentages | difficulty=Easy | question=What is 12% of 841? | option_a=90 | option_b=200 | option_c=120 | option_d=100 | answer=D | explanation=12% of 841 = (12/100) × 841 = 100.
- id=2232 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1537. If it is sold at a profit of 20%, what is its selling price? | option_a=1844 | option_b=1557 | option_c=1997 | option_d=1691 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1537 × 120/100 = ■1844.
- id=2233 | topic=Percentages | difficulty=Easy | question=What is 30% of 1724? | option_a=497 | option_b=517 | option_c=1034 | option_d=537 | answer=B | explanation=30% of 1724 = (30/100) × 1724 = 517.
- id=2234 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 37? | option_a=37 | option_b=30 | option_c=26 | option_d=22 | answer=A | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 37 is the odd one out.
- id=2235 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:4 and the first is 18, what is the second? | option_a=38 | option_b=36 | option_c=54 | option_d=32 | answer=B | explanation=Scale factor = 18/2 = 9. Therefore second quantity = 4×9 = 36.
- id=2236 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 33? | option_a=26 | option_b=16 | option_c=33 | option_d=21 | answer=C | explanation=The first three numbers increase by 5, so the next should be 31. Therefore 33 is the odd one out.
- id=2237 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=W | option_c=B | option_d=M | answer=B | explanation=Move 5 positions forward from R; the resulting letter is W.
- id=2238 | topic=Averages | difficulty=Easy | question=Find the average of 92, 57, 88, 25, 16, 28. | option_a=53 | option_b=51 | option_c=52 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 306 ÷ 6 = 51.
- id=2239 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=53 | option_b=43 | option_c=44 | option_d=33 | answer=B | explanation=The common difference is 10. Therefore the next term is 33 + 10 = 43.
- id=2240 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:19 and the first is 70, what is the second? | option_a=203 | option_b=143 | option_c=114 | option_d=133 | answer=D | explanation=Scale factor = 70/10 = 7. Therefore second quantity = 19×7 = 133.
- id=2241 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:6 and the first is 266, what is the second? | option_a=84 | option_b=103 | option_c=78 | option_d=350 | answer=A | explanation=Scale factor = 266/19 = 14. Therefore second quantity = 6×14 = 84.
- id=2242 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=E | option_c=O | option_d=T | answer=C | explanation=Move 5 positions forward from J; the resulting letter is O.
- id=2243 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■36079 at 15% per annum for 3 years. | option_a=16335 | option_b=16235 | option_c=16135 | option_d=52314 | answer=B | explanation=SI = PRT/100 = 36079×15×3/100 = ■16235.
- id=2244 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■22650 at 10% per annum for 1 years. | option_a=24915 | option_b=2365 | option_c=2265 | option_d=2165 | answer=C | explanation=SI = PRT/100 = 22650×10×1/100 = ■2265.
- id=2245 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=25 | option_b=20 | option_c=24 | option_d=28 | answer=C | explanation=The common difference is 4. Therefore the next term is 20 + 4 = 24.
- id=2246 | topic=Averages | difficulty=Easy | question=Find the average of 28, 65, 61, 82, 81, 17, 65. | option_a=59 | option_b=58 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 399 ÷ 7 = 57.
- id=2247 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■27082 at 12% per annum for 1 years. | option_a=3149 | option_b=3249 | option_c=3349 | option_d=30331 | answer=B | explanation=SI = PRT/100 = 27082×12×1/100 = ■3249.
- id=2248 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=Q | option_c=S | option_d=M | answer=B | explanation=Move 2 positions forward from O; the resulting letter is Q.
- id=2249 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 38? | option_a=21 | option_b=38 | option_c=31 | option_d=26 | answer=B | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 38 is the odd one out.
- id=2250 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 16, 26, 37? | option_a=26 | option_b=6 | option_c=37 | option_d=16 | answer=C | explanation=The first three numbers increase by 10, so the next should be 36. Therefore 37 is the odd one out.

Aptitude Questions — Records 2,251-2,280 of 100,000

id=2251 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=2252 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=18 | option_c=9 | option_d=14 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=2253 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=2254 | topic=Percentages | difficulty=Easy | question=What is 50% of 63? | option_a=11 | option_b=31 | option_c=41 | option_d=62 | answer=B | explanation=50% of 63 = (50/100) × 63 = 31.

id=2255 | topic=Percentages | difficulty=Easy | question=What is 30% of 289? | option_a=106 | option_b=81 | option_c=172 | option_d=86 | answer=D | explanation=30% of 289 = (30/100) × 289 = 86.

id=2256 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=18 | option_b=22 | option_c=21 | option_d=20 | answer=D | explanation=The common difference is 2. Therefore the next term is 18 + 2 = 20.

id=2257 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 22? | option_a=3 | option_b=22 | option_c=15 | option_d=9 | answer=B | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 22 is the odd one out.

id=2258 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=7 | option_c=12 | option_d=24 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=2259 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=76 | option_b=64 | option_c=52 | option_d=65 | answer=B | explanation=The common difference is 12. Therefore the next term is 52 + 12 = 64.

id=2260 | topic=Percentages | difficulty=Easy | question=What is 25% of 1544? | option_a=772 | option_b=386 | option_c=391 | option_d=366 | answer=B | explanation=25% of 1544 = (25/100) × 1544 = 386.

id=2261 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 16. | option_a=256 | option_b=16 | option_c=32 | option_d=1 | answer=B | explanation=LCM × HCF = 16×16; HCF(16,16) = 16, so LCM = 16.

id=2262 | topic=Percentages | difficulty=Easy | question=What is 40% of 1512? | option_a=584 | option_b=604 | option_c=609 | option_d=1208 | answer=B | explanation=40% of 1512 = (40/100) × 1512 = 604.

id=2263 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=41 | option_b=35 | option_c=27 | option_d=34 | answer=D | explanation=The common difference is 7. Therefore the next term is 27 + 7 = 34.

id=2264 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹38055 at 12% per annum for 5 years. | option_a=22733 | option_b=60888 | option_c=22933 | option_d=22833 | answer=D | explanation=SI = PRT/100 = 38055×12×5/100 = ₹22833.

id=2265 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=2266 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹21591 at 6% per annum for 2 years. | option_a=2590 | option_b=2490 | option_c=24181 | option_d=2690 | answer=A | explanation=SI = PRT/100 = 21591×6×2/100 = ₹2590.

id=2267 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹3927. If it is sold at a profit of 10%, what is its selling price? | option_a=4711 | option_b=3927 | option_c=4319 | option_d=3937 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3927 × 110/100 = ₹4319.

id=2268 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹45435 at 4% per annum for 1 years. | option_a=1717 | option_b=47252 | option_c=1817 | option_d=1917 | answer=C | explanation=SI = PRT/100 = 45435×4×1/100 = ₹1817.

id=2269 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1892. If it is sold at a profit of 40%, what is its selling price? | option_a=2648 | option_b=1932 | option_c=2459 | option_d=2837 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1892 × 140/100 = ₹2648.

id=2270 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹31653 at 8% per annum for 5 years. | option_a=44314 | option_b=12661 | option_c=12761 | option_d=12561 | answer=B | explanation=SI = PRT/100 = 31653×8×5/100 = ₹12661.

id=2271 | topic=Averages | difficulty=Easy | question=Find the average of 67, 19, 95, 79, 47, 53. | option_a=61 | option_b=60 | option_c=62 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 360 ÷ 6 = 60.

id=2272 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹38932 at 6% per annum for 1 years. | option_a=2335 | option_b=2235 | option_c=41267 | option_d=2435 | answer=A | explanation=SI = PRT/100 = 38932×6×1/100 = ₹2335.

id=2273 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 14? | option_a=9 | option_b=14 | option_c=3 | option_d=6 | answer=B | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 14 is the odd one out.

id=2274 | topic=Averages | difficulty=Easy | question=Find the average of 36, 97, 42, 23, 60, 70, 78, 23, 28, 73. | option_a=54 | option_b=53 | option_c=52 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=2275 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹5926 at 4% per annum for 2 years. | option_a=374 | option_b=6400 | option_c=574 | option_d=474 | answer=D | explanation=SI = PRT/100 = 5926×4×2/100 = ₹474.

id=2276 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1684. If it is sold at a profit of 25%, what is its selling price? | option_a=1937 | option_b=2273 | option_c=2105 | option_d=1709 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1684 × 125/100 = ₹2105.

id=2277 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=X | option_c=B | option_d=P | answer=B | explanation=Move 4 positions forward from T; the resulting letter is X.

id=2278 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 21? | option_a=21 | option_b=15 | option_c=12 | option_d=9 | answer=A | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 21 is the odd one out.

id=2279 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=2280 | topic=Percentages | difficulty=Easy | question=What is 40% of 874? | option_a=339 | option_b=698 | option_c=349 | option_d=354 | answer=C | explanation=40% of 874 = (40/100) × 874 = 349.

Aptitude Questions — Records 2,281-2,310 of 100,000

- id=2281 | topic=Percentages | difficulty=Easy | question=What is 50% of 820? | option_a=820 | option_b=405 | option_c=410 | option_d=415 | answer=C | explanation=50% of 820 = $(50/100) \times 820 = 410$.
- id=2282 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=R | option_c=O | option_d=I | answer=C | explanation=Move 3 positions forward from L; the resulting letter is O.
- id=2283 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=M | option_b=K | option_c=N | option_d=L | answer=A | explanation=Move 1 positions forward from L; the resulting letter is M.
- id=2284 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2270. If it is sold at a profit of 40%, what is its selling price? | option_a=2310 | option_b=3178 | option_c=2951 | option_d=3405 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2270 \times 140/100 = \text{█}3178$.
- id=2285 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 35? | option_a=35 | option_b=26 | option_c=30 | option_d=22 | answer=A | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 35 is the odd one out.
- id=2286 | topic=Percentages | difficulty=Easy | question=What is 50% of 1191? | option_a=595 | option_b=585 | option_c=1190 | option_d=615 | answer=A | explanation=50% of 1191 = $(50/100) \times 1191 = 595$.
- id=2287 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 31, 33, 36? | option_a=31 | option_b=33 | option_c=36 | option_d=29 | answer=C | explanation=The first three numbers increase by 2, so the next should be 35. Therefore 36 is the odd one out.
- id=2288 | topic=Percentages | difficulty=Easy | question=What is 15% of 1998? | option_a=299 | option_b=319 | option_c=279 | option_d=598 | answer=A | explanation=15% of 1998 = $(15/100) \times 1998 = 299$.
- id=2289 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 15, 19, 25? | option_a=11 | option_b=25 | option_c=19 | option_d=15 | answer=B | explanation=The first three numbers increase by 4, so the next should be 23. Therefore 25 is the odd one out.
- id=2290 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=F | option_b=I | option_c=Z | option_d=C | answer=A | explanation=Move 3 positions forward from C; the resulting letter is F.
- id=2291 | topic=Percentages | difficulty=Easy | question=What is 40% of 1473? | option_a=579 | option_b=1178 | option_c=589 | option_d=594 | answer=C | explanation=40% of 1473 = $(40/100) \times 1473 = 589$.
- id=2292 | topic=Averages | difficulty=Easy | question=Find the average of 13, 88, 67, 45, 62. | option_a=56 | option_b=57 | option_c=54 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = $275 \div 5 = 55$.
- id=2293 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=S | option_c=K | option_d=W | answer=B | explanation=Move 4 positions forward from O; the resulting letter is S.
- id=2294 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 28, 36, 44, ? | option_a=60 | option_b=52 | option_c=44 | option_d=53 | answer=B | explanation=The common difference is 8. Therefore the next term is $44 + 8 = 52$.
- id=2295 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21979 at 10% per annum for 5 years. | option_a=10889 | option_b=10989 | option_c=32968 | option_d=11089 | answer=B | explanation=SI = $PRT/100 = 21979 \times 10 \times 5/100 = \text{█}10989$.
- id=2296 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=X | option_c=O | option_d=U | answer=D | explanation=Move 3 positions forward from R; the resulting letter is U.
- id=2297 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=Y | option_b=S | option_c=W | option_d=U | answer=C | explanation=Move 2 positions forward from U; the resulting letter is W.
- id=2298 | topic=Percentages | difficulty=Easy | question=What is 25% of 1408? | option_a=352 | option_b=362 | option_c=704 | option_d=342 | answer=A | explanation=25% of 1408 = $(25/100) \times 1408 = 352$.
- id=2299 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=9 | option_b=13 | option_c=12 | option_d=11 | answer=D | explanation=The common difference is 2. Therefore the next term is $9 + 2 = 11$.
- id=2300 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 14, 21, 30? | option_a=21 | option_b=30 | option_c=7 | option_d=14 | answer=B | explanation=The first three numbers increase by 7, so the next should be 28. Therefore 30 is the odd one out.
- id=2301 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 23, 32, 44? | option_a=14 | option_b=23 | option_c=44 | option_d=32 | answer=C | explanation=The first three numbers increase by 9, so the next should be 41. Therefore 44 is the odd one out.
- id=2302 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = $180 \div 3 = 60$ km/h.
- id=2303 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=B | option_b=W | option_c=M | option_d=R | answer=B | explanation=Move 5 positions forward from R; the resulting letter is W.
- id=2304 | topic=Averages | difficulty=Easy | question=Find the average of 53, 61, 31, 43. | option_a=49 | option_b=48 | option_c=46 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = $188 \div 4 = 47$.
- id=2305 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35933 at 15% per annum for 3 years. | option_a=16069 | option_b=16269 | option_c=16169 | option_d=52102 | answer=C | explanation=SI = $PRT/100 = 35933 \times 15 \times 3/100 = \text{█}16169$.
- id=2306 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=8 | answer=B | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.
- id=2307 | topic=Averages | difficulty=Easy | question=Find the average of 77, 87, 97, 57, 23, 38, 74, 27. | option_a=60 | option_b=59 | option_c=61 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = $480 \div 8 = 60$.
- id=2308 | topic=Percentages | difficulty=Easy | question=What is 40% of 1998? | option_a=799 | option_b=819 | option_c=789 | option_d=1598 | answer=A | explanation=40% of 1998 = $(40/100) \times 1998 = 799$.
- id=2309 | topic=Percentages | difficulty=Easy | question=What is 25% of 1299? | option_a=648 | option_b=324 | option_c=334 | option_d=304 | answer=B | explanation=25% of 1299 = $(25/100) \times 1299 = 324$.
- id=2310 | topic=Percentages | difficulty=Easy | question=What is 20% of 447? | option_a=109 | option_b=178 | option_c=69 | option_d=89 | answer=D | explanation=20% of 447 = $(20/100) \times 447 = 89$.

Aptitude Questions — Records 2,311-2,340 of 100,000

- id=2311 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4042. If it is sold at a profit of 50%, what is its selling price? | option_a=4092 | option_b=5659 | option_c=6063 | option_d=6467 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4042 × 150/100 = ■6063.
- id=2312 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 35, 42, 52? | option_a=35 | option_b=52 | option_c=42 | option_d=28 | answer=B | explanation=The first three numbers increase by 7, so the next should be 49. Therefore 52 is the odd one out.
- id=2313 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3083. If it is sold at a profit of 20%, what is its selling price? | option_a=3391 | option_b=3699 | option_c=4007 | option_d=3103 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3083 × 120/100 = ■3699.
- id=2314 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=31 | option_c=41 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.
- id=2315 | topic=Averages | difficulty=Easy | question=Find the average of 37, 32, 56, 91. | option_a=54 | option_b=53 | option_c=56 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 216 ÷ 4 = 54.
- id=2316 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 10, 15, 22? | option_a=10 | option_b=22 | option_c=5 | option_d=15 | answer=B | explanation=The first three numbers increase by 5, so the next should be 20. Therefore 22 is the odd one out.
- id=2317 | topic=Percentages | difficulty=Easy | question=What is 20% of 1321? | option_a=244 | option_b=528 | option_c=269 | option_d=264 | answer=D | explanation=20% of 1321 = (20/100) × 1321 = 264.
- id=2318 | topic=Percentages | difficulty=Easy | question=What is 25% of 1639? | option_a=414 | option_b=409 | option_c=399 | option_d=818 | answer=B | explanation=25% of 1639 = (25/100) × 1639 = 409.
- id=2319 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=63 | option_b=55 | option_c=45 | option_d=54 | answer=D | explanation=The common difference is 9. Therefore the next term is 45 + 9 = 54.
- id=2320 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 10. | option_a=12 | option_b=20 | option_c=10 | option_d=1 | answer=C | explanation=LCM × HCF = 2×10; HCF(2,10) = 2, so LCM = 10.
- id=2321 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 28, 38, 50? | option_a=18 | option_b=28 | option_c=50 | option_d=38 | answer=C | explanation=The first three numbers increase by 10, so the next should be 48. Therefore 50 is the odd one out.
- id=2322 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.
- id=2323 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:6 and the first is 60, what is the second? | option_a=36 | option_b=46 | option_c=30 | option_d=96 | answer=A | explanation=Scale factor = 60/10 = 6. Therefore second quantity = 6×6 = 36.
- id=2324 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 33? | option_a=33 | option_b=12 | option_c=24 | option_d=18 | answer=A | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 33 is the odd one out.
- id=2325 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=48 | option_c=24 | option_d=19 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.
- id=2326 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:4 and the first is 80, what is the second? | option_a=12 | option_b=16 | option_c=36 | option_d=96 | answer=B | explanation=Scale factor = 80/20 = 4. Therefore second quantity = 4×4 = 16.
- id=2327 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■1410 at 4% per annum for 1 years. | option_a=56 | option_b=0 | option_c=1466 | option_d=156 | answer=A | explanation=SI = PRT/100 = 1410×4×1/100 = ■56.
- id=2328 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=R | option_b=H | option_c=M | option_d=C | answer=C | explanation=Move 5 positions forward from H; the resulting letter is M.
- id=2329 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■43116 at 15% per annum for 1 years. | option_a=49583 | option_b=6467 | option_c=6567 | option_d=6367 | answer=B | explanation=SI = PRT/100 = 43116×15×1/100 = ■6467.
- id=2330 | topic=Averages | difficulty=Easy | question=Find the average of 51, 53, 73. | option_a=60 | option_b=61 | option_c=58 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 177 ÷ 3 = 59.
- id=2331 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=C | option_b=Y | option_c=U | option_d=Q | answer=B | explanation=Move 4 positions forward from U; the resulting letter is Y.
- id=2332 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:10 and the first is 180, what is the second? | option_a=180 | option_b=170 | option_c=190 | option_d=360 | answer=A | explanation=Scale factor = 180/10 = 18. Therefore second quantity = 10×18 = 180.
- id=2333 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■33740 at 15% per annum for 2 years. | option_a=10122 | option_b=10022 | option_c=10222 | option_d=43862 | answer=A | explanation=SI = PRT/100 = 33740×15×2/100 = ■10122.
- id=2334 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:5 and the first is 28, what is the second? | option_a=5 | option_b=10 | option_c=38 | option_d=24 | answer=B | explanation=Scale factor = 28/14 = 2. Therefore second quantity = 5×2 = 10.
- id=2335 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.
- id=2336 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■47371 at 10% per annum for 1 years. | option_a=52108 | option_b=4637 | option_c=4737 | option_d=4837 | answer=C | explanation=SI = PRT/100 = 47371×10×1/100 = ■4737.
- id=2337 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14119 at 10% per annum for 2 years. | option_a=16942 | option_b=2923 | option_c=2723 | option_d=2823 | answer=D | explanation=SI = PRT/100 = 14119×10×2/100 = ■2823.
- id=2338 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=14 | option_b=12 | option_c=10 | option_d=13 | answer=B | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.
- id=2339 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4356. If it is sold at a profit of 20%, what is its selling price? | option_a=5227 | option_b=4792 | option_c=5662 | option_d=4376 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4356 × 120/100 = ■5227.
- id=2340 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14366 at 12% per annum for 5 years. | option_a=8519 | option_b=8619 | option_c=8719 | option_d=22985 | answer=B | explanation=SI = PRT/100 = 14366×12×5/100 = ■8619.

Aptitude Questions — Records 2,341-2,370 of 100,000

- id=2341 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 16, 25, 36? | option_a=25 | option_b=7 | option_c=16 | option_d=36 | answer=D | explanation=The first three numbers increase by 9, so the next should be 34. Therefore 36 is the odd one out.
- id=2342 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12840 at 6% per annum for 4 years. | option_a=3081 | option_b=2981 | option_c=3181 | option_d=15921 | answer=A | explanation=SI = $PRT/100 = 12840 \times 6 \times 4/100 = \text{■}3081$.
- id=2343 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=36 | option_c=72 | option_d=41 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.
- id=2344 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=32 | option_b=31 | option_c=24 | option_d=38 | answer=B | explanation=The common difference is 7. Therefore the next term is 24 + 7 = 31.
- id=2345 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 37, 46, 57? | option_a=46 | option_b=57 | option_c=37 | option_d=28 | answer=B | explanation=The first three numbers increase by 9, so the next should be 55. Therefore 57 is the odd one out.
- id=2346 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.
- id=2347 | topic=Averages | difficulty=Easy | question=Find the average of 37, 82, 93, 84, 33, 13, 51, 33, 32, 32. | option_a=49 | option_b=51 | option_c=48 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = $490 \div 10 = 49$.
- id=2348 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7606 at 12% per annum for 4 years. | option_a=3750 | option_b=3650 | option_c=11256 | option_d=3550 | answer=B | explanation=SI = $PRT/100 = 7606 \times 12 \times 4/100 = \text{■}3650$.
- id=2349 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=J | option_c=L | option_d=H | answer=C | explanation=Move 2 positions forward from J; the resulting letter is L.
- id=2350 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = $240 \div 8 = 30$ km/h.
- id=2351 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = $180 \div 4 = 45$ km/h.
- id=2352 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=W | option_c=S | option_d=K | answer=C | explanation=Move 4 positions forward from O; the resulting letter is S.
- id=2353 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:1 and the first is 160, what is the second? | option_a=20 | option_b=180 | option_c=28 | option_d=19 | answer=A | explanation=Scale factor = $160/8 = 20$. Therefore second quantity = $1 \times 20 = 20$.
- id=2354 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=50 | option_b=72 | option_c=62 | option_d=61 | answer=D | explanation=The common difference is 11. Therefore the next term is $50 + 11 = 61$.
- id=2355 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=65 | option_b=47 | option_c=57 | option_d=56 | answer=D | explanation=The common difference is 9. Therefore the next term is $47 + 9 = 56$.
- id=2356 | topic=Percentages | difficulty=Easy | question=What is 15% of 728? | option_a=109 | option_b=129 | option_c=89 | option_d=218 | answer=A | explanation=15% of 728 = $(15/100) \times 728 = 109$.
- id=2357 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1855. If it is sold at a profit of 50%, what is its selling price? | option_a=2967 | option_b=1905 | option_c=2782 | option_d=2597 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1855 \times 150/100 = \text{■}2782$.
- id=2358 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10780 at 4% per annum for 1 years. | option_a=431 | option_b=331 | option_c=11211 | option_d=531 | answer=A | explanation=SI = $PRT/100 = 10780 \times 4 \times 1/100 = \text{■}431$.
- id=2359 | topic=Percentages | difficulty=Easy | question=What is 15% of 1172? | option_a=350 | option_b=170 | option_c=180 | option_d=175 | answer=D | explanation=15% of 1172 = $(15/100) \times 1172 = 175$.
- id=2360 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=46 | option_b=56 | option_c=66 | option_d=57 | answer=B | explanation=The common difference is 10. Therefore the next term is $46 + 10 = 56$.
- id=2361 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=160 | option_c=75 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = $240 \div 3 = 80$ km/h.
- id=2362 | topic=Percentages | difficulty=Easy | question=What is 5% of 1685? | option_a=168 | option_b=84 | option_c=89 | option_d=79 | answer=B | explanation=5% of 1685 = $(5/100) \times 1685 = 84$.
- id=2363 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=8 | option_d=1 | answer=B | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.
- id=2364 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2580. If it is sold at a profit of 20%, what is its selling price? | option_a=2838 | option_b=3096 | option_c=3354 | option_d=2600 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2580 \times 120/100 = \text{■}3096$.
- id=2365 | topic=Percentages | difficulty=Easy | question=What is 15% of 1303? | option_a=175 | option_b=195 | option_c=200 | option_d=390 | answer=B | explanation=15% of 1303 = $(15/100) \times 1303 = 195$.
- id=2366 | topic=Averages | difficulty=Easy | question=Find the average of 21, 87, 24, 28, 60, 16, 91, 29, 29, 25. | option_a=43 | option_b=40 | option_c=41 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = $410 \div 10 = 41$.
- id=2367 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=K | option_b=S | option_c=O | option_d=W | answer=B | explanation=Move 4 positions forward from O; the resulting letter is S.
- id=2368 | topic=Percentages | difficulty=Easy | question=What is 10% of 285? | option_a=23 | option_b=28 | option_c=33 | option_d=56 | answer=B | explanation=10% of 285 = $(10/100) \times 285 = 28$.
- id=2369 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12842 at 4% per annum for 1 years. | option_a=413 | option_b=13355 | option_c=613 | option_d=513 | answer=D | explanation=SI = $PRT/100 = 12842 \times 4 \times 1/100 = \text{■}513$.
- id=2370 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=120 | option_c=115 | option_d=125 | answer=B | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.

Aptitude Questions — Records 2,371-2,400 of 100,000

- id=2371 | topic=Percentages | difficulty=Easy | question=What is 15% of 651? | option_a=107 | option_b=194 | option_c=97 | option_d=87 | answer=C | explanation=15% of 651 = (15/100) × 651 = 97.
- id=2372 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=B | option_b=J | option_c=N | option_d=F | answer=B | explanation=Move 4 positions forward from F; the resulting letter is J.
- id=2373 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19484 at 5% per annum for 1 years. | option_a=874 | option_b=20458 | option_c=1074 | option_d=974 | answer=D | explanation=SI = PRT/100 = 19484×5×1/100 = **■**974.
- id=2374 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 31, 39, 50? | option_a=31 | option_b=50 | option_c=39 | option_d=23 | answer=B | explanation=The first three numbers increase by 8, so the next should be 47. Therefore 50 is the odd one out.
- id=2375 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=28 | option_b=29 | option_c=24 | option_d=32 | answer=A | explanation=The common difference is 4. Therefore the next term is 24 + 4 = 28.
- id=2376 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.
- id=2377 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:14 and the first is 91, what is the second? | option_a=182 | option_b=189 | option_c=273 | option_d=168 | answer=A | explanation=Scale factor = 91/7 = 13. Therefore second quantity = 14×13 = 182.
- id=2378 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=2379 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 15. | option_a=1 | option_b=45 | option_c=18 | option_d=15 | answer=D | explanation=LCM × HCF = 3×15; HCF(3,15) = 3, so LCM = 15.
- id=2380 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40260 at 10% per annum for 1 years. | option_a=4126 | option_b=4026 | option_c=3926 | option_d=44286 | answer=B | explanation=SI = PRT/100 = 40260×10×1/100 = **■**4026.
- id=2381 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=8 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=2382 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.
- id=2383 | topic=Averages | difficulty=Easy | question=Find the average of 14, 41, 17, 25, 12, 88, 62. | option_a=37 | option_b=36 | option_c=38 | option_d=39 | answer=A | explanation=Average = sum of values ÷ number of values = 259 ÷ 7 = 37.
- id=2384 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.
- id=2385 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.
- id=2386 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.
- id=2387 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**461. If it is sold at a profit of 5%, what is its selling price? | option_a=530 | option_b=466 | option_c=438 | option_d=484 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 461 × 105/100 = **■**484.
- id=2388 | topic=Percentages | difficulty=Easy | question=What is 5% of 474? | option_a=13 | option_b=46 | option_c=23 | option_d=43 | answer=C | explanation=5% of 474 = (5/100) × 474 = 23.
- id=2389 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=2390 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 13, 23, 34? | option_a=23 | option_b=3 | option_c=13 | option_d=34 | answer=D | explanation=The first three numbers increase by 10, so the next should be 33. Therefore 34 is the odd one out.
- id=2391 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 5, 8, 11, ? | option_a=17 | option_b=14 | option_c=15 | option_d=11 | answer=B | explanation=The common difference is 3. Therefore the next term is 11 + 3 = 14.
- id=2392 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 8. | option_a=32 | option_b=1 | option_c=12 | option_d=8 | answer=D | explanation=LCM × HCF = 4×8; HCF(4,8) = 4, so LCM = 8.
- id=2393 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2119. If it is sold at a profit of 5%, what is its selling price? | option_a=2435 | option_b=2224 | option_c=2013 | option_d=2124 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2119 × 105/100 = **■**2224.
- id=2394 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=90 | option_c=50 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.
- id=2395 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=6 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=2396 | topic=Averages | difficulty=Easy | question=Find the average of 81, 10, 52, 37. | option_a=45 | option_b=47 | option_c=44 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 180 ÷ 4 = 45.
- id=2397 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29801 at 6% per annum for 4 years. | option_a=7052 | option_b=7152 | option_c=7252 | option_d=36953 | answer=B | explanation=SI = PRT/100 = 29801×6×4/100 = **■**7152.
- id=2398 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2993. If it is sold at a profit of 10%, what is its selling price? | option_a=2993 | option_b=3003 | option_c=3292 | option_d=3591 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2993 × 110/100 = **■**3292.
- id=2399 | topic=Percentages | difficulty=Easy | question=What is 5% of 115? | option_a=0 | option_b=5 | option_c=15 | option_d=10 | answer=B | explanation=5% of 115 = (5/100) × 115 = 5.
- id=2400 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:19 and the first is 22, what is the second? | option_a=49 | option_b=19 | option_c=60 | option_d=38 | answer=D | explanation=Scale factor = 22/11 = 2. Therefore second quantity = 19×2 = 38.

Aptitude Questions — Records 2,401-2,430 of 100,000

id=2401 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=N | option_b=Q | option_c=P | option_d=O | answer=C | explanation=Move 1 positions forward from O; the resulting letter is P.

id=2402 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=S | option_b=N | option_c=I | option_d=D | answer=B | explanation=Move 5 positions forward from I; the resulting letter is N.

id=2403 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=43 | option_b=55 | option_c=65 | option_d=54 | answer=D | explanation=The common difference is 11. Therefore the next term is 43 + 11 = 54.

id=2404 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=I | option_c=F | option_d=Z | answer=C | explanation=Move 3 positions forward from C; the resulting letter is F.

id=2405 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=26 | option_b=28 | option_c=27 | option_d=24 | answer=A | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.

id=2406 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=2407 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=44 | option_b=37 | option_c=49 | option_d=43 | answer=D | explanation=The common difference is 6. Therefore the next term is 37 + 6 = 43.

id=2408 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1316. If it is sold at a profit of 20%, what is its selling price? | option_a=1448 | option_b=1579 | option_c=1710 | option_d=1336 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1316 \times 120/100 = \text{█}1579$.

id=2409 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:8 and the first is 56, what is the second? | option_a=112 | option_b=56 | option_c=64 | option_d=48 | answer=B | explanation=Scale factor = $56/8 = 7$. Therefore second quantity = $8 \times 7 = 56$.

id=2410 | topic=Averages | difficulty=Easy | question=Find the average of 84, 82, 24, 88, 67, 11, 22. | option_a=56 | option_b=55 | option_c=54 | option_d=53 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 378 \div 7 = 54$.

id=2411 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=F | option_c=G | option_d=D | answer=B | explanation=Move 1 positions forward from E; the resulting letter is F.

id=2412 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 26, 36, 47? | option_a=26 | option_b=16 | option_c=36 | option_d=47 | answer=D | explanation=The first three numbers increase by 10, so the next should be 46. Therefore 47 is the odd one out.

id=2413 | topic=Percentages | difficulty=Easy | question=What is 12% of 1772? | option_a=424 | option_b=232 | option_c=192 | option_d=212 | answer=D | explanation= $12\% \text{ of } 1772 = (12/100) \times 1772 = 212$.

id=2414 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4570. If it is sold at a profit of 10%, what is its selling price? | option_a=5027 | option_b=4570 | option_c=4580 | option_d=5484 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4570 \times 110/100 = \text{█}5027$.

id=2415 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8337 at 4% per annum for 4 years. | option_a=9670 | option_b=1433 | option_c=1233 | option_d=1333 | answer=D | explanation=SI = $PRT/100 = 8337 \times 4 \times 4/100 = \text{█}1333$.

id=2416 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=P | option_c=Q | option_d=R | answer=D | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=2417 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:18 and the first is 60, what is the second? | option_a=90 | option_b=168 | option_c=108 | option_d=118 | answer=C | explanation=Scale factor = $60/10 = 6$. Therefore second quantity = $18 \times 6 = 108$.

id=2418 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=20 | option_d=50 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 150 \div 6 = 25 \text{ km/h}$.

id=2419 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5044 at 15% per annum for 1 years. | option_a=856 | option_b=756 | option_c=5800 | option_d=656 | answer=B | explanation=SI = $PRT/100 = 5044 \times 15 \times 1/100 = \text{█}756$.

id=2420 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=2421 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 61? | option_a=61 | option_b=30 | option_c=40 | option_d=50 | answer=A | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 61 is the odd one out.

id=2422 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=53 | option_b=66 | option_c=77 | option_d=65 | answer=D | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.

id=2423 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 18, 23, 28, ? | option_a=28 | option_b=34 | option_c=38 | option_d=33 | answer=D | explanation=The common difference is 5. Therefore the next term is 28 + 5 = 33.

id=2424 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=28 | option_b=27 | option_c=30 | option_d=24 | answer=B | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=2425 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=J | option_c=F | option_d=L | answer=B | explanation=Move 2 positions forward from H; the resulting letter is J.

id=2426 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=70 | option_c=80 | option_d=75 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 300 \div 4 = 75 \text{ km/h}$.

id=2427 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20192 at 12% per annum for 1 years. | option_a=2423 | option_b=2523 | option_c=2323 | option_d=22615 | answer=A | explanation=SI = $PRT/100 = 20192 \times 12 \times 1/100 = \text{█}2423$.

id=2428 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=46 | option_b=47 | option_c=38 | option_d=54 | answer=A | explanation=The common difference is 8. Therefore the next term is 38 + 8 = 46.

id=2429 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 17, 19, 21, ? | option_a=23 | option_b=24 | option_c=25 | option_d=21 | answer=A | explanation=The common difference is 2. Therefore the next term is 21 + 2 = 23.

id=2430 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5244 at 8% per annum for 1 years. | option_a=419 | option_b=5663 | option_c=319 | option_d=519 | answer=A | explanation=SI = $PRT/100 = 5244 \times 8 \times 1/100 = \text{█}419$.

Aptitude Questions — Records 2,431-2,460 of 100,000

- id=2431 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3261. If it is sold at a profit of 15%, what is its selling price? | option_a=3424 | option_b=3750 | option_c=3276 | option_d=4076 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3261 × 115/100 = ■3750.
- id=2432 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=T | option_b=N | option_c=Q | option_d=K | answer=C | explanation=Move 3 positions forward from N; the resulting letter is Q.
- id=2433 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:13 and the first is 342, what is the second? | option_a=589 | option_b=247 | option_c=234 | option_d=265 | answer=B | explanation=Scale factor = 342/18 = 19. Therefore second quantity = 13×19 = 247.
- id=2434 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.
- id=2435 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=19 | option_b=17 | option_c=16 | option_d=13 | answer=C | explanation=The common difference is 3. Therefore the next term is 13 + 3 = 16.
- id=2436 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4904. If it is sold at a profit of 20%, what is its selling price? | option_a=6374 | option_b=5884 | option_c=4924 | option_d=5394 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4904 × 120/100 = ■5884.
- id=2437 | topic=Averages | difficulty=Easy | question=Find the average of 23, 39, 37, 70, 62, 10, 53, 33, 42. | option_a=43 | option_b=40 | option_c=42 | option_d=41 | answer=D | explanation=Average = sum of values ÷ number of values = 369 ÷ 9 = 41.
- id=2438 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 29? | option_a=18 | option_b=29 | option_c=24 | option_d=21 | answer=B | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 29 is the odd one out.
- id=2439 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■24613 at 6% per annum for 3 years. | option_a=4330 | option_b=4530 | option_c=4430 | option_d=29043 | answer=C | explanation=SI = PRT/100 = 24613×6×3/100 = ■4430.
- id=2440 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■897. If it is sold at a profit of 40%, what is its selling price? | option_a=1344 | option_b=1255 | option_c=937 | option_d=1166 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 897 × 140/100 = ■1255.
- id=2441 | topic=Averages | difficulty=Easy | question=Find the average of 45, 13, 82, 63, 61, 18, 75. | option_a=52 | option_b=51 | option_c=50 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.
- id=2442 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 27? | option_a=6 | option_b=18 | option_c=12 | option_d=27 | answer=D | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 27 is the odd one out.
- id=2443 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.
- id=2444 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 15. | option_a=15 | option_b=40 | option_c=150 | option_d=30 | answer=D | explanation=LCM × HCF = 10×15; HCF(10,15) = 5, so LCM = 30.
- id=2445 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=39 | option_b=31 | option_c=47 | option_d=40 | answer=A | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.
- id=2446 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=63 | option_b=64 | option_c=52 | option_d=74 | answer=A | explanation=The common difference is 11. Therefore the next term is 52 + 11 = 63.
- id=2447 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=55 | option_b=64 | option_c=56 | option_d=46 | answer=A | explanation=The common difference is 9. Therefore the next term is 46 + 9 = 55.
- id=2448 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=23 | option_b=24 | option_c=26 | option_d=20 | answer=A | explanation=The common difference is 3. Therefore the next term is 20 + 3 = 23.
- id=2449 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.
- id=2450 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=13 | option_b=15 | option_c=17 | option_d=16 | answer=B | explanation=The common difference is 2. Therefore the next term is 13 + 2 = 15.
- id=2451 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.
- id=2452 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=44 | option_b=38 | option_c=45 | option_d=50 | answer=A | explanation=The common difference is 6. Therefore the next term is 38 + 6 = 44.
- id=2453 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■4077 at 6% per annum for 4 years. | option_a=978 | option_b=1078 | option_c=878 | option_d=5055 | answer=A | explanation=SI = PRT/100 = 4077×6×4/100 = ■978.
- id=2454 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 29, 37, 47? | option_a=29 | option_b=47 | option_c=21 | option_d=37 | answer=B | explanation=The first three numbers increase by 8, so the next should be 45. Therefore 47 is the odd one out.
- id=2455 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=70 | option_b=150 | option_c=75 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.
- id=2456 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.
- id=2457 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=5 | option_c=15 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.
- id=2458 | topic=Averages | difficulty=Easy | question=Find the average of 74, 87, 13, 64, 26, 42. | option_a=51 | option_b=53 | option_c=52 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 306 ÷ 6 = 51.
- id=2459 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=8 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=2460 | topic=Percentages | difficulty=Easy | question=What is 30% of 272? | option_a=101 | option_b=162 | option_c=81 | option_d=71 | answer=C | explanation=30% of 272 = (30/100) × 272 = 81.

Aptitude Questions — Records 2,461-2,490 of 100,000

id=2461 | topic=Percentages | difficulty=Easy | question=What is 30% of 1472? | option_a=446 | option_b=436 | option_c=882 | option_d=441 | answer=D | explanation=30% of 1472 = (30/100) × 1472 = 441.

id=2462 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:15 and the first is 90, what is the second? | option_a=225 | option_b=231 | option_c=210 | option_d=315 | answer=A | explanation=Scale factor = 90/6 = 15. Therefore second quantity = 15×15 = 225.

id=2463 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:5 and the first is 156, what is the second? | option_a=55 | option_b=216 | option_c=73 | option_d=60 | answer=D | explanation=Scale factor = 156/13 = 12. Therefore second quantity = 5×12 = 60.

id=2464 | topic=Profit & Loss | difficulty=Easy | question=An article costs █747. If it is sold at a profit of 15%, what is its selling price? | option_a=933 | option_b=859 | option_c=762 | option_d=785 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 747 × 115/100 = █859.

id=2465 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3151. If it is sold at a profit of 25%, what is its selling price? | option_a=4253 | option_b=3623 | option_c=3938 | option_d=3176 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3151 × 125/100 = █3938.

id=2466 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 5, 8, 13? | option_a=13 | option_b=5 | option_c=2 | option_d=8 | answer=A | explanation=The first three numbers increase by 3, so the next should be 11. Therefore 13 is the odd one out.

id=2467 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 11, 16, 22? | option_a=22 | option_b=16 | option_c=11 | option_d=6 | answer=A | explanation=The first three numbers increase by 5, so the next should be 21. Therefore 22 is the odd one out.

id=2468 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 30. | option_a=810 | option_b=240 | option_c=297 | option_d=270 | answer=D | explanation=LCM × HCF = 27×30; HCF(27,30) = 3, so LCM = 270.

id=2469 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48073 at 8% per annum for 3 years. | option_a=11537 | option_b=59610 | option_c=11437 | option_d=11637 | answer=A | explanation=SI = PRT/100 = 48073×8×3/100 = █11537.

id=2470 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1306. If it is sold at a profit of 10%, what is its selling price? | option_a=1316 | option_b=1306 | option_c=1436 | option_d=1566 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1306 × 110/100 = █1436.

id=2471 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 15, 20, 28? | option_a=15 | option_b=28 | option_c=10 | option_d=20 | answer=B | explanation=The first three numbers increase by 5, so the next should be 25. Therefore 28 is the odd one out.

id=2472 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=2473 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=7 | option_c=12 | option_d=17 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=2474 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13684 at 5% per annum for 4 years. | option_a=2736 | option_b=2836 | option_c=16420 | option_d=2636 | answer=A | explanation=SI = PRT/100 = 13684×5×4/100 = █2736.

id=2475 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=U | option_b=T | option_c=S | option_d=V | answer=A | explanation=Move 1 positions forward from T; the resulting letter is U.

id=2476 | topic=Averages | difficulty=Easy | question=Find the average of 95, 47, 92, 92, 96, 34. | option_a=77 | option_b=75 | option_c=76 | option_d=78 | answer=C | explanation=Average = sum of values ÷ number of values = 456 ÷ 6 = 76.

id=2477 | topic=Averages | difficulty=Easy | question=Find the average of 97, 31, 19, 70, 55, 11, 93, 79, 22. | option_a=55 | option_b=54 | option_c=52 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 477 ÷ 9 = 53.

id=2478 | topic=Averages | difficulty=Easy | question=Find the average of 42, 52, 92. | option_a=61 | option_b=64 | option_c=62 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = 186 ÷ 3 = 62.

id=2479 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 16, 23, 30, ? | option_a=30 | option_b=37 | option_c=38 | option_d=44 | answer=B | explanation=The common difference is 7. Therefore the next term is 30 + 7 = 37.

id=2480 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=2481 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=24 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=2482 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=12 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=2483 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:14 and the first is 27, what is the second? | option_a=42 | option_b=69 | option_c=28 | option_d=51 | answer=A | explanation=Scale factor = 27/9 = 3. Therefore second quantity = 14×3 = 42.

id=2484 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3992. If it is sold at a profit of 20%, what is its selling price? | option_a=5189 | option_b=4790 | option_c=4391 | option_d=4012 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3992 × 120/100 = █4790.

id=2485 | topic=Percentages | difficulty=Easy | question=What is 25% of 1364? | option_a=321 | option_b=346 | option_c=682 | option_d=341 | answer=D | explanation=25% of 1364 = (25/100) × 1364 = 341.

id=2486 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 24, 30, 39? | option_a=39 | option_b=18 | option_c=24 | option_d=30 | answer=A | explanation=The first three numbers increase by 6, so the next should be 36. Therefore 39 is the odd one out.

id=2487 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 28, 38, 48, ? | option_a=59 | option_b=58 | option_c=48 | option_d=68 | answer=B | explanation=The common difference is 10. Therefore the next term is 48 + 10 = 58.

id=2488 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 220, what is the second? | option_a=304 | option_b=320 | option_c=540 | option_d=331 | answer=B | explanation=Scale factor = 220/11 = 20. Therefore second quantity = 16×20 = 320.

id=2489 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:5 and the first is 150, what is the second? | option_a=65 | option_b=45 | option_c=50 | option_d=200 | answer=C | explanation=Scale factor = 150/15 = 10. Therefore second quantity = 5×10 = 50.

id=2490 | topic=Profit & Loss | difficulty=Easy | question=An article costs █5000. If it is sold at a profit of 40%, what is its selling price? | option_a=5040 | option_b=7500 | option_c=7000 | option_d=6500 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 5000 × 140/100 = █7000.

Aptitude Questions — Records 2,491-2,520 of 100,000

id=2491 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14351 at 15% per annum for 5 years. | option_a=10763 | option_b=25114 | option_c=10663 | option_d=10863 | answer=A | explanation=SI = PRT/100 = 14351×15×5/100 = ■10763.

id=2492 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■35174 at 5% per annum for 2 years. | option_a=3617 | option_b=3417 | option_c=38691 | option_d=3517 | answer=D | explanation=SI = PRT/100 = 35174×5×2/100 = ■3517.

id=2493 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=Z | option_c=N | option_d=V | answer=D | explanation=Move 4 positions forward from R; the resulting letter is V.

id=2494 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=28 | option_b=25 | option_c=20 | option_d=24 | answer=D | explanation=The common difference is 4. Therefore the next term is 20 + 4 = 24.

id=2495 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■10548 at 4% per annum for 1 years. | option_a=521 | option_b=321 | option_c=10969 | option_d=421 | answer=D | explanation=SI = PRT/100 = 10548×4×1/100 = ■421.

id=2496 | topic=Averages | difficulty=Easy | question=Find the average of 10, 12, 18, 98, 77. | option_a=43 | option_b=42 | option_c=44 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 215 ÷ 5 = 43.

id=2497 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=2498 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 18, 25, 35? | option_a=25 | option_b=35 | option_c=18 | option_d=11 | answer=B | explanation=The first three numbers increase by 7, so the next should be 32. Therefore 35 is the odd one out.

id=2499 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=26 | option_b=24 | option_c=28 | option_d=27 | answer=A | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.

id=2500 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 35? | option_a=35 | option_b=30 | option_c=22 | option_d=26 | answer=A | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 35 is the odd one out.

id=2501 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 24, 36, 48, ? | option_a=72 | option_b=48 | option_c=61 | option_d=60 | answer=D | explanation=The common difference is 12. Therefore the next term is 48 + 12 = 60.

id=2502 | topic=Averages | difficulty=Easy | question=Find the average of 68, 61, 33. | option_a=56 | option_b=53 | option_c=55 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 162 ÷ 3 = 54.

id=2503 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=2504 | topic=Percentages | difficulty=Easy | question=What is 30% of 942? | option_a=272 | option_b=282 | option_c=302 | option_d=564 | answer=B | explanation=30% of 942 = (30/100) × 942 = 282.

id=2505 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■206. If it is sold at a profit of 40%, what is its selling price? | option_a=246 | option_b=288 | option_c=308 | option_d=268 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 206 × 140/100 = ■288.

id=2506 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1941. If it is sold at a profit of 25%, what is its selling price? | option_a=1966 | option_b=2232 | option_c=2620 | option_d=2426 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1941 × 125/100 = ■2426.

id=2507 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3367. If it is sold at a profit of 25%, what is its selling price? | option_a=4544 | option_b=3872 | option_c=4208 | option_d=3392 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3367 × 125/100 = ■4208.

id=2508 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=2509 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:5 and the first is 252, what is the second? | option_a=65 | option_b=88 | option_c=70 | option_d=322 | answer=C | explanation=Scale factor = 252/18 = 14. Therefore second quantity = 5×14 = 70.

id=2510 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=24 | option_b=25 | option_c=22 | option_d=26 | answer=A | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.

id=2511 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 52? | option_a=39 | option_b=29 | option_c=19 | option_d=52 | answer=D | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 52 is the odd one out.

id=2512 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=33 | option_b=25 | option_c=39 | option_d=32 | answer=D | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.

id=2513 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■24790 at 8% per annum for 1 years. | option_a=1883 | option_b=1983 | option_c=2083 | option_d=26773 | answer=B | explanation=SI = PRT/100 = 24790×8×1/100 = ■1983.

id=2514 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 13, 17, 21, ? | option_a=29 | option_b=21 | option_c=26 | option_d=25 | answer=D | explanation=The common difference is 4. Therefore the next term is 21 + 4 = 25.

id=2515 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=2516 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1230. If it is sold at a profit of 50%, what is its selling price? | option_a=1280 | option_b=1845 | option_c=1968 | option_d=1722 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1230 × 150/100 = ■1845.

id=2517 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■891. If it is sold at a profit of 15%, what is its selling price? | option_a=906 | option_b=1113 | option_c=1024 | option_d=935 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 891 × 115/100 = ■1024.

id=2518 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■29556 at 6% per annum for 2 years. | option_a=3446 | option_b=33102 | option_c=3546 | option_d=3646 | answer=C | explanation=SI = PRT/100 = 29556×6×2/100 = ■3546.

id=2519 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=13 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=2520 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

Aptitude Questions — Records 2,521-2,550 of 100,000

id=2521 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=G | option_c=M | option_d=P | answer=C | explanation=Move 3 positions forward from J; the resulting letter is M.

id=2522 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=2523 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=11 | option_b=12 | option_c=8 | option_d=10 | answer=D | explanation=The common difference is 2. Therefore the next term is 8 + 2 = 10.

id=2524 | topic=Averages | difficulty=Easy | question=Find the average of 62, 45, 16, 68, 31, 37, 27, 50. | option_a=43 | option_b=41 | option_c=42 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = 336 ÷ 8 = 42.

id=2525 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 45? | option_a=21 | option_b=35 | option_c=45 | option_d=28 | answer=C | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 45 is the odd one out.

id=2526 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4077. If it is sold at a profit of 15%, what is its selling price? | option_a=4688 | option_b=4092 | option_c=4281 | option_d=5095 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4077 × 115/100 = █4688.

id=2527 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28504 at 4% per annum for 4 years. | option_a=33064 | option_b=4660 | option_c=4560 | option_d=4460 | answer=C | explanation=SI = PRT/100 = 28504×4×4/100 = █4560.

id=2528 | topic=Profit & Loss | difficulty=Easy | question=An article costs █582. If it is sold at a profit of 30%, what is its selling price? | option_a=814 | option_b=698 | option_c=612 | option_d=756 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 582 × 130/100 = █756.

id=2529 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=19 | option_b=21 | option_c=22 | option_d=23 | answer=B | explanation=The common difference is 2. Therefore the next term is 19 + 2 = 21.

id=2530 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=F | option_c=I | option_d=Z | answer=B | explanation=Move 3 positions forward from C; the resulting letter is F.

id=2531 | topic=Percentages | difficulty=Easy | question=What is 25% of 1573? | option_a=398 | option_b=786 | option_c=383 | option_d=393 | answer=D | explanation=25% of 1573 = (25/100) × 1573 = 393.

id=2532 | topic=Averages | difficulty=Easy | question=Find the average of 14, 69, 19. | option_a=34 | option_b=35 | option_c=33 | option_d=36 | answer=A | explanation=Average = sum of values ÷ number of values = 102 ÷ 3 = 34.

id=2533 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=B | option_c=Z | option_d=C | answer=B | explanation=Move 1 positions forward from A; the resulting letter is B.

id=2534 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 26, 32, 41? | option_a=41 | option_b=20 | option_c=32 | option_d=26 | answer=A | explanation=The first three numbers increase by 6, so the next should be 38. Therefore 41 is the odd one out.

id=2535 | topic=Averages | difficulty=Easy | question=Find the average of 82, 76, 69, 62, 86. | option_a=75 | option_b=74 | option_c=77 | option_d=76 | answer=A | explanation=Average = sum of values ÷ number of values = 375 ÷ 5 = 75.

id=2536 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40005 at 6% per annum for 3 years. | option_a=7100 | option_b=7300 | option_c=7200 | option_d=47205 | answer=C | explanation=SI = PRT/100 = 40005×6×3/100 = █7200.

id=2537 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4316. If it is sold at a profit of 15%, what is its selling price? | option_a=4532 | option_b=5394 | option_c=4963 | option_d=4331 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4316 × 115/100 = █4963.

id=2538 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 9, 14, 22? | option_a=9 | option_b=4 | option_c=14 | option_d=22 | answer=D | explanation=The first three numbers increase by 5, so the next should be 19. Therefore 22 is the odd one out.

id=2539 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=40 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=2540 | topic=Averages | difficulty=Easy | question=Find the average of 18, 69, 47, 37, 59. | option_a=45 | option_b=46 | option_c=47 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 230 ÷ 5 = 46.

id=2541 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=19 | option_c=29 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=2542 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 24? | option_a=17 | option_b=24 | option_c=15 | option_d=19 | answer=B | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 24 is the odd one out.

id=2543 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=40 | option_b=39 | option_c=44 | option_d=34 | answer=B | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

id=2544 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 15, 19, 25? | option_a=25 | option_b=15 | option_c=19 | option_d=11 | answer=A | explanation=The first three numbers increase by 4, so the next should be 23. Therefore 25 is the odd one out.

id=2545 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=2546 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:13 and the first is 26, what is the second? | option_a=169 | option_b=171 | option_c=156 | option_d=195 | answer=A | explanation=Scale factor = 26/2 = 13. Therefore second quantity = 13×13 = 169.

id=2547 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=100 | option_c=95 | option_d=105 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=2548 | topic=Percentages | difficulty=Easy | question=What is 5% of 1266? | option_a=83 | option_b=126 | option_c=63 | option_d=53 | answer=C | explanation=5% of 1266 = (5/100) × 1266 = 63.

id=2549 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 24. | option_a=286 | option_b=264 | option_c=528 | option_d=240 | answer=B | explanation=LCM × HCF = 22×24; HCF(22,24) = 2, so LCM = 264.

id=2550 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=T | option_c=U | option_d=S | answer=C | explanation=Move 1 positions forward from T; the resulting letter is U.

Aptitude Questions — Records 2,551-2,580 of 100,000

id=2551 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3890. If it is sold at a profit of 40%, what is its selling price? | option_a=5835 | option_b=3930 | option_c=5057 | option_d=5446 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3890 × 140/100 = ■5446.

id=2552 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■22530 at 15% per annum for 3 years. | option_a=10138 | option_b=10238 | option_c=10038 | option_d=32668 | answer=A | explanation=SI = PRT/100 = 22530×15×3/100 = ■10138.

id=2553 | topic=Percentages | difficulty=Easy | question=What is 12% of 1456? | option_a=348 | option_b=154 | option_c=179 | option_d=174 | answer=D | explanation=12% of 1456 = (12/100) × 1456 = 174.

id=2554 | topic=Averages | difficulty=Easy | question=Find the average of 44, 99, 20, 97, 32, 10, 20, 102. | option_a=52 | option_b=55 | option_c=53 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.

id=2555 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=19 | option_c=48 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=2556 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=2557 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:16 and the first is 10, what is the second? | option_a=82 | option_b=80 | option_c=64 | option_d=90 | answer=B | explanation=Scale factor = 10/2 = 5. Therefore second quantity = 16×5 = 80.

id=2558 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■31388 at 10% per annum for 5 years. | option_a=47082 | option_b=15594 | option_c=15794 | option_d=15694 | answer=D | explanation=SI = PRT/100 = 31388×10×5/100 = ■15694.

id=2559 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=Y | option_b=A | option_c=E | option_d=C | answer=D | explanation=Move 2 positions forward from A; the resulting letter is C.

id=2560 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=2561 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=U | option_b=V | option_c=T | option_d=S | answer=A | explanation=Move 1 positions forward from T; the resulting letter is U.

id=2562 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=48 | option_b=47 | option_c=57 | option_d=37 | answer=B | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

id=2563 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=75 | option_c=85 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=2564 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■372. If it is sold at a profit of 5%, what is its selling price? | option_a=353 | option_b=390 | option_c=427 | option_d=377 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 372 × 105/100 = ■390.

id=2565 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=W | option_b=E | option_c=A | option_d=I | answer=B | explanation=Move 4 positions forward from A; the resulting letter is E.

id=2566 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4578. If it is sold at a profit of 40%, what is its selling price? | option_a=6409 | option_b=5952 | option_c=6866 | option_d=4618 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4578 × 140/100 = ■6409.

id=2567 | topic=Percentages | difficulty=Easy | question=What is 15% of 1643? | option_a=256 | option_b=246 | option_c=492 | option_d=226 | answer=B | explanation=15% of 1643 = (15/100) × 1643 = 246.

id=2568 | topic=Averages | difficulty=Easy | question=Find the average of 82, 46, 49, 84, 99, 60. | option_a=72 | option_b=69 | option_c=70 | option_d=71 | answer=C | explanation=Average = sum of values ÷ number of values = 420 ÷ 6 = 70.

id=2569 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=2570 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=40 | option_c=15 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=2571 | topic=Percentages | difficulty=Easy | question=What is 40% of 199? | option_a=158 | option_b=79 | option_c=84 | option_d=69 | answer=B | explanation=40% of 199 = (40/100) × 199 = 79.

id=2572 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=M | option_b=P | option_c=O | option_d=N | answer=C | explanation=Move 1 positions forward from N; the resulting letter is O.

id=2573 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=W | option_b=M | option_c=R | option_d=B | answer=A | explanation=Move 5 positions forward from R; the resulting letter is W.

id=2574 | topic=Averages | difficulty=Easy | question=Find the average of 29, 24, 22. | option_a=25 | option_b=24 | option_c=26 | option_d=27 | answer=A | explanation=Average = sum of values ÷ number of values = 75 ÷ 3 = 25.

id=2575 | topic=Averages | difficulty=Easy | question=Find the average of 88, 10, 46, 96, 55. | option_a=59 | option_b=58 | option_c=60 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 295 ÷ 5 = 59.

id=2576 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=2577 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:13 and the first is 18, what is the second? | option_a=26 | option_b=57 | option_c=39 | option_d=45 | answer=C | explanation=Scale factor = 18/6 = 3. Therefore second quantity = 13×3 = 39.

id=2578 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=G | option_b=F | option_c=H | option_d=E | answer=A | explanation=Move 1 positions forward from F; the resulting letter is G.

id=2579 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=2580 | topic=Percentages | difficulty=Easy | question=What is 12% of 1473? | option_a=166 | option_b=181 | option_c=352 | option_d=176 | answer=D | explanation=12% of 1473 = (12/100) × 1473 = 176.

Aptitude Questions — Records 2,581-2,610 of 100,000

id=2581 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■15788 at 12% per annum for 5 years. | option_a=9572 | option_b=9372 | option_c=25260 | option_d=9472 | answer=D | explanation=SI = $PRT/100 = 15788 \times 12 \times 5/100 = \blacksquare 9472$.

id=2582 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=2583 | topic=Percentages | difficulty=Easy | question=What is 25% of 1586? | option_a=386 | option_b=792 | option_c=396 | option_d=401 | answer=C | explanation=25% of 1586 = $(25/100) \times 1586 = 396$.

id=2584 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=36 | option_b=56 | option_c=46 | option_d=47 | answer=C | explanation=The common difference is 10. Therefore the next term is $36 + 10 = 46$.

id=2585 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=36 | option_c=13 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = $180 \div 10 = 18$ km/h.

id=2586 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 10, 14, 21? | option_a=6 | option_b=10 | option_c=21 | option_d=14 | answer=C | explanation=The first three numbers increase by 4, so the next should be 18. Therefore 21 is the odd one out.

id=2587 | topic=Percentages | difficulty=Easy | question=What is 50% of 413? | option_a=211 | option_b=206 | option_c=412 | option_d=186 | answer=B | explanation=50% of 413 = $(50/100) \times 413 = 206$.

id=2588 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=L | option_c=J | option_d=F | answer=C | explanation=Move 2 positions forward from H; the resulting letter is J.

id=2589 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2372. If it is sold at a profit of 25%, what is its selling price? | option_a=2728 | option_b=2965 | option_c=3202 | option_d=2397 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2372 \times 125/100 = \blacksquare 2965$.

id=2590 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■35399 at 12% per annum for 1 years. | option_a=39646 | option_b=4147 | option_c=4347 | option_d=4247 | answer=D | explanation=SI = $PRT/100 = 35399 \times 12 \times 1/100 = \blacksquare 4247$.

id=2591 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 10, 12, 14, ? | option_a=17 | option_b=16 | option_c=14 | option_d=18 | answer=B | explanation=The common difference is 2. Therefore the next term is $14 + 2 = 16$.

id=2592 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■3366 at 12% per annum for 2 years. | option_a=707 | option_b=4173 | option_c=907 | option_d=807 | answer=D | explanation=SI = $PRT/100 = 3366 \times 12 \times 2/100 = \blacksquare 807$.

id=2593 | topic=Averages | difficulty=Easy | question=Find the average of 26, 66, 73, 55, 30. | option_a=49 | option_b=51 | option_c=52 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = $250 \div 5 = 50$.

id=2594 | topic=Averages | difficulty=Easy | question=Find the average of 26, 74, 23. | option_a=40 | option_b=41 | option_c=42 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = $123 \div 3 = 41$.

id=2595 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=7 | option_d=5 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=2596 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=40 | option_b=34 | option_c=39 | option_d=44 | answer=C | explanation=The common difference is 5. Therefore the next term is $34 + 5 = 39$.

id=2597 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=P | option_c=A | option_d=K | answer=D | explanation=Move 5 positions forward from F; the resulting letter is K.

id=2598 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=20 | option_b=15 | option_c=19 | option_d=23 | answer=C | explanation=The common difference is 4. Therefore the next term is $15 + 4 = 19$.

id=2599 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:18 and the first is 80, what is the second? | option_a=260 | option_b=188 | option_c=162 | option_d=180 | answer=D | explanation=Scale factor = $80/8 = 10$. Therefore second quantity = $18 \times 10 = 180$.

id=2600 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=2601 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=2602 | topic=Averages | difficulty=Easy | question=Find the average of 29, 20, 83, 75, 60, 56, 56, 17, 54. | option_a=50 | option_b=52 | option_c=51 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = $450 \div 9 = 50$.

id=2603 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=F | option_c=X | option_d=J | answer=B | explanation=Move 4 positions forward from B; the resulting letter is F.

id=2604 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=T | option_b=O | option_c=J | option_d=E | answer=B | explanation=Move 5 positions forward from J; the resulting letter is O.

id=2605 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=44 | option_b=36 | option_c=50 | option_d=43 | answer=D | explanation=The common difference is 7. Therefore the next term is $36 + 7 = 43$.

id=2606 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■30728 at 5% per annum for 2 years. | option_a=2972 | option_b=3072 | option_c=33800 | option_d=3172 | answer=B | explanation=SI = $PRT/100 = 30728 \times 5 \times 2/100 = \blacksquare 3072$.

id=2607 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=16 | option_d=3 | answer=B | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=2608 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4316. If it is sold at a profit of 5%, what is its selling price? | option_a=4962 | option_b=4531 | option_c=4100 | option_d=4321 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4316 \times 105/100 = \blacksquare 4531$.

id=2609 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=31 | option_b=32 | option_c=27 | option_d=35 | answer=A | explanation=The common difference is 4. Therefore the next term is $27 + 4 = 31$.

id=2610 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4776. If it is sold at a profit of 40%, what is its selling price? | option_a=7163 | option_b=4816 | option_c=6686 | option_d=6209 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4776 \times 140/100 = \blacksquare 6686$.

Aptitude Questions — Records 2,611-2,640 of 100,000

id=2611 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 17, 22, 28? | option_a=22 | option_b=28 | option_c=12 | option_d=17 | answer=B | explanation=The first three numbers increase by 5, so the next should be 27. Therefore 28 is the odd one out.

id=2612 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=2613 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:2 and the first is 63, what is the second? | option_a=16 | option_b=25 | option_c=81 | option_d=18 | answer=D | explanation=Scale factor = 63/7 = 9. Therefore second quantity = 2×9 = 18.

id=2614 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=M | option_c=U | option_d=Y | answer=C | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=2615 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:15 and the first is 168, what is the second? | option_a=210 | option_b=378 | option_c=222 | option_d=195 | answer=A | explanation=Scale factor = 168/12 = 14. Therefore second quantity = 15×14 = 210.

id=2616 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 20. | option_a=140 | option_b=154 | option_c=280 | option_d=120 | answer=A | explanation=LCM × HCF = 14×20; HCF(14,20) = 2, so LCM = 140.

id=2617 | topic=Averages | difficulty=Easy | question=Find the average of 40, 65, 57, 82, 70, 44, 60, 62. | option_a=59 | option_b=61 | option_c=60 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 480 ÷ 8 = 60.

id=2618 | topic=Averages | difficulty=Easy | question=Find the average of 26, 20, 32, 53, 46, 57, 18. | option_a=38 | option_b=37 | option_c=35 | option_d=36 | answer=D | explanation=Average = sum of values ÷ number of values = 252 ÷ 7 = 36.

id=2619 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=41 | option_b=52 | option_c=61 | option_d=51 | answer=D | explanation=The common difference is 10. Therefore the next term is 41 + 10 = 51.

id=2620 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=2621 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16702 at 6% per annum for 5 years. | option_a=4910 | option_b=21712 | option_c=5110 | option_d=5010 | answer=D | explanation=SI = PRT/100 = 16702×6×5/100 = █5010.

id=2622 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=2623 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=B | option_b=R | option_c=W | option_d=M | answer=C | explanation=Move 5 positions forward from R; the resulting letter is W.

id=2624 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=2625 | topic=Percentages | difficulty=Easy | question=What is 30% of 977? | option_a=298 | option_b=273 | option_c=293 | option_d=586 | answer=C | explanation=30% of 977 = (30/100) × 977 = 293.

id=2626 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=A | option_c=Z | option_d=B | answer=D | explanation=Move 1 positions forward from A; the resulting letter is B.

id=2627 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10311 at 4% per annum for 1 years. | option_a=412 | option_b=512 | option_c=10723 | option_d=312 | answer=A | explanation=SI = PRT/100 = 10311×4×1/100 = █412.

id=2628 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4662. If it is sold at a profit of 25%, what is its selling price? | option_a=6293 | option_b=4687 | option_c=5827 | option_d=5361 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4662 × 125/100 = █5827.

id=2629 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=19 | option_c=29 | option_d=48 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=2630 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=Q | option_c=C | option_d=Y | answer=D | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=2631 | topic=Averages | difficulty=Easy | question=Find the average of 92, 96, 13, 98, 81. | option_a=75 | option_b=76 | option_c=77 | option_d=78 | answer=B | explanation=Average = sum of values ÷ number of values = 380 ÷ 5 = 76.

id=2632 | topic=Averages | difficulty=Easy | question=Find the average of 69, 67, 26, 83, 65, 61, 97, 51, 62, 39. | option_a=61 | option_b=62 | option_c=64 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 620 ÷ 10 = 62.

id=2633 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2382. If it is sold at a profit of 5%, what is its selling price? | option_a=2387 | option_b=2739 | option_c=2263 | option_d=2501 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2382 × 105/100 = █2501.

id=2634 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29791 at 10% per annum for 1 years. | option_a=32770 | option_b=2879 | option_c=3079 | option_d=2979 | answer=D | explanation=SI = PRT/100 = 29791×10×1/100 = █2979.

id=2635 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=P | option_b=Q | option_c=S | option_d=R | answer=D | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=2636 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48807 at 5% per annum for 1 years. | option_a=51247 | option_b=2540 | option_c=2440 | option_d=2340 | answer=C | explanation=SI = PRT/100 = 48807×5×1/100 = █2440.

id=2637 | topic=Averages | difficulty=Easy | question=Find the average of 64, 13, 87, 48. | option_a=55 | option_b=53 | option_c=52 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 212 ÷ 4 = 53.

id=2638 | topic=Averages | difficulty=Easy | question=Find the average of 77, 90, 98, 21, 73, 31, 14, 35, 29. | option_a=52 | option_b=51 | option_c=54 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 468 ÷ 9 = 52.

id=2639 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=15 | option_c=20 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=2640 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=40 | option_b=62 | option_c=51 | option_d=52 | answer=C | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

Aptitude Questions — Records 2,641-2,670 of 100,000

id=2641 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■48129 at 6% per annum for 5 years. | option_a=14538 | option_b=14438 | option_c=62567 | option_d=14338 | answer=B | explanation=SI = $PRT/100 = 48129 \times 6 \times 5/100 = \blacksquare 14438$.

id=2642 | topic=Averages | difficulty=Easy | question=Find the average of 31, 29, 91, 98, 66. | option_a=65 | option_b=63 | option_c=62 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = $315 \div 5 = 63$.

id=2643 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 34? | option_a=34 | option_b=29 | option_c=21 | option_d=25 | answer=A | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 34 is the odd one out.

id=2644 | topic=Averages | difficulty=Easy | question=Find the average of 38, 26, 39, 64, 64, 21, 74, 58. | option_a=50 | option_b=47 | option_c=49 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = $384 \div 8 = 48$.

id=2645 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■501. If it is sold at a profit of 50%, what is its selling price? | option_a=801 | option_b=551 | option_c=701 | option_d=751 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 501 \times 150/100 = \blacksquare 751$.

id=2646 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=2647 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=29 | option_b=35 | option_c=36 | option_d=41 | answer=B | explanation=The common difference is 6. Therefore the next term is $29 + 6 = 35$.

id=2648 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=Y | option_c=U | option_d=S | answer=A | explanation=Move 2 positions forward from U; the resulting letter is W.

id=2649 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=2650 | topic=Averages | difficulty=Easy | question=Find the average of 25, 93, 81, 51, 29, 11, 95. | option_a=54 | option_b=56 | option_c=57 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = $385 \div 7 = 55$.

id=2651 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■27299 at 12% per annum for 1 years. | option_a=3275 | option_b=3375 | option_c=30574 | option_d=3175 | answer=A | explanation=SI = $PRT/100 = 27299 \times 12 \times 1/100 = \blacksquare 3275$.

id=2652 | topic=Averages | difficulty=Easy | question=Find the average of 94, 56, 59, 18, 50, 45, 70, 15, 56, 57. | option_a=53 | option_b=52 | option_c=54 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = $520 \div 10 = 52$.

id=2653 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■42039 at 12% per annum for 1 years. | option_a=47083 | option_b=5144 | option_c=5044 | option_d=4944 | answer=C | explanation=SI = $PRT/100 = 42039 \times 12 \times 1/100 = \blacksquare 5044$.

id=2654 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:3 and the first is 60, what is the second? | option_a=60 | option_b=120 | option_c=63 | option_d=57 | answer=A | explanation=Scale factor = $60/3 = 20$. Therefore second quantity = $3 \times 20 = 60$.

id=2655 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:19 and the first is 4, what is the second? | option_a=77 | option_b=76 | option_c=57 | option_d=80 | answer=B | explanation=Scale factor = $4/1 = 4$. Therefore second quantity = $19 \times 4 = 76$.

id=2656 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 21, 30, 39, ? | option_a=39 | option_b=48 | option_c=57 | option_d=49 | answer=B | explanation=The common difference is 9. Therefore the next term is $39 + 9 = 48$.

id=2657 | topic=Percentages | difficulty=Easy | question=What is 5% of 1027? | option_a=102 | option_b=56 | option_c=51 | option_d=46 | answer=C | explanation=5% of 1027 = $(5/100) \times 1027 = 51$.

id=2658 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■44690 at 4% per annum for 1 years. | option_a=1887 | option_b=1687 | option_c=1787 | option_d=46477 | answer=C | explanation=SI = $PRT/100 = 44690 \times 4 \times 1/100 = \blacksquare 1787$.

id=2659 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=A | option_b=G | option_c=E | option_d=C | answer=C | explanation=Move 2 positions forward from C; the resulting letter is E.

id=2660 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 17, 25, 33, ? | option_a=41 | option_b=33 | option_c=49 | option_d=42 | answer=A | explanation=The common difference is 8. Therefore the next term is $33 + 8 = 41$.

id=2661 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=2662 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■29694 at 12% per annum for 4 years. | option_a=43947 | option_b=14153 | option_c=14353 | option_d=14253 | answer=D | explanation=SI = $PRT/100 = 29694 \times 12 \times 4/100 = \blacksquare 14253$.

id=2663 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 28, 38, 48, ? | option_a=58 | option_b=68 | option_c=48 | option_d=59 | answer=A | explanation=The common difference is 10. Therefore the next term is $48 + 10 = 58$.

id=2664 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=10 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = $150 \div 10 = 15$ km/h.

id=2665 | topic=Averages | difficulty=Easy | question=Find the average of 87, 21, 90, 58. | option_a=66 | option_b=64 | option_c=65 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = $256 \div 4 = 64$.

id=2666 | topic=Percentages | difficulty=Easy | question=What is 25% of 1099? | option_a=279 | option_b=269 | option_c=548 | option_d=274 | answer=D | explanation=25% of 1099 = $(25/100) \times 1099 = 274$.

id=2667 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■8933 at 10% per annum for 1 years. | option_a=9826 | option_b=993 | option_c=893 | option_d=793 | answer=C | explanation=SI = $PRT/100 = 8933 \times 10 \times 1/100 = \blacksquare 893$.

id=2668 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:19 and the first is 160, what is the second? | option_a=464 | option_b=304 | option_c=314 | option_d=285 | answer=B | explanation=Scale factor = $160/10 = 16$. Therefore second quantity = $19 \times 16 = 304$.

id=2669 | topic=Percentages | difficulty=Easy | question=What is 12% of 52? | option_a=6 | option_b=0 | option_c=16 | option_d=12 | answer=A | explanation=12% of 52 = $(12/100) \times 52 = 6$.

id=2670 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:14 and the first is 306, what is the second? | option_a=238 | option_b=224 | option_c=256 | option_d=544 | answer=A | explanation=Scale factor = $306/18 = 17$. Therefore second quantity = $14 \times 17 = 238$.

Aptitude Questions — Records 2,671-2,700 of 100,000

- id=2671 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=34 | option_b=41 | option_c=46 | option_d=40 | answer=D | explanation=The common difference is 6. Therefore the next term is 34 + 6 = 40.
- id=2672 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.
- id=2673 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=V | option_b=Y | option_c=S | option_d=P | answer=A | explanation=Move 3 positions forward from S; the resulting letter is V.
- id=2674 | topic=Averages | difficulty=Easy | question=Find the average of 36, 16, 98, 57, 85, 69, 11, 36. | option_a=53 | option_b=51 | option_c=52 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 408 ÷ 8 = 51.
- id=2675 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35669 at 5% per annum for 4 years. | option_a=7233 | option_b=7133 | option_c=7033 | option_d=42802 | answer=B | explanation=SI = PRT/100 = 35669×5×4/100 = █7133.
- id=2676 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=2677 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2601. If it is sold at a profit of 10%, what is its selling price? | option_a=3121 | option_b=2861 | option_c=2601 | option_d=2611 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2601 × 110/100 = █2861.
- id=2678 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=33 | option_b=39 | option_c=34 | option_d=27 | answer=A | explanation=The common difference is 6. Therefore the next term is 27 + 6 = 33.
- id=2679 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:19 and the first is 80, what is the second? | option_a=171 | option_b=190 | option_c=198 | option_d=270 | answer=B | explanation=Scale factor = 80/8 = 10. Therefore second quantity = 19×10 = 190.
- id=2680 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 57? | option_a=46 | option_b=36 | option_c=57 | option_d=26 | answer=C | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 57 is the odd one out.
- id=2681 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=42 | option_b=62 | option_c=52 | option_d=53 | answer=C | explanation=The common difference is 10. Therefore the next term is 42 + 10 = 52.
- id=2682 | topic=Averages | difficulty=Easy | question=Find the average of 22, 41, 30, 23, 11, 83, 70. | option_a=42 | option_b=39 | option_c=40 | option_d=41 | answer=C | explanation=Average = sum of values ÷ number of values = 280 ÷ 7 = 40.
- id=2683 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4021. If it is sold at a profit of 5%, what is its selling price? | option_a=4222 | option_b=3820 | option_c=4624 | option_d=4026 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4021 × 105/100 = █4222.
- id=2684 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 30? | option_a=30 | option_b=18 | option_c=13 | option_d=23 | answer=A | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 30 is the odd one out.
- id=2685 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9235 at 4% per annum for 2 years. | option_a=638 | option_b=838 | option_c=9973 | option_d=738 | answer=D | explanation=SI = PRT/100 = 9235×4×2/100 = █738.
- id=2686 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:14 and the first is 209, what is the second? | option_a=173 | option_b=140 | option_c=154 | option_d=363 | answer=C | explanation=Scale factor = 209/19 = 11. Therefore second quantity = 14×11 = 154.
- id=2687 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=64 | option_b=42 | option_c=54 | option_d=53 | answer=D | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.
- id=2688 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.
- id=2689 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.
- id=2690 | topic=Averages | difficulty=Easy | question=Find the average of 84, 53, 90, 96, 70, 10, 81, 68. | option_a=70 | option_b=71 | option_c=68 | option_d=69 | answer=D | explanation=Average = sum of values ÷ number of values = 552 ÷ 8 = 69.
- id=2691 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2238. If it is sold at a profit of 30%, what is its selling price? | option_a=2268 | option_b=3132 | option_c=2909 | option_d=2686 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2238 × 130/100 = █2909.
- id=2692 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.
- id=2693 | topic=Averages | difficulty=Easy | question=Find the average of 16, 36, 47, 33, 34, 62, 30, 102. | option_a=47 | option_b=44 | option_c=45 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 360 ÷ 8 = 45.
- id=2694 | topic=Averages | difficulty=Easy | question=Find the average of 68, 47, 33, 43, 62, 36, 96. | option_a=54 | option_b=56 | option_c=57 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 385 ÷ 7 = 55.
- id=2695 | topic=Averages | difficulty=Easy | question=Find the average of 84, 63, 74, 98, 96, 94, 60, 79, 13, 19. | option_a=69 | option_b=68 | option_c=70 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = 680 ÷ 10 = 68.
- id=2696 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=50 | option_b=34 | option_c=43 | option_d=42 | answer=D | explanation=The common difference is 8. Therefore the next term is 34 + 8 = 42.
- id=2697 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=X | option_b=L | option_c=T | option_d=P | answer=C | explanation=Move 4 positions forward from P; the resulting letter is T.
- id=2698 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:2 and the first is 77, what is the second? | option_a=20 | option_b=22 | option_c=99 | option_d=29 | answer=B | explanation=Scale factor = 77/7 = 11. Therefore second quantity = 2×11 = 22.
- id=2699 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15967 at 10% per annum for 3 years. | option_a=4890 | option_b=4690 | option_c=20757 | option_d=4790 | answer=D | explanation=SI = PRT/100 = 15967×10×3/100 = █4790.
- id=2700 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 27, 33, 41? | option_a=27 | option_b=41 | option_c=21 | option_d=33 | answer=B | explanation=The first three numbers increase by 6, so the next should be 39. Therefore 41 is the odd one out.

Aptitude Questions — Records 2,701-2,730 of 100,000

- id=2701 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 12. | option_a=312 | option_b=144 | option_c=156 | option_d=182 | answer=C | explanation= $LCM \times HCF = 26 \times 12$; $HCF(26,12) = 2$, so $LCM = 156$.
- id=2702 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**35099 at 5% per annum for 5 years. | option_a=43873 | option_b=8674 | option_c=8774 | option_d=8874 | answer=C | explanation= $SI = PRT/100 = 35099 \times 5 \times 5/100 =$ **₹**8774.
- id=2703 | topic=Percentages | difficulty=Easy | question=What is 25% of 325? | option_a=91 | option_b=61 | option_c=162 | option_d=81 | answer=D | explanation= $25\% \text{ of } 325 = (25/100) \times 325 = 81$.
- id=2704 | topic=Percentages | difficulty=Easy | question=What is 5% of 520? | option_a=26 | option_b=52 | option_c=31 | option_d=21 | answer=A | explanation= $5\% \text{ of } 520 = (5/100) \times 520 = 26$.
- id=2705 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3604. If it is sold at a profit of 50%, what is its selling price? | option_a=3654 | option_b=5766 | option_c=5406 | option_d=5046 | answer=C | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%)/100 = 3604 \times 150/100 =$ **₹**5406.
- id=2706 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation= $\text{Combined rate} = 1/4 + 1/12 = 16/48$. $\text{Time} = 48/16 = 3$ days.
- id=2707 | topic=Percentages | difficulty=Easy | question=What is 20% of 405? | option_a=162 | option_b=71 | option_c=81 | option_d=101 | answer=C | explanation= $20\% \text{ of } 405 = (20/100) \times 405 = 81$.
- id=2708 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**16127 at 12% per annum for 5 years. | option_a=25803 | option_b=9676 | option_c=9776 | option_d=9576 | answer=B | explanation= $SI = PRT/100 = 16127 \times 12 \times 5/100 =$ **₹**9676.
- id=2709 | topic=Averages | difficulty=Easy | question=Find the average of 37, 44, 27. | option_a=35 | option_b=37 | option_c=38 | option_d=36 | answer=D | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 108 \div 3 = 36$.
- id=2710 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 5, 8, 11, 7 | option_a=17 | option_b=14 | option_c=11 | option_d=15 | answer=B | explanation=The common difference is 3. Therefore the next term is $11 + 3 = 14$.
- id=2711 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**44379 at 15% per annum for 2 years. | option_a=57692 | option_b=13413 | option_c=13313 | option_d=13213 | answer=C | explanation= $SI = PRT/100 = 44379 \times 15 \times 2/100 =$ **₹**13313.
- id=2712 | topic=Percentages | difficulty=Easy | question=What is 30% of 949? | option_a=294 | option_b=284 | option_c=264 | option_d=568 | answer=B | explanation= $30\% \text{ of } 949 = (30/100) \times 949 = 284$.
- id=2713 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 22. | option_a=22 | option_b=1 | option_c=44 | option_d=484 | answer=A | explanation= $LCM \times HCF = 22 \times 22$; $HCF(22,22) = 22$, so $LCM = 22$.
- id=2714 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation= $\text{Combined rate} = 1/4 + 1/12 = 16/48$. $\text{Time} = 48/16 = 3$ days.
- id=2715 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**11194 at 6% per annum for 5 years. | option_a=14552 | option_b=3458 | option_c=3258 | option_d=3358 | answer=D | explanation= $SI = PRT/100 = 11194 \times 6 \times 5/100 =$ **₹**3358.
- id=2716 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation= $\text{Combined rate} = 1/12 + 1/6 = 18/72$. $\text{Time} = 72/18 = 4$ days.
- id=2717 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=35 | option_b=41 | option_c=27 | option_d=34 | answer=D | explanation=The common difference is 7. Therefore the next term is $27 + 7 = 34$.
- id=2718 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=40 | option_d=15 | answer=B | explanation= $\text{Speed} = \text{distance} \div \text{time} = 120 \div 6 = 20$ km/h.
- id=2719 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**10312 at 8% per annum for 4 years. | option_a=3399 | option_b=13611 | option_c=3299 | option_d=3199 | answer=C | explanation= $SI = PRT/100 = 10312 \times 8 \times 4/100 =$ **₹**3299.
- id=2720 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 29? | option_a=24 | option_b=20 | option_c=16 | option_d=29 | answer=D | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 29 is the odd one out.
- id=2721 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**10459 at 4% per annum for 4 years. | option_a=1673 | option_b=1573 | option_c=12132 | option_d=1773 | answer=A | explanation= $SI = PRT/100 = 10459 \times 4 \times 4/100 =$ **₹**1673.
- id=2722 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'l' become? | option_a=D | option_b=l | option_c=N | option_d=S | answer=C | explanation=Move 5 positions forward from l; the resulting letter is N.
- id=2723 | topic=Percentages | difficulty=Easy | question=What is 50% of 1467? | option_a=733 | option_b=1466 | option_c=738 | option_d=728 | answer=A | explanation= $50\% \text{ of } 1467 = (50/100) \times 1467 = 733$.
- id=2724 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 30. | option_a=900 | option_b=1 | option_c=60 | option_d=30 | answer=D | explanation= $LCM \times HCF = 30 \times 30$; $HCF(30,30) = 30$, so $LCM = 30$.
- id=2725 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 43? | option_a=35 | option_b=43 | option_c=21 | option_d=28 | answer=B | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 43 is the odd one out.
- id=2726 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**1676 at 15% per annum for 3 years. | option_a=754 | option_b=854 | option_c=654 | option_d=2430 | answer=A | explanation= $SI = PRT/100 = 1676 \times 15 \times 3/100 =$ **₹**754.
- id=2727 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2665. If it is sold at a profit of 20%, what is its selling price? | option_a=3198 | option_b=2932 | option_c=3464 | option_d=2685 | answer=A | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%)/100 = 2665 \times 120/100 =$ **₹**3198.
- id=2728 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=47 | option_b=39 | option_c=31 | option_d=40 | answer=B | explanation=The common difference is 8. Therefore the next term is $31 + 8 = 39$.
- id=2729 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**40173 at 12% per annum for 3 years. | option_a=14362 | option_b=14562 | option_c=14462 | option_d=54635 | answer=C | explanation= $SI = PRT/100 = 40173 \times 12 \times 3/100 =$ **₹**14462.
- id=2730 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**30645 at 8% per annum for 4 years. | option_a=9906 | option_b=40451 | option_c=9806 | option_d=9706 | answer=C | explanation= $SI = PRT/100 = 30645 \times 8 \times 4/100 =$ **₹**9806.

Aptitude Questions — Records 2,731-2,760 of 100,000

id=2731 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=2732 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=2733 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=27 | option_b=24 | option_c=23 | option_d=19 | answer=C | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=2734 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=105 | option_c=200 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=2735 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=105 | option_c=100 | option_d=200 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=2736 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=M | option_c=E | option_d=A | answer=A | explanation=Move 4 positions forward from E; the resulting letter is I.

id=2737 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=G | option_c=E | option_d=H | answer=B | explanation=Move 1 positions forward from F; the resulting letter is G.

id=2738 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=2739 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1693. If it is sold at a profit of 20%, what is its selling price? | option_a=2200 | option_b=1862 | option_c=1713 | option_d=2031 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1693 × 120/100 = █2031.

id=2740 | topic=Percentages | difficulty=Easy | question=What is 50% of 608? | option_a=608 | option_b=284 | option_c=304 | option_d=309 | answer=C | explanation=50% of 608 = (50/100) × 608 = 304.

id=2741 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10950 at 4% per annum for 2 years. | option_a=11826 | option_b=776 | option_c=976 | option_d=876 | answer=D | explanation=SI = PRT/100 = 10950×4×2/100 = █876.

id=2742 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 26, 29, 35? | option_a=23 | option_b=35 | option_c=29 | option_d=26 | answer=B | explanation=The first three numbers increase by 3, so the next should be 32. Therefore 35 is the odd one out.

id=2743 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=2744 | topic=Averages | difficulty=Easy | question=Find the average of 76, 51, 59, 91, 61, 46, 61, 51. | option_a=64 | option_b=63 | option_c=61 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 496 ÷ 8 = 62.

id=2745 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15267 at 6% per annum for 2 years. | option_a=1932 | option_b=17099 | option_c=1732 | option_d=1832 | answer=D | explanation=SI = PRT/100 = 15267×6×2/100 = █1832.

id=2746 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=2747 | topic=Percentages | difficulty=Easy | question=What is 10% of 675? | option_a=67 | option_b=134 | option_c=57 | option_d=72 | answer=A | explanation=10% of 675 = (10/100) × 675 = 67.

id=2748 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 11, 14, 19? | option_a=8 | option_b=19 | option_c=11 | option_d=14 | answer=B | explanation=The first three numbers increase by 3, so the next should be 17. Therefore 19 is the odd one out.

id=2749 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3958. If it is sold at a profit of 50%, what is its selling price? | option_a=5937 | option_b=5542 | option_c=4008 | option_d=6332 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3958 × 150/100 = █5937.

id=2750 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=31 | option_b=30 | option_c=27 | option_d=33 | answer=B | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.

id=2751 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4601. If it is sold at a profit of 5%, what is its selling price? | option_a=4371 | option_b=5291 | option_c=4606 | option_d=4831 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4601 × 105/100 = █4831.

id=2752 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=25 | option_c=20 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=2753 | topic=Averages | difficulty=Easy | question=Find the average of 10, 51, 90, 17. | option_a=44 | option_b=43 | option_c=42 | option_d=41 | answer=C | explanation=Average = sum of values ÷ number of values = 168 ÷ 4 = 42.

id=2754 | topic=Averages | difficulty=Easy | question=Find the average of 80, 100, 10, 55, 80, 101. | option_a=70 | option_b=71 | option_c=73 | option_d=72 | answer=B | explanation=Average = sum of values ÷ number of values = 426 ÷ 6 = 71.

id=2755 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=N | option_c=C | option_d=X | answer=D | explanation=Move 5 positions forward from S; the resulting letter is X.

id=2756 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=2757 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4528. If it is sold at a profit of 20%, what is its selling price? | option_a=4548 | option_b=5885 | option_c=5433 | option_d=4981 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4528 × 120/100 = █5433.

id=2758 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=34 | option_b=44 | option_c=54 | option_d=45 | answer=B | explanation=The common difference is 10. Therefore the next term is 34 + 10 = 44.

id=2759 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=2760 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

Aptitude Questions — Records 2,761-2,790 of 100,000

id=2761 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 27, 30, 35? | option_a=24 | option_b=35 | option_c=27 | option_d=30 | answer=B | explanation=The first three numbers increase by 3, so the next should be 33. Therefore 35 is the odd one out.

id=2762 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 44? | option_a=24 | option_b=30 | option_c=44 | option_d=36 | answer=C | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 44 is the odd one out.

id=2763 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46973 at 8% per annum for 4 years. | option_a=15031 | option_b=15131 | option_c=62004 | option_d=14931 | answer=A | explanation=SI = $PRT/100 = 46973 \times 8 \times 4/100 = \text{█}15031$.

id=2764 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 18, 22, 29? | option_a=14 | option_b=29 | option_c=22 | option_d=18 | answer=B | explanation=The first three numbers increase by 4, so the next should be 26. Therefore 29 is the odd one out.

id=2765 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22212 at 8% per annum for 2 years. | option_a=3653 | option_b=3553 | option_c=25765 | option_d=3453 | answer=B | explanation=SI = $PRT/100 = 22212 \times 8 \times 2/100 = \text{█}3553$.

id=2766 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=85 | option_c=160 | option_d=75 | answer=A | explanation=Speed = distance ÷ time = $240 \div 3 = 80$ km/h.

id=2767 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=V | option_b=T | option_c=U | option_d=W | answer=A | explanation=Move 1 positions forward from U; the resulting letter is V.

id=2768 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38967 at 15% per annum for 5 years. | option_a=68192 | option_b=29125 | option_c=29325 | option_d=29225 | answer=D | explanation=SI = $PRT/100 = 38967 \times 15 \times 5/100 = \text{█}29225$.

id=2769 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=P | option_c=N | option_d=T | answer=A | explanation=Move 2 positions forward from P; the resulting letter is R.

id=2770 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3687. If it is sold at a profit of 40%, what is its selling price? | option_a=5529 | option_b=4793 | option_c=5161 | option_d=3727 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3687 \times 140/100 = \text{█}5161$.

id=2771 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 36, 45, 56? | option_a=56 | option_b=36 | option_c=27 | option_d=45 | answer=A | explanation=The first three numbers increase by 9, so the next should be 54. Therefore 56 is the odd one out.

id=2772 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=Y | option_b=D | option_c=O | option_d=T | answer=A | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=2773 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4270. If it is sold at a profit of 20%, what is its selling price? | option_a=4290 | option_b=5551 | option_c=5124 | option_d=4697 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4270 \times 120/100 = \text{█}5124$.

id=2774 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 22. | option_a=396 | option_b=216 | option_c=198 | option_d=176 | answer=C | explanation= $LCM \times HCF = 18 \times 22$; $HCF(18,22) = 2$, so $LCM = 198$.

id=2775 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=60 | option_b=49 | option_c=69 | option_d=59 | answer=D | explanation=The common difference is 10. Therefore the next term is $49 + 10 = 59$.

id=2776 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 21, 23, 25, ? | option_a=27 | option_b=28 | option_c=29 | option_d=25 | answer=A | explanation=The common difference is 2. Therefore the next term is $25 + 2 = 27$.

id=2777 | topic=Percentages | difficulty=Easy | question=What is 12% of 1672? | option_a=180 | option_b=220 | option_c=200 | option_d=400 | answer=C | explanation=12% of 1672 = $(12/100) \times 1672 = 200$.

id=2778 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8750 at 15% per annum for 1 years. | option_a=1212 | option_b=1312 | option_c=10062 | option_d=1412 | answer=B | explanation=SI = $PRT/100 = 8750 \times 15 \times 1/100 = \text{█}1312$.

id=2779 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=12 | option_d=2 | answer=B | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=2780 | topic=Averages | difficulty=Easy | question=Find the average of 81, 79, 83. | option_a=83 | option_b=81 | option_c=80 | option_d=82 | answer=B | explanation=Average = sum of values ÷ number of values = $243 \div 3 = 81$.

id=2781 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=180 | option_c=85 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = $360 \div 4 = 90$ km/h.

id=2782 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:18 and the first is 52, what is the second? | option_a=238 | option_b=216 | option_c=234 | option_d=286 | answer=C | explanation=Scale factor = $52/4 = 13$. Therefore second quantity = $18 \times 13 = 234$.

id=2783 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30299 at 15% per annum for 3 years. | option_a=13734 | option_b=13534 | option_c=43933 | option_d=13634 | answer=D | explanation=SI = $PRT/100 = 30299 \times 15 \times 3/100 = \text{█}13634$.

id=2784 | topic=Averages | difficulty=Easy | question=Find the average of 96, 54, 60. | option_a=69 | option_b=71 | option_c=70 | option_d=72 | answer=C | explanation=Average = sum of values ÷ number of values = $210 \div 3 = 70$.

id=2785 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=H | option_b=I | option_c=F | option_d=G | answer=A | explanation=Move 1 positions forward from G; the resulting letter is H.

id=2786 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4670. If it is sold at a profit of 25%, what is its selling price? | option_a=5837 | option_b=5370 | option_c=4695 | option_d=6304 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4670 \times 125/100 = \text{█}5837$.

id=2787 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1771. If it is sold at a profit of 40%, what is its selling price? | option_a=2656 | option_b=2479 | option_c=1811 | option_d=2302 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1771 \times 140/100 = \text{█}2479$.

id=2788 | topic=Percentages | difficulty=Easy | question=What is 20% of 522? | option_a=114 | option_b=208 | option_c=104 | option_d=94 | answer=C | explanation=20% of 522 = $(20/100) \times 522 = 104$.

id=2789 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=2790 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $120 \div 4 = 30$ km/h.

Aptitude Questions — Records 2,791-2,820 of 100,000

id=2791 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■8656 at 6% per annum for 3 years. | option_a=1458 | option_b=1558 | option_c=1658 | option_d=10214 | answer=B | explanation=SI = $PRT/100 = 8656 \times 6 \times 3/100 = \blacksquare 1558$.

id=2792 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=2793 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■164. If it is sold at a profit of 30%, what is its selling price? | option_a=197 | option_b=194 | option_c=213 | option_d=229 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 164 \times 130/100 = \blacksquare 213$.

id=2794 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:10 and the first is 272, what is the second? | option_a=170 | option_b=160 | option_c=186 | option_d=442 | answer=A | explanation=Scale factor = $272/16 = 17$. Therefore second quantity = $10 \times 17 = 170$.

id=2795 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=N | option_b=Q | option_c=K | option_d=H | answer=A | explanation=Move 3 positions forward from K; the resulting letter is N.

id=2796 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = $120 \div 2 = 60$ km/h.

id=2797 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=17 | option_c=24 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = $60 \div 5 = 12$ km/h.

id=2798 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=75 | option_c=160 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = $240 \div 3 = 80$ km/h.

id=2799 | topic=Percentages | difficulty=Easy | question=What is 15% of 1567? | option_a=470 | option_b=230 | option_c=235 | option_d=245 | answer=C | explanation=15% of 1567 = $(15/100) \times 1567 = 235$.

id=2800 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=A | option_c=I | option_d=M | answer=C | explanation=Move 4 positions forward from E; the resulting letter is I.

id=2801 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:18 and the first is 162, what is the second? | option_a=162 | option_b=180 | option_c=324 | option_d=144 | answer=A | explanation=Scale factor = $162/18 = 9$. Therefore second quantity = $18 \times 9 = 162$.

id=2802 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=F | option_b=U | option_c=P | option_d=K | answer=C | explanation=Move 5 positions forward from K; the resulting letter is P.

id=2803 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=28 | option_b=31 | option_c=27 | option_d=23 | answer=C | explanation=The common difference is 4. Therefore the next term is $23 + 4 = 27$.

id=2804 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3426. If it is sold at a profit of 10%, what is its selling price? | option_a=3768 | option_b=3436 | option_c=4110 | option_d=3426 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 3426 \times 110/100 = \blacksquare 3768$.

id=2805 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=31 | option_b=49 | option_c=41 | option_d=40 | answer=D | explanation=The common difference is 9. Therefore the next term is $31 + 9 = 40$.

id=2806 | topic=Percentages | difficulty=Easy | question=What is 5% of 1133? | option_a=112 | option_b=46 | option_c=66 | option_d=56 | answer=D | explanation=5% of 1133 = $(5/100) \times 1133 = 56$.

id=2807 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = $120 \div 4 = 30$ km/h.

id=2808 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3878. If it is sold at a profit of 10%, what is its selling price? | option_a=4265 | option_b=4652 | option_c=3888 | option_d=3878 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 3878 \times 110/100 = \blacksquare 4265$.

id=2809 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=37 | option_b=36 | option_c=41 | option_d=31 | answer=B | explanation=The common difference is 5. Therefore the next term is $31 + 5 = 36$.

id=2810 | topic=Percentages | difficulty=Easy | question=What is 15% of 732? | option_a=119 | option_b=89 | option_c=218 | option_d=109 | answer=D | explanation=15% of 732 = $(15/100) \times 732 = 109$.

id=2811 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4440. If it is sold at a profit of 20%, what is its selling price? | option_a=5772 | option_b=4884 | option_c=5328 | option_d=4460 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 4440 \times 120/100 = \blacksquare 5328$.

id=2812 | topic=Averages | difficulty=Easy | question=Find the average of 92, 76, 86, 33, 64, 15. | option_a=62 | option_b=61 | option_c=60 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = $366 \div 6 = 61$.

id=2813 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 26? | option_a=26 | option_b=4 | option_c=11 | option_d=18 | answer=A | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 26 is the odd one out.

id=2814 | topic=Averages | difficulty=Easy | question=Find the average of 46, 81, 65. | option_a=63 | option_b=64 | option_c=66 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = $192 \div 3 = 64$.

id=2815 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = $120 \div 2 = 60$ km/h.

id=2816 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=12 | answer=B | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=2817 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=2818 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■39512 at 10% per annum for 5 years. | option_a=19756 | option_b=59268 | option_c=19856 | option_d=19656 | answer=A | explanation=SI = $PRT/100 = 39512 \times 10 \times 5/100 = \blacksquare 19756$.

id=2819 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:2 and the first is 220, what is the second? | option_a=51 | option_b=260 | option_c=38 | option_d=40 | answer=D | explanation=Scale factor = $220/11 = 20$. Therefore second quantity = $2 \times 20 = 40$.

id=2820 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■495. If it is sold at a profit of 30%, what is its selling price? | option_a=692 | option_b=594 | option_c=643 | option_d=525 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 495 \times 130/100 = \blacksquare 643$.

Aptitude Questions — Records 2,821-2,850 of 100,000

id=2821 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 35, 40, 48? | option_a=30 | option_b=40 | option_c=48 | option_d=35 | answer=C | explanation=The first three numbers increase by 5, so the next should be 45. Therefore 48 is the odd one out.

id=2822 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4526. If it is sold at a profit of 40%, what is its selling price? | option_a=4566 | option_b=6336 | option_c=6788 | option_d=5884 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4526 × 140/100 = █6336.

id=2823 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=F | option_c=R | option_d=J | answer=A | explanation=Move 4 positions forward from J; the resulting letter is N.

id=2824 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=61 | option_b=60 | option_c=71 | option_d=49 | answer=B | explanation=The common difference is 11. Therefore the next term is 49 + 11 = 60.

id=2825 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 37, 44, 53? | option_a=53 | option_b=30 | option_c=44 | option_d=37 | answer=A | explanation=The first three numbers increase by 7, so the next should be 51. Therefore 53 is the odd one out.

id=2826 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 16, 26, 39? | option_a=6 | option_b=26 | option_c=16 | option_d=39 | answer=D | explanation=The first three numbers increase by 10, so the next should be 36. Therefore 39 is the odd one out.

id=2827 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10401 at 4% per annum for 4 years. | option_a=1764 | option_b=1664 | option_c=1564 | option_d=12065 | answer=B | explanation=SI = PRT/100 = 10401×4×4/100 = █1664.

id=2828 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20610 at 10% per annum for 5 years. | option_a=10305 | option_b=30915 | option_c=10205 | option_d=10405 | answer=A | explanation=SI = PRT/100 = 20610×10×5/100 = █10305.

id=2829 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3885. If it is sold at a profit of 5%, what is its selling price? | option_a=4079 | option_b=4467 | option_c=3890 | option_d=3691 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3885 × 105/100 = █4079.

id=2830 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:4 and the first is 110, what is the second? | option_a=40 | option_b=36 | option_c=150 | option_d=51 | answer=A | explanation=Scale factor = 110/11 = 10. Therefore second quantity = 4×10 = 40.

id=2831 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35280 at 8% per annum for 5 years. | option_a=14212 | option_b=14012 | option_c=49392 | option_d=14112 | answer=D | explanation=SI = PRT/100 = 35280×8×5/100 = █14112.

id=2832 | topic=Averages | difficulty=Easy | question=Find the average of 36, 77, 76. | option_a=65 | option_b=63 | option_c=64 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 189 ÷ 3 = 63.

id=2833 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4835. If it is sold at a profit of 20%, what is its selling price? | option_a=6285 | option_b=5802 | option_c=5319 | option_d=4855 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4835 × 120/100 = █5802.

id=2834 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:19 and the first is 22, what is the second? | option_a=49 | option_b=60 | option_c=19 | option_d=38 | answer=D | explanation=Scale factor = 22/11 = 2. Therefore second quantity = 19×2 = 38.

id=2835 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3747. If it is sold at a profit of 50%, what is its selling price? | option_a=3797 | option_b=5246 | option_c=5994 | option_d=5620 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3747 × 150/100 = █5620.

id=2836 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37718 at 15% per annum for 4 years. | option_a=22730 | option_b=22630 | option_c=22530 | option_d=60348 | answer=B | explanation=SI = PRT/100 = 37718×15×4/100 = █22630.

id=2837 | topic=Averages | difficulty=Easy | question=Find the average of 21, 90, 94, 50, 74, 78, 12, 69. | option_a=63 | option_b=62 | option_c=60 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 488 ÷ 8 = 61.

id=2838 | topic=Averages | difficulty=Easy | question=Find the average of 96, 60, 12, 25, 27. | option_a=46 | option_b=44 | option_c=43 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = 220 ÷ 5 = 44.

id=2839 | topic=Percentages | difficulty=Easy | question=What is 50% of 559? | option_a=259 | option_b=279 | option_c=284 | option_d=558 | answer=B | explanation=50% of 559 = (50/100) × 559 = 279.

id=2840 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=H | option_c=Q | option_d=N | answer=D | explanation=Move 3 positions forward from K; the resulting letter is N.

id=2841 | topic=Percentages | difficulty=Easy | question=What is 5% of 1225? | option_a=81 | option_b=61 | option_c=122 | option_d=41 | answer=B | explanation=5% of 1225 = (5/100) × 1225 = 61.

id=2842 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 27, 30, 34? | option_a=30 | option_b=34 | option_c=24 | option_d=27 | answer=B | explanation=The first three numbers increase by 3, so the next should be 33. Therefore 34 is the odd one out.

id=2843 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20617 at 5% per annum for 4 years. | option_a=4023 | option_b=4123 | option_c=24740 | option_d=4223 | answer=B | explanation=SI = PRT/100 = 20617×5×4/100 = █4123.

id=2844 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=120 | option_c=125 | option_d=240 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=2845 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 8. | option_a=8 | option_b=12 | option_c=32 | option_d=1 | answer=A | explanation=LCM × HCF = 4×8; HCF(4,8) = 4, so LCM = 8.

id=2846 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=34 | option_b=30 | option_c=29 | option_d=24 | answer=C | explanation=The common difference is 5. Therefore the next term is 24 + 5 = 29.

id=2847 | topic=Percentages | difficulty=Easy | question=What is 25% of 1333? | option_a=323 | option_b=353 | option_c=333 | option_d=666 | answer=C | explanation=25% of 1333 = (25/100) × 1333 = 333.

id=2848 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=R | option_c=N | option_d=F | answer=C | explanation=Move 4 positions forward from J; the resulting letter is N.

id=2849 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=2850 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3211. If it is sold at a profit of 25%, what is its selling price? | option_a=3692 | option_b=4013 | option_c=3236 | option_d=4334 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3211 × 125/100 = █4013.

Aptitude Questions — Records 2,851-2,880 of 100,000

- id=2851 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=J | option_b=E | option_c=O | option_d=Z | answer=A | explanation=Move 5 positions forward from E; the resulting letter is J.
- id=2852 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**30945 at 4% per annum for 2 years. | option_a=2475 | option_b=2575 | option_c=2375 | option_d=33420 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{30945 \times 4 \times 2}{100} = \text{₹}2475$.
- id=2853 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.
- id=2854 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3883. If it is sold at a profit of 30%, what is its selling price? | option_a=5047 | option_b=4659 | option_c=3913 | option_d=5435 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3883 \times \frac{130}{100} = \text{₹}5047$.
- id=2855 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.
- id=2856 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**34365 at 15% per annum for 1 years. | option_a=5154 | option_b=5254 | option_c=39519 | option_d=5054 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{34365 \times 15 \times 1}{100} = \text{₹}5154$.
- id=2857 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=E | option_b=Q | option_c=I | option_d=M | answer=D | explanation=Move 4 positions forward from I; the resulting letter is M.
- id=2858 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=33 | option_b=37 | option_c=27 | option_d=32 | answer=D | explanation=The common difference is 5. Therefore the next term is $27 + 5 = 32$.
- id=2859 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=35 | option_b=27 | option_c=43 | option_d=36 | answer=A | explanation=The common difference is 8. Therefore the next term is $27 + 8 = 35$.
- id=2860 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=V | option_c=U | option_d=S | answer=C | explanation=Move 1 positions forward from T; the resulting letter is U.
- id=2861 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=54 | option_b=55 | option_c=63 | option_d=45 | answer=A | explanation=The common difference is 9. Therefore the next term is $45 + 9 = 54$.
- id=2862 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2042. If it is sold at a profit of 30%, what is its selling price? | option_a=2450 | option_b=2858 | option_c=2654 | option_d=2072 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2042 \times \frac{130}{100} = \text{₹}2654$.
- id=2863 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3815. If it is sold at a profit of 25%, what is its selling price? | option_a=4387 | option_b=3840 | option_c=4768 | option_d=5149 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3815 \times \frac{125}{100} = \text{₹}4768$.
- id=2864 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 22, 25, 29? | option_a=22 | option_b=29 | option_c=19 | option_d=25 | answer=B | explanation=The first three numbers increase by 3, so the next should be 28. Therefore 29 is the odd one out.
- id=2865 | topic=Averages | difficulty=Easy | question=Find the average of 36, 85, 74, 76, 18, 74, 78. | option_a=63 | option_b=65 | option_c=62 | option_d=64 | answer=A | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{441}{7} = 63$.
- id=2866 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=55 | option_d=100 | answer=A | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{150}{3} = 50$ km/h.
- id=2867 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 28. | option_a=30 | option_b=56 | option_c=28 | option_d=1 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 2 \times 28$; $\text{HCF}(2,28) = 2$, so $\text{LCM} = 28$.
- id=2868 | topic=Percentages | difficulty=Easy | question=What is 5% of 1289? | option_a=128 | option_b=84 | option_c=64 | option_d=59 | answer=C | explanation= $5\% \text{ of } 1289 = \frac{5}{100} \times 1289 = 64$.
- id=2869 | topic=Percentages | difficulty=Easy | question=What is 50% of 431? | option_a=215 | option_b=205 | option_c=430 | option_d=220 | answer=A | explanation= $50\% \text{ of } 431 = \frac{50}{100} \times 431 = 215$.
- id=2870 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**3589 at 6% per annum for 1 years. | option_a=3804 | option_b=115 | option_c=215 | option_d=315 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{3589 \times 6 \times 1}{100} = \text{₹}215$.
- id=2871 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=51 | option_b=52 | option_c=63 | option_d=39 | answer=A | explanation=The common difference is 12. Therefore the next term is $39 + 12 = 51$.
- id=2872 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**1479 at 6% per annum for 3 years. | option_a=366 | option_b=166 | option_c=1745 | option_d=266 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{1479 \times 6 \times 3}{100} = \text{₹}266$.
- id=2873 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 20. | option_a=144 | option_b=480 | option_c=120 | option_d=100 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 24 \times 20$; $\text{HCF}(24,20) = 4$, so $\text{LCM} = 120$.
- id=2874 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**18742 at 6% per annum for 2 years. | option_a=2149 | option_b=2349 | option_c=20991 | option_d=2249 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{18742 \times 6 \times 2}{100} = \text{₹}2249$.
- id=2875 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=20 | option_b=24 | option_c=23 | option_d=26 | answer=C | explanation=The common difference is 3. Therefore the next term is $20 + 3 = 23$.
- id=2876 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 25? | option_a=18 | option_b=16 | option_c=25 | option_d=20 | answer=C | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 25 is the odd one out.
- id=2877 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:14 and the first is 152, what is the second? | option_a=98 | option_b=264 | option_c=112 | option_d=131 | answer=C | explanation=Scale factor = $\frac{152}{19} = 8$. Therefore second quantity = $14 \times 8 = 112$.
- id=2878 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4163. If it is sold at a profit of 25%, what is its selling price? | option_a=4787 | option_b=4188 | option_c=5203 | option_d=5619 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4163 \times \frac{125}{100} = \text{₹}5203$.
- id=2879 | topic=Percentages | difficulty=Easy | question=What is 15% of 592? | option_a=93 | option_b=78 | option_c=176 | option_d=88 | answer=D | explanation= $15\% \text{ of } 592 = \frac{15}{100} \times 592 = 88$.
- id=2880 | topic=Percentages | difficulty=Easy | question=What is 20% of 444? | option_a=68 | option_b=98 | option_c=88 | option_d=176 | answer=C | explanation= $20\% \text{ of } 444 = \frac{20}{100} \times 444 = 88$.

Aptitude Questions — Records 2,881-2,910 of 100,000

id=2881 | topic=Averages | difficulty=Easy | question=Find the average of 70, 11, 30. | option_a=36 | option_b=37 | option_c=38 | option_d=39 | answer=B | explanation=Average = sum of values ÷ number of values = 111 ÷ 3 = 37.

id=2882 | topic=Percentages | difficulty=Easy | question=What is 12% of 1963? | option_a=470 | option_b=240 | option_c=235 | option_d=230 | answer=C | explanation=12% of 1963 = (12/100) × 1963 = 235.

id=2883 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=2884 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4154. If it is sold at a profit of 20%, what is its selling price? | option_a=4569 | option_b=4984 | option_c=4174 | option_d=5399 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4154 × 120/100 = █4984.

id=2885 | topic=Percentages | difficulty=Easy | question=What is 40% of 1685? | option_a=679 | option_b=654 | option_c=674 | option_d=1348 | answer=C | explanation=40% of 1685 = (40/100) × 1685 = 674.

id=2886 | topic=Percentages | difficulty=Easy | question=What is 40% of 1390? | option_a=561 | option_b=551 | option_c=1112 | option_d=556 | answer=D | explanation=40% of 1390 = (40/100) × 1390 = 556.

id=2887 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 36, 44, 55? | option_a=44 | option_b=28 | option_c=36 | option_d=55 | answer=D | explanation=The first three numbers increase by 8, so the next should be 52. Therefore 55 is the odd one out.

id=2888 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3293. If it is sold at a profit of 50%, what is its selling price? | option_a=3343 | option_b=4610 | option_c=4939 | option_d=5268 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3293 × 150/100 = █4939.

id=2889 | topic=Percentages | difficulty=Easy | question=What is 20% of 1697? | option_a=339 | option_b=349 | option_c=678 | option_d=319 | answer=A | explanation=20% of 1697 = (20/100) × 1697 = 339.

id=2890 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4163. If it is sold at a profit of 10%, what is its selling price? | option_a=4173 | option_b=4579 | option_c=4163 | option_d=4995 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4163 × 110/100 = █4579.

id=2891 | topic=Averages | difficulty=Easy | question=Find the average of 16, 28, 38, 48, 47, 26, 33, 56, 32. | option_a=38 | option_b=37 | option_c=35 | option_d=36 | answer=D | explanation=Average = sum of values ÷ number of values = 324 ÷ 9 = 36.

id=2892 | topic=Percentages | difficulty=Easy | question=What is 25% of 345? | option_a=91 | option_b=172 | option_c=86 | option_d=81 | answer=C | explanation=25% of 345 = (25/100) × 345 = 86.

id=2893 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=F | option_b=K | option_c=V | option_d=A | answer=A | explanation=Move 5 positions forward from A; the resulting letter is F.

id=2894 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=2895 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=J | option_b=T | option_c=Y | option_d=O | answer=B | explanation=Move 5 positions forward from O; the resulting letter is T.

id=2896 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=H | option_b=B | option_c=K | option_d=E | answer=A | explanation=Move 3 positions forward from E; the resulting letter is H.

id=2897 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=40 | option_b=48 | option_c=54 | option_d=47 | answer=D | explanation=The common difference is 7. Therefore the next term is 40 + 7 = 47.

id=2898 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7931 at 4% per annum for 5 years. | option_a=1486 | option_b=9517 | option_c=1686 | option_d=1586 | answer=D | explanation=SI = PRT/100 = 7931×4×5/100 = █1586.

id=2899 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29171 at 10% per annum for 4 years. | option_a=11668 | option_b=11768 | option_c=40839 | option_d=11568 | answer=A | explanation=SI = PRT/100 = 29171×10×4/100 = █11668.

id=2900 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:18 and the first is 240, what is the second? | option_a=286 | option_b=252 | option_c=270 | option_d=510 | answer=C | explanation=Scale factor = 240/16 = 15. Therefore second quantity = 18×15 = 270.

id=2901 | topic=Percentages | difficulty=Easy | question=What is 50% of 1074? | option_a=527 | option_b=537 | option_c=547 | option_d=1074 | answer=B | explanation=50% of 1074 = (50/100) × 1074 = 537.

id=2902 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 42? | option_a=25 | option_b=35 | option_c=30 | option_d=42 | answer=D | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 42 is the odd one out.

id=2903 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 12, 21, 30, ? | option_a=48 | option_b=39 | option_c=40 | option_d=30 | answer=B | explanation=The common difference is 9. Therefore the next term is 30 + 9 = 39.

id=2904 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3681. If it is sold at a profit of 25%, what is its selling price? | option_a=4233 | option_b=4969 | option_c=3706 | option_d=4601 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3681 × 125/100 = █4601.

id=2905 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=43 | option_b=38 | option_c=33 | option_d=39 | answer=B | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.

id=2906 | topic=Averages | difficulty=Easy | question=Find the average of 39, 45, 79, 44, 75, 65, 44, 73. | option_a=59 | option_b=60 | option_c=57 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 464 ÷ 8 = 58.

id=2907 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1935. If it is sold at a profit of 40%, what is its selling price? | option_a=2709 | option_b=1975 | option_c=2902 | option_d=2516 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1935 × 140/100 = █2709.

id=2908 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10701 at 12% per annum for 1 years. | option_a=11985 | option_b=1184 | option_c=1284 | option_d=1384 | answer=C | explanation=SI = PRT/100 = 10701×12×1/100 = █1284.

id=2909 | topic=Averages | difficulty=Easy | question=Find the average of 97, 28, 11, 55, 52, 10, 36, 37, 10, 24. | option_a=35 | option_b=37 | option_c=38 | option_d=36 | answer=D | explanation=Average = sum of values ÷ number of values = 360 ÷ 10 = 36.

id=2910 | topic=Averages | difficulty=Easy | question=Find the average of 61, 68, 40, 85, 24, 88, 12. | option_a=55 | option_b=56 | option_c=53 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

Aptitude Questions — Records 2,911-2,940 of 100,000

id=2911 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2165. If it is sold at a profit of 10%, what is its selling price? | option_a=2597 | option_b=2165 | option_c=2381 | option_d=2175 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2165 × 110/100 = ■2381.

id=2912 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=37 | option_b=28 | option_c=36 | option_d=44 | answer=C | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=2913 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=N | option_c=P | option_d=T | answer=A | explanation=Move 2 positions forward from P; the resulting letter is R.

id=2914 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=36 | option_b=43 | option_c=27 | option_d=35 | answer=D | explanation=The common difference is 8. Therefore the next term is 27 + 8 = 35.

id=2915 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:3 and the first is 342, what is the second? | option_a=57 | option_b=54 | option_c=75 | option_d=399 | answer=A | explanation=Scale factor = 342/18 = 19. Therefore second quantity = 3×19 = 57.

id=2916 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=70 | option_b=60 | option_c=61 | option_d=50 | answer=B | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

id=2917 | topic=Averages | difficulty=Easy | question=Find the average of 25, 22, 41, 67, 20, 22, 76, 20, 58. | option_a=41 | option_b=40 | option_c=38 | option_d=39 | answer=D | explanation=Average = sum of values ÷ number of values = 351 ÷ 9 = 39.

id=2918 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:17 and the first is 66, what is the second? | option_a=113 | option_b=168 | option_c=102 | option_d=85 | answer=C | explanation=Scale factor = 66/11 = 6. Therefore second quantity = 17×6 = 102.

id=2919 | topic=Averages | difficulty=Easy | question=Find the average of 95, 11, 18, 56, 36, 51, 41. | option_a=44 | option_b=46 | option_c=45 | option_d=43 | answer=A | explanation=Average = sum of values ÷ number of values = 308 ÷ 7 = 44.

id=2920 | topic=Percentages | difficulty=Easy | question=What is 25% of 964? | option_a=241 | option_b=482 | option_c=251 | option_d=221 | answer=A | explanation=25% of 964 = (25/100) × 964 = 241.

id=2921 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=2922 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■3207 at 10% per annum for 3 years. | option_a=4169 | option_b=862 | option_c=1062 | option_d=962 | answer=D | explanation=SI = PRT/100 = 3207×10×3/100 = ■962.

id=2923 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=24 | option_c=48 | option_d=29 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=2924 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=2925 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■359. If it is sold at a profit of 5%, what is its selling price? | option_a=411 | option_b=376 | option_c=341 | option_d=364 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 359 × 105/100 = ■376.

id=2926 | topic=Averages | difficulty=Easy | question=Find the average of 43, 64, 64. | option_a=58 | option_b=56 | option_c=59 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 171 ÷ 3 = 57.

id=2927 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■37802 at 5% per annum for 5 years. | option_a=9350 | option_b=9450 | option_c=47252 | option_d=9550 | answer=B | explanation=SI = PRT/100 = 37802×5×5/100 = ■9450.

id=2928 | topic=Percentages | difficulty=Easy | question=What is 12% of 233? | option_a=22 | option_b=32 | option_c=27 | option_d=54 | answer=C | explanation=12% of 233 = (12/100) × 233 = 27.

id=2929 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1124. If it is sold at a profit of 5%, what is its selling price? | option_a=1180 | option_b=1292 | option_c=1129 | option_d=1068 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1124 × 105/100 = ■1180.

id=2930 | topic=Percentages | difficulty=Easy | question=What is 30% of 1069? | option_a=320 | option_b=640 | option_c=310 | option_d=330 | answer=A | explanation=30% of 1069 = (30/100) × 1069 = 320.

id=2931 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:2 and the first is 143, what is the second? | option_a=20 | option_b=165 | option_c=22 | option_d=35 | answer=C | explanation=Scale factor = 143/13 = 11. Therefore second quantity = 2×11 = 22.

id=2932 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=2933 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=150 | option_c=155 | option_d=300 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=2934 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■21830 at 15% per annum for 1 years. | option_a=3174 | option_b=3274 | option_c=25104 | option_d=3374 | answer=B | explanation=SI = PRT/100 = 21830×15×1/100 = ■3274.

id=2935 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=6 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=2936 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■9521 at 6% per annum for 1 years. | option_a=571 | option_b=471 | option_c=671 | option_d=10092 | answer=A | explanation=SI = PRT/100 = 9521×6×1/100 = ■571.

id=2937 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 35, 41, 50? | option_a=50 | option_b=41 | option_c=29 | option_d=35 | answer=A | explanation=The first three numbers increase by 6, so the next should be 47. Therefore 50 is the odd one out.

id=2938 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1407. If it is sold at a profit of 5%, what is its selling price? | option_a=1337 | option_b=1477 | option_c=1412 | option_d=1617 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1407 × 105/100 = ■1477.

id=2939 | topic=Percentages | difficulty=Easy | question=What is 10% of 895? | option_a=79 | option_b=89 | option_c=109 | option_d=178 | answer=B | explanation=10% of 895 = (10/100) × 895 = 89.

id=2940 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■16420 at 6% per annum for 3 years. | option_a=2855 | option_b=2955 | option_c=19375 | option_d=3055 | answer=B | explanation=SI = PRT/100 = 16420×6×3/100 = ■2955.

Aptitude Questions — Records 2,941-2,970 of 100,000

id=2941 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:13 and the first is 266, what is the second? | option_a=513 | option_b=234 | option_c=247 | option_d=261 | answer=C | explanation=Scale factor = $266/14 = 19$. Therefore second quantity = $13 \times 19 = 247$.

id=2942 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2854. If it is sold at a profit of 40%, what is its selling price? | option_a=3995 | option_b=4280 | option_c=2894 | option_d=3710 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2854 \times 140/100 = \text{█}3995$.

id=2943 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24390 at 6% per annum for 5 years. | option_a=7217 | option_b=31707 | option_c=7317 | option_d=7417 | answer=C | explanation= $SI = PRT/100 = 24390 \times 6 \times 5/100 = \text{█}7317$.

id=2944 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=F | option_b=I | option_c=O | option_d=L | answer=D | explanation=Move 3 positions forward from I; the resulting letter is L.

id=2945 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=B | option_b=X | option_c=T | option_d=P | answer=B | explanation=Move 4 positions forward from T; the resulting letter is X.

id=2946 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 34? | option_a=24 | option_b=6 | option_c=15 | option_d=34 | answer=D | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 34 is the odd one out.

id=2947 | topic=Averages | difficulty=Easy | question=Find the average of 38, 53, 96, 85, 46, 74, 77. | option_a=69 | option_b=67 | option_c=66 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = $469 \div 7 = 67$.

id=2948 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 24, 30, 39? | option_a=18 | option_b=39 | option_c=24 | option_d=30 | answer=B | explanation=The first three numbers increase by 6, so the next should be 36. Therefore 39 is the odd one out.

id=2949 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=2950 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 5. | option_a=25 | option_b=50 | option_c=20 | option_d=125 | answer=A | explanation= $LCM \times HCF = 25 \times 5$; $HCF(25, 5) = 5$, so $LCM = 25$.

id=2951 | topic=Percentages | difficulty=Easy | question=What is 10% of 1648? | option_a=154 | option_b=164 | option_c=328 | option_d=184 | answer=B | explanation=10% of 1648 = $(10/100) \times 1648 = 164$.

id=2952 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 13, 16, 22? | option_a=22 | option_b=10 | option_c=16 | option_d=13 | answer=A | explanation=The first three numbers increase by 3, so the next should be 19. Therefore 22 is the odd one out.

id=2953 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 34? | option_a=12 | option_b=19 | option_c=26 | option_d=34 | answer=D | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 34 is the odd one out.

id=2954 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 9. | option_a=48 | option_b=36 | option_c=108 | option_d=27 | answer=B | explanation= $LCM \times HCF = 12 \times 9$; $HCF(12, 9) = 3$, so $LCM = 36$.

id=2955 | topic=Profit & Loss | difficulty=Easy | question=An article costs █285. If it is sold at a profit of 50%, what is its selling price? | option_a=427 | option_b=335 | option_c=399 | option_d=455 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 285 \times 150/100 = \text{█}427$.

id=2956 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 33? | option_a=27 | option_b=33 | option_c=29 | option_d=25 | answer=B | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 33 is the odd one out.

id=2957 | topic=Averages | difficulty=Easy | question=Find the average of 24, 63, 23, 64, 13, 80, 98, 75, 24, 96. | option_a=57 | option_b=55 | option_c=56 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = $560 \div 10 = 56$.

id=2958 | topic=Averages | difficulty=Easy | question=Find the average of 42, 71, 72, 25, 78, 35, 72, 53, 47. | option_a=57 | option_b=54 | option_c=56 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = $495 \div 9 = 55$.

id=2959 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 32, 35, 39? | option_a=32 | option_b=39 | option_c=35 | option_d=29 | answer=B | explanation=The first three numbers increase by 3, so the next should be 38. Therefore 39 is the odd one out.

id=2960 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=X | option_b=U | option_c=O | option_d=R | answer=B | explanation=Move 3 positions forward from R; the resulting letter is U.

id=2961 | topic=Percentages | difficulty=Easy | question=What is 20% of 397? | option_a=158 | option_b=69 | option_c=79 | option_d=99 | answer=C | explanation=20% of 397 = $(20/100) \times 397 = 79$.

id=2962 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=2963 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=2964 | topic=Percentages | difficulty=Easy | question=What is 40% of 846? | option_a=676 | option_b=358 | option_c=338 | option_d=318 | answer=C | explanation=40% of 846 = $(40/100) \times 846 = 338$.

id=2965 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 10, 15, 20, ? | option_a=30 | option_b=25 | option_c=26 | option_d=20 | answer=B | explanation=The common difference is 5. Therefore the next term is $20 + 5 = 25$.

id=2966 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2736. If it is sold at a profit of 5%, what is its selling price? | option_a=2741 | option_b=2599 | option_c=3145 | option_d=2872 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2736 \times 105/100 = \text{█}2872$.

id=2967 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26453 at 4% per annum for 1 years. | option_a=1158 | option_b=958 | option_c=1058 | option_d=27511 | answer=C | explanation= $SI = PRT/100 = 26453 \times 4 \times 1/100 = \text{█}1058$.

id=2968 | topic=Averages | difficulty=Easy | question=Find the average of 15, 93, 76, 43, 30, 46, 37, 100. | option_a=56 | option_b=57 | option_c=54 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = $440 \div 8 = 55$.

id=2969 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=36 | option_b=30 | option_c=31 | option_d=24 | answer=B | explanation=The common difference is 6. Therefore the next term is $24 + 6 = 30$.

id=2970 | topic=Averages | difficulty=Easy | question=Find the average of 11, 48, 25. | option_a=29 | option_b=28 | option_c=27 | option_d=30 | answer=B | explanation=Average = sum of values ÷ number of values = $84 \div 3 = 28$.

Aptitude Questions — Records 2,971-3,000 of 100,000

id=2971 | topic=Percentages | difficulty=Easy | question=What is 15% of 697? | option_a=99 | option_b=208 | option_c=109 | option_d=104 | answer=D | explanation=15% of 697 = (15/100) × 697 = 104.

id=2972 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=2973 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 28. | option_a=224 | option_b=270 | option_c=252 | option_d=504 | answer=C | explanation=LCM × HCF = 18×28; HCF(18,28) = 2, so LCM = 252.

id=2974 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=2975 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1197. If it is sold at a profit of 20%, what is its selling price? | option_a=1436 | option_b=1555 | option_c=1217 | option_d=1317 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1197 × 120/100 = █1436.

id=2976 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 28? | option_a=19 | option_b=5 | option_c=28 | option_d=12 | answer=C | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 28 is the odd one out.

id=2977 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=W | option_b=B | option_c=G | option_d=L | answer=C | explanation=Move 5 positions forward from B; the resulting letter is G.

id=2978 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=2979 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:15 and the first is 224, what is the second? | option_a=225 | option_b=464 | option_c=240 | option_d=254 | answer=C | explanation=Scale factor = 224/14 = 16. Therefore second quantity = 15×16 = 240.

id=2980 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3717. If it is sold at a profit of 10%, what is its selling price? | option_a=3717 | option_b=3727 | option_c=4459 | option_d=4088 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3717 × 110/100 = █4088.

id=2981 | topic=Percentages | difficulty=Easy | question=What is 50% of 1743? | option_a=871 | option_b=1742 | option_c=881 | option_d=866 | answer=A | explanation=50% of 1743 = (50/100) × 1743 = 871.

id=2982 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=U | option_c=Z | option_d=K | answer=B | explanation=Move 5 positions forward from P; the resulting letter is U.

id=2983 | topic=Averages | difficulty=Easy | question=Find the average of 72, 50, 49, 41. | option_a=52 | option_b=54 | option_c=55 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 212 ÷ 4 = 53.

id=2984 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:10 and the first is 54, what is the second? | option_a=180 | option_b=183 | option_c=234 | option_d=170 | answer=A | explanation=Scale factor = 54/3 = 18. Therefore second quantity = 10×18 = 180.

id=2985 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=B | option_b=F | option_c=N | option_d=J | answer=D | explanation=Move 4 positions forward from F; the resulting letter is J.

id=2986 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=23 | option_c=13 | option_d=36 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=2987 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30548 at 5% per annum for 5 years. | option_a=38185 | option_b=7737 | option_c=7637 | option_d=7537 | answer=C | explanation=SI = PRT/100 = 30548×5×5/100 = █7637.

id=2988 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=2989 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=19 | option_d=29 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=2990 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2781. If it is sold at a profit of 50%, what is its selling price? | option_a=3893 | option_b=4171 | option_c=4449 | option_d=2831 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2781 × 150/100 = █4171.

id=2991 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=53 | option_c=48 | option_d=96 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=2992 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 50? | option_a=50 | option_b=39 | option_c=21 | option_d=30 | answer=A | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 50 is the odd one out.

id=2993 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29595 at 15% per annum for 1 years. | option_a=4339 | option_b=4539 | option_c=34034 | option_d=4439 | answer=D | explanation=SI = PRT/100 = 29595×15×1/100 = █4439.

id=2994 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12857 at 8% per annum for 2 years. | option_a=2157 | option_b=2057 | option_c=1957 | option_d=14914 | answer=B | explanation=SI = PRT/100 = 12857×8×2/100 = █2057.

id=2995 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4908 at 12% per annum for 2 years. | option_a=6085 | option_b=1177 | option_c=1077 | option_d=1277 | answer=B | explanation=SI = PRT/100 = 4908×12×2/100 = █1177.

id=2996 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 5. | option_a=25 | option_b=1 | option_c=10 | option_d=5 | answer=D | explanation=LCM × HCF = 5×5; HCF(5,5) = 5, so LCM = 5.

id=2997 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=X | option_c=L | option_d=T | answer=D | explanation=Move 4 positions forward from P; the resulting letter is T.

id=2998 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=2999 | topic=Percentages | difficulty=Easy | question=What is 12% of 817? | option_a=103 | option_b=88 | option_c=196 | option_d=98 | answer=D | explanation=12% of 817 = (12/100) × 817 = 98.

id=3000 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2939 at 5% per annum for 4 years. | option_a=487 | option_b=687 | option_c=3526 | option_d=587 | answer=D | explanation=SI = PRT/100 = 2939×5×4/100 = █587.

Aptitude Questions — Records 3,001-3,030 of 100,000

id=3001 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■45473 at 8% per annum for 3 years. | option_a=11013 | option_b=10813 | option_c=10913 | option_d=56386 | answer=C | explanation=SI = $PRT/100 = 45473 \times 8 \times 3/100 = \blacksquare 10913$.

id=3002 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=3003 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:7 and the first is 152, what is the second? | option_a=56 | option_b=49 | option_c=208 | option_d=75 | answer=A | explanation=Scale factor = $152/19 = 8$. Therefore second quantity = $7 \times 8 = 56$.

id=3004 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■17633 at 6% per annum for 4 years. | option_a=4131 | option_b=21864 | option_c=4231 | option_d=4331 | answer=C | explanation=SI = $PRT/100 = 17633 \times 6 \times 4/100 = \blacksquare 4231$.

id=3005 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■37909 at 6% per annum for 4 years. | option_a=9198 | option_b=8998 | option_c=9098 | option_d=47007 | answer=C | explanation=SI = $PRT/100 = 37909 \times 6 \times 4/100 = \blacksquare 9098$.

id=3006 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 18? | option_a=18 | option_b=11 | option_c=9 | option_d=13 | answer=A | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 18 is the odd one out.

id=3007 | topic=Percentages | difficulty=Easy | question=What is 25% of 370? | option_a=112 | option_b=184 | option_c=92 | option_d=72 | answer=C | explanation=25% of 370 = $(25/100) \times 370 = 92$.

id=3008 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 13, 17, 21, ? | option_a=29 | option_b=25 | option_c=21 | option_d=26 | answer=B | explanation=The common difference is 4. Therefore the next term is $21 + 4 = 25$.

id=3009 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1411. If it is sold at a profit of 10%, what is its selling price? | option_a=1411 | option_b=1693 | option_c=1552 | option_d=1421 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1411 \times 110/100 = \blacksquare 1552$.

id=3010 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=Y | option_b=B | option_c=E | option_d=H | answer=C | explanation=Move 3 positions forward from B; the resulting letter is E.

id=3011 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=3012 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=30 | option_d=50 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 150 \div 6 = 25$ km/h.

id=3013 | topic=Percentages | difficulty=Easy | question=What is 5% of 977? | option_a=28 | option_b=48 | option_c=68 | option_d=96 | answer=B | explanation=5% of 977 = $(5/100) \times 977 = 48$.

id=3014 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=B | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=3015 | topic=Averages | difficulty=Easy | question=Find the average of 45, 43, 80. | option_a=57 | option_b=58 | option_c=55 | option_d=56 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 168 \div 3 = 56$.

id=3016 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■11281 at 6% per annum for 2 years. | option_a=12634 | option_b=1253 | option_c=1353 | option_d=1453 | answer=C | explanation=SI = $PRT/100 = 11281 \times 6 \times 2/100 = \blacksquare 1353$.

id=3017 | topic=Percentages | difficulty=Easy | question=What is 15% of 393? | option_a=53 | option_b=68 | option_c=116 | option_d=58 | answer=D | explanation=15% of 393 = $(15/100) \times 393 = 58$.

id=3018 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=H | option_b=K | option_c=Q | option_d=N | answer=D | explanation=Move 3 positions forward from K; the resulting letter is N.

id=3019 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=90 | option_d=45 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 180 \div 4 = 45$ km/h.

id=3020 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 28, 38, 48, ? | option_a=68 | option_b=58 | option_c=59 | option_d=48 | answer=B | explanation=The common difference is 10. Therefore the next term is $48 + 10 = 58$.

id=3021 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 13, 18, 23, ? | option_a=23 | option_b=29 | option_c=28 | option_d=33 | answer=C | explanation=The common difference is 5. Therefore the next term is $23 + 5 = 28$.

id=3022 | topic=Averages | difficulty=Easy | question=Find the average of 30, 85, 64, 26, 10, 78, 13, 54, 90. | option_a=52 | option_b=49 | option_c=50 | option_d=51 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 450 \div 9 = 50$.

id=3023 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:3 and the first is 63, what is the second? | option_a=84 | option_b=18 | option_c=30 | option_d=21 | answer=D | explanation=Scale factor = $63/9 = 7$. Therefore second quantity = $3 \times 7 = 21$.

id=3024 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=43 | option_b=35 | option_c=42 | option_d=49 | answer=C | explanation=The common difference is 7. Therefore the next term is $35 + 7 = 42$.

id=3025 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■16907 at 8% per annum for 4 years. | option_a=5310 | option_b=22317 | option_c=5410 | option_d=5510 | answer=C | explanation=SI = $PRT/100 = 16907 \times 8 \times 4/100 = \blacksquare 5410$.

id=3026 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=120 | option_d=60 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 180 \div 3 = 60$ km/h.

id=3027 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■40013 at 15% per annum for 3 years. | option_a=18105 | option_b=58018 | option_c=17905 | option_d=18005 | answer=D | explanation=SI = $PRT/100 = 40013 \times 15 \times 3/100 = \blacksquare 18005$.

id=3028 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 21. | option_a=96 | option_b=252 | option_c=63 | option_d=84 | answer=D | explanation= $LCM \times HCF = 12 \times 21$; $HCF(12, 21) = 3$, so $LCM = 84$.

id=3029 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■26921 at 8% per annum for 1 years. | option_a=2053 | option_b=29074 | option_c=2153 | option_d=2253 | answer=C | explanation=SI = $PRT/100 = 26921 \times 8 \times 1/100 = \blacksquare 2153$.

id=3030 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=95 | option_c=105 | option_d=200 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 300 \div 3 = 100$ km/h.

Aptitude Questions — Records 3,031-3,060 of 100,000

id=3031 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=3032 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1262. If it is sold at a profit of 5%, what is its selling price? | option_a=1199 | option_b=1451 | option_c=1325 | option_d=1267 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1262 × 105/100 = ■1325.

id=3033 | topic=Averages | difficulty=Easy | question=Find the average of 10, 83, 87. | option_a=60 | option_b=62 | option_c=59 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 180 ÷ 3 = 60.

id=3034 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=3035 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■614. If it is sold at a profit of 30%, what is its selling price? | option_a=798 | option_b=737 | option_c=644 | option_d=859 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 614 × 130/100 = ■798.

id=3036 | topic=Percentages | difficulty=Easy | question=What is 10% of 700? | option_a=140 | option_b=65 | option_c=70 | option_d=80 | answer=C | explanation=10% of 700 = (10/100) × 700 = 70.

id=3037 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:2 and the first is 144, what is the second? | option_a=36 | option_b=34 | option_c=44 | option_d=180 | answer=A | explanation=Scale factor = 144/8 = 18. Therefore second quantity = 2×18 = 36.

id=3038 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=B | option_b=H | option_c=E | option_d=K | answer=B | explanation=Move 3 positions forward from E; the resulting letter is H.

id=3039 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=13 | option_c=18 | option_d=23 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=3040 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 37? | option_a=37 | option_b=19 | option_c=29 | option_d=24 | answer=A | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 37 is the odd one out.

id=3041 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 30, 33, 39? | option_a=33 | option_b=39 | option_c=30 | option_d=27 | answer=B | explanation=The first three numbers increase by 3, so the next should be 36. Therefore 39 is the odd one out.

id=3042 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:16 and the first is 306, what is the second? | option_a=578 | option_b=256 | option_c=290 | option_d=272 | answer=D | explanation=Scale factor = 306/18 = 17. Therefore second quantity = 16×17 = 272.

id=3043 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=W | option_b=M | option_c=R | option_d=H | answer=C | explanation=Move 5 positions forward from M; the resulting letter is R.

id=3044 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■39594 at 10% per annum for 5 years. | option_a=19697 | option_b=19797 | option_c=19897 | option_d=59391 | answer=B | explanation=SI = PRT/100 = 39594×10×5/100 = ■19797.

id=3045 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=40 | option_c=25 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=3046 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=3047 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=115 | option_c=120 | option_d=240 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=3048 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 18, 26, 36? | option_a=26 | option_b=36 | option_c=18 | option_d=10 | answer=B | explanation=The first three numbers increase by 8, so the next should be 34. Therefore 36 is the odd one out.

id=3049 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=3050 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4897. If it is sold at a profit of 40%, what is its selling price? | option_a=4937 | option_b=6855 | option_c=6366 | option_d=7344 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4897 × 140/100 = ■6855.

id=3051 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■13030 at 15% per annum for 3 years. | option_a=5963 | option_b=5763 | option_c=18893 | option_d=5863 | answer=D | explanation=SI = PRT/100 = 13030×15×3/100 = ■5863.

id=3052 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=100 | option_c=105 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=3053 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 33? | option_a=15 | option_b=25 | option_c=33 | option_d=20 | answer=C | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 33 is the odd one out.

id=3054 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1488. If it is sold at a profit of 15%, what is its selling price? | option_a=1563 | option_b=1711 | option_c=1503 | option_d=1859 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1488 × 115/100 = ■1711.

id=3055 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:19 and the first is 133, what is the second? | option_a=114 | option_b=152 | option_c=266 | option_d=133 | answer=D | explanation=Scale factor = 133/19 = 7. Therefore second quantity = 19×7 = 133.

id=3056 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=3057 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=3058 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4948. If it is sold at a profit of 20%, what is its selling price? | option_a=6431 | option_b=5443 | option_c=5937 | option_d=4968 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4948 × 120/100 = ■5937.

id=3059 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=3060 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:4 and the first is 195, what is the second? | option_a=255 | option_b=56 | option_c=73 | option_d=60 | answer=D | explanation=Scale factor = 195/13 = 15. Therefore second quantity = 4×15 = 60.

Aptitude Questions — Records 3,061-3,090 of 100,000

id=3061 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■26619 at 6% per annum for 2 years. | option_a=3294 | option_b=29813 | option_c=3194 | option_d=3094 | answer=C | explanation=SI = $PRT/100 = 26619 \times 6 \times 2/100 = \blacksquare 3194$.

id=3062 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=37 | option_b=27 | option_c=32 | option_d=33 | answer=C | explanation=The common difference is 5. Therefore the next term is $27 + 5 = 32$.

id=3063 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:3 and the first is 224, what is the second? | option_a=62 | option_b=48 | option_c=45 | option_d=272 | answer=B | explanation=Scale factor = $224/14 = 16$. Therefore second quantity = $3 \times 16 = 48$.

id=3064 | topic=Averages | difficulty=Easy | question=Find the average of 36, 35, 62, 27. | option_a=42 | option_b=41 | option_c=39 | option_d=40 | answer=D | explanation=Average = sum of values ÷ number of values = $160 \div 4 = 40$.

id=3065 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:14 and the first is 33, what is the second? | option_a=187 | option_b=140 | option_c=154 | option_d=157 | answer=C | explanation=Scale factor = $33/3 = 11$. Therefore second quantity = $14 \times 11 = 154$.

id=3066 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=3067 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=3068 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:3 and the first is 238, what is the second? | option_a=289 | option_b=51 | option_c=65 | option_d=48 | answer=B | explanation=Scale factor = $238/14 = 17$. Therefore second quantity = $3 \times 17 = 51$.

id=3069 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 47? | option_a=28 | option_b=37 | option_c=19 | option_d=47 | answer=D | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 47 is the odd one out.

id=3070 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■20646 at 12% per annum for 2 years. | option_a=4855 | option_b=5055 | option_c=25601 | option_d=4955 | answer=D | explanation=SI = $PRT/100 = 20646 \times 12 \times 2/100 = \blacksquare 4955$.

id=3071 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 18, 27, 38? | option_a=27 | option_b=38 | option_c=9 | option_d=18 | answer=B | explanation=The first three numbers increase by 9, so the next should be 36. Therefore 38 is the odd one out.

id=3072 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:14 and the first is 144, what is the second? | option_a=168 | option_b=312 | option_c=154 | option_d=180 | answer=A | explanation=Scale factor = $144/12 = 12$. Therefore second quantity = $14 \times 12 = 168$.

id=3073 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=37 | option_b=55 | option_c=47 | option_d=46 | answer=D | explanation=The common difference is 9. Therefore the next term is $37 + 9 = 46$.

id=3074 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:12 and the first is 162, what is the second? | option_a=96 | option_b=126 | option_c=108 | option_d=270 | answer=C | explanation=Scale factor = $162/18 = 9$. Therefore second quantity = $12 \times 9 = 108$.

id=3075 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 28? | option_a=20 | option_b=22 | option_c=28 | option_d=24 | answer=C | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 28 is the odd one out.

id=3076 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 21, 27, 34? | option_a=21 | option_b=15 | option_c=27 | option_d=34 | answer=D | explanation=The first three numbers increase by 6, so the next should be 33. Therefore 34 is the odd one out.

id=3077 | topic=Averages | difficulty=Easy | question=Find the average of 90, 50, 71, 44, 32, 21, 60, 48. | option_a=51 | option_b=52 | option_c=54 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = $416 \div 8 = 52$.

id=3078 | topic=Percentages | difficulty=Easy | question=What is 15% of 1241? | option_a=372 | option_b=166 | option_c=196 | option_d=186 | answer=D | explanation= $15\% \text{ of } 1241 = (15/100) \times 1241 = 186$.

id=3079 | topic=Percentages | difficulty=Easy | question=What is 40% of 674? | option_a=289 | option_b=269 | option_c=249 | option_d=538 | answer=B | explanation= $40\% \text{ of } 674 = (40/100) \times 674 = 269$.

id=3080 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:15 and the first is 144, what is the second? | option_a=414 | option_b=270 | option_c=278 | option_d=255 | answer=B | explanation=Scale factor = $144/8 = 18$. Therefore second quantity = $15 \times 18 = 270$.

id=3081 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=3082 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 30, 33, 38? | option_a=27 | option_b=38 | option_c=33 | option_d=30 | answer=B | explanation=The first three numbers increase by 3, so the next should be 36. Therefore 38 is the odd one out.

id=3083 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 46? | option_a=13 | option_b=23 | option_c=33 | option_d=46 | answer=D | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 46 is the odd one out.

id=3084 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■38805 at 15% per annum for 1 years. | option_a=44625 | option_b=5920 | option_c=5720 | option_d=5820 | answer=D | explanation=SI = $PRT/100 = 38805 \times 15 \times 1/100 = \blacksquare 5820$.

id=3085 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = $360 \div 8 = 45$ km/h.

id=3086 | topic=Averages | difficulty=Easy | question=Find the average of 62, 64, 14, 53, 14, 39, 100, 46. | option_a=49 | option_b=48 | option_c=50 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = $392 \div 8 = 49$.

id=3087 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=33 | option_b=39 | option_c=38 | option_d=43 | answer=C | explanation=The common difference is 5. Therefore the next term is $33 + 5 = 38$.

id=3088 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 16. | option_a=160 | option_b=352 | option_c=176 | option_d=198 | answer=C | explanation= $LCM \times HCF = 22 \times 16$; $HCF(22,16) = 2$, so $LCM = 176$.

id=3089 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 27. | option_a=240 | option_b=648 | option_c=189 | option_d=216 | answer=D | explanation= $LCM \times HCF = 24 \times 27$; $HCF(24,27) = 3$, so $LCM = 216$.

id=3090 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■49162 at 5% per annum for 4 years. | option_a=9832 | option_b=9732 | option_c=9932 | option_d=58994 | answer=A | explanation=SI = $PRT/100 = 49162 \times 5 \times 4/100 = \blacksquare 9832$.

Aptitude Questions — Records 3,091-3,120 of 100,000

- id=3091 | topic=Profit & Loss | difficulty=Easy | question=An article costs █232. If it is sold at a profit of 50%, what is its selling price? | option_a=325 | option_b=348 | option_c=371 | option_d=282 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 232 \times 150/100 = \text{█}348$.
- id=3092 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 33, 40, 50? | option_a=40 | option_b=33 | option_c=26 | option_d=50 | answer=D | explanation=The first three numbers increase by 7, so the next should be 47. Therefore 50 is the odd one out.
- id=3093 | topic=Averages | difficulty=Easy | question=Find the average of 36, 48, 97, 31, 99, 75, 98, 89, 75. | option_a=71 | option_b=72 | option_c=73 | option_d=74 | answer=B | explanation=Average = $\text{sum of values} \div \text{number of values} = 648 \div 9 = 72$.
- id=3094 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=29 | option_c=19 | option_d=24 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 240 \div 10 = 24 \text{ km/h}$.
- id=3095 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=23 | option_b=26 | option_c=18 | option_d=22 | answer=D | explanation=The common difference is 4. Therefore the next term is $18 + 4 = 22$.
- id=3096 | topic=Percentages | difficulty=Easy | question=What is 50% of 587? | option_a=586 | option_b=303 | option_c=273 | option_d=293 | answer=D | explanation= $50\% \text{ of } 587 = (50/100) \times 587 = 293$.
- id=3097 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=P | option_c=N | option_d=Q | answer=B | explanation=Move 1 positions forward from O; the resulting letter is P.
- id=3098 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5010 at 15% per annum for 1 years. | option_a=851 | option_b=651 | option_c=751 | option_d=5761 | answer=C | explanation=SI = $PRT/100 = 5010 \times 15 \times 1/100 = \text{█}751$.
- id=3099 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=40 | option_b=37 | option_c=32 | option_d=36 | answer=D | explanation=The common difference is 4. Therefore the next term is $32 + 4 = 36$.
- id=3100 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28438 at 12% per annum for 3 years. | option_a=10137 | option_b=38675 | option_c=10237 | option_d=10337 | answer=C | explanation=SI = $PRT/100 = 28438 \times 12 \times 3/100 = \text{█}10237$.
- id=3101 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3848. If it is sold at a profit of 5%, what is its selling price? | option_a=4040 | option_b=3656 | option_c=4424 | option_d=3853 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3848 \times 105/100 = \text{█}4040$.
- id=3102 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27556 at 10% per annum for 3 years. | option_a=35822 | option_b=8166 | option_c=8266 | option_d=8366 | answer=C | explanation=SI = $PRT/100 = 27556 \times 10 \times 3/100 = \text{█}8266$.
- id=3103 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 31, 43, 55, ? | option_a=68 | option_b=55 | option_c=67 | option_d=79 | answer=C | explanation=The common difference is 12. Therefore the next term is $55 + 12 = 67$.
- id=3104 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 60 \div 2 = 30 \text{ km/h}$.
- id=3105 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 14. | option_a=1 | option_b=28 | option_c=14 | option_d=16 | answer=C | explanation= $LCM \times HCF = 2 \times 14$; $HCF(2,14) = 2$, so $LCM = 14$.
- id=3106 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 32? | option_a=26 | option_b=32 | option_c=16 | option_d=21 | answer=B | explanation=The first three numbers increase by 5, so the next should be 31. Therefore 32 is the odd one out.
- id=3107 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:18 and the first is 144, what is the second? | option_a=332 | option_b=324 | option_c=468 | option_d=306 | answer=B | explanation=Scale factor = $144/8 = 18$. Therefore second quantity = $18 \times 18 = 324$.
- id=3108 | topic=Percentages | difficulty=Easy | question=What is 12% of 1478? | option_a=157 | option_b=354 | option_c=197 | option_d=177 | answer=D | explanation= $12\% \text{ of } 1478 = (12/100) \times 1478 = 177$.
- id=3109 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5 \text{ days}$.
- id=3110 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=A | option_c=J | option_d=G | answer=D | explanation=Move 3 positions forward from D; the resulting letter is G.
- id=3111 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=S | option_b=N | option_c=I | option_d=D | answer=B | explanation=Move 5 positions forward from I; the resulting letter is N.
- id=3112 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=15 | option_c=20 | option_d=40 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 60 \div 3 = 20 \text{ km/h}$.
- id=3113 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 21. | option_a=21 | option_b=1 | option_c=63 | option_d=24 | answer=A | explanation= $LCM \times HCF = 3 \times 21$; $HCF(3,21) = 3$, so $LCM = 21$.
- id=3114 | topic=Percentages | difficulty=Easy | question=What is 5% of 963? | option_a=53 | option_b=96 | option_c=43 | option_d=48 | answer=D | explanation= $5\% \text{ of } 963 = (5/100) \times 963 = 48$.
- id=3115 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 14. | option_a=98 | option_b=14 | option_c=1 | option_d=21 | answer=B | explanation= $LCM \times HCF = 7 \times 14$; $HCF(7,14) = 7$, so $LCM = 14$.
- id=3116 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=55 | option_b=56 | option_c=45 | option_d=65 | answer=A | explanation=The common difference is 10. Therefore the next term is $45 + 10 = 55$.
- id=3117 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:11 and the first is 34, what is the second? | option_a=11 | option_b=56 | option_c=39 | option_d=22 | answer=D | explanation=Scale factor = $34/17 = 2$. Therefore second quantity = $11 \times 2 = 22$.
- id=3118 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 42? | option_a=42 | option_b=32 | option_c=25 | option_d=18 | answer=A | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 42 is the odd one out.
- id=3119 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=K | option_c=H | option_d=J | answer=D | explanation=Move 1 positions forward from I; the resulting letter is J.
- id=3120 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 8, 10, 13? | option_a=8 | option_b=10 | option_c=6 | option_d=13 | answer=D | explanation=The first three numbers increase by 2, so the next should be 12. Therefore 13 is the odd one out.

Aptitude Questions — Records 3,121-3,150 of 100,000

id=3121 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=J | option_b=N | option_c=F | option_d=B | answer=A | explanation=Move 4 positions forward from F; the resulting letter is J.

id=3122 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:7 and the first is 108, what is the second? | option_a=93 | option_b=84 | option_c=77 | option_d=192 | answer=B | explanation=Scale factor = 108/9 = 12. Therefore second quantity = $7 \times 12 = 84$.

id=3123 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=F | option_b=I | option_c=L | option_d=O | answer=C | explanation=Move 3 positions forward from I; the resulting letter is L.

id=3124 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1717 at 12% per annum for 3 years. | option_a=518 | option_b=618 | option_c=2335 | option_d=718 | answer=B | explanation=SI = $\text{PRT}/100 = 1717 \times 12 \times 3 / 100 = \text{■}618$.

id=3125 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=J | option_b=N | option_c=L | option_d=P | answer=B | explanation=Move 2 positions forward from L; the resulting letter is N.

id=3126 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=20 | option_b=16 | option_c=21 | option_d=24 | answer=A | explanation=The common difference is 4. Therefore the next term is $16 + 4 = 20$.

id=3127 | topic=Averages | difficulty=Easy | question=Find the average of 33, 80, 46. | option_a=52 | option_b=53 | option_c=54 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = $159 \div 3 = 53$.

id=3128 | topic=Averages | difficulty=Easy | question=Find the average of 93, 67, 10, 26, 47, 41, 58, 50, 31. | option_a=49 | option_b=48 | option_c=47 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = $423 \div 9 = 47$.

id=3129 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=80 | option_c=70 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = $300 \div 4 = 75$ km/h.

id=3130 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=15 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = $60 \div 3 = 20$ km/h.

id=3131 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 23, 27, 32? | option_a=32 | option_b=19 | option_c=27 | option_d=23 | answer=A | explanation=The first three numbers increase by 4, so the next should be 31. Therefore 32 is the odd one out.

id=3132 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 18. | option_a=18 | option_b=162 | option_c=27 | option_d=1 | answer=A | explanation=LCM × HCF = 9×18 ; HCF(9,18) = 9, so LCM = 18.

id=3133 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=4 | option_d=20 | answer=A | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=3134 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:3 and the first is 114, what is the second? | option_a=18 | option_b=37 | option_c=132 | option_d=15 | answer=A | explanation=Scale factor = $114/19 = 6$. Therefore second quantity = $3 \times 6 = 18$.

id=3135 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=66 | option_b=53 | option_c=65 | option_d=77 | answer=C | explanation=The common difference is 12. Therefore the next term is $53 + 12 = 65$.

id=3136 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:20 and the first is 108, what is the second? | option_a=366 | option_b=340 | option_c=360 | option_d=468 | answer=C | explanation=Scale factor = $108/6 = 18$. Therefore second quantity = $20 \times 18 = 360$.

id=3137 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=3138 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 28, 36, 44, ? | option_a=44 | option_b=53 | option_c=52 | option_d=60 | answer=C | explanation=The common difference is 8. Therefore the next term is $44 + 8 = 52$.

id=3139 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=3140 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=300 | option_c=150 | option_d=145 | answer=C | explanation=Speed = distance ÷ time = $300 \div 2 = 150$ km/h.

id=3141 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:6 and the first is 51, what is the second? | option_a=35 | option_b=18 | option_c=69 | option_d=12 | answer=B | explanation=Scale factor = $51/17 = 3$. Therefore second quantity = $6 \times 3 = 18$.

id=3142 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2781. If it is sold at a profit of 20%, what is its selling price? | option_a=2801 | option_b=3337 | option_c=3059 | option_d=3615 | answer=B | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 2781 \times 120 / 100 = \text{■}3337$.

id=3143 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9261 at 8% per annum for 1 years. | option_a=840 | option_b=640 | option_c=10001 | option_d=740 | answer=D | explanation=SI = $\text{PRT}/100 = 9261 \times 8 \times 1 / 100 = \text{■}740$.

id=3144 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:2 and the first is 160, what is the second? | option_a=42 | option_b=30 | option_c=32 | option_d=192 | answer=C | explanation=Scale factor = $160/10 = 16$. Therefore second quantity = $2 \times 16 = 32$.

id=3145 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:2 and the first is 88, what is the second? | option_a=20 | option_b=30 | option_c=110 | option_d=22 | answer=D | explanation=Scale factor = $88/8 = 11$. Therefore second quantity = $2 \times 11 = 22$.

id=3146 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**236. If it is sold at a profit of 20%, what is its selling price? | option_a=260 | option_b=283 | option_c=306 | option_d=256 | answer=B | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 236 \times 120 / 100 = \text{■}283$.

id=3147 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=Z | option_c=V | option_d=N | answer=C | explanation=Move 4 positions forward from R; the resulting letter is V.

id=3148 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=G | option_b=S | option_c=O | option_d=K | answer=C | explanation=Move 4 positions forward from K; the resulting letter is O.

id=3149 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:11 and the first is 6, what is the second? | option_a=67 | option_b=72 | option_c=55 | option_d=66 | answer=D | explanation=Scale factor = $6/1 = 6$. Therefore second quantity = $11 \times 6 = 66$.

id=3150 | topic=Averages | difficulty=Easy | question=Find the average of 39, 13, 82, 72, 64, 64, 87, 27. | option_a=56 | option_b=57 | option_c=58 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = $448 \div 8 = 56$.

Aptitude Questions — Records 3,151-3,180 of 100,000

- id=3151 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■38249 at 15% per annum for 5 years. | option_a=66935 | option_b=28786 | option_c=28586 | option_d=28686 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{38249 \times 15 \times 5}{100} = \blacksquare 28686$.
- id=3152 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.
- id=3153 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 21, 30, 39, ? | option_a=48 | option_b=49 | option_c=39 | option_d=57 | answer=A | explanation=The common difference is 9. Therefore the next term is $39 + 9 = 48$.
- id=3154 | topic=Percentages | difficulty=Easy | question=What is 15% of 684? | option_a=112 | option_b=204 | option_c=102 | option_d=92 | answer=C | explanation= $15\% \text{ of } 684 = \frac{(15/100) \times 684}{1} = 102$.
- id=3155 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=150 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = $\frac{150}{2} = 75$ km/h.
- id=3156 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=5 | option_d=7 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.
- id=3157 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4165. If it is sold at a profit of 30%, what is its selling price? | option_a=4998 | option_b=5830 | option_c=4195 | option_d=5414 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4165 \times \frac{130}{100} = \blacksquare 5414$.
- id=3158 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4815. If it is sold at a profit of 15%, what is its selling price? | option_a=5056 | option_b=6018 | option_c=4830 | option_d=5537 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4815 \times \frac{115}{100} = \blacksquare 5537$.
- id=3159 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 31, 42, 53, ? | option_a=75 | option_b=65 | option_c=53 | option_d=64 | answer=D | explanation=The common difference is 11. Therefore the next term is $53 + 11 = 64$.
- id=3160 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 33? | option_a=17 | option_b=22 | option_c=33 | option_d=27 | answer=C | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 33 is the odd one out.
- id=3161 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:10 and the first is 66, what is the second? | option_a=110 | option_b=176 | option_c=116 | option_d=100 | answer=A | explanation=Scale factor = $\frac{66}{6} = 11$. Therefore second quantity = $10 \times 11 = 110$.
- id=3162 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 23, 25, 29? | option_a=23 | option_b=29 | option_c=21 | option_d=25 | answer=B | explanation=The first three numbers increase by 2, so the next should be 27. Therefore 29 is the odd one out.
- id=3163 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.
- id=3164 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:20 and the first is 8, what is the second? | option_a=82 | option_b=80 | option_c=88 | option_d=60 | answer=B | explanation=Scale factor = $\frac{8}{2} = 4$. Therefore second quantity = $20 \times 4 = 80$.
- id=3165 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=80 | option_c=35 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = $\frac{240}{6} = 40$ km/h.
- id=3166 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=95 | option_c=180 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = $\frac{360}{4} = 90$ km/h.
- id=3167 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=P | option_c=J | option_d=N | answer=D | explanation=Move 2 positions forward from L; the resulting letter is N.
- id=3168 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=L | option_c=X | option_d=T | answer=D | explanation=Move 4 positions forward from P; the resulting letter is T.
- id=3169 | topic=Percentages | difficulty=Easy | question=What is 15% of 1253? | option_a=187 | option_b=374 | option_c=192 | option_d=167 | answer=A | explanation= $15\% \text{ of } 1253 = \frac{(15/100) \times 1253}{1} = 187$.
- id=3170 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4520. If it is sold at a profit of 25%, what is its selling price? | option_a=6102 | option_b=5198 | option_c=4545 | option_d=5650 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4520 \times \frac{125}{100} = \blacksquare 5650$.
- id=3171 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■6336 at 15% per annum for 5 years. | option_a=4852 | option_b=11088 | option_c=4652 | option_d=4752 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{6336 \times 15 \times 5}{100} = \blacksquare 4752$.
- id=3172 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=47 | option_b=46 | option_c=38 | option_d=54 | answer=B | explanation=The common difference is 8. Therefore the next term is $38 + 8 = 46$.
- id=3173 | topic=Averages | difficulty=Easy | question=Find the average of 79, 80, 61, 97, 45, 90, 98, 18. | option_a=72 | option_b=71 | option_c=70 | option_d=73 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{568}{8} = 71$.
- id=3174 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■26673 at 6% per annum for 2 years. | option_a=29873 | option_b=3300 | option_c=3200 | option_d=3100 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{26673 \times 6 \times 2}{100} = \blacksquare 3200$.
- id=3175 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:20 and the first is 112, what is the second? | option_a=272 | option_b=160 | option_c=140 | option_d=174 | answer=B | explanation=Scale factor = $\frac{112}{14} = 8$. Therefore second quantity = $20 \times 8 = 160$.
- id=3176 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=95 | option_c=100 | option_d=105 | answer=C | explanation=Speed = distance ÷ time = $\frac{300}{3} = 100$ km/h.
- id=3177 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=46 | option_b=41 | option_c=40 | option_d=34 | answer=C | explanation=The common difference is 6. Therefore the next term is $34 + 6 = 40$.
- id=3178 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.
- id=3179 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 20, 30, 42? | option_a=20 | option_b=30 | option_c=10 | option_d=42 | answer=D | explanation=The first three numbers increase by 10, so the next should be 40. Therefore 42 is the odd one out.
- id=3180 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $\frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

Aptitude Questions — Records 3,181-3,210 of 100,000

id=3181 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=20 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=3182 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=40 | option_d=90 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=3183 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 27, 31, 38? | option_a=27 | option_b=31 | option_c=38 | option_d=23 | answer=C | explanation=The first three numbers increase by 4, so the next should be 35. Therefore 38 is the odd one out.

id=3184 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2469. If it is sold at a profit of 40%, what is its selling price? | option_a=2509 | option_b=3702 | option_c=3210 | option_d=3456 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2469 × 140/100 = █3456.

id=3185 | topic=Averages | difficulty=Easy | question=Find the average of 63, 72, 59, 62, 26, 62, 34. | option_a=54 | option_b=53 | option_c=56 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

id=3186 | topic=Percentages | difficulty=Easy | question=What is 15% of 794? | option_a=114 | option_b=124 | option_c=119 | option_d=238 | answer=C | explanation=15% of 794 = (15/100) × 794 = 119.

id=3187 | topic=Percentages | difficulty=Easy | question=What is 25% of 315? | option_a=88 | option_b=58 | option_c=78 | option_d=156 | answer=C | explanation=25% of 315 = (25/100) × 315 = 78.

id=3188 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43, ? | option_a=43 | option_b=59 | option_c=52 | option_d=51 | answer=D | explanation=The common difference is 8. Therefore the next term is 43 + 8 = 51.

id=3189 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=180 | option_c=95 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=3190 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=S | option_c=Q | option_d=U | answer=D | explanation=Move 2 positions forward from S; the resulting letter is U.

id=3191 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 27, 33, 42? | option_a=33 | option_b=42 | option_c=21 | option_d=27 | answer=B | explanation=The first three numbers increase by 6, so the next should be 39. Therefore 42 is the odd one out.

id=3192 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 7, 10, 16? | option_a=4 | option_b=10 | option_c=7 | option_d=16 | answer=D | explanation=The first three numbers increase by 3, so the next should be 13. Therefore 16 is the odd one out.

id=3193 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 29, 37, 47? | option_a=21 | option_b=47 | option_c=37 | option_d=29 | answer=B | explanation=The first three numbers increase by 8, so the next should be 45. Therefore 47 is the odd one out.

id=3194 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:11 and the first is 140, what is the second? | option_a=164 | option_b=143 | option_c=154 | option_d=294 | answer=C | explanation=Scale factor = 140/10 = 14. Therefore second quantity = 11×14 = 154.

id=3195 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=30 | option_b=25 | option_c=33 | option_d=29 | answer=D | explanation=The common difference is 4. Therefore the next term is 25 + 4 = 29.

id=3196 | topic=Percentages | difficulty=Easy | question=What is 30% of 694? | option_a=203 | option_b=208 | option_c=416 | option_d=218 | answer=B | explanation=30% of 694 = (30/100) × 694 = 208.

id=3197 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=3198 | topic=Percentages | difficulty=Easy | question=What is 15% of 318? | option_a=47 | option_b=57 | option_c=94 | option_d=42 | answer=A | explanation=15% of 318 = (15/100) × 318 = 47.

id=3199 | topic=Percentages | difficulty=Easy | question=What is 25% of 195? | option_a=28 | option_b=53 | option_c=96 | option_d=48 | answer=D | explanation=25% of 195 = (25/100) × 195 = 48.

id=3200 | topic=Averages | difficulty=Easy | question=Find the average of 64, 73, 22, 53. | option_a=52 | option_b=54 | option_c=53 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 212 ÷ 4 = 53.

id=3201 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 24? | option_a=18 | option_b=20 | option_c=24 | option_d=16 | answer=C | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 24 is the odd one out.

id=3202 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:7 and the first is 27, what is the second? | option_a=63 | option_b=90 | option_c=66 | option_d=56 | answer=A | explanation=Scale factor = 27/3 = 9. Therefore second quantity = 7×9 = 63.

id=3203 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=18 | option_b=16 | option_c=20 | option_d=19 | answer=A | explanation=The common difference is 2. Therefore the next term is 16 + 2 = 18.

id=3204 | topic=Averages | difficulty=Easy | question=Find the average of 97, 50, 98, 71. | option_a=81 | option_b=78 | option_c=80 | option_d=79 | answer=D | explanation=Average = sum of values ÷ number of values = 316 ÷ 4 = 79.

id=3205 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4791. If it is sold at a profit of 10%, what is its selling price? | option_a=5270 | option_b=4791 | option_c=5749 | option_d=4801 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4791 × 110/100 = █5270.

id=3206 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=3207 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=360 | option_c=180 | option_d=185 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=3208 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4540. If it is sold at a profit of 25%, what is its selling price? | option_a=4565 | option_b=5221 | option_c=5675 | option_d=6129 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4540 × 125/100 = █5675.

id=3209 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=24 | option_b=27 | option_c=19 | option_d=23 | answer=D | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=3210 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 3,211-3,240 of 100,000

id=3211 | topic=Averages | difficulty=Easy | question=Find the average of 47, 43, 15, 33, 81, 27, 51, 40, 32. | option_a=41 | option_b=40 | option_c=42 | option_d=43 | answer=A | explanation=Average = sum of values ÷ number of values = 369 ÷ 9 = 41.

id=3212 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=56 | option_b=68 | option_c=69 | option_d=80 | answer=B | explanation=The common difference is 12. Therefore the next term is 56 + 12 = 68.

id=3213 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=32 | option_b=27 | option_c=28 | option_d=22 | answer=B | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.

id=3214 | topic=Percentages | difficulty=Easy | question=What is 15% of 329? | option_a=69 | option_b=98 | option_c=44 | option_d=49 | answer=D | explanation=15% of 329 = (15/100) × 329 = 49.

id=3215 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:3 and the first is 15, what is the second? | option_a=60 | option_b=42 | option_c=45 | option_d=46 | answer=C | explanation=Scale factor = 15/1 = 15. Therefore second quantity = 3×15 = 45.

id=3216 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 29? | option_a=29 | option_b=16 | option_c=22 | option_d=10 | answer=A | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 29 is the odd one out.

id=3217 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=M | option_b=H | option_c=C | option_d=X | answer=B | explanation=Move 5 positions forward from C; the resulting letter is H.

id=3218 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=V | option_b=M | option_c=S | option_d=P | answer=C | explanation=Move 3 positions forward from P; the resulting letter is S.

id=3219 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:5 and the first is 154, what is the second? | option_a=224 | option_b=65 | option_c=81 | option_d=70 | answer=D | explanation=Scale factor = 154/11 = 14. Therefore second quantity = 5×14 = 70.

id=3220 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=8 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=3221 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 8. | option_a=1 | option_b=64 | option_c=16 | option_d=8 | answer=D | explanation=LCM × HCF = 8×8; HCF(8,8) = 8, so LCM = 8.

id=3222 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=3223 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹42299 at 6% per annum for 1 years. | option_a=44836 | option_b=2637 | option_c=2437 | option_d=2537 | answer=D | explanation=SI = PRT/100 = 42299×6×1/100 = ₹2537.

id=3224 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:5 and the first is 34, what is the second? | option_a=119 | option_b=87 | option_c=85 | option_d=80 | answer=C | explanation=Scale factor = 34/2 = 17. Therefore second quantity = 5×17 = 85.

id=3225 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=24 | option_c=29 | option_d=48 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=3226 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=1 | option_c=6 | option_d=12 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=3227 | topic=Percentages | difficulty=Easy | question=What is 30% of 551? | option_a=165 | option_b=170 | option_c=330 | option_d=145 | answer=A | explanation=30% of 551 = (30/100) × 551 = 165.

id=3228 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:3 and the first is 154, what is the second? | option_a=33 | option_b=30 | option_c=47 | option_d=187 | answer=A | explanation=Scale factor = 154/14 = 11. Therefore second quantity = 3×11 = 33.

id=3229 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=66 | option_b=53 | option_c=65 | option_d=77 | answer=C | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.

id=3230 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=68 | option_b=80 | option_c=56 | option_d=69 | answer=A | explanation=The common difference is 12. Therefore the next term is 56 + 12 = 68.

id=3231 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=22 | option_b=34 | option_c=28 | option_d=29 | answer=C | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.

id=3232 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=6 | option_c=12 | option_d=1 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=3233 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹28324 at 15% per annum for 4 years. | option_a=17094 | option_b=45318 | option_c=16994 | option_d=16894 | answer=C | explanation=SI = PRT/100 = 28324×15×4/100 = ₹16994.

id=3234 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹49844 at 5% per annum for 5 years. | option_a=62305 | option_b=12461 | option_c=12561 | option_d=12361 | answer=B | explanation=SI = PRT/100 = 49844×5×5/100 = ₹12461.

id=3235 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹7608 at 5% per annum for 5 years. | option_a=2002 | option_b=9510 | option_c=1802 | option_d=1902 | answer=D | explanation=SI = PRT/100 = 7608×5×5/100 = ₹1902.

id=3236 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=3237 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 25. | option_a=375 | option_b=50 | option_c=75 | option_d=90 | answer=C | explanation=LCM × HCF = 15×25; HCF(15,25) = 5, so LCM = 75.

id=3238 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 24, 30, 36, ? | option_a=36 | option_b=42 | option_c=48 | option_d=43 | answer=B | explanation=The common difference is 6. Therefore the next term is 36 + 6 = 42.

id=3239 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=I | option_b=C | option_c=F | option_d=L | answer=A | explanation=Move 3 positions forward from F; the resulting letter is I.

id=3240 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 33, 42, 52? | option_a=42 | option_b=33 | option_c=52 | option_d=24 | answer=C | explanation=The first three numbers increase by 9, so the next should be 51. Therefore 52 is the odd one out.

Aptitude Questions — Records 3,241-3,270 of 100,000

id=3241 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 22. | option_a=176 | option_b=216 | option_c=198 | option_d=396 | answer=C | explanation= $LCM \times HCF = 18 \times 22$; $HCF(18,22) = 2$, so $LCM = 198$.

id=3242 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=X | option_c=O | option_d=U | answer=D | explanation=Move 3 positions forward from R; the resulting letter is U.

id=3243 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=3244 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 24, 33, 45? | option_a=45 | option_b=15 | option_c=33 | option_d=24 | answer=A | explanation=The first three numbers increase by 9, so the next should be 42. Therefore 45 is the odd one out.

id=3245 | topic=Averages | difficulty=Easy | question=Find the average of 10, 89, 66, 29, 35, 65. | option_a=50 | option_b=48 | option_c=51 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{294}{6} = 49$.

id=3246 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=39 | option_b=30 | option_c=46 | option_d=38 | answer=D | explanation=The common difference is 8. Therefore the next term is $30 + 8 = 38$.

id=3247 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■1485 at 4% per annum for 4 years. | option_a=237 | option_b=1722 | option_c=337 | option_d=137 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{1485 \times 4 \times 4}{100} = \text{■}237$.

id=3248 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

id=3249 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1510. If it is sold at a profit of 25%, what is its selling price? | option_a=1887 | option_b=1736 | option_c=2038 | option_d=1535 | answer=A | explanation=Selling price = $CP \times \frac{(100 + \text{profit}\%)}{100} = 1510 \times \frac{125}{100} = \text{■}1887$.

id=3250 | topic=Percentages | difficulty=Easy | question=What is 5% of 64? | option_a=3 | option_b=0 | option_c=13 | option_d=6 | answer=A | explanation= $5\% \text{ of } 64 = \frac{(5/100) \times 64}{1} = 3$.

id=3251 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 43? | option_a=33 | option_b=37 | option_c=29 | option_d=43 | answer=D | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 43 is the odd one out.

id=3252 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12} = 3$ days.

id=3253 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:5 and the first is 8, what is the second? | option_a=40 | option_b=48 | option_c=35 | option_d=41 | answer=A | explanation=Scale factor = $\frac{8}{1} = 8$. Therefore second quantity = $5 \times 8 = 40$.

id=3254 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 24? | option_a=24 | option_b=17 | option_c=19 | option_d=15 | answer=A | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 24 is the odd one out.

id=3255 | topic=Percentages | difficulty=Easy | question=What is 10% of 1545? | option_a=149 | option_b=154 | option_c=308 | option_d=164 | answer=B | explanation= $10\% \text{ of } 1545 = \frac{(10/100) \times 1545}{1} = 154$.

id=3256 | topic=Percentages | difficulty=Easy | question=What is 20% of 1856? | option_a=371 | option_b=742 | option_c=366 | option_d=381 | answer=A | explanation= $20\% \text{ of } 1856 = \frac{(20/100) \times 1856}{1} = 371$.

id=3257 | topic=Percentages | difficulty=Easy | question=What is 50% of 1157? | option_a=583 | option_b=578 | option_c=1156 | option_d=573 | answer=B | explanation= $50\% \text{ of } 1157 = \frac{(50/100) \times 1157}{1} = 578$.

id=3258 | topic=Averages | difficulty=Easy | question=Find the average of 95, 84, 11, 84, 65, 91, 18. | option_a=64 | option_b=65 | option_c=63 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{448}{7} = 64$.

id=3259 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=34 | option_b=33 | option_c=37 | option_d=29 | answer=B | explanation=The common difference is 4. Therefore the next term is $29 + 4 = 33$.

id=3260 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 13, 16, 20? | option_a=20 | option_b=16 | option_c=10 | option_d=13 | answer=A | explanation=The first three numbers increase by 3, so the next should be 19. Therefore 20 is the odd one out.

id=3261 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 22? | option_a=8 | option_b=14 | option_c=2 | option_d=22 | answer=D | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 22 is the odd one out.

id=3262 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = $\frac{300}{10} = 30$ km/h.

id=3263 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 21, 30, 39, ? | option_a=48 | option_b=49 | option_c=39 | option_d=57 | answer=A | explanation=The common difference is 9. Therefore the next term is $39 + 9 = 48$.

id=3264 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=X | option_c=G | option_d=D | answer=D | explanation=Move 3 positions forward from A; the resulting letter is D.

id=3265 | topic=Percentages | difficulty=Easy | question=What is 20% of 395? | option_a=89 | option_b=74 | option_c=158 | option_d=79 | answer=D | explanation= $20\% \text{ of } 395 = \frac{(20/100) \times 395}{1} = 79$.

id=3266 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = $\frac{120}{4} = 30$ km/h.

id=3267 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:2 and the first is 45, what is the second? | option_a=63 | option_b=23 | option_c=16 | option_d=18 | answer=D | explanation=Scale factor = $\frac{45}{5} = 9$. Therefore second quantity = $2 \times 9 = 18$.

id=3268 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=K | option_c=W | option_d=O | answer=A | explanation=Move 4 positions forward from O; the resulting letter is S.

id=3269 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=95 | option_c=85 | option_d=180 | answer=A | explanation=Speed = distance ÷ time = $\frac{180}{2} = 90$ km/h.

id=3270 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=Q | option_c=S | option_d=O | answer=C | explanation=Move 2 positions forward from Q; the resulting letter is S.

Aptitude Questions — Records 3,271-3,300 of 100,000

id=3271 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 24, 36, 48, ? | option_a=60 | option_b=72 | option_c=48 | option_d=61 | answer=A | explanation=The common difference is 12. Therefore the next term is 48 + 12 = 60.

id=3272 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4773. If it is sold at a profit of 40%, what is its selling price? | option_a=4813 | option_b=6205 | option_c=6682 | option_d=7159 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4773 × 140/100 = █6682.

id=3273 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29138 at 4% per annum for 3 years. | option_a=3496 | option_b=3596 | option_c=3396 | option_d=32634 | answer=A | explanation=SI = PRT/100 = 29138×4×3/100 = █3496.

id=3274 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31097 at 8% per annum for 4 years. | option_a=10051 | option_b=9951 | option_c=41048 | option_d=9851 | answer=B | explanation=SI = PRT/100 = 31097×8×4/100 = █9951.

id=3275 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3732. If it is sold at a profit of 20%, what is its selling price? | option_a=3752 | option_b=4105 | option_c=4851 | option_d=4478 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3732 × 120/100 = █4478.

id=3276 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39689 at 5% per annum for 1 years. | option_a=2084 | option_b=41673 | option_c=1984 | option_d=1884 | answer=C | explanation=SI = PRT/100 = 39689×5×1/100 = █1984.

id=3277 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20326 at 15% per annum for 2 years. | option_a=6097 | option_b=5997 | option_c=6197 | option_d=26423 | answer=A | explanation=SI = PRT/100 = 20326×15×2/100 = █6097.

id=3278 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=35 | option_b=44 | option_c=51 | option_d=43 | answer=D | explanation=The common difference is 8. Therefore the next term is 35 + 8 = 43.

id=3279 | topic=Averages | difficulty=Easy | question=Find the average of 68, 28, 38, 93, 73. | option_a=59 | option_b=62 | option_c=61 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 300 ÷ 5 = 60.

id=3280 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12223 at 5% per annum for 4 years. | option_a=2344 | option_b=2544 | option_c=14667 | option_d=2444 | answer=D | explanation=SI = PRT/100 = 12223×5×4/100 = █2444.

id=3281 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=23 | option_c=18 | option_d=36 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=3282 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 20. | option_a=80 | option_b=96 | option_c=320 | option_d=60 | answer=A | explanation=LCM × HCF = 16×20; HCF(16,20) = 4, so LCM = 80.

id=3283 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3746. If it is sold at a profit of 40%, what is its selling price? | option_a=5244 | option_b=4870 | option_c=5618 | option_d=3786 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3746 × 140/100 = █5244.

id=3284 | topic=Averages | difficulty=Easy | question=Find the average of 79, 79, 89, 97. | option_a=85 | option_b=88 | option_c=87 | option_d=86 | answer=D | explanation=Average = sum of values ÷ number of values = 344 ÷ 4 = 86.

id=3285 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 4. | option_a=54 | option_b=36 | option_c=72 | option_d=32 | answer=B | explanation=LCM × HCF = 18×4; HCF(18,4) = 2, so LCM = 36.

id=3286 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=3287 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=100 | option_c=95 | option_d=200 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=3288 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 20, 30, 43? | option_a=20 | option_b=43 | option_c=10 | option_d=30 | answer=B | explanation=The first three numbers increase by 10, so the next should be 40. Therefore 43 is the odd one out.

id=3289 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 6, 10, 15? | option_a=6 | option_b=15 | option_c=2 | option_d=10 | answer=B | explanation=The first three numbers increase by 4, so the next should be 14. Therefore 15 is the odd one out.

id=3290 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16584 at 10% per annum for 4 years. | option_a=6733 | option_b=6533 | option_c=23217 | option_d=6633 | answer=D | explanation=SI = PRT/100 = 16584×10×4/100 = █6633.

id=3291 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=S | option_b=U | option_c=V | option_d=T | answer=B | explanation=Move 1 positions forward from T; the resulting letter is U.

id=3292 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 61? | option_a=61 | option_b=50 | option_c=40 | option_d=30 | answer=A | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 61 is the odd one out.

id=3293 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=N | option_c=I | option_d=Y | answer=C | explanation=Move 5 positions forward from D; the resulting letter is I.

id=3294 | topic=Percentages | difficulty=Easy | question=What is 30% of 1924? | option_a=587 | option_b=557 | option_c=1154 | option_d=577 | answer=D | explanation=30% of 1924 = (30/100) × 1924 = 577.

id=3295 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 6. | option_a=54 | option_b=60 | option_c=120 | option_d=80 | answer=B | explanation=LCM × HCF = 20×6; HCF(20,6) = 2, so LCM = 60.

id=3296 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=39 | option_b=35 | option_c=31 | option_d=36 | answer=B | explanation=The common difference is 4. Therefore the next term is 31 + 4 = 35.

id=3297 | topic=Averages | difficulty=Easy | question=Find the average of 100, 75, 94, 65, 94, 48, 91. | option_a=82 | option_b=80 | option_c=81 | option_d=83 | answer=C | explanation=Average = sum of values ÷ number of values = 567 ÷ 7 = 81.

id=3298 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=7 | option_c=17 | option_d=24 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=3299 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 29, 37, 48? | option_a=29 | option_b=37 | option_c=48 | option_d=21 | answer=C | explanation=The first three numbers increase by 8, so the next should be 45. Therefore 48 is the odd one out.

id=3300 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=180 | option_c=185 | option_d=360 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

Aptitude Questions — Records 3,301-3,330 of 100,000

- id=3301 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1499. If it is sold at a profit of 20%, what is its selling price? | option_a=1519 | option_b=1649 | option_c=1947 | option_d=1798 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1499 × 120/100 = ■1798.
- id=3302 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=96 | option_c=53 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.
- id=3303 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=X | option_b=H | option_c=C | option_d=M | answer=B | explanation=Move 5 positions forward from C; the resulting letter is H.
- id=3304 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 30? | option_a=22 | option_b=16 | option_c=10 | option_d=30 | answer=D | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 30 is the odd one out.
- id=3305 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 35? | option_a=24 | option_b=29 | option_c=19 | option_d=35 | answer=D | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 35 is the odd one out.
- id=3306 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:2 and the first is 80, what is the second? | option_a=8 | option_b=90 | option_c=10 | option_d=26 | answer=C | explanation=Scale factor = 80/16 = 5. Therefore second quantity = 2×5 = 10.
- id=3307 | topic=Percentages | difficulty=Easy | question=What is 30% of 456? | option_a=272 | option_b=126 | option_c=156 | option_d=136 | answer=D | explanation=30% of 456 = (30/100) × 456 = 136.
- id=3308 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 24, 27, 33? | option_a=27 | option_b=21 | option_c=24 | option_d=33 | answer=D | explanation=The first three numbers increase by 3, so the next should be 30. Therefore 33 is the odd one out.
- id=3309 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 16? | option_a=16 | option_b=3 | option_c=11 | option_d=7 | answer=A | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 16 is the odd one out.
- id=3310 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=55 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.
- id=3311 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:8 and the first is 15, what is the second? | option_a=112 | option_b=120 | option_c=121 | option_d=135 | answer=B | explanation=Scale factor = 15/1 = 15. Therefore second quantity = 8×15 = 120.
- id=3312 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3638. If it is sold at a profit of 20%, what is its selling price? | option_a=4365 | option_b=3658 | option_c=4002 | option_d=4728 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3638 × 120/100 = ■4365.
- id=3313 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 26. | option_a=112 | option_b=104 | option_c=78 | option_d=208 | answer=B | explanation=LCM × HCF = 8×26; HCF(8,26) = 2, so LCM = 104.
- id=3314 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3008. If it is sold at a profit of 50%, what is its selling price? | option_a=3058 | option_b=4512 | option_c=4812 | option_d=4212 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3008 × 150/100 = ■4512.
- id=3315 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=66 | option_b=42 | option_c=54 | option_d=55 | answer=C | explanation=The common difference is 12. Therefore the next term is 42 + 12 = 54.
- id=3316 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 24, 34, 47? | option_a=34 | option_b=47 | option_c=24 | option_d=14 | answer=B | explanation=The first three numbers increase by 10, so the next should be 44. Therefore 47 is the odd one out.
- id=3317 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■38023 at 15% per annum for 1 years. | option_a=5703 | option_b=5803 | option_c=43726 | option_d=5603 | answer=A | explanation=SI = PRT/100 = 38023×15×1/100 = ■5703.
- id=3318 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=J | option_c=L | option_d=H | answer=C | explanation=Move 2 positions forward from J; the resulting letter is L.
- id=3319 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:13 and the first is 39, what is the second? | option_a=208 | option_b=172 | option_c=156 | option_d=169 | answer=D | explanation=Scale factor = 39/3 = 13. Therefore second quantity = 13×13 = 169.
- id=3320 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=N | option_b=S | option_c=I | option_d=D | answer=A | explanation=Move 5 positions forward from I; the resulting letter is N.
- id=3321 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.
- id=3322 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=80 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.
- id=3323 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=V | option_c=M | option_d=S | answer=D | explanation=Move 3 positions forward from P; the resulting letter is S.
- id=3324 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 12. | option_a=14 | option_b=1 | option_c=24 | option_d=12 | answer=D | explanation=LCM × HCF = 2×12; HCF(2,12) = 2, so LCM = 12.
- id=3325 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4307. If it is sold at a profit of 10%, what is its selling price? | option_a=5167 | option_b=4737 | option_c=4307 | option_d=4317 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4307 × 110/100 = ■4737.
- id=3326 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=K | option_b=J | option_c=L | option_d=I | answer=A | explanation=Move 1 positions forward from J; the resulting letter is K.
- id=3327 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=X | option_b=L | option_c=P | option_d=T | answer=D | explanation=Move 4 positions forward from P; the resulting letter is T.
- id=3328 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 17, 26, 37? | option_a=8 | option_b=26 | option_c=37 | option_d=17 | answer=C | explanation=The first three numbers increase by 9, so the next should be 35. Therefore 37 is the odd one out.
- id=3329 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=36 | option_b=46 | option_c=56 | option_d=47 | answer=B | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.
- id=3330 | topic=Averages | difficulty=Easy | question=Find the average of 29, 64, 93. | option_a=63 | option_b=62 | option_c=64 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 186 ÷ 3 = 62.

Aptitude Questions — Records 3,331-3,360 of 100,000

- id=3331 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 28, 36, 44, ? | option_a=53 | option_b=44 | option_c=52 | option_d=60 | answer=C | explanation=The common difference is 8. Therefore the next term is 44 + 8 = 52.
- id=3332 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=6 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=3333 | topic=Percentages | difficulty=Easy | question=What is 25% of 335? | option_a=73 | option_b=83 | option_c=166 | option_d=103 | answer=B | explanation=25% of 335 = (25/100) × 335 = 83.
- id=3334 | topic=Percentages | difficulty=Easy | question=What is 12% of 325? | option_a=19 | option_b=39 | option_c=78 | option_d=44 | answer=B | explanation=12% of 325 = (12/100) × 325 = 39.
- id=3335 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1810. If it is sold at a profit of 50%, what is its selling price? | option_a=2896 | option_b=2715 | option_c=2534 | option_d=1860 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1810 × 150/100 = █2715.
- id=3336 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.
- id=3337 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=G | option_c=M | option_d=P | answer=C | explanation=Move 3 positions forward from J; the resulting letter is M.
- id=3338 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:20 and the first is 7, what is the second? | option_a=120 | option_b=147 | option_c=140 | option_d=141 | answer=C | explanation=Scale factor = 7/1 = 7. Therefore second quantity = 20×7 = 140.
- id=3339 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3851. If it is sold at a profit of 25%, what is its selling price? | option_a=4813 | option_b=4428 | option_c=5198 | option_d=3876 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3851 × 125/100 = █4813.
- id=3340 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:13 and the first is 15, what is the second? | option_a=54 | option_b=44 | option_c=26 | option_d=39 | answer=D | explanation=Scale factor = 15/5 = 3. Therefore second quantity = 13×3 = 39.
- id=3341 | topic=Averages | difficulty=Easy | question=Find the average of 26, 58, 37, 18, 82, 84, 55, 92, 58, 90. | option_a=62 | option_b=60 | option_c=61 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.
- id=3342 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=J | option_b=F | option_c=B | option_d=N | answer=A | explanation=Move 4 positions forward from F; the resulting letter is J.
- id=3343 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2546. If it is sold at a profit of 5%, what is its selling price? | option_a=2419 | option_b=2927 | option_c=2551 | option_d=2673 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2546 × 105/100 = █2673.
- id=3344 | topic=Percentages | difficulty=Easy | question=What is 25% of 416? | option_a=104 | option_b=99 | option_c=208 | option_d=114 | answer=A | explanation=25% of 416 = (25/100) × 416 = 104.
- id=3345 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=N | option_c=D | option_d=S | answer=B | explanation=Move 5 positions forward from I; the resulting letter is N.
- id=3346 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35959 at 10% per annum for 2 years. | option_a=43150 | option_b=7091 | option_c=7291 | option_d=7191 | answer=D | explanation=SI = PRT/100 = 35959×10×2/100 = █7191.
- id=3347 | topic=Averages | difficulty=Easy | question=Find the average of 18, 42, 56, 45, 58, 99. | option_a=55 | option_b=52 | option_c=54 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 318 ÷ 6 = 53.
- id=3348 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:7 and the first is 114, what is the second? | option_a=61 | option_b=156 | option_c=42 | option_d=35 | answer=C | explanation=Scale factor = 114/19 = 6. Therefore second quantity = 7×6 = 42.
- id=3349 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:15 and the first is 342, what is the second? | option_a=270 | option_b=289 | option_c=255 | option_d=612 | answer=A | explanation=Scale factor = 342/19 = 18. Therefore second quantity = 15×18 = 270.
- id=3350 | topic=Averages | difficulty=Easy | question=Find the average of 27, 98, 11, 48. | option_a=48 | option_b=47 | option_c=45 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 184 ÷ 4 = 46.
- id=3351 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:15 and the first is 136, what is the second? | option_a=240 | option_b=255 | option_c=263 | option_d=391 | answer=B | explanation=Scale factor = 136/8 = 17. Therefore second quantity = 15×17 = 255.
- id=3352 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 17? | option_a=8 | option_b=17 | option_c=12 | option_d=10 | answer=B | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 17 is the odd one out.
- id=3353 | topic=Percentages | difficulty=Easy | question=What is 50% of 254? | option_a=122 | option_b=254 | option_c=137 | option_d=127 | answer=D | explanation=50% of 254 = (50/100) × 254 = 127.
- id=3354 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=25 | option_b=39 | option_c=33 | option_d=32 | answer=D | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.
- id=3355 | topic=Averages | difficulty=Easy | question=Find the average of 71, 78, 62, 31, 90, 23, 11, 72, 84. | option_a=60 | option_b=59 | option_c=57 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 522 ÷ 9 = 58.
- id=3356 | topic=Profit & Loss | difficulty=Easy | question=An article costs █471. If it is sold at a profit of 40%, what is its selling price? | option_a=659 | option_b=511 | option_c=706 | option_d=612 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 471 × 140/100 = █659.
- id=3357 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22670 at 15% per annum for 4 years. | option_a=13502 | option_b=36272 | option_c=13702 | option_d=13602 | answer=D | explanation=SI = PRT/100 = 22670×15×4/100 = █13602.
- id=3358 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29037 at 15% per annum for 5 years. | option_a=50814 | option_b=21677 | option_c=21777 | option_d=21877 | answer=C | explanation=SI = PRT/100 = 29037×15×5/100 = █21777.
- id=3359 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.
- id=3360 | topic=Percentages | difficulty=Easy | question=What is 12% of 158? | option_a=18 | option_b=36 | option_c=13 | option_d=23 | answer=A | explanation=12% of 158 = (12/100) × 158 = 18.

Aptitude Questions — Records 3,361-3,390 of 100,000

id=3361 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=3362 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■12023 at 6% per annum for 1 years. | option_a=621 | option_b=12744 | option_c=821 | option_d=721 | answer=D | explanation=SI = PRT/100 = 12023×6×1/100 = ■721.

id=3363 | topic=Percentages | difficulty=Easy | question=What is 30% of 876? | option_a=257 | option_b=524 | option_c=272 | option_d=262 | answer=D | explanation=30% of 876 = (30/100) × 876 = 262.

id=3364 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:19 and the first is 220, what is the second? | option_a=600 | option_b=361 | option_c=380 | option_d=391 | answer=C | explanation=Scale factor = 220/11 = 20. Therefore second quantity = 19×20 = 380.

id=3365 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=8 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=3366 | topic=Percentages | difficulty=Easy | question=What is 15% of 704? | option_a=210 | option_b=105 | option_c=100 | option_d=125 | answer=B | explanation=15% of 704 = (15/100) × 704 = 105.

id=3367 | topic=Percentages | difficulty=Easy | question=What is 30% of 812? | option_a=248 | option_b=223 | option_c=486 | option_d=243 | answer=D | explanation=30% of 812 = (30/100) × 812 = 243.

id=3368 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1032. If it is sold at a profit of 20%, what is its selling price? | option_a=1238 | option_b=1341 | option_c=1052 | option_d=1135 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1032 × 120/100 = ■1238.

id=3369 | topic=Averages | difficulty=Easy | question=Find the average of 83, 22, 34, 39, 92, 36. | option_a=53 | option_b=52 | option_c=51 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 306 ÷ 6 = 51.

id=3370 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1858. If it is sold at a profit of 15%, what is its selling price? | option_a=2136 | option_b=1873 | option_c=1951 | option_d=2321 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1858 × 115/100 = ■2136.

id=3371 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=3372 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■33807 at 8% per annum for 3 years. | option_a=8113 | option_b=8213 | option_c=41920 | option_d=8013 | answer=A | explanation=SI = PRT/100 = 33807×8×3/100 = ■8113.

id=3373 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=24 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=3374 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■41752 at 8% per annum for 2 years. | option_a=48432 | option_b=6680 | option_c=6780 | option_d=6580 | answer=B | explanation=SI = PRT/100 = 41752×8×2/100 = ■6680.

id=3375 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=19 | option_c=29 | option_d=48 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=3376 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=22 | option_b=28 | option_c=34 | option_d=29 | answer=B | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.

id=3377 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=3378 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=3379 | topic=Averages | difficulty=Easy | question=Find the average of 61, 84, 99, 57, 30, 47. | option_a=63 | option_b=62 | option_c=64 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 378 ÷ 6 = 63.

id=3380 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=3381 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=W | option_b=S | option_c=O | option_d=K | answer=B | explanation=Move 4 positions forward from O; the resulting letter is S.

id=3382 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=3383 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 50? | option_a=33 | option_b=41 | option_c=25 | option_d=50 | answer=D | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 50 is the odd one out.

id=3384 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=3385 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■1266 at 4% per annum for 3 years. | option_a=51 | option_b=151 | option_c=251 | option_d=1417 | answer=B | explanation=SI = PRT/100 = 1266×4×3/100 = ■151.

id=3386 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 44? | option_a=30 | option_b=44 | option_c=38 | option_d=34 | answer=B | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 44 is the odd one out.

id=3387 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1179. If it is sold at a profit of 10%, what is its selling price? | option_a=1189 | option_b=1296 | option_c=1413 | option_d=1179 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1179 × 110/100 = ■1296.

id=3388 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=38 | option_b=56 | option_c=47 | option_d=48 | answer=C | explanation=The common difference is 9. Therefore the next term is 38 + 9 = 47.

id=3389 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=I | option_c=M | option_d=G | answer=A | explanation=Move 2 positions forward from I; the resulting letter is K.

id=3390 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=100 | option_c=95 | option_d=105 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

Aptitude Questions — Records 3,391-3,420 of 100,000

id=3391 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=80 | option_b=69 | option_c=68 | option_d=56 | answer=C | explanation=The common difference is 12. Therefore the next term is 56 + 12 = 68.

id=3392 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=3393 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=3394 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=3395 | topic=Profit & Loss | difficulty=Easy | question=An article costs █608. If it is sold at a profit of 10%, what is its selling price? | option_a=608 | option_b=668 | option_c=728 | option_d=618 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 608 × 110/100 = █668.

id=3396 | topic=Percentages | difficulty=Easy | question=What is 20% of 201? | option_a=35 | option_b=80 | option_c=60 | option_d=40 | answer=D | explanation=20% of 201 = (20/100) × 201 = 40.

id=3397 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:19 and the first is 76, what is the second? | option_a=57 | option_b=95 | option_c=152 | option_d=76 | answer=D | explanation=Scale factor = 76/19 = 4. Therefore second quantity = 19×4 = 76.

id=3398 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=G | option_b=H | option_c=F | option_d=E | answer=A | explanation=Move 1 positions forward from F; the resulting letter is G.

id=3399 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=3400 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=80 | option_c=75 | option_d=150 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=3401 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=32 | option_b=50 | option_c=42 | option_d=41 | answer=D | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

id=3402 | topic=Percentages | difficulty=Easy | question=What is 25% of 213? | option_a=48 | option_b=106 | option_c=63 | option_d=53 | answer=D | explanation=25% of 213 = (25/100) × 213 = 53.

id=3403 | topic=Averages | difficulty=Easy | question=Find the average of 100, 22, 84, 97, 52. | option_a=70 | option_b=72 | option_c=73 | option_d=71 | answer=D | explanation=Average = sum of values ÷ number of values = 355 ÷ 5 = 71.

id=3404 | topic=Percentages | difficulty=Easy | question=What is 50% of 380? | option_a=170 | option_b=380 | option_c=210 | option_d=190 | answer=D | explanation=50% of 380 = (50/100) × 380 = 190.

id=3405 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1185. If it is sold at a profit of 50%, what is its selling price? | option_a=1235 | option_b=1777 | option_c=1895 | option_d=1659 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1185 × 150/100 = █1777.

id=3406 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 4. | option_a=24 | option_b=20 | option_c=96 | option_d=48 | answer=A | explanation=LCM × HCF = 24×4; HCF(24,4) = 4, so LCM = 24.

id=3407 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 22, 31, 42? | option_a=31 | option_b=42 | option_c=13 | option_d=22 | answer=B | explanation=The first three numbers increase by 9, so the next should be 40. Therefore 42 is the odd one out.

id=3408 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=19 | option_b=29 | option_c=25 | option_d=24 | answer=D | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.

id=3409 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:4 and the first is 280, what is the second? | option_a=336 | option_b=76 | option_c=52 | option_d=56 | answer=D | explanation=Scale factor = 280/20 = 14. Therefore second quantity = 4×14 = 56.

id=3410 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17351 at 12% per annum for 2 years. | option_a=21515 | option_b=4064 | option_c=4264 | option_d=4164 | answer=D | explanation=SI = PRT/100 = 17351×12×2/100 = █4164.

id=3411 | topic=Percentages | difficulty=Easy | question=What is 15% of 205? | option_a=20 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=15% of 205 = (15/100) × 205 = 30.

id=3412 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=3413 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=M | option_b=P | option_c=V | option_d=S | answer=D | explanation=Move 3 positions forward from P; the resulting letter is S.

id=3414 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=I | option_b=O | option_c=L | option_d=R | answer=B | explanation=Move 3 positions forward from L; the resulting letter is O.

id=3415 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=50 | option_b=51 | option_c=60 | option_d=40 | answer=A | explanation=The common difference is 10. Therefore the next term is 40 + 10 = 50.

id=3416 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=52 | option_b=41 | option_c=51 | option_d=61 | answer=C | explanation=The common difference is 10. Therefore the next term is 41 + 10 = 51.

id=3417 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=3418 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=200 | option_c=105 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=3419 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13073 at 8% per annum for 1 years. | option_a=945 | option_b=1145 | option_c=1045 | option_d=14118 | answer=C | explanation=SI = PRT/100 = 13073×8×1/100 = █1045.

id=3420 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

Aptitude Questions — Records 3,421-3,450 of 100,000

id=3421 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=V | option_b=J | option_c=N | option_d=R | answer=D | explanation=Move 4 positions forward from N; the resulting letter is R.

id=3422 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4080. If it is sold at a profit of 15%, what is its selling price? | option_a=4284 | option_b=4095 | option_c=4692 | option_d=5100 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4080 × 115/100 = █4692.

id=3423 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=3424 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:18 and the first is 10, what is the second? | option_a=162 | option_b=180 | option_c=181 | option_d=190 | answer=B | explanation=Scale factor = 10/1 = 10. Therefore second quantity = 18×10 = 180.

id=3425 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 15, 22, 32? | option_a=8 | option_b=22 | option_c=32 | option_d=15 | answer=C | explanation=The first three numbers increase by 7, so the next should be 29. Therefore 32 is the odd one out.

id=3426 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:2 and the first is 57, what is the second? | option_a=95 | option_b=38 | option_c=41 | option_d=36 | answer=B | explanation=Scale factor = 57/3 = 19. Therefore second quantity = 2×19 = 38.

id=3427 | topic=Averages | difficulty=Easy | question=Find the average of 23, 100, 24, 41, 54, 95, 13, 50. | option_a=50 | option_b=49 | option_c=52 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 400 ÷ 8 = 50.

id=3428 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11795 at 15% per annum for 5 years. | option_a=8746 | option_b=20641 | option_c=8846 | option_d=8946 | answer=C | explanation=SI = PRT/100 = 11795×15×5/100 = █8846.

id=3429 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:12 and the first is 68, what is the second? | option_a=272 | option_b=208 | option_c=192 | option_d=204 | answer=D | explanation=Scale factor = 68/4 = 17. Therefore second quantity = 12×17 = 204.

id=3430 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 16? | option_a=9 | option_b=11 | option_c=13 | option_d=16 | answer=D | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 16 is the odd one out.

id=3431 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:20 and the first is 44, what is the second? | option_a=264 | option_b=224 | option_c=220 | option_d=200 | answer=C | explanation=Scale factor = 44/4 = 11. Therefore second quantity = 20×11 = 220.

id=3432 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2827. If it is sold at a profit of 15%, what is its selling price? | option_a=2842 | option_b=3533 | option_c=2969 | option_d=3251 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2827 × 115/100 = █3251.

id=3433 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:18 and the first is 240, what is the second? | option_a=252 | option_b=270 | option_c=286 | option_d=510 | answer=B | explanation=Scale factor = 240/16 = 15. Therefore second quantity = 18×15 = 270.

id=3434 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 16? | option_a=7 | option_b=11 | option_c=16 | option_d=3 | answer=C | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 16 is the odd one out.

id=3435 | topic=Averages | difficulty=Easy | question=Find the average of 73, 81, 92, 100, 13, 96, 39, 74. | option_a=72 | option_b=73 | option_c=70 | option_d=71 | answer=D | explanation=Average = sum of values ÷ number of values = 568 ÷ 8 = 71.

id=3436 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1917. If it is sold at a profit of 50%, what is its selling price? | option_a=1967 | option_b=3066 | option_c=2875 | option_d=2684 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1917 × 150/100 = █2875.

id=3437 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=28 | option_b=29 | option_c=30 | option_d=26 | answer=A | explanation=The common difference is 2. Therefore the next term is 26 + 2 = 28.

id=3438 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=36 | option_b=41 | option_c=72 | option_d=31 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=3439 | topic=Percentages | difficulty=Easy | question=What is 20% of 1165? | option_a=466 | option_b=213 | option_c=238 | option_d=233 | answer=D | explanation=20% of 1165 = (20/100) × 1165 = 233.

id=3440 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=28 | option_b=33 | option_c=27 | option_d=21 | answer=C | explanation=The common difference is 6. Therefore the next term is 21 + 6 = 27.

id=3441 | topic=Percentages | difficulty=Easy | question=What is 10% of 822? | option_a=82 | option_b=77 | option_c=102 | option_d=164 | answer=A | explanation=10% of 822 = (10/100) × 822 = 82.

id=3442 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 9. | option_a=9 | option_b=1 | option_c=18 | option_d=81 | answer=A | explanation=LCM × HCF = 9×9; HCF(9,9) = 9, so LCM = 9.

id=3443 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 3. | option_a=90 | option_b=27 | option_c=60 | option_d=30 | answer=D | explanation=LCM × HCF = 30×3; HCF(30,3) = 3, so LCM = 30.

id=3444 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30108 at 8% per annum for 1 years. | option_a=2308 | option_b=2408 | option_c=32516 | option_d=2508 | answer=B | explanation=SI = PRT/100 = 30108×8×1/100 = █2408.

id=3445 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:18 and the first is 57, what is the second? | option_a=36 | option_b=54 | option_c=111 | option_d=73 | answer=B | explanation=Scale factor = 57/19 = 3. Therefore second quantity = 18×3 = 54.

id=3446 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=K | option_b=V | option_c=F | option_d=A | answer=C | explanation=Move 5 positions forward from A; the resulting letter is F.

id=3447 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=3448 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22175 at 15% per annum for 1 years. | option_a=3426 | option_b=3326 | option_c=25501 | option_d=3226 | answer=B | explanation=SI = PRT/100 = 22175×15×1/100 = █3326.

id=3449 | topic=Averages | difficulty=Easy | question=Find the average of 42, 32, 37, 48, 76. | option_a=46 | option_b=48 | option_c=49 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 235 ÷ 5 = 47.

id=3450 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3822. If it is sold at a profit of 15%, what is its selling price? | option_a=3837 | option_b=4777 | option_c=4395 | option_d=4013 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3822 × 115/100 = █4395.

Aptitude Questions — Records 3,451-3,480 of 100,000

id=3451 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=3452 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=3453 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=3454 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:12 and the first is 96, what is the second? | option_a=198 | option_b=180 | option_c=288 | option_d=192 | answer=D | explanation=Scale factor = 96/6 = 16. Therefore second quantity = 12×16 = 192.

id=3455 | topic=Averages | difficulty=Easy | question=Find the average of 89, 53, 96, 86, 51. | option_a=76 | option_b=77 | option_c=75 | option_d=74 | answer=C | explanation=Average = sum of values ÷ number of values = 375 ÷ 5 = 75.

id=3456 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2739. If it is sold at a profit of 15%, what is its selling price? | option_a=3422 | option_b=2876 | option_c=3149 | option_d=2754 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2739 × 115/100 = █3149.

id=3457 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:5 and the first is 15, what is the second? | option_a=76 | option_b=70 | option_c=75 | option_d=90 | answer=C | explanation=Scale factor = 15/1 = 15. Therefore second quantity = 5×15 = 75.

id=3458 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=18 | option_b=23 | option_c=26 | option_d=22 | answer=D | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

id=3459 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=3460 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=47 | option_b=39 | option_c=31 | option_d=40 | answer=B | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

id=3461 | topic=Percentages | difficulty=Easy | question=What is 15% of 861? | option_a=134 | option_b=119 | option_c=258 | option_d=129 | answer=D | explanation=15% of 861 = (15/100) × 861 = 129.

id=3462 | topic=Averages | difficulty=Easy | question=Find the average of 74, 15, 48, 78, 55. | option_a=55 | option_b=53 | option_c=56 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 270 ÷ 5 = 54.

id=3463 | topic=Percentages | difficulty=Easy | question=What is 10% of 906? | option_a=110 | option_b=70 | option_c=180 | option_d=90 | answer=D | explanation=10% of 906 = (10/100) × 906 = 90.

id=3464 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=F | option_b=J | option_c=L | option_d=H | answer=B | explanation=Move 2 positions forward from H; the resulting letter is J.

id=3465 | topic=Profit & Loss | difficulty=Easy | question=An article costs █606. If it is sold at a profit of 5%, what is its selling price? | option_a=696 | option_b=611 | option_c=576 | option_d=636 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 606 × 105/100 = █636.

id=3466 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47447 at 10% per annum for 3 years. | option_a=14134 | option_b=14334 | option_c=14234 | option_d=61681 | answer=C | explanation=SI = PRT/100 = 47447×10×3/100 = █14234.

id=3467 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13072 at 15% per annum for 3 years. | option_a=5882 | option_b=5982 | option_c=5782 | option_d=18954 | answer=A | explanation=SI = PRT/100 = 13072×15×3/100 = █5882.

id=3468 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 18. | option_a=36 | option_b=72 | option_c=40 | option_d=18 | answer=A | explanation=LCM × HCF = 4×18; HCF(4,18) = 2, so LCM = 36.

id=3469 | topic=Percentages | difficulty=Easy | question=What is 40% of 1539? | option_a=1230 | option_b=595 | option_c=615 | option_d=635 | answer=C | explanation=40% of 1539 = (40/100) × 1539 = 615.

id=3470 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:7 and the first is 72, what is the second? | option_a=35 | option_b=114 | option_c=42 | option_d=54 | answer=C | explanation=Scale factor = 72/12 = 6. Therefore second quantity = 7×6 = 42.

id=3471 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Q | option_b=Y | option_c=U | option_d=C | answer=B | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=3472 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:13 and the first is 121, what is the second? | option_a=143 | option_b=154 | option_c=130 | option_d=264 | answer=A | explanation=Scale factor = 121/11 = 11. Therefore second quantity = 13×11 = 143.

id=3473 | topic=Averages | difficulty=Easy | question=Find the average of 11, 25, 88, 47, 55, 35, 96, 88, 99, 26. | option_a=59 | option_b=58 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.

id=3474 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 15. | option_a=1 | option_b=15 | option_c=30 | option_d=225 | answer=B | explanation=LCM × HCF = 15×15; HCF(15,15) = 15, so LCM = 15.

id=3475 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=10 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=3476 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1124. If it is sold at a profit of 5%, what is its selling price? | option_a=1129 | option_b=1180 | option_c=1068 | option_d=1292 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1124 × 105/100 = █1180.

id=3477 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=S | option_c=G | option_d=O | answer=D | explanation=Move 4 positions forward from K; the resulting letter is O.

id=3478 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=20 | option_b=15 | option_c=19 | option_d=23 | answer=C | explanation=The common difference is 4. Therefore the next term is 15 + 4 = 19.

id=3479 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=Z | option_c=D | option_d=L | answer=A | explanation=Move 4 positions forward from D; the resulting letter is H.

id=3480 | topic=Percentages | difficulty=Easy | question=What is 40% of 841? | option_a=326 | option_b=336 | option_c=672 | option_d=356 | answer=B | explanation=40% of 841 = (40/100) × 841 = 336.

Aptitude Questions — Records 3,481-3,510 of 100,000

id=3481 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■10906 at 5% per annum for 4 years. | option_a=13087 | option_b=2281 | option_c=2081 | option_d=2181 | answer=D | explanation=SI = PRT/100 = 10906×5×4/100 = ■2181.

id=3482 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=18 | option_b=15 | option_c=19 | option_d=21 | answer=A | explanation=The common difference is 3. Therefore the next term is 15 + 3 = 18.

id=3483 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=N | option_c=T | option_d=W | answer=C | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=3484 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■780. If it is sold at a profit of 25%, what is its selling price? | option_a=975 | option_b=805 | option_c=897 | option_d=1053 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 780 × 125/100 = ■975.

id=3485 | topic=Averages | difficulty=Easy | question=Find the average of 15, 13, 41. | option_a=22 | option_b=23 | option_c=24 | option_d=25 | answer=B | explanation=Average = sum of values ÷ number of values = 69 ÷ 3 = 23.

id=3486 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=64 | option_b=52 | option_c=63 | option_d=74 | answer=C | explanation=The common difference is 11. Therefore the next term is 52 + 11 = 63.

id=3487 | topic=Averages | difficulty=Easy | question=Find the average of 43, 65, 54, 86, 97. | option_a=68 | option_b=69 | option_c=70 | option_d=71 | answer=B | explanation=Average = sum of values ÷ number of values = 345 ÷ 5 = 69.

id=3488 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■32375 at 15% per annum for 5 years. | option_a=56656 | option_b=24381 | option_c=24281 | option_d=24181 | answer=C | explanation=SI = PRT/100 = 32375×15×5/100 = ■24281.

id=3489 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=T | option_b=R | option_c=P | option_d=V | answer=A | explanation=Move 2 positions forward from R; the resulting letter is T.

id=3490 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=33 | option_b=32 | option_c=25 | option_d=39 | answer=B | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.

id=3491 | topic=Percentages | difficulty=Easy | question=What is 10% of 243? | option_a=48 | option_b=4 | option_c=34 | option_d=24 | answer=D | explanation=10% of 243 = (10/100) × 243 = 24.

id=3492 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■46896 at 8% per annum for 4 years. | option_a=61902 | option_b=15106 | option_c=15006 | option_d=14906 | answer=C | explanation=SI = PRT/100 = 46896×8×4/100 = ■15006.

id=3493 | topic=Averages | difficulty=Easy | question=Find the average of 18, 28, 72, 33, 45, 50, 54, 44. | option_a=43 | option_b=42 | option_c=45 | option_d=44 | answer=A | explanation=Average = sum of values ÷ number of values = 344 ÷ 8 = 43.

id=3494 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=P | option_b=J | option_c=M | option_d=S | answer=A | explanation=Move 3 positions forward from M; the resulting letter is P.

id=3495 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=3496 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■11792 at 6% per annum for 5 years. | option_a=3537 | option_b=3637 | option_c=15329 | option_d=3437 | answer=A | explanation=SI = PRT/100 = 11792×6×5/100 = ■3537.

id=3497 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■277. If it is sold at a profit of 25%, what is its selling price? | option_a=373 | option_b=346 | option_c=319 | option_d=302 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 277 × 125/100 = ■346.

id=3498 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=24 | option_c=7 | option_d=17 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=3499 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=100 | option_c=50 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=3500 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=B | option_c=J | option_d=X | answer=A | explanation=Move 4 positions forward from B; the resulting letter is F.

id=3501 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 21. | option_a=21 | option_b=147 | option_c=1 | option_d=28 | answer=A | explanation=LCM × HCF = 7×21; HCF(7,21) = 7, so LCM = 21.

id=3502 | topic=Percentages | difficulty=Easy | question=What is 40% of 1307? | option_a=522 | option_b=542 | option_c=1044 | option_d=517 | answer=A | explanation=40% of 1307 = (40/100) × 1307 = 522.

id=3503 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■5780 at 5% per annum for 5 years. | option_a=7225 | option_b=1345 | option_c=1545 | option_d=1445 | answer=D | explanation=SI = PRT/100 = 5780×5×5/100 = ■1445.

id=3504 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=L | option_c=M | option_d=K | answer=C | explanation=Move 1 positions forward from L; the resulting letter is M.

id=3505 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:15 and the first is 304, what is the second? | option_a=589 | option_b=270 | option_c=301 | option_d=285 | answer=D | explanation=Scale factor = 304/16 = 19. Therefore second quantity = 15×19 = 285.

id=3506 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 20. | option_a=80 | option_b=125 | option_c=100 | option_d=500 | answer=C | explanation=LCM × HCF = 25×20; HCF(25,20) = 5, so LCM = 100.

id=3507 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4357. If it is sold at a profit of 25%, what is its selling price? | option_a=5011 | option_b=4382 | option_c=5881 | option_d=5446 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4357 × 125/100 = ■5446.

id=3508 | topic=Averages | difficulty=Easy | question=Find the average of 93, 88, 77, 27, 21, 48. | option_a=60 | option_b=59 | option_c=58 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.

id=3509 | topic=Averages | difficulty=Easy | question=Find the average of 66, 92, 29, 98, 17, 82. | option_a=66 | option_b=64 | option_c=65 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 384 ÷ 6 = 64.

id=3510 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

Aptitude Questions — Records 3,511-3,540 of 100,000

id=3511 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 14, 18, 24? | option_a=10 | option_b=24 | option_c=18 | option_d=14 | answer=B | explanation=The first three numbers increase by 4, so the next should be 22. Therefore 24 is the odd one out.

id=3512 | topic=Averages | difficulty=Easy | question=Find the average of 64, 67, 96, 83, 58, 16. | option_a=64 | option_b=66 | option_c=63 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 384 ÷ 6 = 64.

id=3513 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 25. | option_a=50 | option_b=625 | option_c=1 | option_d=25 | answer=D | explanation=LCM × HCF = 25×25; HCF(25,25) = 25, so LCM = 25.

id=3514 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=3515 | topic=Percentages | difficulty=Easy | question=What is 25% of 1201? | option_a=310 | option_b=290 | option_c=600 | option_d=300 | answer=D | explanation=25% of 1201 = (25/100) × 1201 = 300.

id=3516 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹18141 at 10% per annum for 3 years. | option_a=5542 | option_b=23583 | option_c=5342 | option_d=5442 | answer=D | explanation=SI = PRT/100 = 18141×10×3/100 = ₹5442.

id=3517 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=1 | option_c=12 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=3518 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=31 | option_c=41 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=3519 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 26, 28, 33? | option_a=24 | option_b=26 | option_c=28 | option_d=33 | answer=D | explanation=The first three numbers increase by 2, so the next should be 30. Therefore 33 is the odd one out.

id=3520 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:3 and the first is 27, what is the second? | option_a=36 | option_b=18 | option_c=9 | option_d=6 | answer=C | explanation=Scale factor = 27/9 = 3. Therefore second quantity = 3×3 = 9.

id=3521 | topic=Averages | difficulty=Easy | question=Find the average of 54, 61, 59, 78. | option_a=64 | option_b=65 | option_c=63 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 252 ÷ 4 = 63.

id=3522 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=50 | option_c=30 | option_d=25 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=3523 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=35 | option_c=80 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=3524 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 5, 8, 11, ? | option_a=14 | option_b=17 | option_c=11 | option_d=15 | answer=A | explanation=The common difference is 3. Therefore the next term is 11 + 3 = 14.

id=3525 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=3526 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 12, 14, 17? | option_a=12 | option_b=10 | option_c=14 | option_d=17 | answer=D | explanation=The first three numbers increase by 2, so the next should be 16. Therefore 17 is the odd one out.

id=3527 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=H | option_c=L | option_d=Z | answer=B | explanation=Move 4 positions forward from D; the resulting letter is H.

id=3528 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=3529 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=4 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=3530 | topic=Percentages | difficulty=Easy | question=What is 15% of 1718? | option_a=262 | option_b=514 | option_c=257 | option_d=252 | answer=C | explanation=15% of 1718 = (15/100) × 1718 = 257.

id=3531 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=3532 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1090. If it is sold at a profit of 25%, what is its selling price? | option_a=1253 | option_b=1362 | option_c=1115 | option_d=1471 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1090 × 125/100 = ₹1362.

id=3533 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 18. | option_a=220 | option_b=180 | option_c=198 | option_d=396 | answer=C | explanation=LCM × HCF = 22×18; HCF(22,18) = 2, so LCM = 198.

id=3534 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=13 | option_b=9 | option_c=11 | option_d=12 | answer=C | explanation=The common difference is 2. Therefore the next term is 9 + 2 = 11.

id=3535 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹493. If it is sold at a profit of 15%, what is its selling price? | option_a=615 | option_b=508 | option_c=566 | option_d=517 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 493 × 115/100 = ₹566.

id=3536 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:16 and the first is 80, what is the second? | option_a=208 | option_b=112 | option_c=138 | option_d=128 | answer=D | explanation=Scale factor = 80/10 = 8. Therefore second quantity = 16×8 = 128.

id=3537 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=W | option_b=K | option_c=O | option_d=S | answer=D | explanation=Move 4 positions forward from O; the resulting letter is S.

id=3538 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹4848. If it is sold at a profit of 50%, what is its selling price? | option_a=4898 | option_b=6788 | option_c=7756 | option_d=7272 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4848 × 150/100 = ₹7272.

id=3539 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=43 | option_b=36 | option_c=50 | option_d=44 | answer=A | explanation=The common difference is 7. Therefore the next term is 36 + 7 = 43.

id=3540 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=B | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

Aptitude Questions — Records 3,541-3,570 of 100,000

- id=3541 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=J | option_b=N | option_c=L | option_d=P | answer=B | explanation=Move 2 positions forward from L; the resulting letter is N.
- id=3542 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**9335 at 15% per annum for 1 years. | option_a=1300 | option_b=10735 | option_c=1500 | option_d=1400 | answer=D | explanation=SI = PRT/100 = 9335×15×1/100 = **₹**1400.
- id=3543 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=39 | option_b=29 | option_c=47 | option_d=38 | answer=D | explanation=The common difference is 9. Therefore the next term is 29 + 9 = 38.
- id=3544 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 17? | option_a=3 | option_b=17 | option_c=11 | option_d=7 | answer=B | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 17 is the odd one out.
- id=3545 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=M | option_b=E | option_c=Q | option_d=I | answer=A | explanation=Move 4 positions forward from I; the resulting letter is M.
- id=3546 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 34, 39, 45? | option_a=39 | option_b=45 | option_c=29 | option_d=34 | answer=B | explanation=The first three numbers increase by 5, so the next should be 44. Therefore 45 is the odd one out.
- id=3547 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=360 | option_c=180 | option_d=185 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.
- id=3548 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=51 | option_b=41 | option_c=59 | option_d=50 | answer=D | explanation=The common difference is 9. Therefore the next term is 41 + 9 = 50.
- id=3549 | topic=Averages | difficulty=Easy | question=Find the average of 91, 59, 46, 96, 40, 29, 12, 36, 23. | option_a=49 | option_b=48 | option_c=47 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 432 ÷ 9 = 48.
- id=3550 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=J | option_b=V | option_c=R | option_d=N | answer=C | explanation=Move 4 positions forward from N; the resulting letter is R.
- id=3551 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:18 and the first is 156, what is the second? | option_a=229 | option_b=216 | option_c=372 | option_d=198 | answer=B | explanation=Scale factor = 156/13 = 12. Therefore second quantity = 18×12 = 216.
- id=3552 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:2 and the first is 3, what is the second? | option_a=4 | option_b=9 | option_c=6 | option_d=7 | answer=C | explanation=Scale factor = 3/1 = 3. Therefore second quantity = 2×3 = 6.
- id=3553 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=C | option_b=A | option_c=D | option_d=B | answer=A | explanation=Move 1 positions forward from B; the resulting letter is C.
- id=3554 | topic=Percentages | difficulty=Easy | question=What is 10% of 704? | option_a=140 | option_b=70 | option_c=90 | option_d=65 | answer=B | explanation=10% of 704 = (10/100) × 704 = 70.
- id=3555 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**33473 at 4% per annum for 4 years. | option_a=38828 | option_b=5355 | option_c=5255 | option_d=5455 | answer=B | explanation=SI = PRT/100 = 33473×4×4/100 = **₹**5355.
- id=3556 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=I | option_c=E | option_d=G | answer=B | explanation=Move 2 positions forward from G; the resulting letter is I.
- id=3557 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=33 | option_b=44 | option_c=43 | option_d=53 | answer=C | explanation=The common difference is 10. Therefore the next term is 33 + 10 = 43.
- id=3558 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 13? | option_a=5 | option_b=7 | option_c=9 | option_d=13 | answer=D | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 13 is the odd one out.
- id=3559 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=90 | option_c=180 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.
- id=3560 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=36 | option_b=48 | option_c=47 | option_d=58 | answer=C | explanation=The common difference is 11. Therefore the next term is 36 + 11 = 47.
- id=3561 | topic=Averages | difficulty=Easy | question=Find the average of 63, 64, 21, 41, 63, 60, 31, 78, 92, 17. | option_a=54 | option_b=52 | option_c=55 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.
- id=3562 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=C | option_b=U | option_c=Q | option_d=Y | answer=D | explanation=Move 4 positions forward from U; the resulting letter is Y.
- id=3563 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 24. | option_a=720 | option_b=120 | option_c=150 | option_d=96 | answer=B | explanation=LCM × HCF = 30×24; HCF(30,24) = 6, so LCM = 120.
- id=3564 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=80 | option_c=150 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.
- id=3565 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=V | option_c=T | option_d=P | answer=C | explanation=Move 2 positions forward from R; the resulting letter is T.
- id=3566 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 18. | option_a=147 | option_b=378 | option_c=126 | option_d=108 | answer=C | explanation=LCM × HCF = 21×18; HCF(21,18) = 3, so LCM = 126.
- id=3567 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 23, 26, 32? | option_a=26 | option_b=20 | option_c=32 | option_d=23 | answer=C | explanation=The first three numbers increase by 3, so the next should be 29. Therefore 32 is the odd one out.
- id=3568 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=45 | option_b=54 | option_c=36 | option_d=46 | answer=A | explanation=The common difference is 9. Therefore the next term is 36 + 9 = 45.
- id=3569 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=B | option_b=A | option_c=Z | option_d=C | answer=A | explanation=Move 1 positions forward from A; the resulting letter is B.
- id=3570 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4270. If it is sold at a profit of 50%, what is its selling price? | option_a=5978 | option_b=6405 | option_c=6832 | option_d=4320 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4270 × 150/100 = **₹**6405.

Aptitude Questions — Records 3,571-3,600 of 100,000

id=3571 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=V | option_c=A | option_d=L | answer=B | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=3572 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=3573 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28860 at 8% per annum for 4 years. | option_a=9335 | option_b=9235 | option_c=9135 | option_d=38095 | answer=B | explanation=SI = $PRT/100 = 28860 \times 8 \times 4 / 100 = \text{■}9235$.

id=3574 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=35 | option_b=53 | option_c=44 | option_d=45 | answer=C | explanation=The common difference is 9. Therefore the next term is 35 + 9 = 44.

id=3575 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=3576 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=45 | option_b=40 | option_c=41 | option_d=35 | answer=B | explanation=The common difference is 5. Therefore the next term is 35 + 5 = 40.

id=3577 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22198 at 6% per annum for 5 years. | option_a=6659 | option_b=6559 | option_c=6759 | option_d=28857 | answer=A | explanation=SI = $PRT/100 = 22198 \times 6 \times 5 / 100 = \text{■}6659$.

id=3578 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29431 at 6% per annum for 3 years. | option_a=8829 | option_b=8729 | option_c=8929 | option_d=38260 | answer=A | explanation=SI = $PRT/100 = 29431 \times 6 \times 5 / 100 = \text{■}8829$.

id=3579 | topic=Percentages | difficulty=Easy | question=What is 15% of 1174? | option_a=166 | option_b=352 | option_c=196 | option_d=176 | answer=D | explanation=15% of 1174 = $(15/100) \times 1174 = 176$.

id=3580 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2483. If it is sold at a profit of 10%, what is its selling price? | option_a=2483 | option_b=2979 | option_c=2731 | option_d=2493 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2483 \times 110 / 100 = \text{■}2731$.

id=3581 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=3582 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39681 at 15% per annum for 3 years. | option_a=17756 | option_b=17856 | option_c=17956 | option_d=57537 | answer=B | explanation=SI = $PRT/100 = 39681 \times 15 \times 3 / 100 = \text{■}17856$.

id=3583 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 47? | option_a=37 | option_b=28 | option_c=19 | option_d=47 | answer=D | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 47 is the odd one out.

id=3584 | topic=Percentages | difficulty=Easy | question=What is 25% of 164? | option_a=41 | option_b=36 | option_c=82 | option_d=46 | answer=A | explanation=25% of 164 = $(25/100) \times 164 = 41$.

id=3585 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=47 | option_b=57 | option_c=37 | option_d=48 | answer=A | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

id=3586 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=360 | option_b=180 | option_c=175 | option_d=185 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=3587 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39643 at 5% per annum for 1 years. | option_a=2082 | option_b=1882 | option_c=41625 | option_d=1982 | answer=D | explanation=SI = $PRT/100 = 39643 \times 5 \times 1 / 100 = \text{■}1982$.

id=3588 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=3589 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=42 | option_b=35 | option_c=34 | option_d=26 | answer=C | explanation=The common difference is 8. Therefore the next term is 26 + 8 = 34.

id=3590 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15880 at 15% per annum for 2 years. | option_a=4864 | option_b=4764 | option_c=4664 | option_d=20644 | answer=B | explanation=SI = $PRT/100 = 15880 \times 15 \times 2 / 100 = \text{■}4764$.

id=3591 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4694. If it is sold at a profit of 5%, what is its selling price? | option_a=5397 | option_b=4459 | option_c=4928 | option_d=4699 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4694 \times 105 / 100 = \text{■}4928$.

id=3592 | topic=Percentages | difficulty=Easy | question=What is 40% of 1652? | option_a=655 | option_b=680 | option_c=1320 | option_d=660 | answer=D | explanation=40% of 1652 = $(40/100) \times 1652 = 660$.

id=3593 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26224 at 12% per annum for 4 years. | option_a=12587 | option_b=12487 | option_c=38811 | option_d=12687 | answer=A | explanation=SI = $PRT/100 = 26224 \times 12 \times 4 / 100 = \text{■}12587$.

id=3594 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=3595 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 27. | option_a=810 | option_b=300 | option_c=243 | option_d=270 | answer=D | explanation= $LCM \times HCF = 30 \times 27$; $HCF(30, 27) = 3$, so $LCM = 270$.

id=3596 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:20 and the first is 169, what is the second? | option_a=260 | option_b=273 | option_c=240 | option_d=429 | answer=A | explanation=Scale factor = $169/13 = 13$. Therefore second quantity = $20 \times 13 = 260$.

id=3597 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:13 and the first is 38, what is the second? | option_a=234 | option_b=249 | option_c=247 | option_d=285 | answer=C | explanation=Scale factor = $38/2 = 19$. Therefore second quantity = $13 \times 19 = 247$.

id=3598 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=P | option_b=G | option_c=M | option_d=J | answer=C | explanation=Move 3 positions forward from J; the resulting letter is M.

id=3599 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=55 | option_d=100 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=3600 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=N | option_c=S | option_d=D | answer=B | explanation=Move 5 positions forward from I; the resulting letter is N.

Aptitude Questions — Records 3,601-3,630 of 100,000

id=3601 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=G | option_b=Q | option_c=L | option_d=V | answer=B | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=3602 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=20 | option_d=4 | answer=A | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.

id=3603 | topic=Averages | difficulty=Easy | question=Find the average of 13, 94, 68, 70, 60. | option_a=60 | option_b=62 | option_c=61 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{305}{5} = 61$.

id=3604 | topic=Averages | difficulty=Easy | question=Find the average of 93, 62, 88, 81, 41. | option_a=75 | option_b=73 | option_c=74 | option_d=72 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{365}{5} = 73$.

id=3605 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=3606 | topic=Averages | difficulty=Easy | question=Find the average of 32, 87, 35, 82, 15, 99, 70. | option_a=59 | option_b=61 | option_c=60 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{420}{7} = 60$.

id=3607 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**39685 at 6% per annum for 3 years. | option_a=7243 | option_b=7143 | option_c=46828 | option_d=7043 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{39685 \times 6 \times 3}{100} = \text{₹}7143$.

id=3608 | topic=Averages | difficulty=Easy | question=Find the average of 18, 63, 27. | option_a=36 | option_b=37 | option_c=38 | option_d=35 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{108}{3} = 36$.

id=3609 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3002. If it is sold at a profit of 5%, what is its selling price? | option_a=3007 | option_b=3152 | option_c=2852 | option_d=3452 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3002 \times \frac{105}{100} = \text{₹}3152$.

id=3610 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:1 and the first is 77, what is the second? | option_a=6 | option_b=84 | option_c=18 | option_d=7 | answer=D | explanation=Scale factor = $\frac{77}{11} = 7$. Therefore second quantity = $1 \times 7 = 7$.

id=3611 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=150 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = $\frac{150}{2} = 75$ km/h.

id=3612 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=F | option_c=H | option_d=L | answer=A | explanation=Move 2 positions forward from H; the resulting letter is J.

id=3613 | topic=Averages | difficulty=Easy | question=Find the average of 22, 24, 28, 42. | option_a=30 | option_b=29 | option_c=31 | option_d=28 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{116}{4} = 29$.

id=3614 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:13 and the first is 78, what is the second? | option_a=169 | option_b=156 | option_c=247 | option_d=175 | answer=A | explanation=Scale factor = $\frac{78}{6} = 13$. Therefore second quantity = $13 \times 13 = 169$.

id=3615 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**37133 at 8% per annum for 4 years. | option_a=11882 | option_b=49015 | option_c=11782 | option_d=11982 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{37133 \times 8 \times 4}{100} = \text{₹}11882$.

id=3616 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**518. If it is sold at a profit of 30%, what is its selling price? | option_a=724 | option_b=622 | option_c=673 | option_d=548 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 518 \times \frac{130}{100} = \text{₹}673$.

id=3617 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 47? | option_a=38 | option_b=47 | option_c=24 | option_d=31 | answer=B | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 47 is the odd one out.

id=3618 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:2 and the first is 56, what is the second? | option_a=6 | option_b=8 | option_c=64 | option_d=22 | answer=B | explanation=Scale factor = $\frac{56}{14} = 4$. Therefore second quantity = $2 \times 4 = 8$.

id=3619 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4004. If it is sold at a profit of 25%, what is its selling price? | option_a=5005 | option_b=4029 | option_c=5405 | option_d=4605 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4004 \times \frac{125}{100} = \text{₹}5005$.

id=3620 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=P | option_c=D | option_d=L | answer=D | explanation=Move 4 positions forward from H; the resulting letter is L.

id=3621 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3505. If it is sold at a profit of 50%, what is its selling price? | option_a=4907 | option_b=3555 | option_c=5257 | option_d=5607 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3505 \times \frac{150}{100} = \text{₹}5257$.

id=3622 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:4 and the first is 78, what is the second? | option_a=102 | option_b=37 | option_c=20 | option_d=24 | answer=D | explanation=Scale factor = $\frac{78}{13} = 6$. Therefore second quantity = $4 \times 6 = 24$.

id=3623 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**28879 at 6% per annum for 1 years. | option_a=1632 | option_b=1732 | option_c=30611 | option_d=1832 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{28879 \times 6 \times 1}{100} = \text{₹}1732$.

id=3624 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 20, 30, 41? | option_a=20 | option_b=41 | option_c=10 | option_d=30 | answer=B | explanation=The first three numbers increase by 10, so the next should be 40. Therefore 41 is the odd one out.

id=3625 | topic=Percentages | difficulty=Easy | question=What is 5% of 1256? | option_a=42 | option_b=124 | option_c=62 | option_d=72 | answer=C | explanation=5% of 1256 = $(\frac{5}{100}) \times 1256 = 62$.

id=3626 | topic=Averages | difficulty=Easy | question=Find the average of 40, 89, 87. | option_a=74 | option_b=73 | option_c=72 | option_d=71 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{216}{3} = 72$.

id=3627 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = $\frac{240}{8} = 30$ km/h.

id=3628 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1519. If it is sold at a profit of 20%, what is its selling price? | option_a=1973 | option_b=1539 | option_c=1822 | option_d=1671 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1519 \times \frac{120}{100} = \text{₹}1822$.

id=3629 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:12 and the first is 68, what is the second? | option_a=65 | option_b=48 | option_c=116 | option_d=36 | answer=B | explanation=Scale factor = $\frac{68}{17} = 4$. Therefore second quantity = $12 \times 4 = 48$.

id=3630 | topic=Percentages | difficulty=Easy | question=What is 25% of 347? | option_a=86 | option_b=81 | option_c=106 | option_d=172 | answer=A | explanation=25% of 347 = $(\frac{25}{100}) \times 347 = 86$.

Aptitude Questions — Records 3,631-3,660 of 100,000

id=3631 | topic=Percentages | difficulty=Easy | question=What is 12% of 1809? | option_a=434 | option_b=212 | option_c=217 | option_d=237 | answer=C | explanation=12% of 1809 = (12/100) × 1809 = 217.

id=3632 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:16 and the first is 65, what is the second? | option_a=208 | option_b=273 | option_c=213 | option_d=192 | answer=A | explanation=Scale factor = 65/5 = 13. Therefore second quantity = 16×13 = 208.

id=3633 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 21. | option_a=1 | option_b=28 | option_c=147 | option_d=21 | answer=D | explanation=LCM × HCF = 7×21; HCF(7,21) = 7, so LCM = 21.

id=3634 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:1 and the first is 209, what is the second? | option_a=30 | option_b=220 | option_c=11 | option_d=10 | answer=C | explanation=Scale factor = 209/19 = 11. Therefore second quantity = 1×11 = 11.

id=3635 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 34, 39, 47? | option_a=39 | option_b=29 | option_c=47 | option_d=34 | answer=C | explanation=The first three numbers increase by 5, so the next should be 44. Therefore 47 is the odd one out.

id=3636 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 18, 23, 28, ? | option_a=38 | option_b=28 | option_c=34 | option_d=33 | answer=D | explanation=The common difference is 5. Therefore the next term is 28 + 5 = 33.

id=3637 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=O | option_b=S | option_c=W | option_d=A | answer=C | explanation=Move 4 positions forward from S; the resulting letter is W.

id=3638 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=7 | option_d=17 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=3639 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=T | option_b=O | option_c=Y | option_d=J | answer=A | explanation=Move 5 positions forward from O; the resulting letter is T.

id=3640 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3802. If it is sold at a profit of 20%, what is its selling price? | option_a=3822 | option_b=4562 | option_c=4182 | option_d=4942 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3802 × 120/100 = █4562.

id=3641 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=3642 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=P | option_c=G | option_d=M | answer=D | explanation=Move 3 positions forward from J; the resulting letter is M.

id=3643 | topic=Percentages | difficulty=Easy | question=What is 20% of 570? | option_a=124 | option_b=109 | option_c=228 | option_d=114 | answer=D | explanation=20% of 570 = (20/100) × 570 = 114.

id=3644 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43349 at 8% per annum for 5 years. | option_a=17339 | option_b=60688 | option_c=17239 | option_d=17439 | answer=A | explanation=SI = PRT/100 = 43349×8×5/100 = █17339.

id=3645 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 23, 25, 28? | option_a=28 | option_b=21 | option_c=25 | option_d=23 | answer=A | explanation=The first three numbers increase by 2, so the next should be 27. Therefore 28 is the odd one out.

id=3646 | topic=Percentages | difficulty=Easy | question=What is 25% of 398? | option_a=89 | option_b=99 | option_c=119 | option_d=198 | answer=B | explanation=25% of 398 = (25/100) × 398 = 99.

id=3647 | topic=Averages | difficulty=Easy | question=Find the average of 44, 11, 89. | option_a=48 | option_b=47 | option_c=50 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 144 ÷ 3 = 48.

id=3648 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=L | option_b=R | option_c=U | option_d=O | answer=B | explanation=Move 3 positions forward from O; the resulting letter is R.

id=3649 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 28, 32, 37? | option_a=24 | option_b=37 | option_c=28 | option_d=32 | answer=B | explanation=The first three numbers increase by 4, so the next should be 36. Therefore 37 is the odd one out.

id=3650 | topic=Percentages | difficulty=Easy | question=What is 15% of 204? | option_a=10 | option_b=30 | option_c=60 | option_d=50 | answer=B | explanation=15% of 204 = (15/100) × 204 = 30.

id=3651 | topic=Profit & Loss | difficulty=Easy | question=An article costs █497. If it is sold at a profit of 30%, what is its selling price? | option_a=695 | option_b=597 | option_c=527 | option_d=646 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 497 × 130/100 = █646.

id=3652 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:2 and the first is 65, what is the second? | option_a=23 | option_b=75 | option_c=10 | option_d=8 | answer=C | explanation=Scale factor = 65/13 = 5. Therefore second quantity = 2×5 = 10.

id=3653 | topic=Percentages | difficulty=Easy | question=What is 15% of 251? | option_a=17 | option_b=37 | option_c=74 | option_d=57 | answer=B | explanation=15% of 251 = (15/100) × 251 = 37.

id=3654 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3066 at 15% per annum for 5 years. | option_a=5365 | option_b=2299 | option_c=2199 | option_d=2399 | answer=B | explanation=SI = PRT/100 = 3066×15×5/100 = █2299.

id=3655 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=W | option_b=H | option_c=M | option_d=R | answer=D | explanation=Move 5 positions forward from M; the resulting letter is R.

id=3656 | topic=Averages | difficulty=Easy | question=Find the average of 11, 40, 78, 82, 96, 95, 97, 21, 101. | option_a=68 | option_b=70 | option_c=69 | option_d=71 | answer=C | explanation=Average = sum of values ÷ number of values = 621 ÷ 9 = 69.

id=3657 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=38 | option_b=47 | option_c=39 | option_d=29 | answer=A | explanation=The common difference is 9. Therefore the next term is 29 + 9 = 38.

id=3658 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=3659 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=3660 | topic=Percentages | difficulty=Easy | question=What is 5% of 1020? | option_a=46 | option_b=61 | option_c=51 | option_d=102 | answer=C | explanation=5% of 1020 = (5/100) × 1020 = 51.

Aptitude Questions — Records 3,661-3,690 of 100,000

id=3661 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 22? | option_a=13 | option_b=17 | option_c=22 | option_d=15 | answer=C | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 22 is the odd one out.

id=3662 | topic=Averages | difficulty=Easy | question=Find the average of 10, 77, 57, 20, 24, 84, 20, 89, 43, 96. | option_a=52 | option_b=54 | option_c=53 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 520 ÷ 10 = 52.

id=3663 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=55 | option_c=50 | option_d=100 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=3664 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=96 | option_c=43 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=3665 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2035. If it is sold at a profit of 50%, what is its selling price? | option_a=3255 | option_b=3052 | option_c=2849 | option_d=2085 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2035 × 150/100 = █3052.

id=3666 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=L | option_c=V | option_d=A | answer=C | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=3667 | topic=Averages | difficulty=Easy | question=Find the average of 61, 23, 27, 61, 58, 66, 79, 41. | option_a=54 | option_b=51 | option_c=53 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=3668 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 16. | option_a=1 | option_b=24 | option_c=128 | option_d=16 | answer=D | explanation=LCM × HCF = 8×16. HCF(8,16) = 8, so LCM = 16.

id=3669 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:6 and the first is 12, what is the second? | option_a=36 | option_b=48 | option_c=30 | option_d=38 | answer=A | explanation=Scale factor = 12/2 = 6. Therefore second quantity = 6×6 = 36.

id=3670 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=N | option_b=O | option_c=L | option_d=M | answer=A | explanation=Move 1 positions forward from M; the resulting letter is N.

id=3671 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=3672 | topic=Percentages | difficulty=Easy | question=What is 10% of 657? | option_a=55 | option_b=70 | option_c=65 | option_d=130 | answer=C | explanation=10% of 657 = (10/100) × 657 = 65.

id=3673 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42039 at 12% per annum for 1 years. | option_a=47083 | option_b=5144 | option_c=5044 | option_d=4944 | answer=C | explanation=SI = PRT/100 = 42039×12×1/100 = █5044.

id=3674 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 21? | option_a=21 | option_b=9 | option_c=12 | option_d=15 | answer=A | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 21 is the odd one out.

id=3675 | topic=Averages | difficulty=Easy | question=Find the average of 43, 71, 13, 42, 59, 50, 58, 78, 90. | option_a=56 | option_b=57 | option_c=55 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=3676 | topic=Percentages | difficulty=Easy | question=What is 30% of 493? | option_a=294 | option_b=127 | option_c=147 | option_d=167 | answer=C | explanation=30% of 493 = (30/100) × 493 = 147.

id=3677 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:8 and the first is 306, what is the second? | option_a=128 | option_b=136 | option_c=442 | option_d=154 | answer=B | explanation=Scale factor = 306/18 = 17. Therefore second quantity = 8×17 = 136.

id=3678 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2922. If it is sold at a profit of 15%, what is its selling price? | option_a=2937 | option_b=3360 | option_c=3068 | option_d=3652 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2922 × 115/100 = █3360.

id=3679 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=S | option_c=W | option_d=Y | answer=C | explanation=Move 2 positions forward from U; the resulting letter is W.

id=3680 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=50 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=3681 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=Z | option_c=O | option_d=J | answer=D | explanation=Move 5 positions forward from E; the resulting letter is J.

id=3682 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9407 at 10% per annum for 2 years. | option_a=11288 | option_b=1881 | option_c=1981 | option_d=1781 | answer=B | explanation=SI = PRT/100 = 9407×10×2/100 = █1881.

id=3683 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 15? | option_a=12 | option_b=10 | option_c=8 | option_d=15 | answer=D | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 15 is the odd one out.

id=3684 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=X | option_c=J | option_d=B | answer=A | explanation=Move 4 positions forward from B; the resulting letter is F.

id=3685 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 31, 41, 54? | option_a=54 | option_b=21 | option_c=41 | option_d=31 | answer=A | explanation=The first three numbers increase by 10, so the next should be 51. Therefore 54 is the odd one out.

id=3686 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:20 and the first is 304, what is the second? | option_a=300 | option_b=624 | option_c=339 | option_d=320 | answer=D | explanation=Scale factor = 304/19 = 16. Therefore second quantity = 20×16 = 320.

id=3687 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7976 at 8% per annum for 1 years. | option_a=8614 | option_b=538 | option_c=738 | option_d=638 | answer=D | explanation=SI = PRT/100 = 7976×8×1/100 = █638.

id=3688 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=150 | option_c=70 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=3689 | topic=Percentages | difficulty=Easy | question=What is 10% of 936? | option_a=186 | option_b=93 | option_c=103 | option_d=88 | answer=B | explanation=10% of 936 = (10/100) × 936 = 93.

id=3690 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3441. If it is sold at a profit of 20%, what is its selling price? | option_a=3785 | option_b=4473 | option_c=3461 | option_d=4129 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3441 × 120/100 = █4129.

Aptitude Questions — Records 3,691-3,720 of 100,000

id=3691 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=96 | option_c=43 | option_d=53 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=3692 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3528. If it is sold at a profit of 25%, what is its selling price? | option_a=4058 | option_b=4762 | option_c=4410 | option_d=3553 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3528 × 125/100 = █4410.

id=3693 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 28? | option_a=24 | option_b=28 | option_c=21 | option_d=18 | answer=B | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 28 is the odd one out.

id=3694 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=3695 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=80 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=3696 | topic=Averages | difficulty=Easy | question=Find the average of 29, 71, 45, 39. | option_a=45 | option_b=48 | option_c=46 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 184 ÷ 4 = 46.

id=3697 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=36 | option_c=18 | option_d=13 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=3698 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=18 | option_c=23 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=3699 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1592. If it is sold at a profit of 20%, what is its selling price? | option_a=2069 | option_b=1751 | option_c=1910 | option_d=1612 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1592 × 120/100 = █1910.

id=3700 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 32? | option_a=32 | option_b=24 | option_c=14 | option_d=19 | answer=A | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 32 is the odd one out.

id=3701 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1803. If it is sold at a profit of 25%, what is its selling price? | option_a=2433 | option_b=1828 | option_c=2253 | option_d=2073 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1803 × 125/100 = █2253.

id=3702 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=200 | option_c=95 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=3703 | topic=Percentages | difficulty=Easy | question=What is 40% of 1882? | option_a=772 | option_b=752 | option_c=1504 | option_d=742 | answer=B | explanation=40% of 1882 = (40/100) × 1882 = 752.

id=3704 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=A | option_c=O | option_d=S | answer=A | explanation=Move 4 positions forward from S; the resulting letter is W.

id=3705 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42263 at 6% per annum for 1 years. | option_a=44798 | option_b=2535 | option_c=2435 | option_d=2635 | answer=B | explanation=SI = PRT/100 = 42263×6×1/100 = █2535.

id=3706 | topic=Averages | difficulty=Easy | question=Find the average of 93, 21, 63, 61, 75, 18, 18, 43. | option_a=49 | option_b=51 | option_c=48 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 392 ÷ 8 = 49.

id=3707 | topic=Averages | difficulty=Easy | question=Find the average of 67, 13, 71, 98, 27, 25, 71, 94, 38. | option_a=57 | option_b=58 | option_c=56 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=3708 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:6 and the first is 35, what is the second? | option_a=47 | option_b=77 | option_c=42 | option_d=36 | answer=C | explanation=Scale factor = 35/5 = 7. Therefore second quantity = 6×7 = 42.

id=3709 | topic=Percentages | difficulty=Easy | question=What is 15% of 893? | option_a=133 | option_b=113 | option_c=266 | option_d=138 | answer=A | explanation=15% of 893 = (15/100) × 893 = 133.

id=3710 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:4 and the first is 19, what is the second? | option_a=95 | option_b=77 | option_c=72 | option_d=76 | answer=D | explanation=Scale factor = 19/1 = 19. Therefore second quantity = 4×19 = 76.

id=3711 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:6 and the first is 99, what is the second? | option_a=75 | option_b=165 | option_c=66 | option_d=60 | answer=C | explanation=Scale factor = 99/9 = 11. Therefore second quantity = 6×11 = 66.

id=3712 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46424 at 6% per annum for 2 years. | option_a=51994 | option_b=5670 | option_c=5570 | option_d=5470 | answer=C | explanation=SI = PRT/100 = 46424×6×2/100 = █5570.

id=3713 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1066. If it is sold at a profit of 40%, what is its selling price? | option_a=1106 | option_b=1386 | option_c=1598 | option_d=1492 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1066 × 140/100 = █1492.

id=3714 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:20 and the first is 20, what is the second? | option_a=420 | option_b=401 | option_c=400 | option_d=380 | answer=C | explanation=Scale factor = 20/1 = 20. Therefore second quantity = 20×20 = 400.

id=3715 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=52 | option_b=74 | option_c=64 | option_d=63 | answer=D | explanation=The common difference is 11. Therefore the next term is 52 + 11 = 63.

id=3716 | topic=Percentages | difficulty=Easy | question=What is 20% of 705? | option_a=282 | option_b=141 | option_c=161 | option_d=136 | answer=B | explanation=20% of 705 = (20/100) × 705 = 141.

id=3717 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=P | option_b=E | option_c=U | option_d=Z | answer=D | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=3718 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=3719 | topic=Averages | difficulty=Easy | question=Find the average of 58, 58, 65, 84, 94, 64, 86, 32, 31, 88. | option_a=67 | option_b=68 | option_c=66 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = 660 ÷ 10 = 66.

id=3720 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 17, 20, 26? | option_a=14 | option_b=20 | option_c=26 | option_d=17 | answer=C | explanation=The first three numbers increase by 3, so the next should be 23. Therefore 26 is the odd one out.

Aptitude Questions — Records 3,721-3,750 of 100,000

id=3721 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=P | option_b=V | option_c=R | option_d=T | answer=D | explanation=Move 2 positions forward from R; the resulting letter is T.

id=3722 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:9 and the first is 30, what is the second? | option_a=84 | option_b=59 | option_c=54 | option_d=45 | answer=C | explanation=Scale factor = 30/5 = 6. Therefore second quantity = 9×6 = 54.

id=3723 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=3724 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 22, 29, 38? | option_a=22 | option_b=38 | option_c=29 | option_d=15 | answer=B | explanation=The first three numbers increase by 7, so the next should be 36. Therefore 38 is the odd one out.

id=3725 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 15, 23, 34? | option_a=34 | option_b=23 | option_c=15 | option_d=7 | answer=A | explanation=The first three numbers increase by 8, so the next should be 31. Therefore 34 is the odd one out.

id=3726 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=17 | option_c=12 | option_d=7 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=3727 | topic=Percentages | difficulty=Easy | question=What is 25% of 1232? | option_a=308 | option_b=313 | option_c=616 | option_d=288 | answer=A | explanation=25% of 1232 = (25/100) × 1232 = 308.

id=3728 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 22. | option_a=286 | option_b=336 | option_c=616 | option_d=308 | answer=D | explanation=LCM × HCF = 28×22; HCF(28,22) = 2, so LCM = 308.

id=3729 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=40 | option_b=45 | option_c=39 | option_d=33 | answer=C | explanation=The common difference is 6. Therefore the next term is 33 + 6 = 39.

id=3730 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=32 | option_b=41 | option_c=50 | option_d=42 | answer=B | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

id=3731 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:4 and the first is 285, what is the second? | option_a=361 | option_b=72 | option_c=76 | option_d=91 | answer=C | explanation=Scale factor = 285/15 = 19. Therefore second quantity = 4×19 = 76.

id=3732 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=49 | option_b=55 | option_c=48 | option_d=41 | answer=C | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.

id=3733 | topic=Averages | difficulty=Easy | question=Find the average of 46, 88, 92, 61, 95, 58, 78. | option_a=74 | option_b=73 | option_c=75 | option_d=76 | answer=A | explanation=Average = sum of values ÷ number of values = 518 ÷ 7 = 74.

id=3734 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=64 | option_b=63 | option_c=74 | option_d=52 | answer=B | explanation=The common difference is 11. Therefore the next term is 52 + 11 = 63.

id=3735 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=3736 | topic=Averages | difficulty=Easy | question=Find the average of 67, 23, 53, 60, 71, 55, 63. | option_a=56 | option_b=57 | option_c=55 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 392 ÷ 7 = 56.

id=3737 | topic=Percentages | difficulty=Easy | question=What is 25% of 1386? | option_a=351 | option_b=326 | option_c=346 | option_d=692 | answer=C | explanation=25% of 1386 = (25/100) × 1386 = 346.

id=3738 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=3739 | topic=Averages | difficulty=Easy | question=Find the average of 98, 36, 57, 88, 91, 65, 83. | option_a=76 | option_b=75 | option_c=74 | option_d=73 | answer=C | explanation=Average = sum of values ÷ number of values = 518 ÷ 7 = 74.

id=3740 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=24 | option_c=29 | option_d=48 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=3741 | topic=Percentages | difficulty=Easy | question=What is 20% of 327? | option_a=45 | option_b=70 | option_c=65 | option_d=130 | answer=C | explanation=20% of 327 = (20/100) × 327 = 65.

id=3742 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 34? | option_a=24 | option_b=20 | option_c=34 | option_d=28 | answer=C | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 34 is the odd one out.

id=3743 | topic=Percentages | difficulty=Easy | question=What is 12% of 1779? | option_a=213 | option_b=426 | option_c=208 | option_d=223 | answer=A | explanation=12% of 1779 = (12/100) × 1779 = 213.

id=3744 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 25. | option_a=75 | option_b=50 | option_c=375 | option_d=90 | answer=A | explanation=LCM × HCF = 15×25; HCF(15,25) = 5, so LCM = 75.

id=3745 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 30, 33, 39? | option_a=30 | option_b=27 | option_c=39 | option_d=33 | answer=C | explanation=The first three numbers increase by 3, so the next should be 36. Therefore 39 is the odd one out.

id=3746 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 17, 25, 33, ? | option_a=42 | option_b=49 | option_c=33 | option_d=41 | answer=D | explanation=The common difference is 8. Therefore the next term is 33 + 8 = 41.

id=3747 | topic=Averages | difficulty=Easy | question=Find the average of 75, 54, 38, 12, 20, 12, 20, 33. | option_a=33 | option_b=34 | option_c=32 | option_d=35 | answer=A | explanation=Average = sum of values ÷ number of values = 264 ÷ 8 = 33.

id=3748 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=21 | option_b=25 | option_c=24 | option_d=27 | answer=C | explanation=The common difference is 3. Therefore the next term is 21 + 3 = 24.

id=3749 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=T | option_b=W | option_c=Q | option_d=N | answer=A | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=3750 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

Aptitude Questions — Records 3,751-3,780 of 100,000

id=3751 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=3752 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=3753 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=L | option_b=H | option_c=N | option_d=J | answer=A | explanation=Move 2 positions forward from J; the resulting letter is L.

id=3754 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39498 at 6% per annum for 2 years. | option_a=4739 | option_b=4839 | option_c=4639 | option_d=44237 | answer=A | explanation=SI = PRT/100 = 39498×6×2/100 = █4739.

id=3755 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:8 and the first is 17, what is the second? | option_a=136 | option_b=128 | option_c=137 | option_d=153 | answer=A | explanation=Scale factor = 17/1 = 17. Therefore second quantity = 8×17 = 136.

id=3756 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 36? | option_a=17 | option_b=29 | option_c=36 | option_d=23 | answer=C | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 36 is the odd one out.

id=3757 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=90 | option_c=180 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=3758 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2697. If it is sold at a profit of 50%, what is its selling price? | option_a=2747 | option_b=4045 | option_c=3767 | option_d=4314 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2697 × 150/100 = █4045.

id=3759 | topic=Percentages | difficulty=Easy | question=What is 5% of 1323? | option_a=132 | option_b=71 | option_c=46 | option_d=66 | answer=D | explanation=5% of 1323 = (5/100) × 1323 = 66.

id=3760 | topic=Percentages | difficulty=Easy | question=What is 30% of 1680? | option_a=514 | option_b=504 | option_c=1008 | option_d=494 | answer=B | explanation=30% of 1680 = (30/100) × 1680 = 504.

id=3761 | topic=Averages | difficulty=Easy | question=Find the average of 43, 53, 41, 77, 52, 93, 96. | option_a=64 | option_b=65 | option_c=66 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = 455 ÷ 7 = 65.

id=3762 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=80 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=3763 | topic=Percentages | difficulty=Easy | question=What is 5% of 1342? | option_a=72 | option_b=57 | option_c=67 | option_d=134 | answer=C | explanation=5% of 1342 = (5/100) × 1342 = 67.

id=3764 | topic=Profit & Loss | difficulty=Easy | question=An article costs █590. If it is sold at a profit of 20%, what is its selling price? | option_a=708 | option_b=767 | option_c=610 | option_d=649 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 590 × 120/100 = █708.

id=3765 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=3766 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4283. If it is sold at a profit of 40%, what is its selling price? | option_a=6424 | option_b=5996 | option_c=5568 | option_d=4323 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4283 × 140/100 = █5996.

id=3767 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:19 and the first is 225, what is the second? | option_a=285 | option_b=300 | option_c=266 | option_d=510 | answer=A | explanation=Scale factor = 225/15 = 15. Therefore second quantity = 19×15 = 285.

id=3768 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 45? | option_a=38 | option_b=30 | option_c=34 | option_d=45 | answer=D | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 45 is the odd one out.

id=3769 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25173 at 8% per annum for 3 years. | option_a=6141 | option_b=31214 | option_c=6041 | option_d=5941 | answer=C | explanation=SI = PRT/100 = 25173×8×3/100 = █6041.

id=3770 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:8 and the first is 54, what is the second? | option_a=78 | option_b=126 | option_c=64 | option_d=72 | answer=D | explanation=Scale factor = 54/6 = 9. Therefore second quantity = 8×9 = 72.

id=3771 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=34 | option_b=43 | option_c=52 | option_d=44 | answer=B | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

id=3772 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=13 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=3773 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43, ? | option_a=52 | option_b=43 | option_c=51 | option_d=59 | answer=C | explanation=The common difference is 8. Therefore the next term is 43 + 8 = 51.

id=3774 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:12 and the first is 8, what is the second? | option_a=36 | option_b=56 | option_c=48 | option_d=50 | answer=C | explanation=Scale factor = 8/2 = 4. Therefore second quantity = 12×4 = 48.

id=3775 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=3776 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 23, 26, 31? | option_a=31 | option_b=20 | option_c=23 | option_d=26 | answer=A | explanation=The first three numbers increase by 3, so the next should be 29. Therefore 31 is the odd one out.

id=3777 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18114 at 8% per annum for 3 years. | option_a=4447 | option_b=22461 | option_c=4347 | option_d=4247 | answer=C | explanation=SI = PRT/100 = 18114×8×3/100 = █4347.

id=3778 | topic=Averages | difficulty=Easy | question=Find the average of 87, 43, 46, 23, 12, 96, 31, 38. | option_a=48 | option_b=47 | option_c=46 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 376 ÷ 8 = 47.

id=3779 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=3780 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1769. If it is sold at a profit of 10%, what is its selling price? | option_a=1769 | option_b=1945 | option_c=1779 | option_d=2121 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1769 × 110/100 = █1945.

Aptitude Questions — Records 3,781-3,810 of 100,000

id=3781 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 28, 33, 39? | option_a=39 | option_b=28 | option_c=33 | option_d=23 | answer=A | explanation=The first three numbers increase by 5, so the next should be 38. Therefore 39 is the odd one out.

id=3782 | topic=Averages | difficulty=Easy | question=Find the average of 63, 50, 78, 20, 54, 36, 91. | option_a=57 | option_b=56 | option_c=58 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 392 ÷ 7 = 56.

id=3783 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4105. If it is sold at a profit of 30%, what is its selling price? | option_a=5746 | option_b=5336 | option_c=4135 | option_d=4926 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4105 × 130/100 = █5336.

id=3784 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 24, 30, 36, ? | option_a=36 | option_b=48 | option_c=43 | option_d=42 | answer=D | explanation=The common difference is 6. Therefore the next term is 36 + 6 = 42.

id=3785 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=19 | option_c=29 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=3786 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=40 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=3787 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:19 and the first is 72, what is the second? | option_a=94 | option_b=148 | option_c=57 | option_d=76 | answer=D | explanation=Scale factor = 72/18 = 4. Therefore second quantity = 19×4 = 76.

id=3788 | topic=Averages | difficulty=Easy | question=Find the average of 43, 59, 34, 44. | option_a=47 | option_b=45 | option_c=44 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 180 ÷ 4 = 45.

id=3789 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:4 and the first is 78, what is the second? | option_a=58 | option_b=52 | option_c=48 | option_d=130 | answer=B | explanation=Scale factor = 78/6 = 13. Therefore second quantity = 4×13 = 52.

id=3790 | topic=Percentages | difficulty=Easy | question=What is 10% of 1771? | option_a=354 | option_b=182 | option_c=177 | option_d=172 | answer=C | explanation=10% of 1771 = (10/100) × 1771 = 177.

id=3791 | topic=Averages | difficulty=Easy | question=Find the average of 21, 21, 47, 61, 21, 35, 46. | option_a=38 | option_b=35 | option_c=37 | option_d=36 | answer=D | explanation=Average = sum of values ÷ number of values = 252 ÷ 7 = 36.

id=3792 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=3793 | topic=Averages | difficulty=Easy | question=Find the average of 34, 17, 51. | option_a=36 | option_b=35 | option_c=34 | option_d=33 | answer=C | explanation=Average = sum of values ÷ number of values = 102 ÷ 3 = 34.

id=3794 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=E | option_b=D | option_c=C | option_d=F | answer=A | explanation=Move 1 positions forward from D; the resulting letter is E.

id=3795 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=N | option_b=K | option_c=H | option_d=Q | answer=A | explanation=Move 3 positions forward from K; the resulting letter is N.

id=3796 | topic=Averages | difficulty=Easy | question=Find the average of 51, 48, 25, 81, 33, 86, 89. | option_a=58 | option_b=60 | option_c=61 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 413 ÷ 7 = 59.

id=3797 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=31 | option_b=39 | option_c=38 | option_d=45 | answer=C | explanation=The common difference is 7. Therefore the next term is 31 + 7 = 38.

id=3798 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:20 and the first is 15, what is the second? | option_a=80 | option_b=115 | option_c=103 | option_d=100 | answer=D | explanation=Scale factor = 15/3 = 5. Therefore second quantity = 20×5 = 100.

id=3799 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 35? | option_a=22 | option_b=30 | option_c=35 | option_d=26 | answer=C | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 35 is the odd one out.

id=3800 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=3801 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=105 | option_c=95 | option_d=200 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=3802 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2997 at 10% per annum for 2 years. | option_a=3596 | option_b=599 | option_c=699 | option_d=499 | answer=B | explanation=SI = PRT/100 = 2997×10×2/100 = █599.

id=3803 | topic=Percentages | difficulty=Easy | question=What is 25% of 72? | option_a=18 | option_b=36 | option_c=13 | option_d=38 | answer=A | explanation=25% of 72 = (25/100) × 72 = 18.

id=3804 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 26. | option_a=78 | option_b=156 | option_c=52 | option_d=84 | answer=A | explanation=LCM × HCF = 6×26; HCF(6,26) = 2, so LCM = 78.

id=3805 | topic=Percentages | difficulty=Easy | question=What is 15% of 1490? | option_a=218 | option_b=228 | option_c=446 | option_d=223 | answer=D | explanation=15% of 1490 = (15/100) × 1490 = 223.

id=3806 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:11 and the first is 306, what is the second? | option_a=176 | option_b=187 | option_c=493 | option_d=205 | answer=B | explanation=Scale factor = 306/18 = 17. Therefore second quantity = 11×17 = 187.

id=3807 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 26? | option_a=22 | option_b=16 | option_c=26 | option_d=19 | answer=C | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 26 is the odd one out.

id=3808 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=3809 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42402 at 10% per annum for 4 years. | option_a=16860 | option_b=59362 | option_c=17060 | option_d=16960 | answer=D | explanation=SI = PRT/100 = 42402×10×4/100 = █16960.

id=3810 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:1 and the first is 126, what is the second? | option_a=6 | option_b=7 | option_c=133 | option_d=25 | answer=B | explanation=Scale factor = 126/18 = 7. Therefore second quantity = 1×7 = 7.

Aptitude Questions — Records 3,811-3,840 of 100,000

id=3811 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=3812 | topic=Percentages | difficulty=Easy | question=What is 5% of 1520? | option_a=76 | option_b=152 | option_c=86 | option_d=71 | answer=A | explanation=5% of 1520 = (5/100) × 1520 = 76.

id=3813 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:2 and the first is 35, what is the second? | option_a=10 | option_b=8 | option_c=17 | option_d=45 | answer=A | explanation=Scale factor = 35/7 = 5. Therefore second quantity = 2×5 = 10.

id=3814 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=7 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=3815 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 12, 15, 18, ? | option_a=18 | option_b=21 | option_c=22 | option_d=24 | answer=B | explanation=The common difference is 3. Therefore the next term is 18 + 3 = 21.

id=3816 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=3817 | topic=Averages | difficulty=Easy | question=Find the average of 11, 45, 71, 85, 45, 95, 67, 20, 83. | option_a=59 | option_b=57 | option_c=60 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 522 ÷ 9 = 58.

id=3818 | topic=Averages | difficulty=Easy | question=Find the average of 25, 42, 76, 85, 51, 41, 81, 31. | option_a=56 | option_b=54 | option_c=55 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 432 ÷ 8 = 54.

id=3819 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=35 | option_b=29 | option_c=23 | option_d=30 | answer=B | explanation=The common difference is 6. Therefore the next term is 23 + 6 = 29.

id=3820 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=240 | option_c=115 | option_d=125 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=3821 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3449. If it is sold at a profit of 50%, what is its selling price? | option_a=3499 | option_b=5173 | option_c=4829 | option_d=5517 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3449 × 150/100 = █5173.

id=3822 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=32 | option_b=33 | option_c=27 | option_d=37 | answer=A | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

id=3823 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 20, 30, 43? | option_a=43 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=The first three numbers increase by 10, so the next should be 40. Therefore 43 is the odd one out.

id=3824 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=40 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=3825 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35441 at 5% per annum for 5 years. | option_a=8960 | option_b=8760 | option_c=44301 | option_d=8860 | answer=D | explanation=SI = PRT/100 = 35441×5×5/100 = █8860.

id=3826 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17087 at 6% per annum for 2 years. | option_a=19137 | option_b=1950 | option_c=2150 | option_d=2050 | answer=D | explanation=SI = PRT/100 = 17087×6×2/100 = █2050.

id=3827 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=3828 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=46 | option_b=38 | option_c=45 | option_d=52 | answer=C | explanation=The common difference is 7. Therefore the next term is 38 + 7 = 45.

id=3829 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=80 | option_d=150 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=3830 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=P | option_b=U | option_c=K | option_d=F | answer=A | explanation=Move 5 positions forward from K; the resulting letter is P.

id=3831 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:15 and the first is 180, what is the second? | option_a=168 | option_b=330 | option_c=135 | option_d=150 | answer=D | explanation=Scale factor = 180/18 = 10. Therefore second quantity = 15×10 = 150.

id=3832 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=E | option_b=O | option_c=J | option_d=T | answer=B | explanation=Move 5 positions forward from J; the resulting letter is O.

id=3833 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=3834 | topic=Averages | difficulty=Easy | question=Find the average of 16, 82, 37. | option_a=46 | option_b=45 | option_c=47 | option_d=44 | answer=B | explanation=Average = sum of values ÷ number of values = 135 ÷ 3 = 45.

id=3835 | topic=Percentages | difficulty=Easy | question=What is 10% of 1760? | option_a=171 | option_b=186 | option_c=352 | option_d=176 | answer=D | explanation=10% of 1760 = (10/100) × 1760 = 176.

id=3836 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=53 | option_b=66 | option_c=65 | option_d=77 | answer=C | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.

id=3837 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9274 at 10% per annum for 3 years. | option_a=2682 | option_b=2782 | option_c=12056 | option_d=2882 | answer=B | explanation=SI = PRT/100 = 9274×10×3/100 = █2782.

id=3838 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 13, 23, 35? | option_a=3 | option_b=35 | option_c=13 | option_d=23 | answer=B | explanation=The first three numbers increase by 10, so the next should be 33. Therefore 35 is the odd one out.

id=3839 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4246. If it is sold at a profit of 5%, what is its selling price? | option_a=4882 | option_b=4251 | option_c=4458 | option_d=4034 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4246 × 105/100 = █4458.

id=3840 | topic=Averages | difficulty=Easy | question=Find the average of 80, 10, 19, 52, 38, 66, 43. | option_a=44 | option_b=45 | option_c=46 | option_d=43 | answer=A | explanation=Average = sum of values ÷ number of values = 308 ÷ 7 = 44.

Aptitude Questions — Records 3,841-3,870 of 100,000

- id=3841 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.
- id=3842 | topic=Percentages | difficulty=Easy | question=What is 15% of 756? | option_a=108 | option_b=133 | option_c=113 | option_d=226 | answer=C | explanation=15% of 756 = $(\frac{15}{100}) \times 756 = 113$.
- id=3843 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.
- id=3844 | topic=Averages | difficulty=Easy | question=Find the average of 99, 48, 89, 83, 18, 23, 86, 98, 32. | option_a=64 | option_b=66 | option_c=65 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{576}{9} = 64$.
- id=3845 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=Z | option_b=J | option_c=O | option_d=E | answer=B | explanation=Move 5 positions forward from E; the resulting letter is J.
- id=3846 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■6602 at 6% per annum for 3 years. | option_a=7790 | option_b=1188 | option_c=1088 | option_d=1288 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{6602 \times 6 \times 3}{100} = \text{■}1188$.
- id=3847 | topic=Percentages | difficulty=Easy | question=What is 40% of 1429? | option_a=581 | option_b=571 | option_c=1142 | option_d=561 | answer=B | explanation=40% of 1429 = $(\frac{40}{100}) \times 1429 = 571$.
- id=3848 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1400. If it is sold at a profit of 40%, what is its selling price? | option_a=1960 | option_b=1820 | option_c=1440 | option_d=2100 | answer=A | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 1400 \times \frac{140}{100} = \text{■}1960$.
- id=3849 | topic=Averages | difficulty=Easy | question=Find the average of 60, 71, 92, 75, 44, 46, 60, 16. | option_a=59 | option_b=58 | option_c=57 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{464}{8} = 58$.
- id=3850 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 12. | option_a=112 | option_b=336 | option_c=72 | option_d=84 | answer=D | explanation= $LCM \times HCF = 28 \times 12$; $HCF(28, 12) = 4$, so $LCM = 84$.
- id=3851 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=30 | option_b=27 | option_c=33 | option_d=31 | answer=A | explanation=The common difference is 3. Therefore the next term is $27 + 3 = 30$.
- id=3852 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = $\frac{90}{3} = 30$ km/h.
- id=3853 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:6 and the first is 240, what is the second? | option_a=312 | option_b=72 | option_c=66 | option_d=92 | answer=B | explanation=Scale factor = $\frac{240}{20} = 12$. Therefore second quantity = $6 \times 12 = 72$.
- id=3854 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.
- id=3855 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = $\frac{300}{10} = 30$ km/h.
- id=3856 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = $\frac{180}{3} = 60$ km/h.
- id=3857 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=Q | option_c=O | option_d=P | answer=B | explanation=Move 1 positions forward from P; the resulting letter is Q.
- id=3858 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■48574 at 4% per annum for 5 years. | option_a=9814 | option_b=9714 | option_c=58288 | option_d=9614 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{48574 \times 4 \times 5}{100} = \text{■}9714$.
- id=3859 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 24. | option_a=144 | option_b=168 | option_c=336 | option_d=182 | answer=B | explanation= $LCM \times HCF = 14 \times 24$; $HCF(14, 24) = 2$, so $LCM = 168$.
- id=3860 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=67 | option_c=144 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = $\frac{360}{5} = 72$ km/h.
- id=3861 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1108. If it is sold at a profit of 30%, what is its selling price? | option_a=1440 | option_b=1138 | option_c=1550 | option_d=1330 | answer=A | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 1108 \times \frac{130}{100} = \text{■}1440$.
- id=3862 | topic=Averages | difficulty=Easy | question=Find the average of 88, 43, 40, 94, 19, 94, 49. | option_a=62 | option_b=60 | option_c=61 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{427}{7} = 61$.
- id=3863 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=96 | option_c=53 | option_d=43 | answer=A | explanation=Speed = distance ÷ time = $\frac{240}{5} = 48$ km/h.
- id=3864 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1928. If it is sold at a profit of 30%, what is its selling price? | option_a=2506 | option_b=2698 | option_c=1958 | option_d=2314 | answer=A | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 1928 \times \frac{130}{100} = \text{■}2506$.
- id=3865 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:13 and the first is 76, what is the second? | option_a=247 | option_b=251 | option_c=323 | option_d=234 | answer=A | explanation=Scale factor = $\frac{76}{4} = 19$. Therefore second quantity = $13 \times 19 = 247$.
- id=3866 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=O | option_c=M | option_d=I | answer=C | explanation=Move 2 positions forward from K; the resulting letter is M.
- id=3867 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=45 | option_c=35 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = $\frac{240}{6} = 40$ km/h.
- id=3868 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:12 and the first is 288, what is the second? | option_a=504 | option_b=232 | option_c=204 | option_d=216 | answer=D | explanation=Scale factor = $\frac{288}{16} = 18$. Therefore second quantity = $12 \times 18 = 216$.
- id=3869 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.
- id=3870 | topic=Averages | difficulty=Easy | question=Find the average of 93, 91, 48, 66, 10, 52. | option_a=59 | option_b=62 | option_c=61 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{360}{6} = 60$.

Aptitude Questions — Records 3,871-3,900 of 100,000

id=3871 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:19 and the first is 208, what is the second? | option_a=512 | option_b=285 | option_c=317 | option_d=304 | answer=D | explanation=Scale factor = $208/13 = 16$. Therefore second quantity = $19 \times 16 = 304$.

id=3872 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=W | option_c=A | option_d=O | answer=B | explanation=Move 4 positions forward from S; the resulting letter is W.

id=3873 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 20, 27, 37? | option_a=13 | option_b=27 | option_c=37 | option_d=20 | answer=C | explanation=The first three numbers increase by 7, so the next should be 34. Therefore 37 is the odd one out.

id=3874 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=3875 | topic=Percentages | difficulty=Easy | question=What is 12% of 980? | option_a=97 | option_b=117 | option_c=234 | option_d=122 | answer=B | explanation= $12\% \text{ of } 980 = (12/100) \times 980 = 117$.

id=3876 | topic=Averages | difficulty=Easy | question=Find the average of 54, 23, 34, 88, 10, 19. | option_a=39 | option_b=40 | option_c=38 | option_d=37 | answer=C | explanation=Average = sum of values ÷ number of values = $228 \div 6 = 38$.

id=3877 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=40 | option_b=34 | option_c=41 | option_d=46 | answer=A | explanation=The common difference is 6. Therefore the next term is $34 + 6 = 40$.

id=3878 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 17, 25, 33, ? | option_a=49 | option_b=41 | option_c=33 | option_d=42 | answer=B | explanation=The common difference is 8. Therefore the next term is $33 + 8 = 41$.

id=3879 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=50 | option_d=90 | answer=B | explanation=Speed = distance ÷ time = $360 \div 8 = 45$ km/h.

id=3880 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:1 and the first is 136, what is the second? | option_a=25 | option_b=144 | option_c=7 | option_d=8 | answer=D | explanation=Scale factor = $136/17 = 8$. Therefore second quantity = $1 \times 8 = 8$.

id=3881 | topic=Averages | difficulty=Easy | question=Find the average of 90, 65, 56, 81, 29, 59, 13, 79. | option_a=58 | option_b=59 | option_c=61 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = $472 \div 8 = 59$.

id=3882 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=L | option_c=N | option_d=R | answer=A | explanation=Move 2 positions forward from N; the resulting letter is P.

id=3883 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1259. If it is sold at a profit of 40%, what is its selling price? | option_a=1887 | option_b=1762 | option_c=1637 | option_d=1299 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1259 \times 140/100 = \text{₹}1762$.

id=3884 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1134. If it is sold at a profit of 15%, what is its selling price? | option_a=1149 | option_b=1191 | option_c=1304 | option_d=1417 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1134 \times 115/100 = \text{₹}1304$.

id=3885 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:11 and the first is 42, what is the second? | option_a=83 | option_b=66 | option_c=77 | option_d=119 | answer=C | explanation=Scale factor = $42/6 = 7$. Therefore second quantity = $11 \times 7 = 77$.

id=3886 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=65 | option_b=53 | option_c=66 | option_d=77 | answer=A | explanation=The common difference is 12. Therefore the next term is $53 + 12 = 65$.

id=3887 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=12 | answer=B | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=3888 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹25561 at 12% per annum for 3 years. | option_a=34762 | option_b=9201 | option_c=9301 | option_d=9101 | answer=B | explanation= $SI = PRT/100 = 25561 \times 12 \times 3/100 = \text{₹}9201$.

id=3889 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹4366. If it is sold at a profit of 10%, what is its selling price? | option_a=5238 | option_b=4376 | option_c=4802 | option_d=4366 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4366 \times 110/100 = \text{₹}4802$.

id=3890 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=3891 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=3892 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=U | option_c=S | option_d=O | answer=C | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=3893 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:4 and the first is 10, what is the second? | option_a=16 | option_b=20 | option_c=30 | option_d=22 | answer=B | explanation=Scale factor = $10/2 = 5$. Therefore second quantity = $4 \times 5 = 20$.

id=3894 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 33? | option_a=16 | option_b=24 | option_c=33 | option_d=8 | answer=C | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 33 is the odd one out.

id=3895 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=3896 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=3897 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 22? | option_a=3 | option_b=22 | option_c=9 | option_d=15 | answer=B | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 22 is the odd one out.

id=3898 | topic=Percentages | difficulty=Easy | question=What is 12% of 513? | option_a=61 | option_b=122 | option_c=71 | option_d=51 | answer=A | explanation= $12\% \text{ of } 513 = (12/100) \times 513 = 61$.

id=3899 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=60 | option_b=52 | option_c=51 | option_d=42 | answer=C | explanation=The common difference is 9. Therefore the next term is $42 + 9 = 51$.

id=3900 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

Aptitude Questions — Records 3,901-3,930 of 100,000

id=3901 | topic=Averages | difficulty=Easy | question=Find the average of 86, 41, 91, 62. | option_a=69 | option_b=70 | option_c=72 | option_d=71 | answer=B | explanation=Average = sum of values ÷ number of values = 280 ÷ 4 = 70.

id=3902 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=3903 | topic=Percentages | difficulty=Easy | question=What is 10% of 725? | option_a=72 | option_b=144 | option_c=62 | option_d=82 | answer=A | explanation=10% of 725 = (10/100) × 725 = 72.

id=3904 | topic=Averages | difficulty=Easy | question=Find the average of 67, 59, 81, 43, 24, 86. | option_a=60 | option_b=59 | option_c=61 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 360 ÷ 6 = 60.

id=3905 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=3906 | topic=Averages | difficulty=Easy | question=Find the average of 79, 21, 54, 62. | option_a=56 | option_b=53 | option_c=55 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 216 ÷ 4 = 54.

id=3907 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹32696 at 4% per annum for 4 years. | option_a=5231 | option_b=5331 | option_c=37927 | option_d=5131 | answer=A | explanation=SI = PRT/100 = 32696×4×4/100 = ₹5231.

id=3908 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹961. If it is sold at a profit of 10%, what is its selling price? | option_a=971 | option_b=961 | option_c=1153 | option_d=1057 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 961 × 110/100 = ₹1057.

id=3909 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=3910 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=3911 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=Q | option_c=W | option_d=S | answer=A | explanation=Move 2 positions forward from S; the resulting letter is U.

id=3912 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:7 and the first is 20, what is the second? | option_a=160 | option_b=141 | option_c=133 | option_d=140 | answer=D | explanation=Scale factor = 20/1 = 20. Therefore second quantity = 7×20 = 140.

id=3913 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=R | option_b=H | option_c=W | option_d=M | answer=A | explanation=Move 5 positions forward from M; the resulting letter is R.

id=3914 | topic=Percentages | difficulty=Easy | question=What is 30% of 1776? | option_a=532 | option_b=1064 | option_c=512 | option_d=542 | answer=A | explanation=30% of 1776 = (30/100) × 1776 = 532.

id=3915 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1889. If it is sold at a profit of 15%, what is its selling price? | option_a=2172 | option_b=2360 | option_c=1984 | option_d=1904 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1889 × 115/100 = ₹2172.

id=3916 | topic=Percentages | difficulty=Easy | question=What is 40% of 1329? | option_a=531 | option_b=541 | option_c=521 | option_d=1062 | answer=A | explanation=40% of 1329 = (40/100) × 1329 = 531.

id=3917 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=B | option_c=L | option_d=Q | answer=C | explanation=Move 5 positions forward from G; the resulting letter is L.

id=3918 | topic=Averages | difficulty=Easy | question=Find the average of 69, 85, 33, 66, 18, 95, 20, 17, 66, 41. | option_a=52 | option_b=53 | option_c=51 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

id=3919 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 29, 37, 46? | option_a=37 | option_b=46 | option_c=29 | option_d=21 | answer=B | explanation=The first three numbers increase by 8, so the next should be 45. Therefore 46 is the odd one out.

id=3920 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=3921 | topic=Averages | difficulty=Easy | question=Find the average of 16, 14, 58, 43, 42, 77, 81, 53, 46, 80. | option_a=50 | option_b=51 | option_c=52 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

id=3922 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1053. If it is sold at a profit of 5%, what is its selling price? | option_a=1058 | option_b=1210 | option_c=1105 | option_d=1000 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1053 × 105/100 = ₹1105.

id=3923 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=3924 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:12 and the first is 60, what is the second? | option_a=204 | option_b=132 | option_c=149 | option_d=144 | answer=D | explanation=Scale factor = 60/5 = 12. Therefore second quantity = 12×12 = 144.

id=3925 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 27, 36, 48? | option_a=18 | option_b=27 | option_c=48 | option_d=36 | answer=C | explanation=The first three numbers increase by 9, so the next should be 45. Therefore 48 is the odd one out.

id=3926 | topic=Percentages | difficulty=Easy | question=What is 12% of 518? | option_a=57 | option_b=124 | option_c=62 | option_d=67 | answer=C | explanation=12% of 518 = (12/100) × 518 = 62.

id=3927 | topic=Percentages | difficulty=Easy | question=What is 10% of 1897? | option_a=189 | option_b=209 | option_c=378 | option_d=169 | answer=A | explanation=10% of 1897 = (10/100) × 1897 = 189.

id=3928 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=5 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=3929 | topic=Averages | difficulty=Easy | question=Find the average of 42, 30, 49, 83. | option_a=53 | option_b=51 | option_c=52 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 204 ÷ 4 = 51.

id=3930 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=41 | option_b=32 | option_c=50 | option_d=42 | answer=A | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

Aptitude Questions — Records 3,931-3,960 of 100,000

id=3931 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3598. If it is sold at a profit of 5%, what is its selling price? | option_a=3603 | option_b=3418 | option_c=3777 | option_d=4136 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3598 × 105/100 = ■3777.

id=3932 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 50? | option_a=19 | option_b=29 | option_c=50 | option_d=39 | answer=C | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 50 is the odd one out.

id=3933 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=25 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=3934 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=A | option_b=C | option_c=G | option_d=E | answer=D | explanation=Move 2 positions forward from C; the resulting letter is E.

id=3935 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=B | option_b=A | option_c=Z | option_d=C | answer=A | explanation=Move 1 positions forward from A; the resulting letter is B.

id=3936 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=95 | option_d=180 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=3937 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=42 | option_b=66 | option_c=55 | option_d=54 | answer=D | explanation=The common difference is 12. Therefore the next term is 42 + 12 = 54.

id=3938 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=3939 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=3940 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=3941 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 10. | option_a=24 | option_b=20 | option_c=40 | option_d=10 | answer=B | explanation=LCM × HCF = 4×10; HCF(4,10) = 2, so LCM = 20.

id=3942 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=22 | option_b=25 | option_c=26 | option_d=24 | answer=D | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.

id=3943 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4732. If it is sold at a profit of 40%, what is its selling price? | option_a=6624 | option_b=7097 | option_c=6151 | option_d=4772 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4732 × 140/100 = ■6624.

id=3944 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=F | option_c=G | option_d=D | answer=B | explanation=Move 1 positions forward from E; the resulting letter is F.

id=3945 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=16 | option_b=15 | option_c=12 | option_d=14 | answer=D | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=3946 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 32, 39, 47? | option_a=39 | option_b=32 | option_c=47 | option_d=25 | answer=C | explanation=The first three numbers increase by 7, so the next should be 46. Therefore 47 is the odd one out.

id=3947 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=26 | option_b=24 | option_c=25 | option_d=22 | answer=B | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.

id=3948 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 12. | option_a=240 | option_b=60 | option_c=48 | option_d=80 | answer=B | explanation=LCM × HCF = 20×12; HCF(20,12) = 4, so LCM = 60.

id=3949 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=3950 | topic=Averages | difficulty=Easy | question=Find the average of 20, 46, 86, 31, 12, 69, 52, 68, 48, 108. | option_a=53 | option_b=56 | option_c=55 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

id=3951 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:15 and the first is 162, what is the second? | option_a=120 | option_b=153 | option_c=135 | option_d=297 | answer=C | explanation=Scale factor = 162/18 = 9. Therefore second quantity = 15×9 = 135.

id=3952 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■23664 at 10% per annum for 1 years. | option_a=26030 | option_b=2366 | option_c=2266 | option_d=2466 | answer=B | explanation=SI = PRT/100 = 23664×10×1/100 = ■2366.

id=3953 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■20685 at 12% per annum for 5 years. | option_a=12411 | option_b=12511 | option_c=12311 | option_d=33096 | answer=A | explanation=SI = PRT/100 = 20685×12×5/100 = ■12411.

id=3954 | topic=Averages | difficulty=Easy | question=Find the average of 100, 69, 71, 31, 43, 48, 34, 91, 53. | option_a=60 | option_b=62 | option_c=59 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 540 ÷ 9 = 60.

id=3955 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:15 and the first is 360, what is the second? | option_a=255 | option_b=290 | option_c=270 | option_d=630 | answer=C | explanation=Scale factor = 360/20 = 18. Therefore second quantity = 15×18 = 270.

id=3956 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=360 | option_c=185 | option_d=175 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=3957 | topic=Averages | difficulty=Easy | question=Find the average of 30, 88, 83. | option_a=66 | option_b=68 | option_c=69 | option_d=67 | answer=D | explanation=Average = sum of values ÷ number of values = 201 ÷ 3 = 67.

id=3958 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 31? | option_a=26 | option_b=22 | option_c=31 | option_d=24 | answer=C | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 31 is the odd one out.

id=3959 | topic=Percentages | difficulty=Easy | question=What is 20% of 1212? | option_a=484 | option_b=222 | option_c=247 | option_d=242 | answer=D | explanation=20% of 1212 = (20/100) × 1212 = 242.

id=3960 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 3,961-3,990 of 100,000

id=3961 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 28. | option_a=28 | option_b=1 | option_c=196 | option_d=35 | answer=A | explanation=LCM × HCF = 7×28, HCF(7,28) = 7, so LCM = 28.

id=3962 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2218. If it is sold at a profit of 50%, what is its selling price? | option_a=2268 | option_b=3327 | option_c=3548 | option_d=3106 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2218 × 150/100 = █3327.

id=3963 | topic=Percentages | difficulty=Easy | question=What is 10% of 1348? | option_a=268 | option_b=134 | option_c=124 | option_d=154 | answer=B | explanation=10% of 1348 = (10/100) × 1348 = 134.

id=3964 | topic=Averages | difficulty=Easy | question=Find the average of 88, 77, 44, 67, 49, 30, 30, 87. | option_a=59 | option_b=61 | option_c=58 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 472 ÷ 8 = 59.

id=3965 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 27, 39, 51, ? | option_a=63 | option_b=75 | option_c=51 | option_d=64 | answer=A | explanation=The common difference is 12. Therefore the next term is 51 + 12 = 63.

id=3966 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=3967 | topic=Averages | difficulty=Easy | question=Find the average of 87, 82, 12, 83, 16. | option_a=58 | option_b=55 | option_c=57 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 280 ÷ 5 = 56.

id=3968 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=M | option_b=J | option_c=P | option_d=G | answer=A | explanation=Move 3 positions forward from J; the resulting letter is M.

id=3969 | topic=Averages | difficulty=Easy | question=Find the average of 50, 43, 94, 16, 46, 32, 92, 43. | option_a=54 | option_b=51 | option_c=53 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=3970 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=14 | option_b=12 | option_c=16 | option_d=15 | answer=A | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=3971 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:8 and the first is 152, what is the second? | option_a=216 | option_b=83 | option_c=64 | option_d=56 | answer=C | explanation=Scale factor = 152/19 = 8. Therefore second quantity = 8×8 = 64.

id=3972 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=32 | option_b=27 | option_c=26 | option_d=20 | answer=C | explanation=The common difference is 6. Therefore the next term is 20 + 6 = 26.

id=3973 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=15 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=3974 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=120 | option_c=115 | option_d=125 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=3975 | topic=Averages | difficulty=Easy | question=Find the average of 12, 71, 39, 45, 53, 44. | option_a=46 | option_b=43 | option_c=44 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = 264 ÷ 6 = 44.

id=3976 | topic=Averages | difficulty=Easy | question=Find the average of 49, 22, 32, 29, 47, 70, 42, 12, 93. | option_a=46 | option_b=45 | option_c=44 | option_d=43 | answer=C | explanation=Average = sum of values ÷ number of values = 396 ÷ 9 = 44.

id=3977 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4602 at 5% per annum for 2 years. | option_a=5062 | option_b=560 | option_c=460 | option_d=360 | answer=C | explanation=SI = PRT/100 = 4602×5×2/100 = █460.

id=3978 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3374. If it is sold at a profit of 5%, what is its selling price? | option_a=3379 | option_b=3205 | option_c=3542 | option_d=3879 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3374 × 105/100 = █3542.

id=3979 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=18 | option_c=14 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=3980 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=3981 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=H | option_c=E | option_d=Y | answer=C | explanation=Move 3 positions forward from B; the resulting letter is E.

id=3982 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=150 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=3983 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=29 | option_c=48 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=3984 | topic=Averages | difficulty=Easy | question=Find the average of 72, 76, 20. | option_a=55 | option_b=57 | option_c=58 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 168 ÷ 3 = 56.

id=3985 | topic=Percentages | difficulty=Easy | question=What is 15% of 765? | option_a=114 | option_b=134 | option_c=228 | option_d=94 | answer=A | explanation=15% of 765 = (15/100) × 765 = 114.

id=3986 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3953. If it is sold at a profit of 10%, what is its selling price? | option_a=4348 | option_b=4743 | option_c=3963 | option_d=3953 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3953 × 110/100 = █4348.

id=3987 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=43 | option_c=53 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=3988 | topic=Averages | difficulty=Easy | question=Find the average of 75, 90, 93, 26, 46. | option_a=67 | option_b=65 | option_c=66 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 330 ÷ 5 = 66.

id=3989 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=12 | option_b=18 | option_c=16 | option_d=15 | answer=D | explanation=The common difference is 3. Therefore the next term is 12 + 3 = 15.

id=3990 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 3,991-4,020 of 100,000

- id=3991 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47827 at 8% per annum for 2 years. | option_a=7752 | option_b=55479 | option_c=7552 | option_d=7652 | answer=D | explanation=SI = $PRT/100 = 47827 \times 8 \times 2/100 = \text{█}7652$.
- id=3992 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=R | option_b=N | option_c=J | option_d=F | answer=B | explanation=Move 4 positions forward from J; the resulting letter is N.
- id=3993 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.
- id=3994 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.
- id=3995 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 44, ? | option_a=34 | option_b=18 | option_c=44 | option_d=26 | answer=C | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 44 is the odd one out.
- id=3996 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 5. | option_a=150 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation= $LCM \times HCF = 30 \times 5$; $HCF(30,5) = 5$, so $LCM = 30$.
- id=3997 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=155 | option_c=300 | option_d=145 | answer=A | explanation=Speed = distance ÷ time = $300 \div 2 = 150$ km/h.
- id=3998 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23904 at 10% per annum for 3 years. | option_a=7071 | option_b=7171 | option_c=7271 | option_d=31075 | answer=B | explanation=SI = $PRT/100 = 23904 \times 10 \times 3/100 = \text{█}7171$.
- id=3999 | topic=Averages | difficulty=Easy | question=Find the average of 100, 71, 71, 40, 12, 96, 35, 22, 58, 75. | option_a=59 | option_b=57 | option_c=58 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = $580 \div 10 = 58$.
- id=4000 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.
- id=4001 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18211 at 12% per annum for 1 years. | option_a=2185 | option_b=2085 | option_c=20396 | option_d=2285 | answer=A | explanation=SI = $PRT/100 = 18211 \times 12 \times 1/100 = \text{█}2185$.
- id=4002 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=115 | option_c=125 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = $240 \div 2 = 120$ km/h.
- id=4003 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=53 | option_b=44 | option_c=33 | option_d=43 | answer=D | explanation=The common difference is 10. Therefore the next term is $33 + 10 = 43$.
- id=4004 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 25, 33, 41, ? | option_a=41 | option_b=57 | option_c=49 | option_d=50 | answer=C | explanation=The common difference is 8. Therefore the next term is $41 + 8 = 49$.
- id=4005 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21306 at 8% per annum for 1 years. | option_a=1804 | option_b=1604 | option_c=1704 | option_d=23010 | answer=C | explanation=SI = $PRT/100 = 21306 \times 8 \times 1/100 = \text{█}1704$.
- id=4006 | topic=Averages | difficulty=Easy | question=Find the average of 41, 77, 38, 95, 17, 13, 13. | option_a=41 | option_b=44 | option_c=43 | option_d=42 | answer=D | explanation=Average = sum of values ÷ number of values = $294 \div 7 = 42$.
- id=4007 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=40 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = $120 \div 6 = 20$ km/h.
- id=4008 | topic=Percentages | difficulty=Easy | question=What is 20% of 1057? | option_a=211 | option_b=201 | option_c=216 | option_d=422 | answer=A | explanation= $20\% \text{ of } 1057 = (20/100) \times 1057 = 211$.
- id=4009 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.
- id=4010 | topic=Percentages | difficulty=Easy | question=What is 12% of 58? | option_a=11 | option_b=1 | option_c=12 | option_d=6 | answer=D | explanation= $12\% \text{ of } 58 = (12/100) \times 58 = 6$.
- id=4011 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:12 and the first is 28, what is the second? | option_a=156 | option_b=168 | option_c=170 | option_d=196 | answer=B | explanation=Scale factor = $28/2 = 14$. Therefore second quantity = $12 \times 14 = 168$.
- id=4012 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24555 at 4% per annum for 3 years. | option_a=2846 | option_b=27501 | option_c=3046 | option_d=2946 | answer=D | explanation=SI = $PRT/100 = 24555 \times 4 \times 3/100 = \text{█}2946$.
- id=4013 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 44? | option_a=33 | option_b=37 | option_c=29 | option_d=44 | answer=D | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 44 is the odd one out.
- id=4014 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.
- id=4015 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15254 at 10% per annum for 2 years. | option_a=3050 | option_b=3150 | option_c=2950 | option_d=18304 | answer=A | explanation=SI = $PRT/100 = 15254 \times 10 \times 2/100 = \text{█}3050$.
- id=4016 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:20 and the first is 48, what is the second? | option_a=40 | option_b=76 | option_c=60 | option_d=108 | answer=C | explanation=Scale factor = $48/16 = 3$. Therefore second quantity = $20 \times 3 = 60$.
- id=4017 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2773. If it is sold at a profit of 15%, what is its selling price? | option_a=3188 | option_b=2911 | option_c=3465 | option_d=2788 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2773 \times 115/100 = \text{█}3188$.
- id=4018 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 33, 39, 47? | option_a=27 | option_b=39 | option_c=47 | option_d=33 | answer=C | explanation=The first three numbers increase by 6, so the next should be 45. Therefore 47 is the odd one out.
- id=4019 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11490 at 15% per annum for 3 years. | option_a=5170 | option_b=5070 | option_c=16660 | option_d=5270 | answer=A | explanation=SI = $PRT/100 = 11490 \times 15 \times 3/100 = \text{█}5170$.
- id=4020 | topic=Averages | difficulty=Easy | question=Find the average of 41, 69, 40, 70. | option_a=57 | option_b=54 | option_c=56 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = $220 \div 4 = 55$.

Aptitude Questions — Records 4,021-4,050 of 100,000

- id=4021 | topic=Percentages | difficulty=Easy | question=What is 10% of 513? | option_a=56 | option_b=102 | option_c=31 | option_d=51 | answer=D | explanation=10% of 513 = (10/100) × 513 = 51.
- id=4022 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=4023 | topic=Percentages | difficulty=Easy | question=What is 10% of 834? | option_a=88 | option_b=73 | option_c=83 | option_d=166 | answer=C | explanation=10% of 834 = (10/100) × 834 = 83.
- id=4024 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4852. If it is sold at a profit of 15%, what is its selling price? | option_a=4867 | option_b=5579 | option_c=6064 | option_d=5094 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4852 × 115/100 = █5579.
- id=4025 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:14 and the first is 304, what is the second? | option_a=252 | option_b=266 | option_c=570 | option_d=282 | answer=B | explanation=Scale factor = 304/16 = 19. Therefore second quantity = 14×19 = 266.
- id=4026 | topic=Percentages | difficulty=Easy | question=What is 20% of 501? | option_a=105 | option_b=90 | option_c=200 | option_d=100 | answer=D | explanation=20% of 501 = (20/100) × 501 = 100.
- id=4027 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 17? | option_a=8 | option_b=11 | option_c=5 | option_d=17 | answer=D | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 17 is the odd one out.
- id=4028 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=50 | option_c=100 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.
- id=4029 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=G | option_b=D | option_c=X | option_d=A | answer=B | explanation=Move 3 positions forward from A; the resulting letter is D.
- id=4030 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 38? | option_a=29 | option_b=13 | option_c=38 | option_d=21 | answer=C | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 38 is the odd one out.
- id=4031 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Y | option_b=Q | option_c=U | option_d=M | answer=C | explanation=Move 4 positions forward from Q; the resulting letter is U.
- id=4032 | topic=Averages | difficulty=Easy | question=Find the average of 43, 55, 59, 47. | option_a=53 | option_b=51 | option_c=52 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 204 ÷ 4 = 51.
- id=4033 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30997 at 6% per annum for 4 years. | option_a=38436 | option_b=7539 | option_c=7439 | option_d=7339 | answer=C | explanation=SI = PRT/100 = 30997×6×4/100 = █7439.
- id=4034 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:8 and the first is 8, what is the second? | option_a=64 | option_b=56 | option_c=65 | option_d=72 | answer=A | explanation=Scale factor = 8/1 = 8. Therefore second quantity = 8×8 = 64.
- id=4035 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 31, 42, 53, ? | option_a=75 | option_b=53 | option_c=64 | option_d=65 | answer=C | explanation=The common difference is 11. Therefore the next term is 53 + 11 = 64.
- id=4036 | topic=Averages | difficulty=Easy | question=Find the average of 100, 39, 60, 89. | option_a=73 | option_b=74 | option_c=72 | option_d=71 | answer=C | explanation=Average = sum of values ÷ number of values = 288 ÷ 4 = 72.
- id=4037 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=J | option_c=S | option_d=P | answer=D | explanation=Move 3 positions forward from M; the resulting letter is P.
- id=4038 | topic=Percentages | difficulty=Easy | question=What is 12% of 509? | option_a=71 | option_b=122 | option_c=61 | option_d=51 | answer=C | explanation=12% of 509 = (12/100) × 509 = 61.
- id=4039 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=S | option_b=T | option_c=Q | option_d=R | answer=A | explanation=Move 1 positions forward from R; the resulting letter is S.
- id=4040 | topic=Averages | difficulty=Easy | question=Find the average of 97, 14, 20, 13. | option_a=36 | option_b=37 | option_c=35 | option_d=38 | answer=A | explanation=Average = sum of values ÷ number of values = 144 ÷ 4 = 36.
- id=4041 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:4 and the first is 98, what is the second? | option_a=126 | option_b=42 | option_c=28 | option_d=24 | answer=C | explanation=Scale factor = 98/14 = 7. Therefore second quantity = 4×7 = 28.
- id=4042 | topic=Percentages | difficulty=Easy | question=What is 20% of 845? | option_a=169 | option_b=338 | option_c=174 | option_d=164 | answer=A | explanation=20% of 845 = (20/100) × 845 = 169.
- id=4043 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 23, 32, 44? | option_a=44 | option_b=14 | option_c=32 | option_d=23 | answer=A | explanation=The first three numbers increase by 9, so the next should be 41. Therefore 44 is the odd one out.
- id=4044 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=Z | option_b=P | option_c=E | option_d=U | answer=A | explanation=Move 5 positions forward from U; the resulting letter is Z.
- id=4045 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 32? | option_a=13 | option_b=32 | option_c=22 | option_d=4 | answer=B | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 32 is the odd one out.
- id=4046 | topic=Percentages | difficulty=Easy | question=What is 40% of 159? | option_a=126 | option_b=58 | option_c=73 | option_d=63 | answer=D | explanation=40% of 159 = (40/100) × 159 = 63.
- id=4047 | topic=Averages | difficulty=Easy | question=Find the average of 50, 83, 49, 86, 35, 35, 14, 66, 77, 25. | option_a=51 | option_b=53 | option_c=54 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 520 ÷ 10 = 52.
- id=4048 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4800. If it is sold at a profit of 40%, what is its selling price? | option_a=6240 | option_b=7200 | option_c=4840 | option_d=6720 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4800 × 140/100 = █6720.
- id=4049 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=19 | option_b=14 | option_c=22 | option_d=18 | answer=D | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.
- id=4050 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:12 and the first is 36, what is the second? | option_a=144 | option_b=132 | option_c=147 | option_d=180 | answer=A | explanation=Scale factor = 36/3 = 12. Therefore second quantity = 12×12 = 144.

Aptitude Questions — Records 4,051-4,080 of 100,000

id=4051 | topic=Averages | difficulty=Easy | question=Find the average of 39, 95, 94, 76, 48, 98. | option_a=75 | option_b=76 | option_c=74 | option_d=77 | answer=A | explanation=Average = sum of values ÷ number of values = 450 ÷ 6 = 75.

id=4052 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=4053 | topic=Averages | difficulty=Easy | question=Find the average of 56, 41, 10, 17, 49, 91. | option_a=44 | option_b=43 | option_c=46 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 264 ÷ 6 = 44.

id=4054 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=4055 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 20. | option_a=160 | option_b=40 | option_c=48 | option_d=20 | answer=B | explanation=LCM × HCF = 8×20; HCF(8,20) = 4, so LCM = 40.

id=4056 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:16 and the first is 102, what is the second? | option_a=96 | option_b=198 | option_c=80 | option_d=113 | answer=A | explanation=Scale factor = 102/17 = 6. Therefore second quantity = 16×6 = 96.

id=4057 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 21, 28, 38? | option_a=28 | option_b=38 | option_c=21 | option_d=14 | answer=B | explanation=The first three numbers increase by 7, so the next should be 35. Therefore 38 is the odd one out.

id=4058 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=4059 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4045. If it is sold at a profit of 40%, what is its selling price? | option_a=5259 | option_b=6067 | option_c=5663 | option_d=4085 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4045 × 140/100 = █5663.

id=4060 | topic=Percentages | difficulty=Easy | question=What is 25% of 798? | option_a=179 | option_b=398 | option_c=219 | option_d=199 | answer=D | explanation=25% of 798 = (25/100) × 798 = 199.

id=4061 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=4062 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=4063 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=B | option_c=E | option_d=D | answer=D | explanation=Move 1 positions forward from C; the resulting letter is D.

id=4064 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=4065 | topic=Percentages | difficulty=Easy | question=What is 50% of 146? | option_a=73 | option_b=146 | option_c=68 | option_d=93 | answer=A | explanation=50% of 146 = (50/100) × 146 = 73.

id=4066 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=W | option_b=H | option_c=M | option_d=R | answer=D | explanation=Move 5 positions forward from M; the resulting letter is R.

id=4067 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 8. | option_a=48 | option_b=16 | option_c=24 | option_d=30 | answer=C | explanation=LCM × HCF = 6×8; HCF(6,8) = 2, so LCM = 24.

id=4068 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:17 and the first is 45, what is the second? | option_a=85 | option_b=94 | option_c=68 | option_d=130 | answer=A | explanation=Scale factor = 45/9 = 5. Therefore second quantity = 17×5 = 85.

id=4069 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=P | option_c=D | option_d=H | answer=A | explanation=Move 4 positions forward from H; the resulting letter is L.

id=4070 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1234. If it is sold at a profit of 15%, what is its selling price? | option_a=1542 | option_b=1249 | option_c=1296 | option_d=1419 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1234 × 115/100 = █1419.

id=4071 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2375 at 8% per annum for 2 years. | option_a=2755 | option_b=480 | option_c=280 | option_d=380 | answer=D | explanation=SI = PRT/100 = 2375×8×2/100 = █380.

id=4072 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:16 and the first is 56, what is the second? | option_a=228 | option_b=280 | option_c=208 | option_d=224 | answer=D | explanation=Scale factor = 56/4 = 14. Therefore second quantity = 16×14 = 224.

id=4073 | topic=Percentages | difficulty=Easy | question=What is 15% of 368? | option_a=110 | option_b=65 | option_c=45 | option_d=55 | answer=D | explanation=15% of 368 = (15/100) × 368 = 55.

id=4074 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 17, 25, 33, ? | option_a=33 | option_b=41 | option_c=42 | option_d=49 | answer=B | explanation=The common difference is 8. Therefore the next term is 33 + 8 = 41.

id=4075 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=4076 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:10 and the first is 162, what is the second? | option_a=342 | option_b=189 | option_c=180 | option_d=170 | answer=C | explanation=Scale factor = 162/9 = 18. Therefore second quantity = 10×18 = 180.

id=4077 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 25, 35, 46? | option_a=25 | option_b=15 | option_c=35 | option_d=46 | answer=D | explanation=The first three numbers increase by 10, so the next should be 45. Therefore 46 is the odd one out.

id=4078 | topic=Averages | difficulty=Easy | question=Find the average of 15, 64, 42, 13, 87, 103. | option_a=56 | option_b=53 | option_c=55 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 324 ÷ 6 = 54.

id=4079 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 28. | option_a=28 | option_b=112 | option_c=32 | option_d=1 | answer=A | explanation=LCM × HCF = 4×28; HCF(4,28) = 4, so LCM = 28.

id=4080 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=63 | option_b=51 | option_c=39 | option_d=52 | answer=B | explanation=The common difference is 12. Therefore the next term is 39 + 12 = 51.

Aptitude Questions — Records 4,081-4,110 of 100,000

- id=4081 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=23 | option_b=19 | option_c=20 | option_d=15 | answer=B | explanation=The common difference is 4. Therefore the next term is 15 + 4 = 19.
- id=4082 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2036 at 12% per annum for 3 years. | option_a=632 | option_b=832 | option_c=732 | option_d=2768 | answer=C | explanation=SI = $PRT/100 = 2036 \times 12 \times 3/100 = \text{■}732$.
- id=4083 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8617 at 8% per annum for 2 years. | option_a=1278 | option_b=1378 | option_c=1478 | option_d=9995 | answer=B | explanation=SI = $PRT/100 = 8617 \times 8 \times 2/100 = \text{■}1378$.
- id=4084 | topic=Averages | difficulty=Easy | question=Find the average of 34, 51, 75, 48, 22. | option_a=45 | option_b=47 | option_c=48 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 230 ÷ 5 = 46.
- id=4085 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=144 | option_c=67 | option_d=77 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.
- id=4086 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=52 | option_b=53 | option_c=63 | option_d=41 | answer=A | explanation=The common difference is 11. Therefore the next term is 41 + 11 = 52.
- id=4087 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=30 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.
- id=4088 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:3 and the first is 12, what is the second? | option_a=15 | option_b=12 | option_c=9 | option_d=24 | answer=B | explanation=Scale factor = $12/3 = 4$. Therefore second quantity = $3 \times 4 = 12$.
- id=4089 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=200 | option_c=95 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.
- id=4090 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=67 | option_b=55 | option_c=56 | option_d=43 | answer=B | explanation=The common difference is 12. Therefore the next term is 43 + 12 = 55.
- id=4091 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 32? | option_a=21 | option_b=16 | option_c=26 | option_d=32 | answer=D | explanation=The first three numbers increase by 5, so the next should be 31. Therefore 32 is the odd one out.
- id=4092 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=A | option_b=Q | option_c=V | option_d=L | answer=C | explanation=Move 5 positions forward from Q; the resulting letter is V.
- id=4093 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=Q | option_b=O | option_c=M | option_d=S | answer=A | explanation=Move 2 positions forward from O; the resulting letter is Q.
- id=4094 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 17, 21, 26? | option_a=17 | option_b=21 | option_c=13 | option_d=26 | answer=D | explanation=The first three numbers increase by 4, so the next should be 25. Therefore 26 is the odd one out.
- id=4095 | topic=Percentages | difficulty=Easy | question=What is 40% of 181? | option_a=144 | option_b=77 | option_c=72 | option_d=52 | answer=C | explanation=40% of 181 = $(40/100) \times 181 = 72$.
- id=4096 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:14 and the first is 21, what is the second? | option_a=98 | option_b=101 | option_c=84 | option_d=119 | answer=A | explanation=Scale factor = $21/3 = 7$. Therefore second quantity = $14 \times 7 = 98$.
- id=4097 | topic=Averages | difficulty=Easy | question=Find the average of 51, 18, 30, 89, 51, 55, 52, 21, 101. | option_a=51 | option_b=53 | option_c=54 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 468 ÷ 9 = 52.
- id=4098 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**365. If it is sold at a profit of 10%, what is its selling price? | option_a=401 | option_b=437 | option_c=375 | option_d=365 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 365 \times 110/100 = \text{■}401$.
- id=4099 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9442 at 8% per annum for 2 years. | option_a=10952 | option_b=1510 | option_c=1410 | option_d=1610 | answer=B | explanation=SI = $PRT/100 = 9442 \times 8 \times 2/100 = \text{■}1510$.
- id=4100 | topic=Percentages | difficulty=Easy | question=What is 30% of 479? | option_a=286 | option_b=133 | option_c=143 | option_d=148 | answer=C | explanation=30% of 479 = $(30/100) \times 479 = 143$.
- id=4101 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.
- id=4102 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=M | option_b=G | option_c=K | option_d=I | answer=C | explanation=Move 2 positions forward from I; the resulting letter is K.
- id=4103 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=50 | option_c=30 | option_d=25 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.
- id=4104 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 5, 8, 13? | option_a=2 | option_b=5 | option_c=13 | option_d=8 | answer=C | explanation=The first three numbers increase by 3, so the next should be 11. Therefore 13 is the odd one out.
- id=4105 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=4 | option_d=20 | answer=A | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.
- id=4106 | topic=Percentages | difficulty=Easy | question=What is 15% of 559? | option_a=83 | option_b=166 | option_c=88 | option_d=73 | answer=A | explanation=15% of 559 = $(15/100) \times 559 = 83$.
- id=4107 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**254. If it is sold at a profit of 40%, what is its selling price? | option_a=294 | option_b=330 | option_c=380 | option_d=355 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 254 \times 140/100 = \text{■}355$.
- id=4108 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:15 and the first is 38, what is the second? | option_a=68 | option_b=49 | option_c=15 | option_d=30 | answer=D | explanation=Scale factor = $38/19 = 2$. Therefore second quantity = $15 \times 2 = 30$.
- id=4109 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:18 and the first is 22, what is the second? | option_a=18 | option_b=58 | option_c=47 | option_d=36 | answer=D | explanation=Scale factor = $22/11 = 2$. Therefore second quantity = $18 \times 2 = 36$.
- id=4110 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39017 at 8% per annum for 2 years. | option_a=6342 | option_b=45259 | option_c=6142 | option_d=6242 | answer=D | explanation=SI = $PRT/100 = 39017 \times 8 \times 2/100 = \text{■}6242$.

Aptitude Questions — Records 4,111-4,140 of 100,000

id=4111 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:4 and the first is 52, what is the second? | option_a=48 | option_b=104 | option_c=56 | option_d=52 | answer=D | explanation=Scale factor = $52/4 = 13$. Therefore second quantity = $4 \times 13 = 52$.

id=4112 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=P | option_b=T | option_c=X | option_d=B | answer=C | explanation=Move 4 positions forward from T; the resulting letter is X.

id=4113 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2802. If it is sold at a profit of 15%, what is its selling price? | option_a=2817 | option_b=3222 | option_c=3502 | option_d=2942 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2802 \times 115/100 = \text{█}3222$.

id=4114 | topic=Averages | difficulty=Easy | question=Find the average of 27, 94, 80, 16, 53. | option_a=54 | option_b=53 | option_c=56 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = $270 \div 5 = 54$.

id=4115 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=L | option_c=H | option_d=J | answer=B | explanation=Move 2 positions forward from J; the resulting letter is L.

id=4116 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:13 and the first is 112, what is the second? | option_a=107 | option_b=91 | option_c=203 | option_d=78 | answer=B | explanation=Scale factor = $112/16 = 7$. Therefore second quantity = $13 \times 7 = 91$.

id=4117 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=23 | option_b=19 | option_c=22 | option_d=21 | answer=D | explanation=The common difference is 2. Therefore the next term is $19 + 2 = 21$.

id=4118 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=12 | option_b=24 | option_c=17 | option_d=7 | answer=A | explanation=Speed = distance ÷ time = $120 \div 10 = 12$ km/h.

id=4119 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31343 at 8% per annum for 5 years. | option_a=12437 | option_b=12537 | option_c=43880 | option_d=12637 | answer=B | explanation=SI = $PRT/100 = 31343 \times 8 \times 5/100 = \text{█}12537$.

id=4120 | topic=Averages | difficulty=Easy | question=Find the average of 66, 45, 78, 87. | option_a=70 | option_b=68 | option_c=71 | option_d=69 | answer=D | explanation=Average = sum of values ÷ number of values = $276 \div 4 = 69$.

id=4121 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:18 and the first is 216, what is the second? | option_a=540 | option_b=336 | option_c=306 | option_d=324 | answer=D | explanation=Scale factor = $216/12 = 18$. Therefore second quantity = $18 \times 18 = 324$.

id=4122 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4552. If it is sold at a profit of 40%, what is its selling price? | option_a=5917 | option_b=4592 | option_c=6827 | option_d=6372 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4552 \times 140/100 = \text{█}6372$.

id=4123 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40921 at 5% per annum for 3 years. | option_a=6138 | option_b=6238 | option_c=47059 | option_d=6038 | answer=A | explanation=SI = $PRT/100 = 40921 \times 5 \times 3/100 = \text{█}6138$.

id=4124 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=V | option_c=Q | option_d=G | answer=C | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=4125 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.

id=4126 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=13 | option_b=16 | option_c=17 | option_d=19 | answer=B | explanation=The common difference is 3. Therefore the next term is $13 + 3 = 16$.

id=4127 | topic=Percentages | difficulty=Easy | question=What is 20% of 1501? | option_a=290 | option_b=310 | option_c=300 | option_d=600 | answer=C | explanation= $20\% \text{ of } 1501 = (20/100) \times 1501 = 300$.

id=4128 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:4 and the first is 44, what is the second? | option_a=12 | option_b=27 | option_c=16 | option_d=60 | answer=C | explanation=Scale factor = $44/11 = 4$. Therefore second quantity = $4 \times 4 = 16$.

id=4129 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 29, 38, 48? | option_a=29 | option_b=38 | option_c=20 | option_d=48 | answer=D | explanation=The first three numbers increase by 9, so the next should be 47. Therefore 48 is the odd one out.

id=4130 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8620 at 15% per annum for 2 years. | option_a=2586 | option_b=2486 | option_c=11206 | option_d=2686 | answer=A | explanation=SI = $PRT/100 = 8620 \times 15 \times 2/100 = \text{█}2586$.

id=4131 | topic=Percentages | difficulty=Easy | question=What is 50% of 65? | option_a=22 | option_b=32 | option_c=37 | option_d=64 | answer=B | explanation= $50\% \text{ of } 65 = (50/100) \times 65 = 32$.

id=4132 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45015 at 10% per annum for 5 years. | option_a=22407 | option_b=67522 | option_c=22507 | option_d=22607 | answer=C | explanation=SI = $PRT/100 = 45015 \times 10 \times 5/100 = \text{█}22507$.

id=4133 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:4 and the first is 65, what is the second? | option_a=20 | option_b=85 | option_c=16 | option_d=33 | answer=A | explanation=Scale factor = $65/13 = 5$. Therefore second quantity = $4 \times 5 = 20$.

id=4134 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=43 | option_b=51 | option_c=33 | option_d=42 | answer=D | explanation=The common difference is 9. Therefore the next term is $33 + 9 = 42$.

id=4135 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=4136 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=55 | option_b=56 | option_c=66 | option_d=44 | answer=A | explanation=The common difference is 11. Therefore the next term is $44 + 11 = 55$.

id=4137 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=F | option_b=O | option_c=L | option_d=I | answer=C | explanation=Move 3 positions forward from I; the resulting letter is L.

id=4138 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 20. | option_a=140 | option_b=280 | option_c=120 | option_d=154 | answer=A | explanation= $LCM \times HCF = 14 \times 20$; $HCF(14, 20) = 2$, so $LCM = 140$.

id=4139 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26270 at 12% per annum for 3 years. | option_a=9557 | option_b=9457 | option_c=35727 | option_d=9357 | answer=B | explanation=SI = $PRT/100 = 26270 \times 12 \times 3/100 = \text{█}9457$.

id=4140 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:12 and the first is 300, what is the second? | option_a=540 | option_b=255 | option_c=228 | option_d=240 | answer=D | explanation=Scale factor = $300/15 = 20$. Therefore second quantity = $12 \times 20 = 240$.

Aptitude Questions — Records 4,141-4,170 of 100,000

- id=4141 | topic=Percentages | difficulty=Easy | question=What is 20% of 1968? | option_a=393 | option_b=786 | option_c=383 | option_d=398 | answer=A | explanation=20% of 1968 = (20/100) × 1968 = 393.
- id=4142 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=E | option_b=U | option_c=P | option_d=Z | answer=D | explanation=Move 5 positions forward from U; the resulting letter is Z.
- id=4143 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=96 | option_c=43 | option_d=53 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.
- id=4144 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=23 | option_c=13 | option_d=36 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.
- id=4145 | topic=Averages | difficulty=Easy | question=Find the average of 96, 14, 72, 98, 36, 17, 66. | option_a=59 | option_b=58 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 399 ÷ 7 = 57.
- id=4146 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=S | option_b=W | option_c=Y | option_d=U | answer=B | explanation=Move 2 positions forward from U; the resulting letter is W.
- id=4147 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=T | option_b=V | option_c=U | option_d=W | answer=B | explanation=Move 1 positions forward from U; the resulting letter is V.
- id=4148 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=4149 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1.8 and the first is 8, what is the second? | option_a=64 | option_b=65 | option_c=56 | option_d=72 | answer=A | explanation=Scale factor = 8/1 = 8. Therefore second quantity = 8×8 = 64.
- id=4150 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹37328 at 6% per annum for 1 years. | option_a=39567 | option_b=2139 | option_c=2239 | option_d=2339 | answer=C | explanation=SI = PRT/100 = 37328×6×1/100 = ₹2239.
- id=4151 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹45785 at 15% per annum for 4 years. | option_a=27571 | option_b=73256 | option_c=27471 | option_d=27371 | answer=C | explanation=SI = PRT/100 = 45785×15×4/100 = ₹27471.
- id=4152 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 12. | option_a=108 | option_b=45 | option_c=36 | option_d=24 | answer=C | explanation=LCM × HCF = 9×12; HCF(9,12) = 3, so LCM = 36.
- id=4153 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=36 | option_b=32 | option_c=33 | option_d=28 | answer=B | explanation=The common difference is 4. Therefore the next term is 28 + 4 = 32.
- id=4154 | topic=Averages | difficulty=Easy | question=Find the average of 26, 41, 44, 71, 73. | option_a=53 | option_b=50 | option_c=52 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 255 ÷ 5 = 51.
- id=4155 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=20 | option_b=21 | option_c=18 | option_d=22 | answer=A | explanation=The common difference is 2. Therefore the next term is 18 + 2 = 20.
- id=4156 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.
- id=4157 | topic=Percentages | difficulty=Easy | question=What is 30% of 133? | option_a=44 | option_b=78 | option_c=39 | option_d=29 | answer=C | explanation=30% of 133 = (30/100) × 133 = 39.
- id=4158 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=12 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=4159 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1411. If it is sold at a profit of 10%, what is its selling price? | option_a=1421 | option_b=1552 | option_c=1411 | option_d=1693 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1411 × 110/100 = ₹1552.
- id=4160 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=M | option_b=E | option_c=A | option_d=I | answer=D | explanation=Move 4 positions forward from E; the resulting letter is I.
- id=4161 | topic=Percentages | difficulty=Easy | question=What is 30% of 946? | option_a=566 | option_b=278 | option_c=283 | option_d=288 | answer=C | explanation=30% of 946 = (30/100) × 946 = 283.
- id=4162 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=V | option_b=W | option_c=T | option_d=U | answer=A | explanation=Move 1 positions forward from U; the resulting letter is V.
- id=4163 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:18 and the first is 182, what is the second? | option_a=416 | option_b=234 | option_c=216 | option_d=248 | answer=B | explanation=Scale factor = 182/14 = 13. Therefore second quantity = 18×13 = 234.
- id=4164 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:12 and the first is 144, what is the second? | option_a=144 | option_b=156 | option_c=288 | option_d=132 | answer=A | explanation=Scale factor = 144/12 = 12. Therefore second quantity = 12×12 = 144.
- id=4165 | topic=Percentages | difficulty=Easy | question=What is 30% of 308? | option_a=184 | option_b=92 | option_c=97 | option_d=72 | answer=B | explanation=30% of 308 = (30/100) × 308 = 92.
- id=4166 | topic=Number System | difficulty=Easy | question=Find the LCM of 17 and 17. | option_a=34 | option_b=289 | option_c=17 | option_d=1 | answer=C | explanation=LCM × HCF = 17×17; HCF(17,17) = 17, so LCM = 17.
- id=4167 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=A | option_b=E | option_c=I | option_d=M | answer=C | explanation=Move 4 positions forward from E; the resulting letter is I.
- id=4168 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:2 and the first is 28, what is the second? | option_a=32 | option_b=4 | option_c=2 | option_d=18 | answer=B | explanation=Scale factor = 28/14 = 2. Therefore second quantity = 2×2 = 4.
- id=4169 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=4170 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

Aptitude Questions — Records 4,171-4,200 of 100,000

- id=4171 | topic=Percentages | difficulty=Easy | question=What is 40% of 934? | option_a=353 | option_b=746 | option_c=378 | option_d=373 | answer=D | explanation=40% of 934 = $(40/100) \times 934 = 373$.
- id=4172 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3534 at 4% per annum for 2 years. | option_a=282 | option_b=182 | option_c=3816 | option_d=382 | answer=A | explanation=SI = $PRT/100 = 3534 \times 4 \times 2/100 = \text{■}282$.
- id=4173 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 12, 21, 30, ? | option_a=39 | option_b=48 | option_c=30 | option_d=40 | answer=A | explanation=The common difference is 9. Therefore the next term is $30 + 9 = 39$.
- id=4174 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8504 at 8% per annum for 2 years. | option_a=1460 | option_b=9864 | option_c=1260 | option_d=1360 | answer=D | explanation=SI = $PRT/100 = 8504 \times 8 \times 2/100 = \text{■}1360$.
- id=4175 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=F | option_b=L | option_c=H | option_d=J | answer=D | explanation=Move 2 positions forward from H; the resulting letter is J.
- id=4176 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=63 | option_b=50 | option_c=62 | option_d=74 | answer=C | explanation=The common difference is 12. Therefore the next term is $50 + 12 = 62$.
- id=4177 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=75 | option_d=150 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 150 \div 2 = 75 \text{ km/h}$.
- id=4178 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28387 at 4% per annum for 1 years. | option_a=29522 | option_b=1035 | option_c=1135 | option_d=1235 | answer=C | explanation=SI = $PRT/100 = 28387 \times 4 \times 1/100 = \text{■}1135$.
- id=4179 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=W | option_b=K | option_c=S | option_d=O | answer=C | explanation=Move 4 positions forward from O; the resulting letter is S.
- id=4180 | topic=Percentages | difficulty=Easy | question=What is 20% of 696? | option_a=139 | option_b=278 | option_c=159 | option_d=119 | answer=A | explanation=20% of 696 = $(20/100) \times 696 = 139$.
- id=4181 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36881 at 5% per annum for 1 years. | option_a=1944 | option_b=1744 | option_c=1844 | option_d=38725 | answer=C | explanation=SI = $PRT/100 = 36881 \times 5 \times 1/100 = \text{■}1844$.
- id=4182 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46414 at 12% per annum for 5 years. | option_a=27948 | option_b=27748 | option_c=74262 | option_d=27848 | answer=D | explanation=SI = $PRT/100 = 46414 \times 12 \times 5/100 = \text{■}27848$.
- id=4183 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.
- id=4184 | topic=Percentages | difficulty=Easy | question=What is 30% of 1374? | option_a=412 | option_b=824 | option_c=402 | option_d=422 | answer=A | explanation=30% of 1374 = $(30/100) \times 1374 = 412$.
- id=4185 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 120 \div 4 = 30 \text{ km/h}$.
- id=4186 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 22, 28, 36? | option_a=36 | option_b=16 | option_c=22 | option_d=28 | answer=A | explanation=The first three numbers increase by 6, so the next should be 34. Therefore 36 is the odd one out.
- id=4187 | topic=Percentages | difficulty=Easy | question=What is 5% of 954? | option_a=47 | option_b=94 | option_c=67 | option_d=27 | answer=A | explanation=5% of 954 = $(5/100) \times 954 = 47$.
- id=4188 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 16. | option_a=1 | option_b=256 | option_c=32 | option_d=16 | answer=D | explanation=LCM $\times$ HCF = 16×16 ; HCF(16,16) = 16, so LCM = 16.
- id=4189 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41292 at 10% per annum for 5 years. | option_a=20546 | option_b=20746 | option_c=20646 | option_d=61938 | answer=C | explanation=SI = $PRT/100 = 41292 \times 10 \times 5/100 = \text{■}20646$.
- id=4190 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27141 at 10% per annum for 1 years. | option_a=29855 | option_b=2714 | option_c=2614 | option_d=2814 | answer=B | explanation=SI = $PRT/100 = 27141 \times 10 \times 1/100 = \text{■}2714$.
- id=4191 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.
- id=4192 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=15 | option_d=30 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 150 \div 10 = 15 \text{ km/h}$.
- id=4193 | topic=Percentages | difficulty=Easy | question=What is 30% of 735? | option_a=240 | option_b=220 | option_c=200 | option_d=440 | answer=B | explanation=30% of 735 = $(30/100) \times 735 = 220$.
- id=4194 | topic=Averages | difficulty=Easy | question=Find the average of 98, 92, 61, 61. | option_a=78 | option_b=80 | option_c=79 | option_d=77 | answer=A | explanation=Average = $\text{sum of values} \div \text{number of values} = 312 \div 4 = 78$.
- id=4195 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=A | option_b=E | option_c=C | option_d=G | answer=B | explanation=Move 2 positions forward from C; the resulting letter is E.
- id=4196 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1527. If it is sold at a profit of 25%, what is its selling price? | option_a=1908 | option_b=1552 | option_c=1756 | option_d=2060 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1527 \times 125/100 = \text{■}1908$.
- id=4197 | topic=Averages | difficulty=Easy | question=Find the average of 96, 97, 44, 20, 61, 12, 20, 90. | option_a=57 | option_b=56 | option_c=54 | option_d=55 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 440 \div 8 = 55$.
- id=4198 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 34? | option_a=2 | option_b=22 | option_c=12 | option_d=34 | answer=D | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 34 is the odd one out.
- id=4199 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 24. | option_a=1 | option_b=24 | option_c=26 | option_d=48 | answer=B | explanation=LCM $\times$ HCF = 2×24 ; HCF(2,24) = 2, so LCM = 24.
- id=4200 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 120 \div 2 = 60 \text{ km/h}$.

Aptitude Questions — Records 4,201-4,230 of 100,000

id=4201 | topic=Percentages | difficulty=Easy | question=What is 20% of 1015? | option_a=193 | option_b=406 | option_c=203 | option_d=208 | answer=C | explanation=20% of 1015 = (20/100) × 1015 = 203.

id=4202 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 44? | option_a=44 | option_b=20 | option_c=27 | option_d=34 | answer=A | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 44 is the odd one out.

id=4203 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 6. | option_a=144 | option_b=24 | option_c=48 | option_d=18 | answer=B | explanation=LCM × HCF = 24×6; HCF(24,6) = 6, so LCM = 24.

id=4204 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=Y | option_b=B | option_c=H | option_d=E | answer=D | explanation=Move 3 positions forward from B; the resulting letter is E.

id=4205 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=12 | option_b=8 | option_c=10 | option_d=11 | answer=C | explanation=The common difference is 2. Therefore the next term is 8 + 2 = 10.

id=4206 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=4207 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=4208 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=R | option_b=T | option_c=X | option_d=V | answer=D | explanation=Move 2 positions forward from T; the resulting letter is V.

id=4209 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=K | option_b=F | option_c=A | option_d=P | answer=A | explanation=Move 5 positions forward from F; the resulting letter is K.

id=4210 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:11 and the first is 135, what is the second? | option_a=99 | option_b=88 | option_c=114 | option_d=234 | answer=A | explanation=Scale factor = 135/15 = 9. Therefore second quantity = 11×9 = 99.

id=4211 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:6 and the first is 117, what is the second? | option_a=78 | option_b=72 | option_c=195 | option_d=87 | answer=A | explanation=Scale factor = 117/9 = 13. Therefore second quantity = 6×13 = 78.

id=4212 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=Y | option_c=S | option_d=W | answer=D | explanation=Move 2 positions forward from U; the resulting letter is W.

id=4213 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=4214 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=N | option_c=M | option_d=K | answer=C | explanation=Move 1 positions forward from L; the resulting letter is M.

id=4215 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=45 | option_b=36 | option_c=54 | option_d=46 | answer=A | explanation=The common difference is 9. Therefore the next term is 36 + 9 = 45.

id=4216 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=4217 | topic=Averages | difficulty=Easy | question=Find the average of 74, 61, 31, 46, 15, 96, 55, 70. | option_a=56 | option_b=58 | option_c=57 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 448 ÷ 8 = 56.

id=4218 | topic=Percentages | difficulty=Easy | question=What is 50% of 1206? | option_a=603 | option_b=598 | option_c=1206 | option_d=613 | answer=A | explanation=50% of 1206 = (50/100) × 1206 = 603.

id=4219 | topic=Averages | difficulty=Easy | question=Find the average of 28, 66, 85, 23, 22, 24, 21, 99. | option_a=48 | option_b=47 | option_c=45 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 368 ÷ 8 = 46.

id=4220 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4476. If it is sold at a profit of 25%, what is its selling price? | option_a=5595 | option_b=6042 | option_c=5148 | option_d=4501 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4476 × 125/100 = █5595.

id=4221 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 31, 41, 54? | option_a=21 | option_b=54 | option_c=41 | option_d=31 | answer=B | explanation=The first three numbers increase by 10, so the next should be 51. Therefore 54 is the odd one out.

id=4222 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6005 at 5% per annum for 3 years. | option_a=1000 | option_b=800 | option_c=900 | option_d=6905 | answer=C | explanation=SI = PRT/100 = 6005×5×3/100 = █900.

id=4223 | topic=Percentages | difficulty=Easy | question=What is 40% of 1726? | option_a=690 | option_b=1380 | option_c=670 | option_d=710 | answer=A | explanation=40% of 1726 = (40/100) × 1726 = 690.

id=4224 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 9? | option_a=9 | option_b=6 | option_c=4 | option_d=2 | answer=A | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 9 is the odd one out.

id=4225 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:12 and the first is 85, what is the second? | option_a=192 | option_b=289 | option_c=204 | option_d=209 | answer=C | explanation=Scale factor = 85/5 = 17. Therefore second quantity = 12×17 = 204.

id=4226 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=4227 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 32, 35, 41? | option_a=32 | option_b=35 | option_c=41 | option_d=29 | answer=C | explanation=The first three numbers increase by 3, so the next should be 38. Therefore 41 is the odd one out.

id=4228 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=43 | option_b=37 | option_c=49 | option_d=44 | answer=A | explanation=The common difference is 6. Therefore the next term is 37 + 6 = 43.

id=4229 | topic=Percentages | difficulty=Easy | question=What is 12% of 653? | option_a=73 | option_b=98 | option_c=78 | option_d=156 | answer=C | explanation=12% of 653 = (12/100) × 653 = 78.

id=4230 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 38? | option_a=28 | option_b=19 | option_c=10 | option_d=38 | answer=D | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 38 is the odd one out.

Aptitude Questions — Records 4,231-4,260 of 100,000

id=4231 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3852. If it is sold at a profit of 15%, what is its selling price? | option_a=4044 | option_b=4429 | option_c=4814 | option_d=3867 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3852 × 115/100 = █4429.

id=4232 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:5 and the first is 84, what is the second? | option_a=35 | option_b=30 | option_c=47 | option_d=119 | answer=A | explanation=Scale factor = 84/12 = 7. Therefore second quantity = 5×7 = 35.

id=4233 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 28, 38, 48, ? | option_a=58 | option_b=68 | option_c=48 | option_d=59 | answer=A | explanation=The common difference is 10. Therefore the next term is 48 + 10 = 58.

id=4234 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:17 and the first is 110, what is the second? | option_a=153 | option_b=170 | option_c=181 | option_d=280 | answer=B | explanation=Scale factor = 110/11 = 10. Therefore second quantity = 17×10 = 170.

id=4235 | topic=Averages | difficulty=Easy | question=Find the average of 10, 24, 88, 27, 84, 98, 40. | option_a=52 | option_b=54 | option_c=53 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 371 ÷ 7 = 53.

id=4236 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=27 | option_b=31 | option_c=35 | option_d=32 | answer=B | explanation=The common difference is 4. Therefore the next term is 27 + 4 = 31.

id=4237 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=38 | option_b=26 | option_c=32 | option_d=33 | answer=C | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=4238 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1354. If it is sold at a profit of 25%, what is its selling price? | option_a=1692 | option_b=1379 | option_c=1827 | option_d=1557 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1354 × 125/100 = █1692.

id=4239 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 17, 25, 33, ? | option_a=42 | option_b=41 | option_c=49 | option_d=33 | answer=B | explanation=The common difference is 8. Therefore the next term is 33 + 8 = 41.

id=4240 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3050. If it is sold at a profit of 40%, what is its selling price? | option_a=4575 | option_b=3965 | option_c=4270 | option_d=3090 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3050 × 140/100 = █4270.

id=4241 | topic=Averages | difficulty=Easy | question=Find the average of 69, 13, 95. | option_a=59 | option_b=58 | option_c=60 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 177 ÷ 3 = 59.

id=4242 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 9, 16, 24? | option_a=9 | option_b=16 | option_c=2 | option_d=24 | answer=D | explanation=The first three numbers increase by 7, so the next should be 23. Therefore 24 is the odd one out.

id=4243 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47304 at 5% per annum for 4 years. | option_a=9560 | option_b=56764 | option_c=9460 | option_d=9360 | answer=C | explanation=SI = PRT/100 = 47304×5×4/100 = █9460.

id=4244 | topic=Percentages | difficulty=Easy | question=What is 40% of 486? | option_a=189 | option_b=214 | option_c=194 | option_d=388 | answer=C | explanation=40% of 486 = (40/100) × 486 = 194.

id=4245 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=Y | option_c=S | option_d=U | answer=A | explanation=Move 2 positions forward from U; the resulting letter is W.

id=4246 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=95 | option_c=200 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=4247 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=G | option_c=A | option_d=E | answer=D | explanation=Move 2 positions forward from C; the resulting letter is E.

id=4248 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 39, 48, 60? | option_a=48 | option_b=39 | option_c=30 | option_d=60 | answer=D | explanation=The first three numbers increase by 9, so the next should be 57. Therefore 60 is the odd one out.

id=4249 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2712. If it is sold at a profit of 25%, what is its selling price? | option_a=3390 | option_b=3661 | option_c=2737 | option_d=3119 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2712 × 125/100 = █3390.

id=4250 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 39? | option_a=39 | option_b=30 | option_c=14 | option_d=22 | answer=A | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 39 is the odd one out.

id=4251 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:17 and the first is 6, what is the second? | option_a=40 | option_b=34 | option_c=17 | option_d=37 | answer=B | explanation=Scale factor = 6/3 = 2. Therefore second quantity = 17×2 = 34.

id=4252 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=4253 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=4254 | topic=Averages | difficulty=Easy | question=Find the average of 12, 36, 65, 58, 79. | option_a=49 | option_b=50 | option_c=51 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 250 ÷ 5 = 50.

id=4255 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29015 at 10% per annum for 3 years. | option_a=8604 | option_b=8704 | option_c=37719 | option_d=8804 | answer=B | explanation=SI = PRT/100 = 29015×10×3/100 = █8704.

id=4256 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 24, 32, 41? | option_a=32 | option_b=24 | option_c=41 | option_d=16 | answer=C | explanation=The first three numbers increase by 8, so the next should be 40. Therefore 41 is the odd one out.

id=4257 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 26, 35, 47? | option_a=47 | option_b=26 | option_c=35 | option_d=17 | answer=A | explanation=The first three numbers increase by 9, so the next should be 44. Therefore 47 is the odd one out.

id=4258 | topic=Profit & Loss | difficulty=Easy | question=An article costs █159. If it is sold at a profit of 40%, what is its selling price? | option_a=199 | option_b=222 | option_c=207 | option_d=237 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 159 × 140/100 = █222.

id=4259 | topic=Averages | difficulty=Easy | question=Find the average of 91, 91, 54, 91, 100, 57, 76. | option_a=80 | option_b=79 | option_c=82 | option_d=81 | answer=A | explanation=Average = sum of values ÷ number of values = 560 ÷ 7 = 80.

id=4260 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13640 at 12% per annum for 2 years. | option_a=3173 | option_b=3273 | option_c=3373 | option_d=16913 | answer=B | explanation=SI = PRT/100 = 13640×12×2/100 = █3273.

Aptitude Questions — Records 4,261-4,290 of 100,000

id=4261 | topic=Percentages | difficulty=Easy | question=What is 25% of 571? | option_a=142 | option_b=147 | option_c=284 | option_d=132 | answer=A | explanation=25% of 571 = (25/100) × 571 = 142.

id=4262 | topic=Averages | difficulty=Easy | question=Find the average of 26, 69, 40. | option_a=44 | option_b=47 | option_c=45 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 135 ÷ 3 = 45.

id=4263 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17683 at 4% per annum for 2 years. | option_a=1414 | option_b=19097 | option_c=1514 | option_d=1314 | answer=A | explanation=SI = PRT/100 = 17683×4×2/100 = █1414.

id=4264 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:17 and the first is 126, what is the second? | option_a=136 | option_b=153 | option_c=167 | option_d=279 | answer=B | explanation=Scale factor = 126/14 = 9. Therefore second quantity = 17×9 = 153.

id=4265 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:4 and the first is 60, what is the second? | option_a=64 | option_b=60 | option_c=56 | option_d=120 | answer=B | explanation=Scale factor = 60/4 = 15. Therefore second quantity = 4×15 = 60.

id=4266 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=41 | option_c=36 | option_d=72 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=4267 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=45 | option_c=55 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=4268 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 44? | option_a=29 | option_b=44 | option_c=23 | option_d=35 | answer=B | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 44 is the odd one out.

id=4269 | topic=Averages | difficulty=Easy | question=Find the average of 32, 89, 19, 98, 32. | option_a=54 | option_b=55 | option_c=56 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 270 ÷ 5 = 54.

id=4270 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=4271 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=R | option_c=N | option_d=L | answer=A | explanation=Move 2 positions forward from N; the resulting letter is P.

id=4272 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=4273 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=M | option_b=B | option_c=W | option_d=R | answer=C | explanation=Move 5 positions forward from R; the resulting letter is W.

id=4274 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1154. If it is sold at a profit of 5%, what is its selling price? | option_a=1159 | option_b=1096 | option_c=1211 | option_d=1326 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1154 × 105/100 = █1211.

id=4275 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2076. If it is sold at a profit of 50%, what is its selling price? | option_a=2907 | option_b=2126 | option_c=3321 | option_d=3114 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2076 × 150/100 = █3114.

id=4276 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 14, 19, 26? | option_a=9 | option_b=26 | option_c=14 | option_d=19 | answer=B | explanation=The first three numbers increase by 5, so the next should be 24. Therefore 26 is the odd one out.

id=4277 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=4278 | topic=Averages | difficulty=Easy | question=Find the average of 68, 45, 35, 51, 61, 70. | option_a=54 | option_b=56 | option_c=57 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 330 ÷ 6 = 55.

id=4279 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 12. | option_a=12 | option_b=1 | option_c=16 | option_d=48 | answer=A | explanation=LCM × HCF = 4×12; HCF(4,12) = 4, so LCM = 12.

id=4280 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=W | option_b=Q | option_c=T | option_d=Z | answer=A | explanation=Move 3 positions forward from T; the resulting letter is W.

id=4281 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=95 | option_c=180 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=4282 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=4283 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=Q | option_c=K | option_d=O | answer=D | explanation=Move 2 positions forward from M; the resulting letter is O.

id=4284 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:12 and the first is 187, what is the second? | option_a=149 | option_b=319 | option_c=120 | option_d=132 | answer=D | explanation=Scale factor = 187/17 = 11. Therefore second quantity = 12×11 = 132.

id=4285 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=30 | option_b=33 | option_c=29 | option_d=25 | answer=C | explanation=The common difference is 4. Therefore the next term is 25 + 4 = 29.

id=4286 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5043 at 8% per annum for 5 years. | option_a=1917 | option_b=7060 | option_c=2017 | option_d=2117 | answer=C | explanation=SI = PRT/100 = 5043×8×5/100 = █2017.

id=4287 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=J | option_b=M | option_c=K | option_d=L | answer=D | explanation=Move 1 positions forward from K; the resulting letter is L.

id=4288 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2552. If it is sold at a profit of 30%, what is its selling price? | option_a=3317 | option_b=3062 | option_c=3572 | option_d=2582 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2552 × 130/100 = █3317.

id=4289 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=4290 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 14. | option_a=308 | option_b=154 | option_c=176 | option_d=140 | answer=B | explanation=LCM × HCF = 22×14; HCF(22,14) = 2, so LCM = 154.

Aptitude Questions — Records 4,291-4,320 of 100,000

id=4291 | topic=Percentages | difficulty=Easy | question=What is 50% of 1100? | option_a=540 | option_b=555 | option_c=1100 | option_d=550 | answer=D | explanation=50% of 1100 = $(50/100) \times 1100 = 550$.

id=4292 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=F | option_c=L | option_d=J | answer=D | explanation=Move 2 positions forward from H; the resulting letter is J.

id=4293 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:6 and the first is 20, what is the second? | option_a=114 | option_b=120 | option_c=140 | option_d=121 | answer=B | explanation=Scale factor = $20/1 = 20$. Therefore second quantity = $6 \times 20 = 120$.

id=4294 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:19 and the first is 10, what is the second? | option_a=191 | option_b=171 | option_c=200 | option_d=190 | answer=D | explanation=Scale factor = $10/1 = 10$. Therefore second quantity = $19 \times 10 = 190$.

id=4295 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 38? | option_a=38 | option_b=32 | option_c=34 | option_d=30 | answer=A | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 38 is the odd one out.

id=4296 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=67 | option_b=57 | option_c=45 | option_d=56 | answer=D | explanation=The common difference is 11. Therefore the next term is $45 + 11 = 56$.

id=4297 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:20 and the first is 160, what is the second? | option_a=216 | option_b=180 | option_c=360 | option_d=200 | answer=D | explanation=Scale factor = $160/16 = 10$. Therefore second quantity = $20 \times 10 = 200$.

id=4298 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**2293 at 6% per annum for 4 years. | option_a=5450 | option_b=5250 | option_c=27643 | option_d=5350 | answer=D | explanation=SI = $PRT/100 = 2293 \times 6 \times 4/100 = \text{₹}5350$.

id=4299 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1770. If it is sold at a profit of 25%, what is its selling price? | option_a=2212 | option_b=2035 | option_c=1795 | option_d=2389 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1770 \times 125/100 = \text{₹}2212$.

id=4300 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 8. | option_a=8 | option_b=32 | option_c=1 | option_d=12 | answer=A | explanation= $LCM \times HCF = 4 \times 8$; $HCF(4, 8) = 4$, so $LCM = 8$.

id=4301 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**31256 at 8% per annum for 5 years. | option_a=12602 | option_b=12402 | option_c=12502 | option_d=43758 | answer=C | explanation=SI = $PRT/100 = 31256 \times 8 \times 5/100 = \text{₹}12502$.

id=4302 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**8600 at 15% per annum for 1 years. | option_a=9890 | option_b=1190 | option_c=1290 | option_d=1390 | answer=C | explanation=SI = $PRT/100 = 8600 \times 15 \times 1/100 = \text{₹}1290$.

id=4303 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=29 | option_b=19 | option_c=25 | option_d=24 | answer=D | explanation=The common difference is 5. Therefore the next term is $19 + 5 = 24$.

id=4304 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2475. If it is sold at a profit of 25%, what is its selling price? | option_a=3340 | option_b=2846 | option_c=2500 | option_d=3093 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2475 \times 125/100 = \text{₹}3093$.

id=4305 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 52? | option_a=39 | option_b=19 | option_c=29 | option_d=52 | answer=D | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 52 is the odd one out.

id=4306 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=K | option_b=T | option_c=Q | option_d=N | answer=C | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=4307 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4788. If it is sold at a profit of 10%, what is its selling price? | option_a=5744 | option_b=4798 | option_c=4788 | option_d=5266 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4788 \times 110/100 = \text{₹}5266$.

id=4308 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1877. If it is sold at a profit of 20%, what is its selling price? | option_a=1897 | option_b=2252 | option_c=2439 | option_d=2065 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1877 \times 120/100 = \text{₹}2252$.

id=4309 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3723. If it is sold at a profit of 15%, what is its selling price? | option_a=4281 | option_b=3909 | option_c=3738 | option_d=4653 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3723 \times 115/100 = \text{₹}4281$.

id=4310 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4067. If it is sold at a profit of 10%, what is its selling price? | option_a=4879 | option_b=4077 | option_c=4067 | option_d=4473 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4067 \times 110/100 = \text{₹}4473$.

id=4311 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 42? | option_a=36 | option_b=30 | option_c=33 | option_d=42 | answer=D | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 42 is the odd one out.

id=4312 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:11 and the first is 4, what is the second? | option_a=24 | option_b=11 | option_c=26 | option_d=22 | answer=D | explanation=Scale factor = $4/2 = 2$. Therefore second quantity = $11 \times 2 = 22$.

id=4313 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**2502 at 15% per annum for 2 years. | option_a=750 | option_b=3252 | option_c=850 | option_d=650 | answer=A | explanation=SI = $PRT/100 = 2502 \times 15 \times 2/100 = \text{₹}750$.

id=4314 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=4315 | topic=Percentages | difficulty=Easy | question=What is 40% of 1742? | option_a=696 | option_b=686 | option_c=1392 | option_d=706 | answer=A | explanation=40% of 1742 = $(40/100) \times 1742 = 696$.

id=4316 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**15817 at 4% per annum for 4 years. | option_a=2430 | option_b=18347 | option_c=2530 | option_d=2630 | answer=C | explanation=SI = $PRT/100 = 15817 \times 4 \times 4/100 = \text{₹}2530$.

id=4317 | topic=Percentages | difficulty=Easy | question=What is 15% of 1760? | option_a=284 | option_b=254 | option_c=528 | option_d=264 | answer=D | explanation=15% of 1760 = $(15/100) \times 1760 = 264$.

id=4318 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=41 | option_c=72 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = $360 \div 10 = 36$ km/h.

id=4319 | topic=Averages | difficulty=Easy | question=Find the average of 64, 61, 70. | option_a=64 | option_b=66 | option_c=67 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = $195 \div 3 = 65$.

id=4320 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=34 | option_b=42 | option_c=50 | option_d=43 | answer=B | explanation=The common difference is 8. Therefore the next term is $34 + 8 = 42$.

Aptitude Questions — Records 4,321-4,350 of 100,000

id=4321 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■17241 at 5% per annum for 4 years. | option_a=3348 | option_b=3548 | option_c=20689 | option_d=3448 | answer=D | explanation=SI = PRT/100 = 17241×5×4/100 = ■3448.

id=4322 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2707. If it is sold at a profit of 5%, what is its selling price? | option_a=2712 | option_b=3112 | option_c=2572 | option_d=2842 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2707 × 105/100 = ■2842.

id=4323 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2347. If it is sold at a profit of 5%, what is its selling price? | option_a=2698 | option_b=2230 | option_c=2464 | option_d=2352 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2347 × 105/100 = ■2464.

id=4324 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■15169 at 6% per annum for 2 years. | option_a=16989 | option_b=1720 | option_c=1920 | option_d=1820 | answer=D | explanation=SI = PRT/100 = 15169×6×2/100 = ■1820.

id=4325 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 35, 44, 55? | option_a=26 | option_b=55 | option_c=44 | option_d=35 | answer=B | explanation=The first three numbers increase by 9, so the next should be 53. Therefore 55 is the odd one out.

id=4326 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=22 | option_b=27 | option_c=32 | option_d=28 | answer=B | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.

id=4327 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=33 | option_b=34 | option_c=29 | option_d=37 | answer=A | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=4328 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 32, 36, 43? | option_a=43 | option_b=28 | option_c=36 | option_d=32 | answer=A | explanation=The first three numbers increase by 4, so the next should be 40. Therefore 43 is the odd one out.

id=4329 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:11 and the first is 60, what is the second? | option_a=115 | option_b=55 | option_c=44 | option_d=67 | answer=B | explanation=Scale factor = 60/12 = 5. Therefore second quantity = 11×5 = 55.

id=4330 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 17, 19, 21, ? | option_a=21 | option_b=23 | option_c=24 | option_d=25 | answer=B | explanation=The common difference is 2. Therefore the next term is 21 + 2 = 23.

id=4331 | topic=Averages | difficulty=Easy | question=Find the average of 73, 79, 81, 36, 80, 100, 72, 35, 65. | option_a=71 | option_b=68 | option_c=69 | option_d=70 | answer=C | explanation=Average = sum of values ÷ number of values = 621 ÷ 9 = 69.

id=4332 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 10? | option_a=10 | option_b=4 | option_c=6 | option_d=2 | answer=A | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 10 is the odd one out.

id=4333 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:14 and the first is 140, what is the second? | option_a=140 | option_b=154 | option_c=126 | option_d=280 | answer=A | explanation=Scale factor = 140/14 = 10. Therefore second quantity = 14×10 = 140.

id=4334 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:13 and the first is 36, what is the second? | option_a=121 | option_b=104 | option_c=117 | option_d=153 | answer=C | explanation=Scale factor = 36/4 = 9. Therefore second quantity = 13×9 = 117.

id=4335 | topic=Percentages | difficulty=Easy | question=What is 15% of 869? | option_a=260 | option_b=130 | option_c=135 | option_d=120 | answer=B | explanation=15% of 869 = (15/100) × 869 = 130.

id=4336 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 25, 34, 43, ? | option_a=61 | option_b=43 | option_c=52 | option_d=53 | answer=C | explanation=The common difference is 9. Therefore the next term is 43 + 9 = 52.

id=4337 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:17 and the first is 132, what is the second? | option_a=199 | option_b=319 | option_c=170 | option_d=187 | answer=D | explanation=Scale factor = 132/12 = 11. Therefore second quantity = 17×11 = 187.

id=4338 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2306. If it is sold at a profit of 25%, what is its selling price? | option_a=2331 | option_b=2652 | option_c=3112 | option_d=2882 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2306 × 125/100 = ■2882.

id=4339 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■36654 at 4% per annum for 3 years. | option_a=4398 | option_b=41052 | option_c=4298 | option_d=4498 | answer=A | explanation=SI = PRT/100 = 36654×4×3/100 = ■4398.

id=4340 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■695. If it is sold at a profit of 40%, what is its selling price? | option_a=1042 | option_b=904 | option_c=973 | option_d=735 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 695 × 140/100 = ■973.

id=4341 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:1 and the first is 104, what is the second? | option_a=21 | option_b=7 | option_c=8 | option_d=112 | answer=C | explanation=Scale factor = 104/13 = 8. Therefore second quantity = 1×8 = 8.

id=4342 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 35? | option_a=29 | option_b=25 | option_c=21 | option_d=35 | answer=D | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 35 is the odd one out.

id=4343 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=36 | option_c=41 | option_d=31 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=4344 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=4345 | topic=Averages | difficulty=Easy | question=Find the average of 96, 44, 90, 97, 50, 45, 54. | option_a=68 | option_b=69 | option_c=70 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = 476 ÷ 7 = 68.

id=4346 | topic=Averages | difficulty=Easy | question=Find the average of 21, 21, 87. | option_a=44 | option_b=43 | option_c=42 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = 129 ÷ 3 = 43.

id=4347 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■33541 at 15% per annum for 2 years. | option_a=10062 | option_b=43603 | option_c=9962 | option_d=10162 | answer=A | explanation=SI = PRT/100 = 33541×15×2/100 = ■10062.

id=4348 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=42 | option_b=41 | option_c=35 | option_d=47 | answer=B | explanation=The common difference is 6. Therefore the next term is 35 + 6 = 41.

id=4349 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=M | option_b=Q | option_c=O | option_d=S | answer=B | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=4350 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 22? | option_a=22 | option_b=13 | option_c=17 | option_d=15 | answer=A | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 22 is the odd one out.

Aptitude Questions — Records 4,351-4,380 of 100,000

id=4351 | topic=Percentages | difficulty=Easy | question=What is 15% of 1667? | option_a=500 | option_b=245 | option_c=260 | option_d=250 | answer=D | explanation=15% of 1667 = (15/100) × 1667 = 250.

id=4352 | topic=Percentages | difficulty=Easy | question=What is 10% of 1163? | option_a=116 | option_b=121 | option_c=111 | option_d=232 | answer=A | explanation=10% of 1163 = (10/100) × 1163 = 116.

id=4353 | topic=Percentages | difficulty=Easy | question=What is 20% of 542? | option_a=108 | option_b=128 | option_c=216 | option_d=88 | answer=A | explanation=20% of 542 = (20/100) × 542 = 108.

id=4354 | topic=Averages | difficulty=Easy | question=Find the average of 69, 14, 11, 98, 63, 32, 72, 83, 52, 96. | option_a=60 | option_b=59 | option_c=61 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 590 ÷ 10 = 59.

id=4355 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:20 and the first is 78, what is the second? | option_a=260 | option_b=338 | option_c=266 | option_d=240 | answer=A | explanation=Scale factor = 78/6 = 13. Therefore second quantity = 20×13 = 260.

id=4356 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=4357 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=80 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=4358 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=4359 | topic=Percentages | difficulty=Easy | question=What is 40% of 235? | option_a=84 | option_b=99 | option_c=188 | option_d=94 | answer=D | explanation=40% of 235 = (40/100) × 235 = 94.

id=4360 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=X | option_c=R | option_d=A | answer=B | explanation=Move 3 positions forward from U; the resulting letter is X.

id=4361 | topic=Averages | difficulty=Easy | question=Find the average of 44, 82, 48. | option_a=60 | option_b=59 | option_c=58 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 174 ÷ 3 = 58.

id=4362 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹41993 at 12% per annum for 2 years. | option_a=10078 | option_b=10178 | option_c=52071 | option_d=9978 | answer=A | explanation=SI = PRT/100 = 41993×12×2/100 = ₹10078.

id=4363 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹36508 at 5% per annum for 2 years. | option_a=3550 | option_b=3750 | option_c=3650 | option_d=40158 | answer=C | explanation=SI = PRT/100 = 36508×5×2/100 = ₹3650.

id=4364 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=4365 | topic=Percentages | difficulty=Easy | question=What is 12% of 1930? | option_a=231 | option_b=221 | option_c=241 | option_d=462 | answer=A | explanation=12% of 1930 = (12/100) × 1930 = 231.

id=4366 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2898. If it is sold at a profit of 15%, what is its selling price? | option_a=2913 | option_b=3621 | option_c=3043 | option_d=3332 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2898 × 115/100 = ₹3332.

id=4367 | topic=Percentages | difficulty=Easy | question=What is 50% of 1432? | option_a=736 | option_b=1432 | option_c=706 | option_d=716 | answer=D | explanation=50% of 1432 = (50/100) × 1432 = 716.

id=4368 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 20. | option_a=80 | option_b=125 | option_c=500 | option_d=100 | answer=D | explanation=LCM × HCF = 25×20; HCF(25,20) = 5, so LCM = 100.

id=4369 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹723. If it is sold at a profit of 25%, what is its selling price? | option_a=903 | option_b=831 | option_c=975 | option_d=748 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 723 × 125/100 = ₹903.

id=4370 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=4371 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹16805 at 8% per annum for 4 years. | option_a=5377 | option_b=5477 | option_c=22182 | option_d=5277 | answer=A | explanation=SI = PRT/100 = 16805×8×4/100 = ₹5377.

id=4372 | topic=Number System | difficulty=Easy | question=Find the LCM of 19 and 19. | option_a=38 | option_b=361 | option_c=1 | option_d=19 | answer=D | explanation=LCM × HCF = 19×19; HCF(19,19) = 19, so LCM = 19.

id=4373 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=100 | option_c=50 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=4374 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹4645. If it is sold at a profit of 5%, what is its selling price? | option_a=4413 | option_b=4650 | option_c=4877 | option_d=5341 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4645 × 105/100 = ₹4877.

id=4375 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 20. | option_a=400 | option_b=40 | option_c=1 | option_d=20 | answer=D | explanation=LCM × HCF = 20×20; HCF(20,20) = 20, so LCM = 20.

id=4376 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=I | option_c=U | option_d=Q | answer=D | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=4377 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=50 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=4378 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:17 and the first is 78, what is the second? | option_a=115 | option_b=180 | option_c=85 | option_d=102 | answer=D | explanation=Scale factor = 78/13 = 6. Therefore second quantity = 17×6 = 102.

id=4379 | topic=Percentages | difficulty=Easy | question=What is 40% of 436? | option_a=154 | option_b=348 | option_c=179 | option_d=174 | answer=D | explanation=40% of 436 = (40/100) × 436 = 174.

id=4380 | topic=Averages | difficulty=Easy | question=Find the average of 76, 17, 77, 90, 75, 63, 100, 65, 84, 43. | option_a=68 | option_b=71 | option_c=69 | option_d=70 | answer=C | explanation=Average = sum of values ÷ number of values = 690 ÷ 10 = 69.

Aptitude Questions — Records 4,381-4,410 of 100,000

id=4381 | topic=Percentages | difficulty=Easy | question=What is 50% of 1218? | option_a=614 | option_b=609 | option_c=1218 | option_d=599 | answer=B | explanation=50% of 1218 = (50/100) × 1218 = 609.

id=4382 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=J | option_c=V | option_d=N | answer=A | explanation=Move 4 positions forward from N; the resulting letter is R.

id=4383 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=4384 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=125 | option_d=240 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=4385 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=90 | option_c=85 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=4386 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 10. | option_a=20 | option_b=10 | option_c=40 | option_d=200 | answer=A | explanation=LCM × HCF = 20×10; HCF(20,10) = 10, so LCM = 20.

id=4387 | topic=Percentages | difficulty=Easy | question=What is 5% of 1809? | option_a=95 | option_b=180 | option_c=90 | option_d=80 | answer=C | explanation=5% of 1809 = (5/100) × 1809 = 90.

id=4388 | topic=Percentages | difficulty=Easy | question=What is 30% of 430? | option_a=258 | option_b=119 | option_c=129 | option_d=134 | answer=C | explanation=30% of 430 = (30/100) × 430 = 129.

id=4389 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49705 at 8% per annum for 3 years. | option_a=61634 | option_b=12029 | option_c=11929 | option_d=11829 | answer=C | explanation=Si = PRT/100 = 49705×8×3/100 = █11929.

id=4390 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 9. | option_a=18 | option_b=81 | option_c=1 | option_d=9 | answer=D | explanation=LCM × HCF = 9×9; HCF(9,9) = 9, so LCM = 9.

id=4391 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 26. | option_a=676 | option_b=52 | option_c=26 | option_d=1 | answer=C | explanation=LCM × HCF = 26×26; HCF(26,26) = 26, so LCM = 26.

id=4392 | topic=Averages | difficulty=Easy | question=Find the average of 21, 65, 75, 53, 28, 92, 29, 45. | option_a=51 | option_b=50 | option_c=52 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 408 ÷ 8 = 51.

id=4393 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=4394 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 22. | option_a=264 | option_b=312 | option_c=572 | option_d=286 | answer=D | explanation=LCM × HCF = 26×22; HCF(26,22) = 2, so LCM = 286.

id=4395 | topic=Averages | difficulty=Easy | question=Find the average of 62, 86, 36, 34, 27, 73, 65, 39, 37. | option_a=52 | option_b=53 | option_c=51 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 459 ÷ 9 = 51.

id=4396 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 38? | option_a=21 | option_b=38 | option_c=29 | option_d=13 | answer=B | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 38 is the odd one out.

id=4397 | topic=Averages | difficulty=Easy | question=Find the average of 96, 32, 33, 53, 84, 36, 23, 14, 39, 40. | option_a=46 | option_b=45 | option_c=44 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 450 ÷ 10 = 45.

id=4398 | topic=Percentages | difficulty=Easy | question=What is 20% of 1162? | option_a=212 | option_b=232 | option_c=464 | option_d=237 | answer=B | explanation=20% of 1162 = (20/100) × 1162 = 232.

id=4399 | topic=Averages | difficulty=Easy | question=Find the average of 11, 44, 35, 34, 39, 35, 97, 25, 90, 90. | option_a=50 | option_b=52 | option_c=49 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 500 ÷ 10 = 50.

id=4400 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=4401 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 30? | option_a=24 | option_b=22 | option_c=30 | option_d=26 | answer=C | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 30 is the odd one out.

id=4402 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4953. If it is sold at a profit of 30%, what is its selling price? | option_a=4983 | option_b=5943 | option_c=6933 | option_d=6438 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4953 × 130/100 = █6438.

id=4403 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=55 | option_b=64 | option_c=44 | option_d=54 | answer=D | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=4404 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:12 and the first is 132, what is the second? | option_a=144 | option_b=132 | option_c=264 | option_d=120 | answer=B | explanation=Scale factor = 132/12 = 11. Therefore second quantity = 12×11 = 132.

id=4405 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3111. If it is sold at a profit of 50%, what is its selling price? | option_a=4355 | option_b=4666 | option_c=3161 | option_d=4977 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3111 × 150/100 = █4666.

id=4406 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=4407 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 42? | option_a=25 | option_b=42 | option_c=32 | option_d=18 | answer=B | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 42 is the odd one out.

id=4408 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 37? | option_a=24 | option_b=19 | option_c=29 | option_d=37 | answer=D | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 37 is the odd one out.

id=4409 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=65 | option_b=64 | option_c=52 | option_d=76 | answer=B | explanation=The common difference is 12. Therefore the next term is 52 + 12 = 64.

id=4410 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3149. If it is sold at a profit of 5%, what is its selling price? | option_a=3154 | option_b=2992 | option_c=3306 | option_d=3620 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3149 × 105/100 = █3306.

Aptitude Questions — Records 4,411-4,440 of 100,000

id=4411 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=46 | option_b=39 | option_c=53 | option_d=47 | answer=A | explanation=The common difference is 7. Therefore the next term is $39 + 7 = 46$.

id=4412 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**344. If it is sold at a profit of 15%, what is its selling price? | option_a=359 | option_b=429 | option_c=395 | option_d=361 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 344 \times 115/100 = \text{■}395$.

id=4413 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=4414 | topic=Averages | difficulty=Easy | question=Find the average of 73, 63, 70, 21, 48, 82, 84. | option_a=64 | option_b=62 | option_c=63 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = $441 \div 7 = 63$.

id=4415 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 44? | option_a=20 | option_b=34 | option_c=27 | option_d=44 | answer=D | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 44 is the odd one out.

id=4416 | topic=Averages | difficulty=Easy | question=Find the average of 33, 49, 28, 70, 58, 31, 29, 30. | option_a=41 | option_b=43 | option_c=42 | option_d=40 | answer=A | explanation=Average = sum of values ÷ number of values = $328 \div 8 = 41$.

id=4417 | topic=Averages | difficulty=Easy | question=Find the average of 47, 36, 83, 96, 63, 39, 86, 87, 42, 91. | option_a=67 | option_b=68 | option_c=69 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = $670 \div 10 = 67$.

id=4418 | topic=Percentages | difficulty=Easy | question=What is 50% of 461? | option_a=230 | option_b=250 | option_c=460 | option_d=220 | answer=A | explanation=50% of 461 = $(50/100) \times 461 = 230$.

id=4419 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=4420 | topic=Averages | difficulty=Easy | question=Find the average of 54, 59, 94, 69, 39. | option_a=65 | option_b=62 | option_c=63 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = $315 \div 5 = 63$.

id=4421 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:15 and the first is 170, what is the second? | option_a=320 | option_b=150 | option_c=135 | option_d=167 | answer=B | explanation=Scale factor = $170/17 = 10$. Therefore second quantity = $15 \times 10 = 150$.

id=4422 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:17 and the first is 270, what is the second? | option_a=273 | option_b=255 | option_c=238 | option_d=525 | answer=B | explanation=Scale factor = $270/18 = 15$. Therefore second quantity = $17 \times 15 = 255$.

id=4423 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28089 at 6% per annum for 3 years. | option_a=5156 | option_b=5056 | option_c=4956 | option_d=33145 | answer=B | explanation=SI = $PRT/100 = 28089 \times 6 \times 3/100 = \text{■}5056$.

id=4424 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=U | option_b=K | option_c=Z | option_d=P | answer=A | explanation=Move 5 positions forward from P; the resulting letter is U.

id=4425 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=J | option_c=H | option_d=K | answer=B | explanation=Move 1 positions forward from I; the resulting letter is J.

id=4426 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=35 | option_b=46 | option_c=47 | option_d=57 | answer=B | explanation=The common difference is 11. Therefore the next term is $35 + 11 = 46$.

id=4427 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=4428 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 26, 36, 47? | option_a=16 | option_b=36 | option_c=47 | option_d=26 | answer=C | explanation=The first three numbers increase by 10, so the next should be 46. Therefore 47 is the odd one out.

id=4429 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=O | option_c=G | option_d=S | answer=B | explanation=Move 4 positions forward from K; the resulting letter is O.

id=4430 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 17, 26, 38? | option_a=38 | option_b=8 | option_c=26 | option_d=17 | answer=A | explanation=The first three numbers increase by 9, so the next should be 35. Therefore 38 is the odd one out.

id=4431 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 20. | option_a=20 | option_b=1 | option_c=80 | option_d=24 | answer=A | explanation= $LCM \times HCF = 4 \times 20$; $HCF(4,20) = 4$, so $LCM = 20$.

id=4432 | topic=Averages | difficulty=Easy | question=Find the average of 55, 15, 87, 61, 75, 50, 91. | option_a=64 | option_b=62 | option_c=61 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = $434 \div 7 = 62$.

id=4433 | topic=Averages | difficulty=Easy | question=Find the average of 49, 63, 89, 47, 58, 64, 10, 52. | option_a=53 | option_b=55 | option_c=56 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = $432 \div 8 = 54$.

id=4434 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=4435 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 17, 29, 41, ? | option_a=41 | option_b=54 | option_c=65 | option_d=53 | answer=D | explanation=The common difference is 12. Therefore the next term is $41 + 12 = 53$.

id=4436 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12627 at 4% per annum for 3 years. | option_a=1415 | option_b=1615 | option_c=14142 | option_d=1515 | answer=D | explanation=SI = $PRT/100 = 12627 \times 4 \times 3/100 = \text{■}1515$.

id=4437 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=35 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = $240 \div 6 = 40$ km/h.

id=4438 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=U | option_c=R | option_d=T | answer=D | explanation=Move 1 positions forward from S; the resulting letter is T.

id=4439 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=100 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = $150 \div 3 = 50$ km/h.

id=4440 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 40? | option_a=23 | option_b=15 | option_c=31 | option_d=40 | answer=D | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 40 is the odd one out.

Aptitude Questions — Records 4,441-4,470 of 100,000

- id=4441

|

topic=Time, Speed & Distance

|

difficulty=Easy

|

question=A vehicle travels 60 km in 10 hours. What is its average speed?

|

option_a=1

|

option_b=11

|

option_c=12

|

option_d=6

|

answer=D

|

explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.
- id=4442

|

topic=Logical Reasoning

|

difficulty=Easy

|

question=Which number does not follow the pattern 2, 5, 8, 12?

|

option_a=5

|

option_b=2

|

option_c=8

|

option_d=12

|

answer=D

|

explanation=The first three numbers increase by 3, so the next should be 11. Therefore 12 is the odd one out.
- id=4443

|

topic=Time, Speed & Distance

|

difficulty=Easy

|

question=A vehicle travels 360 km in 2 hours. What is its average speed?

|

option_a=175

|

option_b=360

|

option_c=185

|

option_d=180

|

answer=D

|

explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.
- id=4444

|

topic=Time & Work

|

difficulty=Medium

|

question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together?

|

option_a=1

|

option_b=3

|

option_c=9

|

option_d=2

|

answer=D

|

explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.
- id=4445

|

topic=Coding-Decoding

|

difficulty=Easy

|

question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become?

|

option_a=N

|

option_b=M

|

option_c=K

|

option_d=L

|

answer=B

|

explanation=Move 1 positions forward from L; the resulting letter is M.
- id=4446

|

topic=Number Series

|

difficulty=Easy

|

question=Find the next number: 5, 17, 29, 41, ?

|

option_a=53

|

option_b=54

|

option_c=41

|

option_d=65

|

answer=A

|

explanation=The common difference is 12. Therefore the next term is 41 + 12 = 53.
- id=4447

|

topic=Logical Reasoning

|

difficulty=Easy

|

question=Which number does not follow the pattern 16, 19, 22, 28?

|

option_a=28

|

option_b=16

|

option_c=31

|

option_d=22

|

answer=A

|

explanation=The first three numbers increase by 3, so the next should be 25. Therefore 28 is the odd one out.
- id=4448

|

topic=Profit & Loss

|

difficulty=Easy

|

question=An article costs **■**4056. If it is sold at a profit of 5%, what is its selling price?

|

option_a=4061

|

option_b=4663

|

option_c=3853

|

option_d=4258

|

answer=D

|

explanation=Selling price = CP × (100 + profit%)/100 = 4056 × 105/100 = **■**4258.
- id=4449

|

topic=Number Series

|

difficulty=Easy

|

question=Find the next number: 6, 17, 28, 39, ?

|

option_a=51

|

option_b=50

|

option_c=39

|

option_d=61

|

answer=B

|

explanation=The common difference is 11. Therefore the next term is 39 + 11 = 50.
- id=4450

|

topic=Logical Reasoning

|

difficulty=Easy

|

question=Which number does not follow the pattern 24, 31, 38, 46?

|

option_a=24

|

option_b=46

|

option_c=31

|

option_d=38

|

answer=B

|

explanation=The first three numbers increase by 7, so the next should be 45. Therefore 46 is the odd one out.
- id=4451

|

topic=Number Series

|

difficulty=Easy

|

question=Find the next number: 15, 18, 21, 24, ?

|

option_a=28

|

option_b=27

|

option_c=24

|

option_d=30

|

answer=B

|

explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.
- id=4452

|

topic=Averages

|

difficulty=Easy

|

question=Find the average of 19, 34, 45, 83, 59.

|

option_a=50

|

option_b=47

|

option_c=48

|

option_d=49

|

answer=C

|

explanation=Average = sum of values ÷ number of values = 240 ÷ 5 = 48.
- id=4453

|

topic=Number Series

|

difficulty=Easy

|

question=Find the next number: 10, 12, 14, 16, ?

|

option_a=16

|

option_b=20

|

option_c=19

|

option_d=18

|

answer=D

|

explanation=The common difference is 2. Therefore the next term is 16 + 2 = 18.
- id=4454

|

topic=Coding-Decoding

|

difficulty=Easy

|

question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become?

|

option_a=G

|

option_b=C

|

option_c=Y

|

option_d=K

|

answer=A

|

explanation=Move 4 positions forward from C; the resulting letter is G.
- id=4455

|

topic=Time & Work

|

difficulty=Medium

|

question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together?

|

option_a=4

|

option_b=3

|

option_c=16

|

option_d=2

|

answer=B

|

explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.
- id=4456

|

topic=Time & Work

|

difficulty=Medium

|

question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together?

|

option_a=5

|

option_b=4

|

option_c=3

|

option_d=16

|

answer=B

|

explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=4457

|

topic=Percentages

|

difficulty=Easy

|

question=What is 12% of 928?

|

option_a=111

|

option_b=116

|

option_c=222

|

option_d=106

|

answer=A

|

explanation=12% of 928 = (12/100) × 928 = 111.
- id=4458

|

topic=Number Series

|

difficulty=Easy

|

question=Find the next number: 15, 25, 35, 45, ?

|

option_a=45

|

option_b=65

|

option_c=56

|

option_d=55

|

answer=D

|

explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.
- id=4459

|

topic=Coding-Decoding

|

difficulty=Easy

|

question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become?

|

option_a=Y

|

option_b=I

|

option_c=D

|

option_d=N

|

answer=B

|

explanation=Move 5 positions forward from D; the resulting letter is I.
- id=4460

|

topic=Ratio & Proportion

|

difficulty=Easy

|

question=If two quantities are in the ratio 12:1 and the first is 156, what is the second?

|

option_a=169

|

option_b=12

|

option_c=13

|

option_d=25

|

answer=C

|

explanation=Scale factor = 156/12 = 13. Therefore second quantity = 1×13 = 13.
- id=4461

|

topic=Simple Interest

|

difficulty=Easy

|

question=Find the simple interest on **■**4208 at 15% per annum for 2 years.

|

option_a=1362

|

option_b=1162

|

option_c=1262

|

option_d=5470

|

answer=C

|

explanation=SI = PRT/100 = 4208×15×2/100 = **■**1262.
- id=4462

|

topic=Time & Work

|

difficulty=Medium

|

question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together?

|

option_a=9

|

option_b=1

|

option_c=3

|

option_d=2

|

answer=D

|

explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=4463

|

topic=Time & Work

|

difficulty=Medium

|

question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together?

|

option_a=12

|

option_b=4

|

option_c=3

|

option_d=2

|

answer=C

|

explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=4464

|

topic=Percentages

|

difficulty=Easy

|

question=What is 25% of 1259?

|

option_a=309

|

option_b=334

|

option_c=314

|

option_d=628

|

answer=C

|

explanation=25% of 1259 = (25/100) × 1259 = 314.
- id=4465

|

topic=Ratio & Proportion

|

difficulty=Easy

|

question=If two quantities are in the ratio 11:13 and the first is 165, what is the second?

|

option_a=195

|

option_b=360

|

option_c=182

|

option_d=206

|

answer=A

|

explanation=Scale factor = 165/11 = 15. Therefore second quantity = 13×15 = 195.
- id=4466

|

topic=Number Series

|

difficulty=Easy

|

question=Find the next number: 3, 12, 21, 30, ?

|

option_a=40

|

option_b=48

|

option_c=39

|

option_d=30

|

answer=C

|

explanation=The common difference is 9. Therefore the next term is 30 + 9 = 39.
- id=4467

|

topic=Profit & Loss

|

difficulty=Easy

|

question=An article costs **■**2598. If it is sold at a profit of 15%, what is its selling price?

|

option_a=2613

|

option_b=2728

|

option_c=3246

|

option_d=2987

|

answer=D

|

explanation=Selling price = CP × (100 + profit%)/100 = 2598 × 115/100 = **■**2987.
- id=4468

|

topic=Time, Speed & Distance

|

difficulty=Easy

|

question=A vehicle travels 180 km in 5 hours. What is its average speed?

|

option_a=31

|

option_b=36

|

option_c=41

|

option_d=72

|

answer=B

|

explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.
- id=4469

|

topic=Number Series

|

difficulty=Easy

|

question=Find the next number: 13, 18, 23, 28, ?

|

option_a=28

|

option_b=38

|

option_c=34

|

option_d=33

|

answer=D

|

explanation=The common difference is 5. Therefore the next term is 28 + 5 = 33.
- id=4470

|

topic=Ratio & Proportion

|

difficulty=Easy

|

question=If two quantities are in the ratio 16:5 and the first is 288, what is the second?

|

option_a=85

|

option_b=106

|

option_c=90

|

option_d=378

|

answer=C

|

explanation=Scale factor = 288/16 = 18. Therefore second quantity = 5×18 = 90.

Aptitude Questions — Records 4,471-4,500 of 100,000

id=4471 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:17 and the first is 156, what is the second? | option_a=187 | option_b=217 | option_c=360 | option_d=204 | answer=D | explanation=Scale factor = $156/13 = 12$. Therefore second quantity = $17 \times 12 = 204$.

id=4472 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40895 at 15% per annum for 4 years. | option_a=24637 | option_b=24437 | option_c=24537 | option_d=65432 | answer=C | explanation=SI = $PRT/100 = 40895 \times 15 \times 4/100 = \text{█}24537$.

id=4473 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=4474 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=34 | option_b=35 | option_c=38 | option_d=30 | answer=A | explanation=The common difference is 4. Therefore the next term is $30 + 4 = 34$.

id=4475 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3342. If it is sold at a profit of 30%, what is its selling price? | option_a=4010 | option_b=4678 | option_c=4344 | option_d=3372 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3342 \times 130/100 = \text{█}4344$.

id=4476 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:6 and the first is 8, what is the second? | option_a=32 | option_b=24 | option_c=26 | option_d=18 | answer=B | explanation=Scale factor = $8/2 = 4$. Therefore second quantity = $6 \times 4 = 24$.

id=4477 | topic=Averages | difficulty=Easy | question=Find the average of 28, 51, 28, 45. | option_a=37 | option_b=40 | option_c=38 | option_d=39 | answer=C | explanation=Average = sum of values ÷ number of values = $152 \div 4 = 38$.

id=4478 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23385 at 15% per annum for 4 years. | option_a=13931 | option_b=14131 | option_c=37416 | option_d=14031 | answer=D | explanation=SI = $PRT/100 = 23385 \times 15 \times 4/100 = \text{█}14031$.

id=4479 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 49? | option_a=34 | option_b=28 | option_c=49 | option_d=40 | answer=C | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 49 is the odd one out.

id=4480 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8077 at 6% per annum for 1 years. | option_a=584 | option_b=8561 | option_c=484 | option_d=384 | answer=C | explanation=SI = $PRT/100 = 8077 \times 6 \times 1/100 = \text{█}484$.

id=4481 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=J | option_b=P | option_c=N | option_d=L | answer=C | explanation=Move 2 positions forward from L; the resulting letter is N.

id=4482 | topic=Averages | difficulty=Easy | question=Find the average of 75, 44, 57, 64. | option_a=59 | option_b=62 | option_c=61 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = $240 \div 4 = 60$.

id=4483 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:8 and the first is 30, what is the second? | option_a=78 | option_b=48 | option_c=40 | option_d=53 | answer=B | explanation=Scale factor = $30/5 = 6$. Therefore second quantity = $8 \times 6 = 48$.

id=4484 | topic=Percentages | difficulty=Easy | question=What is 10% of 1288? | option_a=256 | option_b=128 | option_c=133 | option_d=108 | answer=B | explanation=10% of 1288 = $(10/100) \times 1288 = 128$.

id=4485 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2370. If it is sold at a profit of 10%, what is its selling price? | option_a=2380 | option_b=2844 | option_c=2607 | option_d=2370 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2370 \times 110/100 = \text{█}2607$.

id=4486 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 15, 21, 30? | option_a=30 | option_b=21 | option_c=15 | option_d=9 | answer=A | explanation=The first three numbers increase by 6, so the next should be 27. Therefore 30 is the odd one out.

id=4487 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 26. | option_a=260 | option_b=520 | option_c=234 | option_d=280 | answer=A | explanation=LCM $\times$ HCF = 20×26 ; HCF(20,26) = 2, so LCM = 260.

id=4488 | topic=Percentages | difficulty=Easy | question=What is 12% of 1598? | option_a=196 | option_b=191 | option_c=186 | option_d=382 | answer=B | explanation=12% of 1598 = $(12/100) \times 1598 = 191$.

id=4489 | topic=Averages | difficulty=Easy | question=Find the average of 37, 72, 89, 82. | option_a=71 | option_b=72 | option_c=69 | option_d=70 | answer=D | explanation=Average = sum of values ÷ number of values = $280 \div 4 = 70$.

id=4490 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=Z | option_c=B | option_d=C | answer=C | explanation=Move 1 positions forward from A; the resulting letter is B.

id=4491 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27764 at 6% per annum for 4 years. | option_a=6563 | option_b=6763 | option_c=6663 | option_d=34427 | answer=C | explanation=SI = $PRT/100 = 27764 \times 6 \times 4/100 = \text{█}6663$.

id=4492 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=72 | option_c=77 | option_d=67 | answer=B | explanation=Speed = distance ÷ time = $360 \div 5 = 72$ km/h.

id=4493 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=4494 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9405 at 12% per annum for 3 years. | option_a=3285 | option_b=3385 | option_c=12790 | option_d=3485 | answer=B | explanation=SI = $PRT/100 = 9405 \times 12 \times 3/100 = \text{█}3385$.

id=4495 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3916. If it is sold at a profit of 15%, what is its selling price? | option_a=4112 | option_b=3931 | option_c=4894 | option_d=4503 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3916 \times 115/100 = \text{█}4503$.

id=4496 | topic=Averages | difficulty=Easy | question=Find the average of 53, 56, 39, 80, 77, 33, 75. | option_a=60 | option_b=58 | option_c=59 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = $413 \div 7 = 59$.

id=4497 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:13 and the first is 255, what is the second? | option_a=221 | option_b=208 | option_c=236 | option_d=476 | answer=A | explanation=Scale factor = $255/15 = 17$. Therefore second quantity = $13 \times 17 = 221$.

id=4498 | topic=Percentages | difficulty=Easy | question=What is 12% of 1140? | option_a=136 | option_b=116 | option_c=156 | option_d=272 | answer=A | explanation=12% of 1140 = $(12/100) \times 1140 = 136$.

id=4499 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 28? | option_a=19 | option_b=22 | option_c=28 | option_d=16 | answer=C | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 28 is the odd one out.

id=4500 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=150 | option_c=70 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = $150 \div 2 = 75$ km/h.

Aptitude Questions — Records 4,501-4,530 of 100,000

id=4501 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 29? | option_a=13 | option_b=29 | option_c=23 | option_d=18 | answer=B | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 29 is the odd one out.

id=4502 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=4503 | topic=Percentages | difficulty=Easy | question=What is 10% of 1351? | option_a=270 | option_b=125 | option_c=140 | option_d=135 | answer=D | explanation=10% of 1351 = (10/100) × 1351 = 135.

id=4504 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=25 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=4505 | topic=Averages | difficulty=Easy | question=Find the average of 18, 86, 88, 71, 22, 27. | option_a=53 | option_b=54 | option_c=52 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 312 ÷ 6 = 52.

id=4506 | topic=Averages | difficulty=Easy | question=Find the average of 84, 67, 31, 89, 65, 88, 73. | option_a=72 | option_b=70 | option_c=73 | option_d=71 | answer=D | explanation=Average = sum of values ÷ number of values = 497 ÷ 7 = 71.

id=4507 | topic=Percentages | difficulty=Easy | question=What is 15% of 1578? | option_a=236 | option_b=226 | option_c=472 | option_d=256 | answer=A | explanation=15% of 1578 = (15/100) × 1578 = 236.

id=4508 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=45 | option_b=52 | option_c=46 | option_d=38 | answer=A | explanation=The common difference is 7. Therefore the next term is 38 + 7 = 45.

id=4509 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=M | option_b=C | option_c=X | option_d=H | answer=D | explanation=Move 5 positions forward from C; the resulting letter is H.

id=4510 | topic=Percentages | difficulty=Easy | question=What is 12% of 1991? | option_a=238 | option_b=228 | option_c=476 | option_d=243 | answer=A | explanation=12% of 1991 = (12/100) × 1991 = 238.

id=4511 | topic=Averages | difficulty=Easy | question=Find the average of 65, 38, 75, 26, 72, 46, 84, 15, 36, 43. | option_a=51 | option_b=49 | option_c=52 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 500 ÷ 10 = 50.

id=4512 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹16015 at 15% per annum for 5 years. | option_a=28026 | option_b=12011 | option_c=12111 | option_d=11911 | answer=B | explanation=SI = PRT/100 = 16015×15×5/100 = ₹12011.

id=4513 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2657. If it is sold at a profit of 20%, what is its selling price? | option_a=3188 | option_b=3453 | option_c=2923 | option_d=2677 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2657 × 120/100 = ₹3188.

id=4514 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:16 and the first is 255, what is the second? | option_a=527 | option_b=287 | option_c=272 | option_d=256 | answer=C | explanation=Scale factor = 255/15 = 17. Therefore second quantity = 16×17 = 272.

id=4515 | topic=Percentages | difficulty=Easy | question=What is 30% of 502? | option_a=300 | option_b=150 | option_c=160 | option_d=140 | answer=B | explanation=30% of 502 = (30/100) × 502 = 150.

id=4516 | topic=Percentages | difficulty=Easy | question=What is 40% of 1426? | option_a=1140 | option_b=550 | option_c=570 | option_d=580 | answer=C | explanation=40% of 1426 = (40/100) × 1426 = 570.

id=4517 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1582. If it is sold at a profit of 15%, what is its selling price? | option_a=1977 | option_b=1597 | option_c=1661 | option_d=1819 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1582 × 115/100 = ₹1819.

id=4518 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 25, 35, 46? | option_a=46 | option_b=15 | option_c=25 | option_d=35 | answer=A | explanation=The first three numbers increase by 10, so the next should be 45. Therefore 46 is the odd one out.

id=4519 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 15. | option_a=36 | option_b=30 | option_c=90 | option_d=15 | answer=B | explanation=LCM × HCF = 6×15; HCF(6,15) = 3, so LCM = 30.

id=4520 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 13, 18, 23, ? | option_a=29 | option_b=23 | option_c=33 | option_d=28 | answer=D | explanation=The common difference is 5. Therefore the next term is 23 + 5 = 28.

id=4521 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=A | option_b=W | option_c=S | option_d=O | answer=B | explanation=Move 4 positions forward from S; the resulting letter is W.

id=4522 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=4523 | topic=Averages | difficulty=Easy | question=Find the average of 33, 35, 42, 94. | option_a=53 | option_b=52 | option_c=51 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 204 ÷ 4 = 51.

id=4524 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 33, 39, 48? | option_a=33 | option_b=27 | option_c=39 | option_d=48 | answer=D | explanation=The first three numbers increase by 6, so the next should be 45. Therefore 48 is the odd one out.

id=4525 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=4526 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=4527 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹5800 at 10% per annum for 2 years. | option_a=1260 | option_b=1160 | option_c=1060 | option_d=6960 | answer=B | explanation=SI = PRT/100 = 5800×10×2/100 = ₹1160.

id=4528 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1808. If it is sold at a profit of 40%, what is its selling price? | option_a=2531 | option_b=1848 | option_c=2351 | option_d=2711 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1808 × 140/100 = ₹2531.

id=4529 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=125 | option_d=240 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=4530 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=7 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

Aptitude Questions — Records 4,531-4,560 of 100,000

id=4531 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=150 | option_c=300 | option_d=155 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=4532 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4890. If it is sold at a profit of 30%, what is its selling price? | option_a=4920 | option_b=6357 | option_c=5868 | option_d=6846 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4890 × 130/100 = █6357.

id=4533 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 32, 42, 54? | option_a=54 | option_b=32 | option_c=42 | option_d=22 | answer=A | explanation=The first three numbers increase by 10, so the next should be 52. Therefore 54 is the odd one out.

id=4534 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13582 at 5% per annum for 5 years. | option_a=16977 | option_b=3495 | option_c=3295 | option_d=3395 | answer=D | explanation=SI = PRT/100 = 13582×5×5/100 = █3395.

id=4535 | topic=Profit & Loss | difficulty=Easy | question=An article costs █714. If it is sold at a profit of 10%, what is its selling price? | option_a=724 | option_b=785 | option_c=714 | option_d=856 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 714 × 110/100 = █785.

id=4536 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=4537 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14029 at 8% per annum for 3 years. | option_a=3466 | option_b=3366 | option_c=3266 | option_d=17395 | answer=B | explanation=SI = PRT/100 = 14029×8×3/100 = █3366.

id=4538 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2242. If it is sold at a profit of 5%, what is its selling price? | option_a=2130 | option_b=2578 | option_c=2247 | option_d=2354 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2242 × 105/100 = █2354.

id=4539 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3249. If it is sold at a profit of 25%, what is its selling price? | option_a=4385 | option_b=4061 | option_c=3737 | option_d=3274 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3249 × 125/100 = █4061.

id=4540 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:19 and the first is 80, what is the second? | option_a=156 | option_b=76 | option_c=96 | option_d=57 | answer=B | explanation=Scale factor = 80/20 = 4. Therefore second quantity = 19×4 = 76.

id=4541 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 25, 27, 31? | option_a=31 | option_b=23 | option_c=25 | option_d=27 | answer=A | explanation=The first three numbers increase by 2, so the next should be 29. Therefore 31 is the odd one out.

id=4542 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=4543 | topic=Profit & Loss | difficulty=Easy | question=An article costs █469. If it is sold at a profit of 15%, what is its selling price? | option_a=493 | option_b=539 | option_c=484 | option_d=585 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 469 × 115/100 = █539.

id=4544 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=4545 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3082. If it is sold at a profit of 30%, what is its selling price? | option_a=4314 | option_b=4006 | option_c=3698 | option_d=3112 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3082 × 130/100 = █4006.

id=4546 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33040 at 8% per annum for 1 years. | option_a=2543 | option_b=2743 | option_c=35683 | option_d=2643 | answer=D | explanation=SI = PRT/100 = 33040×8×1/100 = █2643.

id=4547 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:4 and the first is 320, what is the second? | option_a=84 | option_b=60 | option_c=64 | option_d=384 | answer=C | explanation=Scale factor = 320/20 = 16. Therefore second quantity = 4×16 = 64.

id=4548 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=4549 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=4550 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=4551 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=K | option_b=H | option_c=E | option_d=N | answer=A | explanation=Move 3 positions forward from H; the resulting letter is K.

id=4552 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=Z | option_c=D | option_d=B | answer=C | explanation=Move 2 positions forward from B; the resulting letter is D.

id=4553 | topic=Averages | difficulty=Easy | question=Find the average of 73, 31, 86, 92, 10, 81, 44, 96, 77, 90. | option_a=67 | option_b=68 | option_c=69 | option_d=70 | answer=B | explanation=Average = sum of values ÷ number of values = 680 ÷ 10 = 68.

id=4554 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Q | option_b=Z | option_c=W | option_d=T | answer=C | explanation=Move 3 positions forward from T; the resulting letter is W.

id=4555 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=4556 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=50 | option_c=25 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=4557 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=4558 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:16 and the first is 9, what is the second? | option_a=145 | option_b=128 | option_c=144 | option_d=153 | answer=C | explanation=Scale factor = 9/1 = 9. Therefore second quantity = 16×9 = 144.

id=4559 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:12 and the first is 6, what is the second? | option_a=27 | option_b=12 | option_c=24 | option_d=30 | answer=C | explanation=Scale factor = 6/3 = 2. Therefore second quantity = 12×2 = 24.

id=4560 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:11 and the first is 5, what is the second? | option_a=56 | option_b=60 | option_c=44 | option_d=55 | answer=D | explanation=Scale factor = 5/1 = 5. Therefore second quantity = 11×5 = 55.

Aptitude Questions — Records 4,561-4,590 of 100,000

id=4561 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=4562 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=4563 | topic=Percentages | difficulty=Easy | question=What is 20% of 1501? | option_a=305 | option_b=295 | option_c=600 | option_d=300 | answer=D | explanation=20% of 1501 = (20/100) × 1501 = 300.

id=4564 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=X | option_c=L | option_d=T | answer=D | explanation=Move 4 positions forward from P; the resulting letter is T.

id=4565 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Z | option_b=T | option_c=Q | option_d=W | answer=D | explanation=Move 3 positions forward from T; the resulting letter is W.

id=4566 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 39? | option_a=10 | option_b=19 | option_c=39 | option_d=28 | answer=C | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 39 is the odd one out.

id=4567 | topic=Averages | difficulty=Easy | question=Find the average of 64, 21, 44. | option_a=45 | option_b=44 | option_c=43 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = 129 ÷ 3 = 43.

id=4568 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=4569 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=29 | option_c=48 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=4570 | topic=Percentages | difficulty=Easy | question=What is 30% of 1537? | option_a=461 | option_b=922 | option_c=481 | option_d=451 | answer=A | explanation=30% of 1537 = (30/100) × 1537 = 461.

id=4571 | topic=Percentages | difficulty=Easy | question=What is 10% of 1034? | option_a=123 | option_b=83 | option_c=206 | option_d=103 | answer=D | explanation=10% of 1034 = (10/100) × 1034 = 103.

id=4572 | topic=Averages | difficulty=Easy | question=Find the average of 22, 37, 82, 24, 26, 34, 72, 69, 48. | option_a=46 | option_b=47 | option_c=48 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 414 ÷ 9 = 46.

id=4573 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=D | option_c=H | option_d=B | answer=A | explanation=Move 2 positions forward from D; the resulting letter is F.

id=4574 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 24? | option_a=18 | option_b=20 | option_c=16 | option_d=24 | answer=D | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 24 is the odd one out.

id=4575 | topic=Percentages | difficulty=Easy | question=What is 30% of 1336? | option_a=390 | option_b=420 | option_c=800 | option_d=400 | answer=D | explanation=30% of 1336 = (30/100) × 1336 = 400.

id=4576 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:16 and the first is 6, what is the second? | option_a=50 | option_b=48 | option_c=32 | option_d=54 | answer=B | explanation=Scale factor = 6/2 = 3. Therefore second quantity = 16×3 = 48.

id=4577 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 43? | option_a=23 | option_b=43 | option_c=35 | option_d=29 | answer=B | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 43 is the odd one out.

id=4578 | topic=Percentages | difficulty=Easy | question=What is 20% of 516? | option_a=93 | option_b=123 | option_c=103 | option_d=206 | answer=C | explanation=20% of 516 = (20/100) × 516 = 103.

id=4579 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=6 | option_c=11 | option_d=1 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=4580 | topic=Percentages | difficulty=Easy | question=What is 5% of 1308? | option_a=70 | option_b=65 | option_c=60 | option_d=130 | answer=B | explanation=5% of 1308 = (5/100) × 1308 = 65.

id=4581 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=S | option_b=P | option_c=M | option_d=J | answer=B | explanation=Move 3 positions forward from M; the resulting letter is P.

id=4582 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=4583 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 10, 12, 14, ? | option_a=17 | option_b=14 | option_c=16 | option_d=18 | answer=C | explanation=The common difference is 2. Therefore the next term is 14 + 2 = 16.

id=4584 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 30. | option_a=660 | option_b=330 | option_c=352 | option_d=300 | answer=B | explanation=LCM × HCF = 22×30; HCF(22,30) = 2, so LCM = 330.

id=4585 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=29 | option_c=48 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=4586 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹14547 at 15% per annum for 1 years. | option_a=2182 | option_b=16729 | option_c=2082 | option_d=2282 | answer=A | explanation=SI = PRT/100 = 14547×15×1/100 = ₹2182.

id=4587 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:7 and the first is 20, what is the second? | option_a=48 | option_b=28 | option_c=21 | option_d=33 | answer=B | explanation=Scale factor = 20/5 = 4. Therefore second quantity = 7×4 = 28.

id=4588 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=4589 | topic=Percentages | difficulty=Easy | question=What is 25% of 1912? | option_a=478 | option_b=488 | option_c=956 | option_d=458 | answer=A | explanation=25% of 1912 = (25/100) × 1912 = 478.

id=4590 | topic=Averages | difficulty=Easy | question=Find the average of 66, 72, 86, 67, 36, 85, 77, 31. | option_a=65 | option_b=66 | option_c=67 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = 520 ÷ 8 = 65.

Aptitude Questions — Records 4,591-4,620 of 100,000

- id=4591 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=O | option_c=I | option_d=M | answer=D | explanation=Move 2 positions forward from K; the resulting letter is M.
- id=4592 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 16, 25, 35? | option_a=25 | option_b=35 | option_c=16 | option_d=7 | answer=B | explanation=The first three numbers increase by 9, so the next should be 34. Therefore 35 is the odd one out.
- id=4593 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=16 | answer=A | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.
- id=4594 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 60? | option_a=47 | option_b=37 | option_c=27 | option_d=60 | answer=D | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 60 is the odd one out.
- id=4595 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=28 | option_b=24 | option_c=18 | option_d=23 | answer=D | explanation=The common difference is 5. Therefore the next term is $18 + 5 = 23$.
- id=4596 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=59 | option_b=60 | option_c=70 | option_d=48 | answer=A | explanation=The common difference is 11. Therefore the next term is $48 + 11 = 59$.
- id=4597 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 24, 32, 41? | option_a=32 | option_b=16 | option_c=41 | option_d=24 | answer=C | explanation=The first three numbers increase by 8, so the next should be 40. Therefore 41 is the odd one out.
- id=4598 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 25, 31, 40? | option_a=31 | option_b=19 | option_c=25 | option_d=40 | answer=D | explanation=The first three numbers increase by 6, so the next should be 37. Therefore 40 is the odd one out.
- id=4599 | topic=Percentages | difficulty=Easy | question=What is 12% of 1095? | option_a=131 | option_b=262 | option_c=151 | option_d=121 | answer=A | explanation= $12\% \text{ of } 1095 = (\frac{12}{100}) \times 1095 = 131$.
- id=4600 | topic=Percentages | difficulty=Easy | question=What is 25% of 536? | option_a=134 | option_b=139 | option_c=124 | option_d=268 | answer=A | explanation= $25\% \text{ of } 536 = (\frac{25}{100}) \times 536 = 134$.
- id=4601 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=80 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = $240 \div 6 = 40$ km/h.
- id=4602 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 28? | option_a=24 | option_b=28 | option_c=21 | option_d=18 | answer=B | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 28 is the odd one out.
- id=4603 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 26. | option_a=208 | option_b=416 | option_c=224 | option_d=182 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 16 \times 26$; $\text{HCF}(16, 26) = 2$, so $\text{LCM} = 208$.
- id=4604 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=42 | option_b=35 | option_c=36 | option_d=28 | answer=B | explanation=The common difference is 7. Therefore the next term is $28 + 7 = 35$.
- id=4605 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹15209 at 10% per annum for 4 years. | option_a=5983 | option_b=6083 | option_c=21292 | option_d=6183 | answer=B | explanation= $\text{SI} = \frac{\text{PRT}}{100} = \frac{15209 \times 10 \times 4}{100} = ₹6083$.
- id=4606 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=9 | option_b=13 | option_c=11 | option_d=12 | answer=C | explanation=The common difference is 2. Therefore the next term is $9 + 2 = 11$.
- id=4607 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=80 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = $240 \div 6 = 40$ km/h.
- id=4608 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=60 | option_b=51 | option_c=52 | option_d=42 | answer=B | explanation=The common difference is 9. Therefore the next term is $42 + 9 = 51$.
- id=4609 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=5 | answer=B | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.
- id=4610 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹30517 at 8% per annum for 4 years. | option_a=9865 | option_b=9765 | option_c=40282 | option_d=9665 | answer=B | explanation= $\text{SI} = \frac{\text{PRT}}{100} = \frac{30517 \times 8 \times 4}{100} = ₹9765$.
- id=4611 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.
- id=4612 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹45534 at 8% per annum for 4 years. | option_a=14670 | option_b=60104 | option_c=14570 | option_d=14470 | answer=C | explanation= $\text{SI} = \frac{\text{PRT}}{100} = \frac{45534 \times 8 \times 4}{100} = ₹14570$.
- id=4613 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:4 and the first is 96, what is the second? | option_a=128 | option_b=44 | option_c=32 | option_d=28 | answer=C | explanation=Scale factor = $\frac{96}{12} = 8$. Therefore second quantity = $4 \times 8 = 32$.
- id=4614 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=C | option_b=D | option_c=A | option_d=B | answer=A | explanation=Move 1 positions forward from B; the resulting letter is C.
- id=4615 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = $150 \div 10 = 15$ km/h.
- id=4616 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=47 | option_b=33 | option_c=40 | option_d=41 | answer=C | explanation=The common difference is 7. Therefore the next term is $33 + 7 = 40$.
- id=4617 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.
- id=4618 | topic=Percentages | difficulty=Easy | question=What is 10% of 667? | option_a=71 | option_b=66 | option_c=46 | option_d=132 | answer=B | explanation= $10\% \text{ of } 667 = (\frac{10}{100}) \times 667 = 66$.
- id=4619 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:3 and the first is 119, what is the second? | option_a=170 | option_b=48 | option_c=58 | option_d=51 | answer=D | explanation=Scale factor = $\frac{119}{7} = 17$. Therefore second quantity = $3 \times 17 = 51$.
- id=4620 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=K | option_b=Z | option_c=U | option_d=P | answer=C | explanation=Move 5 positions forward from P; the resulting letter is U.

Aptitude Questions — Records 4,621-4,650 of 100,000

id=4621 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=A | option_c=W | option_d=O | answer=C | explanation=Move 4 positions forward from S; the resulting letter is W.

id=4622 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 23? | option_a=16 | option_b=18 | option_c=23 | option_d=14 | answer=C | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 23 is the odd one out.

id=4623 | topic=Percentages | difficulty=Easy | question=What is 50% of 1122? | option_a=581 | option_b=561 | option_c=1122 | option_d=541 | answer=B | explanation=50% of 1122 = $(50/100) \times 1122 = 561$.

id=4624 | topic=Profit & Loss | difficulty=Easy | question=An article costs █373. If it is sold at a profit of 30%, what is its selling price? | option_a=521 | option_b=484 | option_c=403 | option_d=447 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 373 \times 130/100 = \text{█}484$.

id=4625 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=13 | option_b=17 | option_c=19 | option_d=16 | answer=D | explanation=The common difference is 3. Therefore the next term is $13 + 3 = 16$.

id=4626 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3864 at 5% per annum for 4 years. | option_a=872 | option_b=4636 | option_c=772 | option_d=672 | answer=C | explanation= $SI = PRT/100 = 3864 \times 5 \times 4/100 = \text{█}772$.

id=4627 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=57 | option_b=56 | option_c=44 | option_d=68 | answer=B | explanation=The common difference is 12. Therefore the next term is $44 + 12 = 56$.

id=4628 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=40 | option_b=35 | option_c=30 | option_d=36 | answer=B | explanation=The common difference is 5. Therefore the next term is $30 + 5 = 35$.

id=4629 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1159 at 12% per annum for 2 years. | option_a=378 | option_b=278 | option_c=178 | option_d=1437 | answer=B | explanation= $SI = PRT/100 = 1159 \times 12 \times 2/100 = \text{█}278$.

id=4630 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=H | option_b=M | option_c=C | option_d=X | answer=A | explanation=Move 5 positions forward from C; the resulting letter is H.

id=4631 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:17 and the first is 75, what is the second? | option_a=85 | option_b=68 | option_c=100 | option_d=160 | answer=A | explanation=Scale factor = $75/15 = 5$. Therefore second quantity = $17 \times 5 = 85$.

id=4632 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=6 | option_d=4 | answer=A | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=4633 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48705 at 15% per annum for 4 years. | option_a=77928 | option_b=29223 | option_c=29323 | option_d=29123 | answer=B | explanation= $SI = PRT/100 = 48705 \times 15 \times 4/100 = \text{█}29223$.

id=4634 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:18 and the first is 120, what is the second? | option_a=144 | option_b=126 | option_c=264 | option_d=159 | answer=A | explanation=Scale factor = $120/15 = 8$. Therefore second quantity = $18 \times 8 = 144$.

id=4635 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=7 | option_d=5 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=4636 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:17 and the first is 208, what is the second? | option_a=480 | option_b=255 | option_c=285 | option_d=272 | answer=D | explanation=Scale factor = $208/13 = 16$. Therefore second quantity = $17 \times 16 = 272$.

id=4637 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=16 | answer=A | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=4638 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=C | option_b=I | option_c=G | option_d=E | answer=C | explanation=Move 2 positions forward from E; the resulting letter is G.

id=4639 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=W | option_b=H | option_c=M | option_d=R | answer=D | explanation=Move 5 positions forward from M; the resulting letter is R.

id=4640 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:13 and the first is 266, what is the second? | option_a=201 | option_b=182 | option_c=169 | option_d=448 | answer=B | explanation=Scale factor = $266/19 = 14$. Therefore second quantity = $13 \times 14 = 182$.

id=4641 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4505. If it is sold at a profit of 15%, what is its selling price? | option_a=4520 | option_b=5180 | option_c=4730 | option_d=5630 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4505 \times 115/100 = \text{█}5180$.

id=4642 | topic=Averages | difficulty=Easy | question=Find the average of 44, 59, 81, 72, 29. | option_a=59 | option_b=56 | option_c=57 | option_d=58 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 285 \div 5 = 57$.

id=4643 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:13 and the first is 8, what is the second? | option_a=52 | option_b=60 | option_c=39 | option_d=54 | answer=A | explanation=Scale factor = $8/2 = 4$. Therefore second quantity = $13 \times 4 = 52$.

id=4644 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 21, 30, 42? | option_a=21 | option_b=30 | option_c=42 | option_d=12 | answer=C | explanation=The first three numbers increase by 9, so the next should be 39. Therefore 42 is the odd one out.

id=4645 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=35 | option_d=80 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 240 \div 6 = 40$ km/h.

id=4646 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=W | option_c=K | option_d=O | answer=A | explanation=Move 4 positions forward from O; the resulting letter is S.

id=4647 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 25, 27, 30? | option_a=27 | option_b=30 | option_c=23 | option_d=25 | answer=B | explanation=The first three numbers increase by 2, so the next should be 29. Therefore 30 is the odd one out.

id=4648 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26925 at 12% per annum for 4 years. | option_a=12924 | option_b=12824 | option_c=13024 | option_d=39849 | answer=A | explanation= $SI = PRT/100 = 26925 \times 12 \times 4/100 = \text{█}12924$.

id=4649 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=35 | option_b=25 | option_c=30 | option_d=31 | answer=C | explanation=The common difference is 5. Therefore the next term is $25 + 5 = 30$.

id=4650 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

Aptitude Questions — Records 4,651-4,680 of 100,000

id=4651 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:6 and the first is 27, what is the second? | option_a=12 | option_b=45 | option_c=27 | option_d=18 | answer=D | explanation=Scale factor = 27/9 = 3. Therefore second quantity = 6×3 = 18.

id=4652 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4278. If it is sold at a profit of 40%, what is its selling price? | option_a=5989 | option_b=5562 | option_c=6416 | option_d=4318 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4278 × 140/100 = █5989.

id=4653 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3120. If it is sold at a profit of 15%, what is its selling price? | option_a=3276 | option_b=3900 | option_c=3135 | option_d=3588 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3120 × 115/100 = █3588.

id=4654 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4805. If it is sold at a profit of 10%, what is its selling price? | option_a=5765 | option_b=5285 | option_c=4815 | option_d=4805 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4805 × 110/100 = █5285.

id=4655 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=150 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=4656 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=125 | option_c=115 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=4657 | topic=Averages | difficulty=Easy | question=Find the average of 33, 100, 82, 74, 71. | option_a=71 | option_b=72 | option_c=73 | option_d=74 | answer=B | explanation=Average = sum of values ÷ number of values = 360 ÷ 5 = 72.

id=4658 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33110 at 12% per annum for 5 years. | option_a=19766 | option_b=52976 | option_c=19866 | option_d=19866 | answer=D | explanation=SI = PRT/100 = 33110×12×5/100 = █19866.

id=4659 | topic=Averages | difficulty=Easy | question=Find the average of 80, 22, 10, 61, 15, 76. | option_a=46 | option_b=45 | option_c=43 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = 264 ÷ 6 = 44.

id=4660 | topic=Percentages | difficulty=Easy | question=What is 25% of 128? | option_a=64 | option_b=37 | option_c=27 | option_d=32 | answer=D | explanation=25% of 128 = (25/100) × 128 = 32.

id=4661 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=36 | option_b=41 | option_c=72 | option_d=31 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=4662 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=30 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=4663 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24025 at 10% per annum for 5 years. | option_a=12112 | option_b=11912 | option_c=12012 | option_d=36037 | answer=C | explanation=SI = PRT/100 = 24025×10×5/100 = █12012.

id=4664 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:11 and the first is 126, what is the second? | option_a=187 | option_b=324 | option_c=198 | option_d=205 | answer=C | explanation=Scale factor = 126/7 = 18. Therefore second quantity = 11×18 = 198.

id=4665 | topic=Percentages | difficulty=Easy | question=What is 40% of 1335? | option_a=544 | option_b=1068 | option_c=534 | option_d=514 | answer=C | explanation=40% of 1335 = (40/100) × 1335 = 534.

id=4666 | topic=Percentages | difficulty=Easy | question=What is 10% of 926? | option_a=184 | option_b=72 | option_c=92 | option_d=97 | answer=C | explanation=10% of 926 = (10/100) × 926 = 92.

id=4667 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=4668 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2414. If it is sold at a profit of 50%, what is its selling price? | option_a=2464 | option_b=3380 | option_c=3621 | option_d=3862 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2414 × 150/100 = █3621.

id=4669 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:3 and the first is 48, what is the second? | option_a=15 | option_b=18 | option_c=26 | option_d=66 | answer=B | explanation=Scale factor = 48/8 = 6. Therefore second quantity = 3×6 = 18.

id=4670 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1571. If it is sold at a profit of 40%, what is its selling price? | option_a=2199 | option_b=2042 | option_c=2356 | option_d=1611 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1571 × 140/100 = █2199.

id=4671 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=4672 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28589 at 8% per annum for 2 years. | option_a=4674 | option_b=33163 | option_c=4474 | option_d=4574 | answer=D | explanation=SI = PRT/100 = 28589×8×2/100 = █4574.

id=4673 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=4674 | topic=Percentages | difficulty=Easy | question=What is 25% of 1871? | option_a=467 | option_b=487 | option_c=447 | option_d=934 | answer=A | explanation=25% of 1871 = (25/100) × 1871 = 467.

id=4675 | topic=Percentages | difficulty=Easy | question=What is 5% of 922? | option_a=56 | option_b=36 | option_c=92 | option_d=46 | answer=D | explanation=5% of 922 = (5/100) × 922 = 46.

id=4676 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4380. If it is sold at a profit of 10%, what is its selling price? | option_a=4380 | option_b=4818 | option_c=5256 | option_d=4390 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4380 × 110/100 = █4818.

id=4677 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16789 at 6% per annum for 2 years. | option_a=18803 | option_b=2014 | option_c=1914 | option_d=2114 | answer=B | explanation=SI = PRT/100 = 16789×6×2/100 = █2014.

id=4678 | topic=Percentages | difficulty=Easy | question=What is 25% of 1339? | option_a=334 | option_b=344 | option_c=668 | option_d=314 | answer=A | explanation=25% of 1339 = (25/100) × 1339 = 334.

id=4679 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3529. If it is sold at a profit of 30%, what is its selling price? | option_a=4235 | option_b=4939 | option_c=4587 | option_d=3559 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3529 × 130/100 = █4587.

id=4680 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=32 | option_b=26 | option_c=31 | option_d=36 | answer=C | explanation=The common difference is 5. Therefore the next term is 26 + 5 = 31.

Aptitude Questions — Records 4,681-4,710 of 100,000

id=4681 | topic=Percentages | difficulty=Easy | question=What is 20% of 352? | option_a=70 | option_b=140 | option_c=75 | option_d=60 | answer=A | explanation=20% of 352 = (20/100) × 352 = 70.

id=4682 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=J | option_b=K | option_c=M | option_d=L | answer=D | explanation=Move 1 positions forward from K; the resulting letter is L.

id=4683 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:3 and the first is 36, what is the second? | option_a=39 | option_b=36 | option_c=72 | option_d=33 | answer=B | explanation=Scale factor = 36/3 = 12. Therefore second quantity = 3×12 = 36.

id=4684 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=4685 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=4686 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3888. If it is sold at a profit of 5%, what is its selling price? | option_a=3893 | option_b=4082 | option_c=4470 | option_d=3694 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3888 × 105/100 = █4082.

id=4687 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1606. If it is sold at a profit of 30%, what is its selling price? | option_a=1636 | option_b=2087 | option_c=1927 | option_d=2247 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1606 × 130/100 = █2087.

id=4688 | topic=Averages | difficulty=Easy | question=Find the average of 21, 67, 92, 79, 57, 58, 77, 23, 68, 58. | option_a=59 | option_b=60 | option_c=61 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=4689 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=18 | option_c=13 | option_d=23 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=4690 | topic=Percentages | difficulty=Easy | question=What is 10% of 1613? | option_a=161 | option_b=166 | option_c=322 | option_d=141 | answer=A | explanation=10% of 1613 = (10/100) × 1613 = 161.

id=4691 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=37 | option_b=28 | option_c=36 | option_d=44 | answer=C | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=4692 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 8. | option_a=40 | option_b=32 | option_c=60 | option_d=160 | answer=A | explanation=LCM × HCF = 20×8; HCF(20,8) = 4, so LCM = 40.

id=4693 | topic=Percentages | difficulty=Easy | question=What is 20% of 1113? | option_a=444 | option_b=212 | option_c=242 | option_d=222 | answer=D | explanation=20% of 1113 = (20/100) × 1113 = 222.

id=4694 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=M | option_b=P | option_c=J | option_d=G | answer=A | explanation=Move 3 positions forward from J; the resulting letter is M.

id=4695 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 15, 22, 29, ? | option_a=29 | option_b=43 | option_c=36 | option_d=37 | answer=C | explanation=The common difference is 7. Therefore the next term is 29 + 7 = 36.

id=4696 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=4697 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=4698 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=N | option_b=O | option_c=Q | option_d=P | answer=D | explanation=Move 1 positions forward from O; the resulting letter is P.

id=4699 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 14. | option_a=336 | option_b=168 | option_c=154 | option_d=192 | answer=B | explanation=LCM × HCF = 24×14; HCF(24,14) = 2, so LCM = 168.

id=4700 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=72 | option_c=77 | option_d=144 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=4701 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2373. If it is sold at a profit of 50%, what is its selling price? | option_a=3559 | option_b=2423 | option_c=3322 | option_d=3796 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2373 × 150/100 = █3559.

id=4702 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 9, 12, 16? | option_a=16 | option_b=12 | option_c=6 | option_d=9 | answer=A | explanation=The first three numbers increase by 3, so the next should be 15. Therefore 16 is the odd one out.

id=4703 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:1 and the first is 238, what is the second? | option_a=16 | option_b=31 | option_c=17 | option_d=255 | answer=C | explanation=Scale factor = 238/14 = 17. Therefore second quantity = 1×17 = 17.

id=4704 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=53 | option_b=46 | option_c=37 | option_d=45 | answer=D | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=4705 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3419 at 6% per annum for 1 years. | option_a=205 | option_b=105 | option_c=3624 | option_d=305 | answer=A | explanation=SI = PRT/100 = 3419×6×1/100 = █205.

id=4706 | topic=Averages | difficulty=Easy | question=Find the average of 46, 77, 95, 88, 32, 55, 15, 16, 73, 63. | option_a=58 | option_b=55 | option_c=57 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 560 ÷ 10 = 56.

id=4707 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:14 and the first is 289, what is the second? | option_a=224 | option_b=238 | option_c=527 | option_d=255 | answer=B | explanation=Scale factor = 289/17 = 17. Therefore second quantity = 14×17 = 238.

id=4708 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 9, 12, 17? | option_a=17 | option_b=9 | option_c=6 | option_d=12 | answer=A | explanation=The first three numbers increase by 3, so the next should be 15. Therefore 17 is the odd one out.

id=4709 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:15 and the first is 144, what is the second? | option_a=135 | option_b=151 | option_c=279 | option_d=120 | answer=A | explanation=Scale factor = 144/16 = 9. Therefore second quantity = 15×9 = 135.

id=4710 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=X | option_b=U | option_c=R | option_d=O | answer=B | explanation=Move 3 positions forward from R; the resulting letter is U.

Aptitude Questions — Records 4,711-4,740 of 100,000

id=4711 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=50 | option_d=100 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=4712 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=7 | option_c=24 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=4713 | topic=Percentages | difficulty=Easy | question=What is 30% of 1477? | option_a=433 | option_b=453 | option_c=886 | option_d=443 | answer=D | explanation=30% of 1477 = (30/100) × 1477 = 443.

id=4714 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 20. | option_a=100 | option_b=25 | option_c=1 | option_d=20 | answer=D | explanation=LCM × HCF = 5×20; HCF(5,20) = 5, so LCM = 20.

id=4715 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=35 | option_b=40 | option_c=41 | option_d=45 | answer=B | explanation=The common difference is 5. Therefore the next term is 35 + 5 = 40.

id=4716 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=Z | option_c=F | option_d=D | answer=D | explanation=Move 2 positions forward from B; the resulting letter is D.

id=4717 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 16? | option_a=8 | option_b=16 | option_c=10 | option_d=12 | answer=B | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 16 is the odd one out.

id=4718 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 36, 45, 56? | option_a=36 | option_b=45 | option_c=56 | option_d=27 | answer=C | explanation=The first three numbers increase by 9, so the next should be 54. Therefore 56 is the odd one out.

id=4719 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=19 | option_c=24 | option_d=29 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=4720 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=50 | option_b=40 | option_c=60 | option_d=51 | answer=A | explanation=The common difference is 10. Therefore the next term is 40 + 10 = 50.

id=4721 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 15? | option_a=8 | option_b=15 | option_c=11 | option_d=5 | answer=B | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 15 is the odd one out.

id=4722 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:4 and the first is 192, what is the second? | option_a=256 | option_b=64 | option_c=60 | option_d=76 | answer=B | explanation=Scale factor = 192/12 = 16. Therefore second quantity = 4×16 = 64.

id=4723 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10007 at 10% per annum for 2 years. | option_a=12008 | option_b=1901 | option_c=2101 | option_d=2001 | answer=D | explanation=SI = PRT/100 = 10007×10×2/100 = █2001.

id=4724 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 22, 29, 37? | option_a=37 | option_b=29 | option_c=22 | option_d=15 | answer=A | explanation=The first three numbers increase by 7, so the next should be 36. Therefore 37 is the odd one out.

id=4725 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=U | option_b=O | option_c=L | option_d=R | answer=D | explanation=Move 3 positions forward from O; the resulting letter is R.

id=4726 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=49 | option_b=41 | option_c=40 | option_d=31 | answer=C | explanation=The common difference is 9. Therefore the next term is 31 + 9 = 40.

id=4727 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44864 at 6% per annum for 2 years. | option_a=5383 | option_b=5483 | option_c=50247 | option_d=5283 | answer=A | explanation=SI = PRT/100 = 44864×6×2/100 = █5383.

id=4728 | topic=Averages | difficulty=Easy | question=Find the average of 41, 74, 99, 19, 18, 98, 52, 79. | option_a=61 | option_b=62 | option_c=60 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 480 ÷ 8 = 60.

id=4729 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=60 | option_b=51 | option_c=40 | option_d=50 | answer=D | explanation=The common difference is 10. Therefore the next term is 40 + 10 = 50.

id=4730 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=4731 | topic=Percentages | difficulty=Easy | question=What is 12% of 664? | option_a=59 | option_b=79 | option_c=89 | option_d=158 | answer=B | explanation=12% of 664 = (12/100) × 664 = 79.

id=4732 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=13 | option_c=18 | option_d=23 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=4733 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4397. If it is sold at a profit of 10%, what is its selling price? | option_a=5275 | option_b=4836 | option_c=4397 | option_d=4407 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4397 × 110/100 = █4836.

id=4734 | topic=Averages | difficulty=Easy | question=Find the average of 90, 85, 41, 57, 67. | option_a=70 | option_b=69 | option_c=68 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 340 ÷ 5 = 68.

id=4735 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 40? | option_a=36 | option_b=33 | option_c=30 | option_d=40 | answer=D | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 40 is the odd one out.

id=4736 | topic=Percentages | difficulty=Easy | question=What is 15% of 1801? | option_a=540 | option_b=270 | option_c=280 | option_d=260 | answer=B | explanation=15% of 1801 = (15/100) × 1801 = 270.

id=4737 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=Y | option_b=G | option_c=K | option_d=C | answer=B | explanation=Move 4 positions forward from C; the resulting letter is G.

id=4738 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=4739 | topic=Percentages | difficulty=Easy | question=What is 12% of 1917? | option_a=230 | option_b=235 | option_c=460 | option_d=225 | answer=A | explanation=12% of 1917 = (12/100) × 1917 = 230.

id=4740 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

Aptitude Questions — Records 4,741-4,770 of 100,000

id=4741 | topic=Percentages | difficulty=Easy | question=What is 10% of 1053? | option_a=210 | option_b=115 | option_c=105 | option_d=100 | answer=C | explanation=10% of 1053 = (10/100) × 1053 = 105.

id=4742 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=4743 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20075 at 12% per annum for 1 years. | option_a=2409 | option_b=2309 | option_c=2509 | option_d=22484 | answer=A | explanation=SI = PRT/100 = 20075×12×1/100 = █2409.

id=4744 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3237. If it is sold at a profit of 5%, what is its selling price? | option_a=3398 | option_b=3242 | option_c=3721 | option_d=3075 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3237 × 105/100 = █3398.

id=4745 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=M | option_b=H | option_c=X | option_d=C | answer=B | explanation=Move 5 positions forward from C; the resulting letter is H.

id=4746 | topic=Averages | difficulty=Easy | question=Find the average of 96, 35, 65, 60, 56, 12. | option_a=54 | option_b=56 | option_c=53 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 324 ÷ 6 = 54.

id=4747 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=32 | option_b=39 | option_c=25 | option_d=33 | answer=A | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.

id=4748 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 14, 23, 35? | option_a=23 | option_b=5 | option_c=14 | option_d=35 | answer=D | explanation=The first three numbers increase by 9, so the next should be 32. Therefore 35 is the odd one out.

id=4749 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=31 | option_b=32 | option_c=24 | option_d=38 | answer=A | explanation=The common difference is 7. Therefore the next term is 24 + 7 = 31.

id=4750 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=27 | option_b=24 | option_c=19 | option_d=23 | answer=D | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=4751 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=G | option_b=J | option_c=D | option_d=A | answer=A | explanation=Move 3 positions forward from D; the resulting letter is G.

id=4752 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 24? | option_a=5 | option_b=17 | option_c=24 | option_d=11 | answer=C | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 24 is the odd one out.

id=4753 | topic=Averages | difficulty=Easy | question=Find the average of 98, 100, 60, 83, 84, 34, 84, 25. | option_a=73 | option_b=72 | option_c=71 | option_d=70 | answer=C | explanation=Average = sum of values ÷ number of values = 568 ÷ 8 = 71.

id=4754 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=4755 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3788. If it is sold at a profit of 25%, what is its selling price? | option_a=5113 | option_b=4357 | option_c=3813 | option_d=4735 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3788 × 125/100 = █4735.

id=4756 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=66 | option_b=78 | option_c=67 | option_d=54 | answer=A | explanation=The common difference is 12. Therefore the next term is 54 + 12 = 66.

id=4757 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=20 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=4758 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 35? | option_a=4 | option_b=14 | option_c=35 | option_d=24 | answer=C | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 35 is the odd one out.

id=4759 | topic=Averages | difficulty=Easy | question=Find the average of 68, 95, 51, 87, 23, 63, 49, 44, 105. | option_a=64 | option_b=67 | option_c=66 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 585 ÷ 9 = 65.

id=4760 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48141 at 4% per annum for 5 years. | option_a=9728 | option_b=9528 | option_c=57769 | option_d=9628 | answer=D | explanation=SI = PRT/100 = 48141×4×5/100 = █9628.

id=4761 | topic=Averages | difficulty=Easy | question=Find the average of 76, 50, 27. | option_a=50 | option_b=53 | option_c=51 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 153 ÷ 3 = 51.

id=4762 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=4763 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=4764 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41571 at 12% per annum for 2 years. | option_a=9977 | option_b=10077 | option_c=9877 | option_d=51548 | answer=A | explanation=SI = PRT/100 = 41571×12×2/100 = █9977.

id=4765 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=4766 | topic=Profit & Loss | difficulty=Easy | question=An article costs █425. If it is sold at a profit of 50%, what is its selling price? | option_a=475 | option_b=679 | option_c=637 | option_d=595 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 425 × 150/100 = █637.

id=4767 | topic=Percentages | difficulty=Easy | question=What is 15% of 91? | option_a=0 | option_b=26 | option_c=18 | option_d=13 | answer=D | explanation=15% of 91 = (15/100) × 91 = 13.

id=4768 | topic=Percentages | difficulty=Easy | question=What is 40% of 1458? | option_a=573 | option_b=588 | option_c=583 | option_d=1166 | answer=C | explanation=40% of 1458 = (40/100) × 1458 = 583.

id=4769 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:14 and the first is 78, what is the second? | option_a=260 | option_b=188 | option_c=182 | option_d=168 | answer=C | explanation=Scale factor = 78/6 = 13. Therefore second quantity = 14×13 = 182.

id=4770 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=B | option_b=W | option_c=R | option_d=M | answer=B | explanation=Move 5 positions forward from R; the resulting letter is W.

Aptitude Questions — Records 4,771-4,800 of 100,000

- id=4771 | topic=Averages | difficulty=Easy | question=Find the average of 99, 33, 38, 81, 94, 23, 80, 32. | option_a=59 | option_b=60 | option_c=62 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 480 ÷ 8 = 60.
- id=4772 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=S | option_c=U | option_d=Y | answer=A | explanation=Move 2 positions forward from U; the resulting letter is W.
- id=4773 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 11, 20, 32? | option_a=11 | option_b=20 | option_c=2 | option_d=32 | answer=D | explanation=The first three numbers increase by 9, so the next should be 29. Therefore 32 is the odd one out.
- id=4774 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=E | option_b=K | option_c=H | option_d=N | answer=B | explanation=Move 3 positions forward from H; the resulting letter is K.
- id=4775 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4368. If it is sold at a profit of 30%, what is its selling price? | option_a=4398 | option_b=5242 | option_c=5678 | option_d=6114 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4368 × 130/100 = **■**5678.
- id=4776 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.
- id=4777 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=47 | option_b=71 | option_c=59 | option_d=60 | answer=C | explanation=The common difference is 12. Therefore the next term is 47 + 12 = 59.
- id=4778 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 18. | option_a=126 | option_b=140 | option_c=108 | option_d=252 | answer=A | explanation=LCM × HCF = 14×18; HCF(14,18) = 2, so LCM = 126.
- id=4779 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5632 at 5% per annum for 5 years. | option_a=7040 | option_b=1308 | option_c=1508 | option_d=1408 | answer=D | explanation=SI = PRT/100 = 5632×5×5/100 = **■**1408.
- id=4780 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2207. If it is sold at a profit of 25%, what is its selling price? | option_a=2232 | option_b=2758 | option_c=2978 | option_d=2538 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2207 × 125/100 = **■**2758.
- id=4781 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25299 at 10% per annum for 3 years. | option_a=7689 | option_b=32888 | option_c=7589 | option_d=7489 | answer=C | explanation=SI = PRT/100 = 25299×10×3/100 = **■**7589.
- id=4782 | topic=Averages | difficulty=Easy | question=Find the average of 51, 88, 20. | option_a=55 | option_b=53 | option_c=54 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 159 ÷ 3 = 53.
- id=4783 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=40 | option_b=36 | option_c=35 | option_d=30 | answer=C | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.
- id=4784 | topic=Percentages | difficulty=Easy | question=What is 30% of 1271? | option_a=391 | option_b=762 | option_c=381 | option_d=371 | answer=C | explanation=30% of 1271 = (30/100) × 1271 = 381.
- id=4785 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=4786 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10218 at 5% per annum for 3 years. | option_a=1532 | option_b=1432 | option_c=11750 | option_d=1632 | answer=A | explanation=SI = PRT/100 = 10218×5×3/100 = **■**1532.
- id=4787 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 36, 45, 55? | option_a=45 | option_b=55 | option_c=36 | option_d=27 | answer=B | explanation=The first three numbers increase by 9, so the next should be 54. Therefore 55 is the odd one out.
- id=4788 | topic=Averages | difficulty=Easy | question=Find the average of 27, 76, 20, 69. | option_a=49 | option_b=50 | option_c=47 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = 192 ÷ 4 = 48.
- id=4789 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.
- id=4790 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1420. If it is sold at a profit of 50%, what is its selling price? | option_a=2130 | option_b=2272 | option_c=1470 | option_d=1988 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1420 × 150/100 = **■**2130.
- id=4791 | topic=Averages | difficulty=Easy | question=Find the average of 37, 19, 21, 49, 87, 36, 40, 23, 12, 86. | option_a=42 | option_b=40 | option_c=41 | option_d=43 | answer=C | explanation=Average = sum of values ÷ number of values = 410 ÷ 10 = 41.
- id=4792 | topic=Percentages | difficulty=Easy | question=What is 30% of 1722? | option_a=536 | option_b=516 | option_c=1032 | option_d=506 | answer=B | explanation=30% of 1722 = (30/100) × 1722 = 516.
- id=4793 | topic=Percentages | difficulty=Easy | question=What is 50% of 531? | option_a=245 | option_b=270 | option_c=530 | option_d=265 | answer=D | explanation=50% of 531 = (50/100) × 531 = 265.
- id=4794 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:12 and the first is 72, what is the second? | option_a=66 | option_b=36 | option_c=120 | option_d=48 | answer=D | explanation=Scale factor = 72/18 = 4. Therefore second quantity = 12×4 = 48.
- id=4795 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4202. If it is sold at a profit of 15%, what is its selling price? | option_a=4217 | option_b=5252 | option_c=4832 | option_d=4412 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4202 × 115/100 = **■**4832.
- id=4796 | topic=Percentages | difficulty=Easy | question=What is 10% of 1164? | option_a=116 | option_b=232 | option_c=111 | option_d=126 | answer=A | explanation=10% of 1164 = (10/100) × 1164 = 116.
- id=4797 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.
- id=4798 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:20 and the first is 380, what is the second? | option_a=419 | option_b=380 | option_c=400 | option_d=780 | answer=C | explanation=Scale factor = 380/19 = 20. Therefore second quantity = 20×20 = 400.
- id=4799 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=D | option_c=F | option_d=E | answer=C | explanation=Move 1 positions forward from E; the resulting letter is F.
- id=4800 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=V | option_b=S | option_c=P | option_d=M | answer=B | explanation=Move 3 positions forward from P; the resulting letter is S.

Aptitude Questions — Records 4,801-4,830 of 100,000

id=4801 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:5 and the first is 50, what is the second? | option_a=75 | option_b=20 | option_c=35 | option_d=25 | answer=D | explanation=Scale factor = 50/10 = 5. Therefore second quantity = 5×5 = 25.

id=4802 | topic=Profit & Loss | difficulty=Easy | question=An article costs █468. If it is sold at a profit of 5%, what is its selling price? | option_a=473 | option_b=491 | option_c=537 | option_d=445 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 468 × 105/100 = █491.

id=4803 | topic=Profit & Loss | difficulty=Easy | question=An article costs █198. If it is sold at a profit of 25%, what is its selling price? | option_a=266 | option_b=228 | option_c=223 | option_d=247 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 198 × 125/100 = █247.

id=4804 | topic=Averages | difficulty=Easy | question=Find the average of 56, 52, 68, 83, 48, 27, 16, 74. | option_a=55 | option_b=53 | option_c=52 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.

id=4805 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=M | option_b=R | option_c=C | option_d=H | answer=A | explanation=Move 5 positions forward from H; the resulting letter is M.

id=4806 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44052 at 4% per annum for 4 years. | option_a=6948 | option_b=7148 | option_c=7048 | option_d=51100 | answer=C | explanation=SI = PRT/100 = 44052×4×4/100 = █7048.

id=4807 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 39, 48, 59? | option_a=59 | option_b=39 | option_c=30 | option_d=48 | answer=A | explanation=The first three numbers increase by 9, so the next should be 57. Therefore 59 is the odd one out.

id=4808 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=4809 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14964 at 10% per annum for 5 years. | option_a=7582 | option_b=22446 | option_c=7382 | option_d=7482 | answer=D | explanation=SI = PRT/100 = 14964×10×5/100 = █7482.

id=4810 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=52 | option_b=65 | option_c=64 | option_d=76 | answer=C | explanation=The common difference is 12. Therefore the next term is 52 + 12 = 64.

id=4811 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 33? | option_a=27 | option_b=33 | option_c=17 | option_d=22 | answer=B | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 33 is the odd one out.

id=4812 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=38 | option_b=45 | option_c=39 | option_d=31 | answer=A | explanation=The common difference is 7. Therefore the next term is 31 + 7 = 38.

id=4813 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 30, 33, 39? | option_a=27 | option_b=39 | option_c=30 | option_d=33 | answer=B | explanation=The first three numbers increase by 3, so the next should be 36. Therefore 39 is the odd one out.

id=4814 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:18 and the first is 76, what is the second? | option_a=418 | option_b=324 | option_c=346 | option_d=342 | answer=D | explanation=Scale factor = 76/4 = 19. Therefore second quantity = 18×19 = 342.

id=4815 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:8 and the first is 10, what is the second? | option_a=40 | option_b=50 | option_c=42 | option_d=32 | answer=A | explanation=Scale factor = 10/2 = 5. Therefore second quantity = 8×5 = 40.

id=4816 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 17, 22, 30? | option_a=22 | option_b=12 | option_c=17 | option_d=30 | answer=D | explanation=The first three numbers increase by 5, so the next should be 27. Therefore 30 is the odd one out.

id=4817 | topic=Averages | difficulty=Easy | question=Find the average of 27, 14, 56, 45, 49, 86, 34, 40, 90. | option_a=48 | option_b=49 | option_c=51 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 441 ÷ 9 = 49.

id=4818 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=Y | option_b=P | option_c=V | option_d=S | answer=C | explanation=Move 3 positions forward from S; the resulting letter is V.

id=4819 | topic=Averages | difficulty=Easy | question=Find the average of 63, 68, 11, 27, 16, 69, 91, 23. | option_a=48 | option_b=47 | option_c=46 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = 368 ÷ 8 = 46.

id=4820 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 42? | option_a=35 | option_b=23 | option_c=29 | option_d=42 | answer=D | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 42 is the odd one out.

id=4821 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=4822 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:2 and the first is 160, what is the second? | option_a=32 | option_b=30 | option_c=42 | option_d=192 | answer=A | explanation=Scale factor = 160/10 = 16. Therefore second quantity = 2×16 = 32.

id=4823 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 39, 49, 62? | option_a=49 | option_b=62 | option_c=39 | option_d=29 | answer=B | explanation=The first three numbers increase by 10, so the next should be 59. Therefore 62 is the odd one out.

id=4824 | topic=Profit & Loss | difficulty=Easy | question=An article costs █356. If it is sold at a profit of 5%, what is its selling price? | option_a=408 | option_b=338 | option_c=373 | option_d=361 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 356 × 105/100 = █373.

id=4825 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:20 and the first is 11, what is the second? | option_a=221 | option_b=200 | option_c=220 | option_d=231 | answer=C | explanation=Scale factor = 11/1 = 11. Therefore second quantity = 20×11 = 220.

id=4826 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20336 at 8% per annum for 1 years. | option_a=1626 | option_b=1526 | option_c=1726 | option_d=21962 | answer=A | explanation=SI = PRT/100 = 20336×8×1/100 = █1626.

id=4827 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 26, 28, 32? | option_a=26 | option_b=24 | option_c=28 | option_d=32 | answer=D | explanation=The first three numbers increase by 2, so the next should be 30. Therefore 32 is the odd one out.

id=4828 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 41? | option_a=31 | option_b=15 | option_c=23 | option_d=41 | answer=D | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 41 is the odd one out.

id=4829 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:5 and the first is 135, what is the second? | option_a=75 | option_b=70 | option_c=210 | option_d=84 | answer=A | explanation=Scale factor = 135/9 = 15. Therefore second quantity = 5×15 = 75.

id=4830 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 24. | option_a=24 | option_b=27 | option_c=72 | option_d=1 | answer=A | explanation=LCM × HCF = 3×24; HCF(3,24) = 3, so LCM = 24.

Aptitude Questions — Records 4,831-4,860 of 100,000

id=4831 | topic=Percentages | difficulty=Easy | question=What is 50% of 290? | option_a=155 | option_b=135 | option_c=290 | option_d=145 | answer=D | explanation=50% of 290 = (50/100) × 290 = 145.

id=4832 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22384 at 8% per annum for 1 years. | option_a=1790 | option_b=1890 | option_c=24174 | option_d=1690 | answer=A | explanation=SI = $PRT/100 = 22384 \times 8 \times 1/100 = \text{█}1790$.

id=4833 | topic=Averages | difficulty=Easy | question=Find the average of 69, 41, 28. | option_a=46 | option_b=48 | option_c=47 | option_d=45 | answer=A | explanation=Average = sum of values + number of values = 138 ÷ 3 = 46.

id=4834 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 29, 38, 50? | option_a=20 | option_b=50 | option_c=38 | option_d=29 | answer=B | explanation=The first three numbers increase by 9, so the next should be 47. Therefore 50 is the odd one out.

id=4835 | topic=Averages | difficulty=Easy | question=Find the average of 43, 39, 77. | option_a=55 | option_b=52 | option_c=54 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 159 ÷ 3 = 53.

id=4836 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=62 | option_b=51 | option_c=63 | option_d=73 | answer=A | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.

id=4837 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=25 | option_b=37 | option_c=31 | option_d=32 | answer=C | explanation=The common difference is 6. Therefore the next term is 25 + 6 = 31.

id=4838 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 17? | option_a=11 | option_b=8 | option_c=17 | option_d=5 | answer=C | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 17 is the odd one out.

id=4839 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 21, 27, 34? | option_a=27 | option_b=21 | option_c=34 | option_d=15 | answer=C | explanation=The first three numbers increase by 6, so the next should be 33. Therefore 34 is the odd one out.

id=4840 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:13 and the first is 156, what is the second? | option_a=181 | option_b=325 | option_c=156 | option_d=169 | answer=D | explanation=Scale factor = $156/12 = 13$. Therefore second quantity = $13 \times 13 = 169$.

id=4841 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31390 at 6% per annum for 5 years. | option_a=9317 | option_b=40807 | option_c=9517 | option_d=9417 | answer=D | explanation=SI = $PRT/100 = 31390 \times 6 \times 5/100 = \text{█}9417$.

id=4842 | topic=Percentages | difficulty=Easy | question=What is 20% of 553? | option_a=115 | option_b=220 | option_c=110 | option_d=100 | answer=C | explanation=20% of 553 = $(20/100) \times 553 = 110$.

id=4843 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = $300 \div 10 = 30$ km/h.

id=4844 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = $150 \div 5 = 30$ km/h.

id=4845 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=C | option_c=I | option_d=G | answer=D | explanation=Move 2 positions forward from E; the resulting letter is G.

id=4846 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:3 and the first is 20, what is the second? | option_a=19 | option_b=35 | option_c=12 | option_d=15 | answer=D | explanation=Scale factor = $20/4 = 5$. Therefore second quantity = $3 \times 5 = 15$.

id=4847 | topic=Percentages | difficulty=Easy | question=What is 5% of 826? | option_a=41 | option_b=82 | option_c=36 | option_d=51 | answer=A | explanation=5% of 826 = $(5/100) \times 826 = 41$.

id=4848 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=Q | option_c=W | option_d=U | answer=D | explanation=Move 2 positions forward from S; the resulting letter is U.

id=4849 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12569 at 4% per annum for 3 years. | option_a=14077 | option_b=1608 | option_c=1508 | option_d=1408 | answer=C | explanation=SI = $PRT/100 = 12569 \times 4 \times 3/100 = \text{█}1508$.

id=4850 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=50 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = $150 \div 6 = 25$ km/h.

id=4851 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=300 | option_c=155 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = $300 \div 2 = 150$ km/h.

id=4852 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=U | option_b=P | option_c=F | option_d=K | answer=B | explanation=Move 5 positions forward from K; the resulting letter is P.

id=4853 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=4854 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 26. | option_a=52 | option_b=26 | option_c=676 | option_d=1 | answer=B | explanation=LCM × HCF = 26×26 ; $HCF(26, 26) = 26$, so LCM = 26.

id=4855 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=4856 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13769 at 6% per annum for 5 years. | option_a=4230 | option_b=4130 | option_c=17899 | option_d=4030 | answer=B | explanation=SI = $PRT/100 = 13769 \times 6 \times 5/100 = \text{█}4130$.

id=4857 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = $240 \div 8 = 30$ km/h.

id=4858 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=6 | option_c=11 | option_d=12 | answer=B | explanation=Speed = distance ÷ time = $60 \div 10 = 6$ km/h.

id=4859 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 32? | option_a=32 | option_b=22 | option_c=4 | option_d=13 | answer=A | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 32 is the odd one out.

id=4860 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24470 at 5% per annum for 3 years. | option_a=3670 | option_b=3570 | option_c=3770 | option_d=28140 | answer=A | explanation=SI = $PRT/100 = 24470 \times 5 \times 3/100 = \text{█}3670$.

Aptitude Questions — Records 4,861-4,890 of 100,000

id=4861 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:13 and the first is 190, what is the second? | option_a=117 | option_b=320 | option_c=130 | option_d=149 | answer=C | explanation=Scale factor = 190/19 = 10. Therefore second quantity = 13×10 = 130.

id=4862 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=4863 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 20. | option_a=80 | option_b=320 | option_c=60 | option_d=96 | answer=A | explanation=LCM × HCF = 16×20; HCF(16,20) = 4, so LCM = 80.

id=4864 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=F | option_b=R | option_c=J | option_d=N | answer=D | explanation=Move 4 positions forward from J; the resulting letter is N.

id=4865 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8948 at 4% per annum for 3 years. | option_a=973 | option_b=10021 | option_c=1173 | option_d=1073 | answer=D | explanation=SI = PRT/100 = 8948×4×3/100 = █1073.

id=4866 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=36 | option_d=13 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=4867 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 17, 19, 21, ? | option_a=21 | option_b=24 | option_c=25 | option_d=23 | answer=D | explanation=The common difference is 2. Therefore the next term is 21 + 2 = 23.

id=4868 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 13, 17, 21, ? | option_a=26 | option_b=25 | option_c=29 | option_d=21 | answer=B | explanation=The common difference is 4. Therefore the next term is 21 + 4 = 25.

id=4869 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 6. | option_a=54 | option_b=80 | option_c=60 | option_d=120 | answer=C | explanation=LCM × HCF = 20×6; HCF(20,6) = 2, so LCM = 60.

id=4870 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=Z | option_b=L | option_c=H | option_d=D | answer=C | explanation=Move 4 positions forward from D; the resulting letter is H.

id=4871 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=O | option_c=N | option_d=L | answer=C | explanation=Move 1 positions forward from M; the resulting letter is N.

id=4872 | topic=Percentages | difficulty=Easy | question=What is 15% of 1379? | option_a=412 | option_b=226 | option_c=206 | option_d=186 | answer=C | explanation=15% of 1379 = (15/100) × 1379 = 206.

id=4873 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:15 and the first is 95, what is the second? | option_a=290 | option_b=380 | option_c=285 | option_d=270 | answer=C | explanation=Scale factor = 95/5 = 19. Therefore second quantity = 15×19 = 285.

id=4874 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=4875 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=R | option_b=A | option_c=X | option_d=U | answer=C | explanation=Move 3 positions forward from U; the resulting letter is X.

id=4876 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 30. | option_a=390 | option_b=360 | option_c=416 | option_d=780 | answer=A | explanation=LCM × HCF = 26×30; HCF(26,30) = 2, so LCM = 390.

id=4877 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:7 and the first is 48, what is the second? | option_a=56 | option_b=62 | option_c=104 | option_d=49 | answer=A | explanation=Scale factor = 48/6 = 8. Therefore second quantity = 7×8 = 56.

id=4878 | topic=Averages | difficulty=Easy | question=Find the average of 91, 68, 34, 27, 66, 80. | option_a=61 | option_b=63 | option_c=60 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 366 ÷ 6 = 61.

id=4879 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 10, 13, 16, ? | option_a=22 | option_b=20 | option_c=19 | option_d=16 | answer=C | explanation=The common difference is 3. Therefore the next term is 16 + 3 = 19.

id=4880 | topic=Percentages | difficulty=Easy | question=What is 30% of 332? | option_a=104 | option_b=89 | option_c=99 | option_d=198 | answer=C | explanation=30% of 332 = (30/100) × 332 = 99.

id=4881 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:9 and the first is 126, what is the second? | option_a=162 | option_b=169 | option_c=153 | option_d=288 | answer=A | explanation=Scale factor = 126/7 = 18. Therefore second quantity = 9×18 = 162.

id=4882 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=4883 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=125 | option_c=240 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=4884 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1281 at 10% per annum for 5 years. | option_a=540 | option_b=1921 | option_c=640 | option_d=740 | answer=C | explanation=SI = PRT/100 = 1281×10×5/100 = █640.

id=4885 | topic=Averages | difficulty=Easy | question=Find the average of 95, 82, 57. | option_a=77 | option_b=80 | option_c=79 | option_d=78 | answer=D | explanation=Average = sum of values ÷ number of values = 234 ÷ 3 = 78.

id=4886 | topic=Averages | difficulty=Easy | question=Find the average of 67, 39, 23, 26, 88, 70, 34, 45, 20, 58. | option_a=48 | option_b=49 | option_c=47 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 470 ÷ 10 = 47.

id=4887 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=L | option_b=U | option_c=O | option_d=R | answer=D | explanation=Move 3 positions forward from O; the resulting letter is R.

id=4888 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 12, 21, 30, ? | option_a=40 | option_b=30 | option_c=39 | option_d=48 | answer=C | explanation=The common difference is 9. Therefore the next term is 30 + 9 = 39.

id=4889 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 31, 40, 50? | option_a=31 | option_b=40 | option_c=50 | option_d=22 | answer=C | explanation=The first three numbers increase by 9, so the next should be 49. Therefore 50 is the odd one out.

id=4890 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=80 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

Aptitude Questions — Records 4,891-4,920 of 100,000

id=4891 | topic=Percentages | difficulty=Easy | question=What is 15% of 319? | option_a=47 | option_b=52 | option_c=94 | option_d=42 | answer=A | explanation=15% of 319 = (15/100) × 319 = 47.

id=4892 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=18 | option_c=23 | option_d=13 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=4893 | topic=Averages | difficulty=Easy | question=Find the average of 35, 11, 80, 77, 82. | option_a=56 | option_b=59 | option_c=58 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.

id=4894 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=20 | option_b=23 | option_c=26 | option_d=24 | answer=B | explanation=The common difference is 3. Therefore the next term is 20 + 3 = 23.

id=4895 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49119 at 6% per annum for 1 years. | option_a=52066 | option_b=2847 | option_c=2947 | option_d=3047 | answer=C | explanation=SI = PRT/100 = 49119×6×1/100 = █2947.

id=4896 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 22. | option_a=198 | option_b=176 | option_c=216 | option_d=396 | answer=A | explanation=LCM × HCF = 18×22; HCF(18,22) = 2, so LCM = 198.

id=4897 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 33, 42, 53? | option_a=53 | option_b=24 | option_c=42 | option_d=33 | answer=A | explanation=The first three numbers increase by 9, so the next should be 51. Therefore 53 is the odd one out.

id=4898 | topic=Percentages | difficulty=Easy | question=What is 25% of 1253? | option_a=626 | option_b=313 | option_c=333 | option_d=308 | answer=B | explanation=25% of 1253 = (25/100) × 1253 = 313.

id=4899 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:15 and the first is 140, what is the second? | option_a=105 | option_b=90 | option_c=245 | option_d=125 | answer=A | explanation=Scale factor = 140/20 = 7. Therefore second quantity = 15×7 = 105.

id=4900 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=47 | option_b=71 | option_c=59 | option_d=60 | answer=C | explanation=The common difference is 12. Therefore the next term is 47 + 12 = 59.

id=4901 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33879 at 8% per annum for 3 years. | option_a=8230 | option_b=42009 | option_c=8030 | option_d=8130 | answer=D | explanation=SI = PRT/100 = 33879×8×3/100 = █8130.

id=4902 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:2 and the first is 55, what is the second? | option_a=22 | option_b=77 | option_c=20 | option_d=27 | answer=A | explanation=Scale factor = 55/5 = 11. Therefore second quantity = 2×11 = 22.

id=4903 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=L | option_c=J | option_d=K | answer=B | explanation=Move 1 positions forward from K; the resulting letter is L.

id=4904 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4089. If it is sold at a profit of 40%, what is its selling price? | option_a=6132 | option_b=5724 | option_c=4129 | option_d=5316 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4089 × 140/100 = █5724.

id=4905 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:7 and the first is 400, what is the second? | option_a=540 | option_b=160 | option_c=140 | option_d=133 | answer=C | explanation=Scale factor = 400/20 = 20. Therefore second quantity = 7×20 = 140.

id=4906 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=4907 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=46 | option_b=47 | option_c=53 | option_d=39 | answer=A | explanation=The common difference is 7. Therefore the next term is 39 + 7 = 46.

id=4908 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=17 | option_b=13 | option_c=19 | option_d=16 | answer=D | explanation=The common difference is 3. Therefore the next term is 13 + 3 = 16.

id=4909 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 6. | option_a=60 | option_b=66 | option_c=88 | option_d=132 | answer=B | explanation=LCM × HCF = 22×6; HCF(22,6) = 2, so LCM = 66.

id=4910 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 34? | option_a=34 | option_b=16 | option_c=21 | option_d=26 | answer=A | explanation=The first three numbers increase by 5, so the next should be 31. Therefore 34 is the odd one out.

id=4911 | topic=Averages | difficulty=Easy | question=Find the average of 70, 16, 19, 30, 45, 83, 37, 24, 65, 51. | option_a=45 | option_b=44 | option_c=46 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = 440 ÷ 10 = 44.

id=4912 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:15 and the first is 152, what is the second? | option_a=437 | option_b=270 | option_c=293 | option_d=285 | answer=D | explanation=Scale factor = 152/8 = 19. Therefore second quantity = 15×19 = 285.

id=4913 | topic=Percentages | difficulty=Easy | question=What is 5% of 649? | option_a=32 | option_b=12 | option_c=64 | option_d=42 | answer=A | explanation=5% of 649 = (5/100) × 649 = 32.

id=4914 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4269. If it is sold at a profit of 50%, what is its selling price? | option_a=4319 | option_b=6403 | option_c=6829 | option_d=5977 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4269 × 150/100 = █6403.

id=4915 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=4916 | topic=Percentages | difficulty=Easy | question=What is 50% of 105? | option_a=62 | option_b=52 | option_c=104 | option_d=42 | answer=B | explanation=50% of 105 = (50/100) × 105 = 52.

id=4917 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=55 | option_c=50 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=4918 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=36 | option_c=72 | option_d=41 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=4919 | topic=Averages | difficulty=Easy | question=Find the average of 35, 44, 20. | option_a=33 | option_b=35 | option_c=32 | option_d=34 | answer=A | explanation=Average = sum of values ÷ number of values = 99 ÷ 3 = 33.

id=4920 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=55 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

Aptitude Questions — Records 4,921-4,950 of 100,000

id=4921 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 25, 34, 43, ? | option_a=53 | option_b=61 | option_c=43 | option_d=52 | answer=D | explanation=The common difference is 9. Therefore the next term is 43 + 9 = 52.

id=4922 | topic=Percentages | difficulty=Easy | question=What is 5% of 922? | option_a=92 | option_b=46 | option_c=51 | option_d=36 | answer=B | explanation=5% of 922 = (5/100) × 922 = 46.

id=4923 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:8 and the first is 128, what is the second? | option_a=120 | option_b=136 | option_c=256 | option_d=128 | answer=D | explanation=Scale factor = 128/8 = 16. Therefore second quantity = 8×16 = 128.

id=4924 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=52 | option_b=40 | option_c=64 | option_d=53 | answer=A | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.

id=4925 | topic=Averages | difficulty=Easy | question=Find the average of 81, 66, 20, 94, 91, 58, 40, 74, 106. | option_a=69 | option_b=70 | option_c=71 | option_d=72 | answer=B | explanation=Average = sum of values ÷ number of values = 630 ÷ 9 = 70.

id=4926 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3030. If it is sold at a profit of 50%, what is its selling price? | option_a=4242 | option_b=4545 | option_c=4848 | option_d=3080 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3030 × 150/100 = █4545.

id=4927 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=50 | option_d=90 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=4928 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 27? | option_a=12 | option_b=27 | option_c=6 | option_d=18 | answer=B | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 27 is the odd one out.

id=4929 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:16 and the first is 108, what is the second? | option_a=294 | option_b=396 | option_c=288 | option_d=272 | answer=C | explanation=Scale factor = 108/6 = 18. Therefore second quantity = 16×18 = 288.

id=4930 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:20 and the first is 72, what is the second? | option_a=340 | option_b=364 | option_c=360 | option_d=432 | answer=C | explanation=Scale factor = 72/4 = 18. Therefore second quantity = 20×18 = 360.

id=4931 | topic=Averages | difficulty=Easy | question=Find the average of 97, 83, 32, 20, 91, 30, 32. | option_a=57 | option_b=55 | option_c=54 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 385 ÷ 7 = 55.

id=4932 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=50 | option_b=61 | option_c=60 | option_d=70 | answer=C | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

id=4933 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=12 | option_b=10 | option_c=8 | option_d=11 | answer=B | explanation=The common difference is 2. Therefore the next term is 8 + 2 = 10.

id=4934 | topic=Averages | difficulty=Easy | question=Find the average of 94, 99, 10, 47, 45. | option_a=59 | option_b=61 | option_c=60 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 295 ÷ 5 = 59.

id=4935 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3076. If it is sold at a profit of 25%, what is its selling price? | option_a=3101 | option_b=4152 | option_c=3538 | option_d=3845 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3076 × 125/100 = █3845.

id=4936 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=U | option_b=M | option_c=I | option_d=Q | answer=D | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=4937 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=7 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=4938 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=6 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=4939 | topic=Percentages | difficulty=Easy | question=What is 25% of 1201? | option_a=305 | option_b=300 | option_c=600 | option_d=295 | answer=B | explanation=25% of 1201 = (25/100) × 1201 = 300.

id=4940 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=40 | option_b=39 | option_c=45 | option_d=33 | answer=B | explanation=The common difference is 6. Therefore the next term is 33 + 6 = 39.

id=4941 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4122. If it is sold at a profit of 30%, what is its selling price? | option_a=4152 | option_b=4946 | option_c=5770 | option_d=5358 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4122 × 130/100 = █5358.

id=4942 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 16, 26, 39? | option_a=16 | option_b=6 | option_c=39 | option_d=26 | answer=C | explanation=The first three numbers increase by 10, so the next should be 36. Therefore 39 is the odd one out.

id=4943 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=4944 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4638. If it is sold at a profit of 30%, what is its selling price? | option_a=5566 | option_b=4668 | option_c=6492 | option_d=6029 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4638 × 130/100 = █6029.

id=4945 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=55 | option_b=56 | option_c=46 | option_d=64 | answer=A | explanation=The common difference is 9. Therefore the next term is 46 + 9 = 55.

id=4946 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=I | option_c=H | option_d=J | answer=D | explanation=Move 1 positions forward from I; the resulting letter is J.

id=4947 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21007 at 8% per annum for 4 years. | option_a=27729 | option_b=6722 | option_c=6622 | option_d=6822 | answer=B | explanation=SI = PRT/100 = 21007×8×4/100 = █6722.

id=4948 | topic=Averages | difficulty=Easy | question=Find the average of 21, 42, 41, 17, 34. | option_a=32 | option_b=33 | option_c=30 | option_d=31 | answer=D | explanation=Average = sum of values ÷ number of values = 155 ÷ 5 = 31.

id=4949 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=34 | option_b=24 | option_c=30 | option_d=29 | answer=D | explanation=The common difference is 5. Therefore the next term is 24 + 5 = 29.

id=4950 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4264. If it is sold at a profit of 25%, what is its selling price? | option_a=4289 | option_b=4904 | option_c=5756 | option_d=5330 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4264 × 125/100 = █5330.

Aptitude Questions — Records 4,951-4,980 of 100,000

id=4951 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:18 and the first is 204, what is the second? | option_a=216 | option_b=233 | option_c=420 | option_d=198 | answer=A | explanation=Scale factor = $204/17 = 12$. Therefore second quantity = $18 \times 12 = 216$.

id=4952 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=80 | option_c=85 | option_d=75 | answer=B | explanation=Speed = distance ÷ time = $240 \div 3 = 80$ km/h.

id=4953 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=27 | option_b=29 | option_c=26 | option_d=23 | answer=C | explanation=The common difference is 3. Therefore the next term is $23 + 3 = 26$.

id=4954 | topic=Averages | difficulty=Easy | question=Find the average of 87, 68, 42, 54, 68, 100, 76, 37, 53. | option_a=64 | option_b=67 | option_c=66 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = $585 \div 9 = 65$.

id=4955 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=M | option_b=Y | option_c=Q | option_d=U | answer=D | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=4956 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=53 | option_c=43 | option_d=96 | answer=A | explanation=Speed = distance ÷ time = $240 \div 5 = 48$ km/h.

id=4957 | topic=Averages | difficulty=Easy | question=Find the average of 79, 83, 55, 100, 78, 67. | option_a=79 | option_b=78 | option_c=77 | option_d=76 | answer=C | explanation=Average = sum of values ÷ number of values = $462 \div 6 = 77$.

id=4958 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=T | option_b=P | option_c=V | option_d=R | answer=A | explanation=Move 2 positions forward from R; the resulting letter is T.

id=4959 | topic=Percentages | difficulty=Easy | question=What is 10% of 1468? | option_a=292 | option_b=166 | option_c=126 | option_d=146 | answer=D | explanation=10% of 1468 = $(10/100) \times 1468 = 146$.

id=4960 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on $\text{₹}18284$ at 15% per annum for 4 years. | option_a=10970 | option_b=11070 | option_c=29254 | option_d=10870 | answer=A | explanation=SI = $\text{PRT}/100 = 18284 \times 15 \times 4 / 100 = \text{₹}10970$.

id=4961 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=24 | option_d=7 | answer=A | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=4962 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=12 | option_b=18 | option_c=16 | option_d=15 | answer=D | explanation=The common difference is 3. Therefore the next term is $12 + 3 = 15$.

id=4963 | topic=Profit & Loss | difficulty=Easy | question=An article costs $\text{₹}576$. If it is sold at a profit of 30%, what is its selling price? | option_a=606 | option_b=691 | option_c=748 | option_d=805 | answer=C | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 576 \times 130 / 100 = \text{₹}748$.

id=4964 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 51? | option_a=23 | option_b=32 | option_c=41 | option_d=51 | answer=D | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 51 is the odd one out.

id=4965 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = $90 \div 6 = 15$ km/h.

id=4966 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=105 | option_c=200 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = $300 \div 3 = 100$ km/h.

id=4967 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=4968 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.

id=4969 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=68 | option_b=57 | option_c=56 | option_d=44 | answer=C | explanation=The common difference is 12. Therefore the next term is $44 + 12 = 56$.

id=4970 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:5 and the first is 98, what is the second? | option_a=65 | option_b=70 | option_c=168 | option_d=77 | answer=B | explanation=Scale factor = $98/7 = 14$. Therefore second quantity = $5 \times 14 = 70$.

id=4971 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=Q | option_b=T | option_c=S | option_d=R | answer=C | explanation=Move 1 positions forward from R; the resulting letter is S.

id=4972 | topic=Percentages | difficulty=Easy | question=What is 40% of 1367? | option_a=1092 | option_b=556 | option_c=546 | option_d=536 | answer=C | explanation=40% of 1367 = $(40/100) \times 1367 = 546$.

id=4973 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on $\text{₹}5016$ at 5% per annum for 3 years. | option_a=5768 | option_b=852 | option_c=752 | option_d=652 | answer=C | explanation=SI = $\text{PRT}/100 = 5016 \times 5 \times 3 / 100 = \text{₹}752$.

id=4974 | topic=Percentages | difficulty=Easy | question=What is 20% of 1049? | option_a=418 | option_b=209 | option_c=204 | option_d=219 | answer=B | explanation=20% of 1049 = $(20/100) \times 1049 = 209$.

id=4975 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on $\text{₹}34783$ at 4% per annum for 5 years. | option_a=7056 | option_b=6856 | option_c=6956 | option_d=41739 | answer=C | explanation=SI = $\text{PRT}/100 = 34783 \times 4 \times 5 / 100 = \text{₹}6956$.

id=4976 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:1 and the first is 99, what is the second? | option_a=110 | option_b=10 | option_c=11 | option_d=20 | answer=C | explanation=Scale factor = $99/9 = 11$. Therefore second quantity = $1 \times 11 = 11$.

id=4977 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=47 | option_b=29 | option_c=38 | option_d=39 | answer=C | explanation=The common difference is 9. Therefore the next term is $29 + 9 = 38$.

id=4978 | topic=Averages | difficulty=Easy | question=Find the average of 99, 98, 40, 26, 72, 70, 90, 97. | option_a=74 | option_b=73 | option_c=76 | option_d=75 | answer=A | explanation=Average = sum of values ÷ number of values = $592 \div 8 = 74$.

id=4979 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.

id=4980 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 16. | option_a=96 | option_b=48 | option_c=54 | option_d=32 | answer=B | explanation=LCM $\times$ HCF = 6×16 ; HCF(6,16) = 2, so LCM = 48.

Aptitude Questions — Records 4,981-5,010 of 100,000

id=4981 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=4982 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1572. If it is sold at a profit of 40%, what is its selling price? | option_a=2043 | option_b=2200 | option_c=2357 | option_d=1612 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1572 × 140/100 = ■2200.

id=4983 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=25 | option_c=20 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=4984 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=30 | option_b=26 | option_c=22 | option_d=27 | answer=B | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.

id=4985 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■5520 at 6% per annum for 1 years. | option_a=231 | option_b=431 | option_c=5851 | option_d=331 | answer=D | explanation=SI = PRT/100 = 5520×6×1/100 = ■331.

id=4986 | topic=Averages | difficulty=Easy | question=Find the average of 82, 16, 65, 30, 70, 91. | option_a=60 | option_b=59 | option_c=61 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.

id=4987 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:16 and the first is 120, what is the second? | option_a=248 | option_b=128 | option_c=112 | option_d=143 | answer=B | explanation=Scale factor = 120/15 = 8. Therefore second quantity = 16×8 = 128.

id=4988 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■40519 at 15% per annum for 5 years. | option_a=30289 | option_b=30489 | option_c=70908 | option_d=30389 | answer=D | explanation=SI = PRT/100 = 40519×15×5/100 = ■30389.

id=4989 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■998. If it is sold at a profit of 15%, what is its selling price? | option_a=1048 | option_b=1147 | option_c=1246 | option_d=1013 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 998 × 115/100 = ■1147.

id=4990 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=48 | option_b=41 | option_c=34 | option_d=42 | answer=B | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=4991 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:3 and the first is 24, what is the second? | option_a=18 | option_b=12 | option_c=9 | option_d=36 | answer=B | explanation=Scale factor = 24/6 = 4. Therefore second quantity = 3×4 = 12.

id=4992 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■3201 at 15% per annum for 4 years. | option_a=2020 | option_b=1920 | option_c=5121 | option_d=1820 | answer=B | explanation=SI = PRT/100 = 3201×15×4/100 = ■1920.

id=4993 | topic=Percentages | difficulty=Easy | question=What is 20% of 57? | option_a=6 | option_b=11 | option_c=21 | option_d=22 | answer=B | explanation=20% of 57 = (20/100) × 57 = 11.

id=4994 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=4995 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=48 | option_b=60 | option_c=70 | option_d=59 | answer=D | explanation=The common difference is 11. Therefore the next term is 48 + 11 = 59.

id=4996 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■46221 at 15% per annum for 1 years. | option_a=6833 | option_b=53154 | option_c=7033 | option_d=6933 | answer=D | explanation=SI = PRT/100 = 46221×15×1/100 = ■6933.

id=4997 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■29929 at 8% per annum for 5 years. | option_a=11871 | option_b=11971 | option_c=41900 | option_d=12071 | answer=B | explanation=SI = PRT/100 = 29929×8×5/100 = ■11971.

id=4998 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 3. | option_a=18 | option_b=36 | option_c=15 | option_d=54 | answer=A | explanation=LCM × HCF = 18×3; HCF(18,3) = 3, so LCM = 18.

id=4999 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=O | option_b=R | option_c=P | option_d=Q | answer=D | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=5000 | topic=Averages | difficulty=Easy | question=Find the average of 37, 15, 11, 15, 85, 15, 17, 101. | option_a=38 | option_b=36 | option_c=37 | option_d=39 | answer=C | explanation=Average = sum of values ÷ number of values = 296 ÷ 8 = 37.

id=5001 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=144 | option_c=77 | option_d=67 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=5002 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=155 | option_c=150 | option_d=300 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=5003 | topic=Averages | difficulty=Easy | question=Find the average of 45, 63, 91, 37, 38, 33, 50. | option_a=51 | option_b=50 | option_c=52 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.

id=5004 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 14, 17, 22? | option_a=22 | option_b=11 | option_c=17 | option_d=14 | answer=A | explanation=The first three numbers increase by 3, so the next should be 20. Therefore 22 is the odd one out.

id=5005 | topic=Averages | difficulty=Easy | question=Find the average of 25, 69, 50, 73, 36, 50, 18, 79. | option_a=52 | option_b=51 | option_c=50 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 400 ÷ 8 = 50.

id=5006 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=F | option_c=H | option_d=L | answer=A | explanation=Move 2 positions forward from H; the resulting letter is J.

id=5007 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■12949 at 10% per annum for 4 years. | option_a=5179 | option_b=5279 | option_c=18128 | option_d=5079 | answer=A | explanation=SI = PRT/100 = 12949×10×4/100 = ■5179.

id=5008 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=D | option_b=G | option_c=E | option_d=F | answer=D | explanation=Move 1 positions forward from E; the resulting letter is F.

id=5009 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■9380 at 6% per annum for 1 years. | option_a=562 | option_b=9942 | option_c=662 | option_d=462 | answer=A | explanation=SI = PRT/100 = 9380×6×1/100 = ■562.

id=5010 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 22. | option_a=240 | option_b=220 | option_c=440 | option_d=198 | answer=B | explanation=LCM × HCF = 20×22; HCF(20,22) = 2, so LCM = 220.

Aptitude Questions — Records 5,011-5,040 of 100,000

id=5011 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 6. | option_a=66 | option_b=60 | option_c=132 | option_d=88 | answer=A | explanation=LCM × HCF = 22×6; HCF(22,6) = 2, so LCM = 66.

id=5012 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=5013 | topic=Averages | difficulty=Easy | question=Find the average of 33, 89, 70. | option_a=65 | option_b=66 | option_c=63 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 192 ÷ 3 = 64.

id=5014 | topic=Averages | difficulty=Easy | question=Find the average of 29, 32, 85, 81, 28, 25, 12, 89, 35, 64. | option_a=47 | option_b=48 | option_c=50 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 480 ÷ 10 = 48.

id=5015 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=26 | option_b=23 | option_c=22 | option_d=18 | answer=C | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

id=5016 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=E | option_c=Q | option_d=T | answer=C | explanation=Move 5 positions forward from J; the resulting letter is O.

id=5017 | topic=Percentages | difficulty=Easy | question=What is 30% of 993? | option_a=317 | option_b=594 | option_c=297 | option_d=277 | answer=C | explanation=30% of 993 = (30/100) × 993 = 297.

id=5018 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 26, 36, 47? | option_a=47 | option_b=36 | option_c=16 | option_d=26 | answer=A | explanation=The first three numbers increase by 10, so the next should be 46. Therefore 47 is the odd one out.

id=5019 | topic=Percentages | difficulty=Easy | question=What is 40% of 153? | option_a=61 | option_b=122 | option_c=81 | option_d=56 | answer=A | explanation=40% of 153 = (40/100) × 153 = 61.

id=5020 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=5021 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=5022 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=26 | option_b=21 | option_c=27 | option_d=31 | answer=A | explanation=The common difference is 5. Therefore the next term is 21 + 5 = 26.

id=5023 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹32971 at 5% per annum for 3 years. | option_a=5045 | option_b=4945 | option_c=4845 | option_d=37916 | answer=B | explanation=SI = PRT/100 = 32971×5×3/100 = ₹4945.

id=5024 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=Q | option_b=I | option_c=M | option_d=E | answer=C | explanation=Move 4 positions forward from I; the resulting letter is M.

id=5025 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:14 and the first is 135, what is the second? | option_a=219 | option_b=196 | option_c=210 | option_d=345 | answer=C | explanation=Scale factor = 135/9 = 15. Therefore second quantity = 14×15 = 210.

id=5026 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=145 | option_c=155 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=5027 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹33909 at 15% per annum for 5 years. | option_a=25431 | option_b=25531 | option_c=25331 | option_d=59340 | answer=A | explanation=SI = PRT/100 = 33909×15×5/100 = ₹25431.

id=5028 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=31 | option_b=37 | option_c=32 | option_d=25 | answer=A | explanation=The common difference is 6. Therefore the next term is 25 + 6 = 31.

id=5029 | topic=Percentages | difficulty=Easy | question=What is 15% of 1594? | option_a=478 | option_b=259 | option_c=239 | option_d=219 | answer=C | explanation=15% of 1594 = (15/100) × 1594 = 239.

id=5030 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=36 | option_b=52 | option_c=45 | option_d=44 | answer=D | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.

id=5031 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:18 and the first is 38, what is the second? | option_a=380 | option_b=342 | option_c=324 | option_d=344 | answer=B | explanation=Scale factor = 38/2 = 19. Therefore second quantity = 18×19 = 342.

id=5032 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹4560. If it is sold at a profit of 20%, what is its selling price? | option_a=5016 | option_b=5928 | option_c=4580 | option_d=5472 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4560 × 120/100 = ₹5472.

id=5033 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=26 | option_b=32 | option_c=38 | option_d=33 | answer=B | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=5034 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹43297 at 15% per annum for 2 years. | option_a=12889 | option_b=12989 | option_c=13089 | option_d=56286 | answer=B | explanation=SI = PRT/100 = 43297×15×2/100 = ₹12989.

id=5035 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=O | option_b=T | option_c=D | option_d=Y | answer=D | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=5036 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹2822 at 4% per annum for 4 years. | option_a=351 | option_b=3273 | option_c=451 | option_d=551 | answer=C | explanation=SI = PRT/100 = 2822×4×4/100 = ₹451.

id=5037 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹3036 at 4% per annum for 2 years. | option_a=3278 | option_b=242 | option_c=142 | option_d=342 | answer=B | explanation=SI = PRT/100 = 3036×4×2/100 = ₹242.

id=5038 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=35 | option_c=80 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=5039 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=5040 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹4599. If it is sold at a profit of 40%, what is its selling price? | option_a=6897 | option_b=5979 | option_c=6438 | option_d=4639 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4599 × 140/100 = ₹6438.

Aptitude Questions — Records 5,041-5,070 of 100,000

- id=5041 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1598. If it is sold at a profit of 30%, what is its selling price? | option_a=2236 | option_b=1918 | option_c=1628 | option_d=2077 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1598 × 130/100 = ■2077.
- id=5042 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=W | option_b=S | option_c=K | option_d=O | answer=B | explanation=Move 4 positions forward from O; the resulting letter is S.
- id=5043 | topic=Percentages | difficulty=Easy | question=What is 5% of 1481? | option_a=148 | option_b=69 | option_c=94 | option_d=74 | answer=D | explanation=5% of 1481 = (5/100) × 1481 = 74.
- id=5044 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=30 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.
- id=5045 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 15, 21, 28? | option_a=15 | option_b=9 | option_c=28 | option_d=21 | answer=C | explanation=The first three numbers increase by 6, so the next should be 27. Therefore 28 is the odd one out.
- id=5046 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2660. If it is sold at a profit of 25%, what is its selling price? | option_a=3325 | option_b=3059 | option_c=3591 | option_d=2685 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2660 × 125/100 = ■3325.
- id=5047 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 8, 11, 14, ? | option_a=20 | option_b=17 | option_c=14 | option_d=18 | answer=B | explanation=The common difference is 3. Therefore the next term is 14 + 3 = 17.
- id=5048 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 23? | option_a=16 | option_b=18 | option_c=23 | option_d=20 | answer=C | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 23 is the odd one out.
- id=5049 | topic=Percentages | difficulty=Easy | question=What is 20% of 1778? | option_a=710 | option_b=355 | option_c=350 | option_d=360 | answer=B | explanation=20% of 1778 = (20/100) × 1778 = 355.
- id=5050 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 42? | option_a=25 | option_b=30 | option_c=35 | option_d=42 | answer=D | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 42 is the odd one out.
- id=5051 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■8422 at 8% per annum for 1 years. | option_a=573 | option_b=9095 | option_c=773 | option_d=673 | answer=D | explanation=SI = PRT/100 = 8422×8×1/100 = ■673.
- id=5052 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■18386 at 12% per annum for 1 years. | option_a=2106 | option_b=20592 | option_c=2206 | option_d=2306 | answer=C | explanation=SI = PRT/100 = 18386×12×1/100 = ■2206.
- id=5053 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■47622 at 8% per annum for 4 years. | option_a=15139 | option_b=15239 | option_c=62861 | option_d=15339 | answer=B | explanation=SI = PRT/100 = 47622×8×4/100 = ■15239.
- id=5054 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=Z | option_b=B | option_c=F | option_d=D | answer=D | explanation=Move 2 positions forward from B; the resulting letter is D.
- id=5055 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3677. If it is sold at a profit of 50%, what is its selling price? | option_a=5515 | option_b=5882 | option_c=3727 | option_d=5148 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3677 × 150/100 = ■5515.
- id=5056 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■35677 at 12% per annum for 2 years. | option_a=8562 | option_b=8462 | option_c=44239 | option_d=8662 | answer=A | explanation=SI = PRT/100 = 35677×12×2/100 = ■8562.
- id=5057 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=A | option_c=Z | option_d=B | answer=D | explanation=Move 1 positions forward from A; the resulting letter is B.
- id=5058 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 16? | option_a=16 | option_b=5 | option_c=8 | option_d=11 | answer=A | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 16 is the odd one out.
- id=5059 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■40177 at 4% per annum for 2 years. | option_a=43391 | option_b=3314 | option_c=3214 | option_d=3114 | answer=C | explanation=SI = PRT/100 = 40177×4×2/100 = ■3214.
- id=5060 | topic=Averages | difficulty=Easy | question=Find the average of 42, 31, 65, 66, 39, 12, 31, 31, 16. | option_a=39 | option_b=38 | option_c=37 | option_d=36 | answer=C | explanation=Average = sum of values ÷ number of values = 333 ÷ 9 = 37.
- id=5061 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=O | option_c=I | option_d=M | answer=D | explanation=Move 2 positions forward from K; the resulting letter is M.
- id=5062 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=150 | option_c=75 | option_d=70 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.
- id=5063 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=L | option_b=K | option_c=J | option_d=M | answer=A | explanation=Move 1 positions forward from K; the resulting letter is L.
- id=5064 | topic=Percentages | difficulty=Easy | question=What is 20% of 1130? | option_a=226 | option_b=452 | option_c=216 | option_d=246 | answer=A | explanation=20% of 1130 = (20/100) × 1130 = 226.
- id=5065 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.
- id=5066 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 18, 26, 36? | option_a=10 | option_b=18 | option_c=36 | option_d=26 | answer=C | explanation=The first three numbers increase by 8, so the next should be 34. Therefore 36 is the odd one out.
- id=5067 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 27, 32, 38? | option_a=38 | option_b=27 | option_c=22 | option_d=32 | answer=A | explanation=The first three numbers increase by 5, so the next should be 37. Therefore 38 is the odd one out.
- id=5068 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=I | option_b=K | option_c=L | option_d=J | answer=B | explanation=Move 1 positions forward from J; the resulting letter is K.
- id=5069 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.
- id=5070 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■29958 at 5% per annum for 4 years. | option_a=6091 | option_b=5891 | option_c=5991 | option_d=35949 | answer=C | explanation=SI = PRT/100 = 29958×5×4/100 = ■5991.

Aptitude Questions — Records 5,071-5,100 of 100,000

- id=5071 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 9, 11, 14? | option_a=11 | option_b=9 | option_c=14 | option_d=7 | answer=C | explanation=The first three numbers increase by 2, so the next should be 13. Therefore 14 is the odd one out.
- id=5072 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.
- id=5073 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:14 and the first is 8, what is the second? | option_a=113 | option_b=112 | option_c=98 | option_d=120 | answer=B | explanation=Scale factor = 8/1 = 8. Therefore second quantity = 14×8 = 112.
- id=5074 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4986. If it is sold at a profit of 5%, what is its selling price? | option_a=5733 | option_b=4991 | option_c=5235 | option_d=4737 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4986 × 105/100 = █5235.
- id=5075 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:13 and the first is 24, what is the second? | option_a=143 | option_b=158 | option_c=180 | option_d=156 | answer=D | explanation=Scale factor = 24/2 = 12. Therefore second quantity = 13×12 = 156.
- id=5076 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=E | option_b=Q | option_c=I | option_d=M | answer=D | explanation=Move 4 positions forward from I; the resulting letter is M.
- id=5077 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=5078 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=16 | option_b=12 | option_c=18 | option_d=15 | answer=D | explanation=The common difference is 3. Therefore the next term is 12 + 3 = 15.
- id=5079 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.
- id=5080 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18561 at 10% per annum for 4 years. | option_a=7324 | option_b=7524 | option_c=25985 | option_d=7424 | answer=D | explanation=SI = PRT/100 = 18561×10×4/100 = █7424.
- id=5081 | topic=Percentages | difficulty=Easy | question=What is 12% of 1213? | option_a=145 | option_b=135 | option_c=150 | option_d=290 | answer=A | explanation=12% of 1213 = (12/100) × 1213 = 145.
- id=5082 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4058. If it is sold at a profit of 50%, what is its selling price? | option_a=6492 | option_b=5682 | option_c=4108 | option_d=6087 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4058 × 150/100 = █6087.
- id=5083 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=Q | option_b=G | option_c=B | option_d=L | answer=D | explanation=Move 5 positions forward from G; the resulting letter is L.
- id=5084 | topic=Averages | difficulty=Easy | question=Find the average of 67, 74, 30, 66, 68, 94, 28. | option_a=62 | option_b=63 | option_c=61 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 427 ÷ 7 = 61.
- id=5085 | topic=Percentages | difficulty=Easy | question=What is 25% of 1314? | option_a=328 | option_b=656 | option_c=308 | option_d=348 | answer=A | explanation=25% of 1314 = (25/100) × 1314 = 328.
- id=5086 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 52? | option_a=52 | option_b=30 | option_c=40 | option_d=20 | answer=A | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 52 is the odd one out.
- id=5087 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31053 at 5% per annum for 5 years. | option_a=7663 | option_b=38816 | option_c=7763 | option_d=7863 | answer=C | explanation=SI = PRT/100 = 31053×5×5/100 = █7763.
- id=5088 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=Y | option_b=E | option_c=C | option_d=A | answer=C | explanation=Move 2 positions forward from A; the resulting letter is C.
- id=5089 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 26, 34, 42, ? | option_a=42 | option_b=58 | option_c=50 | option_d=51 | answer=C | explanation=The common difference is 8. Therefore the next term is 42 + 8 = 50.
- id=5090 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=5091 | topic=Averages | difficulty=Easy | question=Find the average of 50, 60, 96, 54, 26, 104. | option_a=67 | option_b=65 | option_c=64 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 390 ÷ 6 = 65.
- id=5092 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 35, 45, 57? | option_a=35 | option_b=57 | option_c=25 | option_d=45 | answer=B | explanation=The first three numbers increase by 10, so the next should be 55. Therefore 57 is the odd one out.
- id=5093 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32019 at 5% per annum for 3 years. | option_a=4702 | option_b=36821 | option_c=4802 | option_d=4902 | answer=C | explanation=SI = PRT/100 = 32019×5×3/100 = █4802.
- id=5094 | topic=Percentages | difficulty=Easy | question=What is 30% of 1973? | option_a=586 | option_b=611 | option_c=1182 | option_d=591 | answer=D | explanation=30% of 1973 = (30/100) × 1973 = 591.
- id=5095 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.
- id=5096 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=5097 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=L | option_c=H | option_d=J | answer=B | explanation=Move 2 positions forward from J; the resulting letter is L.
- id=5098 | topic=Profit & Loss | difficulty=Easy | question=An article costs █734. If it is sold at a profit of 10%, what is its selling price? | option_a=807 | option_b=734 | option_c=880 | option_d=744 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 734 × 110/100 = █807.
- id=5099 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=34 | option_b=35 | option_c=40 | option_d=28 | answer=A | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.
- id=5100 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6311 at 12% per annum for 5 years. | option_a=10097 | option_b=3886 | option_c=3786 | option_d=3686 | answer=C | explanation=SI = PRT/100 = 6311×12×5/100 = █3786.

Aptitude Questions — Records 5,101-5,130 of 100,000

id=5101 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=5102 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:19 and the first is 108, what is the second? | option_a=323 | option_b=348 | option_c=342 | option_d=450 | answer=C | explanation=Scale factor = 108/6 = 18. Therefore second quantity = 19×18 = 342.

id=5103 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=180 | option_c=95 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=5104 | topic=Percentages | difficulty=Easy | question=What is 40% of 175? | option_a=140 | option_b=70 | option_c=80 | option_d=65 | answer=B | explanation=40% of 175 = (40/100) × 175 = 70.

id=5105 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 15, 21, 29? | option_a=21 | option_b=29 | option_c=15 | option_d=9 | answer=B | explanation=The first three numbers increase by 6, so the next should be 27. Therefore 29 is the odd one out.

id=5106 | topic=Percentages | difficulty=Easy | question=What is 40% of 745? | option_a=596 | option_b=298 | option_c=318 | option_d=293 | answer=B | explanation=40% of 745 = (40/100) × 745 = 298.

id=5107 | topic=Profit & Loss | difficulty=Easy | question=An article costs █310. If it is sold at a profit of 10%, what is its selling price? | option_a=341 | option_b=310 | option_c=320 | option_d=372 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 310 × 110/100 = █341.

id=5108 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:16 and the first is 152, what is the second? | option_a=288 | option_b=312 | option_c=304 | option_d=456 | answer=C | explanation=Scale factor = 152/8 = 19. Therefore second quantity = 16×19 = 304.

id=5109 | topic=Averages | difficulty=Easy | question=Find the average of 91, 19, 46. | option_a=51 | option_b=53 | option_c=52 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 156 ÷ 3 = 52.

id=5110 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=5111 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 25? | option_a=21 | option_b=17 | option_c=25 | option_d=19 | answer=C | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 25 is the odd one out.

id=5112 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2281. If it is sold at a profit of 50%, what is its selling price? | option_a=3193 | option_b=2331 | option_c=3649 | option_d=3421 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2281 × 150/100 = █3421.

id=5113 | topic=Profit & Loss | difficulty=Easy | question=An article costs █980. If it is sold at a profit of 15%, what is its selling price? | option_a=1225 | option_b=995 | option_c=1127 | option_d=1029 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 980 × 115/100 = █1127.

id=5114 | topic=Averages | difficulty=Easy | question=Find the average of 63, 15, 10, 44. | option_a=32 | option_b=34 | option_c=35 | option_d=33 | answer=D | explanation=Average = sum of values ÷ number of values = 132 ÷ 4 = 33.

id=5115 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37563 at 15% per annum for 5 years. | option_a=28272 | option_b=28172 | option_c=28072 | option_d=65735 | answer=B | explanation=SI = PRT/100 = 37563×15×5/100 = █28172.

id=5116 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=G | option_c=F | option_d=D | answer=C | explanation=Move 1 positions forward from E; the resulting letter is F.

id=5117 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2264. If it is sold at a profit of 25%, what is its selling price? | option_a=2604 | option_b=2830 | option_c=2289 | option_d=3056 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2264 × 125/100 = █2830.

id=5118 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 14. | option_a=42 | option_b=63 | option_c=28 | option_d=294 | answer=A | explanation=LCM × HCF = 21×14; HCF(21,14) = 7, so LCM = 42.

id=5119 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 49? | option_a=30 | option_b=36 | option_c=42 | option_d=49 | answer=D | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 49 is the odd one out.

id=5120 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:9 and the first is 30, what is the second? | option_a=90 | option_b=81 | option_c=120 | option_d=93 | answer=A | explanation=Scale factor = 30/3 = 10. Therefore second quantity = 9×10 = 90.

id=5121 | topic=Percentages | difficulty=Easy | question=What is 40% of 1364? | option_a=535 | option_b=1090 | option_c=545 | option_d=550 | answer=C | explanation=40% of 1364 = (40/100) × 1364 = 545.

id=5122 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2999. If it is sold at a profit of 30%, what is its selling price? | option_a=3898 | option_b=3029 | option_c=3599 | option_d=4197 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2999 × 130/100 = █3898.

id=5123 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=46 | option_b=55 | option_c=47 | option_d=37 | answer=A | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=5124 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=24 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=5125 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=5126 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=46 | option_b=59 | option_c=70 | option_d=58 | answer=D | explanation=The common difference is 12. Therefore the next term is 46 + 12 = 58.

id=5127 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:19 and the first is 24, what is the second? | option_a=57 | option_b=38 | option_c=81 | option_d=65 | answer=A | explanation=Scale factor = 24/8 = 3. Therefore second quantity = 19×3 = 57.

id=5128 | topic=Percentages | difficulty=Easy | question=What is 12% of 1841? | option_a=220 | option_b=240 | option_c=210 | option_d=440 | answer=A | explanation=12% of 1841 = (12/100) × 1841 = 220.

id=5129 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=5130 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=4 | option_c=9 | option_d=14 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

Aptitude Questions — Records 5,131-5,160 of 100,000

id=5131 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4199. If it is sold at a profit of 25%, what is its selling price? | option_a=4829 | option_b=5248 | option_c=4224 | option_d=5667 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4199 × 125/100 = ■5248.

id=5132 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=A | option_c=M | option_d=E | answer=A | explanation=Move 4 positions forward from E; the resulting letter is I.

id=5133 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4412. If it is sold at a profit of 5%, what is its selling price? | option_a=4632 | option_b=4191 | option_c=4417 | option_d=5073 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4412 × 105/100 = ■4632.

id=5134 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=21 | option_b=19 | option_c=20 | option_d=17 | answer=B | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=5135 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=70 | option_b=75 | option_c=150 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=5136 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:16 and the first is 128, what is the second? | option_a=384 | option_b=264 | option_c=256 | option_d=240 | answer=C | explanation=Scale factor = 128/8 = 16. Therefore second quantity = 16×16 = 256.

id=5137 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=5138 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:12 and the first is 108, what is the second? | option_a=90 | option_b=180 | option_c=72 | option_d=60 | answer=C | explanation=Scale factor = 108/18 = 6. Therefore second quantity = 12×6 = 72.

id=5139 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■22689 at 15% per annum for 5 years. | option_a=17016 | option_b=39705 | option_c=17116 | option_d=16916 | answer=A | explanation=SI = PRT/100 = 22689×15×5/100 = ■17016.

id=5140 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=12 | option_b=15 | option_c=18 | option_d=16 | answer=B | explanation=The common difference is 3. Therefore the next term is 12 + 3 = 15.

id=5141 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■32476 at 10% per annum for 2 years. | option_a=6495 | option_b=6595 | option_c=38971 | option_d=6395 | answer=A | explanation=SI = PRT/100 = 32476×10×2/100 = ■6495.

id=5142 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=45 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=5143 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=N | option_b=S | option_c=C | option_d=X | answer=D | explanation=Move 5 positions forward from S; the resulting letter is X.

id=5144 | topic=Averages | difficulty=Easy | question=Find the average of 44, 14, 66, 10, 17, 81, 43, 21. | option_a=38 | option_b=37 | option_c=39 | option_d=36 | answer=B | explanation=Average = sum of values ÷ number of values = 296 ÷ 8 = 37.

id=5145 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■19538 at 5% per annum for 4 years. | option_a=3907 | option_b=23445 | option_c=4007 | option_d=3807 | answer=A | explanation=SI = PRT/100 = 19538×5×4/100 = ■3907.

id=5146 | topic=Averages | difficulty=Easy | question=Find the average of 18, 100, 35, 96, 87, 71, 58, 103. | option_a=70 | option_b=71 | option_c=73 | option_d=72 | answer=B | explanation=Average = sum of values ÷ number of values = 568 ÷ 8 = 71.

id=5147 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=35 | option_b=44 | option_c=51 | option_d=43 | answer=D | explanation=The common difference is 8. Therefore the next term is 35 + 8 = 43.

id=5148 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=24 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=5149 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 15, 23, 33? | option_a=23 | option_b=33 | option_c=15 | option_d=7 | answer=B | explanation=The first three numbers increase by 8, so the next should be 31. Therefore 33 is the odd one out.

id=5150 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 22? | option_a=9 | option_b=15 | option_c=3 | option_d=22 | answer=D | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 22 is the odd one out.

id=5151 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=5152 | topic=Averages | difficulty=Easy | question=Find the average of 93, 65, 16, 95, 33, 96, 12, 90, 94. | option_a=68 | option_b=65 | option_c=66 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 594 ÷ 9 = 66.

id=5153 | topic=Number System | difficulty=Easy | question=Find the LCM of 19 and 19. | option_a=38 | option_b=361 | option_c=1 | option_d=19 | answer=D | explanation=LCM × HCF = 19×19; HCF(19,19) = 19, so LCM = 19.

id=5154 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=D | option_b=C | option_c=E | option_d=B | answer=A | explanation=Move 1 positions forward from C; the resulting letter is D.

id=5155 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=7 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=5156 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=5157 | topic=Averages | difficulty=Easy | question=Find the average of 74, 24, 88, 52, 99, 42, 41. | option_a=61 | option_b=60 | option_c=62 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 420 ÷ 7 = 60.

id=5158 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■513. If it is sold at a profit of 15%, what is its selling price? | option_a=640 | option_b=589 | option_c=538 | option_d=528 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 513 × 115/100 = ■589.

id=5159 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=41 | option_b=33 | option_c=40 | option_d=47 | answer=C | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.

id=5160 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 34? | option_a=29 | option_b=25 | option_c=34 | option_d=21 | answer=C | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 34 is the odd one out.

Aptitude Questions — Records 5,161-5,190 of 100,000

id=5161 | topic=Averages | difficulty=Easy | question=Find the average of 96, 18, 49, 93, 76, 50, 53, 13. | option_a=57 | option_b=55 | option_c=56 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 448 ÷ 8 = 56.

id=5162 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=5163 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:17 and the first is 170, what is the second? | option_a=299 | option_b=272 | option_c=289 | option_d=459 | answer=C | explanation=Scale factor = 170/10 = 17. Therefore second quantity = 17×17 = 289.

id=5164 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=5165 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=19 | option_b=21 | option_c=17 | option_d=20 | answer=A | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=5166 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44692 at 4% per annum for 2 years. | option_a=3575 | option_b=48267 | option_c=3475 | option_d=3675 | answer=A | explanation=SI = PRT/100 = 44692×4×2/100 = █3575.

id=5167 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 38? | option_a=21 | option_b=26 | option_c=38 | option_d=31 | answer=C | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 38 is the odd one out.

id=5168 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=40 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=5169 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=45 | option_b=50 | option_c=44 | option_d=38 | answer=C | explanation=The common difference is 6. Therefore the next term is 38 + 6 = 44.

id=5170 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=U | option_b=F | option_c=K | option_d=P | answer=D | explanation=Move 5 positions forward from K; the resulting letter is P.

id=5171 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=50 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=5172 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16614 at 15% per annum for 5 years. | option_a=12360 | option_b=12560 | option_c=29074 | option_d=12460 | answer=D | explanation=SI = PRT/100 = 16614×15×5/100 = █12460.

id=5173 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3134. If it is sold at a profit of 15%, what is its selling price? | option_a=3149 | option_b=3917 | option_c=3604 | option_d=3291 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3134 × 115/100 = █3604.

id=5174 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=41 | option_c=72 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=5175 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=5176 | topic=Percentages | difficulty=Easy | question=What is 15% of 1583? | option_a=237 | option_b=474 | option_c=227 | option_d=247 | answer=A | explanation=15% of 1583 = (15/100) × 1583 = 237.

id=5177 | topic=Percentages | difficulty=Easy | question=What is 12% of 1571? | option_a=168 | option_b=208 | option_c=376 | option_d=188 | answer=D | explanation=12% of 1571 = (12/100) × 1571 = 188.

id=5178 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=Y | option_b=G | option_c=C | option_d=K | answer=B | explanation=Move 4 positions forward from C; the resulting letter is G.

id=5179 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=N | option_c=T | option_d=P | answer=A | explanation=Move 2 positions forward from P; the resulting letter is R.

id=5180 | topic=Percentages | difficulty=Easy | question=What is 15% of 1428? | option_a=204 | option_b=219 | option_c=428 | option_d=214 | answer=D | explanation=15% of 1428 = (15/100) × 1428 = 214.

id=5181 | topic=Percentages | difficulty=Easy | question=What is 40% of 1578? | option_a=1262 | option_b=631 | option_c=611 | option_d=651 | answer=B | explanation=40% of 1578 = (40/100) × 1578 = 631.

id=5182 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=5183 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 29, 34, 40? | option_a=40 | option_b=29 | option_c=24 | option_d=34 | answer=A | explanation=The first three numbers increase by 5, so the next should be 39. Therefore 40 is the odd one out.

id=5184 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3008. If it is sold at a profit of 5%, what is its selling price? | option_a=2858 | option_b=3158 | option_c=3458 | option_d=3013 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3008 × 105/100 = █3158.

id=5185 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=5186 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=145 | option_c=155 | option_d=300 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=5187 | topic=Percentages | difficulty=Easy | question=What is 15% of 1208? | option_a=181 | option_b=161 | option_c=362 | option_d=191 | answer=A | explanation=15% of 1208 = (15/100) × 1208 = 181.

id=5188 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=5189 | topic=Profit & Loss | difficulty=Easy | question=An article costs █687. If it is sold at a profit of 20%, what is its selling price? | option_a=824 | option_b=707 | option_c=756 | option_d=892 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 687 × 120/100 = █824.

id=5190 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

Aptitude Questions — Records 5,191-5,220 of 100,000

id=5191 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1290. If it is sold at a profit of 40%, what is its selling price? | option_a=1806 | option_b=1935 | option_c=1677 | option_d=1330 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1290 × 140/100 = ■1806.

id=5192 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 36, 44, 55? | option_a=55 | option_b=28 | option_c=36 | option_d=44 | answer=A | explanation=The first three numbers increase by 8, so the next should be 52. Therefore 55 is the odd one out.

id=5193 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 50? | option_a=17 | option_b=50 | option_c=27 | option_d=37 | answer=B | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 50 is the odd one out.

id=5194 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4782. If it is sold at a profit of 40%, what is its selling price? | option_a=6216 | option_b=4822 | option_c=6694 | option_d=7172 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4782 × 140/100 = ■6694.

id=5195 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■33418 at 12% per annum for 1 years. | option_a=4110 | option_b=4010 | option_c=37428 | option_d=3910 | answer=B | explanation=SI = PRT/100 = 33418×12×1/100 = ■4010.

id=5196 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=8 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=5197 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=5198 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4096. If it is sold at a profit of 40%, what is its selling price? | option_a=4136 | option_b=5325 | option_c=5734 | option_d=6143 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4096 × 140/100 = ■5734.

id=5199 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 26, 34, 42, ? | option_a=42 | option_b=50 | option_c=51 | option_d=58 | answer=B | explanation=The common difference is 8. Therefore the next term is 42 + 8 = 50.

id=5200 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 20, 27, 35? | option_a=20 | option_b=13 | option_c=35 | option_d=27 | answer=C | explanation=The first three numbers increase by 7, so the next should be 34. Therefore 35 is the odd one out.

id=5201 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■12388 at 5% per annum for 1 years. | option_a=519 | option_b=719 | option_c=619 | option_d=13007 | answer=C | explanation=SI = PRT/100 = 12388×5×1/100 = ■619.

id=5202 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=5203 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■21220 at 15% per annum for 5 years. | option_a=15915 | option_b=37135 | option_c=15815 | option_d=16015 | answer=A | explanation=SI = PRT/100 = 21220×15×5/100 = ■15915.

id=5204 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:7 and the first is 156, what is the second? | option_a=240 | option_b=84 | option_c=77 | option_d=97 | answer=B | explanation=Scale factor = 156/13 = 12. Therefore second quantity = 7×12 = 84.

id=5205 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=300 | option_c=145 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=5206 | topic=Percentages | difficulty=Easy | question=What is 50% of 547? | option_a=273 | option_b=278 | option_c=253 | option_d=546 | answer=A | explanation=50% of 547 = (50/100) × 547 = 273.

id=5207 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 31, 39, 48? | option_a=39 | option_b=23 | option_c=31 | option_d=48 | answer=D | explanation=The first three numbers increase by 8, so the next should be 47. Therefore 48 is the odd one out.

id=5208 | topic=Averages | difficulty=Easy | question=Find the average of 100, 23, 22, 95. | option_a=62 | option_b=60 | option_c=59 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 240 ÷ 4 = 60.

id=5209 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=22 | option_b=17 | option_c=27 | option_d=23 | answer=A | explanation=The common difference is 5. Therefore the next term is 17 + 5 = 22.

id=5210 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=5211 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=H | option_c=F | option_d=L | answer=A | explanation=Move 2 positions forward from H; the resulting letter is J.

id=5212 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=40 | option_c=15 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=5213 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=23 | option_b=20 | option_c=19 | option_d=15 | answer=C | explanation=The common difference is 4. Therefore the next term is 15 + 4 = 19.

id=5214 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=55 | option_c=100 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=5215 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■46172 at 8% per annum for 3 years. | option_a=10981 | option_b=11081 | option_c=11181 | option_d=57253 | answer=B | explanation=SI = PRT/100 = 46172×8×3/100 = ■11081.

id=5216 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=18 | option_b=21 | option_c=20 | option_d=22 | answer=C | explanation=The common difference is 2. Therefore the next term is 18 + 2 = 20.

id=5217 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=5218 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■48397 at 10% per annum for 5 years. | option_a=72595 | option_b=24198 | option_c=24098 | option_d=24298 | answer=B | explanation=SI = PRT/100 = 48397×10×5/100 = ■24198.

id=5219 | topic=Percentages | difficulty=Easy | question=What is 10% of 1907? | option_a=190 | option_b=200 | option_c=380 | option_d=185 | answer=A | explanation=10% of 1907 = (10/100) × 1907 = 190.

id=5220 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:3 and the first is 171, what is the second? | option_a=46 | option_b=27 | option_c=24 | option_d=198 | answer=B | explanation=Scale factor = 171/19 = 9. Therefore second quantity = 3×9 = 27.

Aptitude Questions — Records 5,221-5,250 of 100,000

id=5221 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=5222 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4748. If it is sold at a profit of 30%, what is its selling price? | option_a=6646 | option_b=6172 | option_c=4778 | option_d=5698 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4748 × 130/100 = █6172.

id=5223 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37878 at 6% per annum for 5 years. | option_a=11363 | option_b=11463 | option_c=49241 | option_d=11263 | answer=A | explanation=SI = PRT/100 = 37878×6×5/100 = █11363.

id=5224 | topic=Averages | difficulty=Easy | question=Find the average of 50, 68, 71, 62, 60, 19, 41. | option_a=53 | option_b=52 | option_c=54 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 371 ÷ 7 = 53.

id=5225 | topic=Percentages | difficulty=Easy | question=What is 5% of 1641? | option_a=164 | option_b=102 | option_c=62 | option_d=82 | answer=D | explanation=5% of 1641 = (5/100) × 1641 = 82.

id=5226 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=53 | option_b=45 | option_c=37 | option_d=46 | answer=B | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=5227 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14650 at 10% per annum for 3 years. | option_a=4295 | option_b=4395 | option_c=19045 | option_d=4495 | answer=B | explanation=SI = PRT/100 = 14650×10×3/100 = █4395.

id=5228 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4844. If it is sold at a profit of 25%, what is its selling price? | option_a=5571 | option_b=6539 | option_c=4869 | option_d=6055 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4844 × 125/100 = █6055.

id=5229 | topic=Percentages | difficulty=Easy | question=What is 30% of 900? | option_a=275 | option_b=270 | option_c=540 | option_d=250 | answer=B | explanation=30% of 900 = (30/100) × 900 = 270.

id=5230 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=6 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=5231 | topic=Averages | difficulty=Easy | question=Find the average of 38, 47, 42, 74, 38, 58, 56, 63, 71, 13. | option_a=51 | option_b=50 | option_c=49 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 500 ÷ 10 = 50.

id=5232 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=30 | option_b=37 | option_c=23 | option_d=31 | answer=A | explanation=The common difference is 7. Therefore the next term is 23 + 7 = 30.

id=5233 | topic=Averages | difficulty=Easy | question=Find the average of 72, 71, 14, 50, 43, 60, 67, 35, 92. | option_a=55 | option_b=58 | option_c=56 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=5234 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:1 and the first is 400, what is the second? | option_a=20 | option_b=420 | option_c=40 | option_d=19 | answer=A | explanation=Scale factor = 400/20 = 20. Therefore second quantity = 1×20 = 20.

id=5235 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 32, 42, 54? | option_a=42 | option_b=54 | option_c=32 | option_d=22 | answer=B | explanation=The first three numbers increase by 10, so the next should be 52. Therefore 54 is the odd one out.

id=5236 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=100 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=5237 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=75 | option_c=70 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=5238 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4850. If it is sold at a profit of 5%, what is its selling price? | option_a=4607 | option_b=4855 | option_c=5577 | option_d=5092 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4850 × 105/100 = █5092.

id=5239 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 41? | option_a=25 | option_b=41 | option_c=18 | option_d=32 | answer=B | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 41 is the odd one out.

id=5240 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=R | option_b=F | option_c=N | option_d=J | answer=C | explanation=Move 4 positions forward from J; the resulting letter is N.

id=5241 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=54 | option_b=64 | option_c=42 | option_d=53 | answer=D | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.

id=5242 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1825. If it is sold at a profit of 10%, what is its selling price? | option_a=2007 | option_b=2189 | option_c=1835 | option_d=1825 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1825 × 110/100 = █2007.

id=5243 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 18. | option_a=72 | option_b=18 | option_c=36 | option_d=40 | answer=C | explanation=LCM × HCF = 4×18; HCF(4,18) = 2, so LCM = 36.

id=5244 | topic=Averages | difficulty=Easy | question=Find the average of 54, 47, 28. | option_a=44 | option_b=43 | option_c=45 | option_d=42 | answer=B | explanation=Average = sum of values ÷ number of values = 129 ÷ 3 = 43.

id=5245 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=5246 | topic=Averages | difficulty=Easy | question=Find the average of 86, 48, 11, 83, 47, 31, 94, 88. | option_a=62 | option_b=63 | option_c=61 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 488 ÷ 8 = 61.

id=5247 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=5248 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17181 at 10% per annum for 5 years. | option_a=8590 | option_b=8690 | option_c=8490 | option_d=25771 | answer=A | explanation=SI = PRT/100 = 17181×10×5/100 = █8590.

id=5249 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=5250 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 33? | option_a=24 | option_b=33 | option_c=16 | option_d=8 | answer=B | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 33 is the odd one out.

Aptitude Questions — Records 5,251-5,280 of 100,000

id=5251 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=P | option_c=B | option_d=X | answer=D | explanation=Move 4 positions forward from T; the resulting letter is X.

id=5252 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=5253 | topic=Averages | difficulty=Easy | question=Find the average of 19, 70, 75, 64. | option_a=59 | option_b=56 | option_c=58 | option_d=57 | answer=D | explanation=Average = sum of values + number of values = 228 ÷ 4 = 57.

id=5254 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 28. | option_a=1 | option_b=28 | option_c=42 | option_d=392 | answer=B | explanation=LCM × HCF = 14×28; HCF(14,28) = 14, so LCM = 28.

id=5255 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=55 | option_b=42 | option_c=54 | option_d=66 | answer=C | explanation=The common difference is 12. Therefore the next term is 42 + 12 = 54.

id=5256 | topic=Percentages | difficulty=Easy | question=What is 12% of 1937? | option_a=232 | option_b=464 | option_c=252 | option_d=222 | answer=A | explanation=12% of 1937 = (12/100) × 1937 = 232.

id=5257 | topic=Percentages | difficulty=Easy | question=What is 50% of 782? | option_a=782 | option_b=391 | option_c=386 | option_d=411 | answer=B | explanation=50% of 782 = (50/100) × 782 = 391.

id=5258 | topic=Averages | difficulty=Easy | question=Find the average of 11, 58, 66, 72, 77, 71, 24, 86, 93. | option_a=62 | option_b=61 | option_c=64 | option_d=63 | answer=A | explanation=Average = sum of values + number of values = 558 ÷ 9 = 62.

id=5259 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=J | option_b=N | option_c=B | option_d=F | answer=A | explanation=Move 4 positions forward from F; the resulting letter is J.

id=5260 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1651. If it is sold at a profit of 40%, what is its selling price? | option_a=2311 | option_b=2476 | option_c=1691 | option_d=2146 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1651 × 140/100 = █2311.

id=5261 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 24. | option_a=240 | option_b=130 | option_c=120 | option_d=96 | answer=C | explanation=LCM × HCF = 10×24; HCF(10,24) = 2, so LCM = 120.

id=5262 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=5263 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:18 and the first is 102, what is the second? | option_a=210 | option_b=125 | option_c=108 | option_d=90 | answer=C | explanation=Scale factor = 102/17 = 6. Therefore second quantity = 18×6 = 108.

id=5264 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=O | option_b=D | option_c=T | option_d=Y | answer=D | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=5265 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 16, 19, 23? | option_a=19 | option_b=16 | option_c=13 | option_d=23 | answer=D | explanation=The first three numbers increase by 3, so the next should be 22. Therefore 23 is the odd one out.

id=5266 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 9. | option_a=90 | option_b=270 | option_c=81 | option_d=120 | answer=A | explanation=LCM × HCF = 30×9; HCF(30,9) = 3, so LCM = 90.

id=5267 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2719. If it is sold at a profit of 50%, what is its selling price? | option_a=4078 | option_b=3807 | option_c=4349 | option_d=2769 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2719 × 150/100 = █4078.

id=5268 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=5269 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 41? | option_a=41 | option_b=30 | option_c=35 | option_d=25 | answer=A | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 41 is the odd one out.

id=5270 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=25 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=5271 | topic=Percentages | difficulty=Easy | question=What is 20% of 559? | option_a=222 | option_b=111 | option_c=131 | option_d=91 | answer=B | explanation=20% of 559 = (20/100) × 559 = 111.

id=5272 | topic=Averages | difficulty=Easy | question=Find the average of 79, 83, 29, 41, 48, 92. | option_a=64 | option_b=63 | option_c=62 | option_d=61 | answer=C | explanation=Average = sum of values + number of values = 372 ÷ 6 = 62.

id=5273 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=360 | option_b=185 | option_c=180 | option_d=175 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=5274 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=36 | option_c=72 | option_d=41 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=5275 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 21, 23, 28? | option_a=21 | option_b=23 | option_c=28 | option_d=19 | answer=C | explanation=The first three numbers increase by 2, so the next should be 25. Therefore 28 is the odd one out.

id=5276 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=M | option_c=A | option_d=I | answer=D | explanation=Move 4 positions forward from E; the resulting letter is I.

id=5277 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=Y | option_c=Q | option_d=M | answer=A | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=5278 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=34 | option_b=40 | option_c=46 | option_d=41 | answer=B | explanation=The common difference is 6. Therefore the next term is 34 + 6 = 40.

id=5279 | topic=Averages | difficulty=Easy | question=Find the average of 13, 36, 97, 81, 54, 93, 45, 70, 81, 70. | option_a=63 | option_b=64 | option_c=66 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 640 ÷ 10 = 64.

id=5280 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=17 | option_b=21 | option_c=20 | option_d=23 | answer=C | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

Aptitude Questions — Records 5,281-5,310 of 100,000

id=5281 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1539. If it is sold at a profit of 20%, what is its selling price? | option_a=1559 | option_b=1846 | option_c=1693 | option_d=1999 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1539 × 120/100 = ■1846.

id=5282 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=5283 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=95 | option_c=200 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=5284 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 14, 22, 32? | option_a=32 | option_b=14 | option_c=22 | option_d=6 | answer=A | explanation=The first three numbers increase by 8, so the next should be 30. Therefore 32 is the odd one out.

id=5285 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=26 | option_b=32 | option_c=20 | option_d=27 | answer=A | explanation=The common difference is 6. Therefore the next term is 20 + 6 = 26.

id=5286 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=185 | option_c=175 | option_d=360 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=5287 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=G | option_c=F | option_d=D | answer=C | explanation=Move 1 positions forward from E; the resulting letter is F.

id=5288 | topic=Percentages | difficulty=Easy | question=What is 30% of 1124? | option_a=337 | option_b=342 | option_c=317 | option_d=674 | answer=A | explanation=30% of 1124 = (30/100) × 1124 = 337.

id=5289 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=5290 | topic=Averages | difficulty=Easy | question=Find the average of 83, 31, 57. | option_a=56 | option_b=58 | option_c=57 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 171 ÷ 3 = 57.

id=5291 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=5292 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=20 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=5293 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■10416 at 10% per annum for 3 years. | option_a=3124 | option_b=13540 | option_c=3224 | option_d=3024 | answer=A | explanation=SI = PRT/100 = 10416×10×3/100 = ■3124.

id=5294 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2476. If it is sold at a profit of 5%, what is its selling price? | option_a=2599 | option_b=2481 | option_c=2846 | option_d=2352 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2476 × 105/100 = ■2599.

id=5295 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■11671 at 10% per annum for 3 years. | option_a=3601 | option_b=3401 | option_c=15172 | option_d=3501 | answer=D | explanation=SI = PRT/100 = 11671×10×3/100 = ■3501.

id=5296 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 43? | option_a=21 | option_b=11 | option_c=31 | option_d=43 | answer=D | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 43 is the odd one out.

id=5297 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■26524 at 4% per annum for 3 years. | option_a=3282 | option_b=3182 | option_c=3082 | option_d=29706 | answer=B | explanation=SI = PRT/100 = 26524×4×3/100 = ■3182.

id=5298 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=Z | option_c=L | option_d=D | answer=A | explanation=Move 4 positions forward from D; the resulting letter is H.

id=5299 | topic=Averages | difficulty=Easy | question=Find the average of 58, 27, 49, 46. | option_a=44 | option_b=46 | option_c=47 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 180 ÷ 4 = 45.

id=5300 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=5301 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■5990 at 8% per annum for 3 years. | option_a=1337 | option_b=1537 | option_c=7427 | option_d=1437 | answer=D | explanation=SI = PRT/100 = 5990×8×3/100 = ■1437.

id=5302 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14858 at 15% per annum for 5 years. | option_a=11143 | option_b=11043 | option_c=26001 | option_d=11243 | answer=A | explanation=SI = PRT/100 = 14858×15×5/100 = ■11143.

id=5303 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:15 and the first is 4, what is the second? | option_a=61 | option_b=64 | option_c=45 | option_d=60 | answer=D | explanation=Scale factor = 4/1 = 4. Therefore second quantity = 15×4 = 60.

id=5304 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=M | option_b=S | option_c=Q | option_d=O | answer=C | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=5305 | topic=Averages | difficulty=Easy | question=Find the average of 54, 91, 14. | option_a=53 | option_b=52 | option_c=54 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 159 ÷ 3 = 53.

id=5306 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2169. If it is sold at a profit of 30%, what is its selling price? | option_a=2199 | option_b=2603 | option_c=2819 | option_d=3035 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2169 × 130/100 = ■2819.

id=5307 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4192. If it is sold at a profit of 10%, what is its selling price? | option_a=4611 | option_b=4202 | option_c=5030 | option_d=4192 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4192 × 110/100 = ■4611.

id=5308 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=5309 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■1379 at 15% per annum for 2 years. | option_a=313 | option_b=1792 | option_c=513 | option_d=413 | answer=D | explanation=SI = PRT/100 = 1379×15×2/100 = ■413.

id=5310 | topic=Percentages | difficulty=Easy | question=What is 25% of 1092? | option_a=268 | option_b=273 | option_c=278 | option_d=546 | answer=B | explanation=25% of 1092 = (25/100) × 1092 = 273.

Aptitude Questions — Records 5,311-5,340 of 100,000

id=5311 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1393. If it is sold at a profit of 40%, what is its selling price? | option_a=1811 | option_b=2089 | option_c=1950 | option_d=1433 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1393 × 140/100 = ■1950.

id=5312 | topic=Percentages | difficulty=Easy | question=What is 25% of 1792? | option_a=896 | option_b=448 | option_c=438 | option_d=453 | answer=B | explanation=25% of 1792 = (25/100) × 1792 = 448.

id=5313 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:3 and the first is 180, what is the second? | option_a=47 | option_b=207 | option_c=27 | option_d=24 | answer=C | explanation=Scale factor = 180/20 = 9. Therefore second quantity = 3×9 = 27.

id=5314 | topic=Averages | difficulty=Easy | question=Find the average of 56, 15, 31, 72, 46. | option_a=45 | option_b=43 | option_c=44 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 220 ÷ 5 = 44.

id=5315 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 19, 29, 41? | option_a=9 | option_b=29 | option_c=41 | option_d=19 | answer=C | explanation=The first three numbers increase by 10, so the next should be 39. Therefore 41 is the odd one out.

id=5316 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 14. | option_a=308 | option_b=154 | option_c=176 | option_d=140 | answer=B | explanation=LCM × HCF = 22×14; HCF(22,14) = 2, so LCM = 154.

id=5317 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 31, 42, 53, ? | option_a=65 | option_b=75 | option_c=64 | option_d=53 | answer=C | explanation=The common difference is 11. Therefore the next term is 53 + 11 = 64.

id=5318 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 7, 12, 18? | option_a=12 | option_b=2 | option_c=7 | option_d=18 | answer=D | explanation=The first three numbers increase by 5, so the next should be 17. Therefore 18 is the odd one out.

id=5319 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=J | option_b=H | option_c=K | option_d=I | answer=A | explanation=Move 1 positions forward from I; the resulting letter is J.

id=5320 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=F | option_c=H | option_d=J | answer=D | explanation=Move 2 positions forward from H; the resulting letter is J.

id=5321 | topic=Percentages | difficulty=Easy | question=What is 5% of 731? | option_a=46 | option_b=36 | option_c=16 | option_d=72 | answer=B | explanation=5% of 731 = (5/100) × 731 = 36.

id=5322 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=12 | option_c=6 | option_d=1 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=5323 | topic=Averages | difficulty=Easy | question=Find the average of 72, 31, 23, 17, 88, 16, 71, 42, 46, 44. | option_a=46 | option_b=45 | option_c=44 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 450 ÷ 10 = 45.

id=5324 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 8, 11, 14, ? | option_a=14 | option_b=20 | option_c=17 | option_d=18 | answer=C | explanation=The common difference is 3. Therefore the next term is 14 + 3 = 17.

id=5325 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:1 and the first is 8, what is the second? | option_a=8 | option_b=16 | option_c=9 | option_d=7 | answer=A | explanation=Scale factor = 8/1 = 8. Therefore second quantity = 1×8 = 8.

id=5326 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 33, 43, 56? | option_a=56 | option_b=23 | option_c=43 | option_d=33 | answer=A | explanation=The first three numbers increase by 10, so the next should be 53. Therefore 56 is the odd one out.

id=5327 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=36 | option_b=31 | option_c=72 | option_d=41 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=5328 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:13 and the first is 280, what is the second? | option_a=169 | option_b=202 | option_c=182 | option_d=462 | answer=C | explanation=Scale factor = 280/20 = 14. Therefore second quantity = 13×14 = 182.

id=5329 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■15360 at 8% per annum for 4 years. | option_a=20275 | option_b=4815 | option_c=5015 | option_d=4915 | answer=D | explanation=SI = PRT/100 = 15360×8×4/100 = ■4915.

id=5330 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:5 and the first is 8, what is the second? | option_a=14 | option_b=18 | option_c=5 | option_d=10 | answer=D | explanation=Scale factor = 8/4 = 2. Therefore second quantity = 5×2 = 10.

id=5331 | topic=Averages | difficulty=Easy | question=Find the average of 76, 86, 36, 74, 91, 29, 55, 26, 85. | option_a=64 | option_b=63 | option_c=62 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 558 ÷ 9 = 62.

id=5332 | topic=Averages | difficulty=Easy | question=Find the average of 56, 24, 61, 12, 27, 60. | option_a=40 | option_b=42 | option_c=41 | option_d=39 | answer=A | explanation=Average = sum of values ÷ number of values = 240 ÷ 6 = 40.

id=5333 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=5334 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 8, 13, 21? | option_a=8 | option_b=13 | option_c=3 | option_d=21 | answer=D | explanation=The first three numbers increase by 5, so the next should be 18. Therefore 21 is the odd one out.

id=5335 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=5336 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■788. If it is sold at a profit of 25%, what is its selling price? | option_a=985 | option_b=1063 | option_c=907 | option_d=813 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 788 × 125/100 = ■985.

id=5337 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 10. | option_a=50 | option_b=72 | option_c=60 | option_d=120 | answer=C | explanation=LCM × HCF = 12×10; HCF(12,10) = 2, so LCM = 60.

id=5338 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=36 | option_b=47 | option_c=58 | option_d=48 | answer=B | explanation=The common difference is 11. Therefore the next term is 36 + 11 = 47.

id=5339 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=39 | option_b=32 | option_c=46 | option_d=40 | answer=A | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.

id=5340 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 21. | option_a=72 | option_b=42 | option_c=63 | option_d=189 | answer=C | explanation=LCM × HCF = 9×21; HCF(9,21) = 3, so LCM = 63.

Aptitude Questions — Records 5,341-5,370 of 100,000

id=5341 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=M | option_b=G | option_c=D | option_d=J | answer=D | explanation=Move 3 positions forward from G; the resulting letter is J.

id=5342 | topic=Averages | difficulty=Easy | question=Find the average of 79, 84, 22, 16, 76, 12, 47, 24, 108. | option_a=52 | option_b=51 | option_c=53 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 468 ÷ 9 = 52.

id=5343 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=25 | option_b=31 | option_c=35 | option_d=30 | answer=D | explanation=The common difference is 5. Therefore the next term is 25 + 5 = 30.

id=5344 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4219. If it is sold at a profit of 50%, what is its selling price? | option_a=5907 | option_b=6749 | option_c=6328 | option_d=4269 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4219 × 150/100 = █6328.

id=5345 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=32 | option_b=29 | option_c=35 | option_d=33 | answer=A | explanation=The common difference is 3. Therefore the next term is 29 + 3 = 32.

id=5346 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16178 at 8% per annum for 2 years. | option_a=2688 | option_b=18766 | option_c=2588 | option_d=2488 | answer=C | explanation=SI = PRT/100 = 16178×8×2/100 = █2588.

id=5347 | topic=Percentages | difficulty=Easy | question=What is 50% of 590? | option_a=285 | option_b=295 | option_c=305 | option_d=590 | answer=B | explanation=50% of 590 = (50/100) × 590 = 295.

id=5348 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26233 at 6% per annum for 4 years. | option_a=32528 | option_b=6295 | option_c=6195 | option_d=6395 | answer=B | explanation=SI = PRT/100 = 26233×6×4/100 = █6295.

id=5349 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 9, 12, 16? | option_a=16 | option_b=6 | option_c=9 | option_d=12 | answer=A | explanation=The first three numbers increase by 3, so the next should be 15. Therefore 16 is the odd one out.

id=5350 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=L | option_b=C | option_c=F | option_d=I | answer=D | explanation=Move 3 positions forward from F; the resulting letter is I.

id=5351 | topic=Percentages | difficulty=Easy | question=What is 50% of 1356? | option_a=678 | option_b=688 | option_c=1356 | option_d=673 | answer=A | explanation=50% of 1356 = (50/100) × 1356 = 678.

id=5352 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=5353 | topic=Averages | difficulty=Easy | question=Find the average of 63, 36, 25, 77, 51, 57, 82, 61, 73, 15. | option_a=53 | option_b=55 | option_c=54 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

id=5354 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=35 | option_b=28 | option_c=40 | option_d=34 | answer=D | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.

id=5355 | topic=Percentages | difficulty=Easy | question=What is 5% of 59? | option_a=4 | option_b=22 | option_c=2 | option_d=0 | answer=C | explanation=5% of 59 = (5/100) × 59 = 2.

id=5356 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=145 | option_c=150 | option_d=155 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=5357 | topic=Percentages | difficulty=Easy | question=What is 30% of 1538? | option_a=461 | option_b=471 | option_c=456 | option_d=922 | answer=A | explanation=30% of 1538 = (30/100) × 1538 = 461.

id=5358 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39293 at 8% per annum for 5 years. | option_a=15617 | option_b=55010 | option_c=15717 | option_d=15817 | answer=C | explanation=SI = PRT/100 = 39293×8×5/100 = █15717.

id=5359 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:15 and the first is 40, what is the second? | option_a=120 | option_b=160 | option_c=125 | option_d=105 | answer=A | explanation=Scale factor = 40/5 = 8. Therefore second quantity = 15×8 = 120.

id=5360 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=35 | option_b=41 | option_c=27 | option_d=34 | answer=D | explanation=The common difference is 7. Therefore the next term is 27 + 7 = 34.

id=5361 | topic=Averages | difficulty=Easy | question=Find the average of 62, 90, 51, 45, 67, 56, 75, 69, 88. | option_a=67 | option_b=69 | option_c=66 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = 603 ÷ 9 = 67.

id=5362 | topic=Profit & Loss | difficulty=Easy | question=An article costs █590. If it is sold at a profit of 30%, what is its selling price? | option_a=620 | option_b=767 | option_c=708 | option_d=826 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 590 × 130/100 = █767.

id=5363 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=11 | option_c=1 | option_d=12 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=5364 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=145 | option_c=155 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=5365 | topic=Averages | difficulty=Easy | question=Find the average of 42, 17, 31. | option_a=32 | option_b=30 | option_c=31 | option_d=29 | answer=B | explanation=Average = sum of values ÷ number of values = 90 ÷ 3 = 30.

id=5366 | topic=Percentages | difficulty=Easy | question=What is 10% of 651? | option_a=65 | option_b=70 | option_c=60 | option_d=130 | answer=A | explanation=10% of 651 = (10/100) × 651 = 65.

id=5367 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32476 at 15% per annum for 1 years. | option_a=4971 | option_b=4771 | option_c=4871 | option_d=37347 | answer=C | explanation=SI = PRT/100 = 32476×15×1/100 = █4871.

id=5368 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 24. | option_a=96 | option_b=140 | option_c=120 | option_d=480 | answer=C | explanation=LCM × HCF = 20×24; HCF(20,24) = 4, so LCM = 120.

id=5369 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=5370 | topic=Averages | difficulty=Easy | question=Find the average of 72, 62, 69, 61. | option_a=65 | option_b=68 | option_c=66 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 264 ÷ 4 = 66.

Aptitude Questions — Records 5,371-5,400 of 100,000

- id=5371 | topic=Percentages | difficulty=Easy | question=What is 25% of 344? | option_a=81 | option_b=172 | option_c=96 | option_d=86 | answer=D | explanation=25% of 344 = (25/100) × 344 = 86.
- id=5372 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=32 | option_b=33 | option_c=39 | option_d=25 | answer=A | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.
- id=5373 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 12. | option_a=1 | option_b=18 | option_c=12 | option_d=72 | answer=C | explanation=LCM × HCF = 6×12; HCF(6,12) = 6, so LCM = 12.
- id=5374 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.
- id=5375 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=6 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=5376 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=10 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.
- id=5377 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:4 and the first is 90, what is the second? | option_a=150 | option_b=66 | option_c=60 | option_d=56 | answer=C | explanation=Scale factor = 90/6 = 15. Therefore second quantity = 4×15 = 60.
- id=5378 | topic=Averages | difficulty=Easy | question=Find the average of 74, 65, 19, 69, 83. | option_a=61 | option_b=64 | option_c=63 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 310 ÷ 5 = 62.
- id=5379 | topic=Averages | difficulty=Easy | question=Find the average of 52, 67, 40. | option_a=55 | option_b=52 | option_c=53 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 159 ÷ 3 = 53.
- id=5380 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=5381 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.
- id=5382 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=T | option_c=H | option_d=P | answer=D | explanation=Move 4 positions forward from L; the resulting letter is P.
- id=5383 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=21 | option_b=23 | option_c=19 | option_d=22 | answer=A | explanation=The common difference is 2. Therefore the next term is 19 + 2 = 21.
- id=5384 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:3 and the first is 60, what is the second? | option_a=18 | option_b=15 | option_c=78 | option_d=28 | answer=A | explanation=Scale factor = 60/10 = 6. Therefore second quantity = 3×6 = 18.
- id=5385 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=C | option_b=I | option_c=F | option_d=L | answer=B | explanation=Move 3 positions forward from F; the resulting letter is I.
- id=5386 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.
- id=5387 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 18. | option_a=90 | option_b=120 | option_c=540 | option_d=72 | answer=A | explanation=LCM × HCF = 30×18; HCF(30,18) = 6, so LCM = 90.
- id=5388 | topic=Averages | difficulty=Easy | question=Find the average of 32, 68, 35, 45. | option_a=47 | option_b=45 | option_c=46 | option_d=44 | answer=B | explanation=Average = sum of values ÷ number of values = 180 ÷ 4 = 45.
- id=5389 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=H | option_c=X | option_d=M | answer=B | explanation=Move 5 positions forward from C; the resulting letter is H.
- id=5390 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1716. If it is sold at a profit of 25%, what is its selling price? | option_a=1974 | option_b=2316 | option_c=2145 | option_d=1741 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1716 × 125/100 = ₹2145.
- id=5391 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:3 and the first is 156, what is the second? | option_a=36 | option_b=192 | option_c=33 | option_d=49 | answer=A | explanation=Scale factor = 156/13 = 12. Therefore second quantity = 3×12 = 36.
- id=5392 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=100 | option_c=50 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.
- id=5393 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=P | option_c=S | option_d=R | answer=D | explanation=Move 1 positions forward from Q; the resulting letter is R.
- id=5394 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 27, 30, 34? | option_a=27 | option_b=24 | option_c=34 | option_d=30 | answer=C | explanation=The first three numbers increase by 3, so the next should be 33. Therefore 34 is the odd one out.
- id=5395 | topic=Percentages | difficulty=Easy | question=What is 50% of 1635? | option_a=1634 | option_b=837 | option_c=817 | option_d=797 | answer=C | explanation=50% of 1635 = (50/100) × 1635 = 817.
- id=5396 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:4 and the first is 108, what is the second? | option_a=42 | option_b=24 | option_c=20 | option_d=132 | answer=B | explanation=Scale factor = 108/18 = 6. Therefore second quantity = 4×6 = 24.
- id=5397 | topic=Averages | difficulty=Easy | question=Find the average of 11, 76, 12. | option_a=34 | option_b=33 | option_c=35 | option_d=32 | answer=B | explanation=Average = sum of values ÷ number of values = 99 ÷ 3 = 33.
- id=5398 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=20 | option_c=15 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.
- id=5399 | topic=Averages | difficulty=Easy | question=Find the average of 46, 13, 53, 14, 80, 28. | option_a=41 | option_b=38 | option_c=40 | option_d=39 | answer=D | explanation=Average = sum of values ÷ number of values = 234 ÷ 6 = 39.
- id=5400 | topic=Averages | difficulty=Easy | question=Find the average of 92, 76, 94, 65, 85, 85, 14, 97. | option_a=78 | option_b=75 | option_c=76 | option_d=77 | answer=C | explanation=Average = sum of values ÷ number of values = 608 ÷ 8 = 76.

Aptitude Questions — Records 5,401-5,430 of 100,000

id=5401 | topic=Profit & Loss | difficulty=Easy | question=An article costs █896. If it is sold at a profit of 40%, what is its selling price? | option_a=1254 | option_b=1343 | option_c=1165 | option_d=936 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 896 × 140/100 = █1254.

id=5402 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=12 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=5403 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26479 at 4% per annum for 5 years. | option_a=31774 | option_b=5195 | option_c=5295 | option_d=5395 | answer=C | explanation=SI = PRT/100 = 26479×4×5/100 = █5295.

id=5404 | topic=Averages | difficulty=Easy | question=Find the average of 43, 65, 57, 63. | option_a=59 | option_b=57 | option_c=58 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 228 ÷ 4 = 57.

id=5405 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=5406 | topic=Percentages | difficulty=Easy | question=What is 30% of 1132? | option_a=344 | option_b=678 | option_c=339 | option_d=319 | answer=C | explanation=30% of 1132 = (30/100) × 1132 = 339.

id=5407 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15818 at 4% per annum for 4 years. | option_a=2530 | option_b=2430 | option_c=18348 | option_d=2630 | answer=A | explanation=SI = PRT/100 = 15818×4×4/100 = █2530.

id=5408 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=5409 | topic=Averages | difficulty=Easy | question=Find the average of 56, 72, 42, 51, 79, 60, 25, 79. | option_a=60 | option_b=59 | option_c=57 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 464 ÷ 8 = 58.

id=5410 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 13, 18, 25? | option_a=8 | option_b=18 | option_c=13 | option_d=25 | answer=D | explanation=The first three numbers increase by 5, so the next should be 23. Therefore 25 is the odd one out.

id=5411 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=13 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=5412 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 42? | option_a=18 | option_b=32 | option_c=25 | option_d=42 | answer=D | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 42 is the odd one out.

id=5413 | topic=Percentages | difficulty=Easy | question=What is 30% of 937? | option_a=271 | option_b=562 | option_c=281 | option_d=291 | answer=C | explanation=30% of 937 = (30/100) × 937 = 281.

id=5414 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=X | option_b=T | option_c=B | option_d=P | answer=A | explanation=Move 4 positions forward from T; the resulting letter is X.

id=5415 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10100 at 5% per annum for 4 years. | option_a=12120 | option_b=1920 | option_c=2020 | option_d=2120 | answer=C | explanation=SI = PRT/100 = 10100×5×4/100 = █2020.

id=5416 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 9. | option_a=48 | option_b=108 | option_c=36 | option_d=27 | answer=C | explanation=LCM × HCF = 12×9; HCF(12,9) = 3, so LCM = 36.

id=5417 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=48 | option_b=41 | option_c=34 | option_d=42 | answer=B | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=5418 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9795 at 10% per annum for 1 years. | option_a=10774 | option_b=879 | option_c=1079 | option_d=979 | answer=D | explanation=SI = PRT/100 = 9795×10×1/100 = █979.

id=5419 | topic=Profit & Loss | difficulty=Easy | question=An article costs █319. If it is sold at a profit of 40%, what is its selling price? | option_a=446 | option_b=359 | option_c=415 | option_d=477 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 319 × 140/100 = █446.

id=5420 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=15 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=5421 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:8 and the first is 195, what is the second? | option_a=96 | option_b=104 | option_c=299 | option_d=119 | answer=B | explanation=Scale factor = 195/15 = 13. Therefore second quantity = 8×13 = 104.

id=5422 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=H | option_b=J | option_c=N | option_d=L | answer=D | explanation=Move 2 positions forward from J; the resulting letter is L.

id=5423 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16619 at 12% per annum for 1 years. | option_a=1994 | option_b=2094 | option_c=1894 | option_d=18613 | answer=A | explanation=SI = PRT/100 = 16619×12×1/100 = █1994.

id=5424 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=X | option_c=B | option_d=J | answer=A | explanation=Move 4 positions forward from B; the resulting letter is F.

id=5425 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:16 and the first is 96, what is the second? | option_a=112 | option_b=192 | option_c=80 | option_d=96 | answer=D | explanation=Scale factor = 96/16 = 6. Therefore second quantity = 16×6 = 96.

id=5426 | topic=Profit & Loss | difficulty=Easy | question=An article costs █603. If it is sold at a profit of 25%, what is its selling price? | option_a=813 | option_b=628 | option_c=693 | option_d=753 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 603 × 125/100 = █753.

id=5427 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 15, 20, 28? | option_a=10 | option_b=28 | option_c=15 | option_d=20 | answer=B | explanation=The first three numbers increase by 5, so the next should be 25. Therefore 28 is the odd one out.

id=5428 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=5 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=5429 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=F | option_b=L | option_c=J | option_d=H | answer=C | explanation=Move 2 positions forward from H; the resulting letter is J.

id=5430 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=25 | option_c=20 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

Aptitude Questions — Records 5,431-5,460 of 100,000

id=5431 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■18280 at 5% per annum for 3 years. | option_a=2742 | option_b=2642 | option_c=2842 | option_d=21022 | answer=A | explanation=SI = PRT/100 = 18280×5×3/100 = ■2742.

id=5432 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■30883 at 8% per annum for 3 years. | option_a=7411 | option_b=38294 | option_c=7511 | option_d=7311 | answer=A | explanation=SI = PRT/100 = 30883×8×3/100 = ■7411.

id=5433 | topic=Percentages | difficulty=Easy | question=What is 10% of 387? | option_a=58 | option_b=76 | option_c=38 | option_d=18 | answer=C | explanation=10% of 387 = (10/100) × 387 = 38.

id=5434 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2409. If it is sold at a profit of 25%, what is its selling price? | option_a=3251 | option_b=2771 | option_c=3011 | option_d=2434 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2409 × 125/100 = ■3011.

id=5435 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=5436 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=57 | option_b=58 | option_c=45 | option_d=69 | answer=A | explanation=The common difference is 12. Therefore the next term is 45 + 12 = 57.

id=5437 | topic=Averages | difficulty=Easy | question=Find the average of 92, 91, 16, 29, 52. | option_a=58 | option_b=56 | option_c=57 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 280 ÷ 5 = 56.

id=5438 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=5439 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=Y | option_b=J | option_c=O | option_d=T | answer=D | explanation=Move 5 positions forward from O; the resulting letter is T.

id=5440 | topic=Averages | difficulty=Easy | question=Find the average of 20, 38, 83, 51, 89, 47, 91, 51, 88. | option_a=64 | option_b=62 | option_c=61 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 558 ÷ 9 = 62.

id=5441 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4689. If it is sold at a profit of 30%, what is its selling price? | option_a=6563 | option_b=5627 | option_c=6095 | option_d=4719 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4689 × 130/100 = ■6095.

id=5442 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=J | option_c=K | option_d=L | answer=D | explanation=Move 1 positions forward from K; the resulting letter is L.

id=5443 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 15. | option_a=45 | option_b=60 | option_c=300 | option_d=80 | answer=B | explanation=LCM × HCF = 20×15; HCF(20,15) = 5, so LCM = 60.

id=5444 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 35, 43, 53? | option_a=53 | option_b=27 | option_c=43 | option_d=35 | answer=A | explanation=The first three numbers increase by 8, so the next should be 51. Therefore 53 is the odd one out.

id=5445 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=Y | option_b=J | option_c=O | option_d=T | answer=D | explanation=Move 5 positions forward from O; the resulting letter is T.

id=5446 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 35? | option_a=22 | option_b=26 | option_c=30 | option_d=35 | answer=D | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 35 is the odd one out.

id=5447 | topic=Percentages | difficulty=Easy | question=What is 5% of 1665? | option_a=166 | option_b=88 | option_c=83 | option_d=63 | answer=C | explanation=5% of 1665 = (5/100) × 1665 = 83.

id=5448 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=X | option_c=I | option_d=S | answer=D | explanation=Move 5 positions forward from N; the resulting letter is S.

id=5449 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=95 | option_c=90 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=5450 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=36 | option_b=47 | option_c=58 | option_d=48 | answer=B | explanation=The common difference is 11. Therefore the next term is 36 + 11 = 47.

id=5451 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=V | option_c=K | option_d=F | answer=D | explanation=Move 5 positions forward from A; the resulting letter is F.

id=5452 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=G | option_c=Q | option_d=V | answer=C | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=5453 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■44185 at 5% per annum for 4 years. | option_a=8837 | option_b=8937 | option_c=53022 | option_d=8737 | answer=A | explanation=SI = PRT/100 = 44185×5×4/100 = ■8837.

id=5454 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=5455 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■26428 at 15% per annum for 3 years. | option_a=11792 | option_b=11892 | option_c=11992 | option_d=38320 | answer=B | explanation=SI = PRT/100 = 26428×15×3/100 = ■11892.

id=5456 | topic=Averages | difficulty=Easy | question=Find the average of 11, 48, 100, 93. | option_a=64 | option_b=63 | option_c=62 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 252 ÷ 4 = 63.

id=5457 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:16 and the first is 17, what is the second? | option_a=273 | option_b=289 | option_c=256 | option_d=272 | answer=D | explanation=Scale factor = 17/1 = 17. Therefore second quantity = 16×17 = 272.

id=5458 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 10, 18, 27? | option_a=18 | option_b=10 | option_c=2 | option_d=27 | answer=D | explanation=The first three numbers increase by 8, so the next should be 26. Therefore 27 is the odd one out.

id=5459 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=4 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=5460 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 27. | option_a=27 | option_b=162 | option_c=60 | option_d=54 | answer=D | explanation=LCM × HCF = 6×27; HCF(6,27) = 3, so LCM = 54.

Aptitude Questions — Records 5,461-5,490 of 100,000

id=5461 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■19994 at 15% per annum for 2 years. | option_a=5998 | option_b=25992 | option_c=6098 | option_d=5898 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{19994 \times 15 \times 2}{100} = \blacksquare 5998$.

id=5462 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 28, 33, 41? | option_a=23 | option_b=28 | option_c=33 | option_d=41 | answer=D | explanation=The first three numbers increase by 5, so the next should be 38. Therefore 41 is the odd one out.

id=5463 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = $150 \div 5 = 30$ km/h.

id=5464 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=35 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = $240 \div 6 = 40$ km/h.

id=5465 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 12. | option_a=12 | option_b=96 | option_c=32 | option_d=24 | answer=D | explanation= $LCM \times HCF = 8 \times 12$; $HCF(8,12) = 4$, so $LCM = 24$.

id=5466 | topic=Percentages | difficulty=Easy | question=What is 40% of 1404? | option_a=561 | option_b=1122 | option_c=541 | option_d=566 | answer=A | explanation= 40% of 1404 = $(40/100) \times 1404 = 561$.

id=5467 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 14. | option_a=28 | option_b=56 | option_c=392 | option_d=14 | answer=A | explanation= $LCM \times HCF = 28 \times 14$; $HCF(28,14) = 14$, so $LCM = 28$.

id=5468 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=A | option_c=E | option_d=G | answer=C | explanation=Move 2 positions forward from C; the resulting letter is E.

id=5469 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=68 | option_b=56 | option_c=44 | option_d=57 | answer=B | explanation=The common difference is 12. Therefore the next term is $44 + 12 = 56$.

id=5470 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4794. If it is sold at a profit of 40%, what is its selling price? | option_a=6711 | option_b=6232 | option_c=4834 | option_d=7190 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4794 \times 140/100 = \blacksquare 6711$.

id=5471 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=5472 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=24 | option_b=25 | option_c=27 | option_d=21 | answer=A | explanation=The common difference is 3. Therefore the next term is $21 + 3 = 24$.

id=5473 | topic=Averages | difficulty=Easy | question=Find the average of 17, 93, 61. | option_a=56 | option_b=57 | option_c=59 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = $171 \div 3 = 57$.

id=5474 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■540. If it is sold at a profit of 30%, what is its selling price? | option_a=570 | option_b=648 | option_c=756 | option_d=702 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 540 \times 130/100 = \blacksquare 702$.

id=5475 | topic=Percentages | difficulty=Easy | question=What is 50% of 962? | option_a=461 | option_b=962 | option_c=491 | option_d=481 | answer=D | explanation= 50% of 962 = $(50/100) \times 962 = 481$.

id=5476 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1775. If it is sold at a profit of 30%, what is its selling price? | option_a=2307 | option_b=1805 | option_c=2130 | option_d=2484 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1775 \times 130/100 = \blacksquare 2307$.

id=5477 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=W | option_c=S | option_d=Y | answer=B | explanation=Move 2 positions forward from U; the resulting letter is W.

id=5478 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 30. | option_a=330 | option_b=660 | option_c=300 | option_d=352 | answer=A | explanation= $LCM \times HCF = 22 \times 30$; $HCF(22,30) = 2$, so $LCM = 330$.

id=5479 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43, ? | option_a=51 | option_b=43 | option_c=59 | option_d=52 | answer=A | explanation=The common difference is 8. Therefore the next term is $43 + 8 = 51$.

id=5480 | topic=Percentages | difficulty=Easy | question=What is 25% of 735? | option_a=163 | option_b=366 | option_c=193 | option_d=183 | answer=D | explanation= 25% of 735 = $(25/100) \times 735 = 183$.

id=5481 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■46442 at 10% per annum for 5 years. | option_a=23321 | option_b=23221 | option_c=23121 | option_d=69663 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{46442 \times 10 \times 5}{100} = \blacksquare 23221$.

id=5482 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=7 | option_c=12 | option_d=24 | answer=C | explanation=Speed = distance ÷ time = $120 \div 10 = 12$ km/h.

id=5483 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=O | option_b=E | option_c=J | option_d=Z | answer=C | explanation=Move 5 positions forward from E; the resulting letter is J.

id=5484 | topic=Averages | difficulty=Easy | question=Find the average of 60, 75, 83, 34, 73. | option_a=67 | option_b=65 | option_c=66 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = $325 \div 5 = 65$.

id=5485 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■5216 at 5% per annum for 4 years. | option_a=6259 | option_b=1143 | option_c=1043 | option_d=943 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{5216 \times 5 \times 4}{100} = \blacksquare 1043$.

id=5486 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■49617 at 10% per annum for 1 years. | option_a=54578 | option_b=5061 | option_c=4961 | option_d=4861 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{49617 \times 10 \times 1}{100} = \blacksquare 4961$.

id=5487 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4936. If it is sold at a profit of 30%, what is its selling price? | option_a=5923 | option_b=6909 | option_c=6416 | option_d=4966 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4936 \times 130/100 = \blacksquare 6416$.

id=5488 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=5489 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=85 | option_c=160 | option_d=75 | answer=A | explanation=Speed = distance ÷ time = $240 \div 3 = 80$ km/h.

id=5490 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=I | option_b=A | option_c=E | option_d=W | answer=C | explanation=Move 4 positions forward from A; the resulting letter is E.

Aptitude Questions — Records 5,491-5,520 of 100,000

id=5491 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■36844 at 15% per annum for 2 years. | option_a=10953 | option_b=47897 | option_c=11053 | option_d=11153 | answer=C | explanation=SI = $PRT/100 = 36844 \times 15 \times 2/100 = \blacksquare 11053$.

id=5492 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■36597 at 15% per annum for 4 years. | option_a=21858 | option_b=22058 | option_c=21958 | option_d=58555 | answer=C | explanation=SI = $PRT/100 = 36597 \times 15 \times 4/100 = \blacksquare 21958$.

id=5493 | topic=Averages | difficulty=Easy | question=Find the average of 86, 93, 62, 48, 72, 30, 62, 83. | option_a=67 | option_b=68 | option_c=69 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = $536 \div 8 = 67$.

id=5494 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:9 and the first is 182, what is the second? | option_a=299 | option_b=131 | option_c=117 | option_d=108 | answer=C | explanation=Scale factor = $182/14 = 13$. Therefore second quantity = $9 \times 13 = 117$.

id=5495 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=O | option_b=E | option_c=J | option_d=Z | answer=C | explanation=Move 5 positions forward from E; the resulting letter is J.

id=5496 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4610. If it is sold at a profit of 30%, what is its selling price? | option_a=6454 | option_b=4640 | option_c=5532 | option_d=5993 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 4610 \times 130/100 = \blacksquare 5993$.

id=5497 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 24, 31, 40? | option_a=31 | option_b=40 | option_c=17 | option_d=24 | answer=B | explanation=The first three numbers increase by 7, so the next should be 38. Therefore 40 is the odd one out.

id=5498 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=F | option_b=U | option_c=K | option_d=P | answer=D | explanation=Move 5 positions forward from K; the resulting letter is P.

id=5499 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $60 \div 2 = 30$ km/h.

id=5500 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:16 and the first is 135, what is the second? | option_a=249 | option_b=375 | option_c=224 | option_d=240 | answer=D | explanation=Scale factor = $135/9 = 15$. Therefore second quantity = $16 \times 15 = 240$.

id=5501 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 40? | option_a=40 | option_b=15 | option_c=23 | option_d=31 | answer=A | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 40 is the odd one out.

id=5502 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=5503 | topic=Averages | difficulty=Easy | question=Find the average of 71, 83, 28, 29, 98, 69. | option_a=65 | option_b=63 | option_c=62 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = $378 \div 6 = 63$.

id=5504 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=39 | option_b=25 | option_c=33 | option_d=32 | answer=D | explanation=The common difference is 7. Therefore the next term is $25 + 7 = 32$.

id=5505 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 39, 48, 58? | option_a=48 | option_b=58 | option_c=30 | option_d=39 | answer=B | explanation=The first three numbers increase by 9, so the next should be 57. Therefore 58 is the odd one out.

id=5506 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = $120 \div 2 = 60$ km/h.

id=5507 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=X | option_c=D | option_d=G | answer=C | explanation=Move 3 positions forward from A; the resulting letter is D.

id=5508 | topic=Percentages | difficulty=Easy | question=What is 40% of 1328? | option_a=551 | option_b=511 | option_c=531 | option_d=1062 | answer=C | explanation=40% of 1328 = $(40/100) \times 1328 = 531$.

id=5509 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:19 and the first is 204, what is the second? | option_a=304 | option_b=335 | option_c=323 | option_d=527 | answer=C | explanation=Scale factor = $204/12 = 17$. Therefore second quantity = $19 \times 17 = 323$.

id=5510 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=5511 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=5512 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3664. If it is sold at a profit of 20%, what is its selling price? | option_a=3684 | option_b=4762 | option_c=4396 | option_d=4030 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 3664 \times 120/100 = \blacksquare 4396$.

id=5513 | topic=Averages | difficulty=Easy | question=Find the average of 91, 30, 20, 28, 38, 74, 45, 75, 68, 71. | option_a=56 | option_b=54 | option_c=55 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = $540 \div 10 = 54$.

id=5514 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=44 | option_b=34 | option_c=54 | option_d=45 | answer=A | explanation=The common difference is 10. Therefore the next term is $34 + 10 = 44$.

id=5515 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=T | option_c=R | option_d=P | answer=B | explanation=Move 2 positions forward from R; the resulting letter is T.

id=5516 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=39 | option_b=63 | option_c=52 | option_d=51 | answer=D | explanation=The common difference is 12. Therefore the next term is $39 + 12 = 51$.

id=5517 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=31 | option_b=30 | option_c=37 | option_d=23 | answer=B | explanation=The common difference is 7. Therefore the next term is $23 + 7 = 30$.

id=5518 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.

id=5519 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=34 | option_b=39 | option_c=33 | option_d=27 | answer=C | explanation=The common difference is 6. Therefore the next term is $27 + 6 = 33$.

id=5520 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

Aptitude Questions — Records 5,521-5,550 of 100,000

id=5521 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=30 | option_b=24 | option_c=34 | option_d=29 | answer=D | explanation=The common difference is 5. Therefore the next term is 24 + 5 = 29.

id=5522 | topic=Averages | difficulty=Easy | question=Find the average of 57, 34, 57, 88, 70, 54. | option_a=62 | option_b=61 | option_c=59 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 360 ÷ 6 = 60.

id=5523 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34015 at 5% per annum for 1 years. | option_a=1600 | option_b=1800 | option_c=1700 | option_d=35715 | answer=C | explanation=SI = PRT/100 = 34015×5×1/100 = █1700.

id=5524 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 24, 31, 41? | option_a=17 | option_b=41 | option_c=24 | option_d=31 | answer=B | explanation=The first three numbers increase by 7, so the next should be 38. Therefore 41 is the odd one out.

id=5525 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 16. | option_a=24 | option_b=1 | option_c=16 | option_d=128 | answer=C | explanation=LCM × HCF = 8×16; HCF(8,16) = 8, so LCM = 16.

id=5526 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=54 | option_b=53 | option_c=44 | option_d=62 | answer=B | explanation=The common difference is 9. Therefore the next term is 44 + 9 = 53.

id=5527 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=5528 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=A | option_b=W | option_c=O | option_d=S | answer=B | explanation=Move 4 positions forward from S; the resulting letter is W.

id=5529 | topic=Percentages | difficulty=Easy | question=What is 20% of 1455? | option_a=281 | option_b=582 | option_c=301 | option_d=291 | answer=D | explanation=20% of 1455 = (20/100) × 1455 = 291.

id=5530 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=34 | option_b=31 | option_c=26 | option_d=30 | answer=D | explanation=The common difference is 4. Therefore the next term is 26 + 4 = 30.

id=5531 | topic=Percentages | difficulty=Easy | question=What is 40% of 1952? | option_a=1560 | option_b=780 | option_c=775 | option_d=800 | answer=B | explanation=40% of 1952 = (40/100) × 1952 = 780.

id=5532 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=5533 | topic=Averages | difficulty=Easy | question=Find the average of 52, 89, 48. | option_a=65 | option_b=64 | option_c=62 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 189 ÷ 3 = 63.

id=5534 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=5535 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=20 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=5536 | topic=Percentages | difficulty=Easy | question=What is 30% of 1963? | option_a=588 | option_b=1176 | option_c=598 | option_d=578 | answer=A | explanation=30% of 1963 = (30/100) × 1963 = 588.

id=5537 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 9. | option_a=243 | option_b=27 | option_c=54 | option_d=18 | answer=B | explanation=LCM × HCF = 27×9; HCF(27,9) = 9, so LCM = 27.

id=5538 | topic=Percentages | difficulty=Easy | question=What is 40% of 702? | option_a=260 | option_b=280 | option_c=560 | option_d=290 | answer=B | explanation=40% of 702 = (40/100) × 702 = 280.

id=5539 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:6 and the first is 24, what is the second? | option_a=66 | option_b=74 | option_c=96 | option_d=72 | answer=D | explanation=Scale factor = 24/2 = 12. Therefore second quantity = 6×12 = 72.

id=5540 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=240 | option_d=125 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=5541 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 18, 25, 34? | option_a=25 | option_b=18 | option_c=34 | option_d=11 | answer=C | explanation=The first three numbers increase by 7, so the next should be 32. Therefore 34 is the odd one out.

id=5542 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19882 at 4% per annum for 1 years. | option_a=20677 | option_b=895 | option_c=795 | option_d=695 | answer=C | explanation=SI = PRT/100 = 19882×4×1/100 = █795.

id=5543 | topic=Percentages | difficulty=Easy | question=What is 40% of 1666? | option_a=656 | option_b=1332 | option_c=666 | option_d=686 | answer=C | explanation=40% of 1666 = (40/100) × 1666 = 666.

id=5544 | topic=Percentages | difficulty=Easy | question=What is 20% of 1835? | option_a=377 | option_b=734 | option_c=367 | option_d=347 | answer=C | explanation=20% of 1835 = (20/100) × 1835 = 367.

id=5545 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42038 at 8% per annum for 1 years. | option_a=3463 | option_b=3363 | option_c=3263 | option_d=45401 | answer=B | explanation=SI = PRT/100 = 42038×8×1/100 = █3363.

id=5546 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=J | option_b=P | option_c=S | option_d=M | answer=B | explanation=Move 3 positions forward from M; the resulting letter is P.

id=5547 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=5548 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=M | option_c=Q | option_d=K | answer=A | explanation=Move 2 positions forward from M; the resulting letter is O.

id=5549 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20949 at 6% per annum for 3 years. | option_a=3670 | option_b=24719 | option_c=3870 | option_d=3770 | answer=D | explanation=SI = PRT/100 = 20949×6×3/100 = █3770.

id=5550 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 41? | option_a=35 | option_b=25 | option_c=41 | option_d=30 | answer=C | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 41 is the odd one out.

Aptitude Questions — Records 5,551-5,580 of 100,000

id=5551 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=I | option_b=C | option_c=L | option_d=F | answer=A | explanation=Move 3 positions forward from F; the resulting letter is I.

id=5552 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:7 and the first is 240, what is the second? | option_a=380 | option_b=133 | option_c=152 | option_d=140 | answer=D | explanation=Scale factor = $240/12 = 20$. Therefore second quantity = $7 \times 20 = 140$.

id=5553 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=155 | option_c=150 | option_d=300 | answer=C | explanation=Speed = distance ÷ time = $300 \div 2 = 150$ km/h.

id=5554 | topic=Averages | difficulty=Easy | question=Find the average of 73, 11, 85, 75. | option_a=63 | option_b=60 | option_c=62 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = $244 \div 4 = 61$.

id=5555 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 22, 25, 29? | option_a=22 | option_b=19 | option_c=25 | option_d=29 | answer=D | explanation=The first three numbers increase by 3, so the next should be 28. Therefore 29 is the odd one out.

id=5556 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=20 | option_d=6 | answer=A | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=5557 | topic=Averages | difficulty=Easy | question=Find the average of 29, 54, 38, 63. | option_a=45 | option_b=47 | option_c=48 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = $184 \div 4 = 46$.

id=5558 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=5559 | topic=Percentages | difficulty=Easy | question=What is 5% of 1187? | option_a=39 | option_b=79 | option_c=59 | option_d=118 | answer=C | explanation=5% of 1187 = $(5/100) \times 1187 = 59$.

id=5560 | topic=Averages | difficulty=Easy | question=Find the average of 21, 53, 73, 22, 64, 19. | option_a=44 | option_b=43 | option_c=42 | option_d=41 | answer=C | explanation=Average = sum of values ÷ number of values = $252 \div 6 = 42$.

id=5561 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2271. If it is sold at a profit of 25%, what is its selling price? | option_a=2611 | option_b=3065 | option_c=2838 | option_d=2296 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2271 \times 125/100 = \text{█}2838$.

id=5562 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=6 | option_c=11 | option_d=1 | answer=B | explanation=Speed = distance ÷ time = $60 \div 10 = 6$ km/h.

id=5563 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=29 | option_d=19 | answer=A | explanation=Speed = distance ÷ time = $120 \div 5 = 24$ km/h.

id=5564 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=O | option_c=Q | option_d=U | answer=A | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=5565 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=95 | option_c=180 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = $180 \div 2 = 90$ km/h.

id=5566 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 24? | option_a=9 | option_b=24 | option_c=3 | option_d=15 | answer=B | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 24 is the odd one out.

id=5567 | topic=Percentages | difficulty=Easy | question=What is 15% of 1284? | option_a=187 | option_b=212 | option_c=192 | option_d=384 | answer=C | explanation=15% of 1284 = $(15/100) \times 1284 = 192$.

id=5568 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = $120 \div 4 = 30$ km/h.

id=5569 | topic=Percentages | difficulty=Easy | question=What is 40% of 1493? | option_a=1194 | option_b=577 | option_c=607 | option_d=597 | answer=D | explanation=40% of 1493 = $(40/100) \times 1493 = 597$.

id=5570 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:1 and the first is 63, what is the second? | option_a=16 | option_b=7 | option_c=6 | option_d=70 | answer=B | explanation=Scale factor = $63/9 = 7$. Therefore second quantity = $1 \times 7 = 7$.

id=5571 | topic=Averages | difficulty=Easy | question=Find the average of 34, 46, 29, 51, 55, 53, 59, 25. | option_a=43 | option_b=46 | option_c=44 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = $352 \div 8 = 44$.

id=5572 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6785 at 5% per annum for 5 years. | option_a=8481 | option_b=1796 | option_c=1696 | option_d=1596 | answer=C | explanation=SI = $PRT/100 = 6785 \times 5 \times 5/100 = \text{█}1696$.

id=5573 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=14 | option_c=4 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = $90 \div 10 = 9$ km/h.

id=5574 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:12 and the first is 30, what is the second? | option_a=60 | option_b=72 | option_c=77 | option_d=102 | answer=B | explanation=Scale factor = $30/5 = 6$. Therefore second quantity = $12 \times 6 = 72$.

id=5575 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=55 | option_c=45 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = $300 \div 6 = 50$ km/h.

id=5576 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=U | option_c=O | option_d=S | answer=D | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=5577 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 6. | option_a=16 | option_b=6 | option_c=12 | option_d=24 | answer=C | explanation=LCM $\times$ HCF = 4×6 ; $HCF(4,6) = 2$, so LCM = 12.

id=5578 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:6 and the first is 16, what is the second? | option_a=50 | option_b=48 | option_c=42 | option_d=64 | answer=B | explanation=Scale factor = $16/2 = 8$. Therefore second quantity = $6 \times 8 = 48$.

id=5579 | topic=Averages | difficulty=Easy | question=Find the average of 62, 70, 30, 67, 41. | option_a=53 | option_b=56 | option_c=54 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = $270 \div 5 = 54$.

id=5580 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30414 at 8% per annum for 4 years. | option_a=9732 | option_b=9632 | option_c=9832 | option_d=40146 | answer=A | explanation=SI = $PRT/100 = 30414 \times 8 \times 4/100 = \text{█}9732$.

Aptitude Questions — Records 5,581-5,610 of 100,000

id=5581 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=53 | option_b=62 | option_c=42 | option_d=52 | answer=D | explanation=The common difference is 10. Therefore the next term is 42 + 10 = 52.

id=5582 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=24 | option_d=5 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=5583 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=36 | option_b=29 | option_c=35 | option_d=41 | answer=C | explanation=The common difference is 6. Therefore the next term is 29 + 6 = 35.

id=5584 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=5585 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=51 | option_b=62 | option_c=50 | option_d=38 | answer=C | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=5586 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=V | option_b=N | option_c=R | option_d=J | answer=C | explanation=Move 4 positions forward from N; the resulting letter is R.

id=5587 | topic=Averages | difficulty=Easy | question=Find the average of 60, 25, 36, 23. | option_a=35 | option_b=36 | option_c=37 | option_d=38 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{144}{4} = 36$.

id=5588 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = $\frac{60}{3} = 20$ km/h.

id=5589 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2712. If it is sold at a profit of 10%, what is its selling price? | option_a=2712 | option_b=3254 | option_c=2722 | option_d=2983 | answer=D | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 2712 \times \frac{110}{100} = \text{█}2983$.

id=5590 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.

id=5591 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16445 at 12% per annum for 4 years. | option_a=24338 | option_b=7993 | option_c=7893 | option_d=7793 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{16445 \times 12 \times 4}{100} = \text{█}7893$.

id=5592 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=5593 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=P | option_b=T | option_c=R | option_d=V | answer=B | explanation=Move 2 positions forward from R; the resulting letter is T.

id=5594 | topic=Averages | difficulty=Easy | question=Find the average of 15, 63, 26, 18, 17, 77, 47, 17. | option_a=37 | option_b=34 | option_c=36 | option_d=35 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{280}{8} = 35$.

id=5595 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=47 | option_b=57 | option_c=65 | option_d=56 | answer=D | explanation=The common difference is 9. Therefore the next term is 47 + 9 = 56.

id=5596 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=31 | option_b=33 | option_c=27 | option_d=30 | answer=D | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.

id=5597 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=J | option_c=L | option_d=P | answer=A | explanation=Move 2 positions forward from L; the resulting letter is N.

id=5598 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=5599 | topic=Averages | difficulty=Easy | question=Find the average of 87, 29, 13. | option_a=45 | option_b=42 | option_c=44 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{129}{3} = 43$.

id=5600 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27070 at 15% per annum for 1 years. | option_a=4160 | option_b=3960 | option_c=4060 | option_d=31130 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{27070 \times 15 \times 1}{100} = \text{█}4060$.

id=5601 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=F | option_c=R | option_d=J | answer=A | explanation=Move 4 positions forward from J; the resulting letter is N.

id=5602 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=Y | option_b=O | option_c=T | option_d=J | answer=C | explanation=Move 5 positions forward from O; the resulting letter is T.

id=5603 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31267 at 5% per annum for 5 years. | option_a=7716 | option_b=39083 | option_c=7916 | option_d=7816 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{31267 \times 5 \times 5}{100} = \text{█}7816$.

id=5604 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40063 at 15% per annum for 2 years. | option_a=11918 | option_b=52081 | option_c=12018 | option_d=12118 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{40063 \times 15 \times 2}{100} = \text{█}12018$.

id=5605 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=C | option_b=L | option_c=I | option_d=F | answer=C | explanation=Move 3 positions forward from F; the resulting letter is I.

id=5606 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:8 and the first is 361, what is the second? | option_a=152 | option_b=513 | option_c=171 | option_d=144 | answer=A | explanation=Scale factor = $\frac{361}{19} = 19$. Therefore second quantity = $8 \times 19 = 152$.

id=5607 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:3 and the first is 144, what is the second? | option_a=54 | option_b=51 | option_c=62 | option_d=198 | answer=A | explanation=Scale factor = $\frac{144}{8} = 18$. Therefore second quantity = $3 \times 18 = 54$.

id=5608 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=37 | option_b=55 | option_c=47 | option_d=46 | answer=D | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=5609 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=U | option_c=Q | option_d=S | answer=B | explanation=Move 2 positions forward from S; the resulting letter is U.

id=5610 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

Aptitude Questions — Records 5,611-5,640 of 100,000

id=5611 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 19, 29, 41? | option_a=9 | option_b=29 | option_c=41 | option_d=19 | answer=C | explanation=The first three numbers increase by 10, so the next should be 39. Therefore 41 is the odd one out.

id=5612 | topic=Percentages | difficulty=Easy | question=What is 5% of 1313? | option_a=60 | option_b=130 | option_c=85 | option_d=65 | answer=D | explanation=5% of 1313 = (5/100) × 1313 = 65.

id=5613 | topic=Profit & Loss | difficulty=Easy | question=An article costs █737. If it is sold at a profit of 20%, what is its selling price? | option_a=957 | option_b=884 | option_c=757 | option_d=811 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 737 × 120/100 = █884.

id=5614 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:7 and the first is 63, what is the second? | option_a=126 | option_b=56 | option_c=70 | option_d=63 | answer=D | explanation=Scale factor = 63/7 = 9. Therefore second quantity = 7×9 = 63.

id=5615 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=45 | option_b=33 | option_c=40 | option_d=39 | answer=D | explanation=The common difference is 6. Therefore the next term is 33 + 6 = 39.

id=5616 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2659. If it is sold at a profit of 40%, what is its selling price? | option_a=3987 | option_b=3457 | option_c=2699 | option_d=3722 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2659 × 140/100 = █3722.

id=5617 | topic=Averages | difficulty=Easy | question=Find the average of 33, 10, 65, 31, 32, 59, 16, 98. | option_a=42 | option_b=45 | option_c=43 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = 344 ÷ 8 = 43.

id=5618 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:13 and the first is 70, what is the second? | option_a=252 | option_b=169 | option_c=182 | option_d=187 | answer=C | explanation=Scale factor = 70/5 = 14. Therefore second quantity = 13×14 = 182.

id=5619 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=5620 | topic=Averages | difficulty=Easy | question=Find the average of 10, 18, 70, 22. | option_a=29 | option_b=31 | option_c=30 | option_d=32 | answer=C | explanation=Average = sum of values ÷ number of values = 120 ÷ 4 = 30.

id=5621 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=50 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=5622 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4791. If it is sold at a profit of 30%, what is its selling price? | option_a=6707 | option_b=4821 | option_c=5749 | option_d=6228 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4791 × 130/100 = █6228.

id=5623 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=10 | option_b=11 | option_c=12 | option_d=8 | answer=A | explanation=The common difference is 2. Therefore the next term is 8 + 2 = 10.

id=5624 | topic=Averages | difficulty=Easy | question=Find the average of 30, 63, 38, 56, 86, 57, 21, 73. | option_a=52 | option_b=54 | option_c=53 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.

id=5625 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18284 at 4% per annum for 2 years. | option_a=1562 | option_b=1362 | option_c=19746 | option_d=1462 | answer=D | explanation=SI = PRT/100 = 18284×4×2/100 = █1462.

id=5626 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 35, 43, 53? | option_a=35 | option_b=27 | option_c=43 | option_d=53 | answer=D | explanation=The first three numbers increase by 8, so the next should be 51. Therefore 53 is the odd one out.

id=5627 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=7 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=5628 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=T | option_b=J | option_c=E | option_d=O | answer=D | explanation=Move 5 positions forward from J; the resulting letter is O.

id=5629 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4182. If it is sold at a profit of 30%, what is its selling price? | option_a=4212 | option_b=5018 | option_c=5436 | option_d=5854 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4182 × 130/100 = █5436.

id=5630 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=66 | option_b=77 | option_c=65 | option_d=53 | answer=C | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.

id=5631 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2687. If it is sold at a profit of 50%, what is its selling price? | option_a=3762 | option_b=2737 | option_c=4298 | option_d=4030 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2687 × 150/100 = █4030.

id=5632 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4010. If it is sold at a profit of 10%, what is its selling price? | option_a=4812 | option_b=4020 | option_c=4411 | option_d=4010 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4010 × 110/100 = █4411.

id=5633 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2214. If it is sold at a profit of 15%, what is its selling price? | option_a=2767 | option_b=2229 | option_c=2546 | option_d=2325 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2214 × 115/100 = █2546.

id=5634 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:10 and the first is 221, what is the second? | option_a=130 | option_b=351 | option_c=147 | option_d=120 | answer=A | explanation=Scale factor = 221/17 = 13. Therefore second quantity = 10×13 = 130.

id=5635 | topic=Averages | difficulty=Easy | question=Find the average of 96, 36, 66, 22. | option_a=55 | option_b=56 | option_c=54 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 220 ÷ 4 = 55.

id=5636 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4797. If it is sold at a profit of 5%, what is its selling price? | option_a=5036 | option_b=4557 | option_c=5515 | option_d=4802 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4797 × 105/100 = █5036.

id=5637 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:2 and the first is 209, what is the second? | option_a=247 | option_b=38 | option_c=49 | option_d=36 | answer=B | explanation=Scale factor = 209/11 = 19. Therefore second quantity = 2×19 = 38.

id=5638 | topic=Averages | difficulty=Easy | question=Find the average of 10, 25, 93, 21, 73, 61, 25. | option_a=43 | option_b=45 | option_c=44 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 308 ÷ 7 = 44.

id=5639 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1789. If it is sold at a profit of 5%, what is its selling price? | option_a=2056 | option_b=1700 | option_c=1794 | option_d=1878 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1789 × 105/100 = █1878.

id=5640 | topic=Averages | difficulty=Easy | question=Find the average of 95, 76, 90, 95. | option_a=88 | option_b=91 | option_c=90 | option_d=89 | answer=D | explanation=Average = sum of values ÷ number of values = 356 ÷ 4 = 89.

Aptitude Questions — Records 5,641-5,670 of 100,000

id=5641 | topic=Percentages | difficulty=Easy | question=What is 15% of 1970? | option_a=295 | option_b=285 | option_c=305 | option_d=590 | answer=A | explanation=15% of 1970 = (15/100) × 1970 = 295.

id=5642 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:1 and the first is 4, what is the second? | option_a=8 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Scale factor = 4/1 = 4. Therefore second quantity = 1×4 = 4.

id=5643 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:13 and the first is 15, what is the second? | option_a=44 | option_b=39 | option_c=26 | option_d=54 | answer=B | explanation=Scale factor = 15/5 = 3. Therefore second quantity = 13×3 = 39.

id=5644 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:4 and the first is 45, what is the second? | option_a=105 | option_b=63 | option_c=60 | option_d=56 | answer=C | explanation=Scale factor = 45/3 = 15. Therefore second quantity = 4×15 = 60.

id=5645 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20854 at 12% per annum for 1 years. | option_a=23356 | option_b=2402 | option_c=2602 | option_d=2502 | answer=D | explanation=SI = PRT/100 = 20854×12×1/100 = █2502.

id=5646 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=5647 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15996 at 15% per annum for 1 years. | option_a=2299 | option_b=2399 | option_c=2499 | option_d=18395 | answer=B | explanation=SI = PRT/100 = 15996×15×1/100 = █2399.

id=5648 | topic=Profit & Loss | difficulty=Easy | question=An article costs █749. If it is sold at a profit of 40%, what is its selling price? | option_a=789 | option_b=1048 | option_c=1122 | option_d=974 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 749 × 140/100 = █1048.

id=5649 | topic=Averages | difficulty=Easy | question=Find the average of 22, 90, 99, 53, 88, 29, 40, 51. | option_a=59 | option_b=58 | option_c=60 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 472 ÷ 8 = 59.

id=5650 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5235 at 15% per annum for 4 years. | option_a=3141 | option_b=8376 | option_c=3241 | option_d=3041 | answer=A | explanation=SI = PRT/100 = 5235×15×4/100 = █3141.

id=5651 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=5652 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:11 and the first is 38, what is the second? | option_a=11 | option_b=41 | option_c=22 | option_d=60 | answer=C | explanation=Scale factor = 38/19 = 2. Therefore second quantity = 11×2 = 22.

id=5653 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=I | option_b=L | option_c=J | option_d=K | answer=D | explanation=Move 1 positions forward from J; the resulting letter is K.

id=5654 | topic=Averages | difficulty=Easy | question=Find the average of 92, 64, 40, 90, 23, 97, 14. | option_a=61 | option_b=60 | option_c=59 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 420 ÷ 7 = 60.

id=5655 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=U | option_b=K | option_c=P | option_d=Z | answer=A | explanation=Move 5 positions forward from P; the resulting letter is U.

id=5656 | topic=Percentages | difficulty=Easy | question=What is 50% of 278? | option_a=134 | option_b=278 | option_c=159 | option_d=139 | answer=D | explanation=50% of 278 = (50/100) × 278 = 139.

id=5657 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=N | option_b=Q | option_c=H | option_d=K | answer=A | explanation=Move 3 positions forward from K; the resulting letter is N.

id=5658 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 9. | option_a=18 | option_b=9 | option_c=81 | option_d=1 | answer=B | explanation=LCM × HCF = 9×9; HCF(9,9) = 9, so LCM = 9.

id=5659 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=115 | option_d=240 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=5660 | topic=Percentages | difficulty=Easy | question=What is 30% of 242? | option_a=62 | option_b=72 | option_c=144 | option_d=92 | answer=B | explanation=30% of 242 = (30/100) × 242 = 72.

id=5661 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4062. If it is sold at a profit of 30%, what is its selling price? | option_a=4874 | option_b=4092 | option_c=5686 | option_d=5280 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4062 × 130/100 = █5280.

id=5662 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=53 | option_b=35 | option_c=45 | option_d=44 | answer=D | explanation=The common difference is 9. Therefore the next term is 35 + 9 = 44.

id=5663 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 20, 28, 39? | option_a=20 | option_b=39 | option_c=12 | option_d=28 | answer=B | explanation=The first three numbers increase by 8, so the next should be 36. Therefore 39 is the odd one out.

id=5664 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=30 | option_b=25 | option_c=33 | option_d=29 | answer=D | explanation=The common difference is 4. Therefore the next term is 25 + 4 = 29.

id=5665 | topic=Percentages | difficulty=Easy | question=What is 25% of 1276? | option_a=638 | option_b=319 | option_c=299 | option_d=329 | answer=B | explanation=25% of 1276 = (25/100) × 1276 = 319.

id=5666 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 40? | option_a=40 | option_b=19 | option_c=28 | option_d=10 | answer=A | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 40 is the odd one out.

id=5667 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 11, 19, 28? | option_a=11 | option_b=28 | option_c=19 | option_d=3 | answer=B | explanation=The first three numbers increase by 8, so the next should be 27. Therefore 28 is the odd one out.

id=5668 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=5669 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=5670 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22582 at 8% per annum for 4 years. | option_a=7126 | option_b=7326 | option_c=7226 | option_d=29808 | answer=C | explanation=SI = PRT/100 = 22582×8×4/100 = █7226.

Aptitude Questions — Records 5,671-5,700 of 100,000

id=5671 | topic=Percentages | difficulty=Easy | question=What is 15% of 1738? | option_a=250 | option_b=280 | option_c=260 | option_d=520 | answer=C | explanation=15% of 1738 = (15/100) × 1738 = 260.

id=5672 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46158 at 8% per annum for 1 years. | option_a=3792 | option_b=49850 | option_c=3692 | option_d=3592 | answer=C | explanation=SI = PRT/100 = 46158×8×1/100 = █3692.

id=5673 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:16 and the first is 102, what is the second? | option_a=374 | option_b=256 | option_c=272 | option_d=278 | answer=C | explanation=Scale factor = 102/6 = 17. Therefore second quantity = 16×17 = 272.

id=5674 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=120 | option_c=125 | option_d=240 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=5675 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2635. If it is sold at a profit of 15%, what is its selling price? | option_a=2650 | option_b=3293 | option_c=2767 | option_d=3030 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2635 × 115/100 = █3030.

id=5676 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3273 at 8% per annum for 5 years. | option_a=1309 | option_b=1209 | option_c=4582 | option_d=1409 | answer=A | explanation=SI = PRT/100 = 3273×8×5/100 = █1309.

id=5677 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3127. If it is sold at a profit of 50%, what is its selling price? | option_a=3177 | option_b=5002 | option_c=4378 | option_d=4690 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3127 × 150/100 = █4690.

id=5678 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23438 at 4% per annum for 3 years. | option_a=2812 | option_b=26250 | option_c=2712 | option_d=2912 | answer=A | explanation=SI = PRT/100 = 23438×4×3/100 = █2812.

id=5679 | topic=Averages | difficulty=Easy | question=Find the average of 83, 56, 56. | option_a=64 | option_b=65 | option_c=66 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = 195 ÷ 3 = 65.

id=5680 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=5681 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=5682 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48794 at 5% per annum for 2 years. | option_a=53673 | option_b=4779 | option_c=4879 | option_d=4979 | answer=C | explanation=SI = PRT/100 = 48794×5×2/100 = █4879.

id=5683 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 35? | option_a=35 | option_b=17 | option_c=27 | option_d=22 | answer=A | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 35 is the odd one out.

id=5684 | topic=Percentages | difficulty=Easy | question=What is 20% of 1977? | option_a=375 | option_b=400 | option_c=790 | option_d=395 | answer=D | explanation=20% of 1977 = (20/100) × 1977 = 395.

id=5685 | topic=Percentages | difficulty=Easy | question=What is 25% of 1128? | option_a=272 | option_b=282 | option_c=564 | option_d=302 | answer=B | explanation=25% of 1128 = (25/100) × 1128 = 282.

id=5686 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1944. If it is sold at a profit of 10%, what is its selling price? | option_a=2332 | option_b=2138 | option_c=1944 | option_d=1954 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1944 × 110/100 = █2138.

id=5687 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25627 at 12% per annum for 1 years. | option_a=3175 | option_b=28702 | option_c=2975 | option_d=3075 | answer=D | explanation=SI = PRT/100 = 25627×12×1/100 = █3075.

id=5688 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1999. If it is sold at a profit of 10%, what is its selling price? | option_a=2198 | option_b=2397 | option_c=1999 | option_d=2009 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1999 × 110/100 = █2198.

id=5689 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:18 and the first is 380, what is the second? | option_a=722 | option_b=342 | option_c=324 | option_d=362 | answer=B | explanation=Scale factor = 380/20 = 19. Therefore second quantity = 18×19 = 342.

id=5690 | topic=Averages | difficulty=Easy | question=Find the average of 91, 45, 93, 66, 39, 79, 25, 22, 38, 42. | option_a=53 | option_b=55 | option_c=54 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

id=5691 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=42 | option_b=34 | option_c=43 | option_d=50 | answer=A | explanation=The common difference is 8. Therefore the next term is 34 + 8 = 42.

id=5692 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=90 | option_c=95 | option_d=180 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=5693 | topic=Percentages | difficulty=Easy | question=What is 15% of 707? | option_a=96 | option_b=212 | option_c=106 | option_d=116 | answer=C | explanation=15% of 707 = (15/100) × 707 = 106.

id=5694 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 28, 31, 37? | option_a=25 | option_b=31 | option_c=28 | option_d=37 | answer=D | explanation=The first three numbers increase by 3, so the next should be 34. Therefore 37 is the odd one out.

id=5695 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=T | option_b=V | option_c=R | option_d=P | answer=A | explanation=Move 2 positions forward from R; the resulting letter is T.

id=5696 | topic=Percentages | difficulty=Easy | question=What is 12% of 1700? | option_a=204 | option_b=408 | option_c=224 | option_d=184 | answer=A | explanation=12% of 1700 = (12/100) × 1700 = 204.

id=5697 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=35 | option_b=39 | option_c=36 | option_d=31 | answer=A | explanation=The common difference is 4. Therefore the next term is 31 + 4 = 35.

id=5698 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=5699 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:11 and the first is 36, what is the second? | option_a=135 | option_b=99 | option_c=88 | option_d=103 | answer=B | explanation=Scale factor = 36/4 = 9. Therefore second quantity = 11×9 = 99.

id=5700 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

Aptitude Questions — Records 5,701-5,730 of 100,000

id=5701 | topic=Averages | difficulty=Easy | question=Find the average of 21, 22, 83, 18, 65, 103. | option_a=51 | option_b=53 | option_c=54 | option_d=52 | answer=D | explanation=Average = sum of values + number of values = 312 ÷ 6 = 52.

id=5702 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=75 | option_c=150 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=5703 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1659. If it is sold at a profit of 25%, what is its selling price? | option_a=1908 | option_b=2238 | option_c=1684 | option_d=2073 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1659 × 125/100 = █2073.

id=5704 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 26. | option_a=1 | option_b=26 | option_c=52 | option_d=28 | answer=B | explanation=LCM × HCF = 2×26; HCF(2,26) = 2, so LCM = 26.

id=5705 | topic=Percentages | difficulty=Easy | question=What is 10% of 898? | option_a=178 | option_b=69 | option_c=89 | option_d=109 | answer=C | explanation=10% of 898 = (10/100) × 898 = 89.

id=5706 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:17 and the first is 72, what is the second? | option_a=85 | option_b=174 | option_c=114 | option_d=102 | answer=D | explanation=Scale factor = 72/12 = 6. Therefore second quantity = 17×6 = 102.

id=5707 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3304. If it is sold at a profit of 15%, what is its selling price? | option_a=3799 | option_b=3319 | option_c=4129 | option_d=3469 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3304 × 115/100 = █3799.

id=5708 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20566 at 8% per annum for 5 years. | option_a=28792 | option_b=8226 | option_c=8326 | option_d=8126 | answer=B | explanation=SI = PRT/100 = 20566×8×5/100 = █8226.

id=5709 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24605 at 15% per annum for 3 years. | option_a=35677 | option_b=10972 | option_c=11172 | option_d=11072 | answer=D | explanation=SI = PRT/100 = 24605×15×3/100 = █11072.

id=5710 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38718 at 12% per annum for 5 years. | option_a=23130 | option_b=61948 | option_c=23330 | option_d=23230 | answer=D | explanation=SI = PRT/100 = 38718×12×5/100 = █23230.

id=5711 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=5712 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=U | option_b=T | option_c=V | option_d=S | answer=A | explanation=Move 1 positions forward from T; the resulting letter is U.

id=5713 | topic=Percentages | difficulty=Easy | question=What is 50% of 1934? | option_a=967 | option_b=972 | option_c=947 | option_d=1934 | answer=A | explanation=50% of 1934 = (50/100) × 1934 = 967.

id=5714 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:14 and the first is 132, what is the second? | option_a=179 | option_b=168 | option_c=154 | option_d=300 | answer=B | explanation=Scale factor = 132/11 = 12. Therefore second quantity = 14×12 = 168.

id=5715 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3203 at 6% per annum for 3 years. | option_a=3779 | option_b=676 | option_c=476 | option_d=576 | answer=D | explanation=SI = PRT/100 = 3203×6×3/100 = █576.

id=5716 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3130. If it is sold at a profit of 30%, what is its selling price? | option_a=4069 | option_b=3756 | option_c=4382 | option_d=3160 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3130 × 130/100 = █4069.

id=5717 | topic=Percentages | difficulty=Easy | question=What is 12% of 1205? | option_a=144 | option_b=149 | option_c=139 | option_d=288 | answer=A | explanation=12% of 1205 = (12/100) × 1205 = 144.

id=5718 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=150 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=5719 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:10 and the first is 9, what is the second? | option_a=33 | option_b=30 | option_c=39 | option_d=20 | answer=B | explanation=Scale factor = 9/3 = 3. Therefore second quantity = 10×3 = 30.

id=5720 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=5721 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:9 and the first is 34, what is the second? | option_a=35 | option_b=9 | option_c=52 | option_d=18 | answer=D | explanation=Scale factor = 34/17 = 2. Therefore second quantity = 9×2 = 18.

id=5722 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:1 and the first is 22, what is the second? | option_a=11 | option_b=10 | option_c=13 | option_d=33 | answer=A | explanation=Scale factor = 22/2 = 11. Therefore second quantity = 1×11 = 11.

id=5723 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:15 and the first is 280, what is the second? | option_a=210 | option_b=195 | option_c=490 | option_d=230 | answer=A | explanation=Scale factor = 280/20 = 14. Therefore second quantity = 15×14 = 210.

id=5724 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=5725 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 34? | option_a=24 | option_b=34 | option_c=20 | option_d=28 | answer=B | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 34 is the odd one out.

id=5726 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=67 | option_c=144 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=5727 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 12, 21, 33? | option_a=3 | option_b=33 | option_c=21 | option_d=12 | answer=B | explanation=The first three numbers increase by 9, so the next should be 30. Therefore 33 is the odd one out.

id=5728 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4254. If it is sold at a profit of 10%, what is its selling price? | option_a=4264 | option_b=4679 | option_c=4254 | option_d=5104 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4254 × 110/100 = █4679.

id=5729 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=5730 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=K | option_b=Q | option_c=M | option_d=O | answer=D | explanation=Move 2 positions forward from M; the resulting letter is O.

Aptitude Questions — Records 5,731-5,760 of 100,000

id=5731 | topic=Averages | difficulty=Easy | question=Find the average of 99, 41, 25, 84, 71. | option_a=63 | option_b=64 | option_c=65 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 320 ÷ 5 = 64.

id=5732 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■24738 at 6% per annum for 4 years. | option_a=30675 | option_b=5837 | option_c=6037 | option_d=5937 | answer=D | explanation=SI = PRT/100 = 24738×6×4/100 = ■5937.

id=5733 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:13 and the first is 180, what is the second? | option_a=260 | option_b=247 | option_c=269 | option_d=440 | answer=A | explanation=Scale factor = 180/9 = 20. Therefore second quantity = 13×20 = 260.

id=5734 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=V | option_b=Q | option_c=A | option_d=L | answer=A | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=5735 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4542. If it is sold at a profit of 20%, what is its selling price? | option_a=4562 | option_b=5450 | option_c=4996 | option_d=5904 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4542 × 120/100 = ■5450.

id=5736 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2083. If it is sold at a profit of 50%, what is its selling price? | option_a=3124 | option_b=2916 | option_c=2133 | option_d=3332 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2083 × 150/100 = ■3124.

id=5737 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 21. | option_a=168 | option_b=504 | option_c=147 | option_d=192 | answer=A | explanation=LCM × HCF = 24×21; HCF(24,21) = 3, so LCM = 168.

id=5738 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=23 | option_c=36 | option_d=13 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=5739 | topic=Percentages | difficulty=Easy | question=What is 5% of 1870? | option_a=93 | option_b=186 | option_c=113 | option_d=73 | answer=A | explanation=5% of 1870 = (5/100) × 1870 = 93.

id=5740 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 18, 26, 35? | option_a=35 | option_b=26 | option_c=18 | option_d=10 | answer=A | explanation=The first three numbers increase by 8, so the next should be 34. Therefore 35 is the odd one out.

id=5741 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 35, 45, 57? | option_a=45 | option_b=25 | option_c=35 | option_d=57 | answer=D | explanation=The first three numbers increase by 10, so the next should be 55. Therefore 57 is the odd one out.

id=5742 | topic=Averages | difficulty=Easy | question=Find the average of 60, 95, 91, 96, 71, 63, 42, 83, 70, 39. | option_a=72 | option_b=71 | option_c=70 | option_d=73 | answer=B | explanation=Average = sum of values ÷ number of values = 710 ÷ 10 = 71.

id=5743 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=5744 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 27? | option_a=27 | option_b=22 | option_c=19 | option_d=16 | answer=A | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 27 is the odd one out.

id=5745 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:14 and the first is 240, what is the second? | option_a=224 | option_b=210 | option_c=239 | option_d=464 | answer=A | explanation=Scale factor = 240/15 = 16. Therefore second quantity = 14×16 = 224.

id=5746 | topic=Percentages | difficulty=Easy | question=What is 10% of 1467? | option_a=141 | option_b=146 | option_c=292 | option_d=166 | answer=B | explanation=10% of 1467 = (10/100) × 1467 = 146.

id=5747 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=5748 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:12 and the first is 32, what is the second? | option_a=194 | option_b=180 | option_c=192 | option_d=224 | answer=C | explanation=Scale factor = 32/2 = 16. Therefore second quantity = 12×16 = 192.

id=5749 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=5750 | topic=Percentages | difficulty=Easy | question=What is 50% of 1360? | option_a=1360 | option_b=690 | option_c=680 | option_d=670 | answer=C | explanation=50% of 1360 = (50/100) × 1360 = 680.

id=5751 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=5752 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=67 | option_c=72 | option_d=144 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=5753 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=5754 | topic=Percentages | difficulty=Easy | question=What is 25% of 1207? | option_a=296 | option_b=306 | option_c=301 | option_d=602 | answer=C | explanation=25% of 1207 = (25/100) × 1207 = 301.

id=5755 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 18. | option_a=18 | option_b=1 | option_c=108 | option_d=24 | answer=A | explanation=LCM × HCF = 6×18; HCF(6,18) = 6, so LCM = 18.

id=5756 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 24, 36, 48, ? | option_a=48 | option_b=72 | option_c=60 | option_d=61 | answer=C | explanation=The common difference is 12. Therefore the next term is 48 + 12 = 60.

id=5757 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■49193 at 12% per annum for 4 years. | option_a=23712 | option_b=23512 | option_c=23612 | option_d=72805 | answer=C | explanation=SI = PRT/100 = 49193×12×4/100 = ■23612.

id=5758 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=5759 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:6 and the first is 198, what is the second? | option_a=66 | option_b=264 | option_c=60 | option_d=84 | answer=A | explanation=Scale factor = 198/18 = 11. Therefore second quantity = 6×11 = 66.

id=5760 | topic=Percentages | difficulty=Easy | question=What is 40% of 165? | option_a=132 | option_b=56 | option_c=86 | option_d=66 | answer=D | explanation=40% of 165 = (40/100) × 165 = 66.

Aptitude Questions — Records 5,761-5,790 of 100,000

- id=5761 | topic=Averages | difficulty=Easy | question=Find the average of 73, 69, 97, 77, 42, 27, 45, 72, 23, 65. | option_a=60 | option_b=59 | option_c=61 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 590 ÷ 10 = 59.
- id=5762 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=37 | option_b=38 | option_c=29 | option_d=45 | answer=A | explanation=The common difference is 8. Therefore the next term is 29 + 8 = 37.
- id=5763 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=18 | option_b=22 | option_c=20 | option_d=21 | answer=C | explanation=The common difference is 2. Therefore the next term is 18 + 2 = 20.
- id=5764 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=28 | option_b=42 | option_c=36 | option_d=35 | answer=D | explanation=The common difference is 7. Therefore the next term is 28 + 7 = 35.
- id=5765 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=32 | option_b=39 | option_c=25 | option_d=33 | answer=A | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.
- id=5766 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 12, 21, 33? | option_a=21 | option_b=12 | option_c=33 | option_d=3 | answer=C | explanation=The first three numbers increase by 9, so the next should be 30. Therefore 33 is the odd one out.
- id=5767 | topic=Percentages | difficulty=Easy | question=What is 10% of 1122? | option_a=117 | option_b=112 | option_c=224 | option_d=107 | answer=B | explanation=10% of 1122 = (10/100) × 1122 = 112.
- id=5768 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14664 at 15% per annum for 4 years. | option_a=8898 | option_b=23462 | option_c=8798 | option_d=8698 | answer=C | explanation=SI = PRT/100 = 14664×15×4/100 = **■**8798.
- id=5769 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=5770 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=P | option_b=S | option_c=Y | option_d=V | answer=D | explanation=Move 3 positions forward from S; the resulting letter is V.
- id=5771 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=51 | option_b=44 | option_c=43 | option_d=35 | answer=C | explanation=The common difference is 8. Therefore the next term is 35 + 8 = 43.
- id=5772 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**976. If it is sold at a profit of 15%, what is its selling price? | option_a=1219 | option_b=1122 | option_c=1025 | option_d=991 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 976 × 115/100 = **■**1122.
- id=5773 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:12 and the first is 280, what is the second? | option_a=254 | option_b=520 | option_c=240 | option_d=228 | answer=C | explanation=Scale factor = 280/14 = 20. Therefore second quantity = 12×20 = 240.
- id=5774 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=E | option_c=F | option_d=D | answer=C | explanation=Move 1 positions forward from E; the resulting letter is F.
- id=5775 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.
- id=5776 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15211 at 10% per annum for 3 years. | option_a=19774 | option_b=4563 | option_c=4463 | option_d=4663 | answer=B | explanation=SI = PRT/100 = 15211×10×3/100 = **■**4563.
- id=5777 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=L | option_c=H | option_d=J | answer=B | explanation=Move 2 positions forward from J; the resulting letter is L.
- id=5778 | topic=Averages | difficulty=Easy | question=Find the average of 90, 80, 90, 51, 16, 41, 17. | option_a=55 | option_b=54 | option_c=57 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 385 ÷ 7 = 55.
- id=5779 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45812 at 15% per annum for 1 years. | option_a=6971 | option_b=6871 | option_c=6771 | option_d=52683 | answer=B | explanation=SI = PRT/100 = 45812×15×1/100 = **■**6871.
- id=5780 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3385. If it is sold at a profit of 15%, what is its selling price? | option_a=3400 | option_b=4230 | option_c=3892 | option_d=3554 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3385 × 115/100 = **■**3892.
- id=5781 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=55 | option_d=100 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.
- id=5782 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:17 and the first is 90, what is the second? | option_a=136 | option_b=163 | option_c=153 | option_d=243 | answer=C | explanation=Scale factor = 90/10 = 9. Therefore second quantity = 17×9 = 153.
- id=5783 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 33, 42, 54? | option_a=24 | option_b=54 | option_c=33 | option_d=42 | answer=B | explanation=The first three numbers increase by 9, so the next should be 51. Therefore 54 is the odd one out.
- id=5784 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 63? | option_a=30 | option_b=63 | option_c=50 | option_d=40 | answer=B | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 63 is the odd one out.
- id=5785 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35509 at 8% per annum for 4 years. | option_a=11362 | option_b=46871 | option_c=11262 | option_d=11462 | answer=A | explanation=SI = PRT/100 = 35509×8×4/100 = **■**11362.
- id=5786 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 17, 20, 24? | option_a=20 | option_b=14 | option_c=24 | option_d=17 | answer=C | explanation=The first three numbers increase by 3, so the next should be 23. Therefore 24 is the odd one out.
- id=5787 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=5788 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=24 | option_b=21 | option_c=20 | option_d=16 | answer=C | explanation=The common difference is 4. Therefore the next term is 16 + 4 = 20.
- id=5789 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.
- id=5790 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

Aptitude Questions — Records 5,791-5,820 of 100,000

- id=5791 | topic=Profit & Loss | difficulty=Easy | question=An article costs █750. If it is sold at a profit of 5%, what is its selling price? | option_a=755 | option_b=862 | option_c=712 | option_d=787 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 750 × 105/100 = █787.
- id=5792 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 18, 25, 34? | option_a=11 | option_b=18 | option_c=34 | option_d=25 | answer=C | explanation=The first three numbers increase by 7, so the next should be 32. Therefore 34 is the odd one out.
- id=5793 | topic=Averages | difficulty=Easy | question=Find the average of 17, 98, 15, 99, 18, 95, 98, 69, 45, 86. | option_a=63 | option_b=66 | option_c=64 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = 640 ÷ 10 = 64.
- id=5794 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=145 | option_c=150 | option_d=300 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.
- id=5795 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7793 at 12% per annum for 4 years. | option_a=3640 | option_b=3740 | option_c=11533 | option_d=3840 | answer=B | explanation=SI = PRT/100 = 7793×12×4/100 = █3740.
- id=5796 | topic=Averages | difficulty=Easy | question=Find the average of 91, 94, 15, 20, 10, 22, 94, 47, 82, 35. | option_a=52 | option_b=50 | option_c=51 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.
- id=5797 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 34? | option_a=21 | option_b=29 | option_c=34 | option_d=25 | answer=C | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 34 is the odd one out.
- id=5798 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.
- id=5799 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:3 and the first is 64, what is the second? | option_a=9 | option_b=28 | option_c=76 | option_d=12 | answer=D | explanation=Scale factor = 64/16 = 4. Therefore second quantity = 3×4 = 12.
- id=5800 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.
- id=5801 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1021. If it is sold at a profit of 30%, what is its selling price? | option_a=1429 | option_b=1225 | option_c=1327 | option_d=1051 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1021 × 130/100 = █1327.
- id=5802 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 21. | option_a=42 | option_b=294 | option_c=21 | option_d=56 | answer=A | explanation=LCM × HCF = 14×21; HCF(14,21) = 7, so LCM = 42.
- id=5803 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=5804 | topic=Percentages | difficulty=Easy | question=What is 20% of 842? | option_a=148 | option_b=188 | option_c=168 | option_d=336 | answer=C | explanation=20% of 842 = (20/100) × 842 = 168.
- id=5805 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=180 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.
- id=5806 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1048. If it is sold at a profit of 25%, what is its selling price? | option_a=1206 | option_b=1073 | option_c=1414 | option_d=1310 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1048 × 125/100 = █1310.
- id=5807 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.
- id=5808 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=175 | option_c=360 | option_d=185 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.
- id=5809 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 21, 28, 36? | option_a=36 | option_b=28 | option_c=14 | option_d=21 | answer=A | explanation=The first three numbers increase by 7, so the next should be 35. Therefore 36 is the odd one out.
- id=5810 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2549. If it is sold at a profit of 25%, what is its selling price? | option_a=3186 | option_b=2574 | option_c=2932 | option_d=3440 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2549 × 125/100 = █3186.
- id=5811 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27503 at 8% per annum for 1 years. | option_a=29703 | option_b=2300 | option_c=2100 | option_d=2200 | answer=D | explanation=SI = PRT/100 = 27503×8×1/100 = █2200.
- id=5812 | topic=Percentages | difficulty=Easy | question=What is 25% of 182? | option_a=45 | option_b=50 | option_c=40 | option_d=90 | answer=A | explanation=25% of 182 = (25/100) × 182 = 45.
- id=5813 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27916 at 10% per annum for 3 years. | option_a=8274 | option_b=8474 | option_c=8374 | option_d=36290 | answer=C | explanation=SI = PRT/100 = 27916×10×3/100 = █8374.
- id=5814 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17697 at 4% per annum for 4 years. | option_a=2731 | option_b=20528 | option_c=2931 | option_d=2831 | answer=D | explanation=SI = PRT/100 = 17697×4×4/100 = █2831.
- id=5815 | topic=Percentages | difficulty=Easy | question=What is 30% of 961? | option_a=268 | option_b=576 | option_c=308 | option_d=288 | answer=D | explanation=30% of 961 = (30/100) × 961 = 288.
- id=5816 | topic=Percentages | difficulty=Easy | question=What is 50% of 928? | option_a=464 | option_b=454 | option_c=928 | option_d=469 | answer=A | explanation=50% of 928 = (50/100) × 928 = 464.
- id=5817 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=33 | option_b=34 | option_c=29 | option_d=37 | answer=A | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.
- id=5818 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=5819 | topic=Percentages | difficulty=Easy | question=What is 40% of 109? | option_a=86 | option_b=53 | option_c=38 | option_d=43 | answer=D | explanation=40% of 109 = (40/100) × 109 = 43.
- id=5820 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

Aptitude Questions — Records 5,821-5,850 of 100,000

id=5821 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34220 at 6% per annum for 3 years. | option_a=6159 | option_b=40379 | option_c=6259 | option_d=6059 | answer=A | explanation=SI = PRT/100 = 34220×6×3/100 = **■**6159.

id=5822 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4437. If it is sold at a profit of 40%, what is its selling price? | option_a=5768 | option_b=6211 | option_c=6654 | option_d=4477 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4437 × 140/100 = **■**6211.

id=5823 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=8 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=5824 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:1 and the first is 140, what is the second? | option_a=19 | option_b=160 | option_c=20 | option_d=27 | answer=C | explanation=Scale factor = 140/7 = 20. Therefore second quantity = 1×20 = 20.

id=5825 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30653 at 5% per annum for 3 years. | option_a=4697 | option_b=4597 | option_c=4497 | option_d=35250 | answer=B | explanation=SI = PRT/100 = 30653×5×3/100 = **■**4597.

id=5826 | topic=Averages | difficulty=Easy | question=Find the average of 69, 45, 98, 16, 77, 96, 83, 23, 33. | option_a=62 | option_b=59 | option_c=61 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 540 ÷ 9 = 60.

id=5827 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:13 and the first is 300, what is the second? | option_a=275 | option_b=247 | option_c=560 | option_d=260 | answer=D | explanation=Scale factor = 300/15 = 20. Therefore second quantity = 13×20 = 260.

id=5828 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=C | option_b=F | option_c=I | option_d=L | answer=C | explanation=Move 3 positions forward from F; the resulting letter is I.

id=5829 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 33? | option_a=8 | option_b=24 | option_c=16 | option_d=33 | answer=D | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 33 is the odd one out.

id=5830 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24440 at 8% per annum for 1 years. | option_a=1855 | option_b=26395 | option_c=2055 | option_d=1955 | answer=D | explanation=SI = PRT/100 = 24440×8×1/100 = **■**1955.

id=5831 | topic=Percentages | difficulty=Easy | question=What is 30% of 1555? | option_a=486 | option_b=461 | option_c=466 | option_d=932 | answer=C | explanation=30% of 1555 = (30/100) × 1555 = 466.

id=5832 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=80 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=5833 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=18 | option_c=23 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=5834 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=5835 | topic=Percentages | difficulty=Easy | question=What is 50% of 1698? | option_a=1698 | option_b=854 | option_c=849 | option_d=839 | answer=C | explanation=50% of 1698 = (50/100) × 1698 = 849.

id=5836 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 36, 45, 55? | option_a=27 | option_b=36 | option_c=55 | option_d=45 | answer=C | explanation=The first three numbers increase by 9, so the next should be 54. Therefore 55 is the odd one out.

id=5837 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=I | option_b=J | option_c=L | option_d=K | answer=D | explanation=Move 1 positions forward from J; the resulting letter is K.

id=5838 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=5839 | topic=Percentages | difficulty=Easy | question=What is 5% of 1599? | option_a=69 | option_b=89 | option_c=158 | option_d=79 | answer=D | explanation=5% of 1599 = (5/100) × 1599 = 79.

id=5840 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=M | option_c=O | option_d=P | answer=C | explanation=Move 1 positions forward from N; the resulting letter is O.

id=5841 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:8 and the first is 323, what is the second? | option_a=155 | option_b=136 | option_c=459 | option_d=128 | answer=B | explanation=Scale factor = 323/19 = 17. Therefore second quantity = 8×17 = 136.

id=5842 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:15 and the first is 30, what is the second? | option_a=55 | option_b=45 | option_c=75 | option_d=30 | answer=B | explanation=Scale factor = 30/10 = 3. Therefore second quantity = 15×3 = 45.

id=5843 | topic=Percentages | difficulty=Easy | question=What is 40% of 588? | option_a=240 | option_b=235 | option_c=230 | option_d=470 | answer=B | explanation=40% of 588 = (40/100) × 588 = 235.

id=5844 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30848 at 8% per annum for 3 years. | option_a=7503 | option_b=38251 | option_c=7403 | option_d=7303 | answer=C | explanation=SI = PRT/100 = 30848×8×3/100 = **■**7403.

id=5845 | topic=Percentages | difficulty=Easy | question=What is 5% of 1454? | option_a=52 | option_b=82 | option_c=144 | option_d=72 | answer=D | explanation=5% of 1454 = (5/100) × 1454 = 72.

id=5846 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 30. | option_a=240 | option_b=128 | option_c=90 | option_d=120 | answer=D | explanation=LCM × HCF = 8×30; HCF(8,30) = 2, so LCM = 120.

id=5847 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32766 at 6% per annum for 1 years. | option_a=2065 | option_b=1865 | option_c=1965 | option_d=34731 | answer=C | explanation=SI = PRT/100 = 32766×6×1/100 = **■**1965.

id=5848 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 14, 16, 20? | option_a=20 | option_b=14 | option_c=16 | option_d=12 | answer=A | explanation=The first three numbers increase by 2, so the next should be 18. Therefore 20 is the odd one out.

id=5849 | topic=Averages | difficulty=Easy | question=Find the average of 11, 57, 98, 27, 82. | option_a=57 | option_b=56 | option_c=55 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 275 ÷ 5 = 55.

id=5850 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

Aptitude Questions — Records 5,851-5,880 of 100,000

id=5851 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 60, what is the second? | option_a=12 | option_b=27 | option_c=9 | option_d=72 | answer=A | explanation=Scale factor = 60/15 = 4. Therefore second quantity = 3×4 = 12.

id=5852 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=K | option_b=N | option_c=M | option_d=L | answer=C | explanation=Move 1 positions forward from L; the resulting letter is M.

id=5853 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=55 | option_b=46 | option_c=45 | option_d=35 | answer=C | explanation=The common difference is 10. Therefore the next term is 35 + 10 = 45.

id=5854 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=18 | option_c=9 | option_d=4 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=5855 | topic=Percentages | difficulty=Easy | question=What is 5% of 1510? | option_a=150 | option_b=65 | option_c=85 | option_d=75 | answer=D | explanation=5% of 1510 = (5/100) × 1510 = 75.

id=5856 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2813. If it is sold at a profit of 40%, what is its selling price? | option_a=2853 | option_b=3657 | option_c=3938 | option_d=4219 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2813 × 140/100 = ₹3938.

id=5857 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 24. | option_a=120 | option_b=96 | option_c=360 | option_d=135 | answer=A | explanation=LCM × HCF = 15×24; HCF(15,24) = 3, so LCM = 120.

id=5858 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 18. | option_a=27 | option_b=18 | option_c=1 | option_d=162 | answer=B | explanation=LCM × HCF = 9×18; HCF(9,18) = 9, so LCM = 18.

id=5859 | topic=Percentages | difficulty=Easy | question=What is 12% of 1211? | option_a=290 | option_b=135 | option_c=145 | option_d=165 | answer=C | explanation=12% of 1211 = (12/100) × 1211 = 145.

id=5860 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=5861 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 31, 34, 40? | option_a=40 | option_b=31 | option_c=34 | option_d=28 | answer=A | explanation=The first three numbers increase by 3, so the next should be 37. Therefore 40 is the odd one out.

id=5862 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=26 | option_b=31 | option_c=36 | option_d=32 | answer=B | explanation=The common difference is 5. Therefore the next term is 26 + 5 = 31.

id=5863 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=5864 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=100 | option_c=55 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=5865 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 42? | option_a=34 | option_b=42 | option_c=20 | option_d=27 | answer=B | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 42 is the odd one out.

id=5866 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=I | option_b=Y | option_c=D | option_d=N | answer=A | explanation=Move 5 positions forward from D; the resulting letter is I.

id=5867 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=5868 | topic=Percentages | difficulty=Easy | question=What is 20% of 1643? | option_a=328 | option_b=308 | option_c=333 | option_d=656 | answer=A | explanation=20% of 1643 = (20/100) × 1643 = 328.

id=5869 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 39? | option_a=11 | option_b=39 | option_c=20 | option_d=29 | answer=B | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 39 is the odd one out.

id=5870 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=5871 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=5872 | topic=Percentages | difficulty=Easy | question=What is 50% of 1203? | option_a=581 | option_b=621 | option_c=601 | option_d=1202 | answer=C | explanation=50% of 1203 = (50/100) × 1203 = 601.

id=5873 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹34127 at 12% per annum for 1 years. | option_a=4095 | option_b=4195 | option_c=3995 | option_d=38222 | answer=A | explanation=SI = PRT/100 = 34127×12×1/100 = ₹4095.

id=5874 | topic=Percentages | difficulty=Easy | question=What is 30% of 78? | option_a=3 | option_b=33 | option_c=46 | option_d=23 | answer=D | explanation=30% of 78 = (30/100) × 78 = 23.

id=5875 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=21 | option_b=27 | option_c=28 | option_d=33 | answer=B | explanation=The common difference is 6. Therefore the next term is 21 + 6 = 27.

id=5876 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 43? | option_a=23 | option_b=43 | option_c=35 | option_d=29 | answer=B | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 43 is the odd one out.

id=5877 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=5878 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=25 | option_b=22 | option_c=24 | option_d=26 | answer=C | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.

id=5879 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 13, 23, 34? | option_a=3 | option_b=34 | option_c=23 | option_d=13 | answer=B | explanation=The first three numbers increase by 10, so the next should be 33. Therefore 34 is the odd one out.

id=5880 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=47 | option_b=48 | option_c=54 | option_d=40 | answer=A | explanation=The common difference is 7. Therefore the next term is 40 + 7 = 47.

Aptitude Questions — Records 5,881-5,910 of 100,000

id=5881 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 28? | option_a=22 | option_b=24 | option_c=28 | option_d=20 | answer=C | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 28 is the odd one out.

id=5882 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=5883 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1873. If it is sold at a profit of 10%, what is its selling price? | option_a=1883 | option_b=1873 | option_c=2247 | option_d=2060 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1873 \times \frac{110}{100} = \text{█}2060$.

id=5884 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=5885 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=5886 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 32? | option_a=22 | option_b=25 | option_c=32 | option_d=28 | answer=C | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 32 is the odd one out.

id=5887 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:4 and the first is 102, what is the second? | option_a=170 | option_b=68 | option_c=74 | option_d=64 | answer=B | explanation=Scale factor = $\frac{102}{6} = 17$. Therefore second quantity = $4 \times 17 = 68$.

id=5888 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:20 and the first is 160, what is the second? | option_a=216 | option_b=360 | option_c=200 | option_d=180 | answer=C | explanation=Scale factor = $\frac{160}{16} = 10$. Therefore second quantity = $20 \times 10 = 200$.

id=5889 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4169. If it is sold at a profit of 15%, what is its selling price? | option_a=5210 | option_b=4378 | option_c=4794 | option_d=4184 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4169 \times \frac{115}{100} = \text{█}4794$.

id=5890 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=67 | option_c=72 | option_d=144 | answer=C | explanation=Speed = distance $\div$ time = $\frac{360}{5} = 72$ km/h.

id=5891 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 19? | option_a=19 | option_b=11 | option_c=15 | option_d=13 | answer=A | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 19 is the odd one out.

id=5892 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:4 and the first is 12, what is the second? | option_a=48 | option_b=44 | option_c=49 | option_d=60 | answer=A | explanation=Scale factor = $\frac{12}{1} = 12$. Therefore second quantity = $4 \times 12 = 48$.

id=5893 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

id=5894 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance $\div$ time = $\frac{300}{5} = 60$ km/h.

id=5895 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 12, 21, 30, ? | option_a=30 | option_b=40 | option_c=39 | option_d=48 | answer=C | explanation=The common difference is 9. Therefore the next term is $30 + 9 = 39$.

id=5896 | topic=Percentages | difficulty=Easy | question=What is 5% of 937? | option_a=51 | option_b=92 | option_c=46 | option_d=36 | answer=C | explanation=5% of 937 = $(5/100) \times 937 = 46$.

id=5897 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 16, 25, 37? | option_a=37 | option_b=25 | option_c=16 | option_d=7 | answer=A | explanation=The first three numbers increase by 9, so the next should be 34. Therefore 37 is the odd one out.

id=5898 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=B | option_b=R | option_c=W | option_d=M | answer=C | explanation=Move 5 positions forward from R; the resulting letter is W.

id=5899 | topic=Averages | difficulty=Easy | question=Find the average of 27, 29, 55, 92, 42, 64, 93, 74, 64. | option_a=60 | option_b=62 | option_c=59 | option_d=61 | answer=A | explanation=Average = sum of values $\div$ number of values = $\frac{540}{9} = 60$.

id=5900 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=5901 | topic=Averages | difficulty=Easy | question=Find the average of 93, 20, 100, 49, 84, 30, 62, 28, 71, 43. | option_a=60 | option_b=59 | option_c=58 | option_d=57 | answer=C | explanation=Average = sum of values $\div$ number of values = $\frac{580}{10} = 58$.

id=5902 | topic=Percentages | difficulty=Easy | question=What is 10% of 157? | option_a=15 | option_b=5 | option_c=20 | option_d=30 | answer=A | explanation=10% of 157 = $(10/100) \times 157 = 15$.

id=5903 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=W | option_c=G | option_d=L | answer=C | explanation=Move 5 positions forward from B; the resulting letter is G.

id=5904 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=58 | option_b=36 | option_c=48 | option_d=47 | answer=D | explanation=The common difference is 11. Therefore the next term is $36 + 11 = 47$.

id=5905 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=37 | option_b=29 | option_c=45 | option_d=38 | answer=A | explanation=The common difference is 8. Therefore the next term is $29 + 8 = 37$.

id=5906 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:10 and the first is 99, what is the second? | option_a=101 | option_b=80 | option_c=189 | option_d=90 | answer=D | explanation=Scale factor = $\frac{99}{11} = 9$. Therefore second quantity = $10 \times 9 = 90$.

id=5907 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 18. | option_a=540 | option_b=90 | option_c=120 | option_d=72 | answer=B | explanation= $LCM \times HCF = 30 \times 18$; $HCF(30,18) = 6$, so $LCM = 90$.

id=5908 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=V | option_c=S | option_d=M | answer=C | explanation=Move 3 positions forward from P; the resulting letter is S.

id=5909 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47798 at 5% per annum for 3 years. | option_a=7269 | option_b=7169 | option_c=7069 | option_d=54967 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{47798 \times 5 \times 3}{100} = \text{█}7169$.

id=5910 | topic=Percentages | difficulty=Easy | question=What is 15% of 1072? | option_a=160 | option_b=155 | option_c=165 | option_d=320 | answer=A | explanation=15% of 1072 = $(15/100) \times 1072 = 160$.

Aptitude Questions — Records 5,911-5,940 of 100,000

id=5911 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=5912 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:10 and the first is 285, what is the second? | option_a=435 | option_b=169 | option_c=150 | option_d=140 | answer=C | explanation=Scale factor = 285/19 = 15. Therefore second quantity = 10×15 = 150.

id=5913 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=K | option_c=M | option_d=L | answer=C | explanation=Move 1 positions forward from L; the resulting letter is M.

id=5914 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=K | option_c=H | option_d=J | answer=D | explanation=Move 1 positions forward from I; the resulting letter is J.

id=5915 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■34314 at 6% per annum for 5 years. | option_a=44608 | option_b=10394 | option_c=10294 | option_d=10194 | answer=C | explanation=SI = PRT/100 = 34314×6×5/100 = ■10294.

id=5916 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=40 | option_c=45 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=5917 | topic=Percentages | difficulty=Easy | question=What is 10% of 583? | option_a=78 | option_b=116 | option_c=58 | option_d=48 | answer=C | explanation=10% of 583 = (10/100) × 583 = 58.

id=5918 | topic=Averages | difficulty=Easy | question=Find the average of 22, 61, 46. | option_a=45 | option_b=42 | option_c=43 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = 129 ÷ 3 = 43.

id=5919 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=J | option_b=E | option_c=Z | option_d=O | answer=A | explanation=Move 5 positions forward from E; the resulting letter is J.

id=5920 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:8 and the first is 90, what is the second? | option_a=72 | option_b=162 | option_c=64 | option_d=82 | answer=A | explanation=Scale factor = 90/10 = 9. Therefore second quantity = 8×9 = 72.

id=5921 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=5922 | topic=Percentages | difficulty=Easy | question=What is 40% of 654? | option_a=261 | option_b=271 | option_c=522 | option_d=256 | answer=A | explanation=40% of 654 = (40/100) × 654 = 261.

id=5923 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:16 and the first is 120, what is the second? | option_a=96 | option_b=216 | option_c=80 | option_d=116 | answer=A | explanation=Scale factor = 120/20 = 6. Therefore second quantity = 16×6 = 96.

id=5924 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4711. If it is sold at a profit of 5%, what is its selling price? | option_a=4475 | option_b=4946 | option_c=5417 | option_d=4716 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4711 × 105/100 = ■4946.

id=5925 | topic=Percentages | difficulty=Easy | question=What is 40% of 115? | option_a=66 | option_b=92 | option_c=46 | option_d=36 | answer=C | explanation=40% of 115 = (40/100) × 115 = 46.

id=5926 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=41 | option_b=35 | option_c=45 | option_d=40 | answer=D | explanation=The common difference is 5. Therefore the next term is 35 + 5 = 40.

id=5927 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■8936 at 5% per annum for 5 years. | option_a=2234 | option_b=2134 | option_c=11170 | option_d=2334 | answer=A | explanation=SI = PRT/100 = 8936×5×5/100 = ■2234.

id=5928 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 22, 31, 41? | option_a=22 | option_b=41 | option_c=31 | option_d=13 | answer=B | explanation=The first three numbers increase by 9, so the next should be 40. Therefore 41 is the odd one out.

id=5929 | topic=Percentages | difficulty=Easy | question=What is 25% of 751? | option_a=374 | option_b=167 | option_c=197 | option_d=187 | answer=D | explanation=25% of 751 = (25/100) × 751 = 187.

id=5930 | topic=Averages | difficulty=Easy | question=Find the average of 96, 54, 58, 54, 24, 93, 34. | option_a=58 | option_b=59 | option_c=61 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 413 ÷ 7 = 59.

id=5931 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:2 and the first is 144, what is the second? | option_a=41 | option_b=176 | option_c=30 | option_d=32 | answer=D | explanation=Scale factor = 144/9 = 16. Therefore second quantity = 2×16 = 32.

id=5932 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=5933 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1594. If it is sold at a profit of 40%, what is its selling price? | option_a=2390 | option_b=2231 | option_c=1634 | option_d=2072 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1594 × 140/100 = ■2231.

id=5934 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4285. If it is sold at a profit of 10%, what is its selling price? | option_a=4713 | option_b=4295 | option_c=5141 | option_d=4285 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4285 × 110/100 = ■4713.

id=5935 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=35 | option_b=53 | option_c=44 | option_d=45 | answer=C | explanation=The common difference is 9. Therefore the next term is 35 + 9 = 44.

id=5936 | topic=Percentages | difficulty=Easy | question=What is 5% of 807? | option_a=50 | option_b=40 | option_c=80 | option_d=35 | answer=B | explanation=5% of 807 = (5/100) × 807 = 40.

id=5937 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=K | option_b=O | option_c=M | option_d=Q | answer=B | explanation=Move 2 positions forward from M; the resulting letter is O.

id=5938 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■30083 at 8% per annum for 2 years. | option_a=4913 | option_b=4813 | option_c=34896 | option_d=4713 | answer=B | explanation=SI = PRT/100 = 30083×8×2/100 = ■4813.

id=5939 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■29010 at 6% per annum for 4 years. | option_a=6862 | option_b=35972 | option_c=6962 | option_d=7062 | answer=C | explanation=SI = PRT/100 = 29010×6×4/100 = ■6962.

id=5940 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=26 | option_b=28 | option_c=27 | option_d=24 | answer=A | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.

Aptitude Questions — Records 5,941-5,970 of 100,000

id=5941 | topic=Percentages | difficulty=Easy | question=What is 50% of 1035? | option_a=517 | option_b=497 | option_c=1034 | option_d=537 | answer=A | explanation=50% of 1035 = (50/100) × 1035 = 517.

id=5942 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■46899 at 12% per annum for 2 years. | option_a=11155 | option_b=11355 | option_c=11255 | option_d=58154 | answer=C | explanation=SI = PRT/100 = 46899×12×2/100 = ■11255.

id=5943 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=45 | option_b=46 | option_c=55 | option_d=35 | answer=A | explanation=The common difference is 10. Therefore the next term is 35 + 10 = 45.

id=5944 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:19 and the first is 76, what is the second? | option_a=361 | option_b=437 | option_c=342 | option_d=365 | answer=A | explanation=Scale factor = 76/4 = 19. Therefore second quantity = 19×19 = 361.

id=5945 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 30. | option_a=720 | option_b=120 | option_c=90 | option_d=144 | answer=B | explanation=LCM × HCF = 24×30; HCF(24,30) = 6, so LCM = 120.

id=5946 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=5947 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 37, 46, 56? | option_a=56 | option_b=28 | option_c=46 | option_d=37 | answer=A | explanation=The first three numbers increase by 9, so the next should be 55. Therefore 56 is the odd one out.

id=5948 | topic=Averages | difficulty=Easy | question=Find the average of 36, 19, 92, 67, 83, 39. | option_a=57 | option_b=58 | option_c=55 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 336 ÷ 6 = 56.

id=5949 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=R | option_b=N | option_c=F | option_d=J | answer=B | explanation=Move 4 positions forward from J; the resulting letter is N.

id=5950 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=27 | option_b=24 | option_c=30 | option_d=28 | answer=A | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=5951 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=Z | option_b=B | option_c=F | option_d=D | answer=D | explanation=Move 2 positions forward from B; the resulting letter is D.

id=5952 | topic=Percentages | difficulty=Easy | question=What is 40% of 401? | option_a=160 | option_b=180 | option_c=320 | option_d=150 | answer=A | explanation=40% of 401 = (40/100) × 401 = 160.

id=5953 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 51? | option_a=32 | option_b=41 | option_c=23 | option_d=51 | answer=D | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 51 is the odd one out.

id=5954 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=K | option_b=H | option_c=E | option_d=B | answer=B | explanation=Move 3 positions forward from E; the resulting letter is H.

id=5955 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=L | option_b=R | option_c=N | option_d=P | answer=D | explanation=Move 2 positions forward from N; the resulting letter is P.

id=5956 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=5957 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■48853 at 10% per annum for 4 years. | option_a=19541 | option_b=68394 | option_c=19441 | option_d=19641 | answer=A | explanation=SI = PRT/100 = 48853×10×4/100 = ■19541.

id=5958 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:6 and the first is 91, what is the second? | option_a=42 | option_b=55 | option_c=36 | option_d=133 | answer=A | explanation=Scale factor = 91/13 = 7. Therefore second quantity = 6×7 = 42.

id=5959 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=80 | option_c=70 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=5960 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■44799 at 6% per annum for 2 years. | option_a=5475 | option_b=5275 | option_c=5375 | option_d=50174 | answer=C | explanation=SI = PRT/100 = 44799×6×2/100 = ■5375.

id=5961 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 16. | option_a=192 | option_b=48 | option_c=32 | option_d=60 | answer=B | explanation=LCM × HCF = 12×16; HCF(12,16) = 4, so LCM = 48.

id=5962 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:9 and the first is 100, what is the second? | option_a=190 | option_b=100 | option_c=81 | option_d=90 | answer=D | explanation=Scale factor = 100/10 = 10. Therefore second quantity = 9×10 = 90.

id=5963 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=F | option_c=L | option_d=O | answer=C | explanation=Move 3 positions forward from I; the resulting letter is L.

id=5964 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=B | option_b=Q | option_c=L | option_d=G | answer=C | explanation=Move 5 positions forward from G; the resulting letter is L.

id=5965 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3006. If it is sold at a profit of 50%, what is its selling price? | option_a=4509 | option_b=3056 | option_c=4209 | option_d=4809 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3006 × 150/100 = ■4509.

id=5966 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 14, 16, 21? | option_a=14 | option_b=12 | option_c=21 | option_d=16 | answer=C | explanation=The first three numbers increase by 2, so the next should be 18. Therefore 21 is the odd one out.

id=5967 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=I | option_c=N | option_d=Y | answer=B | explanation=Move 5 positions forward from D; the resulting letter is I.

id=5968 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=F | option_c=E | option_d=C | answer=C | explanation=Move 1 positions forward from D; the resulting letter is E.

id=5969 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2343. If it is sold at a profit of 25%, what is its selling price? | option_a=2928 | option_b=2368 | option_c=3162 | option_d=2694 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2343 × 125/100 = ■2928.

id=5970 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3443. If it is sold at a profit of 40%, what is its selling price? | option_a=4820 | option_b=5164 | option_c=4476 | option_d=3483 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3443 × 140/100 = ■4820.

Aptitude Questions — Records 5,971-6,000 of 100,000

id=5971 | topic=Percentages | difficulty=Easy | question=What is 25% of 238? | option_a=118 | option_b=64 | option_c=59 | option_d=39 | answer=C | explanation=25% of 238 = (25/100) × 238 = 59.

id=5972 | topic=Percentages | difficulty=Easy | question=What is 10% of 1624? | option_a=162 | option_b=167 | option_c=157 | option_d=324 | answer=A | explanation=10% of 1624 = (10/100) × 1624 = 162.

id=5973 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=144 | option_c=77 | option_d=67 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=5974 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=5975 | topic=Percentages | difficulty=Easy | question=What is 5% of 741? | option_a=47 | option_b=37 | option_c=74 | option_d=17 | answer=B | explanation=5% of 741 = (5/100) × 741 = 37.

id=5976 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■16814 at 5% per annum for 1 years. | option_a=17654 | option_b=840 | option_c=940 | option_d=740 | answer=B | explanation=SI = PRT/100 = 16814×5×1/100 = ■840.

id=5977 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2644. If it is sold at a profit of 50%, what is its selling price? | option_a=3702 | option_b=2694 | option_c=4230 | option_d=3966 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2644 × 150/100 = ■3966.

id=5978 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=5979 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 15. | option_a=90 | option_b=315 | option_c=105 | option_d=126 | answer=C | explanation=LCM × HCF = 21×15; HCF(21,15) = 3, so LCM = 105.

id=5980 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=5981 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■40654 at 15% per annum for 5 years. | option_a=30390 | option_b=71144 | option_c=30490 | option_d=30590 | answer=C | explanation=SI = PRT/100 = 40654×15×5/100 = ■30490.

id=5982 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 24, 30, 39? | option_a=24 | option_b=39 | option_c=18 | option_d=30 | answer=B | explanation=The first three numbers increase by 6, so the next should be 36. Therefore 39 is the odd one out.

id=5983 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:15 and the first is 91, what is the second? | option_a=195 | option_b=202 | option_c=180 | option_d=286 | answer=A | explanation=Scale factor = 91/7 = 13. Therefore second quantity = 15×13 = 195.

id=5984 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 31, 39, 48? | option_a=31 | option_b=48 | option_c=23 | option_d=39 | answer=B | explanation=The first three numbers increase by 8, so the next should be 47. Therefore 48 is the odd one out.

id=5985 | topic=Averages | difficulty=Easy | question=Find the average of 14, 82, 66. | option_a=56 | option_b=53 | option_c=55 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 162 ÷ 3 = 54.

id=5986 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 12. | option_a=112 | option_b=336 | option_c=84 | option_d=72 | answer=C | explanation=LCM × HCF = 28×12; HCF(28,12) = 4, so LCM = 84.

id=5987 | topic=Averages | difficulty=Easy | question=Find the average of 59, 67, 29, 94, 21, 18. | option_a=48 | option_b=50 | option_c=49 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 288 ÷ 6 = 48.

id=5988 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 10, 16, 23? | option_a=16 | option_b=23 | option_c=10 | option_d=4 | answer=B | explanation=The first three numbers increase by 6, so the next should be 22. Therefore 23 is the odd one out.

id=5989 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:10 and the first is 65, what is the second? | option_a=40 | option_b=50 | option_c=115 | option_d=63 | answer=B | explanation=Scale factor = 65/13 = 5. Therefore second quantity = 10×5 = 50.

id=5990 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=5991 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=Q | option_b=T | option_c=S | option_d=R | answer=C | explanation=Move 1 positions forward from R; the resulting letter is S.

id=5992 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=30 | option_b=26 | option_c=22 | option_d=27 | answer=B | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.

id=5993 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=H | option_c=M | option_d=X | answer=B | explanation=Move 5 positions forward from C; the resulting letter is H.

id=5994 | topic=Percentages | difficulty=Easy | question=What is 50% of 1327? | option_a=1326 | option_b=673 | option_c=643 | option_d=663 | answer=D | explanation=50% of 1327 = (50/100) × 1327 = 663.

id=5995 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 10, 16, 24? | option_a=16 | option_b=10 | option_c=4 | option_d=24 | answer=D | explanation=The first three numbers increase by 6, so the next should be 22. Therefore 24 is the odd one out.

id=5996 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=5 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=5997 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■1128 at 8% per annum for 4 years. | option_a=460 | option_b=1488 | option_c=260 | option_d=360 | answer=D | explanation=SI = PRT/100 = 1128×8×4/100 = ■360.

id=5998 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=40 | option_c=80 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=5999 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:16 and the first is 340, what is the second? | option_a=272 | option_b=292 | option_c=612 | option_d=256 | answer=A | explanation=Scale factor = 340/20 = 17. Therefore second quantity = 16×17 = 272.

id=6000 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■19669 at 4% per annum for 1 years. | option_a=20455 | option_b=686 | option_c=786 | option_d=886 | answer=C | explanation=SI = PRT/100 = 19669×4×1/100 = ■786.

Aptitude Questions — Records 6,001-6,030 of 100,000

id=6001 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3094. If it is sold at a profit of 10%, what is its selling price? | option_a=3094 | option_b=3712 | option_c=3403 | option_d=3104 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3094 × 110/100 = ■3403.

id=6002 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=200 | option_c=95 | option_d=105 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=6003 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=59 | option_b=47 | option_c=71 | option_d=60 | answer=A | explanation=The common difference is 12. Therefore the next term is 47 + 12 = 59.

id=6004 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=I | option_b=Y | option_c=N | option_d=D | answer=A | explanation=Move 5 positions forward from D; the resulting letter is I.

id=6005 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 12, 16, 22? | option_a=8 | option_b=16 | option_c=12 | option_d=22 | answer=D | explanation=The first three numbers increase by 4, so the next should be 20. Therefore 22 is the odd one out.

id=6006 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■182. If it is sold at a profit of 15%, what is its selling price? | option_a=227 | option_b=191 | option_c=209 | option_d=197 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 182 × 115/100 = ■209.

id=6007 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:5 and the first is 120, what is the second? | option_a=30 | option_b=25 | option_c=50 | option_d=150 | answer=A | explanation=Scale factor = 120/20 = 6. Therefore second quantity = 5×6 = 30.

id=6008 | topic=Percentages | difficulty=Easy | question=What is 25% of 1138? | option_a=274 | option_b=284 | option_c=568 | option_d=304 | answer=B | explanation=25% of 1138 = (25/100) × 1138 = 284.

id=6009 | topic=Averages | difficulty=Easy | question=Find the average of 57, 43, 35, 98, 45, 42, 78, 34. | option_a=55 | option_b=53 | option_c=56 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 432 ÷ 8 = 54.

id=6010 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1088. If it is sold at a profit of 30%, what is its selling price? | option_a=1414 | option_b=1118 | option_c=1522 | option_d=1306 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1088 × 130/100 = ■1414.

id=6011 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=25 | option_b=23 | option_c=22 | option_d=19 | answer=C | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.

id=6012 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=54 | option_b=48 | option_c=47 | option_d=40 | answer=C | explanation=The common difference is 7. Therefore the next term is 40 + 7 = 47.

id=6013 | topic=Averages | difficulty=Easy | question=Find the average of 56, 11, 74, 37, 88, 73, 41, 25, 69, 56. | option_a=52 | option_b=53 | option_c=55 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=6014 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=F | option_c=J | option_d=H | answer=C | explanation=Move 2 positions forward from H; the resulting letter is J.

id=6015 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■7291 at 12% per annum for 2 years. | option_a=1749 | option_b=1849 | option_c=9040 | option_d=1649 | answer=A | explanation=SI = PRT/100 = 7291×12×2/100 = ■1749.

id=6016 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=50 | option_b=36 | option_c=43 | option_d=44 | answer=C | explanation=The common difference is 7. Therefore the next term is 36 + 7 = 43.

id=6017 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 30. | option_a=90 | option_b=120 | option_c=240 | option_d=128 | answer=B | explanation=LCM × HCF = 8×30; HCF(8,30) = 2, so LCM = 120.

id=6018 | topic=Percentages | difficulty=Easy | question=What is 20% of 910? | option_a=202 | option_b=182 | option_c=364 | option_d=172 | answer=B | explanation=20% of 910 = (20/100) × 910 = 182.

id=6019 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:6 and the first is 187, what is the second? | option_a=60 | option_b=253 | option_c=83 | option_d=66 | answer=D | explanation=Scale factor = 187/17 = 11. Therefore second quantity = 6×11 = 66.

id=6020 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 18, 22, 28? | option_a=28 | option_b=14 | option_c=22 | option_d=18 | answer=A | explanation=The first three numbers increase by 4, so the next should be 26. Therefore 28 is the odd one out.

id=6021 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■38784 at 5% per annum for 4 years. | option_a=7656 | option_b=46540 | option_c=7856 | option_d=7756 | answer=D | explanation=SI = PRT/100 = 38784×5×4/100 = ■7756.

id=6022 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=R | option_b=X | option_c=U | option_d=A | answer=B | explanation=Move 3 positions forward from U; the resulting letter is X.

id=6023 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=40 | option_c=35 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=6024 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=6025 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=6026 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:9 and the first is 140, what is the second? | option_a=90 | option_b=230 | option_c=81 | option_d=104 | answer=A | explanation=Scale factor = 140/14 = 10. Therefore second quantity = 9×10 = 90.

id=6027 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1817. If it is sold at a profit of 5%, what is its selling price? | option_a=1726 | option_b=2088 | option_c=1907 | option_d=1822 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1817 × 105/100 = ■1907.

id=6028 | topic=Percentages | difficulty=Easy | question=What is 30% of 1925? | option_a=577 | option_b=1154 | option_c=557 | option_d=597 | answer=A | explanation=30% of 1925 = (30/100) × 1925 = 577.

id=6029 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=40 | option_d=90 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=6030 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 29, 33, 40? | option_a=29 | option_b=33 | option_c=40 | option_d=25 | answer=C | explanation=The first three numbers increase by 4, so the next should be 37. Therefore 40 is the odd one out.

Aptitude Questions — Records 6,031-6,060 of 100,000

- id=6031 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39156 at 10% per annum for 4 years. | option_a=15562 | option_b=54818 | option_c=15762 | option_d=15662 | answer=D | explanation=SI = PRT/100 = 39156×10×4/100 = **■**15662.
- id=6032 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 27. | option_a=54 | option_b=1 | option_c=729 | option_d=27 | answer=D | explanation=LCM × HCF = 27×27; HCF(27,27) = 27, so LCM = 27.
- id=6033 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=6034 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36855 at 10% per annum for 5 years. | option_a=55282 | option_b=18527 | option_c=18327 | option_d=18427 | answer=D | explanation=SI = PRT/100 = 36855×10×5/100 = **■**18427.
- id=6035 | topic=Percentages | difficulty=Easy | question=What is 10% of 1125? | option_a=107 | option_b=117 | option_c=112 | option_d=224 | answer=C | explanation=10% of 1125 = (10/100) × 1125 = 112.
- id=6036 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=32 | option_b=22 | option_c=27 | option_d=28 | answer=C | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.
- id=6037 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=6038 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8400 at 15% per annum for 2 years. | option_a=2520 | option_b=2420 | option_c=10920 | option_d=2620 | answer=A | explanation=SI = PRT/100 = 8400×15×2/100 = **■**2520.
- id=6039 | topic=Averages | difficulty=Easy | question=Find the average of 19, 85, 19, 97, 74, 18. | option_a=54 | option_b=53 | option_c=52 | option_d=51 | answer=C | explanation=Average = sum of values + number of values = 312 ÷ 6 = 52.
- id=6040 | topic=Averages | difficulty=Easy | question=Find the average of 85, 70, 82. | option_a=79 | option_b=78 | option_c=80 | option_d=81 | answer=A | explanation=Average = sum of values + number of values = 237 ÷ 3 = 79.
- id=6041 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 43? | option_a=24 | option_b=36 | option_c=30 | option_d=43 | answer=D | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 43 is the odd one out.
- id=6042 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 33? | option_a=33 | option_b=28 | option_c=26 | option_d=30 | answer=A | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 33 is the odd one out.
- id=6043 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40215 at 4% per annum for 2 years. | option_a=3317 | option_b=3117 | option_c=43432 | option_d=3217 | answer=D | explanation=SI = PRT/100 = 40215×4×2/100 = **■**3217.
- id=6044 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=6045 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3865. If it is sold at a profit of 15%, what is its selling price? | option_a=4830 | option_b=3880 | option_c=4444 | option_d=4058 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3865 × 115/100 = **■**4444.
- id=6046 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=6047 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1863. If it is sold at a profit of 50%, what is its selling price? | option_a=2980 | option_b=2608 | option_c=1913 | option_d=2794 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1863 × 150/100 = **■**2794.
- id=6048 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=34 | option_b=32 | option_c=31 | option_d=28 | answer=C | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.
- id=6049 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:20 and the first is 182, what is the second? | option_a=293 | option_b=462 | option_c=260 | option_d=280 | answer=D | explanation=Scale factor = 182/13 = 14. Therefore second quantity = 20×14 = 280.
- id=6050 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.
- id=6051 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=G | option_b=P | option_c=J | option_d=M | answer=D | explanation=Move 3 positions forward from J; the resulting letter is M.
- id=6052 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=6053 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.
- id=6054 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=62 | option_b=53 | option_c=42 | option_d=52 | answer=D | explanation=The common difference is 10. Therefore the next term is 42 + 10 = 52.
- id=6055 | topic=Percentages | difficulty=Easy | question=What is 50% of 1678? | option_a=834 | option_b=849 | option_c=839 | option_d=1678 | answer=C | explanation=50% of 1678 = (50/100) × 1678 = 839.
- id=6056 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2640. If it is sold at a profit of 40%, what is its selling price? | option_a=2680 | option_b=3696 | option_c=3432 | option_d=3960 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2640 × 140/100 = **■**3696.
- id=6057 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:12 and the first is 26, what is the second? | option_a=12 | option_b=37 | option_c=50 | option_d=24 | answer=D | explanation=Scale factor = 26/13 = 2. Therefore second quantity = 12×2 = 24.
- id=6058 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=O | option_b=R | option_c=I | option_d=L | answer=A | explanation=Move 3 positions forward from L; the resulting letter is O.
- id=6059 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=E | option_b=H | option_c=F | option_d=G | answer=D | explanation=Move 1 positions forward from F; the resulting letter is G.
- id=6060 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=T | option_c=U | option_d=S | answer=C | explanation=Move 1 positions forward from T; the resulting letter is U.

Aptitude Questions — Records 6,061-6,090 of 100,000

id=6061 | topic=Percentages | difficulty=Easy | question=What is 30% of 244? | option_a=68 | option_b=146 | option_c=83 | option_d=73 | answer=D | explanation=30% of 244 = $(30/100) \times 244 = 73$.

id=6062 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=42 | option_b=50 | option_c=41 | option_d=32 | answer=C | explanation=The common difference is 9. Therefore the next term is $32 + 9 = 41$.

id=6063 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=19 | option_c=29 | option_d=48 | answer=A | explanation=Speed = distance ÷ time = $120 \div 5 = 24$ km/h.

id=6064 | topic=Percentages | difficulty=Easy | question=What is 30% of 624? | option_a=374 | option_b=187 | option_c=177 | option_d=192 | answer=B | explanation=30% of 624 = $(30/100) \times 624 = 187$.

id=6065 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=E | option_b=P | option_c=Z | option_d=U | answer=C | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=6066 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=50 | option_d=100 | answer=C | explanation=Speed = distance ÷ time = $300 \div 6 = 50$ km/h.

id=6067 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1229 at 6% per annum for 5 years. | option_a=468 | option_b=268 | option_c=368 | option_d=1597 | answer=C | explanation=SI = $PRT/100 = 1229 \times 6 \times 5/100 = \text{■}368$.

id=6068 | topic=Averages | difficulty=Easy | question=Find the average of 96, 53, 39, 46, 72, 58, 47, 21, 45. | option_a=55 | option_b=54 | option_c=53 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = $477 \div 9 = 53$.

id=6069 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4868. If it is sold at a profit of 50%, what is its selling price? | option_a=4918 | option_b=7302 | option_c=7788 | option_d=6816 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4868 \times 150/100 = \text{■}7302$.

id=6070 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2529. If it is sold at a profit of 30%, what is its selling price? | option_a=2559 | option_b=3287 | option_c=3539 | option_d=3035 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2529 \times 130/100 = \text{■}3287$.

id=6071 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 5, 7, 10? | option_a=7 | option_b=5 | option_c=3 | option_d=10 | answer=D | explanation=The first three numbers increase by 2, so the next should be 9. Therefore 10 is the odd one out.

id=6072 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:7 and the first is 192, what is the second? | option_a=77 | option_b=84 | option_c=100 | option_d=276 | answer=B | explanation=Scale factor = $192/16 = 12$. Therefore second quantity = $7 \times 12 = 84$.

id=6073 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 6. | option_a=144 | option_b=48 | option_c=24 | option_d=18 | answer=C | explanation=LCM $\times$ HCF = 24×6 ; $\text{HCF}(24, 6) = 6$, so LCM = 24.

id=6074 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=B | option_b=E | option_c=C | option_d=D | answer=D | explanation=Move 1 positions forward from C; the resulting letter is D.

id=6075 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:2 and the first is 198, what is the second? | option_a=234 | option_b=34 | option_c=47 | option_d=36 | answer=D | explanation=Scale factor = $198/11 = 18$. Therefore second quantity = $2 \times 18 = 36$.

id=6076 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=F | option_b=J | option_c=R | option_d=N | answer=D | explanation=Move 4 positions forward from J; the resulting letter is N.

id=6077 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=6078 | topic=Percentages | difficulty=Easy | question=What is 12% of 392? | option_a=94 | option_b=47 | option_c=57 | option_d=42 | answer=B | explanation=12% of 392 = $(12/100) \times 392 = 47$.

id=6079 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=A | option_b=E | option_c=G | option_d=C | answer=B | explanation=Move 2 positions forward from C; the resulting letter is E.

id=6080 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36781 at 4% per annum for 5 years. | option_a=44137 | option_b=7356 | option_c=7456 | option_d=7256 | answer=B | explanation=SI = $PRT/100 = 36781 \times 4 \times 5/100 = \text{■}7356$.

id=6081 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=A | option_c=C | option_d=D | answer=C | explanation=Move 1 positions forward from B; the resulting letter is C.

id=6082 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=38 | option_b=31 | option_c=32 | option_d=24 | answer=B | explanation=The common difference is 7. Therefore the next term is $24 + 7 = 31$.

id=6083 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 14, 23, 33? | option_a=14 | option_b=23 | option_c=33 | option_d=5 | answer=C | explanation=The first three numbers increase by 9, so the next should be 32. Therefore 33 is the odd one out.

id=6084 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=13 | option_b=14 | option_c=11 | option_d=15 | answer=A | explanation=The common difference is 2. Therefore the next term is $11 + 2 = 13$.

id=6085 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=H | option_b=L | option_c=T | option_d=P | answer=D | explanation=Move 4 positions forward from L; the resulting letter is P.

id=6086 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=6087 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=15 | option_d=5 | answer=B | explanation=Speed = distance ÷ time = $60 \div 6 = 10$ km/h.

id=6088 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=I | option_b=F | option_c=C | option_d=Z | answer=B | explanation=Move 3 positions forward from C; the resulting letter is F.

id=6089 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=360 | option_c=175 | option_d=185 | answer=A | explanation=Speed = distance ÷ time = $360 \div 2 = 180$ km/h.

id=6090 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**167. If it is sold at a profit of 15%, what is its selling price? | option_a=192 | option_b=208 | option_c=182 | option_d=176 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 167 \times 115/100 = \text{■}192$.

Aptitude Questions — Records 6,091-6,120 of 100,000

id=6091 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2155. If it is sold at a profit of 20%, what is its selling price? | option_a=2586 | option_b=2371 | option_c=2175 | option_d=2801 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2155 × 120/100 = ■2586.

id=6092 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■1734 at 5% per annum for 2 years. | option_a=73 | option_b=173 | option_c=273 | option_d=1907 | answer=B | explanation=SI = PRT/100 = 1734×5×2/100 = ■173.

id=6093 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 38? | option_a=29 | option_b=32 | option_c=26 | option_d=38 | answer=D | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 38 is the odd one out.

id=6094 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 34, 39, 47? | option_a=34 | option_b=39 | option_c=29 | option_d=47 | answer=D | explanation=The first three numbers increase by 5, so the next should be 44. Therefore 47 is the odd one out.

id=6095 | topic=Percentages | difficulty=Easy | question=What is 40% of 936? | option_a=748 | option_b=369 | option_c=374 | option_d=379 | answer=C | explanation=40% of 936 = (40/100) × 936 = 374.

id=6096 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 62? | option_a=40 | option_b=30 | option_c=50 | option_d=62 | answer=D | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 62 is the odd one out.

id=6097 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=L | option_b=T | option_c=P | option_d=X | answer=B | explanation=Move 4 positions forward from P; the resulting letter is T.

id=6098 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4865. If it is sold at a profit of 10%, what is its selling price? | option_a=4865 | option_b=4875 | option_c=5837 | option_d=5351 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4865 × 110/100 = ■5351.

id=6099 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 5. | option_a=25 | option_b=60 | option_c=30 | option_d=150 | answer=C | explanation=LCM × HCF = 30×5; HCF(30,5) = 5, so LCM = 30.

id=6100 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:9 and the first is 24, what is the second? | option_a=30 | option_b=18 | option_c=9 | option_d=42 | answer=B | explanation=Scale factor = 24/12 = 2. Therefore second quantity = 9×2 = 18.

id=6101 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:17 and the first is 128, what is the second? | option_a=255 | option_b=272 | option_c=280 | option_d=400 | answer=B | explanation=Scale factor = 128/8 = 16. Therefore second quantity = 17×16 = 272.

id=6102 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 41? | option_a=34 | option_b=22 | option_c=28 | option_d=41 | answer=D | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 41 is the odd one out.

id=6103 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=6104 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=60 | option_b=61 | option_c=49 | option_d=71 | answer=A | explanation=The common difference is 11. Therefore the next term is 49 + 11 = 60.

id=6105 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■49290 at 8% per annum for 2 years. | option_a=7886 | option_b=57176 | option_c=7786 | option_d=7986 | answer=A | explanation=SI = PRT/100 = 49290×8×2/100 = ■7886.

id=6106 | topic=Averages | difficulty=Easy | question=Find the average of 43, 39, 72, 15, 36. | option_a=42 | option_b=43 | option_c=40 | option_d=41 | answer=D | explanation=Average = sum of values ÷ number of values = 205 ÷ 5 = 41.

id=6107 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=6108 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:8 and the first is 33, what is the second? | option_a=80 | option_b=121 | option_c=88 | option_d=91 | answer=C | explanation=Scale factor = 33/3 = 11. Therefore second quantity = 8×11 = 88.

id=6109 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=6110 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 13? | option_a=9 | option_b=3 | option_c=6 | option_d=13 | answer=D | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 13 is the odd one out.

id=6111 | topic=Averages | difficulty=Easy | question=Find the average of 19, 34, 54, 96, 71, 25, 65. | option_a=51 | option_b=52 | option_c=54 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 364 ÷ 7 = 52.

id=6112 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■990. If it is sold at a profit of 25%, what is its selling price? | option_a=1138 | option_b=1237 | option_c=1336 | option_d=1015 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 990 × 125/100 = ■1237.

id=6113 | topic=Percentages | difficulty=Easy | question=What is 15% of 961? | option_a=134 | option_b=154 | option_c=144 | option_d=288 | answer=C | explanation=15% of 961 = (15/100) × 961 = 144.

id=6114 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:9 and the first is 48, what is the second? | option_a=108 | option_b=156 | option_c=112 | option_d=99 | answer=A | explanation=Scale factor = 48/4 = 12. Therefore second quantity = 9×12 = 108.

id=6115 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 8. | option_a=150 | option_b=240 | option_c=112 | option_d=120 | answer=D | explanation=LCM × HCF = 30×8; HCF(30,8) = 2, so LCM = 120.

id=6116 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=20 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=6117 | topic=Percentages | difficulty=Easy | question=What is 50% of 1167? | option_a=1166 | option_b=583 | option_c=573 | option_d=603 | answer=B | explanation=50% of 1167 = (50/100) × 1167 = 583.

id=6118 | topic=Percentages | difficulty=Easy | question=What is 20% of 305? | option_a=122 | option_b=61 | option_c=81 | option_d=41 | answer=B | explanation=20% of 305 = (20/100) × 305 = 61.

id=6119 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=H | option_b=K | option_c=I | option_d=J | answer=D | explanation=Move 1 positions forward from I; the resulting letter is J.

id=6120 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:13 and the first is 70, what is the second? | option_a=78 | option_b=91 | option_c=161 | option_d=101 | answer=B | explanation=Scale factor = 70/10 = 7. Therefore second quantity = 13×7 = 91.

Aptitude Questions — Records 6,121-6,150 of 100,000

id=6121 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 10. | option_a=30 | option_b=48 | option_c=40 | option_d=80 | answer=C | explanation=LCM × HCF = 8×10; HCF(8,10) = 2, so LCM = 40.

id=6122 | topic=Averages | difficulty=Easy | question=Find the average of 35, 20, 43, 82, 34, 98, 21, 76, 23. | option_a=47 | option_b=48 | option_c=50 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 432 ÷ 9 = 48.

id=6123 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**39631 at 12% per annum for 2 years. | option_a=49142 | option_b=9411 | option_c=9611 | option_d=9511 | answer=D | explanation=SI = PRT/100 = 39631×12×2/100 = **₹**9511.

id=6124 | topic=Percentages | difficulty=Easy | question=What is 15% of 1381? | option_a=187 | option_b=207 | option_c=414 | option_d=212 | answer=B | explanation=15% of 1381 = (15/100) × 1381 = 207.

id=6125 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=K | option_c=Y | option_d=C | answer=A | explanation=Move 4 positions forward from C; the resulting letter is G.

id=6126 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:6 and the first is 323, what is the second? | option_a=102 | option_b=425 | option_c=96 | option_d=121 | answer=A | explanation=Scale factor = 323/19 = 17. Therefore second quantity = 6×17 = 102.

id=6127 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 30, 33, 37? | option_a=37 | option_b=33 | option_c=30 | option_d=27 | answer=A | explanation=The first three numbers increase by 3, so the next should be 36. Therefore 37 is the odd one out.

id=6128 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=C | option_b=G | option_c=E | option_d=I | answer=B | explanation=Move 2 positions forward from E; the resulting letter is G.

id=6129 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 27? | option_a=18 | option_b=27 | option_c=11 | option_d=4 | answer=B | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 27 is the odd one out.

id=6130 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=70 | option_c=75 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=6131 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=6132 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=6133 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=6134 | topic=Averages | difficulty=Easy | question=Find the average of 63, 71, 78, 20. | option_a=60 | option_b=58 | option_c=57 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 232 ÷ 4 = 58.

id=6135 | topic=Averages | difficulty=Easy | question=Find the average of 91, 82, 38, 17, 81, 29, 33, 69. | option_a=57 | option_b=54 | option_c=56 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 440 ÷ 8 = 55.

id=6136 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 18, 23, 28, ? | option_a=34 | option_b=38 | option_c=33 | option_d=28 | answer=C | explanation=The common difference is 5. Therefore the next term is 28 + 5 = 33.

id=6137 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=35 | option_b=30 | option_c=34 | option_d=38 | answer=C | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.

id=6138 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:14 and the first is 85, what is the second? | option_a=155 | option_b=56 | option_c=87 | option_d=70 | answer=D | explanation=Scale factor = 85/17 = 5. Therefore second quantity = 14×5 = 70.

id=6139 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=J | option_b=D | option_c=F | option_d=H | answer=D | explanation=Move 2 positions forward from F; the resulting letter is H.

id=6140 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4818. If it is sold at a profit of 25%, what is its selling price? | option_a=5541 | option_b=6022 | option_c=6503 | option_d=4843 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4818 × 125/100 = **₹**6022.

id=6141 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2368. If it is sold at a profit of 10%, what is its selling price? | option_a=2378 | option_b=2604 | option_c=2368 | option_d=2840 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2368 × 110/100 = **₹**2604.

id=6142 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:15 and the first is 50, what is the second? | option_a=125 | option_b=60 | option_c=75 | option_d=85 | answer=C | explanation=Scale factor = 50/10 = 5. Therefore second quantity = 15×5 = 75.

id=6143 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=6144 | topic=Averages | difficulty=Easy | question=Find the average of 79, 92, 81, 64, 99, 18, 71, 38, 26, 72. | option_a=63 | option_b=64 | option_c=65 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 640 ÷ 10 = 64.

id=6145 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=6146 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=43 | option_b=37 | option_c=44 | option_d=49 | answer=A | explanation=The common difference is 6. Therefore the next term is 37 + 6 = 43.

id=6147 | topic=Averages | difficulty=Easy | question=Find the average of 70, 57, 63, 20, 74, 46. | option_a=57 | option_b=56 | option_c=55 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 330 ÷ 6 = 55.

id=6148 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 18. | option_a=120 | option_b=90 | option_c=540 | option_d=72 | answer=B | explanation=LCM × HCF = 30×18; HCF(30,18) = 6, so LCM = 90.

id=6149 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=31 | option_b=38 | option_c=39 | option_d=45 | answer=B | explanation=The common difference is 7. Therefore the next term is 31 + 7 = 38.

id=6150 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 33, 43, 56? | option_a=56 | option_b=33 | option_c=43 | option_d=23 | answer=A | explanation=The first three numbers increase by 10, so the next should be 53. Therefore 56 is the odd one out.

Aptitude Questions — Records 6,151-6,180 of 100,000

- id=6151 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:19 and the first is 126, what is the second? | option_a=133 | option_b=259 | option_c=114 | option_d=151 | answer=A | explanation=Scale factor = $126/18 = 7$. Therefore second quantity = $19 \times 7 = 133$.
- id=6152 | topic=Percentages | difficulty=Easy | question=What is 12% of 627? | option_a=85 | option_b=150 | option_c=75 | option_d=65 | answer=C | explanation= 12% of 627 = $(12/100) \times 627 = 75$.
- id=6153 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.
- id=6154 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 18. | option_a=54 | option_b=486 | option_c=36 | option_d=81 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 27 \times 18$; $\text{HCF}(27,18) = 9$, so $\text{LCM} = 54$.
- id=6155 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=49 | option_b=60 | option_c=69 | option_d=59 | answer=D | explanation=The common difference is 10. Therefore the next term is $49 + 10 = 59$.
- id=6156 | topic=Percentages | difficulty=Easy | question=What is 40% of 529? | option_a=201 | option_b=422 | option_c=211 | option_d=231 | answer=C | explanation= 40% of 529 = $(40/100) \times 529 = 211$.
- id=6157 | topic=Percentages | difficulty=Easy | question=What is 50% of 506? | option_a=506 | option_b=273 | option_c=253 | option_d=248 | answer=C | explanation= 50% of 506 = $(50/100) \times 506 = 253$.
- id=6158 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:6 and the first is 45, what is the second? | option_a=135 | option_b=93 | option_c=84 | option_d=90 | answer=D | explanation=Scale factor = $45/3 = 15$. Therefore second quantity = $6 \times 15 = 90$.
- id=6159 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=29 | option_c=48 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = $240 \div 10 = 24$ km/h.
- id=6160 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹4962. If it is sold at a profit of 50%, what is its selling price? | option_a=6947 | option_b=5012 | option_c=7939 | option_d=7443 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 4962 \times 150/100 = ₹7443$.
- id=6161 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=68 | option_b=44 | option_c=57 | option_d=56 | answer=D | explanation=The common difference is 12. Therefore the next term is $44 + 12 = 56$.
- id=6162 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=19 | option_b=20 | option_c=17 | option_d=21 | answer=A | explanation=The common difference is 2. Therefore the next term is $17 + 2 = 19$.
- id=6163 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = $180 \div 3 = 60$ km/h.
- id=6164 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.
- id=6165 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 32? | option_a=24 | option_b=32 | option_c=19 | option_d=14 | answer=B | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 32 is the odd one out.
- id=6166 | topic=Percentages | difficulty=Easy | question=What is 40% of 1453? | option_a=1162 | option_b=561 | option_c=601 | option_d=581 | answer=D | explanation= 40% of 1453 = $(40/100) \times 1453 = 581$.
- id=6167 | topic=Percentages | difficulty=Easy | question=What is 25% of 1834? | option_a=458 | option_b=916 | option_c=448 | option_d=468 | answer=A | explanation= 25% of 1834 = $(25/100) \times 1834 = 458$.
- id=6168 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹516. If it is sold at a profit of 40%, what is its selling price? | option_a=671 | option_b=773 | option_c=556 | option_d=722 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 516 \times 140/100 = ₹722$.
- id=6169 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.
- id=6170 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 23, 30, 40? | option_a=23 | option_b=30 | option_c=16 | option_d=40 | answer=D | explanation=The first three numbers increase by 7, so the next should be 37. Therefore 40 is the odd one out.
- id=6171 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:7 and the first is 15, what is the second? | option_a=105 | option_b=98 | option_c=120 | option_d=106 | answer=A | explanation=Scale factor = $15/1 = 15$. Therefore second quantity = $7 \times 15 = 105$.
- id=6172 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:4 and the first is 66, what is the second? | option_a=35 | option_b=20 | option_c=24 | option_d=90 | answer=C | explanation=Scale factor = $66/11 = 6$. Therefore second quantity = $4 \times 6 = 24$.
- id=6173 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 3. | option_a=63 | option_b=18 | option_c=21 | option_d=42 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 21 \times 3$; $\text{HCF}(21,3) = 3$, so $\text{LCM} = 21$.
- id=6174 | topic=Percentages | difficulty=Easy | question=What is 20% of 1280? | option_a=266 | option_b=512 | option_c=251 | option_d=256 | answer=D | explanation= 20% of 1280 = $(20/100) \times 1280 = 256$.
- id=6175 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1716. If it is sold at a profit of 25%, what is its selling price? | option_a=2145 | option_b=1741 | option_c=2316 | option_d=1974 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 1716 \times 125/100 = ₹2145$.
- id=6176 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=8 | option_b=12 | option_c=10 | option_d=11 | answer=C | explanation=The common difference is 2. Therefore the next term is $8 + 2 = 10$.
- id=6177 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.
- id=6178 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=24 | option_b=20 | option_c=25 | option_d=28 | answer=A | explanation=The common difference is 4. Therefore the next term is $20 + 4 = 24$.
- id=6179 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 16. | option_a=128 | option_b=24 | option_c=1 | option_d=16 | answer=D | explanation= $\text{LCM} \times \text{HCF} = 8 \times 16$; $\text{HCF}(8,16) = 8$, so $\text{LCM} = 16$.
- id=6180 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 12. | option_a=24 | option_b=12 | option_c=1 | option_d=144 | answer=B | explanation= $\text{LCM} \times \text{HCF} = 12 \times 12$; $\text{HCF}(12,12) = 12$, so $\text{LCM} = 12$.

Aptitude Questions — Records 6,181-6,210 of 100,000

- id=6181 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2973 at 15% per annum for 5 years. | option_a=2229 | option_b=5202 | option_c=2329 | option_d=2129 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{2973 \times 15 \times 5}{100} = \text{■}2229$.
- id=6182 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=C | option_c=Y | option_d=A | answer=B | explanation=Move 2 positions forward from A; the resulting letter is C.
- id=6183 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 35, 45, 56? | option_a=56 | option_b=25 | option_c=35 | option_d=45 | answer=A | explanation=The first three numbers increase by 10, so the next should be 55. Therefore 56 is the odd one out.
- id=6184 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.
- id=6185 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.
- id=6186 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=42 | option_b=52 | option_c=32 | option_d=43 | answer=A | explanation=The common difference is 10. Therefore the next term is $32 + 10 = 42$.
- id=6187 | topic=Averages | difficulty=Easy | question=Find the average of 48, 25, 79, 100. | option_a=62 | option_b=63 | option_c=65 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{252}{4} = 63$.
- id=6188 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=56 | option_b=66 | option_c=44 | option_d=55 | answer=D | explanation=The common difference is 11. Therefore the next term is $44 + 11 = 55$.
- id=6189 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:15 and the first is 90, what is the second? | option_a=135 | option_b=150 | option_c=240 | option_d=159 | answer=B | explanation=Scale factor = $\frac{90}{9} = 10$. Therefore second quantity = $15 \times 10 = 150$.
- id=6190 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:11 and the first is 54, what is the second? | option_a=66 | option_b=75 | option_c=55 | option_d=120 | answer=A | explanation=Scale factor = $\frac{54}{9} = 6$. Therefore second quantity = $11 \times 6 = 66$.
- id=6191 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**598. If it is sold at a profit of 30%, what is its selling price? | option_a=628 | option_b=777 | option_c=836 | option_d=718 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 598 \times \frac{130}{100} = \text{■}777$.
- id=6192 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 36? | option_a=23 | option_b=36 | option_c=17 | option_d=29 | answer=B | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 36 is the odd one out.
- id=6193 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=54 | option_b=42 | option_c=64 | option_d=53 | answer=D | explanation=The common difference is 11. Therefore the next term is $42 + 11 = 53$.
- id=6194 | topic=Percentages | difficulty=Easy | question=What is 40% of 539? | option_a=210 | option_b=235 | option_c=430 | option_d=215 | answer=D | explanation= $40\% \text{ of } 539 = (\frac{40}{100}) \times 539 = 215$.
- id=6195 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.
- id=6196 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = $\frac{60}{2} = 30$ km/h.
- id=6197 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=35 | option_b=28 | option_c=42 | option_d=36 | answer=A | explanation=The common difference is 7. Therefore the next term is $28 + 7 = 35$.
- id=6198 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:8 and the first is 52, what is the second? | option_a=24 | option_b=32 | option_c=45 | option_d=84 | answer=B | explanation=Scale factor = $\frac{52}{13} = 4$. Therefore second quantity = $8 \times 4 = 32$.
- id=6199 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 18, 22, 28? | option_a=28 | option_b=14 | option_c=18 | option_d=22 | answer=A | explanation=The first three numbers increase by 4, so the next should be 26. Therefore 28 is the odd one out.
- id=6200 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 26? | option_a=18 | option_b=21 | option_c=26 | option_d=15 | answer=C | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 26 is the odd one out.
- id=6201 | topic=Averages | difficulty=Easy | question=Find the average of 40, 11, 35, 30. | option_a=28 | option_b=30 | option_c=29 | option_d=31 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{116}{4} = 29$.
- id=6202 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=Y | option_c=O | option_d=D | answer=B | explanation=Move 5 positions forward from T; the resulting letter is Y.
- id=6203 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=42 | option_b=34 | option_c=50 | option_d=43 | answer=A | explanation=The common difference is 8. Therefore the next term is $34 + 8 = 42$.
- id=6204 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=44 | option_b=54 | option_c=62 | option_d=53 | answer=D | explanation=The common difference is 9. Therefore the next term is $44 + 9 = 53$.
- id=6205 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12} = 3$ days.
- id=6206 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:5 and the first is 20, what is the second? | option_a=20 | option_b=25 | option_c=29 | option_d=45 | answer=B | explanation=Scale factor = $\frac{20}{4} = 5$. Therefore second quantity = $5 \times 5 = 25$.
- id=6207 | topic=Percentages | difficulty=Easy | question=What is 50% of 1903? | option_a=971 | option_b=1902 | option_c=946 | option_d=951 | answer=D | explanation= $50\% \text{ of } 1903 = (\frac{50}{100}) \times 1903 = 951$.
- id=6208 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 38? | option_a=31 | option_b=38 | option_c=26 | option_d=21 | answer=B | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 38 is the odd one out.
- id=6209 | topic=Percentages | difficulty=Easy | question=What is 12% of 1667? | option_a=200 | option_b=190 | option_c=400 | option_d=205 | answer=A | explanation= $12\% \text{ of } 1667 = (\frac{12}{100}) \times 1667 = 200$.
- id=6210 | topic=Percentages | difficulty=Easy | question=What is 25% of 641? | option_a=160 | option_b=170 | option_c=140 | option_d=320 | answer=A | explanation= $25\% \text{ of } 641 = (\frac{25}{100}) \times 641 = 160$.

Aptitude Questions — Records 6,211-6,240 of 100,000

id=6211 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=13 | option_b=12 | option_c=9 | option_d=11 | answer=D | explanation=The common difference is 2. Therefore the next term is $9 + 2 = 11$.

id=6212 | topic=Averages | difficulty=Easy | question=Find the average of 21, 50, 27, 48, 11, 47. | option_a=36 | option_b=33 | option_c=35 | option_d=34 | answer=D | explanation=Average = sum of values ÷ number of values = $204 \div 6 = 34$.

id=6213 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=29 | option_c=19 | option_d=48 | answer=A | explanation=Speed = distance ÷ time = $120 \div 5 = 24$ km/h.

id=6214 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1529. If it is sold at a profit of 50%, what is its selling price? | option_a=2445 | option_b=2293 | option_c=2141 | option_d=1579 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1529 \times 150/100 = \text{█}2293$.

id=6215 | topic=Averages | difficulty=Easy | question=Find the average of 40, 52, 65, 88, 49, 30. | option_a=53 | option_b=55 | option_c=56 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = $324 \div 6 = 54$.

id=6216 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:15 and the first is 154, what is the second? | option_a=195 | option_b=221 | option_c=210 | option_d=364 | answer=C | explanation=Scale factor = $154/11 = 14$. Therefore second quantity = $15 \times 14 = 210$.

id=6217 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=P | option_b=A | option_c=K | option_d=F | answer=C | explanation=Move 5 positions forward from F; the resulting letter is K.

id=6218 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:1 and the first is 24, what is the second? | option_a=32 | option_b=11 | option_c=7 | option_d=8 | answer=D | explanation=Scale factor = $24/3 = 8$. Therefore second quantity = $1 \times 8 = 8$.

id=6219 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4088. If it is sold at a profit of 20%, what is its selling price? | option_a=4905 | option_b=4108 | option_c=4497 | option_d=5313 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4088 \times 120/100 = \text{█}4905$.

id=6220 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=80 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = $120 \div 3 = 40$ km/h.

id=6221 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.

id=6222 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44194 at 15% per annum for 1 years. | option_a=6629 | option_b=50823 | option_c=6529 | option_d=6729 | answer=A | explanation=SI = $PRT/100 = 44194 \times 15 \times 1/100 = \text{█}6629$.

id=6223 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=6224 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=C | option_c=B | option_d=A | answer=B | explanation=Move 1 positions forward from B; the resulting letter is C.

id=6225 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:11 and the first is 56, what is the second? | option_a=88 | option_b=95 | option_c=144 | option_d=77 | answer=A | explanation=Scale factor = $56/7 = 8$. Therefore second quantity = $11 \times 8 = 88$.

id=6226 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23469 at 12% per annum for 4 years. | option_a=11265 | option_b=34734 | option_c=11165 | option_d=11365 | answer=A | explanation=SI = $PRT/100 = 23469 \times 12 \times 4/100 = \text{█}11265$.

id=6227 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=W | option_c=I | option_d=E | answer=D | explanation=Move 4 positions forward from A; the resulting letter is E.

id=6228 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 12. | option_a=96 | option_b=135 | option_c=324 | option_d=108 | answer=D | explanation= $LCM \times HCF = 27 \times 12$; $HCF(27,12) = 3$, so $LCM = 108$.

id=6229 | topic=Percentages | difficulty=Easy | question=What is 20% of 998? | option_a=398 | option_b=219 | option_c=199 | option_d=194 | answer=C | explanation=20% of 998 = $(20/100) \times 998 = 199$.

id=6230 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 45? | option_a=38 | option_b=30 | option_c=45 | option_d=34 | answer=C | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 45 is the odd one out.

id=6231 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=N | option_b=H | option_c=K | option_d=Q | answer=A | explanation=Move 3 positions forward from K; the resulting letter is N.

id=6232 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1174. If it is sold at a profit of 5%, what is its selling price? | option_a=1349 | option_b=1232 | option_c=1115 | option_d=1179 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1174 \times 105/100 = \text{█}1232$.

id=6233 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=Q | option_c=C | option_d=Y | answer=D | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=6234 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=31 | option_b=41 | option_c=36 | option_d=37 | answer=C | explanation=The common difference is 5. Therefore the next term is $31 + 5 = 36$.

id=6235 | topic=Averages | difficulty=Easy | question=Find the average of 39, 25, 50. | option_a=38 | option_b=40 | option_c=39 | option_d=37 | answer=A | explanation=Average = sum of values ÷ number of values = $114 \div 3 = 38$.

id=6236 | topic=Averages | difficulty=Easy | question=Find the average of 44, 26, 80, 12, 98, 51, 46. | option_a=52 | option_b=50 | option_c=53 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = $357 \div 7 = 51$.

id=6237 | topic=Averages | difficulty=Easy | question=Find the average of 83, 55, 16, 70. | option_a=57 | option_b=55 | option_c=56 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = $224 \div 4 = 56$.

id=6238 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=50 | option_d=25 | answer=D | explanation=Speed = distance ÷ time = $150 \div 6 = 25$ km/h.

id=6239 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:6 and the first is 49, what is the second? | option_a=49 | option_b=36 | option_c=42 | option_d=91 | answer=C | explanation=Scale factor = $49/7 = 7$. Therefore second quantity = $6 \times 7 = 42$.

id=6240 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=29 | option_c=48 | option_d=19 | answer=A | explanation=Speed = distance ÷ time = $240 \div 10 = 24$ km/h.

Aptitude Questions — Records 6,241-6,270 of 100,000

id=6241 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=6242 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 18, 27, 39? | option_a=27 | option_b=18 | option_c=39 | option_d=9 | answer=C | explanation=The first three numbers increase by 9, so the next should be 36. Therefore 39 is the odd one out.

id=6243 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 31, 41, 53? | option_a=53 | option_b=21 | option_c=41 | option_d=31 | answer=A | explanation=The first three numbers increase by 10, so the next should be 51. Therefore 53 is the odd one out.

id=6244 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=F | option_c=D | option_d=G | answer=B | explanation=Move 1 positions forward from E; the resulting letter is F.

id=6245 | topic=Percentages | difficulty=Easy | question=What is 30% of 566? | option_a=164 | option_b=169 | option_c=189 | option_d=338 | answer=B | explanation=30% of 566 = (30/100) × 566 = 169.

id=6246 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=50 | option_b=38 | option_c=62 | option_d=51 | answer=A | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=6247 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=15 | option_b=13 | option_c=16 | option_d=17 | answer=A | explanation=The common difference is 2. Therefore the next term is 13 + 2 = 15.

id=6248 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:16 and the first is 9, what is the second? | option_a=153 | option_b=145 | option_c=128 | option_d=144 | answer=D | explanation=Scale factor = 9/1 = 9. Therefore second quantity = 16×9 = 144.

id=6249 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4535. If it is sold at a profit of 5%, what is its selling price? | option_a=5214 | option_b=4308 | option_c=4540 | option_d=4761 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4535 × 105/100 = █4761.

id=6250 | topic=Percentages | difficulty=Easy | question=What is 15% of 1600? | option_a=480 | option_b=240 | option_c=230 | option_d=250 | answer=B | explanation=15% of 1600 = (15/100) × 1600 = 240.

id=6251 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=6 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=6252 | topic=Profit & Loss | difficulty=Easy | question=An article costs █339. If it is sold at a profit of 50%, what is its selling price? | option_a=475 | option_b=508 | option_c=389 | option_d=541 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 339 × 150/100 = █508.

id=6253 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 15. | option_a=72 | option_b=180 | option_c=60 | option_d=45 | answer=C | explanation=LCM × HCF = 12×15; HCF(12,15) = 3, so LCM = 60.

id=6254 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 21? | option_a=15 | option_b=12 | option_c=21 | option_d=9 | answer=C | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 21 is the odd one out.

id=6255 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3264. If it is sold at a profit of 10%, what is its selling price? | option_a=3274 | option_b=3264 | option_c=3590 | option_d=3916 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3264 × 110/100 = █3590.

id=6256 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=25 | option_c=40 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=6257 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:13 and the first is 42, what is the second? | option_a=185 | option_b=224 | option_c=182 | option_d=169 | answer=C | explanation=Scale factor = 42/3 = 14. Therefore second quantity = 13×14 = 182.

id=6258 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 22? | option_a=18 | option_b=22 | option_c=16 | option_d=14 | answer=B | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 22 is the odd one out.

id=6259 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3358. If it is sold at a profit of 50%, what is its selling price? | option_a=3408 | option_b=4702 | option_c=5037 | option_d=5372 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3358 × 150/100 = █5037.

id=6260 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:9 and the first is 130, what is the second? | option_a=103 | option_b=81 | option_c=90 | option_d=220 | answer=C | explanation=Scale factor = 130/13 = 10. Therefore second quantity = 9×10 = 90.

id=6261 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=6262 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4551. If it is sold at a profit of 10%, what is its selling price? | option_a=4551 | option_b=5461 | option_c=4561 | option_d=5006 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4551 × 110/100 = █5006.

id=6263 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40850 at 4% per annum for 5 years. | option_a=49020 | option_b=8170 | option_c=8270 | option_d=8070 | answer=B | explanation=SI = PRT/100 = 40850×4×5/100 = █8170.

id=6264 | topic=Profit & Loss | difficulty=Easy | question=An article costs █878. If it is sold at a profit of 50%, what is its selling price? | option_a=928 | option_b=1404 | option_c=1230 | option_d=1317 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 878 × 150/100 = █1317.

id=6265 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=6266 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 29, 36, 45? | option_a=36 | option_b=45 | option_c=22 | option_d=29 | answer=B | explanation=The first three numbers increase by 7, so the next should be 43. Therefore 45 is the odd one out.

id=6267 | topic=Averages | difficulty=Easy | question=Find the average of 61, 90, 69, 50, 91, 89. | option_a=77 | option_b=75 | option_c=76 | option_d=74 | answer=B | explanation=Average = sum of values ÷ number of values = 450 ÷ 6 = 75.

id=6268 | topic=Percentages | difficulty=Easy | question=What is 15% of 1725? | option_a=258 | option_b=278 | option_c=516 | option_d=248 | answer=A | explanation=15% of 1725 = (15/100) × 1725 = 258.

id=6269 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=80 | option_c=35 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=6270 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:7 and the first is 88, what is the second? | option_a=67 | option_b=144 | option_c=56 | option_d=49 | answer=C | explanation=Scale factor = 88/11 = 8. Therefore second quantity = 7×8 = 56.

Aptitude Questions — Records 6,271-6,300 of 100,000

id=6271 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:18 and the first is 140, what is the second? | option_a=108 | option_b=266 | option_c=146 | option_d=126 | answer=D | explanation=Scale factor = 140/20 = 7. Therefore second quantity = 18×7 = 126.

id=6272 | topic=Percentages | difficulty=Easy | question=What is 12% of 98? | option_a=11 | option_b=22 | option_c=21 | option_d=1 | answer=A | explanation=12% of 98 = (12/100) × 98 = 11.

id=6273 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=33 | option_b=40 | option_c=45 | option_d=39 | answer=D | explanation=The common difference is 6. Therefore the next term is 33 + 6 = 39.

id=6274 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 13, 20, 28? | option_a=13 | option_b=20 | option_c=6 | option_d=28 | answer=D | explanation=The first three numbers increase by 7, so the next should be 27. Therefore 28 is the odd one out.

id=6275 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=H | option_c=I | option_d=F | answer=B | explanation=Move 1 positions forward from G; the resulting letter is H.

id=6276 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3988. If it is sold at a profit of 15%, what is its selling price? | option_a=4984 | option_b=4188 | option_c=4586 | option_d=4003 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3988 × 115/100 = █4586.

id=6277 | topic=Percentages | difficulty=Easy | question=What is 5% of 1164? | option_a=116 | option_b=78 | option_c=48 | option_d=58 | answer=D | explanation=5% of 1164 = (5/100) × 1164 = 58.

id=6278 | topic=Profit & Loss | difficulty=Easy | question=An article costs █979. If it is sold at a profit of 15%, what is its selling price? | option_a=1222 | option_b=1125 | option_c=994 | option_d=1028 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 979 × 115/100 = █1125.

id=6279 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:8 and the first is 30, what is the second? | option_a=24 | option_b=16 | option_c=34 | option_d=54 | answer=A | explanation=Scale factor = 30/10 = 3. Therefore second quantity = 8×3 = 24.

id=6280 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 4. | option_a=8 | option_b=18 | option_c=24 | option_d=12 | answer=D | explanation=LCM × HCF = 6×4; HCF(6,4) = 2, so LCM = 12.

id=6281 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3415. If it is sold at a profit of 10%, what is its selling price? | option_a=4097 | option_b=3425 | option_c=3415 | option_d=3756 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3415 × 110/100 = █3756.

id=6282 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=K | option_c=S | option_d=W | answer=C | explanation=Move 4 positions forward from O; the resulting letter is S.

id=6283 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6586 at 6% per annum for 2 years. | option_a=690 | option_b=790 | option_c=890 | option_d=7376 | answer=B | explanation=SI = PRT/100 = 6586×6×2/100 = █790.

id=6284 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=N | option_c=Q | option_d=P | answer=D | explanation=Move 1 positions forward from O; the resulting letter is P.

id=6285 | topic=Percentages | difficulty=Easy | question=What is 30% of 1966? | option_a=589 | option_b=579 | option_c=609 | option_d=1178 | answer=A | explanation=30% of 1966 = (30/100) × 1966 = 589.

id=6286 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:10 and the first is 68, what is the second? | option_a=170 | option_b=160 | option_c=238 | option_d=174 | answer=A | explanation=Scale factor = 68/4 = 17. Therefore second quantity = 10×17 = 170.

id=6287 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=6288 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=77 | option_c=67 | option_d=144 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=6289 | topic=Averages | difficulty=Easy | question=Find the average of 21, 59, 90, 59, 14, 38, 30, 97. | option_a=51 | option_b=53 | option_c=50 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 408 ÷ 8 = 51.

id=6290 | topic=Percentages | difficulty=Easy | question=What is 20% of 254? | option_a=100 | option_b=70 | option_c=30 | option_d=50 | answer=D | explanation=20% of 254 = (20/100) × 254 = 50.

id=6291 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=J | option_c=X | option_d=F | answer=D | explanation=Move 4 positions forward from B; the resulting letter is F.

id=6292 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=63 | option_b=50 | option_c=62 | option_d=74 | answer=C | explanation=The common difference is 12. Therefore the next term is 50 + 12 = 62.

id=6293 | topic=Percentages | difficulty=Easy | question=What is 20% of 1382? | option_a=276 | option_b=266 | option_c=552 | option_d=286 | answer=A | explanation=20% of 1382 = (20/100) × 1382 = 276.

id=6294 | topic=Profit & Loss | difficulty=Easy | question=An article costs █849. If it is sold at a profit of 30%, what is its selling price? | option_a=1187 | option_b=1103 | option_c=879 | option_d=1019 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 849 × 130/100 = █1103.

id=6295 | topic=Averages | difficulty=Easy | question=Find the average of 21, 60, 26, 97, 84, 97, 14. | option_a=58 | option_b=56 | option_c=57 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 399 ÷ 7 = 57.

id=6296 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=6297 | topic=Percentages | difficulty=Easy | question=What is 50% of 1954? | option_a=982 | option_b=1954 | option_c=967 | option_d=977 | answer=D | explanation=50% of 1954 = (50/100) × 1954 = 977.

id=6298 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:9 and the first is 140, what is the second? | option_a=171 | option_b=180 | option_c=320 | option_d=187 | answer=B | explanation=Scale factor = 140/7 = 20. Therefore second quantity = 9×20 = 180.

id=6299 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=55 | option_c=45 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=6300 | topic=Averages | difficulty=Easy | question=Find the average of 72, 28, 47, 99, 43, 22, 102. | option_a=59 | option_b=58 | option_c=60 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 413 ÷ 7 = 59.

Aptitude Questions — Records 6,301-6,330 of 100,000

id=6301 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7182 at 15% per annum for 5 years. | option_a=5386 | option_b=5486 | option_c=5286 | option_d=12568 | answer=A | explanation=SI = $PRT/100 = 7182 \times 15 \times 5/100 =$ **■**5386.

id=6302 | topic=Averages | difficulty=Easy | question=Find the average of 89, 62, 47. | option_a=65 | option_b=66 | option_c=67 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = $198 \div 3 = 66$.

id=6303 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=28 | option_b=24 | option_c=20 | option_d=25 | answer=B | explanation=The common difference is 4. Therefore the next term is $20 + 4 = 24$.

id=6304 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:16 and the first is 34, what is the second? | option_a=32 | option_b=66 | option_c=16 | option_d=49 | answer=A | explanation=Scale factor = $34/17 = 2$. Therefore second quantity = $16 \times 2 = 32$.

id=6305 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3545. If it is sold at a profit of 15%, what is its selling price? | option_a=3560 | option_b=4430 | option_c=3722 | option_d=4076 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3545 \times 115/100 =$ **■**4076.

id=6306 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = $180 \div 6 = 30$ km/h.

id=6307 | topic=Averages | difficulty=Easy | question=Find the average of 23, 33, 53, 76, 22, 27. | option_a=39 | option_b=38 | option_c=40 | option_d=41 | answer=A | explanation=Average = sum of values ÷ number of values = $234 \div 6 = 39$.

id=6308 | topic=Averages | difficulty=Easy | question=Find the average of 20, 42, 23, 89, 66, 42, 43. | option_a=45 | option_b=44 | option_c=46 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = $315 \div 7 = 45$.

id=6309 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9457 at 6% per annum for 4 years. | option_a=2269 | option_b=2369 | option_c=2169 | option_d=11726 | answer=A | explanation=SI = $PRT/100 = 9457 \times 6 \times 4/100 =$ **■**2269.

id=6310 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3476. If it is sold at a profit of 15%, what is its selling price? | option_a=3491 | option_b=3650 | option_c=4344 | option_d=3997 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3476 \times 115/100 =$ **■**3997.

id=6311 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3879. If it is sold at a profit of 10%, what is its selling price? | option_a=3879 | option_b=4266 | option_c=3889 | option_d=4653 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3879 \times 110/100 =$ **■**4266.

id=6312 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=U | option_b=X | option_c=O | option_d=R | answer=A | explanation=Move 3 positions forward from R; the resulting letter is U.

id=6313 | topic=Percentages | difficulty=Easy | question=What is 25% of 1507? | option_a=752 | option_b=356 | option_c=381 | option_d=376 | answer=D | explanation=25% of 1507 = $(25/100) \times 1507 = 376$.

id=6314 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:17 and the first is 33, what is the second? | option_a=51 | option_b=34 | option_c=62 | option_d=84 | answer=A | explanation=Scale factor = $33/11 = 3$. Therefore second quantity = $17 \times 3 = 51$.

id=6315 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:15 and the first is 324, what is the second? | option_a=288 | option_b=594 | option_c=270 | option_d=255 | answer=C | explanation=Scale factor = $324/18 = 18$. Therefore second quantity = $15 \times 18 = 270$.

id=6316 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 28, 33, 39? | option_a=39 | option_b=28 | option_c=33 | option_d=23 | answer=A | explanation=The first three numbers increase by 5, so the next should be 38. Therefore 39 is the odd one out.

id=6317 | topic=Percentages | difficulty=Easy | question=What is 50% of 1064? | option_a=532 | option_b=537 | option_c=1064 | option_d=527 | answer=A | explanation=50% of 1064 = $(50/100) \times 1064 = 532$.

id=6318 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 21? | option_a=15 | option_b=7 | option_c=21 | option_d=11 | answer=C | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 21 is the odd one out.

id=6319 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 22, 25, 30? | option_a=19 | option_b=25 | option_c=22 | option_d=30 | answer=D | explanation=The first three numbers increase by 3, so the next should be 28. Therefore 30 is the odd one out.

id=6320 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=23 | option_c=13 | option_d=36 | answer=A | explanation=Speed = distance ÷ time = $90 \div 5 = 18$ km/h.

id=6321 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:4 and the first is 140, what is the second? | option_a=54 | option_b=36 | option_c=180 | option_d=40 | answer=D | explanation=Scale factor = $140/14 = 10$. Therefore second quantity = $4 \times 10 = 40$.

id=6322 | topic=Percentages | difficulty=Easy | question=What is 10% of 1389? | option_a=148 | option_b=118 | option_c=138 | option_d=276 | answer=C | explanation=10% of 1389 = $(10/100) \times 1389 = 138$.

id=6323 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=K | option_b=F | option_c=P | option_d=A | answer=A | explanation=Move 5 positions forward from F; the resulting letter is K.

id=6324 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:1 and the first is 90, what is the second? | option_a=5 | option_b=4 | option_c=95 | option_d=23 | answer=A | explanation=Scale factor = $90/18 = 5$. Therefore second quantity = $1 \times 5 = 5$.

id=6325 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1209. If it is sold at a profit of 50%, what is its selling price? | option_a=1933 | option_b=1813 | option_c=1693 | option_d=1259 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1209 \times 150/100 =$ **■**1813.

id=6326 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=160 | option_c=75 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = $240 \div 3 = 80$ km/h.

id=6327 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=R | option_b=U | option_c=L | option_d=O | answer=A | explanation=Move 3 positions forward from O; the resulting letter is R.

id=6328 | topic=Percentages | difficulty=Easy | question=What is 50% of 1918? | option_a=1918 | option_b=939 | option_c=959 | option_d=964 | answer=C | explanation=50% of 1918 = $(50/100) \times 1918 = 959$.

id=6329 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38104 at 12% per annum for 1 years. | option_a=4472 | option_b=4572 | option_c=4672 | option_d=42676 | answer=B | explanation=SI = $PRT/100 = 38104 \times 12 \times 1/100 =$ **■**4572.

id=6330 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=49 | option_b=43 | option_c=42 | option_d=35 | answer=C | explanation=The common difference is 7. Therefore the next term is $35 + 7 = 42$.

Aptitude Questions — Records 6,331-6,360 of 100,000

id=6331 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=45 | option_b=36 | option_c=54 | option_d=46 | answer=A | explanation=The common difference is 9. Therefore the next term is 36 + 9 = 45.

id=6332 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**28260 at 12% per annum for 3 years. | option_a=10273 | option_b=10073 | option_c=10173 | option_d=38433 | answer=C | explanation=SI = $PRT/100 = 28260 \times 12 \times 3/100 = \text{₹}10173$.

id=6333 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**16597 at 10% per annum for 4 years. | option_a=23235 | option_b=6638 | option_c=6738 | option_d=6538 | answer=B | explanation=SI = $PRT/100 = 16597 \times 10 \times 4/100 = \text{₹}6638$.

id=6334 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 9, 16, 26? | option_a=2 | option_b=16 | option_c=9 | option_d=26 | answer=D | explanation=The first three numbers increase by 7, so the next should be 23. Therefore 26 is the odd one out.

id=6335 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 59? | option_a=26 | option_b=36 | option_c=46 | option_d=59 | answer=D | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 59 is the odd one out.

id=6336 | topic=Percentages | difficulty=Easy | question=What is 25% of 50? | option_a=12 | option_b=24 | option_c=2 | option_d=17 | answer=A | explanation=25% of 50 = $(25/100) \times 50 = 12$.

id=6337 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 34, 43, 55? | option_a=43 | option_b=55 | option_c=34 | option_d=25 | answer=B | explanation=The first three numbers increase by 9, so the next should be 52. Therefore 55 is the odd one out.

id=6338 | topic=Percentages | difficulty=Easy | question=What is 15% of 1910? | option_a=291 | option_b=276 | option_c=572 | option_d=286 | answer=D | explanation=15% of 1910 = $(15/100) \times 1910 = 286$.

id=6339 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=6340 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=6341 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 21, 23, 25, ? | option_a=29 | option_b=25 | option_c=27 | option_d=28 | answer=C | explanation=The common difference is 2. Therefore the next term is 25 + 2 = 27.

id=6342 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=52 | option_b=62 | option_c=51 | option_d=40 | answer=C | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=6343 | topic=Averages | difficulty=Easy | question=Find the average of 78, 40, 49, 84, 31, 100, 59, 39. | option_a=60 | option_b=61 | option_c=59 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = $480 \div 8 = 60$.

id=6344 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=47 | option_b=33 | option_c=41 | option_d=40 | answer=D | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.

id=6345 | topic=Averages | difficulty=Easy | question=Find the average of 56, 56, 77, 74, 54, 73. | option_a=67 | option_b=65 | option_c=64 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = $390 \div 6 = 65$.

id=6346 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:7 and the first is 234, what is the second? | option_a=119 | option_b=360 | option_c=139 | option_d=126 | answer=D | explanation=Scale factor = $234/13 = 18$. Therefore second quantity = $7 \times 18 = 126$.

id=6347 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=U | option_b=V | option_c=S | option_d=T | answer=A | explanation=Move 1 positions forward from T; the resulting letter is U.

id=6348 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=150 | option_c=70 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = $150 \div 2 = 75$ km/h.

id=6349 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2327. If it is sold at a profit of 5%, what is its selling price? | option_a=2332 | option_b=2675 | option_c=2443 | option_d=2211 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2327 \times 105/100 = \text{₹}2443$.

id=6350 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 12. | option_a=240 | option_b=60 | option_c=48 | option_d=80 | answer=B | explanation= $LCM \times HCF = 20 \times 12$; $HCF(20,12) = 4$, so LCM = 60.

id=6351 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**31421 at 10% per annum for 5 years. | option_a=47131 | option_b=15610 | option_c=15810 | option_d=15710 | answer=D | explanation=SI = $PRT/100 = 31421 \times 10 \times 5/100 = \text{₹}15710$.

id=6352 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:3 and the first is 72, what is the second? | option_a=9 | option_b=84 | option_c=30 | option_d=12 | answer=D | explanation=Scale factor = $72/18 = 4$. Therefore second quantity = $3 \times 4 = 12$.

id=6353 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 34? | option_a=34 | option_b=10 | option_c=24 | option_d=17 | answer=A | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 34 is the odd one out.

id=6354 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:9 and the first is 57, what is the second? | option_a=46 | option_b=84 | option_c=18 | option_d=27 | answer=D | explanation=Scale factor = $57/19 = 3$. Therefore second quantity = $9 \times 3 = 27$.

id=6355 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=6356 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=41 | option_c=72 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = $360 \div 10 = 36$ km/h.

id=6357 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:11 and the first is 112, what is the second? | option_a=183 | option_b=176 | option_c=288 | option_d=165 | answer=B | explanation=Scale factor = $112/7 = 16$. Therefore second quantity = $11 \times 16 = 176$.

id=6358 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=X | option_c=R | option_d=T | answer=A | explanation=Move 2 positions forward from T; the resulting letter is V.

id=6359 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=X | option_b=I | option_c=N | option_d=S | answer=D | explanation=Move 5 positions forward from N; the resulting letter is S.

id=6360 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2880. If it is sold at a profit of 10%, what is its selling price? | option_a=2880 | option_b=2890 | option_c=3168 | option_d=3456 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2880 \times 110/100 = \text{₹}3168$.

Aptitude Questions — Records 6,361-6,390 of 100,000

id=6361 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■18904 at 12% per annum for 2 years. | option_a=4536 | option_b=4636 | option_c=23440 | option_d=4436 | answer=A | explanation=SI = PRT/100 = 18904×12×2/100 = ■4536.

id=6362 | topic=Percentages | difficulty=Easy | question=What is 25% of 327? | option_a=162 | option_b=61 | option_c=86 | option_d=81 | answer=D | explanation=25% of 327 = (25/100) × 327 = 81.

id=6363 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■21202 at 12% per annum for 3 years. | option_a=7532 | option_b=7732 | option_c=7632 | option_d=28834 | answer=C | explanation=SI = PRT/100 = 21202×12×3/100 = ■7632.

id=6364 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■19826 at 10% per annum for 4 years. | option_a=7930 | option_b=7830 | option_c=8030 | option_d=27756 | answer=A | explanation=SI = PRT/100 = 19826×10×4/100 = ■7930.

id=6365 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=6366 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=A | option_c=C | option_d=D | answer=C | explanation=Move 1 positions forward from B; the resulting letter is C.

id=6367 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=L | option_b=U | option_c=O | option_d=R | answer=D | explanation=Move 3 positions forward from O; the resulting letter is R.

id=6368 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:2 and the first is 30, what is the second? | option_a=42 | option_b=10 | option_c=12 | option_d=17 | answer=C | explanation=Scale factor = 30/5 = 6. Therefore second quantity = 2×6 = 12.

id=6369 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=85 | option_c=90 | option_d=180 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=6370 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=6371 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=120 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=6372 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 20, 28, 39? | option_a=28 | option_b=12 | option_c=39 | option_d=20 | answer=C | explanation=The first three numbers increase by 8, so the next should be 36. Therefore 39 is the odd one out.

id=6373 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=6374 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:16 and the first is 85, what is the second? | option_a=165 | option_b=64 | option_c=80 | option_d=97 | answer=C | explanation=Scale factor = 85/17 = 5. Therefore second quantity = 16×5 = 80.

id=6375 | topic=Percentages | difficulty=Easy | question=What is 25% of 409? | option_a=102 | option_b=112 | option_c=92 | option_d=204 | answer=A | explanation=25% of 409 = (25/100) × 409 = 102.

id=6376 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=55 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=6377 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■39336 at 6% per annum for 5 years. | option_a=11800 | option_b=51136 | option_c=11900 | option_d=11700 | answer=A | explanation=SI = PRT/100 = 39336×6×5/100 = ■11800.

id=6378 | topic=Percentages | difficulty=Easy | question=What is 10% of 637? | option_a=126 | option_b=63 | option_c=83 | option_d=43 | answer=B | explanation=10% of 637 = (10/100) × 637 = 63.

id=6379 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=100 | option_c=200 | option_d=105 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=6380 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=16 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=6381 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■12676 at 10% per annum for 5 years. | option_a=6438 | option_b=19014 | option_c=6238 | option_d=6338 | answer=D | explanation=SI = PRT/100 = 12676×10×5/100 = ■6338.

id=6382 | topic=Averages | difficulty=Easy | question=Find the average of 46, 19, 88, 95, 92. | option_a=67 | option_b=68 | option_c=69 | option_d=70 | answer=B | explanation=Average = sum of values ÷ number of values = 340 ÷ 5 = 68.

id=6383 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4358. If it is sold at a profit of 5%, what is its selling price? | option_a=4363 | option_b=5010 | option_c=4140 | option_d=4575 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4358 × 105/100 = ■4575.

id=6384 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 27. | option_a=189 | option_b=216 | option_c=240 | option_d=648 | answer=B | explanation=LCM × HCF = 24×27; HCF(24,27) = 3, so LCM = 216.

id=6385 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=6386 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=S | option_b=X | option_c=I | option_d=N | answer=A | explanation=Move 5 positions forward from N; the resulting letter is S.

id=6387 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=56 | option_b=57 | option_c=68 | option_d=44 | answer=A | explanation=The common difference is 12. Therefore the next term is 44 + 12 = 56.

id=6388 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 37? | option_a=24 | option_b=19 | option_c=37 | option_d=29 | answer=C | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 37 is the odd one out.

id=6389 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=H | option_b=C | option_c=X | option_d=M | answer=A | explanation=Move 5 positions forward from C; the resulting letter is H.

id=6390 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:17 and the first is 33, what is the second? | option_a=62 | option_b=84 | option_c=51 | option_d=34 | answer=C | explanation=Scale factor = 33/11 = 3. Therefore second quantity = 17×3 = 51.

Aptitude Questions — Records 6,391-6,420 of 100,000

id=6391 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 27, 39, 51, ? | option_a=75 | option_b=64 | option_c=63 | option_d=51 | answer=C | explanation=The common difference is 12. Therefore the next term is 51 + 12 = 63.

id=6392 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 20. | option_a=168 | option_b=560 | option_c=120 | option_d=140 | answer=D | explanation= $\text{LCM} \times \text{HCF} = 28 \times 20$; $\text{HCF}(28,20) = 4$, so $\text{LCM} = 140$.

id=6393 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation= $\text{Speed} = \text{distance} \div \text{time} = 90 \div 3 = 30 \text{ km/h}$.

id=6394 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=95 | option_c=180 | option_d=90 | answer=D | explanation= $\text{Speed} = \text{distance} \div \text{time} = 360 \div 4 = 90 \text{ km/h}$.

id=6395 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=45 | option_d=80 | answer=A | explanation= $\text{Speed} = \text{distance} \div \text{time} = 240 \div 6 = 40 \text{ km/h}$.

id=6396 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=19 | option_c=48 | option_d=24 | answer=D | explanation= $\text{Speed} = \text{distance} \div \text{time} = 120 \div 5 = 24 \text{ km/h}$.

id=6397 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 9. | option_a=36 | option_b=9 | option_c=18 | option_d=162 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 18 \times 9$; $\text{HCF}(18,9) = 9$, so $\text{LCM} = 18$.

id=6398 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 29, 34, 41? | option_a=24 | option_b=34 | option_c=41 | option_d=29 | answer=C | explanation=The first three numbers increase by 5, so the next should be 39. Therefore 41 is the odd one out.

id=6399 | topic=Averages | difficulty=Easy | question=Find the average of 51, 84, 32, 35, 32, 57, 101. | option_a=57 | option_b=58 | option_c=55 | option_d=56 | answer=D | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 392 \div 7 = 56$.

id=6400 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:11 and the first is 204, what is the second? | option_a=110 | option_b=85 | option_c=90 | option_d=187 | answer=D | explanation= $\text{Scale factor} = 204/12 = 17$. Therefore second quantity = $11 \times 17 = 187$.

id=6401 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on $\blacksquare$ 46839 at 8% per annum for 3 years. | option_a=11141 | option_b=11241 | option_c=58080 | option_d=11341 | answer=B | explanation= $\text{SI} = \text{PRT}/100 = 46839 \times 8 \times 3/100 = \blacksquare$ 11241.

id=6402 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:5 and the first is 360, what is the second? | option_a=110 | option_b=85 | option_c=90 | option_d=450 | answer=C | explanation= $\text{Scale factor} = 360/20 = 18$. Therefore second quantity = $5 \times 18 = 90$.

id=6403 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 3. | option_a=72 | option_b=21 | option_c=24 | option_d=48 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 24 \times 3$; $\text{HCF}(24,3) = 3$, so $\text{LCM} = 24$.

id=6404 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 22. | option_a=120 | option_b=88 | option_c=220 | option_d=110 | answer=D | explanation= $\text{LCM} \times \text{HCF} = 10 \times 22$; $\text{HCF}(10,22) = 2$, so $\text{LCM} = 110$.

id=6405 | topic=Percentages | difficulty=Easy | question=What is 5% of 828? | option_a=31 | option_b=61 | option_c=41 | option_d=82 | answer=C | explanation=5% of 828 = $(5/100) \times 828 = 41$.

id=6406 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:7 and the first is 70, what is the second? | option_a=77 | option_b=63 | option_c=70 | option_d=140 | answer=C | explanation= $\text{Scale factor} = 70/7 = 10$. Therefore second quantity = $7 \times 10 = 70$.

id=6407 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=Q | option_c=M | option_d=K | answer=A | explanation=Move 2 positions forward from M; the resulting letter is O.

id=6408 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation= $\text{Combined rate} = 1/6 + 1/3 = 9/18$. $\text{Time} = 18/9 = 2 \text{ days}$.

id=6409 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 31, 43, 55, ? | option_a=79 | option_b=55 | option_c=67 | option_d=68 | answer=C | explanation=The common difference is 12. Therefore the next term is $55 + 12 = 67$.

id=6410 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation= $\text{Speed} = \text{distance} \div \text{time} = 120 \div 2 = 60 \text{ km/h}$.

id=6411 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:12 and the first is 40, what is the second? | option_a=68 | option_b=48 | option_c=60 | option_d=100 | answer=C | explanation= $\text{Scale factor} = 40/8 = 5$. Therefore second quantity = $12 \times 5 = 60$.

id=6412 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=W | option_b=H | option_c=R | option_d=M | answer=C | explanation=Move 5 positions forward from M; the resulting letter is R.

id=6413 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=T | option_b=E | option_c=O | option_d=J | answer=C | explanation=Move 5 positions forward from J; the resulting letter is O.

id=6414 | topic=Percentages | difficulty=Easy | question=What is 12% of 1347? | option_a=161 | option_b=322 | option_c=181 | option_d=156 | answer=A | explanation=12% of 1347 = $(12/100) \times 1347 = 161$.

id=6415 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on $\blacksquare$ 12040 at 6% per annum for 1 years. | option_a=722 | option_b=822 | option_c=12762 | option_d=622 | answer=A | explanation= $\text{SI} = \text{PRT}/100 = 12040 \times 6 \times 1/100 = \blacksquare$ 722.

id=6416 | topic=Averages | difficulty=Easy | question=Find the average of 61, 19, 25. | option_a=37 | option_b=35 | option_c=34 | option_d=36 | answer=B | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 105 \div 3 = 35$.

id=6417 | topic=Percentages | difficulty=Easy | question=What is 25% of 595? | option_a=148 | option_b=128 | option_c=296 | option_d=168 | answer=A | explanation=25% of 595 = $(25/100) \times 595 = 148$.

id=6418 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=J | option_b=D | option_c=H | option_d=F | answer=C | explanation=Move 2 positions forward from F; the resulting letter is H.

id=6419 | topic=Percentages | difficulty=Easy | question=What is 25% of 1590? | option_a=377 | option_b=794 | option_c=397 | option_d=407 | answer=C | explanation=25% of 1590 = $(25/100) \times 1590 = 397$.

id=6420 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=96 | option_c=43 | option_d=53 | answer=A | explanation= $\text{Speed} = \text{distance} \div \text{time} = 240 \div 5 = 48 \text{ km/h}$.

Aptitude Questions — Records 6,421-6,450 of 100,000

id=6421 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=31 | option_b=32 | option_c=28 | option_d=34 | answer=A | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=6422 | topic=Averages | difficulty=Easy | question=Find the average of 48, 77, 59, 84, 81, 15, 15, 54, 56, 81. | option_a=59 | option_b=56 | option_c=57 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.

id=6423 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■27611 at 12% per annum for 4 years. | option_a=40864 | option_b=13353 | option_c=13153 | option_d=13253 | answer=D | explanation=SI = PRT/100 = 27611×12×4/100 = ■13253.

id=6424 | topic=Percentages | difficulty=Easy | question=What is 20% of 672? | option_a=124 | option_b=144 | option_c=268 | option_d=134 | answer=D | explanation=20% of 672 = (20/100) × 672 = 134.

id=6425 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=10 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=6426 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=45 | option_c=35 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=6427 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=6428 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14235 at 5% per annum for 3 years. | option_a=2035 | option_b=16370 | option_c=2135 | option_d=2235 | answer=C | explanation=SI = PRT/100 = 14235×5×3/100 = ■2135.

id=6429 | topic=Averages | difficulty=Easy | question=Find the average of 17, 61, 42. | option_a=41 | option_b=42 | option_c=39 | option_d=40 | answer=D | explanation=Average = sum of values ÷ number of values = 120 ÷ 3 = 40.

id=6430 | topic=Percentages | difficulty=Easy | question=What is 30% of 1742? | option_a=542 | option_b=1044 | option_c=512 | option_d=522 | answer=D | explanation=30% of 1742 = (30/100) × 1742 = 522.

id=6431 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=6432 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=A | option_b=J | option_c=D | option_d=G | answer=D | explanation=Move 3 positions forward from D; the resulting letter is G.

id=6433 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=G | option_b=P | option_c=M | option_d=J | answer=C | explanation=Move 3 positions forward from J; the resulting letter is M.

id=6434 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:5 and the first is 140, what is the second? | option_a=55 | option_b=175 | option_c=35 | option_d=30 | answer=C | explanation=Scale factor = 140/20 = 7. Therefore second quantity = 5×7 = 35.

id=6435 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■16167 at 12% per annum for 2 years. | option_a=3980 | option_b=3780 | option_c=20047 | option_d=3880 | answer=D | explanation=SI = PRT/100 = 16167×12×2/100 = ■3880.

id=6436 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1662. If it is sold at a profit of 15%, what is its selling price? | option_a=2077 | option_b=1911 | option_c=1745 | option_d=1677 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1662 × 115/100 = ■1911.

id=6437 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 27, 31, 37? | option_a=27 | option_b=37 | option_c=31 | option_d=23 | answer=B | explanation=The first three numbers increase by 4, so the next should be 35. Therefore 37 is the odd one out.

id=6438 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=O | option_b=A | option_c=S | option_d=W | answer=D | explanation=Move 4 positions forward from S; the resulting letter is W.

id=6439 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=10 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=6440 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=6441 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=6442 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2353. If it is sold at a profit of 5%, what is its selling price? | option_a=2235 | option_b=2358 | option_c=2470 | option_d=2705 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2353 × 105/100 = ■2470.

id=6443 | topic=Percentages | difficulty=Easy | question=What is 5% of 1273? | option_a=58 | option_b=63 | option_c=126 | option_d=73 | answer=B | explanation=5% of 1273 = (5/100) × 1273 = 63.

id=6444 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■32795 at 5% per annum for 1 years. | option_a=1639 | option_b=34434 | option_c=1739 | option_d=1539 | answer=A | explanation=SI = PRT/100 = 32795×5×1/100 = ■1639.

id=6445 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■28616 at 4% per annum for 4 years. | option_a=4478 | option_b=4578 | option_c=33194 | option_d=4678 | answer=B | explanation=SI = PRT/100 = 28616×4×4/100 = ■4578.

id=6446 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=30 | option_b=36 | option_c=31 | option_d=24 | answer=A | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.

id=6447 | topic=Averages | difficulty=Easy | question=Find the average of 98, 48, 34, 74, 31. | option_a=59 | option_b=56 | option_c=58 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.

id=6448 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■39928 at 5% per annum for 2 years. | option_a=43920 | option_b=3892 | option_c=3992 | option_d=4092 | answer=C | explanation=SI = PRT/100 = 39928×5×2/100 = ■3992.

id=6449 | topic=Averages | difficulty=Easy | question=Find the average of 35, 74, 51, 32. | option_a=47 | option_b=50 | option_c=48 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 192 ÷ 4 = 48.

id=6450 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=26 | option_b=34 | option_c=35 | option_d=42 | answer=B | explanation=The common difference is 8. Therefore the next term is 26 + 8 = 34.

Aptitude Questions — Records 6,451-6,480 of 100,000

- id=6451 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=20 | option_b=17 | option_c=21 | option_d=19 | answer=D | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.
- id=6452 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1507. If it is sold at a profit of 25%, what is its selling price? | option_a=2033 | option_b=1532 | option_c=1883 | option_d=1733 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1507 × 125/100 = █1883.
- id=6453 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=30 | option_b=31 | option_c=36 | option_d=24 | answer=A | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.
- id=6454 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=K | option_b=F | option_c=A | option_d=V | answer=B | explanation=Move 5 positions forward from A; the resulting letter is F.
- id=6455 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=M | option_c=K | option_d=L | answer=B | explanation=Move 1 positions forward from L; the resulting letter is M.
- id=6456 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 13, 18, 23, ? | option_a=23 | option_b=28 | option_c=33 | option_d=29 | answer=B | explanation=The common difference is 5. Therefore the next term is 23 + 5 = 28.
- id=6457 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.
- id=6458 | topic=Averages | difficulty=Easy | question=Find the average of 75, 92, 84, 56, 89, 20, 88, 12, 53, 41. | option_a=63 | option_b=62 | option_c=60 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 610 ÷ 10 = 61.
- id=6459 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=180 | option_c=90 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.
- id=6460 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=115 | option_c=120 | option_d=125 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.
- id=6461 | topic=Percentages | difficulty=Easy | question=What is 40% of 61? | option_a=4 | option_b=29 | option_c=24 | option_d=48 | answer=C | explanation=40% of 61 = (40/100) × 61 = 24.
- id=6462 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=51 | option_b=52 | option_c=61 | option_d=41 | answer=A | explanation=The common difference is 10. Therefore the next term is 41 + 10 = 51.
- id=6463 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:12 and the first is 105, what is the second? | option_a=72 | option_b=189 | option_c=99 | option_d=84 | answer=D | explanation=Scale factor = 105/15 = 7. Therefore second quantity = 12×7 = 84.
- id=6464 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.
- id=6465 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=42 | option_b=54 | option_c=55 | option_d=66 | answer=B | explanation=The common difference is 12. Therefore the next term is 42 + 12 = 54.
- id=6466 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22819 at 15% per annum for 2 years. | option_a=6845 | option_b=6945 | option_c=29664 | option_d=6745 | answer=A | explanation=SI = PRT/100 = 22819×15×2/100 = █6845.
- id=6467 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=D | option_c=C | option_d=E | answer=D | explanation=Move 1 positions forward from D; the resulting letter is E.
- id=6468 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=6 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=6469 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=Y | option_b=P | option_c=S | option_d=V | answer=D | explanation=Move 3 positions forward from S; the resulting letter is V.
- id=6470 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=44 | option_b=32 | option_c=38 | option_d=39 | answer=C | explanation=The common difference is 6. Therefore the next term is 32 + 6 = 38.
- id=6471 | topic=Averages | difficulty=Easy | question=Find the average of 44, 31, 46, 51, 35, 29, 13, 65, 55. | option_a=42 | option_b=41 | option_c=43 | option_d=40 | answer=B | explanation=Average = sum of values ÷ number of values = 369 ÷ 9 = 41.
- id=6472 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27737 at 12% per annum for 1 years. | option_a=31065 | option_b=3428 | option_c=3328 | option_d=3228 | answer=C | explanation=SI = PRT/100 = 27737×12×1/100 = █3328.
- id=6473 | topic=Percentages | difficulty=Easy | question=What is 15% of 1474? | option_a=442 | option_b=231 | option_c=221 | option_d=216 | answer=C | explanation=15% of 1474 = (15/100) × 1474 = 221.
- id=6474 | topic=Averages | difficulty=Easy | question=Find the average of 15, 87, 18, 52. | option_a=44 | option_b=43 | option_c=42 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = 172 ÷ 4 = 43.
- id=6475 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=V | option_b=K | option_c=F | option_d=A | answer=C | explanation=Move 5 positions forward from A; the resulting letter is F.
- id=6476 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11717 at 6% per annum for 2 years. | option_a=1406 | option_b=1306 | option_c=1506 | option_d=13123 | answer=A | explanation=SI = PRT/100 = 11717×6×2/100 = █1406.
- id=6477 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:18 and the first is 240, what is the second? | option_a=528 | option_b=270 | option_c=303 | option_d=288 | answer=D | explanation=Scale factor = 240/15 = 16. Therefore second quantity = 18×16 = 288.
- id=6478 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=C | option_b=Y | option_c=Q | option_d=U | answer=B | explanation=Move 4 positions forward from U; the resulting letter is Y.
- id=6479 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 31? | option_a=15 | option_b=31 | option_c=20 | option_d=25 | answer=B | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 31 is the odd one out.
- id=6480 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 4. | option_a=54 | option_b=72 | option_c=32 | option_d=36 | answer=D | explanation=LCM × HCF = 18×4; HCF(18,4) = 2, so LCM = 36.

Aptitude Questions — Records 6,481-6,510 of 100,000

id=6481 | topic=Percentages | difficulty=Easy | question=What is 12% of 273? | option_a=64 | option_b=22 | option_c=42 | option_d=32 | answer=D | explanation=12% of 273 = $(12/100) \times 273 = 32$.

id=6482 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=23 | option_b=31 | option_c=28 | option_d=27 | answer=D | explanation=The common difference is 4. Therefore the next term is $23 + 4 = 27$.

id=6483 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:1 and the first is 38, what is the second? | option_a=40 | option_b=2 | option_c=21 | option_d=1 | answer=B | explanation=Scale factor = $38/19 = 2$. Therefore second quantity = $1 \times 2 = 2$.

id=6484 | topic=Percentages | difficulty=Easy | question=What is 5% of 1397? | option_a=138 | option_b=69 | option_c=64 | option_d=79 | answer=B | explanation=5% of 1397 = $(5/100) \times 1397 = 69$.

id=6485 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:6 and the first is 38, what is the second? | option_a=31 | option_b=12 | option_c=50 | option_d=6 | answer=B | explanation=Scale factor = $38/19 = 2$. Therefore second quantity = $6 \times 2 = 12$.

id=6486 | topic=Percentages | difficulty=Easy | question=What is 30% of 1510? | option_a=463 | option_b=906 | option_c=453 | option_d=448 | answer=C | explanation=30% of 1510 = $(30/100) \times 1510 = 453$.

id=6487 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**583. If it is sold at a profit of 50%, what is its selling price? | option_a=633 | option_b=932 | option_c=816 | option_d=874 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 583 \times 150/100 = \text{■}874$.

id=6488 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=G | option_c=F | option_d=H | answer=D | explanation=Move 1 positions forward from G; the resulting letter is H.

id=6489 | topic=Percentages | difficulty=Easy | question=What is 10% of 494? | option_a=49 | option_b=59 | option_c=29 | option_d=98 | answer=A | explanation=10% of 494 = $(10/100) \times 494 = 49$.

id=6490 | topic=Percentages | difficulty=Easy | question=What is 30% of 842? | option_a=242 | option_b=252 | option_c=257 | option_d=504 | answer=B | explanation=30% of 842 = $(30/100) \times 842 = 252$.

id=6491 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:9 and the first is 72, what is the second? | option_a=153 | option_b=162 | option_c=234 | option_d=166 | answer=B | explanation=Scale factor = $72/4 = 18$. Therefore second quantity = $9 \times 18 = 162$.

id=6492 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=155 | option_c=150 | option_d=145 | answer=C | explanation=Speed = distance ÷ time = $300 \div 2 = 150$ km/h.

id=6493 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31004 at 8% per annum for 1 years. | option_a=2380 | option_b=33484 | option_c=2480 | option_d=2580 | answer=C | explanation=SI = $PRT/100 = 31004 \times 8 \times 1/100 = \text{■}2480$.

id=6494 | topic=Averages | difficulty=Easy | question=Find the average of 24, 23, 52, 25, 25, 20, 100, 65, 35. | option_a=40 | option_b=42 | option_c=41 | option_d=43 | answer=C | explanation=Average = sum of values ÷ number of values = $369 \div 9 = 41$.

id=6495 | topic=Averages | difficulty=Easy | question=Find the average of 88, 34, 43, 24, 14, 60, 23, 98. | option_a=47 | option_b=48 | option_c=49 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = $384 \div 8 = 48$.

id=6496 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=M | option_b=I | option_c=Q | option_d=E | answer=A | explanation=Move 4 positions forward from I; the resulting letter is M.

id=6497 | topic=Averages | difficulty=Easy | question=Find the average of 99, 14, 73, 38. | option_a=57 | option_b=55 | option_c=56 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = $224 \div 4 = 56$.

id=6498 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1451 at 8% per annum for 2 years. | option_a=332 | option_b=232 | option_c=1683 | option_d=132 | answer=B | explanation=SI = $PRT/100 = 1451 \times 8 \times 2/100 = \text{■}232$.

id=6499 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 42? | option_a=28 | option_b=42 | option_c=34 | option_d=22 | answer=B | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 42 is the odd one out.

id=6500 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 45? | option_a=34 | option_b=18 | option_c=26 | option_d=45 | answer=D | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 45 is the odd one out.

id=6501 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=Q | option_b=W | option_c=U | option_d=S | answer=C | explanation=Move 2 positions forward from S; the resulting letter is U.

id=6502 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=6503 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=W | option_c=S | option_d=Y | answer=B | explanation=Move 2 positions forward from U; the resulting letter is W.

id=6504 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = $180 \div 6 = 30$ km/h.

id=6505 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=D | option_b=M | option_c=J | option_d=G | answer=C | explanation=Move 3 positions forward from G; the resulting letter is J.

id=6506 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=6507 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=X | option_c=P | option_d=B | answer=B | explanation=Move 4 positions forward from T; the resulting letter is X.

id=6508 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**407. If it is sold at a profit of 30%, what is its selling price? | option_a=569 | option_b=489 | option_c=437 | option_d=529 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 407 \times 130/100 = \text{■}529$.

id=6509 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 28. | option_a=90 | option_b=168 | option_c=84 | option_d=56 | answer=C | explanation=LCM $\times$ HCF = 6×28 ; $HCF(6,28) = 2$, so LCM = 84.

id=6510 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

Aptitude Questions — Records 6,511-6,540 of 100,000

id=6511 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=I | option_b=Q | option_c=M | option_d=U | answer=B | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=6512 | topic=Percentages | difficulty=Easy | question=What is 5% of 1060? | option_a=33 | option_b=53 | option_c=106 | option_d=73 | answer=B | explanation=5% of 1060 = (5/100) × 1060 = 53.

id=6513 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 39? | option_a=21 | option_b=31 | option_c=39 | option_d=26 | answer=C | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 39 is the odd one out.

id=6514 | topic=Averages | difficulty=Easy | question=Find the average of 55, 68, 83, 34. | option_a=61 | option_b=62 | option_c=59 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 240 ÷ 4 = 60.

id=6515 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=D | option_c=L | option_d=P | answer=C | explanation=Move 4 positions forward from H; the resulting letter is L.

id=6516 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=H | option_c=E | option_d=G | answer=D | explanation=Move 1 positions forward from F; the resulting letter is G.

id=6517 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=24 | option_b=21 | option_c=25 | option_d=27 | answer=A | explanation=The common difference is 3. Therefore the next term is 21 + 3 = 24.

id=6518 | topic=Percentages | difficulty=Easy | question=What is 50% of 1855? | option_a=937 | option_b=907 | option_c=927 | option_d=1854 | answer=C | explanation=50% of 1855 = (50/100) × 1855 = 927.

id=6519 | topic=Percentages | difficulty=Easy | question=What is 20% of 1185? | option_a=474 | option_b=237 | option_c=217 | option_d=242 | answer=B | explanation=20% of 1185 = (20/100) × 1185 = 237.

id=6520 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=55 | option_b=43 | option_c=67 | option_d=56 | answer=A | explanation=The common difference is 12. Therefore the next term is 43 + 12 = 55.

id=6521 | topic=Averages | difficulty=Easy | question=Find the average of 12, 77, 63, 39, 36, 37, 84, 86, 97. | option_a=61 | option_b=60 | option_c=59 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 531 ÷ 9 = 59.

id=6522 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=6523 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=Y | option_b=H | option_c=B | option_d=E | answer=D | explanation=Move 3 positions forward from B; the resulting letter is E.

id=6524 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 16? | option_a=10 | option_b=16 | option_c=12 | option_d=8 | answer=B | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 16 is the odd one out.

id=6525 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=26 | option_b=27 | option_c=28 | option_d=24 | answer=A | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.

id=6526 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:3 and the first is 200, what is the second? | option_a=70 | option_b=260 | option_c=60 | option_d=57 | answer=C | explanation=Scale factor = 200/10 = 20. Therefore second quantity = 3×20 = 60.

id=6527 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:14 and the first is 28, what is the second? | option_a=42 | option_b=63 | option_c=56 | option_d=84 | answer=C | explanation=Scale factor = 28/7 = 4. Therefore second quantity = 14×4 = 56.

id=6528 | topic=Percentages | difficulty=Easy | question=What is 12% of 1481? | option_a=354 | option_b=157 | option_c=197 | option_d=177 | answer=D | explanation=12% of 1481 = (12/100) × 1481 = 177.

id=6529 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4861. If it is sold at a profit of 10%, what is its selling price? | option_a=4871 | option_b=5833 | option_c=4861 | option_d=5347 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4861 × 110/100 = █5347.

id=6530 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=39 | option_b=34 | option_c=44 | option_d=40 | answer=A | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

id=6531 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=17 | option_b=23 | option_c=22 | option_d=27 | answer=C | explanation=The common difference is 5. Therefore the next term is 17 + 5 = 22.

id=6532 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 20. | option_a=1 | option_b=30 | option_c=200 | option_d=20 | answer=D | explanation=LCM × HCF = 10×20; HCF(10,20) = 10, so LCM = 20.

id=6533 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=6534 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 21? | option_a=16 | option_b=14 | option_c=18 | option_d=21 | answer=D | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 21 is the odd one out.

id=6535 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=6536 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 18. | option_a=20 | option_b=1 | option_c=36 | option_d=18 | answer=D | explanation=LCM × HCF = 2×18; HCF(2,18) = 2, so LCM = 18.

id=6537 | topic=Percentages | difficulty=Easy | question=What is 40% of 474? | option_a=209 | option_b=184 | option_c=378 | option_d=189 | answer=D | explanation=40% of 474 = (40/100) × 474 = 189.

id=6538 | topic=Averages | difficulty=Easy | question=Find the average of 10, 74, 29, 40, 42. | option_a=38 | option_b=41 | option_c=40 | option_d=39 | answer=D | explanation=Average = sum of values ÷ number of values = 195 ÷ 5 = 39.

id=6539 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=46 | option_b=35 | option_c=57 | option_d=47 | answer=A | explanation=The common difference is 11. Therefore the next term is 35 + 11 = 46.

id=6540 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 26, 33, 41? | option_a=26 | option_b=41 | option_c=19 | option_d=33 | answer=B | explanation=The first three numbers increase by 7, so the next should be 40. Therefore 41 is the odd one out.

Aptitude Questions — Records 6,541-6,570 of 100,000

- id=6541 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=38 | option_b=29 | option_c=47 | option_d=39 | answer=A | explanation=The common difference is 9. Therefore the next term is 29 + 9 = 38.
- id=6542 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:2 and the first is 200, what is the second? | option_a=20 | option_b=220 | option_c=18 | option_d=40 | answer=A | explanation=Scale factor = 200/20 = 10. Therefore second quantity = 2×10 = 20.
- id=6543 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=L | option_b=N | option_c=M | option_d=O | answer=B | explanation=Move 1 positions forward from M; the resulting letter is N.
- id=6544 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46184 at 5% per annum for 4 years. | option_a=9136 | option_b=9336 | option_c=9236 | option_d=55420 | answer=C | explanation=SI = PRT/100 = 46184×5×4/100 = █9236.
- id=6545 | topic=Profit & Loss | difficulty=Easy | question=An article costs █252. If it is sold at a profit of 30%, what is its selling price? | option_a=352 | option_b=327 | option_c=282 | option_d=302 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 252 × 130/100 = █327.
- id=6546 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48459 at 8% per annum for 1 years. | option_a=3876 | option_b=52335 | option_c=3776 | option_d=3976 | answer=A | explanation=SI = PRT/100 = 48459×8×1/100 = █3876.
- id=6547 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=6548 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.
- id=6549 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 16? | option_a=16 | option_b=3 | option_c=11 | option_d=7 | answer=A | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 16 is the odd one out.
- id=6550 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.
- id=6551 | topic=Averages | difficulty=Easy | question=Find the average of 39, 58, 92, 92, 14, 89, 17, 75, 52, 72. | option_a=62 | option_b=61 | option_c=60 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.
- id=6552 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=56 | option_b=38 | option_c=47 | option_d=48 | answer=C | explanation=The common difference is 9. Therefore the next term is 38 + 9 = 47.
- id=6553 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 29, 34, 42? | option_a=24 | option_b=34 | option_c=42 | option_d=29 | answer=C | explanation=The first three numbers increase by 5, so the next should be 39. Therefore 42 is the odd one out.
- id=6554 | topic=Percentages | difficulty=Easy | question=What is 20% of 374? | option_a=74 | option_b=94 | option_c=69 | option_d=148 | answer=A | explanation=20% of 374 = (20/100) × 374 = 74.
- id=6555 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14281 at 6% per annum for 4 years. | option_a=3327 | option_b=17708 | option_c=3527 | option_d=3427 | answer=D | explanation=SI = PRT/100 = 14281×6×4/100 = █3427.
- id=6556 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8298 at 15% per annum for 4 years. | option_a=4878 | option_b=4978 | option_c=5078 | option_d=13276 | answer=B | explanation=SI = PRT/100 = 8298×15×4/100 = █4978.
- id=6557 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 29, 37, 46? | option_a=29 | option_b=21 | option_c=37 | option_d=46 | answer=D | explanation=The first three numbers increase by 8, so the next should be 45. Therefore 46 is the odd one out.
- id=6558 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=6559 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:20 and the first is 180, what is the second? | option_a=370 | option_b=340 | option_c=360 | option_d=540 | answer=C | explanation=Scale factor = 180/10 = 18. Therefore second quantity = 20×18 = 360.
- id=6560 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=43 | option_b=35 | option_c=42 | option_d=49 | answer=C | explanation=The common difference is 7. Therefore the next term is 35 + 7 = 42.
- id=6561 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2922. If it is sold at a profit of 20%, what is its selling price? | option_a=3214 | option_b=2942 | option_c=3798 | option_d=3506 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2922 × 120/100 = █3506.
- id=6562 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 21. | option_a=240 | option_b=630 | option_c=189 | option_d=210 | answer=D | explanation=LCM × HCF = 30×21; HCF(30,21) = 3, so LCM = 210.
- id=6563 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:16 and the first is 306, what is the second? | option_a=305 | option_b=272 | option_c=288 | option_d=594 | answer=C | explanation=Scale factor = 306/17 = 18. Therefore second quantity = 16×18 = 288.
- id=6564 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=20 | option_c=10 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.
- id=6565 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.
- id=6566 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=36 | option_c=13 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.
- id=6567 | topic=Averages | difficulty=Easy | question=Find the average of 81, 76, 23, 48, 93, 72, 100, 49, 28, 60. | option_a=65 | option_b=62 | option_c=64 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 630 ÷ 10 = 63.
- id=6568 | topic=Averages | difficulty=Easy | question=Find the average of 15, 35, 86, 55, 99. | option_a=59 | option_b=60 | option_c=57 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 290 ÷ 5 = 58.
- id=6569 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 15. | option_a=90 | option_b=75 | option_c=108 | option_d=270 | answer=A | explanation=LCM × HCF = 18×15; HCF(18,15) = 3, so LCM = 90.
- id=6570 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

Aptitude Questions — Records 6,571-6,600 of 100,000

id=6571 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Q | option_b=C | option_c=U | option_d=Y | answer=D | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=6572 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=6573 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:12 and the first is 12, what is the second? | option_a=51 | option_b=48 | option_c=36 | option_d=60 | answer=B | explanation=Scale factor = 12/3 = 4. Therefore second quantity = 12×4 = 48.

id=6574 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41358 at 6% per annum for 4 years. | option_a=10025 | option_b=9925 | option_c=9825 | option_d=51283 | answer=B | explanation=SI = PRT/100 = 41358×6×4/100 = █9925.

id=6575 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=N | option_b=S | option_c=I | option_d=D | answer=A | explanation=Move 5 positions forward from I; the resulting letter is N.

id=6576 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=D | option_c=P | option_d=H | answer=A | explanation=Move 4 positions forward from H; the resulting letter is L.

id=6577 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3734. If it is sold at a profit of 15%, what is its selling price? | option_a=4294 | option_b=4667 | option_c=3921 | option_d=3749 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3734 × 115/100 = █4294.

id=6578 | topic=Percentages | difficulty=Easy | question=What is 30% of 1611? | option_a=488 | option_b=473 | option_c=483 | option_d=966 | answer=C | explanation=30% of 1611 = (30/100) × 1611 = 483.

id=6579 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4978. If it is sold at a profit of 40%, what is its selling price? | option_a=7466 | option_b=5018 | option_c=6969 | option_d=6472 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4978 × 140/100 = █6969.

id=6580 | topic=Percentages | difficulty=Easy | question=What is 12% of 1740? | option_a=208 | option_b=416 | option_c=198 | option_d=218 | answer=A | explanation=12% of 1740 = (12/100) × 1740 = 208.

id=6581 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=35 | option_b=31 | option_c=27 | option_d=32 | answer=B | explanation=The common difference is 4. Therefore the next term is 27 + 4 = 31.

id=6582 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=R | option_c=N | option_d=Z | answer=A | explanation=Move 4 positions forward from R; the resulting letter is V.

id=6583 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=180 | option_c=90 | option_d=95 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=6584 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:4 and the first is 96, what is the second? | option_a=28 | option_b=32 | option_c=44 | option_d=128 | answer=B | explanation=Scale factor = 96/12 = 8. Therefore second quantity = 4×8 = 32.

id=6585 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35845 at 12% per annum for 2 years. | option_a=8602 | option_b=8502 | option_c=8702 | option_d=44447 | answer=A | explanation=SI = PRT/100 = 35845×12×2/100 = █8602.

id=6586 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=40 | option_c=15 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=6587 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30771 at 6% per annum for 3 years. | option_a=5538 | option_b=5638 | option_c=36309 | option_d=5438 | answer=A | explanation=SI = PRT/100 = 30771×6×3/100 = █5538.

id=6588 | topic=Percentages | difficulty=Easy | question=What is 20% of 529? | option_a=105 | option_b=210 | option_c=85 | option_d=125 | answer=A | explanation=20% of 529 = (20/100) × 529 = 105.

id=6589 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=120 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=6590 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=J | option_b=D | option_c=F | option_d=H | answer=D | explanation=Move 2 positions forward from F; the resulting letter is H.

id=6591 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 12. | option_a=12 | option_b=36 | option_c=15 | option_d=1 | answer=A | explanation=LCM × HCF = 3×12; HCF(3,12) = 3, so LCM = 12.

id=6592 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=6593 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 26, 33, 43? | option_a=43 | option_b=33 | option_c=26 | option_d=19 | answer=A | explanation=The first three numbers increase by 7, so the next should be 40. Therefore 43 is the odd one out.

id=6594 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2993. If it is sold at a profit of 20%, what is its selling price? | option_a=3591 | option_b=3890 | option_c=3013 | option_d=3292 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2993 × 120/100 = █3591.

id=6595 | topic=Averages | difficulty=Easy | question=Find the average of 26, 84, 91. | option_a=68 | option_b=67 | option_c=66 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 201 ÷ 3 = 67.

id=6596 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 32? | option_a=18 | option_b=32 | option_c=24 | option_d=12 | answer=B | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 32 is the odd one out.

id=6597 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41323 at 15% per annum for 3 years. | option_a=59918 | option_b=18495 | option_c=18695 | option_d=18595 | answer=D | explanation=SI = PRT/100 = 41323×15×3/100 = █18595.

id=6598 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 45? | option_a=34 | option_b=18 | option_c=26 | option_d=45 | answer=D | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 45 is the odd one out.

id=6599 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=6600 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 5. | option_a=5 | option_b=25 | option_c=10 | option_d=1 | answer=A | explanation=LCM × HCF = 5×5; HCF(5,5) = 5, so LCM = 5.

Aptitude Questions — Records 6,601-6,630 of 100,000

id=6601 | topic=Averages | difficulty=Easy | question=Find the average of 78, 20, 53, 62, 25, 61, 30, 18, 72, 41. | option_a=45 | option_b=46 | option_c=47 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 460 ÷ 10 = 46.

id=6602 | topic=Averages | difficulty=Easy | question=Find the average of 35, 18, 47, 12, 99, 91, 37, 19, 82, 100. | option_a=56 | option_b=53 | option_c=55 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

id=6603 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=6 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=6604 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4214. If it is sold at a profit of 15%, what is its selling price? | option_a=4846 | option_b=4425 | option_c=4229 | option_d=5267 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4214 × 115/100 = █4846.

id=6605 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=23 | option_b=24 | option_c=27 | option_d=19 | answer=A | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=6606 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=N | option_c=V | option_d=Z | answer=C | explanation=Move 4 positions forward from R; the resulting letter is V.

id=6607 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3314. If it is sold at a profit of 50%, what is its selling price? | option_a=3364 | option_b=5302 | option_c=4640 | option_d=4971 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3314 × 150/100 = █4971.

id=6608 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 46? | option_a=46 | option_b=30 | option_c=37 | option_d=23 | answer=A | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 46 is the odd one out.

id=6609 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 17, 21, 26? | option_a=13 | option_b=21 | option_c=26 | option_d=17 | answer=C | explanation=The first three numbers increase by 4, so the next should be 25. Therefore 26 is the odd one out.

id=6610 | topic=Percentages | difficulty=Easy | question=What is 15% of 1657? | option_a=243 | option_b=248 | option_c=496 | option_d=258 | answer=B | explanation=15% of 1657 = (15/100) × 1657 = 248.

id=6611 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:9 and the first is 66, what is the second? | option_a=120 | option_b=54 | option_c=65 | option_d=45 | answer=B | explanation=Scale factor = 66/11 = 6. Therefore second quantity = 9×6 = 54.

id=6612 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2933. If it is sold at a profit of 30%, what is its selling price? | option_a=2963 | option_b=3519 | option_c=3812 | option_d=4105 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2933 × 130/100 = █3812.

id=6613 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 27? | option_a=5 | option_b=12 | option_c=27 | option_d=19 | answer=C | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 27 is the odd one out.

id=6614 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=6615 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1816. If it is sold at a profit of 10%, what is its selling price? | option_a=1997 | option_b=1816 | option_c=2178 | option_d=1826 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1816 × 110/100 = █1997.

id=6616 | topic=Averages | difficulty=Easy | question=Find the average of 34, 61, 47, 30, 54, 56. | option_a=46 | option_b=48 | option_c=49 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 282 ÷ 6 = 47.

id=6617 | topic=Averages | difficulty=Easy | question=Find the average of 98, 32, 21, 14, 22, 35. | option_a=37 | option_b=39 | option_c=38 | option_d=36 | answer=A | explanation=Average = sum of values ÷ number of values = 222 ÷ 6 = 37.

id=6618 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 26. | option_a=312 | option_b=130 | option_c=168 | option_d=156 | answer=D | explanation=LCM × HCF = 12×26; HCF(12,26) = 2, so LCM = 156.

id=6619 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 25, 34, 43, ? | option_a=61 | option_b=43 | option_c=53 | option_d=52 | answer=D | explanation=The common difference is 9. Therefore the next term is 43 + 9 = 52.

id=6620 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=20 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=6621 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=G | option_c=P | option_d=M | answer=D | explanation=Move 3 positions forward from J; the resulting letter is M.

id=6622 | topic=Averages | difficulty=Easy | question=Find the average of 62, 67, 34, 82, 30. | option_a=54 | option_b=57 | option_c=56 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 275 ÷ 5 = 55.

id=6623 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:19 and the first is 55, what is the second? | option_a=264 | option_b=209 | option_c=190 | option_d=214 | answer=B | explanation=Scale factor = 55/5 = 11. Therefore second quantity = 19×11 = 209.

id=6624 | topic=Profit & Loss | difficulty=Easy | question=An article costs █833. If it is sold at a profit of 15%, what is its selling price? | option_a=957 | option_b=848 | option_c=1040 | option_d=874 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 833 × 115/100 = █957.

id=6625 | topic=Averages | difficulty=Easy | question=Find the average of 16, 65, 87, 94, 71, 79, 31, 21. | option_a=58 | option_b=60 | option_c=57 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 464 ÷ 8 = 58.

id=6626 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8776 at 4% per annum for 2 years. | option_a=802 | option_b=602 | option_c=9478 | option_d=702 | answer=D | explanation=SI = PRT/100 = 8776×4×2/100 = █702.

id=6627 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=33 | option_b=43 | option_c=39 | option_d=38 | answer=D | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.

id=6628 | topic=Percentages | difficulty=Easy | question=What is 25% of 1649? | option_a=412 | option_b=824 | option_c=432 | option_d=402 | answer=A | explanation=25% of 1649 = (25/100) × 1649 = 412.

id=6629 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3660. If it is sold at a profit of 5%, what is its selling price? | option_a=4209 | option_b=3843 | option_c=3477 | option_d=3665 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3660 × 105/100 = █3843.

id=6630 | topic=Averages | difficulty=Easy | question=Find the average of 49, 13, 10. | option_a=24 | option_b=25 | option_c=26 | option_d=23 | answer=A | explanation=Average = sum of values ÷ number of values = 72 ÷ 3 = 24.

Aptitude Questions — Records 6,631-6,660 of 100,000

id=6631 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=6632 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1080. If it is sold at a profit of 30%, what is its selling price? | option_a=1404 | option_b=1512 | option_c=1110 | option_d=1296 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1080 × 130/100 = █1404.

id=6633 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=51 | option_b=61 | option_c=39 | option_d=50 | answer=D | explanation=The common difference is 11. Therefore the next term is 39 + 11 = 50.

id=6634 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=60 | option_b=49 | option_c=38 | option_d=50 | answer=B | explanation=The common difference is 11. Therefore the next term is 38 + 11 = 49.

id=6635 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=19 | option_b=24 | option_c=29 | option_d=25 | answer=B | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.

id=6636 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=6637 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 27, 32, 39? | option_a=22 | option_b=32 | option_c=27 | option_d=39 | answer=D | explanation=The first three numbers increase by 5, so the next should be 37. Therefore 39 is the odd one out.

id=6638 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3545. If it is sold at a profit of 5%, what is its selling price? | option_a=3368 | option_b=4076 | option_c=3550 | option_d=3722 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3545 × 105/100 = █3722.

id=6639 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=O | option_b=C | option_c=G | option_d=K | answer=D | explanation=Move 4 positions forward from G; the resulting letter is K.

id=6640 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:20 and the first is 77, what is the second? | option_a=227 | option_b=220 | option_c=297 | option_d=200 | answer=B | explanation=Scale factor = 77/7 = 11. Therefore second quantity = 20×11 = 220.

id=6641 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=D | option_b=I | option_c=N | option_d=S | answer=C | explanation=Move 5 positions forward from I; the resulting letter is N.

id=6642 | topic=Percentages | difficulty=Easy | question=What is 30% of 56? | option_a=32 | option_b=21 | option_c=16 | option_d=11 | answer=C | explanation=30% of 56 = (30/100) × 56 = 16.

id=6643 | topic=Averages | difficulty=Easy | question=Find the average of 55, 38, 33. | option_a=44 | option_b=42 | option_c=43 | option_d=41 | answer=B | explanation=Average = sum of values ÷ number of values = 126 ÷ 3 = 42.

id=6644 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:18 and the first is 342, what is the second? | option_a=684 | option_b=324 | option_c=360 | option_d=342 | answer=D | explanation=Scale factor = 342/18 = 19. Therefore second quantity = 18×19 = 342.

id=6645 | topic=Percentages | difficulty=Easy | question=What is 30% of 592? | option_a=177 | option_b=354 | option_c=187 | option_d=157 | answer=A | explanation=30% of 592 = (30/100) × 592 = 177.

id=6646 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3413. If it is sold at a profit of 20%, what is its selling price? | option_a=4095 | option_b=3433 | option_c=3754 | option_d=4436 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3413 × 120/100 = █4095.

id=6647 | topic=Percentages | difficulty=Easy | question=What is 25% of 1777? | option_a=464 | option_b=888 | option_c=444 | option_d=434 | answer=C | explanation=25% of 1777 = (25/100) × 1777 = 444.

id=6648 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=Q | option_b=W | option_c=U | option_d=S | answer=C | explanation=Move 2 positions forward from S; the resulting letter is U.

id=6649 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=Y | option_c=A | option_d=C | answer=D | explanation=Move 2 positions forward from A; the resulting letter is C.

id=6650 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=6651 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5751 at 10% per annum for 3 years. | option_a=1825 | option_b=1725 | option_c=1625 | option_d=7476 | answer=B | explanation=SI = PRT/100 = 5751×10×3/100 = █1725.

id=6652 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:20 and the first is 70, what is the second? | option_a=270 | option_b=200 | option_c=180 | option_d=207 | answer=B | explanation=Scale factor = 70/7 = 10. Therefore second quantity = 20×10 = 200.

id=6653 | topic=Percentages | difficulty=Easy | question=What is 50% of 1673? | option_a=836 | option_b=816 | option_c=1672 | option_d=856 | answer=A | explanation=50% of 1673 = (50/100) × 1673 = 836.

id=6654 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 27. | option_a=486 | option_b=54 | option_c=27 | option_d=72 | answer=B | explanation=LCM × HCF = 18×27; HCF(18,27) = 9, so LCM = 54.

id=6655 | topic=Averages | difficulty=Easy | question=Find the average of 13, 37, 67, 70, 36, 20, 29, 16, 57, 85. | option_a=43 | option_b=44 | option_c=42 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 430 ÷ 10 = 43.

id=6656 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 31? | option_a=23 | option_b=18 | option_c=13 | option_d=31 | answer=D | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 31 is the odd one out.

id=6657 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 26, 36, 47? | option_a=26 | option_b=47 | option_c=36 | option_d=16 | answer=B | explanation=The first three numbers increase by 10, so the next should be 46. Therefore 47 is the odd one out.

id=6658 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=49 | option_b=62 | option_c=73 | option_d=61 | answer=D | explanation=The common difference is 12. Therefore the next term is 49 + 12 = 61.

id=6659 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=6660 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4149. If it is sold at a profit of 5%, what is its selling price? | option_a=3942 | option_b=4770 | option_c=4154 | option_d=4356 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4149 × 105/100 = █4356.

Aptitude Questions — Records 6,661-6,690 of 100,000

id=6661 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 35, 42, 51? | option_a=28 | option_b=42 | option_c=35 | option_d=51 | answer=D | explanation=The first three numbers increase by 7, so the next should be 49. Therefore 51 is the odd one out.

id=6662 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=D | option_c=M | option_d=J | answer=D | explanation=Move 3 positions forward from G; the resulting letter is J.

id=6663 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=M | option_c=I | option_d=K | answer=B | explanation=Move 2 positions forward from K; the resulting letter is M.

id=6664 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=30 | option_b=31 | option_c=34 | option_d=26 | answer=A | explanation=The common difference is 4. Therefore the next term is 26 + 4 = 30.

id=6665 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2324. If it is sold at a profit of 25%, what is its selling price? | option_a=2673 | option_b=3137 | option_c=2349 | option_d=2905 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2324 × 125/100 = █2905.

id=6666 | topic=Percentages | difficulty=Easy | question=What is 5% of 178? | option_a=3 | option_b=16 | option_c=8 | option_d=28 | answer=C | explanation=5% of 178 = (5/100) × 178 = 8.

id=6667 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39588 at 6% per annum for 1 years. | option_a=2275 | option_b=2375 | option_c=2475 | option_d=41963 | answer=B | explanation=SI = PRT/100 = 39588×6×1/100 = █2375.

id=6668 | topic=Profit & Loss | difficulty=Easy | question=An article costs █888. If it is sold at a profit of 25%, what is its selling price? | option_a=1022 | option_b=913 | option_c=1110 | option_d=1198 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 888 × 125/100 = █1110.

id=6669 | topic=Percentages | difficulty=Easy | question=What is 30% of 1276? | option_a=382 | option_b=764 | option_c=372 | option_d=402 | answer=A | explanation=30% of 1276 = (30/100) × 1276 = 382.

id=6670 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1179. If it is sold at a profit of 10%, what is its selling price? | option_a=1296 | option_b=1179 | option_c=1413 | option_d=1189 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1179 × 110/100 = █1296.

id=6671 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 11? | option_a=4 | option_b=6 | option_c=8 | option_d=11 | answer=D | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 11 is the odd one out.

id=6672 | topic=Averages | difficulty=Easy | question=Find the average of 99, 12, 25, 63, 68, 87. | option_a=59 | option_b=58 | option_c=60 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.

id=6673 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=U | option_b=M | option_c=Q | option_d=I | answer=C | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=6674 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 42? | option_a=35 | option_b=25 | option_c=42 | option_d=30 | answer=C | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 42 is the odd one out.

id=6675 | topic=Averages | difficulty=Easy | question=Find the average of 46, 60, 31, 32, 74, 12, 74. | option_a=48 | option_b=47 | option_c=49 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 329 ÷ 7 = 47.

id=6676 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=20 | option_c=30 | option_d=25 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=6677 | topic=Percentages | difficulty=Easy | question=What is 20% of 1309? | option_a=241 | option_b=522 | option_c=266 | option_d=261 | answer=D | explanation=20% of 1309 = (20/100) × 1309 = 261.

id=6678 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=6679 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 21, 25, 31? | option_a=17 | option_b=25 | option_c=31 | option_d=21 | answer=C | explanation=The first three numbers increase by 4, so the next should be 29. Therefore 31 is the odd one out.

id=6680 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=31 | option_c=41 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=6681 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=30 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=6682 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=25 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=6683 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=O | option_c=M | option_d=I | answer=C | explanation=Move 2 positions forward from K; the resulting letter is M.

id=6684 | topic=Averages | difficulty=Easy | question=Find the average of 80, 49, 28, 43, 80. | option_a=57 | option_b=56 | option_c=55 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 280 ÷ 5 = 56.

id=6685 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 21, 23, 25, ? | option_a=28 | option_b=25 | option_c=27 | option_d=29 | answer=C | explanation=The common difference is 2. Therefore the next term is 25 + 2 = 27.

id=6686 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=40 | option_b=64 | option_c=52 | option_d=53 | answer=C | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.

id=6687 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=6688 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 26. | option_a=252 | option_b=208 | option_c=468 | option_d=234 | answer=D | explanation=LCM × HCF = 18×26; HCF(18,26) = 2, so LCM = 234.

id=6689 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:13 and the first is 72, what is the second? | option_a=90 | option_b=150 | option_c=78 | option_d=65 | answer=C | explanation=Scale factor = 72/12 = 6. Therefore second quantity = 13×6 = 78.

id=6690 | topic=Averages | difficulty=Easy | question=Find the average of 27, 45, 18. | option_a=32 | option_b=29 | option_c=30 | option_d=31 | answer=C | explanation=Average = sum of values ÷ number of values = 90 ÷ 3 = 30.

Aptitude Questions — Records 6,691-6,720 of 100,000

id=6691 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1026. If it is sold at a profit of 20%, what is its selling price? | option_a=1046 | option_b=1129 | option_c=1333 | option_d=1231 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1026 × 120/100 = ■1231.

id=6692 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:6 and the first is 40, what is the second? | option_a=64 | option_b=34 | option_c=24 | option_d=18 | answer=C | explanation=Scale factor = 40/10 = 4. Therefore second quantity = 6×4 = 24.

id=6693 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=Z | option_b=P | option_c=K | option_d=U | answer=D | explanation=Move 5 positions forward from P; the resulting letter is U.

id=6694 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=T | option_c=X | option_d=R | answer=A | explanation=Move 2 positions forward from T; the resulting letter is V.

id=6695 | topic=Percentages | difficulty=Easy | question=What is 12% of 1980? | option_a=237 | option_b=247 | option_c=474 | option_d=232 | answer=A | explanation=12% of 1980 = (12/100) × 1980 = 237.

id=6696 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=24 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=6697 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=O | option_b=A | option_c=W | option_d=S | answer=C | explanation=Move 4 positions forward from S; the resulting letter is W.

id=6698 | topic=Averages | difficulty=Easy | question=Find the average of 11, 67, 98, 65, 47, 89, 89, 62. | option_a=65 | option_b=67 | option_c=66 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 528 ÷ 8 = 66.

id=6699 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=6700 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=D | option_b=F | option_c=J | option_d=H | answer=D | explanation=Move 2 positions forward from F; the resulting letter is H.

id=6701 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■32692 at 15% per annum for 1 years. | option_a=5003 | option_b=37595 | option_c=4903 | option_d=4803 | answer=C | explanation=SI = PRT/100 = 32692×15×1/100 = ■4903.

id=6702 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=45 | option_c=50 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=6703 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:7 and the first is 40, what is the second? | option_a=28 | option_b=43 | option_c=35 | option_d=75 | answer=C | explanation=Scale factor = 40/8 = 5. Therefore second quantity = 7×5 = 35.

id=6704 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=6705 | topic=Percentages | difficulty=Easy | question=What is 10% of 1048? | option_a=109 | option_b=208 | option_c=104 | option_d=84 | answer=C | explanation=10% of 1048 = (10/100) × 1048 = 104.

id=6706 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3131. If it is sold at a profit of 50%, what is its selling price? | option_a=5009 | option_b=4383 | option_c=4696 | option_d=3181 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3131 × 150/100 = ■4696.

id=6707 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=18 | option_b=28 | option_c=23 | option_d=24 | answer=C | explanation=The common difference is 5. Therefore the next term is 18 + 5 = 23.

id=6708 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=G | option_b=L | option_c=Q | option_d=V | answer=C | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=6709 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=6710 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 25, 27, 31? | option_a=23 | option_b=31 | option_c=25 | option_d=27 | answer=B | explanation=The first three numbers increase by 2, so the next should be 29. Therefore 31 is the odd one out.

id=6711 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4177. If it is sold at a profit of 25%, what is its selling price? | option_a=4202 | option_b=5221 | option_c=5638 | option_d=4804 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4177 × 125/100 = ■5221.

id=6712 | topic=Percentages | difficulty=Easy | question=What is 40% of 369? | option_a=294 | option_b=157 | option_c=147 | option_d=127 | answer=C | explanation=40% of 369 = (40/100) × 369 = 147.

id=6713 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:15 and the first is 64, what is the second? | option_a=120 | option_b=105 | option_c=128 | option_d=184 | answer=A | explanation=Scale factor = 64/8 = 8. Therefore second quantity = 15×8 = 120.

id=6714 | topic=Percentages | difficulty=Easy | question=What is 20% of 636? | option_a=147 | option_b=117 | option_c=127 | option_d=254 | answer=C | explanation=20% of 636 = (20/100) × 636 = 127.

id=6715 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 29? | option_a=18 | option_b=24 | option_c=21 | option_d=29 | answer=D | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 29 is the odd one out.

id=6716 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 16. | option_a=48 | option_b=32 | option_c=384 | option_d=72 | answer=A | explanation=LCM × HCF = 24×16; HCF(24,16) = 8, so LCM = 48.

id=6717 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=6718 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 9. | option_a=270 | option_b=90 | option_c=81 | option_d=120 | answer=B | explanation=LCM × HCF = 30×9; HCF(30,9) = 3, so LCM = 90.

id=6719 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=A | option_b=Q | option_c=L | option_d=V | answer=D | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=6720 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:7 and the first is 48, what is the second? | option_a=84 | option_b=88 | option_c=132 | option_d=77 | answer=A | explanation=Scale factor = 48/4 = 12. Therefore second quantity = 7×12 = 84.

Aptitude Questions — Records 6,721-6,750 of 100,000

- id=6721 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.
- id=6722 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 27. | option_a=567 | option_b=162 | option_c=210 | option_d=189 | answer=D | explanation=LCM × HCF = 21×27; HCF(21,27) = 3, so LCM = 189.
- id=6723 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=H | option_b=E | option_c=Y | option_d=B | answer=B | explanation=Move 3 positions forward from B; the resulting letter is E.
- id=6724 | topic=Percentages | difficulty=Easy | question=What is 10% of 90? | option_a=4 | option_b=18 | option_c=19 | option_d=9 | answer=D | explanation=10% of 90 = (10/100) × 90 = 9.
- id=6725 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31851 at 5% per annum for 3 years. | option_a=36628 | option_b=4677 | option_c=4777 | option_d=4877 | answer=C | explanation=SI = PRT/100 = 31851×5×3/100 = █4777.
- id=6726 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=40 | option_b=47 | option_c=54 | option_d=48 | answer=B | explanation=The common difference is 7. Therefore the next term is 40 + 7 = 47.
- id=6727 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:12 and the first is 26, what is the second? | option_a=158 | option_b=156 | option_c=182 | option_d=144 | answer=B | explanation=Scale factor = 26/2 = 13. Therefore second quantity = 12×13 = 156.
- id=6728 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=23 | option_d=36 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.
- id=6729 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=6730 | topic=Percentages | difficulty=Easy | question=What is 10% of 613? | option_a=61 | option_b=66 | option_c=122 | option_d=51 | answer=A | explanation=10% of 613 = (10/100) × 613 = 61.
- id=6731 | topic=Percentages | difficulty=Easy | question=What is 12% of 987? | option_a=236 | option_b=118 | option_c=108 | option_d=128 | answer=B | explanation=12% of 987 = (12/100) × 987 = 118.
- id=6732 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=G | option_c=A | option_d=J | answer=B | explanation=Move 3 positions forward from D; the resulting letter is G.
- id=6733 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=42 | option_b=51 | option_c=52 | option_d=60 | answer=B | explanation=The common difference is 9. Therefore the next term is 42 + 9 = 51.
- id=6734 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.
- id=6735 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=45 | option_b=36 | option_c=44 | option_d=52 | answer=C | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.
- id=6736 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=17 | option_c=12 | option_d=7 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.
- id=6737 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=63 | option_b=74 | option_c=50 | option_d=62 | answer=D | explanation=The common difference is 12. Therefore the next term is 50 + 12 = 62.
- id=6738 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 24, 30, 38? | option_a=18 | option_b=30 | option_c=38 | option_d=24 | answer=C | explanation=The first three numbers increase by 6, so the next should be 36. Therefore 38 is the odd one out.
- id=6739 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=6740 | topic=Percentages | difficulty=Easy | question=What is 12% of 1677? | option_a=201 | option_b=181 | option_c=206 | option_d=402 | answer=A | explanation=12% of 1677 = (12/100) × 1677 = 201.
- id=6741 | topic=Percentages | difficulty=Easy | question=What is 5% of 659? | option_a=64 | option_b=27 | option_c=32 | option_d=42 | answer=C | explanation=5% of 659 = (5/100) × 659 = 32.
- id=6742 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=95 | option_c=85 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.
- id=6743 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38786 at 8% per annum for 1 years. | option_a=3102 | option_b=3202 | option_c=41888 | option_d=3002 | answer=A | explanation=SI = PRT/100 = 38786×8×1/100 = █3102.
- id=6744 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=150 | option_d=70 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.
- id=6745 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:6 and the first is 18, what is the second? | option_a=12 | option_b=24 | option_c=18 | option_d=36 | answer=C | explanation=Scale factor = 18/6 = 3. Therefore second quantity = 6×3 = 18.
- id=6746 | topic=Averages | difficulty=Easy | question=Find the average of 97, 15, 68, 68. | option_a=64 | option_b=61 | option_c=62 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = 248 ÷ 4 = 62.
- id=6747 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 22, 28, 37? | option_a=16 | option_b=37 | option_c=28 | option_d=22 | answer=B | explanation=The first three numbers increase by 6, so the next should be 34. Therefore 37 is the odd one out.
- id=6748 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.
- id=6749 | topic=Percentages | difficulty=Easy | question=What is 40% of 218? | option_a=87 | option_b=97 | option_c=67 | option_d=174 | answer=A | explanation=40% of 218 = (40/100) × 218 = 87.
- id=6750 | topic=Averages | difficulty=Easy | question=Find the average of 25, 23, 18. | option_a=21 | option_b=24 | option_c=22 | option_d=23 | answer=C | explanation=Average = sum of values ÷ number of values = 66 ÷ 3 = 22.

Aptitude Questions — Records 6,751-6,780 of 100,000

id=6751 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46025 at 10% per annum for 2 years. | option_a=55230 | option_b=9205 | option_c=9105 | option_d=9305 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{46025 \times 10 \times 2}{100} = \text{█}9205$.

id=6752 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=80 | option_d=45 | answer=A | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{120}{3} = 40 \text{ km/h}$.

id=6753 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{60}{4} = 15 \text{ km/h}$.

id=6754 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation= $\text{Combined rate} = \frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12} = 3$ days.

id=6755 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation= $\text{Combined rate} = \frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=6756 | topic=Percentages | difficulty=Easy | question=What is 10% of 320? | option_a=12 | option_b=42 | option_c=32 | option_d=64 | answer=C | explanation= $10\% \text{ of } 320 = \frac{(10/100) \times 320}{1} = 32$.

id=6757 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=27 | option_b=33 | option_c=21 | option_d=28 | answer=A | explanation=The common difference is 6. Therefore the next term is $21 + 6 = 27$.

id=6758 | topic=Profit & Loss | difficulty=Easy | question=An article costs █513. If it is sold at a profit of 15%, what is its selling price? | option_a=589 | option_b=640 | option_c=538 | option_d=528 | answer=A | explanation= $\text{Selling price} = CP \times \frac{(100 + \text{profit}\%)}{100} = 513 \times \frac{115}{100} = \text{█}589$.

id=6759 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:3 and the first is 200, what is the second? | option_a=57 | option_b=260 | option_c=70 | option_d=60 | answer=D | explanation= $\text{Scale factor} = \frac{200}{10} = 20$. Therefore second quantity = $3 \times 20 = 60$.

id=6760 | topic=Percentages | difficulty=Easy | question=What is 30% of 391? | option_a=127 | option_b=234 | option_c=117 | option_d=112 | answer=C | explanation= $30\% \text{ of } 391 = \frac{(30/100) \times 391}{1} = 117$.

id=6761 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{300}{10} = 30 \text{ km/h}$.

id=6762 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18971 at 8% per annum for 3 years. | option_a=23524 | option_b=4553 | option_c=4653 | option_d=4453 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{18971 \times 8 \times 3}{100} = \text{█}4553$.

id=6763 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:12 and the first is 72, what is the second? | option_a=66 | option_b=120 | option_c=36 | option_d=48 | answer=D | explanation= $\text{Scale factor} = \frac{72}{18} = 4$. Therefore second quantity = $12 \times 4 = 48$.

id=6764 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation= $\text{Combined rate} = \frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=6765 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10557 at 5% per annum for 5 years. | option_a=2539 | option_b=2639 | option_c=13196 | option_d=2739 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{10557 \times 5 \times 5}{100} = \text{█}2639$.

id=6766 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 13, 16, 22? | option_a=22 | option_b=13 | option_c=10 | option_d=16 | answer=A | explanation=The first three numbers increase by 3, so the next should be 19. Therefore 22 is the odd one out.

id=6767 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation= $\text{Combined rate} = \frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=6768 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{150}{5} = 30 \text{ km/h}$.

id=6769 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=39 | option_b=40 | option_c=34 | option_d=44 | answer=A | explanation=The common difference is 5. Therefore the next term is $34 + 5 = 39$.

id=6770 | topic=Percentages | difficulty=Easy | question=What is 15% of 1102? | option_a=185 | option_b=165 | option_c=160 | option_d=330 | answer=B | explanation= $15\% \text{ of } 1102 = \frac{(15/100) \times 1102}{1} = 165$.

id=6771 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=4 | option_d=20 | answer=B | explanation= $\text{Combined rate} = \frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.

id=6772 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 11, 20, 32? | option_a=32 | option_b=20 | option_c=2 | option_d=11 | answer=A | explanation=The first three numbers increase by 9, so the next should be 29. Therefore 32 is the odd one out.

id=6773 | topic=Averages | difficulty=Easy | question=Find the average of 13, 16, 34. | option_a=21 | option_b=20 | option_c=23 | option_d=22 | answer=A | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{63}{3} = 21$.

id=6774 | topic=Percentages | difficulty=Easy | question=What is 15% of 1311? | option_a=392 | option_b=186 | option_c=216 | option_d=196 | answer=D | explanation= $15\% \text{ of } 1311 = \frac{(15/100) \times 1311}{1} = 196$.

id=6775 | topic=Percentages | difficulty=Easy | question=What is 12% of 1317? | option_a=153 | option_b=316 | option_c=158 | option_d=178 | answer=C | explanation= $12\% \text{ of } 1317 = \frac{(12/100) \times 1317}{1} = 158$.

id=6776 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2269. If it is sold at a profit of 15%, what is its selling price? | option_a=2383 | option_b=2835 | option_c=2284 | option_d=2609 | answer=D | explanation= $\text{Selling price} = CP \times \frac{(100 + \text{profit}\%)}{100} = 2269 \times \frac{115}{100} = \text{█}2609$.

id=6777 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:6 and the first is 255, what is the second? | option_a=357 | option_b=102 | option_c=96 | option_d=117 | answer=B | explanation= $\text{Scale factor} = \frac{255}{15} = 17$. Therefore second quantity = $6 \times 17 = 102$.

id=6778 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=A | option_c=M | option_d=E | answer=A | explanation=Move 4 positions forward from E; the resulting letter is I.

id=6779 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:16 and the first is 90, what is the second? | option_a=330 | option_b=240 | option_c=224 | option_d=246 | answer=B | explanation= $\text{Scale factor} = \frac{90}{6} = 15$. Therefore second quantity = $16 \times 15 = 240$.

id=6780 | topic=Averages | difficulty=Easy | question=Find the average of 83, 75, 37, 28, 49, 13, 96, 70, 35. | option_a=56 | option_b=55 | option_c=53 | option_d=54 | answer=D | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{486}{9} = 54$.

Aptitude Questions — Records 6,781-6,810 of 100,000

id=6781 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=33 | option_b=27 | option_c=30 | option_d=31 | answer=C | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.

id=6782 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=24 | option_b=27 | option_c=28 | option_d=26 | answer=D | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.

id=6783 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 13, 18, 23, ? | option_a=33 | option_b=28 | option_c=23 | option_d=29 | answer=B | explanation=The common difference is 5. Therefore the next term is 23 + 5 = 28.

id=6784 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 10. | option_a=60 | option_b=30 | option_c=36 | option_d=20 | answer=B | explanation=LCM × HCF = 6×10; HCF(6,10) = 2, so LCM = 30.

id=6785 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**32713 at 6% per annum for 5 years. | option_a=42526 | option_b=9913 | option_c=9813 | option_d=9713 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{32713 \times 6 \times 5}{100} = \text{₹}9813$.

id=6786 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 27. | option_a=27 | option_b=243 | option_c=1 | option_d=36 | answer=A | explanation=LCM × HCF = 9×27; HCF(9,27) = 9, so LCM = 27.

id=6787 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**13148 at 5% per annum for 1 years. | option_a=13805 | option_b=657 | option_c=757 | option_d=557 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{13148 \times 5 \times 1}{100} = \text{₹}657$.

id=6788 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**21977 at 4% per annum for 1 years. | option_a=979 | option_b=879 | option_c=779 | option_d=22856 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{21977 \times 4 \times 1}{100} = \text{₹}879$.

id=6789 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**38139 at 8% per annum for 3 years. | option_a=9253 | option_b=47292 | option_c=9153 | option_d=9053 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{38139 \times 8 \times 3}{100} = \text{₹}9153$.

id=6790 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=S | option_c=J | option_d=P | answer=D | explanation=Move 3 positions forward from M; the resulting letter is P.

id=6791 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 18, 22, 28? | option_a=14 | option_b=22 | option_c=28 | option_d=18 | answer=C | explanation=The first three numbers increase by 4, so the next should be 26. Therefore 28 is the odd one out.

id=6792 | topic=Averages | difficulty=Easy | question=Find the average of 64, 10, 53, 69, 51, 29, 92, 83, 62. | option_a=57 | option_b=58 | option_c=56 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{513}{9} = 57$.

id=6793 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4294. If it is sold at a profit of 10%, what is its selling price? | option_a=4304 | option_b=4294 | option_c=4723 | option_d=5152 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4294 \times \frac{110}{100} = \text{₹}4723$.

id=6794 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 8. | option_a=30 | option_b=48 | option_c=16 | option_d=24 | answer=D | explanation=LCM × HCF = 6×8; HCF(6,8) = 2, so LCM = 24.

id=6795 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 18, 26, 36? | option_a=26 | option_b=10 | option_c=36 | option_d=18 | answer=C | explanation=The first three numbers increase by 8, so the next should be 34. Therefore 36 is the odd one out.

id=6796 | topic=Averages | difficulty=Easy | question=Find the average of 84, 98, 95, 75, 53, 18, 58, 68, 63. | option_a=70 | option_b=68 | option_c=69 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{612}{9} = 68$.

id=6797 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=38 | option_b=46 | option_c=54 | option_d=47 | answer=B | explanation=The common difference is 8. Therefore the next term is 38 + 8 = 46.

id=6798 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**10038 at 5% per annum for 4 years. | option_a=2007 | option_b=12045 | option_c=2107 | option_d=1907 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{10038 \times 5 \times 4}{100} = \text{₹}2007$.

id=6799 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=G | option_c=J | option_d=A | answer=B | explanation=Move 3 positions forward from D; the resulting letter is G.

id=6800 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:9 and the first is 42, what is the second? | option_a=61 | option_b=54 | option_c=96 | option_d=45 | answer=B | explanation=Scale factor = $\frac{42}{7} = 6$. Therefore second quantity = $9 \times 6 = 54$.

id=6801 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=7 | option_d=24 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{2}{12} = \frac{1}{6}$. Time = $\frac{1}{\frac{1}{6}} = 6$ days.

id=6802 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**12868 at 5% per annum for 1 years. | option_a=643 | option_b=13511 | option_c=543 | option_d=743 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{12868 \times 5 \times 1}{100} = \text{₹}643$.

id=6803 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**43317 at 4% per annum for 5 years. | option_a=8763 | option_b=8563 | option_c=8663 | option_d=51980 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{43317 \times 4 \times 5}{100} = \text{₹}8663$.

id=6804 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=T | option_b=S | option_c=U | option_d=R | answer=A | explanation=Move 1 positions forward from S; the resulting letter is T.

id=6805 | topic=Averages | difficulty=Easy | question=Find the average of 68, 51, 22, 15. | option_a=39 | option_b=41 | option_c=38 | option_d=40 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{156}{4} = 39$.

id=6806 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 19, 29, 41? | option_a=9 | option_b=29 | option_c=19 | option_d=41 | answer=D | explanation=The first three numbers increase by 10, so the next should be 39. Therefore 41 is the odd one out.

id=6807 | topic=Averages | difficulty=Easy | question=Find the average of 70, 22, 13, 48, 52. | option_a=41 | option_b=43 | option_c=40 | option_d=42 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{205}{5} = 41$.

id=6808 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1882. If it is sold at a profit of 30%, what is its selling price? | option_a=2634 | option_b=2446 | option_c=2258 | option_d=1912 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1882 \times \frac{130}{100} = \text{₹}2446$.

id=6809 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=H | option_c=J | option_d=L | answer=D | explanation=Move 2 positions forward from J; the resulting letter is L.

id=6810 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**628. If it is sold at a profit of 40%, what is its selling price? | option_a=817 | option_b=668 | option_c=879 | option_d=941 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 628 \times \frac{140}{100} = \text{₹}879$.

Aptitude Questions — Records 6,811-6,840 of 100,000

id=6811 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 195, what is the second? | option_a=54 | option_b=234 | option_c=39 | option_d=36 | answer=C | explanation=Scale factor = 195/15 = 13. Therefore second quantity = 3×13 = 39.

id=6812 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=Z | option_b=U | option_c=E | option_d=P | answer=A | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=6813 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4071. If it is sold at a profit of 40%, what is its selling price? | option_a=4111 | option_b=5699 | option_c=5292 | option_d=6106 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4071 × 140/100 = █5699.

id=6814 | topic=Percentages | difficulty=Easy | question=What is 50% of 865? | option_a=864 | option_b=432 | option_c=437 | option_d=412 | answer=B | explanation=50% of 865 = (50/100) × 865 = 432.

id=6815 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34568 at 6% per annum for 3 years. | option_a=6122 | option_b=6322 | option_c=6222 | option_d=40790 | answer=C | explanation=SI = PRT/100 = 34568×6×3/100 = █6222.

id=6816 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=38 | option_b=50 | option_c=60 | option_d=49 | answer=D | explanation=The common difference is 11. Therefore the next term is 38 + 11 = 49.

id=6817 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=6818 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=150 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=6819 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 25? | option_a=25 | option_b=18 | option_c=15 | option_d=21 | answer=A | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 25 is the odd one out.

id=6820 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=6821 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=6822 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 30? | option_a=23 | option_b=19 | option_c=30 | option_d=15 | answer=C | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 30 is the odd one out.

id=6823 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=M | option_c=I | option_d=U | answer=A | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=6824 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:9 and the first is 32, what is the second? | option_a=34 | option_b=50 | option_c=9 | option_d=18 | answer=D | explanation=Scale factor = 32/16 = 2. Therefore second quantity = 9×2 = 18.

id=6825 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=R | option_c=O | option_d=I | answer=C | explanation=Move 3 positions forward from L; the resulting letter is O.

id=6826 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=19 | option_c=29 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=6827 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3659. If it is sold at a profit of 10%, what is its selling price? | option_a=4389 | option_b=4024 | option_c=3669 | option_d=3659 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3659 × 110/100 = █4024.

id=6828 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 35, 41, 48? | option_a=48 | option_b=41 | option_c=35 | option_d=29 | answer=A | explanation=The first three numbers increase by 6, so the next should be 47. Therefore 48 is the odd one out.

id=6829 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25814 at 8% per annum for 3 years. | option_a=6195 | option_b=32009 | option_c=6295 | option_d=6095 | answer=A | explanation=SI = PRT/100 = 25814×8×3/100 = █6195.

id=6830 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=6831 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=37 | option_b=45 | option_c=46 | option_d=53 | answer=B | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=6832 | topic=Averages | difficulty=Easy | question=Find the average of 92, 51, 30, 74, 76, 33, 34, 26. | option_a=51 | option_b=54 | option_c=52 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=6833 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 8. | option_a=144 | option_b=90 | option_c=72 | option_d=64 | answer=C | explanation=LCM × HCF = 18×8; HCF(18,8) = 2, so LCM = 72.

id=6834 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 48? | option_a=38 | option_b=24 | option_c=31 | option_d=48 | answer=D | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 48 is the odd one out.

id=6835 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 9. | option_a=45 | option_b=60 | option_c=135 | option_d=36 | answer=A | explanation=LCM × HCF = 15×9; HCF(15,9) = 3, so LCM = 45.

id=6836 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=S | option_c=W | option_d=Q | answer=A | explanation=Move 2 positions forward from S; the resulting letter is U.

id=6837 | topic=Averages | difficulty=Easy | question=Find the average of 98, 62, 35, 63, 61, 32, 74, 73, 22, 20. | option_a=53 | option_b=55 | option_c=54 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

id=6838 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=40 | option_c=45 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=6839 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=39 | option_b=31 | option_c=45 | option_d=38 | answer=D | explanation=The common difference is 7. Therefore the next term is 31 + 7 = 38.

id=6840 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 30, 34, 41? | option_a=41 | option_b=26 | option_c=34 | option_d=30 | answer=A | explanation=The first three numbers increase by 4, so the next should be 38. Therefore 41 is the odd one out.

Aptitude Questions — Records 6,841-6,870 of 100,000

id=6841 | topic=Averages | difficulty=Easy | question=Find the average of 87, 83, 70. | option_a=80 | option_b=82 | option_c=79 | option_d=81 | answer=A | explanation=Average = sum of values ÷ number of values = 240 ÷ 3 = 80.

id=6842 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=90 | option_c=85 | option_d=180 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=6843 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=26 | option_b=32 | option_c=36 | option_d=31 | answer=D | explanation=The common difference is 5. Therefore the next term is 26 + 5 = 31.

id=6844 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:3 and the first is 78, what is the second? | option_a=117 | option_b=39 | option_c=45 | option_d=36 | answer=B | explanation=Scale factor = 78/6 = 13. Therefore second quantity = 3×13 = 39.

id=6845 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=41 | option_b=59 | option_c=50 | option_d=51 | answer=C | explanation=The common difference is 9. Therefore the next term is 41 + 9 = 50.

id=6846 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹37060 at 6% per annum for 4 years. | option_a=45954 | option_b=8994 | option_c=8894 | option_d=8794 | answer=C | explanation=SI = PRT/100 = 37060×6×4/100 = ₹8894.

id=6847 | topic=Percentages | difficulty=Easy | question=What is 25% of 1992? | option_a=498 | option_b=503 | option_c=478 | option_d=996 | answer=A | explanation=25% of 1992 = (25/100) × 1992 = 498.

id=6848 | topic=Percentages | difficulty=Easy | question=What is 25% of 461? | option_a=105 | option_b=115 | option_c=125 | option_d=230 | answer=B | explanation=25% of 461 = (25/100) × 461 = 115.

id=6849 | topic=Percentages | difficulty=Easy | question=What is 40% of 977? | option_a=370 | option_b=390 | option_c=410 | option_d=780 | answer=B | explanation=40% of 977 = (40/100) × 977 = 390.

id=6850 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=U | option_c=T | option_d=V | answer=D | explanation=Move 1 positions forward from U; the resulting letter is V.

id=6851 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2417. If it is sold at a profit of 5%, what is its selling price? | option_a=2778 | option_b=2296 | option_c=2537 | option_d=2422 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2417 × 105/100 = ₹2537.

id=6852 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:4 and the first is 182, what is the second? | option_a=48 | option_b=234 | option_c=66 | option_d=52 | answer=D | explanation=Scale factor = 182/14 = 13. Therefore second quantity = 4×13 = 52.

id=6853 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹4188. If it is sold at a profit of 5%, what is its selling price? | option_a=4193 | option_b=4397 | option_c=3979 | option_d=4815 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4188 × 105/100 = ₹4397.

id=6854 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹4450 at 10% per annum for 2 years. | option_a=990 | option_b=5340 | option_c=890 | option_d=790 | answer=C | explanation=SI = PRT/100 = 4450×10×2/100 = ₹890.

id=6855 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=10 | option_b=11 | option_c=8 | option_d=12 | answer=A | explanation=The common difference is 2. Therefore the next term is 8 + 2 = 10.

id=6856 | topic=Percentages | difficulty=Easy | question=What is 10% of 181? | option_a=18 | option_b=28 | option_c=36 | option_d=8 | answer=A | explanation=10% of 181 = (10/100) × 181 = 18.

id=6857 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹41429 at 10% per annum for 1 years. | option_a=4142 | option_b=45571 | option_c=4242 | option_d=4042 | answer=A | explanation=SI = PRT/100 = 41429×10×1/100 = ₹4142.

id=6858 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹16770 at 8% per annum for 5 years. | option_a=23478 | option_b=6708 | option_c=6608 | option_d=6808 | answer=B | explanation=SI = PRT/100 = 16770×8×5/100 = ₹6708.

id=6859 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:16 and the first is 260, what is the second? | option_a=208 | option_b=228 | option_c=192 | option_d=468 | answer=A | explanation=Scale factor = 260/20 = 13. Therefore second quantity = 16×13 = 208.

id=6860 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=50 | option_c=55 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=6861 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=6862 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=6863 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=Q | option_c=U | option_d=S | answer=C | explanation=Move 2 positions forward from S; the resulting letter is U.

id=6864 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=R | option_c=T | option_d=N | answer=B | explanation=Move 2 positions forward from P; the resulting letter is R.

id=6865 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=X | option_b=J | option_c=B | option_d=F | answer=D | explanation=Move 4 positions forward from B; the resulting letter is F.

id=6866 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹4452. If it is sold at a profit of 15%, what is its selling price? | option_a=4674 | option_b=4467 | option_c=5564 | option_d=5119 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4452 × 115/100 = ₹5119.

id=6867 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹16436 at 10% per annum for 5 years. | option_a=8218 | option_b=8118 | option_c=24654 | option_d=8318 | answer=A | explanation=SI = PRT/100 = 16436×10×5/100 = ₹8218.

id=6868 | topic=Percentages | difficulty=Easy | question=What is 12% of 1627? | option_a=195 | option_b=215 | option_c=185 | option_d=390 | answer=A | explanation=12% of 1627 = (12/100) × 1627 = 195.

id=6869 | topic=Averages | difficulty=Easy | question=Find the average of 64, 49, 44, 94, 18, 18, 87, 98. | option_a=59 | option_b=58 | option_c=61 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 472 ÷ 8 = 59.

id=6870 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 32? | option_a=19 | option_b=14 | option_c=32 | option_d=24 | answer=C | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 32 is the odd one out.

Aptitude Questions — Records 6,871-6,900 of 100,000

id=6871 | topic=Percentages | difficulty=Easy | question=What is 12% of 1408? | option_a=173 | option_b=168 | option_c=336 | option_d=148 | answer=B | explanation=12% of 1408 = (12/100) × 1408 = 168.

id=6872 | topic=Percentages | difficulty=Easy | question=What is 10% of 511? | option_a=61 | option_b=51 | option_c=102 | option_d=31 | answer=B | explanation=10% of 511 = (10/100) × 511 = 51.

id=6873 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:1 and the first is 33, what is the second? | option_a=14 | option_b=36 | option_c=2 | option_d=3 | answer=D | explanation=Scale factor = 33/11 = 3. Therefore second quantity = 1×3 = 3.

id=6874 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=49 | option_b=50 | option_c=40 | option_d=58 | answer=A | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

id=6875 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=64 | option_b=54 | option_c=53 | option_d=42 | answer=C | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.

id=6876 | topic=Percentages | difficulty=Easy | question=What is 40% of 834? | option_a=666 | option_b=333 | option_c=328 | option_d=338 | answer=B | explanation=40% of 834 = (40/100) × 834 = 333.

id=6877 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 12. | option_a=72 | option_b=84 | option_c=168 | option_d=98 | answer=B | explanation=LCM × HCF = 14×12; HCF(14,12) = 2, so LCM = 84.

id=6878 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■46367 at 6% per annum for 5 years. | option_a=13810 | option_b=13910 | option_c=14010 | option_d=60277 | answer=B | explanation=SI = PRT/100 = 46367×6×5/100 = ■13910.

id=6879 | topic=Averages | difficulty=Easy | question=Find the average of 80, 54, 52, 33, 13, 19, 10, 99. | option_a=47 | option_b=46 | option_c=44 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 360 ÷ 8 = 45.

id=6880 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=M | option_b=G | option_c=P | option_d=J | answer=A | explanation=Move 3 positions forward from J; the resulting letter is M.

id=6881 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 6. | option_a=126 | option_b=36 | option_c=63 | option_d=42 | answer=D | explanation=LCM × HCF = 21×6; HCF(21,6) = 3, so LCM = 42.

id=6882 | topic=Percentages | difficulty=Easy | question=What is 10% of 800? | option_a=100 | option_b=60 | option_c=80 | option_d=160 | answer=C | explanation=10% of 800 = (10/100) × 800 = 80.

id=6883 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=C | option_c=E | option_d=G | answer=D | explanation=Move 2 positions forward from E; the resulting letter is G.

id=6884 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 21. | option_a=63 | option_b=96 | option_c=252 | option_d=84 | answer=D | explanation=LCM × HCF = 12×21; HCF(12,21) = 3, so LCM = 84.

id=6885 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:17 and the first is 180, what is the second? | option_a=173 | option_b=136 | option_c=333 | option_d=153 | answer=D | explanation=Scale factor = 180/20 = 9. Therefore second quantity = 17×9 = 153.

id=6886 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■1408 at 12% per annum for 3 years. | option_a=606 | option_b=1914 | option_c=406 | option_d=506 | answer=D | explanation=SI = PRT/100 = 1408×12×3/100 = ■506.

id=6887 | topic=Averages | difficulty=Easy | question=Find the average of 26, 75, 18, 17, 29, 86, 68, 32, 86, 53. | option_a=49 | option_b=48 | option_c=50 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 490 ÷ 10 = 49.

id=6888 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1375. If it is sold at a profit of 40%, what is its selling price? | option_a=1788 | option_b=1925 | option_c=1415 | option_d=2062 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1375 × 140/100 = ■1925.

id=6889 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=X | option_b=F | option_c=B | option_d=J | answer=B | explanation=Move 4 positions forward from B; the resulting letter is F.

id=6890 | topic=Averages | difficulty=Easy | question=Find the average of 33, 30, 54. | option_a=41 | option_b=38 | option_c=40 | option_d=39 | answer=D | explanation=Average = sum of values ÷ number of values = 117 ÷ 3 = 39.

id=6891 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=6892 | topic=Averages | difficulty=Easy | question=Find the average of 48, 56, 83, 54, 81, 32. | option_a=59 | option_b=61 | option_c=60 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.

id=6893 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=6894 | topic=Averages | difficulty=Easy | question=Find the average of 64, 35, 67, 81, 100, 32, 54, 63, 47, 77. | option_a=62 | option_b=63 | option_c=64 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 620 ÷ 10 = 62.

id=6895 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:14 and the first is 240, what is the second? | option_a=210 | option_b=226 | option_c=450 | option_d=196 | answer=A | explanation=Scale factor = 240/16 = 15. Therefore second quantity = 14×15 = 210.

id=6896 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=X | option_c=L | option_d=T | answer=D | explanation=Move 4 positions forward from P; the resulting letter is T.

id=6897 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 22, 29, 37? | option_a=37 | option_b=22 | option_c=15 | option_d=29 | answer=A | explanation=The first three numbers increase by 7, so the next should be 36. Therefore 37 is the odd one out.

id=6898 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:3 and the first is 55, what is the second? | option_a=26 | option_b=15 | option_c=70 | option_d=12 | answer=B | explanation=Scale factor = 55/11 = 5. Therefore second quantity = 3×5 = 15.

id=6899 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=12 | option_b=24 | option_c=17 | option_d=7 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=6900 | topic=Percentages | difficulty=Easy | question=What is 12% of 685? | option_a=82 | option_b=92 | option_c=72 | option_d=164 | answer=A | explanation=12% of 685 = (12/100) × 685 = 82.

Aptitude Questions — Records 6,901-6,930 of 100,000

id=6901 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=22 | option_b=19 | option_c=23 | option_d=21 | answer=D | explanation=The common difference is 2. Therefore the next term is 19 + 2 = 21.

id=6902 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=6903 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=1 | option_c=6 | option_d=11 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=6904 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■22930 at 5% per annum for 1 years. | option_a=24076 | option_b=1046 | option_c=1146 | option_d=1246 | answer=C | explanation=SI = PRT/100 = 22930×5×1/100 = ■1146.

id=6905 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■39066 at 15% per annum for 3 years. | option_a=17579 | option_b=17679 | option_c=56645 | option_d=17479 | answer=A | explanation=SI = PRT/100 = 39066×15×3/100 = ■17579.

id=6906 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■33283 at 8% per annum for 2 years. | option_a=5425 | option_b=5325 | option_c=38608 | option_d=5225 | answer=B | explanation=SI = PRT/100 = 33283×8×2/100 = ■5325.

id=6907 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:15 and the first is 170, what is the second? | option_a=167 | option_b=150 | option_c=135 | option_d=320 | answer=B | explanation=Scale factor = 170/17 = 10. Therefore second quantity = 15×10 = 150.

id=6908 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=6909 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 39? | option_a=21 | option_b=31 | option_c=39 | option_d=26 | answer=C | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 39 is the odd one out.

id=6910 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=6911 | topic=Averages | difficulty=Easy | question=Find the average of 92, 92, 86, 53, 28, 127, 80, 70. | option_a=67 | option_b=68 | option_c=66 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = 528 ÷ 8 = 66.

id=6912 | topic=Percentages | difficulty=Easy | question=What is 5% of 1220? | option_a=122 | option_b=41 | option_c=66 | option_d=61 | answer=D | explanation=5% of 1220 = (5/100) × 1220 = 61.

id=6913 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=41 | option_b=31 | option_c=37 | option_d=36 | answer=D | explanation=The common difference is 5. Therefore the next term is 31 + 5 = 36.

id=6914 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:14 and the first is 180, what is the second? | option_a=112 | option_b=126 | option_c=306 | option_d=146 | answer=B | explanation=Scale factor = 180/20 = 9. Therefore second quantity = 14×9 = 126.

id=6915 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=52 | option_b=74 | option_c=64 | option_d=63 | answer=D | explanation=The common difference is 11. Therefore the next term is 52 + 11 = 63.

id=6916 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=D | option_b=X | option_c=G | option_d=A | answer=A | explanation=Move 3 positions forward from A; the resulting letter is D.

id=6917 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=I | option_b=Y | option_c=D | option_d=N | answer=A | explanation=Move 5 positions forward from D; the resulting letter is I.

id=6918 | topic=Percentages | difficulty=Easy | question=What is 25% of 107? | option_a=46 | option_b=26 | option_c=52 | option_d=16 | answer=B | explanation=25% of 107 = (25/100) × 107 = 26.

id=6919 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:12 and the first is 100, what is the second? | option_a=220 | option_b=108 | option_c=120 | option_d=130 | answer=C | explanation=Scale factor = 100/10 = 10. Therefore second quantity = 12×10 = 120.

id=6920 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:1 and the first is 108, what is the second? | option_a=24 | option_b=126 | option_c=18 | option_d=17 | answer=C | explanation=Scale factor = 108/6 = 18. Therefore second quantity = 1×18 = 18.

id=6921 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 30, 38, 48? | option_a=22 | option_b=48 | option_c=38 | option_d=30 | answer=B | explanation=The first three numbers increase by 8, so the next should be 46. Therefore 48 is the odd one out.

id=6922 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■22261 at 6% per annum for 1 years. | option_a=23596 | option_b=1335 | option_c=1435 | option_d=1235 | answer=B | explanation=SI = PRT/100 = 22261×6×1/100 = ■1335.

id=6923 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=6924 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 16. | option_a=416 | option_b=192 | option_c=234 | option_d=208 | answer=D | explanation=LCM × HCF = 26×16; HCF(26,16) = 2, so LCM = 208.

id=6925 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=I | option_b=W | option_c=A | option_d=E | answer=D | explanation=Move 4 positions forward from A; the resulting letter is E.

id=6926 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=19 | option_b=22 | option_c=23 | option_d=25 | answer=B | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.

id=6927 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■36518 at 6% per annum for 5 years. | option_a=10955 | option_b=10855 | option_c=47473 | option_d=11055 | answer=A | explanation=SI = PRT/100 = 36518×6×5/100 = ■10955.

id=6928 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=80 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=6929 | topic=Percentages | difficulty=Easy | question=What is 30% of 1469? | option_a=420 | option_b=880 | option_c=440 | option_d=460 | answer=C | explanation=30% of 1469 = (30/100) × 1469 = 440.

id=6930 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=33 | option_b=40 | option_c=26 | option_d=34 | answer=A | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

Aptitude Questions — Records 6,931-6,960 of 100,000

id=6931 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=42 | option_b=35 | option_c=26 | option_d=34 | answer=D | explanation=The common difference is 8. Therefore the next term is 26 + 8 = 34.

id=6932 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 5. | option_a=30 | option_b=10 | option_c=75 | option_d=15 | answer=D | explanation=LCM × HCF = 15×5; HCF(15,5) = 5, so LCM = 15.

id=6933 | topic=Averages | difficulty=Easy | question=Find the average of 19, 94, 27, 13, 89, 43, 56, 91. | option_a=55 | option_b=54 | option_c=53 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 432 ÷ 8 = 54.

id=6934 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=240 | option_d=115 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=6935 | topic=Averages | difficulty=Easy | question=Find the average of 91, 94, 64, 35, 36, 71, 55, 82. | option_a=67 | option_b=66 | option_c=68 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 528 ÷ 8 = 66.

id=6936 | topic=Averages | difficulty=Easy | question=Find the average of 100, 77, 73, 10, 24, 81, 76, 21, 90, 98. | option_a=66 | option_b=64 | option_c=67 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 650 ÷ 10 = 65.

id=6937 | topic=Averages | difficulty=Easy | question=Find the average of 88, 51, 95, 30, 36, 35, 22, 44, 40, 39. | option_a=50 | option_b=49 | option_c=48 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 480 ÷ 10 = 48.

id=6938 | topic=Percentages | difficulty=Easy | question=What is 40% of 1420? | option_a=568 | option_b=573 | option_c=563 | option_d=1136 | answer=A | explanation=40% of 1420 = (40/100) × 1420 = 568.

id=6939 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=35 | option_b=36 | option_c=30 | option_d=40 | answer=A | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=6940 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=53 | option_b=33 | option_c=44 | option_d=43 | answer=D | explanation=The common difference is 10. Therefore the next term is 33 + 10 = 43.

id=6941 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49258 at 4% per annum for 5 years. | option_a=59109 | option_b=9751 | option_c=9851 | option_d=9951 | answer=C | explanation=SI = PRT/100 = 49258×4×5/100 = █9851.

id=6942 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:17 and the first is 110, what is the second? | option_a=170 | option_b=187 | option_c=297 | option_d=197 | answer=B | explanation=Scale factor = 110/10 = 11. Therefore second quantity = 17×11 = 187.

id=6943 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=58 | option_b=47 | option_c=67 | option_d=57 | answer=D | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

id=6944 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=40 | option_b=58 | option_c=50 | option_d=49 | answer=D | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

id=6945 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44818 at 15% per annum for 3 years. | option_a=20268 | option_b=20068 | option_c=64986 | option_d=20168 | answer=D | explanation=SI = PRT/100 = 44818×15×3/100 = █20168.

id=6946 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 15, 19, 24? | option_a=19 | option_b=11 | option_c=24 | option_d=15 | answer=C | explanation=The first three numbers increase by 4, so the next should be 23. Therefore 24 is the odd one out.

id=6947 | topic=Percentages | difficulty=Easy | question=What is 10% of 1496? | option_a=298 | option_b=149 | option_c=129 | option_d=169 | answer=B | explanation=10% of 1496 = (10/100) × 1496 = 149.

id=6948 | topic=Averages | difficulty=Easy | question=Find the average of 73, 96, 45, 36, 42, 14, 38, 17, 53, 96. | option_a=52 | option_b=51 | option_c=50 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

id=6949 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=13 | option_c=18 | option_d=23 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=6950 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=6951 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4072 at 4% per annum for 3 years. | option_a=488 | option_b=4560 | option_c=388 | option_d=588 | answer=A | explanation=SI = PRT/100 = 4072×4×3/100 = █488.

id=6952 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=55 | option_b=56 | option_c=65 | option_d=45 | answer=A | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.

id=6953 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6330 at 4% per annum for 4 years. | option_a=1112 | option_b=912 | option_c=1012 | option_d=7342 | answer=C | explanation=SI = PRT/100 = 6330×4×4/100 = █1012.

id=6954 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=20 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=6955 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=O | option_b=K | option_c=G | option_d=C | answer=B | explanation=Move 4 positions forward from G; the resulting letter is K.

id=6956 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2108. If it is sold at a profit of 30%, what is its selling price? | option_a=2950 | option_b=2138 | option_c=2530 | option_d=2740 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2108 × 130/100 = █2740.

id=6957 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2064. If it is sold at a profit of 25%, what is its selling price? | option_a=2580 | option_b=2786 | option_c=2089 | option_d=2374 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2064 × 125/100 = █2580.

id=6958 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 46? | option_a=38 | option_b=46 | option_c=31 | option_d=24 | answer=B | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 46 is the odd one out.

id=6959 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 44? | option_a=44 | option_b=31 | option_c=11 | option_d=21 | answer=A | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 44 is the odd one out.

id=6960 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=P | option_c=V | option_d=Y | answer=C | explanation=Move 3 positions forward from S; the resulting letter is V.

Aptitude Questions — Records 6,961-6,990 of 100,000

id=6961 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:5 and the first is 45, what is the second? | option_a=15 | option_b=60 | option_c=30 | option_d=10 | answer=A | explanation=Scale factor = 45/15 = 3. Therefore second quantity = 5×3 = 15.

id=6962 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:4 and the first is 80, what is the second? | option_a=144 | option_b=64 | option_c=69 | option_d=60 | answer=B | explanation=Scale factor = 80/5 = 16. Therefore second quantity = 4×16 = 64.

id=6963 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=55 | option_b=43 | option_c=65 | option_d=54 | answer=D | explanation=The common difference is 11. Therefore the next term is 43 + 11 = 54.

id=6964 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=9 | option_b=18 | option_c=14 | option_d=4 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=6965 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:12 and the first is 238, what is the second? | option_a=218 | option_b=204 | option_c=442 | option_d=192 | answer=B | explanation=Scale factor = 238/14 = 17. Therefore second quantity = 12×17 = 204.

id=6966 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:6 and the first is 132, what is the second? | option_a=72 | option_b=204 | option_c=66 | option_d=83 | answer=A | explanation=Scale factor = 132/11 = 12. Therefore second quantity = 6×12 = 72.

id=6967 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:11 and the first is 26, what is the second? | option_a=11 | option_b=48 | option_c=22 | option_d=35 | answer=C | explanation=Scale factor = 26/13 = 2. Therefore second quantity = 11×2 = 22.

id=6968 | topic=Averages | difficulty=Easy | question=Find the average of 70, 81, 47, 30. | option_a=58 | option_b=56 | option_c=59 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 228 ÷ 4 = 57.

id=6969 | topic=Averages | difficulty=Easy | question=Find the average of 99, 87, 89, 73, 53, 43, 77, 38, 89. | option_a=72 | option_b=71 | option_c=74 | option_d=73 | answer=A | explanation=Average = sum of values ÷ number of values = 648 ÷ 9 = 72.

id=6970 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 6. | option_a=60 | option_b=30 | option_c=24 | option_d=180 | answer=B | explanation=LCM × HCF = 30×6; HCF(30,6) = 6, so LCM = 30.

id=6971 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=36 | option_c=18 | option_d=23 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=6972 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1444. If it is sold at a profit of 30%, what is its selling price? | option_a=2021 | option_b=1474 | option_c=1733 | option_d=1877 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1444 × 130/100 = █1877.

id=6973 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 28, 33, 40? | option_a=28 | option_b=23 | option_c=33 | option_d=40 | answer=D | explanation=The first three numbers increase by 5, so the next should be 38. Therefore 40 is the odd one out.

id=6974 | topic=Averages | difficulty=Easy | question=Find the average of 28, 15, 66, 48, 18, 86, 71, 54, 37, 77. | option_a=51 | option_b=52 | option_c=49 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 500 ÷ 10 = 50.

id=6975 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=6976 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6741 at 10% per annum for 5 years. | option_a=10111 | option_b=3370 | option_c=3470 | option_d=3270 | answer=B | explanation=SI = PRT/100 = 6741×10×5/100 = █3370.

id=6977 | topic=Percentages | difficulty=Easy | question=What is 50% of 1190? | option_a=605 | option_b=1190 | option_c=575 | option_d=595 | answer=D | explanation=50% of 1190 = (50/100) × 1190 = 595.

id=6978 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2314. If it is sold at a profit of 15%, what is its selling price? | option_a=2430 | option_b=2329 | option_c=2892 | option_d=2661 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2314 × 115/100 = █2661.

id=6979 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:1 and the first is 75, what is the second? | option_a=20 | option_b=90 | option_c=15 | option_d=14 | answer=C | explanation=Scale factor = 75/5 = 15. Therefore second quantity = 1×15 = 15.

id=6980 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=Y | option_b=P | option_c=V | option_d=S | answer=C | explanation=Move 3 positions forward from S; the resulting letter is V.

id=6981 | topic=Averages | difficulty=Easy | question=Find the average of 46, 82, 96, 68, 22, 88. | option_a=68 | option_b=66 | option_c=67 | option_d=69 | answer=C | explanation=Average = sum of values ÷ number of values = 402 ÷ 6 = 67.

id=6982 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:19 and the first is 16, what is the second? | option_a=133 | option_b=152 | option_c=168 | option_d=154 | answer=B | explanation=Scale factor = 16/2 = 8. Therefore second quantity = 19×8 = 152.

id=6983 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:2 and the first is 14, what is the second? | option_a=18 | option_b=11 | option_c=2 | option_d=4 | answer=D | explanation=Scale factor = 14/7 = 2. Therefore second quantity = 2×2 = 4.

id=6984 | topic=Averages | difficulty=Easy | question=Find the average of 58, 34, 38, 30. | option_a=41 | option_b=40 | option_c=42 | option_d=39 | answer=B | explanation=Average = sum of values ÷ number of values = 160 ÷ 4 = 40.

id=6985 | topic=Percentages | difficulty=Easy | question=What is 50% of 1396? | option_a=678 | option_b=718 | option_c=698 | option_d=1396 | answer=C | explanation=50% of 1396 = (50/100) × 1396 = 698.

id=6986 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:17 and the first is 144, what is the second? | option_a=136 | option_b=297 | option_c=169 | option_d=153 | answer=D | explanation=Scale factor = 144/16 = 9. Therefore second quantity = 17×9 = 153.

id=6987 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6476 at 5% per annum for 3 years. | option_a=971 | option_b=1071 | option_c=871 | option_d=7447 | answer=A | explanation=SI = PRT/100 = 6476×5×3/100 = █971.

id=6988 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=10 | option_b=12 | option_c=13 | option_d=14 | answer=B | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.

id=6989 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=54 | option_b=66 | option_c=67 | option_d=78 | answer=B | explanation=The common difference is 12. Therefore the next term is 54 + 12 = 66.

id=6990 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:20 and the first is 130, what is the second? | option_a=240 | option_b=390 | option_c=260 | option_d=270 | answer=C | explanation=Scale factor = 130/10 = 13. Therefore second quantity = 20×13 = 260.

Aptitude Questions — Records 6,991-7,020 of 100,000

id=6991 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=6992 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12} = 3$ days.

id=6993 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1135. If it is sold at a profit of 20%, what is its selling price? | option_a=1249 | option_b=1155 | option_c=1475 | option_d=1362 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1135 \times \frac{120}{100} = \text{█1362}$.

id=6994 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=85 | option_c=180 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = $360 \div 4 = 90$ km/h.

id=6995 | topic=Percentages | difficulty=Easy | question=What is 30% of 491? | option_a=147 | option_b=294 | option_c=157 | option_d=127 | answer=A | explanation=30% of 491 = $(30/100) \times 491 = 147$.

id=6996 | topic=Averages | difficulty=Easy | question=Find the average of 92, 40, 80, 44, 67, 91, 21, 98, 79, 48. | option_a=67 | option_b=66 | option_c=68 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = $660 \div 10 = 66$.

id=6997 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=6998 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40043 at 12% per annum for 5 years. | option_a=24125 | option_b=64068 | option_c=23925 | option_d=24025 | answer=D | explanation=SI = $PRT/100 = 40043 \times 12 \times 5/100 = \text{█24025}$.

id=6999 | topic=Profit & Loss | difficulty=Easy | question=An article costs █531. If it is sold at a profit of 15%, what is its selling price? | option_a=663 | option_b=557 | option_c=610 | option_d=546 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 531 \times \frac{115}{100} = \text{█610}$.

id=7000 | topic=Percentages | difficulty=Easy | question=What is 40% of 835? | option_a=334 | option_b=668 | option_c=324 | option_d=354 | answer=A | explanation=40% of 835 = $(40/100) \times 835 = 334$.

id=7001 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10988 at 10% per annum for 2 years. | option_a=2197 | option_b=13185 | option_c=2297 | option_d=2097 | answer=A | explanation=SI = $PRT/100 = 10988 \times 10 \times 2/100 = \text{█2197}$.

id=7002 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=31 | option_c=36 | option_d=72 | answer=C | explanation=Speed = distance ÷ time = $180 \div 5 = 36$ km/h.

id=7003 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=7004 | topic=Averages | difficulty=Easy | question=Find the average of 53, 38, 55, 46, 30, 36, 66, 30, 42. | option_a=44 | option_b=43 | option_c=45 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = $396 \div 9 = 44$.

id=7005 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=8 | answer=A | explanation=Combined rate = $\frac{1}{4} + \frac{1}{4} = \frac{8}{16}$. Time = $\frac{16}{8} = 2$ days.

id=7006 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=7007 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=12 | option_c=24 | option_d=17 | answer=B | explanation=Speed = distance ÷ time = $120 \div 10 = 12$ km/h.

id=7008 | topic=Percentages | difficulty=Easy | question=What is 30% of 787? | option_a=236 | option_b=472 | option_c=246 | option_d=231 | answer=A | explanation=30% of 787 = $(30/100) \times 787 = 236$.

id=7009 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 11, 19, 29? | option_a=11 | option_b=29 | option_c=19 | option_d=3 | answer=B | explanation=The first three numbers increase by 8, so the next should be 27. Therefore 29 is the odd one out.

id=7010 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=22 | option_b=20 | option_c=23 | option_d=24 | answer=A | explanation=The common difference is 2. Therefore the next term is $20 + 2 = 22$.

id=7011 | topic=Averages | difficulty=Easy | question=Find the average of 23, 64, 15, 26. | option_a=32 | option_b=34 | option_c=33 | option_d=31 | answer=A | explanation=Average = sum of values ÷ number of values = $128 \div 4 = 32$.

id=7012 | topic=Averages | difficulty=Easy | question=Find the average of 33, 21, 22, 91, 97, 50, 45, 33. | option_a=50 | option_b=51 | option_c=49 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = $392 \div 8 = 49$.

id=7013 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = $180 \div 3 = 60$ km/h.

id=7014 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 25, 35, 46? | option_a=46 | option_b=25 | option_c=35 | option_d=15 | answer=A | explanation=The first three numbers increase by 10, so the next should be 45. Therefore 46 is the odd one out.

id=7015 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = $150 \div 5 = 30$ km/h.

id=7016 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=N | option_c=Z | option_d=R | answer=A | explanation=Move 4 positions forward from R; the resulting letter is V.

id=7017 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=57 | option_b=65 | option_c=56 | option_d=47 | answer=C | explanation=The common difference is 9. Therefore the next term is $47 + 9 = 56$.

id=7018 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:19 and the first is 18, what is the second? | option_a=75 | option_b=63 | option_c=57 | option_d=38 | answer=C | explanation=Scale factor = $18/6 = 3$. Therefore second quantity = $19 \times 3 = 57$.

id=7019 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 16, 25, 36? | option_a=36 | option_b=7 | option_c=16 | option_d=25 | answer=A | explanation=The first three numbers increase by 9, so the next should be 34. Therefore 36 is the odd one out.

id=7020 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=66 | option_b=77 | option_c=65 | option_d=53 | answer=C | explanation=The common difference is 12. Therefore the next term is $53 + 12 = 65$.

Aptitude Questions — Records 7,021-7,050 of 100,000

- id=7021 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 55? | option_a=37 | option_b=55 | option_c=45 | option_d=29 | answer=B | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 55 is the odd one out.
- id=7022 | topic=Percentages | difficulty=Easy | question=What is 50% of 1605? | option_a=1604 | option_b=807 | option_c=792 | option_d=802 | answer=D | explanation=50% of 1605 = $(50/100) \times 1605 = 802$.
- id=7023 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=45 | option_b=31 | option_c=39 | option_d=38 | answer=D | explanation=The common difference is 7. Therefore the next term is $31 + 7 = 38$.
- id=7024 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=I | option_c=C | option_d=L | answer=B | explanation=Move 3 positions forward from F; the resulting letter is I.
- id=7025 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=Z | option_b=U | option_c=E | option_d=P | answer=A | explanation=Move 5 positions forward from U; the resulting letter is Z.
- id=7026 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15179 at 8% per annum for 1 years. | option_a=1314 | option_b=1114 | option_c=16393 | option_d=1214 | answer=D | explanation=SI = $PRT/100 = 15179 \times 8 \times 1/100 = \text{■}1214$.
- id=7027 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=46 | option_b=68 | option_c=57 | option_d=58 | answer=C | explanation=The common difference is 11. Therefore the next term is $46 + 11 = 57$.
- id=7028 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4683. If it is sold at a profit of 50%, what is its selling price? | option_a=4733 | option_b=7024 | option_c=7492 | option_d=6556 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4683 \times 150/100 = \text{■}7024$.
- id=7029 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = $150 \div 10 = 15$ km/h.
- id=7030 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=12 | answer=B | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.
- id=7031 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=37 | option_b=34 | option_c=33 | option_d=29 | answer=C | explanation=The common difference is 4. Therefore the next term is $29 + 4 = 33$.
- id=7032 | topic=Averages | difficulty=Easy | question=Find the average of 73, 51, 77, 11, 59, 82, 38, 29, 102. | option_a=59 | option_b=60 | option_c=58 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = $522 \div 9 = 58$.
- id=7033 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3836. If it is sold at a profit of 10%, what is its selling price? | option_a=3846 | option_b=3836 | option_c=4219 | option_d=4602 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3836 \times 110/100 = \text{■}4219$.
- id=7034 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:15 and the first is 280, what is the second? | option_a=580 | option_b=314 | option_c=285 | option_d=300 | answer=D | explanation=Scale factor = $280/14 = 20$. Therefore second quantity = $15 \times 20 = 300$.
- id=7035 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 24. | option_a=192 | option_b=216 | option_c=648 | option_d=243 | answer=B | explanation=LCM $\times$ HCF = 27×24 ; HCF(27,24) = 3, so LCM = 216.
- id=7036 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=D | option_c=L | option_d=Z | answer=A | explanation=Move 4 positions forward from D; the resulting letter is H.
- id=7037 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=44 | option_b=43 | option_c=52 | option_d=34 | answer=B | explanation=The common difference is 9. Therefore the next term is $34 + 9 = 43$.
- id=7038 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**453. If it is sold at a profit of 5%, what is its selling price? | option_a=475 | option_b=520 | option_c=430 | option_d=458 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 453 \times 105/100 = \text{■}475$.
- id=7039 | topic=Percentages | difficulty=Easy | question=What is 40% of 1267? | option_a=501 | option_b=1012 | option_c=506 | option_d=511 | answer=C | explanation=40% of 1267 = $(40/100) \times 1267 = 506$.
- id=7040 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=I | option_b=U | option_c=M | option_d=Q | answer=D | explanation=Move 4 positions forward from M; the resulting letter is Q.
- id=7041 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**150. If it is sold at a profit of 15%, what is its selling price? | option_a=165 | option_b=157 | option_c=172 | option_d=187 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 150 \times 115/100 = \text{■}172$.
- id=7042 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47021 at 8% per annum for 5 years. | option_a=65829 | option_b=18808 | option_c=18708 | option_d=18908 | answer=B | explanation=SI = $PRT/100 = 47021 \times 8 \times 5/100 = \text{■}18808$.
- id=7043 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=4 | option_c=18 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = $90 \div 10 = 9$ km/h.
- id=7044 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 31? | option_a=12 | option_b=31 | option_c=20 | option_d=4 | answer=B | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 31 is the odd one out.
- id=7045 | topic=Percentages | difficulty=Easy | question=What is 30% of 1653? | option_a=505 | option_b=485 | option_c=495 | option_d=990 | answer=C | explanation=30% of 1653 = $(30/100) \times 1653 = 495$.
- id=7046 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2406. If it is sold at a profit of 25%, what is its selling price? | option_a=2767 | option_b=3247 | option_c=2431 | option_d=3007 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2406 \times 125/100 = \text{■}3007$.
- id=7047 | topic=Averages | difficulty=Easy | question=Find the average of 81, 29, 29, 56, 25. | option_a=43 | option_b=44 | option_c=45 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = $220 \div 5 = 44$.
- id=7048 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=42 | option_b=62 | option_c=52 | option_d=53 | answer=C | explanation=The common difference is 10. Therefore the next term is $42 + 10 = 52$.
- id=7049 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4070. If it is sold at a profit of 5%, what is its selling price? | option_a=4273 | option_b=3866 | option_c=4075 | option_d=4680 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4070 \times 105/100 = \text{■}4273$.
- id=7050 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:13 and the first is 240, what is the second? | option_a=176 | option_b=396 | option_c=156 | option_d=143 | answer=C | explanation=Scale factor = $240/20 = 12$. Therefore second quantity = $13 \times 12 = 156$.

Aptitude Questions — Records 7,051-7,080 of 100,000

id=7051 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:3 and the first is 108, what is the second? | option_a=54 | option_b=51 | option_c=162 | option_d=60 | answer=A | explanation=Scale factor = 108/6 = 18. Therefore second quantity = 3×18 = 54.

id=7052 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=R | option_b=P | option_c=S | option_d=Q | answer=A | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=7053 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=120 | option_c=240 | option_d=125 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=7054 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:14 and the first is 40, what is the second? | option_a=98 | option_b=112 | option_c=152 | option_d=117 | answer=B | explanation=Scale factor = 40/5 = 8. Therefore second quantity = 14×8 = 112.

id=7055 | topic=Averages | difficulty=Easy | question=Find the average of 94, 69, 90, 51. | option_a=76 | option_b=77 | option_c=78 | option_d=75 | answer=A | explanation=Average = sum of values ÷ number of values = 304 ÷ 4 = 76.

id=7056 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=E | option_b=G | option_c=K | option_d=I | answer=D | explanation=Move 2 positions forward from G; the resulting letter is I.

id=7057 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=7058 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 11, 20, 30? | option_a=11 | option_b=2 | option_c=20 | option_d=30 | answer=D | explanation=The first three numbers increase by 9, so the next should be 29. Therefore 30 is the odd one out.

id=7059 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=36 | option_b=40 | option_c=30 | option_d=35 | answer=D | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=7060 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=7061 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3499. If it is sold at a profit of 25%, what is its selling price? | option_a=4373 | option_b=3524 | option_c=4722 | option_d=4024 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3499 × 125/100 = █4373.

id=7062 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=T | option_b=W | option_c=N | option_d=Q | answer=A | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=7063 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 24. | option_a=24 | option_b=64 | option_c=384 | option_d=48 | answer=D | explanation=LCM × HCF = 16×24; HCF(16,24) = 8, so LCM = 48.

id=7064 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2922. If it is sold at a profit of 20%, what is its selling price? | option_a=2942 | option_b=3798 | option_c=3506 | option_d=3214 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2922 × 120/100 = █3506.

id=7065 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 43? | option_a=43 | option_b=35 | option_c=30 | option_d=25 | answer=A | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 43 is the odd one out.

id=7066 | topic=Averages | difficulty=Easy | question=Find the average of 32, 69, 58, 64, 52. | option_a=55 | option_b=56 | option_c=57 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 275 ÷ 5 = 55.

id=7067 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33743 at 15% per annum for 3 years. | option_a=15184 | option_b=48927 | option_c=15284 | option_d=15084 | answer=A | explanation=SI = PRT/100 = 33743×15×3/100 = █15184.

id=7068 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=40 | option_c=15 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=7069 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43152 at 4% per annum for 3 years. | option_a=5178 | option_b=5078 | option_c=48330 | option_d=5278 | answer=A | explanation=SI = PRT/100 = 43152×4×3/100 = █5178.

id=7070 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=40 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=7071 | topic=Averages | difficulty=Easy | question=Find the average of 41, 49, 52, 41, 37. | option_a=44 | option_b=46 | option_c=45 | option_d=43 | answer=A | explanation=Average = sum of values ÷ number of values = 220 ÷ 5 = 44.

id=7072 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 31, 35, 40? | option_a=40 | option_b=31 | option_c=27 | option_d=35 | answer=A | explanation=The first three numbers increase by 4, so the next should be 39. Therefore 40 is the odd one out.

id=7073 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=R | option_b=O | option_c=L | option_d=I | answer=B | explanation=Move 3 positions forward from L; the resulting letter is O.

id=7074 | topic=Averages | difficulty=Easy | question=Find the average of 24, 35, 40. | option_a=33 | option_b=34 | option_c=32 | option_d=35 | answer=A | explanation=Average = sum of values ÷ number of values = 99 ÷ 3 = 33.

id=7075 | topic=Profit & Loss | difficulty=Easy | question=An article costs █738. If it is sold at a profit of 30%, what is its selling price? | option_a=886 | option_b=959 | option_c=1032 | option_d=768 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 738 × 130/100 = █959.

id=7076 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2645. If it is sold at a profit of 10%, what is its selling price? | option_a=2645 | option_b=3173 | option_c=2655 | option_d=2909 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2645 × 110/100 = █2909.

id=7077 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 13, 21, 30? | option_a=13 | option_b=21 | option_c=30 | option_d=5 | answer=C | explanation=The first three numbers increase by 8, so the next should be 29. Therefore 30 is the odd one out.

id=7078 | topic=Averages | difficulty=Easy | question=Find the average of 30, 80, 19, 24, 55, 79, 70. | option_a=50 | option_b=51 | option_c=52 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.

id=7079 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=36 | option_b=37 | option_c=28 | option_d=44 | answer=A | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=7080 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=M | option_c=K | option_d=L | answer=B | explanation=Move 1 positions forward from L; the resulting letter is M.

Aptitude Questions — Records 7,081-7,110 of 100,000

- id=7081 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3136. If it is sold at a profit of 10%, what is its selling price? | option_a=3762 | option_b=3146 | option_c=3136 | option_d=3449 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3136 × 110/100 = ■3449.
- id=7082 | topic=Percentages | difficulty=Easy | question=What is 20% of 112? | option_a=32 | option_b=17 | option_c=44 | option_d=22 | answer=D | explanation=20% of 112 = (20/100) × 112 = 22.
- id=7083 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■1926 at 12% per annum for 4 years. | option_a=924 | option_b=2850 | option_c=1024 | option_d=824 | answer=A | explanation=SI = PRT/100 = 1926×12×4/100 = ■924.
- id=7084 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■30259 at 12% per annum for 4 years. | option_a=44783 | option_b=14524 | option_c=14424 | option_d=14624 | answer=B | explanation=SI = PRT/100 = 30259×12×4/100 = ■14524.
- id=7085 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=O | option_b=Q | option_c=S | option_d=U | answer=C | explanation=Move 2 positions forward from Q; the resulting letter is S.
- id=7086 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.
- id=7087 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 9. | option_a=27 | option_b=48 | option_c=36 | option_d=108 | answer=C | explanation=LCM × HCF = 12×9; HCF(12,9) = 3, so LCM = 36.
- id=7088 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2280. If it is sold at a profit of 15%, what is its selling price? | option_a=2622 | option_b=2850 | option_c=2394 | option_d=2295 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2280 × 115/100 = ■2622.
- id=7089 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■39792 at 5% per annum for 1 years. | option_a=1989 | option_b=2089 | option_c=1889 | option_d=41781 | answer=A | explanation=SI = PRT/100 = 39792×5×1/100 = ■1989.
- id=7090 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.
- id=7091 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 32, 35, 40? | option_a=32 | option_b=40 | option_c=29 | option_d=35 | answer=B | explanation=The first three numbers increase by 3, so the next should be 38. Therefore 40 is the odd one out.
- id=7092 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 32, 39, 48? | option_a=39 | option_b=32 | option_c=25 | option_d=48 | answer=D | explanation=The first three numbers increase by 7, so the next should be 46. Therefore 48 is the odd one out.
- id=7093 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=S | option_b=V | option_c=P | option_d=M | answer=A | explanation=Move 3 positions forward from P; the resulting letter is S.
- id=7094 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 12. | option_a=60 | option_b=360 | option_c=48 | option_d=90 | answer=A | explanation=LCM × HCF = 30×12; HCF(30,12) = 6, so LCM = 60.
- id=7095 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■43709 at 6% per annum for 3 years. | option_a=7967 | option_b=7867 | option_c=7767 | option_d=51576 | answer=B | explanation=SI = PRT/100 = 43709×6×3/100 = ■7867.
- id=7096 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■19857 at 6% per annum for 3 years. | option_a=23431 | option_b=3674 | option_c=3574 | option_d=3474 | answer=C | explanation=SI = PRT/100 = 19857×6×3/100 = ■3574.
- id=7097 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■9003 at 4% per annum for 1 years. | option_a=9363 | option_b=260 | option_c=460 | option_d=360 | answer=D | explanation=SI = PRT/100 = 9003×4×1/100 = ■360.
- id=7098 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■997. If it is sold at a profit of 50%, what is its selling price? | option_a=1495 | option_b=1594 | option_c=1396 | option_d=1047 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 997 × 150/100 = ■1495.
- id=7099 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:7 and the first is 240, what is the second? | option_a=380 | option_b=152 | option_c=133 | option_d=140 | answer=D | explanation=Scale factor = 240/12 = 20. Therefore second quantity = 7×20 = 140.
- id=7100 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 21. | option_a=147 | option_b=168 | option_c=192 | option_d=504 | answer=B | explanation=LCM × HCF = 24×21; HCF(24,21) = 3, so LCM = 168.
- id=7101 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=7102 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=C | option_b=I | option_c=F | option_d=L | answer=B | explanation=Move 3 positions forward from F; the resulting letter is I.
- id=7103 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 28. | option_a=56 | option_b=28 | option_c=1 | option_d=784 | answer=B | explanation=LCM × HCF = 28×28; HCF(28,28) = 28, so LCM = 28.
- id=7104 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1539. If it is sold at a profit of 30%, what is its selling price? | option_a=2000 | option_b=1847 | option_c=1569 | option_d=2153 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1539 × 130/100 = ■2000.
- id=7105 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 34, 43, 53? | option_a=25 | option_b=34 | option_c=43 | option_d=53 | answer=D | explanation=The first three numbers increase by 9, so the next should be 52. Therefore 53 is the odd one out.
- id=7106 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■612. If it is sold at a profit of 50%, what is its selling price? | option_a=662 | option_b=979 | option_c=918 | option_d=857 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 612 × 150/100 = ■918.
- id=7107 | topic=Averages | difficulty=Easy | question=Find the average of 56, 81, 35, 62, 28, 50. | option_a=51 | option_b=54 | option_c=52 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 312 ÷ 6 = 52.
- id=7108 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2883. If it is sold at a profit of 40%, what is its selling price? | option_a=2923 | option_b=4036 | option_c=4324 | option_d=3748 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2883 × 140/100 = ■4036.
- id=7109 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 49? | option_a=27 | option_b=37 | option_c=17 | option_d=49 | answer=D | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 49 is the odd one out.
- id=7110 | topic=Averages | difficulty=Easy | question=Find the average of 97, 87, 37, 54, 99, 95, 75, 104. | option_a=80 | option_b=82 | option_c=83 | option_d=81 | answer=D | explanation=Average = sum of values ÷ number of values = 648 ÷ 8 = 81.

Aptitude Questions — Records 7,111-7,140 of 100,000

id=7111 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:6 and the first is 216, what is the second? | option_a=66 | option_b=90 | option_c=72 | option_d=288 | answer=C | explanation=Scale factor = 216/18 = 12. Therefore second quantity = 6×12 = 72.

id=7112 | topic=Averages | difficulty=Easy | question=Find the average of 45, 35, 96, 35, 25, 65, 20, 29, 10. | option_a=40 | option_b=42 | option_c=39 | option_d=41 | answer=A | explanation=Average = sum of values ÷ number of values = 360 ÷ 9 = 40.

id=7113 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=Z | option_b=N | option_c=V | option_d=R | answer=C | explanation=Move 4 positions forward from R; the resulting letter is V.

id=7114 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=7115 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 23, 30, 37, ? | option_a=45 | option_b=37 | option_c=51 | option_d=44 | answer=D | explanation=The common difference is 7. Therefore the next term is 37 + 7 = 44.

id=7116 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=32 | option_b=33 | option_c=29 | option_d=35 | answer=A | explanation=The common difference is 3. Therefore the next term is 29 + 3 = 32.

id=7117 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=7118 | topic=Averages | difficulty=Easy | question=Find the average of 20, 21, 50, 61. | option_a=40 | option_b=38 | option_c=39 | option_d=37 | answer=B | explanation=Average = sum of values ÷ number of values = 152 ÷ 4 = 38.

id=7119 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹26351 at 12% per annum for 2 years. | option_a=6424 | option_b=32675 | option_c=6224 | option_d=6324 | answer=D | explanation=SI = PRT/100 = 26351×12×2/100 = ₹6324.

id=7120 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=7121 | topic=Averages | difficulty=Easy | question=Find the average of 10, 69, 92. | option_a=57 | option_b=59 | option_c=58 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 171 ÷ 3 = 57.

id=7122 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2504. If it is sold at a profit of 40%, what is its selling price? | option_a=3755 | option_b=2544 | option_c=3505 | option_d=3255 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2504 × 140/100 = ₹3505.

id=7123 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹3388. If it is sold at a profit of 20%, what is its selling price? | option_a=3727 | option_b=3408 | option_c=4065 | option_d=4403 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3388 × 120/100 = ₹4065.

id=7124 | topic=Averages | difficulty=Easy | question=Find the average of 100, 65, 35, 15, 52, 69. | option_a=56 | option_b=58 | option_c=57 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 336 ÷ 6 = 56.

id=7125 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=7126 | topic=Percentages | difficulty=Easy | question=What is 25% of 1105? | option_a=296 | option_b=271 | option_c=276 | option_d=552 | answer=C | explanation=25% of 1105 = (25/100) × 1105 = 276.

id=7127 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=7128 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1579. If it is sold at a profit of 25%, what is its selling price? | option_a=1604 | option_b=2130 | option_c=1816 | option_d=1973 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1579 × 125/100 = ₹1973.

id=7129 | topic=Averages | difficulty=Easy | question=Find the average of 76, 46, 75, 36, 50, 84, 59, 16, 17. | option_a=52 | option_b=50 | option_c=53 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 459 ÷ 9 = 51.

id=7130 | topic=Percentages | difficulty=Easy | question=What is 50% of 1896? | option_a=958 | option_b=948 | option_c=943 | option_d=1896 | answer=B | explanation=50% of 1896 = (50/100) × 1896 = 948.

id=7131 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 61? | option_a=50 | option_b=61 | option_c=40 | option_d=30 | answer=B | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 61 is the odd one out.

id=7132 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 20. | option_a=24 | option_b=80 | option_c=1 | option_d=20 | answer=D | explanation=LCM × HCF = 4×20; HCF(4,20) = 4, so LCM = 20.

id=7133 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 31, 34, 40? | option_a=28 | option_b=40 | option_c=31 | option_d=34 | answer=B | explanation=The first three numbers increase by 3, so the next should be 37. Therefore 40 is the odd one out.

id=7134 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹3485. If it is sold at a profit of 30%, what is its selling price? | option_a=4878 | option_b=4182 | option_c=3515 | option_d=4530 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3485 × 130/100 = ₹4530.

id=7135 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 25. | option_a=90 | option_b=50 | option_c=375 | option_d=75 | answer=D | explanation=LCM × HCF = 15×25; HCF(15,25) = 5, so LCM = 75.

id=7136 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 24, 33, 45? | option_a=15 | option_b=45 | option_c=33 | option_d=24 | answer=B | explanation=The first three numbers increase by 9, so the next should be 42. Therefore 45 is the odd one out.

id=7137 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹27967 at 5% per annum for 3 years. | option_a=4095 | option_b=32162 | option_c=4295 | option_d=4195 | answer=D | explanation=SI = PRT/100 = 27967×5×3/100 = ₹4195.

id=7138 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=A | option_b=Q | option_c=V | option_d=L | answer=C | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=7139 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=7140 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:7 and the first is 270, what is the second? | option_a=375 | option_b=105 | option_c=98 | option_d=123 | answer=B | explanation=Scale factor = 270/18 = 15. Therefore second quantity = 7×15 = 105.

Aptitude Questions — Records 7,141-7,170 of 100,000

- id=7141 | topic=Averages | difficulty=Easy | question=Find the average of 25, 39, 52, 13, 34, 35, 47. | option_a=34 | option_b=36 | option_c=35 | option_d=37 | answer=C | explanation=Average = sum of values ÷ number of values = 245 ÷ 7 = 35.
- id=7142 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:14 and the first is 342, what is the second? | option_a=252 | option_b=238 | option_c=271 | option_d=594 | answer=A | explanation=Scale factor = 342/19 = 18. Therefore second quantity = 14×18 = 252.
- id=7143 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:14 and the first is 120, what is the second? | option_a=168 | option_b=178 | option_c=288 | option_d=154 | answer=A | explanation=Scale factor = 120/10 = 12. Therefore second quantity = 14×12 = 168.
- id=7144 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 9, 12, 18? | option_a=6 | option_b=9 | option_c=18 | option_d=12 | answer=C | explanation=The first three numbers increase by 3, so the next should be 15. Therefore 18 is the odd one out.
- id=7145 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1141. If it is sold at a profit of 30%, what is its selling price? | option_a=1483 | option_b=1597 | option_c=1171 | option_d=1369 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1141 × 130/100 = █1483.
- id=7146 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 28. | option_a=112 | option_b=280 | option_c=150 | option_d=140 | answer=D | explanation=LCM × HCF = 10×28; HCF(10,28) = 2, so LCM = 140.
- id=7147 | topic=Averages | difficulty=Easy | question=Find the average of 53, 18, 36, 49. | option_a=38 | option_b=39 | option_c=40 | option_d=41 | answer=B | explanation=Average = sum of values + number of values = 156 ÷ 4 = 39.
- id=7148 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 32, 40, 50? | option_a=50 | option_b=24 | option_c=32 | option_d=40 | answer=A | explanation=The first three numbers increase by 8, so the next should be 48. Therefore 50 is the odd one out.
- id=7149 | topic=Averages | difficulty=Easy | question=Find the average of 44, 47, 71, 72, 20, 39, 49, 21, 31, 56. | option_a=47 | option_b=45 | option_c=44 | option_d=46 | answer=B | explanation=Average = sum of values + number of values = 450 ÷ 10 = 45.
- id=7150 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:1 and the first is 45, what is the second? | option_a=60 | option_b=15 | option_c=18 | option_d=14 | answer=B | explanation=Scale factor = 45/3 = 15. Therefore second quantity = 1×15 = 15.
- id=7151 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 24, 32, 40, ? | option_a=48 | option_b=40 | option_c=56 | option_d=49 | answer=A | explanation=The common difference is 8. Therefore the next term is 40 + 8 = 48.
- id=7152 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47731 at 15% per annum for 1 years. | option_a=7059 | option_b=7159 | option_c=7259 | option_d=54890 | answer=B | explanation=SI = PRT/100 = 47731×15×1/100 = █7159.
- id=7153 | topic=Averages | difficulty=Easy | question=Find the average of 37, 58, 66, 97, 72, 72. | option_a=69 | option_b=67 | option_c=68 | option_d=66 | answer=B | explanation=Average = sum of values + number of values = 402 ÷ 6 = 67.
- id=7154 | topic=Percentages | difficulty=Easy | question=What is 50% of 1816? | option_a=918 | option_b=903 | option_c=908 | option_d=1816 | answer=C | explanation=50% of 1816 = (50/100) × 1816 = 908.
- id=7155 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 9, 11, 14? | option_a=14 | option_b=11 | option_c=9 | option_d=7 | answer=A | explanation=The first three numbers increase by 2, so the next should be 13. Therefore 14 is the odd one out.
- id=7156 | topic=Percentages | difficulty=Easy | question=What is 15% of 1324? | option_a=178 | option_b=198 | option_c=396 | option_d=208 | answer=B | explanation=15% of 1324 = (15/100) × 1324 = 198.
- id=7157 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4472 at 5% per annum for 1 years. | option_a=4695 | option_b=123 | option_c=323 | option_d=223 | answer=D | explanation=SI = PRT/100 = 4472×5×1/100 = █223.
- id=7158 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.
- id=7159 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 51? | option_a=51 | option_b=19 | option_c=39 | option_d=29 | answer=A | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 51 is the odd one out.
- id=7160 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=58 | option_b=40 | option_c=49 | option_d=50 | answer=C | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.
- id=7161 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:3 and the first is 320, what is the second? | option_a=368 | option_b=48 | option_c=68 | option_d=45 | answer=B | explanation=Scale factor = 320/20 = 16. Therefore second quantity = 3×16 = 48.
- id=7162 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=S | option_b=U | option_c=T | option_d=V | answer=B | explanation=Move 1 positions forward from T; the resulting letter is U.
- id=7163 | topic=Averages | difficulty=Easy | question=Find the average of 22, 12, 78, 93, 36, 27, 73, 99. | option_a=55 | option_b=54 | option_c=56 | option_d=57 | answer=A | explanation=Average = sum of values + number of values = 440 ÷ 8 = 55.
- id=7164 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 33, 43, 55? | option_a=43 | option_b=33 | option_c=55 | option_d=23 | answer=C | explanation=The first three numbers increase by 10, so the next should be 53. Therefore 55 is the odd one out.
- id=7165 | topic=Averages | difficulty=Easy | question=Find the average of 59, 52, 17, 92, 40. | option_a=51 | option_b=54 | option_c=53 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 260 ÷ 5 = 52.
- id=7166 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:4 and the first is 40, what is the second? | option_a=36 | option_b=80 | option_c=40 | option_d=44 | answer=C | explanation=Scale factor = 40/4 = 10. Therefore second quantity = 4×10 = 40.
- id=7167 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.
- id=7168 | topic=Averages | difficulty=Easy | question=Find the average of 79, 66, 60, 18, 28, 98, 82, 67, 69. | option_a=62 | option_b=63 | option_c=64 | option_d=65 | answer=B | explanation=Average = sum of values + number of values = 567 ÷ 9 = 63.
- id=7169 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1706. If it is sold at a profit of 30%, what is its selling price? | option_a=2217 | option_b=2387 | option_c=1736 | option_d=2047 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1706 × 130/100 = █2217.
- id=7170 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 7,171-7,200 of 100,000

id=7171 | topic=Averages | difficulty=Easy | question=Find the average of 97, 48, 81, 92, 83, 85. | option_a=82 | option_b=83 | option_c=81 | option_d=80 | answer=C | explanation=Average = sum of values ÷ number of values = 486 ÷ 6 = 81.

id=7172 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4311 at 4% per annum for 5 years. | option_a=962 | option_b=862 | option_c=5173 | option_d=762 | answer=B | explanation=SI = PRT/100 = 4311×4×5/100 = █862.

id=7173 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:1 and the first is 14, what is the second? | option_a=21 | option_b=9 | option_c=7 | option_d=6 | answer=C | explanation=Scale factor = 14/2 = 7. Therefore second quantity = 1×7 = 7.

id=7174 | topic=Percentages | difficulty=Easy | question=What is 30% of 490? | option_a=137 | option_b=294 | option_c=147 | option_d=167 | answer=C | explanation=30% of 490 = (30/100) × 490 = 147.

id=7175 | topic=Averages | difficulty=Easy | question=Find the average of 19, 36, 48, 91, 29, 53. | option_a=48 | option_b=45 | option_c=47 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 276 ÷ 6 = 46.

id=7176 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4299. If it is sold at a profit of 50%, what is its selling price? | option_a=6877 | option_b=6019 | option_c=6448 | option_d=4349 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4299 × 150/100 = █6448.

id=7177 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 30. | option_a=270 | option_b=297 | option_c=240 | option_d=810 | answer=A | explanation=LCM × HCF = 27×30; HCF(27,30) = 3, so LCM = 270.

id=7178 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43060 at 10% per annum for 2 years. | option_a=8712 | option_b=8512 | option_c=51672 | option_d=8612 | answer=D | explanation=SI = PRT/100 = 43060×10×2/100 = █8612.

id=7179 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:5 and the first is 72, what is the second? | option_a=92 | option_b=38 | option_c=20 | option_d=15 | answer=C | explanation=Scale factor = 72/18 = 4. Therefore second quantity = 5×4 = 20.

id=7180 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=7181 | topic=Averages | difficulty=Easy | question=Find the average of 45, 97, 17, 94, 47. | option_a=59 | option_b=61 | option_c=60 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 300 ÷ 5 = 60.

id=7182 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=A | option_b=R | option_c=U | option_d=X | answer=D | explanation=Move 3 positions forward from U; the resulting letter is X.

id=7183 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=7184 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 15. | option_a=15 | option_b=18 | option_c=45 | option_d=1 | answer=A | explanation=LCM × HCF = 3×15; HCF(3,15) = 3, so LCM = 15.

id=7185 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 28? | option_a=28 | option_b=15 | option_c=19 | option_d=23 | answer=A | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 28 is the odd one out.

id=7186 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=Q | option_b=O | option_c=P | option_d=N | answer=C | explanation=Move 1 positions forward from O; the resulting letter is P.

id=7187 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=U | option_b=T | option_c=S | option_d=V | answer=A | explanation=Move 1 positions forward from T; the resulting letter is U.

id=7188 | topic=Percentages | difficulty=Easy | question=What is 40% of 1413? | option_a=585 | option_b=560 | option_c=1130 | option_d=565 | answer=D | explanation=40% of 1413 = (40/100) × 1413 = 565.

id=7189 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=J | option_c=T | option_d=Y | answer=C | explanation=Move 5 positions forward from O; the resulting letter is T.

id=7190 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:6 and the first is 176, what is the second? | option_a=107 | option_b=272 | option_c=96 | option_d=90 | answer=C | explanation=Scale factor = 176/11 = 16. Therefore second quantity = 6×16 = 96.

id=7191 | topic=Percentages | difficulty=Easy | question=What is 50% of 499? | option_a=498 | option_b=229 | option_c=259 | option_d=249 | answer=D | explanation=50% of 499 = (50/100) × 499 = 249.

id=7192 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=7193 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1505 at 5% per annum for 5 years. | option_a=276 | option_b=1881 | option_c=376 | option_d=476 | answer=C | explanation=SI = PRT/100 = 1505×5×5/100 = █376.

id=7194 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 56? | option_a=29 | option_b=37 | option_c=56 | option_d=45 | answer=C | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 56 is the odd one out.

id=7195 | topic=Number System | difficulty=Easy | question=Find the LCM of 13 and 13. | option_a=13 | option_b=26 | option_c=1 | option_d=169 | answer=A | explanation=LCM × HCF = 13×13; HCF(13,13) = 13, so LCM = 13.

id=7196 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 154, what is the second? | option_a=235 | option_b=378 | option_c=224 | option_d=208 | answer=C | explanation=Scale factor = 154/11 = 14. Therefore second quantity = 16×14 = 224.

id=7197 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=24 | option_b=30 | option_c=36 | option_d=31 | answer=B | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.

id=7198 | topic=Percentages | difficulty=Easy | question=What is 50% of 1915? | option_a=1914 | option_b=952 | option_c=957 | option_d=962 | answer=C | explanation=50% of 1915 = (50/100) × 1915 = 957.

id=7199 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=180 | option_c=95 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=7200 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11723 at 8% per annum for 4 years. | option_a=15474 | option_b=3851 | option_c=3751 | option_d=3651 | answer=C | explanation=SI = PRT/100 = 11723×8×4/100 = █3751.

Aptitude Questions — Records 7,201-7,230 of 100,000

id=7201 | topic=Percentages | difficulty=Easy | question=What is 20% of 1221? | option_a=254 | option_b=234 | option_c=244 | option_d=488 | answer=C | explanation=20% of 1221 = (20/100) × 1221 = 244.

id=7202 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:5 and the first is 285, what is the second? | option_a=94 | option_b=70 | option_c=75 | option_d=360 | answer=C | explanation=Scale factor = 285/19 = 15. Therefore second quantity = 5×15 = 75.

id=7203 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=M | option_c=E | option_d=Q | answer=B | explanation=Move 4 positions forward from I; the resulting letter is M.

id=7204 | topic=Averages | difficulty=Easy | question=Find the average of 97, 74, 17, 71, 21. | option_a=57 | option_b=55 | option_c=58 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 280 ÷ 5 = 56.

id=7205 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:17 and the first is 198, what is the second? | option_a=289 | option_b=306 | option_c=317 | option_d=504 | answer=B | explanation=Scale factor = 198/11 = 18. Therefore second quantity = 17×18 = 306.

id=7206 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=T | option_b=Y | option_c=O | option_d=J | answer=A | explanation=Move 5 positions forward from O; the resulting letter is T.

id=7207 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=62 | option_b=61 | option_c=50 | option_d=72 | answer=B | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.

id=7208 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 13, 18, 23, ? | option_a=29 | option_b=28 | option_c=23 | option_d=33 | answer=B | explanation=The common difference is 5. Therefore the next term is 23 + 5 = 28.

id=7209 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 24, 32, 43? | option_a=43 | option_b=32 | option_c=24 | option_d=16 | answer=A | explanation=The first three numbers increase by 8, so the next should be 40. Therefore 43 is the odd one out.

id=7210 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 51? | option_a=20 | option_b=51 | option_c=40 | option_d=30 | answer=B | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 51 is the odd one out.

id=7211 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=5 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=7212 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8471 at 10% per annum for 5 years. | option_a=12706 | option_b=4135 | option_c=4335 | option_d=4235 | answer=D | explanation=SI = PRT/100 = 8471×10×5/100 = █4235.

id=7213 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=20 | option_b=23 | option_c=22 | option_d=24 | answer=C | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=7214 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39945 at 15% per annum for 5 years. | option_a=69903 | option_b=30058 | option_c=29958 | option_d=29858 | answer=C | explanation=SI = PRT/100 = 39945×15×5/100 = █29958.

id=7215 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27760 at 12% per annum for 4 years. | option_a=41084 | option_b=13324 | option_c=13224 | option_d=13424 | answer=B | explanation=SI = PRT/100 = 27760×12×4/100 = █13324.

id=7216 | topic=Percentages | difficulty=Easy | question=What is 30% of 970? | option_a=291 | option_b=301 | option_c=281 | option_d=582 | answer=A | explanation=30% of 970 = (30/100) × 970 = 291.

id=7217 | topic=Averages | difficulty=Easy | question=Find the average of 19, 78, 18, 87, 15, 55, 93, 83, 66, 46. | option_a=57 | option_b=56 | option_c=55 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 560 ÷ 10 = 56.

id=7218 | topic=Averages | difficulty=Easy | question=Find the average of 56, 37, 99. | option_a=63 | option_b=64 | option_c=65 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 192 ÷ 3 = 64.

id=7219 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=L | option_c=P | option_d=N | answer=C | explanation=Move 2 positions forward from N; the resulting letter is P.

id=7220 | topic=Profit & Loss | difficulty=Easy | question=An article costs █553. If it is sold at a profit of 20%, what is its selling price? | option_a=608 | option_b=573 | option_c=663 | option_d=718 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 553 × 120/100 = █663.

id=7221 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 33, 42, 53? | option_a=53 | option_b=33 | option_c=42 | option_d=24 | answer=A | explanation=The first three numbers increase by 9, so the next should be 51. Therefore 53 is the odd one out.

id=7222 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4426. If it is sold at a profit of 25%, what is its selling price? | option_a=4451 | option_b=5974 | option_c=5090 | option_d=5532 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4426 × 125/100 = █5532.

id=7223 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=7224 | topic=Averages | difficulty=Easy | question=Find the average of 70, 28, 60, 94, 99, 76, 51, 18. | option_a=61 | option_b=64 | option_c=63 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 496 ÷ 8 = 62.

id=7225 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 42? | option_a=23 | option_b=42 | option_c=35 | option_d=29 | answer=B | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 42 is the odd one out.

id=7226 | topic=Percentages | difficulty=Easy | question=What is 50% of 1235? | option_a=617 | option_b=1234 | option_c=607 | option_d=627 | answer=A | explanation=50% of 1235 = (50/100) × 1235 = 617.

id=7227 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=J | option_c=L | option_d=K | answer=C | explanation=Move 1 positions forward from K; the resulting letter is L.

id=7228 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=32 | option_b=26 | option_c=20 | option_d=27 | answer=B | explanation=The common difference is 6. Therefore the next term is 20 + 6 = 26.

id=7229 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=95 | option_c=90 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=7230 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

Aptitude Questions — Records 7,231-7,260 of 100,000

id=7231 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■603. If it is sold at a profit of 50%, what is its selling price? | option_a=904 | option_b=964 | option_c=844 | option_d=653 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 603 × 150/100 = ■904.

id=7232 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 6. | option_a=1 | option_b=36 | option_c=6 | option_d=12 | answer=C | explanation=LCM × HCF = 6×6; HCF(6,6) = 6, so LCM = 6.

id=7233 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:3 and the first is 156, what is the second? | option_a=192 | option_b=33 | option_c=36 | option_d=49 | answer=C | explanation=Scale factor = 156/13 = 12. Therefore second quantity = 3×12 = 36.

id=7234 | topic=Percentages | difficulty=Easy | question=What is 40% of 352? | option_a=135 | option_b=140 | option_c=145 | option_d=280 | answer=B | explanation=40% of 352 = (40/100) × 352 = 140.

id=7235 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 25, 33, 41, ? | option_a=50 | option_b=49 | option_c=41 | option_d=57 | answer=B | explanation=The common difference is 8. Therefore the next term is 41 + 8 = 49.

id=7236 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=80 | option_c=75 | option_d=160 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=7237 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3662. If it is sold at a profit of 10%, what is its selling price? | option_a=3662 | option_b=3672 | option_c=4028 | option_d=4394 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3662 × 110/100 = ■4028.

id=7238 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=7239 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=80 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=7240 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=23 | option_b=24 | option_c=27 | option_d=19 | answer=A | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=7241 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=70 | option_c=75 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=7242 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■7285 at 6% per annum for 5 years. | option_a=9470 | option_b=2185 | option_c=2285 | option_d=2085 | answer=B | explanation=SI = PRT/100 = 7285×6×5/100 = ■2185.

id=7243 | topic=Averages | difficulty=Easy | question=Find the average of 93, 20, 67, 61, 82, 86, 35, 36. | option_a=61 | option_b=59 | option_c=62 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 480 ÷ 8 = 60.

id=7244 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=50 | option_c=100 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=7245 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=I | option_b=S | option_c=X | option_d=N | answer=B | explanation=Move 5 positions forward from N; the resulting letter is S.

id=7246 | topic=Percentages | difficulty=Easy | question=What is 30% of 1769? | option_a=535 | option_b=1060 | option_c=520 | option_d=530 | answer=D | explanation=30% of 1769 = (30/100) × 1769 = 530.

id=7247 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■35006 at 15% per annum for 4 years. | option_a=21103 | option_b=56009 | option_c=21003 | option_d=20903 | answer=C | explanation=SI = PRT/100 = 35006×15×4/100 = ■21003.

id=7248 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3814. If it is sold at a profit of 20%, what is its selling price? | option_a=3834 | option_b=4957 | option_c=4195 | option_d=4576 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3814 × 120/100 = ■4576.

id=7249 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=39 | option_b=50 | option_c=49 | option_d=59 | answer=C | explanation=The common difference is 10. Therefore the next term is 39 + 10 = 49.

id=7250 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=15 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=7251 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■34116 at 10% per annum for 2 years. | option_a=6923 | option_b=40939 | option_c=6723 | option_d=6823 | answer=D | explanation=SI = PRT/100 = 34116×10×2/100 = ■6823.

id=7252 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 19? | option_a=13 | option_b=15 | option_c=19 | option_d=11 | answer=C | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 19 is the odd one out.

id=7253 | topic=Percentages | difficulty=Easy | question=What is 30% of 706? | option_a=422 | option_b=211 | option_c=191 | option_d=216 | answer=B | explanation=30% of 706 = (30/100) × 706 = 211.

id=7254 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=17 | option_b=25 | option_c=21 | option_d=22 | answer=C | explanation=The common difference is 4. Therefore the next term is 17 + 4 = 21.

id=7255 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 46? | option_a=46 | option_b=23 | option_c=13 | option_d=33 | answer=A | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 46 is the odd one out.

id=7256 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=32 | option_b=31 | option_c=34 | option_d=28 | answer=B | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=7257 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=49 | option_b=39 | option_c=59 | option_d=50 | answer=A | explanation=The common difference is 10. Therefore the next term is 39 + 10 = 49.

id=7258 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■33740 at 12% per annum for 1 years. | option_a=4048 | option_b=37788 | option_c=4148 | option_d=3948 | answer=A | explanation=SI = PRT/100 = 33740×12×1/100 = ■4048.

id=7259 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:16 and the first is 51, what is the second? | option_a=48 | option_b=99 | option_c=65 | option_d=32 | answer=A | explanation=Scale factor = 51/17 = 3. Therefore second quantity = 16×3 = 48.

id=7260 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■15748 at 4% per annum for 1 years. | option_a=16377 | option_b=629 | option_c=729 | option_d=529 | answer=B | explanation=SI = PRT/100 = 15748×4×1/100 = ■629.

Aptitude Questions — Records 7,261-7,290 of 100,000

id=7261 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=29 | option_b=41 | option_c=35 | option_d=36 | answer=C | explanation=The common difference is 6. Therefore the next term is 29 + 6 = 35.

id=7262 | topic=Percentages | difficulty=Easy | question=What is 10% of 1809? | option_a=160 | option_b=180 | option_c=360 | option_d=185 | answer=B | explanation=10% of 1809 = (10/100) × 1809 = 180.

id=7263 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=7264 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=11 | option_c=12 | option_d=1 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=7265 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 12. | option_a=75 | option_b=60 | option_c=48 | option_d=180 | answer=B | explanation=LCM × HCF = 15×12; HCF(15,12) = 3, so LCM = 60.

id=7266 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 24. | option_a=480 | option_b=120 | option_c=96 | option_d=140 | answer=B | explanation=LCM × HCF = 20×24; HCF(20,24) = 4, so LCM = 120.

id=7267 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=48 | option_b=56 | option_c=47 | option_d=38 | answer=C | explanation=The common difference is 9. Therefore the next term is 38 + 9 = 47.

id=7268 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■38155 at 15% per annum for 5 years. | option_a=28716 | option_b=66771 | option_c=28516 | option_d=28616 | answer=D | explanation=SI = PRT/100 = 38155×15×5/100 = ■28616.

id=7269 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=7270 | topic=Percentages | difficulty=Easy | question=What is 40% of 332? | option_a=122 | option_b=142 | option_c=132 | option_d=264 | answer=C | explanation=40% of 332 = (40/100) × 332 = 132.

id=7271 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■17460 at 12% per annum for 2 years. | option_a=21650 | option_b=4090 | option_c=4190 | option_d=4290 | answer=C | explanation=SI = PRT/100 = 17460×12×2/100 = ■4190.

id=7272 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4858. If it is sold at a profit of 5%, what is its selling price? | option_a=5100 | option_b=4615 | option_c=4863 | option_d=5585 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4858 × 105/100 = ■5100.

id=7273 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=G | option_c=C | option_d=I | answer=B | explanation=Move 2 positions forward from E; the resulting letter is G.

id=7274 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=T | option_b=R | option_c=S | option_d=Q | answer=C | explanation=Move 1 positions forward from R; the resulting letter is S.

id=7275 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=40 | option_b=34 | option_c=44 | option_d=39 | answer=D | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

id=7276 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■17376 at 8% per annum for 5 years. | option_a=6850 | option_b=7050 | option_c=24326 | option_d=6950 | answer=D | explanation=SI = PRT/100 = 17376×8×5/100 = ■6950.

id=7277 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=7278 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=70 | option_d=150 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=7279 | topic=Percentages | difficulty=Easy | question=What is 25% of 1515? | option_a=398 | option_b=378 | option_c=756 | option_d=358 | answer=B | explanation=25% of 1515 = (25/100) × 1515 = 378.

id=7280 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 28? | option_a=5 | option_b=19 | option_c=28 | option_d=12 | answer=C | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 28 is the odd one out.

id=7281 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=7282 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 30? | option_a=30 | option_b=22 | option_c=24 | option_d=26 | answer=A | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 30 is the odd one out.

id=7283 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=23 | option_b=30 | option_c=35 | option_d=29 | answer=D | explanation=The common difference is 6. Therefore the next term is 23 + 6 = 29.

id=7284 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:14 and the first is 135, what is the second? | option_a=345 | option_b=219 | option_c=196 | option_d=210 | answer=D | explanation=Scale factor = 135/9 = 15. Therefore second quantity = 14×15 = 210.

id=7285 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:15 and the first is 16, what is the second? | option_a=45 | option_b=64 | option_c=76 | option_d=60 | answer=D | explanation=Scale factor = 16/4 = 4. Therefore second quantity = 15×4 = 60.

id=7286 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=7287 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=7288 | topic=Averages | difficulty=Easy | question=Find the average of 73, 64, 65, 56, 87, 89, 55, 89, 86, 16. | option_a=70 | option_b=68 | option_c=67 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 680 ÷ 10 = 68.

id=7289 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:5 and the first is 90, what is the second? | option_a=40 | option_b=135 | option_c=55 | option_d=45 | answer=D | explanation=Scale factor = 90/10 = 9. Therefore second quantity = 5×9 = 45.

id=7290 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■25982 at 8% per annum for 3 years. | option_a=6335 | option_b=6235 | option_c=32217 | option_d=6135 | answer=B | explanation=SI = PRT/100 = 25982×8×3/100 = ■6235.

Aptitude Questions — Records 7,291-7,320 of 100,000

- id=7291 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 30, 38, 47? | option_a=38 | option_b=47 | option_c=22 | option_d=30 | answer=B | explanation=The first three numbers increase by 8, so the next should be 46. Therefore 47 is the odd one out.
- id=7292 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 23, 28, 35? | option_a=35 | option_b=28 | option_c=23 | option_d=18 | answer=A | explanation=The first three numbers increase by 5, so the next should be 33. Therefore 35 is the odd one out.
- id=7293 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 10, 17, 25? | option_a=10 | option_b=17 | option_c=25 | option_d=3 | answer=C | explanation=The first three numbers increase by 7, so the next should be 24. Therefore 25 is the odd one out.
- id=7294 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1735. If it is sold at a profit of 10%, what is its selling price? | option_a=1908 | option_b=1735 | option_c=1745 | option_d=2081 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1735 \times 110/100 = \text{█}1908$.
- id=7295 | topic=Profit & Loss | difficulty=Easy | question=An article costs █995. If it is sold at a profit of 50%, what is its selling price? | option_a=1393 | option_b=1591 | option_c=1045 | option_d=1492 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 995 \times 150/100 = \text{█}1492$.
- id=7296 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 39? | option_a=39 | option_b=29 | option_c=11 | option_d=20 | answer=A | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 39 is the odd one out.
- id=7297 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=45 | option_b=44 | option_c=35 | option_d=53 | answer=B | explanation=The common difference is 9. Therefore the next term is $35 + 9 = 44$.
- id=7298 | topic=Averages | difficulty=Easy | question=Find the average of 71, 58, 19, 88. | option_a=60 | option_b=59 | option_c=58 | option_d=61 | answer=B | explanation=Average = $\text{sum of values} \div \text{number of values} = 236 \div 4 = 59$.
- id=7299 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23691 at 10% per annum for 5 years. | option_a=11845 | option_b=11945 | option_c=35536 | option_d=11745 | answer=A | explanation= $SI = PRT/100 = 23691 \times 10 \times 5/100 = \text{█}11845$.
- id=7300 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=H | option_b=I | option_c=G | option_d=F | answer=A | explanation=Move 1 positions forward from G; the resulting letter is H.
- id=7301 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=V | option_b=M | option_c=P | option_d=S | answer=D | explanation=Move 3 positions forward from P; the resulting letter is S.
- id=7302 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:9 and the first is 30, what is the second? | option_a=9 | option_b=33 | option_c=18 | option_d=48 | answer=C | explanation=Scale factor = $30/15 = 2$. Therefore second quantity = $9 \times 2 = 18$.
- id=7303 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38663 at 12% per annum for 4 years. | option_a=57221 | option_b=18658 | option_c=18458 | option_d=18558 | answer=D | explanation= $SI = PRT/100 = 38663 \times 12 \times 4/100 = \text{█}18558$.
- id=7304 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=70 | option_b=75 | option_c=80 | option_d=150 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 300 \div 4 = 75 \text{ km/h}$.
- id=7305 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=12 | option_d=4 | answer=B | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3 \text{ days}$.
- id=7306 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4245. If it is sold at a profit of 5%, what is its selling price? | option_a=4457 | option_b=4250 | option_c=4881 | option_d=4033 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4245 \times 105/100 = \text{█}4457$.
- id=7307 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=30 | option_d=20 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 90 \div 6 = 15 \text{ km/h}$.
- id=7308 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=25 | option_c=20 | option_d=40 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 120 \div 6 = 20 \text{ km/h}$.
- id=7309 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 12, 14, 17? | option_a=12 | option_b=10 | option_c=17 | option_d=14 | answer=C | explanation=The first three numbers increase by 2, so the next should be 16. Therefore 17 is the odd one out.
- id=7310 | topic=Percentages | difficulty=Easy | question=What is 30% of 1874? | option_a=1124 | option_b=542 | option_c=572 | option_d=562 | answer=D | explanation= $30\% \text{ of } 1874 = (30/100) \times 1874 = 562$.
- id=7311 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=55 | option_c=45 | option_d=100 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 150 \div 3 = 50 \text{ km/h}$.
- id=7312 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2315 at 4% per annum for 3 years. | option_a=377 | option_b=277 | option_c=177 | option_d=2592 | answer=B | explanation= $SI = PRT/100 = 2315 \times 4 \times 3/100 = \text{█}277$.
- id=7313 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:4 and the first is 196, what is the second? | option_a=252 | option_b=70 | option_c=56 | option_d=52 | answer=C | explanation=Scale factor = $196/14 = 14$. Therefore second quantity = $4 \times 14 = 56$.
- id=7314 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 30. | option_a=45 | option_b=450 | option_c=30 | option_d=1 | answer=C | explanation= $LCM \times HCF = 15 \times 30$; $HCF(15,30) = 15$, so $LCM = 30$.
- id=7315 | topic=Averages | difficulty=Easy | question=Find the average of 19, 90, 72, 74, 18, 11, 94. | option_a=53 | option_b=56 | option_c=55 | option_d=54 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 378 \div 7 = 54$.
- id=7316 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=50 | option_b=58 | option_c=40 | option_d=49 | answer=D | explanation=The common difference is 9. Therefore the next term is $40 + 9 = 49$.
- id=7317 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=240 | option_d=115 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 240 \div 2 = 120 \text{ km/h}$.
- id=7318 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=25 | option_d=50 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 150 \div 6 = 25 \text{ km/h}$.
- id=7319 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 12, 21, 31? | option_a=12 | option_b=31 | option_c=3 | option_d=21 | answer=B | explanation=The first three numbers increase by 9, so the next should be 30. Therefore 31 is the odd one out.
- id=7320 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 13, 23, 35? | option_a=23 | option_b=35 | option_c=13 | option_d=3 | answer=B | explanation=The first three numbers increase by 10, so the next should be 33. Therefore 35 is the odd one out.

Aptitude Questions — Records 7,321-7,350 of 100,000

id=7321 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=7322 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 12, 21, 30, ? | option_a=40 | option_b=30 | option_c=48 | option_d=39 | answer=D | explanation=The common difference is 9. Therefore the next term is 30 + 9 = 39.

id=7323 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:11 and the first is 18, what is the second? | option_a=40 | option_b=11 | option_c=22 | option_d=31 | answer=C | explanation=Scale factor = 18/9 = 2. Therefore second quantity = 11×2 = 22.

id=7324 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=7325 | topic=Averages | difficulty=Easy | question=Find the average of 88, 51, 17, 43, 36, 28, 93, 59, 17. | option_a=49 | option_b=48 | option_c=50 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 432 ÷ 9 = 48.

id=7326 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:8 and the first is 195, what is the second? | option_a=96 | option_b=104 | option_c=299 | option_d=119 | answer=B | explanation=Scale factor = 195/15 = 13. Therefore second quantity = 8×13 = 104.

id=7327 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**28415 at 15% per annum for 3 years. | option_a=12886 | option_b=12786 | option_c=41201 | option_d=12686 | answer=B | explanation=SI = PRT/100 = 28415×15×3/100 = **₹**12786.

id=7328 | topic=Percentages | difficulty=Easy | question=What is 25% of 1675? | option_a=398 | option_b=423 | option_c=418 | option_d=836 | answer=C | explanation=25% of 1675 = (25/100) × 1675 = 418.

id=7329 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=7330 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:14 and the first is 15, what is the second? | option_a=47 | option_b=28 | option_c=42 | option_d=57 | answer=C | explanation=Scale factor = 15/5 = 3. Therefore second quantity = 14×3 = 42.

id=7331 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=52 | option_b=74 | option_c=63 | option_d=64 | answer=C | explanation=The common difference is 11. Therefore the next term is 52 + 11 = 63.

id=7332 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:11 and the first is 4, what is the second? | option_a=45 | option_b=44 | option_c=48 | option_d=33 | answer=B | explanation=Scale factor = 4/1 = 4. Therefore second quantity = 11×4 = 44.

id=7333 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3268. If it is sold at a profit of 25%, what is its selling price? | option_a=4411 | option_b=3759 | option_c=3293 | option_d=4085 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3268 × 125/100 = **₹**4085.

id=7334 | topic=Averages | difficulty=Easy | question=Find the average of 56, 63, 49, 16, 92, 30, 99, 56, 52. | option_a=56 | option_b=57 | option_c=59 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 513 ÷ 9 = 57.

id=7335 | topic=Percentages | difficulty=Easy | question=What is 12% of 895? | option_a=214 | option_b=87 | option_c=107 | option_d=127 | answer=C | explanation=12% of 895 = (12/100) × 895 = 107.

id=7336 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 15, 20, 27? | option_a=10 | option_b=27 | option_c=15 | option_d=20 | answer=B | explanation=The first three numbers increase by 5, so the next should be 25. Therefore 27 is the odd one out.

id=7337 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 29, 36, 46? | option_a=36 | option_b=46 | option_c=22 | option_d=29 | answer=B | explanation=The first three numbers increase by 7, so the next should be 43. Therefore 46 is the odd one out.

id=7338 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**22367 at 4% per annum for 4 years. | option_a=3578 | option_b=25945 | option_c=3678 | option_d=3478 | answer=A | explanation=SI = PRT/100 = 22367×4×4/100 = **₹**3578.

id=7339 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**40091 at 6% per annum for 5 years. | option_a=12027 | option_b=11927 | option_c=12127 | option_d=52118 | answer=A | explanation=SI = PRT/100 = 40091×6×5/100 = **₹**12027.

id=7340 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=7341 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=6 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=7342 | topic=Averages | difficulty=Easy | question=Find the average of 10, 20, 31, 27. | option_a=23 | option_b=21 | option_c=24 | option_d=22 | answer=D | explanation=Average = sum of values ÷ number of values = 88 ÷ 4 = 22.

id=7343 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Y | option_b=M | option_c=U | option_d=Q | answer=C | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=7344 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**5829 at 6% per annum for 3 years. | option_a=1049 | option_b=949 | option_c=6878 | option_d=1149 | answer=A | explanation=SI = PRT/100 = 5829×6×3/100 = **₹**1049.

id=7345 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=G | option_b=O | option_c=S | option_d=K | answer=B | explanation=Move 4 positions forward from K; the resulting letter is O.

id=7346 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=56 | option_b=55 | option_c=45 | option_d=65 | answer=B | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.

id=7347 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=7348 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 15, 22, 29, ? | option_a=29 | option_b=36 | option_c=37 | option_d=43 | answer=B | explanation=The common difference is 7. Therefore the next term is 29 + 7 = 36.

id=7349 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2983. If it is sold at a profit of 10%, what is its selling price? | option_a=2983 | option_b=3579 | option_c=3281 | option_d=2993 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2983 × 110/100 = **₹**3281.

id=7350 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 7,351-7,380 of 100,000

id=7351 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=300 | option_c=145 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=7352 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=C | option_c=D | option_d=B | answer=C | explanation=Move 1 positions forward from C; the resulting letter is D.

id=7353 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7723 at 12% per annum for 2 years. | option_a=1853 | option_b=9576 | option_c=1753 | option_d=1953 | answer=A | explanation=SI = PRT/100 = 7723×12×2/100 = █1853.

id=7354 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=7355 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13519 at 5% per annum for 5 years. | option_a=16898 | option_b=3379 | option_c=3479 | option_d=3279 | answer=B | explanation=SI = PRT/100 = 13519×5×5/100 = █3379.

id=7356 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:6 and the first is 75, what is the second? | option_a=165 | option_b=90 | option_c=84 | option_d=95 | answer=B | explanation=Scale factor = 75/5 = 15. Therefore second quantity = 6×15 = 90.

id=7357 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=7358 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2853. If it is sold at a profit of 5%, what is its selling price? | option_a=2858 | option_b=2995 | option_c=3280 | option_d=2710 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2853 × 105/100 = █2995.

id=7359 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=41 | option_b=50 | option_c=59 | option_d=51 | answer=B | explanation=The common difference is 9. Therefore the next term is 41 + 9 = 50.

id=7360 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1121. If it is sold at a profit of 30%, what is its selling price? | option_a=1569 | option_b=1345 | option_c=1151 | option_d=1457 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1121 × 130/100 = █1457.

id=7361 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=7362 | topic=Averages | difficulty=Easy | question=Find the average of 59, 82, 100, 34, 21, 16. | option_a=54 | option_b=52 | option_c=53 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 312 ÷ 6 = 52.

id=7363 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=37 | option_b=31 | option_c=36 | option_d=41 | answer=C | explanation=The common difference is 5. Therefore the next term is 31 + 5 = 36.

id=7364 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=90 | option_b=50 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=7365 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 34, 43, 54? | option_a=54 | option_b=43 | option_c=34 | option_d=25 | answer=A | explanation=The first three numbers increase by 9, so the next should be 52. Therefore 54 is the odd one out.

id=7366 | topic=Percentages | difficulty=Easy | question=What is 12% of 1851? | option_a=212 | option_b=222 | option_c=227 | option_d=444 | answer=B | explanation=12% of 1851 = (12/100) × 1851 = 222.

id=7367 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=Q | option_c=S | option_d=U | answer=D | explanation=Move 2 positions forward from S; the resulting letter is U.

id=7368 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 24, 27, 33? | option_a=27 | option_b=21 | option_c=33 | option_d=24 | answer=C | explanation=The first three numbers increase by 3, so the next should be 30. Therefore 33 is the odd one out.

id=7369 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 24, 33, 45? | option_a=15 | option_b=45 | option_c=24 | option_d=33 | answer=B | explanation=The first three numbers increase by 9, so the next should be 42. Therefore 45 is the odd one out.

id=7370 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=P | option_c=Q | option_d=R | answer=D | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=7371 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 37, 46, 57? | option_a=28 | option_b=37 | option_c=57 | option_d=46 | answer=C | explanation=The first three numbers increase by 9, so the next should be 55. Therefore 57 is the odd one out.

id=7372 | topic=Averages | difficulty=Easy | question=Find the average of 86, 99, 94, 13. | option_a=72 | option_b=74 | option_c=75 | option_d=73 | answer=D | explanation=Average = sum of values ÷ number of values = 292 ÷ 4 = 73.

id=7373 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3067. If it is sold at a profit of 30%, what is its selling price? | option_a=3097 | option_b=3681 | option_c=4293 | option_d=3987 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3067 × 130/100 = █3987.

id=7374 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 34, 42, 51? | option_a=34 | option_b=26 | option_c=51 | option_d=42 | answer=C | explanation=The first three numbers increase by 8, so the next should be 50. Therefore 51 is the odd one out.

id=7375 | topic=Averages | difficulty=Easy | question=Find the average of 31, 70, 14, 26, 74, 85. | option_a=50 | option_b=49 | option_c=51 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 300 ÷ 6 = 50.

id=7376 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 25, 35, 47? | option_a=15 | option_b=35 | option_c=47 | option_d=25 | answer=C | explanation=The first three numbers increase by 10, so the next should be 45. Therefore 47 is the odd one out.

id=7377 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3255. If it is sold at a profit of 15%, what is its selling price? | option_a=3418 | option_b=4068 | option_c=3270 | option_d=3743 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3255 × 115/100 = █3743.

id=7378 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=23 | option_c=18 | option_d=36 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=7379 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=70 | option_c=80 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=7380 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=Z | option_b=F | option_c=B | option_d=D | answer=D | explanation=Move 2 positions forward from B; the resulting letter is D.

Aptitude Questions — Records 7,381-7,410 of 100,000

id=7381 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 20. | option_a=40 | option_b=72 | option_c=60 | option_d=240 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 12 \times 20$; $\text{HCF}(12,20) = 4$, so $\text{LCM} = 60$.

id=7382 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 23, 32, 44? | option_a=44 | option_b=23 | option_c=32 | option_d=14 | answer=A | explanation=The first three numbers increase by 9, so the next should be 41. Therefore 44 is the odd one out.

id=7383 | topic=Averages | difficulty=Easy | question=Find the average of 30, 34, 22, 43, 82, 45, 52. | option_a=46 | option_b=44 | option_c=43 | option_d=45 | answer=B | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 308 \div 7 = 44$.

id=7384 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**23650 at 12% per annum for 5 years. | option_a=14090 | option_b=14290 | option_c=14190 | option_d=37840 | answer=C | explanation= $\text{SI} = \text{PRT}/100 = 23650 \times 12 \times 5/100 = \text{₹}14190$.

id=7385 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**43119 at 15% per annum for 1 years. | option_a=6567 | option_b=49586 | option_c=6367 | option_d=6467 | answer=D | explanation= $\text{SI} = \text{PRT}/100 = 43119 \times 15 \times 1/100 = \text{₹}6467$.

id=7386 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=K | option_c=H | option_d=J | answer=D | explanation=Move 1 positions forward from I; the resulting letter is J.

id=7387 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:10 and the first is 8, what is the second? | option_a=28 | option_b=24 | option_c=20 | option_d=10 | answer=C | explanation=Scale factor = $8/4 = 2$. Therefore second quantity = $10 \times 2 = 20$.

id=7388 | topic=Percentages | difficulty=Easy | question=What is 10% of 1412? | option_a=141 | option_b=282 | option_c=161 | option_d=136 | answer=A | explanation= $10\% \text{ of } 1412 = (10/100) \times 1412 = 141$.

id=7389 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**40413 at 12% per annum for 4 years. | option_a=19398 | option_b=19298 | option_c=59811 | option_d=19498 | answer=A | explanation= $\text{SI} = \text{PRT}/100 = 40413 \times 12 \times 4/100 = \text{₹}19398$.

id=7390 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1596. If it is sold at a profit of 15%, what is its selling price? | option_a=1835 | option_b=1676 | option_c=1994 | option_d=1611 | answer=A | explanation= $\text{Selling price} = \text{CP} \times (100 + \text{profit}\%)/100 = 1596 \times 115/100 = \text{₹}1835$.

id=7391 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**21989 at 12% per annum for 3 years. | option_a=29905 | option_b=7916 | option_c=7816 | option_d=8016 | answer=B | explanation= $\text{SI} = \text{PRT}/100 = 21989 \times 12 \times 3/100 = \text{₹}7916$.

id=7392 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:7 and the first is 154, what is the second? | option_a=91 | option_b=252 | option_c=109 | option_d=98 | answer=D | explanation=Scale factor = $154/11 = 14$. Therefore second quantity = $7 \times 14 = 98$.

id=7393 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:18 and the first is 4, what is the second? | option_a=72 | option_b=54 | option_c=73 | option_d=76 | answer=A | explanation=Scale factor = $4/1 = 4$. Therefore second quantity = $18 \times 4 = 72$.

id=7394 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**25078 at 12% per annum for 2 years. | option_a=6018 | option_b=6118 | option_c=5918 | option_d=31096 | answer=A | explanation= $\text{SI} = \text{PRT}/100 = 25078 \times 12 \times 2/100 = \text{₹}6018$.

id=7395 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=B | option_b=J | option_c=F | option_d=N | answer=B | explanation=Move 4 positions forward from F; the resulting letter is J.

id=7396 | topic=Percentages | difficulty=Easy | question=What is 10% of 1214? | option_a=141 | option_b=101 | option_c=242 | option_d=121 | answer=D | explanation= $10\% \text{ of } 1214 = (10/100) \times 1214 = 121$.

id=7397 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:13 and the first is 65, what is the second? | option_a=78 | option_b=130 | option_c=65 | option_d=52 | answer=C | explanation=Scale factor = $65/13 = 5$. Therefore second quantity = $13 \times 5 = 65$.

id=7398 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=23 | option_b=26 | option_c=25 | option_d=27 | answer=C | explanation=The common difference is 2. Therefore the next term is $23 + 2 = 25$.

id=7399 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=57 | option_b=46 | option_c=35 | option_d=47 | answer=B | explanation=The common difference is 11. Therefore the next term is $35 + 11 = 46$.

id=7400 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=9 | option_c=18 | option_d=4 | answer=B | explanation= $\text{Speed} = \text{distance} \div \text{time} = 90 \div 10 = 9 \text{ km/h}$.

id=7401 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3943. If it is sold at a profit of 30%, what is its selling price? | option_a=3973 | option_b=4731 | option_c=5125 | option_d=5519 | answer=C | explanation= $\text{Selling price} = \text{CP} \times (100 + \text{profit}\%)/100 = 3943 \times 130/100 = \text{₹}5125$.

id=7402 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 6. | option_a=9 | option_b=18 | option_c=6 | option_d=1 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 3 \times 6$; $\text{HCF}(3,6) = 3$, so $\text{LCM} = 6$.

id=7403 | topic=Percentages | difficulty=Easy | question=What is 30% of 1138? | option_a=341 | option_b=331 | option_c=682 | option_d=346 | answer=A | explanation= $30\% \text{ of } 1138 = (30/100) \times 1138 = 341$.

id=7404 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=125 | option_c=120 | option_d=115 | answer=C | explanation= $\text{Speed} = \text{distance} \div \text{time} = 360 \div 3 = 120 \text{ km/h}$.

id=7405 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4133. If it is sold at a profit of 15%, what is its selling price? | option_a=5165 | option_b=4148 | option_c=4339 | option_d=4752 | answer=D | explanation= $\text{Selling price} = \text{CP} \times (100 + \text{profit}\%)/100 = 4133 \times 115/100 = \text{₹}4752$.

id=7406 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=45 | option_c=50 | option_d=55 | answer=C | explanation= $\text{Speed} = \text{distance} \div \text{time} = 150 \div 3 = 50 \text{ km/h}$.

id=7407 | topic=Averages | difficulty=Easy | question=Find the average of 53, 58, 83, 63, 48. | option_a=60 | option_b=61 | option_c=62 | option_d=63 | answer=B | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 305 \div 5 = 61$.

id=7408 | topic=Averages | difficulty=Easy | question=Find the average of 18, 22, 55, 21, 86, 68. | option_a=45 | option_b=47 | option_c=44 | option_d=46 | answer=A | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 270 \div 6 = 45$.

id=7409 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 45? | option_a=45 | option_b=32 | option_c=38 | option_d=26 | answer=A | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 45 is the odd one out.

id=7410 | topic=Averages | difficulty=Easy | question=Find the average of 57, 48, 37, 14. | option_a=38 | option_b=40 | option_c=41 | option_d=39 | answer=D | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 156 \div 4 = 39$.

Aptitude Questions — Records 7,411-7,440 of 100,000

id=7411 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 10, 15, 20, ? | option_a=26 | option_b=20 | option_c=30 | option_d=25 | answer=D | explanation=The common difference is 5. Therefore the next term is 20 + 5 = 25.

id=7412 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=K | option_c=I | option_d=O | answer=A | explanation=Move 2 positions forward from K; the resulting letter is M.

id=7413 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1797. If it is sold at a profit of 40%, what is its selling price? | option_a=1837 | option_b=2515 | option_c=2694 | option_d=2336 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1797 × 140/100 = █2515.

id=7414 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=7415 | topic=Averages | difficulty=Easy | question=Find the average of 51, 97, 37, 49, 76. | option_a=63 | option_b=62 | option_c=64 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 310 ÷ 5 = 62.

id=7416 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=60 | option_b=61 | option_c=49 | option_d=71 | answer=A | explanation=The common difference is 11. Therefore the next term is 49 + 11 = 60.

id=7417 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=43 | option_b=36 | option_c=50 | option_d=44 | answer=A | explanation=The common difference is 7. Therefore the next term is 36 + 7 = 43.

id=7418 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 14, 19, 26? | option_a=14 | option_b=19 | option_c=26 | option_d=9 | answer=C | explanation=The first three numbers increase by 5, so the next should be 24. Therefore 26 is the odd one out.

id=7419 | topic=Percentages | difficulty=Easy | question=What is 30% of 1449? | option_a=429 | option_b=434 | option_c=444 | option_d=868 | answer=B | explanation=30% of 1449 = (30/100) × 1449 = 434.

id=7420 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13863 at 12% per annum for 1 years. | option_a=15526 | option_b=1663 | option_c=1763 | option_d=1563 | answer=B | explanation=SI = PRT/100 = 13863×12×1/100 = █1663.

id=7421 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21196 at 6% per annum for 4 years. | option_a=4987 | option_b=26283 | option_c=5087 | option_d=5187 | answer=C | explanation=SI = PRT/100 = 21196×6×4/100 = █5087.

id=7422 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=7423 | topic=Averages | difficulty=Easy | question=Find the average of 83, 24, 42, 23, 12, 96, 56. | option_a=48 | option_b=47 | option_c=50 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 336 ÷ 7 = 48.

id=7424 | topic=Averages | difficulty=Easy | question=Find the average of 48, 31, 69, 29, 19, 33, 61, 43, 99. | option_a=50 | option_b=48 | option_c=49 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 432 ÷ 9 = 48.

id=7425 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=7426 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=7427 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43007 at 8% per annum for 4 years. | option_a=56769 | option_b=13862 | option_c=13662 | option_d=13762 | answer=D | explanation=SI = PRT/100 = 43007×8×4/100 = █13762.

id=7428 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2529. If it is sold at a profit of 25%, what is its selling price? | option_a=2554 | option_b=3413 | option_c=2909 | option_d=3161 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2529 × 125/100 = █3161.

id=7429 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2624. If it is sold at a profit of 50%, what is its selling price? | option_a=2674 | option_b=3936 | option_c=4198 | option_d=3674 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2624 × 150/100 = █3936.

id=7430 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=8 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=7431 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=7432 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=7433 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13910 at 4% per annum for 2 years. | option_a=1012 | option_b=1112 | option_c=15022 | option_d=1212 | answer=B | explanation=SI = PRT/100 = 13910×4×2/100 = █1112.

id=7434 | topic=Averages | difficulty=Easy | question=Find the average of 83, 79, 89, 96, 55, 18. | option_a=71 | option_b=72 | option_c=69 | option_d=70 | answer=D | explanation=Average = sum of values ÷ number of values = 420 ÷ 6 = 70.

id=7435 | topic=Averages | difficulty=Easy | question=Find the average of 70, 41, 79, 94, 68, 87, 30, 66, 80, 75. | option_a=68 | option_b=69 | option_c=70 | option_d=71 | answer=B | explanation=Average = sum of values ÷ number of values = 690 ÷ 10 = 69.

id=7436 | topic=Averages | difficulty=Easy | question=Find the average of 10, 91, 80, 47, 33, 26, 85, 59, 64. | option_a=57 | option_b=56 | option_c=55 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.

id=7437 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:17 and the first is 126, what is the second? | option_a=238 | option_b=364 | option_c=247 | option_d=221 | answer=A | explanation=Scale factor = 126/9 = 14. Therefore second quantity = 17×14 = 238.

id=7438 | topic=Averages | difficulty=Easy | question=Find the average of 61, 29, 12. | option_a=35 | option_b=34 | option_c=33 | option_d=36 | answer=B | explanation=Average = sum of values ÷ number of values = 102 ÷ 3 = 34.

id=7439 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:10 and the first is 360, what is the second? | option_a=560 | option_b=218 | option_c=190 | option_d=200 | answer=D | explanation=Scale factor = 360/18 = 20. Therefore second quantity = 10×20 = 200.

id=7440 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4300 at 5% per annum for 5 years. | option_a=1175 | option_b=975 | option_c=5375 | option_d=1075 | answer=D | explanation=SI = PRT/100 = 4300×5×5/100 = █1075.

Aptitude Questions — Records 7,441-7,470 of 100,000

id=7441 | topic=Percentages | difficulty=Easy | question=What is 5% of 1604? | option_a=160 | option_b=80 | option_c=70 | option_d=100 | answer=B | explanation=5% of 1604 = (5/100) × 1604 = 80.

id=7442 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=35 | option_b=30 | option_c=23 | option_d=29 | answer=D | explanation=The common difference is 6. Therefore the next term is 23 + 6 = 29.

id=7443 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3688. If it is sold at a profit of 40%, what is its selling price? | option_a=3728 | option_b=4795 | option_c=5163 | option_d=5531 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3688 × 140/100 = █5163.

id=7444 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=L | option_b=K | option_c=J | option_d=M | answer=A | explanation=Move 1 positions forward from K; the resulting letter is L.

id=7445 | topic=Percentages | difficulty=Easy | question=What is 20% of 1827? | option_a=360 | option_b=365 | option_c=730 | option_d=375 | answer=B | explanation=20% of 1827 = (20/100) × 1827 = 365.

id=7446 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=40 | option_b=62 | option_c=52 | option_d=51 | answer=D | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=7447 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=H | option_c=J | option_d=K | answer=C | explanation=Move 1 positions forward from I; the resulting letter is J.

id=7448 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=44 | option_b=68 | option_c=56 | option_d=57 | answer=C | explanation=The common difference is 12. Therefore the next term is 44 + 12 = 56.

id=7449 | topic=Percentages | difficulty=Easy | question=What is 50% of 1114? | option_a=567 | option_b=552 | option_c=557 | option_d=1114 | answer=C | explanation=50% of 1114 = (50/100) × 1114 = 557.

id=7450 | topic=Averages | difficulty=Easy | question=Find the average of 35, 72, 11, 50. | option_a=42 | option_b=43 | option_c=41 | option_d=44 | answer=A | explanation=Average = sum of values + number of values = 168 ÷ 4 = 42.

id=7451 | topic=Profit & Loss | difficulty=Easy | question=An article costs █408. If it is sold at a profit of 20%, what is its selling price? | option_a=449 | option_b=489 | option_c=529 | option_d=428 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 408 × 120/100 = █489.

id=7452 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28157 at 15% per annum for 3 years. | option_a=40827 | option_b=12770 | option_c=12670 | option_d=12570 | answer=C | explanation=SI = PRT/100 = 28157×15×3/100 = █12670.

id=7453 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24601 at 15% per annum for 5 years. | option_a=18450 | option_b=43051 | option_c=18350 | option_d=18550 | answer=A | explanation=SI = PRT/100 = 24601×15×5/100 = █18450.

id=7454 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3635. If it is sold at a profit of 20%, what is its selling price? | option_a=3657 | option_b=4362 | option_c=4725 | option_d=3999 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3635 × 120/100 = █4362.

id=7455 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3469. If it is sold at a profit of 25%, what is its selling price? | option_a=4336 | option_b=4682 | option_c=3494 | option_d=3990 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3469 × 125/100 = █4336.

id=7456 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=7457 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=S | option_b=T | option_c=V | option_d=U | answer=D | explanation=Move 1 positions forward from T; the resulting letter is U.

id=7458 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=40 | option_b=33 | option_c=34 | option_d=26 | answer=B | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

id=7459 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4613. If it is sold at a profit of 30%, what is its selling price? | option_a=6457 | option_b=5535 | option_c=4643 | option_d=5996 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4613 × 130/100 = █5996.

id=7460 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2436. If it is sold at a profit of 40%, what is its selling price? | option_a=3653 | option_b=3167 | option_c=2476 | option_d=3410 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2436 × 140/100 = █3410.

id=7461 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=50 | option_c=45 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=7462 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2317. If it is sold at a profit of 5%, what is its selling price? | option_a=2663 | option_b=2201 | option_c=2322 | option_d=2432 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2317 × 105/100 = █2432.

id=7463 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=95 | option_c=105 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=7464 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=7465 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 30. | option_a=90 | option_b=540 | option_c=108 | option_d=60 | answer=A | explanation=LCM × HCF = 18×30; HCF(18,30) = 6, so LCM = 90.

id=7466 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4566. If it is sold at a profit of 10%, what is its selling price? | option_a=4576 | option_b=5022 | option_c=4566 | option_d=5478 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4566 × 110/100 = █5022.

id=7467 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:15 and the first is 48, what is the second? | option_a=61 | option_b=93 | option_c=45 | option_d=30 | answer=C | explanation=Scale factor = 48/16 = 3. Therefore second quantity = 15×3 = 45.

id=7468 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=Q | option_b=I | option_c=M | option_d=E | answer=C | explanation=Move 4 positions forward from I; the resulting letter is M.

id=7469 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34892 at 5% per annum for 1 years. | option_a=36636 | option_b=1644 | option_c=1744 | option_d=1844 | answer=C | explanation=SI = PRT/100 = 34892×5×1/100 = █1744.

id=7470 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:6 and the first is 187, what is the second? | option_a=253 | option_b=83 | option_c=60 | option_d=66 | answer=D | explanation=Scale factor = 187/17 = 11. Therefore second quantity = 6×11 = 66.

Aptitude Questions — Records 7,471-7,500 of 100,000

- id=7471 | topic=Averages | difficulty=Easy | question=Find the average of 45, 47, 49. | option_a=47 | option_b=48 | option_c=46 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = $141 \div 3 = 47$.
- id=7472 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 41? | option_a=41 | option_b=22 | option_c=34 | option_d=28 | answer=A | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 41 is the odd one out.
- id=7473 | topic=Averages | difficulty=Easy | question=Find the average of 84, 12, 12, 21, 85, 67, 69. | option_a=49 | option_b=52 | option_c=50 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = $350 \div 7 = 50$.
- id=7474 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = $60 \div 2 = 30$ km/h.
- id=7475 | topic=Profit & Loss | difficulty=Easy | question=An article costs █809. If it is sold at a profit of 20%, what is its selling price? | option_a=1050 | option_b=890 | option_c=829 | option_d=970 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 809 \times 120/100 = \text{█}970$.
- id=7476 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 14. | option_a=168 | option_b=208 | option_c=182 | option_d=364 | answer=C | explanation=LCM $\times$ HCF = 26×14 ; $HCF(26,14) = 2$, so LCM = 182.
- id=7477 | topic=Percentages | difficulty=Easy | question=What is 10% of 842? | option_a=84 | option_b=94 | option_c=64 | option_d=168 | answer=A | explanation=10% of 842 = $(10/100) \times 842 = 84$.
- id=7478 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.
- id=7479 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:2 and the first is 108, what is the second? | option_a=132 | option_b=24 | option_c=33 | option_d=22 | answer=B | explanation=Scale factor = $108/9 = 12$. Therefore second quantity = $2 \times 12 = 24$.
- id=7480 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:15 and the first is 112, what is the second? | option_a=90 | option_b=121 | option_c=217 | option_d=105 | answer=D | explanation=Scale factor = $112/16 = 7$. Therefore second quantity = $15 \times 7 = 105$.
- id=7481 | topic=Averages | difficulty=Easy | question=Find the average of 29, 13, 100, 84, 19, 62, 10, 94, 48. | option_a=53 | option_b=52 | option_c=51 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = $459 \div 9 = 51$.
- id=7482 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13695 at 4% per annum for 5 years. | option_a=2639 | option_b=2839 | option_c=16434 | option_d=2739 | answer=D | explanation=SI = $PRT/100 = 13695 \times 4 \times 5/100 = \text{█}2739$.
- id=7483 | topic=Percentages | difficulty=Easy | question=What is 30% of 1481? | option_a=424 | option_b=454 | option_c=444 | option_d=888 | answer=C | explanation=30% of 1481 = $(30/100) \times 1481 = 444$.
- id=7484 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7545 at 12% per annum for 5 years. | option_a=4627 | option_b=4527 | option_c=12072 | option_d=4427 | answer=B | explanation=SI = $PRT/100 = 7545 \times 12 \times 5/100 = \text{█}4527$.
- id=7485 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=6 | option_c=11 | option_d=1 | answer=B | explanation=Speed = distance ÷ time = $60 \div 10 = 6$ km/h.
- id=7486 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=175 | option_c=360 | option_d=185 | answer=A | explanation=Speed = distance ÷ time = $360 \div 2 = 180$ km/h.
- id=7487 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.
- id=7488 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.
- id=7489 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = $120 \div 4 = 30$ km/h.
- id=7490 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=55 | option_c=100 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = $150 \div 3 = 50$ km/h.
- id=7491 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 13, 23, 35? | option_a=23 | option_b=3 | option_c=13 | option_d=35 | answer=D | explanation=The first three numbers increase by 10, so the next should be 33. Therefore 35 is the odd one out.
- id=7492 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=E | option_c=Z | option_d=P | answer=C | explanation=Move 5 positions forward from U; the resulting letter is Z.
- id=7493 | topic=Averages | difficulty=Easy | question=Find the average of 28, 30, 85, 87, 95, 73, 85. | option_a=70 | option_b=71 | option_c=69 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = $483 \div 7 = 69$.
- id=7494 | topic=Profit & Loss | difficulty=Easy | question=An article costs █127. If it is sold at a profit of 10%, what is its selling price? | option_a=137 | option_b=127 | option_c=139 | option_d=151 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 127 \times 110/100 = \text{█}139$.
- id=7495 | topic=Percentages | difficulty=Easy | question=What is 5% of 1207? | option_a=55 | option_b=70 | option_c=120 | option_d=60 | answer=D | explanation=5% of 1207 = $(5/100) \times 1207 = 60$.
- id=7496 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.
- id=7497 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=45 | option_b=67 | option_c=57 | option_d=56 | answer=D | explanation=The common difference is 11. Therefore the next term is $45 + 11 = 56$.
- id=7498 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=29 | option_b=28 | option_c=30 | option_d=26 | answer=B | explanation=The common difference is 2. Therefore the next term is $26 + 2 = 28$.
- id=7499 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.
- id=7500 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

Aptitude Questions — Records 7,501-7,530 of 100,000

- id=7501 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=15 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.
- id=7502 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=N | option_b=F | option_c=B | option_d=J | answer=D | explanation=Move 4 positions forward from F; the resulting letter is J.
- id=7503 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 31, 40, 52? | option_a=40 | option_b=22 | option_c=31 | option_d=52 | answer=D | explanation=The first three numbers increase by 9, so the next should be 49. Therefore 52 is the odd one out.
- id=7504 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1232. If it is sold at a profit of 25%, what is its selling price? | option_a=1257 | option_b=1663 | option_c=1540 | option_d=1417 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1232 × 125/100 = █1540.
- id=7505 | topic=Percentages | difficulty=Easy | question=What is 50% of 1673? | option_a=1672 | option_b=846 | option_c=836 | option_d=826 | answer=C | explanation=50% of 1673 = (50/100) × 1673 = 836.
- id=7506 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=7507 | topic=Percentages | difficulty=Easy | question=What is 15% of 257? | option_a=38 | option_b=76 | option_c=33 | option_d=58 | answer=A | explanation=15% of 257 = (15/100) × 257 = 38.
- id=7508 | topic=Percentages | difficulty=Easy | question=What is 20% of 947? | option_a=209 | option_b=378 | option_c=189 | option_d=184 | answer=C | explanation=20% of 947 = (20/100) × 947 = 189.
- id=7509 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2072. If it is sold at a profit of 25%, what is its selling price? | option_a=2797 | option_b=2097 | option_c=2590 | option_d=2383 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2072 × 125/100 = █2590.
- id=7510 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 26, 29, 34? | option_a=29 | option_b=26 | option_c=23 | option_d=34 | answer=D | explanation=The first three numbers increase by 3, so the next should be 32. Therefore 34 is the odd one out.
- id=7511 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21444 at 8% per annum for 5 years. | option_a=8677 | option_b=8577 | option_c=8477 | option_d=30021 | answer=B | explanation=SI = PRT/100 = 21444×8×5/100 = █8577.
- id=7512 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=72 | option_c=36 | option_d=41 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.
- id=7513 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=N | option_b=F | option_c=J | option_d=B | answer=C | explanation=Move 4 positions forward from F; the resulting letter is J.
- id=7514 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 25, 27, 30? | option_a=30 | option_b=27 | option_c=23 | option_d=25 | answer=A | explanation=The first three numbers increase by 2, so the next should be 29. Therefore 30 is the odd one out.
- id=7515 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:17 and the first is 143, what is the second? | option_a=330 | option_b=170 | option_c=187 | option_d=200 | answer=C | explanation=Scale factor = 143/13 = 11. Therefore second quantity = 17×11 = 187.
- id=7516 | topic=Percentages | difficulty=Easy | question=What is 25% of 1822? | option_a=455 | option_b=465 | option_c=435 | option_d=910 | answer=A | explanation=25% of 1822 = (25/100) × 1822 = 455.
- id=7517 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4090. If it is sold at a profit of 50%, what is its selling price? | option_a=5726 | option_b=4140 | option_c=6135 | option_d=6544 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4090 × 150/100 = █6135.
- id=7518 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=47 | option_b=57 | option_c=35 | option_d=46 | answer=D | explanation=The common difference is 11. Therefore the next term is 35 + 11 = 46.
- id=7519 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35516 at 4% per annum for 3 years. | option_a=4261 | option_b=4361 | option_c=4161 | option_d=39777 | answer=A | explanation=SI = PRT/100 = 35516×4×3/100 = █4261.
- id=7520 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.
- id=7521 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:12 and the first is 45, what is the second? | option_a=183 | option_b=180 | option_c=168 | option_d=225 | answer=B | explanation=Scale factor = 45/3 = 15. Therefore second quantity = 12×15 = 180.
- id=7522 | topic=Percentages | difficulty=Easy | question=What is 25% of 1985? | option_a=496 | option_b=486 | option_c=992 | option_d=516 | answer=A | explanation=25% of 1985 = (25/100) × 1985 = 496.
- id=7523 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=7524 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=48 | option_b=47 | option_c=37 | option_d=57 | answer=B | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.
- id=7525 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.
- id=7526 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=X | option_b=L | option_c=P | option_d=T | answer=D | explanation=Move 4 positions forward from P; the resulting letter is T.
- id=7527 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1315 at 12% per annum for 2 years. | option_a=315 | option_b=1630 | option_c=215 | option_d=415 | answer=A | explanation=SI = PRT/100 = 1315×12×2/100 = █315.
- id=7528 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 37? | option_a=37 | option_b=31 | option_c=26 | option_d=21 | answer=A | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 37 is the odd one out.
- id=7529 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:13 and the first is 247, what is the second? | option_a=260 | option_b=494 | option_c=247 | option_d=234 | answer=C | explanation=Scale factor = 247/13 = 19. Therefore second quantity = 13×19 = 247.
- id=7530 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:10 and the first is 72, what is the second? | option_a=252 | option_b=184 | option_c=180 | option_d=170 | answer=C | explanation=Scale factor = 72/4 = 18. Therefore second quantity = 10×18 = 180.

Aptitude Questions — Records 7,531-7,560 of 100,000

id=7531 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=B | option_b=R | option_c=M | option_d=W | answer=D | explanation=Move 5 positions forward from R; the resulting letter is W.

id=7532 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=36 | option_b=72 | option_c=41 | option_d=31 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=7533 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 21, 30, 42? | option_a=42 | option_b=30 | option_c=12 | option_d=21 | answer=A | explanation=The first three numbers increase by 9, so the next should be 39. Therefore 42 is the odd one out.

id=7534 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=9 | option_c=18 | option_d=14 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=7535 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:18 and the first is 78, what is the second? | option_a=186 | option_b=1292 | option_c=1132 | option_d=858 | answer=A | explanation=Scale factor = 78/13 = 6. Therefore second quantity = 18×6 = 108.

id=7536 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=40 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=7537 | topic=Profit & Loss | difficulty=Easy | question=An article costs █808. If it is sold at a profit of 50%, what is its selling price? | option_a=1212 | option_b=1292 | option_c=1132 | option_d=858 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 808 × 150/100 = █1212.

id=7538 | topic=Averages | difficulty=Easy | question=Find the average of 90, 18, 45, 46, 81, 71, 97. | option_a=64 | option_b=63 | option_c=65 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 448 ÷ 7 = 64.

id=7539 | topic=Averages | difficulty=Easy | question=Find the average of 94, 19, 12, 34, 18, 77, 78, 66, 32, 80. | option_a=51 | option_b=52 | option_c=50 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

id=7540 | topic=Percentages | difficulty=Easy | question=What is 30% of 1841? | option_a=552 | option_b=532 | option_c=572 | option_d=1104 | answer=A | explanation=30% of 1841 = (30/100) × 1841 = 552.

id=7541 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1600 at 6% per annum for 1 years. | option_a=96 | option_b=1696 | option_c=196 | option_d=0 | answer=A | explanation=SI = PRT/100 = 1600×6×1/100 = █96.

id=7542 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=7543 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:11 and the first is 56, what is the second? | option_a=33 | option_b=44 | option_c=58 | option_d=100 | answer=B | explanation=Scale factor = 56/14 = 4. Therefore second quantity = 11×4 = 44.

id=7544 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=150 | option_c=75 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=7545 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2012. If it is sold at a profit of 15%, what is its selling price? | option_a=2514 | option_b=2313 | option_c=2112 | option_d=2027 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2012 × 115/100 = █2313.

id=7546 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 52? | option_a=33 | option_b=52 | option_c=25 | option_d=41 | answer=B | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 52 is the odd one out.

id=7547 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=E | option_b=I | option_c=M | option_d=Q | answer=C | explanation=Move 4 positions forward from I; the resulting letter is M.

id=7548 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=30 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=7549 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2842. If it is sold at a profit of 30%, what is its selling price? | option_a=3410 | option_b=2872 | option_c=3694 | option_d=3978 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2842 × 130/100 = █3694.

id=7550 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:5 and the first is 30, what is the second? | option_a=50 | option_b=45 | option_c=53 | option_d=80 | answer=A | explanation=Scale factor = 30/3 = 10. Therefore second quantity = 5×10 = 50.

id=7551 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46107 at 12% per annum for 5 years. | option_a=27664 | option_b=27764 | option_c=73771 | option_d=27564 | answer=A | explanation=SI = PRT/100 = 46107×12×5/100 = █27664.

id=7552 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 33? | option_a=21 | option_b=26 | option_c=16 | option_d=33 | answer=D | explanation=The first three numbers increase by 5, so the next should be 31. Therefore 33 is the odd one out.

id=7553 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1372 at 15% per annum for 2 years. | option_a=311 | option_b=411 | option_c=1783 | option_d=511 | answer=B | explanation=SI = PRT/100 = 1372×15×2/100 = █411.

id=7554 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1855. If it is sold at a profit of 10%, what is its selling price? | option_a=2225 | option_b=1855 | option_c=1865 | option_d=2040 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1855 × 110/100 = █2040.

id=7555 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2377. If it is sold at a profit of 5%, what is its selling price? | option_a=2382 | option_b=2732 | option_c=2258 | option_d=2495 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2377 × 105/100 = █2495.

id=7556 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=53 | option_c=48 | option_d=96 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=7557 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=Y | option_b=W | option_c=U | option_d=S | answer=B | explanation=Move 2 positions forward from U; the resulting letter is W.

id=7558 | topic=Averages | difficulty=Easy | question=Find the average of 34, 26, 94, 102. | option_a=65 | option_b=66 | option_c=63 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 256 ÷ 4 = 64.

id=7559 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=7560 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=5 | option_c=15 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

Aptitude Questions — Records 7,561-7,590 of 100,000

- id=7561 | topic=Percentages | difficulty=Easy | question=What is 20% of 1224? | option_a=224 | option_b=488 | option_c=244 | option_d=254 | answer=C | explanation=20% of 1224 = $(20/100) \times 1224 = 244$.
- id=7562 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28897 at 6% per annum for 4 years. | option_a=6935 | option_b=7035 | option_c=35832 | option_d=6835 | answer=A | explanation=SI = $PRT/100 = 28897 \times 6 \times 4/100 = \text{■}6935$.
- id=7563 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18536 at 6% per annum for 3 years. | option_a=3436 | option_b=3236 | option_c=3336 | option_d=21872 | answer=C | explanation=SI = $PRT/100 = 18536 \times 6 \times 3/100 = \text{■}3336$.
- id=7564 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48701 at 10% per annum for 3 years. | option_a=63311 | option_b=14610 | option_c=14510 | option_d=14710 | answer=B | explanation=SI = $PRT/100 = 48701 \times 10 \times 3/100 = \text{■}14610$.
- id=7565 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=52 | option_b=43 | option_c=44 | option_d=34 | answer=B | explanation=The common difference is 9. Therefore the next term is $34 + 9 = 43$.
- id=7566 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=R | option_b=U | option_c=S | option_d=T | answer=D | explanation=Move 1 positions forward from S; the resulting letter is T.
- id=7567 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10069 at 4% per annum for 2 years. | option_a=705 | option_b=10874 | option_c=905 | option_d=805 | answer=D | explanation=SI = $PRT/100 = 10069 \times 4 \times 2/100 = \text{■}805$.
- id=7568 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43298 at 12% per annum for 5 years. | option_a=26078 | option_b=69276 | option_c=25978 | option_d=25878 | answer=C | explanation=SI = $PRT/100 = 43298 \times 12 \times 5/100 = \text{■}25978$.
- id=7569 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 58? | option_a=38 | option_b=58 | option_c=29 | option_d=47 | answer=B | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 58 is the odd one out.
- id=7570 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=12 | option_b=9 | option_c=11 | option_d=13 | answer=C | explanation=The common difference is 2. Therefore the next term is $9 + 2 = 11$.
- id=7571 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.
- id=7572 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 30. | option_a=30 | option_b=300 | option_c=40 | option_d=1 | answer=A | explanation=LCM $\times$ HCF = 10×30 ; HCF(10,30) = 10, so LCM = 30.
- id=7573 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=G | option_b=H | option_c=J | option_d=I | answer=D | explanation=Move 1 positions forward from H; the resulting letter is I.
- id=7574 | topic=Averages | difficulty=Easy | question=Find the average of 79, 94, 55, 42, 41, 67. | option_a=62 | option_b=63 | option_c=64 | option_d=65 | answer=B | explanation=Average = sum of values $\div$ number of values = $378 \div 6 = 63$.
- id=7575 | topic=Percentages | difficulty=Easy | question=What is 25% of 1579? | option_a=384 | option_b=788 | option_c=394 | option_d=414 | answer=C | explanation=25% of 1579 = $(25/100) \times 1579 = 394$.
- id=7576 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:20 and the first is 165, what is the second? | option_a=280 | option_b=465 | option_c=300 | option_d=311 | answer=C | explanation=Scale factor = $165/11 = 15$. Therefore second quantity = $20 \times 15 = 300$.
- id=7577 | topic=Averages | difficulty=Easy | question=Find the average of 27, 97, 95, 21. | option_a=60 | option_b=59 | option_c=62 | option_d=61 | answer=A | explanation=Average = sum of values $\div$ number of values = $240 \div 4 = 60$.
- id=7578 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 28, 38, 49? | option_a=38 | option_b=49 | option_c=28 | option_d=18 | answer=B | explanation=The first three numbers increase by 10, so the next should be 48. Therefore 49 is the odd one out.
- id=7579 | topic=Percentages | difficulty=Easy | question=What is 50% of 1027? | option_a=503 | option_b=518 | option_c=1026 | option_d=513 | answer=D | explanation=50% of 1027 = $(50/100) \times 1027 = 513$.
- id=7580 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=24 | option_d=7 | answer=A | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.
- id=7581 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=85 | option_c=90 | option_d=180 | answer=C | explanation=Speed = distance $\div$ time = $360 \div 4 = 90$ km/h.
- id=7582 | topic=Averages | difficulty=Easy | question=Find the average of 57, 98, 63, 78. | option_a=75 | option_b=73 | option_c=74 | option_d=76 | answer=C | explanation=Average = sum of values $\div$ number of values = $296 \div 4 = 74$.
- id=7583 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=Z | option_c=D | option_d=B | answer=C | explanation=Move 2 positions forward from B; the resulting letter is D.
- id=7584 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:20 and the first is 165, what is the second? | option_a=300 | option_b=465 | option_c=280 | option_d=311 | answer=A | explanation=Scale factor = $165/11 = 15$. Therefore second quantity = $20 \times 15 = 300$.
- id=7585 | topic=Averages | difficulty=Easy | question=Find the average of 81, 96, 54, 74, 70, 27, 58, 36. | option_a=62 | option_b=64 | option_c=61 | option_d=63 | answer=A | explanation=Average = sum of values $\div$ number of values = $496 \div 8 = 62$.
- id=7586 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=6 | option_c=12 | option_d=11 | answer=B | explanation=Speed = distance $\div$ time = $60 \div 10 = 6$ km/h.
- id=7587 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=46 | option_b=39 | option_c=38 | option_d=30 | answer=C | explanation=The common difference is 8. Therefore the next term is $30 + 8 = 38$.
- id=7588 | topic=Percentages | difficulty=Easy | question=What is 15% of 404? | option_a=120 | option_b=60 | option_c=50 | option_d=80 | answer=B | explanation=15% of 404 = $(15/100) \times 404 = 60$.
- id=7589 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 15. | option_a=45 | option_b=54 | option_c=30 | option_d=135 | answer=A | explanation=LCM $\times$ HCF = 9×15 ; HCF(9,15) = 3, so LCM = 45.
- id=7590 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=25 | option_b=27 | option_c=23 | option_d=26 | answer=A | explanation=The common difference is 2. Therefore the next term is $23 + 2 = 25$.

Aptitude Questions — Records 7,591-7,620 of 100,000

id=7591 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=51 | option_b=62 | option_c=38 | option_d=50 | answer=D | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=7592 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=A | option_b=X | option_c=U | option_d=R | answer=B | explanation=Move 3 positions forward from U; the resulting letter is X.

id=7593 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=200 | option_c=95 | option_d=105 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=7594 | topic=Percentages | difficulty=Easy | question=What is 10% of 402? | option_a=45 | option_b=35 | option_c=40 | option_d=80 | answer=C | explanation=10% of 402 = (10/100) × 402 = 40.

id=7595 | topic=Percentages | difficulty=Easy | question=What is 50% of 132? | option_a=61 | option_b=132 | option_c=66 | option_d=71 | answer=C | explanation=50% of 132 = (50/100) × 132 = 66.

id=7596 | topic=Averages | difficulty=Easy | question=Find the average of 31, 15, 79, 85, 40. | option_a=52 | option_b=50 | option_c=51 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 250 ÷ 5 = 50.

id=7597 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 51? | option_a=51 | option_b=40 | option_c=20 | option_d=30 | answer=A | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 51 is the odd one out.

id=7598 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3761. If it is sold at a profit of 10%, what is its selling price? | option_a=3761 | option_b=4513 | option_c=3771 | option_d=4137 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3761 × 110/100 = █4137.

id=7599 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18272 at 15% per annum for 4 years. | option_a=11063 | option_b=10963 | option_c=29235 | option_d=10863 | answer=B | explanation=SI = PRT/100 = 18272×15×4/100 = █10963.

id=7600 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4090. If it is sold at a profit of 20%, what is its selling price? | option_a=4110 | option_b=4499 | option_c=5317 | option_d=4908 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4090 × 120/100 = █4908.

id=7601 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=55 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=7602 | topic=Percentages | difficulty=Easy | question=What is 40% of 424? | option_a=174 | option_b=164 | option_c=169 | option_d=338 | answer=C | explanation=40% of 424 = (40/100) × 424 = 169.

id=7603 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=20 | option_c=25 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=7604 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=7605 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=S | option_c=G | option_d=K | answer=A | explanation=Move 4 positions forward from K; the resulting letter is O.

id=7606 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=7607 | topic=Percentages | difficulty=Easy | question=What is 5% of 85? | option_a=0 | option_b=9 | option_c=8 | option_d=4 | answer=D | explanation=5% of 85 = (5/100) × 85 = 4.

id=7608 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:15 and the first is 126, what is the second? | option_a=396 | option_b=270 | option_c=277 | option_d=255 | answer=B | explanation=Scale factor = 126/7 = 18. Therefore second quantity = 15×18 = 270.

id=7609 | topic=Percentages | difficulty=Easy | question=What is 40% of 1602? | option_a=1280 | option_b=620 | option_c=640 | option_d=645 | answer=C | explanation=40% of 1602 = (40/100) × 1602 = 640.

id=7610 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22306 at 15% per annum for 5 years. | option_a=16629 | option_b=39035 | option_c=16729 | option_d=16829 | answer=C | explanation=SI = PRT/100 = 22306×15×5/100 = █16729.

id=7611 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=7612 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:2 and the first is 55, what is the second? | option_a=65 | option_b=10 | option_c=21 | option_d=8 | answer=B | explanation=Scale factor = 55/11 = 5. Therefore second quantity = 2×5 = 10.

id=7613 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=7614 | topic=Percentages | difficulty=Easy | question=What is 5% of 1480? | option_a=79 | option_b=74 | option_c=148 | option_d=69 | answer=B | explanation=5% of 1480 = (5/100) × 1480 = 74.

id=7615 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4439. If it is sold at a profit of 40%, what is its selling price? | option_a=6214 | option_b=4479 | option_c=5771 | option_d=6657 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4439 × 140/100 = █6214.

id=7616 | topic=Averages | difficulty=Easy | question=Find the average of 90, 36, 48, 75, 95, 88. | option_a=71 | option_b=74 | option_c=73 | option_d=72 | answer=D | explanation=Average = sum of values ÷ number of values = 432 ÷ 6 = 72.

id=7617 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26871 at 10% per annum for 4 years. | option_a=10648 | option_b=37619 | option_c=10748 | option_d=10848 | answer=C | explanation=SI = PRT/100 = 26871×10×4/100 = █10748.

id=7618 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=7619 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 24, 31, 40? | option_a=40 | option_b=31 | option_c=17 | option_d=24 | answer=A | explanation=The first three numbers increase by 7, so the next should be 38. Therefore 40 is the odd one out.

id=7620 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1836. If it is sold at a profit of 10%, what is its selling price? | option_a=1846 | option_b=2019 | option_c=1836 | option_d=2202 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1836 × 110/100 = █2019.

Aptitude Questions — Records 7,621-7,650 of 100,000

id=7621 | topic=Averages | difficulty=Easy | question=Find the average of 16, 95, 78, 45, 45, 42, 59, 78, 91, 51. | option_a=61 | option_b=59 | option_c=62 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=7622 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=S | option_b=T | option_c=R | option_d=Q | answer=A | explanation=Move 1 positions forward from R; the resulting letter is S.

id=7623 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=I | option_b=L | option_c=K | option_d=J | answer=C | explanation=Move 1 positions forward from J; the resulting letter is K.

id=7624 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**27407 at 12% per annum for 3 years. | option_a=37273 | option_b=9866 | option_c=9966 | option_d=9766 | answer=B | explanation=SI = PRT/100 = 27407×12×3/100 = **₹**9866.

id=7625 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3949. If it is sold at a profit of 50%, what is its selling price? | option_a=5529 | option_b=3999 | option_c=5923 | option_d=6317 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3949 × 150/100 = **₹**5923.

id=7626 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=B | option_c=A | option_d=C | answer=D | explanation=Move 1 positions forward from B; the resulting letter is C.

id=7627 | topic=Averages | difficulty=Easy | question=Find the average of 15, 54, 47, 82, 72, 20, 33, 70, 84. | option_a=55 | option_b=52 | option_c=53 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 477 ÷ 9 = 53.

id=7628 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 14, 22, 31? | option_a=31 | option_b=14 | option_c=6 | option_d=22 | answer=A | explanation=The first three numbers increase by 8, so the next should be 30. Therefore 31 is the odd one out.

id=7629 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=20 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=7630 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=N | option_c=D | option_d=S | answer=B | explanation=Move 5 positions forward from I; the resulting letter is N.

id=7631 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**2877 at 8% per annum for 5 years. | option_a=1150 | option_b=1050 | option_c=4027 | option_d=1250 | answer=A | explanation=SI = PRT/100 = 2877×8×5/100 = **₹**1150.

id=7632 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 31, 36, 42? | option_a=31 | option_b=26 | option_c=36 | option_d=42 | answer=D | explanation=The first three numbers increase by 5, so the next should be 41. Therefore 42 is the odd one out.

id=7633 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 13, 23, 35? | option_a=23 | option_b=35 | option_c=3 | option_d=13 | answer=B | explanation=The first three numbers increase by 10, so the next should be 33. Therefore 35 is the odd one out.

id=7634 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:20 and the first is 50, what is the second? | option_a=150 | option_b=110 | option_c=80 | option_d=100 | answer=D | explanation=Scale factor = 50/10 = 5. Therefore second quantity = 20×5 = 100.

id=7635 | topic=Averages | difficulty=Easy | question=Find the average of 81, 79, 40, 20, 87, 33, 66. | option_a=58 | option_b=57 | option_c=60 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 406 ÷ 7 = 58.

id=7636 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 44? | option_a=32 | option_b=37 | option_c=27 | option_d=44 | answer=D | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 44 is the odd one out.

id=7637 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**33895 at 4% per annum for 5 years. | option_a=40674 | option_b=6679 | option_c=6879 | option_d=6779 | answer=D | explanation=SI = PRT/100 = 33895×4×5/100 = **₹**6779.

id=7638 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4122. If it is sold at a profit of 50%, what is its selling price? | option_a=6595 | option_b=5771 | option_c=4172 | option_d=6183 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4122 × 150/100 = **₹**6183.

id=7639 | topic=Averages | difficulty=Easy | question=Find the average of 15, 32, 16, 72, 38, 65, 21. | option_a=37 | option_b=36 | option_c=38 | option_d=39 | answer=A | explanation=Average = sum of values ÷ number of values = 259 ÷ 7 = 37.

id=7640 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 10. | option_a=120 | option_b=260 | option_c=156 | option_d=130 | answer=D | explanation=LCM × HCF = 26×10; HCF(26,10) = 2, so LCM = 130.

id=7641 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 20, 30, 41? | option_a=10 | option_b=20 | option_c=30 | option_d=41 | answer=D | explanation=The first three numbers increase by 10, so the next should be 40. Therefore 41 is the odd one out.

id=7642 | topic=Percentages | difficulty=Easy | question=What is 10% of 1845? | option_a=189 | option_b=368 | option_c=179 | option_d=184 | answer=D | explanation=10% of 1845 = (10/100) × 1845 = 184.

id=7643 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2363. If it is sold at a profit of 5%, what is its selling price? | option_a=2717 | option_b=2368 | option_c=2481 | option_d=2245 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2363 × 105/100 = **₹**2481.

id=7644 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2125. If it is sold at a profit of 15%, what is its selling price? | option_a=2231 | option_b=2140 | option_c=2655 | option_d=2443 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2125 × 115/100 = **₹**2443.

id=7645 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=33 | option_b=51 | option_c=42 | option_d=43 | answer=C | explanation=The common difference is 9. Therefore the next term is 33 + 9 = 42.

id=7646 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:15 and the first is 120, what is the second? | option_a=225 | option_b=345 | option_c=233 | option_d=210 | answer=A | explanation=Scale factor = 120/8 = 15. Therefore second quantity = 15×15 = 225.

id=7647 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4341. If it is sold at a profit of 25%, what is its selling price? | option_a=5860 | option_b=5426 | option_c=4992 | option_d=4366 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4341 × 125/100 = **₹**5426.

id=7648 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=55 | option_d=100 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=7649 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:2 and the first is 320, what is the second? | option_a=360 | option_b=38 | option_c=56 | option_d=40 | answer=D | explanation=Scale factor = 320/16 = 20. Therefore second quantity = 2×20 = 40.

id=7650 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1616. If it is sold at a profit of 5%, what is its selling price? | option_a=1621 | option_b=1535 | option_c=1696 | option_d=1857 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1616 × 105/100 = **₹**1696.

Aptitude Questions — Records 7,651-7,680 of 100,000

id=7651 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.

id=7652 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=F | option_b=V | option_c=A | option_d=K | answer=A | explanation=Move 5 positions forward from A; the resulting letter is F.

id=7653 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=36 | option_b=41 | option_c=72 | option_d=31 | answer=A | explanation=Speed = distance ÷ time = $360 \div 10 = 36$ km/h.

id=7654 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=77 | option_c=144 | option_d=67 | answer=A | explanation=Speed = distance ÷ time = $360 \div 5 = 72$ km/h.

id=7655 | topic=Averages | difficulty=Easy | question=Find the average of 15, 69, 51. | option_a=47 | option_b=46 | option_c=44 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = $135 \div 3 = 45$.

id=7656 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 11, 16, 24? | option_a=11 | option_b=24 | option_c=16 | option_d=6 | answer=B | explanation=The first three numbers increase by 5, so the next should be 21. Therefore 24 is the odd one out.

id=7657 | topic=Averages | difficulty=Easy | question=Find the average of 45, 69, 46, 98, 21, 99. | option_a=63 | option_b=62 | option_c=65 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = $378 \div 6 = 63$.

id=7658 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 44? | option_a=26 | option_b=18 | option_c=44 | option_d=34 | answer=C | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 44 is the odd one out.

id=7659 | topic=Averages | difficulty=Easy | question=Find the average of 43, 61, 10, 56, 29, 20, 68, 41. | option_a=43 | option_b=40 | option_c=41 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = $328 \div 8 = 41$.

id=7660 | topic=Averages | difficulty=Easy | question=Find the average of 91, 52, 76. | option_a=74 | option_b=73 | option_c=72 | option_d=75 | answer=B | explanation=Average = sum of values ÷ number of values = $219 \div 3 = 73$.

id=7661 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=L | option_b=Q | option_c=A | option_d=V | answer=D | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=7662 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=34 | option_b=41 | option_c=48 | option_d=42 | answer=B | explanation=The common difference is 7. Therefore the next term is $34 + 7 = 41$.

id=7663 | topic=Percentages | difficulty=Easy | question=What is 50% of 1098? | option_a=569 | option_b=549 | option_c=544 | option_d=1098 | answer=B | explanation=50% of 1098 = $(50/100) \times 1098 = 549$.

id=7664 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=40 | option_b=53 | option_c=64 | option_d=52 | answer=D | explanation=The common difference is 12. Therefore the next term is $40 + 12 = 52$.

id=7665 | topic=Averages | difficulty=Easy | question=Find the average of 54, 46, 38, 50. | option_a=48 | option_b=47 | option_c=49 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = $188 \div 4 = 47$.

id=7666 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=35 | option_b=47 | option_c=41 | option_d=42 | answer=C | explanation=The common difference is 6. Therefore the next term is $35 + 6 = 41$.

id=7667 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 51? | option_a=33 | option_b=25 | option_c=41 | option_d=51 | answer=D | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 51 is the odd one out.

id=7668 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹20211 at 10% per annum for 5 years. | option_a=10105 | option_b=10205 | option_c=30316 | option_d=10005 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{20211 \times 10 \times 5}{100} = ₹10105$.

id=7669 | topic=Averages | difficulty=Easy | question=Find the average of 35, 64, 57, 16, 88, 42, 27. | option_a=46 | option_b=48 | option_c=47 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = $329 \div 7 = 47$.

id=7670 | topic=Percentages | difficulty=Easy | question=What is 30% of 1085? | option_a=330 | option_b=305 | option_c=325 | option_d=650 | answer=C | explanation=30% of 1085 = $(30/100) \times 1085 = 325$.

id=7671 | topic=Averages | difficulty=Easy | question=Find the average of 22, 57, 60, 64, 67. | option_a=55 | option_b=53 | option_c=56 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = $270 \div 5 = 54$.

id=7672 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 27? | option_a=19 | option_b=16 | option_c=22 | option_d=27 | answer=D | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 27 is the odd one out.

id=7673 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = $120 \div 8 = 15$ km/h.

id=7674 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 39, 49, 62? | option_a=29 | option_b=39 | option_c=49 | option_d=62 | answer=D | explanation=The first three numbers increase by 10, so the next should be 59. Therefore 62 is the odd one out.

id=7675 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2084. If it is sold at a profit of 10%, what is its selling price? | option_a=2084 | option_b=2500 | option_c=2292 | option_d=2094 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2084 \times \frac{110}{100} = ₹2292$.

id=7676 | topic=Percentages | difficulty=Easy | question=What is 20% of 440? | option_a=83 | option_b=176 | option_c=98 | option_d=88 | answer=D | explanation=20% of 440 = $(20/100) \times 440 = 88$.

id=7677 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:16 and the first is 30, what is the second? | option_a=190 | option_b=144 | option_c=163 | option_d=160 | answer=D | explanation=Scale factor = $30/3 = 10$. Therefore second quantity = $16 \times 10 = 160$.

id=7678 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.

id=7679 | topic=Averages | difficulty=Easy | question=Find the average of 53, 56, 85, 19, 63, 48. | option_a=56 | option_b=53 | option_c=55 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = $324 \div 6 = 54$.

id=7680 | topic=Averages | difficulty=Easy | question=Find the average of 32, 50, 93, 10, 18, 82, 21, 62. | option_a=48 | option_b=47 | option_c=46 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = $368 \div 8 = 46$.

Aptitude Questions — Records 7,681-7,710 of 100,000

id=7681 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:1 and the first is 210, what is the second? | option_a=14 | option_b=29 | option_c=13 | option_d=224 | answer=A | explanation=Scale factor = 210/15 = 14. Therefore second quantity = 1×14 = 14.

id=7682 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=L | option_c=X | option_d=T | answer=D | explanation=Move 4 positions forward from P; the resulting letter is T.

id=7683 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2630. If it is sold at a profit of 30%, what is its selling price? | option_a=3419 | option_b=3156 | option_c=2660 | option_d=3682 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2630 × 130/100 = █3419.

id=7684 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 21, 27, 36? | option_a=27 | option_b=15 | option_c=21 | option_d=36 | answer=D | explanation=The first three numbers increase by 6, so the next should be 33. Therefore 36 is the odd one out.

id=7685 | topic=Averages | difficulty=Easy | question=Find the average of 13, 83, 12, 95, 43, 35, 54, 25. | option_a=47 | option_b=46 | option_c=45 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = 360 ÷ 8 = 45.

id=7686 | topic=Averages | difficulty=Easy | question=Find the average of 86, 42, 91, 61, 60. | option_a=69 | option_b=67 | option_c=70 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = 340 ÷ 5 = 68.

id=7687 | topic=Percentages | difficulty=Easy | question=What is 10% of 662? | option_a=132 | option_b=71 | option_c=66 | option_d=56 | answer=C | explanation=10% of 662 = (10/100) × 662 = 66.

id=7688 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=32 | option_b=31 | option_c=28 | option_d=34 | answer=B | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=7689 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=20 | option_c=15 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=7690 | topic=Averages | difficulty=Easy | question=Find the average of 94, 41, 60, 26, 54. | option_a=54 | option_b=57 | option_c=55 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 275 ÷ 5 = 55.

id=7691 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=7692 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:4 and the first is 114, what is the second? | option_a=138 | option_b=20 | option_c=24 | option_d=43 | answer=C | explanation=Scale factor = 114/19 = 6. Therefore second quantity = 4×6 = 24.

id=7693 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=7694 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=7695 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3158. If it is sold at a profit of 20%, what is its selling price? | option_a=3178 | option_b=3789 | option_c=4104 | option_d=3474 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3158 × 120/100 = █3789.

id=7696 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 59? | option_a=59 | option_b=47 | option_c=38 | option_d=29 | answer=A | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 59 is the odd one out.

id=7697 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=6 | option_c=12 | option_d=1 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=7698 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=22 | option_b=23 | option_c=25 | option_d=19 | answer=A | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.

id=7699 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3615. If it is sold at a profit of 15%, what is its selling price? | option_a=3630 | option_b=3796 | option_c=4157 | option_d=4518 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3615 × 115/100 = █4157.

id=7700 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:13 and the first is 190, what is the second? | option_a=234 | option_b=437 | option_c=247 | option_d=257 | answer=C | explanation=Scale factor = 190/10 = 19. Therefore second quantity = 13×19 = 247.

id=7701 | topic=Averages | difficulty=Easy | question=Find the average of 26, 86, 72, 10, 37, 76, 65, 92, 49. | option_a=58 | option_b=56 | option_c=57 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 513 ÷ 9 = 57.

id=7702 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15267 at 5% per annum for 2 years. | option_a=16793 | option_b=1626 | option_c=1526 | option_d=1426 | answer=C | explanation=SI = PRT/100 = 15267×5×2/100 = █1526.

id=7703 | topic=Averages | difficulty=Easy | question=Find the average of 81, 37, 60, 75, 20, 30, 53, 42, 23, 49. | option_a=49 | option_b=48 | option_c=47 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 470 ÷ 10 = 47.

id=7704 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 39? | option_a=28 | option_b=19 | option_c=10 | option_d=39 | answer=D | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 39 is the odd one out.

id=7705 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3727. If it is sold at a profit of 40%, what is its selling price? | option_a=3767 | option_b=5589 | option_c=5217 | option_d=4845 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3727 × 140/100 = █5217.

id=7706 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:1 and the first is 39, what is the second? | option_a=13 | option_b=16 | option_c=12 | option_d=52 | answer=A | explanation=Scale factor = 39/3 = 13. Therefore second quantity = 1×13 = 13.

id=7707 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=J | option_b=X | option_c=F | option_d=B | answer=C | explanation=Move 4 positions forward from B; the resulting letter is F.

id=7708 | topic=Averages | difficulty=Easy | question=Find the average of 84, 41, 90, 26, 44. | option_a=59 | option_b=57 | option_c=58 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.

id=7709 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:4 and the first is 240, what is the second? | option_a=320 | option_b=80 | option_c=92 | option_d=76 | answer=B | explanation=Scale factor = 240/12 = 20. Therefore second quantity = 4×20 = 80.

id=7710 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 31, 40, 51? | option_a=51 | option_b=40 | option_c=22 | option_d=31 | answer=A | explanation=The first three numbers increase by 9, so the next should be 49. Therefore 51 is the odd one out.

Aptitude Questions — Records 7,711-7,740 of 100,000

id=7711 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■47989 at 10% per annum for 1 years. | option_a=4798 | option_b=4898 | option_c=52787 | option_d=4698 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{47989 \times 10 \times 1}{100} = \blacksquare 4798$.

id=7712 | topic=Percentages | difficulty=Easy | question=What is 30% of 1916? | option_a=584 | option_b=574 | option_c=1148 | option_d=569 | answer=B | explanation= $30\% \text{ of } 1916 = \frac{(30/100) \times 1916}{1} = 574$.

id=7713 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3612. If it is sold at a profit of 15%, what is its selling price? | option_a=3792 | option_b=3627 | option_c=4153 | option_d=4514 | answer=C | explanation= $\text{Selling price} = CP \times \frac{(100 + \text{profit}\%)}{100} = 3612 \times \frac{115}{100} = \blacksquare 4153$.

id=7714 | topic=Averages | difficulty=Easy | question=Find the average of 66, 25, 43, 88, 46, 80, 70, 31, 46, 85. | option_a=59 | option_b=58 | option_c=60 | option_d=57 | answer=B | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{580}{10} = 58$.

id=7715 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 9, 11, 16? | option_a=7 | option_b=16 | option_c=9 | option_d=11 | answer=B | explanation=The first three numbers increase by 2, so the next should be 13. Therefore 16 is the odd one out.

id=7716 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 28, 38, 48, ? | option_a=59 | option_b=48 | option_c=58 | option_d=68 | answer=C | explanation=The common difference is 10. Therefore the next term is $48 + 10 = 58$.

id=7717 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=35 | option_b=34 | option_c=27 | option_d=41 | answer=B | explanation=The common difference is 7. Therefore the next term is $27 + 7 = 34$.

id=7718 | topic=Percentages | difficulty=Easy | question=What is 20% of 1374? | option_a=274 | option_b=279 | option_c=548 | option_d=269 | answer=A | explanation= $20\% \text{ of } 1374 = \frac{(20/100) \times 1374}{1} = 274$.

id=7719 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 4. | option_a=80 | option_b=16 | option_c=20 | option_d=40 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 20 \times 4$; $\text{HCF}(20, 4) = 4$, so $\text{LCM} = 20$.

id=7720 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=39 | option_b=61 | option_c=51 | option_d=50 | answer=D | explanation=The common difference is 11. Therefore the next term is $39 + 11 = 50$.

id=7721 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■286. If it is sold at a profit of 5%, what is its selling price? | option_a=272 | option_b=291 | option_c=300 | option_d=328 | answer=C | explanation= $\text{Selling price} = CP \times \frac{(100 + \text{profit}\%)}{100} = 286 \times \frac{105}{100} = \blacksquare 300$.

id=7722 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=36 | option_b=35 | option_c=39 | option_d=31 | answer=B | explanation=The common difference is 4. Therefore the next term is $31 + 4 = 35$.

id=7723 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{180}{3} = 60 \text{ km/h}$.

id=7724 | topic=Averages | difficulty=Easy | question=Find the average of 31, 48, 16, 80, 10. | option_a=36 | option_b=37 | option_c=38 | option_d=39 | answer=B | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{185}{5} = 37$.

id=7725 | topic=Percentages | difficulty=Easy | question=What is 40% of 527? | option_a=205 | option_b=230 | option_c=210 | option_d=420 | answer=C | explanation= $40\% \text{ of } 527 = \frac{(40/100) \times 527}{1} = 210$.

id=7726 | topic=Percentages | difficulty=Easy | question=What is 30% of 1885? | option_a=565 | option_b=555 | option_c=1130 | option_d=585 | answer=A | explanation= $30\% \text{ of } 1885 = \frac{(30/100) \times 1885}{1} = 565$.

id=7727 | topic=Percentages | difficulty=Easy | question=What is 50% of 1086? | option_a=563 | option_b=543 | option_c=1086 | option_d=523 | answer=B | explanation= $50\% \text{ of } 1086 = \frac{(50/100) \times 1086}{1} = 543$.

id=7728 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=L | option_b=W | option_c=G | option_d=B | answer=C | explanation=Move 5 positions forward from B; the resulting letter is G.

id=7729 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1630. If it is sold at a profit of 15%, what is its selling price? | option_a=1711 | option_b=1874 | option_c=2037 | option_d=1645 | answer=B | explanation= $\text{Selling price} = CP \times \frac{(100 + \text{profit}\%)}{100} = 1630 \times \frac{115}{100} = \blacksquare 1874$.

id=7730 | topic=Percentages | difficulty=Easy | question=What is 40% of 1222? | option_a=508 | option_b=976 | option_c=488 | option_d=478 | answer=C | explanation= $40\% \text{ of } 1222 = \frac{(40/100) \times 1222}{1} = 488$.

id=7731 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=23 | option_b=18 | option_c=28 | option_d=24 | answer=A | explanation=The common difference is 5. Therefore the next term is $18 + 5 = 23$.

id=7732 | topic=Averages | difficulty=Easy | question=Find the average of 26, 99, 54, 88, 96, 94, 12, 23, 28, 50. | option_a=57 | option_b=58 | option_c=56 | option_d=59 | answer=A | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{570}{10} = 57$.

id=7733 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 29, 34, 41? | option_a=34 | option_b=41 | option_c=29 | option_d=24 | answer=B | explanation=The first three numbers increase by 5, so the next should be 39. Therefore 41 is the odd one out.

id=7734 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=56 | option_b=66 | option_c=46 | option_d=57 | answer=A | explanation=The common difference is 10. Therefore the next term is $46 + 10 = 56$.

id=7735 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2846. If it is sold at a profit of 25%, what is its selling price? | option_a=3557 | option_b=2871 | option_c=3273 | option_d=3841 | answer=A | explanation= $\text{Selling price} = CP \times \frac{(100 + \text{profit}\%)}{100} = 2846 \times \frac{125}{100} = \blacksquare 3557$.

id=7736 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=D | option_b=Y | option_c=O | option_d=T | answer=B | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=7737 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=56 | option_b=38 | option_c=47 | option_d=48 | answer=C | explanation=The common difference is 9. Therefore the next term is $38 + 9 = 47$.

id=7738 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■485. If it is sold at a profit of 20%, what is its selling price? | option_a=630 | option_b=505 | option_c=582 | option_d=534 | answer=C | explanation= $\text{Selling price} = CP \times \frac{(100 + \text{profit}\%)}{100} = 485 \times \frac{120}{100} = \blacksquare 582$.

id=7739 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation= $\text{Combined rate} = \frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. $\text{Time} = \frac{48}{16} = 3 \text{ days}$.

id=7740 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=40 | option_c=45 | option_d=80 | answer=B | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{240}{6} = 40 \text{ km/h}$.

Aptitude Questions — Records 7,741-7,770 of 100,000

id=7741 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2328. If it is sold at a profit of 20%, what is its selling price? | option_a=2561 | option_b=3025 | option_c=2793 | option_d=2348 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2328 × 120/100 = ■2793.

id=7742 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■626. If it is sold at a profit of 30%, what is its selling price? | option_a=875 | option_b=656 | option_c=813 | option_d=751 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 626 × 130/100 = ■813.

id=7743 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4375. If it is sold at a profit of 30%, what is its selling price? | option_a=6124 | option_b=5687 | option_c=4405 | option_d=5250 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4375 × 130/100 = ■5687.

id=7744 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=38 | option_b=46 | option_c=39 | option_d=30 | answer=A | explanation=The common difference is 8. Therefore the next term is 30 + 8 = 38.

id=7745 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3998. If it is sold at a profit of 20%, what is its selling price? | option_a=4797 | option_b=4398 | option_c=4018 | option_d=5196 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3998 × 120/100 = ■4797.

id=7746 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=7747 | topic=Averages | difficulty=Easy | question=Find the average of 43, 12, 10, 99, 21, 82, 79, 17, 24, 23. | option_a=40 | option_b=43 | option_c=42 | option_d=41 | answer=D | explanation=Average = sum of values ÷ number of values = 410 ÷ 10 = 41.

id=7748 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 21? | option_a=7 | option_b=15 | option_c=21 | option_d=11 | answer=C | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 21 is the odd one out.

id=7749 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=7750 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=18 | option_c=36 | option_d=23 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=7751 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=J | option_b=D | option_c=M | option_d=G | answer=A | explanation=Move 3 positions forward from G; the resulting letter is J.

id=7752 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 37? | option_a=37 | option_b=21 | option_c=31 | option_d=26 | answer=A | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 37 is the odd one out.

id=7753 | topic=Percentages | difficulty=Easy | question=What is 5% of 1124? | option_a=51 | option_b=76 | option_c=112 | option_d=56 | answer=D | explanation=5% of 1124 = (5/100) × 1124 = 56.

id=7754 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=52 | option_b=45 | option_c=36 | option_d=44 | answer=D | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.

id=7755 | topic=Averages | difficulty=Easy | question=Find the average of 20, 60, 70, 85, 31, 64. | option_a=54 | option_b=55 | option_c=56 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 330 ÷ 6 = 55.

id=7756 | topic=Averages | difficulty=Easy | question=Find the average of 67, 54, 11. | option_a=45 | option_b=44 | option_c=46 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = 132 ÷ 3 = 44.

id=7757 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=K | option_b=T | option_c=N | option_d=Q | answer=D | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=7758 | topic=Percentages | difficulty=Easy | question=What is 40% of 819? | option_a=654 | option_b=322 | option_c=332 | option_d=327 | answer=D | explanation=40% of 819 = (40/100) × 819 = 327.

id=7759 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=90 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=7760 | topic=Percentages | difficulty=Easy | question=What is 30% of 1156? | option_a=346 | option_b=341 | option_c=356 | option_d=692 | answer=A | explanation=30% of 1156 = (30/100) × 1156 = 346.

id=7761 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=7762 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4402. If it is sold at a profit of 30%, what is its selling price? | option_a=5722 | option_b=5282 | option_c=6162 | option_d=4432 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4402 × 130/100 = ■5722.

id=7763 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:8 and the first is 190, what is the second? | option_a=99 | option_b=80 | option_c=72 | option_d=270 | answer=B | explanation=Scale factor = 190/19 = 10. Therefore second quantity = 8×10 = 80.

id=7764 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■27890 at 10% per annum for 5 years. | option_a=13845 | option_b=14045 | option_c=41835 | option_d=13945 | answer=D | explanation=SI = PRT/100 = 27890×10×5/100 = ■13945.

id=7765 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=P | option_b=Z | option_c=U | option_d=E | answer=B | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=7766 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■4861 at 4% per annum for 5 years. | option_a=1072 | option_b=872 | option_c=972 | option_d=5833 | answer=C | explanation=SI = PRT/100 = 4861×4×5/100 = ■972.

id=7767 | topic=Percentages | difficulty=Easy | question=What is 50% of 1054? | option_a=532 | option_b=517 | option_c=527 | option_d=1054 | answer=C | explanation=50% of 1054 = (50/100) × 1054 = 527.

id=7768 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■22434 at 6% per annum for 5 years. | option_a=6830 | option_b=6630 | option_c=29164 | option_d=6730 | answer=D | explanation=SI = PRT/100 = 22434×6×5/100 = ■6730.

id=7769 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■49347 at 8% per annum for 4 years. | option_a=15691 | option_b=15891 | option_c=15791 | option_d=65138 | answer=C | explanation=SI = PRT/100 = 49347×8×4/100 = ■15791.

id=7770 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4568. If it is sold at a profit of 5%, what is its selling price? | option_a=4796 | option_b=5252 | option_c=4340 | option_d=4573 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4568 × 105/100 = ■4796.

Aptitude Questions — Records 7,771-7,800 of 100,000

id=7771 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:9 and the first is 70, what is the second? | option_a=117 | option_b=126 | option_c=131 | option_d=196 | answer=B | explanation=Scale factor = 70/5 = 14. Therefore second quantity = 9×14 = 126.

id=7772 | topic=Percentages | difficulty=Easy | question=What is 12% of 570? | option_a=68 | option_b=48 | option_c=78 | option_d=136 | answer=A | explanation=12% of 570 = (12/100) × 570 = 68.

id=7773 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=90 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=7774 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=7775 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 5, 8, 11, ? | option_a=17 | option_b=15 | option_c=14 | option_d=11 | answer=C | explanation=The common difference is 3. Therefore the next term is 11 + 3 = 14.

id=7776 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=7777 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹8177 at 8% per annum for 3 years. | option_a=1962 | option_b=10139 | option_c=1862 | option_d=2062 | answer=A | explanation=SI = PRT/100 = 8177×8×3/100 = ₹1962.

id=7778 | topic=Averages | difficulty=Easy | question=Find the average of 68, 61, 60. | option_a=63 | option_b=62 | option_c=64 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 189 ÷ 3 = 63.

id=7779 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹17827 at 12% per annum for 3 years. | option_a=24244 | option_b=6317 | option_c=6417 | option_d=6517 | answer=C | explanation=SI = PRT/100 = 17827×12×3/100 = ₹6417.

id=7780 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2727. If it is sold at a profit of 50%, what is its selling price? | option_a=3818 | option_b=4362 | option_c=4090 | option_d=2777 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2727 × 150/100 = ₹4090.

id=7781 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=90 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=7782 | topic=Percentages | difficulty=Easy | question=What is 40% of 1679? | option_a=651 | option_b=671 | option_c=1342 | option_d=681 | answer=B | explanation=40% of 1679 = (40/100) × 1679 = 671.

id=7783 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=12 | option_c=1 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=7784 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹31115 at 4% per annum for 4 years. | option_a=5078 | option_b=4878 | option_c=4978 | option_d=36093 | answer=C | explanation=SI = PRT/100 = 31115×4×4/100 = ₹4978.

id=7785 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 16, 23, 30, ? | option_a=30 | option_b=37 | option_c=38 | option_d=44 | answer=B | explanation=The common difference is 7. Therefore the next term is 30 + 7 = 37.

id=7786 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹3877. If it is sold at a profit of 50%, what is its selling price? | option_a=5815 | option_b=5428 | option_c=3927 | option_d=6202 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3877 × 150/100 = ₹5815.

id=7787 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=18 | option_c=9 | option_d=14 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=7788 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1655. If it is sold at a profit of 30%, what is its selling price? | option_a=1685 | option_b=2316 | option_c=2151 | option_d=1986 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1655 × 130/100 = ₹2151.

id=7789 | topic=Percentages | difficulty=Easy | question=What is 50% of 218? | option_a=218 | option_b=109 | option_c=104 | option_d=114 | answer=B | explanation=50% of 218 = (50/100) × 218 = 109.

id=7790 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=T | option_c=W | option_d=V | answer=D | explanation=Move 1 positions forward from U; the resulting letter is V.

id=7791 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=I | option_b=G | option_c=J | option_d=H | answer=A | explanation=Move 1 positions forward from H; the resulting letter is I.

id=7792 | topic=Percentages | difficulty=Easy | question=What is 40% of 1649? | option_a=664 | option_b=1318 | option_c=659 | option_d=639 | answer=C | explanation=40% of 1649 = (40/100) × 1649 = 659.

id=7793 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹735. If it is sold at a profit of 30%, what is its selling price? | option_a=882 | option_b=955 | option_c=1028 | option_d=765 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 735 × 130/100 = ₹955.

id=7794 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=100 | option_c=105 | option_d=200 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=7795 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=Y | option_b=I | option_c=N | option_d=D | answer=B | explanation=Move 5 positions forward from D; the resulting letter is I.

id=7796 | topic=Averages | difficulty=Easy | question=Find the average of 46, 82, 29, 24, 54, 29, 100, 85, 64. | option_a=57 | option_b=59 | option_c=58 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 513 ÷ 9 = 57.

id=7797 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹3198. If it is sold at a profit of 40%, what is its selling price? | option_a=3238 | option_b=4477 | option_c=4158 | option_d=4796 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3198 × 140/100 = ₹4477.

id=7798 | topic=Percentages | difficulty=Easy | question=What is 12% of 474? | option_a=61 | option_b=56 | option_c=51 | option_d=112 | answer=B | explanation=12% of 474 = (12/100) × 474 = 56.

id=7799 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 9, 12, 18? | option_a=18 | option_b=12 | option_c=6 | option_d=9 | answer=A | explanation=The first three numbers increase by 3, so the next should be 15. Therefore 18 is the odd one out.

id=7800 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:5 and the first is 39, what is the second? | option_a=68 | option_b=60 | option_c=104 | option_d=65 | answer=D | explanation=Scale factor = 39/3 = 13. Therefore second quantity = 5×13 = 65.

Aptitude Questions — Records 7,801-7,830 of 100,000

id=7801 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 37? | option_a=24 | option_b=37 | option_c=29 | option_d=19 | answer=B | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 37 is the odd one out.

id=7802 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=K | option_b=Y | option_c=C | option_d=G | answer=D | explanation=Move 4 positions forward from C; the resulting letter is G.

id=7803 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:12 and the first is 187, what is the second? | option_a=204 | option_b=215 | option_c=192 | option_d=391 | answer=A | explanation=Scale factor = $187/11 = 17$. Therefore second quantity = $12 \times 17 = 204$.

id=7804 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=31 | option_b=34 | option_c=30 | option_d=26 | answer=C | explanation=The common difference is 4. Therefore the next term is $26 + 4 = 30$.

id=7805 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4077. If it is sold at a profit of 10%, what is its selling price? | option_a=4087 | option_b=4077 | option_c=4484 | option_d=4891 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4077 \times 110/100 = \text{█}4484$.

id=7806 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:16 and the first is 120, what is the second? | option_a=280 | option_b=172 | option_c=144 | option_d=160 | answer=D | explanation=Scale factor = $120/12 = 10$. Therefore second quantity = $16 \times 10 = 160$.

id=7807 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=70 | option_c=75 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = $300 \div 4 = 75$ km/h.

id=7808 | topic=Percentages | difficulty=Easy | question=What is 12% of 1964? | option_a=470 | option_b=225 | option_c=235 | option_d=240 | answer=C | explanation=12% of 1964 = $(12/100) \times 1964 = 235$.

id=7809 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 14. | option_a=14 | option_b=28 | option_c=32 | option_d=56 | answer=B | explanation=LCM $\times$ HCF = 4×14 ; HCF(4,14) = 2, so LCM = 28.

id=7810 | topic=Averages | difficulty=Easy | question=Find the average of 98, 55, 20, 86, 89, 90. | option_a=74 | option_b=73 | option_c=72 | option_d=75 | answer=B | explanation=Average = sum of values ÷ number of values = $438 \div 6 = 73$.

id=7811 | topic=Profit & Loss | difficulty=Easy | question=An article costs █641. If it is sold at a profit of 10%, what is its selling price? | option_a=769 | option_b=651 | option_c=705 | option_d=641 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 641 \times 110/100 = \text{█}705$.

id=7812 | topic=Percentages | difficulty=Easy | question=What is 15% of 1767? | option_a=265 | option_b=260 | option_c=285 | option_d=530 | answer=A | explanation=15% of 1767 = $(15/100) \times 1767 = 265$.

id=7813 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=G | option_b=M | option_c=I | option_d=K | answer=D | explanation=Move 2 positions forward from I; the resulting letter is K.

id=7814 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4185. If it is sold at a profit of 20%, what is its selling price? | option_a=5440 | option_b=4604 | option_c=4205 | option_d=5022 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4185 \times 120/100 = \text{█}5022$.

id=7815 | topic=Percentages | difficulty=Easy | question=What is 10% of 1304? | option_a=260 | option_b=130 | option_c=135 | option_d=110 | answer=B | explanation=10% of 1304 = $(10/100) \times 1304 = 130$.

id=7816 | topic=Percentages | difficulty=Easy | question=What is 25% of 1730? | option_a=864 | option_b=412 | option_c=437 | option_d=432 | answer=D | explanation=25% of 1730 = $(25/100) \times 1730 = 432$.

id=7817 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=7818 | topic=Averages | difficulty=Easy | question=Find the average of 36, 70, 97, 91, 33, 27, 68, 106. | option_a=68 | option_b=66 | option_c=65 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = $528 \div 8 = 66$.

id=7819 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=22 | option_b=19 | option_c=18 | option_d=14 | answer=C | explanation=The common difference is 4. Therefore the next term is $14 + 4 = 18$.

id=7820 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:17 and the first is 171, what is the second? | option_a=494 | option_b=306 | option_c=332 | option_d=323 | answer=D | explanation=Scale factor = $171/9 = 19$. Therefore second quantity = $17 \times 19 = 323$.

id=7821 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=43 | option_b=36 | option_c=50 | option_d=44 | answer=A | explanation=The common difference is 7. Therefore the next term is $36 + 7 = 43$.

id=7822 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = $180 \div 3 = 60$ km/h.

id=7823 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 23, 26, 31? | option_a=20 | option_b=23 | option_c=31 | option_d=26 | answer=C | explanation=The first three numbers increase by 3, so the next should be 29. Therefore 31 is the odd one out.

id=7824 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44003 at 15% per annum for 3 years. | option_a=19901 | option_b=19801 | option_c=63804 | option_d=19701 | answer=B | explanation=SI = $PRT/100 = 44003 \times 15 \times 3/100 = \text{█}19801$.

id=7825 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:9 and the first is 300, what is the second? | option_a=171 | option_b=195 | option_c=480 | option_d=180 | answer=D | explanation=Scale factor = $300/15 = 20$. Therefore second quantity = $9 \times 20 = 180$.

id=7826 | topic=Percentages | difficulty=Easy | question=What is 50% of 1539? | option_a=779 | option_b=769 | option_c=749 | option_d=1538 | answer=B | explanation=50% of 1539 = $(50/100) \times 1539 = 769$.

id=7827 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 20? | option_a=20 | option_b=15 | option_c=11 | option_d=7 | answer=A | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 20 is the odd one out.

id=7828 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=N | option_b=S | option_c=D | option_d=I | answer=A | explanation=Move 5 positions forward from I; the resulting letter is N.

id=7829 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=O | option_b=E | option_c=T | option_d=J | answer=A | explanation=Move 5 positions forward from J; the resulting letter is O.

id=7830 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=R | option_b=W | option_c=H | option_d=M | answer=A | explanation=Move 5 positions forward from M; the resulting letter is R.

Aptitude Questions — Records 7,831-7,860 of 100,000

id=7831 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2250. If it is sold at a profit of 15%, what is its selling price? | option_a=2265 | option_b=2812 | option_c=2362 | option_d=2587 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2250 × 115/100 = ■2587.

id=7832 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 21. | option_a=21 | option_b=126 | option_c=48 | option_d=42 | answer=D | explanation=LCM × HCF = 6×21; HCF(6,21) = 3, so LCM = 42.

id=7833 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=7834 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1183. If it is sold at a profit of 20%, what is its selling price? | option_a=1419 | option_b=1203 | option_c=1537 | option_d=1301 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1183 × 120/100 = ■1419.

id=7835 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=7836 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■1687 at 15% per annum for 4 years. | option_a=912 | option_b=1012 | option_c=1112 | option_d=2699 | answer=B | explanation=SI = PRT/100 = 1687×15×4/100 = ■1012.

id=7837 | topic=Percentages | difficulty=Easy | question=What is 40% of 1982? | option_a=1584 | option_b=792 | option_c=787 | option_d=812 | answer=B | explanation=40% of 1982 = (40/100) × 1982 = 792.

id=7838 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:18 and the first is 182, what is the second? | option_a=234 | option_b=434 | option_c=252 | option_d=265 | answer=C | explanation=Scale factor = 182/13 = 14. Therefore second quantity = 18×14 = 252.

id=7839 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=50 | option_c=20 | option_d=25 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=7840 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=E | option_b=Z | option_c=U | option_d=P | answer=B | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=7841 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 26, 29, 35? | option_a=35 | option_b=29 | option_c=26 | option_d=23 | answer=A | explanation=The first three numbers increase by 3, so the next should be 32. Therefore 35 is the odd one out.

id=7842 | topic=Percentages | difficulty=Easy | question=What is 15% of 956? | option_a=143 | option_b=163 | option_c=286 | option_d=123 | answer=A | explanation=15% of 956 = (15/100) × 956 = 143.

id=7843 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=7844 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=105 | option_c=95 | option_d=200 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=7845 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=7846 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:12 and the first is 135, what is the second? | option_a=315 | option_b=189 | option_c=180 | option_d=168 | answer=C | explanation=Scale factor = 135/9 = 15. Therefore second quantity = 12×15 = 180.

id=7847 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 23, 30, 37, ? | option_a=45 | option_b=44 | option_c=37 | option_d=51 | answer=B | explanation=The common difference is 7. Therefore the next term is 37 + 7 = 44.

id=7848 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2525. If it is sold at a profit of 25%, what is its selling price? | option_a=3408 | option_b=3156 | option_c=2904 | option_d=2550 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2525 × 125/100 = ■3156.

id=7849 | topic=Averages | difficulty=Easy | question=Find the average of 51, 51, 46, 52, 10, 21, 28. | option_a=39 | option_b=36 | option_c=37 | option_d=38 | answer=C | explanation=Average = sum of values ÷ number of values = 259 ÷ 7 = 37.

id=7850 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=78 | option_b=66 | option_c=67 | option_d=54 | answer=B | explanation=The common difference is 12. Therefore the next term is 54 + 12 = 66.

id=7851 | topic=Averages | difficulty=Easy | question=Find the average of 26, 16, 55, 87. | option_a=48 | option_b=45 | option_c=46 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 184 ÷ 4 = 46.

id=7852 | topic=Percentages | difficulty=Easy | question=What is 12% of 1208? | option_a=288 | option_b=144 | option_c=139 | option_d=164 | answer=B | explanation=12% of 1208 = (12/100) × 1208 = 144.

id=7853 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■48020 at 6% per annum for 1 years. | option_a=2881 | option_b=2781 | option_c=2981 | option_d=50901 | answer=A | explanation=SI = PRT/100 = 48020×6×1/100 = ■2881.

id=7854 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=26 | option_b=24 | option_c=22 | option_d=25 | answer=B | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.

id=7855 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 17, 27, 38? | option_a=38 | option_b=7 | option_c=17 | option_d=27 | answer=A | explanation=The first three numbers increase by 10, so the next should be 37. Therefore 38 is the odd one out.

id=7856 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=B | option_c=Z | option_d=C | answer=B | explanation=Move 1 positions forward from A; the resulting letter is B.

id=7857 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=7858 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Q | option_b=Z | option_c=T | option_d=W | answer=D | explanation=Move 3 positions forward from T; the resulting letter is W.

id=7859 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■6947 at 5% per annum for 3 years. | option_a=1142 | option_b=7989 | option_c=1042 | option_d=942 | answer=C | explanation=SI = PRT/100 = 6947×5×3/100 = ■1042.

id=7860 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1425. If it is sold at a profit of 30%, what is its selling price? | option_a=1710 | option_b=1852 | option_c=1455 | option_d=1994 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1425 × 130/100 = ■1852.

Aptitude Questions — Records 7,861-7,890 of 100,000

- id=7861 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=7862 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:6 and the first is 119, what is the second? | option_a=36 | option_b=59 | option_c=161 | option_d=42 | answer=D | explanation=Scale factor = 119/17 = 7. Therefore second quantity = 6×7 = 42.
- id=7863 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=115 | option_c=125 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.
- id=7864 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=45 | option_c=55 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.
- id=7865 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=240 | option_d=125 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.
- id=7866 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=10 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.
- id=7867 | topic=Percentages | difficulty=Easy | question=What is 12% of 997? | option_a=124 | option_b=119 | option_c=238 | option_d=99 | answer=B | explanation=12% of 997 = (12/100) × 997 = 119.
- id=7868 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=36 | option_b=46 | option_c=56 | option_d=47 | answer=B | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.
- id=7869 | topic=Profit & Loss | difficulty=Easy | question=An article costs █355. If it is sold at a profit of 40%, what is its selling price? | option_a=532 | option_b=497 | option_c=395 | option_d=462 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 355 × 140/100 = █497.
- id=7870 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 19, 25, 33? | option_a=19 | option_b=25 | option_c=33 | option_d=13 | answer=C | explanation=The first three numbers increase by 6, so the next should be 31. Therefore 33 is the odd one out.
- id=7871 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44269 at 5% per annum for 4 years. | option_a=8753 | option_b=53122 | option_c=8953 | option_d=8853 | answer=D | explanation=SI = PRT/100 = 44269×5×4/100 = █8853.
- id=7872 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.
- id=7873 | topic=Percentages | difficulty=Easy | question=What is 25% of 142? | option_a=70 | option_b=40 | option_c=35 | option_d=30 | answer=C | explanation=25% of 142 = (25/100) × 142 = 35.
- id=7874 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=42 | option_b=53 | option_c=64 | option_d=54 | answer=B | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.
- id=7875 | topic=Percentages | difficulty=Easy | question=What is 20% of 1956? | option_a=381 | option_b=782 | option_c=411 | option_d=391 | answer=D | explanation=20% of 1956 = (20/100) × 1956 = 391.
- id=7876 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.
- id=7877 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 19? | option_a=15 | option_b=13 | option_c=11 | option_d=19 | answer=D | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 19 is the odd one out.
- id=7878 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2232. If it is sold at a profit of 5%, what is its selling price? | option_a=2343 | option_b=2120 | option_c=2566 | option_d=2237 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2232 × 105/100 = █2343.
- id=7879 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2748. If it is sold at a profit of 40%, what is its selling price? | option_a=2788 | option_b=3573 | option_c=3847 | option_d=4121 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2748 × 140/100 = █3847.
- id=7880 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=C | option_b=O | option_c=G | option_d=K | answer=D | explanation=Move 4 positions forward from G; the resulting letter is K.
- id=7881 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.
- id=7882 | topic=Averages | difficulty=Easy | question=Find the average of 89, 98, 86. | option_a=93 | option_b=91 | option_c=92 | option_d=90 | answer=B | explanation=Average = sum of values ÷ number of values = 273 ÷ 3 = 91.
- id=7883 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:11 and the first is 80, what is the second? | option_a=220 | option_b=300 | option_c=209 | option_d=224 | answer=A | explanation=Scale factor = 80/4 = 20. Therefore second quantity = 11×20 = 220.
- id=7884 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31622 at 8% per annum for 4 years. | option_a=10019 | option_b=10119 | option_c=10219 | option_d=41741 | answer=B | explanation=SI = PRT/100 = 31622×8×4/100 = █10119.
- id=7885 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.
- id=7886 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=7887 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 37? | option_a=37 | option_b=23 | option_c=29 | option_d=17 | answer=A | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 37 is the odd one out.
- id=7888 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=N | option_c=K | option_d=E | answer=C | explanation=Move 3 positions forward from H; the resulting letter is K.
- id=7889 | topic=Profit & Loss | difficulty=Easy | question=An article costs █182. If it is sold at a profit of 10%, what is its selling price? | option_a=218 | option_b=182 | option_c=192 | option_d=200 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 182 × 110/100 = █200.
- id=7890 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=B | option_b=W | option_c=R | option_d=M | answer=B | explanation=Move 5 positions forward from R; the resulting letter is W.

Aptitude Questions — Records 7,891-7,920 of 100,000

id=7891 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:3 and the first is 190, what is the second? | option_a=49 | option_b=27 | option_c=220 | option_d=30 | answer=D | explanation=Scale factor = 190/19 = 10. Therefore second quantity = 3×10 = 30.

id=7892 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1158. If it is sold at a profit of 5%, what is its selling price? | option_a=1163 | option_b=1330 | option_c=1100 | option_d=1215 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1158 × 105/100 = █1215.

id=7893 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:9 and the first is 285, what is the second? | option_a=456 | option_b=162 | option_c=186 | option_d=171 | answer=D | explanation=Scale factor = 285/15 = 19. Therefore second quantity = 9×19 = 171.

id=7894 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=30 | option_b=28 | option_c=27 | option_d=24 | answer=C | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=7895 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 18? | option_a=7 | option_b=3 | option_c=11 | option_d=18 | answer=D | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 18 is the odd one out.

id=7896 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=7897 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 11, 20, 30? | option_a=30 | option_b=11 | option_c=20 | option_d=2 | answer=A | explanation=The first three numbers increase by 9, so the next should be 29. Therefore 30 is the odd one out.

id=7898 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 25. | option_a=50 | option_b=25 | option_c=250 | option_d=60 | answer=A | explanation=LCM × HCF = 10×25; HCF(10,25) = 5, so LCM = 50.

id=7899 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22631 at 6% per annum for 2 years. | option_a=2715 | option_b=2815 | option_c=25346 | option_d=2615 | answer=A | explanation=SI = PRT/100 = 22631×6×2/100 = █2715.

id=7900 | topic=Percentages | difficulty=Easy | question=What is 12% of 1990? | option_a=476 | option_b=248 | option_c=218 | option_d=238 | answer=D | explanation=12% of 1990 = (12/100) × 1990 = 238.

id=7901 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=N | option_c=F | option_d=R | answer=B | explanation=Move 4 positions forward from J; the resulting letter is N.

id=7902 | topic=Percentages | difficulty=Easy | question=What is 12% of 1040? | option_a=248 | option_b=114 | option_c=124 | option_d=144 | answer=C | explanation=12% of 1040 = (12/100) × 1040 = 124.

id=7903 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4386. If it is sold at a profit of 50%, what is its selling price? | option_a=4436 | option_b=7017 | option_c=6141 | option_d=6579 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4386 × 150/100 = █6579.

id=7904 | topic=Averages | difficulty=Easy | question=Find the average of 48, 45, 54, 39, 84, 66. | option_a=57 | option_b=58 | option_c=56 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 336 ÷ 6 = 56.

id=7905 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=23 | option_b=22 | option_c=27 | option_d=17 | answer=B | explanation=The common difference is 5. Therefore the next term is 17 + 5 = 22.

id=7906 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37511 at 6% per annum for 3 years. | option_a=6651 | option_b=6851 | option_c=44262 | option_d=6751 | answer=D | explanation=SI = PRT/100 = 37511×6×3/100 = █6751.

id=7907 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 35? | option_a=35 | option_b=24 | option_c=16 | option_d=8 | answer=A | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 35 is the odd one out.

id=7908 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 45? | option_a=36 | option_b=24 | option_c=45 | option_d=30 | answer=C | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 45 is the odd one out.

id=7909 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 3. | option_a=21 | option_b=63 | option_c=42 | option_d=18 | answer=A | explanation=LCM × HCF = 21×3; HCF(21,3) = 3, so LCM = 21.

id=7910 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=7911 | topic=Percentages | difficulty=Easy | question=What is 12% of 1446? | option_a=346 | option_b=163 | option_c=193 | option_d=173 | answer=D | explanation=12% of 1446 = (12/100) × 1446 = 173.

id=7912 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 26? | option_a=26 | option_b=6 | option_c=18 | option_d=12 | answer=A | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 26 is the odd one out.

id=7913 | topic=Averages | difficulty=Easy | question=Find the average of 88, 28, 31. | option_a=51 | option_b=48 | option_c=49 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 147 ÷ 3 = 49.

id=7914 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34686 at 10% per annum for 1 years. | option_a=3568 | option_b=3468 | option_c=3368 | option_d=38154 | answer=B | explanation=SI = PRT/100 = 34686×10×1/100 = █3468.

id=7915 | topic=Averages | difficulty=Easy | question=Find the average of 78, 37, 32, 29, 39, 31, 73, 33. | option_a=44 | option_b=43 | option_c=46 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 352 ÷ 8 = 44.

id=7916 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18558 at 4% per annum for 4 years. | option_a=3069 | option_b=21527 | option_c=2869 | option_d=2969 | answer=D | explanation=SI = PRT/100 = 18558×4×4/100 = █2969.

id=7917 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 29? | option_a=18 | option_b=29 | option_c=24 | option_d=21 | answer=B | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 29 is the odd one out.

id=7918 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=J | option_b=F | option_c=H | option_d=D | answer=C | explanation=Move 2 positions forward from F; the resulting letter is H.

id=7919 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 45? | option_a=31 | option_b=25 | option_c=45 | option_d=37 | answer=C | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 45 is the odd one out.

id=7920 | topic=Profit & Loss | difficulty=Easy | question=An article costs █471. If it is sold at a profit of 10%, what is its selling price? | option_a=565 | option_b=471 | option_c=518 | option_d=481 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 471 × 110/100 = █518.

Aptitude Questions — Records 7,921-7,950 of 100,000

id=7921 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2065. If it is sold at a profit of 20%, what is its selling price? | option_a=2478 | option_b=2684 | option_c=2272 | option_d=2085 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2065 × 120/100 = █2478.

id=7922 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=G | option_b=H | option_c=E | option_d=F | answer=A | explanation=Move 1 positions forward from F; the resulting letter is G.

id=7923 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:15 and the first is 54, what is the second? | option_a=75 | option_b=90 | option_c=144 | option_d=99 | answer=B | explanation=Scale factor = 54/9 = 6. Therefore second quantity = 15×6 = 90.

id=7924 | topic=Percentages | difficulty=Easy | question=What is 20% of 1838? | option_a=367 | option_b=347 | option_c=387 | option_d=734 | answer=A | explanation=20% of 1838 = (20/100) × 1838 = 367.

id=7925 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12475 at 12% per annum for 3 years. | option_a=4591 | option_b=4391 | option_c=4491 | option_d=16966 | answer=C | explanation=SI = PRT/100 = 12475×12×3/100 = █4491.

id=7926 | topic=Averages | difficulty=Easy | question=Find the average of 42, 75, 56, 92, 16, 77, 37, 66, 44, 45. | option_a=57 | option_b=55 | option_c=54 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 550 ÷ 10 = 55.

id=7927 | topic=Percentages | difficulty=Easy | question=What is 5% of 869? | option_a=23 | option_b=86 | option_c=43 | option_d=63 | answer=C | explanation=5% of 869 = (5/100) × 869 = 43.

id=7928 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 15. | option_a=45 | option_b=30 | option_c=54 | option_d=135 | answer=A | explanation=LCM × HCF = 9×15; HCF(9,15) = 3, so LCM = 45.

id=7929 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 45? | option_a=23 | option_b=13 | option_c=45 | option_d=33 | answer=C | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 45 is the odd one out.

id=7930 | topic=Averages | difficulty=Easy | question=Find the average of 52, 38, 74, 37, 73, 86. | option_a=61 | option_b=59 | option_c=62 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 360 ÷ 6 = 60.

id=7931 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 46? | option_a=37 | option_b=31 | option_c=25 | option_d=46 | answer=D | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 46 is the odd one out.

id=7932 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=47 | option_b=59 | option_c=71 | option_d=60 | answer=B | explanation=The common difference is 12. Therefore the next term is 47 + 12 = 59.

id=7933 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=52 | option_b=34 | option_c=44 | option_d=43 | answer=D | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

id=7934 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=8 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=7935 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 15. | option_a=45 | option_b=180 | option_c=72 | option_d=60 | answer=D | explanation=LCM × HCF = 12×15; HCF(12,15) = 3, so LCM = 60.

id=7936 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 3. | option_a=3 | option_b=18 | option_c=12 | option_d=6 | answer=D | explanation=LCM × HCF = 6×3; HCF(6,3) = 3, so LCM = 6.

id=7937 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1020. If it is sold at a profit of 50%, what is its selling price? | option_a=1530 | option_b=1632 | option_c=1070 | option_d=1428 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1020 × 150/100 = █1530.

id=7938 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=7939 | topic=Averages | difficulty=Easy | question=Find the average of 24, 15, 63, 68, 48, 48, 43, 99. | option_a=53 | option_b=52 | option_c=50 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 408 ÷ 8 = 51.

id=7940 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3365. If it is sold at a profit of 50%, what is its selling price? | option_a=5383 | option_b=5047 | option_c=4711 | option_d=3415 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3365 × 150/100 = █5047.

id=7941 | topic=Averages | difficulty=Easy | question=Find the average of 31, 46, 85. | option_a=56 | option_b=53 | option_c=54 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 162 ÷ 3 = 54.

id=7942 | topic=Percentages | difficulty=Easy | question=What is 15% of 1197? | option_a=358 | option_b=184 | option_c=169 | option_d=179 | answer=D | explanation=15% of 1197 = (15/100) × 1197 = 179.

id=7943 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2722. If it is sold at a profit of 30%, what is its selling price? | option_a=3810 | option_b=3266 | option_c=2752 | option_d=3538 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2722 × 130/100 = █3538.

id=7944 | topic=Percentages | difficulty=Easy | question=What is 15% of 1641? | option_a=246 | option_b=241 | option_c=492 | option_d=266 | answer=A | explanation=15% of 1641 = (15/100) × 1641 = 246.

id=7945 | topic=Averages | difficulty=Easy | question=Find the average of 41, 66, 38, 23. | option_a=42 | option_b=44 | option_c=41 | option_d=43 | answer=A | explanation=Average = sum of values ÷ number of values = 168 ÷ 4 = 42.

id=7946 | topic=Percentages | difficulty=Easy | question=What is 20% of 1677? | option_a=670 | option_b=355 | option_c=315 | option_d=335 | answer=D | explanation=20% of 1677 = (20/100) × 1677 = 335.

id=7947 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=120 | option_c=115 | option_d=125 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=7948 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=Q | option_b=U | option_c=S | option_d=W | answer=B | explanation=Move 2 positions forward from S; the resulting letter is U.

id=7949 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=36 | option_b=37 | option_c=32 | option_d=40 | answer=A | explanation=The common difference is 4. Therefore the next term is 32 + 4 = 36.

id=7950 | topic=Averages | difficulty=Easy | question=Find the average of 90, 14, 63, 33. | option_a=52 | option_b=49 | option_c=51 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 200 ÷ 4 = 50.

Aptitude Questions — Records 7,951-7,980 of 100,000

id=7951 | topic=Averages | difficulty=Easy | question=Find the average of 38, 79, 18. | option_a=46 | option_b=45 | option_c=44 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 135 ÷ 3 = 45.

id=7952 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=40 | option_b=50 | option_c=60 | option_d=51 | answer=B | explanation=The common difference is 10. Therefore the next term is 40 + 10 = 50.

id=7953 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 14. | option_a=154 | option_b=140 | option_c=176 | option_d=308 | answer=A | explanation= $LCM \times HCF = 22 \times 14$; $HCF(22,14) = 2$, so $LCM = 154$.

id=7954 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:3 and the first is 95, what is the second? | option_a=34 | option_b=110 | option_c=15 | option_d=12 | answer=C | explanation=Scale factor = $95/19 = 5$. Therefore second quantity = $3 \times 5 = 15$.

id=7955 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2910. If it is sold at a profit of 25%, what is its selling price? | option_a=3346 | option_b=3637 | option_c=2935 | option_d=3928 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2910 \times 125/100 = \text{█}3637$.

id=7956 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=43 | option_c=48 | option_d=53 | answer=C | explanation=Speed = distance ÷ time = $240 \div 5 = 48$ km/h.

id=7957 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 34? | option_a=27 | option_b=25 | option_c=34 | option_d=29 | answer=C | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 34 is the odd one out.

id=7958 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 15, 19, 24? | option_a=11 | option_b=15 | option_c=19 | option_d=24 | answer=D | explanation=The first three numbers increase by 4, so the next should be 23. Therefore 24 is the odd one out.

id=7959 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=N | option_c=P | option_d=T | answer=A | explanation=Move 2 positions forward from P; the resulting letter is R.

id=7960 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8512 at 12% per annum for 3 years. | option_a=2964 | option_b=3064 | option_c=11576 | option_d=3164 | answer=B | explanation= $SI = PRT/100 = 8512 \times 12 \times 3/100 = \text{█}3064$.

id=7961 | topic=Averages | difficulty=Easy | question=Find the average of 25, 99, 44, 40. | option_a=54 | option_b=53 | option_c=52 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = $208 \div 4 = 52$.

id=7962 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=7963 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4784. If it is sold at a profit of 25%, what is its selling price? | option_a=5502 | option_b=6458 | option_c=5980 | option_d=4809 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4784 \times 125/100 = \text{█}5980$.

id=7964 | topic=Averages | difficulty=Easy | question=Find the average of 60, 52, 91, 66, 46, 17, 88. | option_a=61 | option_b=60 | option_c=59 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = $420 \div 7 = 60$.

id=7965 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:14 and the first is 324, what is the second? | option_a=238 | option_b=270 | option_c=252 | option_d=576 | answer=C | explanation=Scale factor = $324/18 = 18$. Therefore second quantity = $14 \times 18 = 252$.

id=7966 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:6 and the first is 78, what is the second? | option_a=114 | option_b=30 | option_c=49 | option_d=36 | answer=D | explanation=Scale factor = $78/13 = 6$. Therefore second quantity = $6 \times 6 = 36$.

id=7967 | topic=Averages | difficulty=Easy | question=Find the average of 12, 51, 40, 86, 10, 79, 18, 20, 17. | option_a=36 | option_b=38 | option_c=39 | option_d=37 | answer=D | explanation=Average = sum of values ÷ number of values = $333 \div 9 = 37$.

id=7968 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4346. If it is sold at a profit of 15%, what is its selling price? | option_a=4563 | option_b=5431 | option_c=4997 | option_d=4361 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4346 \times 115/100 = \text{█}4997$.

id=7969 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=H | option_b=J | option_c=I | option_d=K | answer=B | explanation=Move 1 positions forward from I; the resulting letter is J.

id=7970 | topic=Averages | difficulty=Easy | question=Find the average of 33, 50, 17, 75, 25. | option_a=42 | option_b=39 | option_c=40 | option_d=41 | answer=C | explanation=Average = sum of values ÷ number of values = $200 \div 5 = 40$.

id=7971 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32112 at 15% per annum for 3 years. | option_a=14450 | option_b=46562 | option_c=14550 | option_d=14350 | answer=A | explanation= $SI = PRT/100 = 32112 \times 15 \times 3/100 = \text{█}14450$.

id=7972 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=R | option_b=O | option_c=I | option_d=L | answer=B | explanation=Move 3 positions forward from L; the resulting letter is O.

id=7973 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=31 | option_b=32 | option_c=37 | option_d=25 | answer=A | explanation=The common difference is 6. Therefore the next term is $25 + 6 = 31$.

id=7974 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3832. If it is sold at a profit of 25%, what is its selling price? | option_a=3857 | option_b=4407 | option_c=5173 | option_d=4790 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3832 \times 125/100 = \text{█}4790$.

id=7975 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 23, 32, 44? | option_a=14 | option_b=32 | option_c=44 | option_d=23 | answer=C | explanation=The first three numbers increase by 9, so the next should be 41. Therefore 44 is the odd one out.

id=7976 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=N | option_b=M | option_c=O | option_d=L | answer=A | explanation=Move 1 positions forward from M; the resulting letter is N.

id=7977 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=35 | option_b=31 | option_c=36 | option_d=39 | answer=A | explanation=The common difference is 4. Therefore the next term is $31 + 4 = 35$.

id=7978 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4694. If it is sold at a profit of 15%, what is its selling price? | option_a=5867 | option_b=5398 | option_c=4709 | option_d=4929 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4694 \times 115/100 = \text{█}5398$.

id=7979 | topic=Percentages | difficulty=Easy | question=What is 40% of 1165? | option_a=486 | option_b=932 | option_c=456 | option_d=466 | answer=D | explanation= $40\% \text{ of } 1165 = (40/100) \times 1165 = 466$.

id=7980 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33787 at 4% per annum for 2 years. | option_a=2602 | option_b=2802 | option_c=36489 | option_d=2702 | answer=D | explanation= $SI = PRT/100 = 33787 \times 4 \times 2/100 = \text{█}2702$.

Aptitude Questions — Records 7,981-8,010 of 100,000

id=7981 | topic=Averages | difficulty=Easy | question=Find the average of 81, 24, 56, 65, 71, 19, 14, 38. | option_a=47 | option_b=45 | option_c=46 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 368 ÷ 8 = 46.

id=7982 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=7983 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=7984 | topic=Percentages | difficulty=Easy | question=What is 10% of 1532? | option_a=306 | option_b=143 | option_c=153 | option_d=158 | answer=C | explanation=10% of 1532 = (10/100) × 1532 = 153.

id=7985 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:6 and the first is 24, what is the second? | option_a=26 | option_b=42 | option_c=12 | option_d=18 | answer=D | explanation=Scale factor = 24/8 = 3. Therefore second quantity = 6×3 = 18.

id=7986 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 36? | option_a=36 | option_b=32 | option_c=26 | option_d=29 | answer=A | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 36 is the odd one out.

id=7987 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=J | option_b=R | option_c=N | option_d=V | answer=B | explanation=Move 4 positions forward from N; the resulting letter is R.

id=7988 | topic=Percentages | difficulty=Easy | question=What is 10% of 444? | option_a=54 | option_b=88 | option_c=44 | option_d=39 | answer=C | explanation=10% of 444 = (10/100) × 444 = 44.

id=7989 | topic=Averages | difficulty=Easy | question=Find the average of 63, 97, 78, 43, 77, 24, 48, 93, 23, 94. | option_a=63 | option_b=64 | option_c=65 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 640 ÷ 10 = 64.

id=7990 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 18, 25, 33? | option_a=18 | option_b=25 | option_c=33 | option_d=11 | answer=C | explanation=The first three numbers increase by 7, so the next should be 32. Therefore 33 is the odd one out.

id=7991 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=43 | option_b=44 | option_c=36 | option_d=50 | answer=A | explanation=The common difference is 7. Therefore the next term is 36 + 7 = 43.

id=7992 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4769. If it is sold at a profit of 25%, what is its selling price? | option_a=4794 | option_b=5485 | option_c=6437 | option_d=5961 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4769 × 125/100 = █5961.

id=7993 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 18, 25, 35? | option_a=35 | option_b=25 | option_c=18 | option_d=11 | answer=A | explanation=The first three numbers increase by 7, so the next should be 32. Therefore 35 is the odd one out.

id=7994 | topic=Percentages | difficulty=Easy | question=What is 10% of 1966? | option_a=392 | option_b=201 | option_c=196 | option_d=186 | answer=C | explanation=10% of 1966 = (10/100) × 1966 = 196.

id=7995 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=33 | option_b=29 | option_c=34 | option_d=37 | answer=A | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=7996 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=M | option_c=L | option_d=J | answer=C | explanation=Move 1 positions forward from K; the resulting letter is L.

id=7997 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 12, 15, 18, ? | option_a=18 | option_b=22 | option_c=21 | option_d=24 | answer=C | explanation=The common difference is 3. Therefore the next term is 18 + 3 = 21.

id=7998 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25433 at 6% per annum for 3 years. | option_a=30010 | option_b=4577 | option_c=4677 | option_d=4477 | answer=B | explanation=SI = PRT/100 = 25433×6×3/100 = █4577.

id=7999 | topic=Averages | difficulty=Easy | question=Find the average of 67, 83, 51. | option_a=67 | option_b=66 | option_c=69 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = 201 ÷ 3 = 67.

id=8000 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=8001 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 16? | option_a=12 | option_b=8 | option_c=16 | option_d=10 | answer=C | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 16 is the odd one out.

id=8002 | topic=Averages | difficulty=Easy | question=Find the average of 61, 64, 34. | option_a=53 | option_b=52 | option_c=54 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 159 ÷ 3 = 53.

id=8003 | topic=Percentages | difficulty=Easy | question=What is 5% of 1296? | option_a=74 | option_b=64 | option_c=59 | option_d=128 | answer=B | explanation=5% of 1296 = (5/100) × 1296 = 64.

id=8004 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41453 at 12% per annum for 1 years. | option_a=4974 | option_b=4874 | option_c=5074 | option_d=46427 | answer=A | explanation=SI = PRT/100 = 41453×12×1/100 = █4974.

id=8005 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 7, 12, 19? | option_a=12 | option_b=7 | option_c=2 | option_d=19 | answer=D | explanation=The first three numbers increase by 5, so the next should be 17. Therefore 19 is the odd one out.

id=8006 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:1 and the first is 63, what is the second? | option_a=70 | option_b=16 | option_c=6 | option_d=7 | answer=D | explanation=Scale factor = 63/9 = 7. Therefore second quantity = 1×7 = 7.

id=8007 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=8008 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36241 at 5% per annum for 3 years. | option_a=5536 | option_b=5336 | option_c=5436 | option_d=41677 | answer=C | explanation=SI = PRT/100 = 36241×5×3/100 = █5436.

id=8009 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39887 at 5% per annum for 3 years. | option_a=5883 | option_b=6083 | option_c=45870 | option_d=5983 | answer=D | explanation=SI = PRT/100 = 39887×5×3/100 = █5983.

id=8010 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:13 and the first is 136, what is the second? | option_a=121 | option_b=104 | option_c=91 | option_d=240 | answer=B | explanation=Scale factor = 136/17 = 8. Therefore second quantity = 13×8 = 104.

Aptitude Questions — Records 8,011-8,040 of 100,000

- id=8011 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 33? | option_a=29 | option_b=33 | option_c=25 | option_d=27 | answer=B | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 33 is the odd one out.
- id=8012 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:11 and the first is 40, what is the second? | option_a=44 | option_b=55 | option_c=63 | option_d=95 | answer=B | explanation=Scale factor = $40/8 = 5$. Therefore second quantity = $11 \times 5 = 55$.
- id=8013 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3684. If it is sold at a profit of 15%, what is its selling price? | option_a=4604 | option_b=3868 | option_c=4236 | option_d=3699 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 3684 \times 115/100 = \text{█}4236$.
- id=8014 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 43? | option_a=23 | option_b=29 | option_c=43 | option_d=35 | answer=C | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 43 is the odd one out.
- id=8015 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:19 and the first is 210, what is the second? | option_a=247 | option_b=281 | option_c=476 | option_d=266 | answer=D | explanation=Scale factor = $210/15 = 14$. Therefore second quantity = $19 \times 14 = 266$.
- id=8016 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=5 | option_c=15 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = $60 \div 6 = 10$ km/h.
- id=8017 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 35, 42, 50? | option_a=50 | option_b=28 | option_c=35 | option_d=42 | answer=A | explanation=The first three numbers increase by 7, so the next should be 49. Therefore 50 is the odd one out.
- id=8018 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 29? | option_a=18 | option_b=29 | option_c=21 | option_d=24 | answer=B | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 29 is the odd one out.
- id=8019 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=35 | option_b=49 | option_c=43 | option_d=42 | answer=D | explanation=The common difference is 7. Therefore the next term is $35 + 7 = 42$.
- id=8020 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:16 and the first is 80, what is the second? | option_a=112 | option_b=208 | option_c=128 | option_d=138 | answer=C | explanation=Scale factor = $80/10 = 8$. Therefore second quantity = $16 \times 8 = 128$.
- id=8021 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=T | option_b=Y | option_c=J | option_d=O | answer=A | explanation=Move 5 positions forward from O; the resulting letter is T.
- id=8022 | topic=Percentages | difficulty=Easy | question=What is 5% of 862? | option_a=43 | option_b=63 | option_c=86 | option_d=23 | answer=A | explanation=5% of 862 = $(5/100) \times 862 = 43$.
- id=8023 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 35, 45, 58? | option_a=58 | option_b=35 | option_c=45 | option_d=25 | answer=A | explanation=The first three numbers increase by 10, so the next should be 55. Therefore 58 is the odd one out.
- id=8024 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.
- id=8025 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2735. If it is sold at a profit of 40%, what is its selling price? | option_a=2775 | option_b=4102 | option_c=3829 | option_d=3556 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2735 \times 140/100 = \text{█}3829$.
- id=8026 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=L | option_c=T | option_d=H | answer=A | explanation=Move 4 positions forward from L; the resulting letter is P.
- id=8027 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=70 | option_b=61 | option_c=50 | option_d=60 | answer=D | explanation=The common difference is 10. Therefore the next term is $50 + 10 = 60$.
- id=8028 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=19 | option_c=24 | option_d=29 | answer=C | explanation=Speed = distance ÷ time = $120 \div 5 = 24$ km/h.
- id=8029 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 32? | option_a=18 | option_b=24 | option_c=32 | option_d=12 | answer=C | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 32 is the odd one out.
- id=8030 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:2 and the first is 196, what is the second? | option_a=28 | option_b=42 | option_c=26 | option_d=224 | answer=A | explanation=Scale factor = $196/14 = 14$. Therefore second quantity = $2 \times 14 = 28$.
- id=8031 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=24 | option_b=20 | option_c=25 | option_d=28 | answer=A | explanation=The common difference is 4. Therefore the next term is $20 + 4 = 24$.
- id=8032 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=25 | option_c=20 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = $150 \div 6 = 25$ km/h.
- id=8033 | topic=Averages | difficulty=Easy | question=Find the average of 43, 84, 41, 96. | option_a=66 | option_b=65 | option_c=68 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = $264 \div 4 = 66$.
- id=8034 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 16, 20, 27? | option_a=20 | option_b=27 | option_c=16 | option_d=12 | answer=B | explanation=The first three numbers increase by 4, so the next should be 24. Therefore 27 is the odd one out.
- id=8035 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.
- id=8036 | topic=Profit & Loss | difficulty=Easy | question=An article costs █386. If it is sold at a profit of 5%, what is its selling price? | option_a=443 | option_b=367 | option_c=391 | option_d=405 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 386 \times 105/100 = \text{█}405$.
- id=8037 | topic=Percentages | difficulty=Easy | question=What is 5% of 130? | option_a=6 | option_b=1 | option_c=11 | option_d=12 | answer=A | explanation=5% of 130 = $(5/100) \times 130 = 6$.
- id=8038 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3921. If it is sold at a profit of 5%, what is its selling price? | option_a=4117 | option_b=3725 | option_c=4509 | option_d=3926 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 3921 \times 105/100 = \text{█}4117$.
- id=8039 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=29 | option_b=35 | option_c=32 | option_d=33 | answer=C | explanation=The common difference is 3. Therefore the next term is $29 + 3 = 32$.
- id=8040 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=25 | option_c=20 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = $60 \div 3 = 20$ km/h.

Aptitude Questions — Records 8,041-8,070 of 100,000

id=8041 | topic=Percentages | difficulty=Easy | question=What is 10% of 1602? | option_a=155 | option_b=320 | option_c=165 | option_d=160 | answer=D | explanation=10% of 1602 = (10/100) × 1602 = 160.

id=8042 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=8043 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 20. | option_a=20 | option_b=1 | option_c=24 | option_d=80 | answer=A | explanation=LCM × HCF = 4×20; HCF(4,20) = 4, so LCM = 20.

id=8044 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3179. If it is sold at a profit of 15%, what is its selling price? | option_a=3972 | option_b=3194 | option_c=3655 | option_d=3338 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3179 × 115/100 = █3655.

id=8045 | topic=Averages | difficulty=Easy | question=Find the average of 24, 95, 16. | option_a=46 | option_b=45 | option_c=44 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 135 ÷ 3 = 45.

id=8046 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3692. If it is sold at a profit of 50%, what is its selling price? | option_a=5538 | option_b=3742 | option_c=5907 | option_d=5169 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3692 × 150/100 = █5538.

id=8047 | topic=Percentages | difficulty=Easy | question=What is 15% of 1154? | option_a=153 | option_b=173 | option_c=183 | option_d=346 | answer=B | explanation=15% of 1154 = (15/100) × 1154 = 173.

id=8048 | topic=Percentages | difficulty=Easy | question=What is 50% of 983? | option_a=982 | option_b=486 | option_c=491 | option_d=496 | answer=C | explanation=50% of 983 = (50/100) × 983 = 491.

id=8049 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2712. If it is sold at a profit of 20%, what is its selling price? | option_a=3254 | option_b=3525 | option_c=2732 | option_d=2983 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2712 × 120/100 = █3254.

id=8050 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=8051 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=P | option_b=D | option_c=L | option_d=H | answer=C | explanation=Move 4 positions forward from H; the resulting letter is L.

id=8052 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3211. If it is sold at a profit of 25%, what is its selling price? | option_a=4013 | option_b=4334 | option_c=3692 | option_d=3236 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3211 × 125/100 = █4013.

id=8053 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 33, 43, 54? | option_a=54 | option_b=43 | option_c=33 | option_d=23 | answer=A | explanation=The first three numbers increase by 10, so the next should be 53. Therefore 54 is the odd one out.

id=8054 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=E | option_c=G | option_d=K | answer=A | explanation=Move 2 positions forward from G; the resulting letter is I.

id=8055 | topic=Percentages | difficulty=Easy | question=What is 50% of 376? | option_a=168 | option_b=198 | option_c=188 | option_d=376 | answer=C | explanation=50% of 376 = (50/100) × 376 = 188.

id=8056 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=8057 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4742. If it is sold at a profit of 10%, what is its selling price? | option_a=5216 | option_b=5690 | option_c=4752 | option_d=4742 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4742 × 110/100 = █5216.

id=8058 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22074 at 5% per annum for 3 years. | option_a=3411 | option_b=25385 | option_c=3311 | option_d=3211 | answer=C | explanation=SI = PRT/100 = 22074×5×3/100 = █3311.

id=8059 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4788. If it is sold at a profit of 40%, what is its selling price? | option_a=6703 | option_b=4828 | option_c=7181 | option_d=6225 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4788 × 140/100 = █6703.

id=8060 | topic=Percentages | difficulty=Easy | question=What is 20% of 739? | option_a=294 | option_b=137 | option_c=157 | option_d=147 | answer=D | explanation=20% of 739 = (20/100) × 739 = 147.

id=8061 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5608 at 4% per annum for 2 years. | option_a=548 | option_b=6056 | option_c=348 | option_d=448 | answer=D | explanation=SI = PRT/100 = 5608×4×2/100 = █448.

id=8062 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 47? | option_a=19 | option_b=28 | option_c=47 | option_d=37 | answer=C | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 47 is the odd one out.

id=8063 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=M | option_b=P | option_c=O | option_d=N | answer=C | explanation=Move 1 positions forward from N; the resulting letter is O.

id=8064 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7509 at 15% per annum for 1 years. | option_a=8635 | option_b=1026 | option_c=1226 | option_d=1126 | answer=D | explanation=SI = PRT/100 = 7509×15×1/100 = █1126.

id=8065 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 26, 35, 46? | option_a=35 | option_b=26 | option_c=46 | option_d=17 | answer=C | explanation=The first three numbers increase by 9, so the next should be 44. Therefore 46 is the odd one out.

id=8066 | topic=Percentages | difficulty=Easy | question=What is 20% of 1127? | option_a=450 | option_b=225 | option_c=245 | option_d=215 | answer=B | explanation=20% of 1127 = (20/100) × 1127 = 225.

id=8067 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=8068 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12980 at 5% per annum for 5 years. | option_a=16225 | option_b=3345 | option_c=3145 | option_d=3245 | answer=D | explanation=SI = PRT/100 = 12980×5×5/100 = █3245.

id=8069 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:4 and the first is 160, what is the second? | option_a=60 | option_b=74 | option_c=224 | option_d=64 | answer=D | explanation=Scale factor = 160/10 = 16. Therefore second quantity = 4×16 = 64.

id=8070 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 8,071-8,100 of 100,000

- id=8071 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 29, 36, 44? | option_a=29 | option_b=44 | option_c=22 | option_d=36 | answer=B | explanation=The first three numbers increase by 7, so the next should be 43. Therefore 44 is the odd one out.
- id=8072 | topic=Percentages | difficulty=Easy | question=What is 40% of 672? | option_a=263 | option_b=536 | option_c=278 | option_d=268 | answer=D | explanation=40% of 672 = $(40/100) \times 672 = 268$.
- id=8073 | topic=Percentages | difficulty=Easy | question=What is 40% of 1457? | option_a=592 | option_b=577 | option_c=582 | option_d=1164 | answer=C | explanation=40% of 1457 = $(40/100) \times 1457 = 582$.
- id=8074 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=160 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = $240 \div 3 = 80$ km/h.
- id=8075 | topic=Averages | difficulty=Easy | question=Find the average of 29, 99, 60, 30, 26, 56. | option_a=49 | option_b=52 | option_c=51 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = $300 \div 6 = 50$.
- id=8076 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:7 and the first is 272, what is the second? | option_a=384 | option_b=112 | option_c=105 | option_d=129 | answer=B | explanation=Scale factor = $272/17 = 16$. Therefore second quantity = $7 \times 16 = 112$.
- id=8077 | topic=Averages | difficulty=Easy | question=Find the average of 19, 43, 64. | option_a=42 | option_b=44 | option_c=43 | option_d=41 | answer=A | explanation=Average = sum of values ÷ number of values = $126 \div 3 = 42$.
- id=8078 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=25 | option_c=15 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = $60 \div 3 = 20$ km/h.
- id=8079 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:18 and the first is 36, what is the second? | option_a=252 | option_b=198 | option_c=216 | option_d=219 | answer=C | explanation=Scale factor = $36/3 = 12$. Therefore second quantity = $18 \times 12 = 216$.
- id=8080 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=32 | option_b=26 | option_c=30 | option_d=29 | answer=D | explanation=The common difference is 3. Therefore the next term is $26 + 3 = 29$.
- id=8081 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:7 and the first is 72, what is the second? | option_a=49 | option_b=128 | option_c=65 | option_d=56 | answer=D | explanation=Scale factor = $72/9 = 8$. Therefore second quantity = $7 \times 8 = 56$.
- id=8082 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 21, 23, 25, ? | option_a=25 | option_b=27 | option_c=28 | option_d=29 | answer=B | explanation=The common difference is 2. Therefore the next term is $25 + 2 = 27$.
- id=8083 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=O | option_c=A | option_d=W | answer=D | explanation=Move 4 positions forward from S; the resulting letter is W.
- id=8084 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.
- id=8085 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=12 | option_b=7 | option_c=17 | option_d=24 | answer=A | explanation=Speed = distance ÷ time = $120 \div 10 = 12$ km/h.
- id=8086 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 22, 31, 42? | option_a=42 | option_b=13 | option_c=31 | option_d=22 | answer=A | explanation=The first three numbers increase by 9, so the next should be 40. Therefore 42 is the odd one out.
- id=8087 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:5 and the first is 200, what is the second? | option_a=100 | option_b=95 | option_c=300 | option_d=110 | answer=A | explanation=Scale factor = $200/10 = 20$. Therefore second quantity = $5 \times 20 = 100$.
- id=8088 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = $60 \div 2 = 30$ km/h.
- id=8089 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹47398 at 8% per annum for 4 years. | option_a=15167 | option_b=15267 | option_c=62565 | option_d=15067 | answer=A | explanation=SI = $PRT/100 = 47398 \times 8 \times 4/100 = ₹15167$.
- id=8090 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹13256 at 15% per annum for 2 years. | option_a=17232 | option_b=3876 | option_c=4076 | option_d=3976 | answer=D | explanation=SI = $PRT/100 = 13256 \times 15 \times 2/100 = ₹3976$.
- id=8091 | topic=Percentages | difficulty=Easy | question=What is 25% of 1305? | option_a=652 | option_b=321 | option_c=331 | option_d=326 | answer=D | explanation=25% of 1305 = $(25/100) \times 1305 = 326$.
- id=8092 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2457. If it is sold at a profit of 15%, what is its selling price? | option_a=3070 | option_b=2472 | option_c=2580 | option_d=2825 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2457 \times 115/100 = ₹2825$.
- id=8093 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=O | option_c=G | option_d=S | answer=B | explanation=Move 4 positions forward from K; the resulting letter is O.
- id=8094 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1548. If it is sold at a profit of 25%, what is its selling price? | option_a=1781 | option_b=1573 | option_c=2089 | option_d=1935 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1548 \times 125/100 = ₹1935$.
- id=8095 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 31? | option_a=24 | option_b=19 | option_c=31 | option_d=14 | answer=C | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 31 is the odd one out.
- id=8096 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 22. | option_a=144 | option_b=264 | option_c=132 | option_d=110 | answer=C | explanation=LCM $\times$ HCF = 12×22 ; $HCF(12,22) = 2$, so LCM = 132.
- id=8097 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 22. | option_a=88 | option_b=176 | option_c=96 | option_d=66 | answer=A | explanation=LCM $\times$ HCF = 8×22 ; $HCF(8,22) = 2$, so LCM = 88.
- id=8098 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=L | option_c=N | option_d=P | answer=D | explanation=Move 2 positions forward from N; the resulting letter is P.
- id=8099 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=80 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = $240 \div 6 = 40$ km/h.
- id=8100 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=13 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = $180 \div 10 = 18$ km/h.

Aptitude Questions — Records 8,101-8,130 of 100,000

id=8101 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=240 | option_c=115 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=8102 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 18. | option_a=260 | option_b=234 | option_c=468 | option_d=216 | answer=B | explanation=LCM × HCF = 26×18; HCF(26,18) = 2, so LCM = 234.

id=8103 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:5 and the first is 200, what is the second? | option_a=100 | option_b=95 | option_c=300 | option_d=110 | answer=A | explanation=Scale factor = 200/10 = 20. Therefore second quantity = 5×20 = 100.

id=8104 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=8105 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:18 and the first is 100, what is the second? | option_a=90 | option_b=110 | option_c=72 | option_d=190 | answer=A | explanation=Scale factor = 100/20 = 5. Therefore second quantity = 18×5 = 90.

id=8106 | topic=Profit & Loss | difficulty=Easy | question=An article costs █807. If it is sold at a profit of 30%, what is its selling price? | option_a=969 | option_b=1129 | option_c=837 | option_d=1049 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 807 × 130/100 = █1049.

id=8107 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4218. If it is sold at a profit of 50%, what is its selling price? | option_a=6327 | option_b=4268 | option_c=5906 | option_d=6748 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4218 × 150/100 = █6327.

id=8108 | topic=Percentages | difficulty=Easy | question=What is 10% of 1736? | option_a=193 | option_b=173 | option_c=168 | option_d=346 | answer=B | explanation=10% of 1736 = (10/100) × 1736 = 173.

id=8109 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=A | option_c=G | option_d=J | answer=C | explanation=Move 3 positions forward from D; the resulting letter is G.

id=8110 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4949 at 8% per annum for 1 years. | option_a=495 | option_b=395 | option_c=5344 | option_d=295 | answer=B | explanation=SI = PRT/100 = 4949×8×1/100 = █395.

id=8111 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3407. If it is sold at a profit of 50%, what is its selling price? | option_a=5450 | option_b=5110 | option_c=4770 | option_d=3457 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3407 × 150/100 = █5110.

id=8112 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=8113 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 31, 35, 42? | option_a=35 | option_b=27 | option_c=31 | option_d=42 | answer=D | explanation=The first three numbers increase by 4, so the next should be 39. Therefore 42 is the odd one out.

id=8114 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 20. | option_a=24 | option_b=80 | option_c=1 | option_d=20 | answer=D | explanation=LCM × HCF = 4×20; HCF(4,20) = 4, so LCM = 20.

id=8115 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=F | option_b=J | option_c=H | option_d=L | answer=B | explanation=Move 2 positions forward from H; the resulting letter is J.

id=8116 | topic=Percentages | difficulty=Easy | question=What is 40% of 1976? | option_a=790 | option_b=1580 | option_c=795 | option_d=785 | answer=A | explanation=40% of 1976 = (40/100) × 1976 = 790.

id=8117 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=19 | option_b=15 | option_c=18 | option_d=21 | answer=C | explanation=The common difference is 3. Therefore the next term is 15 + 3 = 18.

id=8118 | topic=Averages | difficulty=Easy | question=Find the average of 75, 88, 82, 91, 17, 51, 65. | option_a=68 | option_b=69 | option_c=67 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = 469 ÷ 7 = 67.

id=8119 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 26. | option_a=84 | option_b=156 | option_c=52 | option_d=78 | answer=D | explanation=LCM × HCF = 6×26; HCF(6,26) = 2, so LCM = 78.

id=8120 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=R | option_b=U | option_c=X | option_d=A | answer=C | explanation=Move 3 positions forward from U; the resulting letter is X.

id=8121 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4400. If it is sold at a profit of 40%, what is its selling price? | option_a=6600 | option_b=5720 | option_c=6160 | option_d=4440 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4400 × 140/100 = █6160.

id=8122 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=46 | option_b=55 | option_c=56 | option_d=64 | answer=B | explanation=The common difference is 9. Therefore the next term is 46 + 9 = 55.

id=8123 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=Q | option_b=N | option_c=H | option_d=K | answer=B | explanation=Move 3 positions forward from K; the resulting letter is N.

id=8124 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4582. If it is sold at a profit of 10%, what is its selling price? | option_a=4592 | option_b=4582 | option_c=5040 | option_d=5498 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4582 × 110/100 = █5040.

id=8125 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=41 | option_c=31 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=8126 | topic=Averages | difficulty=Easy | question=Find the average of 23, 40, 55, 93, 12, 53, 46. | option_a=48 | option_b=45 | option_c=47 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 322 ÷ 7 = 46.

id=8127 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:4 and the first is 304, what is the second? | option_a=92 | option_b=76 | option_c=72 | option_d=380 | answer=B | explanation=Scale factor = 304/16 = 19. Therefore second quantity = 4×19 = 76.

id=8128 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=V | option_c=Y | option_d=P | answer=B | explanation=Move 3 positions forward from S; the resulting letter is V.

id=8129 | topic=Averages | difficulty=Easy | question=Find the average of 47, 52, 39, 90. | option_a=58 | option_b=57 | option_c=59 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 228 ÷ 4 = 57.

id=8130 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 6. | option_a=168 | option_b=78 | option_c=112 | option_d=84 | answer=D | explanation=LCM × HCF = 28×6; HCF(28,6) = 2, so LCM = 84.

Aptitude Questions — Records 8,131-8,160 of 100,000

id=8131 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=8132 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■11591 at 8% per annum for 4 years. | option_a=3809 | option_b=3709 | option_c=3609 | option_d=15300 | answer=B | explanation=SI = PRT/100 = 11591×8×4/100 = ■3709.

id=8133 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■7278 at 10% per annum for 1 years. | option_a=727 | option_b=627 | option_c=827 | option_d=8005 | answer=A | explanation=SI = PRT/100 = 7278×10×1/100 = ■727.

id=8134 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■23003 at 5% per annum for 4 years. | option_a=4600 | option_b=27603 | option_c=4500 | option_d=4700 | answer=A | explanation=SI = PRT/100 = 23003×5×4/100 = ■4600.

id=8135 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:12 and the first is 45, what is the second? | option_a=105 | option_b=48 | option_c=69 | option_d=60 | answer=D | explanation=Scale factor = 45/9 = 5. Therefore second quantity = 12×5 = 60.

id=8136 | topic=Number System | difficulty=Easy | question=Find the LCM of 11 and 22. | option_a=242 | option_b=1 | option_c=22 | option_d=33 | answer=C | explanation=LCM × HCF = 11×22; HCF(11,22) = 11, so LCM = 22.

id=8137 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 16? | option_a=16 | option_b=12 | option_c=10 | option_d=8 | answer=A | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 16 is the odd one out.

id=8138 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:16 and the first is 35, what is the second? | option_a=115 | option_b=87 | option_c=64 | option_d=80 | answer=D | explanation=Scale factor = 35/7 = 5. Therefore second quantity = 16×5 = 80.

id=8139 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■22737 at 8% per annum for 3 years. | option_a=5556 | option_b=28193 | option_c=5456 | option_d=5356 | answer=C | explanation=SI = PRT/100 = 22737×8×3/100 = ■5456.

id=8140 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 12. | option_a=36 | option_b=108 | option_c=24 | option_d=45 | answer=A | explanation=LCM × HCF = 9×12; HCF(9,12) = 3, so LCM = 36.

id=8141 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=32 | option_b=36 | option_c=33 | option_d=28 | answer=A | explanation=The common difference is 4. Therefore the next term is 28 + 4 = 32.

id=8142 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 31, 41, 54? | option_a=41 | option_b=31 | option_c=54 | option_d=21 | answer=C | explanation=The first three numbers increase by 10, so the next should be 51. Therefore 54 is the odd one out.

id=8143 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=40 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=8144 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:19 and the first is 26, what is the second? | option_a=19 | option_b=64 | option_c=38 | option_d=51 | answer=C | explanation=Scale factor = 26/13 = 2. Therefore second quantity = 19×2 = 38.

id=8145 | topic=Averages | difficulty=Easy | question=Find the average of 11, 53, 77, 73, 97, 72, 52, 27, 30, 38. | option_a=54 | option_b=55 | option_c=52 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=8146 | topic=Percentages | difficulty=Easy | question=What is 20% of 118? | option_a=3 | option_b=46 | option_c=23 | option_d=28 | answer=C | explanation=20% of 118 = (20/100) × 118 = 23.

id=8147 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■4095 at 5% per annum for 2 years. | option_a=509 | option_b=409 | option_c=309 | option_d=4504 | answer=B | explanation=SI = PRT/100 = 4095×5×2/100 = ■409.

id=8148 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 18, 25, 33? | option_a=11 | option_b=25 | option_c=33 | option_d=18 | answer=C | explanation=The first three numbers increase by 7, so the next should be 32. Therefore 33 is the odd one out.

id=8149 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■7355 at 6% per annum for 4 years. | option_a=9120 | option_b=1765 | option_c=1665 | option_d=1865 | answer=B | explanation=SI = PRT/100 = 7355×6×4/100 = ■1765.

id=8150 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=8151 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=8152 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1901. If it is sold at a profit of 25%, what is its selling price? | option_a=2376 | option_b=1926 | option_c=2566 | option_d=2186 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1901 × 125/100 = ■2376.

id=8153 | topic=Averages | difficulty=Easy | question=Find the average of 86, 59, 73, 73, 34. | option_a=65 | option_b=64 | option_c=66 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = 325 ÷ 5 = 65.

id=8154 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■36495 at 5% per annum for 1 years. | option_a=1724 | option_b=1924 | option_c=1824 | option_d=38319 | answer=C | explanation=SI = PRT/100 = 36495×5×1/100 = ■1824.

id=8155 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=8156 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=R | option_c=S | option_d=T | answer=D | explanation=Move 1 positions forward from S; the resulting letter is T.

id=8157 | topic=Percentages | difficulty=Easy | question=What is 30% of 1982? | option_a=594 | option_b=1188 | option_c=604 | option_d=574 | answer=A | explanation=30% of 1982 = (30/100) × 1982 = 594.

id=8158 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=8159 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=39 | option_b=47 | option_c=38 | option_d=29 | answer=C | explanation=The common difference is 9. Therefore the next term is 29 + 9 = 38.

id=8160 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1740. If it is sold at a profit of 20%, what is its selling price? | option_a=2088 | option_b=1760 | option_c=2262 | option_d=1914 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1740 × 120/100 = ■2088.

Aptitude Questions — Records 8,161-8,190 of 100,000

id=8161 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■38045 at 5% per annum for 2 years. | option_a=3804 | option_b=3904 | option_c=41849 | option_d=3704 | answer=A | explanation=SI = PRT/100 = 38045×5×2/100 = ■3804.

id=8162 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=8163 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=8164 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=40 | option_c=15 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=8165 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■757. If it is sold at a profit of 40%, what is its selling price? | option_a=1059 | option_b=984 | option_c=1134 | option_d=797 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 757 × 140/100 = ■1059.

id=8166 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:17 and the first is 225, what is the second? | option_a=270 | option_b=238 | option_c=255 | option_d=480 | answer=C | explanation=Scale factor = 225/15 = 15. Therefore second quantity = 17×15 = 255.

id=8167 | topic=Percentages | difficulty=Easy | question=What is 10% of 986? | option_a=196 | option_b=93 | option_c=118 | option_d=98 | answer=D | explanation=10% of 986 = (10/100) × 986 = 98.

id=8168 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:18 and the first is 24, what is the second? | option_a=108 | option_b=112 | option_c=90 | option_d=132 | answer=A | explanation=Scale factor = 24/4 = 6. Therefore second quantity = 18×6 = 108.

id=8169 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=X | option_b=H | option_c=C | option_d=M | answer=B | explanation=Move 5 positions forward from C; the resulting letter is H.

id=8170 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2908. If it is sold at a profit of 20%, what is its selling price? | option_a=3199 | option_b=3489 | option_c=3779 | option_d=2928 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2908 × 120/100 = ■3489.

id=8171 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=95 | option_c=85 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=8172 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 31, 43, 55, ? | option_a=79 | option_b=67 | option_c=68 | option_d=55 | answer=B | explanation=The common difference is 12. Therefore the next term is 55 + 12 = 67.

id=8173 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4040. If it is sold at a profit of 25%, what is its selling price? | option_a=4646 | option_b=5050 | option_c=4065 | option_d=5454 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4040 × 125/100 = ■5050.

id=8174 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:5 and the first is 80, what is the second? | option_a=160 | option_b=85 | option_c=80 | option_d=75 | answer=C | explanation=Scale factor = 80/5 = 16. Therefore second quantity = 5×16 = 80.

id=8175 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=8176 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 25, 30, 38? | option_a=20 | option_b=25 | option_c=38 | option_d=30 | answer=C | explanation=The first three numbers increase by 5, so the next should be 35. Therefore 38 is the odd one out.

id=8177 | topic=Percentages | difficulty=Easy | question=What is 15% of 1572? | option_a=245 | option_b=470 | option_c=235 | option_d=225 | answer=C | explanation=15% of 1572 = (15/100) × 1572 = 235.

id=8178 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 23, 26, 30? | option_a=23 | option_b=26 | option_c=20 | option_d=30 | answer=D | explanation=The first three numbers increase by 3, so the next should be 29. Therefore 30 is the odd one out.

id=8179 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:2 and the first is 65, what is the second? | option_a=10 | option_b=75 | option_c=8 | option_d=23 | answer=A | explanation=Scale factor = 65/13 = 5. Therefore second quantity = 2×5 = 10.

id=8180 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:19 and the first is 304, what is the second? | option_a=285 | option_b=304 | option_c=608 | option_d=323 | answer=B | explanation=Scale factor = 304/19 = 16. Therefore second quantity = 19×16 = 304.

id=8181 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2843. If it is sold at a profit of 5%, what is its selling price? | option_a=2701 | option_b=3269 | option_c=2848 | option_d=2985 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2843 × 105/100 = ■2985.

id=8182 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=8183 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■16588 at 6% per annum for 5 years. | option_a=4876 | option_b=5076 | option_c=4976 | option_d=21564 | answer=C | explanation=SI = PRT/100 = 16588×6×5/100 = ■4976.

id=8184 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=45 | option_b=53 | option_c=35 | option_d=44 | answer=D | explanation=The common difference is 9. Therefore the next term is 35 + 9 = 44.

id=8185 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■31398 at 5% per annum for 2 years. | option_a=34537 | option_b=3239 | option_c=3139 | option_d=3039 | answer=C | explanation=SI = PRT/100 = 31398×5×2/100 = ■3139.

id=8186 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:13 and the first is 28, what is the second? | option_a=39 | option_b=59 | option_c=80 | option_d=52 | answer=D | explanation=Scale factor = 28/7 = 4. Therefore second quantity = 13×4 = 52.

id=8187 | topic=Percentages | difficulty=Easy | question=What is 25% of 1498? | option_a=369 | option_b=384 | option_c=374 | option_d=748 | answer=C | explanation=25% of 1498 = (25/100) × 1498 = 374.

id=8188 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:16 and the first is 51, what is the second? | option_a=99 | option_b=65 | option_c=32 | option_d=48 | answer=D | explanation=Scale factor = 51/17 = 3. Therefore second quantity = 16×3 = 48.

id=8189 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:4 and the first is 140, what is the second? | option_a=40 | option_b=54 | option_c=36 | option_d=180 | answer=A | explanation=Scale factor = 140/14 = 10. Therefore second quantity = 4×10 = 40.

id=8190 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 19, 29, 42? | option_a=29 | option_b=42 | option_c=9 | option_d=19 | answer=B | explanation=The first three numbers increase by 10, so the next should be 39. Therefore 42 is the odd one out.

Aptitude Questions — Records 8,191-8,220 of 100,000

id=8191 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3660. If it is sold at a profit of 40%, what is its selling price? | option_a=5124 | option_b=5490 | option_c=3700 | option_d=4758 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3660 × 140/100 = ■5124.

id=8192 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 43? | option_a=43 | option_b=28 | option_c=35 | option_d=21 | answer=A | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 43 is the odd one out.

id=8193 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=20 | option_c=25 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=8194 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=O | option_c=N | option_d=L | answer=C | explanation=Move 1 positions forward from M; the resulting letter is N.

id=8195 | topic=Percentages | difficulty=Easy | question=What is 50% of 557? | option_a=258 | option_b=298 | option_c=278 | option_d=556 | answer=C | explanation=50% of 557 = (50/100) × 557 = 278.

id=8196 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 22. | option_a=360 | option_b=660 | option_c=330 | option_d=308 | answer=C | explanation=LCM × HCF = 30×22; HCF(30,22) = 2, so LCM = 330.

id=8197 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=4 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=8198 | topic=Averages | difficulty=Easy | question=Find the average of 34, 100, 80, 95, 24, 36, 89, 28, 99. | option_a=67 | option_b=64 | option_c=65 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = 585 ÷ 9 = 65.

id=8199 | topic=Percentages | difficulty=Easy | question=What is 20% of 1904? | option_a=375 | option_b=385 | option_c=760 | option_d=380 | answer=D | explanation=20% of 1904 = (20/100) × 1904 = 380.

id=8200 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=50 | option_b=61 | option_c=60 | option_d=70 | answer=C | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

id=8201 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=V | option_c=Z | option_d=N | answer=B | explanation=Move 4 positions forward from R; the resulting letter is V.

id=8202 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1528. If it is sold at a profit of 20%, what is its selling price? | option_a=1833 | option_b=1681 | option_c=1548 | option_d=1985 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1528 × 120/100 = ■1833.

id=8203 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=44 | option_b=53 | option_c=35 | option_d=45 | answer=A | explanation=The common difference is 9. Therefore the next term is 35 + 9 = 44.

id=8204 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 5, 8, 11, ? | option_a=15 | option_b=14 | option_c=11 | option_d=17 | answer=B | explanation=The common difference is 3. Therefore the next term is 11 + 3 = 14.

id=8205 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=51 | option_b=39 | option_c=50 | option_d=61 | answer=C | explanation=The common difference is 11. Therefore the next term is 39 + 11 = 50.

id=8206 | topic=Averages | difficulty=Easy | question=Find the average of 66, 11, 46, 51, 70, 44. | option_a=50 | option_b=49 | option_c=47 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = 288 ÷ 6 = 48.

id=8207 | topic=Percentages | difficulty=Easy | question=What is 40% of 1942? | option_a=796 | option_b=766 | option_c=1552 | option_d=776 | answer=D | explanation=40% of 1942 = (40/100) × 1942 = 776.

id=8208 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=36 | option_b=47 | option_c=46 | option_d=56 | answer=C | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.

id=8209 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=40 | option_b=39 | option_c=33 | option_d=45 | answer=B | explanation=The common difference is 6. Therefore the next term is 33 + 6 = 39.

id=8210 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=8211 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=150 | option_c=300 | option_d=145 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=8212 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 15? | option_a=15 | option_b=5 | option_c=8 | option_d=11 | answer=A | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 15 is the odd one out.

id=8213 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=O | option_b=E | option_c=J | option_d=Z | answer=C | explanation=Move 5 positions forward from E; the resulting letter is J.

id=8214 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4117. If it is sold at a profit of 30%, what is its selling price? | option_a=4147 | option_b=5352 | option_c=4941 | option_d=5763 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4117 × 130/100 = ■5352.

id=8215 | topic=Percentages | difficulty=Easy | question=What is 5% of 181? | option_a=0 | option_b=29 | option_c=18 | option_d=9 | answer=D | explanation=5% of 181 = (5/100) × 181 = 9.

id=8216 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■16051 at 5% per annum for 2 years. | option_a=1605 | option_b=1505 | option_c=1705 | option_d=17656 | answer=A | explanation=SI = PRT/100 = 16051×5×2/100 = ■1605.

id=8217 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 16? | option_a=13 | option_b=16 | option_c=9 | option_d=11 | answer=B | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 16 is the odd one out.

id=8218 | topic=Percentages | difficulty=Easy | question=What is 50% of 1092? | option_a=1092 | option_b=546 | option_c=551 | option_d=536 | answer=B | explanation=50% of 1092 = (50/100) × 1092 = 546.

id=8219 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=8220 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=23 | option_b=26 | option_c=20 | option_d=24 | answer=A | explanation=The common difference is 3. Therefore the next term is 20 + 3 = 23.

Aptitude Questions — Records 8,221-8,250 of 100,000

id=8221 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 40? | option_a=10 | option_b=19 | option_c=40 | option_d=28 | answer=C | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 40 is the odd one out.

id=8222 | topic=Averages | difficulty=Easy | question=Find the average of 74, 95, 91, 34, 21. | option_a=64 | option_b=65 | option_c=62 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 315 ÷ 5 = 63.

id=8223 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=185 | option_c=360 | option_d=180 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=8224 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=C | option_b=M | option_c=H | option_d=R | answer=B | explanation=Move 5 positions forward from H; the resulting letter is M.

id=8225 | topic=Averages | difficulty=Easy | question=Find the average of 21, 13, 95, 29, 48, 28, 60. | option_a=44 | option_b=41 | option_c=43 | option_d=42 | answer=D | explanation=Average = sum of values ÷ number of values = 294 ÷ 7 = 42.

id=8226 | topic=Averages | difficulty=Easy | question=Find the average of 17, 58, 30, 67. | option_a=45 | option_b=43 | option_c=44 | option_d=42 | answer=B | explanation=Average = sum of values ÷ number of values = 172 ÷ 4 = 43.

id=8227 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 25, 34, 45? | option_a=25 | option_b=16 | option_c=45 | option_d=34 | answer=C | explanation=The first three numbers increase by 9, so the next should be 43. Therefore 45 is the odd one out.

id=8228 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=8229 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:19 and the first is 102, what is the second? | option_a=329 | option_b=323 | option_c=425 | option_d=304 | answer=B | explanation=Scale factor = 102/6 = 17. Therefore second quantity = 19×17 = 323.

id=8230 | topic=Percentages | difficulty=Easy | question=What is 10% of 1993? | option_a=219 | option_b=189 | option_c=398 | option_d=199 | answer=D | explanation=10% of 1993 = (10/100) × 1993 = 199.

id=8231 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 29, 33, 39? | option_a=33 | option_b=29 | option_c=39 | option_d=25 | answer=C | explanation=The first three numbers increase by 4, so the next should be 37. Therefore 39 is the odd one out.

id=8232 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:14 and the first is 40, what is the second? | option_a=28 | option_b=68 | option_c=48 | option_d=14 | answer=A | explanation=Scale factor = 40/20 = 2. Therefore second quantity = 14×2 = 28.

id=8233 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=31 | option_b=37 | option_c=23 | option_d=30 | answer=D | explanation=The common difference is 7. Therefore the next term is 23 + 7 = 30.

id=8234 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=P | option_b=Z | option_c=E | option_d=U | answer=B | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=8235 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:2 and the first is 55, what is the second? | option_a=27 | option_b=20 | option_c=22 | option_d=77 | answer=C | explanation=Scale factor = 55/5 = 11. Therefore second quantity = 2×11 = 22.

id=8236 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 37, 46, 58? | option_a=37 | option_b=58 | option_c=28 | option_d=46 | answer=B | explanation=The first three numbers increase by 9, so the next should be 55. Therefore 58 is the odd one out.

id=8237 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=8238 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=6 | option_c=1 | option_d=11 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=8239 | topic=Percentages | difficulty=Easy | question=What is 40% of 491? | option_a=216 | option_b=186 | option_c=392 | option_d=196 | answer=D | explanation=40% of 491 = (40/100) × 491 = 196.

id=8240 | topic=Averages | difficulty=Easy | question=Find the average of 50, 79, 27, 35, 52, 15. | option_a=42 | option_b=44 | option_c=43 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = 258 ÷ 6 = 43.

id=8241 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:12 and the first is 51, what is the second? | option_a=207 | option_b=255 | option_c=192 | option_d=204 | answer=D | explanation=Scale factor = 51/3 = 17. Therefore second quantity = 12×17 = 204.

id=8242 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹34260 at 8% per annum for 1 years. | option_a=37000 | option_b=2840 | option_c=2740 | option_d=2640 | answer=C | explanation=SI = PRT/100 = 34260×8×1/100 = ₹2740.

id=8243 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2652. If it is sold at a profit of 20%, what is its selling price? | option_a=2672 | option_b=3182 | option_c=3447 | option_d=2917 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2652 × 120/100 = ₹3182.

id=8244 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:4 and the first is 342, what is the second? | option_a=72 | option_b=68 | option_c=414 | option_d=91 | answer=A | explanation=Scale factor = 342/19 = 18. Therefore second quantity = 4×18 = 72.

id=8245 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=G | option_c=S | option_d=K | answer=A | explanation=Move 4 positions forward from K; the resulting letter is O.

id=8246 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=J | option_c=L | option_d=H | answer=C | explanation=Move 2 positions forward from J; the resulting letter is L.

id=8247 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:7 and the first is 3, what is the second? | option_a=22 | option_b=21 | option_c=24 | option_d=14 | answer=B | explanation=Scale factor = 3/1 = 3. Therefore second quantity = 7×3 = 21.

id=8248 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 29? | option_a=19 | option_b=5 | option_c=29 | option_d=12 | answer=C | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 29 is the odd one out.

id=8249 | topic=Percentages | difficulty=Easy | question=What is 30% of 1800? | option_a=520 | option_b=540 | option_c=1080 | option_d=545 | answer=B | explanation=30% of 1800 = (30/100) × 1800 = 540.

id=8250 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=55 | option_b=65 | option_c=43 | option_d=54 | answer=D | explanation=The common difference is 11. Therefore the next term is 43 + 11 = 54.

Aptitude Questions — Records 8,251-8,280 of 100,000

id=8251 | topic=Averages | difficulty=Easy | question=Find the average of 35, 40, 37, 18, 32, 88, 36, 99, 77, 58. | option_a=52 | option_b=54 | option_c=53 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 520 ÷ 10 = 52.

id=8252 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 14, 16, 19? | option_a=16 | option_b=14 | option_c=19 | option_d=12 | answer=C | explanation=The first three numbers increase by 2, so the next should be 18. Therefore 19 is the odd one out.

id=8253 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=25 | option_c=30 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=8254 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1839. If it is sold at a profit of 15%, what is its selling price? | option_a=2114 | option_b=1854 | option_c=2297 | option_d=1931 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1839 × 115/100 = █2114.

id=8255 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4574. If it is sold at a profit of 20%, what is its selling price? | option_a=5945 | option_b=5488 | option_c=4594 | option_d=5031 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4574 × 120/100 = █5488.

id=8256 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:4 and the first is 98, what is the second? | option_a=24 | option_b=42 | option_c=126 | option_d=28 | answer=D | explanation=Scale factor = 98/14 = 7. Therefore second quantity = 4×7 = 28.

id=8257 | topic=Percentages | difficulty=Easy | question=What is 40% of 1542? | option_a=596 | option_b=616 | option_c=1232 | option_d=636 | answer=B | explanation=40% of 1542 = (40/100) × 1542 = 616.

id=8258 | topic=Percentages | difficulty=Easy | question=What is 40% of 971? | option_a=393 | option_b=388 | option_c=368 | option_d=776 | answer=B | explanation=40% of 971 = (40/100) × 971 = 388.

id=8259 | topic=Profit & Loss | difficulty=Easy | question=An article costs █355. If it is sold at a profit of 20%, what is its selling price? | option_a=391 | option_b=375 | option_c=461 | option_d=426 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 355 × 120/100 = █426.

id=8260 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:19 and the first is 300, what is the second? | option_a=585 | option_b=266 | option_c=285 | option_d=305 | answer=C | explanation=Scale factor = 300/20 = 15. Therefore second quantity = 19×15 = 285.

id=8261 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=160 | option_c=75 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=8262 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=75 | option_c=80 | option_d=150 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=8263 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 17, 20, 24? | option_a=17 | option_b=24 | option_c=20 | option_d=14 | answer=B | explanation=The first three numbers increase by 3, so the next should be 23. Therefore 24 is the odd one out.

id=8264 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=C | option_c=D | option_d=A | answer=B | explanation=Move 1 positions forward from B; the resulting letter is C.

id=8265 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 24. | option_a=196 | option_b=168 | option_c=672 | option_d=144 | answer=B | explanation=LCM × HCF = 28×24; HCF(28,24) = 4, so LCM = 168.

id=8266 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 16, 23, 31? | option_a=9 | option_b=16 | option_c=23 | option_d=31 | answer=D | explanation=The first three numbers increase by 7, so the next should be 30. Therefore 31 is the odd one out.

id=8267 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 36? | option_a=36 | option_b=23 | option_c=17 | option_d=29 | answer=A | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 36 is the odd one out.

id=8268 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 44? | option_a=31 | option_b=44 | option_c=37 | option_d=25 | answer=B | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 44 is the odd one out.

id=8269 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=S | option_b=R | option_c=T | option_d=Q | answer=A | explanation=Move 1 positions forward from R; the resulting letter is S.

id=8270 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8244 at 12% per annum for 3 years. | option_a=2967 | option_b=11211 | option_c=2867 | option_d=3067 | answer=A | explanation=SI = PRT/100 = 8244×12×3/100 = █2967.

id=8271 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3275. If it is sold at a profit of 20%, what is its selling price? | option_a=3930 | option_b=3295 | option_c=4257 | option_d=3603 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3275 × 120/100 = █3930.

id=8272 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 20. | option_a=220 | option_b=200 | option_c=440 | option_d=242 | answer=A | explanation=LCM × HCF = 22×20; HCF(22,20) = 2, so LCM = 220.

id=8273 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=41 | option_b=53 | option_c=52 | option_d=63 | answer=C | explanation=The common difference is 11. Therefore the next term is 41 + 11 = 52.

id=8274 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=9 | option_b=14 | option_c=18 | option_d=4 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=8275 | topic=Percentages | difficulty=Easy | question=What is 20% of 1668? | option_a=666 | option_b=333 | option_c=313 | option_d=343 | answer=B | explanation=20% of 1668 = (20/100) × 1668 = 333.

id=8276 | topic=Percentages | difficulty=Easy | question=What is 15% of 642? | option_a=106 | option_b=96 | option_c=192 | option_d=76 | answer=B | explanation=15% of 642 = (15/100) × 642 = 96.

id=8277 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=10 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=8278 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:8 and the first is 90, what is the second? | option_a=82 | option_b=64 | option_c=72 | option_d=162 | answer=C | explanation=Scale factor = 90/10 = 9. Therefore second quantity = 8×9 = 72.

id=8279 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:5 and the first is 2, what is the second? | option_a=12 | option_b=5 | option_c=10 | option_d=11 | answer=C | explanation=Scale factor = 2/1 = 2. Therefore second quantity = 5×2 = 10.

id=8280 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 12? | option_a=5 | option_b=7 | option_c=9 | option_d=12 | answer=D | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 12 is the odd one out.

Aptitude Questions — Records 8,281-8,310 of 100,000

- id=8281 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=K | option_b=J | option_c=I | option_d=L | answer=A | explanation=Move 1 positions forward from J; the resulting letter is K.
- id=8282 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=66 | option_b=46 | option_c=56 | option_d=57 | answer=C | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.
- id=8283 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=8284 | topic=Averages | difficulty=Easy | question=Find the average of 43, 91, 71, 53, 55, 12, 81. | option_a=60 | option_b=57 | option_c=58 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 406 ÷ 7 = 58.
- id=8285 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 32, 42, 55? | option_a=32 | option_b=42 | option_c=22 | option_d=55 | answer=D | explanation=The first three numbers increase by 10, so the next should be 52. Therefore 55 is the odd one out.
- id=8286 | topic=Averages | difficulty=Easy | question=Find the average of 93, 20, 84, 51, 97, 75, 78, 13, 72, 47. | option_a=62 | option_b=63 | option_c=65 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 630 ÷ 10 = 63.
- id=8287 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:8 and the first is 169, what is the second? | option_a=273 | option_b=104 | option_c=117 | option_d=96 | answer=B | explanation=Scale factor = 169/13 = 13. Therefore second quantity = 8×13 = 104.
- id=8288 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 19, 27, 38? | option_a=19 | option_b=11 | option_c=38 | option_d=27 | answer=C | explanation=The first three numbers increase by 8, so the next should be 35. Therefore 38 is the odd one out.
- id=8289 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4445 at 5% per annum for 2 years. | option_a=4889 | option_b=444 | option_c=344 | option_d=544 | answer=B | explanation=SI = PRT/100 = 4445×5×2/100 = █444.
- id=8290 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9310 at 8% per annum for 1 years. | option_a=744 | option_b=844 | option_c=10054 | option_d=644 | answer=A | explanation=SI = PRT/100 = 9310×8×1/100 = █744.
- id=8291 | topic=Averages | difficulty=Easy | question=Find the average of 71, 98, 47, 13, 31. | option_a=52 | option_b=51 | option_c=53 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 260 ÷ 5 = 52.
- id=8292 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 16, 20, 26? | option_a=12 | option_b=26 | option_c=20 | option_d=16 | answer=B | explanation=The first three numbers increase by 4, so the next should be 24. Therefore 26 is the odd one out.
- id=8293 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16442 at 12% per annum for 2 years. | option_a=4046 | option_b=3846 | option_c=20388 | option_d=3946 | answer=D | explanation=SI = PRT/100 = 16442×12×2/100 = █3946.
- id=8294 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 19, 25, 34? | option_a=19 | option_b=25 | option_c=13 | option_d=34 | answer=D | explanation=The first three numbers increase by 6, so the next should be 31. Therefore 34 is the odd one out.
- id=8295 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:17 and the first is 144, what is the second? | option_a=289 | option_b=306 | option_c=450 | option_d=314 | answer=B | explanation=Scale factor = 144/8 = 18. Therefore second quantity = 17×18 = 306.
- id=8296 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 26. | option_a=308 | option_b=286 | option_c=572 | option_d=260 | answer=B | explanation=LCM × HCF = 22×26; HCF(22,26) = 2, so LCM = 286.
- id=8297 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=45 | option_b=44 | option_c=50 | option_d=38 | answer=B | explanation=The common difference is 6. Therefore the next term is 38 + 6 = 44.
- id=8298 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 32, 35, 41? | option_a=32 | option_b=35 | option_c=41 | option_d=29 | answer=C | explanation=The first three numbers increase by 3, so the next should be 38. Therefore 41 is the odd one out.
- id=8299 | topic=Percentages | difficulty=Easy | question=What is 12% of 882? | option_a=210 | option_b=105 | option_c=110 | option_d=85 | answer=B | explanation=12% of 882 = (12/100) × 882 = 105.
- id=8300 | topic=Averages | difficulty=Easy | question=Find the average of 54, 43, 66, 34, 41, 74. | option_a=51 | option_b=53 | option_c=54 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 312 ÷ 6 = 52.
- id=8301 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=29 | option_c=24 | option_d=48 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.
- id=8302 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=T | option_b=Q | option_c=S | option_d=R | answer=C | explanation=Move 1 positions forward from R; the resulting letter is S.
- id=8303 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4673. If it is sold at a profit of 5%, what is its selling price? | option_a=4439 | option_b=4906 | option_c=5373 | option_d=4678 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4673 × 105/100 = █4906.
- id=8304 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44370 at 12% per annum for 2 years. | option_a=10648 | option_b=10548 | option_c=10748 | option_d=55018 | answer=A | explanation=SI = PRT/100 = 44370×12×2/100 = █10648.
- id=8305 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35894 at 12% per annum for 3 years. | option_a=48815 | option_b=13021 | option_c=12821 | option_d=12921 | answer=D | explanation=SI = PRT/100 = 35894×12×3/100 = █12921.
- id=8306 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4961. If it is sold at a profit of 5%, what is its selling price? | option_a=5209 | option_b=4713 | option_c=4966 | option_d=5705 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4961 × 105/100 = █5209.
- id=8307 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=180 | option_c=95 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.
- id=8308 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=35 | option_b=27 | option_c=41 | option_d=34 | answer=D | explanation=The common difference is 7. Therefore the next term is 27 + 7 = 34.
- id=8309 | topic=Averages | difficulty=Easy | question=Find the average of 70, 98, 39, 63, 46, 38. | option_a=61 | option_b=60 | option_c=59 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.
- id=8310 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1580. If it is sold at a profit of 10%, what is its selling price? | option_a=1590 | option_b=1738 | option_c=1896 | option_d=1580 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1580 × 110/100 = █1738.

Aptitude Questions — Records 8,311-8,340 of 100,000

id=8311 | topic=Percentages | difficulty=Easy | question=What is 5% of 1072? | option_a=73 | option_b=53 | option_c=106 | option_d=48 | answer=B | explanation=5% of 1072 = (5/100) × 1072 = 53.

id=8312 | topic=Percentages | difficulty=Easy | question=What is 12% of 576? | option_a=138 | option_b=59 | option_c=69 | option_d=89 | answer=C | explanation=12% of 576 = (12/100) × 576 = 69.

id=8313 | topic=Profit & Loss | difficulty=Easy | question=An article costs █507. If it is sold at a profit of 15%, what is its selling price? | option_a=583 | option_b=533 | option_c=633 | option_d=522 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 507 × 115/100 = █583.

id=8314 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:20 and the first is 80, what is the second? | option_a=160 | option_b=140 | option_c=170 | option_d=240 | answer=A | explanation=Scale factor = 80/10 = 8. Therefore second quantity = 20×8 = 160.

id=8315 | topic=Averages | difficulty=Easy | question=Find the average of 28, 22, 61, 12, 76, 41, 48, 16. | option_a=38 | option_b=40 | option_c=37 | option_d=39 | answer=A | explanation=Average = sum of values ÷ number of values = 304 ÷ 8 = 38.

id=8316 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:20 and the first is 8, what is the second? | option_a=160 | option_b=140 | option_c=168 | option_d=161 | answer=A | explanation=Scale factor = 8/1 = 8. Therefore second quantity = 20×8 = 160.

id=8317 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:20 and the first is 128, what is the second? | option_a=288 | option_b=176 | option_c=160 | option_d=140 | answer=C | explanation=Scale factor = 128/16 = 8. Therefore second quantity = 20×8 = 160.

id=8318 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=24 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=8319 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2545. If it is sold at a profit of 25%, what is its selling price? | option_a=2927 | option_b=3181 | option_c=3435 | option_d=2570 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2545 × 125/100 = █3181.

id=8320 | topic=Percentages | difficulty=Easy | question=What is 20% of 1622? | option_a=324 | option_b=319 | option_c=648 | option_d=334 | answer=A | explanation=20% of 1622 = (20/100) × 1622 = 324.

id=8321 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=61 | option_b=71 | option_c=49 | option_d=60 | answer=D | explanation=The common difference is 11. Therefore the next term is 49 + 11 = 60.

id=8322 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31159 at 8% per annum for 2 years. | option_a=36144 | option_b=5085 | option_c=4985 | option_d=4885 | answer=C | explanation=SI = PRT/100 = 31159×8×2/100 = █4985.

id=8323 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=J | option_b=B | option_c=F | option_d=X | answer=C | explanation=Move 4 positions forward from B; the resulting letter is F.

id=8324 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 18. | option_a=360 | option_b=162 | option_c=180 | option_d=200 | answer=C | explanation=LCM × HCF = 20×18; HCF(20,18) = 2, so LCM = 180.

id=8325 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=B | option_b=R | option_c=M | option_d=W | answer=D | explanation=Move 5 positions forward from R; the resulting letter is W.

id=8326 | topic=Averages | difficulty=Easy | question=Find the average of 63, 38, 89, 33, 19, 23, 74, 69. | option_a=53 | option_b=52 | option_c=50 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 408 ÷ 8 = 51.

id=8327 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26106 at 12% per annum for 5 years. | option_a=15563 | option_b=15663 | option_c=15763 | option_d=41769 | answer=B | explanation=SI = PRT/100 = 26106×12×5/100 = █15663.

id=8328 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=90 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=8329 | topic=Averages | difficulty=Easy | question=Find the average of 48, 62, 76, 53, 10, 14, 94. | option_a=51 | option_b=53 | option_c=52 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.

id=8330 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=51 | option_b=52 | option_c=40 | option_d=62 | answer=A | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=8331 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=Z | option_b=D | option_c=H | option_d=L | answer=C | explanation=Move 4 positions forward from D; the resulting letter is H.

id=8332 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 31? | option_a=31 | option_b=16 | option_c=20 | option_d=24 | answer=A | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 31 is the odd one out.

id=8333 | topic=Averages | difficulty=Easy | question=Find the average of 72, 67, 64, 39, 89, 58, 59, 39, 62. | option_a=60 | option_b=61 | option_c=63 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 549 ÷ 9 = 61.

id=8334 | topic=Number System | difficulty=Easy | question=Find the LCM of 13 and 13. | option_a=1 | option_b=169 | option_c=26 | option_d=13 | answer=D | explanation=LCM × HCF = 13×13; HCF(13,13) = 13, so LCM = 13.

id=8335 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=O | option_b=X | option_c=R | option_d=U | answer=D | explanation=Move 3 positions forward from R; the resulting letter is U.

id=8336 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 19, 29, 42? | option_a=9 | option_b=19 | option_c=29 | option_d=42 | answer=D | explanation=The first three numbers increase by 10, so the next should be 39. Therefore 42 is the odd one out.

id=8337 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 6. | option_a=6 | option_b=72 | option_c=12 | option_d=24 | answer=C | explanation=LCM × HCF = 12×6; HCF(12,6) = 6, so LCM = 12.

id=8338 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=38 | option_b=47 | option_c=29 | option_d=39 | answer=A | explanation=The common difference is 9. Therefore the next term is 29 + 9 = 38.

id=8339 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4331. If it is sold at a profit of 15%, what is its selling price? | option_a=4346 | option_b=4980 | option_c=5413 | option_d=4547 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4331 × 115/100 = █4980.

id=8340 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

Aptitude Questions — Records 8,341-8,370 of 100,000

id=8341 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.

id=8342 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=72 | option_c=41 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = $360 \div 10 = 36$ km/h.

id=8343 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 58? | option_a=47 | option_b=58 | option_c=37 | option_d=27 | answer=B | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 58 is the odd one out.

id=8344 | topic=Averages | difficulty=Easy | question=Find the average of 13, 89, 83, 25, 33, 60, 89. | option_a=58 | option_b=55 | option_c=57 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = $392 \div 7 = 56$.

id=8345 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:18 and the first is 247, what is the second? | option_a=234 | option_b=216 | option_c=253 | option_d=481 | answer=A | explanation=Scale factor = $247/19 = 13$. Therefore second quantity = $18 \times 13 = 234$.

id=8346 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**30113 at 5% per annum for 3 years. | option_a=34629 | option_b=4616 | option_c=4516 | option_d=4416 | answer=C | explanation=SI = $PRT/100 = 30113 \times 5 \times 3/100 = \text{₹}4516$.

id=8347 | topic=Percentages | difficulty=Easy | question=What is 25% of 1529? | option_a=764 | option_b=372 | option_c=382 | option_d=392 | answer=C | explanation=25% of 1529 = $(25/100) \times 1529 = 382$.

id=8348 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=8349 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=7 | option_d=24 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=8350 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=B | option_c=C | option_d=A | answer=C | explanation=Move 1 positions forward from B; the resulting letter is C.

id=8351 | topic=Percentages | difficulty=Easy | question=What is 15% of 1377? | option_a=186 | option_b=206 | option_c=226 | option_d=412 | answer=B | explanation=15% of 1377 = $(15/100) \times 1377 = 206$.

id=8352 | topic=Averages | difficulty=Easy | question=Find the average of 27, 41, 53, 50, 34. | option_a=40 | option_b=43 | option_c=41 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = $205 \div 5 = 41$.

id=8353 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1453. If it is sold at a profit of 25%, what is its selling price? | option_a=1816 | option_b=1961 | option_c=1478 | option_d=1671 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1453 \times 125/100 = \text{₹}1816$.

id=8354 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**42508 at 12% per annum for 1 years. | option_a=47608 | option_b=5100 | option_c=5000 | option_d=5200 | answer=B | explanation=SI = $PRT/100 = 42508 \times 12 \times 1/100 = \text{₹}5100$.

id=8355 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**24661 at 6% per annum for 1 years. | option_a=1579 | option_b=26140 | option_c=1479 | option_d=1379 | answer=C | explanation=SI = $PRT/100 = 24661 \times 6 \times 1/100 = \text{₹}1479$.

id=8356 | topic=Averages | difficulty=Easy | question=Find the average of 52, 43, 54, 30, 52, 98, 50, 22, 67. | option_a=52 | option_b=51 | option_c=53 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = $468 \div 9 = 52$.

id=8357 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=39 | option_b=34 | option_c=44 | option_d=40 | answer=A | explanation=The common difference is 5. Therefore the next term is $34 + 5 = 39$.

id=8358 | topic=Percentages | difficulty=Easy | question=What is 12% of 1746? | option_a=209 | option_b=204 | option_c=219 | option_d=418 | answer=A | explanation=12% of 1746 = $(12/100) \times 1746 = 209$.

id=8359 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**4891 at 12% per annum for 2 years. | option_a=1073 | option_b=6064 | option_c=1273 | option_d=1173 | answer=D | explanation=SI = $PRT/100 = 4891 \times 12 \times 2/100 = \text{₹}1173$.

id=8360 | topic=Percentages | difficulty=Easy | question=What is 10% of 880? | option_a=88 | option_b=176 | option_c=83 | option_d=98 | answer=A | explanation=10% of 880 = $(10/100) \times 880 = 88$.

id=8361 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 26, 32, 40? | option_a=20 | option_b=32 | option_c=26 | option_d=40 | answer=D | explanation=The first three numbers increase by 6, so the next should be 38. Therefore 40 is the odd one out.

id=8362 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12} = 3$ days.

id=8363 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=D | option_c=B | option_d=H | answer=A | explanation=Move 2 positions forward from D; the resulting letter is F.

id=8364 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 23, 25, 29? | option_a=29 | option_b=21 | option_c=23 | option_d=25 | answer=A | explanation=The first three numbers increase by 2, so the next should be 27. Therefore 29 is the odd one out.

id=8365 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 7, 12, 20? | option_a=7 | option_b=2 | option_c=12 | option_d=20 | answer=D | explanation=The first three numbers increase by 5, so the next should be 17. Therefore 20 is the odd one out.

id=8366 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 27. | option_a=162 | option_b=567 | option_c=210 | option_d=189 | answer=D | explanation=LCM $\times$ HCF = 21×27 ; $HCF(21, 27) = 3$, so LCM = 189.

id=8367 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=Z | option_b=N | option_c=V | option_d=R | answer=C | explanation=Move 4 positions forward from R; the resulting letter is V.

id=8368 | topic=Averages | difficulty=Easy | question=Find the average of 33, 83, 67, 92, 16, 39, 83. | option_a=59 | option_b=60 | option_c=58 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = $413 \div 7 = 59$.

id=8369 | topic=Averages | difficulty=Easy | question=Find the average of 75, 10, 13, 42, 21, 43. | option_a=33 | option_b=36 | option_c=34 | option_d=35 | answer=C | explanation=Average = sum of values ÷ number of values = $204 \div 6 = 34$.

id=8370 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=Z | option_b=P | option_c=E | option_d=U | answer=A | explanation=Move 5 positions forward from U; the resulting letter is Z.

Aptitude Questions — Records 8,371-8,400 of 100,000

- id=8371 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14450 at 15% per annum for 2 years. | option_a=4235 | option_b=4435 | option_c=18785 | option_d=4335 | answer=D | explanation=SI = $PRT/100 = 14450 \times 15 \times 2/100 = \text{█}4335$.
- id=8372 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=200 | option_c=100 | option_d=105 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.
- id=8373 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 48? | option_a=27 | option_b=48 | option_c=37 | option_d=17 | answer=B | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 48 is the odd one out.
- id=8374 | topic=Profit & Loss | difficulty=Easy | question=An article costs █621. If it is sold at a profit of 25%, what is its selling price? | option_a=776 | option_b=838 | option_c=714 | option_d=646 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 621 \times 125/100 = \text{█}776$.
- id=8375 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.
- id=8376 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3838. If it is sold at a profit of 20%, what is its selling price? | option_a=4222 | option_b=4988 | option_c=3858 | option_d=4605 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3838 \times 120/100 = \text{█}4605$.
- id=8377 | topic=Averages | difficulty=Easy | question=Find the average of 24, 84, 68, 83, 31. | option_a=58 | option_b=60 | option_c=59 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = $290 \div 5 = 58$.
- id=8378 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3888. If it is sold at a profit of 25%, what is its selling price? | option_a=4472 | option_b=5248 | option_c=3913 | option_d=4860 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3888 \times 125/100 = \text{█}4860$.
- id=8379 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=G | option_c=F | option_d=H | answer=D | explanation=Move 1 positions forward from G; the resulting letter is H.
- id=8380 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 13, 16, 21? | option_a=13 | option_b=21 | option_c=16 | option_d=10 | answer=B | explanation=The first three numbers increase by 3, so the next should be 19. Therefore 21 is the odd one out.
- id=8381 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:13 and the first is 40, what is the second? | option_a=260 | option_b=247 | option_c=262 | option_d=300 | answer=A | explanation=Scale factor = $40/2 = 20$. Therefore second quantity = $13 \times 20 = 260$.
- id=8382 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1961. If it is sold at a profit of 15%, what is its selling price? | option_a=2451 | option_b=2059 | option_c=2255 | option_d=1976 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1961 \times 115/100 = \text{█}2255$.
- id=8383 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=A | option_b=J | option_c=D | option_d=G | answer=D | explanation=Move 3 positions forward from D; the resulting letter is G.
- id=8384 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41195 at 10% per annum for 2 years. | option_a=8339 | option_b=49434 | option_c=8139 | option_d=8239 | answer=D | explanation=SI = $PRT/100 = 41195 \times 10 \times 2/100 = \text{█}8239$.
- id=8385 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5950 at 15% per annum for 2 years. | option_a=1685 | option_b=1785 | option_c=7735 | option_d=1885 | answer=B | explanation=SI = $PRT/100 = 5950 \times 15 \times 2/100 = \text{█}1785$.
- id=8386 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:2 and the first is 88, what is the second? | option_a=14 | option_b=27 | option_c=16 | option_d=104 | answer=C | explanation=Scale factor = $88/11 = 8$. Therefore second quantity = $2 \times 8 = 16$.
- id=8387 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41594 at 6% per annum for 2 years. | option_a=4891 | option_b=46585 | option_c=5091 | option_d=4991 | answer=D | explanation=SI = $PRT/100 = 41594 \times 6 \times 2/100 = \text{█}4991$.
- id=8388 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 33? | option_a=16 | option_b=26 | option_c=33 | option_d=21 | answer=C | explanation=The first three numbers increase by 5, so the next should be 31. Therefore 33 is the odd one out.
- id=8389 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=28 | option_b=25 | option_c=22 | option_d=26 | answer=B | explanation=The common difference is 3. Therefore the next term is $22 + 3 = 25$.
- id=8390 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 32, 39, 48? | option_a=32 | option_b=48 | option_c=25 | option_d=39 | answer=B | explanation=The first three numbers increase by 7, so the next should be 46. Therefore 48 is the odd one out.
- id=8391 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3208. If it is sold at a profit of 5%, what is its selling price? | option_a=3368 | option_b=3048 | option_c=3213 | option_d=3688 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3208 \times 105/100 = \text{█}3368$.
- id=8392 | topic=Averages | difficulty=Easy | question=Find the average of 78, 66, 63, 56, 60, 22, 33. | option_a=56 | option_b=53 | option_c=55 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = $378 \div 7 = 54$.
- id=8393 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $120 \div 2 = 60$ km/h.
- id=8394 | topic=Averages | difficulty=Easy | question=Find the average of 60, 24, 52, 60. | option_a=49 | option_b=48 | option_c=50 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = $196 \div 4 = 49$.
- id=8395 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 19, 22, 25, ? | option_a=25 | option_b=28 | option_c=29 | option_d=31 | answer=B | explanation=The common difference is 3. Therefore the next term is $25 + 3 = 28$.
- id=8396 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1168. If it is sold at a profit of 15%, what is its selling price? | option_a=1227 | option_b=1459 | option_c=1183 | option_d=1343 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1168 \times 115/100 = \text{█}1343$.
- id=8397 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14921 at 10% per annum for 3 years. | option_a=4476 | option_b=4376 | option_c=19397 | option_d=4576 | answer=A | explanation=SI = $PRT/100 = 14921 \times 10 \times 3/100 = \text{█}4476$.
- id=8398 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=42 | option_b=43 | option_c=49 | option_d=35 | answer=A | explanation=The common difference is 7. Therefore the next term is $35 + 7 = 42$.
- id=8399 | topic=Percentages | difficulty=Easy | question=What is 50% of 1700? | option_a=850 | option_b=860 | option_c=1700 | option_d=840 | answer=A | explanation=50% of 1700 = $(50/100) \times 1700 = 850$.
- id=8400 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=54 | option_b=67 | option_c=78 | option_d=66 | answer=D | explanation=The common difference is 12. Therefore the next term is $54 + 12 = 66$.

Aptitude Questions — Records 8,401-8,430 of 100,000

id=8401 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:19 and the first is 152, what is the second? | option_a=361 | option_b=369 | option_c=342 | option_d=513 | answer=A | explanation=Scale factor = 152/8 = 19. Therefore second quantity = 19×19 = 361.

id=8402 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=44 | option_b=49 | option_c=43 | option_d=37 | answer=C | explanation=The common difference is 6. Therefore the next term is 37 + 6 = 43.

id=8403 | topic=Percentages | difficulty=Easy | question=What is 30% of 349? | option_a=104 | option_b=124 | option_c=208 | option_d=99 | answer=A | explanation=30% of 349 = (30/100) × 349 = 104.

id=8404 | topic=Percentages | difficulty=Easy | question=What is 12% of 757? | option_a=95 | option_b=70 | option_c=180 | option_d=90 | answer=D | explanation=12% of 757 = (12/100) × 757 = 90.

id=8405 | topic=Averages | difficulty=Easy | question=Find the average of 78, 74, 22. | option_a=59 | option_b=60 | option_c=58 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 174 ÷ 3 = 58.

id=8406 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹39004 at 5% per annum for 2 years. | option_a=3900 | option_b=3800 | option_c=42904 | option_d=4000 | answer=A | explanation=SI = PRT/100 = 39004×5×2/100 = ₹3900.

id=8407 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹37985 at 8% per annum for 5 years. | option_a=15094 | option_b=15194 | option_c=53179 | option_d=15294 | answer=B | explanation=SI = PRT/100 = 37985×8×5/100 = ₹15194.

id=8408 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 14, 17, 23? | option_a=23 | option_b=17 | option_c=14 | option_d=11 | answer=A | explanation=The first three numbers increase by 3, so the next should be 20. Therefore 23 is the odd one out.

id=8409 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 10, 15, 20, ? | option_a=20 | option_b=25 | option_c=26 | option_d=30 | answer=B | explanation=The common difference is 5. Therefore the next term is 20 + 5 = 25.

id=8410 | topic=Averages | difficulty=Easy | question=Find the average of 99, 55, 76, 81, 79. | option_a=79 | option_b=78 | option_c=80 | option_d=77 | answer=B | explanation=Average = sum of values ÷ number of values = 390 ÷ 5 = 78.

id=8411 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:14 and the first is 21, what is the second? | option_a=84 | option_b=98 | option_c=101 | option_d=119 | answer=B | explanation=Scale factor = 21/3 = 7. Therefore second quantity = 14×7 = 98.

id=8412 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹7369 at 5% per annum for 1 years. | option_a=7737 | option_b=468 | option_c=268 | option_d=368 | answer=D | explanation=SI = PRT/100 = 7369×5×1/100 = ₹368.

id=8413 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:10 and the first is 162, what is the second? | option_a=189 | option_b=342 | option_c=180 | option_d=170 | answer=C | explanation=Scale factor = 162/9 = 18. Therefore second quantity = 10×18 = 180.

id=8414 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=F | option_b=J | option_c=R | option_d=N | answer=D | explanation=Move 4 positions forward from J; the resulting letter is N.

id=8415 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=8416 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2586. If it is sold at a profit of 40%, what is its selling price? | option_a=3362 | option_b=2626 | option_c=3878 | option_d=3620 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2586 × 140/100 = ₹3620.

id=8417 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:8 and the first is 14, what is the second? | option_a=70 | option_b=58 | option_c=56 | option_d=48 | answer=C | explanation=Scale factor = 14/2 = 7. Therefore second quantity = 8×7 = 56.

id=8418 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:4 and the first is 7, what is the second? | option_a=35 | option_b=24 | option_c=29 | option_d=28 | answer=D | explanation=Scale factor = 7/1 = 7. Therefore second quantity = 4×7 = 28.

id=8419 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=8420 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1381. If it is sold at a profit of 5%, what is its selling price? | option_a=1588 | option_b=1386 | option_c=1450 | option_d=1312 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1381 × 105/100 = ₹1450.

id=8421 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹35661 at 8% per annum for 5 years. | option_a=14264 | option_b=14164 | option_c=14364 | option_d=49925 | answer=A | explanation=SI = PRT/100 = 35661×8×5/100 = ₹14264.

id=8422 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:20 and the first is 234, what is the second? | option_a=340 | option_b=360 | option_c=594 | option_d=373 | answer=B | explanation=Scale factor = 234/13 = 18. Therefore second quantity = 20×18 = 360.

id=8423 | topic=Averages | difficulty=Easy | question=Find the average of 14, 82, 46, 76, 22. | option_a=48 | option_b=49 | option_c=47 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 240 ÷ 5 = 48.

id=8424 | topic=Averages | difficulty=Easy | question=Find the average of 84, 84, 94, 86. | option_a=89 | option_b=88 | option_c=86 | option_d=87 | answer=D | explanation=Average = sum of values ÷ number of values = 348 ÷ 4 = 87.

id=8425 | topic=Percentages | difficulty=Easy | question=What is 20% of 187? | option_a=47 | option_b=32 | option_c=37 | option_d=74 | answer=C | explanation=20% of 187 = (20/100) × 187 = 37.

id=8426 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 28. | option_a=672 | option_b=168 | option_c=140 | option_d=192 | answer=B | explanation=LCM × HCF = 24×28; HCF(24,28) = 4, so LCM = 168.

id=8427 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:15 and the first is 247, what is the second? | option_a=270 | option_b=532 | option_c=285 | option_d=298 | answer=C | explanation=Scale factor = 247/13 = 19. Therefore second quantity = 15×19 = 285.

id=8428 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=8429 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=52 | option_b=51 | option_c=40 | option_d=62 | answer=B | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=8430 | topic=Averages | difficulty=Easy | question=Find the average of 27, 49, 10, 60, 19, 81. | option_a=41 | option_b=42 | option_c=40 | option_d=43 | answer=A | explanation=Average = sum of values ÷ number of values = 246 ÷ 6 = 41.

Aptitude Questions — Records 8,431-8,460 of 100,000

id=8431 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=8432 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=8433 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:2 and the first is 110, what is the second? | option_a=20 | option_b=22 | option_c=132 | option_d=32 | answer=B | explanation=Scale factor = 110/10 = 11. Therefore second quantity = 2×11 = 22.

id=8434 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:14 and the first is 60, what is the second? | option_a=154 | option_b=173 | option_c=168 | option_d=228 | answer=C | explanation=Scale factor = 60/5 = 12. Therefore second quantity = 14×12 = 168.

id=8435 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3336. If it is sold at a profit of 5%, what is its selling price? | option_a=3502 | option_b=3341 | option_c=3835 | option_d=3169 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3336 × 105/100 = █3502.

id=8436 | topic=Averages | difficulty=Easy | question=Find the average of 13, 66, 32. | option_a=37 | option_b=39 | option_c=38 | option_d=36 | answer=A | explanation=Average = sum of values ÷ number of values = 111 ÷ 3 = 37.

id=8437 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=8438 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:9 and the first is 42, what is the second? | option_a=63 | option_b=69 | option_c=54 | option_d=105 | answer=A | explanation=Scale factor = 42/6 = 7. Therefore second quantity = 9×7 = 63.

id=8439 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1543. If it is sold at a profit of 50%, what is its selling price? | option_a=2468 | option_b=2160 | option_c=2314 | option_d=1593 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1543 × 150/100 = █2314.

id=8440 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 14, 22, 31? | option_a=31 | option_b=14 | option_c=22 | option_d=6 | answer=A | explanation=The first three numbers increase by 8, so the next should be 30. Therefore 31 is the odd one out.

id=8441 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=60 | option_b=71 | option_c=47 | option_d=59 | answer=D | explanation=The common difference is 12. Therefore the next term is 47 + 12 = 59.

id=8442 | topic=Percentages | difficulty=Easy | question=What is 50% of 883? | option_a=441 | option_b=436 | option_c=446 | option_d=882 | answer=A | explanation=50% of 883 = (50/100) × 883 = 441.

id=8443 | topic=Profit & Loss | difficulty=Easy | question=An article costs █187. If it is sold at a profit of 25%, what is its selling price? | option_a=212 | option_b=251 | option_c=215 | option_d=233 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 187 × 125/100 = █233.

id=8444 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 8. | option_a=56 | option_b=48 | option_c=224 | option_d=84 | answer=A | explanation=LCM × HCF = 28×8; HCF(28,8) = 4, so LCM = 56.

id=8445 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 20, 30, 41? | option_a=20 | option_b=30 | option_c=10 | option_d=41 | answer=D | explanation=The first three numbers increase by 10, so the next should be 40. Therefore 41 is the odd one out.

id=8446 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 210, what is the second? | option_a=252 | option_b=42 | option_c=57 | option_d=39 | answer=B | explanation=Scale factor = 210/15 = 14. Therefore second quantity = 3×14 = 42.

id=8447 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=N | option_b=Z | option_c=V | option_d=R | answer=C | explanation=Move 4 positions forward from R; the resulting letter is V.

id=8448 | topic=Percentages | difficulty=Easy | question=What is 20% of 738? | option_a=294 | option_b=147 | option_c=137 | option_d=152 | answer=B | explanation=20% of 738 = (20/100) × 738 = 147.

id=8449 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 15. | option_a=90 | option_b=270 | option_c=108 | option_d=75 | answer=A | explanation=LCM × HCF = 18×15; HCF(18,15) = 3, so LCM = 90.

id=8450 | topic=Percentages | difficulty=Easy | question=What is 30% of 282? | option_a=168 | option_b=74 | option_c=84 | option_d=104 | answer=C | explanation=30% of 282 = (30/100) × 282 = 84.

id=8451 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=F | option_c=J | option_d=L | answer=C | explanation=Move 2 positions forward from H; the resulting letter is J.

id=8452 | topic=Percentages | difficulty=Easy | question=What is 25% of 869? | option_a=197 | option_b=222 | option_c=434 | option_d=217 | answer=D | explanation=25% of 869 = (25/100) × 869 = 217.

id=8453 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 43? | option_a=27 | option_b=34 | option_c=43 | option_d=20 | answer=C | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 43 is the odd one out.

id=8454 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:12 and the first is 32, what is the second? | option_a=80 | option_b=48 | option_c=36 | option_d=56 | answer=B | explanation=Scale factor = 32/8 = 4. Therefore second quantity = 12×4 = 48.

id=8455 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:18 and the first is 240, what is the second? | option_a=342 | option_b=372 | option_c=360 | option_d=600 | answer=C | explanation=Scale factor = 240/12 = 20. Therefore second quantity = 18×20 = 360.

id=8456 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=30 | option_b=33 | option_c=29 | option_d=25 | answer=C | explanation=The common difference is 4. Therefore the next term is 25 + 4 = 29.

id=8457 | topic=Percentages | difficulty=Easy | question=What is 20% of 167? | option_a=66 | option_b=43 | option_c=28 | option_d=33 | answer=D | explanation=20% of 167 = (20/100) × 167 = 33.

id=8458 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=U | option_c=I | option_d=Q | answer=D | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=8459 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=56 | option_b=57 | option_c=45 | option_d=67 | answer=A | explanation=The common difference is 11. Therefore the next term is 45 + 11 = 56.

id=8460 | topic=Averages | difficulty=Easy | question=Find the average of 53, 77, 90, 76. | option_a=76 | option_b=73 | option_c=74 | option_d=75 | answer=C | explanation=Average = sum of values ÷ number of values = 296 ÷ 4 = 74.

Aptitude Questions — Records 8,461-8,490 of 100,000

- id=8461 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=360 | option_b=175 | option_c=180 | option_d=185 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.
- id=8462 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=8463 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 41? | option_a=41 | option_b=33 | option_c=30 | option_d=36 | answer=A | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 41 is the odd one out.
- id=8464 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=R | option_b=T | option_c=S | option_d=U | answer=B | explanation=Move 1 positions forward from S; the resulting letter is T.
- id=8465 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.
- id=8466 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=50 | option_c=25 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.
- id=8467 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=8468 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:2 and the first is 72, what is the second? | option_a=26 | option_b=18 | option_c=90 | option_d=16 | answer=B | explanation=Scale factor = 72/8 = 9. Therefore second quantity = 2×9 = 18.
- id=8469 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.
- id=8470 | topic=Profit & Loss | difficulty=Easy | question=An article costs █992. If it is sold at a profit of 30%, what is its selling price? | option_a=1022 | option_b=1289 | option_c=1388 | option_d=1190 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 992 × 130/100 = █1289.
- id=8471 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.
- id=8472 | topic=Percentages | difficulty=Easy | question=What is 40% of 356? | option_a=132 | option_b=142 | option_c=284 | option_d=162 | answer=B | explanation=40% of 356 = (40/100) × 356 = 142.
- id=8473 | topic=Percentages | difficulty=Easy | question=What is 30% of 279? | option_a=83 | option_b=166 | option_c=103 | option_d=63 | answer=A | explanation=30% of 279 = (30/100) × 279 = 83.
- id=8474 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7926 at 8% per annum for 3 years. | option_a=1902 | option_b=2002 | option_c=9828 | option_d=1802 | answer=A | explanation=SI = PRT/100 = 7926×8×3/100 = █1902.
- id=8475 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.
- id=8476 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:18 and the first is 16, what is the second? | option_a=36 | option_b=44 | option_c=18 | option_d=52 | answer=A | explanation=Scale factor = 16/8 = 2. Therefore second quantity = 18×2 = 36.
- id=8477 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2587. If it is sold at a profit of 30%, what is its selling price? | option_a=3363 | option_b=3621 | option_c=3105 | option_d=2617 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2587 × 130/100 = █3363.
- id=8478 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=115 | option_c=125 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.
- id=8479 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 6. | option_a=132 | option_b=60 | option_c=88 | option_d=66 | answer=D | explanation=LCM × HCF = 22×6; HCF(22,6) = 2, so LCM = 66.
- id=8480 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1640. If it is sold at a profit of 5%, what is its selling price? | option_a=1645 | option_b=1722 | option_c=1558 | option_d=1886 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1640 × 105/100 = █1722.
- id=8481 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32526 at 15% per annum for 4 years. | option_a=52041 | option_b=19515 | option_c=19415 | option_d=19615 | answer=B | explanation=SI = PRT/100 = 32526×15×4/100 = █19515.
- id=8482 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.
- id=8483 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.
- id=8484 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=S | option_c=V | option_d=M | answer=B | explanation=Move 3 positions forward from P; the resulting letter is S.
- id=8485 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=27 | option_b=30 | option_c=24 | option_d=28 | answer=A | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.
- id=8486 | topic=Profit & Loss | difficulty=Easy | question=An article costs █813. If it is sold at a profit of 50%, what is its selling price? | option_a=863 | option_b=1219 | option_c=1300 | option_d=1138 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 813 × 150/100 = █1219.
- id=8487 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:2 and the first is 135, what is the second? | option_a=39 | option_b=28 | option_c=165 | option_d=30 | answer=D | explanation=Scale factor = 135/9 = 15. Therefore second quantity = 2×15 = 30.
- id=8488 | topic=Percentages | difficulty=Easy | question=What is 10% of 1254? | option_a=125 | option_b=135 | option_c=120 | option_d=250 | answer=A | explanation=10% of 1254 = (10/100) × 1254 = 125.
- id=8489 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=42 | option_b=51 | option_c=52 | option_d=60 | answer=B | explanation=The common difference is 9. Therefore the next term is 42 + 9 = 51.
- id=8490 | topic=Averages | difficulty=Easy | question=Find the average of 32, 58, 36, 72, 37. | option_a=49 | option_b=48 | option_c=46 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 235 ÷ 5 = 47.

Aptitude Questions — Records 8,491-8,520 of 100,000

id=8491 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 13, 19, 26? | option_a=7 | option_b=26 | option_c=13 | option_d=19 | answer=B | explanation=The first three numbers increase by 6, so the next should be 25. Therefore 26 is the odd one out.

id=8492 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4024 at 4% per annum for 4 years. | option_a=643 | option_b=743 | option_c=543 | option_d=4667 | answer=A | explanation=SI = $PRT/100 = 4024 \times 4 \times 4/100 =$ █643.

id=8493 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28662 at 8% per annum for 1 years. | option_a=30954 | option_b=2292 | option_c=2392 | option_d=2192 | answer=B | explanation=SI = $PRT/100 = 28662 \times 8 \times 1/100 =$ █2292.

id=8494 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=F | option_b=J | option_c=R | option_d=N | answer=D | explanation=Move 4 positions forward from J; the resulting letter is N.

id=8495 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=39 | option_b=44 | option_c=40 | option_d=34 | answer=A | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

id=8496 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:13 and the first is 30, what is the second? | option_a=117 | option_b=133 | option_c=130 | option_d=160 | answer=C | explanation=Scale factor = $30/3 = 10$. Therefore second quantity = $13 \times 10 = 130$.

id=8497 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=A | option_c=J | option_d=G | answer=D | explanation=Move 3 positions forward from D; the resulting letter is G.

id=8498 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=P | option_b=S | option_c=M | option_d=J | answer=A | explanation=Move 3 positions forward from M; the resulting letter is P.

id=8499 | topic=Averages | difficulty=Easy | question=Find the average of 14, 43, 51. | option_a=36 | option_b=38 | option_c=37 | option_d=35 | answer=A | explanation=Average = sum of values ÷ number of values = $108 \div 3 = 36$.

id=8500 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 36, 43, 53? | option_a=43 | option_b=36 | option_c=53 | option_d=29 | answer=C | explanation=The first three numbers increase by 7, so the next should be 50. Therefore 53 is the odd one out.

id=8501 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49438 at 4% per annum for 1 years. | option_a=1977 | option_b=1877 | option_c=2077 | option_d=51415 | answer=A | explanation=SI = $PRT/100 = 49438 \times 4 \times 1/100 =$ █1977.

id=8502 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=U | option_b=O | option_c=L | option_d=R | answer=D | explanation=Move 3 positions forward from O; the resulting letter is R.

id=8503 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42847 at 4% per annum for 1 years. | option_a=1613 | option_b=1813 | option_c=44560 | option_d=1713 | answer=D | explanation=SI = $PRT/100 = 42847 \times 4 \times 1/100 =$ █1713.

id=8504 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1083 at 12% per annum for 4 years. | option_a=619 | option_b=419 | option_c=519 | option_d=1602 | answer=C | explanation=SI = $PRT/100 = 1083 \times 12 \times 4/100 =$ █519.

id=8505 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 10. | option_a=10 | option_b=1 | option_c=12 | option_d=20 | answer=A | explanation= $LCM \times HCF = 2 \times 10$; $HCF(2,10) = 2$, so $LCM = 10$.

id=8506 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=K | option_b=A | option_c=V | option_d=F | answer=D | explanation=Move 5 positions forward from A; the resulting letter is F.

id=8507 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9151 at 4% per annum for 4 years. | option_a=1564 | option_b=1364 | option_c=1464 | option_d=10615 | answer=C | explanation=SI = $PRT/100 = 9151 \times 4 \times 4/100 =$ █1464.

id=8508 | topic=Averages | difficulty=Easy | question=Find the average of 43, 59, 99. | option_a=68 | option_b=67 | option_c=69 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = $201 \div 3 = 67$.

id=8509 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=8510 | topic=Percentages | difficulty=Easy | question=What is 30% of 1162? | option_a=353 | option_b=328 | option_c=696 | option_d=348 | answer=D | explanation=30% of 1162 = $(30/100) \times 1162 = 348$.

id=8511 | topic=Averages | difficulty=Easy | question=Find the average of 100, 99, 56. | option_a=87 | option_b=86 | option_c=84 | option_d=85 | answer=D | explanation=Average = sum of values ÷ number of values = $255 \div 3 = 85$.

id=8512 | topic=Averages | difficulty=Easy | question=Find the average of 72, 80, 34, 47, 77, 80, 23. | option_a=61 | option_b=59 | option_c=60 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = $413 \div 7 = 59$.

id=8513 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=T | option_b=P | option_c=V | option_d=R | answer=A | explanation=Move 2 positions forward from R; the resulting letter is T.

id=8514 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:15 and the first is 20, what is the second? | option_a=320 | option_b=301 | option_c=300 | option_d=285 | answer=C | explanation=Scale factor = $20/1 = 20$. Therefore second quantity = $15 \times 20 = 300$.

id=8515 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:4 and the first is 160, what is the second? | option_a=64 | option_b=224 | option_c=74 | option_d=60 | answer=A | explanation=Scale factor = $160/10 = 16$. Therefore second quantity = $4 \times 16 = 64$.

id=8516 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=8517 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34464 at 8% per annum for 3 years. | option_a=8371 | option_b=42735 | option_c=8171 | option_d=8271 | answer=D | explanation=SI = $PRT/100 = 34464 \times 8 \times 3/100 =$ █8271.

id=8518 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 14, 17, 21? | option_a=17 | option_b=11 | option_c=14 | option_d=21 | answer=D | explanation=The first three numbers increase by 3, so the next should be 20. Therefore 21 is the odd one out.

id=8519 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=19 | option_b=23 | option_c=24 | option_d=27 | answer=B | explanation=The common difference is 4. Therefore the next term is $19 + 4 = 23$.

id=8520 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:9 and the first is 18, what is the second? | option_a=9 | option_b=18 | option_c=27 | option_d=36 | answer=B | explanation=Scale factor = $18/9 = 2$. Therefore second quantity = $9 \times 2 = 18$.

Aptitude Questions — Records 8,521-8,550 of 100,000

- id=8521 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.
- id=8522 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 25, 33, 41, ? | option_a=49 | option_b=57 | option_c=50 | option_d=41 | answer=A | explanation=The common difference is 8. Therefore the next term is 41 + 8 = 49.
- id=8523 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4619. If it is sold at a profit of 20%, what is its selling price? | option_a=5542 | option_b=5081 | option_c=4639 | option_d=6003 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4619 × 120/100 = █5542.
- id=8524 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=30 | option_b=23 | option_c=29 | option_d=35 | answer=C | explanation=The common difference is 6. Therefore the next term is 23 + 6 = 29.
- id=8525 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4053. If it is sold at a profit of 15%, what is its selling price? | option_a=4660 | option_b=4068 | option_c=5065 | option_d=4255 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4053 × 115/100 = █4660.
- id=8526 | topic=Percentages | difficulty=Easy | question=What is 25% of 1647? | option_a=822 | option_b=391 | option_c=411 | option_d=416 | answer=C | explanation=25% of 1647 = (25/100) × 1647 = 411.
- id=8527 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 26? | option_a=21 | option_b=15 | option_c=18 | option_d=26 | answer=D | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 26 is the odd one out.
- id=8528 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1736. If it is sold at a profit of 30%, what is its selling price? | option_a=2256 | option_b=1766 | option_c=2083 | option_d=2429 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1736 × 130/100 = █2256.
- id=8529 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18376 at 5% per annum for 1 years. | option_a=19294 | option_b=918 | option_c=1018 | option_d=818 | answer=B | explanation=SI = PRT/100 = 18376×5×1/100 = █918.
- id=8530 | topic=Averages | difficulty=Easy | question=Find the average of 56, 82, 57, 84, 33, 50, 71, 13, 76. | option_a=57 | option_b=58 | option_c=60 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 522 ÷ 9 = 58.
- id=8531 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=32 | option_b=26 | option_c=20 | option_d=27 | answer=B | explanation=The common difference is 6. Therefore the next term is 20 + 6 = 26.
- id=8532 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3684. If it is sold at a profit of 15%, what is its selling price? | option_a=4604 | option_b=3699 | option_c=3868 | option_d=4236 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3684 × 115/100 = █4236.
- id=8533 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.
- id=8534 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:2 and the first is 21, what is the second? | option_a=17 | option_b=12 | option_c=14 | option_d=35 | answer=C | explanation=Scale factor = 21/3 = 7. Therefore second quantity = 2×7 = 14.
- id=8535 | topic=Percentages | difficulty=Easy | question=What is 15% of 1144? | option_a=342 | option_b=151 | option_c=171 | option_d=176 | answer=C | explanation=15% of 1144 = (15/100) × 1144 = 171.
- id=8536 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=29 | option_b=28 | option_c=22 | option_d=34 | answer=B | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.
- id=8537 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=50 | option_b=59 | option_c=49 | option_d=39 | answer=C | explanation=The common difference is 10. Therefore the next term is 39 + 10 = 49.
- id=8538 | topic=Averages | difficulty=Easy | question=Find the average of 96, 18, 100, 78. | option_a=75 | option_b=72 | option_c=73 | option_d=74 | answer=C | explanation=Average = sum of values ÷ number of values = 292 ÷ 4 = 73.
- id=8539 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1987. If it is sold at a profit of 50%, what is its selling price? | option_a=2980 | option_b=2037 | option_c=2782 | option_d=3178 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1987 × 150/100 = █2980.
- id=8540 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35677 at 8% per annum for 4 years. | option_a=11516 | option_b=11316 | option_c=47093 | option_d=11416 | answer=D | explanation=SI = PRT/100 = 35677×8×4/100 = █11416.
- id=8541 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:8 and the first is 90, what is the second? | option_a=144 | option_b=149 | option_c=136 | option_d=234 | answer=A | explanation=Scale factor = 90/5 = 18. Therefore second quantity = 8×18 = 144.
- id=8542 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 39? | option_a=32 | option_b=30 | option_c=34 | option_d=39 | answer=D | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 39 is the odd one out.
- id=8543 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=T | option_c=J | option_d=Y | answer=B | explanation=Move 5 positions forward from O; the resulting letter is T.
- id=8544 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 16. | option_a=480 | option_b=270 | option_c=224 | option_d=240 | answer=D | explanation=LCM × HCF = 30×16; HCF(30,16) = 2, so LCM = 240.
- id=8545 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 34, 41, 49? | option_a=27 | option_b=41 | option_c=49 | option_d=34 | answer=C | explanation=The first three numbers increase by 7, so the next should be 48. Therefore 49 is the odd one out.
- id=8546 | topic=Averages | difficulty=Easy | question=Find the average of 49, 18, 38, 25, 68, 90, 93, 43. | option_a=53 | option_b=54 | option_c=55 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.
- id=8547 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4871. If it is sold at a profit of 30%, what is its selling price? | option_a=4901 | option_b=6332 | option_c=6819 | option_d=5845 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4871 × 130/100 = █6332.
- id=8548 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=J | option_c=F | option_d=H | answer=B | explanation=Move 2 positions forward from H; the resulting letter is J.
- id=8549 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25445 at 12% per annum for 5 years. | option_a=40712 | option_b=15267 | option_c=15367 | option_d=15167 | answer=B | explanation=SI = PRT/100 = 25445×12×5/100 = █15267.
- id=8550 | topic=Percentages | difficulty=Easy | question=What is 50% of 1126? | option_a=558 | option_b=1126 | option_c=583 | option_d=563 | answer=D | explanation=50% of 1126 = (50/100) × 1126 = 563.

Aptitude Questions — Records 8,551-8,580 of 100,000

id=8551 | topic=Percentages | difficulty=Easy | question=What is 50% of 1876? | option_a=938 | option_b=958 | option_c=1876 | option_d=928 | answer=A | explanation=50% of 1876 = (50/100) × 1876 = 938.

id=8552 | topic=Averages | difficulty=Easy | question=Find the average of 53, 87, 90, 86. | option_a=79 | option_b=78 | option_c=80 | option_d=81 | answer=A | explanation=Average = sum of values + number of values = 316 ÷ 4 = 79.

id=8553 | topic=Percentages | difficulty=Easy | question=What is 40% of 1195? | option_a=478 | option_b=956 | option_c=498 | option_d=473 | answer=A | explanation=40% of 1195 = (40/100) × 1195 = 478.

id=8554 | topic=Averages | difficulty=Easy | question=Find the average of 67, 65, 78, 38. | option_a=63 | option_b=64 | option_c=62 | option_d=61 | answer=C | explanation=Average = sum of values + number of values = 248 ÷ 4 = 62.

id=8555 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:17 and the first is 64, what is the second? | option_a=84 | option_b=51 | option_c=132 | option_d=68 | answer=D | explanation=Scale factor = 64/16 = 4. Therefore second quantity = 17×4 = 68.

id=8556 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=8557 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3532. If it is sold at a profit of 10%, what is its selling price? | option_a=4238 | option_b=3885 | option_c=3542 | option_d=3532 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3532 × 110/100 = █3885.

id=8558 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=8559 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=O | option_b=F | option_c=L | option_d=I | answer=C | explanation=Move 3 positions forward from I; the resulting letter is L.

id=8560 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:6 and the first is 171, what is the second? | option_a=225 | option_b=48 | option_c=73 | option_d=54 | answer=D | explanation=Scale factor = 171/19 = 9. Therefore second quantity = 6×9 = 54.

id=8561 | topic=Profit & Loss | difficulty=Easy | question=An article costs █212. If it is sold at a profit of 10%, what is its selling price? | option_a=233 | option_b=254 | option_c=212 | option_d=222 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 212 × 110/100 = █233.

id=8562 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 35, 41, 48? | option_a=41 | option_b=29 | option_c=48 | option_d=35 | answer=C | explanation=The first three numbers increase by 6, so the next should be 47. Therefore 48 is the odd one out.

id=8563 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=8564 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 23, 28, 36? | option_a=36 | option_b=23 | option_c=18 | option_d=28 | answer=A | explanation=The first three numbers increase by 5, so the next should be 33. Therefore 36 is the odd one out.

id=8565 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4508 at 6% per annum for 2 years. | option_a=440 | option_b=640 | option_c=540 | option_d=5048 | answer=C | explanation=SI = PRT/100 = 4508×6×2/100 = █540.

id=8566 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31498 at 15% per annum for 1 years. | option_a=4724 | option_b=4824 | option_c=4624 | option_d=36222 | answer=A | explanation=SI = PRT/100 = 31498×15×1/100 = █4724.

id=8567 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=75 | option_c=80 | option_d=70 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=8568 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=57 | option_b=48 | option_c=47 | option_d=37 | answer=C | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

id=8569 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:14 and the first is 224, what is the second? | option_a=196 | option_b=212 | option_c=420 | option_d=182 | answer=A | explanation=Scale factor = 224/16 = 14. Therefore second quantity = 14×14 = 196.

id=8570 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:1 and the first is 150, what is the second? | option_a=15 | option_b=25 | option_c=14 | option_d=165 | answer=A | explanation=Scale factor = 150/10 = 15. Therefore second quantity = 1×15 = 15.

id=8571 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23286 at 5% per annum for 2 years. | option_a=2228 | option_b=2328 | option_c=25614 | option_d=2428 | answer=B | explanation=SI = PRT/100 = 23286×5×2/100 = █2328.

id=8572 | topic=Percentages | difficulty=Easy | question=What is 50% of 1828? | option_a=1828 | option_b=919 | option_c=909 | option_d=914 | answer=D | explanation=50% of 1828 = (50/100) × 1828 = 914.

id=8573 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8431 at 12% per annum for 2 years. | option_a=10454 | option_b=2023 | option_c=1923 | option_d=2123 | answer=B | explanation=SI = PRT/100 = 8431×12×2/100 = █2023.

id=8574 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3345 at 12% per annum for 1 years. | option_a=401 | option_b=3746 | option_c=501 | option_d=301 | answer=A | explanation=SI = PRT/100 = 3345×12×1/100 = █401.

id=8575 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 28. | option_a=840 | option_b=420 | option_c=392 | option_d=450 | answer=B | explanation=LCM × HCF = 30×28; HCF(30,28) = 2, so LCM = 420.

id=8576 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 26? | option_a=18 | option_b=15 | option_c=21 | option_d=26 | answer=D | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 26 is the odd one out.

id=8577 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4864. If it is sold at a profit of 10%, what is its selling price? | option_a=5350 | option_b=4874 | option_c=4864 | option_d=5836 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4864 × 110/100 = █5350.

id=8578 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=J | option_b=H | option_c=I | option_d=K | answer=A | explanation=Move 1 positions forward from I; the resulting letter is J.

id=8579 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 10, 17, 27? | option_a=17 | option_b=3 | option_c=10 | option_d=27 | answer=D | explanation=The first three numbers increase by 7, so the next should be 24. Therefore 27 is the odd one out.

id=8580 | topic=Percentages | difficulty=Easy | question=What is 40% of 656? | option_a=272 | option_b=524 | option_c=262 | option_d=257 | answer=C | explanation=40% of 656 = (40/100) × 656 = 262.

Aptitude Questions — Records 8,581-8,610 of 100,000

id=8581 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4299. If it is sold at a profit of 25%, what is its selling price? | option_a=4944 | option_b=5373 | option_c=5802 | option_d=4324 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4299 × 125/100 = █5373.

id=8582 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=8583 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=24 | option_c=17 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=8584 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1064. If it is sold at a profit of 15%, what is its selling price? | option_a=1329 | option_b=1117 | option_c=1079 | option_d=1223 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1064 × 115/100 = █1223.

id=8585 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=90 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=8586 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=31 | option_b=23 | option_c=37 | option_d=30 | answer=D | explanation=The common difference is 7. Therefore the next term is 23 + 7 = 30.

id=8587 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=A | option_b=O | option_c=S | option_d=W | answer=D | explanation=Move 4 positions forward from S; the resulting letter is W.

id=8588 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=8589 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:9 and the first is 98, what is the second? | option_a=224 | option_b=126 | option_c=133 | option_d=117 | answer=B | explanation=Scale factor = 98/7 = 14. Therefore second quantity = 9×14 = 126.

id=8590 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 18, 24, 30, ? | option_a=30 | option_b=42 | option_c=36 | option_d=37 | answer=C | explanation=The common difference is 6. Therefore the next term is 30 + 6 = 36.

id=8591 | topic=Averages | difficulty=Easy | question=Find the average of 38, 11, 15, 38, 10, 44. | option_a=25 | option_b=27 | option_c=26 | option_d=28 | answer=C | explanation=Average = sum of values ÷ number of values = 156 ÷ 6 = 26.

id=8592 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=O | option_c=Q | option_d=K | answer=B | explanation=Move 2 positions forward from M; the resulting letter is O.

id=8593 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=8594 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=21 | option_b=17 | option_c=20 | option_d=19 | answer=D | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=8595 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39513 at 6% per annum for 2 years. | option_a=4641 | option_b=44254 | option_c=4841 | option_d=4741 | answer=D | explanation=SI = PRT/100 = 39513×6×2/100 = █4741.

id=8596 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 36? | option_a=36 | option_b=29 | option_c=17 | option_d=23 | answer=A | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 36 is the odd one out.

id=8597 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=8598 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=8599 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10984 at 12% per annum for 5 years. | option_a=6590 | option_b=17574 | option_c=6690 | option_d=6490 | answer=A | explanation=SI = PRT/100 = 10984×12×5/100 = █6590.

id=8600 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=47 | option_b=42 | option_c=35 | option_d=41 | answer=D | explanation=The common difference is 6. Therefore the next term is 35 + 6 = 41.

id=8601 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=A | option_b=M | option_c=E | option_d=I | answer=D | explanation=Move 4 positions forward from E; the resulting letter is I.

id=8602 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=30 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=8603 | topic=Percentages | difficulty=Easy | question=What is 20% of 168? | option_a=33 | option_b=13 | option_c=53 | option_d=66 | answer=A | explanation=20% of 168 = (20/100) × 168 = 33.

id=8604 | topic=Percentages | difficulty=Easy | question=What is 20% of 1180? | option_a=236 | option_b=472 | option_c=246 | option_d=216 | answer=A | explanation=20% of 1180 = (20/100) × 1180 = 236.

id=8605 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=44 | option_b=36 | option_c=52 | option_d=45 | answer=A | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.

id=8606 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=8607 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:2 and the first is 4, what is the second? | option_a=9 | option_b=12 | option_c=8 | option_d=6 | answer=C | explanation=Scale factor = 4/1 = 4. Therefore second quantity = 2×4 = 8.

id=8608 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=32 | option_b=27 | option_c=20 | option_d=26 | answer=D | explanation=The common difference is 6. Therefore the next term is 20 + 6 = 26.

id=8609 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=17 | option_c=12 | option_d=24 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=8610 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2523 at 4% per annum for 2 years. | option_a=101 | option_b=2724 | option_c=301 | option_d=201 | answer=D | explanation=SI = PRT/100 = 2523×4×2/100 = █201.

Aptitude Questions — Records 8,611-8,640 of 100,000

- id=8611 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■3760 at 10% per annum for 3 years. | option_a=1028 | option_b=1128 | option_c=4888 | option_d=1228 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{3760 \times 10 \times 3}{100} = \blacksquare 1128$.
- id=8612 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■2602 at 10% per annum for 2 years. | option_a=3122 | option_b=620 | option_c=520 | option_d=420 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{2602 \times 10 \times 2}{100} = \blacksquare 520$.
- id=8613 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 34? | option_a=17 | option_b=27 | option_c=22 | option_d=34 | answer=D | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 34 is the odd one out.
- id=8614 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 8. | option_a=48 | option_b=30 | option_c=16 | option_d=24 | answer=D | explanation= $LCM \times HCF = 6 \times 8$; $HCF(6, 8) = 2$, so $LCM = 24$.
- id=8615 | topic=Averages | difficulty=Easy | question=Find the average of 73, 22, 91, 37, 59, 18, 74, 66. | option_a=55 | option_b=54 | option_c=56 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = $440 \div 8 = 55$.
- id=8616 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 36, 43, 51? | option_a=43 | option_b=29 | option_c=51 | option_d=36 | answer=C | explanation=The first three numbers increase by 7, so the next should be 50. Therefore 51 is the odd one out.
- id=8617 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 17, 22, 29? | option_a=29 | option_b=12 | option_c=22 | option_d=17 | answer=A | explanation=The first three numbers increase by 5, so the next should be 27. Therefore 29 is the odd one out.
- id=8618 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2679. If it is sold at a profit of 25%, what is its selling price? | option_a=3081 | option_b=2704 | option_c=3615 | option_d=3348 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2679 \times 125/100 = \blacksquare 3348$.
- id=8619 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.
- id=8620 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=5 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = $60 \div 6 = 10$ km/h.
- id=8621 | topic=Averages | difficulty=Easy | question=Find the average of 52, 99, 72, 83, 97, 16, 22, 51, 55, 13. | option_a=55 | option_b=58 | option_c=57 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = $560 \div 10 = 56$.
- id=8622 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=52 | option_b=53 | option_c=62 | option_d=42 | answer=A | explanation=The common difference is 10. Therefore the next term is $42 + 10 = 52$.
- id=8623 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = $240 \div 8 = 30$ km/h.
- id=8624 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $150 \div 5 = 30$ km/h.
- id=8625 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.
- id=8626 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=R | option_c=O | option_d=Q | answer=D | explanation=Move 1 positions forward from P; the resulting letter is Q.
- id=8627 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=21 | option_b=20 | option_c=18 | option_d=22 | answer=B | explanation=The common difference is 2. Therefore the next term is $18 + 2 = 20$.
- id=8628 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.
- id=8629 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=29 | option_b=45 | option_c=37 | option_d=38 | answer=C | explanation=The common difference is 8. Therefore the next term is $29 + 8 = 37$.
- id=8630 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=72 | option_c=67 | option_d=77 | answer=B | explanation=Speed = distance ÷ time = $360 \div 5 = 72$ km/h.
- id=8631 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:11 and the first is 132, what is the second? | option_a=110 | option_b=121 | option_c=253 | option_d=133 | answer=B | explanation=Scale factor = $132/12 = 11$. Therefore second quantity = $11 \times 11 = 121$.
- id=8632 | topic=Averages | difficulty=Easy | question=Find the average of 20, 86, 90, 37, 19, 102. | option_a=61 | option_b=59 | option_c=58 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = $354 \div 6 = 59$.
- id=8633 | topic=Percentages | difficulty=Easy | question=What is 10% of 1187? | option_a=98 | option_b=123 | option_c=236 | option_d=118 | answer=D | explanation=10% of 1187 = $(10/100) \times 1187 = 118$.
- id=8634 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 10? | option_a=2 | option_b=10 | option_c=4 | option_d=6 | answer=B | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 10 is the odd one out.
- id=8635 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=44 | option_b=64 | option_c=54 | option_d=55 | answer=C | explanation=The common difference is 10. Therefore the next term is $44 + 10 = 54$.
- id=8636 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.
- id=8637 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2307. If it is sold at a profit of 5%, what is its selling price? | option_a=2312 | option_b=2422 | option_c=2652 | option_d=2192 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2307 \times 105/100 = \blacksquare 2422$.
- id=8638 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=33 | option_b=39 | option_c=27 | option_d=34 | answer=A | explanation=The common difference is 6. Therefore the next term is $27 + 6 = 33$.
- id=8639 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 49? | option_a=42 | option_b=30 | option_c=49 | option_d=36 | answer=C | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 49 is the odd one out.
- id=8640 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■25085 at 12% per annum for 5 years. | option_a=14951 | option_b=15151 | option_c=40136 | option_d=15051 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{25085 \times 12 \times 5}{100} = \blacksquare 15051$.

Aptitude Questions — Records 8,641-8,670 of 100,000

id=8641 | topic=Averages | difficulty=Easy | question=Find the average of 76, 46, 83, 62, 29, 12, 14, 38. | option_a=47 | option_b=44 | option_c=45 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 360 ÷ 8 = 45.

id=8642 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1715 at 4% per annum for 5 years. | option_a=343 | option_b=243 | option_c=2058 | option_d=443 | answer=A | explanation=SI = PRT/100 = 1715×4×5/100 = **■**343.

id=8643 | topic=Percentages | difficulty=Easy | question=What is 10% of 1780? | option_a=178 | option_b=356 | option_c=188 | option_d=173 | answer=A | explanation=10% of 1780 = (10/100) × 1780 = 178.

id=8644 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=125 | option_b=240 | option_c=120 | option_d=115 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=8645 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=8646 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20388 at 6% per annum for 2 years. | option_a=2446 | option_b=2346 | option_c=2546 | option_d=22834 | answer=A | explanation=SI = PRT/100 = 20388×6×2/100 = **■**2446.

id=8647 | topic=Percentages | difficulty=Easy | question=What is 20% of 1744? | option_a=368 | option_b=328 | option_c=696 | option_d=348 | answer=D | explanation=20% of 1744 = (20/100) × 1744 = 348.

id=8648 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 5, 7, 12? | option_a=12 | option_b=7 | option_c=5 | option_d=3 | answer=A | explanation=The first three numbers increase by 2, so the next should be 9. Therefore 12 is the odd one out.

id=8649 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:4 and the first is 160, what is the second? | option_a=32 | option_b=52 | option_c=192 | option_d=28 | answer=A | explanation=Scale factor = 160/20 = 8. Therefore second quantity = 4×8 = 32.

id=8650 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:19 and the first is 221, what is the second? | option_a=228 | option_b=247 | option_c=264 | option_d=468 | answer=B | explanation=Scale factor = 221/17 = 13. Therefore second quantity = 19×13 = 247.

id=8651 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=24 | option_c=48 | option_d=19 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=8652 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3730. If it is sold at a profit of 50%, what is its selling price? | option_a=5222 | option_b=5968 | option_c=3780 | option_d=5595 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3730 × 150/100 = **■**5595.

id=8653 | topic=Averages | difficulty=Easy | question=Find the average of 32, 55, 62, 54, 59, 38, 36, 73, 35, 46. | option_a=48 | option_b=49 | option_c=51 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 490 ÷ 10 = 49.

id=8654 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=13 | option_b=9 | option_c=12 | option_d=11 | answer=D | explanation=The common difference is 2. Therefore the next term is 9 + 2 = 11.

id=8655 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:1 and the first is 24, what is the second? | option_a=4 | option_b=3 | option_c=28 | option_d=10 | answer=A | explanation=Scale factor = 24/6 = 4. Therefore second quantity = 1×4 = 4.

id=8656 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=8657 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:4 and the first is 50, what is the second? | option_a=20 | option_b=70 | option_c=16 | option_d=30 | answer=A | explanation=Scale factor = 50/10 = 5. Therefore second quantity = 4×5 = 20.

id=8658 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 15, 19, 24? | option_a=11 | option_b=24 | option_c=15 | option_d=19 | answer=B | explanation=The first three numbers increase by 4, so the next should be 23. Therefore 24 is the odd one out.

id=8659 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 26. | option_a=104 | option_b=260 | option_c=130 | option_d=140 | answer=C | explanation=LCM × HCF = 10×26; HCF(10,26) = 2, so LCM = 130.

id=8660 | topic=Percentages | difficulty=Easy | question=What is 20% of 1400? | option_a=260 | option_b=290 | option_c=560 | option_d=280 | answer=D | explanation=20% of 1400 = (20/100) × 1400 = 280.

id=8661 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 15. | option_a=75 | option_b=20 | option_c=1 | option_d=15 | answer=D | explanation=LCM × HCF = 5×15; HCF(5,15) = 5, so LCM = 15.

id=8662 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 44? | option_a=11 | option_b=31 | option_c=21 | option_d=44 | answer=D | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 44 is the odd one out.

id=8663 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=8664 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=K | option_b=L | option_c=M | option_d=N | answer=C | explanation=Move 1 positions forward from L; the resulting letter is M.

id=8665 | topic=Averages | difficulty=Easy | question=Find the average of 87, 76, 71. | option_a=79 | option_b=77 | option_c=80 | option_d=78 | answer=D | explanation=Average = sum of values ÷ number of values = 234 ÷ 3 = 78.

id=8666 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:19 and the first is 114, what is the second? | option_a=367 | option_b=361 | option_c=475 | option_d=342 | answer=B | explanation=Scale factor = 114/6 = 19. Therefore second quantity = 19×19 = 361.

id=8667 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=64 | option_b=52 | option_c=65 | option_d=76 | answer=A | explanation=The common difference is 12. Therefore the next term is 52 + 12 = 64.

id=8668 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:7 and the first is 143, what is the second? | option_a=77 | option_b=70 | option_c=90 | option_d=220 | answer=A | explanation=Scale factor = 143/13 = 11. Therefore second quantity = 7×11 = 77.

id=8669 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:14 and the first is 228, what is the second? | option_a=187 | option_b=154 | option_c=396 | option_d=168 | answer=D | explanation=Scale factor = 228/19 = 12. Therefore second quantity = 14×12 = 168.

id=8670 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**218. If it is sold at a profit of 10%, what is its selling price? | option_a=260 | option_b=228 | option_c=239 | option_d=218 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 218 × 110/100 = **■**239.

Aptitude Questions — Records 8,671-8,700 of 100,000

id=8671 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4451. If it is sold at a profit of 10%, what is its selling price? | option_a=4896 | option_b=5341 | option_c=4461 | option_d=4451 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4451 × 110/100 = ■4896.

id=8672 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 22, 25, 29? | option_a=29 | option_b=22 | option_c=25 | option_d=19 | answer=A | explanation=The first three numbers increase by 3, so the next should be 28. Therefore 29 is the odd one out.

id=8673 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=8674 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=46 | option_b=32 | option_c=39 | option_d=40 | answer=C | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.

id=8675 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3947. If it is sold at a profit of 40%, what is its selling price? | option_a=5919 | option_b=5131 | option_c=3987 | option_d=5525 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3947 × 140/100 = ■5525.

id=8676 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=I | option_c=E | option_d=G | answer=B | explanation=Move 2 positions forward from G; the resulting letter is I.

id=8677 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 24? | option_a=5 | option_b=17 | option_c=24 | option_d=11 | answer=C | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 24 is the odd one out.

id=8678 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:9 and the first is 143, what is the second? | option_a=108 | option_b=260 | option_c=128 | option_d=117 | answer=D | explanation=Scale factor = 143/11 = 13. Therefore second quantity = 9×13 = 117.

id=8679 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=G | option_c=F | option_d=H | answer=D | explanation=Move 1 positions forward from G; the resulting letter is H.

id=8680 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:15 and the first is 238, what is the second? | option_a=448 | option_b=210 | option_c=227 | option_d=195 | answer=B | explanation=Scale factor = 238/17 = 14. Therefore second quantity = 15×14 = 210.

id=8681 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=23 | option_d=36 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=8682 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=K | option_c=C | option_d=Y | answer=A | explanation=Move 4 positions forward from C; the resulting letter is G.

id=8683 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:3 and the first is 40, what is the second? | option_a=29 | option_b=21 | option_c=24 | option_d=64 | answer=C | explanation=Scale factor = 40/5 = 8. Therefore second quantity = 3×8 = 24.

id=8684 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:6 and the first is 112, what is the second? | option_a=42 | option_b=154 | option_c=36 | option_d=58 | answer=A | explanation=Scale factor = 112/16 = 7. Therefore second quantity = 6×7 = 42.

id=8685 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=70 | option_d=150 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=8686 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3249. If it is sold at a profit of 25%, what is its selling price? | option_a=4385 | option_b=3274 | option_c=4061 | option_d=3737 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3249 × 125/100 = ■4061.

id=8687 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=23 | option_c=36 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=8688 | topic=Averages | difficulty=Easy | question=Find the average of 95, 94, 87. | option_a=93 | option_b=94 | option_c=92 | option_d=91 | answer=C | explanation=Average = sum of values ÷ number of values = 276 ÷ 3 = 92.

id=8689 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=8690 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3570. If it is sold at a profit of 30%, what is its selling price? | option_a=4284 | option_b=4641 | option_c=4998 | option_d=3600 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3570 × 130/100 = ■4641.

id=8691 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=X | option_b=S | option_c=N | option_d=C | answer=A | explanation=Move 5 positions forward from S; the resulting letter is X.

id=8692 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 26, 33, 41? | option_a=19 | option_b=41 | option_c=26 | option_d=33 | answer=B | explanation=The first three numbers increase by 7, so the next should be 40. Therefore 41 is the odd one out.

id=8693 | topic=Percentages | difficulty=Easy | question=What is 50% of 462? | option_a=231 | option_b=462 | option_c=241 | option_d=226 | answer=A | explanation=50% of 462 = (50/100) × 462 = 231.

id=8694 | topic=Percentages | difficulty=Easy | question=What is 25% of 185? | option_a=92 | option_b=56 | option_c=26 | option_d=46 | answer=D | explanation=25% of 185 = (25/100) × 185 = 46.

id=8695 | topic=Percentages | difficulty=Easy | question=What is 50% of 867? | option_a=453 | option_b=866 | option_c=433 | option_d=413 | answer=C | explanation=50% of 867 = (50/100) × 867 = 433.

id=8696 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 22, 25, 29? | option_a=29 | option_b=19 | option_c=22 | option_d=25 | answer=A | explanation=The first three numbers increase by 3, so the next should be 28. Therefore 29 is the odd one out.

id=8697 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 34? | option_a=27 | option_b=17 | option_c=22 | option_d=34 | answer=D | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 34 is the odd one out.

id=8698 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2167. If it is sold at a profit of 40%, what is its selling price? | option_a=3033 | option_b=2817 | option_c=3249 | option_d=2207 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2167 × 140/100 = ■3033.

id=8699 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3560. If it is sold at a profit of 25%, what is its selling price? | option_a=4806 | option_b=3585 | option_c=4450 | option_d=4094 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3560 × 125/100 = ■4450.

id=8700 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■48994 at 6% per annum for 1 years. | option_a=2839 | option_b=51933 | option_c=2939 | option_d=3039 | answer=C | explanation=SI = PRT/100 = 48994×6×1/100 = ■2939.

Aptitude Questions — Records 8,701-8,730 of 100,000

- id=8701 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 37, ? | option_a=31 | option_b=37 | option_c=26 | option_d=21 | answer=B | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 37 is the odd one out.
- id=8702 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:13 and the first is 45, what is the second? | option_a=84 | option_b=54 | option_c=39 | option_d=26 | answer=C | explanation=Scale factor = $45/15 = 3$. Therefore second quantity = $13 \times 3 = 39$.
- id=8703 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on $\blacksquare 49331$ at 8% per annum for 2 years. | option_a=7792 | option_b=57223 | option_c=7892 | option_d=7992 | answer=C | explanation=SI = $PRT/100 = 49331 \times 8 \times 2/100 = \blacksquare 7892$.
- id=8704 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 18, 23, 28, ? | option_a=28 | option_b=33 | option_c=38 | option_d=34 | answer=B | explanation=The common difference is 5. Therefore the next term is $28 + 5 = 33$.
- id=8705 | topic=Profit & Loss | difficulty=Easy | question=An article costs $\blacksquare 145$. If it is sold at a profit of 30%, what is its selling price? | option_a=174 | option_b=175 | option_c=188 | option_d=202 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 145 \times 130/100 = \blacksquare 188$.
- id=8706 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on $\blacksquare 29796$ at 15% per annum for 2 years. | option_a=38734 | option_b=8838 | option_c=9038 | option_d=8938 | answer=D | explanation=SI = $PRT/100 = 29796 \times 15 \times 2/100 = \blacksquare 8938$.
- id=8707 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=37 | option_b=23 | option_c=30 | option_d=31 | answer=C | explanation=The common difference is 7. Therefore the next term is $23 + 7 = 30$.
- id=8708 | topic=Averages | difficulty=Easy | question=Find the average of 51, 95, 40, 70, 42, 57, 98, 17, 74, 106. | option_a=64 | option_b=67 | option_c=65 | option_d=66 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 650 \div 10 = 65$.
- id=8709 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 32, 36, 43, ? | option_a=28 | option_b=43 | option_c=36 | option_d=32 | answer=B | explanation=The first three numbers increase by 4, so the next should be 40. Therefore 43 is the odd one out.
- id=8710 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 3. | option_a=30 | option_b=60 | option_c=90 | option_d=27 | answer=A | explanation= $LCM \times HCF = 30 \times 3$; $HCF(30,3) = 3$, so $LCM = 30$.
- id=8711 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 20. | option_a=120 | option_b=66 | option_c=60 | option_d=40 | answer=C | explanation= $LCM \times HCF = 6 \times 20$; $HCF(6,20) = 2$, so $LCM = 60$.
- id=8712 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=37 | option_b=49 | option_c=59 | option_d=48 | answer=D | explanation=The common difference is 11. Therefore the next term is $37 + 11 = 48$.
- id=8713 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 21. | option_a=147 | option_b=192 | option_c=504 | option_d=168 | answer=D | explanation= $LCM \times HCF = 24 \times 21$; $HCF(24,21) = 3$, so $LCM = 168$.
- id=8714 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on $\blacksquare 46403$ at 12% per annum for 5 years. | option_a=27741 | option_b=74244 | option_c=27841 | option_d=27941 | answer=C | explanation=SI = $PRT/100 = 46403 \times 12 \times 5/100 = \blacksquare 27841$.
- id=8715 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=23 | option_b=25 | option_c=27 | option_d=26 | answer=B | explanation=The common difference is 2. Therefore the next term is $23 + 2 = 25$.
- id=8716 | topic=Profit & Loss | difficulty=Easy | question=An article costs $\blacksquare 2688$. If it is sold at a profit of 15%, what is its selling price? | option_a=3359 | option_b=3091 | option_c=2703 | option_d=2823 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2688 \times 115/100 = \blacksquare 3091$.
- id=8717 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:8 and the first is 40, what is the second? | option_a=42 | option_b=24 | option_c=72 | option_d=32 | answer=D | explanation=Scale factor = $40/10 = 4$. Therefore second quantity = $8 \times 4 = 32$.
- id=8718 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on $\blacksquare 7202$ at 4% per annum for 2 years. | option_a=576 | option_b=476 | option_c=676 | option_d=7778 | answer=A | explanation=SI = $PRT/100 = 7202 \times 4 \times 2/100 = \blacksquare 576$.
- id=8719 | topic=Percentages | difficulty=Easy | question=What is 12% of 122? | option_a=28 | option_b=34 | option_c=14 | option_d=4 | answer=C | explanation= $12\% \text{ of } 122 = (12/100) \times 122 = 14$.
- id=8720 | topic=Percentages | difficulty=Easy | question=What is 50% of 1674? | option_a=842 | option_b=1674 | option_c=832 | option_d=837 | answer=D | explanation= $50\% \text{ of } 1674 = (50/100) \times 1674 = 837$.
- id=8721 | topic=Averages | difficulty=Easy | question=Find the average of 34, 13, 68, 23, 48, 79, 85. | option_a=49 | option_b=52 | option_c=50 | option_d=51 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 350 \div 7 = 50$.
- id=8722 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:1 and the first is 228, what is the second? | option_a=19 | option_b=18 | option_c=247 | option_d=31 | answer=A | explanation=Scale factor = $228/12 = 19$. Therefore second quantity = $1 \times 19 = 19$.
- id=8723 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=Y | option_b=O | option_c=T | option_d=D | answer=A | explanation=Move 5 positions forward from T; the resulting letter is Y.
- id=8724 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 14, 23, 34, ? | option_a=34 | option_b=23 | option_c=5 | option_d=14 | answer=A | explanation=The first three numbers increase by 9, so the next should be 32. Therefore 34 is the odd one out.
- id=8725 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:5 and the first is 126, what is the second? | option_a=30 | option_b=161 | option_c=35 | option_d=53 | answer=C | explanation=Scale factor = $126/18 = 7$. Therefore second quantity = $5 \times 7 = 35$.
- id=8726 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:11 and the first is 12, what is the second? | option_a=22 | option_b=34 | option_c=28 | option_d=11 | answer=A | explanation=Scale factor = $12/6 = 2$. Therefore second quantity = $11 \times 2 = 22$.
- id=8727 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 24. | option_a=1 | option_b=24 | option_c=28 | option_d=96 | answer=B | explanation= $LCM \times HCF = 4 \times 24$; $HCF(4,24) = 4$, so $LCM = 24$.
- id=8728 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.
- id=8729 | topic=Percentages | difficulty=Easy | question=What is 30% of 984? | option_a=275 | option_b=300 | option_c=590 | option_d=295 | answer=D | explanation= $30\% \text{ of } 984 = (30/100) \times 984 = 295$.
- id=8730 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=31 | option_b=40 | option_c=39 | option_d=47 | answer=C | explanation=The common difference is 8. Therefore the next term is $31 + 8 = 39$.

Aptitude Questions — Records 8,731-8,760 of 100,000

id=8731 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 38? | option_a=10 | option_b=19 | option_c=28 | option_d=38 | answer=D | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 38 is the odd one out.

id=8732 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=8733 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:7 and the first is 63, what is the second? | option_a=49 | option_b=58 | option_c=112 | option_d=42 | answer=A | explanation=Scale factor = $\frac{63}{9} = 7$. Therefore second quantity = $7 \times 7 = 49$.

id=8734 | topic=Percentages | difficulty=Easy | question=What is 25% of 1410? | option_a=332 | option_b=352 | option_c=362 | option_d=704 | answer=B | explanation= $25\% \text{ of } 1410 = (\frac{25}{100}) \times 1410 = 352$.

id=8735 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=23 | option_b=29 | option_c=26 | option_d=27 | answer=C | explanation=The common difference is 3. Therefore the next term is $23 + 3 = 26$.

id=8736 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 6. | option_a=81 | option_b=54 | option_c=48 | option_d=162 | answer=B | explanation= $\text{LCM} \times \text{HCF} = 27 \times 6$; $\text{HCF}(27,6) = 3$, so $\text{LCM} = 54$.

id=8737 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4399. If it is sold at a profit of 50%, what is its selling price? | option_a=6159 | option_b=4449 | option_c=7037 | option_d=6598 | answer=D | explanation=Selling price = $\text{CP} \times (\frac{100 + \text{profit}\%}{100}) = 4399 \times \frac{150}{100} = \text{█}6598$.

id=8738 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:13 and the first is 54, what is the second? | option_a=65 | option_b=87 | option_c=132 | option_d=78 | answer=D | explanation=Scale factor = $\frac{54}{9} = 6$. Therefore second quantity = $13 \times 6 = 78$.

id=8739 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:12 and the first is 170, what is the second? | option_a=214 | option_b=374 | option_c=192 | option_d=204 | answer=D | explanation=Scale factor = $\frac{170}{10} = 17$. Therefore second quantity = $12 \times 17 = 204$.

id=8740 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=R | option_c=V | option_d=J | answer=B | explanation=Move 4 positions forward from N; the resulting letter is R.

id=8741 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=I | option_b=C | option_c=F | option_d=Z | answer=C | explanation=Move 3 positions forward from C; the resulting letter is F.

id=8742 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:15 and the first is 19, what is the second? | option_a=270 | option_b=286 | option_c=304 | option_d=285 | answer=D | explanation=Scale factor = $\frac{19}{1} = 19$. Therefore second quantity = $15 \times 19 = 285$.

id=8743 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=S | option_b=P | option_c=M | option_d=J | answer=B | explanation=Move 3 positions forward from M; the resulting letter is P.

id=8744 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 45? | option_a=37 | option_b=27 | option_c=45 | option_d=32 | answer=C | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 45 is the odd one out.

id=8745 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1903. If it is sold at a profit of 25%, what is its selling price? | option_a=2378 | option_b=2188 | option_c=1928 | option_d=2568 | answer=A | explanation=Selling price = $\text{CP} \times (\frac{100 + \text{profit}\%}{100}) = 1903 \times \frac{125}{100} = \text{█}2378$.

id=8746 | topic=Percentages | difficulty=Easy | question=What is 20% of 902? | option_a=360 | option_b=160 | option_c=180 | option_d=200 | answer=C | explanation= $20\% \text{ of } 902 = (\frac{20}{100}) \times 902 = 180$.

id=8747 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=31 | option_c=41 | option_d=36 | answer=D | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{360}{10} = 36 \text{ km/h}$.

id=8748 | topic=Percentages | difficulty=Easy | question=What is 5% of 1675? | option_a=166 | option_b=93 | option_c=83 | option_d=63 | answer=C | explanation= $5\% \text{ of } 1675 = (\frac{5}{100}) \times 1675 = 83$.

id=8749 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2279. If it is sold at a profit of 20%, what is its selling price? | option_a=2734 | option_b=2961 | option_c=2299 | option_d=2507 | answer=A | explanation=Selling price = $\text{CP} \times (\frac{100 + \text{profit}\%}{100}) = 2279 \times \frac{120}{100} = \text{█}2734$.

id=8750 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=8751 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:14 and the first is 221, what is the second? | option_a=238 | option_b=224 | option_c=251 | option_d=459 | answer=A | explanation=Scale factor = $\frac{221}{13} = 17$. Therefore second quantity = $14 \times 17 = 238$.

id=8752 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:3 and the first is 171, what is the second? | option_a=46 | option_b=27 | option_c=198 | option_d=24 | answer=B | explanation=Scale factor = $\frac{171}{19} = 9$. Therefore second quantity = $3 \times 9 = 27$.

id=8753 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=8754 | topic=Percentages | difficulty=Easy | question=What is 50% of 631? | option_a=305 | option_b=320 | option_c=630 | option_d=315 | answer=D | explanation= $50\% \text{ of } 631 = (\frac{50}{100}) \times 631 = 315$.

id=8755 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 36? | option_a=15 | option_b=36 | option_c=5 | option_d=25 | answer=B | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 36 is the odd one out.

id=8756 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:19 and the first is 39, what is the second? | option_a=70 | option_b=57 | option_c=96 | option_d=38 | answer=B | explanation=Scale factor = $\frac{39}{13} = 3$. Therefore second quantity = $19 \times 3 = 57$.

id=8757 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 18, 27, 38? | option_a=27 | option_b=9 | option_c=38 | option_d=18 | answer=C | explanation=The first three numbers increase by 9, so the next should be 36. Therefore 38 is the odd one out.

id=8758 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=12 | option_b=11 | option_c=13 | option_d=9 | answer=B | explanation=The common difference is 2. Therefore the next term is $9 + 2 = 11$.

id=8759 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:1 and the first is 57, what is the second? | option_a=76 | option_b=18 | option_c=22 | option_d=19 | answer=D | explanation=Scale factor = $\frac{57}{3} = 19$. Therefore second quantity = $1 \times 19 = 19$.

id=8760 | topic=Percentages | difficulty=Easy | question=What is 25% of 1896? | option_a=474 | option_b=454 | option_c=948 | option_d=479 | answer=A | explanation= $25\% \text{ of } 1896 = (\frac{25}{100}) \times 1896 = 474$.

Aptitude Questions — Records 8,761-8,790 of 100,000

id=8761 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=8762 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■48531 at 12% per annum for 5 years. | option_a=29218 | option_b=77649 | option_c=29118 | option_d=29018 | answer=C | explanation=SI = PRT/100 = 48531×12×5/100 = ■29118.

id=8763 | topic=Percentages | difficulty=Easy | question=What is 50% of 1412? | option_a=716 | option_b=1412 | option_c=706 | option_d=686 | answer=C | explanation=50% of 1412 = (50/100) × 1412 = 706.

id=8764 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1287. If it is sold at a profit of 10%, what is its selling price? | option_a=1415 | option_b=1297 | option_c=1543 | option_d=1287 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1287 × 110/100 = ■1415.

id=8765 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=46 | option_b=57 | option_c=58 | option_d=68 | answer=B | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.

id=8766 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 19, 22, 25, ? | option_a=28 | option_b=25 | option_c=31 | option_d=29 | answer=A | explanation=The common difference is 3. Therefore the next term is 25 + 3 = 28.

id=8767 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=8768 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3953. If it is sold at a profit of 5%, what is its selling price? | option_a=3958 | option_b=3755 | option_c=4150 | option_d=4545 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3953 × 105/100 = ■4150.

id=8769 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=F | option_b=L | option_c=J | option_d=H | answer=C | explanation=Move 2 positions forward from H; the resulting letter is J.

id=8770 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=8771 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 6. | option_a=120 | option_b=80 | option_c=54 | option_d=60 | answer=D | explanation=LCM × HCF = 20×6; HCF(20,6) = 2, so LCM = 60.

id=8772 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=14 | option_c=18 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=8773 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=8774 | topic=Percentages | difficulty=Easy | question=What is 10% of 404? | option_a=80 | option_b=40 | option_c=50 | option_d=35 | answer=B | explanation=10% of 404 = (10/100) × 404 = 40.

id=8775 | topic=Averages | difficulty=Easy | question=Find the average of 51, 90, 84, 86, 60, 69, 38, 26. | option_a=65 | option_b=63 | option_c=62 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 504 ÷ 8 = 63.

id=8776 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■8682 at 5% per annum for 1 years. | option_a=334 | option_b=434 | option_c=9116 | option_d=534 | answer=B | explanation=SI = PRT/100 = 8682×5×1/100 = ■434.

id=8777 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:13 and the first is 182, what is the second? | option_a=364 | option_b=182 | option_c=169 | option_d=195 | answer=B | explanation=Scale factor = 182/13 = 14. Therefore second quantity = 13×14 = 182.

id=8778 | topic=Averages | difficulty=Easy | question=Find the average of 32, 20, 52, 39, 85, 45, 43, 11, 60. | option_a=42 | option_b=44 | option_c=45 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = 387 ÷ 9 = 43.

id=8779 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=8780 | topic=Averages | difficulty=Easy | question=Find the average of 64, 17, 13, 71, 47, 76. | option_a=49 | option_b=47 | option_c=50 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = 288 ÷ 6 = 48.

id=8781 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=100 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=8782 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3729. If it is sold at a profit of 30%, what is its selling price? | option_a=5219 | option_b=3759 | option_c=4475 | option_d=4847 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3729 × 130/100 = ■4847.

id=8783 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=I | option_c=W | option_d=A | answer=A | explanation=Move 4 positions forward from A; the resulting letter is E.

id=8784 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 13, 20, 29? | option_a=6 | option_b=29 | option_c=20 | option_d=13 | answer=B | explanation=The first three numbers increase by 7, so the next should be 27. Therefore 29 is the odd one out.

id=8785 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 25, 35, 48? | option_a=15 | option_b=25 | option_c=48 | option_d=35 | answer=C | explanation=The first three numbers increase by 10, so the next should be 45. Therefore 48 is the odd one out.

id=8786 | topic=Averages | difficulty=Easy | question=Find the average of 76, 72, 88, 10, 53, 10, 71, 36. | option_a=53 | option_b=54 | option_c=51 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=8787 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=59 | option_b=58 | option_c=70 | option_d=46 | answer=B | explanation=The common difference is 12. Therefore the next term is 46 + 12 = 58.

id=8788 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=8789 | topic=Averages | difficulty=Easy | question=Find the average of 32, 98, 76, 60, 41, 36, 79, 83, 71. | option_a=64 | option_b=66 | option_c=65 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 576 ÷ 9 = 64.

id=8790 | topic=Percentages | difficulty=Easy | question=What is 10% of 291? | option_a=58 | option_b=34 | option_c=29 | option_d=24 | answer=C | explanation=10% of 291 = (10/100) × 291 = 29.

Aptitude Questions — Records 8,791-8,820 of 100,000

id=8791 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=52 | option_b=53 | option_c=41 | option_d=63 | answer=A | explanation=The common difference is 11. Therefore the next term is 41 + 11 = 52.

id=8792 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30159 at 5% per annum for 5 years. | option_a=37698 | option_b=7539 | option_c=7439 | option_d=7639 | answer=B | explanation=SI = $PRT/100 = 30159 \times 5 \times 5/100 = \text{■}7539$.

id=8793 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=70 | option_b=80 | option_c=75 | option_d=150 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=8794 | topic=Percentages | difficulty=Easy | question=What is 50% of 409? | option_a=204 | option_b=408 | option_c=224 | option_d=194 | answer=A | explanation=50% of 409 = $(50/100) \times 409 = 204$.

id=8795 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 14. | option_a=16 | option_b=14 | option_c=28 | option_d=1 | answer=B | explanation=LCM × HCF = 2×14 ; $HCF(2,14) = 2$, so LCM = 14.

id=8796 | topic=Averages | difficulty=Easy | question=Find the average of 53, 73, 76, 30, 89, 87. | option_a=68 | option_b=67 | option_c=70 | option_d=69 | answer=A | explanation=Average = sum of values ÷ number of values = $408 \div 6 = 68$.

id=8797 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16190 at 6% per annum for 1 years. | option_a=971 | option_b=1071 | option_c=871 | option_d=17161 | answer=A | explanation=SI = $PRT/100 = 16190 \times 6 \times 1/100 = \text{■}971$.

id=8798 | topic=Averages | difficulty=Easy | question=Find the average of 85, 38, 95, 89, 59, 18. | option_a=65 | option_b=64 | option_c=63 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = $384 \div 6 = 64$.

id=8799 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=7 | option_d=5 | answer=A | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=8800 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=6 | option_c=1 | option_d=11 | answer=B | explanation=Speed = distance ÷ time = $60 \div 10 = 6$ km/h.

id=8801 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=Z | option_b=P | option_c=U | option_d=E | answer=A | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=8802 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=24 | option_c=48 | option_d=19 | answer=B | explanation=Speed = distance ÷ time = $120 \div 5 = 24$ km/h.

id=8803 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=K | option_b=F | option_c=A | option_d=P | answer=A | explanation=Move 5 positions forward from F; the resulting letter is K.

id=8804 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:5 and the first is 272, what is the second? | option_a=75 | option_b=97 | option_c=80 | option_d=352 | answer=C | explanation=Scale factor = $272/17 = 16$. Therefore second quantity = $5 \times 16 = 80$.

id=8805 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=53 | option_b=64 | option_c=40 | option_d=52 | answer=D | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.

id=8806 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1962. If it is sold at a profit of 40%, what is its selling price? | option_a=2746 | option_b=2002 | option_c=2942 | option_d=2550 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1962 \times 140/100 = \text{■}2746$.

id=8807 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1077. If it is sold at a profit of 25%, what is its selling price? | option_a=1453 | option_b=1102 | option_c=1346 | option_d=1239 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1077 \times 125/100 = \text{■}1346$.

id=8808 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:1 and the first is 285, what is the second? | option_a=304 | option_b=18 | option_c=19 | option_d=34 | answer=C | explanation=Scale factor = $285/15 = 19$. Therefore second quantity = $1 \times 19 = 19$.

id=8809 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=A | option_c=O | option_d=W | answer=D | explanation=Move 4 positions forward from S; the resulting letter is W.

id=8810 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=30 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = $120 \div 8 = 15$ km/h.

id=8811 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29978 at 4% per annum for 5 years. | option_a=35973 | option_b=5895 | option_c=6095 | option_d=5995 | answer=D | explanation=SI = $PRT/100 = 29978 \times 4 \times 5/100 = \text{■}5995$.

id=8812 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = $90 \div 3 = 30$ km/h.

id=8813 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4010. If it is sold at a profit of 25%, what is its selling price? | option_a=5012 | option_b=4035 | option_c=5413 | option_d=4611 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4010 \times 125/100 = \text{■}5012$.

id=8814 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=8815 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=9 | option_c=14 | option_d=4 | answer=B | explanation=Speed = distance ÷ time = $90 \div 10 = 9$ km/h.

id=8816 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40339 at 5% per annum for 5 years. | option_a=9984 | option_b=10084 | option_c=10184 | option_d=50423 | answer=B | explanation=SI = $PRT/100 = 40339 \times 5 \times 5/100 = \text{■}10084$.

id=8817 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24919 at 12% per annum for 5 years. | option_a=14951 | option_b=39870 | option_c=15051 | option_d=14851 | answer=A | explanation=SI = $PRT/100 = 24919 \times 12 \times 5/100 = \text{■}14951$.

id=8818 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = $180 \div 3 = 60$ km/h.

id=8819 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:15 and the first is 119, what is the second? | option_a=90 | option_b=122 | option_c=224 | option_d=105 | answer=D | explanation=Scale factor = $119/17 = 7$. Therefore second quantity = $15 \times 7 = 105$.

id=8820 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 9. | option_a=18 | option_b=9 | option_c=81 | option_d=1 | answer=B | explanation=LCM × HCF = 9×9 ; $HCF(9,9) = 9$, so LCM = 9.

Aptitude Questions — Records 8,821-8,850 of 100,000

id=8821 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=N | option_c=P | option_d=L | answer=C | explanation=Move 2 positions forward from N; the resulting letter is P.

id=8822 | topic=Percentages | difficulty=Easy | question=What is 10% of 1332? | option_a=133 | option_b=266 | option_c=143 | option_d=128 | answer=A | explanation=10% of 1332 = (10/100) × 1332 = 133.

id=8823 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=8824 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=8825 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:2 and the first is 144, what is the second? | option_a=16 | option_b=34 | option_c=162 | option_d=18 | answer=D | explanation=Scale factor = 144/16 = 9. Therefore second quantity = 2×9 = 18.

id=8826 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=8827 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:2 and the first is 28, what is the second? | option_a=2 | option_b=4 | option_c=32 | option_d=18 | answer=B | explanation=Scale factor = 28/14 = 2. Therefore second quantity = 2×2 = 4.

id=8828 | topic=Percentages | difficulty=Easy | question=What is 25% of 1611? | option_a=402 | option_b=804 | option_c=382 | option_d=422 | answer=A | explanation=25% of 1611 = (25/100) × 1611 = 402.

id=8829 | topic=Percentages | difficulty=Easy | question=What is 15% of 1771? | option_a=260 | option_b=275 | option_c=265 | option_d=530 | answer=C | explanation=15% of 1771 = (15/100) × 1771 = 265.

id=8830 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=A | option_b=W | option_c=O | option_d=S | answer=B | explanation=Move 4 positions forward from S; the resulting letter is W.

id=8831 | topic=Percentages | difficulty=Easy | question=What is 40% of 1286? | option_a=514 | option_b=519 | option_c=1028 | option_d=504 | answer=A | explanation=40% of 1286 = (40/100) × 1286 = 514.

id=8832 | topic=Percentages | difficulty=Easy | question=What is 40% of 1692? | option_a=676 | option_b=1352 | option_c=671 | option_d=696 | answer=A | explanation=40% of 1692 = (40/100) × 1692 = 676.

id=8833 | topic=Averages | difficulty=Easy | question=Find the average of 63, 23, 22, 51, 52, 90, 56. | option_a=50 | option_b=51 | option_c=53 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.

id=8834 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹29787 at 10% per annum for 2 years. | option_a=5857 | option_b=6057 | option_c=35744 | option_d=5957 | answer=D | explanation=SI = PRT/100 = 29787×10×2/100 = ₹5957.

id=8835 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 7, 10, 14? | option_a=4 | option_b=10 | option_c=7 | option_d=14 | answer=D | explanation=The first three numbers increase by 3, so the next should be 13. Therefore 14 is the odd one out.

id=8836 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 18, 23, 28, ? | option_a=28 | option_b=38 | option_c=34 | option_d=33 | answer=D | explanation=The common difference is 5. Therefore the next term is 28 + 5 = 33.

id=8837 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=Z | option_c=Q | option_d=W | answer=D | explanation=Move 3 positions forward from T; the resulting letter is W.

id=8838 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹14441 at 6% per annum for 3 years. | option_a=17040 | option_b=2699 | option_c=2499 | option_d=2599 | answer=D | explanation=SI = PRT/100 = 14441×6×3/100 = ₹2599.

id=8839 | topic=Percentages | difficulty=Easy | question=What is 40% of 1457? | option_a=582 | option_b=562 | option_c=1164 | option_d=587 | answer=A | explanation=40% of 1457 = (40/100) × 1457 = 582.

id=8840 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=8841 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:17 and the first is 140, what is the second? | option_a=323 | option_b=340 | option_c=480 | option_d=347 | answer=B | explanation=Scale factor = 140/7 = 20. Therefore second quantity = 17×20 = 340.

id=8842 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹3823. If it is sold at a profit of 20%, what is its selling price? | option_a=4587 | option_b=4205 | option_c=3843 | option_d=4969 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3823 × 120/100 = ₹4587.

id=8843 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2974. If it is sold at a profit of 30%, what is its selling price? | option_a=3569 | option_b=3004 | option_c=3866 | option_d=4163 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2974 × 130/100 = ₹3866.

id=8844 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=D | option_c=E | option_d=B | answer=B | explanation=Move 1 positions forward from C; the resulting letter is D.

id=8845 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:4 and the first is 108, what is the second? | option_a=42 | option_b=24 | option_c=20 | option_d=132 | answer=B | explanation=Scale factor = 108/18 = 6. Therefore second quantity = 4×6 = 24.

id=8846 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=8847 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=U | option_b=X | option_c=O | option_d=R | answer=A | explanation=Move 3 positions forward from R; the resulting letter is U.

id=8848 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:2 and the first is 140, what is the second? | option_a=12 | option_b=154 | option_c=14 | option_d=34 | answer=C | explanation=Scale factor = 140/20 = 7. Therefore second quantity = 2×7 = 14.

id=8849 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 30. | option_a=30 | option_b=35 | option_c=150 | option_d=1 | answer=A | explanation=LCM × HCF = 5×30; HCF(5,30) = 5, so LCM = 30.

id=8850 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=15 | option_c=20 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

Aptitude Questions — Records 8,851-8,880 of 100,000

- id=8851 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4258. If it is sold at a profit of 20%, what is its selling price? | option_a=4684 | option_b=5109 | option_c=5534 | option_d=4278 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4258 × 120/100 = █5109.
- id=8852 | topic=Percentages | difficulty=Easy | question=What is 10% of 1095? | option_a=129 | option_b=218 | option_c=89 | option_d=109 | answer=D | explanation=10% of 1095 = (10/100) × 1095 = 109.
- id=8853 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 3. | option_a=36 | option_b=15 | option_c=54 | option_d=18 | answer=D | explanation=LCM × HCF = 18×3; HCF(18,3) = 3, so LCM = 18.
- id=8854 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:1 and the first is 270, what is the second? | option_a=18 | option_b=288 | option_c=33 | option_d=17 | answer=A | explanation=Scale factor = 270/15 = 18. Therefore second quantity = 1×18 = 18.
- id=8855 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:8 and the first is 66, what is the second? | option_a=48 | option_b=114 | option_c=59 | option_d=40 | answer=A | explanation=Scale factor = 66/11 = 6. Therefore second quantity = 8×6 = 48.
- id=8856 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6858 at 15% per annum for 1 years. | option_a=1128 | option_b=7886 | option_c=1028 | option_d=928 | answer=C | explanation=SI = PRT/100 = 6858×15×1/100 = █1028.
- id=8857 | topic=Percentages | difficulty=Easy | question=What is 20% of 1213? | option_a=242 | option_b=222 | option_c=484 | option_d=252 | answer=A | explanation=20% of 1213 = (20/100) × 1213 = 242.
- id=8858 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 35? | option_a=35 | option_b=26 | option_c=22 | option_d=30 | answer=A | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 35 is the odd one out.
- id=8859 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2557. If it is sold at a profit of 40%, what is its selling price? | option_a=2597 | option_b=3579 | option_c=3324 | option_d=3834 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2557 × 140/100 = █3579.
- id=8860 | topic=Percentages | difficulty=Easy | question=What is 50% of 64? | option_a=32 | option_b=52 | option_c=12 | option_d=64 | answer=A | explanation=50% of 64 = (50/100) × 64 = 32.
- id=8861 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:10 and the first is 36, what is the second? | option_a=80 | option_b=90 | option_c=94 | option_d=126 | answer=B | explanation=Scale factor = 36/4 = 9. Therefore second quantity = 10×9 = 90.
- id=8862 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12714 at 10% per annum for 3 years. | option_a=16528 | option_b=3814 | option_c=3914 | option_d=3714 | answer=B | explanation=SI = PRT/100 = 12714×10×3/100 = █3814.
- id=8863 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2385. If it is sold at a profit of 20%, what is its selling price? | option_a=2405 | option_b=2862 | option_c=3100 | option_d=2624 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2385 × 120/100 = █2862.
- id=8864 | topic=Percentages | difficulty=Easy | question=What is 40% of 1526? | option_a=605 | option_b=610 | option_c=615 | option_d=1220 | answer=B | explanation=40% of 1526 = (40/100) × 1526 = 610.
- id=8865 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=23 | option_b=18 | option_c=28 | option_d=24 | answer=A | explanation=The common difference is 5. Therefore the next term is 18 + 5 = 23.
- id=8866 | topic=Averages | difficulty=Easy | question=Find the average of 22, 11, 31, 52. | option_a=29 | option_b=28 | option_c=31 | option_d=30 | answer=A | explanation=Average = sum of values ÷ number of values = 116 ÷ 4 = 29.
- id=8867 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=29 | option_b=34 | option_c=30 | option_d=24 | answer=A | explanation=The common difference is 5. Therefore the next term is 24 + 5 = 29.
- id=8868 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2942. If it is sold at a profit of 10%, what is its selling price? | option_a=3236 | option_b=3530 | option_c=2952 | option_d=2942 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2942 × 110/100 = █3236.
- id=8869 | topic=Percentages | difficulty=Easy | question=What is 5% of 1410? | option_a=60 | option_b=70 | option_c=80 | option_d=140 | answer=B | explanation=5% of 1410 = (5/100) × 1410 = 70.
- id=8870 | topic=Averages | difficulty=Easy | question=Find the average of 89, 76, 78, 20, 23, 77, 74, 28, 22, 23. | option_a=50 | option_b=51 | option_c=52 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.
- id=8871 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.
- id=8872 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25153 at 5% per annum for 4 years. | option_a=5030 | option_b=4930 | option_c=5130 | option_d=30183 | answer=A | explanation=SI = PRT/100 = 25153×5×4/100 = █5030.
- id=8873 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 9. | option_a=72 | option_b=63 | option_c=216 | option_d=96 | answer=A | explanation=LCM × HCF = 24×9; HCF(24,9) = 3, so LCM = 72.
- id=8874 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=38 | option_b=47 | option_c=54 | option_d=46 | answer=D | explanation=The common difference is 8. Therefore the next term is 38 + 8 = 46.
- id=8875 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36902 at 12% per annum for 4 years. | option_a=17612 | option_b=17712 | option_c=54614 | option_d=17812 | answer=B | explanation=SI = PRT/100 = 36902×12×4/100 = █17712.
- id=8876 | topic=Averages | difficulty=Easy | question=Find the average of 56, 68, 26. | option_a=49 | option_b=52 | option_c=50 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 150 ÷ 3 = 50.
- id=8877 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=8878 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=32 | option_b=37 | option_c=33 | option_d=27 | answer=A | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.
- id=8879 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=8880 | topic=Percentages | difficulty=Easy | question=What is 15% of 502? | option_a=150 | option_b=55 | option_c=85 | option_d=75 | answer=D | explanation=15% of 502 = (15/100) × 502 = 75.

Aptitude Questions — Records 8,881-8,910 of 100,000

- id=8881 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:4 and the first is 30, what is the second? | option_a=54 | option_b=20 | option_c=29 | option_d=24 | answer=D | explanation=Scale factor = 30/5 = 6. Therefore second quantity = 4×6 = 24.
- id=8882 | topic=Percentages | difficulty=Easy | question=What is 50% of 817? | option_a=816 | option_b=408 | option_c=413 | option_d=388 | answer=B | explanation=50% of 817 = (50/100) × 817 = 408.
- id=8883 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48475 at 10% per annum for 5 years. | option_a=72712 | option_b=24337 | option_c=24137 | option_d=24237 | answer=D | explanation=SI = PRT/100 = 48475×10×5/100 = █24237.
- id=8884 | topic=Percentages | difficulty=Easy | question=What is 50% of 1075? | option_a=532 | option_b=557 | option_c=537 | option_d=1074 | answer=C | explanation=50% of 1075 = (50/100) × 1075 = 537.
- id=8885 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5064 at 8% per annum for 3 years. | option_a=1115 | option_b=6279 | option_c=1215 | option_d=1315 | answer=C | explanation=SI = PRT/100 = 5064×8×3/100 = █1215.
- id=8886 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 6. | option_a=6 | option_b=12 | option_c=1 | option_d=36 | answer=A | explanation=LCM × HCF = 6×6; HCF(6,6) = 6, so LCM = 6.
- id=8887 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 45? | option_a=13 | option_b=45 | option_c=33 | option_d=23 | answer=B | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 45 is the odd one out.
- id=8888 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:12 and the first is 52, what is the second? | option_a=36 | option_b=48 | option_c=61 | option_d=100 | answer=B | explanation=Scale factor = 52/13 = 4. Therefore second quantity = 12×4 = 48.
- id=8889 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1271. If it is sold at a profit of 50%, what is its selling price? | option_a=1321 | option_b=2033 | option_c=1779 | option_d=1906 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1271 × 150/100 = █1906.
- id=8890 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27593 at 4% per annum for 4 years. | option_a=32007 | option_b=4514 | option_c=4314 | option_d=4414 | answer=D | explanation=SI = PRT/100 = 27593×4×4/100 = █4414.
- id=8891 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=55 | option_b=56 | option_c=45 | option_d=65 | answer=A | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.
- id=8892 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2775 at 4% per annum for 4 years. | option_a=444 | option_b=544 | option_c=3219 | option_d=344 | answer=A | explanation=SI = PRT/100 = 2775×4×4/100 = █444.
- id=8893 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 135, what is the second? | option_a=24 | option_b=162 | option_c=27 | option_d=42 | answer=C | explanation=Scale factor = 135/15 = 9. Therefore second quantity = 3×9 = 27.
- id=8894 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 29? | option_a=4 | option_b=29 | option_c=20 | option_d=12 | answer=B | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 29 is the odd one out.
- id=8895 | topic=Averages | difficulty=Easy | question=Find the average of 14, 48, 97. | option_a=52 | option_b=53 | option_c=55 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 159 ÷ 3 = 53.
- id=8896 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=55 | option_c=45 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.
- id=8897 | topic=Averages | difficulty=Easy | question=Find the average of 10, 53, 81, 20, 78, 76. | option_a=52 | option_b=54 | option_c=53 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 318 ÷ 6 = 53.
- id=8898 | topic=Percentages | difficulty=Easy | question=What is 30% of 624? | option_a=197 | option_b=182 | option_c=374 | option_d=187 | answer=D | explanation=30% of 624 = (30/100) × 624 = 187.
- id=8899 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=8900 | topic=Percentages | difficulty=Easy | question=What is 10% of 1422? | option_a=142 | option_b=162 | option_c=137 | option_d=284 | answer=A | explanation=10% of 1422 = (10/100) × 1422 = 142.
- id=8901 | topic=Percentages | difficulty=Easy | question=What is 40% of 515? | option_a=186 | option_b=206 | option_c=412 | option_d=216 | answer=B | explanation=40% of 515 = (40/100) × 515 = 206.
- id=8902 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23240 at 4% per annum for 3 years. | option_a=2788 | option_b=26028 | option_c=2688 | option_d=2888 | answer=A | explanation=SI = PRT/100 = 23240×4×3/100 = █2788.
- id=8903 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4405. If it is sold at a profit of 10%, what is its selling price? | option_a=4405 | option_b=4845 | option_c=4415 | option_d=5285 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4405 × 110/100 = █4845.
- id=8904 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.
- id=8905 | topic=Averages | difficulty=Easy | question=Find the average of 36, 12, 15, 97, 59, 14, 40, 93, 30, 74. | option_a=47 | option_b=48 | option_c=46 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 470 ÷ 10 = 47.
- id=8906 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=L | option_b=I | option_c=J | option_d=K | answer=D | explanation=Move 1 positions forward from J; the resulting letter is K.
- id=8907 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.
- id=8908 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=18 | option_b=16 | option_c=19 | option_d=20 | answer=A | explanation=The common difference is 2. Therefore the next term is 16 + 2 = 18.
- id=8909 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:10 and the first is 76, what is the second? | option_a=116 | option_b=30 | option_c=40 | option_d=59 | answer=C | explanation=Scale factor = 76/19 = 4. Therefore second quantity = 10×4 = 40.
- id=8910 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 24, 30, 36, ? | option_a=43 | option_b=42 | option_c=48 | option_d=36 | answer=B | explanation=The common difference is 6. Therefore the next term is 36 + 6 = 42.

Aptitude Questions — Records 8,911-8,940 of 100,000

- id=8911 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25541 at 6% per annum for 3 years. | option_a=4697 | option_b=30138 | option_c=4597 | option_d=4497 | answer=C | explanation=SI = $PRT/100 = 25541 \times 6 \times 3/100 = \text{■}4597$.
- id=8912 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 15, 18, 237 | option_a=15 | option_b=12 | option_c=18 | option_d=23 | answer=D | explanation=The first three numbers increase by 3, so the next should be 21. Therefore 23 is the odd one out.
- id=8913 | topic=Averages | difficulty=Easy | question=Find the average of 54, 50, 77, 65, 24. | option_a=56 | option_b=53 | option_c=54 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = $270 \div 5 = 54$.
- id=8914 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=H | option_c=F | option_d=G | answer=B | explanation=Move 1 positions forward from G; the resulting letter is H.
- id=8915 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=G | option_b=H | option_c=J | option_d=I | answer=D | explanation=Move 1 positions forward from H; the resulting letter is I.
- id=8916 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 8. | option_a=16 | option_b=24 | option_c=30 | option_d=48 | answer=B | explanation= $LCM \times HCF = 6 \times 8$; $HCF(6,8) = 2$, so $LCM = 24$.
- id=8917 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 10, 13, 17? | option_a=7 | option_b=17 | option_c=13 | option_d=10 | answer=B | explanation=The first three numbers increase by 3, so the next should be 16. Therefore 17 is the odd one out.
- id=8918 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6007 at 15% per annum for 1 years. | option_a=1001 | option_b=801 | option_c=6908 | option_d=901 | answer=D | explanation=SI = $PRT/100 = 6007 \times 15 \times 1/100 = \text{■}901$.
- id=8919 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=40 | option_b=44 | option_c=34 | option_d=39 | answer=D | explanation=The common difference is 5. Therefore the next term is $34 + 5 = 39$.
- id=8920 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=41 | option_b=35 | option_c=40 | option_d=45 | answer=C | explanation=The common difference is 5. Therefore the next term is $35 + 5 = 40$.
- id=8921 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=25 | option_b=29 | option_c=19 | option_d=24 | answer=D | explanation=The common difference is 5. Therefore the next term is $19 + 5 = 24$.
- id=8922 | topic=Percentages | difficulty=Easy | question=What is 5% of 381? | option_a=39 | option_b=19 | option_c=14 | option_d=38 | answer=B | explanation=5% of 381 = $(5/100) \times 381 = 19$.
- id=8923 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 24? | option_a=24 | option_b=11 | option_c=17 | option_d=5 | answer=A | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 24 is the odd one out.
- id=8924 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36542 at 5% per annum for 3 years. | option_a=42023 | option_b=5381 | option_c=5581 | option_d=5481 | answer=D | explanation=SI = $PRT/100 = 36542 \times 5 \times 3/100 = \text{■}5481$.
- id=8925 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=56 | option_b=45 | option_c=65 | option_d=55 | answer=D | explanation=The common difference is 10. Therefore the next term is $45 + 10 = 55$.
- id=8926 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 24? | option_a=24 | option_b=21 | option_c=17 | option_d=19 | answer=A | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 24 is the odd one out.
- id=8927 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:6 and the first is 72, what is the second? | option_a=48 | option_b=57 | option_c=120 | option_d=42 | answer=A | explanation=Scale factor = $72/9 = 8$. Therefore second quantity = $6 \times 8 = 48$.
- id=8928 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:9 and the first is 34, what is the second? | option_a=18 | option_b=52 | option_c=9 | option_d=35 | answer=A | explanation=Scale factor = $34/17 = 2$. Therefore second quantity = $9 \times 2 = 18$.
- id=8929 | topic=Percentages | difficulty=Easy | question=What is 12% of 1853? | option_a=222 | option_b=217 | option_c=242 | option_d=444 | answer=A | explanation=12% of 1853 = $(12/100) \times 1853 = 222$.
- id=8930 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11023 at 12% per annum for 3 years. | option_a=3868 | option_b=4068 | option_c=14991 | option_d=3968 | answer=D | explanation=SI = $PRT/100 = 11023 \times 12 \times 3/100 = \text{■}3968$.
- id=8931 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=44 | option_b=34 | option_c=39 | option_d=40 | answer=C | explanation=The common difference is 5. Therefore the next term is $34 + 5 = 39$.
- id=8932 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=70 | option_b=75 | option_c=80 | option_d=150 | answer=B | explanation=Speed = distance ÷ time = $300 \div 4 = 75$ km/h.
- id=8933 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:8 and the first is 20, what is the second? | option_a=80 | option_b=100 | option_c=82 | option_d=72 | answer=A | explanation=Scale factor = $20/2 = 10$. Therefore second quantity = $8 \times 10 = 80$.
- id=8934 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = $150 \div 5 = 30$ km/h.
- id=8935 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=N | option_c=J | option_d=B | answer=C | explanation=Move 4 positions forward from F; the resulting letter is J.
- id=8936 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=185 | option_c=360 | option_d=180 | answer=D | explanation=Speed = distance ÷ time = $360 \div 2 = 180$ km/h.
- id=8937 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.
- id=8938 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:13 and the first is 182, what is the second? | option_a=183 | option_b=169 | option_c=351 | option_d=156 | answer=B | explanation=Scale factor = $182/14 = 13$. Therefore second quantity = $13 \times 13 = 169$.
- id=8939 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 47? | option_a=31 | option_b=24 | option_c=38 | option_d=47 | answer=D | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 47 is the odd one out.
- id=8940 | topic=Percentages | difficulty=Easy | question=What is 10% of 836? | option_a=88 | option_b=73 | option_c=166 | option_d=83 | answer=D | explanation=10% of 836 = $(10/100) \times 836 = 83$.

Aptitude Questions — Records 8,941-8,970 of 100,000

id=8941 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=D | option_c=J | option_d=M | answer=C | explanation=Move 3 positions forward from G; the resulting letter is J.

id=8942 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=48 | option_c=24 | option_d=19 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=8943 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=22 | option_b=21 | option_c=23 | option_d=19 | answer=B | explanation=The common difference is 2. Therefore the next term is 19 + 2 = 21.

id=8944 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=8945 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 18. | option_a=108 | option_b=126 | option_c=252 | option_d=140 | answer=B | explanation=LCM × HCF = 14×18; HCF(14,18) = 2, so LCM = 126.

id=8946 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 29, 38, 48? | option_a=29 | option_b=20 | option_c=38 | option_d=48 | answer=D | explanation=The first three numbers increase by 9, so the next should be 47. Therefore 48 is the odd one out.

id=8947 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=7 | option_c=17 | option_d=24 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=8948 | topic=Averages | difficulty=Easy | question=Find the average of 48, 10, 82, 100, 97, 71. | option_a=70 | option_b=67 | option_c=69 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = 408 ÷ 6 = 68.

id=8949 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=8950 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:3 and the first is 136, what is the second? | option_a=51 | option_b=187 | option_c=48 | option_d=59 | answer=A | explanation=Scale factor = 136/8 = 17. Therefore second quantity = 3×17 = 51.

id=8951 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:14 and the first is 180, what is the second? | option_a=306 | option_b=146 | option_c=112 | option_d=126 | answer=D | explanation=Scale factor = 180/20 = 9. Therefore second quantity = 14×9 = 126.

id=8952 | topic=Averages | difficulty=Easy | question=Find the average of 12, 28, 60, 25, 96, 16, 29. | option_a=38 | option_b=39 | option_c=40 | option_d=37 | answer=A | explanation=Average = sum of values ÷ number of values = 266 ÷ 7 = 38.

id=8953 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹25976 at 5% per annum for 2 years. | option_a=28573 | option_b=2497 | option_c=2597 | option_d=2697 | answer=C | explanation=SI = PRT/100 = 25976×5×2/100 = ₹2597.

id=8954 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 27. | option_a=216 | option_b=648 | option_c=240 | option_d=189 | answer=A | explanation=LCM × HCF = 24×27; HCF(24,27) = 3, so LCM = 216.

id=8955 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 34, 44, 56? | option_a=24 | option_b=34 | option_c=56 | option_d=44 | answer=C | explanation=The first three numbers increase by 10, so the next should be 54. Therefore 56 is the odd one out.

id=8956 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=8957 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹4347. If it is sold at a profit of 40%, what is its selling price? | option_a=6519 | option_b=6085 | option_c=5651 | option_d=4387 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4347 × 140/100 = ₹6085.

id=8958 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 14. | option_a=14 | option_b=98 | option_c=1 | option_d=21 | answer=A | explanation=LCM × HCF = 7×14; HCF(7,14) = 7, so LCM = 14.

id=8959 | topic=Percentages | difficulty=Easy | question=What is 50% of 212? | option_a=106 | option_b=126 | option_c=212 | option_d=101 | answer=A | explanation=50% of 212 = (50/100) × 212 = 106.

id=8960 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 10. | option_a=75 | option_b=250 | option_c=40 | option_d=50 | answer=D | explanation=LCM × HCF = 25×10; HCF(25,10) = 5, so LCM = 50.

id=8961 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 28, 32, 38? | option_a=32 | option_b=24 | option_c=28 | option_d=38 | answer=D | explanation=The first three numbers increase by 4, so the next should be 36. Therefore 38 is the odd one out.

id=8962 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1685. If it is sold at a profit of 10%, what is its selling price? | option_a=2021 | option_b=1853 | option_c=1695 | option_d=1685 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1685 × 110/100 = ₹1853.

id=8963 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 23, 27, 33? | option_a=19 | option_b=33 | option_c=23 | option_d=27 | answer=B | explanation=The first three numbers increase by 4, so the next should be 31. Therefore 33 is the odd one out.

id=8964 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:20 and the first is 70, what is the second? | option_a=180 | option_b=207 | option_c=200 | option_d=270 | answer=C | explanation=Scale factor = 70/7 = 10. Therefore second quantity = 20×10 = 200.

id=8965 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 5. | option_a=50 | option_b=25 | option_c=20 | option_d=125 | answer=B | explanation=LCM × HCF = 25×5; HCF(25,5) = 5, so LCM = 25.

id=8966 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=31 | option_c=72 | option_d=41 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=8967 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=185 | option_c=360 | option_d=175 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=8968 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹30379 at 6% per annum for 4 years. | option_a=37669 | option_b=7190 | option_c=7290 | option_d=7390 | answer=C | explanation=SI = PRT/100 = 30379×6×4/100 = ₹7290.

id=8969 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 6. | option_a=6 | option_b=24 | option_c=12 | option_d=16 | answer=C | explanation=LCM × HCF = 4×6; HCF(4,6) = 2, so LCM = 12.

id=8970 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=F | option_b=G | option_c=D | option_d=E | answer=A | explanation=Move 1 positions forward from E; the resulting letter is F.

Aptitude Questions — Records 8,971-9,000 of 100,000

id=8971 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15380 at 8% per annum for 2 years. | option_a=2360 | option_b=2460 | option_c=2560 | option_d=17840 | answer=B | explanation=SI = PRT/100 = 15380×8×2/100 = █2460.

id=8972 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:9 and the first is 48, what is the second? | option_a=112 | option_b=99 | option_c=108 | option_d=156 | answer=C | explanation=Scale factor = 48/4 = 12. Therefore second quantity = 9×12 = 108.

id=8973 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=8974 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:10 and the first is 51, what is the second? | option_a=20 | option_b=81 | option_c=47 | option_d=30 | answer=D | explanation=Scale factor = 51/17 = 3. Therefore second quantity = 10×3 = 30.

id=8975 | topic=Profit & Loss | difficulty=Easy | question=An article costs █130. If it is sold at a profit of 50%, what is its selling price? | option_a=195 | option_b=180 | option_c=208 | option_d=182 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 130 × 150/100 = █195.

id=8976 | topic=Percentages | difficulty=Easy | question=What is 30% of 191? | option_a=57 | option_b=77 | option_c=47 | option_d=114 | answer=A | explanation=30% of 191 = (30/100) × 191 = 57.

id=8977 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=41 | option_b=52 | option_c=53 | option_d=63 | answer=B | explanation=The common difference is 11. Therefore the next term is 41 + 11 = 52.

id=8978 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=8979 | topic=Averages | difficulty=Easy | question=Find the average of 28, 92, 52, 12, 56. | option_a=48 | option_b=49 | option_c=50 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 240 ÷ 5 = 48.

id=8980 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 49? | option_a=40 | option_b=34 | option_c=28 | option_d=49 | answer=D | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 49 is the odd one out.

id=8981 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:10 and the first is 112, what is the second? | option_a=86 | option_b=60 | option_c=182 | option_d=70 | answer=D | explanation=Scale factor = 112/16 = 7. Therefore second quantity = 10×7 = 70.

id=8982 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 33? | option_a=28 | option_b=20 | option_c=33 | option_d=24 | answer=C | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 33 is the odd one out.

id=8983 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2526. If it is sold at a profit of 15%, what is its selling price? | option_a=3156 | option_b=2541 | option_c=2904 | option_d=2652 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2526 × 115/100 = █2904.

id=8984 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2114. If it is sold at a profit of 50%, what is its selling price? | option_a=3171 | option_b=2164 | option_c=2960 | option_d=3382 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2114 × 150/100 = █3171.

id=8985 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=48 | option_b=57 | option_c=47 | option_d=37 | answer=C | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

id=8986 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=36 | option_b=50 | option_c=43 | option_d=44 | answer=C | explanation=The common difference is 7. Therefore the next term is 36 + 7 = 43.

id=8987 | topic=Averages | difficulty=Easy | question=Find the average of 50, 23, 32, 29, 11, 72, 27, 20, 50, 86. | option_a=42 | option_b=39 | option_c=41 | option_d=40 | answer=D | explanation=Average = sum of values ÷ number of values = 400 ÷ 10 = 40.

id=8988 | topic=Percentages | difficulty=Easy | question=What is 12% of 413? | option_a=54 | option_b=49 | option_c=39 | option_d=98 | answer=B | explanation=12% of 413 = (12/100) × 413 = 49.

id=8989 | topic=Averages | difficulty=Easy | question=Find the average of 92, 98, 20, 40, 35. | option_a=58 | option_b=57 | option_c=56 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.

id=8990 | topic=Percentages | difficulty=Easy | question=What is 50% of 845? | option_a=417 | option_b=422 | option_c=432 | option_d=844 | answer=B | explanation=50% of 845 = (50/100) × 845 = 422.

id=8991 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=49 | option_b=50 | option_c=59 | option_d=39 | answer=A | explanation=The common difference is 10. Therefore the next term is 39 + 10 = 49.

id=8992 | topic=Percentages | difficulty=Easy | question=What is 15% of 948? | option_a=147 | option_b=284 | option_c=137 | option_d=142 | answer=D | explanation=15% of 948 = (15/100) × 948 = 142.

id=8993 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=B | option_b=H | option_c=K | option_d=E | answer=B | explanation=Move 3 positions forward from E; the resulting letter is H.

id=8994 | topic=Averages | difficulty=Easy | question=Find the average of 90, 59, 22. | option_a=59 | option_b=58 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 171 ÷ 3 = 57.

id=8995 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=360 | option_c=180 | option_d=175 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=8996 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=8 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=8997 | topic=Averages | difficulty=Easy | question=Find the average of 83, 57, 17, 19, 14. | option_a=40 | option_b=37 | option_c=38 | option_d=39 | answer=C | explanation=Average = sum of values ÷ number of values = 190 ÷ 5 = 38.

id=8998 | topic=Averages | difficulty=Easy | question=Find the average of 25, 37, 82, 83, 93. | option_a=64 | option_b=66 | option_c=63 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 320 ÷ 5 = 64.

id=8999 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 41? | option_a=33 | option_b=41 | option_c=36 | option_d=30 | answer=B | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 41 is the odd one out.

id=9000 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=40 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

Aptitude Questions — Records 9,001-9,030 of 100,000

id=9001 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=44 | option_b=28 | option_c=37 | option_d=36 | answer=D | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=9002 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=49 | option_b=48 | option_c=41 | option_d=55 | answer=B | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.

id=9003 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=67 | option_b=57 | option_c=58 | option_d=47 | answer=B | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

id=9004 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=Q | option_b=S | option_c=T | option_d=R | answer=B | explanation=Move 1 positions forward from R; the resulting letter is S.

id=9005 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=J | option_b=L | option_c=M | option_d=K | answer=B | explanation=Move 1 positions forward from K; the resulting letter is L.

id=9006 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=57 | option_b=47 | option_c=65 | option_d=56 | answer=D | explanation=The common difference is 9. Therefore the next term is 47 + 9 = 56.

id=9007 | topic=Averages | difficulty=Easy | question=Find the average of 95, 23, 86. | option_a=67 | option_b=69 | option_c=70 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = 204 ÷ 3 = 68.

id=9008 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:4 and the first is 105, what is the second? | option_a=67 | option_b=56 | option_c=60 | option_d=165 | answer=C | explanation=Scale factor = 105/7 = 15. Therefore second quantity = 4×15 = 60.

id=9009 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=L | option_c=I | option_d=K | answer=D | explanation=Move 1 positions forward from J; the resulting letter is K.

id=9010 | topic=Percentages | difficulty=Easy | question=What is 20% of 882? | option_a=196 | option_b=166 | option_c=176 | option_d=352 | answer=C | explanation=20% of 882 = (20/100) × 882 = 176.

id=9011 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=K | option_b=F | option_c=A | option_d=V | answer=B | explanation=Move 5 positions forward from A; the resulting letter is F.

id=9012 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=10 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=9013 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹25461 at 12% per annum for 2 years. | option_a=31571 | option_b=6210 | option_c=6010 | option_d=6110 | answer=D | explanation=SI = PRT/100 = 25461×12×2/100 = ₹6110.

id=9014 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=9015 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1970. If it is sold at a profit of 5%, what is its selling price? | option_a=2068 | option_b=2265 | option_c=1975 | option_d=1871 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1970 × 105/100 = ₹2068.

id=9016 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹22048 at 15% per annum for 2 years. | option_a=28662 | option_b=6614 | option_c=6514 | option_d=6714 | answer=B | explanation=SI = PRT/100 = 22048×15×2/100 = ₹6614.

id=9017 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:15 and the first is 57, what is the second? | option_a=64 | option_b=45 | option_c=30 | option_d=102 | answer=B | explanation=Scale factor = 57/19 = 3. Therefore second quantity = 15×3 = 45.

id=9018 | topic=Percentages | difficulty=Easy | question=What is 50% of 861? | option_a=430 | option_b=440 | option_c=410 | option_d=860 | answer=A | explanation=50% of 861 = (50/100) × 861 = 430.

id=9019 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹4805. If it is sold at a profit of 15%, what is its selling price? | option_a=6005 | option_b=4820 | option_c=5045 | option_d=5525 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4805 × 115/100 = ₹5525.

id=9020 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹36593 at 12% per annum for 3 years. | option_a=49766 | option_b=13273 | option_c=13173 | option_d=13073 | answer=C | explanation=SI = PRT/100 = 36593×12×3/100 = ₹13173.

id=9021 | topic=Percentages | difficulty=Easy | question=What is 30% of 339? | option_a=101 | option_b=106 | option_c=91 | option_d=202 | answer=A | explanation=30% of 339 = (30/100) × 339 = 101.

id=9022 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=9023 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹23443 at 15% per annum for 5 years. | option_a=17682 | option_b=17582 | option_c=41025 | option_d=17482 | answer=B | explanation=SI = PRT/100 = 23443×15×5/100 = ₹17582.

id=9024 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=35 | option_b=26 | option_c=42 | option_d=34 | answer=D | explanation=The common difference is 8. Therefore the next term is 26 + 8 = 34.

id=9025 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=Y | option_b=D | option_c=T | option_d=O | answer=A | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=9026 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 10, 16, 24? | option_a=16 | option_b=10 | option_c=4 | option_d=24 | answer=D | explanation=The first three numbers increase by 6, so the next should be 22. Therefore 24 is the odd one out.

id=9027 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:15 and the first is 100, what is the second? | option_a=95 | option_b=60 | option_c=75 | option_d=175 | answer=C | explanation=Scale factor = 100/20 = 5. Therefore second quantity = 15×5 = 75.

id=9028 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹27228 at 10% per annum for 5 years. | option_a=13514 | option_b=40842 | option_c=13714 | option_d=13614 | answer=D | explanation=SI = PRT/100 = 27228×10×5/100 = ₹13614.

id=9029 | topic=Averages | difficulty=Easy | question=Find the average of 55, 38, 34, 79, 48, 36, 18. | option_a=44 | option_b=43 | option_c=46 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 308 ÷ 7 = 44.

id=9030 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 23, 28, 34? | option_a=18 | option_b=23 | option_c=28 | option_d=34 | answer=D | explanation=The first three numbers increase by 5, so the next should be 33. Therefore 34 is the odd one out.

Aptitude Questions — Records 9,031-9,060 of 100,000

id=9031 | topic=Percentages | difficulty=Easy | question=What is 25% of 1080? | option_a=540 | option_b=290 | option_c=265 | option_d=270 | answer=D | explanation=25% of 1080 = (25/100) × 1080 = 270.

id=9032 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=9033 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=9034 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:20 and the first is 104, what is the second? | option_a=364 | option_b=240 | option_c=268 | option_d=260 | answer=D | explanation=Scale factor = 104/8 = 13. Therefore second quantity = 20×13 = 260.

id=9035 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=A | option_b=X | option_c=U | option_d=R | answer=B | explanation=Move 3 positions forward from U; the resulting letter is X.

id=9036 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=37 | option_b=38 | option_c=43 | option_d=31 | answer=A | explanation=The common difference is 6. Therefore the next term is 31 + 6 = 37.

id=9037 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=21 | option_b=16 | option_c=20 | option_d=24 | answer=C | explanation=The common difference is 4. Therefore the next term is 16 + 4 = 20.

id=9038 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 24. | option_a=120 | option_b=150 | option_c=720 | option_d=96 | answer=A | explanation=LCM × HCF = 30×24; HCF(30,24) = 6, so LCM = 120.

id=9039 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:6 and the first is 90, what is the second? | option_a=102 | option_b=198 | option_c=108 | option_d=113 | answer=C | explanation=Scale factor = 90/5 = 18. Therefore second quantity = 6×18 = 108.

id=9040 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Y | option_b=M | option_c=U | option_d=Q | answer=C | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=9041 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=36 | option_b=30 | option_c=40 | option_d=35 | answer=D | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=9042 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=L | option_b=M | option_c=J | option_d=K | answer=A | explanation=Move 1 positions forward from K; the resulting letter is L.

id=9043 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:14 and the first is 24, what is the second? | option_a=136 | option_b=112 | option_c=98 | option_d=115 | answer=B | explanation=Scale factor = 24/3 = 8. Therefore second quantity = 14×8 = 112.

id=9044 | topic=Percentages | difficulty=Easy | question=What is 25% of 1526? | option_a=361 | option_b=381 | option_c=762 | option_d=401 | answer=B | explanation=25% of 1526 = (25/100) × 1526 = 381.

id=9045 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7861 at 4% per annum for 5 years. | option_a=9433 | option_b=1572 | option_c=1672 | option_d=1472 | answer=B | explanation=SI = PRT/100 = 7861×4×5/100 = █1572.

id=9046 | topic=Averages | difficulty=Easy | question=Find the average of 20, 65, 58, 57. | option_a=52 | option_b=50 | option_c=51 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 200 ÷ 4 = 50.

id=9047 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=L | option_c=R | option_d=P | answer=D | explanation=Move 2 positions forward from N; the resulting letter is P.

id=9048 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=E | option_b=I | option_c=K | option_d=G | answer=B | explanation=Move 2 positions forward from G; the resulting letter is I.

id=9049 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2954. If it is sold at a profit of 40%, what is its selling price? | option_a=2994 | option_b=4430 | option_c=4135 | option_d=3840 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2954 × 140/100 = █4135.

id=9050 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=X | option_b=R | option_c=A | option_d=U | answer=A | explanation=Move 3 positions forward from U; the resulting letter is X.

id=9051 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=23 | option_b=24 | option_c=26 | option_d=20 | answer=A | explanation=The common difference is 3. Therefore the next term is 20 + 3 = 23.

id=9052 | topic=Averages | difficulty=Easy | question=Find the average of 89, 28, 98, 74, 34, 96, 88, 61. | option_a=71 | option_b=70 | option_c=73 | option_d=72 | answer=A | explanation=Average = sum of values ÷ number of values = 568 ÷ 8 = 71.

id=9053 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 24. | option_a=240 | option_b=130 | option_c=96 | option_d=120 | answer=D | explanation=LCM × HCF = 10×24; HCF(10,24) = 2, so LCM = 120.

id=9054 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3568. If it is sold at a profit of 30%, what is its selling price? | option_a=4638 | option_b=4994 | option_c=4282 | option_d=3598 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3568 × 130/100 = █4638.

id=9055 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=77 | option_c=72 | option_d=67 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=9056 | topic=Averages | difficulty=Easy | question=Find the average of 59, 55, 53, 75, 60, 28. | option_a=56 | option_b=54 | option_c=55 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 330 ÷ 6 = 55.

id=9057 | topic=Percentages | difficulty=Easy | question=What is 30% of 915? | option_a=284 | option_b=274 | option_c=254 | option_d=548 | answer=B | explanation=30% of 915 = (30/100) × 915 = 274.

id=9058 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=37 | option_b=25 | option_c=31 | option_d=32 | answer=C | explanation=The common difference is 6. Therefore the next term is 25 + 6 = 31.

id=9059 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:7 and the first is 150, what is the second? | option_a=105 | option_b=255 | option_c=98 | option_d=115 | answer=A | explanation=Scale factor = 150/10 = 15. Therefore second quantity = 7×15 = 105.

id=9060 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2923. If it is sold at a profit of 40%, what is its selling price? | option_a=2963 | option_b=4092 | option_c=3800 | option_d=4384 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2923 × 140/100 = █4092.

Aptitude Questions — Records 9,061-9,090 of 100,000

id=9061 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:15 and the first is 165, what is the second? | option_a=150 | option_b=330 | option_c=180 | option_d=165 | answer=D | explanation=Scale factor = $165/15 = 11$. Therefore second quantity = $15 \times 11 = 165$.

id=9062 | topic=Averages | difficulty=Easy | question=Find the average of 63, 17, 24, 16, 70, 80. | option_a=45 | option_b=44 | option_c=46 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = $270 \div 6 = 45$.

id=9063 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=E | option_b=B | option_c=H | option_d=Y | answer=A | explanation=Move 3 positions forward from B; the resulting letter is E.

id=9064 | topic=Percentages | difficulty=Easy | question=What is 25% of 469? | option_a=234 | option_b=97 | option_c=137 | option_d=117 | answer=D | explanation=25% of 469 = $(25/100) \times 469 = 117$.

id=9065 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:18 and the first is 60, what is the second? | option_a=36 | option_b=74 | option_c=54 | option_d=114 | answer=C | explanation=Scale factor = $60/20 = 3$. Therefore second quantity = $18 \times 3 = 54$.

id=9066 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=9067 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 14. | option_a=420 | option_b=210 | option_c=240 | option_d=196 | answer=B | explanation=LCM $\times$ HCF = 30×14 ; $HCF(30,14) = 2$, so LCM = 210.

id=9068 | topic=Averages | difficulty=Easy | question=Find the average of 35, 94, 31, 46, 26, 78, 65, 61, 32. | option_a=51 | option_b=52 | option_c=54 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = $468 \div 9 = 52$.

id=9069 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=15 | option_b=21 | option_c=18 | option_d=19 | answer=C | explanation=The common difference is 3. Therefore the next term is $15 + 3 = 18$.

id=9070 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=9071 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹44664 at 5% per annum for 4 years. | option_a=8932 | option_b=9032 | option_c=53596 | option_d=8832 | answer=A | explanation=SI = $PRT/100 = 44664 \times 5 \times 4/100 = ₹8932$.

id=9072 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=9073 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=9074 | topic=Averages | difficulty=Easy | question=Find the average of 84, 100, 42, 53, 67, 32, 49. | option_a=62 | option_b=61 | option_c=63 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = $427 \div 7 = 61$.

id=9075 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 10. | option_a=20 | option_b=30 | option_c=150 | option_d=45 | answer=B | explanation=LCM $\times$ HCF = 15×10 ; $HCF(15,10) = 5$, so LCM = 30.

id=9076 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:3 and the first is 34, what is the second? | option_a=6 | option_b=23 | option_c=40 | option_d=3 | answer=A | explanation=Scale factor = $34/17 = 2$. Therefore second quantity = $3 \times 2 = 6$.

id=9077 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 30, 33, 39? | option_a=33 | option_b=30 | option_c=39 | option_d=27 | answer=C | explanation=The first three numbers increase by 3, so the next should be 36. Therefore 39 is the odd one out.

id=9078 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=I | option_b=J | option_c=G | option_d=H | answer=A | explanation=Move 1 positions forward from H; the resulting letter is I.

id=9079 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 12. | option_a=24 | option_b=1 | option_c=12 | option_d=14 | answer=C | explanation=LCM $\times$ HCF = 2×12 ; $HCF(2,12) = 2$, so LCM = 12.

id=9080 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 33, 40, 48? | option_a=48 | option_b=40 | option_c=33 | option_d=26 | answer=A | explanation=The first three numbers increase by 7, so the next should be 47. Therefore 48 is the odd one out.

id=9081 | topic=Percentages | difficulty=Easy | question=What is 30% of 863? | option_a=258 | option_b=278 | option_c=516 | option_d=253 | answer=A | explanation=30% of 863 = $(30/100) \times 863 = 258$.

id=9082 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=9083 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=95 | option_d=180 | answer=A | explanation=Speed = distance ÷ time = $360 \div 4 = 90$ km/h.

id=9084 | topic=Percentages | difficulty=Easy | question=What is 20% of 396? | option_a=99 | option_b=74 | option_c=79 | option_d=158 | answer=C | explanation=20% of 396 = $(20/100) \times 396 = 79$.

id=9085 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 35? | option_a=35 | option_b=25 | option_c=29 | option_d=21 | answer=A | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 35 is the odd one out.

id=9086 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:11 and the first is 171, what is the second? | option_a=380 | option_b=198 | option_c=218 | option_d=209 | answer=D | explanation=Scale factor = $171/9 = 19$. Therefore second quantity = $11 \times 19 = 209$.

id=9087 | topic=Averages | difficulty=Easy | question=Find the average of 25, 85, 88. | option_a=68 | option_b=67 | option_c=66 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = $198 \div 3 = 66$.

id=9088 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2371. If it is sold at a profit of 30%, what is its selling price? | option_a=3319 | option_b=3082 | option_c=2845 | option_d=2401 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2371 \times 130/100 = ₹3082$.

id=9089 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:13 and the first is 180, what is the second? | option_a=182 | option_b=195 | option_c=375 | option_d=207 | answer=B | explanation=Scale factor = $180/12 = 15$. Therefore second quantity = $13 \times 15 = 195$.

id=9090 | topic=Percentages | difficulty=Easy | question=What is 10% of 784? | option_a=58 | option_b=156 | option_c=83 | option_d=78 | answer=D | explanation=10% of 784 = $(10/100) \times 784 = 78$.

Aptitude Questions — Records 9,091-9,120 of 100,000

id=9091 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2797. If it is sold at a profit of 5%, what is its selling price? | option_a=2657 | option_b=2936 | option_c=2802 | option_d=3215 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2797 × 105/100 = █2936.

id=9092 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3609. If it is sold at a profit of 15%, what is its selling price? | option_a=3790 | option_b=3624 | option_c=4150 | option_d=4510 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3609 × 115/100 = █4150.

id=9093 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=9094 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=Z | option_c=N | option_d=V | answer=D | explanation=Move 4 positions forward from R; the resulting letter is V.

id=9095 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 49? | option_a=21 | option_b=30 | option_c=49 | option_d=39 | answer=C | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 49 is the odd one out.

id=9096 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:13 and the first is 132, what is the second? | option_a=155 | option_b=275 | option_c=143 | option_d=130 | answer=C | explanation=Scale factor = 132/12 = 11. Therefore second quantity = 13×11 = 143.

id=9097 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=X | option_b=F | option_c=B | option_d=J | answer=B | explanation=Move 4 positions forward from B; the resulting letter is F.

id=9098 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=A | option_b=O | option_c=S | option_d=W | answer=D | explanation=Move 4 positions forward from S; the resulting letter is W.

id=9099 | topic=Averages | difficulty=Easy | question=Find the average of 85, 38, 45, 56, 93, 73, 19, 63. | option_a=61 | option_b=58 | option_c=60 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 472 ÷ 8 = 59.

id=9100 | topic=Averages | difficulty=Easy | question=Find the average of 59, 12, 62, 96, 20, 15. | option_a=45 | option_b=43 | option_c=46 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = 264 ÷ 6 = 44.

id=9101 | topic=Averages | difficulty=Easy | question=Find the average of 33, 34, 12, 41. | option_a=29 | option_b=30 | option_c=31 | option_d=32 | answer=B | explanation=Average = sum of values ÷ number of values = 120 ÷ 4 = 30.

id=9102 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=9103 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=9104 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 32? | option_a=32 | option_b=26 | option_c=16 | option_d=21 | answer=A | explanation=The first three numbers increase by 5, so the next should be 31. Therefore 32 is the odd one out.

id=9105 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 25. | option_a=90 | option_b=75 | option_c=50 | option_d=375 | answer=B | explanation=LCM × HCF = 15×25; HCF(15,25) = 5, so LCM = 75.

id=9106 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 10, 12, 14, ? | option_a=17 | option_b=18 | option_c=14 | option_d=16 | answer=D | explanation=The common difference is 2. Therefore the next term is 14 + 2 = 16.

id=9107 | topic=Averages | difficulty=Easy | question=Find the average of 11, 40, 74, 67, 73, 47, 65, 44, 39, 80. | option_a=55 | option_b=56 | option_c=54 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

id=9108 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=360 | option_c=185 | option_d=175 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=9109 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=120 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=9110 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=G | option_c=M | option_d=K | answer=D | explanation=Move 2 positions forward from I; the resulting letter is K.

id=9111 | topic=Averages | difficulty=Easy | question=Find the average of 54, 46, 98. | option_a=66 | option_b=67 | option_c=65 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = 198 ÷ 3 = 66.

id=9112 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 51? | option_a=30 | option_b=20 | option_c=40 | option_d=51 | answer=D | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 51 is the odd one out.

id=9113 | topic=Percentages | difficulty=Easy | question=What is 50% of 1914? | option_a=937 | option_b=957 | option_c=962 | option_d=1914 | answer=B | explanation=50% of 1914 = (50/100) × 1914 = 957.

id=9114 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=57 | option_b=58 | option_c=69 | option_d=45 | answer=A | explanation=The common difference is 12. Therefore the next term is 45 + 12 = 57.

id=9115 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:16 and the first is 18, what is the second? | option_a=48 | option_b=66 | option_c=32 | option_d=54 | answer=A | explanation=Scale factor = 18/6 = 3. Therefore second quantity = 16×3 = 48.

id=9116 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=9117 | topic=Averages | difficulty=Easy | question=Find the average of 39, 42, 66, 90, 20, 98, 59, 73, 80. | option_a=65 | option_b=62 | option_c=64 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 567 ÷ 9 = 63.

id=9118 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=S | option_b=Q | option_c=T | option_d=R | answer=A | explanation=Move 1 positions forward from R; the resulting letter is S.

id=9119 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:5 and the first is 240, what is the second? | option_a=95 | option_b=100 | option_c=340 | option_d=112 | answer=B | explanation=Scale factor = 240/12 = 20. Therefore second quantity = 5×20 = 100.

id=9120 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:4 and the first is 209, what is the second? | option_a=253 | option_b=63 | option_c=40 | option_d=44 | answer=D | explanation=Scale factor = 209/19 = 11. Therefore second quantity = 4×11 = 44.

Aptitude Questions — Records 9,121-9,150 of 100,000

id=9121 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:19 and the first is 77, what is the second? | option_a=144 | option_b=210 | option_c=114 | option_d=133 | answer=D | explanation=Scale factor = $77/11 = 7$. Therefore second quantity = $19 \times 7 = 133$.

id=9122 | topic=Profit & Loss | difficulty=Easy | question=An article costs █425. If it is sold at a profit of 30%, what is its selling price? | option_a=552 | option_b=510 | option_c=594 | option_d=455 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 425 \times 130/100 = \text{█}552$.

id=9123 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=43 | option_b=50 | option_c=34 | option_d=42 | answer=D | explanation=The common difference is 8. Therefore the next term is $34 + 8 = 42$.

id=9124 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3247. If it is sold at a profit of 30%, what is its selling price? | option_a=3897 | option_b=4545 | option_c=4221 | option_d=3277 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3247 \times 130/100 = \text{█}4221$.

id=9125 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4187. If it is sold at a profit of 50%, what is its selling price? | option_a=6698 | option_b=6280 | option_c=4237 | option_d=5862 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4187 \times 150/100 = \text{█}6280$.

id=9126 | topic=Percentages | difficulty=Easy | question=What is 30% of 719? | option_a=210 | option_b=215 | option_c=430 | option_d=225 | answer=B | explanation=30% of 719 = $(30/100) \times 719 = 215$.

id=9127 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:7 and the first is 42, what is the second? | option_a=21 | option_b=14 | option_c=63 | option_d=35 | answer=A | explanation=Scale factor = $42/14 = 3$. Therefore second quantity = $7 \times 3 = 21$.

id=9128 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 51? | option_a=51 | option_b=33 | option_c=41 | option_d=25 | answer=A | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 51 is the odd one out.

id=9129 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 40? | option_a=22 | option_b=14 | option_c=40 | option_d=30 | answer=C | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 40 is the odd one out.

id=9130 | topic=Percentages | difficulty=Easy | question=What is 12% of 498? | option_a=59 | option_b=54 | option_c=118 | option_d=64 | answer=A | explanation=12% of 498 = $(12/100) \times 498 = 59$.

id=9131 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 26? | option_a=26 | option_b=21 | option_c=15 | option_d=18 | answer=A | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 26 is the odd one out.

id=9132 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:18 and the first is 52, what is the second? | option_a=286 | option_b=238 | option_c=216 | option_d=234 | answer=D | explanation=Scale factor = $52/4 = 13$. Therefore second quantity = $18 \times 13 = 234$.

id=9133 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 12, 16, 22? | option_a=8 | option_b=12 | option_c=22 | option_d=16 | answer=C | explanation=The first three numbers increase by 4, so the next should be 20. Therefore 22 is the odd one out.

id=9134 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 11, 16, 23? | option_a=11 | option_b=6 | option_c=16 | option_d=23 | answer=D | explanation=The first three numbers increase by 5, so the next should be 21. Therefore 23 is the odd one out.

id=9135 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 17, 19, 21, ? | option_a=24 | option_b=21 | option_c=23 | option_d=25 | answer=C | explanation=The common difference is 2. Therefore the next term is $21 + 2 = 23$.

id=9136 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=27 | option_b=26 | option_c=28 | option_d=24 | answer=B | explanation=The common difference is 2. Therefore the next term is $24 + 2 = 26$.

id=9137 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33160 at 15% per annum for 2 years. | option_a=9848 | option_b=9948 | option_c=43108 | option_d=10048 | answer=B | explanation=SI = $PRT/100 = 33160 \times 15 \times 2/100 = \text{█}9948$.

id=9138 | topic=Profit & Loss | difficulty=Easy | question=An article costs █940. If it is sold at a profit of 40%, what is its selling price? | option_a=1316 | option_b=1222 | option_c=980 | option_d=1410 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 940 \times 140/100 = \text{█}1316$.

id=9139 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 19, 22, 25, ? | option_a=31 | option_b=29 | option_c=28 | option_d=25 | answer=C | explanation=The common difference is 3. Therefore the next term is $25 + 3 = 28$.

id=9140 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:15 and the first is 240, what is the second? | option_a=225 | option_b=480 | option_c=255 | option_d=240 | answer=D | explanation=Scale factor = $240/15 = 16$. Therefore second quantity = $15 \times 16 = 240$.

id=9141 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2687. If it is sold at a profit of 20%, what is its selling price? | option_a=2707 | option_b=3492 | option_c=2956 | option_d=3224 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2687 \times 120/100 = \text{█}3224$.

id=9142 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43643 at 12% per annum for 4 years. | option_a=21048 | option_b=20848 | option_c=20948 | option_d=64591 | answer=C | explanation=SI = $PRT/100 = 43643 \times 12 \times 4/100 = \text{█}20948$.

id=9143 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 28, 31, 37? | option_a=31 | option_b=37 | option_c=28 | option_d=25 | answer=B | explanation=The first three numbers increase by 3, so the next should be 34. Therefore 37 is the odd one out.

id=9144 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=F | option_c=O | option_d=L | answer=D | explanation=Move 3 positions forward from I; the resulting letter is L.

id=9145 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=G | option_b=B | option_c=L | option_d=W | answer=A | explanation=Move 5 positions forward from B; the resulting letter is G.

id=9146 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:12 and the first is 77, what is the second? | option_a=209 | option_b=139 | option_c=120 | option_d=132 | answer=D | explanation=Scale factor = $77/7 = 11$. Therefore second quantity = $12 \times 11 = 132$.

id=9147 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 15, 19, 24? | option_a=24 | option_b=11 | option_c=19 | option_d=15 | answer=A | explanation=The first three numbers increase by 4, so the next should be 23. Therefore 24 is the odd one out.

id=9148 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=N | option_b=S | option_c=I | option_d=D | answer=A | explanation=Move 5 positions forward from I; the resulting letter is N.

id=9149 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=9150 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=L | option_b=Q | option_c=G | option_d=B | answer=A | explanation=Move 5 positions forward from G; the resulting letter is L.

Aptitude Questions — Records 9,151-9,180 of 100,000

id=9151 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1737. If it is sold at a profit of 20%, what is its selling price? | option_a=2257 | option_b=1911 | option_c=2084 | option_d=1757 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1737 × 120/100 = ■2084.

id=9152 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■26903 at 12% per annum for 3 years. | option_a=9785 | option_b=36588 | option_c=9585 | option_d=9685 | answer=D | explanation=SI = PRT/100 = 26903×12×3/100 = ■9685.

id=9153 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=41 | option_b=35 | option_c=36 | option_d=29 | answer=B | explanation=The common difference is 6. Therefore the next term is 29 + 6 = 35.

id=9154 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■2566 at 10% per annum for 3 years. | option_a=669 | option_b=769 | option_c=3335 | option_d=869 | answer=B | explanation=SI = PRT/100 = 2566×10×3/100 = ■769.

id=9155 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=9156 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=9157 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1474. If it is sold at a profit of 5%, what is its selling price? | option_a=1479 | option_b=1694 | option_c=1547 | option_d=1400 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1474 × 105/100 = ■1547.

id=9158 | topic=Percentages | difficulty=Easy | question=What is 10% of 122? | option_a=7 | option_b=32 | option_c=12 | option_d=24 | answer=C | explanation=10% of 122 = (10/100) × 122 = 12.

id=9159 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=9160 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■40947 at 5% per annum for 1 years. | option_a=2047 | option_b=1947 | option_c=2147 | option_d=42994 | answer=A | explanation=SI = PRT/100 = 40947×5×1/100 = ■2047.

id=9161 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:14 and the first is 180, what is the second? | option_a=222 | option_b=196 | option_c=210 | option_d=390 | answer=C | explanation=Scale factor = 180/12 = 15. Therefore second quantity = 14×15 = 210.

id=9162 | topic=Percentages | difficulty=Easy | question=What is 5% of 187? | option_a=9 | option_b=18 | option_c=29 | option_d=0 | answer=A | explanation=5% of 187 = (5/100) × 187 = 9.

id=9163 | topic=Averages | difficulty=Easy | question=Find the average of 53, 99, 67, 81, 45. | option_a=68 | option_b=69 | option_c=71 | option_d=70 | answer=B | explanation=Average = sum of values ÷ number of values = 345 ÷ 5 = 69.

id=9164 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3995. If it is sold at a profit of 10%, what is its selling price? | option_a=4394 | option_b=4793 | option_c=4005 | option_d=3995 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3995 × 110/100 = ■4394.

id=9165 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 8, 11, 14, ? | option_a=20 | option_b=17 | option_c=14 | option_d=18 | answer=B | explanation=The common difference is 3. Therefore the next term is 14 + 3 = 17.

id=9166 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 48? | option_a=28 | option_b=37 | option_c=19 | option_d=48 | answer=D | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 48 is the odd one out.

id=9167 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 30, 38, 47? | option_a=38 | option_b=47 | option_c=30 | option_d=22 | answer=B | explanation=The first three numbers increase by 8, so the next should be 46. Therefore 47 is the odd one out.

id=9168 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 10. | option_a=180 | option_b=108 | option_c=80 | option_d=90 | answer=D | explanation=LCM × HCF = 18×10; HCF(18,10) = 2, so LCM = 90.

id=9169 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4810. If it is sold at a profit of 30%, what is its selling price? | option_a=5772 | option_b=6734 | option_c=6253 | option_d=4840 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4810 × 130/100 = ■6253.

id=9170 | topic=Percentages | difficulty=Easy | question=What is 40% of 579? | option_a=462 | option_b=251 | option_c=231 | option_d=226 | answer=C | explanation=40% of 579 = (40/100) × 579 = 231.

id=9171 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=G | option_b=O | option_c=S | option_d=K | answer=B | explanation=Move 4 positions forward from K; the resulting letter is O.

id=9172 | topic=Percentages | difficulty=Easy | question=What is 40% of 446? | option_a=158 | option_b=183 | option_c=178 | option_d=356 | answer=C | explanation=40% of 446 = (40/100) × 446 = 178.

id=9173 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=9174 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 17, 26, 38? | option_a=8 | option_b=17 | option_c=38 | option_d=26 | answer=C | explanation=The first three numbers increase by 9, so the next should be 35. Therefore 38 is the odd one out.

id=9175 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2353. If it is sold at a profit of 50%, what is its selling price? | option_a=3764 | option_b=3294 | option_c=2403 | option_d=3529 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2353 × 150/100 = ■3529.

id=9176 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=9177 | topic=Percentages | difficulty=Easy | question=What is 50% of 351? | option_a=185 | option_b=170 | option_c=350 | option_d=175 | answer=D | explanation=50% of 351 = (50/100) × 351 = 175.

id=9178 | topic=Averages | difficulty=Easy | question=Find the average of 85, 60, 98, 77. | option_a=82 | option_b=81 | option_c=80 | option_d=79 | answer=C | explanation=Average = sum of values ÷ number of values = 320 ÷ 4 = 80.

id=9179 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=29 | option_b=24 | option_c=25 | option_d=19 | answer=B | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.

id=9180 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=L | option_c=N | option_d=R | answer=A | explanation=Move 2 positions forward from N; the resulting letter is P.

Aptitude Questions — Records 9,181-9,210 of 100,000

id=9181 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 18. | option_a=18 | option_b=1 | option_c=324 | option_d=36 | answer=A | explanation=LCM × HCF = 18×18; HCF(18,18) = 18, so LCM = 18.

id=9182 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=S | option_b=U | option_c=T | option_d=V | answer=B | explanation=Move 1 positions forward from T; the resulting letter is U.

id=9183 | topic=Averages | difficulty=Easy | question=Find the average of 82, 25, 72, 29, 35, 27. | option_a=47 | option_b=45 | option_c=44 | option_d=46 | answer=B | explanation=Average = sum of values + number of values = 270 ÷ 6 = 45.

id=9184 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=44 | option_b=43 | option_c=52 | option_d=34 | answer=B | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

id=9185 | topic=Averages | difficulty=Easy | question=Find the average of 16, 57, 50, 46, 46, 13, 52, 98, 48, 74. | option_a=52 | option_b=50 | option_c=51 | option_d=49 | answer=B | explanation=Average = sum of values + number of values = 500 ÷ 10 = 50.

id=9186 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20330 at 4% per annum for 2 years. | option_a=1726 | option_b=1626 | option_c=1526 | option_d=21956 | answer=B | explanation=SI = PRT/100 = 20330×4×2/100 = █1626.

id=9187 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 27. | option_a=27 | option_b=81 | option_c=1 | option_d=30 | answer=A | explanation=LCM × HCF = 3×27; HCF(3,27) = 3, so LCM = 27.

id=9188 | topic=Number Series | question=Find the next number: 5, 11, 17, 23, ? | option_a=23 | option_b=35 | option_c=30 | option_d=29 | answer=D | explanation=The common difference is 6. Therefore the next term is 23 + 6 = 29.

id=9189 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3966. If it is sold at a profit of 50%, what is its selling price? | option_a=5949 | option_b=5553 | option_c=6345 | option_d=4016 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3966 × 150/100 = █5949.

id=9190 | topic=Averages | difficulty=Easy | question=Find the average of 11, 10, 45, 50, 48, 53, 73, 87, 46. | option_a=47 | option_b=46 | option_c=49 | option_d=48 | answer=A | explanation=Average = sum of values + number of values = 423 ÷ 9 = 47.

id=9191 | topic=Averages | difficulty=Easy | question=Find the average of 37, 68, 36, 31, 60, 98, 83, 54, 35, 68. | option_a=57 | option_b=56 | option_c=59 | option_d=58 | answer=A | explanation=Average = sum of values + number of values = 570 ÷ 10 = 57.

id=9192 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:16 and the first is 95, what is the second? | option_a=64 | option_b=175 | option_c=80 | option_d=99 | answer=C | explanation=Scale factor = 95/19 = 5. Therefore second quantity = 16×5 = 80.

id=9193 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=27 | option_b=24 | option_c=25 | option_d=21 | answer=B | explanation=The common difference is 3. Therefore the next term is 21 + 3 = 24.

id=9194 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=9195 | topic=Averages | difficulty=Easy | question=Find the average of 12, 65, 94, 43, 14, 19, 36, 73, 44, 80. | option_a=47 | option_b=48 | option_c=49 | option_d=50 | answer=B | explanation=Average = sum of values + number of values = 480 ÷ 10 = 48.

id=9196 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=9197 | topic=Percentages | difficulty=Easy | question=What is 5% of 720? | option_a=72 | option_b=56 | option_c=36 | option_d=16 | answer=C | explanation=5% of 720 = (5/100) × 720 = 36.

id=9198 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=43 | option_b=55 | option_c=65 | option_d=54 | answer=D | explanation=The common difference is 11. Therefore the next term is 43 + 11 = 54.

id=9199 | topic=Averages | difficulty=Easy | question=Find the average of 63, 91, 30, 69, 11, 59, 19, 18. | option_a=46 | option_b=47 | option_c=45 | option_d=44 | answer=C | explanation=Average = sum of values + number of values = 360 ÷ 8 = 45.

id=9200 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=42 | option_b=50 | option_c=32 | option_d=41 | answer=D | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

id=9201 | topic=Averages | difficulty=Easy | question=Find the average of 29, 81, 22, 69, 71, 43, 10, 81, 88, 86. | option_a=58 | option_b=60 | option_c=59 | option_d=57 | answer=A | explanation=Average = sum of values + number of values = 580 ÷ 10 = 58.

id=9202 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=70 | option_c=80 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=9203 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=36 | option_c=18 | option_d=13 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=9204 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=C | option_b=X | option_c=S | option_d=N | answer=B | explanation=Move 5 positions forward from S; the resulting letter is X.

id=9205 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=9206 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 53? | option_a=41 | option_b=53 | option_c=23 | option_d=32 | answer=B | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 53 is the odd one out.

id=9207 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=69 | option_b=49 | option_c=59 | option_d=60 | answer=C | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

id=9208 | topic=Percentages | difficulty=Easy | question=What is 40% of 1456? | option_a=582 | option_b=1164 | option_c=592 | option_d=562 | answer=A | explanation=40% of 1456 = (40/100) × 1456 = 582.

id=9209 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=Z | option_c=L | option_d=D | answer=A | explanation=Move 4 positions forward from D; the resulting letter is H.

id=9210 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1710. If it is sold at a profit of 5%, what is its selling price? | option_a=1966 | option_b=1715 | option_c=1624 | option_d=1795 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1710 × 105/100 = █1795.

Aptitude Questions — Records 9,211-9,240 of 100,000

id=9211 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11754 at 4% per annum for 4 years. | option_a=13634 | option_b=1880 | option_c=1980 | option_d=1780 | answer=B | explanation=SI = $PRT/100 = 11754 \times 4 \times 4/100 = \text{█}1880$.

id=9212 | topic=Percentages | difficulty=Easy | question=What is 30% of 910? | option_a=268 | option_b=273 | option_c=546 | option_d=283 | answer=B | explanation=30% of 910 = $(30/100) \times 910 = 273$.

id=9213 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=26 | option_b=20 | option_c=24 | option_d=23 | answer=D | explanation=The common difference is 3. Therefore the next term is $20 + 3 = 23$.

id=9214 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=29 | option_b=39 | option_c=35 | option_d=34 | answer=D | explanation=The common difference is 5. Therefore the next term is $29 + 5 = 34$.

id=9215 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:5 and the first is 380, what is the second? | option_a=115 | option_b=90 | option_c=475 | option_d=95 | answer=D | explanation=Scale factor = $380/20 = 19$. Therefore second quantity = $5 \times 19 = 95$.

id=9216 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=40 | option_c=45 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = $120 \div 3 = 40$ km/h.

id=9217 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=42 | option_b=35 | option_c=28 | option_d=36 | answer=B | explanation=The common difference is 7. Therefore the next term is $28 + 7 = 35$.

id=9218 | topic=Profit & Loss | difficulty=Easy | question=An article costs █826. If it is sold at a profit of 10%, what is its selling price? | option_a=836 | option_b=826 | option_c=908 | option_d=990 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 826 \times 110/100 = \text{█}908$.

id=9219 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 18. | option_a=80 | option_b=54 | option_c=144 | option_d=72 | answer=D | explanation=LCM $\times$ HCF = 8×18 ; $HCF(8,18) = 2$, so LCM = 72.

id=9220 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6721 at 5% per annum for 3 years. | option_a=1008 | option_b=7729 | option_c=908 | option_d=1108 | answer=A | explanation=SI = $PRT/100 = 6721 \times 5 \times 3/100 = \text{█}1008$.

id=9221 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=7 | option_c=24 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = $120 \div 10 = 12$ km/h.

id=9222 | topic=Percentages | difficulty=Easy | question=What is 20% of 957? | option_a=382 | option_b=201 | option_c=186 | option_d=191 | answer=D | explanation=20% of 957 = $(20/100) \times 957 = 191$.

id=9223 | topic=Percentages | difficulty=Easy | question=What is 10% of 120? | option_a=0 | option_b=17 | option_c=12 | option_d=24 | answer=C | explanation=10% of 120 = $(10/100) \times 120 = 12$.

id=9224 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 34? | option_a=2 | option_b=12 | option_c=22 | option_d=34 | answer=D | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 34 is the odd one out.

id=9225 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=180 | option_c=90 | option_d=95 | answer=C | explanation=Speed = distance ÷ time = $180 \div 2 = 90$ km/h.

id=9226 | topic=Percentages | difficulty=Easy | question=What is 10% of 1768? | option_a=171 | option_b=176 | option_c=181 | option_d=352 | answer=B | explanation=10% of 1768 = $(10/100) \times 1768 = 176$.

id=9227 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 15, 23, 33? | option_a=7 | option_b=15 | option_c=23 | option_d=33 | answer=D | explanation=The first three numbers increase by 8, so the next should be 31. Therefore 33 is the odd one out.

id=9228 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 22, 27, 32, ? | option_a=32 | option_b=38 | option_c=42 | option_d=37 | answer=D | explanation=The common difference is 5. Therefore the next term is $32 + 5 = 37$.

id=9229 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:8 and the first is 340, what is the second? | option_a=156 | option_b=476 | option_c=128 | option_d=136 | answer=D | explanation=Scale factor = $340/20 = 17$. Therefore second quantity = $8 \times 17 = 136$.

id=9230 | topic=Percentages | difficulty=Easy | question=What is 25% of 614? | option_a=306 | option_b=143 | option_c=158 | option_d=153 | answer=D | explanation=25% of 614 = $(25/100) \times 614 = 153$.

id=9231 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 29? | option_a=24 | option_b=29 | option_c=18 | option_d=21 | answer=B | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 29 is the odd one out.

id=9232 | topic=Percentages | difficulty=Easy | question=What is 25% of 1209? | option_a=322 | option_b=302 | option_c=604 | option_d=297 | answer=B | explanation=25% of 1209 = $(25/100) \times 1209 = 302$.

id=9233 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=9 | option_b=4 | option_c=18 | option_d=14 | answer=A | explanation=Speed = distance ÷ time = $90 \div 10 = 9$ km/h.

id=9234 | topic=Averages | difficulty=Easy | question=Find the average of 33, 48, 70, 88, 89, 17, 55, 33, 44. | option_a=53 | option_b=55 | option_c=52 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = $477 \div 9 = 53$.

id=9235 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=40 | option_b=31 | option_c=41 | option_d=49 | answer=A | explanation=The common difference is 9. Therefore the next term is $31 + 9 = 40$.

id=9236 | topic=Averages | difficulty=Easy | question=Find the average of 44, 14, 90, 90, 95, 57, 77, 52, 75. | option_a=65 | option_b=67 | option_c=68 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = $594 \div 9 = 66$.

id=9237 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=144 | option_c=77 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = $360 \div 5 = 72$ km/h.

id=9238 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 16. | option_a=112 | option_b=448 | option_c=140 | option_d=96 | answer=A | explanation=LCM $\times$ HCF = 28×16 ; $HCF(28,16) = 4$, so LCM = 112.

id=9239 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=9240 | topic=Profit & Loss | difficulty=Easy | question=An article costs █376. If it is sold at a profit of 25%, what is its selling price? | option_a=401 | option_b=433 | option_c=470 | option_d=507 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 376 \times 125/100 = \text{█}470$.

Aptitude Questions — Records 9,241-9,270 of 100,000

id=9241 | topic=Percentages | difficulty=Easy | question=What is 15% of 1018? | option_a=304 | option_b=172 | option_c=152 | option_d=132 | answer=C | explanation=15% of 1018 = (15/100) × 1018 = 152.

id=9242 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 16, 26, 37? | option_a=37 | option_b=6 | option_c=26 | option_d=16 | answer=A | explanation=The first three numbers increase by 10, so the next should be 36. Therefore 37 is the odd one out.

id=9243 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 11? | option_a=11 | option_b=2 | option_c=4 | option_d=6 | answer=A | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 11 is the odd one out.

id=9244 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3613. If it is sold at a profit of 5%, what is its selling price? | option_a=3618 | option_b=4154 | option_c=3432 | option_d=3793 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3613 × 105/100 = █3793.

id=9245 | topic=Averages | difficulty=Easy | question=Find the average of 69, 51, 50, 17, 66, 48, 77. | option_a=56 | option_b=53 | option_c=55 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

id=9246 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:19 and the first is 80, what is the second? | option_a=270 | option_b=190 | option_c=198 | option_d=171 | answer=B | explanation=Scale factor = 80/8 = 10. Therefore second quantity = 19×10 = 190.

id=9247 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=9248 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38606 at 12% per annum for 5 years. | option_a=23163 | option_b=23063 | option_c=61769 | option_d=23263 | answer=A | explanation=SI = PRT/100 = 38606×12×5/100 = █23163.

id=9249 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1658. If it is sold at a profit of 30%, what is its selling price? | option_a=1990 | option_b=2320 | option_c=2155 | option_d=1688 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1658 × 130/100 = █2155.

id=9250 | topic=Percentages | difficulty=Easy | question=What is 10% of 169? | option_a=11 | option_b=21 | option_c=32 | option_d=16 | answer=D | explanation=10% of 169 = (10/100) × 169 = 16.

id=9251 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 28? | option_a=28 | option_b=16 | option_c=19 | option_d=22 | answer=A | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 28 is the odd one out.

id=9252 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=A | option_b=V | option_c=Q | option_d=L | answer=B | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=9253 | topic=Percentages | difficulty=Easy | question=What is 5% of 1226? | option_a=61 | option_b=51 | option_c=122 | option_d=71 | answer=A | explanation=5% of 1226 = (5/100) × 1226 = 61.

id=9254 | topic=Percentages | difficulty=Easy | question=What is 5% of 1720? | option_a=66 | option_b=172 | option_c=106 | option_d=86 | answer=D | explanation=5% of 1720 = (5/100) × 1720 = 86.

id=9255 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=L | option_b=M | option_c=J | option_d=K | answer=A | explanation=Move 1 positions forward from K; the resulting letter is L.

id=9256 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=L | option_c=N | option_d=M | answer=C | explanation=Move 1 positions forward from M; the resulting letter is N.

id=9257 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 27? | option_a=27 | option_b=20 | option_c=24 | option_d=22 | answer=A | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 27 is the odd one out.

id=9258 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34131 at 10% per annum for 5 years. | option_a=16965 | option_b=17165 | option_c=17065 | option_d=51196 | answer=C | explanation=SI = PRT/100 = 34131×10×5/100 = █17065.

id=9259 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=X | option_c=O | option_d=U | answer=D | explanation=Move 3 positions forward from R; the resulting letter is U.

id=9260 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:19 and the first is 8, what is the second? | option_a=19 | option_b=38 | option_c=46 | option_d=42 | answer=B | explanation=Scale factor = 8/4 = 2. Therefore second quantity = 19×2 = 38.

id=9261 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=9262 | topic=Averages | difficulty=Easy | question=Find the average of 82, 11, 54. | option_a=51 | option_b=48 | option_c=49 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 147 ÷ 3 = 49.

id=9263 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4940. If it is sold at a profit of 15%, what is its selling price? | option_a=4955 | option_b=6175 | option_c=5681 | option_d=5187 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4940 × 115/100 = █5681.

id=9264 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:1 and the first is 150, what is the second? | option_a=10 | option_b=25 | option_c=160 | option_d=9 | answer=A | explanation=Scale factor = 150/15 = 10. Therefore second quantity = 1×10 = 10.

id=9265 | topic=Percentages | difficulty=Easy | question=What is 15% of 399? | option_a=59 | option_b=64 | option_c=54 | option_d=118 | answer=A | explanation=15% of 399 = (15/100) × 399 = 59.

id=9266 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:4 and the first is 208, what is the second? | option_a=48 | option_b=52 | option_c=68 | option_d=260 | answer=B | explanation=Scale factor = 208/16 = 13. Therefore second quantity = 4×13 = 52.

id=9267 | topic=Averages | difficulty=Easy | question=Find the average of 22, 51, 100, 13, 11, 71, 42, 81, 75, 44. | option_a=50 | option_b=51 | option_c=53 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

id=9268 | topic=Percentages | difficulty=Easy | question=What is 12% of 217? | option_a=21 | option_b=52 | option_c=31 | option_d=26 | answer=D | explanation=12% of 217 = (12/100) × 217 = 26.

id=9269 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=9270 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2939. If it is sold at a profit of 10%, what is its selling price? | option_a=3525 | option_b=2939 | option_c=2949 | option_d=3232 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2939 × 110/100 = █3232.

Aptitude Questions — Records 9,271-9,300 of 100,000

id=9271 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 8. | option_a=64 | option_b=90 | option_c=144 | option_d=72 | answer=D | explanation= $LCM \times HCF = 18 \times 8$; $HCF(18,8) = 2$, so $LCM = 72$.

id=9272 | topic=Percentages | difficulty=Easy | question=What is 15% of 1260? | option_a=209 | option_b=189 | option_c=179 | option_d=378 | answer=B | explanation= $15\% \text{ of } 1260 = (15/100) \times 1260 = 189$.

id=9273 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 30? | option_a=30 | option_b=21 | option_c=24 | option_d=18 | answer=A | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 30 is the odd one out.

id=9274 | topic=Percentages | difficulty=Easy | question=What is 10% of 912? | option_a=111 | option_b=71 | option_c=91 | option_d=182 | answer=C | explanation= $10\% \text{ of } 912 = (10/100) \times 912 = 91$.

id=9275 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation= $Speed = distance \div time = 240 \div 8 = 30 \text{ km/h}$.

id=9276 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 15, 20, 28? | option_a=20 | option_b=10 | option_c=15 | option_d=28 | answer=D | explanation=The first three numbers increase by 5, so the next should be 25. Therefore 28 is the odd one out.

id=9277 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 15, 23, 33? | option_a=7 | option_b=23 | option_c=15 | option_d=33 | answer=D | explanation=The first three numbers increase by 8, so the next should be 31. Therefore 33 is the odd one out.

id=9278 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:10 and the first is 72, what is the second? | option_a=89 | option_b=152 | option_c=80 | option_d=70 | answer=C | explanation= $Scale \text{ factor} = 72/9 = 8$. Therefore second quantity = $10 \times 8 = 80$.

id=9279 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 42? | option_a=18 | option_b=42 | option_c=32 | option_d=25 | answer=B | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 42 is the odd one out.

id=9280 | topic=Percentages | difficulty=Easy | question=What is 40% of 1096? | option_a=438 | option_b=433 | option_c=448 | option_d=876 | answer=A | explanation= $40\% \text{ of } 1096 = (40/100) \times 1096 = 438$.

id=9281 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation= $Combined \text{ rate} = 1/12 + 1/4 = 16/48$. $Time = 48/16 = 3 \text{ days}$.

id=9282 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation= $Combined \text{ rate} = 1/6 + 1/12 = 18/72$. $Time = 72/18 = 4 \text{ days}$.

id=9283 | topic=Percentages | difficulty=Easy | question=What is 15% of 247? | option_a=32 | option_b=42 | option_c=37 | option_d=74 | answer=C | explanation= $15\% \text{ of } 247 = (15/100) \times 247 = 37$.

id=9284 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=70 | option_c=80 | option_d=75 | answer=D | explanation= $Speed = distance \div time = 150 \div 2 = 75 \text{ km/h}$.

id=9285 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4564. If it is sold at a profit of 15%, what is its selling price? | option_a=4792 | option_b=5248 | option_c=5704 | option_d=4579 | answer=B | explanation= $Selling \text{ price} = CP \times (100 + profit\%)/100 = 4564 \times 115/100 = \text{█}5248$.

id=9286 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30883 at 4% per annum for 1 years. | option_a=1235 | option_b=1335 | option_c=1135 | option_d=32118 | answer=A | explanation= $SI = PRT/100 = 30883 \times 4 \times 1/100 = \text{█}1235$.

id=9287 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=6 | option_d=4 | answer=A | explanation= $Combined \text{ rate} = 1/10 + 1/10 = 20/100$. $Time = 100/20 = 5 \text{ days}$.

id=9288 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 12, 14, 18? | option_a=14 | option_b=18 | option_c=12 | option_d=10 | answer=B | explanation=The first three numbers increase by 2, so the next should be 16. Therefore 18 is the odd one out.

id=9289 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=B | option_c=Z | option_d=F | answer=A | explanation=Move 2 positions forward from B; the resulting letter is D.

id=9290 | topic=Averages | difficulty=Easy | question=Find the average of 48, 56, 63, 73, 19, 30, 20, 99, 33. | option_a=49 | option_b=50 | option_c=51 | option_d=48 | answer=A | explanation= $Average = \text{sum of values} \div \text{number of values} = 441 \div 9 = 49$.

id=9291 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation= $Combined \text{ rate} = 1/6 + 1/3 = 9/18$. $Time = 18/9 = 2 \text{ days}$.

id=9292 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=E | option_c=F | option_d=D | answer=C | explanation=Move 1 positions forward from E; the resulting letter is F.

id=9293 | topic=Averages | difficulty=Easy | question=Find the average of 77, 40, 85, 99, 16, 31, 74, 30, 88. | option_a=60 | option_b=59 | option_c=61 | option_d=62 | answer=A | explanation= $Average = \text{sum of values} \div \text{number of values} = 540 \div 9 = 60$.

id=9294 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12711 at 15% per annum for 1 years. | option_a=2006 | option_b=1806 | option_c=1906 | option_d=14617 | answer=C | explanation= $SI = PRT/100 = 12711 \times 15 \times 1/100 = \text{█}1906$.

id=9295 | topic=Averages | difficulty=Easy | question=Find the average of 13, 92, 39, 34, 62, 62, 76, 86. | option_a=58 | option_b=59 | option_c=60 | option_d=57 | answer=A | explanation= $Average = \text{sum of values} \div \text{number of values} = 464 \div 8 = 58$.

id=9296 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=42 | option_b=33 | option_c=43 | option_d=51 | answer=A | explanation=The common difference is 9. Therefore the next term is $33 + 9 = 42$.

id=9297 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:15 and the first is 55, what is the second? | option_a=75 | option_b=130 | option_c=86 | option_d=60 | answer=A | explanation= $Scale \text{ factor} = 55/11 = 5$. Therefore second quantity = $15 \times 5 = 75$.

id=9298 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=56 | option_b=55 | option_c=65 | option_d=45 | answer=B | explanation=The common difference is 10. Therefore the next term is $45 + 10 = 55$.

id=9299 | topic=Percentages | difficulty=Easy | question=What is 10% of 583? | option_a=116 | option_b=53 | option_c=78 | option_d=58 | answer=D | explanation= $10\% \text{ of } 583 = (10/100) \times 583 = 58$.

id=9300 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4081. If it is sold at a profit of 10%, what is its selling price? | option_a=4489 | option_b=4897 | option_c=4081 | option_d=4091 | answer=A | explanation= $Selling \text{ price} = CP \times (100 + profit\%)/100 = 4081 \times 110/100 = \text{█}4489$.

Aptitude Questions — Records 9,301-9,330 of 100,000

id=9301 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:6 and the first is 190, what is the second? | option_a=114 | option_b=304 | option_c=108 | option_d=124 | answer=A | explanation=Scale factor = 190/10 = 19. Therefore second quantity = 6×19 = 114.

id=9302 | topic=Averages | difficulty=Easy | question=Find the average of 44, 73, 15, 11, 52. | option_a=39 | option_b=41 | option_c=38 | option_d=40 | answer=A | explanation=Average = sum of values ÷ number of values = 195 ÷ 5 = 39.

id=9303 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=31 | option_c=72 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=9304 | topic=Percentages | difficulty=Easy | question=What is 15% of 953? | option_a=147 | option_b=284 | option_c=132 | option_d=142 | answer=D | explanation=15% of 953 = (15/100) × 953 = 142.

id=9305 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=5 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=9306 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=50 | option_c=45 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=9307 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 24, 31, 41? | option_a=31 | option_b=24 | option_c=17 | option_d=41 | answer=D | explanation=The first three numbers increase by 7, so the next should be 38. Therefore 41 is the odd one out.

id=9308 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4882. If it is sold at a profit of 25%, what is its selling price? | option_a=6102 | option_b=5614 | option_c=4907 | option_d=6590 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4882 × 125/100 = █6102.

id=9309 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:3 and the first is 72, what is the second? | option_a=51 | option_b=58 | option_c=126 | option_d=54 | answer=D | explanation=Scale factor = 72/4 = 18. Therefore second quantity = 3×18 = 54.

id=9310 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=9311 | topic=Percentages | difficulty=Easy | question=What is 12% of 1198? | option_a=133 | option_b=286 | option_c=148 | option_d=143 | answer=D | explanation=12% of 1198 = (12/100) × 1198 = 143.

id=9312 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:11 and the first is 22, what is the second? | option_a=121 | option_b=110 | option_c=123 | option_d=143 | answer=A | explanation=Scale factor = 22/2 = 11. Therefore second quantity = 11×11 = 121.

id=9313 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 5, 8, 11, ? | option_a=11 | option_b=14 | option_c=17 | option_d=15 | answer=B | explanation=The common difference is 3. Therefore the next term is 11 + 3 = 14.

id=9314 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:1 and the first is 8, what is the second? | option_a=4 | option_b=3 | option_c=6 | option_d=12 | answer=A | explanation=Scale factor = 8/2 = 4. Therefore second quantity = 1×4 = 4.

id=9315 | topic=Percentages | difficulty=Easy | question=What is 15% of 649? | option_a=87 | option_b=194 | option_c=107 | option_d=97 | answer=D | explanation=15% of 649 = (15/100) × 649 = 97.

id=9316 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31919 at 8% per annum for 1 years. | option_a=34472 | option_b=2653 | option_c=2453 | option_d=2553 | answer=D | explanation=SI = PRT/100 = 31919×8×1/100 = █2553.

id=9317 | topic=Averages | difficulty=Easy | question=Find the average of 76, 73, 86, 27, 94, 82. | option_a=75 | option_b=73 | option_c=72 | option_d=74 | answer=B | explanation=Average = sum of values ÷ number of values = 438 ÷ 6 = 73.

id=9318 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=22 | option_b=21 | option_c=17 | option_d=25 | answer=B | explanation=The common difference is 4. Therefore the next term is 17 + 4 = 21.

id=9319 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4632. If it is sold at a profit of 50%, what is its selling price? | option_a=7411 | option_b=6948 | option_c=4682 | option_d=6485 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4632 × 150/100 = █6948.

id=9320 | topic=Percentages | difficulty=Easy | question=What is 40% of 1653? | option_a=656 | option_b=661 | option_c=1322 | option_d=671 | answer=B | explanation=40% of 1653 = (40/100) × 1653 = 661.

id=9321 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 49? | option_a=36 | option_b=42 | option_c=49 | option_d=30 | answer=C | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 49 is the odd one out.

id=9322 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=9323 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:6 and the first is 96, what is the second? | option_a=36 | option_b=30 | option_c=132 | option_d=52 | answer=A | explanation=Scale factor = 96/16 = 6. Therefore second quantity = 6×6 = 36.

id=9324 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 18. | option_a=108 | option_b=18 | option_c=1 | option_d=24 | answer=B | explanation=LCM × HCF = 6×18; HCF(6,18) = 6, so LCM = 18.

id=9325 | topic=Averages | difficulty=Easy | question=Find the average of 40, 30, 90, 58, 15, 97, 97. | option_a=63 | option_b=60 | option_c=61 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 427 ÷ 7 = 61.

id=9326 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44156 at 8% per annum for 3 years. | option_a=10497 | option_b=10697 | option_c=10597 | option_d=54753 | answer=C | explanation=SI = PRT/100 = 44156×8×3/100 = █10597.

id=9327 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=Q | option_b=L | option_c=V | option_d=G | answer=A | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=9328 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=K | option_b=C | option_c=G | option_d=Y | answer=C | explanation=Move 4 positions forward from C; the resulting letter is G.

id=9329 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 38? | option_a=29 | option_b=38 | option_c=32 | option_d=26 | answer=B | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 38 is the odd one out.

id=9330 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:6 and the first is 60, what is the second? | option_a=90 | option_b=84 | option_c=150 | option_d=94 | answer=A | explanation=Scale factor = 60/4 = 15. Therefore second quantity = 6×15 = 90.

Aptitude Questions — Records 9,331-9,360 of 100,000

id=9331 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=40 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=9332 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=42 | option_b=53 | option_c=64 | option_d=54 | answer=B | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.

id=9333 | topic=Percentages | difficulty=Easy | question=What is 12% of 1732? | option_a=207 | option_b=202 | option_c=227 | option_d=414 | answer=A | explanation=12% of 1732 = (12/100) × 1732 = 207.

id=9334 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 16, 19, 24? | option_a=24 | option_b=19 | option_c=13 | option_d=16 | answer=A | explanation=The first three numbers increase by 3, so the next should be 22. Therefore 24 is the odd one out.

id=9335 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=35 | option_b=41 | option_c=36 | option_d=29 | answer=A | explanation=The common difference is 6. Therefore the next term is 29 + 6 = 35.

id=9336 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40351 at 12% per annum for 4 years. | option_a=19268 | option_b=19368 | option_c=59719 | option_d=19468 | answer=B | explanation=SI = PRT/100 = 40351×12×4/100 = █19368.

id=9337 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=9338 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1999. If it is sold at a profit of 20%, what is its selling price? | option_a=2199 | option_b=2597 | option_c=2019 | option_d=2398 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1999 × 120/100 = █2398.

id=9339 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=150 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=9340 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=9341 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=185 | option_c=180 | option_d=360 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=9342 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=53 | option_b=40 | option_c=52 | option_d=64 | answer=C | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.

id=9343 | topic=Averages | difficulty=Easy | question=Find the average of 60, 31, 90, 93, 57, 53, 12, 28. | option_a=53 | option_b=52 | option_c=55 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.

id=9344 | topic=Profit & Loss | difficulty=Easy | question=An article costs █550. If it is sold at a profit of 20%, what is its selling price? | option_a=715 | option_b=570 | option_c=660 | option_d=605 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 550 × 120/100 = █660.

id=9345 | topic=Averages | difficulty=Easy | question=Find the average of 34, 94, 27, 13, 94, 91, 93, 26, 26, 22. | option_a=51 | option_b=54 | option_c=53 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 520 ÷ 10 = 52.

id=9346 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 22? | option_a=11 | option_b=7 | option_c=22 | option_d=15 | answer=C | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 22 is the odd one out.

id=9347 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 24, 34, 47? | option_a=24 | option_b=47 | option_c=14 | option_d=34 | answer=B | explanation=The first three numbers increase by 10, so the next should be 44. Therefore 47 is the odd one out.

id=9348 | topic=Percentages | difficulty=Easy | question=What is 40% of 1586? | option_a=634 | option_b=614 | option_c=639 | option_d=1268 | answer=A | explanation=40% of 1586 = (40/100) × 1586 = 634.

id=9349 | topic=Averages | difficulty=Easy | question=Find the average of 50, 64, 81, 22, 83, 31, 89, 82, 52, 86. | option_a=65 | option_b=63 | option_c=66 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 640 ÷ 10 = 64.

id=9350 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41521 at 10% per annum for 3 years. | option_a=53977 | option_b=12456 | option_c=12356 | option_d=12556 | answer=B | explanation=SI = PRT/100 = 41521×10×3/100 = █12456.

id=9351 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=12 | option_c=6 | option_d=11 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=9352 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=55 | option_c=45 | option_d=100 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=9353 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 50? | option_a=41 | option_b=33 | option_c=50 | option_d=25 | answer=C | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 50 is the odd one out.

id=9354 | topic=Averages | difficulty=Easy | question=Find the average of 60, 51, 36. | option_a=51 | option_b=48 | option_c=49 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 147 ÷ 3 = 49.

id=9355 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=47 | option_b=69 | option_c=59 | option_d=58 | answer=D | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.

id=9356 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=9357 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=9358 | topic=Averages | difficulty=Easy | question=Find the average of 57, 86, 70, 81, 29, 65, 84, 12, 20. | option_a=55 | option_b=57 | option_c=58 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=9359 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 8. | option_a=1 | option_b=16 | option_c=8 | option_d=10 | answer=C | explanation=LCM × HCF = 2×8; HCF(2,8) = 2, so LCM = 8.

id=9360 | topic=Percentages | difficulty=Easy | question=What is 5% of 1571? | option_a=98 | option_b=78 | option_c=156 | option_d=58 | answer=B | explanation=5% of 1571 = (5/100) × 1571 = 78.

Aptitude Questions — Records 9,361-9,390 of 100,000

id=9361 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=24 | option_b=29 | option_c=25 | option_d=19 | answer=A | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.

id=9362 | topic=Averages | difficulty=Easy | question=Find the average of 12, 56, 37, 83. | option_a=49 | option_b=46 | option_c=47 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 188 ÷ 4 = 47.

id=9363 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=32 | option_b=27 | option_c=26 | option_d=20 | answer=C | explanation=The common difference is 6. Therefore the next term is 20 + 6 = 26.

id=9364 | topic=Averages | difficulty=Easy | question=Find the average of 25, 65, 14, 20, 12, 94, 89, 72, 32. | option_a=49 | option_b=47 | option_c=46 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 423 ÷ 9 = 47.

id=9365 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1135. If it is sold at a profit of 10%, what is its selling price? | option_a=1135 | option_b=1361 | option_c=1145 | option_d=1248 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1135 × 110/100 = █1248.

id=9366 | topic=Profit & Loss | difficulty=Easy | question=An article costs █146. If it is sold at a profit of 40%, what is its selling price? | option_a=186 | option_b=218 | option_c=190 | option_d=204 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 146 × 140/100 = █204.

id=9367 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 41? | option_a=20 | option_b=29 | option_c=11 | option_d=41 | answer=D | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 41 is the odd one out.

id=9368 | topic=Percentages | difficulty=Easy | question=What is 40% of 1241? | option_a=486 | option_b=496 | option_c=516 | option_d=992 | answer=B | explanation=40% of 1241 = (40/100) × 1241 = 496.

id=9369 | topic=Profit & Loss | difficulty=Easy | question=An article costs █371. If it is sold at a profit of 5%, what is its selling price? | option_a=376 | option_b=389 | option_c=426 | option_d=352 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 371 × 105/100 = █389.

id=9370 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4989. If it is sold at a profit of 25%, what is its selling price? | option_a=5014 | option_b=5738 | option_c=6236 | option_d=6734 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4989 × 125/100 = █6236.

id=9371 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=9372 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43184 at 12% per annum for 3 years. | option_a=58730 | option_b=15446 | option_c=15646 | option_d=15546 | answer=D | explanation=SI = PRT/100 = 43184×12×3/100 = █15546.

id=9373 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13848 at 5% per annum for 2 years. | option_a=1284 | option_b=1384 | option_c=1484 | option_d=15232 | answer=B | explanation=SI = PRT/100 = 13848×5×2/100 = █1384.

id=9374 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=40 | option_b=34 | option_c=35 | option_d=28 | answer=B | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.

id=9375 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4159. If it is sold at a profit of 25%, what is its selling price? | option_a=4783 | option_b=5198 | option_c=4184 | option_d=5613 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4159 × 125/100 = █5198.

id=9376 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3362. If it is sold at a profit of 10%, what is its selling price? | option_a=3698 | option_b=4034 | option_c=3362 | option_d=3372 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3362 × 110/100 = █3698.

id=9377 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=9378 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:8 and the first is 238, what is the second? | option_a=350 | option_b=112 | option_c=104 | option_d=129 | answer=B | explanation=Scale factor = 238/17 = 14. Therefore second quantity = 8×14 = 112.

id=9379 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1834. If it is sold at a profit of 10%, what is its selling price? | option_a=1834 | option_b=2200 | option_c=1844 | option_d=2017 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1834 × 110/100 = █2017.

id=9380 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12357 at 12% per annum for 2 years. | option_a=2965 | option_b=15322 | option_c=2865 | option_d=3065 | answer=A | explanation=SI = PRT/100 = 12357×12×2/100 = █2965.

id=9381 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 28? | option_a=15 | option_b=23 | option_c=28 | option_d=19 | answer=C | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 28 is the odd one out.

id=9382 | topic=Averages | difficulty=Easy | question=Find the average of 26, 28, 63, 48, 19, 12, 28. | option_a=32 | option_b=33 | option_c=34 | option_d=31 | answer=A | explanation=Average = sum of values ÷ number of values = 224 ÷ 7 = 32.

id=9383 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13602 at 4% per annum for 3 years. | option_a=1632 | option_b=1532 | option_c=1732 | option_d=15234 | answer=A | explanation=SI = PRT/100 = 13602×4×3/100 = █1632.

id=9384 | topic=Percentages | difficulty=Easy | question=What is 30% of 1540? | option_a=442 | option_b=462 | option_c=924 | option_d=467 | answer=B | explanation=30% of 1540 = (30/100) × 1540 = 462.

id=9385 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:4 and the first is 12, what is the second? | option_a=14 | option_b=20 | option_c=8 | option_d=4 | answer=C | explanation=Scale factor = 12/6 = 2. Therefore second quantity = 4×2 = 8.

id=9386 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=23 | option_b=17 | option_c=27 | option_d=22 | answer=D | explanation=The common difference is 5. Therefore the next term is 17 + 5 = 22.

id=9387 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:14 and the first is 234, what is the second? | option_a=238 | option_b=265 | option_c=486 | option_d=252 | answer=D | explanation=Scale factor = 234/13 = 18. Therefore second quantity = 14×18 = 252.

id=9388 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=N | option_c=Z | option_d=R | answer=A | explanation=Move 4 positions forward from R; the resulting letter is V.

id=9389 | topic=Profit & Loss | difficulty=Easy | question=An article costs █941. If it is sold at a profit of 50%, what is its selling price? | option_a=1411 | option_b=1505 | option_c=1317 | option_d=991 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 941 × 150/100 = █1411.

id=9390 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1307. If it is sold at a profit of 25%, what is its selling price? | option_a=1633 | option_b=1763 | option_c=1503 | option_d=1332 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1307 × 125/100 = █1633.

Aptitude Questions — Records 9,391-9,420 of 100,000

id=9391 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=U | option_b=R | option_c=O | option_d=X | answer=A | explanation=Move 3 positions forward from R; the resulting letter is U.

id=9392 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:19 and the first is 98, what is the second? | option_a=114 | option_b=133 | option_c=147 | option_d=231 | answer=B | explanation=Scale factor = $98/14 = 7$. Therefore second quantity = $19 \times 7 = 133$.

id=9393 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on $\text{₹}37053$ at 5% per annum for 4 years. | option_a=7410 | option_b=7510 | option_c=7310 | option_d=44463 | answer=A | explanation=SI = $\text{PRT}/100 = 37053 \times 5 \times 4/100 = \text{₹}7410$.

id=9394 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=12 | answer=B | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=9395 | topic=Percentages | difficulty=Easy | question=What is 10% of 147? | option_a=19 | option_b=14 | option_c=4 | option_d=28 | answer=B | explanation=10% of 147 = $(10/100) \times 147 = 14.7$.

id=9396 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = $120 \div 8 = 15$ km/h.

id=9397 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on $\text{₹}45256$ at 6% per annum for 2 years. | option_a=50686 | option_b=5330 | option_c=5530 | option_d=5430 | answer=D | explanation=SI = $\text{PRT}/100 = 45256 \times 6 \times 2/100 = \text{₹}5430$.

id=9398 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = $120 \div 2 = 60$ km/h.

id=9399 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=125 | option_d=240 | answer=A | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.

id=9400 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=44 | option_b=34 | option_c=40 | option_d=39 | answer=D | explanation=The common difference is 5. Therefore the next term is $34 + 5 = 39$.

id=9401 | topic=Percentages | difficulty=Easy | question=What is 5% of 443? | option_a=17 | option_b=44 | option_c=22 | option_d=32 | answer=C | explanation=5% of 443 = $(5/100) \times 443 = 22.15$.

id=9402 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 28. | option_a=160 | option_b=560 | option_c=112 | option_d=140 | answer=D | explanation=LCM $\times$ HCF = 20×28 ; HCF(20,28) = 4, so LCM = 140.

id=9403 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=G | option_c=A | option_d=E | answer=D | explanation=Move 2 positions forward from C; the resulting letter is E.

id=9404 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on $\text{₹}17130$ at 10% per annum for 5 years. | option_a=25695 | option_b=8665 | option_c=8565 | option_d=8465 | answer=C | explanation=SI = $\text{PRT}/100 = 17130 \times 10 \times 5/100 = \text{₹}8565$.

id=9405 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=125 | option_c=120 | option_d=240 | answer=C | explanation=Speed = distance ÷ time = $240 \div 2 = 120$ km/h.

id=9406 | topic=Profit & Loss | difficulty=Easy | question=An article costs $\text{₹}4664$. If it is sold at a profit of 10%, what is its selling price? | option_a=4664 | option_b=4674 | option_c=5596 | option_d=5130 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 4664 \times 110/100 = \text{₹}5130$.

id=9407 | topic=Profit & Loss | difficulty=Easy | question=An article costs $\text{₹}4980$. If it is sold at a profit of 30%, what is its selling price? | option_a=5010 | option_b=6474 | option_c=6972 | option_d=5976 | answer=B | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 4980 \times 130/100 = \text{₹}6474$.

id=9408 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=9409 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:3 and the first is 66, what is the second? | option_a=30 | option_b=99 | option_c=39 | option_d=33 | answer=D | explanation=Scale factor = $66/6 = 11$. Therefore second quantity = $3 \times 11 = 33$.

id=9410 | topic=Averages | difficulty=Easy | question=Find the average of 66, 77, 73, 17, 13, 10, 82, 77, 53, 52. | option_a=54 | option_b=53 | option_c=52 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = $520 \div 10 = 52$.

id=9411 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=R | option_c=X | option_d=T | answer=A | explanation=Move 2 positions forward from T; the resulting letter is V.

id=9412 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=9413 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=9414 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = $90 \div 6 = 15$ km/h.

id=9415 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:20 and the first is 36, what is the second? | option_a=60 | option_b=89 | option_c=80 | option_d=116 | answer=C | explanation=Scale factor = $36/9 = 4$. Therefore second quantity = $20 \times 4 = 80$.

id=9416 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=23 | option_b=19 | option_c=15 | option_d=20 | answer=B | explanation=The common difference is 4. Therefore the next term is $15 + 4 = 19$.

id=9417 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=9418 | topic=Profit & Loss | difficulty=Easy | question=An article costs $\text{₹}2237$. If it is sold at a profit of 30%, what is its selling price? | option_a=3131 | option_b=2267 | option_c=2685 | option_d=2908 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 2237 \times 130/100 = \text{₹}2908$.

id=9419 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=12 | option_d=2 | answer=B | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=9420 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

Aptitude Questions — Records 9,421-9,450 of 100,000

id=9421 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42649 at 10% per annum for 4 years. | option_a=16959 | option_b=59708 | option_c=17159 | option_d=17059 | answer=D | explanation=SI = PRT/100 = 42649×10×4/100 = █17059.

id=9422 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=9423 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=K | option_b=U | option_c=Z | option_d=P | answer=B | explanation=Move 5 positions forward from P; the resulting letter is U.

id=9424 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 24. | option_a=240 | option_b=528 | option_c=286 | option_d=264 | answer=D | explanation=LCM × HCF = 22×24; HCF(22,24) = 2, so LCM = 264.

id=9425 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=S | option_b=R | option_c=T | option_d=Q | answer=A | explanation=Move 1 positions forward from R; the resulting letter is S.

id=9426 | topic=Percentages | difficulty=Easy | question=What is 5% of 854? | option_a=22 | option_b=84 | option_c=42 | option_d=47 | answer=C | explanation=5% of 854 = (5/100) × 854 = 42.

id=9427 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 29, 38, 48? | option_a=38 | option_b=48 | option_c=20 | option_d=29 | answer=B | explanation=The first three numbers increase by 9, so the next should be 47. Therefore 48 is the odd one out.

id=9428 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=Y | option_c=A | option_d=C | answer=D | explanation=Move 2 positions forward from A; the resulting letter is C.

id=9429 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 24, 32, 40, ? | option_a=48 | option_b=56 | option_c=49 | option_d=40 | answer=A | explanation=The common difference is 8. Therefore the next term is 40 + 8 = 48.

id=9430 | topic=Percentages | difficulty=Easy | question=What is 20% of 1384? | option_a=296 | option_b=276 | option_c=256 | option_d=552 | answer=B | explanation=20% of 1384 = (20/100) × 1384 = 276.

id=9431 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3405. If it is sold at a profit of 30%, what is its selling price? | option_a=4766 | option_b=4086 | option_c=4426 | option_d=3435 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3405 × 130/100 = █4426.

id=9432 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:14 and the first is 84, what is the second? | option_a=84 | option_b=168 | option_c=98 | option_d=70 | answer=A | explanation=Scale factor = 84/14 = 6. Therefore second quantity = 14×6 = 84.

id=9433 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1252. If it is sold at a profit of 30%, what is its selling price? | option_a=1502 | option_b=1282 | option_c=1752 | option_d=1627 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1252 × 130/100 = █1627.

id=9434 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 32? | option_a=27 | option_b=25 | option_c=32 | option_d=29 | answer=C | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 32 is the odd one out.

id=9435 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10970 at 15% per annum for 5 years. | option_a=8227 | option_b=19197 | option_c=8327 | option_d=8127 | answer=A | explanation=SI = PRT/100 = 10970×15×5/100 = █8227.

id=9436 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=9437 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=Q | option_b=T | option_c=R | option_d=S | answer=D | explanation=Move 1 positions forward from R; the resulting letter is S.

id=9438 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 6. | option_a=78 | option_b=168 | option_c=112 | option_d=84 | answer=D | explanation=LCM × HCF = 28×6; HCF(28,6) = 2, so LCM = 84.

id=9439 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:4 and the first is 24, what is the second? | option_a=28 | option_b=20 | option_c=48 | option_d=24 | answer=D | explanation=Scale factor = 24/4 = 6. Therefore second quantity = 4×6 = 24.

id=9440 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=90 | option_c=180 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=9441 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=9442 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:8 and the first is 24, what is the second? | option_a=56 | option_b=24 | option_c=38 | option_d=32 | answer=D | explanation=Scale factor = 24/6 = 4. Therefore second quantity = 8×4 = 32.

id=9443 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 30. | option_a=448 | option_b=420 | option_c=390 | option_d=840 | answer=B | explanation=LCM × HCF = 28×30; HCF(28,30) = 2, so LCM = 420.

id=9444 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:19 and the first is 380, what is the second? | option_a=741 | option_b=342 | option_c=361 | option_d=381 | answer=C | explanation=Scale factor = 380/20 = 19. Therefore second quantity = 19×19 = 361.

id=9445 | topic=Percentages | difficulty=Easy | question=What is 5% of 825? | option_a=82 | option_b=41 | option_c=51 | option_d=36 | answer=B | explanation=5% of 825 = (5/100) × 825 = 41.

id=9446 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34709 at 6% per annum for 3 years. | option_a=6347 | option_b=6147 | option_c=40956 | option_d=6247 | answer=D | explanation=SI = PRT/100 = 34709×6×3/100 = █6247.

id=9447 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 26, 36, 49? | option_a=16 | option_b=36 | option_c=49 | option_d=26 | answer=C | explanation=The first three numbers increase by 10, so the next should be 46. Therefore 49 is the odd one out.

id=9448 | topic=Percentages | difficulty=Easy | question=What is 20% of 947? | option_a=189 | option_b=209 | option_c=378 | option_d=184 | answer=A | explanation=20% of 947 = (20/100) × 947 = 189.

id=9449 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=16 | option_b=17 | option_c=13 | option_d=15 | answer=D | explanation=The common difference is 2. Therefore the next term is 13 + 2 = 15.

id=9450 | topic=Percentages | difficulty=Easy | question=What is 30% of 1856? | option_a=1112 | option_b=536 | option_c=556 | option_d=576 | answer=C | explanation=30% of 1856 = (30/100) × 1856 = 556.

Aptitude Questions — Records 9,451-9,480 of 100,000

id=9451 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:3 and the first is 10, what is the second? | option_a=17 | option_b=12 | option_c=15 | option_d=25 | answer=C | explanation=Scale factor = 10/2 = 5. Therefore second quantity = 3×5 = 15.

id=9452 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3503. If it is sold at a profit of 5%, what is its selling price? | option_a=4028 | option_b=3328 | option_c=3678 | option_d=3508 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3503 × 105/100 = █3678.

id=9453 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 14, 23, 34? | option_a=23 | option_b=14 | option_c=5 | option_d=34 | answer=D | explanation=The first three numbers increase by 9, so the next should be 32. Therefore 34 is the odd one out.

id=9454 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5861 at 10% per annum for 5 years. | option_a=8791 | option_b=2830 | option_c=3030 | option_d=2930 | answer=D | explanation=SI = PRT/100 = 5861×10×5/100 = █2930.

id=9455 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=48 | option_c=53 | option_d=43 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=9456 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:2 and the first is 6, what is the second? | option_a=12 | option_b=13 | option_c=10 | option_d=18 | answer=A | explanation=Scale factor = 6/1 = 6. Therefore second quantity = 2×6 = 12.

id=9457 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3475. If it is sold at a profit of 10%, what is its selling price? | option_a=3475 | option_b=4169 | option_c=3822 | option_d=3485 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3475 × 110/100 = █3822.

id=9458 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 9. | option_a=108 | option_b=36 | option_c=48 | option_d=27 | answer=B | explanation=LCM × HCF = 12×9; HCF(12,9) = 3, so LCM = 36.

id=9459 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=Y | option_c=K | option_d=G | answer=D | explanation=Move 4 positions forward from C; the resulting letter is G.

id=9460 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=33 | option_b=30 | option_c=31 | option_d=27 | answer=B | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.

id=9461 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=Y | option_b=I | option_c=N | option_d=D | answer=B | explanation=Move 5 positions forward from D; the resulting letter is I.

id=9462 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=18 | option_b=15 | option_c=19 | option_d=17 | answer=D | explanation=The common difference is 2. Therefore the next term is 15 + 2 = 17.

id=9463 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=22 | option_b=23 | option_c=26 | option_d=18 | answer=A | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

id=9464 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=6 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=9465 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2852. If it is sold at a profit of 30%, what is its selling price? | option_a=3992 | option_b=3422 | option_c=3707 | option_d=2882 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2852 × 130/100 = █3707.

id=9466 | topic=Averages | difficulty=Easy | question=Find the average of 18, 93, 39, 79, 63, 50, 22. | option_a=52 | option_b=51 | option_c=53 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 364 ÷ 7 = 52.

id=9467 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=S | option_c=W | option_d=Y | answer=C | explanation=Move 2 positions forward from U; the resulting letter is W.

id=9468 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23579 at 15% per annum for 5 years. | option_a=17584 | option_b=41263 | option_c=17784 | option_d=17684 | answer=D | explanation=SI = PRT/100 = 23579×15×5/100 = █17684.

id=9469 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=150 | option_c=75 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=9470 | topic=Profit & Loss | difficulty=Easy | question=An article costs █481. If it is sold at a profit of 5%, what is its selling price? | option_a=553 | option_b=457 | option_c=486 | option_d=505 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 481 × 105/100 = █505.

id=9471 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:14 and the first is 85, what is the second? | option_a=155 | option_b=70 | option_c=56 | option_d=87 | answer=B | explanation=Scale factor = 85/17 = 5. Therefore second quantity = 14×5 = 70.

id=9472 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=12 | option_c=7 | option_d=24 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=9473 | topic=Percentages | difficulty=Easy | question=What is 10% of 1880? | option_a=188 | option_b=193 | option_c=376 | option_d=183 | answer=A | explanation=10% of 1880 = (10/100) × 1880 = 188.

id=9474 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=Q | option_c=S | option_d=W | answer=A | explanation=Move 2 positions forward from S; the resulting letter is U.

id=9475 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=35 | option_b=34 | option_c=39 | option_d=29 | answer=B | explanation=The common difference is 5. Therefore the next term is 29 + 5 = 34.

id=9476 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=13 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=9477 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=48 | option_b=39 | option_c=47 | option_d=55 | answer=C | explanation=The common difference is 8. Therefore the next term is 39 + 8 = 47.

id=9478 | topic=Percentages | difficulty=Easy | question=What is 40% of 440? | option_a=176 | option_b=166 | option_c=352 | option_d=181 | answer=A | explanation=40% of 440 = (40/100) × 440 = 176.

id=9479 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 28. | option_a=390 | option_b=728 | option_c=336 | option_d=364 | answer=D | explanation=LCM × HCF = 26×28; HCF(26,28) = 2, so LCM = 364.

id=9480 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=144 | option_c=72 | option_d=77 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

Aptitude Questions — Records 9,481-9,510 of 100,000

id=9481 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 15, 23, 32? | option_a=32 | option_b=7 | option_c=23 | option_d=15 | answer=A | explanation=The first three numbers increase by 8, so the next should be 31. Therefore 32 is the odd one out.

id=9482 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=6 | option_d=20 | answer=B | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.

id=9483 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 16. | option_a=32 | option_b=192 | option_c=60 | option_d=48 | answer=D | explanation= $\text{LCM} \times \text{HCF} = 12 \times 16$; $\text{HCF}(12,16) = 4$, so $\text{LCM} = 48$.

id=9484 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on $\text{₹}25438$ at 6% per annum for 2 years. | option_a=28490 | option_b=3152 | option_c=2952 | option_d=3052 | answer=D | explanation= $\text{SI} = \frac{\text{PRT}}{100} = \frac{25438 \times 6 \times 2}{100} = \text{₹}3052$.

id=9485 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=10 | option_d=30 | answer=A | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{150}{10} = 15$ km/h.

id=9486 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:9 and the first is 30, what is the second? | option_a=48 | option_b=33 | option_c=9 | option_d=18 | answer=D | explanation= $\text{Scale factor} = \frac{30}{15} = 2$. Therefore second quantity = $9 \times 2 = 18$.

id=9487 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 30, 38, 48? | option_a=22 | option_b=48 | option_c=38 | option_d=30 | answer=B | explanation=The first three numbers increase by 8, so the next should be 46. Therefore 48 is the odd one out.

id=9488 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=40 | option_d=50 | answer=B | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{180}{4} = 45$ km/h.

id=9489 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on $\text{₹}18981$ at 4% per annum for 2 years. | option_a=20499 | option_b=1418 | option_c=1518 | option_d=1618 | answer=C | explanation= $\text{SI} = \frac{\text{PRT}}{100} = \frac{18981 \times 4 \times 2}{100} = \text{₹}1518$.

id=9490 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on $\text{₹}11623$ at 12% per annum for 5 years. | option_a=18596 | option_b=7073 | option_c=6973 | option_d=6873 | answer=C | explanation= $\text{SI} = \frac{\text{PRT}}{100} = \frac{11623 \times 12 \times 5}{100} = \text{₹}6973$.

id=9491 | topic=Profit & Loss | difficulty=Easy | question=An article costs $\text{₹}2663$. If it is sold at a profit of 5%, what is its selling price? | option_a=3062 | option_b=2530 | option_c=2668 | option_d=2796 | answer=D | explanation= $\text{Selling price} = \text{CP} \times \frac{(100 + \text{profit}\%)}{100} = 2663 \times \frac{105}{100} = \text{₹}2796$.

id=9492 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=R | option_b=C | option_c=M | option_d=H | answer=C | explanation=Move 5 positions forward from H; the resulting letter is M.

id=9493 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=Z | option_c=O | option_d=J | answer=D | explanation=Move 5 positions forward from E; the resulting letter is J.

id=9494 | topic=Percentages | difficulty=Easy | question=What is 40% of 298? | option_a=129 | option_b=119 | option_c=238 | option_d=99 | answer=B | explanation= $40\% \text{ of } 298 = \frac{(40/100)}{100} \times 298 = 119$.

id=9495 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=37 | option_b=48 | option_c=47 | option_d=57 | answer=C | explanation=The common difference is 10. Therefore the next term is $37 + 10 = 47$.

id=9496 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=22 | option_b=28 | option_c=26 | option_d=25 | answer=D | explanation=The common difference is 3. Therefore the next term is $22 + 3 = 25$.

id=9497 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on $\text{₹}20406$ at 10% per annum for 1 years. | option_a=1940 | option_b=22446 | option_c=2140 | option_d=2040 | answer=D | explanation= $\text{SI} = \frac{\text{PRT}}{100} = \frac{20406 \times 10 \times 1}{100} = \text{₹}2040$.

id=9498 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:18 and the first is 240, what is the second? | option_a=270 | option_b=288 | option_c=303 | option_d=528 | answer=B | explanation= $\text{Scale factor} = \frac{240}{15} = 16$. Therefore second quantity = $18 \times 16 = 288$.

id=9499 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=35 | option_b=41 | option_c=47 | option_d=42 | answer=B | explanation=The common difference is 6. Therefore the next term is $35 + 6 = 41$.

id=9500 | topic=Percentages | difficulty=Easy | question=What is 40% of 1473? | option_a=594 | option_b=589 | option_c=584 | option_d=1178 | answer=B | explanation= $40\% \text{ of } 1473 = \frac{(40/100)}{100} \times 1473 = 589$.

id=9501 | topic=Profit & Loss | difficulty=Easy | question=An article costs $\text{₹}4899$. If it is sold at a profit of 15%, what is its selling price? | option_a=6122 | option_b=5633 | option_c=5144 | option_d=4914 | answer=B | explanation= $\text{Selling price} = \text{CP} \times \frac{(100 + \text{profit}\%)}{100} = 4899 \times \frac{115}{100} = \text{₹}5633$.

id=9502 | topic=Percentages | difficulty=Easy | question=What is 50% of 878? | option_a=429 | option_b=439 | option_c=459 | option_d=878 | answer=B | explanation= $50\% \text{ of } 878 = \frac{(50/100)}{100} \times 878 = 439$.

id=9503 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 34? | option_a=34 | option_b=17 | option_c=27 | option_d=22 | answer=A | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 34 is the odd one out.

id=9504 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=9505 | topic=Profit & Loss | difficulty=Easy | question=An article costs $\text{₹}4308$. If it is sold at a profit of 50%, what is its selling price? | option_a=6032 | option_b=6892 | option_c=6462 | option_d=4358 | answer=C | explanation= $\text{Selling price} = \text{CP} \times \frac{(100 + \text{profit}\%)}{100} = 4308 \times \frac{150}{100} = \text{₹}6462$.

id=9506 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=52 | option_b=42 | option_c=43 | option_d=32 | answer=B | explanation=The common difference is 10. Therefore the next term is $32 + 10 = 42$.

id=9507 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=24 | option_c=19 | option_d=48 | answer=B | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{120}{5} = 24$ km/h.

id=9508 | topic=Profit & Loss | difficulty=Easy | question=An article costs $\text{₹}3040$. If it is sold at a profit of 15%, what is its selling price? | option_a=3192 | option_b=3496 | option_c=3800 | option_d=3055 | answer=B | explanation= $\text{Selling price} = \text{CP} \times \frac{(100 + \text{profit}\%)}{100} = 3040 \times \frac{115}{100} = \text{₹}3496$.

id=9509 | topic=Averages | difficulty=Easy | question=Find the average of 20, 40, 33, 14, 48, 17, 60, 41, 33. | option_a=33 | option_b=36 | option_c=34 | option_d=35 | answer=C | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{306}{9} = 34$.

id=9510 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on $\text{₹}43120$ at 10% per annum for 1 years. | option_a=4412 | option_b=4312 | option_c=4212 | option_d=47432 | answer=B | explanation= $\text{SI} = \frac{\text{PRT}}{100} = \frac{43120 \times 10 \times 1}{100} = \text{₹}4312$.

Aptitude Questions — Records 9,511-9,540 of 100,000

id=9511 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■772. If it is sold at a profit of 20%, what is its selling price? | option_a=849 | option_b=792 | option_c=1003 | option_d=926 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 772 × 120/100 = ■926.

id=9512 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=9513 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1230. If it is sold at a profit of 50%, what is its selling price? | option_a=1968 | option_b=1280 | option_c=1722 | option_d=1845 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1230 × 150/100 = ■1845.

id=9514 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3002. If it is sold at a profit of 10%, what is its selling price? | option_a=3602 | option_b=3302 | option_c=3002 | option_d=3012 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3002 × 110/100 = ■3302.

id=9515 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=34 | option_b=26 | option_c=30 | option_d=31 | answer=C | explanation=The common difference is 4. Therefore the next term is 26 + 4 = 30.

id=9516 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=9517 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 16, 19, 23? | option_a=16 | option_b=19 | option_c=13 | option_d=23 | answer=D | explanation=The first three numbers increase by 3, so the next should be 22. Therefore 23 is the odd one out.

id=9518 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■49259 at 8% per annum for 5 years. | option_a=19603 | option_b=19803 | option_c=19703 | option_d=68962 | answer=C | explanation=SI = PRT/100 = 49259×8×5/100 = ■19703.

id=9519 | topic=Percentages | difficulty=Easy | question=What is 20% of 267? | option_a=33 | option_b=53 | option_c=63 | option_d=106 | answer=B | explanation=20% of 267 = (20/100) × 267 = 53.

id=9520 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=12 | option_c=7 | option_d=24 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=9521 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■46049 at 6% per annum for 5 years. | option_a=59863 | option_b=13714 | option_c=13814 | option_d=13914 | answer=C | explanation=SI = PRT/100 = 46049×6×5/100 = ■13814.

id=9522 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=65 | option_b=53 | option_c=66 | option_d=77 | answer=A | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.

id=9523 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:4 and the first is 72, what is the second? | option_a=54 | option_b=44 | option_c=120 | option_d=48 | answer=D | explanation=Scale factor = 72/6 = 12. Therefore second quantity = 4×12 = 48.

id=9524 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=9525 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=L | option_c=P | option_d=J | answer=A | explanation=Move 2 positions forward from L; the resulting letter is N.

id=9526 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=C | option_c=Y | option_d=Q | answer=C | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=9527 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:14 and the first is 90, what is the second? | option_a=196 | option_b=210 | option_c=216 | option_d=300 | answer=B | explanation=Scale factor = 90/6 = 15. Therefore second quantity = 14×15 = 210.

id=9528 | topic=Percentages | difficulty=Easy | question=What is 20% of 228? | option_a=50 | option_b=45 | option_c=90 | option_d=40 | answer=B | explanation=20% of 228 = (20/100) × 228 = 45.

id=9529 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=M | option_b=G | option_c=K | option_d=I | answer=C | explanation=Move 2 positions forward from I; the resulting letter is K.

id=9530 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3426. If it is sold at a profit of 15%, what is its selling price? | option_a=3939 | option_b=3597 | option_c=4281 | option_d=3441 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3426 × 115/100 = ■3939.

id=9531 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:17 and the first is 176, what is the second? | option_a=170 | option_b=203 | option_c=187 | option_d=363 | answer=C | explanation=Scale factor = 176/16 = 11. Therefore second quantity = 17×11 = 187.

id=9532 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=9533 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=9534 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=34 | option_b=33 | option_c=37 | option_d=29 | answer=B | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=9535 | topic=Averages | difficulty=Easy | question=Find the average of 62, 10, 86, 85, 16, 19, 94, 44. | option_a=51 | option_b=54 | option_c=53 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=9536 | topic=Percentages | difficulty=Easy | question=What is 30% of 1860? | option_a=578 | option_b=558 | option_c=1116 | option_d=548 | answer=B | explanation=30% of 1860 = (30/100) × 1860 = 558.

id=9537 | topic=Averages | difficulty=Easy | question=Find the average of 37, 97, 28, 65, 31, 39, 70, 51, 14. | option_a=48 | option_b=49 | option_c=50 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 432 ÷ 9 = 48.

id=9538 | topic=Averages | difficulty=Easy | question=Find the average of 33, 63, 11, 30, 73. | option_a=44 | option_b=42 | option_c=43 | option_d=41 | answer=B | explanation=Average = sum of values ÷ number of values = 210 ÷ 5 = 42.

id=9539 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:13 and the first is 36, what is the second? | option_a=234 | option_b=221 | option_c=270 | option_d=236 | answer=A | explanation=Scale factor = 36/2 = 18. Therefore second quantity = 13×18 = 234.

id=9540 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=45 | option_b=38 | option_c=31 | option_d=39 | answer=B | explanation=The common difference is 7. Therefore the next term is 31 + 7 = 38.

Aptitude Questions — Records 9,541-9,570 of 100,000

- id=9541 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15001 at 15% per annum for 1 years. | option_a=2350 | option_b=2250 | option_c=2150 | option_d=17251 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{15001 \times 15 \times 1}{100} = \text{■}2250$.
- id=9542 | topic=Percentages | difficulty=Easy | question=What is 25% of 1585? | option_a=406 | option_b=792 | option_c=386 | option_d=396 | answer=D | explanation= $=25\% \text{ of } 1585 = \frac{(25/100) \times 1585}{1} = 396$.
- id=9543 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.
- id=9544 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 12. | option_a=72 | option_b=84 | option_c=252 | option_d=105 | answer=B | explanation= $LCM \times HCF = 21 \times 12$; $HCF(21,12) = 3$, so $LCM = 84$.
- id=9545 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=Z | option_b=N | option_c=V | option_d=R | answer=C | explanation=Move 4 positions forward from R; the resulting letter is V.
- id=9546 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=A | option_b=U | option_c=R | option_d=X | answer=D | explanation=Move 3 positions forward from U; the resulting letter is X.
- id=9547 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 10. | option_a=30 | option_b=45 | option_c=150 | option_d=20 | answer=A | explanation= $LCM \times HCF = 15 \times 10$; $HCF(15,10) = 5$, so $LCM = 30$.
- id=9548 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=R | option_c=M | option_d=C | answer=C | explanation=Move 5 positions forward from H; the resulting letter is M.
- id=9549 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 30, 33, 39? | option_a=30 | option_b=39 | option_c=27 | option_d=33 | answer=B | explanation=The first three numbers increase by 3, so the next should be 36. Therefore 39 is the odd one out.
- id=9550 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:10 and the first is 16, what is the second? | option_a=80 | option_b=70 | option_c=82 | option_d=96 | answer=A | explanation=Scale factor = $\frac{16}{2} = 8$. Therefore second quantity = $10 \times 8 = 80$.
- id=9551 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = $\frac{90}{6} = 15$ km/h.
- id=9552 | topic=Percentages | difficulty=Easy | question=What is 12% of 153? | option_a=18 | option_b=13 | option_c=36 | option_d=38 | answer=A | explanation= $=12\% \text{ of } 153 = \frac{(12/100) \times 153}{1} = 18$.
- id=9553 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.
- id=9554 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:9 and the first is 40, what is the second? | option_a=53 | option_b=45 | option_c=36 | option_d=85 | answer=B | explanation=Scale factor = $\frac{40}{8} = 5$. Therefore second quantity = $9 \times 5 = 45$.
- id=9555 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:2 and the first is 323, what is the second? | option_a=38 | option_b=36 | option_c=55 | option_d=361 | answer=A | explanation=Scale factor = $\frac{323}{17} = 19$. Therefore second quantity = $2 \times 19 = 38$.
- id=9556 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2547. If it is sold at a profit of 40%, what is its selling price? | option_a=2587 | option_b=3565 | option_c=3311 | option_d=3819 | answer=B | explanation=Selling price = $CP \times \frac{(100 + \text{profit}\%)}{100} = 2547 \times \frac{140}{100} = \text{■}3565$.
- id=9557 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4872. If it is sold at a profit of 20%, what is its selling price? | option_a=5846 | option_b=6333 | option_c=5359 | option_d=4892 | answer=A | explanation=Selling price = $CP \times \frac{(100 + \text{profit}\%)}{100} = 4872 \times \frac{120}{100} = \text{■}5846$.
- id=9558 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=85 | option_c=180 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = $\frac{360}{4} = 90$ km/h.
- id=9559 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 43? | option_a=33 | option_b=17 | option_c=25 | option_d=43 | answer=D | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 43 is the odd one out.
- id=9560 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:16 and the first is 40, what is the second? | option_a=64 | option_b=74 | option_c=48 | option_d=104 | answer=A | explanation=Scale factor = $\frac{40}{10} = 4$. Therefore second quantity = $16 \times 4 = 64$.
- id=9561 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=G | option_c=A | option_d=E | answer=D | explanation=Move 2 positions forward from C; the resulting letter is E.
- id=9562 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 13, 23, 35? | option_a=23 | option_b=35 | option_c=13 | option_d=3 | answer=B | explanation=The first three numbers increase by 10, so the next should be 33. Therefore 35 is the odd one out.
- id=9563 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = $\frac{240}{8} = 30$ km/h.
- id=9564 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31598 at 4% per annum for 5 years. | option_a=37917 | option_b=6219 | option_c=6319 | option_d=6419 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{31598 \times 4 \times 5}{100} = \text{■}6319$.
- id=9565 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47207 at 4% per annum for 2 years. | option_a=3776 | option_b=3876 | option_c=50983 | option_d=3676 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{47207 \times 4 \times 2}{100} = \text{■}3776$.
- id=9566 | topic=Averages | difficulty=Easy | question=Find the average of 37, 90, 27, 46, 25, 31, 64, 64. | option_a=49 | option_b=48 | option_c=47 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{384}{8} = 48$.
- id=9567 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=J | option_c=X | option_d=B | answer=A | explanation=Move 4 positions forward from B; the resulting letter is F.
- id=9568 | topic=Percentages | difficulty=Easy | question=What is 5% of 1775? | option_a=176 | option_b=88 | option_c=108 | option_d=83 | answer=B | explanation= $=5\% \text{ of } 1775 = \frac{(5/100) \times 1775}{1} = 88$.
- id=9569 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**731. If it is sold at a profit of 10%, what is its selling price? | option_a=741 | option_b=731 | option_c=804 | option_d=877 | answer=C | explanation=Selling price = $CP \times \frac{(100 + \text{profit}\%)}{100} = 731 \times \frac{110}{100} = \text{■}804$.
- id=9570 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=25 | option_c=20 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = $\frac{60}{3} = 20$ km/h.

Aptitude Questions — Records 9,571-9,600 of 100,000

id=9571 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=24 | option_c=19 | option_d=48 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=9572 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=I | option_c=H | option_d=J | answer=D | explanation=Move 1 positions forward from I; the resulting letter is J.

id=9573 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■35173 at 10% per annum for 4 years. | option_a=14069 | option_b=13969 | option_c=14169 | option_d=49242 | answer=A | explanation=SI = PRT/100 = 35173×10×4/100 = ■14069.

id=9574 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 20, 22, 27? | option_a=22 | option_b=18 | option_c=20 | option_d=27 | answer=D | explanation=The first three numbers increase by 2, so the next should be 24. Therefore 27 is the odd one out.

id=9575 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=24 | option_b=32 | option_c=28 | option_d=29 | answer=C | explanation=The common difference is 4. Therefore the next term is 24 + 4 = 28.

id=9576 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4211. If it is sold at a profit of 30%, what is its selling price? | option_a=5474 | option_b=5895 | option_c=4241 | option_d=5053 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4211 × 130/100 = ■5474.

id=9577 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:7 and the first is 68, what is the second? | option_a=187 | option_b=119 | option_c=112 | option_d=123 | answer=B | explanation=Scale factor = 68/4 = 17. Therefore second quantity = 7×17 = 119.

id=9578 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1145. If it is sold at a profit of 15%, what is its selling price? | option_a=1202 | option_b=1160 | option_c=1316 | option_d=1430 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1145 × 115/100 = ■1316.

id=9579 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:18 and the first is 252, what is the second? | option_a=252 | option_b=234 | option_c=504 | option_d=270 | answer=A | explanation=Scale factor = 252/18 = 14. Therefore second quantity = 18×14 = 252.

id=9580 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 18? | option_a=18 | option_b=11 | option_c=3 | option_d=7 | answer=A | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 18 is the odd one out.

id=9581 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 21, 30, 41? | option_a=41 | option_b=21 | option_c=30 | option_d=12 | answer=A | explanation=The first three numbers increase by 9, so the next should be 39. Therefore 41 is the odd one out.

id=9582 | topic=Percentages | difficulty=Easy | question=What is 30% of 759? | option_a=454 | option_b=227 | option_c=232 | option_d=207 | answer=B | explanation=30% of 759 = (30/100) × 759 = 227.

id=9583 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■41745 at 12% per annum for 1 years. | option_a=5109 | option_b=46754 | option_c=4909 | option_d=5009 | answer=D | explanation=SI = PRT/100 = 41745×12×1/100 = ■5009.

id=9584 | topic=Averages | difficulty=Easy | question=Find the average of 43, 90, 91, 83, 97, 28, 25, 29, 11, 93. | option_a=59 | option_b=60 | option_c=58 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 590 ÷ 10 = 59.

id=9585 | topic=Percentages | difficulty=Easy | question=What is 40% of 150? | option_a=120 | option_b=60 | option_c=70 | option_d=40 | answer=B | explanation=40% of 150 = (40/100) × 150 = 60.

id=9586 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=24 | option_c=29 | option_d=19 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=9587 | topic=Averages | difficulty=Easy | question=Find the average of 73, 63, 49, 62, 100, 88, 20. | option_a=65 | option_b=67 | option_c=66 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = 455 ÷ 7 = 65.

id=9588 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 34, 41, 51? | option_a=41 | option_b=27 | option_c=34 | option_d=51 | answer=D | explanation=The first three numbers increase by 7, so the next should be 48. Therefore 51 is the odd one out.

id=9589 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4611. If it is sold at a profit of 5%, what is its selling price? | option_a=5302 | option_b=4841 | option_c=4616 | option_d=4380 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4611 × 105/100 = ■4841.

id=9590 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=300 | option_c=150 | option_d=155 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=9591 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=9592 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=14 | option_b=12 | option_c=10 | option_d=13 | answer=B | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.

id=9593 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=42 | option_b=52 | option_c=51 | option_d=60 | answer=C | explanation=The common difference is 9. Therefore the next term is 42 + 9 = 51.

id=9594 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 34? | option_a=34 | option_b=12 | option_c=26 | option_d=19 | answer=A | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 34 is the odd one out.

id=9595 | topic=Percentages | difficulty=Easy | question=What is 15% of 1972? | option_a=305 | option_b=295 | option_c=590 | option_d=290 | answer=B | explanation=15% of 1972 = (15/100) × 1972 = 295.

id=9596 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 30. | option_a=297 | option_b=810 | option_c=240 | option_d=270 | answer=D | explanation=LCM × HCF = 27×30; HCF(27,30) = 3, so LCM = 270.

id=9597 | topic=Percentages | difficulty=Easy | question=What is 25% of 527? | option_a=111 | option_b=262 | option_c=141 | option_d=131 | answer=D | explanation=25% of 527 = (25/100) × 527 = 131.

id=9598 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=N | option_b=E | option_c=K | option_d=H | answer=C | explanation=Move 3 positions forward from H; the resulting letter is K.

id=9599 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:12 and the first is 48, what is the second? | option_a=24 | option_b=52 | option_c=36 | option_d=84 | answer=C | explanation=Scale factor = 48/16 = 3. Therefore second quantity = 12×3 = 36.

id=9600 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 17, 22, 30? | option_a=30 | option_b=22 | option_c=17 | option_d=12 | answer=A | explanation=The first three numbers increase by 5, so the next should be 27. Therefore 30 is the odd one out.

Aptitude Questions — Records 9,601-9,630 of 100,000

id=9601 | topic=Averages | difficulty=Easy | question=Find the average of 84, 93, 97, 39, 42, 96, 20, 18, 60. | option_a=61 | option_b=60 | option_c=63 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 549 ÷ 9 = 61.

id=9602 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:13 and the first is 52, what is the second? | option_a=221 | option_b=156 | option_c=173 | option_d=169 | answer=D | explanation=Scale factor = 52/4 = 13. Therefore second quantity = 13×13 = 169.

id=9603 | topic=Averages | difficulty=Easy | question=Find the average of 13, 54, 47, 17, 61, 84. | option_a=45 | option_b=46 | option_c=47 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 276 ÷ 6 = 46.

id=9604 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:5 and the first is 238, what is the second? | option_a=65 | option_b=70 | option_c=308 | option_d=87 | answer=B | explanation=Scale factor = 238/17 = 14. Therefore second quantity = 5×14 = 70.

id=9605 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=9606 | topic=Percentages | difficulty=Easy | question=What is 12% of 177? | option_a=41 | option_b=42 | option_c=21 | option_d=16 | answer=C | explanation=12% of 177 = (12/100) × 177 = 21.

id=9607 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=9608 | topic=Averages | difficulty=Easy | question=Find the average of 100, 71, 47, 30. | option_a=61 | option_b=63 | option_c=64 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 248 ÷ 4 = 62.

id=9609 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7697 at 15% per annum for 5 years. | option_a=5672 | option_b=5772 | option_c=13469 | option_d=5872 | answer=B | explanation=SI = PRT/100 = 7697×15×5/100 = █5772.

id=9610 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=20 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=9611 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1252. If it is sold at a profit of 20%, what is its selling price? | option_a=1272 | option_b=1627 | option_c=1377 | option_d=1502 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1252 × 120/100 = █1502.

id=9612 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=9613 | topic=Averages | difficulty=Easy | question=Find the average of 72, 14, 87, 60, 42, 29, 27, 56, 62, 41. | option_a=51 | option_b=50 | option_c=49 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 490 ÷ 10 = 49.

id=9614 | topic=Percentages | difficulty=Easy | question=What is 10% of 456? | option_a=90 | option_b=40 | option_c=50 | option_d=45 | answer=D | explanation=10% of 456 = (10/100) × 456 = 45.

id=9615 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49362 at 5% per annum for 5 years. | option_a=61702 | option_b=12240 | option_c=12440 | option_d=12340 | answer=D | explanation=SI = PRT/100 = 49362×5×5/100 = █12340.

id=9616 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:8 and the first is 12, what is the second? | option_a=48 | option_b=50 | option_c=40 | option_d=60 | answer=A | explanation=Scale factor = 12/2 = 6. Therefore second quantity = 8×6 = 48.

id=9617 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2906. If it is sold at a profit of 25%, what is its selling price? | option_a=3342 | option_b=3632 | option_c=3922 | option_d=2931 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2906 × 125/100 = █3632.

id=9618 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24852 at 6% per annum for 5 years. | option_a=7355 | option_b=32307 | option_c=7455 | option_d=7555 | answer=C | explanation=SI = PRT/100 = 24852×6×5/100 = █7455.

id=9619 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1601. If it is sold at a profit of 5%, what is its selling price? | option_a=1681 | option_b=1521 | option_c=1841 | option_d=1606 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1601 × 105/100 = █1681.

id=9620 | topic=Profit & Loss | difficulty=Easy | question=An article costs █964. If it is sold at a profit of 25%, what is its selling price? | option_a=1109 | option_b=1301 | option_c=1205 | option_d=989 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 964 × 125/100 = █1205.

id=9621 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 33, 38, 44? | option_a=38 | option_b=44 | option_c=28 | option_d=33 | answer=B | explanation=The first three numbers increase by 5, so the next should be 43. Therefore 44 is the odd one out.

id=9622 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 9, 13, 20? | option_a=13 | option_b=5 | option_c=9 | option_d=20 | answer=D | explanation=The first three numbers increase by 4, so the next should be 17. Therefore 20 is the odd one out.

id=9623 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=63 | option_b=64 | option_c=52 | option_d=74 | answer=A | explanation=The common difference is 11. Therefore the next term is 52 + 11 = 63.

id=9624 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 34, 43, 53? | option_a=34 | option_b=43 | option_c=25 | option_d=53 | answer=D | explanation=The first three numbers increase by 9, so the next should be 52. Therefore 53 is the odd one out.

id=9625 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3111. If it is sold at a profit of 10%, what is its selling price? | option_a=3422 | option_b=3733 | option_c=3121 | option_d=3111 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3111 × 110/100 = █3422.

id=9626 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:2 and the first is 27, what is the second? | option_a=33 | option_b=4 | option_c=15 | option_d=6 | answer=D | explanation=Scale factor = 27/9 = 3. Therefore second quantity = 2×3 = 6.

id=9627 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=H | option_c=I | option_d=G | answer=C | explanation=Move 1 positions forward from H; the resulting letter is I.

id=9628 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=9629 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=R | option_b=U | option_c=A | option_d=X | answer=D | explanation=Move 3 positions forward from U; the resulting letter is X.

id=9630 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:14 and the first is 160, what is the second? | option_a=156 | option_b=300 | option_c=140 | option_d=126 | answer=C | explanation=Scale factor = 160/16 = 10. Therefore second quantity = 14×10 = 140.

Aptitude Questions — Records 9,631-9,660 of 100,000

id=9631 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■21915 at 5% per annum for 4 years. | option_a=4383 | option_b=4483 | option_c=4283 | option_d=26298 | answer=A | explanation=SI = PRT/100 = 21915×5×4/100 = ■4383.

id=9632 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■11332 at 12% per annum for 4 years. | option_a=5339 | option_b=5539 | option_c=5439 | option_d=16771 | answer=C | explanation=SI = PRT/100 = 11332×12×4/100 = ■5439.

id=9633 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:9 and the first is 162, what is the second? | option_a=243 | option_b=99 | option_c=81 | option_d=72 | answer=C | explanation=Scale factor = 162/18 = 9. Therefore second quantity = 9×9 = 81.

id=9634 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=105 | option_c=100 | option_d=200 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=9635 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=50 | option_c=30 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=9636 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 42? | option_a=18 | option_b=32 | option_c=25 | option_d=42 | answer=D | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 42 is the odd one out.

id=9637 | topic=Averages | difficulty=Easy | question=Find the average of 70, 68, 97, 42, 45, 88, 87. | option_a=71 | option_b=72 | option_c=73 | option_d=70 | answer=A | explanation=Average = sum of values ÷ number of values = 497 ÷ 7 = 71.

id=9638 | topic=Averages | difficulty=Easy | question=Find the average of 25, 18, 38, 19. | option_a=27 | option_b=24 | option_c=25 | option_d=26 | answer=C | explanation=Average = sum of values ÷ number of values = 100 ÷ 4 = 25.

id=9639 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■7860 at 15% per annum for 4 years. | option_a=12576 | option_b=4816 | option_c=4616 | option_d=4716 | answer=D | explanation=SI = PRT/100 = 7860×15×4/100 = ■4716.

id=9640 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=69 | option_b=49 | option_c=59 | option_d=60 | answer=C | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

id=9641 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=9642 | topic=Averages | difficulty=Easy | question=Find the average of 17, 79, 60. | option_a=52 | option_b=51 | option_c=53 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 156 ÷ 3 = 52.

id=9643 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 33? | option_a=28 | option_b=33 | option_c=25 | option_d=22 | answer=B | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 33 is the odd one out.

id=9644 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=9645 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=24 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=9646 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=40 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=9647 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=9648 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 4. | option_a=8 | option_b=1 | option_c=4 | option_d=6 | answer=C | explanation=LCM × HCF = 2×4; HCF(2,4) = 2, so LCM = 4.

id=9649 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 19? | option_a=11 | option_b=19 | option_c=15 | option_d=13 | answer=B | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 19 is the odd one out.

id=9650 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■10550 at 8% per annum for 2 years. | option_a=1688 | option_b=1788 | option_c=12238 | option_d=1588 | answer=A | explanation=SI = PRT/100 = 10550×8×2/100 = ■1688.

id=9651 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 12, 15, 18, ? | option_a=21 | option_b=24 | option_c=18 | option_d=22 | answer=A | explanation=The common difference is 3. Therefore the next term is 18 + 3 = 21.

id=9652 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 50? | option_a=27 | option_b=17 | option_c=50 | option_d=37 | answer=C | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 50 is the odd one out.

id=9653 | topic=Percentages | difficulty=Easy | question=What is 15% of 769? | option_a=115 | option_b=135 | option_c=105 | option_d=230 | answer=A | explanation=15% of 769 = (15/100) × 769 = 115.

id=9654 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=G | option_c=O | option_d=C | answer=A | explanation=Move 4 positions forward from G; the resulting letter is K.

id=9655 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 6. | option_a=78 | option_b=112 | option_c=168 | option_d=84 | answer=D | explanation=LCM × HCF = 28×6; HCF(28,6) = 2, so LCM = 84.

id=9656 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 5. | option_a=30 | option_b=60 | option_c=150 | option_d=25 | answer=A | explanation=LCM × HCF = 30×5; HCF(30,5) = 5, so LCM = 30.

id=9657 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=9658 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 6. | option_a=12 | option_b=108 | option_c=18 | option_d=36 | answer=C | explanation=LCM × HCF = 18×6; HCF(18,6) = 6, so LCM = 18.

id=9659 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=22 | option_b=24 | option_c=25 | option_d=26 | answer=B | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.

id=9660 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

Aptitude Questions — Records 9,661-9,690 of 100,000

id=9661 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 22. | option_a=176 | option_b=352 | option_c=192 | option_d=154 | answer=A | explanation=LCM × HCF = 16×22; HCF(16,22) = 2, so LCM = 176.

id=9662 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4206. If it is sold at a profit of 20%, what is its selling price? | option_a=5467 | option_b=5047 | option_c=4627 | option_d=4226 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4206 × 120/100 = █5047.

id=9663 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 53? | option_a=20 | option_b=40 | option_c=30 | option_d=53 | answer=D | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 53 is the odd one out.

id=9664 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2291 at 8% per annum for 5 years. | option_a=916 | option_b=816 | option_c=1016 | option_d=3207 | answer=A | explanation=SI = PRT/100 = 2291×8×5/100 = █916.

id=9665 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 37? | option_a=32 | option_b=37 | option_c=26 | option_d=29 | answer=B | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 37 is the odd one out.

id=9666 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=50 | option_c=20 | option_d=25 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=9667 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=160 | option_c=80 | option_d=75 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=9668 | topic=Averages | difficulty=Easy | question=Find the average of 79, 83, 99. | option_a=86 | option_b=88 | option_c=87 | option_d=89 | answer=C | explanation=Average = sum of values ÷ number of values = 261 ÷ 3 = 87.

id=9669 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=9670 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8447 at 15% per annum for 3 years. | option_a=3801 | option_b=12248 | option_c=3701 | option_d=3901 | answer=A | explanation=SI = PRT/100 = 8447×15×3/100 = █3801.

id=9671 | topic=Averages | difficulty=Easy | question=Find the average of 35, 100, 90. | option_a=75 | option_b=77 | option_c=74 | option_d=76 | answer=A | explanation=Average = sum of values ÷ number of values = 225 ÷ 3 = 75.

id=9672 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 51? | option_a=41 | option_b=25 | option_c=51 | option_d=33 | answer=C | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 51 is the odd one out.

id=9673 | topic=Percentages | difficulty=Easy | question=What is 50% of 647? | option_a=303 | option_b=646 | option_c=323 | option_d=343 | answer=C | explanation=50% of 647 = (50/100) × 647 = 323.

id=9674 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49218 at 10% per annum for 1 years. | option_a=4921 | option_b=5021 | option_c=4821 | option_d=54139 | answer=A | explanation=SI = PRT/100 = 49218×10×1/100 = █4921.

id=9675 | topic=Percentages | difficulty=Easy | question=What is 5% of 937? | option_a=46 | option_b=66 | option_c=92 | option_d=26 | answer=A | explanation=5% of 937 = (5/100) × 937 = 46.

id=9676 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4477. If it is sold at a profit of 5%, what is its selling price? | option_a=4700 | option_b=5147 | option_c=4253 | option_d=4482 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4477 × 105/100 = █4700.

id=9677 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2004. If it is sold at a profit of 10%, what is its selling price? | option_a=2004 | option_b=2014 | option_c=2404 | option_d=2204 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2004 × 110/100 = █2204.

id=9678 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=42 | option_b=52 | option_c=51 | option_d=60 | answer=C | explanation=The common difference is 9. Therefore the next term is 42 + 9 = 51.

id=9679 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:18 and the first is 182, what is the second? | option_a=252 | option_b=434 | option_c=234 | option_d=265 | answer=A | explanation=Scale factor = 182/13 = 14. Therefore second quantity = 18×14 = 252.

id=9680 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:3 and the first is 39, what is the second? | option_a=22 | option_b=9 | option_c=6 | option_d=48 | answer=B | explanation=Scale factor = 39/13 = 3. Therefore second quantity = 3×3 = 9.

id=9681 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30587 at 8% per annum for 5 years. | option_a=12334 | option_b=12234 | option_c=42821 | option_d=12134 | answer=B | explanation=SI = PRT/100 = 30587×8×5/100 = █12234.

id=9682 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 12. | option_a=75 | option_b=60 | option_c=180 | option_d=48 | answer=B | explanation=LCM × HCF = 15×12; HCF(15,12) = 3, so LCM = 60.

id=9683 | topic=Averages | difficulty=Easy | question=Find the average of 62, 28, 71, 15. | option_a=45 | option_b=44 | option_c=46 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = 176 ÷ 4 = 44.

id=9684 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:17 and the first is 52, what is the second? | option_a=225 | option_b=204 | option_c=221 | option_d=273 | answer=C | explanation=Scale factor = 52/4 = 13. Therefore second quantity = 17×13 = 221.

id=9685 | topic=Averages | difficulty=Easy | question=Find the average of 78, 96, 40, 24, 61, 73. | option_a=64 | option_b=62 | option_c=61 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 372 ÷ 6 = 62.

id=9686 | topic=Percentages | difficulty=Easy | question=What is 40% of 530? | option_a=212 | option_b=217 | option_c=424 | option_d=192 | answer=A | explanation=40% of 530 = (40/100) × 530 = 212.

id=9687 | topic=Percentages | difficulty=Easy | question=What is 20% of 1563? | option_a=317 | option_b=624 | option_c=312 | option_d=292 | answer=C | explanation=20% of 1563 = (20/100) × 1563 = 312.

id=9688 | topic=Percentages | difficulty=Easy | question=What is 20% of 1050? | option_a=420 | option_b=210 | option_c=200 | option_d=220 | answer=B | explanation=20% of 1050 = (20/100) × 1050 = 210.

id=9689 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=Y | option_b=C | option_c=E | option_d=A | answer=B | explanation=Move 2 positions forward from A; the resulting letter is C.

id=9690 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=X | option_b=D | option_c=A | option_d=G | answer=B | explanation=Move 3 positions forward from A; the resulting letter is D.

Aptitude Questions — Records 9,691-9,720 of 100,000

id=9691 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 12, 16, 23? | option_a=12 | option_b=23 | option_c=16 | option_d=8 | answer=B | explanation=The first three numbers increase by 4, so the next should be 20. Therefore 23 is the odd one out.

id=9692 | topic=Percentages | difficulty=Easy | question=What is 15% of 1975? | option_a=296 | option_b=592 | option_c=286 | option_d=301 | answer=A | explanation=15% of 1975 = (15/100) × 1975 = 296.

id=9693 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3454. If it is sold at a profit of 25%, what is its selling price? | option_a=4317 | option_b=3479 | option_c=3972 | option_d=4662 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3454 × 125/100 = █4317.

id=9694 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=9695 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=150 | option_c=80 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=9696 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31080 at 15% per annum for 4 years. | option_a=49728 | option_b=18548 | option_c=18748 | option_d=18648 | answer=D | explanation=SI = PRT/100 = 31080×15×4/100 = █18648.

id=9697 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 9, 13, 20? | option_a=13 | option_b=9 | option_c=20 | option_d=5 | answer=C | explanation=The first three numbers increase by 4, so the next should be 17. Therefore 20 is the odd one out.

id=9698 | topic=Averages | difficulty=Easy | question=Find the average of 57, 42, 27, 94, 28, 36, 101. | option_a=57 | option_b=56 | option_c=54 | option_d=55 | answer=D | explanation=Average = sum of values + number of values = 385 ÷ 7 = 55.

id=9699 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=Z | option_c=K | option_d=U | answer=D | explanation=Move 5 positions forward from P; the resulting letter is U.

id=9700 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2346. If it is sold at a profit of 15%, what is its selling price? | option_a=2697 | option_b=2463 | option_c=2931 | option_d=2361 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2346 × 115/100 = █2697.

id=9701 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=K | option_c=Q | option_d=T | answer=C | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=9702 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=9703 | topic=Percentages | difficulty=Easy | question=What is 12% of 1439? | option_a=344 | option_b=162 | option_c=172 | option_d=177 | answer=C | explanation=12% of 1439 = (12/100) × 1439 = 172.

id=9704 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=9705 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:11 and the first is 198, what is the second? | option_a=396 | option_b=187 | option_c=198 | option_d=209 | answer=C | explanation=Scale factor = 198/11 = 18. Therefore second quantity = 11×18 = 198.

id=9706 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=P | option_b=Y | option_c=S | option_d=V | answer=D | explanation=Move 3 positions forward from S; the resulting letter is V.

id=9707 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:12 and the first is 45, what is the second? | option_a=48 | option_b=69 | option_c=60 | option_d=105 | answer=C | explanation=Scale factor = 45/9 = 5. Therefore second quantity = 12×5 = 60.

id=9708 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=9709 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 25, 30, 36? | option_a=20 | option_b=25 | option_c=36 | option_d=30 | answer=C | explanation=The first three numbers increase by 5, so the next should be 35. Therefore 36 is the odd one out.

id=9710 | topic=Percentages | difficulty=Easy | question=What is 10% of 1605? | option_a=155 | option_b=320 | option_c=170 | option_d=160 | answer=D | explanation=10% of 1605 = (10/100) × 1605 = 160.

id=9711 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1585. If it is sold at a profit of 10%, what is its selling price? | option_a=1585 | option_b=1743 | option_c=1595 | option_d=1901 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1585 × 110/100 = █1743.

id=9712 | topic=Percentages | difficulty=Easy | question=What is 5% of 1258? | option_a=72 | option_b=42 | option_c=124 | option_d=62 | answer=D | explanation=5% of 1258 = (5/100) × 1258 = 62.

id=9713 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=50 | option_b=51 | option_c=59 | option_d=41 | answer=A | explanation=The common difference is 9. Therefore the next term is 41 + 9 = 50.

id=9714 | topic=Averages | difficulty=Easy | question=Find the average of 83, 34, 23, 65, 39, 86, 41. | option_a=54 | option_b=53 | option_c=55 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 371 ÷ 7 = 53.

id=9715 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=48 | option_c=96 | option_d=43 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=9716 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 21, 30, 41? | option_a=21 | option_b=12 | option_c=41 | option_d=30 | answer=C | explanation=The first three numbers increase by 9, so the next should be 39. Therefore 41 is the odd one out.

id=9717 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=70 | option_b=75 | option_c=80 | option_d=150 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=9718 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10899 at 12% per annum for 3 years. | option_a=3923 | option_b=4023 | option_c=3823 | option_d=14822 | answer=A | explanation=SI = PRT/100 = 10899×12×3/100 = █3923.

id=9719 | topic=Averages | difficulty=Easy | question=Find the average of 78, 91, 22, 53. | option_a=62 | option_b=60 | option_c=61 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = 244 ÷ 4 = 61.

id=9720 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=S | option_c=W | option_d=Y | answer=C | explanation=Move 2 positions forward from U; the resulting letter is W.

Aptitude Questions — Records 9,721-9,750 of 100,000

id=9721 | topic=Averages | difficulty=Easy | question=Find the average of 86, 29, 65. | option_a=59 | option_b=62 | option_c=60 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 180 ÷ 3 = 60.

id=9722 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 25? | option_a=12 | option_b=18 | option_c=6 | option_d=25 | answer=D | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 25 is the odd one out.

id=9723 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3790. If it is sold at a profit of 20%, what is its selling price? | option_a=4927 | option_b=4169 | option_c=3810 | option_d=4548 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3790 × 120/100 = █4548.

id=9724 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=L | option_b=Q | option_c=V | option_d=A | answer=C | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=9725 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=C | option_c=I | option_d=L | answer=C | explanation=Move 3 positions forward from F; the resulting letter is I.

id=9726 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=I | option_c=C | option_d=L | answer=B | explanation=Move 3 positions forward from F; the resulting letter is I.

id=9727 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=24 | option_b=18 | option_c=28 | option_d=23 | answer=D | explanation=The common difference is 5. Therefore the next term is 18 + 5 = 23.

id=9728 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35089 at 4% per annum for 5 years. | option_a=7017 | option_b=7117 | option_c=42106 | option_d=6917 | answer=A | explanation=SI = PRT/100 = 35089×4×5/100 = █7017.

id=9729 | topic=Percentages | difficulty=Easy | question=What is 15% of 986? | option_a=157 | option_b=294 | option_c=142 | option_d=147 | answer=D | explanation=15% of 986 = (15/100) × 986 = 147.

id=9730 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=O | option_b=U | option_c=R | option_d=X | answer=B | explanation=Move 3 positions forward from R; the resulting letter is U.

id=9731 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:20 and the first is 234, what is the second? | option_a=360 | option_b=373 | option_c=340 | option_d=594 | answer=A | explanation=Scale factor = 234/13 = 18. Therefore second quantity = 20×18 = 360.

id=9732 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=360 | option_b=175 | option_c=185 | option_d=180 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=9733 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44620 at 5% per annum for 4 years. | option_a=53544 | option_b=9024 | option_c=8824 | option_d=8924 | answer=D | explanation=SI = PRT/100 = 44620×5×4/100 = █8924.

id=9734 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=67 | option_c=72 | option_d=77 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=9735 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=9736 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:11 and the first is 72, what is the second? | option_a=171 | option_b=88 | option_c=99 | option_d=107 | answer=C | explanation=Scale factor = 72/8 = 9. Therefore second quantity = 11×9 = 99.

id=9737 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 26, 35, 46? | option_a=17 | option_b=46 | option_c=26 | option_d=35 | answer=B | explanation=The first three numbers increase by 9, so the next should be 44. Therefore 46 is the odd one out.

id=9738 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38460 at 6% per annum for 3 years. | option_a=6822 | option_b=7022 | option_c=45382 | option_d=6922 | answer=D | explanation=SI = PRT/100 = 38460×6×3/100 = █6922.

id=9739 | topic=Averages | difficulty=Easy | question=Find the average of 88, 23, 30. | option_a=48 | option_b=47 | option_c=46 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 141 ÷ 3 = 47.

id=9740 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 30. | option_a=90 | option_b=120 | option_c=128 | option_d=240 | answer=B | explanation=LCM × HCF = 8×30; HCF(8,30) = 2, so LCM = 120.

id=9741 | topic=Percentages | difficulty=Easy | question=What is 12% of 888? | option_a=106 | option_b=212 | option_c=116 | option_d=101 | answer=A | explanation=12% of 888 = (12/100) × 888 = 106.

id=9742 | topic=Percentages | difficulty=Easy | question=What is 30% of 1740? | option_a=1044 | option_b=532 | option_c=522 | option_d=512 | answer=C | explanation=30% of 1740 = (30/100) × 1740 = 522.

id=9743 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3636. If it is sold at a profit of 15%, what is its selling price? | option_a=3651 | option_b=4181 | option_c=3818 | option_d=4544 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3636 × 115/100 = █4181.

id=9744 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=29 | option_c=48 | option_d=19 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=9745 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=90 | option_c=95 | option_d=180 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=9746 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1432. If it is sold at a profit of 5%, what is its selling price? | option_a=1437 | option_b=1360 | option_c=1646 | option_d=1503 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1432 × 105/100 = █1503.

id=9747 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=9748 | topic=Percentages | difficulty=Easy | question=What is 20% of 1037? | option_a=207 | option_b=414 | option_c=187 | option_d=212 | answer=A | explanation=20% of 1037 = (20/100) × 1037 = 207.

id=9749 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44370 at 8% per annum for 1 years. | option_a=3549 | option_b=3649 | option_c=3449 | option_d=47919 | answer=A | explanation=SI = PRT/100 = 44370×8×1/100 = █3549.

id=9750 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 13, 18, 23, ? | option_a=33 | option_b=28 | option_c=29 | option_d=23 | answer=B | explanation=The common difference is 5. Therefore the next term is 23 + 5 = 28.

Aptitude Questions — Records 9,751-9,780 of 100,000

id=9751 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:7 and the first is 114, what is the second? | option_a=247 | option_b=133 | option_c=139 | option_d=126 | answer=B | explanation=Scale factor = 114/6 = 19. Therefore second quantity = 7×19 = 133.

id=9752 | topic=Averages | difficulty=Easy | question=Find the average of 79, 85, 11, 22, 73. | option_a=53 | option_b=55 | option_c=56 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 270 ÷ 5 = 54.

id=9753 | topic=Averages | difficulty=Easy | question=Find the average of 77, 19, 98, 25, 79, 65, 76, 85, 41, 85. | option_a=65 | option_b=67 | option_c=64 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 650 ÷ 10 = 65.

id=9754 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:9 and the first is 84, what is the second? | option_a=115 | option_b=108 | option_c=99 | option_d=192 | answer=B | explanation=Scale factor = 84/7 = 12. Therefore second quantity = 9×12 = 108.

id=9755 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37613 at 6% per annum for 1 years. | option_a=2256 | option_b=39869 | option_c=2156 | option_d=2356 | answer=A | explanation=SI = PRT/100 = 37613×6×1/100 = █2256.

id=9756 | topic=Percentages | difficulty=Easy | question=What is 25% of 1828? | option_a=437 | option_b=477 | option_c=457 | option_d=914 | answer=C | explanation=25% of 1828 = (25/100) × 1828 = 457.

id=9757 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=37 | option_b=49 | option_c=48 | option_d=59 | answer=C | explanation=The common difference is 11. Therefore the next term is 37 + 11 = 48.

id=9758 | topic=Averages | difficulty=Easy | question=Find the average of 39, 34, 51, 23, 83. | option_a=48 | option_b=47 | option_c=46 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = 230 ÷ 5 = 46.

id=9759 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13386 at 15% per annum for 2 years. | option_a=17401 | option_b=4015 | option_c=4115 | option_d=3915 | answer=B | explanation=SI = PRT/100 = 13386×15×2/100 = █4015.

id=9760 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=V | option_b=Q | option_c=L | option_d=G | answer=B | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=9761 | topic=Averages | difficulty=Easy | question=Find the average of 36, 67, 96, 76, 72, 37. | option_a=63 | option_b=64 | option_c=66 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 384 ÷ 6 = 64.

id=9762 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=40 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=9763 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:18 and the first is 34, what is the second? | option_a=36 | option_b=53 | option_c=70 | option_d=18 | answer=A | explanation=Scale factor = 34/17 = 2. Therefore second quantity = 18×2 = 36.

id=9764 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2967. If it is sold at a profit of 30%, what is its selling price? | option_a=3857 | option_b=3561 | option_c=4153 | option_d=2997 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2967 × 130/100 = █3857.

id=9765 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=9766 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=9767 | topic=Percentages | difficulty=Easy | question=What is 12% of 651? | option_a=58 | option_b=156 | option_c=98 | option_d=78 | answer=D | explanation=12% of 651 = (12/100) × 651 = 78.

id=9768 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=50 | option_b=61 | option_c=51 | option_d=39 | answer=A | explanation=The common difference is 11. Therefore the next term is 39 + 11 = 50.

id=9769 | topic=Averages | difficulty=Easy | question=Find the average of 72, 87, 83, 40, 75, 12, 42, 67, 15, 27. | option_a=54 | option_b=51 | option_c=52 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 520 ÷ 10 = 52.

id=9770 | topic=Percentages | difficulty=Easy | question=What is 20% of 1926? | option_a=770 | option_b=405 | option_c=380 | option_d=385 | answer=D | explanation=20% of 1926 = (20/100) × 1926 = 385.

id=9771 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=57 | option_b=47 | option_c=65 | option_d=56 | answer=D | explanation=The common difference is 9. Therefore the next term is 47 + 9 = 56.

id=9772 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=41 | option_b=31 | option_c=37 | option_d=36 | answer=D | explanation=The common difference is 5. Therefore the next term is 31 + 5 = 36.

id=9773 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32980 at 12% per annum for 1 years. | option_a=3857 | option_b=3957 | option_c=36937 | option_d=4057 | answer=B | explanation=SI = PRT/100 = 32980×12×1/100 = █3957.

id=9774 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21813 at 6% per annum for 4 years. | option_a=5335 | option_b=27048 | option_c=5235 | option_d=5135 | answer=C | explanation=SI = PRT/100 = 21813×6×4/100 = █5235.

id=9775 | topic=Averages | difficulty=Easy | question=Find the average of 26, 27, 19, 24, 39. | option_a=28 | option_b=27 | option_c=26 | option_d=29 | answer=B | explanation=Average = sum of values ÷ number of values = 135 ÷ 5 = 27.

id=9776 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 39? | option_a=22 | option_b=14 | option_c=39 | option_d=30 | answer=C | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 39 is the odd one out.

id=9777 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4865. If it is sold at a profit of 30%, what is its selling price? | option_a=5838 | option_b=6810 | option_c=6324 | option_d=4895 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4865 × 130/100 = █6324.

id=9778 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3467. If it is sold at a profit of 30%, what is its selling price? | option_a=3497 | option_b=4507 | option_c=4853 | option_d=4161 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3467 × 130/100 = █4507.

id=9779 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=9780 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=F | option_c=I | option_d=H | answer=D | explanation=Move 1 positions forward from G; the resulting letter is H.

Aptitude Questions — Records 9,781-9,810 of 100,000

id=9781 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=40 | option_b=41 | option_c=45 | option_d=35 | answer=A | explanation=The common difference is 5. Therefore the next term is 35 + 5 = 40.

id=9782 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=9 | option_c=4 | option_d=14 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=9783 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=9784 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=34 | option_b=30 | option_c=31 | option_d=26 | answer=B | explanation=The common difference is 4. Therefore the next term is 26 + 4 = 30.

id=9785 | topic=Percentages | difficulty=Easy | question=What is 12% of 1388? | option_a=176 | option_b=332 | option_c=166 | option_d=161 | answer=C | explanation=12% of 1388 = (12/100) × 1388 = 166.

id=9786 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■48873 at 5% per annum for 4 years. | option_a=9774 | option_b=58647 | option_c=9674 | option_d=9874 | answer=A | explanation=SI = PRT/100 = 48873×5×4/100 = ■9774.

id=9787 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3932. If it is sold at a profit of 10%, what is its selling price? | option_a=4718 | option_b=4325 | option_c=3932 | option_d=3942 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3932 × 110/100 = ■4325.

id=9788 | topic=Averages | difficulty=Easy | question=Find the average of 53, 77, 23, 73, 74, 24. | option_a=53 | option_b=56 | option_c=55 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 324 ÷ 6 = 54.

id=9789 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:1 and the first is 88, what is the second? | option_a=96 | option_b=8 | option_c=19 | option_d=7 | answer=B | explanation=Scale factor = 88/11 = 8. Therefore second quantity = 1×8 = 8.

id=9790 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=9791 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=X | option_b=R | option_c=U | option_d=A | answer=A | explanation=Move 3 positions forward from U; the resulting letter is X.

id=9792 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2639. If it is sold at a profit of 25%, what is its selling price? | option_a=3561 | option_b=2664 | option_c=3298 | option_d=3035 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2639 × 125/100 = ■3298.

id=9793 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=85 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=9794 | topic=Averages | difficulty=Easy | question=Find the average of 53, 31, 30, 74. | option_a=48 | option_b=46 | option_c=49 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 188 ÷ 4 = 47.

id=9795 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=R | option_b=O | option_c=L | option_d=U | answer=A | explanation=Move 3 positions forward from O; the resulting letter is R.

id=9796 | topic=Percentages | difficulty=Easy | question=What is 25% of 881? | option_a=440 | option_b=220 | option_c=215 | option_d=225 | answer=B | explanation=25% of 881 = (25/100) × 881 = 220.

id=9797 | topic=Percentages | difficulty=Easy | question=What is 50% of 917? | option_a=478 | option_b=458 | option_c=916 | option_d=448 | answer=B | explanation=50% of 917 = (50/100) × 917 = 458.

id=9798 | topic=Averages | difficulty=Easy | question=Find the average of 16, 48, 27, 12, 92. | option_a=40 | option_b=41 | option_c=39 | option_d=38 | answer=C | explanation=Average = sum of values ÷ number of values = 195 ÷ 5 = 39.

id=9799 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:1 and the first is 150, what is the second? | option_a=10 | option_b=160 | option_c=9 | option_d=25 | answer=A | explanation=Scale factor = 150/15 = 10. Therefore second quantity = 1×10 = 10.

id=9800 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 14, 16, 19? | option_a=19 | option_b=14 | option_c=16 | option_d=12 | answer=A | explanation=The first three numbers increase by 2, so the next should be 18. Therefore 19 is the odd one out.

id=9801 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■20379 at 6% per annum for 1 years. | option_a=21601 | option_b=1122 | option_c=1222 | option_d=1322 | answer=C | explanation=SI = PRT/100 = 20379×6×1/100 = ■1222.

id=9802 | topic=Percentages | difficulty=Easy | question=What is 25% of 1131? | option_a=262 | option_b=282 | option_c=302 | option_d=564 | answer=B | explanation=25% of 1131 = (25/100) × 1131 = 282.

id=9803 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4765. If it is sold at a profit of 20%, what is its selling price? | option_a=5718 | option_b=5242 | option_c=4785 | option_d=6194 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4765 × 120/100 = ■5718.

id=9804 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:10 and the first is 117, what is the second? | option_a=103 | option_b=80 | option_c=207 | option_d=90 | answer=D | explanation=Scale factor = 117/13 = 9. Therefore second quantity = 10×9 = 90.

id=9805 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=22 | option_b=25 | option_c=17 | option_d=21 | answer=D | explanation=The common difference is 4. Therefore the next term is 17 + 4 = 21.

id=9806 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=24 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=9807 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■38373 at 6% per annum for 5 years. | option_a=49884 | option_b=11411 | option_c=11611 | option_d=11511 | answer=D | explanation=SI = PRT/100 = 38373×6×5/100 = ■11511.

id=9808 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■27351 at 10% per annum for 5 years. | option_a=13575 | option_b=13775 | option_c=41026 | option_d=13675 | answer=D | explanation=SI = PRT/100 = 27351×10×5/100 = ■13675.

id=9809 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=9810 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:12 and the first is 45, what is the second? | option_a=81 | option_b=36 | option_c=24 | option_d=51 | answer=B | explanation=Scale factor = 45/15 = 3. Therefore second quantity = 12×3 = 36.

Aptitude Questions — Records 9,811-9,840 of 100,000

id=9811 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=9812 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=P | option_b=T | option_c=B | option_d=X | answer=D | explanation=Move 4 positions forward from T; the resulting letter is X.

id=9813 | topic=Percentages | difficulty=Easy | question=What is 15% of 88? | option_a=26 | option_b=33 | option_c=8 | option_d=13 | answer=D | explanation=15% of 88 = (15/100) × 88 = 13.

id=9814 | topic=Percentages | difficulty=Easy | question=What is 20% of 1424? | option_a=284 | option_b=294 | option_c=568 | option_d=274 | answer=A | explanation=20% of 1424 = (20/100) × 1424 = 284.

id=9815 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:2 and the first is 190, what is the second? | option_a=48 | option_b=228 | option_c=38 | option_d=36 | answer=C | explanation=Scale factor = 190/10 = 19. Therefore second quantity = 2×19 = 38.

id=9816 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 10, 12, 14, ? | option_a=18 | option_b=17 | option_c=16 | option_d=14 | answer=C | explanation=The common difference is 2. Therefore the next term is 14 + 2 = 16.

id=9817 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 43? | option_a=43 | option_b=34 | option_c=28 | option_d=22 | answer=A | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 43 is the odd one out.

id=9818 | topic=Percentages | difficulty=Easy | question=What is 20% of 1510? | option_a=604 | option_b=312 | option_c=297 | option_d=302 | answer=D | explanation=20% of 1510 = (20/100) × 1510 = 302.

id=9819 | topic=Averages | difficulty=Easy | question=Find the average of 38, 27, 31, 22, 56, 60, 39. | option_a=41 | option_b=40 | option_c=39 | option_d=38 | answer=C | explanation=Average = sum of values ÷ number of values = 273 ÷ 7 = 39.

id=9820 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=9821 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=Y | option_b=D | option_c=O | option_d=T | answer=A | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=9822 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=160 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=9823 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=9824 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=15 | option_b=12 | option_c=14 | option_d=16 | answer=C | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=9825 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1283. If it is sold at a profit of 20%, what is its selling price? | option_a=1667 | option_b=1539 | option_c=1411 | option_d=1303 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1283 × 120/100 = ₹1539.

id=9826 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=L | option_c=H | option_d=F | answer=A | explanation=Move 2 positions forward from H; the resulting letter is J.

id=9827 | topic=Percentages | difficulty=Easy | question=What is 12% of 1438? | option_a=192 | option_b=152 | option_c=172 | option_d=344 | answer=C | explanation=12% of 1438 = (12/100) × 1438 = 172.

id=9828 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=P | option_c=J | option_d=N | answer=D | explanation=Move 2 positions forward from L; the resulting letter is N.

id=9829 | topic=Percentages | difficulty=Easy | question=What is 50% of 1595? | option_a=1594 | option_b=792 | option_c=807 | option_d=797 | answer=D | explanation=50% of 1595 = (50/100) × 1595 = 797.

id=9830 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 8. | option_a=16 | option_b=96 | option_c=24 | option_d=36 | answer=C | explanation=LCM × HCF = 12×8; HCF(12,8) = 4, so LCM = 24.

id=9831 | topic=Averages | difficulty=Easy | question=Find the average of 70, 36, 61, 47, 28, 24, 66, 79, 52, 97. | option_a=57 | option_b=55 | option_c=56 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 560 ÷ 10 = 56.

id=9832 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 34? | option_a=25 | option_b=34 | option_c=29 | option_d=27 | answer=B | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 34 is the odd one out.

id=9833 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:2 and the first is 28, what is the second? | option_a=12 | option_b=42 | option_c=14 | option_d=18 | answer=C | explanation=Scale factor = 28/4 = 7. Therefore second quantity = 2×7 = 14.

id=9834 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹37798 at 8% per annum for 3 years. | option_a=8971 | option_b=9171 | option_c=46869 | option_d=9071 | answer=D | explanation=SI = PRT/100 = 37798×8×3/100 = ₹9071.

id=9835 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=51 | option_b=42 | option_c=33 | option_d=43 | answer=B | explanation=The common difference is 9. Therefore the next term is 33 + 9 = 42.

id=9836 | topic=Averages | difficulty=Easy | question=Find the average of 96, 19, 95, 38, 99, 97. | option_a=74 | option_b=75 | option_c=73 | option_d=76 | answer=A | explanation=Average = sum of values ÷ number of values = 444 ÷ 6 = 74.

id=9837 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=22 | option_b=27 | option_c=17 | option_d=23 | answer=A | explanation=The common difference is 5. Therefore the next term is 17 + 5 = 22.

id=9838 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 27, 36, 46? | option_a=36 | option_b=27 | option_c=46 | option_d=18 | answer=C | explanation=The first three numbers increase by 9, so the next should be 45. Therefore 46 is the odd one out.

id=9839 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹419. If it is sold at a profit of 10%, what is its selling price? | option_a=460 | option_b=429 | option_c=501 | option_d=419 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 419 × 110/100 = ₹460.

id=9840 | topic=Percentages | difficulty=Easy | question=What is 40% of 817? | option_a=336 | option_b=316 | option_c=326 | option_d=652 | answer=C | explanation=40% of 817 = (40/100) × 817 = 326.

Aptitude Questions — Records 9,841-9,870 of 100,000

id=9841 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 32? | option_a=32 | option_b=13 | option_c=4 | option_d=22 | answer=A | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 32 is the odd one out.

id=9842 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:1 and the first is 340, what is the second? | option_a=357 | option_b=16 | option_c=17 | option_d=37 | answer=C | explanation=Scale factor = 340/20 = 17. Therefore second quantity = 1×17 = 17.

id=9843 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 29? | option_a=18 | option_b=13 | option_c=29 | option_d=23 | answer=C | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 29 is the odd one out.

id=9844 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14028 at 4% per annum for 3 years. | option_a=1583 | option_b=1683 | option_c=1783 | option_d=15711 | answer=B | explanation=SI = $PRT/100 = 14028 \times 4 \times 3/100 = \text{■}1683$.

id=9845 | topic=Percentages | difficulty=Easy | question=What is 40% of 1489? | option_a=600 | option_b=595 | option_c=585 | option_d=1190 | answer=B | explanation=40% of 1489 = $(40/100) \times 1489 = 595$.

id=9846 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4467. If it is sold at a profit of 30%, what is its selling price? | option_a=6253 | option_b=4497 | option_c=5807 | option_d=5361 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4467 \times 130/100 = \text{■}5807$.

id=9847 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 29? | option_a=29 | option_b=23 | option_c=19 | option_d=15 | answer=A | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 29 is the odd one out.

id=9848 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=9849 | topic=Averages | difficulty=Easy | question=Find the average of 84, 17, 85, 35, 42, 28, 59. | option_a=49 | option_b=50 | option_c=52 | option_d=51 | answer=B | explanation=Average = $\text{sum of values} \div \text{number of values} = 350 \div 7 = 50$.

id=9850 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:10 and the first is 171, what is the second? | option_a=180 | option_b=361 | option_c=190 | option_d=199 | answer=C | explanation=Scale factor = $171/9 = 19$. Therefore second quantity = $10 \times 19 = 190$.

id=9851 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**249. If it is sold at a profit of 30%, what is its selling price? | option_a=323 | option_b=279 | option_c=347 | option_d=299 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 249 \times 130/100 = \text{■}323$.

id=9852 | topic=Percentages | difficulty=Easy | question=What is 15% of 193? | option_a=18 | option_b=48 | option_c=28 | option_d=56 | answer=C | explanation=15% of 193 = $(15/100) \times 193 = 28$.

id=9853 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 22. | option_a=110 | option_b=132 | option_c=144 | option_d=264 | answer=B | explanation= $\text{LCM} \times \text{HCF} = 12 \times 22$; $\text{HCF}(12, 22) = 2$, so $\text{LCM} = 132$.

id=9854 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=41 | option_c=72 | option_d=36 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 360 \div 10 = 36$ km/h.

id=9855 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3852. If it is sold at a profit of 5%, what is its selling price? | option_a=4044 | option_b=3659 | option_c=4429 | option_d=3857 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3852 \times 105/100 = \text{■}4044$.

id=9856 | topic=Percentages | difficulty=Easy | question=What is 30% of 402? | option_a=240 | option_b=110 | option_c=120 | option_d=130 | answer=C | explanation=30% of 402 = $(30/100) \times 402 = 120$.

id=9857 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2241. If it is sold at a profit of 40%, what is its selling price? | option_a=3361 | option_b=2281 | option_c=3137 | option_d=2913 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2241 \times 140/100 = \text{■}3137$.

id=9858 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1832 at 8% per annum for 4 years. | option_a=586 | option_b=2418 | option_c=686 | option_d=486 | answer=A | explanation=SI = $PRT/100 = 1832 \times 8 \times 4/100 = \text{■}586$.

id=9859 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=12 | answer=A | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=9860 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16196 at 8% per annum for 5 years. | option_a=6378 | option_b=6478 | option_c=6578 | option_d=22674 | answer=B | explanation=SI = $PRT/100 = 16196 \times 8 \times 5/100 = \text{■}6478$.

id=9861 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=9862 | topic=Percentages | difficulty=Easy | question=What is 12% of 860? | option_a=98 | option_b=113 | option_c=206 | option_d=103 | answer=D | explanation=12% of 860 = $(12/100) \times 860 = 103$.

id=9863 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=H | option_b=T | option_c=P | option_d=L | answer=C | explanation=Move 4 positions forward from L; the resulting letter is P.

id=9864 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1652. If it is sold at a profit of 40%, what is its selling price? | option_a=2147 | option_b=2312 | option_c=1692 | option_d=2477 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1652 \times 140/100 = \text{■}2312$.

id=9865 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:16 and the first is 238, what is the second? | option_a=510 | option_b=256 | option_c=272 | option_d=286 | answer=C | explanation=Scale factor = $238/14 = 17$. Therefore second quantity = $16 \times 17 = 272$.

id=9866 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=20 | option_b=21 | option_c=18 | option_d=22 | answer=A | explanation=The common difference is 2. Therefore the next term is $18 + 2 = 20$.

id=9867 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 18, 22, 29? | option_a=14 | option_b=18 | option_c=29 | option_d=22 | answer=C | explanation=The first three numbers increase by 4, so the next should be 26. Therefore 29 is the odd one out.

id=9868 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:8 and the first is 36, what is the second? | option_a=88 | option_b=99 | option_c=132 | option_d=96 | answer=D | explanation=Scale factor = $36/3 = 12$. Therefore second quantity = $8 \times 12 = 96$.

id=9869 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 36, 43, 51? | option_a=29 | option_b=43 | option_c=51 | option_d=36 | answer=C | explanation=The first three numbers increase by 7, so the next should be 50. Therefore 51 is the odd one out.

id=9870 | topic=Percentages | difficulty=Easy | question=What is 10% of 1775? | option_a=354 | option_b=157 | option_c=182 | option_d=177 | answer=D | explanation=10% of 1775 = $(10/100) \times 1775 = 177$.

Aptitude Questions — Records 9,871-9,900 of 100,000

id=9871 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=9872 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=80 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=9873 | topic=Averages | difficulty=Easy | question=Find the average of 11, 10, 76, 24, 19, 17, 60. | option_a=33 | option_b=30 | option_c=31 | option_d=32 | answer=C | explanation=Average = sum of values ÷ number of values = 217 ÷ 7 = 31.

id=9874 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:16 and the first is 15, what is the second? | option_a=240 | option_b=224 | option_c=241 | option_d=255 | answer=A | explanation=Scale factor = 15/1 = 15. Therefore second quantity = 16×15 = 240.

id=9875 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4455. If it is sold at a profit of 40%, what is its selling price? | option_a=6237 | option_b=5792 | option_c=6682 | option_d=4495 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4455 × 140/100 = █6237.

id=9876 | topic=Averages | difficulty=Easy | question=Find the average of 76, 35, 68, 39, 36, 28. | option_a=49 | option_b=46 | option_c=48 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 282 ÷ 6 = 47.

id=9877 | topic=Averages | difficulty=Easy | question=Find the average of 15, 70, 66, 69. | option_a=55 | option_b=57 | option_c=54 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 220 ÷ 4 = 55.

id=9878 | topic=Averages | difficulty=Easy | question=Find the average of 83, 62, 43, 20, 44, 54. | option_a=50 | option_b=52 | option_c=53 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 306 ÷ 6 = 51.

id=9879 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=41 | option_c=72 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=9880 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4742 at 10% per annum for 5 years. | option_a=2271 | option_b=2371 | option_c=7113 | option_d=2471 | answer=B | explanation=SI = PRT/100 = 4742×10×5/100 = █2371.

id=9881 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=9882 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=9883 | topic=Percentages | difficulty=Easy | question=What is 40% of 636? | option_a=264 | option_b=234 | option_c=254 | option_d=508 | answer=C | explanation=40% of 636 = (40/100) × 636 = 254.

id=9884 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49755 at 10% per annum for 1 years. | option_a=5075 | option_b=4875 | option_c=4975 | option_d=54730 | answer=C | explanation=SI = PRT/100 = 49755×10×1/100 = █4975.

id=9885 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:4 and the first is 56, what is the second? | option_a=56 | option_b=112 | option_c=52 | option_d=60 | answer=A | explanation=Scale factor = 56/4 = 14. Therefore second quantity = 4×14 = 56.

id=9886 | topic=Profit & Loss | difficulty=Easy | question=An article costs █388. If it is sold at a profit of 10%, what is its selling price? | option_a=464 | option_b=398 | option_c=388 | option_d=426 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 388 × 110/100 = █426.

id=9887 | topic=Percentages | difficulty=Easy | question=What is 25% of 261? | option_a=55 | option_b=65 | option_c=130 | option_d=70 | answer=B | explanation=25% of 261 = (25/100) × 261 = 65.

id=9888 | topic=Percentages | difficulty=Easy | question=What is 25% of 1701? | option_a=420 | option_b=435 | option_c=425 | option_d=850 | answer=C | explanation=25% of 1701 = (25/100) × 1701 = 425.

id=9889 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3250. If it is sold at a profit of 15%, what is its selling price? | option_a=3265 | option_b=4062 | option_c=3737 | option_d=3412 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3250 × 115/100 = █3737.

id=9890 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:10 and the first is 210, what is the second? | option_a=350 | option_b=155 | option_c=130 | option_d=140 | answer=D | explanation=Scale factor = 210/15 = 14. Therefore second quantity = 10×14 = 140.

id=9891 | topic=Averages | difficulty=Easy | question=Find the average of 94, 18, 79, 35, 84. | option_a=62 | option_b=64 | option_c=63 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 310 ÷ 5 = 62.

id=9892 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 37, 44, 52? | option_a=37 | option_b=44 | option_c=52 | option_d=30 | answer=C | explanation=The first three numbers increase by 7, so the next should be 51. Therefore 52 is the odd one out.

id=9893 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=9894 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 5, 8, 12? | option_a=2 | option_b=8 | option_c=12 | option_d=5 | answer=C | explanation=The first three numbers increase by 3, so the next should be 11. Therefore 12 is the odd one out.

id=9895 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 15, 19, 26? | option_a=15 | option_b=26 | option_c=11 | option_d=19 | answer=B | explanation=The first three numbers increase by 4, so the next should be 23. Therefore 26 is the odd one out.

id=9896 | topic=Percentages | difficulty=Easy | question=What is 12% of 371? | option_a=44 | option_b=34 | option_c=88 | option_d=49 | answer=A | explanation=12% of 371 = (12/100) × 371 = 44.

id=9897 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=K | option_b=Z | option_c=P | option_d=U | answer=D | explanation=Move 5 positions forward from P; the resulting letter is U.

id=9898 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=19 | option_d=29 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=9899 | topic=Averages | difficulty=Easy | question=Find the average of 66, 60, 12, 65, 102. | option_a=60 | option_b=62 | option_c=61 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = 305 ÷ 5 = 61.

id=9900 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24996 at 4% per annum for 5 years. | option_a=29995 | option_b=5099 | option_c=4899 | option_d=4999 | answer=D | explanation=SI = PRT/100 = 24996×4×5/100 = █4999.

Aptitude Questions — Records 9,901-9,930 of 100,000

id=9901 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=R | option_b=T | option_c=V | option_d=X | answer=C | explanation=Move 2 positions forward from T; the resulting letter is V.

id=9902 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 21, 23, 25, ? | option_a=28 | option_b=27 | option_c=29 | option_d=25 | answer=B | explanation=The common difference is 2. Therefore the next term is 25 + 2 = 27.

id=9903 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=9904 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=9905 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 35? | option_a=20 | option_b=24 | option_c=35 | option_d=28 | answer=C | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 35 is the odd one out.

id=9906 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:20 and the first is 12, what is the second? | option_a=220 | option_b=241 | option_c=240 | option_d=252 | answer=C | explanation=Scale factor = 12/1 = 12. Therefore second quantity = 20×12 = 240.

id=9907 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:19 and the first is 98, what is the second? | option_a=114 | option_b=231 | option_c=133 | option_d=147 | answer=C | explanation=Scale factor = 98/14 = 7. Therefore second quantity = 19×7 = 133.

id=9908 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=9909 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10707 at 10% per annum for 1 years. | option_a=1170 | option_b=970 | option_c=11777 | option_d=1070 | answer=D | explanation=SI = PRT/100 = 10707×10×1/100 = █1070.

id=9910 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=O | option_b=P | option_c=Q | option_d=R | answer=C | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=9911 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2441. If it is sold at a profit of 10%, what is its selling price? | option_a=2929 | option_b=2685 | option_c=2441 | option_d=2451 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2441 × 110/100 = █2685.

id=9912 | topic=Averages | difficulty=Easy | question=Find the average of 24, 30, 39, 85, 37, 35, 80, 21, 81. | option_a=48 | option_b=50 | option_c=49 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 432 ÷ 9 = 48.

id=9913 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=Z | option_c=P | option_d=E | answer=B | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=9914 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=O | option_c=K | option_d=I | answer=A | explanation=Move 2 positions forward from K; the resulting letter is M.

id=9915 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 29, 38, 48? | option_a=38 | option_b=20 | option_c=48 | option_d=29 | answer=C | explanation=The first three numbers increase by 9, so the next should be 47. Therefore 48 is the odd one out.

id=9916 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 4. | option_a=96 | option_b=20 | option_c=24 | option_d=48 | answer=C | explanation=LCM × HCF = 24×4; HCF(24,4) = 4, so LCM = 24.

id=9917 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=D | option_b=P | option_c=H | option_d=L | answer=D | explanation=Move 4 positions forward from H; the resulting letter is L.

id=9918 | topic=Averages | difficulty=Easy | question=Find the average of 40, 49, 60, 51. | option_a=51 | option_b=52 | option_c=50 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 200 ÷ 4 = 50.

id=9919 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2795. If it is sold at a profit of 20%, what is its selling price? | option_a=3354 | option_b=2815 | option_c=3075 | option_d=3633 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2795 × 120/100 = █3354.

id=9920 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 14, 19, 27? | option_a=27 | option_b=19 | option_c=14 | option_d=9 | answer=A | explanation=The first three numbers increase by 5, so the next should be 24. Therefore 27 is the odd one out.

id=9921 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=1 | option_c=12 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=9922 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 36? | option_a=36 | option_b=24 | option_c=14 | option_d=4 | answer=A | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 36 is the odd one out.

id=9923 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:20 and the first is 33, what is the second? | option_a=93 | option_b=60 | option_c=40 | option_d=71 | answer=B | explanation=Scale factor = 33/11 = 3. Therefore second quantity = 20×3 = 60.

id=9924 | topic=Percentages | difficulty=Easy | question=What is 40% of 843? | option_a=357 | option_b=674 | option_c=317 | option_d=337 | answer=D | explanation=40% of 843 = (40/100) × 843 = 337.

id=9925 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:18 and the first is 42, what is the second? | option_a=68 | option_b=54 | option_c=36 | option_d=96 | answer=B | explanation=Scale factor = 42/14 = 3. Therefore second quantity = 18×3 = 54.

id=9926 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=9927 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14880 at 6% per annum for 1 years. | option_a=892 | option_b=992 | option_c=792 | option_d=15772 | answer=A | explanation=SI = PRT/100 = 14880×6×1/100 = █892.

id=9928 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=30 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=9929 | topic=Percentages | difficulty=Easy | question=What is 15% of 960? | option_a=288 | option_b=134 | option_c=144 | option_d=164 | answer=C | explanation=15% of 960 = (15/100) × 960 = 144.

id=9930 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 37? | option_a=21 | option_b=37 | option_c=26 | option_d=31 | answer=B | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 37 is the odd one out.

Aptitude Questions — Records 9,931-9,960 of 100,000

id=9931 | topic=Averages | difficulty=Easy | question=Find the average of 83, 85, 57, 41, 48, 27, 97, 91, 13, 58. | option_a=59 | option_b=60 | option_c=61 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=9932 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■26952 at 8% per annum for 3 years. | option_a=6368 | option_b=6468 | option_c=6568 | option_d=33420 | answer=B | explanation=SI = PRT/100 = 26952×8×3/100 = ■6468.

id=9933 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 21, 23, 25, ? | option_a=29 | option_b=28 | option_c=27 | option_d=25 | answer=C | explanation=The common difference is 2. Therefore the next term is 25 + 2 = 27.

id=9934 | topic=Averages | difficulty=Easy | question=Find the average of 25, 11, 12, 44, 90, 65, 90, 12, 56. | option_a=46 | option_b=44 | option_c=47 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 405 ÷ 9 = 45.

id=9935 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4719. If it is sold at a profit of 30%, what is its selling price? | option_a=5663 | option_b=6605 | option_c=4749 | option_d=6134 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4719 × 130/100 = ■6134.

id=9936 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■26904 at 6% per annum for 4 years. | option_a=6356 | option_b=6456 | option_c=33360 | option_d=6556 | answer=B | explanation=SI = PRT/100 = 26904×6×4/100 = ■6456.

id=9937 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=9938 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:9 and the first is 96, what is the second? | option_a=240 | option_b=150 | option_c=144 | option_d=135 | answer=C | explanation=Scale factor = 96/6 = 16. Therefore second quantity = 9×16 = 144.

id=9939 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 23, 26, 32? | option_a=32 | option_b=20 | option_c=26 | option_d=23 | answer=A | explanation=The first three numbers increase by 3, so the next should be 29. Therefore 32 is the odd one out.

id=9940 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:11 and the first is 56, what is the second? | option_a=44 | option_b=100 | option_c=58 | option_d=33 | answer=A | explanation=Scale factor = 56/14 = 4. Therefore second quantity = 11×4 = 44.

id=9941 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=9942 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■29216 at 15% per annum for 2 years. | option_a=8864 | option_b=37980 | option_c=8764 | option_d=8664 | answer=C | explanation=SI = PRT/100 = 29216×15×2/100 = ■8764.

id=9943 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 33? | option_a=12 | option_b=22 | option_c=33 | option_d=2 | answer=C | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 33 is the odd one out.

id=9944 | topic=Averages | difficulty=Easy | question=Find the average of 94, 29, 54. | option_a=61 | option_b=58 | option_c=59 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 177 ÷ 3 = 59.

id=9945 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=O | option_c=Z | option_d=J | answer=D | explanation=Move 5 positions forward from E; the resulting letter is J.

id=9946 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=X | option_b=I | option_c=N | option_d=S | answer=D | explanation=Move 5 positions forward from N; the resulting letter is S.

id=9947 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 14, 21, 29? | option_a=29 | option_b=21 | option_c=7 | option_d=14 | answer=A | explanation=The first three numbers increase by 7, so the next should be 28. Therefore 29 is the odd one out.

id=9948 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=F | option_b=V | option_c=A | option_d=K | answer=A | explanation=Move 5 positions forward from A; the resulting letter is F.

id=9949 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=J | option_c=X | option_d=F | answer=D | explanation=Move 4 positions forward from B; the resulting letter is F.

id=9950 | topic=Averages | difficulty=Easy | question=Find the average of 93, 29, 25, 69. | option_a=53 | option_b=56 | option_c=55 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 216 ÷ 4 = 54.

id=9951 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=6 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=9952 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■16494 at 15% per annum for 2 years. | option_a=4948 | option_b=21442 | option_c=5048 | option_d=4848 | answer=A | explanation=SI = PRT/100 = 16494×15×2/100 = ■4948.

id=9953 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=9954 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=9955 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1977. If it is sold at a profit of 15%, what is its selling price? | option_a=2470 | option_b=1992 | option_c=2076 | option_d=2273 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1977 × 115/100 = ■2273.

id=9956 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=9957 | topic=Percentages | difficulty=Easy | question=What is 40% of 169? | option_a=134 | option_b=57 | option_c=72 | option_d=67 | answer=D | explanation=40% of 169 = (40/100) × 169 = 67.

id=9958 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 45? | option_a=30 | option_b=45 | option_c=23 | option_d=37 | answer=B | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 45 is the odd one out.

id=9959 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=K | option_c=T | option_d=Q | answer=D | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=9960 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 46? | option_a=26 | option_b=38 | option_c=46 | option_d=32 | answer=C | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 46 is the odd one out.

Aptitude Questions — Records 9,961-9,990 of 100,000

id=9961 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 44? | option_a=44 | option_b=38 | option_c=34 | option_d=30 | answer=A | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 44 is the odd one out.

id=9962 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36082 at 10% per annum for 5 years. | option_a=17941 | option_b=18141 | option_c=54123 | option_d=18041 | answer=D | explanation=SI = $PRT/100 = 36082 \times 10 \times 5/100 = \text{■}18041$.

id=9963 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=9964 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 41? | option_a=41 | option_b=25 | option_c=35 | option_d=30 | answer=A | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 41 is the odd one out.

id=9965 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 16, 19, 23? | option_a=23 | option_b=16 | option_c=19 | option_d=13 | answer=A | explanation=The first three numbers increase by 3, so the next should be 22. Therefore 23 is the odd one out.

id=9966 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=40 | option_b=35 | option_c=41 | option_d=45 | answer=A | explanation=The common difference is 5. Therefore the next term is $35 + 5 = 40$.

id=9967 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 12, 17, 25? | option_a=17 | option_b=7 | option_c=12 | option_d=25 | answer=D | explanation=The first three numbers increase by 5, so the next should be 22. Therefore 25 is the odd one out.

id=9968 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3354. If it is sold at a profit of 25%, what is its selling price? | option_a=4192 | option_b=4527 | option_c=3857 | option_d=3379 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3354 \times 125/100 = \text{■}4192$.

id=9969 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=50 | option_c=45 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = $300 \div 6 = 50$ km/h.

id=9970 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:14 and the first is 270, what is the second? | option_a=238 | option_b=522 | option_c=267 | option_d=252 | answer=D | explanation=Scale factor = $270/15 = 18$. Therefore second quantity = $14 \times 18 = 252$.

id=9971 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=50 | option_d=90 | answer=B | explanation=Speed = distance ÷ time = $360 \div 8 = 45$ km/h.

id=9972 | topic=Averages | difficulty=Easy | question=Find the average of 51, 45, 63, 37. | option_a=49 | option_b=48 | option_c=50 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = $196 \div 4 = 49$.

id=9973 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7811 at 5% per annum for 4 years. | option_a=1462 | option_b=9373 | option_c=1662 | option_d=1562 | answer=D | explanation=SI = $PRT/100 = 7811 \times 5 \times 4/100 = \text{■}1562$.

id=9974 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=55 | option_b=56 | option_c=66 | option_d=44 | answer=A | explanation=The common difference is 11. Therefore the next term is $44 + 11 = 55$.

id=9975 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=J | option_b=F | option_c=N | option_d=B | answer=A | explanation=Move 4 positions forward from F; the resulting letter is J.

id=9976 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=72 | option_c=77 | option_d=144 | answer=B | explanation=Speed = distance ÷ time = $360 \div 5 = 72$ km/h.

id=9977 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2436. If it is sold at a profit of 20%, what is its selling price? | option_a=2456 | option_b=2923 | option_c=2680 | option_d=3166 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2436 \times 120/100 = \text{■}2923$.

id=9978 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=9979 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=X | option_c=N | option_d=C | answer=B | explanation=Move 5 positions forward from S; the resulting letter is X.

id=9980 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=58 | option_b=59 | option_c=70 | option_d=46 | answer=A | explanation=The common difference is 12. Therefore the next term is $46 + 12 = 58$.

id=9981 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=27 | option_b=29 | option_c=26 | option_d=23 | answer=C | explanation=The common difference is 3. Therefore the next term is $23 + 3 = 26$.

id=9982 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4263. If it is sold at a profit of 25%, what is its selling price? | option_a=4902 | option_b=5754 | option_c=4288 | option_d=5328 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4263 \times 125/100 = \text{■}5328$.

id=9983 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:11 and the first is 9, what is the second? | option_a=100 | option_b=108 | option_c=99 | option_d=88 | answer=C | explanation=Scale factor = $9/1 = 9$. Therefore second quantity = $11 \times 9 = 99$.

id=9984 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9839 at 8% per annum for 4 years. | option_a=3248 | option_b=3048 | option_c=3148 | option_d=12987 | answer=C | explanation=SI = $PRT/100 = 9839 \times 8 \times 4/100 = \text{■}3148$.

id=9985 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=125 | option_c=115 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.

id=9986 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:8 and the first is 66, what is the second? | option_a=40 | option_b=59 | option_c=48 | option_d=114 | answer=C | explanation=Scale factor = $66/11 = 6$. Therefore second quantity = $8 \times 6 = 48$.

id=9987 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=49 | option_b=40 | option_c=41 | option_d=31 | answer=B | explanation=The common difference is 9. Therefore the next term is $31 + 9 = 40$.

id=9988 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Q | option_b=W | option_c=Z | option_d=T | answer=B | explanation=Move 3 positions forward from T; the resulting letter is W.

id=9989 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30295 at 12% per annum for 5 years. | option_a=18277 | option_b=48472 | option_c=18077 | option_d=18177 | answer=D | explanation=SI = $PRT/100 = 30295 \times 12 \times 5/100 = \text{■}18177$.

id=9990 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=24 | option_c=29 | option_d=19 | answer=B | explanation=Speed = distance ÷ time = $240 \div 10 = 24$ km/h.

Aptitude Questions — Records 9,991-10,020 of 100,000

id=9991 | topic=Percentages | difficulty=Easy | question=What is 30% of 1499? | option_a=469 | option_b=429 | option_c=449 | option_d=898 | answer=C | explanation=30% of 1499 = (30/100) × 1499 = 449.

id=9992 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=Z | option_b=J | option_c=E | option_d=O | answer=B | explanation=Move 5 positions forward from E; the resulting letter is J.

id=9993 | topic=Percentages | difficulty=Easy | question=What is 25% of 1721? | option_a=420 | option_b=860 | option_c=430 | option_d=450 | answer=C | explanation=25% of 1721 = (25/100) × 1721 = 430.

id=9994 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:19 and the first is 32, what is the second? | option_a=306 | option_b=285 | option_c=304 | option_d=336 | answer=C | explanation=Scale factor = 32/2 = 16. Therefore second quantity = 19×16 = 304.

id=9995 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49926 at 15% per annum for 5 years. | option_a=37344 | option_b=37444 | option_c=87370 | option_d=37544 | answer=B | explanation=SI = PRT/100 = 49926×15×5/100 = █37444.

id=9996 | topic=Profit & Loss | difficulty=Easy | question=An article costs █260. If it is sold at a profit of 40%, what is its selling price? | option_a=338 | option_b=390 | option_c=364 | option_d=300 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 260 × 140/100 = █364.

id=9997 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:15 and the first is 34, what is the second? | option_a=257 | option_b=255 | option_c=289 | option_d=240 | answer=B | explanation=Scale factor = 34/2 = 17. Therefore second quantity = 15×17 = 255.

id=9998 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=9999 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 16. | option_a=234 | option_b=208 | option_c=416 | option_d=192 | answer=B | explanation=LCM × HCF = 26×16; HCF(26,16) = 2, so LCM = 208.

id=10000 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=Z | option_b=K | option_c=U | option_d=P | answer=C | explanation=Move 5 positions forward from P; the resulting letter is U.

id=10001 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 33, 43, 55? | option_a=33 | option_b=55 | option_c=43 | option_d=23 | answer=B | explanation=The first three numbers increase by 10, so the next should be 53. Therefore 55 is the odd one out.

id=10002 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2334. If it is sold at a profit of 5%, what is its selling price? | option_a=2217 | option_b=2450 | option_c=2683 | option_d=2339 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2334 × 105/100 = █2450.

id=10003 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=12 | option_c=6 | option_d=1 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=10004 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=10005 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 59? | option_a=47 | option_b=27 | option_c=59 | option_d=37 | answer=C | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 59 is the odd one out.

id=10006 | topic=Percentages | difficulty=Easy | question=What is 15% of 1039? | option_a=155 | option_b=310 | option_c=160 | option_d=135 | answer=A | explanation=15% of 1039 = (15/100) × 1039 = 155.

id=10007 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 23, 28, 34? | option_a=28 | option_b=34 | option_c=23 | option_d=18 | answer=B | explanation=The first three numbers increase by 5, so the next should be 33. Therefore 34 is the odd one out.

id=10008 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=O | option_b=R | option_c=P | option_d=Q | answer=D | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=10009 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36746 at 4% per annum for 5 years. | option_a=7449 | option_b=44095 | option_c=7349 | option_d=7249 | answer=C | explanation=SI = PRT/100 = 36746×4×5/100 = █7349.

id=10010 | topic=Averages | difficulty=Easy | question=Find the average of 82, 99, 71, 68, 55, 91, 94. | option_a=79 | option_b=82 | option_c=80 | option_d=81 | answer=C | explanation=Average = sum of values ÷ number of values = 560 ÷ 7 = 80.

id=10011 | topic=Averages | difficulty=Easy | question=Find the average of 75, 80, 46, 53, 45, 84, 14, 99. | option_a=61 | option_b=62 | option_c=63 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 496 ÷ 8 = 62.

id=10012 | topic=Averages | difficulty=Easy | question=Find the average of 39, 98, 98, 23, 102. | option_a=74 | option_b=73 | option_c=71 | option_d=72 | answer=D | explanation=Average = sum of values ÷ number of values = 360 ÷ 5 = 72.

id=10013 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 24. | option_a=312 | option_b=338 | option_c=288 | option_d=624 | answer=A | explanation=LCM × HCF = 26×24; HCF(26,24) = 2, so LCM = 312.

id=10014 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 41? | option_a=41 | option_b=35 | option_c=25 | option_d=30 | answer=A | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 41 is the odd one out.

id=10015 | topic=Averages | difficulty=Easy | question=Find the average of 75, 31, 33, 67, 14. | option_a=44 | option_b=45 | option_c=43 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 220 ÷ 5 = 44.

id=10016 | topic=Averages | difficulty=Easy | question=Find the average of 78, 49, 35. | option_a=56 | option_b=55 | option_c=54 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 162 ÷ 3 = 54.

id=10017 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14910 at 8% per annum for 5 years. | option_a=6064 | option_b=20874 | option_c=5864 | option_d=5964 | answer=D | explanation=SI = PRT/100 = 14910×8×5/100 = █5964.

id=10018 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=M | option_c=Q | option_d=E | answer=B | explanation=Move 4 positions forward from I; the resulting letter is M.

id=10019 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49746 at 4% per annum for 1 years. | option_a=1989 | option_b=51735 | option_c=2089 | option_d=1889 | answer=A | explanation=SI = PRT/100 = 49746×4×1/100 = █1989.

id=10020 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1170. If it is sold at a profit of 10%, what is its selling price? | option_a=1404 | option_b=1287 | option_c=1180 | option_d=1170 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1170 × 110/100 = █1287.

Aptitude Questions — Records 10,021-10,050 of 100,000

id=10021 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■42934 at 5% per annum for 5 years. | option_a=10733 | option_b=10833 | option_c=10633 | option_d=53667 | answer=A | explanation=SI = PRT/100 = 42934×5×5/100 = ■10733.

id=10022 | topic=Averages | difficulty=Easy | question=Find the average of 94, 85, 43, 26. | option_a=63 | option_b=62 | option_c=64 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 248 ÷ 4 = 62.

id=10023 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=K | option_c=T | option_d=Q | answer=D | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=10024 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 16? | option_a=11 | option_b=16 | option_c=7 | option_d=3 | answer=B | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 16 is the odd one out.

id=10025 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2755. If it is sold at a profit of 15%, what is its selling price? | option_a=3443 | option_b=2770 | option_c=2893 | option_d=3168 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2755 × 115/100 = ■3168.

id=10026 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=24 | option_b=27 | option_c=28 | option_d=30 | answer=B | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=10027 | topic=Percentages | difficulty=Easy | question=What is 50% of 279? | option_a=139 | option_b=129 | option_c=278 | option_d=159 | answer=A | explanation=50% of 279 = (50/100) × 279 = 139.

id=10028 | topic=Averages | difficulty=Easy | question=Find the average of 89, 76, 18. | option_a=61 | option_b=60 | option_c=62 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 183 ÷ 3 = 61.

id=10029 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■32634 at 5% per annum for 5 years. | option_a=8058 | option_b=8258 | option_c=40792 | option_d=8158 | answer=D | explanation=SI = PRT/100 = 32634×5×5/100 = ■8158.

id=10030 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=18 | option_c=23 | option_d=13 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=10031 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■45763 at 6% per annum for 3 years. | option_a=8337 | option_b=8237 | option_c=54000 | option_d=8137 | answer=B | explanation=SI = PRT/100 = 45763×6×3/100 = ■8237.

id=10032 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=10033 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=10034 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=27 | option_b=32 | option_c=28 | option_d=22 | answer=A | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.

id=10035 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:14 and the first is 36, what is the second? | option_a=65 | option_b=42 | option_c=56 | option_d=92 | answer=C | explanation=Scale factor = 36/9 = 4. Therefore second quantity = 14×4 = 56.

id=10036 | topic=Percentages | difficulty=Easy | question=What is 40% of 1399? | option_a=559 | option_b=539 | option_c=569 | option_d=1118 | answer=A | explanation=40% of 1399 = (40/100) × 1399 = 559.

id=10037 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=Z | option_c=A | option_d=B | answer=D | explanation=Move 1 positions forward from A; the resulting letter is B.

id=10038 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=V | option_b=J | option_c=R | option_d=N | answer=C | explanation=Move 4 positions forward from N; the resulting letter is R.

id=10039 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=24 | option_b=20 | option_c=22 | option_d=23 | answer=C | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=10040 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:18 and the first is 20, what is the second? | option_a=180 | option_b=162 | option_c=182 | option_d=200 | answer=A | explanation=Scale factor = 20/2 = 10. Therefore second quantity = 18×10 = 180.

id=10041 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■2897 at 15% per annum for 3 years. | option_a=1403 | option_b=1203 | option_c=1303 | option_d=4200 | answer=C | explanation=SI = PRT/100 = 2897×15×3/100 = ■1303.

id=10042 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=F | option_b=R | option_c=J | option_d=N | answer=D | explanation=Move 4 positions forward from J; the resulting letter is N.

id=10043 | topic=Averages | difficulty=Easy | question=Find the average of 90, 47, 90, 41. | option_a=68 | option_b=66 | option_c=67 | option_d=69 | answer=C | explanation=Average = sum of values ÷ number of values = 268 ÷ 4 = 67.

id=10044 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:17 and the first is 77, what is the second? | option_a=102 | option_b=130 | option_c=119 | option_d=196 | answer=C | explanation=Scale factor = 77/11 = 7. Therefore second quantity = 17×7 = 119.

id=10045 | topic=Percentages | difficulty=Easy | question=What is 5% of 1842? | option_a=184 | option_b=112 | option_c=92 | option_d=82 | answer=C | explanation=5% of 1842 = (5/100) × 1842 = 92.

id=10046 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 23, 30, 37, ? | option_a=45 | option_b=37 | option_c=44 | option_d=51 | answer=C | explanation=The common difference is 7. Therefore the next term is 37 + 7 = 44.

id=10047 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=10048 | topic=Percentages | difficulty=Easy | question=What is 10% of 1497? | option_a=149 | option_b=159 | option_c=144 | option_d=298 | answer=A | explanation=10% of 1497 = (10/100) × 1497 = 149.

id=10049 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■28813 at 5% per annum for 2 years. | option_a=2981 | option_b=2781 | option_c=2881 | option_d=31694 | answer=C | explanation=SI = PRT/100 = 28813×5×2/100 = ■2881.

id=10050 | topic=Averages | difficulty=Easy | question=Find the average of 53, 86, 65, 56, 68, 30, 69, 29. | option_a=58 | option_b=57 | option_c=56 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

Aptitude Questions — Records 10,051-10,080 of 100,000

- id=10051 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=W | option_b=N | option_c=Q | option_d=T | answer=D | explanation=Move 3 positions forward from Q; the resulting letter is T.
- id=10052 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 7. | option_a=98 | option_b=14 | option_c=7 | option_d=28 | answer=B | explanation=LCM × HCF = 14×7; HCF(14,7) = 7, so LCM = 14.
- id=10053 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26757 at 15% per annum for 4 years. | option_a=42811 | option_b=16154 | option_c=15954 | option_d=16054 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{26757 \times 15 \times 4}{100} = \text{■}16054$.
- id=10054 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.
- id=10055 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:17 and the first is 15, what is the second? | option_a=100 | option_b=85 | option_c=88 | option_d=68 | answer=B | explanation=Scale factor = $\frac{15}{3} = 5$. Therefore second quantity = $17 \times 5 = 85$.
- id=10056 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:19 and the first is 76, what is the second? | option_a=152 | option_b=76 | option_c=57 | option_d=95 | answer=B | explanation=Scale factor = $\frac{76}{19} = 4$. Therefore second quantity = $19 \times 4 = 76$.
- id=10057 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.
- id=10058 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:5 and the first is 48, what is the second? | option_a=10 | option_b=15 | option_c=31 | option_d=63 | answer=B | explanation=Scale factor = $\frac{48}{16} = 3$. Therefore second quantity = $5 \times 3 = 15$.
- id=10059 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 51? | option_a=33 | option_b=51 | option_c=25 | option_d=41 | answer=B | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 51 is the odd one out.
- id=10060 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=43 | option_b=36 | option_c=44 | option_d=50 | answer=A | explanation=The common difference is 7. Therefore the next term is $36 + 7 = 43$.
- id=10061 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=52 | option_b=43 | option_c=44 | option_d=34 | answer=B | explanation=The common difference is 9. Therefore the next term is $34 + 9 = 43$.
- id=10062 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:18 and the first is 72, what is the second? | option_a=162 | option_b=170 | option_c=144 | option_d=234 | answer=A | explanation=Scale factor = $\frac{72}{8} = 9$. Therefore second quantity = $18 \times 9 = 162$.
- id=10063 | topic=Percentages | difficulty=Easy | question=What is 15% of 752? | option_a=92 | option_b=224 | option_c=112 | option_d=117 | answer=C | explanation=15% of 752 = $(\frac{15}{100}) \times 752 = 112$.
- id=10064 | topic=Percentages | difficulty=Easy | question=What is 10% of 1903? | option_a=180 | option_b=200 | option_c=190 | option_d=380 | answer=C | explanation=10% of 1903 = $(\frac{10}{100}) \times 1903 = 190$.
- id=10065 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**778. If it is sold at a profit of 15%, what is its selling price? | option_a=971 | option_b=817 | option_c=894 | option_d=793 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 778 \times 115 / 100 = \text{■}894$.
- id=10066 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49582 at 15% per annum for 2 years. | option_a=14974 | option_b=14874 | option_c=64456 | option_d=14774 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{49582 \times 15 \times 2}{100} = \text{■}14874$.
- id=10067 | topic=Averages | difficulty=Easy | question=Find the average of 14, 49, 34, 67, 44, 54, 57, 67, 100. | option_a=53 | option_b=54 | option_c=55 | option_d=56 | answer=B | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{486}{9} = 54$.
- id=10068 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=21 | option_b=20 | option_c=17 | option_d=19 | answer=D | explanation=The common difference is 2. Therefore the next term is $17 + 2 = 19$.
- id=10069 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 18. | option_a=48 | option_b=36 | option_c=216 | option_d=18 | answer=B | explanation=LCM × HCF = 12×18 ; HCF(12,18) = 6, so LCM = 36.
- id=10070 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=38 | option_b=48 | option_c=47 | option_d=56 | answer=C | explanation=The common difference is 9. Therefore the next term is $38 + 9 = 47$.
- id=10071 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=C | option_b=B | option_c=D | option_d=A | answer=A | explanation=Move 1 positions forward from B; the resulting letter is C.
- id=10072 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=31 | option_c=36 | option_d=72 | answer=C | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{360}{10} = 36$ km/h.
- id=10073 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1745. If it is sold at a profit of 30%, what is its selling price? | option_a=2094 | option_b=1775 | option_c=2442 | option_d=2268 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1745 \times \frac{130}{100} = \text{■}2268$.
- id=10074 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 27? | option_a=16 | option_b=22 | option_c=27 | option_d=19 | answer=C | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 27 is the odd one out.
- id=10075 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=K | option_c=W | option_d=S | answer=D | explanation=Move 4 positions forward from O; the resulting letter is S.
- id=10076 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19865 at 5% per annum for 5 years. | option_a=24831 | option_b=4866 | option_c=5066 | option_d=4966 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{19865 \times 5 \times 5}{100} = \text{■}4966$.
- id=10077 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{150}{10} = 15$ km/h.
- id=10078 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:15 and the first is 36, what is the second? | option_a=90 | option_b=126 | option_c=96 | option_d=75 | answer=A | explanation=Scale factor = $\frac{36}{6} = 6$. Therefore second quantity = $15 \times 6 = 90$.
- id=10079 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{150}{10} = 15$ km/h.
- id=10080 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=A | option_b=C | option_c=D | option_d=B | answer=B | explanation=Move 1 positions forward from B; the resulting letter is C.

Aptitude Questions — Records 10,081-10,110 of 100,000

id=10081 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=32 | option_b=27 | option_c=22 | option_d=28 | answer=B | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.

id=10082 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=55 | option_c=45 | option_d=100 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=10083 | topic=Percentages | difficulty=Easy | question=What is 30% of 827? | option_a=496 | option_b=243 | option_c=253 | option_d=248 | answer=D | explanation=30% of 827 = (30/100) × 827 = 248.

id=10084 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=70 | option_b=80 | option_c=150 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=10085 | topic=Percentages | difficulty=Easy | question=What is 25% of 537? | option_a=144 | option_b=268 | option_c=124 | option_d=134 | answer=D | explanation=25% of 537 = (25/100) × 537 = 134.

id=10086 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=X | option_b=F | option_c=B | option_d=J | answer=B | explanation=Move 4 positions forward from B; the resulting letter is F.

id=10087 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=10088 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=B | option_b=D | option_c=F | option_d=H | answer=C | explanation=Move 2 positions forward from D; the resulting letter is F.

id=10089 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 33, 39, 48? | option_a=39 | option_b=48 | option_c=33 | option_d=27 | answer=B | explanation=The first three numbers increase by 6, so the next should be 45. Therefore 48 is the odd one out.

id=10090 | topic=Percentages | difficulty=Easy | question=What is 30% of 1902? | option_a=550 | option_b=570 | option_c=1140 | option_d=575 | answer=B | explanation=30% of 1902 = (30/100) × 1902 = 570.

id=10091 | topic=Averages | difficulty=Easy | question=Find the average of 84, 99, 24, 11, 87, 96, 89, 73, 94. | option_a=74 | option_b=72 | option_c=73 | option_d=75 | answer=C | explanation=Average = sum of values ÷ number of values = 657 ÷ 9 = 73.

id=10092 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=38 | option_b=37 | option_c=29 | option_d=45 | answer=B | explanation=The common difference is 8. Therefore the next term is 29 + 8 = 37.

id=10093 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=U | option_c=S | option_d=V | answer=B | explanation=Move 1 positions forward from T; the resulting letter is U.

id=10094 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:6 and the first is 80, what is the second? | option_a=110 | option_b=46 | option_c=30 | option_d=24 | answer=C | explanation=Scale factor = 80/16 = 5. Therefore second quantity = 6×5 = 30.

id=10095 | topic=Percentages | difficulty=Easy | question=What is 15% of 91? | option_a=0 | option_b=23 | option_c=13 | option_d=26 | answer=C | explanation=15% of 91 = (15/100) × 91 = 13.

id=10096 | topic=Percentages | difficulty=Easy | question=What is 12% of 1892? | option_a=227 | option_b=454 | option_c=232 | option_d=222 | answer=A | explanation=12% of 1892 = (12/100) × 1892 = 227.

id=10097 | topic=Percentages | difficulty=Easy | question=What is 10% of 1386? | option_a=158 | option_b=138 | option_c=118 | option_d=276 | answer=B | explanation=10% of 1386 = (10/100) × 1386 = 138.

id=10098 | topic=Percentages | difficulty=Easy | question=What is 25% of 1386? | option_a=351 | option_b=692 | option_c=346 | option_d=326 | answer=C | explanation=25% of 1386 = (25/100) × 1386 = 346.

id=10099 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24283 at 6% per annum for 3 years. | option_a=28653 | option_b=4370 | option_c=4270 | option_d=4470 | answer=B | explanation=SI = PRT/100 = 24283×6×3/100 = **■**4370.

id=10100 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:6 and the first is 160, what is the second? | option_a=208 | option_b=48 | option_c=42 | option_d=68 | answer=B | explanation=Scale factor = 160/20 = 8. Therefore second quantity = 6×8 = 48.

id=10101 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45376 at 6% per annum for 2 years. | option_a=5345 | option_b=5545 | option_c=50821 | option_d=5445 | answer=D | explanation=SI = PRT/100 = 45376×6×2/100 = **■**5445.

id=10102 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 28, 33, 39? | option_a=28 | option_b=23 | option_c=33 | option_d=39 | answer=D | explanation=The first three numbers increase by 5, so the next should be 38. Therefore 39 is the odd one out.

id=10103 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=G | option_c=E | option_d=A | answer=C | explanation=Move 2 positions forward from C; the resulting letter is E.

id=10104 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=10105 | topic=Percentages | difficulty=Easy | question=What is 50% of 1289? | option_a=1288 | option_b=649 | option_c=639 | option_d=644 | answer=D | explanation=50% of 1289 = (50/100) × 1289 = 644.

id=10106 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=S | option_b=R | option_c=Q | option_d=T | answer=A | explanation=Move 1 positions forward from R; the resulting letter is S.

id=10107 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=50 | option_c=100 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=10108 | topic=Averages | difficulty=Easy | question=Find the average of 96, 68, 75, 48, 38, 68, 15, 24. | option_a=55 | option_b=56 | option_c=53 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 432 ÷ 8 = 54.

id=10109 | topic=Averages | difficulty=Easy | question=Find the average of 61, 20, 36, 60, 37, 74. | option_a=50 | option_b=49 | option_c=48 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 288 ÷ 6 = 48.

id=10110 | topic=Percentages | difficulty=Easy | question=What is 5% of 690? | option_a=39 | option_b=68 | option_c=34 | option_d=29 | answer=C | explanation=5% of 690 = (5/100) × 690 = 34.

Aptitude Questions — Records 10,111-10,140 of 100,000

id=10111 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=10112 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=10113 | topic=Percentages | difficulty=Easy | question=What is 12% of 316? | option_a=27 | option_b=57 | option_c=74 | option_d=37 | answer=D | explanation=12% of 316 = (12/100) × 316 = 37.

id=10114 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=4 | option_c=18 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=10115 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=54 | option_b=64 | option_c=53 | option_d=42 | answer=C | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.

id=10116 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=10117 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:20 and the first is 216, what is the second? | option_a=340 | option_b=576 | option_c=372 | option_d=360 | answer=D | explanation=Scale factor = 216/12 = 18. Therefore second quantity = 20×18 = 360.

id=10118 | topic=Averages | difficulty=Easy | question=Find the average of 38, 30, 85. | option_a=51 | option_b=53 | option_c=50 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 153 ÷ 3 = 51.

id=10119 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:6 and the first is 30, what is the second? | option_a=30 | option_b=60 | option_c=24 | option_d=36 | answer=A | explanation=Scale factor = 30/6 = 5. Therefore second quantity = 6×5 = 30.

id=10120 | topic=Averages | difficulty=Easy | question=Find the average of 26, 21, 41, 39, 14, 21. | option_a=26 | option_b=29 | option_c=28 | option_d=27 | answer=D | explanation=Average = sum of values ÷ number of values = 162 ÷ 6 = 27.

id=10121 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=52 | option_b=36 | option_c=45 | option_d=44 | answer=D | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.

id=10122 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40074 at 5% per annum for 1 years. | option_a=2003 | option_b=2103 | option_c=42077 | option_d=1903 | answer=A | explanation=SI = PRT/100 = 40074×5×1/100 = █2003.

id=10123 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=H | option_c=G | option_d=E | answer=C | explanation=Move 1 positions forward from F; the resulting letter is G.

id=10124 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=10125 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=96 | option_c=48 | option_d=53 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=10126 | topic=Percentages | difficulty=Easy | question=What is 12% of 941? | option_a=92 | option_b=224 | option_c=117 | option_d=112 | answer=D | explanation=12% of 941 = (12/100) × 941 = 112.

id=10127 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 37? | option_a=23 | option_b=37 | option_c=29 | option_d=17 | answer=B | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 37 is the odd one out.

id=10128 | topic=Percentages | difficulty=Easy | question=What is 15% of 767? | option_a=95 | option_b=125 | option_c=115 | option_d=230 | answer=C | explanation=15% of 767 = (15/100) × 767 = 115.

id=10129 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=10130 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=10131 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:1 and the first is 45, what is the second? | option_a=9 | option_b=8 | option_c=14 | option_d=54 | answer=A | explanation=Scale factor = 45/5 = 9. Therefore second quantity = 1×9 = 9.

id=10132 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=26 | option_b=24 | option_c=23 | option_d=20 | answer=C | explanation=The common difference is 3. Therefore the next term is 20 + 3 = 23.

id=10133 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:4 and the first is 9, what is the second? | option_a=36 | option_b=37 | option_c=32 | option_d=45 | answer=A | explanation=Scale factor = 9/1 = 9. Therefore second quantity = 4×9 = 36.

id=10134 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41127 at 6% per annum for 2 years. | option_a=4935 | option_b=46062 | option_c=4835 | option_d=5035 | answer=A | explanation=SI = PRT/100 = 41127×6×2/100 = █4935.

id=10135 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4314. If it is sold at a profit of 25%, what is its selling price? | option_a=5392 | option_b=4339 | option_c=4961 | option_d=5823 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4314 × 125/100 = █5392.

id=10136 | topic=Percentages | difficulty=Easy | question=What is 50% of 1672? | option_a=1672 | option_b=836 | option_c=856 | option_d=816 | answer=B | explanation=50% of 1672 = (50/100) × 1672 = 836.

id=10137 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 6, 10, 17? | option_a=2 | option_b=10 | option_c=17 | option_d=6 | answer=C | explanation=The first three numbers increase by 4, so the next should be 14. Therefore 17 is the odd one out.

id=10138 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4347 at 4% per annum for 3 years. | option_a=4868 | option_b=421 | option_c=621 | option_d=521 | answer=D | explanation=SI = PRT/100 = 4347×4×3/100 = █521.

id=10139 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 37, 44, 54? | option_a=44 | option_b=37 | option_c=30 | option_d=54 | answer=D | explanation=The first three numbers increase by 7, so the next should be 51. Therefore 54 is the odd one out.

id=10140 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=44 | option_b=32 | option_c=38 | option_d=39 | answer=C | explanation=The common difference is 6. Therefore the next term is 32 + 6 = 38.

Aptitude Questions — Records 10,141-10,170 of 100,000

id=10141 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■8934 at 10% per annum for 4 years. | option_a=3473 | option_b=3673 | option_c=12507 | option_d=3573 | answer=D | explanation=SI = $PRT/100 = 8934 \times 10 \times 4/100 =$ ■3573.

id=10142 | topic=Percentages | difficulty=Easy | question=What is 50% of 1537? | option_a=788 | option_b=1536 | option_c=768 | option_d=748 | answer=C | explanation=50% of 1537 = $(50/100) \times 1537 =$ 768.

id=10143 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=G | option_b=V | option_c=Q | option_d=L | answer=C | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=10144 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3473. If it is sold at a profit of 5%, what is its selling price? | option_a=3993 | option_b=3646 | option_c=3299 | option_d=3478 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 3473 \times 105/100 =$ ■3646.

id=10145 | topic=Averages | difficulty=Easy | question=Find the average of 90, 59, 36, 97, 59, 28, 28, 51. | option_a=58 | option_b=56 | option_c=57 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = $448 \div 8 =$ 56.

id=10146 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 =$ 4 days.

id=10147 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=X | option_c=T | option_d=L | answer=C | explanation=Move 4 positions forward from P; the resulting letter is T.

id=10148 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=K | option_c=M | option_d=N | answer=C | explanation=Move 1 positions forward from L; the resulting letter is M.

id=10149 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:10 and the first is 288, what is the second? | option_a=150 | option_b=160 | option_c=448 | option_d=178 | answer=B | explanation=Scale factor = $288/18 =$ 16. Therefore second quantity = $10 \times 16 =$ 160.

id=10150 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = $180 \div 4 =$ 45 km/h.

id=10151 | topic=Averages | difficulty=Easy | question=Find the average of 38, 61, 17, 63, 100, 74, 46, 49. | option_a=57 | option_b=56 | option_c=55 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = $448 \div 8 =$ 56.

id=10152 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 =$ 4 days.

id=10153 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=B | option_c=N | option_d=J | answer=D | explanation=Move 4 positions forward from F; the resulting letter is J.

id=10154 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=A | option_b=B | option_c=C | option_d=D | answer=C | explanation=Move 1 positions forward from B; the resulting letter is C.

id=10155 | topic=Percentages | difficulty=Easy | question=What is 20% of 928? | option_a=370 | option_b=180 | option_c=185 | option_d=205 | answer=C | explanation=20% of 928 = $(20/100) \times 928 =$ 185.

id=10156 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=100 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = $300 \div 6 =$ 50 km/h.

id=10157 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:10 and the first is 323, what is the second? | option_a=190 | option_b=513 | option_c=207 | option_d=180 | answer=A | explanation=Scale factor = $323/17 =$ 19. Therefore second quantity = $10 \times 19 =$ 190.

id=10158 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:3 and the first is 21, what is the second? | option_a=24 | option_b=21 | option_c=42 | option_d=18 | answer=B | explanation=Scale factor = $21/3 =$ 7. Therefore second quantity = $3 \times 7 =$ 21.

id=10159 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■40226 at 8% per annum for 1 years. | option_a=3318 | option_b=3218 | option_c=3118 | option_d=43444 | answer=B | explanation=SI = $PRT/100 = 40226 \times 8 \times 1/100 =$ ■3218.

id=10160 | topic=Averages | difficulty=Easy | question=Find the average of 25, 70, 30, 89, 51. | option_a=55 | option_b=53 | option_c=52 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = $265 \div 5 =$ 53.

id=10161 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 41? | option_a=23 | option_b=31 | option_c=41 | option_d=15 | answer=C | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 41 is the odd one out.

id=10162 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 15. | option_a=60 | option_b=45 | option_c=72 | option_d=180 | answer=A | explanation=LCM $\times$ HCF = 12×15 ; $HCF(12,15) =$ 3, so LCM = 60.

id=10163 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=47 | option_b=71 | option_c=59 | option_d=60 | answer=C | explanation=The common difference is 12. Therefore the next term is $47 + 12 =$ 59.

id=10164 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 49? | option_a=49 | option_b=17 | option_c=37 | option_d=27 | answer=A | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 49 is the odd one out.

id=10165 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■759. If it is sold at a profit of 50%, what is its selling price? | option_a=1063 | option_b=1138 | option_c=809 | option_d=1213 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 759 \times 150/100 =$ ■1138.

id=10166 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 34, 43, 53? | option_a=25 | option_b=34 | option_c=53 | option_d=43 | answer=C | explanation=The first three numbers increase by 9, so the next should be 52. Therefore 53 is the odd one out.

id=10167 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 16. | option_a=80 | option_b=160 | option_c=64 | option_d=90 | answer=A | explanation=LCM $\times$ HCF = 10×16 ; $HCF(10,16) =$ 2, so LCM = 80.

id=10168 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■26257 at 12% per annum for 5 years. | option_a=15654 | option_b=15854 | option_c=42011 | option_d=15754 | answer=D | explanation=SI = $PRT/100 = 26257 \times 12 \times 5/100 =$ ■15754.

id=10169 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2858. If it is sold at a profit of 20%, what is its selling price? | option_a=3144 | option_b=3429 | option_c=3714 | option_d=2878 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2858 \times 120/100 =$ ■3429.

id=10170 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 14. | option_a=336 | option_b=154 | option_c=168 | option_d=192 | answer=C | explanation=LCM $\times$ HCF = 24×14 ; $HCF(24,14) =$ 2, so LCM = 168.

Aptitude Questions — Records 10,171-10,200 of 100,000

id=10171 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=R | option_c=P | option_d=T | answer=D | explanation=Move 2 positions forward from R; the resulting letter is T.

id=10172 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=P | option_c=V | option_d=Y | answer=C | explanation=Move 3 positions forward from S; the resulting letter is V.

id=10173 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2114. If it is sold at a profit of 15%, what is its selling price? | option_a=2129 | option_b=2431 | option_c=2642 | option_d=2220 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2114 \times 115/100 = \text{■}2431$.

id=10174 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16737 at 12% per annum for 1 years. | option_a=2108 | option_b=2008 | option_c=18745 | option_d=1908 | answer=B | explanation=SI = $PRT/100 = 16737 \times 12 \times 1/100 = \text{■}2008$.

id=10175 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:3 and the first is 78, what is the second? | option_a=39 | option_b=36 | option_c=117 | option_d=45 | answer=A | explanation=Scale factor = $78/6 = 13$. Therefore second quantity = $3 \times 13 = 39$.

id=10176 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=50 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = $150 \div 6 = 25$ km/h.

id=10177 | topic=Percentages | difficulty=Easy | question=What is 30% of 1129? | option_a=318 | option_b=676 | option_c=338 | option_d=358 | answer=C | explanation=30% of 1129 = $(30/100) \times 1129 = 338$.

id=10178 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**591. If it is sold at a profit of 20%, what is its selling price? | option_a=768 | option_b=709 | option_c=611 | option_d=650 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 591 \times 120/100 = \text{■}709$.

id=10179 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=18 | option_c=13 | option_d=23 | answer=B | explanation=Speed = distance ÷ time = $180 \div 10 = 18$ km/h.

id=10180 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:10 and the first is 114, what is the second? | option_a=50 | option_b=60 | option_c=174 | option_d=79 | answer=B | explanation=Scale factor = $114/19 = 6$. Therefore second quantity = $10 \times 6 = 60$.

id=10181 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 15. | option_a=45 | option_b=1 | option_c=18 | option_d=15 | answer=D | explanation=LCM $\times$ HCF = 3×15 ; HCF(3,15) = 3, so LCM = 15.

id=10182 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=V | option_b=T | option_c=W | option_d=U | answer=A | explanation=Move 1 positions forward from U; the resulting letter is V.

id=10183 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=8 | option_d=3 | answer=B | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=10184 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 16. | option_a=352 | option_b=176 | option_c=160 | option_d=198 | answer=B | explanation=LCM $\times$ HCF = 22×16 ; HCF(22,16) = 2, so LCM = 176.

id=10185 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=Z | option_c=L | option_d=H | answer=D | explanation=Move 4 positions forward from D; the resulting letter is H.

id=10186 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19862 at 6% per annum for 5 years. | option_a=6058 | option_b=5858 | option_c=5958 | option_d=25820 | answer=C | explanation=SI = $PRT/100 = 19862 \times 6 \times 5/100 = \text{■}5958$.

id=10187 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1404. If it is sold at a profit of 50%, what is its selling price? | option_a=1966 | option_b=1454 | option_c=2246 | option_d=2106 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1404 \times 150/100 = \text{■}2106$.

id=10188 | topic=Percentages | difficulty=Easy | question=What is 50% of 1203? | option_a=596 | option_b=601 | option_c=1202 | option_d=611 | answer=B | explanation=50% of 1203 = $(50/100) \times 1203 = 601$.

id=10189 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=Y | option_c=V | option_d=P | answer=C | explanation=Move 3 positions forward from S; the resulting letter is V.

id=10190 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8676 at 4% per annum for 5 years. | option_a=1635 | option_b=1835 | option_c=1735 | option_d=10411 | answer=C | explanation=SI = $PRT/100 = 8676 \times 4 \times 5/100 = \text{■}1735$.

id=10191 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 36, 44, 55? | option_a=55 | option_b=36 | option_c=44 | option_d=28 | answer=A | explanation=The first three numbers increase by 8, so the next should be 52. Therefore 55 is the odd one out.

id=10192 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3115. If it is sold at a profit of 40%, what is its selling price? | option_a=4361 | option_b=4050 | option_c=3155 | option_d=4672 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3115 \times 140/100 = \text{■}4361$.

id=10193 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:11 and the first is 26, what is the second? | option_a=22 | option_b=48 | option_c=35 | option_d=11 | answer=A | explanation=Scale factor = $26/13 = 2$. Therefore second quantity = $11 \times 2 = 22$.

id=10194 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=20 | option_b=24 | option_c=22 | option_d=23 | answer=C | explanation=The common difference is 2. Therefore the next term is $20 + 2 = 22$.

id=10195 | topic=Averages | difficulty=Easy | question=Find the average of 90, 94, 72, 49, 87, 31, 81, 90, 18. | option_a=69 | option_b=67 | option_c=68 | option_d=70 | answer=C | explanation=Average = sum of values ÷ number of values = $612 \div 9 = 68$.

id=10196 | topic=Averages | difficulty=Easy | question=Find the average of 39, 54, 46, 34, 25, 39, 41, 25, 21. | option_a=36 | option_b=38 | option_c=35 | option_d=37 | answer=A | explanation=Average = sum of values ÷ number of values = $324 \div 9 = 36$.

id=10197 | topic=Percentages | difficulty=Easy | question=What is 20% of 944? | option_a=198 | option_b=188 | option_c=178 | option_d=376 | answer=B | explanation=20% of 944 = $(20/100) \times 944 = 188$.

id=10198 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=28 | option_b=30 | option_c=29 | option_d=26 | answer=A | explanation=The common difference is 2. Therefore the next term is $26 + 2 = 28$.

id=10199 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=13 | option_b=10 | option_c=12 | option_d=14 | answer=C | explanation=The common difference is 2. Therefore the next term is $10 + 2 = 12$.

id=10200 | topic=Averages | difficulty=Easy | question=Find the average of 85, 87, 24, 61, 19, 75, 52, 10, 30, 97. | option_a=54 | option_b=53 | option_c=55 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = $540 \div 10 = 54$.

Aptitude Questions — Records 10,201-10,230 of 100,000

id=10201 | topic=Percentages | difficulty=Easy | question=What is 30% of 1648? | option_a=504 | option_b=988 | option_c=484 | option_d=494 | answer=D | explanation=30% of 1648 = (30/100) × 1648 = 494.

id=10202 | topic=Percentages | difficulty=Easy | question=What is 25% of 1487? | option_a=381 | option_b=371 | option_c=361 | option_d=742 | answer=B | explanation=25% of 1487 = (25/100) × 1487 = 371.

id=10203 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:13 and the first is 20, what is the second? | option_a=247 | option_b=260 | option_c=280 | option_d=261 | answer=B | explanation=Scale factor = 20/1 = 20. Therefore second quantity = 13×20 = 260.

id=10204 | topic=Percentages | difficulty=Easy | question=What is 20% of 754? | option_a=130 | option_b=155 | option_c=150 | option_d=300 | answer=C | explanation=20% of 754 = (20/100) × 754 = 150.

id=10205 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 40? | option_a=40 | option_b=25 | option_c=18 | option_d=32 | answer=A | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 40 is the odd one out.

id=10206 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:3 and the first is 90, what is the second? | option_a=24 | option_b=27 | option_c=117 | option_d=37 | answer=B | explanation=Scale factor = 90/10 = 9. Therefore second quantity = 3×9 = 27.

id=10207 | topic=Averages | difficulty=Easy | question=Find the average of 53, 28, 60, 39, 68, 36, 41, 83. | option_a=50 | option_b=53 | option_c=52 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 408 ÷ 8 = 51.

id=10208 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=51 | option_b=63 | option_c=73 | option_d=62 | answer=D | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.

id=10209 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 27, 30, 34? | option_a=27 | option_b=30 | option_c=24 | option_d=34 | answer=D | explanation=The first three numbers increase by 3, so the next should be 33. Therefore 34 is the odd one out.

id=10210 | topic=Profit & Loss | difficulty=Easy | question=An article costs █121. If it is sold at a profit of 30%, what is its selling price? | option_a=151 | option_b=169 | option_c=157 | option_d=145 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 121 × 130/100 = █157.

id=10211 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=10212 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 25, 35, 47? | option_a=35 | option_b=15 | option_c=25 | option_d=47 | answer=D | explanation=The first three numbers increase by 10, so the next should be 45. Therefore 47 is the odd one out.

id=10213 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 12, 21, 30, ? | option_a=40 | option_b=30 | option_c=39 | option_d=48 | answer=C | explanation=The common difference is 9. Therefore the next term is 30 + 9 = 39.

id=10214 | topic=Profit & Loss | difficulty=Easy | question=An article costs █566. If it is sold at a profit of 15%, what is its selling price? | option_a=706 | option_b=594 | option_c=581 | option_d=650 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 566 × 115/100 = █650.

id=10215 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2384. If it is sold at a profit of 15%, what is its selling price? | option_a=2399 | option_b=2979 | option_c=2503 | option_d=2741 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2384 × 115/100 = █2741.

id=10216 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 22? | option_a=17 | option_b=22 | option_c=13 | option_d=15 | answer=B | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 22 is the odd one out.

id=10217 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=66 | option_b=67 | option_c=54 | option_d=78 | answer=A | explanation=The common difference is 12. Therefore the next term is 54 + 12 = 66.

id=10218 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:20 and the first is 26, what is the second? | option_a=53 | option_b=40 | option_c=20 | option_d=66 | answer=B | explanation=Scale factor = 26/13 = 2. Therefore second quantity = 20×2 = 40.

id=10219 | topic=Percentages | difficulty=Easy | question=What is 30% of 1305? | option_a=782 | option_b=391 | option_c=386 | option_d=396 | answer=B | explanation=30% of 1305 = (30/100) × 1305 = 391.

id=10220 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45791 at 15% per annum for 2 years. | option_a=59528 | option_b=13637 | option_c=13737 | option_d=13837 | answer=C | explanation=SI = PRT/100 = 45791×15×2/100 = █13737.

id=10221 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=10222 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31479 at 12% per annum for 1 years. | option_a=3877 | option_b=3777 | option_c=35256 | option_d=3677 | answer=B | explanation=SI = PRT/100 = 31479×12×1/100 = █3777.

id=10223 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=J | option_c=K | option_d=L | answer=D | explanation=Move 1 positions forward from K; the resulting letter is L.

id=10224 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4034 at 8% per annum for 5 years. | option_a=1613 | option_b=1513 | option_c=1713 | option_d=5647 | answer=A | explanation=SI = PRT/100 = 4034×8×5/100 = █1613.

id=10225 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 20, 23, 27? | option_a=23 | option_b=17 | option_c=20 | option_d=27 | answer=D | explanation=The first three numbers increase by 3, so the next should be 26. Therefore 27 is the odd one out.

id=10226 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 17, 26, 36? | option_a=17 | option_b=8 | option_c=26 | option_d=36 | answer=D | explanation=The first three numbers increase by 9, so the next should be 35. Therefore 36 is the odd one out.

id=10227 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=10228 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=I | option_b=W | option_c=A | option_d=E | answer=D | explanation=Move 4 positions forward from A; the resulting letter is E.

id=10229 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=10230 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:9 and the first is 16, what is the second? | option_a=63 | option_b=74 | option_c=88 | option_d=72 | answer=D | explanation=Scale factor = 16/2 = 8. Therefore second quantity = 9×8 = 72.

Aptitude Questions — Records 10,231-10,260 of 100,000

id=10231 | topic=Averages | difficulty=Easy | question=Find the average of 55, 10, 11, 56. | option_a=32 | option_b=33 | option_c=35 | option_d=34 | answer=B | explanation=Average = sum of values ÷ number of values = 132 ÷ 4 = 33.

id=10232 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:11 and the first is 342, what is the second? | option_a=551 | option_b=227 | option_c=209 | option_d=198 | answer=C | explanation=Scale factor = 342/18 = 19. Therefore second quantity = 11×19 = 209.

id=10233 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=155 | option_c=150 | option_d=145 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=10234 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 16, 21, 28? | option_a=11 | option_b=16 | option_c=28 | option_d=21 | answer=C | explanation=The first three numbers increase by 5, so the next should be 26. Therefore 28 is the odd one out.

id=10235 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 41? | option_a=35 | option_b=41 | option_c=25 | option_d=30 | answer=B | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 41 is the odd one out.

id=10236 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=10237 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:12 and the first is 170, what is the second? | option_a=374 | option_b=214 | option_c=204 | option_d=192 | answer=C | explanation=Scale factor = 170/10 = 17. Therefore second quantity = 12×17 = 204.

id=10238 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=C | option_b=I | option_c=L | option_d=F | answer=B | explanation=Move 3 positions forward from F; the resulting letter is I.

id=10239 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11222 at 10% per annum for 4 years. | option_a=4588 | option_b=15710 | option_c=4488 | option_d=4388 | answer=C | explanation=SI = PRT/100 = 11222×10×4/100 = **■**4488.

id=10240 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=O | option_c=U | option_d=S | answer=D | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=10241 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36297 at 8% per annum for 5 years. | option_a=14618 | option_b=50815 | option_c=14518 | option_d=14418 | answer=C | explanation=SI = PRT/100 = 36297×8×5/100 = **■**14518.

id=10242 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=A | option_c=C | option_d=D | answer=C | explanation=Move 1 positions forward from B; the resulting letter is C.

id=10243 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=12 | option_b=16 | option_c=15 | option_d=18 | answer=C | explanation=The common difference is 3. Therefore the next term is 12 + 3 = 15.

id=10244 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 22. | option_a=44 | option_b=22 | option_c=24 | option_d=1 | answer=B | explanation=LCM × HCF = 2×22; HCF(2,22) = 2, so LCM = 22.

id=10245 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:5 and the first is 102, what is the second? | option_a=47 | option_b=132 | option_c=30 | option_d=25 | answer=C | explanation=Scale factor = 102/17 = 6. Therefore second quantity = 5×6 = 30.

id=10246 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23238 at 10% per annum for 3 years. | option_a=6971 | option_b=30209 | option_c=7071 | option_d=6871 | answer=A | explanation=SI = PRT/100 = 23238×10×3/100 = **■**6971.

id=10247 | topic=Averages | difficulty=Easy | question=Find the average of 87, 72, 44, 31, 91, 65. | option_a=67 | option_b=66 | option_c=64 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 390 ÷ 6 = 65.

id=10248 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=25 | option_c=20 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=10249 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=23 | option_b=29 | option_c=30 | option_d=35 | answer=B | explanation=The common difference is 6. Therefore the next term is 23 + 6 = 29.

id=10250 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=58 | option_b=57 | option_c=68 | option_d=46 | answer=B | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.

id=10251 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 9. | option_a=9 | option_b=12 | option_c=1 | option_d=27 | answer=A | explanation=LCM × HCF = 3×9; HCF(3,9) = 3, so LCM = 9.

id=10252 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=49 | option_b=59 | option_c=60 | option_d=69 | answer=B | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

id=10253 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=10254 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:3 and the first is 90, what is the second? | option_a=15 | option_b=105 | option_c=33 | option_d=12 | answer=A | explanation=Scale factor = 90/18 = 5. Therefore second quantity = 3×5 = 15.

id=10255 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 28? | option_a=24 | option_b=28 | option_c=22 | option_d=20 | answer=B | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 28 is the odd one out.

id=10256 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 35, 41, 49? | option_a=29 | option_b=41 | option_c=35 | option_d=49 | answer=D | explanation=The first three numbers increase by 6, so the next should be 47. Therefore 49 is the odd one out.

id=10257 | topic=Percentages | difficulty=Easy | question=What is 12% of 1790? | option_a=224 | option_b=214 | option_c=204 | option_d=428 | answer=B | explanation=12% of 1790 = (12/100) × 1790 = 214.

id=10258 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=115 | option_c=240 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=10259 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11258 at 15% per annum for 1 years. | option_a=1588 | option_b=1688 | option_c=12946 | option_d=1788 | answer=B | explanation=SI = PRT/100 = 11258×15×1/100 = **■**1688.

id=10260 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=R | option_c=I | option_d=O | answer=D | explanation=Move 3 positions forward from L; the resulting letter is O.

Aptitude Questions — Records 10,261-10,290 of 100,000

id=10261 | topic=Averages | difficulty=Easy | question=Find the average of 10, 22, 63, 45, 97, 68, 80. | option_a=56 | option_b=55 | option_c=57 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 385 ÷ 7 = 55.

id=10262 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=10263 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2466. If it is sold at a profit of 40%, what is its selling price? | option_a=2506 | option_b=3452 | option_c=3698 | option_d=3206 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2466 × 140/100 = █3452.

id=10264 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=20 | option_b=25 | option_c=24 | option_d=28 | answer=C | explanation=The common difference is 4. Therefore the next term is 20 + 4 = 24.

id=10265 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2991. If it is sold at a profit of 15%, what is its selling price? | option_a=3738 | option_b=3006 | option_c=3439 | option_d=3140 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2991 × 115/100 = █3439.

id=10266 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=40 | option_b=49 | option_c=31 | option_d=41 | answer=A | explanation=The common difference is 9. Therefore the next term is 31 + 9 = 40.

id=10267 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=21 | option_b=20 | option_c=22 | option_d=18 | answer=B | explanation=The common difference is 2. Therefore the next term is 18 + 2 = 20.

id=10268 | topic=Percentages | difficulty=Easy | question=What is 30% of 1813? | option_a=548 | option_b=1086 | option_c=543 | option_d=538 | answer=C | explanation=30% of 1813 = (30/100) × 1813 = 543.

id=10269 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=36 | option_d=13 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=10270 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=22 | option_b=27 | option_c=28 | option_d=32 | answer=B | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.

id=10271 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:16 and the first is 18, what is the second? | option_a=41 | option_b=32 | option_c=16 | option_d=50 | answer=B | explanation=Scale factor = 18/9 = 2. Therefore second quantity = 16×2 = 32.

id=10272 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=10273 | topic=Profit & Loss | difficulty=Easy | question=An article costs █882. If it is sold at a profit of 15%, what is its selling price? | option_a=1102 | option_b=1014 | option_c=897 | option_d=926 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 882 × 115/100 = █1014.

id=10274 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6607 at 10% per annum for 5 years. | option_a=3403 | option_b=3203 | option_c=3303 | option_d=9910 | answer=C | explanation=SI = PRT/100 = 6607×10×5/100 = █3303.

id=10275 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=10276 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=24 | option_b=27 | option_c=28 | option_d=30 | answer=B | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=10277 | topic=Averages | difficulty=Easy | question=Find the average of 13, 79, 95, 46, 87, 70, 79. | option_a=68 | option_b=69 | option_c=67 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = 469 ÷ 7 = 67.

id=10278 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=12 | option_c=1 | option_d=11 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=10279 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=L | option_c=J | option_d=H | answer=B | explanation=Move 2 positions forward from J; the resulting letter is L.

id=10280 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 17, 29, 41, ? | option_a=53 | option_b=41 | option_c=65 | option_d=54 | answer=A | explanation=The common difference is 12. Therefore the next term is 41 + 12 = 53.

id=10281 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=10282 | topic=Percentages | difficulty=Easy | question=What is 25% of 1233? | option_a=308 | option_b=313 | option_c=288 | option_d=616 | answer=A | explanation=25% of 1233 = (25/100) × 1233 = 308.

id=10283 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 30, 38, 47? | option_a=30 | option_b=22 | option_c=47 | option_d=38 | answer=C | explanation=The first three numbers increase by 8, so the next should be 46. Therefore 47 is the odd one out.

id=10284 | topic=Percentages | difficulty=Easy | question=What is 15% of 1772? | option_a=530 | option_b=245 | option_c=265 | option_d=270 | answer=C | explanation=15% of 1772 = (15/100) × 1772 = 265.

id=10285 | topic=Percentages | difficulty=Easy | question=What is 30% of 1711? | option_a=508 | option_b=1026 | option_c=513 | option_d=533 | answer=C | explanation=30% of 1711 = (30/100) × 1711 = 513.

id=10286 | topic=Averages | difficulty=Easy | question=Find the average of 53, 30, 81, 24, 36, 42, 84. | option_a=50 | option_b=51 | option_c=49 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

id=10287 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15642 at 5% per annum for 4 years. | option_a=3228 | option_b=3028 | option_c=3128 | option_d=18770 | answer=C | explanation=SI = PRT/100 = 15642×5×4/100 = █3128.

id=10288 | topic=Averages | difficulty=Easy | question=Find the average of 24, 25, 77, 62, 32. | option_a=43 | option_b=46 | option_c=45 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = 220 ÷ 5 = 44.

id=10289 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=B | option_b=K | option_c=H | option_d=E | answer=C | explanation=Move 3 positions forward from E; the resulting letter is H.

id=10290 | topic=Percentages | difficulty=Easy | question=What is 30% of 1851? | option_a=1110 | option_b=560 | option_c=555 | option_d=535 | answer=C | explanation=30% of 1851 = (30/100) × 1851 = 555.

Aptitude Questions — Records 10,291-10,320 of 100,000

id=10291 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:16 and the first is 340, what is the second? | option_a=256 | option_b=612 | option_c=292 | option_d=272 | answer=D | explanation=Scale factor = 340/20 = 17. Therefore second quantity = 16×17 = 272.

id=10292 | topic=Averages | difficulty=Easy | question=Find the average of 53, 58, 32, 19, 55, 55, 57. | option_a=47 | option_b=46 | option_c=49 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = 329 ÷ 7 = 47.

id=10293 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8212 at 8% per annum for 5 years. | option_a=11496 | option_b=3384 | option_c=3184 | option_d=3284 | answer=D | explanation=SI = PRT/100 = 8212×8×5/100 = **■**3284.

id=10294 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=24 | option_b=20 | option_c=26 | option_d=23 | answer=D | explanation=The common difference is 3. Therefore the next term is 20 + 3 = 23.

id=10295 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:2 and the first is 285, what is the second? | option_a=30 | option_b=315 | option_c=49 | option_d=28 | answer=A | explanation=Scale factor = 285/19 = 15. Therefore second quantity = 2×15 = 30.

id=10296 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 29, 33, 40? | option_a=29 | option_b=40 | option_c=33 | option_d=25 | answer=B | explanation=The first three numbers increase by 4, so the next should be 37. Therefore 40 is the odd one out.

id=10297 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=Y | option_b=T | option_c=O | option_d=D | answer=A | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=10298 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**984. If it is sold at a profit of 50%, what is its selling price? | option_a=1378 | option_b=1574 | option_c=1034 | option_d=1476 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 984 × 150/100 = **■**1476.

id=10299 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:18 and the first is 40, what is the second? | option_a=18 | option_b=76 | option_c=56 | option_d=36 | answer=D | explanation=Scale factor = 40/20 = 2. Therefore second quantity = 18×2 = 36.

id=10300 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 16? | option_a=7 | option_b=11 | option_c=16 | option_d=3 | answer=C | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 16 is the odd one out.

id=10301 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=10302 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3465. If it is sold at a profit of 20%, what is its selling price? | option_a=4504 | option_b=4158 | option_c=3485 | option_d=3812 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3465 × 120/100 = **■**4158.

id=10303 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=O | option_b=L | option_c=F | option_d=I | answer=B | explanation=Move 3 positions forward from I; the resulting letter is L.

id=10304 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 12. | option_a=180 | option_b=60 | option_c=75 | option_d=48 | answer=B | explanation=LCM × HCF = 15×12; HCF(15,12) = 3, so LCM = 60.

id=10305 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=80 | option_c=35 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=10306 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=G | option_c=J | option_d=A | answer=B | explanation=Move 3 positions forward from D; the resulting letter is G.

id=10307 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11398 at 4% per annum for 2 years. | option_a=811 | option_b=1011 | option_c=12309 | option_d=911 | answer=D | explanation=SI = PRT/100 = 11398×4×2/100 = **■**911.

id=10308 | topic=Averages | difficulty=Easy | question=Find the average of 11, 11, 23, 48, 51, 33, 40, 32, 48. | option_a=35 | option_b=33 | option_c=32 | option_d=34 | answer=B | explanation=Average = sum of values ÷ number of values = 297 ÷ 9 = 33.

id=10309 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:2 and the first is 50, what is the second? | option_a=18 | option_b=70 | option_c=25 | option_d=20 | answer=D | explanation=Scale factor = 50/5 = 10. Therefore second quantity = 2×10 = 20.

id=10310 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=37 | option_b=33 | option_c=32 | option_d=27 | answer=C | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

id=10311 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 24. | option_a=24 | option_b=96 | option_c=28 | option_d=1 | answer=A | explanation=LCM × HCF = 4×24; HCF(4,24) = 4, so LCM = 24.

id=10312 | topic=Percentages | difficulty=Easy | question=What is 5% of 1292? | option_a=128 | option_b=69 | option_c=64 | option_d=44 | answer=C | explanation=5% of 1292 = (5/100) × 1292 = 64.

id=10313 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=52 | option_b=39 | option_c=51 | option_d=63 | answer=C | explanation=The common difference is 12. Therefore the next term is 39 + 12 = 51.

id=10314 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2124. If it is sold at a profit of 20%, what is its selling price? | option_a=2760 | option_b=2548 | option_c=2336 | option_d=2144 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2124 × 120/100 = **■**2548.

id=10315 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=125 | option_c=115 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=10316 | topic=Averages | difficulty=Easy | question=Find the average of 19, 56, 96, 65. | option_a=58 | option_b=59 | option_c=60 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 236 ÷ 4 = 59.

id=10317 | topic=Averages | difficulty=Easy | question=Find the average of 55, 78, 26, 61, 39, 13, 22, 100, 65. | option_a=52 | option_b=53 | option_c=50 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 459 ÷ 9 = 51.

id=10318 | topic=Averages | difficulty=Easy | question=Find the average of 95, 37, 78. | option_a=70 | option_b=71 | option_c=69 | option_d=72 | answer=A | explanation=Average = sum of values ÷ number of values = 210 ÷ 3 = 70.

id=10319 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27074 at 5% per annum for 3 years. | option_a=31135 | option_b=4161 | option_c=3961 | option_d=4061 | answer=D | explanation=SI = PRT/100 = 27074×5×3/100 = **■**4061.

id=10320 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:12 and the first is 208, what is the second? | option_a=364 | option_b=144 | option_c=172 | option_d=156 | answer=D | explanation=Scale factor = 208/16 = 13. Therefore second quantity = 12×13 = 156.

Aptitude Questions — Records 10,321-10,350 of 100,000

id=10321 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=39 | option_b=33 | option_c=38 | option_d=43 | answer=C | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.

id=10322 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 40? | option_a=30 | option_b=36 | option_c=33 | option_d=40 | answer=D | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 40 is the odd one out.

id=10323 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=49 | option_b=40 | option_c=31 | option_d=41 | answer=B | explanation=The common difference is 9. Therefore the next term is 31 + 9 = 40.

id=10324 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4813. If it is sold at a profit of 15%, what is its selling price? | option_a=5053 | option_b=5534 | option_c=6015 | option_d=4828 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4813 × 115/100 = █5534.

id=10325 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 12. | option_a=60 | option_b=48 | option_c=80 | option_d=240 | answer=A | explanation=LCM × HCF = 20×12; HCF(20,12) = 4, so LCM = 60.

id=10326 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=V | option_c=N | option_d=Z | answer=B | explanation=Move 4 positions forward from R; the resulting letter is V.

id=10327 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6256 at 12% per annum for 4 years. | option_a=3002 | option_b=3102 | option_c=2902 | option_d=9258 | answer=A | explanation=SI = PRT/100 = 6256×12×4/100 = █3002.

id=10328 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:4 and the first is 130, what is the second? | option_a=52 | option_b=48 | option_c=62 | option_d=182 | answer=A | explanation=Scale factor = 130/10 = 13. Therefore second quantity = 4×13 = 52.

id=10329 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:16 and the first is 84, what is the second? | option_a=176 | option_b=192 | option_c=276 | option_d=199 | answer=B | explanation=Scale factor = 84/7 = 12. Therefore second quantity = 16×12 = 192.

id=10330 | topic=Averages | difficulty=Easy | question=Find the average of 78, 24, 74, 11, 23. | option_a=42 | option_b=44 | option_c=41 | option_d=43 | answer=A | explanation=Average = sum of values ÷ number of values = 210 ÷ 5 = 42.

id=10331 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=10332 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26593 at 6% per annum for 1 years. | option_a=1495 | option_b=1695 | option_c=1595 | option_d=28188 | answer=C | explanation=SI = PRT/100 = 26593×6×1/100 = █1595.

id=10333 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=S | option_c=T | option_d=R | answer=C | explanation=Move 1 positions forward from S; the resulting letter is T.

id=10334 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:12 and the first is 84, what is the second? | option_a=60 | option_b=72 | option_c=86 | option_d=156 | answer=B | explanation=Scale factor = 84/14 = 6. Therefore second quantity = 12×6 = 72.

id=10335 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:14 and the first is 120, what is the second? | option_a=260 | option_b=140 | option_c=152 | option_d=126 | answer=B | explanation=Scale factor = 120/12 = 10. Therefore second quantity = 14×10 = 140.

id=10336 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1556. If it is sold at a profit of 5%, what is its selling price? | option_a=1561 | option_b=1633 | option_c=1478 | option_d=1788 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1556 × 105/100 = █1633.

id=10337 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=10338 | topic=Averages | difficulty=Easy | question=Find the average of 14, 93, 14, 86, 54, 25, 18, 37, 97, 92. | option_a=54 | option_b=55 | option_c=52 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=10339 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11230 at 8% per annum for 4 years. | option_a=14823 | option_b=3493 | option_c=3693 | option_d=3593 | answer=D | explanation=SI = PRT/100 = 11230×8×4/100 = █3593.

id=10340 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23750 at 12% per annum for 1 years. | option_a=26600 | option_b=2950 | option_c=2750 | option_d=2850 | answer=D | explanation=SI = PRT/100 = 23750×12×1/100 = █2850.

id=10341 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:6 and the first is 54, what is the second? | option_a=108 | option_b=60 | option_c=48 | option_d=54 | answer=D | explanation=Scale factor = 54/6 = 9. Therefore second quantity = 6×9 = 54.

id=10342 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 11, 14, 20? | option_a=11 | option_b=14 | option_c=20 | option_d=8 | answer=C | explanation=The first three numbers increase by 3, so the next should be 17. Therefore 20 is the odd one out.

id=10343 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=180 | option_c=360 | option_d=185 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=10344 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 19, 22, 25, ? | option_a=29 | option_b=25 | option_c=31 | option_d=28 | answer=D | explanation=The common difference is 3. Therefore the next term is 25 + 3 = 28.

id=10345 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:13 and the first is 48, what is the second? | option_a=78 | option_b=86 | option_c=65 | option_d=126 | answer=A | explanation=Scale factor = 48/8 = 6. Therefore second quantity = 13×6 = 78.

id=10346 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 32, 35, 41? | option_a=29 | option_b=32 | option_c=41 | option_d=35 | answer=C | explanation=The first three numbers increase by 3, so the next should be 38. Therefore 41 is the odd one out.

id=10347 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=25 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=10348 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34319 at 6% per annum for 4 years. | option_a=8336 | option_b=42555 | option_c=8236 | option_d=8136 | answer=C | explanation=SI = PRT/100 = 34319×6×4/100 = █8236.

id=10349 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=10350 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=F | option_c=Z | option_d=D | answer=D | explanation=Move 2 positions forward from B; the resulting letter is D.

Aptitude Questions — Records 10,351-10,380 of 100,000

id=10351 | topic=Percentages | difficulty=Easy | question=What is 50% of 332? | option_a=161 | option_b=171 | option_c=332 | option_d=166 | answer=D | explanation=50% of 332 = (50/100) × 332 = 166.

id=10352 | topic=Percentages | difficulty=Easy | question=What is 5% of 664? | option_a=33 | option_b=43 | option_c=13 | option_d=66 | answer=A | explanation=5% of 664 = (5/100) × 664 = 33.

id=10353 | topic=Averages | difficulty=Easy | question=Find the average of 48, 75, 16, 57, 27, 25, 97, 69, 10, 26. | option_a=44 | option_b=47 | option_c=46 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 450 ÷ 10 = 45.

id=10354 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=23 | option_b=26 | option_c=27 | option_d=25 | answer=D | explanation=The common difference is 2. Therefore the next term is 23 + 2 = 25.

id=10355 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3564. If it is sold at a profit of 15%, what is its selling price? | option_a=4454 | option_b=4098 | option_c=3579 | option_d=3742 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3564 × 115/100 = █4098.

id=10356 | topic=Percentages | difficulty=Easy | question=What is 40% of 1751? | option_a=700 | option_b=710 | option_c=695 | option_d=1400 | answer=A | explanation=40% of 1751 = (40/100) × 1751 = 700.

id=10357 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=10358 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=12 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=10359 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:2 and the first is 110, what is the second? | option_a=20 | option_b=18 | option_c=31 | option_d=130 | answer=A | explanation=Scale factor = 110/11 = 10. Therefore second quantity = 2×10 = 20.

id=10360 | topic=Averages | difficulty=Easy | question=Find the average of 81, 47, 50, 23, 32, 63, 52, 32, 79. | option_a=51 | option_b=50 | option_c=52 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 459 ÷ 9 = 51.

id=10361 | topic=Averages | difficulty=Easy | question=Find the average of 53, 57, 32, 50. | option_a=50 | option_b=49 | option_c=48 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 192 ÷ 4 = 48.

id=10362 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 12, 16, 21? | option_a=12 | option_b=8 | option_c=16 | option_d=21 | answer=D | explanation=The first three numbers increase by 4, so the next should be 20. Therefore 21 is the odd one out.

id=10363 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 37? | option_a=25 | option_b=5 | option_c=37 | option_d=15 | answer=C | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 37 is the odd one out.

id=10364 | topic=Averages | difficulty=Easy | question=Find the average of 51, 77, 96, 53, 63, 98, 87. | option_a=74 | option_b=75 | option_c=76 | option_d=77 | answer=B | explanation=Average = sum of values ÷ number of values = 525 ÷ 7 = 75.

id=10365 | topic=Percentages | difficulty=Easy | question=What is 25% of 641? | option_a=150 | option_b=160 | option_c=320 | option_d=180 | answer=B | explanation=25% of 641 = (25/100) × 641 = 160.

id=10366 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:10 and the first is 42, what is the second? | option_a=60 | option_b=70 | option_c=112 | option_d=76 | answer=B | explanation=Scale factor = 42/6 = 7. Therefore second quantity = 10×7 = 70.

id=10367 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 39, 49, 62? | option_a=29 | option_b=39 | option_c=62 | option_d=49 | answer=C | explanation=The first three numbers increase by 10, so the next should be 59. Therefore 62 is the odd one out.

id=10368 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=10369 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32201 at 15% per annum for 2 years. | option_a=9660 | option_b=9760 | option_c=41861 | option_d=9560 | answer=A | explanation=SI = PRT/100 = 32201×15×2/100 = █9660.

id=10370 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4251. If it is sold at a profit of 15%, what is its selling price? | option_a=4463 | option_b=5313 | option_c=4266 | option_d=4888 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4251 × 115/100 = █4888.

id=10371 | topic=Percentages | difficulty=Easy | question=What is 50% of 1502? | option_a=731 | option_b=751 | option_c=761 | option_d=1502 | answer=B | explanation=50% of 1502 = (50/100) × 1502 = 751.

id=10372 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=10373 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=10374 | topic=Averages | difficulty=Easy | question=Find the average of 14, 13, 63, 22, 28. | option_a=28 | option_b=27 | option_c=30 | option_d=29 | answer=A | explanation=Average = sum of values ÷ number of values = 140 ÷ 5 = 28.

id=10375 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41212 at 12% per annum for 4 years. | option_a=19881 | option_b=19781 | option_c=60993 | option_d=19681 | answer=B | explanation=SI = PRT/100 = 41212×12×4/100 = █19781.

id=10376 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48076 at 5% per annum for 2 years. | option_a=4907 | option_b=52883 | option_c=4807 | option_d=4707 | answer=C | explanation=SI = PRT/100 = 48076×5×2/100 = █4807.

id=10377 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=35 | option_c=40 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=10378 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=E | option_b=Z | option_c=P | option_d=U | answer=B | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=10379 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3320. If it is sold at a profit of 10%, what is its selling price? | option_a=3652 | option_b=3330 | option_c=3984 | option_d=3320 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3320 × 110/100 = █3652.

id=10380 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 10,381-10,410 of 100,000

id=10381 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:9 and the first is 36, what is the second? | option_a=54 | option_b=60 | option_c=90 | option_d=45 | answer=A | explanation=Scale factor = 36/6 = 6. Therefore second quantity = 9×6 = 54.

id=10382 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=10383 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=36 | option_b=33 | option_c=28 | option_d=32 | answer=D | explanation=The common difference is 4. Therefore the next term is 28 + 4 = 32.

id=10384 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2532. If it is sold at a profit of 5%, what is its selling price? | option_a=2537 | option_b=2911 | option_c=2405 | option_d=2658 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2532 × 105/100 = █2658.

id=10385 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=10386 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=50 | option_d=100 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=10387 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 17, 25, 33, ? | option_a=41 | option_b=42 | option_c=33 | option_d=49 | answer=A | explanation=The common difference is 8. Therefore the next term is 33 + 8 = 41.

id=10388 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=10389 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=59 | option_b=47 | option_c=69 | option_d=58 | answer=D | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.

id=10390 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=10391 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=10392 | topic=Percentages | difficulty=Easy | question=What is 15% of 946? | option_a=151 | option_b=131 | option_c=141 | option_d=282 | answer=C | explanation=15% of 946 = (15/100) × 946 = 141.

id=10393 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 16. | option_a=320 | option_b=100 | option_c=80 | option_d=64 | answer=C | explanation=LCM × HCF = 20×16; HCF(20,16) = 4, so LCM = 80.

id=10394 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=10395 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=29 | option_b=34 | option_c=30 | option_d=24 | answer=A | explanation=The common difference is 5. Therefore the next term is 24 + 5 = 29.

id=10396 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 18, 24, 30, ? | option_a=42 | option_b=36 | option_c=30 | option_d=37 | answer=B | explanation=The common difference is 6. Therefore the next term is 30 + 6 = 36.

id=10397 | topic=Percentages | difficulty=Easy | question=What is 12% of 306? | option_a=36 | option_b=16 | option_c=41 | option_d=72 | answer=A | explanation=12% of 306 = (12/100) × 306 = 36.

id=10398 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=10399 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:7 and the first is 45, what is the second? | option_a=68 | option_b=63 | option_c=108 | option_d=56 | answer=B | explanation=Scale factor = 45/5 = 9. Therefore second quantity = 7×9 = 63.

id=10400 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36764 at 12% per annum for 2 years. | option_a=45587 | option_b=8923 | option_c=8823 | option_d=8723 | answer=C | explanation=SI = PRT/100 = 36764×12×2/100 = █8823.

id=10401 | topic=Percentages | difficulty=Easy | question=What is 40% of 543? | option_a=217 | option_b=227 | option_c=212 | option_d=434 | answer=A | explanation=40% of 543 = (40/100) × 543 = 217.

id=10402 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 22, 31, 42? | option_a=31 | option_b=42 | option_c=22 | option_d=13 | answer=B | explanation=The first three numbers increase by 9, so the next should be 40. Therefore 42 is the odd one out.

id=10403 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=10404 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=10405 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22297 at 8% per annum for 3 years. | option_a=5251 | option_b=27648 | option_c=5451 | option_d=5351 | answer=D | explanation=SI = PRT/100 = 22297×8×3/100 = █5351.

id=10406 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21162 at 8% per annum for 1 years. | option_a=1792 | option_b=1592 | option_c=1692 | option_d=22854 | answer=C | explanation=SI = PRT/100 = 21162×8×1/100 = █1692.

id=10407 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=R | option_b=S | option_c=P | option_d=Q | answer=A | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=10408 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3301 at 15% per annum for 4 years. | option_a=2080 | option_b=5281 | option_c=1880 | option_d=1980 | answer=D | explanation=SI = PRT/100 = 3301×15×4/100 = █1980.

id=10409 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=23 | option_b=24 | option_c=20 | option_d=22 | answer=D | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=10410 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 26, 32, 41? | option_a=26 | option_b=41 | option_c=32 | option_d=20 | answer=B | explanation=The first three numbers increase by 6, so the next should be 38. Therefore 41 is the odd one out.

Aptitude Questions — Records 10,411-10,440 of 100,000

id=10411 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=10412 | topic=Percentages | difficulty=Easy | question=What is 25% of 983? | option_a=245 | option_b=240 | option_c=490 | option_d=250 | answer=A | explanation=25% of 983 = $(\frac{25}{100}) \times 983 = 245$.

id=10413 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = $360 \div 6 = 60$ km/h.

id=10414 | topic=Percentages | difficulty=Easy | question=What is 12% of 548? | option_a=60 | option_b=65 | option_c=130 | option_d=70 | answer=B | explanation=12% of 548 = $(\frac{12}{100}) \times 548 = 65$.

id=10415 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4087. If it is sold at a profit of 20%, what is its selling price? | option_a=4107 | option_b=4904 | option_c=4496 | option_d=5312 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4087 \times \frac{120}{100} = \text{█}4904$.

id=10416 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=48 | option_c=24 | option_d=19 | answer=C | explanation=Speed = distance ÷ time = $240 \div 10 = 24$ km/h.

id=10417 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18033 at 12% per annum for 4 years. | option_a=8555 | option_b=8655 | option_c=8755 | option_d=26688 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{18033 \times 12 \times 4}{100} = \text{█}8655$.

id=10418 | topic=Percentages | difficulty=Easy | question=What is 20% of 1815? | option_a=353 | option_b=363 | option_c=726 | option_d=368 | answer=B | explanation=20% of 1815 = $(\frac{20}{100}) \times 1815 = 363$.

id=10419 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:4 and the first is 60, what is the second? | option_a=80 | option_b=83 | option_c=140 | option_d=76 | answer=A | explanation=Scale factor = $60/3 = 20$. Therefore second quantity = $4 \times 20 = 80$.

id=10420 | topic=Averages | difficulty=Easy | question=Find the average of 16, 62, 99, 39, 43, 15, 57, 20, 36. | option_a=42 | option_b=44 | option_c=45 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = $387 \div 9 = 43$.

id=10421 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 18, 23, 28, ? | option_a=28 | option_b=33 | option_c=34 | option_d=38 | answer=B | explanation=The common difference is 5. Therefore the next term is $28 + 5 = 33$.

id=10422 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 12, 17, 23? | option_a=17 | option_b=12 | option_c=7 | option_d=23 | answer=D | explanation=The first three numbers increase by 5, so the next should be 22. Therefore 23 is the odd one out.

id=10423 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3529. If it is sold at a profit of 15%, what is its selling price? | option_a=4410 | option_b=4058 | option_c=3706 | option_d=3544 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3529 \times \frac{115}{100} = \text{█}4058$.

id=10424 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=L | option_b=R | option_c=U | option_d=O | answer=B | explanation=Move 3 positions forward from O; the resulting letter is R.

id=10425 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:5 and the first is 90, what is the second? | option_a=40 | option_b=45 | option_c=135 | option_d=55 | answer=B | explanation=Scale factor = $90/10 = 9$. Therefore second quantity = $5 \times 9 = 45$.

id=10426 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=A | option_b=D | option_c=G | option_d=J | answer=C | explanation=Move 3 positions forward from D; the resulting letter is G.

id=10427 | topic=Averages | difficulty=Easy | question=Find the average of 48, 73, 49, 60, 80. | option_a=63 | option_b=62 | option_c=61 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = $310 \div 5 = 62$.

id=10428 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $240 \div 8 = 30$ km/h.

id=10429 | topic=Percentages | difficulty=Easy | question=What is 25% of 477? | option_a=119 | option_b=139 | option_c=99 | option_d=238 | answer=A | explanation=25% of 477 = $(\frac{25}{100}) \times 477 = 119$.

id=10430 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 34? | option_a=34 | option_b=25 | option_c=27 | option_d=29 | answer=A | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 34 is the odd one out.

id=10431 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3851. If it is sold at a profit of 40%, what is its selling price? | option_a=5776 | option_b=5391 | option_c=5006 | option_d=3891 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3851 \times \frac{140}{100} = \text{█}5391$.

id=10432 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=40 | option_b=41 | option_c=32 | option_d=48 | answer=A | explanation=The common difference is 8. Therefore the next term is $32 + 8 = 40$.

id=10433 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=69 | option_b=68 | option_c=80 | option_d=56 | answer=B | explanation=The common difference is 12. Therefore the next term is $56 + 12 = 68$.

id=10434 | topic=Percentages | difficulty=Easy | question=What is 5% of 318? | option_a=30 | option_b=5 | option_c=15 | option_d=20 | answer=C | explanation=5% of 318 = $(\frac{5}{100}) \times 318 = 15$.

id=10435 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:4 and the first is 90, what is the second? | option_a=110 | option_b=20 | option_c=38 | option_d=16 | answer=B | explanation=Scale factor = $90/18 = 5$. Therefore second quantity = $4 \times 5 = 20$.

id=10436 | topic=Averages | difficulty=Easy | question=Find the average of 41, 19, 37, 77, 65, 37. | option_a=47 | option_b=46 | option_c=48 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = $276 \div 6 = 46$.

id=10437 | topic=Averages | difficulty=Easy | question=Find the average of 98, 96, 98, 27, 45, 87, 35, 74. | option_a=69 | option_b=71 | option_c=72 | option_d=70 | answer=D | explanation=Average = sum of values ÷ number of values = $560 \div 8 = 70$.

id=10438 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3907. If it is sold at a profit of 40%, what is its selling price? | option_a=5469 | option_b=3947 | option_c=5079 | option_d=5859 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3907 \times \frac{140}{100} = \text{█}5469$.

id=10439 | topic=Profit & Loss | difficulty=Easy | question=An article costs █152. If it is sold at a profit of 20%, what is its selling price? | option_a=167 | option_b=197 | option_c=172 | option_d=182 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 152 \times \frac{120}{100} = \text{█}182$.

id=10440 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:9 and the first is 4, what is the second? | option_a=18 | option_b=22 | option_c=9 | option_d=20 | answer=A | explanation=Scale factor = $\frac{4}{2} = 2$. Therefore second quantity = $9 \times 2 = 18$.

Aptitude Questions — Records 10,441-10,470 of 100,000

id=10441 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=K | option_b=M | option_c=Q | option_d=O | answer=D | explanation=Move 2 positions forward from M; the resulting letter is O.

id=10442 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=10443 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1005 at 8% per annum for 2 years. | option_a=1165 | option_b=160 | option_c=260 | option_d=60 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{1005 \times 8 \times 2}{100} = \text{■}160$.

id=10444 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 14, 16, 19? | option_a=19 | option_b=14 | option_c=12 | option_d=16 | answer=A | explanation=The first three numbers increase by 2, so the next should be 18. Therefore 19 is the odd one out.

id=10445 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=I | option_b=Z | option_c=C | option_d=F | answer=D | explanation=Move 3 positions forward from C; the resulting letter is F.

id=10446 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=100 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = $\frac{300}{6} = 50$ km/h.

id=10447 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:3 and the first is 96, what is the second? | option_a=132 | option_b=33 | option_c=36 | option_d=44 | answer=C | explanation=Scale factor = $\frac{96}{8} = 12$. Therefore second quantity = $3 \times 12 = 36$.

id=10448 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2223. If it is sold at a profit of 20%, what is its selling price? | option_a=2243 | option_b=2667 | option_c=2445 | option_d=2889 | answer=B | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = \frac{2223 \times 120}{100} = \text{■}2667$.

id=10449 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14620 at 6% per annum for 5 years. | option_a=4286 | option_b=4486 | option_c=4386 | option_d=19006 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{14620 \times 6 \times 5}{100} = \text{■}4386$.

id=10450 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 7. | option_a=21 | option_b=56 | option_c=28 | option_d=196 | answer=C | explanation=LCM × HCF = 28×7 ; HCF(28,7) = 7, so LCM = 28.

id=10451 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 30. | option_a=150 | option_b=30 | option_c=1 | option_d=35 | answer=B | explanation=LCM × HCF = 5×30 ; HCF(5,30) = 5, so LCM = 30.

id=10452 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=10453 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45262 at 6% per annum for 1 years. | option_a=2715 | option_b=2615 | option_c=47977 | option_d=2815 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{45262 \times 6 \times 1}{100} = \text{■}2715$.

id=10454 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 33? | option_a=33 | option_b=30 | option_c=28 | option_d=26 | answer=A | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 33 is the odd one out.

id=10455 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=K | option_b=I | option_c=J | option_d=L | answer=A | explanation=Move 1 positions forward from J; the resulting letter is K.

id=10456 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=Q | option_c=I | option_d=U | answer=B | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=10457 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 12. | option_a=288 | option_b=12 | option_c=24 | option_d=48 | answer=C | explanation=LCM × HCF = 24×12 ; HCF(24,12) = 12, so LCM = 24.

id=10458 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14315 at 12% per annum for 4 years. | option_a=6871 | option_b=6971 | option_c=21186 | option_d=6771 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{14315 \times 12 \times 4}{100} = \text{■}6871$.

id=10459 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12} = 3$ days.

id=10460 | topic=Percentages | difficulty=Easy | question=What is 10% of 113? | option_a=31 | option_b=1 | option_c=22 | option_d=11 | answer=D | explanation=10% of 113 = $(\frac{10}{100}) \times 113 = 11$.

id=10461 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:8 and the first is 3, what is the second? | option_a=27 | option_b=16 | option_c=24 | option_d=25 | answer=C | explanation=Scale factor = $\frac{3}{1} = 3$. Therefore second quantity = $8 \times 3 = 24$.

id=10462 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:13 and the first is 70, what is the second? | option_a=130 | option_b=200 | option_c=137 | option_d=117 | answer=A | explanation=Scale factor = $\frac{70}{7} = 10$. Therefore second quantity = $13 \times 10 = 130$.

id=10463 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=6 | option_d=4 | answer=A | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.

id=10464 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=180 | option_c=175 | option_d=360 | answer=B | explanation=Speed = distance ÷ time = $\frac{360}{2} = 180$ km/h.

id=10465 | topic=Averages | difficulty=Easy | question=Find the average of 11, 27, 79. | option_a=38 | option_b=39 | option_c=41 | option_d=40 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{117}{3} = 39$.

id=10466 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 30? | option_a=22 | option_b=10 | option_c=30 | option_d=16 | answer=C | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 30 is the odd one out.

id=10467 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:20 and the first is 108, what is the second? | option_a=468 | option_b=360 | option_c=340 | option_d=366 | answer=B | explanation=Scale factor = $\frac{108}{6} = 18$. Therefore second quantity = $20 \times 18 = 360$.

id=10468 | topic=Averages | difficulty=Easy | question=Find the average of 84, 97, 45, 44, 13, 16, 11, 18, 10, 52. | option_a=39 | option_b=40 | option_c=38 | option_d=41 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{390}{10} = 39$.

id=10469 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 3. | option_a=21 | option_b=63 | option_c=18 | option_d=42 | answer=A | explanation=LCM × HCF = 21×3 ; HCF(21,3) = 3, so LCM = 21.

id=10470 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:13 and the first is 220, what is the second? | option_a=163 | option_b=363 | option_c=143 | option_d=130 | answer=C | explanation=Scale factor = $\frac{220}{20} = 11$. Therefore second quantity = $13 \times 11 = 143$.

Aptitude Questions — Records 10,471-10,500 of 100,000

id=10471 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3399. If it is sold at a profit of 40%, what is its selling price? | option_a=4758 | option_b=3439 | option_c=4419 | option_d=5097 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3399 × 140/100 = █4758.

id=10472 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=72 | option_b=61 | option_c=50 | option_d=62 | answer=B | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.

id=10473 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:11 and the first is 255, what is the second? | option_a=165 | option_b=154 | option_c=420 | option_d=182 | answer=A | explanation=Scale factor = 255/17 = 15. Therefore second quantity = 11×15 = 165.

id=10474 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9425 at 15% per annum for 2 years. | option_a=2727 | option_b=12252 | option_c=2927 | option_d=2827 | answer=D | explanation=SI = PRT/100 = 9425×15×2/100 = █2827.

id=10475 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=N | option_b=L | option_c=O | option_d=M | answer=A | explanation=Move 1 positions forward from M; the resulting letter is N.

id=10476 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=52 | option_b=41 | option_c=61 | option_d=51 | answer=D | explanation=The common difference is 10. Therefore the next term is 41 + 10 = 51.

id=10477 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=10478 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:15 and the first is 130, what is the second? | option_a=180 | option_b=205 | option_c=325 | option_d=195 | answer=D | explanation=Scale factor = 130/10 = 13. Therefore second quantity = 15×13 = 195.

id=10479 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=115 | option_d=240 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=10480 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 30, 32, 37? | option_a=28 | option_b=30 | option_c=32 | option_d=37 | answer=D | explanation=The first three numbers increase by 2, so the next should be 34. Therefore 37 is the odd one out.

id=10481 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=F | option_b=J | option_c=H | option_d=L | answer=B | explanation=Move 2 positions forward from H; the resulting letter is J.

id=10482 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 26. | option_a=252 | option_b=234 | option_c=208 | option_d=468 | answer=B | explanation=LCM × HCF = 18×26; HCF(18,26) = 2, so LCM = 234.

id=10483 | topic=Averages | difficulty=Easy | question=Find the average of 94, 27, 57, 95, 17. | option_a=60 | option_b=57 | option_c=59 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 290 ÷ 5 = 58.

id=10484 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10534 at 5% per annum for 2 years. | option_a=953 | option_b=1053 | option_c=11587 | option_d=1153 | answer=B | explanation=SI = PRT/100 = 10534×5×2/100 = █1053.

id=10485 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3814. If it is sold at a profit of 30%, what is its selling price? | option_a=3844 | option_b=5339 | option_c=4958 | option_d=4577 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3814 × 130/100 = █4958.

id=10486 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 28, 38, 48, ? | option_a=59 | option_b=48 | option_c=58 | option_d=68 | answer=C | explanation=The common difference is 10. Therefore the next term is 48 + 10 = 58.

id=10487 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=56 | option_b=80 | option_c=69 | option_d=68 | answer=D | explanation=The common difference is 12. Therefore the next term is 56 + 12 = 68.

id=10488 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14649 at 6% per annum for 5 years. | option_a=19043 | option_b=4394 | option_c=4294 | option_d=4494 | answer=B | explanation=SI = PRT/100 = 14649×6×5/100 = █4394.

id=10489 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=10490 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29733 at 10% per annum for 3 years. | option_a=9019 | option_b=8819 | option_c=8919 | option_d=38652 | answer=C | explanation=SI = PRT/100 = 29733×10×3/100 = █8919.

id=10491 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47346 at 12% per annum for 2 years. | option_a=11363 | option_b=11463 | option_c=58709 | option_d=11263 | answer=A | explanation=SI = PRT/100 = 47346×12×2/100 = █11363.

id=10492 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 16. | option_a=384 | option_b=32 | option_c=72 | option_d=48 | answer=D | explanation=LCM × HCF = 24×16; HCF(24,16) = 8, so LCM = 48.

id=10493 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=S | option_c=T | option_d=R | answer=C | explanation=Move 1 positions forward from S; the resulting letter is T.

id=10494 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 12, 16, 22? | option_a=8 | option_b=16 | option_c=22 | option_d=12 | answer=C | explanation=The first three numbers increase by 4, so the next should be 20. Therefore 22 is the odd one out.

id=10495 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3679. If it is sold at a profit of 25%, what is its selling price? | option_a=4231 | option_b=4598 | option_c=4965 | option_d=3704 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3679 × 125/100 = █4598.

id=10496 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:18 and the first is 54, what is the second? | option_a=378 | option_b=306 | option_c=327 | option_d=324 | answer=D | explanation=Scale factor = 54/3 = 18. Therefore second quantity = 18×18 = 324.

id=10497 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=T | option_c=K | option_d=Q | answer=D | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=10498 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7341 at 10% per annum for 4 years. | option_a=10277 | option_b=2936 | option_c=3036 | option_d=2836 | answer=B | explanation=SI = PRT/100 = 7341×10×4/100 = █2936.

id=10499 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4811. If it is sold at a profit of 25%, what is its selling price? | option_a=5532 | option_b=4836 | option_c=6494 | option_d=6013 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4811 × 125/100 = █6013.

id=10500 | topic=Averages | difficulty=Easy | question=Find the average of 21, 80, 93, 88, 13, 80, 54, 48, 18. | option_a=57 | option_b=54 | option_c=55 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.

Aptitude Questions — Records 10,501-10,530 of 100,000

id=10501 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24506 at 5% per annum for 3 years. | option_a=3675 | option_b=28181 | option_c=3775 | option_d=3575 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{24506 \times 5 \times 3}{100} = \text{■}3675$.

id=10502 | topic=Averages | difficulty=Easy | question=Find the average of 33, 11, 100, 99, 51, 62, 12, 10, 91, 71. | option_a=55 | option_b=56 | option_c=54 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = $540 \div 10 = 54$.

id=10503 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=23 | option_b=27 | option_c=24 | option_d=19 | answer=A | explanation=The common difference is 4. Therefore the next term is $19 + 4 = 23$.

id=10504 | topic=Averages | difficulty=Easy | question=Find the average of 69, 16, 67, 21, 15, 59, 100, 12, 28. | option_a=44 | option_b=45 | option_c=42 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = $387 \div 9 = 43$.

id=10505 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=A | option_c=C | option_d=Y | answer=C | explanation=Move 2 positions forward from A; the resulting letter is C.

id=10506 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=D | option_c=J | option_d=F | answer=A | explanation=Move 2 positions forward from F; the resulting letter is H.

id=10507 | topic=Averages | difficulty=Easy | question=Find the average of 98, 73, 43, 50, 36, 66. | option_a=63 | option_b=61 | option_c=62 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = $366 \div 6 = 61$.

id=10508 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26571 at 8% per annum for 3 years. | option_a=6477 | option_b=6277 | option_c=32948 | option_d=6377 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{26571 \times 8 \times 3}{100} = \text{■}6377$.

id=10509 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=10510 | topic=Averages | difficulty=Easy | question=Find the average of 99, 16, 86, 85, 58, 99, 16, 68, 85. | option_a=70 | option_b=68 | option_c=67 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = $612 \div 9 = 68$.

id=10511 | topic=Percentages | difficulty=Easy | question=What is 10% of 766? | option_a=152 | option_b=86 | option_c=56 | option_d=76 | answer=D | explanation= $10\% \text{ of } 766 = \frac{10}{100} \times 766 = 76$.

id=10512 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**589. If it is sold at a profit of 10%, what is its selling price? | option_a=589 | option_b=647 | option_c=705 | option_d=599 | answer=B | explanation=Selling price = $CP \times \frac{(100 + \text{profit}\%)}{100} = 589 \times \frac{110}{100} = \text{■}647$.

id=10513 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $240 \div 8 = 30$ km/h.

id=10514 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=F | option_c=E | option_d=D | answer=B | explanation=Move 1 positions forward from E; the resulting letter is F.

id=10515 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=J | option_c=N | option_d=L | answer=C | explanation=Move 2 positions forward from L; the resulting letter is N.

id=10516 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Q | option_b=Z | option_c=T | option_d=W | answer=D | explanation=Move 3 positions forward from T; the resulting letter is W.

id=10517 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = $120 \div 8 = 15$ km/h.

id=10518 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:14 and the first is 85, what is the second? | option_a=70 | option_b=155 | option_c=87 | option_d=56 | answer=A | explanation=Scale factor = $\frac{85}{17} = 5$. Therefore second quantity = $14 \times 5 = 70$.

id=10519 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=40 | option_b=35 | option_c=41 | option_d=45 | answer=A | explanation=The common difference is 5. Therefore the next term is $35 + 5 = 40$.

id=10520 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=38 | option_b=39 | option_c=32 | option_d=44 | answer=A | explanation=The common difference is 6. Therefore the next term is $32 + 6 = 38$.

id=10521 | topic=Averages | difficulty=Easy | question=Find the average of 75, 11, 23, 33, 100, 63, 58, 82, 95. | option_a=62 | option_b=59 | option_c=60 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = $540 \div 9 = 60$.

id=10522 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=36 | option_c=41 | option_d=72 | answer=B | explanation=Speed = distance ÷ time = $180 \div 5 = 36$ km/h.

id=10523 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:9 and the first is 220, what is the second? | option_a=319 | option_b=99 | option_c=90 | option_d=119 | answer=B | explanation=Scale factor = $\frac{220}{20} = 11$. Therefore second quantity = $9 \times 11 = 99$.

id=10524 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 35? | option_a=35 | option_b=14 | option_c=24 | option_d=4 | answer=A | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 35 is the odd one out.

id=10525 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1396. If it is sold at a profit of 40%, what is its selling price? | option_a=2093 | option_b=1954 | option_c=1815 | option_d=1436 | answer=B | explanation=Selling price = $CP \times \frac{(100 + \text{profit}\%)}{100} = 1396 \times \frac{140}{100} = \text{■}1954$.

id=10526 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29766 at 5% per annum for 5 years. | option_a=7541 | option_b=7341 | option_c=7441 | option_d=37207 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{29766 \times 5 \times 5}{100} = \text{■}7441$.

id=10527 | topic=Averages | difficulty=Easy | question=Find the average of 88, 98, 12, 81, 60, 64, 12, 31, 31. | option_a=54 | option_b=52 | option_c=53 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = $477 \div 9 = 53$.

id=10528 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=5 | option_d=7 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=10529 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:9 and the first is 16, what is the second? | option_a=135 | option_b=160 | option_c=145 | option_d=144 | answer=D | explanation=Scale factor = $\frac{16}{1} = 16$. Therefore second quantity = $9 \times 16 = 144$.

id=10530 | topic=Percentages | difficulty=Easy | question=What is 50% of 1402? | option_a=701 | option_b=1402 | option_c=711 | option_d=691 | answer=A | explanation= $50\% \text{ of } 1402 = \frac{50}{100} \times 1402 = 701$.

Aptitude Questions — Records 10,531-10,560 of 100,000

id=10531 | topic=Averages | difficulty=Easy | question=Find the average of 99, 85, 97, 44, 41, 11, 99, 100. | option_a=73 | option_b=71 | option_c=74 | option_d=72 | answer=D | explanation=Average = sum of values ÷ number of values = 576 ÷ 8 = 72.

id=10532 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=10533 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:4 and the first is 126, what is the second? | option_a=68 | option_b=79 | option_c=72 | option_d=198 | answer=C | explanation=Scale factor = 126/7 = 18. Therefore second quantity = 4×18 = 72.

id=10534 | topic=Percentages | difficulty=Easy | question=What is 50% of 1321? | option_a=655 | option_b=1320 | option_c=665 | option_d=660 | answer=D | explanation=50% of 1321 = (50/100) × 1321 = 660.

id=10535 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=100 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=10536 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 49? | option_a=40 | option_b=28 | option_c=34 | option_d=49 | answer=D | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 49 is the odd one out.

id=10537 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:7 and the first is 342, what is the second? | option_a=119 | option_b=126 | option_c=468 | option_d=145 | answer=B | explanation=Scale factor = 342/19 = 18. Therefore second quantity = 7×18 = 126.

id=10538 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=10539 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38317 at 4% per annum for 2 years. | option_a=41382 | option_b=2965 | option_c=3065 | option_d=3165 | answer=C | explanation=SI = PRT/100 = 38317×4×2/100 = **■**3065.

id=10540 | topic=Percentages | difficulty=Easy | question=What is 15% of 1814? | option_a=292 | option_b=544 | option_c=267 | option_d=272 | answer=D | explanation=15% of 1814 = (15/100) × 1814 = 272.

id=10541 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=10542 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=10543 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4420. If it is sold at a profit of 20%, what is its selling price? | option_a=4862 | option_b=5746 | option_c=5304 | option_d=4440 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4420 × 120/100 = **■**5304.

id=10544 | topic=Averages | difficulty=Easy | question=Find the average of 11, 99, 93, 51, 53, 49, 55, 62, 100, 57. | option_a=65 | option_b=62 | option_c=64 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 630 ÷ 10 = 63.

id=10545 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=I | option_c=F | option_d=Z | answer=C | explanation=Move 3 positions forward from C; the resulting letter is F.

id=10546 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2606. If it is sold at a profit of 30%, what is its selling price? | option_a=2636 | option_b=3647 | option_c=3127 | option_d=3387 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2606 × 130/100 = **■**3387.

id=10547 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1941. If it is sold at a profit of 15%, what is its selling price? | option_a=2038 | option_b=2232 | option_c=1956 | option_d=2426 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1941 × 115/100 = **■**2232.

id=10548 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:3 and the first is 4, what is the second? | option_a=8 | option_b=10 | option_c=3 | option_d=6 | answer=D | explanation=Scale factor = 4/2 = 2. Therefore second quantity = 3×2 = 6.

id=10549 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=31 | option_b=37 | option_c=23 | option_d=30 | answer=D | explanation=The common difference is 7. Therefore the next term is 23 + 7 = 30.

id=10550 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:18 and the first is 30, what is the second? | option_a=90 | option_b=72 | option_c=96 | option_d=120 | answer=A | explanation=Scale factor = 30/6 = 5. Therefore second quantity = 18×5 = 90.

id=10551 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 26, 28, 33? | option_a=26 | option_b=24 | option_c=28 | option_d=33 | answer=D | explanation=The first three numbers increase by 2, so the next should be 30. Therefore 33 is the odd one out.

id=10552 | topic=Averages | difficulty=Easy | question=Find the average of 55, 22, 84, 72, 28, 61, 34, 52. | option_a=51 | option_b=53 | option_c=52 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 408 ÷ 8 = 51.

id=10553 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=10554 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=10555 | topic=Percentages | difficulty=Easy | question=What is 5% of 808? | option_a=20 | option_b=80 | option_c=45 | option_d=40 | answer=D | explanation=5% of 808 = (5/100) × 808 = 40.

id=10556 | topic=Percentages | difficulty=Easy | question=What is 30% of 336? | option_a=100 | option_b=90 | option_c=120 | option_d=200 | answer=A | explanation=30% of 336 = (30/100) × 336 = 100.

id=10557 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 25. | option_a=90 | option_b=375 | option_c=50 | option_d=75 | answer=D | explanation=LCM × HCF = 15×25; HCF(15,25) = 5, so LCM = 75.

id=10558 | topic=Percentages | difficulty=Easy | question=What is 40% of 321? | option_a=128 | option_b=123 | option_c=138 | option_d=256 | answer=A | explanation=40% of 321 = (40/100) × 321 = 128.

id=10559 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=10560 | topic=Averages | difficulty=Easy | question=Find the average of 97, 97, 86, 36. | option_a=79 | option_b=78 | option_c=80 | option_d=81 | answer=A | explanation=Average = sum of values ÷ number of values = 316 ÷ 4 = 79.

Aptitude Questions — Records 10,561-10,590 of 100,000

id=10561 | topic=Profit & Loss | difficulty=Easy | question=An article costs █850. If it is sold at a profit of 40%, what is its selling price? | option_a=1105 | option_b=1190 | option_c=890 | option_d=1275 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 850 × 140/100 = █1190.

id=10562 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=80 | option_c=35 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=10563 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38644 at 12% per annum for 1 years. | option_a=4737 | option_b=4637 | option_c=4537 | option_d=43281 | answer=B | explanation=SI = PRT/100 = 38644×12×1/100 = █4637.

id=10564 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Q | option_b=Y | option_c=C | option_d=U | answer=B | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=10565 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=Q | option_c=M | option_d=S | answer=B | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=10566 | topic=Averages | difficulty=Easy | question=Find the average of 51, 76, 58, 31. | option_a=53 | option_b=56 | option_c=55 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 216 ÷ 4 = 54.

id=10567 | topic=Averages | difficulty=Easy | question=Find the average of 70, 95, 69, 95, 80, 53, 49. | option_a=75 | option_b=72 | option_c=74 | option_d=73 | answer=D | explanation=Average = sum of values ÷ number of values = 511 ÷ 7 = 73.

id=10568 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=50 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=10569 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1613. If it is sold at a profit of 20%, what is its selling price? | option_a=1935 | option_b=1774 | option_c=2096 | option_d=1633 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1613 × 120/100 = █1935.

id=10570 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43387 at 15% per annum for 5 years. | option_a=75927 | option_b=32640 | option_c=32540 | option_d=32440 | answer=C | explanation=SI = PRT/100 = 43387×15×5/100 = █32540.

id=10571 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=51 | option_b=50 | option_c=41 | option_d=59 | answer=B | explanation=The common difference is 9. Therefore the next term is 41 + 9 = 50.

id=10572 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=10573 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=25 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=10574 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3453. If it is sold at a profit of 5%, what is its selling price? | option_a=3625 | option_b=3458 | option_c=3970 | option_d=3280 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3453 × 105/100 = █3625.

id=10575 | topic=Percentages | difficulty=Easy | question=What is 40% of 618? | option_a=267 | option_b=237 | option_c=494 | option_d=247 | answer=D | explanation=40% of 618 = (40/100) × 618 = 247.

id=10576 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 25. | option_a=25 | option_b=625 | option_c=1 | option_d=50 | answer=A | explanation=LCM × HCF = 25×25; HCF(25,25) = 25, so LCM = 25.

id=10577 | topic=Averages | difficulty=Easy | question=Find the average of 72, 61, 76, 55, 65, 42, 29, 96. | option_a=61 | option_b=62 | option_c=63 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 496 ÷ 8 = 62.

id=10578 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=69 | option_b=80 | option_c=56 | option_d=68 | answer=D | explanation=The common difference is 12. Therefore the next term is 56 + 12 = 68.

id=10579 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:3 and the first is 272, what is the second? | option_a=48 | option_b=51 | option_c=67 | option_d=323 | answer=B | explanation=Scale factor = 272/16 = 17. Therefore second quantity = 3×17 = 51.

id=10580 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=10581 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3641. If it is sold at a profit of 5%, what is its selling price? | option_a=4187 | option_b=3646 | option_c=3459 | option_d=3823 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3641 × 105/100 = █3823.

id=10582 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:7 and the first is 130, what is the second? | option_a=84 | option_b=91 | option_c=221 | option_d=101 | answer=B | explanation=Scale factor = 130/10 = 13. Therefore second quantity = 7×13 = 91.

id=10583 | topic=Percentages | difficulty=Easy | question=What is 30% of 146? | option_a=86 | option_b=63 | option_c=33 | option_d=43 | answer=D | explanation=30% of 146 = (30/100) × 146 = 43.

id=10584 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=O | option_b=P | option_c=N | option_d=M | answer=A | explanation=Move 1 positions forward from N; the resulting letter is O.

id=10585 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=80 | option_c=70 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=10586 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=M | option_c=D | option_d=J | answer=D | explanation=Move 3 positions forward from G; the resulting letter is J.

id=10587 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 26. | option_a=260 | option_b=130 | option_c=104 | option_d=140 | answer=B | explanation=LCM × HCF = 10×26; HCF(10,26) = 2, so LCM = 130.

id=10588 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36220 at 4% per annum for 2 years. | option_a=2797 | option_b=39117 | option_c=2897 | option_d=2997 | answer=C | explanation=SI = PRT/100 = 36220×4×2/100 = █2897.

id=10589 | topic=Averages | difficulty=Easy | question=Find the average of 25, 80, 18. | option_a=41 | option_b=42 | option_c=40 | option_d=43 | answer=A | explanation=Average = sum of values ÷ number of values = 123 ÷ 3 = 41.

id=10590 | topic=Averages | difficulty=Easy | question=Find the average of 48, 23, 32, 63, 12, 13, 30, 64, 90, 75. | option_a=45 | option_b=47 | option_c=46 | option_d=44 | answer=A | explanation=Average = sum of values ÷ number of values = 450 ÷ 10 = 45.

Aptitude Questions — Records 10,591-10,620 of 100,000

id=10591 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4377. If it is sold at a profit of 25%, what is its selling price? | option_a=5034 | option_b=4402 | option_c=5471 | option_d=5908 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4377 × 125/100 = █5471.

id=10592 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20294 at 10% per annum for 5 years. | option_a=10247 | option_b=10147 | option_c=10047 | option_d=30441 | answer=B | explanation=SI = PRT/100 = 20294×10×5/100 = █10147.

id=10593 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=C | option_c=E | option_d=Y | answer=B | explanation=Move 2 positions forward from A; the resulting letter is C.

id=10594 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=10595 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=10596 | topic=Averages | difficulty=Easy | question=Find the average of 32, 55, 24. | option_a=39 | option_b=37 | option_c=38 | option_d=36 | answer=B | explanation=Average = sum of values + number of values = 111 ÷ 3 = 37.

id=10597 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=10598 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=P | option_b=G | option_c=J | option_d=M | answer=D | explanation=Move 3 positions forward from J; the resulting letter is M.

id=10599 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=X | option_b=B | option_c=J | option_d=F | answer=D | explanation=Move 4 positions forward from B; the resulting letter is F.

id=10600 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 15, 22, 30? | option_a=22 | option_b=30 | option_c=8 | option_d=15 | answer=B | explanation=The first three numbers increase by 7, so the next should be 29. Therefore 30 is the odd one out.

id=10601 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=31 | option_c=41 | option_d=72 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=10602 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 34, 44, 56? | option_a=56 | option_b=24 | option_c=44 | option_d=34 | answer=A | explanation=The first three numbers increase by 10, so the next should be 54. Therefore 56 is the odd one out.

id=10603 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=10604 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=240 | option_c=125 | option_d=115 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=10605 | topic=Percentages | difficulty=Easy | question=What is 50% of 304? | option_a=157 | option_b=304 | option_c=132 | option_d=152 | answer=D | explanation=50% of 304 = (50/100) × 304 = 152.

id=10606 | topic=Percentages | difficulty=Easy | question=What is 10% of 1956? | option_a=200 | option_b=190 | option_c=195 | option_d=390 | answer=C | explanation=10% of 1956 = (10/100) × 1956 = 195.

id=10607 | topic=Percentages | difficulty=Easy | question=What is 10% of 1416? | option_a=121 | option_b=282 | option_c=161 | option_d=141 | answer=D | explanation=10% of 1416 = (10/100) × 1416 = 141.

id=10608 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=40 | option_b=50 | option_c=51 | option_d=60 | answer=B | explanation=The common difference is 10. Therefore the next term is 40 + 10 = 50.

id=10609 | topic=Averages | difficulty=Easy | question=Find the average of 64, 96, 11. | option_a=57 | option_b=58 | option_c=56 | option_d=59 | answer=A | explanation=Average = sum of values + number of values = 171 ÷ 3 = 57.

id=10610 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4467. If it is sold at a profit of 50%, what is its selling price? | option_a=6700 | option_b=4517 | option_c=6254 | option_d=7146 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4467 × 150/100 = █6700.

id=10611 | topic=Percentages | difficulty=Easy | question=What is 20% of 438? | option_a=97 | option_b=87 | option_c=174 | option_d=82 | answer=B | explanation=20% of 438 = (20/100) × 438 = 87.

id=10612 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=F | option_c=Z | option_d=B | answer=A | explanation=Move 2 positions forward from B; the resulting letter is D.

id=10613 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=V | option_b=Y | option_c=S | option_d=P | answer=A | explanation=Move 3 positions forward from S; the resulting letter is V.

id=10614 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:5 and the first is 72, what is the second? | option_a=55 | option_b=60 | option_c=66 | option_d=132 | answer=B | explanation=Scale factor = 72/6 = 12. Therefore second quantity = 5×12 = 60.

id=10615 | topic=Percentages | difficulty=Easy | question=What is 12% of 683? | option_a=86 | option_b=162 | option_c=81 | option_d=71 | answer=C | explanation=12% of 683 = (12/100) × 683 = 81.

id=10616 | topic=Averages | difficulty=Easy | question=Find the average of 31, 21, 37, 14, 18, 89. | option_a=35 | option_b=37 | option_c=34 | option_d=36 | answer=A | explanation=Average = sum of values + number of values = 210 ÷ 6 = 35.

id=10617 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=Q | option_c=U | option_d=O | answer=A | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=10618 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17181 at 6% per annum for 4 years. | option_a=4023 | option_b=4223 | option_c=21304 | option_d=4123 | answer=D | explanation=SI = PRT/100 = 17181×6×4/100 = █4123.

id=10619 | topic=Averages | difficulty=Easy | question=Find the average of 22, 46, 72, 51, 59, 27, 85, 67, 84. | option_a=56 | option_b=59 | option_c=57 | option_d=58 | answer=C | explanation=Average = sum of values + number of values = 513 ÷ 9 = 57.

id=10620 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=150 | option_c=80 | option_d=70 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

Aptitude Questions — Records 10,621-10,650 of 100,000

id=10621 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=10622 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3967. If it is sold at a profit of 50%, what is its selling price? | option_a=5554 | option_b=6346 | option_c=4017 | option_d=5950 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3967 × 150/100 = █5950.

id=10623 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=43 | option_b=49 | option_c=42 | option_d=35 | answer=C | explanation=The common difference is 7. Therefore the next term is 35 + 7 = 42.

id=10624 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=10625 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=10626 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:3 and the first is 10, what is the second? | option_a=16 | option_b=6 | option_c=11 | option_d=3 | answer=B | explanation=Scale factor = 10/5 = 2. Therefore second quantity = 3×2 = 6.

id=10627 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=10628 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:16 and the first is 380, what is the second? | option_a=700 | option_b=304 | option_c=320 | option_d=339 | answer=C | explanation=Scale factor = 380/19 = 20. Therefore second quantity = 16×20 = 320.

id=10629 | topic=Percentages | difficulty=Easy | question=What is 50% of 1521? | option_a=760 | option_b=765 | option_c=750 | option_d=1520 | answer=A | explanation=50% of 1521 = (50/100) × 1521 = 760.

id=10630 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=N | option_b=W | option_c=Q | option_d=T | answer=D | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=10631 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 33? | option_a=33 | option_b=24 | option_c=20 | option_d=28 | answer=A | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 33 is the odd one out.

id=10632 | topic=Percentages | difficulty=Easy | question=What is 15% of 1969? | option_a=295 | option_b=590 | option_c=315 | option_d=290 | answer=A | explanation=15% of 1969 = (15/100) × 1969 = 295.

id=10633 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27836 at 6% per annum for 4 years. | option_a=34516 | option_b=6780 | option_c=6580 | option_d=6680 | answer=D | explanation=SI = PRT/100 = 27836×6×4/100 = █6680.

id=10634 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2818. If it is sold at a profit of 5%, what is its selling price? | option_a=2823 | option_b=3239 | option_c=2677 | option_d=2958 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2818 × 105/100 = █2958.

id=10635 | topic=Percentages | difficulty=Easy | question=What is 5% of 741? | option_a=42 | option_b=74 | option_c=27 | option_d=37 | answer=D | explanation=5% of 741 = (5/100) × 741 = 37.

id=10636 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=K | option_b=P | option_c=U | option_d=Z | answer=C | explanation=Move 5 positions forward from P; the resulting letter is U.

id=10637 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:15 and the first is 15, what is the second? | option_a=226 | option_b=210 | option_c=225 | option_d=240 | answer=C | explanation=Scale factor = 15/1 = 15. Therefore second quantity = 15×15 = 225.

id=10638 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:1 and the first is 45, what is the second? | option_a=2 | option_b=3 | option_c=48 | option_d=18 | answer=B | explanation=Scale factor = 45/15 = 3. Therefore second quantity = 1×3 = 3.

id=10639 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=10640 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:14 and the first is 105, what is the second? | option_a=113 | option_b=203 | option_c=84 | option_d=98 | answer=D | explanation=Scale factor = 105/15 = 7. Therefore second quantity = 14×7 = 98.

id=10641 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 43? | option_a=25 | option_b=43 | option_c=35 | option_d=30 | answer=B | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 43 is the odd one out.

id=10642 | topic=Percentages | difficulty=Easy | question=What is 30% of 203? | option_a=50 | option_b=80 | option_c=60 | option_d=120 | answer=C | explanation=30% of 203 = (30/100) × 203 = 60.

id=10643 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4933. If it is sold at a profit of 15%, what is its selling price? | option_a=5672 | option_b=4948 | option_c=6165 | option_d=5179 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4933 × 115/100 = █5672.

id=10644 | topic=Profit & Loss | difficulty=Easy | question=An article costs █946. If it is sold at a profit of 50%, what is its selling price? | option_a=996 | option_b=1325 | option_c=1513 | option_d=1419 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 946 × 150/100 = █1419.

id=10645 | topic=Percentages | difficulty=Easy | question=What is 15% of 1838? | option_a=275 | option_b=270 | option_c=285 | option_d=550 | answer=A | explanation=15% of 1838 = (15/100) × 1838 = 275.

id=10646 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 30. | option_a=128 | option_b=240 | option_c=90 | option_d=120 | answer=D | explanation=LCM × HCF = 8×30; HCF(8,30) = 2, so LCM = 120.

id=10647 | topic=Percentages | difficulty=Easy | question=What is 40% of 305? | option_a=112 | option_b=132 | option_c=244 | option_d=122 | answer=D | explanation=40% of 305 = (40/100) × 305 = 122.

id=10648 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=40 | option_b=52 | option_c=53 | option_d=64 | answer=B | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.

id=10649 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=90 | option_c=95 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=10650 | topic=Percentages | difficulty=Easy | question=What is 15% of 519? | option_a=87 | option_b=57 | option_c=154 | option_d=77 | answer=D | explanation=15% of 519 = (15/100) × 519 = 77.

Aptitude Questions — Records 10,651-10,680 of 100,000

- id=10651 | topic=Averages | difficulty=Easy | question=Find the average of 49, 91, 53, 36, 83, 36. | option_a=60 | option_b=59 | option_c=57 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 348 ÷ 6 = 58.
- id=10652 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:5 and the first is 20, what is the second? | option_a=15 | option_b=20 | option_c=25 | option_d=40 | answer=B | explanation=Scale factor = 20/5 = 4. Therefore second quantity = 5×4 = 20.
- id=10653 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3058. If it is sold at a profit of 50%, what is its selling price? | option_a=4282 | option_b=4892 | option_c=3108 | option_d=4587 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3058 × 150/100 = █4587.
- id=10654 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=Y | option_b=J | option_c=T | option_d=O | answer=C | explanation=Move 5 positions forward from O; the resulting letter is T.
- id=10655 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=36 | option_b=47 | option_c=56 | option_d=46 | answer=D | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.
- id=10656 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=50 | option_b=62 | option_c=63 | option_d=74 | answer=B | explanation=The common difference is 12. Therefore the next term is 50 + 12 = 62.
- id=10657 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=A | option_b=F | option_c=K | option_d=P | answer=C | explanation=Move 5 positions forward from F; the resulting letter is K.
- id=10658 | topic=Profit & Loss | difficulty=Easy | question=An article costs █856. If it is sold at a profit of 30%, what is its selling price? | option_a=1027 | option_b=1112 | option_c=886 | option_d=1197 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 856 × 130/100 = █1112.
- id=10659 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 16, 21, 28? | option_a=21 | option_b=16 | option_c=28 | option_d=11 | answer=C | explanation=The first three numbers increase by 5, so the next should be 26. Therefore 28 is the odd one out.
- id=10660 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7208 at 12% per annum for 5 years. | option_a=11532 | option_b=4324 | option_c=4224 | option_d=4424 | answer=B | explanation=SI = PRT/100 = 7208×12×5/100 = █4324.
- id=10661 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=29 | option_b=30 | option_c=35 | option_d=23 | answer=A | explanation=The common difference is 6. Therefore the next term is 23 + 6 = 29.
- id=10662 | topic=Percentages | difficulty=Easy | question=What is 25% of 1371? | option_a=684 | option_b=337 | option_c=342 | option_d=352 | answer=C | explanation=25% of 1371 = (25/100) × 1371 = 342.
- id=10663 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22016 at 10% per annum for 3 years. | option_a=6704 | option_b=28620 | option_c=6604 | option_d=6504 | answer=C | explanation=SI = PRT/100 = 22016×10×3/100 = █6604.
- id=10664 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:7 and the first is 70, what is the second? | option_a=42 | option_b=119 | option_c=49 | option_d=59 | answer=C | explanation=Scale factor = 70/10 = 7. Therefore second quantity = 7×7 = 49.
- id=10665 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 32? | option_a=22 | option_b=32 | option_c=28 | option_d=25 | answer=B | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 32 is the odd one out.
- id=10666 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 53? | option_a=20 | option_b=53 | option_c=40 | option_d=30 | answer=B | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 53 is the odd one out.
- id=10667 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 27, 30, 35? | option_a=24 | option_b=27 | option_c=35 | option_d=30 | answer=C | explanation=The first three numbers increase by 3, so the next should be 33. Therefore 35 is the odd one out.
- id=10668 | topic=Averages | difficulty=Easy | question=Find the average of 84, 41, 57, 22, 15, 69, 37, 75, 59. | option_a=50 | option_b=53 | option_c=52 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 459 ÷ 9 = 51.
- id=10669 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:12 and the first is 105, what is the second? | option_a=180 | option_b=187 | option_c=168 | option_d=285 | answer=A | explanation=Scale factor = 105/7 = 15. Therefore second quantity = 12×15 = 180.
- id=10670 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2925. If it is sold at a profit of 25%, what is its selling price? | option_a=2950 | option_b=3948 | option_c=3364 | option_d=3656 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2925 × 125/100 = █3656.
- id=10671 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=7 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.
- id=10672 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14206 at 8% per annum for 5 years. | option_a=19888 | option_b=5782 | option_c=5682 | option_d=5582 | answer=C | explanation=SI = PRT/100 = 14206×8×5/100 = █5682.
- id=10673 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=50 | option_b=51 | option_c=62 | option_d=38 | answer=A | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.
- id=10674 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=35 | option_c=80 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.
- id=10675 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.
- id=10676 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=12 | option_b=8 | option_c=11 | option_d=10 | answer=D | explanation=The common difference is 2. Therefore the next term is 8 + 2 = 10.
- id=10677 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:8 and the first is 200, what is the second? | option_a=280 | option_b=100 | option_c=72 | option_d=80 | answer=D | explanation=Scale factor = 200/20 = 10. Therefore second quantity = 8×10 = 80.
- id=10678 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=Q | option_c=S | option_d=O | answer=C | explanation=Move 2 positions forward from Q; the resulting letter is S.
- id=10679 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3137. If it is sold at a profit of 10%, what is its selling price? | option_a=3763 | option_b=3137 | option_c=3147 | option_d=3450 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3137 × 110/100 = █3450.
- id=10680 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=64 | option_b=74 | option_c=63 | option_d=52 | answer=C | explanation=The common difference is 11. Therefore the next term is 52 + 11 = 63.

Aptitude Questions — Records 10,681-10,710 of 100,000

id=10681 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=10682 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:5 and the first is 228, what is the second? | option_a=90 | option_b=107 | option_c=95 | option_d=323 | answer=C | explanation=Scale factor = 228/12 = 19. Therefore second quantity = 5×19 = 95.

id=10683 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 33? | option_a=33 | option_b=20 | option_c=24 | option_d=28 | answer=A | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 33 is the odd one out.

id=10684 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:1 and the first is 272, what is the second? | option_a=17 | option_b=33 | option_c=289 | option_d=16 | answer=A | explanation=Scale factor = 272/16 = 17. Therefore second quantity = 1×17 = 17.

id=10685 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10099 at 6% per annum for 5 years. | option_a=3029 | option_b=3129 | option_c=13128 | option_d=2929 | answer=A | explanation=SI = PRT/100 = 10099×6×5/100 = **■**3029.

id=10686 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=10687 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=10688 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=L | option_c=N | option_d=H | answer=B | explanation=Move 2 positions forward from J; the resulting letter is L.

id=10689 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 29, 36, 44? | option_a=29 | option_b=22 | option_c=36 | option_d=44 | answer=D | explanation=The first three numbers increase by 7, so the next should be 43. Therefore 44 is the odd one out.

id=10690 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:4 and the first is 238, what is the second? | option_a=56 | option_b=52 | option_c=294 | option_d=73 | answer=A | explanation=Scale factor = 238/17 = 14. Therefore second quantity = 4×14 = 56.

id=10691 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2617 at 6% per annum for 4 years. | option_a=528 | option_b=728 | option_c=628 | option_d=3245 | answer=C | explanation=SI = PRT/100 = 2617×6×4/100 = **■**628.

id=10692 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 31, 42, 53, ? | option_a=65 | option_b=53 | option_c=64 | option_d=75 | answer=C | explanation=The common difference is 11. Therefore the next term is 53 + 11 = 64.

id=10693 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=40 | option_b=34 | option_c=46 | option_d=41 | answer=A | explanation=The common difference is 6. Therefore the next term is 34 + 6 = 40.

id=10694 | topic=Averages | difficulty=Easy | question=Find the average of 57, 62, 86, 15, 30. | option_a=50 | option_b=51 | option_c=49 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 250 ÷ 5 = 50.

id=10695 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3696. If it is sold at a profit of 40%, what is its selling price? | option_a=5543 | option_b=4805 | option_c=3736 | option_d=5174 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3696 × 140/100 = **■**5174.

id=10696 | topic=Percentages | difficulty=Easy | question=What is 5% of 316? | option_a=35 | option_b=30 | option_c=15 | option_d=5 | answer=C | explanation=5% of 316 = (5/100) × 316 = 15.

id=10697 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 25, 30, 37? | option_a=20 | option_b=37 | option_c=30 | option_d=25 | answer=B | explanation=The first three numbers increase by 5, so the next should be 35. Therefore 37 is the odd one out.

id=10698 | topic=Percentages | difficulty=Easy | question=What is 15% of 1558? | option_a=466 | option_b=238 | option_c=213 | option_d=233 | answer=D | explanation=15% of 1558 = (15/100) × 1558 = 233.

id=10699 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 14, 21, 31? | option_a=7 | option_b=21 | option_c=31 | option_d=14 | answer=C | explanation=The first three numbers increase by 7, so the next should be 28. Therefore 31 is the odd one out.

id=10700 | topic=Percentages | difficulty=Easy | question=What is 30% of 1099? | option_a=658 | option_b=324 | option_c=339 | option_d=329 | answer=D | explanation=30% of 1099 = (30/100) × 1099 = 329.

id=10701 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:13 and the first is 51, what is the second? | option_a=39 | option_b=26 | option_c=90 | option_d=56 | answer=A | explanation=Scale factor = 51/17 = 3. Therefore second quantity = 13×3 = 39.

id=10702 | topic=Averages | difficulty=Easy | question=Find the average of 75, 21, 21, 98, 94, 90, 59, 85, 16, 101. | option_a=65 | option_b=67 | option_c=66 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 660 ÷ 10 = 66.

id=10703 | topic=Averages | difficulty=Easy | question=Find the average of 93, 74, 57, 57, 74. | option_a=71 | option_b=72 | option_c=70 | option_d=73 | answer=A | explanation=Average = sum of values ÷ number of values = 355 ÷ 5 = 71.

id=10704 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:9 and the first is 36, what is the second? | option_a=36 | option_b=54 | option_c=18 | option_d=9 | answer=C | explanation=Scale factor = 36/18 = 2. Therefore second quantity = 9×2 = 18.

id=10705 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 27? | option_a=18 | option_b=27 | option_c=21 | option_d=15 | answer=B | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 27 is the odd one out.

id=10706 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=10707 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 52? | option_a=33 | option_b=41 | option_c=25 | option_d=52 | answer=D | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 52 is the odd one out.

id=10708 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 49? | option_a=49 | option_b=28 | option_c=37 | option_d=19 | answer=A | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 49 is the odd one out.

id=10709 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 6. | option_a=144 | option_b=48 | option_c=24 | option_d=18 | answer=C | explanation=LCM × HCF = 24×6; HCF(24,6) = 6, so LCM = 24.

id=10710 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:12 and the first is 68, what is the second? | option_a=272 | option_b=192 | option_c=208 | option_d=204 | answer=D | explanation=Scale factor = 68/4 = 17. Therefore second quantity = 12×17 = 204.

Aptitude Questions — Records 10,711-10,740 of 100,000

id=10711 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27495 at 10% per annum for 4 years. | option_a=11098 | option_b=10898 | option_c=10998 | option_d=38493 | answer=C | explanation=SI = PRT/100 = 27495×10×4/100 = **■**10998.

id=10712 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=144 | option_c=77 | option_d=67 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=10713 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2256. If it is sold at a profit of 40%, what is its selling price? | option_a=3383 | option_b=3158 | option_c=2296 | option_d=2933 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2256 × 140/100 = **■**3158.

id=10714 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2300. If it is sold at a profit of 20%, what is its selling price? | option_a=2320 | option_b=2990 | option_c=2530 | option_d=2760 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2300 × 120/100 = **■**2760.

id=10715 | topic=Averages | difficulty=Easy | question=Find the average of 23, 79, 83, 40, 25. | option_a=51 | option_b=50 | option_c=52 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 250 ÷ 5 = 50.

id=10716 | topic=Percentages | difficulty=Easy | question=What is 50% of 719? | option_a=718 | option_b=359 | option_c=379 | option_d=349 | answer=B | explanation=50% of 719 = (50/100) × 719 = 359.

id=10717 | topic=Averages | difficulty=Easy | question=Find the average of 64, 73, 25. | option_a=56 | option_b=53 | option_c=55 | option_d=54 | answer=D | explanation=Average = sum of values + number of values = 162 ÷ 3 = 54.

id=10718 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24834 at 4% per annum for 5 years. | option_a=4966 | option_b=5066 | option_c=4866 | option_d=29800 | answer=A | explanation=SI = PRT/100 = 24834×4×5/100 = **■**4966.

id=10719 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=10720 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=J | option_b=N | option_c=P | option_d=L | answer=B | explanation=Move 2 positions forward from L; the resulting letter is N.

id=10721 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 23, 30, 37, ? | option_a=51 | option_b=37 | option_c=44 | option_d=45 | answer=C | explanation=The common difference is 7. Therefore the next term is 37 + 7 = 44.

id=10722 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=W | option_c=Q | option_d=S | answer=A | explanation=Move 2 positions forward from S; the resulting letter is U.

id=10723 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=P | option_c=Y | option_d=V | answer=D | explanation=Move 3 positions forward from S; the resulting letter is V.

id=10724 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:18 and the first is 39, what is the second? | option_a=216 | option_b=237 | option_c=273 | option_d=234 | answer=D | explanation=Scale factor = 39/3 = 13. Therefore second quantity = 18×13 = 234.

id=10725 | topic=Percentages | difficulty=Easy | question=What is 5% of 446? | option_a=44 | option_b=32 | option_c=22 | option_d=2 | answer=C | explanation=5% of 446 = (5/100) × 446 = 22.

id=10726 | topic=Averages | difficulty=Easy | question=Find the average of 77, 61, 20, 51, 64, 50, 83. | option_a=59 | option_b=58 | option_c=57 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 406 ÷ 7 = 58.

id=10727 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:9 and the first is 19, what is the second? | option_a=172 | option_b=171 | option_c=162 | option_d=190 | answer=B | explanation=Scale factor = 19/1 = 19. Therefore second quantity = 9×19 = 171.

id=10728 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 43? | option_a=30 | option_b=43 | option_c=36 | option_d=24 | answer=B | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 43 is the odd one out.

id=10729 | topic=Percentages | difficulty=Easy | question=What is 15% of 518? | option_a=82 | option_b=154 | option_c=77 | option_d=72 | answer=C | explanation=15% of 518 = (15/100) × 518 = 77.

id=10730 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 14, 22, 33? | option_a=14 | option_b=22 | option_c=6 | option_d=33 | answer=D | explanation=The first three numbers increase by 8, so the next should be 30. Therefore 33 is the odd one out.

id=10731 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=7 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=10732 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 26. | option_a=26 | option_b=52 | option_c=28 | option_d=1 | answer=A | explanation=LCM × HCF = 2×26; HCF(2,26) = 2, so LCM = 26.

id=10733 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1010 at 6% per annum for 1 years. | option_a=160 | option_b=1070 | option_c=0 | option_d=60 | answer=D | explanation=SI = PRT/100 = 1010×6×1/100 = **■**60.

id=10734 | topic=Percentages | difficulty=Easy | question=What is 10% of 124? | option_a=0 | option_b=12 | option_c=24 | option_d=32 | answer=B | explanation=10% of 124 = (10/100) × 124 = 12.

id=10735 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:8 and the first is 36, what is the second? | option_a=48 | option_b=54 | option_c=40 | option_d=84 | answer=A | explanation=Scale factor = 36/6 = 6. Therefore second quantity = 8×6 = 48.

id=10736 | topic=Averages | difficulty=Easy | question=Find the average of 54, 61, 49, 53, 14, 91, 91. | option_a=61 | option_b=60 | option_c=59 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 413 ÷ 7 = 59.

id=10737 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=31 | option_b=27 | option_c=28 | option_d=23 | answer=B | explanation=The common difference is 4. Therefore the next term is 23 + 4 = 27.

id=10738 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2005 at 5% per annum for 1 years. | option_a=100 | option_b=2105 | option_c=0 | option_d=200 | answer=A | explanation=SI = PRT/100 = 2005×5×1/100 = **■**100.

id=10739 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2701 at 8% per annum for 4 years. | option_a=964 | option_b=864 | option_c=3565 | option_d=764 | answer=B | explanation=SI = PRT/100 = 2701×8×4/100 = **■**864.

id=10740 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=50 | option_c=55 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

Aptitude Questions — Records 10,741-10,770 of 100,000

id=10741 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=O | option_b=Q | option_c=S | option_d=U | answer=C | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=10742 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=36 | option_b=31 | option_c=41 | option_d=72 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=10743 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3555. If it is sold at a profit of 40%, what is its selling price? | option_a=4622 | option_b=3595 | option_c=4977 | option_d=5332 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3555 × 140/100 = █4977.

id=10744 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=72 | option_c=41 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=10745 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=10746 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=B | option_b=C | option_c=Z | option_d=A | answer=A | explanation=Move 1 positions forward from A; the resulting letter is B.

id=10747 | topic=Percentages | difficulty=Easy | question=What is 20% of 74? | option_a=9 | option_b=28 | option_c=34 | option_d=14 | answer=D | explanation=20% of 74 = (20/100) × 74 = 14.

id=10748 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=D | option_b=L | option_c=P | option_d=H | answer=B | explanation=Move 4 positions forward from H; the resulting letter is L.

id=10749 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1495. If it is sold at a profit of 40%, what is its selling price? | option_a=2242 | option_b=1944 | option_c=1535 | option_d=2093 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1495 × 140/100 = █2093.

id=10750 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 23, 28, 36? | option_a=36 | option_b=28 | option_c=18 | option_d=23 | answer=A | explanation=The first three numbers increase by 5, so the next should be 33. Therefore 36 is the odd one out.

id=10751 | topic=Percentages | difficulty=Easy | question=What is 30% of 235? | option_a=65 | option_b=75 | option_c=70 | option_d=140 | answer=C | explanation=30% of 235 = (30/100) × 235 = 70.

id=10752 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=31 | option_b=27 | option_c=28 | option_d=23 | answer=B | explanation=The common difference is 4. Therefore the next term is 23 + 4 = 27.

id=10753 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=17 | option_c=12 | option_d=7 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=10754 | topic=Percentages | difficulty=Easy | question=What is 20% of 1305? | option_a=261 | option_b=256 | option_c=266 | option_d=522 | answer=A | explanation=20% of 1305 = (20/100) × 1305 = 261.

id=10755 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=F | option_b=O | option_c=I | option_d=L | answer=D | explanation=Move 3 positions forward from I; the resulting letter is L.

id=10756 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=49 | option_b=48 | option_c=41 | option_d=55 | answer=B | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.

id=10757 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2836. If it is sold at a profit of 25%, what is its selling price? | option_a=3828 | option_b=3262 | option_c=3545 | option_d=2861 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2836 × 125/100 = █3545.

id=10758 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 18, 27, 38? | option_a=38 | option_b=27 | option_c=18 | option_d=9 | answer=A | explanation=The first three numbers increase by 9, so the next should be 36. Therefore 38 is the odd one out.

id=10759 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4538. If it is sold at a profit of 20%, what is its selling price? | option_a=5445 | option_b=4558 | option_c=4992 | option_d=5898 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4538 × 120/100 = █5445.

id=10760 | topic=Averages | difficulty=Easy | question=Find the average of 85, 20, 14, 32, 59, 38, 88. | option_a=47 | option_b=48 | option_c=49 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 336 ÷ 7 = 48.

id=10761 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=10762 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=10763 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16801 at 12% per annum for 3 years. | option_a=6148 | option_b=22849 | option_c=5948 | option_d=6048 | answer=D | explanation=SI = PRT/100 = 16801×12×3/100 = █6048.

id=10764 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 47? | option_a=24 | option_b=38 | option_c=47 | option_d=31 | answer=C | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 47 is the odd one out.

id=10765 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=10766 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=63 | option_b=54 | option_c=45 | option_d=55 | answer=B | explanation=The common difference is 9. Therefore the next term is 45 + 9 = 54.

id=10767 | topic=Profit & Loss | difficulty=Easy | question=An article costs █471. If it is sold at a profit of 30%, what is its selling price? | option_a=659 | option_b=501 | option_c=565 | option_d=612 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 471 × 130/100 = █612.

id=10768 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2613. If it is sold at a profit of 40%, what is its selling price? | option_a=2653 | option_b=3658 | option_c=3397 | option_d=3919 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2613 × 140/100 = █3658.

id=10769 | topic=Averages | difficulty=Easy | question=Find the average of 96, 37, 43, 55, 74, 72, 31, 38, 67. | option_a=57 | option_b=59 | option_c=56 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 513 ÷ 9 = 57.

id=10770 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35414 at 6% per annum for 5 years. | option_a=10724 | option_b=10624 | option_c=46038 | option_d=10524 | answer=B | explanation=SI = PRT/100 = 35414×6×5/100 = █10624.

Aptitude Questions — Records 10,771-10,800 of 100,000

id=10771 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2213. If it is sold at a profit of 30%, what is its selling price? | option_a=2876 | option_b=2655 | option_c=3097 | option_d=2243 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2213 × 130/100 = ■2876.

id=10772 | topic=Averages | difficulty=Easy | question=Find the average of 79, 77, 13, 56, 16, 98, 68, 48, 58. | option_a=56 | option_b=58 | option_c=59 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 513 ÷ 9 = 57.

id=10773 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■20223 at 8% per annum for 1 years. | option_a=1717 | option_b=1617 | option_c=1517 | option_d=21840 | answer=B | explanation=SI = PRT/100 = 20223×8×1/100 = ■1617.

id=10774 | topic=Percentages | difficulty=Easy | question=What is 5% of 1388? | option_a=74 | option_b=64 | option_c=138 | option_d=69 | answer=D | explanation=5% of 1388 = (5/100) × 1388 = 69.

id=10775 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=12 | option_c=17 | option_d=24 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=10776 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 30? | option_a=30 | option_b=14 | option_c=24 | option_d=19 | answer=A | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 30 is the odd one out.

id=10777 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 48? | option_a=17 | option_b=27 | option_c=48 | option_d=37 | answer=C | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 48 is the odd one out.

id=10778 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■40825 at 10% per annum for 3 years. | option_a=12247 | option_b=12347 | option_c=53072 | option_d=12147 | answer=A | explanation=SI = PRT/100 = 40825×10×3/100 = ■12247.

id=10779 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 17, 27, 38? | option_a=27 | option_b=38 | option_c=7 | option_d=17 | answer=B | explanation=The first three numbers increase by 10, so the next should be 37. Therefore 38 is the odd one out.

id=10780 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■31775 at 4% per annum for 1 years. | option_a=1171 | option_b=1371 | option_c=33046 | option_d=1271 | answer=D | explanation=SI = PRT/100 = 31775×4×1/100 = ■1271.

id=10781 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■8425 at 8% per annum for 2 years. | option_a=1248 | option_b=1348 | option_c=9773 | option_d=1448 | answer=B | explanation=SI = PRT/100 = 8425×8×2/100 = ■1348.

id=10782 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=6 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=10783 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=44 | option_b=56 | option_c=55 | option_d=66 | answer=C | explanation=The common difference is 11. Therefore the next term is 44 + 11 = 55.

id=10784 | topic=Averages | difficulty=Easy | question=Find the average of 27, 26, 13, 62, 32, 50. | option_a=34 | option_b=37 | option_c=36 | option_d=35 | answer=D | explanation=Average = sum of values ÷ number of values = 210 ÷ 6 = 35.

id=10785 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=96 | option_c=48 | option_d=53 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=10786 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:10 and the first is 48, what is the second? | option_a=50 | option_b=108 | option_c=68 | option_d=60 | answer=D | explanation=Scale factor = 48/8 = 6. Therefore second quantity = 10×6 = 60.

id=10787 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■19754 at 4% per annum for 5 years. | option_a=3850 | option_b=23704 | option_c=4050 | option_d=3950 | answer=D | explanation=SI = PRT/100 = 19754×4×5/100 = ■3950.

id=10788 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 27, 32, 40? | option_a=32 | option_b=40 | option_c=22 | option_d=27 | answer=B | explanation=The first three numbers increase by 5, so the next should be 37. Therefore 40 is the odd one out.

id=10789 | topic=Averages | difficulty=Easy | question=Find the average of 39, 57, 11, 87, 32, 93, 59, 82, 32, 58. | option_a=54 | option_b=55 | option_c=57 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 550 ÷ 10 = 55.

id=10790 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=90 | option_c=85 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=10791 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=M | option_b=Q | option_c=Y | option_d=U | answer=D | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=10792 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1883. If it is sold at a profit of 40%, what is its selling price? | option_a=2824 | option_b=2448 | option_c=1923 | option_d=2636 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1883 × 140/100 = ■2636.

id=10793 | topic=Averages | difficulty=Easy | question=Find the average of 37, 85, 97, 74, 67. | option_a=72 | option_b=73 | option_c=74 | option_d=71 | answer=A | explanation=Average = sum of values ÷ number of values = 360 ÷ 5 = 72.

id=10794 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=18 | option_c=9 | option_d=14 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=10795 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=10796 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:5 and the first is 20, what is the second? | option_a=5 | option_b=20 | option_c=10 | option_d=30 | answer=C | explanation=Scale factor = 20/10 = 2. Therefore second quantity = 5×2 = 10.

id=10797 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=V | option_b=Q | option_c=L | option_d=G | answer=B | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=10798 | topic=Averages | difficulty=Easy | question=Find the average of 32, 80, 89, 87. | option_a=73 | option_b=74 | option_c=72 | option_d=71 | answer=C | explanation=Average = sum of values ÷ number of values = 288 ÷ 4 = 72.

id=10799 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 52? | option_a=41 | option_b=33 | option_c=25 | option_d=52 | answer=D | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 52 is the odd one out.

id=10800 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14075 at 4% per annum for 1 years. | option_a=463 | option_b=563 | option_c=14638 | option_d=663 | answer=B | explanation=SI = PRT/100 = 14075×4×1/100 = ■563.

Aptitude Questions — Records 10,801-10,830 of 100,000

id=10801 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=180 | option_c=95 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=10802 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=240 | option_c=125 | option_d=115 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=10803 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=M | option_b=X | option_c=H | option_d=C | answer=C | explanation=Move 5 positions forward from C; the resulting letter is H.

id=10804 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23035 at 6% per annum for 5 years. | option_a=6910 | option_b=29945 | option_c=6810 | option_d=7010 | answer=A | explanation=SI = PRT/100 = 23035×6×5/100 = **■**6910.

id=10805 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=V | option_b=F | option_c=K | option_d=A | answer=B | explanation=Move 5 positions forward from A; the resulting letter is F.

id=10806 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3052. If it is sold at a profit of 25%, what is its selling price? | option_a=3815 | option_b=3077 | option_c=4120 | option_d=3510 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3052 × 125/100 = **■**3815.

id=10807 | topic=Percentages | difficulty=Easy | question=What is 20% of 1456? | option_a=281 | option_b=291 | option_c=582 | option_d=301 | answer=B | explanation=20% of 1456 = (20/100) × 1456 = 291.

id=10808 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=80 | option_c=35 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=10809 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28607 at 4% per annum for 2 years. | option_a=2288 | option_b=2388 | option_c=2188 | option_d=30895 | answer=A | explanation=SI = PRT/100 = 28607×4×2/100 = **■**2288.

id=10810 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 9, 16, 25? | option_a=25 | option_b=2 | option_c=9 | option_d=16 | answer=A | explanation=The first three numbers increase by 7, so the next should be 23. Therefore 25 is the odd one out.

id=10811 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=E | option_b=K | option_c=I | option_d=G | answer=C | explanation=Move 2 positions forward from G; the resulting letter is I.

id=10812 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4357. If it is sold at a profit of 50%, what is its selling price? | option_a=6970 | option_b=6100 | option_c=6535 | option_d=4407 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4357 × 150/100 = **■**6535.

id=10813 | topic=Percentages | difficulty=Easy | question=What is 40% of 1451? | option_a=575 | option_b=590 | option_c=1160 | option_d=580 | answer=D | explanation=40% of 1451 = (40/100) × 1451 = 580.

id=10814 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=10815 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**338. If it is sold at a profit of 20%, what is its selling price? | option_a=405 | option_b=358 | option_c=438 | option_d=372 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 338 × 120/100 = **■**405.

id=10816 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 3. | option_a=6 | option_b=27 | option_c=18 | option_d=9 | answer=D | explanation=LCM × HCF = 9×3; HCF(9,3) = 3, so LCM = 9.

id=10817 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 8, 12, 19? | option_a=8 | option_b=4 | option_c=19 | option_d=12 | answer=C | explanation=The first three numbers increase by 4, so the next should be 16. Therefore 19 is the odd one out.

id=10818 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:1 and the first is 42, what is the second? | option_a=17 | option_b=2 | option_c=45 | option_d=3 | answer=D | explanation=Scale factor = 42/14 = 3. Therefore second quantity = 1×3 = 3.

id=10819 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=10820 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**315. If it is sold at a profit of 25%, what is its selling price? | option_a=393 | option_b=340 | option_c=424 | option_d=362 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 315 × 125/100 = **■**393.

id=10821 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=53 | option_b=52 | option_c=41 | option_d=63 | answer=B | explanation=The common difference is 11. Therefore the next term is 41 + 11 = 52.

id=10822 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17386 at 4% per annum for 1 years. | option_a=695 | option_b=18081 | option_c=795 | option_d=595 | answer=A | explanation=SI = PRT/100 = 17386×4×1/100 = **■**695.

id=10823 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=10824 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=L | option_b=H | option_c=D | option_d=Z | answer=B | explanation=Move 4 positions forward from D; the resulting letter is H.

id=10825 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:4 and the first is 28, what is the second? | option_a=16 | option_b=44 | option_c=12 | option_d=23 | answer=A | explanation=Scale factor = 28/7 = 4. Therefore second quantity = 4×4 = 16.

id=10826 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=5 | option_c=10 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=10827 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=10828 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=10829 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 33, 38, 45? | option_a=45 | option_b=33 | option_c=38 | option_d=28 | answer=A | explanation=The first three numbers increase by 5, so the next should be 43. Therefore 45 is the odd one out.

id=10830 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 10,831-10,860 of 100,000

id=10831 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33584 at 4% per annum for 2 years. | option_a=2686 | option_b=2586 | option_c=2786 | option_d=36270 | answer=A | explanation=SI = $PRT/100 = 33584 \times 4 \times 2/100 =$ **■**2686.

id=10832 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=144 | option_c=67 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=10833 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=7 | option_c=12 | option_d=24 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=10834 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=V | option_b=M | option_c=S | option_d=P | answer=C | explanation=Move 3 positions forward from P; the resulting letter is S.

id=10835 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:16 and the first is 304, what is the second? | option_a=288 | option_b=320 | option_c=608 | option_d=304 | answer=D | explanation=Scale factor = $304/16 = 19$. Therefore second quantity = $16 \times 19 = 304$.

id=10836 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29250 at 15% per annum for 1 years. | option_a=4387 | option_b=4287 | option_c=4487 | option_d=33637 | answer=A | explanation=SI = $PRT/100 = 29250 \times 15 \times 1/100 =$ **■**4387.

id=10837 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 15, 22, 29, ? | option_a=36 | option_b=37 | option_c=29 | option_d=43 | answer=A | explanation=The common difference is 7. Therefore the next term is $29 + 7 = 36$.

id=10838 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 46? | option_a=38 | option_b=26 | option_c=32 | option_d=46 | answer=D | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 46 is the odd one out.

id=10839 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=10840 | topic=Averages | difficulty=Easy | question=Find the average of 100, 35, 25, 29, 46. | option_a=46 | option_b=49 | option_c=48 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = $235 \div 5 = 47$.

id=10841 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 6. | option_a=40 | option_b=30 | option_c=60 | option_d=24 | answer=B | explanation= $LCM \times HCF = 10 \times 6$; $HCF(10,6) = 2$, so $LCM = 30$.

id=10842 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=75 | option_c=80 | option_d=70 | answer=B | explanation=Speed = distance ÷ time = $300 \div 4 = 75$ km/h.

id=10843 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 16. | option_a=1 | option_b=128 | option_c=16 | option_d=24 | answer=C | explanation= $LCM \times HCF = 8 \times 16$; $HCF(8,16) = 8$, so $LCM = 16$.

id=10844 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3672. If it is sold at a profit of 20%, what is its selling price? | option_a=3692 | option_b=4773 | option_c=4406 | option_d=4039 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3672 \times 120/100 =$ **■**4406.

id=10845 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4391. If it is sold at a profit of 30%, what is its selling price? | option_a=5269 | option_b=4421 | option_c=6147 | option_d=5708 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4391 \times 130/100 =$ **■**5708.

id=10846 | topic=Percentages | difficulty=Easy | question=What is 5% of 843? | option_a=84 | option_b=52 | option_c=32 | option_d=42 | answer=D | explanation= $5\% \text{ of } 843 = (5/100) \times 843 = 42$.

id=10847 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=Q | option_b=S | option_c=U | option_d=W | answer=C | explanation=Move 2 positions forward from S; the resulting letter is U.

id=10848 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 16, 20, 27? | option_a=27 | option_b=16 | option_c=20 | option_d=12 | answer=A | explanation=The first three numbers increase by 4, so the next should be 24. Therefore 27 is the odd one out.

id=10849 | topic=Percentages | difficulty=Easy | question=What is 12% of 1741? | option_a=228 | option_b=198 | option_c=208 | option_d=416 | answer=C | explanation= $12\% \text{ of } 1741 = (12/100) \times 1741 = 208$.

id=10850 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 14, 21, 30? | option_a=21 | option_b=14 | option_c=7 | option_d=30 | answer=D | explanation=The first three numbers increase by 7, so the next should be 28. Therefore 30 is the odd one out.

id=10851 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4033. If it is sold at a profit of 30%, what is its selling price? | option_a=4839 | option_b=5242 | option_c=4063 | option_d=5645 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4033 \times 130/100 =$ **■**5242.

id=10852 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=66 | option_b=56 | option_c=46 | option_d=57 | answer=B | explanation=The common difference is 10. Therefore the next term is $46 + 10 = 56$.

id=10853 | topic=Averages | difficulty=Easy | question=Find the average of 24, 77, 45, 40, 88, 62, 78, 31, 32. | option_a=52 | option_b=55 | option_c=53 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = $477 \div 9 = 53$.

id=10854 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=49 | option_b=48 | option_c=59 | option_d=37 | answer=B | explanation=The common difference is 11. Therefore the next term is $37 + 11 = 48$.

id=10855 | topic=Percentages | difficulty=Easy | question=What is 15% of 154? | option_a=23 | option_b=46 | option_c=28 | option_d=3 | answer=A | explanation= $15\% \text{ of } 154 = (15/100) \times 154 = 23$.

id=10856 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:11 and the first is 57, what is the second? | option_a=209 | option_b=212 | option_c=198 | option_d=266 | answer=A | explanation=Scale factor = $57/3 = 19$. Therefore second quantity = $11 \times 19 = 209$.

id=10857 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:5 and the first is 323, what is the second? | option_a=90 | option_b=95 | option_c=112 | option_d=418 | answer=B | explanation=Scale factor = $323/17 = 19$. Therefore second quantity = $5 \times 19 = 95$.

id=10858 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=H | option_c=G | option_d=F | answer=B | explanation=Move 1 positions forward from G; the resulting letter is H.

id=10859 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6681 at 6% per annum for 4 years. | option_a=8284 | option_b=1603 | option_c=1503 | option_d=1703 | answer=B | explanation=SI = $PRT/100 = 6681 \times 6 \times 4/100 =$ **■**1603.

id=10860 | topic=Percentages | difficulty=Easy | question=What is 15% of 1144? | option_a=342 | option_b=191 | option_c=161 | option_d=171 | answer=D | explanation= $15\% \text{ of } 1144 = (15/100) \times 1144 = 171$.

Aptitude Questions — Records 10,861-10,890 of 100,000

id=10861 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■10308 at 10% per annum for 4 years. | option_a=14431 | option_b=4123 | option_c=4223 | option_d=4023 | answer=B | explanation=SI = PRT/100 = 10308×10×4/100 = ■4123.

id=10862 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■625. If it is sold at a profit of 5%, what is its selling price? | option_a=594 | option_b=630 | option_c=656 | option_d=718 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 625 × 105/100 = ■656.

id=10863 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 31, 34, 39? | option_a=28 | option_b=31 | option_c=34 | option_d=39 | answer=D | explanation=The first three numbers increase by 3, so the next should be 37. Therefore 39 is the odd one out.

id=10864 | topic=Averages | difficulty=Easy | question=Find the average of 32, 81, 80, 97, 57, 71, 92, 17, 31. | option_a=62 | option_b=63 | option_c=64 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 558 ÷ 9 = 62.

id=10865 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 20. | option_a=1 | option_b=20 | option_c=25 | option_d=100 | answer=B | explanation=LCM × HCF = 5×20; HCF(5,20) = 5, so LCM = 20.

id=10866 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=L | option_c=R | option_d=P | answer=D | explanation=Move 2 positions forward from N; the resulting letter is P.

id=10867 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=10868 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=10869 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=52 | option_b=40 | option_c=64 | option_d=53 | answer=A | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.

id=10870 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 26. | option_a=112 | option_b=208 | option_c=104 | option_d=78 | answer=C | explanation=LCM × HCF = 8×26; HCF(8,26) = 2, so LCM = 104.

id=10871 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■46465 at 15% per annum for 1 years. | option_a=53434 | option_b=6969 | option_c=7069 | option_d=6869 | answer=B | explanation=SI = PRT/100 = 46465×15×1/100 = ■6969.

id=10872 | topic=Percentages | difficulty=Easy | question=What is 12% of 244? | option_a=58 | option_b=9 | option_c=39 | option_d=29 | answer=D | explanation=12% of 244 = (12/100) × 244 = 29.

id=10873 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 22, 26, 32? | option_a=18 | option_b=26 | option_c=22 | option_d=32 | answer=D | explanation=The first three numbers increase by 4, so the next should be 30. Therefore 32 is the odd one out.

id=10874 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=J | option_c=D | option_d=M | answer=B | explanation=Move 3 positions forward from G; the resulting letter is J.

id=10875 | topic=Percentages | difficulty=Easy | question=What is 10% of 1020? | option_a=82 | option_b=122 | option_c=204 | option_d=102 | answer=D | explanation=10% of 1020 = (10/100) × 1020 = 102.

id=10876 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:15 and the first is 35, what is the second? | option_a=90 | option_b=140 | option_c=105 | option_d=110 | answer=C | explanation=Scale factor = 35/5 = 7. Therefore second quantity = 15×7 = 105.

id=10877 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 25, 27, 32? | option_a=23 | option_b=27 | option_c=25 | option_d=32 | answer=D | explanation=The first three numbers increase by 2, so the next should be 29. Therefore 32 is the odd one out.

id=10878 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=23 | option_c=36 | option_d=13 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=10879 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■9339 at 4% per annum for 4 years. | option_a=1394 | option_b=1494 | option_c=1594 | option_d=10833 | answer=B | explanation=SI = PRT/100 = 9339×4×4/100 = ■1494.

id=10880 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=10881 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=10882 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3328. If it is sold at a profit of 40%, what is its selling price? | option_a=3368 | option_b=4991 | option_c=4659 | option_d=4327 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3328 × 140/100 = ■4659.

id=10883 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3893. If it is sold at a profit of 25%, what is its selling price? | option_a=4477 | option_b=4866 | option_c=5255 | option_d=3918 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3893 × 125/100 = ■4866.

id=10884 | topic=Averages | difficulty=Easy | question=Find the average of 36, 97, 65, 60, 90, 63, 51. | option_a=66 | option_b=67 | option_c=65 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = 462 ÷ 7 = 66.

id=10885 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=K | option_b=N | option_c=T | option_d=Q | answer=D | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=10886 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=10887 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2727. If it is sold at a profit of 15%, what is its selling price? | option_a=3136 | option_b=2864 | option_c=3408 | option_d=2742 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2727 × 115/100 = ■3136.

id=10888 | topic=Percentages | difficulty=Easy | question=What is 30% of 1328? | option_a=796 | option_b=393 | option_c=403 | option_d=398 | answer=D | explanation=30% of 1328 = (30/100) × 1328 = 398.

id=10889 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 20, 28, 39? | option_a=39 | option_b=28 | option_c=20 | option_d=12 | answer=A | explanation=The first three numbers increase by 8, so the next should be 36. Therefore 39 is the odd one out.

id=10890 | topic=Averages | difficulty=Easy | question=Find the average of 32, 85, 89, 25, 89. | option_a=64 | option_b=65 | option_c=66 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 320 ÷ 5 = 64.

Aptitude Questions — Records 10,891-10,920 of 100,000

id=10891 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 14. | option_a=210 | option_b=420 | option_c=196 | option_d=240 | answer=A | explanation=LCM × HCF = 30×14; HCF(30,14) = 2, so LCM = 210.

id=10892 | topic=Averages | difficulty=Easy | question=Find the average of 86, 84, 73, 18, 32, 43. | option_a=57 | option_b=55 | option_c=56 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 336 ÷ 6 = 56.

id=10893 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=10894 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=63 | option_b=55 | option_c=45 | option_d=54 | answer=D | explanation=The common difference is 9. Therefore the next term is 45 + 9 = 54.

id=10895 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 27? | option_a=16 | option_b=27 | option_c=19 | option_d=22 | answer=B | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 27 is the odd one out.

id=10896 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:2 and the first is 36, what is the second? | option_a=24 | option_b=60 | option_c=27 | option_d=22 | answer=A | explanation=Scale factor = 36/3 = 12. Therefore second quantity = 2×12 = 24.

id=10897 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=I | option_b=F | option_c=L | option_d=C | answer=A | explanation=Move 3 positions forward from F; the resulting letter is I.

id=10898 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3279 at 12% per annum for 4 years. | option_a=4852 | option_b=1673 | option_c=1573 | option_d=1473 | answer=C | explanation=SI = PRT/100 = 3279×12×4/100 = **■**1573.

id=10899 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3854. If it is sold at a profit of 10%, what is its selling price? | option_a=4239 | option_b=3854 | option_c=3864 | option_d=4624 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3854 × 110/100 = **■**4239.

id=10900 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=10901 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12442 at 4% per annum for 1 years. | option_a=12939 | option_b=497 | option_c=397 | option_d=597 | answer=B | explanation=SI = PRT/100 = 12442×4×1/100 = **■**497.

id=10902 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3468. If it is sold at a profit of 5%, what is its selling price? | option_a=3473 | option_b=3295 | option_c=3641 | option_d=3987 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3468 × 105/100 = **■**3641.

id=10903 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=37 | option_b=29 | option_c=33 | option_d=34 | answer=C | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=10904 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38013 at 5% per annum for 2 years. | option_a=3901 | option_b=3701 | option_c=41814 | option_d=3801 | answer=D | explanation=SI = PRT/100 = 38013×5×2/100 = **■**3801.

id=10905 | topic=Averages | difficulty=Easy | question=Find the average of 79, 98, 51, 30, 27. | option_a=56 | option_b=57 | option_c=59 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.

id=10906 | topic=Percentages | difficulty=Easy | question=What is 12% of 847? | option_a=202 | option_b=91 | option_c=106 | option_d=101 | answer=D | explanation=12% of 847 = (12/100) × 847 = 101.

id=10907 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 21? | option_a=16 | option_b=21 | option_c=14 | option_d=18 | answer=B | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 21 is the odd one out.

id=10908 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:14 and the first is 30, what is the second? | option_a=58 | option_b=28 | option_c=14 | option_d=43 | answer=B | explanation=Scale factor = 30/15 = 2. Therefore second quantity = 14×2 = 28.

id=10909 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31382 at 8% per annum for 5 years. | option_a=43934 | option_b=12452 | option_c=12652 | option_d=12552 | answer=D | explanation=SI = PRT/100 = 31382×8×5/100 = **■**12552.

id=10910 | topic=Percentages | difficulty=Easy | question=What is 50% of 1427? | option_a=708 | option_b=713 | option_c=1426 | option_d=718 | answer=B | explanation=50% of 1427 = (50/100) × 1427 = 713.

id=10911 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=X | option_b=B | option_c=T | option_d=P | answer=A | explanation=Move 4 positions forward from T; the resulting letter is X.

id=10912 | topic=Averages | difficulty=Easy | question=Find the average of 99, 72, 47, 50, 38, 66. | option_a=63 | option_b=64 | option_c=62 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 372 ÷ 6 = 62.

id=10913 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26205 at 10% per annum for 3 years. | option_a=34066 | option_b=7961 | option_c=7761 | option_d=7861 | answer=D | explanation=SI = PRT/100 = 26205×10×3/100 = **■**7861.

id=10914 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=10915 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=10916 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:5 and the first is 120, what is the second? | option_a=170 | option_b=50 | option_c=45 | option_d=62 | answer=B | explanation=Scale factor = 120/12 = 10. Therefore second quantity = 5×10 = 50.

id=10917 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=19 | option_c=24 | option_d=48 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=10918 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=K | option_b=O | option_c=W | option_d=S | answer=D | explanation=Move 4 positions forward from O; the resulting letter is S.

id=10919 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=N | option_c=V | option_d=Z | answer=C | explanation=Move 4 positions forward from R; the resulting letter is V.

id=10920 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:1 and the first is 14, what is the second? | option_a=21 | option_b=6 | option_c=7 | option_d=9 | answer=C | explanation=Scale factor = 14/2 = 7. Therefore second quantity = 1×7 = 7.

Aptitude Questions — Records 10,921-10,950 of 100,000

id=10921 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=10922 | topic=Percentages | difficulty=Easy | question=What is 12% of 1507? | option_a=190 | option_b=360 | option_c=175 | option_d=180 | answer=D | explanation=12% of 1507 = (12/100) × 1507 = 180.

id=10923 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 42? | option_a=29 | option_b=33 | option_c=37 | option_d=42 | answer=D | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 42 is the odd one out.

id=10924 | topic=Averages | difficulty=Easy | question=Find the average of 21, 24, 18. | option_a=22 | option_b=20 | option_c=23 | option_d=21 | answer=D | explanation=Average = sum of values ÷ number of values = 63 ÷ 3 = 21.

id=10925 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 43? | option_a=34 | option_b=30 | option_c=38 | option_d=43 | answer=D | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 43 is the odd one out.

id=10926 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 27? | option_a=19 | option_b=5 | option_c=27 | option_d=12 | answer=C | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 27 is the odd one out.

id=10927 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 34? | option_a=28 | option_b=34 | option_c=20 | option_d=24 | answer=B | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 34 is the odd one out.

id=10928 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹3327. If it is sold at a profit of 15%, what is its selling price? | option_a=3342 | option_b=4158 | option_c=3826 | option_d=3494 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3327 × 115/100 = ₹3826.

id=10929 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=O | option_b=R | option_c=L | option_d=I | answer=A | explanation=Move 3 positions forward from L; the resulting letter is O.

id=10930 | topic=Percentages | difficulty=Easy | question=What is 40% of 1218? | option_a=487 | option_b=507 | option_c=974 | option_d=482 | answer=A | explanation=40% of 1218 = (40/100) × 1218 = 487.

id=10931 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹12467 at 12% per annum for 1 years. | option_a=1596 | option_b=1496 | option_c=13963 | option_d=1396 | answer=B | explanation=SI = PRT/100 = 12467×12×1/100 = ₹1496.

id=10932 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹47444 at 10% per annum for 2 years. | option_a=9388 | option_b=9588 | option_c=9488 | option_d=56932 | answer=C | explanation=SI = PRT/100 = 47444×10×2/100 = ₹9488.

id=10933 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 24, 31, 40? | option_a=40 | option_b=17 | option_c=31 | option_d=24 | answer=A | explanation=The first three numbers increase by 7, so the next should be 38. Therefore 40 is the odd one out.

id=10934 | topic=Averages | difficulty=Easy | question=Find the average of 43, 29, 47, 60, 61. | option_a=50 | option_b=47 | option_c=49 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = 240 ÷ 5 = 48.

id=10935 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹40258 at 6% per annum for 5 years. | option_a=12177 | option_b=52335 | option_c=12077 | option_d=11977 | answer=C | explanation=SI = PRT/100 = 40258×6×5/100 = ₹12077.

id=10936 | topic=Percentages | difficulty=Easy | question=What is 5% of 1765? | option_a=93 | option_b=176 | option_c=88 | option_d=83 | answer=C | explanation=5% of 1765 = (5/100) × 1765 = 88.

id=10937 | topic=Percentages | difficulty=Easy | question=What is 30% of 188? | option_a=76 | option_b=56 | option_c=51 | option_d=112 | answer=B | explanation=30% of 188 = (30/100) × 188 = 56.

id=10938 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=10939 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 26, 28, 32? | option_a=24 | option_b=28 | option_c=32 | option_d=26 | answer=C | explanation=The first three numbers increase by 2, so the next should be 30. Therefore 32 is the odd one out.

id=10940 | topic=Averages | difficulty=Easy | question=Find the average of 73, 46, 19, 55, 25, 80, 25, 45. | option_a=47 | option_b=48 | option_c=46 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = 368 ÷ 8 = 46.

id=10941 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=36 | option_c=31 | option_d=41 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=10942 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=10943 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=S | option_c=K | option_d=G | answer=A | explanation=Move 4 positions forward from K; the resulting letter is O.

id=10944 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=10945 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 15, 23, 32? | option_a=15 | option_b=32 | option_c=23 | option_d=7 | answer=B | explanation=The first three numbers increase by 8, so the next should be 31. Therefore 32 is the odd one out.

id=10946 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:10 and the first is 40, what is the second? | option_a=40 | option_b=90 | option_c=58 | option_d=50 | answer=D | explanation=Scale factor = 40/8 = 5. Therefore second quantity = 10×5 = 50.

id=10947 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=45 | option_b=57 | option_c=56 | option_d=67 | answer=C | explanation=The common difference is 11. Therefore the next term is 45 + 11 = 56.

id=10948 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:1 and the first is 108, what is the second? | option_a=12 | option_b=120 | option_c=21 | option_d=11 | answer=A | explanation=Scale factor = 108/9 = 12. Therefore second quantity = 1×12 = 12.

id=10949 | topic=Averages | difficulty=Easy | question=Find the average of 21, 80, 33, 66, 15. | option_a=42 | option_b=45 | option_c=44 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = 215 ÷ 5 = 43.

id=10950 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 10,951-10,980 of 100,000

id=10951 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 18. | option_a=147 | option_b=126 | option_c=108 | option_d=378 | answer=B | explanation=LCM × HCF = 21×18; HCF(21,18) = 3, so LCM = 126.

id=10952 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 24, 33, 44? | option_a=33 | option_b=24 | option_c=44 | option_d=15 | answer=C | explanation=The first three numbers increase by 9, so the next should be 42. Therefore 44 is the odd one out.

id=10953 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=64 | option_b=74 | option_c=63 | option_d=52 | answer=C | explanation=The common difference is 11. Therefore the next term is 52 + 11 = 63.

id=10954 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 20, 22, 26? | option_a=18 | option_b=26 | option_c=20 | option_d=22 | answer=B | explanation=The first three numbers increase by 2, so the next should be 24. Therefore 26 is the odd one out.

id=10955 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=10956 | topic=Averages | difficulty=Easy | question=Find the average of 51, 38, 87, 52. | option_a=59 | option_b=56 | option_c=57 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 228 ÷ 4 = 57.

id=10957 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1837. If it is sold at a profit of 30%, what is its selling price? | option_a=2205 | option_b=1867 | option_c=2388 | option_d=2571 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1837 × 130/100 = █2388.

id=10958 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 21, 30, 41? | option_a=30 | option_b=21 | option_c=12 | option_d=41 | answer=D | explanation=The first three numbers increase by 9, so the next should be 39. Therefore 41 is the odd one out.

id=10959 | topic=Averages | difficulty=Easy | question=Find the average of 87, 33, 90, 62. | option_a=67 | option_b=70 | option_c=68 | option_d=69 | answer=C | explanation=Average = sum of values ÷ number of values = 272 ÷ 4 = 68.

id=10960 | topic=Averages | difficulty=Easy | question=Find the average of 48, 56, 67, 33. | option_a=51 | option_b=52 | option_c=50 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 204 ÷ 4 = 51.

id=10961 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:11 and the first is 108, what is the second? | option_a=198 | option_b=204 | option_c=187 | option_d=306 | answer=A | explanation=Scale factor = 108/6 = 18. Therefore second quantity = 11×18 = 198.

id=10962 | topic=Percentages | difficulty=Easy | question=What is 10% of 1728? | option_a=344 | option_b=172 | option_c=192 | option_d=152 | answer=B | explanation=10% of 1728 = (10/100) × 1728 = 172.

id=10963 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3571. If it is sold at a profit of 5%, what is its selling price? | option_a=3392 | option_b=4106 | option_c=3576 | option_d=3749 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3571 × 105/100 = █3749.

id=10964 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:6 and the first is 143, what is the second? | option_a=78 | option_b=89 | option_c=221 | option_d=72 | answer=A | explanation=Scale factor = 143/11 = 13. Therefore second quantity = 6×13 = 78.

id=10965 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2802. If it is sold at a profit of 5%, what is its selling price? | option_a=2807 | option_b=2942 | option_c=3222 | option_d=2662 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2802 × 105/100 = █2942.

id=10966 | topic=Profit & Loss | difficulty=Easy | question=An article costs █501. If it is sold at a profit of 5%, what is its selling price? | option_a=476 | option_b=506 | option_c=526 | option_d=576 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 501 × 105/100 = █526.

id=10967 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=J | option_b=G | option_c=A | option_d=D | answer=B | explanation=Move 3 positions forward from D; the resulting letter is G.

id=10968 | topic=Percentages | difficulty=Easy | question=What is 40% of 703? | option_a=271 | option_b=301 | option_c=562 | option_d=281 | answer=D | explanation=40% of 703 = (40/100) × 703 = 281.

id=10969 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1785. If it is sold at a profit of 10%, what is its selling price? | option_a=1795 | option_b=2141 | option_c=1785 | option_d=1963 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1785 × 110/100 = █1963.

id=10970 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=A | option_b=E | option_c=M | option_d=I | answer=D | explanation=Move 4 positions forward from E; the resulting letter is I.

id=10971 | topic=Averages | difficulty=Easy | question=Find the average of 59, 65, 11, 65, 36, 29, 81, 99, 77. | option_a=60 | option_b=57 | option_c=59 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 522 ÷ 9 = 58.

id=10972 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=S | option_b=K | option_c=G | option_d=O | answer=D | explanation=Move 4 positions forward from K; the resulting letter is O.

id=10973 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=17 | option_c=12 | option_d=7 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=10974 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=15 | option_c=20 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=10975 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=G | option_b=J | option_c=D | option_d=A | answer=A | explanation=Move 3 positions forward from D; the resulting letter is G.

id=10976 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:8 and the first is 36, what is the second? | option_a=41 | option_b=24 | option_c=32 | option_d=68 | answer=C | explanation=Scale factor = 36/9 = 4. Therefore second quantity = 8×4 = 32.

id=10977 | topic=Percentages | difficulty=Easy | question=What is 15% of 103? | option_a=15 | option_b=20 | option_c=30 | option_d=10 | answer=A | explanation=15% of 103 = (15/100) × 103 = 15.

id=10978 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=H | option_c=G | option_d=E | answer=C | explanation=Move 1 positions forward from F; the resulting letter is G.

id=10979 | topic=Percentages | difficulty=Easy | question=What is 30% of 1821? | option_a=1092 | option_b=526 | option_c=546 | option_d=566 | answer=C | explanation=30% of 1821 = (30/100) × 1821 = 546.

id=10980 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:13 and the first is 152, what is the second? | option_a=104 | option_b=91 | option_c=123 | option_d=256 | answer=A | explanation=Scale factor = 152/19 = 8. Therefore second quantity = 13×8 = 104.

Aptitude Questions — Records 10,981-11,010 of 100,000

id=10981 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 30? | option_a=10 | option_b=22 | option_c=16 | option_d=30 | answer=D | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 30 is the odd one out.

id=10982 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4976. If it is sold at a profit of 10%, what is its selling price? | option_a=4976 | option_b=5970 | option_c=5473 | option_d=4986 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4976 \times 110/100 = \text{█}5473$.

id=10983 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10447 at 12% per annum for 1 years. | option_a=1253 | option_b=1353 | option_c=1153 | option_d=11700 | answer=A | explanation=SI = $PRT/100 = 10447 \times 12 \times 1/100 = \text{█}1253$.

id=10984 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28045 at 12% per annum for 1 years. | option_a=31410 | option_b=3265 | option_c=3365 | option_d=3465 | answer=C | explanation=SI = $PRT/100 = 28045 \times 12 \times 1/100 = \text{█}3365$.

id=10985 | topic=Percentages | difficulty=Easy | question=What is 15% of 1595? | option_a=259 | option_b=219 | option_c=478 | option_d=239 | answer=D | explanation=15% of 1595 = $(15/100) \times 1595 = 239$.

id=10986 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 180 \div 3 = 60 \text{ km/h}$.

id=10987 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34219 at 5% per annum for 5 years. | option_a=8654 | option_b=8454 | option_c=42773 | option_d=8554 | answer=D | explanation=SI = $PRT/100 = 34219 \times 5 \times 5/100 = \text{█}8554$.

id=10988 | topic=Profit & Loss | difficulty=Easy | question=An article costs █371. If it is sold at a profit of 30%, what is its selling price? | option_a=519 | option_b=445 | option_c=482 | option_d=401 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 371 \times 130/100 = \text{█}482$.

id=10989 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45840 at 6% per annum for 3 years. | option_a=54091 | option_b=8251 | option_c=8151 | option_d=8351 | answer=B | explanation=SI = $PRT/100 = 45840 \times 6 \times 3/100 = \text{█}8251$.

id=10990 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=10991 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17355 at 12% per annum for 2 years. | option_a=21520 | option_b=4265 | option_c=4065 | option_d=4165 | answer=D | explanation=SI = $PRT/100 = 17355 \times 12 \times 2/100 = \text{█}4165$.

id=10992 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=90 | option_c=180 | option_d=95 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 180 \div 2 = 90 \text{ km/h}$.

id=10993 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=6 | option_d=4 | answer=B | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=10994 | topic=Percentages | difficulty=Easy | question=What is 5% of 1539? | option_a=56 | option_b=96 | option_c=152 | option_d=76 | answer=D | explanation=5% of 1539 = $(5/100) \times 1539 = 76$.

id=10995 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=48 | option_c=53 | option_d=96 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 240 \div 5 = 48 \text{ km/h}$.

id=10996 | topic=Averages | difficulty=Easy | question=Find the average of 33, 81, 26, 39, 34, 45, 50. | option_a=43 | option_b=46 | option_c=44 | option_d=45 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 308 \div 7 = 44$.

id=10997 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32802 at 5% per annum for 1 years. | option_a=1740 | option_b=34442 | option_c=1640 | option_d=1540 | answer=C | explanation=SI = $PRT/100 = 32802 \times 5 \times 1/100 = \text{█}1640$.

id=10998 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=31 | option_b=38 | option_c=43 | option_d=37 | answer=D | explanation=The common difference is 6. Therefore the next term is $31 + 6 = 37$.

id=10999 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=11000 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 240 \div 4 = 60 \text{ km/h}$.

id=11001 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=O | option_b=Q | option_c=U | option_d=S | answer=D | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=11002 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:14 and the first is 100, what is the second? | option_a=126 | option_b=240 | option_c=140 | option_d=150 | answer=C | explanation=Scale factor = $100/10 = 10$. Therefore second quantity = $14 \times 10 = 140$.

id=11003 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:17 and the first is 140, what is the second? | option_a=259 | option_b=139 | option_c=102 | option_d=119 | answer=D | explanation=Scale factor = $140/20 = 7$. Therefore second quantity = $17 \times 7 = 119$.

id=11004 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=H | option_c=W | option_d=R | answer=D | explanation=Move 5 positions forward from M; the resulting letter is R.

id=11005 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 28, 38, 51? | option_a=18 | option_b=28 | option_c=38 | option_d=51 | answer=D | explanation=The first three numbers increase by 10, so the next should be 48. Therefore 51 is the odd one out.

id=11006 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27575 at 10% per annum for 5 years. | option_a=13887 | option_b=41362 | option_c=13787 | option_d=13687 | answer=C | explanation=SI = $PRT/100 = 27575 \times 10 \times 5/100 = \text{█}13787$.

id=11007 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=11008 | topic=Averages | difficulty=Easy | question=Find the average of 74, 12, 93, 81, 12, 19, 38. | option_a=46 | option_b=48 | option_c=47 | option_d=49 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 329 \div 7 = 47$.

id=11009 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=56 | option_b=47 | option_c=48 | option_d=38 | answer=B | explanation=The common difference is 9. Therefore the next term is $38 + 9 = 47$.

id=11010 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2364. If it is sold at a profit of 15%, what is its selling price? | option_a=2379 | option_b=2718 | option_c=2954 | option_d=2482 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2364 \times 115/100 = \text{█}2718$.

Aptitude Questions — Records 11,011-11,040 of 100,000

- id=11011 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 21, 23, 25, ? | option_a=27 | option_b=28 | option_c=29 | option_d=25 | answer=A | explanation=The common difference is 2. Therefore the next term is 25 + 2 = 27.
- id=11012 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=11013 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 44? | option_a=30 | option_b=36 | option_c=24 | option_d=44 | answer=D | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 44 is the odd one out.
- id=11014 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3949. If it is sold at a profit of 40%, what is its selling price? | option_a=5922 | option_b=5528 | option_c=3989 | option_d=5134 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3949 × 140/100 = █5528.
- id=11015 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=75 | option_c=80 | option_d=70 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.
- id=11016 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3934. If it is sold at a profit of 25%, what is its selling price? | option_a=4524 | option_b=3959 | option_c=5310 | option_d=4917 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3934 × 125/100 = █4917.
- id=11017 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=Z | option_c=Q | option_d=W | answer=D | explanation=Move 3 positions forward from T; the resulting letter is W.
- id=11018 | topic=Percentages | difficulty=Easy | question=What is 40% of 1328? | option_a=541 | option_b=526 | option_c=531 | option_d=1062 | answer=C | explanation=40% of 1328 = (40/100) × 1328 = 531.
- id=11019 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 22, 27, 32, ? | option_a=42 | option_b=38 | option_c=37 | option_d=32 | answer=C | explanation=The common difference is 5. Therefore the next term is 32 + 5 = 37.
- id=11020 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=47 | option_b=46 | option_c=35 | option_d=57 | answer=B | explanation=The common difference is 11. Therefore the next term is 35 + 11 = 46.
- id=11021 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4366. If it is sold at a profit of 40%, what is its selling price? | option_a=6112 | option_b=4406 | option_c=5676 | option_d=6548 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4366 × 140/100 = █6112.
- id=11022 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=34 | option_b=28 | option_c=22 | option_d=29 | answer=B | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.
- id=11023 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=4 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=11024 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=M | option_b=R | option_c=B | option_d=W | answer=D | explanation=Move 5 positions forward from R; the resulting letter is W.
- id=11025 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 26, 28, 32? | option_a=28 | option_b=32 | option_c=26 | option_d=24 | answer=B | explanation=The first three numbers increase by 2, so the next should be 30. Therefore 32 is the odd one out.
- id=11026 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4352. If it is sold at a profit of 30%, what is its selling price? | option_a=5222 | option_b=4382 | option_c=6092 | option_d=5657 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4352 × 130/100 = █5657.
- id=11027 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 22, 27, 32, ? | option_a=37 | option_b=42 | option_c=38 | option_d=32 | answer=A | explanation=The common difference is 5. Therefore the next term is 32 + 5 = 37.
- id=11028 | topic=Percentages | difficulty=Easy | question=What is 10% of 975? | option_a=97 | option_b=77 | option_c=107 | option_d=194 | answer=A | explanation=10% of 975 = (10/100) × 975 = 97.
- id=11029 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=17 | option_c=24 | option_d=7 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.
- id=11030 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 31, 39, 50? | option_a=39 | option_b=31 | option_c=23 | option_d=50 | answer=D | explanation=The first three numbers increase by 8, so the next should be 47. Therefore 50 is the odd one out.
- id=11031 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 20. | option_a=144 | option_b=480 | option_c=100 | option_d=120 | answer=D | explanation=LCM × HCF = 24×20; HCF(24,20) = 4, so LCM = 120.
- id=11032 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1656. If it is sold at a profit of 30%, what is its selling price? | option_a=2152 | option_b=2317 | option_c=1987 | option_d=1686 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1656 × 130/100 = █2152.
- id=11033 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4839. If it is sold at a profit of 10%, what is its selling price? | option_a=4849 | option_b=5322 | option_c=4839 | option_d=5805 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4839 × 110/100 = █5322.
- id=11034 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1063. If it is sold at a profit of 50%, what is its selling price? | option_a=1113 | option_b=1700 | option_c=1488 | option_d=1594 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1063 × 150/100 = █1594.
- id=11035 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=43 | option_b=51 | option_c=35 | option_d=44 | answer=A | explanation=The common difference is 8. Therefore the next term is 35 + 8 = 43.
- id=11036 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2217. If it is sold at a profit of 50%, what is its selling price? | option_a=3546 | option_b=3325 | option_c=3104 | option_d=2267 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2217 × 150/100 = █3325.
- id=11037 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 34? | option_a=20 | option_b=34 | option_c=28 | option_d=24 | answer=B | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 34 is the odd one out.
- id=11038 | topic=Averages | difficulty=Easy | question=Find the average of 57, 26, 85, 95, 55, 48. | option_a=62 | option_b=63 | option_c=60 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 366 ÷ 6 = 61.
- id=11039 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.
- id=11040 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8134 at 6% per annum for 2 years. | option_a=9110 | option_b=1076 | option_c=876 | option_d=976 | answer=D | explanation=SI = PRT/100 = 8134×6×2/100 = █976.

Aptitude Questions — Records 11,041-11,070 of 100,000

id=11041 | topic=Averages | difficulty=Easy | question=Find the average of 75, 88, 44, 70, 26, 82, 25, 54. | option_a=60 | option_b=59 | option_c=58 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = $464 \div 8 = 58$.

id=11042 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=G | option_c=H | option_d=E | answer=B | explanation=Move 1 positions forward from F; the resulting letter is G.

id=11043 | topic=Averages | difficulty=Easy | question=Find the average of 78, 20, 91. | option_a=62 | option_b=64 | option_c=63 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = $189 \div 3 = 63$.

id=11044 | topic=Percentages | difficulty=Easy | question=What is 40% of 1971? | option_a=783 | option_b=788 | option_c=1576 | option_d=798 | answer=B | explanation= 40% of $1971 = (40/100) \times 1971 = 788$.

id=11045 | topic=Percentages | difficulty=Easy | question=What is 20% of 682? | option_a=141 | option_b=136 | option_c=126 | option_d=272 | answer=B | explanation= 20% of $682 = (20/100) \times 682 = 136$.

id=11046 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=B | option_c=J | option_d=X | answer=A | explanation=Move 4 positions forward from B; the resulting letter is F.

id=11047 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=70 | option_b=46 | option_c=59 | option_d=58 | answer=D | explanation=The common difference is 12. Therefore the next term is $46 + 12 = 58$.

id=11048 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=11049 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = $60 \div 2 = 30$ km/h.

id=11050 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 21, 30, 39, ? | option_a=39 | option_b=57 | option_c=49 | option_d=48 | answer=D | explanation=The common difference is 9. Therefore the next term is $39 + 9 = 48$.

id=11051 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 15, 22, 29, ? | option_a=37 | option_b=43 | option_c=36 | option_d=29 | answer=C | explanation=The common difference is 7. Therefore the next term is $29 + 7 = 36$.

id=11052 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3991. If it is sold at a profit of 40%, what is its selling price? | option_a=4031 | option_b=5188 | option_c=5986 | option_d=5587 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3991 \times 140/100 = \text{█}5587$.

id=11053 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=11054 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2941. If it is sold at a profit of 25%, what is its selling price? | option_a=3970 | option_b=3382 | option_c=3676 | option_d=2966 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2941 \times 125/100 = \text{█}3676$.

id=11055 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:4 and the first is 30, what is the second? | option_a=22 | option_b=8 | option_c=42 | option_d=12 | answer=D | explanation=Scale factor = $30/10 = 3$. Therefore second quantity = $4 \times 3 = 12$.

id=11056 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38984 at 4% per annum for 3 years. | option_a=4678 | option_b=43662 | option_c=4578 | option_d=4778 | answer=A | explanation= $SI = PRT/100 = 38984 \times 4 \times 3/100 = \text{█}4678$.

id=11057 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4540 at 8% per annum for 3 years. | option_a=989 | option_b=1189 | option_c=5629 | option_d=1089 | answer=D | explanation= $SI = PRT/100 = 4540 \times 8 \times 3/100 = \text{█}1089$.

id=11058 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=115 | option_c=125 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.

id=11059 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=35 | option_c=40 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = $120 \div 3 = 40$ km/h.

id=11060 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=11061 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 35, 45, 56? | option_a=25 | option_b=45 | option_c=56 | option_d=35 | answer=C | explanation=The first three numbers increase by 10, so the next should be 55. Therefore 56 is the odd one out.

id=11062 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=11063 | topic=Percentages | difficulty=Easy | question=What is 15% of 417? | option_a=52 | option_b=82 | option_c=62 | option_d=124 | answer=C | explanation= 15% of $417 = (15/100) \times 417 = 62$.

id=11064 | topic=Averages | difficulty=Easy | question=Find the average of 36, 47, 55, 98. | option_a=61 | option_b=60 | option_c=59 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = $236 \div 4 = 59$.

id=11065 | topic=Averages | difficulty=Easy | question=Find the average of 32, 74, 88, 88, 66, 96. | option_a=73 | option_b=75 | option_c=76 | option_d=74 | answer=D | explanation=Average = sum of values ÷ number of values = $444 \div 6 = 74$.

id=11066 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 10. | option_a=72 | option_b=50 | option_c=120 | option_d=60 | answer=D | explanation= $LCM \times HCF = 12 \times 10$; $HCF(12,10) = 2$, so $LCM = 60$.

id=11067 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 33? | option_a=12 | option_b=33 | option_c=2 | option_d=22 | answer=B | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 33 is the odd one out.

id=11068 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 53? | option_a=20 | option_b=40 | option_c=30 | option_d=53 | answer=D | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 53 is the odd one out.

id=11069 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34327 at 4% per annum for 3 years. | option_a=4019 | option_b=4219 | option_c=4119 | option_d=38446 | answer=C | explanation= $SI = PRT/100 = 34327 \times 4 \times 3/100 = \text{█}4119$.

id=11070 | topic=Averages | difficulty=Easy | question=Find the average of 14, 23, 21, 53, 90, 46, 19. | option_a=37 | option_b=40 | option_c=38 | option_d=39 | answer=C | explanation=Average = sum of values ÷ number of values = $266 \div 7 = 38$.

Aptitude Questions — Records 11,071-11,100 of 100,000

id=11071 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=48 | option_b=70 | option_c=60 | option_d=59 | answer=D | explanation=The common difference is 11. Therefore the next term is 48 + 11 = 59.

id=11072 | topic=Percentages | difficulty=Easy | question=What is 25% of 722? | option_a=175 | option_b=185 | option_c=180 | option_d=360 | answer=C | explanation=25% of 722 = (25/100) × 722 = 180.

id=11073 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=11074 | topic=Percentages | difficulty=Easy | question=What is 20% of 1302? | option_a=260 | option_b=520 | option_c=240 | option_d=280 | answer=A | explanation=20% of 1302 = (20/100) × 1302 = 260.

id=11075 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=M | option_b=J | option_c=P | option_d=G | answer=A | explanation=Move 3 positions forward from J; the resulting letter is M.

id=11076 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=H | option_b=R | option_c=M | option_d=W | answer=B | explanation=Move 5 positions forward from M; the resulting letter is R.

id=11077 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=11078 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 35? | option_a=24 | option_b=29 | option_c=35 | option_d=19 | answer=C | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 35 is the odd one out.

id=11079 | topic=Percentages | difficulty=Easy | question=What is 15% of 105? | option_a=25 | option_b=5 | option_c=15 | option_d=30 | answer=C | explanation=15% of 105 = (15/100) × 105 = 15.

id=11080 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35045 at 15% per annum for 3 years. | option_a=15870 | option_b=50815 | option_c=15770 | option_d=15670 | answer=C | explanation=SI = PRT/100 = 35045×15×3/100 = **■**15770.

id=11081 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 35, 41, 50? | option_a=29 | option_b=35 | option_c=50 | option_d=41 | answer=C | explanation=The first three numbers increase by 6, so the next should be 47. Therefore 50 is the odd one out.

id=11082 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=11083 | topic=Percentages | difficulty=Easy | question=What is 10% of 1954? | option_a=195 | option_b=390 | option_c=215 | option_d=190 | answer=A | explanation=10% of 1954 = (10/100) × 1954 = 195.

id=11084 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=11085 | topic=Percentages | difficulty=Easy | question=What is 40% of 1774? | option_a=704 | option_b=1418 | option_c=714 | option_d=709 | answer=D | explanation=40% of 1774 = (40/100) × 1774 = 709.

id=11086 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:4 and the first is 68, what is the second? | option_a=12 | option_b=84 | option_c=33 | option_d=16 | answer=D | explanation=Scale factor = 68/17 = 4. Therefore second quantity = 4×4 = 16.

id=11087 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31311 at 15% per annum for 2 years. | option_a=9393 | option_b=9493 | option_c=40704 | option_d=9293 | answer=A | explanation=SI = PRT/100 = 31311×15×2/100 = **■**9393.

id=11088 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=11089 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 27, 31, 37? | option_a=27 | option_b=37 | option_c=31 | option_d=23 | answer=B | explanation=The first three numbers increase by 4, so the next should be 35. Therefore 37 is the odd one out.

id=11090 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35391 at 15% per annum for 1 years. | option_a=5308 | option_b=40699 | option_c=5408 | option_d=5208 | answer=A | explanation=SI = PRT/100 = 35391×15×1/100 = **■**5308.

id=11091 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44363 at 15% per annum for 2 years. | option_a=13408 | option_b=13208 | option_c=13308 | option_d=57671 | answer=C | explanation=SI = PRT/100 = 44363×15×2/100 = **■**13308.

id=11092 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=28 | option_b=44 | option_c=37 | option_d=36 | answer=D | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=11093 | topic=Percentages | difficulty=Easy | question=What is 20% of 342? | option_a=136 | option_b=68 | option_c=88 | option_d=48 | answer=B | explanation=20% of 342 = (20/100) × 342 = 68.

id=11094 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=50 | option_c=45 | option_d=100 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=11095 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 21, 23, 27? | option_a=27 | option_b=21 | option_c=23 | option_d=19 | answer=A | explanation=The first three numbers increase by 2, so the next should be 25. Therefore 27 is the odd one out.

id=11096 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38962 at 10% per annum for 5 years. | option_a=19381 | option_b=58443 | option_c=19481 | option_d=19581 | answer=C | explanation=SI = PRT/100 = 38962×10×5/100 = **■**19481.

id=11097 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:8 and the first is 48, what is the second? | option_a=176 | option_b=128 | option_c=120 | option_d=131 | answer=B | explanation=Scale factor = 48/3 = 16. Therefore second quantity = 8×16 = 128.

id=11098 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=17 | option_b=25 | option_c=21 | option_d=22 | answer=C | explanation=The common difference is 4. Therefore the next term is 17 + 4 = 21.

id=11099 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:4 and the first is 112, what is the second? | option_a=64 | option_b=56 | option_c=168 | option_d=52 | answer=B | explanation=Scale factor = 112/8 = 14. Therefore second quantity = 4×14 = 56.

id=11100 | topic=Percentages | difficulty=Easy | question=What is 30% of 1654? | option_a=516 | option_b=992 | option_c=486 | option_d=496 | answer=D | explanation=30% of 1654 = (30/100) × 1654 = 496.

Aptitude Questions — Records 11,101-11,130 of 100,000

id=11101 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=11102 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 50? | option_a=36 | option_b=42 | option_c=50 | option_d=30 | answer=C | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 50 is the odd one out.

id=11103 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:10 and the first is 306, what is the second? | option_a=180 | option_b=486 | option_c=170 | option_d=197 | answer=A | explanation=Scale factor = 306/17 = 18. Therefore second quantity = 10×18 = 180.

id=11104 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=24 | option_b=27 | option_c=26 | option_d=28 | answer=C | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.

id=11105 | topic=Percentages | difficulty=Easy | question=What is 10% of 1202? | option_a=125 | option_b=120 | option_c=110 | option_d=240 | answer=B | explanation=10% of 1202 = (10/100) × 1202 = 120.

id=11106 | topic=Averages | difficulty=Easy | question=Find the average of 99, 44, 33, 23, 48, 20, 50, 70, 12, 91. | option_a=50 | option_b=51 | option_c=49 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 490 ÷ 10 = 49.

id=11107 | topic=Percentages | difficulty=Easy | question=What is 20% of 1598? | option_a=329 | option_b=319 | option_c=638 | option_d=314 | answer=B | explanation=20% of 1598 = (20/100) × 1598 = 319.

id=11108 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=11109 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:9 and the first is 152, what is the second? | option_a=224 | option_b=91 | option_c=72 | option_d=63 | answer=C | explanation=Scale factor = 152/19 = 8. Therefore second quantity = 9×8 = 72.

id=11110 | topic=Percentages | difficulty=Easy | question=What is 15% of 212? | option_a=62 | option_b=41 | option_c=11 | option_d=31 | answer=D | explanation=15% of 212 = (15/100) × 212 = 31.

id=11111 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=T | option_c=H | option_d=L | answer=A | explanation=Move 4 positions forward from L; the resulting letter is P.

id=11112 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹15421 at 6% per annum for 3 years. | option_a=2675 | option_b=2875 | option_c=2775 | option_d=18196 | answer=C | explanation=SI = PRT/100 = 15421×6×3/100 = ₹2775.

id=11113 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=11114 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹912. If it is sold at a profit of 5%, what is its selling price? | option_a=1048 | option_b=957 | option_c=866 | option_d=917 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 912 × 105/100 = ₹957.

id=11115 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=85 | option_c=90 | option_d=95 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=11116 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:13 and the first is 98, what is the second? | option_a=78 | option_b=105 | option_c=91 | option_d=189 | answer=C | explanation=Scale factor = 98/14 = 7. Therefore second quantity = 13×7 = 91.

id=11117 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:8 and the first is 234, what is the second? | option_a=104 | option_b=338 | option_c=122 | option_d=96 | answer=A | explanation=Scale factor = 234/18 = 13. Therefore second quantity = 8×13 = 104.

id=11118 | topic=Averages | difficulty=Easy | question=Find the average of 76, 57, 52, 94, 11, 16, 30. | option_a=50 | option_b=48 | option_c=47 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 336 ÷ 7 = 48.

id=11119 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=32 | option_b=36 | option_c=28 | option_d=33 | answer=A | explanation=The common difference is 4. Therefore the next term is 28 + 4 = 32.

id=11120 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 45? | option_a=34 | option_b=45 | option_c=30 | option_d=38 | answer=B | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 45 is the odd one out.

id=11121 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=38 | option_b=34 | option_c=35 | option_d=30 | answer=B | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.

id=11122 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:14 and the first is 12, what is the second? | option_a=96 | option_b=86 | option_c=70 | option_d=84 | answer=D | explanation=Scale factor = 12/2 = 6. Therefore second quantity = 14×6 = 84.

id=11123 | topic=Averages | difficulty=Easy | question=Find the average of 24, 11, 29, 39, 12, 23, 100. | option_a=36 | option_b=33 | option_c=34 | option_d=35 | answer=C | explanation=Average = sum of values ÷ number of values = 238 ÷ 7 = 34.

id=11124 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2100. If it is sold at a profit of 15%, what is its selling price? | option_a=2625 | option_b=2205 | option_c=2415 | option_d=2115 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2100 × 115/100 = ₹2415.

id=11125 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=59 | option_b=69 | option_c=49 | option_d=60 | answer=A | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

id=11126 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=47 | option_b=55 | option_c=39 | option_d=48 | answer=A | explanation=The common difference is 8. Therefore the next term is 39 + 8 = 47.

id=11127 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 10. | option_a=30 | option_b=80 | option_c=48 | option_d=40 | answer=D | explanation=LCM × HCF = 8×10; HCF(8,10) = 2, so LCM = 40.

id=11128 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=21 | option_b=16 | option_c=20 | option_d=24 | answer=C | explanation=The common difference is 4. Therefore the next term is 16 + 4 = 20.

id=11129 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:13 and the first is 21, what is the second? | option_a=60 | option_b=39 | option_c=46 | option_d=26 | answer=B | explanation=Scale factor = 21/7 = 3. Therefore second quantity = 13×3 = 39.

id=11130 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:14 and the first is 88, what is the second? | option_a=154 | option_b=242 | option_c=162 | option_d=140 | answer=A | explanation=Scale factor = 88/8 = 11. Therefore second quantity = 14×11 = 154.

Aptitude Questions — Records 11,131-11,160 of 100,000

id=11131 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=35 | option_b=34 | option_c=28 | option_d=40 | answer=B | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.

id=11132 | topic=Profit & Loss | difficulty=Easy | question=An article costs █214. If it is sold at a profit of 40%, what is its selling price? | option_a=320 | option_b=278 | option_c=299 | option_d=254 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 214 × 140/100 = █299.

id=11133 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=40 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=11134 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=360 | option_c=185 | option_d=180 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=11135 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=M | option_b=J | option_c=G | option_d=P | answer=A | explanation=Move 3 positions forward from J; the resulting letter is M.

id=11136 | topic=Averages | difficulty=Easy | question=Find the average of 28, 76, 49, 14, 18. | option_a=37 | option_b=38 | option_c=39 | option_d=36 | answer=A | explanation=Average = sum of values ÷ number of values = 185 ÷ 5 = 37.

id=11137 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=B | option_b=P | option_c=T | option_d=X | answer=D | explanation=Move 4 positions forward from T; the resulting letter is X.

id=11138 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=N | option_b=R | option_c=T | option_d=P | answer=B | explanation=Move 2 positions forward from P; the resulting letter is R.

id=11139 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=85 | option_c=90 | option_d=180 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=11140 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 35? | option_a=21 | option_b=29 | option_c=35 | option_d=25 | answer=C | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 35 is the odd one out.

id=11141 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=90 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=11142 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 28. | option_a=105 | option_b=56 | option_c=588 | option_d=84 | answer=D | explanation=LCM × HCF = 21×28; HCF(21,28) = 7, so LCM = 84.

id=11143 | topic=Percentages | difficulty=Easy | question=What is 15% of 1850? | option_a=272 | option_b=277 | option_c=297 | option_d=554 | answer=B | explanation=15% of 1850 = (15/100) × 1850 = 277.

id=11144 | topic=Averages | difficulty=Easy | question=Find the average of 98, 22, 27. | option_a=48 | option_b=51 | option_c=50 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 147 ÷ 3 = 49.

id=11145 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=44 | option_b=50 | option_c=45 | option_d=38 | answer=A | explanation=The common difference is 6. Therefore the next term is 38 + 6 = 44.

id=11146 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1792. If it is sold at a profit of 25%, what is its selling price? | option_a=2419 | option_b=2061 | option_c=1817 | option_d=2240 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1792 × 125/100 = █2240.

id=11147 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=26 | option_b=35 | option_c=42 | option_d=34 | answer=D | explanation=The common difference is 8. Therefore the next term is 26 + 8 = 34.

id=11148 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 33, 40, 48? | option_a=26 | option_b=33 | option_c=48 | option_d=40 | answer=C | explanation=The first three numbers increase by 7, so the next should be 47. Therefore 48 is the odd one out.

id=11149 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=11150 | topic=Averages | difficulty=Easy | question=Find the average of 60, 78, 93, 51, 93. | option_a=76 | option_b=75 | option_c=74 | option_d=77 | answer=B | explanation=Average = sum of values ÷ number of values = 375 ÷ 5 = 75.

id=11151 | topic=Percentages | difficulty=Easy | question=What is 25% of 1659? | option_a=828 | option_b=434 | option_c=414 | option_d=409 | answer=C | explanation=25% of 1659 = (25/100) × 1659 = 414.

id=11152 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=Z | option_c=V | option_d=N | answer=C | explanation=Move 4 positions forward from R; the resulting letter is V.

id=11153 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=11154 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=11155 | topic=Profit & Loss | difficulty=Easy | question=An article costs █763. If it is sold at a profit of 40%, what is its selling price? | option_a=1144 | option_b=1068 | option_c=992 | option_d=803 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 763 × 140/100 = █1068.

id=11156 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3031. If it is sold at a profit of 20%, what is its selling price? | option_a=3051 | option_b=3940 | option_c=3637 | option_d=3334 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3031 × 120/100 = █3637.

id=11157 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20921 at 5% per annum for 4 years. | option_a=4184 | option_b=4284 | option_c=4084 | option_d=25105 | answer=A | explanation=SI = PRT/100 = 20921×5×4/100 = █4184.

id=11158 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 24, 32, 40, ? | option_a=56 | option_b=48 | option_c=40 | option_d=49 | answer=B | explanation=The common difference is 8. Therefore the next term is 40 + 8 = 48.

id=11159 | topic=Percentages | difficulty=Easy | question=What is 50% of 1007? | option_a=483 | option_b=1006 | option_c=508 | option_d=503 | answer=D | explanation=50% of 1007 = (50/100) × 1007 = 503.

id=11160 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:8 and the first is 68, what is the second? | option_a=128 | option_b=136 | option_c=140 | option_d=204 | answer=B | explanation=Scale factor = 68/4 = 17. Therefore second quantity = 8×17 = 136.

Aptitude Questions — Records 11,161-11,190 of 100,000

id=11161 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:16 and the first is 57, what is the second? | option_a=105 | option_b=48 | option_c=32 | option_d=67 | answer=B | explanation=Scale factor = 57/19 = 3. Therefore second quantity = 16×3 = 48.

id=11162 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:1 and the first is 36, what is the second? | option_a=13 | option_b=8 | option_c=45 | option_d=9 | answer=D | explanation=Scale factor = 36/4 = 9. Therefore second quantity = 1×9 = 9.

id=11163 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=43 | option_c=48 | option_d=96 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=11164 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 18? | option_a=18 | option_b=9 | option_c=11 | option_d=13 | answer=A | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 18 is the odd one out.

id=11165 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=42 | option_b=32 | option_c=43 | option_d=52 | answer=A | explanation=The common difference is 10. Therefore the next term is 32 + 10 = 42.

id=11166 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=11167 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=I | option_c=R | option_d=O | answer=D | explanation=Move 3 positions forward from L; the resulting letter is O.

id=11168 | topic=Averages | difficulty=Easy | question=Find the average of 42, 72, 30, 90, 69, 80, 23. | option_a=57 | option_b=60 | option_c=58 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 406 ÷ 7 = 58.

id=11169 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=O | option_c=S | option_d=G | answer=B | explanation=Move 4 positions forward from K; the resulting letter is O.

id=11170 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=11171 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=6 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=11172 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■18854 at 5% per annum for 3 years. | option_a=2928 | option_b=2828 | option_c=2728 | option_d=21682 | answer=B | explanation=SI = PRT/100 = 18854×5×3/100 = ■2828.

id=11173 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:11 and the first is 187, what is the second? | option_a=110 | option_b=121 | option_c=138 | option_d=308 | answer=B | explanation=Scale factor = 187/17 = 11. Therefore second quantity = 11×11 = 121.

id=11174 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=G | option_c=S | option_d=O | answer=D | explanation=Move 4 positions forward from K; the resulting letter is O.

id=11175 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 13, 17, 23? | option_a=9 | option_b=23 | option_c=13 | option_d=17 | answer=B | explanation=The first three numbers increase by 4, so the next should be 21. Therefore 23 is the odd one out.

id=11176 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=11177 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■35964 at 6% per annum for 5 years. | option_a=10889 | option_b=10789 | option_c=10689 | option_d=46753 | answer=B | explanation=SI = PRT/100 = 35964×6×5/100 = ■10789.

id=11178 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:4 and the first is 44, what is the second? | option_a=27 | option_b=16 | option_c=12 | option_d=60 | answer=B | explanation=Scale factor = 44/11 = 4. Therefore second quantity = 4×4 = 16.

id=11179 | topic=Percentages | difficulty=Easy | question=What is 30% of 1740? | option_a=532 | option_b=522 | option_c=1044 | option_d=517 | answer=B | explanation=30% of 1740 = (30/100) × 1740 = 522.

id=11180 | topic=Averages | difficulty=Easy | question=Find the average of 31, 31, 63, 29, 91. | option_a=49 | option_b=48 | option_c=51 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 245 ÷ 5 = 49.

id=11181 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 36? | option_a=24 | option_b=19 | option_c=36 | option_d=29 | answer=C | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 36 is the odd one out.

id=11182 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■3177 at 12% per annum for 3 years. | option_a=1043 | option_b=1143 | option_c=4320 | option_d=1243 | answer=B | explanation=SI = PRT/100 = 3177×12×3/100 = ■1143.

id=11183 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=11184 | topic=Averages | difficulty=Easy | question=Find the average of 67, 60, 87, 23, 40, 61, 49, 93. | option_a=59 | option_b=61 | option_c=60 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 480 ÷ 8 = 60.

id=11185 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=47 | option_b=54 | option_c=40 | option_d=48 | answer=A | explanation=The common difference is 7. Therefore the next term is 40 + 7 = 47.

id=11186 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■7622 at 12% per annum for 2 years. | option_a=1829 | option_b=9451 | option_c=1729 | option_d=1929 | answer=A | explanation=SI = PRT/100 = 7622×12×2/100 = ■1829.

id=11187 | topic=Averages | difficulty=Easy | question=Find the average of 42, 23, 43, 41, 14, 22, 91, 84. | option_a=47 | option_b=46 | option_c=45 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = 360 ÷ 8 = 45.

id=11188 | topic=Averages | difficulty=Easy | question=Find the average of 51, 23, 55, 40, 21. | option_a=40 | option_b=39 | option_c=37 | option_d=38 | answer=D | explanation=Average = sum of values ÷ number of values = 190 ÷ 5 = 38.

id=11189 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=H | option_c=G | option_d=I | answer=D | explanation=Move 1 positions forward from H; the resulting letter is I.

id=11190 | topic=Averages | difficulty=Easy | question=Find the average of 14, 14, 31, 53. | option_a=30 | option_b=27 | option_c=29 | option_d=28 | answer=D | explanation=Average = sum of values ÷ number of values = 112 ÷ 4 = 28.

Aptitude Questions — Records 11,191-11,220 of 100,000

id=11191 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=144 | option_c=77 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=11192 | topic=Averages | difficulty=Easy | question=Find the average of 82, 51, 18, 92, 74, 45, 62, 88. | option_a=63 | option_b=66 | option_c=65 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 512 ÷ 8 = 64.

id=11193 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 39? | option_a=20 | option_b=39 | option_c=29 | option_d=11 | answer=B | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 39 is the odd one out.

id=11194 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=33 | option_b=42 | option_c=43 | option_d=51 | answer=B | explanation=The common difference is 9. Therefore the next term is 33 + 9 = 42.

id=11195 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=56 | option_b=46 | option_c=55 | option_d=64 | answer=C | explanation=The common difference is 9. Therefore the next term is 46 + 9 = 55.

id=11196 | topic=Averages | difficulty=Easy | question=Find the average of 64, 56, 54. | option_a=57 | option_b=58 | option_c=59 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 174 ÷ 3 = 58.

id=11197 | topic=Averages | difficulty=Easy | question=Find the average of 53, 26, 100, 27, 10, 99, 29, 32. | option_a=47 | option_b=48 | option_c=46 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 376 ÷ 8 = 47.

id=11198 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4113. If it is sold at a profit of 50%, what is its selling price? | option_a=6580 | option_b=5758 | option_c=4163 | option_d=6169 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4113 × 150/100 = █6169.

id=11199 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35990 at 4% per annum for 5 years. | option_a=7198 | option_b=7298 | option_c=43188 | option_d=7098 | answer=A | explanation=SI = PRT/100 = 35990×4×5/100 = █7198.

id=11200 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3809. If it is sold at a profit of 15%, what is its selling price? | option_a=4760 | option_b=4380 | option_c=3824 | option_d=4000 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3809 × 115/100 = █4380.

id=11201 | topic=Averages | difficulty=Easy | question=Find the average of 21, 82, 75, 86. | option_a=67 | option_b=66 | option_c=65 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = 264 ÷ 4 = 66.

id=11202 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=95 | option_c=90 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=11203 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=S | option_b=J | option_c=M | option_d=P | answer=D | explanation=Move 3 positions forward from M; the resulting letter is P.

id=11204 | topic=Percentages | difficulty=Easy | question=What is 25% of 1344? | option_a=672 | option_b=326 | option_c=336 | option_d=346 | answer=C | explanation=25% of 1344 = (25/100) × 1344 = 336.

id=11205 | topic=Percentages | difficulty=Easy | question=What is 50% of 1096? | option_a=568 | option_b=1096 | option_c=538 | option_d=548 | answer=D | explanation=50% of 1096 = (50/100) × 1096 = 548.

id=11206 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=90 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=11207 | topic=Percentages | difficulty=Easy | question=What is 30% of 1617? | option_a=505 | option_b=480 | option_c=485 | option_d=970 | answer=C | explanation=30% of 1617 = (30/100) × 1617 = 485.

id=11208 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=31 | option_b=35 | option_c=36 | option_d=39 | answer=B | explanation=The common difference is 4. Therefore the next term is 31 + 4 = 35.

id=11209 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=30 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=11210 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1159. If it is sold at a profit of 20%, what is its selling price? | option_a=1390 | option_b=1505 | option_c=1179 | option_d=1275 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1159 × 120/100 = █1390.

id=11211 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 43? | option_a=36 | option_b=24 | option_c=30 | option_d=43 | answer=D | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 43 is the odd one out.

id=11212 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4389. If it is sold at a profit of 25%, what is its selling price? | option_a=5486 | option_b=4414 | option_c=5924 | option_d=5048 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4389 × 125/100 = █5486.

id=11213 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3896 at 6% per annum for 2 years. | option_a=467 | option_b=4363 | option_c=567 | option_d=367 | answer=A | explanation=SI = PRT/100 = 3896×6×2/100 = █467.

id=11214 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=W | option_c=A | option_d=O | answer=B | explanation=Move 4 positions forward from S; the resulting letter is W.

id=11215 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2084. If it is sold at a profit of 15%, what is its selling price? | option_a=2604 | option_b=2188 | option_c=2099 | option_d=2396 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2084 × 115/100 = █2396.

id=11216 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 44? | option_a=37 | option_b=44 | option_c=33 | option_d=29 | answer=B | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 44 is the odd one out.

id=11217 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 8. | option_a=40 | option_b=50 | option_c=80 | option_d=32 | answer=A | explanation=LCM × HCF = 10×8; HCF(10,8) = 2, so LCM = 40.

id=11218 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40853 at 4% per annum for 2 years. | option_a=3168 | option_b=44121 | option_c=3268 | option_d=3368 | answer=C | explanation=SI = PRT/100 = 40853×4×2/100 = █3268.

id=11219 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=9 | option_b=18 | option_c=14 | option_d=4 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=11220 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=Q | option_b=O | option_c=S | option_d=M | answer=A | explanation=Move 2 positions forward from O; the resulting letter is Q.

Aptitude Questions — Records 11,221-11,250 of 100,000

id=11221 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■497. If it is sold at a profit of 50%, what is its selling price? | option_a=745 | option_b=696 | option_c=547 | option_d=794 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 497 × 150/100 = ■745.

id=11222 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=N | option_c=R | option_d=Z | answer=A | explanation=Move 4 positions forward from R; the resulting letter is V.

id=11223 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=B | option_c=X | option_d=P | answer=C | explanation=Move 4 positions forward from T; the resulting letter is X.

id=11224 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=11225 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:19 and the first is 126, what is the second? | option_a=297 | option_b=171 | option_c=185 | option_d=152 | answer=B | explanation=Scale factor = 126/14 = 9. Therefore second quantity = 19×9 = 171.

id=11226 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■9628 at 5% per annum for 5 years. | option_a=2307 | option_b=2407 | option_c=12035 | option_d=2507 | answer=B | explanation=SI = PRT/100 = 9628×5×5/100 = ■2407.

id=11227 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1709. If it is sold at a profit of 5%, what is its selling price? | option_a=1794 | option_b=1714 | option_c=1624 | option_d=1964 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1709 × 105/100 = ■1794.

id=11228 | topic=Averages | difficulty=Easy | question=Find the average of 26, 13, 48, 48, 80. | option_a=44 | option_b=45 | option_c=43 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = 215 ÷ 5 = 43.

id=11229 | topic=Percentages | difficulty=Easy | question=What is 25% of 609? | option_a=152 | option_b=304 | option_c=157 | option_d=142 | answer=A | explanation=25% of 609 = (25/100) × 609 = 152.

id=11230 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■12089 at 8% per annum for 5 years. | option_a=16924 | option_b=4835 | option_c=4735 | option_d=4935 | answer=B | explanation=SI = PRT/100 = 12089×8×5/100 = ■4835.

id=11231 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■19090 at 15% per annum for 2 years. | option_a=5727 | option_b=5627 | option_c=24817 | option_d=5827 | answer=A | explanation=SI = PRT/100 = 19090×15×2/100 = ■5727.

id=11232 | topic=Percentages | difficulty=Easy | question=What is 50% of 593? | option_a=592 | option_b=316 | option_c=296 | option_d=286 | answer=C | explanation=50% of 593 = (50/100) × 593 = 296.

id=11233 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=11234 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=61 | option_b=51 | option_c=52 | option_d=41 | answer=B | explanation=The common difference is 10. Therefore the next term is 41 + 10 = 51.

id=11235 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=11236 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2048. If it is sold at a profit of 5%, what is its selling price? | option_a=2053 | option_b=2354 | option_c=1946 | option_d=2150 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2048 × 105/100 = ■2150.

id=11237 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■534. If it is sold at a profit of 40%, what is its selling price? | option_a=694 | option_b=574 | option_c=747 | option_d=800 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 534 × 140/100 = ■747.

id=11238 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=38 | option_b=29 | option_c=37 | option_d=45 | answer=C | explanation=The common difference is 8. Therefore the next term is 29 + 8 = 37.

id=11239 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=L | option_b=F | option_c=I | option_d=O | answer=A | explanation=Move 3 positions forward from I; the resulting letter is L.

id=11240 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=44 | option_b=52 | option_c=36 | option_d=45 | answer=A | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.

id=11241 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=11242 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 21. | option_a=189 | option_b=216 | option_c=567 | option_d=168 | answer=A | explanation=LCM × HCF = 27×21; HCF(27,21) = 3, so LCM = 189.

id=11243 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4660. If it is sold at a profit of 25%, what is its selling price? | option_a=4685 | option_b=6291 | option_c=5825 | option_d=5359 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4660 × 125/100 = ■5825.

id=11244 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=11245 | topic=Percentages | difficulty=Easy | question=What is 40% of 803? | option_a=642 | option_b=331 | option_c=321 | option_d=311 | answer=C | explanation=40% of 803 = (40/100) × 803 = 321.

id=11246 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 22, 28, 36? | option_a=22 | option_b=28 | option_c=16 | option_d=36 | answer=D | explanation=The first three numbers increase by 6, so the next should be 34. Therefore 36 is the odd one out.

id=11247 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■10216 at 5% per annum for 5 years. | option_a=12770 | option_b=2654 | option_c=2554 | option_d=2454 | answer=C | explanation=SI = PRT/100 = 10216×5×5/100 = ■2554.

id=11248 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=W | option_c=M | option_d=B | answer=B | explanation=Move 5 positions forward from R; the resulting letter is W.

id=11249 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3213. If it is sold at a profit of 30%, what is its selling price? | option_a=4497 | option_b=3243 | option_c=4176 | option_d=3855 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3213 × 130/100 = ■4176.

id=11250 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:2 and the first is 360, what is the second? | option_a=34 | option_b=36 | option_c=56 | option_d=396 | answer=B | explanation=Scale factor = 360/20 = 18. Therefore second quantity = 2×18 = 36.

Aptitude Questions — Records 11,251-11,280 of 100,000

id=11251 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=95 | option_c=180 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=11252 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 31, 39, 50? | option_a=23 | option_b=39 | option_c=31 | option_d=50 | answer=D | explanation=The first three numbers increase by 8, so the next should be 47. Therefore 50 is the odd one out.

id=11253 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25699 at 15% per annum for 4 years. | option_a=15319 | option_b=41118 | option_c=15419 | option_d=15519 | answer=C | explanation=SI = $PRT/100$ = $25699 \times 15 \times 4 / 100$ = **■**15419.

id=11254 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=35 | option_b=46 | option_c=47 | option_d=57 | answer=B | explanation=The common difference is 11. Therefore the next term is 35 + 11 = 46.

id=11255 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 30. | option_a=30 | option_b=40 | option_c=1 | option_d=300 | answer=A | explanation= $LCM \times HCF = 10 \times 30$; $HCF(10, 30) = 10$, so $LCM = 30$.

id=11256 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34043 at 15% per annum for 1 years. | option_a=39149 | option_b=5106 | option_c=5206 | option_d=5006 | answer=B | explanation=SI = $PRT/100$ = $34043 \times 15 \times 1 / 100$ = **■**5106.

id=11257 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=100 | option_c=200 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = $300 \div 3 = 100$ km/h.

id=11258 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 20. | option_a=66 | option_b=60 | option_c=120 | option_d=40 | answer=B | explanation= $LCM \times HCF = 6 \times 20$; $HCF(6, 20) = 2$, so $LCM = 60$.

id=11259 | topic=Percentages | difficulty=Easy | question=What is 15% of 608? | option_a=86 | option_b=96 | option_c=91 | option_d=182 | answer=C | explanation=15% of 608 = $(15/100) \times 608 = 91$.

id=11260 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28148 at 15% per annum for 2 years. | option_a=8444 | option_b=8344 | option_c=8544 | option_d=36592 | answer=A | explanation=SI = $PRT/100$ = $28148 \times 15 \times 2 / 100$ = **■**8444.

id=11261 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38461 at 10% per annum for 3 years. | option_a=11538 | option_b=11638 | option_c=11438 | option_d=49999 | answer=A | explanation=SI = $PRT/100$ = $38461 \times 10 \times 3 / 100$ = **■**11538.

id=11262 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 34, 41, 50? | option_a=34 | option_b=27 | option_c=50 | option_d=41 | answer=C | explanation=The first three numbers increase by 7, so the next should be 48. Therefore 50 is the odd one out.

id=11263 | topic=Percentages | difficulty=Easy | question=What is 25% of 1398? | option_a=339 | option_b=349 | option_c=359 | option_d=698 | answer=B | explanation=25% of 1398 = $(25/100) \times 1398 = 349$.

id=11264 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=62 | option_b=52 | option_c=40 | option_d=51 | answer=D | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=11265 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=18 | option_b=19 | option_c=20 | option_d=16 | answer=A | explanation=The common difference is 2. Therefore the next term is 16 + 2 = 18.

id=11266 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=11267 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 49? | option_a=40 | option_b=28 | option_c=49 | option_d=34 | answer=C | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 49 is the odd one out.

id=11268 | topic=Percentages | difficulty=Easy | question=What is 15% of 186? | option_a=54 | option_b=17 | option_c=27 | option_d=47 | answer=C | explanation=15% of 186 = $(15/100) \times 186 = 27$.

id=11269 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $240 \div 8 = 30$ km/h.

id=11270 | topic=Percentages | difficulty=Easy | question=What is 40% of 810? | option_a=304 | option_b=344 | option_c=648 | option_d=324 | answer=D | explanation=40% of 810 = $(40/100) \times 810 = 324$.

id=11271 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3115 at 10% per annum for 1 years. | option_a=3426 | option_b=211 | option_c=311 | option_d=411 | answer=C | explanation=SI = $PRT/100$ = $3115 \times 10 \times 1 / 100$ = **■**311.

id=11272 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=C | option_b=F | option_c=E | option_d=D | answer=C | explanation=Move 1 positions forward from D; the resulting letter is E.

id=11273 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = $60 \div 4 = 15$ km/h.

id=11274 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=C | option_b=L | option_c=F | option_d=I | answer=D | explanation=Move 3 positions forward from F; the resulting letter is I.

id=11275 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=Z | option_c=A | option_d=B | answer=D | explanation=Move 1 positions forward from A; the resulting letter is B.

id=11276 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=29 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = $120 \div 5 = 24$ km/h.

id=11277 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 30, 34, 40? | option_a=30 | option_b=26 | option_c=34 | option_d=40 | answer=D | explanation=The first three numbers increase by 4, so the next should be 38. Therefore 40 is the odd one out.

id=11278 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1158. If it is sold at a profit of 30%, what is its selling price? | option_a=1505 | option_b=1390 | option_c=1188 | option_d=1620 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1158 \times 130 / 100 =$ **■**1505.

id=11279 | topic=Averages | difficulty=Easy | question=Find the average of 95, 24, 94, 80, 75, 92, 88, 44. | option_a=74 | option_b=75 | option_c=76 | option_d=73 | answer=A | explanation=Average = sum of values ÷ number of values = $592 \div 8 = 74$.

id=11280 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 28. | option_a=28 | option_b=42 | option_c=392 | option_d=1 | answer=A | explanation= $LCM \times HCF = 14 \times 28$; $HCF(14, 28) = 14$, so $LCM = 28$.

Aptitude Questions — Records 11,281-11,310 of 100,000

id=11281 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=49 | option_b=60 | option_c=61 | option_d=71 | answer=B | explanation=The common difference is 11. Therefore the next term is 49 + 11 = 60.

id=11282 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹3419. If it is sold at a profit of 10%, what is its selling price? | option_a=3760 | option_b=4101 | option_c=3419 | option_d=3429 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3419 × 110/100 = ₹3760.

id=11283 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=11284 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=11285 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:17 and the first is 132, what is the second? | option_a=319 | option_b=199 | option_c=187 | option_d=170 | answer=C | explanation=Scale factor = 132/12 = 11. Therefore second quantity = 17×11 = 187.

id=11286 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=11287 | topic=Percentages | difficulty=Easy | question=What is 25% of 1743? | option_a=445 | option_b=435 | option_c=430 | option_d=870 | answer=B | explanation=25% of 1743 = (25/100) × 1743 = 435.

id=11288 | topic=Averages | difficulty=Easy | question=Find the average of 43, 32, 24, 97. | option_a=51 | option_b=49 | option_c=50 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 196 ÷ 4 = 49.

id=11289 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=C | option_b=H | option_c=R | option_d=M | answer=D | explanation=Move 5 positions forward from H; the resulting letter is M.

id=11290 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 12. | option_a=12 | option_b=36 | option_c=15 | option_d=1 | answer=A | explanation=LCM × HCF = 3×12; HCF(3,12) = 3, so LCM = 12.

id=11291 | topic=Percentages | difficulty=Easy | question=What is 40% of 396? | option_a=153 | option_b=158 | option_c=316 | option_d=168 | answer=B | explanation=40% of 396 = (40/100) × 396 = 158.

id=11292 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹1390 at 15% per annum for 3 years. | option_a=525 | option_b=2015 | option_c=625 | option_d=725 | answer=C | explanation=SI = PRT/100 = 1390×15×3/100 = ₹625.

id=11293 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=62 | option_b=50 | option_c=51 | option_d=38 | answer=B | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=11294 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=11295 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=70 | option_c=75 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=11296 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 30, 32, 35? | option_a=32 | option_b=35 | option_c=30 | option_d=28 | answer=B | explanation=The first three numbers increase by 2, so the next should be 34. Therefore 35 is the odd one out.

id=11297 | topic=Percentages | difficulty=Easy | question=What is 15% of 705? | option_a=100 | option_b=210 | option_c=105 | option_d=125 | answer=C | explanation=15% of 705 = (15/100) × 705 = 105.

id=11298 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:13 and the first is 68, what is the second? | option_a=225 | option_b=208 | option_c=289 | option_d=221 | answer=D | explanation=Scale factor = 68/4 = 17. Therefore second quantity = 13×17 = 221.

id=11299 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:6 and the first is 57, what is the second? | option_a=37 | option_b=18 | option_c=12 | option_d=75 | answer=B | explanation=Scale factor = 57/19 = 3. Therefore second quantity = 6×3 = 18.

id=11300 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:4 and the first is 2, what is the second? | option_a=4 | option_b=8 | option_c=9 | option_d=10 | answer=B | explanation=Scale factor = 2/1 = 2. Therefore second quantity = 4×2 = 8.

id=11301 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=25 | option_c=40 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=11302 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 10, 12, 14, ? | option_a=18 | option_b=16 | option_c=14 | option_d=17 | answer=B | explanation=The common difference is 2. Therefore the next term is 14 + 2 = 16.

id=11303 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 15, 20, 28? | option_a=20 | option_b=28 | option_c=15 | option_d=10 | answer=B | explanation=The first three numbers increase by 5, so the next should be 25. Therefore 28 is the odd one out.

id=11304 | topic=Averages | difficulty=Easy | question=Find the average of 34, 85, 44, 21, 97, 93, 25, 81. | option_a=59 | option_b=61 | option_c=60 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 480 ÷ 8 = 60.

id=11305 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:20 and the first is 48, what is the second? | option_a=140 | option_b=208 | option_c=160 | option_d=166 | answer=C | explanation=Scale factor = 48/6 = 8. Therefore second quantity = 20×8 = 160.

id=11306 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=11307 | topic=Averages | difficulty=Easy | question=Find the average of 24, 56, 85, 59. | option_a=56 | option_b=57 | option_c=58 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 224 ÷ 4 = 56.

id=11308 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:3 and the first is 320, what is the second? | option_a=368 | option_b=68 | option_c=45 | option_d=48 | answer=D | explanation=Scale factor = 320/20 = 16. Therefore second quantity = 3×16 = 48.

id=11309 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=72 | option_c=144 | option_d=77 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=11310 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 11,311-11,340 of 100,000

- id=11311 | topic=Percentages | difficulty=Easy | question=What is 15% of 1550? | option_a=464 | option_b=222 | option_c=242 | option_d=232 | answer=D | explanation=15% of 1550 = $(15/100) \times 1550 = 232$.
- id=11312 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21903 at 15% per annum for 2 years. | option_a=6470 | option_b=28473 | option_c=6670 | option_d=6570 | answer=D | explanation= $SI = PRT/100 = 21903 \times 15 \times 2/100 = \text{■}6570$.
- id=11313 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33333 at 8% per annum for 4 years. | option_a=10566 | option_b=43999 | option_c=10666 | option_d=10766 | answer=C | explanation= $SI = PRT/100 = 33333 \times 8 \times 4/100 = \text{■}10666$.
- id=11314 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=L | option_b=V | option_c=Q | option_d=A | answer=B | explanation=Move 5 positions forward from Q; the resulting letter is V.
- id=11315 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 35, 44, 56? | option_a=56 | option_b=35 | option_c=44 | option_d=26 | answer=A | explanation=The first three numbers increase by 9, so the next should be 53. Therefore 56 is the odd one out.
- id=11316 | topic=Percentages | difficulty=Easy | question=What is 15% of 147? | option_a=2 | option_b=44 | option_c=22 | option_d=27 | answer=C | explanation=15% of 147 = $(15/100) \times 147 = 22$.
- id=11317 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:8 and the first is 255, what is the second? | option_a=112 | option_b=137 | option_c=120 | option_d=375 | answer=C | explanation=Scale factor = $255/17 = 15$. Therefore second quantity = $8 \times 15 = 120$.
- id=11318 | topic=Averages | difficulty=Easy | question=Find the average of 72, 24, 80, 36, 28, 37, 85, 52, 36. | option_a=51 | option_b=49 | option_c=52 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = $450 \div 9 = 50$.
- id=11319 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=80 | option_c=40 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = $240 \div 6 = 40$ km/h.
- id=11320 | topic=Averages | difficulty=Easy | question=Find the average of 23, 53, 86, 100, 94, 100. | option_a=75 | option_b=77 | option_c=78 | option_d=76 | answer=D | explanation=Average = sum of values ÷ number of values = $456 \div 6 = 76$.
- id=11321 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4559. If it is sold at a profit of 30%, what is its selling price? | option_a=4589 | option_b=6381 | option_c=5471 | option_d=5926 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4559 \times 130/100 = \text{■}5926$.
- id=11322 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=34 | option_b=33 | option_c=29 | option_d=37 | answer=B | explanation=The common difference is 4. Therefore the next term is $29 + 4 = 33$.
- id=11323 | topic=Percentages | difficulty=Easy | question=What is 50% of 1551? | option_a=770 | option_b=795 | option_c=775 | option_d=1550 | answer=C | explanation=50% of 1551 = $(50/100) \times 1551 = 775$.
- id=11324 | topic=Percentages | difficulty=Easy | question=What is 5% of 135? | option_a=11 | option_b=0 | option_c=12 | option_d=6 | answer=D | explanation=5% of 135 = $(5/100) \times 135 = 6$.
- id=11325 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3060 at 5% per annum for 4 years. | option_a=3672 | option_b=712 | option_c=512 | option_d=612 | answer=D | explanation= $SI = PRT/100 = 3060 \times 5 \times 4/100 = \text{■}612$.
- id=11326 | topic=Percentages | difficulty=Easy | question=What is 15% of 441? | option_a=76 | option_b=56 | option_c=66 | option_d=132 | answer=C | explanation=15% of 441 = $(15/100) \times 441 = 66$.
- id=11327 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.
- id=11328 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=62 | option_b=38 | option_c=51 | option_d=50 | answer=D | explanation=The common difference is 12. Therefore the next term is $38 + 12 = 50$.
- id=11329 | topic=Averages | difficulty=Easy | question=Find the average of 83, 40, 66, 87. | option_a=71 | option_b=68 | option_c=70 | option_d=69 | answer=D | explanation=Average = sum of values ÷ number of values = $276 \div 4 = 69$.
- id=11330 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 30. | option_a=600 | option_b=80 | option_c=30 | option_d=60 | answer=D | explanation= $LCM \times HCF = 20 \times 30$; $HCF(20, 30) = 10$, so $LCM = 60$.
- id=11331 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=32 | option_b=27 | option_c=28 | option_d=22 | answer=B | explanation=The common difference is 5. Therefore the next term is $22 + 5 = 27$.
- id=11332 | topic=Percentages | difficulty=Easy | question=What is 40% of 412? | option_a=328 | option_b=144 | option_c=169 | option_d=164 | answer=D | explanation=40% of 412 = $(40/100) \times 412 = 164$.
- id=11333 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 31, 33, 37? | option_a=29 | option_b=33 | option_c=37 | option_d=31 | answer=C | explanation=The first three numbers increase by 2, so the next should be 35. Therefore 37 is the odd one out.
- id=11334 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:8 and the first is 18, what is the second? | option_a=25 | option_b=8 | option_c=34 | option_d=16 | answer=D | explanation=Scale factor = $18/9 = 2$. Therefore second quantity = $8 \times 2 = 16$.
- id=11335 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=V | option_c=J | option_d=R | answer=D | explanation=Move 4 positions forward from N; the resulting letter is R.
- id=11336 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45957 at 4% per annum for 1 years. | option_a=1738 | option_b=1838 | option_c=1938 | option_d=47795 | answer=B | explanation= $SI = PRT/100 = 45957 \times 4 \times 1/100 = \text{■}1838$.
- id=11337 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=30 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = $120 \div 8 = 15$ km/h.
- id=11338 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=O | option_c=C | option_d=G | answer=A | explanation=Move 4 positions forward from G; the resulting letter is K.
- id=11339 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=21 | option_b=17 | option_c=22 | option_d=25 | answer=A | explanation=The common difference is 4. Therefore the next term is $17 + 4 = 21$.
- id=11340 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21009 at 10% per annum for 1 years. | option_a=2100 | option_b=2200 | option_c=23109 | option_d=2000 | answer=A | explanation= $SI = PRT/100 = 21009 \times 10 \times 1/100 = \text{■}2100$.

Aptitude Questions — Records 11,341-11,370 of 100,000

id=11341 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=26 | option_b=27 | option_c=29 | option_d=23 | answer=A | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.

id=11342 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=U | option_b=O | option_c=X | option_d=R | answer=A | explanation=Move 3 positions forward from R; the resulting letter is U.

id=11343 | topic=Averages | difficulty=Easy | question=Find the average of 93, 11, 20, 64, 25, 33. | option_a=42 | option_b=41 | option_c=40 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = 246 ÷ 6 = 41.

id=11344 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:13 and the first is 36, what is the second? | option_a=65 | option_b=84 | option_c=114 | option_d=78 | answer=D | explanation=Scale factor = 36/6 = 6. Therefore second quantity = 13×6 = 78.

id=11345 | topic=Percentages | difficulty=Easy | question=What is 10% of 969? | option_a=192 | option_b=76 | option_c=96 | option_d=106 | answer=C | explanation=10% of 969 = (10/100) × 969 = 96.

id=11346 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4085. If it is sold at a profit of 10%, what is its selling price? | option_a=4095 | option_b=4085 | option_c=4901 | option_d=4493 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4085 × 110/100 = █4493.

id=11347 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 8. | option_a=16 | option_b=36 | option_c=96 | option_d=24 | answer=D | explanation=LCM × HCF = 12×8; HCF(12,8) = 4, so LCM = 24.

id=11348 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 12. | option_a=36 | option_b=12 | option_c=15 | option_d=1 | answer=B | explanation=LCM × HCF = 3×12; HCF(3,12) = 3, so LCM = 12.

id=11349 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2355. If it is sold at a profit of 20%, what is its selling price? | option_a=2591 | option_b=3061 | option_c=2375 | option_d=2826 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2355 × 120/100 = █2826.

id=11350 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 18, 24, 30, ? | option_a=30 | option_b=42 | option_c=37 | option_d=36 | answer=D | explanation=The common difference is 6. Therefore the next term is 30 + 6 = 36.

id=11351 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40231 at 8% per annum for 5 years. | option_a=16092 | option_b=15992 | option_c=16192 | option_d=56323 | answer=A | explanation=SI = PRT/100 = 40231×8×5/100 = █16092.

id=11352 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:14 and the first is 45, what is the second? | option_a=171 | option_b=126 | option_c=112 | option_d=131 | answer=B | explanation=Scale factor = 45/5 = 9. Therefore second quantity = 14×9 = 126.

id=11353 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1757. If it is sold at a profit of 15%, what is its selling price? | option_a=1772 | option_b=2020 | option_c=2195 | option_d=1845 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1757 × 115/100 = █2020.

id=11354 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1519. If it is sold at a profit of 50%, what is its selling price? | option_a=1569 | option_b=2429 | option_c=2278 | option_d=2127 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1519 × 150/100 = █2278.

id=11355 | topic=Percentages | difficulty=Easy | question=What is 25% of 1503? | option_a=385 | option_b=375 | option_c=370 | option_d=750 | answer=B | explanation=25% of 1503 = (25/100) × 1503 = 375.

id=11356 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 25, 34, 43, ? | option_a=53 | option_b=52 | option_c=43 | option_d=61 | answer=B | explanation=The common difference is 9. Therefore the next term is 43 + 9 = 52.

id=11357 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=11358 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=Q | option_c=O | option_d=S | answer=D | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=11359 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4902 at 8% per annum for 3 years. | option_a=1076 | option_b=1276 | option_c=1176 | option_d=6078 | answer=C | explanation=SI = PRT/100 = 4902×8×3/100 = █1176.

id=11360 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=P | option_b=S | option_c=M | option_d=J | answer=A | explanation=Move 3 positions forward from M; the resulting letter is P.

id=11361 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2705. If it is sold at a profit of 20%, what is its selling price? | option_a=2976 | option_b=3516 | option_c=2725 | option_d=3246 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2705 × 120/100 = █3246.

id=11362 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=11363 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1294. If it is sold at a profit of 10%, what is its selling price? | option_a=1294 | option_b=1423 | option_c=1304 | option_d=1552 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1294 × 110/100 = █1423.

id=11364 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=120 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=11365 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=36 | option_d=13 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=11366 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=11367 | topic=Percentages | difficulty=Easy | question=What is 10% of 1767? | option_a=352 | option_b=176 | option_c=186 | option_d=166 | answer=B | explanation=10% of 1767 = (10/100) × 1767 = 176.

id=11368 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=11369 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37653 at 5% per annum for 2 years. | option_a=3865 | option_b=41418 | option_c=3765 | option_d=3665 | answer=C | explanation=SI = PRT/100 = 37653×5×2/100 = █3765.

id=11370 | topic=Percentages | difficulty=Easy | question=What is 40% of 1320? | option_a=548 | option_b=508 | option_c=528 | option_d=1056 | answer=C | explanation=40% of 1320 = (40/100) × 1320 = 528.

Aptitude Questions — Records 11,371-11,400 of 100,000

id=11371 | topic=Averages | difficulty=Easy | question=Find the average of 39, 45, 32, 29, 25, 38, 92, 36. | option_a=42 | option_b=43 | option_c=41 | option_d=44 | answer=A | explanation=Average = sum of values ÷ number of values = 336 ÷ 8 = 42.

id=11372 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 22, 27, 32, ? | option_a=37 | option_b=32 | option_c=38 | option_d=42 | answer=A | explanation=The common difference is 5. Therefore the next term is 32 + 5 = 37.

id=11373 | topic=Percentages | difficulty=Easy | question=What is 15% of 1300? | option_a=195 | option_b=185 | option_c=215 | option_d=390 | answer=A | explanation=15% of 1300 = (15/100) × 1300 = 195.

id=11374 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=62 | option_b=51 | option_c=63 | option_d=73 | answer=A | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.

id=11375 | topic=Averages | difficulty=Easy | question=Find the average of 75, 15, 22, 86, 42. | option_a=50 | option_b=49 | option_c=47 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = 240 ÷ 5 = 48.

id=11376 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=13 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=11377 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4108. If it is sold at a profit of 10%, what is its selling price? | option_a=4518 | option_b=4118 | option_c=4928 | option_d=4108 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4108 × 110/100 = **₹**4518.

id=11378 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=21 | option_b=22 | option_c=20 | option_d=18 | answer=C | explanation=The common difference is 2. Therefore the next term is 18 + 2 = 20.

id=11379 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**16651 at 8% per annum for 1 years. | option_a=1232 | option_b=1332 | option_c=1432 | option_d=17983 | answer=B | explanation=SI = PRT/100 = 16651×8×1/100 = **₹**1332.

id=11380 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:14 and the first is 195, what is the second? | option_a=405 | option_b=223 | option_c=196 | option_d=210 | answer=D | explanation=Scale factor = 195/13 = 15. Therefore second quantity = 14×15 = 210.

id=11381 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=D | option_b=H | option_c=F | option_d=J | answer=B | explanation=Move 2 positions forward from F; the resulting letter is H.

id=11382 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**20673 at 8% per annum for 1 years. | option_a=1553 | option_b=22326 | option_c=1653 | option_d=1753 | answer=C | explanation=SI = PRT/100 = 20673×8×1/100 = **₹**1653.

id=11383 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**1248 at 8% per annum for 3 years. | option_a=399 | option_b=1547 | option_c=199 | option_d=299 | answer=D | explanation=SI = PRT/100 = 1248×8×3/100 = **₹**299.

id=11384 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=41 | option_b=31 | option_c=49 | option_d=40 | answer=D | explanation=The common difference is 9. Therefore the next term is 31 + 9 = 40.

id=11385 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 16, 23, 30, ? | option_a=44 | option_b=37 | option_c=38 | option_d=30 | answer=B | explanation=The common difference is 7. Therefore the next term is 30 + 7 = 37.

id=11386 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=Y | option_c=E | option_d=C | answer=D | explanation=Move 2 positions forward from A; the resulting letter is C.

id=11387 | topic=Percentages | difficulty=Easy | question=What is 10% of 1849? | option_a=368 | option_b=174 | option_c=194 | option_d=184 | answer=D | explanation=10% of 1849 = (10/100) × 1849 = 184.

id=11388 | topic=Averages | difficulty=Easy | question=Find the average of 39, 86, 98, 84, 68, 15. | option_a=66 | option_b=65 | option_c=67 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 390 ÷ 6 = 65.

id=11389 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=11390 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=11391 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 37, 46, 57? | option_a=57 | option_b=37 | option_c=46 | option_d=28 | answer=A | explanation=The first three numbers increase by 9, so the next should be 55. Therefore 57 is the odd one out.

id=11392 | topic=Averages | difficulty=Easy | question=Find the average of 86, 96, 73, 100, 85, 72, 53, 27, 53, 55. | option_a=69 | option_b=72 | option_c=70 | option_d=71 | answer=C | explanation=Average = sum of values ÷ number of values = 700 ÷ 10 = 70.

id=11393 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1075. If it is sold at a profit of 40%, what is its selling price? | option_a=1505 | option_b=1612 | option_c=1115 | option_d=1398 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1075 × 140/100 = **₹**1505.

id=11394 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=31 | option_b=39 | option_c=35 | option_d=36 | answer=C | explanation=The common difference is 4. Therefore the next term is 31 + 4 = 35.

id=11395 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=71 | option_b=59 | option_c=60 | option_d=47 | answer=B | explanation=The common difference is 12. Therefore the next term is 47 + 12 = 59.

id=11396 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=11397 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=33 | option_b=27 | option_c=28 | option_d=21 | answer=B | explanation=The common difference is 6. Therefore the next term is 21 + 6 = 27.

id=11398 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2190. If it is sold at a profit of 10%, what is its selling price? | option_a=2628 | option_b=2190 | option_c=2200 | option_d=2409 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2190 × 110/100 = **₹**2409.

id=11399 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 31, 41, 53? | option_a=31 | option_b=53 | option_c=41 | option_d=21 | answer=B | explanation=The first three numbers increase by 10, so the next should be 51. Therefore 53 is the odd one out.

id=11400 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=41 | option_c=72 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

Aptitude Questions — Records 11,401-11,430 of 100,000

id=11401 | topic=Averages | difficulty=Easy | question=Find the average of 58, 98, 58, 64, 87. | option_a=74 | option_b=73 | option_c=75 | option_d=72 | answer=B | explanation=Average = sum of values ÷ number of values = 365 ÷ 5 = 73.

id=11402 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=O | option_b=S | option_c=Q | option_d=U | answer=B | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=11403 | topic=Averages | difficulty=Easy | question=Find the average of 73, 38, 100, 23, 33, 90, 56. | option_a=59 | option_b=60 | option_c=61 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 413 ÷ 7 = 59.

id=11404 | topic=Percentages | difficulty=Easy | question=What is 25% of 1064? | option_a=266 | option_b=256 | option_c=271 | option_d=532 | answer=A | explanation=25% of 1064 = (25/100) × 1064 = 266.

id=11405 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:2 and the first is 12, what is the second? | option_a=12 | option_b=10 | option_c=14 | option_d=24 | answer=A | explanation=Scale factor = 12/2 = 6. Therefore second quantity = 2×6 = 12.

id=11406 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3501. If it is sold at a profit of 5%, what is its selling price? | option_a=4026 | option_b=3326 | option_c=3676 | option_d=3506 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3501 × 105/100 = █3676.

id=11407 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=47 | option_b=39 | option_c=53 | option_d=46 | answer=D | explanation=The common difference is 7. Therefore the next term is 39 + 7 = 46.

id=11408 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 23, 27, 33? | option_a=33 | option_b=27 | option_c=19 | option_d=23 | answer=A | explanation=The first three numbers increase by 4, so the next should be 31. Therefore 33 is the odd one out.

id=11409 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1616. If it is sold at a profit of 15%, what is its selling price? | option_a=2019 | option_b=1631 | option_c=1858 | option_d=1697 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1616 × 115/100 = █1858.

id=11410 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 36, 45, 57? | option_a=57 | option_b=36 | option_c=45 | option_d=27 | answer=A | explanation=The first three numbers increase by 9, so the next should be 54. Therefore 57 is the odd one out.

id=11411 | topic=Percentages | difficulty=Easy | question=What is 20% of 824? | option_a=159 | option_b=174 | option_c=164 | option_d=328 | answer=C | explanation=20% of 824 = (20/100) × 824 = 164.

id=11412 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:3 and the first is 285, what is the second? | option_a=42 | option_b=330 | option_c=64 | option_d=45 | answer=D | explanation=Scale factor = 285/19 = 15. Therefore second quantity = 3×15 = 45.

id=11413 | topic=Percentages | difficulty=Easy | question=What is 12% of 1709? | option_a=205 | option_b=215 | option_c=410 | option_d=185 | answer=A | explanation=12% of 1709 = (12/100) × 1709 = 205.

id=11414 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=31 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=The common difference is 5. Therefore the next term is 25 + 5 = 30.

id=11415 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=11416 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=C | option_c=O | option_d=G | answer=A | explanation=Move 4 positions forward from G; the resulting letter is K.

id=11417 | topic=Percentages | difficulty=Easy | question=What is 40% of 1717? | option_a=1372 | option_b=686 | option_c=696 | option_d=676 | answer=B | explanation=40% of 1717 = (40/100) × 1717 = 686.

id=11418 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14856 at 5% per annum for 4 years. | option_a=17827 | option_b=2871 | option_c=3071 | option_d=2971 | answer=D | explanation=SI = PRT/100 = 14856×5×4/100 = █2971.

id=11419 | topic=Averages | difficulty=Easy | question=Find the average of 66, 27, 84, 96, 64, 84, 104. | option_a=77 | option_b=74 | option_c=75 | option_d=76 | answer=C | explanation=Average = sum of values ÷ number of values = 525 ÷ 7 = 75.

id=11420 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=40 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=11421 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3799. If it is sold at a profit of 5%, what is its selling price? | option_a=3804 | option_b=3988 | option_c=4367 | option_d=3609 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3799 × 105/100 = █3988.

id=11422 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 22, 26, 32? | option_a=18 | option_b=32 | option_c=26 | option_d=22 | answer=B | explanation=The first three numbers increase by 4, so the next should be 30. Therefore 32 is the odd one out.

id=11423 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=P | option_b=Y | option_c=S | option_d=V | answer=D | explanation=Move 3 positions forward from S; the resulting letter is V.

id=11424 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=31 | option_c=72 | option_d=41 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=11425 | topic=Averages | difficulty=Easy | question=Find the average of 14, 35, 48, 53, 78, 102. | option_a=57 | option_b=56 | option_c=55 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 330 ÷ 6 = 55.

id=11426 | topic=Averages | difficulty=Easy | question=Find the average of 74, 83, 47. | option_a=68 | option_b=70 | option_c=67 | option_d=69 | answer=A | explanation=Average = sum of values ÷ number of values = 204 ÷ 3 = 68.

id=11427 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=11428 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:14 and the first is 20, what is the second? | option_a=300 | option_b=281 | option_c=280 | option_d=266 | answer=C | explanation=Scale factor = 20/1 = 20. Therefore second quantity = 14×20 = 280.

id=11429 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4181. If it is sold at a profit of 10%, what is its selling price? | option_a=5017 | option_b=4181 | option_c=4599 | option_d=4191 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4181 × 110/100 = █4599.

id=11430 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 22, 26, 31? | option_a=18 | option_b=22 | option_c=26 | option_d=31 | answer=D | explanation=The first three numbers increase by 4, so the next should be 30. Therefore 31 is the odd one out.

Aptitude Questions — Records 11,431-11,460 of 100,000

id=11431 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 9. | option_a=24 | option_b=18 | option_c=9 | option_d=54 | answer=B | explanation=LCM × HCF = 6×9; HCF(6,9) = 3, so LCM = 18.

id=11432 | topic=Averages | difficulty=Easy | question=Find the average of 92, 79, 14, 12, 18. | option_a=45 | option_b=44 | option_c=42 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = 215 ÷ 5 = 43.

id=11433 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=19 | option_b=17 | option_c=21 | option_d=20 | answer=A | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=11434 | topic=Percentages | difficulty=Easy | question=What is 15% of 496? | option_a=64 | option_b=84 | option_c=74 | option_d=148 | answer=C | explanation=15% of 496 = (15/100) × 496 = 74.

id=11435 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 16. | option_a=240 | option_b=224 | option_c=480 | option_d=270 | answer=A | explanation=LCM × HCF = 30×16; HCF(30,16) = 2, so LCM = 240.

id=11436 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2418. If it is sold at a profit of 5%, what is its selling price? | option_a=2297 | option_b=2423 | option_c=2538 | option_d=2779 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2418 × 105/100 = █2538.

id=11437 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=46 | option_b=45 | option_c=37 | option_d=53 | answer=B | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=11438 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=50 | option_b=60 | option_c=51 | option_d=40 | answer=A | explanation=The common difference is 10. Therefore the next term is 40 + 10 = 50.

id=11439 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4666. If it is sold at a profit of 5%, what is its selling price? | option_a=4671 | option_b=4899 | option_c=4433 | option_d=5365 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4666 × 105/100 = █4899.

id=11440 | topic=Averages | difficulty=Easy | question=Find the average of 34, 70, 70, 26, 23, 19, 80. | option_a=48 | option_b=46 | option_c=45 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 322 ÷ 7 = 46.

id=11441 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 46? | option_a=31 | option_b=46 | option_c=24 | option_d=38 | answer=B | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 46 is the odd one out.

id=11442 | topic=Percentages | difficulty=Easy | question=What is 40% of 1322? | option_a=1056 | option_b=508 | option_c=533 | option_d=528 | answer=D | explanation=40% of 1322 = (40/100) × 1322 = 528.

id=11443 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 36? | option_a=15 | option_b=25 | option_c=5 | option_d=36 | answer=D | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 36 is the odd one out.

id=11444 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40058 at 12% per annum for 2 years. | option_a=49671 | option_b=9713 | option_c=9613 | option_d=9513 | answer=C | explanation=SI = PRT/100 = 40058×12×2/100 = █9613.

id=11445 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 31, 43, 55, ? | option_a=68 | option_b=55 | option_c=67 | option_d=79 | answer=C | explanation=The common difference is 12. Therefore the next term is 55 + 12 = 67.

id=11446 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:12 and the first is 135, what is the second? | option_a=189 | option_b=168 | option_c=180 | option_d=315 | answer=C | explanation=Scale factor = 135/9 = 15. Therefore second quantity = 12×15 = 180.

id=11447 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:18 and the first is 238, what is the second? | option_a=288 | option_b=544 | option_c=320 | option_d=306 | answer=D | explanation=Scale factor = 238/14 = 17. Therefore second quantity = 18×17 = 306.

id=11448 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3076. If it is sold at a profit of 10%, what is its selling price? | option_a=3383 | option_b=3690 | option_c=3076 | option_d=3086 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3076 × 110/100 = █3383.

id=11449 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=41 | option_b=40 | option_c=33 | option_d=47 | answer=B | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.

id=11450 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4485. If it is sold at a profit of 10%, what is its selling price? | option_a=5381 | option_b=4495 | option_c=4485 | option_d=4933 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4485 × 110/100 = █4933.

id=11451 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:9 and the first is 234, what is the second? | option_a=153 | option_b=396 | option_c=175 | option_d=162 | answer=D | explanation=Scale factor = 234/13 = 18. Therefore second quantity = 9×18 = 162.

id=11452 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 27. | option_a=1 | option_b=27 | option_c=30 | option_d=81 | answer=B | explanation=LCM × HCF = 3×27; HCF(3,27) = 3, so LCM = 27.

id=11453 | topic=Percentages | difficulty=Easy | question=What is 50% of 1233? | option_a=1232 | option_b=596 | option_c=616 | option_d=621 | answer=C | explanation=50% of 1233 = (50/100) × 1233 = 616.

id=11454 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 9, 12, 18? | option_a=6 | option_b=9 | option_c=12 | option_d=18 | answer=D | explanation=The first three numbers increase by 3, so the next should be 15. Therefore 18 is the odd one out.

id=11455 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=80 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=11456 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3849. If it is sold at a profit of 10%, what is its selling price? | option_a=3859 | option_b=3849 | option_c=4233 | option_d=4617 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3849 × 110/100 = █4233.

id=11457 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=180 | option_c=185 | option_d=360 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=11458 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 21? | option_a=17 | option_b=13 | option_c=21 | option_d=15 | answer=C | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 21 is the odd one out.

id=11459 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 6. | option_a=12 | option_b=27 | option_c=54 | option_d=18 | answer=D | explanation=LCM × HCF = 9×6; HCF(9,6) = 3, so LCM = 18.

id=11460 | topic=Percentages | difficulty=Easy | question=What is 40% of 1861? | option_a=749 | option_b=734 | option_c=744 | option_d=1488 | answer=C | explanation=40% of 1861 = (40/100) × 1861 = 744.

Aptitude Questions — Records 11,461-11,490 of 100,000

id=11461 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 18. | option_a=252 | option_b=504 | option_c=280 | option_d=234 | answer=A | explanation=LCM × HCF = 28×18; HCF(28,18) = 2, so LCM = 252.

id=11462 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=11463 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=52 | option_b=40 | option_c=51 | option_d=62 | answer=C | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=11464 | topic=Averages | difficulty=Easy | question=Find the average of 73, 95, 78, 14, 15, 16, 59. | option_a=52 | option_b=49 | option_c=51 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

id=11465 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3056. If it is sold at a profit of 40%, what is its selling price? | option_a=3973 | option_b=4583 | option_c=4278 | option_d=3096 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3056 × 140/100 = █4278.

id=11466 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 47? | option_a=24 | option_b=31 | option_c=38 | option_d=47 | answer=D | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 47 is the odd one out.

id=11467 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 22, 27, 32, ? | option_a=42 | option_b=37 | option_c=38 | option_d=32 | answer=B | explanation=The common difference is 5. Therefore the next term is 32 + 5 = 37.

id=11468 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=28 | option_b=33 | option_c=27 | option_d=21 | answer=C | explanation=The common difference is 6. Therefore the next term is 21 + 6 = 27.

id=11469 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 6. | option_a=24 | option_b=32 | option_c=18 | option_d=48 | answer=A | explanation=LCM × HCF = 8×6; HCF(8,6) = 2, so LCM = 24.

id=11470 | topic=Averages | difficulty=Easy | question=Find the average of 55, 63, 29. | option_a=49 | option_b=50 | option_c=51 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = 147 ÷ 3 = 49.

id=11471 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9500 at 15% per annum for 2 years. | option_a=2950 | option_b=2750 | option_c=2850 | option_d=12350 | answer=C | explanation=SI = PRT/100 = 9500×15×2/100 = █2850.

id=11472 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:6 and the first is 190, what is the second? | option_a=304 | option_b=114 | option_c=124 | option_d=108 | answer=B | explanation=Scale factor = 190/10 = 19. Therefore second quantity = 6×19 = 114.

id=11473 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3611. If it is sold at a profit of 5%, what is its selling price? | option_a=3791 | option_b=4152 | option_c=3616 | option_d=3430 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3611 × 105/100 = █3791.

id=11474 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=W | option_b=B | option_c=L | option_d=G | answer=D | explanation=Move 5 positions forward from B; the resulting letter is G.

id=11475 | topic=Percentages | difficulty=Easy | question=What is 40% of 1867? | option_a=756 | option_b=746 | option_c=741 | option_d=1492 | answer=B | explanation=40% of 1867 = (40/100) × 1867 = 746.

id=11476 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=36 | option_b=46 | option_c=56 | option_d=47 | answer=B | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.

id=11477 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:8 and the first is 72, what is the second? | option_a=48 | option_b=40 | option_c=120 | option_d=60 | answer=A | explanation=Scale factor = 72/12 = 6. Therefore second quantity = 8×6 = 48.

id=11478 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=R | option_b=S | option_c=Q | option_d=P | answer=A | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=11479 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 21. | option_a=56 | option_b=42 | option_c=294 | option_d=21 | answer=B | explanation=LCM × HCF = 14×21; HCF(14,21) = 7, so LCM = 42.

id=11480 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=37 | option_b=34 | option_c=33 | option_d=29 | answer=C | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=11481 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 29, 37, 47? | option_a=37 | option_b=21 | option_c=47 | option_d=29 | answer=C | explanation=The first three numbers increase by 8, so the next should be 45. Therefore 47 is the odd one out.

id=11482 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36802 at 12% per annum for 5 years. | option_a=22081 | option_b=22181 | option_c=58883 | option_d=21981 | answer=A | explanation=SI = PRT/100 = 36802×12×5/100 = █22081.

id=11483 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4475. If it is sold at a profit of 30%, what is its selling price? | option_a=4505 | option_b=6264 | option_c=5817 | option_d=5370 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4475 × 130/100 = █5817.

id=11484 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=160 | option_c=75 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=11485 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8201 at 6% per annum for 4 years. | option_a=2068 | option_b=1868 | option_c=10169 | option_d=1968 | answer=D | explanation=SI = PRT/100 = 8201×6×4/100 = █1968.

id=11486 | topic=Percentages | difficulty=Easy | question=What is 25% of 1527? | option_a=381 | option_b=391 | option_c=361 | option_d=762 | answer=A | explanation=25% of 1527 = (25/100) × 1527 = 381.

id=11487 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12206 at 12% per annum for 2 years. | option_a=3029 | option_b=15135 | option_c=2929 | option_d=2829 | answer=C | explanation=SI = PRT/100 = 12206×12×2/100 = █2929.

id=11488 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21060 at 5% per annum for 4 years. | option_a=25272 | option_b=4212 | option_c=4112 | option_d=4312 | answer=B | explanation=SI = PRT/100 = 21060×5×4/100 = █4212.

id=11489 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=24 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=11490 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1166 at 4% per annum for 2 years. | option_a=93 | option_b=0 | option_c=1259 | option_d=193 | answer=A | explanation=SI = PRT/100 = 1166×4×2/100 = █93.

Aptitude Questions — Records 11,491-11,520 of 100,000

id=11491 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=11492 | topic=Averages | difficulty=Easy | question=Find the average of 37, 36, 70, 87, 75. | option_a=62 | option_b=60 | option_c=63 | option_d=61 | answer=D | explanation=Average = sum of values + number of values = 305 ÷ 5 = 61.

id=11493 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42483 at 8% per annum for 1 years. | option_a=3498 | option_b=45881 | option_c=3398 | option_d=3298 | answer=C | explanation=SI = PRT/100 = 42483×8×1/100 = █3398.

id=11494 | topic=Averages | difficulty=Easy | question=Find the average of 65, 84, 15, 21, 80. | option_a=54 | option_b=53 | option_c=52 | option_d=55 | answer=B | explanation=Average = sum of values + number of values = 265 ÷ 5 = 53.

id=11495 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=11496 | topic=Percentages | difficulty=Easy | question=What is 12% of 126? | option_a=0 | option_b=20 | option_c=30 | option_d=15 | answer=D | explanation=12% of 126 = (12/100) × 126 = 15.

id=11497 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3411. If it is sold at a profit of 25%, what is its selling price? | option_a=4263 | option_b=4604 | option_c=3436 | option_d=3922 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3411 × 125/100 = █4263.

id=11498 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=45 | option_b=55 | option_c=56 | option_d=65 | answer=B | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.

id=11499 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13900 at 12% per annum for 1 years. | option_a=1668 | option_b=1768 | option_c=1568 | option_d=15568 | answer=A | explanation=SI = PRT/100 = 13900×12×1/100 = █1668.

id=11500 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 45? | option_a=45 | option_b=24 | option_c=30 | option_d=36 | answer=A | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 45 is the odd one out.

id=11501 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3170. If it is sold at a profit of 15%, what is its selling price? | option_a=3962 | option_b=3328 | option_c=3185 | option_d=3645 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3170 × 115/100 = █3645.

id=11502 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:12 and the first is 165, what is the second? | option_a=120 | option_b=297 | option_c=147 | option_d=132 | answer=D | explanation=Scale factor = 165/15 = 11. Therefore second quantity = 12×11 = 132.

id=11503 | topic=Averages | difficulty=Easy | question=Find the average of 60, 64, 89, 46, 72, 29. | option_a=60 | option_b=59 | option_c=62 | option_d=61 | answer=A | explanation=Average = sum of values + number of values = 360 ÷ 6 = 60.

id=11504 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=46 | option_b=39 | option_c=53 | option_d=47 | answer=A | explanation=The common difference is 7. Therefore the next term is 39 + 7 = 46.

id=11505 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24239 at 6% per annum for 2 years. | option_a=2908 | option_b=2808 | option_c=3008 | option_d=27147 | answer=A | explanation=SI = PRT/100 = 24239×6×2/100 = █2908.

id=11506 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=150 | option_c=300 | option_d=145 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=11507 | topic=Averages | difficulty=Easy | question=Find the average of 76, 84, 27, 50, 23, 64. | option_a=55 | option_b=53 | option_c=56 | option_d=54 | answer=D | explanation=Average = sum of values + number of values = 324 ÷ 6 = 54.

id=11508 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=11509 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:7 and the first is 36, what is the second? | option_a=77 | option_b=120 | option_c=87 | option_d=84 | answer=D | explanation=Scale factor = 36/3 = 12. Therefore second quantity = 7×12 = 84.

id=11510 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=11511 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=75 | option_c=70 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=11512 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 44? | option_a=44 | option_b=33 | option_c=13 | option_d=23 | answer=A | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 44 is the odd one out.

id=11513 | topic=Percentages | difficulty=Easy | question=What is 15% of 1921? | option_a=308 | option_b=283 | option_c=288 | option_d=576 | answer=C | explanation=15% of 1921 = (15/100) × 1921 = 288.

id=11514 | topic=Averages | difficulty=Easy | question=Find the average of 54, 86, 85, 79, 51, 71. | option_a=72 | option_b=73 | option_c=71 | option_d=70 | answer=C | explanation=Average = sum of values + number of values = 426 ÷ 6 = 71.

id=11515 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48191 at 6% per annum for 2 years. | option_a=5782 | option_b=5682 | option_c=5882 | option_d=53973 | answer=A | explanation=SI = PRT/100 = 48191×6×2/100 = █5782.

id=11516 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 16, 26, 37? | option_a=6 | option_b=26 | option_c=37 | option_d=16 | answer=C | explanation=The first three numbers increase by 10, so the next should be 36. Therefore 37 is the odd one out.

id=11517 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:1 and the first is 80, what is the second? | option_a=21 | option_b=96 | option_c=15 | option_d=16 | answer=D | explanation=Scale factor = 80/5 = 16. Therefore second quantity = 1×16 = 16.

id=11518 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2938. If it is sold at a profit of 40%, what is its selling price? | option_a=2978 | option_b=3820 | option_c=4113 | option_d=4406 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2938 × 140/100 = █4113.

id=11519 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 34? | option_a=34 | option_b=27 | option_c=25 | option_d=29 | answer=A | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 34 is the odd one out.

id=11520 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

Aptitude Questions — Records 11,521-11,550 of 100,000

id=11521 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■38786 at 15% per annum for 2 years. | option_a=11535 | option_b=50421 | option_c=11635 | option_d=11735 | answer=C | explanation=SI = PRT/100 = 38786×15×2/100 = ■11635.

id=11522 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:7 and the first is 36, what is the second? | option_a=78 | option_b=35 | option_c=42 | option_d=48 | answer=C | explanation=Scale factor = 36/6 = 6. Therefore second quantity = 7×6 = 42.

id=11523 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:18 and the first is 361, what is the second? | option_a=703 | option_b=324 | option_c=361 | option_d=342 | answer=D | explanation=Scale factor = 361/19 = 19. Therefore second quantity = 18×19 = 342.

id=11524 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:14 and the first is 16, what is the second? | option_a=114 | option_b=98 | option_c=112 | option_d=128 | answer=C | explanation=Scale factor = 16/2 = 8. Therefore second quantity = 14×8 = 112.

id=11525 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=C | option_b=K | option_c=G | option_d=O | answer=B | explanation=Move 4 positions forward from G; the resulting letter is K.

id=11526 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=11527 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=35 | option_b=30 | option_c=36 | option_d=40 | answer=A | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=11528 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 19, 22, 25, ? | option_a=31 | option_b=28 | option_c=25 | option_d=29 | answer=B | explanation=The common difference is 3. Therefore the next term is 25 + 3 = 28.

id=11529 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 12. | option_a=60 | option_b=90 | option_c=360 | option_d=48 | answer=A | explanation=LCM × HCF = 30×12; HCF(30,12) = 6, so LCM = 60.

id=11530 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2085. If it is sold at a profit of 20%, what is its selling price? | option_a=2710 | option_b=2105 | option_c=2294 | option_d=2502 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2085 × 120/100 = ■2502.

id=11531 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=11532 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■429. If it is sold at a profit of 30%, what is its selling price? | option_a=515 | option_b=599 | option_c=459 | option_d=557 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 429 × 130/100 = ■557.

id=11533 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:10 and the first is 48, what is the second? | option_a=60 | option_b=68 | option_c=108 | option_d=50 | answer=A | explanation=Scale factor = 48/8 = 6. Therefore second quantity = 10×6 = 60.

id=11534 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2863. If it is sold at a profit of 40%, what is its selling price? | option_a=3722 | option_b=4294 | option_c=2903 | option_d=4008 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2863 × 140/100 = ■4008.

id=11535 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:13 and the first is 104, what is the second? | option_a=91 | option_b=208 | option_c=117 | option_d=104 | answer=D | explanation=Scale factor = 104/13 = 8. Therefore second quantity = 13×8 = 104.

id=11536 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 23, 30, 39? | option_a=39 | option_b=16 | option_c=30 | option_d=23 | answer=A | explanation=The first three numbers increase by 7, so the next should be 37. Therefore 39 is the odd one out.

id=11537 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4722. If it is sold at a profit of 10%, what is its selling price? | option_a=4722 | option_b=5666 | option_c=4732 | option_d=5194 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4722 × 110/100 = ■5194.

id=11538 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=E | option_c=P | option_d=Z | answer=D | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=11539 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1279. If it is sold at a profit of 50%, what is its selling price? | option_a=1791 | option_b=1918 | option_c=1329 | option_d=2045 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1279 × 150/100 = ■1918.

id=11540 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=38 | option_b=52 | option_c=46 | option_d=45 | answer=D | explanation=The common difference is 7. Therefore the next term is 38 + 7 = 45.

id=11541 | topic=Averages | difficulty=Easy | question=Find the average of 80, 18, 66, 43, 54, 51. | option_a=54 | option_b=52 | option_c=53 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 312 ÷ 6 = 52.

id=11542 | topic=Averages | difficulty=Easy | question=Find the average of 19, 91, 77, 59, 69. | option_a=62 | option_b=65 | option_c=63 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 315 ÷ 5 = 63.

id=11543 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■25888 at 6% per annum for 4 years. | option_a=6113 | option_b=6213 | option_c=32101 | option_d=6313 | answer=B | explanation=SI = PRT/100 = 25888×6×4/100 = ■6213.

id=11544 | topic=Percentages | difficulty=Easy | question=What is 20% of 174? | option_a=34 | option_b=29 | option_c=44 | option_d=68 | answer=A | explanation=20% of 174 = (20/100) × 174 = 34.

id=11545 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=25 | option_b=33 | option_c=39 | option_d=32 | answer=D | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.

id=11546 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 9. | option_a=18 | option_b=81 | option_c=9 | option_d=1 | answer=C | explanation=LCM × HCF = 9×9; HCF(9,9) = 9, so LCM = 9.

id=11547 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2608. If it is sold at a profit of 15%, what is its selling price? | option_a=2739 | option_b=2623 | option_c=3259 | option_d=2999 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2608 × 115/100 = ■2999.

id=11548 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4969. If it is sold at a profit of 15%, what is its selling price? | option_a=5714 | option_b=4984 | option_c=5218 | option_d=6210 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4969 × 115/100 = ■5714.

id=11549 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■10957 at 6% per annum for 2 years. | option_a=1214 | option_b=12271 | option_c=1314 | option_d=1414 | answer=C | explanation=SI = PRT/100 = 10957×6×2/100 = ■1314.

id=11550 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:20 and the first is 15, what is the second? | option_a=65 | option_b=40 | option_c=60 | option_d=75 | answer=C | explanation=Scale factor = 15/5 = 3. Therefore second quantity = 20×3 = 60.

Aptitude Questions — Records 11,551-11,580 of 100,000

id=11551 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■48857 at 5% per annum for 1 years. | option_a=2342 | option_b=2442 | option_c=51299 | option_d=2542 | answer=B | explanation=SI = PRT/100 = 48857×5×1/100 = ■2442.

id=11552 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=Z | option_b=A | option_c=B | option_d=C | answer=C | explanation=Move 1 positions forward from A; the resulting letter is B.

id=11553 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■19662 at 15% per annum for 5 years. | option_a=14746 | option_b=34408 | option_c=14846 | option_d=14646 | answer=A | explanation=SI = PRT/100 = 19662×15×5/100 = ■14746.

id=11554 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:11 and the first is 10, what is the second? | option_a=55 | option_b=65 | option_c=44 | option_d=57 | answer=A | explanation=Scale factor = 10/2 = 5. Therefore second quantity = 11×5 = 55.

id=11555 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:18 and the first is 288, what is the second? | option_a=576 | option_b=270 | option_c=306 | option_d=288 | answer=D | explanation=Scale factor = 288/18 = 16. Therefore second quantity = 18×16 = 288.

id=11556 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:1 and the first is 51, what is the second? | option_a=54 | option_b=3 | option_c=20 | option_d=2 | answer=B | explanation=Scale factor = 51/17 = 3. Therefore second quantity = 1×3 = 3.

id=11557 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=17 | option_d=7 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=11558 | topic=Percentages | difficulty=Easy | question=What is 50% of 1996? | option_a=1996 | option_b=993 | option_c=998 | option_d=1018 | answer=C | explanation=50% of 1996 = (50/100) × 1996 = 998.

id=11559 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2962. If it is sold at a profit of 20%, what is its selling price? | option_a=2982 | option_b=3554 | option_c=3258 | option_d=3850 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2962 × 120/100 = ■3554.

id=11560 | topic=Averages | difficulty=Easy | question=Find the average of 29, 16, 20, 74, 63, 26. | option_a=37 | option_b=39 | option_c=38 | option_d=40 | answer=C | explanation=Average = sum of values ÷ number of values = 228 ÷ 6 = 38.

id=11561 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=G | option_b=J | option_c=M | option_d=P | answer=C | explanation=Move 3 positions forward from J; the resulting letter is M.

id=11562 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 16. | option_a=288 | option_b=144 | option_c=128 | option_d=162 | answer=B | explanation=LCM × HCF = 18×16; HCF(18,16) = 2, so LCM = 144.

id=11563 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1930. If it is sold at a profit of 25%, what is its selling price? | option_a=2605 | option_b=2412 | option_c=2219 | option_d=1955 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1930 × 125/100 = ■2412.

id=11564 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:6 and the first is 14, what is the second? | option_a=36 | option_b=42 | option_c=44 | option_d=56 | answer=B | explanation=Scale factor = 14/2 = 7. Therefore second quantity = 6×7 = 42.

id=11565 | topic=Percentages | difficulty=Easy | question=What is 5% of 1450? | option_a=144 | option_b=72 | option_c=52 | option_d=92 | answer=B | explanation=5% of 1450 = (5/100) × 1450 = 72.

id=11566 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=34 | option_b=41 | option_c=42 | option_d=48 | answer=B | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=11567 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2945. If it is sold at a profit of 50%, what is its selling price? | option_a=4123 | option_b=4417 | option_c=2995 | option_d=4711 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2945 × 150/100 = ■4417.

id=11568 | topic=Averages | difficulty=Easy | question=Find the average of 67, 66, 26, 93, 63, 10, 36, 39. | option_a=49 | option_b=50 | option_c=52 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 400 ÷ 8 = 50.

id=11569 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=11570 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■7814 at 15% per annum for 1 years. | option_a=1172 | option_b=1072 | option_c=1272 | option_d=8986 | answer=A | explanation=SI = PRT/100 = 7814×15×1/100 = ■1172.

id=11571 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 8. | option_a=1 | option_b=8 | option_c=32 | option_d=12 | answer=B | explanation=LCM × HCF = 4×8; HCF(4,8) = 4, so LCM = 8.

id=11572 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 9, 13, 20? | option_a=13 | option_b=5 | option_c=9 | option_d=20 | answer=D | explanation=The first three numbers increase by 4, so the next should be 17. Therefore 20 is the odd one out.

id=11573 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 22? | option_a=16 | option_b=22 | option_c=18 | option_d=14 | answer=B | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 22 is the odd one out.

id=11574 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=11575 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 4. | option_a=8 | option_b=16 | option_c=1 | option_d=4 | answer=D | explanation=LCM × HCF = 4×4; HCF(4,4) = 4, so LCM = 4.

id=11576 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=U | option_c=S | option_d=Q | answer=B | explanation=Move 2 positions forward from S; the resulting letter is U.

id=11577 | topic=Percentages | difficulty=Easy | question=What is 40% of 1988? | option_a=795 | option_b=785 | option_c=1590 | option_d=815 | answer=A | explanation=40% of 1988 = (40/100) × 1988 = 795.

id=11578 | topic=Averages | difficulty=Easy | question=Find the average of 59, 87, 57, 65. | option_a=67 | option_b=69 | option_c=66 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = 268 ÷ 4 = 67.

id=11579 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=28 | option_b=37 | option_c=44 | option_d=36 | answer=D | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=11580 | topic=Percentages | difficulty=Easy | question=What is 10% of 1320? | option_a=132 | option_b=127 | option_c=264 | option_d=137 | answer=A | explanation=10% of 1320 = (10/100) × 1320 = 132.

Aptitude Questions — Records 11,581-11,610 of 100,000

id=11581 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 12. | option_a=135 | option_b=324 | option_c=96 | option_d=108 | answer=D | explanation= $LCM \times HCF = 27 \times 12$; $HCF(27,12) = 3$, so $LCM = 108$.

id=11582 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 9. | option_a=9 | option_b=1 | option_c=18 | option_d=81 | answer=A | explanation= $LCM \times HCF = 9 \times 9$; $HCF(9,9) = 9$, so $LCM = 9$.

id=11583 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=E | option_c=Z | option_d=P | answer=C | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=11584 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 34, 39, 46? | option_a=46 | option_b=39 | option_c=29 | option_d=34 | answer=A | explanation=The first three numbers increase by 5, so the next should be 44. Therefore 46 is the odd one out.

id=11585 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=T | option_b=N | option_c=Q | option_d=W | answer=A | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=11586 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 39, 48, 60? | option_a=48 | option_b=60 | option_c=39 | option_d=30 | answer=B | explanation=The first three numbers increase by 9, so the next should be 57. Therefore 60 is the odd one out.

id=11587 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=180 | option_c=90 | option_d=85 | answer=C | explanation= $Speed = distance \div time = 360 \div 4 = 90$ km/h.

id=11588 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 36, 45, 57? | option_a=36 | option_b=45 | option_c=57 | option_d=27 | answer=C | explanation=The first three numbers increase by 9, so the next should be 54. Therefore 57 is the odd one out.

id=11589 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2175. If it is sold at a profit of 15%, what is its selling price? | option_a=2190 | option_b=2501 | option_c=2284 | option_d=2718 | answer=B | explanation= $Selling\ price = CP \times (100 + profit\%)/100 = 2175 \times 115/100 =$ **■**2501.

id=11590 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4788. If it is sold at a profit of 40%, what is its selling price? | option_a=7181 | option_b=6225 | option_c=6703 | option_d=4828 | answer=C | explanation= $Selling\ price = CP \times (100 + profit\%)/100 = 4788 \times 140/100 =$ **■**6703.

id=11591 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2051. If it is sold at a profit of 50%, what is its selling price? | option_a=3076 | option_b=3281 | option_c=2101 | option_d=2871 | answer=A | explanation= $Selling\ price = CP \times (100 + profit\%)/100 = 2051 \times 150/100 =$ **■**3076.

id=11592 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:18 and the first is 272, what is the second? | option_a=270 | option_b=560 | option_c=288 | option_d=305 | answer=C | explanation= $Scale\ factor = 272/17 = 16$. Therefore second quantity = $18 \times 16 = 288$.

id=11593 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 30. | option_a=231 | option_b=210 | option_c=180 | option_d=630 | answer=B | explanation= $LCM \times HCF = 21 \times 30$; $HCF(21,30) = 3$, so $LCM = 210$.

id=11594 | topic=Averages | difficulty=Easy | question=Find the average of 29, 75, 20, 75, 32, 60, 101. | option_a=56 | option_b=57 | option_c=58 | option_d=55 | answer=A | explanation= $Average = sum\ of\ values \div number\ of\ values = 392 \div 7 = 56$.

id=11595 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=12 | option_b=11 | option_c=8 | option_d=10 | answer=D | explanation=The common difference is 2. Therefore the next term is $8 + 2 = 10$.

id=11596 | topic=Averages | difficulty=Easy | question=Find the average of 22, 32, 24. | option_a=26 | option_b=25 | option_c=28 | option_d=27 | answer=A | explanation= $Average = sum\ of\ values \div number\ of\ values = 78 \div 3 = 26$.

id=11597 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation= $Combined\ rate = 1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=11598 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 10, 13, 16, ? | option_a=20 | option_b=16 | option_c=19 | option_d=22 | answer=C | explanation=The common difference is 3. Therefore the next term is $16 + 3 = 19$.

id=11599 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=43 | option_b=36 | option_c=35 | option_d=27 | answer=C | explanation=The common difference is 8. Therefore the next term is $27 + 8 = 35$.

id=11600 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=100 | option_c=200 | option_d=105 | answer=B | explanation= $Speed = distance \div time = 300 \div 3 = 100$ km/h.

id=11601 | topic=Averages | difficulty=Easy | question=Find the average of 39, 87, 87. | option_a=72 | option_b=71 | option_c=73 | option_d=70 | answer=B | explanation= $Average = sum\ of\ values \div number\ of\ values = 213 \div 3 = 71$.

id=11602 | topic=Percentages | difficulty=Easy | question=What is 10% of 1484? | option_a=143 | option_b=153 | option_c=296 | option_d=148 | answer=D | explanation= $10\% \ of\ 1484 = (10/100) \times 1484 = 148$.

id=11603 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12123 at 10% per annum for 5 years. | option_a=6161 | option_b=6061 | option_c=18184 | option_d=5961 | answer=B | explanation= $SI = PRT/100 = 12123 \times 10 \times 5/100 =$ **■**6061.

id=11604 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 27, 31, 37? | option_a=27 | option_b=31 | option_c=37 | option_d=23 | answer=C | explanation=The first three numbers increase by 4, so the next should be 35. Therefore 37 is the odd one out.

id=11605 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation= $Combined\ rate = 1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=11606 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=43 | option_c=96 | option_d=48 | answer=D | explanation= $Speed = distance \div time = 240 \div 5 = 48$ km/h.

id=11607 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation= $Combined\ rate = 1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=11608 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=38 | option_b=45 | option_c=52 | option_d=46 | answer=B | explanation=The common difference is 7. Therefore the next term is $38 + 7 = 45$.

id=11609 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32109 at 5% per annum for 2 years. | option_a=3210 | option_b=35319 | option_c=3110 | option_d=3310 | answer=A | explanation= $SI = PRT/100 = 32109 \times 5 \times 2/100 =$ **■**3210.

id=11610 | topic=Percentages | difficulty=Easy | question=What is 15% of 618? | option_a=97 | option_b=87 | option_c=92 | option_d=184 | answer=C | explanation= $15\% \ of\ 618 = (15/100) \times 618 = 92$.

Aptitude Questions — Records 11,611-11,640 of 100,000

id=11611 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8883 at 15% per annum for 4 years. | option_a=5229 | option_b=14212 | option_c=5429 | option_d=5329 | answer=D | explanation=SI = $PRT/100 = 8883 \times 15 \times 4 / 100 =$ **■**5329.

id=11612 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 15. | option_a=300 | option_b=80 | option_c=60 | option_d=45 | answer=C | explanation=LCM $\times$ HCF = 20×15 ; HCF(20,15) = 5, so LCM = 60.

id=11613 | topic=Averages | difficulty=Easy | question=Find the average of 69, 26, 42, 23, 93, 71. | option_a=55 | option_b=54 | option_c=56 | option_d=53 | answer=B | explanation=Average = sum of values + number of values = $324 \div 6 = 54$.

id=11614 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=56 | option_b=46 | option_c=57 | option_d=66 | answer=A | explanation=The common difference is 10. Therefore the next term is $46 + 10 = 56$.

id=11615 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=34 | option_b=31 | option_c=28 | option_d=32 | answer=B | explanation=The common difference is 3. Therefore the next term is $28 + 3 = 31$.

id=11616 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=T | option_c=Q | option_d=K | answer=C | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=11617 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:15 and the first is 96, what is the second? | option_a=276 | option_b=188 | option_c=165 | option_d=180 | answer=D | explanation=Scale factor = $96/8 = 12$. Therefore second quantity = $15 \times 12 = 180$.

id=11618 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:12 and the first is 25, what is the second? | option_a=65 | option_b=85 | option_c=48 | option_d=60 | answer=D | explanation=Scale factor = $25/5 = 5$. Therefore second quantity = $12 \times 5 = 60$.

id=11619 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=11620 | topic=Averages | difficulty=Easy | question=Find the average of 59, 28, 94, 71. | option_a=62 | option_b=64 | option_c=63 | option_d=65 | answer=C | explanation=Average = sum of values $\div$ number of values = $252 \div 4 = 63$.

id=11621 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=11622 | topic=Percentages | difficulty=Easy | question=What is 12% of 556? | option_a=46 | option_b=66 | option_c=132 | option_d=86 | answer=B | explanation=12% of 556 = $(12/100) \times 556 = 66$.

id=11623 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:11 and the first is 135, what is the second? | option_a=99 | option_b=88 | option_c=114 | option_d=234 | answer=A | explanation=Scale factor = $135/15 = 9$. Therefore second quantity = $11 \times 9 = 99$.

id=11624 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 25, 27, 30? | option_a=27 | option_b=30 | option_c=23 | option_d=25 | answer=B | explanation=The first three numbers increase by 2, so the next should be 29. Therefore 30 is the odd one out.

id=11625 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:11 and the first is 120, what is the second? | option_a=122 | option_b=230 | option_c=110 | option_d=99 | answer=C | explanation=Scale factor = $120/12 = 10$. Therefore second quantity = $11 \times 10 = 110$.

id=11626 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 12. | option_a=156 | option_b=182 | option_c=312 | option_d=144 | answer=A | explanation=LCM $\times$ HCF = 26×12 ; HCF(26,12) = 2, so LCM = 156.

id=11627 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 18, 28, 39? | option_a=28 | option_b=18 | option_c=8 | option_d=39 | answer=D | explanation=The first three numbers increase by 10, so the next should be 38. Therefore 39 is the odd one out.

id=11628 | topic=Percentages | difficulty=Easy | question=What is 25% of 1263? | option_a=630 | option_b=315 | option_c=335 | option_d=305 | answer=B | explanation=25% of 1263 = $(25/100) \times 1263 = 315$.

id=11629 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=53 | option_b=37 | option_c=45 | option_d=46 | answer=C | explanation=The common difference is 8. Therefore the next term is $37 + 8 = 45$.

id=11630 | topic=Percentages | difficulty=Easy | question=What is 25% of 1087? | option_a=542 | option_b=281 | option_c=271 | option_d=261 | answer=C | explanation=25% of 1087 = $(25/100) \times 1087 = 271$.

id=11631 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:19 and the first is 81, what is the second? | option_a=171 | option_b=152 | option_c=180 | option_d=252 | answer=A | explanation=Scale factor = $81/9 = 9$. Therefore second quantity = $19 \times 9 = 171$.

id=11632 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=42 | option_b=52 | option_c=32 | option_d=43 | answer=A | explanation=The common difference is 10. Therefore the next term is $32 + 10 = 42$.

id=11633 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 37? | option_a=19 | option_b=37 | option_c=29 | option_d=24 | answer=B | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 37 is the odd one out.

id=11634 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=11635 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=40 | option_b=32 | option_c=48 | option_d=41 | answer=A | explanation=The common difference is 8. Therefore the next term is $32 + 8 = 40$.

id=11636 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3845. If it is sold at a profit of 50%, what is its selling price? | option_a=3895 | option_b=5383 | option_c=5767 | option_d=6151 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3845 \times 150 / 100 =$ **■**5767.

id=11637 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15878 at 12% per annum for 1 years. | option_a=17783 | option_b=1905 | option_c=1805 | option_d=2005 | answer=B | explanation=SI = $PRT/100 = 15878 \times 12 \times 1 / 100 =$ **■**1905.

id=11638 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4263 at 4% per annum for 1 years. | option_a=4433 | option_b=170 | option_c=270 | option_d=70 | answer=B | explanation=SI = $PRT/100 = 4263 \times 4 \times 1 / 100 =$ **■**170.

id=11639 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3644. If it is sold at a profit of 15%, what is its selling price? | option_a=4190 | option_b=3659 | option_c=4554 | option_d=3826 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3644 \times 115 / 100 =$ **■**4190.

id=11640 | topic=Percentages | difficulty=Easy | question=What is 5% of 1684? | option_a=79 | option_b=84 | option_c=168 | option_d=104 | answer=B | explanation=5% of 1684 = $(5/100) \times 1684 = 84$.

Aptitude Questions — Records 11,641-11,670 of 100,000

id=11641 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20873 at 8% per annum for 2 years. | option_a=24212 | option_b=3439 | option_c=3339 | option_d=3239 | answer=C | explanation=SI = $PRT/100 = 20873 \times 8 \times 2/100 = \text{■}3339$.

id=11642 | topic=Averages | difficulty=Easy | question=Find the average of 55, 61, 85. | option_a=68 | option_b=67 | option_c=66 | option_d=69 | answer=B | explanation=Average = sum of values + number of values = $201 \div 3 = 67$.

id=11643 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=5 | option_c=10 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = $60 \div 6 = 10$ km/h.

id=11644 | topic=Percentages | difficulty=Easy | question=What is 40% of 866? | option_a=346 | option_b=692 | option_c=326 | option_d=366 | answer=A | explanation=40% of 866 = $(40/100) \times 866 = 346$.

id=11645 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=11646 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26632 at 4% per annum for 5 years. | option_a=31958 | option_b=5226 | option_c=5426 | option_d=5326 | answer=D | explanation=SI = $PRT/100 = 26632 \times 4 \times 5/100 = \text{■}5326$.

id=11647 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=26 | option_b=25 | option_c=22 | option_d=24 | answer=D | explanation=The common difference is 2. Therefore the next term is $22 + 2 = 24$.

id=11648 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=43 | option_b=32 | option_c=52 | option_d=42 | answer=D | explanation=The common difference is 10. Therefore the next term is $32 + 10 = 42$.

id=11649 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=44 | option_b=56 | option_c=66 | option_d=55 | answer=D | explanation=The common difference is 11. Therefore the next term is $44 + 11 = 55$.

id=11650 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = $180 \div 6 = 30$ km/h.

id=11651 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49911 at 4% per annum for 2 years. | option_a=3892 | option_b=4092 | option_c=3992 | option_d=53903 | answer=C | explanation=SI = $PRT/100 = 49911 \times 4 \times 2/100 = \text{■}3992$.

id=11652 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 42? | option_a=33 | option_b=36 | option_c=30 | option_d=42 | answer=D | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 42 is the odd one out.

id=11653 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=11654 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=11655 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13704 at 5% per annum for 4 years. | option_a=2740 | option_b=16444 | option_c=2640 | option_d=2840 | answer=A | explanation=SI = $PRT/100 = 13704 \times 5 \times 4/100 = \text{■}2740$.

id=11656 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 34? | option_a=27 | option_b=25 | option_c=34 | option_d=29 | answer=C | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 34 is the odd one out.

id=11657 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=P | option_b=S | option_c=V | option_d=Y | answer=C | explanation=Move 3 positions forward from S; the resulting letter is V.

id=11658 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=25 | option_c=15 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = $120 \div 6 = 20$ km/h.

id=11659 | topic=Percentages | difficulty=Easy | question=What is 30% of 1154? | option_a=346 | option_b=326 | option_c=692 | option_d=351 | answer=A | explanation=30% of 1154 = $(30/100) \times 1154 = 346$.

id=11660 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=11661 | topic=Averages | difficulty=Easy | question=Find the average of 64, 42, 26, 39, 19, 60, 42, 36. | option_a=43 | option_b=42 | option_c=40 | option_d=41 | answer=D | explanation=Average = sum of values ÷ number of values = $328 \div 8 = 41$.

id=11662 | topic=Averages | difficulty=Easy | question=Find the average of 60, 97, 20, 11, 96, 95, 83. | option_a=66 | option_b=65 | option_c=67 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = $462 \div 7 = 66$.

id=11663 | topic=Percentages | difficulty=Easy | question=What is 50% of 962? | option_a=476 | option_b=491 | option_c=962 | option_d=481 | answer=D | explanation=50% of 962 = $(50/100) \times 962 = 481$.

id=11664 | topic=Percentages | difficulty=Easy | question=What is 40% of 706? | option_a=262 | option_b=282 | option_c=564 | option_d=302 | answer=B | explanation=40% of 706 = $(40/100) \times 706 = 282$.

id=11665 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=N | option_b=I | option_c=S | option_d=D | answer=A | explanation=Move 5 positions forward from I; the resulting letter is N.

id=11666 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3357. If it is sold at a profit of 5%, what is its selling price? | option_a=3859 | option_b=3524 | option_c=3189 | option_d=3362 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3357 \times 105/100 = \text{■}3524$.

id=11667 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=R | option_b=A | option_c=U | option_d=X | answer=D | explanation=Move 3 positions forward from U; the resulting letter is X.

id=11668 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=20 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = $90 \div 6 = 15$ km/h.

id=11669 | topic=Percentages | difficulty=Easy | question=What is 40% of 51? | option_a=40 | option_b=30 | option_c=20 | option_d=10 | answer=C | explanation=40% of 51 = $(40/100) \times 51 = 20$.

id=11670 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 15, 21, 30? | option_a=21 | option_b=30 | option_c=15 | option_d=9 | answer=B | explanation=The first three numbers increase by 6, so the next should be 27. Therefore 30 is the odd one out.

Aptitude Questions — Records 11,671-11,700 of 100,000

id=11671 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2635. If it is sold at a profit of 30%, what is its selling price? | option_a=2665 | option_b=3162 | option_c=3688 | option_d=3425 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2635 \times 130/100 = \blacksquare 3425$.

id=11672 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=55 | option_c=100 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = $150 \div 3 = 50$ km/h.

id=11673 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=8 | option_d=3 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=11674 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:5 and the first is 63, what is the second? | option_a=52 | option_b=40 | option_c=45 | option_d=108 | answer=C | explanation=Scale factor = $63/7 = 9$. Therefore second quantity = $5 \times 9 = 45$.

id=11675 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = $240 \div 8 = 30$ km/h.

id=11676 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:13 and the first is 36, what is the second? | option_a=236 | option_b=270 | option_c=234 | option_d=221 | answer=C | explanation=Scale factor = $36/2 = 18$. Therefore second quantity = $13 \times 18 = 234$.

id=11677 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=W | option_c=A | option_d=I | answer=A | explanation=Move 4 positions forward from A; the resulting letter is E.

id=11678 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 28. | option_a=192 | option_b=672 | option_c=140 | option_d=168 | answer=D | explanation= $LCM \times HCF = 24 \times 28$; $HCF(24, 28) = 4$, so $LCM = 168$.

id=11679 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■3303 at 15% per annum for 1 years. | option_a=395 | option_b=595 | option_c=3798 | option_d=495 | answer=D | explanation= $SI = PRT/100 = 3303 \times 15 \times 1/100 = \blacksquare 495$.

id=11680 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=O | option_b=J | option_c=E | option_d=Z | answer=B | explanation=Move 5 positions forward from E; the resulting letter is J.

id=11681 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = $240 \div 8 = 30$ km/h.

id=11682 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=80 | option_b=69 | option_c=56 | option_d=68 | answer=D | explanation=The common difference is 12. Therefore the next term is $56 + 12 = 68$.

id=11683 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=26 | option_b=24 | option_c=22 | option_d=25 | answer=B | explanation=The common difference is 2. Therefore the next term is $22 + 2 = 24$.

id=11684 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:5 and the first is 140, what is the second? | option_a=30 | option_b=55 | option_c=175 | option_d=35 | answer=D | explanation=Scale factor = $140/20 = 7$. Therefore second quantity = $5 \times 7 = 35$.

id=11685 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=11686 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1176. If it is sold at a profit of 10%, what is its selling price? | option_a=1176 | option_b=1186 | option_c=1293 | option_d=1410 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1176 \times 110/100 = \blacksquare 1293$.

id=11687 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=I | option_b=R | option_c=L | option_d=O | answer=D | explanation=Move 3 positions forward from L; the resulting letter is O.

id=11688 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=32 | option_b=26 | option_c=36 | option_d=31 | answer=D | explanation=The common difference is 5. Therefore the next term is $26 + 5 = 31$.

id=11689 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 14. | option_a=28 | option_b=14 | option_c=56 | option_d=32 | answer=A | explanation= $LCM \times HCF = 4 \times 14$; $HCF(4, 14) = 2$, so $LCM = 28$.

id=11690 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2708. If it is sold at a profit of 10%, what is its selling price? | option_a=2708 | option_b=2978 | option_c=2718 | option_d=3248 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2708 \times 110/100 = \blacksquare 2978$.

id=11691 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■48304 at 6% per annum for 1 years. | option_a=2798 | option_b=2898 | option_c=51202 | option_d=2998 | answer=B | explanation= $SI = PRT/100 = 48304 \times 6 \times 1/100 = \blacksquare 2898$.

id=11692 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1628. If it is sold at a profit of 50%, what is its selling price? | option_a=2280 | option_b=2442 | option_c=1678 | option_d=2604 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1628 \times 150/100 = \blacksquare 2442$.

id=11693 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=50 | option_b=32 | option_c=41 | option_d=42 | answer=C | explanation=The common difference is 9. Therefore the next term is $32 + 9 = 41$.

id=11694 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=J | option_b=K | option_c=I | option_d=H | answer=A | explanation=Move 1 positions forward from I; the resulting letter is J.

id=11695 | topic=Averages | difficulty=Easy | question=Find the average of 64, 80, 79, 68, 85, 57, 53, 34. | option_a=66 | option_b=64 | option_c=67 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = $520 \div 8 = 65$.

id=11696 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=11697 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■16097 at 10% per annum for 4 years. | option_a=6338 | option_b=6438 | option_c=22535 | option_d=6538 | answer=B | explanation= $SI = PRT/100 = 16097 \times 10 \times 4/100 = \blacksquare 6438$.

id=11698 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 14, 20, 27? | option_a=14 | option_b=8 | option_c=20 | option_d=27 | answer=D | explanation=The first three numbers increase by 6, so the next should be 26. Therefore 27 is the odd one out.

id=11699 | topic=Percentages | difficulty=Easy | question=What is 40% of 684? | option_a=283 | option_b=263 | option_c=546 | option_d=273 | answer=D | explanation= 40% of 684 = $(40/100) \times 684 = 273$.

id=11700 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=Q | option_c=S | option_d=T | answer=C | explanation=Move 1 positions forward from R; the resulting letter is S.

Aptitude Questions — Records 11,701-11,730 of 100,000

id=11701 | topic=Percentages | difficulty=Easy | question=What is 12% of 444? | option_a=53 | option_b=48 | option_c=106 | option_d=63 | answer=A | explanation=12% of 444 = (12/100) × 444 = 53.

id=11702 | topic=Averages | difficulty=Easy | question=Find the average of 67, 49, 82, 54, 63, 75. | option_a=66 | option_b=65 | option_c=64 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = 390 ÷ 6 = 65.

id=11703 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:2 and the first is 256, what is the second? | option_a=32 | option_b=30 | option_c=288 | option_d=48 | answer=A | explanation=Scale factor = 256/16 = 16. Therefore second quantity = 2×16 = 32.

id=11704 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22720 at 10% per annum for 5 years. | option_a=11360 | option_b=11460 | option_c=11260 | option_d=34080 | answer=A | explanation=SI = PRT/100 = 22720×10×5/100 = **■**11360.

id=11705 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 35, 43, 52? | option_a=43 | option_b=35 | option_c=27 | option_d=52 | answer=D | explanation=The first three numbers increase by 8, so the next should be 51. Therefore 52 is the odd one out.

id=11706 | topic=Percentages | difficulty=Easy | question=What is 40% of 824? | option_a=309 | option_b=658 | option_c=329 | option_d=334 | answer=C | explanation=40% of 824 = (40/100) × 824 = 329.

id=11707 | topic=Percentages | difficulty=Easy | question=What is 15% of 1120? | option_a=336 | option_b=163 | option_c=168 | option_d=178 | answer=C | explanation=15% of 1120 = (15/100) × 1120 = 168.

id=11708 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 26, 34, 42, ? | option_a=50 | option_b=51 | option_c=42 | option_d=58 | answer=A | explanation=The common difference is 8. Therefore the next term is 42 + 8 = 50.

id=11709 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 24. | option_a=288 | option_b=338 | option_c=624 | option_d=312 | answer=D | explanation=LCM × HCF = 26×24; HCF(26,24) = 2, so LCM = 312.

id=11710 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:19 and the first is 126, what is the second? | option_a=259 | option_b=114 | option_c=133 | option_d=151 | answer=C | explanation=Scale factor = 126/18 = 7. Therefore second quantity = 19×7 = 133.

id=11711 | topic=Averages | difficulty=Easy | question=Find the average of 96, 84, 68, 84. | option_a=84 | option_b=82 | option_c=85 | option_d=83 | answer=D | explanation=Average = sum of values ÷ number of values = 332 ÷ 4 = 83.

id=11712 | topic=Percentages | difficulty=Easy | question=What is 25% of 940? | option_a=225 | option_b=470 | option_c=235 | option_d=255 | answer=C | explanation=25% of 940 = (25/100) × 940 = 235.

id=11713 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3774. If it is sold at a profit of 25%, what is its selling price? | option_a=4717 | option_b=5094 | option_c=4340 | option_d=3799 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3774 × 125/100 = **■**4717.

id=11714 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=11715 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Z | option_b=Q | option_c=T | option_d=W | answer=D | explanation=Move 3 positions forward from T; the resulting letter is W.

id=11716 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4110. If it is sold at a profit of 15%, what is its selling price? | option_a=4125 | option_b=5137 | option_c=4726 | option_d=4315 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4110 × 115/100 = **■**4726.

id=11717 | topic=Averages | difficulty=Easy | question=Find the average of 68, 67, 28, 91, 34, 18, 44. | option_a=52 | option_b=50 | option_c=49 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

id=11718 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=11719 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=11720 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=11721 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4019. If it is sold at a profit of 10%, what is its selling price? | option_a=4019 | option_b=4029 | option_c=4420 | option_d=4821 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4019 × 110/100 = **■**4420.

id=11722 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2371. If it is sold at a profit of 50%, what is its selling price? | option_a=3319 | option_b=3793 | option_c=2421 | option_d=3556 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2371 × 150/100 = **■**3556.

id=11723 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=11724 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8497 at 15% per annum for 2 years. | option_a=2549 | option_b=2449 | option_c=2649 | option_d=11046 | answer=A | explanation=SI = PRT/100 = 8497×15×2/100 = **■**2549.

id=11725 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=R | option_c=W | option_d=H | answer=B | explanation=Move 5 positions forward from M; the resulting letter is R.

id=11726 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=34 | option_b=42 | option_c=43 | option_d=50 | answer=B | explanation=The common difference is 8. Therefore the next term is 34 + 8 = 42.

id=11727 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 22, 29, 38? | option_a=22 | option_b=15 | option_c=38 | option_d=29 | answer=C | explanation=The first three numbers increase by 7, so the next should be 36. Therefore 38 is the odd one out.

id=11728 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=B | option_c=M | option_d=W | answer=D | explanation=Move 5 positions forward from R; the resulting letter is W.

id=11729 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 23, 27, 32? | option_a=27 | option_b=23 | option_c=32 | option_d=19 | answer=C | explanation=The first three numbers increase by 4, so the next should be 31. Therefore 32 is the odd one out.

id=11730 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=F | option_b=K | option_c=A | option_d=V | answer=A | explanation=Move 5 positions forward from A; the resulting letter is F.

Aptitude Questions — Records 11,731-11,760 of 100,000

id=11731 | topic=Averages | difficulty=Easy | question=Find the average of 35, 93, 58, 53, 62, 70, 91, 57, 66. | option_a=65 | option_b=64 | option_c=66 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = 585 ÷ 9 = 65.

id=11732 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3068 at 10% per annum for 3 years. | option_a=820 | option_b=3988 | option_c=920 | option_d=1020 | answer=C | explanation=SI = $PRT/100 = 3068 \times 10 \times 3/100 = \text{■}920$.

id=11733 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=L | option_b=M | option_c=J | option_d=K | answer=A | explanation=Move 1 positions forward from K; the resulting letter is L.

id=11734 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=11735 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44945 at 10% per annum for 5 years. | option_a=22472 | option_b=22572 | option_c=67417 | option_d=22372 | answer=A | explanation=SI = $PRT/100 = 44945 \times 10 \times 5/100 = \text{■}22472$.

id=11736 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=36 | option_b=44 | option_c=37 | option_d=28 | answer=A | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=11737 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=29 | option_b=34 | option_c=28 | option_d=22 | answer=C | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.

id=11738 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 36, 44, 53? | option_a=44 | option_b=28 | option_c=53 | option_d=36 | answer=C | explanation=The first three numbers increase by 8, so the next should be 52. Therefore 53 is the odd one out.

id=11739 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=D | option_b=S | option_c=N | option_d=I | answer=C | explanation=Move 5 positions forward from I; the resulting letter is N.

id=11740 | topic=Percentages | difficulty=Easy | question=What is 15% of 1112? | option_a=166 | option_b=146 | option_c=332 | option_d=186 | answer=A | explanation=15% of 1112 = $(15/100) \times 1112 = 166$.

id=11741 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=12 | option_b=9 | option_c=13 | option_d=11 | answer=D | explanation=The common difference is 2. Therefore the next term is 9 + 2 = 11.

id=11742 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11692 at 4% per annum for 5 years. | option_a=2438 | option_b=14030 | option_c=2338 | option_d=2238 | answer=C | explanation=SI = $PRT/100 = 11692 \times 4 \times 5/100 = \text{■}2338$.

id=11743 | topic=Averages | difficulty=Easy | question=Find the average of 70, 45, 74. | option_a=63 | option_b=62 | option_c=64 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 189 ÷ 3 = 63.

id=11744 | topic=Averages | difficulty=Easy | question=Find the average of 94, 91, 10, 25, 17, 95, 74. | option_a=59 | option_b=58 | option_c=60 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 406 ÷ 7 = 58.

id=11745 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49183 at 12% per annum for 3 years. | option_a=17605 | option_b=17805 | option_c=17705 | option_d=66888 | answer=C | explanation=SI = $PRT/100 = 49183 \times 12 \times 3/100 = \text{■}17705$.

id=11746 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=65 | option_b=64 | option_c=52 | option_d=76 | answer=B | explanation=The common difference is 12. Therefore the next term is 52 + 12 = 64.

id=11747 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:14 and the first is 208, what is the second? | option_a=224 | option_b=432 | option_c=237 | option_d=210 | answer=A | explanation=Scale factor = $208/13 = 16$. Therefore second quantity = $14 \times 16 = 224$.

id=11748 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 13, 17, 21, ? | option_a=26 | option_b=29 | option_c=25 | option_d=21 | answer=C | explanation=The common difference is 4. Therefore the next term is 21 + 4 = 25.

id=11749 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:20 and the first is 342, what is the second? | option_a=340 | option_b=360 | option_c=379 | option_d=702 | answer=B | explanation=Scale factor = $342/19 = 18$. Therefore second quantity = $20 \times 18 = 360$.

id=11750 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4296. If it is sold at a profit of 50%, what is its selling price? | option_a=6015 | option_b=4346 | option_c=6444 | option_d=6873 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4296 \times 150/100 = \text{■}6444$.

id=11751 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 26, 36, 47? | option_a=47 | option_b=26 | option_c=16 | option_d=36 | answer=A | explanation=The first three numbers increase by 10, so the next should be 46. Therefore 47 is the odd one out.

id=11752 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=85 | option_c=160 | option_d=75 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=11753 | topic=Averages | difficulty=Easy | question=Find the average of 41, 46, 66. | option_a=51 | option_b=52 | option_c=50 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 153 ÷ 3 = 51.

id=11754 | topic=Averages | difficulty=Easy | question=Find the average of 42, 16, 95. | option_a=50 | option_b=52 | option_c=53 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 153 ÷ 3 = 51.

id=11755 | topic=Averages | difficulty=Easy | question=Find the average of 54, 92, 65, 70, 35, 73, 33, 87, 40. | option_a=61 | option_b=62 | option_c=60 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 549 ÷ 9 = 61.

id=11756 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=11757 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=11758 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=42 | option_b=32 | option_c=52 | option_d=43 | answer=A | explanation=The common difference is 10. Therefore the next term is 32 + 10 = 42.

id=11759 | topic=Averages | difficulty=Easy | question=Find the average of 85, 44, 47, 62, 40, 44, 32, 78. | option_a=56 | option_b=55 | option_c=54 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 432 ÷ 8 = 54.

id=11760 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

Aptitude Questions — Records 11,761-11,790 of 100,000

id=11761 | topic=Averages | difficulty=Easy | question=Find the average of 86, 93, 58, 51, 55, 29, 77, 87. | option_a=68 | option_b=66 | option_c=69 | option_d=67 | answer=D | explanation=Average = sum of values ÷ number of values = 536 ÷ 8 = 67.

id=11762 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 14. | option_a=168 | option_b=154 | option_c=192 | option_d=336 | answer=A | explanation=LCM × HCF = 24×14; HCF(24,14) = 2, so LCM = 168.

id=11763 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=Q | option_c=O | option_d=P | answer=B | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=11764 | topic=Percentages | difficulty=Easy | question=What is 40% of 1348? | option_a=539 | option_b=529 | option_c=1078 | option_d=559 | answer=A | explanation=40% of 1348 = (40/100) × 1348 = 539.

id=11765 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 25, 34, 43, ? | option_a=43 | option_b=52 | option_c=61 | option_d=53 | answer=B | explanation=The common difference is 9. Therefore the next term is 43 + 9 = 52.

id=11766 | topic=Percentages | difficulty=Easy | question=What is 5% of 1680? | option_a=168 | option_b=74 | option_c=84 | option_d=89 | answer=C | explanation=5% of 1680 = (5/100) × 1680 = 84.

id=11767 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 26. | option_a=52 | option_b=78 | option_c=84 | option_d=156 | answer=B | explanation=LCM × HCF = 6×26; HCF(6,26) = 2, so LCM = 78.

id=11768 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22245 at 6% per annum for 5 years. | option_a=28918 | option_b=6673 | option_c=6773 | option_d=6573 | answer=B | explanation=SI = PRT/100 = 22245×6×5/100 = **■**6673.

id=11769 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=80 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=11770 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46245 at 4% per annum for 1 years. | option_a=48094 | option_b=1749 | option_c=1949 | option_d=1849 | answer=D | explanation=SI = PRT/100 = 46245×4×1/100 = **■**1849.

id=11771 | topic=Averages | difficulty=Easy | question=Find the average of 89, 66, 68, 83, 46, 42, 68, 94, 74. | option_a=71 | option_b=70 | option_c=72 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 630 ÷ 9 = 70.

id=11772 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=Y | option_b=B | option_c=H | option_d=E | answer=D | explanation=Move 3 positions forward from B; the resulting letter is E.

id=11773 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 30, 34, 40? | option_a=30 | option_b=40 | option_c=34 | option_d=26 | answer=B | explanation=The first three numbers increase by 4, so the next should be 38. Therefore 40 is the odd one out.

id=11774 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**930. If it is sold at a profit of 40%, what is its selling price? | option_a=1302 | option_b=1395 | option_c=1209 | option_d=970 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 930 × 140/100 = **■**1302.

id=11775 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**343. If it is sold at a profit of 40%, what is its selling price? | option_a=480 | option_b=514 | option_c=446 | option_d=383 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 343 × 140/100 = **■**480.

id=11776 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 9. | option_a=84 | option_b=54 | option_c=189 | option_d=63 | answer=D | explanation=LCM × HCF = 21×9; HCF(21,9) = 3, so LCM = 63.

id=11777 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=43 | option_b=51 | option_c=33 | option_d=42 | answer=D | explanation=The common difference is 9. Therefore the next term is 33 + 9 = 42.

id=11778 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 44? | option_a=44 | option_b=27 | option_c=34 | option_d=20 | answer=A | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 44 is the odd one out.

id=11779 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=51 | option_b=38 | option_c=50 | option_d=62 | answer=C | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=11780 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:4 and the first is 84, what is the second? | option_a=40 | option_b=28 | option_c=24 | option_d=112 | answer=B | explanation=Scale factor = 84/12 = 7. Therefore second quantity = 4×7 = 28.

id=11781 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=11782 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30033 at 12% per annum for 1 years. | option_a=3503 | option_b=33636 | option_c=3703 | option_d=3603 | answer=D | explanation=SI = PRT/100 = 30033×12×1/100 = **■**3603.

id=11783 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=V | option_b=Q | option_c=A | option_d=L | answer=A | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=11784 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=Y | option_b=J | option_c=T | option_d=O | answer=C | explanation=Move 5 positions forward from O; the resulting letter is T.

id=11785 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=11786 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 40? | option_a=40 | option_b=20 | option_c=29 | option_d=11 | answer=A | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 40 is the odd one out.

id=11787 | topic=Averages | difficulty=Easy | question=Find the average of 49, 59, 93, 19, 98, 72. | option_a=67 | option_b=64 | option_c=66 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 390 ÷ 6 = 65.

id=11788 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**556. If it is sold at a profit of 15%, what is its selling price? | option_a=584 | option_b=694 | option_c=571 | option_d=639 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 556 × 115/100 = **■**639.

id=11789 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 21, 27, 34? | option_a=27 | option_b=15 | option_c=21 | option_d=34 | answer=D | explanation=The first three numbers increase by 6, so the next should be 33. Therefore 34 is the odd one out.

id=11790 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3849. If it is sold at a profit of 20%, what is its selling price? | option_a=4618 | option_b=5002 | option_c=4234 | option_d=3869 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3849 × 120/100 = **■**4618.

Aptitude Questions — Records 11,791-11,820 of 100,000

id=11791 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 49? | option_a=37 | option_b=49 | option_c=27 | option_d=17 | answer=B | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 49 is the odd one out.

id=11792 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:20 and the first is 247, what is the second? | option_a=360 | option_b=393 | option_c=380 | option_d=627 | answer=C | explanation=Scale factor = $247/13 = 19$. Therefore second quantity = $20 \times 19 = 380$.

id=11793 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 20, 27, 35? | option_a=27 | option_b=20 | option_c=35 | option_d=13 | answer=C | explanation=The first three numbers increase by 7, so the next should be 34. Therefore 35 is the odd one out.

id=11794 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 4. | option_a=16 | option_b=32 | option_c=8 | option_d=4 | answer=C | explanation= $LCM \times HCF = 8 \times 4$; $HCF(8,4) = 4$, so $LCM = 8$.

id=11795 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=30 | option_d=20 | answer=B | explanation= $Speed = distance \div time = 60 \div 4 = 15$ km/h.

id=11796 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39903 at 15% per annum for 1 years. | option_a=6085 | option_b=5985 | option_c=45888 | option_d=5885 | answer=B | explanation= $SI = PRT/100 = 39903 \times 15 \times 1/100 = \text{■}5985$.

id=11797 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=O | option_c=K | option_d=M | answer=B | explanation=Move 2 positions forward from M; the resulting letter is O.

id=11798 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=A | option_b=K | option_c=P | option_d=F | answer=B | explanation=Move 5 positions forward from F; the resulting letter is K.

id=11799 | topic=Averages | difficulty=Easy | question=Find the average of 74, 86, 77. | option_a=81 | option_b=80 | option_c=78 | option_d=79 | answer=D | explanation= $Average = \text{sum of values} \div \text{number of values} = 237 \div 3 = 79$.

id=11800 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 8, 11, 14, ? | option_a=17 | option_b=20 | option_c=18 | option_d=14 | answer=A | explanation=The common difference is 3. Therefore the next term is $14 + 3 = 17$.

id=11801 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18279 at 10% per annum for 2 years. | option_a=3755 | option_b=21934 | option_c=3655 | option_d=3555 | answer=C | explanation= $SI = PRT/100 = 18279 \times 10 \times 2/100 = \text{■}3655$.

id=11802 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=V | option_b=J | option_c=R | option_d=N | answer=C | explanation=Move 4 positions forward from N; the resulting letter is R.

id=11803 | topic=Averages | difficulty=Easy | question=Find the average of 37, 100, 87, 92. | option_a=79 | option_b=80 | option_c=78 | option_d=81 | answer=A | explanation= $Average = \text{sum of values} \div \text{number of values} = 316 \div 4 = 79$.

id=11804 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 49? | option_a=28 | option_b=19 | option_c=49 | option_d=37 | answer=C | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 49 is the odd one out.

id=11805 | topic=Averages | difficulty=Easy | question=Find the average of 26, 49, 98, 91, 98, 37, 65, 69, 53, 34. | option_a=62 | option_b=64 | option_c=61 | option_d=63 | answer=A | explanation= $Average = \text{sum of values} \div \text{number of values} = 620 \div 10 = 62$.

id=11806 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation= $Combined\ rate = 1/6 + 1/12 = 18/72$. $Time = 72/18 = 4$ days.

id=11807 | topic=Averages | difficulty=Easy | question=Find the average of 36, 15, 68, 67, 26, 25, 75, 72. | option_a=47 | option_b=50 | option_c=49 | option_d=48 | answer=D | explanation= $Average = \text{sum of values} \div \text{number of values} = 384 \div 8 = 48$.

id=11808 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 198, what is the second? | option_a=299 | option_b=288 | option_c=486 | option_d=272 | answer=B | explanation=Scale factor = $198/11 = 18$. Therefore second quantity = $16 \times 18 = 288$.

id=11809 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=65 | option_b=57 | option_c=56 | option_d=47 | answer=C | explanation=The common difference is 9. Therefore the next term is $47 + 9 = 56$.

id=11810 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=150 | option_c=75 | option_d=80 | answer=C | explanation= $Speed = distance \div time = 150 \div 2 = 75$ km/h.

id=11811 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation= $Combined\ rate = 1/4 + 1/12 = 16/48$. $Time = 48/16 = 3$ days.

id=11812 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1178. If it is sold at a profit of 25%, what is its selling price? | option_a=1589 | option_b=1355 | option_c=1472 | option_d=1203 | answer=C | explanation= $Selling\ price = CP \times (100 + \text{profit}\%)/100 = 1178 \times 125/100 = \text{■}1472$.

id=11813 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**489. If it is sold at a profit of 20%, what is its selling price? | option_a=509 | option_b=586 | option_c=538 | option_d=634 | answer=B | explanation= $Selling\ price = CP \times (100 + \text{profit}\%)/100 = 489 \times 120/100 = \text{■}586$.

id=11814 | topic=Averages | difficulty=Easy | question=Find the average of 20, 30, 85, 69. | option_a=51 | option_b=52 | option_c=50 | option_d=53 | answer=A | explanation= $Average = \text{sum of values} \div \text{number of values} = 204 \div 4 = 51$.

id=11815 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:6 and the first is 187, what is the second? | option_a=102 | option_b=113 | option_c=96 | option_d=289 | answer=A | explanation=Scale factor = $187/11 = 17$. Therefore second quantity = $6 \times 17 = 102$.

id=11816 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=8 | option_d=3 | answer=A | explanation= $Combined\ rate = 1/4 + 1/4 = 8/16$. $Time = 16/8 = 2$ days.

id=11817 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=5 | option_d=20 | answer=C | explanation= $Combined\ rate = 1/10 + 1/10 = 20/100$. $Time = 100/20 = 5$ days.

id=11818 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=C | option_c=G | option_d=O | answer=A | explanation=Move 4 positions forward from G; the resulting letter is K.

id=11819 | topic=Averages | difficulty=Easy | question=Find the average of 81, 34, 64, 100, 43, 98. | option_a=70 | option_b=71 | option_c=72 | option_d=69 | answer=A | explanation= $Average = \text{sum of values} \div \text{number of values} = 420 \div 6 = 70$.

id=11820 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 34? | option_a=24 | option_b=34 | option_c=6 | option_d=15 | answer=B | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 34 is the odd one out.

Aptitude Questions — Records 11,821-11,850 of 100,000

id=11821 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=11822 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=56 | option_b=55 | option_c=45 | option_d=65 | answer=B | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.

id=11823 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:20 and the first is 36, what is the second? | option_a=96 | option_b=60 | option_c=72 | option_d=40 | answer=B | explanation=Scale factor = 36/12 = 3. Therefore second quantity = 20×3 = 60.

id=11824 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2907. If it is sold at a profit of 30%, what is its selling price? | option_a=4069 | option_b=3489 | option_c=3779 | option_d=2937 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2907 × 130/100 = █3779.

id=11825 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=11826 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1265. If it is sold at a profit of 25%, what is its selling price? | option_a=1707 | option_b=1455 | option_c=1290 | option_d=1581 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1265 × 125/100 = █1581.

id=11827 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 24? | option_a=5 | option_b=24 | option_c=17 | option_d=11 | answer=B | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 24 is the odd one out.

id=11828 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=56 | option_b=46 | option_c=55 | option_d=64 | answer=C | explanation=The common difference is 9. Therefore the next term is 46 + 9 = 55.

id=11829 | topic=Averages | difficulty=Easy | question=Find the average of 94, 29, 95, 54. | option_a=69 | option_b=68 | option_c=67 | option_d=70 | answer=B | explanation=Average = sum of values ÷ number of values = 272 ÷ 4 = 68.

id=11830 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=39 | option_b=34 | option_c=35 | option_d=29 | answer=B | explanation=The common difference is 5. Therefore the next term is 29 + 5 = 34.

id=11831 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=11832 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=Q | option_b=M | option_c=O | option_d=S | answer=A | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=11833 | topic=Averages | difficulty=Easy | question=Find the average of 43, 53, 98, 73, 37, 65, 44, 25, 42, 90. | option_a=57 | option_b=59 | option_c=56 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.

id=11834 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:4 and the first is 19, what is the second? | option_a=77 | option_b=72 | option_c=95 | option_d=76 | answer=D | explanation=Scale factor = 19/1 = 19. Therefore second quantity = 4×19 = 76.

id=11835 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=A | option_b=F | option_c=P | option_d=K | answer=D | explanation=Move 5 positions forward from F; the resulting letter is K.

id=11836 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=D | option_b=B | option_c=C | option_d=E | answer=A | explanation=Move 1 positions forward from C; the resulting letter is D.

id=11837 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=D | option_b=L | option_c=H | option_d=P | answer=B | explanation=Move 4 positions forward from H; the resulting letter is L.

id=11838 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1269 at 6% per annum for 1 years. | option_a=176 | option_b=1345 | option_c=0 | option_d=76 | answer=D | explanation=SI = PRT/100 = 1269×6×1/100 = █76.

id=11839 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49093 at 10% per annum for 2 years. | option_a=9718 | option_b=9918 | option_c=58911 | option_d=9818 | answer=D | explanation=SI = PRT/100 = 49093×10×2/100 = █9818.

id=11840 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37720 at 6% per annum for 3 years. | option_a=44509 | option_b=6789 | option_c=6689 | option_d=6889 | answer=B | explanation=SI = PRT/100 = 37720×6×3/100 = █6789.

id=11841 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39450 at 10% per annum for 1 years. | option_a=3845 | option_b=3945 | option_c=43395 | option_d=4045 | answer=B | explanation=SI = PRT/100 = 39450×10×1/100 = █3945.

id=11842 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 27, 32, 38? | option_a=38 | option_b=32 | option_c=27 | option_d=22 | answer=A | explanation=The first three numbers increase by 5, so the next should be 37. Therefore 38 is the odd one out.

id=11843 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=11844 | topic=Averages | difficulty=Easy | question=Find the average of 30, 39, 57. | option_a=43 | option_b=41 | option_c=42 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = 126 ÷ 3 = 42.

id=11845 | topic=Percentages | difficulty=Easy | question=What is 5% of 60? | option_a=13 | option_b=3 | option_c=0 | option_d=6 | answer=B | explanation=5% of 60 = (5/100) × 60 = 3.

id=11846 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=11847 | topic=Percentages | difficulty=Easy | question=What is 30% of 985? | option_a=590 | option_b=295 | option_c=290 | option_d=305 | answer=B | explanation=30% of 985 = (30/100) × 985 = 295.

id=11848 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=360 | option_c=175 | option_d=180 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=11849 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=11850 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1286. If it is sold at a profit of 40%, what is its selling price? | option_a=1800 | option_b=1672 | option_c=1928 | option_d=1326 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1286 × 140/100 = █1800.

Aptitude Questions — Records 11,851-11,880 of 100,000

id=11851 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■18435 at 10% per annum for 3 years. | option_a=5530 | option_b=23965 | option_c=5630 | option_d=5430 | answer=A | explanation=SI = PRT/100 = 18435×10×3/100 = ■5530.

id=11852 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 20. | option_a=1 | option_b=80 | option_c=20 | option_d=24 | answer=C | explanation=LCM × HCF = 4×20; HCF(4,20) = 4, so LCM = 20.

id=11853 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■11852 at 4% per annum for 2 years. | option_a=848 | option_b=948 | option_c=12800 | option_d=1048 | answer=B | explanation=SI = PRT/100 = 11852×4×2/100 = ■948.

id=11854 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=J | option_c=O | option_d=Z | answer=B | explanation=Move 5 positions forward from E; the resulting letter is J.

id=11855 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=11856 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1221. If it is sold at a profit of 20%, what is its selling price? | option_a=1587 | option_b=1465 | option_c=1343 | option_d=1241 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1221 × 120/100 = ■1465.

id=11857 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 31, 34, 39? | option_a=28 | option_b=31 | option_c=34 | option_d=39 | answer=D | explanation=The first three numbers increase by 3, so the next should be 37. Therefore 39 is the odd one out.

id=11858 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=38 | option_b=43 | option_c=39 | option_d=33 | answer=A | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.

id=11859 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:10 and the first is 150, what is the second? | option_a=115 | option_b=250 | option_c=90 | option_d=100 | answer=D | explanation=Scale factor = 150/15 = 10. Therefore second quantity = 10×10 = 100.

id=11860 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:9 and the first is 9, what is the second? | option_a=82 | option_b=90 | option_c=81 | option_d=72 | answer=C | explanation=Scale factor = 9/1 = 9. Therefore second quantity = 9×9 = 81.

id=11861 | topic=Averages | difficulty=Easy | question=Find the average of 95, 19, 20, 55, 79, 93, 31, 72. | option_a=57 | option_b=59 | option_c=60 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 464 ÷ 8 = 58.

id=11862 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=J | option_b=N | option_c=P | option_d=L | answer=B | explanation=Move 2 positions forward from L; the resulting letter is N.

id=11863 | topic=Averages | difficulty=Easy | question=Find the average of 46, 63, 39, 100, 37, 31, 27. | option_a=48 | option_b=50 | option_c=51 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 343 ÷ 7 = 49.

id=11864 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4153. If it is sold at a profit of 15%, what is its selling price? | option_a=4775 | option_b=4168 | option_c=4360 | option_d=5190 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4153 × 115/100 = ■4775.

id=11865 | topic=Averages | difficulty=Easy | question=Find the average of 85, 93, 12, 98. | option_a=73 | option_b=74 | option_c=71 | option_d=72 | answer=D | explanation=Average = sum of values ÷ number of values = 288 ÷ 4 = 72.

id=11866 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■16371 at 8% per annum for 5 years. | option_a=6548 | option_b=22919 | option_c=6648 | option_d=6448 | answer=A | explanation=SI = PRT/100 = 16371×8×5/100 = ■6548.

id=11867 | topic=Averages | difficulty=Easy | question=Find the average of 19, 65, 75. | option_a=54 | option_b=55 | option_c=53 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 159 ÷ 3 = 53.

id=11868 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■7809 at 15% per annum for 2 years. | option_a=10151 | option_b=2242 | option_c=2442 | option_d=2342 | answer=D | explanation=SI = PRT/100 = 7809×15×2/100 = ■2342.

id=11869 | topic=Averages | difficulty=Easy | question=Find the average of 65, 67, 39, 85, 59. | option_a=64 | option_b=63 | option_c=65 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 315 ÷ 5 = 63.

id=11870 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■35086 at 12% per annum for 4 years. | option_a=16841 | option_b=16941 | option_c=51927 | option_d=16741 | answer=A | explanation=SI = PRT/100 = 35086×12×4/100 = ■16841.

id=11871 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:5 and the first is 56, what is the second? | option_a=74 | option_b=65 | option_c=70 | option_d=126 | answer=C | explanation=Scale factor = 56/4 = 14. Therefore second quantity = 5×14 = 70.

id=11872 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=45 | option_c=50 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=11873 | topic=Averages | difficulty=Easy | question=Find the average of 18, 71, 70, 73, 39, 65. | option_a=57 | option_b=56 | option_c=58 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 336 ÷ 6 = 56.

id=11874 | topic=Averages | difficulty=Easy | question=Find the average of 99, 43, 60, 80, 21, 70, 92, 55. | option_a=65 | option_b=67 | option_c=66 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = 520 ÷ 8 = 65.

id=11875 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 48? | option_a=48 | option_b=27 | option_c=17 | option_d=37 | answer=A | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 48 is the odd one out.

id=11876 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=4 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=11877 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■15820 at 5% per annum for 5 years. | option_a=4055 | option_b=19775 | option_c=3955 | option_d=3855 | answer=C | explanation=SI = PRT/100 = 15820×5×5/100 = ■3955.

id=11878 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=Y | option_b=G | option_c=K | option_d=C | answer=B | explanation=Move 4 positions forward from C; the resulting letter is G.

id=11879 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:12 and the first is 300, what is the second? | option_a=200 | option_b=168 | option_c=180 | option_d=480 | answer=C | explanation=Scale factor = 300/20 = 15. Therefore second quantity = 12×15 = 180.

id=11880 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=80 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

Aptitude Questions — Records 11,881-11,910 of 100,000

id=11881 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=43 | option_c=53 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=11882 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=11883 | topic=Averages | difficulty=Easy | question=Find the average of 56, 61, 96, 23, 89, 15, 42, 33, 45, 50. | option_a=50 | option_b=52 | option_c=51 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

id=11884 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3588. If it is sold at a profit of 50%, what is its selling price? | option_a=5382 | option_b=5740 | option_c=3638 | option_d=5024 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3588 × 150/100 = █5382.

id=11885 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:20 and the first is 221, what is the second? | option_a=260 | option_b=481 | option_c=240 | option_d=277 | answer=A | explanation=Scale factor = 221/17 = 13. Therefore second quantity = 20×13 = 260.

id=11886 | topic=Percentages | difficulty=Easy | question=What is 20% of 1663? | option_a=352 | option_b=664 | option_c=327 | option_d=332 | answer=D | explanation=20% of 1663 = (20/100) × 1663 = 332.

id=11887 | topic=Profit & Loss | difficulty=Easy | question=An article costs █972. If it is sold at a profit of 10%, what is its selling price? | option_a=1069 | option_b=1166 | option_c=982 | option_d=972 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 972 × 110/100 = █1069.

id=11888 | topic=Percentages | difficulty=Easy | question=What is 10% of 917? | option_a=81 | option_b=111 | option_c=91 | option_d=182 | answer=C | explanation=10% of 917 = (10/100) × 917 = 91.

id=11889 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=H | option_b=J | option_c=I | option_d=K | answer=B | explanation=Move 1 positions forward from I; the resulting letter is J.

id=11890 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 23, 27, 33? | option_a=19 | option_b=33 | option_c=23 | option_d=27 | answer=B | explanation=The first three numbers increase by 4, so the next should be 31. Therefore 33 is the odd one out.

id=11891 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=C | option_b=G | option_c=E | option_d=I | answer=B | explanation=Move 2 positions forward from E; the resulting letter is G.

id=11892 | topic=Percentages | difficulty=Easy | question=What is 10% of 1332? | option_a=266 | option_b=133 | option_c=113 | option_d=143 | answer=B | explanation=10% of 1332 = (10/100) × 1332 = 133.

id=11893 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=57 | option_b=68 | option_c=44 | option_d=56 | answer=D | explanation=The common difference is 12. Therefore the next term is 44 + 12 = 56.

id=11894 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=55 | option_d=100 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=11895 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=6 | option_c=12 | option_d=11 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=11896 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 29? | option_a=29 | option_b=4 | option_c=20 | option_d=12 | answer=A | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 29 is the odd one out.

id=11897 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=11898 | topic=Percentages | difficulty=Easy | question=What is 25% of 270? | option_a=67 | option_b=134 | option_c=87 | option_d=47 | answer=A | explanation=25% of 270 = (25/100) × 270 = 67.

id=11899 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=11900 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5554 at 8% per annum for 5 years. | option_a=2121 | option_b=7775 | option_c=2321 | option_d=2221 | answer=D | explanation=SI = PRT/100 = 5554×8×5/100 = █2221.

id=11901 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4355. If it is sold at a profit of 40%, what is its selling price? | option_a=4395 | option_b=6532 | option_c=6097 | option_d=5662 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4355 × 140/100 = █6097.

id=11902 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4181. If it is sold at a profit of 5%, what is its selling price? | option_a=4390 | option_b=4186 | option_c=3972 | option_d=4808 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4181 × 105/100 = █4390.

id=11903 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33752 at 5% per annum for 1 years. | option_a=1687 | option_b=35439 | option_c=1587 | option_d=1787 | answer=A | explanation=SI = PRT/100 = 33752×5×1/100 = █1687.

id=11904 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=11905 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29239 at 4% per annum for 3 years. | option_a=3508 | option_b=3408 | option_c=32747 | option_d=3608 | answer=A | explanation=SI = PRT/100 = 29239×4×3/100 = █3508.

id=11906 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 14, 20, 27? | option_a=27 | option_b=14 | option_c=8 | option_d=20 | answer=A | explanation=The first three numbers increase by 6, so the next should be 26. Therefore 27 is the odd one out.

id=11907 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15152 at 4% per annum for 5 years. | option_a=3130 | option_b=2930 | option_c=3030 | option_d=18182 | answer=C | explanation=SI = PRT/100 = 15152×4×5/100 = █3030.

id=11908 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=S | option_b=X | option_c=I | option_d=N | answer=A | explanation=Move 5 positions forward from N; the resulting letter is S.

id=11909 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=125 | option_b=120 | option_c=115 | option_d=240 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=11910 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 9. | option_a=24 | option_b=54 | option_c=18 | option_d=9 | answer=C | explanation=LCM × HCF = 6×9; HCF(6,9) = 3, so LCM = 18.

Aptitude Questions — Records 11,911-11,940 of 100,000

- id=11911 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 11, 16, 24? | option_a=24 | option_b=11 | option_c=16 | option_d=6 | answer=A | explanation=The first three numbers increase by 5, so the next should be 21. Therefore 24 is the odd one out.
- id=11912 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=36 | option_c=31 | option_d=72 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.
- id=11913 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 15. | option_a=120 | option_b=360 | option_c=105 | option_d=144 | answer=A | explanation=LCM × HCF = 24×15; HCF(24,15) = 3, so LCM = 120.
- id=11914 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:11 and the first is 50, what is the second? | option_a=99 | option_b=110 | option_c=160 | option_d=115 | answer=B | explanation=Scale factor = 50/5 = 10. Therefore second quantity = 11×10 = 110.
- id=11915 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=18 | option_c=14 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.
- id=11916 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 47? | option_a=47 | option_b=38 | option_c=26 | option_d=32 | answer=A | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 47 is the odd one out.
- id=11917 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=K | option_c=O | option_d=Q | answer=C | explanation=Move 2 positions forward from M; the resulting letter is O.
- id=11918 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18178 at 10% per annum for 5 years. | option_a=8989 | option_b=9189 | option_c=9089 | option_d=27267 | answer=C | explanation=SI = PRT/100 = 18178×10×5/100 = **■**9089.
- id=11919 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=W | option_c=U | option_d=Q | answer=C | explanation=Move 2 positions forward from S; the resulting letter is U.
- id=11920 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=24 | option_b=29 | option_c=34 | option_d=30 | answer=B | explanation=The common difference is 5. Therefore the next term is 24 + 5 = 29.
- id=11921 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.
- id=11922 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 18, 23, 28, ? | option_a=28 | option_b=33 | option_c=38 | option_d=34 | answer=B | explanation=The common difference is 5. Therefore the next term is 28 + 5 = 33.
- id=11923 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:20 and the first is 8, what is the second? | option_a=82 | option_b=80 | option_c=88 | option_d=60 | answer=B | explanation=Scale factor = 8/2 = 4. Therefore second quantity = 20×4 = 80.
- id=11924 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11679 at 10% per annum for 3 years. | option_a=15182 | option_b=3503 | option_c=3603 | option_d=3403 | answer=B | explanation=SI = PRT/100 = 11679×10×3/100 = **■**3503.
- id=11925 | topic=Averages | difficulty=Easy | question=Find the average of 90, 80, 87, 87, 34, 21, 91. | option_a=70 | option_b=69 | option_c=72 | option_d=71 | answer=A | explanation=Average = sum of values ÷ number of values = 490 ÷ 7 = 70.
- id=11926 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=37 | option_b=48 | option_c=47 | option_d=57 | answer=C | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.
- id=11927 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:20 and the first is 100, what is the second? | option_a=200 | option_b=210 | option_c=300 | option_d=180 | answer=A | explanation=Scale factor = 100/10 = 10. Therefore second quantity = 20×10 = 200.
- id=11928 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=21 | option_b=15 | option_c=19 | option_d=18 | answer=D | explanation=The common difference is 3. Therefore the next term is 15 + 3 = 18.
- id=11929 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=29 | option_b=23 | option_c=26 | option_d=27 | answer=C | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.
- id=11930 | topic=Percentages | difficulty=Easy | question=What is 5% of 198? | option_a=0 | option_b=9 | option_c=18 | option_d=14 | answer=B | explanation=5% of 198 = (5/100) × 198 = 9.
- id=11931 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 10, 14, 21? | option_a=14 | option_b=6 | option_c=10 | option_d=21 | answer=D | explanation=The first three numbers increase by 4, so the next should be 18. Therefore 21 is the odd one out.
- id=11932 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:16 and the first is 169, what is the second? | option_a=377 | option_b=192 | option_c=221 | option_d=208 | answer=D | explanation=Scale factor = 169/13 = 13. Therefore second quantity = 16×13 = 208.
- id=11933 | topic=Percentages | difficulty=Easy | question=What is 20% of 1807? | option_a=722 | option_b=361 | option_c=356 | option_d=371 | answer=B | explanation=20% of 1807 = (20/100) × 1807 = 361.
- id=11934 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:4 and the first is 160, what is the second? | option_a=36 | option_b=56 | option_c=200 | option_d=40 | answer=D | explanation=Scale factor = 160/16 = 10. Therefore second quantity = 4×10 = 40.
- id=11935 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=40 | option_b=45 | option_c=39 | option_d=33 | answer=C | explanation=The common difference is 6. Therefore the next term is 33 + 6 = 39.
- id=11936 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2616. If it is sold at a profit of 40%, what is its selling price? | option_a=3401 | option_b=3923 | option_c=2656 | option_d=3662 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2616 × 140/100 = **■**3662.
- id=11937 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=59 | option_b=58 | option_c=47 | option_d=69 | answer=B | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.
- id=11938 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**342. If it is sold at a profit of 20%, what is its selling price? | option_a=444 | option_b=410 | option_c=376 | option_d=362 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 342 × 120/100 = **■**410.
- id=11939 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=24 | option_b=32 | option_c=28 | option_d=29 | answer=C | explanation=The common difference is 4. Therefore the next term is 24 + 4 = 28.
- id=11940 | topic=Averages | difficulty=Easy | question=Find the average of 44, 55, 12. | option_a=37 | option_b=39 | option_c=38 | option_d=36 | answer=A | explanation=Average = sum of values ÷ number of values = 111 ÷ 3 = 37.

Aptitude Questions — Records 11,941-11,970 of 100,000

id=11941 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:9 and the first is 40, what is the second? | option_a=63 | option_b=72 | option_c=112 | option_d=77 | answer=B | explanation=Scale factor = 40/5 = 8. Therefore second quantity = 9×8 = 72.

id=11942 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=12 | option_b=8 | option_c=10 | option_d=11 | answer=C | explanation=The common difference is 2. Therefore the next term is 8 + 2 = 10.

id=11943 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=16 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=11944 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=40 | option_b=28 | option_c=34 | option_d=35 | answer=C | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.

id=11945 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=27 | option_b=32 | option_c=28 | option_d=22 | answer=A | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.

id=11946 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=11947 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:15 and the first is 24, what is the second? | option_a=15 | option_b=30 | option_c=54 | option_d=42 | answer=B | explanation=Scale factor = 24/12 = 2. Therefore second quantity = 15×2 = 30.

id=11948 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=S | option_c=Q | option_d=U | answer=D | explanation=Move 2 positions forward from S; the resulting letter is U.

id=11949 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=11950 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**37521 at 4% per annum for 2 years. | option_a=3101 | option_b=40522 | option_c=2901 | option_d=3001 | answer=D | explanation=SI = PRT/100 = 37521×4×2/100 = **₹**3001.

id=11951 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 19, 27, 36? | option_a=19 | option_b=36 | option_c=11 | option_d=27 | answer=B | explanation=The first three numbers increase by 8, so the next should be 35. Therefore 36 is the odd one out.

id=11952 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=11953 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4327. If it is sold at a profit of 30%, what is its selling price? | option_a=6057 | option_b=4357 | option_c=5193 | option_d=5625 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4327 × 130/100 = **₹**5625.

id=11954 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:8 and the first is 182, what is the second? | option_a=118 | option_b=286 | option_c=96 | option_d=104 | answer=D | explanation=Scale factor = 182/14 = 13. Therefore second quantity = 8×13 = 104.

id=11955 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=11956 | topic=Averages | difficulty=Easy | question=Find the average of 92, 91, 79, 31, 92. | option_a=76 | option_b=78 | option_c=79 | option_d=77 | answer=D | explanation=Average = sum of values ÷ number of values = 385 ÷ 5 = 77.

id=11957 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**18550 at 12% per annum for 2 years. | option_a=4552 | option_b=23002 | option_c=4352 | option_d=4452 | answer=D | explanation=SI = PRT/100 = 18550×12×2/100 = **₹**4452.

id=11958 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4242. If it is sold at a profit of 5%, what is its selling price? | option_a=4454 | option_b=4247 | option_c=4030 | option_d=4878 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4242 × 105/100 = **₹**4454.

id=11959 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=25 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=11960 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=11961 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 14, 18, 23? | option_a=14 | option_b=18 | option_c=10 | option_d=23 | answer=D | explanation=The first three numbers increase by 4, so the next should be 22. Therefore 23 is the odd one out.

id=11962 | topic=Percentages | difficulty=Easy | question=What is 30% of 874? | option_a=257 | option_b=524 | option_c=262 | option_d=272 | answer=C | explanation=30% of 874 = (30/100) × 874 = 262.

id=11963 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 13, 21, 30? | option_a=21 | option_b=13 | option_c=30 | option_d=5 | answer=C | explanation=The first three numbers increase by 8, so the next should be 29. Therefore 30 is the odd one out.

id=11964 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=45 | option_b=50 | option_c=44 | option_d=38 | answer=C | explanation=The common difference is 6. Therefore the next term is 38 + 6 = 44.

id=11965 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:12 and the first is 133, what is the second? | option_a=72 | option_b=217 | option_c=84 | option_d=103 | answer=C | explanation=Scale factor = 133/19 = 7. Therefore second quantity = 12×7 = 84.

id=11966 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=X | option_b=S | option_c=N | option_d=C | answer=A | explanation=Move 5 positions forward from S; the resulting letter is X.

id=11967 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**10271 at 4% per annum for 3 years. | option_a=1332 | option_b=1232 | option_c=11503 | option_d=1132 | answer=B | explanation=SI = PRT/100 = 10271×4×3/100 = **₹**1232.

id=11968 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=11969 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=T | option_c=P | option_d=N | answer=A | explanation=Move 2 positions forward from P; the resulting letter is R.

id=11970 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**38074 at 15% per annum for 1 years. | option_a=5811 | option_b=43785 | option_c=5711 | option_d=5611 | answer=C | explanation=SI = PRT/100 = 38074×15×1/100 = **₹**5711.

Aptitude Questions — Records 11,971-12,000 of 100,000

id=11971 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=A | option_b=M | option_c=E | option_d=I | answer=D | explanation=Move 4 positions forward from E; the resulting letter is I.

id=11972 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:8 and the first is 156, what is the second? | option_a=252 | option_b=109 | option_c=96 | option_d=88 | answer=C | explanation=Scale factor = 156/13 = 12. Therefore second quantity = 8×12 = 96.

id=11973 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=V | option_b=R | option_c=J | option_d=N | answer=B | explanation=Move 4 positions forward from N; the resulting letter is R.

id=11974 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 5. | option_a=20 | option_b=100 | option_c=15 | option_d=40 | answer=A | explanation=LCM × HCF = 20×5; HCF(20,5) = 5, so LCM = 20.

id=11975 | topic=Percentages | difficulty=Easy | question=What is 40% of 735? | option_a=314 | option_b=289 | option_c=588 | option_d=294 | answer=D | explanation=40% of 735 = (40/100) × 735 = 294.

id=11976 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■16333 at 6% per annum for 4 years. | option_a=3819 | option_b=4019 | option_c=3919 | option_d=20252 | answer=C | explanation=SI = PRT/100 = 16333×6×4/100 = ■3919.

id=11977 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■49366 at 4% per annum for 4 years. | option_a=7898 | option_b=57264 | option_c=7998 | option_d=7798 | answer=A | explanation=SI = PRT/100 = 49366×4×4/100 = ■7898.

id=11978 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=11979 | topic=Averages | difficulty=Easy | question=Find the average of 31, 10, 56, 72, 36, 71. | option_a=48 | option_b=47 | option_c=45 | option_d=46 | answer=D | explanation=Average = sum of values + number of values = 276 + 6 = 46.

id=11980 | topic=Percentages | difficulty=Easy | question=What is 5% of 405? | option_a=20 | option_b=15 | option_c=40 | option_d=30 | answer=A | explanation=5% of 405 = (5/100) × 405 = 20.

id=11981 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■572. If it is sold at a profit of 10%, what is its selling price? | option_a=629 | option_b=572 | option_c=686 | option_d=582 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 572 × 110/100 = ■629.

id=11982 | topic=Percentages | difficulty=Easy | question=What is 12% of 1132? | option_a=270 | option_b=115 | option_c=135 | option_d=155 | answer=C | explanation=12% of 1132 = (12/100) × 1132 = 135.

id=11983 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 30. | option_a=30 | option_b=1 | option_c=36 | option_d=180 | answer=A | explanation=LCM × HCF = 6×30; HCF(6,30) = 6, so LCM = 30.

id=11984 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=80 | option_c=75 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=11985 | topic=Averages | difficulty=Easy | question=Find the average of 90, 15, 30, 32, 82, 39. | option_a=50 | option_b=49 | option_c=47 | option_d=48 | answer=D | explanation=Average = sum of values + number of values = 288 ÷ 6 = 48.

id=11986 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 34, 41, 49? | option_a=34 | option_b=27 | option_c=41 | option_d=49 | answer=D | explanation=The first three numbers increase by 7, so the next should be 48. Therefore 49 is the odd one out.

id=11987 | topic=Percentages | difficulty=Easy | question=What is 50% of 1106? | option_a=533 | option_b=1106 | option_c=553 | option_d=563 | answer=C | explanation=50% of 1106 = (50/100) × 1106 = 553.

id=11988 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:9 and the first is 140, what is the second? | option_a=54 | option_b=83 | option_c=203 | option_d=63 | answer=D | explanation=Scale factor = 140/20 = 7. Therefore second quantity = 9×7 = 63.

id=11989 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 37? | option_a=14 | option_b=24 | option_c=37 | option_d=4 | answer=C | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 37 is the odd one out.

id=11990 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■21462 at 6% per annum for 5 years. | option_a=6538 | option_b=27900 | option_c=6438 | option_d=6338 | answer=C | explanation=SI = PRT/100 = 21462×6×5/100 = ■6438.

id=11991 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=11992 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=12 | option_b=16 | option_c=15 | option_d=14 | answer=D | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=11993 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 35, 41, 49? | option_a=35 | option_b=41 | option_c=29 | option_d=49 | answer=D | explanation=The first three numbers increase by 6, so the next should be 47. Therefore 49 is the odd one out.

id=11994 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=R | option_b=I | option_c=O | option_d=L | answer=C | explanation=Move 3 positions forward from L; the resulting letter is O.

id=11995 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4481. If it is sold at a profit of 5%, what is its selling price? | option_a=5153 | option_b=4705 | option_c=4257 | option_d=4486 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4481 × 105/100 = ■4705.

id=11996 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2669. If it is sold at a profit of 15%, what is its selling price? | option_a=2803 | option_b=3069 | option_c=2684 | option_d=3335 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2669 × 115/100 = ■3069.

id=11997 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Y | option_b=U | option_c=C | option_d=Q | answer=A | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=11998 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4828. If it is sold at a profit of 10%, what is its selling price? | option_a=4838 | option_b=4828 | option_c=5310 | option_d=5792 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4828 × 110/100 = ■5310.

id=11999 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=85 | option_d=160 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=12000 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 24? | option_a=24 | option_b=15 | option_c=9 | option_d=3 | answer=A | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 24 is the odd one out.

Aptitude Questions — Records 12,001-12,030 of 100,000

- id=12001 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $\frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.
- id=12002 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 31, 33, 38? | option_a=31 | option_b=29 | option_c=33 | option_d=38 | answer=D | explanation=The first three numbers increase by 2, so the next should be 35. Therefore 38 is the odd one out.
- id=12003 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=P | option_c=V | option_d=T | answer=D | explanation=Move 2 positions forward from R; the resulting letter is T.
- id=12004 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.
- id=12005 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=5 | answer=B | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.
- id=12006 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=70 | option_b=80 | option_c=150 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = $300 \div 4 = 75$ km/h.
- id=12007 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 12. | option_a=12 | option_b=48 | option_c=1 | option_d=16 | answer=A | explanation=LCM × HCF = 4×12 ; HCF(4,12) = 4, so LCM = 12.
- id=12008 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=53 | option_c=48 | option_d=43 | answer=C | explanation=Speed = distance ÷ time = $240 \div 5 = 48$ km/h.
- id=12009 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:20 and the first is 133, what is the second? | option_a=159 | option_b=120 | option_c=140 | option_d=273 | answer=C | explanation=Scale factor = $\frac{133}{19} = 7$. Therefore second quantity = $20 \times 7 = 140$.
- id=12010 | topic=Percentages | difficulty=Easy | question=What is 50% of 1401? | option_a=1400 | option_b=705 | option_c=690 | option_d=700 | answer=D | explanation=50% of 1401 = $(50/100) \times 1401 = 700$.
- id=12011 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 21, 23, 25, ? | option_a=28 | option_b=29 | option_c=27 | option_d=25 | answer=C | explanation=The common difference is 2. Therefore the next term is $25 + 2 = 27$.
- id=12012 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.
- id=12013 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.
- id=12014 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 35, 40, 48? | option_a=35 | option_b=40 | option_c=30 | option_d=48 | answer=D | explanation=The first three numbers increase by 5, so the next should be 45. Therefore 48 is the odd one out.
- id=12015 | topic=Averages | difficulty=Easy | question=Find the average of 11, 23, 95, 14, 57, 32, 80, 26, 40. | option_a=42 | option_b=43 | option_c=41 | option_d=44 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{378}{9} = 42$.
- id=12016 | topic=Averages | difficulty=Easy | question=Find the average of 82, 98, 51, 76, 95, 71, 59. | option_a=76 | option_b=75 | option_c=77 | option_d=78 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{532}{7} = 76$.
- id=12017 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=H | option_b=J | option_c=L | option_d=N | answer=C | explanation=Move 2 positions forward from J; the resulting letter is L.
- id=12018 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22069 at 12% per annum for 1 years. | option_a=2548 | option_b=24717 | option_c=2648 | option_d=2748 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{22069 \times 12 \times 1}{100} = \text{■}2648$.
- id=12019 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.
- id=12020 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9240 at 15% per annum for 4 years. | option_a=14784 | option_b=5544 | option_c=5644 | option_d=5444 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{9240 \times 15 \times 4}{100} = \text{■}5544$.
- id=12021 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2522. If it is sold at a profit of 10%, what is its selling price? | option_a=2522 | option_b=3026 | option_c=2774 | option_d=2532 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2522 \times \frac{110}{100} = \text{■}2774$.
- id=12022 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 16. | option_a=256 | option_b=32 | option_c=16 | option_d=1 | answer=C | explanation=LCM × HCF = 16×16 ; HCF(16,16) = 16, so LCM = 16.
- id=12023 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = $360 \div 6 = 60$ km/h.
- id=12024 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3251 at 4% per annum for 4 years. | option_a=620 | option_b=3771 | option_c=420 | option_d=520 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{3251 \times 4 \times 4}{100} = \text{■}520$.
- id=12025 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2200. If it is sold at a profit of 15%, what is its selling price? | option_a=2215 | option_b=2310 | option_c=2530 | option_d=2750 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2200 \times \frac{115}{100} = \text{■}2530$.
- id=12026 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 18, 27, 37? | option_a=9 | option_b=18 | option_c=37 | option_d=27 | answer=C | explanation=The first three numbers increase by 9, so the next should be 36. Therefore 37 is the odd one out.
- id=12027 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:7 and the first is 65, what is the second? | option_a=48 | option_b=35 | option_c=28 | option_d=100 | answer=B | explanation=Scale factor = $\frac{65}{13} = 5$. Therefore second quantity = $7 \times 5 = 35$.
- id=12028 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17239 at 8% per annum for 4 years. | option_a=5516 | option_b=22755 | option_c=5416 | option_d=5616 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{17239 \times 8 \times 4}{100} = \text{■}5516$.
- id=12029 | topic=Averages | difficulty=Easy | question=Find the average of 84, 84, 64, 87, 25, 66, 80, 67, 19. | option_a=63 | option_b=65 | option_c=66 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{576}{9} = 64$.
- id=12030 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:7 and the first is 209, what is the second? | option_a=342 | option_b=126 | option_c=133 | option_d=144 | answer=C | explanation=Scale factor = $\frac{209}{11} = 19$. Therefore second quantity = $7 \times 19 = 133$.

Aptitude Questions — Records 12,031-12,060 of 100,000

id=12031 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3980. If it is sold at a profit of 25%, what is its selling price? | option_a=5373 | option_b=4577 | option_c=4005 | option_d=4975 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3980 \times 125/100 = \text{█}4975$.

id=12032 | topic=Averages | difficulty=Easy | question=Find the average of 61, 44, 41, 14. | option_a=39 | option_b=40 | option_c=42 | option_d=41 | answer=B | explanation=Average = sum of values ÷ number of values = $160 \div 4 = 40$.

id=12033 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4608. If it is sold at a profit of 10%, what is its selling price? | option_a=5528 | option_b=4608 | option_c=4618 | option_d=5068 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4608 \times 110/100 = \text{█}5068$.

id=12034 | topic=Profit & Loss | difficulty=Easy | question=An article costs █510. If it is sold at a profit of 30%, what is its selling price? | option_a=612 | option_b=714 | option_c=540 | option_d=663 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 510 \times 130/100 = \text{█}663$.

id=12035 | topic=Averages | difficulty=Easy | question=Find the average of 31, 97, 98, 14. | option_a=60 | option_b=62 | option_c=61 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = $240 \div 4 = 60$.

id=12036 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=O | option_c=A | option_d=S | answer=A | explanation=Move 4 positions forward from S; the resulting letter is W.

id=12037 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 17, 25, 33, ? | option_a=41 | option_b=33 | option_c=49 | option_d=42 | answer=A | explanation=The common difference is 8. Therefore the next term is $33 + 8 = 41$.

id=12038 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=19 | option_c=24 | option_d=29 | answer=C | explanation=Speed = distance ÷ time = $240 \div 10 = 24$ km/h.

id=12039 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 48? | option_a=48 | option_b=38 | option_c=24 | option_d=31 | answer=A | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 48 is the odd one out.

id=12040 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 32? | option_a=15 | option_b=20 | option_c=32 | option_d=25 | answer=C | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 32 is the odd one out.

id=12041 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39886 at 6% per annum for 1 years. | option_a=2493 | option_b=2393 | option_c=2293 | option_d=42279 | answer=B | explanation=SI = $PRT/100 = 39886 \times 6 \times 1/100 = \text{█}2393$.

id=12042 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 27, 30, 34? | option_a=30 | option_b=34 | option_c=24 | option_d=27 | answer=B | explanation=The first three numbers increase by 3, so the next should be 33. Therefore 34 is the odd one out.

id=12043 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=49 | option_b=69 | option_c=60 | option_d=59 | answer=D | explanation=The common difference is 10. Therefore the next term is $49 + 10 = 59$.

id=12044 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32627 at 6% per annum for 2 years. | option_a=36542 | option_b=4015 | option_c=3915 | option_d=3815 | answer=C | explanation=SI = $PRT/100 = 32627 \times 6 \times 2/100 = \text{█}3915$.

id=12045 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18548 at 5% per annum for 3 years. | option_a=2682 | option_b=21330 | option_c=2882 | option_d=2782 | answer=D | explanation=SI = $PRT/100 = 18548 \times 5 \times 3/100 = \text{█}2782$.

id=12046 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:12 and the first is 162, what is the second? | option_a=126 | option_b=108 | option_c=96 | option_d=270 | answer=B | explanation=Scale factor = $162/18 = 9$. Therefore second quantity = $12 \times 9 = 108$.

id=12047 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4597. If it is sold at a profit of 30%, what is its selling price? | option_a=5517 | option_b=5976 | option_c=4627 | option_d=6435 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4597 \times 130/100 = \text{█}5976$.

id=12048 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:8 and the first is 255, what is the second? | option_a=136 | option_b=128 | option_c=391 | option_d=151 | answer=A | explanation=Scale factor = $255/15 = 17$. Therefore second quantity = $8 \times 17 = 136$.

id=12049 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=12050 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23471 at 12% per annum for 4 years. | option_a=11366 | option_b=11166 | option_c=11266 | option_d=34737 | answer=C | explanation=SI = $PRT/100 = 23471 \times 12 \times 4/100 = \text{█}11266$.

id=12051 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=47 | option_b=57 | option_c=58 | option_d=67 | answer=B | explanation=The common difference is 10. Therefore the next term is $47 + 10 = 57$.

id=12052 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 26? | option_a=18 | option_b=6 | option_c=26 | option_d=12 | answer=C | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 26 is the odd one out.

id=12053 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19418 at 15% per annum for 2 years. | option_a=5925 | option_b=5725 | option_c=25243 | option_d=5825 | answer=D | explanation=SI = $PRT/100 = 19418 \times 15 \times 2/100 = \text{█}5825$.

id=12054 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=Y | option_b=O | option_c=T | option_d=D | answer=A | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=12055 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36269 at 4% per annum for 4 years. | option_a=42072 | option_b=5703 | option_c=5903 | option_d=5803 | answer=D | explanation=SI = $PRT/100 = 36269 \times 4 \times 4/100 = \text{█}5803$.

id=12056 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4365. If it is sold at a profit of 10%, what is its selling price? | option_a=4801 | option_b=5237 | option_c=4375 | option_d=4365 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4365 \times 110/100 = \text{█}4801$.

id=12057 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 28, 32, 37? | option_a=24 | option_b=37 | option_c=28 | option_d=32 | answer=B | explanation=The first three numbers increase by 4, so the next should be 36. Therefore 37 is the odd one out.

id=12058 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=100 | option_c=105 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = $300 \div 3 = 100$ km/h.

id=12059 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=12060 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:16 and the first is 60, what is the second? | option_a=96 | option_b=80 | option_c=156 | option_d=106 | answer=A | explanation=Scale factor = $60/10 = 6$. Therefore second quantity = $16 \times 6 = 96$.

Aptitude Questions — Records 12,061-12,090 of 100,000

id=12061 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=G | option_c=M | option_d=K | answer=D | explanation=Move 2 positions forward from I; the resulting letter is K.

id=12062 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11899 at 10% per annum for 2 years. | option_a=2279 | option_b=2379 | option_c=2479 | option_d=14278 | answer=B | explanation=SI = $PRT/100 = 11899 \times 10 \times 2/100 = \text{■}2379$.

id=12063 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=31 | option_b=39 | option_c=35 | option_d=36 | answer=C | explanation=The common difference is 4. Therefore the next term is 31 + 4 = 35.

id=12064 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 36? | option_a=36 | option_b=26 | option_c=19 | option_d=12 | answer=A | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 36 is the odd one out.

id=12065 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 21, 25, 31? | option_a=25 | option_b=17 | option_c=21 | option_d=31 | answer=D | explanation=The first three numbers increase by 4, so the next should be 29. Therefore 31 is the odd one out.

id=12066 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=29 | option_b=32 | option_c=26 | option_d=30 | answer=A | explanation=The common difference is 3. Therefore the next term is 26 + 3 = 29.

id=12067 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:3 and the first is 72, what is the second? | option_a=54 | option_b=58 | option_c=126 | option_d=51 | answer=A | explanation=Scale factor = $72/4 = 18$. Therefore second quantity = $3 \times 18 = 54$.

id=12068 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=12069 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=49 | option_b=61 | option_c=71 | option_d=60 | answer=D | explanation=The common difference is 11. Therefore the next term is 49 + 11 = 60.

id=12070 | topic=Percentages | difficulty=Easy | question=What is 40% of 416? | option_a=332 | option_b=146 | option_c=166 | option_d=176 | answer=C | explanation=40% of 416 = $(40/100) \times 416 = 166$.

id=12071 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3039. If it is sold at a profit of 50%, what is its selling price? | option_a=3089 | option_b=4558 | option_c=4255 | option_d=4861 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3039 \times 150/100 = \text{■}4558$.

id=12072 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:5 and the first is 96, what is the second? | option_a=52 | option_b=136 | option_c=35 | option_d=40 | answer=D | explanation=Scale factor = $96/12 = 8$. Therefore second quantity = $5 \times 8 = 40$.

id=12073 | topic=Averages | difficulty=Easy | question=Find the average of 94, 36, 72, 50, 71, 47, 64. | option_a=62 | option_b=61 | option_c=63 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = $434 \div 7 = 62$.

id=12074 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $180 \div 3 = 60$ km/h.

id=12075 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=12076 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45063 at 4% per annum for 5 years. | option_a=9112 | option_b=54075 | option_c=8912 | option_d=9012 | answer=D | explanation=SI = $PRT/100 = 45063 \times 4 \times 5/100 = \text{■}9012$.

id=12077 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=12078 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1945. If it is sold at a profit of 30%, what is its selling price? | option_a=2528 | option_b=1975 | option_c=2334 | option_d=2722 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1945 \times 130/100 = \text{■}2528$.

id=12079 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 30, 34, 40? | option_a=34 | option_b=30 | option_c=26 | option_d=40 | answer=D | explanation=The first three numbers increase by 4, so the next should be 38. Therefore 40 is the odd one out.

id=12080 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 37? | option_a=19 | option_b=29 | option_c=24 | option_d=37 | answer=D | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 37 is the odd one out.

id=12081 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=17 | option_d=7 | answer=B | explanation=Speed = distance ÷ time = $120 \div 10 = 12$ km/h.

id=12082 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:2 and the first is 105, what is the second? | option_a=119 | option_b=29 | option_c=12 | option_d=14 | answer=D | explanation=Scale factor = $105/15 = 7$. Therefore second quantity = $2 \times 7 = 14$.

id=12083 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 6. | option_a=9 | option_b=18 | option_c=6 | option_d=1 | answer=C | explanation= $LCM \times HCF = 3 \times 6$; $HCF(3,6) = 3$, so $LCM = 6$.

id=12084 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=S | option_c=I | option_d=X | answer=B | explanation=Move 5 positions forward from N; the resulting letter is S.

id=12085 | topic=Percentages | difficulty=Easy | question=What is 12% of 1274? | option_a=304 | option_b=172 | option_c=147 | option_d=152 | answer=D | explanation=12% of 1274 = $(12/100) \times 1274 = 152$.

id=12086 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=53 | option_b=54 | option_c=43 | option_d=63 | answer=A | explanation=The common difference is 10. Therefore the next term is 43 + 10 = 53.

id=12087 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3964. If it is sold at a profit of 25%, what is its selling price? | option_a=3989 | option_b=4559 | option_c=5351 | option_d=4955 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3964 \times 125/100 = \text{■}4955$.

id=12088 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = $120 \div 4 = 30$ km/h.

id=12089 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=12090 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17870 at 6% per annum for 5 years. | option_a=5261 | option_b=5461 | option_c=23231 | option_d=5361 | answer=D | explanation=SI = $PRT/100 = 17870 \times 6 \times 5/100 = \text{■}5361$.

Aptitude Questions — Records 12,091-12,120 of 100,000

id=12091 | topic=Averages | difficulty=Easy | question=Find the average of 78, 54, 80, 64, 97, 44, 35, 34, 27. | option_a=59 | option_b=56 | option_c=58 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 513 ÷ 9 = 57.

id=12092 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=53 | option_b=52 | option_c=41 | option_d=63 | answer=B | explanation=The common difference is 11. Therefore the next term is 41 + 11 = 52.

id=12093 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=L | option_b=X | option_c=P | option_d=T | answer=D | explanation=Move 4 positions forward from P; the resulting letter is T.

id=12094 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=62 | option_b=73 | option_c=61 | option_d=49 | answer=C | explanation=The common difference is 12. Therefore the next term is 49 + 12 = 61.

id=12095 | topic=Averages | difficulty=Easy | question=Find the average of 22, 58, 13, 89, 75, 49, 21, 97. | option_a=53 | option_b=55 | option_c=54 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.

id=12096 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 17? | option_a=17 | option_b=12 | option_c=10 | option_d=8 | answer=A | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 17 is the odd one out.

id=12097 | topic=Percentages | difficulty=Easy | question=What is 30% of 1554? | option_a=476 | option_b=932 | option_c=466 | option_d=446 | answer=C | explanation=30% of 1554 = (30/100) × 1554 = 466.

id=12098 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 9, 13, 18? | option_a=13 | option_b=5 | option_c=18 | option_d=9 | answer=C | explanation=The first three numbers increase by 4, so the next should be 17. Therefore 18 is the odd one out.

id=12099 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=12100 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=12101 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:12 and the first is 180, what is the second? | option_a=108 | option_b=96 | option_c=128 | option_d=288 | answer=A | explanation=Scale factor = 180/20 = 9. Therefore second quantity = 12×9 = 108.

id=12102 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=62 | option_b=73 | option_c=51 | option_d=63 | answer=A | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.

id=12103 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:7 and the first is 90, what is the second? | option_a=73 | option_b=153 | option_c=56 | option_d=63 | answer=D | explanation=Scale factor = 90/10 = 9. Therefore second quantity = 7×9 = 63.

id=12104 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=36 | option_c=41 | option_d=31 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=12105 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 10? | option_a=10 | option_b=6 | option_c=4 | option_d=2 | answer=A | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 10 is the odd one out.

id=12106 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=12107 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=X | option_b=M | option_c=C | option_d=H | answer=D | explanation=Move 5 positions forward from C; the resulting letter is H.

id=12108 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹21606 at 4% per annum for 4 years. | option_a=25062 | option_b=3556 | option_c=3456 | option_d=3356 | answer=C | explanation=SI = PRT/100 = 21606×4×4/100 = ₹3456.

id=12109 | topic=Averages | difficulty=Easy | question=Find the average of 51, 10, 33, 11, 65, 76. | option_a=43 | option_b=40 | option_c=41 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = 246 ÷ 6 = 41.

id=12110 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:20 and the first is 196, what is the second? | option_a=280 | option_b=260 | option_c=294 | option_d=476 | answer=A | explanation=Scale factor = 196/14 = 14. Therefore second quantity = 20×14 = 280.

id=12111 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2545. If it is sold at a profit of 20%, what is its selling price? | option_a=3054 | option_b=2800 | option_c=3308 | option_d=2565 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2545 × 120/100 = ₹3054.

id=12112 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 34, 44, 57? | option_a=24 | option_b=57 | option_c=34 | option_d=44 | answer=B | explanation=The first three numbers increase by 10, so the next should be 54. Therefore 57 is the odd one out.

id=12113 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 8, 12, 19? | option_a=19 | option_b=12 | option_c=4 | option_d=8 | answer=A | explanation=The first three numbers increase by 4, so the next should be 16. Therefore 19 is the odd one out.

id=12114 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=Z | option_b=D | option_c=F | option_d=B | answer=B | explanation=Move 2 positions forward from B; the resulting letter is D.

id=12115 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹21200 at 8% per annum for 5 years. | option_a=8380 | option_b=8580 | option_c=29680 | option_d=8480 | answer=D | explanation=SI = PRT/100 = 21200×8×5/100 = ₹8480.

id=12116 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=55 | option_b=44 | option_c=64 | option_d=54 | answer=D | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=12117 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:3 and the first is 17, what is the second? | option_a=52 | option_b=51 | option_c=68 | option_d=48 | answer=B | explanation=Scale factor = 17/1 = 17. Therefore second quantity = 3×17 = 51.

id=12118 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=16 | option_b=12 | option_c=15 | option_d=18 | answer=C | explanation=The common difference is 3. Therefore the next term is 12 + 3 = 15.

id=12119 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 48? | option_a=37 | option_b=27 | option_c=48 | option_d=17 | answer=C | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 48 is the odd one out.

id=12120 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 12,121-12,150 of 100,000

id=12121 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■46483 at 10% per annum for 3 years. | option_a=13944 | option_b=60427 | option_c=13844 | option_d=14044 | answer=A | explanation=SI = $PRT/100 = 46483 \times 10 \times 3/100 = \blacksquare 13944$.

id=12122 | topic=Averages | difficulty=Easy | question=Find the average of 28, 31, 19, 71, 21. | option_a=36 | option_b=35 | option_c=34 | option_d=33 | answer=C | explanation=Average = sum of values ÷ number of values = $170 \div 5 = 34$.

id=12123 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=50 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = $360 \div 8 = 45$ km/h.

id=12124 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=38 | option_b=50 | option_c=45 | option_d=44 | answer=D | explanation=The common difference is 6. Therefore the next term is $38 + 6 = 44$.

id=12125 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:18 and the first is 90, what is the second? | option_a=324 | option_b=329 | option_c=306 | option_d=414 | answer=A | explanation=Scale factor = $90/5 = 18$. Therefore second quantity = $18 \times 18 = 324$.

id=12126 | topic=Percentages | difficulty=Easy | question=What is 15% of 802? | option_a=120 | option_b=110 | option_c=125 | option_d=240 | answer=A | explanation=15% of 802 = $(15/100) \times 802 = 120$.

id=12127 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=15 | option_b=18 | option_c=12 | option_d=16 | answer=A | explanation=The common difference is 3. Therefore the next term is $12 + 3 = 15$.

id=12128 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4554. If it is sold at a profit of 10%, what is its selling price? | option_a=5009 | option_b=4564 | option_c=5464 | option_d=4554 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4554 \times 110/100 = \blacksquare 5009$.

id=12129 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■9878 at 5% per annum for 1 years. | option_a=10371 | option_b=493 | option_c=593 | option_d=393 | answer=B | explanation=SI = $PRT/100 = 9878 \times 5 \times 1/100 = \blacksquare 493$.

id=12130 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4814. If it is sold at a profit of 30%, what is its selling price? | option_a=6258 | option_b=5777 | option_c=4844 | option_d=6739 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4814 \times 130/100 = \blacksquare 6258$.

id=12131 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=45 | option_c=55 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = $150 \div 3 = 50$ km/h.

id=12132 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 18, 24, 30, ? | option_a=36 | option_b=37 | option_c=42 | option_d=30 | answer=A | explanation=The common difference is 6. Therefore the next term is $30 + 6 = 36$.

id=12133 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=100 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = $300 \div 6 = 50$ km/h.

id=12134 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■31698 at 12% per annum for 4 years. | option_a=46913 | option_b=15315 | option_c=15115 | option_d=15215 | answer=D | explanation=SI = $PRT/100 = 31698 \times 12 \times 4/100 = \blacksquare 15215$.

id=12135 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=L | option_b=J | option_c=K | option_d=M | answer=A | explanation=Move 1 positions forward from K; the resulting letter is L.

id=12136 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4658. If it is sold at a profit of 25%, what is its selling price? | option_a=5822 | option_b=4683 | option_c=6287 | option_d=5357 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4658 \times 125/100 = \blacksquare 5822$.

id=12137 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:2 and the first is 153, what is the second? | option_a=18 | option_b=171 | option_c=35 | option_d=16 | answer=A | explanation=Scale factor = $153/17 = 9$. Therefore second quantity = $2 \times 9 = 18$.

id=12138 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=8 | option_d=3 | answer=B | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=12139 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 17, 20, 26? | option_a=17 | option_b=20 | option_c=14 | option_d=26 | answer=D | explanation=The first three numbers increase by 3, so the next should be 23. Therefore 26 is the odd one out.

id=12140 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2161. If it is sold at a profit of 20%, what is its selling price? | option_a=2809 | option_b=2181 | option_c=2377 | option_d=2593 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2161 \times 120/100 = \blacksquare 2593$.

id=12141 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■4288 at 8% per annum for 5 years. | option_a=1815 | option_b=6003 | option_c=1615 | option_d=1715 | answer=D | explanation=SI = $PRT/100 = 4288 \times 8 \times 5/100 = \blacksquare 1715$.

id=12142 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=12143 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 34, 43, 55? | option_a=34 | option_b=55 | option_c=43 | option_d=25 | answer=B | explanation=The first three numbers increase by 9, so the next should be 52. Therefore 55 is the odd one out.

id=12144 | topic=Percentages | difficulty=Easy | question=What is 12% of 1665? | option_a=194 | option_b=199 | option_c=398 | option_d=209 | answer=B | explanation=12% of 1665 = $(12/100) \times 1665 = 199$.

id=12145 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $180 \div 6 = 30$ km/h.

id=12146 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 13, 23, 34? | option_a=13 | option_b=3 | option_c=23 | option_d=34 | answer=D | explanation=The first three numbers increase by 10, so the next should be 33. Therefore 34 is the odd one out.

id=12147 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=52 | option_b=64 | option_c=65 | option_d=76 | answer=B | explanation=The common difference is 12. Therefore the next term is $52 + 12 = 64$.

id=12148 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■44525 at 15% per annum for 4 years. | option_a=26715 | option_b=71240 | option_c=26815 | option_d=26615 | answer=A | explanation=SI = $PRT/100 = 44525 \times 15 \times 4/100 = \blacksquare 26715$.

id=12149 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■538. If it is sold at a profit of 10%, what is its selling price? | option_a=644 | option_b=538 | option_c=548 | option_d=591 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 538 \times 110/100 = \blacksquare 591$.

id=12150 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=F | option_c=H | option_d=B | answer=B | explanation=Move 2 positions forward from D; the resulting letter is F.

Aptitude Questions — Records 12,151-12,180 of 100,000

id=12151 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 4. | option_a=72 | option_b=54 | option_c=36 | option_d=32 | answer=C | explanation=LCM × HCF = 18×4; HCF(18,4) = 2, so LCM = 36.

id=12152 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=M | option_c=Q | option_d=K | answer=A | explanation=Move 2 positions forward from M; the resulting letter is O.

id=12153 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=32 | option_b=26 | option_c=38 | option_d=33 | answer=A | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=12154 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=K | option_b=E | option_c=N | option_d=H | answer=A | explanation=Move 3 positions forward from H; the resulting letter is K.

id=12155 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 35, 44, 56? | option_a=26 | option_b=35 | option_c=56 | option_d=44 | answer=C | explanation=The first three numbers increase by 9, so the next should be 53. Therefore 56 is the odd one out.

id=12156 | topic=Averages | difficulty=Easy | question=Find the average of 64, 48, 32, 83, 68, 94, 43, 90, 36. | option_a=62 | option_b=61 | option_c=64 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 558 ÷ 9 = 62.

id=12157 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3732. If it is sold at a profit of 30%, what is its selling price? | option_a=4851 | option_b=3762 | option_c=4478 | option_d=5224 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3732 × 130/100 = █4851.

id=12158 | topic=Averages | difficulty=Easy | question=Find the average of 27, 25, 10, 28, 72, 39, 52, 80, 18. | option_a=38 | option_b=41 | option_c=40 | option_d=39 | answer=D | explanation=Average = sum of values ÷ number of values = 351 ÷ 9 = 39.

id=12159 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20226 at 8% per annum for 3 years. | option_a=4754 | option_b=4854 | option_c=4954 | option_d=25080 | answer=B | explanation=SI = PRT/100 = 20226×8×3/100 = █4854.

id=12160 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2252. If it is sold at a profit of 50%, what is its selling price? | option_a=3378 | option_b=2302 | option_c=3603 | option_d=3153 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2252 × 150/100 = █3378.

id=12161 | topic=Percentages | difficulty=Easy | question=What is 10% of 1904? | option_a=180 | option_b=380 | option_c=190 | option_d=210 | answer=C | explanation=10% of 1904 = (10/100) × 1904 = 190.

id=12162 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=Y | option_c=T | option_d=J | answer=C | explanation=Move 5 positions forward from O; the resulting letter is T.

id=12163 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=180 | option_c=90 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=12164 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 15. | option_a=18 | option_b=15 | option_c=1 | option_d=45 | answer=B | explanation=LCM × HCF = 3×15; HCF(3,15) = 3, so LCM = 15.

id=12165 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=12166 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=12167 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 9? | option_a=6 | option_b=4 | option_c=9 | option_d=2 | answer=C | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 9 is the odd one out.

id=12168 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 3. | option_a=18 | option_b=15 | option_c=36 | option_d=54 | answer=A | explanation=LCM × HCF = 18×3; HCF(18,3) = 3, so LCM = 18.

id=12169 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=75 | option_c=70 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=12170 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39557 at 8% per annum for 5 years. | option_a=55379 | option_b=15822 | option_c=15922 | option_d=15722 | answer=B | explanation=SI = PRT/100 = 39557×8×5/100 = █15822.

id=12171 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=39 | option_b=40 | option_c=33 | option_d=45 | answer=A | explanation=The common difference is 6. Therefore the next term is 33 + 6 = 39.

id=12172 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1033. If it is sold at a profit of 20%, what is its selling price? | option_a=1239 | option_b=1053 | option_c=1342 | option_d=1136 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1033 × 120/100 = █1239.

id=12173 | topic=Averages | difficulty=Easy | question=Find the average of 17, 51, 44, 94, 96, 20, 63. | option_a=55 | option_b=54 | option_c=57 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 385 ÷ 7 = 55.

id=12174 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 13, 23, 34? | option_a=34 | option_b=3 | option_c=13 | option_d=23 | answer=A | explanation=The first three numbers increase by 10, so the next should be 33. Therefore 34 is the odd one out.

id=12175 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=53 | option_b=54 | option_c=44 | option_d=62 | answer=A | explanation=The common difference is 9. Therefore the next term is 44 + 9 = 53.

id=12176 | topic=Averages | difficulty=Easy | question=Find the average of 13, 56, 23, 19, 10, 96, 35, 55, 44. | option_a=40 | option_b=39 | option_c=41 | option_d=38 | answer=B | explanation=Average = sum of values ÷ number of values = 351 ÷ 9 = 39.

id=12177 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=32 | option_b=28 | option_c=29 | option_d=24 | answer=B | explanation=The common difference is 4. Therefore the next term is 24 + 4 = 28.

id=12178 | topic=Percentages | difficulty=Easy | question=What is 30% of 103? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=30% of 103 = (30/100) × 103 = 30.

id=12179 | topic=Averages | difficulty=Easy | question=Find the average of 19, 61, 59, 54, 89, 42. | option_a=53 | option_b=55 | option_c=54 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 324 ÷ 6 = 54.

id=12180 | topic=Percentages | difficulty=Easy | question=What is 5% of 237? | option_a=0 | option_b=16 | option_c=22 | option_d=11 | answer=D | explanation=5% of 237 = (5/100) × 237 = 11.

Aptitude Questions — Records 12,181-12,210 of 100,000

id=12181 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4992. If it is sold at a profit of 30%, what is its selling price? | option_a=6988 | option_b=5990 | option_c=6489 | option_d=5022 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4992 × 130/100 = ■6489.

id=12182 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1577. If it is sold at a profit of 25%, what is its selling price? | option_a=2128 | option_b=1602 | option_c=1971 | option_d=1814 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1577 × 125/100 = ■1971.

id=12183 | topic=Averages | difficulty=Easy | question=Find the average of 78, 32, 29, 32, 47, 69, 21. | option_a=44 | option_b=45 | option_c=46 | option_d=43 | answer=A | explanation=Average = sum of values ÷ number of values = 308 ÷ 7 = 44.

id=12184 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2711. If it is sold at a profit of 10%, what is its selling price? | option_a=3253 | option_b=2982 | option_c=2721 | option_d=2711 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2711 × 110/100 = ■2982.

id=12185 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 36, 43, 52? | option_a=52 | option_b=29 | option_c=43 | option_d=36 | answer=A | explanation=The first three numbers increase by 7, so the next should be 50. Therefore 52 is the odd one out.

id=12186 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■828. If it is sold at a profit of 40%, what is its selling price? | option_a=1241 | option_b=1077 | option_c=868 | option_d=1159 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 828 × 140/100 = ■1159.

id=12187 | topic=Averages | difficulty=Easy | question=Find the average of 79, 60, 18, 91, 92, 23, 99, 79, 44. | option_a=65 | option_b=66 | option_c=67 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = 585 ÷ 9 = 65.

id=12188 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=12189 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■39076 at 12% per annum for 1 years. | option_a=43765 | option_b=4789 | option_c=4689 | option_d=4589 | answer=C | explanation=SI = PRT/100 = 39076×12×1/100 = ■4689.

id=12190 | topic=Percentages | difficulty=Easy | question=What is 12% of 1120? | option_a=144 | option_b=124 | option_c=134 | option_d=268 | answer=C | explanation=12% of 1120 = (12/100) × 1120 = 134.

id=12191 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=12192 | topic=Averages | difficulty=Easy | question=Find the average of 87, 16, 14. | option_a=38 | option_b=41 | option_c=40 | option_d=39 | answer=D | explanation=Average = sum of values ÷ number of values = 117 ÷ 3 = 39.

id=12193 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=19 | option_b=25 | option_c=29 | option_d=24 | answer=D | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.

id=12194 | topic=Percentages | difficulty=Easy | question=What is 20% of 1371? | option_a=548 | option_b=264 | option_c=274 | option_d=279 | answer=C | explanation=20% of 1371 = (20/100) × 1371 = 274.

id=12195 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:13 and the first is 255, what is the second? | option_a=476 | option_b=208 | option_c=221 | option_d=236 | answer=C | explanation=Scale factor = 255/15 = 17. Therefore second quantity = 13×17 = 221.

id=12196 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=38 | option_b=37 | option_c=45 | option_d=29 | answer=B | explanation=The common difference is 8. Therefore the next term is 29 + 8 = 37.

id=12197 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=39 | option_b=33 | option_c=32 | option_d=25 | answer=C | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.

id=12198 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 29, 37, 47? | option_a=37 | option_b=47 | option_c=21 | option_d=29 | answer=B | explanation=The first three numbers increase by 8, so the next should be 45. Therefore 47 is the odd one out.

id=12199 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4812. If it is sold at a profit of 25%, what is its selling price? | option_a=6496 | option_b=4837 | option_c=6015 | option_d=5534 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4812 × 125/100 = ■6015.

id=12200 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=12201 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=12202 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=12203 | topic=Percentages | difficulty=Easy | question=What is 25% of 1396? | option_a=339 | option_b=349 | option_c=698 | option_d=369 | answer=B | explanation=25% of 1396 = (25/100) × 1396 = 349.

id=12204 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=12205 | topic=Percentages | difficulty=Easy | question=What is 40% of 1061? | option_a=429 | option_b=424 | option_c=419 | option_d=848 | answer=B | explanation=40% of 1061 = (40/100) × 1061 = 424.

id=12206 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■36724 at 5% per annum for 4 years. | option_a=44068 | option_b=7344 | option_c=7244 | option_d=7444 | answer=B | explanation=SI = PRT/100 = 36724×5×4/100 = ■7344.

id=12207 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=60 | option_b=69 | option_c=59 | option_d=49 | answer=C | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

id=12208 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=12209 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=12210 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=A | option_b=L | option_c=Q | option_d=V | answer=D | explanation=Move 5 positions forward from Q; the resulting letter is V.

Aptitude Questions — Records 12,211-12,240 of 100,000

- id=12211 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=17 | option_c=7 | option_d=24 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.
- id=12212 | topic=Averages | difficulty=Easy | question=Find the average of 93, 94, 12, 87, 22, 78, 20, 50. | option_a=56 | option_b=57 | option_c=59 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.
- id=12213 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■28808 at 15% per annum for 3 years. | option_a=12963 | option_b=41771 | option_c=12863 | option_d=13063 | answer=A | explanation=SI = PRT/100 = 28808×15×3/100 = ■12963.
- id=12214 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=38 | option_b=24 | option_c=31 | option_d=32 | answer=C | explanation=The common difference is 7. Therefore the next term is 24 + 7 = 31.
- id=12215 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=K | option_b=S | option_c=O | option_d=W | answer=B | explanation=Move 4 positions forward from O; the resulting letter is S.
- id=12216 | topic=Percentages | difficulty=Easy | question=What is 50% of 1139? | option_a=1138 | option_b=564 | option_c=574 | option_d=569 | answer=D | explanation=50% of 1139 = (50/100) × 1139 = 569.
- id=12217 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=85 | option_c=180 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.
- id=12218 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3482. If it is sold at a profit of 40%, what is its selling price? | option_a=3522 | option_b=4526 | option_c=4874 | option_d=5222 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3482 × 140/100 = ■4874.
- id=12219 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=28 | option_b=22 | option_c=32 | option_d=27 | answer=D | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.
- id=12220 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2222. If it is sold at a profit of 15%, what is its selling price? | option_a=2777 | option_b=2237 | option_c=2555 | option_d=2333 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2222 × 115/100 = ■2555.
- id=12221 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=26 | option_b=27 | option_c=22 | option_d=30 | answer=A | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.
- id=12222 | topic=Percentages | difficulty=Easy | question=What is 20% of 921? | option_a=184 | option_b=368 | option_c=179 | option_d=194 | answer=A | explanation=20% of 921 = (20/100) × 921 = 184.
- id=12223 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.
- id=12224 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3902. If it is sold at a profit of 20%, what is its selling price? | option_a=3922 | option_b=4682 | option_c=5072 | option_d=4292 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3902 × 120/100 = ■4682.
- id=12225 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 23, 27, 34? | option_a=19 | option_b=27 | option_c=34 | option_d=23 | answer=C | explanation=The first three numbers increase by 4, so the next should be 31. Therefore 34 is the odd one out.
- id=12226 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14245 at 15% per annum for 1 years. | option_a=2236 | option_b=16381 | option_c=2136 | option_d=2036 | answer=C | explanation=SI = PRT/100 = 14245×15×1/100 = ■2136.
- id=12227 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2800. If it is sold at a profit of 15%, what is its selling price? | option_a=3500 | option_b=3780 | option_c=3220 | option_d=2825 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2800 × 125/100 = ■3500.
- id=12228 | topic=Percentages | difficulty=Easy | question=What is 40% of 1124? | option_a=439 | option_b=449 | option_c=459 | option_d=898 | answer=B | explanation=40% of 1124 = (40/100) × 1124 = 449.
- id=12229 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=38 | option_b=62 | option_c=50 | option_d=51 | answer=C | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.
- id=12230 | topic=Averages | difficulty=Easy | question=Find the average of 58, 96, 90, 41, 18, 13, 78, 30. | option_a=55 | option_b=52 | option_c=53 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.
- id=12231 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1096. If it is sold at a profit of 30%, what is its selling price? | option_a=1533 | option_b=1126 | option_c=1315 | option_d=1424 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1096 × 130/100 = ■1424.
- id=12232 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:14 and the first is 68, what is the second? | option_a=42 | option_b=124 | option_c=73 | option_d=56 | answer=D | explanation=Scale factor = 68/17 = 4. Therefore second quantity = 14×4 = 56.
- id=12233 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=12234 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2410. If it is sold at a profit of 30%, what is its selling price? | option_a=3133 | option_b=2892 | option_c=3374 | option_d=2440 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2410 × 130/100 = ■3133.
- id=12235 | topic=Averages | difficulty=Easy | question=Find the average of 54, 81, 68, 77, 92, 92, 50, 78. | option_a=73 | option_b=74 | option_c=75 | option_d=76 | answer=B | explanation=Average = sum of values ÷ number of values = 592 ÷ 8 = 74.
- id=12236 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.
- id=12237 | topic=Averages | difficulty=Easy | question=Find the average of 20, 20, 83, 66, 54, 69. | option_a=53 | option_b=54 | option_c=52 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 312 ÷ 6 = 52.
- id=12238 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=M | option_c=P | option_d=G | answer=B | explanation=Move 3 positions forward from J; the resulting letter is M.
- id=12239 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=R | option_c=Q | option_d=O | answer=C | explanation=Move 1 positions forward from P; the resulting letter is Q.
- id=12240 | topic=Averages | difficulty=Easy | question=Find the average of 82, 29, 62, 20, 82, 94, 26, 77, 32. | option_a=57 | option_b=56 | option_c=55 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

Aptitude Questions — Records 12,241-12,270 of 100,000

id=12241 | topic=Percentages | difficulty=Easy | question=What is 25% of 955? | option_a=238 | option_b=228 | option_c=243 | option_d=476 | answer=A | explanation=25% of 955 = (25/100) × 955 = 238.

id=12242 | topic=Percentages | difficulty=Easy | question=What is 40% of 1648? | option_a=639 | option_b=1318 | option_c=669 | option_d=659 | answer=D | explanation=40% of 1648 = (40/100) × 1648 = 659.

id=12243 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=12244 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=46 | option_b=58 | option_c=57 | option_d=68 | answer=C | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.

id=12245 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 26. | option_a=780 | option_b=420 | option_c=364 | option_d=390 | answer=D | explanation=LCM × HCF = 30×26; HCF(30,26) = 2, so LCM = 390.

id=12246 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=23 | option_d=13 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=12247 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 22, 32, 45? | option_a=45 | option_b=12 | option_c=32 | option_d=22 | answer=A | explanation=The first three numbers increase by 10, so the next should be 42. Therefore 45 is the odd one out.

id=12248 | topic=Averages | difficulty=Easy | question=Find the average of 58, 30, 20, 12, 75, 82, 99, 72, 43, 89. | option_a=58 | option_b=59 | option_c=60 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 580 ÷ 10 = 58.

id=12249 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3898 at 10% per annum for 3 years. | option_a=1069 | option_b=1269 | option_c=5067 | option_d=1169 | answer=D | explanation=SI = PRT/100 = 3898×10×3/100 = **■**1169.

id=12250 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**203. If it is sold at a profit of 25%, what is its selling price? | option_a=233 | option_b=253 | option_c=273 | option_d=228 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 203 × 125/100 = **■**253.

id=12251 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 24, 33, 43? | option_a=33 | option_b=15 | option_c=24 | option_d=43 | answer=D | explanation=The first three numbers increase by 9, so the next should be 42. Therefore 43 is the odd one out.

id=12252 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=K | option_b=M | option_c=O | option_d=Q | answer=C | explanation=Move 2 positions forward from M; the resulting letter is O.

id=12253 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=25 | option_b=32 | option_c=37 | option_d=31 | answer=D | explanation=The common difference is 6. Therefore the next term is 25 + 6 = 31.

id=12254 | topic=Averages | difficulty=Easy | question=Find the average of 95, 15, 20, 69, 45, 87, 96. | option_a=62 | option_b=60 | option_c=61 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = 427 ÷ 7 = 61.

id=12255 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=K | option_c=T | option_d=Q | answer=D | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=12256 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:17 and the first is 80, what is the second? | option_a=344 | option_b=420 | option_c=340 | option_d=323 | answer=C | explanation=Scale factor = 80/4 = 20. Therefore second quantity = 17×20 = 340.

id=12257 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=P | option_b=J | option_c=M | option_d=S | answer=A | explanation=Move 3 positions forward from M; the resulting letter is P.

id=12258 | topic=Averages | difficulty=Easy | question=Find the average of 91, 81, 58, 50, 23, 67, 83, 36, 81, 100. | option_a=68 | option_b=67 | option_c=69 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 670 ÷ 10 = 67.

id=12259 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=12260 | topic=Percentages | difficulty=Easy | question=What is 20% of 1983? | option_a=386 | option_b=406 | option_c=396 | option_d=792 | answer=C | explanation=20% of 1983 = (20/100) × 1983 = 396.

id=12261 | topic=Averages | difficulty=Easy | question=Find the average of 68, 91, 96, 18, 56, 68, 78, 92, 66, 37. | option_a=66 | option_b=69 | option_c=67 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 670 ÷ 10 = 67.

id=12262 | topic=Percentages | difficulty=Easy | question=What is 50% of 1725? | option_a=882 | option_b=1724 | option_c=842 | option_d=862 | answer=D | explanation=50% of 1725 = (50/100) × 1725 = 862.

id=12263 | topic=Percentages | difficulty=Easy | question=What is 15% of 1273? | option_a=185 | option_b=210 | option_c=190 | option_d=380 | answer=C | explanation=15% of 1273 = (15/100) × 1273 = 190.

id=12264 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=55 | option_c=100 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=12265 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 27, 36, 46? | option_a=36 | option_b=27 | option_c=46 | option_d=18 | answer=C | explanation=The first three numbers increase by 9, so the next should be 45. Therefore 46 is the odd one out.

id=12266 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42526 at 6% per annum for 3 years. | option_a=7554 | option_b=7654 | option_c=7754 | option_d=50180 | answer=B | explanation=SI = PRT/100 = 42526×6×3/100 = **■**7654.

id=12267 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=12268 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:9 and the first is 72, what is the second? | option_a=54 | option_b=126 | option_c=45 | option_d=66 | answer=A | explanation=Scale factor = 72/12 = 6. Therefore second quantity = 9×6 = 54.

id=12269 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:9 and the first is 119, what is the second? | option_a=144 | option_b=160 | option_c=153 | option_d=272 | answer=C | explanation=Scale factor = 119/7 = 17. Therefore second quantity = 9×17 = 153.

id=12270 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**688. If it is sold at a profit of 50%, what is its selling price? | option_a=1100 | option_b=738 | option_c=964 | option_d=1032 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 688 × 150/100 = **■**1032.

Aptitude Questions — Records 12,271-12,300 of 100,000

- id=12271 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=23 | option_b=22 | option_c=20 | option_d=24 | answer=B | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.
- id=12272 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3663. If it is sold at a profit of 40%, what is its selling price? | option_a=3703 | option_b=5128 | option_c=4762 | option_d=5494 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3663 × 140/100 = █5128.
- id=12273 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:13 and the first is 39, what is the second? | option_a=156 | option_b=169 | option_c=172 | option_d=208 | answer=B | explanation=Scale factor = 39/3 = 13. Therefore second quantity = 13×13 = 169.
- id=12274 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 31, 39, 50? | option_a=39 | option_b=31 | option_c=23 | option_d=50 | answer=D | explanation=The first three numbers increase by 8, so the next should be 47. Therefore 50 is the odd one out.
- id=12275 | topic=Profit & Loss | difficulty=Easy | question=An article costs █167. If it is sold at a profit of 40%, what is its selling price? | option_a=217 | option_b=207 | option_c=233 | option_d=249 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 167 × 140/100 = █233.
- id=12276 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=O | option_c=S | option_d=G | answer=B | explanation=Move 4 positions forward from K; the resulting letter is O.
- id=12277 | topic=Averages | difficulty=Easy | question=Find the average of 81, 38, 41, 18, 28, 52. | option_a=43 | option_b=44 | option_c=42 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 258 ÷ 6 = 43.
- id=12278 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=24 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.
- id=12279 | topic=Percentages | difficulty=Easy | question=What is 50% of 1412? | option_a=706 | option_b=1412 | option_c=686 | option_d=716 | answer=A | explanation=50% of 1412 = (50/100) × 1412 = 706.
- id=12280 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 16, 19, 24? | option_a=13 | option_b=24 | option_c=16 | option_d=19 | answer=B | explanation=The first three numbers increase by 3, so the next should be 22. Therefore 24 is the odd one out.
- id=12281 | topic=Averages | difficulty=Easy | question=Find the average of 31, 95, 18, 31, 50. | option_a=47 | option_b=45 | option_c=46 | option_d=44 | answer=B | explanation=Average = sum of values ÷ number of values = 225 ÷ 5 = 45.
- id=12282 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=A | option_b=F | option_c=P | option_d=K | answer=D | explanation=Move 5 positions forward from F; the resulting letter is K.
- id=12283 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.
- id=12284 | topic=Averages | difficulty=Easy | question=Find the average of 54, 19, 53. | option_a=43 | option_b=42 | option_c=44 | option_d=41 | answer=B | explanation=Average = sum of values ÷ number of values = 126 ÷ 3 = 42.
- id=12285 | topic=Averages | difficulty=Easy | question=Find the average of 17, 46, 99, 62, 63, 55, 22. | option_a=54 | option_b=52 | option_c=53 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 364 ÷ 7 = 52.
- id=12286 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 17, 27, 38? | option_a=17 | option_b=27 | option_c=38 | option_d=7 | answer=C | explanation=The first three numbers increase by 10, so the next should be 37. Therefore 38 is the odd one out.
- id=12287 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.
- id=12288 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.
- id=12289 | topic=Percentages | difficulty=Easy | question=What is 15% of 1843? | option_a=266 | option_b=286 | option_c=276 | option_d=552 | answer=C | explanation=15% of 1843 = (15/100) × 1843 = 276.
- id=12290 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:20 and the first is 221, what is the second? | option_a=561 | option_b=340 | option_c=353 | option_d=320 | answer=B | explanation=Scale factor = 221/13 = 17. Therefore second quantity = 20×17 = 340.
- id=12291 | topic=Percentages | difficulty=Easy | question=What is 40% of 573? | option_a=219 | option_b=229 | option_c=458 | option_d=249 | answer=B | explanation=40% of 573 = (40/100) × 573 = 229.
- id=12292 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.
- id=12293 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=R | option_b=W | option_c=M | option_d=H | answer=A | explanation=Move 5 positions forward from M; the resulting letter is R.
- id=12294 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 31, 41, 52? | option_a=41 | option_b=52 | option_c=31 | option_d=21 | answer=B | explanation=The first three numbers increase by 10, so the next should be 51. Therefore 52 is the odd one out.
- id=12295 | topic=Percentages | difficulty=Easy | question=What is 40% of 1086? | option_a=439 | option_b=434 | option_c=424 | option_d=868 | answer=B | explanation=40% of 1086 = (40/100) × 1086 = 434.
- id=12296 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2960. If it is sold at a profit of 40%, what is its selling price? | option_a=4144 | option_b=4440 | option_c=3000 | option_d=3848 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2960 × 140/100 = █4144.
- id=12297 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 6, 10, 15? | option_a=6 | option_b=2 | option_c=15 | option_d=10 | answer=C | explanation=The first three numbers increase by 4, so the next should be 14. Therefore 15 is the odd one out.
- id=12298 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:3 and the first is 36, what is the second? | option_a=31 | option_b=24 | option_c=27 | option_d=63 | answer=C | explanation=Scale factor = 36/4 = 9. Therefore second quantity = 3×9 = 27.
- id=12299 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=L | option_c=T | option_d=X | answer=C | explanation=Move 4 positions forward from P; the resulting letter is T.
- id=12300 | topic=Percentages | difficulty=Easy | question=What is 50% of 246? | option_a=123 | option_b=128 | option_c=113 | option_d=246 | answer=A | explanation=50% of 246 = (50/100) × 246 = 123.

Aptitude Questions — Records 12,301-12,330 of 100,000

id=12301 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3859. If it is sold at a profit of 5%, what is its selling price? | option_a=4436 | option_b=3666 | option_c=4051 | option_d=3864 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3859 × 105/100 = ■4051.

id=12302 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:1 and the first is 180, what is the second? | option_a=27 | option_b=15 | option_c=195 | option_d=14 | answer=B | explanation=Scale factor = 180/12 = 15. Therefore second quantity = 1×15 = 15.

id=12303 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:19 and the first is 156, what is the second? | option_a=228 | option_b=209 | option_c=241 | option_d=384 | answer=A | explanation=Scale factor = 156/13 = 12. Therefore second quantity = 19×12 = 228.

id=12304 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=19 | option_c=29 | option_d=48 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=12305 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:11 and the first is 39, what is the second? | option_a=146 | option_b=132 | option_c=143 | option_d=182 | answer=C | explanation=Scale factor = 39/3 = 13. Therefore second quantity = 11×13 = 143.

id=12306 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 12, 21, 30, ? | option_a=40 | option_b=39 | option_c=48 | option_d=30 | answer=B | explanation=The common difference is 9. Therefore the next term is 30 + 9 = 39.

id=12307 | topic=Averages | difficulty=Easy | question=Find the average of 77, 98, 13, 44. | option_a=57 | option_b=59 | option_c=60 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 232 ÷ 4 = 58.

id=12308 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=12309 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=U | option_b=M | option_c=I | option_d=Q | answer=D | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=12310 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=40 | option_b=36 | option_c=30 | option_d=35 | answer=D | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=12311 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=12312 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2425. If it is sold at a profit of 15%, what is its selling price? | option_a=2440 | option_b=2546 | option_c=3030 | option_d=2788 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2425 × 115/100 = ■2788.

id=12313 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:17 and the first is 60, what is the second? | option_a=68 | option_b=83 | option_c=51 | option_d=128 | answer=A | explanation=Scale factor = 60/15 = 4. Therefore second quantity = 17×4 = 68.

id=12314 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=R | option_c=O | option_d=I | answer=C | explanation=Move 3 positions forward from L; the resulting letter is O.

id=12315 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■3423 at 8% per annum for 4 years. | option_a=1095 | option_b=1195 | option_c=995 | option_d=4518 | answer=A | explanation=SI = PRT/100 = 3423×8×4/100 = ■1095.

id=12316 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■5752 at 8% per annum for 1 years. | option_a=560 | option_b=6212 | option_c=360 | option_d=460 | answer=D | explanation=SI = PRT/100 = 5752×8×1/100 = ■460.

id=12317 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4557. If it is sold at a profit of 25%, what is its selling price? | option_a=5696 | option_b=6151 | option_c=5241 | option_d=4582 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4557 × 125/100 = ■5696.

id=12318 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■5129 at 10% per annum for 1 years. | option_a=5641 | option_b=612 | option_c=412 | option_d=512 | answer=D | explanation=SI = PRT/100 = 5129×10×1/100 = ■512.

id=12319 | topic=Averages | difficulty=Easy | question=Find the average of 14, 31, 10, 83, 62, 26, 80, 64, 80. | option_a=49 | option_b=51 | option_c=50 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 450 ÷ 9 = 50.

id=12320 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:20 and the first is 20, what is the second? | option_a=400 | option_b=380 | option_c=401 | option_d=420 | answer=A | explanation=Scale factor = 20/1 = 20. Therefore second quantity = 20×20 = 400.

id=12321 | topic=Percentages | difficulty=Easy | question=What is 10% of 937? | option_a=186 | option_b=83 | option_c=113 | option_d=93 | answer=D | explanation=10% of 937 = (10/100) × 937 = 93.

id=12322 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■4094 at 6% per annum for 2 years. | option_a=591 | option_b=491 | option_c=391 | option_d=4585 | answer=B | explanation=SI = PRT/100 = 4094×6×2/100 = ■491.

id=12323 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=U | option_c=F | option_d=P | answer=D | explanation=Move 5 positions forward from K; the resulting letter is P.

id=12324 | topic=Percentages | difficulty=Easy | question=What is 50% of 1153? | option_a=1152 | option_b=581 | option_c=576 | option_d=566 | answer=C | explanation=50% of 1153 = (50/100) × 1153 = 576.

id=12325 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=12326 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 34? | option_a=27 | option_b=22 | option_c=17 | option_d=34 | answer=D | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 34 is the odd one out.

id=12327 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3911. If it is sold at a profit of 30%, what is its selling price? | option_a=4693 | option_b=5084 | option_c=5475 | option_d=3941 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3911 × 130/100 = ■5084.

id=12328 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=34 | option_b=42 | option_c=43 | option_d=50 | answer=B | explanation=The common difference is 8. Therefore the next term is 34 + 8 = 42.

id=12329 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3122. If it is sold at a profit of 15%, what is its selling price? | option_a=3902 | option_b=3137 | option_c=3278 | option_d=3590 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3122 × 115/100 = ■3590.

id=12330 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=40 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

Aptitude Questions — Records 12,331-12,360 of 100,000

id=12331 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=12332 | topic=Profit & Loss | difficulty=Easy | question=An article costs █144. If it is sold at a profit of 5%, what is its selling price? | option_a=165 | option_b=137 | option_c=149 | option_d=151 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 144 × 105/100 = █151.

id=12333 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:20 and the first is 63, what is the second? | option_a=203 | option_b=149 | option_c=120 | option_d=140 | answer=D | explanation=Scale factor = 63/9 = 7. Therefore second quantity = 20×7 = 140.

id=12334 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=G | option_b=J | option_c=H | option_d=I | answer=D | explanation=Move 1 positions forward from H; the resulting letter is I.

id=12335 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 23, 25, 29? | option_a=29 | option_b=23 | option_c=25 | option_d=21 | answer=A | explanation=The first three numbers increase by 2, so the next should be 27. Therefore 29 is the odd one out.

id=12336 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=61 | option_b=70 | option_c=60 | option_d=50 | answer=C | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

id=12337 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=40 | option_c=25 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=12338 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:13 and the first is 20, what is the second? | option_a=130 | option_b=117 | option_c=132 | option_d=150 | answer=A | explanation=Scale factor = 20/2 = 10. Therefore second quantity = 13×10 = 130.

id=12339 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 51? | option_a=21 | option_b=30 | option_c=39 | option_d=51 | answer=D | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 51 is the odd one out.

id=12340 | topic=Averages | difficulty=Easy | question=Find the average of 81, 24, 84, 51, 11, 12, 17. | option_a=42 | option_b=39 | option_c=41 | option_d=40 | answer=D | explanation=Average = sum of values ÷ number of values = 280 ÷ 7 = 40.

id=12341 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=57 | option_b=56 | option_c=68 | option_d=44 | answer=B | explanation=The common difference is 12. Therefore the next term is 44 + 12 = 56.

id=12342 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=63 | option_b=51 | option_c=62 | option_d=73 | answer=C | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.

id=12343 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=63 | option_b=52 | option_c=64 | option_d=74 | answer=A | explanation=The common difference is 11. Therefore the next term is 52 + 11 = 63.

id=12344 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=33 | option_b=41 | option_c=40 | option_d=47 | answer=C | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.

id=12345 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=12346 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 25, 30, 37? | option_a=25 | option_b=20 | option_c=30 | option_d=37 | answer=D | explanation=The first three numbers increase by 5, so the next should be 35. Therefore 37 is the odd one out.

id=12347 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26616 at 5% per annum for 1 years. | option_a=1430 | option_b=1330 | option_c=1230 | option_d=27946 | answer=B | explanation=SI = PRT/100 = 26616×5×1/100 = █1330.

id=12348 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=57 | option_b=44 | option_c=68 | option_d=56 | answer=D | explanation=The common difference is 12. Therefore the next term is 44 + 12 = 56.

id=12349 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 22, 28, 36? | option_a=16 | option_b=36 | option_c=22 | option_d=28 | answer=B | explanation=The first three numbers increase by 6, so the next should be 34. Therefore 36 is the odd one out.

id=12350 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22628 at 12% per annum for 4 years. | option_a=10761 | option_b=10861 | option_c=33489 | option_d=10961 | answer=B | explanation=SI = PRT/100 = 22628×12×4/100 = █10861.

id=12351 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:20 and the first is 20, what is the second? | option_a=20 | option_b=40 | option_c=60 | option_d=50 | answer=B | explanation=Scale factor = 20/10 = 2. Therefore second quantity = 20×2 = 40.

id=12352 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=Z | option_b=E | option_c=O | option_d=J | answer=D | explanation=Move 5 positions forward from E; the resulting letter is J.

id=12353 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=49 | option_b=69 | option_c=60 | option_d=59 | answer=D | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

id=12354 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=N | option_c=K | option_d=E | answer=C | explanation=Move 3 positions forward from H; the resulting letter is K.

id=12355 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 48? | option_a=34 | option_b=28 | option_c=40 | option_d=48 | answer=D | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 48 is the odd one out.

id=12356 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:16 and the first is 323, what is the second? | option_a=291 | option_b=272 | option_c=256 | option_d=595 | answer=B | explanation=Scale factor = 323/19 = 17. Therefore second quantity = 16×17 = 272.

id=12357 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=12358 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 15, 20, 26? | option_a=20 | option_b=26 | option_c=10 | option_d=15 | answer=B | explanation=The first three numbers increase by 5, so the next should be 25. Therefore 26 is the odd one out.

id=12359 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=L | option_b=N | option_c=H | option_d=J | answer=A | explanation=Move 2 positions forward from J; the resulting letter is L.

id=12360 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=80 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

Aptitude Questions — Records 12,361-12,390 of 100,000

id=12361 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 10, 17, 25? | option_a=10 | option_b=17 | option_c=25 | option_d=3 | answer=C | explanation=The first three numbers increase by 7, so the next should be 24. Therefore 25 is the odd one out.

id=12362 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:16 and the first is 152, what is the second? | option_a=304 | option_b=456 | option_c=288 | option_d=312 | answer=A | explanation=Scale factor = $152/8 = 19$. Therefore second quantity = $16 \times 19 = 304$.

id=12363 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=L | option_b=I | option_c=C | option_d=F | answer=B | explanation=Move 3 positions forward from F; the resulting letter is I.

id=12364 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 33, 40, 48? | option_a=40 | option_b=33 | option_c=26 | option_d=48 | answer=D | explanation=The first three numbers increase by 7, so the next should be 47. Therefore 48 is the odd one out.

id=12365 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 21, 30, 39, ? | option_a=48 | option_b=39 | option_c=57 | option_d=49 | answer=A | explanation=The common difference is 9. Therefore the next term is $39 + 9 = 48$.

id=12366 | topic=Percentages | difficulty=Easy | question=What is 12% of 1991? | option_a=248 | option_b=228 | option_c=476 | option_d=238 | answer=D | explanation= $12\% \text{ of } 1991 = (12/100) \times 1991 = 238$.

id=12367 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:6 and the first is 21, what is the second? | option_a=18 | option_b=25 | option_c=39 | option_d=12 | answer=A | explanation=Scale factor = $21/7 = 3$. Therefore second quantity = $6 \times 3 = 18$.

id=12368 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 20, 22, 25? | option_a=18 | option_b=20 | option_c=25 | option_d=22 | answer=C | explanation=The first three numbers increase by 2, so the next should be 24. Therefore 25 is the odd one out.

id=12369 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 59? | option_a=47 | option_b=59 | option_c=29 | option_d=38 | answer=B | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 59 is the odd one out.

id=12370 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = $60 \div 4 = 15$ km/h.

id=12371 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 22? | option_a=22 | option_b=14 | option_c=18 | option_d=16 | answer=A | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 22 is the odd one out.

id=12372 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on $\text{₹}38145$ at 10% per annum for 4 years. | option_a=15258 | option_b=15158 | option_c=15358 | option_d=53403 | answer=A | explanation=SI = $PRT/100 = 38145 \times 10 \times 4/100 = \text{₹}15258$.

id=12373 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:6 and the first is 95, what is the second? | option_a=209 | option_b=114 | option_c=108 | option_d=119 | answer=B | explanation=Scale factor = $95/5 = 19$. Therefore second quantity = $6 \times 19 = 114$.

id=12374 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:6 and the first is 32, what is the second? | option_a=6 | option_b=44 | option_c=28 | option_d=12 | answer=D | explanation=Scale factor = $32/16 = 2$. Therefore second quantity = $6 \times 2 = 12$.

id=12375 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=J | option_b=N | option_c=P | option_d=L | answer=B | explanation=Move 2 positions forward from L; the resulting letter is N.

id=12376 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=27 | option_b=31 | option_c=28 | option_d=23 | answer=A | explanation=The common difference is 4. Therefore the next term is $23 + 4 = 27$.

id=12377 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on $\text{₹}16027$ at 8% per annum for 3 years. | option_a=3946 | option_b=19873 | option_c=3746 | option_d=3846 | answer=D | explanation=SI = $PRT/100 = 16027 \times 8 \times 3/100 = \text{₹}3846$.

id=12378 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=B | option_c=H | option_d=F | answer=D | explanation=Move 2 positions forward from D; the resulting letter is F.

id=12379 | topic=Profit & Loss | difficulty=Easy | question=An article costs $\text{₹}992$. If it is sold at a profit of 40%, what is its selling price? | option_a=1289 | option_b=1487 | option_c=1388 | option_d=1032 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 992 \times 140/100 = \text{₹}1388$.

id=12380 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:16 and the first is 300, what is the second? | option_a=540 | option_b=240 | option_c=224 | option_d=260 | answer=B | explanation=Scale factor = $300/20 = 15$. Therefore second quantity = $16 \times 15 = 240$.

id=12381 | topic=Percentages | difficulty=Easy | question=What is 10% of 408? | option_a=50 | option_b=80 | option_c=40 | option_d=30 | answer=C | explanation= $10\% \text{ of } 408 = (10/100) \times 408 = 40$.

id=12382 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 39? | option_a=39 | option_b=21 | option_c=31 | option_d=26 | answer=A | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 39 is the odd one out.

id=12383 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=36 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = $180 \div 10 = 18$ km/h.

id=12384 | topic=Percentages | difficulty=Easy | question=What is 40% of 306? | option_a=102 | option_b=244 | option_c=142 | option_d=122 | answer=D | explanation= $40\% \text{ of } 306 = (40/100) \times 306 = 122$.

id=12385 | topic=Percentages | difficulty=Easy | question=What is 12% of 1279? | option_a=306 | option_b=158 | option_c=153 | option_d=143 | answer=C | explanation= $12\% \text{ of } 1279 = (12/100) \times 1279 = 153$.

id=12386 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 45? | option_a=21 | option_b=35 | option_c=45 | option_d=28 | answer=C | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 45 is the odd one out.

id=12387 | topic=Percentages | difficulty=Easy | question=What is 25% of 579? | option_a=288 | option_b=164 | option_c=124 | option_d=144 | answer=D | explanation= $25\% \text{ of } 579 = (25/100) \times 579 = 144$.

id=12388 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on $\text{₹}20642$ at 8% per annum for 5 years. | option_a=8156 | option_b=8356 | option_c=8256 | option_d=28998 | answer=C | explanation=SI = $PRT/100 = 20642 \times 8 \times 5/100 = \text{₹}8256$.

id=12389 | topic=Profit & Loss | difficulty=Easy | question=An article costs $\text{₹}404$. If it is sold at a profit of 40%, what is its selling price? | option_a=605 | option_b=444 | option_c=565 | option_d=525 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 404 \times 140/100 = \text{₹}565$.

id=12390 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:12 and the first is 266, what is the second? | option_a=187 | option_b=434 | option_c=156 | option_d=168 | answer=D | explanation=Scale factor = $266/19 = 14$. Therefore second quantity = $12 \times 14 = 168$.

Aptitude Questions — Records 12,391-12,420 of 100,000

id=12391 | topic=Profit & Loss | difficulty=Easy | question=An article costs █974. If it is sold at a profit of 15%, what is its selling price? | option_a=989 | option_b=1217 | option_c=1023 | option_d=1120 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 974 × 115/100 = █1120.

id=12392 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:14 and the first is 50, what is the second? | option_a=145 | option_b=126 | option_c=190 | option_d=140 | answer=D | explanation=Scale factor = 50/5 = 10. Therefore second quantity = 14×10 = 140.

id=12393 | topic=Averages | difficulty=Easy | question=Find the average of 93, 64, 60, 12, 39, 76, 13. | option_a=52 | option_b=50 | option_c=53 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.

id=12394 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4153. If it is sold at a profit of 10%, what is its selling price? | option_a=4983 | option_b=4153 | option_c=4568 | option_d=4163 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4153 × 110/100 = █4568.

id=12395 | topic=Averages | difficulty=Easy | question=Find the average of 36, 19, 38, 100, 43, 67, 87, 29, 31. | option_a=51 | option_b=49 | option_c=52 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 450 ÷ 9 = 50.

id=12396 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 53? | option_a=32 | option_b=41 | option_c=23 | option_d=53 | answer=D | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 53 is the odd one out.

id=12397 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 20, 28, 37? | option_a=37 | option_b=12 | option_c=20 | option_d=28 | answer=A | explanation=The first three numbers increase by 8, so the next should be 36. Therefore 37 is the odd one out.

id=12398 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2348. If it is sold at a profit of 10%, what is its selling price? | option_a=2816 | option_b=2582 | option_c=2358 | option_d=2348 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2348 × 110/100 = █2582.

id=12399 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3085 at 12% per annum for 1 years. | option_a=3455 | option_b=470 | option_c=270 | option_d=370 | answer=D | explanation=SI = PRT/100 = 3085×12×1/100 = █370.

id=12400 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=E | option_b=K | option_c=N | option_d=H | answer=B | explanation=Move 3 positions forward from H; the resulting letter is K.

id=12401 | topic=Profit & Loss | difficulty=Easy | question=An article costs █298. If it is sold at a profit of 40%, what is its selling price? | option_a=338 | option_b=388 | option_c=417 | option_d=446 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 298 × 140/100 = █417.

id=12402 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 38, 48, 61? | option_a=48 | option_b=38 | option_c=28 | option_d=61 | answer=D | explanation=The first three numbers increase by 10, so the next should be 58. Therefore 61 is the odd one out.

id=12403 | topic=Percentages | difficulty=Easy | question=What is 30% of 565? | option_a=149 | option_b=169 | option_c=174 | option_d=338 | answer=B | explanation=30% of 565 = (30/100) × 565 = 169.

id=12404 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 34, 44, 55? | option_a=24 | option_b=34 | option_c=44 | option_d=55 | answer=D | explanation=The first three numbers increase by 10, so the next should be 54. Therefore 55 is the odd one out.

id=12405 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4613. If it is sold at a profit of 40%, what is its selling price? | option_a=6919 | option_b=4653 | option_c=5997 | option_d=6458 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4613 × 140/100 = █6458.

id=12406 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=37 | option_b=29 | option_c=45 | option_d=38 | answer=A | explanation=The common difference is 8. Therefore the next term is 29 + 8 = 37.

id=12407 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=6 | option_c=11 | option_d=1 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=12408 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:11 and the first is 132, what is the second? | option_a=264 | option_b=132 | option_c=121 | option_d=143 | answer=B | explanation=Scale factor = 132/11 = 12. Therefore second quantity = 11×12 = 132.

id=12409 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=L | option_c=W | option_d=G | answer=D | explanation=Move 5 positions forward from B; the resulting letter is G.

id=12410 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=46 | option_b=39 | option_c=53 | option_d=47 | answer=A | explanation=The common difference is 7. Therefore the next term is 39 + 7 = 46.

id=12411 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2100. If it is sold at a profit of 50%, what is its selling price? | option_a=2940 | option_b=3360 | option_c=3150 | option_d=2150 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2100 × 150/100 = █3150.

id=12412 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=36 | option_d=13 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=12413 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:1 and the first is 48, what is the second? | option_a=6 | option_b=54 | option_c=5 | option_d=14 | answer=A | explanation=Scale factor = 48/8 = 6. Therefore second quantity = 1×6 = 6.

id=12414 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=29 | option_d=19 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=12415 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44768 at 4% per annum for 4 years. | option_a=7162 | option_b=7262 | option_c=7062 | option_d=51930 | answer=A | explanation=SI = PRT/100 = 44768×4×4/100 = █7162.

id=12416 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=24 | option_c=29 | option_d=48 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=12417 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=12418 | topic=Averages | difficulty=Easy | question=Find the average of 29, 87, 61. | option_a=60 | option_b=61 | option_c=59 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 177 ÷ 3 = 59.

id=12419 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4274. If it is sold at a profit of 25%, what is its selling price? | option_a=5769 | option_b=5342 | option_c=4299 | option_d=4915 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4274 × 125/100 = █5342.

id=12420 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 12,421-12,450 of 100,000

id=12421 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=90 | option_c=85 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=12422 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=40 | option_b=33 | option_c=34 | option_d=26 | answer=B | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

id=12423 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■35569 at 10% per annum for 1 years. | option_a=3456 | option_b=39125 | option_c=3656 | option_d=3556 | answer=D | explanation=SI = $PRT/100 = 35569 \times 10 \times 1/100 = \blacksquare 3556$.

id=12424 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■479. If it is sold at a profit of 50%, what is its selling price? | option_a=529 | option_b=718 | option_c=671 | option_d=765 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 479 \times 150/100 = \blacksquare 718$.

id=12425 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=K | option_c=Q | option_d=M | answer=A | explanation=Move 2 positions forward from M; the resulting letter is O.

id=12426 | topic=Percentages | difficulty=Easy | question=What is 20% of 1515? | option_a=283 | option_b=606 | option_c=303 | option_d=308 | answer=C | explanation=20% of 1515 = $(20/100) \times 1515 = 303$.

id=12427 | topic=Averages | difficulty=Easy | question=Find the average of 59, 14, 81, 11, 75. | option_a=48 | option_b=50 | option_c=47 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = $240 \div 5 = 48$.

id=12428 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14235 at 10% per annum for 5 years. | option_a=7117 | option_b=21352 | option_c=7217 | option_d=7017 | answer=A | explanation=SI = $PRT/100 = 14235 \times 10 \times 5/100 = \blacksquare 7117$.

id=12429 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=S | option_b=I | option_c=D | option_d=N | answer=D | explanation=Move 5 positions forward from I; the resulting letter is N.

id=12430 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 42? | option_a=29 | option_b=42 | option_c=23 | option_d=35 | answer=B | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 42 is the odd one out.

id=12431 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3651. If it is sold at a profit of 20%, what is its selling price? | option_a=4016 | option_b=3671 | option_c=4381 | option_d=4746 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3651 \times 120/100 = \blacksquare 4381$.

id=12432 | topic=Averages | difficulty=Easy | question=Find the average of 16, 94, 94, 74, 61, 75. | option_a=69 | option_b=71 | option_c=68 | option_d=70 | answer=A | explanation=Average = sum of values ÷ number of values = $414 \div 6 = 69$.

id=12433 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 24. | option_a=24 | option_b=384 | option_c=64 | option_d=48 | answer=D | explanation= $LCM \times HCF = 16 \times 24$; $HCF(16,24) = 8$, so $LCM = 48$.

id=12434 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = $90 \div 6 = 15$ km/h.

id=12435 | topic=Averages | difficulty=Easy | question=Find the average of 63, 87, 57. | option_a=69 | option_b=70 | option_c=68 | option_d=71 | answer=A | explanation=Average = sum of values ÷ number of values = $207 \div 3 = 69$.

id=12436 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=85 | option_c=95 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = $360 \div 4 = 90$ km/h.

id=12437 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4436. If it is sold at a profit of 50%, what is its selling price? | option_a=6654 | option_b=6211 | option_c=4486 | option_d=7097 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4436 \times 150/100 = \blacksquare 6654$.

id=12438 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3159. If it is sold at a profit of 30%, what is its selling price? | option_a=3189 | option_b=4421 | option_c=4106 | option_d=3791 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3159 \times 130/100 = \blacksquare 4106$.

id=12439 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = $120 \div 2 = 60$ km/h.

id=12440 | topic=Averages | difficulty=Easy | question=Find the average of 81, 29, 17, 32, 45, 63, 41. | option_a=46 | option_b=44 | option_c=43 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = $308 \div 7 = 44$.

id=12441 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■34658 at 4% per annum for 2 years. | option_a=2872 | option_b=2772 | option_c=2672 | option_d=37430 | answer=B | explanation=SI = $PRT/100 = 34658 \times 4 \times 2/100 = \blacksquare 2772$.

id=12442 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=180 | option_c=95 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = $180 \div 2 = 90$ km/h.

id=12443 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 4. | option_a=28 | option_b=56 | option_c=24 | option_d=112 | answer=A | explanation= $LCM \times HCF = 28 \times 4$; $HCF(28,4) = 4$, so $LCM = 28$.

id=12444 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=36 | option_b=41 | option_c=72 | option_d=31 | answer=A | explanation=Speed = distance ÷ time = $360 \div 10 = 36$ km/h.

id=12445 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=K | option_b=P | option_c=A | option_d=F | answer=A | explanation=Move 5 positions forward from F; the resulting letter is K.

id=12446 | topic=Averages | difficulty=Easy | question=Find the average of 22, 24, 63, 45, 67, 79. | option_a=51 | option_b=49 | option_c=50 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = $300 \div 6 = 50$.

id=12447 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $300 \div 10 = 30$ km/h.

id=12448 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:8 and the first is 140, what is the second? | option_a=167 | option_b=300 | option_c=152 | option_d=160 | answer=D | explanation=Scale factor = $140/7 = 20$. Therefore second quantity = $8 \times 20 = 160$.

id=12449 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:8 and the first is 40, what is the second? | option_a=40 | option_b=48 | option_c=80 | option_d=32 | answer=A | explanation=Scale factor = $40/8 = 5$. Therefore second quantity = $8 \times 5 = 40$.

id=12450 | topic=Percentages | difficulty=Easy | question=What is 30% of 594? | option_a=158 | option_b=356 | option_c=183 | option_d=178 | answer=D | explanation=30% of 594 = $(30/100) \times 594 = 178$.

Aptitude Questions — Records 12,451-12,480 of 100,000

id=12451 | topic=Averages | difficulty=Easy | question=Find the average of 74, 74, 99, 38, 15, 24, 95, 23, 62. | option_a=58 | option_b=55 | option_c=57 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=12452 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3248. If it is sold at a profit of 40%, what is its selling price? | option_a=4871 | option_b=3288 | option_c=4223 | option_d=4547 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3248 × 140/100 = █4547.

id=12453 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=12454 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4752. If it is sold at a profit of 50%, what is its selling price? | option_a=4802 | option_b=7128 | option_c=6653 | option_d=7603 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4752 × 150/100 = █7128.

id=12455 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 21? | option_a=12 | option_b=9 | option_c=21 | option_d=15 | answer=C | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 21 is the odd one out.

id=12456 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:8 and the first is 156, what is the second? | option_a=260 | option_b=116 | option_c=96 | option_d=104 | answer=D | explanation=Scale factor = 156/12 = 13. Therefore second quantity = 8×13 = 104.

id=12457 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 33? | option_a=33 | option_b=15 | option_c=25 | option_d=20 | answer=A | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 33 is the odd one out.

id=12458 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 24. | option_a=48 | option_b=384 | option_c=24 | option_d=64 | answer=A | explanation=LCM × HCF = 16×24; HCF(16,24) = 8, so LCM = 48.

id=12459 | topic=Percentages | difficulty=Easy | question=What is 25% of 494? | option_a=246 | option_b=133 | option_c=103 | option_d=123 | answer=D | explanation=25% of 494 = (25/100) × 494 = 123.

id=12460 | topic=Averages | difficulty=Easy | question=Find the average of 30, 50, 52, 73, 54, 89. | option_a=58 | option_b=59 | option_c=57 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 348 ÷ 6 = 58.

id=12461 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 39, 49, 61? | option_a=61 | option_b=29 | option_c=39 | option_d=49 | answer=A | explanation=The first three numbers increase by 10, so the next should be 59. Therefore 61 is the odd one out.

id=12462 | topic=Percentages | difficulty=Easy | question=What is 12% of 676? | option_a=81 | option_b=76 | option_c=162 | option_d=86 | answer=A | explanation=12% of 676 = (12/100) × 676 = 81.

id=12463 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=40 | option_c=15 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=12464 | topic=Percentages | difficulty=Easy | question=What is 12% of 1498? | option_a=174 | option_b=179 | option_c=358 | option_d=189 | answer=B | explanation=12% of 1498 = (12/100) × 1498 = 179.

id=12465 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 49? | option_a=17 | option_b=49 | option_c=37 | option_d=27 | answer=B | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 49 is the odd one out.

id=12466 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 32, 40, 51? | option_a=32 | option_b=51 | option_c=24 | option_d=40 | answer=B | explanation=The first three numbers increase by 8, so the next should be 48. Therefore 51 is the odd one out.

id=12467 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:3 and the first is 285, what is the second? | option_a=64 | option_b=45 | option_c=42 | option_d=330 | answer=B | explanation=Scale factor = 285/19 = 15. Therefore second quantity = 3×15 = 45.

id=12468 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3083. If it is sold at a profit of 30%, what is its selling price? | option_a=4315 | option_b=3699 | option_c=3113 | option_d=4007 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3083 × 130/100 = █4007.

id=12469 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=Y | option_b=I | option_c=N | option_d=D | answer=B | explanation=Move 5 positions forward from D; the resulting letter is I.

id=12470 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=29 | option_c=24 | option_d=19 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=12471 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4075. If it is sold at a profit of 30%, what is its selling price? | option_a=4105 | option_b=4890 | option_c=5297 | option_d=5704 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4075 × 130/100 = █5297.

id=12472 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=M | option_b=V | option_c=S | option_d=P | answer=C | explanation=Move 3 positions forward from P; the resulting letter is S.

id=12473 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:5 and the first is 39, what is the second? | option_a=10 | option_b=15 | option_c=28 | option_d=54 | answer=B | explanation=Scale factor = 39/13 = 3. Therefore second quantity = 5×3 = 15.

id=12474 | topic=Averages | difficulty=Easy | question=Find the average of 100, 29, 53, 78, 100. | option_a=74 | option_b=72 | option_c=73 | option_d=71 | answer=B | explanation=Average = sum of values ÷ number of values = 360 ÷ 5 = 72.

id=12475 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 17, 27, 39? | option_a=7 | option_b=17 | option_c=39 | option_d=27 | answer=C | explanation=The first three numbers increase by 10, so the next should be 37. Therefore 39 is the odd one out.

id=12476 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2863. If it is sold at a profit of 50%, what is its selling price? | option_a=2913 | option_b=4294 | option_c=4580 | option_d=4008 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2863 × 150/100 = █4294.

id=12477 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=E | option_b=O | option_c=J | option_d=T | answer=B | explanation=Move 5 positions forward from J; the resulting letter is O.

id=12478 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:18 and the first is 320, what is the second? | option_a=608 | option_b=308 | option_c=288 | option_d=270 | answer=C | explanation=Scale factor = 320/20 = 16. Therefore second quantity = 18×16 = 288.

id=12479 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46639 at 4% per annum for 4 years. | option_a=7362 | option_b=54101 | option_c=7462 | option_d=7562 | answer=C | explanation=SI = PRT/100 = 46639×4×4/100 = █7462.

id=12480 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 16. | option_a=96 | option_b=112 | option_c=126 | option_d=224 | answer=B | explanation=LCM × HCF = 14×16; HCF(14,16) = 2, so LCM = 112.

Aptitude Questions — Records 12,481-12,510 of 100,000

- id=12481 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 21. | option_a=252 | option_b=63 | option_c=84 | option_d=96 | answer=C | explanation=LCM × HCF = 12×21; HCF(12,21) = 3, so LCM = 84.
- id=12482 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.
- id=12483 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4045. If it is sold at a profit of 5%, what is its selling price? | option_a=4050 | option_b=3843 | option_c=4247 | option_d=4651 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4045 × 105/100 = █4247.
- id=12484 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.
- id=12485 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:20 and the first is 152, what is the second? | option_a=312 | option_b=179 | option_c=160 | option_d=140 | answer=C | explanation=Scale factor = 152/19 = 8. Therefore second quantity = 20×8 = 160.
- id=12486 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2477. If it is sold at a profit of 20%, what is its selling price? | option_a=3219 | option_b=2497 | option_c=2972 | option_d=2725 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2477 × 120/100 = █2972.
- id=12487 | topic=Percentages | difficulty=Easy | question=What is 50% of 674? | option_a=337 | option_b=332 | option_c=357 | option_d=674 | answer=A | explanation=50% of 674 = (50/100) × 674 = 337.
- id=12488 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 20, 22, 25? | option_a=25 | option_b=20 | option_c=22 | option_d=18 | answer=A | explanation=The first three numbers increase by 2, so the next should be 24. Therefore 25 is the odd one out.
- id=12489 | topic=Averages | difficulty=Easy | question=Find the average of 100, 90, 74, 60, 32, 80, 30, 50, 13, 91. | option_a=64 | option_b=63 | option_c=62 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 620 ÷ 10 = 62.
- id=12490 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=Z | option_b=I | option_c=F | option_d=C | answer=C | explanation=Move 3 positions forward from C; the resulting letter is F.
- id=12491 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:1 and the first is 21, what is the second? | option_a=10 | option_b=3 | option_c=24 | option_d=2 | answer=B | explanation=Scale factor = 21/7 = 3. Therefore second quantity = 1×3 = 3.
- id=12492 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.
- id=12493 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4295. If it is sold at a profit of 40%, what is its selling price? | option_a=4335 | option_b=6013 | option_c=6442 | option_d=5584 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4295 × 140/100 = █6013.
- id=12494 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:7 and the first is 12, what is the second? | option_a=84 | option_b=85 | option_c=96 | option_d=77 | answer=A | explanation=Scale factor = 12/1 = 12. Therefore second quantity = 7×12 = 84.
- id=12495 | topic=Percentages | difficulty=Easy | question=What is 30% of 1710? | option_a=518 | option_b=1026 | option_c=513 | option_d=508 | answer=C | explanation=30% of 1710 = (30/100) × 1710 = 513.
- id=12496 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=36 | option_b=41 | option_c=72 | option_d=31 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.
- id=12497 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=30 | option_b=26 | option_c=29 | option_d=32 | answer=C | explanation=The common difference is 3. Therefore the next term is 26 + 3 = 29.
- id=12498 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=5 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.
- id=12499 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 14, 20, 27? | option_a=27 | option_b=20 | option_c=14 | option_d=8 | answer=A | explanation=The first three numbers increase by 6, so the next should be 26. Therefore 27 is the odd one out.
- id=12500 | topic=Percentages | difficulty=Easy | question=What is 15% of 1115? | option_a=177 | option_b=157 | option_c=167 | option_d=334 | answer=C | explanation=15% of 1115 = (15/100) × 1115 = 167.
- id=12501 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 5. | option_a=1 | option_b=10 | option_c=25 | option_d=5 | answer=D | explanation=LCM × HCF = 5×5; HCF(5,5) = 5, so LCM = 5.
- id=12502 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45089 at 10% per annum for 4 years. | option_a=63124 | option_b=18035 | option_c=18135 | option_d=17935 | answer=B | explanation=SI = PRT/100 = 45089×10×4/100 = █18035.
- id=12503 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 34? | option_a=21 | option_b=34 | option_c=26 | option_d=16 | answer=B | explanation=The first three numbers increase by 5, so the next should be 31. Therefore 34 is the odd one out.
- id=12504 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=D | option_c=F | option_d=E | answer=C | explanation=Move 1 positions forward from E; the resulting letter is F.
- id=12505 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=20 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=12506 | topic=Averages | difficulty=Easy | question=Find the average of 27, 99, 46, 16. | option_a=48 | option_b=46 | option_c=49 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 188 ÷ 4 = 47.
- id=12507 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=16 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=12508 | topic=Percentages | difficulty=Easy | question=What is 30% of 1101? | option_a=340 | option_b=660 | option_c=330 | option_d=310 | answer=C | explanation=30% of 1101 = (30/100) × 1101 = 330.
- id=12509 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=30 | option_b=29 | option_c=34 | option_d=24 | answer=B | explanation=The common difference is 5. Therefore the next term is 24 + 5 = 29.
- id=12510 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=T | option_c=K | option_d=Q | answer=D | explanation=Move 3 positions forward from N; the resulting letter is Q.

Aptitude Questions — Records 12,511-12,540 of 100,000

id=12511 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33571 at 8% per annum for 2 years. | option_a=5371 | option_b=38942 | option_c=5471 | option_d=5271 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{33571 \times 8 \times 2}{100} = \text{■}5371$.

id=12512 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2332. If it is sold at a profit of 15%, what is its selling price? | option_a=2448 | option_b=2681 | option_c=2347 | option_d=2914 | answer=B | explanation= $\text{Selling price} = CP \times \frac{(100 + \text{profit}\%)}{100} = 2332 \times \frac{115}{100} = \text{■}2681$.

id=12513 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:11 and the first is 221, what is the second? | option_a=160 | option_b=132 | option_c=364 | option_d=143 | answer=D | explanation= $\text{Scale factor} = \frac{221}{17} = 13$. Therefore second quantity = $11 \times 13 = 143$.

id=12514 | topic=Averages | difficulty=Easy | question=Find the average of 38, 100, 62, 58, 19, 19, 40. | option_a=48 | option_b=49 | option_c=50 | option_d=47 | answer=A | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{336}{7} = 48$.

id=12515 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=144 | option_c=72 | option_d=67 | answer=C | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{360}{5} = 72 \text{ km/h}$.

id=12516 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=P | option_b=X | option_c=B | option_d=T | answer=B | explanation=Move 4 positions forward from T; the resulting letter is X.

id=12517 | topic=Percentages | difficulty=Easy | question=What is 10% of 207? | option_a=40 | option_b=25 | option_c=0 | option_d=20 | answer=D | explanation= $10\% \text{ of } 207 = \frac{(10 \times 207)}{100} = 20.7 \approx 20$.

id=12518 | topic=Percentages | difficulty=Easy | question=What is 12% of 791? | option_a=188 | option_b=94 | option_c=84 | option_d=114 | answer=B | explanation= $12\% \text{ of } 791 = \frac{(12 \times 791)}{100} = 94.92 \approx 94$.

id=12519 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 9, 12, 16? | option_a=6 | option_b=16 | option_c=9 | option_d=12 | answer=B | explanation=The first three numbers increase by 3, so the next should be 15. Therefore 16 is the odd one out.

id=12520 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=G | option_c=W | option_d=L | answer=B | explanation=Move 5 positions forward from B; the resulting letter is G.

id=12521 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 37? | option_a=23 | option_b=17 | option_c=37 | option_d=29 | answer=C | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 37 is the odd one out.

id=12522 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 22. | option_a=1 | option_b=22 | option_c=484 | option_d=44 | answer=B | explanation= $\text{LCM} \times \text{HCF} = 22 \times 22$; $\text{HCF}(22, 22) = 22$, so $\text{LCM} = 22$.

id=12523 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 16? | option_a=11 | option_b=13 | option_c=16 | option_d=9 | answer=C | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 16 is the odd one out.

id=12524 | topic=Averages | difficulty=Easy | question=Find the average of 81, 58, 90, 23, 64, 20. | option_a=58 | option_b=55 | option_c=56 | option_d=57 | answer=C | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{336}{6} = 56$.

id=12525 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 10. | option_a=260 | option_b=130 | option_c=120 | option_d=156 | answer=B | explanation= $\text{LCM} \times \text{HCF} = 26 \times 10$; $\text{HCF}(26, 10) = 2$, so $\text{LCM} = 130$.

id=12526 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=B | option_b=F | option_c=J | option_d=N | answer=C | explanation=Move 4 positions forward from F; the resulting letter is J.

id=12527 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=12 | option_c=1 | option_d=6 | answer=D | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{60}{10} = 6 \text{ km/h}$.

id=12528 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24208 at 12% per annum for 3 years. | option_a=8814 | option_b=8614 | option_c=32922 | option_d=8714 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{24208 \times 12 \times 3}{100} = \text{■}8714$.

id=12529 | topic=Averages | difficulty=Easy | question=Find the average of 16, 74, 41, 38, 89, 36. | option_a=49 | option_b=48 | option_c=51 | option_d=50 | answer=A | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{294}{6} = 49$.

id=12530 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12324 at 8% per annum for 3 years. | option_a=2857 | option_b=2957 | option_c=15281 | option_d=3057 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{12324 \times 8 \times 3}{100} = \text{■}2957$.

id=12531 | topic=Percentages | difficulty=Easy | question=What is 10% of 1600? | option_a=150 | option_b=160 | option_c=320 | option_d=170 | answer=B | explanation= $10\% \text{ of } 1600 = \frac{(10 \times 1600)}{100} = 160$.

id=12532 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:16 and the first is 81, what is the second? | option_a=225 | option_b=128 | option_c=144 | option_d=153 | answer=C | explanation= $\text{Scale factor} = \frac{81}{9} = 9$. Therefore second quantity = $16 \times 9 = 144$.

id=12533 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation= $\text{Combined rate} = \frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $\frac{72}{18} = 4 \text{ days}$.

id=12534 | topic=Percentages | difficulty=Easy | question=What is 12% of 125? | option_a=15 | option_b=25 | option_c=5 | option_d=30 | answer=A | explanation= $12\% \text{ of } 125 = \frac{(12 \times 125)}{100} = 15$.

id=12535 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 26, 35, 47? | option_a=26 | option_b=17 | option_c=35 | option_d=47 | answer=D | explanation=The first three numbers increase by 9, so the next should be 44. Therefore 47 is the odd one out.

id=12536 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:2 and the first is 120, what is the second? | option_a=32 | option_b=12 | option_c=132 | option_d=10 | answer=B | explanation= $\text{Scale factor} = \frac{120}{20} = 6$. Therefore second quantity = $2 \times 6 = 12$.

id=12537 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 28, 36, 46? | option_a=36 | option_b=20 | option_c=46 | option_d=28 | answer=C | explanation=The first three numbers increase by 8, so the next should be 44. Therefore 46 is the odd one out.

id=12538 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=X | option_c=T | option_d=L | answer=C | explanation=Move 4 positions forward from P; the resulting letter is T.

id=12539 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47787 at 10% per annum for 4 years. | option_a=19114 | option_b=19014 | option_c=66901 | option_d=19214 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{47787 \times 10 \times 4}{100} = \text{■}19114$.

id=12540 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 8. | option_a=110 | option_b=176 | option_c=80 | option_d=88 | answer=D | explanation= $\text{LCM} \times \text{HCF} = 22 \times 8$; $\text{HCF}(22, 8) = 2$, so $\text{LCM} = 88$.

Aptitude Questions — Records 12,541-12,570 of 100,000

id=12541 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=T | option_c=U | option_d=S | answer=C | explanation=Move 1 positions forward from T; the resulting letter is U.

id=12542 | topic=Averages | difficulty=Easy | question=Find the average of 17, 67, 82, 30, 72, 46, 61, 27, 30. | option_a=47 | option_b=50 | option_c=48 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 432 ÷ 9 = 48.

id=12543 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:13 and the first is 90, what is the second? | option_a=127 | option_b=117 | option_c=104 | option_d=207 | answer=B | explanation=Scale factor = 90/10 = 9. Therefore second quantity = 13×9 = 117.

id=12544 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=V | option_c=R | option_d=X | answer=B | explanation=Move 2 positions forward from T; the resulting letter is V.

id=12545 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 25, 33, 41, ? | option_a=57 | option_b=41 | option_c=49 | option_d=50 | answer=C | explanation=The common difference is 8. Therefore the next term is 41 + 8 = 49.

id=12546 | topic=Percentages | difficulty=Easy | question=What is 20% of 422? | option_a=84 | option_b=168 | option_c=89 | option_d=74 | answer=A | explanation=20% of 422 = (20/100) × 422 = 84.

id=12547 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 20. | option_a=120 | option_b=144 | option_c=480 | option_d=100 | answer=A | explanation=LCM × HCF = 24×20; HCF(24,20) = 4, so LCM = 120.

id=12548 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 30. | option_a=30 | option_b=1 | option_c=35 | option_d=150 | answer=A | explanation=LCM × HCF = 5×30; HCF(5,30) = 5, so LCM = 30.

id=12549 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=12550 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:7 and the first is 16, what is the second? | option_a=56 | option_b=58 | option_c=72 | option_d=49 | answer=A | explanation=Scale factor = 16/2 = 8. Therefore second quantity = 7×8 = 56.

id=12551 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=B | option_b=J | option_c=N | option_d=F | answer=B | explanation=Move 4 positions forward from F; the resulting letter is J.

id=12552 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 20, 27, 36? | option_a=27 | option_b=20 | option_c=13 | option_d=36 | answer=D | explanation=The first three numbers increase by 7, so the next should be 34. Therefore 36 is the odd one out.

id=12553 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 22. | option_a=132 | option_b=66 | option_c=44 | option_d=72 | answer=B | explanation=LCM × HCF = 6×22; HCF(6,22) = 2, so LCM = 66.

id=12554 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=12555 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=12556 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 20. | option_a=560 | option_b=140 | option_c=168 | option_d=120 | answer=B | explanation=LCM × HCF = 28×20; HCF(28,20) = 4, so LCM = 140.

id=12557 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=7 | option_c=17 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=12558 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2682. If it is sold at a profit of 50%, what is its selling price? | option_a=2732 | option_b=3755 | option_c=4023 | option_d=4291 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2682 × 150/100 = █4023.

id=12559 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:20 and the first is 8, what is the second? | option_a=48 | option_b=44 | option_c=40 | option_d=20 | answer=C | explanation=Scale factor = 8/4 = 2. Therefore second quantity = 20×2 = 40.

id=12560 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29339 at 5% per annum for 5 years. | option_a=7234 | option_b=7434 | option_c=7334 | option_d=36673 | answer=C | explanation=SI = PRT/100 = 29339×5×5/100 = █7334.

id=12561 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=6 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=12562 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=12 | option_b=16 | option_c=18 | option_d=15 | answer=D | explanation=The common difference is 3. Therefore the next term is 12 + 3 = 15.

id=12563 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45122 at 4% per annum for 1 years. | option_a=1804 | option_b=1704 | option_c=1904 | option_d=46926 | answer=A | explanation=SI = PRT/100 = 45122×4×1/100 = █1804.

id=12564 | topic=Averages | difficulty=Easy | question=Find the average of 14, 60, 69, 55, 27, 43, 69, 98, 105. | option_a=62 | option_b=61 | option_c=60 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 540 ÷ 9 = 60.

id=12565 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=A | option_b=E | option_c=C | option_d=G | answer=B | explanation=Move 2 positions forward from C; the resulting letter is E.

id=12566 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=360 | option_b=175 | option_c=180 | option_d=185 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=12567 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 24, 31, 40? | option_a=31 | option_b=40 | option_c=24 | option_d=17 | answer=B | explanation=The first three numbers increase by 7, so the next should be 38. Therefore 40 is the odd one out.

id=12568 | topic=Percentages | difficulty=Easy | question=What is 30% of 809? | option_a=252 | option_b=484 | option_c=232 | option_d=242 | answer=D | explanation=30% of 809 = (30/100) × 809 = 242.

id=12569 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=Y | option_c=V | option_d=P | answer=C | explanation=Move 3 positions forward from S; the resulting letter is V.

id=12570 | topic=Percentages | difficulty=Easy | question=What is 20% of 620? | option_a=119 | option_b=248 | option_c=144 | option_d=124 | answer=D | explanation=20% of 620 = (20/100) × 620 = 124.

Aptitude Questions — Records 12,571-12,600 of 100,000

id=12571 | topic=Percentages | difficulty=Easy | question=What is 50% of 94? | option_a=47 | option_b=57 | option_c=94 | option_d=27 | answer=A | explanation=50% of 94 = (50/100) × 94 = 47.

id=12572 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 25, 34, 44? | option_a=34 | option_b=16 | option_c=44 | option_d=25 | answer=C | explanation=The first three numbers increase by 9, so the next should be 43. Therefore 44 is the odd one out.

id=12573 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 6. | option_a=40 | option_b=60 | option_c=30 | option_d=24 | answer=C | explanation=LCM × HCF = 10×6; HCF(10,6) = 2, so LCM = 30.

id=12574 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3029. If it is sold at a profit of 40%, what is its selling price? | option_a=4542 | option_b=4240 | option_c=3938 | option_d=3069 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3029 × 140/100 = █4240.

id=12575 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=34 | option_b=44 | option_c=43 | option_d=52 | answer=C | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

id=12576 | topic=Averages | difficulty=Easy | question=Find the average of 67, 14, 71, 36, 46, 84. | option_a=53 | option_b=55 | option_c=54 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 318 ÷ 6 = 53.

id=12577 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=180 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=12578 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33236 at 4% per annum for 5 years. | option_a=39883 | option_b=6647 | option_c=6747 | option_d=6547 | answer=B | explanation=SI = PRT/100 = 33236×4×5/100 = █6647.

id=12579 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3217. If it is sold at a profit of 40%, what is its selling price? | option_a=3257 | option_b=4824 | option_c=4503 | option_d=4182 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3217 × 140/100 = █4503.

id=12580 | topic=Averages | difficulty=Easy | question=Find the average of 44, 79, 47, 61, 65, 24, 93. | option_a=61 | option_b=58 | option_c=60 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 413 ÷ 7 = 59.

id=12581 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3437. If it is sold at a profit of 15%, what is its selling price? | option_a=3452 | option_b=3609 | option_c=3952 | option_d=4295 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3437 × 115/100 = █3952.

id=12582 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:5 and the first is 340, what is the second? | option_a=117 | option_b=95 | option_c=440 | option_d=100 | answer=D | explanation=Scale factor = 340/17 = 20. Therefore second quantity = 5×20 = 100.

id=12583 | topic=Percentages | difficulty=Easy | question=What is 40% of 312? | option_a=124 | option_b=248 | option_c=129 | option_d=104 | answer=A | explanation=40% of 312 = (40/100) × 312 = 124.

id=12584 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12886 at 8% per annum for 2 years. | option_a=2061 | option_b=14947 | option_c=2161 | option_d=1961 | answer=A | explanation=SI = PRT/100 = 12886×8×2/100 = █2061.

id=12585 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 20? | option_a=15 | option_b=20 | option_c=12 | option_d=9 | answer=B | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 20 is the odd one out.

id=12586 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 10, 12, 14, ? | option_a=14 | option_b=18 | option_c=17 | option_d=16 | answer=D | explanation=The common difference is 2. Therefore the next term is 14 + 2 = 16.

id=12587 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=55 | option_b=64 | option_c=54 | option_d=44 | answer=C | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=12588 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=12589 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 42? | option_a=15 | option_b=31 | option_c=23 | option_d=42 | answer=D | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 42 is the odd one out.

id=12590 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2881. If it is sold at a profit of 40%, what is its selling price? | option_a=3745 | option_b=2921 | option_c=4033 | option_d=4321 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2881 × 140/100 = █4033.

id=12591 | topic=Averages | difficulty=Easy | question=Find the average of 69, 12, 95, 23, 49, 37, 75, 85, 30, 15. | option_a=49 | option_b=51 | option_c=50 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = 490 ÷ 10 = 49.

id=12592 | topic=Averages | difficulty=Easy | question=Find the average of 78, 52, 26, 21, 21, 16, 25, 73. | option_a=38 | option_b=41 | option_c=39 | option_d=40 | answer=C | explanation=Average = sum of values ÷ number of values = 312 ÷ 8 = 39.

id=12593 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41729 at 8% per annum for 3 years. | option_a=51743 | option_b=9914 | option_c=10014 | option_d=10114 | answer=C | explanation=SI = PRT/100 = 41729×8×3/100 = █10014.

id=12594 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=S | option_b=O | option_c=G | option_d=K | answer=B | explanation=Move 4 positions forward from K; the resulting letter is O.

id=12595 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39532 at 6% per annum for 4 years. | option_a=9587 | option_b=9387 | option_c=49019 | option_d=9487 | answer=D | explanation=SI = PRT/100 = 39532×6×4/100 = █9487.

id=12596 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 38, 48, 61? | option_a=48 | option_b=61 | option_c=28 | option_d=38 | answer=B | explanation=The first three numbers increase by 10, so the next should be 58. Therefore 61 is the odd one out.

id=12597 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=47 | option_b=59 | option_c=58 | option_d=69 | answer=C | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.

id=12598 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=12599 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 33? | option_a=27 | option_b=33 | option_c=22 | option_d=17 | answer=B | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 33 is the odd one out.

id=12600 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

Aptitude Questions — Records 12,601-12,630 of 100,000

id=12601 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=41 | option_c=31 | option_d=72 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=12602 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■10108 at 10% per annum for 5 years. | option_a=4954 | option_b=5054 | option_c=5154 | option_d=15162 | answer=B | explanation=SI = $PRT/100 = 10108 \times 10 \times 5/100 = \blacksquare 5054$.

id=12603 | topic=Averages | difficulty=Easy | question=Find the average of 81, 81, 64, 17, 18, 16, 30, 53, 63. | option_a=47 | option_b=49 | option_c=46 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = 423 ÷ 9 = 47.

id=12604 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=12605 | topic=Percentages | difficulty=Easy | question=What is 25% of 1828? | option_a=467 | option_b=914 | option_c=447 | option_d=457 | answer=D | explanation=25% of 1828 = $(25/100) \times 1828 = 457$.

id=12606 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:9 and the first is 36, what is the second? | option_a=9 | option_b=18 | option_c=54 | option_d=36 | answer=B | explanation=Scale factor = $36/18 = 2$. Therefore second quantity = $9 \times 2 = 18$.

id=12607 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 44? | option_a=44 | option_b=35 | option_c=21 | option_d=28 | answer=A | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 44 is the odd one out.

id=12608 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 28. | option_a=140 | option_b=560 | option_c=112 | option_d=160 | answer=A | explanation=LCM $\times$ HCF = 20×28 ; HCF(20,28) = 4, so LCM = 140.

id=12609 | topic=Percentages | difficulty=Easy | question=What is 12% of 1232? | option_a=167 | option_b=137 | option_c=294 | option_d=147 | answer=D | explanation=12% of 1232 = $(12/100) \times 1232 = 147$.

id=12610 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4521. If it is sold at a profit of 30%, what is its selling price? | option_a=6329 | option_b=4551 | option_c=5877 | option_d=5425 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4521 \times 130/100 = \blacksquare 5877$.

id=12611 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=51 | option_b=52 | option_c=62 | option_d=40 | answer=A | explanation=The common difference is 11. Therefore the next term is $40 + 11 = 51$.

id=12612 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=6 | option_c=12 | option_d=1 | answer=B | explanation=Speed = distance ÷ time = $60 \div 10 = 6$ km/h.

id=12613 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=200 | option_c=95 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = $300 \div 3 = 100$ km/h.

id=12614 | topic=Percentages | difficulty=Easy | question=What is 5% of 1909? | option_a=90 | option_b=100 | option_c=190 | option_d=95 | answer=D | explanation=5% of 1909 = $(5/100) \times 1909 = 95$.

id=12615 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:6 and the first is 60, what is the second? | option_a=94 | option_b=84 | option_c=150 | option_d=90 | answer=D | explanation=Scale factor = $60/4 = 15$. Therefore second quantity = $6 \times 15 = 90$.

id=12616 | topic=Percentages | difficulty=Easy | question=What is 10% of 507? | option_a=30 | option_b=100 | option_c=55 | option_d=50 | answer=D | explanation=10% of 507 = $(10/100) \times 507 = 50$.

id=12617 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=59 | option_b=60 | option_c=71 | option_d=47 | answer=A | explanation=The common difference is 12. Therefore the next term is $47 + 12 = 59$.

id=12618 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=8 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=12619 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:16 and the first is 28, what is the second? | option_a=224 | option_b=252 | option_c=208 | option_d=226 | answer=A | explanation=Scale factor = $28/2 = 14$. Therefore second quantity = $16 \times 14 = 224$.

id=12620 | topic=Averages | difficulty=Easy | question=Find the average of 75, 61, 39, 45. | option_a=55 | option_b=56 | option_c=57 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = $220 \div 4 = 55$.

id=12621 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=23 | option_c=18 | option_d=36 | answer=C | explanation=Speed = distance ÷ time = $180 \div 10 = 18$ km/h.

id=12622 | topic=Percentages | difficulty=Easy | question=What is 40% of 1344? | option_a=1074 | option_b=537 | option_c=557 | option_d=532 | answer=B | explanation=40% of 1344 = $(40/100) \times 1344 = 537$.

id=12623 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=73 | option_b=62 | option_c=51 | option_d=63 | answer=B | explanation=The common difference is 11. Therefore the next term is $51 + 11 = 62$.

id=12624 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■760. If it is sold at a profit of 50%, what is its selling price? | option_a=1216 | option_b=1064 | option_c=1140 | option_d=810 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 760 \times 150/100 = \blacksquare 1140$.

id=12625 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=115 | option_c=125 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.

id=12626 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=F | option_c=D | option_d=Z | answer=C | explanation=Move 2 positions forward from B; the resulting letter is D.

id=12627 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14813 at 6% per annum for 2 years. | option_a=1877 | option_b=16590 | option_c=1777 | option_d=1677 | answer=C | explanation=SI = $PRT/100 = 14813 \times 6 \times 2/100 = \blacksquare 1777$.

id=12628 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■3262 at 10% per annum for 1 years. | option_a=326 | option_b=3588 | option_c=226 | option_d=426 | answer=A | explanation=SI = $PRT/100 = 3262 \times 10 \times 1/100 = \blacksquare 326$.

id=12629 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:20 and the first is 180, what is the second? | option_a=200 | option_b=360 | option_c=160 | option_d=180 | answer=D | explanation=Scale factor = $180/20 = 9$. Therefore second quantity = $20 \times 9 = 180$.

id=12630 | topic=Percentages | difficulty=Easy | question=What is 10% of 1560? | option_a=161 | option_b=312 | option_c=156 | option_d=151 | answer=C | explanation=10% of 1560 = $(10/100) \times 1560 = 156$.

Aptitude Questions — Records 12,631-12,660 of 100,000

id=12631 | topic=Averages | difficulty=Easy | question=Find the average of 100, 43, 60, 73, 72, 90, 101. | option_a=79 | option_b=78 | option_c=77 | option_d=76 | answer=C | explanation=Average = sum of values ÷ number of values = 539 ÷ 7 = 77.

id=12632 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 30, 32, 37? | option_a=30 | option_b=37 | option_c=32 | option_d=28 | answer=B | explanation=The first three numbers increase by 2, so the next should be 34. Therefore 37 is the odd one out.

id=12633 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=12634 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=59 | option_b=48 | option_c=37 | option_d=49 | answer=B | explanation=The common difference is 11. Therefore the next term is 37 + 11 = 48.

id=12635 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:3 and the first is 361, what is the second? | option_a=54 | option_b=418 | option_c=76 | option_d=57 | answer=D | explanation=Scale factor = 361/19 = 19. Therefore second quantity = 3×19 = 57.

id=12636 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=Z | option_b=B | option_c=C | option_d=A | answer=B | explanation=Move 1 positions forward from A; the resulting letter is B.

id=12637 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 25, 34, 43, ? | option_a=53 | option_b=43 | option_c=61 | option_d=52 | answer=D | explanation=The common difference is 9. Therefore the next term is 43 + 9 = 52.

id=12638 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:9 and the first is 136, what is the second? | option_a=144 | option_b=289 | option_c=153 | option_d=161 | answer=C | explanation=Scale factor = 136/8 = 17. Therefore second quantity = 9×17 = 153.

id=12639 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=Q | option_b=G | option_c=B | option_d=L | answer=D | explanation=Move 5 positions forward from G; the resulting letter is L.

id=12640 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=10 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=12641 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=S | option_c=Y | option_d=W | answer=D | explanation=Move 2 positions forward from U; the resulting letter is W.

id=12642 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:10 and the first is 84, what is the second? | option_a=60 | option_b=74 | option_c=144 | option_d=50 | answer=A | explanation=Scale factor = 84/14 = 6. Therefore second quantity = 10×6 = 60.

id=12643 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47207 at 6% per annum for 2 years. | option_a=5564 | option_b=5664 | option_c=52871 | option_d=5764 | answer=B | explanation=SI = PRT/100 = 47207×6×2/100 = **■**5664.

id=12644 | topic=Percentages | difficulty=Easy | question=What is 5% of 1658? | option_a=82 | option_b=92 | option_c=164 | option_d=77 | answer=A | explanation=5% of 1658 = (5/100) × 1658 = 82.

id=12645 | topic=Averages | difficulty=Easy | question=Find the average of 91, 86, 83, 21, 34. | option_a=64 | option_b=63 | option_c=62 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 315 ÷ 5 = 63.

id=12646 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19041 at 6% per annum for 1 years. | option_a=20183 | option_b=1142 | option_c=1242 | option_d=1042 | answer=B | explanation=SI = PRT/100 = 19041×6×1/100 = **■**1142.

id=12647 | topic=Averages | difficulty=Easy | question=Find the average of 69, 76, 80, 100, 50. | option_a=76 | option_b=75 | option_c=77 | option_d=74 | answer=B | explanation=Average = sum of values ÷ number of values = 375 ÷ 5 = 75.

id=12648 | topic=Percentages | difficulty=Easy | question=What is 5% of 719? | option_a=35 | option_b=15 | option_c=45 | option_d=70 | answer=A | explanation=5% of 719 = (5/100) × 719 = 35.

id=12649 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23839 at 8% per annum for 2 years. | option_a=3914 | option_b=3814 | option_c=27653 | option_d=3714 | answer=B | explanation=SI = PRT/100 = 23839×8×2/100 = **■**3814.

id=12650 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=144 | option_c=72 | option_d=67 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=12651 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=12652 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 4. | option_a=8 | option_b=6 | option_c=4 | option_d=1 | answer=C | explanation=LCM × HCF = 2×4; HCF(2,4) = 2, so LCM = 4.

id=12653 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=11 | option_c=6 | option_d=1 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=12654 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 36, 44, 53? | option_a=36 | option_b=44 | option_c=53 | option_d=28 | answer=C | explanation=The first three numbers increase by 8, so the next should be 52. Therefore 53 is the odd one out.

id=12655 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=U | option_c=M | option_d=Y | answer=B | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=12656 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=12657 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 29, 31, 34? | option_a=29 | option_b=31 | option_c=27 | option_d=34 | answer=D | explanation=The first three numbers increase by 2, so the next should be 33. Therefore 34 is the odd one out.

id=12658 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:2 and the first is 70, what is the second? | option_a=80 | option_b=24 | option_c=8 | option_d=10 | answer=D | explanation=Scale factor = 70/14 = 5. Therefore second quantity = 2×5 = 10.

id=12659 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 21, 25, 31? | option_a=17 | option_b=25 | option_c=31 | option_d=21 | answer=C | explanation=The first three numbers increase by 4, so the next should be 29. Therefore 31 is the odd one out.

id=12660 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=A | option_b=E | option_c=C | option_d=G | answer=B | explanation=Move 2 positions forward from C; the resulting letter is E.

Aptitude Questions — Records 12,661-12,690 of 100,000

id=12661 | topic=Percentages | difficulty=Easy | question=What is 15% of 1918? | option_a=574 | option_b=292 | option_c=287 | option_d=282 | answer=C | explanation=15% of 1918 = (15/100) × 1918 = 287.

id=12662 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 10, 16, 25? | option_a=4 | option_b=25 | option_c=10 | option_d=16 | answer=B | explanation=The first three numbers increase by 6, so the next should be 22. Therefore 25 is the odd one out.

id=12663 | topic=Percentages | difficulty=Easy | question=What is 30% of 960? | option_a=283 | option_b=288 | option_c=576 | option_d=298 | answer=B | explanation=30% of 960 = (30/100) × 960 = 288.

id=12664 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2422. If it is sold at a profit of 15%, what is its selling price? | option_a=3027 | option_b=2437 | option_c=2785 | option_d=2543 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2422 × 115/100 = █2785.

id=12665 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=K | option_b=B | option_c=H | option_d=E | answer=C | explanation=Move 3 positions forward from E; the resulting letter is H.

id=12666 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3169. If it is sold at a profit of 20%, what is its selling price? | option_a=4118 | option_b=3189 | option_c=3802 | option_d=3486 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3169 × 120/100 = █3802.

id=12667 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21431 at 4% per annum for 5 years. | option_a=4186 | option_b=4286 | option_c=4386 | option_d=25717 | answer=B | explanation=SI = PRT/100 = 21431×4×5/100 = █4286.

id=12668 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=12669 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=26 | option_b=27 | option_c=22 | option_d=30 | answer=A | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.

id=12670 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12396 at 4% per annum for 3 years. | option_a=13883 | option_b=1387 | option_c=1487 | option_d=1587 | answer=C | explanation=SI = PRT/100 = 12396×4×3/100 = █1487.

id=12671 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=I | option_b=A | option_c=E | option_d=W | answer=C | explanation=Move 4 positions forward from A; the resulting letter is E.

id=12672 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=12673 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:15 and the first is 96, what is the second? | option_a=120 | option_b=216 | option_c=132 | option_d=105 | answer=A | explanation=Scale factor = 96/12 = 8. Therefore second quantity = 15×8 = 120.

id=12674 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48504 at 8% per annum for 4 years. | option_a=15621 | option_b=15521 | option_c=64025 | option_d=15421 | answer=B | explanation=SI = PRT/100 = 48504×8×4/100 = █15521.

id=12675 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=12676 | topic=Averages | difficulty=Easy | question=Find the average of 65, 61, 11, 64, 31, 57, 86, 36, 68, 81. | option_a=56 | option_b=55 | option_c=58 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 560 ÷ 10 = 56.

id=12677 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:12 and the first is 32, what is the second? | option_a=84 | option_b=96 | option_c=100 | option_d=128 | answer=B | explanation=Scale factor = 32/4 = 8. Therefore second quantity = 12×8 = 96.

id=12678 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 34, 42, 51? | option_a=51 | option_b=26 | option_c=42 | option_d=34 | answer=A | explanation=The first three numbers increase by 8, so the next should be 50. Therefore 51 is the odd one out.

id=12679 | topic=Percentages | difficulty=Easy | question=What is 10% of 1354? | option_a=270 | option_b=125 | option_c=155 | option_d=135 | answer=D | explanation=10% of 1354 = (10/100) × 1354 = 135.

id=12680 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 33? | option_a=33 | option_b=26 | option_c=16 | option_d=21 | answer=A | explanation=The first three numbers increase by 5, so the next should be 31. Therefore 33 is the odd one out.

id=12681 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4329. If it is sold at a profit of 10%, what is its selling price? | option_a=4329 | option_b=4761 | option_c=4339 | option_d=5193 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4329 × 110/100 = █4761.

id=12682 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3231. If it is sold at a profit of 50%, what is its selling price? | option_a=3281 | option_b=4846 | option_c=5169 | option_d=4523 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3231 × 150/100 = █4846.

id=12683 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=F | option_b=I | option_c=G | option_d=H | answer=D | explanation=Move 1 positions forward from G; the resulting letter is H.

id=12684 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 59? | option_a=59 | option_b=46 | option_c=36 | option_d=26 | answer=A | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 59 is the odd one out.

id=12685 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=12686 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=I | option_c=L | option_d=C | answer=B | explanation=Move 3 positions forward from F; the resulting letter is I.

id=12687 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:9 and the first is 99, what is the second? | option_a=90 | option_b=198 | option_c=108 | option_d=99 | answer=D | explanation=Scale factor = 99/9 = 11. Therefore second quantity = 9×11 = 99.

id=12688 | topic=Profit & Loss | difficulty=Easy | question=An article costs █697. If it is sold at a profit of 10%, what is its selling price? | option_a=766 | option_b=697 | option_c=707 | option_d=835 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 697 × 110/100 = █766.

id=12689 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=5 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=12690 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 12,691-12,720 of 100,000

id=12691 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=13 | option_b=12 | option_c=11 | option_d=9 | answer=C | explanation=The common difference is 2. Therefore the next term is 9 + 2 = 11.

id=12692 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=D | option_b=H | option_c=L | option_d=P | answer=C | explanation=Move 4 positions forward from H; the resulting letter is L.

id=12693 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=12694 | topic=Percentages | difficulty=Easy | question=What is 10% of 215? | option_a=42 | option_b=21 | option_c=41 | option_d=11 | answer=B | explanation=10% of 215 = (10/100) × 215 = 21.

id=12695 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=V | option_b=Q | option_c=A | option_d=L | answer=A | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=12696 | topic=Percentages | difficulty=Easy | question=What is 10% of 266? | option_a=46 | option_b=21 | option_c=26 | option_d=52 | answer=C | explanation=10% of 266 = (10/100) × 266 = 26.

id=12697 | topic=Averages | difficulty=Easy | question=Find the average of 77, 52, 84. | option_a=70 | option_b=72 | option_c=71 | option_d=73 | answer=C | explanation=Average = sum of values ÷ number of values = 213 ÷ 3 = 71.

id=12698 | topic=Percentages | difficulty=Easy | question=What is 10% of 846? | option_a=84 | option_b=168 | option_c=89 | option_d=74 | answer=A | explanation=10% of 846 = (10/100) × 846 = 84.

id=12699 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4846. If it is sold at a profit of 30%, what is its selling price? | option_a=6783 | option_b=5815 | option_c=4876 | option_d=6299 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4846 × 130/100 = █6299.

id=12700 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43323 at 5% per annum for 4 years. | option_a=8564 | option_b=8664 | option_c=8764 | option_d=51987 | answer=B | explanation=SI = PRT/100 = 43323×5×4/100 = █8664.

id=12701 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 21, 23, 25, ? | option_a=25 | option_b=28 | option_c=29 | option_d=27 | answer=D | explanation=The common difference is 2. Therefore the next term is 25 + 2 = 27.

id=12702 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=H | option_b=P | option_c=T | option_d=L | answer=B | explanation=Move 4 positions forward from L; the resulting letter is P.

id=12703 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:15 and the first is 209, what is the second? | option_a=494 | option_b=285 | option_c=296 | option_d=270 | answer=B | explanation=Scale factor = 209/11 = 19. Therefore second quantity = 15×19 = 285.

id=12704 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:12 and the first is 28, what is the second? | option_a=76 | option_b=36 | option_c=48 | option_d=55 | answer=C | explanation=Scale factor = 28/7 = 4. Therefore second quantity = 12×4 = 48.

id=12705 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:4 and the first is 144, what is the second? | option_a=48 | option_b=192 | option_c=44 | option_d=60 | answer=A | explanation=Scale factor = 144/12 = 12. Therefore second quantity = 4×12 = 48.

id=12706 | topic=Averages | difficulty=Easy | question=Find the average of 52, 65, 74, 57, 80, 59, 89, 71, 92. | option_a=73 | option_b=71 | option_c=72 | option_d=70 | answer=B | explanation=Average = sum of values ÷ number of values = 639 ÷ 9 = 71.

id=12707 | topic=Percentages | difficulty=Easy | question=What is 40% of 357? | option_a=122 | option_b=162 | option_c=284 | option_d=142 | answer=D | explanation=40% of 357 = (40/100) × 357 = 142.

id=12708 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:14 and the first is 55, what is the second? | option_a=81 | option_b=125 | option_c=70 | option_d=56 | answer=C | explanation=Scale factor = 55/11 = 5. Therefore second quantity = 14×5 = 70.

id=12709 | topic=Percentages | difficulty=Easy | question=What is 20% of 814? | option_a=162 | option_b=152 | option_c=324 | option_d=167 | answer=A | explanation=20% of 814 = (20/100) × 814 = 162.

id=12710 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=O | option_c=W | option_d=K | answer=A | explanation=Move 4 positions forward from O; the resulting letter is S.

id=12711 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1931. If it is sold at a profit of 15%, what is its selling price? | option_a=1946 | option_b=2027 | option_c=2413 | option_d=2220 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1931 × 115/100 = █2220.

id=12712 | topic=Percentages | difficulty=Easy | question=What is 40% of 1987? | option_a=1588 | option_b=804 | option_c=774 | option_d=794 | answer=D | explanation=40% of 1987 = (40/100) × 1987 = 794.

id=12713 | topic=Averages | difficulty=Easy | question=Find the average of 88, 57, 92, 66, 80, 43. | option_a=71 | option_b=70 | option_c=72 | option_d=73 | answer=A | explanation=Average = sum of values ÷ number of values = 426 ÷ 6 = 71.

id=12714 | topic=Percentages | difficulty=Easy | question=What is 20% of 746? | option_a=149 | option_b=139 | option_c=159 | option_d=298 | answer=A | explanation=20% of 746 = (20/100) × 746 = 149.

id=12715 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=I | option_c=O | option_d=M | answer=D | explanation=Move 2 positions forward from K; the resulting letter is M.

id=12716 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 6. | option_a=12 | option_b=18 | option_c=108 | option_d=36 | answer=B | explanation=LCM × HCF = 18×6; HCF(18,6) = 6, so LCM = 18.

id=12717 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=K | option_b=U | option_c=Z | option_d=P | answer=B | explanation=Move 5 positions forward from P; the resulting letter is U.

id=12718 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=O | option_b=C | option_c=K | option_d=G | answer=C | explanation=Move 4 positions forward from G; the resulting letter is K.

id=12719 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=K | option_b=C | option_c=Y | option_d=G | answer=D | explanation=Move 4 positions forward from C; the resulting letter is G.

id=12720 | topic=Averages | difficulty=Easy | question=Find the average of 28, 80, 34, 65, 28. | option_a=49 | option_b=47 | option_c=46 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 235 ÷ 5 = 47.

Aptitude Questions — Records 12,721-12,750 of 100,000

id=12721 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:1 and the first is 18, what is the second? | option_a=3 | option_b=21 | option_c=2 | option_d=9 | answer=A | explanation=Scale factor = 18/6 = 3. Therefore second quantity = 1×3 = 3.

id=12722 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=E | option_c=N | option_d=K | answer=D | explanation=Move 3 positions forward from H; the resulting letter is K.

id=12723 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■32689 at 12% per annum for 3 years. | option_a=11668 | option_b=11868 | option_c=11768 | option_d=44457 | answer=C | explanation=SI = $PRT/100 = 32689 \times 12 \times 3 / 100 = \blacksquare 11768$.

id=12724 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■9396 at 12% per annum for 3 years. | option_a=12778 | option_b=3382 | option_c=3282 | option_d=3482 | answer=B | explanation=SI = $PRT/100 = 9396 \times 12 \times 3 / 100 = \blacksquare 3382$.

id=12725 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■29138 at 8% per annum for 3 years. | option_a=7093 | option_b=36131 | option_c=6993 | option_d=6893 | answer=C | explanation=SI = $PRT/100 = 29138 \times 8 \times 3 / 100 = \blacksquare 6993$.

id=12726 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 14, 22, 33? | option_a=22 | option_b=14 | option_c=6 | option_d=33 | answer=D | explanation=The first three numbers increase by 8, so the next should be 30. Therefore 33 is the odd one out.

id=12727 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=33 | option_b=30 | option_c=27 | option_d=31 | answer=B | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.

id=12728 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■907. If it is sold at a profit of 40%, what is its selling price? | option_a=1359 | option_b=1179 | option_c=947 | option_d=1269 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 907 \times 140 / 100 = \blacksquare 1269$.

id=12729 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:7 and the first is 15, what is the second? | option_a=98 | option_b=106 | option_c=120 | option_d=105 | answer=D | explanation=Scale factor = 15/1 = 15. Therefore second quantity = 7×15 = 105.

id=12730 | topic=Percentages | difficulty=Easy | question=What is 12% of 1155? | option_a=276 | option_b=118 | option_c=148 | option_d=138 | answer=D | explanation=12% of 1155 = $(12/100) \times 1155 = 138$.

id=12731 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=12732 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=A | option_b=F | option_c=P | option_d=K | answer=D | explanation=Move 5 positions forward from F; the resulting letter is K.

id=12733 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1948. If it is sold at a profit of 40%, what is its selling price? | option_a=2727 | option_b=2533 | option_c=1988 | option_d=2921 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1948 \times 140 / 100 = \blacksquare 2727$.

id=12734 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■16104 at 4% per annum for 2 years. | option_a=1288 | option_b=1188 | option_c=17392 | option_d=1388 | answer=A | explanation=SI = $PRT/100 = 16104 \times 4 \times 2 / 100 = \blacksquare 1288$.

id=12735 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■27350 at 10% per annum for 3 years. | option_a=8105 | option_b=8305 | option_c=35555 | option_d=8205 | answer=D | explanation=SI = $PRT/100 = 27350 \times 10 \times 3 / 100 = \blacksquare 8205$.

id=12736 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=D | option_b=X | option_c=G | option_d=A | answer=A | explanation=Move 3 positions forward from A; the resulting letter is D.

id=12737 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=A | option_c=D | option_d=C | answer=D | explanation=Move 1 positions forward from B; the resulting letter is C.

id=12738 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=E | option_b=G | option_c=K | option_d=I | answer=D | explanation=Move 2 positions forward from G; the resulting letter is I.

id=12739 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:4 and the first is 120, what is the second? | option_a=80 | option_b=200 | option_c=76 | option_d=86 | answer=A | explanation=Scale factor = 120/6 = 20. Therefore second quantity = 4×20 = 80.

id=12740 | topic=Percentages | difficulty=Easy | question=What is 15% of 1054? | option_a=158 | option_b=153 | option_c=316 | option_d=163 | answer=A | explanation=15% of 1054 = $(15/100) \times 1054 = 158$.

id=12741 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=12742 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■8375 at 6% per annum for 1 years. | option_a=402 | option_b=502 | option_c=8877 | option_d=602 | answer=B | explanation=SI = $PRT/100 = 8375 \times 6 \times 1 / 100 = \blacksquare 502$.

id=12743 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=N | option_c=H | option_d=L | answer=D | explanation=Move 2 positions forward from J; the resulting letter is L.

id=12744 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=J | option_b=D | option_c=G | option_d=A | answer=C | explanation=Move 3 positions forward from D; the resulting letter is G.

id=12745 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1603. If it is sold at a profit of 25%, what is its selling price? | option_a=1843 | option_b=1628 | option_c=2163 | option_d=2003 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1603 \times 125 / 100 = \blacksquare 2003$.

id=12746 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=24 | option_c=48 | option_d=29 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=12747 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■18453 at 5% per annum for 3 years. | option_a=2767 | option_b=2867 | option_c=21220 | option_d=2667 | answer=A | explanation=SI = $PRT/100 = 18453 \times 5 \times 3 / 100 = \blacksquare 2767$.

id=12748 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=53 | option_c=48 | option_d=96 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=12749 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=62 | option_b=51 | option_c=40 | option_d=52 | answer=B | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=12750 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 23, 30, 38? | option_a=30 | option_b=38 | option_c=23 | option_d=16 | answer=B | explanation=The first three numbers increase by 7, so the next should be 37. Therefore 38 is the odd one out.

Aptitude Questions — Records 12,751-12,780 of 100,000

id=12751 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=12752 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=I | option_c=G | option_d=J | answer=B | explanation=Move 1 positions forward from H; the resulting letter is I.

id=12753 | topic=Percentages | difficulty=Easy | question=What is 15% of 1174? | option_a=176 | option_b=196 | option_c=352 | option_d=156 | answer=A | explanation=15% of 1174 = (15/100) × 1174 = 176.

id=12754 | topic=Profit & Loss | difficulty=Easy | question=An article costs █266. If it is sold at a profit of 40%, what is its selling price? | option_a=346 | option_b=306 | option_c=372 | option_d=398 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 266 × 140/100 = █372.

id=12755 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=U | option_b=F | option_c=K | option_d=P | answer=D | explanation=Move 5 positions forward from K; the resulting letter is P.

id=12756 | topic=Percentages | difficulty=Easy | question=What is 30% of 1653? | option_a=990 | option_b=505 | option_c=495 | option_d=475 | answer=C | explanation=30% of 1653 = (30/100) × 1653 = 495.

id=12757 | topic=Percentages | difficulty=Easy | question=What is 25% of 1790? | option_a=447 | option_b=894 | option_c=437 | option_d=457 | answer=A | explanation=25% of 1790 = (25/100) × 1790 = 447.

id=12758 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=40 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=12759 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4845. If it is sold at a profit of 40%, what is its selling price? | option_a=6299 | option_b=4885 | option_c=6783 | option_d=7267 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4845 × 140/100 = █6783.

id=12760 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=V | option_c=T | option_d=U | answer=B | explanation=Move 1 positions forward from U; the resulting letter is V.

id=12761 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 24, 30, 38? | option_a=24 | option_b=38 | option_c=18 | option_d=30 | answer=B | explanation=The first three numbers increase by 6, so the next should be 36. Therefore 38 is the odd one out.

id=12762 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 39? | option_a=20 | option_b=39 | option_c=11 | option_d=29 | answer=B | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 39 is the odd one out.

id=12763 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 15. | option_a=100 | option_b=60 | option_c=75 | option_d=375 | answer=C | explanation=LCM × HCF = 25×15; HCF(25,15) = 5, so LCM = 75.

id=12764 | topic=Averages | difficulty=Easy | question=Find the average of 71, 59, 25, 53. | option_a=51 | option_b=52 | option_c=53 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 208 ÷ 4 = 52.

id=12765 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:16 and the first is 51, what is the second? | option_a=32 | option_b=65 | option_c=48 | option_d=99 | answer=C | explanation=Scale factor = 51/17 = 3. Therefore second quantity = 16×3 = 48.

id=12766 | topic=Percentages | difficulty=Easy | question=What is 5% of 299? | option_a=14 | option_b=4 | option_c=24 | option_d=28 | answer=A | explanation=5% of 299 = (5/100) × 299 = 14.

id=12767 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=J | option_c=H | option_d=I | answer=B | explanation=Move 1 positions forward from I; the resulting letter is J.

id=12768 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4821 at 12% per annum for 1 years. | option_a=678 | option_b=478 | option_c=578 | option_d=5399 | answer=C | explanation=SI = PRT/100 = 4821×12×1/100 = █578.

id=12769 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 35, 42, 52? | option_a=35 | option_b=52 | option_c=28 | option_d=42 | answer=B | explanation=The first three numbers increase by 7, so the next should be 49. Therefore 52 is the odd one out.

id=12770 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=S | option_b=U | option_c=V | option_d=T | answer=B | explanation=Move 1 positions forward from T; the resulting letter is U.

id=12771 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 9, 16, 26? | option_a=26 | option_b=9 | option_c=16 | option_d=2 | answer=A | explanation=The first three numbers increase by 7, so the next should be 23. Therefore 26 is the odd one out.

id=12772 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=12 | option_c=6 | option_d=11 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=12773 | topic=Percentages | difficulty=Easy | question=What is 15% of 1795? | option_a=274 | option_b=538 | option_c=259 | option_d=269 | answer=D | explanation=15% of 1795 = (15/100) × 1795 = 269.

id=12774 | topic=Percentages | difficulty=Easy | question=What is 50% of 1184? | option_a=612 | option_b=592 | option_c=1184 | option_d=582 | answer=B | explanation=50% of 1184 = (50/100) × 1184 = 592.

id=12775 | topic=Averages | difficulty=Easy | question=Find the average of 76, 86, 77, 37, 70, 92, 66. | option_a=72 | option_b=74 | option_c=71 | option_d=73 | answer=A | explanation=Average = sum of values ÷ number of values = 504 ÷ 7 = 72.

id=12776 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=M | option_b=O | option_c=N | option_d=P | answer=B | explanation=Move 1 positions forward from N; the resulting letter is O.

id=12777 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=P | option_b=S | option_c=J | option_d=M | answer=A | explanation=Move 3 positions forward from M; the resulting letter is P.

id=12778 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:2 and the first is 56, what is the second? | option_a=22 | option_b=64 | option_c=6 | option_d=8 | answer=D | explanation=Scale factor = 56/14 = 4. Therefore second quantity = 2×4 = 8.

id=12779 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 15, 20, 28? | option_a=15 | option_b=10 | option_c=20 | option_d=28 | answer=D | explanation=The first three numbers increase by 5, so the next should be 25. Therefore 28 is the odd one out.

id=12780 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=S | option_c=Y | option_d=U | answer=A | explanation=Move 2 positions forward from U; the resulting letter is W.

Aptitude Questions — Records 12,781-12,810 of 100,000

id=12781 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=155 | option_c=300 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=12782 | topic=Averages | difficulty=Easy | question=Find the average of 11, 89, 56. | option_a=53 | option_b=54 | option_c=52 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 156 ÷ 3 = 52.

id=12783 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=O | option_b=F | option_c=I | option_d=L | answer=D | explanation=Move 3 positions forward from I; the resulting letter is L.

id=12784 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:4 and the first is 16, what is the second? | option_a=64 | option_b=60 | option_c=65 | option_d=80 | answer=A | explanation=Scale factor = 16/1 = 16. Therefore second quantity = 4×16 = 64.

id=12785 | topic=Percentages | difficulty=Easy | question=What is 25% of 442? | option_a=100 | option_b=110 | option_c=220 | option_d=120 | answer=B | explanation=25% of 442 = (25/100) × 442 = 110.

id=12786 | topic=Percentages | difficulty=Easy | question=What is 50% of 698? | option_a=329 | option_b=369 | option_c=698 | option_d=349 | answer=D | explanation=50% of 698 = (50/100) × 698 = 349.

id=12787 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=12788 | topic=Percentages | difficulty=Easy | question=What is 50% of 102? | option_a=51 | option_b=102 | option_c=31 | option_d=71 | answer=A | explanation=50% of 102 = (50/100) × 102 = 51.

id=12789 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=35 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=12790 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=12791 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=24 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=12792 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4603. If it is sold at a profit of 25%, what is its selling price? | option_a=4628 | option_b=5293 | option_c=6213 | option_d=5753 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4603 × 125/100 = █5753.

id=12793 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:11 and the first is 198, what is the second? | option_a=209 | option_b=198 | option_c=396 | option_d=187 | answer=B | explanation=Scale factor = 198/11 = 18. Therefore second quantity = 11×18 = 198.

id=12794 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3535. If it is sold at a profit of 40%, what is its selling price? | option_a=4596 | option_b=3575 | option_c=5302 | option_d=4949 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3535 × 140/100 = █4949.

id=12795 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=E | option_b=Q | option_c=M | option_d=I | answer=C | explanation=Move 4 positions forward from I; the resulting letter is M.

id=12796 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4851. If it is sold at a profit of 10%, what is its selling price? | option_a=5821 | option_b=4861 | option_c=5336 | option_d=4851 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4851 × 110/100 = █5336.

id=12797 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=175 | option_c=180 | option_d=360 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=12798 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42851 at 4% per annum for 2 years. | option_a=3328 | option_b=3428 | option_c=46279 | option_d=3528 | answer=B | explanation=SI = PRT/100 = 42851×4×2/100 = █3428.

id=12799 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=5 | option_c=10 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=12800 | topic=Percentages | difficulty=Easy | question=What is 50% of 522? | option_a=271 | option_b=522 | option_c=256 | option_d=261 | answer=D | explanation=50% of 522 = (50/100) × 522 = 261.

id=12801 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36675 at 6% per annum for 1 years. | option_a=2100 | option_b=38875 | option_c=2300 | option_d=2200 | answer=D | explanation=SI = PRT/100 = 36675×6×1/100 = █2200.

id=12802 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=12803 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=D | option_b=H | option_c=J | option_d=F | answer=B | explanation=Move 2 positions forward from F; the resulting letter is H.

id=12804 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=12805 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:17 and the first is 14, what is the second? | option_a=34 | option_b=17 | option_c=41 | option_d=48 | answer=A | explanation=Scale factor = 14/7 = 2. Therefore second quantity = 17×2 = 34.

id=12806 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:11 and the first is 26, what is the second? | option_a=143 | option_b=145 | option_c=169 | option_d=132 | answer=A | explanation=Scale factor = 26/2 = 13. Therefore second quantity = 11×13 = 143.

id=12807 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:11 and the first is 54, what is the second? | option_a=66 | option_b=55 | option_c=75 | option_d=120 | answer=A | explanation=Scale factor = 54/9 = 6. Therefore second quantity = 11×6 = 66.

id=12808 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=7 | option_d=17 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=12809 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2145. If it is sold at a profit of 25%, what is its selling price? | option_a=2895 | option_b=2170 | option_c=2467 | option_d=2681 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2145 × 125/100 = █2681.

id=12810 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=P | option_c=L | option_d=N | answer=B | explanation=Move 2 positions forward from N; the resulting letter is P.

Aptitude Questions — Records 12,811-12,840 of 100,000

id=12811 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=72 | option_c=36 | option_d=31 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=12812 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:1 and the first is 324, what is the second? | option_a=36 | option_b=17 | option_c=342 | option_d=18 | answer=D | explanation=Scale factor = 324/18 = 18. Therefore second quantity = 1×18 = 18.

id=12813 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3792 at 8% per annum for 5 years. | option_a=5308 | option_b=1416 | option_c=1616 | option_d=1516 | answer=D | explanation=SI = PRT/100 = 3792×8×5/100 = **■**1516.

id=12814 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=62 | option_b=42 | option_c=53 | option_d=52 | answer=D | explanation=The common difference is 10. Therefore the next term is 42 + 10 = 52.

id=12815 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**841. If it is sold at a profit of 50%, what is its selling price? | option_a=1177 | option_b=891 | option_c=1345 | option_d=1261 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 841 × 150/100 = **■**1261.

id=12816 | topic=Averages | difficulty=Easy | question=Find the average of 79, 86, 48. | option_a=71 | option_b=70 | option_c=72 | option_d=73 | answer=A | explanation=Average = sum of values ÷ number of values = 213 ÷ 3 = 71.

id=12817 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41640 at 10% per annum for 1 years. | option_a=4264 | option_b=4164 | option_c=4064 | option_d=45804 | answer=B | explanation=SI = PRT/100 = 41640×10×1/100 = **■**4164.

id=12818 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=12819 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=15 | option_c=20 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=12820 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=37 | option_b=49 | option_c=48 | option_d=59 | answer=C | explanation=The common difference is 11. Therefore the next term is 37 + 11 = 48.

id=12821 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=B | option_b=D | option_c=F | option_d=H | answer=C | explanation=Move 2 positions forward from D; the resulting letter is F.

id=12822 | topic=Percentages | difficulty=Easy | question=What is 50% of 1954? | option_a=967 | option_b=977 | option_c=987 | option_d=1954 | answer=B | explanation=50% of 1954 = (50/100) × 1954 = 977.

id=12823 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:18 and the first is 102, what is the second? | option_a=90 | option_b=108 | option_c=125 | option_d=210 | answer=B | explanation=Scale factor = 102/17 = 6. Therefore second quantity = 18×6 = 108.

id=12824 | topic=Averages | difficulty=Easy | question=Find the average of 37, 17, 49, 15, 59, 38, 30. | option_a=36 | option_b=35 | option_c=37 | option_d=34 | answer=B | explanation=Average = sum of values ÷ number of values = 245 ÷ 7 = 35.

id=12825 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=53 | option_b=37 | option_c=46 | option_d=45 | answer=D | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=12826 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=12827 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:20 and the first is 300, what is the second? | option_a=415 | option_b=400 | option_c=700 | option_d=380 | answer=B | explanation=Scale factor = 300/15 = 20. Therefore second quantity = 20×20 = 400.

id=12828 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 14, 16, 19? | option_a=16 | option_b=14 | option_c=19 | option_d=12 | answer=C | explanation=The first three numbers increase by 2, so the next should be 18. Therefore 19 is the odd one out.

id=12829 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 33? | option_a=24 | option_b=28 | option_c=20 | option_d=33 | answer=D | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 33 is the odd one out.

id=12830 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:1 and the first is 80, what is the second? | option_a=5 | option_b=4 | option_c=21 | option_d=85 | answer=A | explanation=Scale factor = 80/16 = 5. Therefore second quantity = 1×5 = 5.

id=12831 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4392. If it is sold at a profit of 20%, what is its selling price? | option_a=5709 | option_b=4412 | option_c=5270 | option_d=4831 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4392 × 120/100 = **■**5270.

id=12832 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=N | option_c=L | option_d=P | answer=D | explanation=Move 2 positions forward from N; the resulting letter is P.

id=12833 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=X | option_b=C | option_c=H | option_d=M | answer=C | explanation=Move 5 positions forward from C; the resulting letter is H.

id=12834 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2596. If it is sold at a profit of 10%, what is its selling price? | option_a=3114 | option_b=2596 | option_c=2606 | option_d=2855 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2596 × 110/100 = **■**2855.

id=12835 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=60 | option_b=71 | option_c=47 | option_d=59 | answer=D | explanation=The common difference is 12. Therefore the next term is 47 + 12 = 59.

id=12836 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=12837 | topic=Averages | difficulty=Easy | question=Find the average of 38, 70, 34, 61, 19, 78. | option_a=52 | option_b=50 | option_c=51 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 300 ÷ 6 = 50.

id=12838 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=95 | option_c=180 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=12839 | topic=Averages | difficulty=Easy | question=Find the average of 27, 44, 18, 75. | option_a=42 | option_b=41 | option_c=43 | option_d=40 | answer=B | explanation=Average = sum of values ÷ number of values = 164 ÷ 4 = 41.

id=12840 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=K | option_b=Q | option_c=N | option_d=T | answer=B | explanation=Move 3 positions forward from N; the resulting letter is Q.

Aptitude Questions — Records 12,841-12,870 of 100,000

id=12841 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:10 and the first is 28, what is the second? | option_a=10 | option_b=34 | option_c=48 | option_d=20 | answer=D | explanation=Scale factor = 28/14 = 2. Therefore second quantity = 10×2 = 20.

id=12842 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=19 | option_b=24 | option_c=25 | option_d=29 | answer=B | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.

id=12843 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=37 | option_b=46 | option_c=47 | option_d=55 | answer=B | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=12844 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3274. If it is sold at a profit of 20%, what is its selling price? | option_a=3294 | option_b=3601 | option_c=4255 | option_d=3928 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3274 × 120/100 = █3928.

id=12845 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2984. If it is sold at a profit of 50%, what is its selling price? | option_a=3034 | option_b=4774 | option_c=4476 | option_d=4178 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2984 × 150/100 = █4476.

id=12846 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=12847 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=B | option_b=Z | option_c=A | option_d=C | answer=A | explanation=Move 1 positions forward from A; the resulting letter is B.

id=12848 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=25 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=12849 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:10 and the first is 136, what is the second? | option_a=160 | option_b=178 | option_c=306 | option_d=170 | answer=D | explanation=Scale factor = 136/8 = 17. Therefore second quantity = 10×17 = 170.

id=12850 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=52 | option_b=34 | option_c=44 | option_d=43 | answer=D | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

id=12851 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=12852 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=12853 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 28. | option_a=616 | option_b=280 | option_c=330 | option_d=308 | answer=D | explanation=LCM × HCF = 22×28; HCF(22,28) = 2, so LCM = 308.

id=12854 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=38 | option_b=34 | option_c=35 | option_d=30 | answer=B | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.

id=12855 | topic=Averages | difficulty=Easy | question=Find the average of 38, 61, 53, 88, 46, 67, 11. | option_a=54 | option_b=52 | option_c=51 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 364 ÷ 7 = 52.

id=12856 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=N | option_c=R | option_d=L | answer=A | explanation=Move 2 positions forward from N; the resulting letter is P.

id=12857 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=44 | option_b=52 | option_c=36 | option_d=45 | answer=A | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.

id=12858 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2382. If it is sold at a profit of 40%, what is its selling price? | option_a=3334 | option_b=2422 | option_c=3572 | option_d=3096 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2382 × 140/100 = █3334.

id=12859 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=40 | option_b=39 | option_c=32 | option_d=46 | answer=B | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.

id=12860 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=20 | option_c=10 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=12861 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 3. | option_a=15 | option_b=54 | option_c=18 | option_d=36 | answer=C | explanation=LCM × HCF = 18×3; HCF(18,3) = 3, so LCM = 18.

id=12862 | topic=Averages | difficulty=Easy | question=Find the average of 54, 78, 68, 84, 70, 67, 28, 95. | option_a=67 | option_b=69 | option_c=68 | option_d=70 | answer=C | explanation=Average = sum of values ÷ number of values = 544 ÷ 8 = 68.

id=12863 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=12864 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 44? | option_a=33 | option_b=44 | option_c=23 | option_d=13 | answer=B | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 44 is the odd one out.

id=12865 | topic=Averages | difficulty=Easy | question=Find the average of 10, 41, 99, 60, 15, 70, 97. | option_a=56 | option_b=58 | option_c=55 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 392 ÷ 7 = 56.

id=12866 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 12. | option_a=1 | option_b=48 | option_c=16 | option_d=12 | answer=D | explanation=LCM × HCF = 4×12; HCF(4,12) = 4, so LCM = 12.

id=12867 | topic=Averages | difficulty=Easy | question=Find the average of 59, 44, 86. | option_a=64 | option_b=62 | option_c=65 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 189 ÷ 3 = 63.

id=12868 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 20, 22, 26? | option_a=22 | option_b=20 | option_c=26 | option_d=18 | answer=C | explanation=The first three numbers increase by 2, so the next should be 24. Therefore 26 is the odd one out.

id=12869 | topic=Percentages | difficulty=Easy | question=What is 5% of 626? | option_a=41 | option_b=31 | option_c=62 | option_d=21 | answer=B | explanation=5% of 626 = (5/100) × 626 = 31.

id=12870 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 12,871-12,900 of 100,000

id=12871 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=180 | option_c=90 | option_d=95 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=12872 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:19 and the first is 64, what is the second? | option_a=216 | option_b=152 | option_c=160 | option_d=133 | answer=B | explanation=Scale factor = 64/8 = 8. Therefore second quantity = 19×8 = 152.

id=12873 | topic=Percentages | difficulty=Easy | question=What is 25% of 510? | option_a=127 | option_b=254 | option_c=132 | option_d=107 | answer=A | explanation=25% of 510 = (25/100) × 510 = 127.

id=12874 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 39, 48, 60? | option_a=39 | option_b=30 | option_c=48 | option_d=60 | answer=D | explanation=The first three numbers increase by 9, so the next should be 57. Therefore 60 is the odd one out.

id=12875 | topic=Percentages | difficulty=Easy | question=What is 50% of 548? | option_a=264 | option_b=548 | option_c=274 | option_d=284 | answer=C | explanation=50% of 548 = (50/100) × 548 = 274.

id=12876 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=12877 | topic=Percentages | difficulty=Easy | question=What is 5% of 1172? | option_a=78 | option_b=38 | option_c=58 | option_d=116 | answer=C | explanation=5% of 1172 = (5/100) × 1172 = 58.

id=12878 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=115 | option_d=240 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=12879 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34023 at 12% per annum for 3 years. | option_a=12348 | option_b=12248 | option_c=12148 | option_d=46271 | answer=B | explanation=SI = PRT/100 = 34023×12×3/100 = **■**12248.

id=12880 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=150 | option_c=75 | option_d=70 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=12881 | topic=Percentages | difficulty=Easy | question=What is 10% of 773? | option_a=77 | option_b=154 | option_c=82 | option_d=67 | answer=A | explanation=10% of 773 = (10/100) × 773 = 77.

id=12882 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=S | option_c=Q | option_d=M | answer=C | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=12883 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=12884 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41152 at 12% per annum for 5 years. | option_a=24591 | option_b=65843 | option_c=24691 | option_d=24791 | answer=C | explanation=SI = PRT/100 = 41152×12×5/100 = **■**24691.

id=12885 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17035 at 15% per annum for 1 years. | option_a=2455 | option_b=19590 | option_c=2655 | option_d=2555 | answer=D | explanation=SI = PRT/100 = 17035×15×1/100 = **■**2555.

id=12886 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=12887 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:20 and the first is 360, what is the second? | option_a=720 | option_b=340 | option_c=380 | option_d=360 | answer=D | explanation=Scale factor = 360/20 = 18. Therefore second quantity = 20×18 = 360.

id=12888 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=N | option_c=T | option_d=W | answer=C | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=12889 | topic=Averages | difficulty=Easy | question=Find the average of 47, 35, 52, 66. | option_a=49 | option_b=51 | option_c=52 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 200 ÷ 4 = 50.

id=12890 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**672. If it is sold at a profit of 25%, what is its selling price? | option_a=773 | option_b=907 | option_c=840 | option_d=697 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 672 × 125/100 = **■**840.

id=12891 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 18, 24, 30, ? | option_a=42 | option_b=30 | option_c=37 | option_d=36 | answer=D | explanation=The common difference is 6. Therefore the next term is 30 + 6 = 36.

id=12892 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=Z | option_c=W | option_d=Q | answer=C | explanation=Move 3 positions forward from T; the resulting letter is W.

id=12893 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=I | option_b=O | option_c=M | option_d=K | answer=C | explanation=Move 2 positions forward from K; the resulting letter is M.

id=12894 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=35 | option_b=43 | option_c=51 | option_d=44 | answer=B | explanation=The common difference is 8. Therefore the next term is 35 + 8 = 43.

id=12895 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:3 and the first is 44, what is the second? | option_a=33 | option_b=77 | option_c=37 | option_d=30 | answer=A | explanation=Scale factor = 44/4 = 11. Therefore second quantity = 3×11 = 33.

id=12896 | topic=Averages | difficulty=Easy | question=Find the average of 85, 52, 96, 18, 55, 96. | option_a=67 | option_b=66 | option_c=68 | option_d=69 | answer=A | explanation=Average = sum of values ÷ number of values = 402 ÷ 6 = 67.

id=12897 | topic=Percentages | difficulty=Easy | question=What is 40% of 901? | option_a=720 | option_b=355 | option_c=360 | option_d=380 | answer=C | explanation=40% of 901 = (40/100) × 901 = 360.

id=12898 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:12 and the first is 112, what is the second? | option_a=84 | option_b=208 | option_c=110 | option_d=96 | answer=D | explanation=Scale factor = 112/14 = 8. Therefore second quantity = 12×8 = 96.

id=12899 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39436 at 15% per annum for 5 years. | option_a=69013 | option_b=29577 | option_c=29677 | option_d=29477 | answer=B | explanation=SI = PRT/100 = 39436×15×5/100 = **■**29577.

id=12900 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2674. If it is sold at a profit of 50%, what is its selling price? | option_a=2724 | option_b=4011 | option_c=3744 | option_d=4278 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2674 × 150/100 = **■**4011.

Aptitude Questions — Records 12,901-12,930 of 100,000

id=12901 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2218. If it is sold at a profit of 50%, what is its selling price? | option_a=3327 | option_b=2268 | option_c=3548 | option_d=3106 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2218 × 150/100 = █3327.

id=12902 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=65 | option_b=56 | option_c=55 | option_d=45 | answer=C | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.

id=12903 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 35? | option_a=35 | option_b=24 | option_c=20 | option_d=28 | answer=A | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 35 is the odd one out.

id=12904 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=42 | option_b=52 | option_c=43 | option_d=32 | answer=A | explanation=The common difference is 10. Therefore the next term is 32 + 10 = 42.

id=12905 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=15 | option_b=14 | option_c=12 | option_d=16 | answer=B | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=12906 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=12 | option_b=7 | option_c=17 | option_d=24 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=12907 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=12908 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=95 | option_c=90 | option_d=180 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=12909 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 27. | option_a=189 | option_b=210 | option_c=162 | option_d=567 | answer=A | explanation=LCM × HCF = 21×27; HCF(21,27) = 3, so LCM = 189.

id=12910 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4997. If it is sold at a profit of 5%, what is its selling price? | option_a=5246 | option_b=4747 | option_c=5745 | option_d=5002 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4997 × 105/100 = █5246.

id=12911 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3167. If it is sold at a profit of 15%, what is its selling price? | option_a=3326 | option_b=3958 | option_c=3182 | option_d=3642 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3167 × 115/100 = █3642.

id=12912 | topic=Percentages | difficulty=Easy | question=What is 15% of 1089? | option_a=143 | option_b=173 | option_c=163 | option_d=326 | answer=C | explanation=15% of 1089 = (15/100) × 1089 = 163.

id=12913 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 18. | option_a=90 | option_b=540 | option_c=120 | option_d=72 | answer=A | explanation=LCM × HCF = 30×18; HCF(30,18) = 6, so LCM = 90.

id=12914 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:4 and the first is 27, what is the second? | option_a=39 | option_b=36 | option_c=63 | option_d=32 | answer=B | explanation=Scale factor = 27/3 = 9. Therefore second quantity = 4×9 = 36.

id=12915 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=O | option_c=P | option_d=Q | answer=D | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=12916 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=39 | option_b=36 | option_c=31 | option_d=35 | answer=D | explanation=The common difference is 4. Therefore the next term is 31 + 4 = 35.

id=12917 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=20 | option_b=19 | option_c=23 | option_d=15 | answer=B | explanation=The common difference is 4. Therefore the next term is 15 + 4 = 19.

id=12918 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 7. | option_a=14 | option_b=28 | option_c=98 | option_d=7 | answer=A | explanation=LCM × HCF = 14×7; HCF(14,7) = 7, so LCM = 14.

id=12919 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:19 and the first is 180, what is the second? | option_a=560 | option_b=361 | option_c=389 | option_d=380 | answer=D | explanation=Scale factor = 180/9 = 20. Therefore second quantity = 19×20 = 380.

id=12920 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3845. If it is sold at a profit of 50%, what is its selling price? | option_a=3895 | option_b=6151 | option_c=5767 | option_d=5383 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3845 × 150/100 = █5767.

id=12921 | topic=Percentages | difficulty=Easy | question=What is 10% of 340? | option_a=54 | option_b=24 | option_c=68 | option_d=34 | answer=D | explanation=10% of 340 = (10/100) × 340 = 34.

id=12922 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=12923 | topic=Averages | difficulty=Easy | question=Find the average of 71, 91, 49, 22, 92, 66, 24, 42, 56. | option_a=58 | option_b=57 | option_c=59 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 513 ÷ 9 = 57.

id=12924 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 33? | option_a=33 | option_b=24 | option_c=10 | option_d=17 | answer=A | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 33 is the odd one out.

id=12925 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3623. If it is sold at a profit of 15%, what is its selling price? | option_a=4166 | option_b=4528 | option_c=3638 | option_d=3804 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3623 × 115/100 = █4166.

id=12926 | topic=Averages | difficulty=Easy | question=Find the average of 39, 98, 15, 93, 42, 49. | option_a=58 | option_b=57 | option_c=55 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 336 ÷ 6 = 56.

id=12927 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 9, 13, 18? | option_a=9 | option_b=18 | option_c=5 | option_d=13 | answer=B | explanation=The first three numbers increase by 4, so the next should be 17. Therefore 18 is the odd one out.

id=12928 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=71 | option_b=49 | option_c=60 | option_d=61 | answer=C | explanation=The common difference is 11. Therefore the next term is 49 + 11 = 60.

id=12929 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 24? | option_a=15 | option_b=24 | option_c=17 | option_d=19 | answer=B | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 24 is the odd one out.

id=12930 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:19 and the first is 57, what is the second? | option_a=114 | option_b=38 | option_c=57 | option_d=76 | answer=C | explanation=Scale factor = 57/19 = 3. Therefore second quantity = 19×3 = 57.

Aptitude Questions — Records 12,931-12,960 of 100,000

id=12931 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=K | option_c=Q | option_d=O | answer=D | explanation=Move 2 positions forward from M; the resulting letter is O.

id=12932 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=H | option_c=Z | option_d=L | answer=B | explanation=Move 4 positions forward from D; the resulting letter is H.

id=12933 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=J | option_b=N | option_c=V | option_d=R | answer=D | explanation=Move 4 positions forward from N; the resulting letter is R.

id=12934 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 26, 33, 43? | option_a=33 | option_b=19 | option_c=26 | option_d=43 | answer=D | explanation=The first three numbers increase by 7, so the next should be 40. Therefore 43 is the odd one out.

id=12935 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:9 and the first is 15, what is the second? | option_a=32 | option_b=18 | option_c=42 | option_d=27 | answer=D | explanation=Scale factor = 15/5 = 3. Therefore second quantity = 9×3 = 27.

id=12936 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 4. | option_a=32 | option_b=8 | option_c=16 | option_d=4 | answer=B | explanation=LCM × HCF = 8×4; HCF(8,4) = 4, so LCM = 8.

id=12937 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1173. If it is sold at a profit of 30%, what is its selling price? | option_a=1407 | option_b=1641 | option_c=1524 | option_d=1203 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1173 × 130/100 = ₹1524.

id=12938 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=41 | option_c=72 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=12939 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:5 and the first is 36, what is the second? | option_a=10 | option_b=51 | option_c=27 | option_d=15 | answer=D | explanation=Scale factor = 36/12 = 3. Therefore second quantity = 5×3 = 15.

id=12940 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 37, 44, 53? | option_a=44 | option_b=30 | option_c=37 | option_d=53 | answer=D | explanation=The first three numbers increase by 7, so the next should be 51. Therefore 53 is the odd one out.

id=12941 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=Z | option_c=B | option_d=A | answer=C | explanation=Move 1 positions forward from A; the resulting letter is B.

id=12942 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 21? | option_a=17 | option_b=21 | option_c=15 | option_d=13 | answer=B | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 21 is the odd one out.

id=12943 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=180 | option_c=95 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=12944 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 6. | option_a=81 | option_b=162 | option_c=48 | option_d=54 | answer=D | explanation=LCM × HCF = 27×6; HCF(27,6) = 3, so LCM = 54.

id=12945 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹24321 at 8% per annum for 3 years. | option_a=5837 | option_b=5737 | option_c=5937 | option_d=30158 | answer=A | explanation=SI = PRT/100 = 24321×8×3/100 = ₹5837.

id=12946 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=S | option_c=D | option_d=N | answer=D | explanation=Move 5 positions forward from I; the resulting letter is N.

id=12947 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=F | option_b=L | option_c=I | option_d=O | answer=B | explanation=Move 3 positions forward from I; the resulting letter is L.

id=12948 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹16615 at 6% per annum for 1 years. | option_a=1096 | option_b=896 | option_c=996 | option_d=17611 | answer=C | explanation=SI = PRT/100 = 16615×6×1/100 = ₹996.

id=12949 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=12950 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 39, 49, 60? | option_a=49 | option_b=60 | option_c=39 | option_d=29 | answer=B | explanation=The first three numbers increase by 10, so the next should be 59. Therefore 60 is the odd one out.

id=12951 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:20 and the first is 22, what is the second? | option_a=20 | option_b=51 | option_c=40 | option_d=62 | answer=C | explanation=Scale factor = 22/11 = 2. Therefore second quantity = 20×2 = 40.

id=12952 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=O | option_b=S | option_c=U | option_d=Q | answer=B | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=12953 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:10 and the first is 209, what is the second? | option_a=129 | option_b=100 | option_c=319 | option_d=110 | answer=D | explanation=Scale factor = 209/19 = 11. Therefore second quantity = 10×11 = 110.

id=12954 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=12955 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=39 | option_b=33 | option_c=45 | option_d=40 | answer=A | explanation=The common difference is 6. Therefore the next term is 33 + 6 = 39.

id=12956 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=12957 | topic=Percentages | difficulty=Easy | question=What is 10% of 1862? | option_a=186 | option_b=166 | option_c=372 | option_d=196 | answer=A | explanation=10% of 1862 = (10/100) × 1862 = 186.

id=12958 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹39184 at 15% per annum for 5 years. | option_a=68572 | option_b=29288 | option_c=29488 | option_d=29388 | answer=D | explanation=SI = PRT/100 = 39184×15×5/100 = ₹29388.

id=12959 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 18? | option_a=9 | option_b=13 | option_c=11 | option_d=18 | answer=D | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 18 is the odd one out.

id=12960 | topic=Percentages | difficulty=Easy | question=What is 5% of 308? | option_a=20 | option_b=30 | option_c=0 | option_d=15 | answer=D | explanation=5% of 308 = (5/100) × 308 = 15.

Aptitude Questions — Records 12,961-12,990 of 100,000

id=12961 | topic=Averages | difficulty=Easy | question=Find the average of 27, 71, 76, 11, 87, 28. | option_a=51 | option_b=52 | option_c=49 | option_d=50 | answer=D | explanation=Average = sum of values + number of values = 300 ÷ 6 = 50.

id=12962 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:18 and the first is 136, what is the second? | option_a=126 | option_b=144 | option_c=161 | option_d=280 | answer=B | explanation=Scale factor = 136/17 = 8. Therefore second quantity = 18×8 = 144.

id=12963 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=185 | option_c=360 | option_d=175 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=12964 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=45 | option_c=50 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=12965 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=12966 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:15 and the first is 169, what is the second? | option_a=364 | option_b=195 | option_c=180 | option_d=208 | answer=B | explanation=Scale factor = 169/13 = 13. Therefore second quantity = 15×13 = 195.

id=12967 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■49306 at 10% per annum for 3 years. | option_a=14691 | option_b=14791 | option_c=14891 | option_d=64097 | answer=B | explanation=SI = PRT/100 = 49306×10×3/100 = ■14791.

id=12968 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=120 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=12969 | topic=Percentages | difficulty=Easy | question=What is 12% of 1685? | option_a=404 | option_b=202 | option_c=222 | option_d=182 | answer=B | explanation=12% of 1685 = (12/100) × 1685 = 202.

id=12970 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=24 | option_b=28 | option_c=27 | option_d=26 | answer=D | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.

id=12971 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=12972 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=30 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=12973 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1037. If it is sold at a profit of 5%, what is its selling price? | option_a=1088 | option_b=1042 | option_c=1191 | option_d=985 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1037 × 105/100 = ■1088.

id=12974 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■46941 at 10% per annum for 4 years. | option_a=65717 | option_b=18876 | option_c=18776 | option_d=18676 | answer=C | explanation=SI = PRT/100 = 46941×10×4/100 = ■18776.

id=12975 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=12976 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 28. | option_a=448 | option_b=112 | option_c=128 | option_d=84 | answer=B | explanation=LCM × HCF = 16×28; HCF(16,28) = 4, so LCM = 112.

id=12977 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2509. If it is sold at a profit of 30%, what is its selling price? | option_a=2539 | option_b=3011 | option_c=3511 | option_d=3261 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2509 × 130/100 = ■3261.

id=12978 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=46 | option_b=37 | option_c=55 | option_d=47 | answer=A | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=12979 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=J | option_b=A | option_c=D | option_d=G | answer=D | explanation=Move 3 positions forward from D; the resulting letter is G.

id=12980 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=62 | option_b=53 | option_c=52 | option_d=42 | answer=C | explanation=The common difference is 10. Therefore the next term is 42 + 10 = 52.

id=12981 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=12982 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=46 | option_b=64 | option_c=55 | option_d=56 | answer=C | explanation=The common difference is 9. Therefore the next term is 46 + 9 = 55.

id=12983 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=12984 | topic=Percentages | difficulty=Easy | question=What is 30% of 915? | option_a=264 | option_b=274 | option_c=284 | option_d=548 | answer=B | explanation=30% of 915 = (30/100) × 915 = 274.

id=12985 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 14. | option_a=392 | option_b=14 | option_c=56 | option_d=28 | answer=D | explanation=LCM × HCF = 28×14; HCF(28,14) = 14, so LCM = 28.

id=12986 | topic=Percentages | difficulty=Easy | question=What is 20% of 937? | option_a=374 | option_b=182 | option_c=187 | option_d=192 | answer=C | explanation=20% of 937 = (20/100) × 937 = 187.

id=12987 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=G | option_b=V | option_c=Q | option_d=L | answer=C | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=12988 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 13, 16, 21? | option_a=21 | option_b=10 | option_c=16 | option_d=13 | answer=A | explanation=The first three numbers increase by 3, so the next should be 19. Therefore 21 is the odd one out.

id=12989 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 31, 43, 55, ? | option_a=67 | option_b=68 | option_c=79 | option_d=55 | answer=A | explanation=The common difference is 12. Therefore the next term is 55 + 12 = 67.

id=12990 | topic=Percentages | difficulty=Easy | question=What is 50% of 284? | option_a=147 | option_b=142 | option_c=132 | option_d=284 | answer=B | explanation=50% of 284 = (50/100) × 284 = 142.

Aptitude Questions — Records 12,991-13,020 of 100,000

id=12991 | topic=Averages | difficulty=Easy | question=Find the average of 98, 18, 10. | option_a=42 | option_b=41 | option_c=44 | option_d=43 | answer=A | explanation=Average = sum of values ÷ number of values = 126 ÷ 3 = 42.

id=12992 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=Z | option_b=F | option_c=I | option_d=C | answer=B | explanation=Move 3 positions forward from C; the resulting letter is F.

id=12993 | topic=Averages | difficulty=Easy | question=Find the average of 25, 25, 93, 64, 68, 72, 43, 67, 74. | option_a=61 | option_b=58 | option_c=59 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 531 ÷ 9 = 59.

id=12994 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=D | option_c=M | option_d=J | answer=D | explanation=Move 3 positions forward from G; the resulting letter is J.

id=12995 | topic=Percentages | difficulty=Easy | question=What is 40% of 349? | option_a=139 | option_b=119 | option_c=278 | option_d=144 | answer=A | explanation=40% of 349 = (40/100) × 349 = 139.

id=12996 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 22, 27, 32, ? | option_a=37 | option_b=38 | option_c=32 | option_d=42 | answer=A | explanation=The common difference is 5. Therefore the next term is 32 + 5 = 37.

id=12997 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 57? | option_a=57 | option_b=29 | option_c=38 | option_d=47 | answer=A | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 57 is the odd one out.

id=12998 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=40 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=12999 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=29 | option_b=33 | option_c=32 | option_d=35 | answer=C | explanation=The common difference is 3. Therefore the next term is 29 + 3 = 32.

id=13000 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=Z | option_b=F | option_c=I | option_d=C | answer=B | explanation=Move 3 positions forward from C; the resulting letter is F.

id=13001 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 17, 26, 38? | option_a=17 | option_b=38 | option_c=8 | option_d=26 | answer=B | explanation=The first three numbers increase by 9, so the next should be 35. Therefore 38 is the odd one out.

id=13002 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13619 at 15% per annum for 3 years. | option_a=6128 | option_b=6028 | option_c=6228 | option_d=19747 | answer=A | explanation=SI = PRT/100 = 13619×15×3/100 = **■**6128.

id=13003 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2688. If it is sold at a profit of 10%, what is its selling price? | option_a=2956 | option_b=2688 | option_c=2698 | option_d=3224 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2688 × 110/100 = **■**2956.

id=13004 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:1 and the first is 60, what is the second? | option_a=15 | option_b=14 | option_c=19 | option_d=75 | answer=A | explanation=Scale factor = 60/4 = 15. Therefore second quantity = 1×15 = 15.

id=13005 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 57? | option_a=46 | option_b=57 | option_c=26 | option_d=36 | answer=B | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 57 is the odd one out.

id=13006 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=13007 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1017. If it is sold at a profit of 40%, what is its selling price? | option_a=1524 | option_b=1322 | option_c=1057 | option_d=1423 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1017 × 140/100 = **■**1423.

id=13008 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22522 at 10% per annum for 3 years. | option_a=29278 | option_b=6856 | option_c=6756 | option_d=6656 | answer=C | explanation=SI = PRT/100 = 22522×10×3/100 = **■**6756.

id=13009 | topic=Percentages | difficulty=Easy | question=What is 15% of 607? | option_a=81 | option_b=91 | option_c=182 | option_d=101 | answer=B | explanation=15% of 607 = (15/100) × 607 = 91.

id=13010 | topic=Percentages | difficulty=Easy | question=What is 40% of 608? | option_a=248 | option_b=243 | option_c=486 | option_d=223 | answer=B | explanation=40% of 608 = (40/100) × 608 = 243.

id=13011 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 24? | option_a=24 | option_b=3 | option_c=15 | option_d=9 | answer=A | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 24 is the odd one out.

id=13012 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 18, 23, 28, ? | option_a=38 | option_b=34 | option_c=33 | option_d=28 | answer=C | explanation=The common difference is 5. Therefore the next term is 28 + 5 = 33.

id=13013 | topic=Percentages | difficulty=Easy | question=What is 30% of 821? | option_a=492 | option_b=236 | option_c=256 | option_d=246 | answer=D | explanation=30% of 821 = (30/100) × 821 = 246.

id=13014 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16139 at 8% per annum for 5 years. | option_a=22594 | option_b=6355 | option_c=6455 | option_d=6555 | answer=C | explanation=SI = PRT/100 = 16139×8×5/100 = **■**6455.

id=13015 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3401 at 15% per annum for 3 years. | option_a=1430 | option_b=1630 | option_c=4931 | option_d=1530 | answer=D | explanation=SI = PRT/100 = 3401×15×3/100 = **■**1530.

id=13016 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 18? | option_a=11 | option_b=18 | option_c=3 | option_d=7 | answer=B | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 18 is the odd one out.

id=13017 | topic=Percentages | difficulty=Easy | question=What is 25% of 1676? | option_a=838 | option_b=424 | option_c=419 | option_d=409 | answer=C | explanation=25% of 1676 = (25/100) × 1676 = 419.

id=13018 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=13019 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=54 | option_b=42 | option_c=55 | option_d=66 | answer=A | explanation=The common difference is 12. Therefore the next term is 42 + 12 = 54.

id=13020 | topic=Averages | difficulty=Easy | question=Find the average of 94, 36, 86, 39, 33, 57, 97, 14, 19, 95. | option_a=56 | option_b=59 | option_c=57 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.

Aptitude Questions — Records 13,021-13,050 of 100,000

id=13021 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=I | option_b=Y | option_c=D | option_d=N | answer=A | explanation=Move 5 positions forward from D; the resulting letter is I.

id=13022 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=Y | option_c=E | option_d=C | answer=D | explanation=Move 2 positions forward from A; the resulting letter is C.

id=13023 | topic=Averages | difficulty=Easy | question=Find the average of 25, 77, 14, 85, 77, 28, 12, 50, 41, 101. | option_a=51 | option_b=50 | option_c=53 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

id=13024 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=150 | option_c=70 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=13025 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:8 and the first is 32, what is the second? | option_a=40 | option_b=32 | option_c=64 | option_d=24 | answer=B | explanation=Scale factor = 32/8 = 4. Therefore second quantity = 8×4 = 32.

id=13026 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3414. If it is sold at a profit of 40%, what is its selling price? | option_a=4779 | option_b=5120 | option_c=3454 | option_d=4438 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3414 × 140/100 = █4779.

id=13027 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:1 and the first is 176, what is the second? | option_a=27 | option_b=192 | option_c=16 | option_d=15 | answer=C | explanation=Scale factor = 176/11 = 16. Therefore second quantity = 1×16 = 16.

id=13028 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 41? | option_a=35 | option_b=30 | option_c=25 | option_d=41 | answer=D | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 41 is the odd one out.

id=13029 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=12 | option_b=24 | option_c=17 | option_d=7 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=13030 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=S | option_c=O | option_d=U | answer=B | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=13031 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 32, 40, 50? | option_a=32 | option_b=24 | option_c=40 | option_d=50 | answer=D | explanation=The first three numbers increase by 8, so the next should be 48. Therefore 50 is the odd one out.

id=13032 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=J | option_c=G | option_d=I | answer=D | explanation=Move 1 positions forward from H; the resulting letter is I.

id=13033 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4678. If it is sold at a profit of 15%, what is its selling price? | option_a=5379 | option_b=5846 | option_c=4912 | option_d=4693 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4678 × 115/100 = █5379.

id=13034 | topic=Averages | difficulty=Easy | question=Find the average of 39, 79, 30, 24, 76, 23, 13, 84. | option_a=45 | option_b=46 | option_c=47 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 368 ÷ 8 = 46.

id=13035 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=59 | option_b=46 | option_c=58 | option_d=70 | answer=C | explanation=The common difference is 12. Therefore the next term is 46 + 12 = 58.

id=13036 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:10 and the first is 300, what is the second? | option_a=200 | option_b=500 | option_c=190 | option_d=215 | answer=A | explanation=Scale factor = 300/15 = 20. Therefore second quantity = 10×20 = 200.

id=13037 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:10 and the first is 95, what is the second? | option_a=145 | option_b=69 | option_c=40 | option_d=50 | answer=D | explanation=Scale factor = 95/19 = 5. Therefore second quantity = 10×5 = 50.

id=13038 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=40 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=13039 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=X | option_b=N | option_c=S | option_d=C | answer=A | explanation=Move 5 positions forward from S; the resulting letter is X.

id=13040 | topic=Percentages | difficulty=Easy | question=What is 40% of 1197? | option_a=478 | option_b=458 | option_c=956 | option_d=483 | answer=A | explanation=40% of 1197 = (40/100) × 1197 = 478.

id=13041 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30654 at 8% per annum for 2 years. | option_a=4804 | option_b=35558 | option_c=4904 | option_d=5004 | answer=C | explanation=SI = PRT/100 = 30654×8×2/100 = █4904.

id=13042 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=Q | option_c=O | option_d=R | answer=B | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=13043 | topic=Averages | difficulty=Easy | question=Find the average of 95, 89, 65. | option_a=83 | option_b=84 | option_c=82 | option_d=85 | answer=A | explanation=Average = sum of values ÷ number of values = 249 ÷ 3 = 83.

id=13044 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3583. If it is sold at a profit of 15%, what is its selling price? | option_a=4478 | option_b=3762 | option_c=3598 | option_d=4120 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3583 × 115/100 = █4120.

id=13045 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=240 | option_c=125 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=13046 | topic=Percentages | difficulty=Easy | question=What is 30% of 778? | option_a=223 | option_b=466 | option_c=238 | option_d=233 | answer=D | explanation=30% of 778 = (30/100) × 778 = 233.

id=13047 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=40 | option_c=20 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=13048 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 32, 40, 49? | option_a=24 | option_b=49 | option_c=40 | option_d=32 | answer=B | explanation=The first three numbers increase by 8, so the next should be 48. Therefore 49 is the odd one out.

id=13049 | topic=Percentages | difficulty=Easy | question=What is 10% of 1196? | option_a=238 | option_b=99 | option_c=119 | option_d=139 | answer=C | explanation=10% of 1196 = (10/100) × 1196 = 119.

id=13050 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 31, 36, 42? | option_a=31 | option_b=26 | option_c=36 | option_d=42 | answer=D | explanation=The first three numbers increase by 5, so the next should be 41. Therefore 42 is the odd one out.

Aptitude Questions — Records 13,051-13,080 of 100,000

id=13051 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=53 | option_c=48 | option_d=43 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=13052 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=13053 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=23 | option_b=26 | option_c=27 | option_d=29 | answer=B | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.

id=13054 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=C | option_c=G | option_d=I | answer=C | explanation=Move 2 positions forward from E; the resulting letter is G.

id=13055 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 9. | option_a=1 | option_b=9 | option_c=18 | option_d=81 | answer=B | explanation=LCM × HCF = 9×9; HCF(9,9) = 9, so LCM = 9.

id=13056 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=50 | option_c=30 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=13057 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■20307 at 10% per annum for 1 years. | option_a=22337 | option_b=2030 | option_c=2130 | option_d=1930 | answer=B | explanation=SI = $PRT/100 = 20307 \times 10 \times 1/100 = \blacksquare 2030$.

id=13058 | topic=Averages | difficulty=Easy | question=Find the average of 36, 67, 21, 55, 41. | option_a=44 | option_b=46 | option_c=45 | option_d=43 | answer=A | explanation=Average = sum of values ÷ number of values = 220 ÷ 5 = 44.

id=13059 | topic=Averages | difficulty=Easy | question=Find the average of 53, 93, 56, 87, 26, 80, 95. | option_a=72 | option_b=71 | option_c=69 | option_d=70 | answer=D | explanation=Average = sum of values ÷ number of values = 490 ÷ 7 = 70.

id=13060 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=J | option_b=G | option_c=A | option_d=D | answer=B | explanation=Move 3 positions forward from D; the resulting letter is G.

id=13061 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=13062 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■583. If it is sold at a profit of 10%, what is its selling price? | option_a=641 | option_b=699 | option_c=593 | option_d=583 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 583 \times 110/100 = \blacksquare 641$.

id=13063 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:18 and the first is 144, what is the second? | option_a=144 | option_b=162 | option_c=178 | option_d=306 | answer=B | explanation=Scale factor = $144/16 = 9$. Therefore second quantity = $18 \times 9 = 162$.

id=13064 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 18. | option_a=90 | option_b=180 | option_c=72 | option_d=100 | answer=A | explanation=LCM × HCF = 10×18 ; $HCF(10,18) = 2$, so LCM = 90.

id=13065 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■15184 at 5% per annum for 5 years. | option_a=3896 | option_b=3796 | option_c=3696 | option_d=18980 | answer=B | explanation=SI = $PRT/100 = 15184 \times 5 \times 5/100 = \blacksquare 3796$.

id=13066 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 35, 45, 58? | option_a=45 | option_b=25 | option_c=35 | option_d=58 | answer=D | explanation=The first three numbers increase by 10, so the next should be 55. Therefore 58 is the odd one out.

id=13067 | topic=Averages | difficulty=Easy | question=Find the average of 86, 19, 28, 43, 66, 10, 45, 39. | option_a=43 | option_b=44 | option_c=41 | option_d=42 | answer=D | explanation=Average = sum of values ÷ number of values = $336 \div 8 = 42$.

id=13068 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:5 and the first is 8, what is the second? | option_a=22 | option_b=28 | option_c=20 | option_d=15 | answer=C | explanation=Scale factor = $8/2 = 4$. Therefore second quantity = $5 \times 4 = 20$.

id=13069 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:5 and the first is 76, what is the second? | option_a=96 | option_b=39 | option_c=20 | option_d=15 | answer=C | explanation=Scale factor = $76/19 = 4$. Therefore second quantity = $5 \times 4 = 20$.

id=13070 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■289. If it is sold at a profit of 10%, what is its selling price? | option_a=299 | option_b=289 | option_c=345 | option_d=317 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 289 \times 110/100 = \blacksquare 317$.

id=13071 | topic=Percentages | difficulty=Easy | question=What is 12% of 386? | option_a=92 | option_b=26 | option_c=56 | option_d=46 | answer=D | explanation=12% of 386 = $(12/100) \times 386 = 46$.

id=13072 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■1708 at 6% per annum for 5 years. | option_a=612 | option_b=412 | option_c=512 | option_d=2220 | answer=C | explanation=SI = $PRT/100 = 1708 \times 6 \times 5/100 = \blacksquare 512$.

id=13073 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=E | option_b=H | option_c=F | option_d=G | answer=D | explanation=Move 1 positions forward from F; the resulting letter is G.

id=13074 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 10. | option_a=48 | option_b=80 | option_c=40 | option_d=30 | answer=C | explanation=LCM × HCF = 8×10 ; $HCF(8,10) = 2$, so LCM = 40.

id=13075 | topic=Percentages | difficulty=Easy | question=What is 15% of 289? | option_a=86 | option_b=53 | option_c=38 | option_d=43 | answer=D | explanation=15% of 289 = $(15/100) \times 289 = 43$.

id=13076 | topic=Percentages | difficulty=Easy | question=What is 30% of 1814? | option_a=544 | option_b=1088 | option_c=554 | option_d=534 | answer=A | explanation=30% of 1814 = $(30/100) \times 1814 = 544$.

id=13077 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1690. If it is sold at a profit of 40%, what is its selling price? | option_a=2535 | option_b=2197 | option_c=1730 | option_d=2366 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1690 \times 140/100 = \blacksquare 2366$.

id=13078 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 26. | option_a=364 | option_b=182 | option_c=196 | option_d=156 | answer=B | explanation=LCM × HCF = 14×26 ; $HCF(14,26) = 2$, so LCM = 182.

id=13079 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:8 and the first is 30, what is the second? | option_a=150 | option_b=122 | option_c=112 | option_d=120 | answer=D | explanation=Scale factor = $30/2 = 15$. Therefore second quantity = $8 \times 15 = 120$.

id=13080 | topic=Percentages | difficulty=Easy | question=What is 10% of 871? | option_a=87 | option_b=174 | option_c=97 | option_d=67 | answer=A | explanation=10% of 871 = $(10/100) \times 871 = 87$.

Aptitude Questions — Records 13,081-13,110 of 100,000

id=13081 | topic=Percentages | difficulty=Easy | question=What is 5% of 1735? | option_a=172 | option_b=106 | option_c=81 | option_d=86 | answer=D | explanation=5% of 1735 = (5/100) × 1735 = 86.

id=13082 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=13083 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=13084 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=I | option_b=J | option_c=G | option_d=H | answer=A | explanation=Move 1 positions forward from H; the resulting letter is I.

id=13085 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 44? | option_a=36 | option_b=44 | option_c=30 | option_d=24 | answer=B | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 44 is the odd one out.

id=13086 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:14 and the first is 144, what is the second? | option_a=98 | option_b=130 | option_c=256 | option_d=112 | answer=D | explanation=Scale factor = 144/18 = 8. Therefore second quantity = 14×8 = 112.

id=13087 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:1 and the first is 77, what is the second? | option_a=84 | option_b=18 | option_c=7 | option_d=6 | answer=C | explanation=Scale factor = 77/11 = 7. Therefore second quantity = 1×7 = 7.

id=13088 | topic=Averages | difficulty=Easy | question=Find the average of 29, 82, 57, 44. | option_a=55 | option_b=52 | option_c=53 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 212 ÷ 4 = 53.

id=13089 | topic=Percentages | difficulty=Easy | question=What is 15% of 1975? | option_a=592 | option_b=296 | option_c=306 | option_d=291 | answer=B | explanation=15% of 1975 = (15/100) × 1975 = 296.

id=13090 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=B | option_c=Q | option_d=L | answer=D | explanation=Move 5 positions forward from G; the resulting letter is L.

id=13091 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=I | option_b=F | option_c=L | option_d=C | answer=A | explanation=Move 3 positions forward from F; the resulting letter is I.

id=13092 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14516 at 5% per annum for 1 years. | option_a=825 | option_b=625 | option_c=15241 | option_d=725 | answer=D | explanation=SI = PRT/100 = 14516×5×1/100 = **■**725.

id=13093 | topic=Averages | difficulty=Easy | question=Find the average of 27, 25, 66, 65, 84, 68, 85. | option_a=59 | option_b=61 | option_c=60 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 420 ÷ 7 = 60.

id=13094 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=24 | option_c=12 | option_d=17 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=13095 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=61 | option_b=72 | option_c=62 | option_d=50 | answer=A | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.

id=13096 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=13097 | topic=Percentages | difficulty=Easy | question=What is 50% of 760? | option_a=760 | option_b=380 | option_c=370 | option_d=385 | answer=B | explanation=50% of 760 = (50/100) × 760 = 380.

id=13098 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 35? | option_a=24 | option_b=35 | option_c=14 | option_d=4 | answer=B | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 35 is the odd one out.

id=13099 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=43 | option_c=96 | option_d=53 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=13100 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=13101 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=20 | option_b=24 | option_c=16 | option_d=21 | answer=A | explanation=The common difference is 4. Therefore the next term is 16 + 4 = 20.

id=13102 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33801 at 10% per annum for 2 years. | option_a=40561 | option_b=6760 | option_c=6860 | option_d=6660 | answer=B | explanation=SI = PRT/100 = 33801×10×2/100 = **■**6760.

id=13103 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=13104 | topic=Percentages | difficulty=Easy | question=What is 50% of 1323? | option_a=661 | option_b=651 | option_c=671 | option_d=1322 | answer=A | explanation=50% of 1323 = (50/100) × 1323 = 661.

id=13105 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=13106 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3001. If it is sold at a profit of 30%, what is its selling price? | option_a=3031 | option_b=4201 | option_c=3601 | option_d=3901 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3001 × 130/100 = **■**3901.

id=13107 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=50 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=13108 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 6. | option_a=24 | option_b=180 | option_c=30 | option_d=60 | answer=C | explanation=LCM × HCF = 30×6; HCF(30,6) = 6, so LCM = 30.

id=13109 | topic=Percentages | difficulty=Easy | question=What is 10% of 592? | option_a=118 | option_b=59 | option_c=69 | option_d=54 | answer=B | explanation=10% of 592 = (10/100) × 592 = 59.

id=13110 | topic=Averages | difficulty=Easy | question=Find the average of 15, 33, 64, 75, 84, 93, 32, 17, 12, 55. | option_a=50 | option_b=47 | option_c=48 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 480 ÷ 10 = 48.

Aptitude Questions — Records 13,111-13,140 of 100,000

- id=13111 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=180 | option_c=90 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.
- id=13112 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:19 and the first is 168, what is the second? | option_a=209 | option_b=396 | option_c=242 | option_d=228 | answer=D | explanation=Scale factor = $168/14 = 12$. Therefore second quantity = $19\times12 = 228$.
- id=13113 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:12 and the first is 54, what is the second? | option_a=270 | option_b=219 | option_c=204 | option_d=216 | answer=D | explanation=Scale factor = $54/3 = 18$. Therefore second quantity = $12\times18 = 216$.
- id=13114 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.
- id=13115 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=N | option_b=Q | option_c=W | option_d=T | answer=D | explanation=Move 3 positions forward from Q; the resulting letter is T.
- id=13116 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=X | option_b=D | option_c=G | option_d=A | answer=B | explanation=Move 3 positions forward from A; the resulting letter is D.
- id=13117 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24730 at 12% per annum for 1 years. | option_a=3067 | option_b=2967 | option_c=27697 | option_d=2867 | answer=B | explanation=SI = $PRT/100 = 24730\times12\times1/100 = \text{■}2967$.
- id=13118 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:13 and the first is 80, what is the second? | option_a=208 | option_b=195 | option_c=288 | option_d=213 | answer=A | explanation=Scale factor = $80/5 = 16$. Therefore second quantity = $13\times16 = 208$.
- id=13119 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.
- id=13120 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=67 | option_c=144 | option_d=77 | answer=A | explanation=Speed = distance ÷ time = $360 \div 5 = 72$ km/h.
- id=13121 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=F | option_b=U | option_c=P | option_d=K | answer=C | explanation=Move 5 positions forward from K; the resulting letter is P.
- id=13122 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=19 | option_c=24 | option_d=29 | answer=C | explanation=Speed = distance ÷ time = $120 \div 5 = 24$ km/h.
- id=13123 | topic=Percentages | difficulty=Easy | question=What is 5% of 641? | option_a=64 | option_b=32 | option_c=42 | option_d=12 | answer=B | explanation=5% of 641 = $(5/100) \times 641 = 32$.
- id=13124 | topic=Percentages | difficulty=Easy | question=What is 15% of 1780? | option_a=534 | option_b=267 | option_c=257 | option_d=272 | answer=B | explanation=15% of 1780 = $(15/100) \times 1780 = 267$.
- id=13125 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4767 at 15% per annum for 3 years. | option_a=2245 | option_b=6912 | option_c=2045 | option_d=2145 | answer=D | explanation=SI = $PRT/100 = 4767\times15\times3/100 = \text{■}2145$.
- id=13126 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.
- id=13127 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2365. If it is sold at a profit of 15%, what is its selling price? | option_a=2483 | option_b=2719 | option_c=2380 | option_d=2955 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2365 \times 115/100 = \text{■}2719$.
- id=13128 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2626. If it is sold at a profit of 25%, what is its selling price? | option_a=3544 | option_b=3282 | option_c=3020 | option_d=2651 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2626 \times 125/100 = \text{■}3282$.
- id=13129 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=Y | option_b=B | option_c=H | option_d=E | answer=D | explanation=Move 3 positions forward from B; the resulting letter is E.
- id=13130 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=K | option_b=U | option_c=Z | option_d=P | answer=B | explanation=Move 5 positions forward from P; the resulting letter is U.
- id=13131 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=W | option_c=I | option_d=A | answer=A | explanation=Move 4 positions forward from A; the resulting letter is E.
- id=13132 | topic=Averages | difficulty=Easy | question=Find the average of 70, 82, 54, 98, 71, 59, 56. | option_a=69 | option_b=71 | option_c=72 | option_d=70 | answer=D | explanation=Average = sum of values ÷ number of values = $490 \div 7 = 70$.
- id=13133 | topic=Percentages | difficulty=Easy | question=What is 15% of 246? | option_a=72 | option_b=31 | option_c=36 | option_d=41 | answer=C | explanation=15% of 246 = $(15/100) \times 246 = 36$.
- id=13134 | topic=Averages | difficulty=Easy | question=Find the average of 46, 68, 27, 68, 101. | option_a=63 | option_b=61 | option_c=64 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = $310 \div 5 = 62$.
- id=13135 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:8 and the first is 260, what is the second? | option_a=160 | option_b=173 | option_c=420 | option_d=152 | answer=A | explanation=Scale factor = $260/13 = 20$. Therefore second quantity = $8\times20 = 160$.
- id=13136 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4685. If it is sold at a profit of 25%, what is its selling price? | option_a=6324 | option_b=5856 | option_c=5388 | option_d=4710 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4685 \times 125/100 = \text{■}5856$.
- id=13137 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=40 | option_c=20 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = $60 \div 3 = 20$ km/h.
- id=13138 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:17 and the first is 224, what is the second? | option_a=255 | option_b=286 | option_c=272 | option_d=496 | answer=C | explanation=Scale factor = $224/14 = 16$. Therefore second quantity = $17\times16 = 272$.
- id=13139 | topic=Averages | difficulty=Easy | question=Find the average of 99, 75, 64, 97, 58, 65, 86, 63, 23. | option_a=71 | option_b=70 | option_c=69 | option_d=72 | answer=B | explanation=Average = sum of values ÷ number of values = $630 \div 9 = 70$.
- id=13140 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32034 at 15% per annum for 4 years. | option_a=19320 | option_b=19220 | option_c=51254 | option_d=19120 | answer=B | explanation=SI = $PRT/100 = 32034\times15\times4/100 = \text{■}19220$.

Aptitude Questions — Records 13,141-13,170 of 100,000

id=13141 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■265. If it is sold at a profit of 50%, what is its selling price? | option_a=371 | option_b=397 | option_c=315 | option_d=423 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 265 × 150/100 = ■397.

id=13142 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=9 | option_c=14 | option_d=18 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=13143 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■314. If it is sold at a profit of 20%, what is its selling price? | option_a=376 | option_b=345 | option_c=407 | option_d=334 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 314 × 120/100 = ■376.

id=13144 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=13145 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=13146 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4841. If it is sold at a profit of 25%, what is its selling price? | option_a=5567 | option_b=6535 | option_c=6051 | option_d=4866 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4841 × 125/100 = ■6051.

id=13147 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=V | option_b=S | option_c=P | option_d=Y | answer=A | explanation=Move 3 positions forward from S; the resulting letter is V.

id=13148 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1468. If it is sold at a profit of 40%, what is its selling price? | option_a=2201 | option_b=1508 | option_c=2055 | option_d=1909 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1468 × 140/100 = ■2055.

id=13149 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:1 and the first is 3, what is the second? | option_a=2 | option_b=6 | option_c=3 | option_d=4 | answer=C | explanation=Scale factor = 3/1 = 3. Therefore second quantity = 1×3 = 3.

id=13150 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=12 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=13151 | topic=Averages | difficulty=Easy | question=Find the average of 42, 82, 87, 72, 85, 79, 56, 20, 26. | option_a=63 | option_b=61 | option_c=62 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 549 ÷ 9 = 61.

id=13152 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■49953 at 6% per annum for 3 years. | option_a=8991 | option_b=9091 | option_c=58944 | option_d=8891 | answer=A | explanation=SI = PRT/100 = 49953×6×3/100 = ■8991.

id=13153 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=32 | option_b=28 | option_c=22 | option_d=27 | answer=D | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.

id=13154 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2299. If it is sold at a profit of 15%, what is its selling price? | option_a=2314 | option_b=2643 | option_c=2872 | option_d=2414 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2299 × 115/100 = ■2643.

id=13155 | topic=Averages | difficulty=Easy | question=Find the average of 22, 81, 37, 70, 36, 41, 89, 24. | option_a=50 | option_b=51 | option_c=52 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 400 ÷ 8 = 50.

id=13156 | topic=Percentages | difficulty=Easy | question=What is 30% of 1877? | option_a=568 | option_b=563 | option_c=1126 | option_d=543 | answer=B | explanation=30% of 1877 = (30/100) × 1877 = 563.

id=13157 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:12 and the first is 187, what is the second? | option_a=120 | option_b=132 | option_c=149 | option_d=319 | answer=B | explanation=Scale factor = 187/17 = 11. Therefore second quantity = 12×11 = 132.

id=13158 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=12 | option_b=11 | option_c=9 | option_d=13 | answer=B | explanation=The common difference is 2. Therefore the next term is 9 + 2 = 11.

id=13159 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 31, 34, 39? | option_a=34 | option_b=28 | option_c=31 | option_d=39 | answer=D | explanation=The first three numbers increase by 3, so the next should be 37. Therefore 39 is the odd one out.

id=13160 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:13 and the first is 130, what is the second? | option_a=130 | option_b=117 | option_c=260 | option_d=143 | answer=A | explanation=Scale factor = 130/13 = 10. Therefore second quantity = 13×10 = 130.

id=13161 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4547. If it is sold at a profit of 15%, what is its selling price? | option_a=5229 | option_b=4775 | option_c=5683 | option_d=4562 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4547 × 115/100 = ■5229.

id=13162 | topic=Averages | difficulty=Easy | question=Find the average of 69, 24, 48. | option_a=49 | option_b=46 | option_c=48 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 141 ÷ 3 = 47.

id=13163 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=95 | option_c=85 | option_d=180 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=13164 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=13165 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=59 | option_b=46 | option_c=70 | option_d=58 | answer=D | explanation=The common difference is 12. Therefore the next term is 46 + 12 = 58.

id=13166 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■905. If it is sold at a profit of 10%, what is its selling price? | option_a=905 | option_b=1085 | option_c=995 | option_d=915 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 905 × 110/100 = ■995.

id=13167 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 24, 27, 32? | option_a=24 | option_b=32 | option_c=21 | option_d=27 | answer=B | explanation=The first three numbers increase by 3, so the next should be 30. Therefore 32 is the odd one out.

id=13168 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:3 and the first is 91, what is the second? | option_a=34 | option_b=112 | option_c=21 | option_d=18 | answer=C | explanation=Scale factor = 91/13 = 7. Therefore second quantity = 3×7 = 21.

id=13169 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1244. If it is sold at a profit of 5%, what is its selling price? | option_a=1306 | option_b=1249 | option_c=1182 | option_d=1430 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1244 × 105/100 = ■1306.

id=13170 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=36 | option_c=23 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

Aptitude Questions — Records 13,171-13,200 of 100,000

id=13171 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=13172 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:14 and the first is 36, what is the second? | option_a=42 | option_b=78 | option_c=28 | option_d=54 | answer=A | explanation=Scale factor = 36/12 = 3. Therefore second quantity = 14×3 = 42.

id=13173 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:13 and the first is 12, what is the second? | option_a=90 | option_b=80 | option_c=65 | option_d=78 | answer=D | explanation=Scale factor = 12/2 = 6. Therefore second quantity = 13×6 = 78.

id=13174 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=H | option_b=F | option_c=G | option_d=I | answer=A | explanation=Move 1 positions forward from G; the resulting letter is H.

id=13175 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:20 and the first is 288, what is the second? | option_a=300 | option_b=608 | option_c=338 | option_d=320 | answer=D | explanation=Scale factor = 288/18 = 16. Therefore second quantity = 20×16 = 320.

id=13176 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=55 | option_b=48 | option_c=39 | option_d=47 | answer=D | explanation=The common difference is 8. Therefore the next term is 39 + 8 = 47.

id=13177 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 26, 34, 42, ? | option_a=58 | option_b=50 | option_c=42 | option_d=51 | answer=B | explanation=The common difference is 8. Therefore the next term is 42 + 8 = 50.

id=13178 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=Z | option_b=A | option_c=C | option_d=B | answer=D | explanation=Move 1 positions forward from A; the resulting letter is B.

id=13179 | topic=Percentages | difficulty=Easy | question=What is 20% of 441? | option_a=88 | option_b=83 | option_c=176 | option_d=108 | answer=A | explanation=20% of 441 = (20/100) × 441 = 88.

id=13180 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=13181 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=16 | option_b=15 | option_c=18 | option_d=12 | answer=B | explanation=The common difference is 3. Therefore the next term is 12 + 3 = 15.

id=13182 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=105 | option_c=95 | option_d=200 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=13183 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=22 | option_b=25 | option_c=28 | option_d=26 | answer=B | explanation=The common difference is 3. Therefore the next term is 22 + 3 = 25.

id=13184 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=63 | option_b=64 | option_c=74 | option_d=52 | answer=A | explanation=The common difference is 11. Therefore the next term is 52 + 11 = 63.

id=13185 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=8 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=13186 | topic=Averages | difficulty=Easy | question=Find the average of 85, 95, 43, 33, 79. | option_a=66 | option_b=68 | option_c=67 | option_d=69 | answer=C | explanation=Average = sum of values ÷ number of values = 335 ÷ 5 = 67.

id=13187 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=13188 | topic=Percentages | difficulty=Easy | question=What is 40% of 1554? | option_a=1242 | option_b=601 | option_c=621 | option_d=641 | answer=C | explanation=40% of 1554 = (40/100) × 1554 = 621.

id=13189 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=13190 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=13191 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 28? | option_a=19 | option_b=5 | option_c=28 | option_d=12 | answer=C | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 28 is the odd one out.

id=13192 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:20 and the first is 105, what is the second? | option_a=405 | option_b=300 | option_c=307 | option_d=280 | answer=B | explanation=Scale factor = 105/7 = 15. Therefore second quantity = 20×15 = 300.

id=13193 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=13 | option_c=36 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=13194 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:20 and the first is 272, what is the second? | option_a=592 | option_b=337 | option_c=300 | option_d=320 | answer=D | explanation=Scale factor = 272/17 = 16. Therefore second quantity = 20×16 = 320.

id=13195 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=95 | option_c=100 | option_d=105 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=13196 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=C | option_b=O | option_c=G | option_d=K | answer=D | explanation=Move 4 positions forward from G; the resulting letter is K.

id=13197 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31616 at 8% per annum for 4 years. | option_a=41733 | option_b=10217 | option_c=10117 | option_d=10017 | answer=C | explanation=SI = PRT/100 = 31616×8×4/100 = **■**10117.

id=13198 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 29? | option_a=29 | option_b=18 | option_c=13 | option_d=23 | answer=A | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 29 is the odd one out.

id=13199 | topic=Percentages | difficulty=Easy | question=What is 20% of 245? | option_a=49 | option_b=44 | option_c=69 | option_d=98 | answer=A | explanation=20% of 245 = (20/100) × 245 = 49.

id=13200 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:19 and the first is 28, what is the second? | option_a=38 | option_b=19 | option_c=66 | option_d=52 | answer=A | explanation=Scale factor = 28/14 = 2. Therefore second quantity = 19×2 = 38.

Aptitude Questions — Records 13,201-13,230 of 100,000

id=13201 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=13202 | topic=Averages | difficulty=Easy | question=Find the average of 86, 43, 66, 93. | option_a=71 | option_b=74 | option_c=72 | option_d=73 | answer=C | explanation=Average = sum of values ÷ number of values = 288 ÷ 4 = 72.

id=13203 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48831 at 6% per annum for 5 years. | option_a=14549 | option_b=63480 | option_c=14749 | option_d=14649 | answer=D | explanation=SI = PRT/100 = 48831×6×5/100 = **■**14649.

id=13204 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=29 | option_b=35 | option_c=39 | option_d=34 | answer=D | explanation=The common difference is 5. Therefore the next term is 29 + 5 = 34.

id=13205 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=45 | option_b=54 | option_c=44 | option_d=34 | answer=C | explanation=The common difference is 10. Therefore the next term is 34 + 10 = 44.

id=13206 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 18, 22, 27? | option_a=18 | option_b=27 | option_c=22 | option_d=14 | answer=B | explanation=The first three numbers increase by 4, so the next should be 26. Therefore 27 is the odd one out.

id=13207 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=52 | option_b=39 | option_c=63 | option_d=51 | answer=D | explanation=The common difference is 12. Therefore the next term is 39 + 12 = 51.

id=13208 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=E | option_b=I | option_c=K | option_d=G | answer=B | explanation=Move 2 positions forward from G; the resulting letter is I.

id=13209 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=N | option_b=D | option_c=Y | option_d=I | answer=D | explanation=Move 5 positions forward from D; the resulting letter is I.

id=13210 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38523 at 8% per annum for 5 years. | option_a=15409 | option_b=53932 | option_c=15509 | option_d=15309 | answer=A | explanation=SI = PRT/100 = 38523×8×5/100 = **■**15409.

id=13211 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39507 at 10% per annum for 5 years. | option_a=19653 | option_b=19853 | option_c=19753 | option_d=59260 | answer=C | explanation=SI = PRT/100 = 39507×10×5/100 = **■**19753.

id=13212 | topic=Percentages | difficulty=Easy | question=What is 10% of 1051? | option_a=210 | option_b=125 | option_c=95 | option_d=105 | answer=D | explanation=10% of 1051 = (10/100) × 1051 = 105.

id=13213 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=24 | option_c=12 | option_d=7 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=13214 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41033 at 4% per annum for 5 years. | option_a=8306 | option_b=8106 | option_c=8206 | option_d=49239 | answer=C | explanation=SI = PRT/100 = 41033×4×5/100 = **■**8206.

id=13215 | topic=Averages | difficulty=Easy | question=Find the average of 87, 50, 76, 34, 97, 42, 41. | option_a=61 | option_b=62 | option_c=63 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 427 ÷ 7 = 61.

id=13216 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=65 | option_b=66 | option_c=53 | option_d=77 | answer=A | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.

id=13217 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 4. | option_a=20 | option_b=16 | option_c=80 | option_d=40 | answer=A | explanation=LCM × HCF = 20×4; HCF(20,4) = 4, so LCM = 20.

id=13218 | topic=Percentages | difficulty=Easy | question=What is 20% of 1233? | option_a=241 | option_b=246 | option_c=492 | option_d=266 | answer=B | explanation=20% of 1233 = (20/100) × 1233 = 246.

id=13219 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=13220 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=48 | option_b=38 | option_c=56 | option_d=47 | answer=D | explanation=The common difference is 9. Therefore the next term is 38 + 9 = 47.

id=13221 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=13222 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=13223 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 24. | option_a=24 | option_b=26 | option_c=1 | option_d=48 | answer=A | explanation=LCM × HCF = 2×24; HCF(2,24) = 2, so LCM = 24.

id=13224 | topic=Averages | difficulty=Easy | question=Find the average of 74, 66, 54, 97, 15, 12, 32. | option_a=52 | option_b=51 | option_c=49 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

id=13225 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=13226 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3241. If it is sold at a profit of 30%, what is its selling price? | option_a=3889 | option_b=3271 | option_c=4537 | option_d=4213 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3241 × 130/100 = **■**4213.

id=13227 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=144 | option_c=72 | option_d=77 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=13228 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 17, 29, 41, ? | option_a=41 | option_b=53 | option_c=54 | option_d=65 | answer=B | explanation=The common difference is 12. Therefore the next term is 41 + 12 = 53.

id=13229 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=13230 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 16? | option_a=13 | option_b=11 | option_c=9 | option_d=16 | answer=D | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 16 is the odd one out.

Aptitude Questions — Records 13,231-13,260 of 100,000

id=13231 | topic=Averages | difficulty=Easy | question=Find the average of 21, 46, 31, 30, 70, 61, 86, 15, 41, 69. | option_a=47 | option_b=46 | option_c=49 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = 470 ÷ 10 = 47.

id=13232 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:8 and the first is 48, what is the second? | option_a=48 | option_b=56 | option_c=40 | option_d=96 | answer=A | explanation=Scale factor = 48/8 = 6. Therefore second quantity = 8×6 = 48.

id=13233 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=90 | option_c=180 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=13234 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=C | option_b=E | option_c=G | option_d=I | answer=C | explanation=Move 2 positions forward from E; the resulting letter is G.

id=13235 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3567. If it is sold at a profit of 30%, what is its selling price? | option_a=3597 | option_b=4993 | option_c=4281 | option_d=4637 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3567 × 130/100 = █4637.

id=13236 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=125 | option_b=115 | option_c=120 | option_d=240 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=13237 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=H | option_b=Y | option_c=B | option_d=E | answer=D | explanation=Move 3 positions forward from B; the resulting letter is E.

id=13238 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=P | option_b=Q | option_c=N | option_d=Q | answer=A | explanation=Move 1 positions forward from O; the resulting letter is P.

id=13239 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:7 and the first is 30, what is the second? | option_a=28 | option_b=41 | option_c=65 | option_d=35 | answer=D | explanation=Scale factor = 30/6 = 5. Therefore second quantity = 7×5 = 35.

id=13240 | topic=Percentages | difficulty=Easy | question=What is 40% of 1384? | option_a=1106 | option_b=558 | option_c=548 | option_d=553 | answer=D | explanation=40% of 1384 = (40/100) × 1384 = 553.

id=13241 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=55 | option_d=100 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=13242 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:14 and the first is 240, what is the second? | option_a=266 | option_b=280 | option_c=292 | option_d=520 | answer=B | explanation=Scale factor = 240/12 = 20. Therefore second quantity = 14×20 = 280.

id=13243 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:13 and the first is 204, what is the second? | option_a=360 | option_b=156 | option_c=173 | option_d=143 | answer=B | explanation=Scale factor = 204/17 = 12. Therefore second quantity = 13×12 = 156.

id=13244 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14635 at 4% per annum for 2 years. | option_a=15805 | option_b=1270 | option_c=1070 | option_d=1170 | answer=D | explanation=SI = PRT/100 = 14635×4×2/100 = █1170.

id=13245 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=39 | option_b=59 | option_c=49 | option_d=50 | answer=C | explanation=The common difference is 10. Therefore the next term is 39 + 10 = 49.

id=13246 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=13247 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1211. If it is sold at a profit of 15%, what is its selling price? | option_a=1513 | option_b=1392 | option_c=1271 | option_d=1226 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1211 × 115/100 = █1392.

id=13248 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 40? | option_a=30 | option_b=40 | option_c=33 | option_d=36 | answer=B | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 40 is the odd one out.

id=13249 | topic=Averages | difficulty=Easy | question=Find the average of 45, 49, 76, 90, 15, 69, 76. | option_a=62 | option_b=60 | option_c=59 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 420 ÷ 7 = 60.

id=13250 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:7 and the first is 168, what is the second? | option_a=266 | option_b=110 | option_c=98 | option_d=91 | answer=C | explanation=Scale factor = 168/12 = 14. Therefore second quantity = 7×14 = 98.

id=13251 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=54 | option_b=64 | option_c=55 | option_d=44 | answer=A | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=13252 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=U | option_c=O | option_d=S | answer=D | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=13253 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=19 | option_c=29 | option_d=48 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=13254 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=13255 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=N | option_c=R | option_d=L | answer=A | explanation=Move 2 positions forward from N; the resulting letter is P.

id=13256 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 43? | option_a=36 | option_b=30 | option_c=43 | option_d=24 | answer=C | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 43 is the odd one out.

id=13257 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=M | option_b=H | option_c=R | option_d=C | answer=A | explanation=Move 5 positions forward from H; the resulting letter is M.

id=13258 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:18 and the first is 60, what is the second? | option_a=180 | option_b=240 | option_c=162 | option_d=186 | answer=A | explanation=Scale factor = 60/6 = 10. Therefore second quantity = 18×10 = 180.

id=13259 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3696. If it is sold at a profit of 50%, what is its selling price? | option_a=5544 | option_b=3746 | option_c=5913 | option_d=5175 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3696 × 150/100 = █5544.

id=13260 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 13,261-13,290 of 100,000

id=13261 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=80 | option_c=75 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=13262 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=U | option_b=I | option_c=Q | option_d=M | answer=C | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=13263 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=20 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=13264 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1168. If it is sold at a profit of 40%, what is its selling price? | option_a=1519 | option_b=1751 | option_c=1635 | option_d=1208 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1168 × 140/100 = █1635.

id=13265 | topic=Percentages | difficulty=Easy | question=What is 40% of 704? | option_a=562 | option_b=286 | option_c=271 | option_d=281 | answer=D | explanation=40% of 704 = (40/100) × 704 = 281.

id=13266 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 31, 40, 51? | option_a=22 | option_b=51 | option_c=31 | option_d=40 | answer=B | explanation=The first three numbers increase by 9, so the next should be 49. Therefore 51 is the odd one out.

id=13267 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:18 and the first is 54, what is the second? | option_a=216 | option_b=144 | option_c=162 | option_d=168 | answer=C | explanation=Scale factor = 54/6 = 9. Therefore second quantity = 18×9 = 162.

id=13268 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=S | option_c=O | option_d=Q | answer=B | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=13269 | topic=Averages | difficulty=Easy | question=Find the average of 22, 21, 82, 20, 75, 97, 29, 10, 61, 13. | option_a=43 | option_b=45 | option_c=44 | option_d=42 | answer=A | explanation=Average = sum of values ÷ number of values = 430 ÷ 10 = 43.

id=13270 | topic=Percentages | difficulty=Easy | question=What is 30% of 1286? | option_a=770 | option_b=365 | option_c=385 | option_d=405 | answer=C | explanation=30% of 1286 = (30/100) × 1286 = 385.

id=13271 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1746. If it is sold at a profit of 20%, what is its selling price? | option_a=969 | option_b=895 | option_c=766 | option_d=821 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 746 × 120/100 = █895.

id=13272 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=13273 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 31, 36, 43? | option_a=36 | option_b=26 | option_c=31 | option_d=43 | answer=D | explanation=The first three numbers increase by 5, so the next should be 41. Therefore 43 is the odd one out.

id=13274 | topic=Averages | difficulty=Easy | question=Find the average of 96, 54, 31, 90, 82, 68, 16, 91. | option_a=65 | option_b=66 | option_c=67 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = 528 ÷ 8 = 66.

id=13275 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3900. If it is sold at a profit of 50%, what is its selling price? | option_a=5460 | option_b=5850 | option_c=3950 | option_d=6240 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3900 × 150/100 = █5850.

id=13276 | topic=Averages | difficulty=Easy | question=Find the average of 31, 84, 100, 70, 93, 66. | option_a=75 | option_b=73 | option_c=76 | option_d=74 | answer=D | explanation=Average = sum of values ÷ number of values = 444 ÷ 6 = 74.

id=13277 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4395. If it is sold at a profit of 20%, what is its selling price? | option_a=5274 | option_b=4835 | option_c=4415 | option_d=5713 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4395 × 120/100 = █5274.

id=13278 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 27, 33, 40? | option_a=21 | option_b=40 | option_c=27 | option_d=33 | answer=B | explanation=The first three numbers increase by 6, so the next should be 39. Therefore 40 is the odd one out.

id=13279 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 30? | option_a=20 | option_b=4 | option_c=30 | option_d=12 | answer=C | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 30 is the odd one out.

id=13280 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=13281 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=360 | option_b=175 | option_c=185 | option_d=180 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=13282 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2600. If it is sold at a profit of 15%, what is its selling price? | option_a=2990 | option_b=2615 | option_c=2730 | option_d=3250 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2600 × 115/100 = █2990.

id=13283 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=95 | option_c=85 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=13284 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 23, 30, 37, ? | option_a=44 | option_b=51 | option_c=37 | option_d=45 | answer=A | explanation=The common difference is 7. Therefore the next term is 37 + 7 = 44.

id=13285 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:1 and the first is 75, what is the second? | option_a=14 | option_b=15 | option_c=20 | option_d=90 | answer=B | explanation=Scale factor = 75/5 = 15. Therefore second quantity = 1×15 = 15.

id=13286 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18580 at 10% per annum for 3 years. | option_a=24154 | option_b=5674 | option_c=5574 | option_d=5474 | answer=C | explanation=SI = PRT/100 = 18580×10×3/100 = █5574.

id=13287 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 34, 41, 50? | option_a=34 | option_b=41 | option_c=50 | option_d=27 | answer=C | explanation=The first three numbers increase by 7, so the next should be 48. Therefore 50 is the odd one out.

id=13288 | topic=Percentages | difficulty=Easy | question=What is 40% of 1713? | option_a=1370 | option_b=685 | option_c=675 | option_d=705 | answer=B | explanation=40% of 1713 = (40/100) × 1713 = 685.

id=13289 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=32 | option_b=31 | option_c=25 | option_d=37 | answer=B | explanation=The common difference is 6. Therefore the next term is 25 + 6 = 31.

id=13290 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1211. If it is sold at a profit of 20%, what is its selling price? | option_a=1574 | option_b=1332 | option_c=1453 | option_d=1231 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1211 × 120/100 = █1453.

Aptitude Questions — Records 13,291-13,320 of 100,000

id=13291 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 32, 36, 43? | option_a=43 | option_b=32 | option_c=28 | option_d=36 | answer=A | explanation=The first three numbers increase by 4, so the next should be 40. Therefore 43 is the odd one out.

id=13292 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 34, 43, 53? | option_a=34 | option_b=25 | option_c=43 | option_d=53 | answer=D | explanation=The first three numbers increase by 9, so the next should be 52. Therefore 53 is the odd one out.

id=13293 | topic=Percentages | difficulty=Easy | question=What is 25% of 522? | option_a=120 | option_b=260 | option_c=130 | option_d=140 | answer=C | explanation=25% of 522 = $(25/100) \times 522 = 130$.

id=13294 | topic=Percentages | difficulty=Easy | question=What is 15% of 1731? | option_a=279 | option_b=249 | option_c=259 | option_d=518 | answer=C | explanation=15% of 1731 = $(15/100) \times 1731 = 259$.

id=13295 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:15 and the first is 11, what is the second? | option_a=176 | option_b=166 | option_c=150 | option_d=165 | answer=D | explanation=Scale factor = $11/1 = 11$. Therefore second quantity = $15 \times 11 = 165$.

id=13296 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=13297 | topic=Averages | difficulty=Easy | question=Find the average of 41, 47, 86. | option_a=58 | option_b=60 | option_c=59 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = $174 \div 3 = 58$.

id=13298 | topic=Percentages | difficulty=Easy | question=What is 40% of 321? | option_a=256 | option_b=138 | option_c=108 | option_d=128 | answer=D | explanation=40% of 321 = $(40/100) \times 321 = 128$.

id=13299 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 8, 13, 21? | option_a=8 | option_b=21 | option_c=13 | option_d=3 | answer=B | explanation=The first three numbers increase by 5, so the next should be 18. Therefore 21 is the odd one out.

id=13300 | topic=Percentages | difficulty=Easy | question=What is 5% of 938? | option_a=46 | option_b=92 | option_c=51 | option_d=36 | answer=A | explanation=5% of 938 = $(5/100) \times 938 = 46$.

id=13301 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3262. If it is sold at a profit of 50%, what is its selling price? | option_a=3312 | option_b=4567 | option_c=4893 | option_d=5219 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3262 \times 150/100 = \text{█}4893$.

id=13302 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=4 | option_d=6 | answer=B | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=13303 | topic=Averages | difficulty=Easy | question=Find the average of 83, 23, 91, 31. | option_a=57 | option_b=56 | option_c=59 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = $228 \div 4 = 57$.

id=13304 | topic=Number System | difficulty=Easy | question=Find the LCM of 13 and 13. | option_a=26 | option_b=169 | option_c=13 | option_d=1 | answer=C | explanation=LCM $\times$ HCF = 13×13 ; $HCF(13,13) = 13$, so LCM = 13.

id=13305 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 8. | option_a=88 | option_b=176 | option_c=110 | option_d=80 | answer=A | explanation=LCM $\times$ HCF = 22×8 ; $HCF(22,8) = 2$, so LCM = 88.

id=13306 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=E | option_b=K | option_c=H | option_d=N | answer=B | explanation=Move 3 positions forward from H; the resulting letter is K.

id=13307 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=55 | option_b=46 | option_c=45 | option_d=35 | answer=C | explanation=The common difference is 10. Therefore the next term is $35 + 10 = 45$.

id=13308 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:19 and the first is 180, what is the second? | option_a=228 | option_b=408 | option_c=209 | option_d=243 | answer=A | explanation=Scale factor = $180/15 = 12$. Therefore second quantity = $19 \times 12 = 228$.

id=13309 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 18, 28, 38, ? | option_a=49 | option_b=48 | option_c=38 | option_d=58 | answer=B | explanation=The common difference is 10. Therefore the next term is $38 + 10 = 48$.

id=13310 | topic=Averages | difficulty=Easy | question=Find the average of 43, 68, 29, 76, 83, 57, 88, 100. | option_a=69 | option_b=70 | option_c=68 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = $544 \div 8 = 68$.

id=13311 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2315. If it is sold at a profit of 30%, what is its selling price? | option_a=2345 | option_b=3009 | option_c=3240 | option_d=2778 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2315 \times 130/100 = \text{█}3009$.

id=13312 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=47 | option_b=58 | option_c=67 | option_d=57 | answer=D | explanation=The common difference is 10. Therefore the next term is $47 + 10 = 57$.

id=13313 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 27? | option_a=20 | option_b=22 | option_c=24 | option_d=27 | answer=D | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 27 is the odd one out.

id=13314 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 10, 16, 23? | option_a=4 | option_b=23 | option_c=10 | option_d=16 | answer=B | explanation=The first three numbers increase by 6, so the next should be 22. Therefore 23 is the odd one out.

id=13315 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=51 | option_b=40 | option_c=50 | option_d=60 | answer=C | explanation=The common difference is 10. Therefore the next term is $40 + 10 = 50$.

id=13316 | topic=Percentages | difficulty=Easy | question=What is 40% of 123? | option_a=49 | option_b=69 | option_c=98 | option_d=44 | answer=A | explanation=40% of 123 = $(40/100) \times 123 = 49$.

id=13317 | topic=Averages | difficulty=Easy | question=Find the average of 71, 41, 35, 83, 93, 74, 67, 22, 45, 19. | option_a=54 | option_b=56 | option_c=55 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = $550 \div 10 = 55$.

id=13318 | topic=Averages | difficulty=Easy | question=Find the average of 32, 13, 35, 30, 60. | option_a=36 | option_b=34 | option_c=35 | option_d=33 | answer=B | explanation=Average = sum of values ÷ number of values = $170 \div 5 = 34$.

id=13319 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 31, 34, 38? | option_a=31 | option_b=28 | option_c=38 | option_d=34 | answer=C | explanation=The first three numbers increase by 3, so the next should be 37. Therefore 38 is the odd one out.

id=13320 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 25. | option_a=375 | option_b=50 | option_c=75 | option_d=90 | answer=C | explanation=LCM $\times$ HCF = 15×25 ; $HCF(15,25) = 5$, so LCM = 75.

Aptitude Questions — Records 13,321-13,350 of 100,000

- id=13321 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=L | option_b=K | option_c=M | option_d=J | answer=A | explanation=Move 1 positions forward from K; the resulting letter is L.
- id=13322 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=18 | option_c=9 | option_d=14 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.
- id=13323 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1809. If it is sold at a profit of 20%, what is its selling price? | option_a=1829 | option_b=2350 | option_c=2170 | option_d=1990 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1809 × 120/100 = █2170.
- id=13324 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.
- id=13325 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:13 and the first is 12, what is the second? | option_a=78 | option_b=65 | option_c=90 | option_d=80 | answer=A | explanation=Scale factor = 12/2 = 6. Therefore second quantity = 13×6 = 78.
- id=13326 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=K | option_b=L | option_c=I | option_d=J | answer=A | explanation=Move 1 positions forward from J; the resulting letter is K.
- id=13327 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4676 at 10% per annum for 2 years. | option_a=5611 | option_b=1035 | option_c=935 | option_d=835 | answer=C | explanation=SI = PRT/100 = 4676×10×2/100 = █935.
- id=13328 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=8 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=13329 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.
- id=13330 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=144 | option_c=77 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.
- id=13331 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=C | option_c=Q | option_d=Y | answer=D | explanation=Move 4 positions forward from U; the resulting letter is Y.
- id=13332 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=18 | option_c=9 | option_d=14 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.
- id=13333 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=13334 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 4. | option_a=20 | option_b=40 | option_c=16 | option_d=30 | answer=A | explanation=LCM × HCF = 10×4; HCF(10,4) = 2, so LCM = 20.
- id=13335 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:13 and the first is 280, what is the second? | option_a=260 | option_b=247 | option_c=540 | option_d=274 | answer=A | explanation=Scale factor = 280/14 = 20. Therefore second quantity = 13×20 = 260.
- id=13336 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:2 and the first is 260, what is the second? | option_a=24 | option_b=26 | option_c=46 | option_d=286 | answer=B | explanation=Scale factor = 260/20 = 13. Therefore second quantity = 2×13 = 26.
- id=13337 | topic=Percentages | difficulty=Easy | question=What is 12% of 979? | option_a=127 | option_b=97 | option_c=117 | option_d=234 | answer=C | explanation=12% of 979 = (12/100) × 979 = 117.
- id=13338 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=A | option_b=G | option_c=E | option_d=C | answer=C | explanation=Move 2 positions forward from C; the resulting letter is E.
- id=13339 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=T | option_b=R | option_c=S | option_d=Q | answer=C | explanation=Move 1 positions forward from R; the resulting letter is S.
- id=13340 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=L | option_b=D | option_c=Z | option_d=H | answer=D | explanation=Move 4 positions forward from D; the resulting letter is H.
- id=13341 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26218 at 6% per annum for 1 years. | option_a=1473 | option_b=1573 | option_c=1673 | option_d=27791 | answer=B | explanation=SI = PRT/100 = 26218×6×1/100 = █1573.
- id=13342 | topic=Averages | difficulty=Easy | question=Find the average of 79, 48, 10, 61, 85, 67, 30, 30, 58. | option_a=53 | option_b=51 | option_c=52 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 468 ÷ 9 = 52.
- id=13343 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=A | option_c=G | option_d=E | answer=D | explanation=Move 2 positions forward from C; the resulting letter is E.
- id=13344 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25768 at 15% per annum for 3 years. | option_a=11495 | option_b=11595 | option_c=37363 | option_d=11695 | answer=B | explanation=SI = PRT/100 = 25768×15×3/100 = █11595.
- id=13345 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=13 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.
- id=13346 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:16 and the first is 60, what is the second? | option_a=48 | option_b=64 | option_c=79 | option_d=124 | answer=B | explanation=Scale factor = 60/15 = 4. Therefore second quantity = 16×4 = 64.
- id=13347 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.
- id=13348 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 9, 16, 25? | option_a=2 | option_b=16 | option_c=9 | option_d=25 | answer=D | explanation=The first three numbers increase by 7, so the next should be 23. Therefore 25 is the odd one out.
- id=13349 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 48? | option_a=27 | option_b=48 | option_c=17 | option_d=37 | answer=B | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 48 is the odd one out.
- id=13350 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 25, 33, 41, ? | option_a=50 | option_b=41 | option_c=49 | option_d=57 | answer=C | explanation=The common difference is 8. Therefore the next term is 41 + 8 = 49.

Aptitude Questions — Records 13,351-13,380 of 100,000

id=13351 | topic=Averages | difficulty=Easy | question=Find the average of 34, 27, 36, 54, 24, 46, 29, 39, 100, 51. | option_a=46 | option_b=44 | option_c=45 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = 440 ÷ 10 = 44.

id=13352 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19820 at 4% per annum for 5 years. | option_a=4064 | option_b=3864 | option_c=3964 | option_d=23784 | answer=C | explanation=SI = PRT/100 = 19820×4×5/100 = **■**3964.

id=13353 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 11, 14, 19? | option_a=19 | option_b=14 | option_c=11 | option_d=8 | answer=A | explanation=The first three numbers increase by 3, so the next should be 17. Therefore 19 is the odd one out.

id=13354 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 22, 26, 32? | option_a=26 | option_b=18 | option_c=22 | option_d=32 | answer=D | explanation=The first three numbers increase by 4, so the next should be 30. Therefore 32 is the odd one out.

id=13355 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=R | option_b=A | option_c=U | option_d=X | answer=D | explanation=Move 3 positions forward from U; the resulting letter is X.

id=13356 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1896. If it is sold at a profit of 40%, what is its selling price? | option_a=2843 | option_b=1936 | option_c=2465 | option_d=2654 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1896 × 140/100 = **■**2654.

id=13357 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=13358 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=13359 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=70 | option_b=75 | option_c=80 | option_d=150 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=13360 | topic=Percentages | difficulty=Easy | question=What is 12% of 1182? | option_a=141 | option_b=121 | option_c=282 | option_d=161 | answer=A | explanation=12% of 1182 = (12/100) × 1182 = 141.

id=13361 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=48 | option_b=36 | option_c=58 | option_d=47 | answer=D | explanation=The common difference is 11. Therefore the next term is 36 + 11 = 47.

id=13362 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=40 | option_d=90 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=13363 | topic=Averages | difficulty=Easy | question=Find the average of 29, 51, 33, 63, 19, 50, 83, 80. | option_a=50 | option_b=51 | option_c=53 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 408 ÷ 8 = 51.

id=13364 | topic=Percentages | difficulty=Easy | question=What is 25% of 1962? | option_a=480 | option_b=490 | option_c=980 | option_d=510 | answer=B | explanation=25% of 1962 = (25/100) × 1962 = 490.

id=13365 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:14 and the first is 224, what is the second? | option_a=420 | option_b=196 | option_c=212 | option_d=182 | answer=B | explanation=Scale factor = 224/16 = 14. Therefore second quantity = 14×14 = 196.

id=13366 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=13367 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4864. If it is sold at a profit of 40%, what is its selling price? | option_a=6809 | option_b=6323 | option_c=7295 | option_d=4904 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4864 × 140/100 = **■**6809.

id=13368 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=13369 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=13370 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=13371 | topic=Averages | difficulty=Easy | question=Find the average of 60, 87, 55, 98, 94, 22, 39, 89. | option_a=68 | option_b=70 | option_c=69 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = 544 ÷ 8 = 68.

id=13372 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=31 | option_b=36 | option_c=32 | option_d=26 | answer=A | explanation=The common difference is 5. Therefore the next term is 26 + 5 = 31.

id=13373 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 34? | option_a=27 | option_b=17 | option_c=22 | option_d=34 | answer=D | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 34 is the odd one out.

id=13374 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47363 at 8% per annum for 2 years. | option_a=54941 | option_b=7478 | option_c=7578 | option_d=7678 | answer=C | explanation=SI = PRT/100 = 47363×8×2/100 = **■**7578.

id=13375 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=13376 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**620. If it is sold at a profit of 20%, what is its selling price? | option_a=744 | option_b=806 | option_c=640 | option_d=682 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 620 × 120/100 = **■**744.

id=13377 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=37 | option_b=55 | option_c=47 | option_d=46 | answer=D | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=13378 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 15. | option_a=135 | option_b=54 | option_c=45 | option_d=30 | answer=C | explanation=LCM × HCF = 9×15; HCF(9,15) = 3, so LCM = 45.

id=13379 | topic=Averages | difficulty=Easy | question=Find the average of 25, 96, 42, 13, 70, 42. | option_a=47 | option_b=49 | option_c=50 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = 288 ÷ 6 = 48.

id=13380 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 13, 17, 23? | option_a=17 | option_b=13 | option_c=23 | option_d=9 | answer=C | explanation=The first three numbers increase by 4, so the next should be 21. Therefore 23 is the odd one out.

Aptitude Questions — Records 13,381-13,410 of 100,000

id=13381 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=D | option_c=F | option_d=B | answer=C | explanation=Move 2 positions forward from D; the resulting letter is F.

id=13382 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 25? | option_a=21 | option_b=15 | option_c=18 | option_d=25 | answer=D | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 25 is the odd one out.

id=13383 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 16? | option_a=12 | option_b=16 | option_c=8 | option_d=10 | answer=B | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 16 is the odd one out.

id=13384 | topic=Averages | difficulty=Easy | question=Find the average of 35, 58, 77, 56, 99, 35, 15, 97. | option_a=59 | option_b=61 | option_c=58 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 472 ÷ 8 = 59.

id=13385 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹4513. If it is sold at a profit of 40%, what is its selling price? | option_a=4553 | option_b=6318 | option_c=6769 | option_d=5867 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4513 × 140/100 = ₹6318.

id=13386 | topic=Averages | difficulty=Easy | question=Find the average of 47, 10, 35, 13, 59, 72, 51, 17, 92. | option_a=46 | option_b=45 | option_c=43 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = 396 ÷ 9 = 44.

id=13387 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=13388 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:13 and the first is 240, what is the second? | option_a=435 | option_b=195 | option_c=182 | option_d=211 | answer=B | explanation=Scale factor = 240/16 = 15. Therefore second quantity = 13×15 = 195.

id=13389 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=150 | option_c=70 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=13390 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹26762 at 5% per annum for 3 years. | option_a=3914 | option_b=30776 | option_c=4114 | option_d=4014 | answer=D | explanation=SI = PRT/100 = 26762×5×3/100 = ₹4014.

id=13391 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:1 and the first is 80, what is the second? | option_a=16 | option_b=96 | option_c=21 | option_d=15 | answer=A | explanation=Scale factor = 80/5 = 16. Therefore second quantity = 1×16 = 16.

id=13392 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=13393 | topic=Averages | difficulty=Easy | question=Find the average of 59, 82, 96. | option_a=81 | option_b=79 | option_c=78 | option_d=80 | answer=B | explanation=Average = sum of values ÷ number of values = 237 ÷ 3 = 79.

id=13394 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=13395 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹37762 at 12% per annum for 3 years. | option_a=13594 | option_b=51356 | option_c=13494 | option_d=13694 | answer=A | explanation=SI = PRT/100 = 37762×12×3/100 = ₹13594.

id=13396 | topic=Averages | difficulty=Easy | question=Find the average of 11, 33, 49. | option_a=32 | option_b=33 | option_c=30 | option_d=31 | answer=D | explanation=Average = sum of values ÷ number of values = 93 ÷ 3 = 31.

id=13397 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=13398 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹26549 at 6% per annum for 3 years. | option_a=4678 | option_b=4878 | option_c=4778 | option_d=31327 | answer=C | explanation=SI = PRT/100 = 26549×6×3/100 = ₹4778.

id=13399 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 11. | option_a=22 | option_b=44 | option_c=11 | option_d=242 | answer=A | explanation=LCM × HCF = 22×11; HCF(22,11) = 11, so LCM = 22.

id=13400 | topic=Averages | difficulty=Easy | question=Find the average of 32, 98, 94, 80. | option_a=78 | option_b=76 | option_c=77 | option_d=75 | answer=B | explanation=Average = sum of values ÷ number of values = 304 ÷ 4 = 76.

id=13401 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 28. | option_a=84 | option_b=56 | option_c=588 | option_d=105 | answer=A | explanation=LCM × HCF = 21×28; HCF(21,28) = 7, so LCM = 84.

id=13402 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹23596 at 6% per annum for 5 years. | option_a=7178 | option_b=6978 | option_c=30674 | option_d=7078 | answer=D | explanation=SI = PRT/100 = 23596×6×5/100 = ₹7078.

id=13403 | topic=Averages | difficulty=Easy | question=Find the average of 68, 97, 42, 93. | option_a=74 | option_b=76 | option_c=75 | option_d=77 | answer=C | explanation=Average = sum of values ÷ number of values = 300 ÷ 4 = 75.

id=13404 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹4417. If it is sold at a profit of 50%, what is its selling price? | option_a=6625 | option_b=7066 | option_c=6184 | option_d=4467 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4417 × 150/100 = ₹6625.

id=13405 | topic=Averages | difficulty=Easy | question=Find the average of 68, 74, 20. | option_a=56 | option_b=53 | option_c=55 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 162 ÷ 3 = 54.

id=13406 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=37 | option_b=36 | option_c=31 | option_d=41 | answer=B | explanation=The common difference is 5. Therefore the next term is 31 + 5 = 36.

id=13407 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:11 and the first is 128, what is the second? | option_a=304 | option_b=176 | option_c=165 | option_d=184 | answer=B | explanation=Scale factor = 128/8 = 16. Therefore second quantity = 11×16 = 176.

id=13408 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=50 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=13409 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:12 and the first is 51, what is the second? | option_a=207 | option_b=204 | option_c=192 | option_d=255 | answer=B | explanation=Scale factor = 51/3 = 17. Therefore second quantity = 12×17 = 204.

id=13410 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=F | option_b=U | option_c=P | option_d=K | answer=C | explanation=Move 5 positions forward from K; the resulting letter is P.

Aptitude Questions — Records 13,411-13,440 of 100,000

id=13411 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=22 | option_b=18 | option_c=26 | option_d=23 | answer=A | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

id=13412 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=S | option_c=Q | option_d=O | answer=B | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=13413 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:20 and the first is 80, what is the second? | option_a=160 | option_b=240 | option_c=140 | option_d=170 | answer=A | explanation=Scale factor = 80/10 = 8. Therefore second quantity = 20×8 = 160.

id=13414 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=13415 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=13416 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**11012 at 5% per annum for 5 years. | option_a=2853 | option_b=2753 | option_c=13765 | option_d=2653 | answer=B | explanation=SI = $PRT/100 = 11012 \times 5 \times 5/100 = \text{₹}2753$.

id=13417 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=75 | option_d=150 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=13418 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=13419 | topic=Percentages | difficulty=Easy | question=What is 20% of 1699? | option_a=339 | option_b=359 | option_c=319 | option_d=678 | answer=A | explanation=20% of 1699 = $(20/100) \times 1699 = 339$.

id=13420 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=360 | option_c=185 | option_d=175 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=13421 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=N | option_b=P | option_c=R | option_d=T | answer=C | explanation=Move 2 positions forward from P; the resulting letter is R.

id=13422 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 9, 13, 20? | option_a=13 | option_b=5 | option_c=9 | option_d=20 | answer=D | explanation=The first three numbers increase by 4, so the next should be 17. Therefore 20 is the odd one out.

id=13423 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=P | option_c=B | option_d=X | answer=D | explanation=Move 4 positions forward from T; the resulting letter is X.

id=13424 | topic=Averages | difficulty=Easy | question=Find the average of 96, 66, 33, 71, 35, 11, 92, 23, 47, 16. | option_a=51 | option_b=50 | option_c=49 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 490 ÷ 10 = 49.

id=13425 | topic=Percentages | difficulty=Easy | question=What is 25% of 1101? | option_a=275 | option_b=265 | option_c=280 | option_d=550 | answer=A | explanation=25% of 1101 = $(25/100) \times 1101 = 275$.

id=13426 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3372. If it is sold at a profit of 10%, what is its selling price? | option_a=3372 | option_b=4046 | option_c=3382 | option_d=3709 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3372 \times 110/100 = \text{₹}3709$.

id=13427 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=J | option_b=Y | option_c=T | option_d=O | answer=C | explanation=Move 5 positions forward from O; the resulting letter is T.

id=13428 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=O | option_b=A | option_c=S | option_d=W | answer=D | explanation=Move 4 positions forward from S; the resulting letter is W.

id=13429 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=S | option_c=P | option_d=R | answer=D | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=13430 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 35? | option_a=9 | option_b=35 | option_c=17 | option_d=25 | answer=B | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 35 is the odd one out.

id=13431 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**48887 at 4% per annum for 4 years. | option_a=7821 | option_b=7921 | option_c=56708 | option_d=7721 | answer=A | explanation=SI = $PRT/100 = 48887 \times 4 \times 4/100 = \text{₹}7821$.

id=13432 | topic=Percentages | difficulty=Easy | question=What is 15% of 1326? | option_a=203 | option_b=396 | option_c=198 | option_d=193 | answer=C | explanation=15% of 1326 = $(15/100) \times 1326 = 198$.

id=13433 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=U | option_b=X | option_c=R | option_d=O | answer=A | explanation=Move 3 positions forward from R; the resulting letter is U.

id=13434 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=15 | option_b=18 | option_c=12 | option_d=16 | answer=A | explanation=The common difference is 3. Therefore the next term is 12 + 3 = 15.

id=13435 | topic=Percentages | difficulty=Easy | question=What is 40% of 550? | option_a=200 | option_b=440 | option_c=220 | option_d=225 | answer=C | explanation=40% of 550 = $(40/100) \times 550 = 220$.

id=13436 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**44531 at 12% per annum for 1 years. | option_a=49874 | option_b=5343 | option_c=5443 | option_d=5243 | answer=B | explanation=SI = $PRT/100 = 44531 \times 12 \times 1/100 = \text{₹}5343$.

id=13437 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 5, 7, 11? | option_a=7 | option_b=11 | option_c=5 | option_d=3 | answer=B | explanation=The first three numbers increase by 2, so the next should be 9. Therefore 11 is the odd one out.

id=13438 | topic=Averages | difficulty=Easy | question=Find the average of 54, 99, 66, 87, 77, 85, 23, 46, 66. | option_a=67 | option_b=69 | option_c=68 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 603 ÷ 9 = 67.

id=13439 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=19 | option_b=27 | option_c=23 | option_d=24 | answer=C | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=13440 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**8142 at 8% per annum for 2 years. | option_a=1302 | option_b=1402 | option_c=9444 | option_d=1202 | answer=A | explanation=SI = $PRT/100 = 8142 \times 8 \times 2/100 = \text{₹}1302$.

Aptitude Questions — Records 13,441-13,470 of 100,000

id=13441 | topic=Percentages | difficulty=Easy | question=What is 20% of 243? | option_a=38 | option_b=68 | option_c=96 | option_d=48 | answer=D | explanation=20% of 243 = (20/100) × 243 = 48.

id=13442 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2024. If it is sold at a profit of 5%, what is its selling price? | option_a=2029 | option_b=2327 | option_c=2125 | option_d=1923 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2024 × 105/100 = █2125.

id=13443 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29235 at 4% per annum for 4 years. | option_a=4777 | option_b=4577 | option_c=4677 | option_d=33912 | answer=C | explanation=SI = PRT/100 = 29235×4×4/100 = █4677.

id=13444 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=30 | option_c=20 | option_d=25 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=13445 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=V | option_b=P | option_c=Y | option_d=S | answer=A | explanation=Move 3 positions forward from S; the resulting letter is V.

id=13446 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=26 | option_b=30 | option_c=31 | option_d=34 | answer=B | explanation=The common difference is 4. Therefore the next term is 26 + 4 = 30.

id=13447 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=125 | option_d=240 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=13448 | topic=Profit & Loss | difficulty=Easy | question=An article costs █778. If it is sold at a profit of 50%, what is its selling price? | option_a=828 | option_b=1244 | option_c=1167 | option_d=1090 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 778 × 150/100 = █1167.

id=13449 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:19 and the first is 80, what is the second? | option_a=156 | option_b=57 | option_c=96 | option_d=76 | answer=D | explanation=Scale factor = 80/20 = 4. Therefore second quantity = 19×4 = 76.

id=13450 | topic=Averages | difficulty=Easy | question=Find the average of 25, 55, 85. | option_a=54 | option_b=56 | option_c=55 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 165 ÷ 3 = 55.

id=13451 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:11 and the first is 16, what is the second? | option_a=30 | option_b=11 | option_c=22 | option_d=38 | answer=C | explanation=Scale factor = 16/8 = 2. Therefore second quantity = 11×2 = 22.

id=13452 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=X | option_b=R | option_c=V | option_d=T | answer=C | explanation=Move 2 positions forward from T; the resulting letter is V.

id=13453 | topic=Percentages | difficulty=Easy | question=What is 50% of 1720? | option_a=870 | option_b=850 | option_c=1720 | option_d=860 | answer=D | explanation=50% of 1720 = (50/100) × 1720 = 860.

id=13454 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=13455 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 21, 23, 28? | option_a=21 | option_b=19 | option_c=28 | option_d=23 | answer=C | explanation=The first three numbers increase by 2, so the next should be 25. Therefore 28 is the odd one out.

id=13456 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 43? | option_a=21 | option_b=35 | option_c=28 | option_d=43 | answer=D | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 43 is the odd one out.

id=13457 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=M | option_c=J | option_d=L | answer=D | explanation=Move 1 positions forward from K; the resulting letter is L.

id=13458 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4776. If it is sold at a profit of 20%, what is its selling price? | option_a=4796 | option_b=6208 | option_c=5254 | option_d=5731 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4776 × 120/100 = █5731.

id=13459 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=13460 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 28, 32, 37? | option_a=37 | option_b=28 | option_c=32 | option_d=24 | answer=A | explanation=The first three numbers increase by 4, so the next should be 36. Therefore 37 is the odd one out.

id=13461 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 16. | option_a=72 | option_b=32 | option_c=384 | option_d=48 | answer=D | explanation=LCM × HCF = 24×16; HCF(24,16) = 8, so LCM = 48.

id=13462 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 28. | option_a=672 | option_b=192 | option_c=140 | option_d=168 | answer=D | explanation=LCM × HCF = 24×28; HCF(24,28) = 4, so LCM = 168.

id=13463 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=13464 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=13465 | topic=Percentages | difficulty=Easy | question=What is 40% of 1312? | option_a=524 | option_b=529 | option_c=1048 | option_d=514 | answer=A | explanation=40% of 1312 = (40/100) × 1312 = 524.

id=13466 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=13467 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=96 | option_c=48 | option_d=53 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=13468 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=J | option_b=K | option_c=H | option_d=I | answer=A | explanation=Move 1 positions forward from I; the resulting letter is J.

id=13469 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 33, 39, 47? | option_a=47 | option_b=33 | option_c=27 | option_d=39 | answer=A | explanation=The first three numbers increase by 6, so the next should be 45. Therefore 47 is the odd one out.

id=13470 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25952 at 10% per annum for 1 years. | option_a=2695 | option_b=28547 | option_c=2595 | option_d=2495 | answer=C | explanation=SI = PRT/100 = 25952×10×1/100 = █2595.

Aptitude Questions — Records 13,471-13,500 of 100,000

id=13471 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=Q | option_b=S | option_c=U | option_d=W | answer=C | explanation=Move 2 positions forward from S; the resulting letter is U.

id=13472 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=13473 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=Z | option_b=P | option_c=E | option_d=U | answer=A | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=13474 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=13475 | topic=Percentages | difficulty=Easy | question=What is 10% of 165? | option_a=32 | option_b=11 | option_c=26 | option_d=16 | answer=D | explanation=10% of 165 = (10/100) × 165 = 16.

id=13476 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45002 at 5% per annum for 1 years. | option_a=2350 | option_b=2150 | option_c=47252 | option_d=2250 | answer=D | explanation=SI = PRT/100 = 45002×5×1/100 = **■**2250.

id=13477 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34784 at 5% per annum for 1 years. | option_a=1839 | option_b=1639 | option_c=36523 | option_d=1739 | answer=D | explanation=SI = PRT/100 = 34784×5×1/100 = **■**1739.

id=13478 | topic=Averages | difficulty=Easy | question=Find the average of 47, 70, 29, 86, 57, 65, 99, 46, 64, 97. | option_a=68 | option_b=66 | option_c=67 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 660 ÷ 10 = 66.

id=13479 | topic=Averages | difficulty=Easy | question=Find the average of 68, 28, 12. | option_a=37 | option_b=35 | option_c=36 | option_d=38 | answer=C | explanation=Average = sum of values ÷ number of values = 108 ÷ 3 = 36.

id=13480 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34073 at 15% per annum for 2 years. | option_a=10221 | option_b=10321 | option_c=44294 | option_d=10121 | answer=A | explanation=SI = PRT/100 = 34073×15×2/100 = **■**10221.

id=13481 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=I | option_b=A | option_c=W | option_d=E | answer=D | explanation=Move 4 positions forward from A; the resulting letter is E.

id=13482 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 11, 14, 18? | option_a=11 | option_b=14 | option_c=18 | option_d=8 | answer=C | explanation=The first three numbers increase by 3, so the next should be 17. Therefore 18 is the odd one out.

id=13483 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 8, 12, 18? | option_a=4 | option_b=18 | option_c=8 | option_d=12 | answer=B | explanation=The first three numbers increase by 4, so the next should be 16. Therefore 18 is the odd one out.

id=13484 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=T | option_c=W | option_d=V | answer=D | explanation=Move 1 positions forward from U; the resulting letter is V.

id=13485 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33040 at 4% per annum for 4 years. | option_a=5386 | option_b=5186 | option_c=38326 | option_d=5286 | answer=D | explanation=SI = PRT/100 = 33040×4×4/100 = **■**5286.

id=13486 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=13487 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 21, 27, 34? | option_a=27 | option_b=34 | option_c=15 | option_d=21 | answer=B | explanation=The first three numbers increase by 6, so the next should be 33. Therefore 34 is the odd one out.

id=13488 | topic=Averages | difficulty=Easy | question=Find the average of 35, 99, 78, 48. | option_a=65 | option_b=67 | option_c=64 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 260 ÷ 4 = 65.

id=13489 | topic=Averages | difficulty=Easy | question=Find the average of 35, 12, 66, 67, 36, 72. | option_a=50 | option_b=49 | option_c=48 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 288 ÷ 6 = 48.

id=13490 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 16. | option_a=80 | option_b=160 | option_c=90 | option_d=64 | answer=A | explanation=LCM × HCF = 10×16; HCF(10,16) = 2, so LCM = 80.

id=13491 | topic=Percentages | difficulty=Easy | question=What is 15% of 358? | option_a=53 | option_b=58 | option_c=106 | option_d=43 | answer=A | explanation=15% of 358 = (15/100) × 358 = 53.

id=13492 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1149. If it is sold at a profit of 10%, what is its selling price? | option_a=1149 | option_b=1263 | option_c=1159 | option_d=1377 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1149 × 110/100 = **■**1263.

id=13493 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 35, 40, 47? | option_a=40 | option_b=47 | option_c=30 | option_d=35 | answer=B | explanation=The first three numbers increase by 5, so the next should be 45. Therefore 47 is the odd one out.

id=13494 | topic=Percentages | difficulty=Easy | question=What is 30% of 1398? | option_a=399 | option_b=838 | option_c=424 | option_d=419 | answer=D | explanation=30% of 1398 = (30/100) × 1398 = 419.

id=13495 | topic=Averages | difficulty=Easy | question=Find the average of 59, 73, 64, 85, 24, 31. | option_a=56 | option_b=55 | option_c=58 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 336 ÷ 6 = 56.

id=13496 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=15 | option_b=14 | option_c=11 | option_d=13 | answer=D | explanation=The common difference is 2. Therefore the next term is 11 + 2 = 13.

id=13497 | topic=Averages | difficulty=Easy | question=Find the average of 60, 67, 57, 100. | option_a=70 | option_b=73 | option_c=72 | option_d=71 | answer=D | explanation=Average = sum of values ÷ number of values = 284 ÷ 4 = 71.

id=13498 | topic=Percentages | difficulty=Easy | question=What is 5% of 1055? | option_a=52 | option_b=32 | option_c=72 | option_d=104 | answer=A | explanation=5% of 1055 = (5/100) × 1055 = 52.

id=13499 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2530. If it is sold at a profit of 20%, what is its selling price? | option_a=2550 | option_b=2783 | option_c=3289 | option_d=3036 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2530 × 120/100 = **■**3036.

id=13500 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 20, 27, 37? | option_a=37 | option_b=13 | option_c=20 | option_d=27 | answer=A | explanation=The first three numbers increase by 7, so the next should be 34. Therefore 37 is the odd one out.

Aptitude Questions — Records 13,501-13,530 of 100,000

id=13501 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=36 | option_d=13 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=13502 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=L | option_c=N | option_d=O | answer=C | explanation=Move 1 positions forward from M; the resulting letter is N.

id=13503 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49933 at 4% per annum for 3 years. | option_a=5891 | option_b=5991 | option_c=6091 | option_d=55924 | answer=B | explanation=SI = PRT/100 = 49933×4×3/100 = **■**5991.

id=13504 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=31 | option_b=35 | option_c=27 | option_d=32 | answer=A | explanation=The common difference is 4. Therefore the next term is 27 + 4 = 31.

id=13505 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:7 and the first is 60, what is the second? | option_a=81 | option_b=41 | option_c=21 | option_d=14 | answer=C | explanation=Scale factor = 60/20 = 3. Therefore second quantity = 7×3 = 21.

id=13506 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:15 and the first is 72, what is the second? | option_a=45 | option_b=78 | option_c=132 | option_d=60 | answer=D | explanation=Scale factor = 72/18 = 4. Therefore second quantity = 15×4 = 60.

id=13507 | topic=Percentages | difficulty=Easy | question=What is 15% of 601? | option_a=90 | option_b=110 | option_c=70 | option_d=180 | answer=A | explanation=15% of 601 = (15/100) × 601 = 90.

id=13508 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**922. If it is sold at a profit of 50%, what is its selling price? | option_a=1383 | option_b=1475 | option_c=1291 | option_d=972 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 922 × 150/100 = **■**1383.

id=13509 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:9 and the first is 60, what is the second? | option_a=18 | option_b=47 | option_c=87 | option_d=27 | answer=D | explanation=Scale factor = 60/20 = 3. Therefore second quantity = 9×3 = 27.

id=13510 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3461. If it is sold at a profit of 5%, what is its selling price? | option_a=3288 | option_b=3634 | option_c=3980 | option_d=3466 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3461 × 105/100 = **■**3634.

id=13511 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**333. If it is sold at a profit of 5%, what is its selling price? | option_a=382 | option_b=316 | option_c=338 | option_d=349 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 333 × 105/100 = **■**349.

id=13512 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 17, 26, 36? | option_a=36 | option_b=17 | option_c=26 | option_d=8 | answer=A | explanation=The first three numbers increase by 9, so the next should be 35. Therefore 36 is the odd one out.

id=13513 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3100 at 5% per annum for 5 years. | option_a=775 | option_b=675 | option_c=3875 | option_d=875 | answer=A | explanation=SI = PRT/100 = 3100×5×5/100 = **■**775.

id=13514 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42514 at 4% per annum for 3 years. | option_a=5101 | option_b=47615 | option_c=5001 | option_d=5201 | answer=A | explanation=SI = PRT/100 = 42514×4×3/100 = **■**5101.

id=13515 | topic=Percentages | difficulty=Easy | question=What is 25% of 166? | option_a=36 | option_b=82 | option_c=41 | option_d=51 | answer=C | explanation=25% of 166 = (25/100) × 166 = 41.

id=13516 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=31 | option_c=72 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=13517 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=13518 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32651 at 4% per annum for 2 years. | option_a=35263 | option_b=2512 | option_c=2612 | option_d=2712 | answer=C | explanation=SI = PRT/100 = 32651×4×2/100 = **■**2612.

id=13519 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:13 and the first is 65, what is the second? | option_a=65 | option_b=130 | option_c=52 | option_d=78 | answer=A | explanation=Scale factor = 65/13 = 5. Therefore second quantity = 13×5 = 65.

id=13520 | topic=Averages | difficulty=Easy | question=Find the average of 19, 56, 60, 85. | option_a=54 | option_b=56 | option_c=55 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 220 ÷ 4 = 55.

id=13521 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3503. If it is sold at a profit of 15%, what is its selling price? | option_a=3678 | option_b=4028 | option_c=4378 | option_d=3518 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3503 × 115/100 = **■**4028.

id=13522 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2320. If it is sold at a profit of 30%, what is its selling price? | option_a=3016 | option_b=2784 | option_c=3248 | option_d=2350 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2320 × 130/100 = **■**3016.

id=13523 | topic=Percentages | difficulty=Easy | question=What is 30% of 395? | option_a=118 | option_b=123 | option_c=236 | option_d=98 | answer=A | explanation=30% of 395 = (30/100) × 395 = 118.

id=13524 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4627. If it is sold at a profit of 40%, what is its selling price? | option_a=6939 | option_b=4667 | option_c=6015 | option_d=6477 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4627 × 140/100 = **■**6477.

id=13525 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 255, what is the second? | option_a=66 | option_b=51 | option_c=48 | option_d=306 | answer=B | explanation=Scale factor = 255/15 = 17. Therefore second quantity = 3×17 = 51.

id=13526 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=G | option_c=C | option_d=O | answer=A | explanation=Move 4 positions forward from G; the resulting letter is K.

id=13527 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:12 and the first is 323, what is the second? | option_a=204 | option_b=192 | option_c=527 | option_d=223 | answer=A | explanation=Scale factor = 323/19 = 17. Therefore second quantity = 12×17 = 204.

id=13528 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=B | option_b=J | option_c=N | option_d=F | answer=B | explanation=Move 4 positions forward from F; the resulting letter is J.

id=13529 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4020. If it is sold at a profit of 40%, what is its selling price? | option_a=4060 | option_b=5628 | option_c=5226 | option_d=6030 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4020 × 140/100 = **■**5628.

id=13530 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4081. If it is sold at a profit of 15%, what is its selling price? | option_a=4096 | option_b=4693 | option_c=4285 | option_d=5101 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4081 × 115/100 = **■**4693.

Aptitude Questions — Records 13,531-13,560 of 100,000

id=13531 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:6 and the first is 13, what is the second? | option_a=72 | option_b=79 | option_c=78 | option_d=91 | answer=C | explanation=Scale factor = 13/1 = 13. Therefore second quantity = 6×13 = 78.

id=13532 | topic=Averages | difficulty=Easy | question=Find the average of 76, 58, 88. | option_a=73 | option_b=74 | option_c=76 | option_d=75 | answer=B | explanation=Average = sum of values ÷ number of values = 222 ÷ 3 = 74.

id=13533 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8468 at 4% per annum for 5 years. | option_a=1593 | option_b=1793 | option_c=1693 | option_d=10161 | answer=C | explanation=SI = PRT/100 = 8468×4×5/100 = **■**1693.

id=13534 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43075 at 6% per annum for 3 years. | option_a=7753 | option_b=7653 | option_c=50828 | option_d=7853 | answer=A | explanation=SI = PRT/100 = 43075×6×3/100 = **■**7753.

id=13535 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:1 and the first is 289, what is the second? | option_a=306 | option_b=34 | option_c=17 | option_d=16 | answer=C | explanation=Scale factor = 289/17 = 17. Therefore second quantity = 1×17 = 17.

id=13536 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29692 at 10% per annum for 2 years. | option_a=35630 | option_b=5838 | option_c=6038 | option_d=5938 | answer=D | explanation=SI = PRT/100 = 29692×10×2/100 = **■**5938.

id=13537 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=38 | option_b=39 | option_c=32 | option_d=44 | answer=A | explanation=The common difference is 6. Therefore the next term is 32 + 6 = 38.

id=13538 | topic=Averages | difficulty=Easy | question=Find the average of 46, 100, 58, 30, 30, 48. | option_a=52 | option_b=51 | option_c=53 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 312 ÷ 6 = 52.

id=13539 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36187 at 8% per annum for 2 years. | option_a=41976 | option_b=5689 | option_c=5789 | option_d=5889 | answer=C | explanation=SI = PRT/100 = 36187×8×2/100 = **■**5789.

id=13540 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=F | option_b=I | option_c=H | option_d=G | answer=C | explanation=Move 1 positions forward from G; the resulting letter is H.

id=13541 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=L | option_b=M | option_c=K | option_d=J | answer=A | explanation=Move 1 positions forward from K; the resulting letter is L.

id=13542 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 32? | option_a=25 | option_b=20 | option_c=15 | option_d=32 | answer=D | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 32 is the odd one out.

id=13543 | topic=Averages | difficulty=Easy | question=Find the average of 93, 46, 16, 40, 55, 30, 66, 14, 45. | option_a=47 | option_b=44 | option_c=45 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 405 ÷ 9 = 45.

id=13544 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 44? | option_a=28 | option_b=21 | option_c=35 | option_d=44 | answer=D | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 44 is the odd one out.

id=13545 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28084 at 5% per annum for 2 years. | option_a=2708 | option_b=2908 | option_c=30892 | option_d=2808 | answer=D | explanation=SI = PRT/100 = 28084×5×2/100 = **■**2808.

id=13546 | topic=Percentages | difficulty=Easy | question=What is 5% of 1797? | option_a=178 | option_b=94 | option_c=69 | option_d=89 | answer=D | explanation=5% of 1797 = (5/100) × 1797 = 89.

id=13547 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=13548 | topic=Averages | difficulty=Easy | question=Find the average of 85, 73, 20, 22. | option_a=52 | option_b=51 | option_c=49 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 200 ÷ 4 = 50.

id=13549 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=V | option_b=F | option_c=A | option_d=K | answer=B | explanation=Move 5 positions forward from A; the resulting letter is F.

id=13550 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16342 at 10% per annum for 3 years. | option_a=4902 | option_b=21244 | option_c=5002 | option_d=4802 | answer=A | explanation=SI = PRT/100 = 16342×10×3/100 = **■**4902.

id=13551 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=13552 | topic=Percentages | difficulty=Easy | question=What is 30% of 1464? | option_a=878 | option_b=439 | option_c=444 | option_d=429 | answer=B | explanation=30% of 1464 = (30/100) × 1464 = 439.

id=13553 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=35 | option_b=40 | option_c=34 | option_d=28 | answer=C | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.

id=13554 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:16 and the first is 28, what is the second? | option_a=224 | option_b=208 | option_c=226 | option_d=252 | answer=A | explanation=Scale factor = 28/2 = 14. Therefore second quantity = 16×14 = 224.

id=13555 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:2 and the first is 56, what is the second? | option_a=32 | option_b=84 | option_c=26 | option_d=28 | answer=D | explanation=Scale factor = 56/4 = 14. Therefore second quantity = 2×14 = 28.

id=13556 | topic=Percentages | difficulty=Easy | question=What is 20% of 1100? | option_a=440 | option_b=200 | option_c=220 | option_d=225 | answer=C | explanation=20% of 1100 = (20/100) × 1100 = 220.

id=13557 | topic=Percentages | difficulty=Easy | question=What is 15% of 1865? | option_a=279 | option_b=299 | option_c=259 | option_d=558 | answer=A | explanation=15% of 1865 = (15/100) × 1865 = 279.

id=13558 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 44? | option_a=37 | option_b=25 | option_c=31 | option_d=44 | answer=D | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 44 is the odd one out.

id=13559 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=13560 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=40 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

Aptitude Questions — Records 13,561-13,590 of 100,000

id=13561 | topic=Averages | difficulty=Easy | question=Find the average of 64, 67, 78, 91. | option_a=77 | option_b=76 | option_c=75 | option_d=74 | answer=C | explanation=Average = sum of values ÷ number of values = 300 ÷ 4 = 75.

id=13562 | topic=Averages | difficulty=Easy | question=Find the average of 43, 46, 40, 18, 86, 67, 98, 56, 43, 33. | option_a=53 | option_b=55 | option_c=52 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=13563 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34634 at 4% per annum for 1 years. | option_a=1285 | option_b=1485 | option_c=1385 | option_d=36019 | answer=C | explanation=SI = PRT/100 = 34634×4×1/100 = █1385.

id=13564 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34522 at 6% per annum for 3 years. | option_a=40735 | option_b=6213 | option_c=6113 | option_d=6313 | answer=B | explanation=SI = PRT/100 = 34522×6×3/100 = █6213.

id=13565 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3019. If it is sold at a profit of 50%, what is its selling price? | option_a=4227 | option_b=3069 | option_c=4829 | option_d=4528 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3019 × 150/100 = █4528.

id=13566 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=D | option_b=S | option_c=I | option_d=N | answer=D | explanation=Move 5 positions forward from I; the resulting letter is N.

id=13567 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=38 | option_b=35 | option_c=30 | option_d=34 | answer=D | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.

id=13568 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 22? | option_a=14 | option_b=22 | option_c=18 | option_d=16 | answer=B | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 22 is the odd one out.

id=13569 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=50 | option_c=25 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=13570 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 10, 16, 25? | option_a=25 | option_b=4 | option_c=10 | option_d=16 | answer=A | explanation=The first three numbers increase by 6, so the next should be 22. Therefore 25 is the odd one out.

id=13571 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:7 and the first is 108, what is the second? | option_a=56 | option_b=75 | option_c=63 | option_d=171 | answer=C | explanation=Scale factor = 108/12 = 9. Therefore second quantity = 7×9 = 63.

id=13572 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=42 | option_b=35 | option_c=41 | option_d=47 | answer=C | explanation=The common difference is 6. Therefore the next term is 35 + 6 = 41.

id=13573 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:9 and the first is 28, what is the second? | option_a=43 | option_b=64 | option_c=27 | option_d=36 | answer=D | explanation=Scale factor = 28/7 = 4. Therefore second quantity = 9×4 = 36.

id=13574 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=M | option_b=K | option_c=N | option_d=L | answer=A | explanation=Move 1 positions forward from L; the resulting letter is M.

id=13575 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:5 and the first is 7, what is the second? | option_a=36 | option_b=35 | option_c=42 | option_d=30 | answer=B | explanation=Scale factor = 7/1 = 7. Therefore second quantity = 5×7 = 35.

id=13576 | topic=Percentages | difficulty=Easy | question=What is 12% of 1466? | option_a=350 | option_b=195 | option_c=170 | option_d=175 | answer=D | explanation=12% of 1466 = (12/100) × 1466 = 175.

id=13577 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 31? | option_a=20 | option_b=31 | option_c=16 | option_d=24 | answer=B | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 31 is the odd one out.

id=13578 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=W | option_b=Z | option_c=T | option_d=Q | answer=A | explanation=Move 3 positions forward from T; the resulting letter is W.

id=13579 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 18, 22, 27? | option_a=22 | option_b=27 | option_c=18 | option_d=14 | answer=B | explanation=The first three numbers increase by 4, so the next should be 26. Therefore 27 is the odd one out.

id=13580 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 41? | option_a=34 | option_b=22 | option_c=28 | option_d=41 | answer=D | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 41 is the odd one out.

id=13581 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3746. If it is sold at a profit of 5%, what is its selling price? | option_a=3933 | option_b=3559 | option_c=4307 | option_d=3751 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3746 × 105/100 = █3933.

id=13582 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:16 and the first is 24, what is the second? | option_a=112 | option_b=152 | option_c=128 | option_d=131 | answer=C | explanation=Scale factor = 24/3 = 8. Therefore second quantity = 16×8 = 128.

id=13583 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=C | option_c=L | option_d=I | answer=D | explanation=Move 3 positions forward from F; the resulting letter is I.

id=13584 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3696. If it is sold at a profit of 30%, what is its selling price? | option_a=4804 | option_b=3726 | option_c=5173 | option_d=4435 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3696 × 130/100 = █4804.

id=13585 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3871. If it is sold at a profit of 20%, what is its selling price? | option_a=3891 | option_b=5032 | option_c=4645 | option_d=4258 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3871 × 120/100 = █4645.

id=13586 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49382 at 4% per annum for 4 years. | option_a=57283 | option_b=8001 | option_c=7801 | option_d=7901 | answer=D | explanation=SI = PRT/100 = 49382×4×4/100 = █7901.

id=13587 | topic=Averages | difficulty=Easy | question=Find the average of 76, 57, 31, 13, 55, 77, 48. | option_a=52 | option_b=51 | option_c=50 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.

id=13588 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 33? | option_a=12 | option_b=24 | option_c=18 | option_d=33 | answer=D | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 33 is the odd one out.

id=13589 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:16 and the first is 162, what is the second? | option_a=297 | option_b=450 | option_c=288 | option_d=272 | answer=C | explanation=Scale factor = 162/9 = 18. Therefore second quantity = 16×18 = 288.

id=13590 | topic=Percentages | difficulty=Easy | question=What is 25% of 1457? | option_a=384 | option_b=364 | option_c=359 | option_d=728 | answer=B | explanation=25% of 1457 = (25/100) × 1457 = 364.

Aptitude Questions — Records 13,591-13,620 of 100,000

id=13591 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=55 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=13592 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=50 | option_b=61 | option_c=51 | option_d=39 | answer=A | explanation=The common difference is 11. Therefore the next term is 39 + 11 = 50.

id=13593 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=66 | option_b=56 | option_c=46 | option_d=57 | answer=B | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=13594 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37612 at 15% per annum for 4 years. | option_a=22667 | option_b=22467 | option_c=60179 | option_d=22567 | answer=D | explanation=SI = $\frac{PRT}{100}$ = $\frac{37612 \times 15 \times 4}{100}$ = **■**22567.

id=13595 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:6 and the first is 35, what is the second? | option_a=77 | option_b=42 | option_c=47 | option_d=36 | answer=B | explanation=Scale factor = $\frac{35}{5}$ = 7. Therefore second quantity = 6×7 = 42.

id=13596 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:16 and the first is 221, what is the second? | option_a=493 | option_b=285 | option_c=272 | option_d=256 | answer=C | explanation=Scale factor = $\frac{221}{13}$ = 17. Therefore second quantity = 16×17 = 272.

id=13597 | topic=Percentages | difficulty=Easy | question=What is 20% of 1339? | option_a=534 | option_b=267 | option_c=247 | option_d=272 | answer=B | explanation=20% of 1339 = $(\frac{20}{100}) \times 1339$ = 267.

id=13598 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=6 | option_d=20 | answer=B | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.

id=13599 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

id=13600 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 22, 27, 32, ? | option_a=38 | option_b=42 | option_c=37 | option_d=32 | answer=C | explanation=The common difference is 5. Therefore the next term is 32 + 5 = 37.

id=13601 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:9 and the first is 17, what is the second? | option_a=144 | option_b=170 | option_c=154 | option_d=153 | answer=D | explanation=Scale factor = $\frac{17}{1} = 17$. Therefore second quantity = $9 \times 17 = 153$.

id=13602 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=17 | option_b=25 | option_c=22 | option_d=21 | answer=D | explanation=The common difference is 4. Therefore the next term is 17 + 4 = 21.

id=13603 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 47? | option_a=19 | option_b=37 | option_c=47 | option_d=28 | answer=C | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 47 is the odd one out.

id=13604 | topic=Percentages | difficulty=Easy | question=What is 50% of 1882? | option_a=1882 | option_b=941 | option_c=946 | option_d=921 | answer=B | explanation=50% of 1882 = $(\frac{50}{100}) \times 1882 = 941$.

id=13605 | topic=Percentages | difficulty=Easy | question=What is 50% of 1708? | option_a=854 | option_b=834 | option_c=874 | option_d=1708 | answer=A | explanation=50% of 1708 = $(\frac{50}{100}) \times 1708 = 854$.

id=13606 | topic=Averages | difficulty=Easy | question=Find the average of 44, 93, 57, 85, 74, 97. | option_a=77 | option_b=76 | option_c=75 | option_d=74 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{450}{6} = 75$.

id=13607 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3890. If it is sold at a profit of 30%, what is its selling price? | option_a=5057 | option_b=4668 | option_c=3920 | option_d=5446 | answer=A | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 3890 \times \frac{130}{100} = \text{■}5057$.

id=13608 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=40 | option_c=25 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = $\frac{120}{6} = 20$ km/h.

id=13609 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26656 at 12% per annum for 2 years. | option_a=6397 | option_b=6497 | option_c=33053 | option_d=6297 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{26656 \times 12 \times 2}{100} = \text{■}6397$.

id=13610 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 25? | option_a=25 | option_b=21 | option_c=15 | option_d=18 | answer=A | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 25 is the odd one out.

id=13611 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2674. If it is sold at a profit of 25%, what is its selling price? | option_a=3609 | option_b=3075 | option_c=2699 | option_d=3342 | answer=D | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 2674 \times \frac{125}{100} = \text{■}3342$.

id=13612 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33821 at 15% per annum for 5 years. | option_a=25265 | option_b=25465 | option_c=59186 | option_d=25365 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{33821 \times 15 \times 5}{100} = \text{■}25365$.

id=13613 | topic=Averages | difficulty=Easy | question=Find the average of 25, 78, 96, 32, 46, 55, 39. | option_a=55 | option_b=52 | option_c=54 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{371}{7} = 53$.

id=13614 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20577 at 5% per annum for 2 years. | option_a=22634 | option_b=1957 | option_c=2157 | option_d=2057 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{20577 \times 5 \times 2}{100} = \text{■}2057$.

id=13615 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:6 and the first is 54, what is the second? | option_a=60 | option_b=48 | option_c=108 | option_d=54 | answer=D | explanation=Scale factor = $\frac{54}{6} = 9$. Therefore second quantity = $6 \times 9 = 54$.

id=13616 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21571 at 4% per annum for 2 years. | option_a=1625 | option_b=23296 | option_c=1725 | option_d=1825 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{21571 \times 4 \times 2}{100} = \text{■}1725$.

id=13617 | topic=Percentages | difficulty=Easy | question=What is 40% of 1490? | option_a=616 | option_b=591 | option_c=1192 | option_d=596 | answer=D | explanation=40% of 1490 = $(\frac{40}{100}) \times 1490 = 596$.

id=13618 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12760 at 6% per annum for 2 years. | option_a=1631 | option_b=1531 | option_c=1431 | option_d=14291 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{12760 \times 6 \times 2}{100} = \text{■}1531$.

id=13619 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3333. If it is sold at a profit of 40%, what is its selling price? | option_a=3373 | option_b=4666 | option_c=4333 | option_d=4999 | answer=B | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 3333 \times \frac{140}{100} = \text{■}4666$.

id=13620 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:17 and the first is 6, what is the second? | option_a=40 | option_b=17 | option_c=37 | option_d=34 | answer=D | explanation=Scale factor = $\frac{6}{3} = 2$. Therefore second quantity = $17 \times 2 = 34$.

Aptitude Questions — Records 13,621-13,650 of 100,000

id=13621 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=X | option_c=O | option_d=U | answer=D | explanation=Move 3 positions forward from R; the resulting letter is U.

id=13622 | topic=Averages | difficulty=Easy | question=Find the average of 74, 80, 29, 74, 10, 99, 35, 23. | option_a=53 | option_b=55 | option_c=52 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.

id=13623 | topic=Averages | difficulty=Easy | question=Find the average of 17, 20, 67, 60, 87, 36, 24, 46, 13, 30. | option_a=40 | option_b=41 | option_c=39 | option_d=42 | answer=A | explanation=Average = sum of values ÷ number of values = 400 ÷ 10 = 40.

id=13624 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=49 | option_b=48 | option_c=37 | option_d=59 | answer=B | explanation=The common difference is 11. Therefore the next term is 37 + 11 = 48.

id=13625 | topic=Averages | difficulty=Easy | question=Find the average of 31, 84, 67, 48, 55, 96, 86, 39, 54, 60. | option_a=64 | option_b=63 | option_c=61 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 620 ÷ 10 = 62.

id=13626 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39757 at 6% per annum for 2 years. | option_a=44527 | option_b=4670 | option_c=4870 | option_d=4770 | answer=D | explanation=SI = PRT/100 = 39757×6×2/100 = **■**4770.

id=13627 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=13628 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31466 at 8% per annum for 5 years. | option_a=44052 | option_b=12586 | option_c=12686 | option_d=12486 | answer=B | explanation=SI = PRT/100 = 31466×8×5/100 = **■**12586.

id=13629 | topic=Percentages | difficulty=Easy | question=What is 12% of 291? | option_a=34 | option_b=44 | option_c=29 | option_d=68 | answer=A | explanation=12% of 291 = (12/100) × 291 = 34.

id=13630 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:4 and the first is 154, what is the second? | option_a=56 | option_b=67 | option_c=52 | option_d=210 | answer=A | explanation=Scale factor = 154/11 = 14. Therefore second quantity = 4×14 = 56.

id=13631 | topic=Percentages | difficulty=Easy | question=What is 10% of 806? | option_a=100 | option_b=75 | option_c=80 | option_d=160 | answer=C | explanation=10% of 806 = (10/100) × 806 = 80.

id=13632 | topic=Averages | difficulty=Easy | question=Find the average of 57, 13, 95, 79. | option_a=60 | option_b=63 | option_c=62 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 244 ÷ 4 = 61.

id=13633 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32549 at 15% per annum for 5 years. | option_a=56960 | option_b=24311 | option_c=24411 | option_d=24511 | answer=C | explanation=SI = PRT/100 = 32549×15×5/100 = **■**24411.

id=13634 | topic=Averages | difficulty=Easy | question=Find the average of 33, 39, 31, 28, 98, 36, 15. | option_a=41 | option_b=40 | option_c=39 | option_d=42 | answer=B | explanation=Average = sum of values ÷ number of values = 280 ÷ 7 = 40.

id=13635 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1593. If it is sold at a profit of 40%, what is its selling price? | option_a=1633 | option_b=2071 | option_c=2230 | option_d=2389 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1593 × 140/100 = **■**2230.

id=13636 | topic=Averages | difficulty=Easy | question=Find the average of 26, 34, 67, 42, 100, 38, 64. | option_a=55 | option_b=52 | option_c=53 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 371 ÷ 7 = 53.

id=13637 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=38 | option_b=30 | option_c=34 | option_d=35 | answer=C | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.

id=13638 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=13639 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 8. | option_a=40 | option_b=60 | option_c=160 | option_d=32 | answer=A | explanation=LCM × HCF = 20×8; HCF(20,8) = 4, so LCM = 40.

id=13640 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44198 at 10% per annum for 1 years. | option_a=4319 | option_b=4419 | option_c=4519 | option_d=48617 | answer=B | explanation=SI = PRT/100 = 44198×10×1/100 = **■**4419.

id=13641 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29860 at 8% per annum for 3 years. | option_a=7066 | option_b=7266 | option_c=7166 | option_d=37026 | answer=C | explanation=SI = PRT/100 = 29860×8×3/100 = **■**7166.

id=13642 | topic=Averages | difficulty=Easy | question=Find the average of 53, 41, 96, 84, 35, 43, 69, 87, 77. | option_a=66 | option_b=64 | option_c=67 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 585 ÷ 9 = 65.

id=13643 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 25, 31, 40? | option_a=31 | option_b=25 | option_c=19 | option_d=40 | answer=D | explanation=The first three numbers increase by 6, so the next should be 37. Therefore 40 is the odd one out.

id=13644 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=13645 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=150 | option_c=145 | option_d=155 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=13646 | topic=Percentages | difficulty=Easy | question=What is 25% of 1021? | option_a=265 | option_b=510 | option_c=235 | option_d=255 | answer=D | explanation=25% of 1021 = (25/100) × 1021 = 255.

id=13647 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:12 and the first is 98, what is the second? | option_a=84 | option_b=182 | option_c=72 | option_d=98 | answer=A | explanation=Scale factor = 98/14 = 7. Therefore second quantity = 12×7 = 84.

id=13648 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 17, 27, 38? | option_a=17 | option_b=38 | option_c=7 | option_d=27 | answer=B | explanation=The first three numbers increase by 10, so the next should be 37. Therefore 38 is the odd one out.

id=13649 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=13650 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=W | option_b=M | option_c=R | option_d=H | answer=C | explanation=Move 5 positions forward from M; the resulting letter is R.

Aptitude Questions — Records 13,651-13,680 of 100,000

id=13651 | topic=Averages | difficulty=Easy | question=Find the average of 22, 58, 65, 35, 24, 75, 43, 86. | option_a=50 | option_b=51 | option_c=53 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 408 ÷ 8 = 51.

id=13652 | topic=Averages | difficulty=Easy | question=Find the average of 57, 71, 16, 81, 23, 73, 71. | option_a=57 | option_b=56 | option_c=58 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 392 ÷ 7 = 56.

id=13653 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:8 and the first is 119, what is the second? | option_a=136 | option_b=255 | option_c=143 | option_d=128 | answer=A | explanation=Scale factor = 119/7 = 17. Therefore second quantity = 8×17 = 136.

id=13654 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=24 | option_d=29 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=13655 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■42363 at 8% per annum for 4 years. | option_a=13656 | option_b=55919 | option_c=13456 | option_d=13556 | answer=D | explanation=SI = $PRT/100 = 42363 \times 8 \times 4/100 = \blacksquare 13556$.

id=13656 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 11? | option_a=6 | option_b=11 | option_c=2 | option_d=4 | answer=B | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 11 is the odd one out.

id=13657 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:9 and the first is 135, what is the second? | option_a=216 | option_b=81 | option_c=72 | option_d=96 | answer=B | explanation=Scale factor = 135/15 = 9. Therefore second quantity = 9×9 = 81.

id=13658 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=13659 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=125 | option_c=120 | option_d=115 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=13660 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 35, 44, 56? | option_a=35 | option_b=44 | option_c=26 | option_d=56 | answer=D | explanation=The first three numbers increase by 9, so the next should be 53. Therefore 56 is the odd one out.

id=13661 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=13662 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=54 | option_b=42 | option_c=53 | option_d=64 | answer=C | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.

id=13663 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 8, 10, 14? | option_a=10 | option_b=8 | option_c=6 | option_d=14 | answer=D | explanation=The first three numbers increase by 2, so the next should be 12. Therefore 14 is the odd one out.

id=13664 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 49? | option_a=42 | option_b=30 | option_c=49 | option_d=36 | answer=C | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 49 is the odd one out.

id=13665 | topic=Averages | difficulty=Easy | question=Find the average of 73, 44, 72, 89, 72, 82, 72. | option_a=72 | option_b=71 | option_c=74 | option_d=73 | answer=A | explanation=Average = sum of values ÷ number of values = 504 ÷ 7 = 72.

id=13666 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■20381 at 6% per annum for 5 years. | option_a=6014 | option_b=26495 | option_c=6114 | option_d=6214 | answer=C | explanation=SI = $PRT/100 = 20381 \times 6 \times 5/100 = \blacksquare 6114$.

id=13667 | topic=Percentages | difficulty=Easy | question=What is 10% of 1232? | option_a=103 | option_b=143 | option_c=123 | option_d=246 | answer=C | explanation=10% of 1232 = $(10/100) \times 1232 = 123$.

id=13668 | topic=Percentages | difficulty=Easy | question=What is 15% of 533? | option_a=99 | option_b=79 | option_c=158 | option_d=69 | answer=B | explanation=15% of 533 = $(15/100) \times 533 = 79$.

id=13669 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=50 | option_d=100 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=13670 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=42 | option_b=51 | option_c=60 | option_d=52 | answer=B | explanation=The common difference is 9. Therefore the next term is 42 + 9 = 51.

id=13671 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=16 | option_d=3 | answer=B | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=13672 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:18 and the first is 44, what is the second? | option_a=198 | option_b=202 | option_c=242 | option_d=180 | answer=A | explanation=Scale factor = 44/4 = 11. Therefore second quantity = 18×11 = 198.

id=13673 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14090 at 10% per annum for 1 years. | option_a=1409 | option_b=15499 | option_c=1309 | option_d=1509 | answer=A | explanation=SI = $PRT/100 = 14090 \times 10 \times 1/100 = \blacksquare 1409$.

id=13674 | topic=Averages | difficulty=Easy | question=Find the average of 96, 90, 23, 93, 44, 58, 72. | option_a=67 | option_b=70 | option_c=69 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = 476 ÷ 7 = 68.

id=13675 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3679. If it is sold at a profit of 25%, what is its selling price? | option_a=3704 | option_b=4965 | option_c=4598 | option_d=4231 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3679 \times 125/100 = \blacksquare 4598$.

id=13676 | topic=Averages | difficulty=Easy | question=Find the average of 28, 90, 87, 11, 18, 38, 36, 52. | option_a=45 | option_b=47 | option_c=44 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 360 ÷ 8 = 45.

id=13677 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=43 | option_b=44 | option_c=51 | option_d=35 | answer=A | explanation=The common difference is 8. Therefore the next term is 35 + 8 = 43.

id=13678 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:2 and the first is 24, what is the second? | option_a=16 | option_b=28 | option_c=4 | option_d=2 | answer=C | explanation=Scale factor = 24/12 = 2. Therefore second quantity = 2×2 = 4.

id=13679 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 28. | option_a=112 | option_b=84 | option_c=128 | option_d=448 | answer=A | explanation=LCM × HCF = 16×28; HCF(16,28) = 4, so LCM = 112.

id=13680 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■3106 at 4% per annum for 2 years. | option_a=248 | option_b=348 | option_c=3354 | option_d=148 | answer=A | explanation=SI = $PRT/100 = 3106 \times 4 \times 2/100 = \blacksquare 248$.

Aptitude Questions — Records 13,681-13,710 of 100,000

id=13681 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=B | option_b=E | option_c=D | option_d=C | answer=C | explanation=Move 1 positions forward from C; the resulting letter is D.

id=13682 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=13683 | topic=Profit & Loss | difficulty=Easy | question=An article costs █248. If it is sold at a profit of 40%, what is its selling price? | option_a=323 | option_b=371 | option_c=347 | option_d=288 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 248 × 140/100 = █347.

id=13684 | topic=Percentages | difficulty=Easy | question=What is 15% of 1417? | option_a=212 | option_b=424 | option_c=217 | option_d=202 | answer=A | explanation=15% of 1417 = (15/100) × 1417 = 212.

id=13685 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 53? | option_a=53 | option_b=32 | option_c=23 | option_d=41 | answer=A | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 53 is the odd one out.

id=13686 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=13687 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=P | option_b=K | option_c=F | option_d=A | answer=B | explanation=Move 5 positions forward from F; the resulting letter is K.

id=13688 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 21? | option_a=2 | option_b=21 | option_c=8 | option_d=14 | answer=B | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 21 is the odd one out.

id=13689 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 25. | option_a=50 | option_b=90 | option_c=75 | option_d=375 | answer=C | explanation=LCM × HCF = 15×25; HCF(15,25) = 5, so LCM = 75.

id=13690 | topic=Averages | difficulty=Easy | question=Find the average of 83, 55, 60, 73, 54. | option_a=66 | option_b=65 | option_c=67 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 325 ÷ 5 = 65.

id=13691 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4885. If it is sold at a profit of 50%, what is its selling price? | option_a=4935 | option_b=7815 | option_c=7327 | option_d=6839 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4885 × 150/100 = █7327.

id=13692 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33646 at 15% per annum for 1 years. | option_a=38692 | option_b=5146 | option_c=5046 | option_d=4946 | answer=C | explanation=SI = PRT/100 = 33646×15×1/100 = █5046.

id=13693 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10586 at 5% per annum for 5 years. | option_a=2546 | option_b=13232 | option_c=2646 | option_d=2746 | answer=C | explanation=SI = PRT/100 = 10586×5×5/100 = █2646.

id=13694 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 24, 33, 45? | option_a=45 | option_b=33 | option_c=24 | option_d=15 | answer=A | explanation=The first three numbers increase by 9, so the next should be 42. Therefore 45 is the odd one out.

id=13695 | topic=Averages | difficulty=Easy | question=Find the average of 90, 80, 41, 77, 91, 23, 48, 84, 98, 68. | option_a=69 | option_b=72 | option_c=70 | option_d=71 | answer=C | explanation=Average = sum of values ÷ number of values = 700 ÷ 10 = 70.

id=13696 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=A | option_c=Y | option_d=C | answer=D | explanation=Move 2 positions forward from A; the resulting letter is C.

id=13697 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=13698 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46384 at 15% per annum for 4 years. | option_a=27730 | option_b=27930 | option_c=74214 | option_d=27830 | answer=D | explanation=SI = PRT/100 = 46384×15×4/100 = █27830.

id=13699 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14598 at 12% per annum for 3 years. | option_a=5355 | option_b=5255 | option_c=5155 | option_d=19853 | answer=B | explanation=SI = PRT/100 = 14598×12×3/100 = █5255.

id=13700 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:4 and the first is 342, what is the second? | option_a=94 | option_b=72 | option_c=418 | option_d=76 | answer=D | explanation=Scale factor = 342/18 = 19. Therefore second quantity = 4×19 = 76.

id=13701 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=36 | option_c=23 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=13702 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=22 | option_b=29 | option_c=34 | option_d=28 | answer=D | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.

id=13703 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 31, 39, 50? | option_a=39 | option_b=31 | option_c=23 | option_d=50 | answer=D | explanation=The first three numbers increase by 8, so the next should be 47. Therefore 50 is the odd one out.

id=13704 | topic=Averages | difficulty=Easy | question=Find the average of 47, 13, 12. | option_a=24 | option_b=26 | option_c=25 | option_d=23 | answer=A | explanation=Average = sum of values ÷ number of values = 72 ÷ 3 = 24.

id=13705 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25543 at 5% per annum for 4 years. | option_a=5108 | option_b=30651 | option_c=5208 | option_d=5008 | answer=A | explanation=SI = PRT/100 = 25543×5×4/100 = █5108.

id=13706 | topic=Percentages | difficulty=Easy | question=What is 40% of 876? | option_a=370 | option_b=350 | option_c=345 | option_d=700 | answer=B | explanation=40% of 876 = (40/100) × 876 = 350.

id=13707 | topic=Averages | difficulty=Easy | question=Find the average of 99, 57, 77, 11, 83, 65, 91. | option_a=70 | option_b=68 | option_c=69 | option_d=71 | answer=C | explanation=Average = sum of values ÷ number of values = 483 ÷ 7 = 69.

id=13708 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=44 | option_b=36 | option_c=52 | option_d=45 | answer=A | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.

id=13709 | topic=Percentages | difficulty=Easy | question=What is 15% of 1393? | option_a=208 | option_b=218 | option_c=416 | option_d=198 | answer=A | explanation=15% of 1393 = (15/100) × 1393 = 208.

id=13710 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 23, 26, 30? | option_a=26 | option_b=30 | option_c=23 | option_d=20 | answer=B | explanation=The first three numbers increase by 3, so the next should be 29. Therefore 30 is the odd one out.

Aptitude Questions — Records 13,711-13,740 of 100,000

id=13711 | topic=Percentages | difficulty=Easy | question=What is 20% of 1031? | option_a=216 | option_b=206 | option_c=201 | option_d=412 | answer=B | explanation=20% of 1031 = (20/100) × 1031 = 206.

id=13712 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**551. If it is sold at a profit of 30%, what is its selling price? | option_a=661 | option_b=581 | option_c=771 | option_d=716 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 551 × 130/100 = **■**716.

id=13713 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=72 | option_c=77 | option_d=144 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=13714 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3674. If it is sold at a profit of 10%, what is its selling price? | option_a=3674 | option_b=4041 | option_c=4408 | option_d=3684 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3674 × 110/100 = **■**4041.

id=13715 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=13716 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:11 and the first is 15, what is the second? | option_a=44 | option_b=70 | option_c=58 | option_d=55 | answer=D | explanation=Scale factor = 15/3 = 5. Therefore second quantity = 11×5 = 55.

id=13717 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43808 at 12% per annum for 3 years. | option_a=15670 | option_b=59578 | option_c=15770 | option_d=15870 | answer=C | explanation=SI = PRT/100 = 43808×12×3/100 = **■**15770.

id=13718 | topic=Percentages | difficulty=Easy | question=What is 40% of 690? | option_a=256 | option_b=276 | option_c=552 | option_d=296 | answer=B | explanation=40% of 690 = (40/100) × 690 = 276.

id=13719 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5189 at 12% per annum for 3 years. | option_a=7057 | option_b=1968 | option_c=1868 | option_d=1768 | answer=C | explanation=SI = PRT/100 = 5189×12×3/100 = **■**1868.

id=13720 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=50 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=13721 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=13722 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 4. | option_a=32 | option_b=64 | option_c=12 | option_d=16 | answer=D | explanation=LCM × HCF = 16×4; HCF(16,4) = 4, so LCM = 16.

id=13723 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does "I" become? | option_a=I | option_b=M | option_c=G | option_d=K | answer=D | explanation=Move 2 positions forward from I; the resulting letter is K.

id=13724 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25534 at 12% per annum for 2 years. | option_a=31662 | option_b=6028 | option_c=6128 | option_d=6228 | answer=C | explanation=SI = PRT/100 = 25534×12×2/100 = **■**6128.

id=13725 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=13726 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 24. | option_a=624 | option_b=288 | option_c=338 | option_d=312 | answer=D | explanation=LCM × HCF = 26×24; HCF(26,24) = 2, so LCM = 312.

id=13727 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8446 at 6% per annum for 1 years. | option_a=8952 | option_b=406 | option_c=506 | option_d=606 | answer=C | explanation=SI = PRT/100 = 8446×6×1/100 = **■**506.

id=13728 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**579. If it is sold at a profit of 15%, what is its selling price? | option_a=665 | option_b=594 | option_c=608 | option_d=722 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 579 × 115/100 = **■**665.

id=13729 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 33? | option_a=33 | option_b=25 | option_c=15 | option_d=20 | answer=A | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 33 is the odd one out.

id=13730 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does "U" become? | option_a=C | option_b=Y | option_c=Q | option_d=U | answer=B | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=13731 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does "O" become? | option_a=S | option_b=Q | option_c=M | option_d=O | answer=B | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=13732 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does "F" become? | option_a=L | option_b=F | option_c=I | option_d=C | answer=C | explanation=Move 3 positions forward from F; the resulting letter is I.

id=13733 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3341. If it is sold at a profit of 50%, what is its selling price? | option_a=5011 | option_b=4677 | option_c=3391 | option_d=5345 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3341 × 150/100 = **■**5011.

id=13734 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=95 | option_c=180 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=13735 | topic=Averages | difficulty=Easy | question=Find the average of 52, 33, 62, 76, 46, 20, 80, 65, 16. | option_a=51 | option_b=52 | option_c=50 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 450 ÷ 9 = 50.

id=13736 | topic=Percentages | difficulty=Easy | question=What is 5% of 1325? | option_a=76 | option_b=66 | option_c=132 | option_d=46 | answer=B | explanation=5% of 1325 = (5/100) × 1325 = 66.

id=13737 | topic=Averages | difficulty=Easy | question=Find the average of 97, 92, 85, 54, 63, 50, 62, 53, 65. | option_a=68 | option_b=69 | option_c=70 | option_d=71 | answer=B | explanation=Average = sum of values ÷ number of values = 621 ÷ 9 = 69.

id=13738 | topic=Averages | difficulty=Easy | question=Find the average of 98, 80, 11. | option_a=63 | option_b=62 | option_c=65 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = 189 ÷ 3 = 63.

id=13739 | topic=Averages | difficulty=Easy | question=Find the average of 36, 23, 60, 67, 63, 88, 74, 69, 50, 30. | option_a=56 | option_b=57 | option_c=58 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 560 ÷ 10 = 56.

id=13740 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:1 and the first is 182, what is the second? | option_a=13 | option_b=14 | option_c=196 | option_d=27 | answer=B | explanation=Scale factor = 182/13 = 14. Therefore second quantity = 1×14 = 14.

Aptitude Questions — Records 13,741-13,770 of 100,000

- id=13741 | topic=Percentages | difficulty=Easy | question=What is 50% of 600? | option_a=280 | option_b=305 | option_c=600 | option_d=300 | answer=D | explanation=50% of 600 = (50/100) × 600 = 300.
- id=13742 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:10 and the first is 180, what is the second? | option_a=140 | option_b=150 | option_c=162 | option_d=330 | answer=B | explanation=Scale factor = 180/12 = 15. Therefore second quantity = 10×15 = 150.
- id=13743 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.
- id=13744 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1613. If it is sold at a profit of 20%, what is its selling price? | option_a=1633 | option_b=2096 | option_c=1774 | option_d=1935 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1613 × 120/100 = █1935.
- id=13745 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=M | option_c=U | option_d=I | answer=A | explanation=Move 4 positions forward from M; the resulting letter is Q.
- id=13746 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=40 | option_b=41 | option_c=33 | option_d=47 | answer=A | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.
- id=13747 | topic=Percentages | difficulty=Easy | question=What is 20% of 888? | option_a=167 | option_b=354 | option_c=177 | option_d=197 | answer=C | explanation=20% of 888 = (20/100) × 888 = 177.
- id=13748 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=24 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.
- id=13749 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=22 | option_b=25 | option_c=19 | option_d=23 | answer=A | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.
- id=13750 | topic=Percentages | difficulty=Easy | question=What is 30% of 1866? | option_a=1118 | option_b=559 | option_c=579 | option_d=554 | answer=B | explanation=30% of 1866 = (30/100) × 1866 = 559.
- id=13751 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.
- id=13752 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=48 | option_c=19 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.
- id=13753 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.
- id=13754 | topic=Averages | difficulty=Easy | question=Find the average of 22, 52, 94, 17, 62, 95. | option_a=58 | option_b=57 | option_c=56 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 342 ÷ 6 = 57.
- id=13755 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=13756 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 24. | option_a=135 | option_b=360 | option_c=120 | option_d=96 | answer=C | explanation=LCM × HCF = 15×24; HCF(15,24) = 3, so LCM = 120.
- id=13757 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 10. | option_a=1 | option_b=100 | option_c=20 | option_d=10 | answer=D | explanation=LCM × HCF = 10×10; HCF(10,10) = 10, so LCM = 10.
- id=13758 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15895 at 12% per annum for 3 years. | option_a=5822 | option_b=5622 | option_c=5722 | option_d=21617 | answer=C | explanation=SI = PRT/100 = 15895×12×3/100 = █5722.
- id=13759 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=41 | option_c=36 | option_d=31 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.
- id=13760 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=44 | option_b=57 | option_c=56 | option_d=68 | answer=C | explanation=The common difference is 12. Therefore the next term is 44 + 12 = 56.
- id=13761 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:2 and the first is 200, what is the second? | option_a=38 | option_b=40 | option_c=50 | option_d=240 | answer=B | explanation=Scale factor = 200/10 = 20. Therefore second quantity = 2×20 = 40.
- id=13762 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 14, 22, 31? | option_a=14 | option_b=22 | option_c=6 | option_d=31 | answer=D | explanation=The first three numbers increase by 8, so the next should be 30. Therefore 31 is the odd one out.
- id=13763 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.
- id=13764 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.
- id=13765 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=H | option_b=M | option_c=R | option_d=W | answer=C | explanation=Move 5 positions forward from M; the resulting letter is R.
- id=13766 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4375. If it is sold at a profit of 10%, what is its selling price? | option_a=4375 | option_b=4385 | option_c=4812 | option_d=5249 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4375 × 110/100 = █4812.
- id=13767 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1413. If it is sold at a profit of 10%, what is its selling price? | option_a=1413 | option_b=1554 | option_c=1423 | option_d=1695 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1413 × 110/100 = █1554.
- id=13768 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:7 and the first is 30, what is the second? | option_a=28 | option_b=35 | option_c=41 | option_d=65 | answer=B | explanation=Scale factor = 30/6 = 5. Therefore second quantity = 7×5 = 35.
- id=13769 | topic=Percentages | difficulty=Easy | question=What is 50% of 756? | option_a=378 | option_b=388 | option_c=756 | option_d=358 | answer=A | explanation=50% of 756 = (50/100) × 756 = 378.
- id=13770 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=150 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

Aptitude Questions — Records 13,771-13,800 of 100,000

id=13771 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=22 | option_b=17 | option_c=27 | option_d=23 | answer=A | explanation=The common difference is 5. Therefore the next term is 17 + 5 = 22.

id=13772 | topic=Percentages | difficulty=Easy | question=What is 40% of 1695? | option_a=678 | option_b=1356 | option_c=673 | option_d=688 | answer=A | explanation=40% of 1695 = (40/100) × 1695 = 678.

id=13773 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4448. If it is sold at a profit of 50%, what is its selling price? | option_a=7116 | option_b=6672 | option_c=6228 | option_d=4498 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4448 × 150/100 = █6672.

id=13774 | topic=Profit & Loss | difficulty=Easy | question=An article costs █961. If it is sold at a profit of 20%, what is its selling price? | option_a=1153 | option_b=1057 | option_c=981 | option_d=1249 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 961 × 120/100 = █1153.

id=13775 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=P | option_c=V | option_d=T | answer=D | explanation=Move 2 positions forward from R; the resulting letter is T.

id=13776 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27714 at 4% per annum for 2 years. | option_a=2117 | option_b=2317 | option_c=2217 | option_d=29931 | answer=C | explanation=SI = PRT/100 = 27714×4×2/100 = █2217.

id=13777 | topic=Percentages | difficulty=Easy | question=What is 12% of 1075? | option_a=119 | option_b=149 | option_c=258 | option_d=129 | answer=D | explanation=12% of 1075 = (12/100) × 1075 = 129.

id=13778 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=C | option_c=I | option_d=L | answer=C | explanation=Move 3 positions forward from F; the resulting letter is I.

id=13779 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=53 | option_b=42 | option_c=62 | option_d=52 | answer=D | explanation=The common difference is 10. Therefore the next term is 42 + 10 = 52.

id=13780 | topic=Averages | difficulty=Easy | question=Find the average of 28, 16, 91. | option_a=47 | option_b=44 | option_c=45 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 135 ÷ 3 = 45.

id=13781 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=H | option_b=K | option_c=Q | option_d=N | answer=D | explanation=Move 3 positions forward from K; the resulting letter is N.

id=13782 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 20? | option_a=20 | option_b=13 | option_c=15 | option_d=17 | answer=A | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 20 is the odd one out.

id=13783 | topic=Percentages | difficulty=Easy | question=What is 25% of 440? | option_a=220 | option_b=90 | option_c=120 | option_d=110 | answer=D | explanation=25% of 440 = (25/100) × 440 = 110.

id=13784 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=12 | option_c=11 | option_d=1 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=13785 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=13786 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=13787 | topic=Percentages | difficulty=Easy | question=What is 40% of 1660? | option_a=669 | option_b=664 | option_c=659 | option_d=1328 | answer=B | explanation=40% of 1660 = (40/100) × 1660 = 664.

id=13788 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 10. | option_a=300 | option_b=60 | option_c=20 | option_d=30 | answer=D | explanation=LCM × HCF = 30×10; HCF(30,10) = 10, so LCM = 30.

id=13789 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 27? | option_a=27 | option_b=15 | option_c=21 | option_d=18 | answer=A | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 27 is the odd one out.

id=13790 | topic=Averages | difficulty=Easy | question=Find the average of 46, 94, 64, 12. | option_a=53 | option_b=55 | option_c=56 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 216 ÷ 4 = 54.

id=13791 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=150 | option_d=70 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=13792 | topic=Percentages | difficulty=Easy | question=What is 10% of 1402? | option_a=135 | option_b=150 | option_c=280 | option_d=140 | answer=D | explanation=10% of 1402 = (10/100) × 1402 = 140.

id=13793 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=30 | option_c=25 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=13794 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 17, 27, 40? | option_a=40 | option_b=17 | option_c=7 | option_d=27 | answer=A | explanation=The first three numbers increase by 10, so the next should be 37. Therefore 40 is the odd one out.

id=13795 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=10 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=13796 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:9 and the first is 360, what is the second? | option_a=182 | option_b=153 | option_c=162 | option_d=522 | answer=C | explanation=Scale factor = 360/20 = 18. Therefore second quantity = 9×18 = 162.

id=13797 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:15 and the first is 143, what is the second? | option_a=165 | option_b=178 | option_c=308 | option_d=150 | answer=A | explanation=Scale factor = 143/13 = 11. Therefore second quantity = 15×11 = 165.

id=13798 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=13799 | topic=Percentages | difficulty=Easy | question=What is 20% of 1719? | option_a=333 | option_b=343 | option_c=348 | option_d=686 | answer=B | explanation=20% of 1719 = (20/100) × 1719 = 343.

id=13800 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1632. If it is sold at a profit of 50%, what is its selling price? | option_a=2285 | option_b=1682 | option_c=2611 | option_d=2448 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1632 × 150/100 = █2448.

Aptitude Questions — Records 13,801-13,830 of 100,000

id=13801 | topic=Averages | difficulty=Easy | question=Find the average of 59, 74, 78, 93. | option_a=77 | option_b=75 | option_c=78 | option_d=76 | answer=D | explanation=Average = sum of values ÷ number of values = 304 ÷ 4 = 76.

id=13802 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3731. If it is sold at a profit of 30%, what is its selling price? | option_a=4850 | option_b=3761 | option_c=5223 | option_d=4477 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3731 × 130/100 = █4850.

id=13803 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=125 | option_c=240 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=13804 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1396. If it is sold at a profit of 5%, what is its selling price? | option_a=1604 | option_b=1326 | option_c=1401 | option_d=1465 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1396 × 105/100 = █1465.

id=13805 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=C | option_c=L | option_d=I | answer=D | explanation=Move 3 positions forward from F; the resulting letter is I.

id=13806 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:14 and the first is 38, what is the second? | option_a=47 | option_b=66 | option_c=14 | option_d=28 | answer=D | explanation=Scale factor = 38/19 = 2. Therefore second quantity = 14×2 = 28.

id=13807 | topic=Averages | difficulty=Easy | question=Find the average of 78, 56, 96, 34, 60, 77, 26. | option_a=63 | option_b=62 | option_c=60 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 427 ÷ 7 = 61.

id=13808 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=13809 | topic=Percentages | difficulty=Easy | question=What is 15% of 1469? | option_a=230 | option_b=440 | option_c=215 | option_d=220 | answer=D | explanation=15% of 1469 = (15/100) × 1469 = 220.

id=13810 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1043. If it is sold at a profit of 40%, what is its selling price? | option_a=1083 | option_b=1564 | option_c=1460 | option_d=1356 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1043 × 140/100 = █1460.

id=13811 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 12. | option_a=360 | option_b=60 | option_c=90 | option_d=48 | answer=B | explanation=LCM × HCF = 30×12; HCF(30,12) = 6, so LCM = 60.

id=13812 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 19? | option_a=13 | option_b=15 | option_c=11 | option_d=19 | answer=D | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 19 is the odd one out.

id=13813 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47455 at 15% per annum for 5 years. | option_a=35591 | option_b=83046 | option_c=35491 | option_d=35691 | answer=A | explanation=SI = PRT/100 = 47455×15×5/100 = █35591.

id=13814 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=R | option_c=N | option_d=P | answer=B | explanation=Move 2 positions forward from P; the resulting letter is R.

id=13815 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:19 and the first is 76, what is the second? | option_a=57 | option_b=152 | option_c=95 | option_d=76 | answer=D | explanation=Scale factor = 76/19 = 4. Therefore second quantity = 19×4 = 76.

id=13816 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3082. If it is sold at a profit of 15%, what is its selling price? | option_a=3097 | option_b=3544 | option_c=3236 | option_d=3852 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3082 × 115/100 = █3544.

id=13817 | topic=Averages | difficulty=Easy | question=Find the average of 49, 18, 10, 47. | option_a=31 | option_b=32 | option_c=30 | option_d=33 | answer=A | explanation=Average = sum of values ÷ number of values = 124 ÷ 4 = 31.

id=13818 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2968. If it is sold at a profit of 40%, what is its selling price? | option_a=4451 | option_b=3859 | option_c=3008 | option_d=4155 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2968 × 140/100 = █4155.

id=13819 | topic=Percentages | difficulty=Easy | question=What is 30% of 1829? | option_a=528 | option_b=558 | option_c=548 | option_d=1096 | answer=C | explanation=30% of 1829 = (30/100) × 1829 = 548.

id=13820 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=53 | option_c=48 | option_d=43 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=13821 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=M | option_c=I | option_d=U | answer=A | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=13822 | topic=Percentages | difficulty=Easy | question=What is 30% of 756? | option_a=231 | option_b=216 | option_c=226 | option_d=452 | answer=C | explanation=30% of 756 = (30/100) × 756 = 226.

id=13823 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=13824 | topic=Percentages | difficulty=Easy | question=What is 12% of 1305? | option_a=156 | option_b=151 | option_c=176 | option_d=312 | answer=A | explanation=12% of 1305 = (12/100) × 1305 = 156.

id=13825 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2553. If it is sold at a profit of 40%, what is its selling price? | option_a=3319 | option_b=2593 | option_c=3574 | option_d=3829 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2553 × 140/100 = █3574.

id=13826 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1041. If it is sold at a profit of 15%, what is its selling price? | option_a=1093 | option_b=1056 | option_c=1197 | option_d=1301 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1041 × 115/100 = █1197.

id=13827 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 25, 31, 39? | option_a=31 | option_b=19 | option_c=25 | option_d=39 | answer=D | explanation=The first three numbers increase by 6, so the next should be 37. Therefore 39 is the odd one out.

id=13828 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=B | option_b=F | option_c=J | option_d=N | answer=C | explanation=Move 4 positions forward from F; the resulting letter is J.

id=13829 | topic=Averages | difficulty=Easy | question=Find the average of 54, 25, 67, 66. | option_a=54 | option_b=53 | option_c=52 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 212 ÷ 4 = 53.

id=13830 | topic=Averages | difficulty=Easy | question=Find the average of 56, 19, 38, 55, 35, 32, 68, 57. | option_a=44 | option_b=47 | option_c=45 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 360 ÷ 8 = 45.

Aptitude Questions — Records 13,831-13,860 of 100,000

id=13831 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4954. If it is sold at a profit of 25%, what is its selling price? | option_a=6687 | option_b=5697 | option_c=4979 | option_d=6192 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4954 × 125/100 = ■6192.

id=13832 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=57 | option_b=67 | option_c=47 | option_d=58 | answer=A | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

id=13833 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2554. If it is sold at a profit of 30%, what is its selling price? | option_a=3320 | option_b=2584 | option_c=3065 | option_d=3575 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2554 × 130/100 = ■3320.

id=13834 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■34693 at 5% per annum for 5 years. | option_a=8673 | option_b=8573 | option_c=8773 | option_d=43366 | answer=A | explanation=SI = PRT/100 = 34693×5×5/100 = ■8673.

id=13835 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=N | option_c=P | option_d=Q | answer=C | explanation=Move 1 positions forward from O; the resulting letter is P.

id=13836 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 10. | option_a=10 | option_b=200 | option_c=20 | option_d=40 | answer=C | explanation=LCM × HCF = 20×10; HCF(20,10) = 10, so LCM = 20.

id=13837 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=V | option_c=P | option_d=Y | answer=B | explanation=Move 3 positions forward from S; the resulting letter is V.

id=13838 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■15937 at 4% per annum for 3 years. | option_a=2012 | option_b=1912 | option_c=17849 | option_d=1812 | answer=B | explanation=SI = PRT/100 = 15937×4×3/100 = ■1912.

id=13839 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 32? | option_a=13 | option_b=32 | option_c=22 | option_d=4 | answer=B | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 32 is the odd one out.

id=13840 | topic=Averages | difficulty=Easy | question=Find the average of 26, 71, 74, 24, 88, 62, 33, 37, 97, 68. | option_a=58 | option_b=59 | option_c=60 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 580 ÷ 10 = 58.

id=13841 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=13842 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=13843 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=18 | option_c=23 | option_d=13 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=13844 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=13845 | topic=Percentages | difficulty=Easy | question=What is 50% of 1943? | option_a=1942 | option_b=951 | option_c=991 | option_d=971 | answer=D | explanation=50% of 1943 = (50/100) × 1943 = 971.

id=13846 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 8. | option_a=48 | option_b=16 | option_c=30 | option_d=24 | answer=D | explanation=LCM × HCF = 6×8; HCF(6,8) = 2, so LCM = 24.

id=13847 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:20 and the first is 198, what is the second? | option_a=340 | option_b=558 | option_c=360 | option_d=371 | answer=C | explanation=Scale factor = 198/11 = 18. Therefore second quantity = 20×18 = 360.

id=13848 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1213. If it is sold at a profit of 15%, what is its selling price? | option_a=1273 | option_b=1228 | option_c=1515 | option_d=1394 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1213 × 115/100 = ■1394.

id=13849 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 24? | option_a=18 | option_b=20 | option_c=16 | option_d=24 | answer=D | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 24 is the odd one out.

id=13850 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4406. If it is sold at a profit of 10%, what is its selling price? | option_a=4846 | option_b=5286 | option_c=4406 | option_d=4416 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4406 × 110/100 = ■4846.

id=13851 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 6. | option_a=12 | option_b=24 | option_c=72 | option_d=6 | answer=A | explanation=LCM × HCF = 12×6; HCF(12,6) = 6, so LCM = 12.

id=13852 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:9 and the first is 52, what is the second? | option_a=36 | option_b=88 | option_c=49 | option_d=27 | answer=A | explanation=Scale factor = 52/13 = 4. Therefore second quantity = 9×4 = 36.

id=13853 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 34? | option_a=2 | option_b=12 | option_c=34 | option_d=22 | answer=C | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 34 is the odd one out.

id=13854 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=13855 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:13 and the first is 24, what is the second? | option_a=50 | option_b=13 | option_c=26 | option_d=38 | answer=C | explanation=Scale factor = 24/12 = 2. Therefore second quantity = 13×2 = 26.

id=13856 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=45 | option_c=55 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=13857 | topic=Percentages | difficulty=Easy | question=What is 5% of 1466? | option_a=53 | option_b=73 | option_c=83 | option_d=146 | answer=B | explanation=5% of 1466 = (5/100) × 1466 = 73.

id=13858 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:15 and the first is 266, what is the second? | option_a=229 | option_b=210 | option_c=476 | option_d=195 | answer=B | explanation=Scale factor = 266/19 = 14. Therefore second quantity = 15×14 = 210.

id=13859 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 5, 8, 11, ? | option_a=11 | option_b=14 | option_c=17 | option_d=15 | answer=B | explanation=The common difference is 3. Therefore the next term is 11 + 3 = 14.

id=13860 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 17, 26, 38? | option_a=38 | option_b=8 | option_c=17 | option_d=26 | answer=A | explanation=The first three numbers increase by 9, so the next should be 35. Therefore 38 is the odd one out.

Aptitude Questions — Records 13,861-13,890 of 100,000

- id=13861 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 38? | option_a=38 | option_b=10 | option_c=19 | option_d=28 | answer=A | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 38 is the odd one out.
- id=13862 | topic=Percentages | difficulty=Easy | question=What is 20% of 101? | option_a=20 | option_b=10 | option_c=40 | option_d=25 | answer=A | explanation=20% of 101 = (20/100) × 101 = 20.
- id=13863 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=58 | option_b=68 | option_c=57 | option_d=46 | answer=C | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.
- id=13864 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=E | option_b=D | option_c=C | option_d=F | answer=A | explanation=Move 1 positions forward from D; the resulting letter is E.
- id=13865 | topic=Averages | difficulty=Easy | question=Find the average of 34, 91, 34. | option_a=54 | option_b=55 | option_c=52 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 159 ÷ 3 = 53.
- id=13866 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:3 and the first is 18, what is the second? | option_a=72 | option_b=55 | option_c=54 | option_d=51 | answer=C | explanation=Scale factor = 18/1 = 18. Therefore second quantity = 3×18 = 54.
- id=13867 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:5 and the first is 48, what is the second? | option_a=40 | option_b=46 | option_c=88 | option_d=35 | answer=A | explanation=Scale factor = 48/6 = 8. Therefore second quantity = 5×8 = 40.
- id=13868 | topic=Percentages | difficulty=Easy | question=What is 15% of 755? | option_a=133 | option_b=113 | option_c=93 | option_d=226 | answer=B | explanation=15% of 755 = (15/100) × 755 = 113.
- id=13869 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:20 and the first is 289, what is the second? | option_a=629 | option_b=340 | option_c=357 | option_d=320 | answer=B | explanation=Scale factor = 289/17 = 17. Therefore second quantity = 20×17 = 340.
- id=13870 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=61 | option_b=41 | option_c=51 | option_d=52 | answer=C | explanation=The common difference is 10. Therefore the next term is 41 + 10 = 51.
- id=13871 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.
- id=13872 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2484. If it is sold at a profit of 5%, what is its selling price? | option_a=2608 | option_b=2489 | option_c=2360 | option_d=2856 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2484 × 105/100 = █2608.
- id=13873 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=13874 | topic=Percentages | difficulty=Easy | question=What is 25% of 260? | option_a=70 | option_b=65 | option_c=130 | option_d=45 | answer=B | explanation=25% of 260 = (25/100) × 260 = 65.
- id=13875 | topic=Averages | difficulty=Easy | question=Find the average of 96, 16, 62. | option_a=58 | option_b=60 | option_c=59 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 174 ÷ 3 = 58.
- id=13876 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4177. If it is sold at a profit of 20%, what is its selling price? | option_a=5429 | option_b=4197 | option_c=4595 | option_d=5012 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4177 × 120/100 = █5012.
- id=13877 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=20 | option_d=5 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.
- id=13878 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.
- id=13879 | topic=Profit & Loss | difficulty=Easy | question=An article costs █909. If it is sold at a profit of 5%, what is its selling price? | option_a=914 | option_b=1044 | option_c=954 | option_d=864 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 909 × 105/100 = █954.
- id=13880 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=36 | option_d=13 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.
- id=13881 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=13882 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=W | option_b=T | option_c=Z | option_d=Q | answer=A | explanation=Move 3 positions forward from T; the resulting letter is W.
- id=13883 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=100 | option_c=50 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.
- id=13884 | topic=Averages | difficulty=Easy | question=Find the average of 68, 86, 25, 77, 11, 33. | option_a=51 | option_b=52 | option_c=50 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 300 ÷ 6 = 50.
- id=13885 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=I | option_c=A | option_d=M | answer=B | explanation=Move 4 positions forward from E; the resulting letter is I.
- id=13886 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 36? | option_a=22 | option_b=36 | option_c=30 | option_d=26 | answer=B | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 36 is the odd one out.
- id=13887 | topic=Averages | difficulty=Easy | question=Find the average of 29, 28, 42, 37. | option_a=36 | option_b=35 | option_c=33 | option_d=34 | answer=D | explanation=Average = sum of values ÷ number of values = 136 ÷ 4 = 34.
- id=13888 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=54 | option_b=55 | option_c=64 | option_d=44 | answer=A | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.
- id=13889 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=L | option_b=J | option_c=K | option_d=I | answer=C | explanation=Move 1 positions forward from J; the resulting letter is K.
- id=13890 | topic=Percentages | difficulty=Easy | question=What is 40% of 1864? | option_a=1490 | option_b=750 | option_c=745 | option_d=740 | answer=C | explanation=40% of 1864 = (40/100) × 1864 = 745.

Aptitude Questions — Records 13,891-13,920 of 100,000

id=13891 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=13892 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=13893 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=13894 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:15 and the first is 27, what is the second? | option_a=120 | option_b=162 | option_c=138 | option_d=135 | answer=D | explanation=Scale factor = 27/3 = 9. Therefore second quantity = 15×9 = 135.

id=13895 | topic=Percentages | difficulty=Easy | question=What is 50% of 1088? | option_a=544 | option_b=534 | option_c=1088 | option_d=564 | answer=A | explanation=50% of 1088 = (50/100) × 1088 = 544.

id=13896 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4634. If it is sold at a profit of 25%, what is its selling price? | option_a=4659 | option_b=6255 | option_c=5792 | option_d=5329 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4634 × 125/100 = █5792.

id=13897 | topic=Averages | difficulty=Easy | question=Find the average of 97, 96, 50, 28, 48, 39, 62. | option_a=59 | option_b=61 | option_c=62 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 420 ÷ 7 = 60.

id=13898 | topic=Percentages | difficulty=Easy | question=What is 15% of 1179? | option_a=196 | option_b=166 | option_c=176 | option_d=352 | answer=C | explanation=15% of 1179 = (15/100) × 1179 = 176.

id=13899 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:18 and the first is 12, what is the second? | option_a=228 | option_b=198 | option_c=216 | option_d=217 | answer=C | explanation=Scale factor = 12/1 = 12. Therefore second quantity = 18×12 = 216.

id=13900 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=55 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=13901 | topic=Percentages | difficulty=Easy | question=What is 30% of 1065? | option_a=638 | option_b=299 | option_c=319 | option_d=339 | answer=C | explanation=30% of 1065 = (30/100) × 1065 = 319.

id=13902 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=M | option_c=G | option_d=P | answer=B | explanation=Move 3 positions forward from J; the resulting letter is M.

id=13903 | topic=Profit & Loss | difficulty=Easy | question=An article costs █537. If it is sold at a profit of 15%, what is its selling price? | option_a=564 | option_b=617 | option_c=552 | option_d=670 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 537 × 115/100 = █617.

id=13904 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:13 and the first is 100, what is the second? | option_a=140 | option_b=230 | option_c=130 | option_d=117 | answer=C | explanation=Scale factor = 100/10 = 10. Therefore second quantity = 13×10 = 130.

id=13905 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28878 at 10% per annum for 4 years. | option_a=11451 | option_b=40429 | option_c=11651 | option_d=11551 | answer=D | explanation=SI = PRT/100 = 28878×10×4/100 = █11551.

id=13906 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36291 at 15% per annum for 3 years. | option_a=16230 | option_b=16330 | option_c=16430 | option_d=52621 | answer=B | explanation=SI = PRT/100 = 36291×15×3/100 = █16330.

id=13907 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=G | option_c=S | option_d=O | answer=D | explanation=Move 4 positions forward from K; the resulting letter is O.

id=13908 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=R | option_b=C | option_c=M | option_d=H | answer=C | explanation=Move 5 positions forward from H; the resulting letter is M.

id=13909 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=13910 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4423. If it is sold at a profit of 50%, what is its selling price? | option_a=4473 | option_b=7076 | option_c=6634 | option_d=6192 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4423 × 150/100 = █6634.

id=13911 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7776 at 6% per annum for 2 years. | option_a=1033 | option_b=833 | option_c=933 | option_d=8709 | answer=C | explanation=SI = PRT/100 = 7776×6×2/100 = █933.

id=13912 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 36, 43, 52? | option_a=52 | option_b=29 | option_c=36 | option_d=43 | answer=A | explanation=The first three numbers increase by 7, so the next should be 50. Therefore 52 is the odd one out.

id=13913 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:15 and the first is 60, what is the second? | option_a=60 | option_b=75 | option_c=87 | option_d=135 | answer=B | explanation=Scale factor = 60/12 = 5. Therefore second quantity = 15×5 = 75.

id=13914 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=13915 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 18. | option_a=108 | option_b=126 | option_c=378 | option_d=147 | answer=B | explanation=LCM × HCF = 21×18; HCF(21,18) = 3, so LCM = 126.

id=13916 | topic=Percentages | difficulty=Easy | question=What is 12% of 994? | option_a=99 | option_b=238 | option_c=124 | option_d=119 | answer=D | explanation=12% of 994 = (12/100) × 994 = 119.

id=13917 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=13918 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:13 and the first is 60, what is the second? | option_a=26 | option_b=59 | option_c=39 | option_d=99 | answer=C | explanation=Scale factor = 60/20 = 3. Therefore second quantity = 13×3 = 39.

id=13919 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4921. If it is sold at a profit of 25%, what is its selling price? | option_a=6643 | option_b=5659 | option_c=4946 | option_d=6151 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4921 × 125/100 = █6151.

id=13920 | topic=Percentages | difficulty=Easy | question=What is 15% of 1638? | option_a=250 | option_b=490 | option_c=245 | option_d=235 | answer=C | explanation=15% of 1638 = (15/100) × 1638 = 245.

Aptitude Questions — Records 13,921-13,950 of 100,000

id=13921 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3191. If it is sold at a profit of 10%, what is its selling price? | option_a=3829 | option_b=3201 | option_c=3510 | option_d=3191 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3191 × 110/100 = █3510.

id=13922 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 15? | option_a=10 | option_b=12 | option_c=15 | option_d=8 | answer=C | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 15 is the odd one out.

id=13923 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 15. | option_a=315 | option_b=105 | option_c=126 | option_d=90 | answer=B | explanation=LCM × HCF = 21×15; HCF(21,15) = 3, so LCM = 105.

id=13924 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=24 | option_b=21 | option_c=16 | option_d=20 | answer=D | explanation=The common difference is 4. Therefore the next term is 16 + 4 = 20.

id=13925 | topic=Averages | difficulty=Easy | question=Find the average of 24, 72, 16, 38, 56, 46, 75, 10, 71, 22. | option_a=42 | option_b=45 | option_c=43 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = 430 ÷ 10 = 43.

id=13926 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:16 and the first is 28, what is the second? | option_a=208 | option_b=226 | option_c=252 | option_d=224 | answer=D | explanation=Scale factor = 28/2 = 14. Therefore second quantity = 16×14 = 224.

id=13927 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=A | option_b=C | option_c=D | option_d=B | answer=B | explanation=Move 1 positions forward from B; the resulting letter is C.

id=13928 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 17, 21, 28? | option_a=13 | option_b=28 | option_c=17 | option_d=21 | answer=B | explanation=The first three numbers increase by 4, so the next should be 25. Therefore 28 is the odd one out.

id=13929 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:7 and the first is 24, what is the second? | option_a=35 | option_b=46 | option_c=42 | option_d=66 | answer=C | explanation=Scale factor = 24/4 = 6. Therefore second quantity = 7×6 = 42.

id=13930 | topic=Averages | difficulty=Easy | question=Find the average of 66, 84, 80, 34. | option_a=67 | option_b=65 | option_c=68 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = 264 ÷ 4 = 66.

id=13931 | topic=Averages | difficulty=Easy | question=Find the average of 25, 16, 89, 38. | option_a=43 | option_b=42 | option_c=41 | option_d=44 | answer=B | explanation=Average = sum of values ÷ number of values = 168 ÷ 4 = 42.

id=13932 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47236 at 10% per annum for 3 years. | option_a=14170 | option_b=14070 | option_c=14270 | option_d=61406 | answer=A | explanation=SI = PRT/100 = 47236×10×3/100 = █14170.

id=13933 | topic=Averages | difficulty=Easy | question=Find the average of 84, 72, 29, 84, 37, 97, 19, 34. | option_a=56 | option_b=57 | option_c=59 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

id=13934 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=65 | option_b=66 | option_c=77 | option_d=53 | answer=A | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.

id=13935 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:3 and the first is 176, what is the second? | option_a=33 | option_b=49 | option_c=209 | option_d=30 | answer=A | explanation=Scale factor = 176/16 = 11. Therefore second quantity = 3×11 = 33.

id=13936 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:19 and the first is 91, what is the second? | option_a=133 | option_b=114 | option_c=224 | option_d=146 | answer=A | explanation=Scale factor = 91/13 = 7. Therefore second quantity = 19×7 = 133.

id=13937 | topic=Percentages | difficulty=Easy | question=What is 40% of 237? | option_a=84 | option_b=94 | option_c=188 | option_d=114 | answer=B | explanation=40% of 237 = (40/100) × 237 = 94.

id=13938 | topic=Averages | difficulty=Easy | question=Find the average of 78, 11, 44, 78, 84, 10, 67, 97, 28, 93. | option_a=61 | option_b=58 | option_c=59 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 590 ÷ 10 = 59.

id=13939 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33868 at 15% per annum for 4 years. | option_a=20220 | option_b=20320 | option_c=54188 | option_d=20420 | answer=B | explanation=SI = PRT/100 = 33868×15×4/100 = █20320.

id=13940 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1359 at 12% per annum for 3 years. | option_a=489 | option_b=389 | option_c=1848 | option_d=589 | answer=A | explanation=SI = PRT/100 = 1359×12×3/100 = █489.

id=13941 | topic=Averages | difficulty=Easy | question=Find the average of 48, 34, 18, 33, 25, 100, 64. | option_a=47 | option_b=48 | option_c=45 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 322 ÷ 7 = 46.

id=13942 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 8. | option_a=60 | option_b=40 | option_c=32 | option_d=160 | answer=B | explanation=LCM × HCF = 20×8; HCF(20,8) = 4, so LCM = 40.

id=13943 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=13944 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=13945 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:12 and the first is 24, what is the second? | option_a=48 | option_b=54 | option_c=72 | option_d=36 | answer=A | explanation=Scale factor = 24/6 = 4. Therefore second quantity = 12×4 = 48.

id=13946 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 30. | option_a=72 | option_b=60 | option_c=30 | option_d=360 | answer=B | explanation=LCM × HCF = 12×30; HCF(12,30) = 6, so LCM = 60.

id=13947 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=13948 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=40 | option_d=90 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=13949 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=13950 | topic=Averages | difficulty=Easy | question=Find the average of 47, 21, 29, 19. | option_a=29 | option_b=31 | option_c=30 | option_d=28 | answer=A | explanation=Average = sum of values ÷ number of values = 116 ÷ 4 = 29.

Aptitude Questions — Records 13,951-13,980 of 100,000

id=13951 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=13952 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 9, 16, 24? | option_a=16 | option_b=9 | option_c=2 | option_d=24 | answer=D | explanation=The first three numbers increase by 7, so the next should be 23. Therefore 24 is the odd one out.

id=13953 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 44? | option_a=44 | option_b=35 | option_c=28 | option_d=21 | answer=A | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 44 is the odd one out.

id=13954 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14972 at 4% per annum for 3 years. | option_a=16768 | option_b=1796 | option_c=1696 | option_d=1896 | answer=B | explanation=SI = $PRT/100 = 14972 \times 4 \times 3/100 = \text{■}1796$.

id=13955 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20681 at 15% per annum for 2 years. | option_a=6204 | option_b=6304 | option_c=26885 | option_d=6104 | answer=A | explanation=SI = $PRT/100 = 20681 \times 15 \times 2/100 = \text{■}6204$.

id=13956 | topic=Averages | difficulty=Easy | question=Find the average of 63, 60, 18, 63, 13, 19, 14, 69, 95. | option_a=46 | option_b=47 | option_c=48 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 414 ÷ 9 = 46.

id=13957 | topic=Percentages | difficulty=Easy | question=What is 50% of 1310? | option_a=1310 | option_b=645 | option_c=665 | option_d=655 | answer=D | explanation=50% of 1310 = $(50/100) \times 1310 = 655$.

id=13958 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=46 | option_b=53 | option_c=37 | option_d=45 | answer=D | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=13959 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=18 | option_b=19 | option_c=16 | option_d=20 | answer=A | explanation=The common difference is 2. Therefore the next term is 16 + 2 = 18.

id=13960 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=13961 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=12 | option_c=6 | option_d=1 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=13962 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40315 at 10% per annum for 5 years. | option_a=60472 | option_b=20057 | option_c=20257 | option_d=20157 | answer=D | explanation=SI = $PRT/100 = 40315 \times 10 \times 5/100 = \text{■}20157$.

id=13963 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=13964 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 10, 17, 27? | option_a=3 | option_b=27 | option_c=10 | option_d=17 | answer=B | explanation=The first three numbers increase by 7, so the next should be 24. Therefore 27 is the odd one out.

id=13965 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=1 | option_c=6 | option_d=11 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=13966 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=D | option_b=P | option_c=H | option_d=L | answer=D | explanation=Move 4 positions forward from H; the resulting letter is L.

id=13967 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 18, 27, 39? | option_a=9 | option_b=18 | option_c=27 | option_d=39 | answer=D | explanation=The first three numbers increase by 9, so the next should be 36. Therefore 39 is the odd one out.

id=13968 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33085 at 5% per annum for 4 years. | option_a=6517 | option_b=6617 | option_c=39702 | option_d=6717 | answer=B | explanation=SI = $PRT/100 = 33085 \times 5 \times 4/100 = \text{■}6617$.

id=13969 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=50 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=13970 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 12. | option_a=12 | option_b=18 | option_c=72 | option_d=1 | answer=A | explanation=LCM × HCF = 6×12, HCF(6,12) = 6, so LCM = 12.

id=13971 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4957. If it is sold at a profit of 15%, what is its selling price? | option_a=4972 | option_b=5700 | option_c=5205 | option_d=6195 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4957 × 115/100 = **■**5700.

id=13972 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 47? | option_a=30 | option_b=23 | option_c=37 | option_d=47 | answer=D | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 47 is the odd one out.

id=13973 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:9 and the first is 60, what is the second? | option_a=47 | option_b=27 | option_c=18 | option_d=87 | answer=B | explanation=Scale factor = 60/20 = 3. Therefore second quantity = 9×3 = 27.

id=13974 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=13975 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=H | option_c=T | option_d=P | answer=D | explanation=Move 4 positions forward from L; the resulting letter is P.

id=13976 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=13977 | topic=Averages | difficulty=Easy | question=Find the average of 93, 23, 34, 85, 55, 100, 87, 35. | option_a=64 | option_b=65 | option_c=63 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 512 ÷ 8 = 64.

id=13978 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=13979 | topic=Averages | difficulty=Easy | question=Find the average of 22, 69, 39, 53, 83, 52, 72, 34. | option_a=55 | option_b=53 | option_c=54 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.

id=13980 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 22. | option_a=308 | option_b=132 | option_c=154 | option_d=168 | answer=C | explanation=LCM × HCF = 14×22, HCF(14,22) = 2, so LCM = 154.

Aptitude Questions — Records 13,981-14,010 of 100,000

id=13981 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**559. If it is sold at a profit of 30%, what is its selling price? | option_a=589 | option_b=726 | option_c=781 | option_d=671 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 559 × 130/100 = **■**726.

id=13982 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:19 and the first is 76, what is the second? | option_a=76 | option_b=57 | option_c=95 | option_d=152 | answer=A | explanation=Scale factor = 76/19 = 4. Therefore second quantity = 19×4 = 76.

id=13983 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:10 and the first is 80, what is the second? | option_a=40 | option_b=30 | option_c=60 | option_d=120 | answer=A | explanation=Scale factor = 80/20 = 4. Therefore second quantity = 10×4 = 40.

id=13984 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=13985 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 21, 27, 35? | option_a=21 | option_b=15 | option_c=27 | option_d=35 | answer=D | explanation=The first three numbers increase by 6, so the next should be 33. Therefore 35 is the odd one out.

id=13986 | topic=Percentages | difficulty=Easy | question=What is 30% of 222? | option_a=66 | option_b=132 | option_c=86 | option_d=61 | answer=A | explanation=30% of 222 = (30/100) × 222 = 66.

id=13987 | topic=Averages | difficulty=Easy | question=Find the average of 84, 92, 46, 98, 58, 81, 17, 56, 53. | option_a=64 | option_b=66 | option_c=65 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 585 ÷ 9 = 65.

id=13988 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:11 and the first is 27, what is the second? | option_a=88 | option_b=126 | option_c=102 | option_d=99 | answer=D | explanation=Scale factor = 27/3 = 9. Therefore second quantity = 11×9 = 99.

id=13989 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=Q | option_c=Y | option_d=M | answer=A | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=13990 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25549 at 5% per annum for 5 years. | option_a=31936 | option_b=6387 | option_c=6287 | option_d=6487 | answer=B | explanation=SI = PRT/100 = 25549×5×5/100 = **■**6387.

id=13991 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=F | option_c=J | option_d=R | answer=A | explanation=Move 4 positions forward from J; the resulting letter is N.

id=13992 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1252. If it is sold at a profit of 40%, what is its selling price? | option_a=1877 | option_b=1627 | option_c=1752 | option_d=1292 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1252 × 140/100 = **■**1752.

id=13993 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 56? | option_a=29 | option_b=56 | option_c=45 | option_d=37 | answer=B | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 56 is the odd one out.

id=13994 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=S | option_c=O | option_d=U | answer=B | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=13995 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24875 at 12% per annum for 3 years. | option_a=8955 | option_b=33830 | option_c=8855 | option_d=9055 | answer=A | explanation=SI = PRT/100 = 24875×12×3/100 = **■**8955.

id=13996 | topic=Percentages | difficulty=Easy | question=What is 5% of 1408? | option_a=75 | option_b=140 | option_c=70 | option_d=50 | answer=C | explanation=5% of 1408 = (5/100) × 1408 = 70.

id=13997 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:11 and the first is 160, what is the second? | option_a=186 | option_b=176 | option_c=165 | option_d=336 | answer=B | explanation=Scale factor = 160/10 = 16. Therefore second quantity = 11×16 = 176.

id=13998 | topic=Averages | difficulty=Easy | question=Find the average of 21, 60, 60, 14, 73, 71, 34, 83. | option_a=52 | option_b=51 | option_c=53 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=13999 | topic=Averages | difficulty=Easy | question=Find the average of 75, 78, 62, 100, 79, 100, 59, 67, 23, 87. | option_a=74 | option_b=72 | option_c=73 | option_d=75 | answer=C | explanation=Average = sum of values ÷ number of values = 730 ÷ 10 = 73.

id=14000 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1776 at 10% per annum for 2 years. | option_a=255 | option_b=2131 | option_c=355 | option_d=455 | answer=C | explanation=SI = PRT/100 = 1776×10×2/100 = **■**355.

id=14001 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11593 at 8% per annum for 4 years. | option_a=3809 | option_b=3609 | option_c=3709 | option_d=15302 | answer=C | explanation=SI = PRT/100 = 11593×8×4/100 = **■**3709.

id=14002 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15053 at 15% per annum for 2 years. | option_a=19568 | option_b=4415 | option_c=4615 | option_d=4515 | answer=D | explanation=SI = PRT/100 = 15053×15×2/100 = **■**4515.

id=14003 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=I | option_b=X | option_c=N | option_d=S | answer=D | explanation=Move 5 positions forward from N; the resulting letter is S.

id=14004 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=41 | option_b=34 | option_c=48 | option_d=42 | answer=A | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=14005 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:13 and the first is 225, what is the second? | option_a=210 | option_b=420 | option_c=182 | option_d=195 | answer=D | explanation=Scale factor = 225/15 = 15. Therefore second quantity = 13×15 = 195.

id=14006 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3511. If it is sold at a profit of 15%, what is its selling price? | option_a=4388 | option_b=3686 | option_c=3526 | option_d=4037 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3511 × 115/100 = **■**4037.

id=14007 | topic=Percentages | difficulty=Easy | question=What is 12% of 1272? | option_a=142 | option_b=162 | option_c=304 | option_d=152 | answer=D | explanation=12% of 1272 = (12/100) × 1272 = 152.

id=14008 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=64 | option_b=54 | option_c=44 | option_d=55 | answer=B | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=14009 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 25, 30, 37? | option_a=25 | option_b=30 | option_c=20 | option_d=37 | answer=D | explanation=The first three numbers increase by 5, so the next should be 35. Therefore 37 is the odd one out.

id=14010 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11785 at 8% per annum for 1 years. | option_a=1042 | option_b=12727 | option_c=842 | option_d=942 | answer=D | explanation=SI = PRT/100 = 11785×8×1/100 = **■**942.

Aptitude Questions — Records 14,011-14,040 of 100,000

id=14011 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=14012 | topic=Percentages | difficulty=Easy | question=What is 12% of 1021? | option_a=102 | option_b=122 | option_c=142 | option_d=244 | answer=B | explanation=12% of 1021 = (12/100) × 1021 = 122.

id=14013 | topic=Percentages | difficulty=Easy | question=What is 50% of 1257? | option_a=628 | option_b=633 | option_c=618 | option_d=1256 | answer=A | explanation=50% of 1257 = (50/100) × 1257 = 628.

id=14014 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3500. If it is sold at a profit of 30%, what is its selling price? | option_a=3530 | option_b=4200 | option_c=4900 | option_d=4550 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3500 × 130/100 = █4550.

id=14015 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=14016 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=45 | option_c=40 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=14017 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=R | option_b=U | option_c=S | option_d=T | answer=D | explanation=Move 1 positions forward from S; the resulting letter is T.

id=14018 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=O | option_c=I | option_d=M | answer=D | explanation=Move 2 positions forward from K; the resulting letter is M.

id=14019 | topic=Percentages | difficulty=Easy | question=What is 20% of 1890? | option_a=398 | option_b=756 | option_c=378 | option_d=368 | answer=C | explanation=20% of 1890 = (20/100) × 1890 = 378.

id=14020 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 20. | option_a=40 | option_b=60 | option_c=300 | option_d=75 | answer=B | explanation=LCM × HCF = 15×20; HCF(15,20) = 5, so LCM = 60.

id=14021 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 31, 36, 44? | option_a=26 | option_b=44 | option_c=31 | option_d=36 | answer=B | explanation=The first three numbers increase by 5, so the next should be 41. Therefore 44 is the odd one out.

id=14022 | topic=Percentages | difficulty=Easy | question=What is 30% of 1658? | option_a=507 | option_b=497 | option_c=477 | option_d=994 | answer=B | explanation=30% of 1658 = (30/100) × 1658 = 497.

id=14023 | topic=Averages | difficulty=Easy | question=Find the average of 72, 87, 28, 12, 61, 40. | option_a=52 | option_b=49 | option_c=51 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 300 ÷ 6 = 50.

id=14024 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=70 | option_b=48 | option_c=59 | option_d=60 | answer=C | explanation=The common difference is 11. Therefore the next term is 48 + 11 = 59.

id=14025 | topic=Percentages | difficulty=Easy | question=What is 20% of 818? | option_a=168 | option_b=326 | option_c=163 | option_d=143 | answer=C | explanation=20% of 818 = (20/100) × 818 = 163.

id=14026 | topic=Averages | difficulty=Easy | question=Find the average of 39, 85, 25, 61, 40, 79, 75, 74, 98. | option_a=63 | option_b=65 | option_c=64 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = 576 ÷ 9 = 64.

id=14027 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32329 at 8% per annum for 5 years. | option_a=12831 | option_b=12931 | option_c=45260 | option_d=13031 | answer=B | explanation=SI = PRT/100 = 32329×8×5/100 = █12931.

id=14028 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=18 | option_c=23 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=14029 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:11 and the first is 60, what is the second? | option_a=192 | option_b=137 | option_c=132 | option_d=121 | answer=C | explanation=Scale factor = 60/5 = 12. Therefore second quantity = 11×12 = 132.

id=14030 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=N | option_b=Q | option_c=K | option_d=H | answer=A | explanation=Move 3 positions forward from K; the resulting letter is N.

id=14031 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=H | option_c=F | option_d=L | answer=A | explanation=Move 2 positions forward from H; the resulting letter is J.

id=14032 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=S | option_c=V | option_d=M | answer=B | explanation=Move 3 positions forward from P; the resulting letter is S.

id=14033 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 15, 21, 28? | option_a=28 | option_b=9 | option_c=21 | option_d=15 | answer=A | explanation=The first three numbers increase by 6, so the next should be 27. Therefore 28 is the odd one out.

id=14034 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 13, 18, 25? | option_a=13 | option_b=8 | option_c=25 | option_d=18 | answer=C | explanation=The first three numbers increase by 5, so the next should be 23. Therefore 25 is the odd one out.

id=14035 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=14036 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=125 | option_b=120 | option_c=115 | option_d=240 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=14037 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=14038 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:19 and the first is 15, what is the second? | option_a=57 | option_b=72 | option_c=62 | option_d=38 | answer=A | explanation=Scale factor = 15/5 = 3. Therefore second quantity = 19×3 = 57.

id=14039 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=T | option_b=W | option_c=Q | option_d=N | answer=A | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=14040 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19609 at 10% per annum for 4 years. | option_a=7743 | option_b=7943 | option_c=7843 | option_d=27452 | answer=C | explanation=SI = PRT/100 = 19609×10×4/100 = █7843.

Aptitude Questions — Records 14,041-14,070 of 100,000

id=14041 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=29 | option_b=23 | option_c=27 | option_d=26 | answer=D | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.

id=14042 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 9, 16, 24? | option_a=9 | option_b=16 | option_c=24 | option_d=2 | answer=C | explanation=The first three numbers increase by 7, so the next should be 23. Therefore 24 is the odd one out.

id=14043 | topic=Percentages | difficulty=Easy | question=What is 12% of 689? | option_a=92 | option_b=82 | option_c=164 | option_d=62 | answer=B | explanation=12% of 689 = (12/100) × 689 = 82.

id=14044 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=V | option_c=Z | option_d=N | answer=B | explanation=Move 4 positions forward from R; the resulting letter is V.

id=14045 | topic=Profit & Loss | difficulty=Easy | question=An article costs █574. If it is sold at a profit of 20%, what is its selling price? | option_a=745 | option_b=688 | option_c=594 | option_d=631 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 574 × 120/100 = █688.

id=14046 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=200 | option_c=105 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=14047 | topic=Averages | difficulty=Easy | question=Find the average of 87, 98, 40, 55. | option_a=70 | option_b=71 | option_c=72 | option_d=69 | answer=A | explanation=Average = sum of values ÷ number of values = 280 ÷ 4 = 70.

id=14048 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=L | option_b=J | option_c=N | option_d=H | answer=A | explanation=Move 2 positions forward from J; the resulting letter is L.

id=14049 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 12, 17, 24? | option_a=7 | option_b=12 | option_c=17 | option_d=24 | answer=D | explanation=The first three numbers increase by 5, so the next should be 22. Therefore 24 is the odd one out.

id=14050 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:10 and the first is 48, what is the second? | option_a=50 | option_b=108 | option_c=68 | option_d=60 | answer=D | explanation=Scale factor = 48/8 = 6. Therefore second quantity = 10×6 = 60.

id=14051 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:8 and the first is 320, what is the second? | option_a=128 | option_b=148 | option_c=120 | option_d=448 | answer=A | explanation=Scale factor = 320/20 = 16. Therefore second quantity = 8×16 = 128.

id=14052 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=N | option_b=Q | option_c=W | option_d=T | answer=D | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=14053 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=14054 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2626. If it is sold at a profit of 30%, what is its selling price? | option_a=3413 | option_b=3675 | option_c=3151 | option_d=2656 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2626 × 130/100 = █3413.

id=14055 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22097 at 5% per annum for 5 years. | option_a=5524 | option_b=27621 | option_c=5424 | option_d=5624 | answer=A | explanation=SI = PRT/100 = 22097×5×5/100 = █5524.

id=14056 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3224. If it is sold at a profit of 25%, what is its selling price? | option_a=4030 | option_b=4352 | option_c=3708 | option_d=3249 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3224 × 125/100 = █4030.

id=14057 | topic=Averages | difficulty=Easy | question=Find the average of 21, 88, 35. | option_a=48 | option_b=49 | option_c=50 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 144 ÷ 3 = 48.

id=14058 | topic=Percentages | difficulty=Easy | question=What is 20% of 1902? | option_a=380 | option_b=390 | option_c=360 | option_d=760 | answer=A | explanation=20% of 1902 = (20/100) × 1902 = 380.

id=14059 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3050. If it is sold at a profit of 15%, what is its selling price? | option_a=3507 | option_b=3065 | option_c=3812 | option_d=3202 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3050 × 115/100 = █3507.

id=14060 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36887 at 10% per annum for 3 years. | option_a=10966 | option_b=11066 | option_c=47953 | option_d=11166 | answer=B | explanation=SI = PRT/100 = 36887×10×3/100 = █11066.

id=14061 | topic=Percentages | difficulty=Easy | question=What is 10% of 413? | option_a=82 | option_b=41 | option_c=31 | option_d=51 | answer=B | explanation=10% of 413 = (10/100) × 413 = 41.

id=14062 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:14 and the first is 240, what is the second? | option_a=239 | option_b=224 | option_c=210 | option_d=464 | answer=B | explanation=Scale factor = 240/15 = 16. Therefore second quantity = 14×16 = 224.

id=14063 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=15 | option_b=16 | option_c=12 | option_d=18 | answer=A | explanation=The common difference is 3. Therefore the next term is 12 + 3 = 15.

id=14064 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:8 and the first is 6, what is the second? | option_a=26 | option_b=16 | option_c=30 | option_d=24 | answer=D | explanation=Scale factor = 6/2 = 3. Therefore second quantity = 8×3 = 24.

id=14065 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=E | option_b=J | option_c=T | option_d=O | answer=D | explanation=Move 5 positions forward from J; the resulting letter is O.

id=14066 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=45 | option_c=35 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=14067 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4406. If it is sold at a profit of 50%, what is its selling price? | option_a=4456 | option_b=6169 | option_c=6609 | option_d=7049 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4406 × 150/100 = █6609.

id=14068 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=A | option_b=X | option_c=U | option_d=R | answer=B | explanation=Move 3 positions forward from U; the resulting letter is X.

id=14069 | topic=Averages | difficulty=Easy | question=Find the average of 62, 71, 84, 80, 41, 34. | option_a=64 | option_b=61 | option_c=63 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 372 ÷ 6 = 62.

id=14070 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1171. If it is sold at a profit of 40%, what is its selling price? | option_a=1756 | option_b=1522 | option_c=1211 | option_d=1639 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1171 × 140/100 = █1639.

Aptitude Questions — Records 14,071-14,100 of 100,000

id=14071 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=T | option_b=O | option_c=J | option_d=E | answer=B | explanation=Move 5 positions forward from J; the resulting letter is O.

id=14072 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 41? | option_a=41 | option_b=35 | option_c=25 | option_d=30 | answer=A | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 41 is the odd one out.

id=14073 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=M | option_b=P | option_c=G | option_d=J | answer=A | explanation=Move 3 positions forward from J; the resulting letter is M.

id=14074 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 16, 23, 30, ? | option_a=37 | option_b=30 | option_c=38 | option_d=44 | answer=A | explanation=The common difference is 7. Therefore the next term is 30 + 7 = 37.

id=14075 | topic=Profit & Loss | difficulty=Easy | question=An article costs █595. If it is sold at a profit of 20%, what is its selling price? | option_a=714 | option_b=615 | option_c=655 | option_d=773 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 595 × 120/100 = █714.

id=14076 | topic=Number System | difficulty=Easy | question=Find the LCM of 19 and 19. | option_a=19 | option_b=38 | option_c=1 | option_d=361 | answer=A | explanation=LCM × HCF = 19×19; HCF(19,19) = 19, so LCM = 19.

id=14077 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=14078 | topic=Profit & Loss | difficulty=Easy | question=An article costs █496. If it is sold at a profit of 25%, what is its selling price? | option_a=669 | option_b=620 | option_c=571 | option_d=521 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 496 × 125/100 = █620.

id=14079 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=14080 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:19 and the first is 51, what is the second? | option_a=38 | option_b=57 | option_c=74 | option_d=108 | answer=B | explanation=Scale factor = 51/17 = 3. Therefore second quantity = 19×3 = 57.

id=14081 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 9. | option_a=84 | option_b=54 | option_c=189 | option_d=63 | answer=D | explanation=LCM × HCF = 21×9; HCF(21,9) = 3, so LCM = 63.

id=14082 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=E | option_b=C | option_c=F | option_d=D | answer=A | explanation=Move 1 positions forward from D; the resulting letter is E.

id=14083 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3629. If it is sold at a profit of 25%, what is its selling price? | option_a=3654 | option_b=4536 | option_c=4174 | option_d=4898 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3629 × 125/100 = █4536.

id=14084 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 34, 41, 50? | option_a=50 | option_b=34 | option_c=27 | option_d=41 | answer=A | explanation=The first three numbers increase by 7, so the next should be 48. Therefore 50 is the odd one out.

id=14085 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=U | option_b=R | option_c=O | option_d=X | answer=A | explanation=Move 3 positions forward from R; the resulting letter is U.

id=14086 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7129 at 10% per annum for 4 years. | option_a=9980 | option_b=2851 | option_c=2951 | option_d=2751 | answer=B | explanation=SI = PRT/100 = 7129×10×4/100 = █2851.

id=14087 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=K | option_b=N | option_c=Q | option_d=T | answer=C | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=14088 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20241 at 6% per annum for 5 years. | option_a=26313 | option_b=6172 | option_c=6072 | option_d=5972 | answer=C | explanation=SI = PRT/100 = 20241×6×5/100 = █6072.

id=14089 | topic=Averages | difficulty=Easy | question=Find the average of 93, 54, 90. | option_a=78 | option_b=79 | option_c=80 | option_d=81 | answer=B | explanation=Average = sum of values ÷ number of values = 237 ÷ 3 = 79.

id=14090 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 29? | option_a=29 | option_b=22 | option_c=26 | option_d=24 | answer=A | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 29 is the odd one out.

id=14091 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1814. If it is sold at a profit of 20%, what is its selling price? | option_a=2357 | option_b=1834 | option_c=2176 | option_d=1995 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1814 × 120/100 = █2176.

id=14092 | topic=Averages | difficulty=Easy | question=Find the average of 55, 16, 96, 37. | option_a=51 | option_b=50 | option_c=53 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 204 ÷ 4 = 51.

id=14093 | topic=Number System | difficulty=Easy | question=Find the LCM of 23 and 23. | option_a=23 | option_b=46 | option_c=529 | option_d=1 | answer=A | explanation=LCM × HCF = 23×23; HCF(23,23) = 23, so LCM = 23.

id=14094 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:16 and the first is 126, what is the second? | option_a=158 | option_b=144 | option_c=128 | option_d=270 | answer=B | explanation=Scale factor = 126/14 = 9. Therefore second quantity = 16×9 = 144.

id=14095 | topic=Percentages | difficulty=Easy | question=What is 15% of 148? | option_a=17 | option_b=22 | option_c=27 | option_d=44 | answer=B | explanation=15% of 148 = (15/100) × 148 = 22.

id=14096 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3994. If it is sold at a profit of 50%, what is its selling price? | option_a=6390 | option_b=4044 | option_c=5592 | option_d=5991 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3994 × 150/100 = █5991.

id=14097 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37209 at 4% per annum for 3 years. | option_a=41674 | option_b=4565 | option_c=4465 | option_d=4365 | answer=C | explanation=SI = PRT/100 = 37209×4×3/100 = █4465.

id=14098 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3223. If it is sold at a profit of 40%, what is its selling price? | option_a=4190 | option_b=3263 | option_c=4834 | option_d=4512 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3223 × 140/100 = █4512.

id=14099 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=63 | option_b=62 | option_c=73 | option_d=51 | answer=B | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.

id=14100 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 143, what is the second? | option_a=219 | option_b=208 | option_c=192 | option_d=351 | answer=B | explanation=Scale factor = 143/11 = 13. Therefore second quantity = 16×13 = 208.

Aptitude Questions — Records 14,101-14,130 of 100,000

id=14101 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:6 and the first is 102, what is the second? | option_a=30 | option_b=36 | option_c=53 | option_d=138 | answer=B | explanation=Scale factor = 102/17 = 6. Therefore second quantity = 6×6 = 36.

id=14102 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:9 and the first is 153, what is the second? | option_a=234 | option_b=72 | option_c=81 | option_d=98 | answer=C | explanation=Scale factor = 153/17 = 9. Therefore second quantity = 9×9 = 81.

id=14103 | topic=Percentages | difficulty=Easy | question=What is 10% of 1736? | option_a=173 | option_b=346 | option_c=168 | option_d=193 | answer=A | explanation=10% of 1736 = (10/100) × 1736 = 173.

id=14104 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=O | option_c=M | option_d=N | answer=B | explanation=Move 1 positions forward from N; the resulting letter is O.

id=14105 | topic=Averages | difficulty=Easy | question=Find the average of 99, 26, 17, 95, 63. | option_a=62 | option_b=60 | option_c=59 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 300 ÷ 5 = 60.

id=14106 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=49 | option_b=61 | option_c=62 | option_d=73 | answer=B | explanation=The common difference is 12. Therefore the next term is 49 + 12 = 61.

id=14107 | topic=Percentages | difficulty=Easy | question=What is 20% of 532? | option_a=106 | option_b=126 | option_c=212 | option_d=96 | answer=A | explanation=20% of 532 = (20/100) × 532 = 106.

id=14108 | topic=Percentages | difficulty=Easy | question=What is 20% of 269? | option_a=106 | option_b=63 | option_c=48 | option_d=53 | answer=D | explanation=20% of 269 = (20/100) × 269 = 53.

id=14109 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=S | option_b=U | option_c=Y | option_d=W | answer=D | explanation=Move 2 positions forward from U; the resulting letter is W.

id=14110 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39798 at 4% per annum for 1 years. | option_a=1491 | option_b=1591 | option_c=1691 | option_d=41389 | answer=B | explanation=SI = PRT/100 = 39798×4×1/100 = **■**1591.

id=14111 | topic=Number System | difficulty=Easy | question=Find the LCM of 23 and 23. | option_a=23 | option_b=1 | option_c=46 | option_d=529 | answer=A | explanation=LCM × HCF = 23×23; HCF(23,23) = 23, so LCM = 23.

id=14112 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=12 | option_c=11 | option_d=1 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=14113 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12325 at 15% per annum for 1 years. | option_a=1848 | option_b=1748 | option_c=14173 | option_d=1948 | answer=A | explanation=SI = PRT/100 = 12325×15×1/100 = **■**1848.

id=14114 | topic=Averages | difficulty=Easy | question=Find the average of 92, 32, 89. | option_a=72 | option_b=73 | option_c=70 | option_d=71 | answer=D | explanation=Average = sum of values ÷ number of values = 213 ÷ 3 = 71.

id=14115 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=Y | option_b=A | option_c=E | option_d=C | answer=D | explanation=Move 2 positions forward from A; the resulting letter is C.

id=14116 | topic=Averages | difficulty=Easy | question=Find the average of 97, 61, 45, 100, 12. | option_a=64 | option_b=65 | option_c=62 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 315 ÷ 5 = 63.

id=14117 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=14118 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 27? | option_a=18 | option_b=4 | option_c=27 | option_d=11 | answer=C | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 27 is the odd one out.

id=14119 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 34, 42, 51? | option_a=42 | option_b=51 | option_c=34 | option_d=26 | answer=B | explanation=The first three numbers increase by 8, so the next should be 50. Therefore 51 is the odd one out.

id=14120 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 22, 32, 45? | option_a=12 | option_b=32 | option_c=45 | option_d=22 | answer=C | explanation=The first three numbers increase by 10, so the next should be 42. Therefore 45 is the odd one out.

id=14121 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3761. If it is sold at a profit of 40%, what is its selling price? | option_a=3801 | option_b=4889 | option_c=5265 | option_d=5641 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3761 × 140/100 = **■**5265.

id=14122 | topic=Percentages | difficulty=Easy | question=What is 5% of 1898? | option_a=188 | option_b=114 | option_c=94 | option_d=74 | answer=C | explanation=5% of 1898 = (5/100) × 1898 = 94.

id=14123 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=35 | option_b=44 | option_c=43 | option_d=51 | answer=C | explanation=The common difference is 8. Therefore the next term is 35 + 8 = 43.

id=14124 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:19 and the first is 196, what is the second? | option_a=247 | option_b=266 | option_c=462 | option_d=280 | answer=B | explanation=Scale factor = 196/14 = 14. Therefore second quantity = 19×14 = 266.

id=14125 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:8 and the first is 40, what is the second? | option_a=80 | option_b=72 | option_c=120 | option_d=84 | answer=A | explanation=Scale factor = 40/4 = 10. Therefore second quantity = 8×10 = 80.

id=14126 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:12 and the first is 380, what is the second? | option_a=259 | option_b=620 | option_c=240 | option_d=228 | answer=C | explanation=Scale factor = 380/19 = 20. Therefore second quantity = 12×20 = 240.

id=14127 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3620. If it is sold at a profit of 50%, what is its selling price? | option_a=3670 | option_b=5068 | option_c=5430 | option_d=5792 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3620 × 150/100 = **■**5430.

id=14128 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:6 and the first is 19, what is the second? | option_a=114 | option_b=115 | option_c=108 | option_d=133 | answer=A | explanation=Scale factor = 19/1 = 19. Therefore second quantity = 6×19 = 114.

id=14129 | topic=Averages | difficulty=Easy | question=Find the average of 50, 87, 82, 51, 38, 27, 44, 58, 59, 84. | option_a=58 | option_b=57 | option_c=59 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 580 ÷ 10 = 58.

id=14130 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1872. If it is sold at a profit of 40%, what is its selling price? | option_a=2433 | option_b=1912 | option_c=2807 | option_d=2620 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1872 × 140/100 = **■**2620.

Aptitude Questions — Records 14,131-14,160 of 100,000

id=14131 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=14132 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=14133 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=51 | option_b=40 | option_c=60 | option_d=50 | answer=D | explanation=The common difference is 10. Therefore the next term is $40 + 10 = 50$.

id=14134 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=X | option_b=F | option_c=J | option_d=B | answer=B | explanation=Move 4 positions forward from B; the resulting letter is F.

id=14135 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=C | option_b=Q | option_c=Y | option_d=U | answer=C | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=14136 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=V | option_b=P | option_c=S | option_d=Y | answer=A | explanation=Move 3 positions forward from S; the resulting letter is V.

id=14137 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 30, 34, 41? | option_a=30 | option_b=34 | option_c=41 | option_d=26 | answer=C | explanation=The first three numbers increase by 4, so the next should be 38. Therefore 41 is the odd one out.

id=14138 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 4. | option_a=16 | option_b=4 | option_c=8 | option_d=1 | answer=B | explanation= $\text{LCM} \times \text{HCF} = 4 \times 4$; $\text{HCF}(4,4) = 4$, so $\text{LCM} = 4$.

id=14139 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=W | option_b=Q | option_c=S | option_d=K | answer=C | explanation=Move 4 positions forward from O; the resulting letter is S.

id=14140 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 20. | option_a=242 | option_b=220 | option_c=440 | option_d=200 | answer=B | explanation= $\text{LCM} \times \text{HCF} = 22 \times 20$; $\text{HCF}(22,20) = 2$, so $\text{LCM} = 220$.

id=14141 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=85 | option_c=160 | option_d=80 | answer=D | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{240}{3} = 80$ km/h.

id=14142 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=14143 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=30 | option_d=10 | answer=A | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{150}{10} = 15$ km/h.

id=14144 | topic=Profit & Loss | difficulty=Easy | question=An article costs $\text{₹}814$. If it is sold at a profit of 50%, what is its selling price? | option_a=1140 | option_b=1221 | option_c=1302 | option_d=864 | answer=B | explanation= $\text{Selling price} = \text{CP} \times (100 + \text{profit}\%)/100 = 814 \times \frac{150}{100} = \text{₹}1221$.

id=14145 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 12. | option_a=32 | option_b=12 | option_c=24 | option_d=96 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 8 \times 12$; $\text{HCF}(8,12) = 4$, so $\text{LCM} = 24$.

id=14146 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on $\text{₹}26443$ at 4% per annum for 1 years. | option_a=957 | option_b=1157 | option_c=27500 | option_d=1057 | answer=D | explanation= $\text{SI} = \frac{\text{PRT}}{100} = \frac{26443 \times 4 \times 1}{100} = \text{₹}1057$.

id=14147 | topic=Percentages | difficulty=Easy | question=What is 10% of 461? | option_a=66 | option_b=46 | option_c=92 | option_d=36 | answer=B | explanation= $10\% \text{ of } 461 = \frac{(10)}{100} \times 461 = 46$.

id=14148 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=40 | option_d=45 | answer=D | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{90}{2} = 45$ km/h.

id=14149 | topic=Percentages | difficulty=Easy | question=What is 5% of 1716? | option_a=85 | option_b=170 | option_c=75 | option_d=90 | answer=A | explanation= $5\% \text{ of } 1716 = \frac{(5)}{100} \times 1716 = 85$.

id=14150 | topic=Percentages | difficulty=Easy | question=What is 50% of 1694? | option_a=837 | option_b=1694 | option_c=867 | option_d=847 | answer=D | explanation= $50\% \text{ of } 1694 = \frac{(50)}{100} \times 1694 = 847$.

id=14151 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=48 | option_b=37 | option_c=47 | option_d=57 | answer=C | explanation=The common difference is 10. Therefore the next term is $37 + 10 = 47$.

id=14152 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=X | option_b=S | option_c=C | option_d=N | answer=A | explanation=Move 5 positions forward from S; the resulting letter is X.

id=14153 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=14154 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 24, 27, 32? | option_a=24 | option_b=21 | option_c=27 | option_d=32 | answer=D | explanation=The first three numbers increase by 3, so the next should be 30. Therefore 32 is the odd one out.

id=14155 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

id=14156 | topic=Profit & Loss | difficulty=Easy | question=An article costs $\text{₹}2043$. If it is sold at a profit of 30%, what is its selling price? | option_a=2451 | option_b=2073 | option_c=2655 | option_d=2859 | answer=C | explanation= $\text{Selling price} = \text{CP} \times (100 + \text{profit}\%)/100 = 2043 \times \frac{130}{100} = \text{₹}2655$.

id=14157 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=14158 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Q | option_b=Y | option_c=U | option_d=C | answer=B | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=14159 | topic=Averages | difficulty=Easy | question=Find the average of 44, 86, 60, 33, 27, 68, 81. | option_a=56 | option_b=57 | option_c=58 | option_d=59 | answer=B | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{399}{7} = 57$.

id=14160 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 33, 42, 52? | option_a=42 | option_b=52 | option_c=24 | option_d=33 | answer=B | explanation=The first three numbers increase by 9, so the next should be 51. Therefore 52 is the odd one out.

Aptitude Questions — Records 14,161-14,190 of 100,000

id=14161 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 40? | option_a=33 | option_b=30 | option_c=36 | option_d=40 | answer=D | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 40 is the odd one out.

id=14162 | topic=Averages | difficulty=Easy | question=Find the average of 28, 84, 63, 63, 49, 37, 26. | option_a=49 | option_b=52 | option_c=50 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

id=14163 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4419. If it is sold at a profit of 15%, what is its selling price? | option_a=4434 | option_b=5522 | option_c=4640 | option_d=5081 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4419 × 115/100 = █5081.

id=14164 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:2 and the first is 10, what is the second? | option_a=9 | option_b=14 | option_c=2 | option_d=4 | answer=D | explanation=Scale factor = 10/5 = 2. Therefore second quantity = 2×2 = 4.

id=14165 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=55 | option_b=64 | option_c=46 | option_d=56 | answer=A | explanation=The common difference is 9. Therefore the next term is 46 + 9 = 55.

id=14166 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36224 at 15% per annum for 1 years. | option_a=41657 | option_b=5433 | option_c=5533 | option_d=5333 | answer=B | explanation=SI = PRT/100 = 36224×15×1/100 = █5433.

id=14167 | topic=Percentages | difficulty=Easy | question=What is 5% of 253? | option_a=2 | option_b=24 | option_c=12 | option_d=17 | answer=C | explanation=5% of 253 = (5/100) × 253 = 12.

id=14168 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 39? | option_a=10 | option_b=39 | option_c=19 | option_d=28 | answer=B | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 39 is the odd one out.

id=14169 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=29 | option_b=26 | option_c=32 | option_d=30 | answer=A | explanation=The common difference is 3. Therefore the next term is 26 + 3 = 29.

id=14170 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=35 | option_b=46 | option_c=57 | option_d=47 | answer=B | explanation=The common difference is 11. Therefore the next term is 35 + 11 = 46.

id=14171 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17042 at 6% per annum for 1 years. | option_a=18064 | option_b=1022 | option_c=922 | option_d=1122 | answer=B | explanation=SI = PRT/100 = 17042×6×1/100 = █1022.

id=14172 | topic=Averages | difficulty=Easy | question=Find the average of 93, 97, 17, 33, 37, 89. | option_a=63 | option_b=61 | option_c=60 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 366 ÷ 6 = 61.

id=14173 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:14 and the first is 304, what is the second? | option_a=528 | option_b=210 | option_c=224 | option_d=243 | answer=C | explanation=Scale factor = 304/19 = 16. Therefore second quantity = 14×16 = 224.

id=14174 | topic=Percentages | difficulty=Easy | question=What is 5% of 874? | option_a=48 | option_b=23 | option_c=43 | option_d=86 | answer=C | explanation=5% of 874 = (5/100) × 874 = 43.

id=14175 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=13 | option_c=23 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=14176 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=T | option_c=R | option_d=S | answer=B | explanation=Move 1 positions forward from S; the resulting letter is T.

id=14177 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=44 | option_b=56 | option_c=68 | option_d=57 | answer=B | explanation=The common difference is 12. Therefore the next term is 44 + 12 = 56.

id=14178 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=14179 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=145 | option_c=300 | option_d=155 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=14180 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 12. | option_a=14 | option_b=12 | option_c=24 | option_d=1 | answer=B | explanation=LCM × HCF = 2×12; HCF(2,12) = 2, so LCM = 12.

id=14181 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=52 | option_b=51 | option_c=62 | option_d=40 | answer=B | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=14182 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=14183 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=24 | option_b=34 | option_c=29 | option_d=30 | answer=C | explanation=The common difference is 5. Therefore the next term is 24 + 5 = 29.

id=14184 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 12, 21, 30, ? | option_a=39 | option_b=30 | option_c=40 | option_d=48 | answer=A | explanation=The common difference is 9. Therefore the next term is 30 + 9 = 39.

id=14185 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=C | option_c=Q | option_d=Y | answer=D | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=14186 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=K | option_c=S | option_d=G | answer=A | explanation=Move 4 positions forward from K; the resulting letter is O.

id=14187 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=14188 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=40 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=14189 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=D | option_b=E | option_c=G | option_d=F | answer=D | explanation=Move 1 positions forward from E; the resulting letter is F.

id=14190 | topic=Averages | difficulty=Easy | question=Find the average of 16, 29, 63, 60, 83, 96, 23, 86, 24, 60. | option_a=53 | option_b=55 | option_c=54 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

Aptitude Questions — Records 14,191-14,220 of 100,000

id=14191 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=14192 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=14193 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=14194 | topic=Profit & Loss | difficulty=Easy | question=An article costs █186. If it is sold at a profit of 15%, what is its selling price? | option_a=201 | option_b=231 | option_c=195 | option_d=213 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 186 × 115/100 = █213.

id=14195 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:5 and the first is 32, what is the second? | option_a=52 | option_b=15 | option_c=28 | option_d=20 | answer=D | explanation=Scale factor = 32/8 = 4. Therefore second quantity = 5×4 = 20.

id=14196 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=12 | option_b=18 | option_c=15 | option_d=16 | answer=C | explanation=The common difference is 3. Therefore the next term is 12 + 3 = 15.

id=14197 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:9 and the first is 132, what is the second? | option_a=111 | option_b=90 | option_c=231 | option_d=99 | answer=D | explanation=Scale factor = 132/12 = 11. Therefore second quantity = 9×11 = 99.

id=14198 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=13 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=14199 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4119. If it is sold at a profit of 30%, what is its selling price? | option_a=5765 | option_b=4149 | option_c=4943 | option_d=5354 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4119 × 130/100 = █5354.

id=14200 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32639 at 10% per annum for 2 years. | option_a=6427 | option_b=6627 | option_c=39166 | option_d=6527 | answer=D | explanation=SI = PRT/100 = 32639×10×2/100 = █6527.

id=14201 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=24 | option_b=28 | option_c=29 | option_d=32 | answer=B | explanation=The common difference is 4. Therefore the next term is 24 + 4 = 28.

id=14202 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=56 | option_b=43 | option_c=55 | option_d=67 | answer=C | explanation=The common difference is 12. Therefore the next term is 43 + 12 = 55.

id=14203 | topic=Averages | difficulty=Easy | question=Find the average of 45, 17, 13, 67, 33. | option_a=36 | option_b=34 | option_c=37 | option_d=35 | answer=D | explanation=Average = sum of values ÷ number of values = 175 ÷ 5 = 35.

id=14204 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 26, 36, 49? | option_a=36 | option_b=49 | option_c=16 | option_d=26 | answer=B | explanation=The first three numbers increase by 10, so the next should be 46. Therefore 49 is the odd one out.

id=14205 | topic=Percentages | difficulty=Easy | question=What is 20% of 1256? | option_a=251 | option_b=241 | option_c=261 | option_d=502 | answer=A | explanation=20% of 1256 = (20/100) × 1256 = 251.

id=14206 | topic=Averages | difficulty=Easy | question=Find the average of 47, 40, 39. | option_a=44 | option_b=43 | option_c=41 | option_d=42 | answer=D | explanation=Average = sum of values ÷ number of values = 126 ÷ 3 = 42.

id=14207 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 8, 10, 14? | option_a=14 | option_b=6 | option_c=8 | option_d=10 | answer=A | explanation=The first three numbers increase by 2, so the next should be 12. Therefore 14 is the odd one out.

id=14208 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30520 at 6% per annum for 2 years. | option_a=34182 | option_b=3662 | option_c=3562 | option_d=3762 | answer=B | explanation=SI = PRT/100 = 30520×6×2/100 = █3662.

id=14209 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=14210 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1666. If it is sold at a profit of 20%, what is its selling price? | option_a=1999 | option_b=2165 | option_c=1833 | option_d=1686 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1666 × 120/100 = █1999.

id=14211 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=25 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=14212 | topic=Averages | difficulty=Easy | question=Find the average of 21, 57, 82, 72. | option_a=58 | option_b=59 | option_c=60 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 232 ÷ 4 = 58.

id=14213 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 30, 38, 49? | option_a=30 | option_b=49 | option_c=22 | option_d=38 | answer=B | explanation=The first three numbers increase by 8, so the next should be 46. Therefore 49 is the odd one out.

id=14214 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 10, 15, 20, ? | option_a=20 | option_b=25 | option_c=26 | option_d=30 | answer=B | explanation=The common difference is 5. Therefore the next term is 20 + 5 = 25.

id=14215 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:11 and the first is 36, what is the second? | option_a=33 | option_b=22 | option_c=69 | option_d=45 | answer=A | explanation=Scale factor = 36/12 = 3. Therefore second quantity = 11×3 = 33.

id=14216 | topic=Percentages | difficulty=Easy | question=What is 15% of 1127? | option_a=179 | option_b=159 | option_c=338 | option_d=169 | answer=D | explanation=15% of 1127 = (15/100) × 1127 = 169.

id=14217 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=Q | option_c=W | option_d=Z | answer=C | explanation=Move 3 positions forward from T; the resulting letter is W.

id=14218 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29253 at 5% per annum for 4 years. | option_a=5850 | option_b=5750 | option_c=35103 | option_d=5950 | answer=A | explanation=SI = PRT/100 = 29253×5×4/100 = █5850.

id=14219 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10083 at 6% per annum for 5 years. | option_a=13107 | option_b=3124 | option_c=3024 | option_d=2924 | answer=C | explanation=SI = PRT/100 = 10083×6×5/100 = █3024.

id=14220 | topic=Averages | difficulty=Easy | question=Find the average of 13, 29, 84, 83, 77, 37, 97, 100. | option_a=65 | option_b=67 | option_c=66 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = 520 ÷ 8 = 65.

Aptitude Questions — Records 14,221-14,250 of 100,000

id=14221 | topic=Percentages | difficulty=Easy | question=What is 50% of 1341? | option_a=670 | option_b=1340 | option_c=690 | option_d=660 | answer=A | explanation=50% of 1341 = (50/100) × 1341 = 670.

id=14222 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=15 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=14223 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=X | option_c=U | option_d=O | answer=C | explanation=Move 3 positions forward from R; the resulting letter is U.

id=14224 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=14225 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3774. If it is sold at a profit of 25%, what is its selling price? | option_a=3799 | option_b=5094 | option_c=4340 | option_d=4717 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3774 × 125/100 = █4717.

id=14226 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=40 | option_c=25 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=14227 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 21. | option_a=210 | option_b=240 | option_c=189 | option_d=630 | answer=A | explanation=LCM × HCF = 30×21; HCF(30,21) = 3, so LCM = 210.

id=14228 | topic=Averages | difficulty=Easy | question=Find the average of 18, 66, 91, 10, 85. | option_a=53 | option_b=55 | option_c=56 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 270 ÷ 5 = 54.

id=14229 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 30. | option_a=330 | option_b=352 | option_c=300 | option_d=660 | answer=A | explanation=LCM × HCF = 22×30; HCF(22,30) = 2, so LCM = 330.

id=14230 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=38 | option_b=44 | option_c=32 | option_d=39 | answer=A | explanation=The common difference is 6. Therefore the next term is 32 + 6 = 38.

id=14231 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 33, 43, 56? | option_a=23 | option_b=56 | option_c=43 | option_d=33 | answer=B | explanation=The first three numbers increase by 10, so the next should be 53. Therefore 56 is the odd one out.

id=14232 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2655. If it is sold at a profit of 50%, what is its selling price? | option_a=3982 | option_b=4247 | option_c=2705 | option_d=3717 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2655 × 150/100 = █3982.

id=14233 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 27. | option_a=30 | option_b=81 | option_c=27 | option_d=1 | answer=C | explanation=LCM × HCF = 3×27; HCF(3,27) = 3, so LCM = 27.

id=14234 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=14235 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=14236 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 4. | option_a=60 | option_b=120 | option_c=90 | option_d=56 | answer=A | explanation=LCM × HCF = 30×4; HCF(30,4) = 2, so LCM = 60.

id=14237 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 10, 18, 27? | option_a=18 | option_b=27 | option_c=10 | option_d=2 | answer=B | explanation=The first three numbers increase by 8, so the next should be 26. Therefore 27 is the odd one out.

id=14238 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3017. If it is sold at a profit of 10%, what is its selling price? | option_a=3318 | option_b=3027 | option_c=3017 | option_d=3619 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3017 × 110/100 = █3318.

id=14239 | topic=Percentages | difficulty=Easy | question=What is 40% of 650? | option_a=520 | option_b=240 | option_c=260 | option_d=280 | answer=C | explanation=40% of 650 = (40/100) × 650 = 260.

id=14240 | topic=Percentages | difficulty=Easy | question=What is 12% of 1793? | option_a=205 | option_b=215 | option_c=430 | option_d=235 | answer=B | explanation=12% of 1793 = (12/100) × 1793 = 215.

id=14241 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=14242 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=14243 | topic=Profit & Loss | difficulty=Easy | question=An article costs █316. If it is sold at a profit of 40%, what is its selling price? | option_a=356 | option_b=442 | option_c=411 | option_d=473 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 316 × 140/100 = █442.

id=14244 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=14245 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=30 | option_b=35 | option_c=40 | option_d=36 | answer=B | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=14246 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=B | option_b=F | option_c=N | option_d=J | answer=D | explanation=Move 4 positions forward from F; the resulting letter is J.

id=14247 | topic=Profit & Loss | difficulty=Easy | question=An article costs █142. If it is sold at a profit of 5%, what is its selling price? | option_a=163 | option_b=149 | option_c=147 | option_d=135 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 142 × 105/100 = █149.

id=14248 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=38 | option_b=34 | option_c=30 | option_d=35 | answer=B | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.

id=14249 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=14250 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

Aptitude Questions — Records 14,251-14,280 of 100,000

id=14251 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 31? | option_a=31 | option_b=22 | option_c=26 | option_d=24 | answer=A | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 31 is the odd one out.

id=14252 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4312. If it is sold at a profit of 20%, what is its selling price? | option_a=5605 | option_b=4743 | option_c=4332 | option_d=5174 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4312 × 120/100 = █5174.

id=14253 | topic=Percentages | difficulty=Easy | question=What is 10% of 266? | option_a=52 | option_b=26 | option_c=31 | option_d=16 | answer=B | explanation=10% of 266 = (10/100) × 266 = 26.

id=14254 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=Q | option_b=H | option_c=K | option_d=N | answer=D | explanation=Move 3 positions forward from K; the resulting letter is N.

id=14255 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=U | option_c=I | option_d=Q | answer=D | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=14256 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3149. If it is sold at a profit of 25%, what is its selling price? | option_a=3936 | option_b=3174 | option_c=4250 | option_d=3622 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3149 × 125/100 = █3936.

id=14257 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 27. | option_a=243 | option_b=300 | option_c=270 | option_d=810 | answer=C | explanation=LCM × HCF = 30×27; HCF(30,27) = 3, so LCM = 270.

id=14258 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 11. | option_a=22 | option_b=242 | option_c=11 | option_d=44 | answer=A | explanation=LCM × HCF = 22×11; HCF(22,11) = 11, so LCM = 22.

id=14259 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=14260 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=49 | option_b=50 | option_c=40 | option_d=58 | answer=A | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

id=14261 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=H | option_b=C | option_c=X | option_d=M | answer=A | explanation=Move 5 positions forward from C; the resulting letter is H.

id=14262 | topic=Averages | difficulty=Easy | question=Find the average of 94, 43, 79. | option_a=71 | option_b=72 | option_c=74 | option_d=73 | answer=B | explanation=Average = sum of values ÷ number of values = 216 ÷ 3 = 72.

id=14263 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2858. If it is sold at a profit of 30%, what is its selling price? | option_a=3430 | option_b=4000 | option_c=2888 | option_d=3715 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2858 × 130/100 = █3715.

id=14264 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 26, 28, 31? | option_a=26 | option_b=28 | option_c=24 | option_d=31 | answer=D | explanation=The first three numbers increase by 2, so the next should be 30. Therefore 31 is the odd one out.

id=14265 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4527. If it is sold at a profit of 50%, what is its selling price? | option_a=4577 | option_b=7242 | option_c=6790 | option_d=6338 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4527 × 150/100 = █6790.

id=14266 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:5 and the first is 133, what is the second? | option_a=30 | option_b=168 | option_c=54 | option_d=35 | answer=D | explanation=Scale factor = 133/19 = 7. Therefore second quantity = 5×7 = 35.

id=14267 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=43 | option_c=48 | option_d=53 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=14268 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=S | option_c=Y | option_d=U | answer=A | explanation=Move 2 positions forward from U; the resulting letter is W.

id=14269 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=14270 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=E | option_b=Z | option_c=P | option_d=U | answer=B | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=14271 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 24. | option_a=28 | option_b=1 | option_c=24 | option_d=96 | answer=C | explanation=LCM × HCF = 4×24; HCF(4,24) = 4, so LCM = 24.

id=14272 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=G | option_c=E | option_d=F | answer=B | explanation=Move 1 positions forward from F; the resulting letter is G.

id=14273 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1779. If it is sold at a profit of 25%, what is its selling price? | option_a=2223 | option_b=2046 | option_c=2400 | option_d=1804 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1779 × 125/100 = █2223.

id=14274 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 24, 30, 36, ? | option_a=42 | option_b=43 | option_c=48 | option_d=36 | answer=A | explanation=The common difference is 6. Therefore the next term is 36 + 6 = 42.

id=14275 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5437 at 12% per annum for 1 years. | option_a=752 | option_b=6089 | option_c=652 | option_d=552 | answer=C | explanation=SI = PRT/100 = 5437×12×1/100 = █652.

id=14276 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=14277 | topic=Averages | difficulty=Easy | question=Find the average of 38, 51, 71, 19, 99, 21, 16. | option_a=47 | option_b=45 | option_c=44 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 315 ÷ 7 = 45.

id=14278 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:15 and the first is 45, what is the second? | option_a=90 | option_b=45 | option_c=60 | option_d=30 | answer=B | explanation=Scale factor = 45/15 = 3. Therefore second quantity = 15×3 = 45.

id=14279 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=S | option_c=T | option_d=R | answer=C | explanation=Move 1 positions forward from S; the resulting letter is T.

id=14280 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=L | option_c=Q | option_d=B | answer=B | explanation=Move 5 positions forward from G; the resulting letter is L.

Aptitude Questions — Records 14,281-14,310 of 100,000

id=14281 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=28 | option_b=31 | option_c=34 | option_d=32 | answer=B | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=14282 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10764 at 12% per annum for 1 years. | option_a=1391 | option_b=12055 | option_c=1191 | option_d=1291 | answer=D | explanation=SI = $PRT/100 = 10764 \times 12 \times 1/100 = \text{■}1291$.

id=14283 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:2 and the first is 72, what is the second? | option_a=88 | option_b=14 | option_c=25 | option_d=16 | answer=D | explanation=Scale factor = $72/9 = 8$. Therefore second quantity = $2 \times 8 = 16$.

id=14284 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 16, 25, 35? | option_a=25 | option_b=16 | option_c=7 | option_d=35 | answer=D | explanation=The first three numbers increase by 9, so the next should be 34. Therefore 35 is the odd one out.

id=14285 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=14286 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=13 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = $180 \div 10 = 18$ km/h.

id=14287 | topic=Averages | difficulty=Easy | question=Find the average of 73, 26, 72. | option_a=59 | option_b=56 | option_c=57 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = $171 \div 3 = 57$.

id=14288 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=55 | option_d=100 | answer=B | explanation=Speed = distance ÷ time = $300 \div 6 = 50$ km/h.

id=14289 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:20 and the first is 169, what is the second? | option_a=240 | option_b=273 | option_c=260 | option_d=429 | answer=C | explanation=Scale factor = $169/13 = 13$. Therefore second quantity = $20 \times 13 = 260$.

id=14290 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45542 at 8% per annum for 4 years. | option_a=14473 | option_b=60115 | option_c=14673 | option_d=14573 | answer=D | explanation=SI = $PRT/100 = 45542 \times 8 \times 4/100 = \text{■}14573$.

id=14291 | topic=Averages | difficulty=Easy | question=Find the average of 11, 36, 38, 10, 15. | option_a=22 | option_b=24 | option_c=21 | option_d=23 | answer=A | explanation=Average = sum of values ÷ number of values = $110 \div 5 = 22$.

id=14292 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2811. If it is sold at a profit of 50%, what is its selling price? | option_a=2861 | option_b=4216 | option_c=4497 | option_d=3935 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2811 \times 150/100 = \text{■}4216$.

id=14293 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:18 and the first is 90, what is the second? | option_a=329 | option_b=414 | option_c=306 | option_d=324 | answer=D | explanation=Scale factor = $90/5 = 18$. Therefore second quantity = $18 \times 18 = 324$.

id=14294 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 19, 27, 38? | option_a=27 | option_b=38 | option_c=19 | option_d=11 | answer=B | explanation=The first three numbers increase by 8, so the next should be 35. Therefore 38 is the odd one out.

id=14295 | topic=Percentages | difficulty=Easy | question=What is 5% of 277? | option_a=13 | option_b=26 | option_c=8 | option_d=23 | answer=A | explanation=5% of 277 = $(5/100) \times 277 = 13$.

id=14296 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**752. If it is sold at a profit of 40%, what is its selling price? | option_a=1052 | option_b=1127 | option_c=792 | option_d=977 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 752 \times 140/100 = \text{■}1052$.

id=14297 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 33, 43, 54? | option_a=54 | option_b=43 | option_c=33 | option_d=23 | answer=A | explanation=The first three numbers increase by 10, so the next should be 53. Therefore 54 is the odd one out.

id=14298 | topic=Averages | difficulty=Easy | question=Find the average of 13, 33, 55, 36, 53. | option_a=38 | option_b=40 | option_c=37 | option_d=39 | answer=A | explanation=Average = sum of values ÷ number of values = $190 \div 5 = 38$.

id=14299 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=180 | option_c=85 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = $180 \div 2 = 90$ km/h.

id=14300 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 22, 29, 39? | option_a=22 | option_b=15 | option_c=39 | option_d=29 | answer=C | explanation=The first three numbers increase by 7, so the next should be 36. Therefore 39 is the odd one out.

id=14301 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:14 and the first is 57, what is the second? | option_a=269 | option_b=323 | option_c=252 | option_d=266 | answer=D | explanation=Scale factor = $57/3 = 19$. Therefore second quantity = $14 \times 19 = 266$.

id=14302 | topic=Averages | difficulty=Easy | question=Find the average of 62, 82, 76, 45, 21, 89, 80. | option_a=67 | option_b=65 | option_c=66 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = $455 \div 7 = 65$.

id=14303 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 25, 30, 36? | option_a=25 | option_b=36 | option_c=20 | option_d=30 | answer=B | explanation=The first three numbers increase by 5, so the next should be 35. Therefore 36 is the odd one out.

id=14304 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=K | option_b=F | option_c=V | option_d=A | answer=B | explanation=Move 5 positions forward from A; the resulting letter is F.

id=14305 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:18 and the first is 36, what is the second? | option_a=54 | option_b=72 | option_c=18 | option_d=36 | answer=D | explanation=Scale factor = $36/18 = 2$. Therefore second quantity = $18 \times 2 = 36$.

id=14306 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=35 | option_b=30 | option_c=31 | option_d=25 | answer=B | explanation=The common difference is 5. Therefore the next term is 25 + 5 = 30.

id=14307 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 34, 43, 53? | option_a=53 | option_b=34 | option_c=43 | option_d=25 | answer=A | explanation=The first three numbers increase by 9, so the next should be 52. Therefore 53 is the odd one out.

id=14308 | topic=Averages | difficulty=Easy | question=Find the average of 53, 94, 86, 39. | option_a=68 | option_b=67 | option_c=69 | option_d=70 | answer=A | explanation=Average = sum of values ÷ number of values = $272 \div 4 = 68$.

id=14309 | topic=Averages | difficulty=Easy | question=Find the average of 89, 43, 65, 49, 50, 71, 55, 34. | option_a=58 | option_b=57 | option_c=56 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = $456 \div 8 = 57$.

id=14310 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1697. If it is sold at a profit of 20%, what is its selling price? | option_a=2036 | option_b=2205 | option_c=1867 | option_d=1717 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1697 \times 120/100 = \text{■}2036$.

Aptitude Questions — Records 14,311-14,340 of 100,000

id=14311 | topic=Percentages | difficulty=Easy | question=What is 5% of 344? | option_a=34 | option_b=17 | option_c=27 | option_d=12 | answer=B | explanation=5% of 344 = (5/100) × 344 = 17.

id=14312 | topic=Percentages | difficulty=Easy | question=What is 10% of 279? | option_a=54 | option_b=27 | option_c=47 | option_d=17 | answer=B | explanation=10% of 279 = (10/100) × 279 = 27.

id=14313 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1609. If it is sold at a profit of 10%, what is its selling price? | option_a=1619 | option_b=1769 | option_c=1609 | option_d=1929 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1609 × 110/100 = █1769.

id=14314 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=G | option_b=J | option_c=H | option_d=I | answer=D | explanation=Move 1 positions forward from H; the resulting letter is I.

id=14315 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=R | option_b=W | option_c=M | option_d=H | answer=A | explanation=Move 5 positions forward from M; the resulting letter is R.

id=14316 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1249. If it is sold at a profit of 25%, what is its selling price? | option_a=1685 | option_b=1274 | option_c=1437 | option_d=1561 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1249 × 125/100 = █1561.

id=14317 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=X | option_b=C | option_c=M | option_d=H | answer=D | explanation=Move 5 positions forward from C; the resulting letter is H.

id=14318 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=19 | option_b=24 | option_c=25 | option_d=29 | answer=B | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.

id=14319 | topic=Profit & Loss | difficulty=Easy | question=An article costs █947. If it is sold at a profit of 15%, what is its selling price? | option_a=962 | option_b=1183 | option_c=995 | option_d=1089 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 947 × 115/100 = █1089.

id=14320 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 24. | option_a=96 | option_b=120 | option_c=720 | option_d=150 | answer=B | explanation=LCM × HCF = 30×24; HCF(30,24) = 6, so LCM = 120.

id=14321 | topic=Percentages | difficulty=Easy | question=What is 10% of 538? | option_a=73 | option_b=43 | option_c=106 | option_d=53 | answer=D | explanation=10% of 538 = (10/100) × 538 = 53.

id=14322 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=12 | option_c=6 | option_d=1 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=14323 | topic=Averages | difficulty=Easy | question=Find the average of 61, 53, 75, 51, 56, 56, 19. | option_a=52 | option_b=53 | option_c=55 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 371 ÷ 7 = 53.

id=14324 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=14325 | topic=Percentages | difficulty=Easy | question=What is 5% of 1689? | option_a=94 | option_b=168 | option_c=84 | option_d=64 | answer=C | explanation=5% of 1689 = (5/100) × 1689 = 84.

id=14326 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=14327 | topic=Profit & Loss | difficulty=Easy | question=An article costs █388. If it is sold at a profit of 15%, what is its selling price? | option_a=446 | option_b=484 | option_c=403 | option_d=408 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 388 × 115/100 = █446.

id=14328 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:6 and the first is 228, what is the second? | option_a=126 | option_b=114 | option_c=108 | option_d=342 | answer=B | explanation=Scale factor = 228/12 = 19. Therefore second quantity = 6×19 = 114.

id=14329 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:17 and the first is 68, what is the second? | option_a=51 | option_b=68 | option_c=136 | option_d=85 | answer=B | explanation=Scale factor = 68/17 = 4. Therefore second quantity = 17×4 = 68.

id=14330 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=14331 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=20 | option_b=24 | option_c=16 | option_d=21 | answer=A | explanation=The common difference is 4. Therefore the next term is 16 + 4 = 20.

id=14332 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=14333 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=26 | option_b=33 | option_c=32 | option_d=38 | answer=C | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=14334 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=80 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=14335 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=A | option_c=M | option_d=I | answer=D | explanation=Move 4 positions forward from E; the resulting letter is I.

id=14336 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 41? | option_a=41 | option_b=31 | option_c=23 | option_d=15 | answer=A | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 41 is the odd one out.

id=14337 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 26. | option_a=104 | option_b=112 | option_c=208 | option_d=78 | answer=A | explanation=LCM × HCF = 8×26; HCF(8,26) = 2, so LCM = 104.

id=14338 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16323 at 5% per annum for 1 years. | option_a=916 | option_b=816 | option_c=716 | option_d=17139 | answer=B | explanation=SI = PRT/100 = 16323×5×1/100 = █816.

id=14339 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:19 and the first is 64, what is the second? | option_a=308 | option_b=368 | option_c=304 | option_d=285 | answer=C | explanation=Scale factor = 64/4 = 16. Therefore second quantity = 19×16 = 304.

id=14340 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37568 at 15% per annum for 3 years. | option_a=17005 | option_b=54473 | option_c=16805 | option_d=16905 | answer=D | explanation=SI = PRT/100 = 37568×15×3/100 = █16905.

Aptitude Questions — Records 14,341-14,370 of 100,000

id=14341 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=22 | option_b=26 | option_c=27 | option_d=30 | answer=B | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.

id=14342 | topic=Averages | difficulty=Easy | question=Find the average of 34, 64, 51, 62, 45, 26. | option_a=46 | option_b=49 | option_c=48 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 282 ÷ 6 = 47.

id=14343 | topic=Averages | difficulty=Easy | question=Find the average of 86, 31, 69. | option_a=64 | option_b=61 | option_c=63 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 186 ÷ 3 = 62.

id=14344 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 24, 27, 31? | option_a=27 | option_b=21 | option_c=24 | option_d=31 | answer=D | explanation=The first three numbers increase by 3, so the next should be 30. Therefore 31 is the odd one out.

id=14345 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40538 at 15% per annum for 2 years. | option_a=12261 | option_b=52699 | option_c=12161 | option_d=12061 | answer=C | explanation=SI = PRT/100 = 40538×15×2/100 = **■**12161.

id=14346 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=5 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=14347 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=F | option_b=L | option_c=J | option_d=H | answer=C | explanation=Move 2 positions forward from H; the resulting letter is J.

id=14348 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28191 at 15% per annum for 5 years. | option_a=49334 | option_b=21043 | option_c=21143 | option_d=21243 | answer=C | explanation=SI = PRT/100 = 28191×15×5/100 = **■**21143.

id=14349 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 24. | option_a=243 | option_b=648 | option_c=216 | option_d=192 | answer=C | explanation=LCM × HCF = 27×24; HCF(27,24) = 3, so LCM = 216.

id=14350 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4096. If it is sold at a profit of 10%, what is its selling price? | option_a=4096 | option_b=4914 | option_c=4106 | option_d=4505 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4096 × 110/100 = **■**4505.

id=14351 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=50 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=14352 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=42 | option_b=35 | option_c=47 | option_d=41 | answer=D | explanation=The common difference is 6. Therefore the next term is 35 + 6 = 41.

id=14353 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=34 | option_b=44 | option_c=43 | option_d=52 | answer=C | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

id=14354 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=80 | option_c=75 | option_d=70 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=14355 | topic=Percentages | difficulty=Easy | question=What is 12% of 1346? | option_a=166 | option_b=322 | option_c=141 | option_d=161 | answer=D | explanation=12% of 1346 = (12/100) × 1346 = 161.

id=14356 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=48 | option_b=55 | option_c=41 | option_d=49 | answer=A | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.

id=14357 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 23, 25, 28? | option_a=25 | option_b=23 | option_c=21 | option_d=28 | answer=D | explanation=The first three numbers increase by 2, so the next should be 27. Therefore 28 is the odd one out.

id=14358 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 11, 20, 30? | option_a=20 | option_b=30 | option_c=2 | option_d=11 | answer=B | explanation=The first three numbers increase by 9, so the next should be 29. Therefore 30 is the odd one out.

id=14359 | topic=Averages | difficulty=Easy | question=Find the average of 31, 70, 97, 74. | option_a=69 | option_b=70 | option_c=68 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 272 ÷ 4 = 68.

id=14360 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=14361 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=20 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=14362 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 33? | option_a=33 | option_b=16 | option_c=26 | option_d=21 | answer=A | explanation=The first three numbers increase by 5, so the next should be 31. Therefore 33 is the odd one out.

id=14363 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=14364 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:1 and the first is 320, what is the second? | option_a=20 | option_b=340 | option_c=19 | option_d=36 | answer=A | explanation=Scale factor = 320/16 = 20. Therefore second quantity = 1×20 = 20.

id=14365 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=12 | option_c=24 | option_d=7 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=14366 | topic=Averages | difficulty=Easy | question=Find the average of 87, 58, 22, 98, 38, 57, 72, 76, 33, 69. | option_a=62 | option_b=63 | option_c=60 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 610 ÷ 10 = 61.

id=14367 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38871 at 6% per annum for 1 years. | option_a=2232 | option_b=2432 | option_c=41203 | option_d=2332 | answer=D | explanation=SI = PRT/100 = 38871×6×1/100 = **■**2332.

id=14368 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 42? | option_a=31 | option_b=15 | option_c=23 | option_d=42 | answer=D | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 42 is the odd one out.

id=14369 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=28 | option_b=25 | option_c=22 | option_d=26 | answer=B | explanation=The common difference is 3. Therefore the next term is 22 + 3 = 25.

id=14370 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:12 and the first is 3, what is the second? | option_a=39 | option_b=36 | option_c=24 | option_d=37 | answer=B | explanation=Scale factor = 3/1 = 3. Therefore second quantity = 12×3 = 36.

Aptitude Questions — Records 14,371-14,400 of 100,000

id=14371 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 39? | option_a=30 | option_b=39 | option_c=14 | option_d=22 | answer=B | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 39 is the odd one out.

id=14372 | topic=Percentages | difficulty=Easy | question=What is 20% of 68? | option_a=8 | option_b=26 | option_c=13 | option_d=23 | answer=C | explanation=20% of 68 = (20/100) × 68 = 13.

id=14373 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3216. If it is sold at a profit of 25%, what is its selling price? | option_a=3241 | option_b=4020 | option_c=4341 | option_d=3699 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3216 × 125/100 = █4020.

id=14374 | topic=Averages | difficulty=Easy | question=Find the average of 80, 48, 33, 48, 65, 66, 17, 83. | option_a=55 | option_b=56 | option_c=57 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 440 ÷ 8 = 55.

id=14375 | topic=Percentages | difficulty=Easy | question=What is 15% of 612? | option_a=101 | option_b=86 | option_c=91 | option_d=182 | answer=C | explanation=15% of 612 = (15/100) × 612 = 91.

id=14376 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=14377 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:10 and the first is 304, what is the second? | option_a=206 | option_b=494 | option_c=190 | option_d=180 | answer=C | explanation=Scale factor = 304/16 = 19. Therefore second quantity = 10×19 = 190.

id=14378 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 44? | option_a=44 | option_b=30 | option_c=34 | option_d=38 | answer=A | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 44 is the odd one out.

id=14379 | topic=Percentages | difficulty=Easy | question=What is 40% of 258? | option_a=83 | option_b=123 | option_c=206 | option_d=103 | answer=D | explanation=40% of 258 = (40/100) × 258 = 103.

id=14380 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does "I" become? | option_a=M | option_b=I | option_c=K | option_d=G | answer=C | explanation=Move 2 positions forward from I; the resulting letter is K.

id=14381 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28555 at 6% per annum for 1 years. | option_a=30268 | option_b=1813 | option_c=1713 | option_d=1613 | answer=C | explanation=SI = PRT/100 = 28555×6×1/100 = █1713.

id=14382 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=44 | option_b=36 | option_c=52 | option_d=45 | answer=A | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.

id=14383 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=8 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=14384 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4960. If it is sold at a profit of 30%, what is its selling price? | option_a=6448 | option_b=5952 | option_c=4990 | option_d=6944 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4960 × 130/100 = █6448.

id=14385 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=125 | option_c=240 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=14386 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10653 at 8% per annum for 4 years. | option_a=3508 | option_b=3408 | option_c=3308 | option_d=14061 | answer=B | explanation=SI = PRT/100 = 10653×8×4/100 = █3408.

id=14387 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 20. | option_a=480 | option_b=144 | option_c=100 | option_d=120 | answer=D | explanation=LCM × HCF = 24×20; HCF(24,20) = 4, so LCM = 120.

id=14388 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:7 and the first is 24, what is the second? | option_a=80 | option_b=49 | option_c=59 | option_d=56 | answer=D | explanation=Scale factor = 24/3 = 8. Therefore second quantity = 7×8 = 56.

id=14389 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=14390 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:10 and the first is 210, what is the second? | option_a=140 | option_b=350 | option_c=130 | option_d=155 | answer=A | explanation=Scale factor = 210/15 = 14. Therefore second quantity = 10×14 = 140.

id=14391 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17785 at 15% per annum for 4 years. | option_a=10771 | option_b=10571 | option_c=10671 | option_d=28456 | answer=C | explanation=SI = PRT/100 = 17785×15×4/100 = █10671.

id=14392 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3294. If it is sold at a profit of 5%, what is its selling price? | option_a=3299 | option_b=3458 | option_c=3129 | option_d=3787 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3294 × 105/100 = █3458.

id=14393 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 38? | option_a=38 | option_b=32 | option_c=34 | option_d=30 | answer=A | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 38 is the odd one out.

id=14394 | topic=Profit & Loss | difficulty=Easy | question=An article costs █790. If it is sold at a profit of 20%, what is its selling price? | option_a=869 | option_b=810 | option_c=948 | option_d=1027 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 790 × 120/100 = █948.

id=14395 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:20 and the first is 153, what is the second? | option_a=349 | option_b=493 | option_c=340 | option_d=320 | answer=C | explanation=Scale factor = 153/9 = 17. Therefore second quantity = 20×17 = 340.

id=14396 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:6 and the first is 68, what is the second? | option_a=92 | option_b=41 | option_c=18 | option_d=24 | answer=D | explanation=Scale factor = 68/17 = 4. Therefore second quantity = 6×4 = 24.

id=14397 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=39 | option_b=52 | option_c=63 | option_d=51 | answer=D | explanation=The common difference is 12. Therefore the next term is 39 + 12 = 51.

id=14398 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=85 | option_c=180 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=14399 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11227 at 8% per annum for 2 years. | option_a=13023 | option_b=1796 | option_c=1696 | option_d=1896 | answer=B | explanation=SI = PRT/100 = 11227×8×2/100 = █1796.

id=14400 | topic=Percentages | difficulty=Easy | question=What is 10% of 1593? | option_a=318 | option_b=159 | option_c=139 | option_d=179 | answer=B | explanation=10% of 1593 = (10/100) × 1593 = 159.

Aptitude Questions — Records 14,401-14,430 of 100,000

id=14401 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=47 | option_b=36 | option_c=46 | option_d=56 | answer=C | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.

id=14402 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=120 | option_c=125 | option_d=115 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=14403 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 23, 30, 40? | option_a=30 | option_b=40 | option_c=16 | option_d=23 | answer=B | explanation=The first three numbers increase by 7, so the next should be 37. Therefore 40 is the odd one out.

id=14404 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=14405 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 33? | option_a=2 | option_b=12 | option_c=33 | option_d=22 | answer=C | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 33 is the odd one out.

id=14406 | topic=Percentages | difficulty=Easy | question=What is 12% of 57? | option_a=6 | option_b=1 | option_c=12 | option_d=16 | answer=A | explanation=12% of 57 = (12/100) × 57 = 6.

id=14407 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49005 at 6% per annum for 2 years. | option_a=54885 | option_b=5880 | option_c=5980 | option_d=5780 | answer=B | explanation=SI = PRT/100 = 49005×6×2/100 = **■**5880.

id=14408 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=14409 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 7, 12, 18? | option_a=12 | option_b=2 | option_c=7 | option_d=18 | answer=D | explanation=The first three numbers increase by 5, so the next should be 17. Therefore 18 is the odd one out.

id=14410 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=14411 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=14412 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=150 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=14413 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4387. If it is sold at a profit of 5%, what is its selling price? | option_a=4606 | option_b=4168 | option_c=4392 | option_d=5044 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4387 × 105/100 = **■**4606.

id=14414 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6697 at 6% per annum for 2 years. | option_a=903 | option_b=7500 | option_c=803 | option_d=703 | answer=C | explanation=SI = PRT/100 = 6697×6×2/100 = **■**803.

id=14415 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 16, 23, 31? | option_a=31 | option_b=16 | option_c=9 | option_d=23 | answer=A | explanation=The first three numbers increase by 7, so the next should be 30. Therefore 31 is the odd one out.

id=14416 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3795. If it is sold at a profit of 10%, what is its selling price? | option_a=4174 | option_b=3805 | option_c=3795 | option_d=4553 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3795 × 110/100 = **■**4174.

id=14417 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=P | option_c=X | option_d=B | answer=C | explanation=Move 4 positions forward from T; the resulting letter is X.

id=14418 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 10. | option_a=1 | option_b=12 | option_c=20 | option_d=10 | answer=D | explanation=LCM × HCF = 2×10; HCF(2,10) = 2, so LCM = 10.

id=14419 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=14420 | topic=Percentages | difficulty=Easy | question=What is 12% of 1089? | option_a=260 | option_b=125 | option_c=130 | option_d=140 | answer=C | explanation=12% of 1089 = (12/100) × 1089 = 130.

id=14421 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=34 | option_b=30 | option_c=26 | option_d=31 | answer=B | explanation=The common difference is 4. Therefore the next term is 26 + 4 = 30.

id=14422 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=D | option_b=L | option_c=P | option_d=H | answer=B | explanation=Move 4 positions forward from H; the resulting letter is L.

id=14423 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=T | option_b=Q | option_c=N | option_d=W | answer=A | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=14424 | topic=Averages | difficulty=Easy | question=Find the average of 93, 59, 30, 36, 46, 36. | option_a=51 | option_b=50 | option_c=52 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 300 ÷ 6 = 50.

id=14425 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 29, 37, 47? | option_a=37 | option_b=29 | option_c=21 | option_d=47 | answer=D | explanation=The first three numbers increase by 8, so the next should be 45. Therefore 47 is the odd one out.

id=14426 | topic=Averages | difficulty=Easy | question=Find the average of 54, 97, 55, 68, 36. | option_a=61 | option_b=62 | option_c=64 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 310 ÷ 5 = 62.

id=14427 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 24. | option_a=120 | option_b=96 | option_c=480 | option_d=140 | answer=A | explanation=LCM × HCF = 20×24; HCF(20,24) = 4, so LCM = 120.

id=14428 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34199 at 10% per annum for 5 years. | option_a=17099 | option_b=17199 | option_c=51298 | option_d=16999 | answer=A | explanation=SI = PRT/100 = 34199×10×5/100 = **■**17099.

id=14429 | topic=Percentages | difficulty=Easy | question=What is 25% of 1844? | option_a=456 | option_b=922 | option_c=481 | option_d=461 | answer=D | explanation=25% of 1844 = (25/100) × 1844 = 461.

id=14430 | topic=Averages | difficulty=Easy | question=Find the average of 17, 59, 92, 68, 89, 24, 13, 45, 27, 86. | option_a=52 | option_b=54 | option_c=53 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 520 ÷ 10 = 52.

Aptitude Questions — Records 14,431-14,460 of 100,000

id=14431 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=56 | option_b=55 | option_c=46 | option_d=64 | answer=B | explanation=The common difference is 9. Therefore the next term is 46 + 9 = 55.

id=14432 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3385. If it is sold at a profit of 15%, what is its selling price? | option_a=3400 | option_b=3554 | option_c=3892 | option_d=4230 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3385 × 115/100 = █3892.

id=14433 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 21, 23, 28? | option_a=28 | option_b=21 | option_c=23 | option_d=19 | answer=A | explanation=The first three numbers increase by 2, so the next should be 25. Therefore 28 is the odd one out.

id=14434 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=49 | option_b=69 | option_c=59 | option_d=60 | answer=C | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

id=14435 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9066 at 10% per annum for 2 years. | option_a=1813 | option_b=10879 | option_c=1713 | option_d=1913 | answer=A | explanation=SI = PRT/100 = 9066×10×2/100 = █1813.

id=14436 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:13 and the first is 182, what is the second? | option_a=364 | option_b=169 | option_c=195 | option_d=182 | answer=D | explanation=Scale factor = 182/13 = 14. Therefore second quantity = 13×14 = 182.

id=14437 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 27, 33, 41? | option_a=27 | option_b=33 | option_c=41 | option_d=21 | answer=C | explanation=The first three numbers increase by 6, so the next should be 39. Therefore 41 is the odd one out.

id=14438 | topic=Averages | difficulty=Easy | question=Find the average of 67, 75, 99, 77, 43, 68, 24, 59. | option_a=66 | option_b=65 | option_c=64 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = 512 ÷ 8 = 64.

id=14439 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=26 | option_b=25 | option_c=27 | option_d=23 | answer=B | explanation=The common difference is 2. Therefore the next term is 23 + 2 = 25.

id=14440 | topic=Averages | difficulty=Easy | question=Find the average of 54, 39, 14, 48, 55, 92, 41. | option_a=49 | option_b=51 | option_c=48 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 343 ÷ 7 = 49.

id=14441 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=14442 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=95 | option_c=105 | option_d=200 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=14443 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=31 | option_b=30 | option_c=34 | option_d=26 | answer=B | explanation=The common difference is 4. Therefore the next term is 26 + 4 = 30.

id=14444 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 13? | option_a=8 | option_b=13 | option_c=4 | option_d=6 | answer=B | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 13 is the odd one out.

id=14445 | topic=Percentages | difficulty=Easy | question=What is 25% of 675? | option_a=148 | option_b=168 | option_c=336 | option_d=188 | answer=B | explanation=25% of 675 = (25/100) × 675 = 168.

id=14446 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=26 | option_b=29 | option_c=23 | option_d=27 | answer=A | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.

id=14447 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:8 and the first is 54, what is the second? | option_a=102 | option_b=40 | option_c=57 | option_d=48 | answer=D | explanation=Scale factor = 54/9 = 6. Therefore second quantity = 8×6 = 48.

id=14448 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=14449 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:18 and the first is 228, what is the second? | option_a=216 | option_b=235 | option_c=444 | option_d=198 | answer=A | explanation=Scale factor = 228/19 = 12. Therefore second quantity = 18×12 = 216.

id=14450 | topic=Percentages | difficulty=Easy | question=What is 40% of 866? | option_a=692 | option_b=326 | option_c=366 | option_d=346 | answer=D | explanation=40% of 866 = (40/100) × 866 = 346.

id=14451 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=12 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=14452 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:12 and the first is 90, what is the second? | option_a=48 | option_b=150 | option_c=78 | option_d=60 | answer=D | explanation=Scale factor = 90/18 = 5. Therefore second quantity = 12×5 = 60.

id=14453 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=14454 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=4 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=14455 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45312 at 5% per annum for 1 years. | option_a=2365 | option_b=47577 | option_c=2265 | option_d=2165 | answer=C | explanation=SI = PRT/100 = 45312×5×1/100 = █2265.

id=14456 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=18 | option_c=9 | option_d=14 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=14457 | topic=Percentages | difficulty=Easy | question=What is 40% of 1075? | option_a=430 | option_b=860 | option_c=435 | option_d=420 | answer=A | explanation=40% of 1075 = (40/100) × 1075 = 430.

id=14458 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11827 at 5% per annum for 1 years. | option_a=491 | option_b=691 | option_c=591 | option_d=12418 | answer=C | explanation=SI = PRT/100 = 11827×5×1/100 = █591.

id=14459 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 31, 35, 41? | option_a=31 | option_b=35 | option_c=27 | option_d=41 | answer=D | explanation=The first three numbers increase by 4, so the next should be 39. Therefore 41 is the odd one out.

id=14460 | topic=Averages | difficulty=Easy | question=Find the average of 35, 86, 53, 86, 97, 69. | option_a=72 | option_b=73 | option_c=71 | option_d=70 | answer=C | explanation=Average = sum of values ÷ number of values = 426 ÷ 6 = 71.

Aptitude Questions — Records 14,461-14,490 of 100,000

id=14461 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=14462 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2606. If it is sold at a profit of 10%, what is its selling price? | option_a=2606 | option_b=3126 | option_c=2866 | option_d=2616 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2606 × 110/100 = █2866.

id=14463 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 10. | option_a=75 | option_b=250 | option_c=40 | option_d=50 | answer=D | explanation=LCM × HCF = 25×10; HCF(25,10) = 5, so LCM = 50.

id=14464 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=14465 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=14466 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=14467 | topic=Averages | difficulty=Easy | question=Find the average of 100, 38, 10, 98, 62, 66, 76, 70. | option_a=65 | option_b=67 | option_c=64 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 520 ÷ 8 = 65.

id=14468 | topic=Profit & Loss | difficulty=Easy | question=An article costs █730. If it is sold at a profit of 5%, what is its selling price? | option_a=693 | option_b=839 | option_c=766 | option_d=735 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 730 × 105/100 = █766.

id=14469 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39859 at 6% per annum for 4 years. | option_a=9666 | option_b=49425 | option_c=9566 | option_d=9466 | answer=C | explanation=SI = PRT/100 = 39859×6×4/100 = █9566.

id=14470 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 30. | option_a=448 | option_b=390 | option_c=840 | option_d=420 | answer=D | explanation=LCM × HCF = 28×30; HCF(28,30) = 2, so LCM = 420.

id=14471 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 30? | option_a=14 | option_b=30 | option_c=24 | option_d=19 | answer=B | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 30 is the odd one out.

id=14472 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=20 | option_c=15 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=14473 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10231 at 10% per annum for 1 years. | option_a=1123 | option_b=1023 | option_c=923 | option_d=11254 | answer=B | explanation=SI = PRT/100 = 10231×10×1/100 = █1023.

id=14474 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=R | option_c=T | option_d=P | answer=C | explanation=Move 2 positions forward from R; the resulting letter is T.

id=14475 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=59 | option_b=70 | option_c=46 | option_d=58 | answer=D | explanation=The common difference is 12. Therefore the next term is 46 + 12 = 58.

id=14476 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=14477 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:4 and the first is 6, what is the second? | option_a=14 | option_b=11 | option_c=8 | option_d=4 | answer=C | explanation=Scale factor = 6/3 = 2. Therefore second quantity = 4×2 = 8.

id=14478 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 11, 14, 18? | option_a=8 | option_b=18 | option_c=11 | option_d=14 | answer=B | explanation=The first three numbers increase by 3, so the next should be 17. Therefore 18 is the odd one out.

id=14479 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48364 at 5% per annum for 5 years. | option_a=12091 | option_b=11991 | option_c=12191 | option_d=60455 | answer=A | explanation=SI = PRT/100 = 48364×5×5/100 = █12091.

id=14480 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=J | option_c=O | option_d=Z | answer=B | explanation=Move 5 positions forward from E; the resulting letter is J.

id=14481 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4032. If it is sold at a profit of 40%, what is its selling price? | option_a=6047 | option_b=4072 | option_c=5241 | option_d=5644 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4032 × 140/100 = █5644.

id=14482 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=B | option_b=Q | option_c=G | option_d=L | answer=D | explanation=Move 5 positions forward from G; the resulting letter is L.

id=14483 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=40 | option_c=35 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=14484 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:6 and the first is 39, what is the second? | option_a=72 | option_b=81 | option_c=78 | option_d=117 | answer=C | explanation=Scale factor = 39/3 = 13. Therefore second quantity = 6×13 = 78.

id=14485 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:13 and the first is 96, what is the second? | option_a=65 | option_b=78 | option_c=94 | option_d=174 | answer=B | explanation=Scale factor = 96/16 = 6. Therefore second quantity = 13×6 = 78.

id=14486 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 20? | option_a=11 | option_b=20 | option_c=13 | option_d=15 | answer=B | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 20 is the odd one out.

id=14487 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 34, 43, 55? | option_a=34 | option_b=55 | option_c=43 | option_d=25 | answer=B | explanation=The first three numbers increase by 9, so the next should be 52. Therefore 55 is the odd one out.

id=14488 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3229. If it is sold at a profit of 10%, what is its selling price? | option_a=3229 | option_b=3551 | option_c=3873 | option_d=3239 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3229 × 110/100 = █3551.

id=14489 | topic=Averages | difficulty=Easy | question=Find the average of 98, 92, 29, 67, 10, 12, 77, 71. | option_a=58 | option_b=56 | option_c=59 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

id=14490 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:19 and the first is 17, what is the second? | option_a=304 | option_b=340 | option_c=324 | option_d=323 | answer=D | explanation=Scale factor = 17/1 = 17. Therefore second quantity = 19×17 = 323.

Aptitude Questions — Records 14,491-14,520 of 100,000

id=14491 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 15, 21, 29? | option_a=21 | option_b=29 | option_c=9 | option_d=15 | answer=B | explanation=The first three numbers increase by 6, so the next should be 27. Therefore 29 is the odd one out.

id=14492 | topic=Percentages | difficulty=Easy | question=What is 12% of 1790? | option_a=214 | option_b=428 | option_c=234 | option_d=209 | answer=A | explanation=12% of 1790 = $(12/100) \times 1790 = 214$.

id=14493 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**27743 at 4% per annum for 5 years. | option_a=5648 | option_b=5448 | option_c=5548 | option_d=33291 | answer=C | explanation=SI = $PRT/100 = 27743 \times 4 \times 5/100 = \text{₹}5548$.

id=14494 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=14495 | topic=Percentages | difficulty=Easy | question=What is 25% of 1165? | option_a=296 | option_b=582 | option_c=271 | option_d=291 | answer=D | explanation=25% of 1165 = $(25/100) \times 1165 = 291$.

id=14496 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2624. If it is sold at a profit of 5%, what is its selling price? | option_a=2493 | option_b=3017 | option_c=2629 | option_d=2755 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2624 \times 105/100 = \text{₹}2755$.

id=14497 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**588. If it is sold at a profit of 10%, what is its selling price? | option_a=646 | option_b=598 | option_c=588 | option_d=704 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 588 \times 110/100 = \text{₹}646$.

id=14498 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=K | option_b=W | option_c=O | option_d=S | answer=D | explanation=Move 4 positions forward from O; the resulting letter is S.

id=14499 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 17, 27, 40? | option_a=27 | option_b=40 | option_c=17 | option_d=7 | answer=B | explanation=The first three numbers increase by 10, so the next should be 37. Therefore 40 is the odd one out.

id=14500 | topic=Percentages | difficulty=Easy | question=What is 15% of 1473? | option_a=440 | option_b=220 | option_c=200 | option_d=225 | answer=B | explanation=15% of 1473 = $(15/100) \times 1473 = 220$.

id=14501 | topic=Percentages | difficulty=Easy | question=What is 15% of 1809? | option_a=281 | option_b=542 | option_c=271 | option_d=261 | answer=C | explanation=15% of 1809 = $(15/100) \times 1809 = 271$.

id=14502 | topic=Averages | difficulty=Easy | question=Find the average of 52, 94, 73, 69. | option_a=71 | option_b=74 | option_c=73 | option_d=72 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 288 \div 4 = 72$.

id=14503 | topic=Averages | difficulty=Easy | question=Find the average of 19, 91, 91. | option_a=67 | option_b=69 | option_c=66 | option_d=68 | answer=A | explanation=Average = $\text{sum of values} \div \text{number of values} = 201 \div 3 = 67$.

id=14504 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=S | option_b=U | option_c=Y | option_d=W | answer=D | explanation=Move 2 positions forward from U; the resulting letter is W.

id=14505 | topic=Percentages | difficulty=Easy | question=What is 10% of 499? | option_a=98 | option_b=59 | option_c=44 | option_d=49 | answer=D | explanation=10% of 499 = $(10/100) \times 499 = 49$.

id=14506 | topic=Percentages | difficulty=Easy | question=What is 30% of 1076? | option_a=322 | option_b=317 | option_c=644 | option_d=327 | answer=A | explanation=30% of 1076 = $(30/100) \times 1076 = 322$.

id=14507 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=U | option_b=P | option_c=F | option_d=K | answer=B | explanation=Move 5 positions forward from K; the resulting letter is P.

id=14508 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:2 and the first is 144, what is the second? | option_a=32 | option_b=41 | option_c=176 | option_d=30 | answer=A | explanation=Scale factor = $144/9 = 16$. Therefore second quantity = $2 \times 16 = 32$.

id=14509 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=N | option_b=D | option_c=I | option_d=Y | answer=C | explanation=Move 5 positions forward from D; the resulting letter is I.

id=14510 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=17 | option_b=20 | option_c=21 | option_d=23 | answer=B | explanation=The common difference is 3. Therefore the next term is $17 + 3 = 20$.

id=14511 | topic=Percentages | difficulty=Easy | question=What is 25% of 436? | option_a=129 | option_b=109 | option_c=218 | option_d=89 | answer=B | explanation=25% of 436 = $(25/100) \times 436 = 109$.

id=14512 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=F | option_c=H | option_d=B | answer=B | explanation=Move 2 positions forward from D; the resulting letter is F.

id=14513 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=24 | option_d=5 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=14514 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2199. If it is sold at a profit of 25%, what is its selling price? | option_a=2529 | option_b=2224 | option_c=2967 | option_d=2748 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2199 \times 125/100 = \text{₹}2748$.

id=14515 | topic=Percentages | difficulty=Easy | question=What is 40% of 1759? | option_a=713 | option_b=683 | option_c=1406 | option_d=703 | answer=D | explanation=40% of 1759 = $(40/100) \times 1759 = 703$.

id=14516 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**8742 at 5% per annum for 4 years. | option_a=1848 | option_b=1748 | option_c=10490 | option_d=1648 | answer=B | explanation=SI = $PRT/100 = 8742 \times 5 \times 4/100 = \text{₹}1748$.

id=14517 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=30 | option_b=36 | option_c=31 | option_d=24 | answer=A | explanation=The common difference is 6. Therefore the next term is $24 + 6 = 30$.

id=14518 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=O | option_c=K | option_d=C | answer=C | explanation=Move 4 positions forward from G; the resulting letter is K.

id=14519 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=Z | option_b=F | option_c=I | option_d=C | answer=B | explanation=Move 3 positions forward from C; the resulting letter is F.

id=14520 | topic=Percentages | difficulty=Easy | question=What is 25% of 1445? | option_a=366 | option_b=361 | option_c=351 | option_d=722 | answer=B | explanation=25% of 1445 = $(25/100) \times 1445 = 361$.

Aptitude Questions — Records 14,521-14,550 of 100,000

id=14521 | topic=Averages | difficulty=Easy | question=Find the average of 99, 81, 24. | option_a=68 | option_b=67 | option_c=69 | option_d=70 | answer=A | explanation=Average = sum of values ÷ number of values = 204 ÷ 3 = 68.

id=14522 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=D | option_c=E | option_d=F | answer=D | explanation=Move 1 positions forward from E; the resulting letter is F.

id=14523 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:6 and the first is 323, what is the second? | option_a=425 | option_b=96 | option_c=121 | option_d=102 | answer=D | explanation=Scale factor = 323/19 = 17. Therefore second quantity = 6×17 = 102.

id=14524 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47131 at 10% per annum for 4 years. | option_a=18752 | option_b=18952 | option_c=65983 | option_d=18852 | answer=D | explanation=SI = PRT/100 = 47131×10×4/100 = **■**18852.

id=14525 | topic=Percentages | difficulty=Easy | question=What is 25% of 1204? | option_a=296 | option_b=301 | option_c=602 | option_d=321 | answer=B | explanation=25% of 1204 = (25/100) × 1204 = 301.

id=14526 | topic=Averages | difficulty=Easy | question=Find the average of 60, 70, 86. | option_a=72 | option_b=74 | option_c=73 | option_d=71 | answer=A | explanation=Average = sum of values ÷ number of values = 216 ÷ 3 = 72.

id=14527 | topic=Averages | difficulty=Easy | question=Find the average of 18, 59, 71, 19, 91, 84. | option_a=57 | option_b=59 | option_c=58 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 342 ÷ 6 = 57.

id=14528 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1995. If it is sold at a profit of 20%, what is its selling price? | option_a=2195 | option_b=2394 | option_c=2015 | option_d=2593 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1995 × 120/100 = **■**2394.

id=14529 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 24, 27, 33? | option_a=33 | option_b=27 | option_c=24 | option_d=21 | answer=A | explanation=The first three numbers increase by 3, so the next should be 30. Therefore 33 is the odd one out.

id=14530 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 32, 39, 47? | option_a=32 | option_b=47 | option_c=25 | option_d=39 | answer=B | explanation=The first three numbers increase by 7, so the next should be 46. Therefore 47 is the odd one out.

id=14531 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=I | option_b=O | option_c=R | option_d=L | answer=B | explanation=Move 3 positions forward from L; the resulting letter is O.

id=14532 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=14533 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=14534 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4063. If it is sold at a profit of 25%, what is its selling price? | option_a=5484 | option_b=5078 | option_c=4088 | option_d=4672 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4063 × 125/100 = **■**5078.

id=14535 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 20, 30, 41? | option_a=20 | option_b=30 | option_c=41 | option_d=10 | answer=C | explanation=The first three numbers increase by 10, so the next should be 40. Therefore 41 is the odd one out.

id=14536 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 30. | option_a=300 | option_b=660 | option_c=330 | option_d=352 | answer=C | explanation=LCM × HCF = 22×30; HCF(22,30) = 2, so LCM = 330.

id=14537 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:14 and the first is 76, what is the second? | option_a=252 | option_b=266 | option_c=342 | option_d=270 | answer=B | explanation=Scale factor = 76/4 = 19. Therefore second quantity = 14×19 = 266.

id=14538 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=14539 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2987 at 12% per annum for 2 years. | option_a=816 | option_b=616 | option_c=3703 | option_d=716 | answer=D | explanation=SI = PRT/100 = 2987×12×2/100 = **■**716.

id=14540 | topic=Averages | difficulty=Easy | question=Find the average of 41, 39, 59, 21, 85, 19, 37, 49, 97, 43. | option_a=48 | option_b=51 | option_c=50 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 490 ÷ 10 = 49.

id=14541 | topic=Averages | difficulty=Easy | question=Find the average of 31, 54, 51, 16, 22, 24. | option_a=35 | option_b=34 | option_c=33 | option_d=32 | answer=C | explanation=Average = sum of values ÷ number of values = 198 ÷ 6 = 33.

id=14542 | topic=Averages | difficulty=Easy | question=Find the average of 52, 35, 14, 70, 69. | option_a=49 | option_b=47 | option_c=48 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 240 ÷ 5 = 48.

id=14543 | topic=Averages | difficulty=Easy | question=Find the average of 63, 78, 44, 39, 26. | option_a=52 | option_b=51 | option_c=49 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 250 ÷ 5 = 50.

id=14544 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=35 | option_b=26 | option_c=42 | option_d=34 | answer=D | explanation=The common difference is 8. Therefore the next term is 26 + 8 = 34.

id=14545 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 27. | option_a=729 | option_b=1 | option_c=27 | option_d=54 | answer=C | explanation=LCM × HCF = 27×27; HCF(27,27) = 27, so LCM = 27.

id=14546 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=14547 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=Z | option_b=F | option_c=C | option_d=I | answer=B | explanation=Move 3 positions forward from C; the resulting letter is F.

id=14548 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=14549 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 32? | option_a=19 | option_b=32 | option_c=14 | option_d=24 | answer=B | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 32 is the odd one out.

id=14550 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 6. | option_a=63 | option_b=126 | option_c=42 | option_d=36 | answer=C | explanation=LCM × HCF = 21×6; HCF(21,6) = 3, so LCM = 42.

Aptitude Questions — Records 14,551-14,580 of 100,000

id=14551 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 38? | option_a=29 | option_b=13 | option_c=21 | option_d=38 | answer=D | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 38 is the odd one out.

id=14552 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:1 and the first is 84, what is the second? | option_a=14 | option_b=98 | option_c=13 | option_d=20 | answer=A | explanation=Scale factor = $84/6 = 14$. Therefore second quantity = $1 \times 14 = 14$.

id=14553 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=14554 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 26, 28, 32? | option_a=24 | option_b=28 | option_c=32 | option_d=26 | answer=C | explanation=The first three numbers increase by 2, so the next should be 30. Therefore 32 is the odd one out.

id=14555 | topic=Percentages | difficulty=Easy | question=What is 40% of 1321? | option_a=538 | option_b=528 | option_c=1056 | option_d=508 | answer=B | explanation= $40\% \text{ of } 1321 = (40/100) \times 1321 = 528$.

id=14556 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=17 | option_b=23 | option_c=22 | option_d=27 | answer=C | explanation=The common difference is 5. Therefore the next term is $17 + 5 = 22$.

id=14557 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4329. If it is sold at a profit of 5%, what is its selling price? | option_a=4545 | option_b=4334 | option_c=4113 | option_d=4977 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4329 \times 105/100 = \text{█}4545$.

id=14558 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3619. If it is sold at a profit of 25%, what is its selling price? | option_a=4523 | option_b=3644 | option_c=4884 | option_d=4162 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3619 \times 125/100 = \text{█}4523$.

id=14559 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=100 | option_c=55 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = $150 \div 3 = 50$ km/h.

id=14560 | topic=Averages | difficulty=Easy | question=Find the average of 92, 98, 36, 98, 23, 11, 32, 57, 94, 29. | option_a=59 | option_b=58 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = $570 \div 10 = 57$.

id=14561 | topic=Averages | difficulty=Easy | question=Find the average of 35, 70, 73, 71, 100, 20, 33, 54. | option_a=56 | option_b=59 | option_c=57 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = $456 \div 8 = 57$.

id=14562 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.

id=14563 | topic=Percentages | difficulty=Easy | question=What is 10% of 652? | option_a=130 | option_b=85 | option_c=60 | option_d=65 | answer=D | explanation= $10\% \text{ of } 652 = (10/100) \times 652 = 65$.

id=14564 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=13 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = $180 \div 10 = 18$ km/h.

id=14565 | topic=Percentages | difficulty=Easy | question=What is 50% of 1234? | option_a=637 | option_b=617 | option_c=612 | option_d=1234 | answer=B | explanation= $50\% \text{ of } 1234 = (50/100) \times 1234 = 617$.

id=14566 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6804 at 10% per annum for 5 years. | option_a=3502 | option_b=3302 | option_c=10206 | option_d=3402 | answer=D | explanation= $SI = PRT/100 = 6804 \times 10 \times 5/100 = \text{█}3402$.

id=14567 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 18. | option_a=27 | option_b=1 | option_c=162 | option_d=18 | answer=D | explanation= $LCM \times HCF = 9 \times 18$; $HCF(9,18) = 9$, so $LCM = 18$.

id=14568 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 28, 33, 40? | option_a=23 | option_b=28 | option_c=33 | option_d=40 | answer=D | explanation=The first three numbers increase by 5, so the next should be 38. Therefore 40 is the odd one out.

id=14569 | topic=Averages | difficulty=Easy | question=Find the average of 31, 31, 53, 97, 37, 93. | option_a=56 | option_b=59 | option_c=58 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = $342 \div 6 = 57$.

id=14570 | topic=Percentages | difficulty=Easy | question=What is 50% of 94? | option_a=47 | option_b=67 | option_c=94 | option_d=42 | answer=A | explanation= $50\% \text{ of } 94 = (50/100) \times 94 = 47$.

id=14571 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 28, 32, 37? | option_a=32 | option_b=24 | option_c=28 | option_d=37 | answer=D | explanation=The first three numbers increase by 4, so the next should be 36. Therefore 37 is the odd one out.

id=14572 | topic=Percentages | difficulty=Easy | question=What is 20% of 839? | option_a=167 | option_b=147 | option_c=334 | option_d=187 | answer=A | explanation= $20\% \text{ of } 839 = (20/100) \times 839 = 167$.

id=14573 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25502 at 10% per annum for 3 years. | option_a=7750 | option_b=7550 | option_c=7650 | option_d=33152 | answer=C | explanation= $SI = PRT/100 = 25502 \times 10 \times 3/100 = \text{█}7650$.

id=14574 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:6 and the first is 68, what is the second? | option_a=106 | option_b=96 | option_c=170 | option_d=102 | answer=D | explanation=Scale factor = $68/4 = 17$. Therefore second quantity = $6 \times 17 = 102$.

id=14575 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=73 | option_b=61 | option_c=49 | option_d=62 | answer=B | explanation=The common difference is 12. Therefore the next term is $49 + 12 = 61$.

id=14576 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 21, 28, 37? | option_a=21 | option_b=14 | option_c=28 | option_d=37 | answer=D | explanation=The first three numbers increase by 7, so the next should be 35. Therefore 37 is the odd one out.

id=14577 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=14578 | topic=Averages | difficulty=Easy | question=Find the average of 30, 80, 29, 89, 21, 99. | option_a=60 | option_b=59 | option_c=57 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = $348 \div 6 = 58$.

id=14579 | topic=Profit & Loss | difficulty=Easy | question=An article costs █600. If it is sold at a profit of 50%, what is its selling price? | option_a=840 | option_b=650 | option_c=900 | option_d=960 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 600 \times 150/100 = \text{█}900$.

id=14580 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.

Aptitude Questions — Records 14,581-14,610 of 100,000

id=14581 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=28 | option_b=34 | option_c=31 | option_d=32 | answer=C | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=14582 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=14583 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 63? | option_a=40 | option_b=50 | option_c=63 | option_d=30 | answer=C | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 63 is the odd one out.

id=14584 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=F | option_c=J | option_d=X | answer=B | explanation=Move 4 positions forward from B; the resulting letter is F.

id=14585 | topic=Averages | difficulty=Easy | question=Find the average of 72, 96, 29, 26, 27. | option_a=51 | option_b=49 | option_c=52 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 250 ÷ 5 = 50.

id=14586 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=M | option_c=Q | option_d=Y | answer=A | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=14587 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**2444 at 6% per annum for 3 years. | option_a=3939 | option_b=26483 | option_c=4139 | option_d=4039 | answer=D | explanation=SI = PRT/100 = 2444×6×3/100 = **₹**4039.

id=14588 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**36039 at 4% per annum for 2 years. | option_a=2983 | option_b=2883 | option_c=38922 | option_d=2783 | answer=B | explanation=SI = PRT/100 = 36039×4×2/100 = **₹**2883.

id=14589 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:18 and the first is 168, what is the second? | option_a=252 | option_b=234 | option_c=420 | option_d=264 | answer=A | explanation=Scale factor = 168/12 = 14. Therefore second quantity = 18×14 = 252.

id=14590 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=95 | option_c=85 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=14591 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3517. If it is sold at a profit of 40%, what is its selling price? | option_a=4923 | option_b=3557 | option_c=4572 | option_d=5274 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3517 × 140/100 = **₹**4923.

id=14592 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=R | option_c=L | option_d=U | answer=B | explanation=Move 3 positions forward from O; the resulting letter is R.

id=14593 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:18 and the first is 78, what is the second? | option_a=90 | option_b=186 | option_c=121 | option_d=108 | answer=D | explanation=Scale factor = 78/13 = 6. Therefore second quantity = 18×6 = 108.

id=14594 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=50 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=14595 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=S | option_b=X | option_c=I | option_d=N | answer=A | explanation=Move 5 positions forward from N; the resulting letter is S.

id=14596 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 23? | option_a=16 | option_b=18 | option_c=14 | option_d=23 | answer=D | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 23 is the odd one out.

id=14597 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43, ? | option_a=59 | option_b=43 | option_c=52 | option_d=51 | answer=D | explanation=The common difference is 8. Therefore the next term is 43 + 8 = 51.

id=14598 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 18. | option_a=1 | option_b=36 | option_c=20 | option_d=18 | answer=D | explanation=LCM × HCF = 2×18; HCF(2,18) = 2, so LCM = 18.

id=14599 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:2 and the first is 168, what is the second? | option_a=26 | option_b=40 | option_c=28 | option_d=196 | answer=C | explanation=Scale factor = 168/12 = 14. Therefore second quantity = 2×14 = 28.

id=14600 | topic=Averages | difficulty=Easy | question=Find the average of 96, 49, 33, 11, 36. | option_a=45 | option_b=44 | option_c=46 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 225 ÷ 5 = 45.

id=14601 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2262. If it is sold at a profit of 15%, what is its selling price? | option_a=2375 | option_b=2827 | option_c=2277 | option_d=2601 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2262 × 115/100 = **₹**2601.

id=14602 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=G | option_c=O | option_d=S | answer=C | explanation=Move 4 positions forward from K; the resulting letter is O.

id=14603 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 8. | option_a=48 | option_b=192 | option_c=16 | option_d=24 | answer=D | explanation=LCM × HCF = 24×8; HCF(24,8) = 8, so LCM = 24.

id=14604 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:14 and the first is 44, what is the second? | option_a=140 | option_b=154 | option_c=198 | option_d=158 | answer=B | explanation=Scale factor = 44/4 = 11. Therefore second quantity = 14×11 = 154.

id=14605 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=14606 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 20? | option_a=9 | option_b=20 | option_c=15 | option_d=12 | answer=B | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 20 is the odd one out.

id=14607 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 24. | option_a=182 | option_b=144 | option_c=336 | option_d=168 | answer=D | explanation=LCM × HCF = 14×24; HCF(14,24) = 2, so LCM = 168.

id=14608 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:18 and the first is 120, what is the second? | option_a=128 | option_b=90 | option_c=228 | option_d=108 | answer=D | explanation=Scale factor = 120/20 = 6. Therefore second quantity = 18×6 = 108.

id=14609 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=24 | option_c=17 | option_d=7 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=14610 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4452. If it is sold at a profit of 30%, what is its selling price? | option_a=4482 | option_b=5342 | option_c=6232 | option_d=5787 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4452 × 130/100 = **₹**5787.

Aptitude Questions — Records 14,611-14,640 of 100,000

id=14611 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=J | option_b=G | option_c=M | option_d=D | answer=A | explanation=Move 3 positions forward from G; the resulting letter is J.

id=14612 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:19 and the first is 77, what is the second? | option_a=190 | option_b=286 | option_c=216 | option_d=209 | answer=D | explanation=Scale factor = $77/7 = 11$. Therefore second quantity = $19 \times 11 = 209$.

id=14613 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=15 | option_c=20 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = $120 \div 6 = 20$ km/h.

id=14614 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2311. If it is sold at a profit of 40%, what is its selling price? | option_a=2351 | option_b=3004 | option_c=3235 | option_d=3466 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = $2311 \times 140/100 = \text{█}3235$.

id=14615 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:5 and the first is 14, what is the second? | option_a=5 | option_b=24 | option_c=10 | option_d=17 | answer=C | explanation=Scale factor = $14/7 = 2$. Therefore second quantity = $5 \times 2 = 10$.

id=14616 | topic=Averages | difficulty=Easy | question=Find the average of 27, 94, 26. | option_a=49 | option_b=48 | option_c=51 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = $147 \div 3 = 49$.

id=14617 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=23 | option_b=18 | option_c=22 | option_d=26 | answer=C | explanation=The common difference is 4. Therefore the next term is $18 + 4 = 22$.

id=14618 | topic=Percentages | difficulty=Easy | question=What is 10% of 559? | option_a=50 | option_b=75 | option_c=110 | option_d=55 | answer=D | explanation=10% of 559 = $(10/100) \times 559 = 55$.

id=14619 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=R | option_c=O | option_d=I | answer=C | explanation=Move 3 positions forward from L; the resulting letter is O.

id=14620 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=14621 | topic=Averages | difficulty=Easy | question=Find the average of 81, 92, 42, 32, 58, 49. | option_a=58 | option_b=60 | option_c=61 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = $354 \div 6 = 59$.

id=14622 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=U | option_c=S | option_d=V | answer=B | explanation=Move 1 positions forward from T; the resulting letter is U.

id=14623 | topic=Percentages | difficulty=Easy | question=What is 25% of 1010? | option_a=257 | option_b=252 | option_c=242 | option_d=504 | answer=B | explanation=25% of 1010 = $(25/100) \times 1010 = 252$.

id=14624 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=14625 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=7 | option_d=24 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=14626 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=14627 | topic=Averages | difficulty=Easy | question=Find the average of 72, 36, 96, 58, 25, 16, 57, 16. | option_a=47 | option_b=48 | option_c=49 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = $376 \div 8 = 47$.

id=14628 | topic=Percentages | difficulty=Easy | question=What is 50% of 826? | option_a=403 | option_b=413 | option_c=826 | option_d=423 | answer=B | explanation=50% of 826 = $(50/100) \times 826 = 413$.

id=14629 | topic=Percentages | difficulty=Easy | question=What is 30% of 1190? | option_a=357 | option_b=714 | option_c=337 | option_d=377 | answer=A | explanation=30% of 1190 = $(30/100) \times 1190 = 357$.

id=14630 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 34, 41, 49? | option_a=41 | option_b=49 | option_c=34 | option_d=27 | answer=B | explanation=The first three numbers increase by 7, so the next should be 48. Therefore 49 is the odd one out.

id=14631 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=14632 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=14633 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19450 at 5% per annum for 5 years. | option_a=24312 | option_b=4962 | option_c=4762 | option_d=4862 | answer=D | explanation=SI = $\text{PRT}/100 = 19450 \times 5 \times 5/100 = \text{█}4862$.

id=14634 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=R | option_b=Q | option_c=S | option_d=P | answer=A | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=14635 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=14636 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 10, 13, 17? | option_a=7 | option_b=17 | option_c=13 | option_d=10 | answer=B | explanation=The first three numbers increase by 3, so the next should be 16. Therefore 17 is the odd one out.

id=14637 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38095 at 15% per annum for 2 years. | option_a=49523 | option_b=11328 | option_c=11428 | option_d=11528 | answer=C | explanation=SI = $\text{PRT}/100 = 38095 \times 15 \times 2/100 = \text{█}11428$.

id=14638 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:14 and the first is 168, what is the second? | option_a=182 | option_b=168 | option_c=154 | option_d=336 | answer=B | explanation=Scale factor = $168/14 = 12$. Therefore second quantity = $14 \times 12 = 168$.

id=14639 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 4. | option_a=96 | option_b=20 | option_c=24 | option_d=48 | answer=C | explanation=LCM × HCF = 24×4 ; $\text{HCF}(24, 4) = 4$, so LCM = 24.

id=14640 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 36? | option_a=36 | option_b=6 | option_c=15 | option_d=24 | answer=A | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 36 is the odd one out.

Aptitude Questions — Records 14,641-14,670 of 100,000

id=14641 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2112. If it is sold at a profit of 50%, what is its selling price? | option_a=2957 | option_b=2162 | option_c=3168 | option_d=3379 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2112 × 150/100 = ■3168.

id=14642 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 14. | option_a=14 | option_b=1 | option_c=16 | option_d=28 | answer=A | explanation=LCM × HCF = 2×14; HCF(2,14) = 2, so LCM = 14.

id=14643 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2597. If it is sold at a profit of 5%, what is its selling price? | option_a=2726 | option_b=2985 | option_c=2602 | option_d=2467 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2597 × 105/100 = ■2726.

id=14644 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 18, 25, 35? | option_a=25 | option_b=18 | option_c=35 | option_d=11 | answer=C | explanation=The first three numbers increase by 7, so the next should be 32. Therefore 35 is the odd one out.

id=14645 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■41523 at 15% per annum for 3 years. | option_a=60208 | option_b=18785 | option_c=18685 | option_d=18585 | answer=C | explanation=SI = PRT/100 = 41523×15×3/100 = ■18685.

id=14646 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:2 and the first is 15, what is the second? | option_a=45 | option_b=30 | option_c=28 | option_d=31 | answer=B | explanation=Scale factor = 15/1 = 15. Therefore second quantity = 2×15 = 30.

id=14647 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=M | option_b=V | option_c=P | option_d=S | answer=D | explanation=Move 3 positions forward from P; the resulting letter is S.

id=14648 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=20 | option_b=22 | option_c=24 | option_d=23 | answer=B | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=14649 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:14 and the first is 156, what is the second? | option_a=168 | option_b=194 | option_c=338 | option_d=182 | answer=D | explanation=Scale factor = 156/12 = 13. Therefore second quantity = 14×13 = 182.

id=14650 | topic=Averages | difficulty=Easy | question=Find the average of 70, 41, 18, 88, 90, 62, 78, 49. | option_a=63 | option_b=62 | option_c=61 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 496 ÷ 8 = 62.

id=14651 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 26? | option_a=5 | option_b=17 | option_c=26 | option_d=11 | answer=C | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 26 is the odd one out.

id=14652 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=O | option_c=G | option_d=C | answer=A | explanation=Move 4 positions forward from G; the resulting letter is K.

id=14653 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■25743 at 15% per annum for 2 years. | option_a=7822 | option_b=7722 | option_c=33465 | option_d=7622 | answer=B | explanation=SI = PRT/100 = 25743×15×2/100 = ■7722.

id=14654 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■23585 at 8% per annum for 3 years. | option_a=29245 | option_b=5660 | option_c=5560 | option_d=5760 | answer=B | explanation=SI = PRT/100 = 23585×8×3/100 = ■5660.

id=14655 | topic=Percentages | difficulty=Easy | question=What is 5% of 1264? | option_a=43 | option_b=68 | option_c=126 | option_d=63 | answer=D | explanation=5% of 1264 = (5/100) × 1264 = 63.

id=14656 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=P | option_b=H | option_c=D | option_d=L | answer=D | explanation=Move 4 positions forward from H; the resulting letter is L.

id=14657 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:14 and the first is 15, what is the second? | option_a=42 | option_b=28 | option_c=57 | option_d=47 | answer=A | explanation=Scale factor = 15/5 = 3. Therefore second quantity = 14×3 = 42.

id=14658 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=14659 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=19 | option_b=25 | option_c=29 | option_d=24 | answer=D | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.

id=14660 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 32, 35, 39? | option_a=32 | option_b=29 | option_c=39 | option_d=35 | answer=C | explanation=The first three numbers increase by 3, so the next should be 38. Therefore 39 is the odd one out.

id=14661 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 21, 23, 25, ? | option_a=27 | option_b=25 | option_c=28 | option_d=29 | answer=A | explanation=The common difference is 2. Therefore the next term is 25 + 2 = 27.

id=14662 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:16 and the first is 132, what is the second? | option_a=308 | option_b=176 | option_c=188 | option_d=160 | answer=B | explanation=Scale factor = 132/12 = 11. Therefore second quantity = 16×11 = 176.

id=14663 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 58? | option_a=58 | option_b=37 | option_c=47 | option_d=27 | answer=A | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 58 is the odd one out.

id=14664 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:1 and the first is 171, what is the second? | option_a=28 | option_b=19 | option_c=18 | option_d=190 | answer=B | explanation=Scale factor = 171/9 = 19. Therefore second quantity = 1×19 = 19.

id=14665 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=53 | option_b=54 | option_c=62 | option_d=44 | answer=A | explanation=The common difference is 9. Therefore the next term is 44 + 9 = 53.

id=14666 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=14667 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:1 and the first is 380, what is the second? | option_a=400 | option_b=39 | option_c=19 | option_d=20 | answer=D | explanation=Scale factor = 380/19 = 20. Therefore second quantity = 1×20 = 20.

id=14668 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=59 | option_b=60 | option_c=71 | option_d=47 | answer=A | explanation=The common difference is 12. Therefore the next term is 47 + 12 = 59.

id=14669 | topic=Percentages | difficulty=Easy | question=What is 30% of 786? | option_a=470 | option_b=245 | option_c=235 | option_d=225 | answer=C | explanation=30% of 786 = (30/100) × 786 = 235.

id=14670 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4127. If it is sold at a profit of 10%, what is its selling price? | option_a=4137 | option_b=4127 | option_c=4539 | option_d=4951 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4127 × 110/100 = ■4539.

Aptitude Questions — Records 14,671-14,700 of 100,000

id=14671 | topic=Averages | difficulty=Easy | question=Find the average of 15, 72, 78. | option_a=57 | option_b=56 | option_c=54 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 165 ÷ 3 = 55.

id=14672 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32940 at 8% per annum for 5 years. | option_a=13276 | option_b=13076 | option_c=13176 | option_d=46116 | answer=C | explanation=SI = $PRT/100 = 32940 \times 8 \times 5/100 = \text{■}13176$.

id=14673 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25842 at 12% per annum for 5 years. | option_a=41347 | option_b=15505 | option_c=15605 | option_d=15405 | answer=B | explanation=SI = $PRT/100 = 25842 \times 12 \times 5/100 = \text{■}15505$.

id=14674 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32776 at 8% per annum for 2 years. | option_a=5144 | option_b=5244 | option_c=38020 | option_d=5344 | answer=B | explanation=SI = $PRT/100 = 32776 \times 8 \times 2/100 = \text{■}5244$.

id=14675 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26053 at 12% per annum for 2 years. | option_a=6352 | option_b=32305 | option_c=6152 | option_d=6252 | answer=D | explanation=SI = $PRT/100 = 26053 \times 12 \times 2/100 = \text{■}6252$.

id=14676 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=52 | option_b=63 | option_c=64 | option_d=74 | answer=B | explanation=The common difference is 11. Therefore the next term is 52 + 11 = 63.

id=14677 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=T | option_c=L | option_d=X | answer=B | explanation=Move 4 positions forward from P; the resulting letter is T.

id=14678 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 35, 43, 54? | option_a=54 | option_b=35 | option_c=43 | option_d=27 | answer=A | explanation=The first three numbers increase by 8, so the next should be 51. Therefore 54 is the odd one out.

id=14679 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=29 | option_c=48 | option_d=19 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=14680 | topic=Percentages | difficulty=Easy | question=What is 5% of 1136? | option_a=46 | option_b=66 | option_c=56 | option_d=112 | answer=C | explanation=5% of 1136 = $(5/100) \times 1136 = 56$.

id=14681 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=C | option_b=E | option_c=I | option_d=G | answer=D | explanation=Move 2 positions forward from E; the resulting letter is G.

id=14682 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=125 | option_b=115 | option_c=240 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=14683 | topic=Percentages | difficulty=Easy | question=What is 25% of 974? | option_a=486 | option_b=233 | option_c=248 | option_d=243 | answer=D | explanation=25% of 974 = $(25/100) \times 974 = 243$.

id=14684 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29130 at 4% per annum for 3 years. | option_a=32625 | option_b=3595 | option_c=3395 | option_d=3495 | answer=D | explanation=SI = $PRT/100 = 29130 \times 4 \times 3/100 = \text{■}3495$.

id=14685 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=55 | option_d=100 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=14686 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:6 and the first is 56, what is the second? | option_a=50 | option_b=42 | option_c=98 | option_d=36 | answer=B | explanation=Scale factor = $56/8 = 7$. Therefore second quantity = $6 \times 7 = 42$.

id=14687 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3824. If it is sold at a profit of 20%, what is its selling price? | option_a=4206 | option_b=4970 | option_c=4588 | option_d=3844 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3824 \times 120/100 = \text{■}4588$.

id=14688 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:2 and the first is 165, what is the second? | option_a=37 | option_b=187 | option_c=20 | option_d=22 | answer=D | explanation=Scale factor = $165/15 = 11$. Therefore second quantity = $2 \times 11 = 22$.

id=14689 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=14690 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 12, 14, 17? | option_a=12 | option_b=17 | option_c=10 | option_d=14 | answer=B | explanation=The first three numbers increase by 2, so the next should be 16. Therefore 17 is the odd one out.

id=14691 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7338 at 6% per annum for 2 years. | option_a=980 | option_b=780 | option_c=8218 | option_d=880 | answer=D | explanation=SI = $PRT/100 = 7338 \times 6 \times 2/100 = \text{■}880$.

id=14692 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 43? | option_a=35 | option_b=30 | option_c=25 | option_d=43 | answer=D | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 43 is the odd one out.

id=14693 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Y | option_b=U | option_c=Q | option_d=M | answer=B | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=14694 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 40? | option_a=40 | option_b=33 | option_c=30 | option_d=36 | answer=A | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 40 is the odd one out.

id=14695 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 16, 21, 27? | option_a=16 | option_b=27 | option_c=21 | option_d=11 | answer=B | explanation=The first three numbers increase by 5, so the next should be 26. Therefore 27 is the odd one out.

id=14696 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:8 and the first is 60, what is the second? | option_a=124 | option_b=120 | option_c=112 | option_d=180 | answer=B | explanation=Scale factor = $60/4 = 15$. Therefore second quantity = $8 \times 15 = 120$.

id=14697 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=L | option_b=O | option_c=F | option_d=I | answer=A | explanation=Move 3 positions forward from I; the resulting letter is L.

id=14698 | topic=Averages | difficulty=Easy | question=Find the average of 41, 77, 99, 98, 98, 21, 61, 72, 46, 77. | option_a=71 | option_b=70 | option_c=69 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = $690 \div 10 = 69$.

id=14699 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=14700 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1361. If it is sold at a profit of 25%, what is its selling price? | option_a=1701 | option_b=1386 | option_c=1837 | option_d=1565 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1361 \times 125/100 = \text{■}1701$.

Aptitude Questions — Records 14,701-14,730 of 100,000

id=14701 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 34? | option_a=12 | option_b=22 | option_c=34 | option_d=2 | answer=C | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 34 is the odd one out.

id=14702 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=B | option_c=F | option_d=D | answer=C | explanation=Move 2 positions forward from D; the resulting letter is F.

id=14703 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:12 and the first is 25, what is the second? | option_a=60 | option_b=65 | option_c=85 | option_d=48 | answer=A | explanation=Scale factor = 25/5 = 5. Therefore second quantity = 12×5 = 60.

id=14704 | topic=Averages | difficulty=Easy | question=Find the average of 84, 70, 43, 78, 99, 16. | option_a=64 | option_b=65 | option_c=66 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = 390 ÷ 6 = 65.

id=14705 | topic=Percentages | difficulty=Easy | question=What is 10% of 877? | option_a=174 | option_b=107 | option_c=87 | option_d=67 | answer=C | explanation=10% of 877 = (10/100) × 877 = 87.

id=14706 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=13 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=14707 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 26, 35, 47? | option_a=35 | option_b=47 | option_c=26 | option_d=17 | answer=B | explanation=The first three numbers increase by 9, so the next should be 44. Therefore 47 is the odd one out.

id=14708 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 38, 48, 60? | option_a=48 | option_b=28 | option_c=60 | option_d=38 | answer=C | explanation=The first three numbers increase by 10, so the next should be 58. Therefore 60 is the odd one out.

id=14709 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=5 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=14710 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:19 and the first is 8, what is the second? | option_a=160 | option_b=133 | option_c=152 | option_d=153 | answer=C | explanation=Scale factor = 8/1 = 8. Therefore second quantity = 19×8 = 152.

id=14711 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:5 and the first is 300, what is the second? | option_a=95 | option_b=70 | option_c=375 | option_d=75 | answer=D | explanation=Scale factor = 300/20 = 15. Therefore second quantity = 5×15 = 75.

id=14712 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17780 at 15% per annum for 1 years. | option_a=2767 | option_b=20447 | option_c=2567 | option_d=2667 | answer=D | explanation=SI = PRT/100 = 17780×15×1/100 = **■**2667.

id=14713 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20079 at 6% per annum for 2 years. | option_a=2409 | option_b=2309 | option_c=2509 | option_d=22488 | answer=A | explanation=SI = PRT/100 = 20079×6×2/100 = **■**2409.

id=14714 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35577 at 6% per annum for 1 years. | option_a=2134 | option_b=2034 | option_c=2234 | option_d=37711 | answer=A | explanation=SI = PRT/100 = 35577×6×1/100 = **■**2134.

id=14715 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:11 and the first is 182, what is the second? | option_a=325 | option_b=132 | option_c=143 | option_d=157 | answer=C | explanation=Scale factor = 182/14 = 13. Therefore second quantity = 11×13 = 143.

id=14716 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=14717 | topic=Averages | difficulty=Easy | question=Find the average of 64, 51, 50, 14, 75, 28. | option_a=49 | option_b=48 | option_c=47 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 282 ÷ 6 = 47.

id=14718 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1815. If it is sold at a profit of 5%, what is its selling price? | option_a=1820 | option_b=1724 | option_c=2086 | option_d=1905 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1815 × 105/100 = **■**1905.

id=14719 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22672 at 4% per annum for 4 years. | option_a=26299 | option_b=3627 | option_c=3527 | option_d=3727 | answer=B | explanation=SI = PRT/100 = 22672×4×4/100 = **■**3627.

id=14720 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4386. If it is sold at a profit of 20%, what is its selling price? | option_a=4825 | option_b=5263 | option_c=5701 | option_d=4406 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4386 × 120/100 = **■**5263.

id=14721 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=200 | option_c=95 | option_d=105 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=14722 | topic=Percentages | difficulty=Easy | question=What is 40% of 1460? | option_a=579 | option_b=1168 | option_c=584 | option_d=604 | answer=C | explanation=40% of 1460 = (40/100) × 1460 = 584.

id=14723 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=23 | option_b=27 | option_c=24 | option_d=19 | answer=A | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=14724 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 6. | option_a=18 | option_b=24 | option_c=48 | option_d=144 | answer=B | explanation=LCM × HCF = 24×6; HCF(24,6) = 6, so LCM = 24.

id=14725 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4341. If it is sold at a profit of 30%, what is its selling price? | option_a=5209 | option_b=4371 | option_c=6077 | option_d=5643 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4341 × 130/100 = **■**5643.

id=14726 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=90 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=14727 | topic=Averages | difficulty=Easy | question=Find the average of 32, 100, 31, 81, 13, 85, 37, 68, 57. | option_a=55 | option_b=58 | option_c=57 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=14728 | topic=Percentages | difficulty=Easy | question=What is 50% of 700? | option_a=330 | option_b=370 | option_c=350 | option_d=700 | answer=C | explanation=50% of 700 = (50/100) × 700 = 350.

id=14729 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:19 and the first is 18, what is the second? | option_a=38 | option_b=57 | option_c=63 | option_d=75 | answer=B | explanation=Scale factor = 18/6 = 3. Therefore second quantity = 19×3 = 57.

id=14730 | topic=Averages | difficulty=Easy | question=Find the average of 60, 50, 92, 58, 35. | option_a=61 | option_b=58 | option_c=59 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 295 ÷ 5 = 59.

Aptitude Questions — Records 14,731-14,760 of 100,000

id=14731 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=12 | option_b=15 | option_c=16 | option_d=14 | answer=D | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=14732 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=J | option_c=I | option_d=H | answer=B | explanation=Move 1 positions forward from I; the resulting letter is J.

id=14733 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=12 | option_c=24 | option_d=7 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=14734 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=A | option_b=J | option_c=G | option_d=D | answer=C | explanation=Move 3 positions forward from D; the resulting letter is G.

id=14735 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=46 | option_b=59 | option_c=58 | option_d=70 | answer=C | explanation=The common difference is 12. Therefore the next term is 46 + 12 = 58.

id=14736 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=14737 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:17 and the first is 102, what is the second? | option_a=85 | option_b=119 | option_c=102 | option_d=204 | answer=C | explanation=Scale factor = 102/17 = 6. Therefore second quantity = 17×6 = 102.

id=14738 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=14739 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:2 and the first is 40, what is the second? | option_a=48 | option_b=8 | option_c=6 | option_d=18 | answer=B | explanation=Scale factor = 40/10 = 4. Therefore second quantity = 2×4 = 8.

id=14740 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=14741 | topic=Percentages | difficulty=Easy | question=What is 50% of 1136? | option_a=568 | option_b=1136 | option_c=563 | option_d=573 | answer=A | explanation=50% of 1136 = (50/100) × 1136 = 568.

id=14742 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44943 at 6% per annum for 3 years. | option_a=8089 | option_b=7989 | option_c=53032 | option_d=8189 | answer=A | explanation=SI = PRT/100 = 44943×6×3/100 = **■**8089.

id=14743 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**241. If it is sold at a profit of 40%, what is its selling price? | option_a=281 | option_b=361 | option_c=337 | option_d=313 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 241 × 140/100 = **■**337.

id=14744 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35053 at 4% per annum for 1 years. | option_a=36455 | option_b=1402 | option_c=1302 | option_d=1502 | answer=B | explanation=SI = PRT/100 = 35053×4×1/100 = **■**1402.

id=14745 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:16 and the first is 70, what is the second? | option_a=182 | option_b=96 | option_c=112 | option_d=122 | answer=C | explanation=Scale factor = 70/10 = 7. Therefore second quantity = 16×7 = 112.

id=14746 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=14747 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**418. If it is sold at a profit of 20%, what is its selling price? | option_a=460 | option_b=438 | option_c=501 | option_d=542 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 418 × 120/100 = **■**501.

id=14748 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=7 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=14749 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49804 at 6% per annum for 1 years. | option_a=2988 | option_b=52792 | option_c=3088 | option_d=2888 | answer=A | explanation=SI = PRT/100 = 49804×6×1/100 = **■**2988.

id=14750 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=N | option_c=O | option_d=M | answer=C | explanation=Move 1 positions forward from N; the resulting letter is O.

id=14751 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=T | option_c=Q | option_d=S | answer=D | explanation=Move 1 positions forward from R; the resulting letter is S.

id=14752 | topic=Averages | difficulty=Easy | question=Find the average of 73, 34, 39, 34, 86, 19, 27, 32, 34. | option_a=44 | option_b=42 | option_c=43 | option_d=41 | answer=B | explanation=Average = sum of values ÷ number of values = 378 ÷ 9 = 42.

id=14753 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 15? | option_a=11 | option_b=5 | option_c=8 | option_d=15 | answer=D | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 15 is the odd one out.

id=14754 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4155. If it is sold at a profit of 10%, what is its selling price? | option_a=4155 | option_b=4985 | option_c=4570 | option_d=4165 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4155 × 110/100 = **■**4570.

id=14755 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=61 | option_b=62 | option_c=49 | option_d=73 | answer=A | explanation=The common difference is 12. Therefore the next term is 49 + 12 = 61.

id=14756 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 23? | option_a=23 | option_b=18 | option_c=16 | option_d=20 | answer=A | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 23 is the odd one out.

id=14757 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=65 | option_b=53 | option_c=77 | option_d=66 | answer=A | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.

id=14758 | topic=Percentages | difficulty=Easy | question=What is 25% of 1508? | option_a=387 | option_b=377 | option_c=754 | option_d=367 | answer=B | explanation=25% of 1508 = (25/100) × 1508 = 377.

id=14759 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=W | option_b=T | option_c=Z | option_d=Q | answer=A | explanation=Move 3 positions forward from T; the resulting letter is W.

id=14760 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=25 | option_c=20 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

Aptitude Questions — Records 14,761-14,790 of 100,000

id=14761 | topic=Averages | difficulty=Easy | question=Find the average of 47, 35, 81, 43, 54. | option_a=53 | option_b=51 | option_c=52 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 260 ÷ 5 = 52.

id=14762 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=14763 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2549. If it is sold at a profit of 40%, what is its selling price? | option_a=3568 | option_b=3314 | option_c=2589 | option_d=3822 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2549 × 140/100 = █3568.

id=14764 | topic=Percentages | difficulty=Easy | question=What is 50% of 392? | option_a=201 | option_b=392 | option_c=196 | option_d=176 | answer=C | explanation=50% of 392 = (50/100) × 392 = 196.

id=14765 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=4 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=14766 | topic=Averages | difficulty=Easy | question=Find the average of 99, 55, 61, 31, 89. | option_a=69 | option_b=67 | option_c=66 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = 335 ÷ 5 = 67.

id=14767 | topic=Averages | difficulty=Easy | question=Find the average of 18, 93, 15, 60, 10, 38, 87, 92, 98, 49. | option_a=55 | option_b=56 | option_c=58 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 560 ÷ 10 = 56.

id=14768 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=35 | option_b=46 | option_c=55 | option_d=45 | answer=D | explanation=The common difference is 10. Therefore the next term is 35 + 10 = 45.

id=14769 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4082 at 10% per annum for 5 years. | option_a=6123 | option_b=2141 | option_c=1941 | option_d=2041 | answer=D | explanation=SI = PRT/100 = 4082×10×5/100 = █2041.

id=14770 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2148. If it is sold at a profit of 25%, what is its selling price? | option_a=2471 | option_b=2685 | option_c=2899 | option_d=2173 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2148 × 125/100 = █2685.

id=14771 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=14772 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=14773 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 16, 19, 23? | option_a=13 | option_b=23 | option_c=19 | option_d=16 | answer=B | explanation=The first three numbers increase by 3, so the next should be 22. Therefore 23 is the odd one out.

id=14774 | topic=Percentages | difficulty=Easy | question=What is 40% of 1548? | option_a=614 | option_b=624 | option_c=619 | option_d=1238 | answer=C | explanation=40% of 1548 = (40/100) × 1548 = 619.

id=14775 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4148. If it is sold at a profit of 20%, what is its selling price? | option_a=5391 | option_b=4563 | option_c=4977 | option_d=4168 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4148 × 120/100 = █4977.

id=14776 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=14777 | topic=Percentages | difficulty=Easy | question=What is 30% of 645? | option_a=193 | option_b=188 | option_c=213 | option_d=386 | answer=A | explanation=30% of 645 = (30/100) × 645 = 193.

id=14778 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4960. If it is sold at a profit of 40%, what is its selling price? | option_a=6448 | option_b=7440 | option_c=6944 | option_d=5000 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4960 × 140/100 = █6944.

id=14779 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=14780 | topic=Averages | difficulty=Easy | question=Find the average of 49, 19, 97, 19. | option_a=46 | option_b=45 | option_c=48 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 184 ÷ 4 = 46.

id=14781 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 48? | option_a=48 | option_b=19 | option_c=37 | option_d=28 | answer=A | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 48 is the odd one out.

id=14782 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 22. | option_a=44 | option_b=66 | option_c=132 | option_d=72 | answer=B | explanation=LCM × HCF = 6×22; HCF(6,22) = 2, so LCM = 66.

id=14783 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2451. If it is sold at a profit of 10%, what is its selling price? | option_a=2451 | option_b=2941 | option_c=2461 | option_d=2696 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2451 × 110/100 = █2696.

id=14784 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4315. If it is sold at a profit of 25%, what is its selling price? | option_a=4962 | option_b=4340 | option_c=5824 | option_d=5393 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4315 × 125/100 = █5393.

id=14785 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=14786 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 52? | option_a=41 | option_b=25 | option_c=52 | option_d=33 | answer=C | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 52 is the odd one out.

id=14787 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=29 | option_c=24 | option_d=48 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=14788 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=30 | option_b=24 | option_c=29 | option_d=34 | answer=C | explanation=The common difference is 5. Therefore the next term is 24 + 5 = 29.

id=14789 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=14790 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 11, 14, 18? | option_a=14 | option_b=8 | option_c=11 | option_d=18 | answer=D | explanation=The first three numbers increase by 3, so the next should be 17. Therefore 18 is the odd one out.

Aptitude Questions — Records 14,791-14,820 of 100,000

id=14791 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 10. | option_a=40 | option_b=24 | option_c=20 | option_d=10 | answer=C | explanation=LCM × HCF = 4×10; HCF(4,10) = 2, so LCM = 20.

id=14792 | topic=Averages | difficulty=Easy | question=Find the average of 95, 63, 23, 88, 46. | option_a=64 | option_b=62 | option_c=65 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 315 ÷ 5 = 63.

id=14793 | topic=Averages | difficulty=Easy | question=Find the average of 35, 42, 75, 99, 36, 46, 51, 29, 73. | option_a=56 | option_b=55 | option_c=53 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 486 ÷ 9 = 54.

id=14794 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49949 at 6% per annum for 2 years. | option_a=5993 | option_b=5893 | option_c=55942 | option_d=6093 | answer=A | explanation=SI = PRT/100 = 49949×6×2/100 = **■**5993.

id=14795 | topic=Averages | difficulty=Easy | question=Find the average of 41, 86, 11, 96, 30, 90. | option_a=58 | option_b=59 | option_c=60 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.

id=14796 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:6 and the first is 70, what is the second? | option_a=100 | option_b=30 | option_c=24 | option_d=44 | answer=B | explanation=Scale factor = 70/14 = 5. Therefore second quantity = 6×5 = 30.

id=14797 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=14798 | topic=Averages | difficulty=Easy | question=Find the average of 46, 75, 29, 62, 42, 52. | option_a=50 | option_b=51 | option_c=53 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 306 ÷ 6 = 51.

id=14799 | topic=Percentages | difficulty=Easy | question=What is 40% of 744? | option_a=594 | option_b=297 | option_c=302 | option_d=277 | answer=B | explanation=40% of 744 = (40/100) × 744 = 297.

id=14800 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=Z | option_b=K | option_c=U | option_d=P | answer=C | explanation=Move 5 positions forward from P; the resulting letter is U.

id=14801 | topic=Percentages | difficulty=Easy | question=What is 25% of 1001? | option_a=250 | option_b=500 | option_c=240 | option_d=255 | answer=A | explanation=25% of 1001 = (25/100) × 1001 = 250.

id=14802 | topic=Percentages | difficulty=Easy | question=What is 50% of 1450? | option_a=1450 | option_b=725 | option_c=705 | option_d=730 | answer=B | explanation=50% of 1450 = (50/100) × 1450 = 725.

id=14803 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=144 | option_c=77 | option_d=67 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=14804 | topic=Percentages | difficulty=Easy | question=What is 10% of 1702? | option_a=170 | option_b=190 | option_c=150 | option_d=340 | answer=A | explanation=10% of 1702 = (10/100) × 1702 = 170.

id=14805 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 15, 23, 33? | option_a=15 | option_b=23 | option_c=7 | option_d=33 | answer=D | explanation=The first three numbers increase by 8, so the next should be 31. Therefore 33 is the odd one out.

id=14806 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=Q | option_c=V | option_d=G | answer=B | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=14807 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=64 | option_b=42 | option_c=53 | option_d=54 | answer=C | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.

id=14808 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:15 and the first is 225, what is the second? | option_a=225 | option_b=240 | option_c=210 | option_d=450 | answer=A | explanation=Scale factor = 225/15 = 15. Therefore second quantity = 15×15 = 225.

id=14809 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=36 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=14810 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47465 at 5% per annum for 1 years. | option_a=2373 | option_b=49838 | option_c=2473 | option_d=2273 | answer=A | explanation=SI = PRT/100 = 47465×5×1/100 = **■**2373.

id=14811 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=L | option_b=G | option_c=B | option_d=Q | answer=A | explanation=Move 5 positions forward from G; the resulting letter is L.

id=14812 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=36 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=14813 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39071 at 15% per annum for 5 years. | option_a=68374 | option_b=29203 | option_c=29303 | option_d=29403 | answer=C | explanation=SI = PRT/100 = 39071×15×5/100 = **■**29303.

id=14814 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:12 and the first is 133, what is the second? | option_a=84 | option_b=72 | option_c=217 | option_d=103 | answer=A | explanation=Scale factor = 133/19 = 7. Therefore second quantity = 12×7 = 84.

id=14815 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4953. If it is sold at a profit of 40%, what is its selling price? | option_a=4993 | option_b=7429 | option_c=6439 | option_d=6934 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4953 × 140/100 = **■**6934.

id=14816 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3804. If it is sold at a profit of 40%, what is its selling price? | option_a=3844 | option_b=5705 | option_c=5325 | option_d=4945 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3804 × 140/100 = **■**5325.

id=14817 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3773. If it is sold at a profit of 5%, what is its selling price? | option_a=3584 | option_b=4338 | option_c=3778 | option_d=3961 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3773 × 105/100 = **■**3961.

id=14818 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=30 | option_b=34 | option_c=26 | option_d=31 | answer=A | explanation=The common difference is 4. Therefore the next term is 26 + 4 = 30.

id=14819 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=15 | option_d=5 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=14820 | topic=Percentages | difficulty=Easy | question=What is 30% of 280? | option_a=168 | option_b=79 | option_c=84 | option_d=94 | answer=C | explanation=30% of 280 = (30/100) × 280 = 84.

Aptitude Questions — Records 14,821-14,850 of 100,000

id=14821 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=14822 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=S | option_b=J | option_c=M | option_d=P | answer=D | explanation=Move 3 positions forward from M; the resulting letter is P.

id=14823 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=54 | option_b=46 | option_c=47 | option_d=38 | answer=B | explanation=The common difference is 8. Therefore the next term is 38 + 8 = 46.

id=14824 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 30. | option_a=60 | option_b=30 | option_c=32 | option_d=1 | answer=B | explanation=LCM × HCF = 2×30; HCF(2,30) = 2, so LCM = 30.

id=14825 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21981 at 6% per annum for 4 years. | option_a=27256 | option_b=5175 | option_c=5375 | option_d=5275 | answer=D | explanation=SI = PRT/100 = 21981×6×4/100 = **■**5275.

id=14826 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=39 | option_b=43 | option_c=38 | option_d=33 | answer=C | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.

id=14827 | topic=Percentages | difficulty=Easy | question=What is 30% of 876? | option_a=262 | option_b=282 | option_c=524 | option_d=257 | answer=A | explanation=30% of 876 = (30/100) × 876 = 262.

id=14828 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 9, 12, 17? | option_a=9 | option_b=12 | option_c=17 | option_d=6 | answer=C | explanation=The first three numbers increase by 3, so the next should be 15. Therefore 17 is the odd one out.

id=14829 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=24 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=14830 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 31, 43, 55, ? | option_a=79 | option_b=67 | option_c=55 | option_d=68 | answer=B | explanation=The common difference is 12. Therefore the next term is 55 + 12 = 67.

id=14831 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39438 at 4% per annum for 3 years. | option_a=44170 | option_b=4632 | option_c=4832 | option_d=4732 | answer=D | explanation=SI = PRT/100 = 39438×4×3/100 = **■**4732.

id=14832 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:15 and the first is 99, what is the second? | option_a=135 | option_b=120 | option_c=146 | option_d=234 | answer=A | explanation=Scale factor = 99/11 = 9. Therefore second quantity = 15×9 = 135.

id=14833 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30447 at 6% per annum for 1 years. | option_a=32273 | option_b=1726 | option_c=1826 | option_d=1926 | answer=C | explanation=SI = PRT/100 = 30447×6×1/100 = **■**1826.

id=14834 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**199. If it is sold at a profit of 10%, what is its selling price? | option_a=199 | option_b=237 | option_c=209 | option_d=218 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 199 × 110/100 = **■**218.

id=14835 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3517. If it is sold at a profit of 20%, what is its selling price? | option_a=4571 | option_b=3869 | option_c=3537 | option_d=4220 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3517 × 120/100 = **■**4220.

id=14836 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1715. If it is sold at a profit of 30%, what is its selling price? | option_a=2229 | option_b=2058 | option_c=2400 | option_d=1745 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1715 × 130/100 = **■**2229.

id=14837 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 4. | option_a=16 | option_b=1 | option_c=4 | option_d=8 | answer=C | explanation=LCM × HCF = 4×4; HCF(4,4) = 4, so LCM = 4.

id=14838 | topic=Percentages | difficulty=Easy | question=What is 12% of 580? | option_a=59 | option_b=89 | option_c=138 | option_d=69 | answer=D | explanation=12% of 580 = (12/100) × 580 = 69.

id=14839 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=Q | option_c=O | option_d=K | answer=C | explanation=Move 2 positions forward from M; the resulting letter is O.

id=14840 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=14841 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=14842 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=14843 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 20, 27, 37? | option_a=20 | option_b=13 | option_c=27 | option_d=37 | answer=D | explanation=The first three numbers increase by 7, so the next should be 34. Therefore 37 is the odd one out.

id=14844 | topic=Percentages | difficulty=Easy | question=What is 12% of 897? | option_a=87 | option_b=107 | option_c=214 | option_d=127 | answer=B | explanation=12% of 897 = (12/100) × 897 = 107.

id=14845 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:12 and the first is 25, what is the second? | option_a=60 | option_b=65 | option_c=85 | option_d=48 | answer=A | explanation=Scale factor = 25/5 = 5. Therefore second quantity = 12×5 = 60.

id=14846 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:7 and the first is 140, what is the second? | option_a=63 | option_b=70 | option_c=84 | option_d=210 | answer=B | explanation=Scale factor = 140/14 = 10. Therefore second quantity = 7×10 = 70.

id=14847 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=14848 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25416 at 5% per annum for 3 years. | option_a=3712 | option_b=3912 | option_c=3812 | option_d=29228 | answer=C | explanation=SI = PRT/100 = 25416×5×3/100 = **■**3812.

id=14849 | topic=Number System | difficulty=Easy | question=Find the LCM of 23 and 23. | option_a=1 | option_b=529 | option_c=46 | option_d=23 | answer=D | explanation=LCM × HCF = 23×23; HCF(23,23) = 23, so LCM = 23.

id=14850 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3896. If it is sold at a profit of 40%, what is its selling price? | option_a=5065 | option_b=3936 | option_c=5454 | option_d=5843 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3896 × 140/100 = **■**5454.

Aptitude Questions — Records 14,851-14,880 of 100,000

id=14851 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=14852 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=53 | option_b=52 | option_c=62 | option_d=42 | answer=B | explanation=The common difference is 10. Therefore the next term is $42 + 10 = 52$.

id=14853 | topic=Percentages | difficulty=Easy | question=What is 10% of 96? | option_a=0 | option_b=9 | option_c=18 | option_d=29 | answer=B | explanation=10% of 96 = $(\frac{10}{100}) \times 96 = 9$.

id=14854 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 14. | option_a=196 | option_b=240 | option_c=420 | option_d=210 | answer=D | explanation= $\text{LCM} \times \text{HCF} = 30 \times 14$; $\text{HCF}(30,14) = 2$, so $\text{LCM} = 210$.

id=14855 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 27, 33, 41? | option_a=33 | option_b=21 | option_c=41 | option_d=27 | answer=C | explanation=The first three numbers increase by 6, so the next should be 39. Therefore 41 is the odd one out.

id=14856 | topic=Percentages | difficulty=Easy | question=What is 10% of 1224? | option_a=127 | option_b=122 | option_c=244 | option_d=112 | answer=B | explanation=10% of 1224 = $(\frac{10}{100}) \times 1224 = 122$.

id=14857 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 12, 17, 23? | option_a=12 | option_b=7 | option_c=23 | option_d=17 | answer=C | explanation=The first three numbers increase by 5, so the next should be 22. Therefore 23 is the odd one out.

id=14858 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=42 | option_b=41 | option_c=48 | option_d=34 | answer=B | explanation=The common difference is 7. Therefore the next term is $34 + 7 = 41$.

id=14859 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:2 and the first is 60, what is the second? | option_a=23 | option_b=8 | option_c=6 | option_d=68 | answer=B | explanation=Scale factor = $\frac{60}{15} = 4$. Therefore second quantity = $2 \times 4 = 8$.

id=14860 | topic=Profit & Loss | difficulty=Easy | question=An article costs █363. If it is sold at a profit of 5%, what is its selling price? | option_a=368 | option_b=417 | option_c=345 | option_d=381 | answer=D | explanation=Selling price = $\text{CP} \times (\frac{100 + \text{profit}\%}{100}) = 363 \times \frac{105}{100} = \text{█}381$.

id=14861 | topic=Averages | difficulty=Easy | question=Find the average of 73, 17, 58, 19, 88, 69. | option_a=55 | option_b=53 | option_c=54 | option_d=56 | answer=C | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{324}{6} = 54$.

id=14862 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=L | option_c=Z | option_d=D | answer=A | explanation=Move 4 positions forward from D; the resulting letter is H.

id=14863 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=29 | option_b=24 | option_c=34 | option_d=30 | answer=A | explanation=The common difference is 5. Therefore the next term is $24 + 5 = 29$.

id=14864 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1003. If it is sold at a profit of 50%, what is its selling price? | option_a=1404 | option_b=1604 | option_c=1504 | option_d=1053 | answer=C | explanation=Selling price = $\text{CP} \times (\frac{100 + \text{profit}\%}{100}) = 1003 \times \frac{150}{100} = \text{█}1504$.

id=14865 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=175 | option_c=180 | option_d=360 | answer=C | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{360}{2} = 180$ km/h.

id=14866 | topic=Percentages | difficulty=Easy | question=What is 40% of 298? | option_a=119 | option_b=99 | option_c=238 | option_d=139 | answer=A | explanation= $40\% \text{ of } 298 = (\frac{40}{100}) \times 298 = 119$.

id=14867 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 24, 31, 40? | option_a=40 | option_b=17 | option_c=31 | option_d=24 | answer=A | explanation=The first three numbers increase by 7, so the next should be 38. Therefore 40 is the odd one out.

id=14868 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4721. If it is sold at a profit of 5%, what is its selling price? | option_a=4485 | option_b=4726 | option_c=4957 | option_d=5429 | answer=C | explanation=Selling price = $\text{CP} \times (\frac{100 + \text{profit}\%}{100}) = 4721 \times \frac{105}{100} = \text{█}4957$.

id=14869 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=33 | option_b=27 | option_c=39 | option_d=34 | answer=A | explanation=The common difference is 6. Therefore the next term is $27 + 6 = 33$.

id=14870 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 34, 44, 56? | option_a=44 | option_b=24 | option_c=34 | option_d=56 | answer=D | explanation=The first three numbers increase by 10, so the next should be 54. Therefore 56 is the odd one out.

id=14871 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1636. If it is sold at a profit of 40%, what is its selling price? | option_a=2127 | option_b=2290 | option_c=1676 | option_d=2453 | answer=B | explanation=Selling price = $\text{CP} \times (\frac{100 + \text{profit}\%}{100}) = 1636 \times \frac{140}{100} = \text{█}2290$.

id=14872 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1851. If it is sold at a profit of 50%, what is its selling price? | option_a=2961 | option_b=2776 | option_c=2591 | option_d=1901 | answer=B | explanation=Selling price = $\text{CP} \times (\frac{100 + \text{profit}\%}{100}) = 1851 \times \frac{150}{100} = \text{█}2776$.

id=14873 | topic=Profit & Loss | difficulty=Easy | question=An article costs █892. If it is sold at a profit of 50%, what is its selling price? | option_a=1249 | option_b=1427 | option_c=1338 | option_d=942 | answer=C | explanation=Selling price = $\text{CP} \times (\frac{100 + \text{profit}\%}{100}) = 892 \times \frac{150}{100} = \text{█}1338$.

id=14874 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=29 | option_c=24 | option_d=48 | answer=C | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{240}{10} = 24$ km/h.

id=14875 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=32 | option_b=38 | option_c=26 | option_d=33 | answer=A | explanation=The common difference is 6. Therefore the next term is $26 + 6 = 32$.

id=14876 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:7 and the first is 16, what is the second? | option_a=56 | option_b=49 | option_c=72 | option_d=58 | answer=A | explanation=Scale factor = $\frac{16}{2} = 8$. Therefore second quantity = $7 \times 8 = 56$.

id=14877 | topic=Percentages | difficulty=Easy | question=What is 30% of 396? | option_a=118 | option_b=98 | option_c=236 | option_d=123 | answer=A | explanation= $30\% \text{ of } 396 = (\frac{30}{100}) \times 396 = 118$.

id=14878 | topic=Profit & Loss | difficulty=Easy | question=An article costs █606. If it is sold at a profit of 20%, what is its selling price? | option_a=787 | option_b=626 | option_c=727 | option_d=667 | answer=C | explanation=Selling price = $\text{CP} \times (\frac{100 + \text{profit}\%}{100}) = 606 \times \frac{120}{100} = \text{█}727$.

id=14879 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=I | option_c=F | option_d=H | answer=D | explanation=Move 1 positions forward from G; the resulting letter is H.

id=14880 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=26 | option_b=22 | option_c=25 | option_d=24 | answer=D | explanation=The common difference is 2. Therefore the next term is $22 + 2 = 24$.

Aptitude Questions — Records 14,881-14,910 of 100,000

id=14881 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=C | option_b=M | option_c=R | option_d=H | answer=B | explanation=Move 5 positions forward from H; the resulting letter is M.

id=14882 | topic=Averages | difficulty=Easy | question=Find the average of 35, 61, 18, 10, 20, 79, 16, 24, 87, 100. | option_a=46 | option_b=44 | option_c=45 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 450 ÷ 10 = 45.

id=14883 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=14884 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 14. | option_a=182 | option_b=168 | option_c=208 | option_d=364 | answer=A | explanation=LCM × HCF = 26×14; HCF(26,14) = 2, so LCM = 182.

id=14885 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=24 | option_b=21 | option_c=25 | option_d=27 | answer=A | explanation=The common difference is 3. Therefore the next term is 21 + 3 = 24.

id=14886 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=39 | option_b=35 | option_c=31 | option_d=36 | answer=B | explanation=The common difference is 4. Therefore the next term is 31 + 4 = 35.

id=14887 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14619 at 8% per annum for 4 years. | option_a=4778 | option_b=4678 | option_c=4578 | option_d=19297 | answer=B | explanation=SI = PRT/100 = 14619×8×4/100 = **■**4678.

id=14888 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46106 at 8% per annum for 5 years. | option_a=18542 | option_b=18342 | option_c=18442 | option_d=64548 | answer=C | explanation=SI = PRT/100 = 46106×8×5/100 = **■**18442.

id=14889 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=50 | option_b=43 | option_c=34 | option_d=42 | answer=D | explanation=The common difference is 8. Therefore the next term is 34 + 8 = 42.

id=14890 | topic=Percentages | difficulty=Easy | question=What is 25% of 846? | option_a=211 | option_b=191 | option_c=422 | option_d=216 | answer=A | explanation=25% of 846 = (25/100) × 846 = 211.

id=14891 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45390 at 8% per annum for 5 years. | option_a=18156 | option_b=18056 | option_c=18256 | option_d=63546 | answer=A | explanation=SI = PRT/100 = 45390×8×5/100 = **■**18156.

id=14892 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:14 and the first is 132, what is the second? | option_a=179 | option_b=154 | option_c=168 | option_d=300 | answer=C | explanation=Scale factor = 132/11 = 12. Therefore second quantity = 14×12 = 168.

id=14893 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=D | option_c=J | option_d=M | answer=C | explanation=Move 3 positions forward from G; the resulting letter is J.

id=14894 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 17, 26, 38? | option_a=8 | option_b=26 | option_c=38 | option_d=17 | answer=C | explanation=The first three numbers increase by 9, so the next should be 35. Therefore 38 is the odd one out.

id=14895 | topic=Averages | difficulty=Easy | question=Find the average of 85, 100, 87, 67, 21, 67, 46, 57, 10. | option_a=59 | option_b=62 | option_c=60 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 540 ÷ 9 = 60.

id=14896 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 4. | option_a=20 | option_b=24 | option_c=48 | option_d=96 | answer=B | explanation=LCM × HCF = 24×4; HCF(24,4) = 4, so LCM = 24.

id=14897 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=14898 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=O | option_b=R | option_c=X | option_d=U | answer=D | explanation=Move 3 positions forward from R; the resulting letter is U.

id=14899 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=14900 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:9 and the first is 266, what is the second? | option_a=437 | option_b=185 | option_c=162 | option_d=171 | answer=D | explanation=Scale factor = 266/14 = 19. Therefore second quantity = 9×19 = 171.

id=14901 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 14, 18, 24? | option_a=14 | option_b=10 | option_c=24 | option_d=18 | answer=C | explanation=The first three numbers increase by 4, so the next should be 22. Therefore 24 is the odd one out.

id=14902 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=57 | option_b=56 | option_c=47 | option_d=65 | answer=B | explanation=The common difference is 9. Therefore the next term is 47 + 9 = 56.

id=14903 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=25 | option_c=20 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=14904 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=55 | option_d=100 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=14905 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 23, 25, 28? | option_a=25 | option_b=28 | option_c=21 | option_d=23 | answer=B | explanation=The first three numbers increase by 2, so the next should be 27. Therefore 28 is the odd one out.

id=14906 | topic=Averages | difficulty=Easy | question=Find the average of 38, 76, 78, 67, 71. | option_a=67 | option_b=66 | option_c=65 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = 330 ÷ 5 = 66.

id=14907 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=28 | option_b=26 | option_c=24 | option_d=27 | answer=B | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.

id=14908 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1859. If it is sold at a profit of 15%, what is its selling price? | option_a=1874 | option_b=2137 | option_c=2322 | option_d=1952 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1859 × 115/100 = **■**2137.

id=14909 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 20. | option_a=1 | option_b=40 | option_c=22 | option_d=20 | answer=D | explanation=LCM × HCF = 2×20; HCF(2,20) = 2, so LCM = 20.

id=14910 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3280. If it is sold at a profit of 25%, what is its selling price? | option_a=4100 | option_b=3305 | option_c=3772 | option_d=4428 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3280 × 125/100 = **■**4100.

Aptitude Questions — Records 14,911-14,940 of 100,000

id=14911 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 13, 23, 35? | option_a=13 | option_b=23 | option_c=3 | option_d=35 | answer=D | explanation=The first three numbers increase by 10, so the next should be 33. Therefore 35 is the odd one out.

id=14912 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=V | option_b=F | option_c=K | option_d=A | answer=B | explanation=Move 5 positions forward from A; the resulting letter is F.

id=14913 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=240 | option_c=120 | option_d=125 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=14914 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 18, 28, 38, ? | option_a=58 | option_b=49 | option_c=38 | option_d=48 | answer=D | explanation=The common difference is 10. Therefore the next term is 38 + 10 = 48.

id=14915 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8955 at 4% per annum for 2 years. | option_a=9671 | option_b=816 | option_c=716 | option_d=616 | answer=C | explanation=SI = PRT/100 = 8955×4×2/100 = █716.

id=14916 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 12, 17, 24? | option_a=17 | option_b=7 | option_c=12 | option_d=24 | answer=D | explanation=The first three numbers increase by 5, so the next should be 22. Therefore 24 is the odd one out.

id=14917 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 18, 26, 36? | option_a=26 | option_b=10 | option_c=36 | option_d=18 | answer=C | explanation=The first three numbers increase by 8, so the next should be 34. Therefore 36 is the odd one out.

id=14918 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6277 at 12% per annum for 4 years. | option_a=2912 | option_b=3012 | option_c=9289 | option_d=3112 | answer=B | explanation=SI = PRT/100 = 6277×12×4/100 = █3012.

id=14919 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 9. | option_a=108 | option_b=27 | option_c=36 | option_d=48 | answer=C | explanation=LCM × HCF = 12×9; HCF(12,9) = 3, so LCM = 36.

id=14920 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=240 | option_c=120 | option_d=115 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=14921 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=K | option_c=E | option_d=G | answer=A | explanation=Move 2 positions forward from G; the resulting letter is I.

id=14922 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=Q | option_b=N | option_c=T | option_d=K | answer=A | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=14923 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47397 at 4% per annum for 3 years. | option_a=53084 | option_b=5687 | option_c=5587 | option_d=5787 | answer=B | explanation=SI = PRT/100 = 47397×4×3/100 = █5687.

id=14924 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=14925 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:1 and the first is 300, what is the second? | option_a=320 | option_b=20 | option_c=19 | option_d=35 | answer=B | explanation=Scale factor = 300/15 = 20. Therefore second quantity = 1×20 = 20.

id=14926 | topic=Percentages | difficulty=Easy | question=What is 40% of 700? | option_a=290 | option_b=280 | option_c=560 | option_d=270 | answer=B | explanation=40% of 700 = (40/100) × 700 = 280.

id=14927 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5983 at 15% per annum for 2 years. | option_a=1894 | option_b=1794 | option_c=1694 | option_d=7777 | answer=B | explanation=SI = PRT/100 = 5983×15×2/100 = █1794.

id=14928 | topic=Percentages | difficulty=Easy | question=What is 12% of 1734? | option_a=416 | option_b=198 | option_c=208 | option_d=218 | answer=C | explanation=12% of 1734 = (12/100) × 1734 = 208.

id=14929 | topic=Averages | difficulty=Easy | question=Find the average of 53, 12, 73, 74. | option_a=52 | option_b=54 | option_c=55 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 212 ÷ 4 = 53.

id=14930 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=14931 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 25, 27, 30? | option_a=27 | option_b=30 | option_c=25 | option_d=23 | answer=B | explanation=The first three numbers increase by 2, so the next should be 29. Therefore 30 is the odd one out.

id=14932 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2430. If it is sold at a profit of 15%, what is its selling price? | option_a=2551 | option_b=2794 | option_c=3037 | option_d=2445 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2430 × 115/100 = █2794.

id=14933 | topic=Percentages | difficulty=Easy | question=What is 20% of 1074? | option_a=224 | option_b=214 | option_c=428 | option_d=194 | answer=B | explanation=20% of 1074 = (20/100) × 1074 = 214.

id=14934 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=18 | option_c=13 | option_d=23 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=14935 | topic=Percentages | difficulty=Easy | question=What is 50% of 1813? | option_a=906 | option_b=1812 | option_c=916 | option_d=896 | answer=A | explanation=50% of 1813 = (50/100) × 1813 = 906.

id=14936 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=F | option_c=J | option_d=D | answer=A | explanation=Move 2 positions forward from F; the resulting letter is H.

id=14937 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:9 and the first is 44, what is the second? | option_a=27 | option_b=47 | option_c=80 | option_d=36 | answer=D | explanation=Scale factor = 44/11 = 4. Therefore second quantity = 9×4 = 36.

id=14938 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:10 and the first is 84, what is the second? | option_a=60 | option_b=70 | option_c=154 | option_d=82 | answer=B | explanation=Scale factor = 84/12 = 7. Therefore second quantity = 10×7 = 70.

id=14939 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=14940 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 14,941-14,970 of 100,000

id=14941 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=45 | option_b=44 | option_c=35 | option_d=53 | answer=B | explanation=The common difference is 9. Therefore the next term is 35 + 9 = 44.

id=14942 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 34, 43, 55? | option_a=25 | option_b=55 | option_c=34 | option_d=43 | answer=B | explanation=The first three numbers increase by 9, so the next should be 52. Therefore 55 is the odd one out.

id=14943 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=14944 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 17, 25, 33, ? | option_a=41 | option_b=42 | option_c=49 | option_d=33 | answer=A | explanation=The common difference is 8. Therefore the next term is 33 + 8 = 41.

id=14945 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=23 | option_b=20 | option_c=24 | option_d=22 | answer=D | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=14946 | topic=Percentages | difficulty=Easy | question=What is 30% of 1208? | option_a=724 | option_b=352 | option_c=362 | option_d=372 | answer=C | explanation=30% of 1208 = (30/100) × 1208 = 362.

id=14947 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:5 and the first is 280, what is the second? | option_a=114 | option_b=100 | option_c=95 | option_d=380 | answer=B | explanation=Scale factor = 280/14 = 20. Therefore second quantity = 5×20 = 100.

id=14948 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=14949 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 25. | option_a=25 | option_b=50 | option_c=1 | option_d=625 | answer=A | explanation=LCM × HCF = 25×25; HCF(25,25) = 25, so LCM = 25.

id=14950 | topic=Percentages | difficulty=Easy | question=What is 15% of 63? | option_a=4 | option_b=29 | option_c=9 | option_d=18 | answer=C | explanation=15% of 63 = (15/100) × 63 = 9.

id=14951 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 34, 42, 51? | option_a=42 | option_b=34 | option_c=26 | option_d=51 | answer=D | explanation=The first three numbers increase by 8, so the next should be 50. Therefore 51 is the odd one out.

id=14952 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=38 | option_b=43 | option_c=37 | option_d=31 | answer=C | explanation=The common difference is 6. Therefore the next term is 31 + 6 = 37.

id=14953 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=32 | option_b=22 | option_c=28 | option_d=27 | answer=D | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.

id=14954 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:4 and the first is 55, what is the second? | option_a=49 | option_b=99 | option_c=40 | option_d=44 | answer=D | explanation=Scale factor = 55/5 = 11. Therefore second quantity = 4×11 = 44.

id=14955 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3866. If it is sold at a profit of 25%, what is its selling price? | option_a=3891 | option_b=4832 | option_c=4446 | option_d=5218 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3866 × 125/100 = █4832.

id=14956 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=14957 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=X | option_b=D | option_c=A | option_d=G | answer=B | explanation=Move 3 positions forward from A; the resulting letter is D.

id=14958 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=67 | option_c=77 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=14959 | topic=Percentages | difficulty=Easy | question=What is 10% of 1648? | option_a=159 | option_b=164 | option_c=328 | option_d=174 | answer=B | explanation=10% of 1648 = (10/100) × 1648 = 164.

id=14960 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=30 | option_b=31 | option_c=25 | option_d=35 | answer=A | explanation=The common difference is 5. Therefore the next term is 25 + 5 = 30.

id=14961 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4873. If it is sold at a profit of 25%, what is its selling price? | option_a=4898 | option_b=6091 | option_c=6578 | option_d=5604 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4873 × 125/100 = █6091.

id=14962 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=19 | option_c=24 | option_d=48 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=14963 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=48 | option_b=40 | option_c=54 | option_d=47 | answer=D | explanation=The common difference is 7. Therefore the next term is 40 + 7 = 47.

id=14964 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=8 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=14965 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3640. If it is sold at a profit of 10%, what is its selling price? | option_a=3640 | option_b=4004 | option_c=4368 | option_d=3650 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3640 × 110/100 = █4004.

id=14966 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1676. If it is sold at a profit of 5%, what is its selling price? | option_a=1592 | option_b=1926 | option_c=1759 | option_d=1681 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1676 × 105/100 = █1759.

id=14967 | topic=Percentages | difficulty=Easy | question=What is 5% of 438? | option_a=42 | option_b=1 | option_c=21 | option_d=31 | answer=C | explanation=5% of 438 = (5/100) × 438 = 21.

id=14968 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15357 at 8% per annum for 5 years. | option_a=6242 | option_b=21499 | option_c=6042 | option_d=6142 | answer=D | explanation=SI = PRT/100 = 15357×8×5/100 = █6142.

id=14969 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=X | option_b=T | option_c=L | option_d=P | answer=B | explanation=Move 4 positions forward from P; the resulting letter is T.

id=14970 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=N | option_c=M | option_d=L | answer=B | explanation=Move 1 positions forward from M; the resulting letter is N.

Aptitude Questions — Records 14,971-15,000 of 100,000

id=14971 | topic=Percentages | difficulty=Easy | question=What is 10% of 1211? | option_a=242 | option_b=116 | option_c=131 | option_d=121 | answer=D | explanation=10% of 1211 = (10/100) × 1211 = 121.

id=14972 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=14973 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:4 and the first is 90, what is the second? | option_a=49 | option_b=130 | option_c=36 | option_d=40 | answer=D | explanation=Scale factor = 90/9 = 10. Therefore second quantity = 4×10 = 40.

id=14974 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=42 | option_b=50 | option_c=34 | option_d=43 | answer=A | explanation=The common difference is 8. Therefore the next term is 34 + 8 = 42.

id=14975 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=K | option_b=V | option_c=F | option_d=A | answer=C | explanation=Move 5 positions forward from A; the resulting letter is F.

id=14976 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=P | option_b=H | option_c=D | option_d=L | answer=D | explanation=Move 4 positions forward from H; the resulting letter is L.

id=14977 | topic=Averages | difficulty=Easy | question=Find the average of 86, 34, 27. | option_a=48 | option_b=49 | option_c=50 | option_d=51 | answer=B | explanation=Average = sum of values + number of values = 147 ÷ 3 = 49.

id=14978 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=10 | option_c=20 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=14979 | topic=Percentages | difficulty=Easy | question=What is 15% of 1835? | option_a=550 | option_b=255 | option_c=275 | option_d=280 | answer=C | explanation=15% of 1835 = (15/100) × 1835 = 275.

id=14980 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:20 and the first is 38, what is the second? | option_a=418 | option_b=380 | option_c=382 | option_d=360 | answer=B | explanation=Scale factor = 38/2 = 19. Therefore second quantity = 20×19 = 380.

id=14981 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=90 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=14982 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=70 | option_c=80 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=14983 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=32 | option_b=34 | option_c=31 | option_d=28 | answer=C | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=14984 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:18 and the first is 130, what is the second? | option_a=216 | option_b=244 | option_c=364 | option_d=234 | answer=D | explanation=Scale factor = 130/10 = 13. Therefore second quantity = 18×13 = 234.

id=14985 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32199 at 12% per annum for 3 years. | option_a=11691 | option_b=11591 | option_c=43790 | option_d=11491 | answer=B | explanation=SI = PRT/100 = 32199×12×3/100 = **■**11591.

id=14986 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=14987 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:16 and the first is 22, what is the second? | option_a=160 | option_b=198 | option_c=178 | option_d=176 | answer=D | explanation=Scale factor = 22/2 = 11. Therefore second quantity = 16×11 = 176.

id=14988 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24420 at 8% per annum for 2 years. | option_a=4007 | option_b=3907 | option_c=28327 | option_d=3807 | answer=B | explanation=SI = PRT/100 = 24420×8×2/100 = **■**3907.

id=14989 | topic=Averages | difficulty=Easy | question=Find the average of 11, 12, 37. | option_a=19 | option_b=20 | option_c=21 | option_d=22 | answer=B | explanation=Average = sum of values + number of values = 60 ÷ 3 = 20.

id=14990 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=46 | option_b=39 | option_c=40 | option_d=32 | answer=B | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.

id=14991 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 9. | option_a=27 | option_b=36 | option_c=108 | option_d=48 | answer=B | explanation=LCM × HCF = 12×9; HCF(12,9) = 3, so LCM = 36.

id=14992 | topic=Averages | difficulty=Easy | question=Find the average of 18, 33, 69, 50, 25, 87, 84, 89, 97, 48. | option_a=60 | option_b=61 | option_c=59 | option_d=62 | answer=A | explanation=Average = sum of values + number of values = 600 ÷ 10 = 60.

id=14993 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 43? | option_a=30 | option_b=24 | option_c=43 | option_d=36 | answer=C | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 43 is the odd one out.

id=14994 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=52 | option_b=51 | option_c=60 | option_d=42 | answer=B | explanation=The common difference is 9. Therefore the next term is 42 + 9 = 51.

id=14995 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=14996 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10160 at 15% per annum for 5 years. | option_a=7620 | option_b=7720 | option_c=17780 | option_d=7520 | answer=A | explanation=SI = PRT/100 = 10160×15×5/100 = **■**7620.

id=14997 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=15 | option_b=17 | option_c=19 | option_d=18 | answer=B | explanation=The common difference is 2. Therefore the next term is 15 + 2 = 17.

id=14998 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**359. If it is sold at a profit of 20%, what is its selling price? | option_a=430 | option_b=395 | option_c=379 | option_d=465 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 359 × 120/100 = **■**430.

id=14999 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3796. If it is sold at a profit of 20%, what is its selling price? | option_a=4555 | option_b=3816 | option_c=4934 | option_d=4176 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3796 × 120/100 = **■**4555.

id=15000 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 24? | option_a=19 | option_b=17 | option_c=24 | option_d=15 | answer=C | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 24 is the odd one out.

Aptitude Questions — Records 15,001-15,030 of 100,000

id=15001 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=13 | option_c=18 | option_d=36 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=15002 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=67 | option_c=144 | option_d=77 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=15003 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=13 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=15004 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13938 at 12% per annum for 4 years. | option_a=6790 | option_b=20628 | option_c=6590 | option_d=6690 | answer=D | explanation=SI = PRT/100 = 13938×12×4/100 = **■**6690.

id=15005 | topic=Averages | difficulty=Easy | question=Find the average of 33, 77, 12, 82, 78, 70, 63, 89. | option_a=65 | option_b=62 | option_c=64 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 504 ÷ 8 = 63.

id=15006 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=22 | option_b=24 | option_c=26 | option_d=25 | answer=B | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.

id=15007 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 28. | option_a=105 | option_b=56 | option_c=84 | option_d=588 | answer=C | explanation=LCM × HCF = 21×28; HCF(21,28) = 7, so LCM = 84.

id=15008 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:5 and the first is 12, what is the second? | option_a=22 | option_b=10 | option_c=5 | option_d=16 | answer=B | explanation=Scale factor = 12/6 = 2. Therefore second quantity = 5×2 = 10.

id=15009 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**559. If it is sold at a profit of 10%, what is its selling price? | option_a=559 | option_b=669 | option_c=614 | option_d=569 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 559 × 110/100 = **■**614.

id=15010 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 36? | option_a=36 | option_b=29 | option_c=26 | option_d=32 | answer=A | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 36 is the odd one out.

id=15011 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=24 | option_c=19 | option_d=48 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=15012 | topic=Percentages | difficulty=Easy | question=What is 30% of 1301? | option_a=385 | option_b=780 | option_c=400 | option_d=390 | answer=D | explanation=30% of 1301 = (30/100) × 1301 = 390.

id=15013 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**797. If it is sold at a profit of 40%, what is its selling price? | option_a=837 | option_b=1115 | option_c=1194 | option_d=1036 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 797 × 140/100 = **■**1115.

id=15014 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=46 | option_b=57 | option_c=56 | option_d=66 | answer=C | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=15015 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2353. If it is sold at a profit of 5%, what is its selling price? | option_a=2705 | option_b=2235 | option_c=2470 | option_d=2358 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2353 × 105/100 = **■**2470.

id=15016 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=F | option_b=H | option_c=I | option_d=G | answer=B | explanation=Move 1 positions forward from G; the resulting letter is H.

id=15017 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:8 and the first is 6, what is the second? | option_a=16 | option_b=22 | option_c=8 | option_d=19 | answer=A | explanation=Scale factor = 6/3 = 2. Therefore second quantity = 8×2 = 16.

id=15018 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 27. | option_a=1 | option_b=36 | option_c=243 | option_d=27 | answer=D | explanation=LCM × HCF = 9×27; HCF(9,27) = 9, so LCM = 27.

id=15019 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=15020 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:14 and the first is 18, what is the second? | option_a=128 | option_b=112 | option_c=144 | option_d=126 | answer=D | explanation=Scale factor = 18/2 = 9. Therefore second quantity = 14×9 = 126.

id=15021 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=15022 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=36 | option_b=28 | option_c=32 | option_d=33 | answer=C | explanation=The common difference is 4. Therefore the next term is 28 + 4 = 32.

id=15023 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=15024 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 22, 27, 32, ? | option_a=32 | option_b=42 | option_c=37 | option_d=38 | answer=C | explanation=The common difference is 5. Therefore the next term is 32 + 5 = 37.

id=15025 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47267 at 4% per annum for 2 years. | option_a=3881 | option_b=3681 | option_c=3781 | option_d=51048 | answer=C | explanation=SI = PRT/100 = 47267×4×2/100 = **■**3781.

id=15026 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 55? | option_a=37 | option_b=55 | option_c=45 | option_d=29 | answer=B | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 55 is the odd one out.

id=15027 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=P | option_c=R | option_d=T | answer=D | explanation=Move 2 positions forward from R; the resulting letter is T.

id=15028 | topic=Percentages | difficulty=Easy | question=What is 20% of 1797? | option_a=359 | option_b=354 | option_c=718 | option_d=369 | answer=A | explanation=20% of 1797 = (20/100) × 1797 = 359.

id=15029 | topic=Percentages | difficulty=Easy | question=What is 20% of 517? | option_a=93 | option_b=206 | option_c=103 | option_d=113 | answer=C | explanation=20% of 517 = (20/100) × 517 = 103.

id=15030 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=56 | option_b=44 | option_c=55 | option_d=66 | answer=C | explanation=The common difference is 11. Therefore the next term is 44 + 11 = 55.

Aptitude Questions — Records 15,031-15,060 of 100,000

- id=15031 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3664. If it is sold at a profit of 40%, what is its selling price? | option_a=5495 | option_b=3704 | option_c=5129 | option_d=4763 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3664 × 140/100 = █5129.
- id=15032 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 32, 36, 43? | option_a=32 | option_b=36 | option_c=28 | option_d=43 | answer=D | explanation=The first three numbers increase by 4, so the next should be 40. Therefore 43 is the odd one out.
- id=15033 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 28. | option_a=450 | option_b=392 | option_c=840 | option_d=420 | answer=D | explanation=LCM × HCF = 30×28; HCF(30,28) = 2, so LCM = 420.
- id=15034 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 23, 32, 43? | option_a=32 | option_b=14 | option_c=43 | option_d=23 | answer=C | explanation=The first three numbers increase by 9, so the next should be 41. Therefore 43 is the odd one out.
- id=15035 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=58 | option_b=46 | option_c=59 | option_d=70 | answer=A | explanation=The common difference is 12. Therefore the next term is 46 + 12 = 58.
- id=15036 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4771. If it is sold at a profit of 10%, what is its selling price? | option_a=4771 | option_b=5725 | option_c=4781 | option_d=5248 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4771 × 110/100 = █5248.
- id=15037 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 32, 35, 39? | option_a=35 | option_b=29 | option_c=32 | option_d=39 | answer=D | explanation=The first three numbers increase by 3, so the next should be 38. Therefore 39 is the odd one out.
- id=15038 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=19 | option_b=17 | option_c=15 | option_d=18 | answer=B | explanation=The common difference is 2. Therefore the next term is 15 + 2 = 17.
- id=15039 | topic=Percentages | difficulty=Easy | question=What is 30% of 272? | option_a=81 | option_b=86 | option_c=162 | option_d=61 | answer=A | explanation=30% of 272 = (30/100) × 272 = 81.
- id=15040 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 41? | option_a=41 | option_b=30 | option_c=25 | option_d=35 | answer=A | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 41 is the odd one out.
- id=15041 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 33, 39, 48? | option_a=27 | option_b=48 | option_c=39 | option_d=33 | answer=B | explanation=The first three numbers increase by 6, so the next should be 45. Therefore 48 is the odd one out.
- id=15042 | topic=Averages | difficulty=Easy | question=Find the average of 40, 80, 69, 15. | option_a=52 | option_b=51 | option_c=53 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 204 ÷ 4 = 51.
- id=15043 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=40 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.
- id=15044 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 31? | option_a=20 | option_b=24 | option_c=31 | option_d=16 | answer=C | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 31 is the odd one out.
- id=15045 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 23, 26, 31? | option_a=20 | option_b=26 | option_c=23 | option_d=31 | answer=D | explanation=The first three numbers increase by 3, so the next should be 29. Therefore 31 is the odd one out.
- id=15046 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=K | option_b=N | option_c=T | option_d=Q | answer=D | explanation=Move 3 positions forward from N; the resulting letter is Q.
- id=15047 | topic=Percentages | difficulty=Easy | question=What is 25% of 685? | option_a=171 | option_b=176 | option_c=342 | option_d=166 | answer=A | explanation=25% of 685 = (25/100) × 685 = 171.
- id=15048 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=C | option_c=A | option_d=Y | answer=B | explanation=Move 2 positions forward from A; the resulting letter is C.
- id=15049 | topic=Percentages | difficulty=Easy | question=What is 30% of 599? | option_a=179 | option_b=358 | option_c=199 | option_d=169 | answer=A | explanation=30% of 599 = (30/100) × 599 = 179.
- id=15050 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 58? | option_a=58 | option_b=47 | option_c=29 | option_d=38 | answer=A | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 58 is the odd one out.
- id=15051 | topic=Percentages | difficulty=Easy | question=What is 5% of 493? | option_a=24 | option_b=14 | option_c=48 | option_d=29 | answer=A | explanation=5% of 493 = (5/100) × 493 = 24.
- id=15052 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.
- id=15053 | topic=Percentages | difficulty=Easy | question=What is 25% of 1992? | option_a=478 | option_b=498 | option_c=518 | option_d=996 | answer=B | explanation=25% of 1992 = (25/100) × 1992 = 498.
- id=15054 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=F | option_b=K | option_c=U | option_d=P | answer=D | explanation=Move 5 positions forward from K; the resulting letter is P.
- id=15055 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=D | option_b=G | option_c=E | option_d=F | answer=D | explanation=Move 1 positions forward from E; the resulting letter is F.
- id=15056 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:3 and the first is 280, what is the second? | option_a=42 | option_b=39 | option_c=62 | option_d=322 | answer=A | explanation=Scale factor = 280/20 = 14. Therefore second quantity = 3×14 = 42.
- id=15057 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:6 and the first is 114, what is the second? | option_a=150 | option_b=30 | option_c=36 | option_d=55 | answer=C | explanation=Scale factor = 114/19 = 6. Therefore second quantity = 6×6 = 36.
- id=15058 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=X | option_b=O | option_c=U | option_d=R | answer=C | explanation=Move 3 positions forward from R; the resulting letter is U.
- id=15059 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 32, 40, 50? | option_a=50 | option_b=40 | option_c=24 | option_d=32 | answer=A | explanation=The first three numbers increase by 8, so the next should be 48. Therefore 50 is the odd one out.
- id=15060 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=I | option_b=M | option_c=Q | option_d=U | answer=C | explanation=Move 4 positions forward from M; the resulting letter is Q.

Aptitude Questions — Records 15,061-15,090 of 100,000

id=15061 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=15062 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:16 and the first is 126, what is the second? | option_a=144 | option_b=128 | option_c=158 | option_d=270 | answer=A | explanation=Scale factor = 126/14 = 9. Therefore second quantity = 16×9 = 144.

id=15063 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 40? | option_a=10 | option_b=28 | option_c=40 | option_d=19 | answer=C | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 40 is the odd one out.

id=15064 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:6 and the first is 65, what is the second? | option_a=30 | option_b=24 | option_c=43 | option_d=95 | answer=A | explanation=Scale factor = 65/13 = 5. Therefore second quantity = 6×5 = 30.

id=15065 | topic=Percentages | difficulty=Easy | question=What is 50% of 154? | option_a=82 | option_b=154 | option_c=72 | option_d=77 | answer=D | explanation=50% of 154 = (50/100) × 154 = 77.

id=15066 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32085 at 5% per annum for 2 years. | option_a=3108 | option_b=35293 | option_c=3208 | option_d=3308 | answer=C | explanation=SI = PRT/100 = 32085×5×2/100 = **■**3208.

id=15067 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=29 | option_c=48 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=15068 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 16, 25, 36? | option_a=36 | option_b=7 | option_c=16 | option_d=25 | answer=A | explanation=The first three numbers increase by 9, so the next should be 34. Therefore 36 is the odd one out.

id=15069 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=38 | option_b=45 | option_c=50 | option_d=44 | answer=D | explanation=The common difference is 6. Therefore the next term is 38 + 6 = 44.

id=15070 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=35 | option_b=30 | option_c=40 | option_d=36 | answer=A | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=15071 | topic=Percentages | difficulty=Easy | question=What is 50% of 1051? | option_a=525 | option_b=505 | option_c=1050 | option_d=530 | answer=A | explanation=50% of 1051 = (50/100) × 1051 = 525.

id=15072 | topic=Averages | difficulty=Easy | question=Find the average of 15, 89, 57, 15, 28, 63, 48. | option_a=47 | option_b=46 | option_c=44 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 315 ÷ 7 = 45.

id=15073 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15355 at 10% per annum for 5 years. | option_a=7677 | option_b=7777 | option_c=7577 | option_d=23032 | answer=A | explanation=SI = PRT/100 = 15355×10×5/100 = **■**7677.

id=15074 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=Y | option_c=M | option_d=U | answer=D | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=15075 | topic=Percentages | difficulty=Easy | question=What is 20% of 896? | option_a=358 | option_b=174 | option_c=179 | option_d=184 | answer=C | explanation=20% of 896 = (20/100) × 896 = 179.

id=15076 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 16? | option_a=5 | option_b=16 | option_c=8 | option_d=11 | answer=B | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 16 is the odd one out.

id=15077 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 27, 39, 51, ? | option_a=63 | option_b=75 | option_c=64 | option_d=51 | answer=A | explanation=The common difference is 12. Therefore the next term is 51 + 12 = 63.

id=15078 | topic=Percentages | difficulty=Easy | question=What is 15% of 1948? | option_a=584 | option_b=272 | option_c=292 | option_d=312 | answer=C | explanation=15% of 1948 = (15/100) × 1948 = 292.

id=15079 | topic=Averages | difficulty=Easy | question=Find the average of 83, 67, 100, 31, 67, 83, 17. | option_a=64 | option_b=63 | option_c=66 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 448 ÷ 7 = 64.

id=15080 | topic=Percentages | difficulty=Easy | question=What is 50% of 2000? | option_a=1000 | option_b=2000 | option_c=990 | option_d=1005 | answer=A | explanation=50% of 2000 = (50/100) × 2000 = 1000.

id=15081 | topic=Percentages | difficulty=Easy | question=What is 5% of 423? | option_a=11 | option_b=21 | option_c=42 | option_d=26 | answer=B | explanation=5% of 423 = (5/100) × 423 = 21.

id=15082 | topic=Averages | difficulty=Easy | question=Find the average of 15, 51, 59, 74, 28, 25. | option_a=43 | option_b=41 | option_c=44 | option_d=42 | answer=D | explanation=Average = sum of values ÷ number of values = 252 ÷ 6 = 42.

id=15083 | topic=Averages | difficulty=Easy | question=Find the average of 14, 40, 97, 81. | option_a=60 | option_b=59 | option_c=57 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 232 ÷ 4 = 58.

id=15084 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=48 | option_b=37 | option_c=49 | option_d=59 | answer=A | explanation=The common difference is 11. Therefore the next term is 37 + 11 = 48.

id=15085 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 10, 15, 20, ? | option_a=25 | option_b=26 | option_c=20 | option_d=30 | answer=A | explanation=The common difference is 5. Therefore the next term is 20 + 5 = 25.

id=15086 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:5 and the first is 14, what is the second? | option_a=37 | option_b=49 | option_c=30 | option_d=35 | answer=D | explanation=Scale factor = 14/2 = 7. Therefore second quantity = 5×7 = 35.

id=15087 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=15088 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=N | option_b=J | option_c=F | option_d=B | answer=B | explanation=Move 4 positions forward from F; the resulting letter is J.

id=15089 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1138. If it is sold at a profit of 40%, what is its selling price? | option_a=1593 | option_b=1706 | option_c=1480 | option_d=1178 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1138 × 140/100 = **■**1593.

id=15090 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=H | option_c=P | option_d=D | answer=A | explanation=Move 4 positions forward from H; the resulting letter is L.

Aptitude Questions — Records 15,091-15,120 of 100,000

id=15091 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 20, 30, 42? | option_a=10 | option_b=20 | option_c=42 | option_d=30 | answer=C | explanation=The first three numbers increase by 10, so the next should be 40. Therefore 42 is the odd one out.

id=15092 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 22, 28, 37? | option_a=28 | option_b=22 | option_c=16 | option_d=37 | answer=D | explanation=The first three numbers increase by 6, so the next should be 34. Therefore 37 is the odd one out.

id=15093 | topic=Percentages | difficulty=Easy | question=What is 30% of 942? | option_a=564 | option_b=282 | option_c=287 | option_d=272 | answer=B | explanation=30% of 942 = $(30/100) \times 942 = 282$.

id=15094 | topic=Percentages | difficulty=Easy | question=What is 10% of 1618? | option_a=322 | option_b=161 | option_c=151 | option_d=166 | answer=B | explanation=10% of 1618 = $(10/100) \times 1618 = 161$.

id=15095 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2387. If it is sold at a profit of 40%, what is its selling price? | option_a=3579 | option_b=3103 | option_c=2427 | option_d=3341 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2387 \times 140/100 = \text{█}3341$.

id=15096 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=33 | option_b=43 | option_c=39 | option_d=38 | answer=D | explanation=The common difference is 5. Therefore the next term is $33 + 5 = 38$.

id=15097 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44113 at 15% per annum for 2 years. | option_a=13133 | option_b=57346 | option_c=13333 | option_d=13233 | answer=D | explanation=SI = $PRT/100 = 44113 \times 15 \times 2/100 = \text{█}13233$.

id=15098 | topic=Percentages | difficulty=Easy | question=What is 10% of 929? | option_a=97 | option_b=92 | option_c=184 | option_d=72 | answer=B | explanation=10% of 929 = $(10/100) \times 929 = 92$.

id=15099 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17022 at 12% per annum for 1 years. | option_a=19064 | option_b=1942 | option_c=2042 | option_d=2142 | answer=C | explanation=SI = $PRT/100 = 17022 \times 12 \times 1/100 = \text{█}2042$.

id=15100 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:15 and the first is 153, what is the second? | option_a=135 | option_b=288 | option_c=152 | option_d=120 | answer=A | explanation=Scale factor = $153/17 = 9$. Therefore second quantity = $15 \times 9 = 135$.

id=15101 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=15102 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4126. If it is sold at a profit of 10%, what is its selling price? | option_a=4950 | option_b=4538 | option_c=4136 | option_d=4126 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4126 \times 110/100 = \text{█}4538$.

id=15103 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=100 | option_c=200 | option_d=105 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 300 \div 3 = 100$ km/h.

id=15104 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=180 | option_d=95 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 180 \div 2 = 90$ km/h.

id=15105 | topic=Averages | difficulty=Easy | question=Find the average of 25, 46, 91. | option_a=56 | option_b=55 | option_c=54 | option_d=53 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 162 \div 3 = 54$.

id=15106 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:18 and the first is 340, what is the second? | option_a=306 | option_b=288 | option_c=326 | option_d=646 | answer=A | explanation=Scale factor = $340/20 = 17$. Therefore second quantity = $18 \times 17 = 306$.

id=15107 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=15108 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=40 | option_c=35 | option_d=45 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 240 \div 6 = 40$ km/h.

id=15109 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=54 | option_b=44 | option_c=45 | option_d=34 | answer=B | explanation=The common difference is 10. Therefore the next term is $34 + 10 = 44$.

id=15110 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:3 and the first is 20, what is the second? | option_a=9 | option_b=32 | option_c=17 | option_d=12 | answer=D | explanation=Scale factor = $20/5 = 4$. Therefore second quantity = $3 \times 4 = 12$.

id=15111 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36516 at 10% per annum for 2 years. | option_a=7203 | option_b=7403 | option_c=7303 | option_d=43819 | answer=C | explanation=SI = $PRT/100 = 36516 \times 10 \times 2/100 = \text{█}7303$.

id=15112 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=15113 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=T | option_c=V | option_d=W | answer=C | explanation=Move 1 positions forward from U; the resulting letter is V.

id=15114 | topic=Profit & Loss | difficulty=Easy | question=An article costs █339. If it is sold at a profit of 25%, what is its selling price? | option_a=456 | option_b=390 | option_c=364 | option_d=423 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 339 \times 125/100 = \text{█}423$.

id=15115 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2581. If it is sold at a profit of 25%, what is its selling price? | option_a=3484 | option_b=2968 | option_c=2606 | option_d=3226 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2581 \times 125/100 = \text{█}3226$.

id=15116 | topic=Profit & Loss | difficulty=Easy | question=An article costs █939. If it is sold at a profit of 5%, what is its selling price? | option_a=1078 | option_b=892 | option_c=944 | option_d=985 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 939 \times 105/100 = \text{█}985$.

id=15117 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=21 | option_b=19 | option_c=18 | option_d=15 | answer=C | explanation=The common difference is 3. Therefore the next term is $15 + 3 = 18$.

id=15118 | topic=Percentages | difficulty=Easy | question=What is 10% of 78? | option_a=7 | option_b=0 | option_c=27 | option_d=14 | answer=A | explanation=10% of 78 = $(10/100) \times 78 = 7$.

id=15119 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 32? | option_a=32 | option_b=18 | option_c=24 | option_d=12 | answer=A | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 32 is the odd one out.

id=15120 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=29 | option_b=26 | option_c=30 | option_d=32 | answer=A | explanation=The common difference is 3. Therefore the next term is $26 + 3 = 29$.

Aptitude Questions — Records 15,121-15,150 of 100,000

id=15121 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=Q | option_c=U | option_d=I | answer=B | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=15122 | topic=Percentages | difficulty=Easy | question=What is 30% of 1333? | option_a=798 | option_b=409 | option_c=399 | option_d=379 | answer=C | explanation=30% of 1333 = (30/100) × 1333 = 399.

id=15123 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=15124 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=44 | option_b=35 | option_c=53 | option_d=45 | answer=A | explanation=The common difference is 9. Therefore the next term is 35 + 9 = 44.

id=15125 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:1 and the first is 100, what is the second? | option_a=25 | option_b=19 | option_c=20 | option_d=120 | answer=C | explanation=Scale factor = 100/5 = 20. Therefore second quantity = 1×20 = 20.

id=15126 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=Q | option_b=K | option_c=N | option_d=T | answer=A | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=15127 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=15128 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=22 | option_b=14 | option_c=19 | option_d=18 | answer=D | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.

id=15129 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=15130 | topic=Percentages | difficulty=Easy | question=What is 40% of 363? | option_a=290 | option_b=155 | option_c=125 | option_d=145 | answer=D | explanation=40% of 363 = (40/100) × 363 = 145.

id=15131 | topic=Percentages | difficulty=Easy | question=What is 40% of 1158? | option_a=463 | option_b=926 | option_c=468 | option_d=458 | answer=A | explanation=40% of 1158 = (40/100) × 1158 = 463.

id=15132 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=G | option_b=V | option_c=L | option_d=Q | answer=D | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=15133 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=17 | option_c=12 | option_d=24 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=15134 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:16 and the first is 247, what is the second? | option_a=288 | option_b=304 | option_c=551 | option_d=317 | answer=B | explanation=Scale factor = 247/13 = 19. Therefore second quantity = 16×19 = 304.

id=15135 | topic=Averages | difficulty=Easy | question=Find the average of 85, 45, 22, 66, 43, 52, 56, 37, 82, 42. | option_a=55 | option_b=53 | option_c=54 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=15136 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:7 and the first is 128, what is the second? | option_a=240 | option_b=120 | option_c=112 | option_d=105 | answer=C | explanation=Scale factor = 128/8 = 16. Therefore second quantity = 7×16 = 112.

id=15137 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=M | option_b=O | option_c=S | option_d=Q | answer=D | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=15138 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=15139 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=15140 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 23, 27, 33? | option_a=19 | option_b=23 | option_c=33 | option_d=27 | answer=C | explanation=The first three numbers increase by 4, so the next should be 31. Therefore 33 is the odd one out.

id=15141 | topic=Percentages | difficulty=Easy | question=What is 12% of 277? | option_a=33 | option_b=23 | option_c=66 | option_d=38 | answer=A | explanation=12% of 277 = (12/100) × 277 = 33.

id=15142 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■17774 at 15% per annum for 5 years. | option_a=31104 | option_b=13330 | option_c=13430 | option_d=13230 | answer=B | explanation=SI = PRT/100 = 17774×15×5/100 = ■13330.

id=15143 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=15144 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 39? | option_a=11 | option_b=20 | option_c=39 | option_d=29 | answer=C | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 39 is the odd one out.

id=15145 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 20, 27, 36? | option_a=27 | option_b=13 | option_c=36 | option_d=20 | answer=C | explanation=The first three numbers increase by 7, so the next should be 34. Therefore 36 is the odd one out.

id=15146 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:10 and the first is 133, what is the second? | option_a=180 | option_b=190 | option_c=197 | option_d=323 | answer=B | explanation=Scale factor = 133/7 = 19. Therefore second quantity = 10×19 = 190.

id=15147 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 33? | option_a=24 | option_b=8 | option_c=33 | option_d=16 | answer=C | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 33 is the odd one out.

id=15148 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■30239 at 12% per annum for 4 years. | option_a=14414 | option_b=44753 | option_c=14514 | option_d=14614 | answer=C | explanation=SI = PRT/100 = 30239×12×4/100 = ■14514.

id=15149 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=13 | option_b=16 | option_c=19 | option_d=17 | answer=B | explanation=The common difference is 3. Therefore the next term is 13 + 3 = 16.

id=15150 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 33, 43, 54? | option_a=33 | option_b=23 | option_c=43 | option_d=54 | answer=D | explanation=The first three numbers increase by 10, so the next should be 53. Therefore 54 is the odd one out.

Aptitude Questions — Records 15,151-15,180 of 100,000

id=15151 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=H | option_c=I | option_d=J | answer=D | explanation=Move 1 positions forward from I; the resulting letter is J.

id=15152 | topic=Averages | difficulty=Easy | question=Find the average of 83, 26, 62, 13, 74, 66. | option_a=53 | option_b=56 | option_c=54 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = $324 \div 6 = 54$.

id=15153 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=K | option_b=P | option_c=U | option_d=Z | answer=C | explanation=Move 5 positions forward from P; the resulting letter is U.

id=15154 | topic=Profit & Loss | difficulty=Easy | question=An article costs █405. If it is sold at a profit of 10%, what is its selling price? | option_a=485 | option_b=445 | option_c=405 | option_d=415 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 405 \times 110/100 = \text{█}445$.

id=15155 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=12 | option_c=24 | option_d=7 | answer=B | explanation=Speed = distance ÷ time = $120 \div 10 = 12$ km/h.

id=15156 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 15, 22, 30? | option_a=8 | option_b=15 | option_c=22 | option_d=30 | answer=D | explanation=The first three numbers increase by 7, so the next should be 29. Therefore 30 is the odd one out.

id=15157 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3045. If it is sold at a profit of 40%, what is its selling price? | option_a=4263 | option_b=3085 | option_c=3959 | option_d=4567 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 3045 \times 140/100 = \text{█}4263$.

id=15158 | topic=Profit & Loss | difficulty=Easy | question=An article costs █593. If it is sold at a profit of 10%, what is its selling price? | option_a=603 | option_b=593 | option_c=652 | option_d=711 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 593 \times 110/100 = \text{█}652$.

id=15159 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=I | option_b=O | option_c=L | option_d=R | answer=B | explanation=Move 3 positions forward from L; the resulting letter is O.

id=15160 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31987 at 10% per annum for 1 years. | option_a=3098 | option_b=3298 | option_c=3198 | option_d=35185 | answer=C | explanation=SI = $PRT/100 = 31987 \times 10 \times 1/100 = \text{█}3198$.

id=15161 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2398. If it is sold at a profit of 30%, what is its selling price? | option_a=2428 | option_b=2878 | option_c=3117 | option_d=3356 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2398 \times 130/100 = \text{█}3117$.

id=15162 | topic=Averages | difficulty=Easy | question=Find the average of 15, 36, 85, 13, 86, 56, 17, 100, 79, 13. | option_a=51 | option_b=49 | option_c=50 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = $500 \div 10 = 50$.

id=15163 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3003. If it is sold at a profit of 30%, what is its selling price? | option_a=4203 | option_b=3903 | option_c=3033 | option_d=3603 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 3003 \times 130/100 = \text{█}3903$.

id=15164 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=54 | option_b=40 | option_c=47 | option_d=48 | answer=C | explanation=The common difference is 7. Therefore the next term is $40 + 7 = 47$.

id=15165 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=R | option_b=A | option_c=U | option_d=X | answer=D | explanation=Move 3 positions forward from U; the resulting letter is X.

id=15166 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=62 | option_b=61 | option_c=73 | option_d=49 | answer=B | explanation=The common difference is 12. Therefore the next term is $49 + 12 = 61$.

id=15167 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=15168 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=75 | option_c=85 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = $240 \div 3 = 80$ km/h.

id=15169 | topic=Percentages | difficulty=Easy | question=What is 12% of 1710? | option_a=195 | option_b=215 | option_c=410 | option_d=205 | answer=D | explanation=12% of 1710 = $(12/100) \times 1710 = 205$.

id=15170 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=29 | option_b=32 | option_c=30 | option_d=26 | answer=A | explanation=The common difference is 3. Therefore the next term is $26 + 3 = 29$.

id=15171 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1832. If it is sold at a profit of 25%, what is its selling price? | option_a=2473 | option_b=2107 | option_c=1857 | option_d=2290 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 1832 \times 125/100 = \text{█}2290$.

id=15172 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=15173 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=100 | option_c=95 | option_d=200 | answer=B | explanation=Speed = distance ÷ time = $300 \div 3 = 100$ km/h.

id=15174 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31135 at 8% per annum for 1 years. | option_a=2390 | option_b=2490 | option_c=33625 | option_d=2590 | answer=B | explanation=SI = $PRT/100 = 31135 \times 8 \times 1/100 = \text{█}2490$.

id=15175 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 27? | option_a=12 | option_b=27 | option_c=5 | option_d=19 | answer=B | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 27 is the odd one out.

id=15176 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 39? | option_a=10 | option_b=19 | option_c=39 | option_d=28 | answer=C | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 39 is the odd one out.

id=15177 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=6 | option_c=12 | option_d=11 | answer=B | explanation=Speed = distance ÷ time = $60 \div 10 = 6$ km/h.

id=15178 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=48 | option_b=32 | option_c=41 | option_d=40 | answer=D | explanation=The common difference is 8. Therefore the next term is $32 + 8 = 40$.

id=15179 | topic=Percentages | difficulty=Easy | question=What is 10% of 1769? | option_a=186 | option_b=352 | option_c=176 | option_d=166 | answer=C | explanation=10% of 1769 = $(10/100) \times 1769 = 176$.

id=15180 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35655 at 12% per annum for 1 years. | option_a=4278 | option_b=4378 | option_c=4178 | option_d=39933 | answer=A | explanation=SI = $PRT/100 = 35655 \times 12 \times 1/100 = \text{█}4278$.

Aptitude Questions — Records 15,181-15,210 of 100,000

id=15181 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6930 at 5% per annum for 1 years. | option_a=246 | option_b=7276 | option_c=346 | option_d=446 | answer=C | explanation=SI = $PRT/100 = 6930 \times 5 \times 1/100 = \text{■}346$.

id=15182 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=15183 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 28. | option_a=32 | option_b=1 | option_c=28 | option_d=112 | answer=C | explanation=LCM $\times$ HCF = 4×28 ; HCF(4,28) = 4, so LCM = 28.

id=15184 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=55 | option_d=100 | answer=B | explanation=Speed = distance $\div$ time = $300 \div 6 = 50$ km/h.

id=15185 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=72 | option_c=36 | option_d=41 | answer=C | explanation=Speed = distance $\div$ time = $180 \div 5 = 36$ km/h.

id=15186 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2613. If it is sold at a profit of 10%, what is its selling price? | option_a=2623 | option_b=2874 | option_c=2613 | option_d=3135 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2613 \times 110/100 = \text{■}2974$.

id=15187 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=15188 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 3. | option_a=6 | option_b=18 | option_c=9 | option_d=27 | answer=C | explanation=LCM $\times$ HCF = 9×3 ; HCF(9,3) = 3, so LCM = 9.

id=15189 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 6. | option_a=30 | option_b=40 | option_c=24 | option_d=60 | answer=A | explanation=LCM $\times$ HCF = 10×6 ; HCF(10,6) = 2, so LCM = 30.

id=15190 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=33 | option_b=32 | option_c=38 | option_d=26 | answer=B | explanation=The common difference is 6. Therefore the next term is $26 + 6 = 32$.

id=15191 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=15192 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:11 and the first is 39, what is the second? | option_a=146 | option_b=182 | option_c=143 | option_d=132 | answer=C | explanation=Scale factor = $39/3 = 13$. Therefore second quantity = $11 \times 13 = 143$.

id=15193 | topic=Averages | difficulty=Easy | question=Find the average of 31, 33, 83, 99, 63, 45, 31. | option_a=54 | option_b=57 | option_c=55 | option_d=56 | answer=C | explanation=Average = sum of values $\div$ number of values = $385 \div 7 = 55$.

id=15194 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=14 | option_c=9 | option_d=18 | answer=C | explanation=Speed = distance $\div$ time = $90 \div 10 = 9$ km/h.

id=15195 | topic=Percentages | difficulty=Easy | question=What is 20% of 972? | option_a=388 | option_b=199 | option_c=194 | option_d=174 | answer=C | explanation=20% of 972 = $(20/100) \times 972 = 194$.

id=15196 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15720 at 10% per annum for 5 years. | option_a=23580 | option_b=7860 | option_c=7960 | option_d=7760 | answer=B | explanation=SI = $PRT/100 = 15720 \times 10 \times 5/100 = \text{■}7860$.

id=15197 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 23, 30, 40? | option_a=30 | option_b=40 | option_c=23 | option_d=16 | answer=B | explanation=The first three numbers increase by 7, so the next should be 37. Therefore 40 is the odd one out.

id=15198 | topic=Percentages | difficulty=Easy | question=What is 20% of 1762? | option_a=347 | option_b=704 | option_c=372 | option_d=352 | answer=D | explanation=20% of 1762 = $(20/100) \times 1762 = 352$.

id=15199 | topic=Percentages | difficulty=Easy | question=What is 10% of 554? | option_a=50 | option_b=65 | option_c=110 | option_d=55 | answer=D | explanation=10% of 554 = $(10/100) \times 554 = 55$.

id=15200 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance $\div$ time = $150 \div 10 = 15$ km/h.

id=15201 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=35 | option_c=40 | option_d=80 | answer=C | explanation=Speed = distance $\div$ time = $240 \div 6 = 40$ km/h.

id=15202 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 17, 23, 31? | option_a=11 | option_b=31 | option_c=17 | option_d=23 | answer=B | explanation=The first three numbers increase by 6, so the next should be 29. Therefore 31 is the odd one out.

id=15203 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=80 | option_c=35 | option_d=45 | answer=A | explanation=Speed = distance $\div$ time = $240 \div 6 = 40$ km/h.

id=15204 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3639. If it is sold at a profit of 50%, what is its selling price? | option_a=5821 | option_b=3689 | option_c=5458 | option_d=5095 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3639 \times 150/100 = \text{■}5458$.

id=15205 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:14 and the first is 48, what is the second? | option_a=56 | option_b=42 | option_c=68 | option_d=104 | answer=A | explanation=Scale factor = $48/12 = 4$. Therefore second quantity = $14 \times 4 = 56$.

id=15206 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 34? | option_a=16 | option_b=34 | option_c=26 | option_d=21 | answer=B | explanation=The first three numbers increase by 5, so the next should be 31. Therefore 34 is the odd one out.

id=15207 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45008 at 15% per annum for 3 years. | option_a=65261 | option_b=20253 | option_c=20153 | option_d=20353 | answer=B | explanation=SI = $PRT/100 = 45008 \times 15 \times 3/100 = \text{■}20253$.

id=15208 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 22, 26, 32? | option_a=18 | option_b=26 | option_c=22 | option_d=32 | answer=D | explanation=The first three numbers increase by 4, so the next should be 30. Therefore 32 is the odd one out.

id=15209 | topic=Percentages | difficulty=Easy | question=What is 5% of 1821? | option_a=91 | option_b=81 | option_c=182 | option_d=101 | answer=A | explanation=5% of 1821 = $(5/100) \times 1821 = 91$.

id=15210 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2339. If it is sold at a profit of 30%, what is its selling price? | option_a=3040 | option_b=3273 | option_c=2807 | option_d=2369 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2339 \times 130/100 = \text{■}3040$.

Aptitude Questions — Records 15,211-15,240 of 100,000

id=15211 | topic=Averages | difficulty=Easy | question=Find the average of 16, 64, 68, 71, 26. | option_a=51 | option_b=50 | option_c=49 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 245 ÷ 5 = 49.

id=15212 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3521. If it is sold at a profit of 15%, what is its selling price? | option_a=4401 | option_b=4049 | option_c=3697 | option_d=3536 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3521 × 115/100 = █4049.

id=15213 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11568 at 12% per annum for 3 years. | option_a=4264 | option_b=15732 | option_c=4164 | option_d=4064 | answer=C | explanation=SI = PRT/100 = 11568×12×3/100 = █4164.

id=15214 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2977. If it is sold at a profit of 5%, what is its selling price? | option_a=2982 | option_b=2828 | option_c=3422 | option_d=3125 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2977 × 105/100 = █3125.

id=15215 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=15216 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=28 | option_b=25 | option_c=20 | option_d=24 | answer=D | explanation=The common difference is 4. Therefore the next term is 20 + 4 = 24.

id=15217 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:14 and the first is 39, what is the second? | option_a=42 | option_b=81 | option_c=28 | option_d=55 | answer=A | explanation=Scale factor = 39/13 = 3. Therefore second quantity = 14×3 = 42.

id=15218 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=14 | option_b=19 | option_c=18 | option_d=22 | answer=C | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.

id=15219 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=25 | option_b=22 | option_c=28 | option_d=26 | answer=A | explanation=The common difference is 3. Therefore the next term is 22 + 3 = 25.

id=15220 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=15221 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4963. If it is sold at a profit of 50%, what is its selling price? | option_a=6948 | option_b=7444 | option_c=7940 | option_d=5013 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4963 × 150/100 = █7444.

id=15222 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 12. | option_a=312 | option_b=182 | option_c=144 | option_d=156 | answer=D | explanation=LCM × HCF = 26×12; HCF(26,12) = 2, so LCM = 156.

id=15223 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 22, 27, 32, ? | option_a=42 | option_b=37 | option_c=38 | option_d=32 | answer=B | explanation=The common difference is 5. Therefore the next term is 32 + 5 = 37.

id=15224 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:4 and the first is 150, what is the second? | option_a=70 | option_b=60 | option_c=56 | option_d=210 | answer=B | explanation=Scale factor = 150/10 = 15. Therefore second quantity = 4×15 = 60.

id=15225 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=30 | option_b=31 | option_c=27 | option_d=33 | answer=A | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.

id=15226 | topic=Percentages | difficulty=Easy | question=What is 25% of 1924? | option_a=486 | option_b=471 | option_c=481 | option_d=962 | answer=C | explanation=25% of 1924 = (25/100) × 1924 = 481.

id=15227 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=72 | option_c=36 | option_d=31 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=15228 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=15229 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=20 | option_b=19 | option_c=17 | option_d=21 | answer=B | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=15230 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=15231 | topic=Percentages | difficulty=Easy | question=What is 10% of 1973? | option_a=197 | option_b=202 | option_c=187 | option_d=394 | answer=A | explanation=10% of 1973 = (10/100) × 1973 = 197.

id=15232 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21592 at 10% per annum for 4 years. | option_a=30228 | option_b=8636 | option_c=8536 | option_d=8736 | answer=B | explanation=SI = PRT/100 = 21592×10×4/100 = █8636.

id=15233 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 5. | option_a=15 | option_b=10 | option_c=30 | option_d=75 | answer=A | explanation=LCM × HCF = 15×5; HCF(15,5) = 5, so LCM = 15.

id=15234 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2275. If it is sold at a profit of 20%, what is its selling price? | option_a=2295 | option_b=2503 | option_c=2957 | option_d=2730 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2275 × 120/100 = █2730.

id=15235 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 28? | option_a=11 | option_b=28 | option_c=18 | option_d=4 | answer=B | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 28 is the odd one out.

id=15236 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=15237 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 24, 27, 31? | option_a=31 | option_b=21 | option_c=24 | option_d=27 | answer=A | explanation=The first three numbers increase by 3, so the next should be 30. Therefore 31 is the odd one out.

id=15238 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:15 and the first is 169, what is the second? | option_a=180 | option_b=208 | option_c=195 | option_d=364 | answer=C | explanation=Scale factor = 169/13 = 13. Therefore second quantity = 15×13 = 195.

id=15239 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 16. | option_a=352 | option_b=198 | option_c=160 | option_d=176 | answer=D | explanation=LCM × HCF = 22×16; HCF(22,16) = 2, so LCM = 176.

id=15240 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=5 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

Aptitude Questions — Records 15,241-15,270 of 100,000

id=15241 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 27, 31, 36? | option_a=36 | option_b=27 | option_c=31 | option_d=23 | answer=A | explanation=The first three numbers increase by 4, so the next should be 35. Therefore 36 is the odd one out.

id=15242 | topic=Percentages | difficulty=Easy | question=What is 12% of 1739? | option_a=218 | option_b=416 | option_c=198 | option_d=208 | answer=D | explanation=12% of 1739 = $(12/100) \times 1739 = 208$.

id=15243 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 33? | option_a=33 | option_b=15 | option_c=20 | option_d=25 | answer=A | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 33 is the odd one out.

id=15244 | topic=Averages | difficulty=Easy | question=Find the average of 60, 69, 84. | option_a=70 | option_b=71 | option_c=73 | option_d=72 | answer=B | explanation=Average = sum of values ÷ number of values = $213 \div 3 = 71$.

id=15245 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=55 | option_b=47 | option_c=48 | option_d=39 | answer=B | explanation=The common difference is 8. Therefore the next term is $39 + 8 = 47$.

id=15246 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=31 | option_b=21 | option_c=27 | option_d=26 | answer=D | explanation=The common difference is 5. Therefore the next term is $21 + 5 = 26$.

id=15247 | topic=Averages | difficulty=Easy | question=Find the average of 61, 37, 17, 89, 70, 55, 95, 56. | option_a=61 | option_b=60 | option_c=59 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = $480 \div 8 = 60$.

id=15248 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=15249 | topic=Percentages | difficulty=Easy | question=What is 20% of 600? | option_a=120 | option_b=100 | option_c=240 | option_d=125 | answer=A | explanation=20% of 600 = $(20/100) \times 600 = 120$.

id=15250 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 25, 35, 48? | option_a=15 | option_b=48 | option_c=25 | option_d=35 | answer=B | explanation=The first three numbers increase by 10, so the next should be 45. Therefore 48 is the odd one out.

id=15251 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=51 | option_b=40 | option_c=52 | option_d=62 | answer=A | explanation=The common difference is 11. Therefore the next term is $40 + 11 = 51$.

id=15252 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1677. If it is sold at a profit of 25%, what is its selling price? | option_a=1702 | option_b=2263 | option_c=1929 | option_d=2096 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1677 \times 125/100 = \text{█}2096$.

id=15253 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 44? | option_a=30 | option_b=36 | option_c=44 | option_d=24 | answer=C | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 44 is the odd one out.

id=15254 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=J | option_b=H | option_c=F | option_d=D | answer=B | explanation=Move 2 positions forward from F; the resulting letter is H.

id=15255 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=12 | answer=B | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=15256 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2150. If it is sold at a profit of 40%, what is its selling price? | option_a=3010 | option_b=2795 | option_c=2190 | option_d=3225 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2150 \times 140/100 = \text{█}3010$.

id=15257 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=J | option_b=F | option_c=X | option_d=B | answer=B | explanation=Move 4 positions forward from B; the resulting letter is F.

id=15258 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3036 at 4% per annum for 2 years. | option_a=242 | option_b=142 | option_c=342 | option_d=3278 | answer=A | explanation=SI = $PRT/100 = 3036 \times 4 \times 2/100 = \text{█}242$.

id=15259 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4994 at 12% per annum for 5 years. | option_a=7990 | option_b=2896 | option_c=3096 | option_d=2996 | answer=D | explanation=SI = $PRT/100 = 4994 \times 12 \times 5/100 = \text{█}2996$.

id=15260 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=33 | option_b=44 | option_c=53 | option_d=43 | answer=D | explanation=The common difference is 10. Therefore the next term is $33 + 10 = 43$.

id=15261 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=66 | option_b=55 | option_c=42 | option_d=54 | answer=D | explanation=The common difference is 12. Therefore the next term is $42 + 12 = 54$.

id=15262 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49768 at 12% per annum for 4 years. | option_a=23788 | option_b=73656 | option_c=23988 | option_d=23888 | answer=D | explanation=SI = $PRT/100 = 49768 \times 12 \times 4/100 = \text{█}23888$.

id=15263 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:5 and the first is 54, what is the second? | option_a=84 | option_b=25 | option_c=30 | option_d=39 | answer=C | explanation=Scale factor = $54/9 = 6$. Therefore second quantity = $5 \times 6 = 30$.

id=15264 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=29 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = $120 \div 5 = 24$ km/h.

id=15265 | topic=Percentages | difficulty=Easy | question=What is 15% of 757? | option_a=226 | option_b=108 | option_c=118 | option_d=113 | answer=D | explanation=15% of 757 = $(15/100) \times 757 = 113$.

id=15266 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=K | option_b=M | option_c=Q | option_d=O | answer=D | explanation=Move 2 positions forward from M; the resulting letter is O.

id=15267 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 33, 40, 50? | option_a=26 | option_b=40 | option_c=33 | option_d=50 | answer=D | explanation=The first three numbers increase by 7, so the next should be 47. Therefore 50 is the odd one out.

id=15268 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 5, 8, 11, ? | option_a=15 | option_b=17 | option_c=11 | option_d=14 | answer=D | explanation=The common difference is 3. Therefore the next term is $11 + 3 = 14$.

id=15269 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 27, 39, 51, ? | option_a=75 | option_b=63 | option_c=51 | option_d=64 | answer=B | explanation=The common difference is 12. Therefore the next term is $51 + 12 = 63$.

id=15270 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=24 | option_d=7 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

Aptitude Questions — Records 15,271-15,300 of 100,000

id=15271 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■4269 at 5% per annum for 4 years. | option_a=953 | option_b=753 | option_c=853 | option_d=5122 | answer=C | explanation=SI = PRT/100 = 4269×5×4/100 = ■853.

id=15272 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■38568 at 6% per annum for 1 years. | option_a=2214 | option_b=2414 | option_c=2314 | option_d=40882 | answer=C | explanation=SI = PRT/100 = 38568×6×1/100 = ■2314.

id=15273 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=N | option_c=J | option_d=V | answer=A | explanation=Move 4 positions forward from N; the resulting letter is R.

id=15274 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:8 and the first is 119, what is the second? | option_a=175 | option_b=48 | option_c=73 | option_d=56 | answer=D | explanation=Scale factor = 119/17 = 7. Therefore second quantity = 8×7 = 56.

id=15275 | topic=Averages | difficulty=Easy | question=Find the average of 41, 66, 41, 95, 92. | option_a=66 | option_b=68 | option_c=69 | option_d=67 | answer=D | explanation=Average = sum of values ÷ number of values = 335 ÷ 5 = 67.

id=15276 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=12 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=15277 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:5 and the first is 96, what is the second? | option_a=40 | option_b=52 | option_c=35 | option_d=136 | answer=A | explanation=Scale factor = 96/12 = 8. Therefore second quantity = 5×8 = 40.

id=15278 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:18 and the first is 117, what is the second? | option_a=279 | option_b=175 | option_c=144 | option_d=162 | answer=D | explanation=Scale factor = 117/13 = 9. Therefore second quantity = 18×9 = 162.

id=15279 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1257. If it is sold at a profit of 30%, what is its selling price? | option_a=1287 | option_b=1509 | option_c=1759 | option_d=1634 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1257 × 130/100 = ■1634.

id=15280 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=15281 | topic=Averages | difficulty=Easy | question=Find the average of 25, 39, 32. | option_a=33 | option_b=31 | option_c=32 | option_d=34 | answer=C | explanation=Average = sum of values ÷ number of values = 96 ÷ 3 = 32.

id=15282 | topic=Percentages | difficulty=Easy | question=What is 5% of 1775? | option_a=176 | option_b=98 | option_c=88 | option_d=83 | answer=C | explanation=5% of 1775 = (5/100) × 1775 = 88.

id=15283 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:13 and the first is 75, what is the second? | option_a=52 | option_b=65 | option_c=80 | option_d=140 | answer=B | explanation=Scale factor = 75/15 = 5. Therefore second quantity = 13×5 = 65.

id=15284 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:18 and the first is 165, what is the second? | option_a=281 | option_b=270 | option_c=435 | option_d=252 | answer=B | explanation=Scale factor = 165/11 = 15. Therefore second quantity = 18×15 = 270.

id=15285 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:13 and the first is 27, what is the second? | option_a=26 | option_b=39 | option_c=66 | option_d=48 | answer=B | explanation=Scale factor = 27/9 = 3. Therefore second quantity = 13×3 = 39.

id=15286 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 10, 12, 14, ? | option_a=18 | option_b=16 | option_c=17 | option_d=14 | answer=B | explanation=The common difference is 2. Therefore the next term is 14 + 2 = 16.

id=15287 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1678. If it is sold at a profit of 20%, what is its selling price? | option_a=1698 | option_b=2013 | option_c=2180 | option_d=1846 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1678 × 120/100 = ■2013.

id=15288 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 40? | option_a=20 | option_b=40 | option_c=29 | option_d=11 | answer=B | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 40 is the odd one out.

id=15289 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 48? | option_a=48 | option_b=28 | option_c=19 | option_d=37 | answer=A | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 48 is the odd one out.

id=15290 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:6 and the first is 285, what is the second? | option_a=109 | option_b=84 | option_c=90 | option_d=375 | answer=C | explanation=Scale factor = 285/19 = 15. Therefore second quantity = 6×15 = 90.

id=15291 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■41924 at 4% per annum for 5 years. | option_a=50308 | option_b=8484 | option_c=8384 | option_d=8284 | answer=C | explanation=SI = PRT/100 = 41924×4×5/100 = ■8384.

id=15292 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 44? | option_a=32 | option_b=44 | option_c=37 | option_d=27 | answer=B | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 44 is the odd one out.

id=15293 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■471. If it is sold at a profit of 30%, what is its selling price? | option_a=612 | option_b=501 | option_c=565 | option_d=659 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 471 × 130/100 = ■612.

id=15294 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■17985 at 10% per annum for 1 years. | option_a=1798 | option_b=1898 | option_c=1698 | option_d=19783 | answer=A | explanation=SI = PRT/100 = 17985×10×1/100 = ■1798.

id=15295 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=15296 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■24251 at 4% per annum for 3 years. | option_a=3010 | option_b=2910 | option_c=27161 | option_d=2810 | answer=B | explanation=SI = PRT/100 = 24251×4×3/100 = ■2910.

id=15297 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■4733 at 10% per annum for 1 years. | option_a=5206 | option_b=473 | option_c=573 | option_d=373 | answer=B | explanation=SI = PRT/100 = 4733×10×1/100 = ■473.

id=15298 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:4 and the first is 16, what is the second? | option_a=16 | option_b=4 | option_c=8 | option_d=24 | answer=C | explanation=Scale factor = 16/8 = 2. Therefore second quantity = 4×2 = 8.

id=15299 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:5 and the first is 64, what is the second? | option_a=144 | option_b=84 | option_c=75 | option_d=80 | answer=D | explanation=Scale factor = 64/4 = 16. Therefore second quantity = 5×16 = 80.

id=15300 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■34635 at 4% per annum for 1 years. | option_a=1285 | option_b=36020 | option_c=1485 | option_d=1385 | answer=D | explanation=SI = PRT/100 = 34635×4×1/100 = ■1385.

Aptitude Questions — Records 15,301-15,330 of 100,000

id=15301 | topic=Percentages | difficulty=Easy | question=What is 12% of 556? | option_a=61 | option_b=132 | option_c=76 | option_d=66 | answer=D | explanation=12% of 556 = (12/100) × 556 = 66.

id=15302 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:8 and the first is 135, what is the second? | option_a=255 | option_b=120 | option_c=112 | option_d=129 | answer=B | explanation=Scale factor = 135/9 = 15. Therefore second quantity = 8×15 = 120.

id=15303 | topic=Averages | difficulty=Easy | question=Find the average of 79, 24, 22, 94, 20, 30, 88. | option_a=51 | option_b=50 | option_c=52 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.

id=15304 | topic=Percentages | difficulty=Easy | question=What is 40% of 1729? | option_a=1382 | option_b=696 | option_c=691 | option_d=686 | answer=C | explanation=40% of 1729 = (40/100) × 1729 = 691.

id=15305 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 29? | option_a=23 | option_b=13 | option_c=18 | option_d=29 | answer=D | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 29 is the odd one out.

id=15306 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:19 and the first is 30, what is the second? | option_a=220 | option_b=190 | option_c=193 | option_d=171 | answer=B | explanation=Scale factor = 30/3 = 10. Therefore second quantity = 19×10 = 190.

id=15307 | topic=Averages | difficulty=Easy | question=Find the average of 23, 11, 17. | option_a=16 | option_b=19 | option_c=17 | option_d=18 | answer=C | explanation=Average = sum of values ÷ number of values = 51 ÷ 3 = 17.

id=15308 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 23, 25, 28? | option_a=23 | option_b=21 | option_c=28 | option_d=25 | answer=C | explanation=The first three numbers increase by 2, so the next should be 27. Therefore 28 is the odd one out.

id=15309 | topic=Percentages | difficulty=Easy | question=What is 30% of 494? | option_a=296 | option_b=138 | option_c=148 | option_d=153 | answer=C | explanation=30% of 494 = (30/100) × 494 = 148.

id=15310 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=15311 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=64 | option_b=56 | option_c=55 | option_d=46 | answer=C | explanation=The common difference is 9. Therefore the next term is 46 + 9 = 55.

id=15312 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47481 at 15% per annum for 1 years. | option_a=7222 | option_b=7122 | option_c=54603 | option_d=7022 | answer=B | explanation=SI = PRT/100 = 47481×15×1/100 = **■**7122.

id=15313 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=40 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=15314 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 21. | option_a=441 | option_b=42 | option_c=1 | option_d=21 | answer=D | explanation=LCM × HCF = 21×21; HCF(21,21) = 21, so LCM = 21.

id=15315 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31418 at 12% per annum for 5 years. | option_a=18750 | option_b=18950 | option_c=50268 | option_d=18850 | answer=D | explanation=SI = PRT/100 = 31418×12×5/100 = **■**18850.

id=15316 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17543 at 4% per annum for 5 years. | option_a=3508 | option_b=3408 | option_c=3608 | option_d=21051 | answer=A | explanation=SI = PRT/100 = 17543×4×5/100 = **■**3508.

id=15317 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11013 at 6% per annum for 4 years. | option_a=2543 | option_b=2743 | option_c=2643 | option_d=13656 | answer=C | explanation=SI = PRT/100 = 11013×6×4/100 = **■**2643.

id=15318 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6264 at 6% per annum for 2 years. | option_a=751 | option_b=651 | option_c=851 | option_d=7015 | answer=A | explanation=SI = PRT/100 = 6264×6×2/100 = **■**751.

id=15319 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:15 and the first is 85, what is the second? | option_a=92 | option_b=160 | option_c=60 | option_d=75 | answer=D | explanation=Scale factor = 85/17 = 5. Therefore second quantity = 15×5 = 75.

id=15320 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=144 | option_c=72 | option_d=77 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=15321 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 13, 19, 26? | option_a=19 | option_b=13 | option_c=7 | option_d=26 | answer=D | explanation=The first three numbers increase by 6, so the next should be 25. Therefore 26 is the odd one out.

id=15322 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=P | option_b=Q | option_c=R | option_d=S | answer=C | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=15323 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=15324 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=50 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=15325 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26971 at 10% per annum for 2 years. | option_a=5394 | option_b=5294 | option_c=32365 | option_d=5494 | answer=A | explanation=SI = PRT/100 = 26971×10×2/100 = **■**5394.

id=15326 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2715 at 10% per annum for 2 years. | option_a=3258 | option_b=543 | option_c=443 | option_d=643 | answer=B | explanation=SI = PRT/100 = 2715×10×2/100 = **■**543.

id=15327 | topic=Averages | difficulty=Easy | question=Find the average of 17, 53, 70, 95, 88, 68, 88, 97, 36. | option_a=69 | option_b=67 | option_c=68 | option_d=70 | answer=C | explanation=Average = sum of values ÷ number of values = 612 ÷ 9 = 68.

id=15328 | topic=Averages | difficulty=Easy | question=Find the average of 90, 27, 89, 51, 35, 43, 37, 99, 30, 29. | option_a=55 | option_b=52 | option_c=54 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=15329 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=15330 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 24, 33, 45? | option_a=24 | option_b=45 | option_c=15 | option_d=33 | answer=B | explanation=The first three numbers increase by 9, so the next should be 42. Therefore 45 is the odd one out.

Aptitude Questions — Records 15,331-15,360 of 100,000

id=15331 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=60 | option_b=70 | option_c=61 | option_d=50 | answer=A | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

id=15332 | topic=Percentages | difficulty=Easy | question=What is 40% of 215? | option_a=172 | option_b=86 | option_c=96 | option_d=76 | answer=B | explanation=40% of 215 = (40/100) × 215 = 86.

id=15333 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49221 at 4% per annum for 4 years. | option_a=57096 | option_b=7775 | option_c=7975 | option_d=7875 | answer=D | explanation=SI = $\frac{PRT}{100}$ = $\frac{49221 \times 4 \times 4}{100}$ = **■**7875.

id=15334 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 22. | option_a=120 | option_b=220 | option_c=88 | option_d=110 | answer=D | explanation= $LCM \times HCF = 10 \times 22$; $HCF(10, 22) = 2$, so $LCM = 110$.

id=15335 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=10 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=15336 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:6 and the first is 65, what is the second? | option_a=95 | option_b=43 | option_c=30 | option_d=24 | answer=C | explanation=Scale factor = $\frac{65}{13} = 5$. Therefore second quantity = 6×5 = 30.

id=15337 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=58 | option_b=49 | option_c=50 | option_d=40 | answer=B | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

id=15338 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=Y | option_c=I | option_d=N | answer=C | explanation=Move 5 positions forward from D; the resulting letter is I.

id=15339 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=29 | option_b=38 | option_c=47 | option_d=39 | answer=B | explanation=The common difference is 9. Therefore the next term is 29 + 9 = 38.

id=15340 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=M | option_b=O | option_c=N | option_d=P | answer=B | explanation=Move 1 positions forward from N; the resulting letter is O.

id=15341 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49622 at 12% per annum for 4 years. | option_a=73440 | option_b=23718 | option_c=23918 | option_d=23818 | answer=D | explanation=SI = $\frac{PRT}{100}$ = $\frac{49622 \times 12 \times 4}{100}$ = **■**23818.

id=15342 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 45? | option_a=37 | option_b=27 | option_c=32 | option_d=45 | answer=D | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 45 is the odd one out.

id=15343 | topic=Averages | difficulty=Easy | question=Find the average of 51, 19, 44, 51, 50. | option_a=42 | option_b=44 | option_c=43 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{215}{5} = 43$.

id=15344 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=F | option_c=X | option_d=J | answer=B | explanation=Move 4 positions forward from B; the resulting letter is F.

id=15345 | topic=Averages | difficulty=Easy | question=Find the average of 82, 19, 76, 87, 49, 48, 86, 88, 73, 22. | option_a=62 | option_b=64 | option_c=63 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{630}{10} = 63$.

id=15346 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = $\frac{180}{6} = 30$ km/h.

id=15347 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=36 | option_c=72 | option_d=31 | answer=B | explanation=Speed = distance ÷ time = $\frac{360}{10} = 36$ km/h.

id=15348 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=50 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = $\frac{150}{6} = 25$ km/h.

id=15349 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1526. If it is sold at a profit of 30%, what is its selling price? | option_a=1556 | option_b=1983 | option_c=2135 | option_d=1831 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1526 \times \frac{130}{100} = \text{■}1983$.

id=15350 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5822 at 12% per annum for 3 years. | option_a=2195 | option_b=1995 | option_c=2095 | option_d=7917 | answer=C | explanation=SI = $\frac{PRT}{100}$ = $\frac{5822 \times 12 \times 3}{100} = \text{■}2095$.

id=15351 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 50? | option_a=27 | option_b=17 | option_c=37 | option_d=50 | answer=D | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 50 is the odd one out.

id=15352 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22221 at 12% per annum for 5 years. | option_a=35553 | option_b=13332 | option_c=13232 | option_d=13432 | answer=B | explanation=SI = $\frac{PRT}{100}$ = $\frac{22221 \times 12 \times 5}{100} = \text{■}13332$.

id=15353 | topic=Averages | difficulty=Easy | question=Find the average of 17, 74, 41, 30, 92, 35, 28, 43. | option_a=46 | option_b=45 | option_c=47 | option_d=44 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{360}{8} = 45$.

id=15354 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12} = 3$ days.

id=15355 | topic=Percentages | difficulty=Easy | question=What is 30% of 1776? | option_a=1064 | option_b=527 | option_c=537 | option_d=532 | answer=D | explanation=30% of 1776 = $(\frac{30}{100}) \times 1776 = 532$.

id=15356 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = $\frac{360}{6} = 60$ km/h.

id=15357 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=24 | option_c=7 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = $\frac{60}{5} = 12$ km/h.

id=15358 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=C | option_c=Y | option_d=A | answer=B | explanation=Move 2 positions forward from A; the resulting letter is C.

id=15359 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 16, 21, 27? | option_a=27 | option_b=16 | option_c=21 | option_d=11 | answer=A | explanation=The first three numbers increase by 5, so the next should be 26. Therefore 27 is the odd one out.

id=15360 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=32 | option_b=28 | option_c=36 | option_d=33 | answer=A | explanation=The common difference is 4. Therefore the next term is 28 + 4 = 32.

Aptitude Questions — Records 15,361-15,390 of 100,000

id=15361 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=15362 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=40 | option_b=64 | option_c=52 | option_d=53 | answer=C | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.

id=15363 | topic=Percentages | difficulty=Easy | question=What is 50% of 1950? | option_a=965 | option_b=995 | option_c=975 | option_d=1950 | answer=C | explanation=50% of 1950 = (50/100) × 1950 = 975.

id=15364 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=15365 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=Y | option_b=V | option_c=S | option_d=P | answer=B | explanation=Move 3 positions forward from S; the resulting letter is V.

id=15366 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1752. If it is sold at a profit of 20%, what is its selling price? | option_a=2277 | option_b=2102 | option_c=1772 | option_d=1927 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1752 × 120/100 = █2102.

id=15367 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:3 and the first is 57, what is the second? | option_a=54 | option_b=114 | option_c=57 | option_d=60 | answer=C | explanation=Scale factor = 57/3 = 19. Therefore second quantity = 3×19 = 57.

id=15368 | topic=Profit & Loss | difficulty=Easy | question=An article costs █265. If it is sold at a profit of 15%, what is its selling price? | option_a=304 | option_b=280 | option_c=330 | option_d=278 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 265 × 115/100 = █304.

id=15369 | topic=Percentages | difficulty=Easy | question=What is 15% of 824? | option_a=246 | option_b=133 | option_c=103 | option_d=123 | answer=D | explanation=15% of 824 = (15/100) × 824 = 123.

id=15370 | topic=Profit & Loss | difficulty=Easy | question=An article costs █432. If it is sold at a profit of 15%, what is its selling price? | option_a=539 | option_b=447 | option_c=496 | option_d=453 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 432 × 115/100 = █496.

id=15371 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=19 | option_b=18 | option_c=22 | option_d=14 | answer=B | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.

id=15372 | topic=Averages | difficulty=Easy | question=Find the average of 100, 20, 63, 69, 27, 65, 77, 93, 71. | option_a=66 | option_b=64 | option_c=65 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 585 ÷ 9 = 65.

id=15373 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=Z | option_b=U | option_c=P | option_d=K | answer=B | explanation=Move 5 positions forward from P; the resulting letter is U.

id=15374 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:7 and the first is 234, what is the second? | option_a=109 | option_b=84 | option_c=91 | option_d=325 | answer=C | explanation=Scale factor = 234/18 = 13. Therefore second quantity = 7×13 = 91.

id=15375 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=15376 | topic=Percentages | difficulty=Easy | question=What is 15% of 1558? | option_a=213 | option_b=466 | option_c=243 | option_d=233 | answer=D | explanation=15% of 1558 = (15/100) × 1558 = 233.

id=15377 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 24? | option_a=24 | option_b=19 | option_c=15 | option_d=17 | answer=A | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 24 is the odd one out.

id=15378 | topic=Averages | difficulty=Easy | question=Find the average of 72, 100, 54, 33, 81. | option_a=67 | option_b=70 | option_c=68 | option_d=69 | answer=C | explanation=Average = sum of values ÷ number of values = 340 ÷ 5 = 68.

id=15379 | topic=Percentages | difficulty=Easy | question=What is 40% of 1320? | option_a=508 | option_b=1056 | option_c=538 | option_d=528 | answer=D | explanation=40% of 1320 = (40/100) × 1320 = 528.

id=15380 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 31, 43, 55, ? | option_a=55 | option_b=79 | option_c=67 | option_d=68 | answer=C | explanation=The common difference is 12. Therefore the next term is 55 + 12 = 67.

id=15381 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=49 | option_b=59 | option_c=37 | option_d=48 | answer=D | explanation=The common difference is 11. Therefore the next term is 37 + 11 = 48.

id=15382 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 36? | option_a=29 | option_b=19 | option_c=36 | option_d=24 | answer=C | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 36 is the odd one out.

id=15383 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=41 | option_c=31 | option_d=72 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=15384 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=15385 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4931. If it is sold at a profit of 10%, what is its selling price? | option_a=5917 | option_b=4941 | option_c=5424 | option_d=4931 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4931 × 110/100 = █5424.

id=15386 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2655 at 10% per annum for 5 years. | option_a=1227 | option_b=1327 | option_c=1427 | option_d=3982 | answer=B | explanation=SI = PRT/100 = 2655×10×5/100 = █1327.

id=15387 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=38 | option_b=50 | option_c=60 | option_d=49 | answer=D | explanation=The common difference is 11. Therefore the next term is 38 + 11 = 49.

id=15388 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=21 | option_b=25 | option_c=17 | option_d=22 | answer=A | explanation=The common difference is 4. Therefore the next term is 17 + 4 = 21.

id=15389 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=50 | option_c=25 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=15390 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32684 at 4% per annum for 5 years. | option_a=6436 | option_b=6536 | option_c=6636 | option_d=39220 | answer=B | explanation=SI = PRT/100 = 32684×4×5/100 = █6536.

Aptitude Questions — Records 15,391-15,420 of 100,000

id=15391 | topic=Averages | difficulty=Easy | question=Find the average of 62, 71, 65, 84, 56, 28. | option_a=62 | option_b=61 | option_c=63 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 366 ÷ 6 = 61.

id=15392 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 31, 42, 53, ? | option_a=64 | option_b=75 | option_c=53 | option_d=65 | answer=A | explanation=The common difference is 11. Therefore the next term is 53 + 11 = 64.

id=15393 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=P | option_c=Q | option_d=R | answer=D | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=15394 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=54 | option_b=62 | option_c=44 | option_d=53 | answer=D | explanation=The common difference is 9. Therefore the next term is 44 + 9 = 53.

id=15395 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=15396 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=F | option_b=R | option_c=N | option_d=J | answer=C | explanation=Move 4 positions forward from J; the resulting letter is N.

id=15397 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=N | option_b=J | option_c=B | option_d=F | answer=B | explanation=Move 4 positions forward from F; the resulting letter is J.

id=15398 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 31, 39, 50? | option_a=23 | option_b=39 | option_c=31 | option_d=50 | answer=D | explanation=The first three numbers increase by 8, so the next should be 47. Therefore 50 is the odd one out.

id=15399 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27792 at 12% per annum for 1 years. | option_a=3235 | option_b=31127 | option_c=3435 | option_d=3335 | answer=D | explanation=SI = PRT/100 = 27792×12×1/100 = **■**3335.

id=15400 | topic=Percentages | difficulty=Easy | question=What is 40% of 953? | option_a=391 | option_b=762 | option_c=381 | option_d=361 | answer=C | explanation=40% of 953 = (40/100) × 953 = 381.

id=15401 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3810. If it is sold at a profit of 30%, what is its selling price? | option_a=3840 | option_b=4572 | option_c=5334 | option_d=4953 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3810 × 130/100 = **■**4953.

id=15402 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=15403 | topic=Percentages | difficulty=Easy | question=What is 15% of 1811? | option_a=542 | option_b=271 | option_c=251 | option_d=291 | answer=B | explanation=15% of 1811 = (15/100) × 1811 = 271.

id=15404 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=15405 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:20 and the first is 195, what is the second? | option_a=280 | option_b=313 | option_c=495 | option_d=300 | answer=D | explanation=Scale factor = 195/13 = 15. Therefore second quantity = 20×15 = 300.

id=15406 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=20 | option_b=16 | option_c=21 | option_d=24 | answer=A | explanation=The common difference is 4. Therefore the next term is 16 + 4 = 20.

id=15407 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 3. | option_a=24 | option_b=72 | option_c=48 | option_d=21 | answer=A | explanation=LCM × HCF = 24×3; HCF(24,3) = 3, so LCM = 24.

id=15408 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=24 | option_d=29 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=15409 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:7 and the first is 288, what is the second? | option_a=400 | option_b=112 | option_c=130 | option_d=105 | answer=B | explanation=Scale factor = 288/18 = 16. Therefore second quantity = 7×16 = 112.

id=15410 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=15411 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=6 | option_c=11 | option_d=1 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=15412 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 43? | option_a=27 | option_b=43 | option_c=32 | option_d=37 | answer=B | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 43 is the odd one out.

id=15413 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2822. If it is sold at a profit of 15%, what is its selling price? | option_a=2963 | option_b=3527 | option_c=3245 | option_d=2837 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2822 × 115/100 = **■**3245.

id=15414 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:4 and the first is 150, what is the second? | option_a=210 | option_b=56 | option_c=60 | option_d=70 | answer=C | explanation=Scale factor = 150/10 = 15. Therefore second quantity = 4×15 = 60.

id=15415 | topic=Averages | difficulty=Easy | question=Find the average of 58, 78, 91, 46, 39, 76, 95. | option_a=69 | option_b=71 | option_c=70 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = 483 ÷ 7 = 69.

id=15416 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=L | option_b=N | option_c=O | option_d=M | answer=B | explanation=Move 1 positions forward from M; the resulting letter is N.

id=15417 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=36 | option_b=31 | option_c=72 | option_d=41 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=15418 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:9 and the first is 228, what is the second? | option_a=162 | option_b=183 | option_c=399 | option_d=171 | answer=D | explanation=Scale factor = 228/12 = 19. Therefore second quantity = 9×19 = 171.

id=15419 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=15420 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 35? | option_a=20 | option_b=24 | option_c=28 | option_d=35 | answer=D | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 35 is the odd one out.

Aptitude Questions — Records 15,421-15,450 of 100,000

id=15421 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 22, 25, 29? | option_a=25 | option_b=29 | option_c=19 | option_d=22 | answer=B | explanation=The first three numbers increase by 3, so the next should be 28. Therefore 29 is the odd one out.

id=15422 | topic=Percentages | difficulty=Easy | question=What is 15% of 1454? | option_a=238 | option_b=436 | option_c=213 | option_d=218 | answer=D | explanation=15% of 1454 = (15/100) × 1454 = 218.

id=15423 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42927 at 6% per annum for 3 years. | option_a=7726 | option_b=50653 | option_c=7626 | option_d=7826 | answer=A | explanation=SI = PRT/100 = 42927×6×3/100 = █7726.

id=15424 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:9 and the first is 99, what is the second? | option_a=99 | option_b=90 | option_c=108 | option_d=198 | answer=A | explanation=Scale factor = 99/9 = 11. Therefore second quantity = 9×11 = 99.

id=15425 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=F | option_b=C | option_c=I | option_d=Z | answer=A | explanation=Move 3 positions forward from C; the resulting letter is F.

id=15426 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 30. | option_a=210 | option_b=180 | option_c=630 | option_d=231 | answer=A | explanation=LCM × HCF = 21×30; HCF(21,30) = 3, so LCM = 210.

id=15427 | topic=Percentages | difficulty=Easy | question=What is 40% of 1230? | option_a=487 | option_b=492 | option_c=984 | option_d=502 | answer=B | explanation=40% of 1230 = (40/100) × 1230 = 492.

id=15428 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=Y | option_b=J | option_c=T | option_d=O | answer=C | explanation=Move 5 positions forward from O; the resulting letter is T.

id=15429 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=5 | option_c=10 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=15430 | topic=Percentages | difficulty=Easy | question=What is 10% of 1994? | option_a=189 | option_b=398 | option_c=199 | option_d=219 | answer=C | explanation=10% of 1994 = (10/100) × 1994 = 199.

id=15431 | topic=Percentages | difficulty=Easy | question=What is 12% of 1546? | option_a=175 | option_b=370 | option_c=195 | option_d=185 | answer=D | explanation=12% of 1546 = (12/100) × 1546 = 185.

id=15432 | topic=Averages | difficulty=Easy | question=Find the average of 58, 77, 71, 13, 84, 80, 84, 11, 53. | option_a=60 | option_b=61 | option_c=59 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 531 ÷ 9 = 59.

id=15433 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=37 | option_b=47 | option_c=46 | option_d=55 | answer=C | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=15434 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=15435 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26147 at 10% per annum for 4 years. | option_a=10358 | option_b=10558 | option_c=36605 | option_d=10458 | answer=D | explanation=SI = PRT/100 = 26147×10×4/100 = █10458.

id=15436 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 28? | option_a=24 | option_b=18 | option_c=28 | option_d=21 | answer=C | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 28 is the odd one out.

id=15437 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=38 | option_b=29 | option_c=47 | option_d=39 | answer=A | explanation=The common difference is 9. Therefore the next term is 29 + 9 = 38.

id=15438 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=15439 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=B | option_b=T | option_c=P | option_d=X | answer=D | explanation=Move 4 positions forward from T; the resulting letter is X.

id=15440 | topic=Percentages | difficulty=Easy | question=What is 15% of 1514? | option_a=217 | option_b=454 | option_c=247 | option_d=227 | answer=D | explanation=15% of 1514 = (15/100) × 1514 = 227.

id=15441 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=P | option_b=Y | option_c=S | option_d=V | answer=D | explanation=Move 3 positions forward from S; the resulting letter is V.

id=15442 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:18 and the first is 77, what is the second? | option_a=137 | option_b=108 | option_c=126 | option_d=203 | answer=C | explanation=Scale factor = 77/11 = 7. Therefore second quantity = 18×7 = 126.

id=15443 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=J | option_b=X | option_c=B | option_d=F | answer=D | explanation=Move 4 positions forward from B; the resulting letter is F.

id=15444 | topic=Averages | difficulty=Easy | question=Find the average of 64, 30, 92, 25, 39, 100, 23, 39, 20. | option_a=47 | option_b=49 | option_c=48 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 432 ÷ 9 = 48.

id=15445 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=30 | option_b=25 | option_c=33 | option_d=29 | answer=D | explanation=The common difference is 4. Therefore the next term is 25 + 4 = 29.

id=15446 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=D | option_b=X | option_c=A | option_d=G | answer=A | explanation=Move 3 positions forward from A; the resulting letter is D.

id=15447 | topic=Averages | difficulty=Easy | question=Find the average of 95, 27, 62, 82, 17, 82, 15, 20. | option_a=50 | option_b=51 | option_c=52 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 400 ÷ 8 = 50.

id=15448 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=15449 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=44 | option_b=38 | option_c=50 | option_d=45 | answer=A | explanation=The common difference is 6. Therefore the next term is 38 + 6 = 44.

id=15450 | topic=Averages | difficulty=Easy | question=Find the average of 75, 66, 85, 39, 37, 34. | option_a=56 | option_b=55 | option_c=58 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 336 ÷ 6 = 56.

Aptitude Questions — Records 15,451-15,480 of 100,000

id=15451 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=29 | option_b=33 | option_c=35 | option_d=32 | answer=D | explanation=The common difference is 3. Therefore the next term is 29 + 3 = 32.

id=15452 | topic=Percentages | difficulty=Easy | question=What is 12% of 1067? | option_a=128 | option_b=256 | option_c=148 | option_d=118 | answer=A | explanation=12% of 1067 = (12/100) × 1067 = 128.

id=15453 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40019 at 5% per annum for 1 years. | option_a=42019 | option_b=1900 | option_c=2000 | option_d=2100 | answer=C | explanation=SI = PRT/100 = 40019×5×1/100 = **■**2000.

id=15454 | topic=Percentages | difficulty=Easy | question=What is 20% of 854? | option_a=160 | option_b=175 | option_c=170 | option_d=340 | answer=C | explanation=20% of 854 = (20/100) × 854 = 170.

id=15455 | topic=Percentages | difficulty=Easy | question=What is 30% of 563? | option_a=178 | option_b=168 | option_c=148 | option_d=336 | answer=B | explanation=30% of 563 = (30/100) × 563 = 168.

id=15456 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 18. | option_a=180 | option_b=220 | option_c=198 | option_d=396 | answer=C | explanation=LCM × HCF = 22×18; HCF(22,18) = 2, so LCM = 198.

id=15457 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 31, 39, 49? | option_a=31 | option_b=39 | option_c=49 | option_d=23 | answer=C | explanation=The first three numbers increase by 8, so the next should be 47. Therefore 49 is the odd one out.

id=15458 | topic=Averages | difficulty=Easy | question=Find the average of 63, 26, 67. | option_a=51 | option_b=52 | option_c=53 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 156 ÷ 3 = 52.

id=15459 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 18, 28, 41? | option_a=18 | option_b=8 | option_c=28 | option_d=41 | answer=D | explanation=The first three numbers increase by 10, so the next should be 38. Therefore 41 is the odd one out.

id=15460 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=15461 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=15462 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31049 at 8% per annum for 3 years. | option_a=7451 | option_b=7351 | option_c=38500 | option_d=7551 | answer=A | explanation=SI = PRT/100 = 31049×8×3/100 = **■**7451.

id=15463 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=15464 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=15465 | topic=Averages | difficulty=Easy | question=Find the average of 42, 55, 69, 61, 48. | option_a=57 | option_b=55 | option_c=54 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 275 ÷ 5 = 55.

id=15466 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=13 | option_b=15 | option_c=17 | option_d=16 | answer=B | explanation=The common difference is 2. Therefore the next term is 13 + 2 = 15.

id=15467 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 22, 31, 41? | option_a=41 | option_b=13 | option_c=31 | option_d=22 | answer=A | explanation=The first three numbers increase by 9, so the next should be 40. Therefore 41 is the odd one out.

id=15468 | topic=Percentages | difficulty=Easy | question=What is 15% of 701? | option_a=105 | option_b=85 | option_c=125 | option_d=210 | answer=A | explanation=15% of 701 = (15/100) × 701 = 105.

id=15469 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=18 | option_c=14 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=15470 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3649. If it is sold at a profit of 20%, what is its selling price? | option_a=4378 | option_b=4742 | option_c=3669 | option_d=4014 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3649 × 120/100 = **■**4378.

id=15471 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=24 | option_b=23 | option_c=20 | option_d=26 | answer=B | explanation=The common difference is 3. Therefore the next term is 20 + 3 = 23.

id=15472 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19871 at 15% per annum for 5 years. | option_a=14803 | option_b=14903 | option_c=34774 | option_d=15003 | answer=B | explanation=SI = PRT/100 = 19871×15×5/100 = **■**14903.

id=15473 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=15474 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47392 at 12% per annum for 4 years. | option_a=22648 | option_b=22748 | option_c=70140 | option_d=22848 | answer=B | explanation=SI = PRT/100 = 47392×12×4/100 = **■**22748.

id=15475 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3062 at 15% per annum for 3 years. | option_a=1477 | option_b=1377 | option_c=1277 | option_d=4439 | answer=B | explanation=SI = PRT/100 = 3062×15×3/100 = **■**1377.

id=15476 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=I | option_b=L | option_c=C | option_d=F | answer=A | explanation=Move 3 positions forward from F; the resulting letter is I.

id=15477 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=15478 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=I | option_b=L | option_c=C | option_d=F | answer=A | explanation=Move 3 positions forward from F; the resulting letter is I.

id=15479 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 13, 18, 25? | option_a=13 | option_b=25 | option_c=18 | option_d=8 | answer=B | explanation=The first three numbers increase by 5, so the next should be 23. Therefore 25 is the odd one out.

id=15480 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 32? | option_a=32 | option_b=24 | option_c=19 | option_d=14 | answer=A | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 32 is the odd one out.

Aptitude Questions — Records 15,481-15,510 of 100,000

id=15481 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■19438 at 12% per annum for 5 years. | option_a=11562 | option_b=11662 | option_c=11762 | option_d=31100 | answer=B | explanation=SI = PRT/100 = 19438×12×5/100 = ■11662.

id=15482 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■769. If it is sold at a profit of 10%, what is its selling price? | option_a=779 | option_b=769 | option_c=845 | option_d=921 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 769 × 110/100 = ■845.

id=15483 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 28? | option_a=28 | option_b=12 | option_c=19 | option_d=5 | answer=A | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 28 is the odd one out.

id=15484 | topic=Percentages | difficulty=Easy | question=What is 10% of 81? | option_a=8 | option_b=28 | option_c=0 | option_d=16 | answer=A | explanation=10% of 81 = (10/100) × 81 = 8.

id=15485 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=15486 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:12 and the first is 12, what is the second? | option_a=84 | option_b=72 | option_c=74 | option_d=60 | answer=B | explanation=Scale factor = 12/2 = 6. Therefore second quantity = 12×6 = 72.

id=15487 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■26792 at 5% per annum for 3 years. | option_a=4118 | option_b=30810 | option_c=3918 | option_d=4018 | answer=D | explanation=SI = PRT/100 = 26792×5×3/100 = ■4018.

id=15488 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=15489 | topic=Averages | difficulty=Easy | question=Find the average of 73, 25, 77, 100, 45. | option_a=66 | option_b=64 | option_c=63 | option_d=65 | answer=B | explanation=Average = sum of values + number of values = 320 ÷ 5 = 64.

id=15490 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■30864 at 6% per annum for 1 years. | option_a=1951 | option_b=1851 | option_c=1751 | option_d=32715 | answer=B | explanation=SI = PRT/100 = 30864×6×1/100 = ■1851.

id=15491 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 35, 43, 52? | option_a=43 | option_b=52 | option_c=27 | option_d=35 | answer=B | explanation=The first three numbers increase by 8, so the next should be 51. Therefore 52 is the odd one out.

id=15492 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 24, 32, 40, ? | option_a=40 | option_b=56 | option_c=49 | option_d=48 | answer=D | explanation=The common difference is 8. Therefore the next term is 40 + 8 = 48.

id=15493 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=15494 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=24 | option_d=29 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=15495 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4367. If it is sold at a profit of 40%, what is its selling price? | option_a=5677 | option_b=6549 | option_c=4407 | option_d=6113 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4367 × 140/100 = ■6113.

id=15496 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Q | option_b=U | option_c=Y | option_d=C | answer=C | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=15497 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=22 | option_b=20 | option_c=21 | option_d=18 | answer=B | explanation=The common difference is 2. Therefore the next term is 18 + 2 = 20.

id=15498 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 4. | option_a=16 | option_b=4 | option_c=1 | option_d=8 | answer=B | explanation=LCM × HCF = 4×4; HCF(4,4) = 4, so LCM = 4.

id=15499 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=15500 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=26 | option_b=30 | option_c=27 | option_d=22 | answer=A | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.

id=15501 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1880. If it is sold at a profit of 15%, what is its selling price? | option_a=2162 | option_b=1895 | option_c=2350 | option_d=1974 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1880 × 115/100 = ■2162.

id=15502 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■41953 at 5% per annum for 3 years. | option_a=6292 | option_b=48245 | option_c=6392 | option_d=6192 | answer=A | explanation=SI = PRT/100 = 41953×5×3/100 = ■6292.

id=15503 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■28229 at 12% per annum for 4 years. | option_a=13549 | option_b=41778 | option_c=13649 | option_d=13449 | answer=A | explanation=SI = PRT/100 = 28229×12×4/100 = ■13549.

id=15504 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:3 and the first is 16, what is the second? | option_a=45 | option_b=64 | option_c=48 | option_d=49 | answer=C | explanation=Scale factor = 16/1 = 16. Therefore second quantity = 3×16 = 48.

id=15505 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:8 and the first is 3, what is the second? | option_a=16 | option_b=27 | option_c=24 | option_d=25 | answer=C | explanation=Scale factor = 3/1 = 3. Therefore second quantity = 8×3 = 24.

id=15506 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=15507 | topic=Percentages | difficulty=Easy | question=What is 40% of 899? | option_a=379 | option_b=718 | option_c=359 | option_d=339 | answer=C | explanation=40% of 899 = (40/100) × 899 = 359.

id=15508 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■4776 at 5% per annum for 1 years. | option_a=138 | option_b=338 | option_c=5014 | option_d=238 | answer=D | explanation=SI = PRT/100 = 4776×5×1/100 = ■238.

id=15509 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=K | option_c=M | option_d=I | answer=C | explanation=Move 2 positions forward from K; the resulting letter is M.

id=15510 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1977. If it is sold at a profit of 15%, what is its selling price? | option_a=2076 | option_b=1992 | option_c=2273 | option_d=2470 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1977 × 115/100 = ■2273.

Aptitude Questions — Records 15,511-15,540 of 100,000

id=15511 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■21056 at 6% per annum for 1 years. | option_a=1363 | option_b=1263 | option_c=22319 | option_d=1163 | answer=B | explanation=SI = PRT/100 = 21056×6×1/100 = ■1263.

id=15512 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=56 | option_b=43 | option_c=55 | option_d=67 | answer=C | explanation=The common difference is 12. Therefore the next term is 43 + 12 = 55.

id=15513 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=37 | option_b=40 | option_c=36 | option_d=32 | answer=C | explanation=The common difference is 4. Therefore the next term is 32 + 4 = 36.

id=15514 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 13, 21, 30? | option_a=21 | option_b=13 | option_c=30 | option_d=5 | answer=C | explanation=The first three numbers increase by 8, so the next should be 29. Therefore 30 is the odd one out.

id=15515 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=15516 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=T | option_c=R | option_d=X | answer=A | explanation=Move 2 positions forward from T; the resulting letter is V.

id=15517 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3309. If it is sold at a profit of 5%, what is its selling price? | option_a=3144 | option_b=3474 | option_c=3314 | option_d=3804 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3309 × 105/100 = ■3474.

id=15518 | topic=Percentages | difficulty=Easy | question=What is 30% of 1102? | option_a=330 | option_b=660 | option_c=350 | option_d=320 | answer=A | explanation=30% of 1102 = (30/100) × 1102 = 330.

id=15519 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■25309 at 8% per annum for 3 years. | option_a=31383 | option_b=5974 | option_c=6074 | option_d=6174 | answer=C | explanation=SI = PRT/100 = 25309×8×3/100 = ■6074.

id=15520 | topic=Averages | difficulty=Easy | question=Find the average of 37, 95, 53, 44, 12, 82, 69. | option_a=58 | option_b=57 | option_c=56 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 392 ÷ 7 = 56.

id=15521 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:15 and the first is 57, what is the second? | option_a=270 | option_b=288 | option_c=342 | option_d=285 | answer=D | explanation=Scale factor = 57/3 = 19. Therefore second quantity = 15×19 = 285.

id=15522 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1604. If it is sold at a profit of 10%, what is its selling price? | option_a=1604 | option_b=1614 | option_c=1924 | option_d=1764 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1604 × 110/100 = ■1764.

id=15523 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:3 and the first is 380, what is the second? | option_a=437 | option_b=57 | option_c=54 | option_d=77 | answer=B | explanation=Scale factor = 380/20 = 19. Therefore second quantity = 3×19 = 57.

id=15524 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 24? | option_a=15 | option_b=19 | option_c=24 | option_d=17 | answer=C | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 24 is the odd one out.

id=15525 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4778. If it is sold at a profit of 5%, what is its selling price? | option_a=4783 | option_b=4539 | option_c=5493 | option_d=5016 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4778 × 105/100 = ■5016.

id=15526 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:8 and the first is 176, what is the second? | option_a=80 | option_b=264 | option_c=104 | option_d=88 | answer=D | explanation=Scale factor = 176/16 = 11. Therefore second quantity = 8×11 = 88.

id=15527 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=15528 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2661. If it is sold at a profit of 50%, what is its selling price? | option_a=4257 | option_b=3991 | option_c=3725 | option_d=2711 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2661 × 150/100 = ■3991.

id=15529 | topic=Averages | difficulty=Easy | question=Find the average of 27, 20, 35, 32, 86, 18, 14, 64. | option_a=37 | option_b=38 | option_c=36 | option_d=39 | answer=A | explanation=Average = sum of values ÷ number of values = 296 ÷ 8 = 37.

id=15530 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 21. | option_a=84 | option_b=252 | option_c=63 | option_d=96 | answer=A | explanation=LCM × HCF = 12×21; HCF(12,21) = 3, so LCM = 84.

id=15531 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=115 | option_c=125 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=15532 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■5935 at 12% per annum for 1 years. | option_a=712 | option_b=6647 | option_c=812 | option_d=612 | answer=A | explanation=SI = PRT/100 = 5935×12×1/100 = ■712.

id=15533 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3613. If it is sold at a profit of 50%, what is its selling price? | option_a=5058 | option_b=5419 | option_c=3663 | option_d=5780 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3613 × 150/100 = ■5419.

id=15534 | topic=Averages | difficulty=Easy | question=Find the average of 48, 79, 30, 72, 26. | option_a=50 | option_b=52 | option_c=53 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 255 ÷ 5 = 51.

id=15535 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 24, 34, 45? | option_a=14 | option_b=34 | option_c=24 | option_d=45 | answer=D | explanation=The first three numbers increase by 10, so the next should be 44. Therefore 45 is the odd one out.

id=15536 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=15537 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=19 | option_d=29 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=15538 | topic=Averages | difficulty=Easy | question=Find the average of 90, 88, 34, 48. | option_a=65 | option_b=66 | option_c=64 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = 260 ÷ 4 = 65.

id=15539 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=50 | option_b=62 | option_c=63 | option_d=74 | answer=B | explanation=The common difference is 12. Therefore the next term is 50 + 12 = 62.

id=15540 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=39 | option_b=32 | option_c=25 | option_d=33 | answer=B | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.

Aptitude Questions — Records 15,541-15,570 of 100,000

id=15541 | topic=Percentages | difficulty=Easy | question=What is 50% of 78? | option_a=19 | option_b=49 | option_c=39 | option_d=78 | answer=C | explanation=50% of 78 = $(50/100) \times 78 = 39$.

id=15542 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:20 and the first is 40, what is the second? | option_a=240 | option_b=204 | option_c=180 | option_d=200 | answer=D | explanation=Scale factor = $40/4 = 10$. Therefore second quantity = $20 \times 10 = 200$.

id=15543 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:14 and the first is 49, what is the second? | option_a=105 | option_b=84 | option_c=98 | option_d=147 | answer=C | explanation=Scale factor = $49/7 = 7$. Therefore second quantity = $14 \times 7 = 98$.

id=15544 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2050. If it is sold at a profit of 50%, what is its selling price? | option_a=2100 | option_b=2870 | option_c=3280 | option_d=3075 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2050 \times 150/100 = \text{■}3075$.

id=15545 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=49 | option_b=37 | option_c=48 | option_d=59 | answer=C | explanation=The common difference is 11. Therefore the next term is $37 + 11 = 48$.

id=15546 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 18. | option_a=180 | option_b=200 | option_c=360 | option_d=162 | answer=A | explanation= $LCM \times HCF = 20 \times 18$; $HCF(20,18) = 2$, so $LCM = 180$.

id=15547 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3422. If it is sold at a profit of 40%, what is its selling price? | option_a=5132 | option_b=4448 | option_c=3462 | option_d=4790 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3422 \times 140/100 = \text{■}4790$.

id=15548 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=55 | option_c=100 | option_d=50 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 300 \div 6 = 50$ km/h.

id=15549 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**782. If it is sold at a profit of 50%, what is its selling price? | option_a=1173 | option_b=1251 | option_c=1095 | option_d=832 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 782 \times 150/100 = \text{■}1173$.

id=15550 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:13 and the first is 340, what is the second? | option_a=208 | option_b=241 | option_c=561 | option_d=221 | answer=D | explanation=Scale factor = $340/20 = 17$. Therefore second quantity = $13 \times 17 = 221$.

id=15551 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2513. If it is sold at a profit of 5%, what is its selling price? | option_a=2518 | option_b=2387 | option_c=2889 | option_d=2638 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2513 \times 105/100 = \text{■}2638$.

id=15552 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=15553 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2818. If it is sold at a profit of 15%, what is its selling price? | option_a=2833 | option_b=3240 | option_c=2959 | option_d=3521 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2818 \times 115/100 = \text{■}3240$.

id=15554 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=29 | option_b=22 | option_c=34 | option_d=28 | answer=D | explanation=The common difference is 6. Therefore the next term is $22 + 6 = 28$.

id=15555 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23840 at 8% per annum for 2 years. | option_a=27654 | option_b=3714 | option_c=3814 | option_d=3914 | answer=C | explanation= $SI = PRT/100 = 23840 \times 8 \times 2/100 = \text{■}3814$.

id=15556 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 5, 8, 11, ? | option_a=15 | option_b=17 | option_c=11 | option_d=14 | answer=D | explanation=The common difference is 3. Therefore the next term is $11 + 3 = 14$.

id=15557 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 300 \div 5 = 60$ km/h.

id=15558 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=38 | option_b=54 | option_c=46 | option_d=47 | answer=C | explanation=The common difference is 8. Therefore the next term is $38 + 8 = 46$.

id=15559 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=34 | option_b=29 | option_c=39 | option_d=35 | answer=A | explanation=The common difference is 5. Therefore the next term is $29 + 5 = 34$.

id=15560 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=180 | option_c=90 | option_d=85 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 360 \div 4 = 90$ km/h.

id=15561 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=240 | option_c=125 | option_d=120 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 360 \div 3 = 120$ km/h.

id=15562 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=95 | option_c=100 | option_d=105 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 300 \div 3 = 100$ km/h.

id=15563 | topic=Percentages | difficulty=Easy | question=What is 30% of 431? | option_a=149 | option_b=119 | option_c=258 | option_d=129 | answer=D | explanation=30% of 431 = $(30/100) \times 431 = 129$.

id=15564 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=28 | option_b=30 | option_c=29 | option_d=26 | answer=A | explanation=The common difference is 2. Therefore the next term is $26 + 2 = 28$.

id=15565 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 47? | option_a=30 | option_b=23 | option_c=47 | option_d=37 | answer=C | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 47 is the odd one out.

id=15566 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=20 | option_d=50 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 150 \div 6 = 25$ km/h.

id=15567 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2433. If it is sold at a profit of 50%, what is its selling price? | option_a=3892 | option_b=3406 | option_c=3649 | option_d=2483 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2433 \times 150/100 = \text{■}3649$.

id=15568 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 16, 26, 39? | option_a=6 | option_b=16 | option_c=39 | option_d=26 | answer=C | explanation=The first three numbers increase by 10, so the next should be 36. Therefore 39 is the odd one out.

id=15569 | topic=Percentages | difficulty=Easy | question=What is 15% of 56? | option_a=8 | option_b=0 | option_c=18 | option_d=16 | answer=A | explanation=15% of 56 = $(15/100) \times 56 = 8$.

id=15570 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:17 and the first is 98, what is the second? | option_a=133 | option_b=102 | option_c=217 | option_d=119 | answer=D | explanation=Scale factor = $98/14 = 7$. Therefore second quantity = $17 \times 7 = 119$.

Aptitude Questions — Records 15,571-15,600 of 100,000

id=15571 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 22. | option_a=308 | option_b=286 | option_c=336 | option_d=616 | answer=A | explanation=LCM × HCF = 28×22; HCF(28,22) = 2, so LCM = 308.

id=15572 | topic=Averages | difficulty=Easy | question=Find the average of 24, 72, 72. | option_a=57 | option_b=55 | option_c=58 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 168 ÷ 3 = 56.

id=15573 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:16 and the first is 120, what is the second? | option_a=144 | option_b=160 | option_c=172 | option_d=280 | answer=B | explanation=Scale factor = 120/12 = 10. Therefore second quantity = 16×10 = 160.

id=15574 | topic=Averages | difficulty=Easy | question=Find the average of 14, 78, 14, 32, 97. | option_a=49 | option_b=47 | option_c=48 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 235 ÷ 5 = 47.

id=15575 | topic=Averages | difficulty=Easy | question=Find the average of 35, 40, 59, 57, 71, 68. | option_a=54 | option_b=56 | option_c=57 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 330 ÷ 6 = 55.

id=15576 | topic=Percentages | difficulty=Easy | question=What is 25% of 1928? | option_a=472 | option_b=964 | option_c=502 | option_d=482 | answer=D | explanation=25% of 1928 = (25/100) × 1928 = 482.

id=15577 | topic=Averages | difficulty=Easy | question=Find the average of 35, 48, 19, 75, 68. | option_a=49 | option_b=50 | option_c=48 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 245 ÷ 5 = 49.

id=15578 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:9 and the first is 72, what is the second? | option_a=180 | option_b=99 | option_c=114 | option_d=108 | answer=D | explanation=Scale factor = 72/6 = 12. Therefore second quantity = 9×12 = 108.

id=15579 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=K | option_b=I | option_c=J | option_d=L | answer=A | explanation=Move 1 positions forward from J; the resulting letter is K.

id=15580 | topic=Percentages | difficulty=Easy | question=What is 40% of 789? | option_a=630 | option_b=320 | option_c=315 | option_d=295 | answer=C | explanation=40% of 789 = (40/100) × 789 = 315.

id=15581 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:7 and the first is 119, what is the second? | option_a=49 | option_b=168 | option_c=42 | option_d=66 | answer=A | explanation=Scale factor = 119/17 = 7. Therefore second quantity = 7×7 = 49.

id=15582 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:8 and the first is 198, what is the second? | option_a=136 | option_b=155 | option_c=342 | option_d=144 | answer=D | explanation=Scale factor = 198/11 = 18. Therefore second quantity = 8×18 = 144.

id=15583 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=43 | option_b=35 | option_c=51 | option_d=44 | answer=A | explanation=The common difference is 8. Therefore the next term is 35 + 8 = 43.

id=15584 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=G | option_b=A | option_c=X | option_d=D | answer=D | explanation=Move 3 positions forward from A; the resulting letter is D.

id=15585 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4659. If it is sold at a profit of 40%, what is its selling price? | option_a=6987 | option_b=6522 | option_c=6057 | option_d=4699 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4659 × 140/100 = █6522.

id=15586 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=T | option_b=K | option_c=Q | option_d=N | answer=C | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=15587 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22127 at 5% per annum for 1 years. | option_a=1006 | option_b=23233 | option_c=1106 | option_d=1206 | answer=C | explanation=SI = PRT/100 = 22127×5×1/100 = █1106.

id=15588 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=15589 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=15590 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:6 and the first is 90, what is the second? | option_a=30 | option_b=36 | option_c=126 | option_d=51 | answer=B | explanation=Scale factor = 90/15 = 6. Therefore second quantity = 6×6 = 36.

id=15591 | topic=Averages | difficulty=Easy | question=Find the average of 92, 96, 79, 26, 77. | option_a=74 | option_b=73 | option_c=76 | option_d=75 | answer=A | explanation=Average = sum of values ÷ number of values = 370 ÷ 5 = 74.

id=15592 | topic=Averages | difficulty=Easy | question=Find the average of 61, 17, 40, 27, 89, 84, 23, 42, 74, 93. | option_a=54 | option_b=56 | option_c=57 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 550 ÷ 10 = 55.

id=15593 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49588 at 12% per annum for 2 years. | option_a=61489 | option_b=12001 | option_c=11901 | option_d=11801 | answer=C | explanation=SI = PRT/100 = 49588×12×2/100 = █11901.

id=15594 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=15595 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:8 and the first is 112, what is the second? | option_a=224 | option_b=112 | option_c=120 | option_d=104 | answer=B | explanation=Scale factor = 112/8 = 14. Therefore second quantity = 8×14 = 112.

id=15596 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=15597 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:18 and the first is 21, what is the second? | option_a=108 | option_b=129 | option_c=126 | option_d=147 | answer=C | explanation=Scale factor = 21/3 = 7. Therefore second quantity = 18×7 = 126.

id=15598 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=N | option_b=W | option_c=Q | option_d=T | answer=D | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=15599 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2132. If it is sold at a profit of 5%, what is its selling price? | option_a=2238 | option_b=2137 | option_c=2025 | option_d=2451 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2132 × 105/100 = █2238.

id=15600 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=45 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

Aptitude Questions — Records 15,601-15,630 of 100,000

id=15601 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=15 | option_b=11 | option_c=13 | option_d=14 | answer=C | explanation=The common difference is 2. Therefore the next term is 11 + 2 = 13.

id=15602 | topic=Averages | difficulty=Easy | question=Find the average of 46, 61, 14, 14, 83, 79, 69, 71, 76. | option_a=57 | option_b=59 | option_c=56 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 513 ÷ 9 = 57.

id=15603 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=12 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=15604 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=W | option_b=M | option_c=B | option_d=R | answer=A | explanation=Move 5 positions forward from R; the resulting letter is W.

id=15605 | topic=Percentages | difficulty=Easy | question=What is 40% of 531? | option_a=212 | option_b=232 | option_c=207 | option_d=424 | answer=A | explanation=40% of 531 = (40/100) × 531 = 212.

id=15606 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=O | option_c=I | option_d=R | answer=B | explanation=Move 3 positions forward from L; the resulting letter is O.

id=15607 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=39 | option_b=40 | option_c=45 | option_d=33 | answer=A | explanation=The common difference is 6. Therefore the next term is 33 + 6 = 39.

id=15608 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=15609 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=62 | option_b=53 | option_c=54 | option_d=44 | answer=B | explanation=The common difference is 9. Therefore the next term is 44 + 9 = 53.

id=15610 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 25, 30, 37? | option_a=30 | option_b=20 | option_c=25 | option_d=37 | answer=D | explanation=The first three numbers increase by 5, so the next should be 35. Therefore 37 is the odd one out.

id=15611 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=D | option_c=S | option_d=N | answer=D | explanation=Move 5 positions forward from I; the resulting letter is N.

id=15612 | topic=Averages | difficulty=Easy | question=Find the average of 95, 79, 62, 39, 80, 58, 85, 18, 12, 22. | option_a=55 | option_b=57 | option_c=56 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 550 ÷ 10 = 55.

id=15613 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:8 and the first is 180, what is the second? | option_a=98 | option_b=260 | option_c=80 | option_d=72 | answer=C | explanation=Scale factor = 180/18 = 10. Therefore second quantity = 8×10 = 80.

id=15614 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:8 and the first is 136, what is the second? | option_a=136 | option_b=128 | option_c=144 | option_d=272 | answer=A | explanation=Scale factor = 136/8 = 17. Therefore second quantity = 8×17 = 136.

id=15615 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=29 | option_b=32 | option_c=35 | option_d=33 | answer=B | explanation=The common difference is 3. Therefore the next term is 29 + 3 = 32.

id=15616 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19181 at 5% per annum for 5 years. | option_a=4695 | option_b=4795 | option_c=4895 | option_d=23976 | answer=B | explanation=SI = PRT/100 = 19181×5×5/100 = **■**4795.

id=15617 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=C | option_b=M | option_c=H | option_d=R | answer=B | explanation=Move 5 positions forward from H; the resulting letter is M.

id=15618 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**703. If it is sold at a profit of 10%, what is its selling price? | option_a=843 | option_b=713 | option_c=773 | option_d=703 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 703 × 110/100 = **■**773.

id=15619 | topic=Averages | difficulty=Easy | question=Find the average of 75, 49, 47, 101. | option_a=68 | option_b=67 | option_c=69 | option_d=70 | answer=A | explanation=Average = sum of values ÷ number of values = 272 ÷ 4 = 68.

id=15620 | topic=Averages | difficulty=Easy | question=Find the average of 42, 14, 47, 45, 17, 27. | option_a=31 | option_b=33 | option_c=34 | option_d=32 | answer=D | explanation=Average = sum of values ÷ number of values = 192 ÷ 6 = 32.

id=15621 | topic=Percentages | difficulty=Easy | question=What is 30% of 1051? | option_a=315 | option_b=630 | option_c=335 | option_d=310 | answer=A | explanation=30% of 1051 = (30/100) × 1051 = 315.

id=15622 | topic=Percentages | difficulty=Easy | question=What is 20% of 1797? | option_a=359 | option_b=718 | option_c=339 | option_d=379 | answer=A | explanation=20% of 1797 = (20/100) × 1797 = 359.

id=15623 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=15624 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:11 and the first is 110, what is the second? | option_a=231 | option_b=131 | option_c=121 | option_d=110 | answer=C | explanation=Scale factor = 110/10 = 11. Therefore second quantity = 11×11 = 121.

id=15625 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43, ? | option_a=59 | option_b=51 | option_c=52 | option_d=43 | answer=B | explanation=The common difference is 8. Therefore the next term is 43 + 8 = 51.

id=15626 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:20 and the first is 171, what is the second? | option_a=551 | option_b=380 | option_c=360 | option_d=389 | answer=B | explanation=Scale factor = 171/9 = 19. Therefore second quantity = 20×19 = 380.

id=15627 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39179 at 5% per annum for 4 years. | option_a=7835 | option_b=47014 | option_c=7935 | option_d=7735 | answer=A | explanation=SI = PRT/100 = 39179×5×4/100 = **■**7835.

id=15628 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:15 and the first is 216, what is the second? | option_a=198 | option_b=165 | option_c=396 | option_d=180 | answer=D | explanation=Scale factor = 216/18 = 12. Therefore second quantity = 15×12 = 180.

id=15629 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=95 | option_c=90 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=15630 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=34 | option_b=41 | option_c=48 | option_d=42 | answer=B | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

Aptitude Questions — Records 15,631-15,660 of 100,000

id=15631 | topic=Averages | difficulty=Easy | question=Find the average of 32, 77, 14, 25. | option_a=38 | option_b=37 | option_c=39 | option_d=36 | answer=B | explanation=Average = sum of values ÷ number of values = 148 ÷ 4 = 37.

id=15632 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2684. If it is sold at a profit of 20%, what is its selling price? | option_a=2704 | option_b=3488 | option_c=3220 | option_d=2952 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2684 × 120/100 = █3220.

id=15633 | topic=Percentages | difficulty=Easy | question=What is 50% of 456? | option_a=228 | option_b=218 | option_c=238 | option_d=456 | answer=A | explanation=50% of 456 = (50/100) × 456 = 228.

id=15634 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:19 and the first is 28, what is the second? | option_a=133 | option_b=161 | option_c=137 | option_d=114 | answer=A | explanation=Scale factor = 28/4 = 7. Therefore second quantity = 19×7 = 133.

id=15635 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=25 | option_b=23 | option_c=22 | option_d=19 | answer=C | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.

id=15636 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10368 at 12% per annum for 2 years. | option_a=12856 | option_b=2488 | option_c=2388 | option_d=2588 | answer=B | explanation=SI = PRT/100 = 10368×12×2/100 = █2488.

id=15637 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 21, 30, 39, ? | option_a=57 | option_b=49 | option_c=48 | option_d=39 | answer=C | explanation=The common difference is 9. Therefore the next term is 39 + 9 = 48.

id=15638 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30506 at 15% per annum for 1 years. | option_a=4575 | option_b=4475 | option_c=4675 | option_d=35081 | answer=A | explanation=SI = PRT/100 = 30506×15×1/100 = █4575.

id=15639 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=K | option_c=F | option_d=V | answer=C | explanation=Move 5 positions forward from A; the resulting letter is F.

id=15640 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 21, 27, 35? | option_a=21 | option_b=15 | option_c=35 | option_d=27 | answer=C | explanation=The first three numbers increase by 6, so the next should be 33. Therefore 35 is the odd one out.

id=15641 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1571. If it is sold at a profit of 25%, what is its selling price? | option_a=1596 | option_b=1806 | option_c=2120 | option_d=1963 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1571 × 125/100 = █1963.

id=15642 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=15643 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40456 at 8% per annum for 1 years. | option_a=3236 | option_b=3136 | option_c=43692 | option_d=3336 | answer=A | explanation=SI = PRT/100 = 40456×8×1/100 = █3236.

id=15644 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:4 and the first is 171, what is the second? | option_a=32 | option_b=207 | option_c=36 | option_d=55 | answer=C | explanation=Scale factor = 171/19 = 9. Therefore second quantity = 4×9 = 36.

id=15645 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2465. If it is sold at a profit of 30%, what is its selling price? | option_a=3204 | option_b=2495 | option_c=2958 | option_d=3450 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2465 × 130/100 = █3204.

id=15646 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:4 and the first is 192, what is the second? | option_a=64 | option_b=48 | option_c=240 | option_d=44 | answer=B | explanation=Scale factor = 192/16 = 12. Therefore second quantity = 4×12 = 48.

id=15647 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=180 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=15648 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31129 at 15% per annum for 1 years. | option_a=4569 | option_b=4669 | option_c=4769 | option_d=35798 | answer=B | explanation=SI = PRT/100 = 31129×15×1/100 = █4669.

id=15649 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:8 and the first is 204, what is the second? | option_a=128 | option_b=340 | option_c=136 | option_d=148 | answer=C | explanation=Scale factor = 204/12 = 17. Therefore second quantity = 8×17 = 136.

id=15650 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 21? | option_a=18 | option_b=14 | option_c=16 | option_d=21 | answer=D | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 21 is the odd one out.

id=15651 | topic=Percentages | difficulty=Easy | question=What is 12% of 1568? | option_a=188 | option_b=183 | option_c=376 | option_d=198 | answer=A | explanation=12% of 1568 = (12/100) × 1568 = 188.

id=15652 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 20. | option_a=120 | option_b=100 | option_c=144 | option_d=480 | answer=A | explanation=LCM × HCF = 24×20; HCF(24,20) = 4, so LCM = 120.

id=15653 | topic=Profit & Loss | difficulty=Easy | question=An article costs █935. If it is sold at a profit of 25%, what is its selling price? | option_a=1261 | option_b=1075 | option_c=960 | option_d=1168 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 935 × 125/100 = █1168.

id=15654 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2278. If it is sold at a profit of 30%, what is its selling price? | option_a=2734 | option_b=2308 | option_c=3188 | option_d=2961 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2278 × 130/100 = █2961.

id=15655 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=12 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=15656 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1842 at 5% per annum for 4 years. | option_a=368 | option_b=268 | option_c=468 | option_d=2210 | answer=A | explanation=SI = PRT/100 = 1842×5×4/100 = █368.

id=15657 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:2 and the first is 80, what is the second? | option_a=40 | option_b=38 | option_c=120 | option_d=44 | answer=A | explanation=Scale factor = 80/4 = 20. Therefore second quantity = 2×20 = 40.

id=15658 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9607 at 8% per annum for 3 years. | option_a=11912 | option_b=2205 | option_c=2405 | option_d=2305 | answer=D | explanation=SI = PRT/100 = 9607×8×3/100 = █2305.

id=15659 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 20. | option_a=80 | option_b=1 | option_c=20 | option_d=24 | answer=C | explanation=LCM × HCF = 4×20; HCF(4,20) = 4, so LCM = 20.

id=15660 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 37? | option_a=24 | option_b=37 | option_c=4 | option_d=14 | answer=B | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 37 is the odd one out.

Aptitude Questions — Records 15,661-15,690 of 100,000

id=15661 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=15662 | topic=Averages | difficulty=Easy | question=Find the average of 43, 29, 18, 36, 96, 72, 88, 18, 32. | option_a=48 | option_b=50 | option_c=49 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 432 ÷ 9 = 48.

id=15663 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3045. If it is sold at a profit of 5%, what is its selling price? | option_a=3050 | option_b=3501 | option_c=3197 | option_d=2893 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3045 × 105/100 = █3197.

id=15664 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=72 | option_c=41 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=15665 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2889. If it is sold at a profit of 25%, what is its selling price? | option_a=3323 | option_b=3611 | option_c=2914 | option_d=3899 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2889 × 125/100 = █3611.

id=15666 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1624 at 4% per annum for 4 years. | option_a=259 | option_b=359 | option_c=159 | option_d=1883 | answer=A | explanation=SI = PRT/100 = 1624×4×4/100 = █259.

id=15667 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 44? | option_a=21 | option_b=11 | option_c=31 | option_d=44 | answer=D | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 44 is the odd one out.

id=15668 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:16 and the first is 182, what is the second? | option_a=390 | option_b=208 | option_c=192 | option_d=222 | answer=B | explanation=Scale factor = 182/14 = 13. Therefore second quantity = 16×13 = 208.

id=15669 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2885 at 15% per annum for 1 years. | option_a=3317 | option_b=532 | option_c=432 | option_d=332 | answer=C | explanation=SI = PRT/100 = 2885×15×1/100 = █432.

id=15670 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=61 | option_b=60 | option_c=70 | option_d=50 | answer=B | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

id=15671 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 28, 33, 40? | option_a=23 | option_b=28 | option_c=33 | option_d=40 | answer=D | explanation=The first three numbers increase by 5, so the next should be 38. Therefore 40 is the odd one out.

id=15672 | topic=Averages | difficulty=Easy | question=Find the average of 46, 13, 56, 45. | option_a=42 | option_b=40 | option_c=41 | option_d=39 | answer=B | explanation=Average = sum of values ÷ number of values = 160 ÷ 4 = 40.

id=15673 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48146 at 15% per annum for 3 years. | option_a=21765 | option_b=69811 | option_c=21665 | option_d=21565 | answer=C | explanation=SI = PRT/100 = 48146×15×3/100 = █21665.

id=15674 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 31, 41, 52? | option_a=21 | option_b=41 | option_c=52 | option_d=31 | answer=C | explanation=The first three numbers increase by 10, so the next should be 51. Therefore 52 is the odd one out.

id=15675 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=29 | option_b=33 | option_c=34 | option_d=37 | answer=B | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=15676 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4594. If it is sold at a profit of 30%, what is its selling price? | option_a=5972 | option_b=6431 | option_c=5513 | option_d=4624 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4594 × 130/100 = █5972.

id=15677 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 30. | option_a=80 | option_b=600 | option_c=60 | option_d=30 | answer=C | explanation=LCM × HCF = 20×30; HCF(20,30) = 10, so LCM = 60.

id=15678 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=K | option_b=I | option_c=J | option_d=L | answer=A | explanation=Move 1 positions forward from J; the resulting letter is K.

id=15679 | topic=Averages | difficulty=Easy | question=Find the average of 94, 85, 81, 32, 22, 94. | option_a=67 | option_b=70 | option_c=69 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = 408 ÷ 6 = 68.

id=15680 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=23 | option_b=27 | option_c=24 | option_d=19 | answer=A | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=15681 | topic=Percentages | difficulty=Easy | question=What is 30% of 1508? | option_a=442 | option_b=904 | option_c=452 | option_d=462 | answer=C | explanation=30% of 1508 = (30/100) × 1508 = 452.

id=15682 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3526. If it is sold at a profit of 50%, what is its selling price? | option_a=5641 | option_b=4937 | option_c=3576 | option_d=5289 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3526 × 150/100 = █5289.

id=15683 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3309. If it is sold at a profit of 50%, what is its selling price? | option_a=5293 | option_b=4963 | option_c=3359 | option_d=4633 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3309 × 150/100 = █4963.

id=15684 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10629 at 4% per annum for 5 years. | option_a=2125 | option_b=2025 | option_c=12754 | option_d=2225 | answer=A | explanation=SI = PRT/100 = 10629×4×5/100 = █2125.

id=15685 | topic=Percentages | difficulty=Easy | question=What is 30% of 996? | option_a=288 | option_b=596 | option_c=298 | option_d=303 | answer=C | explanation=30% of 996 = (30/100) × 996 = 298.

id=15686 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:5 and the first is 247, what is the second? | option_a=84 | option_b=60 | option_c=65 | option_d=312 | answer=C | explanation=Scale factor = 247/19 = 13. Therefore second quantity = 5×13 = 65.

id=15687 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 17, 22, 30? | option_a=22 | option_b=17 | option_c=30 | option_d=12 | answer=C | explanation=The first three numbers increase by 5, so the next should be 27. Therefore 30 is the odd one out.

id=15688 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2088. If it is sold at a profit of 15%, what is its selling price? | option_a=2609 | option_b=2193 | option_c=2103 | option_d=2401 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2088 × 115/100 = █2401.

id=15689 | topic=Percentages | difficulty=Easy | question=What is 25% of 1879? | option_a=938 | option_b=489 | option_c=464 | option_d=469 | answer=D | explanation=25% of 1879 = (25/100) × 1879 = 469.

id=15690 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 15,691-15,720 of 100,000

id=15691 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=Q | option_b=T | option_c=R | option_d=S | answer=D | explanation=Move 1 positions forward from R; the resulting letter is S.

id=15692 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=15693 | topic=Averages | difficulty=Easy | question=Find the average of 16, 81, 30, 69, | option_a=50 | option_b=48 | option_c=49 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 196 ÷ 4 = 49.

id=15694 | topic=Percentages | difficulty=Easy | question=What is 20% of 456? | option_a=91 | option_b=96 | option_c=182 | option_d=71 | answer=A | explanation=20% of 456 = (20/100) × 456 = 91.

id=15695 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:19 and the first is 180, what is the second? | option_a=208 | option_b=171 | option_c=190 | option_d=370 | answer=C | explanation=Scale factor = 180/18 = 10. Therefore second quantity = 19×10 = 190.

id=15696 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=57 | option_b=67 | option_c=47 | option_d=58 | answer=A | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

id=15697 | topic=Averages | difficulty=Easy | question=Find the average of 82, 54, 65, 76, 33, 44, | option_a=60 | option_b=58 | option_c=59 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.

id=15698 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=S | option_c=M | option_d=V | answer=B | explanation=Move 3 positions forward from P; the resulting letter is S.

id=15699 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=Y | option_b=V | option_c=S | option_d=P | answer=B | explanation=Move 3 positions forward from S; the resulting letter is V.

id=15700 | topic=Profit & Loss | difficulty=Easy | question=An article costs █962. If it is sold at a profit of 30%, what is its selling price? | option_a=1346 | option_b=1154 | option_c=992 | option_d=1250 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 962 × 130/100 = █1250.

id=15701 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32384 at 6% per annum for 4 years. | option_a=7772 | option_b=7672 | option_c=7872 | option_d=40156 | answer=A | explanation=SI = PRT/100 = 32384×6×4/100 = █7772.

id=15702 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=44 | option_b=45 | option_c=36 | option_d=52 | answer=A | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.

id=15703 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=15 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=15704 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1366. If it is sold at a profit of 10%, what is its selling price? | option_a=1366 | option_b=1638 | option_c=1376 | option_d=1502 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1366 × 110/100 = █1502.

id=15705 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 6. | option_a=6 | option_b=1 | option_c=36 | option_d=12 | answer=A | explanation=LCM × HCF = 6×6; HCF(6,6) = 6, so LCM = 6.

id=15706 | topic=Averages | difficulty=Easy | question=Find the average of 100, 63, 96, 11, 93, 99, | option_a=79 | option_b=78 | option_c=77 | option_d=76 | answer=C | explanation=Average = sum of values ÷ number of values = 462 ÷ 6 = 77.

id=15707 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=D | option_b=Y | option_c=O | option_d=T | answer=B | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=15708 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:1 and the first is 48, what is the second? | option_a=6 | option_b=54 | option_c=5 | option_d=14 | answer=A | explanation=Scale factor = 48/8 = 6. Therefore second quantity = 1×6 = 6.

id=15709 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:3 and the first is 121, what is the second? | option_a=44 | option_b=154 | option_c=30 | option_d=33 | answer=D | explanation=Scale factor = 121/11 = 11. Therefore second quantity = 3×11 = 33.

id=15710 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:19 and the first is 90, what is the second? | option_a=95 | option_b=204 | option_c=114 | option_d=129 | answer=C | explanation=Scale factor = 90/15 = 6. Therefore second quantity = 19×6 = 114.

id=15711 | topic=Percentages | difficulty=Easy | question=What is 5% of 1957? | option_a=117 | option_b=92 | option_c=194 | option_d=97 | answer=D | explanation=5% of 1957 = (5/100) × 1957 = 97.

id=15712 | topic=Percentages | difficulty=Easy | question=What is 40% of 1176? | option_a=475 | option_b=940 | option_c=470 | option_d=465 | answer=C | explanation=40% of 1176 = (40/100) × 1176 = 470.

id=15713 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=10 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=15714 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:19 and the first is 182, what is the second? | option_a=261 | option_b=228 | option_c=247 | option_d=429 | answer=C | explanation=Scale factor = 182/14 = 13. Therefore second quantity = 19×13 = 247.

id=15715 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 43? | option_a=34 | option_b=38 | option_c=30 | option_d=43 | answer=D | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 43 is the odd one out.

id=15716 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:13 and the first is 80, what is the second? | option_a=210 | option_b=117 | option_c=130 | option_d=138 | answer=C | explanation=Scale factor = 80/8 = 10. Therefore second quantity = 13×10 = 130.

id=15717 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:20 and the first is 24, what is the second? | option_a=40 | option_b=84 | option_c=60 | option_d=68 | answer=C | explanation=Scale factor = 24/8 = 3. Therefore second quantity = 20×3 = 60.

id=15718 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=E | option_c=M | option_d=A | answer=A | explanation=Move 4 positions forward from E; the resulting letter is I.

id=15719 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=55 | option_b=35 | option_c=46 | option_d=45 | answer=D | explanation=The common difference is 10. Therefore the next term is 35 + 10 = 45.

id=15720 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:10 and the first is 360, what is the second? | option_a=190 | option_b=200 | option_c=560 | option_d=218 | answer=B | explanation=Scale factor = 360/18 = 20. Therefore second quantity = 10×20 = 200.

Aptitude Questions — Records 15,721-15,750 of 100,000

id=15721 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 24. | option_a=216 | option_b=192 | option_c=243 | option_d=648 | answer=A | explanation=LCM × HCF = 27×24; HCF(27,24) = 3, so LCM = 216.

id=15722 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44678 at 4% per annum for 5 years. | option_a=8935 | option_b=53613 | option_c=9035 | option_d=8835 | answer=A | explanation=SI = PRT/100 = 44678×4×5/100 = **■**8935.

id=15723 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:7 and the first is 32, what is the second? | option_a=114 | option_b=105 | option_c=144 | option_d=112 | answer=D | explanation=Scale factor = 32/2 = 16. Therefore second quantity = 7×16 = 112.

id=15724 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 22. | option_a=220 | option_b=240 | option_c=440 | option_d=198 | answer=A | explanation=LCM × HCF = 20×22; HCF(20,22) = 2, so LCM = 220.

id=15725 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1457. If it is sold at a profit of 15%, what is its selling price? | option_a=1530 | option_b=1472 | option_c=1820 | option_d=1675 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1457 × 115/100 = **■**1675.

id=15726 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=30 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=15727 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 32, 35, 39? | option_a=39 | option_b=32 | option_c=29 | option_d=35 | answer=A | explanation=The first three numbers increase by 3, so the next should be 38. Therefore 39 is the odd one out.

id=15728 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 7. | option_a=42 | option_b=14 | option_c=21 | option_d=147 | answer=C | explanation=LCM × HCF = 21×7; HCF(21,7) = 7, so LCM = 21.

id=15729 | topic=Percentages | difficulty=Easy | question=What is 20% of 827? | option_a=165 | option_b=170 | option_c=330 | option_d=145 | answer=A | explanation=20% of 827 = (20/100) × 827 = 165.

id=15730 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1179. If it is sold at a profit of 20%, what is its selling price? | option_a=1297 | option_b=1414 | option_c=1531 | option_d=1199 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1179 × 120/100 = **■**1414.

id=15731 | topic=Averages | difficulty=Easy | question=Find the average of 44, 17, 42, 14, 61, 83, 92, 49, 51, 77. | option_a=53 | option_b=54 | option_c=55 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=15732 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3025. If it is sold at a profit of 50%, what is its selling price? | option_a=4830 | option_b=4235 | option_c=4537 | option_d=3075 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3025 × 150/100 = **■**4537.

id=15733 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=15734 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4267. If it is sold at a profit of 15%, what is its selling price? | option_a=4481 | option_b=4282 | option_c=4907 | option_d=5333 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4267 × 115/100 = **■**4907.

id=15735 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1486. If it is sold at a profit of 20%, what is its selling price? | option_a=1931 | option_b=1506 | option_c=1783 | option_d=1635 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1486 × 120/100 = **■**1783.

id=15736 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 35? | option_a=19 | option_b=35 | option_c=12 | option_d=26 | answer=B | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 35 is the odd one out.

id=15737 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=36 | option_c=31 | option_d=41 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=15738 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:9 and the first is 144, what is the second? | option_a=90 | option_b=72 | option_c=216 | option_d=63 | answer=B | explanation=Scale factor = 144/18 = 8. Therefore second quantity = 9×8 = 72.

id=15739 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 9. | option_a=54 | option_b=24 | option_c=9 | option_d=18 | answer=D | explanation=LCM × HCF = 6×9; HCF(6,9) = 3, so LCM = 18.

id=15740 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=15741 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=Y | option_b=S | option_c=U | option_d=W | answer=D | explanation=Move 2 positions forward from U; the resulting letter is W.

id=15742 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=A | option_c=X | option_d=R | answer=C | explanation=Move 3 positions forward from U; the resulting letter is X.

id=15743 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4128. If it is sold at a profit of 50%, what is its selling price? | option_a=4178 | option_b=6604 | option_c=6192 | option_d=5780 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4128 × 150/100 = **■**6192.

id=15744 | topic=Averages | difficulty=Easy | question=Find the average of 40, 17, 28, 38, 52, 53, 34, 34, 73, 31. | option_a=39 | option_b=42 | option_c=40 | option_d=41 | answer=C | explanation=Average = sum of values ÷ number of values = 400 ÷ 10 = 40.

id=15745 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 3. | option_a=30 | option_b=90 | option_c=27 | option_d=60 | answer=A | explanation=LCM × HCF = 30×3; HCF(30,3) = 3, so LCM = 30.

id=15746 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2742. If it is sold at a profit of 5%, what is its selling price? | option_a=3153 | option_b=2747 | option_c=2605 | option_d=2879 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2742 × 105/100 = **■**2879.

id=15747 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=15748 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=19 | option_c=48 | option_d=29 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=15749 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**586. If it is sold at a profit of 20%, what is its selling price? | option_a=761 | option_b=645 | option_c=606 | option_d=703 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 586 × 120/100 = **■**703.

id=15750 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=M | option_c=J | option_d=D | answer=C | explanation=Move 3 positions forward from G; the resulting letter is J.

Aptitude Questions — Records 15,751-15,780 of 100,000

id=15751 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=F | option_b=I | option_c=Z | option_d=C | answer=A | explanation=Move 3 positions forward from C; the resulting letter is F.

id=15752 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=36 | option_b=35 | option_c=40 | option_d=30 | answer=B | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=15753 | topic=Averages | difficulty=Easy | question=Find the average of 33, 47, 14, 78, 87, 64, 100, 30, 42. | option_a=54 | option_b=56 | option_c=57 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.

id=15754 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2346. If it is sold at a profit of 20%, what is its selling price? | option_a=3049 | option_b=2581 | option_c=2366 | option_d=2815 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2346 × 120/100 = █2815.

id=15755 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 10, 14, 20? | option_a=6 | option_b=14 | option_c=20 | option_d=10 | answer=C | explanation=The first three numbers increase by 4, so the next should be 18. Therefore 20 is the odd one out.

id=15756 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=15757 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 30? | option_a=16 | option_b=22 | option_c=10 | option_d=30 | answer=D | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 30 is the odd one out.

id=15758 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4536. If it is sold at a profit of 30%, what is its selling price? | option_a=5443 | option_b=6349 | option_c=5896 | option_d=4566 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4536 × 130/100 = █5896.

id=15759 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=29 | option_b=26 | option_c=30 | option_d=32 | answer=A | explanation=The common difference is 3. Therefore the next term is 26 + 3 = 29.

id=15760 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:8 and the first is 152, what is the second? | option_a=152 | option_b=304 | option_c=144 | option_d=160 | answer=A | explanation=Scale factor = 152/8 = 19. Therefore second quantity = 8×19 = 152.

id=15761 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:18 and the first is 84, what is the second? | option_a=108 | option_b=138 | option_c=126 | option_d=210 | answer=C | explanation=Scale factor = 84/12 = 7. Therefore second quantity = 18×7 = 126.

id=15762 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2857. If it is sold at a profit of 15%, what is its selling price? | option_a=3570 | option_b=3000 | option_c=3285 | option_d=2872 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2857 × 115/100 = █3285.

id=15763 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 20? | option_a=17 | option_b=15 | option_c=13 | option_d=20 | answer=D | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 20 is the odd one out.

id=15764 | topic=Percentages | difficulty=Easy | question=What is 15% of 1482? | option_a=222 | option_b=444 | option_c=227 | option_d=212 | answer=A | explanation=15% of 1482 = (15/100) × 1482 = 222.

id=15765 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=Y | option_b=S | option_c=P | option_d=V | answer=D | explanation=Move 3 positions forward from S; the resulting letter is V.

id=15766 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=15767 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=P | option_b=M | option_c=G | option_d=J | answer=B | explanation=Move 3 positions forward from J; the resulting letter is M.

id=15768 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4260 at 5% per annum for 3 years. | option_a=4899 | option_b=739 | option_c=539 | option_d=639 | answer=D | explanation=SI = PRT/100 = 4260×5×3/100 = █639.

id=15769 | topic=Percentages | difficulty=Easy | question=What is 10% of 302? | option_a=30 | option_b=50 | option_c=60 | option_d=25 | answer=A | explanation=10% of 302 = (10/100) × 302 = 30.

id=15770 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=15771 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 34, 43, 55? | option_a=25 | option_b=43 | option_c=34 | option_d=55 | answer=D | explanation=The first three numbers increase by 9, so the next should be 52. Therefore 55 is the odd one out.

id=15772 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=180 | option_c=95 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=15773 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=Q | option_b=L | option_c=G | option_d=B | answer=B | explanation=Move 5 positions forward from G; the resulting letter is L.

id=15774 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=56 | option_b=46 | option_c=47 | option_d=36 | answer=B | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.

id=15775 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 24? | option_a=19 | option_b=24 | option_c=17 | option_d=21 | answer=B | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 24 is the odd one out.

id=15776 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=S | option_c=W | option_d=K | answer=B | explanation=Move 4 positions forward from O; the resulting letter is S.

id=15777 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 28? | option_a=21 | option_b=18 | option_c=24 | option_d=28 | answer=D | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 28 is the odd one out.

id=15778 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=15779 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=V | option_b=Y | option_c=P | option_d=S | answer=A | explanation=Move 3 positions forward from S; the resulting letter is V.

id=15780 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=L | option_b=Q | option_c=B | option_d=G | answer=A | explanation=Move 5 positions forward from G; the resulting letter is L.

Aptitude Questions — Records 15,781-15,810 of 100,000

id=15781 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 24? | option_a=3 | option_b=9 | option_c=15 | option_d=24 | answer=D | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 24 is the odd one out.

id=15782 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=75 | option_c=80 | option_d=70 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=15783 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=15784 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=15785 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=15786 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 23, 26, 30? | option_a=30 | option_b=26 | option_c=23 | option_d=20 | answer=A | explanation=The first three numbers increase by 3, so the next should be 29. Therefore 30 is the odd one out.

id=15787 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4940. If it is sold at a profit of 50%, what is its selling price? | option_a=7410 | option_b=6916 | option_c=4990 | option_d=7904 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4940 × 150/100 = █7410.

id=15788 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 24, 32, 40, ? | option_a=48 | option_b=56 | option_c=40 | option_d=49 | answer=A | explanation=The common difference is 8. Therefore the next term is 40 + 8 = 48.

id=15789 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1354. If it is sold at a profit of 20%, what is its selling price? | option_a=1374 | option_b=1489 | option_c=1759 | option_d=1624 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1354 × 120/100 = █1624.

id=15790 | topic=Profit & Loss | difficulty=Easy | question=An article costs █656. If it is sold at a profit of 20%, what is its selling price? | option_a=787 | option_b=722 | option_c=676 | option_d=852 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 656 × 120/100 = █787.

id=15791 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:14 and the first is 90, what is the second? | option_a=149 | option_b=230 | option_c=126 | option_d=140 | answer=D | explanation=Scale factor = 90/9 = 10. Therefore second quantity = 14×10 = 140.

id=15792 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 27? | option_a=4 | option_b=18 | option_c=27 | option_d=11 | answer=C | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 27 is the odd one out.

id=15793 | topic=Profit & Loss | difficulty=Easy | question=An article costs █957. If it is sold at a profit of 15%, what is its selling price? | option_a=1195 | option_b=1005 | option_c=972 | option_d=1100 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 957 × 115/100 = █1100.

id=15794 | topic=Percentages | difficulty=Easy | question=What is 10% of 1313? | option_a=262 | option_b=111 | option_c=151 | option_d=131 | answer=D | explanation=10% of 1313 = (10/100) × 1313 = 131.

id=15795 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 14. | option_a=80 | option_b=56 | option_c=140 | option_d=70 | answer=D | explanation=LCM × HCF = 10×14; HCF(10,14) = 2, so LCM = 70.

id=15796 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=15797 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=31 | option_c=41 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=15798 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 14. | option_a=196 | option_b=240 | option_c=210 | option_d=420 | answer=C | explanation=LCM × HCF = 30×14; HCF(30,14) = 2, so LCM = 210.

id=15799 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 41? | option_a=14 | option_b=22 | option_c=41 | option_d=30 | answer=C | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 41 is the odd one out.

id=15800 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:14 and the first is 266, what is the second? | option_a=215 | option_b=462 | option_c=182 | option_d=196 | answer=D | explanation=Scale factor = 266/19 = 14. Therefore second quantity = 14×14 = 196.

id=15801 | topic=Averages | difficulty=Easy | question=Find the average of 13, 55, 37, 16, 59. | option_a=37 | option_b=36 | option_c=38 | option_d=35 | answer=B | explanation=Average = sum of values ÷ number of values = 180 ÷ 5 = 36.

id=15802 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 22, 32, 45? | option_a=45 | option_b=12 | option_c=22 | option_d=32 | answer=A | explanation=The first three numbers increase by 10, so the next should be 42. Therefore 45 is the odd one out.

id=15803 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2542. If it is sold at a profit of 5%, what is its selling price? | option_a=2923 | option_b=2547 | option_c=2415 | option_d=2669 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2542 × 105/100 = █2669.

id=15804 | topic=Percentages | difficulty=Easy | question=What is 20% of 348? | option_a=69 | option_b=49 | option_c=89 | option_d=138 | answer=A | explanation=20% of 348 = (20/100) × 348 = 69.

id=15805 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=24 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=15806 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48140 at 4% per annum for 5 years. | option_a=9528 | option_b=9628 | option_c=57768 | option_d=9728 | answer=B | explanation=SI = PRT/100 = 48140×4×5/100 = █9628.

id=15807 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=T | option_c=S | option_d=R | answer=B | explanation=Move 1 positions forward from S; the resulting letter is T.

id=15808 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26588 at 8% per annum for 5 years. | option_a=10635 | option_b=10535 | option_c=37223 | option_d=10735 | answer=A | explanation=SI = PRT/100 = 26588×8×5/100 = █10635.

id=15809 | topic=Percentages | difficulty=Easy | question=What is 40% of 276? | option_a=90 | option_b=220 | option_c=110 | option_d=120 | answer=C | explanation=40% of 276 = (40/100) × 276 = 110.

id=15810 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

Aptitude Questions — Records 15,811-15,840 of 100,000

id=15811 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 14? | option_a=3 | option_b=14 | option_c=9 | option_d=6 | answer=B | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 14 is the odd one out.

id=15812 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2170. If it is sold at a profit of 5%, what is its selling price? | option_a=2495 | option_b=2175 | option_c=2061 | option_d=2278 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2170 × 105/100 = █2278.

id=15813 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45023 at 6% per annum for 1 years. | option_a=2701 | option_b=2601 | option_c=47724 | option_d=2801 | answer=A | explanation=SI = PRT/100 = 45023×6×1/100 = █2701.

id=15814 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:2 and the first is 143, what is the second? | option_a=37 | option_b=169 | option_c=24 | option_d=26 | answer=D | explanation=Scale factor = 143/11 = 13. Therefore second quantity = 2×13 = 26.

id=15815 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2823. If it is sold at a profit of 30%, what is its selling price? | option_a=2853 | option_b=3669 | option_c=3951 | option_d=3387 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2823 × 130/100 = █3669.

id=15816 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:2 and the first is 160, what is the second? | option_a=16 | option_b=176 | option_c=36 | option_d=14 | answer=A | explanation=Scale factor = 160/20 = 8. Therefore second quantity = 2×8 = 16.

id=15817 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 14. | option_a=224 | option_b=112 | option_c=128 | option_d=98 | answer=B | explanation=LCM × HCF = 16×14; HCF(16,14) = 2, so LCM = 112.

id=15818 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9939 at 8% per annum for 3 years. | option_a=12324 | option_b=2485 | option_c=2385 | option_d=2285 | answer=C | explanation=SI = PRT/100 = 9939×8×3/100 = █2385.

id=15819 | topic=Percentages | difficulty=Easy | question=What is 15% of 635? | option_a=190 | option_b=85 | option_c=95 | option_d=100 | answer=C | explanation=15% of 635 = (15/100) × 635 = 95.

id=15820 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:5 and the first is 36, what is the second? | option_a=40 | option_b=81 | option_c=45 | option_d=49 | answer=C | explanation=Scale factor = 36/4 = 9. Therefore second quantity = 5×9 = 45.

id=15821 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=L | option_b=G | option_c=Q | option_d=B | answer=A | explanation=Move 5 positions forward from G; the resulting letter is L.

id=15822 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42206 at 15% per annum for 5 years. | option_a=73860 | option_b=31654 | option_c=31754 | option_d=31554 | answer=B | explanation=SI = PRT/100 = 42206×15×5/100 = █31654.

id=15823 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=1 | option_c=6 | option_d=12 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=15824 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4602. If it is sold at a profit of 5%, what is its selling price? | option_a=4607 | option_b=4832 | option_c=4372 | option_d=5292 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4602 × 105/100 = █4832.

id=15825 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36084 at 4% per annum for 2 years. | option_a=2986 | option_b=38970 | option_c=2886 | option_d=2786 | answer=C | explanation=SI = PRT/100 = 36084×4×2/100 = █2886.

id=15826 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 34? | option_a=16 | option_b=34 | option_c=24 | option_d=8 | answer=B | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 34 is the odd one out.

id=15827 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3778. If it is sold at a profit of 5%, what is its selling price? | option_a=3966 | option_b=3589 | option_c=4343 | option_d=3783 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3778 × 105/100 = █3966.

id=15828 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 28. | option_a=28 | option_b=56 | option_c=1 | option_d=784 | answer=A | explanation=LCM × HCF = 28×28; HCF(28,28) = 28, so LCM = 28.

id=15829 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:13 and the first is 70, what is the second? | option_a=78 | option_b=161 | option_c=101 | option_d=91 | answer=D | explanation=Scale factor = 70/10 = 7. Therefore second quantity = 13×7 = 91.

id=15830 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=R | option_b=S | option_c=U | option_d=T | answer=D | explanation=Move 1 positions forward from S; the resulting letter is T.

id=15831 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=55 | option_b=49 | option_c=48 | option_d=41 | answer=C | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.

id=15832 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2768. If it is sold at a profit of 20%, what is its selling price? | option_a=2788 | option_b=3321 | option_c=3045 | option_d=3597 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2768 × 120/100 = █3321.

id=15833 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 22. | option_a=132 | option_b=168 | option_c=308 | option_d=154 | answer=D | explanation=LCM × HCF = 14×22; HCF(14,22) = 2, so LCM = 154.

id=15834 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 40? | option_a=19 | option_b=10 | option_c=28 | option_d=40 | answer=D | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 40 is the odd one out.

id=15835 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:16 and the first is 48, what is the second? | option_a=64 | option_b=112 | option_c=48 | option_d=76 | answer=A | explanation=Scale factor = 48/12 = 4. Therefore second quantity = 16×4 = 64.

id=15836 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 11, 20, 32? | option_a=20 | option_b=11 | option_c=32 | option_d=2 | answer=C | explanation=The first three numbers increase by 9, so the next should be 29. Therefore 32 is the odd one out.

id=15837 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=15 | option_b=16 | option_c=18 | option_d=12 | answer=A | explanation=The common difference is 3. Therefore the next term is 12 + 3 = 15.

id=15838 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=15839 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=15840 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 15,841-15,870 of 100,000

id=15841 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=240 | option_d=115 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=15842 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 29, 38, 49? | option_a=38 | option_b=20 | option_c=29 | option_d=49 | answer=D | explanation=The first three numbers increase by 9, so the next should be 47. Therefore 49 is the odd one out.

id=15843 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=L | option_b=I | option_c=O | option_d=F | answer=A | explanation=Move 3 positions forward from I; the resulting letter is L.

id=15844 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:13 and the first is 70, what is the second? | option_a=169 | option_b=187 | option_c=252 | option_d=182 | answer=D | explanation=Scale factor = 70/5 = 14. Therefore second quantity = 13×14 = 182.

id=15845 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 45? | option_a=32 | option_b=37 | option_c=45 | option_d=27 | answer=C | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 45 is the odd one out.

id=15846 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=C | option_b=R | option_c=H | option_d=M | answer=D | explanation=Move 5 positions forward from H; the resulting letter is M.

id=15847 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 5. | option_a=25 | option_b=30 | option_c=60 | option_d=150 | answer=B | explanation=LCM × HCF = 30×5; HCF(30,5) = 5, so LCM = 30.

id=15848 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=P | option_c=O | option_d=Q | answer=D | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=15849 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=38 | option_b=33 | option_c=32 | option_d=26 | answer=C | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=15850 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=15851 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=15852 | topic=Percentages | difficulty=Easy | question=What is 40% of 1380? | option_a=547 | option_b=1104 | option_c=552 | option_d=562 | answer=C | explanation=40% of 1380 = (40/100) × 1380 = 552.

id=15853 | topic=Percentages | difficulty=Easy | question=What is 15% of 1226? | option_a=183 | option_b=178 | option_c=188 | option_d=366 | answer=A | explanation=15% of 1226 = (15/100) × 1226 = 183.

id=15854 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 22. | option_a=1 | option_b=22 | option_c=44 | option_d=24 | answer=B | explanation=LCM × HCF = 2×22; HCF(2,22) = 2, so LCM = 22.

id=15855 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2232. If it is sold at a profit of 10%, what is its selling price? | option_a=2242 | option_b=2455 | option_c=2232 | option_d=2678 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2232 × 110/100 = █2455.

id=15856 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=70 | option_b=61 | option_c=50 | option_d=60 | answer=D | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

id=15857 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=E | option_b=U | option_c=P | option_d=Z | answer=D | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=15858 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=R | option_c=V | option_d=J | answer=B | explanation=Move 4 positions forward from N; the resulting letter is R.

id=15859 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=15860 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2313. If it is sold at a profit of 10%, what is its selling price? | option_a=2544 | option_b=2323 | option_c=2775 | option_d=2313 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2313 × 110/100 = █2544.

id=15861 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=J | option_c=G | option_d=A | answer=C | explanation=Move 3 positions forward from D; the resulting letter is G.

id=15862 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:1 and the first is 208, what is the second? | option_a=221 | option_b=29 | option_c=12 | option_d=13 | answer=D | explanation=Scale factor = 208/16 = 13. Therefore second quantity = 1×13 = 13.

id=15863 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=15864 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:12 and the first is 266, what is the second? | option_a=228 | option_b=494 | option_c=242 | option_d=216 | answer=A | explanation=Scale factor = 266/14 = 19. Therefore second quantity = 12×19 = 228.

id=15865 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2602. If it is sold at a profit of 15%, what is its selling price? | option_a=2617 | option_b=2732 | option_c=2992 | option_d=3252 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2602 × 115/100 = █2992.

id=15866 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1542. If it is sold at a profit of 5%, what is its selling price? | option_a=1619 | option_b=1773 | option_c=1465 | option_d=1547 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1542 × 105/100 = █1619.

id=15867 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=15868 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=B | option_b=C | option_c=A | option_d=Z | answer=A | explanation=Move 1 positions forward from A; the resulting letter is B.

id=15869 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=7 | option_c=12 | option_d=17 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=15870 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 15, 18, 23? | option_a=12 | option_b=15 | option_c=18 | option_d=23 | answer=D | explanation=The first three numbers increase by 3, so the next should be 21. Therefore 23 is the odd one out.

Aptitude Questions — Records 15,871-15,900 of 100,000

id=15871 | topic=Averages | difficulty=Easy | question=Find the average of 27, 99, 70, 21, 66, 59. | option_a=57 | option_b=56 | option_c=58 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 342 ÷ 6 = 57.

id=15872 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3610. If it is sold at a profit of 20%, what is its selling price? | option_a=4693 | option_b=3630 | option_c=4332 | option_d=3971 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3610 × 120/100 = █4332.

id=15873 | topic=Percentages | difficulty=Easy | question=What is 40% of 1335? | option_a=1068 | option_b=554 | option_c=529 | option_d=534 | answer=D | explanation=40% of 1335 = (40/100) × 1335 = 534.

id=15874 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=15875 | topic=Averages | difficulty=Easy | question=Find the average of 18, 33, 90, 63, 23, 32, 61, 34, 87. | option_a=48 | option_b=51 | option_c=49 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 441 ÷ 9 = 49.

id=15876 | topic=Percentages | difficulty=Easy | question=What is 15% of 583? | option_a=87 | option_b=77 | option_c=97 | option_d=174 | answer=A | explanation=15% of 583 = (15/100) × 583 = 87.

id=15877 | topic=Averages | difficulty=Easy | question=Find the average of 70, 26, 65, 29, 62, 16, 57, 67. | option_a=48 | option_b=51 | option_c=50 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 392 ÷ 8 = 49.

id=15878 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 34? | option_a=21 | option_b=29 | option_c=34 | option_d=25 | answer=C | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 34 is the odd one out.

id=15879 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4858. If it is sold at a profit of 40%, what is its selling price? | option_a=4898 | option_b=6801 | option_c=6316 | option_d=7286 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4858 × 140/100 = █6801.

id=15880 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 42? | option_a=35 | option_b=23 | option_c=42 | option_d=29 | answer=C | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 42 is the odd one out.

id=15881 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=15882 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43475 at 6% per annum for 3 years. | option_a=7925 | option_b=51300 | option_c=7725 | option_d=7825 | answer=D | explanation=SI = PRT/100 = 43475×6×3/100 = █7825.

id=15883 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 21. | option_a=42 | option_b=189 | option_c=63 | option_d=72 | answer=C | explanation=LCM × HCF = 9×21; HCF(9,21) = 3, so LCM = 63.

id=15884 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=46 | option_b=40 | option_c=34 | option_d=41 | answer=B | explanation=The common difference is 6. Therefore the next term is 34 + 6 = 40.

id=15885 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 20. | option_a=80 | option_b=100 | option_c=125 | option_d=500 | answer=B | explanation=LCM × HCF = 25×20; HCF(25,20) = 5, so LCM = 100.

id=15886 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=34 | option_b=44 | option_c=45 | option_d=54 | answer=B | explanation=The common difference is 10. Therefore the next term is 34 + 10 = 44.

id=15887 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=15888 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:17 and the first is 234, what is the second? | option_a=319 | option_b=540 | option_c=306 | option_d=289 | answer=C | explanation=Scale factor = 234/13 = 18. Therefore second quantity = 17×18 = 306.

id=15889 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=15890 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2143. If it is sold at a profit of 5%, what is its selling price? | option_a=2036 | option_b=2148 | option_c=2250 | option_d=2464 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2143 × 105/100 = █2250.

id=15891 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=K | option_b=Y | option_c=G | option_d=C | answer=C | explanation=Move 4 positions forward from C; the resulting letter is G.

id=15892 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9794 at 4% per annum for 3 years. | option_a=10969 | option_b=1075 | option_c=1275 | option_d=1175 | answer=D | explanation=SI = PRT/100 = 9794×4×3/100 = █1175.

id=15893 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:11 and the first is 108, what is the second? | option_a=141 | option_b=240 | option_c=121 | option_d=132 | answer=D | explanation=Scale factor = 108/9 = 12. Therefore second quantity = 11×12 = 132.

id=15894 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43, ? | option_a=59 | option_b=52 | option_c=43 | option_d=51 | answer=D | explanation=The common difference is 8. Therefore the next term is 43 + 8 = 51.

id=15895 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 21, 23, 28? | option_a=28 | option_b=21 | option_c=23 | option_d=19 | answer=A | explanation=The first three numbers increase by 2, so the next should be 25. Therefore 28 is the odd one out.

id=15896 | topic=Percentages | difficulty=Easy | question=What is 40% of 733? | option_a=586 | option_b=283 | option_c=303 | option_d=293 | answer=D | explanation=40% of 733 = (40/100) × 733 = 293.

id=15897 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:13 and the first is 60, what is the second? | option_a=99 | option_b=26 | option_c=59 | option_d=39 | answer=D | explanation=Scale factor = 60/20 = 3. Therefore second quantity = 13×3 = 39.

id=15898 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=51 | option_b=62 | option_c=63 | option_d=73 | answer=B | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.

id=15899 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=85 | option_c=90 | option_d=95 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=15900 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=150 | option_d=70 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

Aptitude Questions — Records 15,901-15,930 of 100,000

id=15901 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=V | option_b=A | option_c=L | option_d=Q | answer=A | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=15902 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=15903 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=N | option_b=F | option_c=B | option_d=J | answer=D | explanation=Move 4 positions forward from F; the resulting letter is J.

id=15904 | topic=Averages | difficulty=Easy | question=Find the average of 29, 89, 28, 41, 17, 93, 50, 61. | option_a=52 | option_b=53 | option_c=50 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 408 ÷ 8 = 51.

id=15905 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=19 | option_c=48 | option_d=29 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=15906 | topic=Averages | difficulty=Easy | question=Find the average of 10, 28, 100, 61, 46. | option_a=51 | option_b=48 | option_c=50 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 245 ÷ 5 = 49.

id=15907 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=29 | option_c=48 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=15908 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 33, 42, 52? | option_a=24 | option_b=33 | option_c=42 | option_d=52 | answer=D | explanation=The first three numbers increase by 9, so the next should be 51. Therefore 52 is the odd one out.

id=15909 | topic=Percentages | difficulty=Easy | question=What is 12% of 1844? | option_a=442 | option_b=226 | option_c=221 | option_d=201 | answer=C | explanation=12% of 1844 = (12/100) × 1844 = 221.

id=15910 | topic=Averages | difficulty=Easy | question=Find the average of 35, 54, 37, 57, 57. | option_a=48 | option_b=47 | option_c=49 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 240 ÷ 5 = 48.

id=15911 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2482. If it is sold at a profit of 15%, what is its selling price? | option_a=3102 | option_b=2606 | option_c=2497 | option_d=2854 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2482 × 115/100 = ₹2854.

id=15912 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 35, 40, 46? | option_a=30 | option_b=46 | option_c=35 | option_d=40 | answer=B | explanation=The first three numbers increase by 5, so the next should be 45. Therefore 46 is the odd one out.

id=15913 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 33, 39, 47? | option_a=27 | option_b=39 | option_c=33 | option_d=47 | answer=D | explanation=The first three numbers increase by 6, so the next should be 45. Therefore 47 is the odd one out.

id=15914 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=15915 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=50 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=15916 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹986. If it is sold at a profit of 10%, what is its selling price? | option_a=1084 | option_b=996 | option_c=986 | option_d=1182 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 986 × 110/100 = ₹1084.

id=15917 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹3220. If it is sold at a profit of 25%, what is its selling price? | option_a=4025 | option_b=3245 | option_c=4347 | option_d=3703 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3220 × 125/100 = ₹4025.

id=15918 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=D | option_c=S | option_d=N | answer=D | explanation=Move 5 positions forward from I; the resulting letter is N.

id=15919 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:5 and the first is 56, what is the second? | option_a=91 | option_b=35 | option_c=30 | option_d=43 | answer=B | explanation=Scale factor = 56/8 = 7. Therefore second quantity = 5×7 = 35.

id=15920 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=Z | option_b=U | option_c=P | option_d=E | answer=A | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=15921 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:5 and the first is 260, what is the second? | option_a=113 | option_b=100 | option_c=95 | option_d=360 | answer=B | explanation=Scale factor = 260/13 = 20. Therefore second quantity = 5×20 = 100.

id=15922 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:6 and the first is 60, what is the second? | option_a=84 | option_b=39 | option_c=24 | option_d=18 | answer=C | explanation=Scale factor = 60/15 = 4. Therefore second quantity = 6×4 = 24.

id=15923 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹8258 at 6% per annum for 3 years. | option_a=1586 | option_b=1386 | option_c=9744 | option_d=1486 | answer=D | explanation=SI = PRT/100 = 8258×6×3/100 = ₹1486.

id=15924 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 22, 27, 32, ? | option_a=42 | option_b=38 | option_c=37 | option_d=32 | answer=C | explanation=The common difference is 5. Therefore the next term is 32 + 5 = 37.

id=15925 | topic=Percentages | difficulty=Easy | question=What is 30% of 122? | option_a=36 | option_b=72 | option_c=31 | option_d=41 | answer=A | explanation=30% of 122 = (30/100) × 122 = 36.

id=15926 | topic=Percentages | difficulty=Easy | question=What is 5% of 167? | option_a=18 | option_b=0 | option_c=16 | option_d=8 | answer=D | explanation=5% of 167 = (5/100) × 167 = 8.

id=15927 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹4672. If it is sold at a profit of 30%, what is its selling price? | option_a=4702 | option_b=5606 | option_c=6540 | option_d=6073 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4672 × 130/100 = ₹6073.

id=15928 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹2139 at 15% per annum for 3 years. | option_a=862 | option_b=1062 | option_c=962 | option_d=3101 | answer=C | explanation=SI = PRT/100 = 2139×15×3/100 = ₹962.

id=15929 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=L | option_b=I | option_c=K | option_d=J | answer=C | explanation=Move 1 positions forward from J; the resulting letter is K.

id=15930 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:10 and the first is 224, what is the second? | option_a=364 | option_b=140 | option_c=156 | option_d=130 | answer=B | explanation=Scale factor = 224/16 = 14. Therefore second quantity = 10×14 = 140.

Aptitude Questions — Records 15,931-15,960 of 100,000

id=15931 | topic=Averages | difficulty=Easy | question=Find the average of 54, 13, 89, 76, 71, 95, 92, 18, 17, 55. | option_a=60 | option_b=58 | option_c=57 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 580 ÷ 10 = 58.

id=15932 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12207 at 5% per annum for 4 years. | option_a=2441 | option_b=14648 | option_c=2541 | option_d=2341 | answer=A | explanation=SI = $\text{PRT}/100 = 12207 \times 5 \times 4 / 100 = \text{■}2441$.

id=15933 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4386 at 12% per annum for 2 years. | option_a=952 | option_b=1052 | option_c=5438 | option_d=1152 | answer=B | explanation=SI = $\text{PRT}/100 = 4386 \times 12 \times 2 / 100 = \text{■}1052$.

id=15934 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 40? | option_a=40 | option_b=33 | option_c=36 | option_d=30 | answer=A | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 40 is the odd one out.

id=15935 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=32 | option_b=28 | option_c=33 | option_d=36 | answer=A | explanation=The common difference is 4. Therefore the next term is $28 + 4 = 32$.

id=15936 | topic=Percentages | difficulty=Easy | question=What is 10% of 1764? | option_a=156 | option_b=352 | option_c=176 | option_d=196 | answer=C | explanation=10% of 1764 = $(10/100) \times 1764 = 176$.

id=15937 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:1 and the first is 300, what is the second? | option_a=320 | option_b=20 | option_c=35 | option_d=19 | answer=B | explanation=Scale factor = $300/15 = 20$. Therefore second quantity = $1 \times 20 = 20$.

id=15938 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22359 at 5% per annum for 4 years. | option_a=26830 | option_b=4571 | option_c=4371 | option_d=4471 | answer=D | explanation=SI = $\text{PRT}/100 = 22359 \times 5 \times 4 / 100 = \text{■}4471$.

id=15939 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 15, 19, 26? | option_a=19 | option_b=26 | option_c=15 | option_d=11 | answer=B | explanation=The first three numbers increase by 4, so the next should be 23. Therefore 26 is the odd one out.

id=15940 | topic=Percentages | difficulty=Easy | question=What is 10% of 1626? | option_a=152 | option_b=324 | option_c=162 | option_d=172 | answer=C | explanation=10% of 1626 = $(10/100) \times 1626 = 162$.

id=15941 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 12. | option_a=1 | option_b=12 | option_c=24 | option_d=14 | answer=B | explanation=LCM $\times$ HCF = 2×12 ; HCF(2,12) = 2, so LCM = 12.

id=15942 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:6 and the first is 220, what is the second? | option_a=120 | option_b=114 | option_c=340 | option_d=131 | answer=A | explanation=Scale factor = $220/11 = 20$. Therefore second quantity = $6 \times 20 = 120$.

id=15943 | topic=Averages | difficulty=Easy | question=Find the average of 18, 18, 75, 52, 22. | option_a=39 | option_b=37 | option_c=36 | option_d=38 | answer=B | explanation=Average = sum of values ÷ number of values = $185 \div 5 = 37$.

id=15944 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=V | option_c=X | option_d=R | answer=B | explanation=Move 2 positions forward from T; the resulting letter is V.

id=15945 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=Z | option_b=U | option_c=K | option_d=P | answer=B | explanation=Move 5 positions forward from P; the resulting letter is U.

id=15946 | topic=Averages | difficulty=Easy | question=Find the average of 47, 74, 35, 47, 53, 100, 92. | option_a=63 | option_b=65 | option_c=64 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = $448 \div 7 = 64$.

id=15947 | topic=Percentages | difficulty=Easy | question=What is 50% of 550? | option_a=255 | option_b=550 | option_c=275 | option_d=285 | answer=C | explanation=50% of 550 = $(50/100) \times 550 = 275$.

id=15948 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7753 at 4% per annum for 2 years. | option_a=620 | option_b=720 | option_c=520 | option_d=8373 | answer=A | explanation=SI = $\text{PRT}/100 = 7753 \times 4 \times 2 / 100 = \text{■}620$.

id=15949 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=1 | option_c=11 | option_d=12 | answer=A | explanation=Speed = distance ÷ time = $60 \div 10 = 6$ km/h.

id=15950 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = $60 \div 4 = 15$ km/h.

id=15951 | topic=Averages | difficulty=Easy | question=Find the average of 47, 36, 48, 59, 70, 42, 83. | option_a=56 | option_b=54 | option_c=57 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = $385 \div 7 = 55$.

id=15952 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23616 at 15% per annum for 5 years. | option_a=17812 | option_b=17712 | option_c=17612 | option_d=41328 | answer=B | explanation=SI = $\text{PRT}/100 = 23616 \times 15 \times 5 / 100 = \text{■}17712$.

id=15953 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=300 | option_c=155 | option_d=145 | answer=A | explanation=Speed = distance ÷ time = $300 \div 2 = 150$ km/h.

id=15954 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 18, 22, 28? | option_a=28 | option_b=18 | option_c=22 | option_d=14 | answer=A | explanation=The first three numbers increase by 4, so the next should be 26. Therefore 28 is the odd one out.

id=15955 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=53 | option_b=41 | option_c=52 | option_d=63 | answer=C | explanation=The common difference is 11. Therefore the next term is $41 + 11 = 52$.

id=15956 | topic=Averages | difficulty=Easy | question=Find the average of 45, 60, 44, 73, 88, 24, 93. | option_a=63 | option_b=62 | option_c=60 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = $427 \div 7 = 61$.

id=15957 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19265 at 12% per annum for 4 years. | option_a=9247 | option_b=28512 | option_c=9347 | option_d=9147 | answer=A | explanation=SI = $\text{PRT}/100 = 19265 \times 12 \times 4 / 100 = \text{■}9247$.

id=15958 | topic=Percentages | difficulty=Easy | question=What is 5% of 172? | option_a=0 | option_b=16 | option_c=18 | option_d=8 | answer=D | explanation=5% of 172 = $(5/100) \times 172 = 8$.

id=15959 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 19, 27, 37? | option_a=19 | option_b=11 | option_c=37 | option_d=27 | answer=C | explanation=The first three numbers increase by 8, so the next should be 35. Therefore 37 is the odd one out.

id=15960 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=X | option_c=F | option_d=J | answer=C | explanation=Move 4 positions forward from B; the resulting letter is F.

Aptitude Questions — Records 15,961-15,990 of 100,000

id=15961 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11152 at 5% per annum for 2 years. | option_a=1215 | option_b=1115 | option_c=1015 | option_d=12267 | answer=B | explanation=SI = PRT/100 = 11152×5×2/100 = **■**1115.

id=15962 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=E | option_b=N | option_c=H | option_d=K | answer=D | explanation=Move 3 positions forward from H; the resulting letter is K.

id=15963 | topic=Percentages | difficulty=Easy | question=What is 30% of 585? | option_a=180 | option_b=175 | option_c=350 | option_d=170 | answer=B | explanation=30% of 585 = (30/100) × 585 = 175.

id=15964 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=15965 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=44 | option_b=38 | option_c=32 | option_d=39 | answer=B | explanation=The common difference is 6. Therefore the next term is 32 + 6 = 38.

id=15966 | topic=Percentages | difficulty=Easy | question=What is 20% of 1672? | option_a=344 | option_b=334 | option_c=668 | option_d=314 | answer=B | explanation=20% of 1672 = (20/100) × 1672 = 334.

id=15967 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1890. If it is sold at a profit of 40%, what is its selling price? | option_a=2457 | option_b=2646 | option_c=2835 | option_d=1930 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1890 × 140/100 = **■**2646.

id=15968 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=7 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=15969 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=Y | option_c=U | option_d=M | answer=C | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=15970 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=60 | option_b=71 | option_c=61 | option_d=49 | answer=A | explanation=The common difference is 11. Therefore the next term is 49 + 11 = 60.

id=15971 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48042 at 12% per annum for 2 years. | option_a=11430 | option_b=59572 | option_c=11530 | option_d=11630 | answer=C | explanation=SI = PRT/100 = 48042×12×2/100 = **■**11530.

id=15972 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=15973 | topic=Percentages | difficulty=Easy | question=What is 5% of 1814? | option_a=90 | option_b=70 | option_c=180 | option_d=100 | answer=A | explanation=5% of 1814 = (5/100) × 1814 = 90.

id=15974 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:4 and the first is 84, what is the second? | option_a=24 | option_b=28 | option_c=40 | option_d=112 | answer=B | explanation=Scale factor = 84/12 = 7. Therefore second quantity = 4×7 = 28.

id=15975 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:8 and the first is 51, what is the second? | option_a=24 | option_b=16 | option_c=75 | option_d=41 | answer=A | explanation=Scale factor = 51/17 = 3. Therefore second quantity = 8×3 = 24.

id=15976 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=46 | option_b=52 | option_c=45 | option_d=38 | answer=C | explanation=The common difference is 7. Therefore the next term is 38 + 7 = 45.

id=15977 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1299. If it is sold at a profit of 10%, what is its selling price? | option_a=1309 | option_b=1299 | option_c=1428 | option_d=1557 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1299 × 110/100 = **■**1428.

id=15978 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:7 and the first is 32, what is the second? | option_a=144 | option_b=105 | option_c=112 | option_d=114 | answer=C | explanation=Scale factor = 32/2 = 16. Therefore second quantity = 7×16 = 112.

id=15979 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:15 and the first is 52, what is the second? | option_a=60 | option_b=112 | option_c=73 | option_d=45 | answer=A | explanation=Scale factor = 52/13 = 4. Therefore second quantity = 15×4 = 60.

id=15980 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 21, 28, 38? | option_a=38 | option_b=21 | option_c=28 | option_d=14 | answer=A | explanation=The first three numbers increase by 7, so the next should be 35. Therefore 38 is the odd one out.

id=15981 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=58 | option_b=57 | option_c=45 | option_d=69 | answer=B | explanation=The common difference is 12. Therefore the next term is 45 + 12 = 57.

id=15982 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 10, 15, 22? | option_a=10 | option_b=15 | option_c=22 | option_d=5 | answer=C | explanation=The first three numbers increase by 5, so the next should be 20. Therefore 22 is the odd one out.

id=15983 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=25 | option_c=15 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=15984 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=15985 | topic=Averages | difficulty=Easy | question=Find the average of 12, 99, 31, 69, 41, 21, 98, 24, 41, 74, | option_a=51 | option_b=52 | option_c=53 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

id=15986 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=38 | option_b=46 | option_c=47 | option_d=54 | answer=B | explanation=The common difference is 8. Therefore the next term is 38 + 8 = 46.

id=15987 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49655 at 12% per annum for 3 years. | option_a=17875 | option_b=17975 | option_c=67530 | option_d=17775 | answer=A | explanation=SI = PRT/100 = 49655×12×3/100 = **■**17875.

id=15988 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=50 | option_b=59 | option_c=41 | option_d=51 | answer=A | explanation=The common difference is 9. Therefore the next term is 41 + 9 = 50.

id=15989 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3673. If it is sold at a profit of 10%, what is its selling price? | option_a=4407 | option_b=3683 | option_c=4040 | option_d=3673 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3673 × 110/100 = **■**4040.

id=15990 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3163. If it is sold at a profit of 15%, what is its selling price? | option_a=3178 | option_b=3953 | option_c=3321 | option_d=3637 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3163 × 115/100 = **■**3637.

Aptitude Questions — Records 15,991-16,020 of 100,000

id=15991 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17579 at 15% per annum for 3 years. | option_a=7810 | option_b=7910 | option_c=8010 | option_d=25489 | answer=B | explanation=SI = PRT/100 = 17579×15×3/100 = **■**7910.

id=15992 | topic=Percentages | difficulty=Easy | question=What is 50% of 826? | option_a=418 | option_b=826 | option_c=403 | option_d=413 | answer=D | explanation=50% of 826 = (50/100) × 826 = 413.

id=15993 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3888. If it is sold at a profit of 5%, what is its selling price? | option_a=4470 | option_b=3694 | option_c=4082 | option_d=3893 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3888 × 105/100 = **■**4082.

id=15994 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=15995 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**254. If it is sold at a profit of 15%, what is its selling price? | option_a=317 | option_b=269 | option_c=267 | option_d=292 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 254 × 115/100 = **■**292.

id=15996 | topic=Percentages | difficulty=Easy | question=What is 30% of 333? | option_a=99 | option_b=119 | option_c=94 | option_d=198 | answer=A | explanation=30% of 333 = (30/100) × 333 = 99.

id=15997 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=40 | option_b=37 | option_c=36 | option_d=32 | answer=C | explanation=The common difference is 4. Therefore the next term is 32 + 4 = 36.

id=15998 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=39 | option_b=31 | option_c=36 | option_d=35 | answer=D | explanation=The common difference is 4. Therefore the next term is 31 + 4 = 35.

id=15999 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 17, 23, 30? | option_a=11 | option_b=23 | option_c=17 | option_d=30 | answer=D | explanation=The first three numbers increase by 6, so the next should be 29. Therefore 30 is the odd one out.

id=16000 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3767 at 6% per annum for 4 years. | option_a=1004 | option_b=804 | option_c=4671 | option_d=904 | answer=D | explanation=SI = PRT/100 = 3767×6×4/100 = **■**904.

id=16001 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:20 and the first is 72, what is the second? | option_a=160 | option_b=188 | option_c=180 | option_d=252 | answer=C | explanation=Scale factor = 72/8 = 9. Therefore second quantity = 20×9 = 180.

id=16002 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:14 and the first is 320, what is the second? | option_a=266 | option_b=280 | option_c=600 | option_d=296 | answer=B | explanation=Scale factor = 320/16 = 20. Therefore second quantity = 14×20 = 280.

id=16003 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=16004 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=22 | option_b=25 | option_c=24 | option_d=26 | answer=C | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.

id=16005 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:10 and the first is 33, what is the second? | option_a=20 | option_b=63 | option_c=30 | option_d=41 | answer=C | explanation=Scale factor = 33/11 = 3. Therefore second quantity = 10×3 = 30.

id=16006 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44802 at 5% per annum for 5 years. | option_a=11300 | option_b=11100 | option_c=11200 | option_d=56002 | answer=C | explanation=SI = PRT/100 = 44802×5×5/100 = **■**11200.

id=16007 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4518. If it is sold at a profit of 5%, what is its selling price? | option_a=4523 | option_b=5194 | option_c=4292 | option_d=4743 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4518 × 105/100 = **■**4743.

id=16008 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37478 at 10% per annum for 4 years. | option_a=14891 | option_b=14991 | option_c=52469 | option_d=15091 | answer=B | explanation=SI = PRT/100 = 37478×10×4/100 = **■**14991.

id=16009 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 27? | option_a=19 | option_b=27 | option_c=12 | option_d=5 | answer=B | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 27 is the odd one out.

id=16010 | topic=Percentages | difficulty=Easy | question=What is 40% of 616? | option_a=492 | option_b=246 | option_c=236 | option_d=256 | answer=B | explanation=40% of 616 = (40/100) × 616 = 246.

id=16011 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1953. If it is sold at a profit of 40%, what is its selling price? | option_a=2734 | option_b=2929 | option_c=1993 | option_d=2539 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1953 × 140/100 = **■**2734.

id=16012 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=180 | option_c=95 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=16013 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30994 at 8% per annum for 3 years. | option_a=7538 | option_b=38432 | option_c=7338 | option_d=7438 | answer=D | explanation=SI = PRT/100 = 30994×8×3/100 = **■**7438.

id=16014 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4767. If it is sold at a profit of 5%, what is its selling price? | option_a=5481 | option_b=5005 | option_c=4529 | option_d=4772 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4767 × 105/100 = **■**5005.

id=16015 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=P | option_c=D | option_d=L | answer=D | explanation=Move 4 positions forward from H; the resulting letter is L.

id=16016 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 22, 27, 32, ? | option_a=32 | option_b=38 | option_c=42 | option_d=37 | answer=D | explanation=The common difference is 5. Therefore the next term is 32 + 5 = 37.

id=16017 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2634. If it is sold at a profit of 40%, what is its selling price? | option_a=3424 | option_b=2674 | option_c=3950 | option_d=3687 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2634 × 140/100 = **■**3687.

id=16018 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=16019 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=27 | option_b=41 | option_c=34 | option_d=35 | answer=C | explanation=The common difference is 7. Therefore the next term is 27 + 7 = 34.

id=16020 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 43? | option_a=27 | option_b=43 | option_c=37 | option_d=32 | answer=B | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 43 is the odd one out.

Aptitude Questions — Records 16,021-16,050 of 100,000

id=16021 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:12 and the first is 135, what is the second? | option_a=168 | option_b=180 | option_c=189 | option_d=315 | answer=B | explanation=Scale factor = 135/9 = 15. Therefore second quantity = 12×15 = 180.

id=16022 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=60 | option_b=71 | option_c=47 | option_d=59 | answer=D | explanation=The common difference is 12. Therefore the next term is 47 + 12 = 59.

id=16023 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1173. If it is sold at a profit of 50%, what is its selling price? | option_a=1642 | option_b=1759 | option_c=1223 | option_d=1876 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1173 × 150/100 = **■**1759.

id=16024 | topic=Percentages | difficulty=Easy | question=What is 30% of 1773? | option_a=1062 | option_b=541 | option_c=531 | option_d=511 | answer=C | explanation=30% of 1773 = (30/100) × 1773 = 531.

id=16025 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 20, 23, 27? | option_a=17 | option_b=27 | option_c=23 | option_d=20 | answer=B | explanation=The first three numbers increase by 3, so the next should be 26. Therefore 27 is the odd one out.

id=16026 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**383. If it is sold at a profit of 5%, what is its selling price? | option_a=440 | option_b=402 | option_c=364 | option_d=388 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 383 × 105/100 = **■**402.

id=16027 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:13 and the first is 168, what is the second? | option_a=182 | option_b=169 | option_c=194 | option_d=350 | answer=A | explanation=Scale factor = 168/12 = 14. Therefore second quantity = 13×14 = 182.

id=16028 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=50 | option_d=25 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=16029 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=61 | option_b=49 | option_c=73 | option_d=62 | answer=A | explanation=The common difference is 12. Therefore the next term is 49 + 12 = 61.

id=16030 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7485 at 4% per annum for 1 years. | option_a=7784 | option_b=399 | option_c=199 | option_d=299 | answer=D | explanation=SI = PRT/100 = 7485×4×1/100 = **■**299.

id=16031 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2127 at 12% per annum for 4 years. | option_a=3147 | option_b=1120 | option_c=1020 | option_d=920 | answer=C | explanation=SI = PRT/100 = 2127×12×4/100 = **■**1020.

id=16032 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1367. If it is sold at a profit of 25%, what is its selling price? | option_a=1572 | option_b=1708 | option_c=1844 | option_d=1392 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1367 × 125/100 = **■**1708.

id=16033 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=16034 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=16035 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3678. If it is sold at a profit of 20%, what is its selling price? | option_a=4046 | option_b=3698 | option_c=4780 | option_d=4413 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3678 × 120/100 = **■**4413.

id=16036 | topic=Averages | difficulty=Easy | question=Find the average of 89, 28, 28, 12, 18. | option_a=37 | option_b=35 | option_c=36 | option_d=34 | answer=B | explanation=Average = sum of values ÷ number of values = 175 ÷ 5 = 35.

id=16037 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=12 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=16038 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20196 at 8% per annum for 5 years. | option_a=8178 | option_b=28274 | option_c=8078 | option_d=7978 | answer=C | explanation=SI = PRT/100 = 20196×8×5/100 = **■**8078.

id=16039 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1640 at 10% per annum for 2 years. | option_a=328 | option_b=228 | option_c=428 | option_d=1968 | answer=A | explanation=SI = PRT/100 = 1640×10×2/100 = **■**328.

id=16040 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 24, 32, 40, ? | option_a=56 | option_b=40 | option_c=49 | option_d=48 | answer=D | explanation=The common difference is 8. Therefore the next term is 40 + 8 = 48.

id=16041 | topic=Percentages | difficulty=Easy | question=What is 30% of 671? | option_a=402 | option_b=201 | option_c=191 | option_d=211 | answer=B | explanation=30% of 671 = (30/100) × 671 = 201.

id=16042 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1678 at 8% per annum for 5 years. | option_a=671 | option_b=771 | option_c=2349 | option_d=571 | answer=A | explanation=SI = PRT/100 = 1678×8×5/100 = **■**671.

id=16043 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=35 | option_b=23 | option_c=29 | option_d=30 | answer=C | explanation=The common difference is 6. Therefore the next term is 23 + 6 = 29.

id=16044 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40806 at 15% per annum for 1 years. | option_a=6020 | option_b=6120 | option_c=6220 | option_d=46926 | answer=B | explanation=SI = PRT/100 = 40806×15×1/100 = **■**6120.

id=16045 | topic=Percentages | difficulty=Easy | question=What is 5% of 101? | option_a=10 | option_b=0 | option_c=15 | option_d=5 | answer=D | explanation=5% of 101 = (5/100) × 101 = 5.

id=16046 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43503 at 4% per annum for 5 years. | option_a=8600 | option_b=8700 | option_c=8800 | option_d=52203 | answer=B | explanation=SI = PRT/100 = 43503×4×5/100 = **■**8700.

id=16047 | topic=Averages | difficulty=Easy | question=Find the average of 46, 57, 56, 59, 29, 55, 43, 27, 33. | option_a=44 | option_b=45 | option_c=46 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 405 ÷ 9 = 45.

id=16048 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=16049 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=K | option_b=A | option_c=P | option_d=F | answer=A | explanation=Move 5 positions forward from F; the resulting letter is K.

id=16050 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

Aptitude Questions — Records 16,051-16,080 of 100,000

id=16051 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=G | option_b=K | option_c=S | option_d=O | answer=D | explanation=Move 4 positions forward from K; the resulting letter is O.

id=16052 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=16053 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=24 | option_c=7 | option_d=17 | answer=A | explanation=Speed = distance ÷ time = $60 \div 5 = 12$ km/h.

id=16054 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=U | option_c=S | option_d=Q | answer=B | explanation=Move 2 positions forward from S; the resulting letter is U.

id=16055 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=52 | option_b=38 | option_c=46 | option_d=45 | answer=D | explanation=The common difference is 7. Therefore the next term is $38 + 7 = 45$.

id=16056 | topic=Percentages | difficulty=Easy | question=What is 40% of 855? | option_a=342 | option_b=337 | option_c=352 | option_d=684 | answer=A | explanation=40% of 855 = $(40/100) \times 855 = 342$.

id=16057 | topic=Averages | difficulty=Easy | question=Find the average of 53, 89, 63, 79. | option_a=70 | option_b=73 | option_c=71 | option_d=72 | answer=C | explanation=Average = sum of values ÷ number of values = $284 \div 4 = 71$.

id=16058 | topic=Percentages | difficulty=Easy | question=What is 50% of 1820? | option_a=915 | option_b=905 | option_c=1820 | option_d=910 | answer=D | explanation=50% of 1820 = $(50/100) \times 1820 = 910$.

id=16059 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=9 | option_b=18 | option_c=14 | option_d=4 | answer=A | explanation=Speed = distance ÷ time = $90 \div 10 = 9$ km/h.

id=16060 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■35496 at 10% per annum for 1 years. | option_a=3649 | option_b=39045 | option_c=3449 | option_d=3549 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{35496 \times 10 \times 1}{100} = \text{■}3549$.

id=16061 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=16062 | topic=Averages | difficulty=Easy | question=Find the average of 41, 97, 21, 54, 68, 53, 93. | option_a=63 | option_b=61 | option_c=62 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = $427 \div 7 = 61$.

id=16063 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1969. If it is sold at a profit of 25%, what is its selling price? | option_a=2265 | option_b=2461 | option_c=1994 | option_d=2657 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1969 \times \frac{125}{100} = \text{■}2461$.

id=16064 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=16065 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=Q | option_c=I | option_d=U | answer=B | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=16066 | topic=Averages | difficulty=Easy | question=Find the average of 51, 20, 11, 38. | option_a=29 | option_b=31 | option_c=32 | option_d=30 | answer=D | explanation=Average = sum of values ÷ number of values = $120 \div 4 = 30$.

id=16067 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=16068 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 6. | option_a=32 | option_b=18 | option_c=24 | option_d=48 | answer=C | explanation= $LCM \times HCF = 8 \times 6$; $HCF(8,6) = 2$, so $LCM = 24$.

id=16069 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:1 and the first is 40, what is the second? | option_a=48 | option_b=13 | option_c=7 | option_d=8 | answer=D | explanation=Scale factor = $40/5 = 8$. Therefore second quantity = $1 \times 8 = 8$.

id=16070 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=G | option_c=A | option_d=C | answer=A | explanation=Move 2 positions forward from C; the resulting letter is E.

id=16071 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1606. If it is sold at a profit of 50%, what is its selling price? | option_a=2409 | option_b=2569 | option_c=1656 | option_d=2249 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1606 \times \frac{150}{100} = \text{■}2409$.

id=16072 | topic=Averages | difficulty=Easy | question=Find the average of 57, 90, 45, 32, 61, 85, 88, 84, 79. | option_a=71 | option_b=69 | option_c=70 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = $621 \div 9 = 69$.

id=16073 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 33, 38, 45? | option_a=45 | option_b=38 | option_c=33 | option_d=28 | answer=A | explanation=The first three numbers increase by 5, so the next should be 43. Therefore 45 is the odd one out.

id=16074 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = $\frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=16075 | topic=Percentages | difficulty=Easy | question=What is 20% of 163? | option_a=37 | option_b=27 | option_c=64 | option_d=32 | answer=D | explanation=20% of 163 = $(20/100) \times 163 = 32$.

id=16076 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=19 | option_c=48 | option_d=29 | answer=A | explanation=Speed = distance ÷ time = $240 \div 10 = 24$ km/h.

id=16077 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:7 and the first is 108, what is the second? | option_a=84 | option_b=192 | option_c=77 | option_d=93 | answer=A | explanation=Scale factor = $108/9 = 12$. Therefore second quantity = $7 \times 12 = 84$.

id=16078 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=20 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = $150 \div 6 = 25$ km/h.

id=16079 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:5 and the first is 45, what is the second? | option_a=90 | option_b=50 | option_c=45 | option_d=40 | answer=C | explanation=Scale factor = $45/5 = 9$. Therefore second quantity = $5 \times 9 = 45$.

id=16080 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:19 and the first is 112, what is the second? | option_a=285 | option_b=311 | option_c=416 | option_d=304 | answer=D | explanation=Scale factor = $112/7 = 16$. Therefore second quantity = $19 \times 16 = 304$.

Aptitude Questions — Records 16,081-16,110 of 100,000

id=16081 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=B | option_b=E | option_c=D | option_d=C | answer=C | explanation=Move 1 positions forward from C; the resulting letter is D.

id=16082 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=45 | option_b=58 | option_c=69 | option_d=57 | answer=D | explanation=The common difference is 12. Therefore the next term is 45 + 12 = 57.

id=16083 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:19 and the first is 126, what is the second? | option_a=342 | option_b=468 | option_c=323 | option_d=349 | answer=A | explanation=Scale factor = 126/7 = 18. Therefore second quantity = 19×18 = 342.

id=16084 | topic=Averages | difficulty=Easy | question=Find the average of 29, 63, 34, 14, 21, 56, 70. | option_a=41 | option_b=42 | option_c=40 | option_d=43 | answer=A | explanation=Average = sum of values ÷ number of values = 287 ÷ 7 = 41.

id=16085 | topic=Percentages | difficulty=Easy | question=What is 5% of 1606? | option_a=90 | option_b=80 | option_c=60 | option_d=160 | answer=B | explanation=5% of 1606 = (5/100) × 1606 = 80.

id=16086 | topic=Averages | difficulty=Easy | question=Find the average of 18, 37, 84, 10, 70, 58, 74, 41, 79, 49. | option_a=53 | option_b=51 | option_c=54 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 520 ÷ 10 = 52.

id=16087 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=16088 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:18 and the first is 340, what is the second? | option_a=306 | option_b=288 | option_c=326 | option_d=646 | answer=A | explanation=Scale factor = 340/20 = 17. Therefore second quantity = 18×17 = 306.

id=16089 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 41? | option_a=18 | option_b=32 | option_c=41 | option_d=25 | answer=C | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 41 is the odd one out.

id=16090 | topic=Averages | difficulty=Easy | question=Find the average of 68, 16, 56, 96. | option_a=61 | option_b=60 | option_c=59 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 236 ÷ 4 = 59.

id=16091 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=16092 | topic=Averages | difficulty=Easy | question=Find the average of 57, 17, 34. | option_a=35 | option_b=38 | option_c=37 | option_d=36 | answer=D | explanation=Average = sum of values ÷ number of values = 108 ÷ 3 = 36.

id=16093 | topic=Percentages | difficulty=Easy | question=What is 5% of 168? | option_a=3 | option_b=8 | option_c=16 | option_d=13 | answer=B | explanation=5% of 168 = (5/100) × 168 = 8.

id=16094 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■24302 at 10% per annum for 1 years. | option_a=2430 | option_b=26732 | option_c=2330 | option_d=2530 | answer=A | explanation=SI = PRT/100 = 24302×10×1/100 = ■2430.

id=16095 | topic=Averages | difficulty=Easy | question=Find the average of 22, 70, 73, 63, 38, 40. | option_a=50 | option_b=52 | option_c=53 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 306 ÷ 6 = 51.

id=16096 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2477. If it is sold at a profit of 40%, what is its selling price? | option_a=2517 | option_b=3467 | option_c=3220 | option_d=3714 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2477 × 140/100 = ■3467.

id=16097 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=18 | option_b=19 | option_c=22 | option_d=14 | answer=A | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.

id=16098 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 16? | option_a=12 | option_b=16 | option_c=10 | option_d=8 | answer=B | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 16 is the odd one out.

id=16099 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=19 | option_b=24 | option_c=23 | option_d=27 | answer=C | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=16100 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=13 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=16101 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:3 and the first is 68, what is the second? | option_a=55 | option_b=119 | option_c=48 | option_d=51 | answer=D | explanation=Scale factor = 68/4 = 17. Therefore second quantity = 3×17 = 51.

id=16102 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 47? | option_a=26 | option_b=47 | option_c=32 | option_d=38 | answer=B | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 47 is the odd one out.

id=16103 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 20. | option_a=520 | option_b=240 | option_c=286 | option_d=260 | answer=D | explanation=LCM × HCF = 26×20; HCF(26,20) = 2, so LCM = 260.

id=16104 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■22125 at 15% per annum for 2 years. | option_a=6737 | option_b=28762 | option_c=6537 | option_d=6637 | answer=D | explanation=SI = PRT/100 = 22125×15×2/100 = ■6637.

id=16105 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4770. If it is sold at a profit of 20%, what is its selling price? | option_a=6201 | option_b=5724 | option_c=4790 | option_d=5247 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4770 × 120/100 = ■5724.

id=16106 | topic=Averages | difficulty=Easy | question=Find the average of 76, 24, 78, 77, 93, 90, 15, 27. | option_a=60 | option_b=59 | option_c=61 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 480 ÷ 8 = 60.

id=16107 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 27. | option_a=567 | option_b=189 | option_c=210 | option_d=162 | answer=B | explanation=LCM × HCF = 21×27; HCF(21,27) = 3, so LCM = 189.

id=16108 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=240 | option_d=115 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=16109 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=40 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=16110 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:12 and the first is 40, what is the second? | option_a=84 | option_b=96 | option_c=136 | option_d=101 | answer=B | explanation=Scale factor = 40/5 = 8. Therefore second quantity = 12×8 = 96.

Aptitude Questions — Records 16,111-16,140 of 100,000

id=16111 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=J | option_c=H | option_d=D | answer=C | explanation=Move 2 positions forward from F; the resulting letter is H.

id=16112 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=43 | option_b=27 | option_c=35 | option_d=36 | answer=C | explanation=The common difference is 8. Therefore the next term is 27 + 8 = 35.

id=16113 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 33, 40, 48? | option_a=26 | option_b=33 | option_c=40 | option_d=48 | answer=D | explanation=The first three numbers increase by 7, so the next should be 47. Therefore 48 is the odd one out.

id=16114 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4605. If it is sold at a profit of 40%, what is its selling price? | option_a=4645 | option_b=5987 | option_c=6447 | option_d=6907 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4605 × 140/100 = █6447.

id=16115 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=W | option_b=N | option_c=Q | option_d=T | answer=D | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=16116 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:17 and the first is 25, what is the second? | option_a=110 | option_b=90 | option_c=68 | option_d=85 | answer=D | explanation=Scale factor = 25/5 = 5. Therefore second quantity = 17×5 = 85.

id=16117 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27836 at 10% per annum for 5 years. | option_a=13918 | option_b=13818 | option_c=41754 | option_d=14018 | answer=A | explanation=SI = PRT/100 = 27836×10×5/100 = █13918.

id=16118 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=Q | option_b=O | option_c=M | option_d=S | answer=A | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=16119 | topic=Percentages | difficulty=Easy | question=What is 50% of 1851? | option_a=925 | option_b=905 | option_c=1850 | option_d=945 | answer=A | explanation=50% of 1851 = (50/100) × 1851 = 925.

id=16120 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=16121 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=16122 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=G | option_b=I | option_c=K | option_d=M | answer=C | explanation=Move 2 positions forward from I; the resulting letter is K.

id=16123 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:4 and the first is 180, what is the second? | option_a=220 | option_b=36 | option_c=58 | option_d=40 | answer=D | explanation=Scale factor = 180/18 = 10. Therefore second quantity = 4×10 = 40.

id=16124 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=7 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=16125 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:5 and the first is 102, what is the second? | option_a=85 | option_b=80 | option_c=187 | option_d=91 | answer=A | explanation=Scale factor = 102/6 = 17. Therefore second quantity = 5×17 = 85.

id=16126 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 8, 11, 14, ? | option_a=14 | option_b=17 | option_c=18 | option_d=20 | answer=B | explanation=The common difference is 3. Therefore the next term is 14 + 3 = 17.

id=16127 | topic=Averages | difficulty=Easy | question=Find the average of 74, 23, 41. | option_a=46 | option_b=45 | option_c=47 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = 138 ÷ 3 = 46.

id=16128 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=16129 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2055. If it is sold at a profit of 15%, what is its selling price? | option_a=2568 | option_b=2363 | option_c=2070 | option_d=2158 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2055 × 115/100 = █2363.

id=16130 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18529 at 12% per annum for 2 years. | option_a=4446 | option_b=22975 | option_c=4546 | option_d=4346 | answer=A | explanation=SI = PRT/100 = 18529×12×2/100 = █4446.

id=16131 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=J | option_b=K | option_c=L | option_d=M | answer=C | explanation=Move 1 positions forward from K; the resulting letter is L.

id=16132 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=G | option_c=Q | option_d=V | answer=C | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=16133 | topic=Averages | difficulty=Easy | question=Find the average of 99, 41, 37, 20, 88. | option_a=59 | option_b=56 | option_c=58 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.

id=16134 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:16 and the first is 238, what is the second? | option_a=286 | option_b=272 | option_c=256 | option_d=510 | answer=B | explanation=Scale factor = 238/14 = 17. Therefore second quantity = 16×17 = 272.

id=16135 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=31 | option_b=24 | option_c=36 | option_d=30 | answer=D | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.

id=16136 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=H | option_b=J | option_c=N | option_d=L | answer=D | explanation=Move 2 positions forward from J; the resulting letter is L.

id=16137 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35508 at 6% per annum for 2 years. | option_a=39768 | option_b=4160 | option_c=4260 | option_d=4360 | answer=C | explanation=SI = PRT/100 = 35508×6×2/100 = █4260.

id=16138 | topic=Averages | difficulty=Easy | question=Find the average of 43, 95, 48, 30, 54. | option_a=54 | option_b=55 | option_c=56 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 270 ÷ 5 = 54.

id=16139 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=16140 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

Aptitude Questions — Records 16,141-16,170 of 100,000

id=16141 | topic=Percentages | difficulty=Easy | question=What is 50% of 602? | option_a=301 | option_b=291 | option_c=321 | option_d=602 | answer=A | explanation=50% of 602 = (50/100) × 602 = 301.

id=16142 | topic=Percentages | difficulty=Easy | question=What is 50% of 1457? | option_a=718 | option_b=728 | option_c=1456 | option_d=748 | answer=B | explanation=50% of 1457 = (50/100) × 1457 = 728.

id=16143 | topic=Profit & Loss | difficulty=Easy | question=An article costs █460. If it is sold at a profit of 15%, what is its selling price? | option_a=529 | option_b=575 | option_c=475 | option_d=483 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 460 × 115/100 = █529.

id=16144 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=16145 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=32 | option_b=42 | option_c=52 | option_d=43 | answer=B | explanation=The common difference is 10. Therefore the next term is 32 + 10 = 42.

id=16146 | topic=Percentages | difficulty=Easy | question=What is 20% of 758? | option_a=151 | option_b=302 | option_c=156 | option_d=141 | answer=A | explanation=20% of 758 = (20/100) × 758 = 151.

id=16147 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32558 at 10% per annum for 4 years. | option_a=13123 | option_b=12923 | option_c=45581 | option_d=13023 | answer=D | explanation=SI = PRT/100 = 32558×10×4/100 = █13023.

id=16148 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 28? | option_a=23 | option_b=19 | option_c=28 | option_d=15 | answer=C | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 28 is the odd one out.

id=16149 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=27 | option_b=34 | option_c=41 | option_d=35 | answer=B | explanation=The common difference is 7. Therefore the next term is 27 + 7 = 34.

id=16150 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=T | option_c=L | option_d=X | answer=B | explanation=Move 4 positions forward from P; the resulting letter is T.

id=16151 | topic=Percentages | difficulty=Easy | question=What is 30% of 1651? | option_a=490 | option_b=495 | option_c=515 | option_d=990 | answer=B | explanation=30% of 1651 = (30/100) × 1651 = 495.

id=16152 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=16153 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=Y | option_b=H | option_c=B | option_d=E | answer=D | explanation=Move 3 positions forward from B; the resulting letter is E.

id=16154 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=16155 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=16156 | topic=Averages | difficulty=Easy | question=Find the average of 50, 94, 69. | option_a=72 | option_b=73 | option_c=71 | option_d=70 | answer=C | explanation=Average = sum of values ÷ number of values = 213 ÷ 3 = 71.

id=16157 | topic=Averages | difficulty=Easy | question=Find the average of 26, 81, 38, 44, 81, 48. | option_a=54 | option_b=52 | option_c=55 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 318 ÷ 6 = 53.

id=16158 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=16159 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 37, 44, 53? | option_a=53 | option_b=44 | option_c=30 | option_d=37 | answer=A | explanation=The first three numbers increase by 7, so the next should be 51. Therefore 53 is the odd one out.

id=16160 | topic=Averages | difficulty=Easy | question=Find the average of 30, 64, 29, 93, 57, 73, 11. | option_a=51 | option_b=53 | option_c=50 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.

id=16161 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=16162 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=16163 | topic=Averages | difficulty=Easy | question=Find the average of 85, 22, 10, 53, 41, 48, 35. | option_a=43 | option_b=41 | option_c=44 | option_d=42 | answer=D | explanation=Average = sum of values ÷ number of values = 294 ÷ 7 = 42.

id=16164 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=56 | option_b=47 | option_c=57 | option_d=65 | answer=A | explanation=The common difference is 9. Therefore the next term is 47 + 9 = 56.

id=16165 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=38 | option_b=32 | option_c=26 | option_d=33 | answer=B | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=16166 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:20 and the first is 99, what is the second? | option_a=191 | option_b=160 | option_c=279 | option_d=180 | answer=D | explanation=Scale factor = 99/11 = 9. Therefore second quantity = 20×9 = 180.

id=16167 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12963 at 10% per annum for 5 years. | option_a=6481 | option_b=19444 | option_c=6381 | option_d=6581 | answer=A | explanation=SI = PRT/100 = 12963×10×5/100 = █6481.

id=16168 | topic=Percentages | difficulty=Easy | question=What is 25% of 859? | option_a=234 | option_b=209 | option_c=428 | option_d=214 | answer=D | explanation=25% of 859 = (25/100) × 859 = 214.

id=16169 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 22? | option_a=15 | option_b=22 | option_c=7 | option_d=11 | answer=B | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 22 is the odd one out.

id=16170 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:6 and the first is 110, what is the second? | option_a=176 | option_b=76 | option_c=60 | option_d=66 | answer=D | explanation=Scale factor = 110/10 = 11. Therefore second quantity = 6×11 = 66.

Aptitude Questions — Records 16,171-16,200 of 100,000

id=16171 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=16172 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■37326 at 12% per annum for 4 years. | option_a=18016 | option_b=17916 | option_c=55242 | option_d=17816 | answer=B | explanation=SI = PRT/100 = 37326×12×4/100 = ■17916.

id=16173 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■37239 at 8% per annum for 2 years. | option_a=5858 | option_b=6058 | option_c=5958 | option_d=43197 | answer=C | explanation=SI = PRT/100 = 37239×8×2/100 = ■5958.

id=16174 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=55 | option_b=42 | option_c=54 | option_d=66 | answer=C | explanation=The common difference is 12. Therefore the next term is 42 + 12 = 54.

id=16175 | topic=Averages | difficulty=Easy | question=Find the average of 65, 79, 56, 81, 26, 29, 31, 55, 39. | option_a=55 | option_b=56 | option_c=54 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

id=16176 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=16177 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2147. If it is sold at a profit of 15%, what is its selling price? | option_a=2255 | option_b=2469 | option_c=2162 | option_d=2683 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2147 × 115/100 = ■2469.

id=16178 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■6947 at 5% per annum for 3 years. | option_a=942 | option_b=1142 | option_c=7989 | option_d=1042 | answer=D | explanation=SI = PRT/100 = 6947×5×3/100 = ■1042.

id=16179 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 47? | option_a=30 | option_b=23 | option_c=37 | option_d=47 | answer=D | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 47 is the odd one out.

id=16180 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=H | option_c=D | option_d=P | answer=A | explanation=Move 4 positions forward from H; the resulting letter is L.

id=16181 | topic=Percentages | difficulty=Easy | question=What is 50% of 1864? | option_a=952 | option_b=1864 | option_c=932 | option_d=922 | answer=C | explanation=50% of 1864 = (50/100) × 1864 = 932.

id=16182 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=16183 | topic=Averages | difficulty=Easy | question=Find the average of 36, 21, 60. | option_a=40 | option_b=41 | option_c=39 | option_d=38 | answer=C | explanation=Average = sum of values ÷ number of values = 117 ÷ 3 = 39.

id=16184 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=J | option_c=I | option_d=G | answer=C | explanation=Move 1 positions forward from H; the resulting letter is I.

id=16185 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=T | option_b=U | option_c=S | option_d=R | answer=A | explanation=Move 1 positions forward from S; the resulting letter is T.

id=16186 | topic=Averages | difficulty=Easy | question=Find the average of 12, 74, 76, 76, 47. | option_a=57 | option_b=59 | option_c=58 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.

id=16187 | topic=Percentages | difficulty=Easy | question=What is 30% of 78? | option_a=13 | option_b=23 | option_c=46 | option_d=43 | answer=B | explanation=30% of 78 = (30/100) × 78 = 23.

id=16188 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=E | option_c=D | option_d=F | answer=D | explanation=Move 1 positions forward from E; the resulting letter is F.

id=16189 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2077. If it is sold at a profit of 40%, what is its selling price? | option_a=2907 | option_b=3114 | option_c=2700 | option_d=2117 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2077 × 140/100 = ■2907.

id=16190 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=180 | option_c=90 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=16191 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=18 | option_b=16 | option_c=20 | option_d=19 | answer=A | explanation=The common difference is 2. Therefore the next term is 16 + 2 = 18.

id=16192 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=46 | option_b=57 | option_c=58 | option_d=68 | answer=B | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.

id=16193 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:10 and the first is 64, what is the second? | option_a=88 | option_b=144 | option_c=70 | option_d=80 | answer=D | explanation=Scale factor = 64/8 = 8. Therefore second quantity = 10×8 = 80.

id=16194 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■5672 at 12% per annum for 2 years. | option_a=1461 | option_b=7033 | option_c=1261 | option_d=1361 | answer=D | explanation=SI = PRT/100 = 5672×12×2/100 = ■1361.

id=16195 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=16196 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4191. If it is sold at a profit of 25%, what is its selling price? | option_a=4216 | option_b=5657 | option_c=5238 | option_d=4819 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4191 × 125/100 = ■5238.

id=16197 | topic=Percentages | difficulty=Easy | question=What is 15% of 1035? | option_a=150 | option_b=310 | option_c=160 | option_d=155 | answer=D | explanation=15% of 1035 = (15/100) × 1035 = 155.

id=16198 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=46 | option_b=68 | option_c=58 | option_d=57 | answer=D | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.

id=16199 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4426. If it is sold at a profit of 25%, what is its selling price? | option_a=4451 | option_b=5090 | option_c=5532 | option_d=5974 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4426 × 125/100 = ■5532.

id=16200 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 8. | option_a=32 | option_b=160 | option_c=60 | option_d=40 | answer=D | explanation=LCM × HCF = 20×8; HCF(20,8) = 4, so LCM = 40.

Aptitude Questions — Records 16,201-16,230 of 100,000

id=16201 | topic=Percentages | difficulty=Easy | question=What is 30% of 152? | option_a=35 | option_b=90 | option_c=45 | option_d=55 | answer=C | explanation=30% of 152 = (30/100) × 152 = 45.

id=16202 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=16203 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 34, 39, 47? | option_a=34 | option_b=47 | option_c=39 | option_d=29 | answer=B | explanation=The first three numbers increase by 5, so the next should be 44. Therefore 47 is the odd one out.

id=16204 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 8, 11, 14, ? | option_a=18 | option_b=20 | option_c=14 | option_d=17 | answer=D | explanation=The common difference is 3. Therefore the next term is 14 + 3 = 17.

id=16205 | topic=Percentages | difficulty=Easy | question=What is 10% of 1315? | option_a=121 | option_b=262 | option_c=131 | option_d=141 | answer=C | explanation=10% of 1315 = (10/100) × 1315 = 131.

id=16206 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=16207 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=16208 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=54 | option_b=48 | option_c=40 | option_d=47 | answer=D | explanation=The common difference is 7. Therefore the next term is 40 + 7 = 47.

id=16209 | topic=Percentages | difficulty=Easy | question=What is 15% of 993? | option_a=128 | option_b=158 | option_c=296 | option_d=148 | answer=D | explanation=15% of 993 = (15/100) × 993 = 148.

id=16210 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:4 and the first is 14, what is the second? | option_a=28 | option_b=24 | option_c=42 | option_d=30 | answer=A | explanation=Scale factor = 14/2 = 7. Therefore second quantity = 4×7 = 28.

id=16211 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=16212 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 26, 36, 49? | option_a=49 | option_b=36 | option_c=16 | option_d=26 | answer=A | explanation=The first three numbers increase by 10, so the next should be 46. Therefore 49 is the odd one out.

id=16213 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹38710 at 10% per annum for 1 years. | option_a=42581 | option_b=3971 | option_c=3871 | option_d=3771 | answer=C | explanation=SI = PRT/100 = 38710×10×1/100 = ₹3871.

id=16214 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹4734 at 8% per annum for 1 years. | option_a=378 | option_b=278 | option_c=478 | option_d=5112 | answer=A | explanation=SI = PRT/100 = 4734×8×1/100 = ₹378.

id=16215 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=X | option_b=N | option_c=S | option_d=C | answer=A | explanation=Move 5 positions forward from S; the resulting letter is X.

id=16216 | topic=Averages | difficulty=Easy | question=Find the average of 66, 15, 68, 29, 49, 25, 34, 93, 35. | option_a=46 | option_b=47 | option_c=48 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 414 ÷ 9 = 46.

id=16217 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=M | option_c=I | option_d=O | answer=B | explanation=Move 2 positions forward from K; the resulting letter is M.

id=16218 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=100 | option_c=95 | option_d=105 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=16219 | topic=Averages | difficulty=Easy | question=Find the average of 56, 93, 31, 66, 70, 88, 66, 50, 77, 83. | option_a=67 | option_b=69 | option_c=68 | option_d=70 | answer=C | explanation=Average = sum of values ÷ number of values = 680 ÷ 10 = 68.

id=16220 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:20 and the first is 40, what is the second? | option_a=120 | option_b=60 | option_c=80 | option_d=90 | answer=C | explanation=Scale factor = 40/10 = 4. Therefore second quantity = 20×4 = 80.

id=16221 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=C | option_c=E | option_d=I | answer=A | explanation=Move 2 positions forward from E; the resulting letter is G.

id=16222 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=Q | option_b=L | option_c=G | option_d=V | answer=A | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=16223 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=16224 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹4761. If it is sold at a profit of 20%, what is its selling price? | option_a=6189 | option_b=5237 | option_c=5713 | option_d=4781 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4761 × 120/100 = ₹5713.

id=16225 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=16226 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹3629. If it is sold at a profit of 30%, what is its selling price? | option_a=4355 | option_b=5079 | option_c=3659 | option_d=4717 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3629 × 130/100 = ₹4717.

id=16227 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:6 and the first is 12, what is the second? | option_a=66 | option_b=84 | option_c=72 | option_d=73 | answer=C | explanation=Scale factor = 12/1 = 12. Therefore second quantity = 6×12 = 72.

id=16228 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=16229 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=P | option_c=R | option_d=S | answer=C | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=16230 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹3684. If it is sold at a profit of 15%, what is its selling price? | option_a=3868 | option_b=4236 | option_c=4604 | option_d=3699 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3684 × 115/100 = ₹4236.

Aptitude Questions — Records 16,231-16,260 of 100,000

id=16231 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:9 and the first is 96, what is the second? | option_a=72 | option_b=168 | option_c=84 | option_d=63 | answer=A | explanation=Scale factor = 96/12 = 8. Therefore second quantity = 9×8 = 72.

id=16232 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:7 and the first is 96, what is the second? | option_a=84 | option_b=180 | option_c=92 | option_d=77 | answer=A | explanation=Scale factor = 96/8 = 12. Therefore second quantity = 7×12 = 84.

id=16233 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:8 and the first is 100, what is the second? | option_a=165 | option_b=260 | option_c=152 | option_d=160 | answer=D | explanation=Scale factor = 100/5 = 20. Therefore second quantity = 8×20 = 160.

id=16234 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 49? | option_a=49 | option_b=27 | option_c=37 | option_d=17 | answer=A | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 49 is the odd one out.

id=16235 | topic=Averages | difficulty=Easy | question=Find the average of 82, 80, 29, 88, 47, 27, 83, 75, 92. | option_a=68 | option_b=66 | option_c=67 | option_d=69 | answer=C | explanation=Average = sum of values ÷ number of values = 603 ÷ 9 = 67.

id=16236 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:8 and the first is 16, what is the second? | option_a=64 | option_b=66 | option_c=80 | option_d=56 | answer=A | explanation=Scale factor = 16/2 = 8. Therefore second quantity = 8×8 = 64.

id=16237 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=P | option_c=T | option_d=R | answer=C | explanation=Move 2 positions forward from R; the resulting letter is T.

id=16238 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=53 | option_c=43 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=16239 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=34 | option_b=26 | option_c=31 | option_d=30 | answer=D | explanation=The common difference is 4. Therefore the next term is 26 + 4 = 30.

id=16240 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=16241 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1648. If it is sold at a profit of 20%, what is its selling price? | option_a=2141 | option_b=1668 | option_c=1813 | option_d=1977 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1648 × 120/100 = █1977.

id=16242 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 21? | option_a=16 | option_b=21 | option_c=14 | option_d=18 | answer=B | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 21 is the odd one out.

id=16243 | topic=Percentages | difficulty=Easy | question=What is 20% of 707? | option_a=282 | option_b=141 | option_c=121 | option_d=151 | answer=B | explanation=20% of 707 = (20/100) × 707 = 141.

id=16244 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=16245 | topic=Percentages | difficulty=Easy | question=What is 15% of 562? | option_a=89 | option_b=64 | option_c=168 | option_d=84 | answer=D | explanation=15% of 562 = (15/100) × 562 = 84.

id=16246 | topic=Percentages | difficulty=Easy | question=What is 5% of 1610? | option_a=80 | option_b=60 | option_c=160 | option_d=100 | answer=A | explanation=5% of 1610 = (5/100) × 1610 = 80.

id=16247 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=24 | option_b=25 | option_c=22 | option_d=26 | answer=A | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.

id=16248 | topic=Averages | difficulty=Easy | question=Find the average of 92, 37, 71, 19, 68, 69, 50, 18. | option_a=52 | option_b=54 | option_c=55 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.

id=16249 | topic=Averages | difficulty=Easy | question=Find the average of 70, 26, 44, 79, 65, 51, 16, 95, 66, 38. | option_a=54 | option_b=56 | option_c=55 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 550 ÷ 10 = 55.

id=16250 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2194. If it is sold at a profit of 5%, what is its selling price? | option_a=2084 | option_b=2522 | option_c=2303 | option_d=2199 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2194 × 105/100 = █2303.

id=16251 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17548 at 15% per annum for 1 years. | option_a=2532 | option_b=2632 | option_c=20180 | option_d=2732 | answer=B | explanation=SI = PRT/100 = 17548×15×1/100 = █2632.

id=16252 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=16253 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 41? | option_a=41 | option_b=22 | option_c=28 | option_d=34 | answer=A | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 41 is the odd one out.

id=16254 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:3 and the first is 76, what is the second? | option_a=133 | option_b=61 | option_c=57 | option_d=54 | answer=C | explanation=Scale factor = 76/4 = 19. Therefore second quantity = 3×19 = 57.

id=16255 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19569 at 10% per annum for 4 years. | option_a=7727 | option_b=7827 | option_c=7927 | option_d=27396 | answer=B | explanation=SI = PRT/100 = 19569×10×4/100 = █7827.

id=16256 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2826 at 10% per annum for 1 years. | option_a=182 | option_b=3108 | option_c=382 | option_d=282 | answer=D | explanation=SI = PRT/100 = 2826×10×1/100 = █282.

id=16257 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=57 | option_b=66 | option_c=46 | option_d=56 | answer=D | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=16258 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 29, 36, 44? | option_a=29 | option_b=44 | option_c=22 | option_d=36 | answer=B | explanation=The first three numbers increase by 7, so the next should be 43. Therefore 44 is the odd one out.

id=16259 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:2 and the first is 114, what is the second? | option_a=126 | option_b=31 | option_c=12 | option_d=10 | answer=C | explanation=Scale factor = 114/19 = 6. Therefore second quantity = 2×6 = 12.

id=16260 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33283 at 12% per annum for 2 years. | option_a=7887 | option_b=8087 | option_c=7987 | option_d=41270 | answer=C | explanation=SI = PRT/100 = 33283×12×2/100 = █7987.

Aptitude Questions — Records 16,261-16,290 of 100,000

id=16261 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 19, 25, 32? | option_a=32 | option_b=13 | option_c=25 | option_d=19 | answer=A | explanation=The first three numbers increase by 6, so the next should be 31. Therefore 32 is the odd one out.

id=16262 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:12 and the first is 117, what is the second? | option_a=144 | option_b=156 | option_c=273 | option_d=165 | answer=B | explanation=Scale factor = $117/9 = 13$. Therefore second quantity = $12 \times 13 = 156$.

id=16263 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1794. If it is sold at a profit of 20%, what is its selling price? | option_a=1973 | option_b=1814 | option_c=2152 | option_d=2331 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1794 \times 120/100 = \text{█}2152$.

id=16264 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1390. If it is sold at a profit of 50%, what is its selling price? | option_a=1946 | option_b=2085 | option_c=2224 | option_d=1440 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1390 \times 150/100 = \text{█}2085$.

id=16265 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=41 | option_c=72 | option_d=31 | answer=A | explanation=Speed = distance $\div$ time = $180 \div 5 = 36$ km/h.

id=16266 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=P | option_c=R | option_d=T | answer=D | explanation=Move 2 positions forward from R; the resulting letter is T.

id=16267 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 6. | option_a=30 | option_b=90 | option_c=24 | option_d=45 | answer=A | explanation= $LCM \times HCF = 15 \times 6$; $HCF(15,6) = 3$, so $LCM = 30$.

id=16268 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=Z | option_b=I | option_c=C | option_d=F | answer=D | explanation=Move 3 positions forward from C; the resulting letter is F.

id=16269 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=F | option_c=B | option_d=H | answer=B | explanation=Move 2 positions forward from D; the resulting letter is F.

id=16270 | topic=Percentages | difficulty=Easy | question=What is 5% of 1029? | option_a=71 | option_b=51 | option_c=41 | option_d=102 | answer=B | explanation= $5\% \text{ of } 1029 = (5/100) \times 1029 = 51$.

id=16271 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:6 and the first is 234, what is the second? | option_a=121 | option_b=342 | option_c=102 | option_d=108 | answer=D | explanation=Scale factor = $234/13 = 18$. Therefore second quantity = $6 \times 18 = 108$.

id=16272 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4618. If it is sold at a profit of 50%, what is its selling price? | option_a=7388 | option_b=6927 | option_c=6466 | option_d=4668 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4618 \times 150/100 = \text{█}6927$.

id=16273 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=16 | option_b=15 | option_c=14 | option_d=12 | answer=C | explanation=The common difference is 2. Therefore the next term is $12 + 2 = 14$.

id=16274 | topic=Percentages | difficulty=Easy | question=What is 30% of 388? | option_a=232 | option_b=116 | option_c=106 | option_d=136 | answer=B | explanation= $30\% \text{ of } 388 = (30/100) \times 388 = 116$.

id=16275 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=29 | option_c=19 | option_d=24 | answer=D | explanation=Speed = distance $\div$ time = $240 \div 10 = 24$ km/h.

id=16276 | topic=Percentages | difficulty=Easy | question=What is 40% of 982? | option_a=392 | option_b=784 | option_c=402 | option_d=382 | answer=A | explanation= $40\% \text{ of } 982 = (40/100) \times 982 = 392$.

id=16277 | topic=Percentages | difficulty=Easy | question=What is 10% of 1988? | option_a=198 | option_b=208 | option_c=193 | option_d=396 | answer=A | explanation= $10\% \text{ of } 1988 = (10/100) \times 1988 = 198$.

id=16278 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=32 | option_b=38 | option_c=33 | option_d=26 | answer=A | explanation=The common difference is 6. Therefore the next term is $26 + 6 = 32$.

id=16279 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 35? | option_a=35 | option_b=15 | option_c=6 | option_d=24 | answer=A | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 35 is the odd one out.

id=16280 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=18 | option_c=9 | option_d=14 | answer=C | explanation=Speed = distance $\div$ time = $90 \div 10 = 9$ km/h.

id=16281 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 17, 25, 33, ? | option_a=49 | option_b=42 | option_c=41 | option_d=33 | answer=C | explanation=The common difference is 8. Therefore the next term is $33 + 8 = 41$.

id=16282 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=50 | option_b=60 | option_c=51 | option_d=40 | answer=A | explanation=The common difference is 10. Therefore the next term is $40 + 10 = 50$.

id=16283 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:5 and the first is 182, what is the second? | option_a=247 | option_b=65 | option_c=79 | option_d=60 | answer=B | explanation=Scale factor = $182/14 = 13$. Therefore second quantity = $5 \times 13 = 65$.

id=16284 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=150 | option_d=70 | answer=B | explanation=Speed = distance $\div$ time = $300 \div 4 = 75$ km/h.

id=16285 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:1 and the first is 91, what is the second? | option_a=12 | option_b=104 | option_c=13 | option_d=20 | answer=C | explanation=Scale factor = $91/7 = 13$. Therefore second quantity = $1 \times 13 = 13$.

id=16286 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=R | option_c=T | option_d=N | answer=B | explanation=Move 2 positions forward from P; the resulting letter is R.

id=16287 | topic=Averages | difficulty=Easy | question=Find the average of 28, 20, 23, 19, 53, 57, 63, 87, 28. | option_a=44 | option_b=43 | option_c=42 | option_d=41 | answer=C | explanation=Average = sum of values $\div$ number of values = $378 \div 9 = 42$.

id=16288 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:9 and the first is 144, what is the second? | option_a=153 | option_b=288 | option_c=135 | option_d=144 | answer=D | explanation=Scale factor = $144/9 = 16$. Therefore second quantity = $9 \times 16 = 144$.

id=16289 | topic=Averages | difficulty=Easy | question=Find the average of 34, 11, 51, 28, 30, 27, 51, 29, 40, 49. | option_a=34 | option_b=36 | option_c=37 | option_d=35 | answer=D | explanation=Average = sum of values $\div$ number of values = $350 \div 10 = 35$.

id=16290 | topic=Percentages | difficulty=Easy | question=What is 25% of 1394? | option_a=328 | option_b=348 | option_c=696 | option_d=358 | answer=B | explanation= $25\% \text{ of } 1394 = (25/100) \times 1394 = 348$.

Aptitude Questions — Records 16,291-16,320 of 100,000

id=16291 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■37157 at 5% per annum for 1 years. | option_a=1757 | option_b=1957 | option_c=1857 | option_d=39014 | answer=C | explanation=SI = PRT/100 = 37157×5×1/100 = ■1857.

id=16292 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=A | option_b=C | option_c=B | option_d=D | answer=B | explanation=Move 1 positions forward from B; the resulting letter is C.

id=16293 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=16294 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 15, 23, 33? | option_a=33 | option_b=23 | option_c=15 | option_d=7 | answer=A | explanation=The first three numbers increase by 8, so the next should be 31. Therefore 33 is the odd one out.

id=16295 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2009. If it is sold at a profit of 15%, what is its selling price? | option_a=2024 | option_b=2310 | option_c=2110 | option_d=2510 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2009 × 115/100 = ■2310.

id=16296 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=31 | option_b=36 | option_c=24 | option_d=30 | answer=D | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.

id=16297 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2179. If it is sold at a profit of 20%, what is its selling price? | option_a=2199 | option_b=2397 | option_c=2831 | option_d=2614 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2179 × 120/100 = ■2614.

id=16298 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=25 | option_b=24 | option_c=29 | option_d=19 | answer=B | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.

id=16299 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:13 and the first is 160, what is the second? | option_a=264 | option_b=124 | option_c=104 | option_d=91 | answer=C | explanation=Scale factor = 160/20 = 8. Therefore second quantity = 13×8 = 104.

id=16300 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43, ? | option_a=51 | option_b=43 | option_c=59 | option_d=52 | answer=A | explanation=The common difference is 8. Therefore the next term is 43 + 8 = 51.

id=16301 | topic=Averages | difficulty=Easy | question=Find the average of 44, 57, 32, 81, 16, 96, 87. | option_a=59 | option_b=61 | option_c=60 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 413 ÷ 7 = 59.

id=16302 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1380. If it is sold at a profit of 25%, what is its selling price? | option_a=1725 | option_b=1587 | option_c=1863 | option_d=1405 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1380 × 125/100 = ■1725.

id=16303 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1773. If it is sold at a profit of 10%, what is its selling price? | option_a=2127 | option_b=1950 | option_c=1783 | option_d=1773 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1773 × 110/100 = ■1950.

id=16304 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=X | option_c=P | option_d=L | answer=A | explanation=Move 4 positions forward from P; the resulting letter is T.

id=16305 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=24 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=16306 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■40273 at 5% per annum for 4 years. | option_a=8054 | option_b=8154 | option_c=48327 | option_d=7954 | answer=A | explanation=SI = PRT/100 = 40273×5×4/100 = ■8054.

id=16307 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 17? | option_a=8 | option_b=17 | option_c=12 | option_d=10 | answer=B | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 17 is the odd one out.

id=16308 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=16309 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■778. If it is sold at a profit of 10%, what is its selling price? | option_a=788 | option_b=855 | option_c=778 | option_d=932 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 778 × 110/100 = ■855.

id=16310 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=40 | option_b=36 | option_c=37 | option_d=32 | answer=B | explanation=The common difference is 4. Therefore the next term is 32 + 4 = 36.

id=16311 | topic=Percentages | difficulty=Easy | question=What is 10% of 427? | option_a=42 | option_b=47 | option_c=22 | option_d=84 | answer=A | explanation=10% of 427 = (10/100) × 427 = 42.

id=16312 | topic=Percentages | difficulty=Easy | question=What is 20% of 631? | option_a=126 | option_b=252 | option_c=146 | option_d=106 | answer=A | explanation=20% of 631 = (20/100) × 631 = 126.

id=16313 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=O | option_c=M | option_d=K | answer=B | explanation=Move 2 positions forward from M; the resulting letter is O.

id=16314 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 37? | option_a=17 | option_b=29 | option_c=23 | option_d=37 | answer=D | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 37 is the odd one out.

id=16315 | topic=Percentages | difficulty=Easy | question=What is 15% of 1642? | option_a=492 | option_b=251 | option_c=246 | option_d=236 | answer=C | explanation=15% of 1642 = (15/100) × 1642 = 246.

id=16316 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=16317 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 19? | option_a=9 | option_b=19 | option_c=15 | option_d=12 | answer=B | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 19 is the odd one out.

id=16318 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:2 and the first is 64, what is the second? | option_a=24 | option_b=8 | option_c=72 | option_d=6 | answer=B | explanation=Scale factor = 64/16 = 4. Therefore second quantity = 2×4 = 8.

id=16319 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=Q | option_b=M | option_c=S | option_d=O | answer=A | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=16320 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 26. | option_a=252 | option_b=468 | option_c=234 | option_d=208 | answer=C | explanation=LCM × HCF = 18×26; HCF(18,26) = 2, so LCM = 234.

Aptitude Questions — Records 16,321-16,350 of 100,000

id=16321 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=53 | option_b=54 | option_c=44 | option_d=62 | answer=A | explanation=The common difference is 9. Therefore the next term is 44 + 9 = 53.

id=16322 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1995. If it is sold at a profit of 5%, what is its selling price? | option_a=2094 | option_b=2293 | option_c=1895 | option_d=2000 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1995 × 105/100 = █2094.

id=16323 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=16324 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=16325 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 17, 26, 37? | option_a=37 | option_b=17 | option_c=8 | option_d=26 | answer=A | explanation=The first three numbers increase by 9, so the next should be 35. Therefore 37 is the odd one out.

id=16326 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=C | option_b=M | option_c=H | option_d=R | answer=B | explanation=Move 5 positions forward from H; the resulting letter is M.

id=16327 | topic=Averages | difficulty=Easy | question=Find the average of 94, 85, 34. | option_a=70 | option_b=71 | option_c=73 | option_d=72 | answer=B | explanation=Average = sum of values + number of values = 213 ÷ 3 = 71.

id=16328 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38530 at 12% per annum for 4 years. | option_a=18594 | option_b=18394 | option_c=57024 | option_d=18494 | answer=D | explanation=SI = PRT/100 = 38530×12×4/100 = █18494.

id=16329 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=V | option_c=S | option_d=M | answer=C | explanation=Move 3 positions forward from P; the resulting letter is S.

id=16330 | topic=Averages | difficulty=Easy | question=Find the average of 10, 93, 76, 32, 73, 64. | option_a=59 | option_b=58 | option_c=60 | option_d=57 | answer=B | explanation=Average = sum of values + number of values = 348 ÷ 6 = 58.

id=16331 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33562 at 8% per annum for 5 years. | option_a=46986 | option_b=13524 | option_c=13324 | option_d=13424 | answer=D | explanation=SI = PRT/100 = 33562×8×5/100 = █13424.

id=16332 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=U | option_c=R | option_d=L | answer=C | explanation=Move 3 positions forward from O; the resulting letter is R.

id=16333 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=G | option_c=H | option_d=E | answer=B | explanation=Move 1 positions forward from F; the resulting letter is G.

id=16334 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13909 at 5% per annum for 5 years. | option_a=3577 | option_b=3377 | option_c=3477 | option_d=17386 | answer=C | explanation=SI = PRT/100 = 13909×5×5/100 = █3477.

id=16335 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=16336 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 27? | option_a=21 | option_b=18 | option_c=15 | option_d=27 | answer=D | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 27 is the odd one out.

id=16337 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 20. | option_a=20 | option_b=25 | option_c=100 | option_d=1 | answer=A | explanation=LCM × HCF = 5×20; HCF(5,20) = 5, so LCM = 20.

id=16338 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=O | option_b=M | option_c=P | option_d=N | answer=A | explanation=Move 1 positions forward from N; the resulting letter is O.

id=16339 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=240 | option_d=115 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=16340 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=16341 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 24. | option_a=72 | option_b=90 | option_c=432 | option_d=48 | answer=A | explanation=LCM × HCF = 18×24; HCF(18,24) = 6, so LCM = 72.

id=16342 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=N | option_b=X | option_c=S | option_d=C | answer=B | explanation=Move 5 positions forward from S; the resulting letter is X.

id=16343 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=16344 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:10 and the first is 117, what is the second? | option_a=80 | option_b=207 | option_c=103 | option_d=90 | answer=D | explanation=Scale factor = 117/13 = 9. Therefore second quantity = 10×9 = 90.

id=16345 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 26, 32, 39? | option_a=39 | option_b=32 | option_c=20 | option_d=26 | answer=A | explanation=The first three numbers increase by 6, so the next should be 38. Therefore 39 is the odd one out.

id=16346 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=16347 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2670. If it is sold at a profit of 10%, what is its selling price? | option_a=2670 | option_b=2680 | option_c=2937 | option_d=3204 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2670 × 110/100 = █2937.

id=16348 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=42 | option_b=34 | option_c=50 | option_d=43 | answer=A | explanation=The common difference is 8. Therefore the next term is 34 + 8 = 42.

id=16349 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=L | option_b=C | option_c=I | option_d=F | answer=C | explanation=Move 3 positions forward from F; the resulting letter is I.

id=16350 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=10 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

Aptitude Questions — Records 16,351-16,380 of 100,000

id=16351 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:7 and the first is 96, what is the second? | option_a=35 | option_b=42 | option_c=58 | option_d=138 | answer=B | explanation=Scale factor = 96/16 = 6. Therefore second quantity = 7×6 = 42.

id=16352 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=180 | option_c=360 | option_d=185 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=16353 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=J | option_c=M | option_d=L | answer=D | explanation=Move 1 positions forward from K; the resulting letter is L.

id=16354 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=16355 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■43277 at 6% per annum for 5 years. | option_a=12883 | option_b=56260 | option_c=12983 | option_d=13083 | answer=C | explanation=SI = PRT/100 = 43277×6×5/100 = ■12983.

id=16356 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 5, 7, 10? | option_a=7 | option_b=5 | option_c=10 | option_d=3 | answer=C | explanation=The first three numbers increase by 2, so the next should be 9. Therefore 10 is the odd one out.

id=16357 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=4 | option_c=14 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=16358 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 17, 23, 32? | option_a=17 | option_b=11 | option_c=23 | option_d=32 | answer=D | explanation=The first three numbers increase by 6, so the next should be 29. Therefore 32 is the odd one out.

id=16359 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=41 | option_b=31 | option_c=40 | option_d=49 | answer=C | explanation=The common difference is 9. Therefore the next term is 31 + 9 = 40.

id=16360 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=42 | option_b=51 | option_c=43 | option_d=33 | answer=A | explanation=The common difference is 9. Therefore the next term is 33 + 9 = 42.

id=16361 | topic=Percentages | difficulty=Easy | question=What is 20% of 306? | option_a=61 | option_b=122 | option_c=56 | option_d=71 | answer=A | explanation=20% of 306 = (20/100) × 306 = 61.

id=16362 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■3870 at 8% per annum for 5 years. | option_a=1448 | option_b=1648 | option_c=5418 | option_d=1548 | answer=D | explanation=SI = PRT/100 = 3870×8×5/100 = ■1548.

id=16363 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:7 and the first is 104, what is the second? | option_a=84 | option_b=99 | option_c=91 | option_d=195 | answer=C | explanation=Scale factor = 104/8 = 13. Therefore second quantity = 7×13 = 91.

id=16364 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4685. If it is sold at a profit of 10%, what is its selling price? | option_a=5153 | option_b=5621 | option_c=4695 | option_d=4685 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4685 × 110/100 = ■5153.

id=16365 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=32 | option_b=28 | option_c=22 | option_d=27 | answer=D | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.

id=16366 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■39580 at 4% per annum for 4 years. | option_a=6232 | option_b=45912 | option_c=6432 | option_d=6332 | answer=D | explanation=SI = PRT/100 = 39580×4×4/100 = ■6332.

id=16367 | topic=Percentages | difficulty=Easy | question=What is 5% of 1403? | option_a=140 | option_b=80 | option_c=70 | option_d=50 | answer=C | explanation=5% of 1403 = (5/100) × 1403 = 70.

id=16368 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=51 | option_b=50 | option_c=38 | option_d=62 | answer=B | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=16369 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■3575 at 5% per annum for 2 years. | option_a=357 | option_b=457 | option_c=257 | option_d=3932 | answer=A | explanation=SI = PRT/100 = 3575×5×2/100 = ■357.

id=16370 | topic=Averages | difficulty=Easy | question=Find the average of 24, 47, 34. | option_a=36 | option_b=37 | option_c=34 | option_d=35 | answer=D | explanation=Average = sum of values ÷ number of values = 105 ÷ 3 = 35.

id=16371 | topic=Averages | difficulty=Easy | question=Find the average of 98, 78, 90, 74, 93, 43, 91. | option_a=83 | option_b=81 | option_c=82 | option_d=80 | answer=B | explanation=Average = sum of values ÷ number of values = 567 ÷ 7 = 81.

id=16372 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=24 | option_b=28 | option_c=26 | option_d=27 | answer=C | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.

id=16373 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■19147 at 4% per annum for 1 years. | option_a=19912 | option_b=865 | option_c=765 | option_d=665 | answer=C | explanation=SI = PRT/100 = 19147×4×1/100 = ■765.

id=16374 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 10. | option_a=132 | option_b=110 | option_c=220 | option_d=100 | answer=B | explanation=LCM × HCF = 22×10; HCF(22,10) = 2, so LCM = 110.

id=16375 | topic=Percentages | difficulty=Easy | question=What is 25% of 984? | option_a=226 | option_b=492 | option_c=246 | option_d=251 | answer=C | explanation=25% of 984 = (25/100) × 984 = 246.

id=16376 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 35, 43, 52? | option_a=35 | option_b=52 | option_c=27 | option_d=43 | answer=B | explanation=The first three numbers increase by 8, so the next should be 51. Therefore 52 is the odd one out.

id=16377 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 30. | option_a=256 | option_b=210 | option_c=240 | option_d=480 | answer=C | explanation=LCM × HCF = 16×30; HCF(16,30) = 2, so LCM = 240.

id=16378 | topic=Percentages | difficulty=Easy | question=What is 5% of 1209? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=5% of 1209 = (5/100) × 1209 = 60.

id=16379 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■32076 at 15% per annum for 3 years. | option_a=14434 | option_b=14334 | option_c=14534 | option_d=46510 | answer=A | explanation=SI = PRT/100 = 32076×15×3/100 = ■14434.

id=16380 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=34 | option_b=44 | option_c=54 | option_d=45 | answer=B | explanation=The common difference is 10. Therefore the next term is 34 + 10 = 44.

Aptitude Questions — Records 16,381-16,410 of 100,000

id=16381 | topic=Number System | difficulty=Easy | question=Find the LCM of 13 and 26. | option_a=39 | option_b=1 | option_c=26 | option_d=338 | answer=C | explanation=LCM × HCF = 13×26; HCF(13,26) = 13, so LCM = 26.

id=16382 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 31? | option_a=16 | option_b=10 | option_c=31 | option_d=22 | answer=C | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 31 is the odd one out.

id=16383 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=4 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=16384 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1527. If it is sold at a profit of 10%, what is its selling price? | option_a=1679 | option_b=1831 | option_c=1537 | option_d=1527 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1527 × 110/100 = █1679.

id=16385 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44020 at 4% per annum for 3 years. | option_a=5282 | option_b=5382 | option_c=5182 | option_d=49302 | answer=A | explanation=SI = PRT/100 = 44020×4×3/100 = █5282.

id=16386 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 9. | option_a=1 | option_b=9 | option_c=27 | option_d=12 | answer=B | explanation=LCM × HCF = 3×9; HCF(3,9) = 3, so LCM = 9.

id=16387 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=16388 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=A | option_c=O | option_d=S | answer=A | explanation=Move 4 positions forward from S; the resulting letter is W.

id=16389 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 33? | option_a=16 | option_b=33 | option_c=8 | option_d=24 | answer=B | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 33 is the odd one out.

id=16390 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:6 and the first is 30, what is the second? | option_a=60 | option_b=54 | option_c=63 | option_d=90 | answer=A | explanation=Scale factor = 30/3 = 10. Therefore second quantity = 6×10 = 60.

id=16391 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=I | option_b=M | option_c=O | option_d=K | answer=B | explanation=Move 2 positions forward from K; the resulting letter is M.

id=16392 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 29? | option_a=29 | option_b=22 | option_c=24 | option_d=20 | answer=A | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 29 is the odd one out.

id=16393 | topic=Percentages | difficulty=Easy | question=What is 15% of 624? | option_a=103 | option_b=186 | option_c=93 | option_d=73 | answer=C | explanation=15% of 624 = (15/100) × 624 = 93.

id=16394 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:15 and the first is 360, what is the second? | option_a=255 | option_b=270 | option_c=630 | option_d=290 | answer=B | explanation=Scale factor = 360/20 = 18. Therefore second quantity = 15×18 = 270.

id=16395 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=16396 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=O | option_b=K | option_c=G | option_d=C | answer=B | explanation=Move 4 positions forward from G; the resulting letter is K.

id=16397 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 25? | option_a=6 | option_b=25 | option_c=18 | option_d=12 | answer=B | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 25 is the odd one out.

id=16398 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=80 | option_c=75 | option_d=160 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=16399 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2160. If it is sold at a profit of 20%, what is its selling price? | option_a=2592 | option_b=2180 | option_c=2376 | option_d=2808 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2160 × 120/100 = █2592.

id=16400 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21838 at 6% per annum for 2 years. | option_a=2520 | option_b=24458 | option_c=2720 | option_d=2620 | answer=D | explanation=SI = PRT/100 = 21838×6×2/100 = █2620.

id=16401 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=16402 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 27. | option_a=36 | option_b=243 | option_c=27 | option_d=1 | answer=C | explanation=LCM × HCF = 9×27; HCF(9,27) = 9, so LCM = 27.

id=16403 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=34 | option_b=42 | option_c=48 | option_d=41 | answer=D | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=16404 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 10, 15, 20, ? | option_a=30 | option_b=26 | option_c=20 | option_d=25 | answer=D | explanation=The common difference is 5. Therefore the next term is 20 + 5 = 25.

id=16405 | topic=Percentages | difficulty=Easy | question=What is 10% of 1122? | option_a=224 | option_b=92 | option_c=117 | option_d=112 | answer=D | explanation=10% of 1122 = (10/100) × 1122 = 112.

id=16406 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=8 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=16407 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 15. | option_a=60 | option_b=180 | option_c=72 | option_d=45 | answer=A | explanation=LCM × HCF = 12×15; HCF(12,15) = 3, so LCM = 60.

id=16408 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=44 | option_b=38 | option_c=39 | option_d=32 | answer=B | explanation=The common difference is 6. Therefore the next term is 32 + 6 = 38.

id=16409 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4485. If it is sold at a profit of 30%, what is its selling price? | option_a=5830 | option_b=4515 | option_c=5382 | option_d=6278 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4485 × 130/100 = █5830.

id=16410 | topic=Averages | difficulty=Easy | question=Find the average of 59, 37, 68, 88, 73, 51, 75, 68, 36, 55. | option_a=61 | option_b=60 | option_c=63 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 610 ÷ 10 = 61.

Aptitude Questions — Records 16,411-16,440 of 100,000

id=16411 | topic=Percentages | difficulty=Easy | question=What is 40% of 1297? | option_a=538 | option_b=1036 | option_c=513 | option_d=518 | answer=D | explanation=40% of 1297 = $(40/100) \times 1297 = 518$.

id=16412 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=16413 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:8 and the first is 192, what is the second? | option_a=128 | option_b=120 | option_c=320 | option_d=140 | answer=A | explanation=Scale factor = $192/12 = 16$. Therefore second quantity = $8 \times 16 = 128$.

id=16414 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=41 | option_b=49 | option_c=48 | option_d=55 | answer=C | explanation=The common difference is 7. Therefore the next term is $41 + 7 = 48$.

id=16415 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26682 at 4% per annum for 5 years. | option_a=5336 | option_b=32018 | option_c=5436 | option_d=5236 | answer=A | explanation=SI = $PRT/100 = 26682 \times 4 \times 5/100 = \text{■}5336$.

id=16416 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 25? | option_a=11 | option_b=25 | option_c=17 | option_d=5 | answer=B | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 25 is the odd one out.

id=16417 | topic=Averages | difficulty=Easy | question=Find the average of 57, 13, 61, 25. | option_a=41 | option_b=38 | option_c=39 | option_d=40 | answer=C | explanation=Average = sum of values ÷ number of values = $156 \div 4 = 39$.

id=16418 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 34? | option_a=34 | option_b=24 | option_c=28 | option_d=20 | answer=A | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 34 is the odd one out.

id=16419 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**995. If it is sold at a profit of 50%, what is its selling price? | option_a=1492 | option_b=1045 | option_c=1393 | option_d=1591 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 995 \times 150/100 = \text{■}1492$.

id=16420 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1612. If it is sold at a profit of 20%, what is its selling price? | option_a=1632 | option_b=1934 | option_c=1773 | option_d=2095 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1612 \times 120/100 = \text{■}1934$.

id=16421 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 33? | option_a=22 | option_b=33 | option_c=2 | option_d=12 | answer=B | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 33 is the odd one out.

id=16422 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=30 | option_b=28 | option_c=29 | option_d=26 | answer=B | explanation=The common difference is 2. Therefore the next term is $26 + 2 = 28$.

id=16423 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = $150 \div 10 = 15$ km/h.

id=16424 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30019 at 12% per annum for 4 years. | option_a=14509 | option_b=14409 | option_c=44428 | option_d=14309 | answer=B | explanation=SI = $PRT/100 = 30019 \times 12 \times 4/100 = \text{■}14409$.

id=16425 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2948. If it is sold at a profit of 15%, what is its selling price? | option_a=3390 | option_b=2963 | option_c=3096 | option_d=3684 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2948 \times 115/100 = \text{■}3390$.

id=16426 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=16427 | topic=Averages | difficulty=Easy | question=Find the average of 53, 47, 15, 65, 76, 26, 45, 63, 41, 49. | option_a=48 | option_b=50 | option_c=49 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = $480 \div 10 = 48$.

id=16428 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=16429 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:6 and the first is 48, what is the second? | option_a=66 | option_b=72 | option_c=76 | option_d=120 | answer=B | explanation=Scale factor = $48/4 = 12$. Therefore second quantity = $6 \times 12 = 72$.

id=16430 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4723. If it is sold at a profit of 20%, what is its selling price? | option_a=6139 | option_b=5667 | option_c=5195 | option_d=4743 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4723 \times 120/100 = \text{■}5667$.

id=16431 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 31, 39, 49? | option_a=31 | option_b=23 | option_c=39 | option_d=49 | answer=D | explanation=The first three numbers increase by 8, so the next should be 47. Therefore 49 is the odd one out.

id=16432 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 25, 34, 43, ? | option_a=53 | option_b=43 | option_c=61 | option_d=52 | answer=D | explanation=The common difference is 9. Therefore the next term is $43 + 9 = 52$.

id=16433 | topic=Percentages | difficulty=Easy | question=What is 25% of 1138? | option_a=284 | option_b=304 | option_c=568 | option_d=264 | answer=A | explanation=25% of 1138 = $(25/100) \times 1138 = 284$.

id=16434 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4696. If it is sold at a profit of 10%, what is its selling price? | option_a=5165 | option_b=5634 | option_c=4706 | option_d=4696 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4696 \times 110/100 = \text{■}5165$.

id=16435 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33731 at 5% per annum for 1 years. | option_a=1686 | option_b=35417 | option_c=1586 | option_d=1786 | answer=A | explanation=SI = $PRT/100 = 33731 \times 5 \times 1/100 = \text{■}1686$.

id=16436 | topic=Averages | difficulty=Easy | question=Find the average of 91, 45, 55, 42, 26, 23. | option_a=49 | option_b=46 | option_c=48 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = $282 \div 6 = 47$.

id=16437 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:18 and the first is 70, what is the second? | option_a=72 | option_b=104 | option_c=90 | option_d=160 | answer=C | explanation=Scale factor = $70/14 = 5$. Therefore second quantity = $18 \times 5 = 90$.

id=16438 | topic=Averages | difficulty=Easy | question=Find the average of 85, 97, 18, 97, 27, 66. | option_a=65 | option_b=67 | option_c=66 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = $390 \div 6 = 65$.

id=16439 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23182 at 5% per annum for 1 years. | option_a=1059 | option_b=1159 | option_c=24341 | option_d=1259 | answer=B | explanation=SI = $PRT/100 = 23182 \times 5 \times 1/100 = \text{■}1159$.

id=16440 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**850. If it is sold at a profit of 10%, what is its selling price? | option_a=850 | option_b=1020 | option_c=935 | option_d=860 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 850 \times 110/100 = \text{■}935$.

Aptitude Questions — Records 16,441-16,470 of 100,000

id=16441 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 21, 25, 32? | option_a=32 | option_b=21 | option_c=25 | option_d=17 | answer=A | explanation=The first three numbers increase by 4, so the next should be 29. Therefore 32 is the odd one out.

id=16442 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4417. If it is sold at a profit of 20%, what is its selling price? | option_a=5300 | option_b=4859 | option_c=5741 | option_d=4437 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4417 × 120/100 = █5300.

id=16443 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 28, 38, 48, ? | option_a=48 | option_b=58 | option_c=68 | option_d=59 | answer=B | explanation=The common difference is 10. Therefore the next term is 48 + 10 = 58.

id=16444 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16886 at 4% per annum for 2 years. | option_a=1350 | option_b=1250 | option_c=18236 | option_d=1450 | answer=A | explanation=SI = PRT/100 = 16886×4×2/100 = █1350.

id=16445 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=240 | option_c=125 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=16446 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 5. | option_a=40 | option_b=100 | option_c=20 | option_d=15 | answer=C | explanation=LCM × HCF = 20×5; HCF(20,5) = 5, so LCM = 20.

id=16447 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29683 at 10% per annum for 3 years. | option_a=8804 | option_b=9004 | option_c=38587 | option_d=8904 | answer=D | explanation=SI = PRT/100 = 29683×10×3/100 = █8904.

id=16448 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=16449 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1065. If it is sold at a profit of 50%, what is its selling price? | option_a=1491 | option_b=1703 | option_c=1115 | option_d=1597 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1065 × 150/100 = █1597.

id=16450 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4386. If it is sold at a profit of 10%, what is its selling price? | option_a=4396 | option_b=5262 | option_c=4386 | option_d=4824 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4386 × 110/100 = █4824.

id=16451 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=16452 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:11 and the first is 55, what is the second? | option_a=110 | option_b=126 | option_c=121 | option_d=176 | answer=C | explanation=Scale factor = 55/5 = 11. Therefore second quantity = 11×11 = 121.

id=16453 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 45? | option_a=18 | option_b=26 | option_c=34 | option_d=45 | answer=D | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 45 is the odd one out.

id=16454 | topic=Percentages | difficulty=Easy | question=What is 15% of 964? | option_a=124 | option_b=144 | option_c=154 | option_d=288 | answer=B | explanation=15% of 964 = (15/100) × 964 = 144.

id=16455 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17400 at 6% per annum for 5 years. | option_a=5320 | option_b=5220 | option_c=5120 | option_d=22620 | answer=B | explanation=SI = PRT/100 = 17400×6×5/100 = █5220.

id=16456 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 30? | option_a=30 | option_b=15 | option_c=19 | option_d=23 | answer=A | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 30 is the odd one out.

id=16457 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=16458 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:20 and the first is 90, what is the second? | option_a=340 | option_b=365 | option_c=450 | option_d=360 | answer=D | explanation=Scale factor = 90/5 = 18. Therefore second quantity = 20×18 = 360.

id=16459 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:6 and the first is 54, what is the second? | option_a=162 | option_b=108 | option_c=111 | option_d=102 | answer=B | explanation=Scale factor = 54/3 = 18. Therefore second quantity = 6×18 = 108.

id=16460 | topic=Percentages | difficulty=Easy | question=What is 12% of 917? | option_a=100 | option_b=110 | option_c=220 | option_d=115 | answer=B | explanation=12% of 917 = (12/100) × 917 = 110.

id=16461 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:8 and the first is 195, what is the second? | option_a=120 | option_b=112 | option_c=315 | option_d=133 | answer=A | explanation=Scale factor = 195/13 = 15. Therefore second quantity = 8×15 = 120.

id=16462 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=29 | option_c=19 | option_d=48 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=16463 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=100 | option_c=50 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=16464 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=100 | option_c=55 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=16465 | topic=Profit & Loss | difficulty=Easy | question=An article costs █192. If it is sold at a profit of 30%, what is its selling price? | option_a=230 | option_b=249 | option_c=222 | option_d=268 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 192 × 130/100 = █249.

id=16466 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:19 and the first is 77, what is the second? | option_a=216 | option_b=209 | option_c=190 | option_d=286 | answer=B | explanation=Scale factor = 77/7 = 11. Therefore second quantity = 19×11 = 209.

id=16467 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 46? | option_a=46 | option_b=35 | option_c=19 | option_d=27 | answer=A | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 46 is the odd one out.

id=16468 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 33, 42, 53? | option_a=42 | option_b=53 | option_c=33 | option_d=24 | answer=B | explanation=The first three numbers increase by 9, so the next should be 51. Therefore 53 is the odd one out.

id=16469 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2209. If it is sold at a profit of 10%, what is its selling price? | option_a=2209 | option_b=2429 | option_c=2219 | option_d=2649 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2209 × 110/100 = █2429.

id=16470 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=20 | option_b=28 | option_c=25 | option_d=24 | answer=D | explanation=The common difference is 4. Therefore the next term is 20 + 4 = 24.

Aptitude Questions — Records 16,471-16,500 of 100,000

id=16471 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■7832 at 5% per annum for 4 years. | option_a=1666 | option_b=1466 | option_c=1566 | option_d=9398 | answer=C | explanation=SI = PRT/100 = 7832×5×4/100 = ■1566.

id=16472 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1716. If it is sold at a profit of 10%, what is its selling price? | option_a=1716 | option_b=1887 | option_c=2058 | option_d=1726 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1716 × 110/100 = ■1887.

id=16473 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:12 and the first is 32, what is the second? | option_a=80 | option_b=56 | option_c=36 | option_d=48 | answer=D | explanation=Scale factor = 32/8 = 4. Therefore second quantity = 12×4 = 48.

id=16474 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:16 and the first is 170, what is the second? | option_a=330 | option_b=177 | option_c=144 | option_d=160 | answer=D | explanation=Scale factor = 170/17 = 10. Therefore second quantity = 16×10 = 160.

id=16475 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=I | option_b=O | option_c=K | option_d=M | answer=D | explanation=Move 2 positions forward from K; the resulting letter is M.

id=16476 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=40 | option_c=80 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=16477 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 20, 30, 42? | option_a=30 | option_b=20 | option_c=10 | option_d=42 | answer=D | explanation=The first three numbers increase by 10, so the next should be 40. Therefore 42 is the odd one out.

id=16478 | topic=Percentages | difficulty=Easy | question=What is 50% of 860? | option_a=420 | option_b=860 | option_c=430 | option_d=440 | answer=C | explanation=50% of 860 = (50/100) × 860 = 430.

id=16479 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=A | option_b=Q | option_c=V | option_d=L | answer=C | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=16480 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=16481 | topic=Averages | difficulty=Easy | question=Find the average of 46, 19, 75, 24. | option_a=41 | option_b=42 | option_c=43 | option_d=40 | answer=A | explanation=Average = sum of values ÷ number of values = 164 ÷ 4 = 41.

id=16482 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=16483 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=24 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=16484 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=45 | option_b=57 | option_c=58 | option_d=69 | answer=B | explanation=The common difference is 12. Therefore the next term is 45 + 12 = 57.

id=16485 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:13 and the first is 24, what is the second? | option_a=156 | option_b=158 | option_c=180 | option_d=143 | answer=A | explanation=Scale factor = 24/2 = 12. Therefore second quantity = 13×12 = 156.

id=16486 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 16. | option_a=54 | option_b=48 | option_c=32 | option_d=96 | answer=B | explanation=LCM × HCF = 6×16; HCF(6,16) = 2, so LCM = 48.

id=16487 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=24 | option_b=23 | option_c=27 | option_d=19 | answer=B | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=16488 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 31, 33, 38? | option_a=38 | option_b=31 | option_c=33 | option_d=29 | answer=A | explanation=The first three numbers increase by 2, so the next should be 35. Therefore 38 is the odd one out.

id=16489 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 32, 39, 48? | option_a=48 | option_b=25 | option_c=39 | option_d=32 | answer=A | explanation=The first three numbers increase by 7, so the next should be 46. Therefore 48 is the odd one out.

id=16490 | topic=Percentages | difficulty=Easy | question=What is 12% of 1283? | option_a=306 | option_b=158 | option_c=148 | option_d=153 | answer=D | explanation=12% of 1283 = (12/100) × 1283 = 153.

id=16491 | topic=Averages | difficulty=Easy | question=Find the average of 14, 48, 22, 98, 47, 48, 84, 91, 34. | option_a=53 | option_b=55 | option_c=56 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 486 ÷ 9 = 54.

id=16492 | topic=Averages | difficulty=Easy | question=Find the average of 71, 39, 82, 30, 91, 52, 38, 101. | option_a=64 | option_b=63 | option_c=62 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 504 ÷ 8 = 63.

id=16493 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=19 | option_b=27 | option_c=23 | option_d=24 | answer=C | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=16494 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 17, 22, 29? | option_a=29 | option_b=12 | option_c=22 | option_d=17 | answer=A | explanation=The first three numbers increase by 5, so the next should be 27. Therefore 29 is the odd one out.

id=16495 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1697. If it is sold at a profit of 30%, what is its selling price? | option_a=2206 | option_b=1727 | option_c=2037 | option_d=2375 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1697 × 130/100 = ■2206.

id=16496 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=16497 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:4 and the first is 76, what is the second? | option_a=152 | option_b=80 | option_c=72 | option_d=76 | answer=D | explanation=Scale factor = 76/4 = 19. Therefore second quantity = 4×19 = 76.

id=16498 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=16499 | topic=Averages | difficulty=Easy | question=Find the average of 26, 88, 37, 50, 58, 66, 65, 79, 45, 16. | option_a=53 | option_b=55 | option_c=52 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=16500 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2313. If it is sold at a profit of 10%, what is its selling price? | option_a=2775 | option_b=2544 | option_c=2313 | option_d=2323 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2313 × 110/100 = ■2544.

Aptitude Questions — Records 16,501-16,530 of 100,000

- id=16501 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:13 and the first is 102, what is the second? | option_a=65 | option_b=180 | option_c=78 | option_d=95 | answer=C | explanation=Scale factor = $102/17 = 6$. Therefore second quantity = $13 \times 6 = 78$.
- id=16502 | topic=Percentages | difficulty=Easy | question=What is 20% of 1829? | option_a=370 | option_b=355 | option_c=730 | option_d=365 | answer=D | explanation= $20\% \text{ of } 1829 = (20/100) \times 1829 = 365$.
- id=16503 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=36 | option_b=31 | option_c=39 | option_d=35 | answer=D | explanation=The common difference is 4. Therefore the next term is $31 + 4 = 35$.
- id=16504 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=12 | answer=B | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.
- id=16505 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=22 | option_b=26 | option_c=24 | option_d=25 | answer=C | explanation=The common difference is 2. Therefore the next term is $22 + 2 = 24$.
- id=16506 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.
- id=16507 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=61 | option_b=39 | option_c=50 | option_d=51 | answer=C | explanation=The common difference is 11. Therefore the next term is $39 + 11 = 50$.
- id=16508 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2056. If it is sold at a profit of 50%, what is its selling price? | option_a=3289 | option_b=2879 | option_c=2106 | option_d=3084 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2056 \times 150/100 = \text{█}3084$.
- id=16509 | topic=Percentages | difficulty=Easy | question=What is 40% of 1936? | option_a=764 | option_b=774 | option_c=1548 | option_d=784 | answer=B | explanation= $40\% \text{ of } 1936 = (40/100) \times 1936 = 774$.
- id=16510 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20084 at 10% per annum for 5 years. | option_a=10142 | option_b=9942 | option_c=10042 | option_d=30126 | answer=C | explanation=SI = $PRT/100 = 20084 \times 10 \times 5/100 = \text{█}10042$.
- id=16511 | topic=Percentages | difficulty=Easy | question=What is 25% of 1097? | option_a=254 | option_b=274 | option_c=548 | option_d=294 | answer=B | explanation= $25\% \text{ of } 1097 = (25/100) \times 1097 = 274$.
- id=16512 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:11 and the first is 210, what is the second? | option_a=179 | option_b=375 | option_c=165 | option_d=154 | answer=C | explanation=Scale factor = $210/14 = 15$. Therefore second quantity = $11 \times 15 = 165$.
- id=16513 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6911 at 8% per annum for 3 years. | option_a=1558 | option_b=8569 | option_c=1658 | option_d=1758 | answer=C | explanation=SI = $PRT/100 = 6911 \times 8 \times 3/100 = \text{█}1658$.
- id=16514 | topic=Averages | difficulty=Easy | question=Find the average of 89, 52, 72. | option_a=73 | option_b=71 | option_c=72 | option_d=70 | answer=B | explanation=Average = sum of values ÷ number of values = $213 \div 3 = 71$.
- id=16515 | topic=Averages | difficulty=Easy | question=Find the average of 14, 36, 15, 50, 97, 38, 91, 35, 39, 85. | option_a=51 | option_b=52 | option_c=49 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = $500 \div 10 = 50$.
- id=16516 | topic=Profit & Loss | difficulty=Easy | question=An article costs █208. If it is sold at a profit of 25%, what is its selling price? | option_a=280 | option_b=233 | option_c=260 | option_d=240 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 208 \times 125/100 = \text{█}260$.
- id=16517 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43296 at 15% per annum for 3 years. | option_a=19383 | option_b=19583 | option_c=62779 | option_d=19483 | answer=D | explanation=SI = $PRT/100 = 43296 \times 15 \times 3/100 = \text{█}19483$.
- id=16518 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.
- id=16519 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:10 and the first is 85, what is the second? | option_a=67 | option_b=40 | option_c=135 | option_d=50 | answer=D | explanation=Scale factor = $85/17 = 5$. Therefore second quantity = $10 \times 5 = 50$.
- id=16520 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16122 at 5% per annum for 2 years. | option_a=1712 | option_b=1612 | option_c=17734 | option_d=1512 | answer=B | explanation=SI = $PRT/100 = 16122 \times 5 \times 2/100 = \text{█}1612$.
- id=16521 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=K | option_b=Z | option_c=P | option_d=U | answer=D | explanation=Move 5 positions forward from P; the resulting letter is U.
- id=16522 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2908. If it is sold at a profit of 30%, what is its selling price? | option_a=4070 | option_b=2938 | option_c=3490 | option_d=3780 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2908 \times 130/100 = \text{█}3780$.
- id=16523 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=12 | option_c=11 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = $60 \div 10 = 6$ km/h.
- id=16524 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.
- id=16525 | topic=Averages | difficulty=Easy | question=Find the average of 88, 32, 69, 27, 57, 70, 98, 39. | option_a=61 | option_b=59 | option_c=62 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = $480 \div 8 = 60$.
- id=16526 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=33 | option_b=47 | option_c=41 | option_d=40 | answer=D | explanation=The common difference is 7. Therefore the next term is $33 + 7 = 40$.
- id=16527 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=19 | option_b=22 | option_c=14 | option_d=18 | answer=D | explanation=The common difference is 4. Therefore the next term is $14 + 4 = 18$.
- id=16528 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.
- id=16529 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:7 and the first is 24, what is the second? | option_a=56 | option_b=49 | option_c=59 | option_d=80 | answer=A | explanation=Scale factor = $24/3 = 8$. Therefore second quantity = $7 \times 8 = 56$.
- id=16530 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45028 at 8% per annum for 3 years. | option_a=10706 | option_b=10806 | option_c=55834 | option_d=10906 | answer=B | explanation=SI = $PRT/100 = 45028 \times 8 \times 3/100 = \text{█}10806$.

Aptitude Questions — Records 16,531-16,560 of 100,000

id=16531 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2011. If it is sold at a profit of 10%, what is its selling price? | option_a=2021 | option_b=2413 | option_c=2011 | option_d=2212 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2011 × 110/100 = ■2212.

id=16532 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■19000 at 6% per annum for 1 years. | option_a=20140 | option_b=1240 | option_c=1140 | option_d=1040 | answer=C | explanation=SI = PRT/100 = 19000×6×1/100 = ■1140.

id=16533 | topic=Averages | difficulty=Easy | question=Find the average of 73, 92, 75, 44. | option_a=70 | option_b=72 | option_c=71 | option_d=73 | answer=C | explanation=Average = sum of values ÷ number of values = 284 ÷ 4 = 71.

id=16534 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=H | option_b=E | option_c=Y | option_d=B | answer=B | explanation=Move 3 positions forward from B; the resulting letter is E.

id=16535 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=F | option_c=C | option_d=E | answer=D | explanation=Move 1 positions forward from D; the resulting letter is E.

id=16536 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 11? | option_a=6 | option_b=2 | option_c=4 | option_d=11 | answer=D | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 11 is the odd one out.

id=16537 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=16538 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=7 | option_c=24 | option_d=17 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=16539 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■22896 at 5% per annum for 4 years. | option_a=4579 | option_b=4679 | option_c=4479 | option_d=27475 | answer=A | explanation=SI = PRT/100 = 22896×5×4/100 = ■4579.

id=16540 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■6117 at 15% per annum for 1 years. | option_a=917 | option_b=1017 | option_c=817 | option_d=7034 | answer=A | explanation=SI = PRT/100 = 6117×15×1/100 = ■917.

id=16541 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:14 and the first is 56, what is the second? | option_a=154 | option_b=98 | option_c=106 | option_d=84 | answer=B | explanation=Scale factor = 56/8 = 7. Therefore second quantity = 14×7 = 98.

id=16542 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:1 and the first is 110, what is the second? | option_a=21 | option_b=9 | option_c=120 | option_d=10 | answer=D | explanation=Scale factor = 110/11 = 10. Therefore second quantity = 1×10 = 10.

id=16543 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■39512 at 5% per annum for 3 years. | option_a=45438 | option_b=5926 | option_c=5826 | option_d=6026 | answer=B | explanation=SI = PRT/100 = 39512×5×3/100 = ■5926.

id=16544 | topic=Averages | difficulty=Easy | question=Find the average of 56, 95, 96, 21, 82, 67, 65, 86. | option_a=70 | option_b=72 | option_c=71 | option_d=73 | answer=C | explanation=Average = sum of values ÷ number of values = 568 ÷ 8 = 71.

id=16545 | topic=Percentages | difficulty=Easy | question=What is 25% of 535? | option_a=266 | option_b=133 | option_c=153 | option_d=128 | answer=B | explanation=25% of 535 = (25/100) × 535 = 133.

id=16546 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=40 | option_c=45 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=16547 | topic=Percentages | difficulty=Easy | question=What is 20% of 625? | option_a=145 | option_b=125 | option_c=250 | option_d=115 | answer=B | explanation=20% of 625 = (20/100) × 625 = 125.

id=16548 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■23960 at 15% per annum for 3 years. | option_a=10882 | option_b=34742 | option_c=10782 | option_d=10682 | answer=C | explanation=SI = PRT/100 = 23960×15×3/100 = ■10782.

id=16549 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=33 | option_b=43 | option_c=53 | option_d=44 | answer=B | explanation=The common difference is 10. Therefore the next term is 33 + 10 = 43.

id=16550 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1422. If it is sold at a profit of 30%, what is its selling price? | option_a=1706 | option_b=1452 | option_c=1990 | option_d=1848 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1422 × 130/100 = ■1848.

id=16551 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=16552 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:11 and the first is 156, what is the second? | option_a=132 | option_b=121 | option_c=145 | option_d=288 | answer=A | explanation=Scale factor = 156/13 = 12. Therefore second quantity = 11×12 = 132.

id=16553 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 23, 30, 40? | option_a=23 | option_b=40 | option_c=30 | option_d=16 | answer=B | explanation=The first three numbers increase by 7, so the next should be 37. Therefore 40 is the odd one out.

id=16554 | topic=Percentages | difficulty=Easy | question=What is 40% of 1308? | option_a=543 | option_b=523 | option_c=1046 | option_d=518 | answer=B | explanation=40% of 1308 = (40/100) × 1308 = 523.

id=16555 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:10 and the first is 140, what is the second? | option_a=190 | option_b=200 | option_c=340 | option_d=207 | answer=B | explanation=Scale factor = 140/7 = 20. Therefore second quantity = 10×20 = 200.

id=16556 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■12089 at 10% per annum for 1 years. | option_a=1108 | option_b=1208 | option_c=1308 | option_d=13297 | answer=B | explanation=SI = PRT/100 = 12089×10×1/100 = ■1208.

id=16557 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 32? | option_a=20 | option_b=15 | option_c=32 | option_d=25 | answer=C | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 32 is the odd one out.

id=16558 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 8. | option_a=160 | option_b=40 | option_c=60 | option_d=32 | answer=B | explanation=LCM × HCF = 20×8; HCF(20,8) = 4, so LCM = 40.

id=16559 | topic=Percentages | difficulty=Easy | question=What is 5% of 1051? | option_a=47 | option_b=104 | option_c=72 | option_d=52 | answer=D | explanation=5% of 1051 = (5/100) × 1051 = 52.

id=16560 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■18450 at 4% per annum for 2 years. | option_a=19926 | option_b=1376 | option_c=1576 | option_d=1476 | answer=D | explanation=SI = PRT/100 = 18450×4×2/100 = ■1476.

Aptitude Questions — Records 16,561-16,590 of 100,000

id=16561 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 26. | option_a=208 | option_b=468 | option_c=234 | option_d=252 | answer=C | explanation=LCM × HCF = 18×26; HCF(18,26) = 2, so LCM = 234.

id=16562 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=61 | option_b=49 | option_c=60 | option_d=71 | answer=C | explanation=The common difference is 11. Therefore the next term is 49 + 11 = 60.

id=16563 | topic=Percentages | difficulty=Easy | question=What is 40% of 1626? | option_a=645 | option_b=650 | option_c=660 | option_d=1300 | answer=B | explanation=40% of 1626 = (40/100) × 1626 = 650.

id=16564 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43957 at 10% per annum for 1 years. | option_a=4395 | option_b=4495 | option_c=4295 | option_d=48352 | answer=A | explanation=SI = PRT/100 = 43957×10×1/100 = █4395.

id=16565 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=E | option_b=H | option_c=G | option_d=F | answer=C | explanation=Move 1 positions forward from F; the resulting letter is G.

id=16566 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=16567 | topic=Percentages | difficulty=Easy | question=What is 50% of 937? | option_a=488 | option_b=936 | option_c=468 | option_d=463 | answer=C | explanation=50% of 937 = (50/100) × 937 = 468.

id=16568 | topic=Percentages | difficulty=Easy | question=What is 40% of 1452? | option_a=600 | option_b=570 | option_c=580 | option_d=1160 | answer=C | explanation=40% of 1452 = (40/100) × 1452 = 580.

id=16569 | topic=Averages | difficulty=Easy | question=Find the average of 22, 45, 41, 96, 56. | option_a=54 | option_b=52 | option_c=53 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 260 ÷ 5 = 52.

id=16570 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=31 | option_b=36 | option_c=35 | option_d=39 | answer=C | explanation=The common difference is 4. Therefore the next term is 31 + 4 = 35.

id=16571 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=16572 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 24, 30, 36, ? | option_a=42 | option_b=48 | option_c=36 | option_d=43 | answer=A | explanation=The common difference is 6. Therefore the next term is 36 + 6 = 42.

id=16573 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=53 | option_b=52 | option_c=41 | option_d=63 | answer=B | explanation=The common difference is 11. Therefore the next term is 41 + 11 = 52.

id=16574 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22539 at 8% per annum for 2 years. | option_a=3706 | option_b=3506 | option_c=3606 | option_d=26145 | answer=C | explanation=SI = PRT/100 = 22539×8×2/100 = █3606.

id=16575 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 7. | option_a=14 | option_b=7 | option_c=28 | option_d=98 | answer=A | explanation=LCM × HCF = 14×7; HCF(14,7) = 7, so LCM = 14.

id=16576 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 33? | option_a=33 | option_b=13 | option_c=22 | option_d=4 | answer=A | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 33 is the odd one out.

id=16577 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3394. If it is sold at a profit of 30%, what is its selling price? | option_a=4073 | option_b=4751 | option_c=4412 | option_d=3424 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3394 × 130/100 = █4412.

id=16578 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:18 and the first is 144, what is the second? | option_a=144 | option_b=162 | option_c=306 | option_d=178 | answer=B | explanation=Scale factor = 144/16 = 9. Therefore second quantity = 18×9 = 162.

id=16579 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:20 and the first is 80, what is the second? | option_a=160 | option_b=80 | option_c=100 | option_d=60 | answer=B | explanation=Scale factor = 80/20 = 4. Therefore second quantity = 20×4 = 80.

id=16580 | topic=Percentages | difficulty=Easy | question=What is 20% of 207? | option_a=21 | option_b=41 | option_c=46 | option_d=82 | answer=B | explanation=20% of 207 = (20/100) × 207 = 41.

id=16581 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=16582 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=30 | option_b=23 | option_c=37 | option_d=31 | answer=A | explanation=The common difference is 7. Therefore the next term is 23 + 7 = 30.

id=16583 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=40 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=16584 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:19 and the first is 9, what is the second? | option_a=38 | option_b=57 | option_c=66 | option_d=60 | answer=B | explanation=Scale factor = 9/3 = 3. Therefore second quantity = 19×3 = 57.

id=16585 | topic=Averages | difficulty=Easy | question=Find the average of 54, 11, 22. | option_a=28 | option_b=31 | option_c=30 | option_d=29 | answer=D | explanation=Average = sum of values ÷ number of values = 87 ÷ 3 = 29.

id=16586 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1545. If it is sold at a profit of 30%, what is its selling price? | option_a=1575 | option_b=1854 | option_c=2162 | option_d=2008 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1545 × 130/100 = █2008.

id=16587 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 28, 31, 36? | option_a=36 | option_b=28 | option_c=25 | option_d=31 | answer=A | explanation=The first three numbers increase by 3, so the next should be 34. Therefore 36 is the odd one out.

id=16588 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4028 at 10% per annum for 1 years. | option_a=502 | option_b=302 | option_c=402 | option_d=4430 | answer=C | explanation=SI = PRT/100 = 4028×10×1/100 = █402.

id=16589 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14515 at 4% per annum for 3 years. | option_a=1741 | option_b=1841 | option_c=1641 | option_d=16256 | answer=A | explanation=SI = PRT/100 = 14515×4×3/100 = █1741.

id=16590 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:7 and the first is 30, what is the second? | option_a=47 | option_b=35 | option_c=72 | option_d=42 | answer=D | explanation=Scale factor = 30/5 = 6. Therefore second quantity = 7×6 = 42.

Aptitude Questions — Records 16,591-16,620 of 100,000

id=16591 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4220. If it is sold at a profit of 25%, what is its selling price? | option_a=5275 | option_b=4245 | option_c=5697 | option_d=4853 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4220 \times 125/100 = \text{█}5275$.

id=16592 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=31 | option_b=27 | option_c=28 | option_d=23 | answer=B | explanation=The common difference is 4. Therefore the next term is $23 + 4 = 27$.

id=16593 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44604 at 8% per annum for 3 years. | option_a=10804 | option_b=10704 | option_c=10604 | option_d=55308 | answer=B | explanation= $SI = PRT/100 = 44604 \times 8 \times 3/100 = \text{█}10704$.

id=16594 | topic=Percentages | difficulty=Easy | question=What is 40% of 1427? | option_a=560 | option_b=1140 | option_c=570 | option_d=575 | answer=C | explanation= 40% of $1427 = (40/100) \times 1427 = 570$.

id=16595 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=N | option_c=Y | option_d=I | answer=D | explanation=Move 5 positions forward from D; the resulting letter is I.

id=16596 | topic=Percentages | difficulty=Easy | question=What is 20% of 1483? | option_a=592 | option_b=301 | option_c=276 | option_d=296 | answer=D | explanation= 20% of $1483 = (20/100) \times 1483 = 296$.

id=16597 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8064 at 10% per annum for 1 years. | option_a=706 | option_b=806 | option_c=8870 | option_d=906 | answer=B | explanation= $SI = PRT/100 = 8064 \times 10 \times 1/100 = \text{█}806$.

id=16598 | topic=Percentages | difficulty=Easy | question=What is 50% of 890? | option_a=435 | option_b=445 | option_c=450 | option_d=890 | answer=B | explanation= 50% of $890 = (50/100) \times 890 = 445$.

id=16599 | topic=Averages | difficulty=Easy | question=Find the average of 53, 79, 78, 82, 94, 58, 94, 62, 102. | option_a=80 | option_b=77 | option_c=78 | option_d=79 | answer=C | explanation=Average = sum of values ÷ number of values = $702 \div 9 = 78$.

id=16600 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1119. If it is sold at a profit of 25%, what is its selling price? | option_a=1398 | option_b=1287 | option_c=1144 | option_d=1509 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1119 \times 125/100 = \text{█}1398$.

id=16601 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 21. | option_a=1 | option_b=42 | option_c=21 | option_d=441 | answer=C | explanation= $LCM \times HCF = 21 \times 21$; $HCF(21,21) = 21$, so $LCM = 21$.

id=16602 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=16603 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 10. | option_a=1 | option_b=100 | option_c=10 | option_d=20 | answer=C | explanation= $LCM \times HCF = 10 \times 10$; $HCF(10,10) = 10$, so $LCM = 10$.

id=16604 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=25 | option_b=39 | option_c=32 | option_d=33 | answer=C | explanation=The common difference is 7. Therefore the next term is $25 + 7 = 32$.

id=16605 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22794 at 8% per annum for 3 years. | option_a=28264 | option_b=5570 | option_c=5470 | option_d=5370 | answer=C | explanation= $SI = PRT/100 = 22794 \times 8 \times 3/100 = \text{█}5470$.

id=16606 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:2 and the first is 30, what is the second? | option_a=50 | option_b=23 | option_c=20 | option_d=18 | answer=C | explanation=Scale factor = $30/3 = 10$. Therefore second quantity = $2 \times 10 = 20$.

id=16607 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31018 at 10% per annum for 3 years. | option_a=9405 | option_b=40323 | option_c=9205 | option_d=9305 | answer=D | explanation= $SI = PRT/100 = 31018 \times 10 \times 3/100 = \text{█}9305$.

id=16608 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 32, 39, 49? | option_a=49 | option_b=39 | option_c=25 | option_d=32 | answer=A | explanation=The first three numbers increase by 7, so the next should be 46. Therefore 49 is the odd one out.

id=16609 | topic=Averages | difficulty=Easy | question=Find the average of 98, 88, 83, 67, 32, 82, 33. | option_a=69 | option_b=68 | option_c=70 | option_d=71 | answer=A | explanation=Average = sum of values ÷ number of values = $483 \div 7 = 69$.

id=16610 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:2 and the first is 30, what is the second? | option_a=12 | option_b=17 | option_c=42 | option_d=10 | answer=A | explanation=Scale factor = $30/5 = 6$. Therefore second quantity = $2 \times 6 = 12$.

id=16611 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=48 | option_b=34 | option_c=41 | option_d=42 | answer=C | explanation=The common difference is 7. Therefore the next term is $34 + 7 = 41$.

id=16612 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22458 at 6% per annum for 1 years. | option_a=1247 | option_b=1347 | option_c=1447 | option_d=23805 | answer=B | explanation= $SI = PRT/100 = 22458 \times 6 \times 1/100 = \text{█}1347$.

id=16613 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20999 at 12% per annum for 2 years. | option_a=5039 | option_b=5139 | option_c=26038 | option_d=4939 | answer=A | explanation= $SI = PRT/100 = 20999 \times 12 \times 2/100 = \text{█}5039$.

id=16614 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1130 at 12% per annum for 5 years. | option_a=578 | option_b=778 | option_c=678 | option_d=1808 | answer=C | explanation= $SI = PRT/100 = 1130 \times 12 \times 5/100 = \text{█}678$.

id=16615 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 30. | option_a=448 | option_b=420 | option_c=390 | option_d=840 | answer=B | explanation= $LCM \times HCF = 28 \times 30$; $HCF(28,30) = 2$, so $LCM = 420$.

id=16616 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $120 \div 4 = 30$ km/h.

id=16617 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.

id=16618 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=16619 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2293. If it is sold at a profit of 50%, what is its selling price? | option_a=2343 | option_b=3439 | option_c=3210 | option_d=3668 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2293 \times 150/100 = \text{█}3439$.

id=16620 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12571 at 12% per annum for 3 years. | option_a=17096 | option_b=4525 | option_c=4425 | option_d=4625 | answer=B | explanation= $SI = PRT/100 = 12571 \times 12 \times 3/100 = \text{█}4525$.

Aptitude Questions — Records 16,621-16,650 of 100,000

id=16621 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:20 and the first is 209, what is the second? | option_a=391 | option_b=589 | option_c=360 | option_d=380 | answer=D | explanation=Scale factor = $209/11 = 19$. Therefore second quantity = $20 \times 19 = 380$.

id=16622 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=11 | option_c=12 | option_d=1 | answer=A | explanation=Speed = distance ÷ time = $60 \div 10 = 6$ km/h.

id=16623 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=S | option_b=R | option_c=T | option_d=Q | answer=A | explanation=Move 1 positions forward from R; the resulting letter is S.

id=16624 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=M | option_b=H | option_c=X | option_d=C | answer=B | explanation=Move 5 positions forward from C; the resulting letter is H.

id=16625 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:15 and the first is 119, what is the second? | option_a=105 | option_b=224 | option_c=90 | option_d=122 | answer=A | explanation=Scale factor = $119/17 = 7$. Therefore second quantity = $15 \times 7 = 105$.

id=16626 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=22 | option_b=30 | option_c=27 | option_d=26 | answer=D | explanation=The common difference is 4. Therefore the next term is $22 + 4 = 26$.

id=16627 | topic=Averages | difficulty=Easy | question=Find the average of 56, 85, 83, 24. | option_a=61 | option_b=63 | option_c=64 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = $248 \div 4 = 62$.

id=16628 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=23 | option_c=13 | option_d=36 | answer=A | explanation=Speed = distance ÷ time = $90 \div 5 = 18$ km/h.

id=16629 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36808 at 10% per annum for 4 years. | option_a=14723 | option_b=14623 | option_c=14823 | option_d=51531 | answer=A | explanation=SI = $PRT/100 = 36808 \times 10 \times 4/100 = \text{■}14723$.

id=16630 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=50 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = $90 \div 2 = 45$ km/h.

id=16631 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:1 and the first is 120, what is the second? | option_a=128 | option_b=23 | option_c=8 | option_d=7 | answer=C | explanation=Scale factor = $120/15 = 8$. Therefore second quantity = $1 \times 8 = 8$.

id=16632 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48021 at 6% per annum for 4 years. | option_a=11525 | option_b=59546 | option_c=11425 | option_d=11625 | answer=A | explanation=SI = $PRT/100 = 48021 \times 6 \times 4/100 = \text{■}11525$.

id=16633 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=7 | option_d=5 | answer=A | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=16634 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=53 | option_b=42 | option_c=52 | option_d=62 | answer=C | explanation=The common difference is 10. Therefore the next term is $42 + 10 = 52$.

id=16635 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=30 | option_b=23 | option_c=29 | option_d=35 | answer=C | explanation=The common difference is 6. Therefore the next term is $23 + 6 = 29$.

id=16636 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 23, 30, 38? | option_a=30 | option_b=38 | option_c=16 | option_d=23 | answer=B | explanation=The first three numbers increase by 7, so the next should be 37. Therefore 38 is the odd one out.

id=16637 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11440 at 8% per annum for 4 years. | option_a=3660 | option_b=3560 | option_c=15100 | option_d=3760 | answer=A | explanation=SI = $PRT/100 = 11440 \times 8 \times 4/100 = \text{■}3660$.

id=16638 | topic=Averages | difficulty=Easy | question=Find the average of 67, 12, 95, 64, 66, 42, 74. | option_a=62 | option_b=59 | option_c=61 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = $420 \div 7 = 60$.

id=16639 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=16640 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=8 | answer=B | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=16641 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=16642 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2235. If it is sold at a profit of 40%, what is its selling price? | option_a=2906 | option_b=3129 | option_c=3352 | option_d=2275 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2235 \times 140/100 = \text{■}3129$.

id=16643 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 58? | option_a=47 | option_b=58 | option_c=37 | option_d=27 | answer=B | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 58 is the odd one out.

id=16644 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28830 at 4% per annum for 3 years. | option_a=3459 | option_b=3359 | option_c=3559 | option_d=32289 | answer=A | explanation=SI = $PRT/100 = 28830 \times 4 \times 3/100 = \text{■}3459$.

id=16645 | topic=Percentages | difficulty=Easy | question=What is 25% of 635? | option_a=316 | option_b=158 | option_c=163 | option_d=153 | answer=B | explanation=25% of 635 = $(25/100) \times 635 = 158$.

id=16646 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=21 | option_b=20 | option_c=19 | option_d=17 | answer=C | explanation=The common difference is 2. Therefore the next term is $17 + 2 = 19$.

id=16647 | topic=Averages | difficulty=Easy | question=Find the average of 50, 33, 96, 90, 99, 41, 19, 87, 53, 42. | option_a=62 | option_b=63 | option_c=60 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = $610 \div 10 = 61$.

id=16648 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**413. If it is sold at a profit of 40%, what is its selling price? | option_a=453 | option_b=619 | option_c=578 | option_d=537 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 413 \times 140/100 = \text{■}578$.

id=16649 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=180 | option_c=185 | option_d=360 | answer=B | explanation=Speed = distance ÷ time = $360 \div 2 = 180$ km/h.

id=16650 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=150 | option_c=75 | option_d=70 | answer=C | explanation=Speed = distance ÷ time = $150 \div 2 = 75$ km/h.

Aptitude Questions — Records 16,651-16,680 of 100,000

- id=16651 | topic=Percentages | difficulty=Easy | question=What is 10% of 595? | option_a=59 | option_b=118 | option_c=64 | option_d=39 | answer=A | explanation=10% of 595 = (10/100) × 595 = 59.
- id=16652 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 10, 18, 28? | option_a=28 | option_b=10 | option_c=18 | option_d=2 | answer=A | explanation=The first three numbers increase by 8, so the next should be 26. Therefore 28 is the odd one out.
- id=16653 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:16 and the first is 266, what is the second? | option_a=208 | option_b=243 | option_c=490 | option_d=224 | answer=D | explanation=Scale factor = 266/19 = 14. Therefore second quantity = 16×14 = 224.
- id=16654 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3185. If it is sold at a profit of 40%, what is its selling price? | option_a=4777 | option_b=4141 | option_c=4459 | option_d=3225 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3185 × 140/100 = █4459.
- id=16655 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3965. If it is sold at a profit of 5%, what is its selling price? | option_a=3767 | option_b=4163 | option_c=4559 | option_d=3970 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3965 × 105/100 = █4163.
- id=16656 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3722. If it is sold at a profit of 15%, what is its selling price? | option_a=4652 | option_b=3737 | option_c=4280 | option_d=3908 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3722 × 115/100 = █4280.
- id=16657 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47244 at 10% per annum for 3 years. | option_a=14273 | option_b=14073 | option_c=14173 | option_d=61417 | answer=C | explanation=SI = PRT/100 = 47244×10×3/100 = █14173.
- id=16658 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:18 and the first is 98, what is the second? | option_a=140 | option_b=126 | option_c=224 | option_d=108 | answer=B | explanation=Scale factor = 98/14 = 7. Therefore second quantity = 18×7 = 126.
- id=16659 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=N | option_b=Y | option_c=I | option_d=D | answer=C | explanation=Move 5 positions forward from D; the resulting letter is I.
- id=16660 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=I | option_b=M | option_c=Q | option_d=U | answer=C | explanation=Move 4 positions forward from M; the resulting letter is Q.
- id=16661 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.
- id=16662 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 4. | option_a=56 | option_b=28 | option_c=42 | option_d=24 | answer=B | explanation=LCM × HCF = 14×4; HCF(14,4) = 2, so LCM = 28.
- id=16663 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3999. If it is sold at a profit of 40%, what is its selling price? | option_a=5598 | option_b=4039 | option_c=5997 | option_d=5199 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3999 × 140/100 = █5598.
- id=16664 | topic=Averages | difficulty=Easy | question=Find the average of 44, 48, 76. | option_a=56 | option_b=58 | option_c=55 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 168 ÷ 3 = 56.
- id=16665 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 28. | option_a=450 | option_b=392 | option_c=840 | option_d=420 | answer=D | explanation=LCM × HCF = 30×28; HCF(30,28) = 2, so LCM = 420.
- id=16666 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=H | option_b=Q | option_c=K | option_d=N | answer=D | explanation=Move 3 positions forward from K; the resulting letter is N.
- id=16667 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=43 | option_c=96 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.
- id=16668 | topic=Averages | difficulty=Easy | question=Find the average of 29, 77, 13, 48, 65, 57, 103. | option_a=55 | option_b=56 | option_c=57 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 392 ÷ 7 = 56.
- id=16669 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=20 | option_b=19 | option_c=18 | option_d=16 | answer=C | explanation=The common difference is 2. Therefore the next term is 16 + 2 = 18.
- id=16670 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=B | option_b=H | option_c=E | option_d=K | answer=B | explanation=Move 3 positions forward from E; the resulting letter is H.
- id=16671 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 45? | option_a=26 | option_b=45 | option_c=34 | option_d=18 | answer=B | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 45 is the odd one out.
- id=16672 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.
- id=16673 | topic=Averages | difficulty=Easy | question=Find the average of 47, 53, 51, 11, 67, 100, 37, 30, 90. | option_a=56 | option_b=55 | option_c=53 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 486 ÷ 9 = 54.
- id=16674 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:15 and the first is 24, what is the second? | option_a=105 | option_b=123 | option_c=144 | option_d=120 | answer=D | explanation=Scale factor = 24/3 = 8. Therefore second quantity = 15×8 = 120.
- id=16675 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:19 and the first is 144, what is the second? | option_a=350 | option_b=323 | option_c=486 | option_d=342 | answer=D | explanation=Scale factor = 144/8 = 18. Therefore second quantity = 19×18 = 342.
- id=16676 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:9 and the first is 6, what is the second? | option_a=29 | option_b=18 | option_c=27 | option_d=33 | answer=C | explanation=Scale factor = 6/2 = 3. Therefore second quantity = 9×3 = 27.
- id=16677 | topic=Percentages | difficulty=Easy | question=What is 10% of 187? | option_a=36 | option_b=28 | option_c=18 | option_d=0 | answer=C | explanation=10% of 187 = (10/100) × 187 = 18.
- id=16678 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=16679 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 14, 18, 25? | option_a=14 | option_b=25 | option_c=10 | option_d=18 | answer=B | explanation=The first three numbers increase by 4, so the next should be 22. Therefore 25 is the odd one out.
- id=16680 | topic=Percentages | difficulty=Easy | question=What is 5% of 1765? | option_a=88 | option_b=176 | option_c=78 | option_d=108 | answer=A | explanation=5% of 1765 = (5/100) × 1765 = 88.

Aptitude Questions — Records 16,681-16,710 of 100,000

id=16681 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=16 | option_b=14 | option_c=12 | option_d=15 | answer=B | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=16682 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 9. | option_a=48 | option_b=36 | option_c=108 | option_d=27 | answer=B | explanation=LCM × HCF = 12×9; HCF(12,9) = 3, so LCM = 36.

id=16683 | topic=Averages | difficulty=Easy | question=Find the average of 11, 47, 75, 51, 43, 56, 60. | option_a=50 | option_b=51 | option_c=48 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 343 ÷ 7 = 49.

id=16684 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=185 | option_c=175 | option_d=360 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=16685 | topic=Percentages | difficulty=Easy | question=What is 20% of 244? | option_a=96 | option_b=43 | option_c=58 | option_d=48 | answer=D | explanation=20% of 244 = (20/100) × 244 = 48.

id=16686 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=100 | option_c=55 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=16687 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:10 and the first is 20, what is the second? | option_a=200 | option_b=220 | option_c=190 | option_d=201 | answer=A | explanation=Scale factor = 20/1 = 20. Therefore second quantity = 10×20 = 200.

id=16688 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=J | option_b=Y | option_c=T | option_d=O | answer=C | explanation=Move 5 positions forward from O; the resulting letter is T.

id=16689 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=16690 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:19 and the first is 190, what is the second? | option_a=361 | option_b=371 | option_c=551 | option_d=342 | answer=A | explanation=Scale factor = 190/10 = 19. Therefore second quantity = 19×19 = 361.

id=16691 | topic=Profit & Loss | difficulty=Easy | question=An article costs █141. If it is sold at a profit of 50%, what is its selling price? | option_a=211 | option_b=225 | option_c=197 | option_d=191 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 141 × 150/100 = █211.

id=16692 | topic=Percentages | difficulty=Easy | question=What is 30% of 1120? | option_a=336 | option_b=356 | option_c=331 | option_d=672 | answer=A | explanation=30% of 1120 = (30/100) × 1120 = 336.

id=16693 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=V | option_b=N | option_c=R | option_d=J | answer=C | explanation=Move 4 positions forward from N; the resulting letter is R.

id=16694 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=16695 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=P | option_b=Z | option_c=U | option_d=E | answer=B | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=16696 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=16697 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=16698 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:11 and the first is 12, what is the second? | option_a=56 | option_b=47 | option_c=44 | option_d=33 | answer=C | explanation=Scale factor = 12/3 = 4. Therefore second quantity = 11×4 = 44.

id=16699 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=16700 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=Y | option_c=K | option_d=C | answer=A | explanation=Move 4 positions forward from C; the resulting letter is G.

id=16701 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37692 at 10% per annum for 2 years. | option_a=7438 | option_b=7538 | option_c=7638 | option_d=45230 | answer=B | explanation=SI = PRT/100 = 37692×10×2/100 = █7538.

id=16702 | topic=Averages | difficulty=Easy | question=Find the average of 68, 99, 53, 16. | option_a=60 | option_b=61 | option_c=58 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 236 ÷ 4 = 59.

id=16703 | topic=Percentages | difficulty=Easy | question=What is 30% of 1344? | option_a=408 | option_b=806 | option_c=403 | option_d=398 | answer=C | explanation=30% of 1344 = (30/100) × 1344 = 403.

id=16704 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=B | option_b=N | option_c=J | option_d=F | answer=C | explanation=Move 4 positions forward from F; the resulting letter is J.

id=16705 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1652. If it is sold at a profit of 15%, what is its selling price? | option_a=1899 | option_b=1734 | option_c=1667 | option_d=2064 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1652 × 115/100 = █1899.

id=16706 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=16707 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:17 and the first is 90, what is the second? | option_a=243 | option_b=136 | option_c=153 | option_d=163 | answer=C | explanation=Scale factor = 90/10 = 9. Therefore second quantity = 17×9 = 153.

id=16708 | topic=Averages | difficulty=Easy | question=Find the average of 21, 93, 86, 32, 54, 20, 85, 22, 73. | option_a=54 | option_b=56 | option_c=55 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 486 ÷ 9 = 54.

id=16709 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=G | option_c=I | option_d=J | answer=C | explanation=Move 1 positions forward from H; the resulting letter is I.

id=16710 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 12, 17, 25? | option_a=12 | option_b=25 | option_c=17 | option_d=7 | answer=B | explanation=The first three numbers increase by 5, so the next should be 22. Therefore 25 is the odd one out.

Aptitude Questions — Records 16,711-16,740 of 100,000

id=16711 | topic=Percentages | difficulty=Easy | question=What is 50% of 1716? | option_a=1716 | option_b=858 | option_c=848 | option_d=863 | answer=B | explanation=50% of 1716 = (50/100) × 1716 = 858.

id=16712 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:10 and the first is 260, what is the second? | option_a=460 | option_b=200 | option_c=190 | option_d=213 | answer=B | explanation=Scale factor = 260/13 = 20. Therefore second quantity = 10×20 = 200.

id=16713 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=33 | option_b=27 | option_c=34 | option_d=39 | answer=A | explanation=The common difference is 6. Therefore the next term is 27 + 6 = 33.

id=16714 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=Z | option_c=B | option_d=A | answer=C | explanation=Move 1 positions forward from A; the resulting letter is B.

id=16715 | topic=Averages | difficulty=Easy | question=Find the average of 75, 93, 10, 84, 66, 19, 40, 98, 25, 70. | option_a=60 | option_b=58 | option_c=59 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 580 ÷ 10 = 58.

id=16716 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:13 and the first is 340, what is the second? | option_a=277 | option_b=247 | option_c=260 | option_d=600 | answer=C | explanation=Scale factor = 340/17 = 20. Therefore second quantity = 13×20 = 260.

id=16717 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 20. | option_a=80 | option_b=20 | option_c=24 | option_d=1 | answer=B | explanation=LCM × HCF = 4×20; HCF(4,20) = 4, so LCM = 20.

id=16718 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 8. | option_a=104 | option_b=96 | option_c=208 | option_d=130 | answer=A | explanation=LCM × HCF = 26×8; HCF(26,8) = 2, so LCM = 104.

id=16719 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=54 | option_b=46 | option_c=47 | option_d=38 | answer=B | explanation=The common difference is 8. Therefore the next term is 38 + 8 = 46.

id=16720 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=N | option_b=B | option_c=F | option_d=J | answer=D | explanation=Move 4 positions forward from F; the resulting letter is J.

id=16721 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:6 and the first is 104, what is the second? | option_a=78 | option_b=86 | option_c=72 | option_d=182 | answer=A | explanation=Scale factor = 104/8 = 13. Therefore second quantity = 6×13 = 78.

id=16722 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:1 and the first is 96, what is the second? | option_a=5 | option_b=6 | option_c=22 | option_d=102 | answer=B | explanation=Scale factor = 96/16 = 6. Therefore second quantity = 1×6 = 6.

id=16723 | topic=Percentages | difficulty=Easy | question=What is 20% of 253? | option_a=30 | option_b=50 | option_c=60 | option_d=100 | answer=B | explanation=20% of 253 = (20/100) × 253 = 50.

id=16724 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=D | option_b=J | option_c=F | option_d=H | answer=D | explanation=Move 2 positions forward from F; the resulting letter is H.

id=16725 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 14. | option_a=294 | option_b=63 | option_c=42 | option_d=28 | answer=C | explanation=LCM × HCF = 21×14; HCF(21,14) = 7, so LCM = 42.

id=16726 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 15? | option_a=15 | option_b=3 | option_c=9 | option_d=6 | answer=A | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 15 is the odd one out.

id=16727 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:2 and the first is 180, what is the second? | option_a=18 | option_b=38 | option_c=198 | option_d=16 | answer=A | explanation=Scale factor = 180/20 = 9. Therefore second quantity = 2×9 = 18.

id=16728 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11321 at 10% per annum for 3 years. | option_a=14717 | option_b=3496 | option_c=3396 | option_d=3296 | answer=C | explanation=SI = PRT/100 = 11321×10×3/100 = **■**3396.

id=16729 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=16730 | topic=Averages | difficulty=Easy | question=Find the average of 45, 72, 90, 100, 28, 61. | option_a=68 | option_b=66 | option_c=67 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 396 ÷ 6 = 66.

id=16731 | topic=Averages | difficulty=Easy | question=Find the average of 26, 10, 78. | option_a=40 | option_b=37 | option_c=39 | option_d=38 | answer=D | explanation=Average = sum of values ÷ number of values = 114 ÷ 3 = 38.

id=16732 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 18? | option_a=11 | option_b=3 | option_c=18 | option_d=7 | answer=C | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 18 is the odd one out.

id=16733 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:10 and the first is 110, what is the second? | option_a=100 | option_b=120 | option_c=220 | option_d=110 | answer=D | explanation=Scale factor = 110/10 = 11. Therefore second quantity = 10×11 = 110.

id=16734 | topic=Percentages | difficulty=Easy | question=What is 5% of 634? | option_a=41 | option_b=62 | option_c=11 | option_d=31 | answer=D | explanation=5% of 634 = (5/100) × 634 = 31.

id=16735 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:4 and the first is 240, what is the second? | option_a=60 | option_b=79 | option_c=64 | option_d=304 | answer=C | explanation=Scale factor = 240/15 = 16. Therefore second quantity = 4×16 = 64.

id=16736 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=16737 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4951. If it is sold at a profit of 20%, what is its selling price? | option_a=5446 | option_b=4971 | option_c=6436 | option_d=5941 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4951 × 120/100 = **■**5941.

id=16738 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=16739 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=35 | option_b=57 | option_c=47 | option_d=46 | answer=D | explanation=The common difference is 11. Therefore the next term is 35 + 11 = 46.

id=16740 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:13 and the first is 60, what is the second? | option_a=260 | option_b=247 | option_c=263 | option_d=320 | answer=A | explanation=Scale factor = 60/3 = 20. Therefore second quantity = 13×20 = 260.

Aptitude Questions — Records 16,741-16,770 of 100,000

id=16741 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:20 and the first is 320, what is the second? | option_a=320 | option_b=300 | option_c=340 | option_d=640 | answer=A | explanation=Scale factor = $320/20 = 16$. Therefore second quantity = $20 \times 16 = 320$.

id=16742 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=16743 | topic=Averages | difficulty=Easy | question=Find the average of 41, 34, 39, 40, 46, 19, 79, 82, 34. | option_a=47 | option_b=48 | option_c=45 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = $414 \div 9 = 46$.

id=16744 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:18 and the first is 140, what is the second? | option_a=252 | option_b=262 | option_c=392 | option_d=234 | answer=A | explanation=Scale factor = $140/10 = 14$. Therefore second quantity = $18 \times 14 = 252$.

id=16745 | topic=Profit & Loss | difficulty=Easy | question=An article costs █867. If it is sold at a profit of 25%, what is its selling price? | option_a=1169 | option_b=997 | option_c=892 | option_d=1083 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 867 \times 125/100 = \text{█}1083$.

id=16746 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30005 at 15% per annum for 3 years. | option_a=43507 | option_b=13602 | option_c=13502 | option_d=13402 | answer=C | explanation=SI = $PRT/100 = 30005 \times 15 \times 3/100 = \text{█}13502$.

id=16747 | topic=Averages | difficulty=Easy | question=Find the average of 78, 52, 59. | option_a=63 | option_b=64 | option_c=65 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = $189 \div 3 = 63$.

id=16748 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=N | option_c=J | option_d=P | answer=B | explanation=Move 2 positions forward from L; the resulting letter is N.

id=16749 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=13 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = $180 \div 10 = 18$ km/h.

id=16750 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=9 | option_c=18 | option_d=4 | answer=B | explanation=Speed = distance ÷ time = $90 \div 10 = 9$ km/h.

id=16751 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1756. If it is sold at a profit of 30%, what is its selling price? | option_a=1786 | option_b=2107 | option_c=2282 | option_d=2457 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1756 \times 130/100 = \text{█}2282$.

id=16752 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2086. If it is sold at a profit of 5%, what is its selling price? | option_a=2091 | option_b=2190 | option_c=2398 | option_d=1982 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2086 \times 105/100 = \text{█}2190$.

id=16753 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=16754 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=30 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = $60 \div 4 = 15$ km/h.

id=16755 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=31 | option_b=36 | option_c=41 | option_d=37 | answer=B | explanation=The common difference is 5. Therefore the next term is $31 + 5 = 36$.

id=16756 | topic=Percentages | difficulty=Easy | question=What is 40% of 865? | option_a=366 | option_b=692 | option_c=346 | option_d=341 | answer=C | explanation=40% of 865 = $(40/100) \times 865 = 346$.

id=16757 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=K | option_c=W | option_d=S | answer=D | explanation=Move 4 positions forward from O; the resulting letter is S.

id=16758 | topic=Averages | difficulty=Easy | question=Find the average of 18, 63, 93, 24, 90, 47, 98, 23. | option_a=57 | option_b=59 | option_c=58 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = $456 \div 8 = 57$.

id=16759 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 15, 19, 26? | option_a=11 | option_b=15 | option_c=26 | option_d=19 | answer=C | explanation=The first three numbers increase by 4, so the next should be 23. Therefore 26 is the odd one out.

id=16760 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.

id=16761 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=85 | option_c=75 | option_d=160 | answer=A | explanation=Speed = distance ÷ time = $240 \div 3 = 80$ km/h.

id=16762 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 28. | option_a=1 | option_b=196 | option_c=28 | option_d=35 | answer=C | explanation=LCM $\times$ HCF = 7×28 ; HCF(7,28) = 7, so LCM = 28.

id=16763 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:18 and the first is 12, what is the second? | option_a=72 | option_b=54 | option_c=84 | option_d=75 | answer=A | explanation=Scale factor = $12/3 = 4$. Therefore second quantity = $18 \times 4 = 72$.

id=16764 | topic=Percentages | difficulty=Easy | question=What is 5% of 1988? | option_a=99 | option_b=198 | option_c=89 | option_d=104 | answer=A | explanation=5% of 1988 = $(5/100) \times 1988 = 99$.

id=16765 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=S | option_b=I | option_c=X | option_d=N | answer=A | explanation=Move 5 positions forward from N; the resulting letter is S.

id=16766 | topic=Percentages | difficulty=Easy | question=What is 50% of 1529? | option_a=764 | option_b=1528 | option_c=754 | option_d=784 | answer=A | explanation=50% of 1529 = $(50/100) \times 1529 = 764$.

id=16767 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:18 and the first is 108, what is the second? | option_a=432 | option_b=330 | option_c=324 | option_d=306 | answer=C | explanation=Scale factor = $108/6 = 18$. Therefore second quantity = $18 \times 18 = 324$.

id=16768 | topic=Percentages | difficulty=Easy | question=What is 50% of 1843? | option_a=921 | option_b=916 | option_c=926 | option_d=1842 | answer=A | explanation=50% of 1843 = $(50/100) \times 1843 = 921$.

id=16769 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=L | option_c=N | option_d=M | answer=C | explanation=Move 1 positions forward from M; the resulting letter is N.

id=16770 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25415 at 10% per annum for 5 years. | option_a=12707 | option_b=12607 | option_c=12807 | option_d=38122 | answer=A | explanation=SI = $PRT/100 = 25415 \times 10 \times 5/100 = \text{█}12707$.

Aptitude Questions — Records 16,771-16,800 of 100,000

id=16771 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=T | option_b=V | option_c=W | option_d=U | answer=B | explanation=Move 1 positions forward from U; the resulting letter is V.

id=16772 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=55 | option_b=65 | option_c=56 | option_d=45 | answer=A | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.

id=16773 | topic=Percentages | difficulty=Easy | question=What is 10% of 494? | option_a=54 | option_b=29 | option_c=98 | option_d=49 | answer=D | explanation=10% of 494 = (10/100) × 494 = 49.

id=16774 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=45 | option_b=55 | option_c=46 | option_d=35 | answer=A | explanation=The common difference is 10. Therefore the next term is 35 + 10 = 45.

id=16775 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2343. If it is sold at a profit of 20%, what is its selling price? | option_a=3045 | option_b=2363 | option_c=2577 | option_d=2811 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2343 × 120/100 = █2811.

id=16776 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45874 at 15% per annum for 5 years. | option_a=34505 | option_b=34405 | option_c=34305 | option_d=80279 | answer=B | explanation=SI = PRT/100 = 45874×15×5/100 = █34405.

id=16777 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 44? | option_a=33 | option_b=25 | option_c=17 | option_d=44 | answer=D | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 44 is the odd one out.

id=16778 | topic=Averages | difficulty=Easy | question=Find the average of 86, 16, 56, 92, 95, 52, 97, 18. | option_a=66 | option_b=65 | option_c=64 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = 512 ÷ 8 = 64.

id=16779 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=16780 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=E | option_c=I | option_d=K | answer=C | explanation=Move 2 positions forward from G; the resulting letter is I.

id=16781 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3079. If it is sold at a profit of 5%, what is its selling price? | option_a=3084 | option_b=2925 | option_c=3232 | option_d=3539 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3079 × 105/100 = █3232.

id=16782 | topic=Averages | difficulty=Easy | question=Find the average of 52, 47, 79, 77, 34, 92, 96, 56, 88. | option_a=71 | option_b=70 | option_c=68 | option_d=69 | answer=D | explanation=Average = sum of values ÷ number of values = 621 ÷ 9 = 69.

id=16783 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=36 | option_b=40 | option_c=30 | option_d=35 | answer=D | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=16784 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 30. | option_a=60 | option_b=120 | option_c=30 | option_d=64 | answer=A | explanation=LCM × HCF = 4×30; HCF(4,30) = 2, so LCM = 60.

id=16785 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=V | option_c=T | option_d=U | answer=B | explanation=Move 1 positions forward from U; the resulting letter is V.

id=16786 | topic=Percentages | difficulty=Easy | question=What is 5% of 1037? | option_a=102 | option_b=56 | option_c=46 | option_d=51 | answer=D | explanation=5% of 1037 = (5/100) × 1037 = 51.

id=16787 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:7 and the first is 54, what is the second? | option_a=75 | option_b=21 | option_c=14 | option_d=39 | answer=B | explanation=Scale factor = 54/18 = 3. Therefore second quantity = 7×3 = 21.

id=16788 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=16789 | topic=Averages | difficulty=Easy | question=Find the average of 60, 47, 48, 40, 34, 61, 72, 30. | option_a=48 | option_b=50 | option_c=51 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 392 ÷ 8 = 49.

id=16790 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=I | option_b=Z | option_c=C | option_d=F | answer=D | explanation=Move 3 positions forward from C; the resulting letter is F.

id=16791 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 8, 12, 18? | option_a=12 | option_b=8 | option_c=18 | option_d=4 | answer=C | explanation=The first three numbers increase by 4, so the next should be 16. Therefore 18 is the odd one out.

id=16792 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=95 | option_c=85 | option_d=180 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=16793 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=36 | option_b=54 | option_c=45 | option_d=46 | answer=C | explanation=The common difference is 9. Therefore the next term is 36 + 9 = 45.

id=16794 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=I | option_c=U | option_d=Q | answer=D | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=16795 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=64 | option_b=56 | option_c=55 | option_d=46 | answer=C | explanation=The common difference is 9. Therefore the next term is 46 + 9 = 55.

id=16796 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 19, 25, 33? | option_a=33 | option_b=25 | option_c=13 | option_d=19 | answer=A | explanation=The first three numbers increase by 6, so the next should be 31. Therefore 33 is the odd one out.

id=16797 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=44 | option_b=36 | option_c=50 | option_d=43 | answer=D | explanation=The common difference is 7. Therefore the next term is 36 + 7 = 43.

id=16798 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=16799 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=U | option_c=S | option_d=Q | answer=B | explanation=Move 2 positions forward from S; the resulting letter is U.

id=16800 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4457. If it is sold at a profit of 20%, what is its selling price? | option_a=5348 | option_b=5793 | option_c=4477 | option_d=4903 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4457 × 120/100 = █5348.

Aptitude Questions — Records 16,801-16,830 of 100,000

id=16801 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 39? | option_a=22 | option_b=30 | option_c=14 | option_d=39 | answer=D | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 39 is the odd one out.

id=16802 | topic=Averages | difficulty=Easy | question=Find the average of 79, 52, 80, 51, 72, 39, 77, 44, 57, 49. | option_a=62 | option_b=59 | option_c=60 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=16803 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=16804 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10231 at 8% per annum for 3 years. | option_a=12686 | option_b=2555 | option_c=2355 | option_d=2455 | answer=D | explanation=SI = $PRT/100 = 10231 \times 8 \times 3 / 100 = \text{■}2455$.

id=16805 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=16806 | topic=Percentages | difficulty=Easy | question=What is 15% of 213? | option_a=11 | option_b=31 | option_c=41 | option_d=62 | answer=B | explanation=15% of 213 = $(15/100) \times 213 = 31$.

id=16807 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10024 at 10% per annum for 4 years. | option_a=4109 | option_b=14033 | option_c=4009 | option_d=3909 | answer=C | explanation=SI = $PRT/100 = 10024 \times 10 \times 4 / 100 = \text{■}4009$.

id=16808 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:8 and the first is 76, what is the second? | option_a=152 | option_b=144 | option_c=156 | option_d=228 | answer=A | explanation=Scale factor = $76/4 = 19$. Therefore second quantity = $8 \times 19 = 152$.

id=16809 | topic=Percentages | difficulty=Easy | question=What is 5% of 561? | option_a=8 | option_b=38 | option_c=56 | option_d=28 | answer=D | explanation=5% of 561 = $(5/100) \times 561 = 28$.

id=16810 | topic=Percentages | difficulty=Easy | question=What is 20% of 1259? | option_a=231 | option_b=251 | option_c=271 | option_d=502 | answer=B | explanation=20% of 1259 = $(20/100) \times 1259 = 251$.

id=16811 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=20 | option_c=15 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = $60 \div 3 = 20$ km/h.

id=16812 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 27, 31, 36? | option_a=27 | option_b=31 | option_c=36 | option_d=23 | answer=C | explanation=The first three numbers increase by 4, so the next should be 35. Therefore 36 is the odd one out.

id=16813 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2418. If it is sold at a profit of 30%, what is its selling price? | option_a=3384 | option_b=2902 | option_c=2448 | option_d=3143 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2418 \times 130 / 100 = \text{■}3143$.

id=16814 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=B | option_b=P | option_c=X | option_d=T | answer=C | explanation=Move 4 positions forward from T; the resulting letter is X.

id=16815 | topic=Averages | difficulty=Easy | question=Find the average of 22, 58, 88, 58, 65, 26, 78, 89, 20. | option_a=56 | option_b=57 | option_c=55 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = $504 \div 9 = 56$.

id=16816 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 34, 39, 45? | option_a=34 | option_b=39 | option_c=45 | option_d=29 | answer=C | explanation=The first three numbers increase by 5, so the next should be 44. Therefore 45 is the odd one out.

id=16817 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 38, 46, 55? | option_a=30 | option_b=55 | option_c=38 | option_d=46 | answer=B | explanation=The first three numbers increase by 8, so the next should be 54. Therefore 55 is the odd one out.

id=16818 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5098 at 5% per annum for 1 years. | option_a=154 | option_b=5352 | option_c=354 | option_d=254 | answer=D | explanation=SI = $PRT/100 = 5098 \times 5 \times 1 / 100 = \text{■}254$.

id=16819 | topic=Averages | difficulty=Easy | question=Find the average of 92, 40, 88, 45, 39, 47, 90, 31, 23, 35. | option_a=52 | option_b=55 | option_c=54 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = $530 \div 10 = 53$.

id=16820 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=Q | option_b=N | option_c=K | option_d=H | answer=B | explanation=Move 3 positions forward from K; the resulting letter is N.

id=16821 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4598. If it is sold at a profit of 15%, what is its selling price? | option_a=4828 | option_b=5287 | option_c=4613 | option_d=5746 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4598 \times 115 / 100 = \text{■}5287$.

id=16822 | topic=Percentages | difficulty=Easy | question=What is 5% of 1246? | option_a=62 | option_b=72 | option_c=124 | option_d=42 | answer=A | explanation=5% of 1246 = $(5/100) \times 1246 = 62$.

id=16823 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:4 and the first is 190, what is the second? | option_a=36 | option_b=59 | option_c=230 | option_d=40 | answer=D | explanation=Scale factor = $190/19 = 10$. Therefore second quantity = $4 \times 10 = 40$.

id=16824 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=33 | option_b=38 | option_c=43 | option_d=39 | answer=B | explanation=The common difference is 5. Therefore the next term is $33 + 5 = 38$.

id=16825 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = $150 \div 10 = 15$ km/h.

id=16826 | topic=Averages | difficulty=Easy | question=Find the average of 43, 88, 84, 64, 65, 16. | option_a=60 | option_b=59 | option_c=61 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = $360 \div 6 = 60$.

id=16827 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=16828 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3442. If it is sold at a profit of 50%, what is its selling price? | option_a=4819 | option_b=5163 | option_c=5507 | option_d=3492 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3442 \times 150 / 100 = \text{■}5163$.

id=16829 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:6 and the first is 98, what is the second? | option_a=182 | option_b=84 | option_c=91 | option_d=78 | answer=B | explanation=Scale factor = $98/7 = 14$. Therefore second quantity = $6 \times 14 = 84$.

id=16830 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:15 and the first is 154, what is the second? | option_a=179 | option_b=150 | option_c=319 | option_d=165 | answer=D | explanation=Scale factor = $154/14 = 11$. Therefore second quantity = $15 \times 11 = 165$.

Aptitude Questions — Records 16,831-16,860 of 100,000

id=16831 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:18 and the first is 102, what is the second? | option_a=408 | option_b=306 | option_c=288 | option_d=312 | answer=B | explanation=Scale factor = $102/6 = 17$. Therefore second quantity = $18 \times 17 = 306$.

id=16832 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1617. If it is sold at a profit of 15%, what is its selling price? | option_a=2020 | option_b=1698 | option_c=1859 | option_d=1632 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1617 \times 115/100 = \text{█}1859$.

id=16833 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17237 at 10% per annum for 3 years. | option_a=5071 | option_b=5171 | option_c=5271 | option_d=22408 | answer=B | explanation=SI = $PRT/100 = 17237 \times 10 \times 3/100 = \text{█}5171$.

id=16834 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1916. If it is sold at a profit of 50%, what is its selling price? | option_a=1966 | option_b=2874 | option_c=3065 | option_d=2683 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1916 \times 150/100 = \text{█}2874$.

id=16835 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18362 at 5% per annum for 3 years. | option_a=21116 | option_b=2754 | option_c=2654 | option_d=2854 | answer=B | explanation=SI = $PRT/100 = 18362 \times 5 \times 3/100 = \text{█}2754$.

id=16836 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=D | option_c=N | option_d=S | answer=C | explanation=Move 5 positions forward from I; the resulting letter is N.

id=16837 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:10 and the first is 300, what is the second? | option_a=200 | option_b=500 | option_c=190 | option_d=215 | answer=A | explanation=Scale factor = $300/15 = 20$. Therefore second quantity = $10 \times 20 = 200$.

id=16838 | topic=Percentages | difficulty=Easy | question=What is 15% of 901? | option_a=145 | option_b=135 | option_c=130 | option_d=270 | answer=B | explanation=15% of 901 = $(15/100) \times 901 = 135$.

id=16839 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 9, 11, 15? | option_a=11 | option_b=9 | option_c=15 | option_d=7 | answer=C | explanation=The first three numbers increase by 2, so the next should be 13. Therefore 15 is the odd one out.

id=16840 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=16841 | topic=Percentages | difficulty=Easy | question=What is 30% of 372? | option_a=111 | option_b=222 | option_c=131 | option_d=101 | answer=A | explanation=30% of 372 = $(30/100) \times 372 = 111$.

id=16842 | topic=Percentages | difficulty=Easy | question=What is 10% of 1308? | option_a=260 | option_b=140 | option_c=120 | option_d=130 | answer=D | explanation=10% of 1308 = $(10/100) \times 1308 = 130$.

id=16843 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2472. If it is sold at a profit of 5%, what is its selling price? | option_a=2477 | option_b=2595 | option_c=2842 | option_d=2348 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2472 \times 105/100 = \text{█}2595$.

id=16844 | topic=Averages | difficulty=Easy | question=Find the average of 30, 47, 68, 54, 47, 77, 76, 88, 32, 101. | option_a=61 | option_b=64 | option_c=63 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = $620 \div 10 = 62$.

id=16845 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46436 at 6% per annum for 2 years. | option_a=5472 | option_b=5572 | option_c=52008 | option_d=5672 | answer=B | explanation=SI = $PRT/100 = 46436 \times 6 \times 2/100 = \text{█}5572$.

id=16846 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=16847 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 27, 36, 46? | option_a=27 | option_b=46 | option_c=18 | option_d=36 | answer=B | explanation=The first three numbers increase by 9, so the next should be 45. Therefore 46 is the odd one out.

id=16848 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=17 | option_b=19 | option_c=15 | option_d=18 | answer=A | explanation=The common difference is 2. Therefore the next term is $15 + 2 = 17$.

id=16849 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49847 at 12% per annum for 4 years. | option_a=23926 | option_b=24026 | option_c=73773 | option_d=23826 | answer=A | explanation=SI = $PRT/100 = 49847 \times 12 \times 4/100 = \text{█}23926$.

id=16850 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=16851 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2958 at 10% per annum for 4 years. | option_a=1283 | option_b=1083 | option_c=4141 | option_d=1183 | answer=D | explanation=SI = $PRT/100 = 2958 \times 10 \times 4/100 = \text{█}1183$.

id=16852 | topic=Averages | difficulty=Easy | question=Find the average of 83, 51, 66, 94, 77, 37. | option_a=69 | option_b=70 | option_c=68 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = $408 \div 6 = 68$.

id=16853 | topic=Percentages | difficulty=Easy | question=What is 15% of 438? | option_a=65 | option_b=130 | option_c=75 | option_d=60 | answer=A | explanation=15% of 438 = $(15/100) \times 438 = 65$.

id=16854 | topic=Percentages | difficulty=Easy | question=What is 5% of 1227? | option_a=122 | option_b=61 | option_c=51 | option_d=66 | answer=B | explanation=5% of 1227 = $(5/100) \times 1227 = 61$.

id=16855 | topic=Percentages | difficulty=Easy | question=What is 10% of 298? | option_a=34 | option_b=58 | option_c=19 | option_d=29 | answer=D | explanation=10% of 298 = $(10/100) \times 298 = 29$.

id=16856 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 27. | option_a=300 | option_b=810 | option_c=243 | option_d=270 | answer=D | explanation= $LCM \times HCF = 30 \times 27$; $HCF(30,27) = 3$, so $LCM = 270$.

id=16857 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=A | option_c=C | option_d=B | answer=C | explanation=Move 1 positions forward from B; the resulting letter is C.

id=16858 | topic=Averages | difficulty=Easy | question=Find the average of 63, 38, 43, 16. | option_a=42 | option_b=41 | option_c=39 | option_d=40 | answer=D | explanation=Average = sum of values ÷ number of values = $160 \div 4 = 40$.

id=16859 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:20 and the first is 55, what is the second? | option_a=100 | option_b=155 | option_c=111 | option_d=80 | answer=A | explanation=Scale factor = $55/11 = 5$. Therefore second quantity = $20 \times 5 = 100$.

id=16860 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=T | option_c=O | option_d=E | answer=C | explanation=Move 5 positions forward from J; the resulting letter is O.

Aptitude Questions — Records 16,861-16,890 of 100,000

- id=16861 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 25. | option_a=60 | option_b=250 | option_c=50 | option_d=25 | answer=C | explanation=LCM × HCF = 10×25; HCF(10,25) = 5, so LCM = 50.
- id=16862 | topic=Averages | difficulty=Easy | question=Find the average of 45, 33, 69. | option_a=48 | option_b=51 | option_c=49 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 147 ÷ 3 = 49.
- id=16863 | topic=Percentages | difficulty=Easy | question=What is 10% of 1428? | option_a=284 | option_b=132 | option_c=142 | option_d=162 | answer=C | explanation=10% of 1428 = (10/100) × 1428 = 142.
- id=16864 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.
- id=16865 | topic=Percentages | difficulty=Easy | question=What is 20% of 621? | option_a=248 | option_b=129 | option_c=104 | option_d=124 | answer=D | explanation=20% of 621 = (20/100) × 621 = 124.
- id=16866 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=M | option_c=K | option_d=L | answer=B | explanation=Move 1 positions forward from L; the resulting letter is M.
- id=16867 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=12 | option_c=17 | option_d=24 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.
- id=16868 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:4 and the first is 100, what is the second? | option_a=40 | option_b=20 | option_c=16 | option_d=120 | answer=B | explanation=Scale factor = 100/20 = 5. Therefore second quantity = 4×5 = 20.
- id=16869 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=30 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.
- id=16870 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.
- id=16871 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=45 | option_c=55 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.
- id=16872 | topic=Averages | difficulty=Easy | question=Find the average of 21, 55, 78, 15, 81. | option_a=49 | option_b=52 | option_c=51 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 250 ÷ 5 = 50.
- id=16873 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■4440 at 5% per annum for 5 years. | option_a=1110 | option_b=1210 | option_c=1010 | option_d=5550 | answer=A | explanation=SI = PRT/100 = 4440×5×5/100 = ■1110.
- id=16874 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 15, 19, 25? | option_a=11 | option_b=19 | option_c=15 | option_d=25 | answer=D | explanation=The first three numbers increase by 4, so the next should be 23. Therefore 25 is the odd one out.
- id=16875 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.
- id=16876 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.
- id=16877 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 44? | option_a=32 | option_b=27 | option_c=37 | option_d=44 | answer=D | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 44 is the odd one out.
- id=16878 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3615. If it is sold at a profit of 50%, what is its selling price? | option_a=3665 | option_b=5061 | option_c=5783 | option_d=5422 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3615 × 150/100 = ■5422.
- id=16879 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:12 and the first is 22, what is the second? | option_a=46 | option_b=24 | option_c=35 | option_d=12 | answer=B | explanation=Scale factor = 22/11 = 2. Therefore second quantity = 12×2 = 24.
- id=16880 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=C | option_b=Q | option_c=Y | option_d=U | answer=C | explanation=Move 4 positions forward from U; the resulting letter is Y.
- id=16881 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 37? | option_a=26 | option_b=37 | option_c=22 | option_d=30 | answer=B | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 37 is the odd one out.
- id=16882 | topic=Percentages | difficulty=Easy | question=What is 30% of 1753? | option_a=525 | option_b=515 | option_c=1050 | option_d=530 | answer=A | explanation=30% of 1753 = (30/100) × 1753 = 525.
- id=16883 | topic=Percentages | difficulty=Easy | question=What is 15% of 246? | option_a=36 | option_b=16 | option_c=41 | option_d=72 | answer=A | explanation=15% of 246 = (15/100) × 246 = 36.
- id=16884 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 36? | option_a=23 | option_b=36 | option_c=29 | option_d=17 | answer=B | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 36 is the odd one out.
- id=16885 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:12 and the first is 54, what is the second? | option_a=108 | option_b=114 | option_c=162 | option_d=96 | answer=A | explanation=Scale factor = 54/6 = 9. Therefore second quantity = 12×9 = 108.
- id=16886 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.
- id=16887 | topic=Averages | difficulty=Easy | question=Find the average of 43, 51, 37, 89, 55. | option_a=57 | option_b=54 | option_c=55 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 275 ÷ 5 = 55.
- id=16888 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1447. If it is sold at a profit of 10%, what is its selling price? | option_a=1447 | option_b=1735 | option_c=1457 | option_d=1591 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1447 × 110/100 = ■1591.
- id=16889 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■24177 at 6% per annum for 1 years. | option_a=1350 | option_b=25627 | option_c=1550 | option_d=1450 | answer=D | explanation=SI = PRT/100 = 24177×6×1/100 = ■1450.
- id=16890 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 24. | option_a=312 | option_b=288 | option_c=338 | option_d=624 | answer=A | explanation=LCM × HCF = 26×24; HCF(26,24) = 2, so LCM = 312.

Aptitude Questions — Records 16,891-16,920 of 100,000

id=16891 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3769. If it is sold at a profit of 20%, what is its selling price? | option_a=3789 | option_b=4146 | option_c=4522 | option_d=4898 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3769 \times 120/100 = \text{█}4522$.

id=16892 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=16893 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:16 and the first is 126, what is the second? | option_a=224 | option_b=350 | option_c=208 | option_d=233 | answer=A | explanation=Scale factor = $126/9 = 14$. Therefore second quantity = $16 \times 14 = 224$.

id=16894 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 10, 17, 27? | option_a=3 | option_b=17 | option_c=10 | option_d=27 | answer=D | explanation=The first three numbers increase by 7, so the next should be 24. Therefore 27 is the odd one out.

id=16895 | topic=Averages | difficulty=Easy | question=Find the average of 27, 71, 19, 12, 56, 16, 86. | option_a=43 | option_b=42 | option_c=40 | option_d=41 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 287 \div 7 = 41$.

id=16896 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3844. If it is sold at a profit of 10%, what is its selling price? | option_a=4228 | option_b=3854 | option_c=3844 | option_d=4612 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3844 \times 110/100 = \text{█}4228$.

id=16897 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=16898 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:3 and the first is 98, what is the second? | option_a=39 | option_b=140 | option_c=42 | option_d=49 | answer=C | explanation=Scale factor = $98/7 = 14$. Therefore second quantity = $3 \times 14 = 42$.

id=16899 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:10 and the first is 16, what is the second? | option_a=70 | option_b=80 | option_c=82 | option_d=96 | answer=B | explanation=Scale factor = $16/2 = 8$. Therefore second quantity = $10 \times 8 = 80$.

id=16900 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1447. If it is sold at a profit of 20%, what is its selling price? | option_a=1880 | option_b=1592 | option_c=1736 | option_d=1467 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1447 \times 120/100 = \text{█}1736$.

id=16901 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=25 | option_c=20 | option_d=15 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 60 \div 3 = 20$ km/h.

id=16902 | topic=Percentages | difficulty=Easy | question=What is 40% of 893? | option_a=714 | option_b=367 | option_c=337 | option_d=357 | answer=D | explanation=40% of 893 = $(40/100) \times 893 = 357$.

id=16903 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:18 and the first is 32, what is the second? | option_a=104 | option_b=80 | option_c=54 | option_d=72 | answer=D | explanation=Scale factor = $32/8 = 4$. Therefore second quantity = $18 \times 4 = 72$.

id=16904 | topic=Percentages | difficulty=Easy | question=What is 20% of 1025? | option_a=225 | option_b=410 | option_c=200 | option_d=205 | answer=D | explanation=20% of 1025 = $(20/100) \times 1025 = 205$.

id=16905 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:18 and the first is 60, what is the second? | option_a=342 | option_b=360 | option_c=363 | option_d=420 | answer=B | explanation=Scale factor = $60/3 = 20$. Therefore second quantity = $18 \times 20 = 360$.

id=16906 | topic=Averages | difficulty=Easy | question=Find the average of 87, 58, 40, 12, 93, 47, 67, 60, 40. | option_a=56 | option_b=58 | option_c=55 | option_d=57 | answer=A | explanation=Average = $\text{sum of values} \div \text{number of values} = 504 \div 9 = 56$.

id=16907 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 15, 21, 28? | option_a=28 | option_b=15 | option_c=9 | option_d=21 | answer=A | explanation=The first three numbers increase by 6, so the next should be 27. Therefore 28 is the odd one out.

id=16908 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=16909 | topic=Percentages | difficulty=Easy | question=What is 15% of 159? | option_a=23 | option_b=46 | option_c=18 | option_d=33 | answer=A | explanation=15% of 159 = $(15/100) \times 159 = 23$.

id=16910 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2234. If it is sold at a profit of 15%, what is its selling price? | option_a=2249 | option_b=2792 | option_c=2346 | option_d=2569 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2234 \times 115/100 = \text{█}2569$.

id=16911 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=15 | option_d=40 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 120 \div 6 = 20$ km/h.

id=16912 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4206. If it is sold at a profit of 30%, what is its selling price? | option_a=5047 | option_b=5887 | option_c=4236 | option_d=5467 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4206 \times 130/100 = \text{█}5467$.

id=16913 | topic=Percentages | difficulty=Easy | question=What is 15% of 449? | option_a=62 | option_b=77 | option_c=67 | option_d=134 | answer=C | explanation=15% of 449 = $(15/100) \times 449 = 67$.

id=16914 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=30 | option_d=10 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 120 \div 8 = 15$ km/h.

id=16915 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=16916 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=K | option_b=J | option_c=L | option_d=I | answer=A | explanation=Move 1 positions forward from J; the resulting letter is K.

id=16917 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4734. If it is sold at a profit of 15%, what is its selling price? | option_a=4971 | option_b=5444 | option_c=4749 | option_d=5917 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4734 \times 115/100 = \text{█}5444$.

id=16918 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 40? | option_a=29 | option_b=40 | option_c=21 | option_d=13 | answer=B | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 40 is the odd one out.

id=16919 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 27. | option_a=81 | option_b=108 | option_c=324 | option_d=120 | answer=B | explanation= $LCM \times HCF = 12 \times 27$; $HCF(12, 27) = 3$, so $LCM = 108$.

id=16920 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=H | option_c=D | option_d=P | answer=A | explanation=Move 4 positions forward from H; the resulting letter is L.

Aptitude Questions — Records 16,921-16,950 of 100,000

id=16921 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=240 | option_c=120 | option_d=125 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=16922 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=16923 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=63 | option_b=50 | option_c=74 | option_d=62 | answer=D | explanation=The common difference is 12. Therefore the next term is 50 + 12 = 62.

id=16924 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 18, 28, 38, ? | option_a=49 | option_b=48 | option_c=38 | option_d=58 | answer=B | explanation=The common difference is 10. Therefore the next term is 38 + 10 = 48.

id=16925 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=16926 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=26 | option_b=24 | option_c=27 | option_d=28 | answer=A | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.

id=16927 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3616 at 6% per annum for 4 years. | option_a=867 | option_b=767 | option_c=4483 | option_d=967 | answer=A | explanation=SI = PRT/100 = 3616×6×4/100 = **■**867.

id=16928 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2985. If it is sold at a profit of 5%, what is its selling price? | option_a=2836 | option_b=3134 | option_c=2990 | option_d=3432 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2985 × 105/100 = **■**3134.

id=16929 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10911 at 5% per annum for 3 years. | option_a=1536 | option_b=12547 | option_c=1636 | option_d=1736 | answer=C | explanation=SI = PRT/100 = 10911×5×3/100 = **■**1636.

id=16930 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=90 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=16931 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 14, 21, 29? | option_a=21 | option_b=29 | option_c=7 | option_d=14 | answer=B | explanation=The first three numbers increase by 7, so the next should be 28. Therefore 29 is the odd one out.

id=16932 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 40? | option_a=10 | option_b=40 | option_c=28 | option_d=19 | answer=B | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 40 is the odd one out.

id=16933 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=16934 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3391. If it is sold at a profit of 50%, what is its selling price? | option_a=5425 | option_b=5086 | option_c=4747 | option_d=3441 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3391 × 150/100 = **■**5086.

id=16935 | topic=Percentages | difficulty=Easy | question=What is 5% of 564? | option_a=28 | option_b=38 | option_c=56 | option_d=8 | answer=A | explanation=5% of 564 = (5/100) × 564 = 28.

id=16936 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 11, 14, 20? | option_a=14 | option_b=20 | option_c=11 | option_d=8 | answer=B | explanation=The first three numbers increase by 3, so the next should be 17. Therefore 20 is the odd one out.

id=16937 | topic=Percentages | difficulty=Easy | question=What is 20% of 346? | option_a=79 | option_b=69 | option_c=138 | option_d=59 | answer=B | explanation=20% of 346 = (20/100) × 346 = 69.

id=16938 | topic=Percentages | difficulty=Easy | question=What is 20% of 1496? | option_a=294 | option_b=299 | option_c=304 | option_d=598 | answer=B | explanation=20% of 1496 = (20/100) × 1496 = 299.

id=16939 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3082. If it is sold at a profit of 20%, what is its selling price? | option_a=4006 | option_b=3390 | option_c=3102 | option_d=3698 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3082 × 120/100 = **■**3698.

id=16940 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=T | option_b=Q | option_c=R | option_d=S | answer=D | explanation=Move 1 positions forward from R; the resulting letter is S.

id=16941 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=17 | option_c=7 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=16942 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:6 and the first is 280, what is the second? | option_a=134 | option_b=400 | option_c=120 | option_d=114 | answer=C | explanation=Scale factor = 280/14 = 20. Therefore second quantity = 6×20 = 120.

id=16943 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3983. If it is sold at a profit of 30%, what is its selling price? | option_a=5575 | option_b=4779 | option_c=4013 | option_d=5177 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3983 × 130/100 = **■**5177.

id=16944 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1878. If it is sold at a profit of 25%, what is its selling price? | option_a=2160 | option_b=2534 | option_c=1903 | option_d=2347 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1878 × 125/100 = **■**2347.

id=16945 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=120 | option_c=240 | option_d=125 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=16946 | topic=Averages | difficulty=Easy | question=Find the average of 40, 15, 35, 53, 47, 45, 45. | option_a=40 | option_b=39 | option_c=42 | option_d=41 | answer=A | explanation=Average = sum of values ÷ number of values = 280 ÷ 7 = 40.

id=16947 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=16948 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=16949 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2264. If it is sold at a profit of 25%, what is its selling price? | option_a=3056 | option_b=2289 | option_c=2830 | option_d=2604 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2264 × 125/100 = **■**2830.

id=16950 | topic=Percentages | difficulty=Easy | question=What is 12% of 1870? | option_a=224 | option_b=448 | option_c=229 | option_d=214 | answer=A | explanation=12% of 1870 = (12/100) × 1870 = 224.

Aptitude Questions — Records 16,951-16,980 of 100,000

id=16951 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:1 and the first is 112, what is the second? | option_a=8 | option_b=120 | option_c=7 | option_d=22 | answer=A | explanation=Scale factor = 112/14 = 8. Therefore second quantity = 1×8 = 8.

id=16952 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 12. | option_a=12 | option_b=14 | option_c=1 | option_d=24 | answer=A | explanation=LCM × HCF = 2×12; HCF(2,12) = 2, so LCM = 12.

id=16953 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=J | option_c=L | option_d=P | answer=A | explanation=Move 2 positions forward from L; the resulting letter is N.

id=16954 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 32, 36, 42? | option_a=28 | option_b=42 | option_c=36 | option_d=32 | answer=B | explanation=The first three numbers increase by 4, so the next should be 40. Therefore 42 is the odd one out.

id=16955 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:18 and the first is 72, what is the second? | option_a=54 | option_b=72 | option_c=90 | option_d=144 | answer=B | explanation=Scale factor = 72/18 = 4. Therefore second quantity = 18×4 = 72.

id=16956 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 12, 21, 32? | option_a=32 | option_b=12 | option_c=21 | option_d=3 | answer=A | explanation=The first three numbers increase by 9, so the next should be 30. Therefore 32 is the odd one out.

id=16957 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2100. If it is sold at a profit of 5%, what is its selling price? | option_a=2205 | option_b=1995 | option_c=2105 | option_d=2415 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2100 × 105/100 = █2205.

id=16958 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27218 at 15% per annum for 1 years. | option_a=3982 | option_b=4082 | option_c=31300 | option_d=4182 | answer=B | explanation=SI = PRT/100 = 27218×15×1/100 = █4082.

id=16959 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=35 | option_b=40 | option_c=28 | option_d=34 | answer=D | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.

id=16960 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32610 at 10% per annum for 3 years. | option_a=9783 | option_b=9883 | option_c=9683 | option_d=42393 | answer=A | explanation=SI = PRT/100 = 32610×10×3/100 = █9783.

id=16961 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=33 | option_b=27 | option_c=32 | option_d=37 | answer=C | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

id=16962 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=12 | option_c=24 | option_d=17 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=16963 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=16964 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 16. | option_a=60 | option_b=48 | option_c=32 | option_d=192 | answer=B | explanation=LCM × HCF = 12×16; HCF(12,16) = 4, so LCM = 48.

id=16965 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=16966 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2020. If it is sold at a profit of 30%, what is its selling price? | option_a=2626 | option_b=2828 | option_c=2424 | option_d=2050 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2020 × 130/100 = █2626.

id=16967 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:1 and the first is 14, what is the second? | option_a=13 | option_b=28 | option_c=14 | option_d=15 | answer=C | explanation=Scale factor = 14/1 = 14. Therefore second quantity = 1×14 = 14.

id=16968 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=16969 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 26, 32, 40? | option_a=26 | option_b=20 | option_c=32 | option_d=40 | answer=D | explanation=The first three numbers increase by 6, so the next should be 38. Therefore 40 is the odd one out.

id=16970 | topic=Profit & Loss | difficulty=Easy | question=An article costs █503. If it is sold at a profit of 15%, what is its selling price? | option_a=578 | option_b=518 | option_c=628 | option_d=528 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 503 × 115/100 = █578.

id=16971 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 12. | option_a=96 | option_b=324 | option_c=108 | option_d=135 | answer=C | explanation=LCM × HCF = 27×12; HCF(27,12) = 3, so LCM = 108.

id=16972 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4480. If it is sold at a profit of 30%, what is its selling price? | option_a=4510 | option_b=6272 | option_c=5376 | option_d=5824 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4480 × 130/100 = █5824.

id=16973 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4937. If it is sold at a profit of 30%, what is its selling price? | option_a=5925 | option_b=6911 | option_c=6418 | option_d=4967 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4937 × 130/100 = █6418.

id=16974 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2597. If it is sold at a profit of 50%, what is its selling price? | option_a=2647 | option_b=3895 | option_c=4154 | option_d=3636 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2597 × 150/100 = █3895.

id=16975 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:4 and the first is 48, what is the second? | option_a=72 | option_b=20 | option_c=24 | option_d=32 | answer=C | explanation=Scale factor = 48/8 = 6. Therefore second quantity = 4×6 = 24.

id=16976 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8130 at 6% per annum for 1 years. | option_a=387 | option_b=487 | option_c=587 | option_d=8617 | answer=B | explanation=SI = PRT/100 = 8130×6×1/100 = █487.

id=16977 | topic=Averages | difficulty=Easy | question=Find the average of 84, 27, 93, 48, 61, 79, 23, 33. | option_a=58 | option_b=57 | option_c=55 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 448 ÷ 8 = 56.

id=16978 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2560 at 6% per annum for 5 years. | option_a=3328 | option_b=868 | option_c=668 | option_d=768 | answer=D | explanation=SI = PRT/100 = 2560×6×5/100 = █768.

id=16979 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 15, 19, 26? | option_a=26 | option_b=11 | option_c=19 | option_d=15 | answer=A | explanation=The first three numbers increase by 4, so the next should be 23. Therefore 26 is the odd one out.

id=16980 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=43 | option_b=44 | option_c=50 | option_d=36 | answer=A | explanation=The common difference is 7. Therefore the next term is 36 + 7 = 43.

Aptitude Questions — Records 16,981-17,010 of 100,000

id=16981 | topic=Averages | difficulty=Easy | question=Find the average of 24, 38, 89, 97, 98, 21, 18, 56, 63. | option_a=55 | option_b=56 | option_c=57 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=16982 | topic=Percentages | difficulty=Easy | question=What is 25% of 835? | option_a=203 | option_b=416 | option_c=208 | option_d=218 | answer=C | explanation=25% of 835 = (25/100) × 835 = 208.

id=16983 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4736. If it is sold at a profit of 5%, what is its selling price? | option_a=4499 | option_b=4972 | option_c=5445 | option_d=4741 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4736 × 105/100 = █4972.

id=16984 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 30, 38, 48? | option_a=30 | option_b=38 | option_c=48 | option_d=22 | answer=C | explanation=The first three numbers increase by 8, so the next should be 46. Therefore 48 is the odd one out.

id=16985 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=36 | option_b=47 | option_c=56 | option_d=46 | answer=D | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.

id=16986 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10317 at 10% per annum for 5 years. | option_a=5058 | option_b=5258 | option_c=15475 | option_d=5158 | answer=D | explanation=SI = PRT/100 = 10317×10×5/100 = █5158.

id=16987 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=A | option_b=V | option_c=L | option_d=Q | answer=B | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=16988 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=155 | option_c=300 | option_d=145 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=16989 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=16990 | topic=Averages | difficulty=Easy | question=Find the average of 44, 96, 58, 42, 43, 18, 18, 34, 34, 93. | option_a=47 | option_b=49 | option_c=48 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 480 ÷ 10 = 48.

id=16991 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=16 | option_b=19 | option_c=13 | option_d=17 | answer=A | explanation=The common difference is 3. Therefore the next term is 13 + 3 = 16.

id=16992 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=16993 | topic=Percentages | difficulty=Easy | question=What is 50% of 1645? | option_a=812 | option_b=822 | option_c=827 | option_d=1644 | answer=B | explanation=50% of 1645 = (50/100) × 1645 = 822.

id=16994 | topic=Averages | difficulty=Easy | question=Find the average of 63, 99, 95, 36, 15, 90, 71, 75. | option_a=70 | option_b=68 | option_c=67 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 544 ÷ 8 = 68.

id=16995 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:13 and the first is 195, what is the second? | option_a=169 | option_b=364 | option_c=156 | option_d=184 | answer=A | explanation=Scale factor = 195/15 = 13. Therefore second quantity = 13×13 = 169.

id=16996 | topic=Averages | difficulty=Easy | question=Find the average of 34, 12, 62, 37, 20, 57, 39, 90, 90. | option_a=51 | option_b=49 | option_c=48 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 441 ÷ 9 = 49.

id=16997 | topic=Percentages | difficulty=Easy | question=What is 10% of 1664? | option_a=146 | option_b=186 | option_c=166 | option_d=332 | answer=C | explanation=10% of 1664 = (10/100) × 1664 = 166.

id=16998 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=26 | option_b=33 | option_c=40 | option_d=34 | answer=B | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

id=16999 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=17000 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37836 at 4% per annum for 3 years. | option_a=4540 | option_b=4440 | option_c=42376 | option_d=4640 | answer=A | explanation=SI = PRT/100 = 37836×4×3/100 = █4540.

id=17001 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12258 at 5% per annum for 5 years. | option_a=3164 | option_b=15322 | option_c=3064 | option_d=2964 | answer=C | explanation=SI = PRT/100 = 12258×5×5/100 = █3064.

id=17002 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36252 at 15% per annum for 5 years. | option_a=27289 | option_b=27189 | option_c=63441 | option_d=27089 | answer=B | explanation=SI = PRT/100 = 36252×15×5/100 = █27189.

id=17003 | topic=Averages | difficulty=Easy | question=Find the average of 82, 58, 26, 74, 72, 69, 99, 24, 31, 95. | option_a=63 | option_b=64 | option_c=62 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 630 ÷ 10 = 63.

id=17004 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=G | option_c=E | option_d=C | answer=B | explanation=Move 2 positions forward from E; the resulting letter is G.

id=17005 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7854 at 8% per annum for 4 years. | option_a=2513 | option_b=2413 | option_c=2613 | option_d=10367 | answer=A | explanation=SI = PRT/100 = 7854×8×4/100 = █2513.

id=17006 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=80 | option_b=56 | option_c=69 | option_d=68 | answer=D | explanation=The common difference is 12. Therefore the next term is 56 + 12 = 68.

id=17007 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=I | option_c=W | option_d=A | answer=A | explanation=Move 4 positions forward from A; the resulting letter is E.

id=17008 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2478. If it is sold at a profit of 20%, what is its selling price? | option_a=3220 | option_b=2973 | option_c=2498 | option_d=2726 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2478 × 120/100 = █2973.

id=17009 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=4 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=17010 | topic=Percentages | difficulty=Easy | question=What is 15% of 968? | option_a=145 | option_b=290 | option_c=150 | option_d=125 | answer=A | explanation=15% of 968 = (15/100) × 968 = 145.

Aptitude Questions — Records 17,011-17,040 of 100,000

id=17011 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 12, 14, 18? | option_a=10 | option_b=14 | option_c=12 | option_d=18 | answer=D | explanation=The first three numbers increase by 2, so the next should be 16. Therefore 18 is the odd one out.

id=17012 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=20 | option_c=15 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=17013 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=20 | option_c=15 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=17014 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=9 | option_c=4 | option_d=14 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=17015 | topic=Percentages | difficulty=Easy | question=What is 20% of 1726? | option_a=345 | option_b=690 | option_c=340 | option_d=355 | answer=A | explanation=20% of 1726 = (20/100) × 1726 = 345.

id=17016 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 12, 15, 18, ? | option_a=21 | option_b=24 | option_c=22 | option_d=18 | answer=A | explanation=The common difference is 3. Therefore the next term is 18 + 3 = 21.

id=17017 | topic=Percentages | difficulty=Easy | question=What is 25% of 1038? | option_a=239 | option_b=279 | option_c=518 | option_d=259 | answer=D | explanation=25% of 1038 = (25/100) × 1038 = 259.

id=17018 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:15 and the first is 98, what is the second? | option_a=119 | option_b=203 | option_c=90 | option_d=105 | answer=D | explanation=Scale factor = 98/14 = 7. Therefore second quantity = 15×7 = 105.

id=17019 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:19 and the first is 324, what is the second? | option_a=360 | option_b=342 | option_c=323 | option_d=666 | answer=B | explanation=Scale factor = 324/18 = 18. Therefore second quantity = 19×18 = 342.

id=17020 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4175. If it is sold at a profit of 10%, what is its selling price? | option_a=4185 | option_b=5009 | option_c=4592 | option_d=4175 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4175 × 110/100 = █4592.

id=17021 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=29 | option_b=32 | option_c=30 | option_d=26 | answer=A | explanation=The common difference is 3. Therefore the next term is 26 + 3 = 29.

id=17022 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=49 | option_b=43 | option_c=44 | option_d=37 | answer=B | explanation=The common difference is 6. Therefore the next term is 37 + 6 = 43.

id=17023 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2407 at 6% per annum for 2 years. | option_a=388 | option_b=2695 | option_c=188 | option_d=288 | answer=D | explanation=SI = PRT/100 = 2407×6×2/100 = █288.

id=17024 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=40 | option_b=35 | option_c=45 | option_d=41 | answer=A | explanation=The common difference is 5. Therefore the next term is 35 + 5 = 40.

id=17025 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=35 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=17026 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=17027 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3237. If it is sold at a profit of 50%, what is its selling price? | option_a=3287 | option_b=4532 | option_c=4855 | option_d=5178 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3237 × 150/100 = █4855.

id=17028 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1462. If it is sold at a profit of 15%, what is its selling price? | option_a=1535 | option_b=1477 | option_c=1681 | option_d=1827 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1462 × 115/100 = █1681.

id=17029 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=17030 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=56 | option_b=57 | option_c=46 | option_d=66 | answer=A | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=17031 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=125 | option_c=120 | option_d=240 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=17032 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=17033 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 18, 28, 38, ? | option_a=58 | option_b=49 | option_c=38 | option_d=48 | answer=D | explanation=The common difference is 10. Therefore the next term is 38 + 10 = 48.

id=17034 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 6, 10, 15? | option_a=10 | option_b=6 | option_c=2 | option_d=15 | answer=D | explanation=The first three numbers increase by 4, so the next should be 14. Therefore 15 is the odd one out.

id=17035 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=20 | option_b=28 | option_c=25 | option_d=24 | answer=D | explanation=The common difference is 4. Therefore the next term is 20 + 4 = 24.

id=17036 | topic=Averages | difficulty=Easy | question=Find the average of 20, 48, 86, 79, 42, 31, 29, 81. | option_a=53 | option_b=51 | option_c=54 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=17037 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47373 at 12% per annum for 2 years. | option_a=11269 | option_b=58742 | option_c=11369 | option_d=11369 | answer=D | explanation=SI = PRT/100 = 47373×12×2/100 = █11369.

id=17038 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 8. | option_a=144 | option_b=72 | option_c=90 | option_d=64 | answer=B | explanation=LCM × HCF = 18×8; HCF(18,8) = 2, so LCM = 72.

id=17039 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=17040 | topic=Percentages | difficulty=Easy | question=What is 12% of 1763? | option_a=211 | option_b=231 | option_c=422 | option_d=206 | answer=A | explanation=12% of 1763 = (12/100) × 1763 = 211.

Aptitude Questions — Records 17,041-17,070 of 100,000

- id=17041 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=19 | option_c=48 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.
- id=17042 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:19 and the first is 221, what is the second? | option_a=323 | option_b=336 | option_c=544 | option_d=304 | answer=A | explanation=Scale factor = 221/13 = 17. Therefore second quantity = 19×17 = 323.
- id=17043 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 33, 39, 47? | option_a=27 | option_b=47 | option_c=39 | option_d=33 | answer=B | explanation=The first three numbers increase by 6, so the next should be 45. Therefore 47 is the odd one out.
- id=17044 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 38? | option_a=19 | option_b=10 | option_c=28 | option_d=38 | answer=D | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 38 is the odd one out.
- id=17045 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=38 | option_b=30 | option_c=46 | option_d=39 | answer=A | explanation=The common difference is 8. Therefore the next term is 30 + 8 = 38.
- id=17046 | topic=Averages | difficulty=Easy | question=Find the average of 34, 92, 39, 55. | option_a=56 | option_b=55 | option_c=57 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 220 ÷ 4 = 55.
- id=17047 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 28. | option_a=32 | option_b=112 | option_c=28 | option_d=1 | answer=C | explanation=LCM × HCF = 4×28; HCF(4,28) = 4, so LCM = 28.
- id=17048 | topic=Averages | difficulty=Easy | question=Find the average of 23, 86, 37, 63, 79, 19, 47, 50, 46. | option_a=51 | option_b=49 | option_c=52 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 450 ÷ 9 = 50.
- id=17049 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:8 and the first is 104, what is the second? | option_a=104 | option_b=112 | option_c=96 | option_d=208 | answer=A | explanation=Scale factor = 104/8 = 13. Therefore second quantity = 8×13 = 104.
- id=17050 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1536. If it is sold at a profit of 15%, what is its selling price? | option_a=1766 | option_b=1919 | option_c=1613 | option_d=1551 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1536 × 115/100 = █1766.
- id=17051 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1941. If it is sold at a profit of 25%, what is its selling price? | option_a=1966 | option_b=2620 | option_c=2426 | option_d=2232 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1941 × 125/100 = █2426.
- id=17052 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=G | option_c=D | option_d=X | answer=C | explanation=Move 3 positions forward from A; the resulting letter is D.
- id=17053 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3148. If it is sold at a profit of 30%, what is its selling price? | option_a=3178 | option_b=4406 | option_c=3778 | option_d=4092 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3148 × 130/100 = █4092.
- id=17054 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=17055 | topic=Percentages | difficulty=Easy | question=What is 30% of 427? | option_a=148 | option_b=128 | option_c=123 | option_d=256 | answer=B | explanation=30% of 427 = (30/100) × 427 = 128.
- id=17056 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=C | option_b=I | option_c=E | option_d=G | answer=D | explanation=Move 2 positions forward from E; the resulting letter is G.
- id=17057 | topic=Percentages | difficulty=Easy | question=What is 15% of 629? | option_a=99 | option_b=74 | option_c=188 | option_d=94 | answer=D | explanation=15% of 629 = (15/100) × 629 = 94.
- id=17058 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=T | option_b=U | option_c=R | option_d=S | answer=A | explanation=Move 1 positions forward from S; the resulting letter is T.
- id=17059 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=T | option_c=P | option_d=V | answer=B | explanation=Move 2 positions forward from R; the resulting letter is T.
- id=17060 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.
- id=17061 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 11, 14, 19? | option_a=14 | option_b=8 | option_c=19 | option_d=11 | answer=C | explanation=The first three numbers increase by 3, so the next should be 17. Therefore 19 is the odd one out.
- id=17062 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:18 and the first is 150, what is the second? | option_a=270 | option_b=420 | option_c=252 | option_d=280 | answer=A | explanation=Scale factor = 150/10 = 15. Therefore second quantity = 18×15 = 270.
- id=17063 | topic=Percentages | difficulty=Easy | question=What is 10% of 1999? | option_a=219 | option_b=199 | option_c=194 | option_d=398 | answer=B | explanation=10% of 1999 = (10/100) × 1999 = 199.
- id=17064 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=17065 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3493. If it is sold at a profit of 5%, what is its selling price? | option_a=3498 | option_b=4016 | option_c=3667 | option_d=3318 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3493 × 105/100 = █3667.
- id=17066 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21709 at 5% per annum for 2 years. | option_a=2070 | option_b=23879 | option_c=2170 | option_d=2270 | answer=C | explanation=SI = PRT/100 = 21709×5×2/100 = █2170.
- id=17067 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13969 at 15% per annum for 4 years. | option_a=8281 | option_b=22350 | option_c=8381 | option_d=8481 | answer=C | explanation=SI = PRT/100 = 13969×15×4/100 = █8381.
- id=17068 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=29 | option_b=32 | option_c=35 | option_d=33 | answer=B | explanation=The common difference is 3. Therefore the next term is 29 + 3 = 32.
- id=17069 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=62 | option_b=63 | option_c=73 | option_d=51 | answer=A | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.
- id=17070 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

Aptitude Questions — Records 17,071-17,100 of 100,000

- id=17071 | topic=Profit & Loss | difficulty=Easy | question=An article costs █662. If it is sold at a profit of 20%, what is its selling price? | option_a=682 | option_b=728 | option_c=860 | option_d=794 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 662 × 120/100 = █794.
- id=17072 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 26, 28, 32? | option_a=26 | option_b=32 | option_c=28 | option_d=24 | answer=B | explanation=The first three numbers increase by 2, so the next should be 30. Therefore 32 is the odd one out.
- id=17073 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:3 and the first is 198, what is the second? | option_a=231 | option_b=30 | option_c=33 | option_d=51 | answer=C | explanation=Scale factor = 198/18 = 11. Therefore second quantity = 3×11 = 33.
- id=17074 | topic=Averages | difficulty=Easy | question=Find the average of 74, 38, 40, 86, 45, 59, 22. | option_a=53 | option_b=51 | option_c=54 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 364 ÷ 7 = 52.
- id=17075 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=O | option_b=W | option_c=A | option_d=S | answer=B | explanation=Move 4 positions forward from S; the resulting letter is W.
- id=17076 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1136 at 4% per annum for 1 years. | option_a=1181 | option_b=0 | option_c=45 | option_d=145 | answer=C | explanation=SI = PRT/100 = 1136×4×1/100 = █45.
- id=17077 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=D | option_c=F | option_d=G | answer=C | explanation=Move 1 positions forward from E; the resulting letter is F.
- id=17078 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=40 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.
- id=17079 | topic=Percentages | difficulty=Easy | question=What is 12% of 1099? | option_a=151 | option_b=262 | option_c=126 | option_d=131 | answer=D | explanation=12% of 1099 = (12/100) × 1099 = 131.
- id=17080 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:13 and the first is 156, what is the second? | option_a=169 | option_b=156 | option_c=312 | option_d=143 | answer=B | explanation=Scale factor = 156/13 = 12. Therefore second quantity = 13×12 = 156.
- id=17081 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=77 | option_b=65 | option_c=66 | option_d=53 | answer=B | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.
- id=17082 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 15, 18, 23? | option_a=23 | option_b=18 | option_c=15 | option_d=12 | answer=A | explanation=The first three numbers increase by 3, so the next should be 21. Therefore 23 is the odd one out.
- id=17083 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2801. If it is sold at a profit of 10%, what is its selling price? | option_a=3361 | option_b=2801 | option_c=2811 | option_d=3081 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2801 × 110/100 = █3081.
- id=17084 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=90 | option_c=50 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.
- id=17085 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 48? | option_a=27 | option_b=48 | option_c=37 | option_d=17 | answer=B | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 48 is the odd one out.
- id=17086 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 29, 31, 35? | option_a=35 | option_b=29 | option_c=27 | option_d=31 | answer=A | explanation=The first three numbers increase by 2, so the next should be 33. Therefore 35 is the odd one out.
- id=17087 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.
- id=17088 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2113. If it is sold at a profit of 10%, what is its selling price? | option_a=2113 | option_b=2324 | option_c=2535 | option_d=2123 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2113 × 110/100 = █2324.
- id=17089 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=35 | option_b=43 | option_c=27 | option_d=36 | answer=A | explanation=The common difference is 8. Therefore the next term is 27 + 8 = 35.
- id=17090 | topic=Percentages | difficulty=Easy | question=What is 50% of 279? | option_a=144 | option_b=278 | option_c=139 | option_d=129 | answer=C | explanation=50% of 279 = (50/100) × 279 = 139.
- id=17091 | topic=Percentages | difficulty=Easy | question=What is 50% of 1596? | option_a=788 | option_b=803 | option_c=798 | option_d=1596 | answer=C | explanation=50% of 1596 = (50/100) × 1596 = 798.
- id=17092 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=45 | option_c=40 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.
- id=17093 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20745 at 8% per annum for 4 years. | option_a=27383 | option_b=6538 | option_c=6638 | option_d=6738 | answer=C | explanation=SI = PRT/100 = 20745×8×4/100 = █6638.
- id=17094 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=17095 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.
- id=17096 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=18 | option_c=36 | option_d=23 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.
- id=17097 | topic=Percentages | difficulty=Easy | question=What is 5% of 1478? | option_a=53 | option_b=73 | option_c=146 | option_d=83 | answer=B | explanation=5% of 1478 = (5/100) × 1478 = 73.
- id=17098 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.
- id=17099 | topic=Percentages | difficulty=Easy | question=What is 5% of 1014? | option_a=50 | option_b=60 | option_c=45 | option_d=100 | answer=A | explanation=5% of 1014 = (5/100) × 1014 = 50.
- id=17100 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19189 at 15% per annum for 3 years. | option_a=8535 | option_b=8735 | option_c=27824 | option_d=8635 | answer=D | explanation=SI = PRT/100 = 19189×15×3/100 = █8635.

Aptitude Questions — Records 17,101-17,130 of 100,000

id=17101 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=O | option_b=S | option_c=A | option_d=W | answer=D | explanation=Move 4 positions forward from S; the resulting letter is W.

id=17102 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=24 | option_c=17 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=17103 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=31 | option_b=32 | option_c=35 | option_d=27 | answer=A | explanation=The common difference is 4. Therefore the next term is 27 + 4 = 31.

id=17104 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26602 at 15% per annum for 2 years. | option_a=7980 | option_b=7880 | option_c=8080 | option_d=34582 | answer=A | explanation=SI = $PRT/100 = 26602 \times 15 \times 2/100 = \text{■}7980$.

id=17105 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 15, 20, 27? | option_a=10 | option_b=20 | option_c=15 | option_d=27 | answer=D | explanation=The first three numbers increase by 5, so the next should be 25. Therefore 27 is the odd one out.

id=17106 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28850 at 4% per annum for 1 years. | option_a=1054 | option_b=1254 | option_c=30004 | option_d=1154 | answer=D | explanation=SI = $PRT/100 = 28850 \times 4 \times 1/100 = \text{■}1154$.

id=17107 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 10, 18, 28? | option_a=18 | option_b=10 | option_c=28 | option_d=2 | answer=C | explanation=The first three numbers increase by 8, so the next should be 26. Therefore 28 is the odd one out.

id=17108 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=O | option_b=K | option_c=G | option_d=C | answer=B | explanation=Move 4 positions forward from G; the resulting letter is K.

id=17109 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=16 | answer=A | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=17110 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=8 | option_d=3 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=17111 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 43? | option_a=21 | option_b=43 | option_c=35 | option_d=28 | answer=B | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 43 is the odd one out.

id=17112 | topic=Percentages | difficulty=Easy | question=What is 10% of 300? | option_a=40 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=10% of 300 = $(10/100) \times 300 = 30$.

id=17113 | topic=Percentages | difficulty=Easy | question=What is 15% of 261? | option_a=39 | option_b=34 | option_c=78 | option_d=59 | answer=A | explanation=15% of 261 = $(15/100) \times 261 = 39$.

id=17114 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=O | option_b=A | option_c=W | option_d=S | answer=C | explanation=Move 4 positions forward from S; the resulting letter is W.

id=17115 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39144 at 8% per annum for 4 years. | option_a=12626 | option_b=12426 | option_c=51670 | option_d=12526 | answer=D | explanation=SI = $PRT/100 = 39144 \times 8 \times 4/100 = \text{■}12526$.

id=17116 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=21 | option_b=19 | option_c=20 | option_d=17 | answer=B | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=17117 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8732 at 6% per annum for 2 years. | option_a=1047 | option_b=1147 | option_c=9779 | option_d=947 | answer=A | explanation=SI = $PRT/100 = 8732 \times 6 \times 2/100 = \text{■}1047$.

id=17118 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:13 and the first is 168, what is the second? | option_a=194 | option_b=350 | option_c=182 | option_d=169 | answer=C | explanation=Scale factor = $168/12 = 14$. Therefore second quantity = $13 \times 14 = 182$.

id=17119 | topic=Percentages | difficulty=Easy | question=What is 30% of 234? | option_a=140 | option_b=70 | option_c=50 | option_d=75 | answer=B | explanation=30% of 234 = $(30/100) \times 234 = 70$.

id=17120 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=100 | option_c=105 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = $300 \div 3 = 100$ km/h.

id=17121 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28021 at 12% per annum for 5 years. | option_a=44833 | option_b=16712 | option_c=16912 | option_d=16812 | answer=D | explanation=SI = $PRT/100 = 28021 \times 12 \times 5/100 = \text{■}16812$.

id=17122 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**194. If it is sold at a profit of 50%, what is its selling price? | option_a=244 | option_b=291 | option_c=310 | option_d=272 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 194 \times 150/100 = \text{■}291$.

id=17123 | topic=Percentages | difficulty=Easy | question=What is 25% of 1966? | option_a=496 | option_b=982 | option_c=471 | option_d=491 | answer=D | explanation=25% of 1966 = $(25/100) \times 1966 = 491$.

id=17124 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=O | option_b=T | option_c=J | option_d=E | answer=A | explanation=Move 5 positions forward from J; the resulting letter is O.

id=17125 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 10. | option_a=12 | option_b=20 | option_c=10 | option_d=1 | answer=C | explanation=LCM $\times$ HCF = 2×10 ; HCF(2,10) = 2, so LCM = 10.

id=17126 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 32, 39, 47? | option_a=39 | option_b=47 | option_c=25 | option_d=32 | answer=B | explanation=The first three numbers increase by 7, so the next should be 46. Therefore 47 is the odd one out.

id=17127 | topic=Averages | difficulty=Easy | question=Find the average of 22, 49, 91. | option_a=55 | option_b=56 | option_c=54 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = $162 \div 3 = 54$.

id=17128 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=P | option_b=G | option_c=J | option_d=M | answer=D | explanation=Move 3 positions forward from J; the resulting letter is M.

id=17129 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23018 at 12% per annum for 3 years. | option_a=8186 | option_b=31304 | option_c=8386 | option_d=8286 | answer=D | explanation=SI = $PRT/100 = 23018 \times 12 \times 3/100 = \text{■}8286$.

id=17130 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 38, 46, 56? | option_a=30 | option_b=38 | option_c=56 | option_d=46 | answer=C | explanation=The first three numbers increase by 8, so the next should be 54. Therefore 56 is the odd one out.

Aptitude Questions — Records 17,131-17,160 of 100,000

id=17131 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=17132 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=72 | option_c=36 | option_d=41 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=17133 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=17134 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1613. If it is sold at a profit of 20%, what is its selling price? | option_a=1774 | option_b=1633 | option_c=2096 | option_d=1935 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1613 × 120/100 = █1935.

id=17135 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:15 and the first is 320, what is the second? | option_a=225 | option_b=560 | option_c=260 | option_d=240 | answer=D | explanation=Scale factor = 320/20 = 16. Therefore second quantity = 15×16 = 240.

id=17136 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=X | option_c=H | option_d=M | answer=C | explanation=Move 5 positions forward from C; the resulting letter is H.

id=17137 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=P | option_b=R | option_c=V | option_d=T | answer=D | explanation=Move 2 positions forward from R; the resulting letter is T.

id=17138 | topic=Profit & Loss | difficulty=Easy | question=An article costs █438. If it is sold at a profit of 10%, what is its selling price? | option_a=481 | option_b=524 | option_c=448 | option_d=438 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 438 × 110/100 = █481.

id=17139 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=A | option_c=V | option_d=L | answer=C | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=17140 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2057. If it is sold at a profit of 50%, what is its selling price? | option_a=3085 | option_b=3290 | option_c=2880 | option_d=2107 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2057 × 150/100 = █3085.

id=17141 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:2 and the first is 14, what is the second? | option_a=11 | option_b=18 | option_c=4 | option_d=2 | answer=C | explanation=Scale factor = 14/7 = 2. Therefore second quantity = 2×2 = 4.

id=17142 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40236 at 5% per annum for 2 years. | option_a=4023 | option_b=3923 | option_c=4123 | option_d=44259 | answer=A | explanation=SI = PRT/100 = 40236×5×2/100 = █4023.

id=17143 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 16? | option_a=5 | option_b=16 | option_c=8 | option_d=11 | answer=B | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 16 is the odd one out.

id=17144 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4448. If it is sold at a profit of 50%, what is its selling price? | option_a=4498 | option_b=6228 | option_c=6672 | option_d=7116 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4448 × 150/100 = █6672.

id=17145 | topic=Averages | difficulty=Easy | question=Find the average of 64, 70, 25, 56, 40. | option_a=51 | option_b=52 | option_c=53 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 255 ÷ 5 = 51.

id=17146 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43231 at 15% per annum for 1 years. | option_a=6484 | option_b=49715 | option_c=6384 | option_d=6584 | answer=A | explanation=SI = PRT/100 = 43231×15×1/100 = █6484.

id=17147 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22022 at 6% per annum for 5 years. | option_a=28628 | option_b=6706 | option_c=6506 | option_d=6606 | answer=D | explanation=SI = PRT/100 = 22022×6×5/100 = █6606.

id=17148 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=H | option_c=J | option_d=I | answer=C | explanation=Move 1 positions forward from I; the resulting letter is J.

id=17149 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36664 at 15% per annum for 5 years. | option_a=27398 | option_b=27498 | option_c=64162 | option_d=27598 | answer=B | explanation=SI = PRT/100 = 36664×15×5/100 = █27498.

id=17150 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 31, 36, 42? | option_a=36 | option_b=26 | option_c=42 | option_d=31 | answer=C | explanation=The first three numbers increase by 5, so the next should be 41. Therefore 42 is the odd one out.

id=17151 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1617. If it is sold at a profit of 20%, what is its selling price? | option_a=1637 | option_b=2101 | option_c=1940 | option_d=1779 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1617 × 120/100 = █1940.

id=17152 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=29 | option_c=24 | option_d=19 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=17153 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1521. If it is sold at a profit of 15%, what is its selling price? | option_a=1536 | option_b=1749 | option_c=1597 | option_d=1901 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1521 × 115/100 = █1749.

id=17154 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=43 | option_b=52 | option_c=32 | option_d=42 | answer=D | explanation=The common difference is 10. Therefore the next term is 32 + 10 = 42.

id=17155 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=19 | option_b=22 | option_c=21 | option_d=23 | answer=C | explanation=The common difference is 2. Therefore the next term is 19 + 2 = 21.

id=17156 | topic=Percentages | difficulty=Easy | question=What is 20% of 1512? | option_a=302 | option_b=322 | option_c=282 | option_d=604 | answer=A | explanation=20% of 1512 = (20/100) × 1512 = 302.

id=17157 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 21, 30, 39, ? | option_a=48 | option_b=49 | option_c=39 | option_d=57 | answer=A | explanation=The common difference is 9. Therefore the next term is 39 + 9 = 48.

id=17158 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31801 at 10% per annum for 2 years. | option_a=6460 | option_b=6260 | option_c=38161 | option_d=6360 | answer=D | explanation=SI = PRT/100 = 31801×10×2/100 = █6360.

id=17159 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 46? | option_a=27 | option_b=35 | option_c=19 | option_d=46 | answer=D | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 46 is the odd one out.

id=17160 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 17,161-17,190 of 100,000

id=17161 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=39 | option_b=53 | option_c=46 | option_d=47 | answer=C | explanation=The common difference is 7. Therefore the next term is 39 + 7 = 46.

id=17162 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=Y | option_c=G | option_d=K | answer=C | explanation=Move 4 positions forward from C; the resulting letter is G.

id=17163 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:3 and the first is 272, what is the second? | option_a=45 | option_b=320 | option_c=48 | option_d=65 | answer=C | explanation=Scale factor = 272/17 = 16. Therefore second quantity = 3×16 = 48.

id=17164 | topic=Percentages | difficulty=Easy | question=What is 10% of 1822? | option_a=187 | option_b=162 | option_c=364 | option_d=182 | answer=D | explanation=10% of 1822 = (10/100) × 1822 = 182.

id=17165 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1168 at 15% per annum for 2 years. | option_a=350 | option_b=450 | option_c=1518 | option_d=250 | answer=A | explanation=SI = PRT/100 = 1168×15×2/100 = █350.

id=17166 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:2 and the first is 135, what is the second? | option_a=16 | option_b=18 | option_c=153 | option_d=33 | answer=B | explanation=Scale factor = 135/15 = 9. Therefore second quantity = 2×9 = 18.

id=17167 | topic=Percentages | difficulty=Easy | question=What is 40% of 389? | option_a=175 | option_b=155 | option_c=135 | option_d=310 | answer=B | explanation=40% of 389 = (40/100) × 389 = 155.

id=17168 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=O | option_c=U | option_d=X | answer=C | explanation=Move 3 positions forward from R; the resulting letter is U.

id=17169 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=17170 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=6 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=17171 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:12 and the first is 70, what is the second? | option_a=74 | option_b=130 | option_c=48 | option_d=60 | answer=D | explanation=Scale factor = 70/14 = 5. Therefore second quantity = 12×5 = 60.

id=17172 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=A | option_c=C | option_d=Y | answer=C | explanation=Move 2 positions forward from A; the resulting letter is C.

id=17173 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=N | option_b=H | option_c=K | option_d=Q | answer=A | explanation=Move 3 positions forward from K; the resulting letter is N.

id=17174 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=40 | option_c=15 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=17175 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:14 and the first is 304, what is the second? | option_a=224 | option_b=210 | option_c=528 | option_d=243 | answer=A | explanation=Scale factor = 304/19 = 16. Therefore second quantity = 14×16 = 224.

id=17176 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 3. | option_a=6 | option_b=12 | option_c=3 | option_d=18 | answer=A | explanation=LCM × HCF = 6×3; HCF(6,3) = 3, so LCM = 6.

id=17177 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=17178 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=80 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=17179 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=17180 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=22 | option_b=29 | option_c=34 | option_d=28 | answer=D | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.

id=17181 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=17182 | topic=Averages | difficulty=Easy | question=Find the average of 34, 66, 10, 48, 15, 37, 84. | option_a=43 | option_b=41 | option_c=44 | option_d=42 | answer=D | explanation=Average = sum of values ÷ number of values = 294 ÷ 7 = 42.

id=17183 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:13 and the first is 140, what is the second? | option_a=267 | option_b=400 | option_c=260 | option_d=247 | answer=C | explanation=Scale factor = 140/7 = 20. Therefore second quantity = 13×20 = 260.

id=17184 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3011. If it is sold at a profit of 50%, what is its selling price? | option_a=4817 | option_b=3061 | option_c=4215 | option_d=4516 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3011 × 150/100 = █4516.

id=17185 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=42 | option_b=51 | option_c=60 | option_d=52 | answer=B | explanation=The common difference is 9. Therefore the next term is 42 + 9 = 51.

id=17186 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=17187 | topic=Percentages | difficulty=Easy | question=What is 12% of 843? | option_a=121 | option_b=202 | option_c=101 | option_d=91 | answer=C | explanation=12% of 843 = (12/100) × 843 = 101.

id=17188 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=K | option_b=W | option_c=S | option_d=O | answer=C | explanation=Move 4 positions forward from O; the resulting letter is S.

id=17189 | topic=Percentages | difficulty=Easy | question=What is 5% of 1233? | option_a=41 | option_b=61 | option_c=122 | option_d=66 | answer=B | explanation=5% of 1233 = (5/100) × 1233 = 61.

id=17190 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:13 and the first is 255, what is the second? | option_a=208 | option_b=221 | option_c=236 | option_d=476 | answer=B | explanation=Scale factor = 255/15 = 17. Therefore second quantity = 13×17 = 221.

Aptitude Questions — Records 17,191-17,220 of 100,000

id=17191 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=Y | option_c=Q | option_d=M | answer=A | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=17192 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:2 and the first is 176, what is the second? | option_a=38 | option_b=22 | option_c=198 | option_d=20 | answer=B | explanation=Scale factor = 176/16 = 11. Therefore second quantity = 2×11 = 22.

id=17193 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 11, 20, 30? | option_a=2 | option_b=11 | option_c=30 | option_d=20 | answer=C | explanation=The first three numbers increase by 9, so the next should be 29. Therefore 30 is the odd one out.

id=17194 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 27? | option_a=27 | option_b=24 | option_c=20 | option_d=22 | answer=A | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 27 is the odd one out.

id=17195 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 24. | option_a=96 | option_b=240 | option_c=120 | option_d=130 | answer=C | explanation=LCM × HCF = 10×24; HCF(10,24) = 2, so LCM = 120.

id=17196 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5527 at 5% per annum for 1 years. | option_a=5803 | option_b=176 | option_c=276 | option_d=376 | answer=C | explanation=SI = PRT/100 = 5527×5×1/100 = **■**276.

id=17197 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 30. | option_a=60 | option_b=32 | option_c=1 | option_d=30 | answer=D | explanation=LCM × HCF = 2×30; HCF(2,30) = 2, so LCM = 30.

id=17198 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=17199 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 17, 29, 41, ? | option_a=41 | option_b=54 | option_c=65 | option_d=53 | answer=D | explanation=The common difference is 12. Therefore the next term is 41 + 12 = 53.

id=17200 | topic=Percentages | difficulty=Easy | question=What is 12% of 1788? | option_a=194 | option_b=219 | option_c=428 | option_d=214 | answer=D | explanation=12% of 1788 = (12/100) × 1788 = 214.

id=17201 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=17202 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 8. | option_a=8 | option_b=1 | option_c=64 | option_d=16 | answer=A | explanation=LCM × HCF = 8×8; HCF(8,8) = 8, so LCM = 8.

id=17203 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=31 | option_b=27 | option_c=21 | option_d=26 | answer=D | explanation=The common difference is 5. Therefore the next term is 21 + 5 = 26.

id=17204 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4592. If it is sold at a profit of 5%, what is its selling price? | option_a=4362 | option_b=4821 | option_c=5280 | option_d=4597 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4592 × 105/100 = **■**4821.

id=17205 | topic=Percentages | difficulty=Easy | question=What is 5% of 1866? | option_a=186 | option_b=113 | option_c=88 | option_d=93 | answer=D | explanation=5% of 1866 = (5/100) × 1866 = 93.

id=17206 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24917 at 15% per annum for 5 years. | option_a=18687 | option_b=18787 | option_c=43604 | option_d=18587 | answer=A | explanation=SI = PRT/100 = 24917×15×5/100 = **■**18687.

id=17207 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2388 at 6% per annum for 4 years. | option_a=573 | option_b=473 | option_c=2961 | option_d=673 | answer=A | explanation=SI = PRT/100 = 2388×6×4/100 = **■**573.

id=17208 | topic=Percentages | difficulty=Easy | question=What is 12% of 1181? | option_a=151 | option_b=131 | option_c=141 | option_d=282 | answer=C | explanation=12% of 1181 = (12/100) × 1181 = 141.

id=17209 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:8 and the first is 38, what is the second? | option_a=154 | option_b=190 | option_c=144 | option_d=152 | answer=D | explanation=Scale factor = 38/2 = 19. Therefore second quantity = 8×19 = 152.

id=17210 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=X | option_c=P | option_d=L | answer=A | explanation=Move 4 positions forward from P; the resulting letter is T.

id=17211 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=80 | option_c=45 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=17212 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2504. If it is sold at a profit of 30%, what is its selling price? | option_a=3505 | option_b=3005 | option_c=3255 | option_d=2534 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2504 × 130/100 = **■**3255.

id=17213 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48353 at 15% per annum for 4 years. | option_a=77364 | option_b=29111 | option_c=28911 | option_d=29011 | answer=D | explanation=SI = PRT/100 = 48353×15×4/100 = **■**29011.

id=17214 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 3. | option_a=81 | option_b=27 | option_c=24 | option_d=54 | answer=B | explanation=LCM × HCF = 27×3; HCF(27,3) = 3, so LCM = 27.

id=17215 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 20? | option_a=20 | option_b=15 | option_c=17 | option_d=13 | answer=A | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 20 is the odd one out.

id=17216 | topic=Percentages | difficulty=Easy | question=What is 12% of 58? | option_a=12 | option_b=6 | option_c=26 | option_d=1 | answer=B | explanation=12% of 58 = (12/100) × 58 = 6.

id=17217 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1259. If it is sold at a profit of 30%, what is its selling price? | option_a=1761 | option_b=1511 | option_c=1289 | option_d=1636 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1259 × 130/100 = **■**1636.

id=17218 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 38? | option_a=19 | option_b=28 | option_c=38 | option_d=10 | answer=C | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 38 is the odd one out.

id=17219 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:10 and the first is 50, what is the second? | option_a=150 | option_b=100 | option_c=90 | option_d=105 | answer=B | explanation=Scale factor = 50/5 = 10. Therefore second quantity = 10×10 = 100.

id=17220 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=360 | option_c=180 | option_d=185 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

Aptitude Questions — Records 17,221-17,250 of 100,000

id=17221 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=95 | option_c=200 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=17222 | topic=Averages | difficulty=Easy | question=Find the average of 21, 74, 38, 73, 74, 86, 18, 64. | option_a=56 | option_b=57 | option_c=58 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 448 ÷ 8 = 56.

id=17223 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=K | option_b=G | option_c=Y | option_d=C | answer=B | explanation=Move 4 positions forward from C; the resulting letter is G.

id=17224 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:9 and the first is 300, what is the second? | option_a=195 | option_b=180 | option_c=480 | option_d=171 | answer=B | explanation=Scale factor = 300/15 = 20. Therefore second quantity = 9×20 = 180.

id=17225 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=17226 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:15 and the first is 102, what is the second? | option_a=357 | option_b=240 | option_c=255 | option_d=261 | answer=C | explanation=Scale factor = 102/6 = 17. Therefore second quantity = 15×17 = 255.

id=17227 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=55 | option_c=100 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=17228 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■45296 at 15% per annum for 3 years. | option_a=65679 | option_b=20483 | option_c=20383 | option_d=20283 | answer=C | explanation=SI = PRT/100 = 45296×15×3/100 = ■20383.

id=17229 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=17230 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 6. | option_a=78 | option_b=156 | option_c=104 | option_d=72 | answer=A | explanation=LCM × HCF = 26×6; HCF(26,6) = 2, so LCM = 78.

id=17231 | topic=Percentages | difficulty=Easy | question=What is 20% of 129? | option_a=25 | option_b=30 | option_c=50 | option_d=15 | answer=A | explanation=20% of 129 = (20/100) × 129 = 25.

id=17232 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:1 and the first is 285, what is the second? | option_a=18 | option_b=304 | option_c=34 | option_d=19 | answer=D | explanation=Scale factor = 285/15 = 19. Therefore second quantity = 1×19 = 19.

id=17233 | topic=Averages | difficulty=Easy | question=Find the average of 45, 88, 11, 24, 100, 51, 14, 95, 98, 64. | option_a=58 | option_b=61 | option_c=59 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 590 ÷ 10 = 59.

id=17234 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■696. If it is sold at a profit of 50%, what is its selling price? | option_a=746 | option_b=1113 | option_c=1044 | option_d=975 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 696 × 150/100 = ■1044.

id=17235 | topic=Averages | difficulty=Easy | question=Find the average of 11, 70, 37, 47, 28, 29. | option_a=39 | option_b=38 | option_c=37 | option_d=36 | answer=C | explanation=Average = sum of values ÷ number of values = 222 ÷ 6 = 37.

id=17236 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:1 and the first is 80, what is the second? | option_a=15 | option_b=16 | option_c=96 | option_d=21 | answer=B | explanation=Scale factor = 80/5 = 16. Therefore second quantity = 1×16 = 16.

id=17237 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 20, 28, 38? | option_a=38 | option_b=12 | option_c=20 | option_d=28 | answer=A | explanation=The first three numbers increase by 8, so the next should be 36. Therefore 38 is the odd one out.

id=17238 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 33? | option_a=8 | option_b=16 | option_c=24 | option_d=33 | answer=D | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 33 is the odd one out.

id=17239 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=9 | option_c=4 | option_d=18 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=17240 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=55 | option_c=45 | option_d=100 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=17241 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■48011 at 4% per annum for 1 years. | option_a=1820 | option_b=2020 | option_c=1920 | option_d=49931 | answer=C | explanation=SI = PRT/100 = 48011×4×1/100 = ■1920.

id=17242 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2704. If it is sold at a profit of 50%, what is its selling price? | option_a=3786 | option_b=4056 | option_c=4326 | option_d=2754 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2704 × 150/100 = ■4056.

id=17243 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=17244 | topic=Percentages | difficulty=Easy | question=What is 10% of 1377? | option_a=157 | option_b=132 | option_c=137 | option_d=274 | answer=C | explanation=10% of 1377 = (10/100) × 1377 = 137.

id=17245 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 11, 16, 23? | option_a=6 | option_b=23 | option_c=16 | option_d=11 | answer=B | explanation=The first three numbers increase by 5, so the next should be 21. Therefore 23 is the odd one out.

id=17246 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=N | option_b=H | option_c=K | option_d=E | answer=C | explanation=Move 3 positions forward from H; the resulting letter is K.

id=17247 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=17248 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=R | option_c=A | option_d=X | answer=D | explanation=Move 3 positions forward from U; the resulting letter is X.

id=17249 | topic=Percentages | difficulty=Easy | question=What is 15% of 366? | option_a=54 | option_b=108 | option_c=64 | option_d=34 | answer=A | explanation=15% of 366 = (15/100) × 366 = 54.

id=17250 | topic=Averages | difficulty=Easy | question=Find the average of 93, 53, 30, 64, 22, 23, 95, 94, 85, 101. | option_a=67 | option_b=65 | option_c=68 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = 660 ÷ 10 = 66.

Aptitude Questions — Records 17,251-17,280 of 100,000

id=17251 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 20, 22, 25? | option_a=20 | option_b=22 | option_c=25 | option_d=18 | answer=C | explanation=The first three numbers increase by 2, so the next should be 24. Therefore 25 is the odd one out.

id=17252 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 26. | option_a=312 | option_b=156 | option_c=130 | option_d=168 | answer=B | explanation=LCM × HCF = 12×26; HCF(12,26) = 2, so LCM = 156.

id=17253 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=Z | option_b=F | option_c=B | option_d=D | answer=D | explanation=Move 2 positions forward from B; the resulting letter is D.

id=17254 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 32, 36, 42? | option_a=42 | option_b=36 | option_c=32 | option_d=28 | answer=A | explanation=The first three numbers increase by 4, so the next should be 40. Therefore 42 is the odd one out.

id=17255 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:14 and the first is 100, what is the second? | option_a=240 | option_b=150 | option_c=126 | option_d=140 | answer=D | explanation=Scale factor = 100/10 = 10. Therefore second quantity = 14×10 = 140.

id=17256 | topic=Averages | difficulty=Easy | question=Find the average of 13, 47, 86, 39, 25. | option_a=42 | option_b=43 | option_c=44 | option_d=41 | answer=A | explanation=Average = sum of values ÷ number of values = 210 ÷ 5 = 42.

id=17257 | topic=Percentages | difficulty=Easy | question=What is 20% of 1880? | option_a=752 | option_b=376 | option_c=381 | option_d=371 | answer=B | explanation=20% of 1880 = (20/100) × 1880 = 376.

id=17258 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=15 | option_c=40 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=17259 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=17260 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2815. If it is sold at a profit of 20%, what is its selling price? | option_a=3097 | option_b=2835 | option_c=3659 | option_d=3378 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2815 × 120/100 = █3378.

id=17261 | topic=Averages | difficulty=Easy | question=Find the average of 20, 45, 62, 53, 100, 39, 77, 83, 34. | option_a=58 | option_b=59 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 513 ÷ 9 = 57.

id=17262 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=37 | option_b=47 | option_c=48 | option_d=57 | answer=B | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

id=17263 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:9 and the first is 36, what is the second? | option_a=198 | option_b=164 | option_c=153 | option_d=162 | answer=D | explanation=Scale factor = 36/2 = 18. Therefore second quantity = 9×18 = 162.

id=17264 | topic=Averages | difficulty=Easy | question=Find the average of 12, 14, 34, 79, 51, 98. | option_a=48 | option_b=47 | option_c=49 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 288 ÷ 6 = 48.

id=17265 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=29 | option_c=24 | option_d=48 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=17266 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 24, 33, 45? | option_a=15 | option_b=24 | option_c=33 | option_d=45 | answer=D | explanation=The first three numbers increase by 9, so the next should be 42. Therefore 45 is the odd one out.

id=17267 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:10 and the first is 170, what is the second? | option_a=180 | option_b=170 | option_c=340 | option_d=160 | answer=B | explanation=Scale factor = 170/10 = 17. Therefore second quantity = 10×17 = 170.

id=17268 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1814. If it is sold at a profit of 5%, what is its selling price? | option_a=1723 | option_b=1904 | option_c=1819 | option_d=2085 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1814 × 105/100 = █1904.

id=17269 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=Q | option_b=N | option_c=K | option_d=H | answer=B | explanation=Move 3 positions forward from K; the resulting letter is N.

id=17270 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2821. If it is sold at a profit of 5%, what is its selling price? | option_a=2680 | option_b=2962 | option_c=3244 | option_d=2826 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2821 × 105/100 = █2962.

id=17271 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3611. If it is sold at a profit of 10%, what is its selling price? | option_a=3972 | option_b=3611 | option_c=3621 | option_d=4333 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3611 × 110/100 = █3972.

id=17272 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=17273 | topic=Profit & Loss | difficulty=Easy | question=An article costs █349. If it is sold at a profit of 15%, what is its selling price? | option_a=364 | option_b=435 | option_c=367 | option_d=401 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 349 × 115/100 = █401.

id=17274 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=M | option_b=L | option_c=K | option_d=N | answer=A | explanation=Move 1 positions forward from L; the resulting letter is M.

id=17275 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=M | option_c=J | option_d=D | answer=C | explanation=Move 3 positions forward from G; the resulting letter is J.

id=17276 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=N | option_c=P | option_d=L | answer=C | explanation=Move 2 positions forward from N; the resulting letter is P.

id=17277 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=17278 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Y | option_b=C | option_c=U | option_d=Q | answer=A | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=17279 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47397 at 5% per annum for 3 years. | option_a=7109 | option_b=7209 | option_c=54506 | option_d=7009 | answer=A | explanation=SI = PRT/100 = 47397×5×3/100 = █7109.

id=17280 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:17 and the first is 68, what is the second? | option_a=357 | option_b=289 | option_c=293 | option_d=272 | answer=B | explanation=Scale factor = 68/4 = 17. Therefore second quantity = 17×17 = 289.

Aptitude Questions — Records 17,281-17,310 of 100,000

id=17281 | topic=Averages | difficulty=Easy | question=Find the average of 100, 14, 15. | option_a=43 | option_b=44 | option_c=42 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 129 ÷ 3 = 43.

id=17282 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:1 and the first is 119, what is the second? | option_a=24 | option_b=126 | option_c=6 | option_d=7 | answer=D | explanation=Scale factor = 119/17 = 7. Therefore second quantity = 1×7 = 7.

id=17283 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=125 | option_b=240 | option_c=115 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=17284 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10354 at 8% per annum for 3 years. | option_a=12838 | option_b=2384 | option_c=2484 | option_d=2584 | answer=C | explanation=SI = PRT/100 = 10354×8×3/100 = **■**2484.

id=17285 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:9 and the first is 30, what is the second? | option_a=126 | option_b=165 | option_c=135 | option_d=137 | answer=C | explanation=Scale factor = 30/2 = 15. Therefore second quantity = 9×15 = 135.

id=17286 | topic=Averages | difficulty=Easy | question=Find the average of 73, 18, 94, 19, 22, 72, 65, 17, 34. | option_a=45 | option_b=48 | option_c=47 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 414 ÷ 9 = 46.

id=17287 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 51? | option_a=39 | option_b=19 | option_c=51 | option_d=29 | answer=C | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 51 is the odd one out.

id=17288 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 14, 17, 23? | option_a=23 | option_b=17 | option_c=11 | option_d=14 | answer=A | explanation=The first three numbers increase by 3, so the next should be 20. Therefore 23 is the odd one out.

id=17289 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 30? | option_a=4 | option_b=12 | option_c=30 | option_d=20 | answer=C | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 30 is the odd one out.

id=17290 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=17291 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=10 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=17292 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=29 | option_b=28 | option_c=22 | option_d=34 | answer=B | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.

id=17293 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=17294 | topic=Percentages | difficulty=Easy | question=What is 25% of 1297? | option_a=314 | option_b=344 | option_c=324 | option_d=648 | answer=C | explanation=25% of 1297 = (25/100) × 1297 = 324.

id=17295 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=42 | option_b=43 | option_c=52 | option_d=32 | answer=A | explanation=The common difference is 10. Therefore the next term is 32 + 10 = 42.

id=17296 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1451. If it is sold at a profit of 25%, what is its selling price? | option_a=1813 | option_b=1958 | option_c=1476 | option_d=1668 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1451 × 125/100 = **■**1813.

id=17297 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**218. If it is sold at a profit of 40%, what is its selling price? | option_a=284 | option_b=258 | option_c=326 | option_d=305 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 218 × 140/100 = **■**305.

id=17298 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=17299 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=V | option_c=G | option_d=Q | answer=D | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=17300 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1895. If it is sold at a profit of 15%, what is its selling price? | option_a=1990 | option_b=2179 | option_c=1910 | option_d=2368 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1895 × 115/100 = **■**2179.

id=17301 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 10, 13, 17? | option_a=7 | option_b=10 | option_c=13 | option_d=17 | answer=D | explanation=The first three numbers increase by 3, so the next should be 16. Therefore 17 is the odd one out.

id=17302 | topic=Percentages | difficulty=Easy | question=What is 40% of 1190? | option_a=476 | option_b=471 | option_c=486 | option_d=952 | answer=A | explanation=40% of 1190 = (40/100) × 1190 = 476.

id=17303 | topic=Averages | difficulty=Easy | question=Find the average of 32, 18, 88, 78. | option_a=56 | option_b=53 | option_c=54 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 216 ÷ 4 = 54.

id=17304 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=S | option_b=X | option_c=N | option_d=I | answer=A | explanation=Move 5 positions forward from N; the resulting letter is S.

id=17305 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3144 at 15% per annum for 2 years. | option_a=943 | option_b=1043 | option_c=4087 | option_d=843 | answer=A | explanation=SI = PRT/100 = 3144×15×2/100 = **■**943.

id=17306 | topic=Averages | difficulty=Easy | question=Find the average of 82, 14, 55, 28, 85, 59, 81, 100, 67, 79. | option_a=64 | option_b=66 | option_c=67 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 650 ÷ 10 = 65.

id=17307 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=Q | option_c=S | option_d=U | answer=D | explanation=Move 2 positions forward from S; the resulting letter is U.

id=17308 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=17309 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 24. | option_a=72 | option_b=432 | option_c=48 | option_d=90 | answer=A | explanation=LCM × HCF = 18×24; HCF(18,24) = 6, so LCM = 72.

id=17310 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:8 and the first is 169, what is the second? | option_a=104 | option_b=117 | option_c=273 | option_d=96 | answer=A | explanation=Scale factor = 169/13 = 13. Therefore second quantity = 8×13 = 104.

Aptitude Questions — Records 17,311-17,340 of 100,000

id=17311 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=47 | option_b=35 | option_c=46 | option_d=57 | answer=C | explanation=The common difference is 11. Therefore the next term is 35 + 11 = 46.

id=17312 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=X | option_c=M | option_d=H | answer=D | explanation=Move 5 positions forward from C; the resulting letter is H.

id=17313 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=H | option_c=D | option_d=P | answer=A | explanation=Move 4 positions forward from H; the resulting letter is L.

id=17314 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:1 and the first is 15, what is the second? | option_a=16 | option_b=14 | option_c=15 | option_d=30 | answer=C | explanation=Scale factor = 15/1 = 15. Therefore second quantity = 1×15 = 15.

id=17315 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=59 | option_b=48 | option_c=70 | option_d=60 | answer=A | explanation=The common difference is 11. Therefore the next term is 48 + 11 = 59.

id=17316 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 32, 39, 47? | option_a=47 | option_b=39 | option_c=25 | option_d=32 | answer=A | explanation=The first three numbers increase by 7, so the next should be 46. Therefore 47 is the odd one out.

id=17317 | topic=Averages | difficulty=Easy | question=Find the average of 89, 18, 23, 87, 68, 63. | option_a=58 | option_b=59 | option_c=60 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 348 ÷ 6 = 58.

id=17318 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=X | option_b=N | option_c=S | option_d=C | answer=A | explanation=Move 5 positions forward from S; the resulting letter is X.

id=17319 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46977 at 12% per annum for 3 years. | option_a=63888 | option_b=16911 | option_c=16811 | option_d=17011 | answer=B | explanation=SI = PRT/100 = 46977×12×3/100 = **■**16911.

id=17320 | topic=Percentages | difficulty=Easy | question=What is 10% of 1813? | option_a=176 | option_b=201 | option_c=181 | option_d=362 | answer=C | explanation=10% of 1813 = (10/100) × 1813 = 181.

id=17321 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1443 at 8% per annum for 2 years. | option_a=1673 | option_b=130 | option_c=330 | option_d=230 | answer=D | explanation=SI = PRT/100 = 1443×8×2/100 = **■**230.

id=17322 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22469 at 6% per annum for 5 years. | option_a=6640 | option_b=6840 | option_c=29209 | option_d=6740 | answer=D | explanation=SI = PRT/100 = 22469×6×5/100 = **■**6740.

id=17323 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 15? | option_a=12 | option_b=10 | option_c=15 | option_d=8 | answer=C | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 15 is the odd one out.

id=17324 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=17325 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=K | option_b=H | option_c=N | option_d=E | answer=A | explanation=Move 3 positions forward from H; the resulting letter is K.

id=17326 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=240 | option_d=125 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=17327 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 30, 38, 47? | option_a=30 | option_b=38 | option_c=22 | option_d=47 | answer=D | explanation=The first three numbers increase by 8, so the next should be 46. Therefore 47 is the odd one out.

id=17328 | topic=Averages | difficulty=Easy | question=Find the average of 61, 43, 20, 17, 37, 61, 94, 95, 13. | option_a=50 | option_b=48 | option_c=51 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 441 ÷ 9 = 49.

id=17329 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=17330 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=17331 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=23 | option_c=13 | option_d=36 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=17332 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 22, 31, 41? | option_a=22 | option_b=13 | option_c=41 | option_d=31 | answer=C | explanation=The first three numbers increase by 9, so the next should be 40. Therefore 41 is the odd one out.

id=17333 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=36 | option_c=72 | option_d=41 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=17334 | topic=Averages | difficulty=Easy | question=Find the average of 79, 44, 48. | option_a=59 | option_b=58 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 171 ÷ 3 = 57.

id=17335 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=4 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=17336 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:17 and the first is 252, what is the second? | option_a=558 | option_b=306 | option_c=289 | option_d=320 | answer=B | explanation=Scale factor = 252/14 = 18. Therefore second quantity = 17×18 = 306.

id=17337 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=160 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=17338 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=41 | option_c=72 | option_d=31 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=17339 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 20, 30, 43? | option_a=30 | option_b=10 | option_c=43 | option_d=20 | answer=C | explanation=The first three numbers increase by 10, so the next should be 40. Therefore 43 is the odd one out.

id=17340 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 22, 27, 32, ? | option_a=37 | option_b=38 | option_c=32 | option_d=42 | answer=A | explanation=The common difference is 5. Therefore the next term is 32 + 5 = 37.

Aptitude Questions — Records 17,341-17,370 of 100,000

id=17341 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 26, 35, 46? | option_a=46 | option_b=26 | option_c=35 | option_d=17 | answer=A | explanation=The first three numbers increase by 9, so the next should be 44. Therefore 46 is the odd one out.

id=17342 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38282 at 5% per annum for 3 years. | option_a=5642 | option_b=5742 | option_c=5842 | option_d=44024 | answer=B | explanation=SI = $PRT/100 = 38282 \times 5 \times 3/100 = \text{■}5742$.

id=17343 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:1 and the first is 30, what is the second? | option_a=10 | option_b=9 | option_c=13 | option_d=40 | answer=A | explanation=Scale factor = $30/3 = 10$. Therefore second quantity = $1 \times 10 = 10$.

id=17344 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20844 at 8% per annum for 2 years. | option_a=3235 | option_b=24179 | option_c=3435 | option_d=3335 | answer=D | explanation=SI = $PRT/100 = 20844 \times 8 \times 2/100 = \text{■}3335$.

id=17345 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=S | option_c=M | option_d=V | answer=B | explanation=Move 3 positions forward from P; the resulting letter is S.

id=17346 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.

id=17347 | topic=Averages | difficulty=Easy | question=Find the average of 77, 71, 57, 52, 58, 34, 81, 10, 48, 22. | option_a=50 | option_b=51 | option_c=52 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = $510 \div 10 = 51$.

id=17348 | topic=Percentages | difficulty=Easy | question=What is 10% of 1926? | option_a=192 | option_b=384 | option_c=212 | option_d=182 | answer=A | explanation=10% of 1926 = $(10/100) \times 1926 = 192$.

id=17349 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=41 | option_b=45 | option_c=35 | option_d=40 | answer=D | explanation=The common difference is 5. Therefore the next term is $35 + 5 = 40$.

id=17350 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 18? | option_a=13 | option_b=11 | option_c=18 | option_d=9 | answer=C | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 18 is the odd one out.

id=17351 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:11 and the first is 210, what is the second? | option_a=165 | option_b=179 | option_c=154 | option_d=375 | answer=A | explanation=Scale factor = $210/14 = 15$. Therefore second quantity = $11 \times 15 = 165$.

id=17352 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:4 and the first is 240, what is the second? | option_a=60 | option_b=79 | option_c=64 | option_d=304 | answer=C | explanation=Scale factor = $240/15 = 16$. Therefore second quantity = $4 \times 16 = 64$.

id=17353 | topic=Percentages | difficulty=Easy | question=What is 5% of 750? | option_a=42 | option_b=17 | option_c=74 | option_d=37 | answer=D | explanation=5% of 750 = $(5/100) \times 750 = 37$.

id=17354 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23171 at 10% per annum for 4 years. | option_a=9268 | option_b=9168 | option_c=32439 | option_d=9368 | answer=A | explanation=SI = $PRT/100 = 23171 \times 10 \times 4/100 = \text{■}9268$.

id=17355 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 24, 31, 40? | option_a=40 | option_b=31 | option_c=17 | option_d=24 | answer=A | explanation=The first three numbers increase by 7, so the next should be 38. Therefore 40 is the odd one out.

id=17356 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**395. If it is sold at a profit of 15%, what is its selling price? | option_a=493 | option_b=415 | option_c=454 | option_d=410 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 395 \times 115/100 = \text{■}454$.

id=17357 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:2 and the first is 187, what is the second? | option_a=22 | option_b=209 | option_c=20 | option_d=39 | answer=A | explanation=Scale factor = $187/17 = 11$. Therefore second quantity = $2 \times 11 = 22$.

id=17358 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3254. If it is sold at a profit of 20%, what is its selling price? | option_a=4229 | option_b=3904 | option_c=3274 | option_d=3579 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3254 \times 120/100 = \text{■}3904$.

id=17359 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:15 and the first is 192, what is the second? | option_a=432 | option_b=240 | option_c=252 | option_d=225 | answer=B | explanation=Scale factor = $192/12 = 16$. Therefore second quantity = $15 \times 16 = 240$.

id=17360 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 26, 29, 35? | option_a=23 | option_b=26 | option_c=29 | option_d=35 | answer=D | explanation=The first three numbers increase by 3, so the next should be 32. Therefore 35 is the odd one out.

id=17361 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22175 at 15% per annum for 3 years. | option_a=9978 | option_b=32153 | option_c=10078 | option_d=9878 | answer=A | explanation=SI = $PRT/100 = 22175 \times 15 \times 3/100 = \text{■}9978$.

id=17362 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=J | option_b=M | option_c=S | option_d=P | answer=D | explanation=Move 3 positions forward from M; the resulting letter is P.

id=17363 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=E | option_b=T | option_c=J | option_d=O | answer=D | explanation=Move 5 positions forward from J; the resulting letter is O.

id=17364 | topic=Percentages | difficulty=Easy | question=What is 15% of 1451? | option_a=217 | option_b=207 | option_c=434 | option_d=237 | answer=A | explanation=15% of 1451 = $(15/100) \times 1451 = 217$.

id=17365 | topic=Percentages | difficulty=Easy | question=What is 25% of 119? | option_a=58 | option_b=39 | option_c=29 | option_d=24 | answer=C | explanation=25% of 119 = $(25/100) \times 119 = 29$.

id=17366 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=39 | option_b=50 | option_c=61 | option_d=51 | answer=B | explanation=The common difference is 11. Therefore the next term is $39 + 11 = 50$.

id=17367 | topic=Averages | difficulty=Easy | question=Find the average of 45, 46, 72, 55, 102. | option_a=63 | option_b=66 | option_c=65 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = $320 \div 5 = 64$.

id=17368 | topic=Percentages | difficulty=Easy | question=What is 5% of 1247? | option_a=62 | option_b=82 | option_c=57 | option_d=124 | answer=A | explanation=5% of 1247 = $(5/100) \times 1247 = 62$.

id=17369 | topic=Averages | difficulty=Easy | question=Find the average of 27, 34, 52, 87, 45. | option_a=51 | option_b=48 | option_c=49 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = $245 \div 5 = 49$.

id=17370 | topic=Percentages | difficulty=Easy | question=What is 50% of 1968? | option_a=1968 | option_b=984 | option_c=964 | option_d=989 | answer=B | explanation=50% of 1968 = $(50/100) \times 1968 = 984$.

Aptitude Questions — Records 17,371-17,400 of 100,000

id=17371 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 23? | option_a=20 | option_b=16 | option_c=23 | option_d=18 | answer=C | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 23 is the odd one out.

id=17372 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43340 at 4% per annum for 2 years. | option_a=3367 | option_b=46807 | option_c=3567 | option_d=3467 | answer=D | explanation=SI = $\text{PRT}/100 = 43340 \times 4 \times 2/100 = \text{■}3467$.

id=17373 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2558. If it is sold at a profit of 15%, what is its selling price? | option_a=2573 | option_b=2686 | option_c=3196 | option_d=2941 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 2558 \times 115/100 = \text{■}2941$.

id=17374 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**410. If it is sold at a profit of 30%, what is its selling price? | option_a=533 | option_b=440 | option_c=492 | option_d=574 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 410 \times 130/100 = \text{■}533$.

id=17375 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 23? | option_a=16 | option_b=23 | option_c=18 | option_d=20 | answer=B | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 23 is the odd one out.

id=17376 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41934 at 15% per annum for 1 years. | option_a=6290 | option_b=48224 | option_c=6390 | option_d=6190 | answer=A | explanation=SI = $\text{PRT}/100 = 41934 \times 15 \times 1/100 = \text{■}6290$.

id=17377 | topic=Averages | difficulty=Easy | question=Find the average of 87, 79, 11, 88, 11, 74, 43, 95, 61. | option_a=62 | option_b=60 | option_c=61 | option_d=63 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 549 \div 9 = 61$.

id=17378 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2016. If it is sold at a profit of 25%, what is its selling price? | option_a=2721 | option_b=2319 | option_c=2520 | option_d=2041 | answer=C | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 2016 \times 125/100 = \text{■}2520$.

id=17379 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3055. If it is sold at a profit of 25%, what is its selling price? | option_a=3513 | option_b=3080 | option_c=3818 | option_d=4123 | answer=C | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 3055 \times 125/100 = \text{■}3818$.

id=17380 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:1 and the first is 100, what is the second? | option_a=20 | option_b=9 | option_c=110 | option_d=10 | answer=D | explanation=Scale factor = $100/10 = 10$. Therefore second quantity = $1 \times 10 = 10$.

id=17381 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=300 | option_c=145 | option_d=150 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 300 \div 2 = 150 \text{ km/h}$.

id=17382 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4421. If it is sold at a profit of 15%, what is its selling price? | option_a=5084 | option_b=5526 | option_c=4436 | option_d=4642 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 4421 \times 115/100 = \text{■}5084$.

id=17383 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**782. If it is sold at a profit of 5%, what is its selling price? | option_a=821 | option_b=743 | option_c=787 | option_d=899 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 782 \times 105/100 = \text{■}821$.

id=17384 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4892. If it is sold at a profit of 10%, what is its selling price? | option_a=4902 | option_b=4892 | option_c=5381 | option_d=5870 | answer=C | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 4892 \times 110/100 = \text{■}5381$.

id=17385 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3175. If it is sold at a profit of 5%, what is its selling price? | option_a=3333 | option_b=3650 | option_c=3016 | option_d=3180 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 3175 \times 105/100 = \text{■}3333$.

id=17386 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 7, 12, 20? | option_a=20 | option_b=7 | option_c=12 | option_d=2 | answer=A | explanation=The first three numbers increase by 5, so the next should be 17. Therefore 20 is the odd one out.

id=17387 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26572 at 10% per annum for 5 years. | option_a=39858 | option_b=13286 | option_c=13186 | option_d=13386 | answer=B | explanation=SI = $\text{PRT}/100 = 26572 \times 10 \times 5/100 = \text{■}13286$.

id=17388 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=40 | option_c=45 | option_d=80 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 120 \div 3 = 40 \text{ km/h}$.

id=17389 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40076 at 8% per annum for 3 years. | option_a=9518 | option_b=9718 | option_c=49694 | option_d=9618 | answer=D | explanation=SI = $\text{PRT}/100 = 40076 \times 8 \times 3/100 = \text{■}9618$.

id=17390 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3 \text{ days}$.

id=17391 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 46? | option_a=19 | option_b=35 | option_c=27 | option_d=46 | answer=D | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 46 is the odd one out.

id=17392 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:5 and the first is 99, what is the second? | option_a=45 | option_b=40 | option_c=56 | option_d=144 | answer=A | explanation=Scale factor = $99/11 = 9$. Therefore second quantity = $5 \times 9 = 45$.

id=17393 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 18. | option_a=288 | option_b=160 | option_c=126 | option_d=144 | answer=D | explanation= $\text{LCM} \times \text{HCF} = 16 \times 18$; $\text{HCF}(16,18) = 2$, so $\text{LCM} = 144$.

id=17394 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3 \text{ days}$.

id=17395 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=42 | option_b=54 | option_c=55 | option_d=66 | answer=B | explanation=The common difference is 12. Therefore the next term is $42 + 12 = 54$.

id=17396 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=16 | option_d=3 | answer=B | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4 \text{ days}$.

id=17397 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=26 | option_b=29 | option_c=32 | option_d=30 | answer=B | explanation=The common difference is 3. Therefore the next term is $26 + 3 = 29$.

id=17398 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=41 | option_b=33 | option_c=47 | option_d=40 | answer=D | explanation=The common difference is 7. Therefore the next term is $33 + 7 = 40$.

id=17399 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4 \text{ days}$.

id=17400 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=33 | option_b=41 | option_c=40 | option_d=47 | answer=C | explanation=The common difference is 7. Therefore the next term is $33 + 7 = 40$.

Aptitude Questions — Records 17,401-17,430 of 100,000

id=17401 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=240 | option_c=115 | option_d=125 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=17402 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 25, 27, 32? | option_a=32 | option_b=25 | option_c=27 | option_d=23 | answer=A | explanation=The first three numbers increase by 2, so the next should be 29. Therefore 32 is the odd one out.

id=17403 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=53 | option_b=43 | option_c=33 | option_d=44 | answer=B | explanation=The common difference is 10. Therefore the next term is 33 + 10 = 43.

id=17404 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=O | option_c=C | option_d=G | answer=A | explanation=Move 4 positions forward from G; the resulting letter is K.

id=17405 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2471. If it is sold at a profit of 15%, what is its selling price? | option_a=2594 | option_b=2486 | option_c=3088 | option_d=2841 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2471 × 115/100 = █2841.

id=17406 | topic=Averages | difficulty=Easy | question=Find the average of 17, 80, 60, 74, 37, 84, 47. | option_a=59 | option_b=57 | option_c=56 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 399 ÷ 7 = 57.

id=17407 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=17408 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=A | option_c=C | option_d=Y | answer=C | explanation=Move 2 positions forward from A; the resulting letter is C.

id=17409 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=M | option_c=E | option_d=A | answer=A | explanation=Move 4 positions forward from E; the resulting letter is I.

id=17410 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=55 | option_b=56 | option_c=65 | option_d=45 | answer=A | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.

id=17411 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1164. If it is sold at a profit of 40%, what is its selling price? | option_a=1745 | option_b=1204 | option_c=1629 | option_d=1513 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1164 × 140/100 = █1629.

id=17412 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3143. If it is sold at a profit of 5%, what is its selling price? | option_a=3148 | option_b=3300 | option_c=2986 | option_d=3614 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3143 × 105/100 = █3300.

id=17413 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:4 and the first is 88, what is the second? | option_a=44 | option_b=132 | option_c=40 | option_d=52 | answer=A | explanation=Scale factor = 88/8 = 11. Therefore second quantity = 4×11 = 44.

id=17414 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=17415 | topic=Averages | difficulty=Easy | question=Find the average of 71, 20, 45, 96. | option_a=58 | option_b=60 | option_c=59 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 232 ÷ 4 = 58.

id=17416 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=17417 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:12 and the first is 210, what is the second? | option_a=156 | option_b=183 | option_c=168 | option_d=378 | answer=C | explanation=Scale factor = 210/15 = 14. Therefore second quantity = 12×14 = 168.

id=17418 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=45 | option_b=65 | option_c=56 | option_d=55 | answer=D | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.

id=17419 | topic=Averages | difficulty=Easy | question=Find the average of 95, 72, 42, 82, 96, 69. | option_a=75 | option_b=76 | option_c=78 | option_d=77 | answer=B | explanation=Average = sum of values ÷ number of values = 456 ÷ 6 = 76.

id=17420 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:7 and the first is 38, what is the second? | option_a=135 | option_b=126 | option_c=171 | option_d=133 | answer=D | explanation=Scale factor = 38/2 = 19. Therefore second quantity = 7×19 = 133.

id=17421 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=53 | option_b=54 | option_c=62 | option_d=44 | answer=A | explanation=The common difference is 9. Therefore the next term is 44 + 9 = 53.

id=17422 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=17423 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:4 and the first is 154, what is the second? | option_a=198 | option_b=40 | option_c=58 | option_d=44 | answer=D | explanation=Scale factor = 154/14 = 11. Therefore second quantity = 4×11 = 44.

id=17424 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=O | option_b=P | option_c=M | option_d=N | answer=A | explanation=Move 1 positions forward from N; the resulting letter is O.

id=17425 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2260. If it is sold at a profit of 10%, what is its selling price? | option_a=2486 | option_b=2270 | option_c=2712 | option_d=2260 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2260 × 110/100 = █2486.

id=17426 | topic=Profit & Loss | difficulty=Easy | question=An article costs █600. If it is sold at a profit of 20%, what is its selling price? | option_a=720 | option_b=780 | option_c=660 | option_d=620 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 600 × 120/100 = █720.

id=17427 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 14. | option_a=168 | option_b=154 | option_c=336 | option_d=192 | answer=A | explanation=LCM × HCF = 24×14; HCF(24,14) = 2, so LCM = 168.

id=17428 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=N | option_c=L | option_d=J | answer=B | explanation=Move 2 positions forward from L; the resulting letter is N.

id=17429 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 17, 20, 24? | option_a=14 | option_b=17 | option_c=24 | option_d=20 | answer=C | explanation=The first three numbers increase by 3, so the next should be 23. Therefore 24 is the odd one out.

id=17430 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:14 and the first is 64, what is the second? | option_a=112 | option_b=176 | option_c=120 | option_d=98 | answer=A | explanation=Scale factor = 64/8 = 8. Therefore second quantity = 14×8 = 112.

Aptitude Questions — Records 17,431-17,460 of 100,000

id=17431 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=17 | option_b=23 | option_c=20 | option_d=21 | answer=C | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=17432 | topic=Percentages | difficulty=Easy | question=What is 40% of 1711? | option_a=704 | option_b=684 | option_c=1368 | option_d=674 | answer=B | explanation=40% of 1711 = (40/100) × 1711 = 684.

id=17433 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=50 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=17434 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:14 and the first is 40, what is the second? | option_a=320 | option_b=280 | option_c=266 | option_d=282 | answer=B | explanation=Scale factor = 40/2 = 20. Therefore second quantity = 14×20 = 280.

id=17435 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4117. If it is sold at a profit of 40%, what is its selling price? | option_a=5763 | option_b=5352 | option_c=6174 | option_d=4157 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4117 × 140/100 = █5763.

id=17436 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=17437 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=90 | option_c=95 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=17438 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1763. If it is sold at a profit of 5%, what is its selling price? | option_a=1675 | option_b=1768 | option_c=2027 | option_d=1851 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1763 × 105/100 = █1851.

id=17439 | topic=Averages | difficulty=Easy | question=Find the average of 44, 76, 37, 77, 49, 27, 103. | option_a=61 | option_b=59 | option_c=60 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 413 ÷ 7 = 59.

id=17440 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:15 and the first is 10, what is the second? | option_a=15 | option_b=35 | option_c=40 | option_d=30 | answer=D | explanation=Scale factor = 10/5 = 2. Therefore second quantity = 15×2 = 30.

id=17441 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1789. If it is sold at a profit of 30%, what is its selling price? | option_a=2325 | option_b=2503 | option_c=1819 | option_d=2147 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1789 × 130/100 = █2325.

id=17442 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 26? | option_a=21 | option_b=15 | option_c=18 | option_d=26 | answer=D | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 26 is the odd one out.

id=17443 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:20 and the first is 247, what is the second? | option_a=507 | option_b=240 | option_c=279 | option_d=260 | answer=D | explanation=Scale factor = 247/19 = 13. Therefore second quantity = 20×13 = 260.

id=17444 | topic=Averages | difficulty=Easy | question=Find the average of 86, 49, 18, 17, 93, 95, 41. | option_a=57 | option_b=59 | option_c=58 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 399 ÷ 7 = 57.

id=17445 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22675 at 15% per annum for 3 years. | option_a=32878 | option_b=10203 | option_c=10103 | option_d=10303 | answer=B | explanation=SI = PRT/100 = 22675×15×3/100 = █10203.

id=17446 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=17447 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=Q | option_b=G | option_c=B | option_d=L | answer=D | explanation=Move 5 positions forward from G; the resulting letter is L.

id=17448 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=17449 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=17450 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=19 | option_c=48 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=17451 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:5 and the first is 135, what is the second? | option_a=210 | option_b=70 | option_c=75 | option_d=84 | answer=C | explanation=Scale factor = 135/9 = 15. Therefore second quantity = 5×15 = 75.

id=17452 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 17, 27, 38? | option_a=7 | option_b=38 | option_c=27 | option_d=17 | answer=B | explanation=The first three numbers increase by 10, so the next should be 37. Therefore 38 is the odd one out.

id=17453 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=H | option_c=F | option_d=I | answer=B | explanation=Move 1 positions forward from G; the resulting letter is H.

id=17454 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=I | option_b=J | option_c=K | option_d=L | answer=C | explanation=Move 1 positions forward from J; the resulting letter is K.

id=17455 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4470. If it is sold at a profit of 40%, what is its selling price? | option_a=5811 | option_b=4510 | option_c=6258 | option_d=6705 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4470 × 140/100 = █6258.

id=17456 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 44? | option_a=33 | option_b=44 | option_c=29 | option_d=37 | answer=B | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 44 is the odd one out.

id=17457 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=R | option_b=S | option_c=U | option_d=T | answer=D | explanation=Move 1 positions forward from S; the resulting letter is T.

id=17458 | topic=Averages | difficulty=Easy | question=Find the average of 35, 91, 79, 53, 69, 78, 95, 11, 31, 98. | option_a=65 | option_b=63 | option_c=66 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 640 ÷ 10 = 64.

id=17459 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 30, 33, 37? | option_a=33 | option_b=37 | option_c=27 | option_d=30 | answer=B | explanation=The first three numbers increase by 3, so the next should be 36. Therefore 37 is the odd one out.

id=17460 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=59 | option_b=69 | option_c=60 | option_d=49 | answer=A | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

Aptitude Questions — Records 17,461-17,490 of 100,000

id=17461 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=O | option_c=K | option_d=C | answer=C | explanation=Move 4 positions forward from G; the resulting letter is K.

id=17462 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 15? | option_a=3 | option_b=6 | option_c=15 | option_d=9 | answer=C | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 15 is the odd one out.

id=17463 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=17464 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=9 | option_c=14 | option_d=4 | answer=B | explanation=Speed = distance ÷ time = $90 \div 10 = 9$ km/h.

id=17465 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.

id=17466 | topic=Percentages | difficulty=Easy | question=What is 30% of 561? | option_a=163 | option_b=178 | option_c=168 | option_d=336 | answer=C | explanation=30% of 561 = $(30/100) \times 561 = 168$.

id=17467 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27361 at 15% per annum for 4 years. | option_a=16516 | option_b=16316 | option_c=43777 | option_d=16416 | answer=D | explanation=SI = $PRT/100 = 27361 \times 15 \times 4 / 100 = \text{■}16416$.

id=17468 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2214. If it is sold at a profit of 25%, what is its selling price? | option_a=2767 | option_b=2988 | option_c=2546 | option_d=2239 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2214 \times 125 / 100 = \text{■}2767$.

id=17469 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.

id=17470 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11643 at 6% per annum for 5 years. | option_a=3392 | option_b=3492 | option_c=15135 | option_d=3592 | answer=B | explanation=SI = $PRT/100 = 11643 \times 6 \times 5 / 100 = \text{■}3492$.

id=17471 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2480. If it is sold at a profit of 20%, what is its selling price? | option_a=2728 | option_b=2500 | option_c=2976 | option_d=3224 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2480 \times 120 / 100 = \text{■}2976$.

id=17472 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 16? | option_a=16 | option_b=8 | option_c=12 | option_d=10 | answer=A | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 16 is the odd one out.

id=17473 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=12 | answer=A | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12} = 3$ days.

id=17474 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=29 | option_b=27 | option_c=26 | option_d=23 | answer=C | explanation=The common difference is 3. Therefore the next term is $23 + 3 = 26$.

id=17475 | topic=Percentages | difficulty=Easy | question=What is 25% of 1149? | option_a=574 | option_b=287 | option_c=267 | option_d=297 | answer=B | explanation=25% of 1149 = $(25/100) \times 1149 = 287$.

id=17476 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=M | option_b=J | option_c=P | option_d=G | answer=A | explanation=Move 3 positions forward from J; the resulting letter is M.

id=17477 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4604. If it is sold at a profit of 30%, what is its selling price? | option_a=5985 | option_b=5525 | option_c=6445 | option_d=4634 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4604 \times 130 / 100 = \text{■}5985$.

id=17478 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 16. | option_a=352 | option_b=176 | option_c=198 | option_d=160 | answer=B | explanation= $LCM \times HCF = 22 \times 16$; $HCF(22, 16) = 2$, so $LCM = 176$.

id=17479 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 45? | option_a=21 | option_b=45 | option_c=28 | option_d=35 | answer=B | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 45 is the odd one out.

id=17480 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:10 and the first is 256, what is the second? | option_a=176 | option_b=416 | option_c=150 | option_d=160 | answer=D | explanation=Scale factor = $256/16 = 16$. Therefore second quantity = $10 \times 16 = 160$.

id=17481 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:7 and the first is 180, what is the second? | option_a=250 | option_b=70 | option_c=88 | option_d=63 | answer=B | explanation=Scale factor = $180/18 = 10$. Therefore second quantity = $7 \times 10 = 70$.

id=17482 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**859. If it is sold at a profit of 30%, what is its selling price? | option_a=1116 | option_b=1031 | option_c=889 | option_d=1201 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 859 \times 130 / 100 = \text{■}1116$.

id=17483 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=Q | option_c=R | option_d=P | answer=C | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=17484 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = $\frac{1}{4} + \frac{1}{4} = \frac{8}{8}$. Time = $\frac{16}{8} = 2$ days.

id=17485 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 17, 23, 31? | option_a=17 | option_b=23 | option_c=31 | option_d=11 | answer=C | explanation=The first three numbers increase by 6, so the next should be 29. Therefore 31 is the odd one out.

id=17486 | topic=Averages | difficulty=Easy | question=Find the average of 52, 38, 42, 54, 30, 49, 85. | option_a=51 | option_b=49 | option_c=50 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = $350 \div 7 = 50$.

id=17487 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=43 | option_c=96 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = $240 \div 5 = 48$ km/h.

id=17488 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.

id=17489 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=31 | option_b=24 | option_c=32 | option_d=38 | answer=A | explanation=The common difference is 7. Therefore the next term is $24 + 7 = 31$.

id=17490 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=100 | option_c=200 | option_d=105 | answer=B | explanation=Speed = distance ÷ time = $300 \div 3 = 100$ km/h.

Aptitude Questions — Records 17,491-17,520 of 100,000

id=17491 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 10, 18, 28? | option_a=2 | option_b=18 | option_c=28 | option_d=10 | answer=C | explanation=The first three numbers increase by 8, so the next should be 26. Therefore 28 is the odd one out.

id=17492 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24360 at 6% per annum for 3 years. | option_a=4484 | option_b=4384 | option_c=4284 | option_d=28744 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{24360 \times 6 \times 3}{100} = \mathbf{■}$ 4384.

id=17493 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=40 | option_c=25 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=17494 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2362. If it is sold at a profit of 20%, what is its selling price? | option_a=2598 | option_b=2834 | option_c=3070 | option_d=2382 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2362 \times 120 / 100 = \mathbf{■}$ 2834.

id=17495 | topic=Averages | difficulty=Easy | question=Find the average of 11, 46, 99, 82, 59, 92, 87, 36. | option_a=66 | option_b=65 | option_c=64 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = 512 ÷ 8 = 64.

id=17496 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

id=17497 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 10. | option_a=50 | option_b=60 | option_c=72 | option_d=120 | answer=B | explanation= $LCM \times HCF = 12 \times 10$; $HCF(12, 10) = 2$, so $LCM = 60$.

id=17498 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=R | option_b=M | option_c=H | option_d=C | answer=B | explanation=Move 5 positions forward from H; the resulting letter is M.

id=17499 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:13 and the first is 165, what is the second? | option_a=206 | option_b=360 | option_c=195 | option_d=182 | answer=C | explanation=Scale factor = $\frac{165}{11} = 15$. Therefore second quantity = $13 \times 15 = 195$.

id=17500 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**859. If it is sold at a profit of 10%, what is its selling price? | option_a=869 | option_b=944 | option_c=859 | option_d=1029 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 859 \times 110 / 100 = \mathbf{■}$ 944.

id=17501 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 31? | option_a=23 | option_b=18 | option_c=31 | option_d=13 | answer=C | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 31 is the odd one out.

id=17502 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6822 at 5% per annum for 1 years. | option_a=7163 | option_b=441 | option_c=341 | option_d=241 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{6822 \times 5 \times 1}{100} = \mathbf{■}$ 341.

id=17503 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=17504 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1223. If it is sold at a profit of 10%, what is its selling price? | option_a=1223 | option_b=1467 | option_c=1233 | option_d=1345 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1223 \times 110 / 100 = \mathbf{■}$ 1345.

id=17505 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3614. If it is sold at a profit of 50%, what is its selling price? | option_a=3664 | option_b=5782 | option_c=5060 | option_d=5421 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3614 \times 150 / 100 = \mathbf{■}$ 5421.

id=17506 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=17507 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=120 | option_c=115 | option_d=240 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=17508 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17248 at 4% per annum for 1 years. | option_a=589 | option_b=789 | option_c=17937 | option_d=689 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{17248 \times 4 \times 1}{100} = \mathbf{■}$ 689.

id=17509 | topic=Averages | difficulty=Easy | question=Find the average of 91, 24, 13, 45, 91, 39, 45, 19, 65. | option_a=48 | option_b=47 | option_c=49 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 432 ÷ 9 = 48.

id=17510 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=J | option_b=L | option_c=N | option_d=P | answer=C | explanation=Move 2 positions forward from L; the resulting letter is N.

id=17511 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15581 at 15% per annum for 4 years. | option_a=24929 | option_b=9448 | option_c=9248 | option_d=9348 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{15581 \times 15 \times 4}{100} = \mathbf{■}$ 9348.

id=17512 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=17513 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 34? | option_a=25 | option_b=34 | option_c=27 | option_d=29 | answer=B | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 34 is the odd one out.

id=17514 | topic=Averages | difficulty=Easy | question=Find the average of 74, 67, 57, 69, 72, 28, 40, 55, 23, 105. | option_a=59 | option_b=61 | option_c=60 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 590 ÷ 10 = 59.

id=17515 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:14 and the first is 130, what is the second? | option_a=153 | option_b=126 | option_c=140 | option_d=270 | answer=C | explanation=Scale factor = $\frac{130}{13} = 10$. Therefore second quantity = $14 \times 10 = 140$.

id=17516 | topic=Percentages | difficulty=Easy | question=What is 15% of 839? | option_a=105 | option_b=125 | option_c=250 | option_d=130 | answer=B | explanation=15% of 839 = $(\frac{15}{100}) \times 839 = 125$.

id=17517 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:3 and the first is 70, what is the second? | option_a=29 | option_b=85 | option_c=12 | option_d=15 | answer=D | explanation=Scale factor = $\frac{70}{14} = 5$. Therefore second quantity = $3 \times 5 = 15$.

id=17518 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3751. If it is sold at a profit of 25%, what is its selling price? | option_a=4688 | option_b=5063 | option_c=3776 | option_d=4313 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3751 \times 125 / 100 = \mathbf{■}$ 4688.

id=17519 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=68 | option_b=57 | option_c=58 | option_d=46 | answer=B | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.

id=17520 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

Aptitude Questions — Records 17,521-17,550 of 100,000

id=17521 | topic=Averages | difficulty=Easy | question=Find the average of 30, 50, 18, 20, 94, 48, 94, 54. | option_a=52 | option_b=53 | option_c=51 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 408 ÷ 8 = 51.

id=17522 | topic=Averages | difficulty=Easy | question=Find the average of 94, 76, 30, 48, 46, 76, 52, 66. | option_a=62 | option_b=63 | option_c=61 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 488 ÷ 8 = 61.

id=17523 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2499. If it is sold at a profit of 10%, what is its selling price? | option_a=2748 | option_b=2997 | option_c=2509 | option_d=2499 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2499 × 110/100 = █2748.

id=17524 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2667. If it is sold at a profit of 50%, what is its selling price? | option_a=4266 | option_b=2717 | option_c=3734 | option_d=4000 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2667 × 150/100 = █4000.

id=17525 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1882. If it is sold at a profit of 10%, what is its selling price? | option_a=1892 | option_b=1882 | option_c=2070 | option_d=2258 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1882 × 110/100 = █2070.

id=17526 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 16. | option_a=416 | option_b=192 | option_c=208 | option_d=234 | answer=C | explanation=LCM × HCF = 26×16; HCF(26,16) = 2, so LCM = 208.

id=17527 | topic=Averages | difficulty=Easy | question=Find the average of 41, 51, 66, 38. | option_a=49 | option_b=48 | option_c=51 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 196 ÷ 4 = 49.

id=17528 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=58 | option_b=59 | option_c=69 | option_d=47 | answer=A | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.

id=17529 | topic=Averages | difficulty=Easy | question=Find the average of 49, 74, 15. | option_a=45 | option_b=48 | option_c=47 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 138 ÷ 3 = 46.

id=17530 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=X | option_b=R | option_c=U | option_d=A | answer=A | explanation=Move 3 positions forward from U; the resulting letter is X.

id=17531 | topic=Percentages | difficulty=Easy | question=What is 5% of 261? | option_a=8 | option_b=26 | option_c=33 | option_d=13 | answer=D | explanation=5% of 261 = (5/100) × 261 = 13.

id=17532 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 16, 23, 30, ? | option_a=38 | option_b=44 | option_c=30 | option_d=37 | answer=D | explanation=The common difference is 7. Therefore the next term is 30 + 7 = 37.

id=17533 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33071 at 10% per annum for 4 years. | option_a=46299 | option_b=13328 | option_c=13228 | option_d=13128 | answer=C | explanation=SI = PRT/100 = 33071×10×4/100 = █13228.

id=17534 | topic=Averages | difficulty=Easy | question=Find the average of 49, 81, 75, 91. | option_a=74 | option_b=76 | option_c=75 | option_d=73 | answer=A | explanation=Average = sum of values ÷ number of values = 296 ÷ 4 = 74.

id=17535 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33168 at 12% per annum for 4 years. | option_a=16020 | option_b=15820 | option_c=49088 | option_d=15920 | answer=D | explanation=SI = PRT/100 = 33168×12×4/100 = █15920.

id=17536 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3416 at 10% per annum for 4 years. | option_a=1466 | option_b=4782 | option_c=1366 | option_d=1266 | answer=C | explanation=SI = PRT/100 = 3416×10×4/100 = █1366.

id=17537 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=33 | option_b=36 | option_c=32 | option_d=28 | answer=C | explanation=The common difference is 4. Therefore the next term is 28 + 4 = 32.

id=17538 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=L | option_c=P | option_d=N | answer=C | explanation=Move 2 positions forward from N; the resulting letter is P.

id=17539 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 22, 28, 37? | option_a=37 | option_b=22 | option_c=16 | option_d=28 | answer=A | explanation=The first three numbers increase by 6, so the next should be 34. Therefore 37 is the odd one out.

id=17540 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=17541 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3768. If it is sold at a profit of 5%, what is its selling price? | option_a=3956 | option_b=4332 | option_c=3773 | option_d=3580 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3768 × 105/100 = █3956.

id=17542 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:12 and the first is 35, what is the second? | option_a=95 | option_b=67 | option_c=48 | option_d=60 | answer=D | explanation=Scale factor = 35/7 = 5. Therefore second quantity = 12×5 = 60.

id=17543 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 20, 23, 29? | option_a=20 | option_b=17 | option_c=29 | option_d=23 | answer=C | explanation=The first three numbers increase by 3, so the next should be 26. Therefore 29 is the odd one out.

id=17544 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=17545 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=V | option_b=Q | option_c=G | option_d=L | answer=B | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=17546 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2531. If it is sold at a profit of 50%, what is its selling price? | option_a=3543 | option_b=3796 | option_c=4049 | option_d=2581 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2531 × 150/100 = █3796.

id=17547 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=17548 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:18 and the first is 36, what is the second? | option_a=18 | option_b=36 | option_c=72 | option_d=54 | answer=B | explanation=Scale factor = 36/18 = 2. Therefore second quantity = 18×2 = 36.

id=17549 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4613. If it is sold at a profit of 30%, what is its selling price? | option_a=4643 | option_b=6457 | option_c=5996 | option_d=5535 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4613 × 130/100 = █5996.

id=17550 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=38 | option_b=37 | option_c=43 | option_d=31 | answer=B | explanation=The common difference is 6. Therefore the next term is 31 + 6 = 37.

Aptitude Questions — Records 17,551-17,580 of 100,000

id=17551 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=R | option_b=O | option_c=U | option_d=L | answer=A | explanation=Move 3 positions forward from O; the resulting letter is R.

id=17552 | topic=Averages | difficulty=Easy | question=Find the average of 81, 50, 94. | option_a=74 | option_b=76 | option_c=77 | option_d=75 | answer=D | explanation=Average = sum of values ÷ number of values = 225 ÷ 3 = 75.

id=17553 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=28 | option_b=27 | option_c=26 | option_d=24 | answer=C | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.

id=17554 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:10 and the first is 220, what is the second? | option_a=200 | option_b=420 | option_c=211 | option_d=190 | answer=A | explanation=Scale factor = 220/11 = 20. Therefore second quantity = 10×20 = 200.

id=17555 | topic=Percentages | difficulty=Easy | question=What is 40% of 229? | option_a=182 | option_b=91 | option_c=96 | option_d=86 | answer=B | explanation=40% of 229 = (40/100) × 229 = 91.

id=17556 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 60? | option_a=60 | option_b=27 | option_c=47 | option_d=37 | answer=A | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 60 is the odd one out.

id=17557 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1436. If it is sold at a profit of 5%, what is its selling price? | option_a=1507 | option_b=1441 | option_c=1364 | option_d=1650 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1436 × 105/100 = █1507.

id=17558 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=17559 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:19 and the first is 78, what is the second? | option_a=325 | option_b=228 | option_c=253 | option_d=247 | answer=D | explanation=Scale factor = 78/6 = 13. Therefore second quantity = 19×13 = 247.

id=17560 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 25, 27, 31? | option_a=25 | option_b=31 | option_c=23 | option_d=27 | answer=B | explanation=The first three numbers increase by 2, so the next should be 29. Therefore 31 is the odd one out.

id=17561 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 21, 23, 25, ? | option_a=28 | option_b=27 | option_c=29 | option_d=25 | answer=B | explanation=The common difference is 2. Therefore the next term is 25 + 2 = 27.

id=17562 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=85 | option_c=75 | option_d=160 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=17563 | topic=Percentages | difficulty=Easy | question=What is 40% of 122? | option_a=58 | option_b=48 | option_c=96 | option_d=28 | answer=B | explanation=40% of 122 = (40/100) × 122 = 48.

id=17564 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:7 and the first is 60, what is the second? | option_a=98 | option_b=105 | option_c=165 | option_d=109 | answer=B | explanation=Scale factor = 60/4 = 15. Therefore second quantity = 7×15 = 105.

id=17565 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4000 at 10% per annum for 5 years. | option_a=2000 | option_b=1900 | option_c=2100 | option_d=6000 | answer=A | explanation=SI = PRT/100 = 4000×10×5/100 = █2000.

id=17566 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4359. If it is sold at a profit of 15%, what is its selling price? | option_a=5012 | option_b=5447 | option_c=4374 | option_d=4577 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4359 × 115/100 = █5012.

id=17567 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2941. If it is sold at a profit of 10%, what is its selling price? | option_a=2951 | option_b=3235 | option_c=3529 | option_d=2941 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2941 × 110/100 = █3235.

id=17568 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=23 | option_b=29 | option_c=30 | option_d=35 | answer=B | explanation=The common difference is 6. Therefore the next term is 23 + 6 = 29.

id=17569 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 46? | option_a=46 | option_b=26 | option_c=38 | option_d=32 | answer=A | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 46 is the odd one out.

id=17570 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 30? | option_a=19 | option_b=14 | option_c=24 | option_d=30 | answer=D | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 30 is the odd one out.

id=17571 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=D | option_b=J | option_c=F | option_d=H | answer=D | explanation=Move 2 positions forward from F; the resulting letter is H.

id=17572 | topic=Percentages | difficulty=Easy | question=What is 12% of 550? | option_a=61 | option_b=71 | option_c=66 | option_d=132 | answer=C | explanation=12% of 550 = (12/100) × 550 = 66.

id=17573 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36546 at 8% per annum for 4 years. | option_a=11794 | option_b=11694 | option_c=48240 | option_d=11594 | answer=B | explanation=SI = PRT/100 = 36546×8×4/100 = █11694.

id=17574 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=17575 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44256 at 4% per annum for 1 years. | option_a=1670 | option_b=46026 | option_c=1870 | option_d=1770 | answer=D | explanation=SI = PRT/100 = 44256×4×1/100 = █1770.

id=17576 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=17577 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 53? | option_a=53 | option_b=40 | option_c=20 | option_d=30 | answer=A | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 53 is the odd one out.

id=17578 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:20 and the first is 48, what is the second? | option_a=168 | option_b=128 | option_c=100 | option_d=120 | answer=D | explanation=Scale factor = 48/8 = 6. Therefore second quantity = 20×6 = 120.

id=17579 | topic=Percentages | difficulty=Easy | question=What is 15% of 568? | option_a=90 | option_b=85 | option_c=170 | option_d=75 | answer=B | explanation=15% of 568 = (15/100) × 568 = 85.

id=17580 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=H | option_b=R | option_c=W | option_d=M | answer=B | explanation=Move 5 positions forward from M; the resulting letter is R.

Aptitude Questions — Records 17,581-17,610 of 100,000

id=17581 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=17582 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■31916 at 12% per annum for 5 years. | option_a=51065 | option_b=19149 | option_c=19049 | option_d=19249 | answer=B | explanation=SI = $PRT/100 = 31916 \times 12 \times 5/100 = \blacksquare 19149$.

id=17583 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=17584 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■35723 at 5% per annum for 2 years. | option_a=3572 | option_b=39295 | option_c=3672 | option_d=3472 | answer=A | explanation=SI = $PRT/100 = 35723 \times 5 \times 2/100 = \blacksquare 3572$.

id=17585 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■20352 at 10% per annum for 4 years. | option_a=8040 | option_b=28492 | option_c=8240 | option_d=8140 | answer=D | explanation=SI = $PRT/100 = 20352 \times 10 \times 4/100 = \blacksquare 8140$.

id=17586 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=17587 | topic=Percentages | difficulty=Easy | question=What is 12% of 691? | option_a=164 | option_b=62 | option_c=87 | option_d=82 | answer=D | explanation=12% of 691 = $(12/100) \times 691 = 82$.

id=17588 | topic=Averages | difficulty=Easy | question=Find the average of 29, 63, 51, 51, 50, 82, 26, 39, 86. | option_a=52 | option_b=54 | option_c=55 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = $477 \div 9 = 53$.

id=17589 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=17590 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 43? | option_a=27 | option_b=34 | option_c=43 | option_d=20 | answer=C | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 43 is the odd one out.

id=17591 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=24 | option_d=7 | answer=A | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=17592 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=A | option_b=L | option_c=V | option_d=Q | answer=C | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=17593 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■27284 at 10% per annum for 1 years. | option_a=30012 | option_b=2728 | option_c=2628 | option_d=2828 | answer=B | explanation=SI = $PRT/100 = 27284 \times 10 \times 1/100 = \blacksquare 2728$.

id=17594 | topic=Percentages | difficulty=Easy | question=What is 15% of 266? | option_a=39 | option_b=78 | option_c=34 | option_d=49 | answer=A | explanation=15% of 266 = $(15/100) \times 266 = 39$.

id=17595 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=G | option_b=K | option_c=S | option_d=O | answer=D | explanation=Move 4 positions forward from K; the resulting letter is O.

id=17596 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=17597 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4038. If it is sold at a profit of 50%, what is its selling price? | option_a=4088 | option_b=6460 | option_c=5654 | option_d=6057 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4038 \times 150/100 = \blacksquare 6057$.

id=17598 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2090. If it is sold at a profit of 30%, what is its selling price? | option_a=2508 | option_b=2926 | option_c=2717 | option_d=2120 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2090 \times 130/100 = \blacksquare 2717$.

id=17599 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=17600 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=67 | option_b=56 | option_c=57 | option_d=45 | answer=B | explanation=The common difference is 11. Therefore the next term is $45 + 11 = 56$.

id=17601 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=B | option_b=M | option_c=W | option_d=R | answer=C | explanation=Move 5 positions forward from R; the resulting letter is W.

id=17602 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3236. If it is sold at a profit of 25%, what is its selling price? | option_a=4045 | option_b=3722 | option_c=3261 | option_d=4368 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3236 \times 125/100 = \blacksquare 4045$.

id=17603 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=U | option_c=M | option_d=I | answer=A | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=17604 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2655. If it is sold at a profit of 10%, what is its selling price? | option_a=2655 | option_b=3185 | option_c=2920 | option_d=2665 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2655 \times 110/100 = \blacksquare 2920$.

id=17605 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=N | option_b=L | option_c=M | option_d=O | answer=A | explanation=Move 1 positions forward from M; the resulting letter is N.

id=17606 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:2 and the first is 14, what is the second? | option_a=18 | option_b=4 | option_c=11 | option_d=2 | answer=B | explanation=Scale factor = $14/7 = 2$. Therefore second quantity = $2 \times 2 = 4$.

id=17607 | topic=Averages | difficulty=Easy | question=Find the average of 35, 58, 66, 55, 41, 69. | option_a=53 | option_b=55 | option_c=54 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = $324 \div 6 = 54$.

id=17608 | topic=Averages | difficulty=Easy | question=Find the average of 91, 32, 91, 85, 15, 72, 68, 35, 15. | option_a=57 | option_b=58 | option_c=56 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = $504 \div 9 = 56$.

id=17609 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3614. If it is sold at a profit of 25%, what is its selling price? | option_a=4517 | option_b=4156 | option_c=3639 | option_d=4878 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3614 \times 125/100 = \blacksquare 4517$.

id=17610 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=44 | option_b=36 | option_c=45 | option_d=52 | answer=A | explanation=The common difference is 8. Therefore the next term is $36 + 8 = 44$.

Aptitude Questions — Records 17,611-17,640 of 100,000

id=17611 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=17612 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 20. | option_a=30 | option_b=20 | option_c=200 | option_d=1 | answer=B | explanation=LCM × HCF = 10×20; HCF(10,20) = 10, so LCM = 20.

id=17613 | topic=Percentages | difficulty=Easy | question=What is 30% of 325? | option_a=102 | option_b=97 | option_c=194 | option_d=87 | answer=B | explanation=30% of 325 = (30/100) × 325 = 97.

id=17614 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=15 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=17615 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:3 and the first is 85, what is the second? | option_a=136 | option_b=51 | option_c=56 | option_d=48 | answer=B | explanation=Scale factor = 85/5 = 17. Therefore second quantity = 3×17 = 51.

id=17616 | topic=Percentages | difficulty=Easy | question=What is 20% of 1417? | option_a=273 | option_b=283 | option_c=566 | option_d=303 | answer=B | explanation=20% of 1417 = (20/100) × 1417 = 283.

id=17617 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=55 | option_b=67 | option_c=43 | option_d=56 | answer=A | explanation=The common difference is 12. Therefore the next term is 43 + 12 = 55.

id=17618 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=Z | option_b=U | option_c=P | option_d=K | answer=B | explanation=Move 5 positions forward from P; the resulting letter is U.

id=17619 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31421 at 5% per annum for 5 years. | option_a=39276 | option_b=7855 | option_c=7755 | option_d=7955 | answer=B | explanation=SI = PRT/100 = 31421×5×5/100 = **■**7855.

id=17620 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=45 | option_b=35 | option_c=46 | option_d=55 | answer=A | explanation=The common difference is 10. Therefore the next term is 35 + 10 = 45.

id=17621 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1429. If it is sold at a profit of 15%, what is its selling price? | option_a=1643 | option_b=1444 | option_c=1785 | option_d=1501 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1429 × 115/100 = **■**1643.

id=17622 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1355. If it is sold at a profit of 10%, what is its selling price? | option_a=1625 | option_b=1490 | option_c=1355 | option_d=1365 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1355 × 110/100 = **■**1490.

id=17623 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=R | option_c=V | option_d=J | answer=B | explanation=Move 4 positions forward from N; the resulting letter is R.

id=17624 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 23, 30, 37, ? | option_a=44 | option_b=45 | option_c=51 | option_d=37 | answer=A | explanation=The common difference is 7. Therefore the next term is 37 + 7 = 44.

id=17625 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=62 | option_b=44 | option_c=53 | option_d=54 | answer=C | explanation=The common difference is 9. Therefore the next term is 44 + 9 = 53.

id=17626 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 31, 35, 40? | option_a=31 | option_b=35 | option_c=40 | option_d=27 | answer=C | explanation=The first three numbers increase by 4, so the next should be 39. Therefore 40 is the odd one out.

id=17627 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4632. If it is sold at a profit of 15%, what is its selling price? | option_a=4647 | option_b=5789 | option_c=5326 | option_d=4863 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4632 × 115/100 = **■**5326.

id=17628 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=40 | option_d=90 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=17629 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=K | option_b=M | option_c=Q | option_d=O | answer=D | explanation=Move 2 positions forward from M; the resulting letter is O.

id=17630 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:13 and the first is 104, what is the second? | option_a=117 | option_b=104 | option_c=91 | option_d=208 | answer=B | explanation=Scale factor = 104/13 = 8. Therefore second quantity = 13×8 = 104.

id=17631 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=S | option_b=M | option_c=J | option_d=P | answer=D | explanation=Move 3 positions forward from M; the resulting letter is P.

id=17632 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3421. If it is sold at a profit of 10%, what is its selling price? | option_a=3763 | option_b=4105 | option_c=3421 | option_d=3431 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3421 × 110/100 = **■**3763.

id=17633 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**236. If it is sold at a profit of 20%, what is its selling price? | option_a=260 | option_b=283 | option_c=256 | option_d=306 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 236 × 120/100 = **■**283.

id=17634 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2309. If it is sold at a profit of 5%, what is its selling price? | option_a=2314 | option_b=2194 | option_c=2654 | option_d=2424 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2309 × 105/100 = **■**2424.

id=17635 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=17636 | topic=Percentages | difficulty=Easy | question=What is 10% of 295? | option_a=29 | option_b=19 | option_c=49 | option_d=58 | answer=A | explanation=10% of 295 = (10/100) × 295 = 29.

id=17637 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5921 at 5% per annum for 1 years. | option_a=296 | option_b=396 | option_c=6217 | option_d=196 | answer=A | explanation=SI = PRT/100 = 5921×5×1/100 = **■**296.

id=17638 | topic=Averages | difficulty=Easy | question=Find the average of 84, 99, 15, 87, 14, 50, 84, 63, 25, 79. | option_a=61 | option_b=62 | option_c=59 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=17639 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 24. | option_a=24 | option_b=48 | option_c=26 | option_d=1 | answer=A | explanation=LCM × HCF = 2×24; HCF(2,24) = 2, so LCM = 24.

id=17640 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=C | option_c=M | option_d=R | answer=C | explanation=Move 5 positions forward from H; the resulting letter is M.

Aptitude Questions — Records 17,641-17,670 of 100,000

id=17641 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:10 and the first is 304, what is the second? | option_a=180 | option_b=494 | option_c=206 | option_d=190 | answer=D | explanation=Scale factor = $304/16 = 19$. Therefore second quantity = $10 \times 19 = 190$.

id=17642 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=150 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = $300 \div 4 = 75$ km/h.

id=17643 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=29 | option_b=33 | option_c=37 | option_d=34 | answer=B | explanation=The common difference is 4. Therefore the next term is $29 + 4 = 33$.

id=17644 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1470. If it is sold at a profit of 50%, what is its selling price? | option_a=2058 | option_b=2352 | option_c=2205 | option_d=1520 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1470 \times 150/100 = \text{█}2205$.

id=17645 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=23 | option_c=18 | option_d=36 | answer=C | explanation=Speed = distance ÷ time = $180 \div 10 = 18$ km/h.

id=17646 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=25 | option_c=20 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = $60 \div 3 = 20$ km/h.

id=17647 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 20. | option_a=100 | option_b=120 | option_c=144 | option_d=480 | answer=B | explanation= $LCM \times HCF = 24 \times 20$; $HCF(24,20) = 4$, so $LCM = 120$.

id=17648 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=17649 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 21. | option_a=84 | option_b=315 | option_c=105 | option_d=120 | answer=C | explanation= $LCM \times HCF = 15 \times 21$; $HCF(15,21) = 3$, so $LCM = 105$.

id=17650 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=17651 | topic=Averages | difficulty=Easy | question=Find the average of 74, 71, 39, 92. | option_a=70 | option_b=68 | option_c=71 | option_d=69 | answer=D | explanation=Average = sum of values ÷ number of values = $276 \div 4 = 69$.

id=17652 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 21? | option_a=21 | option_b=14 | option_c=16 | option_d=18 | answer=A | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 21 is the odd one out.

id=17653 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:16 and the first is 105, what is the second? | option_a=224 | option_b=247 | option_c=240 | option_d=345 | answer=C | explanation=Scale factor = $105/7 = 15$. Therefore second quantity = $16 \times 15 = 240$.

id=17654 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=51 | option_b=62 | option_c=73 | option_d=63 | answer=B | explanation=The common difference is 11. Therefore the next term is $51 + 11 = 62$.

id=17655 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41707 at 8% per annum for 3 years. | option_a=51716 | option_b=10109 | option_c=9909 | option_d=10009 | answer=D | explanation= $SI = PRT/100 = 41707 \times 8 \times 3/100 = \text{█}10009$.

id=17656 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 26, 33, 43? | option_a=43 | option_b=19 | option_c=26 | option_d=33 | answer=A | explanation=The first three numbers increase by 7, so the next should be 40. Therefore 43 is the odd one out.

id=17657 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=17658 | topic=Percentages | difficulty=Easy | question=What is 50% of 1590? | option_a=795 | option_b=815 | option_c=790 | option_d=1590 | answer=A | explanation= $50\% \text{ of } 1590 = (50/100) \times 1590 = 795$.

id=17659 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=O | option_b=G | option_c=K | option_d=C | answer=C | explanation=Move 4 positions forward from G; the resulting letter is K.

id=17660 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3400. If it is sold at a profit of 25%, what is its selling price? | option_a=3910 | option_b=4250 | option_c=3425 | option_d=4590 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3400 \times 125/100 = \text{█}4250$.

id=17661 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17934 at 15% per annum for 1 years. | option_a=2690 | option_b=20624 | option_c=2790 | option_d=2590 | answer=A | explanation= $SI = PRT/100 = 17934 \times 15 \times 1/100 = \text{█}2690$.

id=17662 | topic=Averages | difficulty=Easy | question=Find the average of 20, 84, 15, 94, 79, 28, 65. | option_a=57 | option_b=55 | option_c=54 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = $385 \div 7 = 55$.

id=17663 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = $180 \div 6 = 30$ km/h.

id=17664 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22153 at 12% per annum for 5 years. | option_a=13191 | option_b=35444 | option_c=13291 | option_d=13391 | answer=C | explanation= $SI = PRT/100 = 22153 \times 12 \times 5/100 = \text{█}13291$.

id=17665 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 32, 35, 39? | option_a=35 | option_b=29 | option_c=32 | option_d=39 | answer=D | explanation=The first three numbers increase by 3, so the next should be 38. Therefore 39 is the odd one out.

id=17666 | topic=Averages | difficulty=Easy | question=Find the average of 30, 80, 97, 73, 53, 39. | option_a=64 | option_b=63 | option_c=61 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = $372 \div 6 = 62$.

id=17667 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 43? | option_a=34 | option_b=20 | option_c=27 | option_d=43 | answer=D | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 43 is the odd one out.

id=17668 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:3 and the first is 360, what is the second? | option_a=60 | option_b=57 | option_c=420 | option_d=78 | answer=A | explanation=Scale factor = $360/18 = 20$. Therefore second quantity = $3 \times 20 = 60$.

id=17669 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37123 at 4% per annum for 5 years. | option_a=7524 | option_b=44547 | option_c=7324 | option_d=7424 | answer=D | explanation= $SI = PRT/100 = 37123 \times 4 \times 5/100 = \text{█}7424$.

id=17670 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:11 and the first is 25, what is the second? | option_a=60 | option_b=80 | option_c=55 | option_d=44 | answer=C | explanation=Scale factor = $25/5 = 5$. Therefore second quantity = $11 \times 5 = 55$.

Aptitude Questions — Records 17,671-17,700 of 100,000

id=17671 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:6 and the first is 99, what is the second? | option_a=75 | option_b=66 | option_c=60 | option_d=165 | answer=B | explanation=Scale factor = 99/9 = 11. Therefore second quantity = 6×11 = 66.

id=17672 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=100 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=17673 | topic=Percentages | difficulty=Easy | question=What is 5% of 232? | option_a=1 | option_b=22 | option_c=31 | option_d=11 | answer=D | explanation=5% of 232 = (5/100) × 232 = 11.

id=17674 | topic=Percentages | difficulty=Easy | question=What is 15% of 1711? | option_a=236 | option_b=512 | option_c=276 | option_d=256 | answer=D | explanation=15% of 1711 = (15/100) × 1711 = 256.

id=17675 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=17676 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=17677 | topic=Percentages | difficulty=Easy | question=What is 10% of 1666? | option_a=146 | option_b=166 | option_c=332 | option_d=176 | answer=B | explanation=10% of 1666 = (10/100) × 1666 = 166.

id=17678 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■28710 at 10% per annum for 3 years. | option_a=8513 | option_b=8713 | option_c=37323 | option_d=8613 | answer=D | explanation=SI = PRT/100 = 28710×10×3/100 = ■8613.

id=17679 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=E | option_b=Y | option_c=B | option_d=H | answer=A | explanation=Move 3 positions forward from B; the resulting letter is E.

id=17680 | topic=Percentages | difficulty=Easy | question=What is 15% of 1116? | option_a=172 | option_b=147 | option_c=334 | option_d=167 | answer=D | explanation=15% of 1116 = (15/100) × 1116 = 167.

id=17681 | topic=Averages | difficulty=Easy | question=Find the average of 46, 25, 92, 23, 89. | option_a=55 | option_b=56 | option_c=57 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 275 ÷ 5 = 55.

id=17682 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=56 | option_b=43 | option_c=67 | option_d=55 | answer=D | explanation=The common difference is 12. Therefore the next term is 43 + 12 = 55.

id=17683 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=17684 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■945. If it is sold at a profit of 40%, what is its selling price? | option_a=985 | option_b=1417 | option_c=1323 | option_d=1229 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 945 × 140/100 = ■1323.

id=17685 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■3580 at 8% per annum for 2 years. | option_a=4152 | option_b=572 | option_c=672 | option_d=472 | answer=B | explanation=SI = PRT/100 = 3580×8×2/100 = ■572.

id=17686 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 38, 46, 55? | option_a=30 | option_b=46 | option_c=38 | option_d=55 | answer=D | explanation=The first three numbers increase by 8, so the next should be 54. Therefore 55 is the odd one out.

id=17687 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■8081 at 4% per annum for 5 years. | option_a=9697 | option_b=1516 | option_c=1716 | option_d=1616 | answer=D | explanation=SI = PRT/100 = 8081×4×5/100 = ■1616.

id=17688 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:2 and the first is 63, what is the second? | option_a=77 | option_b=23 | option_c=12 | option_d=14 | answer=D | explanation=Scale factor = 63/9 = 7. Therefore second quantity = 2×7 = 14.

id=17689 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:7 and the first is 48, what is the second? | option_a=112 | option_b=115 | option_c=160 | option_d=105 | answer=A | explanation=Scale factor = 48/3 = 16. Therefore second quantity = 7×16 = 112.

id=17690 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:8 and the first is 42, what is the second? | option_a=62 | option_b=98 | option_c=48 | option_d=56 | answer=D | explanation=Scale factor = 42/6 = 7. Therefore second quantity = 8×7 = 56.

id=17691 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=K | option_c=M | option_d=G | answer=B | explanation=Move 2 positions forward from I; the resulting letter is K.

id=17692 | topic=Percentages | difficulty=Easy | question=What is 15% of 1029? | option_a=308 | option_b=164 | option_c=154 | option_d=149 | answer=C | explanation=15% of 1029 = (15/100) × 1029 = 154.

id=17693 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2940. If it is sold at a profit of 20%, what is its selling price? | option_a=2960 | option_b=3822 | option_c=3234 | option_d=3528 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2940 × 120/100 = ■3528.

id=17694 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=P | option_b=R | option_c=V | option_d=T | answer=D | explanation=Move 2 positions forward from R; the resulting letter is T.

id=17695 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3167. If it is sold at a profit of 50%, what is its selling price? | option_a=5066 | option_b=4434 | option_c=3217 | option_d=4750 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3167 × 150/100 = ■4750.

id=17696 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 27? | option_a=18 | option_b=27 | option_c=21 | option_d=15 | answer=B | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 27 is the odd one out.

id=17697 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=17698 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=17699 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:18 and the first is 39, what is the second? | option_a=93 | option_b=36 | option_c=67 | option_d=54 | answer=D | explanation=Scale factor = 39/13 = 3. Therefore second quantity = 18×3 = 54.

id=17700 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:9 and the first is 95, what is the second? | option_a=36 | option_b=45 | option_c=64 | option_d=140 | answer=B | explanation=Scale factor = 95/19 = 5. Therefore second quantity = 9×5 = 45.

Aptitude Questions — Records 17,701-17,730 of 100,000

id=17701 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3490. If it is sold at a profit of 30%, what is its selling price? | option_a=3520 | option_b=4886 | option_c=4537 | option_d=4188 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3490 × 130/100 = █4537.

id=17702 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 4. | option_a=28 | option_b=56 | option_c=42 | option_d=24 | answer=A | explanation=LCM × HCF = 14×4; HCF(14,4) = 2, so LCM = 28.

id=17703 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 13, 18, 23, ? | option_a=33 | option_b=23 | option_c=29 | option_d=28 | answer=D | explanation=The common difference is 5. Therefore the next term is 23 + 5 = 28.

id=17704 | topic=Averages | difficulty=Easy | question=Find the average of 97, 21, 66, 57, 24. | option_a=52 | option_b=53 | option_c=54 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 265 ÷ 5 = 53.

id=17705 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:15 and the first is 6, what is the second? | option_a=47 | option_b=51 | option_c=30 | option_d=45 | answer=D | explanation=Scale factor = 6/2 = 3. Therefore second quantity = 15×3 = 45.

id=17706 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=31 | option_b=43 | option_c=38 | option_d=37 | answer=D | explanation=The common difference is 6. Therefore the next term is 31 + 6 = 37.

id=17707 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=17708 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=18 | option_c=23 | option_d=13 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=17709 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=90 | option_c=40 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=17710 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24964 at 10% per annum for 1 years. | option_a=2496 | option_b=27460 | option_c=2596 | option_d=2396 | answer=A | explanation=SI = PRT/100 = 24964×10×1/100 = █2496.

id=17711 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 15, 23, 347 | option_a=7 | option_b=15 | option_c=34 | option_d=23 | answer=C | explanation=The first three numbers increase by 8, so the next should be 31. Therefore 34 is the odd one out.

id=17712 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38286 at 6% per annum for 5 years. | option_a=11585 | option_b=11385 | option_c=49771 | option_d=11485 | answer=D | explanation=SI = PRT/100 = 38286×6×5/100 = █11485.

id=17713 | topic=Averages | difficulty=Easy | question=Find the average of 82, 86, 16, 17, 48, 77, 67, 103. | option_a=61 | option_b=62 | option_c=63 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 496 ÷ 8 = 62.

id=17714 | topic=Percentages | difficulty=Easy | question=What is 15% of 1917? | option_a=287 | option_b=297 | option_c=267 | option_d=574 | answer=A | explanation=15% of 1917 = (15/100) × 1917 = 287.

id=17715 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=17716 | topic=Averages | difficulty=Easy | question=Find the average of 25, 99, 80. | option_a=67 | option_b=69 | option_c=70 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = 204 ÷ 3 = 68.

id=17717 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=17718 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=17719 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=31 | option_b=47 | option_c=40 | option_d=39 | answer=D | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

id=17720 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 357 | option_a=6 | option_b=35 | option_c=15 | option_d=24 | answer=B | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 35 is the odd one out.

id=17721 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 207 | option_a=12 | option_b=15 | option_c=20 | option_d=9 | answer=C | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 20 is the odd one out.

id=17722 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35154 at 5% per annum for 3 years. | option_a=5273 | option_b=5373 | option_c=40427 | option_d=5173 | answer=A | explanation=SI = PRT/100 = 35154×5×3/100 = █5273.

id=17723 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=50 | option_b=42 | option_c=32 | option_d=41 | answer=D | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

id=17724 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=K | option_b=T | option_c=Q | option_d=N | answer=C | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=17725 | topic=Percentages | difficulty=Easy | question=What is 20% of 1756? | option_a=331 | option_b=361 | option_c=351 | option_d=702 | answer=C | explanation=20% of 1756 = (20/100) × 1756 = 351.

id=17726 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=17727 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 17, 25, 33, ? | option_a=41 | option_b=33 | option_c=42 | option_d=49 | answer=A | explanation=The common difference is 8. Therefore the next term is 33 + 8 = 41.

id=17728 | topic=Percentages | difficulty=Easy | question=What is 50% of 1171? | option_a=590 | option_b=585 | option_c=1170 | option_d=580 | answer=B | explanation=50% of 1171 = (50/100) × 1171 = 585.

id=17729 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:8 and the first is 144, what is the second? | option_a=288 | option_b=136 | option_c=144 | option_d=152 | answer=C | explanation=Scale factor = 144/8 = 18. Therefore second quantity = 8×18 = 144.

id=17730 | topic=Profit & Loss | difficulty=Easy | question=An article costs █452. If it is sold at a profit of 10%, what is its selling price? | option_a=497 | option_b=542 | option_c=462 | option_d=452 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 452 × 110/100 = █497.

Aptitude Questions — Records 17,731-17,760 of 100,000

id=17731 | topic=Profit & Loss | difficulty=Easy | question=An article costs █360. If it is sold at a profit of 20%, what is its selling price? | option_a=468 | option_b=396 | option_c=380 | option_d=432 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 360 × 120/100 = █432.

id=17732 | topic=Percentages | difficulty=Easy | question=What is 50% of 302? | option_a=141 | option_b=151 | option_c=156 | option_d=302 | answer=B | explanation=50% of 302 = (50/100) × 302 = 151.

id=17733 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=17734 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 61? | option_a=50 | option_b=30 | option_c=40 | option_d=61 | answer=D | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 61 is the odd one out.

id=17735 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34389 at 6% per annum for 1 years. | option_a=2063 | option_b=36452 | option_c=2163 | option_d=1963 | answer=A | explanation=SI = PRT/100 = 34389×6×1/100 = █2063.

id=17736 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=P | option_c=Q | option_d=R | answer=D | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=17737 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12329 at 5% per annum for 2 years. | option_a=1232 | option_b=13561 | option_c=1332 | option_d=1132 | answer=A | explanation=SI = PRT/100 = 12329×5×2/100 = █1232.

id=17738 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=17739 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1922 at 12% per annum for 5 years. | option_a=1253 | option_b=3075 | option_c=1053 | option_d=1153 | answer=D | explanation=SI = PRT/100 = 1922×12×5/100 = █1153.

id=17740 | topic=Averages | difficulty=Easy | question=Find the average of 75, 91, 39, 41, 34, 76, 99. | option_a=64 | option_b=67 | option_c=65 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = 455 ÷ 7 = 65.

id=17741 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2038. If it is sold at a profit of 50%, what is its selling price? | option_a=3260 | option_b=3057 | option_c=2088 | option_d=2854 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2038 × 150/100 = █3057.

id=17742 | topic=Percentages | difficulty=Easy | question=What is 30% of 1484? | option_a=890 | option_b=435 | option_c=445 | option_d=450 | answer=C | explanation=30% of 1484 = (30/100) × 1484 = 445.

id=17743 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 46? | option_a=25 | option_b=31 | option_c=46 | option_d=37 | answer=C | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 46 is the odd one out.

id=17744 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29734 at 4% per annum for 4 years. | option_a=4857 | option_b=4657 | option_c=34491 | option_d=4757 | answer=D | explanation=SI = PRT/100 = 29734×4×4/100 = █4757.

id=17745 | topic=Percentages | difficulty=Easy | question=What is 50% of 564? | option_a=564 | option_b=282 | option_c=272 | option_d=292 | answer=B | explanation=50% of 564 = (50/100) × 564 = 282.

id=17746 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 18, 27, 37? | option_a=18 | option_b=37 | option_c=9 | option_d=27 | answer=B | explanation=The first three numbers increase by 9, so the next should be 36. Therefore 37 is the odd one out.

id=17747 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=17748 | topic=Percentages | difficulty=Easy | question=What is 10% of 130? | option_a=0 | option_b=26 | option_c=18 | option_d=13 | answer=D | explanation=10% of 130 = (10/100) × 130 = 13.

id=17749 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39508 at 10% per annum for 5 years. | option_a=19654 | option_b=59262 | option_c=19854 | option_d=19754 | answer=D | explanation=SI = PRT/100 = 39508×10×5/100 = █19754.

id=17750 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=46 | option_b=32 | option_c=39 | option_d=40 | answer=C | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.

id=17751 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 27, 31, 37? | option_a=27 | option_b=23 | option_c=37 | option_d=31 | answer=C | explanation=The first three numbers increase by 4, so the next should be 35. Therefore 37 is the odd one out.

id=17752 | topic=Averages | difficulty=Easy | question=Find the average of 12, 45, 54, 81, 40, 48, 49. | option_a=48 | option_b=47 | option_c=46 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 329 ÷ 7 = 47.

id=17753 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1388. If it is sold at a profit of 50%, what is its selling price? | option_a=2082 | option_b=1438 | option_c=2220 | option_d=1944 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1388 × 150/100 = █2082.

id=17754 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=50 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=17755 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=25 | option_b=22 | option_c=17 | option_d=21 | answer=D | explanation=The common difference is 4. Therefore the next term is 17 + 4 = 21.

id=17756 | topic=Averages | difficulty=Easy | question=Find the average of 66, 43, 62, 46, 88, 91, 38. | option_a=61 | option_b=63 | option_c=64 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 434 ÷ 7 = 62.

id=17757 | topic=Percentages | difficulty=Easy | question=What is 40% of 780? | option_a=317 | option_b=312 | option_c=624 | option_d=292 | answer=B | explanation=40% of 780 = (40/100) × 780 = 312.

id=17758 | topic=Averages | difficulty=Easy | question=Find the average of 20, 63, 27, 24, 56. | option_a=37 | option_b=38 | option_c=39 | option_d=40 | answer=B | explanation=Average = sum of values ÷ number of values = 190 ÷ 5 = 38.

id=17759 | topic=Averages | difficulty=Easy | question=Find the average of 13, 28, 42, 33, 37, 87. | option_a=41 | option_b=39 | option_c=42 | option_d=40 | answer=D | explanation=Average = sum of values ÷ number of values = 240 ÷ 6 = 40.

id=17760 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 20, 23, 27? | option_a=27 | option_b=17 | option_c=23 | option_d=20 | answer=A | explanation=The first three numbers increase by 3, so the next should be 26. Therefore 27 is the odd one out.

Aptitude Questions — Records 17,761-17,790 of 100,000

id=17761 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=17762 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17537 at 6% per annum for 2 years. | option_a=2104 | option_b=2004 | option_c=19641 | option_d=2204 | answer=A | explanation=SI = PRT/100 = 17537×6×2/100 = **■**2104.

id=17763 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:20 and the first is 12, what is the second? | option_a=60 | option_b=40 | option_c=64 | option_d=72 | answer=A | explanation=Scale factor = 12/4 = 3. Therefore second quantity = 20×3 = 60.

id=17764 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=85 | option_c=90 | option_d=95 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=17765 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=27 | option_b=43 | option_c=36 | option_d=35 | answer=D | explanation=The common difference is 8. Therefore the next term is 27 + 8 = 35.

id=17766 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2575. If it is sold at a profit of 20%, what is its selling price? | option_a=2833 | option_b=2595 | option_c=3347 | option_d=3090 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2575 × 120/100 = **■**3090.

id=17767 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4320. If it is sold at a profit of 25%, what is its selling price? | option_a=5832 | option_b=4968 | option_c=5400 | option_d=4345 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4320 × 125/100 = **■**5400.

id=17768 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=80 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=17769 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=I | option_c=M | option_d=G | answer=A | explanation=Move 2 positions forward from I; the resulting letter is K.

id=17770 | topic=Averages | difficulty=Easy | question=Find the average of 69, 23, 69, 19. | option_a=47 | option_b=46 | option_c=45 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = 180 ÷ 4 = 45.

id=17771 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2600. If it is sold at a profit of 50%, what is its selling price? | option_a=2650 | option_b=4160 | option_c=3900 | option_d=3640 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2600 × 150/100 = **■**3900.

id=17772 | topic=Percentages | difficulty=Easy | question=What is 30% of 1356? | option_a=416 | option_b=812 | option_c=396 | option_d=406 | answer=D | explanation=30% of 1356 = (30/100) × 1356 = 406.

id=17773 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=Z | option_c=N | option_d=R | answer=A | explanation=Move 4 positions forward from R; the resulting letter is V.

id=17774 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2950. If it is sold at a profit of 20%, what is its selling price? | option_a=2970 | option_b=3835 | option_c=3540 | option_d=3245 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2950 × 120/100 = **■**3540.

id=17775 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:8 and the first is 171, what is the second? | option_a=243 | option_b=64 | option_c=91 | option_d=72 | answer=D | explanation=Scale factor = 171/19 = 9. Therefore second quantity = 8×9 = 72.

id=17776 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4076. If it is sold at a profit of 25%, what is its selling price? | option_a=4688 | option_b=4101 | option_c=5502 | option_d=5095 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4076 × 125/100 = **■**5095.

id=17777 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:10 and the first is 224, what is the second? | option_a=174 | option_b=150 | option_c=384 | option_d=160 | answer=D | explanation=Scale factor = 224/14 = 16. Therefore second quantity = 10×16 = 160.

id=17778 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14734 at 12% per annum for 2 years. | option_a=3436 | option_b=3536 | option_c=3636 | option_d=18270 | answer=B | explanation=SI = PRT/100 = 14734×12×2/100 = **■**3536.

id=17779 | topic=Percentages | difficulty=Easy | question=What is 10% of 1957? | option_a=205 | option_b=390 | option_c=175 | option_d=195 | answer=D | explanation=10% of 1957 = (10/100) × 1957 = 195.

id=17780 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=50 | option_b=49 | option_c=38 | option_d=60 | answer=B | explanation=The common difference is 11. Therefore the next term is 38 + 11 = 49.

id=17781 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=18 | option_c=23 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=17782 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 10. | option_a=300 | option_b=20 | option_c=30 | option_d=60 | answer=C | explanation=LCM × HCF = 30×10; HCF(30,10) = 10, so LCM = 30.

id=17783 | topic=Percentages | difficulty=Easy | question=What is 15% of 654? | option_a=103 | option_b=88 | option_c=98 | option_d=196 | answer=C | explanation=15% of 654 = (15/100) × 654 = 98.

id=17784 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=17785 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3665. If it is sold at a profit of 40%, what is its selling price? | option_a=5497 | option_b=4765 | option_c=3705 | option_d=5131 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3665 × 140/100 = **■**5131.

id=17786 | topic=Averages | difficulty=Easy | question=Find the average of 62, 78, 73, 81, 61. | option_a=73 | option_b=70 | option_c=71 | option_d=72 | answer=C | explanation=Average = sum of values ÷ number of values = 355 ÷ 5 = 71.

id=17787 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=17788 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=17789 | topic=Averages | difficulty=Easy | question=Find the average of 13, 66, 37, 16. | option_a=35 | option_b=34 | option_c=33 | option_d=32 | answer=C | explanation=Average = sum of values ÷ number of values = 132 ÷ 4 = 33.

id=17790 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

Aptitude Questions — Records 17,791-17,820 of 100,000

id=17791 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3307. If it is sold at a profit of 50%, what is its selling price? | option_a=5290 | option_b=3357 | option_c=4960 | option_d=4630 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3307 × 150/100 = █4960.

id=17792 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18725 at 12% per annum for 5 years. | option_a=11135 | option_b=11235 | option_c=11335 | option_d=29960 | answer=B | explanation=SI = PRT/100 = 18725×12×5/100 = █11235.

id=17793 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=54 | option_b=64 | option_c=53 | option_d=42 | answer=C | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.

id=17794 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3975. If it is sold at a profit of 25%, what is its selling price? | option_a=4000 | option_b=4571 | option_c=4968 | option_d=5365 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3975 × 125/100 = █4968.

id=17795 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:14 and the first is 128, what is the second? | option_a=112 | option_b=240 | option_c=128 | option_d=98 | answer=A | explanation=Scale factor = 128/16 = 8. Therefore second quantity = 14×8 = 112.

id=17796 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=Z | option_b=L | option_c=H | option_d=D | answer=C | explanation=Move 4 positions forward from D; the resulting letter is H.

id=17797 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=55 | option_d=100 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=17798 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42535 at 12% per annum for 3 years. | option_a=15212 | option_b=57847 | option_c=15412 | option_d=15312 | answer=D | explanation=SI = PRT/100 = 42535×12×3/100 = █15312.

id=17799 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=45 | option_b=54 | option_c=36 | option_d=46 | answer=A | explanation=The common difference is 9. Therefore the next term is 36 + 9 = 45.

id=17800 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=13 | option_c=36 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=17801 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17025 at 10% per annum for 5 years. | option_a=8412 | option_b=8612 | option_c=8512 | option_d=25537 | answer=C | explanation=SI = PRT/100 = 17025×10×5/100 = █8512.

id=17802 | topic=Percentages | difficulty=Easy | question=What is 15% of 1929? | option_a=279 | option_b=289 | option_c=578 | option_d=299 | answer=B | explanation=15% of 1929 = (15/100) × 1929 = 289.

id=17803 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3281. If it is sold at a profit of 30%, what is its selling price? | option_a=4593 | option_b=3311 | option_c=4265 | option_d=3937 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3281 × 130/100 = █4265.

id=17804 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30013 at 12% per annum for 2 years. | option_a=7303 | option_b=37216 | option_c=7103 | option_d=7203 | answer=D | explanation=SI = PRT/100 = 30013×12×2/100 = █7203.

id=17805 | topic=Averages | difficulty=Easy | question=Find the average of 19, 22, 93, 48, 70, 88, 100, 85, 51. | option_a=64 | option_b=65 | option_c=66 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 576 ÷ 9 = 64.

id=17806 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=90 | option_c=180 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=17807 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 12? | option_a=4 | option_b=8 | option_c=6 | option_d=12 | answer=D | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 12 is the odd one out.

id=17808 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1685. If it is sold at a profit of 10%, what is its selling price? | option_a=1685 | option_b=1853 | option_c=1695 | option_d=2021 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1685 × 110/100 = █1853.

id=17809 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:4 and the first is 48, what is the second? | option_a=20 | option_b=32 | option_c=72 | option_d=24 | answer=D | explanation=Scale factor = 48/8 = 6. Therefore second quantity = 4×6 = 24.

id=17810 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=5 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=17811 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 20? | option_a=20 | option_b=15 | option_c=7 | option_d=11 | answer=A | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 20 is the odd one out.

id=17812 | topic=Percentages | difficulty=Easy | question=What is 25% of 645? | option_a=322 | option_b=161 | option_c=171 | option_d=141 | answer=B | explanation=25% of 645 = (25/100) × 645 = 161.

id=17813 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 20, 30, 42? | option_a=20 | option_b=42 | option_c=10 | option_d=30 | answer=B | explanation=The first three numbers increase by 10, so the next should be 40. Therefore 42 is the odd one out.

id=17814 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=17815 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32769 at 8% per annum for 1 years. | option_a=2721 | option_b=2521 | option_c=35390 | option_d=2621 | answer=D | explanation=SI = PRT/100 = 32769×8×1/100 = █2621.

id=17816 | topic=Percentages | difficulty=Easy | question=What is 30% of 215? | option_a=59 | option_b=64 | option_c=128 | option_d=84 | answer=B | explanation=30% of 215 = (30/100) × 215 = 64.

id=17817 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=150 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=17818 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=17819 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=K | option_c=H | option_d=B | answer=C | explanation=Move 3 positions forward from E; the resulting letter is H.

id=17820 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 27, 36, 46? | option_a=46 | option_b=27 | option_c=36 | option_d=18 | answer=A | explanation=The first three numbers increase by 9, so the next should be 45. Therefore 46 is the odd one out.

Aptitude Questions — Records 17,821-17,850 of 100,000

id=17821 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:18 and the first is 15, what is the second? | option_a=285 | option_b=271 | option_c=252 | option_d=270 | answer=D | explanation=Scale factor = 15/1 = 15. Therefore second quantity = 18×15 = 270.

id=17822 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=28 | option_b=36 | option_c=42 | option_d=35 | answer=D | explanation=The common difference is 7. Therefore the next term is 28 + 7 = 35.

id=17823 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=17824 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 9, 14, 21? | option_a=4 | option_b=14 | option_c=9 | option_d=21 | answer=D | explanation=The first three numbers increase by 5, so the next should be 19. Therefore 21 is the odd one out.

id=17825 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=17826 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44811 at 8% per annum for 1 years. | option_a=48395 | option_b=3484 | option_c=3684 | option_d=3584 | answer=D | explanation=SI = PRT/100 = 44811×8×1/100 = **■**3584.

id=17827 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:20 and the first is 18, what is the second? | option_a=138 | option_b=123 | option_c=100 | option_d=120 | answer=D | explanation=Scale factor = 18/3 = 6. Therefore second quantity = 20×6 = 120.

id=17828 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2511. If it is sold at a profit of 5%, what is its selling price? | option_a=2887 | option_b=2385 | option_c=2636 | option_d=2516 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2511 × 105/100 = **■**2636.

id=17829 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=6 | option_c=1 | option_d=11 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=17830 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=175 | option_c=360 | option_d=180 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=17831 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11283 at 12% per annum for 4 years. | option_a=5415 | option_b=16698 | option_c=5315 | option_d=5515 | answer=A | explanation=SI = PRT/100 = 11283×12×4/100 = **■**5415.

id=17832 | topic=Averages | difficulty=Easy | question=Find the average of 97, 24, 84, 89, 70, 70, 44, 74. | option_a=68 | option_b=69 | option_c=71 | option_d=70 | answer=B | explanation=Average = sum of values ÷ number of values = 552 ÷ 8 = 69.

id=17833 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:5 and the first is 38, what is the second? | option_a=5 | option_b=10 | option_c=48 | option_d=29 | answer=B | explanation=Scale factor = 38/19 = 2. Therefore second quantity = 5×2 = 10.

id=17834 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13360 at 12% per annum for 5 years. | option_a=7916 | option_b=21376 | option_c=8016 | option_d=8116 | answer=C | explanation=SI = PRT/100 = 13360×12×5/100 = **■**8016.

id=17835 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=17836 | topic=Percentages | difficulty=Easy | question=What is 10% of 1168? | option_a=116 | option_b=232 | option_c=136 | option_d=106 | answer=A | explanation=10% of 1168 = (10/100) × 1168 = 116.

id=17837 | topic=Percentages | difficulty=Easy | question=What is 20% of 1910? | option_a=372 | option_b=382 | option_c=764 | option_d=392 | answer=B | explanation=20% of 1910 = (20/100) × 1910 = 382.

id=17838 | topic=Percentages | difficulty=Easy | question=What is 20% of 379? | option_a=150 | option_b=80 | option_c=75 | option_d=70 | answer=C | explanation=20% of 379 = (20/100) × 379 = 75.

id=17839 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 33? | option_a=33 | option_b=13 | option_c=4 | option_d=22 | answer=A | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 33 is the odd one out.

id=17840 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=20 | option_c=25 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=17841 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 62? | option_a=30 | option_b=62 | option_c=40 | option_d=50 | answer=B | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 62 is the odd one out.

id=17842 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2471. If it is sold at a profit of 10%, what is its selling price? | option_a=2471 | option_b=2718 | option_c=2481 | option_d=2965 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2471 × 110/100 = **■**2718.

id=17843 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:10 and the first is 85, what is the second? | option_a=175 | option_b=255 | option_c=170 | option_d=160 | answer=C | explanation=Scale factor = 85/5 = 17. Therefore second quantity = 10×17 = 170.

id=17844 | topic=Percentages | difficulty=Easy | question=What is 40% of 1145? | option_a=458 | option_b=463 | option_c=916 | option_d=448 | answer=A | explanation=40% of 1145 = (40/100) × 1145 = 458.

id=17845 | topic=Averages | difficulty=Easy | question=Find the average of 77, 50, 92, 85, 95, 15. | option_a=71 | option_b=70 | option_c=68 | option_d=69 | answer=D | explanation=Average = sum of values ÷ number of values = 414 ÷ 6 = 69.

id=17846 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**855. If it is sold at a profit of 30%, what is its selling price? | option_a=885 | option_b=1026 | option_c=1196 | option_d=1111 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 855 × 130/100 = **■**1111.

id=17847 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=17848 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 59? | option_a=29 | option_b=59 | option_c=47 | option_d=38 | answer=B | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 59 is the odd one out.

id=17849 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5703 at 4% per annum for 1 years. | option_a=328 | option_b=5931 | option_c=128 | option_d=228 | answer=D | explanation=SI = PRT/100 = 5703×4×1/100 = **■**228.

id=17850 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=23 | option_b=22 | option_c=26 | option_d=18 | answer=B | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

Aptitude Questions — Records 17,851-17,880 of 100,000

id=17851 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:2 and the first is 3, what is the second? | option_a=4 | option_b=7 | option_c=6 | option_d=9 | answer=C | explanation=Scale factor = $\frac{3}{1} = 3$. Therefore second quantity = $2 \times 3 = 6$.

id=17852 | topic=Averages | difficulty=Easy | question=Find the average of 36, 99, 27, 50, 26, 80, 10, 88, 52. | option_a=51 | option_b=54 | option_c=52 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{468}{9} = 52$.

id=17853 | topic=Averages | difficulty=Easy | question=Find the average of 94, 31, 71, 69, 62, 31, 76. | option_a=64 | option_b=63 | option_c=61 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{434}{7} = 62$.

id=17854 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=17855 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 20, 30, 42? | option_a=30 | option_b=20 | option_c=10 | option_d=42 | answer=D | explanation=The first three numbers increase by 10, so the next should be 40. Therefore 42 is the odd one out.

id=17856 | topic=Percentages | difficulty=Easy | question=What is 20% of 502? | option_a=120 | option_b=200 | option_c=100 | option_d=80 | answer=C | explanation=20% of 502 = $(\frac{20}{100}) \times 502 = 100$.

id=17857 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:10 and the first is 12, what is the second? | option_a=42 | option_b=30 | option_c=20 | option_d=34 | answer=B | explanation=Scale factor = $\frac{12}{4} = 3$. Therefore second quantity = $10 \times 3 = 30$.

id=17858 | topic=Averages | difficulty=Easy | question=Find the average of 56, 38, 76, 80, 74, 86, 87. | option_a=73 | option_b=70 | option_c=72 | option_d=71 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{497}{7} = 71$.

id=17859 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=H | option_c=F | option_d=L | answer=A | explanation=Move 2 positions forward from H; the resulting letter is J.

id=17860 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 24. | option_a=120 | option_b=96 | option_c=130 | option_d=240 | answer=A | explanation=LCM $\times$ HCF = 10×24 ; HCF(10,24) = 2, so LCM = 120.

id=17861 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31477 at 5% per annum for 3 years. | option_a=4621 | option_b=4821 | option_c=36198 | option_d=4721 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{31477 \times 5 \times 3}{100} = \text{■}4721$.

id=17862 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4602. If it is sold at a profit of 25%, what is its selling price? | option_a=4627 | option_b=6212 | option_c=5292 | option_d=5752 | answer=D | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 4602 \times \frac{125}{100} = \text{■}5752$.

id=17863 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21981 at 8% per annum for 5 years. | option_a=8892 | option_b=30773 | option_c=8692 | option_d=8792 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{21981 \times 8 \times 5}{100} = \text{■}8792$.

id=17864 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:17 and the first is 126, what is the second? | option_a=364 | option_b=247 | option_c=221 | option_d=238 | answer=D | explanation=Scale factor = $\frac{126}{9} = 14$. Therefore second quantity = $17 \times 14 = 238$.

id=17865 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=17866 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=M | option_c=Q | option_d=K | answer=A | explanation=Move 2 positions forward from M; the resulting letter is O.

id=17867 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=24 | option_d=29 | answer=C | explanation=Speed = distance ÷ time = $\frac{120}{5} = 24$ km/h.

id=17868 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:5 and the first is 60, what is the second? | option_a=15 | option_b=80 | option_c=20 | option_d=35 | answer=C | explanation=Scale factor = $\frac{60}{15} = 4$. Therefore second quantity = $5 \times 4 = 20$.

id=17869 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $\frac{150}{5} = 30$ km/h.

id=17870 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=G | option_b=B | option_c=W | option_d=L | answer=A | explanation=Move 5 positions forward from B; the resulting letter is G.

id=17871 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=U | option_c=S | option_d=Y | answer=A | explanation=Move 2 positions forward from U; the resulting letter is W.

id=17872 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2913. If it is sold at a profit of 15%, what is its selling price? | option_a=3349 | option_b=3058 | option_c=3640 | option_d=2928 | answer=A | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 2913 \times \frac{115}{100} = \text{■}3349$.

id=17873 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=120 | option_c=115 | option_d=125 | answer=B | explanation=Speed = distance ÷ time = $\frac{240}{2} = 120$ km/h.

id=17874 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:20 and the first is 216, what is the second? | option_a=220 | option_b=456 | option_c=258 | option_d=240 | answer=D | explanation=Scale factor = $\frac{216}{18} = 12$. Therefore second quantity = $20 \times 12 = 240$.

id=17875 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:6 and the first is 171, what is the second? | option_a=123 | option_b=108 | option_c=114 | option_d=285 | answer=C | explanation=Scale factor = $\frac{171}{9} = 19$. Therefore second quantity = $6 \times 19 = 114$.

id=17876 | topic=Percentages | difficulty=Easy | question=What is 30% of 1064? | option_a=638 | option_b=314 | option_c=319 | option_d=339 | answer=C | explanation=30% of 1064 = $(\frac{30}{100}) \times 1064 = 319$.

id=17877 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1898. If it is sold at a profit of 25%, what is its selling price? | option_a=1923 | option_b=2372 | option_c=2561 | option_d=2183 | answer=B | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 1898 \times \frac{125}{100} = \text{■}2372$.

id=17878 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3191. If it is sold at a profit of 5%, what is its selling price? | option_a=3031 | option_b=3350 | option_c=3669 | option_d=3196 | answer=B | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 3191 \times \frac{105}{100} = \text{■}3350$.

id=17879 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 7, 12, 19? | option_a=19 | option_b=2 | option_c=12 | option_d=7 | answer=A | explanation=The first three numbers increase by 5, so the next should be 17. Therefore 19 is the odd one out.

id=17880 | topic=Percentages | difficulty=Easy | question=What is 30% of 706? | option_a=201 | option_b=211 | option_c=221 | option_d=422 | answer=B | explanation=30% of 706 = $(\frac{30}{100}) \times 706 = 211$.

Aptitude Questions — Records 17,881-17,910 of 100,000

id=17881 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 25, 35, 46? | option_a=25 | option_b=35 | option_c=15 | option_d=46 | answer=D | explanation=The first three numbers increase by 10, so the next should be 45. Therefore 46 is the odd one out.

id=17882 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 32, 40, 50? | option_a=24 | option_b=40 | option_c=50 | option_d=32 | answer=C | explanation=The first three numbers increase by 8, so the next should be 48. Therefore 50 is the odd one out.

id=17883 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=A | option_c=E | option_d=G | answer=C | explanation=Move 2 positions forward from C; the resulting letter is E.

id=17884 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=17885 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 14. | option_a=28 | option_b=56 | option_c=14 | option_d=392 | answer=A | explanation=LCM × HCF = 28×14; HCF(28,14) = 14, so LCM = 28.

id=17886 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 17, 29, 41, ? | option_a=53 | option_b=54 | option_c=41 | option_d=65 | answer=A | explanation=The common difference is 12. Therefore the next term is 41 + 12 = 53.

id=17887 | topic=Percentages | difficulty=Easy | question=What is 12% of 416? | option_a=69 | option_b=29 | option_c=49 | option_d=98 | answer=C | explanation=12% of 416 = (12/100) × 416 = 49.

id=17888 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=30 | option_b=26 | option_c=29 | option_d=32 | answer=C | explanation=The common difference is 3. Therefore the next term is 26 + 3 = 29.

id=17889 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=17890 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 42? | option_a=31 | option_b=42 | option_c=21 | option_d=11 | answer=B | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 42 is the odd one out.

id=17891 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=17892 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 24, 30, 36, ? | option_a=36 | option_b=43 | option_c=48 | option_d=42 | answer=D | explanation=The common difference is 6. Therefore the next term is 36 + 6 = 42.

id=17893 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:9 and the first is 100, what is the second? | option_a=190 | option_b=81 | option_c=100 | option_d=90 | answer=D | explanation=Scale factor = 100/10 = 10. Therefore second quantity = 9×10 = 90.

id=17894 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=E | option_b=M | option_c=I | option_d=Q | answer=B | explanation=Move 4 positions forward from I; the resulting letter is M.

id=17895 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■10337 at 4% per annum for 1 years. | option_a=313 | option_b=513 | option_c=10750 | option_d=413 | answer=D | explanation=SI = PRT/100 = 10337×4×1/100 = ■413.

id=17896 | topic=Percentages | difficulty=Easy | question=What is 12% of 1429? | option_a=342 | option_b=191 | option_c=171 | option_d=161 | answer=C | explanation=12% of 1429 = (12/100) × 1429 = 171.

id=17897 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=6 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=17898 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=150 | option_d=70 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=17899 | topic=Averages | difficulty=Easy | question=Find the average of 43, 92, 37, 74, 30, 55, 87, 88, 51, 23. | option_a=59 | option_b=57 | option_c=58 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 580 ÷ 10 = 58.

id=17900 | topic=Averages | difficulty=Easy | question=Find the average of 61, 22, 78, 57, 87. | option_a=61 | option_b=63 | option_c=60 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 305 ÷ 5 = 61.

id=17901 | topic=Averages | difficulty=Easy | question=Find the average of 44, 52, 61, 59, 23, 76, 35. | option_a=49 | option_b=52 | option_c=51 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

id=17902 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=38 | option_b=47 | option_c=39 | option_d=29 | answer=A | explanation=The common difference is 9. Therefore the next term is 29 + 9 = 38.

id=17903 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=25 | option_b=26 | option_c=23 | option_d=27 | answer=A | explanation=The common difference is 2. Therefore the next term is 23 + 2 = 25.

id=17904 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2673. If it is sold at a profit of 40%, what is its selling price? | option_a=4009 | option_b=2713 | option_c=3475 | option_d=3742 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2673 × 140/100 = ■3742.

id=17905 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 28. | option_a=140 | option_b=192 | option_c=672 | option_d=168 | answer=D | explanation=LCM × HCF = 24×28; HCF(24,28) = 4, so LCM = 168.

id=17906 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=17907 | topic=Percentages | difficulty=Easy | question=What is 30% of 1585? | option_a=475 | option_b=485 | option_c=950 | option_d=455 | answer=A | explanation=30% of 1585 = (30/100) × 1585 = 475.

id=17908 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 37, 46, 58? | option_a=58 | option_b=37 | option_c=46 | option_d=28 | answer=A | explanation=The first three numbers increase by 9, so the next should be 55. Therefore 58 is the odd one out.

id=17909 | topic=Percentages | difficulty=Easy | question=What is 25% of 1655? | option_a=433 | option_b=413 | option_c=826 | option_d=408 | answer=B | explanation=25% of 1655 = (25/100) × 1655 = 413.

id=17910 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 19, 29, 40? | option_a=40 | option_b=19 | option_c=29 | option_d=9 | answer=A | explanation=The first three numbers increase by 10, so the next should be 39. Therefore 40 is the odd one out.

Aptitude Questions — Records 17,911-17,940 of 100,000

id=17911 | topic=Averages | difficulty=Easy | question=Find the average of 62, 81, 33, 95, 26, 96, 73, 58, 63, 53. | option_a=64 | option_b=63 | option_c=65 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 640 ÷ 10 = 64.

id=17912 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=Y | option_b=O | option_c=T | option_d=J | answer=C | explanation=Move 5 positions forward from O; the resulting letter is T.

id=17913 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 29? | option_a=13 | option_b=29 | option_c=23 | option_d=18 | answer=B | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 29 is the odd one out.

id=17914 | topic=Averages | difficulty=Easy | question=Find the average of 48, 90, 12, 23, 16, 66, 18. | option_a=41 | option_b=40 | option_c=39 | option_d=38 | answer=C | explanation=Average = sum of values ÷ number of values = 273 ÷ 7 = 39.

id=17915 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3732. If it is sold at a profit of 50%, what is its selling price? | option_a=5971 | option_b=3782 | option_c=5225 | option_d=5598 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3732 × 150/100 = █5598.

id=17916 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4342. If it is sold at a profit of 15%, what is its selling price? | option_a=4993 | option_b=5427 | option_c=4559 | option_d=4357 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4342 × 115/100 = █4993.

id=17917 | topic=Percentages | difficulty=Easy | question=What is 40% of 1145? | option_a=448 | option_b=916 | option_c=458 | option_d=478 | answer=C | explanation=40% of 1145 = (40/100) × 1145 = 458.

id=17918 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1452. If it is sold at a profit of 50%, what is its selling price? | option_a=1457 | option_b=1379 | option_c=1524 | option_d=1669 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1452 × 105/100 = █1524.

id=17919 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=F | option_b=J | option_c=L | option_d=H | answer=B | explanation=Move 2 positions forward from H; the resulting letter is J.

id=17920 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=180 | option_c=85 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=17921 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14658 at 4% per annum for 3 years. | option_a=1758 | option_b=1858 | option_c=1658 | option_d=16416 | answer=A | explanation=SI = PRT/100 = 14658×4×3/100 = █1758.

id=17922 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 40? | option_a=14 | option_b=40 | option_c=22 | option_d=30 | answer=B | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 40 is the odd one out.

id=17923 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38879 at 15% per annum for 3 years. | option_a=56374 | option_b=17595 | option_c=17495 | option_d=17395 | answer=C | explanation=SI = PRT/100 = 38879×15×3/100 = █17495.

id=17924 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 16, 26, 37? | option_a=16 | option_b=26 | option_c=6 | option_d=37 | answer=D | explanation=The first three numbers increase by 10, so the next should be 36. Therefore 37 is the odd one out.

id=17925 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=36 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=17926 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 19, 29, 40? | option_a=40 | option_b=19 | option_c=29 | option_d=9 | answer=A | explanation=The first three numbers increase by 10, so the next should be 39. Therefore 40 is the odd one out.

id=17927 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=21 | option_b=19 | option_c=18 | option_d=15 | answer=C | explanation=The common difference is 3. Therefore the next term is 15 + 3 = 18.

id=17928 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=17929 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=Y | option_c=S | option_d=U | answer=A | explanation=Move 2 positions forward from U; the resulting letter is W.

id=17930 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35563 at 5% per annum for 4 years. | option_a=7212 | option_b=42675 | option_c=7112 | option_d=7012 | answer=C | explanation=SI = PRT/100 = 35563×5×4/100 = █7112.

id=17931 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=17932 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=17933 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=17934 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=32 | option_b=26 | option_c=29 | option_d=30 | answer=C | explanation=The common difference is 3. Therefore the next term is 26 + 3 = 29.

id=17935 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:8 and the first is 60, what is the second? | option_a=47 | option_b=24 | option_c=92 | option_d=32 | answer=D | explanation=Scale factor = 60/15 = 4. Therefore second quantity = 8×4 = 32.

id=17936 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=O | option_c=S | option_d=Q | answer=C | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=17937 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2785 at 10% per annum for 5 years. | option_a=1492 | option_b=1392 | option_c=1292 | option_d=4177 | answer=B | explanation=SI = PRT/100 = 2785×10×5/100 = █1392.

id=17938 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41314 at 8% per annum for 4 years. | option_a=54534 | option_b=13120 | option_c=13320 | option_d=13220 | answer=D | explanation=SI = PRT/100 = 41314×8×4/100 = █13220.

id=17939 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=15 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=17940 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 20, 28, 37? | option_a=28 | option_b=12 | option_c=37 | option_d=20 | answer=C | explanation=The first three numbers increase by 8, so the next should be 36. Therefore 37 is the odd one out.

Aptitude Questions — Records 17,941-17,970 of 100,000

id=17941 | topic=Averages | difficulty=Easy | question=Find the average of 28, 55, 84, 75, 48. | option_a=58 | option_b=60 | option_c=57 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 290 ÷ 5 = 58.

id=17942 | topic=Averages | difficulty=Easy | question=Find the average of 79, 59, 85, 88, 89. | option_a=80 | option_b=82 | option_c=79 | option_d=81 | answer=A | explanation=Average = sum of values ÷ number of values = 400 ÷ 5 = 80.

id=17943 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:4 and the first is 7, what is the second? | option_a=29 | option_b=28 | option_c=24 | option_d=35 | answer=B | explanation=Scale factor = 7/1 = 7. Therefore second quantity = 4×7 = 28.

id=17944 | topic=Percentages | difficulty=Easy | question=What is 25% of 1590? | option_a=407 | option_b=387 | option_c=794 | option_d=397 | answer=D | explanation=25% of 1590 = (25/100) × 1590 = 397.

id=17945 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=17946 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=17947 | topic=Averages | difficulty=Easy | question=Find the average of 50, 74, 28, 96, 23, 28, 83, 18. | option_a=51 | option_b=49 | option_c=50 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 400 ÷ 8 = 50.

id=17948 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 27. | option_a=162 | option_b=54 | option_c=27 | option_d=60 | answer=B | explanation=LCM × HCF = 6×27; HCF(6,27) = 3, so LCM = 54.

id=17949 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=S | option_b=K | option_c=O | option_d=G | answer=C | explanation=Move 4 positions forward from K; the resulting letter is O.

id=17950 | topic=Profit & Loss | difficulty=Easy | question=An article costs █411. If it is sold at a profit of 20%, what is its selling price? | option_a=493 | option_b=431 | option_c=534 | option_d=452 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 411 × 120/100 = █493.

id=17951 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=17952 | topic=Percentages | difficulty=Easy | question=What is 25% of 879? | option_a=224 | option_b=214 | option_c=438 | option_d=219 | answer=D | explanation=25% of 879 = (25/100) × 879 = 219.

id=17953 | topic=Averages | difficulty=Easy | question=Find the average of 76, 86, 78, 32, 78, 34. | option_a=63 | option_b=66 | option_c=64 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = 384 ÷ 6 = 64.

id=17954 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=100 | option_c=50 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=17955 | topic=Averages | difficulty=Easy | question=Find the average of 19, 62, 26, 85, 43. | option_a=48 | option_b=47 | option_c=46 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 235 ÷ 5 = 47.

id=17956 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:20 and the first is 198, what is the second? | option_a=371 | option_b=558 | option_c=340 | option_d=360 | answer=D | explanation=Scale factor = 198/11 = 18. Therefore second quantity = 20×18 = 360.

id=17957 | topic=Percentages | difficulty=Easy | question=What is 40% of 334? | option_a=153 | option_b=133 | option_c=266 | option_d=128 | answer=B | explanation=40% of 334 = (40/100) × 334 = 133.

id=17958 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=17959 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4247. If it is sold at a profit of 15%, what is its selling price? | option_a=4884 | option_b=5308 | option_c=4460 | option_d=4262 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4247 × 115/100 = █4884.

id=17960 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 6. | option_a=24 | option_b=32 | option_c=48 | option_d=18 | answer=A | explanation=LCM × HCF = 8×6; HCF(8,6) = 2, so LCM = 24.

id=17961 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=49 | option_b=43 | option_c=44 | option_d=37 | answer=B | explanation=The common difference is 6. Therefore the next term is 37 + 6 = 43.

id=17962 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 9, 13, 20? | option_a=9 | option_b=13 | option_c=5 | option_d=20 | answer=D | explanation=The first three numbers increase by 4, so the next should be 17. Therefore 20 is the odd one out.

id=17963 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=R | option_c=P | option_d=S | answer=B | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=17964 | topic=Percentages | difficulty=Easy | question=What is 12% of 1660? | option_a=219 | option_b=194 | option_c=199 | option_d=398 | answer=C | explanation=12% of 1660 = (12/100) × 1660 = 199.

id=17965 | topic=Profit & Loss | difficulty=Easy | question=An article costs █393. If it is sold at a profit of 10%, what is its selling price? | option_a=393 | option_b=471 | option_c=403 | option_d=432 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 393 × 110/100 = █432.

id=17966 | topic=Averages | difficulty=Easy | question=Find the average of 53, 77, 100, 16, 42, 48, 105. | option_a=62 | option_b=63 | option_c=65 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 441 ÷ 7 = 63.

id=17967 | topic=Averages | difficulty=Easy | question=Find the average of 52, 96, 57, 55, 60. | option_a=64 | option_b=63 | option_c=66 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 320 ÷ 5 = 64.

id=17968 | topic=Percentages | difficulty=Easy | question=What is 25% of 948? | option_a=237 | option_b=474 | option_c=257 | option_d=217 | answer=A | explanation=25% of 948 = (25/100) × 948 = 237.

id=17969 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 10, 13, 19? | option_a=10 | option_b=19 | option_c=13 | option_d=7 | answer=B | explanation=The first three numbers increase by 3, so the next should be 16. Therefore 19 is the odd one out.

id=17970 | topic=Averages | difficulty=Easy | question=Find the average of 13, 32, 99, 45, 96. | option_a=59 | option_b=56 | option_c=57 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.

Aptitude Questions — Records 17,971-18,000 of 100,000

id=17971 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=45 | option_b=38 | option_c=29 | option_d=37 | answer=D | explanation=The common difference is 8. Therefore the next term is 29 + 8 = 37.

id=17972 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:1 and the first is 160, what is the second? | option_a=9 | option_b=26 | option_c=10 | option_d=170 | answer=C | explanation=Scale factor = 160/16 = 10. Therefore second quantity = 1×10 = 10.

id=17973 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 14, 17, 22? | option_a=11 | option_b=17 | option_c=14 | option_d=22 | answer=D | explanation=The first three numbers increase by 3, so the next should be 20. Therefore 22 is the odd one out.

id=17974 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=L | option_c=J | option_d=K | answer=B | explanation=Move 1 positions forward from K; the resulting letter is L.

id=17975 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 12. | option_a=84 | option_b=72 | option_c=168 | option_d=98 | answer=A | explanation=LCM × HCF = 14×12; HCF(14,12) = 2, so LCM = 84.

id=17976 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 8. | option_a=110 | option_b=80 | option_c=88 | option_d=176 | answer=C | explanation=LCM × HCF = 22×8; HCF(22,8) = 2, so LCM = 88.

id=17977 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 34? | option_a=34 | option_b=28 | option_c=30 | option_d=26 | answer=A | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 34 is the odd one out.

id=17978 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=41 | option_b=36 | option_c=31 | option_d=37 | answer=B | explanation=The common difference is 5. Therefore the next term is 31 + 5 = 36.

id=17979 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=17980 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2592. If it is sold at a profit of 20%, what is its selling price? | option_a=3110 | option_b=2851 | option_c=3369 | option_d=2612 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2592 × 120/100 = ₹3110.

id=17981 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 10. | option_a=10 | option_b=20 | option_c=40 | option_d=200 | answer=B | explanation=LCM × HCF = 20×10; HCF(20,10) = 10, so LCM = 20.

id=17982 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=H | option_b=T | option_c=L | option_d=P | answer=D | explanation=Move 4 positions forward from L; the resulting letter is P.

id=17983 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 22, 32, 43? | option_a=22 | option_b=12 | option_c=32 | option_d=43 | answer=D | explanation=The first three numbers increase by 10, so the next should be 42. Therefore 43 is the odd one out.

id=17984 | topic=Averages | difficulty=Easy | question=Find the average of 99, 22, 81, 19, 58, 29, 56. | option_a=51 | option_b=54 | option_c=53 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 364 ÷ 7 = 52.

id=17985 | topic=Percentages | difficulty=Easy | question=What is 5% of 1660? | option_a=63 | option_b=83 | option_c=103 | option_d=166 | answer=B | explanation=5% of 1660 = (5/100) × 1660 = 83.

id=17986 | topic=Averages | difficulty=Easy | question=Find the average of 61, 23, 99, 32, 58, 57, 23, 58, 93. | option_a=56 | option_b=57 | option_c=58 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=17987 | topic=Averages | difficulty=Easy | question=Find the average of 17, 32, 18, 59, 84. | option_a=42 | option_b=41 | option_c=44 | option_d=43 | answer=A | explanation=Average = sum of values ÷ number of values = 210 ÷ 5 = 42.

id=17988 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=80 | option_d=150 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=17989 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹17194 at 10% per annum for 4 years. | option_a=6777 | option_b=6977 | option_c=6877 | option_d=24071 | answer=C | explanation=SI = PRT/100 = 17194×10×4/100 = ₹6877.

id=17990 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:5 and the first is 84, what is the second? | option_a=47 | option_b=30 | option_c=35 | option_d=119 | answer=C | explanation=Scale factor = 84/12 = 7. Therefore second quantity = 5×7 = 35.

id=17991 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹37650 at 12% per annum for 3 years. | option_a=13654 | option_b=13554 | option_c=51204 | option_d=13454 | answer=B | explanation=SI = PRT/100 = 37650×12×3/100 = ₹13554.

id=17992 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 17, 20, 26? | option_a=26 | option_b=20 | option_c=17 | option_d=14 | answer=A | explanation=The first three numbers increase by 3, so the next should be 23. Therefore 26 is the odd one out.

id=17993 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=17994 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 37, 44, 54? | option_a=37 | option_b=54 | option_c=44 | option_d=30 | answer=B | explanation=The first three numbers increase by 7, so the next should be 51. Therefore 54 is the odd one out.

id=17995 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹16753 at 5% per annum for 4 years. | option_a=20103 | option_b=3250 | option_c=3450 | option_d=3350 | answer=D | explanation=SI = PRT/100 = 16753×5×4/100 = ₹3350.

id=17996 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹26116 at 5% per annum for 5 years. | option_a=6429 | option_b=6629 | option_c=6529 | option_d=32645 | answer=C | explanation=SI = PRT/100 = 26116×5×5/100 = ₹6529.

id=17997 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=30 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=17998 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:8 and the first is 48, what is the second? | option_a=16 | option_b=24 | option_c=40 | option_d=72 | answer=B | explanation=Scale factor = 48/16 = 3. Therefore second quantity = 8×3 = 24.

id=17999 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:6 and the first is 120, what is the second? | option_a=120 | option_b=240 | option_c=126 | option_d=114 | answer=A | explanation=Scale factor = 120/6 = 20. Therefore second quantity = 6×20 = 120.

id=18000 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 15, 18, 22? | option_a=15 | option_b=22 | option_c=18 | option_d=12 | answer=B | explanation=The first three numbers increase by 3, so the next should be 21. Therefore 22 is the odd one out.

Aptitude Questions — Records 18,001-18,030 of 100,000

id=18001 | topic=Averages | difficulty=Easy | question=Find the average of 27, 57, 24, 53, 21, 20, 43. | option_a=34 | option_b=37 | option_c=36 | option_d=35 | answer=D | explanation=Average = sum of values ÷ number of values = $245 \div 7 = 35$.

id=18002 | topic=Percentages | difficulty=Easy | question=What is 5% of 54? | option_a=12 | option_b=2 | option_c=0 | option_d=4 | answer=B | explanation=5% of 54 = $(5/100) \times 54 = 2$.

id=18003 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=I | option_b=K | option_c=O | option_d=M | answer=D | explanation=Move 2 positions forward from K; the resulting letter is M.

id=18004 | topic=Averages | difficulty=Easy | question=Find the average of 69, 74, 53, 47, 75, 88, 56, 28, 79, 71. | option_a=66 | option_b=64 | option_c=63 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = $640 \div 10 = 64$.

id=18005 | topic=Percentages | difficulty=Easy | question=What is 15% of 1995? | option_a=279 | option_b=598 | option_c=309 | option_d=299 | answer=D | explanation=15% of 1995 = $(15/100) \times 1995 = 299$.

id=18006 | topic=Percentages | difficulty=Easy | question=What is 12% of 666? | option_a=79 | option_b=84 | option_c=74 | option_d=158 | answer=A | explanation=12% of 666 = $(12/100) \times 666 = 79$.

id=18007 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4095. If it is sold at a profit of 50%, what is its selling price? | option_a=4145 | option_b=5733 | option_c=6142 | option_d=6551 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4095 \times 150/100 = \text{█}6142$.

id=18008 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25066 at 10% per annum for 4 years. | option_a=10126 | option_b=35092 | option_c=10026 | option_d=9926 | answer=C | explanation=SI = $PRT/100 = 25066 \times 10 \times 4/100 = \text{█}10026$.

id=18009 | topic=Averages | difficulty=Easy | question=Find the average of 85, 35, 67, 89, 91, 37, 84, 71, 57, 24. | option_a=63 | option_b=66 | option_c=65 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = $640 \div 10 = 64$.

id=18010 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 10, 18, 27? | option_a=27 | option_b=18 | option_c=10 | option_d=2 | answer=D | explanation=The first three numbers increase by 8, so the next should be 26. Therefore 27 is the odd one out.

id=18011 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=18012 | topic=Averages | difficulty=Easy | question=Find the average of 30, 92, 15, 42, 11. | option_a=37 | option_b=40 | option_c=39 | option_d=38 | answer=D | explanation=Average = sum of values ÷ number of values = $190 \div 5 = 38$.

id=18013 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 43? | option_a=31 | option_b=21 | option_c=11 | option_d=43 | answer=D | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 43 is the odd one out.

id=18014 | topic=Averages | difficulty=Easy | question=Find the average of 12, 64, 64, 34, 33, 86, 31, 77, 71, 28. | option_a=49 | option_b=52 | option_c=51 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = $500 \div 10 = 50$.

id=18015 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=18016 | topic=Averages | difficulty=Easy | question=Find the average of 25, 37, 35, 29, 72, 70, 19. | option_a=41 | option_b=42 | option_c=43 | option_d=40 | answer=A | explanation=Average = sum of values ÷ number of values = $287 \div 7 = 41$.

id=18017 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=18018 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:16 and the first is 204, what is the second? | option_a=209 | option_b=192 | option_c=396 | option_d=176 | answer=B | explanation=Scale factor = $204/17 = 12$. Therefore second quantity = $16 \times 12 = 192$.

id=18019 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=D | option_b=T | option_c=O | option_d=Y | answer=D | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=18020 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=18021 | topic=Averages | difficulty=Easy | question=Find the average of 67, 89, 66. | option_a=76 | option_b=74 | option_c=73 | option_d=75 | answer=B | explanation=Average = sum of values ÷ number of values = $222 \div 3 = 74$.

id=18022 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2750. If it is sold at a profit of 25%, what is its selling price? | option_a=2775 | option_b=3162 | option_c=3712 | option_d=3437 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2750 \times 125/100 = \text{█}3437$.

id=18023 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=54 | option_b=44 | option_c=45 | option_d=34 | answer=B | explanation=The common difference is 10. Therefore the next term is $34 + 10 = 44$.

id=18024 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=R | option_b=H | option_c=W | option_d=M | answer=A | explanation=Move 5 positions forward from M; the resulting letter is R.

id=18025 | topic=Percentages | difficulty=Easy | question=What is 30% of 1655? | option_a=501 | option_b=992 | option_c=486 | option_d=496 | answer=D | explanation=30% of 1655 = $(30/100) \times 1655 = 496$.

id=18026 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3144. If it is sold at a profit of 20%, what is its selling price? | option_a=3458 | option_b=3164 | option_c=3772 | option_d=4086 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3144 \times 120/100 = \text{█}3772$.

id=18027 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=45 | option_b=54 | option_c=36 | option_d=46 | answer=A | explanation=The common difference is 9. Therefore the next term is $36 + 9 = 45$.

id=18028 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=18029 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3364. If it is sold at a profit of 40%, what is its selling price? | option_a=4373 | option_b=5045 | option_c=4709 | option_d=3404 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3364 \times 140/100 = \text{█}4709$.

id=18030 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39705 at 15% per annum for 1 years. | option_a=6055 | option_b=5955 | option_c=5855 | option_d=45660 | answer=B | explanation=SI = $PRT/100 = 39705 \times 15 \times 1/100 = \text{█}5955$.

Aptitude Questions — Records 18,031-18,060 of 100,000

id=18031 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 22, 28, 36? | option_a=36 | option_b=22 | option_c=28 | option_d=16 | answer=A | explanation=The first three numbers increase by 6, so the next should be 34. Therefore 36 is the odd one out.

id=18032 | topic=Percentages | difficulty=Easy | question=What is 40% of 562? | option_a=448 | option_b=204 | option_c=234 | option_d=224 | answer=D | explanation=40% of 562 = $(40/100) \times 562 = 224$.

id=18033 | topic=Averages | difficulty=Easy | question=Find the average of 75, 15, 98, 84. | option_a=69 | option_b=67 | option_c=70 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = $272 \div 4 = 68$.

id=18034 | topic=Averages | difficulty=Easy | question=Find the average of 95, 47, 95, 40, 38, 91, 67, 91, 15, 21. | option_a=60 | option_b=61 | option_c=62 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = $600 \div 10 = 60$.

id=18035 | topic=Averages | difficulty=Easy | question=Find the average of 62, 29, 58, 49, 102. | option_a=59 | option_b=62 | option_c=61 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = $300 \div 5 = 60$.

id=18036 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:10 and the first is 240, what is the second? | option_a=110 | option_b=360 | option_c=120 | option_d=140 | answer=C | explanation=Scale factor = $240/20 = 12$. Therefore second quantity = $10 \times 12 = 120$.

id=18037 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:2 and the first is 60, what is the second? | option_a=8 | option_b=70 | option_c=10 | option_d=22 | answer=C | explanation=Scale factor = $60/12 = 5$. Therefore second quantity = $2 \times 5 = 10$.

id=18038 | topic=Percentages | difficulty=Easy | question=What is 20% of 143? | option_a=33 | option_b=28 | option_c=18 | option_d=56 | answer=B | explanation=20% of 143 = $(20/100) \times 143 = 28$.

id=18039 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=R | option_b=F | option_c=N | option_d=J | answer=C | explanation=Move 4 positions forward from J; the resulting letter is N.

id=18040 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=L | option_c=N | option_d=R | answer=A | explanation=Move 2 positions forward from N; the resulting letter is P.

id=18041 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2698. If it is sold at a profit of 15%, what is its selling price? | option_a=2713 | option_b=3371 | option_c=3102 | option_d=2833 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit})/100 = 2698 \times 115/100 = \text{█}3102$.

id=18042 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=27 | option_b=23 | option_c=17 | option_d=22 | answer=D | explanation=The common difference is 5. Therefore the next term is $17 + 5 = 22$.

id=18043 | topic=Percentages | difficulty=Easy | question=What is 50% of 1732? | option_a=866 | option_b=1732 | option_c=876 | option_d=846 | answer=A | explanation=50% of 1732 = $(50/100) \times 1732 = 866$.

id=18044 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=C | option_c=G | option_d=E | answer=C | explanation=Move 2 positions forward from E; the resulting letter is G.

id=18045 | topic=Averages | difficulty=Easy | question=Find the average of 43, 91, 14, 53, 51, 63, 18, 75. | option_a=53 | option_b=51 | option_c=52 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = $408 \div 8 = 51$.

id=18046 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1182. If it is sold at a profit of 20%, what is its selling price? | option_a=1418 | option_b=1202 | option_c=1300 | option_d=1536 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit})/100 = 1182 \times 120/100 = \text{█}1418$.

id=18047 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4561. If it is sold at a profit of 25%, what is its selling price? | option_a=5245 | option_b=5701 | option_c=6157 | option_d=4586 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit})/100 = 4561 \times 125/100 = \text{█}5701$.

id=18048 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=C | option_c=F | option_d=E | answer=D | explanation=Move 1 positions forward from D; the resulting letter is E.

id=18049 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 19, 29, 40? | option_a=19 | option_b=29 | option_c=9 | option_d=40 | answer=D | explanation=The first three numbers increase by 10, so the next should be 39. Therefore 40 is the odd one out.

id=18050 | topic=Averages | difficulty=Easy | question=Find the average of 98, 43, 35, 27, 30, 34, 41, 14, 80, 98. | option_a=49 | option_b=51 | option_c=50 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = $500 \div 10 = 50$.

id=18051 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2343. If it is sold at a profit of 30%, what is its selling price? | option_a=2811 | option_b=2373 | option_c=3279 | option_d=3045 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit})/100 = 2343 \times 130/100 = \text{█}3045$.

id=18052 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 14. | option_a=160 | option_b=280 | option_c=140 | option_d=126 | answer=C | explanation= $LCM \times HCF = 20 \times 14$; $HCF(20,14) = 2$, so $LCM = 140$.

id=18053 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 57? | option_a=46 | option_b=57 | option_c=36 | option_d=26 | answer=B | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 57 is the odd one out.

id=18054 | topic=Profit & Loss | difficulty=Easy | question=An article costs █190. If it is sold at a profit of 20%, what is its selling price? | option_a=209 | option_b=228 | option_c=247 | option_d=210 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit})/100 = 190 \times 120/100 = \text{█}228$.

id=18055 | topic=Averages | difficulty=Easy | question=Find the average of 84, 81, 33, 76, 71, 75, 41, 70, 90. | option_a=70 | option_b=69 | option_c=71 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = $621 \div 9 = 69$.

id=18056 | topic=Percentages | difficulty=Easy | question=What is 15% of 1294? | option_a=174 | option_b=194 | option_c=388 | option_d=199 | answer=B | explanation=15% of 1294 = $(15/100) \times 1294 = 194$.

id=18057 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4694 at 6% per annum for 1 years. | option_a=4975 | option_b=281 | option_c=381 | option_d=181 | answer=B | explanation= $SI = PRT/100 = 4694 \times 6 \times 1/100 = \text{█}281$.

id=18058 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3895. If it is sold at a profit of 40%, what is its selling price? | option_a=5453 | option_b=5064 | option_c=3935 | option_d=5842 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit})/100 = 3895 \times 140/100 = \text{█}5453$.

id=18059 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41860 at 5% per annum for 2 years. | option_a=4086 | option_b=46046 | option_c=4186 | option_d=4286 | answer=C | explanation= $SI = PRT/100 = 41860 \times 5 \times 2/100 = \text{█}4186$.

id=18060 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=50 | option_c=55 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = $150 \div 3 = 50$ km/h.

Aptitude Questions — Records 18,061-18,090 of 100,000

id=18061 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=55 | option_b=44 | option_c=56 | option_d=66 | answer=A | explanation=The common difference is 11. Therefore the next term is 44 + 11 = 55.

id=18062 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44070 at 8% per annum for 4 years. | option_a=14002 | option_b=14202 | option_c=14102 | option_d=58172 | answer=C | explanation=SI = $PRT/100 = 44070 \times 8 \times 4/100 = \text{■}14102$.

id=18063 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=18064 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:12 and the first is 18, what is the second? | option_a=36 | option_b=24 | option_c=54 | option_d=42 | answer=A | explanation=Scale factor = $18/6 = 3$. Therefore second quantity = $12 \times 3 = 36$.

id=18065 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=J | option_c=G | option_d=I | answer=D | explanation=Move 1 positions forward from H; the resulting letter is I.

id=18066 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=26 | option_b=27 | option_c=23 | option_d=25 | answer=D | explanation=The common difference is 2. Therefore the next term is $23 + 2 = 25$.

id=18067 | topic=Percentages | difficulty=Easy | question=What is 50% of 935? | option_a=472 | option_b=934 | option_c=462 | option_d=467 | answer=D | explanation= $50\% \text{ of } 935 = (50/100) \times 935 = 467$.

id=18068 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=240 | option_d=125 | answer=A | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.

id=18069 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:4 and the first is 323, what is the second? | option_a=93 | option_b=399 | option_c=72 | option_d=76 | answer=D | explanation=Scale factor = $323/17 = 19$. Therefore second quantity = $4 \times 19 = 76$.

id=18070 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 25, 33, 41, ? | option_a=49 | option_b=57 | option_c=41 | option_d=50 | answer=A | explanation=The common difference is 8. Therefore the next term is $41 + 8 = 49$.

id=18071 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = $90 \div 6 = 15$ km/h.

id=18072 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=S | option_b=U | option_c=T | option_d=V | answer=B | explanation=Move 1 positions forward from T; the resulting letter is U.

id=18073 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=L | option_c=P | option_d=N | answer=C | explanation=Move 2 positions forward from N; the resulting letter is P.

id=18074 | topic=Averages | difficulty=Easy | question=Find the average of 90, 85, 77, 60, 71, 67. | option_a=75 | option_b=76 | option_c=77 | option_d=74 | answer=A | explanation=Average = sum of values ÷ number of values = $450 \div 6 = 75$.

id=18075 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=155 | option_c=300 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = $300 \div 2 = 150$ km/h.

id=18076 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:4 and the first is 28, what is the second? | option_a=52 | option_b=84 | option_c=58 | option_d=56 | answer=D | explanation=Scale factor = $28/2 = 14$. Therefore second quantity = $4 \times 14 = 56$.

id=18077 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=25 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = $60 \div 3 = 20$ km/h.

id=18078 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 54? | option_a=29 | option_b=45 | option_c=37 | option_d=54 | answer=D | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 54 is the odd one out.

id=18079 | topic=Percentages | difficulty=Easy | question=What is 20% of 141? | option_a=28 | option_b=23 | option_c=38 | option_d=56 | answer=A | explanation= $20\% \text{ of } 141 = (20/100) \times 141 = 28$.

id=18080 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 11, 19, 28? | option_a=11 | option_b=19 | option_c=3 | option_d=28 | answer=D | explanation=The first three numbers increase by 8, so the next should be 27. Therefore 28 is the odd one out.

id=18081 | topic=Averages | difficulty=Easy | question=Find the average of 75, 49, 59, 76, 43, 39, 81, 26. | option_a=57 | option_b=55 | option_c=58 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = $448 \div 8 = 56$.

id=18082 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=14 | option_c=18 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = $90 \div 10 = 9$ km/h.

id=18083 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.

id=18084 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=63 | option_b=54 | option_c=53 | option_d=43 | answer=C | explanation=The common difference is 10. Therefore the next term is $43 + 10 = 53$.

id=18085 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=32 | option_b=35 | option_c=27 | option_d=31 | answer=C | explanation=The common difference is 4. Therefore the next term is $27 + 4 = 31$.

id=18086 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12122 at 8% per annum for 1 years. | option_a=1069 | option_b=13091 | option_c=969 | option_d=869 | answer=C | explanation=SI = $PRT/100 = 12122 \times 8 \times 1/100 = \text{■}969$.

id=18087 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=29 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = $120 \div 5 = 24$ km/h.

id=18088 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 10, 18, 29? | option_a=2 | option_b=18 | option_c=10 | option_d=29 | answer=D | explanation=The first three numbers increase by 8, so the next should be 26. Therefore 29 is the odd one out.

id=18089 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:7 and the first is 300, what is the second? | option_a=405 | option_b=98 | option_c=105 | option_d=125 | answer=C | explanation=Scale factor = $300/20 = 15$. Therefore second quantity = $7 \times 15 = 105$.

id=18090 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=45 | option_c=50 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = $300 \div 6 = 50$ km/h.

Aptitude Questions — Records 18,091-18,120 of 100,000

id=18091 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=18092 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:9 and the first is 60, what is the second? | option_a=45 | option_b=64 | option_c=54 | option_d=114 | answer=C | explanation=Scale factor = 60/10 = 6. Therefore second quantity = 9×6 = 54.

id=18093 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 29, 37, 48? | option_a=37 | option_b=29 | option_c=48 | option_d=21 | answer=C | explanation=The first three numbers increase by 8, so the next should be 45. Therefore 48 is the odd one out.

id=18094 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 8. | option_a=48 | option_b=84 | option_c=224 | option_d=56 | answer=D | explanation=LCM × HCF = 28×8; HCF(28,8) = 4, so LCM = 56.

id=18095 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=26 | option_b=33 | option_c=40 | option_d=34 | answer=B | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

id=18096 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=33 | option_b=26 | option_c=32 | option_d=38 | answer=C | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=18097 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=18098 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 27. | option_a=27 | option_b=60 | option_c=162 | option_d=54 | answer=D | explanation=LCM × HCF = 6×27; HCF(6,27) = 3, so LCM = 54.

id=18099 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■11672 at 15% per annum for 5 years. | option_a=8854 | option_b=8754 | option_c=8654 | option_d=20426 | answer=B | explanation=SI = PRT/100 = 11672×15×5/100 = ■8754.

id=18100 | topic=Averages | difficulty=Easy | question=Find the average of 68, 46, 96, 16, 24, 92. | option_a=57 | option_b=56 | option_c=59 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 342 ÷ 6 = 57.

id=18101 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 9. | option_a=27 | option_b=9 | option_c=1 | option_d=12 | answer=B | explanation=LCM × HCF = 3×9; HCF(3,9) = 3, so LCM = 9.

id=18102 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=18103 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2685. If it is sold at a profit of 25%, what is its selling price? | option_a=3624 | option_b=3356 | option_c=3088 | option_d=2710 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2685 × 125/100 = ■3356.

id=18104 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 46? | option_a=46 | option_b=13 | option_c=23 | option_d=33 | answer=A | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 46 is the odd one out.

id=18105 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=18106 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■881. If it is sold at a profit of 25%, what is its selling price? | option_a=1101 | option_b=1013 | option_c=906 | option_d=1189 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 881 × 125/100 = ■1101.

id=18107 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 26? | option_a=26 | option_b=11 | option_c=18 | option_d=4 | answer=A | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 26 is the odd one out.

id=18108 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=18109 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=59 | option_b=70 | option_c=60 | option_d=48 | answer=A | explanation=The common difference is 11. Therefore the next term is 48 + 11 = 59.

id=18110 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=11 | option_b=8 | option_c=10 | option_d=12 | answer=C | explanation=The common difference is 2. Therefore the next term is 8 + 2 = 10.

id=18111 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■47767 at 4% per annum for 4 years. | option_a=7742 | option_b=55409 | option_c=7642 | option_d=7542 | answer=C | explanation=SI = PRT/100 = 47767×4×4/100 = ■7642.

id=18112 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=18113 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:2 and the first is 25, what is the second? | option_a=10 | option_b=15 | option_c=35 | option_d=8 | answer=A | explanation=Scale factor = 25/5 = 5. Therefore second quantity = 2×5 = 10.

id=18114 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=29 | option_c=24 | option_d=48 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=18115 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=12 | option_c=1 | option_d=11 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=18116 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 31, 36, 44? | option_a=26 | option_b=31 | option_c=44 | option_d=36 | answer=C | explanation=The first three numbers increase by 5, so the next should be 41. Therefore 44 is the odd one out.

id=18117 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 40? | option_a=20 | option_b=11 | option_c=29 | option_d=40 | answer=D | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 40 is the odd one out.

id=18118 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 24. | option_a=192 | option_b=32 | option_c=24 | option_d=1 | answer=C | explanation=LCM × HCF = 8×24; HCF(8,24) = 8, so LCM = 24.

id=18119 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1942. If it is sold at a profit of 5%, what is its selling price? | option_a=2039 | option_b=1845 | option_c=2233 | option_d=1947 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1942 × 105/100 = ■2039.

id=18120 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=C | option_c=O | option_d=K | answer=D | explanation=Move 4 positions forward from G; the resulting letter is K.

Aptitude Questions — Records 18,121-18,150 of 100,000

id=18121 | topic=Percentages | difficulty=Easy | question=What is 15% of 780? | option_a=117 | option_b=234 | option_c=122 | option_d=112 | answer=A | explanation=15% of 780 = (15/100) × 780 = 117.

id=18122 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 24, 36, 48, ? | option_a=60 | option_b=48 | option_c=61 | option_d=72 | answer=A | explanation=The common difference is 12. Therefore the next term is 48 + 12 = 60.

id=18123 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1620. If it is sold at a profit of 20%, what is its selling price? | option_a=1782 | option_b=1944 | option_c=2106 | option_d=1640 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1620 × 120/100 = █1944.

id=18124 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=40 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=18125 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=55 | option_c=100 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=18126 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21028 at 15% per annum for 4 years. | option_a=12516 | option_b=33644 | option_c=12616 | option_d=12716 | answer=C | explanation=SI = PRT/100 = 21028×15×4/100 = █12616.

id=18127 | topic=Averages | difficulty=Easy | question=Find the average of 97, 72, 52, 77, 32. | option_a=68 | option_b=67 | option_c=66 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = 330 ÷ 5 = 66.

id=18128 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=N | option_c=E | option_d=K | answer=D | explanation=Move 3 positions forward from H; the resulting letter is K.

id=18129 | topic=Averages | difficulty=Easy | question=Find the average of 12, 20, 80, 77, 34, 64, 11, 62. | option_a=44 | option_b=47 | option_c=46 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 360 ÷ 8 = 45.

id=18130 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=115 | option_d=240 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=18131 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 36, 45, 57? | option_a=57 | option_b=36 | option_c=45 | option_d=27 | answer=A | explanation=The first three numbers increase by 9, so the next should be 54. Therefore 57 is the odd one out.

id=18132 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:16 and the first is 255, what is the second? | option_a=257 | option_b=224 | option_c=495 | option_d=240 | answer=D | explanation=Scale factor = 255/17 = 15. Therefore second quantity = 16×15 = 240.

id=18133 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=O | option_b=A | option_c=W | option_d=S | answer=C | explanation=Move 4 positions forward from S; the resulting letter is W.

id=18134 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=40 | option_c=45 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=18135 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:6 and the first is 280, what is the second? | option_a=104 | option_b=364 | option_c=78 | option_d=84 | answer=D | explanation=Scale factor = 280/20 = 14. Therefore second quantity = 6×14 = 84.

id=18136 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:17 and the first is 72, what is the second? | option_a=119 | option_b=145 | option_c=136 | option_d=208 | answer=C | explanation=Scale factor = 72/9 = 8. Therefore second quantity = 17×8 = 136.

id=18137 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=18138 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7101 at 5% per annum for 1 years. | option_a=355 | option_b=7456 | option_c=455 | option_d=255 | answer=A | explanation=SI = PRT/100 = 7101×5×1/100 = █355.

id=18139 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 15, 23, 32? | option_a=32 | option_b=15 | option_c=7 | option_d=23 | answer=A | explanation=The first three numbers increase by 8, so the next should be 31. Therefore 32 is the odd one out.

id=18140 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=24 | option_b=28 | option_c=27 | option_d=30 | answer=C | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=18141 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=18142 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=41 | option_b=27 | option_c=34 | option_d=35 | answer=C | explanation=The common difference is 7. Therefore the next term is 27 + 7 = 34.

id=18143 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 27. | option_a=81 | option_b=324 | option_c=120 | option_d=108 | answer=D | explanation=LCM × HCF = 12×27; HCF(12,27) = 3, so LCM = 108.

id=18144 | topic=Percentages | difficulty=Easy | question=What is 25% of 1139? | option_a=264 | option_b=284 | option_c=304 | option_d=568 | answer=B | explanation=25% of 1139 = (25/100) × 1139 = 284.

id=18145 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=47 | option_b=40 | option_c=48 | option_d=54 | answer=A | explanation=The common difference is 7. Therefore the next term is 40 + 7 = 47.

id=18146 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:3 and the first is 70, what is the second? | option_a=37 | option_b=30 | option_c=27 | option_d=100 | answer=B | explanation=Scale factor = 70/7 = 10. Therefore second quantity = 3×10 = 30.

id=18147 | topic=Averages | difficulty=Easy | question=Find the average of 57, 81, 42, 46, 76, 42, 99, 41, 56. | option_a=61 | option_b=60 | option_c=62 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 540 ÷ 9 = 60.

id=18148 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=R | option_c=Q | option_d=O | answer=C | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=18149 | topic=Percentages | difficulty=Easy | question=What is 50% of 1791? | option_a=905 | option_b=875 | option_c=1790 | option_d=895 | answer=D | explanation=50% of 1791 = (50/100) × 1791 = 895.

id=18150 | topic=Averages | difficulty=Easy | question=Find the average of 82, 98, 34, 32, 26, 88, 18. | option_a=55 | option_b=53 | option_c=54 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

Aptitude Questions — Records 18,151-18,180 of 100,000

id=18151 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=48 | option_b=37 | option_c=59 | option_d=49 | answer=A | explanation=The common difference is 11. Therefore the next term is 37 + 11 = 48.

id=18152 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:8 and the first is 252, what is the second? | option_a=396 | option_b=136 | option_c=144 | option_d=158 | answer=C | explanation=Scale factor = 252/14 = 18. Therefore second quantity = 8×18 = 144.

id=18153 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=D | option_b=H | option_c=P | option_d=L | answer=D | explanation=Move 4 positions forward from H; the resulting letter is L.

id=18154 | topic=Percentages | difficulty=Easy | question=What is 20% of 1336? | option_a=534 | option_b=257 | option_c=272 | option_d=267 | answer=D | explanation=20% of 1336 = (20/100) × 1336 = 267.

id=18155 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 21? | option_a=16 | option_b=18 | option_c=21 | option_d=14 | answer=C | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 21 is the odd one out.

id=18156 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=24 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=18157 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=18158 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=40 | option_c=45 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=18159 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2384. If it is sold at a profit of 5%, what is its selling price? | option_a=2389 | option_b=2265 | option_c=2503 | option_d=2741 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2384 × 105/100 = █2503.

id=18160 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 16, 26, 39? | option_a=6 | option_b=39 | option_c=16 | option_d=26 | answer=B | explanation=The first three numbers increase by 10, so the next should be 36. Therefore 39 is the odd one out.

id=18161 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21192 at 5% per annum for 1 years. | option_a=1059 | option_b=1159 | option_c=959 | option_d=22251 | answer=A | explanation=SI = PRT/100 = 21192×5×1/100 = █1059.

id=18162 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=40 | option_d=90 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=18163 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 5, 7, 12? | option_a=12 | option_b=7 | option_c=3 | option_d=5 | answer=A | explanation=The first three numbers increase by 2, so the next should be 9. Therefore 12 is the odd one out.

id=18164 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:10 and the first is 12, what is the second? | option_a=72 | option_b=60 | option_c=62 | option_d=50 | answer=B | explanation=Scale factor = 12/2 = 6. Therefore second quantity = 10×6 = 60.

id=18165 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2100. If it is sold at a profit of 25%, what is its selling price? | option_a=2625 | option_b=2835 | option_c=2415 | option_d=2125 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2100 × 125/100 = █2625.

id=18166 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=L | option_c=K | option_d=J | answer=B | explanation=Move 1 positions forward from K; the resulting letter is L.

id=18167 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9097 at 4% per annum for 1 years. | option_a=463 | option_b=9460 | option_c=263 | option_d=363 | answer=D | explanation=SI = PRT/100 = 9097×4×1/100 = █363.

id=18168 | topic=Percentages | difficulty=Easy | question=What is 20% of 1059? | option_a=422 | option_b=231 | option_c=211 | option_d=191 | answer=C | explanation=20% of 1059 = (20/100) × 1059 = 211.

id=18169 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9128 at 15% per annum for 4 years. | option_a=5376 | option_b=5476 | option_c=5576 | option_d=14604 | answer=B | explanation=SI = PRT/100 = 9128×15×4/100 = █5476.

id=18170 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 42? | option_a=34 | option_b=22 | option_c=42 | option_d=28 | answer=C | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 42 is the odd one out.

id=18171 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43667 at 5% per annum for 3 years. | option_a=50217 | option_b=6550 | option_c=6450 | option_d=6650 | answer=B | explanation=SI = PRT/100 = 43667×5×3/100 = █6550.

id=18172 | topic=Averages | difficulty=Easy | question=Find the average of 19, 34, 37, 90, 17, 12, 55, 56. | option_a=42 | option_b=41 | option_c=39 | option_d=40 | answer=D | explanation=Average = sum of values ÷ number of values = 320 ÷ 8 = 40.

id=18173 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:5 and the first is 64, what is the second? | option_a=144 | option_b=75 | option_c=80 | option_d=84 | answer=C | explanation=Scale factor = 64/4 = 16. Therefore second quantity = 5×16 = 80.

id=18174 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:18 and the first is 247, what is the second? | option_a=324 | option_b=355 | option_c=589 | option_d=342 | answer=D | explanation=Scale factor = 247/13 = 19. Therefore second quantity = 18×19 = 342.

id=18175 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=52 | option_b=51 | option_c=40 | option_d=62 | answer=B | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=18176 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=18177 | topic=Percentages | difficulty=Easy | question=What is 40% of 1629? | option_a=1302 | option_b=641 | option_c=671 | option_d=651 | answer=D | explanation=40% of 1629 = (40/100) × 1629 = 651.

id=18178 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=20 | option_b=17 | option_c=23 | option_d=21 | answer=A | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=18179 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 41? | option_a=34 | option_b=22 | option_c=41 | option_d=28 | answer=C | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 41 is the odd one out.

id=18180 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:2 and the first is 24, what is the second? | option_a=48 | option_b=26 | option_c=24 | option_d=22 | answer=C | explanation=Scale factor = 24/2 = 12. Therefore second quantity = 2×12 = 24.

Aptitude Questions — Records 18,181-18,210 of 100,000

id=18181 | topic=Percentages | difficulty=Easy | question=What is 15% of 1446? | option_a=211 | option_b=216 | option_c=221 | option_d=432 | answer=B | explanation=15% of 1446 = (15/100) × 1446 = 216.

id=18182 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 12. | option_a=18 | option_b=1 | option_c=12 | option_d=72 | answer=C | explanation=LCM × HCF = 6×12; HCF(6,12) = 6, so LCM = 12.

id=18183 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=18184 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:8 and the first is 10, what is the second? | option_a=72 | option_b=81 | option_c=80 | option_d=90 | answer=C | explanation=Scale factor = 10/1 = 10. Therefore second quantity = 8×10 = 80.

id=18185 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=18186 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1219 at 15% per annum for 3 years. | option_a=448 | option_b=548 | option_c=1767 | option_d=648 | answer=B | explanation=SI = PRT/100 = 1219×15×3/100 = **■**548.

id=18187 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4215. If it is sold at a profit of 15%, what is its selling price? | option_a=5268 | option_b=4230 | option_c=4426 | option_d=4847 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4215 × 115/100 = **■**4847.

id=18188 | topic=Percentages | difficulty=Easy | question=What is 40% of 704? | option_a=562 | option_b=286 | option_c=281 | option_d=261 | answer=C | explanation=40% of 704 = (40/100) × 704 = 281.

id=18189 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:9 and the first is 70, what is the second? | option_a=115 | option_b=59 | option_c=36 | option_d=45 | answer=D | explanation=Scale factor = 70/14 = 5. Therefore second quantity = 9×5 = 45.

id=18190 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:18 and the first is 80, what is the second? | option_a=154 | option_b=224 | option_c=144 | option_d=126 | answer=C | explanation=Scale factor = 80/10 = 8. Therefore second quantity = 18×8 = 144.

id=18191 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:5 and the first is 32, what is the second? | option_a=26 | option_b=5 | option_c=42 | option_d=10 | answer=D | explanation=Scale factor = 32/16 = 2. Therefore second quantity = 5×2 = 10.

id=18192 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 21? | option_a=11 | option_b=15 | option_c=7 | option_d=21 | answer=D | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 21 is the odd one out.

id=18193 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=18194 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=Z | option_b=B | option_c=D | option_d=F | answer=C | explanation=Move 2 positions forward from B; the resulting letter is D.

id=18195 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=95 | option_c=85 | option_d=180 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=18196 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=50 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=18197 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=18198 | topic=Averages | difficulty=Easy | question=Find the average of 22, 25, 51, 79, 93, 27, 53. | option_a=52 | option_b=50 | option_c=49 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

id=18199 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11141 at 10% per annum for 4 years. | option_a=15597 | option_b=4556 | option_c=4456 | option_d=4356 | answer=C | explanation=SI = PRT/100 = 11141×10×4/100 = **■**4456.

id=18200 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=29 | option_b=33 | option_c=32 | option_d=35 | answer=C | explanation=The common difference is 3. Therefore the next term is 29 + 3 = 32.

id=18201 | topic=Averages | difficulty=Easy | question=Find the average of 88, 97, 31, 86, 49, 47, 76, 35, 36, 45. | option_a=59 | option_b=60 | option_c=58 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 590 ÷ 10 = 59.

id=18202 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:5 and the first is 208, what is the second? | option_a=60 | option_b=81 | option_c=65 | option_d=273 | answer=C | explanation=Scale factor = 208/16 = 13. Therefore second quantity = 5×13 = 65.

id=18203 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 29? | option_a=4 | option_b=12 | option_c=29 | option_d=20 | answer=C | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 29 is the odd one out.

id=18204 | topic=Averages | difficulty=Easy | question=Find the average of 54, 42, 44, 77, 13, 73, 40. | option_a=50 | option_b=48 | option_c=51 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 343 ÷ 7 = 49.

id=18205 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:15 and the first is 238, what is the second? | option_a=448 | option_b=210 | option_c=227 | option_d=195 | answer=B | explanation=Scale factor = 238/17 = 14. Therefore second quantity = 15×14 = 210.

id=18206 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=20 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=18207 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22215 at 5% per annum for 3 years. | option_a=3232 | option_b=3432 | option_c=25547 | option_d=3332 | answer=D | explanation=SI = PRT/100 = 22215×5×3/100 = **■**3332.

id=18208 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3363. If it is sold at a profit of 30%, what is its selling price? | option_a=4707 | option_b=4035 | option_c=3393 | option_d=4371 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3363 × 130/100 = **■**4371.

id=18209 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 10. | option_a=50 | option_b=72 | option_c=120 | option_d=60 | answer=D | explanation=LCM × HCF = 12×10; HCF(12,10) = 2, so LCM = 60.

id=18210 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:8 and the first is 40, what is the second? | option_a=80 | option_b=32 | option_c=40 | option_d=48 | answer=C | explanation=Scale factor = 40/8 = 5. Therefore second quantity = 8×5 = 40.

Aptitude Questions — Records 18,211-18,240 of 100,000

id=18211 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=18212 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 45? | option_a=45 | option_b=21 | option_c=28 | option_d=35 | answer=A | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 45 is the odd one out.

id=18213 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=26 | option_b=25 | option_c=27 | option_d=23 | answer=B | explanation=The common difference is 2. Therefore the next term is 23 + 2 = 25.

id=18214 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=36 | option_b=37 | option_c=28 | option_d=44 | answer=A | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=18215 | topic=Percentages | difficulty=Easy | question=What is 5% of 1364? | option_a=136 | option_b=63 | option_c=88 | option_d=68 | answer=D | explanation=5% of 1364 = (5/100) × 1364 = 68.

id=18216 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=T | option_b=Q | option_c=K | option_d=N | answer=B | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=18217 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33365 at 15% per annum for 3 years. | option_a=15114 | option_b=48379 | option_c=14914 | option_d=15014 | answer=D | explanation=SI = PRT/100 = 33365×15×3/100 = **■**15014.

id=18218 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=36 | option_b=43 | option_c=50 | option_d=44 | answer=B | explanation=The common difference is 7. Therefore the next term is 36 + 7 = 43.

id=18219 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=59 | option_b=69 | option_c=47 | option_d=58 | answer=D | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.

id=18220 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 39? | option_a=21 | option_b=39 | option_c=29 | option_d=13 | answer=B | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 39 is the odd one out.

id=18221 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=18222 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 34, 42, 53? | option_a=34 | option_b=26 | option_c=53 | option_d=42 | answer=C | explanation=The first three numbers increase by 8, so the next should be 50. Therefore 53 is the odd one out.

id=18223 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=J | option_b=V | option_c=N | option_d=R | answer=D | explanation=Move 4 positions forward from N; the resulting letter is R.

id=18224 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=K | option_b=F | option_c=A | option_d=P | answer=A | explanation=Move 5 positions forward from F; the resulting letter is K.

id=18225 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9868 at 12% per annum for 4 years. | option_a=4736 | option_b=4636 | option_c=14604 | option_d=4836 | answer=A | explanation=SI = PRT/100 = 9868×12×4/100 = **■**4736.

id=18226 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28427 at 6% per annum for 1 years. | option_a=30132 | option_b=1805 | option_c=1605 | option_d=1705 | answer=D | explanation=SI = PRT/100 = 28427×6×1/100 = **■**1705.

id=18227 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=85 | option_c=180 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=18228 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:12 and the first is 190, what is the second? | option_a=238 | option_b=418 | option_c=216 | option_d=228 | answer=D | explanation=Scale factor = 190/10 = 19. Therefore second quantity = 12×19 = 228.

id=18229 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=80 | option_d=150 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=18230 | topic=Percentages | difficulty=Easy | question=What is 25% of 399? | option_a=99 | option_b=198 | option_c=119 | option_d=79 | answer=A | explanation=25% of 399 = (25/100) × 399 = 99.

id=18231 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=18232 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3081. If it is sold at a profit of 5%, what is its selling price? | option_a=2927 | option_b=3543 | option_c=3235 | option_d=3086 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3081 × 105/100 = **■**3235.

id=18233 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=75 | option_c=70 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=18234 | topic=Percentages | difficulty=Easy | question=What is 25% of 624? | option_a=312 | option_b=156 | option_c=136 | option_d=176 | answer=B | explanation=25% of 624 = (25/100) × 624 = 156.

id=18235 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 6. | option_a=36 | option_b=56 | option_c=42 | option_d=84 | answer=C | explanation=LCM × HCF = 14×6; HCF(14,6) = 2, so LCM = 42.

id=18236 | topic=Percentages | difficulty=Easy | question=What is 25% of 186? | option_a=56 | option_b=92 | option_c=36 | option_d=46 | answer=D | explanation=25% of 186 = (25/100) × 186 = 46.

id=18237 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:1 and the first is 100, what is the second? | option_a=20 | option_b=10 | option_c=9 | option_d=110 | answer=B | explanation=Scale factor = 100/10 = 10. Therefore second quantity = 1×10 = 10.

id=18238 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=52 | option_b=51 | option_c=42 | option_d=60 | answer=B | explanation=The common difference is 9. Therefore the next term is 42 + 9 = 51.

id=18239 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:2 and the first is 56, what is the second? | option_a=28 | option_b=26 | option_c=84 | option_d=32 | answer=A | explanation=Scale factor = 56/4 = 14. Therefore second quantity = 2×14 = 28.

id=18240 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=32 | option_b=20 | option_c=26 | option_d=27 | answer=C | explanation=The common difference is 6. Therefore the next term is 20 + 6 = 26.

Aptitude Questions — Records 18,241-18,270 of 100,000

id=18241 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 15, 22, 29, ? | option_a=36 | option_b=37 | option_c=43 | option_d=29 | answer=A | explanation=The common difference is 7. Therefore the next term is $29 + 7 = 36$.

id=18242 | topic=Averages | difficulty=Easy | question=Find the average of 17, 53, 17, 41. | option_a=34 | option_b=33 | option_c=31 | option_d=32 | answer=D | explanation=Average = sum of values ÷ number of values = $128 \div 4 = 32$.

id=18243 | topic=Percentages | difficulty=Easy | question=What is 30% of 154? | option_a=66 | option_b=46 | option_c=41 | option_d=92 | answer=B | explanation= 30% of $154 = (30/100) \times 154 = 46$.

id=18244 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1408 at 12% per annum for 1 years. | option_a=168 | option_b=268 | option_c=68 | option_d=1576 | answer=A | explanation=SI = $PRT/100 = 1408 \times 12 \times 1/100 = \text{■}168$.

id=18245 | topic=Averages | difficulty=Easy | question=Find the average of 93, 24, 61, 92, 71, 67. | option_a=70 | option_b=69 | option_c=68 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = $408 \div 6 = 68$.

id=18246 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 24. | option_a=1 | option_b=72 | option_c=24 | option_d=27 | answer=C | explanation= $LCM \times HCF = 3 \times 24$; $HCF(3,24) = 3$, so $LCM = 24$.

id=18247 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=18248 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=20 | option_b=24 | option_c=28 | option_d=25 | answer=B | explanation=The common difference is 4. Therefore the next term is $20 + 4 = 24$.

id=18249 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 18, 25, 34? | option_a=34 | option_b=11 | option_c=25 | option_d=18 | answer=A | explanation=The first three numbers increase by 7, so the next should be 32. Therefore 34 is the odd one out.

id=18250 | topic=Averages | difficulty=Easy | question=Find the average of 13, 53, 47, 94, 63. | option_a=55 | option_b=53 | option_c=54 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = $270 \div 5 = 54$.

id=18251 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 24? | option_a=24 | option_b=20 | option_c=18 | option_d=16 | answer=A | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 24 is the odd one out.

id=18252 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=L | option_c=X | option_d=P | answer=A | explanation=Move 4 positions forward from P; the resulting letter is T.

id=18253 | topic=Percentages | difficulty=Easy | question=What is 10% of 446? | option_a=34 | option_b=64 | option_c=44 | option_d=88 | answer=C | explanation= 10% of $446 = (10/100) \times 446 = 44$.

id=18254 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=18255 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=11 | option_c=12 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = $60 \div 10 = 6$ km/h.

id=18256 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=25 | option_b=31 | option_c=37 | option_d=32 | answer=B | explanation=The common difference is 6. Therefore the next term is $25 + 6 = 31$.

id=18257 | topic=Percentages | difficulty=Easy | question=What is 40% of 1253? | option_a=496 | option_b=1002 | option_c=521 | option_d=501 | answer=D | explanation= 40% of $1253 = (40/100) \times 1253 = 501$.

id=18258 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=57 | option_b=47 | option_c=37 | option_d=48 | answer=B | explanation=The common difference is 10. Therefore the next term is $37 + 10 = 47$.

id=18259 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29968 at 12% per annum for 1 years. | option_a=33564 | option_b=3696 | option_c=3496 | option_d=3596 | answer=D | explanation=SI = $PRT/100 = 29968 \times 12 \times 1/100 = \text{■}3596$.

id=18260 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:15 and the first is 21, what is the second? | option_a=90 | option_b=108 | option_c=105 | option_d=126 | answer=C | explanation=Scale factor = $21/3 = 7$. Therefore second quantity = $15 \times 7 = 105$.

id=18261 | topic=Percentages | difficulty=Easy | question=What is 5% of 915? | option_a=65 | option_b=45 | option_c=90 | option_d=25 | answer=B | explanation= 5% of $915 = (5/100) \times 915 = 45$.

id=18262 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = $360 \div 6 = 60$ km/h.

id=18263 | topic=Averages | difficulty=Easy | question=Find the average of 46, 62, 60, 69, 100, 80, 64, 40, 22, 37. | option_a=60 | option_b=59 | option_c=57 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = $580 \div 10 = 58$.

id=18264 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 29, 38, 49? | option_a=49 | option_b=29 | option_c=20 | option_d=38 | answer=A | explanation=The first three numbers increase by 9, so the next should be 47. Therefore 49 is the odd one out.

id=18265 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 9. | option_a=1 | option_b=18 | option_c=81 | option_d=9 | answer=D | explanation= $LCM \times HCF = 9 \times 9$; $HCF(9,9) = 9$, so $LCM = 9$.

id=18266 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 29? | option_a=16 | option_b=22 | option_c=10 | option_d=29 | answer=D | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 29 is the odd one out.

id=18267 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2072. If it is sold at a profit of 5%, what is its selling price? | option_a=2175 | option_b=1968 | option_c=2382 | option_d=2077 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2072 \times 105/100 = \text{■}2175$.

id=18268 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1264. If it is sold at a profit of 10%, what is its selling price? | option_a=1274 | option_b=1516 | option_c=1390 | option_d=1264 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1264 \times 110/100 = \text{■}1390$.

id=18269 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=24 | option_b=22 | option_c=25 | option_d=26 | answer=A | explanation=The common difference is 2. Therefore the next term is $22 + 2 = 24$.

id=18270 | topic=Percentages | difficulty=Easy | question=What is 15% of 264? | option_a=39 | option_b=49 | option_c=78 | option_d=34 | answer=A | explanation= 15% of $264 = (15/100) \times 264 = 39$.

Aptitude Questions — Records 18,271-18,300 of 100,000

id=18271 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=K | option_b=A | option_c=P | option_d=F | answer=A | explanation=Move 5 positions forward from F; the resulting letter is K.

id=18272 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=80 | option_c=150 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=18273 | topic=Averages | difficulty=Easy | question=Find the average of 31, 83, 27. | option_a=47 | option_b=46 | option_c=48 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 141 ÷ 3 = 47.

id=18274 | topic=Profit & Loss | difficulty=Easy | question=An article costs █190. If it is sold at a profit of 5%, what is its selling price? | option_a=180 | option_b=199 | option_c=195 | option_d=218 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 190 × 105/100 = █199.

id=18275 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=N | option_b=I | option_c=D | option_d=S | answer=A | explanation=Move 5 positions forward from I; the resulting letter is N.

id=18276 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:12 and the first is 182, what is the second? | option_a=350 | option_b=181 | option_c=168 | option_d=156 | answer=C | explanation=Scale factor = 182/13 = 14. Therefore second quantity = 12×14 = 168.

id=18277 | topic=Profit & Loss | difficulty=Easy | question=An article costs █285. If it is sold at a profit of 50%, what is its selling price? | option_a=455 | option_b=427 | option_c=335 | option_d=399 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 285 × 150/100 = █427.

id=18278 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:8 and the first is 120, what is the second? | option_a=96 | option_b=106 | option_c=216 | option_d=88 | answer=A | explanation=Scale factor = 120/10 = 12. Therefore second quantity = 8×12 = 96.

id=18279 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 14. | option_a=56 | option_b=28 | option_c=32 | option_d=14 | answer=B | explanation=LCM × HCF = 4×14; HCF(4,14) = 2, so LCM = 28.

id=18280 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 22, 26, 33? | option_a=22 | option_b=18 | option_c=26 | option_d=33 | answer=D | explanation=The first three numbers increase by 4, so the next should be 30. Therefore 33 is the odd one out.

id=18281 | topic=Averages | difficulty=Easy | question=Find the average of 24, 63, 59, 25, 19, 20. | option_a=36 | option_b=34 | option_c=37 | option_d=35 | answer=D | explanation=Average = sum of values ÷ number of values = 210 ÷ 6 = 35.

id=18282 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 10, 14, 20? | option_a=10 | option_b=20 | option_c=6 | option_d=14 | answer=B | explanation=The first three numbers increase by 4, so the next should be 18. Therefore 20 is the odd one out.

id=18283 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=18284 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=18285 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=N | option_b=T | option_c=R | option_d=P | answer=C | explanation=Move 2 positions forward from P; the resulting letter is R.

id=18286 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=18287 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=46 | option_b=40 | option_c=32 | option_d=39 | answer=D | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.

id=18288 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=18289 | topic=Averages | difficulty=Easy | question=Find the average of 51, 89, 79, 80, 82, 75. | option_a=75 | option_b=76 | option_c=78 | option_d=77 | answer=B | explanation=Average = sum of values ÷ number of values = 456 ÷ 6 = 76.

id=18290 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 44? | option_a=13 | option_b=23 | option_c=33 | option_d=44 | answer=D | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 44 is the odd one out.

id=18291 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:15 and the first is 320, what is the second? | option_a=316 | option_b=285 | option_c=300 | option_d=620 | answer=C | explanation=Scale factor = 320/16 = 20. Therefore second quantity = 15×20 = 300.

id=18292 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 22? | option_a=3 | option_b=15 | option_c=9 | option_d=22 | answer=D | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 22 is the odd one out.

id=18293 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34040 at 8% per annum for 3 years. | option_a=8069 | option_b=42209 | option_c=8169 | option_d=8269 | answer=C | explanation=SI = PRT/100 = 34040×8×3/100 = █8169.

id=18294 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 35? | option_a=35 | option_b=24 | option_c=16 | option_d=8 | answer=A | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 35 is the odd one out.

id=18295 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3763. If it is sold at a profit of 30%, what is its selling price? | option_a=5267 | option_b=4515 | option_c=4891 | option_d=3793 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3763 × 130/100 = █4891.

id=18296 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9999 at 5% per annum for 3 years. | option_a=1499 | option_b=11498 | option_c=1399 | option_d=1599 | answer=A | explanation=SI = PRT/100 = 9999×5×3/100 = █1499.

id=18297 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=N | option_c=R | option_d=T | answer=C | explanation=Move 2 positions forward from P; the resulting letter is R.

id=18298 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2420. If it is sold at a profit of 10%, what is its selling price? | option_a=2904 | option_b=2430 | option_c=2662 | option_d=2420 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2420 × 110/100 = █2662.

id=18299 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 34, 39, 46? | option_a=39 | option_b=46 | option_c=34 | option_d=29 | answer=B | explanation=The first three numbers increase by 5, so the next should be 44. Therefore 46 is the odd one out.

id=18300 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3207. If it is sold at a profit of 50%, what is its selling price? | option_a=4490 | option_b=5130 | option_c=3257 | option_d=4810 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3207 × 150/100 = █4810.

Aptitude Questions — Records 18,301-18,330 of 100,000

id=18301 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=55 | option_b=64 | option_c=54 | option_d=44 | answer=C | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=18302 | topic=Averages | difficulty=Easy | question=Find the average of 82, 47, 47, 57, 12, 68, 17, 18, 48. | option_a=46 | option_b=44 | option_c=45 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = 396 ÷ 9 = 44.

id=18303 | topic=Percentages | difficulty=Easy | question=What is 12% of 1306? | option_a=176 | option_b=156 | option_c=312 | option_d=146 | answer=B | explanation=12% of 1306 = (12/100) × 1306 = 156.

id=18304 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:4 and the first is 266, what is the second? | option_a=342 | option_b=76 | option_c=72 | option_d=90 | answer=B | explanation=Scale factor = 266/14 = 19. Therefore second quantity = 4×19 = 76.

id=18305 | topic=Percentages | difficulty=Easy | question=What is 30% of 1558? | option_a=934 | option_b=467 | option_c=487 | option_d=462 | answer=B | explanation=30% of 1558 = (30/100) × 1558 = 467.

id=18306 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:17 and the first is 8, what is the second? | option_a=136 | option_b=137 | option_c=144 | option_d=119 | answer=A | explanation=Scale factor = 8/1 = 8. Therefore second quantity = 17×8 = 136.

id=18307 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=50 | option_c=100 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=18308 | topic=Averages | difficulty=Easy | question=Find the average of 53, 87, 73, 28, 63, 52, 29. | option_a=54 | option_b=55 | option_c=57 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 385 ÷ 7 = 55.

id=18309 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=55 | option_b=56 | option_c=67 | option_d=43 | answer=A | explanation=The common difference is 12. Therefore the next term is 43 + 12 = 55.

id=18310 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=17 | option_b=20 | option_c=23 | option_d=21 | answer=B | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=18311 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 11, 14, 18? | option_a=8 | option_b=11 | option_c=18 | option_d=14 | answer=C | explanation=The first three numbers increase by 3, so the next should be 17. Therefore 18 is the odd one out.

id=18312 | topic=Percentages | difficulty=Easy | question=What is 40% of 1329? | option_a=541 | option_b=531 | option_c=526 | option_d=1062 | answer=B | explanation=40% of 1329 = (40/100) × 1329 = 531.

id=18313 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:15 and the first is 120, what is the second? | option_a=306 | option_b=420 | option_c=285 | option_d=300 | answer=D | explanation=Scale factor = 120/6 = 20. Therefore second quantity = 15×20 = 300.

id=18314 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=L | option_b=J | option_c=M | option_d=K | answer=A | explanation=Move 1 positions forward from K; the resulting letter is L.

id=18315 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=R | option_c=P | option_d=T | answer=D | explanation=Move 2 positions forward from R; the resulting letter is T.

id=18316 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=72 | option_c=36 | option_d=41 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=18317 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=P | option_c=A | option_d=K | answer=D | explanation=Move 5 positions forward from F; the resulting letter is K.

id=18318 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 18, 22, 27? | option_a=22 | option_b=14 | option_c=27 | option_d=18 | answer=C | explanation=The first three numbers increase by 4, so the next should be 26. Therefore 27 is the odd one out.

id=18319 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 16, 19, 23? | option_a=13 | option_b=19 | option_c=23 | option_d=16 | answer=C | explanation=The first three numbers increase by 3, so the next should be 22. Therefore 23 is the odd one out.

id=18320 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2470. If it is sold at a profit of 40%, what is its selling price? | option_a=3211 | option_b=3705 | option_c=3458 | option_d=2510 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2470 × 140/100 = █3458.

id=18321 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:9 and the first is 56, what is the second? | option_a=119 | option_b=63 | option_c=71 | option_d=54 | answer=B | explanation=Scale factor = 56/8 = 7. Therefore second quantity = 9×7 = 63.

id=18322 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2944. If it is sold at a profit of 15%, what is its selling price? | option_a=3385 | option_b=3679 | option_c=3091 | option_d=2959 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2944 × 115/100 = █3385.

id=18323 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 9, 14, 20? | option_a=20 | option_b=14 | option_c=9 | option_d=4 | answer=A | explanation=The first three numbers increase by 5, so the next should be 19. Therefore 20 is the odd one out.

id=18324 | topic=Averages | difficulty=Easy | question=Find the average of 95, 17, 13, 27. | option_a=38 | option_b=39 | option_c=37 | option_d=40 | answer=A | explanation=Average = sum of values ÷ number of values = 152 ÷ 4 = 38.

id=18325 | topic=Percentages | difficulty=Easy | question=What is 50% of 268? | option_a=124 | option_b=134 | option_c=268 | option_d=144 | answer=B | explanation=50% of 268 = (50/100) × 268 = 134.

id=18326 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=18327 | topic=Percentages | difficulty=Easy | question=What is 12% of 702? | option_a=94 | option_b=84 | option_c=168 | option_d=64 | answer=B | explanation=12% of 702 = (12/100) × 702 = 84.

id=18328 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=18329 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1081. If it is sold at a profit of 50%, what is its selling price? | option_a=1131 | option_b=1729 | option_c=1621 | option_d=1513 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1081 × 150/100 = █1621.

id=18330 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36163 at 15% per annum for 2 years. | option_a=10748 | option_b=47011 | option_c=10848 | option_d=10948 | answer=C | explanation=SI = PRT/100 = 36163×15×2/100 = █10848.

Aptitude Questions — Records 18,331-18,360 of 100,000

id=18331 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2697. If it is sold at a profit of 10%, what is its selling price? | option_a=2966 | option_b=3235 | option_c=2697 | option_d=2707 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2697 \times 110/100 = \text{■}2966$.

id=18332 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=18333 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1452. If it is sold at a profit of 30%, what is its selling price? | option_a=1742 | option_b=1482 | option_c=2032 | option_d=1887 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1452 \times 130/100 = \text{■}1887$.

id=18334 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:18 and the first is 42, what is the second? | option_a=108 | option_b=150 | option_c=90 | option_d=115 | answer=A | explanation=Scale factor = $42/7 = 6$. Therefore second quantity = $18 \times 6 = 108$.

id=18335 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=P | option_b=V | option_c=T | option_d=R | answer=C | explanation=Move 2 positions forward from R; the resulting letter is T.

id=18336 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=V | option_b=R | option_c=J | option_d=N | answer=B | explanation=Move 4 positions forward from N; the resulting letter is R.

id=18337 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:9 and the first is 170, what is the second? | option_a=107 | option_b=90 | option_c=260 | option_d=81 | answer=B | explanation=Scale factor = $170/17 = 10$. Therefore second quantity = $9 \times 10 = 90$.

id=18338 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=65 | option_d=60 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 240 \div 4 = 60$ km/h.

id=18339 | topic=Averages | difficulty=Easy | question=Find the average of 17, 82, 44, 18, 19. | option_a=35 | option_b=36 | option_c=37 | option_d=38 | answer=B | explanation=Average = $\text{sum of values} \div \text{number of values} = 180 \div 5 = 36$.

id=18340 | topic=Averages | difficulty=Easy | question=Find the average of 17, 86, 17, 75, 100. | option_a=60 | option_b=59 | option_c=58 | option_d=61 | answer=B | explanation=Average = $\text{sum of values} \div \text{number of values} = 295 \div 5 = 59$.

id=18341 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 12. | option_a=312 | option_b=144 | option_c=182 | option_d=156 | answer=D | explanation= $LCM \times HCF = 26 \times 12$; $HCF(26,12) = 2$, so $LCM = 156$.

id=18342 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=Y | option_c=O | option_d=D | answer=B | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=18343 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=65 | option_d=60 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 120 \div 2 = 60$ km/h.

id=18344 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3902. If it is sold at a profit of 50%, what is its selling price? | option_a=5853 | option_b=5463 | option_c=6243 | option_d=3952 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3902 \times 150/100 = \text{■}5853$.

id=18345 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 33, 39, 46? | option_a=39 | option_b=46 | option_c=27 | option_d=33 | answer=B | explanation=The first three numbers increase by 6, so the next should be 45. Therefore 46 is the odd one out.

id=18346 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 25, 30, 36? | option_a=25 | option_b=30 | option_c=36 | option_d=20 | answer=C | explanation=The first three numbers increase by 5, so the next should be 35. Therefore 36 is the odd one out.

id=18347 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3836. If it is sold at a profit of 20%, what is its selling price? | option_a=4603 | option_b=3856 | option_c=4220 | option_d=4986 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3836 \times 120/100 = \text{■}4603$.

id=18348 | topic=Percentages | difficulty=Easy | question=What is 30% of 1656? | option_a=476 | option_b=506 | option_c=992 | option_d=496 | answer=D | explanation= $30\% \text{ of } 1656 = (30/100) \times 1656 = 496$.

id=18349 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:5 and the first is 9, what is the second? | option_a=46 | option_b=54 | option_c=40 | option_d=45 | answer=D | explanation=Scale factor = $9/1 = 9$. Therefore second quantity = $5 \times 9 = 45$.

id=18350 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 10, 16, 25? | option_a=25 | option_b=16 | option_c=4 | option_d=10 | answer=A | explanation=The first three numbers increase by 6, so the next should be 22. Therefore 25 is the odd one out.

id=18351 | topic=Percentages | difficulty=Easy | question=What is 10% of 1314? | option_a=131 | option_b=136 | option_c=262 | option_d=111 | answer=A | explanation= $10\% \text{ of } 1314 = (10/100) \times 1314 = 131$.

id=18352 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 26, 35, 46? | option_a=17 | option_b=26 | option_c=35 | option_d=46 | answer=D | explanation=The first three numbers increase by 9, so the next should be 44. Therefore 46 is the odd one out.

id=18353 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1902. If it is sold at a profit of 50%, what is its selling price? | option_a=1952 | option_b=3043 | option_c=2853 | option_d=2663 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1902 \times 150/100 = \text{■}2853$.

id=18354 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=180 | option_c=85 | option_d=90 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 180 \div 2 = 90$ km/h.

id=18355 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=29 | option_c=19 | option_d=48 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 120 \div 5 = 24$ km/h.

id=18356 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40237 at 4% per annum for 2 years. | option_a=3118 | option_b=3318 | option_c=3218 | option_d=43455 | answer=C | explanation= $SI = \text{PRT}/100 = 40237 \times 4 \times 2/100 = \text{■}3218$.

id=18357 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15220 at 6% per annum for 2 years. | option_a=1826 | option_b=1726 | option_c=1926 | option_d=17046 | answer=A | explanation= $SI = \text{PRT}/100 = 15220 \times 6 \times 2/100 = \text{■}1826$.

id=18358 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:5 and the first is 32, what is the second? | option_a=44 | option_b=40 | option_c=35 | option_d=72 | answer=B | explanation=Scale factor = $32/4 = 8$. Therefore second quantity = $5 \times 8 = 40$.

id=18359 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46220 at 10% per annum for 5 years. | option_a=23010 | option_b=23110 | option_c=23210 | option_d=69330 | answer=B | explanation= $SI = \text{PRT}/100 = 46220 \times 10 \times 5/100 = \text{■}23110$.

id=18360 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=G | option_b=B | option_c=L | option_d=W | answer=A | explanation=Move 5 positions forward from B; the resulting letter is G.

Aptitude Questions — Records 18,361-18,390 of 100,000

id=18361 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=41 | option_c=36 | option_d=72 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=18362 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=W | option_b=K | option_c=O | option_d=S | answer=D | explanation=Move 4 positions forward from O; the resulting letter is S.

id=18363 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 27. | option_a=27 | option_b=1 | option_c=30 | option_d=81 | answer=A | explanation=LCM × HCF = 3×27; HCF(3,27) = 3, so LCM = 27.

id=18364 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 25, 27, 31? | option_a=25 | option_b=23 | option_c=31 | option_d=27 | answer=C | explanation=The first three numbers increase by 2, so the next should be 29. Therefore 31 is the odd one out.

id=18365 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:6 and the first is 120, what is the second? | option_a=72 | option_b=180 | option_c=54 | option_d=60 | answer=D | explanation=Scale factor = 120/12 = 10. Therefore second quantity = 6×10 = 60.

id=18366 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=18367 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17033 at 12% per annum for 5 years. | option_a=10219 | option_b=27252 | option_c=10319 | option_d=10119 | answer=A | explanation=SI = PRT/100 = 17033×12×5/100 = **■**10219.

id=18368 | topic=Averages | difficulty=Easy | question=Find the average of 43, 32, 78, 71, 21. | option_a=48 | option_b=50 | option_c=49 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 245 ÷ 5 = 49.

id=18369 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36714 at 10% per annum for 2 years. | option_a=7442 | option_b=44056 | option_c=7342 | option_d=7242 | answer=C | explanation=SI = PRT/100 = 36714×10×2/100 = **■**7342.

id=18370 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**469. If it is sold at a profit of 40%, what is its selling price? | option_a=509 | option_b=702 | option_c=610 | option_d=656 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 469 × 140/100 = **■**656.

id=18371 | topic=Percentages | difficulty=Easy | question=What is 15% of 1351? | option_a=202 | option_b=404 | option_c=192 | option_d=212 | answer=A | explanation=15% of 1351 = (15/100) × 1351 = 202.

id=18372 | topic=Percentages | difficulty=Easy | question=What is 12% of 1483? | option_a=187 | option_b=354 | option_c=177 | option_d=157 | answer=C | explanation=12% of 1483 = (12/100) × 1483 = 177.

id=18373 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=160 | option_c=80 | option_d=75 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=18374 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4258. If it is sold at a profit of 15%, what is its selling price? | option_a=4273 | option_b=4471 | option_c=4896 | option_d=5321 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4258 × 115/100 = **■**4896.

id=18375 | topic=Averages | difficulty=Easy | question=Find the average of 81, 99, 95, 29, 75, 78, 72, 86, 60. | option_a=76 | option_b=77 | option_c=74 | option_d=75 | answer=D | explanation=Average = sum of values ÷ number of values = 675 ÷ 9 = 75.

id=18376 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=L | option_c=H | option_d=N | answer=B | explanation=Move 2 positions forward from J; the resulting letter is L.

id=18377 | topic=Averages | difficulty=Easy | question=Find the average of 62, 85, 22, 67, 100, 97, 65, 75, 93, 74. | option_a=73 | option_b=76 | option_c=74 | option_d=75 | answer=C | explanation=Average = sum of values ÷ number of values = 740 ÷ 10 = 74.

id=18378 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=18379 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=18380 | topic=Averages | difficulty=Easy | question=Find the average of 34, 96, 10, 69, 11, 14. | option_a=40 | option_b=41 | option_c=39 | option_d=38 | answer=C | explanation=Average = sum of values ÷ number of values = 234 ÷ 6 = 39.

id=18381 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:15 and the first is 256, what is the second? | option_a=225 | option_b=496 | option_c=240 | option_d=256 | answer=C | explanation=Scale factor = 256/16 = 16. Therefore second quantity = 15×16 = 240.

id=18382 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 12, 15, 18, ? | option_a=18 | option_b=24 | option_c=22 | option_d=21 | answer=D | explanation=The common difference is 3. Therefore the next term is 18 + 3 = 21.

id=18383 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 28. | option_a=56 | option_b=64 | option_c=28 | option_d=224 | answer=A | explanation=LCM × HCF = 8×28; HCF(8,28) = 4, so LCM = 56.

id=18384 | topic=Averages | difficulty=Easy | question=Find the average of 100, 42, 82, 12. | option_a=58 | option_b=59 | option_c=61 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 236 ÷ 4 = 59.

id=18385 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4188. If it is sold at a profit of 15%, what is its selling price? | option_a=4203 | option_b=4398 | option_c=4816 | option_d=5234 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4188 × 115/100 = **■**4816.

id=18386 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46961 at 10% per annum for 5 years. | option_a=23580 | option_b=23480 | option_c=23380 | option_d=70441 | answer=B | explanation=SI = PRT/100 = 46961×10×5/100 = **■**23480.

id=18387 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=33 | option_b=43 | option_c=51 | option_d=42 | answer=D | explanation=The common difference is 9. Therefore the next term is 33 + 9 = 42.

id=18388 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=18389 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=33 | option_b=32 | option_c=25 | option_d=39 | answer=B | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.

id=18390 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

Aptitude Questions — Records 18,391-18,420 of 100,000

id=18391 | topic=Percentages | difficulty=Easy | question=What is 30% of 1529? | option_a=458 | option_b=448 | option_c=916 | option_d=478 | answer=A | explanation=30% of 1529 = (30/100) × 1529 = 458.

id=18392 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=12 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=18393 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:12 and the first is 16, what is the second? | option_a=193 | option_b=192 | option_c=180 | option_d=208 | answer=B | explanation=Scale factor = 16/1 = 16. Therefore second quantity = 12×16 = 192.

id=18394 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■5017 at 10% per annum for 2 years. | option_a=903 | option_b=6020 | option_c=1003 | option_d=1103 | answer=C | explanation=SI = PRT/100 = 5017×10×2/100 = ■1003.

id=18395 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=18396 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 28. | option_a=30 | option_b=1 | option_c=56 | option_d=28 | answer=D | explanation=LCM × HCF = 2×28; HCF(2,28) = 2, so LCM = 28.

id=18397 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=Z | option_c=L | option_d=D | answer=A | explanation=Move 4 positions forward from D; the resulting letter is H.

id=18398 | topic=Percentages | difficulty=Easy | question=What is 40% of 1343? | option_a=547 | option_b=527 | option_c=537 | option_d=1074 | answer=C | explanation=40% of 1343 = (40/100) × 1343 = 537.

id=18399 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=18400 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1321. If it is sold at a profit of 5%, what is its selling price? | option_a=1387 | option_b=1255 | option_c=1519 | option_d=1326 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1321 × 105/100 = ■1387.

id=18401 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=18402 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 13, 21, 32? | option_a=13 | option_b=32 | option_c=21 | option_d=5 | answer=B | explanation=The first three numbers increase by 8, so the next should be 29. Therefore 32 is the odd one out.

id=18403 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=18404 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1476. If it is sold at a profit of 50%, what is its selling price? | option_a=2214 | option_b=2067 | option_c=2361 | option_d=1526 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1476 × 150/100 = ■2214.

id=18405 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 16, 19, 25? | option_a=19 | option_b=13 | option_c=16 | option_d=25 | answer=D | explanation=The first three numbers increase by 3, so the next should be 22. Therefore 25 is the odd one out.

id=18406 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 15. | option_a=90 | option_b=315 | option_c=126 | option_d=105 | answer=D | explanation=LCM × HCF = 21×15; HCF(21,15) = 3, so LCM = 105.

id=18407 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:7 and the first is 39, what is the second? | option_a=94 | option_b=84 | option_c=91 | option_d=130 | answer=C | explanation=Scale factor = 39/3 = 13. Therefore second quantity = 7×13 = 91.

id=18408 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=33 | option_b=37 | option_c=34 | option_d=29 | answer=A | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=18409 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=23 | option_b=27 | option_c=25 | option_d=26 | answer=C | explanation=The common difference is 2. Therefore the next term is 23 + 2 = 25.

id=18410 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 8. | option_a=160 | option_b=40 | option_c=32 | option_d=60 | answer=B | explanation=LCM × HCF = 20×8; HCF(20,8) = 4, so LCM = 40.

id=18411 | topic=Percentages | difficulty=Easy | question=What is 40% of 1582? | option_a=642 | option_b=1264 | option_c=627 | option_d=632 | answer=D | explanation=40% of 1582 = (40/100) × 1582 = 632.

id=18412 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:13 and the first is 38, what is the second? | option_a=13 | option_b=26 | option_c=45 | option_d=64 | answer=B | explanation=Scale factor = 38/19 = 2. Therefore second quantity = 13×2 = 26.

id=18413 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=38 | option_b=33 | option_c=32 | option_d=26 | answer=C | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=18414 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=A | option_b=G | option_c=D | option_d=J | answer=B | explanation=Move 3 positions forward from D; the resulting letter is G.

id=18415 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 8. | option_a=8 | option_b=64 | option_c=16 | option_d=1 | answer=A | explanation=LCM × HCF = 8×8; HCF(8,8) = 8, so LCM = 8.

id=18416 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=18417 | topic=Percentages | difficulty=Easy | question=What is 12% of 1646? | option_a=394 | option_b=197 | option_c=217 | option_d=192 | answer=B | explanation=12% of 1646 = (12/100) × 1646 = 197.

id=18418 | topic=Averages | difficulty=Easy | question=Find the average of 52, 25, 66, 34, 23. | option_a=40 | option_b=39 | option_c=42 | option_d=41 | answer=A | explanation=Average = sum of values ÷ number of values = 200 ÷ 5 = 40.

id=18419 | topic=Percentages | difficulty=Easy | question=What is 25% of 596? | option_a=129 | option_b=298 | option_c=154 | option_d=149 | answer=D | explanation=25% of 596 = (25/100) × 596 = 149.

id=18420 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=V | option_b=A | option_c=F | option_d=K | answer=C | explanation=Move 5 positions forward from A; the resulting letter is F.

Aptitude Questions — Records 18,421-18,450 of 100,000

id=18421 | topic=Percentages | difficulty=Easy | question=What is 12% of 1702? | option_a=224 | option_b=204 | option_c=184 | option_d=408 | answer=B | explanation=12% of 1702 = (12/100) × 1702 = 204.

id=18422 | topic=Averages | difficulty=Easy | question=Find the average of 61, 58, 87, 86. | option_a=75 | option_b=73 | option_c=74 | option_d=72 | answer=B | explanation=Average = sum of values ÷ number of values = 292 ÷ 4 = 73.

id=18423 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=R | option_b=I | option_c=L | option_d=O | answer=D | explanation=Move 3 positions forward from L; the resulting letter is O.

id=18424 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=63 | option_b=53 | option_c=54 | option_d=43 | answer=B | explanation=The common difference is 10. Therefore the next term is 43 + 10 = 53.

id=18425 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=19 | option_c=48 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=18426 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=18427 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1280. If it is sold at a profit of 40%, what is its selling price? | option_a=1920 | option_b=1664 | option_c=1320 | option_d=1792 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1280 × 140/100 = █1792.

id=18428 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=U | option_b=K | option_c=P | option_d=F | answer=C | explanation=Move 5 positions forward from K; the resulting letter is P.

id=18429 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 16, 21, 29? | option_a=21 | option_b=29 | option_c=11 | option_d=16 | answer=B | explanation=The first three numbers increase by 5, so the next should be 26. Therefore 29 is the odd one out.

id=18430 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=46 | option_b=59 | option_c=58 | option_d=70 | answer=C | explanation=The common difference is 12. Therefore the next term is 46 + 12 = 58.

id=18431 | topic=Averages | difficulty=Easy | question=Find the average of 34, 78, 50, 41, 29, 68. | option_a=50 | option_b=51 | option_c=52 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 300 ÷ 6 = 50.

id=18432 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=45 | option_c=35 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=18433 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 39, 48, 59? | option_a=48 | option_b=30 | option_c=59 | option_d=39 | answer=C | explanation=The first three numbers increase by 9, so the next should be 57. Therefore 59 is the odd one out.

id=18434 | topic=Percentages | difficulty=Easy | question=What is 10% of 170? | option_a=17 | option_b=34 | option_c=22 | option_d=12 | answer=A | explanation=10% of 170 = (10/100) × 170 = 17.

id=18435 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 61? | option_a=61 | option_b=40 | option_c=30 | option_d=50 | answer=A | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 61 is the odd one out.

id=18436 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=80 | option_d=150 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=18437 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 12. | option_a=48 | option_b=75 | option_c=60 | option_d=180 | answer=C | explanation=LCM × HCF = 15×12; HCF(15,12) = 3, so LCM = 60.

id=18438 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=53 | option_b=64 | option_c=54 | option_d=42 | answer=A | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.

id=18439 | topic=Profit & Loss | difficulty=Easy | question=An article costs █366. If it is sold at a profit of 20%, what is its selling price? | option_a=403 | option_b=439 | option_c=475 | option_d=386 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 366 × 120/100 = █439.

id=18440 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46927 at 15% per annum for 3 years. | option_a=21217 | option_b=21017 | option_c=21117 | option_d=68044 | answer=C | explanation=SI = PRT/100 = 46927×15×3/100 = █21117.

id=18441 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:13 and the first is 255, what is the second? | option_a=450 | option_b=182 | option_c=212 | option_d=195 | answer=D | explanation=Scale factor = 255/17 = 15. Therefore second quantity = 13×15 = 195.

id=18442 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 10, 16, 24? | option_a=10 | option_b=16 | option_c=4 | option_d=24 | answer=D | explanation=The first three numbers increase by 6, so the next should be 22. Therefore 24 is the odd one out.

id=18443 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=36 | option_c=18 | option_d=13 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=18444 | topic=Averages | difficulty=Easy | question=Find the average of 77, 55, 66. | option_a=66 | option_b=65 | option_c=68 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = 198 ÷ 3 = 66.

id=18445 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:5 and the first is 102, what is the second? | option_a=25 | option_b=132 | option_c=30 | option_d=47 | answer=C | explanation=Scale factor = 102/17 = 6. Therefore second quantity = 5×6 = 30.

id=18446 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=E | option_b=U | option_c=Z | option_d=P | answer=C | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=18447 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1289. If it is sold at a profit of 25%, what is its selling price? | option_a=1314 | option_b=1611 | option_c=1483 | option_d=1739 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1289 × 125/100 = █1611.

id=18448 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2886. If it is sold at a profit of 20%, what is its selling price? | option_a=3175 | option_b=2906 | option_c=3751 | option_d=3463 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2886 × 120/100 = █3463.

id=18449 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=26 | option_b=32 | option_c=38 | option_d=33 | answer=B | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=18450 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=P | option_c=R | option_d=T | answer=D | explanation=Move 2 positions forward from R; the resulting letter is T.

Aptitude Questions — Records 18,451-18,480 of 100,000

id=18451 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=K | option_c=L | option_d=J | answer=C | explanation=Move 1 positions forward from K; the resulting letter is L.

id=18452 | topic=Averages | difficulty=Easy | question=Find the average of 12, 47, 99, 25, 19, 82, 73. | option_a=50 | option_b=52 | option_c=51 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.

id=18453 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 29, 31, 34? | option_a=34 | option_b=27 | option_c=29 | option_d=31 | answer=A | explanation=The first three numbers increase by 2, so the next should be 33. Therefore 34 is the odd one out.

id=18454 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8592 at 5% per annum for 1 years. | option_a=329 | option_b=529 | option_c=9021 | option_d=429 | answer=D | explanation=SI = $PRT/100 = 8592 \times 5 \times 1/100 = \text{■}429$.

id=18455 | topic=Percentages | difficulty=Easy | question=What is 25% of 801? | option_a=190 | option_b=205 | option_c=400 | option_d=200 | answer=D | explanation=25% of 801 = $(25/100) \times 801 = 200$.

id=18456 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=18457 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 45? | option_a=45 | option_b=26 | option_c=38 | option_d=32 | answer=A | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 45 is the odd one out.

id=18458 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:17 and the first is 360, what is the second? | option_a=700 | option_b=340 | option_c=323 | option_d=358 | answer=B | explanation=Scale factor = 360/18 = 20. Therefore second quantity = 17×20 = 340.

id=18459 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18614 at 6% per annum for 4 years. | option_a=23081 | option_b=4567 | option_c=4467 | option_d=4367 | answer=C | explanation=SI = $PRT/100 = 18614 \times 6 \times 4/100 = \text{■}4467$.

id=18460 | topic=Percentages | difficulty=Easy | question=What is 30% of 620? | option_a=206 | option_b=186 | option_c=372 | option_d=176 | answer=B | explanation=30% of 620 = $(30/100) \times 620 = 186$.

id=18461 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=240 | option_c=125 | option_d=115 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=18462 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=L | option_c=Z | option_d=D | answer=A | explanation=Move 4 positions forward from D; the resulting letter is H.

id=18463 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 18. | option_a=36 | option_b=18 | option_c=1 | option_d=20 | answer=B | explanation=LCM × HCF = 2×18; HCF(2,18) = 2, so LCM = 18.

id=18464 | topic=Averages | difficulty=Easy | question=Find the average of 50, 13, 48. | option_a=36 | option_b=38 | option_c=37 | option_d=39 | answer=C | explanation=Average = sum of values ÷ number of values = 111 ÷ 3 = 37.

id=18465 | topic=Percentages | difficulty=Easy | question=What is 25% of 1669? | option_a=417 | option_b=397 | option_c=437 | option_d=834 | answer=A | explanation=25% of 1669 = $(25/100) \times 1669 = 417$.

id=18466 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33359 at 8% per annum for 4 years. | option_a=10774 | option_b=44033 | option_c=10574 | option_d=10674 | answer=D | explanation=SI = $PRT/100 = 33359 \times 8 \times 4/100 = \text{■}10674$.

id=18467 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=18468 | topic=Percentages | difficulty=Easy | question=What is 15% of 1073? | option_a=160 | option_b=150 | option_c=165 | option_d=320 | answer=A | explanation=15% of 1073 = $(15/100) \times 1073 = 160$.

id=18469 | topic=Percentages | difficulty=Easy | question=What is 20% of 1899? | option_a=374 | option_b=379 | option_c=389 | option_d=758 | answer=B | explanation=20% of 1899 = $(20/100) \times 1899 = 379$.

id=18470 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39727 at 4% per annum for 2 years. | option_a=42905 | option_b=3178 | option_c=3078 | option_d=3278 | answer=B | explanation=SI = $PRT/100 = 39727 \times 4 \times 2/100 = \text{■}3178$.

id=18471 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=18472 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=40 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=18473 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 25. | option_a=250 | option_b=50 | option_c=60 | option_d=25 | answer=B | explanation=LCM × HCF = 10×25; HCF(10,25) = 5, so LCM = 50.

id=18474 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 29? | option_a=13 | option_b=18 | option_c=23 | option_d=29 | answer=D | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 29 is the odd one out.

id=18475 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 37, 44, 54? | option_a=54 | option_b=30 | option_c=44 | option_d=37 | answer=A | explanation=The first three numbers increase by 7, so the next should be 51. Therefore 54 is the odd one out.

id=18476 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 44? | option_a=34 | option_b=44 | option_c=20 | option_d=27 | answer=B | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 44 is the odd one out.

id=18477 | topic=Averages | difficulty=Easy | question=Find the average of 10, 83, 99. | option_a=64 | option_b=65 | option_c=63 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 192 ÷ 3 = 64.

id=18478 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=18479 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=40 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=18480 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=85 | option_c=160 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

Aptitude Questions — Records 18,481-18,510 of 100,000

id=18481 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2605. If it is sold at a profit of 25%, what is its selling price? | option_a=3256 | option_b=2996 | option_c=2630 | option_d=3516 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2605 × 125/100 = ■3256.

id=18482 | topic=Percentages | difficulty=Easy | question=What is 40% of 356? | option_a=132 | option_b=162 | option_c=284 | option_d=142 | answer=D | explanation=40% of 356 = (40/100) × 356 = 142.

id=18483 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:1 and the first is 266, what is the second? | option_a=33 | option_b=13 | option_c=14 | option_d=280 | answer=C | explanation=Scale factor = 266/19 = 14. Therefore second quantity = 1×14 = 14.

id=18484 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4145. If it is sold at a profit of 30%, what is its selling price? | option_a=4974 | option_b=4175 | option_c=5388 | option_d=5802 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4145 × 130/100 = ■5388.

id=18485 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■31727 at 8% per annum for 4 years. | option_a=10052 | option_b=41879 | option_c=10152 | option_d=10252 | answer=C | explanation=SI = PRT/100 = 31727×8×4/100 = ■10152.

id=18486 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=18 | option_b=23 | option_c=22 | option_d=26 | answer=C | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

id=18487 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1444. If it is sold at a profit of 30%, what is its selling price? | option_a=1877 | option_b=1474 | option_c=2021 | option_d=1733 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1444 × 130/100 = ■1877.

id=18488 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■5772 at 10% per annum for 5 years. | option_a=2886 | option_b=8658 | option_c=2786 | option_d=2986 | answer=A | explanation=SI = PRT/100 = 5772×10×5/100 = ■2886.

id=18489 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■7221 at 12% per annum for 1 years. | option_a=966 | option_b=766 | option_c=866 | option_d=8087 | answer=C | explanation=SI = PRT/100 = 7221×12×1/100 = ■866.

id=18490 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2767. If it is sold at a profit of 25%, what is its selling price? | option_a=3734 | option_b=3458 | option_c=3182 | option_d=2792 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2767 × 125/100 = ■3458.

id=18491 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=19 | option_b=18 | option_c=15 | option_d=17 | answer=D | explanation=The common difference is 2. Therefore the next term is 15 + 2 = 17.

id=18492 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■46392 at 12% per annum for 5 years. | option_a=74227 | option_b=27935 | option_c=27735 | option_d=27835 | answer=D | explanation=SI = PRT/100 = 46392×12×5/100 = ■27835.

id=18493 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=65 | option_b=43 | option_c=55 | option_d=54 | answer=D | explanation=The common difference is 11. Therefore the next term is 43 + 11 = 54.

id=18494 | topic=Averages | difficulty=Easy | question=Find the average of 82, 40, 49. | option_a=58 | option_b=59 | option_c=57 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 171 ÷ 3 = 57.

id=18495 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=5 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=18496 | topic=Averages | difficulty=Easy | question=Find the average of 66, 89, 53, 34, 46, 18. | option_a=50 | option_b=51 | option_c=52 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 306 ÷ 6 = 51.

id=18497 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=18498 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3111. If it is sold at a profit of 30%, what is its selling price? | option_a=3733 | option_b=4044 | option_c=3141 | option_d=4355 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3111 × 130/100 = ■4044.

id=18499 | topic=Percentages | difficulty=Easy | question=What is 40% of 1189? | option_a=950 | option_b=475 | option_c=465 | option_d=495 | answer=B | explanation=40% of 1189 = (40/100) × 1189 = 475.

id=18500 | topic=Percentages | difficulty=Easy | question=What is 12% of 1870? | option_a=244 | option_b=204 | option_c=448 | option_d=224 | answer=D | explanation=12% of 1870 = (12/100) × 1870 = 224.

id=18501 | topic=Averages | difficulty=Easy | question=Find the average of 89, 56, 12, 90, 47, 73, 73, 30, 89, 101. | option_a=65 | option_b=67 | option_c=68 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = 660 ÷ 10 = 66.

id=18502 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=36 | option_b=43 | option_c=50 | option_d=44 | answer=B | explanation=The common difference is 7. Therefore the next term is 36 + 7 = 43.

id=18503 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14186 at 12% per annum for 5 years. | option_a=8511 | option_b=22697 | option_c=8611 | option_d=8411 | answer=A | explanation=SI = PRT/100 = 14186×12×5/100 = ■8511.

id=18504 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:5 and the first is 65, what is the second? | option_a=20 | option_b=38 | option_c=25 | option_d=90 | answer=C | explanation=Scale factor = 65/13 = 5. Therefore second quantity = 5×5 = 25.

id=18505 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:8 and the first is 216, what is the second? | option_a=312 | option_b=114 | option_c=88 | option_d=96 | answer=D | explanation=Scale factor = 216/18 = 12. Therefore second quantity = 8×12 = 96.

id=18506 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=H | option_b=E | option_c=Y | option_d=B | answer=B | explanation=Move 3 positions forward from B; the resulting letter is E.

id=18507 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14815 at 15% per annum for 2 years. | option_a=4444 | option_b=4544 | option_c=4344 | option_d=19259 | answer=A | explanation=SI = PRT/100 = 14815×15×2/100 = ■4444.

id=18508 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1731. If it is sold at a profit of 5%, what is its selling price? | option_a=1736 | option_b=1644 | option_c=1990 | option_d=1817 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1731 × 105/100 = ■1817.

id=18509 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 36, 45, 56? | option_a=36 | option_b=56 | option_c=27 | option_d=45 | answer=B | explanation=The first three numbers increase by 9, so the next should be 54. Therefore 56 is the odd one out.

id=18510 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:19 and the first is 304, what is the second? | option_a=608 | option_b=285 | option_c=323 | option_d=304 | answer=D | explanation=Scale factor = 304/19 = 16. Therefore second quantity = 19×16 = 304.

Aptitude Questions — Records 18,511-18,540 of 100,000

id=18511 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3499. If it is sold at a profit of 20%, what is its selling price? | option_a=4547 | option_b=3519 | option_c=3849 | option_d=4198 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3499 × 120/100 = █4198.

id=18512 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=18513 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:2 and the first is 20, what is the second? | option_a=18 | option_b=20 | option_c=40 | option_d=22 | answer=B | explanation=Scale factor = 20/2 = 10. Therefore second quantity = 2×10 = 20.

id=18514 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=E | option_c=D | option_d=F | answer=D | explanation=Move 1 positions forward from E; the resulting letter is F.

id=18515 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=240 | option_d=125 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=18516 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=18517 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=18518 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 19, 25, 32? | option_a=32 | option_b=13 | option_c=25 | option_d=19 | answer=A | explanation=The first three numbers increase by 6, so the next should be 31. Therefore 32 is the odd one out.

id=18519 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 34, 44, 55? | option_a=24 | option_b=44 | option_c=55 | option_d=34 | answer=C | explanation=The first three numbers increase by 10, so the next should be 54. Therefore 55 is the odd one out.

id=18520 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:11 and the first is 70, what is the second? | option_a=69 | option_b=125 | option_c=44 | option_d=55 | answer=D | explanation=Scale factor = 70/14 = 5. Therefore second quantity = 11×5 = 55.

id=18521 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=T | option_c=X | option_d=L | answer=B | explanation=Move 4 positions forward from P; the resulting letter is T.

id=18522 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=G | option_b=M | option_c=J | option_d=P | answer=B | explanation=Move 3 positions forward from J; the resulting letter is M.

id=18523 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=90 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=18524 | topic=Percentages | difficulty=Easy | question=What is 5% of 83? | option_a=0 | option_b=4 | option_c=8 | option_d=9 | answer=B | explanation=5% of 83 = (5/100) × 83 = 4.

id=18525 | topic=Averages | difficulty=Easy | question=Find the average of 76, 99, 38. | option_a=70 | option_b=71 | option_c=72 | option_d=73 | answer=B | explanation=Average = sum of values ÷ number of values = 213 ÷ 3 = 71.

id=18526 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:13 and the first is 14, what is the second? | option_a=93 | option_b=78 | option_c=105 | option_d=91 | answer=D | explanation=Scale factor = 14/2 = 7. Therefore second quantity = 13×7 = 91.

id=18527 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=18528 | topic=Percentages | difficulty=Easy | question=What is 10% of 1269? | option_a=121 | option_b=126 | option_c=136 | option_d=252 | answer=B | explanation=10% of 1269 = (10/100) × 1269 = 126.

id=18529 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=N | option_b=T | option_c=R | option_d=P | answer=C | explanation=Move 2 positions forward from P; the resulting letter is R.

id=18530 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=34 | option_b=41 | option_c=27 | option_d=35 | answer=A | explanation=The common difference is 7. Therefore the next term is 27 + 7 = 34.

id=18531 | topic=Percentages | difficulty=Easy | question=What is 5% of 825? | option_a=61 | option_b=21 | option_c=82 | option_d=41 | answer=D | explanation=5% of 825 = (5/100) × 825 = 41.

id=18532 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 18, 27, 37? | option_a=9 | option_b=27 | option_c=37 | option_d=18 | answer=C | explanation=The first three numbers increase by 9, so the next should be 36. Therefore 37 is the odd one out.

id=18533 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30207 at 10% per annum for 3 years. | option_a=8962 | option_b=39269 | option_c=9062 | option_d=9162 | answer=C | explanation=SI = PRT/100 = 30207×10×3/100 = █9062.

id=18534 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=Z | option_b=B | option_c=A | option_d=C | answer=B | explanation=Move 1 positions forward from A; the resulting letter is B.

id=18535 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 22, 28, 36? | option_a=16 | option_b=22 | option_c=36 | option_d=28 | answer=C | explanation=The first three numbers increase by 6, so the next should be 34. Therefore 36 is the odd one out.

id=18536 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 16. | option_a=90 | option_b=160 | option_c=80 | option_d=64 | answer=C | explanation=LCM × HCF = 10×16; HCF(10,16) = 2, so LCM = 80.

id=18537 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=50 | option_b=41 | option_c=59 | option_d=51 | answer=A | explanation=The common difference is 9. Therefore the next term is 41 + 9 = 50.

id=18538 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32806 at 5% per annum for 2 years. | option_a=3180 | option_b=3280 | option_c=3380 | option_d=36086 | answer=B | explanation=SI = PRT/100 = 32806×5×2/100 = █3280.

id=18539 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2078 at 15% per annum for 2 years. | option_a=523 | option_b=623 | option_c=723 | option_d=2701 | answer=B | explanation=SI = PRT/100 = 2078×15×2/100 = █623.

id=18540 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:12 and the first is 285, what is the second? | option_a=243 | option_b=513 | option_c=228 | option_d=216 | answer=C | explanation=Scale factor = 285/15 = 19. Therefore second quantity = 12×19 = 228.

Aptitude Questions — Records 18,541-18,570 of 100,000

id=18541 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=18542 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 4. | option_a=88 | option_b=40 | option_c=66 | option_d=44 | answer=D | explanation=LCM × HCF = 22×4; HCF(22,4) = 2, so LCM = 44.

id=18543 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=I | option_c=U | option_d=M | answer=A | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=18544 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=18545 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=36 | option_c=31 | option_d=72 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=18546 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=L | option_b=O | option_c=U | option_d=R | answer=D | explanation=Move 3 positions forward from O; the resulting letter is R.

id=18547 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17289 at 8% per annum for 5 years. | option_a=24204 | option_b=7015 | option_c=6815 | option_d=6915 | answer=D | explanation=SI = PRT/100 = 17289×8×5/100 = **■**6915.

id=18548 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 30? | option_a=19 | option_b=30 | option_c=15 | option_d=23 | answer=B | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 30 is the odd one out.

id=18549 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=180 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=18550 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21290 at 4% per annum for 5 years. | option_a=4158 | option_b=4358 | option_c=25548 | option_d=4258 | answer=D | explanation=SI = PRT/100 = 21290×4×5/100 = **■**4258.

id=18551 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8170 at 4% per annum for 3 years. | option_a=9150 | option_b=1080 | option_c=980 | option_d=880 | answer=C | explanation=SI = PRT/100 = 8170×4×3/100 = **■**980.

id=18552 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:18 and the first is 66, what is the second? | option_a=90 | option_b=108 | option_c=119 | option_d=174 | answer=B | explanation=Scale factor = 66/11 = 6. Therefore second quantity = 18×6 = 108.

id=18553 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=45 | option_b=31 | option_c=38 | option_d=39 | answer=C | explanation=The common difference is 7. Therefore the next term is 31 + 7 = 38.

id=18554 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 29, 33, 40? | option_a=29 | option_b=25 | option_c=33 | option_d=40 | answer=D | explanation=The first three numbers increase by 4, so the next should be 37. Therefore 40 is the odd one out.

id=18555 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**269. If it is sold at a profit of 5%, what is its selling price? | option_a=256 | option_b=308 | option_c=282 | option_d=274 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 269 × 105/100 = **■**282.

id=18556 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=C | option_b=I | option_c=L | option_d=F | answer=B | explanation=Move 3 positions forward from F; the resulting letter is I.

id=18557 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=Y | option_c=C | option_d=Q | answer=B | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=18558 | topic=Percentages | difficulty=Easy | question=What is 25% of 1821? | option_a=455 | option_b=450 | option_c=910 | option_d=475 | answer=A | explanation=25% of 1821 = (25/100) × 1821 = 455.

id=18559 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 15. | option_a=360 | option_b=144 | option_c=120 | option_d=105 | answer=C | explanation=LCM × HCF = 24×15; HCF(24,15) = 3, so LCM = 120.

id=18560 | topic=Percentages | difficulty=Easy | question=What is 10% of 424? | option_a=42 | option_b=22 | option_c=62 | option_d=84 | answer=A | explanation=10% of 424 = (10/100) × 424 = 42.

id=18561 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:7 and the first is 150, what is the second? | option_a=220 | option_b=70 | option_c=85 | option_d=63 | answer=B | explanation=Scale factor = 150/15 = 10. Therefore second quantity = 7×10 = 70.

id=18562 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 37, 44, 54? | option_a=37 | option_b=44 | option_c=54 | option_d=30 | answer=C | explanation=The first three numbers increase by 7, so the next should be 51. Therefore 54 is the odd one out.

id=18563 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=68 | option_b=56 | option_c=57 | option_d=44 | answer=B | explanation=The common difference is 12. Therefore the next term is 44 + 12 = 56.

id=18564 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 39? | option_a=20 | option_b=39 | option_c=11 | option_d=29 | answer=B | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 39 is the odd one out.

id=18565 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:18 and the first is 190, what is the second? | option_a=370 | option_b=199 | option_c=180 | option_d=162 | answer=C | explanation=Scale factor = 190/19 = 10. Therefore second quantity = 18×10 = 180.

id=18566 | topic=Averages | difficulty=Easy | question=Find the average of 44, 13, 69. | option_a=41 | option_b=44 | option_c=43 | option_d=42 | answer=D | explanation=Average = sum of values ÷ number of values = 126 ÷ 3 = 42.

id=18567 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=18568 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=18569 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26675 at 12% per annum for 4 years. | option_a=12904 | option_b=39479 | option_c=12704 | option_d=12804 | answer=D | explanation=SI = PRT/100 = 26675×12×4/100 = **■**12804.

id=18570 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2413 at 8% per annum for 1 years. | option_a=2606 | option_b=193 | option_c=93 | option_d=293 | answer=B | explanation=SI = PRT/100 = 2413×8×1/100 = **■**193.

Aptitude Questions — Records 18,571-18,600 of 100,000

id=18571 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2749. If it is sold at a profit of 15%, what is its selling price? | option_a=2887 | option_b=3435 | option_c=2764 | option_d=3161 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2749 × 115/100 = █3161.

id=18572 | topic=Profit & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:9 and the first is 60, what is the second? | option_a=47 | option_b=87 | option_c=18 | option_d=27 | answer=D | explanation=Scale factor = 60/20 = 3. Therefore second quantity = 9×3 = 27.

id=18573 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2957. If it is sold at a profit of 10%, what is its selling price? | option_a=2957 | option_b=3252 | option_c=2967 | option_d=3547 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2957 × 110/100 = █3252.

id=18574 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=18575 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 24. | option_a=24 | option_b=192 | option_c=1 | option_d=32 | answer=A | explanation=LCM × HCF = 8×24; HCF(8,24) = 8, so LCM = 24.

id=18576 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=29 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=18577 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=32 | option_b=37 | option_c=25 | option_d=31 | answer=D | explanation=The common difference is 6. Therefore the next term is 25 + 6 = 31.

id=18578 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=18579 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:12 and the first is 220, what is the second? | option_a=251 | option_b=228 | option_c=460 | option_d=240 | answer=D | explanation=Scale factor = 220/11 = 20. Therefore second quantity = 12×20 = 240.

id=18580 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=200 | option_c=105 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=18581 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=4 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=18582 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=18583 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 31, 39, 50? | option_a=39 | option_b=31 | option_c=50 | option_d=23 | answer=C | explanation=The first three numbers increase by 8, so the next should be 47. Therefore 50 is the odd one out.

id=18584 | topic=Averages | difficulty=Easy | question=Find the average of 18, 24, 27. | option_a=24 | option_b=22 | option_c=23 | option_d=25 | answer=C | explanation=Average = sum of values ÷ number of values = 69 ÷ 3 = 23.

id=18585 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12503 at 4% per annum for 4 years. | option_a=2000 | option_b=14503 | option_c=1900 | option_d=2100 | answer=A | explanation=SI = PRT/100 = 12503×4×4/100 = █2000.

id=18586 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=S | option_b=U | option_c=W | option_d=Y | answer=C | explanation=Move 2 positions forward from U; the resulting letter is W.

id=18587 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=85 | option_c=90 | option_d=95 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=18588 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=28 | option_b=30 | option_c=24 | option_d=27 | answer=D | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=18589 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=18590 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=90 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=18591 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3924. If it is sold at a profit of 50%, what is its selling price? | option_a=5494 | option_b=6278 | option_c=3974 | option_d=5886 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3924 × 150/100 = █5886.

id=18592 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42832 at 10% per annum for 2 years. | option_a=8666 | option_b=8466 | option_c=8566 | option_d=51398 | answer=C | explanation=SI = PRT/100 = 42832×10×2/100 = █8566.

id=18593 | topic=Percentages | difficulty=Easy | question=What is 20% of 1548? | option_a=618 | option_b=329 | option_c=304 | option_d=309 | answer=D | explanation=20% of 1548 = (20/100) × 1548 = 309.

id=18594 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2896. If it is sold at a profit of 30%, what is its selling price? | option_a=3475 | option_b=2926 | option_c=4053 | option_d=3764 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2896 × 130/100 = █3764.

id=18595 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=L | option_b=X | option_c=P | option_d=T | answer=D | explanation=Move 4 positions forward from P; the resulting letter is T.

id=18596 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=Q | option_c=T | option_d=K | answer=B | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=18597 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4139. If it is sold at a profit of 30%, what is its selling price? | option_a=4967 | option_b=5793 | option_c=4169 | option_d=5380 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4139 × 130/100 = █5380.

id=18598 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:14 and the first is 171, what is the second? | option_a=252 | option_b=437 | option_c=266 | option_d=275 | answer=C | explanation=Scale factor = 171/9 = 19. Therefore second quantity = 14×19 = 266.

id=18599 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 12, 21, 30, ? | option_a=40 | option_b=39 | option_c=30 | option_d=48 | answer=B | explanation=The common difference is 9. Therefore the next term is 30 + 9 = 39.

id=18600 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=D | option_b=O | option_c=Y | option_d=T | answer=C | explanation=Move 5 positions forward from T; the resulting letter is Y.

Aptitude Questions — Records 18,601-18,630 of 100,000

id=18601 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=36 | option_b=44 | option_c=50 | option_d=43 | answer=D | explanation=The common difference is 7. Therefore the next term is 36 + 7 = 43.

id=18602 | topic=Averages | difficulty=Easy | question=Find the average of 27, 66, 23, 37, 31, 91, 66, 21, 42, 66. | option_a=47 | option_b=48 | option_c=46 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 470 ÷ 10 = 47.

id=18603 | topic=Averages | difficulty=Easy | question=Find the average of 50, 96, 19, 93, 96, 63, 87, 89, 65, 102. | option_a=77 | option_b=78 | option_c=75 | option_d=76 | answer=D | explanation=Average = sum of values ÷ number of values = 760 ÷ 10 = 76.

id=18604 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=Q | option_b=S | option_c=R | option_d=T | answer=B | explanation=Move 1 positions forward from R; the resulting letter is S.

id=18605 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=18606 | topic=Percentages | difficulty=Easy | question=What is 30% of 1289? | option_a=366 | option_b=386 | option_c=396 | option_d=772 | answer=B | explanation=30% of 1289 = (30/100) × 1289 = 386.

id=18607 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=18608 | topic=Averages | difficulty=Easy | question=Find the average of 85, 62, 48. | option_a=66 | option_b=65 | option_c=67 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 195 ÷ 3 = 65.

id=18609 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 30. | option_a=840 | option_b=390 | option_c=448 | option_d=420 | answer=D | explanation=LCM × HCF = 28×30; HCF(28,30) = 2, so LCM = 420.

id=18610 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4332. If it is sold at a profit of 30%, what is its selling price? | option_a=6064 | option_b=5631 | option_c=4362 | option_d=5198 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4332 × 130/100 = █5631.

id=18611 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=31 | option_c=72 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=18612 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=F | option_c=D | option_d=J | answer=A | explanation=Move 2 positions forward from F; the resulting letter is H.

id=18613 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:9 and the first is 51, what is the second? | option_a=27 | option_b=44 | option_c=78 | option_d=18 | answer=A | explanation=Scale factor = 51/17 = 3. Therefore second quantity = 9×3 = 27.

id=18614 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=18615 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33000 at 5% per annum for 3 years. | option_a=4950 | option_b=5050 | option_c=4850 | option_d=37950 | answer=A | explanation=SI = PRT/100 = 33000×5×3/100 = █4950.

id=18616 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2694 at 6% per annum for 3 years. | option_a=3178 | option_b=384 | option_c=484 | option_d=584 | answer=C | explanation=SI = PRT/100 = 2694×6×3/100 = █484.

id=18617 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:15 and the first is 204, what is the second? | option_a=384 | option_b=180 | option_c=197 | option_d=165 | answer=B | explanation=Scale factor = 204/17 = 12. Therefore second quantity = 15×12 = 180.

id=18618 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=V | option_b=J | option_c=R | option_d=N | answer=C | explanation=Move 4 positions forward from N; the resulting letter is R.

id=18619 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8578 at 15% per annum for 3 years. | option_a=3860 | option_b=3960 | option_c=12438 | option_d=3760 | answer=A | explanation=SI = PRT/100 = 8578×15×3/100 = █3860.

id=18620 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1820. If it is sold at a profit of 25%, what is its selling price? | option_a=2457 | option_b=2275 | option_c=2093 | option_d=1845 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1820 × 125/100 = █2275.

id=18621 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=36 | option_b=26 | option_c=31 | option_d=32 | answer=C | explanation=The common difference is 5. Therefore the next term is 26 + 5 = 31.

id=18622 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=18623 | topic=Averages | difficulty=Easy | question=Find the average of 26, 34, 34, 82. | option_a=45 | option_b=44 | option_c=46 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = 176 ÷ 4 = 44.

id=18624 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=56 | option_b=44 | option_c=66 | option_d=55 | answer=D | explanation=The common difference is 11. Therefore the next term is 44 + 11 = 55.

id=18625 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 10, 13, 16, ? | option_a=16 | option_b=22 | option_c=20 | option_d=19 | answer=D | explanation=The common difference is 3. Therefore the next term is 16 + 3 = 19.

id=18626 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 25, 33, 41, ? | option_a=50 | option_b=49 | option_c=41 | option_d=57 | answer=B | explanation=The common difference is 8. Therefore the next term is 41 + 8 = 49.

id=18627 | topic=Averages | difficulty=Easy | question=Find the average of 32, 78, 56, 39, 57, 73, 63, 80, 76, 36. | option_a=59 | option_b=61 | option_c=60 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 590 ÷ 10 = 59.

id=18628 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=24 | option_b=31 | option_c=38 | option_d=32 | answer=B | explanation=The common difference is 7. Therefore the next term is 24 + 7 = 31.

id=18629 | topic=Percentages | difficulty=Easy | question=What is 40% of 1424? | option_a=579 | option_b=1138 | option_c=549 | option_d=569 | answer=D | explanation=40% of 1424 = (40/100) × 1424 = 569.

id=18630 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=56 | option_b=57 | option_c=45 | option_d=67 | answer=A | explanation=The common difference is 11. Therefore the next term is 45 + 11 = 56.

Aptitude Questions — Records 18,631-18,660 of 100,000

id=18631 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=1 | option_c=6 | option_d=11 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=18632 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=16 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=18633 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**37021 at 10% per annum for 3 years. | option_a=11106 | option_b=11006 | option_c=11206 | option_d=48127 | answer=A | explanation=SI = PRT/100 = 37021×10×3/100 = **₹**11106.

id=18634 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=18635 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=4 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=18636 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=95 | option_c=90 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=18637 | topic=Percentages | difficulty=Easy | question=What is 20% of 1996? | option_a=389 | option_b=399 | option_c=798 | option_d=404 | answer=B | explanation=20% of 1996 = (20/100) × 1996 = 399.

id=18638 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=36 | option_c=13 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=18639 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**22003 at 12% per annum for 3 years. | option_a=7821 | option_b=7921 | option_c=29924 | option_d=8021 | answer=B | explanation=SI = PRT/100 = 22003×12×3/100 = **₹**7921.

id=18640 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**15744 at 4% per annum for 5 years. | option_a=3048 | option_b=3148 | option_c=18892 | option_d=3248 | answer=B | explanation=SI = PRT/100 = 15744×4×5/100 = **₹**3148.

id=18641 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=18642 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=D | option_b=A | option_c=X | option_d=G | answer=A | explanation=Move 3 positions forward from A; the resulting letter is D.

id=18643 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1091. If it is sold at a profit of 50%, what is its selling price? | option_a=1636 | option_b=1745 | option_c=1527 | option_d=1141 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1091 × 150/100 = **₹**1636.

id=18644 | topic=Averages | difficulty=Easy | question=Find the average of 18, 36, 14, 47, 86, 96, 90, 55, 22, 16. | option_a=49 | option_b=50 | option_c=48 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 480 ÷ 10 = 48.

id=18645 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 38, 46, 55? | option_a=55 | option_b=46 | option_c=38 | option_d=30 | answer=A | explanation=The first three numbers increase by 8, so the next should be 54. Therefore 55 is the odd one out.

id=18646 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=K | option_b=V | option_c=A | option_d=F | answer=D | explanation=Move 5 positions forward from A; the resulting letter is F.

id=18647 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 29, 34, 41? | option_a=24 | option_b=34 | option_c=29 | option_d=41 | answer=D | explanation=The first three numbers increase by 5, so the next should be 39. Therefore 41 is the odd one out.

id=18648 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=42 | option_b=47 | option_c=35 | option_d=41 | answer=D | explanation=The common difference is 6. Therefore the next term is 35 + 6 = 41.

id=18649 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4046. If it is sold at a profit of 50%, what is its selling price? | option_a=6069 | option_b=5665 | option_c=4096 | option_d=6473 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4046 × 150/100 = **₹**6069.

id=18650 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**43232 at 5% per annum for 5 years. | option_a=54040 | option_b=10708 | option_c=10808 | option_d=10908 | answer=C | explanation=SI = PRT/100 = 43232×5×5/100 = **₹**10808.

id=18651 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 20. | option_a=280 | option_b=140 | option_c=154 | option_d=120 | answer=B | explanation=LCM × HCF = 14×20; HCF(14,20) = 2, so LCM = 140.

id=18652 | topic=Averages | difficulty=Easy | question=Find the average of 29, 52, 44, 44, 36, 17, 83, 39. | option_a=43 | option_b=44 | option_c=42 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 344 ÷ 8 = 43.

id=18653 | topic=Percentages | difficulty=Easy | question=What is 20% of 1069? | option_a=193 | option_b=426 | option_c=213 | option_d=233 | answer=C | explanation=20% of 1069 = (20/100) × 1069 = 213.

id=18654 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=50 | option_b=62 | option_c=61 | option_d=72 | answer=C | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.

id=18655 | topic=Averages | difficulty=Easy | question=Find the average of 17, 29, 35, 56, 58, 50, 83, 87, 38, 67. | option_a=52 | option_b=53 | option_c=54 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 520 ÷ 10 = 52.

id=18656 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=H | option_b=C | option_c=M | option_d=X | answer=A | explanation=Move 5 positions forward from C; the resulting letter is H.

id=18657 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=43 | option_c=96 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=18658 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 19, 25, 32? | option_a=32 | option_b=25 | option_c=19 | option_d=13 | answer=A | explanation=The first three numbers increase by 6, so the next should be 31. Therefore 32 is the odd one out.

id=18659 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=L | option_b=Z | option_c=D | option_d=H | answer=D | explanation=Move 4 positions forward from D; the resulting letter is H.

id=18660 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**4941 at 12% per annum for 1 years. | option_a=592 | option_b=492 | option_c=5533 | option_d=692 | answer=A | explanation=SI = PRT/100 = 4941×12×1/100 = **₹**592.

Aptitude Questions — Records 18,661-18,690 of 100,000

id=18661 | topic=Percentages | difficulty=Easy | question=What is 20% of 692? | option_a=118 | option_b=148 | option_c=276 | option_d=138 | answer=D | explanation=20% of 692 = (20/100) × 692 = 138.

id=18662 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:7 and the first is 84, what is the second? | option_a=77 | option_b=91 | option_c=84 | option_d=168 | answer=C | explanation=Scale factor = 84/7 = 12. Therefore second quantity = 7×12 = 84.

id=18663 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 23? | option_a=15 | option_b=3 | option_c=9 | option_d=23 | answer=D | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 23 is the odd one out.

id=18664 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=18665 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:7 and the first is 60, what is the second? | option_a=28 | option_b=43 | option_c=21 | option_d=88 | answer=A | explanation=Scale factor = 60/15 = 4. Therefore second quantity = 7×4 = 28.

id=18666 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=185 | option_c=360 | option_d=175 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=18667 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=Q | option_c=M | option_d=S | answer=B | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=18668 | topic=Percentages | difficulty=Easy | question=What is 30% of 751? | option_a=205 | option_b=450 | option_c=225 | option_d=245 | answer=C | explanation=30% of 751 = (30/100) × 751 = 225.

id=18669 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45402 at 12% per annum for 4 years. | option_a=21792 | option_b=21692 | option_c=21892 | option_d=67194 | answer=A | explanation=SI = PRT/100 = 45402×12×4/100 = █21792.

id=18670 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4913. If it is sold at a profit of 30%, what is its selling price? | option_a=4943 | option_b=6386 | option_c=5895 | option_d=6877 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4913 × 130/100 = █6386.

id=18671 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19580 at 12% per annum for 4 years. | option_a=9298 | option_b=9498 | option_c=28978 | option_d=9398 | answer=D | explanation=SI = PRT/100 = 19580×12×4/100 = █9398.

id=18672 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=T | option_b=N | option_c=Q | option_d=W | answer=A | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=18673 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2659. If it is sold at a profit of 40%, what is its selling price? | option_a=3722 | option_b=2699 | option_c=3987 | option_d=3457 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2659 × 140/100 = █3722.

id=18674 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46947 at 5% per annum for 3 years. | option_a=53989 | option_b=7142 | option_c=7042 | option_d=6942 | answer=C | explanation=SI = PRT/100 = 46947×5×3/100 = █7042.

id=18675 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=18676 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=B | option_b=C | option_c=Z | option_d=A | answer=A | explanation=Move 1 positions forward from A; the resulting letter is B.

id=18677 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 25. | option_a=125 | option_b=25 | option_c=1 | option_d=30 | answer=B | explanation=LCM × HCF = 5×25; HCF(5,25) = 5, so LCM = 25.

id=18678 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 31? | option_a=26 | option_b=24 | option_c=31 | option_d=22 | answer=C | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 31 is the odd one out.

id=18679 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=K | option_c=I | option_d=L | answer=B | explanation=Move 1 positions forward from J; the resulting letter is K.

id=18680 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20606 at 6% per annum for 2 years. | option_a=23078 | option_b=2372 | option_c=2472 | option_d=2572 | answer=C | explanation=SI = PRT/100 = 20606×6×2/100 = █2472.

id=18681 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4686. If it is sold at a profit of 20%, what is its selling price? | option_a=5623 | option_b=6091 | option_c=5155 | option_d=4706 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4686 × 120/100 = █5623.

id=18682 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3938. If it is sold at a profit of 25%, what is its selling price? | option_a=4529 | option_b=4922 | option_c=3963 | option_d=5315 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3938 × 125/100 = █4922.

id=18683 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=144 | option_c=77 | option_d=67 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=18684 | topic=Averages | difficulty=Easy | question=Find the average of 85, 82, 48, 53. | option_a=67 | option_b=68 | option_c=66 | option_d=69 | answer=A | explanation=Average = sum of values ÷ number of values = 268 ÷ 4 = 67.

id=18685 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 8, 11, 14, ? | option_a=18 | option_b=14 | option_c=20 | option_d=17 | answer=D | explanation=The common difference is 3. Therefore the next term is 14 + 3 = 17.

id=18686 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=26 | option_b=30 | option_c=31 | option_d=34 | answer=B | explanation=The common difference is 4. Therefore the next term is 26 + 4 = 30.

id=18687 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2058. If it is sold at a profit of 5%, what is its selling price? | option_a=2063 | option_b=2160 | option_c=1955 | option_d=2365 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2058 × 105/100 = █2160.

id=18688 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=18689 | topic=Percentages | difficulty=Easy | question=What is 50% of 1056? | option_a=528 | option_b=518 | option_c=1056 | option_d=538 | answer=A | explanation=50% of 1056 = (50/100) × 1056 = 528.

id=18690 | topic=Percentages | difficulty=Easy | question=What is 40% of 1649? | option_a=669 | option_b=1318 | option_c=649 | option_d=659 | answer=D | explanation=40% of 1649 = (40/100) × 1649 = 659.

Aptitude Questions — Records 18,691-18,720 of 100,000

id=18691 | topic=Percentages | difficulty=Easy | question=What is 20% of 807? | option_a=166 | option_b=322 | option_c=141 | option_d=161 | answer=D | explanation=20% of 807 = (20/100) × 807 = 161.

id=18692 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:2 and the first is 152, what is the second? | option_a=168 | option_b=16 | option_c=35 | option_d=14 | answer=B | explanation=Scale factor = 152/19 = 8. Therefore second quantity = 2×8 = 16.

id=18693 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=240 | option_c=120 | option_d=115 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=18694 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1225. If it is sold at a profit of 30%, what is its selling price? | option_a=1255 | option_b=1714 | option_c=1592 | option_d=1470 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1225 × 130/100 = █1592.

id=18695 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=120 | option_c=125 | option_d=240 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=18696 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=62 | option_b=54 | option_c=53 | option_d=44 | answer=C | explanation=The common difference is 9. Therefore the next term is 44 + 9 = 53.

id=18697 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=18698 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=18699 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46224 at 8% per annum for 3 years. | option_a=10993 | option_b=11193 | option_c=11093 | option_d=57317 | answer=C | explanation=SI = PRT/100 = 46224×8×3/100 = █11093.

id=18700 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1606. If it is sold at a profit of 30%, what is its selling price? | option_a=1927 | option_b=1636 | option_c=2087 | option_d=2247 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1606 × 130/100 = █2087.

id=18701 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=55 | option_b=39 | option_c=48 | option_d=47 | answer=D | explanation=The common difference is 8. Therefore the next term is 39 + 8 = 47.

id=18702 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46123 at 8% per annum for 3 years. | option_a=11069 | option_b=11169 | option_c=10969 | option_d=57192 | answer=A | explanation=SI = PRT/100 = 46123×8×3/100 = █11069.

id=18703 | topic=Averages | difficulty=Easy | question=Find the average of 12, 16, 98, 14. | option_a=37 | option_b=35 | option_c=34 | option_d=36 | answer=B | explanation=Average = sum of values ÷ number of values = 140 ÷ 4 = 35.

id=18704 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=180 | option_c=85 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=18705 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=18706 | topic=Averages | difficulty=Easy | question=Find the average of 42, 80, 71, 60, 67. | option_a=63 | option_b=66 | option_c=65 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 320 ÷ 5 = 64.

id=18707 | topic=Percentages | difficulty=Easy | question=What is 20% of 1068? | option_a=213 | option_b=208 | option_c=233 | option_d=426 | answer=A | explanation=20% of 1068 = (20/100) × 1068 = 213.

id=18708 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=18709 | topic=Percentages | difficulty=Easy | question=What is 50% of 1049? | option_a=1048 | option_b=504 | option_c=524 | option_d=534 | answer=C | explanation=50% of 1049 = (50/100) × 1049 = 524.

id=18710 | topic=Percentages | difficulty=Easy | question=What is 40% of 1584? | option_a=633 | option_b=613 | option_c=1266 | option_d=643 | answer=A | explanation=40% of 1584 = (40/100) × 1584 = 633.

id=18711 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1596. If it is sold at a profit of 10%, what is its selling price? | option_a=1596 | option_b=1755 | option_c=1914 | option_d=1606 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1596 × 110/100 = █1755.

id=18712 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=18713 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1051. If it is sold at a profit of 40%, what is its selling price? | option_a=1576 | option_b=1366 | option_c=1471 | option_d=1091 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1051 × 140/100 = █1471.

id=18714 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:19 and the first is 84, what is the second? | option_a=312 | option_b=228 | option_c=235 | option_d=209 | answer=B | explanation=Scale factor = 84/7 = 12. Therefore second quantity = 19×12 = 228.

id=18715 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2678 at 12% per annum for 1 years. | option_a=421 | option_b=221 | option_c=2999 | option_d=321 | answer=D | explanation=SI = PRT/100 = 2678×12×1/100 = █321.

id=18716 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 18. | option_a=180 | option_b=72 | option_c=90 | option_d=100 | answer=C | explanation=LCM × HCF = 10×18; HCF(10,18) = 2, so LCM = 90.

id=18717 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=27 | option_b=43 | option_c=35 | option_d=36 | answer=C | explanation=The common difference is 8. Therefore the next term is 27 + 8 = 35.

id=18718 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:7 and the first is 100, what is the second? | option_a=55 | option_b=28 | option_c=135 | option_d=35 | answer=D | explanation=Scale factor = 100/20 = 5. Therefore second quantity = 7×5 = 35.

id=18719 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=18720 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 18,721-18,750 of 100,000

id=18721 | topic=Averages | difficulty=Easy | question=Find the average of 29, 93, 88, 56, 47, 19, 58, 11, 80, 49. | option_a=52 | option_b=55 | option_c=53 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=18722 | topic=Profit & Loss | difficulty=Easy | question=An article costs █397. If it is sold at a profit of 50%, what is its selling price? | option_a=447 | option_b=634 | option_c=595 | option_d=556 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 397 × 150/100 = █595.

id=18723 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43, ? | option_a=52 | option_b=51 | option_c=59 | option_d=43 | answer=B | explanation=The common difference is 8. Therefore the next term is 43 + 8 = 51.

id=18724 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=Z | option_b=U | option_c=K | option_d=P | answer=B | explanation=Move 5 positions forward from P; the resulting letter is U.

id=18725 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:11 and the first is 234, what is the second? | option_a=132 | option_b=143 | option_c=161 | option_d=377 | answer=B | explanation=Scale factor = 234/18 = 13. Therefore second quantity = 11×13 = 143.

id=18726 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=29 | option_b=24 | option_c=25 | option_d=19 | answer=B | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.

id=18727 | topic=Percentages | difficulty=Easy | question=What is 15% of 614? | option_a=82 | option_b=184 | option_c=92 | option_d=112 | answer=C | explanation=15% of 614 = (15/100) × 614 = 92.

id=18728 | topic=Percentages | difficulty=Easy | question=What is 15% of 1033? | option_a=159 | option_b=154 | option_c=308 | option_d=134 | answer=B | explanation=15% of 1033 = (15/100) × 1033 = 154.

id=18729 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=10 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=18730 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=37 | option_b=27 | option_c=33 | option_d=32 | answer=D | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

id=18731 | topic=Profit & Loss | difficulty=Easy | question=An article costs █185. If it is sold at a profit of 40%, what is its selling price? | option_a=277 | option_b=241 | option_c=225 | option_d=259 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 185 × 140/100 = █259.

id=18732 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 5, 8, 11, ? | option_a=17 | option_b=14 | option_c=11 | option_d=15 | answer=B | explanation=The common difference is 3. Therefore the next term is 11 + 3 = 14.

id=18733 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=1 | option_c=12 | option_d=11 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=18734 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=C | option_c=E | option_d=F | answer=C | explanation=Move 1 positions forward from D; the resulting letter is E.

id=18735 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29611 at 15% per annum for 4 years. | option_a=17666 | option_b=17766 | option_c=17866 | option_d=47377 | answer=B | explanation=SI = PRT/100 = 29611×15×4/100 = █17766.

id=18736 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 20. | option_a=1 | option_b=20 | option_c=80 | option_d=24 | answer=B | explanation=LCM × HCF = 4×20; HCF(4,20) = 4, so LCM = 20.

id=18737 | topic=Percentages | difficulty=Easy | question=What is 12% of 402? | option_a=38 | option_b=48 | option_c=96 | option_d=53 | answer=B | explanation=12% of 402 = (12/100) × 402 = 48.

id=18738 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11732 at 6% per annum for 3 years. | option_a=2111 | option_b=13843 | option_c=2011 | option_d=2211 | answer=A | explanation=SI = PRT/100 = 11732×6×3/100 = █2111.

id=18739 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=18740 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2542. If it is sold at a profit of 15%, what is its selling price? | option_a=2923 | option_b=2669 | option_c=2557 | option_d=3177 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2542 × 115/100 = █2923.

id=18741 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1730. If it is sold at a profit of 10%, what is its selling price? | option_a=1730 | option_b=2076 | option_c=1740 | option_d=1903 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1730 × 110/100 = █1903.

id=18742 | topic=Percentages | difficulty=Easy | question=What is 40% of 975? | option_a=400 | option_b=780 | option_c=390 | option_d=370 | answer=C | explanation=40% of 975 = (40/100) × 975 = 390.

id=18743 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 35? | option_a=26 | option_b=22 | option_c=30 | option_d=35 | answer=D | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 35 is the odd one out.

id=18744 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1690. If it is sold at a profit of 15%, what is its selling price? | option_a=1943 | option_b=2112 | option_c=1774 | option_d=1705 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1690 × 115/100 = █1943.

id=18745 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=W | option_b=N | option_c=T | option_d=Q | answer=C | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=18746 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 10. | option_a=60 | option_b=36 | option_c=20 | option_d=30 | answer=D | explanation=LCM × HCF = 6×10; HCF(6,10) = 2, so LCM = 30.

id=18747 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=18748 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3165. If it is sold at a profit of 10%, what is its selling price? | option_a=3175 | option_b=3797 | option_c=3165 | option_d=3481 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3165 × 110/100 = █3481.

id=18749 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 35? | option_a=17 | option_b=9 | option_c=25 | option_d=35 | answer=D | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 35 is the odd one out.

id=18750 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

Aptitude Questions — Records 18,751-18,780 of 100,000

id=18751 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=50 | option_d=100 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=18752 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=50 | option_b=62 | option_c=51 | option_d=38 | answer=A | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=18753 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=18754 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=H | option_c=L | option_d=Z | answer=B | explanation=Move 4 positions forward from D; the resulting letter is H.

id=18755 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=L | option_c=M | option_d=J | answer=B | explanation=Move 1 positions forward from K; the resulting letter is L.

id=18756 | topic=Percentages | difficulty=Easy | question=What is 5% of 804? | option_a=80 | option_b=30 | option_c=60 | option_d=40 | answer=D | explanation=5% of 804 = (5/100) × 804 = 40.

id=18757 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=37 | option_b=59 | option_c=48 | option_d=49 | answer=C | explanation=The common difference is 11. Therefore the next term is 37 + 11 = 48.

id=18758 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=L | option_c=F | option_d=J | answer=D | explanation=Move 2 positions forward from H; the resulting letter is J.

id=18759 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36675 at 5% per annum for 3 years. | option_a=5501 | option_b=5601 | option_c=42176 | option_d=5401 | answer=A | explanation=SI = $\text{PRT}/100 = 36675 \times 5 \times 3 / 100 = \text{■}5501$.

id=18760 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39987 at 6% per annum for 5 years. | option_a=51983 | option_b=12096 | option_c=11896 | option_d=11996 | answer=D | explanation=SI = $\text{PRT}/100 = 39987 \times 6 \times 5 / 100 = \text{■}11996$.

id=18761 | topic=Percentages | difficulty=Easy | question=What is 50% of 1709? | option_a=859 | option_b=854 | option_c=844 | option_d=1708 | answer=B | explanation=50% of 1709 = (50/100) × 1709 = 854.

id=18762 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 24. | option_a=1 | option_b=576 | option_c=24 | option_d=48 | answer=C | explanation=LCM × HCF = 24×24; HCF(24,24) = 24, so LCM = 24.

id=18763 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 32, 36, 41? | option_a=41 | option_b=32 | option_c=36 | option_d=28 | answer=A | explanation=The first three numbers increase by 4, so the next should be 40. Therefore 41 is the odd one out.

id=18764 | topic=Averages | difficulty=Easy | question=Find the average of 97, 77, 73, 29, 62, 64, 18. | option_a=60 | option_b=61 | option_c=62 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 420 ÷ 7 = 60.

id=18765 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 22? | option_a=15 | option_b=22 | option_c=17 | option_d=19 | answer=B | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 22 is the odd one out.

id=18766 | topic=Percentages | difficulty=Easy | question=What is 15% of 487? | option_a=78 | option_b=73 | option_c=146 | option_d=53 | answer=B | explanation=15% of 487 = (15/100) × 487 = 73.

id=18767 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3280. If it is sold at a profit of 40%, what is its selling price? | option_a=4920 | option_b=4592 | option_c=4264 | option_d=3320 | answer=B | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 3280 \times 140 / 100 = \text{■}4592$.

id=18768 | topic=Percentages | difficulty=Easy | question=What is 12% of 1491? | option_a=178 | option_b=356 | option_c=183 | option_d=173 | answer=A | explanation=12% of 1491 = (12/100) × 1491 = 178.

id=18769 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:5 and the first is 56, what is the second? | option_a=70 | option_b=65 | option_c=126 | option_d=74 | answer=A | explanation=Scale factor = 56/4 = 14. Therefore second quantity = 5×14 = 70.

id=18770 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:13 and the first is 32, what is the second? | option_a=84 | option_b=60 | option_c=52 | option_d=39 | answer=C | explanation=Scale factor = 32/8 = 4. Therefore second quantity = 13×4 = 52.

id=18771 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=I | option_c=G | option_d=J | answer=B | explanation=Move 1 positions forward from H; the resulting letter is I.

id=18772 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4156. If it is sold at a profit of 5%, what is its selling price? | option_a=4363 | option_b=3948 | option_c=4778 | option_d=4161 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 4156 \times 105 / 100 = \text{■}4363$.

id=18773 | topic=Averages | difficulty=Easy | question=Find the average of 62, 44, 65, 62, 67. | option_a=62 | option_b=60 | option_c=59 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 300 ÷ 5 = 60.

id=18774 | topic=Percentages | difficulty=Easy | question=What is 30% of 593? | option_a=177 | option_b=354 | option_c=167 | option_d=182 | answer=A | explanation=30% of 593 = (30/100) × 593 = 177.

id=18775 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=R | option_b=M | option_c=H | option_d=C | answer=B | explanation=Move 5 positions forward from H; the resulting letter is M.

id=18776 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1295. If it is sold at a profit of 30%, what is its selling price? | option_a=1325 | option_b=1554 | option_c=1683 | option_d=1812 | answer=C | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 1295 \times 130 / 100 = \text{■}1683$.

id=18777 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3734. If it is sold at a profit of 40%, what is its selling price? | option_a=5227 | option_b=3774 | option_c=5600 | option_d=4854 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 3734 \times 140 / 100 = \text{■}5227$.

id=18778 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=18779 | topic=Averages | difficulty=Easy | question=Find the average of 64, 71, 58, 77, 95, 32, 79. | option_a=69 | option_b=68 | option_c=70 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = 476 ÷ 7 = 68.

id=18780 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=75 | option_d=150 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

Aptitude Questions — Records 18,781-18,810 of 100,000

id=18781 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 31, 39, 49? | option_a=23 | option_b=31 | option_c=49 | option_d=39 | answer=C | explanation=The first three numbers increase by 8, so the next should be 47. Therefore 49 is the odd one out.

id=18782 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=N | option_c=P | option_d=J | answer=B | explanation=Move 2 positions forward from L; the resulting letter is N.

id=18783 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:19 and the first is 280, what is the second? | option_a=380 | option_b=394 | option_c=361 | option_d=660 | answer=A | explanation=Scale factor = 280/14 = 20. Therefore second quantity = 19×20 = 380.

id=18784 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45489 at 8% per annum for 5 years. | option_a=18295 | option_b=18195 | option_c=18095 | option_d=63684 | answer=B | explanation=SI = $PRT/100 = 45489 \times 8 \times 5/100 = \text{■}18195$.

id=18785 | topic=Averages | difficulty=Easy | question=Find the average of 45, 72, 53, 67, 28, 88, 88. | option_a=65 | option_b=63 | option_c=62 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = $441 \div 7 = 63$.

id=18786 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=18787 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1490. If it is sold at a profit of 10%, what is its selling price? | option_a=1639 | option_b=1788 | option_c=1490 | option_d=1500 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1490 \times 110/100 = \text{■}1639$.

id=18788 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=5 | option_d=7 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=18789 | topic=Averages | difficulty=Easy | question=Find the average of 75, 88, 66, 30, 80, 75, 69, 74, 98, 35. | option_a=71 | option_b=69 | option_c=68 | option_d=70 | answer=B | explanation=Average = sum of values ÷ number of values = $690 \div 10 = 69$.

id=18790 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5586 at 10% per annum for 4 years. | option_a=2234 | option_b=2134 | option_c=2334 | option_d=7820 | answer=A | explanation=SI = $PRT/100 = 5586 \times 10 \times 4/100 = \text{■}2234$.

id=18791 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39652 at 6% per annum for 1 years. | option_a=2279 | option_b=2379 | option_c=2479 | option_d=42031 | answer=B | explanation=SI = $PRT/100 = 39652 \times 6 \times 1/100 = \text{■}2379$.

id=18792 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36133 at 12% per annum for 2 years. | option_a=8571 | option_b=8771 | option_c=44804 | option_d=8671 | answer=D | explanation=SI = $PRT/100 = 36133 \times 12 \times 2/100 = \text{■}8671$.

id=18793 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=100 | option_c=200 | option_d=105 | answer=B | explanation=Speed = distance ÷ time = $300 \div 3 = 100$ km/h.

id=18794 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=K | option_c=O | option_d=C | answer=B | explanation=Move 4 positions forward from G; the resulting letter is K.

id=18795 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=24 | option_c=29 | option_d=19 | answer=B | explanation=Speed = distance ÷ time = $240 \div 10 = 24$ km/h.

id=18796 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=O | option_c=S | option_d=A | answer=A | explanation=Move 4 positions forward from S; the resulting letter is W.

id=18797 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 17, 29, 41, ? | option_a=41 | option_b=54 | option_c=65 | option_d=53 | answer=D | explanation=The common difference is 12. Therefore the next term is $41 + 12 = 53$.

id=18798 | topic=Percentages | difficulty=Easy | question=What is 30% of 595? | option_a=178 | option_b=198 | option_c=356 | option_d=173 | answer=A | explanation=30% of 595 = $(30/100) \times 595 = 178$.

id=18799 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = $60 \div 2 = 30$ km/h.

id=18800 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22595 at 6% per annum for 1 years. | option_a=1255 | option_b=23950 | option_c=1355 | option_d=1455 | answer=C | explanation=SI = $PRT/100 = 22595 \times 6 \times 1/100 = \text{■}1355$.

id=18801 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=53 | option_b=45 | option_c=46 | option_d=37 | answer=B | explanation=The common difference is 8. Therefore the next term is $37 + 8 = 45$.

id=18802 | topic=Percentages | difficulty=Easy | question=What is 5% of 796? | option_a=49 | option_b=19 | option_c=78 | option_d=39 | answer=D | explanation=5% of 796 = $(5/100) \times 796 = 39$.

id=18803 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10366 at 12% per annum for 3 years. | option_a=3631 | option_b=3731 | option_c=14097 | option_d=3831 | answer=B | explanation=SI = $PRT/100 = 10366 \times 12 \times 3/100 = \text{■}3731$.

id=18804 | topic=Averages | difficulty=Easy | question=Find the average of 71, 31, 13, 70, 30. | option_a=45 | option_b=44 | option_c=43 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = $215 \div 5 = 43$.

id=18805 | topic=Averages | difficulty=Easy | question=Find the average of 87, 18, 30, 36, 80, 91. | option_a=58 | option_b=57 | option_c=59 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = $342 \div 6 = 57$.

id=18806 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=40 | option_c=15 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = $60 \div 3 = 20$ km/h.

id=18807 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = $60 \div 4 = 15$ km/h.

id=18808 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=Q | option_b=L | option_c=V | option_d=G | answer=A | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=18809 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=18810 | topic=Percentages | difficulty=Easy | question=What is 40% of 1232? | option_a=502 | option_b=482 | option_c=984 | option_d=492 | answer=D | explanation=40% of 1232 = $(40/100) \times 1232 = 492$.

Aptitude Questions — Records 18,811-18,840 of 100,000

id=18811 | topic=Averages | difficulty=Easy | question=Find the average of 34, 86, 48. | option_a=57 | option_b=56 | option_c=55 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 168 ÷ 3 = 56.

id=18812 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 30. | option_a=210 | option_b=180 | option_c=420 | option_d=224 | answer=A | explanation=LCM × HCF = 14×30; HCF(14,30) = 2, so LCM = 210.

id=18813 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=48 | option_b=34 | option_c=41 | option_d=42 | answer=C | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=18814 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹921. If it is sold at a profit of 20%, what is its selling price? | option_a=1013 | option_b=941 | option_c=1197 | option_d=1105 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 921 × 120/100 = ₹1105.

id=18815 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=P | option_b=J | option_c=G | option_d=M | answer=D | explanation=Move 3 positions forward from J; the resulting letter is M.

id=18816 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:18 and the first is 280, what is the second? | option_a=342 | option_b=360 | option_c=640 | option_d=374 | answer=B | explanation=Scale factor = 280/14 = 20. Therefore second quantity = 18×20 = 360.

id=18817 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 15? | option_a=15 | option_b=9 | option_c=3 | option_d=6 | answer=A | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 15 is the odd one out.

id=18818 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:3 and the first is 130, what is the second? | option_a=30 | option_b=27 | option_c=43 | option_d=160 | answer=A | explanation=Scale factor = 130/13 = 10. Therefore second quantity = 3×10 = 30.

id=18819 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 34? | option_a=34 | option_b=24 | option_c=17 | option_d=10 | answer=A | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 34 is the odd one out.

id=18820 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 8, 10, 15? | option_a=15 | option_b=8 | option_c=6 | option_d=10 | answer=A | explanation=The first three numbers increase by 2, so the next should be 12. Therefore 15 is the odd one out.

id=18821 | topic=Percentages | difficulty=Easy | question=What is 15% of 91? | option_a=23 | option_b=0 | option_c=13 | option_d=26 | answer=C | explanation=15% of 91 = (15/100) × 91 = 13.

id=18822 | topic=Percentages | difficulty=Easy | question=What is 10% of 865? | option_a=66 | option_b=172 | option_c=96 | option_d=86 | answer=D | explanation=10% of 865 = (10/100) × 865 = 86.

id=18823 | topic=Averages | difficulty=Easy | question=Find the average of 62, 42, 38, 65, 27, 76, 82, 46, 84. | option_a=59 | option_b=60 | option_c=58 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 522 ÷ 9 = 58.

id=18824 | topic=Averages | difficulty=Easy | question=Find the average of 11, 41, 41, 96, 39, 29, 44. | option_a=43 | option_b=42 | option_c=45 | option_d=44 | answer=A | explanation=Average = sum of values ÷ number of values = 301 ÷ 7 = 43.

id=18825 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:3 and the first is 78, what is the second? | option_a=18 | option_b=31 | option_c=96 | option_d=15 | answer=A | explanation=Scale factor = 78/13 = 6. Therefore second quantity = 3×6 = 18.

id=18826 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 18, 23, 28, ? | option_a=28 | option_b=33 | option_c=34 | option_d=38 | answer=B | explanation=The common difference is 5. Therefore the next term is 28 + 5 = 33.

id=18827 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 21, 28, 37? | option_a=28 | option_b=37 | option_c=14 | option_d=21 | answer=B | explanation=The first three numbers increase by 7, so the next should be 35. Therefore 37 is the odd one out.

id=18828 | topic=Percentages | difficulty=Easy | question=What is 12% of 576? | option_a=138 | option_b=64 | option_c=89 | option_d=69 | answer=D | explanation=12% of 576 = (12/100) × 576 = 69.

id=18829 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=18830 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹7722 at 4% per annum for 2 years. | option_a=8339 | option_b=517 | option_c=717 | option_d=617 | answer=D | explanation=SI = PRT/100 = 7722×4×2/100 = ₹617.

id=18831 | topic=Averages | difficulty=Easy | question=Find the average of 55, 92, 15, 18. | option_a=47 | option_b=44 | option_c=46 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 180 ÷ 4 = 45.

id=18832 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹25012 at 6% per annum for 4 years. | option_a=5902 | option_b=6002 | option_c=31014 | option_d=6102 | answer=B | explanation=SI = PRT/100 = 25012×6×4/100 = ₹6002.

id=18833 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=7 | option_c=12 | option_d=24 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=18834 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=120 | option_c=115 | option_d=240 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=18835 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:1 and the first is 9, what is the second? | option_a=12 | option_b=2 | option_c=6 | option_d=3 | answer=D | explanation=Scale factor = 9/3 = 3. Therefore second quantity = 1×3 = 3.

id=18836 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹8374 at 8% per annum for 1 years. | option_a=9043 | option_b=769 | option_c=669 | option_d=569 | answer=C | explanation=SI = PRT/100 = 8374×8×1/100 = ₹669.

id=18837 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=13 | option_c=36 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=18838 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=10 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=18839 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=200 | option_c=95 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=18840 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 18,841-18,870 of 100,000

id=18841 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=18842 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=K | option_b=P | option_c=F | option_d=A | answer=A | explanation=Move 5 positions forward from F; the resulting letter is K.

id=18843 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=24 | option_b=25 | option_c=29 | option_d=19 | answer=A | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.

id=18844 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=72 | option_c=77 | option_d=67 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=18845 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=L | option_b=Q | option_c=G | option_d=B | answer=A | explanation=Move 5 positions forward from G; the resulting letter is L.

id=18846 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=28 | option_b=24 | option_c=30 | option_d=27 | answer=D | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=18847 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=16 | option_b=15 | option_c=12 | option_d=18 | answer=B | explanation=The common difference is 3. Therefore the next term is 12 + 3 = 15.

id=18848 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=18849 | topic=Averages | difficulty=Easy | question=Find the average of 57, 90, 56, 26, 34, 37. | option_a=51 | option_b=49 | option_c=52 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 300 ÷ 6 = 50.

id=18850 | topic=Averages | difficulty=Easy | question=Find the average of 25, 87, 15, 62, 52, 72, 40, 39, 76. | option_a=51 | option_b=53 | option_c=54 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 468 ÷ 9 = 52.

id=18851 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=120 | option_c=115 | option_d=125 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=18852 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 25, 30, 37? | option_a=25 | option_b=37 | option_c=30 | option_d=20 | answer=B | explanation=The first three numbers increase by 5, so the next should be 35. Therefore 37 is the odd one out.

id=18853 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 13, 16, 21? | option_a=16 | option_b=13 | option_c=10 | option_d=21 | answer=D | explanation=The first three numbers increase by 3, so the next should be 19. Therefore 21 is the odd one out.

id=18854 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 35, 40, 48? | option_a=48 | option_b=40 | option_c=35 | option_d=30 | answer=A | explanation=The first three numbers increase by 5, so the next should be 45. Therefore 48 is the odd one out.

id=18855 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 13, 21, 30? | option_a=30 | option_b=13 | option_c=5 | option_d=21 | answer=A | explanation=The first three numbers increase by 8, so the next should be 29. Therefore 30 is the odd one out.

id=18856 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23398 at 10% per annum for 5 years. | option_a=35097 | option_b=11699 | option_c=11599 | option_d=11799 | answer=B | explanation=SI = PRT/100 = 23398×10×5/100 = **■**11699.

id=18857 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=18858 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:8 and the first is 72, what is the second? | option_a=50 | option_b=24 | option_c=104 | option_d=32 | answer=D | explanation=Scale factor = 72/18 = 4. Therefore second quantity = 8×4 = 32.

id=18859 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47044 at 10% per annum for 3 years. | option_a=14013 | option_b=61157 | option_c=14113 | option_d=14213 | answer=C | explanation=SI = PRT/100 = 47044×10×3/100 = **■**14113.

id=18860 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=39 | option_b=38 | option_c=44 | option_d=32 | answer=B | explanation=The common difference is 6. Therefore the next term is 32 + 6 = 38.

id=18861 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 22, 27, 32, ? | option_a=38 | option_b=37 | option_c=42 | option_d=32 | answer=B | explanation=The common difference is 5. Therefore the next term is 32 + 5 = 37.

id=18862 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=175 | option_c=185 | option_d=360 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=18863 | topic=Averages | difficulty=Easy | question=Find the average of 91, 71, 47, 72, 86, 47, 55. | option_a=66 | option_b=67 | option_c=69 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = 469 ÷ 7 = 67.

id=18864 | topic=Averages | difficulty=Easy | question=Find the average of 100, 53, 83, 95, 41, 23, 46. | option_a=62 | option_b=64 | option_c=65 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 441 ÷ 7 = 63.

id=18865 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38538 at 4% per annum for 4 years. | option_a=6266 | option_b=6066 | option_c=6166 | option_d=44704 | answer=C | explanation=SI = PRT/100 = 38538×4×4/100 = **■**6166.

id=18866 | topic=Averages | difficulty=Easy | question=Find the average of 27, 36, 25, 82, 60, 11, 18, 78, 75, 28. | option_a=44 | option_b=46 | option_c=43 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 440 ÷ 10 = 44.

id=18867 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:4 and the first is 8, what is the second? | option_a=18 | option_b=24 | option_c=16 | option_d=12 | answer=C | explanation=Scale factor = 8/2 = 4. Therefore second quantity = 4×4 = 16.

id=18868 | topic=Percentages | difficulty=Easy | question=What is 5% of 494? | option_a=19 | option_b=24 | option_c=34 | option_d=48 | answer=B | explanation=5% of 494 = (5/100) × 494 = 24.

id=18869 | topic=Averages | difficulty=Easy | question=Find the average of 90, 71, 72, 86, 11. | option_a=66 | option_b=67 | option_c=68 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 330 ÷ 5 = 66.

id=18870 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1806. If it is sold at a profit of 5%, what is its selling price? | option_a=1896 | option_b=1716 | option_c=1811 | option_d=2076 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1806 × 105/100 = **■**1896.

Aptitude Questions — Records 18,871-18,900 of 100,000

id=18871 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=16 | option_b=13 | option_c=17 | option_d=15 | answer=D | explanation=The common difference is 2. Therefore the next term is 13 + 2 = 15.

id=18872 | topic=Percentages | difficulty=Easy | question=What is 15% of 1696? | option_a=508 | option_b=254 | option_c=244 | option_d=274 | answer=B | explanation=15% of 1696 = (15/100) × 1696 = 254.

id=18873 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3385. If it is sold at a profit of 30%, what is its selling price? | option_a=3415 | option_b=4062 | option_c=4738 | option_d=4400 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3385 × 130/100 = █4400.

id=18874 | topic=Averages | difficulty=Easy | question=Find the average of 55, 81, 69, 14, 76, 43, 50, 25, 89, 68. | option_a=58 | option_b=56 | option_c=59 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.

id=18875 | topic=Averages | difficulty=Easy | question=Find the average of 33, 54, 87, 15, 32, 58, 52, 35, 54, 80. | option_a=52 | option_b=51 | option_c=49 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 500 ÷ 10 = 50.

id=18876 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=M | option_c=L | option_d=N | answer=D | explanation=Move 1 positions forward from M; the resulting letter is N.

id=18877 | topic=Averages | difficulty=Easy | question=Find the average of 81, 56, 57, 90. | option_a=72 | option_b=71 | option_c=73 | option_d=70 | answer=B | explanation=Average = sum of values ÷ number of values = 284 ÷ 4 = 71.

id=18878 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=43 | option_b=35 | option_c=44 | option_d=51 | answer=A | explanation=The common difference is 8. Therefore the next term is 35 + 8 = 43.

id=18879 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=N | option_b=S | option_c=D | option_d=I | answer=A | explanation=Move 5 positions forward from I; the resulting letter is N.

id=18880 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=90 | option_c=95 | option_d=180 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=18881 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=18882 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38672 at 10% per annum for 1 years. | option_a=3767 | option_b=3967 | option_c=3867 | option_d=42539 | answer=C | explanation=SI = PRT/100 = 38672×10×1/100 = █3867.

id=18883 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 31, 41, 54? | option_a=21 | option_b=41 | option_c=31 | option_d=54 | answer=D | explanation=The first three numbers increase by 10, so the next should be 51. Therefore 54 is the odd one out.

id=18884 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35169 at 12% per annum for 3 years. | option_a=47829 | option_b=12560 | option_c=12660 | option_d=12760 | answer=C | explanation=SI = PRT/100 = 35169×12×3/100 = █12660.

id=18885 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:15 and the first is 36, what is the second? | option_a=139 | option_b=120 | option_c=135 | option_d=171 | answer=C | explanation=Scale factor = 36/4 = 9. Therefore second quantity = 15×9 = 135.

id=18886 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48703 at 12% per annum for 2 years. | option_a=11788 | option_b=11688 | option_c=11588 | option_d=60391 | answer=B | explanation=SI = PRT/100 = 48703×12×2/100 = █11688.

id=18887 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=18888 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=T | option_c=H | option_d=L | answer=A | explanation=Move 4 positions forward from L; the resulting letter is P.

id=18889 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=V | option_b=P | option_c=S | option_d=M | answer=C | explanation=Move 3 positions forward from P; the resulting letter is S.

id=18890 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1926. If it is sold at a profit of 10%, what is its selling price? | option_a=2310 | option_b=1936 | option_c=2118 | option_d=1926 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1926 × 110/100 = █2118.

id=18891 | topic=Averages | difficulty=Easy | question=Find the average of 93, 97, 82, 36, 78, 91, 42, 85, 27, 29. | option_a=65 | option_b=66 | option_c=68 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = 660 ÷ 10 = 66.

id=18892 | topic=Averages | difficulty=Easy | question=Find the average of 78, 34, 20, 73, 80. | option_a=59 | option_b=57 | option_c=58 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.

id=18893 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=G | option_b=L | option_c=Q | option_d=V | answer=C | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=18894 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=18895 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 15. | option_a=45 | option_b=135 | option_c=54 | option_d=30 | answer=A | explanation=LCM × HCF = 9×15; HCF(9,15) = 3, so LCM = 45.

id=18896 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:13 and the first is 228, what is the second? | option_a=175 | option_b=156 | option_c=143 | option_d=384 | answer=B | explanation=Scale factor = 228/19 = 12. Therefore second quantity = 13×12 = 156.

id=18897 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=18898 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:17 and the first is 160, what is the second? | option_a=136 | option_b=296 | option_c=156 | option_d=119 | answer=A | explanation=Scale factor = 160/20 = 8. Therefore second quantity = 17×8 = 136.

id=18899 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:13 and the first is 27, what is the second? | option_a=144 | option_b=104 | option_c=117 | option_d=120 | answer=C | explanation=Scale factor = 27/3 = 9. Therefore second quantity = 13×9 = 117.

id=18900 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:13 and the first is 176, what is the second? | option_a=143 | option_b=319 | option_c=159 | option_d=130 | answer=A | explanation=Scale factor = 176/16 = 11. Therefore second quantity = 13×11 = 143.

Aptitude Questions — Records 18,901-18,930 of 100,000

id=18901 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 34? | option_a=13 | option_b=4 | option_c=34 | option_d=22 | answer=C | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 34 is the odd one out.

id=18902 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=18903 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■49162 at 6% per annum for 5 years. | option_a=63910 | option_b=14848 | option_c=14748 | option_d=14648 | answer=C | explanation=SI = PRT/100 = 49162×6×5/100 = ■14748.

id=18904 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=39 | option_b=46 | option_c=32 | option_d=40 | answer=A | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.

id=18905 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=R | option_b=Q | option_c=P | option_d=S | answer=A | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=18906 | topic=Averages | difficulty=Easy | question=Find the average of 28, 19, 22, 53, 68, 26. | option_a=38 | option_b=36 | option_c=37 | option_d=35 | answer=B | explanation=Average = sum of values ÷ number of values = 216 ÷ 6 = 36.

id=18907 | topic=Averages | difficulty=Easy | question=Find the average of 15, 79, 36, 88, 27, 25. | option_a=44 | option_b=45 | option_c=47 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 270 ÷ 6 = 45.

id=18908 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 20, 23, 28? | option_a=20 | option_b=28 | option_c=17 | option_d=23 | answer=B | explanation=The first three numbers increase by 3, so the next should be 26. Therefore 28 is the odd one out.

id=18909 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■929. If it is sold at a profit of 40%, what is its selling price? | option_a=969 | option_b=1392 | option_c=1208 | option_d=1300 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 929 × 140/100 = ■1300.

id=18910 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=L | option_b=G | option_c=W | option_d=B | answer=B | explanation=Move 5 positions forward from B; the resulting letter is G.

id=18911 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=51 | option_b=52 | option_c=62 | option_d=40 | answer=A | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=18912 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 11? | option_a=6 | option_b=2 | option_c=11 | option_d=4 | answer=C | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 11 is the odd one out.

id=18913 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=Z | option_b=C | option_c=B | option_d=A | answer=C | explanation=Move 1 positions forward from A; the resulting letter is B.

id=18914 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:8 and the first is 180, what is the second? | option_a=98 | option_b=72 | option_c=260 | option_d=80 | answer=D | explanation=Scale factor = 180/18 = 10. Therefore second quantity = 8×10 = 80.

id=18915 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=47 | option_b=46 | option_c=36 | option_d=56 | answer=B | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.

id=18916 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=37 | option_b=38 | option_c=29 | option_d=45 | answer=A | explanation=The common difference is 8. Therefore the next term is 29 + 8 = 37.

id=18917 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=S | option_c=M | option_d=V | answer=B | explanation=Move 3 positions forward from P; the resulting letter is S.

id=18918 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■18747 at 5% per annum for 5 years. | option_a=23433 | option_b=4586 | option_c=4686 | option_d=4786 | answer=C | explanation=SI = PRT/100 = 18747×5×5/100 = ■4686.

id=18919 | topic=Averages | difficulty=Easy | question=Find the average of 47, 97, 94, 71, 61. | option_a=75 | option_b=76 | option_c=74 | option_d=73 | answer=C | explanation=Average = sum of values ÷ number of values = 370 ÷ 5 = 74.

id=18920 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=18921 | topic=Percentages | difficulty=Easy | question=What is 10% of 697? | option_a=59 | option_b=69 | option_c=89 | option_d=138 | answer=B | explanation=10% of 697 = (10/100) × 697 = 69.

id=18922 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1286. If it is sold at a profit of 20%, what is its selling price? | option_a=1543 | option_b=1306 | option_c=1415 | option_d=1671 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1286 × 120/100 = ■1543.

id=18923 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=240 | option_c=125 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=18924 | topic=Averages | difficulty=Easy | question=Find the average of 37, 89, 74, 24, 50, 99, 20, 103. | option_a=62 | option_b=63 | option_c=61 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = 496 ÷ 8 = 62.

id=18925 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=18926 | topic=Averages | difficulty=Easy | question=Find the average of 61, 80, 69, 58. | option_a=67 | option_b=69 | option_c=66 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = 268 ÷ 4 = 67.

id=18927 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=Q | option_c=T | option_d=K | answer=B | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=18928 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:8 and the first is 36, what is the second? | option_a=84 | option_b=40 | option_c=54 | option_d=48 | answer=D | explanation=Scale factor = 36/6 = 6. Therefore second quantity = 8×6 = 48.

id=18929 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=H | option_c=J | option_d=D | answer=B | explanation=Move 2 positions forward from F; the resulting letter is H.

id=18930 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:15 and the first is 54, what is the second? | option_a=270 | option_b=273 | option_c=255 | option_d=324 | answer=A | explanation=Scale factor = 54/3 = 18. Therefore second quantity = 15×18 = 270.

Aptitude Questions — Records 18,931-18,960 of 100,000

id=18931 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 31, 39, 50? | option_a=39 | option_b=23 | option_c=31 | option_d=50 | answer=D | explanation=The first three numbers increase by 8, so the next should be 47. Therefore 50 is the odd one out.

id=18932 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:10 and the first is 180, what is the second? | option_a=200 | option_b=190 | option_c=209 | option_d=380 | answer=A | explanation=Scale factor = 180/9 = 20. Therefore second quantity = 10×20 = 200.

id=18933 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=75 | option_c=80 | option_d=150 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=18934 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=F | option_b=U | option_c=K | option_d=P | answer=D | explanation=Move 5 positions forward from K; the resulting letter is P.

id=18935 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 26, 29, 35? | option_a=26 | option_b=29 | option_c=23 | option_d=35 | answer=D | explanation=The first three numbers increase by 3, so the next should be 32. Therefore 35 is the odd one out.

id=18936 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=G | option_b=A | option_c=J | option_d=D | answer=A | explanation=Move 3 positions forward from D; the resulting letter is G.

id=18937 | topic=Profit & Loss | difficulty=Easy | question=An article costs █822. If it is sold at a profit of 25%, what is its selling price? | option_a=847 | option_b=1109 | option_c=945 | option_d=1027 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 822 × 125/100 = █1027.

id=18938 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 16, 23, 32? | option_a=23 | option_b=32 | option_c=16 | option_d=9 | answer=B | explanation=The first three numbers increase by 7, so the next should be 30. Therefore 32 is the odd one out.

id=18939 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 12. | option_a=12 | option_b=48 | option_c=24 | option_d=288 | answer=C | explanation=LCM × HCF = 24×12; HCF(24,12) = 12, so LCM = 24.

id=18940 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37504 at 6% per annum for 4 years. | option_a=46504 | option_b=8900 | option_c=9100 | option_d=9000 | answer=D | explanation=SI = PRT/100 = 37504×6×4/100 = █9000.

id=18941 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=40 | option_c=80 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=18942 | topic=Percentages | difficulty=Easy | question=What is 25% of 730? | option_a=172 | option_b=182 | option_c=187 | option_d=364 | answer=B | explanation=25% of 730 = (25/100) × 730 = 182.

id=18943 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3715. If it is sold at a profit of 40%, what is its selling price? | option_a=3755 | option_b=5201 | option_c=4830 | option_d=5572 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3715 × 140/100 = █5201.

id=18944 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=18945 | topic=Averages | difficulty=Easy | question=Find the average of 82, 83, 58, 96, 55, 73, 99. | option_a=78 | option_b=80 | option_c=79 | option_d=77 | answer=A | explanation=Average = sum of values ÷ number of values = 546 ÷ 7 = 78.

id=18946 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:20 and the first is 35, what is the second? | option_a=175 | option_b=120 | option_c=140 | option_d=145 | answer=C | explanation=Scale factor = 35/5 = 7. Therefore second quantity = 20×7 = 140.

id=18947 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12487 at 5% per annum for 2 years. | option_a=1148 | option_b=1348 | option_c=1248 | option_d=13735 | answer=C | explanation=SI = PRT/100 = 12487×5×2/100 = █1248.

id=18948 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=18949 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:2 and the first is 221, what is the second? | option_a=24 | option_b=43 | option_c=247 | option_d=26 | answer=D | explanation=Scale factor = 221/17 = 13. Therefore second quantity = 2×13 = 26.

id=18950 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2052. If it is sold at a profit of 20%, what is its selling price? | option_a=2072 | option_b=2462 | option_c=2257 | option_d=2667 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2052 × 120/100 = █2462.

id=18951 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 10, 17, 27? | option_a=27 | option_b=10 | option_c=17 | option_d=3 | answer=A | explanation=The first three numbers increase by 7, so the next should be 24. Therefore 27 is the odd one out.

id=18952 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=T | option_c=S | option_d=Q | answer=C | explanation=Move 1 positions forward from R; the resulting letter is S.

id=18953 | topic=Percentages | difficulty=Easy | question=What is 15% of 1112? | option_a=146 | option_b=332 | option_c=166 | option_d=176 | answer=C | explanation=15% of 1112 = (15/100) × 1112 = 166.

id=18954 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 12. | option_a=72 | option_b=84 | option_c=105 | option_d=252 | answer=B | explanation=LCM × HCF = 21×12; HCF(21,12) = 3, so LCM = 84.

id=18955 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:3 and the first is 30, what is the second? | option_a=45 | option_b=42 | option_c=47 | option_d=75 | answer=A | explanation=Scale factor = 30/2 = 15. Therefore second quantity = 3×15 = 45.

id=18956 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:7 and the first is 119, what is the second? | option_a=112 | option_b=126 | option_c=119 | option_d=238 | answer=C | explanation=Scale factor = 119/7 = 17. Therefore second quantity = 7×17 = 119.

id=18957 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:8 and the first is 160, what is the second? | option_a=96 | option_b=80 | option_c=240 | option_d=72 | answer=B | explanation=Scale factor = 160/16 = 10. Therefore second quantity = 8×10 = 80.

id=18958 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:18 and the first is 320, what is the second? | option_a=270 | option_b=308 | option_c=288 | option_d=608 | answer=C | explanation=Scale factor = 320/20 = 16. Therefore second quantity = 18×16 = 288.

id=18959 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=P | option_c=J | option_d=L | answer=A | explanation=Move 2 positions forward from L; the resulting letter is N.

id=18960 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 6, 10, 15? | option_a=15 | option_b=6 | option_c=2 | option_d=10 | answer=A | explanation=The first three numbers increase by 4, so the next should be 14. Therefore 15 is the odd one out.

Aptitude Questions — Records 18,961-18,990 of 100,000

id=18961 | topic=Percentages | difficulty=Easy | question=What is 40% of 166? | option_a=132 | option_b=86 | option_c=46 | option_d=66 | answer=D | explanation=40% of 166 = (40/100) × 166 = 66.

id=18962 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:12 and the first is 45, what is the second? | option_a=81 | option_b=24 | option_c=36 | option_d=51 | answer=C | explanation=Scale factor = 45/15 = 3. Therefore second quantity = 12×3 = 36.

id=18963 | topic=Percentages | difficulty=Easy | question=What is 5% of 1373? | option_a=58 | option_b=68 | option_c=88 | option_d=136 | answer=B | explanation=5% of 1373 = (5/100) × 1373 = 68.

id=18964 | topic=Averages | difficulty=Easy | question=Find the average of 79, 74, 45, 23, 87, 66, 41, 59, 48. | option_a=58 | option_b=57 | option_c=59 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 522 ÷ 9 = 58.

id=18965 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10634 at 10% per annum for 4 years. | option_a=4353 | option_b=4153 | option_c=4253 | option_d=14887 | answer=C | explanation=SI = PRT/100 = 10634×10×4/100 = **■**4253.

id=18966 | topic=Percentages | difficulty=Easy | question=What is 50% of 782? | option_a=381 | option_b=396 | option_c=391 | option_d=782 | answer=C | explanation=50% of 782 = (50/100) × 782 = 391.

id=18967 | topic=Percentages | difficulty=Easy | question=What is 40% of 460? | option_a=174 | option_b=368 | option_c=184 | option_d=189 | answer=C | explanation=40% of 460 = (40/100) × 460 = 184.

id=18968 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:5 and the first is 200, what is the second? | option_a=70 | option_b=50 | option_c=250 | option_d=45 | answer=B | explanation=Scale factor = 200/20 = 10. Therefore second quantity = 5×10 = 50.

id=18969 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 27? | option_a=12 | option_b=27 | option_c=18 | option_d=6 | answer=B | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 27 is the odd one out.

id=18970 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:13 and the first is 114, what is the second? | option_a=234 | option_b=361 | option_c=247 | option_d=253 | answer=C | explanation=Scale factor = 114/6 = 19. Therefore second quantity = 13×19 = 247.

id=18971 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 24, 27, 33? | option_a=33 | option_b=24 | option_c=27 | option_d=21 | answer=A | explanation=The first three numbers increase by 3, so the next should be 30. Therefore 33 is the odd one out.

id=18972 | topic=Percentages | difficulty=Easy | question=What is 12% of 277? | option_a=43 | option_b=66 | option_c=28 | option_d=33 | answer=D | explanation=12% of 277 = (12/100) × 277 = 33.

id=18973 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=P | option_c=O | option_d=Q | answer=D | explanation=Move 1 positions forward from P, the resulting letter is Q.

id=18974 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 16? | option_a=9 | option_b=13 | option_c=11 | option_d=16 | answer=D | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 16 is the odd one out.

id=18975 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:15 and the first is 80, what is the second? | option_a=285 | option_b=300 | option_c=380 | option_d=304 | answer=B | explanation=Scale factor = 80/4 = 20. Therefore second quantity = 15×20 = 300.

id=18976 | topic=Averages | difficulty=Easy | question=Find the average of 61, 88, 52. | option_a=66 | option_b=67 | option_c=68 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 201 ÷ 3 = 67.

id=18977 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=40 | option_b=50 | option_c=60 | option_d=51 | answer=B | explanation=The common difference is 10. Therefore the next term is 40 + 10 = 50.

id=18978 | topic=Percentages | difficulty=Easy | question=What is 12% of 1727? | option_a=202 | option_b=212 | option_c=414 | option_d=207 | answer=D | explanation=12% of 1727 = (12/100) × 1727 = 207.

id=18979 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**928. If it is sold at a profit of 20%, what is its selling price? | option_a=1205 | option_b=948 | option_c=1113 | option_d=1021 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 928 × 120/100 = **■**1113.

id=18980 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=G | option_c=Q | option_d=V | answer=C | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=18981 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=31 | option_c=36 | option_d=41 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=18982 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=9 | option_b=4 | option_c=14 | option_d=18 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=18983 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:4 and the first is 28, what is the second? | option_a=56 | option_b=58 | option_c=84 | option_d=52 | answer=A | explanation=Scale factor = 28/2 = 14. Therefore second quantity = 4×14 = 56.

id=18984 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=47 | option_b=35 | option_c=46 | option_d=57 | answer=C | explanation=The common difference is 11. Therefore the next term is 35 + 11 = 46.

id=18985 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4673 at 4% per annum for 1 years. | option_a=4859 | option_b=286 | option_c=186 | option_d=86 | answer=C | explanation=SI = PRT/100 = 4673×4×1/100 = **■**186.

id=18986 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=18987 | topic=Percentages | difficulty=Easy | question=What is 25% of 1693? | option_a=423 | option_b=428 | option_c=846 | option_d=413 | answer=A | explanation=25% of 1693 = (25/100) × 1693 = 423.

id=18988 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=18989 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 15, 23, 33? | option_a=15 | option_b=33 | option_c=7 | option_d=23 | answer=B | explanation=The first three numbers increase by 8, so the next should be 31. Therefore 33 is the odd one out.

id=18990 | topic=Averages | difficulty=Easy | question=Find the average of 91, 53, 55, 43, 73. | option_a=63 | option_b=65 | option_c=64 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 315 ÷ 5 = 63.

Aptitude Questions — Records 18,991-19,020 of 100,000

id=18991 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=46 | option_b=57 | option_c=35 | option_d=47 | answer=A | explanation=The common difference is 11. Therefore the next term is 35 + 11 = 46.

id=18992 | topic=Percentages | difficulty=Easy | question=What is 10% of 770? | option_a=67 | option_b=77 | option_c=154 | option_d=87 | answer=B | explanation=10% of 770 = (10/100) × 770 = 77.

id=18993 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=80 | option_b=69 | option_c=56 | option_d=68 | answer=D | explanation=The common difference is 12. Therefore the next term is 56 + 12 = 68.

id=18994 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 34, 42, 52? | option_a=42 | option_b=52 | option_c=26 | option_d=34 | answer=B | explanation=The first three numbers increase by 8, so the next should be 50. Therefore 52 is the odd one out.

id=18995 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=18996 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=45 | option_b=52 | option_c=38 | option_d=46 | answer=A | explanation=The common difference is 7. Therefore the next term is 38 + 7 = 45.

id=18997 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13265 at 6% per annum for 3 years. | option_a=2487 | option_b=2387 | option_c=15652 | option_d=2287 | answer=B | explanation=SI = PRT/100 = 13265×6×3/100 = **■**2387.

id=18998 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=60 | option_b=61 | option_c=70 | option_d=50 | answer=A | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

id=18999 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4864. If it is sold at a profit of 10%, what is its selling price? | option_a=4874 | option_b=4864 | option_c=5350 | option_d=5836 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4864 × 110/100 = **■**5350.

id=19000 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=19001 | topic=Averages | difficulty=Easy | question=Find the average of 45, 41, 46, 80. | option_a=55 | option_b=54 | option_c=52 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 212 ÷ 4 = 53.

id=19002 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:4 and the first is 132, what is the second? | option_a=48 | option_b=44 | option_c=59 | option_d=180 | answer=A | explanation=Scale factor = 132/11 = 12. Therefore second quantity = 4×12 = 48.

id=19003 | topic=Averages | difficulty=Easy | question=Find the average of 19, 10, 56, 51, 49, 93, 16. | option_a=42 | option_b=43 | option_c=41 | option_d=44 | answer=A | explanation=Average = sum of values ÷ number of values = 294 ÷ 7 = 42.

id=19004 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 24. | option_a=130 | option_b=120 | option_c=240 | option_d=96 | answer=B | explanation=LCM × HCF = 10×24; HCF(10,24) = 2, so LCM = 120.

id=19005 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31362 at 4% per annum for 2 years. | option_a=2508 | option_b=2608 | option_c=33870 | option_d=2408 | answer=A | explanation=SI = PRT/100 = 31362×4×2/100 = **■**2508.

id=19006 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=8 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=19007 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=19008 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=19009 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4154. If it is sold at a profit of 50%, what is its selling price? | option_a=6646 | option_b=6231 | option_c=5816 | option_d=4204 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4154 × 150/100 = **■**6231.

id=19010 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10487 at 8% per annum for 4 years. | option_a=3355 | option_b=3455 | option_c=13842 | option_d=3255 | answer=A | explanation=SI = PRT/100 = 10487×8×4/100 = **■**3355.

id=19011 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 26, 34, 42, ? | option_a=58 | option_b=50 | option_c=51 | option_d=42 | answer=B | explanation=The common difference is 8. Therefore the next term is 42 + 8 = 50.

id=19012 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:11 and the first is 210, what is the second? | option_a=165 | option_b=375 | option_c=179 | option_d=154 | answer=A | explanation=Scale factor = 210/14 = 15. Therefore second quantity = 11×15 = 165.

id=19013 | topic=Percentages | difficulty=Easy | question=What is 10% of 58? | option_a=10 | option_b=0 | option_c=15 | option_d=5 | answer=D | explanation=10% of 58 = (10/100) × 58 = 5.

id=19014 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=6 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=19015 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=22 | option_b=26 | option_c=25 | option_d=28 | answer=C | explanation=The common difference is 3. Therefore the next term is 22 + 3 = 25.

id=19016 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=44 | option_b=37 | option_c=36 | option_d=28 | answer=C | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=19017 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 13, 23, 34? | option_a=13 | option_b=23 | option_c=3 | option_d=34 | answer=D | explanation=The first three numbers increase by 10, so the next should be 33. Therefore 34 is the odd one out.

id=19018 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=19019 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4077. If it is sold at a profit of 15%, what is its selling price? | option_a=5095 | option_b=4092 | option_c=4281 | option_d=4688 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4077 × 115/100 = **■**4688.

id=19020 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**659. If it is sold at a profit of 5%, what is its selling price? | option_a=626 | option_b=691 | option_c=756 | option_d=664 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 659 × 105/100 = **■**691.

Aptitude Questions — Records 19,021-19,050 of 100,000

id=19021 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2050. If it is sold at a profit of 10%, what is its selling price? | option_a=2460 | option_b=2050 | option_c=2060 | option_d=2255 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2050 × 110/100 = █2255.

id=19022 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:9 and the first is 90, what is the second? | option_a=252 | option_b=162 | option_c=167 | option_d=153 | answer=B | explanation=Scale factor = 90/5 = 18. Therefore second quantity = 9×18 = 162.

id=19023 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46828 at 12% per annum for 2 years. | option_a=11238 | option_b=11138 | option_c=58066 | option_d=11338 | answer=A | explanation=SI = PRT/100 = 46828×12×2/100 = █11238.

id=19024 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47995 at 5% per annum for 2 years. | option_a=4799 | option_b=4899 | option_c=4699 | option_d=52794 | answer=A | explanation=SI = PRT/100 = 47995×5×2/100 = █4799.

id=19025 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=51 | option_b=38 | option_c=62 | option_d=50 | answer=D | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=19026 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=19027 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does "T" become? | option_a=Q | option_b=W | option_c=T | option_d=Z | answer=B | explanation=Move 3 positions forward from T; the resulting letter is W.

id=19028 | topic=Percentages | difficulty=Easy | question=What is 30% of 704? | option_a=191 | option_b=422 | option_c=211 | option_d=231 | answer=C | explanation=30% of 704 = (30/100) × 704 = 211.

id=19029 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 33? | option_a=33 | option_b=22 | option_c=2 | option_d=12 | answer=A | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 33 is the odd one out.

id=19030 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 11? | option_a=11 | option_b=4 | option_c=6 | option_d=8 | answer=A | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 11 is the odd one out.

id=19031 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 20? | option_a=11 | option_b=7 | option_c=20 | option_d=15 | answer=C | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 20 is the odd one out.

id=19032 | topic=Averages | difficulty=Easy | question=Find the average of 72, 47, 39, 92, 62, 59, 51, 23, 41. | option_a=53 | option_b=54 | option_c=56 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 486 ÷ 9 = 54.

id=19033 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=19034 | topic=Averages | difficulty=Easy | question=Find the average of 71, 25, 71, 13, 23, 74, 90, 41, 60. | option_a=52 | option_b=53 | option_c=51 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 468 ÷ 9 = 52.

id=19035 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=19036 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 23, 28, 36? | option_a=18 | option_b=23 | option_c=28 | option_d=36 | answer=D | explanation=The first three numbers increase by 5, so the next should be 33. Therefore 36 is the odd one out.

id=19037 | topic=Percentages | difficulty=Easy | question=What is 15% of 1712? | option_a=246 | option_b=256 | option_c=512 | option_d=266 | answer=B | explanation=15% of 1712 = (15/100) × 1712 = 256.

id=19038 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=50 | option_b=51 | option_c=40 | option_d=60 | answer=A | explanation=The common difference is 10. Therefore the next term is 40 + 10 = 50.

id=19039 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=19040 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 5. | option_a=10 | option_b=50 | option_c=5 | option_d=20 | answer=A | explanation=LCM × HCF = 10×5; HCF(10,5) = 5, so LCM = 10.

id=19041 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24642 at 12% per annum for 3 years. | option_a=8871 | option_b=33513 | option_c=8771 | option_d=8971 | answer=A | explanation=SI = PRT/100 = 24642×12×3/100 = █8871.

id=19042 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 25? | option_a=16 | option_b=18 | option_c=20 | option_d=25 | answer=D | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 25 is the odd one out.

id=19043 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 19, 22, 25, ? | option_a=29 | option_b=28 | option_c=25 | option_d=31 | answer=B | explanation=The common difference is 3. Therefore the next term is 25 + 3 = 28.

id=19044 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=39 | option_b=45 | option_c=38 | option_d=31 | answer=C | explanation=The common difference is 7. Therefore the next term is 31 + 7 = 38.

id=19045 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17198 at 6% per annum for 2 years. | option_a=2163 | option_b=2063 | option_c=1963 | option_d=19261 | answer=B | explanation=SI = PRT/100 = 17198×6×2/100 = █2063.

id=19046 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=35 | option_b=40 | option_c=34 | option_d=28 | answer=C | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.

id=19047 | topic=Averages | difficulty=Easy | question=Find the average of 77, 47, 97, 81, 73. | option_a=75 | option_b=77 | option_c=74 | option_d=76 | answer=A | explanation=Average = sum of values ÷ number of values = 375 ÷ 5 = 75.

id=19048 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 8. | option_a=40 | option_b=32 | option_c=80 | option_d=50 | answer=A | explanation=LCM × HCF = 10×8; HCF(10,8) = 2, so LCM = 40.

id=19049 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23531 at 4% per annum for 4 years. | option_a=27295 | option_b=3664 | option_c=3864 | option_d=3764 | answer=D | explanation=SI = PRT/100 = 23531×4×4/100 = █3764.

id=19050 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=57 | option_b=48 | option_c=37 | option_d=47 | answer=D | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

Aptitude Questions — Records 19,051-19,080 of 100,000

id=19051 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■7757 at 6% per annum for 3 years. | option_a=1396 | option_b=9153 | option_c=1296 | option_d=1496 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{7757 \times 6 \times 3}{100} = \text{■}1396$.

id=19052 | topic=Averages | difficulty=Easy | question=Find the average of 23, 19, 83, 52, 63, 86, 19, 53, 88. | option_a=55 | option_b=54 | option_c=56 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = $486 \div 9 = 54$.

id=19053 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 12, 14, 19? | option_a=14 | option_b=10 | option_c=19 | option_d=12 | answer=C | explanation=The first three numbers increase by 2, so the next should be 16. Therefore 19 is the odd one out.

id=19054 | topic=Percentages | difficulty=Easy | question=What is 25% of 642? | option_a=180 | option_b=160 | option_c=320 | option_d=140 | answer=B | explanation= $25\% \text{ of } 642 = \frac{25}{100} \times 642 = 160$.

id=19055 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 32? | option_a=20 | option_b=25 | option_c=15 | option_d=32 | answer=D | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 32 is the odd one out.

id=19056 | topic=Percentages | difficulty=Easy | question=What is 40% of 646? | option_a=516 | option_b=258 | option_c=238 | option_d=268 | answer=B | explanation= $40\% \text{ of } 646 = \frac{40}{100} \times 646 = 258$.

id=19057 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:13 and the first is 270, what is the second? | option_a=182 | option_b=195 | option_c=465 | option_d=213 | answer=B | explanation=Scale factor = $\frac{270}{18} = 15$. Therefore second quantity = $13 \times 15 = 195$.

id=19058 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=24 | option_d=7 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=19059 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2174. If it is sold at a profit of 40%, what is its selling price? | option_a=2214 | option_b=2826 | option_c=3043 | option_d=3260 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = \frac{2174 \times 140}{100} = \text{■}3043$.

id=19060 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=30 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = $60 \div 4 = 15$ km/h.

id=19061 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=N | option_b=S | option_c=I | option_d=D | answer=A | explanation=Move 5 positions forward from I; the resulting letter is N.

id=19062 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4491. If it is sold at a profit of 10%, what is its selling price? | option_a=4940 | option_b=5389 | option_c=4501 | option_d=4491 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = \frac{4491 \times 110}{100} = \text{■}4940$.

id=19063 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:19 and the first is 108, what is the second? | option_a=336 | option_b=228 | option_c=209 | option_d=237 | answer=B | explanation=Scale factor = $\frac{108}{9} = 12$. Therefore second quantity = $19 \times 12 = 228$.

id=19064 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:16 and the first is 300, what is the second? | option_a=240 | option_b=260 | option_c=540 | option_d=224 | answer=A | explanation=Scale factor = $\frac{300}{20} = 15$. Therefore second quantity = $16 \times 15 = 240$.

id=19065 | topic=Percentages | difficulty=Easy | question=What is 20% of 186? | option_a=42 | option_b=74 | option_c=37 | option_d=32 | answer=C | explanation= $20\% \text{ of } 186 = \frac{20}{100} \times 186 = 37$.

id=19066 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Q | option_b=C | option_c=U | option_d=Y | answer=D | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=19067 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = $\frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=19068 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=H | option_c=E | option_d=Y | answer=C | explanation=Move 3 positions forward from B; the resulting letter is E.

id=19069 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■28952 at 4% per annum for 2 years. | option_a=2216 | option_b=31268 | option_c=2316 | option_d=2416 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{28952 \times 4 \times 2}{100} = \text{■}2316$.

id=19070 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■15524 at 15% per annum for 4 years. | option_a=24838 | option_b=9214 | option_c=9314 | option_d=9414 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{15524 \times 15 \times 4}{100} = \text{■}9314$.

id=19071 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=4 | option_d=20 | answer=A | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.

id=19072 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:16 and the first is 380, what is the second? | option_a=339 | option_b=700 | option_c=304 | option_d=320 | answer=D | explanation=Scale factor = $\frac{380}{19} = 20$. Therefore second quantity = $16 \times 20 = 320$.

id=19073 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■24105 at 4% per annum for 1 years. | option_a=25069 | option_b=964 | option_c=1064 | option_d=864 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{24105 \times 4 \times 1}{100} = \text{■}964$.

id=19074 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■24208 at 6% per annum for 2 years. | option_a=2804 | option_b=27112 | option_c=2904 | option_d=3004 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{24208 \times 6 \times 2}{100} = \text{■}2904$.

id=19075 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=45 | option_b=39 | option_c=38 | option_d=31 | answer=C | explanation=The common difference is 7. Therefore the next term is $31 + 7 = 38$.

id=19076 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■153. If it is sold at a profit of 25%, what is its selling price? | option_a=178 | option_b=191 | option_c=206 | option_d=176 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = \frac{153 \times 125}{100} = \text{■}191$.

id=19077 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■38826 at 8% per annum for 2 years. | option_a=6312 | option_b=45038 | option_c=6212 | option_d=6112 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{38826 \times 8 \times 2}{100} = \text{■}6212$.

id=19078 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=N | option_b=R | option_c=V | option_d=Z | answer=C | explanation=Move 4 positions forward from R; the resulting letter is V.

id=19079 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1172. If it is sold at a profit of 5%, what is its selling price? | option_a=1230 | option_b=1113 | option_c=1347 | option_d=1177 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = \frac{1172 \times 105}{100} = \text{■}1230$.

id=19080 | topic=Averages | difficulty=Easy | question=Find the average of 37, 12, 44, 84, 83. | option_a=54 | option_b=53 | option_c=52 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = $260 \div 5 = 52$.

Aptitude Questions — Records 19,081-19,110 of 100,000

id=19081 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=53 | option_b=54 | option_c=62 | option_d=44 | answer=A | explanation=The common difference is 9. Therefore the next term is 44 + 9 = 53.

id=19082 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=V | option_b=A | option_c=F | option_d=K | answer=C | explanation=Move 5 positions forward from A; the resulting letter is F.

id=19083 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3434. If it is sold at a profit of 10%, what is its selling price? | option_a=3434 | option_b=3444 | option_c=3777 | option_d=4120 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3434 × 110/100 = █3777.

id=19084 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=19085 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=65 | option_b=47 | option_c=57 | option_d=56 | answer=D | explanation=The common difference is 9. Therefore the next term is 47 + 9 = 56.

id=19086 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=Z | option_b=N | option_c=V | option_d=R | answer=C | explanation=Move 4 positions forward from R; the resulting letter is V.

id=19087 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44707 at 5% per annum for 1 years. | option_a=2235 | option_b=46942 | option_c=2335 | option_d=2135 | answer=A | explanation=SI = PRT/100 = 44707×5×1/100 = █2235.

id=19088 | topic=Averages | difficulty=Easy | question=Find the average of 50, 47, 33, 82, 77, 97, 62. | option_a=64 | option_b=65 | option_c=66 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 448 ÷ 7 = 64.

id=19089 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=24 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=19090 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=19091 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=4 | option_c=9 | option_d=18 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=19092 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20730 at 12% per annum for 2 years. | option_a=25705 | option_b=5075 | option_c=4975 | option_d=4875 | answer=C | explanation=SI = PRT/100 = 20730×12×2/100 = █4975.

id=19093 | topic=Percentages | difficulty=Easy | question=What is 25% of 122? | option_a=40 | option_b=30 | option_c=20 | option_d=60 | answer=B | explanation=25% of 122 = (25/100) × 122 = 30.

id=19094 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:16 and the first is 44, what is the second? | option_a=160 | option_b=180 | option_c=176 | option_d=220 | answer=C | explanation=Scale factor = 44/4 = 11. Therefore second quantity = 16×11 = 176.

id=19095 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=19096 | topic=Profit & Loss | difficulty=Easy | question=An article costs █547. If it is sold at a profit of 10%, what is its selling price? | option_a=557 | option_b=601 | option_c=655 | option_d=547 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 547 × 110/100 = █601.

id=19097 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47467 at 5% per annum for 5 years. | option_a=11966 | option_b=11766 | option_c=59333 | option_d=11866 | answer=D | explanation=SI = PRT/100 = 47467×5×5/100 = █11866.

id=19098 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2845. If it is sold at a profit of 25%, what is its selling price? | option_a=3556 | option_b=2870 | option_c=3840 | option_d=3272 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2845 × 125/100 = █3556.

id=19099 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=35 | option_b=31 | option_c=27 | option_d=32 | answer=B | explanation=The common difference is 4. Therefore the next term is 27 + 4 = 31.

id=19100 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=19101 | topic=Averages | difficulty=Easy | question=Find the average of 59, 78, 96, 30, 74, 59. | option_a=67 | option_b=65 | option_c=68 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = 396 ÷ 6 = 66.

id=19102 | topic=Percentages | difficulty=Easy | question=What is 12% of 718? | option_a=172 | option_b=96 | option_c=86 | option_d=76 | answer=C | explanation=12% of 718 = (12/100) × 718 = 86.

id=19103 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4440. If it is sold at a profit of 10%, what is its selling price? | option_a=4440 | option_b=4450 | option_c=5328 | option_d=4884 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4440 × 110/100 = █4884.

id=19104 | topic=Averages | difficulty=Easy | question=Find the average of 16, 63, 30, 21, 97, 86, 37. | option_a=50 | option_b=49 | option_c=52 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

id=19105 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4104. If it is sold at a profit of 10%, what is its selling price? | option_a=4114 | option_b=4924 | option_c=4514 | option_d=4104 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4104 × 110/100 = █4514.

id=19106 | topic=Averages | difficulty=Easy | question=Find the average of 82, 29, 56, 28, 29, 23, 12. | option_a=38 | option_b=37 | option_c=39 | option_d=36 | answer=B | explanation=Average = sum of values ÷ number of values = 259 ÷ 7 = 37.

id=19107 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:6 and the first is 14, what is the second? | option_a=6 | option_b=12 | option_c=19 | option_d=26 | answer=B | explanation=Scale factor = 14/7 = 2. Therefore second quantity = 6×2 = 12.

id=19108 | topic=Percentages | difficulty=Easy | question=What is 5% of 644? | option_a=32 | option_b=64 | option_c=22 | option_d=37 | answer=A | explanation=5% of 644 = (5/100) × 644 = 32.

id=19109 | topic=Percentages | difficulty=Easy | question=What is 40% of 1388? | option_a=555 | option_b=565 | option_c=1110 | option_d=535 | answer=A | explanation=40% of 1388 = (40/100) × 1388 = 555.

id=19110 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=55 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

Aptitude Questions — Records 19,111-19,140 of 100,000

id=19111 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=Q | option_b=O | option_c=R | option_d=P | answer=A | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=19112 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=26 | option_b=27 | option_c=24 | option_d=28 | answer=A | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.

id=19113 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 27, 31, 36? | option_a=23 | option_b=27 | option_c=36 | option_d=31 | answer=C | explanation=The first three numbers increase by 4, so the next should be 35. Therefore 36 is the odd one out.

id=19114 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:13 and the first is 160, what is the second? | option_a=130 | option_b=117 | option_c=146 | option_d=290 | answer=A | explanation=Scale factor = 160/16 = 10. Therefore second quantity = 13×10 = 130.

id=19115 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 7, 12, 18? | option_a=18 | option_b=12 | option_c=2 | option_d=7 | answer=A | explanation=The first three numbers increase by 5, so the next should be 17. Therefore 18 is the odd one out.

id=19116 | topic=Averages | difficulty=Easy | question=Find the average of 37, 33, 67, 43, 67, 45, 65, 25, 33, 15. | option_a=44 | option_b=42 | option_c=45 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = 430 ÷ 10 = 43.

id=19117 | topic=Percentages | difficulty=Easy | question=What is 20% of 1282? | option_a=256 | option_b=266 | option_c=246 | option_d=512 | answer=A | explanation=20% of 1282 = (20/100) × 1282 = 256.

id=19118 | topic=Percentages | difficulty=Easy | question=What is 12% of 147? | option_a=37 | option_b=0 | option_c=34 | option_d=17 | answer=D | explanation=12% of 147 = (12/100) × 147 = 17.

id=19119 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:10 and the first is 55, what is the second? | option_a=40 | option_b=50 | option_c=61 | option_d=105 | answer=B | explanation=Scale factor = 55/11 = 5. Therefore second quantity = 10×5 = 50.

id=19120 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=36 | option_c=72 | option_d=41 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=19121 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1653. If it is sold at a profit of 30%, what is its selling price? | option_a=1983 | option_b=2148 | option_c=1683 | option_d=2313 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1653 × 130/100 = █2148.

id=19122 | topic=Percentages | difficulty=Easy | question=What is 5% of 888? | option_a=54 | option_b=88 | option_c=44 | option_d=39 | answer=C | explanation=5% of 888 = (5/100) × 888 = 44.

id=19123 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20494 at 4% per annum for 2 years. | option_a=22133 | option_b=1739 | option_c=1639 | option_d=1539 | answer=C | explanation=SI = PRT/100 = 20494×4×2/100 = █1639.

id=19124 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=19125 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25021 at 12% per annum for 2 years. | option_a=31026 | option_b=5905 | option_c=6105 | option_d=6005 | answer=D | explanation=SI = PRT/100 = 25021×12×2/100 = █6005.

id=19126 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=17 | option_c=12 | option_d=7 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=19127 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=X | option_b=R | option_c=O | option_d=U | answer=D | explanation=Move 3 positions forward from R; the resulting letter is U.

id=19128 | topic=Averages | difficulty=Easy | question=Find the average of 41, 19, 69, 92, 65, 12, 41, 91, 65, 55. | option_a=56 | option_b=54 | option_c=57 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 550 ÷ 10 = 55.

id=19129 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 26, 28, 31? | option_a=26 | option_b=28 | option_c=24 | option_d=31 | answer=D | explanation=The first three numbers increase by 2, so the next should be 30. Therefore 31 is the odd one out.

id=19130 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15307 at 10% per annum for 2 years. | option_a=3061 | option_b=2961 | option_c=18368 | option_d=3161 | answer=A | explanation=SI = PRT/100 = 15307×10×2/100 = █3061.

id=19131 | topic=Percentages | difficulty=Easy | question=What is 25% of 447? | option_a=111 | option_b=91 | option_c=222 | option_d=121 | answer=A | explanation=25% of 447 = (25/100) × 447 = 111.

id=19132 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=55 | option_b=46 | option_c=45 | option_d=35 | answer=C | explanation=The common difference is 10. Therefore the next term is 35 + 10 = 45.

id=19133 | topic=Averages | difficulty=Easy | question=Find the average of 69, 71, 24, 61, 43, 38. | option_a=50 | option_b=51 | option_c=52 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 306 ÷ 6 = 51.

id=19134 | topic=Averages | difficulty=Easy | question=Find the average of 26, 20, 14, 23, 41, 89, 51, 41, 93, 82. | option_a=48 | option_b=49 | option_c=50 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 480 ÷ 10 = 48.

id=19135 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:1 and the first is 42, what is the second? | option_a=49 | option_b=13 | option_c=6 | option_d=7 | answer=D | explanation=Scale factor = 42/6 = 7. Therefore second quantity = 1×7 = 7.

id=19136 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40817 at 4% per annum for 2 years. | option_a=3365 | option_b=3265 | option_c=44082 | option_d=3165 | answer=B | explanation=SI = PRT/100 = 40817×4×2/100 = █3265.

id=19137 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=19138 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=90 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=19139 | topic=Percentages | difficulty=Easy | question=What is 50% of 1683? | option_a=846 | option_b=836 | option_c=841 | option_d=1682 | answer=C | explanation=50% of 1683 = (50/100) × 1683 = 841.

id=19140 | topic=Averages | difficulty=Easy | question=Find the average of 12, 17, 32, 59. | option_a=31 | option_b=30 | option_c=29 | option_d=32 | answer=B | explanation=Average = sum of values ÷ number of values = 120 ÷ 4 = 30.

Aptitude Questions — Records 19,141-19,170 of 100,000

id=19141 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 25. | option_a=625 | option_b=50 | option_c=25 | option_d=1 | answer=C | explanation= $LCM \times HCF = 25 \times 25$; $HCF(25, 25) = 25$, so $LCM = 25$.

id=19142 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=36 | option_b=30 | option_c=35 | option_d=40 | answer=C | explanation=The common difference is 5. Therefore the next term is $30 + 5 = 35$.

id=19143 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=19144 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48359 at 8% per annum for 4 years. | option_a=15374 | option_b=15474 | option_c=63833 | option_d=15574 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{48359 \times 8 \times 4}{100} = \text{■}15474$.

id=19145 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 9, 12, 16? | option_a=6 | option_b=12 | option_c=9 | option_d=16 | answer=D | explanation=The first three numbers increase by 3, so the next should be 15. Therefore 16 is the odd one out.

id=19146 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2985. If it is sold at a profit of 50%, what is its selling price? | option_a=4775 | option_b=3035 | option_c=4179 | option_d=4477 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2985 \times \frac{150}{100} = \text{■}4477$.

id=19147 | topic=Percentages | difficulty=Easy | question=What is 40% of 507? | option_a=222 | option_b=404 | option_c=197 | option_d=202 | answer=D | explanation= $40\% \text{ of } 507 = \frac{40}{100} \times 507 = 202$.

id=19148 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=66 | option_b=42 | option_c=55 | option_d=54 | answer=D | explanation=The common difference is 12. Therefore the next term is $42 + 12 = 54$.

id=19149 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1566 at 5% per annum for 4 years. | option_a=213 | option_b=1879 | option_c=413 | option_d=313 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{1566 \times 5 \times 4}{100} = \text{■}313$.

id=19150 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35108 at 4% per annum for 2 years. | option_a=2908 | option_b=37916 | option_c=2708 | option_d=2808 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{35108 \times 4 \times 2}{100} = \text{■}2808$.

id=19151 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49248 at 6% per annum for 4 years. | option_a=11819 | option_b=61067 | option_c=11719 | option_d=11919 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{49248 \times 6 \times 4}{100} = \text{■}11819$.

id=19152 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17121 at 4% per annum for 4 years. | option_a=2639 | option_b=2739 | option_c=2839 | option_d=19860 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{17121 \times 4 \times 4}{100} = \text{■}2739$.

id=19153 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28503 at 10% per annum for 1 years. | option_a=2850 | option_b=2950 | option_c=2750 | option_d=31353 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{28503 \times 10 \times 1}{100} = \text{■}2850$.

id=19154 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=C | option_c=Y | option_d=Q | answer=C | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=19155 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{120}{2} = 60 \text{ km/h}$.

id=19156 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47523 at 6% per annum for 5 years. | option_a=14356 | option_b=61779 | option_c=14156 | option_d=14256 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{47523 \times 6 \times 5}{100} = \text{■}14256$.

id=19157 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:16 and the first is 360, what is the second? | option_a=288 | option_b=308 | option_c=648 | option_d=272 | answer=A | explanation=Scale factor = $\frac{360}{20} = 18$. Therefore second quantity = $16 \times 18 = 288$.

id=19158 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 13, 23, 36? | option_a=3 | option_b=13 | option_c=36 | option_d=23 | answer=C | explanation=The first three numbers increase by 10, so the next should be 33. Therefore 36 is the odd one out.

id=19159 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 39, 48, 60? | option_a=48 | option_b=30 | option_c=60 | option_d=39 | answer=C | explanation=The first three numbers increase by 9, so the next should be 57. Therefore 60 is the odd one out.

id=19160 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 3. | option_a=36 | option_b=18 | option_c=15 | option_d=54 | answer=B | explanation= $LCM \times HCF = 18 \times 3$; $HCF(18, 3) = 3$, so $LCM = 18$.

id=19161 | topic=Percentages | difficulty=Easy | question=What is 30% of 1211? | option_a=343 | option_b=368 | option_c=363 | option_d=726 | answer=C | explanation= $30\% \text{ of } 1211 = \frac{30}{100} \times 1211 = 363$.

id=19162 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 14, 17, 22? | option_a=11 | option_b=14 | option_c=22 | option_d=17 | answer=C | explanation=The first three numbers increase by 3, so the next should be 20. Therefore 22 is the odd one out.

id=19163 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 39, 49, 60? | option_a=29 | option_b=60 | option_c=49 | option_d=39 | answer=B | explanation=The first three numbers increase by 10, so the next should be 59. Therefore 60 is the odd one out.

id=19164 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4940. If it is sold at a profit of 10%, what is its selling price? | option_a=5928 | option_b=5434 | option_c=4940 | option_d=4950 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4940 \times \frac{110}{100} = \text{■}5434$.

id=19165 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=40 | option_d=15 | answer=B | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{60}{3} = 20 \text{ km/h}$.

id=19166 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=23 | option_b=30 | option_c=35 | option_d=29 | answer=D | explanation=The common difference is 6. Therefore the next term is $23 + 6 = 29$.

id=19167 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:18 and the first is 11, what is the second? | option_a=198 | option_b=180 | option_c=209 | option_d=199 | answer=A | explanation=Scale factor = $\frac{11}{1} = 11$. Therefore second quantity = $18 \times 11 = 198$.

id=19168 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 24? | option_a=9 | option_b=15 | option_c=3 | option_d=24 | answer=D | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 24 is the odd one out.

id=19169 | topic=Percentages | difficulty=Easy | question=What is 12% of 346? | option_a=61 | option_b=21 | option_c=41 | option_d=82 | answer=C | explanation= $12\% \text{ of } 346 = \frac{12}{100} \times 346 = 41$.

id=19170 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=37 | option_b=41 | option_c=31 | option_d=36 | answer=D | explanation=The common difference is 5. Therefore the next term is $31 + 5 = 36$.

Aptitude Questions — Records 19,171-19,200 of 100,000

id=19171 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:7 and the first is 240, what is the second? | option_a=345 | option_b=121 | option_c=98 | option_d=105 | answer=D | explanation=Scale factor = $240/16 = 15$. Therefore second quantity = $7 \times 15 = 105$.

id=19172 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=19 | option_d=29 | answer=A | explanation=Speed = distance ÷ time = $120 \div 5 = 24$ km/h.

id=19173 | topic=Profit & Loss | difficulty=Easy | question=An article costs █505. If it is sold at a profit of 5%, what is its selling price? | option_a=530 | option_b=480 | option_c=580 | option_d=510 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 505 \times 105/100 = \text{█}530$.

id=19174 | topic=Averages | difficulty=Easy | question=Find the average of 48, 42, 76, 19, 61, 37, 85, 37, 54. | option_a=50 | option_b=53 | option_c=51 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = $459 \div 9 = 51$.

id=19175 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $90 \div 3 = 30$ km/h.

id=19176 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:19 and the first is 255, what is the second? | option_a=578 | option_b=323 | option_c=304 | option_d=338 | answer=B | explanation=Scale factor = $255/15 = 17$. Therefore second quantity = $19 \times 17 = 323$.

id=19177 | topic=Averages | difficulty=Easy | question=Find the average of 55, 67, 51, 42, 28, 30, 79, 18, 54, 36. | option_a=47 | option_b=46 | option_c=45 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = $460 \div 10 = 46$.

id=19178 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4938. If it is sold at a profit of 20%, what is its selling price? | option_a=4958 | option_b=5925 | option_c=5432 | option_d=6418 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4938 \times 120/100 = \text{█}5925$.

id=19179 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=15 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = $120 \div 6 = 20$ km/h.

id=19180 | topic=Averages | difficulty=Easy | question=Find the average of 46, 39, 96, 35, 93, 69, 65, 84, 95, 18. | option_a=64 | option_b=66 | option_c=63 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = $640 \div 10 = 64$.

id=19181 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=19182 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=37 | option_b=53 | option_c=45 | option_d=46 | answer=C | explanation=The common difference is 8. Therefore the next term is $37 + 8 = 45$.

id=19183 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46653 at 8% per annum for 3 years. | option_a=11096 | option_b=11196 | option_c=57849 | option_d=11296 | answer=B | explanation=SI = $PRT/100 = 46653 \times 8 \times 3/100 = \text{█}11196$.

id=19184 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=B | option_b=H | option_c=K | option_d=E | answer=B | explanation=Move 3 positions forward from E; the resulting letter is H.

id=19185 | topic=Percentages | difficulty=Easy | question=What is 50% of 1721? | option_a=1720 | option_b=855 | option_c=880 | option_d=860 | answer=D | explanation=50% of 1721 = $(50/100) \times 1721 = 860$.

id=19186 | topic=Percentages | difficulty=Easy | question=What is 20% of 1311? | option_a=262 | option_b=267 | option_c=242 | option_d=524 | answer=A | explanation=20% of 1311 = $(20/100) \times 1311 = 262$.

id=19187 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 26, 29, 34? | option_a=26 | option_b=23 | option_c=29 | option_d=34 | answer=D | explanation=The first three numbers increase by 3, so the next should be 32. Therefore 34 is the odd one out.

id=19188 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=56 | option_b=57 | option_c=68 | option_d=44 | answer=A | explanation=The common difference is 12. Therefore the next term is $44 + 12 = 56$.

id=19189 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:12 and the first is 16, what is the second? | option_a=36 | option_b=64 | option_c=52 | option_d=48 | answer=D | explanation=Scale factor = $16/4 = 4$. Therefore second quantity = $12 \times 4 = 48$.

id=19190 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=115 | option_c=120 | option_d=125 | answer=C | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.

id=19191 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=E | option_c=F | option_d=C | answer=B | explanation=Move 1 positions forward from D; the resulting letter is E.

id=19192 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 4. | option_a=60 | option_b=56 | option_c=90 | option_d=120 | answer=A | explanation= $LCM \times HCF = 30 \times 4$; $HCF(30, 4) = 2$, so $LCM = 60$.

id=19193 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=Z | option_b=R | option_c=V | option_d=N | answer=C | explanation=Move 4 positions forward from R; the resulting letter is V.

id=19194 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=Q | option_b=L | option_c=G | option_d=V | answer=A | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=19195 | topic=Averages | difficulty=Easy | question=Find the average of 70, 14, 63. | option_a=48 | option_b=50 | option_c=51 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = $147 \div 3 = 49$.

id=19196 | topic=Percentages | difficulty=Easy | question=What is 40% of 420? | option_a=168 | option_b=336 | option_c=173 | option_d=163 | answer=A | explanation=40% of 420 = $(40/100) \times 420 = 168$.

id=19197 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 10, 13, 16, ? | option_a=19 | option_b=16 | option_c=20 | option_d=22 | answer=A | explanation=The common difference is 3. Therefore the next term is $16 + 3 = 19$.

id=19198 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=20 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = $150 \div 6 = 25$ km/h.

id=19199 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=19200 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=12 | option_c=1 | option_d=11 | answer=A | explanation=Speed = distance ÷ time = $60 \div 10 = 6$ km/h.

Aptitude Questions — Records 19,201-19,230 of 100,000

id=19201 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=44 | option_b=50 | option_c=36 | option_d=43 | answer=D | explanation=The common difference is 7. Therefore the next term is 36 + 7 = 43.

id=19202 | topic=Percentages | difficulty=Easy | question=What is 50% of 736? | option_a=368 | option_b=378 | option_c=736 | option_d=358 | answer=A | explanation=50% of 736 = (50/100) × 736 = 368.

id=19203 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:20 and the first is 252, what is the second? | option_a=260 | option_b=298 | option_c=532 | option_d=280 | answer=D | explanation=Scale factor = 252/18 = 14. Therefore second quantity = 20×14 = 280.

id=19204 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 30? | option_a=26 | option_b=30 | option_c=22 | option_d=24 | answer=B | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 30 is the odd one out.

id=19205 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=4 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=19206 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=D | option_c=A | option_d=C | answer=D | explanation=Move 1 positions forward from B; the resulting letter is C.

id=19207 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 29, 33, 38? | option_a=38 | option_b=29 | option_c=33 | option_d=25 | answer=A | explanation=The first three numbers increase by 4, so the next should be 37. Therefore 38 is the odd one out.

id=19208 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=19209 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:15 and the first is 33, what is the second? | option_a=30 | option_b=78 | option_c=56 | option_d=45 | answer=D | explanation=Scale factor = 33/11 = 3. Therefore second quantity = 15×3 = 45.

id=19210 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=I | option_b=O | option_c=R | option_d=L | answer=B | explanation=Move 3 positions forward from L; the resulting letter is O.

id=19211 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=G | option_c=J | option_d=I | answer=D | explanation=Move 1 positions forward from H; the resulting letter is I.

id=19212 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=19213 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 45? | option_a=45 | option_b=34 | option_c=18 | option_d=26 | answer=A | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 45 is the odd one out.

id=19214 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2801 at 8% per annum for 5 years. | option_a=1120 | option_b=1220 | option_c=3921 | option_d=1020 | answer=A | explanation=SI = PRT/100 = 2801×8×5/100 = **■**1120.

id=19215 | topic=Percentages | difficulty=Easy | question=What is 30% of 860? | option_a=516 | option_b=238 | option_c=263 | option_d=258 | answer=D | explanation=30% of 860 = (30/100) × 860 = 258.

id=19216 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=23 | option_b=18 | option_c=26 | option_d=22 | answer=D | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

id=19217 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=H | option_c=T | option_d=L | answer=A | explanation=Move 4 positions forward from L; the resulting letter is P.

id=19218 | topic=Percentages | difficulty=Easy | question=What is 25% of 317? | option_a=158 | option_b=79 | option_c=74 | option_d=89 | answer=B | explanation=25% of 317 = (25/100) × 317 = 79.

id=19219 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3341. If it is sold at a profit of 30%, what is its selling price? | option_a=3371 | option_b=4343 | option_c=4009 | option_d=4677 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3341 × 130/100 = **■**4343.

id=19220 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=27 | option_b=23 | option_c=28 | option_d=31 | answer=A | explanation=The common difference is 4. Therefore the next term is 23 + 4 = 27.

id=19221 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=R | option_c=T | option_d=P | answer=C | explanation=Move 2 positions forward from R; the resulting letter is T.

id=19222 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 9. | option_a=108 | option_b=27 | option_c=48 | option_d=36 | answer=D | explanation=LCM × HCF = 12×9; HCF(12,9) = 3, so LCM = 36.

id=19223 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=Y | option_c=N | option_d=I | answer=D | explanation=Move 5 positions forward from D; the resulting letter is I.

id=19224 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 16. | option_a=16 | option_b=256 | option_c=1 | option_d=32 | answer=A | explanation=LCM × HCF = 16×16; HCF(16,16) = 16, so LCM = 16.

id=19225 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28924 at 12% per annum for 1 years. | option_a=3470 | option_b=3370 | option_c=32394 | option_d=3570 | answer=A | explanation=SI = PRT/100 = 28924×12×1/100 = **■**3470.

id=19226 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:3 and the first is 266, what is the second? | option_a=57 | option_b=323 | option_c=54 | option_d=71 | answer=A | explanation=Scale factor = 266/14 = 19. Therefore second quantity = 3×19 = 57.

id=19227 | topic=Averages | difficulty=Easy | question=Find the average of 64, 62, 71, 34, 56, 58, 36, 88, 56, 25. | option_a=54 | option_b=55 | option_c=56 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 550 ÷ 10 = 55.

id=19228 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=19229 | topic=Averages | difficulty=Easy | question=Find the average of 72, 49, 73, 51, 31, 54. | option_a=54 | option_b=56 | option_c=55 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 330 ÷ 6 = 55.

id=19230 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=39 | option_b=35 | option_c=34 | option_d=29 | answer=C | explanation=The common difference is 5. Therefore the next term is 29 + 5 = 34.

Aptitude Questions — Records 19,231-19,260 of 100,000

id=19231 | topic=Percentages | difficulty=Easy | question=What is 40% of 1825? | option_a=730 | option_b=1460 | option_c=735 | option_d=720 | answer=A | explanation=40% of 1825 = (40/100) × 1825 = 730.

id=19232 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42099 at 5% per annum for 4 years. | option_a=8319 | option_b=50518 | option_c=8419 | option_d=8519 | answer=C | explanation=SI = PRT/100 = 42099×5×4/100 = **■**8419.

id=19233 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=24 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=19234 | topic=Percentages | difficulty=Easy | question=What is 12% of 190? | option_a=17 | option_b=32 | option_c=22 | option_d=44 | answer=C | explanation=12% of 190 = (12/100) × 190 = 22.

id=19235 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=31 | option_b=40 | option_c=39 | option_d=47 | answer=C | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

id=19236 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 16. | option_a=270 | option_b=224 | option_c=480 | option_d=240 | answer=D | explanation=LCM × HCF = 30×16; HCF(30,16) = 2, so LCM = 240.

id=19237 | topic=Percentages | difficulty=Easy | question=What is 10% of 1379? | option_a=117 | option_b=137 | option_c=274 | option_d=142 | answer=B | explanation=10% of 1379 = (10/100) × 1379 = 137.

id=19238 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=19239 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1179. If it is sold at a profit of 10%, what is its selling price? | option_a=1413 | option_b=1189 | option_c=1179 | option_d=1296 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1179 × 110/100 = **■**1296.

id=19240 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=19241 | topic=Averages | difficulty=Easy | question=Find the average of 32, 63, 60, 74, 10, 54, 14, 61. | option_a=46 | option_b=47 | option_c=48 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 368 ÷ 8 = 46.

id=19242 | topic=Percentages | difficulty=Easy | question=What is 10% of 1014? | option_a=106 | option_b=91 | option_c=202 | option_d=101 | answer=D | explanation=10% of 1014 = (10/100) × 1014 = 101.

id=19243 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 30, 33, 38? | option_a=33 | option_b=30 | option_c=27 | option_d=38 | answer=D | explanation=The first three numbers increase by 3, so the next should be 36. Therefore 38 is the odd one out.

id=19244 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=21 | option_b=22 | option_c=18 | option_d=20 | answer=D | explanation=The common difference is 2. Therefore the next term is 18 + 2 = 20.

id=19245 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17321 at 10% per annum for 1 years. | option_a=1832 | option_b=1632 | option_c=1732 | option_d=19053 | answer=C | explanation=SI = PRT/100 = 17321×10×1/100 = **■**1732.

id=19246 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:9 and the first is 150, what is the second? | option_a=105 | option_b=240 | option_c=81 | option_d=90 | answer=D | explanation=Scale factor = 150/15 = 10. Therefore second quantity = 9×10 = 90.

id=19247 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=19248 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=46 | option_b=56 | option_c=47 | option_d=36 | answer=A | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.

id=19249 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=A | option_b=G | option_c=D | option_d=J | answer=B | explanation=Move 3 positions forward from D; the resulting letter is G.

id=19250 | topic=Averages | difficulty=Easy | question=Find the average of 34, 28, 25. | option_a=30 | option_b=28 | option_c=31 | option_d=29 | answer=D | explanation=Average = sum of values ÷ number of values = 87 ÷ 3 = 29.

id=19251 | topic=Percentages | difficulty=Easy | question=What is 12% of 483? | option_a=57 | option_b=62 | option_c=47 | option_d=114 | answer=A | explanation=12% of 483 = (12/100) × 483 = 57.

id=19252 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=Y | option_c=J | option_d=T | answer=D | explanation=Move 5 positions forward from O; the resulting letter is T.

id=19253 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=19 | option_b=16 | option_c=13 | option_d=17 | answer=B | explanation=The common difference is 3. Therefore the next term is 13 + 3 = 16.

id=19254 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=19255 | topic=Averages | difficulty=Easy | question=Find the average of 26, 65, 92, 20, 74, 95. | option_a=62 | option_b=63 | option_c=61 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = 372 ÷ 6 = 62.

id=19256 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=24 | option_c=12 | option_d=7 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=19257 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:8 and the first is 4, what is the second? | option_a=18 | option_b=16 | option_c=8 | option_d=20 | answer=B | explanation=Scale factor = 4/2 = 2. Therefore second quantity = 8×2 = 16.

id=19258 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 8, 12, 18? | option_a=18 | option_b=12 | option_c=8 | option_d=4 | answer=A | explanation=The first three numbers increase by 4, so the next should be 16. Therefore 18 is the odd one out.

id=19259 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:15 and the first is 16, what is the second? | option_a=60 | option_b=76 | option_c=64 | option_d=45 | answer=A | explanation=Scale factor = 16/4 = 4. Therefore second quantity = 15×4 = 60.

id=19260 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:20 and the first is 80, what is the second? | option_a=200 | option_b=280 | option_c=180 | option_d=208 | answer=A | explanation=Scale factor = 80/8 = 10. Therefore second quantity = 20×10 = 200.

Aptitude Questions — Records 19,261-19,290 of 100,000

id=19261 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■1175 at 12% per annum for 1 years. | option_a=1441 | option_b=1341 | option_c=1241 | option_d=12516 | answer=B | explanation=SI = PRT/100 = 11175×12×1/100 = ■1341.

id=19262 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■757. If it is sold at a profit of 40%, what is its selling price? | option_a=1134 | option_b=1059 | option_c=797 | option_d=984 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 757 × 140/100 = ■1059.

id=19263 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3581. If it is sold at a profit of 30%, what is its selling price? | option_a=3611 | option_b=5013 | option_c=4655 | option_d=4297 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3581 × 130/100 = ■4655.

id=19264 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 28. | option_a=30 | option_b=1 | option_c=28 | option_d=56 | answer=C | explanation=LCM × HCF = 2×28; HCF(2,28) = 2, so LCM = 28.

id=19265 | topic=Averages | difficulty=Easy | question=Find the average of 95, 36, 25. | option_a=54 | option_b=52 | option_c=51 | option_d=53 | answer=B | explanation=Average = sum of values + number of values = 156 ÷ 3 = 52.

id=19266 | topic=Averages | difficulty=Easy | question=Find the average of 78, 81, 24. | option_a=62 | option_b=60 | option_c=63 | option_d=61 | answer=D | explanation=Average = sum of values + number of values = 183 ÷ 3 = 61.

id=19267 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 38, 48, 60? | option_a=60 | option_b=38 | option_c=48 | option_d=28 | answer=A | explanation=The first three numbers increase by 10, so the next should be 58. Therefore 60 is the odd one out.

id=19268 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■387. If it is sold at a profit of 40%, what is its selling price? | option_a=427 | option_b=541 | option_c=579 | option_d=503 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 387 × 140/100 = ■541.

id=19269 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:2 and the first is 3, what is the second? | option_a=4 | option_b=6 | option_c=9 | option_d=7 | answer=B | explanation=Scale factor = 3/1 = 3. Therefore second quantity = 2×3 = 6.

id=19270 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=35 | option_b=42 | option_c=43 | option_d=49 | answer=B | explanation=The common difference is 7. Therefore the next term is 35 + 7 = 42.

id=19271 | topic=Averages | difficulty=Easy | question=Find the average of 29, 28, 77, 37, 17, 20, 86. | option_a=42 | option_b=43 | option_c=44 | option_d=41 | answer=A | explanation=Average = sum of values + number of values = 294 ÷ 7 = 42.

id=19272 | topic=Percentages | difficulty=Easy | question=What is 40% of 1033? | option_a=403 | option_b=433 | option_c=826 | option_d=413 | answer=D | explanation=40% of 1033 = (40/100) × 1033 = 413.

id=19273 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 52? | option_a=41 | option_b=33 | option_c=25 | option_d=52 | answer=D | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 52 is the odd one out.

id=19274 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:10 and the first is 24, what is the second? | option_a=20 | option_b=10 | option_c=44 | option_d=32 | answer=A | explanation=Scale factor = 24/12 = 2. Therefore second quantity = 10×2 = 20.

id=19275 | topic=Percentages | difficulty=Easy | question=What is 50% of 967? | option_a=488 | option_b=966 | option_c=478 | option_d=483 | answer=D | explanation=50% of 967 = (50/100) × 967 = 483.

id=19276 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=S | option_b=I | option_c=N | option_d=D | answer=C | explanation=Move 5 positions forward from I; the resulting letter is N.

id=19277 | topic=Averages | difficulty=Easy | question=Find the average of 18, 11, 94, 69, 56, 57, 91, 62, 34, 38. | option_a=53 | option_b=55 | option_c=52 | option_d=54 | answer=A | explanation=Average = sum of values + number of values = 530 ÷ 10 = 53.

id=19278 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4580. If it is sold at a profit of 5%, what is its selling price? | option_a=4351 | option_b=4585 | option_c=5267 | option_d=4809 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4580 × 105/100 = ■4809.

id=19279 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1078. If it is sold at a profit of 50%, what is its selling price? | option_a=1724 | option_b=1617 | option_c=1128 | option_d=1510 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1078 × 150/100 = ■1617.

id=19280 | topic=Percentages | difficulty=Easy | question=What is 5% of 351? | option_a=34 | option_b=12 | option_c=37 | option_d=17 | answer=D | explanation=5% of 351 = (5/100) × 351 = 17.

id=19281 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:3 and the first is 133, what is the second? | option_a=190 | option_b=54 | option_c=64 | option_d=57 | answer=D | explanation=Scale factor = 133/7 = 19. Therefore second quantity = 3×19 = 57.

id=19282 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 12. | option_a=312 | option_b=144 | option_c=156 | option_d=182 | answer=C | explanation=LCM × HCF = 26×12; HCF(26,12) = 2, so LCM = 156.

id=19283 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=41 | option_b=49 | option_c=40 | option_d=31 | answer=C | explanation=The common difference is 9. Therefore the next term is 31 + 9 = 40.

id=19284 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 8. | option_a=112 | option_b=70 | option_c=48 | option_d=56 | answer=D | explanation=LCM × HCF = 14×8; HCF(14,8) = 2, so LCM = 56.

id=19285 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■35928 at 15% per annum for 4 years. | option_a=21556 | option_b=21656 | option_c=57484 | option_d=21456 | answer=A | explanation=SI = PRT/100 = 35928×15×4/100 = ■21556.

id=19286 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=150 | option_c=75 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=19287 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1372. If it is sold at a profit of 10%, what is its selling price? | option_a=1372 | option_b=1382 | option_c=1509 | option_d=1646 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1372 × 110/100 = ■1509.

id=19288 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■344. If it is sold at a profit of 15%, what is its selling price? | option_a=395 | option_b=429 | option_c=359 | option_d=361 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 344 × 115/100 = ■395.

id=19289 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=125 | option_c=120 | option_d=240 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=19290 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=F | option_b=H | option_c=J | option_d=L | answer=C | explanation=Move 2 positions forward from H; the resulting letter is J.

Aptitude Questions — Records 19,291-19,320 of 100,000

id=19291 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1633. If it is sold at a profit of 50%, what is its selling price? | option_a=2449 | option_b=2286 | option_c=2612 | option_d=1683 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1633 × 150/100 = █2449.

id=19292 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 10. | option_a=280 | option_b=130 | option_c=140 | option_d=168 | answer=C | explanation=LCM × HCF = 28×10; HCF(28,10) = 2, so LCM = 140.

id=19293 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:4 and the first is 60, what is the second? | option_a=84 | option_b=24 | option_c=20 | option_d=34 | answer=B | explanation=Scale factor = 60/10 = 6. Therefore second quantity = 4×6 = 24.

id=19294 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=J | option_b=Y | option_c=T | option_d=O | answer=C | explanation=Move 5 positions forward from O; the resulting letter is T.

id=19295 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 17, 22, 30? | option_a=30 | option_b=22 | option_c=12 | option_d=17 | answer=A | explanation=The first three numbers increase by 5, so the next should be 27. Therefore 30 is the odd one out.

id=19296 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=F | option_b=V | option_c=A | option_d=K | answer=A | explanation=Move 5 positions forward from A; the resulting letter is F.

id=19297 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=19298 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=19299 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=19300 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:2 and the first is 85, what is the second? | option_a=8 | option_b=27 | option_c=95 | option_d=10 | answer=D | explanation=Scale factor = 85/17 = 5. Therefore second quantity = 2×5 = 10.

id=19301 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7516 at 4% per annum for 2 years. | option_a=501 | option_b=601 | option_c=701 | option_d=8117 | answer=B | explanation=SI = PRT/100 = 7516×4×2/100 = █601.

id=19302 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 16, 23, 32? | option_a=32 | option_b=9 | option_c=16 | option_d=23 | answer=A | explanation=The first three numbers increase by 7, so the next should be 30. Therefore 32 is the odd one out.

id=19303 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=17 | option_b=23 | option_c=21 | option_d=20 | answer=D | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=19304 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46759 at 4% per annum for 3 years. | option_a=5611 | option_b=5711 | option_c=52370 | option_d=5511 | answer=A | explanation=SI = PRT/100 = 46759×4×3/100 = █5611.

id=19305 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=47 | option_b=57 | option_c=48 | option_d=37 | answer=A | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

id=19306 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=63 | option_b=41 | option_c=52 | option_d=53 | answer=C | explanation=The common difference is 11. Therefore the next term is 41 + 11 = 52.

id=19307 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=V | option_b=N | option_c=J | option_d=R | answer=D | explanation=Move 4 positions forward from N; the resulting letter is R.

id=19308 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21113 at 8% per annum for 2 years. | option_a=3478 | option_b=3378 | option_c=24491 | option_d=3278 | answer=B | explanation=SI = PRT/100 = 21113×8×2/100 = █3378.

id=19309 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=F | option_c=H | option_d=L | answer=A | explanation=Move 2 positions forward from H; the resulting letter is J.

id=19310 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:15 and the first is 289, what is the second? | option_a=272 | option_b=240 | option_c=544 | option_d=255 | answer=D | explanation=Scale factor = 289/17 = 17. Therefore second quantity = 15×17 = 255.

id=19311 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34178 at 4% per annum for 5 years. | option_a=6735 | option_b=6835 | option_c=41013 | option_d=6935 | answer=B | explanation=SI = PRT/100 = 34178×4×5/100 = █6835.

id=19312 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=F | option_c=D | option_d=B | answer=B | explanation=Move 2 positions forward from D; the resulting letter is F.

id=19313 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 32? | option_a=21 | option_b=26 | option_c=32 | option_d=16 | answer=C | explanation=The first three numbers increase by 5, so the next should be 31. Therefore 32 is the odd one out.

id=19314 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3176 at 5% per annum for 1 years. | option_a=258 | option_b=3334 | option_c=58 | option_d=158 | answer=D | explanation=SI = PRT/100 = 3176×5×1/100 = █158.

id=19315 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 24, 30, 36, ? | option_a=42 | option_b=36 | option_c=43 | option_d=48 | answer=A | explanation=The common difference is 6. Therefore the next term is 36 + 6 = 42.

id=19316 | topic=Averages | difficulty=Easy | question=Find the average of 80, 29, 90, 25. | option_a=55 | option_b=58 | option_c=56 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 224 ÷ 4 = 56.

id=19317 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47179 at 12% per annum for 4 years. | option_a=22545 | option_b=69824 | option_c=22745 | option_d=22645 | answer=D | explanation=SI = PRT/100 = 47179×12×4/100 = █22645.

id=19318 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47895 at 12% per annum for 4 years. | option_a=22989 | option_b=22889 | option_c=70884 | option_d=23089 | answer=A | explanation=SI = PRT/100 = 47895×12×4/100 = █22989.

id=19319 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4631. If it is sold at a profit of 10%, what is its selling price? | option_a=5094 | option_b=5557 | option_c=4631 | option_d=4641 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4631 × 110/100 = █5094.

id=19320 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=J | option_b=Y | option_c=O | option_d=T | answer=D | explanation=Move 5 positions forward from O; the resulting letter is T.

Aptitude Questions — Records 19,321-19,350 of 100,000

id=19321 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=32 | option_b=31 | option_c=26 | option_d=36 | answer=B | explanation=The common difference is 5. Therefore the next term is 26 + 5 = 31.

id=19322 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=18 | option_b=22 | option_c=20 | option_d=21 | answer=C | explanation=The common difference is 2. Therefore the next term is 18 + 2 = 20.

id=19323 | topic=Percentages | difficulty=Easy | question=What is 30% of 423? | option_a=126 | option_b=136 | option_c=116 | option_d=252 | answer=A | explanation=30% of 423 = (30/100) × 423 = 126.

id=19324 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 61? | option_a=40 | option_b=61 | option_c=50 | option_d=30 | answer=B | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 61 is the odd one out.

id=19325 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=19326 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 17, 21, 27? | option_a=21 | option_b=27 | option_c=13 | option_d=17 | answer=B | explanation=The first three numbers increase by 4, so the next should be 25. Therefore 27 is the odd one out.

id=19327 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:19 and the first is 20, what is the second? | option_a=38 | option_b=58 | option_c=19 | option_d=48 | answer=A | explanation=Scale factor = 20/10 = 2. Therefore second quantity = 19×2 = 38.

id=19328 | topic=Percentages | difficulty=Easy | question=What is 30% of 1638? | option_a=982 | option_b=471 | option_c=491 | option_d=501 | answer=C | explanation=30% of 1638 = (30/100) × 1638 = 491.

id=19329 | topic=Averages | difficulty=Easy | question=Find the average of 92, 11, 37, 46, 34, | option_a=43 | option_b=45 | option_c=44 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 220 ÷ 5 = 44.

id=19330 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=19331 | topic=Averages | difficulty=Easy | question=Find the average of 19, 94, 64, 19, 37, 75, 35. | option_a=49 | option_b=50 | option_c=48 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 343 ÷ 7 = 49.

id=19332 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4300. If it is sold at a profit of 50%, what is its selling price? | option_a=4350 | option_b=6020 | option_c=6450 | option_d=6880 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4300 × 150/100 = █6450.

id=19333 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 63? | option_a=63 | option_b=50 | option_c=40 | option_d=30 | answer=A | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 63 is the odd one out.

id=19334 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 16, 26, 38? | option_a=16 | option_b=38 | option_c=6 | option_d=26 | answer=B | explanation=The first three numbers increase by 10, so the next should be 36. Therefore 38 is the odd one out.

id=19335 | topic=Percentages | difficulty=Easy | question=What is 30% of 1467? | option_a=880 | option_b=460 | option_c=430 | option_d=440 | answer=D | explanation=30% of 1467 = (30/100) × 1467 = 440.

id=19336 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:11 and the first is 133, what is the second? | option_a=96 | option_b=210 | option_c=66 | option_d=77 | answer=D | explanation=Scale factor = 133/19 = 7. Therefore second quantity = 11×7 = 77.

id=19337 | topic=Profit & Loss | difficulty=Easy | question=An article costs █228. If it is sold at a profit of 40%, what is its selling price? | option_a=341 | option_b=297 | option_c=319 | option_d=268 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 228 × 140/100 = █319.

id=19338 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:18 and the first is 90, what is the second? | option_a=270 | option_b=252 | option_c=360 | option_d=276 | answer=A | explanation=Scale factor = 90/6 = 15. Therefore second quantity = 18×15 = 270.

id=19339 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42990 at 15% per annum for 2 years. | option_a=12797 | option_b=12997 | option_c=12897 | option_d=55887 | answer=C | explanation=SI = PRT/100 = 42990×15×2/100 = █12897.

id=19340 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=19341 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12874 at 8% per annum for 2 years. | option_a=1959 | option_b=14933 | option_c=2059 | option_d=2159 | answer=C | explanation=SI = PRT/100 = 12874×8×2/100 = █2059.

id=19342 | topic=Percentages | difficulty=Easy | question=What is 10% of 702? | option_a=140 | option_b=75 | option_c=50 | option_d=70 | answer=D | explanation=10% of 702 = (10/100) × 702 = 70.

id=19343 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13211 at 12% per annum for 3 years. | option_a=4755 | option_b=17966 | option_c=4655 | option_d=4855 | answer=A | explanation=SI = PRT/100 = 13211×12×3/100 = █4755.

id=19344 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=19345 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:13 and the first is 130, what is the second? | option_a=260 | option_b=130 | option_c=143 | option_d=117 | answer=B | explanation=Scale factor = 130/13 = 10. Therefore second quantity = 13×10 = 130.

id=19346 | topic=Percentages | difficulty=Easy | question=What is 5% of 1410? | option_a=50 | option_b=140 | option_c=70 | option_d=80 | answer=C | explanation=5% of 1410 = (5/100) × 1410 = 70.

id=19347 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 41? | option_a=20 | option_b=41 | option_c=11 | option_d=29 | answer=B | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 41 is the odd one out.

id=19348 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=19349 | topic=Percentages | difficulty=Easy | question=What is 10% of 677? | option_a=77 | option_b=57 | option_c=134 | option_d=67 | answer=D | explanation=10% of 677 = (10/100) × 677 = 67.

id=19350 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=F | option_b=K | option_c=P | option_d=U | answer=C | explanation=Move 5 positions forward from K; the resulting letter is P.

Aptitude Questions — Records 19,351-19,380 of 100,000

id=19351 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=240 | option_c=115 | option_d=125 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=19352 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20807 at 4% per annum for 5 years. | option_a=4161 | option_b=24968 | option_c=4061 | option_d=4261 | answer=A | explanation=SI = PRT/100 = 20807×4×5/100 = **■**4161.

id=19353 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:16 and the first is 18, what is the second? | option_a=54 | option_b=32 | option_c=66 | option_d=48 | answer=D | explanation=Scale factor = 18/6 = 3. Therefore second quantity = 16×3 = 48.

id=19354 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 270, what is the second? | option_a=69 | option_b=54 | option_c=324 | option_d=51 | answer=B | explanation=Scale factor = 270/15 = 18. Therefore second quantity = 3×18 = 54.

id=19355 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=33 | option_b=37 | option_c=32 | option_d=27 | answer=C | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

id=19356 | topic=Averages | difficulty=Easy | question=Find the average of 91, 76, 92, 92, 32, 20, 52, 54, 40. | option_a=61 | option_b=60 | option_c=63 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 549 ÷ 9 = 61.

id=19357 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 20. | option_a=480 | option_b=100 | option_c=144 | option_d=120 | answer=D | explanation=LCM × HCF = 24×20; HCF(24,20) = 4, so LCM = 120.

id=19358 | topic=Percentages | difficulty=Easy | question=What is 5% of 70? | option_a=6 | option_b=0 | option_c=3 | option_d=8 | answer=C | explanation=5% of 70 = (5/100) × 70 = 3.

id=19359 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16655 at 5% per annum for 3 years. | option_a=2498 | option_b=2398 | option_c=19153 | option_d=2598 | answer=A | explanation=SI = PRT/100 = 16655×5×3/100 = **■**2498.

id=19360 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39092 at 6% per annum for 4 years. | option_a=9282 | option_b=48474 | option_c=9382 | option_d=9482 | answer=C | explanation=SI = PRT/100 = 39092×6×4/100 = **■**9382.

id=19361 | topic=Percentages | difficulty=Easy | question=What is 40% of 756? | option_a=282 | option_b=302 | option_c=312 | option_d=604 | answer=B | explanation=40% of 756 = (40/100) × 756 = 302.

id=19362 | topic=Averages | difficulty=Easy | question=Find the average of 36, 64, 45, 81, 52, 82. | option_a=59 | option_b=61 | option_c=62 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 360 ÷ 6 = 60.

id=19363 | topic=Percentages | difficulty=Easy | question=What is 50% of 1971? | option_a=1970 | option_b=965 | option_c=985 | option_d=995 | answer=C | explanation=50% of 1971 = (50/100) × 1971 = 985.

id=19364 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=19365 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 26, 28, 32? | option_a=28 | option_b=24 | option_c=26 | option_d=32 | answer=D | explanation=The first three numbers increase by 2, so the next should be 30. Therefore 32 is the odd one out.

id=19366 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 20? | option_a=11 | option_b=15 | option_c=13 | option_d=20 | answer=D | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 20 is the odd one out.

id=19367 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=Y | option_b=S | option_c=W | option_d=U | answer=C | explanation=Move 2 positions forward from U; the resulting letter is W.

id=19368 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**468. If it is sold at a profit of 25%, what is its selling price? | option_a=493 | option_b=631 | option_c=539 | option_d=585 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 468 × 125/100 = **■**585.

id=19369 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 35, 43, 52? | option_a=27 | option_b=35 | option_c=43 | option_d=52 | answer=D | explanation=The first three numbers increase by 8, so the next should be 51. Therefore 52 is the odd one out.

id=19370 | topic=Percentages | difficulty=Easy | question=What is 15% of 902? | option_a=270 | option_b=115 | option_c=145 | option_d=135 | answer=D | explanation=15% of 902 = (15/100) × 902 = 135.

id=19371 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=46 | option_b=38 | option_c=30 | option_d=39 | answer=B | explanation=The common difference is 8. Therefore the next term is 30 + 8 = 38.

id=19372 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1819. If it is sold at a profit of 40%, what is its selling price? | option_a=2546 | option_b=1859 | option_c=2365 | option_d=2727 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1819 × 140/100 = **■**2546.

id=19373 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26824 at 10% per annum for 5 years. | option_a=40236 | option_b=13512 | option_c=13312 | option_d=13412 | answer=D | explanation=SI = PRT/100 = 26824×10×5/100 = **■**13412.

id=19374 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4523. If it is sold at a profit of 20%, what is its selling price? | option_a=5427 | option_b=4543 | option_c=5879 | option_d=4975 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4523 × 120/100 = **■**5427.

id=19375 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=19376 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 7, 10, 14? | option_a=7 | option_b=10 | option_c=4 | option_d=14 | answer=D | explanation=The first three numbers increase by 3, so the next should be 13. Therefore 14 is the odd one out.

id=19377 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=19378 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=40 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=19379 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 34? | option_a=27 | option_b=22 | option_c=34 | option_d=17 | answer=C | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 34 is the odd one out.

id=19380 | topic=Averages | difficulty=Easy | question=Find the average of 94, 45, 77, 22, 60, 78, 52, 42, 38, 22. | option_a=53 | option_b=55 | option_c=54 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

Aptitude Questions — Records 19,381-19,410 of 100,000

id=19381 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=19382 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:8 and the first is 176, what is the second? | option_a=120 | option_b=304 | option_c=128 | option_d=139 | answer=C | explanation=Scale factor = 176/11 = 16. Therefore second quantity = 8×16 = 128.

id=19383 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=I | option_c=Y | option_d=N | answer=B | explanation=Move 5 positions forward from D; the resulting letter is I.

id=19384 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=19385 | topic=Percentages | difficulty=Easy | question=What is 20% of 1615? | option_a=323 | option_b=333 | option_c=313 | option_d=646 | answer=A | explanation=20% of 1615 = (20/100) × 1615 = 323.

id=19386 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=9 | option_b=14 | option_c=4 | option_d=18 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=19387 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=5 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=19388 | topic=Averages | difficulty=Easy | question=Find the average of 17, 75, 88, 69, 30, 87. | option_a=62 | option_b=63 | option_c=60 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 366 ÷ 6 = 61.

id=19389 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 37, 46, 58? | option_a=37 | option_b=58 | option_c=28 | option_d=46 | answer=B | explanation=The first three numbers increase by 9, so the next should be 55. Therefore 58 is the odd one out.

id=19390 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=R | option_c=M | option_d=C | answer=C | explanation=Move 5 positions forward from H; the resulting letter is M.

id=19391 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=19392 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 43? | option_a=43 | option_b=34 | option_c=28 | option_d=22 | answer=A | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 43 is the odd one out.

id=19393 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22416 at 6% per annum for 1 years. | option_a=1444 | option_b=23760 | option_c=1344 | option_d=1244 | answer=C | explanation=SI = PRT/100 = 22416×6×1/100 = **■**1344.

id=19394 | topic=Averages | difficulty=Easy | question=Find the average of 73, 28, 24, 58, 59, 69, 41, 54, 26. | option_a=47 | option_b=50 | option_c=49 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = 432 ÷ 9 = 48.

id=19395 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46489 at 6% per annum for 1 years. | option_a=49278 | option_b=2789 | option_c=2889 | option_d=2689 | answer=B | explanation=SI = PRT/100 = 46489×6×1/100 = **■**2789.

id=19396 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=19397 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=K | option_b=P | option_c=A | option_d=F | answer=A | explanation=Move 5 positions forward from F; the resulting letter is K.

id=19398 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14826 at 6% per annum for 2 years. | option_a=1879 | option_b=16605 | option_c=1679 | option_d=1779 | answer=D | explanation=SI = PRT/100 = 14826×6×2/100 = **■**1779.

id=19399 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=A | option_b=J | option_c=D | option_d=G | answer=D | explanation=Move 3 positions forward from D; the resulting letter is G.

id=19400 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4408 at 10% per annum for 3 years. | option_a=1322 | option_b=1222 | option_c=1422 | option_d=5730 | answer=A | explanation=SI = PRT/100 = 4408×10×3/100 = **■**1322.

id=19401 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**582. If it is sold at a profit of 5%, what is its selling price? | option_a=611 | option_b=669 | option_c=553 | option_d=587 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 582 × 105/100 = **■**611.

id=19402 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 4. | option_a=4 | option_b=1 | option_c=16 | option_d=8 | answer=A | explanation=LCM × HCF = 4×4; HCF(4,4) = 4, so LCM = 4.

id=19403 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4941. If it is sold at a profit of 30%, what is its selling price? | option_a=4971 | option_b=6423 | option_c=6917 | option_d=5929 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4941 × 130/100 = **■**6423.

id=19404 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 13, 16, 22? | option_a=13 | option_b=22 | option_c=10 | option_d=16 | answer=B | explanation=The first three numbers increase by 3, so the next should be 19. Therefore 22 is the odd one out.

id=19405 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=Y | option_c=G | option_d=K | answer=C | explanation=Move 4 positions forward from C; the resulting letter is G.

id=19406 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:17 and the first is 112, what is the second? | option_a=231 | option_b=135 | option_c=102 | option_d=119 | answer=D | explanation=Scale factor = 112/16 = 7. Therefore second quantity = 17×7 = 119.

id=19407 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2427 at 15% per annum for 2 years. | option_a=828 | option_b=628 | option_c=3155 | option_d=728 | answer=D | explanation=SI = PRT/100 = 2427×15×2/100 = **■**728.

id=19408 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4312. If it is sold at a profit of 10%, what is its selling price? | option_a=4322 | option_b=5174 | option_c=4312 | option_d=4743 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4312 × 110/100 = **■**4743.

id=19409 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 6. | option_a=36 | option_b=12 | option_c=18 | option_d=108 | answer=C | explanation=LCM × HCF = 18×6; HCF(18,6) = 6, so LCM = 18.

id=19410 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 23, 27, 34? | option_a=19 | option_b=23 | option_c=27 | option_d=34 | answer=D | explanation=The first three numbers increase by 4, so the next should be 31. Therefore 34 is the odd one out.

Aptitude Questions — Records 19,411-19,440 of 100,000

id=19411 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:19 and the first is 104, what is the second? | option_a=256 | option_b=165 | option_c=152 | option_d=133 | answer=C | explanation=Scale factor = $104/13 = 8$. Therefore second quantity = $19 \times 8 = 152$.

id=19412 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 17, 21, 26? | option_a=21 | option_b=17 | option_c=13 | option_d=26 | answer=D | explanation=The first three numbers increase by 4, so the next should be 25. Therefore 26 is the odd one out.

id=19413 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:8 and the first is 168, what is the second? | option_a=280 | option_b=112 | option_c=104 | option_d=124 | answer=B | explanation=Scale factor = $168/12 = 14$. Therefore second quantity = $8 \times 14 = 112$.

id=19414 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44496 at 5% per annum for 4 years. | option_a=53395 | option_b=8799 | option_c=8899 | option_d=8999 | answer=C | explanation=SI = $PRT/100 = 44496 \times 5 \times 4/100 = \text{■}8899$.

id=19415 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=125 | option_c=240 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.

id=19416 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=25 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = $120 \div 6 = 20$ km/h.

id=19417 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=P | option_c=Q | option_d=N | answer=B | explanation=Move 1 positions forward from O; the resulting letter is P.

id=19418 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 24. | option_a=182 | option_b=336 | option_c=144 | option_d=168 | answer=D | explanation= $LCM \times HCF = 14 \times 24$; $HCF(14,24) = 2$, so LCM = 168.

id=19419 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23421 at 12% per annum for 2 years. | option_a=5721 | option_b=5521 | option_c=29042 | option_d=5621 | answer=D | explanation=SI = $PRT/100 = 23421 \times 12 \times 2/100 = \text{■}5621$.

id=19420 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 27, 30, 34? | option_a=27 | option_b=34 | option_c=30 | option_d=24 | answer=B | explanation=The first three numbers increase by 3, so the next should be 33. Therefore 34 is the odd one out.

id=19421 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3013. If it is sold at a profit of 15%, what is its selling price? | option_a=3163 | option_b=3765 | option_c=3028 | option_d=3464 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3013 \times 115/100 = \text{■}3464$.

id=19422 | topic=Percentages | difficulty=Easy | question=What is 10% of 1159? | option_a=110 | option_b=135 | option_c=115 | option_d=230 | answer=C | explanation=10% of 1159 = $(10/100) \times 1159 = 115$.

id=19423 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2206. If it is sold at a profit of 5%, what is its selling price? | option_a=2211 | option_b=2096 | option_c=2316 | option_d=2536 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2206 \times 105/100 = \text{■}2316$.

id=19424 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**999. If it is sold at a profit of 10%, what is its selling price? | option_a=1197 | option_b=999 | option_c=1098 | option_d=1009 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 999 \times 110/100 = \text{■}1098$.

id=19425 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7369 at 15% per annum for 2 years. | option_a=2210 | option_b=2310 | option_c=9579 | option_d=2110 | answer=A | explanation=SI = $PRT/100 = 7369 \times 15 \times 2/100 = \text{■}2210$.

id=19426 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22582 at 15% per annum for 5 years. | option_a=16936 | option_b=39518 | option_c=16836 | option_d=17036 | answer=A | explanation=SI = $PRT/100 = 22582 \times 15 \times 5/100 = \text{■}16936$.

id=19427 | topic=Percentages | difficulty=Easy | question=What is 25% of 1402? | option_a=700 | option_b=350 | option_c=345 | option_d=355 | answer=B | explanation=25% of 1402 = $(25/100) \times 1402 = 350$.

id=19428 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 18. | option_a=36 | option_b=54 | option_c=81 | option_d=486 | answer=B | explanation= $LCM \times HCF = 27 \times 18$; $HCF(27,18) = 9$, so LCM = 54.

id=19429 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=19430 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:7 and the first is 216, what is the second? | option_a=138 | option_b=126 | option_c=342 | option_d=119 | answer=B | explanation=Scale factor = $216/12 = 18$. Therefore second quantity = $7 \times 18 = 126$.

id=19431 | topic=Percentages | difficulty=Easy | question=What is 10% of 1257? | option_a=250 | option_b=145 | option_c=120 | option_d=125 | answer=D | explanation=10% of 1257 = $(10/100) \times 1257 = 125$.

id=19432 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11117 at 10% per annum for 4 years. | option_a=4346 | option_b=4446 | option_c=15563 | option_d=4546 | answer=B | explanation=SI = $PRT/100 = 11117 \times 10 \times 4/100 = \text{■}4446$.

id=19433 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1215. If it is sold at a profit of 15%, what is its selling price? | option_a=1230 | option_b=1397 | option_c=1276 | option_d=1518 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1215 \times 115/100 = \text{■}1397$.

id=19434 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=I | option_b=J | option_c=K | option_d=L | answer=C | explanation=Move 1 positions forward from J; the resulting letter is K.

id=19435 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3268. If it is sold at a profit of 40%, what is its selling price? | option_a=3308 | option_b=4575 | option_c=4249 | option_d=4901 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3268 \times 140/100 = \text{■}4575$.

id=19436 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=38 | option_b=31 | option_c=37 | option_d=43 | answer=C | explanation=The common difference is 6. Therefore the next term is $31 + 6 = 37$.

id=19437 | topic=Percentages | difficulty=Easy | question=What is 12% of 494? | option_a=39 | option_b=59 | option_c=118 | option_d=69 | answer=B | explanation=12% of 494 = $(12/100) \times 494 = 59$.

id=19438 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 36? | option_a=26 | option_b=36 | option_c=19 | option_d=12 | answer=B | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 36 is the odd one out.

id=19439 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=16 | option_b=13 | option_c=19 | option_d=17 | answer=A | explanation=The common difference is 3. Therefore the next term is $13 + 3 = 16$.

id=19440 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = $120 \div 4 = 30$ km/h.

Aptitude Questions — Records 19,441-19,470 of 100,000

- id=19441 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=150 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.
- id=19442 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 20, 26, 35? | option_a=35 | option_b=20 | option_c=14 | option_d=26 | answer=A | explanation=The first three numbers increase by 6, so the next should be 32. Therefore 35 is the odd one out.
- id=19443 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=21 | option_b=27 | option_c=25 | option_d=24 | answer=D | explanation=The common difference is 3. Therefore the next term is 21 + 3 = 24.
- id=19444 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 21. | option_a=294 | option_b=42 | option_c=21 | option_d=56 | answer=B | explanation=LCM × HCF = 14×21; HCF(14,21) = 7, so LCM = 42.
- id=19445 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=F | option_c=Z | option_d=D | answer=D | explanation=Move 2 positions forward from B; the resulting letter is D.
- id=19446 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 10, 12, 14, ? | option_a=18 | option_b=16 | option_c=17 | option_d=14 | answer=B | explanation=The common difference is 2. Therefore the next term is 14 + 2 = 16.
- id=19447 | topic=Percentages | difficulty=Easy | question=What is 12% of 182? | option_a=11 | option_b=31 | option_c=21 | option_d=42 | answer=C | explanation=12% of 182 = (12/100) × 182 = 21.
- id=19448 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=34 | option_b=43 | option_c=52 | option_d=44 | answer=B | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.
- id=19449 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 32? | option_a=22 | option_b=13 | option_c=32 | option_d=4 | answer=C | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 32 is the odd one out.
- id=19450 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:5 and the first is 323, what is the second? | option_a=85 | option_b=80 | option_c=104 | option_d=408 | answer=A | explanation=Scale factor = 323/19 = 17. Therefore second quantity = 5×17 = 85.
- id=19451 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 26, 36, 48? | option_a=48 | option_b=36 | option_c=16 | option_d=26 | answer=A | explanation=The first three numbers increase by 10, so the next should be 46. Therefore 48 is the odd one out.
- id=19452 | topic=Averages | difficulty=Easy | question=Find the average of 60, 22, 78, 21, 19. | option_a=42 | option_b=40 | option_c=39 | option_d=41 | answer=B | explanation=Average = sum of values ÷ number of values = 200 ÷ 5 = 40.
- id=19453 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=58 | option_b=57 | option_c=69 | option_d=45 | answer=B | explanation=The common difference is 12. Therefore the next term is 45 + 12 = 57.
- id=19454 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49127 at 8% per annum for 1 years. | option_a=3930 | option_b=4030 | option_c=53057 | option_d=3830 | answer=A | explanation=SI = PRT/100 = 49127×8×1/100 = █3930.
- id=19455 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 19, 29, 40? | option_a=29 | option_b=9 | option_c=19 | option_d=40 | answer=D | explanation=The first three numbers increase by 10, so the next should be 39. Therefore 40 is the odd one out.
- id=19456 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=19457 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 44? | option_a=21 | option_b=31 | option_c=44 | option_d=11 | answer=C | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 44 is the odd one out.
- id=19458 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=47 | option_b=56 | option_c=65 | option_d=57 | answer=B | explanation=The common difference is 9. Therefore the next term is 47 + 9 = 56.
- id=19459 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:9 and the first is 168, what is the second? | option_a=126 | option_b=294 | option_c=138 | option_d=117 | answer=A | explanation=Scale factor = 168/12 = 14. Therefore second quantity = 9×14 = 126.
- id=19460 | topic=Averages | difficulty=Easy | question=Find the average of 74, 53, 42, 27, 24. | option_a=43 | option_b=44 | option_c=46 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = 220 ÷ 5 = 44.
- id=19461 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 53? | option_a=53 | option_b=23 | option_c=32 | option_d=41 | answer=A | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 53 is the odd one out.
- id=19462 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=19463 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 49? | option_a=49 | option_b=37 | option_c=19 | option_d=28 | answer=A | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 49 is the odd one out.
- id=19464 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:8 and the first is 260, what is the second? | option_a=420 | option_b=173 | option_c=152 | option_d=160 | answer=D | explanation=Scale factor = 260/13 = 20. Therefore second quantity = 8×20 = 160.
- id=19465 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=15 | option_b=12 | option_c=18 | option_d=16 | answer=A | explanation=The common difference is 3. Therefore the next term is 12 + 3 = 15.
- id=19466 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14847 at 6% per annum for 2 years. | option_a=1681 | option_b=16628 | option_c=1781 | option_d=1881 | answer=C | explanation=SI = PRT/100 = 14847×6×2/100 = █1781.
- id=19467 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=T | option_c=W | option_d=N | answer=B | explanation=Move 3 positions forward from Q; the resulting letter is T.
- id=19468 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=Z | option_b=C | option_c=I | option_d=F | answer=D | explanation=Move 3 positions forward from C; the resulting letter is F.
- id=19469 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3377. If it is sold at a profit of 25%, what is its selling price? | option_a=3402 | option_b=4221 | option_c=4558 | option_d=3884 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3377 × 125/100 = █4221.
- id=19470 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 19,471-19,500 of 100,000

id=19471 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3897. If it is sold at a profit of 5%, what is its selling price? | option_a=4480 | option_b=3902 | option_c=3702 | option_d=4091 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3897 × 105/100 = ■4091.

id=19472 | topic=Averages | difficulty=Easy | question=Find the average of 38, 32, 42, 32, 37, 40, 78, 14, 52, 45. | option_a=42 | option_b=41 | option_c=40 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = 410 ÷ 10 = 41.

id=19473 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=J | option_c=V | option_d=N | answer=A | explanation=Move 4 positions forward from N; the resulting letter is R.

id=19474 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=19475 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 43? | option_a=43 | option_b=37 | option_c=29 | option_d=33 | answer=A | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 43 is the odd one out.

id=19476 | topic=Number System | difficulty=Easy | question=Find the LCM of 17 and 17. | option_a=34 | option_b=1 | option_c=17 | option_d=289 | answer=C | explanation=LCM × HCF = 17×17; HCF(17,17) = 17, so LCM = 17.

id=19477 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=80 | option_c=70 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=19478 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=19479 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=30 | option_b=27 | option_c=31 | option_d=33 | answer=A | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.

id=19480 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:18 and the first is 143, what is the second? | option_a=341 | option_b=211 | option_c=198 | option_d=180 | answer=C | explanation=Scale factor = 143/13 = 11. Therefore second quantity = 18×11 = 198.

id=19481 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 4. | option_a=40 | option_b=16 | option_c=20 | option_d=80 | answer=C | explanation=LCM × HCF = 20×4; HCF(20,4) = 4, so LCM = 20.

id=19482 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 49? | option_a=39 | option_b=21 | option_c=30 | option_d=49 | answer=D | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 49 is the odd one out.

id=19483 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■41045 at 6% per annum for 1 years. | option_a=2362 | option_b=43507 | option_c=2562 | option_d=2462 | answer=D | explanation=SI = PRT/100 = 41045×6×1/100 = ■2462.

id=19484 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=36 | option_b=45 | option_c=52 | option_d=44 | answer=D | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.

id=19485 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 27, 33, 41? | option_a=21 | option_b=27 | option_c=33 | option_d=41 | answer=D | explanation=The first three numbers increase by 6, so the next should be 39. Therefore 41 is the odd one out.

id=19486 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:9 and the first is 40, what is the second? | option_a=112 | option_b=72 | option_c=63 | option_d=77 | answer=B | explanation=Scale factor = 40/5 = 8. Therefore second quantity = 9×8 = 72.

id=19487 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=20 | option_c=10 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=19488 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=T | option_c=N | option_d=R | answer=D | explanation=Move 2 positions forward from P; the resulting letter is R.

id=19489 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■741. If it is sold at a profit of 10%, what is its selling price? | option_a=751 | option_b=889 | option_c=815 | option_d=741 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 741 × 110/100 = ■815.

id=19490 | topic=Averages | difficulty=Easy | question=Find the average of 63, 77, 85, 18, 98, 91. | option_a=74 | option_b=73 | option_c=72 | option_d=71 | answer=C | explanation=Average = sum of values ÷ number of values = 432 ÷ 6 = 72.

id=19491 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:6 and the first is 27, what is the second? | option_a=12 | option_b=45 | option_c=27 | option_d=18 | answer=D | explanation=Scale factor = 27/9 = 3. Therefore second quantity = 6×3 = 18.

id=19492 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 24. | option_a=24 | option_b=48 | option_c=1 | option_d=26 | answer=A | explanation=LCM × HCF = 2×24; HCF(2,24) = 2, so LCM = 24.

id=19493 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=19494 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=I | option_b=S | option_c=N | option_d=X | answer=B | explanation=Move 5 positions forward from N; the resulting letter is S.

id=19495 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2767. If it is sold at a profit of 5%, what is its selling price? | option_a=2772 | option_b=2629 | option_c=2905 | option_d=3181 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2767 × 105/100 = ■2905.

id=19496 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=75 | option_c=80 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=19497 | topic=Averages | difficulty=Easy | question=Find the average of 82, 37, 32, 57, 96, 68, 33, 59, 78, 78. | option_a=63 | option_b=61 | option_c=64 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 620 ÷ 10 = 62.

id=19498 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=P | option_c=U | option_d=F | answer=B | explanation=Move 5 positions forward from K; the resulting letter is P.

id=19499 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=Y | option_b=B | option_c=E | option_d=H | answer=C | explanation=Move 3 positions forward from B; the resulting letter is E.

id=19500 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 19,501-19,530 of 100,000

id=19501 | topic=Percentages | difficulty=Easy | question=What is 25% of 1688? | option_a=432 | option_b=422 | option_c=402 | option_d=844 | answer=B | explanation=25% of 1688 = (25/100) × 1688 = 422.

id=19502 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:14 and the first is 52, what is the second? | option_a=168 | option_b=182 | option_c=186 | option_d=234 | answer=B | explanation=Scale factor = 52/4 = 13. Therefore second quantity = 14×13 = 182.

id=19503 | topic=Percentages | difficulty=Easy | question=What is 50% of 432? | option_a=196 | option_b=216 | option_c=432 | option_d=236 | answer=B | explanation=50% of 432 = (50/100) × 432 = 216.

id=19504 | topic=Averages | difficulty=Easy | question=Find the average of 45, 89, 27, 39, 34, 97, 78, 37, 25, 79. | option_a=56 | option_b=55 | option_c=57 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 550 ÷ 10 = 55.

id=19505 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=24 | option_c=19 | option_d=48 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=19506 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1104. If it is sold at a profit of 40%, what is its selling price? | option_a=5335 | option_b=4144 | option_c=5745 | option_d=6155 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4104 × 140/100 = █5745.

id=19507 | topic=Percentages | difficulty=Easy | question=What is 12% of 1142? | option_a=137 | option_b=132 | option_c=147 | option_d=274 | answer=A | explanation=12% of 1142 = (12/100) × 1142 = 137.

id=19508 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9090 at 10% per annum for 4 years. | option_a=3536 | option_b=12726 | option_c=3636 | option_d=3736 | answer=C | explanation=SI = PRT/100 = 9090×10×4/100 = █3636.

id=19509 | topic=Averages | difficulty=Easy | question=Find the average of 67, 32, 47, 36, 92, 34, 47, 85. | option_a=56 | option_b=54 | option_c=57 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 440 ÷ 8 = 55.

id=19510 | topic=Percentages | difficulty=Easy | question=What is 25% of 590? | option_a=157 | option_b=294 | option_c=142 | option_d=147 | answer=D | explanation=25% of 590 = (25/100) × 590 = 147.

id=19511 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 28? | option_a=23 | option_b=15 | option_c=28 | option_d=19 | answer=C | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 28 is the odd one out.

id=19512 | topic=Averages | difficulty=Easy | question=Find the average of 74, 25, 13, 68, 70, 26, 53. | option_a=46 | option_b=47 | option_c=48 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 329 ÷ 7 = 47.

id=19513 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40936 at 5% per annum for 3 years. | option_a=6140 | option_b=6240 | option_c=47076 | option_d=6040 | answer=A | explanation=SI = PRT/100 = 40936×5×3/100 = █6140.

id=19514 | topic=Percentages | difficulty=Easy | question=What is 10% of 812? | option_a=101 | option_b=71 | option_c=162 | option_d=81 | answer=D | explanation=10% of 812 = (10/100) × 812 = 81.

id=19515 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22048 at 5% per annum for 4 years. | option_a=4409 | option_b=4309 | option_c=4509 | option_d=26457 | answer=A | explanation=SI = PRT/100 = 22048×5×4/100 = █4409.

id=19516 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:20 and the first is 90, what is the second? | option_a=180 | option_b=270 | option_c=160 | option_d=190 | answer=A | explanation=Scale factor = 90/10 = 9. Therefore second quantity = 20×9 = 180.

id=19517 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=40 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=19518 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=31 | option_b=30 | option_c=36 | option_d=24 | answer=B | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.

id=19519 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1261. If it is sold at a profit of 25%, what is its selling price? | option_a=1450 | option_b=1576 | option_c=1286 | option_d=1702 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1261 × 125/100 = █1576.

id=19520 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=19521 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:18 and the first is 323, what is the second? | option_a=288 | option_b=306 | option_c=629 | option_d=325 | answer=B | explanation=Scale factor = 323/19 = 17. Therefore second quantity = 18×17 = 306.

id=19522 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=C | option_c=I | option_d=E | answer=A | explanation=Move 2 positions forward from E; the resulting letter is G.

id=19523 | topic=Averages | difficulty=Easy | question=Find the average of 76, 68, 34, 14, 22, 19, 58, 13. | option_a=39 | option_b=38 | option_c=37 | option_d=40 | answer=B | explanation=Average = sum of values ÷ number of values = 304 ÷ 8 = 38.

id=19524 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3248 at 12% per annum for 3 years. | option_a=1069 | option_b=1269 | option_c=1169 | option_d=4417 | answer=C | explanation=SI = PRT/100 = 3248×12×3/100 = █1169.

id=19525 | topic=Averages | difficulty=Easy | question=Find the average of 36, 29, 82. | option_a=51 | option_b=48 | option_c=49 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 147 ÷ 3 = 49.

id=19526 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1054. If it is sold at a profit of 50%, what is its selling price? | option_a=1581 | option_b=1686 | option_c=1104 | option_d=1476 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1054 × 150/100 = █1581.

id=19527 | topic=Averages | difficulty=Easy | question=Find the average of 96, 38, 39, 24, 73. | option_a=54 | option_b=53 | option_c=56 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 270 ÷ 5 = 54.

id=19528 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=J | option_b=P | option_c=S | option_d=M | answer=B | explanation=Move 3 positions forward from M; the resulting letter is P.

id=19529 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 6. | option_a=12 | option_b=36 | option_c=108 | option_d=18 | answer=D | explanation=LCM × HCF = 18×6; HCF(18,6) = 6, so LCM = 18.

id=19530 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=F | option_c=I | option_d=Z | answer=B | explanation=Move 3 positions forward from C; the resulting letter is F.

Aptitude Questions — Records 19,531-19,560 of 100,000

id=19531 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3084. If it is sold at a profit of 20%, what is its selling price? | option_a=3700 | option_b=3392 | option_c=4008 | option_d=3104 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3084 × 120/100 = ■3700.

id=19532 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 12? | option_a=6 | option_b=4 | option_c=8 | option_d=12 | answer=D | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 12 is the odd one out.

id=19533 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=14 | option_b=11 | option_c=13 | option_d=15 | answer=C | explanation=The common difference is 2. Therefore the next term is 11 + 2 = 13.

id=19534 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=57 | option_b=67 | option_c=45 | option_d=56 | answer=D | explanation=The common difference is 11. Therefore the next term is 45 + 11 = 56.

id=19535 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:6 and the first is 266, what is the second? | option_a=78 | option_b=84 | option_c=350 | option_d=103 | answer=B | explanation=Scale factor = 266/19 = 14. Therefore second quantity = 6×14 = 84.

id=19536 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=36 | option_b=41 | option_c=72 | option_d=31 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=19537 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=19538 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=19539 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■29251 at 15% per annum for 3 years. | option_a=13262 | option_b=13162 | option_c=42413 | option_d=13062 | answer=B | explanation=SI = PRT/100 = 29251×15×3/100 = ■13162.

id=19540 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 15, 22, 29, ? | option_a=43 | option_b=29 | option_c=37 | option_d=36 | answer=D | explanation=The common difference is 7. Therefore the next term is 29 + 7 = 36.

id=19541 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 14. | option_a=176 | option_b=140 | option_c=154 | option_d=308 | answer=C | explanation=LCM × HCF = 22×14; HCF(22,14) = 2, so LCM = 154.

id=19542 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=90 | option_c=180 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=19543 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=58 | option_b=40 | option_c=49 | option_d=50 | answer=C | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

id=19544 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■6243 at 15% per annum for 1 years. | option_a=936 | option_b=1036 | option_c=7179 | option_d=836 | answer=A | explanation=SI = PRT/100 = 6243×15×1/100 = ■936.

id=19545 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1474. If it is sold at a profit of 15%, what is its selling price? | option_a=1695 | option_b=1548 | option_c=1489 | option_d=1842 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1474 × 115/100 = ■1695.

id=19546 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 20? | option_a=13 | option_b=20 | option_c=11 | option_d=15 | answer=B | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 20 is the odd one out.

id=19547 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4320. If it is sold at a profit of 10%, what is its selling price? | option_a=4330 | option_b=4320 | option_c=5184 | option_d=4752 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4320 × 110/100 = ■4752.

id=19548 | topic=Percentages | difficulty=Easy | question=What is 5% of 1141? | option_a=77 | option_b=114 | option_c=37 | option_d=57 | answer=D | explanation=5% of 1141 = (5/100) × 1141 = 57.

id=19549 | topic=Averages | difficulty=Easy | question=Find the average of 67, 71, 41, 55, 33, 83, 14. | option_a=54 | option_b=53 | option_c=51 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 364 ÷ 7 = 52.

id=19550 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=25 | option_b=33 | option_c=39 | option_d=32 | answer=D | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.

id=19551 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 20. | option_a=168 | option_b=120 | option_c=560 | option_d=140 | answer=D | explanation=LCM × HCF = 28×20; HCF(28,20) = 4, so LCM = 140.

id=19552 | topic=Percentages | difficulty=Easy | question=What is 15% of 120? | option_a=23 | option_b=18 | option_c=8 | option_d=36 | answer=B | explanation=15% of 120 = (15/100) × 120 = 18.

id=19553 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 51? | option_a=51 | option_b=30 | option_c=42 | option_d=36 | answer=A | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 51 is the odd one out.

id=19554 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=17 | option_b=15 | option_c=19 | option_d=18 | answer=A | explanation=The common difference is 2. Therefore the next term is 15 + 2 = 17.

id=19555 | topic=Percentages | difficulty=Easy | question=What is 12% of 937? | option_a=92 | option_b=112 | option_c=117 | option_d=224 | answer=B | explanation=12% of 937 = (12/100) × 937 = 112.

id=19556 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=80 | option_c=70 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=19557 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does "I" become? | option_a=I | option_b=G | option_c=K | option_d=M | answer=C | explanation=Move 2 positions forward from I; the resulting letter is K.

id=19558 | topic=Averages | difficulty=Easy | question=Find the average of 41, 17, 34, 16. | option_a=27 | option_b=29 | option_c=28 | option_d=26 | answer=A | explanation=Average = sum of values ÷ number of values = 108 ÷ 4 = 27.

id=19559 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 18, 28, 41? | option_a=18 | option_b=8 | option_c=28 | option_d=41 | answer=D | explanation=The first three numbers increase by 10, so the next should be 38. Therefore 41 is the odd one out.

id=19560 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 11, 14, 20? | option_a=11 | option_b=20 | option_c=8 | option_d=14 | answer=B | explanation=The first three numbers increase by 3, so the next should be 17. Therefore 20 is the odd one out.

Aptitude Questions — Records 19,561-19,590 of 100,000

id=19561 | topic=Averages | difficulty=Easy | question=Find the average of 51, 62, 79, 41, 97. | option_a=66 | option_b=65 | option_c=67 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = 330 ÷ 5 = 66.

id=19562 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=55 | option_b=43 | option_c=67 | option_d=56 | answer=A | explanation=The common difference is 12. Therefore the next term is 43 + 12 = 55.

id=19563 | topic=Averages | difficulty=Easy | question=Find the average of 26, 73, 94, 30, 32, 53, 84. | option_a=57 | option_b=55 | option_c=58 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 392 ÷ 7 = 56.

id=19564 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**6740 at 10% per annum for 2 years. | option_a=8088 | option_b=1248 | option_c=1448 | option_d=1348 | answer=D | explanation=SI = PRT/100 = 6740×10×2/100 = **₹**1348.

id=19565 | topic=Percentages | difficulty=Easy | question=What is 20% of 562? | option_a=224 | option_b=112 | option_c=107 | option_d=117 | answer=B | explanation=20% of 562 = (20/100) × 562 = 112.

id=19566 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 38, 48, 60? | option_a=38 | option_b=60 | option_c=48 | option_d=28 | answer=B | explanation=The first three numbers increase by 10, so the next should be 58. Therefore 60 is the odd one out.

id=19567 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4670. If it is sold at a profit of 15%, what is its selling price? | option_a=4903 | option_b=5837 | option_c=5370 | option_d=4685 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4670 × 115/100 = **₹**5370.

id=19568 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2836. If it is sold at a profit of 50%, what is its selling price? | option_a=4537 | option_b=2886 | option_c=3971 | option_d=4254 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2836 × 150/100 = **₹**4254.

id=19569 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=19570 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=I | option_b=N | option_c=Y | option_d=D | answer=A | explanation=Move 5 positions forward from D; the resulting letter is I.

id=19571 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=40 | option_b=34 | option_c=39 | option_d=44 | answer=C | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

id=19572 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**843. If it is sold at a profit of 50%, what is its selling price? | option_a=1264 | option_b=893 | option_c=1348 | option_d=1180 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 843 × 150/100 = **₹**1264.

id=19573 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=18 | option_b=28 | option_c=23 | option_d=24 | answer=C | explanation=The common difference is 5. Therefore the next term is 18 + 5 = 23.

id=19574 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**26465 at 15% per annum for 2 years. | option_a=7839 | option_b=7939 | option_c=34404 | option_d=8039 | answer=B | explanation=SI = PRT/100 = 26465×15×2/100 = **₹**7939.

id=19575 | topic=Averages | difficulty=Easy | question=Find the average of 73, 49, 85, 66, 40, 87, 58, 98, 67, 87. | option_a=70 | option_b=72 | option_c=73 | option_d=71 | answer=D | explanation=Average = sum of values ÷ number of values = 710 ÷ 10 = 71.

id=19576 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=78 | option_b=67 | option_c=54 | option_d=66 | answer=D | explanation=The common difference is 12. Therefore the next term is 54 + 12 = 66.

id=19577 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=34 | option_b=40 | option_c=33 | option_d=26 | answer=C | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

id=19578 | topic=Averages | difficulty=Easy | question=Find the average of 86, 44, 49, 47, 94, 46. | option_a=61 | option_b=62 | option_c=63 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 366 ÷ 6 = 61.

id=19579 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**36286 at 4% per annum for 3 years. | option_a=4254 | option_b=4454 | option_c=4354 | option_d=40640 | answer=C | explanation=SI = PRT/100 = 36286×4×3/100 = **₹**4354.

id=19580 | topic=Percentages | difficulty=Easy | question=What is 20% of 544? | option_a=88 | option_b=113 | option_c=216 | option_d=108 | answer=D | explanation=20% of 544 = (20/100) × 544 = 108.

id=19581 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 31? | option_a=31 | option_b=23 | option_c=18 | option_d=13 | answer=A | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 31 is the odd one out.

id=19582 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=S | option_c=Q | option_d=O | answer=B | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=19583 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 24, 27, 31? | option_a=31 | option_b=21 | option_c=27 | option_d=24 | answer=A | explanation=The first three numbers increase by 3, so the next should be 30. Therefore 31 is the odd one out.

id=19584 | topic=Averages | difficulty=Easy | question=Find the average of 98, 44, 61, 46, 38, 62, 97, 44, 77, 103. | option_a=69 | option_b=66 | option_c=68 | option_d=67 | answer=D | explanation=Average = sum of values ÷ number of values = 670 ÷ 10 = 67.

id=19585 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 15, 22, 29, ? | option_a=29 | option_b=37 | option_c=43 | option_d=36 | answer=D | explanation=The common difference is 7. Therefore the next term is 29 + 7 = 36.

id=19586 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3912. If it is sold at a profit of 10%, what is its selling price? | option_a=3922 | option_b=4303 | option_c=3912 | option_d=4694 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3912 × 110/100 = **₹**4303.

id=19587 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=12 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=19588 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 45? | option_a=45 | option_b=18 | option_c=34 | option_d=26 | answer=A | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 45 is the odd one out.

id=19589 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 18, 23, 28, ? | option_a=38 | option_b=28 | option_c=34 | option_d=33 | answer=D | explanation=The common difference is 5. Therefore the next term is 28 + 5 = 33.

id=19590 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=O | option_b=G | option_c=C | option_d=K | answer=D | explanation=Move 4 positions forward from G; the resulting letter is K.

Aptitude Questions — Records 19,591-19,620 of 100,000

id=19591 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=F | option_b=Z | option_c=I | option_d=C | answer=A | explanation=Move 3 positions forward from C; the resulting letter is F.

id=19592 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5216 at 5% per annum for 5 years. | option_a=6520 | option_b=1204 | option_c=1404 | option_d=1304 | answer=D | explanation=SI = PRT/100 = 5216×5×5/100 = **■**1304.

id=19593 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:3 and the first is 130, what is the second? | option_a=30 | option_b=43 | option_c=160 | option_d=27 | answer=A | explanation=Scale factor = 130/13 = 10. Therefore second quantity = 3×10 = 30.

id=19594 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=D | option_b=L | option_c=H | option_d=P | answer=B | explanation=Move 4 positions forward from H; the resulting letter is L.

id=19595 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 29? | option_a=20 | option_b=22 | option_c=24 | option_d=29 | answer=D | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 29 is the odd one out.

id=19596 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:2 and the first is 144, what is the second? | option_a=18 | option_b=162 | option_c=34 | option_d=16 | answer=A | explanation=Scale factor = 144/16 = 9. Therefore second quantity = 2×9 = 18.

id=19597 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:17 and the first is 54, what is the second? | option_a=309 | option_b=289 | option_c=306 | option_d=360 | answer=C | explanation=Scale factor = 54/3 = 18. Therefore second quantity = 17×18 = 306.

id=19598 | topic=Averages | difficulty=Easy | question=Find the average of 91, 73, 95, 49, 67, 31, 18, 56. | option_a=60 | option_b=61 | option_c=59 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 480 ÷ 8 = 60.

id=19599 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=X | option_b=B | option_c=F | option_d=J | answer=C | explanation=Move 4 positions forward from B; the resulting letter is F.

id=19600 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=19601 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=J | option_c=S | option_d=P | answer=D | explanation=Move 3 positions forward from M; the resulting letter is P.

id=19602 | topic=Averages | difficulty=Easy | question=Find the average of 54, 26, 94. | option_a=60 | option_b=57 | option_c=58 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 174 ÷ 3 = 58.

id=19603 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=19604 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=19605 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=66 | option_b=56 | option_c=55 | option_d=44 | answer=C | explanation=The common difference is 11. Therefore the next term is 44 + 11 = 55.

id=19606 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=18 | option_c=13 | option_d=23 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=19607 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=48 | option_c=24 | option_d=19 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=19608 | topic=Percentages | difficulty=Easy | question=What is 15% of 1472? | option_a=220 | option_b=240 | option_c=215 | option_d=440 | answer=A | explanation=15% of 1472 = (15/100) × 1472 = 220.

id=19609 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49347 at 5% per annum for 2 years. | option_a=54281 | option_b=5034 | option_c=4934 | option_d=4834 | answer=C | explanation=SI = PRT/100 = 49347×5×2/100 = **■**4934.

id=19610 | topic=Averages | difficulty=Easy | question=Find the average of 43, 45, 56, 18, 69, 33, 32, 16. | option_a=40 | option_b=41 | option_c=38 | option_d=39 | answer=D | explanation=Average = sum of values ÷ number of values = 312 ÷ 8 = 39.

id=19611 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=53 | option_c=43 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=19612 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=19613 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=F | option_c=P | option_d=U | answer=C | explanation=Move 5 positions forward from K; the resulting letter is P.

id=19614 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 41? | option_a=35 | option_b=25 | option_c=30 | option_d=41 | answer=D | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 41 is the odd one out.

id=19615 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=B | option_b=G | option_c=L | option_d=Q | answer=C | explanation=Move 5 positions forward from G; the resulting letter is L.

id=19616 | topic=Averages | difficulty=Easy | question=Find the average of 43, 17, 32, 78, 11, 46, 76, 26, 47, 34. | option_a=42 | option_b=40 | option_c=43 | option_d=41 | answer=D | explanation=Average = sum of values ÷ number of values = 410 ÷ 10 = 41.

id=19617 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=19618 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 21, 30, 39, ? | option_a=49 | option_b=57 | option_c=48 | option_d=39 | answer=C | explanation=The common difference is 9. Therefore the next term is 39 + 9 = 48.

id=19619 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46040 at 12% per annum for 1 years. | option_a=5524 | option_b=5624 | option_c=51564 | option_d=5424 | answer=A | explanation=SI = PRT/100 = 46040×12×1/100 = **■**5524.

id=19620 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:9 and the first is 176, what is the second? | option_a=155 | option_b=320 | option_c=135 | option_d=144 | answer=D | explanation=Scale factor = 176/11 = 16. Therefore second quantity = 9×16 = 144.

Aptitude Questions — Records 19,621-19,650 of 100,000

id=19621 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=19622 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=19623 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=19624 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=19625 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=19626 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4532. If it is sold at a profit of 50%, what is its selling price? | option_a=6798 | option_b=7251 | option_c=4582 | option_d=6345 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4532 × 150/100 = █6798.

id=19627 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=36 | option_b=31 | option_c=32 | option_d=26 | answer=B | explanation=The common difference is 5. Therefore the next term is 26 + 5 = 31.

id=19628 | topic=Averages | difficulty=Easy | question=Find the average of 34, 62, 62, 38. | option_a=50 | option_b=51 | option_c=48 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 196 ÷ 4 = 49.

id=19629 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 38? | option_a=38 | option_b=23 | option_c=29 | option_d=17 | answer=A | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 38 is the odd one out.

id=19630 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 28? | option_a=11 | option_b=18 | option_c=28 | option_d=4 | answer=C | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 28 is the odd one out.

id=19631 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=Q | option_b=U | option_c=S | option_d=W | answer=B | explanation=Move 2 positions forward from S; the resulting letter is U.

id=19632 | topic=Percentages | difficulty=Easy | question=What is 5% of 1611? | option_a=90 | option_b=160 | option_c=80 | option_d=70 | answer=C | explanation=5% of 1611 = (5/100) × 1611 = 80.

id=19633 | topic=Averages | difficulty=Easy | question=Find the average of 76, 89, 18, 84, 28. | option_a=59 | option_b=60 | option_c=61 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 295 ÷ 5 = 59.

id=19634 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:13 and the first is 192, what is the second? | option_a=172 | option_b=348 | option_c=156 | option_d=143 | answer=C | explanation=Scale factor = 192/16 = 12. Therefore second quantity = 13×12 = 156.

id=19635 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1394. If it is sold at a profit of 15%, what is its selling price? | option_a=1603 | option_b=1742 | option_c=1409 | option_d=1464 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1394 × 115/100 = █1603.

id=19636 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 18, 26, 37? | option_a=10 | option_b=26 | option_c=37 | option_d=18 | answer=C | explanation=The first three numbers increase by 8, so the next should be 34. Therefore 37 is the odd one out.

id=19637 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2021. If it is sold at a profit of 40%, what is its selling price? | option_a=2061 | option_b=2829 | option_c=2627 | option_d=3031 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2021 × 140/100 = █2829.

id=19638 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:12 and the first is 60, what is the second? | option_a=228 | option_b=300 | option_c=240 | option_d=243 | answer=C | explanation=Scale factor = 60/3 = 20. Therefore second quantity = 12×20 = 240.

id=19639 | topic=Averages | difficulty=Easy | question=Find the average of 88, 76, 91. | option_a=87 | option_b=84 | option_c=86 | option_d=85 | answer=D | explanation=Average = sum of values ÷ number of values = 255 ÷ 3 = 85.

id=19640 | topic=Profit & Loss | difficulty=Easy | question=An article costs █871. If it is sold at a profit of 30%, what is its selling price? | option_a=1045 | option_b=1219 | option_c=1132 | option_d=901 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 871 × 130/100 = █1132.

id=19641 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 17? | option_a=17 | option_b=8 | option_c=10 | option_d=12 | answer=A | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 17 is the odd one out.

id=19642 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=35 | option_b=36 | option_c=30 | option_d=40 | answer=A | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=19643 | topic=Percentages | difficulty=Easy | question=What is 20% of 1629? | option_a=325 | option_b=650 | option_c=345 | option_d=320 | answer=A | explanation=20% of 1629 = (20/100) × 1629 = 325.

id=19644 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=D | option_b=P | option_c=H | option_d=L | answer=D | explanation=Move 4 positions forward from H; the resulting letter is L.

id=19645 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22085 at 15% per annum for 5 years. | option_a=16563 | option_b=16463 | option_c=38648 | option_d=16663 | answer=A | explanation=SI = PRT/100 = 22085×15×5/100 = █16563.

id=19646 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47368 at 12% per annum for 1 years. | option_a=5684 | option_b=53052 | option_c=5584 | option_d=5784 | answer=A | explanation=SI = PRT/100 = 47368×12×1/100 = █5684.

id=19647 | topic=Averages | difficulty=Easy | question=Find the average of 96, 98, 84, 66, 21. | option_a=75 | option_b=74 | option_c=72 | option_d=73 | answer=D | explanation=Average = sum of values ÷ number of values = 365 ÷ 5 = 73.

id=19648 | topic=Percentages | difficulty=Easy | question=What is 12% of 667? | option_a=80 | option_b=70 | option_c=85 | option_d=160 | answer=A | explanation=12% of 667 = (12/100) × 667 = 80.

id=19649 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=19650 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=19 | option_b=17 | option_c=21 | option_d=20 | answer=A | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

Aptitude Questions — Records 19,651-19,680 of 100,000

id=19651 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 12, 16, 22? | option_a=12 | option_b=22 | option_c=8 | option_d=16 | answer=B | explanation=The first three numbers increase by 4, so the next should be 20. Therefore 22 is the odd one out.

id=19652 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=41 | option_b=36 | option_c=31 | option_d=37 | answer=B | explanation=The common difference is 5. Therefore the next term is 31 + 5 = 36.

id=19653 | topic=Percentages | difficulty=Easy | question=What is 5% of 1277? | option_a=68 | option_b=126 | option_c=63 | option_d=53 | answer=C | explanation=5% of 1277 = (5/100) × 1277 = 63.

id=19654 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:8 and the first is 150, what is the second? | option_a=270 | option_b=120 | option_c=112 | option_d=130 | answer=B | explanation=Scale factor = 150/10 = 15. Therefore second quantity = 8×15 = 120.

id=19655 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=19656 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=19657 | topic=Averages | difficulty=Easy | question=Find the average of 92, 90, 51, 14, 11, 87, 72, 95. | option_a=66 | option_b=64 | option_c=63 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 512 ÷ 8 = 64.

id=19658 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=23 | option_d=36 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=19659 | topic=Averages | difficulty=Easy | question=Find the average of 23, 69, 34, 39, 76, 30, 26, 46, 89. | option_a=50 | option_b=48 | option_c=49 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 432 ÷ 9 = 48.

id=19660 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=19661 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 10, 17, 26? | option_a=3 | option_b=10 | option_c=17 | option_d=26 | answer=D | explanation=The first three numbers increase by 7, so the next should be 24. Therefore 26 is the odd one out.

id=19662 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=19663 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:11 and the first is 162, what is the second? | option_a=88 | option_b=261 | option_c=117 | option_d=99 | answer=D | explanation=Scale factor = 162/18 = 9. Therefore second quantity = 11×9 = 99.

id=19664 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 13, 23, 36? | option_a=23 | option_b=3 | option_c=36 | option_d=13 | answer=C | explanation=The first three numbers increase by 10, so the next should be 33. Therefore 36 is the odd one out.

id=19665 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:8 and the first is 340, what is the second? | option_a=156 | option_b=136 | option_c=128 | option_d=476 | answer=B | explanation=Scale factor = 340/20 = 17. Therefore second quantity = 8×17 = 136.

id=19666 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24033 at 4% per annum for 5 years. | option_a=4706 | option_b=4906 | option_c=28839 | option_d=4806 | answer=D | explanation=SI = PRT/100 = 24033×4×5/100 = **■**4806.

id=19667 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=37 | option_b=36 | option_c=41 | option_d=31 | answer=B | explanation=The common difference is 5. Therefore the next term is 31 + 5 = 36.

id=19668 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24625 at 15% per annum for 5 years. | option_a=18468 | option_b=18368 | option_c=18568 | option_d=43093 | answer=A | explanation=SI = PRT/100 = 24625×15×5/100 = **■**18468.

id=19669 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 22, 32, 44? | option_a=22 | option_b=12 | option_c=32 | option_d=44 | answer=D | explanation=The first three numbers increase by 10, so the next should be 42. Therefore 44 is the odd one out.

id=19670 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=40 | option_b=26 | option_c=34 | option_d=33 | answer=D | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

id=19671 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 12, 21, 30, ? | option_a=48 | option_b=30 | option_c=40 | option_d=39 | answer=D | explanation=The common difference is 9. Therefore the next term is 30 + 9 = 39.

id=19672 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3440. If it is sold at a profit of 10%, what is its selling price? | option_a=3440 | option_b=3450 | option_c=4128 | option_d=3784 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3440 × 110/100 = **■**3784.

id=19673 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=45 | option_c=35 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=19674 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=19675 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 39, 48, 60? | option_a=60 | option_b=30 | option_c=48 | option_d=39 | answer=A | explanation=The first three numbers increase by 9, so the next should be 57. Therefore 60 is the odd one out.

id=19676 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=115 | option_c=125 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=19677 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=7 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=19678 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=R | option_c=N | option_d=P | answer=B | explanation=Move 2 positions forward from P; the resulting letter is R.

id=19679 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31593 at 4% per annum for 5 years. | option_a=6318 | option_b=6218 | option_c=6418 | option_d=37911 | answer=A | explanation=SI = PRT/100 = 31593×4×5/100 = **■**6318.

id=19680 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4470. If it is sold at a profit of 20%, what is its selling price? | option_a=4917 | option_b=5811 | option_c=4490 | option_d=5364 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4470 × 120/100 = **■**5364.

Aptitude Questions — Records 19,681-19,710 of 100,000

id=19681 | topic=Averages | difficulty=Easy | question=Find the average of 14, 37, 25, 100, 72, 64. | option_a=53 | option_b=54 | option_c=51 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 312 ÷ 6 = 52.

id=19682 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12093 at 10% per annum for 2 years. | option_a=2518 | option_b=2418 | option_c=14511 | option_d=2318 | answer=B | explanation=SI = $PRT/100 = 12093 \times 10 \times 2/100 = \text{■}2418$.

id=19683 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 16, 20, 25? | option_a=12 | option_b=25 | option_c=20 | option_d=16 | answer=B | explanation=The first three numbers increase by 4, so the next should be 24. Therefore 25 is the odd one out.

id=19684 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 40? | option_a=40 | option_b=29 | option_c=21 | option_d=13 | answer=A | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 40 is the odd one out.

id=19685 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 38, 48, 60? | option_a=60 | option_b=38 | option_c=48 | option_d=28 | answer=A | explanation=The first three numbers increase by 10, so the next should be 58. Therefore 60 is the odd one out.

id=19686 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2183. If it is sold at a profit of 30%, what is its selling price? | option_a=2213 | option_b=2837 | option_c=2619 | option_d=3055 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2183 \times 130/100 = \text{■}2837$.

id=19687 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16901 at 15% per annum for 3 years. | option_a=7605 | option_b=24506 | option_c=7705 | option_d=7505 | answer=A | explanation=SI = $PRT/100 = 16901 \times 15 \times 3/100 = \text{■}7605$.

id=19688 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:15 and the first is 176, what is the second? | option_a=165 | option_b=150 | option_c=341 | option_d=181 | answer=A | explanation=Scale factor = $176/16 = 11$. Therefore second quantity = $15 \times 11 = 165$.

id=19689 | topic=Percentages | difficulty=Easy | question=What is 40% of 870? | option_a=353 | option_b=696 | option_c=338 | option_d=348 | answer=D | explanation=40% of 870 = $(40/100) \times 870 = 348$.

id=19690 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17048 at 8% per annum for 2 years. | option_a=19775 | option_b=2827 | option_c=2627 | option_d=2727 | answer=D | explanation=SI = $PRT/100 = 17048 \times 8 \times 2/100 = \text{■}2727$.

id=19691 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**754. If it is sold at a profit of 5%, what is its selling price? | option_a=759 | option_b=791 | option_c=866 | option_d=716 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 754 \times 105/100 = \text{■}791$.

id=19692 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1490. If it is sold at a profit of 15%, what is its selling price? | option_a=1564 | option_b=1713 | option_c=1862 | option_d=1505 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1490 \times 115/100 = \text{■}1713$.

id=19693 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=5 | option_c=10 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = $60 \div 6 = 10$ km/h.

id=19694 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=Z | option_b=P | option_c=E | option_d=U | answer=A | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=19695 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=M | option_c=R | option_d=C | answer=B | explanation=Move 5 positions forward from H; the resulting letter is M.

id=19696 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**627. If it is sold at a profit of 20%, what is its selling price? | option_a=647 | option_b=814 | option_c=752 | option_d=690 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 627 \times 120/100 = \text{■}752$.

id=19697 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=19698 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:2 and the first is 216, what is the second? | option_a=34 | option_b=48 | option_c=252 | option_d=36 | answer=D | explanation=Scale factor = $216/12 = 18$. Therefore second quantity = $2 \times 18 = 36$.

id=19699 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30749 at 6% per annum for 5 years. | option_a=9324 | option_b=9124 | option_c=9224 | option_d=39973 | answer=C | explanation=SI = $PRT/100 = 30749 \times 6 \times 5/100 = \text{■}9224$.

id=19700 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 10, 16, 23? | option_a=10 | option_b=16 | option_c=23 | option_d=4 | answer=C | explanation=The first three numbers increase by 6, so the next should be 22. Therefore 23 is the odd one out.

id=19701 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:18 and the first is 42, what is the second? | option_a=294 | option_b=234 | option_c=255 | option_d=252 | answer=D | explanation=Scale factor = $42/3 = 14$. Therefore second quantity = $18 \times 14 = 252$.

id=19702 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 33? | option_a=33 | option_b=15 | option_c=20 | option_d=25 | answer=A | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 33 is the odd one out.

id=19703 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18757 at 4% per annum for 2 years. | option_a=1600 | option_b=20257 | option_c=1500 | option_d=1400 | answer=C | explanation=SI = $PRT/100 = 18757 \times 4 \times 2/100 = \text{■}1500$.

id=19704 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12577 at 6% per annum for 2 years. | option_a=14086 | option_b=1509 | option_c=1409 | option_d=1609 | answer=B | explanation=SI = $PRT/100 = 12577 \times 6 \times 2/100 = \text{■}1509$.

id=19705 | topic=Averages | difficulty=Easy | question=Find the average of 19, 30, 17, 36, 69, 46, 57, 38. | option_a=40 | option_b=41 | option_c=39 | option_d=38 | answer=C | explanation=Average = sum of values ÷ number of values = $312 \div 8 = 39$.

id=19706 | topic=Percentages | difficulty=Easy | question=What is 5% of 1963? | option_a=103 | option_b=98 | option_c=196 | option_d=78 | answer=B | explanation=5% of 1963 = $(5/100) \times 1963 = 98$.

id=19707 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:11 and the first is 144, what is the second? | option_a=176 | option_b=320 | option_c=185 | option_d=165 | answer=A | explanation=Scale factor = $144/9 = 16$. Therefore second quantity = $11 \times 16 = 176$.

id=19708 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12493 at 5% per annum for 5 years. | option_a=3023 | option_b=3123 | option_c=3223 | option_d=15616 | answer=B | explanation=SI = $PRT/100 = 12493 \times 5 \times 5/100 = \text{■}3123$.

id=19709 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46654 at 15% per annum for 5 years. | option_a=34990 | option_b=81644 | option_c=35090 | option_d=34890 | answer=A | explanation=SI = $PRT/100 = 46654 \times 15 \times 5/100 = \text{■}34990$.

id=19710 | topic=Percentages | difficulty=Easy | question=What is 5% of 1739? | option_a=172 | option_b=86 | option_c=76 | option_d=106 | answer=B | explanation=5% of 1739 = $(5/100) \times 1739 = 86$.

Aptitude Questions — Records 19,711-19,740 of 100,000

id=19711 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=19712 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=14 | option_c=9 | option_d=18 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=19713 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=P | option_b=Q | option_c=O | option_d=N | answer=A | explanation=Move 1 positions forward from O; the resulting letter is P.

id=19714 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=12 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=19715 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3799. If it is sold at a profit of 50%, what is its selling price? | option_a=5319 | option_b=6077 | option_c=3849 | option_d=5698 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3799 × 150/100 = █5698.

id=19716 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4778 at 15% per annum for 3 years. | option_a=6928 | option_b=2150 | option_c=2050 | option_d=2250 | answer=B | explanation=SI = PRT/100 = 4778×15×3/100 = █2150.

id=19717 | topic=Averages | difficulty=Easy | question=Find the average of 34, 52, 60, 18, 39, 54, 72. | option_a=46 | option_b=49 | option_c=48 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 329 ÷ 7 = 47.

id=19718 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=19719 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=12 | option_c=1 | option_d=11 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=19720 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:19 and the first is 120, what is the second? | option_a=380 | option_b=386 | option_c=361 | option_d=500 | answer=A | explanation=Scale factor = 120/6 = 20. Therefore second quantity = 19×20 = 380.

id=19721 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 27, 31, 37? | option_a=31 | option_b=27 | option_c=37 | option_d=23 | answer=C | explanation=The first three numbers increase by 4, so the next should be 35. Therefore 37 is the odd one out.

id=19722 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=F | option_c=Z | option_d=I | answer=B | explanation=Move 3 positions forward from C; the resulting letter is F.

id=19723 | topic=Percentages | difficulty=Easy | question=What is 15% of 1999? | option_a=299 | option_b=289 | option_c=309 | option_d=598 | answer=A | explanation=15% of 1999 = (15/100) × 1999 = 299.

id=19724 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=19725 | topic=Averages | difficulty=Easy | question=Find the average of 98, 17, 34, 18, 97, 98, 42, 100. | option_a=64 | option_b=65 | option_c=62 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 504 ÷ 8 = 63.

id=19726 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=54 | option_b=67 | option_c=66 | option_d=78 | answer=C | explanation=The common difference is 12. Therefore the next term is 54 + 12 = 66.

id=19727 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2561. If it is sold at a profit of 5%, what is its selling price? | option_a=2945 | option_b=2566 | option_c=2433 | option_d=2689 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2561 × 105/100 = █2689.

id=19728 | topic=Percentages | difficulty=Easy | question=What is 5% of 749? | option_a=37 | option_b=74 | option_c=57 | option_d=17 | answer=A | explanation=5% of 749 = (5/100) × 749 = 37.

id=19729 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30476 at 15% per annum for 3 years. | option_a=44190 | option_b=13714 | option_c=13614 | option_d=13814 | answer=B | explanation=SI = PRT/100 = 30476×15×3/100 = █13714.

id=19730 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1123. If it is sold at a profit of 10%, what is its selling price? | option_a=1123 | option_b=1347 | option_c=1133 | option_d=1235 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1123 × 110/100 = █1235.

id=19731 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 17, 26, 38? | option_a=8 | option_b=26 | option_c=17 | option_d=38 | answer=D | explanation=The first three numbers increase by 9, so the next should be 35. Therefore 38 is the odd one out.

id=19732 | topic=Percentages | difficulty=Easy | question=What is 15% of 1772? | option_a=265 | option_b=530 | option_c=270 | option_d=245 | answer=A | explanation=15% of 1772 = (15/100) × 1772 = 265.

id=19733 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=19734 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=44 | option_b=36 | option_c=45 | option_d=52 | answer=A | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.

id=19735 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28269 at 6% per annum for 1 years. | option_a=1596 | option_b=1796 | option_c=1696 | option_d=29965 | answer=C | explanation=SI = PRT/100 = 28269×6×1/100 = █1696.

id=19736 | topic=Profit & Loss | difficulty=Easy | question=An article costs █240. If it is sold at a profit of 15%, what is its selling price? | option_a=252 | option_b=276 | option_c=255 | option_d=300 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 240 × 115/100 = █276.

id=19737 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=72 | option_b=62 | option_c=50 | option_d=61 | answer=D | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.

id=19738 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=12 | option_b=7 | option_c=24 | option_d=17 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=19739 | topic=Averages | difficulty=Easy | question=Find the average of 45, 100, 62, 91, 26, 45, 88, 87, 94, 92. | option_a=74 | option_b=75 | option_c=73 | option_d=72 | answer=C | explanation=Average = sum of values ÷ number of values = 730 ÷ 10 = 73.

id=19740 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 29? | option_a=24 | option_b=29 | option_c=22 | option_d=26 | answer=B | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 29 is the odd one out.

Aptitude Questions — Records 19,741-19,770 of 100,000

id=19741 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:15 and the first is 156, what is the second? | option_a=193 | option_b=180 | option_c=165 | option_d=336 | answer=B | explanation=Scale factor = $156/13 = 12$. Therefore second quantity = $15 \times 12 = 180$.

id=19742 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:20 and the first is 144, what is the second? | option_a=140 | option_b=178 | option_c=160 | option_d=304 | answer=C | explanation=Scale factor = $144/18 = 8$. Therefore second quantity = $20 \times 8 = 160$.

id=19743 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3929. If it is sold at a profit of 15%, what is its selling price? | option_a=4518 | option_b=4126 | option_c=3944 | option_d=4910 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3929 \times 115/100 = \text{█}4518$.

id=19744 | topic=Averages | difficulty=Easy | question=Find the average of 33, 77, 17, 85, 63. | option_a=54 | option_b=56 | option_c=55 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = $275 \div 5 = 55$.

id=19745 | topic=Percentages | difficulty=Easy | question=What is 50% of 1575? | option_a=807 | option_b=787 | option_c=1574 | option_d=782 | answer=B | explanation=50% of 1575 = $(50/100) \times 1575 = 787$.

id=19746 | topic=Percentages | difficulty=Easy | question=What is 40% of 1704? | option_a=676 | option_b=701 | option_c=1362 | option_d=681 | answer=D | explanation=40% of 1704 = $(40/100) \times 1704 = 681$.

id=19747 | topic=Averages | difficulty=Easy | question=Find the average of 99, 12, 34, 55, 64, 102. | option_a=63 | option_b=61 | option_c=60 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = $366 \div 6 = 61$.

id=19748 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=23 | option_c=18 | option_d=36 | answer=C | explanation=Speed = distance ÷ time = $180 \div 10 = 18$ km/h.

id=19749 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=46 | option_b=39 | option_c=38 | option_d=30 | answer=C | explanation=The common difference is 8. Therefore the next term is $30 + 8 = 38$.

id=19750 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36654 at 12% per annum for 4 years. | option_a=17493 | option_b=17593 | option_c=17693 | option_d=54247 | answer=B | explanation=SI = $PRT/100 = 36654 \times 12 \times 4/100 = \text{█}17593$.

id=19751 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=27 | option_b=33 | option_c=32 | option_d=37 | answer=C | explanation=The common difference is 5. Therefore the next term is $27 + 5 = 32$.

id=19752 | topic=Averages | difficulty=Easy | question=Find the average of 33, 56, 70, 28, 12, 36, 36, 73. | option_a=45 | option_b=44 | option_c=43 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = $344 \div 8 = 43$.

id=19753 | topic=Profit & Loss | difficulty=Easy | question=An article costs █525. If it is sold at a profit of 5%, what is its selling price? | option_a=603 | option_b=499 | option_c=551 | option_d=530 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 525 \times 105/100 = \text{█}551$.

id=19754 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:4 and the first is 10, what is the second? | option_a=4 | option_b=18 | option_c=13 | option_d=8 | answer=D | explanation=Scale factor = $10/5 = 2$. Therefore second quantity = $4 \times 2 = 8$.

id=19755 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:16 and the first is 200, what is the second? | option_a=320 | option_b=330 | option_c=304 | option_d=520 | answer=A | explanation=Scale factor = $200/10 = 20$. Therefore second quantity = $16 \times 20 = 320$.

id=19756 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=175 | option_c=360 | option_d=185 | answer=A | explanation=Speed = distance ÷ time = $360 \div 2 = 180$ km/h.

id=19757 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12629 at 15% per annum for 3 years. | option_a=5583 | option_b=5783 | option_c=18312 | option_d=5683 | answer=D | explanation=SI = $PRT/100 = 12629 \times 15 \times 3/100 = \text{█}5683$.

id=19758 | topic=Percentages | difficulty=Easy | question=What is 30% of 661? | option_a=396 | option_b=198 | option_c=193 | option_d=208 | answer=B | explanation=30% of 661 = $(30/100) \times 661 = 198$.

id=19759 | topic=Percentages | difficulty=Easy | question=What is 40% of 1198? | option_a=958 | option_b=469 | option_c=479 | option_d=489 | answer=C | explanation=40% of 1198 = $(40/100) \times 1198 = 479$.

id=19760 | topic=Percentages | difficulty=Easy | question=What is 30% of 1521? | option_a=451 | option_b=456 | option_c=461 | option_d=912 | answer=B | explanation=30% of 1521 = $(30/100) \times 1521 = 456$.

id=19761 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=19762 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:10 and the first is 85, what is the second? | option_a=175 | option_b=160 | option_c=170 | option_d=255 | answer=C | explanation=Scale factor = $85/5 = 17$. Therefore second quantity = $10 \times 17 = 170$.

id=19763 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 23, 30, 40? | option_a=16 | option_b=30 | option_c=40 | option_d=23 | answer=C | explanation=The first three numbers increase by 7, so the next should be 37. Therefore 40 is the odd one out.

id=19764 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 31, 43, 55, ? | option_a=67 | option_b=55 | option_c=79 | option_d=68 | answer=A | explanation=The common difference is 12. Therefore the next term is $55 + 12 = 67$.

id=19765 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9525 at 6% per annum for 2 years. | option_a=1043 | option_b=10668 | option_c=1143 | option_d=1243 | answer=C | explanation=SI = $PRT/100 = 9525 \times 6 \times 2/100 = \text{█}1143$.

id=19766 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = $120 \div 4 = 30$ km/h.

id=19767 | topic=Percentages | difficulty=Easy | question=What is 5% of 1325? | option_a=56 | option_b=66 | option_c=86 | option_d=132 | answer=B | explanation=5% of 1325 = $(5/100) \times 1325 = 66$.

id=19768 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1264. If it is sold at a profit of 50%, what is its selling price? | option_a=1770 | option_b=1896 | option_c=1314 | option_d=2022 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1264 \times 150/100 = \text{█}1896$.

id=19769 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=25 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = $120 \div 6 = 20$ km/h.

id=19770 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=27 | option_b=22 | option_c=26 | option_d=30 | answer=C | explanation=The common difference is 4. Therefore the next term is $22 + 4 = 26$.

Aptitude Questions — Records 19,771-19,800 of 100,000

id=19771 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 27. | option_a=405 | option_b=135 | option_c=150 | option_d=108 | answer=B | explanation=LCM × HCF = 15×27; HCF(15,27) = 3, so LCM = 135.

id=19772 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23586 at 6% per annum for 5 years. | option_a=6975 | option_b=7175 | option_c=7075 | option_d=30661 | answer=C | explanation=SI = $\text{PRT}/100 = 23586 \times 6 \times 5/100 = \text{■}$ 7075.

id=19773 | topic=Percentages | difficulty=Easy | question=What is 40% of 1054? | option_a=441 | option_b=421 | option_c=411 | option_d=842 | answer=B | explanation=40% of 1054 = $(40/100) \times 1054 = 421$.

id=19774 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=96 | option_c=53 | option_d=43 | answer=A | explanation=Speed = distance ÷ time = $240 \div 5 = 48$ km/h.

id=19775 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=19776 | topic=Averages | difficulty=Easy | question=Find the average of 10, 15, 49, 45, 57, 29, 53, 70. | option_a=41 | option_b=42 | option_c=40 | option_d=43 | answer=A | explanation=Average = sum of values ÷ number of values = $328 \div 8 = 41$.

id=19777 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=50 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = $360 \div 8 = 45$ km/h.

id=19778 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=56 | option_b=55 | option_c=66 | option_d=44 | answer=B | explanation=The common difference is 11. Therefore the next term is $44 + 11 = 55$.

id=19779 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1410. If it is sold at a profit of 15%, what is its selling price? | option_a=1621 | option_b=1480 | option_c=1762 | option_d=1425 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 1410 \times 115/100 = \text{■}$ 1621.

id=19780 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=L | option_c=F | option_d=O | answer=B | explanation=Move 3 positions forward from I; the resulting letter is L.

id=19781 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 26, 32, 39? | option_a=39 | option_b=32 | option_c=20 | option_d=26 | answer=A | explanation=The first three numbers increase by 6, so the next should be 38. Therefore 39 is the odd one out.

id=19782 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $360 \div 6 = 60$ km/h.

id=19783 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $360 \div 6 = 60$ km/h.

id=19784 | topic=Percentages | difficulty=Easy | question=What is 12% of 1524? | option_a=182 | option_b=192 | option_c=364 | option_d=162 | answer=A | explanation=12% of 1524 = $(12/100) \times 1524 = 182$.

id=19785 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=D | option_c=H | option_d=P | answer=A | explanation=Move 4 positions forward from H; the resulting letter is L.

id=19786 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=44 | option_b=43 | option_c=36 | option_d=50 | answer=B | explanation=The common difference is 7. Therefore the next term is $36 + 7 = 43$.

id=19787 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 52? | option_a=30 | option_b=52 | option_c=40 | option_d=20 | answer=B | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 52 is the odd one out.

id=19788 | topic=Percentages | difficulty=Easy | question=What is 5% of 95? | option_a=4 | option_b=24 | option_c=8 | option_d=0 | answer=A | explanation=5% of 95 = $(5/100) \times 95 = 4$.

id=19789 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41271 at 5% per annum for 5 years. | option_a=10417 | option_b=10217 | option_c=51588 | option_d=10317 | answer=D | explanation=SI = $\text{PRT}/100 = 41271 \times 5 \times 5/100 = \text{■}$ 10317.

id=19790 | topic=Averages | difficulty=Easy | question=Find the average of 13, 48, 93, 95, 10, 42, 63, 48, 10, 48. | option_a=47 | option_b=48 | option_c=49 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = $470 \div 10 = 47$.

id=19791 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=35 | option_b=41 | option_c=45 | option_d=40 | answer=D | explanation=The common difference is 5. Therefore the next term is $35 + 5 = 40$.

id=19792 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 37, 44, 52? | option_a=44 | option_b=30 | option_c=52 | option_d=37 | answer=C | explanation=The first three numbers increase by 7, so the next should be 51. Therefore 52 is the odd one out.

id=19793 | topic=Percentages | difficulty=Easy | question=What is 30% of 1552? | option_a=445 | option_b=470 | option_c=465 | option_d=930 | answer=C | explanation=30% of 1552 = $(30/100) \times 1552 = 465$.

id=19794 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45404 at 15% per annum for 3 years. | option_a=20431 | option_b=20531 | option_c=65835 | option_d=20331 | answer=A | explanation=SI = $\text{PRT}/100 = 45404 \times 15 \times 3/100 = \text{■}$ 20431.

id=19795 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32413 at 5% per annum for 4 years. | option_a=6382 | option_b=6482 | option_c=38895 | option_d=6582 | answer=B | explanation=SI = $\text{PRT}/100 = 32413 \times 5 \times 4/100 = \text{■}$ 6482.

id=19796 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:7 and the first is 270, what is the second? | option_a=396 | option_b=119 | option_c=141 | option_d=126 | answer=D | explanation=Scale factor = $270/15 = 18$. Therefore second quantity = $7 \times 18 = 126$.

id=19797 | topic=Averages | difficulty=Easy | question=Find the average of 51, 19, 97, 55, 98, 20, 101. | option_a=64 | option_b=63 | option_c=65 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = $441 \div 7 = 63$.

id=19798 | topic=Percentages | difficulty=Easy | question=What is 30% of 1339? | option_a=401 | option_b=381 | option_c=406 | option_d=802 | answer=A | explanation=30% of 1339 = $(30/100) \times 1339 = 401$.

id=19799 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24043 at 8% per annum for 1 years. | option_a=1923 | option_b=1823 | option_c=25966 | option_d=2023 | answer=A | explanation=SI = $\text{PRT}/100 = 24043 \times 8 \times 1/100 = \text{■}$ 1923.

id=19800 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=160 | option_c=85 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = $240 \div 3 = 80$ km/h.

Aptitude Questions — Records 19,801-19,830 of 100,000

id=19801 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49621 at 5% per annum for 2 years. | option_a=54583 | option_b=4962 | option_c=4862 | option_d=5062 | answer=B | explanation=SI = PRT/100 = 49621×5×2/100 = **■**4962.

id=19802 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=19803 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:4 and the first is 66, what is the second? | option_a=50 | option_b=40 | option_c=44 | option_d=110 | answer=C | explanation=Scale factor = 66/6 = 11. Therefore second quantity = 4×11 = 44.

id=19804 | topic=Averages | difficulty=Easy | question=Find the average of 63, 37, 23, 88, 33, 67, 95. | option_a=59 | option_b=60 | option_c=57 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 406 ÷ 7 = 58.

id=19805 | topic=Averages | difficulty=Easy | question=Find the average of 72, 13, 53, 87, 38, 83, 66, 28. | option_a=57 | option_b=55 | option_c=54 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 440 ÷ 8 = 55.

id=19806 | topic=Averages | difficulty=Easy | question=Find the average of 72, 46, 64, 51, 92. | option_a=66 | option_b=64 | option_c=65 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 325 ÷ 5 = 65.

id=19807 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=L | option_c=K | option_d=J | answer=B | explanation=Move 1 positions forward from K; the resulting letter is L.

id=19808 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:14 and the first is 176, what is the second? | option_a=210 | option_b=224 | option_c=235 | option_d=400 | answer=B | explanation=Scale factor = 176/11 = 16. Therefore second quantity = 14×16 = 224.

id=19809 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=E | option_c=C | option_d=Y | answer=C | explanation=Move 2 positions forward from A; the resulting letter is C.

id=19810 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=J | option_c=K | option_d=L | answer=D | explanation=Move 1 positions forward from K; the resulting letter is L.

id=19811 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22325 at 6% per annum for 5 years. | option_a=6797 | option_b=6597 | option_c=29022 | option_d=6697 | answer=D | explanation=SI = PRT/100 = 22325×6×5/100 = **■**6697.

id=19812 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=19813 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**992. If it is sold at a profit of 25%, what is its selling price? | option_a=1240 | option_b=1141 | option_c=1017 | option_d=1339 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 992 × 125/100 = **■**1240.

id=19814 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=K | option_b=O | option_c=S | option_d=W | answer=C | explanation=Move 4 positions forward from O; the resulting letter is S.

id=19815 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29794 at 4% per annum for 3 years. | option_a=33369 | option_b=3475 | option_c=3575 | option_d=3675 | answer=C | explanation=SI = PRT/100 = 29794×4×3/100 = **■**3575.

id=19816 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=R | option_b=W | option_c=M | option_d=H | answer=A | explanation=Move 5 positions forward from M; the resulting letter is R.

id=19817 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=23 | option_c=36 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=19818 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=19819 | topic=Averages | difficulty=Easy | question=Find the average of 90, 52, 13, 34, 10, 18, 46, 40, 15, 22. | option_a=34 | option_b=36 | option_c=33 | option_d=35 | answer=A | explanation=Average = sum of values ÷ number of values = 340 ÷ 10 = 34.

id=19820 | topic=Percentages | difficulty=Easy | question=What is 40% of 154? | option_a=122 | option_b=61 | option_c=71 | option_d=56 | answer=B | explanation=40% of 154 = (40/100) × 154 = 61.

id=19821 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36264 at 8% per annum for 1 years. | option_a=3001 | option_b=2901 | option_c=2801 | option_d=39165 | answer=B | explanation=SI = PRT/100 = 36264×8×1/100 = **■**2901.

id=19822 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3284. If it is sold at a profit of 40%, what is its selling price? | option_a=4597 | option_b=4925 | option_c=4269 | option_d=3324 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3284 × 140/100 = **■**4597.

id=19823 | topic=Percentages | difficulty=Easy | question=What is 5% of 1605? | option_a=100 | option_b=70 | option_c=160 | option_d=80 | answer=D | explanation=5% of 1605 = (5/100) × 1605 = 80.

id=19824 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=50 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=19825 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=19826 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 10, 18, 29? | option_a=2 | option_b=18 | option_c=29 | option_d=10 | answer=C | explanation=The first three numbers increase by 8, so the next should be 26. Therefore 29 is the odd one out.

id=19827 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 3. | option_a=36 | option_b=24 | option_c=9 | option_d=12 | answer=D | explanation=LCM × HCF = 12×3; HCF(12,3) = 3, so LCM = 12.

id=19828 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28777 at 8% per annum for 2 years. | option_a=4604 | option_b=4704 | option_c=33381 | option_d=4504 | answer=A | explanation=SI = PRT/100 = 28777×8×2/100 = **■**4604.

id=19829 | topic=Averages | difficulty=Easy | question=Find the average of 63, 88, 82, 55. | option_a=73 | option_b=74 | option_c=71 | option_d=72 | answer=D | explanation=Average = sum of values ÷ number of values = 288 ÷ 4 = 72.

id=19830 | topic=Averages | difficulty=Easy | question=Find the average of 97, 19, 85. | option_a=67 | option_b=68 | option_c=66 | option_d=69 | answer=A | explanation=Average = sum of values ÷ number of values = 201 ÷ 3 = 67.

Aptitude Questions — Records 19,831-19,860 of 100,000

id=19831 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3233. If it is sold at a profit of 15%, what is its selling price? | option_a=3394 | option_b=3248 | option_c=4040 | option_d=3717 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3233 × 115/100 = █3717.

id=19832 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=49 | option_b=59 | option_c=39 | option_d=50 | answer=A | explanation=The common difference is 10. Therefore the next term is 39 + 10 = 49.

id=19833 | topic=Averages | difficulty=Easy | question=Find the average of 27, 78, 47, 24, 55, 82, 82, 69. | option_a=57 | option_b=59 | option_c=58 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 464 ÷ 8 = 58.

id=19834 | topic=Percentages | difficulty=Easy | question=What is 10% of 1299? | option_a=258 | option_b=149 | option_c=129 | option_d=119 | answer=C | explanation=10% of 1299 = (10/100) × 1299 = 129.

id=19835 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=67 | option_c=77 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=19836 | topic=Percentages | difficulty=Easy | question=What is 15% of 1143? | option_a=161 | option_b=176 | option_c=171 | option_d=342 | answer=C | explanation=15% of 1143 = (15/100) × 1143 = 171.

id=19837 | topic=Averages | difficulty=Easy | question=Find the average of 56, 50, 81, 61. | option_a=62 | option_b=61 | option_c=63 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = 248 ÷ 4 = 62.

id=19838 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43848 at 6% per annum for 5 years. | option_a=13254 | option_b=13054 | option_c=57002 | option_d=13154 | answer=D | explanation=SI = PRT/100 = 43848×6×5/100 = █13154.

id=19839 | topic=Averages | difficulty=Easy | question=Find the average of 41, 40, 28, 57, 16, 88, 70, 28, 64. | option_a=47 | option_b=48 | option_c=49 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 432 ÷ 9 = 48.

id=19840 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=19841 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 53? | option_a=32 | option_b=23 | option_c=53 | option_d=41 | answer=C | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 53 is the odd one out.

id=19842 | topic=Averages | difficulty=Easy | question=Find the average of 64, 50, 60, 94, 52, 58. | option_a=62 | option_b=63 | option_c=64 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 378 ÷ 6 = 63.

id=19843 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=U | option_c=S | option_d=Q | answer=B | explanation=Move 2 positions forward from S; the resulting letter is U.

id=19844 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=6 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=19845 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4386. If it is sold at a profit of 20%, what is its selling price? | option_a=5701 | option_b=4825 | option_c=5263 | option_d=4406 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4386 × 120/100 = █5263.

id=19846 | topic=Percentages | difficulty=Easy | question=What is 5% of 1620? | option_a=61 | option_b=86 | option_c=162 | option_d=81 | answer=D | explanation=5% of 1620 = (5/100) × 1620 = 81.

id=19847 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=90 | option_c=40 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=19848 | topic=Percentages | difficulty=Easy | question=What is 10% of 1118? | option_a=111 | option_b=222 | option_c=91 | option_d=121 | answer=A | explanation=10% of 1118 = (10/100) × 1118 = 111.

id=19849 | topic=Percentages | difficulty=Easy | question=What is 40% of 1687? | option_a=1348 | option_b=664 | option_c=694 | option_d=674 | answer=D | explanation=40% of 1687 = (40/100) × 1687 = 674.

id=19850 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14347 at 10% per annum for 3 years. | option_a=4304 | option_b=4404 | option_c=18651 | option_d=4204 | answer=A | explanation=SI = PRT/100 = 14347×10×3/100 = █4304.

id=19851 | topic=Percentages | difficulty=Easy | question=What is 30% of 1713? | option_a=493 | option_b=1026 | option_c=518 | option_d=513 | answer=D | explanation=30% of 1713 = (30/100) × 1713 = 513.

id=19852 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=62 | option_b=63 | option_c=74 | option_d=50 | answer=A | explanation=The common difference is 12. Therefore the next term is 50 + 12 = 62.

id=19853 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 28, 36, 46? | option_a=46 | option_b=28 | option_c=36 | option_d=20 | answer=A | explanation=The first three numbers increase by 8, so the next should be 44. Therefore 46 is the odd one out.

id=19854 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43272 at 6% per annum for 4 years. | option_a=10385 | option_b=10285 | option_c=53657 | option_d=10485 | answer=A | explanation=SI = PRT/100 = 43272×6×4/100 = █10385.

id=19855 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4397. If it is sold at a profit of 50%, what is its selling price? | option_a=6156 | option_b=4447 | option_c=6595 | option_d=7034 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4397 × 150/100 = █6595.

id=19856 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=19857 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 30. | option_a=1 | option_b=30 | option_c=150 | option_d=35 | answer=B | explanation=LCM × HCF = 5×30; HCF(5,30) = 5, so LCM = 30.

id=19858 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=18 | option_c=9 | option_d=14 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=19859 | topic=Averages | difficulty=Easy | question=Find the average of 13, 82, 44, 29, 32. | option_a=39 | option_b=41 | option_c=40 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = 200 ÷ 5 = 40.

id=19860 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38544 at 8% per annum for 4 years. | option_a=12334 | option_b=12234 | option_c=50878 | option_d=12434 | answer=A | explanation=SI = PRT/100 = 38544×8×4/100 = █12334.

Aptitude Questions — Records 19,861-19,890 of 100,000

id=19861 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:9 and the first is 80, what is the second? | option_a=224 | option_b=135 | option_c=144 | option_d=149 | answer=C | explanation=Scale factor = 80/5 = 16. Therefore second quantity = 9×16 = 144.

id=19862 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=160 | option_c=80 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=19863 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=45 | option_b=37 | option_c=38 | option_d=29 | answer=B | explanation=The common difference is 8. Therefore the next term is 29 + 8 = 37.

id=19864 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=P | option_b=Y | option_c=V | option_d=S | answer=C | explanation=Move 3 positions forward from S; the resulting letter is V.

id=19865 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3483. If it is sold at a profit of 50%, what is its selling price? | option_a=3533 | option_b=5572 | option_c=5224 | option_d=4876 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3483 × 150/100 = █5224.

id=19866 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 51? | option_a=51 | option_b=42 | option_c=30 | option_d=36 | answer=A | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 51 is the odd one out.

id=19867 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=B | option_b=R | option_c=W | option_d=M | answer=C | explanation=Move 5 positions forward from R; the resulting letter is W.

id=19868 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 45? | option_a=38 | option_b=45 | option_c=30 | option_d=34 | answer=B | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 45 is the odd one out.

id=19869 | topic=Percentages | difficulty=Easy | question=What is 40% of 159? | option_a=58 | option_b=63 | option_c=126 | option_d=68 | answer=B | explanation=40% of 159 = (40/100) × 159 = 63.

id=19870 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=29 | option_b=36 | option_c=41 | option_d=35 | answer=D | explanation=The common difference is 6. Therefore the next term is 29 + 6 = 35.

id=19871 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 6, 10, 15? | option_a=10 | option_b=15 | option_c=2 | option_d=6 | answer=B | explanation=The first three numbers increase by 4, so the next should be 14. Therefore 15 is the odd one out.

id=19872 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=K | option_c=G | option_d=Y | answer=C | explanation=Move 4 positions forward from C; the resulting letter is G.

id=19873 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=75 | option_c=80 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=19874 | topic=Averages | difficulty=Easy | question=Find the average of 72, 93, 39, 16. | option_a=57 | option_b=54 | option_c=55 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 220 ÷ 4 = 55.

id=19875 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 33? | option_a=8 | option_b=33 | option_c=24 | option_d=16 | answer=B | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 33 is the odd one out.

id=19876 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 24. | option_a=120 | option_b=96 | option_c=480 | option_d=140 | answer=A | explanation=LCM × HCF = 20×24; HCF(20,24) = 4, so LCM = 120.

id=19877 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=28 | option_b=27 | option_c=21 | option_d=33 | answer=B | explanation=The common difference is 6. Therefore the next term is 21 + 6 = 27.

id=19878 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:8 and the first is 65, what is the second? | option_a=96 | option_b=169 | option_c=104 | option_d=109 | answer=C | explanation=Scale factor = 65/5 = 13. Therefore second quantity = 8×13 = 104.

id=19879 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=10 | option_b=14 | option_c=13 | option_d=12 | answer=D | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.

id=19880 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=40 | option_b=50 | option_c=49 | option_d=58 | answer=C | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

id=19881 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=E | option_c=K | option_d=N | answer=C | explanation=Move 3 positions forward from H; the resulting letter is K.

id=19882 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 27, 36, 46? | option_a=46 | option_b=36 | option_c=27 | option_d=18 | answer=A | explanation=The first three numbers increase by 9, so the next should be 45. Therefore 46 is the odd one out.

id=19883 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38802 at 10% per annum for 3 years. | option_a=50442 | option_b=11740 | option_c=11640 | option_d=11540 | answer=C | explanation=SI = PRT/100 = 38802×10×3/100 = █11640.

id=19884 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=19885 | topic=Averages | difficulty=Easy | question=Find the average of 90, 24, 33, 77. | option_a=58 | option_b=57 | option_c=55 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 224 ÷ 4 = 56.

id=19886 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=R | option_b=J | option_c=F | option_d=N | answer=D | explanation=Move 4 positions forward from J; the resulting letter is N.

id=19887 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1165 at 4% per annum for 4 years. | option_a=1351 | option_b=286 | option_c=86 | option_d=186 | answer=D | explanation=SI = PRT/100 = 1165×4×4/100 = █186.

id=19888 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2146. If it is sold at a profit of 5%, what is its selling price? | option_a=2467 | option_b=2253 | option_c=2151 | option_d=2039 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2146 × 105/100 = █2253.

id=19889 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=P | option_b=F | option_c=U | option_d=K | answer=A | explanation=Move 5 positions forward from K; the resulting letter is P.

id=19890 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3669. If it is sold at a profit of 10%, what is its selling price? | option_a=3669 | option_b=4035 | option_c=3679 | option_d=4401 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3669 × 110/100 = █4035.

Aptitude Questions — Records 19,891-19,920 of 100,000

id=19891 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=C | option_c=Y | option_d=E | answer=B | explanation=Move 2 positions forward from A; the resulting letter is C.

id=19892 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:8 and the first is 55, what is the second? | option_a=51 | option_b=32 | option_c=40 | option_d=95 | answer=C | explanation=Scale factor = 55/11 = 5. Therefore second quantity = 8×5 = 40.

id=19893 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1019. If it is sold at a profit of 15%, what is its selling price? | option_a=1034 | option_b=1171 | option_c=1272 | option_d=1070 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1019 × 115/100 = █1171.

id=19894 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35674 at 10% per annum for 4 years. | option_a=14269 | option_b=49943 | option_c=14369 | option_d=14169 | answer=A | explanation=SI = PRT/100 = 35674×10×4/100 = █14269.

id=19895 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:11 and the first is 24, what is the second? | option_a=41 | option_b=33 | option_c=22 | option_d=57 | answer=B | explanation=Scale factor = 24/8 = 3. Therefore second quantity = 11×3 = 33.

id=19896 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=19897 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=20 | option_c=25 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=19898 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 16, 26, 39? | option_a=16 | option_b=39 | option_c=26 | option_d=6 | answer=B | explanation=The first three numbers increase by 10, so the next should be 36. Therefore 39 is the odd one out.

id=19899 | topic=Profit & Loss | difficulty=Easy | question=An article costs █466. If it is sold at a profit of 10%, what is its selling price? | option_a=512 | option_b=466 | option_c=476 | option_d=558 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 466 × 110/100 = █512.

id=19900 | topic=Averages | difficulty=Easy | question=Find the average of 100, 23, 87, 52, 69, 74, 80, 23, 58, 24. | option_a=60 | option_b=58 | option_c=61 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 590 ÷ 10 = 59.

id=19901 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:2 and the first is 17, what is the second? | option_a=32 | option_b=51 | option_c=35 | option_d=34 | answer=D | explanation=Scale factor = 17/1 = 17. Therefore second quantity = 2×17 = 34.

id=19902 | topic=Averages | difficulty=Easy | question=Find the average of 81, 82, 10, 32, 100. | option_a=60 | option_b=63 | option_c=61 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 305 ÷ 5 = 61.

id=19903 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=C | option_b=D | option_c=B | option_d=A | answer=A | explanation=Move 1 positions forward from B; the resulting letter is C.

id=19904 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:13 and the first is 60, what is the second? | option_a=260 | option_b=263 | option_c=320 | option_d=247 | answer=A | explanation=Scale factor = 60/3 = 20. Therefore second quantity = 13×20 = 260.

id=19905 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42179 at 6% per annum for 4 years. | option_a=52301 | option_b=10022 | option_c=10222 | option_d=10122 | answer=D | explanation=SI = PRT/100 = 42179×6×4/100 = █10122.

id=19906 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 29, 31, 36? | option_a=27 | option_b=31 | option_c=36 | option_d=29 | answer=C | explanation=The first three numbers increase by 2, so the next should be 33. Therefore 36 is the odd one out.

id=19907 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 11, 20, 32? | option_a=32 | option_b=2 | option_c=20 | option_d=11 | answer=A | explanation=The first three numbers increase by 9, so the next should be 29. Therefore 32 is the odd one out.

id=19908 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=19909 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4335. If it is sold at a profit of 40%, what is its selling price? | option_a=5636 | option_b=6502 | option_c=4375 | option_d=6069 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4335 × 140/100 = █6069.

id=19910 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42027 at 10% per annum for 5 years. | option_a=20913 | option_b=21013 | option_c=21113 | option_d=63040 | answer=B | explanation=SI = PRT/100 = 42027×10×5/100 = █21013.

id=19911 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:3 and the first is 2, what is the second? | option_a=7 | option_b=6 | option_c=3 | option_d=8 | answer=B | explanation=Scale factor = 2/1 = 2. Therefore second quantity = 3×2 = 6.

id=19912 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=4 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=19913 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=44 | option_b=45 | option_c=38 | option_d=50 | answer=A | explanation=The common difference is 6. Therefore the next term is 38 + 6 = 44.

id=19914 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 29, 33, 39? | option_a=33 | option_b=25 | option_c=39 | option_d=29 | answer=C | explanation=The first three numbers increase by 4, so the next should be 37. Therefore 39 is the odd one out.

id=19915 | topic=Averages | difficulty=Easy | question=Find the average of 88, 87, 78, 71, 55, 29, 26. | option_a=64 | option_b=62 | option_c=63 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 434 ÷ 7 = 62.

id=19916 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4237. If it is sold at a profit of 5%, what is its selling price? | option_a=4025 | option_b=4242 | option_c=4448 | option_d=4871 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4237 × 105/100 = █4448.

id=19917 | topic=Averages | difficulty=Easy | question=Find the average of 69, 29, 57, 24, 84, 32, 27. | option_a=48 | option_b=45 | option_c=46 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 322 ÷ 7 = 46.

id=19918 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 22, 29, 37? | option_a=22 | option_b=29 | option_c=37 | option_d=15 | answer=C | explanation=The first three numbers increase by 7, so the next should be 36. Therefore 37 is the odd one out.

id=19919 | topic=Averages | difficulty=Easy | question=Find the average of 63, 56, 64, 56, 48, 25. | option_a=53 | option_b=52 | option_c=51 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 312 ÷ 6 = 52.

id=19920 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:1 and the first is 135, what is the second? | option_a=150 | option_b=24 | option_c=14 | option_d=15 | answer=D | explanation=Scale factor = 135/9 = 15. Therefore second quantity = 1×15 = 15.

Aptitude Questions — Records 19,921-19,950 of 100,000

id=19921 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=144 | option_c=72 | option_d=67 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=19922 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2976. If it is sold at a profit of 50%, what is its selling price? | option_a=3026 | option_b=4761 | option_c=4167 | option_d=4464 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2976 × 150/100 = ■4464.

id=19923 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■6209 at 10% per annum for 5 years. | option_a=3204 | option_b=3004 | option_c=9313 | option_d=3104 | answer=D | explanation=SI = PRT/100 = 6209×10×5/100 = ■3104.

id=19924 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=27 | option_b=35 | option_c=43 | option_d=36 | answer=B | explanation=The common difference is 8. Therefore the next term is 27 + 8 = 35.

id=19925 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:6 and the first is 187, what is the second? | option_a=102 | option_b=96 | option_c=113 | option_d=289 | answer=A | explanation=Scale factor = 187/11 = 17. Therefore second quantity = 6×17 = 102.

id=19926 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=F | option_b=R | option_c=N | option_d=J | answer=C | explanation=Move 4 positions forward from J; the resulting letter is N.

id=19927 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=I | option_c=H | option_d=J | answer=D | explanation=Move 1 positions forward from I; the resulting letter is J.

id=19928 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 30? | option_a=19 | option_b=23 | option_c=15 | option_d=30 | answer=D | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 30 is the odd one out.

id=19929 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:4 and the first is 28, what is the second? | option_a=22 | option_b=36 | option_c=8 | option_d=4 | answer=C | explanation=Scale factor = 28/14 = 2. Therefore second quantity = 4×2 = 8.

id=19930 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 15. | option_a=120 | option_b=360 | option_c=144 | option_d=105 | answer=A | explanation=LCM × HCF = 24×15; HCF(24,15) = 3, so LCM = 120.

id=19931 | topic=Averages | difficulty=Easy | question=Find the average of 69, 84, 35, 57, 20. | option_a=54 | option_b=55 | option_c=52 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 265 ÷ 5 = 53.

id=19932 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=19933 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14679 at 10% per annum for 1 years. | option_a=1367 | option_b=1567 | option_c=16146 | option_d=1467 | answer=D | explanation=SI = PRT/100 = 14679×10×1/100 = ■1467.

id=19934 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=C | option_b=O | option_c=G | option_d=K | answer=D | explanation=Move 4 positions forward from G; the resulting letter is K.

id=19935 | topic=Percentages | difficulty=Easy | question=What is 15% of 1039? | option_a=135 | option_b=310 | option_c=175 | option_d=155 | answer=D | explanation=15% of 1039 = (15/100) × 1039 = 155.

id=19936 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=W | option_c=O | option_d=A | answer=B | explanation=Move 4 positions forward from S; the resulting letter is W.

id=19937 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=M | option_b=O | option_c=Q | option_d=S | answer=C | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=19938 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 11, 20, 30? | option_a=20 | option_b=2 | option_c=30 | option_d=11 | answer=C | explanation=The first three numbers increase by 9, so the next should be 29. Therefore 30 is the odd one out.

id=19939 | topic=Averages | difficulty=Easy | question=Find the average of 25, 69, 38, 52, 21. | option_a=40 | option_b=42 | option_c=41 | option_d=43 | answer=C | explanation=Average = sum of values ÷ number of values = 205 ÷ 5 = 41.

id=19940 | topic=Averages | difficulty=Easy | question=Find the average of 61, 24, 39, 24, 58, 36, 87. | option_a=48 | option_b=47 | option_c=49 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 329 ÷ 7 = 47.

id=19941 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 30, 32, 37? | option_a=30 | option_b=32 | option_c=28 | option_d=37 | answer=D | explanation=The first three numbers increase by 2, so the next should be 34. Therefore 37 is the odd one out.

id=19942 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 34? | option_a=34 | option_b=25 | option_c=29 | option_d=27 | answer=A | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 34 is the odd one out.

id=19943 | topic=Averages | difficulty=Easy | question=Find the average of 76, 79, 68, 97, 55. | option_a=75 | option_b=76 | option_c=74 | option_d=77 | answer=A | explanation=Average = sum of values ÷ number of values = 375 ÷ 5 = 75.

id=19944 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=50 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=19945 | topic=Percentages | difficulty=Easy | question=What is 5% of 1852? | option_a=184 | option_b=82 | option_c=97 | option_d=92 | answer=D | explanation=5% of 1852 = (5/100) × 1852 = 92.

id=19946 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=G | option_c=C | option_d=O | answer=A | explanation=Move 4 positions forward from G; the resulting letter is K.

id=19947 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3480. If it is sold at a profit of 10%, what is its selling price? | option_a=3480 | option_b=3490 | option_c=4176 | option_d=3828 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3480 × 110/100 = ■3828.

id=19948 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 19, 27, 36? | option_a=11 | option_b=36 | option_c=27 | option_d=19 | answer=B | explanation=The first three numbers increase by 8, so the next should be 35. Therefore 36 is the odd one out.

id=19949 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4153. If it is sold at a profit of 50%, what is its selling price? | option_a=5814 | option_b=6644 | option_c=4203 | option_d=6229 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4153 × 150/100 = ■6229.

id=19950 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■12153 at 6% per annum for 5 years. | option_a=3645 | option_b=3745 | option_c=3545 | option_d=15798 | answer=A | explanation=SI = PRT/100 = 12153×6×5/100 = ■3645.

Aptitude Questions — Records 19,951-19,980 of 100,000

id=19951 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=19952 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=67 | option_c=77 | option_d=144 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=19953 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:9 and the first is 27, what is the second? | option_a=108 | option_b=72 | option_c=84 | option_d=81 | answer=D | explanation=Scale factor = 27/3 = 9. Therefore second quantity = 9×9 = 81.

id=19954 | topic=Averages | difficulty=Easy | question=Find the average of 76, 66, 59, 59. | option_a=66 | option_b=64 | option_c=65 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 260 ÷ 4 = 65.

id=19955 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2813. If it is sold at a profit of 25%, what is its selling price? | option_a=2838 | option_b=3516 | option_c=3797 | option_d=3235 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2813 × 125/100 = █3516.

id=19956 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35648 at 4% per annum for 3 years. | option_a=4377 | option_b=4277 | option_c=39925 | option_d=4177 | answer=B | explanation=SI = PRT/100 = 35648×4×3/100 = █4277.

id=19957 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 33, 38, 45? | option_a=45 | option_b=28 | option_c=38 | option_d=33 | answer=A | explanation=The first three numbers increase by 5, so the next should be 43. Therefore 45 is the odd one out.

id=19958 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 36, 43, 51? | option_a=29 | option_b=43 | option_c=36 | option_d=51 | answer=D | explanation=The first three numbers increase by 7, so the next should be 50. Therefore 51 is the odd one out.

id=19959 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 33? | option_a=25 | option_b=29 | option_c=33 | option_d=27 | answer=C | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 33 is the odd one out.

id=19960 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=8 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=19961 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 3. | option_a=54 | option_b=18 | option_c=15 | option_d=36 | answer=B | explanation=LCM × HCF = 18×3; HCF(18,3) = 3, so LCM = 18.

id=19962 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 8. | option_a=24 | option_b=48 | option_c=30 | option_d=16 | answer=A | explanation=LCM × HCF = 6×8; HCF(6,8) = 2, so LCM = 24.

id=19963 | topic=Averages | difficulty=Easy | question=Find the average of 79, 34, 37, 11, 67, 23, 49, 89, 52. | option_a=50 | option_b=51 | option_c=49 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 441 ÷ 9 = 49.

id=19964 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2444. If it is sold at a profit of 15%, what is its selling price? | option_a=2566 | option_b=2810 | option_c=3054 | option_d=2459 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2444 × 115/100 = █2810.

id=19965 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:2 and the first is 4, what is the second? | option_a=6 | option_b=8 | option_c=4 | option_d=2 | answer=C | explanation=Scale factor = 4/2 = 2. Therefore second quantity = 2×2 = 4.

id=19966 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:4 and the first is 98, what is the second? | option_a=126 | option_b=28 | option_c=42 | option_d=24 | answer=B | explanation=Scale factor = 98/14 = 7. Therefore second quantity = 4×7 = 28.

id=19967 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 15. | option_a=20 | option_b=1 | option_c=15 | option_d=75 | answer=C | explanation=LCM × HCF = 5×15; HCF(5,15) = 5, so LCM = 15.

id=19968 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3279. If it is sold at a profit of 50%, what is its selling price? | option_a=3329 | option_b=4591 | option_c=4918 | option_d=5245 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3279 × 150/100 = █4918.

id=19969 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=S | option_b=W | option_c=U | option_d=Y | answer=B | explanation=Move 2 positions forward from U; the resulting letter is W.

id=19970 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 12? | option_a=12 | option_b=9 | option_c=5 | option_d=7 | answer=A | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 12 is the odd one out.

id=19971 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=49 | option_b=61 | option_c=73 | option_d=62 | answer=B | explanation=The common difference is 12. Therefore the next term is 49 + 12 = 61.

id=19972 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 30. | option_a=90 | option_b=60 | option_c=99 | option_d=270 | answer=A | explanation=LCM × HCF = 9×30; HCF(9,30) = 3, so LCM = 90.

id=19973 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=19974 | topic=Profit & Loss | difficulty=Easy | question=An article costs █690. If it is sold at a profit of 50%, what is its selling price? | option_a=1035 | option_b=1104 | option_c=740 | option_d=966 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 690 × 150/100 = █1035.

id=19975 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27803 at 15% per annum for 4 years. | option_a=16581 | option_b=16781 | option_c=44484 | option_d=16681 | answer=D | explanation=SI = PRT/100 = 27803×15×4/100 = █16681.

id=19976 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43536 at 12% per annum for 1 years. | option_a=48760 | option_b=5224 | option_c=5124 | option_d=5324 | answer=B | explanation=SI = PRT/100 = 43536×12×1/100 = █5224.

id=19977 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=M | option_b=N | option_c=O | option_d=P | answer=C | explanation=Move 1 positions forward from N; the resulting letter is O.

id=19978 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:1 and the first is 16, what is the second? | option_a=32 | option_b=15 | option_c=16 | option_d=17 | answer=C | explanation=Scale factor = 16/1 = 16. Therefore second quantity = 1×16 = 16.

id=19979 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=61 | option_b=72 | option_c=62 | option_d=50 | answer=A | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.

id=19980 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=35 | option_b=45 | option_c=55 | option_d=46 | answer=B | explanation=The common difference is 10. Therefore the next term is 35 + 10 = 45.

Aptitude Questions — Records 19,981-20,010 of 100,000

id=19981 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=J | option_c=V | option_d=N | answer=A | explanation=Move 4 positions forward from N; the resulting letter is R.

id=19982 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=35 | option_b=45 | option_c=53 | option_d=44 | answer=D | explanation=The common difference is 9. Therefore the next term is 35 + 9 = 44.

id=19983 | topic=Averages | difficulty=Easy | question=Find the average of 74, 60, 27, 27, 97. | option_a=57 | option_b=58 | option_c=59 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.

id=19984 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3775. If it is sold at a profit of 10%, what is its selling price? | option_a=4152 | option_b=3785 | option_c=3775 | option_d=4529 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3775 × 110/100 = █4152.

id=19985 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 22. | option_a=192 | option_b=352 | option_c=176 | option_d=154 | answer=C | explanation=LCM × HCF = 16×22; HCF(16,22) = 2, so LCM = 176.

id=19986 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=P | option_c=Q | option_d=N | answer=B | explanation=Move 1 positions forward from O; the resulting letter is P.

id=19987 | topic=Averages | difficulty=Easy | question=Find the average of 92, 11, 51, 102. | option_a=64 | option_b=66 | option_c=65 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 256 ÷ 4 = 64.

id=19988 | topic=Averages | difficulty=Easy | question=Find the average of 80, 54, 88. | option_a=76 | option_b=75 | option_c=73 | option_d=74 | answer=D | explanation=Average = sum of values ÷ number of values = 222 ÷ 3 = 74.

id=19989 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=22 | option_b=27 | option_c=32 | option_d=28 | answer=B | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.

id=19990 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=19991 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=19992 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3029. If it is sold at a profit of 15%, what is its selling price? | option_a=3483 | option_b=3044 | option_c=3785 | option_d=3181 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3029 × 115/100 = █3483.

id=19993 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=5 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=19994 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 24, 32, 40, ? | option_a=40 | option_b=56 | option_c=48 | option_d=49 | answer=C | explanation=The common difference is 8. Therefore the next term is 40 + 8 = 48.

id=19995 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33144 at 10% per annum for 2 years. | option_a=39772 | option_b=6628 | option_c=6528 | option_d=6728 | answer=B | explanation=SI = PRT/100 = 33144×10×2/100 = █6628.

id=19996 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=V | option_b=G | option_c=Q | option_d=L | answer=C | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=19997 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 14. | option_a=128 | option_b=98 | option_c=112 | option_d=224 | answer=C | explanation=LCM × HCF = 16×14; HCF(16,14) = 2, so LCM = 112.

id=19998 | topic=Profit & Loss | difficulty=Easy | question=An article costs █299. If it is sold at a profit of 40%, what is its selling price? | option_a=447 | option_b=339 | option_c=389 | option_d=418 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 299 × 140/100 = █418.

id=19999 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=60 | option_b=50 | option_c=40 | option_d=51 | answer=B | explanation=The common difference is 10. Therefore the next term is 40 + 10 = 50.

id=20000 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 29? | option_a=15 | option_b=29 | option_c=23 | option_d=19 | answer=B | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 29 is the odd one out.

id=20001 | topic=Percentages | difficulty=Easy | question=What is 5% of 123? | option_a=11 | option_b=12 | option_c=1 | option_d=6 | answer=D | explanation=5% of 123 = (5/100) × 123 = 6.

id=20002 | topic=Percentages | difficulty=Easy | question=What is 25% of 601? | option_a=160 | option_b=150 | option_c=140 | option_d=300 | answer=B | explanation=25% of 601 = (25/100) × 601 = 150.

id=20003 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12389 at 15% per annum for 1 years. | option_a=14247 | option_b=1958 | option_c=1758 | option_d=1858 | answer=D | explanation=SI = PRT/100 = 12389×15×1/100 = █1858.

id=20004 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 41? | option_a=34 | option_b=41 | option_c=22 | option_d=28 | answer=B | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 41 is the odd one out.

id=20005 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:8 and the first is 60, what is the second? | option_a=108 | option_b=58 | option_c=48 | option_d=40 | answer=C | explanation=Scale factor = 60/10 = 6. Therefore second quantity = 8×6 = 48.

id=20006 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=20007 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=50 | option_b=61 | option_c=51 | option_d=39 | answer=A | explanation=The common difference is 11. Therefore the next term is 39 + 11 = 50.

id=20008 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=N | option_b=T | option_c=P | option_d=R | answer=D | explanation=Move 2 positions forward from P; the resulting letter is R.

id=20009 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=20010 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=125 | option_c=120 | option_d=240 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

Aptitude Questions — Records 20,011-20,040 of 100,000

id=20011 | topic=Percentages | difficulty=Easy | question=What is 20% of 1523? | option_a=299 | option_b=304 | option_c=608 | option_d=314 | answer=B | explanation=20% of 1523 = (20/100) × 1523 = 304.

id=20012 | topic=Averages | difficulty=Easy | question=Find the average of 18, 74, 92, 83, 24, 87, 14. | option_a=57 | option_b=55 | option_c=58 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 392 ÷ 7 = 56.

id=20013 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=40 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=20014 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 41? | option_a=22 | option_b=30 | option_c=41 | option_d=14 | answer=C | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 41 is the odd one out.

id=20015 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 29, 36, 45? | option_a=45 | option_b=29 | option_c=22 | option_d=36 | answer=A | explanation=The first three numbers increase by 7, so the next should be 43. Therefore 45 is the odd one out.

id=20016 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=X | option_b=I | option_c=S | option_d=N | answer=C | explanation=Move 5 positions forward from N; the resulting letter is S.

id=20017 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 10, 12, 14, ? | option_a=18 | option_b=16 | option_c=14 | option_d=17 | answer=B | explanation=The common difference is 2. Therefore the next term is 14 + 2 = 16.

id=20018 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 44? | option_a=44 | option_b=33 | option_c=37 | option_d=29 | answer=A | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 44 is the odd one out.

id=20019 | topic=Averages | difficulty=Easy | question=Find the average of 96, 24, 84, 20, 76. | option_a=61 | option_b=60 | option_c=62 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 300 ÷ 5 = 60.

id=20020 | topic=Averages | difficulty=Easy | question=Find the average of 72, 45, 33, 63, 73, 68, 24. | option_a=54 | option_b=53 | option_c=55 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

id=20021 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 6. | option_a=54 | option_b=12 | option_c=27 | option_d=18 | answer=D | explanation=LCM × HCF = 9×6; HCF(9,6) = 3, so LCM = 18.

id=20022 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:8 and the first is 100, what is the second? | option_a=160 | option_b=165 | option_c=152 | option_d=260 | answer=A | explanation=Scale factor = 100/5 = 20. Therefore second quantity = 8×20 = 160.

id=20023 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48716 at 5% per annum for 4 years. | option_a=9843 | option_b=9743 | option_c=58459 | option_d=9643 | answer=B | explanation=SI = PRT/100 = 48716×5×4/100 = **■**9743.

id=20024 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=20 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=20025 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=50 | option_c=25 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=20026 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45256 at 12% per annum for 1 years. | option_a=5430 | option_b=5530 | option_c=50686 | option_d=5330 | answer=A | explanation=SI = PRT/100 = 45256×12×1/100 = **■**5430.

id=20027 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 16, 20, 25? | option_a=25 | option_b=16 | option_c=12 | option_d=20 | answer=A | explanation=The first three numbers increase by 4, so the next should be 24. Therefore 25 is the odd one out.

id=20028 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:2 and the first is 135, what is the second? | option_a=39 | option_b=165 | option_c=28 | option_d=30 | answer=D | explanation=Scale factor = 135/9 = 15. Therefore second quantity = 2×15 = 30.

id=20029 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 10, 14, 19? | option_a=6 | option_b=10 | option_c=14 | option_d=19 | answer=D | explanation=The first three numbers increase by 4, so the next should be 18. Therefore 19 is the odd one out.

id=20030 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:7 and the first is 54, what is the second? | option_a=96 | option_b=51 | option_c=35 | option_d=42 | answer=D | explanation=Scale factor = 54/9 = 6. Therefore second quantity = 7×6 = 42.

id=20031 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=20032 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=31 | option_b=39 | option_c=38 | option_d=45 | answer=C | explanation=The common difference is 7. Therefore the next term is 31 + 7 = 38.

id=20033 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=B | option_b=D | option_c=H | option_d=F | answer=D | explanation=Move 2 positions forward from D; the resulting letter is F.

id=20034 | topic=Averages | difficulty=Easy | question=Find the average of 68, 59, 44. | option_a=59 | option_b=57 | option_c=58 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 171 ÷ 3 = 57.

id=20035 | topic=Percentages | difficulty=Easy | question=What is 40% of 1862? | option_a=1488 | option_b=744 | option_c=739 | option_d=764 | answer=B | explanation=40% of 1862 = (40/100) × 1862 = 744.

id=20036 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2596. If it is sold at a profit of 25%, what is its selling price? | option_a=3245 | option_b=2986 | option_c=2621 | option_d=3504 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2596 × 125/100 = **■**3245.

id=20037 | topic=Averages | difficulty=Easy | question=Find the average of 93, 41, 17, 10, 33, 85, 95, 80, 58, 88. | option_a=61 | option_b=62 | option_c=59 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=20038 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=20039 | topic=Percentages | difficulty=Easy | question=What is 10% of 1382? | option_a=133 | option_b=138 | option_c=148 | option_d=276 | answer=B | explanation=10% of 1382 = (10/100) × 1382 = 138.

id=20040 | topic=Percentages | difficulty=Easy | question=What is 40% of 182? | option_a=62 | option_b=82 | option_c=72 | option_d=144 | answer=C | explanation=40% of 182 = (40/100) × 182 = 72.

Aptitude Questions — Records 20,041-20,070 of 100,000

id=20041 | topic=Averages | difficulty=Easy | question=Find the average of 67, 76, 94, 29, 44. | option_a=62 | option_b=61 | option_c=64 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 310 ÷ 5 = 62.

id=20042 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=35 | option_b=29 | option_c=34 | option_d=39 | answer=C | explanation=The common difference is 5. Therefore the next term is 29 + 5 = 34.

id=20043 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=20044 | topic=Percentages | difficulty=Easy | question=What is 50% of 831? | option_a=410 | option_b=415 | option_c=435 | option_d=830 | answer=B | explanation=50% of 831 = (50/100) × 831 = 415.

id=20045 | topic=Percentages | difficulty=Easy | question=What is 12% of 437? | option_a=104 | option_b=72 | option_c=52 | option_d=47 | answer=C | explanation=12% of 437 = (12/100) × 437 = 52.

id=20046 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 12. | option_a=72 | option_b=18 | option_c=12 | option_d=1 | answer=C | explanation=LCM × HCF = 6×12; HCF(6,12) = 6, so LCM = 12.

id=20047 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2161. If it is sold at a profit of 30%, what is its selling price? | option_a=2809 | option_b=2593 | option_c=3025 | option_d=2191 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2161 × 130/100 = █2809.

id=20048 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=T | option_b=S | option_c=Q | option_d=R | answer=B | explanation=Move 1 positions forward from R; the resulting letter is S.

id=20049 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:16 and the first is 288, what is the second? | option_a=256 | option_b=240 | option_c=274 | option_d=544 | answer=A | explanation=Scale factor = 288/18 = 16. Therefore second quantity = 16×16 = 256.

id=20050 | topic=Averages | difficulty=Easy | question=Find the average of 33, 100, 37, 83, 36, 73, 33, 74, 72, 79. | option_a=62 | option_b=64 | option_c=63 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 620 ÷ 10 = 62.

id=20051 | topic=Percentages | difficulty=Easy | question=What is 50% of 1832? | option_a=926 | option_b=1832 | option_c=906 | option_d=916 | answer=D | explanation=50% of 1832 = (50/100) × 1832 = 916.

id=20052 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=14 | option_b=11 | option_c=15 | option_d=13 | answer=D | explanation=The common difference is 2. Therefore the next term is 11 + 2 = 13.

id=20053 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=75 | option_c=160 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=20054 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27008 at 5% per annum for 5 years. | option_a=6852 | option_b=6752 | option_c=6652 | option_d=33760 | answer=B | explanation=SI = PRT/100 = 27008×5×5/100 = █6752.

id=20055 | topic=Averages | difficulty=Easy | question=Find the average of 17, 21, 30, 69, 85, 29, 90, 66, 54, 49. | option_a=51 | option_b=53 | option_c=50 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

id=20056 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=7 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=20057 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 20. | option_a=360 | option_b=198 | option_c=180 | option_d=160 | answer=C | explanation=LCM × HCF = 18×20; HCF(18,20) = 2, so LCM = 180.

id=20058 | topic=Percentages | difficulty=Easy | question=What is 25% of 370? | option_a=92 | option_b=102 | option_c=184 | option_d=82 | answer=A | explanation=25% of 370 = (25/100) × 370 = 92.

id=20059 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=40 | option_c=45 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=20060 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:13 and the first is 60, what is the second? | option_a=59 | option_b=39 | option_c=26 | option_d=99 | answer=B | explanation=Scale factor = 60/20 = 3. Therefore second quantity = 13×3 = 39.

id=20061 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:2 and the first is 28, what is the second? | option_a=12 | option_b=18 | option_c=42 | option_d=14 | answer=D | explanation=Scale factor = 28/4 = 7. Therefore second quantity = 2×7 = 14.

id=20062 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:20 and the first is 108, what is the second? | option_a=288 | option_b=192 | option_c=160 | option_d=180 | answer=D | explanation=Scale factor = 108/12 = 9. Therefore second quantity = 20×9 = 180.

id=20063 | topic=Percentages | difficulty=Easy | question=What is 15% of 1843? | option_a=286 | option_b=256 | option_c=276 | option_d=552 | answer=C | explanation=15% of 1843 = (15/100) × 1843 = 276.

id=20064 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=B | option_b=P | option_c=X | option_d=T | answer=C | explanation=Move 4 positions forward from T; the resulting letter is X.

id=20065 | topic=Averages | difficulty=Easy | question=Find the average of 96, 71, 16, 80, 85, 69, 94. | option_a=75 | option_b=72 | option_c=73 | option_d=74 | answer=C | explanation=Average = sum of values ÷ number of values = 511 ÷ 7 = 73.

id=20066 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 8. | option_a=32 | option_b=128 | option_c=8 | option_d=16 | answer=D | explanation=LCM × HCF = 16×8; HCF(16,8) = 8, so LCM = 16.

id=20067 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:13 and the first is 19, what is the second? | option_a=266 | option_b=247 | option_c=248 | option_d=234 | answer=B | explanation=Scale factor = 19/1 = 19. Therefore second quantity = 13×19 = 247.

id=20068 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30756 at 4% per annum for 2 years. | option_a=33216 | option_b=2560 | option_c=2460 | option_d=2360 | answer=C | explanation=SI = PRT/100 = 30756×4×2/100 = █2460.

id=20069 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2303. If it is sold at a profit of 25%, what is its selling price? | option_a=2648 | option_b=2328 | option_c=3108 | option_d=2878 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2303 × 125/100 = █2878.

id=20070 | topic=Percentages | difficulty=Easy | question=What is 40% of 765? | option_a=326 | option_b=306 | option_c=296 | option_d=612 | answer=B | explanation=40% of 765 = (40/100) × 765 = 306.

Aptitude Questions — Records 20,071-20,100 of 100,000

id=20071 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=27 | option_b=26 | option_c=22 | option_d=30 | answer=B | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.

id=20072 | topic=Averages | difficulty=Easy | question=Find the average of 24, 28, 58, 84, 52, 16, 53. | option_a=44 | option_b=45 | option_c=47 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 315 ÷ 7 = 45.

id=20073 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=N | option_c=L | option_d=P | answer=D | explanation=Move 2 positions forward from N; the resulting letter is P.

id=20074 | topic=Averages | difficulty=Easy | question=Find the average of 22, 94, 75, 98, 76. | option_a=73 | option_b=74 | option_c=75 | option_d=72 | answer=A | explanation=Average = sum of values ÷ number of values = 365 ÷ 5 = 73.

id=20075 | topic=Percentages | difficulty=Easy | question=What is 10% of 1034? | option_a=206 | option_b=103 | option_c=83 | option_d=113 | answer=B | explanation=10% of 1034 = (10/100) × 1034 = 103.

id=20076 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■32870 at 8% per annum for 2 years. | option_a=38129 | option_b=5259 | option_c=5359 | option_d=5159 | answer=B | explanation=SI = PRT/100 = 32870×8×2/100 = ■5259.

id=20077 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:13 and the first is 153, what is the second? | option_a=117 | option_b=134 | option_c=270 | option_d=104 | answer=A | explanation=Scale factor = 153/17 = 9. Therefore second quantity = 13×9 = 117.

id=20078 | topic=Averages | difficulty=Easy | question=Find the average of 45, 41, 15, 57, 77. | option_a=47 | option_b=46 | option_c=48 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 235 ÷ 5 = 47.

id=20079 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=N | option_b=S | option_c=I | option_d=D | answer=A | explanation=Move 5 positions forward from I; the resulting letter is N.

id=20080 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:17 and the first is 63, what is the second? | option_a=119 | option_b=128 | option_c=182 | option_d=102 | answer=A | explanation=Scale factor = 63/9 = 7. Therefore second quantity = 17×7 = 119.

id=20081 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 17, 19, 21, ? | option_a=24 | option_b=21 | option_c=23 | option_d=25 | answer=C | explanation=The common difference is 2. Therefore the next term is 21 + 2 = 23.

id=20082 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=O | option_c=P | option_d=Q | answer=D | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=20083 | topic=Averages | difficulty=Easy | question=Find the average of 79, 75, 60, 72, 49. | option_a=68 | option_b=69 | option_c=66 | option_d=67 | answer=D | explanation=Average = sum of values ÷ number of values = 335 ÷ 5 = 67.

id=20084 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=H | option_c=P | option_d=D | answer=A | explanation=Move 4 positions forward from H; the resulting letter is L.

id=20085 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=20086 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■9370 at 8% per annum for 3 years. | option_a=2348 | option_b=2248 | option_c=2148 | option_d=11618 | answer=B | explanation=SI = PRT/100 = 9370×8×3/100 = ■2248.

id=20087 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2063. If it is sold at a profit of 15%, what is its selling price? | option_a=2578 | option_b=2078 | option_c=2372 | option_d=2166 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2063 × 115/100 = ■2372.

id=20088 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 27? | option_a=18 | option_b=27 | option_c=4 | option_d=11 | answer=B | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 27 is the odd one out.

id=20089 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=K | option_b=Q | option_c=T | option_d=N | answer=B | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=20090 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=25 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=20091 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 28. | option_a=224 | option_b=252 | option_c=270 | option_d=504 | answer=B | explanation=LCM × HCF = 18×28; HCF(18,28) = 2, so LCM = 252.

id=20092 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=20093 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 13, 21, 31? | option_a=21 | option_b=31 | option_c=13 | option_d=5 | answer=B | explanation=The first three numbers increase by 8, so the next should be 29. Therefore 31 is the odd one out.

id=20094 | topic=Percentages | difficulty=Easy | question=What is 5% of 136? | option_a=12 | option_b=11 | option_c=0 | option_d=6 | answer=D | explanation=5% of 136 = (5/100) × 136 = 6.

id=20095 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=20096 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4205. If it is sold at a profit of 20%, what is its selling price? | option_a=4225 | option_b=5046 | option_c=4626 | option_d=5466 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4205 × 120/100 = ■5046.

id=20097 | topic=Averages | difficulty=Easy | question=Find the average of 23, 75, 37, 44, 80, 85, 74, 24, 65, 53. | option_a=55 | option_b=58 | option_c=56 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 560 ÷ 10 = 56.

id=20098 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=N | option_b=F | option_c=B | option_d=J | answer=D | explanation=Move 4 positions forward from F; the resulting letter is J.

id=20099 | topic=Averages | difficulty=Easy | question=Find the average of 74, 25, 16, 28, 82, 10, 23, 55, 92. | option_a=45 | option_b=47 | option_c=44 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 405 ÷ 9 = 45.

id=20100 | topic=Percentages | difficulty=Easy | question=What is 30% of 1464? | option_a=429 | option_b=449 | option_c=878 | option_d=439 | answer=D | explanation=30% of 1464 = (30/100) × 1464 = 439.

Aptitude Questions — Records 20,101-20,130 of 100,000

id=20101 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=41 | option_b=36 | option_c=29 | option_d=35 | answer=D | explanation=The common difference is 6. Therefore the next term is $29 + 6 = 35$.

id=20102 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=25 | option_b=21 | option_c=17 | option_d=22 | answer=B | explanation=The common difference is 4. Therefore the next term is $17 + 4 = 21$.

id=20103 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 30? | option_a=12 | option_b=4 | option_c=20 | option_d=30 | answer=D | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 30 is the odd one out.

id=20104 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:5 and the first is 228, what is the second? | option_a=79 | option_b=288 | option_c=55 | option_d=60 | answer=D | explanation=Scale factor = $228/19 = 12$. Therefore second quantity = $5 \times 12 = 60$.

id=20105 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=90 | option_c=40 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = $180 \div 4 = 45$ km/h.

id=20106 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:15 and the first is 234, what is the second? | option_a=180 | option_b=195 | option_c=429 | option_d=213 | answer=B | explanation=Scale factor = $234/18 = 13$. Therefore second quantity = $15 \times 13 = 195$.

id=20107 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=20108 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=20109 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46056 at 10% per annum for 3 years. | option_a=13716 | option_b=59872 | option_c=13916 | option_d=13816 | answer=D | explanation=SI = $PRT/100 = 46056 \times 10 \times 3/100 = \text{■}13816$.

id=20110 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=I | option_b=Y | option_c=N | option_d=D | answer=A | explanation=Move 5 positions forward from D; the resulting letter is I.

id=20111 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=20112 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=36 | option_b=46 | option_c=54 | option_d=45 | answer=D | explanation=The common difference is 9. Therefore the next term is $36 + 9 = 45$.

id=20113 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1971. If it is sold at a profit of 10%, what is its selling price? | option_a=2365 | option_b=1971 | option_c=2168 | option_d=1981 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1971 \times 110/100 = \text{■}2168$.

id=20114 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=H | option_b=M | option_c=C | option_d=X | answer=A | explanation=Move 5 positions forward from C; the resulting letter is H.

id=20115 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=95 | option_c=100 | option_d=200 | answer=C | explanation=Speed = distance ÷ time = $300 \div 3 = 100$ km/h.

id=20116 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:4 and the first is 162, what is the second? | option_a=32 | option_b=36 | option_c=198 | option_d=54 | answer=B | explanation=Scale factor = $162/18 = 9$. Therefore second quantity = $4 \times 9 = 36$.

id=20117 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=38 | option_b=30 | option_c=34 | option_d=35 | answer=C | explanation=The common difference is 4. Therefore the next term is $30 + 4 = 34$.

id=20118 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:12 and the first is 140, what is the second? | option_a=104 | option_b=72 | option_c=84 | option_d=224 | answer=C | explanation=Scale factor = $140/20 = 7$. Therefore second quantity = $12 \times 7 = 84$.

id=20119 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2172. If it is sold at a profit of 20%, what is its selling price? | option_a=2823 | option_b=2389 | option_c=2192 | option_d=2606 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2172 \times 120/100 = \text{■}2606$.

id=20120 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=H | option_c=I | option_d=G | answer=C | explanation=Move 1 positions forward from H; the resulting letter is I.

id=20121 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 22, 27, 32, ? | option_a=37 | option_b=42 | option_c=38 | option_d=32 | answer=A | explanation=The common difference is 5. Therefore the next term is $32 + 5 = 37$.

id=20122 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=T | option_b=U | option_c=R | option_d=S | answer=A | explanation=Move 1 positions forward from S; the resulting letter is T.

id=20123 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=18 | option_b=21 | option_c=22 | option_d=20 | answer=D | explanation=The common difference is 2. Therefore the next term is $18 + 2 = 20$.

id=20124 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=J | option_c=H | option_d=I | answer=B | explanation=Move 1 positions forward from I; the resulting letter is J.

id=20125 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4024. If it is sold at a profit of 20%, what is its selling price? | option_a=4828 | option_b=4044 | option_c=4426 | option_d=5230 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4024 \times 120/100 = \text{■}4828$.

id=20126 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7387 at 5% per annum for 1 years. | option_a=7756 | option_b=369 | option_c=269 | option_d=469 | answer=B | explanation=SI = $PRT/100 = 7387 \times 5 \times 1/100 = \text{■}369$.

id=20127 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = $240 \div 8 = 30$ km/h.

id=20128 | topic=Percentages | difficulty=Easy | question=What is 50% of 227? | option_a=93 | option_b=113 | option_c=226 | option_d=118 | answer=B | explanation=50% of 227 = $(50/100) \times 227 = 113$.

id=20129 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**510. If it is sold at a profit of 5%, what is its selling price? | option_a=535 | option_b=586 | option_c=484 | option_d=515 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 510 \times 105/100 = \text{■}535$.

id=20130 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 31, 33, 38? | option_a=31 | option_b=29 | option_c=38 | option_d=33 | answer=C | explanation=The first three numbers increase by 2, so the next should be 35. Therefore 38 is the odd one out.

Aptitude Questions — Records 20,131-20,160 of 100,000

id=20131 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=63 | option_b=51 | option_c=62 | option_d=73 | answer=C | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.

id=20132 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=12 | option_b=11 | option_c=13 | option_d=9 | answer=B | explanation=The common difference is 2. Therefore the next term is 9 + 2 = 11.

id=20133 | topic=Percentages | difficulty=Easy | question=What is 15% of 1364? | option_a=209 | option_b=194 | option_c=204 | option_d=408 | answer=C | explanation=15% of 1364 = (15/100) × 1364 = 204.

id=20134 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=50 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=20135 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=75 | option_c=85 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=20136 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38832 at 8% per annum for 1 years. | option_a=3106 | option_b=3206 | option_c=3006 | option_d=41938 | answer=A | explanation=SI = PRT/100 = 38832×8×1/100 = **■**3106.

id=20137 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4336 at 8% per annum for 3 years. | option_a=5376 | option_b=940 | option_c=1140 | option_d=1040 | answer=D | explanation=SI = PRT/100 = 4336×8×3/100 = **■**1040.

id=20138 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:20 and the first is 210, what is the second? | option_a=280 | option_b=314 | option_c=300 | option_d=510 | answer=C | explanation=Scale factor = 210/14 = 15. Therefore second quantity = 20×15 = 300.

id=20139 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=20140 | topic=Percentages | difficulty=Easy | question=What is 30% of 1149? | option_a=688 | option_b=344 | option_c=339 | option_d=364 | answer=B | explanation=30% of 1149 = (30/100) × 1149 = 344.

id=20141 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=R | option_b=P | option_c=Q | option_d=S | answer=A | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=20142 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2612. If it is sold at a profit of 10%, what is its selling price? | option_a=2622 | option_b=3134 | option_c=2673 | option_d=2612 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2612 × 110/100 = **■**2873.

id=20143 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=13 | option_c=36 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=20144 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=33 | option_b=32 | option_c=39 | option_d=25 | answer=B | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.

id=20145 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 35? | option_a=19 | option_b=26 | option_c=12 | option_d=35 | answer=D | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 35 is the odd one out.

id=20146 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 23, 28, 34? | option_a=34 | option_b=23 | option_c=28 | option_d=18 | answer=A | explanation=The first three numbers increase by 5, so the next should be 33. Therefore 34 is the odd one out.

id=20147 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5108 at 15% per annum for 4 years. | option_a=3064 | option_b=2964 | option_c=3164 | option_d=8172 | answer=A | explanation=SI = PRT/100 = 5108×15×4/100 = **■**3064.

id=20148 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=20149 | topic=Percentages | difficulty=Easy | question=What is 40% of 1089? | option_a=455 | option_b=870 | option_c=415 | option_d=435 | answer=D | explanation=40% of 1089 = (40/100) × 1089 = 435.

id=20150 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 9, 14, 20? | option_a=14 | option_b=4 | option_c=9 | option_d=20 | answer=D | explanation=The first three numbers increase by 5, so the next should be 19. Therefore 20 is the odd one out.

id=20151 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=20152 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 28, 38, 48, ? | option_a=68 | option_b=58 | option_c=59 | option_d=48 | answer=B | explanation=The common difference is 10. Therefore the next term is 48 + 10 = 58.

id=20153 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 14. | option_a=42 | option_b=28 | option_c=63 | option_d=294 | answer=A | explanation=LCM × HCF = 21×14; HCF(21,14) = 7, so LCM = 42.

id=20154 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=20155 | topic=Percentages | difficulty=Easy | question=What is 20% of 868? | option_a=183 | option_b=153 | option_c=346 | option_d=173 | answer=D | explanation=20% of 868 = (20/100) × 868 = 173.

id=20156 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=K | option_b=T | option_c=Q | option_d=N | answer=C | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=20157 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=20158 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=20159 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:19 and the first is 144, what is the second? | option_a=342 | option_b=486 | option_c=323 | option_d=350 | answer=A | explanation=Scale factor = 144/8 = 18. Therefore second quantity = 19×18 = 342.

id=20160 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 5. | option_a=5 | option_b=1 | option_c=25 | option_d=10 | answer=A | explanation=LCM × HCF = 5×5; HCF(5,5) = 5, so LCM = 5.

Aptitude Questions — Records 20,161-20,190 of 100,000

id=20161 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=31 | option_b=27 | option_c=26 | option_d=21 | answer=C | explanation=The common difference is 5. Therefore the next term is 21 + 5 = 26.

id=20162 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 30, 34, 40? | option_a=34 | option_b=40 | option_c=26 | option_d=30 | answer=B | explanation=The first three numbers increase by 4, so the next should be 38. Therefore 40 is the odd one out.

id=20163 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=T | option_c=Q | option_d=S | answer=D | explanation=Move 1 positions forward from R; the resulting letter is S.

id=20164 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=120 | option_c=115 | option_d=240 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=20165 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:8 and the first is 119, what is the second? | option_a=56 | option_b=73 | option_c=175 | option_d=48 | answer=A | explanation=Scale factor = 119/17 = 7. Therefore second quantity = 8×7 = 56.

id=20166 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=20167 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=50 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=20168 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:16 and the first is 195, what is the second? | option_a=403 | option_b=223 | option_c=208 | option_d=192 | answer=C | explanation=Scale factor = 195/15 = 13. Therefore second quantity = 16×13 = 208.

id=20169 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29654 at 4% per annum for 3 years. | option_a=33212 | option_b=3458 | option_c=3658 | option_d=3558 | answer=D | explanation=SI = PRT/100 = 29654×4×3/100 = **■**3558.

id=20170 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 32, 39, 49? | option_a=25 | option_b=32 | option_c=39 | option_d=49 | answer=D | explanation=The first three numbers increase by 7, so the next should be 46. Therefore 49 is the odd one out.

id=20171 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=20172 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 35? | option_a=28 | option_b=24 | option_c=35 | option_d=20 | answer=C | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 35 is the odd one out.

id=20173 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=26 | option_b=30 | option_c=32 | option_d=29 | answer=D | explanation=The common difference is 3. Therefore the next term is 26 + 3 = 29.

id=20174 | topic=Percentages | difficulty=Easy | question=What is 30% of 1147? | option_a=364 | option_b=324 | option_c=688 | option_d=344 | answer=D | explanation=30% of 1147 = (30/100) × 1147 = 344.

id=20175 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2808. If it is sold at a profit of 50%, what is its selling price? | option_a=4492 | option_b=4212 | option_c=2858 | option_d=3932 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2808 × 150/100 = **■**4212.

id=20176 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 37? | option_a=34 | option_b=30 | option_c=32 | option_d=37 | answer=D | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 37 is the odd one out.

id=20177 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=90 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=20178 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3836. If it is sold at a profit of 10%, what is its selling price? | option_a=4219 | option_b=3846 | option_c=4602 | option_d=3836 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3836 × 110/100 = **■**4219.

id=20179 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26973 at 12% per annum for 3 years. | option_a=9810 | option_b=9710 | option_c=9610 | option_d=36683 | answer=B | explanation=SI = PRT/100 = 26973×12×3/100 = **■**9710.

id=20180 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 11? | option_a=2 | option_b=6 | option_c=4 | option_d=11 | answer=D | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 11 is the odd one out.

id=20181 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=T | option_c=N | option_d=P | answer=A | explanation=Move 2 positions forward from P; the resulting letter is R.

id=20182 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=S | option_b=R | option_c=T | option_d=Q | answer=A | explanation=Move 1 positions forward from R; the resulting letter is S.

id=20183 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=20184 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29981 at 8% per annum for 4 years. | option_a=9493 | option_b=9693 | option_c=9593 | option_d=39574 | answer=C | explanation=SI = PRT/100 = 29981×8×4/100 = **■**9593.

id=20185 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=P | option_c=D | option_d=L | answer=D | explanation=Move 4 positions forward from H; the resulting letter is L.

id=20186 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 28, 36, 44, ? | option_a=44 | option_b=60 | option_c=52 | option_d=53 | answer=C | explanation=The common difference is 8. Therefore the next term is 44 + 8 = 52.

id=20187 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 22. | option_a=96 | option_b=88 | option_c=176 | option_d=66 | answer=B | explanation=LCM × HCF = 8×22; HCF(8,22) = 2, so LCM = 88.

id=20188 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 20? | option_a=13 | option_b=20 | option_c=11 | option_d=15 | answer=B | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 20 is the odd one out.

id=20189 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=20190 | topic=Averages | difficulty=Easy | question=Find the average of 72, 45, 87, 10, 20, 62, 30, 66. | option_a=49 | option_b=48 | option_c=50 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 392 ÷ 8 = 49.

Aptitude Questions — Records 20,191-20,220 of 100,000

id=20191 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=21 | option_b=22 | option_c=17 | option_d=25 | answer=A | explanation=The common difference is 4. Therefore the next term is 17 + 4 = 21.

id=20192 | topic=Averages | difficulty=Easy | question=Find the average of 22, 70, 31. | option_a=43 | option_b=40 | option_c=42 | option_d=41 | answer=D | explanation=Average = sum of values + number of values = 123 ÷ 3 = 41.

id=20193 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 40? | option_a=23 | option_b=40 | option_c=31 | option_d=15 | answer=B | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 40 is the odd one out.

id=20194 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:2 and the first is 88, what is the second? | option_a=20 | option_b=110 | option_c=30 | option_d=22 | answer=D | explanation=Scale factor = 88/8 = 11. Therefore second quantity = 2×11 = 22.

id=20195 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=20196 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:13 and the first is 48, what is the second? | option_a=64 | option_b=39 | option_c=52 | option_d=100 | answer=C | explanation=Scale factor = 48/12 = 4. Therefore second quantity = 13×4 = 52.

id=20197 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3210. If it is sold at a profit of 10%, what is its selling price? | option_a=3852 | option_b=3220 | option_c=3210 | option_d=3531 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3210 × 110/100 = █3531.

id=20198 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 23, 28, 36? | option_a=36 | option_b=23 | option_c=18 | option_d=28 | answer=A | explanation=The first three numbers increase by 5, so the next should be 33. Therefore 36 is the odd one out.

id=20199 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 17, 19, 21, ? | option_a=25 | option_b=21 | option_c=24 | option_d=23 | answer=D | explanation=The common difference is 2. Therefore the next term is 21 + 2 = 23.

id=20200 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12478 at 10% per annum for 1 years. | option_a=13725 | option_b=1247 | option_c=1147 | option_d=1347 | answer=B | explanation=SI = PRT/100 = 12478×10×1/100 = █1247.

id=20201 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=P | option_b=L | option_c=D | option_d=H | answer=B | explanation=Move 4 positions forward from H; the resulting letter is L.

id=20202 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=20203 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:18 and the first is 136, what is the second? | option_a=126 | option_b=144 | option_c=280 | option_d=161 | answer=B | explanation=Scale factor = 136/17 = 8. Therefore second quantity = 18×8 = 144.

id=20204 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40850 at 15% per annum for 3 years. | option_a=18282 | option_b=18382 | option_c=18482 | option_d=59232 | answer=B | explanation=SI = PRT/100 = 40850×15×3/100 = █18382.

id=20205 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=L | option_b=I | option_c=J | option_d=K | answer=D | explanation=Move 1 positions forward from J; the resulting letter is K.

id=20206 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 15. | option_a=90 | option_b=315 | option_c=126 | option_d=105 | answer=D | explanation=LCM × HCF = 21×15; HCF(21,15) = 3, so LCM = 105.

id=20207 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42214 at 6% per annum for 2 years. | option_a=47279 | option_b=5165 | option_c=4965 | option_d=5065 | answer=D | explanation=SI = PRT/100 = 42214×6×2/100 = █5065.

id=20208 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2392. If it is sold at a profit of 50%, what is its selling price? | option_a=3588 | option_b=3349 | option_c=2442 | option_d=3827 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2392 × 150/100 = █3588.

id=20209 | topic=Averages | difficulty=Easy | question=Find the average of 98, 30, 88. | option_a=73 | option_b=72 | option_c=74 | option_d=71 | answer=B | explanation=Average = sum of values + number of values = 216 ÷ 3 = 72.

id=20210 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 22. | option_a=330 | option_b=308 | option_c=360 | option_d=660 | answer=A | explanation=LCM × HCF = 30×22; HCF(30,22) = 2, so LCM = 330.

id=20211 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 21. | option_a=504 | option_b=192 | option_c=168 | option_d=147 | answer=C | explanation=LCM × HCF = 24×21; HCF(24,21) = 3, so LCM = 168.

id=20212 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17699 at 10% per annum for 1 years. | option_a=1669 | option_b=1869 | option_c=19468 | option_d=1769 | answer=D | explanation=SI = PRT/100 = 17699×10×1/100 = █1769.

id=20213 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 44? | option_a=44 | option_b=25 | option_c=17 | option_d=33 | answer=A | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 44 is the odd one out.

id=20214 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=X | option_b=A | option_c=U | option_d=R | answer=A | explanation=Move 3 positions forward from U; the resulting letter is X.

id=20215 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2903. If it is sold at a profit of 15%, what is its selling price? | option_a=3628 | option_b=3048 | option_c=3338 | option_d=2918 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2903 × 115/100 = █3338.

id=20216 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38452 at 6% per annum for 2 years. | option_a=4514 | option_b=43066 | option_c=4714 | option_d=4614 | answer=D | explanation=SI = PRT/100 = 38452×6×2/100 = █4614.

id=20217 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 45? | option_a=45 | option_b=23 | option_c=30 | option_d=37 | answer=A | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 45 is the odd one out.

id=20218 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2055. If it is sold at a profit of 30%, what is its selling price? | option_a=2876 | option_b=2671 | option_c=2466 | option_d=2085 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2055 × 130/100 = █2671.

id=20219 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=20220 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 24. | option_a=360 | option_b=120 | option_c=96 | option_d=135 | answer=B | explanation=LCM × HCF = 15×24; HCF(15,24) = 3, so LCM = 120.

Aptitude Questions — Records 20,221-20,250 of 100,000

id=20221 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=20222 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 26, 29, 33? | option_a=29 | option_b=33 | option_c=23 | option_d=26 | answer=B | explanation=The first three numbers increase by 3, so the next should be 32. Therefore 33 is the odd one out.

id=20223 | topic=Averages | difficulty=Easy | question=Find the average of 25, 15, 73, 47. | option_a=41 | option_b=40 | option_c=42 | option_d=39 | answer=B | explanation=Average = sum of values ÷ number of values = 160 ÷ 4 = 40.

id=20224 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=G | option_b=D | option_c=A | option_d=J | answer=A | explanation=Move 3 positions forward from D; the resulting letter is G.

id=20225 | topic=Averages | difficulty=Easy | question=Find the average of 69, 58, 68. | option_a=65 | option_b=66 | option_c=64 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = 195 ÷ 3 = 65.

id=20226 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=20227 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=20228 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=20229 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=X | option_b=T | option_c=P | option_d=B | answer=A | explanation=Move 4 positions forward from T; the resulting letter is X.

id=20230 | topic=Percentages | difficulty=Easy | question=What is 12% of 1436? | option_a=182 | option_b=344 | option_c=172 | option_d=167 | answer=C | explanation=12% of 1436 = (12/100) × 1436 = 172.

id=20231 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 20, 22, 25? | option_a=18 | option_b=20 | option_c=25 | option_d=22 | answer=C | explanation=The first three numbers increase by 2, so the next should be 24. Therefore 25 is the odd one out.

id=20232 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=55 | option_d=100 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=20233 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:20 and the first is 60, what is the second? | option_a=100 | option_b=112 | option_c=80 | option_d=160 | answer=A | explanation=Scale factor = 60/12 = 5. Therefore second quantity = 20×5 = 100.

id=20234 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=20235 | topic=Averages | difficulty=Easy | question=Find the average of 41, 26, 25, 72, 98, 71, 45. | option_a=54 | option_b=56 | option_c=53 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

id=20236 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=20237 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:13 and the first is 342, what is the second? | option_a=234 | option_b=265 | option_c=589 | option_d=247 | answer=D | explanation=Scale factor = 342/18 = 19. Therefore second quantity = 13×19 = 247.

id=20238 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=20 | option_d=5 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=20239 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=P | option_c=T | option_d=N | answer=A | explanation=Move 2 positions forward from P; the resulting letter is R.

id=20240 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 21. | option_a=120 | option_b=105 | option_c=84 | option_d=315 | answer=B | explanation=LCM × HCF = 15×21; HCF(15,21) = 3, so LCM = 105.

id=20241 | topic=Averages | difficulty=Easy | question=Find the average of 86, 51, 33, 10, 73, 89, 29. | option_a=54 | option_b=52 | option_c=53 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 371 ÷ 7 = 53.

id=20242 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=115 | option_c=120 | option_d=125 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=20243 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1975. If it is sold at a profit of 25%, what is its selling price? | option_a=2665 | option_b=2271 | option_c=2000 | option_d=2468 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1975 × 125/100 = █2468.

id=20244 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=20245 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=20246 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=17 | option_c=12 | option_d=7 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=20247 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:11 and the first is 44, what is the second? | option_a=121 | option_b=165 | option_c=125 | option_d=110 | answer=A | explanation=Scale factor = 44/4 = 11. Therefore second quantity = 11×11 = 121.

id=20248 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=33 | option_b=29 | option_c=30 | option_d=25 | answer=B | explanation=The common difference is 4. Therefore the next term is 25 + 4 = 29.

id=20249 | topic=Percentages | difficulty=Easy | question=What is 10% of 1808? | option_a=190 | option_b=360 | option_c=160 | option_d=180 | answer=D | explanation=10% of 1808 = (10/100) × 1808 = 180.

id=20250 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1341. If it is sold at a profit of 15%, what is its selling price? | option_a=1356 | option_b=1676 | option_c=1542 | option_d=1408 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1341 × 115/100 = █1542.

Aptitude Questions — Records 20,251-20,280 of 100,000

id=20251 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=A | option_b=E | option_c=C | option_d=G | answer=B | explanation=Move 2 positions forward from C; the resulting letter is E.

id=20252 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2186. If it is sold at a profit of 30%, what is its selling price? | option_a=3059 | option_b=2841 | option_c=2623 | option_d=2216 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2186 × 130/100 = █2841.

id=20253 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:2 and the first is 30, what is the second? | option_a=28 | option_b=30 | option_c=60 | option_d=32 | answer=B | explanation=Scale factor = 30/2 = 15. Therefore second quantity = 2×15 = 30.

id=20254 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=12 | option_c=11 | option_d=1 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=20255 | topic=Profit & Loss | difficulty=Easy | question=An article costs █294. If it is sold at a profit of 40%, what is its selling price? | option_a=334 | option_b=440 | option_c=411 | option_d=382 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 294 × 140/100 = █411.

id=20256 | topic=Percentages | difficulty=Easy | question=What is 30% of 947? | option_a=284 | option_b=264 | option_c=568 | option_d=289 | answer=A | explanation=30% of 947 = (30/100) × 947 = 284.

id=20257 | topic=Averages | difficulty=Easy | question=Find the average of 35, 90, 43. | option_a=56 | option_b=58 | option_c=55 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 168 ÷ 3 = 56.

id=20258 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:9 and the first is 120, what is the second? | option_a=186 | option_b=180 | option_c=300 | option_d=171 | answer=B | explanation=Scale factor = 120/6 = 20. Therefore second quantity = 9×20 = 180.

id=20259 | topic=Averages | difficulty=Easy | question=Find the average of 56, 77, 16, 62, 15, 50. | option_a=45 | option_b=46 | option_c=48 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 276 ÷ 6 = 46.

id=20260 | topic=Averages | difficulty=Easy | question=Find the average of 46, 66, 69, 80, 47, 17, 39. | option_a=54 | option_b=51 | option_c=53 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 364 ÷ 7 = 52.

id=20261 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=12 | option_b=24 | option_c=7 | option_d=17 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=20262 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=19 | option_b=21 | option_c=18 | option_d=15 | answer=C | explanation=The common difference is 3. Therefore the next term is 15 + 3 = 18.

id=20263 | topic=Percentages | difficulty=Easy | question=What is 15% of 578? | option_a=172 | option_b=76 | option_c=96 | option_d=86 | answer=D | explanation=15% of 578 = (15/100) × 578 = 86.

id=20264 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=40 | option_c=25 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=20265 | topic=Averages | difficulty=Easy | question=Find the average of 50, 96, 92, 68, 24, 60, 79. | option_a=69 | option_b=68 | option_c=67 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = 469 ÷ 7 = 67.

id=20266 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=54 | option_b=64 | option_c=53 | option_d=42 | answer=C | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.

id=20267 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=32 | option_b=38 | option_c=33 | option_d=26 | answer=A | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=20268 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=20269 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 21, 27, 34? | option_a=34 | option_b=15 | option_c=27 | option_d=21 | answer=A | explanation=The first three numbers increase by 6, so the next should be 33. Therefore 34 is the odd one out.

id=20270 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=36 | option_c=72 | option_d=31 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=20271 | topic=Averages | difficulty=Easy | question=Find the average of 60, 63, 82, 58, 21, 73, 21, 78. | option_a=56 | option_b=59 | option_c=57 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

id=20272 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:10 and the first is 96, what is the second? | option_a=60 | option_b=50 | option_c=156 | option_d=76 | answer=A | explanation=Scale factor = 96/16 = 6. Therefore second quantity = 10×6 = 60.

id=20273 | topic=Averages | difficulty=Easy | question=Find the average of 55, 68, 71, 43, 56, 43. | option_a=56 | option_b=55 | option_c=57 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 336 ÷ 6 = 56.

id=20274 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:19 and the first is 102, what is the second? | option_a=131 | option_b=216 | option_c=95 | option_d=114 | answer=D | explanation=Scale factor = 102/17 = 6. Therefore second quantity = 19×6 = 114.

id=20275 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=22 | option_b=34 | option_c=29 | option_d=28 | answer=D | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.

id=20276 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 34? | option_a=8 | option_b=34 | option_c=16 | option_d=24 | answer=B | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 34 is the odd one out.

id=20277 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=37 | option_b=28 | option_c=44 | option_d=36 | answer=D | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=20278 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2603. If it is sold at a profit of 30%, what is its selling price? | option_a=3383 | option_b=3643 | option_c=3123 | option_d=2633 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2603 × 130/100 = █3383.

id=20279 | topic=Profit & Loss | difficulty=Easy | question=An article costs █547. If it is sold at a profit of 50%, what is its selling price? | option_a=766 | option_b=597 | option_c=874 | option_d=820 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 547 × 150/100 = █820.

id=20280 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 16, 23, 30, ? | option_a=44 | option_b=38 | option_c=37 | option_d=30 | answer=C | explanation=The common difference is 7. Therefore the next term is 30 + 7 = 37.

Aptitude Questions — Records 20,281-20,310 of 100,000

id=20281 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=20282 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 12. | option_a=36 | option_b=64 | option_c=192 | option_d=48 | answer=D | explanation=LCM × HCF = 16×12: HCF(16,12) = 4, so LCM = 48.

id=20283 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=W | option_b=M | option_c=R | option_d=B | answer=A | explanation=Move 5 positions forward from R; the resulting letter is W.

id=20284 | topic=Percentages | difficulty=Easy | question=What is 50% of 1862? | option_a=926 | option_b=941 | option_c=931 | option_d=1862 | answer=C | explanation=50% of 1862 = (50/100) × 1862 = 931.

id=20285 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:10 and the first is 65, what is the second? | option_a=63 | option_b=50 | option_c=40 | option_d=115 | answer=B | explanation=Scale factor = 65/13 = 5. Therefore second quantity = 10×5 = 50.

id=20286 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=20287 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 15, 20, 27? | option_a=20 | option_b=10 | option_c=27 | option_d=15 | answer=C | explanation=The first three numbers increase by 5, so the next should be 25. Therefore 27 is the odd one out.

id=20288 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=11 | option_b=15 | option_c=13 | option_d=14 | answer=C | explanation=The common difference is 2. Therefore the next term is 11 + 2 = 13.

id=20289 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25431 at 6% per annum for 5 years. | option_a=33060 | option_b=7529 | option_c=7629 | option_d=7729 | answer=C | explanation=SI = PRT/100 = 25431×6×5/100 = **■**7629.

id=20290 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=W | option_c=A | option_d=O | answer=B | explanation=Move 4 positions forward from S; the resulting letter is W.

id=20291 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 20, 23, 27? | option_a=23 | option_b=17 | option_c=20 | option_d=27 | answer=D | explanation=The first three numbers increase by 3, so the next should be 26. Therefore 27 is the odd one out.

id=20292 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=K | option_b=Z | option_c=U | option_d=P | answer=C | explanation=Move 5 positions forward from P; the resulting letter is U.

id=20293 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 14, 18, 24? | option_a=10 | option_b=24 | option_c=14 | option_d=18 | answer=B | explanation=The first three numbers increase by 4, so the next should be 22. Therefore 24 is the odd one out.

id=20294 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16208 at 5% per annum for 4 years. | option_a=3141 | option_b=3341 | option_c=19449 | option_d=3241 | answer=D | explanation=SI = PRT/100 = 16208×5×4/100 = **■**3241.

id=20295 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 51? | option_a=40 | option_b=20 | option_c=30 | option_d=51 | answer=D | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 51 is the odd one out.

id=20296 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:8 and the first is 196, what is the second? | option_a=104 | option_b=308 | option_c=112 | option_d=126 | answer=C | explanation=Scale factor = 196/14 = 14. Therefore second quantity = 8×14 = 112.

id=20297 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:20 and the first is 27, what is the second? | option_a=69 | option_b=87 | option_c=60 | option_d=40 | answer=C | explanation=Scale factor = 27/9 = 3. Therefore second quantity = 20×3 = 60.

id=20298 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=31 | option_c=36 | option_d=72 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=20299 | topic=Averages | difficulty=Easy | question=Find the average of 88, 48, 35. | option_a=59 | option_b=58 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 171 ÷ 3 = 57.

id=20300 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=20301 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=21 | option_b=22 | option_c=25 | option_d=17 | answer=A | explanation=The common difference is 4. Therefore the next term is 17 + 4 = 21.

id=20302 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49154 at 15% per annum for 4 years. | option_a=29492 | option_b=29592 | option_c=78646 | option_d=29392 | answer=A | explanation=SI = PRT/100 = 49154×15×4/100 = **■**29492.

id=20303 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22896 at 10% per annum for 5 years. | option_a=11348 | option_b=11548 | option_c=11448 | option_d=34344 | answer=C | explanation=SI = PRT/100 = 22896×10×5/100 = **■**11448.

id=20304 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=67 | option_c=144 | option_d=77 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=20305 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=20306 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=48 | option_b=34 | option_c=41 | option_d=42 | answer=C | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=20307 | topic=Averages | difficulty=Easy | question=Find the average of 33, 26, 94. | option_a=51 | option_b=50 | option_c=52 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 153 ÷ 3 = 51.

id=20308 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1248. If it is sold at a profit of 50%, what is its selling price? | option_a=1996 | option_b=1298 | option_c=1872 | option_d=1748 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1248 × 150/100 = **■**1872.

id=20309 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1607. If it is sold at a profit of 40%, what is its selling price? | option_a=2089 | option_b=2249 | option_c=1647 | option_d=2409 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1607 × 140/100 = **■**2249.

id=20310 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=145 | option_c=155 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

Aptitude Questions — Records 20,311-20,340 of 100,000

id=20311 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1975. If it is sold at a profit of 50%, what is its selling price? | option_a=3159 | option_b=2765 | option_c=2962 | option_d=2025 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1975 × 150/100 = █2962.

id=20312 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:10 and the first is 90, what is the second? | option_a=60 | option_b=150 | option_c=50 | option_d=75 | answer=A | explanation=Scale factor = 90/15 = 6. Therefore second quantity = 10×6 = 60.

id=20313 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44763 at 15% per annum for 3 years. | option_a=20243 | option_b=64906 | option_c=20043 | option_d=20143 | answer=D | explanation=SI = PRT/100 = 44763×15×3/100 = █20143.

id=20314 | topic=Averages | difficulty=Easy | question=Find the average of 81, 11, 24, 16. | option_a=32 | option_b=35 | option_c=33 | option_d=34 | answer=C | explanation=Average = sum of values ÷ number of values = 132 ÷ 4 = 33.

id=20315 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:11 and the first is 160, what is the second? | option_a=110 | option_b=270 | option_c=99 | option_d=126 | answer=A | explanation=Scale factor = 160/16 = 10. Therefore second quantity = 11×10 = 110.

id=20316 | topic=Averages | difficulty=Easy | question=Find the average of 91, 59, 39. | option_a=62 | option_b=64 | option_c=65 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 189 ÷ 3 = 63.

id=20317 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=20318 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2103. If it is sold at a profit of 40%, what is its selling price? | option_a=3154 | option_b=2143 | option_c=2734 | option_d=2944 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2103 × 140/100 = █2944.

id=20319 | topic=Averages | difficulty=Easy | question=Find the average of 20, 55, 23, 94. | option_a=49 | option_b=48 | option_c=50 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 192 ÷ 4 = 48.

id=20320 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=E | option_c=G | option_d=I | answer=D | explanation=Move 2 positions forward from G; the resulting letter is I.

id=20321 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46336 at 12% per annum for 3 years. | option_a=63016 | option_b=16680 | option_c=16580 | option_d=16780 | answer=B | explanation=SI = PRT/100 = 46336×12×3/100 = █16680.

id=20322 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 14. | option_a=42 | option_b=28 | option_c=63 | option_d=294 | answer=A | explanation=LCM × HCF = 21×14; HCF(21,14) = 7, so LCM = 42.

id=20323 | topic=Percentages | difficulty=Easy | question=What is 5% of 1863? | option_a=186 | option_b=103 | option_c=93 | option_d=83 | answer=C | explanation=5% of 1863 = (5/100) × 1863 = 93.

id=20324 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4310. If it is sold at a profit of 30%, what is its selling price? | option_a=5603 | option_b=6034 | option_c=4340 | option_d=5172 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4310 × 130/100 = █5603.

id=20325 | topic=Averages | difficulty=Easy | question=Find the average of 14, 28, 33. | option_a=25 | option_b=27 | option_c=26 | option_d=24 | answer=A | explanation=Average = sum of values ÷ number of values = 75 ÷ 3 = 25.

id=20326 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=20327 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:15 and the first is 56, what is the second? | option_a=210 | option_b=266 | option_c=214 | option_d=195 | answer=A | explanation=Scale factor = 56/4 = 14. Therefore second quantity = 15×14 = 210.

id=20328 | topic=Percentages | difficulty=Easy | question=What is 30% of 1989? | option_a=596 | option_b=606 | option_c=1192 | option_d=591 | answer=A | explanation=30% of 1989 = (30/100) × 1989 = 596.

id=20329 | topic=Averages | difficulty=Easy | question=Find the average of 76, 36, 77. | option_a=64 | option_b=63 | option_c=62 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 189 ÷ 3 = 63.

id=20330 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29371 at 12% per annum for 5 years. | option_a=17622 | option_b=17722 | option_c=46993 | option_d=17522 | answer=A | explanation=SI = PRT/100 = 29371×12×5/100 = █17622.

id=20331 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2604. If it is sold at a profit of 15%, what is its selling price? | option_a=2994 | option_b=2734 | option_c=2619 | option_d=3254 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2604 × 115/100 = █2994.

id=20332 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 26, 33, 41? | option_a=33 | option_b=41 | option_c=26 | option_d=19 | answer=B | explanation=The first three numbers increase by 7, so the next should be 40. Therefore 41 is the odd one out.

id=20333 | topic=Averages | difficulty=Easy | question=Find the average of 93, 18, 22, 54, 49, 16, 58, 27, 95. | option_a=48 | option_b=50 | option_c=49 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 432 ÷ 9 = 48.

id=20334 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:5 and the first is 154, what is the second? | option_a=81 | option_b=224 | option_c=70 | option_d=65 | answer=C | explanation=Scale factor = 154/11 = 14. Therefore second quantity = 5×14 = 70.

id=20335 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=N | option_b=D | option_c=Y | option_d=I | answer=D | explanation=Move 5 positions forward from D; the resulting letter is I.

id=20336 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1403. If it is sold at a profit of 5%, what is its selling price? | option_a=1333 | option_b=1613 | option_c=1473 | option_d=1408 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1403 × 105/100 = █1473.

id=20337 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=P | option_b=O | option_c=Q | option_d=N | answer=A | explanation=Move 1 positions forward from O; the resulting letter is P.

id=20338 | topic=Percentages | difficulty=Easy | question=What is 12% of 1148? | option_a=117 | option_b=274 | option_c=137 | option_d=147 | answer=C | explanation=12% of 1148 = (12/100) × 1148 = 137.

id=20339 | topic=Averages | difficulty=Easy | question=Find the average of 85, 34, 93, 44, 94. | option_a=70 | option_b=71 | option_c=69 | option_d=72 | answer=A | explanation=Average = sum of values ÷ number of values = 350 ÷ 5 = 70.

id=20340 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4273. If it is sold at a profit of 40%, what is its selling price? | option_a=5555 | option_b=6409 | option_c=4313 | option_d=5982 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4273 × 140/100 = █5982.

Aptitude Questions — Records 20,341-20,370 of 100,000

id=20341 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22953 at 6% per annum for 5 years. | option_a=6985 | option_b=6885 | option_c=6785 | option_d=29838 | answer=B | explanation=SI = PRT/100 = 22953×6×5/100 = **■**6885.

id=20342 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:10 and the first is 14, what is the second? | option_a=70 | option_b=72 | option_c=60 | option_d=84 | answer=A | explanation=Scale factor = 14/2 = 7. Therefore second quantity = 10×7 = 70.

id=20343 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=40 | option_d=90 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=20344 | topic=Averages | difficulty=Easy | question=Find the average of 100, 72, 11, 64, 86, 21. | option_a=61 | option_b=60 | option_c=59 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.

id=20345 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49416 at 5% per annum for 5 years. | option_a=12254 | option_b=12454 | option_c=12354 | option_d=61770 | answer=C | explanation=SI = PRT/100 = 49416×5×5/100 = **■**12354.

id=20346 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 31, 43, 55, ? | option_a=79 | option_b=67 | option_c=68 | option_d=55 | answer=B | explanation=The common difference is 12. Therefore the next term is 55 + 12 = 67.

id=20347 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=52 | option_b=62 | option_c=53 | option_d=42 | answer=A | explanation=The common difference is 10. Therefore the next term is 42 + 10 = 52.

id=20348 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=185 | option_c=360 | option_d=180 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=20349 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:7 and the first is 266, what is the second? | option_a=98 | option_b=91 | option_c=364 | option_d=117 | answer=A | explanation=Scale factor = 266/19 = 14. Therefore second quantity = 7×14 = 98.

id=20350 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 21, 30, 39, ? | option_a=57 | option_b=39 | option_c=48 | option_d=49 | answer=C | explanation=The common difference is 9. Therefore the next term is 39 + 9 = 48.

id=20351 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=O | option_b=M | option_c=N | option_d=P | answer=A | explanation=Move 1 positions forward from N; the resulting letter is O.

id=20352 | topic=Averages | difficulty=Easy | question=Find the average of 46, 50, 52, 17, 37, 47, 38. | option_a=42 | option_b=41 | option_c=43 | option_d=40 | answer=B | explanation=Average = sum of values ÷ number of values = 287 ÷ 7 = 41.

id=20353 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=25 | option_b=19 | option_c=23 | option_d=22 | answer=D | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.

id=20354 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35079 at 15% per annum for 3 years. | option_a=50864 | option_b=15885 | option_c=15785 | option_d=15685 | answer=C | explanation=SI = PRT/100 = 35079×15×3/100 = **■**15785.

id=20355 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 31, 43, 55, ? | option_a=68 | option_b=67 | option_c=79 | option_d=55 | answer=B | explanation=The common difference is 12. Therefore the next term is 55 + 12 = 67.

id=20356 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=37 | option_b=53 | option_c=45 | option_d=46 | answer=C | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=20357 | topic=Percentages | difficulty=Easy | question=What is 10% of 1284? | option_a=118 | option_b=128 | option_c=133 | option_d=256 | answer=B | explanation=10% of 1284 = (10/100) × 1284 = 128.

id=20358 | topic=Averages | difficulty=Easy | question=Find the average of 43, 17, 80, 76, 41, 14, 72. | option_a=48 | option_b=50 | option_c=51 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 343 ÷ 7 = 49.

id=20359 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48915 at 15% per annum for 2 years. | option_a=63589 | option_b=14774 | option_c=14574 | option_d=14674 | answer=D | explanation=SI = PRT/100 = 48915×15×2/100 = **■**14674.

id=20360 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 22, 27, 32, ? | option_a=38 | option_b=42 | option_c=32 | option_d=37 | answer=D | explanation=The common difference is 5. Therefore the next term is 32 + 5 = 37.

id=20361 | topic=Averages | difficulty=Easy | question=Find the average of 79, 55, 62, 21, 68, 39, 75. | option_a=56 | option_b=57 | option_c=58 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 399 ÷ 7 = 57.

id=20362 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3676. If it is sold at a profit of 5%, what is its selling price? | option_a=3681 | option_b=3859 | option_c=4226 | option_d=3492 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3676 × 105/100 = **■**3859.

id=20363 | topic=Averages | difficulty=Easy | question=Find the average of 11, 30, 29, 90, 84, 83, 81, 35, 34. | option_a=52 | option_b=53 | option_c=54 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 477 ÷ 9 = 53.

id=20364 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=I | option_c=Y | option_d=N | answer=B | explanation=Move 5 positions forward from D; the resulting letter is I.

id=20365 | topic=Percentages | difficulty=Easy | question=What is 5% of 1523? | option_a=81 | option_b=76 | option_c=56 | option_d=152 | answer=B | explanation=5% of 1523 = (5/100) × 1523 = 76.

id=20366 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:20 and the first is 180, what is the second? | option_a=180 | option_b=200 | option_c=218 | option_d=380 | answer=B | explanation=Scale factor = 180/18 = 10. Therefore second quantity = 20×10 = 200.

id=20367 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**450. If it is sold at a profit of 30%, what is its selling price? | option_a=540 | option_b=480 | option_c=585 | option_d=630 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 450 × 130/100 = **■**585.

id=20368 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33980 at 12% per annum for 3 years. | option_a=46212 | option_b=12232 | option_c=12132 | option_d=12332 | answer=B | explanation=SI = PRT/100 = 33980×12×3/100 = **■**12232.

id=20369 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=20370 | topic=Averages | difficulty=Easy | question=Find the average of 33, 28, 13, 74, 77, 87, 75, 12, 33. | option_a=48 | option_b=47 | option_c=49 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 432 ÷ 9 = 48.

Aptitude Questions — Records 20,371-20,400 of 100,000

id=20371 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:9 and the first is 16, what is the second? | option_a=160 | option_b=135 | option_c=145 | option_d=144 | answer=D | explanation=Scale factor = 16/1 = 16. Therefore second quantity = 9×16 = 144.

id=20372 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=20373 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=16 | option_b=21 | option_c=24 | option_d=20 | answer=D | explanation=The common difference is 4. Therefore the next term is 16 + 4 = 20.

id=20374 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:20 and the first is 40, what is the second? | option_a=80 | option_b=40 | option_c=60 | option_d=20 | answer=B | explanation=Scale factor = 40/20 = 2. Therefore second quantity = 20×2 = 40.

id=20375 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=20376 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 8, 12, 17? | option_a=8 | option_b=12 | option_c=17 | option_d=4 | answer=C | explanation=The first three numbers increase by 4, so the next should be 16. Therefore 17 is the odd one out.

id=20377 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3964. If it is sold at a profit of 20%, what is its selling price? | option_a=4360 | option_b=5152 | option_c=4756 | option_d=3984 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3964 × 120/100 = █4756.

id=20378 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4750. If it is sold at a profit of 40%, what is its selling price? | option_a=7125 | option_b=4790 | option_c=6650 | option_d=6175 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4750 × 140/100 = █6650.

id=20379 | topic=Profit & Loss | difficulty=Easy | question=An article costs █769. If it is sold at a profit of 10%, what is its selling price? | option_a=769 | option_b=921 | option_c=845 | option_d=779 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 769 × 110/100 = █845.

id=20380 | topic=Percentages | difficulty=Easy | question=What is 15% of 1854? | option_a=258 | option_b=278 | option_c=288 | option_d=556 | answer=B | explanation=15% of 1854 = (15/100) × 1854 = 278.

id=20381 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:10 and the first is 48, what is the second? | option_a=208 | option_b=163 | option_c=150 | option_d=160 | answer=D | explanation=Scale factor = 48/3 = 16. Therefore second quantity = 10×16 = 160.

id=20382 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=20383 | topic=Averages | difficulty=Easy | question=Find the average of 78, 77, 64, 29, 77. | option_a=66 | option_b=65 | option_c=67 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 325 ÷ 5 = 65.

id=20384 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:3 and the first is 12, what is the second? | option_a=20 | option_b=18 | option_c=30 | option_d=15 | answer=B | explanation=Scale factor = 12/2 = 6. Therefore second quantity = 3×6 = 18.

id=20385 | topic=Percentages | difficulty=Easy | question=What is 15% of 331? | option_a=98 | option_b=29 | option_c=69 | option_d=49 | answer=D | explanation=15% of 331 = (15/100) × 331 = 49.

id=20386 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=J | option_b=L | option_c=M | option_d=K | answer=B | explanation=Move 1 positions forward from K; the resulting letter is L.

id=20387 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=20388 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 14. | option_a=1 | option_b=21 | option_c=98 | option_d=14 | answer=D | explanation=LCM × HCF = 7×14; HCF(7,14) = 7, so LCM = 14.

id=20389 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 14. | option_a=126 | option_b=140 | option_c=160 | option_d=280 | answer=B | explanation=LCM × HCF = 20×14; HCF(20,14) = 2, so LCM = 140.

id=20390 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=O | option_b=J | option_c=E | option_d=T | answer=A | explanation=Move 5 positions forward from J; the resulting letter is O.

id=20391 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2542. If it is sold at a profit of 40%, what is its selling price? | option_a=3558 | option_b=3812 | option_c=2582 | option_d=3304 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2542 × 140/100 = █3558.

id=20392 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3164. If it is sold at a profit of 50%, what is its selling price? | option_a=3214 | option_b=4430 | option_c=5062 | option_d=4746 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3164 × 150/100 = █4746.

id=20393 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39503 at 10% per annum for 5 years. | option_a=59254 | option_b=19651 | option_c=19851 | option_d=19751 | answer=D | explanation=SI = PRT/100 = 39503×10×5/100 = █19751.

id=20394 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=48 | option_c=53 | option_d=43 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=20395 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:16 and the first is 98, what is the second? | option_a=96 | option_b=126 | option_c=112 | option_d=210 | answer=C | explanation=Scale factor = 98/14 = 7. Therefore second quantity = 16×7 = 112.

id=20396 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 58? | option_a=27 | option_b=58 | option_c=47 | option_d=37 | answer=B | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 58 is the odd one out.

id=20397 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 23, 27, 34? | option_a=19 | option_b=23 | option_c=34 | option_d=27 | answer=C | explanation=The first three numbers increase by 4, so the next should be 31. Therefore 34 is the odd one out.

id=20398 | topic=Percentages | difficulty=Easy | question=What is 15% of 1635? | option_a=490 | option_b=240 | option_c=245 | option_d=255 | answer=C | explanation=15% of 1635 = (15/100) × 1635 = 245.

id=20399 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=10 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=20400 | topic=Percentages | difficulty=Easy | question=What is 10% of 771? | option_a=72 | option_b=82 | option_c=77 | option_d=154 | answer=C | explanation=10% of 771 = (10/100) × 771 = 77.

Aptitude Questions — Records 20,401-20,430 of 100,000

id=20401 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=P | option_b=A | option_c=F | option_d=K | answer=D | explanation=Move 5 positions forward from F; the resulting letter is K.

id=20402 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4880. If it is sold at a profit of 5%, what is its selling price? | option_a=5612 | option_b=4636 | option_c=4885 | option_d=5124 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 4880 \times 105/100 = \text{█}5124$.

id=20403 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:4 and the first is 95, what is the second? | option_a=20 | option_b=39 | option_c=115 | option_d=16 | answer=A | explanation=Scale factor = $95/19 = 5$. Therefore second quantity = $4 \times 5 = 20$.

id=20404 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=S | option_b=I | option_c=N | option_d=X | answer=A | explanation=Move 5 positions forward from N; the resulting letter is S.

id=20405 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=25 | option_b=20 | option_c=24 | option_d=28 | answer=C | explanation=The common difference is 4. Therefore the next term is $20 + 4 = 24$.

id=20406 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=K | option_c=W | option_d=O | answer=A | explanation=Move 4 positions forward from O; the resulting letter is S.

id=20407 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 15, 19, 24? | option_a=15 | option_b=19 | option_c=24 | option_d=11 | answer=C | explanation=The first three numbers increase by 4, so the next should be 23. Therefore 24 is the odd one out.

id=20408 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=H | option_c=B | option_d=F | answer=D | explanation=Move 2 positions forward from D; the resulting letter is F.

id=20409 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 24, 32, 40, ? | option_a=40 | option_b=49 | option_c=56 | option_d=48 | answer=D | explanation=The common difference is 8. Therefore the next term is $40 + 8 = 48$.

id=20410 | topic=Averages | difficulty=Easy | question=Find the average of 49, 48, 19, 80, 31, 55. | option_a=49 | option_b=48 | option_c=47 | option_d=46 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 282 \div 6 = 47$.

id=20411 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=20412 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=5 | option_c=20 | option_d=10 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 60 \div 6 = 10$ km/h.

id=20413 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3789. If it is sold at a profit of 5%, what is its selling price? | option_a=4356 | option_b=3794 | option_c=3600 | option_d=3978 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 3789 \times 105/100 = \text{█}3978$.

id=20414 | topic=Averages | difficulty=Easy | question=Find the average of 59, 12, 25, 18, 50, 10, 49, 22, 63, 92. | option_a=41 | option_b=39 | option_c=42 | option_d=40 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 400 \div 10 = 40$.

id=20415 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=20416 | topic=Percentages | difficulty=Easy | question=What is 20% of 1557? | option_a=331 | option_b=622 | option_c=306 | option_d=311 | answer=D | explanation=20% of 1557 = $(20/100) \times 1557 = 311$.

id=20417 | topic=Percentages | difficulty=Easy | question=What is 15% of 1447? | option_a=217 | option_b=434 | option_c=237 | option_d=197 | answer=A | explanation=15% of 1447 = $(15/100) \times 1447 = 217$.

id=20418 | topic=Averages | difficulty=Easy | question=Find the average of 41, 29, 63, 28, 56, 31, 79, 60, 68, 15. | option_a=48 | option_b=47 | option_c=49 | option_d=46 | answer=B | explanation=Average = $\text{sum of values} \div \text{number of values} = 470 \div 10 = 47$.

id=20419 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=J | option_c=V | option_d=R | answer=D | explanation=Move 4 positions forward from N; the resulting letter is R.

id=20420 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=20421 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=11 | option_c=6 | option_d=1 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 60 \div 10 = 6$ km/h.

id=20422 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=20423 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 21, 25, 31? | option_a=31 | option_b=21 | option_c=25 | option_d=17 | answer=A | explanation=The first three numbers increase by 4, so the next should be 29. Therefore 31 is the odd one out.

id=20424 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=L | option_b=K | option_c=J | option_d=I | answer=B | explanation=Move 1 positions forward from J; the resulting letter is K.

id=20425 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=240 | option_c=115 | option_d=120 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 360 \div 3 = 120$ km/h.

id=20426 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=20427 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=M | option_b=R | option_c=W | option_d=B | answer=C | explanation=Move 5 positions forward from R; the resulting letter is W.

id=20428 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=25 | option_b=17 | option_c=22 | option_d=21 | answer=D | explanation=The common difference is 4. Therefore the next term is $17 + 4 = 21$.

id=20429 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=12 | option_d=2 | answer=A | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=20430 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25831 at 5% per annum for 3 years. | option_a=3774 | option_b=3974 | option_c=3874 | option_d=29705 | answer=C | explanation=SI = $PRT/100 = 25831 \times 5 \times 3/100 = \text{█}3874$.

Aptitude Questions — Records 20,431-20,460 of 100,000

id=20431 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=43 | option_b=34 | option_c=52 | option_d=44 | answer=A | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

id=20432 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=28 | option_b=25 | option_c=26 | option_d=22 | answer=B | explanation=The common difference is 3. Therefore the next term is 22 + 3 = 25.

id=20433 | topic=Averages | difficulty=Easy | question=Find the average of 11, 92, 100, 56, 86. | option_a=71 | option_b=70 | option_c=69 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 345 ÷ 5 = 69.

id=20434 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6937 at 12% per annum for 3 years. | option_a=2597 | option_b=9434 | option_c=2397 | option_d=2497 | answer=D | explanation=SI = PRT/100 = 6937×12×3/100 = **■**2497.

id=20435 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 26, 34, 42, ? | option_a=51 | option_b=50 | option_c=58 | option_d=42 | answer=B | explanation=The common difference is 8. Therefore the next term is 42 + 8 = 50.

id=20436 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:4 and the first is 16, what is the second? | option_a=20 | option_b=32 | option_c=16 | option_d=12 | answer=C | explanation=Scale factor = 16/4 = 4. Therefore second quantity = 4×4 = 16.

id=20437 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 21, 23, 25, ? | option_a=27 | option_b=28 | option_c=29 | option_d=25 | answer=A | explanation=The common difference is 2. Therefore the next term is 25 + 2 = 27.

id=20438 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=78 | option_b=67 | option_c=54 | option_d=66 | answer=D | explanation=The common difference is 12. Therefore the next term is 54 + 12 = 66.

id=20439 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=20440 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 24, 27, 32? | option_a=32 | option_b=21 | option_c=27 | option_d=24 | answer=A | explanation=The first three numbers increase by 3, so the next should be 30. Therefore 32 is the odd one out.

id=20441 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=20442 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=H | option_c=G | option_d=F | answer=B | explanation=Move 1 positions forward from G; the resulting letter is H.

id=20443 | topic=Percentages | difficulty=Easy | question=What is 5% of 1391? | option_a=59 | option_b=69 | option_c=138 | option_d=89 | answer=B | explanation=5% of 1391 = (5/100) × 1391 = 69.

id=20444 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 10. | option_a=24 | option_b=10 | option_c=20 | option_d=40 | answer=C | explanation=LCM × HCF = 4×10; HCF(4,10) = 2, so LCM = 20.

id=20445 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=H | option_b=I | option_c=K | option_d=J | answer=D | explanation=Move 1 positions forward from I; the resulting letter is J.

id=20446 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 25? | option_a=12 | option_b=25 | option_c=18 | option_d=6 | answer=B | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 25 is the odd one out.

id=20447 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43422 at 15% per annum for 2 years. | option_a=13026 | option_b=56448 | option_c=12926 | option_d=13126 | answer=A | explanation=SI = PRT/100 = 43422×15×2/100 = **■**13026.

id=20448 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 30. | option_a=120 | option_b=90 | option_c=720 | option_d=144 | answer=A | explanation=LCM × HCF = 24×30; HCF(24,30) = 6, so LCM = 120.

id=20449 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=20450 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=20451 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=31 | option_b=32 | option_c=36 | option_d=26 | answer=A | explanation=The common difference is 5. Therefore the next term is 26 + 5 = 31.

id=20452 | topic=Averages | difficulty=Easy | question=Find the average of 33, 42, 67, 86, 43, 84, 90, 52, 79. | option_a=65 | option_b=66 | option_c=63 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 576 ÷ 9 = 64.

id=20453 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=35 | option_b=29 | option_c=41 | option_d=36 | answer=A | explanation=The common difference is 6. Therefore the next term is 29 + 6 = 35.

id=20454 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=20455 | topic=Percentages | difficulty=Easy | question=What is 50% of 1458? | option_a=729 | option_b=709 | option_c=1458 | option_d=739 | answer=A | explanation=50% of 1458 = (50/100) × 1458 = 729.

id=20456 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1497. If it is sold at a profit of 25%, what is its selling price? | option_a=2020 | option_b=1522 | option_c=1722 | option_d=1871 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1497 × 125/100 = **■**1871.

id=20457 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=34 | option_b=35 | option_c=40 | option_d=28 | answer=A | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.

id=20458 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9512 at 12% per annum for 2 years. | option_a=2282 | option_b=2382 | option_c=2182 | option_d=11794 | answer=A | explanation=SI = PRT/100 = 9512×12×2/100 = **■**2282.

id=20459 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 39, 49, 62? | option_a=49 | option_b=62 | option_c=39 | option_d=29 | answer=B | explanation=The first three numbers increase by 10, so the next should be 59. Therefore 62 is the odd one out.

id=20460 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1769. If it is sold at a profit of 20%, what is its selling price? | option_a=2298 | option_b=2122 | option_c=1789 | option_d=1946 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1769 × 120/100 = **■**2122.

Aptitude Questions — Records 20,461-20,490 of 100,000

id=20461 | topic=Averages | difficulty=Easy | question=Find the average of 67, 54, 35, 50, 19. | option_a=47 | option_b=44 | option_c=45 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 225 ÷ 5 = 45.

id=20462 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2551. If it is sold at a profit of 5%, what is its selling price? | option_a=2678 | option_b=2933 | option_c=2423 | option_d=2556 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2551 × 105/100 = **■**2678.

id=20463 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 33? | option_a=33 | option_b=10 | option_c=24 | option_d=17 | answer=A | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 33 is the odd one out.

id=20464 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=40 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=20465 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:6 and the first is 272, what is the second? | option_a=102 | option_b=118 | option_c=374 | option_d=96 | answer=A | explanation=Scale factor = 272/16 = 17. Therefore second quantity = 6×17 = 102.

id=20466 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=44 | option_b=36 | option_c=52 | option_d=45 | answer=A | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.

id=20467 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=20468 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 24, 30, 38? | option_a=38 | option_b=18 | option_c=24 | option_d=30 | answer=A | explanation=The first three numbers increase by 6, so the next should be 36. Therefore 38 is the odd one out.

id=20469 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 27. | option_a=36 | option_b=243 | option_c=1 | option_d=27 | answer=D | explanation=LCM × HCF = 9×27; HCF(9,27) = 9, so LCM = 27.

id=20470 | topic=Percentages | difficulty=Easy | question=What is 10% of 487? | option_a=96 | option_b=28 | option_c=53 | option_d=48 | answer=D | explanation=10% of 487 = (10/100) × 487 = 48.

id=20471 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=K | option_c=N | option_d=E | answer=B | explanation=Move 3 positions forward from H; the resulting letter is K.

id=20472 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=D | option_c=J | option_d=F | answer=A | explanation=Move 2 positions forward from F; the resulting letter is H.

id=20473 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=20474 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=9 | option_b=18 | option_c=14 | option_d=4 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=20475 | topic=Averages | difficulty=Easy | question=Find the average of 34, 69, 35. | option_a=48 | option_b=45 | option_c=46 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 138 ÷ 3 = 46.

id=20476 | topic=Percentages | difficulty=Easy | question=What is 15% of 513? | option_a=81 | option_b=76 | option_c=152 | option_d=66 | answer=B | explanation=15% of 513 = (15/100) × 513 = 76.

id=20477 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4661. If it is sold at a profit of 5%, what is its selling price? | option_a=5360 | option_b=4666 | option_c=4428 | option_d=4894 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4661 × 105/100 = **■**4894.

id=20478 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 21? | option_a=14 | option_b=2 | option_c=21 | option_d=8 | answer=C | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 21 is the odd one out.

id=20479 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=28 | option_b=24 | option_c=29 | option_d=32 | answer=A | explanation=The common difference is 4. Therefore the next term is 24 + 4 = 28.

id=20480 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 53? | option_a=30 | option_b=20 | option_c=40 | option_d=53 | answer=D | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 53 is the odd one out.

id=20481 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=T | option_c=U | option_d=S | answer=C | explanation=Move 1 positions forward from T; the resulting letter is U.

id=20482 | topic=Averages | difficulty=Easy | question=Find the average of 17, 62, 98, 83, 51, 61. | option_a=64 | option_b=62 | option_c=61 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 372 ÷ 6 = 62.

id=20483 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 28. | option_a=28 | option_b=32 | option_c=112 | option_d=1 | answer=A | explanation=LCM × HCF = 4×28; HCF(4,28) = 4, so LCM = 28.

id=20484 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=20485 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=8 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=20486 | topic=Averages | difficulty=Easy | question=Find the average of 77, 72, 61, 97, 26, 24, 42. | option_a=57 | option_b=58 | option_c=56 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 399 ÷ 7 = 57.

id=20487 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31868 at 6% per annum for 1 years. | option_a=1812 | option_b=33780 | option_c=1912 | option_d=2012 | answer=C | explanation=SI = PRT/100 = 31868×6×1/100 = **■**1912.

id=20488 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**900. If it is sold at a profit of 10%, what is its selling price? | option_a=900 | option_b=910 | option_c=990 | option_d=1080 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 900 × 110/100 = **■**990.

id=20489 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 47? | option_a=38 | option_b=47 | option_c=31 | option_d=24 | answer=B | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 47 is the odd one out.

id=20490 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16955 at 8% per annum for 5 years. | option_a=6782 | option_b=6682 | option_c=23737 | option_d=6882 | answer=A | explanation=SI = PRT/100 = 16955×8×5/100 = **■**6782.

Aptitude Questions — Records 20,491-20,520 of 100,000

id=20491 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=20492 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 18, 22, 29? | option_a=14 | option_b=22 | option_c=29 | option_d=18 | answer=C | explanation=The first three numbers increase by 4, so the next should be 26. Therefore 29 is the odd one out.

id=20493 | topic=Profit & Loss | difficulty=Easy | question=An article costs █617. If it is sold at a profit of 5%, what is its selling price? | option_a=622 | option_b=586 | option_c=708 | option_d=647 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 617 × 105/100 = █647.

id=20494 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 62? | option_a=30 | option_b=50 | option_c=62 | option_d=40 | answer=C | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 62 is the odd one out.

id=20495 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=90 | option_b=50 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=20496 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=C | option_b=F | option_c=D | option_d=E | answer=D | explanation=Move 1 positions forward from D; the resulting letter is E.

id=20497 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4151. If it is sold at a profit of 30%, what is its selling price? | option_a=4981 | option_b=5396 | option_c=4181 | option_d=5811 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4151 × 130/100 = █5396.

id=20498 | topic=Percentages | difficulty=Easy | question=What is 5% of 602? | option_a=30 | option_b=40 | option_c=60 | option_d=20 | answer=A | explanation=5% of 602 = (5/100) × 602 = 30.

id=20499 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:18 and the first is 306, what is the second? | option_a=341 | option_b=630 | option_c=306 | option_d=324 | answer=D | explanation=Scale factor = 306/17 = 18. Therefore second quantity = 18×18 = 324.

id=20500 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39856 at 5% per annum for 2 years. | option_a=3885 | option_b=43841 | option_c=4085 | option_d=3985 | answer=D | explanation=SI = PRT/100 = 39856×5×2/100 = █3985.

id=20501 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=33 | option_b=43 | option_c=42 | option_d=51 | answer=C | explanation=The common difference is 9. Therefore the next term is 33 + 9 = 42.

id=20502 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:18 and the first is 34, what is the second? | option_a=36 | option_b=18 | option_c=70 | option_d=53 | answer=A | explanation=Scale factor = 34/17 = 2. Therefore second quantity = 18×2 = 36.

id=20503 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:17 and the first is 198, what is the second? | option_a=317 | option_b=289 | option_c=504 | option_d=306 | answer=D | explanation=Scale factor = 198/11 = 18. Therefore second quantity = 17×18 = 306.

id=20504 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=7 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=20505 | topic=Percentages | difficulty=Easy | question=What is 40% of 423? | option_a=338 | option_b=149 | option_c=169 | option_d=189 | answer=C | explanation=40% of 423 = (40/100) × 423 = 169.

id=20506 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=20507 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:6 and the first is 27, what is the second? | option_a=12 | option_b=18 | option_c=45 | option_d=27 | answer=B | explanation=Scale factor = 27/9 = 3. Therefore second quantity = 6×3 = 18.

id=20508 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7378 at 10% per annum for 2 years. | option_a=1375 | option_b=1575 | option_c=8853 | option_d=1475 | answer=D | explanation=SI = PRT/100 = 7378×10×2/100 = █1475.

id=20509 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:7 and the first is 96, what is the second? | option_a=208 | option_b=118 | option_c=105 | option_d=112 | answer=D | explanation=Scale factor = 96/6 = 16. Therefore second quantity = 7×16 = 112.

id=20510 | topic=Percentages | difficulty=Easy | question=What is 15% of 128? | option_a=19 | option_b=0 | option_c=38 | option_d=24 | answer=A | explanation=15% of 128 = (15/100) × 128 = 19.

id=20511 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 26? | option_a=26 | option_b=21 | option_c=19 | option_d=17 | answer=A | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 26 is the odd one out.

id=20512 | topic=Percentages | difficulty=Easy | question=What is 12% of 858? | option_a=107 | option_b=204 | option_c=92 | option_d=102 | answer=D | explanation=12% of 858 = (12/100) × 858 = 102.

id=20513 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 8, 11, 14, ? | option_a=20 | option_b=18 | option_c=17 | option_d=14 | answer=C | explanation=The common difference is 3. Therefore the next term is 14 + 3 = 17.

id=20514 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4288 at 10% per annum for 5 years. | option_a=2144 | option_b=2244 | option_c=2044 | option_d=6432 | answer=A | explanation=SI = PRT/100 = 4288×10×5/100 = █2144.

id=20515 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=W | option_c=U | option_d=Q | answer=C | explanation=Move 2 positions forward from S; the resulting letter is U.

id=20516 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 28? | option_a=20 | option_b=24 | option_c=22 | option_d=28 | answer=D | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 28 is the odd one out.

id=20517 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=45 | option_b=38 | option_c=37 | option_d=29 | answer=C | explanation=The common difference is 8. Therefore the next term is 29 + 8 = 37.

id=20518 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45310 at 5% per annum for 1 years. | option_a=2265 | option_b=47575 | option_c=2165 | option_d=2365 | answer=A | explanation=SI = PRT/100 = 45310×5×1/100 = █2265.

id=20519 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:6 and the first is 150, what is the second? | option_a=75 | option_b=60 | option_c=54 | option_d=210 | answer=B | explanation=Scale factor = 150/15 = 10. Therefore second quantity = 6×10 = 60.

id=20520 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 46? | option_a=19 | option_b=27 | option_c=46 | option_d=35 | answer=C | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 46 is the odd one out.

Aptitude Questions — Records 20,521-20,550 of 100,000

id=20521 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26820 at 6% per annum for 4 years. | option_a=6436 | option_b=6336 | option_c=6536 | option_d=33256 | answer=A | explanation=SI = PRT/100 = 26820×6×4/100 = **■**6436.

id=20522 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=20523 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=20524 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:14 and the first is 104, what is the second? | option_a=168 | option_b=190 | option_c=286 | option_d=182 | answer=D | explanation=Scale factor = 104/8 = 13. Therefore second quantity = 14×13 = 182.

id=20525 | topic=Averages | difficulty=Easy | question=Find the average of 19, 18, 38. | option_a=26 | option_b=27 | option_c=24 | option_d=25 | answer=D | explanation=Average = sum of values ÷ number of values = 75 ÷ 3 = 25.

id=20526 | topic=Averages | difficulty=Easy | question=Find the average of 85, 40, 37. | option_a=53 | option_b=54 | option_c=56 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 162 ÷ 3 = 54.

id=20527 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=17 | option_c=12 | option_d=24 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=20528 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=20529 | topic=Percentages | difficulty=Easy | question=What is 12% of 1734? | option_a=416 | option_b=203 | option_c=208 | option_d=218 | answer=C | explanation=12% of 1734 = (12/100) × 1734 = 208.

id=20530 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 3. | option_a=1 | option_b=3 | option_c=9 | option_d=6 | answer=B | explanation=LCM × HCF = 3×3; HCF(3,3) = 3, so LCM = 3.

id=20531 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14558 at 10% per annum for 2 years. | option_a=2811 | option_b=3011 | option_c=2911 | option_d=17469 | answer=C | explanation=SI = PRT/100 = 14558×10×2/100 = **■**2911.

id=20532 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=20533 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3690. If it is sold at a profit of 50%, what is its selling price? | option_a=5166 | option_b=3740 | option_c=5535 | option_d=5904 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3690 × 150/100 = **■**5535.

id=20534 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3456 at 15% per annum for 1 years. | option_a=618 | option_b=418 | option_c=3974 | option_d=518 | answer=D | explanation=SI = PRT/100 = 3456×15×1/100 = **■**518.

id=20535 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=20536 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=23 | option_b=24 | option_c=18 | option_d=28 | answer=A | explanation=The common difference is 5. Therefore the next term is 18 + 5 = 23.

id=20537 | topic=Averages | difficulty=Easy | question=Find the average of 11, 52, 25, 32, 25, 94, 20. | option_a=36 | option_b=37 | option_c=39 | option_d=38 | answer=B | explanation=Average = sum of values ÷ number of values = 259 ÷ 7 = 37.

id=20538 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=45 | option_c=55 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=20539 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 25, 34, 44? | option_a=44 | option_b=34 | option_c=16 | option_d=25 | answer=A | explanation=The first three numbers increase by 9, so the next should be 43. Therefore 44 is the odd one out.

id=20540 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=20541 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24888 at 8% per annum for 1 years. | option_a=1891 | option_b=1991 | option_c=26879 | option_d=2091 | answer=B | explanation=SI = PRT/100 = 24888×8×1/100 = **■**1991.

id=20542 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=20543 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:17 and the first is 18, what is the second? | option_a=306 | option_b=324 | option_c=307 | option_d=289 | answer=A | explanation=Scale factor = 18/1 = 18. Therefore second quantity = 17×18 = 306.

id=20544 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:1 and the first is 54, what is the second? | option_a=15 | option_b=63 | option_c=8 | option_d=9 | answer=D | explanation=Scale factor = 54/6 = 9. Therefore second quantity = 1×9 = 9.

id=20545 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=W | option_c=M | option_d=B | answer=B | explanation=Move 5 positions forward from R; the resulting letter is Y.

id=20546 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:15 and the first is 54, what is the second? | option_a=141 | option_b=135 | option_c=120 | option_d=189 | answer=B | explanation=Scale factor = 54/6 = 9. Therefore second quantity = 15×9 = 135.

id=20547 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=F | option_b=J | option_c=L | option_d=H | answer=B | explanation=Move 2 positions forward from H; the resulting letter is J.

id=20548 | topic=Averages | difficulty=Easy | question=Find the average of 100, 75, 81, 64. | option_a=81 | option_b=79 | option_c=82 | option_d=80 | answer=D | explanation=Average = sum of values ÷ number of values = 320 ÷ 4 = 80.

id=20549 | topic=Averages | difficulty=Easy | question=Find the average of 22, 77, 96, 49. | option_a=61 | option_b=63 | option_c=62 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 244 ÷ 4 = 61.

id=20550 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:2 and the first is 60, what is the second? | option_a=22 | option_b=12 | option_c=10 | option_d=72 | answer=B | explanation=Scale factor = 60/10 = 6. Therefore second quantity = 2×6 = 12.

Aptitude Questions — Records 20,551-20,580 of 100,000

id=20551 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=20552 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=300 | option_c=150 | option_d=145 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=20553 | topic=Averages | difficulty=Easy | question=Find the average of 43, 48, 94, 39. | option_a=55 | option_b=56 | option_c=57 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 224 ÷ 4 = 56.

id=20554 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=20555 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 19, 22, 25, ? | option_a=28 | option_b=29 | option_c=31 | option_d=25 | answer=A | explanation=The common difference is 3. Therefore the next term is 25 + 3 = 28.

id=20556 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■38297 at 10% per annum for 4 years. | option_a=15418 | option_b=15318 | option_c=15218 | option_d=53615 | answer=B | explanation=SI = PRT/100 = 38297×10×4/100 = ■15318.

id=20557 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=20558 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 18, 24, 30, ? | option_a=37 | option_b=36 | option_c=42 | option_d=30 | answer=B | explanation=The common difference is 6. Therefore the next term is 30 + 6 = 36.

id=20559 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=20 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=20560 | topic=Averages | difficulty=Easy | question=Find the average of 72, 75, 44, 97, 57. | option_a=71 | option_b=68 | option_c=69 | option_d=70 | answer=C | explanation=Average = sum of values ÷ number of values = 345 ÷ 5 = 69.

id=20561 | topic=Averages | difficulty=Easy | question=Find the average of 58, 76, 10. | option_a=48 | option_b=47 | option_c=50 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 144 ÷ 3 = 48.

id=20562 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=38 | option_b=62 | option_c=50 | option_d=51 | answer=C | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=20563 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=44 | option_b=36 | option_c=50 | option_d=43 | answer=D | explanation=The common difference is 7. Therefore the next term is 36 + 7 = 43.

id=20564 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=74 | option_b=63 | option_c=50 | option_d=62 | answer=D | explanation=The common difference is 12. Therefore the next term is 50 + 12 = 62.

id=20565 | topic=Percentages | difficulty=Easy | question=What is 30% of 233? | option_a=64 | option_b=138 | option_c=69 | option_d=89 | answer=C | explanation=30% of 233 = (30/100) × 233 = 69.

id=20566 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 3. | option_a=12 | option_b=18 | option_c=6 | option_d=3 | answer=C | explanation=LCM × HCF = 6×3; HCF(6,3) = 3, so LCM = 6.

id=20567 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=20568 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=55 | option_c=100 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=20569 | topic=Averages | difficulty=Easy | question=Find the average of 78, 99, 22, 85, 45, 57, 28, 90. | option_a=62 | option_b=65 | option_c=63 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 504 ÷ 8 = 63.

id=20570 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2314. If it is sold at a profit of 15%, what is its selling price? | option_a=2430 | option_b=2661 | option_c=2329 | option_d=2892 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2314 × 115/100 = ■2661.

id=20571 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=C | option_b=F | option_c=D | option_d=E | answer=D | explanation=Move 1 positions forward from D; the resulting letter is E.

id=20572 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 19, 22, 25, ? | option_a=25 | option_b=29 | option_c=31 | option_d=28 | answer=B | explanation=The common difference is 3. Therefore the next term is 25 + 3 = 28.

id=20573 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:4 and the first is 30, what is the second? | option_a=36 | option_b=40 | option_c=70 | option_d=43 | answer=B | explanation=Scale factor = 30/3 = 10. Therefore second quantity = 4×10 = 40.

id=20574 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=20575 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4484. If it is sold at a profit of 20%, what is its selling price? | option_a=4504 | option_b=4932 | option_c=5828 | option_d=5380 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4484 × 120/100 = ■5380.

id=20576 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3464. If it is sold at a profit of 5%, what is its selling price? | option_a=3983 | option_b=3291 | option_c=3637 | option_d=3469 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3464 × 105/100 = ■3637.

id=20577 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=L | option_b=B | option_c=G | option_d=Q | answer=A | explanation=Move 5 positions forward from G; the resulting letter is L.

id=20578 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=40 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=20579 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1322. If it is sold at a profit of 15%, what is its selling price? | option_a=1652 | option_b=1388 | option_c=1520 | option_d=1337 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1322 × 115/100 = ■1520.

id=20580 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1284. If it is sold at a profit of 25%, what is its selling price? | option_a=1605 | option_b=1309 | option_c=1733 | option_d=1477 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1284 × 125/100 = ■1605.

Aptitude Questions — Records 20,581-20,610 of 100,000

id=20581 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 35? | option_a=2 | option_b=22 | option_c=12 | option_d=35 | answer=D | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 35 is the odd one out.

id=20582 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12156 at 15% per annum for 2 years. | option_a=3746 | option_b=15802 | option_c=3546 | option_d=3646 | answer=D | explanation=SI = PRT/100 = 12156×15×2/100 = **■**3646.

id=20583 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=20584 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=31 | option_b=39 | option_c=40 | option_d=47 | answer=B | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

id=20585 | topic=Averages | difficulty=Easy | question=Find the average of 44, 70, 81. | option_a=65 | option_b=67 | option_c=66 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = 195 ÷ 3 = 65.

id=20586 | topic=Percentages | difficulty=Easy | question=What is 20% of 1849? | option_a=369 | option_b=389 | option_c=738 | option_d=359 | answer=A | explanation=20% of 1849 = (20/100) × 1849 = 369.

id=20587 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:18 and the first is 45, what is the second? | option_a=273 | option_b=315 | option_c=252 | option_d=270 | answer=D | explanation=Scale factor = 45/3 = 15. Therefore second quantity = 18×15 = 270.

id=20588 | topic=Averages | difficulty=Easy | question=Find the average of 47, 68, 18, 91, 19, 74, 96. | option_a=59 | option_b=60 | option_c=61 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 413 ÷ 7 = 59.

id=20589 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=12 | option_c=6 | option_d=11 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=20590 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4286. If it is sold at a profit of 15%, what is its selling price? | option_a=4928 | option_b=4500 | option_c=4301 | option_d=5356 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4286 × 115/100 = **■**4928.

id=20591 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=8 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=20592 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=96 | option_c=53 | option_d=43 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=20593 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29987 at 10% per annum for 1 years. | option_a=3098 | option_b=2898 | option_c=32985 | option_d=2998 | answer=D | explanation=SI = PRT/100 = 29987×10×1/100 = **■**2998.

id=20594 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:12 and the first is 32, what is the second? | option_a=194 | option_b=180 | option_c=224 | option_d=192 | answer=D | explanation=Scale factor = 32/2 = 16. Therefore second quantity = 12×16 = 192.

id=20595 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=20596 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 27, 30, 34? | option_a=27 | option_b=30 | option_c=24 | option_d=34 | answer=D | explanation=The first three numbers increase by 3, so the next should be 33. Therefore 34 is the odd one out.

id=20597 | topic=Percentages | difficulty=Easy | question=What is 40% of 1705? | option_a=662 | option_b=692 | option_c=682 | option_d=1364 | answer=C | explanation=40% of 1705 = (40/100) × 1705 = 682.

id=20598 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=240 | option_c=125 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=20599 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=B | option_c=X | option_d=P | answer=C | explanation=Move 4 positions forward from T; the resulting letter is X.

id=20600 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2309. If it is sold at a profit of 5%, what is its selling price? | option_a=2424 | option_b=2314 | option_c=2654 | option_d=2194 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2309 × 105/100 = **■**2424.

id=20601 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=37 | option_b=47 | option_c=57 | option_d=48 | answer=B | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

id=20602 | topic=Averages | difficulty=Easy | question=Find the average of 29, 11, 13, 57, 35, 87, 65, 34, 89, 40. | option_a=45 | option_b=48 | option_c=47 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 460 ÷ 10 = 46.

id=20603 | topic=Averages | difficulty=Easy | question=Find the average of 95, 40, 95, 88, 56, 74, 73, 31. | option_a=70 | option_b=71 | option_c=69 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 552 ÷ 8 = 69.

id=20604 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=8 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=20605 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43252 at 8% per annum for 5 years. | option_a=60552 | option_b=17300 | option_c=17400 | option_d=17200 | answer=B | explanation=SI = PRT/100 = 43252×8×5/100 = **■**17300.

id=20606 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4235. If it is sold at a profit of 10%, what is its selling price? | option_a=4658 | option_b=4235 | option_c=4245 | option_d=5081 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4235 × 110/100 = **■**4658.

id=20607 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**830. If it is sold at a profit of 50%, what is its selling price? | option_a=1328 | option_b=1245 | option_c=880 | option_d=1162 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 830 × 150/100 = **■**1245.

id=20608 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=P | option_c=X | option_d=B | answer=C | explanation=Move 4 positions forward from T; the resulting letter is X.

id=20609 | topic=Percentages | difficulty=Easy | question=What is 15% of 992? | option_a=296 | option_b=148 | option_c=158 | option_d=128 | answer=B | explanation=15% of 992 = (15/100) × 992 = 148.

id=20610 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

Aptitude Questions — Records 20,611-20,640 of 100,000

id=20611 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=61 | option_b=60 | option_c=71 | option_d=49 | answer=B | explanation=The common difference is 11. Therefore the next term is 49 + 11 = 60.

id=20612 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=20613 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=20614 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=160 | option_c=80 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=20615 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 40? | option_a=30 | option_b=33 | option_c=36 | option_d=40 | answer=D | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 40 is the odd one out.

id=20616 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2637. If it is sold at a profit of 40%, what is its selling price? | option_a=2677 | option_b=3428 | option_c=3691 | option_d=3954 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2637 × 140/100 = █3691.

id=20617 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=Q | option_c=O | option_d=S | answer=D | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=20618 | topic=Percentages | difficulty=Easy | question=What is 10% of 1422? | option_a=152 | option_b=132 | option_c=284 | option_d=142 | answer=D | explanation=10% of 1422 = (10/100) × 1422 = 142.

id=20619 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:11 and the first is 126, what is the second? | option_a=154 | option_b=163 | option_c=280 | option_d=143 | answer=A | explanation=Scale factor = 126/9 = 14. Therefore second quantity = 11×14 = 154.

id=20620 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 22? | option_a=14 | option_b=22 | option_c=8 | option_d=2 | answer=B | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 22 is the odd one out.

id=20621 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=20622 | topic=Averages | difficulty=Easy | question=Find the average of 49, 20, 45, 39, 20, 31, 25, 35. | option_a=32 | option_b=34 | option_c=33 | option_d=35 | answer=C | explanation=Average = sum of values ÷ number of values = 264 ÷ 8 = 33.

id=20623 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=33 | option_b=40 | option_c=26 | option_d=34 | answer=A | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

id=20624 | topic=Percentages | difficulty=Easy | question=What is 50% of 321? | option_a=160 | option_b=320 | option_c=165 | option_d=155 | answer=A | explanation=50% of 321 = (50/100) × 321 = 160.

id=20625 | topic=Averages | difficulty=Easy | question=Find the average of 84, 66, 78, 24, 43, 26, 73, 91, 72, 73. | option_a=64 | option_b=63 | option_c=62 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 630 ÷ 10 = 63.

id=20626 | topic=Percentages | difficulty=Easy | question=What is 25% of 615? | option_a=133 | option_b=163 | option_c=153 | option_d=306 | answer=C | explanation=25% of 615 = (25/100) × 615 = 153.

id=20627 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=M | option_c=K | option_d=N | answer=B | explanation=Move 1 positions forward from L; the resulting letter is M.

id=20628 | topic=Percentages | difficulty=Easy | question=What is 40% of 904? | option_a=366 | option_b=722 | option_c=356 | option_d=361 | answer=D | explanation=40% of 904 = (40/100) × 904 = 361.

id=20629 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=N | option_c=O | option_d=L | answer=B | explanation=Move 1 positions forward from M; the resulting letter is N.

id=20630 | topic=Averages | difficulty=Easy | question=Find the average of 36, 50, 86, 50, 83, 67, 23, 30, 106. | option_a=59 | option_b=61 | option_c=60 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 531 ÷ 9 = 59.

id=20631 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 14, 20, 29? | option_a=14 | option_b=8 | option_c=29 | option_d=20 | answer=C | explanation=The first three numbers increase by 6, so the next should be 26. Therefore 29 is the odd one out.

id=20632 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4823. If it is sold at a profit of 40%, what is its selling price? | option_a=6270 | option_b=4863 | option_c=6752 | option_d=7234 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4823 × 140/100 = █6752.

id=20633 | topic=Averages | difficulty=Easy | question=Find the average of 30, 51, 81. | option_a=53 | option_b=56 | option_c=55 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 162 ÷ 3 = 54.

id=20634 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 28? | option_a=28 | option_b=16 | option_c=19 | option_d=22 | answer=A | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 28 is the odd one out.

id=20635 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:5 and the first is 240, what is the second? | option_a=95 | option_b=320 | option_c=80 | option_d=75 | answer=C | explanation=Scale factor = 240/15 = 16. Therefore second quantity = 5×16 = 80.

id=20636 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=P | option_c=N | option_d=T | answer=A | explanation=Move 2 positions forward from P; the resulting letter is R.

id=20637 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=31 | option_b=36 | option_c=30 | option_d=24 | answer=C | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.

id=20638 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2009. If it is sold at a profit of 20%, what is its selling price? | option_a=2029 | option_b=2610 | option_c=2210 | option_d=2410 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2009 × 120/100 = █2410.

id=20639 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:14 and the first is 114, what is the second? | option_a=266 | option_b=272 | option_c=252 | option_d=380 | answer=A | explanation=Scale factor = 114/6 = 19. Therefore second quantity = 14×19 = 266.

id=20640 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 15. | option_a=90 | option_b=15 | option_c=36 | option_d=30 | answer=D | explanation=LCM × HCF = 6×15; HCF(6,15) = 3, so LCM = 30.

Aptitude Questions — Records 20,641-20,670 of 100,000

id=20641 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=62 | option_b=50 | option_c=72 | option_d=61 | answer=D | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.

id=20642 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:7 and the first is 64, what is the second? | option_a=176 | option_b=112 | option_c=116 | option_d=105 | answer=B | explanation=Scale factor = 64/4 = 16. Therefore second quantity = 7×16 = 112.

id=20643 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=F | option_b=V | option_c=K | option_d=A | answer=A | explanation=Move 5 positions forward from A; the resulting letter is F.

id=20644 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1105. If it is sold at a profit of 15%, what is its selling price? | option_a=1270 | option_b=1160 | option_c=1120 | option_d=1380 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1105 × 115/100 = █1270.

id=20645 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 33? | option_a=28 | option_b=30 | option_c=33 | option_d=26 | answer=C | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 33 is the odd one out.

id=20646 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19700 at 12% per annum for 2 years. | option_a=24428 | option_b=4728 | option_c=4628 | option_d=4828 | answer=B | explanation=SI = PRT/100 = 19700×12×2/100 = █4728.

id=20647 | topic=Averages | difficulty=Easy | question=Find the average of 32, 79, 86, 92, 33, 51, 61. | option_a=63 | option_b=62 | option_c=64 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 434 ÷ 7 = 62.

id=20648 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:14 and the first is 144, what is the second? | option_a=238 | option_b=260 | option_c=252 | option_d=396 | answer=C | explanation=Scale factor = 144/8 = 18. Therefore second quantity = 14×18 = 252.

id=20649 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=27 | option_b=32 | option_c=28 | option_d=22 | answer=A | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.

id=20650 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 36? | option_a=22 | option_b=30 | option_c=26 | option_d=36 | answer=D | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 36 is the odd one out.

id=20651 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:12 and the first is 75, what is the second? | option_a=180 | option_b=255 | option_c=185 | option_d=168 | answer=A | explanation=Scale factor = 75/5 = 15. Therefore second quantity = 12×15 = 180.

id=20652 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=41 | option_b=32 | option_c=50 | option_d=42 | answer=A | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

id=20653 | topic=Percentages | difficulty=Easy | question=What is 12% of 1284? | option_a=308 | option_b=154 | option_c=144 | option_d=159 | answer=B | explanation=12% of 1284 = (12/100) × 1284 = 154.

id=20654 | topic=Percentages | difficulty=Easy | question=What is 12% of 123? | option_a=14 | option_b=24 | option_c=9 | option_d=28 | answer=A | explanation=12% of 123 = (12/100) × 123 = 14.

id=20655 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=7 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=20656 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=20657 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=95 | option_c=200 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=20658 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=30 | option_b=25 | option_c=35 | option_d=31 | answer=A | explanation=The common difference is 5. Therefore the next term is 25 + 5 = 30.

id=20659 | topic=Percentages | difficulty=Easy | question=What is 20% of 1293? | option_a=516 | option_b=263 | option_c=258 | option_d=238 | answer=C | explanation=20% of 1293 = (20/100) × 1293 = 258.

id=20660 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24138 at 5% per annum for 1 years. | option_a=1106 | option_b=1306 | option_c=1206 | option_d=25344 | answer=C | explanation=SI = PRT/100 = 24138×5×1/100 = █1206.

id=20661 | topic=Averages | difficulty=Easy | question=Find the average of 44, 86, 17. | option_a=48 | option_b=51 | option_c=50 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 147 ÷ 3 = 49.

id=20662 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=72 | option_c=36 | option_d=41 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=20663 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4194. If it is sold at a profit of 10%, what is its selling price? | option_a=4613 | option_b=4204 | option_c=4194 | option_d=5032 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4194 × 110/100 = █4613.

id=20664 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=125 | option_d=240 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=20665 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=13 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=20666 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=20667 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 18, 22, 29? | option_a=18 | option_b=29 | option_c=14 | option_d=22 | answer=B | explanation=The first three numbers increase by 4, so the next should be 26. Therefore 29 is the odd one out.

id=20668 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=20669 | topic=Averages | difficulty=Easy | question=Find the average of 21, 87, 89, 29, 84, 44, 77, 30, 47, 32. | option_a=54 | option_b=56 | option_c=55 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

id=20670 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=46 | option_b=41 | option_c=40 | option_d=34 | answer=C | explanation=The common difference is 6. Therefore the next term is 34 + 6 = 40.

Aptitude Questions — Records 20,671-20,700 of 100,000

id=20671 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:12 and the first is 285, what is the second? | option_a=168 | option_b=465 | option_c=199 | option_d=180 | answer=D | explanation=Scale factor = 285/19 = 15. Therefore second quantity = 12×15 = 180.

id=20672 | topic=Averages | difficulty=Easy | question=Find the average of 33, 42, 71, 78. | option_a=57 | option_b=56 | option_c=55 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 224 ÷ 4 = 56.

id=20673 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=20674 | topic=Averages | difficulty=Easy | question=Find the average of 39, 41, 32, 15, 88. | option_a=42 | option_b=43 | option_c=45 | option_d=44 | answer=B | explanation=Average = sum of values ÷ number of values = 215 ÷ 5 = 43.

id=20675 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=185 | option_c=180 | option_d=360 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=20676 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=4 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=20677 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33279 at 4% per annum for 3 years. | option_a=3893 | option_b=37272 | option_c=4093 | option_d=3993 | answer=D | explanation=SI = PRT/100 = 33279×4×3/100 = █3993.

id=20678 | topic=Averages | difficulty=Easy | question=Find the average of 30, 96, 64, 51, 90, 41. | option_a=62 | option_b=61 | option_c=63 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = 372 ÷ 6 = 62.

id=20679 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=O | option_c=S | option_d=G | answer=B | explanation=Move 4 positions forward from K; the resulting letter is O.

id=20680 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=20681 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36152 at 4% per annum for 1 years. | option_a=37598 | option_b=1546 | option_c=1346 | option_d=1446 | answer=D | explanation=SI = PRT/100 = 36152×4×1/100 = █1446.

id=20682 | topic=Averages | difficulty=Easy | question=Find the average of 92, 12, 46. | option_a=51 | option_b=50 | option_c=49 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 150 ÷ 3 = 50.

id=20683 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=K | option_b=O | option_c=S | option_d=W | answer=C | explanation=Move 4 positions forward from O; the resulting letter is S.

id=20684 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:17 and the first is 105, what is the second? | option_a=238 | option_b=262 | option_c=255 | option_d=360 | answer=C | explanation=Scale factor = 105/7 = 15. Therefore second quantity = 17×15 = 255.

id=20685 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19516 at 15% per annum for 5 years. | option_a=34153 | option_b=14637 | option_c=14537 | option_d=14737 | answer=B | explanation=SI = PRT/100 = 19516×15×5/100 = █14637.

id=20686 | topic=Percentages | difficulty=Easy | question=What is 40% of 241? | option_a=96 | option_b=192 | option_c=106 | option_d=76 | answer=A | explanation=40% of 241 = (40/100) × 241 = 96.

id=20687 | topic=Profit & Loss | difficulty=Easy | question=An article costs █363. If it is sold at a profit of 25%, what is its selling price? | option_a=417 | option_b=489 | option_c=453 | option_d=388 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 363 × 125/100 = █453.

id=20688 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 19? | option_a=12 | option_b=15 | option_c=9 | option_d=19 | answer=D | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 19 is the odd one out.

id=20689 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2628. If it is sold at a profit of 15%, what is its selling price? | option_a=3022 | option_b=2643 | option_c=2760 | option_d=3284 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2628 × 115/100 = █3022.

id=20690 | topic=Averages | difficulty=Easy | question=Find the average of 77, 37, 68, 18. | option_a=50 | option_b=49 | option_c=52 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 200 ÷ 4 = 50.

id=20691 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=20692 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=25 | option_c=15 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=20693 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7297 at 4% per annum for 2 years. | option_a=583 | option_b=683 | option_c=483 | option_d=7880 | answer=A | explanation=SI = PRT/100 = 7297×4×2/100 = █583.

id=20694 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:10 and the first is 90, what is the second? | option_a=180 | option_b=270 | option_c=170 | option_d=185 | answer=A | explanation=Scale factor = 90/5 = 18. Therefore second quantity = 10×18 = 180.

id=20695 | topic=Percentages | difficulty=Easy | question=What is 15% of 616? | option_a=92 | option_b=112 | option_c=184 | option_d=72 | answer=A | explanation=15% of 616 = (15/100) × 616 = 92.

id=20696 | topic=Percentages | difficulty=Easy | question=What is 15% of 876? | option_a=131 | option_b=262 | option_c=111 | option_d=151 | answer=A | explanation=15% of 876 = (15/100) × 876 = 131.

id=20697 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=26 | option_b=34 | option_c=35 | option_d=42 | answer=B | explanation=The common difference is 8. Therefore the next term is 26 + 8 = 34.

id=20698 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=53 | option_b=54 | option_c=63 | option_d=43 | answer=A | explanation=The common difference is 10. Therefore the next term is 43 + 10 = 53.

id=20699 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=6 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=20700 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:8 and the first is 12, what is the second? | option_a=36 | option_b=28 | option_c=16 | option_d=24 | answer=D | explanation=Scale factor = 12/4 = 3. Therefore second quantity = 8×3 = 24.

Aptitude Questions — Records 20,701-20,730 of 100,000

id=20701 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=20702 | topic=Averages | difficulty=Easy | question=Find the average of 44, 21, 19, 34, 53, 72, 87, 65, 72, 43. | option_a=50 | option_b=52 | option_c=51 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

id=20703 | topic=Averages | difficulty=Easy | question=Find the average of 52, 54, 97, 88, 99, 54. | option_a=74 | option_b=75 | option_c=76 | option_d=73 | answer=A | explanation=Average = sum of values ÷ number of values = 444 ÷ 6 = 74.

id=20704 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=N | option_c=M | option_d=L | answer=B | explanation=Move 1 positions forward from M; the resulting letter is N.

id=20705 | topic=Percentages | difficulty=Easy | question=What is 20% of 1845? | option_a=364 | option_b=738 | option_c=379 | option_d=369 | answer=D | explanation=20% of 1845 = (20/100) × 1845 = 369.

id=20706 | topic=Averages | difficulty=Easy | question=Find the average of 51, 34, 98. | option_a=62 | option_b=61 | option_c=60 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 183 ÷ 3 = 61.

id=20707 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1665 at 15% per annum for 1 years. | option_a=149 | option_b=249 | option_c=1914 | option_d=349 | answer=B | explanation=SI = PRT/100 = 1665×15×1/100 = **■**249.

id=20708 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6050 at 15% per annum for 3 years. | option_a=2622 | option_b=2722 | option_c=8772 | option_d=2822 | answer=B | explanation=SI = PRT/100 = 6050×15×3/100 = **■**2722.

id=20709 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**246. If it is sold at a profit of 10%, what is its selling price? | option_a=270 | option_b=256 | option_c=294 | option_d=246 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 246 × 110/100 = **■**270.

id=20710 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=20711 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:14 and the first is 30, what is the second? | option_a=56 | option_b=76 | option_c=100 | option_d=70 | answer=D | explanation=Scale factor = 30/6 = 5. Therefore second quantity = 14×5 = 70.

id=20712 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4862. If it is sold at a profit of 15%, what is its selling price? | option_a=4877 | option_b=6077 | option_c=5591 | option_d=5105 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4862 × 115/100 = **■**5591.

id=20713 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**130. If it is sold at a profit of 20%, what is its selling price? | option_a=169 | option_b=143 | option_c=150 | option_d=156 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 130 × 120/100 = **■**156.

id=20714 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=5 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=20715 | topic=Percentages | difficulty=Easy | question=What is 15% of 1187? | option_a=168 | option_b=198 | option_c=178 | option_d=356 | answer=C | explanation=15% of 1187 = (15/100) × 1187 = 178.

id=20716 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28370 at 15% per annum for 3 years. | option_a=41136 | option_b=12766 | option_c=12866 | option_d=12666 | answer=B | explanation=SI = PRT/100 = 28370×15×3/100 = **■**12766.

id=20717 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=W | option_b=R | option_c=M | option_d=B | answer=A | explanation=Move 5 positions forward from R; the resulting letter is W.

id=20718 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=20719 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=85 | option_c=90 | option_d=180 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=20720 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 16, 21, 27? | option_a=16 | option_b=11 | option_c=21 | option_d=27 | answer=D | explanation=The first three numbers increase by 5, so the next should be 26. Therefore 27 is the odd one out.

id=20721 | topic=Averages | difficulty=Easy | question=Find the average of 25, 98, 71, 78. | option_a=69 | option_b=68 | option_c=67 | option_d=70 | answer=B | explanation=Average = sum of values ÷ number of values = 272 ÷ 4 = 68.

id=20722 | topic=Percentages | difficulty=Easy | question=What is 10% of 1228? | option_a=127 | option_b=112 | option_c=244 | option_d=122 | answer=D | explanation=10% of 1228 = (10/100) × 1228 = 122.

id=20723 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=18 | option_c=9 | option_d=4 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=20724 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=20725 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=85 | option_d=160 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=20726 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:3 and the first is 96, what is the second? | option_a=132 | option_b=33 | option_c=36 | option_d=44 | answer=C | explanation=Scale factor = 96/8 = 12. Therefore second quantity = 3×12 = 36.

id=20727 | topic=Percentages | difficulty=Easy | question=What is 12% of 237? | option_a=48 | option_b=28 | option_c=23 | option_d=56 | answer=B | explanation=12% of 237 = (12/100) × 237 = 28.

id=20728 | topic=Averages | difficulty=Easy | question=Find the average of 57, 14, 100, 14, 72, 59, 41. | option_a=52 | option_b=53 | option_c=50 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.

id=20729 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 32, 36, 42? | option_a=32 | option_b=28 | option_c=42 | option_d=36 | answer=C | explanation=The first three numbers increase by 4, so the next should be 40. Therefore 42 is the odd one out.

id=20730 | topic=Averages | difficulty=Easy | question=Find the average of 86, 10, 99, 84, 43, 93, 96. | option_a=75 | option_b=74 | option_c=72 | option_d=73 | answer=D | explanation=Average = sum of values ÷ number of values = 511 ÷ 7 = 73.

Aptitude Questions — Records 20,731-20,760 of 100,000

id=20731 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:15 and the first is 12, what is the second? | option_a=45 | option_b=57 | option_c=30 | option_d=49 | answer=A | explanation=Scale factor = $12/4 = 3$. Therefore second quantity = $15 \times 3 = 45$.

id=20732 | topic=Averages | difficulty=Easy | question=Find the average of 85, 27, 59, 71, 95, 49, 79, 86, 43. | option_a=67 | option_b=66 | option_c=65 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = $594 \div 9 = 66$.

id=20733 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1187. If it is sold at a profit of 15%, what is its selling price? | option_a=1202 | option_b=1483 | option_c=1247 | option_d=1365 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1187 \times 115/100 = \text{█}1365$.

id=20734 | topic=Percentages | difficulty=Easy | question=What is 15% of 1569? | option_a=470 | option_b=215 | option_c=245 | option_d=235 | answer=D | explanation=15% of 1569 = $(15/100) \times 1569 = 235$.

id=20735 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35518 at 12% per annum for 3 years. | option_a=12686 | option_b=12786 | option_c=48304 | option_d=12886 | answer=B | explanation=SI = $PRT/100 = 35518 \times 12 \times 3/100 = \text{█}12786$.

id=20736 | topic=Percentages | difficulty=Easy | question=What is 40% of 1286? | option_a=509 | option_b=514 | option_c=524 | option_d=1028 | answer=B | explanation=40% of 1286 = $(40/100) \times 1286 = 514$.

id=20737 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=22 | option_b=14 | option_c=19 | option_d=18 | answer=D | explanation=The common difference is 4. Therefore the next term is $14 + 4 = 18$.

id=20738 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23898 at 12% per annum for 2 years. | option_a=5735 | option_b=5635 | option_c=5835 | option_d=29633 | answer=A | explanation=SI = $PRT/100 = 23898 \times 12 \times 2/100 = \text{█}5735$.

id=20739 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44897 at 6% per annum for 1 years. | option_a=47590 | option_b=2593 | option_c=2693 | option_d=2793 | answer=C | explanation=SI = $PRT/100 = 44897 \times 6 \times 1/100 = \text{█}2693$.

id=20740 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:17 and the first is 255, what is the second? | option_a=289 | option_b=272 | option_c=304 | option_d=544 | answer=A | explanation=Scale factor = $255/15 = 17$. Therefore second quantity = $17 \times 17 = 289$.

id=20741 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:16 and the first is 54, what is the second? | option_a=272 | option_b=342 | option_c=291 | option_d=288 | answer=D | explanation=Scale factor = $54/3 = 18$. Therefore second quantity = $16 \times 18 = 288$.

id=20742 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 41? | option_a=41 | option_b=32 | option_c=18 | option_d=25 | answer=A | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 41 is the odd one out.

id=20743 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=20744 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=20745 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=22 | option_b=23 | option_c=17 | option_d=27 | answer=A | explanation=The common difference is 5. Therefore the next term is $17 + 5 = 22$.

id=20746 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:18 and the first is 12, what is the second? | option_a=198 | option_b=216 | option_c=217 | option_d=228 | answer=B | explanation=Scale factor = $12/1 = 12$. Therefore second quantity = $18 \times 12 = 216$.

id=20747 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=20748 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=C | option_c=A | option_d=E | answer=D | explanation=Move 2 positions forward from C; the resulting letter is E.

id=20749 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=B | option_c=C | option_d=A | answer=C | explanation=Move 1 positions forward from B; the resulting letter is C.

id=20750 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=U | option_b=K | option_c=F | option_d=P | answer=D | explanation=Move 5 positions forward from K; the resulting letter is P.

id=20751 | topic=Averages | difficulty=Easy | question=Find the average of 62, 39, 87, 40, 10, 33, 100. | option_a=54 | option_b=55 | option_c=53 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = $371 \div 7 = 53$.

id=20752 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3577. If it is sold at a profit of 50%, what is its selling price? | option_a=3627 | option_b=5722 | option_c=5008 | option_d=5365 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3577 \times 150/100 = \text{█}5365$.

id=20753 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=20754 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 10, 15, 23? | option_a=10 | option_b=23 | option_c=15 | option_d=5 | answer=B | explanation=The first three numbers increase by 5, so the next should be 20. Therefore 23 is the odd one out.

id=20755 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Q | option_b=Z | option_c=T | option_d=W | answer=D | explanation=Move 3 positions forward from T; the resulting letter is W.

id=20756 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25175 at 10% per annum for 1 years. | option_a=2617 | option_b=2517 | option_c=27692 | option_d=2417 | answer=B | explanation=SI = $PRT/100 = 25175 \times 10 \times 1/100 = \text{█}2517$.

id=20757 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=L | option_b=J | option_c=K | option_d=M | answer=A | explanation=Move 1 positions forward from K; the resulting letter is L.

id=20758 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 37? | option_a=22 | option_b=30 | option_c=26 | option_d=37 | answer=D | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 37 is the odd one out.

id=20759 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=20760 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 39? | option_a=39 | option_b=30 | option_c=32 | option_d=34 | answer=A | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 39 is the odd one out.

Aptitude Questions — Records 20,761-20,790 of 100,000

id=20761 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=20762 | topic=Averages | difficulty=Easy | question=Find the average of 14, 64, 88, 40, 12, 99, 51, 23, 92, 47. | option_a=54 | option_b=55 | option_c=53 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=20763 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 28. | option_a=224 | option_b=252 | option_c=504 | option_d=270 | answer=B | explanation=LCM × HCF = 18×28; HCF(18,28) = 2, so LCM = 252.

id=20764 | topic=Averages | difficulty=Easy | question=Find the average of 94, 37, 43, 60, 35, 43. | option_a=51 | option_b=54 | option_c=53 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 312 ÷ 6 = 52.

id=20765 | topic=Averages | difficulty=Easy | question=Find the average of 35, 46, 31, 71, 17, 88. | option_a=50 | option_b=49 | option_c=47 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = 288 ÷ 6 = 48.

id=20766 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 10. | option_a=260 | option_b=130 | option_c=156 | option_d=120 | answer=B | explanation=LCM × HCF = 26×10; HCF(26,10) = 2, so LCM = 130.

id=20767 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=27 | option_b=26 | option_c=21 | option_d=31 | answer=B | explanation=The common difference is 5. Therefore the next term is 21 + 5 = 26.

id=20768 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 32, 35, 40? | option_a=29 | option_b=32 | option_c=35 | option_d=40 | answer=D | explanation=The first three numbers increase by 3, so the next should be 38. Therefore 40 is the odd one out.

id=20769 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 50? | option_a=17 | option_b=50 | option_c=27 | option_d=37 | answer=B | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 50 is the odd one out.

id=20770 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:1 and the first is 15, what is the second? | option_a=20 | option_b=8 | option_c=5 | option_d=4 | answer=C | explanation=Scale factor = 15/3 = 5. Therefore second quantity = 1×5 = 5.

id=20771 | topic=Averages | difficulty=Easy | question=Find the average of 86, 42, 31, 61. | option_a=55 | option_b=56 | option_c=54 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 220 ÷ 4 = 55.

id=20772 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=36 | option_b=31 | option_c=41 | option_d=72 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=20773 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=K | option_c=L | option_d=M | answer=D | explanation=Move 1 positions forward from L; the resulting letter is M.

id=20774 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=34 | option_b=33 | option_c=37 | option_d=29 | answer=B | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=20775 | topic=Percentages | difficulty=Easy | question=What is 40% of 1323? | option_a=529 | option_b=539 | option_c=509 | option_d=1058 | answer=A | explanation=40% of 1323 = (40/100) × 1323 = 529.

id=20776 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=185 | option_c=180 | option_d=360 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=20777 | topic=Percentages | difficulty=Easy | question=What is 12% of 538? | option_a=64 | option_b=74 | option_c=54 | option_d=128 | answer=A | explanation=12% of 538 = (12/100) × 538 = 64.

id=20778 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=20779 | topic=Percentages | difficulty=Easy | question=What is 50% of 1065? | option_a=542 | option_b=532 | option_c=1064 | option_d=527 | answer=B | explanation=50% of 1065 = (50/100) × 1065 = 532.

id=20780 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=24 | option_b=20 | option_c=28 | option_d=25 | answer=A | explanation=The common difference is 4. Therefore the next term is 20 + 4 = 24.

id=20781 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=26 | option_b=24 | option_c=22 | option_d=25 | answer=B | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.

id=20782 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=23 | option_c=36 | option_d=13 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=20783 | topic=Averages | difficulty=Easy | question=Find the average of 54, 35, 97, 28, 56. | option_a=55 | option_b=53 | option_c=56 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 270 ÷ 5 = 54.

id=20784 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 45? | option_a=23 | option_b=13 | option_c=33 | option_d=45 | answer=D | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 45 is the odd one out.

id=20785 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 28, 36, 44, ? | option_a=52 | option_b=44 | option_c=53 | option_d=60 | answer=A | explanation=The common difference is 8. Therefore the next term is 44 + 8 = 52.

id=20786 | topic=Percentages | difficulty=Easy | question=What is 40% of 1190? | option_a=481 | option_b=476 | option_c=456 | option_d=952 | answer=B | explanation=40% of 1190 = (40/100) × 1190 = 476.

id=20787 | topic=Averages | difficulty=Easy | question=Find the average of 44, 97, 39, 21, 85, 44, 28, 88, 22. | option_a=54 | option_b=53 | option_c=51 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 468 ÷ 9 = 52.

id=20788 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹33190 at 4% per annum for 3 years. | option_a=3982 | option_b=3882 | option_c=37172 | option_d=4082 | answer=A | explanation=SI = PRT/100 = 33190×4×3/100 = ₹3982.

id=20789 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=W | option_c=Z | option_d=Q | answer=B | explanation=Move 3 positions forward from T; the resulting letter is W.

id=20790 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

Aptitude Questions — Records 20,791-20,820 of 100,000

id=20791 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=C | option_b=L | option_c=F | option_d=I | answer=D | explanation=Move 3 positions forward from F; the resulting letter is I.

id=20792 | topic=Percentages | difficulty=Easy | question=What is 25% of 87? | option_a=1 | option_b=21 | option_c=41 | option_d=42 | answer=B | explanation=25% of 87 = (25/100) × 87 = 21.

id=20793 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1078. If it is sold at a profit of 20%, what is its selling price? | option_a=1293 | option_b=1186 | option_c=1400 | option_d=1098 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1078 × 120/100 = █1293.

id=20794 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=C | option_b=K | option_c=G | option_d=O | answer=B | explanation=Move 4 positions forward from G; the resulting letter is K.

id=20795 | topic=Percentages | difficulty=Easy | question=What is 10% of 1592? | option_a=159 | option_b=139 | option_c=318 | option_d=169 | answer=A | explanation=10% of 1592 = (10/100) × 1592 = 159.

id=20796 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:10 and the first is 22, what is the second? | option_a=10 | option_b=31 | option_c=20 | option_d=42 | answer=C | explanation=Scale factor = 22/11 = 2. Therefore second quantity = 10×2 = 20.

id=20797 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=O | option_b=C | option_c=G | option_d=K | answer=D | explanation=Move 4 positions forward from G; the resulting letter is K.

id=20798 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=20799 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2671. If it is sold at a profit of 30%, what is its selling price? | option_a=2701 | option_b=3472 | option_c=3739 | option_d=3205 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2671 × 130/100 = █3472.

id=20800 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35773 at 15% per annum for 1 years. | option_a=5465 | option_b=41138 | option_c=5265 | option_d=5365 | answer=D | explanation=SI = PRT/100 = 35773×15×1/100 = █5365.

id=20801 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=55 | option_b=65 | option_c=43 | option_d=54 | answer=D | explanation=The common difference is 11. Therefore the next term is 43 + 11 = 54.

id=20802 | topic=Averages | difficulty=Easy | question=Find the average of 81, 11, 30, 18. | option_a=37 | option_b=36 | option_c=34 | option_d=35 | answer=D | explanation=Average = sum of values ÷ number of values = 140 ÷ 4 = 35.

id=20803 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9422 at 12% per annum for 5 years. | option_a=5753 | option_b=15075 | option_c=5553 | option_d=5653 | answer=D | explanation=SI = PRT/100 = 9422×12×5/100 = █5653.

id=20804 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 36? | option_a=26 | option_b=29 | option_c=32 | option_d=36 | answer=D | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 36 is the odd one out.

id=20805 | topic=Percentages | difficulty=Easy | question=What is 50% of 449? | option_a=244 | option_b=448 | option_c=224 | option_d=214 | answer=C | explanation=50% of 449 = (50/100) × 449 = 224.

id=20806 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 31, 39, 49? | option_a=39 | option_b=49 | option_c=31 | option_d=23 | answer=B | explanation=The first three numbers increase by 8, so the next should be 47. Therefore 49 is the odd one out.

id=20807 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1376. If it is sold at a profit of 25%, what is its selling price? | option_a=1583 | option_b=1857 | option_c=1401 | option_d=1720 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1376 × 125/100 = █1720.

id=20808 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 28, 38, 51? | option_a=38 | option_b=28 | option_c=51 | option_d=18 | answer=C | explanation=The first three numbers increase by 10, so the next should be 48. Therefore 51 is the odd one out.

id=20809 | topic=Averages | difficulty=Easy | question=Find the average of 46, 36, 43, 89, 12, 76, 39, 92, 44. | option_a=55 | option_b=54 | option_c=52 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 477 ÷ 9 = 53.

id=20810 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=47 | option_b=46 | option_c=53 | option_d=39 | answer=B | explanation=The common difference is 7. Therefore the next term is 39 + 7 = 46.

id=20811 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=20812 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 27. | option_a=30 | option_b=27 | option_c=1 | option_d=81 | answer=B | explanation=LCM × HCF = 3×27; HCF(3,27) = 3, so LCM = 27.

id=20813 | topic=Percentages | difficulty=Easy | question=What is 40% of 428? | option_a=181 | option_b=342 | option_c=171 | option_d=166 | answer=C | explanation=40% of 428 = (40/100) × 428 = 171.

id=20814 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=6 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=20815 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 33? | option_a=18 | option_b=12 | option_c=33 | option_d=24 | answer=C | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 33 is the odd one out.

id=20816 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=20817 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=37 | option_b=45 | option_c=29 | option_d=38 | answer=A | explanation=The common difference is 8. Therefore the next term is 29 + 8 = 37.

id=20818 | topic=Profit & Loss | difficulty=Easy | question=An article costs █336. If it is sold at a profit of 50%, what is its selling price? | option_a=504 | option_b=537 | option_c=386 | option_d=471 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 336 × 150/100 = █504.

id=20819 | topic=Averages | difficulty=Easy | question=Find the average of 69, 40, 79, 40, 33, 99. | option_a=62 | option_b=60 | option_c=59 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 360 ÷ 6 = 60.

id=20820 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1231 at 4% per annum for 2 years. | option_a=98 | option_b=198 | option_c=0 | option_d=1329 | answer=A | explanation=SI = PRT/100 = 1231×4×2/100 = █98.

Aptitude Questions — Records 20,821-20,850 of 100,000

id=20821 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:7 and the first is 76, what is the second? | option_a=137 | option_b=133 | option_c=209 | option_d=126 | answer=B | explanation=Scale factor = $76/4 = 19$. Therefore second quantity = $7 \times 19 = 133$.

id=20822 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 12, 21, 31? | option_a=31 | option_b=12 | option_c=3 | option_d=21 | answer=A | explanation=The first three numbers increase by 9, so the next should be 30. Therefore 31 is the odd one out.

id=20823 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1047. If it is sold at a profit of 25%, what is its selling price? | option_a=1308 | option_b=1072 | option_c=1204 | option_d=1412 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1047 \times 125/100 = \text{█}1308$.

id=20824 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = $90 \div 6 = 15$ km/h.

id=20825 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=P | option_c=N | option_d=J | answer=C | explanation=Move 2 positions forward from L; the resulting letter is N.

id=20826 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2655 at 6% per annum for 4 years. | option_a=737 | option_b=637 | option_c=537 | option_d=3292 | answer=B | explanation=SI = $PRT/100 = 2655 \times 6 \times 4/100 = \text{█}637$.

id=20827 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=20828 | topic=Percentages | difficulty=Easy | question=What is 15% of 282? | option_a=52 | option_b=84 | option_c=42 | option_d=37 | answer=C | explanation=15% of 282 = $(15/100) \times 282 = 42$.

id=20829 | topic=Averages | difficulty=Easy | question=Find the average of 30, 55, 51, 91, 22, 36, 81, 74. | option_a=55 | option_b=54 | option_c=57 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = $440 \div 8 = 55$.

id=20830 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=20831 | topic=Averages | difficulty=Easy | question=Find the average of 59, 61, 76, 46, 61, 54, 24, 85, 38. | option_a=58 | option_b=55 | option_c=56 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = $504 \div 9 = 56$.

id=20832 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=180 | option_c=85 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = $360 \div 4 = 90$ km/h.

id=20833 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35014 at 12% per annum for 5 years. | option_a=20908 | option_b=21008 | option_c=56022 | option_d=21108 | answer=B | explanation=SI = $PRT/100 = 35014 \times 12 \times 5/100 = \text{█}21008$.

id=20834 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 32? | option_a=22 | option_b=25 | option_c=32 | option_d=28 | answer=C | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 32 is the odd one out.

id=20835 | topic=Averages | difficulty=Easy | question=Find the average of 81, 53, 20, 98, 67, 19, 26. | option_a=52 | option_b=53 | option_c=51 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = $364 \div 7 = 52$.

id=20836 | topic=Averages | difficulty=Easy | question=Find the average of 99, 42, 44, 30, 17, 80, 61, 99, 59. | option_a=61 | option_b=60 | option_c=58 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = $531 \div 9 = 59$.

id=20837 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 30. | option_a=600 | option_b=60 | option_c=80 | option_d=30 | answer=B | explanation= $LCM \times HCF = 20 \times 30$; $HCF(20,30) = 10$, so $LCM = 60$.

id=20838 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 13? | option_a=13 | option_b=3 | option_c=9 | option_d=6 | answer=A | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 13 is the odd one out.

id=20839 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25249 at 15% per annum for 5 years. | option_a=18836 | option_b=19036 | option_c=44185 | option_d=18936 | answer=D | explanation=SI = $PRT/100 = 25249 \times 15 \times 5/100 = \text{█}18936$.

id=20840 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=R | option_b=F | option_c=J | option_d=N | answer=D | explanation=Move 4 positions forward from J; the resulting letter is N.

id=20841 | topic=Percentages | difficulty=Easy | question=What is 20% of 765? | option_a=306 | option_b=163 | option_c=148 | option_d=153 | answer=D | explanation=20% of 765 = $(20/100) \times 765 = 153$.

id=20842 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=23 | option_b=28 | option_c=24 | option_d=18 | answer=A | explanation=The common difference is 5. Therefore the next term is $18 + 5 = 23$.

id=20843 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=G | option_c=E | option_d=H | answer=B | explanation=Move 1 positions forward from F; the resulting letter is G.

id=20844 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=16 | answer=A | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=20845 | topic=Percentages | difficulty=Easy | question=What is 50% of 596? | option_a=298 | option_b=288 | option_c=596 | option_d=318 | answer=A | explanation=50% of 596 = $(50/100) \times 596 = 298$.

id=20846 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5237 at 4% per annum for 3 years. | option_a=528 | option_b=5865 | option_c=628 | option_d=728 | answer=C | explanation=SI = $PRT/100 = 5237 \times 4 \times 3/100 = \text{█}628$.

id=20847 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=24 | option_b=23 | option_c=20 | option_d=26 | answer=B | explanation=The common difference is 3. Therefore the next term is $20 + 3 = 23$.

id=20848 | topic=Percentages | difficulty=Easy | question=What is 40% of 595? | option_a=243 | option_b=228 | option_c=238 | option_d=476 | answer=C | explanation=40% of 595 = $(40/100) \times 595 = 238$.

id=20849 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31165 at 4% per annum for 3 years. | option_a=3739 | option_b=3639 | option_c=3839 | option_d=34904 | answer=A | explanation=SI = $PRT/100 = 31165 \times 4 \times 3/100 = \text{█}3739$.

id=20850 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 15? | option_a=8 | option_b=15 | option_c=11 | option_d=5 | answer=B | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 15 is the odd one out.

Aptitude Questions — Records 20,851-20,880 of 100,000

id=20851 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=32 | option_b=37 | option_c=31 | option_d=25 | answer=C | explanation=The common difference is 6. Therefore the next term is 25 + 6 = 31.

id=20852 | topic=Averages | difficulty=Easy | question=Find the average of 20, 68, 17. | option_a=35 | option_b=36 | option_c=34 | option_d=37 | answer=A | explanation=Average = sum of values + number of values = 105 ÷ 3 = 35.

id=20853 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=20854 | topic=Averages | difficulty=Easy | question=Find the average of 98, 34, 45, 51. | option_a=59 | option_b=57 | option_c=58 | option_d=56 | answer=B | explanation=Average = sum of values + number of values = 228 ÷ 4 = 57.

id=20855 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=20856 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 17, 19, 21. ? | option_a=24 | option_b=23 | option_c=25 | option_d=21 | answer=B | explanation=The common difference is 2. Therefore the next term is 21 + 2 = 23.

id=20857 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=P | option_b=G | option_c=M | option_d=J | answer=C | explanation=Move 3 positions forward from J; the resulting letter is M.

id=20858 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:7 and the first is 30, what is the second? | option_a=42 | option_b=47 | option_c=35 | option_d=72 | answer=A | explanation=Scale factor = 30/5 = 6. Therefore second quantity = 7×6 = 42.

id=20859 | topic=Averages | difficulty=Easy | question=Find the average of 75, 76, 73, 57, 77, 56, 104. | option_a=73 | option_b=74 | option_c=76 | option_d=75 | answer=B | explanation=Average = sum of values + number of values = 518 ÷ 7 = 74.

id=20860 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=20861 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:17 and the first is 72, what is the second? | option_a=310 | option_b=306 | option_c=378 | option_d=289 | answer=B | explanation=Scale factor = 72/4 = 18. Therefore second quantity = 17×18 = 306.

id=20862 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 32, 36, 41? | option_a=32 | option_b=28 | option_c=41 | option_d=36 | answer=C | explanation=The first three numbers increase by 4, so the next should be 40. Therefore 41 is the odd one out.

id=20863 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=20864 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=25 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=20865 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:5 and the first is 20, what is the second? | option_a=10 | option_b=30 | option_c=20 | option_d=5 | answer=A | explanation=Scale factor = 20/10 = 2. Therefore second quantity = 5×2 = 10.

id=20866 | topic=Percentages | difficulty=Easy | question=What is 30% of 1656? | option_a=496 | option_b=516 | option_c=992 | option_d=491 | answer=A | explanation=30% of 1656 = (30/100) × 1656 = 496.

id=20867 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=20868 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=20869 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:8 and the first is 72, what is the second? | option_a=102 | option_b=168 | option_c=88 | option_d=96 | answer=D | explanation=Scale factor = 72/6 = 12. Therefore second quantity = 8×12 = 96.

id=20870 | topic=Percentages | difficulty=Easy | question=What is 12% of 879? | option_a=210 | option_b=105 | option_c=115 | option_d=95 | answer=B | explanation=12% of 879 = (12/100) × 879 = 105.

id=20871 | topic=Percentages | difficulty=Easy | question=What is 40% of 395? | option_a=153 | option_b=178 | option_c=316 | option_d=158 | answer=D | explanation=40% of 395 = (40/100) × 395 = 158.

id=20872 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■28802 at 15% per annum for 2 years. | option_a=8540 | option_b=8740 | option_c=37442 | option_d=8640 | answer=D | explanation=SI = PRT/100 = 28802×15×2/100 = ■8640.

id=20873 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■4903 at 10% per annum for 2 years. | option_a=880 | option_b=1080 | option_c=980 | option_d=5883 | answer=C | explanation=SI = PRT/100 = 4903×10×2/100 = ■980.

id=20874 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:15 and the first is 114, what is the second? | option_a=75 | option_b=204 | option_c=90 | option_d=109 | answer=C | explanation=Scale factor = 114/19 = 6. Therefore second quantity = 15×6 = 90.

id=20875 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=20876 | topic=Percentages | difficulty=Easy | question=What is 30% of 606? | option_a=181 | option_b=201 | option_c=362 | option_d=161 | answer=A | explanation=30% of 606 = (30/100) × 606 = 181.

id=20877 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=20878 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=300 | option_c=155 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=20879 | topic=Percentages | difficulty=Easy | question=What is 10% of 663? | option_a=66 | option_b=61 | option_c=132 | option_d=71 | answer=A | explanation=10% of 663 = (10/100) × 663 = 66.

id=20880 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=8 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

Aptitude Questions — Records 20,881-20,910 of 100,000

id=20881 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=5 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=20882 | topic=Percentages | difficulty=Easy | question=What is 12% of 1791? | option_a=224 | option_b=428 | option_c=214 | option_d=194 | answer=C | explanation=12% of 1791 = (12/100) × 1791 = 214.

id=20883 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1451. If it is sold at a profit of 20%, what is its selling price? | option_a=1886 | option_b=1471 | option_c=1596 | option_d=1741 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1451 × 120/100 = █1741.

id=20884 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=X | option_b=H | option_c=C | option_d=M | answer=B | explanation=Move 5 positions forward from C; the resulting letter is H.

id=20885 | topic=Averages | difficulty=Easy | question=Find the average of 58, 50, 90, 28, 29, 80, 39, 93, 73. | option_a=61 | option_b=60 | option_c=59 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 540 ÷ 9 = 60.

id=20886 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=Q | option_c=C | option_d=Y | answer=D | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=20887 | topic=Profit & Loss | difficulty=Easy | question=An article costs █758. If it is sold at a profit of 40%, what is its selling price? | option_a=986 | option_b=1136 | option_c=1061 | option_d=798 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 758 × 140/100 = █1061.

id=20888 | topic=Percentages | difficulty=Easy | question=What is 15% of 1888? | option_a=283 | option_b=278 | option_c=288 | option_d=566 | answer=A | explanation=15% of 1888 = (15/100) × 1888 = 283.

id=20889 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9189 at 12% per annum for 4 years. | option_a=4310 | option_b=4410 | option_c=13599 | option_d=4510 | answer=B | explanation=SI = PRT/100 = 9189×12×4/100 = █4410.

id=20890 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=L | option_c=I | option_d=K | answer=D | explanation=Move 1 positions forward from J; the resulting letter is K.

id=20891 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1731. If it is sold at a profit of 5%, what is its selling price? | option_a=1817 | option_b=1644 | option_c=1990 | option_d=1736 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1731 × 105/100 = █1817.

id=20892 | topic=Percentages | difficulty=Easy | question=What is 30% of 279? | option_a=78 | option_b=93 | option_c=166 | option_d=83 | answer=D | explanation=30% of 279 = (30/100) × 279 = 83.

id=20893 | topic=Percentages | difficulty=Easy | question=What is 25% of 1400? | option_a=350 | option_b=700 | option_c=345 | option_d=360 | answer=A | explanation=25% of 1400 = (25/100) × 1400 = 350.

id=20894 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=24 | option_b=23 | option_c=20 | option_d=26 | answer=B | explanation=The common difference is 3. Therefore the next term is 20 + 3 = 23.

id=20895 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=40 | option_b=58 | option_c=49 | option_d=50 | answer=C | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

id=20896 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=20897 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:12 and the first is 15, what is the second? | option_a=60 | option_b=63 | option_c=75 | option_d=48 | answer=A | explanation=Scale factor = 15/3 = 5. Therefore second quantity = 12×5 = 60.

id=20898 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=30 | option_b=31 | option_c=25 | option_d=35 | answer=A | explanation=The common difference is 5. Therefore the next term is 25 + 5 = 30.

id=20899 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:11 and the first is 78, what is the second? | option_a=66 | option_b=79 | option_c=144 | option_d=55 | answer=A | explanation=Scale factor = 78/13 = 6. Therefore second quantity = 11×6 = 66.

id=20900 | topic=Percentages | difficulty=Easy | question=What is 25% of 440? | option_a=220 | option_b=90 | option_c=110 | option_d=120 | answer=C | explanation=25% of 440 = (25/100) × 440 = 110.

id=20901 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6990 at 8% per annum for 2 years. | option_a=1218 | option_b=8108 | option_c=1018 | option_d=1118 | answer=D | explanation=SI = PRT/100 = 6990×8×2/100 = █1118.

id=20902 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=24 | option_b=22 | option_c=20 | option_d=23 | answer=B | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=20903 | topic=Percentages | difficulty=Easy | question=What is 50% of 603? | option_a=602 | option_b=306 | option_c=301 | option_d=281 | answer=C | explanation=50% of 603 = (50/100) × 603 = 301.

id=20904 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=20905 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 30. | option_a=60 | option_b=1 | option_c=900 | option_d=30 | answer=D | explanation=LCM × HCF = 30×30; HCF(30,30) = 30, so LCM = 30.

id=20906 | topic=Percentages | difficulty=Easy | question=What is 25% of 1209? | option_a=322 | option_b=297 | option_c=604 | option_d=302 | answer=D | explanation=25% of 1209 = (25/100) × 1209 = 302.

id=20907 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=20908 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=P | option_c=M | option_d=O | answer=D | explanation=Move 1 positions forward from N; the resulting letter is O.

id=20909 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 20. | option_a=20 | option_b=30 | option_c=1 | option_d=200 | answer=A | explanation=LCM × HCF = 10×20; HCF(10,20) = 10, so LCM = 20.

id=20910 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=17 | option_c=24 | option_d=7 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

Aptitude Questions — Records 20,911-20,940 of 100,000

id=20911 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:13 and the first is 216, what is the second? | option_a=174 | option_b=156 | option_c=143 | option_d=372 | answer=B | explanation=Scale factor = $216/18 = 12$. Therefore second quantity = $13 \times 12 = 156$.

id=20912 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:12 and the first is 156, what is the second? | option_a=144 | option_b=300 | option_c=132 | option_d=157 | answer=A | explanation=Scale factor = $156/13 = 12$. Therefore second quantity = $12 \times 12 = 144$.

id=20913 | topic=Profit & Loss | difficulty=Easy | question=An article costs █609. If it is sold at a profit of 25%, what is its selling price? | option_a=761 | option_b=701 | option_c=634 | option_d=821 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 609 \times 125/100 = \text{█}761$.

id=20914 | topic=Percentages | difficulty=Easy | question=What is 5% of 1962? | option_a=98 | option_b=196 | option_c=103 | option_d=93 | answer=A | explanation=5% of 1962 = $(5/100) \times 1962 = 98$.

id=20915 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2761. If it is sold at a profit of 10%, what is its selling price? | option_a=3037 | option_b=3313 | option_c=2761 | option_d=2771 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2761 \times 110/100 = \text{█}3037$.

id=20916 | topic=Percentages | difficulty=Easy | question=What is 50% of 381? | option_a=180 | option_b=190 | option_c=380 | option_d=210 | answer=B | explanation=50% of 381 = $(50/100) \times 381 = 190$.

id=20917 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=13 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = $90 \div 5 = 18$ km/h.

id=20918 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=20919 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=N | option_b=M | option_c=L | option_d=O | answer=A | explanation=Move 1 positions forward from M; the resulting letter is N.

id=20920 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=75 | option_c=85 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = $240 \div 3 = 80$ km/h.

id=20921 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 28? | option_a=28 | option_b=11 | option_c=4 | option_d=18 | answer=A | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 28 is the odd one out.

id=20922 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:7 and the first is 252, what is the second? | option_a=119 | option_b=126 | option_c=140 | option_d=378 | answer=B | explanation=Scale factor = $252/14 = 18$. Therefore second quantity = $7 \times 18 = 126$.

id=20923 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16730 at 10% per annum for 3 years. | option_a=5119 | option_b=21749 | option_c=4919 | option_d=5019 | answer=D | explanation=SI = $PRT/100 = 16730 \times 10 \times 3/100 = \text{█}5019$.

id=20924 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = $150 \div 10 = 15$ km/h.

id=20925 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28021 at 8% per annum for 2 years. | option_a=4483 | option_b=4583 | option_c=4383 | option_d=32504 | answer=A | explanation=SI = $PRT/100 = 28021 \times 8 \times 2/100 = \text{█}4483$.

id=20926 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.

id=20927 | topic=Averages | difficulty=Easy | question=Find the average of 81, 100, 77. | option_a=87 | option_b=88 | option_c=86 | option_d=85 | answer=C | explanation=Average = sum of values ÷ number of values = $258 \div 3 = 86$.

id=20928 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 6. | option_a=30 | option_b=24 | option_c=60 | option_d=180 | answer=A | explanation=LCM $\times$ HCF = 30×6 ; HCF(30,6) = 6, so LCM = 30.

id=20929 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=100 | option_c=95 | option_d=105 | answer=B | explanation=Speed = distance ÷ time = $300 \div 3 = 100$ km/h.

id=20930 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=Q | option_b=E | option_c=M | option_d=I | answer=C | explanation=Move 4 positions forward from I; the resulting letter is M.

id=20931 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1634. If it is sold at a profit of 5%, what is its selling price? | option_a=1715 | option_b=1552 | option_c=1639 | option_d=1878 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 1634 \times 105/100 = \text{█}1715$.

id=20932 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=120 | option_c=125 | option_d=240 | answer=B | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.

id=20933 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2006 at 8% per annum for 1 years. | option_a=2166 | option_b=160 | option_c=260 | option_d=60 | answer=B | explanation=SI = $PRT/100 = 2006 \times 8 \times 1/100 = \text{█}160$.

id=20934 | topic=Percentages | difficulty=Easy | question=What is 25% of 1584? | option_a=792 | option_b=396 | option_c=386 | option_d=406 | answer=B | explanation=25% of 1584 = $(25/100) \times 1584 = 396$.

id=20935 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4948. If it is sold at a profit of 50%, what is its selling price? | option_a=7916 | option_b=7422 | option_c=4998 | option_d=6928 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 4948 \times 150/100 = \text{█}7422$.

id=20936 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 43? | option_a=38 | option_b=34 | option_c=43 | option_d=30 | answer=C | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 43 is the odd one out.

id=20937 | topic=Averages | difficulty=Easy | question=Find the average of 84, 99, 68, 48, 46, 84, 41, 74. | option_a=69 | option_b=67 | option_c=70 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = $544 \div 8 = 68$.

id=20938 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32887 at 4% per annum for 5 years. | option_a=39464 | option_b=6577 | option_c=6677 | option_d=6477 | answer=B | explanation=SI = $PRT/100 = 32887 \times 4 \times 5/100 = \text{█}6577$.

id=20939 | topic=Averages | difficulty=Easy | question=Find the average of 15, 26, 36, 63. | option_a=36 | option_b=35 | option_c=34 | option_d=37 | answer=B | explanation=Average = sum of values ÷ number of values = $140 \div 4 = 35$.

id=20940 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=35 | option_b=45 | option_c=53 | option_d=44 | answer=D | explanation=The common difference is 9. Therefore the next term is $35 + 9 = 44$.

Aptitude Questions — Records 20,941-20,970 of 100,000

id=20941 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=19 | option_b=21 | option_c=20 | option_d=17 | answer=A | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=20942 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49273 at 4% per annum for 5 years. | option_a=9754 | option_b=9854 | option_c=59127 | option_d=9954 | answer=B | explanation=SI = $\text{PRT}/100 = 49273 \times 4 \times 5 / 100 = \text{■}9854$.

id=20943 | topic=Averages | difficulty=Easy | question=Find the average of 95, 72, 27, 43, 78. | option_a=63 | option_b=64 | option_c=62 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 315 ÷ 5 = 63.

id=20944 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=30 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=20945 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 10, 15, 20, ? | option_a=25 | option_b=20 | option_c=30 | option_d=26 | answer=A | explanation=The common difference is 5. Therefore the next term is 20 + 5 = 25.

id=20946 | topic=Averages | difficulty=Easy | question=Find the average of 93, 89, 12, 98. | option_a=75 | option_b=72 | option_c=74 | option_d=73 | answer=D | explanation=Average = sum of values ÷ number of values = 292 ÷ 4 = 73.

id=20947 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 4. | option_a=16 | option_b=4 | option_c=32 | option_d=8 | answer=D | explanation=LCM × HCF = 8×4; HCF(8,4) = 4, so LCM = 8.

id=20948 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3120. If it is sold at a profit of 5%, what is its selling price? | option_a=3125 | option_b=3588 | option_c=3276 | option_d=2964 | answer=C | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 3120 \times 105 / 100 = \text{■}3276$.

id=20949 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 22. | option_a=120 | option_b=88 | option_c=110 | option_d=220 | answer=C | explanation=LCM × HCF = 10×22; HCF(10,22) = 2, so LCM = 110.

id=20950 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4206. If it is sold at a profit of 5%, what is its selling price? | option_a=4211 | option_b=3996 | option_c=4836 | option_d=4416 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 4206 \times 105 / 100 = \text{■}4416$.

id=20951 | topic=Percentages | difficulty=Easy | question=What is 20% of 989? | option_a=394 | option_b=207 | option_c=177 | option_d=197 | answer=D | explanation=20% of 989 = $(20/100) \times 989 = 197$.

id=20952 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does "I" become? | option_a=N | option_b=S | option_c=I | option_d=D | answer=A | explanation=Move 5 positions forward from I; the resulting letter is N.

id=20953 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4158 at 4% per annum for 5 years. | option_a=4989 | option_b=831 | option_c=731 | option_d=931 | answer=B | explanation=SI = $\text{PRT}/100 = 4158 \times 4 \times 5 / 100 = \text{■}831$.

id=20954 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=20955 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does "T" become? | option_a=D | option_b=O | option_c=T | option_d=Y | answer=D | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=20956 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 32, 39, 48? | option_a=48 | option_b=32 | option_c=25 | option_d=39 | answer=A | explanation=The first three numbers increase by 7, so the next should be 46. Therefore 48 is the odd one out.

id=20957 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:5 and the first is 380, what is the second? | option_a=480 | option_b=119 | option_c=95 | option_d=100 | answer=D | explanation=Scale factor = $380 / 19 = 20$. Therefore second quantity = $5 \times 20 = 100$.

id=20958 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 9. | option_a=27 | option_b=36 | option_c=108 | option_d=48 | answer=B | explanation=LCM × HCF = 12×9; HCF(12,9) = 3, so LCM = 36.

id=20959 | topic=Averages | difficulty=Easy | question=Find the average of 90, 95, 69, 72, 76, 50, 53, 43, 99, 53. | option_a=69 | option_b=70 | option_c=71 | option_d=72 | answer=B | explanation=Average = sum of values ÷ number of values = 700 ÷ 10 = 70.

id=20960 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43, ? | option_a=52 | option_b=59 | option_c=51 | option_d=43 | answer=C | explanation=The common difference is 8. Therefore the next term is 43 + 8 = 51.

id=20961 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7069 at 10% per annum for 5 years. | option_a=3634 | option_b=10603 | option_c=3434 | option_d=3534 | answer=D | explanation=SI = $\text{PRT}/100 = 7069 \times 10 \times 5 / 100 = \text{■}3534$.

id=20962 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20381 at 5% per annum for 5 years. | option_a=4995 | option_b=5095 | option_c=25476 | option_d=5195 | answer=B | explanation=SI = $\text{PRT}/100 = 20381 \times 5 \times 5 / 100 = \text{■}5095$.

id=20963 | topic=Averages | difficulty=Easy | question=Find the average of 87, 44, 43. | option_a=60 | option_b=57 | option_c=59 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 174 ÷ 3 = 58.

id=20964 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3933. If it is sold at a profit of 20%, what is its selling price? | option_a=4326 | option_b=5112 | option_c=4719 | option_d=3953 | answer=C | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 3933 \times 120 / 100 = \text{■}4719$.

id=20965 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 8. | option_a=24 | option_b=16 | option_c=48 | option_d=192 | answer=A | explanation=LCM × HCF = 24×8; HCF(24,8) = 8, so LCM = 24.

id=20966 | topic=Percentages | difficulty=Easy | question=What is 5% of 650? | option_a=64 | option_b=37 | option_c=32 | option_d=27 | answer=C | explanation=5% of 650 = $(5/100) \times 650 = 32$.

id=20967 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32084 at 12% per annum for 4 years. | option_a=15500 | option_b=15300 | option_c=15400 | option_d=47484 | answer=C | explanation=SI = $\text{PRT}/100 = 32084 \times 12 \times 4 / 100 = \text{■}15400$.

id=20968 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3729. If it is sold at a profit of 50%, what is its selling price? | option_a=5593 | option_b=5221 | option_c=5965 | option_d=3779 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 3729 \times 150 / 100 = \text{■}5593$.

id=20969 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1442. If it is sold at a profit of 25%, what is its selling price? | option_a=1946 | option_b=1467 | option_c=1658 | option_d=1802 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 1442 \times 125 / 100 = \text{■}1802$.

id=20970 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:5 and the first is 20, what is the second? | option_a=15 | option_b=20 | option_c=40 | option_d=25 | answer=B | explanation=Scale factor = $20 / 5 = 4$. Therefore second quantity = $5 \times 4 = 20$.

Aptitude Questions — Records 20,971-21,000 of 100,000

id=20971 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:11 and the first is 102, what is the second? | option_a=55 | option_b=168 | option_c=83 | option_d=66 | answer=D | explanation=Scale factor = $102/17 = 6$. Therefore second quantity = $11 \times 6 = 66$.

id=20972 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1578. If it is sold at a profit of 5%, what is its selling price? | option_a=1813 | option_b=1656 | option_c=1583 | option_d=1499 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1578 \times 105/100 = \text{█}1656$.

id=20973 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 14, 19, 25? | option_a=25 | option_b=14 | option_c=19 | option_d=9 | answer=A | explanation=The first three numbers increase by 5, so the next should be 24. Therefore 25 is the odd one out.

id=20974 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 32? | option_a=25 | option_b=32 | option_c=15 | option_d=20 | answer=B | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 32 is the odd one out.

id=20975 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=W | option_c=I | option_d=A | answer=A | explanation=Move 4 positions forward from A; the resulting letter is E.

id=20976 | topic=Profit & Loss | difficulty=Easy | question=An article costs █996. If it is sold at a profit of 40%, what is its selling price? | option_a=1295 | option_b=1394 | option_c=1493 | option_d=1036 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 996 \times 140/100 = \text{█}1394$.

id=20977 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:19 and the first is 272, what is the second? | option_a=576 | option_b=304 | option_c=321 | option_d=285 | answer=B | explanation=Scale factor = $272/17 = 16$. Therefore second quantity = $19 \times 16 = 304$.

id=20978 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10258 at 8% per annum for 2 years. | option_a=1541 | option_b=1641 | option_c=11899 | option_d=1741 | answer=B | explanation=SI = $PRT/100 = 10258 \times 8 \times 2/100 = \text{█}1641$.

id=20979 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:8 and the first is 240, what is the second? | option_a=120 | option_b=143 | option_c=368 | option_d=128 | answer=D | explanation=Scale factor = $240/15 = 16$. Therefore second quantity = $8 \times 16 = 128$.

id=20980 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=40 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = $120 \div 6 = 20$ km/h.

id=20981 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6726 at 5% per annum for 4 years. | option_a=1245 | option_b=1345 | option_c=8071 | option_d=1445 | answer=B | explanation=SI = $PRT/100 = 6726 \times 5 \times 4/100 = \text{█}1345$.

id=20982 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 12. | option_a=70 | option_b=48 | option_c=60 | option_d=120 | answer=C | explanation= $LCM \times HCF = 10 \times 12$; $HCF(10,12) = 2$, so $LCM = 60$.

id=20983 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=20984 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 6. | option_a=48 | option_b=96 | option_c=64 | option_d=42 | answer=A | explanation= $LCM \times HCF = 16 \times 6$; $HCF(16,6) = 2$, so $LCM = 48$.

id=20985 | topic=Percentages | difficulty=Easy | question=What is 20% of 1200? | option_a=480 | option_b=240 | option_c=260 | option_d=230 | answer=B | explanation=20% of 1200 = $(20/100) \times 1200 = 240$.

id=20986 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=20987 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 29, 36, 45? | option_a=45 | option_b=36 | option_c=29 | option_d=22 | answer=A | explanation=The first three numbers increase by 7, so the next should be 43. Therefore 45 is the odd one out.

id=20988 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=25 | option_c=20 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = $150 \div 6 = 25$ km/h.

id=20989 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 16, 25, 37? | option_a=37 | option_b=25 | option_c=7 | option_d=16 | answer=A | explanation=The first three numbers increase by 9, so the next should be 34. Therefore 37 is the odd one out.

id=20990 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=150 | option_c=155 | option_d=300 | answer=B | explanation=Speed = distance ÷ time = $300 \div 2 = 150$ km/h.

id=20991 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=60 | option_b=69 | option_c=49 | option_d=59 | answer=D | explanation=The common difference is 10. Therefore the next term is $49 + 10 = 59$.

id=20992 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 39, 48, 60? | option_a=30 | option_b=39 | option_c=48 | option_d=60 | answer=D | explanation=The first three numbers increase by 9, so the next should be 57. Therefore 60 is the odd one out.

id=20993 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4727. If it is sold at a profit of 20%, what is its selling price? | option_a=5200 | option_b=6144 | option_c=5672 | option_d=4747 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4727 \times 120/100 = \text{█}5672$.

id=20994 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=20 | option_b=15 | option_c=23 | option_d=19 | answer=D | explanation=The common difference is 4. Therefore the next term is $15 + 4 = 19$.

id=20995 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=55 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = $150 \div 3 = 50$ km/h.

id=20996 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=44 | option_b=53 | option_c=45 | option_d=35 | answer=A | explanation=The common difference is 9. Therefore the next term is $35 + 9 = 44$.

id=20997 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=22 | option_b=23 | option_c=20 | option_d=24 | answer=A | explanation=The common difference is 2. Therefore the next term is $20 + 2 = 22$.

id=20998 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:14 and the first is 320, what is the second? | option_a=600 | option_b=280 | option_c=266 | option_d=296 | answer=B | explanation=Scale factor = $320/16 = 20$. Therefore second quantity = $14 \times 20 = 280$.

id=20999 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=34 | option_b=35 | option_c=39 | option_d=29 | answer=A | explanation=The common difference is 5. Therefore the next term is $29 + 5 = 34$.

id=21000 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43115 at 15% per annum for 4 years. | option_a=68984 | option_b=25769 | option_c=25869 | option_d=25969 | answer=C | explanation=SI = $PRT/100 = 43115 \times 15 \times 4/100 = \text{█}25869$.

Aptitude Questions — Records 21,001-21,030 of 100,000

id=21001 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2990. If it is sold at a profit of 20%, what is its selling price? | option_a=3887 | option_b=3289 | option_c=3588 | option_d=3010 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2990 × 120/100 = ■3588.

id=21002 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■337. If it is sold at a profit of 20%, what is its selling price? | option_a=404 | option_b=437 | option_c=357 | option_d=371 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 337 × 120/100 = ■404.

id=21003 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■35583 at 8% per annum for 4 years. | option_a=11286 | option_b=11486 | option_c=11386 | option_d=46969 | answer=C | explanation=SI = PRT/100 = 35583×8×4/100 = ■11386.

id=21004 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:4 and the first is 120, what is the second? | option_a=24 | option_b=20 | option_c=44 | option_d=144 | answer=A | explanation=Scale factor = 120/20 = 6. Therefore second quantity = 4×6 = 24.

id=21005 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=N | option_b=T | option_c=R | option_d=P | answer=C | explanation=Move 2 positions forward from P; the resulting letter is R.

id=21006 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1910. If it is sold at a profit of 50%, what is its selling price? | option_a=3056 | option_b=2674 | option_c=2865 | option_d=1960 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1910 × 150/100 = ■2865.

id=21007 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=21008 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=O | option_b=L | option_c=R | option_d=I | answer=A | explanation=Move 3 positions forward from L; the resulting letter is O.

id=21009 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■49990 at 5% per annum for 3 years. | option_a=57488 | option_b=7498 | option_c=7398 | option_d=7598 | answer=B | explanation=SI = PRT/100 = 49990×5×3/100 = ■7498.

id=21010 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 35, 42, 52? | option_a=52 | option_b=35 | option_c=42 | option_d=28 | answer=A | explanation=The first three numbers increase by 7, so the next should be 49. Therefore 52 is the odd one out.

id=21011 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2518. If it is sold at a profit of 5%, what is its selling price? | option_a=2523 | option_b=2894 | option_c=2392 | option_d=2643 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2518 × 105/100 = ■2643.

id=21012 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:10 and the first is 144, what is the second? | option_a=234 | option_b=106 | option_c=90 | option_d=80 | answer=C | explanation=Scale factor = 144/16 = 9. Therefore second quantity = 10×9 = 90.

id=21013 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1879. If it is sold at a profit of 50%, what is its selling price? | option_a=3005 | option_b=2631 | option_c=2818 | option_d=1929 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1879 × 150/100 = ■2818.

id=21014 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=9 | option_b=4 | option_c=18 | option_d=14 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=21015 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 55? | option_a=55 | option_b=29 | option_c=37 | option_d=45 | answer=A | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 55 is the odd one out.

id=21016 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=5 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=21017 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=21018 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■41132 at 4% per annum for 5 years. | option_a=8126 | option_b=49358 | option_c=8226 | option_d=8326 | answer=C | explanation=SI = PRT/100 = 41132×4×5/100 = ■8226.

id=21019 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■15918 at 6% per annum for 5 years. | option_a=4775 | option_b=4675 | option_c=4875 | option_d=20693 | answer=A | explanation=SI = PRT/100 = 15918×6×5/100 = ■4775.

id=21020 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=21021 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=A | option_c=P | option_d=K | answer=D | explanation=Move 5 positions forward from F; the resulting letter is K.

id=21022 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=30 | option_b=46 | option_c=39 | option_d=38 | answer=D | explanation=The common difference is 8. Therefore the next term is 30 + 8 = 38.

id=21023 | topic=Averages | difficulty=Easy | question=Find the average of 88, 16, 63, 15, 26, 100, 14. | option_a=48 | option_b=46 | option_c=47 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = 322 ÷ 7 = 46.

id=21024 | topic=Averages | difficulty=Easy | question=Find the average of 18, 61, 91, 66. | option_a=58 | option_b=59 | option_c=61 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 236 ÷ 4 = 59.

id=21025 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=21026 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=40 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=21027 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 18. | option_a=180 | option_b=90 | option_c=100 | option_d=72 | answer=B | explanation=LCM × HCF = 10×18; HCF(10,18) = 2, so LCM = 90.

id=21028 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=240 | option_c=120 | option_d=115 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=21029 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 33? | option_a=20 | option_b=28 | option_c=24 | option_d=33 | answer=D | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 33 is the odd one out.

id=21030 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 36? | option_a=36 | option_b=29 | option_c=25 | option_d=21 | answer=A | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 36 is the odd one out.

Aptitude Questions — Records 21,031-21,060 of 100,000

id=21031 | topic=Averages | difficulty=Easy | question=Find the average of 21, 35, 93, 98, 78. | option_a=64 | option_b=65 | option_c=66 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = 325 ÷ 5 = 65.

id=21032 | topic=Percentages | difficulty=Easy | question=What is 25% of 839? | option_a=418 | option_b=189 | option_c=209 | option_d=219 | answer=C | explanation=25% of 839 = (25/100) × 839 = 209.

id=21033 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=21034 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 35? | option_a=35 | option_b=22 | option_c=26 | option_d=30 | answer=A | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 35 is the odd one out.

id=21035 | topic=Averages | difficulty=Easy | question=Find the average of 73, 21, 69, 62, 42, 99. | option_a=60 | option_b=62 | option_c=61 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = 366 ÷ 6 = 61.

id=21036 | topic=Percentages | difficulty=Easy | question=What is 30% of 718? | option_a=430 | option_b=235 | option_c=205 | option_d=215 | answer=D | explanation=30% of 718 = (30/100) × 718 = 215.

id=21037 | topic=Averages | difficulty=Easy | question=Find the average of 43, 92, 20, 21, 16, 11, 50, 27. | option_a=37 | option_b=36 | option_c=35 | option_d=34 | answer=C | explanation=Average = sum of values ÷ number of values = 280 ÷ 8 = 35.

id=21038 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:20 and the first is 285, what is the second? | option_a=665 | option_b=395 | option_c=380 | option_d=360 | answer=C | explanation=Scale factor = 285/15 = 19. Therefore second quantity = 20×19 = 380.

id=21039 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23901 at 10% per annum for 2 years. | option_a=4680 | option_b=4880 | option_c=28681 | option_d=4780 | answer=D | explanation=SI = PRT/100 = 23901×10×2/100 = **■**4780.

id=21040 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:1 and the first is 48, what is the second? | option_a=3 | option_b=2 | option_c=51 | option_d=19 | answer=A | explanation=Scale factor = 48/16 = 3. Therefore second quantity = 1×3 = 3.

id=21041 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=80 | option_c=35 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=21042 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2196. If it is sold at a profit of 50%, what is its selling price? | option_a=3075 | option_b=3513 | option_c=3294 | option_d=2246 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2196 × 150/100 = **■**3294.

id=21043 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 28, 38, 48, ? | option_a=59 | option_b=48 | option_c=68 | option_d=58 | answer=D | explanation=The common difference is 10. Therefore the next term is 48 + 10 = 58.

id=21044 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 4. | option_a=78 | option_b=48 | option_c=52 | option_d=104 | answer=C | explanation=LCM × HCF = 26×4; HCF(26,4) = 2, so LCM = 52.

id=21045 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 10. | option_a=10 | option_b=15 | option_c=1 | option_d=50 | answer=A | explanation=LCM × HCF = 5×10; HCF(5,10) = 5, so LCM = 10.

id=21046 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=21047 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3722. If it is sold at a profit of 5%, what is its selling price? | option_a=3908 | option_b=3727 | option_c=4280 | option_d=3536 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3722 × 105/100 = **■**3908.

id=21048 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=45 | option_b=54 | option_c=34 | option_d=44 | answer=D | explanation=The common difference is 10. Therefore the next term is 34 + 10 = 44.

id=21049 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=21050 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 22. | option_a=66 | option_b=132 | option_c=72 | option_d=44 | answer=A | explanation=LCM × HCF = 6×22; HCF(6,22) = 2, so LCM = 66.

id=21051 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15442 at 10% per annum for 1 years. | option_a=1644 | option_b=16986 | option_c=1544 | option_d=1444 | answer=C | explanation=SI = PRT/100 = 15442×10×1/100 = **■**1544.

id=21052 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36809 at 8% per annum for 2 years. | option_a=5789 | option_b=5989 | option_c=42698 | option_d=5889 | answer=D | explanation=SI = PRT/100 = 36809×8×2/100 = **■**5889.

id=21053 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=30 | option_b=28 | option_c=27 | option_d=24 | answer=C | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=21054 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=7 | option_c=17 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=21055 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 10, 18, 28? | option_a=18 | option_b=28 | option_c=2 | option_d=10 | answer=B | explanation=The first three numbers increase by 8, so the next should be 26. Therefore 28 is the odd one out.

id=21056 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=150 | option_c=75 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=21057 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 12, 14, 19? | option_a=10 | option_b=19 | option_c=14 | option_d=12 | answer=B | explanation=The first three numbers increase by 2, so the next should be 16. Therefore 19 is the odd one out.

id=21058 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:15 and the first is 24, what is the second? | option_a=120 | option_b=123 | option_c=144 | option_d=105 | answer=A | explanation=Scale factor = 24/3 = 8. Therefore second quantity = 15×8 = 120.

id=21059 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=21060 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 7, 12, 20? | option_a=20 | option_b=7 | option_c=2 | option_d=12 | answer=A | explanation=The first three numbers increase by 5, so the next should be 17. Therefore 20 is the odd one out.

Aptitude Questions — Records 21,061-21,090 of 100,000

id=21061 | topic=Averages | difficulty=Easy | question=Find the average of 72, 53, 13. | option_a=46 | option_b=45 | option_c=48 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 138 ÷ 3 = 46.

id=21062 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=18 | option_c=4 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=21063 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=V | option_c=A | option_d=L | answer=B | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=21064 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=45 | option_c=40 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=21065 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 33? | option_a=28 | option_b=33 | option_c=22 | option_d=25 | answer=B | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 33 is the odd one out.

id=21066 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:4 and the first is 98, what is the second? | option_a=126 | option_b=24 | option_c=28 | option_d=42 | answer=C | explanation=Scale factor = 98/14 = 7. Therefore second quantity = 4×7 = 28.

id=21067 | topic=Averages | difficulty=Easy | question=Find the average of 83, 10, 96, 19. | option_a=54 | option_b=53 | option_c=51 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 208 ÷ 4 = 52.

id=21068 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:7 and the first is 144, what is the second? | option_a=200 | option_b=49 | option_c=74 | option_d=56 | answer=D | explanation=Scale factor = 144/18 = 8. Therefore second quantity = 7×8 = 56.

id=21069 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=21070 | topic=Averages | difficulty=Easy | question=Find the average of 96, 78, 79, 22, 74, 47, 43, 89. | option_a=68 | option_b=65 | option_c=66 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 528 ÷ 8 = 66.

id=21071 | topic=Percentages | difficulty=Easy | question=What is 25% of 190? | option_a=52 | option_b=94 | option_c=37 | option_d=47 | answer=D | explanation=25% of 190 = (25/100) × 190 = 47.

id=21072 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=21073 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 15, 22, 30? | option_a=22 | option_b=15 | option_c=30 | option_d=8 | answer=C | explanation=The first three numbers increase by 7, so the next should be 29. Therefore 30 is the odd one out.

id=21074 | topic=Percentages | difficulty=Easy | question=What is 40% of 1493? | option_a=1194 | option_b=597 | option_c=592 | option_d=602 | answer=B | explanation=40% of 1493 = (40/100) × 1493 = 597.

id=21075 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=L | option_b=Q | option_c=B | option_d=G | answer=A | explanation=Move 5 positions forward from G; the resulting letter is L.

id=21076 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=46 | option_b=37 | option_c=53 | option_d=45 | answer=D | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=21077 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=56 | option_b=47 | option_c=36 | option_d=46 | answer=D | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.

id=21078 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=21079 | topic=Percentages | difficulty=Easy | question=What is 50% of 1833? | option_a=1832 | option_b=926 | option_c=916 | option_d=906 | answer=C | explanation=50% of 1833 = (50/100) × 1833 = 916.

id=21080 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:6 and the first is 76, what is the second? | option_a=118 | option_b=114 | option_c=190 | option_d=108 | answer=B | explanation=Scale factor = 76/4 = 19. Therefore second quantity = 6×19 = 114.

id=21081 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 15. | option_a=30 | option_b=60 | option_c=15 | option_d=450 | answer=A | explanation=LCM × HCF = 30×15; HCF(30,15) = 15, so LCM = 30.

id=21082 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1093. If it is sold at a profit of 40%, what is its selling price? | option_a=1421 | option_b=1133 | option_c=1639 | option_d=1530 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1093 × 140/100 = █1530.

id=21083 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=21084 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=29 | option_b=26 | option_c=23 | option_d=27 | answer=B | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.

id=21085 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:7 and the first is 18, what is the second? | option_a=32 | option_b=7 | option_c=23 | option_d=14 | answer=D | explanation=Scale factor = 18/9 = 2. Therefore second quantity = 7×2 = 14.

id=21086 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=21087 | topic=Percentages | difficulty=Easy | question=What is 12% of 185? | option_a=2 | option_b=27 | option_c=22 | option_d=44 | answer=C | explanation=12% of 185 = (12/100) × 185 = 22.

id=21088 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41475 at 8% per annum for 3 years. | option_a=51429 | option_b=10054 | option_c=9954 | option_d=9854 | answer=C | explanation=SI = PRT/100 = 41475×8×3/100 = █9954.

id=21089 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=Y | option_b=C | option_c=K | option_d=G | answer=D | explanation=Move 4 positions forward from C; the resulting letter is G.

id=21090 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 21,091-21,120 of 100,000

id=21091 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40423 at 10% per annum for 5 years. | option_a=20111 | option_b=20311 | option_c=20211 | option_d=60634 | answer=C | explanation=SI = PRT/100 = 40423×10×5/100 = **■**20211.

id=21092 | topic=Percentages | difficulty=Easy | question=What is 50% of 1879? | option_a=934 | option_b=959 | option_c=1878 | option_d=939 | answer=D | explanation=50% of 1879 = (50/100) × 1879 = 939.

id=21093 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49606 at 5% per annum for 2 years. | option_a=4860 | option_b=54566 | option_c=5060 | option_d=4960 | answer=D | explanation=SI = PRT/100 = 49606×5×2/100 = **■**4960.

id=21094 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1112. If it is sold at a profit of 20%, what is its selling price? | option_a=1445 | option_b=1223 | option_c=1132 | option_d=1334 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1112 × 120/100 = **■**1334.

id=21095 | topic=Percentages | difficulty=Easy | question=What is 5% of 532? | option_a=46 | option_b=16 | option_c=26 | option_d=52 | answer=C | explanation=5% of 532 = (5/100) × 532 = 26.

id=21096 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3476. If it is sold at a profit of 40%, what is its selling price? | option_a=5213 | option_b=4866 | option_c=3516 | option_d=4519 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3476 × 140/100 = **■**4866.

id=21097 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3429. If it is sold at a profit of 25%, what is its selling price? | option_a=4628 | option_b=4286 | option_c=3454 | option_d=3944 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3429 × 125/100 = **■**4286.

id=21098 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1424. If it is sold at a profit of 50%, what is its selling price? | option_a=1474 | option_b=2136 | option_c=2278 | option_d=1994 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1424 × 150/100 = **■**2136.

id=21099 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:8 and the first is 68, what is the second? | option_a=136 | option_b=204 | option_c=140 | option_d=128 | answer=A | explanation=Scale factor = 68/4 = 17. Therefore second quantity = 8×17 = 136.

id=21100 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=C | option_b=G | option_c=O | option_d=K | answer=D | explanation=Move 4 positions forward from G; the resulting letter is K.

id=21101 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45119 at 15% per annum for 2 years. | option_a=13535 | option_b=13435 | option_c=13635 | option_d=58654 | answer=A | explanation=SI = PRT/100 = 45119×15×2/100 = **■**13535.

id=21102 | topic=Averages | difficulty=Easy | question=Find the average of 35, 48, 99, 12, 27, 91, 44, 83, 11, 100. | option_a=56 | option_b=57 | option_c=55 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 550 ÷ 10 = 55.

id=21103 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46850 at 5% per annum for 1 years. | option_a=2242 | option_b=49192 | option_c=2342 | option_d=2442 | answer=C | explanation=SI = PRT/100 = 46850×5×1/100 = **■**2342.

id=21104 | topic=Percentages | difficulty=Easy | question=What is 30% of 548? | option_a=169 | option_b=159 | option_c=328 | option_d=164 | answer=D | explanation=30% of 548 = (30/100) × 548 = 164.

id=21105 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=8 | option_b=12 | option_c=11 | option_d=10 | answer=D | explanation=The common difference is 2. Therefore the next term is 8 + 2 = 10.

id=21106 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4475. If it is sold at a profit of 5%, what is its selling price? | option_a=5145 | option_b=4698 | option_c=4480 | option_d=4251 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4475 × 105/100 = **■**4698.

id=21107 | topic=Percentages | difficulty=Easy | question=What is 30% of 810? | option_a=486 | option_b=238 | option_c=243 | option_d=253 | answer=C | explanation=30% of 810 = (30/100) × 810 = 243.

id=21108 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=L | option_c=N | option_d=J | answer=C | explanation=Move 2 positions forward from L; the resulting letter is N.

id=21109 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=25 | option_c=15 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=21110 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:16 and the first is 72, what is the second? | option_a=144 | option_b=216 | option_c=152 | option_d=128 | answer=A | explanation=Scale factor = 72/8 = 9. Therefore second quantity = 16×9 = 144.

id=21111 | topic=Percentages | difficulty=Easy | question=What is 15% of 389? | option_a=116 | option_b=48 | option_c=58 | option_d=63 | answer=C | explanation=15% of 389 = (15/100) × 389 = 58.

id=21112 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 22, 28, 35? | option_a=22 | option_b=28 | option_c=16 | option_d=35 | answer=D | explanation=The first three numbers increase by 6, so the next should be 34. Therefore 35 is the odd one out.

id=21113 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=21114 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:11 and the first is 288, what is the second? | option_a=464 | option_b=176 | option_c=194 | option_d=165 | answer=B | explanation=Scale factor = 288/18 = 16. Therefore second quantity = 11×16 = 176.

id=21115 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=50 | option_d=90 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=21116 | topic=Percentages | difficulty=Easy | question=What is 5% of 1643? | option_a=92 | option_b=82 | option_c=62 | option_d=164 | answer=B | explanation=5% of 1643 = (5/100) × 1643 = 82.

id=21117 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=Y | option_c=E | option_d=A | answer=A | explanation=Move 2 positions forward from A; the resulting letter is C.

id=21118 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 18? | option_a=9 | option_b=11 | option_c=13 | option_d=18 | answer=D | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 18 is the odd one out.

id=21119 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4679. If it is sold at a profit of 10%, what is its selling price? | option_a=4689 | option_b=5613 | option_c=5146 | option_d=4679 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4679 × 110/100 = **■**5146.

id=21120 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=T | option_c=N | option_d=R | answer=D | explanation=Move 2 positions forward from P; the resulting letter is R.

Aptitude Questions — Records 21,121-21,150 of 100,000

id=21121 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=D | option_b=F | option_c=J | option_d=H | answer=D | explanation=Move 2 positions forward from F; the resulting letter is H.

id=21122 | topic=Averages | difficulty=Easy | question=Find the average of 81, 81, 87, 15. | option_a=67 | option_b=66 | option_c=65 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = 264 ÷ 4 = 66.

id=21123 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=H | option_b=K | option_c=E | option_d=B | answer=A | explanation=Move 3 positions forward from E; the resulting letter is H.

id=21124 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=21125 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=58 | option_b=45 | option_c=57 | option_d=69 | answer=C | explanation=The common difference is 12. Therefore the next term is $45 + 12 = 57$.

id=21126 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.

id=21127 | topic=Percentages | difficulty=Easy | question=What is 30% of 351? | option_a=210 | option_b=115 | option_c=100 | option_d=105 | answer=D | explanation=30% of 351 = $(\frac{30}{100}) \times 351 = 105$.

id=21128 | topic=Percentages | difficulty=Easy | question=What is 20% of 881? | option_a=352 | option_b=171 | option_c=181 | option_d=176 | answer=D | explanation=20% of 881 = $(\frac{20}{100}) \times 881 = 176$.

id=21129 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25494 at 12% per annum for 4 years. | option_a=12337 | option_b=12237 | option_c=37731 | option_d=12137 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{25494 \times 12 \times 4}{100} = \text{■}12237$.

id=21130 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 32, 35, 39? | option_a=29 | option_b=32 | option_c=39 | option_d=35 | answer=C | explanation=The first three numbers increase by 3, so the next should be 38. Therefore 39 is the odd one out.

id=21131 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=22 | option_b=23 | option_c=24 | option_d=20 | answer=A | explanation=The common difference is 2. Therefore the next term is $20 + 2 = 22$.

id=21132 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 49? | option_a=49 | option_b=37 | option_c=28 | option_d=19 | answer=A | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 49 is the odd one out.

id=21133 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19030 at 4% per annum for 5 years. | option_a=3906 | option_b=22836 | option_c=3806 | option_d=3706 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{19030 \times 4 \times 5}{100} = \text{■}3806$.

id=21134 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = $\frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=21135 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=21136 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=70 | option_c=80 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = $\frac{300}{4} = 75$ km/h.

id=21137 | topic=Percentages | difficulty=Easy | question=What is 50% of 1275? | option_a=657 | option_b=632 | option_c=1274 | option_d=637 | answer=D | explanation=50% of 1275 = $(\frac{50}{100}) \times 1275 = 637$.

id=21138 | topic=Percentages | difficulty=Easy | question=What is 12% of 1494? | option_a=169 | option_b=358 | option_c=184 | option_d=179 | answer=D | explanation=12% of 1494 = $(\frac{12}{100}) \times 1494 = 179$.

id=21139 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 27, 30, 36? | option_a=27 | option_b=36 | option_c=24 | option_d=30 | answer=B | explanation=The first three numbers increase by 3, so the next should be 33. Therefore 36 is the odd one out.

id=21140 | topic=Averages | difficulty=Easy | question=Find the average of 62, 56, 39, 24, 97, 19, 47, 48. | option_a=49 | option_b=48 | option_c=50 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{392}{8} = 49$.

id=21141 | topic=Percentages | difficulty=Easy | question=What is 5% of 1122? | option_a=56 | option_b=112 | option_c=61 | option_d=51 | answer=A | explanation=5% of 1122 = $(\frac{5}{100}) \times 1122 = 56$.

id=21142 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4232. If it is sold at a profit of 10%, what is its selling price? | option_a=4655 | option_b=4232 | option_c=4242 | option_d=5078 | answer=A | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 4232 \times \frac{110}{100} = \text{■}4655$.

id=21143 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=G | option_c=E | option_d=A | answer=C | explanation=Move 2 positions forward from C; the resulting letter is E.

id=21144 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

id=21145 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:8 and the first is 8, what is the second? | option_a=8 | option_b=16 | option_c=24 | option_d=20 | answer=B | explanation=Scale factor = $\frac{8}{4} = 2$. Therefore second quantity = $8 \times 2 = 16$.

id=21146 | topic=Percentages | difficulty=Easy | question=What is 30% of 1506? | option_a=451 | option_b=431 | option_c=902 | option_d=461 | answer=A | explanation=30% of 1506 = $(\frac{30}{100}) \times 1506 = 451$.

id=21147 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $\frac{300}{5} = 60$ km/h.

id=21148 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 4. | option_a=1 | option_b=8 | option_c=4 | option_d=16 | answer=C | explanation= $LCM \times HCF = 4 \times 4$; $HCF(4,4) = 4$, so $LCM = 4$.

id=21149 | topic=Averages | difficulty=Easy | question=Find the average of 14, 100, 33, 85, 84, 32, 52, 92, 48. | option_a=59 | option_b=62 | option_c=61 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{540}{9} = 60$.

id=21150 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=E | option_c=G | option_d=F | answer=C | explanation=Move 1 positions forward from F; the resulting letter is G.

Aptitude Questions — Records 21,151-21,180 of 100,000

id=21151 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4899. If it is sold at a profit of 40%, what is its selling price? | option_a=6369 | option_b=7347 | option_c=4939 | option_d=6858 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4899 × 140/100 = ■6858.

id=21152 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:7 and the first is 272, what is the second? | option_a=129 | option_b=384 | option_c=105 | option_d=112 | answer=D | explanation=Scale factor = 272/17 = 16. Therefore second quantity = 7×16 = 112.

id=21153 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=20 | option_b=24 | option_c=25 | option_d=28 | answer=B | explanation=The common difference is 4. Therefore the next term is 20 + 4 = 24.

id=21154 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=X | option_c=T | option_d=R | answer=A | explanation=Move 2 positions forward from T; the resulting letter is V.

id=21155 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■1969 at 15% per annum for 4 years. | option_a=1281 | option_b=1081 | option_c=3150 | option_d=1181 | answer=D | explanation=SI = PRT/100 = 1969×15×4/100 = ■1181.

id=21156 | topic=Percentages | difficulty=Easy | question=What is 5% of 1803? | option_a=95 | option_b=90 | option_c=180 | option_d=85 | answer=B | explanation=5% of 1803 = (5/100) × 1803 = 90.

id=21157 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=J | option_c=H | option_d=L | answer=D | explanation=Move 2 positions forward from J; the resulting letter is L.

id=21158 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:6 and the first is 21, what is the second? | option_a=36 | option_b=45 | option_c=63 | option_d=42 | answer=D | explanation=Scale factor = 21/3 = 7. Therefore second quantity = 6×7 = 42.

id=21159 | topic=Averages | difficulty=Easy | question=Find the average of 62, 96, 41, 73. | option_a=70 | option_b=68 | option_c=69 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = 272 ÷ 4 = 68.

id=21160 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=80 | option_c=75 | option_d=150 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=21161 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=21162 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:10 and the first is 135, what is the second? | option_a=150 | option_b=285 | option_c=140 | option_d=159 | answer=A | explanation=Scale factor = 135/9 = 15. Therefore second quantity = 10×15 = 150.

id=21163 | topic=Averages | difficulty=Easy | question=Find the average of 11, 59, 93, 28, 65, 63, 100, 31, 36. | option_a=55 | option_b=54 | option_c=56 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 486 ÷ 9 = 54.

id=21164 | topic=Percentages | difficulty=Easy | question=What is 25% of 280? | option_a=75 | option_b=140 | option_c=65 | option_d=70 | answer=D | explanation=25% of 280 = (25/100) × 280 = 70.

id=21165 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=21166 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:9 and the first is 18, what is the second? | option_a=180 | option_b=163 | option_c=162 | option_d=153 | answer=C | explanation=Scale factor = 18/1 = 18. Therefore second quantity = 9×18 = 162.

id=21167 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=F | option_b=G | option_c=I | option_d=H | answer=D | explanation=Move 1 positions forward from G; the resulting letter is H.

id=21168 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 21. | option_a=105 | option_b=315 | option_c=84 | option_d=120 | answer=A | explanation=LCM × HCF = 15×21; HCF(15,21) = 3, so LCM = 105.

id=21169 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=T | option_b=E | option_c=O | option_d=J | answer=C | explanation=Move 5 positions forward from J; the resulting letter is O.

id=21170 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=52 | option_b=62 | option_c=42 | option_d=53 | answer=A | explanation=The common difference is 10. Therefore the next term is 42 + 10 = 52.

id=21171 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■13287 at 6% per annum for 2 years. | option_a=14881 | option_b=1594 | option_c=1494 | option_d=1694 | answer=B | explanation=SI = PRT/100 = 13287×6×2/100 = ■1594.

id=21172 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=76 | option_b=52 | option_c=65 | option_d=64 | answer=D | explanation=The common difference is 12. Therefore the next term is 52 + 12 = 64.

id=21173 | topic=Percentages | difficulty=Easy | question=What is 15% of 120? | option_a=36 | option_b=38 | option_c=18 | option_d=0 | answer=C | explanation=15% of 120 = (15/100) × 120 = 18.

id=21174 | topic=Percentages | difficulty=Easy | question=What is 50% of 1070? | option_a=555 | option_b=535 | option_c=515 | option_d=1070 | answer=B | explanation=50% of 1070 = (50/100) × 1070 = 535.

id=21175 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:1 and the first is 72, what is the second? | option_a=18 | option_b=22 | option_c=17 | option_d=90 | answer=A | explanation=Scale factor = 72/4 = 18. Therefore second quantity = 1×18 = 18.

id=21176 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14389 at 10% per annum for 1 years. | option_a=15827 | option_b=1438 | option_c=1538 | option_d=1338 | answer=B | explanation=SI = PRT/100 = 14389×10×1/100 = ■1438.

id=21177 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4219. If it is sold at a profit of 20%, what is its selling price? | option_a=4641 | option_b=5062 | option_c=5483 | option_d=4239 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4219 × 120/100 = ■5062.

id=21178 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 35, 42, 52? | option_a=52 | option_b=35 | option_c=42 | option_d=28 | answer=A | explanation=The first three numbers increase by 7, so the next should be 49. Therefore 52 is the odd one out.

id=21179 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=21180 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:17 and the first is 288, what is the second? | option_a=272 | option_b=560 | option_c=255 | option_d=290 | answer=A | explanation=Scale factor = 288/18 = 16. Therefore second quantity = 17×16 = 272.

Aptitude Questions — Records 21,181-21,210 of 100,000

id=21181 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1088. If it is sold at a profit of 25%, what is its selling price? | option_a=1252 | option_b=1468 | option_c=1113 | option_d=1360 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1088 × 125/100 = **■**1360.

id=21182 | topic=Percentages | difficulty=Easy | question=What is 40% of 316? | option_a=126 | option_b=131 | option_c=252 | option_d=121 | answer=A | explanation=40% of 316 = (40/100) × 316 = 126.

id=21183 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=13 | option_c=23 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=21184 | topic=Percentages | difficulty=Easy | question=What is 10% of 54? | option_a=0 | option_b=15 | option_c=10 | option_d=5 | answer=D | explanation=10% of 54 = (10/100) × 54 = 5.

id=21185 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1724. If it is sold at a profit of 20%, what is its selling price? | option_a=2240 | option_b=1896 | option_c=1744 | option_d=2068 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1724 × 120/100 = **■**2068.

id=21186 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40475 at 15% per annum for 5 years. | option_a=70831 | option_b=30356 | option_c=30256 | option_d=30456 | answer=B | explanation=SI = PRT/100 = 40475×15×5/100 = **■**30356.

id=21187 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=L | option_c=R | option_d=P | answer=D | explanation=Move 2 positions forward from N; the resulting letter is P.

id=21188 | topic=Averages | difficulty=Easy | question=Find the average of 82, 41, 75, 26, 68, 36, 78. | option_a=58 | option_b=57 | option_c=60 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 406 ÷ 7 = 58.

id=21189 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=21190 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41205 at 6% per annum for 2 years. | option_a=5044 | option_b=4944 | option_c=46149 | option_d=4844 | answer=B | explanation=SI = PRT/100 = 41205×6×2/100 = **■**4944.

id=21191 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=21192 | topic=Percentages | difficulty=Easy | question=What is 12% of 1500? | option_a=185 | option_b=180 | option_c=170 | option_d=360 | answer=B | explanation=12% of 1500 = (12/100) × 1500 = 180.

id=21193 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:20 and the first is 28, what is the second? | option_a=144 | option_b=120 | option_c=140 | option_d=168 | answer=C | explanation=Scale factor = 28/4 = 7. Therefore second quantity = 20×7 = 140.

id=21194 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=24 | option_c=19 | option_d=48 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=21195 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:17 and the first is 198, what is the second? | option_a=385 | option_b=205 | option_c=170 | option_d=187 | answer=D | explanation=Scale factor = 198/18 = 11. Therefore second quantity = 17×11 = 187.

id=21196 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=C | option_b=I | option_c=G | option_d=E | answer=C | explanation=Move 2 positions forward from E; the resulting letter is G.

id=21197 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26761 at 12% per annum for 5 years. | option_a=16056 | option_b=16156 | option_c=42817 | option_d=15956 | answer=A | explanation=SI = PRT/100 = 26761×12×5/100 = **■**16056.

id=21198 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=85 | option_c=75 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=21199 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=21200 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26367 at 4% per annum for 5 years. | option_a=5273 | option_b=5173 | option_c=5373 | option_d=31640 | answer=A | explanation=SI = PRT/100 = 26367×4×5/100 = **■**5273.

id=21201 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7764 at 4% per annum for 2 years. | option_a=8385 | option_b=521 | option_c=721 | option_d=621 | answer=D | explanation=SI = PRT/100 = 7764×4×2/100 = **■**621.

id=21202 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3955. If it is sold at a profit of 50%, what is its selling price? | option_a=6327 | option_b=4005 | option_c=5932 | option_d=5537 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3955 × 150/100 = **■**5932.

id=21203 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=Q | option_c=M | option_d=E | answer=C | explanation=Move 4 positions forward from I; the resulting letter is M.

id=21204 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2088. If it is sold at a profit of 50%, what is its selling price? | option_a=3132 | option_b=2138 | option_c=3340 | option_d=2924 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2088 × 150/100 = **■**3132.

id=21205 | topic=Averages | difficulty=Easy | question=Find the average of 25, 75, 29, 91. | option_a=55 | option_b=57 | option_c=54 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 220 ÷ 4 = 55.

id=21206 | topic=Averages | difficulty=Easy | question=Find the average of 78, 15, 58, 74, 37, 14. | option_a=47 | option_b=48 | option_c=45 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 276 ÷ 6 = 46.

id=21207 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=41 | option_b=35 | option_c=42 | option_d=47 | answer=A | explanation=The common difference is 6. Therefore the next term is 35 + 6 = 41.

id=21208 | topic=Averages | difficulty=Easy | question=Find the average of 57, 85, 99, 30, 87, 41, 87, 46, 13, 65. | option_a=62 | option_b=63 | option_c=60 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 610 ÷ 10 = 61.

id=21209 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 18, 28, 41? | option_a=8 | option_b=41 | option_c=18 | option_d=28 | answer=B | explanation=The first three numbers increase by 10, so the next should be 38. Therefore 41 is the odd one out.

id=21210 | topic=Percentages | difficulty=Easy | question=What is 30% of 1164? | option_a=349 | option_b=344 | option_c=369 | option_d=698 | answer=A | explanation=30% of 1164 = (30/100) × 1164 = 349.

Aptitude Questions — Records 21,211-21,240 of 100,000

id=21211 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 21. | option_a=21 | option_b=1 | option_c=24 | option_d=63 | answer=A | explanation=LCM × HCF = 3×21; HCF(3,21) = 3, so LCM = 21.

id=21212 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=T | option_b=R | option_c=U | option_d=S | answer=A | explanation=Move 1 positions forward from S; the resulting letter is T.

id=21213 | topic=Percentages | difficulty=Easy | question=What is 50% of 905? | option_a=462 | option_b=432 | option_c=904 | option_d=452 | answer=D | explanation=50% of 905 = (50/100) × 905 = 452.

id=21214 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=21215 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1764. If it is sold at a profit of 10%, what is its selling price? | option_a=1940 | option_b=1774 | option_c=2116 | option_d=1764 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1764 × 110/100 = █1940.

id=21216 | topic=Averages | difficulty=Easy | question=Find the average of 42, 86, 17, 35. | option_a=47 | option_b=45 | option_c=46 | option_d=44 | answer=B | explanation=Average = sum of values ÷ number of values = 180 ÷ 4 = 45.

id=21217 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=R | option_b=U | option_c=L | option_d=O | answer=A | explanation=Move 3 positions forward from O; the resulting letter is R.

id=21218 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=16 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=21219 | topic=Percentages | difficulty=Easy | question=What is 25% of 930? | option_a=227 | option_b=237 | option_c=464 | option_d=232 | answer=D | explanation=25% of 930 = (25/100) × 930 = 232.

id=21220 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=43 | option_c=96 | option_d=53 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=21221 | topic=Averages | difficulty=Easy | question=Find the average of 13, 67, 22, 98. | option_a=51 | option_b=52 | option_c=50 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 200 ÷ 4 = 50.

id=21222 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=21223 | topic=Percentages | difficulty=Easy | question=What is 12% of 1368? | option_a=159 | option_b=164 | option_c=174 | option_d=328 | answer=B | explanation=12% of 1368 = (12/100) × 1368 = 164.

id=21224 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=24 | option_b=23 | option_c=19 | option_d=27 | answer=B | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=21225 | topic=Profit & Loss | difficulty=Easy | question=An article costs █553. If it is sold at a profit of 50%, what is its selling price? | option_a=603 | option_b=774 | option_c=829 | option_d=884 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 553 × 150/100 = █829.

id=21226 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4349. If it is sold at a profit of 20%, what is its selling price? | option_a=4369 | option_b=4784 | option_c=5652 | option_d=5218 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4349 × 120/100 = █5218.

id=21227 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1567. If it is sold at a profit of 5%, what is its selling price? | option_a=1489 | option_b=1645 | option_c=1801 | option_d=1572 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1567 × 105/100 = █1645.

id=21228 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36430 at 10% per annum for 3 years. | option_a=11029 | option_b=10929 | option_c=10829 | option_d=47359 | answer=B | explanation=SI = PRT/100 = 36430×10×3/100 = █10929.

id=21229 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:1 and the first is 95, what is the second? | option_a=24 | option_b=114 | option_c=19 | option_d=18 | answer=C | explanation=Scale factor = 95/5 = 19. Therefore second quantity = 1×19 = 19.

id=21230 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=21231 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=44 | option_b=43 | option_c=36 | option_d=50 | answer=B | explanation=The common difference is 7. Therefore the next term is 36 + 7 = 43.

id=21232 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:20 and the first is 120, what is the second? | option_a=220 | option_b=250 | option_c=360 | option_d=240 | answer=D | explanation=Scale factor = 120/10 = 12. Therefore second quantity = 20×12 = 240.

id=21233 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:9 and the first is 96, what is the second? | option_a=240 | option_b=135 | option_c=150 | option_d=144 | answer=D | explanation=Scale factor = 96/6 = 16. Therefore second quantity = 9×16 = 144.

id=21234 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=Q | option_b=O | option_c=N | option_d=P | answer=D | explanation=Move 1 positions forward from O; the resulting letter is P.

id=21235 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=21236 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=H | option_b=K | option_c=E | option_d=B | answer=A | explanation=Move 3 positions forward from E; the resulting letter is H.

id=21237 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=95 | option_c=90 | option_d=180 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=21238 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3344. If it is sold at a profit of 40%, what is its selling price? | option_a=3384 | option_b=4681 | option_c=4347 | option_d=5015 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3344 × 140/100 = █4681.

id=21239 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=21240 | topic=Averages | difficulty=Easy | question=Find the average of 57, 55, 42, 75, 79, 66, 49, 46, 80. | option_a=63 | option_b=60 | option_c=62 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 549 ÷ 9 = 61.

Aptitude Questions — Records 21,241-21,270 of 100,000

id=21241 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:5 and the first is 126, what is the second? | option_a=216 | option_b=97 | option_c=85 | option_d=90 | answer=D | explanation=Scale factor = 126/7 = 18. Therefore second quantity = 5×18 = 90.

id=21242 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 12, 14, 17? | option_a=12 | option_b=10 | option_c=17 | option_d=14 | answer=C | explanation=The first three numbers increase by 2, so the next should be 16. Therefore 17 is the odd one out.

id=21243 | topic=Averages | difficulty=Easy | question=Find the average of 98, 43, 83, 28. | option_a=62 | option_b=64 | option_c=65 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 252 ÷ 4 = 63.

id=21244 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=36 | option_b=41 | option_c=72 | option_d=31 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=21245 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=N | option_b=I | option_c=S | option_d=D | answer=A | explanation=Move 5 positions forward from I; the resulting letter is N.

id=21246 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=S | option_c=G | option_d=O | answer=D | explanation=Move 4 positions forward from K; the resulting letter is O.

id=21247 | topic=Percentages | difficulty=Easy | question=What is 12% of 1667? | option_a=205 | option_b=400 | option_c=200 | option_d=180 | answer=C | explanation=12% of 1667 = (12/100) × 1667 = 200.

id=21248 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 20. | option_a=80 | option_b=500 | option_c=100 | option_d=125 | answer=C | explanation=LCM × HCF = 25×20; HCF(25,20) = 5, so LCM = 100.

id=21249 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=20 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=21250 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2329. If it is sold at a profit of 20%, what is its selling price? | option_a=2562 | option_b=3026 | option_c=2349 | option_d=2794 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2329 × 120/100 = ₹2794.

id=21251 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:15 and the first is 75, what is the second? | option_a=300 | option_b=225 | option_c=230 | option_d=210 | answer=B | explanation=Scale factor = 75/5 = 15. Therefore second quantity = 15×15 = 225.

id=21252 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2473. If it is sold at a profit of 10%, what is its selling price? | option_a=2967 | option_b=2720 | option_c=2483 | option_d=2473 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2473 × 110/100 = ₹2720.

id=21253 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹23419 at 12% per annum for 5 years. | option_a=13951 | option_b=14151 | option_c=14051 | option_d=37470 | answer=C | explanation=SI = PRT/100 = 23419×12×5/100 = ₹14051.

id=21254 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=21255 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 21? | option_a=2 | option_b=21 | option_c=14 | option_d=8 | answer=B | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 21 is the odd one out.

id=21256 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=49 | option_b=41 | option_c=48 | option_d=55 | answer=C | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.

id=21257 | topic=Averages | difficulty=Easy | question=Find the average of 71, 75, 12, 94. | option_a=64 | option_b=63 | option_c=65 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 252 ÷ 4 = 63.

id=21258 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2905. If it is sold at a profit of 15%, what is its selling price? | option_a=3340 | option_b=3630 | option_c=3050 | option_d=2920 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2905 × 115/100 = ₹3340.

id=21259 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:20 and the first is 114, what is the second? | option_a=120 | option_b=100 | option_c=139 | option_d=234 | answer=A | explanation=Scale factor = 114/19 = 6. Therefore second quantity = 20×6 = 120.

id=21260 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹48373 at 5% per annum for 3 years. | option_a=7355 | option_b=7255 | option_c=7155 | option_d=55628 | answer=B | explanation=SI = PRT/100 = 48373×5×3/100 = ₹7255.

id=21261 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:12 and the first is 25, what is the second? | option_a=48 | option_b=85 | option_c=65 | option_d=60 | answer=D | explanation=Scale factor = 25/5 = 5. Therefore second quantity = 12×5 = 60.

id=21262 | topic=Percentages | difficulty=Easy | question=What is 20% of 1391? | option_a=258 | option_b=278 | option_c=556 | option_d=283 | answer=B | explanation=20% of 1391 = (20/100) × 1391 = 278.

id=21263 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 20, 28, 37? | option_a=28 | option_b=37 | option_c=20 | option_d=12 | answer=B | explanation=The first three numbers increase by 8, so the next should be 36. Therefore 37 is the odd one out.

id=21264 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 50? | option_a=50 | option_b=30 | option_c=42 | option_d=36 | answer=A | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 50 is the odd one out.

id=21265 | topic=Averages | difficulty=Easy | question=Find the average of 14, 14, 34, 14. | option_a=19 | option_b=18 | option_c=21 | option_d=20 | answer=A | explanation=Average = sum of values ÷ number of values = 76 ÷ 4 = 19.

id=21266 | topic=Percentages | difficulty=Easy | question=What is 12% of 339? | option_a=40 | option_b=60 | option_c=20 | option_d=80 | answer=A | explanation=12% of 339 = (12/100) × 339 = 40.

id=21267 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:1 and the first is 180, what is the second? | option_a=11 | option_b=27 | option_c=192 | option_d=12 | answer=D | explanation=Scale factor = 180/15 = 12. Therefore second quantity = 1×12 = 12.

id=21268 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 25? | option_a=21 | option_b=25 | option_c=19 | option_d=17 | answer=B | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 25 is the odd one out.

id=21269 | topic=Percentages | difficulty=Easy | question=What is 50% of 1726? | option_a=883 | option_b=863 | option_c=1726 | option_d=853 | answer=B | explanation=50% of 1726 = (50/100) × 1726 = 863.

id=21270 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

Aptitude Questions — Records 21,271-21,300 of 100,000

id=21271 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=21272 | topic=Averages | difficulty=Easy | question=Find the average of 82, 93, 62. | option_a=81 | option_b=79 | option_c=78 | option_d=80 | answer=B | explanation=Average = sum of values ÷ number of values = 237 ÷ 3 = 79.

id=21273 | topic=Averages | difficulty=Easy | question=Find the average of 89, 72, 98, 49, 83, 21, 43. | option_a=67 | option_b=65 | option_c=66 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 455 ÷ 7 = 65.

id=21274 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=43 | option_b=65 | option_c=54 | option_d=55 | answer=C | explanation=The common difference is 11. Therefore the next term is 43 + 11 = 54.

id=21275 | topic=Percentages | difficulty=Easy | question=What is 5% of 1542? | option_a=77 | option_b=154 | option_c=82 | option_d=72 | answer=A | explanation=5% of 1542 = (5/100) × 1542 = 77.

id=21276 | topic=Averages | difficulty=Easy | question=Find the average of 66, 59, 47, 29, 94. | option_a=59 | option_b=60 | option_c=61 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 295 ÷ 5 = 59.

id=21277 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=21278 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2007 at 4% per annum for 5 years. | option_a=501 | option_b=401 | option_c=2408 | option_d=301 | answer=B | explanation=SI = PRT/100 = 2007×4×5/100 = **■**401.

id=21279 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45497 at 4% per annum for 5 years. | option_a=9099 | option_b=54596 | option_c=8999 | option_d=9199 | answer=A | explanation=SI = PRT/100 = 45497×4×5/100 = **■**9099.

id=21280 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2843. If it is sold at a profit of 15%, what is its selling price? | option_a=3269 | option_b=3553 | option_c=2985 | option_d=2858 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2843 × 115/100 = **■**3269.

id=21281 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=90 | option_c=95 | option_d=180 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=21282 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=E | option_c=C | option_d=A | answer=B | explanation=Move 2 positions forward from C; the resulting letter is E.

id=21283 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2080. If it is sold at a profit of 30%, what is its selling price? | option_a=2496 | option_b=2110 | option_c=2912 | option_d=2704 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2080 × 130/100 = **■**2704.

id=21284 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=X | option_b=H | option_c=C | option_d=M | answer=B | explanation=Move 5 positions forward from C; the resulting letter is H.

id=21285 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 21? | option_a=21 | option_b=15 | option_c=12 | option_d=9 | answer=A | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 21 is the odd one out.

id=21286 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 32, 35, 39? | option_a=29 | option_b=39 | option_c=35 | option_d=32 | answer=B | explanation=The first three numbers increase by 3, so the next should be 38. Therefore 39 is the odd one out.

id=21287 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28689 at 5% per annum for 2 years. | option_a=2768 | option_b=2968 | option_c=2868 | option_d=31557 | answer=C | explanation=SI = PRT/100 = 28689×5×2/100 = **■**2868.

id=21288 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 29? | option_a=29 | option_b=19 | option_c=5 | option_d=12 | answer=A | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 29 is the odd one out.

id=21289 | topic=Percentages | difficulty=Easy | question=What is 20% of 351? | option_a=70 | option_b=65 | option_c=140 | option_d=90 | answer=A | explanation=20% of 351 = (20/100) × 351 = 70.

id=21290 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2530. If it is sold at a profit of 5%, what is its selling price? | option_a=2535 | option_b=2909 | option_c=2403 | option_d=2656 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2530 × 105/100 = **■**2656.

id=21291 | topic=Averages | difficulty=Easy | question=Find the average of 26, 77, 74. | option_a=58 | option_b=61 | option_c=60 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 177 ÷ 3 = 59.

id=21292 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:11 and the first is 238, what is the second? | option_a=201 | option_b=187 | option_c=176 | option_d=425 | answer=B | explanation=Scale factor = 238/14 = 17. Therefore second quantity = 11×17 = 187.

id=21293 | topic=Percentages | difficulty=Easy | question=What is 20% of 1298? | option_a=259 | option_b=279 | option_c=239 | option_d=518 | answer=A | explanation=20% of 1298 = (20/100) × 1298 = 259.

id=21294 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=20 | option_d=5 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=21295 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=7 | option_d=17 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=21296 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=21297 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=48 | option_b=47 | option_c=37 | option_d=57 | answer=B | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

id=21298 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=P | option_c=T | option_d=N | answer=A | explanation=Move 2 positions forward from P; the resulting letter is R.

id=21299 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=52 | option_b=44 | option_c=36 | option_d=45 | answer=B | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.

id=21300 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=30 | option_b=25 | option_c=29 | option_d=33 | answer=C | explanation=The common difference is 4. Therefore the next term is 25 + 4 = 29.

Aptitude Questions — Records 21,301-21,330 of 100,000

id=21301 | topic=Profit & Loss | difficulty=Easy | question=An article costs █442. If it is sold at a profit of 40%, what is its selling price? | option_a=618 | option_b=482 | option_c=574 | option_d=662 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 442 × 140/100 = █618.

id=21302 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=41 | option_b=33 | option_c=47 | option_d=40 | answer=D | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.

id=21303 | topic=Averages | difficulty=Easy | question=Find the average of 12, 69, 70, 79, 80. | option_a=62 | option_b=64 | option_c=61 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 310 ÷ 5 = 62.

id=21304 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 12. | option_a=48 | option_b=64 | option_c=36 | option_d=192 | answer=A | explanation=LCM × HCF = 16×12; HCF(16,12) = 4, so LCM = 48.

id=21305 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24372 at 4% per annum for 1 years. | option_a=25346 | option_b=974 | option_c=1074 | option_d=874 | answer=B | explanation=SI = PRT/100 = 24372×4×1/100 = █974.

id=21306 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=D | option_b=S | option_c=I | option_d=N | answer=D | explanation=Move 5 positions forward from I; the resulting letter is N.

id=21307 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:4 and the first is 300, what is the second? | option_a=80 | option_b=60 | option_c=56 | option_d=360 | answer=B | explanation=Scale factor = 300/20 = 15. Therefore second quantity = 4×15 = 60.

id=21308 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=50 | option_c=45 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=21309 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:14 and the first is 16, what is the second? | option_a=28 | option_b=44 | option_c=36 | option_d=14 | answer=A | explanation=Scale factor = 16/8 = 2. Therefore second quantity = 14×2 = 28.

id=21310 | topic=Profit & Loss | difficulty=Easy | question=An article costs █407. If it is sold at a profit of 25%, what is its selling price? | option_a=508 | option_b=548 | option_c=432 | option_d=468 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 407 × 125/100 = █508.

id=21311 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34846 at 4% per annum for 2 years. | option_a=2887 | option_b=37633 | option_c=2787 | option_d=2687 | answer=C | explanation=SI = PRT/100 = 34846×4×2/100 = █2787.

id=21312 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 17, 19, 21, ? | option_a=25 | option_b=21 | option_c=24 | option_d=23 | answer=D | explanation=The common difference is 2. Therefore the next term is 21 + 2 = 23.

id=21313 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:16 and the first is 196, what is the second? | option_a=208 | option_b=420 | option_c=238 | option_d=224 | answer=D | explanation=Scale factor = 196/14 = 14. Therefore second quantity = 16×14 = 224.

id=21314 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:19 and the first is 288, what is the second? | option_a=342 | option_b=358 | option_c=630 | option_d=323 | answer=A | explanation=Scale factor = 288/16 = 18. Therefore second quantity = 19×18 = 342.

id=21315 | topic=Percentages | difficulty=Easy | question=What is 20% of 857? | option_a=166 | option_b=176 | option_c=342 | option_d=171 | answer=D | explanation=20% of 857 = (20/100) × 857 = 171.

id=21316 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:20 and the first is 96, what is the second? | option_a=248 | option_b=336 | option_c=240 | option_d=220 | answer=C | explanation=Scale factor = 96/8 = 12. Therefore second quantity = 20×12 = 240.

id=21317 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=Q | option_b=R | option_c=O | option_d=P | answer=A | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=21318 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 29? | option_a=20 | option_b=12 | option_c=4 | option_d=29 | answer=D | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 29 is the odd one out.

id=21319 | topic=Percentages | difficulty=Easy | question=What is 10% of 1431? | option_a=163 | option_b=143 | option_c=123 | option_d=286 | answer=B | explanation=10% of 1431 = (10/100) × 1431 = 143.

id=21320 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=N | option_c=E | option_d=K | answer=D | explanation=Move 3 positions forward from H; the resulting letter is K.

id=21321 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=U | option_c=I | option_d=M | answer=A | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=21322 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43098 at 5% per annum for 4 years. | option_a=51717 | option_b=8719 | option_c=8519 | option_d=8619 | answer=D | explanation=SI = PRT/100 = 43098×5×4/100 = █8619.

id=21323 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 33? | option_a=24 | option_b=28 | option_c=33 | option_d=20 | answer=C | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 33 is the odd one out.

id=21324 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 29, 33, 38? | option_a=29 | option_b=25 | option_c=33 | option_d=38 | answer=D | explanation=The first three numbers increase by 4, so the next should be 37. Therefore 38 is the odd one out.

id=21325 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 15, 19, 25? | option_a=15 | option_b=11 | option_c=19 | option_d=25 | answer=D | explanation=The first three numbers increase by 4, so the next should be 23. Therefore 25 is the odd one out.

id=21326 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4193. If it is sold at a profit of 30%, what is its selling price? | option_a=4223 | option_b=5869 | option_c=5031 | option_d=5450 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4193 × 130/100 = █5450.

id=21327 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=21328 | topic=Percentages | difficulty=Easy | question=What is 5% of 588? | option_a=29 | option_b=19 | option_c=39 | option_d=58 | answer=A | explanation=5% of 588 = (5/100) × 588 = 29.

id=21329 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12562 at 10% per annum for 5 years. | option_a=6181 | option_b=6281 | option_c=18843 | option_d=6381 | answer=B | explanation=SI = PRT/100 = 12562×10×5/100 = █6281.

id=21330 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21756 at 15% per annum for 5 years. | option_a=16417 | option_b=16217 | option_c=38073 | option_d=16317 | answer=D | explanation=SI = PRT/100 = 21756×15×5/100 = █16317.

Aptitude Questions — Records 21,331-21,360 of 100,000

id=21331 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=21332 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=J | option_c=F | option_d=L | answer=B | explanation=Move 2 positions forward from H; the resulting letter is J.

id=21333 | topic=Percentages | difficulty=Easy | question=What is 20% of 1998? | option_a=419 | option_b=798 | option_c=399 | option_d=394 | answer=C | explanation= $20\% \text{ of } 1998 = (\frac{20}{100}) \times 1998 = 399$.

id=21334 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=21335 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4937. If it is sold at a profit of 10%, what is its selling price? | option_a=5430 | option_b=4937 | option_c=5923 | option_d=4947 | answer=A | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 4937 \times \frac{110}{100} = \text{█}5430$.

id=21336 | topic=Percentages | difficulty=Easy | question=What is 15% of 1221? | option_a=366 | option_b=178 | option_c=203 | option_d=183 | answer=D | explanation= $15\% \text{ of } 1221 = (\frac{15}{100}) \times 1221 = 183$.

id=21337 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:9 and the first is 8, what is the second? | option_a=72 | option_b=73 | option_c=63 | option_d=80 | answer=A | explanation=Scale factor = $\frac{8}{1} = 8$. Therefore second quantity = $9 \times 8 = 72$.

id=21338 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=33 | option_b=30 | option_c=25 | option_d=29 | answer=D | explanation=The common difference is 4. Therefore the next term is $25 + 4 = 29$.

id=21339 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=M | option_b=E | option_c=I | option_d=Q | answer=A | explanation=Move 4 positions forward from I; the resulting letter is M.

id=21340 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=100 | option_c=55 | option_d=50 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = \frac{300}{6} = 50$ km/h.

id=21341 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 31, 33, 37? | option_a=31 | option_b=29 | option_c=33 | option_d=37 | answer=D | explanation=The first three numbers increase by 2, so the next should be 35. Therefore 37 is the odd one out.

id=21342 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=50 | option_d=45 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = \frac{180}{4} = 45$ km/h.

id=21343 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:12 and the first is 85, what is the second? | option_a=145 | option_b=77 | option_c=60 | option_d=48 | answer=C | explanation=Scale factor = $\frac{85}{17} = 5$. Therefore second quantity = $12 \times 5 = 60$.

id=21344 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = \frac{60}{2} = 30$ km/h.

id=21345 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=27 | option_b=28 | option_c=33 | option_d=21 | answer=A | explanation=The common difference is 6. Therefore the next term is $21 + 6 = 27$.

id=21346 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=29 | option_b=37 | option_c=45 | option_d=38 | answer=B | explanation=The common difference is 8. Therefore the next term is $29 + 8 = 37$.

id=21347 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=40 | option_d=15 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = \frac{60}{3} = 20$ km/h.

id=21348 | topic=Averages | difficulty=Easy | question=Find the average of 99, 42, 38, 14, 74, 98, 76, 39. | option_a=59 | option_b=60 | option_c=61 | option_d=62 | answer=B | explanation=Average = $\text{sum of values} \div \text{number of values} = \frac{480}{8} = 60$.

id=21349 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=T | option_b=O | option_c=J | option_d=E | answer=B | explanation=Move 5 positions forward from J; the resulting letter is O.

id=21350 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=40 | option_c=80 | option_d=45 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = \frac{240}{6} = 40$ km/h.

id=21351 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=21352 | topic=Percentages | difficulty=Easy | question=What is 50% of 292? | option_a=141 | option_b=156 | option_c=292 | option_d=146 | answer=D | explanation= $50\% \text{ of } 292 = (\frac{50}{100}) \times 292 = 146$.

id=21353 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 20. | option_a=1 | option_b=20 | option_c=200 | option_d=30 | answer=B | explanation= $\text{LCM} \times \text{HCF} = 10 \times 20$; $\text{HCF}(10, 20) = 10$, so $\text{LCM} = 20$.

id=21354 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = \frac{120}{4} = 30$ km/h.

id=21355 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=27 | option_b=23 | option_c=17 | option_d=22 | answer=D | explanation=The common difference is 5. Therefore the next term is $17 + 5 = 22$.

id=21356 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=20 | option_c=25 | option_d=30 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = \frac{150}{6} = 25$ km/h.

id=21357 | topic=Averages | difficulty=Easy | question=Find the average of 77, 19, 62, 10, 29, 35, 23, 57. | option_a=40 | option_b=41 | option_c=39 | option_d=38 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = \frac{312}{8} = 39$.

id=21358 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=49 | option_b=60 | option_c=50 | option_d=38 | answer=A | explanation=The common difference is 11. Therefore the next term is $38 + 11 = 49$.

id=21359 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 28, 33, 40? | option_a=23 | option_b=40 | option_c=28 | option_d=33 | answer=B | explanation=The first three numbers increase by 5, so the next should be 38. Therefore 40 is the odd one out.

id=21360 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41804 at 5% per annum for 2 years. | option_a=4180 | option_b=4280 | option_c=45984 | option_d=4080 | answer=A | explanation= $\text{SI} = \frac{\text{PRT}}{100} = \frac{41804 \times 5 \times 2}{100} = \text{█}4180$.

Aptitude Questions — Records 21,361-21,390 of 100,000

id=21361 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38156 at 5% per annum for 1 years. | option_a=1907 | option_b=1807 | option_c=40063 | option_d=2007 | answer=A | explanation=SI = $PRT/100 = 38156 \times 5 \times 1/100 = \text{■}1907$.

id=21362 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5527 at 10% per annum for 4 years. | option_a=7737 | option_b=2110 | option_c=2310 | option_d=2210 | answer=D | explanation=SI = $PRT/100 = 5527 \times 10 \times 4/100 = \text{■}2210$.

id=21363 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:9 and the first is 5, what is the second? | option_a=50 | option_b=46 | option_c=36 | option_d=45 | answer=D | explanation=Scale factor = $5/1 = 5$. Therefore second quantity = $9 \times 5 = 45$.

id=21364 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:9 and the first is 75, what is the second? | option_a=210 | option_b=126 | option_c=135 | option_d=140 | answer=C | explanation=Scale factor = $75/5 = 15$. Therefore second quantity = $9 \times 15 = 135$.

id=21365 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=21366 | topic=Percentages | difficulty=Easy | question=What is 12% of 1974? | option_a=472 | option_b=226 | option_c=256 | option_d=236 | answer=D | explanation=12% of 1974 = $(12/100) \times 1974 = 236$.

id=21367 | topic=Averages | difficulty=Easy | question=Find the average of 92, 41, 60, 23, 58, 85, 71, 68, 49, 83. | option_a=64 | option_b=63 | option_c=65 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = $630 \div 10 = 63$.

id=21368 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35825 at 8% per annum for 3 years. | option_a=8698 | option_b=8598 | option_c=8498 | option_d=44423 | answer=B | explanation=SI = $PRT/100 = 35825 \times 8 \times 3/100 = \text{■}8598$.

id=21369 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=S | option_b=O | option_c=K | option_d=G | answer=B | explanation=Move 4 positions forward from K; the resulting letter is O.

id=21370 | topic=Averages | difficulty=Easy | question=Find the average of 68, 84, 100, 83, 64, 48, 33, 63, 69. | option_a=68 | option_b=67 | option_c=70 | option_d=69 | answer=A | explanation=Average = sum of values ÷ number of values = $612 \div 9 = 68$.

id=21371 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=N | option_b=H | option_c=E | option_d=K | answer=D | explanation=Move 3 positions forward from H; the resulting letter is K.

id=21372 | topic=Averages | difficulty=Easy | question=Find the average of 91, 61, 42, 69, 40, 47, 70. | option_a=61 | option_b=62 | option_c=60 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = $420 \div 7 = 60$.

id=21373 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=41 | option_b=46 | option_c=40 | option_d=34 | answer=C | explanation=The common difference is 6. Therefore the next term is $34 + 6 = 40$.

id=21374 | topic=Percentages | difficulty=Easy | question=What is 40% of 1236? | option_a=499 | option_b=494 | option_c=988 | option_d=474 | answer=B | explanation=40% of 1236 = $(40/100) \times 1236 = 494$.

id=21375 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13095 at 5% per annum for 1 years. | option_a=754 | option_b=554 | option_c=13749 | option_d=654 | answer=D | explanation=SI = $PRT/100 = 13095 \times 5 \times 1/100 = \text{■}654$.

id=21376 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37019 at 10% per annum for 3 years. | option_a=48124 | option_b=11005 | option_c=11205 | option_d=11105 | answer=D | explanation=SI = $PRT/100 = 37019 \times 10 \times 3/100 = \text{■}11105$.

id=21377 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:5 and the first is 14, what is the second? | option_a=24 | option_b=5 | option_c=10 | option_d=17 | answer=C | explanation=Scale factor = $14/7 = 2$. Therefore second quantity = $5 \times 2 = 10$.

id=21378 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 45? | option_a=27 | option_b=45 | option_c=19 | option_d=35 | answer=B | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 45 is the odd one out.

id=21379 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39244 at 5% per annum for 3 years. | option_a=5986 | option_b=5886 | option_c=5786 | option_d=45130 | answer=B | explanation=SI = $PRT/100 = 39244 \times 5 \times 3/100 = \text{■}5886$.

id=21380 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=44 | option_b=39 | option_c=40 | option_d=34 | answer=B | explanation=The common difference is 5. Therefore the next term is $34 + 5 = 39$.

id=21381 | topic=Percentages | difficulty=Easy | question=What is 50% of 1686? | option_a=853 | option_b=838 | option_c=1686 | option_d=843 | answer=D | explanation=50% of 1686 = $(50/100) \times 1686 = 843$.

id=21382 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=48 | option_b=40 | option_c=54 | option_d=47 | answer=D | explanation=The common difference is 7. Therefore the next term is $40 + 7 = 47$.

id=21383 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=26 | option_b=25 | option_c=24 | option_d=22 | answer=C | explanation=The common difference is 2. Therefore the next term is $22 + 2 = 24$.

id=21384 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4797. If it is sold at a profit of 10%, what is its selling price? | option_a=4797 | option_b=4807 | option_c=5276 | option_d=5755 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4797 \times 110/100 = \text{■}5276$.

id=21385 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=21386 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4799. If it is sold at a profit of 20%, what is its selling price? | option_a=4819 | option_b=6237 | option_c=5758 | option_d=5279 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4799 \times 120/100 = \text{■}5758$.

id=21387 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=5 | option_c=20 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = $60 \div 6 = 10$ km/h.

id=21388 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:12 and the first is 16, what is the second? | option_a=193 | option_b=180 | option_c=192 | option_d=208 | answer=C | explanation=Scale factor = $16/1 = 16$. Therefore second quantity = $12 \times 16 = 192$.

id=21389 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=40 | option_d=90 | answer=B | explanation=Speed = distance ÷ time = $360 \div 8 = 45$ km/h.

id=21390 | topic=Averages | difficulty=Easy | question=Find the average of 52, 12, 41. | option_a=34 | option_b=35 | option_c=37 | option_d=36 | answer=B | explanation=Average = sum of values ÷ number of values = $105 \div 3 = 35$.

Aptitude Questions — Records 21,391-21,420 of 100,000

id=21391 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:13 and the first is 84, what is the second? | option_a=103 | option_b=175 | option_c=91 | option_d=78 | answer=C | explanation=Scale factor = $84/12 = 7$. Therefore second quantity = $13 \times 7 = 91$.

id=21392 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 26, 28, 33? | option_a=24 | option_b=28 | option_c=33 | option_d=26 | answer=C | explanation=The first three numbers increase by 2, so the next should be 30. Therefore 33 is the odd one out.

id=21393 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=U | option_b=M | option_c=Q | option_d=I | answer=C | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=21394 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2103. If it is sold at a profit of 15%, what is its selling price? | option_a=2418 | option_b=2628 | option_c=2118 | option_d=2208 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2103 \times 115/100 = \text{₹}2418$.

id=21395 | topic=Averages | difficulty=Easy | question=Find the average of 98, 36, 78, 54, 84, 49, 26, 93, 94. | option_a=69 | option_b=70 | option_c=68 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = $612 \div 9 = 68$.

id=21396 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 24? | option_a=24 | option_b=17 | option_c=5 | option_d=11 | answer=A | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 24 is the odd one out.

id=21397 | topic=Percentages | difficulty=Easy | question=What is 30% of 1259? | option_a=372 | option_b=377 | option_c=382 | option_d=754 | answer=B | explanation=30% of 1259 = $(30/100) \times 1259 = 377$.

id=21398 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4704. If it is sold at a profit of 20%, what is its selling price? | option_a=5644 | option_b=5174 | option_c=6114 | option_d=4724 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4704 \times 120/100 = \text{₹}5644$.

id=21399 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:6 and the first is 70, what is the second? | option_a=30 | option_b=100 | option_c=24 | option_d=44 | answer=A | explanation=Scale factor = $70/14 = 5$. Therefore second quantity = $6 \times 5 = 30$.

id=21400 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4963. If it is sold at a profit of 25%, what is its selling price? | option_a=6699 | option_b=4988 | option_c=5707 | option_d=6203 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4963 \times 125/100 = \text{₹}6203$.

id=21401 | topic=Percentages | difficulty=Easy | question=What is 10% of 842? | option_a=74 | option_b=94 | option_c=168 | option_d=84 | answer=D | explanation=10% of 842 = $(10/100) \times 842 = 84$.

id=21402 | topic=Averages | difficulty=Easy | question=Find the average of 53, 75, 79, 17, 36. | option_a=54 | option_b=51 | option_c=52 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = $260 \div 5 = 52$.

id=21403 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=24 | option_c=12 | option_d=7 | answer=C | explanation=Speed = distance ÷ time = $60 \div 5 = 12$ km/h.

id=21404 | topic=Percentages | difficulty=Easy | question=What is 10% of 1695? | option_a=338 | option_b=169 | option_c=149 | option_d=189 | answer=B | explanation=10% of 1695 = $(10/100) \times 1695 = 169$.

id=21405 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**838. If it is sold at a profit of 30%, what is its selling price? | option_a=1089 | option_b=1006 | option_c=1172 | option_d=868 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 838 \times 130/100 = \text{₹}1089$.

id=21406 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=24 | option_d=7 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=21407 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=21408 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:20 and the first is 128, what is the second? | option_a=300 | option_b=328 | option_c=320 | option_d=448 | answer=C | explanation=Scale factor = $128/8 = 16$. Therefore second quantity = $20 \times 16 = 320$.

id=21409 | topic=Percentages | difficulty=Easy | question=What is 15% of 117? | option_a=34 | option_b=22 | option_c=17 | option_d=12 | answer=C | explanation=15% of 117 = $(15/100) \times 117 = 17$.

id=21410 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3135. If it is sold at a profit of 5%, what is its selling price? | option_a=3140 | option_b=3291 | option_c=2978 | option_d=3604 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3135 \times 105/100 = \text{₹}3291$.

id=21411 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**44310 at 6% per annum for 1 years. | option_a=46968 | option_b=2558 | option_c=2758 | option_d=2658 | answer=D | explanation=SI = $PRT/100 = 44310 \times 6 \times 1/100 = \text{₹}2658$.

id=21412 | topic=Percentages | difficulty=Easy | question=What is 50% of 678? | option_a=359 | option_b=678 | option_c=329 | option_d=339 | answer=D | explanation=50% of 678 = $(50/100) \times 678 = 339$.

id=21413 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:18 and the first is 76, what is the second? | option_a=148 | option_b=72 | option_c=91 | option_d=54 | answer=B | explanation=Scale factor = $76/19 = 4$. Therefore second quantity = $18 \times 4 = 72$.

id=21414 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=35 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = $120 \div 3 = 40$ km/h.

id=21415 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=115 | option_c=120 | option_d=240 | answer=C | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.

id=21416 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 34? | option_a=25 | option_b=22 | option_c=28 | option_d=34 | answer=D | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 34 is the odd one out.

id=21417 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 22. | option_a=154 | option_b=308 | option_c=132 | option_d=168 | answer=A | explanation=LCM $\times$ HCF = 14×22 ; $HCF(14, 22) = 2$, so LCM = 154.

id=21418 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 24, 30, 37? | option_a=24 | option_b=18 | option_c=37 | option_d=30 | answer=C | explanation=The first three numbers increase by 6, so the next should be 36. Therefore 37 is the odd one out.

id=21419 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=S | option_b=V | option_c=P | option_d=M | answer=A | explanation=Move 3 positions forward from P; the resulting letter is S.

id=21420 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

Aptitude Questions — Records 21,421-21,450 of 100,000

id=21421 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=G | option_b=W | option_c=L | option_d=B | answer=A | explanation=Move 5 positions forward from B; the resulting letter is G.

id=21422 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=70 | option_b=75 | option_c=80 | option_d=150 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=21423 | topic=Percentages | difficulty=Easy | question=What is 12% of 1387? | option_a=166 | option_b=176 | option_c=332 | option_d=146 | answer=A | explanation=12% of 1387 = (12/100) × 1387 = 166.

id=21424 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 18? | option_a=13 | option_b=11 | option_c=15 | option_d=18 | answer=D | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 18 is the odd one out.

id=21425 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=10 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=21426 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3656. If it is sold at a profit of 20%, what is its selling price? | option_a=3676 | option_b=4752 | option_c=4387 | option_d=4022 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3656 × 120/100 = █4387.

id=21427 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4825. If it is sold at a profit of 20%, what is its selling price? | option_a=6272 | option_b=5790 | option_c=5308 | option_d=4845 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4825 × 120/100 = █5790.

id=21428 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=G | option_c=O | option_d=S | answer=C | explanation=Move 4 positions forward from K; the resulting letter is O.

id=21429 | topic=Percentages | difficulty=Easy | question=What is 50% of 118? | option_a=118 | option_b=59 | option_c=64 | option_d=54 | answer=B | explanation=50% of 118 = (50/100) × 118 = 59.

id=21430 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 17, 22, 30? | option_a=22 | option_b=12 | option_c=17 | option_d=30 | answer=D | explanation=The first three numbers increase by 5, so the next should be 27. Therefore 30 is the odd one out.

id=21431 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=21432 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=21433 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 14, 16, 21? | option_a=16 | option_b=12 | option_c=21 | option_d=14 | answer=C | explanation=The first three numbers increase by 2, so the next should be 18. Therefore 21 is the odd one out.

id=21434 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=37 | option_b=47 | option_c=57 | option_d=48 | answer=B | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

id=21435 | topic=Percentages | difficulty=Easy | question=What is 30% of 601? | option_a=175 | option_b=190 | option_c=180 | option_d=360 | answer=C | explanation=30% of 601 = (30/100) × 601 = 180.

id=21436 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40796 at 6% per annum for 1 years. | option_a=2447 | option_b=43243 | option_c=2547 | option_d=2347 | answer=A | explanation=SI = PRT/100 = 40796×6×1/100 = █2447.

id=21437 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:6 and the first is 45, what is the second? | option_a=33 | option_b=63 | option_c=12 | option_d=18 | answer=D | explanation=Scale factor = 45/15 = 3. Therefore second quantity = 6×3 = 18.

id=21438 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=D | option_c=F | option_d=J | answer=A | explanation=Move 2 positions forward from F; the resulting letter is H.

id=21439 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25981 at 12% per annum for 3 years. | option_a=35334 | option_b=9253 | option_c=9353 | option_d=9453 | answer=C | explanation=SI = PRT/100 = 25981×12×3/100 = █9353.

id=21440 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=21441 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=27 | option_b=35 | option_c=43 | option_d=36 | answer=B | explanation=The common difference is 8. Therefore the next term is 27 + 8 = 35.

id=21442 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3969. If it is sold at a profit of 10%, what is its selling price? | option_a=4365 | option_b=3969 | option_c=3979 | option_d=4761 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3969 × 110/100 = █4365.

id=21443 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:17 and the first is 8, what is the second? | option_a=68 | option_b=51 | option_c=70 | option_d=76 | answer=A | explanation=Scale factor = 8/2 = 4. Therefore second quantity = 17×4 = 68.

id=21444 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=75 | option_c=80 | option_d=70 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=21445 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16277 at 10% per annum for 2 years. | option_a=3355 | option_b=3155 | option_c=3255 | option_d=19532 | answer=C | explanation=SI = PRT/100 = 16277×10×2/100 = █3255.

id=21446 | topic=Averages | difficulty=Easy | question=Find the average of 80, 86, 50, 29, 25, 75, 33, 62. | option_a=55 | option_b=57 | option_c=54 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 440 ÷ 8 = 55.

id=21447 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 8, 11, 14, ? | option_a=14 | option_b=18 | option_c=17 | option_d=20 | answer=C | explanation=The common difference is 3. Therefore the next term is 14 + 3 = 17.

id=21448 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 21? | option_a=21 | option_b=7 | option_c=15 | option_d=11 | answer=A | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 21 is the odd one out.

id=21449 | topic=Averages | difficulty=Easy | question=Find the average of 23, 29, 53. | option_a=36 | option_b=34 | option_c=35 | option_d=37 | answer=C | explanation=Average = sum of values ÷ number of values = 105 ÷ 3 = 35.

id=21450 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=W | option_c=T | option_d=V | answer=D | explanation=Move 1 positions forward from U; the resulting letter is V.

Aptitude Questions — Records 21,451-21,480 of 100,000

id=21451 | topic=Percentages | difficulty=Easy | question=What is 10% of 1615? | option_a=161 | option_b=141 | option_c=171 | option_d=322 | answer=A | explanation=10% of 1615 = $(10/100) \times 1615 = 161$.

id=21452 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47694 at 15% per annum for 2 years. | option_a=14308 | option_b=14208 | option_c=14408 | option_d=62002 | answer=A | explanation=SI = $PRT/100 = 47694 \times 15 \times 2/100 = \text{■}14308$.

id=21453 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 16, 20, 25? | option_a=12 | option_b=20 | option_c=16 | option_d=25 | answer=D | explanation=The first three numbers increase by 4, so the next should be 24. Therefore 25 is the odd one out.

id=21454 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19000 at 12% per annum for 5 years. | option_a=11500 | option_b=11400 | option_c=11300 | option_d=30400 | answer=B | explanation=SI = $PRT/100 = 19000 \times 12 \times 5/100 = \text{■}11400$.

id=21455 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=21456 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=21457 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33959 at 5% per annum for 5 years. | option_a=8589 | option_b=8489 | option_c=42448 | option_d=8389 | answer=B | explanation=SI = $PRT/100 = 33959 \times 5 \times 5/100 = \text{■}8489$.

id=21458 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:14 and the first is 170, what is the second? | option_a=224 | option_b=248 | option_c=408 | option_d=238 | answer=D | explanation=Scale factor = $170/10 = 17$. Therefore second quantity = $14 \times 17 = 238$.

id=21459 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=21460 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=21461 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34491 at 6% per annum for 3 years. | option_a=6108 | option_b=6208 | option_c=40699 | option_d=6308 | answer=B | explanation=SI = $PRT/100 = 34491 \times 6 \times 3/100 = \text{■}6208$.

id=21462 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 26, 34, 42, ? | option_a=51 | option_b=42 | option_c=58 | option_d=50 | answer=D | explanation=The common difference is 8. Therefore the next term is $42 + 8 = 50$.

id=21463 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=8 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=21464 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=75 | option_d=150 | answer=C | explanation=Speed = distance ÷ time = $150 \div 2 = 75$ km/h.

id=21465 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=21466 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34727 at 12% per annum for 5 years. | option_a=20936 | option_b=20836 | option_c=55563 | option_d=20736 | answer=B | explanation=SI = $PRT/100 = 34727 \times 12 \times 5/100 = \text{■}20836$.

id=21467 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 33? | option_a=33 | option_b=17 | option_c=10 | option_d=24 | answer=A | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 33 is the odd one out.

id=21468 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 37? | option_a=37 | option_b=34 | option_c=32 | option_d=30 | answer=A | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 37 is the odd one out.

id=21469 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=28 | option_b=18 | option_c=23 | option_d=24 | answer=C | explanation=The common difference is 5. Therefore the next term is $18 + 5 = 23$.

id=21470 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=J | option_c=A | option_d=G | answer=D | explanation=Move 3 positions forward from D; the resulting letter is G.

id=21471 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22737 at 6% per annum for 2 years. | option_a=2828 | option_b=2728 | option_c=25465 | option_d=2628 | answer=B | explanation=SI = $PRT/100 = 22737 \times 6 \times 2/100 = \text{■}2728$.

id=21472 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4600 at 5% per annum for 3 years. | option_a=790 | option_b=590 | option_c=690 | option_d=5290 | answer=C | explanation=SI = $PRT/100 = 4600 \times 5 \times 3/100 = \text{■}690$.

id=21473 | topic=Averages | difficulty=Easy | question=Find the average of 99, 15, 93, 23, 51, 51, 50, 24, 99, 55. | option_a=56 | option_b=55 | option_c=58 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = $560 \div 10 = 56$.

id=21474 | topic=Averages | difficulty=Easy | question=Find the average of 90, 34, 58, 88, 32, 38, 13, 35, 79, 63. | option_a=53 | option_b=54 | option_c=55 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = $530 \div 10 = 53$.

id=21475 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=45 | option_c=35 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = $120 \div 3 = 40$ km/h.

id=21476 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=23 | option_b=20 | option_c=24 | option_d=22 | answer=D | explanation=The common difference is 2. Therefore the next term is $20 + 2 = 22$.

id=21477 | topic=Percentages | difficulty=Easy | question=What is 30% of 210? | option_a=53 | option_b=63 | option_c=126 | option_d=83 | answer=B | explanation=30% of 210 = $(30/100) \times 210 = 63$.

id=21478 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=11 | option_c=6 | option_d=12 | answer=C | explanation=Speed = distance ÷ time = $60 \div 10 = 6$ km/h.

id=21479 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=17 | option_c=24 | option_d=7 | answer=A | explanation=Speed = distance ÷ time = $60 \div 5 = 12$ km/h.

id=21480 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 24? | option_a=17 | option_b=11 | option_c=24 | option_d=5 | answer=C | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 24 is the odd one out.

Aptitude Questions — Records 21,481-21,510 of 100,000

id=21481 | topic=Averages | difficulty=Easy | question=Find the average of 36, 62, 97. | option_a=67 | option_b=64 | option_c=66 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 195 ÷ 3 = 65.

id=21482 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 17, 27, 38? | option_a=27 | option_b=38 | option_c=17 | option_d=7 | answer=B | explanation=The first three numbers increase by 10, so the next should be 37. Therefore 38 is the odd one out.

id=21483 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 38, 48, 61? | option_a=38 | option_b=48 | option_c=61 | option_d=28 | answer=C | explanation=The first three numbers increase by 10, so the next should be 58. Therefore 61 is the odd one out.

id=21484 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7460 at 5% per annum for 5 years. | option_a=1765 | option_b=1965 | option_c=9325 | option_d=1865 | answer=D | explanation=SI = PRT/100 = 7460×5×5/100 = █1865.

id=21485 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2895. If it is sold at a profit of 30%, what is its selling price? | option_a=3474 | option_b=3763 | option_c=4052 | option_d=2925 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2895 × 130/100 = █3763.

id=21486 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4638. If it is sold at a profit of 25%, what is its selling price? | option_a=5797 | option_b=5334 | option_c=6260 | option_d=4663 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4638 × 125/100 = █5797.

id=21487 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 21, 30, 41? | option_a=30 | option_b=21 | option_c=12 | option_d=41 | answer=D | explanation=The first three numbers increase by 9, so the next should be 39. Therefore 41 is the odd one out.

id=21488 | topic=Percentages | difficulty=Easy | question=What is 25% of 1168? | option_a=292 | option_b=584 | option_c=287 | option_d=312 | answer=A | explanation=25% of 1168 = (25/100) × 1168 = 292.

id=21489 | topic=Percentages | difficulty=Easy | question=What is 5% of 798? | option_a=59 | option_b=29 | option_c=78 | option_d=39 | answer=D | explanation=5% of 798 = (5/100) × 798 = 39.

id=21490 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 20, 26, 33? | option_a=26 | option_b=20 | option_c=14 | option_d=33 | answer=D | explanation=The first three numbers increase by 6, so the next should be 32. Therefore 33 is the odd one out.

id=21491 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=U | option_b=F | option_c=K | option_d=P | answer=D | explanation=Move 5 positions forward from K; the resulting letter is P.

id=21492 | topic=Averages | difficulty=Easy | question=Find the average of 49, 14, 29, 85, 44, 73. | option_a=50 | option_b=49 | option_c=51 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 294 ÷ 6 = 49.

id=21493 | topic=Percentages | difficulty=Easy | question=What is 40% of 1127? | option_a=450 | option_b=460 | option_c=440 | option_d=900 | answer=A | explanation=40% of 1127 = (40/100) × 1127 = 450.

id=21494 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=7 | option_c=17 | option_d=24 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=21495 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=21496 | topic=Profit & Loss | difficulty=Easy | question=An article costs █606. If it is sold at a profit of 15%, what is its selling price? | option_a=696 | option_b=756 | option_c=621 | option_d=636 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 606 × 115/100 = █696.

id=21497 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=Z | option_c=I | option_d=F | answer=D | explanation=Move 3 positions forward from C; the resulting letter is F.

id=21498 | topic=Averages | difficulty=Easy | question=Find the average of 41, 49, 32, 87, 54, 10, 20, 67. | option_a=46 | option_b=44 | option_c=47 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 360 ÷ 8 = 45.

id=21499 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=21500 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 12, 16, 22? | option_a=22 | option_b=16 | option_c=8 | option_d=12 | answer=A | explanation=The first three numbers increase by 4, so the next should be 20. Therefore 22 is the odd one out.

id=21501 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:14 and the first is 280, what is the second? | option_a=560 | option_b=266 | option_c=280 | option_d=294 | answer=C | explanation=Scale factor = 280/14 = 20. Therefore second quantity = 14×20 = 280.

id=21502 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=115 | option_d=240 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=21503 | topic=Profit & Loss | difficulty=Easy | question=An article costs █796. If it is sold at a profit of 20%, what is its selling price? | option_a=1034 | option_b=816 | option_c=955 | option_d=876 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 796 × 120/100 = █955.

id=21504 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=21505 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 38, 46, 57? | option_a=46 | option_b=38 | option_c=57 | option_d=30 | answer=C | explanation=The first three numbers increase by 8, so the next should be 54. Therefore 57 is the odd one out.

id=21506 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4490. If it is sold at a profit of 20%, what is its selling price? | option_a=4939 | option_b=4510 | option_c=5837 | option_d=5388 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4490 × 120/100 = █5388.

id=21507 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22961 at 10% per annum for 2 years. | option_a=4492 | option_b=4692 | option_c=27553 | option_d=4592 | answer=D | explanation=SI = PRT/100 = 22961×10×2/100 = █4592.

id=21508 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 11, 14, 19? | option_a=14 | option_b=11 | option_c=8 | option_d=19 | answer=D | explanation=The first three numbers increase by 3, so the next should be 17. Therefore 19 is the odd one out.

id=21509 | topic=Percentages | difficulty=Easy | question=What is 20% of 309? | option_a=81 | option_b=51 | option_c=61 | option_d=122 | answer=C | explanation=20% of 309 = (20/100) × 309 = 61.

id=21510 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=90 | option_c=95 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

Aptitude Questions — Records 21,511-21,540 of 100,000

- id=21511 | topic=Percentages | difficulty=Easy | question=What is 15% of 1763? | option_a=259 | option_b=269 | option_c=264 | option_d=528 | answer=C | explanation=15% of 1763 = (15/100) × 1763 = 264.
- id=21512 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:19 and the first is 85, what is the second? | option_a=408 | option_b=328 | option_c=304 | option_d=323 | answer=D | explanation=Scale factor = 85/5 = 17. Therefore second quantity = 19×17 = 323.
- id=21513 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:5 and the first is 135, what is the second? | option_a=40 | option_b=180 | option_c=60 | option_d=45 | answer=D | explanation=Scale factor = 135/15 = 9. Therefore second quantity = 5×9 = 45.
- id=21514 | topic=Percentages | difficulty=Easy | question=What is 50% of 1763? | option_a=881 | option_b=1762 | option_c=871 | option_d=891 | answer=A | explanation=50% of 1763 = (50/100) × 1763 = 881.
- id=21515 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=29 | option_b=35 | option_c=41 | option_d=36 | answer=B | explanation=The common difference is 6. Therefore the next term is 29 + 6 = 35.
- id=21516 | topic=Averages | difficulty=Easy | question=Find the average of 70, 25, 41, 96. | option_a=59 | option_b=57 | option_c=60 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 232 ÷ 4 = 58.
- id=21517 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=45 | option_b=52 | option_c=46 | option_d=38 | answer=A | explanation=The common difference is 7. Therefore the next term is 38 + 7 = 45.
- id=21518 | topic=Averages | difficulty=Easy | question=Find the average of 15, 55, 44, 56, 74, 33, 78, 48, 47. | option_a=50 | option_b=52 | option_c=49 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 450 ÷ 9 = 50.
- id=21519 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.
- id=21520 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=9 | option_c=4 | option_d=18 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.
- id=21521 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 15, 22, 29, ? | option_a=43 | option_b=37 | option_c=36 | option_d=29 | answer=C | explanation=The common difference is 7. Therefore the next term is 29 + 7 = 36.
- id=21522 | topic=Percentages | difficulty=Easy | question=What is 5% of 1938? | option_a=76 | option_b=192 | option_c=96 | option_d=106 | answer=C | explanation=5% of 1938 = (5/100) × 1938 = 96.
- id=21523 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 31, 43, 55, ? | option_a=55 | option_b=79 | option_c=67 | option_d=68 | answer=C | explanation=The common difference is 12. Therefore the next term is 55 + 12 = 67.
- id=21524 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.
- id=21525 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=D | option_c=Z | option_d=B | answer=B | explanation=Move 2 positions forward from B; the resulting letter is D.
- id=21526 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=23 | option_d=36 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.
- id=21527 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 32, 35, 40? | option_a=40 | option_b=35 | option_c=32 | option_d=29 | answer=A | explanation=The first three numbers increase by 3, so the next should be 38. Therefore 40 is the odd one out.
- id=21528 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 31, 33, 37? | option_a=37 | option_b=29 | option_c=33 | option_d=31 | answer=A | explanation=The first three numbers increase by 2, so the next should be 35. Therefore 37 is the odd one out.
- id=21529 | topic=Averages | difficulty=Easy | question=Find the average of 42, 45, 44, 23, 33, 33, 92, 96. | option_a=50 | option_b=53 | option_c=52 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 408 ÷ 8 = 51.
- id=21530 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:11 and the first is 42, what is the second? | option_a=73 | option_b=108 | option_c=55 | option_d=66 | answer=D | explanation=Scale factor = 42/7 = 6. Therefore second quantity = 11×6 = 66.
- id=21531 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=37 | option_b=25 | option_c=31 | option_d=32 | answer=C | explanation=The common difference is 6. Therefore the next term is 25 + 6 = 31.
- id=21532 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=21533 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.
- id=21534 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:14 and the first is 48, what is the second? | option_a=90 | option_b=28 | option_c=58 | option_d=42 | answer=D | explanation=Scale factor = 48/16 = 3. Therefore second quantity = 14×3 = 42.
- id=21535 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.
- id=21536 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:14 and the first is 19, what is the second? | option_a=266 | option_b=285 | option_c=267 | option_d=252 | answer=A | explanation=Scale factor = 19/1 = 19. Therefore second quantity = 14×19 = 266.
- id=21537 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 26, 29, 35? | option_a=23 | option_b=26 | option_c=35 | option_d=29 | answer=C | explanation=The first three numbers increase by 3, so the next should be 32. Therefore 35 is the odd one out.
- id=21538 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=Z | option_c=K | option_d=U | answer=D | explanation=Move 5 positions forward from P; the resulting letter is U.
- id=21539 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=B | option_c=C | option_d=A | answer=C | explanation=Move 1 positions forward from B; the resulting letter is C.
- id=21540 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=A | option_c=W | option_d=O | answer=C | explanation=Move 4 positions forward from S; the resulting letter is W.

Aptitude Questions — Records 21,541-21,570 of 100,000

id=21541 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 24? | option_a=3 | option_b=9 | option_c=15 | option_d=24 | answer=D | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 24 is the odd one out.

id=21542 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=P | option_b=H | option_c=D | option_d=L | answer=D | explanation=Move 4 positions forward from H; the resulting letter is L.

id=21543 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=240 | option_c=115 | option_d=125 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=21544 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=34 | option_b=35 | option_c=39 | option_d=29 | answer=A | explanation=The common difference is 5. Therefore the next term is 29 + 5 = 34.

id=21545 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1832. If it is sold at a profit of 30%, what is its selling price? | option_a=1862 | option_b=2198 | option_c=2381 | option_d=2564 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1832 × 130/100 = █2381.

id=21546 | topic=Averages | difficulty=Easy | question=Find the average of 53, 17, 98, 94, 78. | option_a=69 | option_b=68 | option_c=67 | option_d=70 | answer=B | explanation=Average = sum of values ÷ number of values = 340 ÷ 5 = 68.

id=21547 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=C | option_b=A | option_c=D | option_d=B | answer=A | explanation=Move 1 positions forward from B; the resulting letter is C.

id=21548 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25891 at 5% per annum for 5 years. | option_a=32363 | option_b=6572 | option_c=6472 | option_d=6372 | answer=C | explanation=SI = PRT/100 = 25891×5×5/100 = █6472.

id=21549 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1749. If it is sold at a profit of 30%, what is its selling price? | option_a=2011 | option_b=1764 | option_c=2185 | option_d=1837 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1749 × 115/100 = █2011.

id=21550 | topic=Averages | difficulty=Easy | question=Find the average of 24, 32, 94, 26. | option_a=46 | option_b=43 | option_c=44 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = 176 ÷ 4 = 44.

id=21551 | topic=Averages | difficulty=Easy | question=Find the average of 45, 18, 89, 42, 96, 33, 67, 76, 40, 24. | option_a=53 | option_b=54 | option_c=52 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=21552 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2706. If it is sold at a profit of 20%, what is its selling price? | option_a=2977 | option_b=3517 | option_c=2726 | option_d=3247 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2706 × 120/100 = █3247.

id=21553 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=21554 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=36 | option_c=18 | option_d=13 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=21555 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:10 and the first is 28, what is the second? | option_a=98 | option_b=70 | option_c=60 | option_d=74 | answer=B | explanation=Scale factor = 28/4 = 7. Therefore second quantity = 10×7 = 70.

id=21556 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=21557 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 10, 18, 27? | option_a=2 | option_b=18 | option_c=27 | option_d=10 | answer=C | explanation=The first three numbers increase by 8, so the next should be 26. Therefore 27 is the odd one out.

id=21558 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 28, 38, 48, ? | option_a=68 | option_b=58 | option_c=59 | option_d=48 | answer=B | explanation=The common difference is 10. Therefore the next term is 48 + 10 = 58.

id=21559 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3215. If it is sold at a profit of 15%, what is its selling price? | option_a=3376 | option_b=3230 | option_c=4018 | option_d=3697 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3215 × 115/100 = █3697.

id=21560 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4934. If it is sold at a profit of 25%, what is its selling price? | option_a=6660 | option_b=5674 | option_c=6167 | option_d=4959 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4934 × 125/100 = █6167.

id=21561 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 48? | option_a=37 | option_b=17 | option_c=27 | option_d=48 | answer=D | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 48 is the odd one out.

id=21562 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=12 | option_c=11 | option_d=1 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=21563 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=18 | option_c=13 | option_d=23 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=21564 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:4 and the first is 144, what is the second? | option_a=44 | option_b=192 | option_c=48 | option_d=60 | answer=C | explanation=Scale factor = 144/12 = 12. Therefore second quantity = 4×12 = 48.

id=21565 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4877. If it is sold at a profit of 30%, what is its selling price? | option_a=4907 | option_b=6827 | option_c=6340 | option_d=5853 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4877 × 130/100 = █6340.

id=21566 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44929 at 8% per annum for 3 years. | option_a=10882 | option_b=10682 | option_c=10782 | option_d=55711 | answer=C | explanation=SI = PRT/100 = 44929×8×3/100 = █10782.

id=21567 | topic=Averages | difficulty=Easy | question=Find the average of 93, 41, 66, 32, 73. | option_a=63 | option_b=61 | option_c=60 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 305 ÷ 5 = 61.

id=21568 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 22, 25, 29? | option_a=19 | option_b=29 | option_c=22 | option_d=25 | answer=B | explanation=The first three numbers increase by 3, so the next should be 28. Therefore 29 is the odd one out.

id=21569 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=21570 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=41 | option_b=40 | option_c=34 | option_d=46 | answer=B | explanation=The common difference is 6. Therefore the next term is 34 + 6 = 40.

Aptitude Questions — Records 21,571-21,600 of 100,000

id=21571 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=59 | option_b=49 | option_c=60 | option_d=69 | answer=A | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

id=21572 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=45 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=21573 | topic=Percentages | difficulty=Easy | question=What is 30% of 233? | option_a=49 | option_b=69 | option_c=89 | option_d=138 | answer=B | explanation=30% of 233 = (30/100) × 233 = 69.

id=21574 | topic=Percentages | difficulty=Easy | question=What is 30% of 1000? | option_a=600 | option_b=320 | option_c=295 | option_d=300 | answer=D | explanation=30% of 1000 = (30/100) × 1000 = 300.

id=21575 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=41 | option_b=35 | option_c=47 | option_d=42 | answer=A | explanation=The common difference is 6. Therefore the next term is 35 + 6 = 41.

id=21576 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=I | option_c=C | option_d=G | answer=D | explanation=Move 2 positions forward from E; the resulting letter is G.

id=21577 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=21578 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4839. If it is sold at a profit of 25%, what is its selling price? | option_a=6048 | option_b=4864 | option_c=5565 | option_d=6531 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4839 × 125/100 = █6048.

id=21579 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:6 and the first is 20, what is the second? | option_a=50 | option_b=24 | option_c=30 | option_d=34 | answer=C | explanation=Scale factor = 20/4 = 5. Therefore second quantity = 6×5 = 30.

id=21580 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9513 at 4% per annum for 3 years. | option_a=1241 | option_b=1041 | option_c=10654 | option_d=1141 | answer=D | explanation=SI = PRT/100 = 9513×4×3/100 = █1141.

id=21581 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3355. If it is sold at a profit of 5%, what is its selling price? | option_a=3857 | option_b=3187 | option_c=3360 | option_d=3522 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3355 × 105/100 = █3522.

id=21582 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 11. | option_a=44 | option_b=22 | option_c=242 | option_d=11 | answer=B | explanation=LCM × HCF = 22×11; HCF(22,11) = 11, so LCM = 22.

id=21583 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39094 at 12% per annum for 4 years. | option_a=18665 | option_b=18865 | option_c=57859 | option_d=18765 | answer=D | explanation=SI = PRT/100 = 39094×12×4/100 = █18765.

id=21584 | topic=Percentages | difficulty=Easy | question=What is 10% of 1073? | option_a=107 | option_b=112 | option_c=214 | option_d=102 | answer=A | explanation=10% of 1073 = (10/100) × 1073 = 107.

id=21585 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 5. | option_a=10 | option_b=15 | option_c=75 | option_d=30 | answer=B | explanation=LCM × HCF = 15×5; HCF(15,5) = 5, so LCM = 15.

id=21586 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33644 at 4% per annum for 4 years. | option_a=5283 | option_b=5383 | option_c=5483 | option_d=39027 | answer=B | explanation=SI = PRT/100 = 33644×4×4/100 = █5383.

id=21587 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 20? | option_a=9 | option_b=15 | option_c=12 | option_d=20 | answer=D | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 20 is the odd one out.

id=21588 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=17 | option_b=13 | option_c=16 | option_d=19 | answer=C | explanation=The common difference is 3. Therefore the next term is 13 + 3 = 16.

id=21589 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=21590 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=21591 | topic=Averages | difficulty=Easy | question=Find the average of 21, 56, 26, 63, 89. | option_a=52 | option_b=50 | option_c=53 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 255 ÷ 5 = 51.

id=21592 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36991 at 4% per annum for 5 years. | option_a=7398 | option_b=7498 | option_c=44389 | option_d=7298 | answer=A | explanation=SI = PRT/100 = 36991×4×5/100 = █7398.

id=21593 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1177. If it is sold at a profit of 50%, what is its selling price? | option_a=1765 | option_b=1227 | option_c=1882 | option_d=1648 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1177 × 150/100 = █1765.

id=21594 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=57 | option_b=45 | option_c=69 | option_d=58 | answer=A | explanation=The common difference is 12. Therefore the next term is 45 + 12 = 57.

id=21595 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=95 | option_c=85 | option_d=180 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=21596 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=H | option_b=I | option_c=K | option_d=J | answer=D | explanation=Move 1 positions forward from I; the resulting letter is J.

id=21597 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=21598 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 33? | option_a=28 | option_b=25 | option_c=33 | option_d=22 | answer=C | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 33 is the odd one out.

id=21599 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34627 at 10% per annum for 3 years. | option_a=10388 | option_b=10288 | option_c=10488 | option_d=45015 | answer=A | explanation=SI = PRT/100 = 34627×10×3/100 = █10388.

id=21600 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:13 and the first is 208, what is the second? | option_a=185 | option_b=156 | option_c=169 | option_d=377 | answer=C | explanation=Scale factor = 208/16 = 13. Therefore second quantity = 13×13 = 169.

Aptitude Questions — Records 21,601-21,630 of 100,000

id=21601 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=21602 | topic=Percentages | difficulty=Easy | question=What is 30% of 171? | option_a=51 | option_b=71 | option_c=46 | option_d=102 | answer=A | explanation=30% of 171 = (30/100) × 171 = 51.

id=21603 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 8. | option_a=1 | option_b=32 | option_c=12 | option_d=8 | answer=D | explanation=LCM × HCF = 4×8; HCF(4,8) = 4, so LCM = 8.

id=21604 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=8 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=21605 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=O | option_b=R | option_c=P | option_d=Q | answer=D | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=21606 | topic=Percentages | difficulty=Easy | question=What is 40% of 1846? | option_a=1476 | option_b=733 | option_c=738 | option_d=743 | answer=C | explanation=40% of 1846 = (40/100) × 1846 = 738.

id=21607 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=200 | option_c=105 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=21608 | topic=Profit & Loss | difficulty=Easy | question=An article costs █573. If it is sold at a profit of 20%, what is its selling price? | option_a=593 | option_b=630 | option_c=744 | option_d=687 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 573 × 120/100 = █687.

id=21609 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:19 and the first is 380, what is the second? | option_a=741 | option_b=342 | option_c=381 | option_d=361 | answer=D | explanation=Scale factor = 380/20 = 19. Therefore second quantity = 19×19 = 361.

id=21610 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 38, 46, 56? | option_a=46 | option_b=56 | option_c=38 | option_d=30 | answer=B | explanation=The first three numbers increase by 8, so the next should be 54. Therefore 56 is the odd one out.

id=21611 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=36 | option_c=18 | option_d=23 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=21612 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1673. If it is sold at a profit of 50%, what is its selling price? | option_a=2342 | option_b=2676 | option_c=2509 | option_d=1723 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1673 × 150/100 = █2509.

id=21613 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=29 | option_b=33 | option_c=30 | option_d=25 | answer=A | explanation=The common difference is 4. Therefore the next term is 25 + 4 = 29.

id=21614 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=155 | option_c=145 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=21615 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 17, 26, 36? | option_a=26 | option_b=17 | option_c=8 | option_d=36 | answer=D | explanation=The first three numbers increase by 9, so the next should be 35. Therefore 36 is the odd one out.

id=21616 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4733. If it is sold at a profit of 10%, what is its selling price? | option_a=5679 | option_b=4733 | option_c=4743 | option_d=5206 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4733 × 110/100 = █5206.

id=21617 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26860 at 15% per annum for 4 years. | option_a=16216 | option_b=16016 | option_c=16116 | option_d=42976 | answer=C | explanation=SI = PRT/100 = 26860×15×4/100 = █16116.

id=21618 | topic=Averages | difficulty=Easy | question=Find the average of 97, 99, 65, 38, 89, 32. | option_a=69 | option_b=71 | option_c=72 | option_d=70 | answer=D | explanation=Average = sum of values ÷ number of values = 420 ÷ 6 = 70.

id=21619 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=26 | option_b=24 | option_c=22 | option_d=25 | answer=B | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.

id=21620 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=18 | option_c=13 | option_d=23 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=21621 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=10 | option_c=15 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=21622 | topic=Percentages | difficulty=Easy | question=What is 15% of 163? | option_a=14 | option_b=48 | option_c=24 | option_d=44 | answer=C | explanation=15% of 163 = (15/100) × 163 = 24.

id=21623 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32036 at 15% per annum for 3 years. | option_a=46452 | option_b=14516 | option_c=14316 | option_d=14416 | answer=D | explanation=SI = PRT/100 = 32036×15×3/100 = █14416.

id=21624 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29232 at 4% per annum for 5 years. | option_a=5946 | option_b=5746 | option_c=5846 | option_d=35078 | answer=C | explanation=SI = PRT/100 = 29232×4×5/100 = █5846.

id=21625 | topic=Averages | difficulty=Easy | question=Find the average of 58, 95, 62, 76, 56, 100, 92, 54, 64. | option_a=74 | option_b=75 | option_c=72 | option_d=73 | answer=D | explanation=Average = sum of values ÷ number of values = 657 ÷ 9 = 73.

id=21626 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=H | option_c=L | option_d=T | answer=A | explanation=Move 4 positions forward from L; the resulting letter is P.

id=21627 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22323 at 15% per annum for 3 years. | option_a=32368 | option_b=10045 | option_c=9945 | option_d=10145 | answer=B | explanation=SI = PRT/100 = 22323×15×3/100 = █10045.

id=21628 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=21629 | topic=Averages | difficulty=Easy | question=Find the average of 42, 64, 25, 37, 49, 90, 28, 25. | option_a=47 | option_b=45 | option_c=44 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 360 ÷ 8 = 45.

id=21630 | topic=Percentages | difficulty=Easy | question=What is 20% of 1948? | option_a=389 | option_b=778 | option_c=379 | option_d=394 | answer=A | explanation=20% of 1948 = (20/100) × 1948 = 389.

Aptitude Questions — Records 21,631-21,660 of 100,000

id=21631 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 17, 26, 37? | option_a=37 | option_b=17 | option_c=26 | option_d=8 | answer=A | explanation=The first three numbers increase by 9, so the next should be 35. Therefore 37 is the odd one out.

id=21632 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=M | option_b=Q | option_c=S | option_d=O | answer=B | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=21633 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=46 | option_b=56 | option_c=47 | option_d=36 | answer=A | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.

id=21634 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=I | option_b=C | option_c=Z | option_d=F | answer=D | explanation=Move 3 positions forward from C; the resulting letter is F.

id=21635 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=20 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=21636 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 29? | option_a=22 | option_b=20 | option_c=24 | option_d=29 | answer=D | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 29 is the odd one out.

id=21637 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=39 | option_b=44 | option_c=32 | option_d=38 | answer=D | explanation=The common difference is 6. Therefore the next term is 32 + 6 = 38.

id=21638 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=41 | option_b=40 | option_c=35 | option_d=45 | answer=B | explanation=The common difference is 5. Therefore the next term is 35 + 5 = 40.

id=21639 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=39 | option_b=25 | option_c=33 | option_d=32 | answer=D | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.

id=21640 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=21641 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=U | option_c=O | option_d=Q | answer=A | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=21642 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=65 | option_b=47 | option_c=57 | option_d=56 | answer=D | explanation=The common difference is 9. Therefore the next term is 47 + 9 = 56.

id=21643 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=M | option_c=G | option_d=K | answer=D | explanation=Move 2 positions forward from I; the resulting letter is K.

id=21644 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=X | option_b=U | option_c=R | option_d=O | answer=B | explanation=Move 3 positions forward from R; the resulting letter is U.

id=21645 | topic=Averages | difficulty=Easy | question=Find the average of 26, 86, 22, 18, 58, 60, 72, 90. | option_a=53 | option_b=54 | option_c=56 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 432 ÷ 8 = 54.

id=21646 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=46 | option_b=58 | option_c=68 | option_d=57 | answer=D | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.

id=21647 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41475 at 8% per annum for 5 years. | option_a=16690 | option_b=58065 | option_c=16490 | option_d=16590 | answer=D | explanation=SI = PRT/100 = 41475×8×5/100 = █16590.

id=21648 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:9 and the first is 55, what is the second? | option_a=104 | option_b=90 | option_c=154 | option_d=99 | answer=D | explanation=Scale factor = 55/5 = 11. Therefore second quantity = 9×11 = 99.

id=21649 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=J | option_b=G | option_c=A | option_d=D | answer=B | explanation=Move 3 positions forward from D; the resulting letter is G.

id=21650 | topic=Averages | difficulty=Easy | question=Find the average of 12, 30, 96, 10, 52. | option_a=39 | option_b=40 | option_c=41 | option_d=42 | answer=B | explanation=Average = sum of values ÷ number of values = 200 ÷ 5 = 40.

id=21651 | topic=Profit & Loss | difficulty=Easy | question=An article costs █128. If it is sold at a profit of 40%, what is its selling price? | option_a=191 | option_b=179 | option_c=167 | option_d=168 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 128 × 140/100 = █179.

id=21652 | topic=Averages | difficulty=Easy | question=Find the average of 41, 67, 66, 83, 93, 74, 92, 44. | option_a=72 | option_b=69 | option_c=70 | option_d=71 | answer=C | explanation=Average = sum of values ÷ number of values = 560 ÷ 8 = 70.

id=21653 | topic=Percentages | difficulty=Easy | question=What is 30% of 533? | option_a=318 | option_b=164 | option_c=139 | option_d=159 | answer=D | explanation=30% of 533 = (30/100) × 533 = 159.

id=21654 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 29, 31, 35? | option_a=31 | option_b=35 | option_c=29 | option_d=27 | answer=B | explanation=The first three numbers increase by 2, so the next should be 33. Therefore 35 is the odd one out.

id=21655 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41612 at 6% per annum for 3 years. | option_a=49102 | option_b=7490 | option_c=7590 | option_d=7390 | answer=B | explanation=SI = PRT/100 = 41612×6×3/100 = █7490.

id=21656 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=Y | option_b=W | option_c=S | option_d=U | answer=B | explanation=Move 2 positions forward from U; the resulting letter is W.

id=21657 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=Q | option_b=L | option_c=G | option_d=B | answer=B | explanation=Move 5 positions forward from G; the resulting letter is L.

id=21658 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:7 and the first is 154, what is the second? | option_a=91 | option_b=109 | option_c=98 | option_d=252 | answer=C | explanation=Scale factor = 154/11 = 14. Therefore second quantity = 7×14 = 98.

id=21659 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12890 at 15% per annum for 1 years. | option_a=14823 | option_b=1833 | option_c=2033 | option_d=1933 | answer=D | explanation=SI = PRT/100 = 12890×15×1/100 = █1933.

id=21660 | topic=Percentages | difficulty=Easy | question=What is 50% of 1957? | option_a=973 | option_b=978 | option_c=983 | option_d=1956 | answer=B | explanation=50% of 1957 = (50/100) × 1957 = 978.

Aptitude Questions — Records 21,661-21,690 of 100,000

id=21661 | topic=Averages | difficulty=Easy | question=Find the average of 74, 43, 47, 56. | option_a=55 | option_b=54 | option_c=56 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 220 ÷ 4 = 55.

id=21662 | topic=Percentages | difficulty=Easy | question=What is 25% of 1887? | option_a=491 | option_b=942 | option_c=471 | option_d=466 | answer=C | explanation=25% of 1887 = (25/100) × 1887 = 471.

id=21663 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=20 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=21664 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=21665 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=32 | option_b=39 | option_c=46 | option_d=40 | answer=B | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.

id=21666 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=21667 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 13, 23, 36? | option_a=3 | option_b=23 | option_c=13 | option_d=36 | answer=D | explanation=The first three numbers increase by 10, so the next should be 33. Therefore 36 is the odd one out.

id=21668 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=B | option_b=E | option_c=D | option_d=C | answer=C | explanation=Move 1 positions forward from C; the resulting letter is D.

id=21669 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2699. If it is sold at a profit of 10%, what is its selling price? | option_a=2699 | option_b=3237 | option_c=2709 | option_d=2968 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2699 × 110/100 = █2968.

id=21670 | topic=Profit & Loss | difficulty=Easy | question=An article costs █200. If it is sold at a profit of 5%, what is its selling price? | option_a=205 | option_b=230 | option_c=190 | option_d=210 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 200 × 105/100 = █210.

id=21671 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=21672 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=F | option_b=Z | option_c=I | option_d=C | answer=A | explanation=Move 3 positions forward from C; the resulting letter is F.

id=21673 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:8 and the first is 96, what is the second? | option_a=192 | option_b=96 | option_c=104 | option_d=88 | answer=B | explanation=Scale factor = 96/8 = 12. Therefore second quantity = 8×12 = 96.

id=21674 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1394. If it is sold at a profit of 15%, what is its selling price? | option_a=1464 | option_b=1409 | option_c=1742 | option_d=1603 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1394 × 115/100 = █1603.

id=21675 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9714 at 15% per annum for 3 years. | option_a=14085 | option_b=4471 | option_c=4271 | option_d=4371 | answer=D | explanation=SI = PRT/100 = 9714×15×3/100 = █4371.

id=21676 | topic=Percentages | difficulty=Easy | question=What is 50% of 1144? | option_a=552 | option_b=577 | option_c=1144 | option_d=572 | answer=D | explanation=50% of 1144 = (50/100) × 1144 = 572.

id=21677 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 22, 31, 42? | option_a=22 | option_b=31 | option_c=42 | option_d=13 | answer=C | explanation=The first three numbers increase by 9, so the next should be 40. Therefore 42 is the odd one out.

id=21678 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=15 | option_b=12 | option_c=16 | option_d=14 | answer=D | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=21679 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=21680 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=125 | option_c=120 | option_d=240 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=21681 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=21682 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 21? | option_a=14 | option_b=21 | option_c=2 | option_d=8 | answer=B | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 21 is the odd one out.

id=21683 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 40? | option_a=30 | option_b=22 | option_c=14 | option_d=40 | answer=D | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 40 is the odd one out.

id=21684 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=C | option_c=O | option_d=K | answer=D | explanation=Move 4 positions forward from G; the resulting letter is K.

id=21685 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=36 | option_c=18 | option_d=13 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=21686 | topic=Profit & Loss | difficulty=Easy | question=An article costs █762. If it is sold at a profit of 40%, what is its selling price? | option_a=990 | option_b=802 | option_c=1066 | option_d=1142 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 762 × 140/100 = █1066.

id=21687 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=21688 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=21689 | topic=Percentages | difficulty=Easy | question=What is 12% of 1413? | option_a=169 | option_b=179 | option_c=164 | option_d=338 | answer=A | explanation=12% of 1413 = (12/100) × 1413 = 169.

id=21690 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19644 at 6% per annum for 2 years. | option_a=2257 | option_b=2357 | option_c=22001 | option_d=2457 | answer=B | explanation=SI = PRT/100 = 19644×6×2/100 = █2357.

Aptitude Questions — Records 21,691-21,720 of 100,000

id=21691 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 34? | option_a=27 | option_b=25 | option_c=29 | option_d=34 | answer=D | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 34 is the odd one out.

id=21692 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:16 and the first is 221, what is the second? | option_a=285 | option_b=493 | option_c=272 | option_d=256 | answer=C | explanation=Scale factor = $221/13 = 17$. Therefore second quantity = $16 \times 17 = 272$.

id=21693 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=21694 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4505. If it is sold at a profit of 15%, what is its selling price? | option_a=4730 | option_b=5630 | option_c=4520 | option_d=5180 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4505 \times 115/100 = \text{█}5180$.

id=21695 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=21696 | topic=Percentages | difficulty=Easy | question=What is 15% of 985? | option_a=152 | option_b=127 | option_c=147 | option_d=294 | answer=C | explanation=15% of 985 = $(15/100) \times 985 = 147$.

id=21697 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=21698 | topic=Percentages | difficulty=Easy | question=What is 25% of 1545? | option_a=386 | option_b=406 | option_c=381 | option_d=772 | answer=A | explanation=25% of 1545 = $(25/100) \times 1545 = 386$.

id=21699 | topic=Percentages | difficulty=Easy | question=What is 5% of 1040? | option_a=104 | option_b=62 | option_c=47 | option_d=52 | answer=D | explanation=5% of 1040 = $(5/100) \times 1040 = 52$.

id=21700 | topic=Averages | difficulty=Easy | question=Find the average of 29, 99, 11, 61, 74, 97, 46, 87. | option_a=63 | option_b=62 | option_c=64 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = $504 \div 8 = 63$.

id=21701 | topic=Averages | difficulty=Easy | question=Find the average of 10, 95, 20, 77, 98, 80, 96. | option_a=69 | option_b=88 | option_c=70 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = $476 \div 7 = 68$.

id=21702 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1295. If it is sold at a profit of 50%, what is its selling price? | option_a=2071 | option_b=1345 | option_c=1942 | option_d=1813 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1295 \times 150/100 = \text{█}1942$.

id=21703 | topic=Averages | difficulty=Easy | question=Find the average of 87, 78, 50, 45, 99, 37. | option_a=65 | option_b=66 | option_c=67 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = $396 \div 6 = 66$.

id=21704 | topic=Profit & Loss | difficulty=Easy | question=An article costs █908. If it is sold at a profit of 25%, what is its selling price? | option_a=933 | option_b=1225 | option_c=1045 | option_d=1135 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 908 \times 125/100 = \text{█}1135$.

id=21705 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1127. If it is sold at a profit of 50%, what is its selling price? | option_a=1802 | option_b=1578 | option_c=1177 | option_d=1690 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1127 \times 150/100 = \text{█}1690$.

id=21706 | topic=Percentages | difficulty=Easy | question=What is 12% of 1979? | option_a=247 | option_b=237 | option_c=474 | option_d=227 | answer=B | explanation=12% of 1979 = $(12/100) \times 1979 = 237$.

id=21707 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:10 and the first is 12, what is the second? | option_a=42 | option_b=34 | option_c=20 | option_d=30 | answer=D | explanation=Scale factor = $12/4 = 3$. Therefore second quantity = $10 \times 3 = 30$.

id=21708 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30025 at 8% per annum for 1 years. | option_a=2502 | option_b=2402 | option_c=32427 | option_d=2302 | answer=B | explanation=SI = $PRT/100 = 30025 \times 8 \times 1/100 = \text{█}2402$.

id=21709 | topic=Averages | difficulty=Easy | question=Find the average of 65, 22, 51. | option_a=48 | option_b=45 | option_c=46 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = $138 \div 3 = 46$.

id=21710 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19932 at 8% per annum for 3 years. | option_a=24715 | option_b=4883 | option_c=4783 | option_d=4683 | answer=C | explanation=SI = $PRT/100 = 19932 \times 8 \times 3/100 = \text{█}4783$.

id=21711 | topic=Averages | difficulty=Easy | question=Find the average of 90, 100, 32. | option_a=73 | option_b=75 | option_c=74 | option_d=76 | answer=C | explanation=Average = sum of values ÷ number of values = $222 \div 3 = 74$.

id=21712 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9094 at 10% per annum for 3 years. | option_a=11822 | option_b=2628 | option_c=2828 | option_d=2728 | answer=D | explanation=SI = $PRT/100 = 9094 \times 10 \times 3/100 = \text{█}2728$.

id=21713 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:19 and the first is 12, what is the second? | option_a=76 | option_b=88 | option_c=79 | option_d=57 | answer=A | explanation=Scale factor = $12/3 = 4$. Therefore second quantity = $19 \times 4 = 76$.

id=21714 | topic=Averages | difficulty=Easy | question=Find the average of 37, 12, 43, 32, 33, 95, 79, 29. | option_a=45 | option_b=47 | option_c=46 | option_d=44 | answer=A | explanation=Average = sum of values ÷ number of values = $360 \div 8 = 45$.

id=21715 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22299 at 4% per annum for 2 years. | option_a=24082 | option_b=1783 | option_c=1883 | option_d=1683 | answer=B | explanation=SI = $PRT/100 = 22299 \times 4 \times 2/100 = \text{█}1783$.

id=21716 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:13 and the first is 70, what is the second? | option_a=79 | option_b=135 | option_c=52 | option_d=65 | answer=D | explanation=Scale factor = $70/14 = 5$. Therefore second quantity = $13 \times 5 = 65$.

id=21717 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=150 | option_c=145 | option_d=155 | answer=B | explanation=Speed = distance ÷ time = $300 \div 2 = 150$ km/h.

id=21718 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:9 and the first is 36, what is the second? | option_a=99 | option_b=144 | option_c=111 | option_d=108 | answer=D | explanation=Scale factor = $36/3 = 12$. Therefore second quantity = $9 \times 12 = 108$.

id=21719 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=7 | option_d=24 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=21720 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3807. If it is sold at a profit of 10%, what is its selling price? | option_a=3817 | option_b=4567 | option_c=4187 | option_d=3807 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3807 \times 110/100 = \text{█}4187$.

Aptitude Questions — Records 21,721-21,750 of 100,000

- id=21721 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■38571 at 5% per annum for 5 years. | option_a=48213 | option_b=9742 | option_c=9642 | option_d=9542 | answer=C | explanation=SI = $PRT/100 = 38571 \times 5 \times 5/100 = \blacksquare 9642$.
- id=21722 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:6 and the first is 210, what is the second? | option_a=294 | option_b=99 | option_c=78 | option_d=84 | answer=D | explanation=Scale factor = $210/15 = 14$. Therefore second quantity = $6 \times 14 = 84$.
- id=21723 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■136. If it is sold at a profit of 50%, what is its selling price? | option_a=186 | option_b=217 | option_c=204 | option_d=191 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 136 \times 150/100 = \blacksquare 204$.
- id=21724 | topic=Percentages | difficulty=Easy | question=What is 12% of 937? | option_a=122 | option_b=112 | option_c=224 | option_d=107 | answer=B | explanation=12% of 937 = $(12/100) \times 937 = 112$.
- id=21725 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=D | option_c=F | option_d=B | answer=C | explanation=Move 2 positions forward from D; the resulting letter is F.
- id=21726 | topic=Averages | difficulty=Easy | question=Find the average of 44, 42, 53, 44, 89, 90, 67, 67, 80. | option_a=66 | option_b=63 | option_c=64 | option_d=65 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 576 \div 9 = 64$.
- id=21727 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1343. If it is sold at a profit of 20%, what is its selling price? | option_a=1363 | option_b=1745 | option_c=1611 | option_d=1477 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 1343 \times 120/100 = \blacksquare 1611$.
- id=21728 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■19033 at 10% per annum for 2 years. | option_a=22839 | option_b=3706 | option_c=3906 | option_d=3806 | answer=D | explanation=SI = $PRT/100 = 19033 \times 10 \times 2/100 = \blacksquare 3806$.
- id=21729 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2150. If it is sold at a profit of 15%, what is its selling price? | option_a=2257 | option_b=2472 | option_c=2687 | option_d=2165 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2150 \times 115/100 = \blacksquare 2472$.
- id=21730 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.
- id=21731 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:1 and the first is 70, what is the second? | option_a=10 | option_b=17 | option_c=9 | option_d=80 | answer=A | explanation=Scale factor = $70/7 = 10$. Therefore second quantity = $1 \times 10 = 10$.
- id=21732 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■44654 at 10% per annum for 5 years. | option_a=22427 | option_b=66981 | option_c=22327 | option_d=22227 | answer=C | explanation=SI = $PRT/100 = 44654 \times 10 \times 5/100 = \blacksquare 22327$.
- id=21733 | topic=Percentages | difficulty=Easy | question=What is 12% of 162? | option_a=24 | option_b=19 | option_c=38 | option_d=9 | answer=B | explanation=12% of 162 = $(12/100) \times 162 = 19$.
- id=21734 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=43 | option_b=35 | option_c=44 | option_d=51 | answer=A | explanation=The common difference is 8. Therefore the next term is $35 + 8 = 43$.
- id=21735 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:10 and the first is 140, what is the second? | option_a=280 | option_b=150 | option_c=140 | option_d=130 | answer=C | explanation=Scale factor = $140/10 = 14$. Therefore second quantity = $10 \times 14 = 140$.
- id=21736 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 180 \div 6 = 30$ km/h.
- id=21737 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.
- id=21738 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3847. If it is sold at a profit of 30%, what is its selling price? | option_a=5001 | option_b=4617 | option_c=3877 | option_d=5385 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 3847 \times 130/100 = \blacksquare 5001$.
- id=21739 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=S | option_b=I | option_c=X | option_d=N | answer=A | explanation=Move 5 positions forward from N; the resulting letter is S.
- id=21740 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=38 | option_b=46 | option_c=39 | option_d=30 | answer=A | explanation=The common difference is 8. Therefore the next term is $30 + 8 = 38$.
- id=21741 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=E | option_c=F | option_d=G | answer=D | explanation=Move 1 positions forward from F; the resulting letter is G.
- id=21742 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■6969 at 8% per annum for 1 years. | option_a=557 | option_b=7526 | option_c=457 | option_d=657 | answer=A | explanation=SI = $PRT/100 = 6969 \times 8 \times 1/100 = \blacksquare 557$.
- id=21743 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.
- id=21744 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=B | option_c=W | option_d=M | answer=C | explanation=Move 5 positions forward from R; the resulting letter is W.
- id=21745 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■20009 at 4% per annum for 4 years. | option_a=3301 | option_b=3201 | option_c=23210 | option_d=3101 | answer=B | explanation=SI = $PRT/100 = 20009 \times 4 \times 4/100 = \blacksquare 3201$.
- id=21746 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=47 | option_b=48 | option_c=36 | option_d=58 | answer=A | explanation=The common difference is 11. Therefore the next term is $36 + 11 = 47$.
- id=21747 | topic=Averages | difficulty=Easy | question=Find the average of 64, 20, 36, 35, 41, 78, 25, 88, 91, 82. | option_a=55 | option_b=57 | option_c=58 | option_d=56 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 560 \div 10 = 56$.
- id=21748 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 30. | option_a=840 | option_b=448 | option_c=420 | option_d=390 | answer=C | explanation= $LCM \times HCF = 28 \times 30$; $HCF(28,30) = 2$, so $LCM = 420$.
- id=21749 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 25, 34, 45? | option_a=16 | option_b=34 | option_c=25 | option_d=45 | answer=D | explanation=The first three numbers increase by 9, so the next should be 43. Therefore 45 is the odd one out.
- id=21750 | topic=Percentages | difficulty=Easy | question=What is 30% of 619? | option_a=185 | option_b=165 | option_c=370 | option_d=190 | answer=A | explanation=30% of 619 = $(30/100) \times 619 = 185$.

Aptitude Questions — Records 21,751-21,780 of 100,000

id=21751 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=Z | option_b=A | option_c=C | option_d=B | answer=D | explanation=Move 1 positions forward from A; the resulting letter is B.

id=21752 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 17, 27, 39? | option_a=27 | option_b=7 | option_c=39 | option_d=17 | answer=C | explanation=The first three numbers increase by 10, so the next should be 37. Therefore 39 is the odd one out.

id=21753 | topic=Averages | difficulty=Easy | question=Find the average of 74, 40, 52, 62, 97. | option_a=65 | option_b=64 | option_c=66 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = 325 ÷ 5 = 65.

id=21754 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=39 | option_b=31 | option_c=38 | option_d=45 | answer=C | explanation=The common difference is 7. Therefore the next term is 31 + 7 = 38.

id=21755 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 10, 17, 27? | option_a=17 | option_b=3 | option_c=27 | option_d=10 | answer=C | explanation=The first three numbers increase by 7, so the next should be 24. Therefore 27 is the odd one out.

id=21756 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 26. | option_a=26 | option_b=52 | option_c=28 | option_d=1 | answer=A | explanation=LCM × HCF = 2×26; HCF(2,26) = 2, so LCM = 26.

id=21757 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:19 and the first is 132, what is the second? | option_a=209 | option_b=228 | option_c=360 | option_d=239 | answer=B | explanation=Scale factor = 132/11 = 12. Therefore second quantity = 19×12 = 228.

id=21758 | topic=Percentages | difficulty=Easy | question=What is 5% of 759? | option_a=37 | option_b=32 | option_c=74 | option_d=57 | answer=A | explanation=5% of 759 = (5/100) × 759 = 37.

id=21759 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=54 | option_b=43 | option_c=55 | option_d=65 | answer=A | explanation=The common difference is 11. Therefore the next term is 43 + 11 = 54.

id=21760 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 26. | option_a=260 | option_b=308 | option_c=286 | option_d=572 | answer=C | explanation=LCM × HCF = 22×26; HCF(22,26) = 2, so LCM = 286.

id=21761 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=55 | option_b=45 | option_c=56 | option_d=65 | answer=A | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.

id=21762 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=21763 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=85 | option_c=160 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=21764 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=21765 | topic=Percentages | difficulty=Easy | question=What is 40% of 147? | option_a=68 | option_b=48 | option_c=116 | option_d=58 | answer=D | explanation=40% of 147 = (40/100) × 147 = 58.

id=21766 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=21767 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=53 | option_b=45 | option_c=46 | option_d=37 | answer=B | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=21768 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4921. If it is sold at a profit of 5%, what is its selling price? | option_a=5167 | option_b=4926 | option_c=5659 | option_d=4675 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4921 × 105/100 = █5167.

id=21769 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=Y | option_b=H | option_c=E | option_d=B | answer=C | explanation=Move 3 positions forward from B; the resulting letter is E.

id=21770 | topic=Profit & Loss | difficulty=Easy | question=An article costs █414. If it is sold at a profit of 20%, what is its selling price? | option_a=537 | option_b=496 | option_c=434 | option_d=455 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 414 × 120/100 = █496.

id=21771 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 12, 15, 18, ? | option_a=22 | option_b=24 | option_c=21 | option_d=18 | answer=C | explanation=The common difference is 3. Therefore the next term is 18 + 3 = 21.

id=21772 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=31 | option_b=33 | option_c=27 | option_d=30 | answer=D | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.

id=21773 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1725. If it is sold at a profit of 25%, what is its selling price? | option_a=2156 | option_b=1750 | option_c=2328 | option_d=1984 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1725 × 125/100 = █2156.

id=21774 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=21775 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:16 and the first is 95, what is the second? | option_a=399 | option_b=304 | option_c=309 | option_d=288 | answer=B | explanation=Scale factor = 95/5 = 19. Therefore second quantity = 16×19 = 304.

id=21776 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=F | option_b=L | option_c=J | option_d=H | answer=C | explanation=Move 2 positions forward from H; the resulting letter is J.

id=21777 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 29, 36, 46? | option_a=36 | option_b=46 | option_c=29 | option_d=22 | answer=B | explanation=The first three numbers increase by 7, so the next should be 43. Therefore 46 is the odd one out.

id=21778 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2398. If it is sold at a profit of 10%, what is its selling price? | option_a=2398 | option_b=2876 | option_c=2408 | option_d=2637 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2398 × 110/100 = █2637.

id=21779 | topic=Averages | difficulty=Easy | question=Find the average of 81, 20, 78, 18, 88. | option_a=56 | option_b=57 | option_c=59 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.

id=21780 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=G | option_b=L | option_c=Q | option_d=V | answer=C | explanation=Move 5 positions forward from L; the resulting letter is Q.

Aptitude Questions — Records 21,781-21,810 of 100,000

id=21781 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Q | option_b=Y | option_c=U | option_d=C | answer=B | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=21782 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=21783 | topic=Percentages | difficulty=Easy | question=What is 40% of 1911? | option_a=769 | option_b=754 | option_c=1528 | option_d=764 | answer=D | explanation=40% of 1911 = (40/100) × 1911 = 764.

id=21784 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:16 and the first is 220, what is the second? | option_a=396 | option_b=160 | option_c=196 | option_d=176 | answer=D | explanation=Scale factor = 220/20 = 11. Therefore second quantity = 16×11 = 176.

id=21785 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=21786 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=D | option_c=P | option_d=H | answer=A | explanation=Move 4 positions forward from H; the resulting letter is L.

id=21787 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:6 and the first is 35, what is the second? | option_a=77 | option_b=42 | option_c=36 | option_d=47 | answer=B | explanation=Scale factor = 35/5 = 7. Therefore second quantity = 6×7 = 42.

id=21788 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=30 | option_b=28 | option_c=29 | option_d=26 | answer=B | explanation=The common difference is 2. Therefore the next term is 26 + 2 = 28.

id=21789 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 14, 18, 25? | option_a=18 | option_b=25 | option_c=14 | option_d=10 | answer=B | explanation=The first three numbers increase by 4, so the next should be 22. Therefore 25 is the odd one out.

id=21790 | topic=Averages | difficulty=Easy | question=Find the average of 48, 63, 64, 29, 39, 81. | option_a=55 | option_b=53 | option_c=54 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 324 ÷ 6 = 54.

id=21791 | topic=Percentages | difficulty=Easy | question=What is 25% of 1573? | option_a=786 | option_b=393 | option_c=388 | option_d=398 | answer=B | explanation=25% of 1573 = (25/100) × 1573 = 393.

id=21792 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=21793 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=28 | option_b=36 | option_c=33 | option_d=32 | answer=D | explanation=The common difference is 4. Therefore the next term is 28 + 4 = 32.

id=21794 | topic=Percentages | difficulty=Easy | question=What is 25% of 1627? | option_a=386 | option_b=411 | option_c=406 | option_d=812 | answer=C | explanation=25% of 1627 = (25/100) × 1627 = 406.

id=21795 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 31? | option_a=22 | option_b=26 | option_c=31 | option_d=24 | answer=C | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 31 is the odd one out.

id=21796 | topic=Averages | difficulty=Easy | question=Find the average of 18, 99, 46, 47, 39, 46, 38, 83. | option_a=51 | option_b=52 | option_c=54 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=21797 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 25. | option_a=50 | option_b=375 | option_c=90 | option_d=75 | answer=D | explanation=LCM × HCF = 15×25; HCF(15,25) = 5, so LCM = 75.

id=21798 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=21799 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=175 | option_c=180 | option_d=360 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=21800 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 9, 12, 17? | option_a=6 | option_b=9 | option_c=12 | option_d=17 | answer=D | explanation=The first three numbers increase by 3, so the next should be 15. Therefore 17 is the odd one out.

id=21801 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=5 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=21802 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=B | option_b=W | option_c=M | option_d=R | answer=B | explanation=Move 5 positions forward from R; the resulting letter is W.

id=21803 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27208 at 8% per annum for 4 years. | option_a=8706 | option_b=8806 | option_c=8606 | option_d=35914 | answer=A | explanation=SI = PRT/100 = 27208×8×4/100 = **■**8706.

id=21804 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=21805 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 51? | option_a=32 | option_b=51 | option_c=23 | option_d=41 | answer=B | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 51 is the odd one out.

id=21806 | topic=Percentages | difficulty=Easy | question=What is 12% of 296? | option_a=45 | option_b=35 | option_c=70 | option_d=15 | answer=B | explanation=12% of 296 = (12/100) × 296 = 35.

id=21807 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=W | option_b=A | option_c=I | option_d=E | answer=D | explanation=Move 4 positions forward from A; the resulting letter is E.

id=21808 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=7 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=21809 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=39 | option_b=31 | option_c=38 | option_d=45 | answer=C | explanation=The common difference is 7. Therefore the next term is 31 + 7 = 38.

id=21810 | topic=Averages | difficulty=Easy | question=Find the average of 88, 83, 32, 97. | option_a=76 | option_b=74 | option_c=77 | option_d=75 | answer=D | explanation=Average = sum of values ÷ number of values = 300 ÷ 4 = 75.

Aptitude Questions — Records 21,811-21,840 of 100,000

id=21811 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38798 at 6% per annum for 2 years. | option_a=4755 | option_b=43453 | option_c=4655 | option_d=4555 | answer=C | explanation=SI = $\text{PRT}/100 = 38798 \times 6 \times 2/100 = \text{■}4655$.

id=21812 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=21813 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 8, 11, 14, ? | option_a=14 | option_b=20 | option_c=17 | option_d=18 | answer=C | explanation=The common difference is 3. Therefore the next term is $14 + 3 = 17$.

id=21814 | topic=Percentages | difficulty=Easy | question=What is 12% of 1659? | option_a=179 | option_b=398 | option_c=219 | option_d=199 | answer=D | explanation= $12\% \text{ of } 1659 = (12/100) \times 1659 = 199$.

id=21815 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=51 | option_b=41 | option_c=50 | option_d=59 | answer=C | explanation=The common difference is 9. Therefore the next term is $41 + 9 = 50$.

id=21816 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=47 | option_b=56 | option_c=46 | option_d=36 | answer=C | explanation=The common difference is 10. Therefore the next term is $36 + 10 = 46$.

id=21817 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 18. | option_a=90 | option_b=100 | option_c=180 | option_d=72 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 10 \times 18$; $\text{HCF}(10,18) = 2$, so $\text{LCM} = 90$.

id=21818 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:4 and the first is 40, what is the second? | option_a=16 | option_b=20 | option_c=60 | option_d=28 | answer=B | explanation=Scale factor = $40/8 = 5$. Therefore second quantity = $4 \times 5 = 20$.

id=21819 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**935. If it is sold at a profit of 50%, what is its selling price? | option_a=985 | option_b=1402 | option_c=1495 | option_d=1309 | answer=B | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 935 \times 150/100 = \text{■}1402$.

id=21820 | topic=Averages | difficulty=Easy | question=Find the average of 40, 84, 100, 18, 26, 69, 46, 69, 79, 89. | option_a=64 | option_b=62 | option_c=63 | option_d=61 | answer=B | explanation=Average = $\text{sum of values} \div \text{number of values} = 620 \div 10 = 62$.

id=21821 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2016. If it is sold at a profit of 15%, what is its selling price? | option_a=2117 | option_b=2519 | option_c=2031 | option_d=2318 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 2016 \times 115/100 = \text{■}2318$.

id=21822 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22368 at 15% per annum for 2 years. | option_a=6610 | option_b=6710 | option_c=29078 | option_d=6810 | answer=B | explanation=SI = $\text{PRT}/100 = 22368 \times 15 \times 2/100 = \text{■}6710$.

id=21823 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**608. If it is sold at a profit of 15%, what is its selling price? | option_a=699 | option_b=623 | option_c=639 | option_d=759 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 608 \times 115/100 = \text{■}699$.

id=21824 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39429 at 10% per annum for 5 years. | option_a=19814 | option_b=59143 | option_c=19614 | option_d=19714 | answer=D | explanation=SI = $\text{PRT}/100 = 39429 \times 10 \times 5/100 = \text{■}19714$.

id=21825 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=21826 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 12, 16, 22? | option_a=22 | option_b=16 | option_c=8 | option_d=12 | answer=A | explanation=The first three numbers increase by 4, so the next should be 20. Therefore 22 is the odd one out.

id=21827 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=T | option_b=V | option_c=W | option_d=U | answer=B | explanation=Move 1 positions forward from U; the resulting letter is V.

id=21828 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 29, 34, 42? | option_a=24 | option_b=42 | option_c=34 | option_d=29 | answer=B | explanation=The first three numbers increase by 5, so the next should be 39. Therefore 42 is the odd one out.

id=21829 | topic=Percentages | difficulty=Easy | question=What is 30% of 821? | option_a=246 | option_b=266 | option_c=236 | option_d=492 | answer=A | explanation= $30\% \text{ of } 821 = (30/100) \times 821 = 246$.

id=21830 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=B | option_b=F | option_c=J | option_d=N | answer=C | explanation=Move 4 positions forward from F; the resulting letter is J.

id=21831 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=21832 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2313. If it is sold at a profit of 50%, what is its selling price? | option_a=3700 | option_b=3238 | option_c=2363 | option_d=3469 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 2313 \times 150/100 = \text{■}3469$.

id=21833 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27527 at 15% per annum for 4 years. | option_a=44043 | option_b=16416 | option_c=16516 | option_d=16616 | answer=C | explanation=SI = $\text{PRT}/100 = 27527 \times 15 \times 4/100 = \text{■}16516$.

id=21834 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 26, 36, 47? | option_a=47 | option_b=26 | option_c=16 | option_d=36 | answer=A | explanation=The first three numbers increase by 10, so the next should be 46. Therefore 47 is the odd one out.

id=21835 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 18. | option_a=144 | option_b=72 | option_c=54 | option_d=80 | answer=B | explanation= $\text{LCM} \times \text{HCF} = 8 \times 18$; $\text{HCF}(8,18) = 2$, so $\text{LCM} = 72$.

id=21836 | topic=Averages | difficulty=Easy | question=Find the average of 90, 24, 63. | option_a=60 | option_b=58 | option_c=61 | option_d=59 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 177 \div 3 = 59$.

id=21837 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=125 | option_c=115 | option_d=120 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 360 \div 3 = 120 \text{ km/h}$.

id=21838 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=M | option_b=I | option_c=E | option_d=A | answer=B | explanation=Move 4 positions forward from E; the resulting letter is I.

id=21839 | topic=Averages | difficulty=Easy | question=Find the average of 44, 55, 30. | option_a=42 | option_b=45 | option_c=43 | option_d=44 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 129 \div 3 = 43$.

id=21840 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=80 | option_c=150 | option_d=75 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 150 \div 2 = 75 \text{ km/h}$.

Aptitude Questions — Records 21,841-21,870 of 100,000

id=21841 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 31, 42, 53, ? | option_a=53 | option_b=64 | option_c=75 | option_d=65 | answer=B | explanation=The common difference is 11. Therefore the next term is 53 + 11 = 64.

id=21842 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=55 | option_c=100 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=21843 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 3. | option_a=1 | option_b=9 | option_c=6 | option_d=3 | answer=D | explanation=LCM × HCF = 3×3; HCF(3,3) = 3, so LCM = 3.

id=21844 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=21845 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■43221 at 5% per annum for 1 years. | option_a=2161 | option_b=45382 | option_c=2261 | option_d=2061 | answer=A | explanation=SI = PRT/100 = 43221×5×1/100 = ■2161.

id=21846 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=C | option_b=U | option_c=Y | option_d=Q | answer=C | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=21847 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=Q | option_b=R | option_c=T | option_d=S | answer=D | explanation=Move 1 positions forward from R; the resulting letter is S.

id=21848 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2768. If it is sold at a profit of 15%, what is its selling price? | option_a=3459 | option_b=3183 | option_c=2783 | option_d=2907 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2768 × 115/100 = ■3183.

id=21849 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=21850 | topic=Averages | difficulty=Easy | question=Find the average of 39, 57, 93. | option_a=62 | option_b=63 | option_c=64 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 189 ÷ 3 = 63.

id=21851 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:11 and the first is 320, what is the second? | option_a=496 | option_b=196 | option_c=176 | option_d=165 | answer=C | explanation=Scale factor = 320/20 = 16. Therefore second quantity = 11×16 = 176.

id=21852 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■258. If it is sold at a profit of 10%, what is its selling price? | option_a=308 | option_b=283 | option_c=258 | option_d=268 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 258 × 110/100 = ■283.

id=21853 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:17 and the first is 16, what is the second? | option_a=68 | option_b=84 | option_c=51 | option_d=72 | answer=A | explanation=Scale factor = 16/4 = 4. Therefore second quantity = 17×4 = 68.

id=21854 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=44 | option_b=38 | option_c=39 | option_d=32 | answer=B | explanation=The common difference is 6. Therefore the next term is 32 + 6 = 38.

id=21855 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4148. If it is sold at a profit of 30%, what is its selling price? | option_a=5806 | option_b=5392 | option_c=4978 | option_d=4178 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4148 × 130/100 = ■5392.

id=21856 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1503. If it is sold at a profit of 50%, what is its selling price? | option_a=2104 | option_b=1553 | option_c=2254 | option_d=2404 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1503 × 150/100 = ■2254.

id=21857 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=20 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=21858 | topic=Averages | difficulty=Easy | question=Find the average of 79, 83, 52, 84, 77. | option_a=74 | option_b=75 | option_c=77 | option_d=76 | answer=B | explanation=Average = sum of values ÷ number of values = 375 ÷ 5 = 75.

id=21859 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=34 | option_b=48 | option_c=41 | option_d=42 | answer=C | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=21860 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:5 and the first is 280, what is the second? | option_a=90 | option_b=350 | option_c=70 | option_d=65 | answer=C | explanation=Scale factor = 280/20 = 14. Therefore second quantity = 5×14 = 70.

id=21861 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=21862 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 9. | option_a=84 | option_b=54 | option_c=189 | option_d=63 | answer=D | explanation=LCM × HCF = 21×9; HCF(21,9) = 3, so LCM = 63.

id=21863 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=44 | option_b=35 | option_c=51 | option_d=43 | answer=D | explanation=The common difference is 8. Therefore the next term is 35 + 8 = 43.

id=21864 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14562 at 8% per annum for 3 years. | option_a=18056 | option_b=3594 | option_c=3394 | option_d=3494 | answer=D | explanation=SI = PRT/100 = 14562×8×3/100 = ■3494.

id=21865 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 6. | option_a=96 | option_b=64 | option_c=48 | option_d=42 | answer=C | explanation=LCM × HCF = 16×6; HCF(16,6) = 2, so LCM = 48.

id=21866 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=21867 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=M | option_c=N | option_d=K | answer=B | explanation=Move 1 positions forward from L; the resulting letter is M.

id=21868 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=43 | option_b=34 | option_c=52 | option_d=44 | answer=A | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

id=21869 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=15 | option_b=11 | option_c=14 | option_d=13 | answer=D | explanation=The common difference is 2. Therefore the next term is 11 + 2 = 13.

id=21870 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=32 | option_b=35 | option_c=31 | option_d=27 | answer=C | explanation=The common difference is 4. Therefore the next term is 27 + 4 = 31.

Aptitude Questions — Records 21,871-21,900 of 100,000

id=21871 | topic=Averages | difficulty=Easy | question=Find the average of 49, 84, 72, 95, 19, 20, 81, 64, 38. | option_a=57 | option_b=60 | option_c=59 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 522 ÷ 9 = 58.

id=21872 | topic=Percentages | difficulty=Easy | question=What is 12% of 562? | option_a=67 | option_b=77 | option_c=134 | option_d=47 | answer=A | explanation=12% of 562 = (12/100) × 562 = 67.

id=21873 | topic=Percentages | difficulty=Easy | question=What is 5% of 1637? | option_a=101 | option_b=76 | option_c=162 | option_d=81 | answer=D | explanation=5% of 1637 = (5/100) × 1637 = 81.

id=21874 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4960. If it is sold at a profit of 15%, what is its selling price? | option_a=4975 | option_b=6200 | option_c=5704 | option_d=5208 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4960 × 115/100 = █5704.

id=21875 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 35? | option_a=35 | option_b=8 | option_c=16 | option_d=24 | answer=A | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 35 is the odd one out.

id=21876 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 27, 39, 51, ? | option_a=75 | option_b=51 | option_c=63 | option_d=64 | answer=C | explanation=The common difference is 12. Therefore the next term is 51 + 12 = 63.

id=21877 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=J | option_b=O | option_c=E | option_d=Z | answer=A | explanation=Move 5 positions forward from E; the resulting letter is J.

id=21878 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2677. If it is sold at a profit of 5%, what is its selling price? | option_a=2682 | option_b=2810 | option_c=2543 | option_d=3077 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2677 × 105/100 = █2810.

id=21879 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25790 at 6% per annum for 4 years. | option_a=6189 | option_b=6089 | option_c=31979 | option_d=6289 | answer=A | explanation=SI = PRT/100 = 25790×6×4/100 = █6189.

id=21880 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=21881 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=44 | option_b=35 | option_c=51 | option_d=43 | answer=D | explanation=The common difference is 8. Therefore the next term is 35 + 8 = 43.

id=21882 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=21883 | topic=Percentages | difficulty=Easy | question=What is 50% of 1131? | option_a=565 | option_b=570 | option_c=545 | option_d=1130 | answer=A | explanation=50% of 1131 = (50/100) × 1131 = 565.

id=21884 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4458. If it is sold at a profit of 50%, what is its selling price? | option_a=6242 | option_b=6687 | option_c=7132 | option_d=4508 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4458 × 150/100 = █6687.

id=21885 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=31 | option_b=36 | option_c=35 | option_d=39 | answer=C | explanation=The common difference is 4. Therefore the next term is 31 + 4 = 35.

id=21886 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:9 and the first is 54, what is the second? | option_a=54 | option_b=63 | option_c=45 | option_d=108 | answer=A | explanation=Scale factor = 54/9 = 6. Therefore second quantity = 9×6 = 54.

id=21887 | topic=Percentages | difficulty=Easy | question=What is 12% of 1859? | option_a=446 | option_b=223 | option_c=218 | option_d=243 | answer=B | explanation=12% of 1859 = (12/100) × 1859 = 223.

id=21888 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:20 and the first is 180, what is the second? | option_a=312 | option_b=280 | option_c=480 | option_d=300 | answer=D | explanation=Scale factor = 180/12 = 15. Therefore second quantity = 20×15 = 300.

id=21889 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=55 | option_b=43 | option_c=56 | option_d=67 | answer=A | explanation=The common difference is 12. Therefore the next term is 43 + 12 = 55.

id=21890 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32706 at 5% per annum for 5 years. | option_a=8276 | option_b=40882 | option_c=8076 | option_d=8176 | answer=D | explanation=SI = PRT/100 = 32706×5×5/100 = █8176.

id=21891 | topic=Profit & Loss | difficulty=Easy | question=An article costs █403. If it is sold at a profit of 40%, what is its selling price? | option_a=564 | option_b=443 | option_c=604 | option_d=524 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 403 × 140/100 = █564.

id=21892 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41970 at 6% per annum for 3 years. | option_a=7554 | option_b=49524 | option_c=7654 | option_d=7454 | answer=A | explanation=SI = PRT/100 = 41970×6×3/100 = █7554.

id=21893 | topic=Averages | difficulty=Easy | question=Find the average of 90, 92, 36, 96, 21, 96, 37, 83, 61. | option_a=69 | option_b=67 | option_c=70 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = 612 ÷ 9 = 68.

id=21894 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43987 at 5% per annum for 3 years. | option_a=6498 | option_b=6698 | option_c=50585 | option_d=6598 | answer=D | explanation=SI = PRT/100 = 43987×5×3/100 = █6598.

id=21895 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27988 at 6% per annum for 1 years. | option_a=1679 | option_b=29667 | option_c=1579 | option_d=1779 | answer=A | explanation=SI = PRT/100 = 27988×6×1/100 = █1679.

id=21896 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=S | option_c=Q | option_d=W | answer=A | explanation=Move 2 positions forward from S; the resulting letter is U.

id=21897 | topic=Averages | difficulty=Easy | question=Find the average of 86, 75, 100, 22, 87, 50, 84. | option_a=72 | option_b=71 | option_c=73 | option_d=74 | answer=A | explanation=Average = sum of values ÷ number of values = 504 ÷ 7 = 72.

id=21898 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=R | option_b=S | option_c=U | option_d=T | answer=D | explanation=Move 1 positions forward from S; the resulting letter is T.

id=21899 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1888. If it is sold at a profit of 5%, what is its selling price? | option_a=2170 | option_b=1893 | option_c=1982 | option_d=1794 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1888 × 105/100 = █1982.

id=21900 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=15 | option_c=20 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

Aptitude Questions — Records 21,901-21,930 of 100,000

- id=21901 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6753 at 5% per annum for 2 years. | option_a=575 | option_b=7428 | option_c=775 | option_d=675 | answer=D | explanation=SI = $PRT/100 = 6753 \times 5 \times 2/100 =$ **■**675.
- id=21902 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 20, 28, 37? | option_a=37 | option_b=28 | option_c=20 | option_d=12 | answer=A | explanation=The first three numbers increase by 8, so the next should be 36. Therefore 37 is the odd one out.
- id=21903 | topic=Averages | difficulty=Easy | question=Find the average of 66, 31, 39, 84. | option_a=57 | option_b=55 | option_c=56 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = $220 \div 4 = 55$.
- id=21904 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3635. If it is sold at a profit of 25%, what is its selling price? | option_a=3660 | option_b=4906 | option_c=4543 | option_d=4180 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3635 \times 125/100 =$ **■**4543.
- id=21905 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47805 at 6% per annum for 2 years. | option_a=5736 | option_b=53541 | option_c=5636 | option_d=5836 | answer=A | explanation=SI = $PRT/100 = 47805 \times 6 \times 2/100 =$ **■**5736.
- id=21906 | topic=Percentages | difficulty=Easy | question=What is 25% of 330? | option_a=82 | option_b=164 | option_c=102 | option_d=77 | answer=A | explanation=25% of 330 = $(25/100) \times 330 = 82$.
- id=21907 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 10, 16, 24? | option_a=10 | option_b=10 | option_c=16 | option_d=24 | answer=D | explanation=The first three numbers increase by 6, so the next should be 22. Therefore 24 is the odd one out.
- id=21908 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 14, 20, 28? | option_a=14 | option_b=28 | option_c=20 | option_d=8 | answer=B | explanation=The first three numbers increase by 6, so the next should be 26. Therefore 28 is the odd one out.
- id=21909 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:2 and the first is 51, what is the second? | option_a=37 | option_b=34 | option_c=32 | option_d=85 | answer=B | explanation=Scale factor = $51/3 = 17$. Therefore second quantity = $2 \times 17 = 34$.
- id=21910 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**596. If it is sold at a profit of 5%, what is its selling price? | option_a=625 | option_b=684 | option_c=601 | option_d=566 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 596 \times 105/100 =$ **■**625.
- id=21911 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3782. If it is sold at a profit of 40%, what is its selling price? | option_a=5672 | option_b=5294 | option_c=4916 | option_d=3822 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3782 \times 140/100 =$ **■**5294.
- id=21912 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=43 | option_b=49 | option_c=44 | option_d=37 | answer=A | explanation=The common difference is 6. Therefore the next term is $37 + 6 = 43$.
- id=21913 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=180 | option_c=85 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = $360 \div 4 = 90$ km/h.
- id=21914 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 12. | option_a=1 | option_b=16 | option_c=48 | option_d=12 | answer=D | explanation= $LCM \times HCF = 4 \times 12$; $HCF(4,12) = 4$, so $LCM = 12$.
- id=21915 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32549 at 4% per annum for 4 years. | option_a=37756 | option_b=5107 | option_c=5207 | option_d=5307 | answer=C | explanation=SI = $PRT/100 = 32549 \times 4 \times 4/100 =$ **■**5207.
- id=21916 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=O | option_b=F | option_c=L | option_d=I | answer=C | explanation=Move 3 positions forward from I; the resulting letter is L.
- id=21917 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4837. If it is sold at a profit of 5%, what is its selling price? | option_a=4595 | option_b=5561 | option_c=4842 | option_d=5078 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4837 \times 105/100 =$ **■**5078.
- id=21918 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10786 at 10% per annum for 3 years. | option_a=14021 | option_b=3235 | option_c=3335 | option_d=3135 | answer=B | explanation=SI = $PRT/100 = 10786 \times 10 \times 3/100 =$ **■**3235.
- id=21919 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 26, 35, 45? | option_a=35 | option_b=26 | option_c=17 | option_d=45 | answer=D | explanation=The first three numbers increase by 9, so the next should be 44. Therefore 45 is the odd one out.
- id=21920 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 9, 11, 16? | option_a=16 | option_b=7 | option_c=9 | option_d=11 | answer=A | explanation=The first three numbers increase by 2, so the next should be 13. Therefore 16 is the odd one out.
- id=21921 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=38 | option_b=45 | option_c=31 | option_d=39 | answer=A | explanation=The common difference is 7. Therefore the next term is $31 + 7 = 38$.
- id=21922 | topic=Averages | difficulty=Easy | question=Find the average of 22, 21, 59, 22, 31, 17, 34, 58, 46, 80. | option_a=38 | option_b=39 | option_c=40 | option_d=41 | answer=B | explanation=Average = sum of values ÷ number of values = $390 \div 10 = 39$.
- id=21923 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:16 and the first is 225, what is the second? | option_a=224 | option_b=240 | option_c=465 | option_d=255 | answer=B | explanation=Scale factor = $225/15 = 15$. Therefore second quantity = $16 \times 15 = 240$.
- id=21924 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:18 and the first is 55, what is the second? | option_a=101 | option_b=90 | option_c=72 | option_d=145 | answer=B | explanation=Scale factor = $55/11 = 5$. Therefore second quantity = $18 \times 5 = 90$.
- id=21925 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:18 and the first is 12, what is the second? | option_a=48 | option_b=42 | option_c=36 | option_d=18 | answer=C | explanation=Scale factor = $12/6 = 2$. Therefore second quantity = $18 \times 2 = 36$.
- id=21926 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = $180 \div 3 = 60$ km/h.
- id=21927 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**485. If it is sold at a profit of 50%, what is its selling price? | option_a=775 | option_b=535 | option_c=679 | option_d=727 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 485 \times 150/100 =$ **■**727.
- id=21928 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3275 at 4% per annum for 3 years. | option_a=393 | option_b=493 | option_c=3668 | option_d=293 | answer=A | explanation=SI = $PRT/100 = 3275 \times 4 \times 3/100 =$ **■**393.
- id=21929 | topic=Percentages | difficulty=Easy | question=What is 30% of 1461? | option_a=448 | option_b=438 | option_c=876 | option_d=428 | answer=B | explanation=30% of 1461 = $(30/100) \times 1461 = 438$.
- id=21930 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=39 | option_b=32 | option_c=25 | option_d=33 | answer=B | explanation=The common difference is 7. Therefore the next term is $25 + 7 = 32$.

Aptitude Questions — Records 21,931-21,960 of 100,000

id=21931 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43952 at 15% per annum for 4 years. | option_a=70323 | option_b=26371 | option_c=26471 | option_d=26271 | answer=B | explanation=SI = PRT/100 = 43952×15×4/100 = **■**26371.

id=21932 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=21933 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22178 at 12% per annum for 1 years. | option_a=24839 | option_b=2561 | option_c=2661 | option_d=2761 | answer=C | explanation=SI = PRT/100 = 22178×12×1/100 = **■**2661.

id=21934 | topic=Percentages | difficulty=Easy | question=What is 10% of 1722? | option_a=172 | option_b=192 | option_c=152 | option_d=344 | answer=A | explanation=10% of 1722 = (10/100) × 1722 = 172.

id=21935 | topic=Averages | difficulty=Easy | question=Find the average of 25, 92, 19, 41, 33, 91, 56. | option_a=50 | option_b=52 | option_c=53 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.

id=21936 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=20 | option_b=23 | option_c=21 | option_d=17 | answer=A | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=21937 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3548 at 15% per annum for 4 years. | option_a=2228 | option_b=2128 | option_c=5676 | option_d=2028 | answer=B | explanation=SI = PRT/100 = 3548×15×4/100 = **■**2128.

id=21938 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1946. If it is sold at a profit of 15%, what is its selling price? | option_a=2431 | option_b=2043 | option_c=2237 | option_d=1961 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1946 × 115/100 = **■**2237.

id=21939 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44530 at 6% per annum for 2 years. | option_a=5243 | option_b=49873 | option_c=5343 | option_d=5443 | answer=C | explanation=SI = PRT/100 = 44530×6×2/100 = **■**5343.

id=21940 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 23, 30, 37, ? | option_a=45 | option_b=37 | option_c=44 | option_d=51 | answer=C | explanation=The common difference is 7. Therefore the next term is 37 + 7 = 44.

id=21941 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 3. | option_a=12 | option_b=36 | option_c=24 | option_d=9 | answer=A | explanation=LCM × HCF = 12×3, HCF(12,3) = 3, so LCM = 12.

id=21942 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 31, 34, 40? | option_a=34 | option_b=31 | option_c=28 | option_d=40 | answer=D | explanation=The first three numbers increase by 3, so the next should be 37. Therefore 40 is the odd one out.

id=21943 | topic=Averages | difficulty=Easy | question=Find the average of 29, 24, 23, 62, 85, 59. | option_a=49 | option_b=46 | option_c=47 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 282 ÷ 6 = 47.

id=21944 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 38, 46, 57? | option_a=38 | option_b=57 | option_c=30 | option_d=46 | answer=B | explanation=The first three numbers increase by 8, so the next should be 54. Therefore 57 is the odd one out.

id=21945 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:20 and the first is 195, what is the second? | option_a=240 | option_b=275 | option_c=260 | option_d=455 | answer=C | explanation=Scale factor = 195/15 = 13. Therefore second quantity = 20×13 = 260.

id=21946 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=72 | option_c=41 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=21947 | topic=Percentages | difficulty=Easy | question=What is 15% of 1663? | option_a=244 | option_b=249 | option_c=498 | option_d=254 | answer=B | explanation=15% of 1663 = (15/100) × 1663 = 249.

id=21948 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=21949 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 23, 26, 31? | option_a=23 | option_b=20 | option_c=31 | option_d=26 | answer=C | explanation=The first three numbers increase by 3, so the next should be 29. Therefore 31 is the odd one out.

id=21950 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5348 at 12% per annum for 2 years. | option_a=1183 | option_b=1283 | option_c=1383 | option_d=6631 | answer=B | explanation=SI = PRT/100 = 5348×12×2/100 = **■**1283.

id=21951 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 16, 20, 26? | option_a=26 | option_b=12 | option_c=16 | option_d=20 | answer=A | explanation=The first three numbers increase by 4, so the next should be 24. Therefore 26 is the odd one out.

id=21952 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=53 | option_b=54 | option_c=43 | option_d=63 | answer=A | explanation=The common difference is 10. Therefore the next term is 43 + 10 = 53.

id=21953 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=D | option_b=H | option_c=P | option_d=L | answer=D | explanation=Move 4 positions forward from H; the resulting letter is L.

id=21954 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=L | option_b=I | option_c=K | option_d=J | answer=C | explanation=Move 1 positions forward from J; the resulting letter is K.

id=21955 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 35? | option_a=17 | option_b=35 | option_c=9 | option_d=25 | answer=B | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 35 is the odd one out.

id=21956 | topic=Percentages | difficulty=Easy | question=What is 10% of 1781? | option_a=188 | option_b=178 | option_c=168 | option_d=356 | answer=B | explanation=10% of 1781 = (10/100) × 1781 = 178.

id=21957 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=19 | option_b=24 | option_c=25 | option_d=29 | answer=B | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.

id=21958 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=21959 | topic=Averages | difficulty=Easy | question=Find the average of 67, 95, 22, 58, 100, 32, 11, 23. | option_a=52 | option_b=50 | option_c=51 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 408 ÷ 8 = 51.

id=21960 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4760. If it is sold at a profit of 15%, what is its selling price? | option_a=4775 | option_b=4998 | option_c=5950 | option_d=5474 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4760 × 115/100 = **■**5474.

Aptitude Questions — Records 21,961-21,990 of 100,000

id=21961 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 46? | option_a=30 | option_b=46 | option_c=37 | option_d=23 | answer=B | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 46 is the odd one out.

id=21962 | topic=Averages | difficulty=Easy | question=Find the average of 26, 46, 27, 88, 21, 10, 29, 93, 93, 97. | option_a=54 | option_b=52 | option_c=55 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=21963 | topic=Averages | difficulty=Easy | question=Find the average of 58, 72, 70, 63, 92, 88, 68. | option_a=73 | option_b=75 | option_c=74 | option_d=72 | answer=A | explanation=Average = sum of values ÷ number of values = 511 ÷ 7 = 73.

id=21964 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 42? | option_a=25 | option_b=32 | option_c=42 | option_d=18 | answer=C | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 42 is the odd one out.

id=21965 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1458. If it is sold at a profit of 20%, what is its selling price? | option_a=1749 | option_b=1894 | option_c=1604 | option_d=1478 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1458 × 120/100 = █1749.

id=21966 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=21967 | topic=Percentages | difficulty=Easy | question=What is 30% of 824? | option_a=252 | option_b=242 | option_c=494 | option_d=247 | answer=D | explanation=30% of 824 = (30/100) × 824 = 247.

id=21968 | topic=Percentages | difficulty=Easy | question=What is 15% of 1491? | option_a=233 | option_b=446 | option_c=218 | option_d=223 | answer=D | explanation=15% of 1491 = (15/100) × 1491 = 223.

id=21969 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=J | option_b=P | option_c=M | option_d=S | answer=B | explanation=Move 3 positions forward from M; the resulting letter is P.

id=21970 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37449 at 10% per annum for 5 years. | option_a=18824 | option_b=56173 | option_c=18624 | option_d=18724 | answer=D | explanation=SI = PRT/100 = 37449×10×5/100 = █18724.

id=21971 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=5 | option_c=20 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=21972 | topic=Percentages | difficulty=Easy | question=What is 25% of 410? | option_a=102 | option_b=82 | option_c=112 | option_d=204 | answer=A | explanation=25% of 410 = (25/100) × 410 = 102.

id=21973 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:7 and the first is 112, what is the second? | option_a=210 | option_b=106 | option_c=91 | option_d=98 | answer=D | explanation=Scale factor = 112/8 = 14. Therefore second quantity = 7×14 = 98.

id=21974 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1048. If it is sold at a profit of 50%, what is its selling price? | option_a=1468 | option_b=1098 | option_c=1676 | option_d=1572 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1048 × 150/100 = █1572.

id=21975 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=6 | option_c=12 | option_d=1 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=21976 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:12 and the first is 288, what is the second? | option_a=232 | option_b=204 | option_c=504 | option_d=216 | answer=D | explanation=Scale factor = 288/16 = 18. Therefore second quantity = 12×18 = 216.

id=21977 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2127. If it is sold at a profit of 20%, what is its selling price? | option_a=2552 | option_b=2764 | option_c=2340 | option_d=2147 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2127 × 120/100 = █2552.

id=21978 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=N | option_b=Y | option_c=D | option_d=I | answer=D | explanation=Move 5 positions forward from D; the resulting letter is I.

id=21979 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1366. If it is sold at a profit of 50%, what is its selling price? | option_a=2185 | option_b=2049 | option_c=1913 | option_d=1416 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1366 × 150/100 = █2049.

id=21980 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4760. If it is sold at a profit of 30%, what is its selling price? | option_a=5712 | option_b=4790 | option_c=6188 | option_d=6664 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4760 × 130/100 = █6188.

id=21981 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2150. If it is sold at a profit of 15%, what is its selling price? | option_a=2687 | option_b=2472 | option_c=2165 | option_d=2257 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2150 × 115/100 = █2472.

id=21982 | topic=Percentages | difficulty=Easy | question=What is 10% of 1026? | option_a=102 | option_b=204 | option_c=112 | option_d=97 | answer=A | explanation=10% of 1026 = (10/100) × 1026 = 102.

id=21983 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=18 | option_b=19 | option_c=15 | option_d=17 | answer=D | explanation=The common difference is 2. Therefore the next term is 15 + 2 = 17.

id=21984 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=20 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=21985 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=X | option_b=I | option_c=S | option_d=N | answer=C | explanation=Move 5 positions forward from N; the resulting letter is S.

id=21986 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 22, 28, 36? | option_a=36 | option_b=22 | option_c=16 | option_d=28 | answer=A | explanation=The first three numbers increase by 6, so the next should be 34. Therefore 36 is the odd one out.

id=21987 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=21988 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:16 and the first is 24, what is the second? | option_a=216 | option_b=192 | option_c=176 | option_d=194 | answer=B | explanation=Scale factor = 24/2 = 12. Therefore second quantity = 16×12 = 192.

id=21989 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 22. | option_a=396 | option_b=198 | option_c=176 | option_d=216 | answer=B | explanation=LCM × HCF = 18×22; HCF(18,22) = 2, so LCM = 198.

id=21990 | topic=Percentages | difficulty=Easy | question=What is 50% of 405? | option_a=202 | option_b=212 | option_c=404 | option_d=192 | answer=A | explanation=50% of 405 = (50/100) × 405 = 202.

Aptitude Questions — Records 21,991-22,020 of 100,000

id=21991 | topic=Percentages | difficulty=Easy | question=What is 40% of 1681? | option_a=652 | option_b=1344 | option_c=682 | option_d=672 | answer=D | explanation=40% of 1681 = (40/100) × 1681 = 672.

id=21992 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=S | option_b=Y | option_c=W | option_d=U | answer=C | explanation=Move 2 positions forward from U; the resulting letter is W.

id=21993 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=54 | option_b=64 | option_c=42 | option_d=53 | answer=D | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.

id=21994 | topic=Averages | difficulty=Easy | question=Find the average of 24, 28, 22, 24, 37, 84, 75. | option_a=43 | option_b=42 | option_c=41 | option_d=44 | answer=B | explanation=Average = sum of values ÷ number of values = 294 ÷ 7 = 42.

id=21995 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=21996 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 18, 23, 28, ? | option_a=28 | option_b=34 | option_c=38 | option_d=33 | answer=D | explanation=The common difference is 5. Therefore the next term is 28 + 5 = 33.

id=21997 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=21998 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:12 and the first is 42, what is the second? | option_a=36 | option_b=50 | option_c=78 | option_d=24 | answer=A | explanation=Scale factor = 42/14 = 3. Therefore second quantity = 12×3 = 36.

id=21999 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=1 | option_c=6 | option_d=12 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=22000 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=22001 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=40 | option_c=20 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=22002 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33688 at 10% per annum for 2 years. | option_a=6837 | option_b=40425 | option_c=6637 | option_d=6737 | answer=D | explanation=SI = PRT/100 = 33688×10×2/100 = **■**6737.

id=22003 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 34, 43, 55? | option_a=43 | option_b=25 | option_c=34 | option_d=55 | answer=D | explanation=The first three numbers increase by 9, so the next should be 52. Therefore 55 is the odd one out.

id=22004 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=N | option_c=T | option_d=W | answer=C | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=22005 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=22006 | topic=Percentages | difficulty=Easy | question=What is 50% of 1092? | option_a=566 | option_b=526 | option_c=1092 | option_d=546 | answer=D | explanation=50% of 1092 = (50/100) × 1092 = 546.

id=22007 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:13 and the first is 323, what is the second? | option_a=544 | option_b=221 | option_c=208 | option_d=240 | answer=B | explanation=Scale factor = 323/19 = 17. Therefore second quantity = 13×17 = 221.

id=22008 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=P | option_c=H | option_d=T | answer=B | explanation=Move 4 positions forward from L; the resulting letter is P.

id=22009 | topic=Percentages | difficulty=Easy | question=What is 50% of 1059? | option_a=529 | option_b=1058 | option_c=539 | option_d=519 | answer=A | explanation=50% of 1059 = (50/100) × 1059 = 529.

id=22010 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=55 | option_c=100 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=22011 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:11 and the first is 72, what is the second? | option_a=78 | option_b=66 | option_c=138 | option_d=55 | answer=B | explanation=Scale factor = 72/12 = 6. Therefore second quantity = 11×6 = 66.

id=22012 | topic=Percentages | difficulty=Easy | question=What is 25% of 784? | option_a=176 | option_b=392 | option_c=206 | option_d=196 | answer=D | explanation=25% of 784 = (25/100) × 784 = 196.

id=22013 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7616 at 4% per annum for 2 years. | option_a=609 | option_b=509 | option_c=709 | option_d=8225 | answer=A | explanation=SI = PRT/100 = 7616×4×2/100 = **■**609.

id=22014 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=20 | option_b=23 | option_c=24 | option_d=26 | answer=B | explanation=The common difference is 3. Therefore the next term is 20 + 3 = 23.

id=22015 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2263. If it is sold at a profit of 30%, what is its selling price? | option_a=3167 | option_b=2715 | option_c=2293 | option_d=2941 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2263 × 130/100 = **■**2941.

id=22016 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=22017 | topic=Percentages | difficulty=Easy | question=What is 10% of 1363? | option_a=272 | option_b=146 | option_c=126 | option_d=136 | answer=D | explanation=10% of 1363 = (10/100) × 1363 = 136.

id=22018 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:3 and the first is 70, what is the second? | option_a=12 | option_b=29 | option_c=15 | option_d=85 | answer=C | explanation=Scale factor = 70/14 = 5. Therefore second quantity = 3×5 = 15.

id=22019 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=95 | option_c=180 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=22020 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

Aptitude Questions — Records 22,021-22,050 of 100,000

id=22021 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 28, 31, 35? | option_a=28 | option_b=35 | option_c=25 | option_d=31 | answer=B | explanation=The first three numbers increase by 3, so the next should be 34. Therefore 35 is the odd one out.

id=22022 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:5 and the first is 136, what is the second? | option_a=80 | option_b=85 | option_c=221 | option_d=93 | answer=B | explanation=Scale factor = $136/8 = 17$. Therefore second quantity = $5 \times 17 = 85$.

id=22023 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 28, 32, 39? | option_a=24 | option_b=28 | option_c=39 | option_d=32 | answer=C | explanation=The first three numbers increase by 4, so the next should be 36. Therefore 39 is the odd one out.

id=22024 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40436 at 8% per annum for 2 years. | option_a=46905 | option_b=6469 | option_c=6369 | option_d=6569 | answer=B | explanation=SI = $PRT/100 = 40436 \times 8 \times 2/100 = \text{■}6469$.

id=22025 | topic=Averages | difficulty=Easy | question=Find the average of 54, 36, 10, 88. | option_a=48 | option_b=47 | option_c=49 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = $188 \div 4 = 47$.

id=22026 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=60 | option_b=48 | option_c=59 | option_d=70 | answer=C | explanation=The common difference is 11. Therefore the next term is $48 + 11 = 59$.

id=22027 | topic=Averages | difficulty=Easy | question=Find the average of 17, 93, 38, 56, 25, 77. | option_a=52 | option_b=53 | option_c=51 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = $306 \div 6 = 51$.

id=22028 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=32 | option_b=34 | option_c=31 | option_d=28 | answer=C | explanation=The common difference is 3. Therefore the next term is $28 + 3 = 31$.

id=22029 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=55 | option_b=63 | option_c=45 | option_d=54 | answer=D | explanation=The common difference is 9. Therefore the next term is $45 + 9 = 54$.

id=22030 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=53 | option_c=48 | option_d=96 | answer=C | explanation=Speed = distance ÷ time = $240 \div 5 = 48$ km/h.

id=22031 | topic=Percentages | difficulty=Easy | question=What is 40% of 1162? | option_a=444 | option_b=928 | option_c=464 | option_d=474 | answer=C | explanation=40% of 1162 = $(40/100) \times 1162 = 464$.

id=22032 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=67 | option_b=54 | option_c=78 | option_d=66 | answer=D | explanation=The common difference is 12. Therefore the next term is $54 + 12 = 66$.

id=22033 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=22034 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3945. If it is sold at a profit of 30%, what is its selling price? | option_a=5128 | option_b=5522 | option_c=4734 | option_d=3975 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit})/100 = 3945 \times 130/100 = \text{■}5128$.

id=22035 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 11, 19, 30? | option_a=30 | option_b=11 | option_c=19 | option_d=3 | answer=A | explanation=The first three numbers increase by 8, so the next should be 27. Therefore 30 is the odd one out.

id=22036 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 12. | option_a=12 | option_b=24 | option_c=288 | option_d=48 | answer=B | explanation= $LCM \times HCF = 24 \times 12$; $HCF(24, 12) = 12$, so $LCM = 24$.

id=22037 | topic=Averages | difficulty=Easy | question=Find the average of 96, 86, 99, 24, 95. | option_a=79 | option_b=82 | option_c=81 | option_d=80 | answer=D | explanation=Average = sum of values ÷ number of values = $400 \div 5 = 80$.

id=22038 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 4. | option_a=4 | option_b=8 | option_c=1 | option_d=6 | answer=A | explanation= $LCM \times HCF = 2 \times 4$; $HCF(2, 4) = 2$, so $LCM = 4$.

id=22039 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=22040 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:12 and the first is 30, what is the second? | option_a=24 | option_b=54 | option_c=12 | option_d=39 | answer=A | explanation=Scale factor = $30/15 = 2$. Therefore second quantity = $12 \times 2 = 24$.

id=22041 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20950 at 10% per annum for 4 years. | option_a=8480 | option_b=8380 | option_c=29330 | option_d=8280 | answer=B | explanation=SI = $PRT/100 = 20950 \times 10 \times 4/100 = \text{■}8380$.

id=22042 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2093. If it is sold at a profit of 5%, what is its selling price? | option_a=2197 | option_b=2406 | option_c=1988 | option_d=2098 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit})/100 = 2093 \times 105/100 = \text{■}2197$.

id=22043 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35917 at 4% per annum for 5 years. | option_a=7283 | option_b=43100 | option_c=7183 | option_d=7083 | answer=C | explanation=SI = $PRT/100 = 35917 \times 4 \times 5/100 = \text{■}7183$.

id=22044 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 24, 34, 46? | option_a=24 | option_b=14 | option_c=46 | option_d=34 | answer=C | explanation=The first three numbers increase by 10, so the next should be 44. Therefore 46 is the odd one out.

id=22045 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=22046 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=48 | option_b=60 | option_c=59 | option_d=70 | answer=C | explanation=The common difference is 11. Therefore the next term is $48 + 11 = 59$.

id=22047 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26143 at 10% per annum for 2 years. | option_a=31371 | option_b=5128 | option_c=5228 | option_d=5328 | answer=C | explanation=SI = $PRT/100 = 26143 \times 10 \times 2/100 = \text{■}5228$.

id=22048 | topic=Averages | difficulty=Easy | question=Find the average of 54, 18, 36. | option_a=38 | option_b=36 | option_c=35 | option_d=37 | answer=B | explanation=Average = sum of values ÷ number of values = $108 \div 3 = 36$.

id=22049 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=80 | option_d=150 | answer=A | explanation=Speed = distance ÷ time = $150 \div 2 = 75$ km/h.

id=22050 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:13 and the first is 39, what is the second? | option_a=208 | option_b=169 | option_c=172 | option_d=156 | answer=B | explanation=Scale factor = $39/3 = 13$. Therefore second quantity = $13 \times 13 = 169$.

Aptitude Questions — Records 22,051-22,080 of 100,000

id=22051 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2706. If it is sold at a profit of 25%, what is its selling price? | option_a=3652 | option_b=3112 | option_c=2731 | option_d=3382 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2706 × 125/100 = ■3382.

id=22052 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3107. If it is sold at a profit of 40%, what is its selling price? | option_a=4349 | option_b=3147 | option_c=4659 | option_d=4039 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3107 × 140/100 = ■4349.

id=22053 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 6. | option_a=64 | option_b=42 | option_c=48 | option_d=96 | answer=C | explanation=LCM × HCF = 16×6; HCF(16,6) = 2, so LCM = 48.

id=22054 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=19 | option_c=24 | option_d=29 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=22055 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=22056 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=60 | option_b=48 | option_c=59 | option_d=70 | answer=C | explanation=The common difference is 11. Therefore the next term is 48 + 11 = 59.

id=22057 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=22058 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:15 and the first is 39, what is the second? | option_a=234 | option_b=195 | option_c=198 | option_d=180 | answer=B | explanation=Scale factor = 39/3 = 13. Therefore second quantity = 15×13 = 195.

id=22059 | topic=Averages | difficulty=Easy | question=Find the average of 23, 79, 72, 66, 94, 55, 24. | option_a=58 | option_b=60 | option_c=59 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 413 ÷ 7 = 59.

id=22060 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=22061 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2827. If it is sold at a profit of 20%, what is its selling price? | option_a=3674 | option_b=3110 | option_c=3392 | option_d=2847 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2827 × 120/100 = ■3392.

id=22062 | topic=Percentages | difficulty=Easy | question=What is 30% of 1033? | option_a=319 | option_b=309 | option_c=618 | option_d=299 | answer=B | explanation=30% of 1033 = (30/100) × 1033 = 309.

id=22063 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:12 and the first is 32, what is the second? | option_a=48 | option_b=56 | option_c=36 | option_d=80 | answer=A | explanation=Scale factor = 32/8 = 4. Therefore second quantity = 12×4 = 48.

id=22064 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:4 and the first is 150, what is the second? | option_a=70 | option_b=210 | option_c=56 | option_d=60 | answer=D | explanation=Scale factor = 150/10 = 15. Therefore second quantity = 4×15 = 60.

id=22065 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:13 and the first is 20, what is the second? | option_a=150 | option_b=117 | option_c=130 | option_d=132 | answer=C | explanation=Scale factor = 20/2 = 10. Therefore second quantity = 13×10 = 130.

id=22066 | topic=Percentages | difficulty=Easy | question=What is 5% of 131? | option_a=6 | option_b=1 | option_c=12 | option_d=11 | answer=A | explanation=5% of 131 = (5/100) × 131 = 6.

id=22067 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=22068 | topic=Averages | difficulty=Easy | question=Find the average of 54, 98, 86, 20, 41, 14, 72. | option_a=57 | option_b=55 | option_c=56 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 385 ÷ 7 = 55.

id=22069 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=36 | option_b=47 | option_c=48 | option_d=58 | answer=B | explanation=The common difference is 11. Therefore the next term is 36 + 11 = 47.

id=22070 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 10, 13, 18? | option_a=18 | option_b=13 | option_c=7 | option_d=10 | answer=A | explanation=The first three numbers increase by 3, so the next should be 16. Therefore 18 is the odd one out.

id=22071 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=45 | option_b=38 | option_c=46 | option_d=52 | answer=A | explanation=The common difference is 7. Therefore the next term is 38 + 7 = 45.

id=22072 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=19 | option_d=29 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=22073 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 15, 22, 29, ? | option_a=37 | option_b=36 | option_c=43 | option_d=29 | answer=B | explanation=The common difference is 7. Therefore the next term is 29 + 7 = 36.

id=22074 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1608. If it is sold at a profit of 30%, what is its selling price? | option_a=2250 | option_b=1638 | option_c=1930 | option_d=2090 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1608 × 130/100 = ■2090.

id=22075 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 62? | option_a=40 | option_b=62 | option_c=50 | option_d=30 | answer=B | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 62 is the odd one out.

id=22076 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■49495 at 6% per annum for 5 years. | option_a=14848 | option_b=14948 | option_c=14748 | option_d=64343 | answer=A | explanation=SI = PRT/100 = 49495×6×5/100 = ■14848.

id=22077 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=100 | option_c=45 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=22078 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:19 and the first is 72, what is the second? | option_a=76 | option_b=94 | option_c=57 | option_d=148 | answer=A | explanation=Scale factor = 72/18 = 4. Therefore second quantity = 19×4 = 76.

id=22079 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4903. If it is sold at a profit of 15%, what is its selling price? | option_a=5148 | option_b=6128 | option_c=4918 | option_d=5638 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4903 × 115/100 = ■5638.

id=22080 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3175. If it is sold at a profit of 15%, what is its selling price? | option_a=3651 | option_b=3968 | option_c=3334 | option_d=3190 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3175 × 115/100 = ■3651.

Aptitude Questions — Records 22,081-22,110 of 100,000

id=22081 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 25, 31, 40? | option_a=31 | option_b=25 | option_c=19 | option_d=40 | answer=D | explanation=The first three numbers increase by 6, so the next should be 37. Therefore 40 is the odd one out.

id=22082 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=42 | option_b=52 | option_c=62 | option_d=53 | answer=B | explanation=The common difference is 10. Therefore the next term is 42 + 10 = 52.

id=22083 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2536. If it is sold at a profit of 5%, what is its selling price? | option_a=2662 | option_b=2409 | option_c=2915 | option_d=2541 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2536 × 105/100 = █2662.

id=22084 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=H | option_c=L | option_d=N | answer=C | explanation=Move 2 positions forward from J; the resulting letter is L.

id=22085 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=22086 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9825 at 10% per annum for 5 years. | option_a=4912 | option_b=5012 | option_c=14737 | option_d=4812 | answer=A | explanation=SI = PRT/100 = 9825×10×5/100 = █4912.

id=22087 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=22088 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=G | option_c=D | option_d=X | answer=C | explanation=Move 3 positions forward from A; the resulting letter is D.

id=22089 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 22, 29, 37? | option_a=29 | option_b=37 | option_c=15 | option_d=22 | answer=B | explanation=The first three numbers increase by 7, so the next should be 36. Therefore 37 is the odd one out.

id=22090 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:12 and the first is 84, what is the second? | option_a=84 | option_b=168 | option_c=96 | option_d=72 | answer=A | explanation=Scale factor = 84/12 = 7. Therefore second quantity = 12×7 = 84.

id=22091 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:16 and the first is 11, what is the second? | option_a=176 | option_b=187 | option_c=177 | option_d=160 | answer=A | explanation=Scale factor = 11/1 = 11. Therefore second quantity = 16×11 = 176.

id=22092 | topic=Percentages | difficulty=Easy | question=What is 12% of 283? | option_a=43 | option_b=23 | option_c=33 | option_d=66 | answer=C | explanation=12% of 283 = (12/100) × 283 = 33.

id=22093 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=L | option_b=G | option_c=B | option_d=Q | answer=A | explanation=Move 5 positions forward from G; the resulting letter is L.

id=22094 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=28 | option_b=24 | option_c=18 | option_d=23 | answer=D | explanation=The common difference is 5. Therefore the next term is 18 + 5 = 23.

id=22095 | topic=Profit & Loss | difficulty=Easy | question=An article costs █515. If it is sold at a profit of 50%, what is its selling price? | option_a=721 | option_b=565 | option_c=772 | option_d=823 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 515 × 150/100 = █772.

id=22096 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4519. If it is sold at a profit of 40%, what is its selling price? | option_a=6326 | option_b=5875 | option_c=4559 | option_d=6777 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4519 × 140/100 = █6326.

id=22097 | topic=Averages | difficulty=Easy | question=Find the average of 11, 64, 82, 74, 96, 50, 43. | option_a=62 | option_b=59 | option_c=60 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 420 ÷ 7 = 60.

id=22098 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=F | option_b=I | option_c=Z | option_d=C | answer=A | explanation=Move 3 positions forward from C; the resulting letter is F.

id=22099 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2068. If it is sold at a profit of 20%, what is its selling price? | option_a=2687 | option_b=2275 | option_c=2088 | option_d=2481 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2068 × 120/100 = █2481.

id=22100 | topic=Averages | difficulty=Easy | question=Find the average of 72, 81, 31, 29, 66, 36, 99, 11, 78, 27. | option_a=53 | option_b=52 | option_c=55 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=22101 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:14 and the first is 133, what is the second? | option_a=252 | option_b=273 | option_c=399 | option_d=266 | answer=D | explanation=Scale factor = 133/7 = 19. Therefore second quantity = 14×19 = 266.

id=22102 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=44 | option_b=57 | option_c=56 | option_d=68 | answer=C | explanation=The common difference is 12. Therefore the next term is 44 + 12 = 56.

id=22103 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=32 | option_b=40 | option_c=37 | option_d=36 | answer=D | explanation=The common difference is 4. Therefore the next term is 32 + 4 = 36.

id=22104 | topic=Percentages | difficulty=Easy | question=What is 5% of 443? | option_a=44 | option_b=22 | option_c=2 | option_d=42 | answer=B | explanation=5% of 443 = (5/100) × 443 = 22.

id=22105 | topic=Averages | difficulty=Easy | question=Find the average of 69, 55, 83. | option_a=69 | option_b=71 | option_c=68 | option_d=70 | answer=A | explanation=Average = sum of values ÷ number of values = 207 ÷ 3 = 69.

id=22106 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=22107 | topic=Profit & Loss | difficulty=Easy | question=An article costs █835. If it is sold at a profit of 15%, what is its selling price? | option_a=1043 | option_b=960 | option_c=850 | option_d=877 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 835 × 115/100 = █960.

id=22108 | topic=Percentages | difficulty=Easy | question=What is 15% of 1302? | option_a=215 | option_b=195 | option_c=185 | option_d=390 | answer=B | explanation=15% of 1302 = (15/100) × 1302 = 195.

id=22109 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19905 at 10% per annum for 3 years. | option_a=5971 | option_b=6071 | option_c=5871 | option_d=25876 | answer=A | explanation=SI = PRT/100 = 19905×10×3/100 = █5971.

id=22110 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:6 and the first is 72, what is the second? | option_a=54 | option_b=62 | option_c=48 | option_d=126 | answer=A | explanation=Scale factor = 72/8 = 9. Therefore second quantity = 6×9 = 54.

Aptitude Questions — Records 22,111-22,140 of 100,000

id=22111 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:5 and the first is 8, what is the second? | option_a=28 | option_b=15 | option_c=22 | option_d=20 | answer=D | explanation=Scale factor = 8/2 = 4. Therefore second quantity = 5×4 = 20.

id=22112 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=50 | option_b=32 | option_c=42 | option_d=41 | answer=D | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

id=22113 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1708. If it is sold at a profit of 15%, what is its selling price? | option_a=2134 | option_b=1794 | option_c=1723 | option_d=1964 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1708 × 115/100 = █1964.

id=22114 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4384. If it is sold at a profit of 25%, what is its selling price? | option_a=5480 | option_b=5918 | option_c=5042 | option_d=4409 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4384 × 125/100 = █5480.

id=22115 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3386. If it is sold at a profit of 20%, what is its selling price? | option_a=3406 | option_b=4401 | option_c=4063 | option_d=3725 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3386 × 120/100 = █4063.

id=22116 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=48 | option_b=49 | option_c=37 | option_d=59 | answer=A | explanation=The common difference is 11. Therefore the next term is 37 + 11 = 48.

id=22117 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=22118 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1328. If it is sold at a profit of 5%, what is its selling price? | option_a=1526 | option_b=1394 | option_c=1333 | option_d=1262 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1328 × 105/100 = █1394.

id=22119 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=T | option_c=V | option_d=W | answer=C | explanation=Move 1 positions forward from U; the resulting letter is V.

id=22120 | topic=Percentages | difficulty=Easy | question=What is 15% of 927? | option_a=139 | option_b=134 | option_c=278 | option_d=144 | answer=A | explanation=15% of 927 = (15/100) × 927 = 139.

id=22121 | topic=Percentages | difficulty=Easy | question=What is 5% of 1787? | option_a=89 | option_b=178 | option_c=69 | option_d=99 | answer=A | explanation=5% of 1787 = (5/100) × 1787 = 89.

id=22122 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30170 at 4% per annum for 2 years. | option_a=32583 | option_b=2313 | option_c=2413 | option_d=2513 | answer=C | explanation=SI = PRT/100 = 30170×4×2/100 = █2413.

id=22123 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 24. | option_a=96 | option_b=120 | option_c=140 | option_d=480 | answer=B | explanation=LCM × HCF = 20×24; HCF(20,24) = 4, so LCM = 120.

id=22124 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43602 at 10% per annum for 3 years. | option_a=13080 | option_b=12980 | option_c=13180 | option_d=56682 | answer=A | explanation=SI = PRT/100 = 43602×10×3/100 = █13080.

id=22125 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12235 at 12% per annum for 5 years. | option_a=19576 | option_b=7441 | option_c=7341 | option_d=7241 | answer=C | explanation=SI = PRT/100 = 12235×12×5/100 = █7341.

id=22126 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 29? | option_a=29 | option_b=12 | option_c=19 | option_d=5 | answer=A | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 29 is the odd one out.

id=22127 | topic=Percentages | difficulty=Easy | question=What is 50% of 670? | option_a=315 | option_b=335 | option_c=340 | option_d=670 | answer=B | explanation=50% of 670 = (50/100) × 670 = 335.

id=22128 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 38? | option_a=28 | option_b=19 | option_c=38 | option_d=10 | answer=C | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 38 is the odd one out.

id=22129 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=T | option_b=U | option_c=V | option_d=W | answer=C | explanation=Move 1 positions forward from U; the resulting letter is V.

id=22130 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=12 | option_c=6 | option_d=1 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=22131 | topic=Percentages | difficulty=Easy | question=What is 30% of 1482? | option_a=888 | option_b=454 | option_c=439 | option_d=444 | answer=D | explanation=30% of 1482 = (30/100) × 1482 = 444.

id=22132 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:7 and the first is 72, what is the second? | option_a=35 | option_b=114 | option_c=42 | option_d=54 | answer=C | explanation=Scale factor = 72/12 = 6. Therefore second quantity = 7×6 = 42.

id=22133 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=20 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=22134 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 61? | option_a=50 | option_b=40 | option_c=61 | option_d=30 | answer=C | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 61 is the odd one out.

id=22135 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=R | option_c=W | option_d=H | answer=B | explanation=Move 5 positions forward from M; the resulting letter is R.

id=22136 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=31 | option_b=30 | option_c=33 | option_d=27 | answer=B | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.

id=22137 | topic=Percentages | difficulty=Easy | question=What is 25% of 1488? | option_a=744 | option_b=392 | option_c=372 | option_d=352 | answer=C | explanation=25% of 1488 = (25/100) × 1488 = 372.

id=22138 | topic=Averages | difficulty=Easy | question=Find the average of 34, 31, 13, 80, 70, 62, 33, 13. | option_a=43 | option_b=41 | option_c=42 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = 336 ÷ 8 = 42.

id=22139 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=Y | option_c=T | option_d=J | answer=C | explanation=Move 5 positions forward from O; the resulting letter is T.

id=22140 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1185. If it is sold at a profit of 25%, what is its selling price? | option_a=1363 | option_b=1599 | option_c=1481 | option_d=1210 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1185 × 125/100 = █1481.

Aptitude Questions — Records 22,141-22,170 of 100,000

id=22141 | topic=Averages | difficulty=Easy | question=Find the average of 68, 13, 57, 50, 45, 73, 25, 101. | option_a=55 | option_b=56 | option_c=54 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 432 ÷ 8 = 54.

id=22142 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=22143 | topic=Averages | difficulty=Easy | question=Find the average of 45, 43, 68, 76, 73. | option_a=63 | option_b=62 | option_c=60 | option_d=61 | answer=D | explanation=Average = sum of values + number of values = 305 ÷ 5 = 61.

id=22144 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=40 | option_b=60 | option_c=50 | option_d=51 | answer=C | explanation=The common difference is 10. Therefore the next term is 40 + 10 = 50.

id=22145 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=22146 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 13, 18, 26? | option_a=26 | option_b=18 | option_c=13 | option_d=8 | answer=A | explanation=The first three numbers increase by 5, so the next should be 23. Therefore 26 is the odd one out.

id=22147 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:2 and the first is 270, what is the second? | option_a=30 | option_b=300 | option_c=48 | option_d=28 | answer=A | explanation=Scale factor = 270/18 = 15. Therefore second quantity = 2×15 = 30.

id=22148 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 23, 28, 36? | option_a=23 | option_b=36 | option_c=18 | option_d=28 | answer=B | explanation=The first three numbers increase by 5, so the next should be 33. Therefore 36 is the odd one out.

id=22149 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=36 | option_b=44 | option_c=37 | option_d=28 | answer=A | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=22150 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 7. | option_a=49 | option_b=7 | option_c=1 | option_d=14 | answer=B | explanation=LCM × HCF = 7×7; HCF(7,7) = 7, so LCM = 7.

id=22151 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=22152 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=40 | option_b=52 | option_c=64 | option_d=53 | answer=B | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.

id=22153 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■1557 at 6% per annum for 3 years. | option_a=380 | option_b=180 | option_c=280 | option_d=1837 | answer=C | explanation=SI = PRT/100 = 1557×6×3/100 = ■280.

id=22154 | topic=Averages | difficulty=Easy | question=Find the average of 91, 89, 92, 25, 39, 66, 96, 87, 86, 49. | option_a=71 | option_b=74 | option_c=73 | option_d=72 | answer=D | explanation=Average = sum of values ÷ number of values = 720 ÷ 10 = 72.

id=22155 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=22156 | topic=Number System | difficulty=Easy | question=Find the LCM of 23 and 23. | option_a=23 | option_b=529 | option_c=46 | option_d=1 | answer=A | explanation=LCM × HCF = 23×23; HCF(23,23) = 23, so LCM = 23.

id=22157 | topic=Averages | difficulty=Easy | question=Find the average of 27, 24, 92, 69, 99, 29, 38. | option_a=53 | option_b=54 | option_c=56 | option_d=55 | answer=B | explanation=Average = sum of values + number of values = 378 ÷ 7 = 54.

id=22158 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:11 and the first is 150, what is the second? | option_a=260 | option_b=110 | option_c=125 | option_d=99 | answer=B | explanation=Scale factor = 150/15 = 10. Therefore second quantity = 11×10 = 110.

id=22159 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 25? | option_a=16 | option_b=25 | option_c=18 | option_d=20 | answer=B | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 25 is the odd one out.

id=22160 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=85 | option_c=90 | option_d=95 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=22161 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■970. If it is sold at a profit of 30%, what is its selling price? | option_a=1261 | option_b=1358 | option_c=1000 | option_d=1164 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 970 × 130/100 = ■1261.

id=22162 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■36406 at 5% per annum for 2 years. | option_a=3740 | option_b=40046 | option_c=3540 | option_d=3640 | answer=D | explanation=SI = PRT/100 = 36406×5×2/100 = ■3640.

id=22163 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:10 and the first is 112, what is the second? | option_a=60 | option_b=86 | option_c=182 | option_d=70 | answer=D | explanation=Scale factor = 112/16 = 7. Therefore second quantity = 10×7 = 70.

id=22164 | topic=Averages | difficulty=Easy | question=Find the average of 35, 21, 16, 68, 45, 11, 67, 49. | option_a=41 | option_b=40 | option_c=39 | option_d=38 | answer=C | explanation=Average = sum of values + number of values = 312 ÷ 8 = 39.

id=22165 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2141. If it is sold at a profit of 30%, what is its selling price? | option_a=2783 | option_b=2997 | option_c=2171 | option_d=2569 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2141 × 130/100 = ■2783.

id=22166 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=G | option_b=H | option_c=F | option_d=E | answer=A | explanation=Move 1 positions forward from F; the resulting letter is G.

id=22167 | topic=Averages | difficulty=Easy | question=Find the average of 76, 98, 100, 29, 100, 37, 44, 100. | option_a=75 | option_b=73 | option_c=74 | option_d=72 | answer=B | explanation=Average = sum of values ÷ number of values = 584 ÷ 8 = 73.

id=22168 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=100 | option_c=45 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=22169 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1237. If it is sold at a profit of 15%, what is its selling price? | option_a=1422 | option_b=1252 | option_c=1299 | option_d=1545 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1237 × 115/100 = ■1422.

id=22170 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■7622 at 5% per annum for 4 years. | option_a=1624 | option_b=1524 | option_c=9146 | option_d=1424 | answer=B | explanation=SI = PRT/100 = 7622×5×4/100 = ■1524.

Aptitude Questions — Records 22,171-22,200 of 100,000

id=22171 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=125 | option_c=120 | option_d=115 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=22172 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26238 at 15% per annum for 1 years. | option_a=3935 | option_b=4035 | option_c=3835 | option_d=30173 | answer=A | explanation=SI = PRT/100 = 26238×15×1/100 = **■**3935.

id=22173 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 30. | option_a=30 | option_b=450 | option_c=1 | option_d=45 | answer=A | explanation=LCM × HCF = 15×30; HCF(15,30) = 15, so LCM = 30.

id=22174 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4836. If it is sold at a profit of 5%, what is its selling price? | option_a=5077 | option_b=4594 | option_c=5560 | option_d=4841 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4836 × 105/100 = **■**5077.

id=22175 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29998 at 15% per annum for 4 years. | option_a=47996 | option_b=18098 | option_c=17898 | option_d=17998 | answer=D | explanation=SI = PRT/100 = 29998×15×4/100 = **■**17998.

id=22176 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35548 at 4% per annum for 4 years. | option_a=5787 | option_b=5587 | option_c=41235 | option_d=5687 | answer=D | explanation=SI = PRT/100 = 35548×4×4/100 = **■**5687.

id=22177 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2505. If it is sold at a profit of 40%, what is its selling price? | option_a=3257 | option_b=3757 | option_c=2545 | option_d=3507 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2505 × 140/100 = **■**3507.

id=22178 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4860. If it is sold at a profit of 30%, what is its selling price? | option_a=6318 | option_b=5832 | option_c=4890 | option_d=6804 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4860 × 130/100 = **■**6318.

id=22179 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:11 and the first is 56, what is the second? | option_a=77 | option_b=66 | option_c=133 | option_d=85 | answer=A | explanation=Scale factor = 56/8 = 7. Therefore second quantity = 11×7 = 77.

id=22180 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15236 at 8% per annum for 1 years. | option_a=1318 | option_b=1118 | option_c=16454 | option_d=1218 | answer=D | explanation=SI = PRT/100 = 15236×8×1/100 = **■**1218.

id=22181 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=50 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=22182 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=22183 | topic=Averages | difficulty=Easy | question=Find the average of 66, 14, 27, 61. | option_a=44 | option_b=43 | option_c=41 | option_d=42 | answer=D | explanation=Average = sum of values ÷ number of values = 168 ÷ 4 = 42.

id=22184 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 39, 48, 59? | option_a=30 | option_b=59 | option_c=39 | option_d=48 | answer=B | explanation=The first three numbers increase by 9, so the next should be 57. Therefore 59 is the odd one out.

id=22185 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11623 at 12% per annum for 3 years. | option_a=4284 | option_b=15807 | option_c=4084 | option_d=4184 | answer=D | explanation=SI = PRT/100 = 11623×12×3/100 = **■**4184.

id=22186 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=22187 | topic=Averages | difficulty=Easy | question=Find the average of 51, 47, 79, 32, 50, 23. | option_a=46 | option_b=47 | option_c=48 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 282 ÷ 6 = 47.

id=22188 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=46 | option_b=56 | option_c=55 | option_d=64 | answer=C | explanation=The common difference is 9. Therefore the next term is 46 + 9 = 55.

id=22189 | topic=Averages | difficulty=Easy | question=Find the average of 98, 91, 58, 52, 51, 98, 70, 42, 79. | option_a=72 | option_b=70 | option_c=71 | option_d=73 | answer=C | explanation=Average = sum of values ÷ number of values = 639 ÷ 9 = 71.

id=22190 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Y | option_b=U | option_c=Q | option_d=C | answer=A | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=22191 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1829. If it is sold at a profit of 50%, what is its selling price? | option_a=2925 | option_b=2561 | option_c=2743 | option_d=1879 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1829 × 150/100 = **■**2743.

id=22192 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 27? | option_a=27 | option_b=11 | option_c=4 | option_d=18 | answer=A | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 27 is the odd one out.

id=22193 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=36 | option_b=31 | option_c=24 | option_d=30 | answer=D | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.

id=22194 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 16, 23, 33? | option_a=23 | option_b=9 | option_c=33 | option_d=16 | answer=C | explanation=The first three numbers increase by 7, so the next should be 30. Therefore 33 is the odd one out.

id=22195 | topic=Percentages | difficulty=Easy | question=What is 12% of 540? | option_a=59 | option_b=64 | option_c=128 | option_d=69 | answer=B | explanation=12% of 540 = (12/100) × 540 = 64.

id=22196 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2344. If it is sold at a profit of 10%, what is its selling price? | option_a=2578 | option_b=2344 | option_c=2812 | option_d=2354 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2344 × 110/100 = **■**2578.

id=22197 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47008 at 8% per annum for 2 years. | option_a=7621 | option_b=54529 | option_c=7521 | option_d=7421 | answer=C | explanation=SI = PRT/100 = 47008×8×2/100 = **■**7521.

id=22198 | topic=Percentages | difficulty=Easy | question=What is 30% of 1743? | option_a=512 | option_b=522 | option_c=1044 | option_d=527 | answer=B | explanation=30% of 1743 = (30/100) × 1743 = 522.

id=22199 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1618. If it is sold at a profit of 25%, what is its selling price? | option_a=2022 | option_b=2183 | option_c=1643 | option_d=1861 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1618 × 125/100 = **■**2022.

id=22200 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=24 | option_c=29 | option_d=19 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

Aptitude Questions — Records 22,201-22,230 of 100,000

id=22201 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 27, 31, 36? | option_a=31 | option_b=36 | option_c=27 | option_d=23 | answer=B | explanation=The first three numbers increase by 4, so the next should be 35. Therefore 36 is the odd one out.

id=22202 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = $\frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=22203 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:16 and the first is 238, what is the second? | option_a=256 | option_b=286 | option_c=272 | option_d=510 | answer=C | explanation=Scale factor = $\frac{238}{14} = 17$. Therefore second quantity = $16 \times 17 = 272$.

id=22204 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 26, 34, 42, ? | option_a=51 | option_b=58 | option_c=42 | option_d=50 | answer=D | explanation=The common difference is 8. Therefore the next term is $42 + 8 = 50$.

id=22205 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 24. | option_a=72 | option_b=81 | option_c=48 | option_d=216 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 9 \times 24$; $\text{HCF}(9,24) = 3$, so $\text{LCM} = 72$.

id=22206 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1177. If it is sold at a profit of 50%, what is its selling price? | option_a=1648 | option_b=1882 | option_c=1765 | option_d=1227 | answer=C | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 1177 \times 150/100 = \text{█}1765$.

id=22207 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42998 at 10% per annum for 4 years. | option_a=17099 | option_b=17199 | option_c=60197 | option_d=17299 | answer=B | explanation= $\text{SI} = \text{PRT}/100 = 42998 \times 10 \times 4/100 = \text{█}17199$.

id=22208 | topic=Averages | difficulty=Easy | question=Find the average of 14, 38, 63, 74, 37, 76, 97. | option_a=56 | option_b=57 | option_c=58 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = $399 \div 7 = 57$.

id=22209 | topic=Averages | difficulty=Easy | question=Find the average of 23, 55, 84. | option_a=56 | option_b=54 | option_c=53 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = $162 \div 3 = 54$.

id=22210 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = $120 \div 2 = 60$ km/h.

id=22211 | topic=Profit & Loss | difficulty=Easy | question=An article costs █512. If it is sold at a profit of 15%, what is its selling price? | option_a=527 | option_b=639 | option_c=537 | option_d=588 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 512 \times 115/100 = \text{█}588$.

id=22212 | topic=Percentages | difficulty=Easy | question=What is 15% of 1450? | option_a=207 | option_b=222 | option_c=217 | option_d=434 | answer=C | explanation=15% of 1450 = $(15/100) \times 1450 = 217$.

id=22213 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = $240 \div 8 = 30$ km/h.

id=22214 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=54 | option_b=45 | option_c=63 | option_d=55 | answer=A | explanation=The common difference is 9. Therefore the next term is $45 + 9 = 54$.

id=22215 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=66 | option_b=57 | option_c=46 | option_d=56 | answer=D | explanation=The common difference is 10. Therefore the next term is $46 + 10 = 56$.

id=22216 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 12. | option_a=182 | option_b=312 | option_c=156 | option_d=144 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 26 \times 12$; $\text{HCF}(26,12) = 2$, so $\text{LCM} = 156$.

id=22217 | topic=Percentages | difficulty=Easy | question=What is 40% of 1848? | option_a=759 | option_b=729 | option_c=739 | option_d=1478 | answer=C | explanation=40% of 1848 = $(40/100) \times 1848 = 739$.

id=22218 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3370. If it is sold at a profit of 20%, what is its selling price? | option_a=4381 | option_b=3390 | option_c=3707 | option_d=4044 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 3370 \times 120/100 = \text{█}4044$.

id=22219 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19532 at 5% per annum for 1 years. | option_a=876 | option_b=20508 | option_c=1076 | option_d=976 | answer=D | explanation= $\text{SI} = \text{PRT}/100 = 19532 \times 5 \times 1/100 = \text{█}976$.

id=22220 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=K | option_b=H | option_c=E | option_d=N | answer=A | explanation=Move 3 positions forward from H; the resulting letter is K.

id=22221 | topic=Percentages | difficulty=Easy | question=What is 40% of 1549? | option_a=619 | option_b=1238 | option_c=624 | option_d=614 | answer=A | explanation=40% of 1549 = $(40/100) \times 1549 = 619$.

id=22222 | topic=Averages | difficulty=Easy | question=Find the average of 31, 94, 28, 95. | option_a=61 | option_b=64 | option_c=63 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = $248 \div 4 = 62$.

id=22223 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=22224 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2946. If it is sold at a profit of 20%, what is its selling price? | option_a=2966 | option_b=3829 | option_c=3241 | option_d=3535 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 2946 \times 120/100 = \text{█}3535$.

id=22225 | topic=Percentages | difficulty=Easy | question=What is 20% of 1358? | option_a=271 | option_b=281 | option_c=542 | option_d=261 | answer=A | explanation=20% of 1358 = $(20/100) \times 1358 = 271$.

id=22226 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:13 and the first is 128, what is the second? | option_a=232 | option_b=120 | option_c=104 | option_d=91 | answer=C | explanation=Scale factor = $\frac{128}{16} = 8$. Therefore second quantity = $13 \times 8 = 104$.

id=22227 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31267 at 6% per annum for 3 years. | option_a=5728 | option_b=5528 | option_c=36895 | option_d=5628 | answer=D | explanation= $\text{SI} = \text{PRT}/100 = 31267 \times 6 \times 3/100 = \text{█}5628$.

id=22228 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 20, 22, 25? | option_a=25 | option_b=22 | option_c=18 | option_d=20 | answer=A | explanation=The first three numbers increase by 2, so the next should be 24. Therefore 25 is the odd one out.

id=22229 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=8 | answer=A | explanation=Combined rate = $\frac{1}{4} + \frac{1}{4} = \frac{8}{8}$. Time = $\frac{16}{8} = 2$ days.

id=22230 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 44? | option_a=20 | option_b=34 | option_c=44 | option_d=27 | answer=C | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 44 is the odd one out.

Aptitude Questions — Records 22,231-22,260 of 100,000

id=22231 | topic=Averages | difficulty=Easy | question=Find the average of 40, 62, 78, 29, 65, 11, 51. | option_a=48 | option_b=50 | option_c=47 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = $336 \div 7 = 48$.

id=22232 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19943 at 8% per annum for 1 years. | option_a=1495 | option_b=1695 | option_c=1595 | option_d=21538 | answer=C | explanation=SI = $PRT/100 = 19943 \times 8 \times 1/100 = \text{■}1595$.

id=22233 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=22234 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=40 | option_c=45 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = $120 \div 3 = 40$ km/h.

id=22235 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1685. If it is sold at a profit of 15%, what is its selling price? | option_a=1937 | option_b=2105 | option_c=1700 | option_d=1769 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1685 \times 115/100 = \text{■}1937$.

id=22236 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=57 | option_b=47 | option_c=67 | option_d=58 | answer=A | explanation=The common difference is 10. Therefore the next term is $47 + 10 = 57$.

id=22237 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=22238 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=15 | option_c=20 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = $60 \div 6 = 10$ km/h.

id=22239 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=17 | option_b=15 | option_c=16 | option_d=13 | answer=B | explanation=The common difference is 2. Therefore the next term is $13 + 2 = 15$.

id=22240 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=C | option_b=G | option_c=O | option_d=K | answer=D | explanation=Move 4 positions forward from G; the resulting letter is K.

id=22241 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=22242 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:1 and the first is 238, what is the second? | option_a=255 | option_b=17 | option_c=31 | option_d=16 | answer=B | explanation=Scale factor = $238/14 = 17$. Therefore second quantity = $1 \times 17 = 17$.

id=22243 | topic=Averages | difficulty=Easy | question=Find the average of 41, 71, 50. | option_a=53 | option_b=54 | option_c=56 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = $162 \div 3 = 54$.

id=22244 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=30 | option_b=23 | option_c=35 | option_d=29 | answer=D | explanation=The common difference is 6. Therefore the next term is $23 + 6 = 29$.

id=22245 | topic=Averages | difficulty=Easy | question=Find the average of 71, 43, 83, 19, 65, 86, 46, 71, 41, 45. | option_a=59 | option_b=56 | option_c=57 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = $570 \div 10 = 57$.

id=22246 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=40 | option_b=35 | option_c=28 | option_d=34 | answer=D | explanation=The common difference is 6. Therefore the next term is $28 + 6 = 34$.

id=22247 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:2 and the first is 30, what is the second? | option_a=20 | option_b=50 | option_c=18 | option_d=23 | answer=A | explanation=Scale factor = $30/3 = 10$. Therefore second quantity = $2 \times 10 = 20$.

id=22248 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44686 at 8% per annum for 5 years. | option_a=17974 | option_b=62560 | option_c=17774 | option_d=17874 | answer=D | explanation=SI = $PRT/100 = 44686 \times 8 \times 5/100 = \text{■}17874$.

id=22249 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4755. If it is sold at a profit of 10%, what is its selling price? | option_a=5230 | option_b=4765 | option_c=5705 | option_d=4755 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4755 \times 110/100 = \text{■}5230$.

id=22250 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=I | option_c=Z | option_d=F | answer=D | explanation=Move 3 positions forward from C; the resulting letter is F.

id=22251 | topic=Averages | difficulty=Easy | question=Find the average of 56, 64, 68, 89, 83. | option_a=71 | option_b=73 | option_c=72 | option_d=74 | answer=C | explanation=Average = sum of values ÷ number of values = $360 \div 5 = 72$.

id=22252 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=M | option_b=X | option_c=H | option_d=C | answer=C | explanation=Move 5 positions forward from C; the resulting letter is H.

id=22253 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 30? | option_a=18 | option_b=24 | option_c=21 | option_d=30 | answer=D | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 30 is the odd one out.

id=22254 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 6. | option_a=24 | option_b=144 | option_c=48 | option_d=18 | answer=A | explanation= $LCM \times HCF = 24 \times 6$; $HCF(24,6) = 6$, so $LCM = 24$.

id=22255 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=47 | option_b=65 | option_c=56 | option_d=57 | answer=C | explanation=The common difference is 9. Therefore the next term is $47 + 9 = 56$.

id=22256 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:6 and the first is 36, what is the second? | option_a=58 | option_b=54 | option_c=90 | option_d=48 | answer=B | explanation=Scale factor = $36/4 = 9$. Therefore second quantity = $6 \times 9 = 54$.

id=22257 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=M | option_c=I | option_d=U | answer=A | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=22258 | topic=Averages | difficulty=Easy | question=Find the average of 38, 85, 97, 32, 23. | option_a=55 | option_b=57 | option_c=56 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = $275 \div 5 = 55$.

id=22259 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=22260 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=52 | option_b=64 | option_c=63 | option_d=74 | answer=C | explanation=The common difference is 11. Therefore the next term is $52 + 11 = 63$.

Aptitude Questions — Records 22,261-22,290 of 100,000

id=22261 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■28670 at 8% per annum for 4 years. | option_a=9074 | option_b=9274 | option_c=9174 | option_d=37844 | answer=C | explanation=SI = $PRT/100 = 28670 \times 8 \times 4/100 =$ ■9174.

id=22262 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=22263 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=53 | option_b=40 | option_c=64 | option_d=52 | answer=D | explanation=The common difference is 12. Therefore the next term is $40 + 12 = 52$.

id=22264 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=18 | option_b=24 | option_c=28 | option_d=23 | answer=D | explanation=The common difference is 5. Therefore the next term is $18 + 5 = 23$.

id=22265 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=Q | option_c=N | option_d=P | answer=D | explanation=Move 1 positions forward from O; the resulting letter is P.

id=22266 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2993. If it is sold at a profit of 10%, what is its selling price? | option_a=3003 | option_b=2993 | option_c=3292 | option_d=3591 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2993 \times 110/100 =$ ■3292.

id=22267 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2403. If it is sold at a profit of 5%, what is its selling price? | option_a=2523 | option_b=2408 | option_c=2763 | option_d=2283 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2403 \times 105/100 =$ ■2523.

id=22268 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■39999 at 5% per annum for 3 years. | option_a=45998 | option_b=6099 | option_c=5899 | option_d=5999 | answer=D | explanation=SI = $PRT/100 = 39999 \times 5 \times 3/100 =$ ■5999.

id=22269 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=J | option_b=K | option_c=M | option_d=L | answer=D | explanation=Move 1 positions forward from K; the resulting letter is L.

id=22270 | topic=Averages | difficulty=Easy | question=Find the average of 39, 14, 75, 87, 100. | option_a=62 | option_b=65 | option_c=63 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = $315 \div 5 = 63$.

id=22271 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 29? | option_a=4 | option_b=29 | option_c=12 | option_d=20 | answer=B | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 29 is the odd one out.

id=22272 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:7 and the first is 133, what is the second? | option_a=182 | option_b=49 | option_c=42 | option_d=68 | answer=B | explanation=Scale factor = $133/19 = 7$. Therefore second quantity = $7 \times 7 = 49$.

id=22273 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4809. If it is sold at a profit of 50%, what is its selling price? | option_a=6733 | option_b=7693 | option_c=4859 | option_d=7213 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 4809 \times 150/100 =$ ■7213.

id=22274 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■7161 at 6% per annum for 5 years. | option_a=2148 | option_b=2048 | option_c=9309 | option_d=2248 | answer=A | explanation=SI = $PRT/100 = 7161 \times 6 \times 5/100 =$ ■2148.

id=22275 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=38 | option_b=52 | option_c=45 | option_d=46 | answer=C | explanation=The common difference is 7. Therefore the next term is $38 + 7 = 45$.

id=22276 | topic=Averages | difficulty=Easy | question=Find the average of 86, 99, 19, 54, 88, 54, 99, 90, 83, 48. | option_a=71 | option_b=74 | option_c=72 | option_d=73 | answer=C | explanation=Average = sum of values ÷ number of values = $720 \div 10 = 72$.

id=22277 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1455. If it is sold at a profit of 30%, what is its selling price? | option_a=1746 | option_b=1891 | option_c=2036 | option_d=1485 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 1455 \times 130/100 =$ ■1891.

id=22278 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=A | option_b=J | option_c=D | option_d=G | answer=D | explanation=Move 3 positions forward from D; the resulting letter is G.

id=22279 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3069. If it is sold at a profit of 5%, what is its selling price? | option_a=3074 | option_b=2916 | option_c=3528 | option_d=3222 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 3069 \times 105/100 =$ ■3222.

id=22280 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=72 | option_c=77 | option_d=67 | answer=B | explanation=Speed = distance ÷ time = $360 \div 5 = 72$ km/h.

id=22281 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4940. If it is sold at a profit of 10%, what is its selling price? | option_a=4940 | option_b=4950 | option_c=5434 | option_d=5928 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 4940 \times 110/100 =$ ■5434.

id=22282 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=22283 | topic=Averages | difficulty=Easy | question=Find the average of 60, 98, 55, 43, 84, 25, 12, 45, 78, 70. | option_a=59 | option_b=56 | option_c=57 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = $570 \div 10 = 57$.

id=22284 | topic=Averages | difficulty=Easy | question=Find the average of 71, 95, 67, 11, 31, 49. | option_a=56 | option_b=55 | option_c=54 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = $324 \div 6 = 54$.

id=22285 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 24? | option_a=17 | option_b=15 | option_c=19 | option_d=24 | answer=D | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 24 is the odd one out.

id=22286 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:16 and the first is 342, what is the second? | option_a=322 | option_b=646 | option_c=288 | option_d=304 | answer=D | explanation=Scale factor = $342/18 = 19$. Therefore second quantity = $16 \times 19 = 304$.

id=22287 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=12 | option_b=15 | option_c=18 | option_d=16 | answer=B | explanation=The common difference is 3. Therefore the next term is $12 + 3 = 15$.

id=22288 | topic=Percentages | difficulty=Easy | question=What is 10% of 1006? | option_a=95 | option_b=120 | option_c=100 | option_d=200 | answer=C | explanation=10% of 1006 = $(10/100) \times 1006 = 100$.

id=22289 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■899. If it is sold at a profit of 20%, what is its selling price? | option_a=1167 | option_b=919 | option_c=989 | option_d=1078 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 899 \times 120/100 =$ ■1078.

id=22290 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=M | option_c=X | option_d=H | answer=D | explanation=Move 5 positions forward from C; the resulting letter is H.

Aptitude Questions — Records 22,291-22,320 of 100,000

id=22291 | topic=Averages | difficulty=Easy | question=Find the average of 84, 11, 72, 56, 70, 19. | option_a=53 | option_b=52 | option_c=54 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 312 ÷ 6 = 52.

id=22292 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:20 and the first is 110, what is the second? | option_a=180 | option_b=200 | option_c=211 | option_d=310 | answer=B | explanation=Scale factor = 110/11 = 10. Therefore second quantity = 20×10 = 200.

id=22293 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=P | option_c=Z | option_d=E | answer=C | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=22294 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=22295 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:17 and the first is 15, what is the second? | option_a=270 | option_b=256 | option_c=238 | option_d=255 | answer=D | explanation=Scale factor = 15/1 = 15. Therefore second quantity = 17×15 = 255.

id=22296 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 4. | option_a=60 | option_b=120 | option_c=56 | option_d=90 | answer=A | explanation=LCM × HCF = 30×4; HCF(30,4) = 2, so LCM = 60.

id=22297 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=16 | option_b=19 | option_c=17 | option_d=13 | answer=A | explanation=The common difference is 3. Therefore the next term is 13 + 3 = 16.

id=22298 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=22299 | topic=Averages | difficulty=Easy | question=Find the average of 40, 38, 12, 66, 22, 43, 60, 25, 81. | option_a=44 | option_b=42 | option_c=45 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = 387 ÷ 9 = 43.

id=22300 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=22301 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:6 and the first is 252, what is the second? | option_a=102 | option_b=122 | option_c=108 | option_d=360 | answer=C | explanation=Scale factor = 252/14 = 18. Therefore second quantity = 6×18 = 108.

id=22302 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:20 and the first is 30, what is the second? | option_a=106 | option_b=100 | option_c=130 | option_d=80 | answer=B | explanation=Scale factor = 30/6 = 5. Therefore second quantity = 20×5 = 100.

id=22303 | topic=Profit & Loss | difficulty=Easy | question=An article costs █559. If it is sold at a profit of 20%, what is its selling price? | option_a=579 | option_b=725 | option_c=615 | option_d=670 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 559 × 120/100 = █670.

id=22304 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=Y | option_b=U | option_c=S | option_d=W | answer=D | explanation=Move 2 positions forward from U; the resulting letter is W.

id=22305 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1726. If it is sold at a profit of 15%, what is its selling price? | option_a=1984 | option_b=1741 | option_c=2156 | option_d=1812 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1726 × 115/100 = █1984.

id=22306 | topic=Profit & Loss | difficulty=Easy | question=An article costs █858. If it is sold at a profit of 40%, what is its selling price? | option_a=1116 | option_b=898 | option_c=1286 | option_d=1201 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 858 × 140/100 = █1201.

id=22307 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:9 and the first is 90, what is the second? | option_a=54 | option_b=69 | option_c=144 | option_d=45 | answer=A | explanation=Scale factor = 90/15 = 6. Therefore second quantity = 9×6 = 54.

id=22308 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=U | option_c=X | option_d=O | answer=B | explanation=Move 3 positions forward from R; the resulting letter is U.

id=22309 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21892 at 5% per annum for 1 years. | option_a=1094 | option_b=1194 | option_c=994 | option_d=22986 | answer=A | explanation=SI = PRT/100 = 21892×5×1/100 = █1094.

id=22310 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=58 | option_b=59 | option_c=47 | option_d=69 | answer=A | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.

id=22311 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 14. | option_a=14 | option_b=28 | option_c=32 | option_d=56 | answer=B | explanation=LCM × HCF = 4×14; HCF(4,14) = 2, so LCM = 28.

id=22312 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1320. If it is sold at a profit of 15%, what is its selling price? | option_a=1335 | option_b=1386 | option_c=1518 | option_d=1650 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1320 × 115/100 = █1518.

id=22313 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=22314 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=H | option_b=E | option_c=Y | option_d=B | answer=B | explanation=Move 3 positions forward from B; the resulting letter is E.

id=22315 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49002 at 15% per annum for 5 years. | option_a=85753 | option_b=36651 | option_c=36751 | option_d=36851 | answer=C | explanation=SI = PRT/100 = 49002×15×5/100 = █36751.

id=22316 | topic=Percentages | difficulty=Easy | question=What is 12% of 1731? | option_a=202 | option_b=207 | option_c=217 | option_d=414 | answer=B | explanation=12% of 1731 = (12/100) × 1731 = 207.

id=22317 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 24. | option_a=90 | option_b=72 | option_c=432 | option_d=48 | answer=B | explanation=LCM × HCF = 18×24; HCF(18,24) = 6, so LCM = 72.

id=22318 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=75 | option_c=80 | option_d=70 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=22319 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16618 at 8% per annum for 4 years. | option_a=5317 | option_b=5217 | option_c=5417 | option_d=21935 | answer=A | explanation=SI = PRT/100 = 16618×8×4/100 = █5317.

id=22320 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 29, 33, 40? | option_a=33 | option_b=29 | option_c=40 | option_d=25 | answer=C | explanation=The first three numbers increase by 4, so the next should be 37. Therefore 40 is the odd one out.

Aptitude Questions — Records 22,321-22,350 of 100,000

id=22321 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31223 at 6% per annum for 5 years. | option_a=9466 | option_b=40589 | option_c=9366 | option_d=9266 | answer=C | explanation=SI = $PRT/100 = 31223 \times 6 \times 5/100 = \text{■}9366$.

id=22322 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=46 | option_b=47 | option_c=54 | option_d=38 | answer=A | explanation=The common difference is 8. Therefore the next term is $38 + 8 = 46$.

id=22323 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4920. If it is sold at a profit of 30%, what is its selling price? | option_a=4950 | option_b=6396 | option_c=5904 | option_d=6888 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4920 \times 130/100 = \text{■}6396$.

id=22324 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 14. | option_a=140 | option_b=126 | option_c=280 | option_d=160 | answer=A | explanation= $LCM \times HCF = 20 \times 14$; $HCF(20,14) = 2$, so $LCM = 140$.

id=22325 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:11 and the first is 168, what is the second? | option_a=322 | option_b=143 | option_c=166 | option_d=154 | answer=D | explanation=Scale factor = $168/12 = 14$. Therefore second quantity = $11 \times 14 = 154$.

id=22326 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:7 and the first is 150, what is the second? | option_a=63 | option_b=220 | option_c=70 | option_d=85 | answer=C | explanation=Scale factor = $150/15 = 10$. Therefore second quantity = $7 \times 10 = 70$.

id=22327 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=22328 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 31, 35, 40? | option_a=35 | option_b=27 | option_c=40 | option_d=31 | answer=C | explanation=The first three numbers increase by 4, so the next should be 39. Therefore 40 is the odd one out.

id=22329 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19936 at 8% per annum for 3 years. | option_a=4784 | option_b=4684 | option_c=4884 | option_d=24720 | answer=A | explanation=SI = $PRT/100 = 19936 \times 8 \times 3/100 = \text{■}4784$.

id=22330 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6017 at 5% per annum for 4 years. | option_a=1203 | option_b=1103 | option_c=7220 | option_d=1303 | answer=A | explanation=SI = $PRT/100 = 6017 \times 5 \times 4/100 = \text{■}1203$.

id=22331 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=22332 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**678. If it is sold at a profit of 20%, what is its selling price? | option_a=813 | option_b=698 | option_c=746 | option_d=880 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 678 \times 120/100 = \text{■}813$.

id=22333 | topic=Percentages | difficulty=Easy | question=What is 20% of 1770? | option_a=334 | option_b=708 | option_c=359 | option_d=354 | answer=D | explanation=20% of 1770 = $(20/100) \times 1770 = 354$.

id=22334 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = $90 \div 6 = 15$ km/h.

id=22335 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=22336 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=21 | option_b=19 | option_c=15 | option_d=18 | answer=D | explanation=The common difference is 3. Therefore the next term is $15 + 3 = 18$.

id=22337 | topic=Percentages | difficulty=Easy | question=What is 30% of 1640? | option_a=984 | option_b=482 | option_c=502 | option_d=492 | answer=D | explanation=30% of 1640 = $(30/100) \times 1640 = 492$.

id=22338 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=22339 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=A | option_b=O | option_c=W | option_d=S | answer=C | explanation=Move 4 positions forward from S; the resulting letter is W.

id=22340 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=22341 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3869. If it is sold at a profit of 5%, what is its selling price? | option_a=4062 | option_b=3874 | option_c=4448 | option_d=3676 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3869 \times 105/100 = \text{■}4062$.

id=22342 | topic=Averages | difficulty=Easy | question=Find the average of 34, 42, 75, 69, 40. | option_a=51 | option_b=52 | option_c=54 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = $260 \div 5 = 52$.

id=22343 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:13 and the first is 130, what is the second? | option_a=260 | option_b=143 | option_c=117 | option_d=130 | answer=D | explanation=Scale factor = $130/13 = 10$. Therefore second quantity = $13 \times 10 = 130$.

id=22344 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 52? | option_a=30 | option_b=20 | option_c=40 | option_d=52 | answer=D | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 52 is the odd one out.

id=22345 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28983 at 12% per annum for 4 years. | option_a=42894 | option_b=14011 | option_c=13811 | option_d=13911 | answer=D | explanation=SI = $PRT/100 = 28983 \times 12 \times 4/100 = \text{■}13911$.

id=22346 | topic=Percentages | difficulty=Easy | question=What is 10% of 1904? | option_a=190 | option_b=210 | option_c=380 | option_d=170 | answer=A | explanation=10% of 1904 = $(10/100) \times 1904 = 190$.

id=22347 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**748. If it is sold at a profit of 5%, what is its selling price? | option_a=785 | option_b=711 | option_c=753 | option_d=859 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 748 \times 105/100 = \text{■}785$.

id=22348 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4553. If it is sold at a profit of 20%, what is its selling price? | option_a=5463 | option_b=5008 | option_c=5918 | option_d=4573 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4553 \times 120/100 = \text{■}5463$.

id=22349 | topic=Averages | difficulty=Easy | question=Find the average of 87, 72, 53, 24, 79, 34, 78, 13, 91. | option_a=59 | option_b=61 | option_c=58 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = $531 \div 9 = 59$.

id=22350 | topic=Percentages | difficulty=Easy | question=What is 40% of 1454? | option_a=581 | option_b=591 | option_c=1162 | option_d=571 | answer=A | explanation=40% of 1454 = $(40/100) \times 1454 = 581$.

Aptitude Questions — Records 22,351-22,380 of 100,000

id=22351 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 36? | option_a=36 | option_b=5 | option_c=25 | option_d=15 | answer=A | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 36 is the odd one out.

id=22352 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24404 at 15% per annum for 1 years. | option_a=28064 | option_b=3560 | option_c=3760 | option_d=3660 | answer=D | explanation=SI = $PRT/100 = 24404 \times 15 \times 1/100 = \text{■}3660$.

id=22353 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=R | option_c=N | option_d=P | answer=B | explanation=Move 2 positions forward from P; the resulting letter is R.

id=22354 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 20? | option_a=12 | option_b=20 | option_c=9 | option_d=15 | answer=B | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 20 is the odd one out.

id=22355 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=23 | option_c=13 | option_d=36 | answer=A | explanation=Speed = distance ÷ time = $180 \div 10 = 18$ km/h.

id=22356 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 9? | option_a=2 | option_b=4 | option_c=6 | option_d=9 | answer=D | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 9 is the odd one out.

id=22357 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 24. | option_a=360 | option_b=96 | option_c=120 | option_d=135 | answer=C | explanation= $LCM \times HCF = 15 \times 24$; $HCF(15,24) = 3$, so $LCM = 120$.

id=22358 | topic=Averages | difficulty=Easy | question=Find the average of 60, 64, 34, 84, 70, 47, 24, 17. | option_a=49 | option_b=52 | option_c=50 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = $400 \div 8 = 50$.

id=22359 | topic=Percentages | difficulty=Easy | question=What is 20% of 1800? | option_a=720 | option_b=350 | option_c=360 | option_d=365 | answer=C | explanation=20% of 1800 = $(20/100) \times 1800 = 360$.

id=22360 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=22361 | topic=Averages | difficulty=Easy | question=Find the average of 48, 36, 35, 93, 26, 95, 40, 51. | option_a=53 | option_b=52 | option_c=54 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = $424 \div 8 = 53$.

id=22362 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=85 | option_c=80 | option_d=75 | answer=C | explanation=Speed = distance ÷ time = $240 \div 3 = 80$ km/h.

id=22363 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:2 and the first is 182, what is the second? | option_a=24 | option_b=208 | option_c=26 | option_d=40 | answer=C | explanation=Scale factor = $182/14 = 13$. Therefore second quantity = $2 \times 13 = 26$.

id=22364 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:8 and the first is 119, what is the second? | option_a=128 | option_b=143 | option_c=136 | option_d=255 | answer=C | explanation=Scale factor = $119/7 = 17$. Therefore second quantity = $8 \times 17 = 136$.

id=22365 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.

id=22366 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=22367 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45590 at 15% per annum for 1 years. | option_a=6738 | option_b=6938 | option_c=52428 | option_d=6838 | answer=D | explanation=SI = $PRT/100 = 45590 \times 15 \times 1/100 = \text{■}6838$.

id=22368 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38408 at 4% per annum for 4 years. | option_a=6045 | option_b=44553 | option_c=6245 | option_d=6145 | answer=D | explanation=SI = $PRT/100 = 38408 \times 4 \times 4/100 = \text{■}6145$.

id=22369 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=22370 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1122. If it is sold at a profit of 10%, what is its selling price? | option_a=1122 | option_b=1234 | option_c=1346 | option_d=1132 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1122 \times 110/100 = \text{■}1234$.

id=22371 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1693. If it is sold at a profit of 20%, what is its selling price? | option_a=2200 | option_b=1862 | option_c=1713 | option_d=2031 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1693 \times 120/100 = \text{■}2031$.

id=22372 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 14. | option_a=1 | option_b=16 | option_c=28 | option_d=14 | answer=D | explanation= $LCM \times HCF = 2 \times 14$; $HCF(2,14) = 2$, so $LCM = 14$.

id=22373 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19406 at 6% per annum for 3 years. | option_a=3393 | option_b=3593 | option_c=3493 | option_d=22899 | answer=C | explanation=SI = $PRT/100 = 19406 \times 6 \times 3/100 = \text{■}3493$.

id=22374 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 20, 30, 42? | option_a=20 | option_b=42 | option_c=10 | option_d=30 | answer=B | explanation=The first three numbers increase by 10, so the next should be 40. Therefore 42 is the odd one out.

id=22375 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 41? | option_a=11 | option_b=41 | option_c=20 | option_d=29 | answer=B | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 41 is the odd one out.

id=22376 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4575. If it is sold at a profit of 30%, what is its selling price? | option_a=6404 | option_b=5490 | option_c=4605 | option_d=5947 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4575 \times 130/100 = \text{■}5947$.

id=22377 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 12. | option_a=192 | option_b=36 | option_c=48 | option_d=64 | answer=C | explanation= $LCM \times HCF = 16 \times 12$; $HCF(16,12) = 4$, so $LCM = 48$.

id=22378 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=19 | option_c=24 | option_d=48 | answer=C | explanation=Speed = distance ÷ time = $120 \div 5 = 24$ km/h.

id=22379 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:12 and the first is 39, what is the second? | option_a=24 | option_b=75 | option_c=49 | option_d=36 | answer=D | explanation=Scale factor = $39/13 = 3$. Therefore second quantity = $12 \times 3 = 36$.

id=22380 | topic=Averages | difficulty=Easy | question=Find the average of 30, 28, 71. | option_a=42 | option_b=43 | option_c=44 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = $129 \div 3 = 43$.

Aptitude Questions — Records 22,381-22,410 of 100,000

id=22381 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=22382 | topic=Averages | difficulty=Easy | question=Find the average of 10, 60, 25, 21, 33, 52, 79. | option_a=40 | option_b=41 | option_c=39 | option_d=42 | answer=A | explanation=Average = sum of values ÷ number of values = 280 ÷ 7 = 40.

id=22383 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27476 at 15% per annum for 4 years. | option_a=43961 | option_b=16585 | option_c=16485 | option_d=16385 | answer=C | explanation=SI = PRT/100 = 27476×15×4/100 = █16485.

id=22384 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=22385 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=69 | option_b=49 | option_c=60 | option_d=59 | answer=D | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

id=22386 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=28 | option_b=34 | option_c=31 | option_d=32 | answer=C | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=22387 | topic=Profit & Loss | difficulty=Easy | question=An article costs █411. If it is sold at a profit of 5%, what is its selling price? | option_a=431 | option_b=416 | option_c=472 | option_d=390 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 411 × 105/100 = █431.

id=22388 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=45 | option_b=55 | option_c=56 | option_d=65 | answer=B | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.

id=22389 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:8 and the first is 75, what is the second? | option_a=55 | option_b=40 | option_c=115 | option_d=32 | answer=B | explanation=Scale factor = 75/15 = 5. Therefore second quantity = 8×5 = 40.

id=22390 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=P | option_b=J | option_c=M | option_d=G | answer=C | explanation=Move 3 positions forward from J; the resulting letter is M.

id=22391 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=33 | option_b=42 | option_c=51 | option_d=43 | answer=B | explanation=The common difference is 9. Therefore the next term is 33 + 9 = 42.

id=22392 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:12 and the first is 195, what is the second? | option_a=168 | option_b=375 | option_c=180 | option_d=193 | answer=C | explanation=Scale factor = 195/13 = 15. Therefore second quantity = 12×15 = 180.

id=22393 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=22394 | topic=Averages | difficulty=Easy | question=Find the average of 39, 18, 55, 49, 44. | option_a=43 | option_b=41 | option_c=42 | option_d=40 | answer=B | explanation=Average = sum of values ÷ number of values = 205 ÷ 5 = 41.

id=22395 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=22396 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=22397 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=4 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=22398 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2099. If it is sold at a profit of 10%, what is its selling price? | option_a=2308 | option_b=2099 | option_c=2517 | option_d=2109 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2099 × 110/100 = █2308.

id=22399 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 29? | option_a=29 | option_b=24 | option_c=22 | option_d=20 | answer=A | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 29 is the odd one out.

id=22400 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 26, 35, 45? | option_a=35 | option_b=45 | option_c=17 | option_d=26 | answer=B | explanation=The first three numbers increase by 9, so the next should be 44. Therefore 45 is the odd one out.

id=22401 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=O | option_b=G | option_c=C | option_d=K | answer=D | explanation=Move 4 positions forward from G; the resulting letter is K.

id=22402 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=12 | option_c=11 | option_d=1 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=22403 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3871. If it is sold at a profit of 10%, what is its selling price? | option_a=3881 | option_b=4258 | option_c=4645 | option_d=3871 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3871 × 110/100 = █4258.

id=22404 | topic=Percentages | difficulty=Easy | question=What is 12% of 1074? | option_a=108 | option_b=256 | option_c=128 | option_d=148 | answer=C | explanation=12% of 1074 = (12/100) × 1074 = 128.

id=22405 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 187, what is the second? | option_a=272 | option_b=283 | option_c=256 | option_d=459 | answer=A | explanation=Scale factor = 187/11 = 17. Therefore second quantity = 16×17 = 272.

id=22406 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=22407 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=5 | option_c=10 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=22408 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=Y | option_c=I | option_d=N | answer=C | explanation=Move 5 positions forward from D; the resulting letter is I.

id=22409 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 32? | option_a=32 | option_b=26 | option_c=16 | option_d=21 | answer=A | explanation=The first three numbers increase by 5, so the next should be 31. Therefore 32 is the odd one out.

id=22410 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=X | option_c=T | option_d=R | answer=A | explanation=Move 2 positions forward from T; the resulting letter is V.

Aptitude Questions — Records 22,411-22,440 of 100,000

id=22411 | topic=Percentages | difficulty=Easy | question=What is 15% of 1190? | option_a=198 | option_b=356 | option_c=168 | option_d=178 | answer=D | explanation=15% of 1190 = (15/100) × 1190 = 178.

id=22412 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=H | option_c=Z | option_d=L | answer=B | explanation=Move 4 positions forward from D; the resulting letter is H.

id=22413 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=P | option_b=G | option_c=J | option_d=M | answer=D | explanation=Move 3 positions forward from J; the resulting letter is M.

id=22414 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=V | option_b=F | option_c=A | option_d=K | answer=B | explanation=Move 5 positions forward from A; the resulting letter is F.

id=22415 | topic=Averages | difficulty=Easy | question=Find the average of 18, 58, 92. | option_a=58 | option_b=56 | option_c=55 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 168 ÷ 3 = 56.

id=22416 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21544 at 12% per annum for 2 years. | option_a=26714 | option_b=5170 | option_c=5070 | option_d=5270 | answer=B | explanation=SI = PRT/100 = 21544×12×2/100 = **■**5170.

id=22417 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 10. | option_a=80 | option_b=48 | option_c=40 | option_d=30 | answer=C | explanation=LCM × HCF = 8×10; HCF(8,10) = 2, so LCM = 40.

id=22418 | topic=Averages | difficulty=Easy | question=Find the average of 62, 28, 47, 74, 14, 51, 10, 41, 60. | option_a=45 | option_b=43 | option_c=44 | option_d=42 | answer=B | explanation=Average = sum of values ÷ number of values = 387 ÷ 9 = 43.

id=22419 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=100 | option_c=200 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=22420 | topic=Percentages | difficulty=Easy | question=What is 5% of 917? | option_a=65 | option_b=90 | option_c=45 | option_d=40 | answer=C | explanation=5% of 917 = (5/100) × 917 = 45.

id=22421 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=I | option_c=U | option_d=M | answer=A | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=22422 | topic=Percentages | difficulty=Easy | question=What is 50% of 1372? | option_a=696 | option_b=666 | option_c=1372 | option_d=686 | answer=D | explanation=50% of 1372 = (50/100) × 1372 = 686.

id=22423 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4033. If it is sold at a profit of 40%, what is its selling price? | option_a=6049 | option_b=4073 | option_c=5646 | option_d=5243 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4033 × 140/100 = **■**5646.

id=22424 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=22425 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=Q | option_c=I | option_d=U | answer=B | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=22426 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=30 | option_c=20 | option_d=25 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=22427 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=90 | option_c=85 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=22428 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=Q | option_c=M | option_d=O | answer=B | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=22429 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:3 and the first is 63, what is the second? | option_a=24 | option_b=34 | option_c=27 | option_d=90 | answer=C | explanation=Scale factor = 63/7 = 9. Therefore second quantity = 3×9 = 27.

id=22430 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=61 | option_b=50 | option_c=70 | option_d=60 | answer=D | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

id=22431 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3205. If it is sold at a profit of 50%, what is its selling price? | option_a=5127 | option_b=3255 | option_c=4807 | option_d=4487 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3205 × 150/100 = **■**4807.

id=22432 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 20. | option_a=520 | option_b=240 | option_c=286 | option_d=260 | answer=D | explanation=LCM × HCF = 26×20; HCF(26,20) = 2, so LCM = 260.

id=22433 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=H | option_b=N | option_c=L | option_d=J | answer=C | explanation=Move 2 positions forward from J; the resulting letter is L.

id=22434 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=32 | option_b=31 | option_c=34 | option_d=28 | answer=B | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=22435 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=16 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=22436 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=22437 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4266. If it is sold at a profit of 10%, what is its selling price? | option_a=5118 | option_b=4276 | option_c=4266 | option_d=4692 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4266 × 110/100 = **■**4692.

id=22438 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=22439 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 10. | option_a=220 | option_b=132 | option_c=110 | option_d=100 | answer=C | explanation=LCM × HCF = 22×10; HCF(22,10) = 2, so LCM = 110.

id=22440 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:10 and the first is 66, what is the second? | option_a=60 | option_b=71 | option_c=126 | option_d=50 | answer=A | explanation=Scale factor = 66/11 = 6. Therefore second quantity = 10×6 = 60.

Aptitude Questions — Records 22,441-22,470 of 100,000

id=22441 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=4 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=22442 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:20 and the first is 52, what is the second? | option_a=93 | option_b=80 | option_c=132 | option_d=60 | answer=B | explanation=Scale factor = 52/13 = 4. Therefore second quantity = 20×4 = 80.

id=22443 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1566. If it is sold at a profit of 50%, what is its selling price? | option_a=2505 | option_b=1616 | option_c=2193 | option_d=2349 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1566 × 150/100 = █2349.

id=22444 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35261 at 15% per annum for 2 years. | option_a=10578 | option_b=10478 | option_c=10678 | option_d=45839 | answer=A | explanation=SI = PRT/100 = 35261×15×2/100 = █10578.

id=22445 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27165 at 4% per annum for 1 years. | option_a=28251 | option_b=986 | option_c=1086 | option_d=1186 | answer=C | explanation=SI = PRT/100 = 27165×4×1/100 = █1086.

id=22446 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:6 and the first is 12, what is the second? | option_a=30 | option_b=36 | option_c=48 | option_d=38 | answer=B | explanation=Scale factor = 12/2 = 6. Therefore second quantity = 6×6 = 36.

id=22447 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=52 | option_b=42 | option_c=62 | option_d=53 | answer=A | explanation=The common difference is 10. Therefore the next term is 42 + 10 = 52.

id=22448 | topic=Averages | difficulty=Easy | question=Find the average of 60, 53, 44, 37, 81. | option_a=56 | option_b=54 | option_c=55 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 275 ÷ 5 = 55.

id=22449 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40737 at 15% per annum for 3 years. | option_a=18231 | option_b=59068 | option_c=18431 | option_d=18331 | answer=D | explanation=SI = PRT/100 = 40737×15×3/100 = █18331.

id=22450 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=22451 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=22452 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=22453 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=5 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=22454 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10492 at 15% per annum for 1 years. | option_a=1673 | option_b=1473 | option_c=12065 | option_d=1573 | answer=D | explanation=SI = PRT/100 = 10492×15×1/100 = █1573.

id=22455 | topic=Averages | difficulty=Easy | question=Find the average of 44, 13, 25, 68, 80. | option_a=48 | option_b=46 | option_c=47 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = 230 ÷ 5 = 46.

id=22456 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 30? | option_a=23 | option_b=30 | option_c=18 | option_d=13 | answer=B | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 30 is the odd one out.

id=22457 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=22458 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 22, 27, 32, ? | option_a=38 | option_b=32 | option_c=42 | option_d=37 | answer=D | explanation=The common difference is 5. Therefore the next term is 32 + 5 = 37.

id=22459 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=E | option_c=D | option_d=B | answer=C | explanation=Move 1 positions forward from C; the resulting letter is D.

id=22460 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=22461 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=T | option_b=R | option_c=S | option_d=Q | answer=C | explanation=Move 1 positions forward from R; the resulting letter is S.

id=22462 | topic=Percentages | difficulty=Easy | question=What is 50% of 277? | option_a=276 | option_b=158 | option_c=138 | option_d=128 | answer=C | explanation=50% of 277 = (50/100) × 277 = 138.

id=22463 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=22464 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1102. If it is sold at a profit of 15%, what is its selling price? | option_a=1267 | option_b=1117 | option_c=1377 | option_d=1157 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1102 × 115/100 = █1267.

id=22465 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 39, 48, 58? | option_a=30 | option_b=48 | option_c=58 | option_d=39 | answer=C | explanation=The first three numbers increase by 9, so the next should be 57. Therefore 58 is the odd one out.

id=22466 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=O | option_c=N | option_d=M | answer=B | explanation=Move 1 positions forward from N; the resulting letter is O.

id=22467 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:5 and the first is 280, what is the second? | option_a=90 | option_b=65 | option_c=350 | option_d=70 | answer=D | explanation=Scale factor = 280/20 = 14. Therefore second quantity = 5×14 = 70.

id=22468 | topic=Averages | difficulty=Easy | question=Find the average of 50, 46, 77, 19. | option_a=48 | option_b=50 | option_c=47 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 192 ÷ 4 = 48.

id=22469 | topic=Percentages | difficulty=Easy | question=What is 40% of 1834? | option_a=743 | option_b=1466 | option_c=733 | option_d=728 | answer=C | explanation=40% of 1834 = (40/100) × 1834 = 733.

id=22470 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:2 and the first is 40, what is the second? | option_a=2 | option_b=44 | option_c=24 | option_d=4 | answer=D | explanation=Scale factor = 40/20 = 2. Therefore second quantity = 2×2 = 4.

Aptitude Questions — Records 22,471-22,500 of 100,000

id=22471 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48008 at 12% per annum for 1 years. | option_a=5860 | option_b=5660 | option_c=5760 | option_d=53768 | answer=C | explanation=SI = PRT/100 = 48008×12×1/100 = **■**5760.

id=22472 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32728 at 8% per annum for 1 years. | option_a=2518 | option_b=2718 | option_c=2618 | option_d=35346 | answer=C | explanation=SI = PRT/100 = 32728×8×1/100 = **■**2618.

id=22473 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 27? | option_a=27 | option_b=16 | option_c=19 | option_d=22 | answer=A | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 27 is the odd one out.

id=22474 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=52 | option_b=53 | option_c=42 | option_d=62 | answer=A | explanation=The common difference is 10. Therefore the next term is 42 + 10 = 52.

id=22475 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=13 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=22476 | topic=Percentages | difficulty=Easy | question=What is 50% of 79? | option_a=39 | option_b=29 | option_c=78 | option_d=44 | answer=A | explanation=50% of 79 = (50/100) × 79 = 39.

id=22477 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=37 | option_b=31 | option_c=41 | option_d=36 | answer=D | explanation=The common difference is 5. Therefore the next term is 31 + 5 = 36.

id=22478 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 40? | option_a=29 | option_b=21 | option_c=13 | option_d=40 | answer=D | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 40 is the odd one out.

id=22479 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=A | option_c=G | option_d=J | answer=C | explanation=Move 3 positions forward from D; the resulting letter is G.

id=22480 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13167 at 10% per annum for 2 years. | option_a=15800 | option_b=2633 | option_c=2733 | option_d=2533 | answer=B | explanation=SI = PRT/100 = 13167×10×2/100 = **■**2633.

id=22481 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:9 and the first is 234, what is the second? | option_a=108 | option_b=135 | option_c=351 | option_d=117 | answer=D | explanation=Scale factor = 234/18 = 13. Therefore second quantity = 9×13 = 117.

id=22482 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 21. | option_a=120 | option_b=84 | option_c=105 | option_d=315 | answer=C | explanation=LCM × HCF = 15×21; HCF(15,21) = 3, so LCM = 105.

id=22483 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=22484 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=22485 | topic=Percentages | difficulty=Easy | question=What is 50% of 161? | option_a=160 | option_b=75 | option_c=100 | option_d=80 | answer=D | explanation=50% of 161 = (50/100) × 161 = 80.

id=22486 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=22487 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=70 | option_b=150 | option_c=75 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=22488 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=C | option_c=B | option_d=Z | answer=C | explanation=Move 1 positions forward from A; the resulting letter is B.

id=22489 | topic=Averages | difficulty=Easy | question=Find the average of 40, 81, 11, 96. | option_a=58 | option_b=56 | option_c=59 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 228 ÷ 4 = 57.

id=22490 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=28 | option_b=24 | option_c=23 | option_d=18 | answer=C | explanation=The common difference is 5. Therefore the next term is 18 + 5 = 23.

id=22491 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:1 and the first is 306, what is the second? | option_a=35 | option_b=17 | option_c=323 | option_d=16 | answer=B | explanation=Scale factor = 306/18 = 17. Therefore second quantity = 1×17 = 17.

id=22492 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3106. If it is sold at a profit of 25%, what is its selling price? | option_a=4192 | option_b=3131 | option_c=3882 | option_d=3572 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3106 × 125/100 = **■**3882.

id=22493 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:15 and the first is 180, what is the second? | option_a=255 | option_b=280 | option_c=270 | option_d=450 | answer=C | explanation=Scale factor = 180/10 = 18. Therefore second quantity = 15×18 = 270.

id=22494 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=30 | option_b=31 | option_c=35 | option_d=25 | answer=A | explanation=The common difference is 5. Therefore the next term is 25 + 5 = 30.

id=22495 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12673 at 8% per annum for 1 years. | option_a=1113 | option_b=13686 | option_c=913 | option_d=1013 | answer=D | explanation=SI = PRT/100 = 12673×8×1/100 = **■**1013.

id=22496 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=P | option_c=Z | option_d=E | answer=C | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=22497 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=80 | option_c=75 | option_d=160 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=22498 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 25? | option_a=15 | option_b=21 | option_c=25 | option_d=18 | answer=C | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 25 is the odd one out.

id=22499 | topic=Averages | difficulty=Easy | question=Find the average of 55, 38, 24, 100, 83. | option_a=61 | option_b=59 | option_c=60 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 300 ÷ 5 = 60.

id=22500 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49263 at 4% per annum for 1 years. | option_a=1970 | option_b=2070 | option_c=51233 | option_d=1870 | answer=A | explanation=SI = PRT/100 = 49263×4×1/100 = **■**1970.

Aptitude Questions — Records 22,501-22,530 of 100,000

id=22501 | topic=Percentages | difficulty=Easy | question=What is 10% of 1169? | option_a=116 | option_b=232 | option_c=121 | option_d=111 | answer=A | explanation=10% of 1169 = (10/100) × 1169 = 116.

id=22502 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 5, 7, 10? | option_a=5 | option_b=10 | option_c=3 | option_d=7 | answer=B | explanation=The first three numbers increase by 2, so the next should be 9. Therefore 10 is the odd one out.

id=22503 | topic=Averages | difficulty=Easy | question=Find the average of 64, 73, 65, 39, 84, 85, 17, 77. | option_a=63 | option_b=62 | option_c=65 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = 504 ÷ 8 = 63.

id=22504 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 32, 39, 47? | option_a=47 | option_b=39 | option_c=25 | option_d=32 | answer=A | explanation=The first three numbers increase by 7, so the next should be 46. Therefore 47 is the odd one out.

id=22505 | topic=Averages | difficulty=Easy | question=Find the average of 32, 39, 55. | option_a=41 | option_b=42 | option_c=44 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = 126 ÷ 3 = 42.

id=22506 | topic=Averages | difficulty=Easy | question=Find the average of 16, 10, 57, 87, 60. | option_a=45 | option_b=46 | option_c=47 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 230 ÷ 5 = 46.

id=22507 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=32 | option_b=33 | option_c=39 | option_d=25 | answer=A | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.

id=22508 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:20 and the first is 75, what is the second? | option_a=80 | option_b=175 | option_c=100 | option_d=115 | answer=C | explanation=Scale factor = 75/15 = 5. Therefore second quantity = 20×5 = 100.

id=22509 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=70 | option_d=150 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=22510 | topic=Averages | difficulty=Easy | question=Find the average of 16, 52, 80, 88. | option_a=61 | option_b=58 | option_c=60 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 236 ÷ 4 = 59.

id=22511 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=22512 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37757 at 8% per annum for 1 years. | option_a=3020 | option_b=3120 | option_c=2920 | option_d=40777 | answer=A | explanation=SI = PRT/100 = 37757×8×1/100 = **■**3020.

id=22513 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=22514 | topic=Percentages | difficulty=Easy | question=What is 30% of 1331? | option_a=389 | option_b=399 | option_c=798 | option_d=419 | answer=B | explanation=30% of 1331 = (30/100) × 1331 = 399.

id=22515 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=22516 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=H | option_c=G | option_d=F | answer=B | explanation=Move 1 positions forward from G; the resulting letter is H.

id=22517 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 26, 32, 39? | option_a=20 | option_b=26 | option_c=32 | option_d=39 | answer=D | explanation=The first three numbers increase by 6, so the next should be 38. Therefore 39 is the odd one out.

id=22518 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 20, 27, 36? | option_a=36 | option_b=13 | option_c=20 | option_d=27 | answer=A | explanation=The first three numbers increase by 7, so the next should be 34. Therefore 36 is the odd one out.

id=22519 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25243 at 12% per annum for 3 years. | option_a=9087 | option_b=34330 | option_c=9187 | option_d=8987 | answer=A | explanation=SI = PRT/100 = 25243×12×3/100 = **■**9087.

id=22520 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45631 at 8% per annum for 2 years. | option_a=7400 | option_b=52931 | option_c=7300 | option_d=7200 | answer=C | explanation=SI = PRT/100 = 45631×8×2/100 = **■**7300.

id=22521 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:8 and the first is 34, what is the second? | option_a=136 | option_b=170 | option_c=128 | option_d=138 | answer=A | explanation=Scale factor = 34/2 = 17. Therefore second quantity = 8×17 = 136.

id=22522 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=17 | option_d=7 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=22523 | topic=Averages | difficulty=Easy | question=Find the average of 28, 76, 16, 81, 61, 74. | option_a=56 | option_b=55 | option_c=58 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 336 ÷ 6 = 56.

id=22524 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23792 at 12% per annum for 2 years. | option_a=29502 | option_b=5710 | option_c=5610 | option_d=5810 | answer=B | explanation=SI = PRT/100 = 23792×12×2/100 = **■**5710.

id=22525 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 46? | option_a=33 | option_b=23 | option_c=46 | option_d=13 | answer=C | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 46 is the odd one out.

id=22526 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=22527 | topic=Percentages | difficulty=Easy | question=What is 40% of 1693? | option_a=657 | option_b=697 | option_c=677 | option_d=1354 | answer=C | explanation=40% of 1693 = (40/100) × 1693 = 677.

id=22528 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 34? | option_a=22 | option_b=28 | option_c=34 | option_d=25 | answer=C | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 34 is the odd one out.

id=22529 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3300. If it is sold at a profit of 10%, what is its selling price? | option_a=3960 | option_b=3300 | option_c=3310 | option_d=3630 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3300 × 110/100 = **■**3630.

id=22530 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**505. If it is sold at a profit of 50%, what is its selling price? | option_a=757 | option_b=807 | option_c=555 | option_d=707 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 505 × 150/100 = **■**757.

Aptitude Questions — Records 22,531-22,560 of 100,000

id=22531 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:19 and the first is 60, what is the second? | option_a=228 | option_b=288 | option_c=233 | option_d=209 | answer=A | explanation=Scale factor = 60/5 = 12. Therefore second quantity = 19×12 = 228.

id=22532 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=J | option_c=H | option_d=D | answer=C | explanation=Move 2 positions forward from F; the resulting letter is H.

id=22533 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:5 and the first is 3, what is the second? | option_a=18 | option_b=10 | option_c=16 | option_d=15 | answer=D | explanation=Scale factor = 3/1 = 3. Therefore second quantity = 5×3 = 15.

id=22534 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36790 at 10% per annum for 4 years. | option_a=14616 | option_b=51506 | option_c=14816 | option_d=14716 | answer=D | explanation=SI = $\frac{PRT}{100}$ = $\frac{36790 \times 10 \times 4}{100}$ = **■**14716.

id=22535 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=29 | option_c=48 | option_d=19 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=22536 | topic=Averages | difficulty=Easy | question=Find the average of 15, 50, 18, 24, 42, 48, 54, 99, 19. | option_a=43 | option_b=42 | option_c=41 | option_d=40 | answer=C | explanation=Average = sum of values ÷ number of values = 369 ÷ 9 = 41.

id=22537 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:2 and the first is 360, what is the second? | option_a=40 | option_b=58 | option_c=400 | option_d=38 | answer=A | explanation=Scale factor = 360/18 = 20. Therefore second quantity = 2×20 = 40.

id=22538 | topic=Percentages | difficulty=Easy | question=What is 12% of 1551? | option_a=186 | option_b=166 | option_c=372 | option_d=196 | answer=A | explanation=12% of 1551 = $(\frac{12}{100}) \times 1551$ = 186.

id=22539 | topic=Percentages | difficulty=Easy | question=What is 10% of 958? | option_a=95 | option_b=75 | option_c=105 | option_d=190 | answer=A | explanation=10% of 958 = $(\frac{10}{100}) \times 958$ = 95.

id=22540 | topic=Percentages | difficulty=Easy | question=What is 12% of 1814? | option_a=434 | option_b=222 | option_c=217 | option_d=207 | answer=C | explanation=12% of 1814 = $(\frac{12}{100}) \times 1814$ = 217.

id=22541 | topic=Percentages | difficulty=Easy | question=What is 50% of 677? | option_a=338 | option_b=676 | option_c=333 | option_d=343 | answer=A | explanation=50% of 677 = $(\frac{50}{100}) \times 677$ = 338.

id=22542 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=22543 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=18 | option_c=9 | option_d=14 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=22544 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=240 | option_c=125 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=22545 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4194. If it is sold at a profit of 10%, what is its selling price? | option_a=4204 | option_b=4613 | option_c=5032 | option_d=4194 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100$ = 4194 × 110/100 = **■**4613.

id=22546 | topic=Percentages | difficulty=Easy | question=What is 5% of 1938? | option_a=86 | option_b=106 | option_c=192 | option_d=96 | answer=D | explanation=5% of 1938 = $(\frac{5}{100}) \times 1938$ = 96.

id=22547 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=115 | option_c=125 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=22548 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=85 | option_c=90 | option_d=180 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=22549 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4515. If it is sold at a profit of 5%, what is its selling price? | option_a=4289 | option_b=4740 | option_c=5191 | option_d=4520 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100$ = 4515 × 105/100 = **■**4740.

id=22550 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=4 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=22551 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=96 | option_c=53 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=22552 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=22553 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4083. If it is sold at a profit of 15%, what is its selling price? | option_a=5103 | option_b=4287 | option_c=4695 | option_d=4098 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100$ = 4083 × 115/100 = **■**4695.

id=22554 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:20 and the first is 255, what is the second? | option_a=300 | option_b=555 | option_c=317 | option_d=280 | answer=A | explanation=Scale factor = 255/17 = 15. Therefore second quantity = 20×15 = 300.

id=22555 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1987. If it is sold at a profit of 5%, what is its selling price? | option_a=2086 | option_b=2284 | option_c=1888 | option_d=1992 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100$ = 1987 × 105/100 = **■**2086.

id=22556 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:7 and the first is 16, what is the second? | option_a=22 | option_b=7 | option_c=14 | option_d=30 | answer=C | explanation=Scale factor = 16/8 = 2. Therefore second quantity = 7×2 = 14.

id=22557 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 30, 33, 38? | option_a=30 | option_b=38 | option_c=27 | option_d=33 | answer=B | explanation=The first three numbers increase by 3, so the next should be 36. Therefore 38 is the odd one out.

id=22558 | topic=Averages | difficulty=Easy | question=Find the average of 93, 58, 22, 85, 33, 53, 91, 29. | option_a=58 | option_b=60 | option_c=57 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 464 ÷ 8 = 58.

id=22559 | topic=Percentages | difficulty=Easy | question=What is 30% of 1427? | option_a=423 | option_b=856 | option_c=438 | option_d=428 | answer=D | explanation=30% of 1427 = $(\frac{30}{100}) \times 1427$ = 428.

id=22560 | topic=Averages | difficulty=Easy | question=Find the average of 40, 19, 69, 60, 61, 95, 64, 53, 57, 32. | option_a=56 | option_b=57 | option_c=54 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 550 ÷ 10 = 55.

Aptitude Questions — Records 22,561-22,590 of 100,000

id=22561 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13659 at 15% per annum for 2 years. | option_a=3997 | option_b=4197 | option_c=4097 | option_d=17756 | answer=C | explanation=SI = PRT/100 = 13659×15×2/100 = **■**4097.

id=22562 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=O | option_c=F | option_d=L | answer=D | explanation=Move 3 positions forward from I; the resulting letter is L.

id=22563 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=22564 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=95 | option_c=90 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=22565 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:6 and the first is 28, what is the second? | option_a=84 | option_b=78 | option_c=112 | option_d=86 | answer=A | explanation=Scale factor = 28/2 = 14. Therefore second quantity = 6×14 = 84.

id=22566 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:3 and the first is 21, what is the second? | option_a=30 | option_b=16 | option_c=9 | option_d=6 | answer=C | explanation=Scale factor = 21/7 = 3. Therefore second quantity = 3×3 = 9.

id=22567 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 53? | option_a=32 | option_b=41 | option_c=23 | option_d=53 | answer=D | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 53 is the odd one out.

id=22568 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=I | option_b=J | option_c=L | option_d=K | answer=D | explanation=Move 1 positions forward from J; the resulting letter is K.

id=22569 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**150. If it is sold at a profit of 10%, what is its selling price? | option_a=150 | option_b=165 | option_c=160 | option_d=180 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 150 × 110/100 = **■**165.

id=22570 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:20 and the first is 154, what is the second? | option_a=234 | option_b=220 | option_c=374 | option_d=200 | answer=B | explanation=Scale factor = 154/14 = 11. Therefore second quantity = 20×11 = 220.

id=22571 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 4. | option_a=20 | option_b=24 | option_c=96 | option_d=48 | answer=B | explanation=LCM × HCF = 24×4; HCF(24,4) = 4, so LCM = 24.

id=22572 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=20 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=22573 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34158 at 8% per annum for 2 years. | option_a=5365 | option_b=5565 | option_c=39623 | option_d=5465 | answer=D | explanation=SI = PRT/100 = 34158×8×2/100 = **■**5465.

id=22574 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=22575 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=22576 | topic=Averages | difficulty=Easy | question=Find the average of 78, 25, 91, 42, 20, 66, 28. | option_a=52 | option_b=49 | option_c=50 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

id=22577 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=80 | option_c=75 | option_d=70 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=22578 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=A | option_c=S | option_d=O | answer=A | explanation=Move 4 positions forward from S; the resulting letter is W.

id=22579 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=G | option_b=J | option_c=I | option_d=H | answer=C | explanation=Move 1 positions forward from H; the resulting letter is I.

id=22580 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2263. If it is sold at a profit of 20%, what is its selling price? | option_a=2941 | option_b=2283 | option_c=2715 | option_d=2489 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2263 × 120/100 = **■**2715.

id=22581 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 23, 27, 33? | option_a=33 | option_b=19 | option_c=23 | option_d=27 | answer=A | explanation=The first three numbers increase by 4, so the next should be 31. Therefore 33 is the odd one out.

id=22582 | topic=Percentages | difficulty=Easy | question=What is 15% of 850? | option_a=127 | option_b=254 | option_c=117 | option_d=132 | answer=A | explanation=15% of 850 = (15/100) × 850 = 127.

id=22583 | topic=Percentages | difficulty=Easy | question=What is 15% of 1900? | option_a=290 | option_b=265 | option_c=285 | option_d=570 | answer=C | explanation=15% of 1900 = (15/100) × 1900 = 285.

id=22584 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=22585 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=22586 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:14 and the first is 104, what is the second? | option_a=216 | option_b=98 | option_c=112 | option_d=125 | answer=C | explanation=Scale factor = 104/13 = 8. Therefore second quantity = 14×8 = 112.

id=22587 | topic=Averages | difficulty=Easy | question=Find the average of 85, 97, 26, 68. | option_a=71 | option_b=70 | option_c=68 | option_d=69 | answer=D | explanation=Average = sum of values ÷ number of values = 276 ÷ 4 = 69.

id=22588 | topic=Percentages | difficulty=Easy | question=What is 50% of 1154? | option_a=577 | option_b=557 | option_c=1154 | option_d=587 | answer=A | explanation=50% of 1154 = (50/100) × 1154 = 577.

id=22589 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=22590 | topic=Averages | difficulty=Easy | question=Find the average of 48, 55, 24, 93, 91, 73. | option_a=64 | option_b=65 | option_c=66 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 384 ÷ 6 = 64.

Aptitude Questions — Records 22,591-22,620 of 100,000

id=22591 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=58 | option_b=69 | option_c=45 | option_d=57 | answer=D | explanation=The common difference is 12. Therefore the next term is 45 + 12 = 57.

id=22592 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=22593 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:9 and the first is 144, what is the second? | option_a=153 | option_b=162 | option_c=306 | option_d=170 | answer=B | explanation=Scale factor = 144/8 = 18. Therefore second quantity = 9×18 = 162.

id=22594 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■15287 at 12% per annum for 1 years. | option_a=1834 | option_b=17121 | option_c=1934 | option_d=1734 | answer=A | explanation=SI = PRT/100 = 15287×12×1/100 = ■1834.

id=22595 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■12187 at 10% per annum for 4 years. | option_a=4774 | option_b=4974 | option_c=17061 | option_d=4874 | answer=D | explanation=SI = PRT/100 = 12187×10×4/100 = ■4874.

id=22596 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=46 | option_b=40 | option_c=34 | option_d=41 | answer=B | explanation=The common difference is 6. Therefore the next term is 34 + 6 = 40.

id=22597 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:18 and the first is 78, what is the second? | option_a=240 | option_b=312 | option_c=234 | option_d=216 | answer=C | explanation=Scale factor = 78/6 = 13. Therefore second quantity = 18×13 = 234.

id=22598 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=22599 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 32, 40, 49? | option_a=24 | option_b=49 | option_c=40 | option_d=32 | answer=B | explanation=The first three numbers increase by 8, so the next should be 48. Therefore 49 is the odd one out.

id=22600 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 44? | option_a=34 | option_b=20 | option_c=44 | option_d=27 | answer=C | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 44 is the odd one out.

id=22601 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 9. | option_a=36 | option_b=162 | option_c=9 | option_d=18 | answer=D | explanation=LCM × HCF = 18×9; HCF(18,9) = 9, so LCM = 18.

id=22602 | topic=Averages | difficulty=Easy | question=Find the average of 70, 87, 24, 88, 101. | option_a=73 | option_b=75 | option_c=74 | option_d=76 | answer=C | explanation=Average = sum of values ÷ number of values = 370 ÷ 5 = 74.

id=22603 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:7 and the first is 78, what is the second? | option_a=42 | option_b=120 | option_c=55 | option_d=35 | answer=A | explanation=Scale factor = 78/13 = 6. Therefore second quantity = 7×6 = 42.

id=22604 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=A | option_c=W | option_d=O | answer=C | explanation=Move 4 positions forward from S; the resulting letter is W.

id=22605 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=22606 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 45? | option_a=45 | option_b=31 | option_c=25 | option_d=37 | answer=A | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 45 is the odd one out.

id=22607 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=H | option_b=F | option_c=I | option_d=G | answer=A | explanation=Move 1 positions forward from G; the resulting letter is H.

id=22608 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 22, 31, 42? | option_a=42 | option_b=22 | option_c=31 | option_d=13 | answer=A | explanation=The first three numbers increase by 9, so the next should be 40. Therefore 42 is the odd one out.

id=22609 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=12 | option_c=24 | option_d=17 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=22610 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=22611 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 32? | option_a=27 | option_b=25 | option_c=32 | option_d=29 | answer=C | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 32 is the odd one out.

id=22612 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■19665 at 8% per annum for 5 years. | option_a=7766 | option_b=7966 | option_c=7866 | option_d=27531 | answer=C | explanation=SI = PRT/100 = 19665×8×5/100 = ■7866.

id=22613 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=20 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=22614 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=22615 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=V | option_b=J | option_c=R | option_d=N | answer=C | explanation=Move 4 positions forward from N; the resulting letter is R.

id=22616 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 6. | option_a=6 | option_b=12 | option_c=1 | option_d=8 | answer=A | explanation=LCM × HCF = 2×6; HCF(2,6) = 2, so LCM = 6.

id=22617 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 53? | option_a=20 | option_b=40 | option_c=53 | option_d=30 | answer=C | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 53 is the odd one out.

id=22618 | topic=Percentages | difficulty=Easy | question=What is 20% of 1878? | option_a=375 | option_b=385 | option_c=365 | option_d=750 | answer=A | explanation=20% of 1878 = (20/100) × 1878 = 375.

id=22619 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=B | option_b=X | option_c=T | option_d=P | answer=B | explanation=Move 4 positions forward from T; the resulting letter is X.

id=22620 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 26, 29, 35? | option_a=26 | option_b=35 | option_c=29 | option_d=23 | answer=B | explanation=The first three numbers increase by 3, so the next should be 32. Therefore 35 is the odd one out.

Aptitude Questions — Records 22,621-22,650 of 100,000

- id=22621 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 5, 7, 10? | option_a=10 | option_b=5 | option_c=7 | option_d=3 | answer=A | explanation=The first three numbers increase by 2, so the next should be 9. Therefore 10 is the odd one out.
- id=22622 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.
- id=22623 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 25, 31, 39? | option_a=39 | option_b=19 | option_c=25 | option_d=31 | answer=A | explanation=The first three numbers increase by 6, so the next should be 37. Therefore 39 is the odd one out.
- id=22624 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = $60 \div 4 = 15$ km/h.
- id=22625 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=31 | option_b=39 | option_c=38 | option_d=45 | answer=C | explanation=The common difference is 7. Therefore the next term is $31 + 7 = 38$.
- id=22626 | topic=Averages | difficulty=Easy | question=Find the average of 100, 65, 27, 51, 42. | option_a=59 | option_b=57 | option_c=56 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = $285 \div 5 = 57$.
- id=22627 | topic=Averages | difficulty=Easy | question=Find the average of 33, 86, 76, 76, 14, 39, 82. | option_a=57 | option_b=58 | option_c=59 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = $406 \div 7 = 58$.
- id=22628 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 54? | option_a=54 | option_b=37 | option_c=45 | option_d=29 | answer=A | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 54 is the odd one out.
- id=22629 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Z | option_b=W | option_c=T | option_d=Q | answer=B | explanation=Move 3 positions forward from T; the resulting letter is W.
- id=22630 | topic=Percentages | difficulty=Easy | question=What is 25% of 1441? | option_a=355 | option_b=360 | option_c=380 | option_d=720 | answer=B | explanation=25% of 1441 = $(\frac{25}{100}) \times 1441 = 360$.
- id=22631 | topic=Averages | difficulty=Easy | question=Find the average of 83, 50, 101. | option_a=77 | option_b=79 | option_c=80 | option_d=78 | answer=D | explanation=Average = sum of values ÷ number of values = $234 \div 3 = 78$.
- id=22632 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:14 and the first is 27, what is the second? | option_a=28 | option_b=42 | option_c=51 | option_d=69 | answer=B | explanation=Scale factor = $\frac{27}{9} = 3$. Therefore second quantity = $14 \times 3 = 42$.
- id=22633 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.
- id=22634 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=P | option_b=M | option_c=J | option_d=G | answer=B | explanation=Move 3 positions forward from J; the resulting letter is M.
- id=22635 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=12 | answer=A | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12} = 3$ days.
- id=22636 | topic=Averages | difficulty=Easy | question=Find the average of 23, 41, 20. | option_a=28 | option_b=29 | option_c=30 | option_d=27 | answer=A | explanation=Average = sum of values ÷ number of values = $84 \div 3 = 28$.
- id=22637 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=75 | option_c=160 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = $240 \div 3 = 80$ km/h.
- id=22638 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:18 and the first is 72, what is the second? | option_a=126 | option_b=144 | option_c=216 | option_d=153 | answer=B | explanation=Scale factor = $\frac{72}{9} = 8$. Therefore second quantity = $18 \times 8 = 144$.
- id=22639 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:7 and the first is 162, what is the second? | option_a=135 | option_b=126 | option_c=119 | option_d=288 | answer=B | explanation=Scale factor = $\frac{162}{9} = 18$. Therefore second quantity = $7 \times 18 = 126$.
- id=22640 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=U | option_b=R | option_c=O | option_d=X | answer=A | explanation=Move 3 positions forward from R; the resulting letter is U.
- id=22641 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=23 | option_b=22 | option_c=26 | option_d=18 | answer=B | explanation=The common difference is 4. Therefore the next term is $18 + 4 = 22$.
- id=22642 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = $90 \div 2 = 45$ km/h.
- id=22643 | topic=Percentages | difficulty=Easy | question=What is 15% of 1266? | option_a=378 | option_b=194 | option_c=189 | option_d=169 | answer=C | explanation=15% of 1266 = $(\frac{15}{100}) \times 1266 = 189$.
- id=22644 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 10, 13, 19? | option_a=10 | option_b=19 | option_c=13 | option_d=7 | answer=B | explanation=The first three numbers increase by 3, so the next should be 16. Therefore 19 is the odd one out.
- id=22645 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=66 | option_b=78 | option_c=54 | option_d=67 | answer=A | explanation=The common difference is 12. Therefore the next term is $54 + 12 = 66$.
- id=22646 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=38 | option_b=30 | option_c=46 | option_d=39 | answer=A | explanation=The common difference is 8. Therefore the next term is $30 + 8 = 38$.
- id=22647 | topic=Averages | difficulty=Easy | question=Find the average of 73, 59, 18, 67, 50, 52, 10, 55. | option_a=50 | option_b=49 | option_c=48 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = $384 \div 8 = 48$.
- id=22648 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1723. If it is sold at a profit of 15%, what is its selling price? | option_a=1981 | option_b=1809 | option_c=2153 | option_d=1738 | answer=A | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 1723 \times \frac{115}{100} = \text{₹}1981$.
- id=22649 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=H | option_b=N | option_c=L | option_d=J | answer=C | explanation=Move 2 positions forward from J; the resulting letter is L.
- id=22650 | topic=Averages | difficulty=Easy | question=Find the average of 80, 87, 81, 96. | option_a=87 | option_b=86 | option_c=88 | option_d=85 | answer=B | explanation=Average = sum of values ÷ number of values = $344 \div 4 = 86$.

Aptitude Questions — Records 22,651-22,680 of 100,000

id=22651 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 26, 35, 45? | option_a=26 | option_b=17 | option_c=35 | option_d=45 | answer=D | explanation=The first three numbers increase by 9, so the next should be 44. Therefore 45 is the odd one out.

id=22652 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=1 | option_c=11 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=22653 | topic=Averages | difficulty=Easy | question=Find the average of 50, 77, 75, 10, 88, 90. | option_a=67 | option_b=66 | option_c=65 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 390 ÷ 6 = 65.

id=22654 | topic=Profit & Loss | difficulty=Easy | question=An article costs █424. If it is sold at a profit of 30%, what is its selling price? | option_a=509 | option_b=551 | option_c=454 | option_d=593 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 424 × 130/100 = █551.

id=22655 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:12 and the first is 35, what is the second? | option_a=89 | option_b=72 | option_c=119 | option_d=84 | answer=D | explanation=Scale factor = 35/5 = 7. Therefore second quantity = 12×7 = 84.

id=22656 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25194 at 10% per annum for 1 years. | option_a=2619 | option_b=27713 | option_c=2519 | option_d=2419 | answer=C | explanation=SI = PRT/100 = 25194×10×1/100 = █2519.

id=22657 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36352 at 4% per annum for 5 years. | option_a=7170 | option_b=7270 | option_c=7370 | option_d=43622 | answer=B | explanation=SI = PRT/100 = 36352×4×5/100 = █7270.

id=22658 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3435. If it is sold at a profit of 50%, what is its selling price? | option_a=5152 | option_b=4809 | option_c=5495 | option_d=3485 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3435 × 150/100 = █5152.

id=22659 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:20 and the first is 68, what is the second? | option_a=80 | option_b=60 | option_c=148 | option_d=97 | answer=A | explanation=Scale factor = 68/17 = 4. Therefore second quantity = 20×4 = 80.

id=22660 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43122 at 4% per annum for 3 years. | option_a=5274 | option_b=5174 | option_c=48296 | option_d=5074 | answer=B | explanation=SI = PRT/100 = 43122×4×3/100 = █5174.

id=22661 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:11 and the first is 160, what is the second? | option_a=88 | option_b=77 | option_c=248 | option_d=108 | answer=A | explanation=Scale factor = 160/20 = 8. Therefore second quantity = 11×8 = 88.

id=22662 | topic=Averages | difficulty=Easy | question=Find the average of 38, 81, 87, 28, 22, 80. | option_a=58 | option_b=55 | option_c=57 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 336 ÷ 6 = 56.

id=22663 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:2 and the first is 84, what is the second? | option_a=10 | option_b=96 | option_c=12 | option_d=26 | answer=C | explanation=Scale factor = 84/14 = 6. Therefore second quantity = 2×6 = 12.

id=22664 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:9 and the first is 72, what is the second? | option_a=108 | option_b=99 | option_c=114 | option_d=180 | answer=A | explanation=Scale factor = 72/6 = 12. Therefore second quantity = 9×12 = 108.

id=22665 | topic=Percentages | difficulty=Easy | question=What is 25% of 710? | option_a=157 | option_b=182 | option_c=354 | option_d=177 | answer=D | explanation=25% of 710 = (25/100) × 710 = 177.

id=22666 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1190. If it is sold at a profit of 25%, what is its selling price? | option_a=1606 | option_b=1368 | option_c=1487 | option_d=1215 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1190 × 125/100 = █1487.

id=22667 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=39 | option_b=50 | option_c=49 | option_d=59 | answer=C | explanation=The common difference is 10. Therefore the next term is 39 + 10 = 49.

id=22668 | topic=Percentages | difficulty=Easy | question=What is 30% of 442? | option_a=264 | option_b=127 | option_c=132 | option_d=137 | answer=C | explanation=30% of 442 = (30/100) × 442 = 132.

id=22669 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15406 at 15% per annum for 5 years. | option_a=11454 | option_b=11654 | option_c=26960 | option_d=11554 | answer=D | explanation=SI = PRT/100 = 15406×15×5/100 = █11554.

id=22670 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41846 at 15% per annum for 5 years. | option_a=31484 | option_b=31284 | option_c=73230 | option_d=31384 | answer=D | explanation=SI = PRT/100 = 41846×15×5/100 = █31384.

id=22671 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 6. | option_a=54 | option_b=27 | option_c=12 | option_d=18 | answer=D | explanation=LCM × HCF = 9×6; HCF(9,6) = 3, so LCM = 18.

id=22672 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:16 and the first is 42, what is the second? | option_a=48 | option_b=90 | option_c=62 | option_d=32 | answer=A | explanation=Scale factor = 42/14 = 3. Therefore second quantity = 16×3 = 48.

id=22673 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=80 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=22674 | topic=Averages | difficulty=Easy | question=Find the average of 77, 89, 27, 17, 35, 15, 104. | option_a=52 | option_b=51 | option_c=53 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 364 ÷ 7 = 52.

id=22675 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:13 and the first is 361, what is the second? | option_a=608 | option_b=247 | option_c=266 | option_d=234 | answer=B | explanation=Scale factor = 361/19 = 19. Therefore second quantity = 13×19 = 247.

id=22676 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 39? | option_a=39 | option_b=29 | option_c=21 | option_d=13 | answer=A | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 39 is the odd one out.

id=22677 | topic=Percentages | difficulty=Easy | question=What is 10% of 81? | option_a=16 | option_b=8 | option_c=13 | option_d=0 | answer=B | explanation=10% of 81 = (10/100) × 81 = 8.

id=22678 | topic=Percentages | difficulty=Easy | question=What is 30% of 283? | option_a=84 | option_b=168 | option_c=64 | option_d=89 | answer=A | explanation=30% of 283 = (30/100) × 283 = 84.

id=22679 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6142 at 15% per annum for 5 years. | option_a=4506 | option_b=10748 | option_c=4606 | option_d=4706 | answer=C | explanation=SI = PRT/100 = 6142×15×5/100 = █4606.

id=22680 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

Aptitude Questions — Records 22,681-22,710 of 100,000

id=22681 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20872 at 8% per annum for 4 years. | option_a=6779 | option_b=6679 | option_c=27551 | option_d=6579 | answer=B | explanation=SI = $PRT/100 = 20872 \times 8 \times 4 / 100 =$ **■**6679.

id=22682 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=49 | option_b=42 | option_c=43 | option_d=35 | answer=B | explanation=The common difference is 7. Therefore the next term is $35 + 7 = 42$.

id=22683 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=100 | option_c=45 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = $150 \div 3 = 50$ km/h.

id=22684 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=A | option_c=L | option_d=V | answer=D | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=22685 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=W | option_b=E | option_c=I | option_d=A | answer=B | explanation=Move 4 positions forward from A; the resulting letter is E.

id=22686 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:18 and the first is 8, what is the second? | option_a=80 | option_b=74 | option_c=54 | option_d=72 | answer=D | explanation=Scale factor = $8/2 = 4$. Therefore second quantity = $18 \times 4 = 72$.

id=22687 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=J | option_b=F | option_c=X | option_d=B | answer=B | explanation=Move 4 positions forward from B; the resulting letter is F.

id=22688 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=V | option_b=S | option_c=P | option_d=Y | answer=A | explanation=Move 3 positions forward from S; the resulting letter is V.

id=22689 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 45? | option_a=45 | option_b=37 | option_c=27 | option_d=32 | answer=A | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 45 is the odd one out.

id=22690 | topic=Averages | difficulty=Easy | question=Find the average of 18, 42, 89, 10, 11, 52, 65. | option_a=41 | option_b=40 | option_c=43 | option_d=42 | answer=A | explanation=Average = sum of values ÷ number of values = $287 \div 7 = 41$.

id=22691 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4763. If it is sold at a profit of 40%, what is its selling price? | option_a=7144 | option_b=6668 | option_c=4803 | option_d=6192 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4763 \times 140 / 100 =$ **■**6668.

id=22692 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=22693 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 34? | option_a=27 | option_b=17 | option_c=22 | option_d=34 | answer=D | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 34 is the odd one out.

id=22694 | topic=Percentages | difficulty=Easy | question=What is 50% of 1362? | option_a=681 | option_b=686 | option_c=1362 | option_d=661 | answer=A | explanation=50% of 1362 = $(50/100) \times 1362 = 681$.

id=22695 | topic=Percentages | difficulty=Easy | question=What is 20% of 456? | option_a=81 | option_b=91 | option_c=96 | option_d=182 | answer=B | explanation=20% of 456 = $(20/100) \times 456 = 91$.

id=22696 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=22697 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2188. If it is sold at a profit of 5%, what is its selling price? | option_a=2515 | option_b=2193 | option_c=2297 | option_d=2079 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2188 \times 105 / 100 =$ **■**2297.

id=22698 | topic=Averages | difficulty=Easy | question=Find the average of 65, 43, 38, 81, 56, 89, 97, 38, 66, 37. | option_a=61 | option_b=60 | option_c=62 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = $610 \div 10 = 61$.

id=22699 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4293 at 10% per annum for 4 years. | option_a=1717 | option_b=1617 | option_c=6010 | option_d=1817 | answer=A | explanation=SI = $PRT/100 = 4293 \times 10 \times 4 / 100 =$ **■**1717.

id=22700 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:4 and the first is 7, what is the second? | option_a=28 | option_b=29 | option_c=35 | option_d=24 | answer=A | explanation=Scale factor = $7/1 = 7$. Therefore second quantity = $4 \times 7 = 28$.

id=22701 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 13, 19, 28? | option_a=13 | option_b=7 | option_c=28 | option_d=19 | answer=C | explanation=The first three numbers increase by 6, so the next should be 25. Therefore 28 is the odd one out.

id=22702 | topic=Percentages | difficulty=Easy | question=What is 15% of 1668? | option_a=250 | option_b=260 | option_c=240 | option_d=500 | answer=A | explanation=15% of 1668 = $(15/100) \times 1668 = 250$.

id=22703 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 6. | option_a=12 | option_b=8 | option_c=1 | option_d=6 | answer=D | explanation=LCM $\times$ HCF = 2×6 ; $HCF(2,6) = 2$, so LCM = 6.

id=22704 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 36, 44, 54? | option_a=44 | option_b=54 | option_c=28 | option_d=36 | answer=B | explanation=The first three numbers increase by 8, so the next should be 52. Therefore 54 is the odd one out.

id=22705 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1841. If it is sold at a profit of 40%, what is its selling price? | option_a=2393 | option_b=2577 | option_c=2761 | option_d=1881 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1841 \times 140 / 100 =$ **■**2577.

id=22706 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=B | option_b=C | option_c=Z | option_d=A | answer=A | explanation=Move 1 positions forward from A; the resulting letter is B.

id=22707 | topic=Percentages | difficulty=Easy | question=What is 5% of 1116? | option_a=45 | option_b=65 | option_c=110 | option_d=55 | answer=D | explanation=5% of 1116 = $(5/100) \times 1116 = 55$.

id=22708 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=19 | option_c=29 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = $240 \div 10 = 24$ km/h.

id=22709 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 45? | option_a=45 | option_b=26 | option_c=18 | option_d=34 | answer=A | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 45 is the odd one out.

id=22710 | topic=Averages | difficulty=Easy | question=Find the average of 57, 79, 34, 54, 79, 68, 61, 82, 53. | option_a=64 | option_b=62 | option_c=65 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = $567 \div 9 = 63$.

Aptitude Questions — Records 22,711-22,740 of 100,000

id=22711 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 11? | option_a=8 | option_b=11 | option_c=4 | option_d=6 | answer=B | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 11 is the odd one out.

id=22712 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 8. | option_a=128 | option_b=16 | option_c=8 | option_d=32 | answer=B | explanation=LCM × HCF = 16×8; HCF(16,8) = 8, so LCM = 16.

id=22713 | topic=Averages | difficulty=Easy | question=Find the average of 68, 28, 16, 52. | option_a=42 | option_b=43 | option_c=41 | option_d=40 | answer=C | explanation=Average = sum of values ÷ number of values = 164 ÷ 4 = 41.

id=22714 | topic=Averages | difficulty=Easy | question=Find the average of 73, 48, 58, 78, 29, 38. | option_a=56 | option_b=53 | option_c=54 | option_d=55 | answer=C | explanation=Average = sum of values + number of values = 324 ÷ 6 = 54.

id=22715 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:9 and the first is 17, what is the second? | option_a=170 | option_b=153 | option_c=144 | option_d=154 | answer=B | explanation=Scale factor = 17/1 = 17. Therefore second quantity = 9×17 = 153.

id=22716 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=22717 | topic=Averages | difficulty=Easy | question=Find the average of 58, 17, 82, 10, 63, 26, 67, 50, 35, 12. | option_a=44 | option_b=42 | option_c=41 | option_d=43 | answer=B | explanation=Average = sum of values + number of values = 420 ÷ 10 = 42.

id=22718 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=22719 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**27026 at 15% per annum for 1 years. | option_a=31079 | option_b=4153 | option_c=3953 | option_d=4053 | answer=D | explanation=SI = PRT/100 = 27026×15×1/100 = **₹**4053.

id=22720 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 14. | option_a=140 | option_b=126 | option_c=160 | option_d=280 | answer=A | explanation=LCM × HCF = 20×14; HCF(20,14) = 2, so LCM = 140.

id=22721 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 21. | option_a=189 | option_b=216 | option_c=567 | option_d=168 | answer=A | explanation=LCM × HCF = 27×21; HCF(27,21) = 3, so LCM = 189.

id=22722 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=20 | option_c=25 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=22723 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=144 | option_c=72 | option_d=77 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=22724 | topic=Percentages | difficulty=Easy | question=What is 25% of 1296? | option_a=324 | option_b=648 | option_c=314 | option_d=329 | answer=A | explanation=25% of 1296 = (25/100) × 1296 = 324.

id=22725 | topic=Percentages | difficulty=Easy | question=What is 12% of 294? | option_a=70 | option_b=55 | option_c=35 | option_d=30 | answer=C | explanation=12% of 294 = (12/100) × 294 = 35.

id=22726 | topic=Percentages | difficulty=Easy | question=What is 20% of 1921? | option_a=374 | option_b=384 | option_c=768 | option_d=389 | answer=B | explanation=20% of 1921 = (20/100) × 1921 = 384.

id=22727 | topic=Percentages | difficulty=Easy | question=What is 12% of 1026? | option_a=118 | option_b=123 | option_c=143 | option_d=246 | answer=B | explanation=12% of 1026 = (12/100) × 1026 = 123.

id=22728 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 30. | option_a=810 | option_b=297 | option_c=270 | option_d=240 | answer=C | explanation=LCM × HCF = 27×30; HCF(27,30) = 3, so LCM = 270.

id=22729 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:14 and the first is 240, what is the second? | option_a=210 | option_b=196 | option_c=450 | option_d=226 | answer=A | explanation=Scale factor = 240/16 = 15. Therefore second quantity = 14×15 = 210.

id=22730 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4820. If it is sold at a profit of 30%, what is its selling price? | option_a=5784 | option_b=4850 | option_c=6266 | option_d=6748 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4820 × 130/100 = **₹**6266.

id=22731 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**20603 at 6% per annum for 3 years. | option_a=3808 | option_b=24311 | option_c=3608 | option_d=3708 | answer=D | explanation=SI = PRT/100 = 20603×6×3/100 = **₹**3708.

id=22732 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=A | option_c=C | option_d=G | answer=A | explanation=Move 2 positions forward from C; the resulting letter is E.

id=22733 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2036. If it is sold at a profit of 25%, what is its selling price? | option_a=2545 | option_b=2748 | option_c=2061 | option_d=2342 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2036 × 125/100 = **₹**2545.

id=22734 | topic=Averages | difficulty=Easy | question=Find the average of 35, 80, 22, 91, 80, 55, 43, 50. | option_a=58 | option_b=56 | option_c=57 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

id=22735 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:10 and the first is 28, what is the second? | option_a=168 | option_b=130 | option_c=140 | option_d=142 | answer=C | explanation=Scale factor = 28/2 = 14. Therefore second quantity = 10×14 = 140.

id=22736 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=M | option_b=U | option_c=Q | option_d=Y | answer=B | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=22737 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=29 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=22738 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 47? | option_a=47 | option_b=40 | option_c=28 | option_d=34 | answer=A | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 47 is the odd one out.

id=22739 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=22740 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=D | option_b=P | option_c=H | option_d=L | answer=D | explanation=Move 4 positions forward from H; the resulting letter is L.

Aptitude Questions — Records 22,741-22,770 of 100,000

id=22741 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=22742 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44661 at 10% per annum for 2 years. | option_a=8832 | option_b=9032 | option_c=8932 | option_d=53593 | answer=C | explanation=SI = $PRT/100 = 44661 \times 10 \times 2/100 = \text{■}8932$.

id=22743 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=V | option_b=W | option_c=U | option_d=T | answer=A | explanation=Move 1 positions forward from U; the resulting letter is V.

id=22744 | topic=Averages | difficulty=Easy | question=Find the average of 89, 22, 99. | option_a=70 | option_b=72 | option_c=69 | option_d=71 | answer=A | explanation=Average = sum of values ÷ number of values = 210 ÷ 3 = 70.

id=22745 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:4 and the first is 12, what is the second? | option_a=24 | option_b=16 | option_c=12 | option_d=8 | answer=C | explanation=Scale factor = $12/4 = 3$. Therefore second quantity = $4 \times 3 = 12$.

id=22746 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=22747 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=48 | option_c=96 | option_d=43 | answer=B | explanation=Speed = distance ÷ time = $240 \div 5 = 48$ km/h.

id=22748 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=50 | option_b=59 | option_c=39 | option_d=49 | answer=D | explanation=The common difference is 10. Therefore the next term is $39 + 10 = 49$.

id=22749 | topic=Averages | difficulty=Easy | question=Find the average of 42, 34, 54, 30, 72, 23, 32. | option_a=42 | option_b=43 | option_c=40 | option_d=41 | answer=D | explanation=Average = sum of values ÷ number of values = $287 \div 7 = 41$.

id=22750 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25172 at 10% per annum for 5 years. | option_a=12686 | option_b=12486 | option_c=37758 | option_d=12586 | answer=D | explanation=SI = $PRT/100 = 25172 \times 10 \times 5/100 = \text{■}12586$.

id=22751 | topic=Percentages | difficulty=Easy | question=What is 40% of 1572? | option_a=1256 | option_b=628 | option_c=618 | option_d=648 | answer=B | explanation= 40% of $1572 = (40/100) \times 1572 = 628$.

id=22752 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=150 | option_d=70 | answer=B | explanation=Speed = distance ÷ time = $300 \div 4 = 75$ km/h.

id=22753 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:13 and the first is 24, what is the second? | option_a=158 | option_b=180 | option_c=156 | option_d=143 | answer=C | explanation=Scale factor = $24/2 = 12$. Therefore second quantity = $13 \times 12 = 156$.

id=22754 | topic=Averages | difficulty=Easy | question=Find the average of 60, 39, 24, 40, 23, 66. | option_a=43 | option_b=42 | option_c=44 | option_d=41 | answer=B | explanation=Average = sum of values ÷ number of values = $252 \div 6 = 42$.

id=22755 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=44 | option_b=56 | option_c=55 | option_d=66 | answer=C | explanation=The common difference is 11. Therefore the next term is $44 + 11 = 55$.

id=22756 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = $120 \div 2 = 60$ km/h.

id=22757 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 19, 25, 34? | option_a=34 | option_b=13 | option_c=19 | option_d=25 | answer=A | explanation=The first three numbers increase by 6, so the next should be 31. Therefore 34 is the odd one out.

id=22758 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:12 and the first is 33, what is the second? | option_a=36 | option_b=69 | option_c=47 | option_d=24 | answer=A | explanation=Scale factor = $33/11 = 3$. Therefore second quantity = $12 \times 3 = 36$.

id=22759 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 31? | option_a=16 | option_b=10 | option_c=22 | option_d=31 | answer=D | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 31 is the odd one out.

id=22760 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23482 at 8% per annum for 4 years. | option_a=7414 | option_b=30996 | option_c=7514 | option_d=7614 | answer=C | explanation=SI = $PRT/100 = 23482 \times 8 \times 4/100 = \text{■}7514$.

id=22761 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = $120 \div 8 = 15$ km/h.

id=22762 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1269. If it is sold at a profit of 40%, what is its selling price? | option_a=1309 | option_b=1776 | option_c=1650 | option_d=1902 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1269 \times 140/100 = \text{■}1776$.

id=22763 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 33, 38, 44? | option_a=44 | option_b=38 | option_c=28 | option_d=33 | answer=A | explanation=The first three numbers increase by 5, so the next should be 43. Therefore 44 is the odd one out.

id=22764 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:15 and the first is 6, what is the second? | option_a=36 | option_b=30 | option_c=15 | option_d=33 | answer=B | explanation=Scale factor = $6/3 = 2$. Therefore second quantity = $15 \times 2 = 30$.

id=22765 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3688. If it is sold at a profit of 30%, what is its selling price? | option_a=3718 | option_b=4426 | option_c=4794 | option_d=5162 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3688 \times 130/100 = \text{■}4794$.

id=22766 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=26 | option_b=25 | option_c=22 | option_d=28 | answer=B | explanation=The common difference is 3. Therefore the next term is $22 + 3 = 25$.

id=22767 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=48 | option_c=19 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = $120 \div 5 = 24$ km/h.

id=22768 | topic=Percentages | difficulty=Easy | question=What is 40% of 1563? | option_a=620 | option_b=1250 | option_c=645 | option_d=625 | answer=D | explanation= 40% of $1563 = (40/100) \times 1563 = 625$.

id=22769 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:5 and the first is 300, what is the second? | option_a=95 | option_b=400 | option_c=115 | option_d=100 | answer=D | explanation=Scale factor = $300/15 = 20$. Therefore second quantity = $5 \times 20 = 100$.

id=22770 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2999. If it is sold at a profit of 30%, what is its selling price? | option_a=4197 | option_b=3029 | option_c=3599 | option_d=3898 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2999 \times 130/100 = \text{■}3898$.

Aptitude Questions — Records 22,771-22,800 of 100,000

id=22771 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22398 at 5% per annum for 5 years. | option_a=5499 | option_b=5599 | option_c=5699 | option_d=27997 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{22398 \times 5 \times 5}{100} = \text{■}5599$.

id=22772 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=22773 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=22774 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=30 | option_b=39 | option_c=38 | option_d=46 | answer=C | explanation=The common difference is 8. Therefore the next term is 30 + 8 = 38.

id=22775 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=36 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=22776 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4464. If it is sold at a profit of 30%, what is its selling price? | option_a=5357 | option_b=6249 | option_c=5803 | option_d=4494 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4464 \times 130 / 100 = \text{■}5803$.

id=22777 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Q | option_b=U | option_c=Y | option_d=C | answer=C | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=22778 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=22779 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=59 | option_b=41 | option_c=50 | option_d=51 | answer=C | explanation=The common difference is 9. Therefore the next term is 41 + 9 = 50.

id=22780 | topic=Averages | difficulty=Easy | question=Find the average of 53, 51, 34, 54, 47, 37. | option_a=45 | option_b=48 | option_c=47 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 276 ÷ 6 = 46.

id=22781 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=33 | option_b=32 | option_c=37 | option_d=27 | answer=B | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

id=22782 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:7 and the first is 56, what is the second? | option_a=42 | option_b=84 | option_c=28 | option_d=21 | answer=C | explanation=Scale factor = $56 / 14 = 4$. Therefore second quantity = $7 \times 4 = 28$.

id=22783 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=22784 | topic=Averages | difficulty=Easy | question=Find the average of 12, 70, 57, 67, 34, 96, 19, 37. | option_a=48 | option_b=50 | option_c=51 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 392 ÷ 8 = 49.

id=22785 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 22, 27, 32, ? | option_a=42 | option_b=38 | option_c=37 | option_d=32 | answer=C | explanation=The common difference is 5. Therefore the next term is 32 + 5 = 37.

id=22786 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20995 at 6% per annum for 5 years. | option_a=6298 | option_b=6198 | option_c=27293 | option_d=6398 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{20995 \times 6 \times 5}{100} = \text{■}6298$.

id=22787 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=18 | option_b=28 | option_c=23 | option_d=24 | answer=C | explanation=The common difference is 5. Therefore the next term is 18 + 5 = 23.

id=22788 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 17, 21, 26? | option_a=13 | option_b=17 | option_c=21 | option_d=26 | answer=D | explanation=The first three numbers increase by 4, so the next should be 25. Therefore 26 is the odd one out.

id=22789 | topic=Averages | difficulty=Easy | question=Find the average of 31, 80, 56, 57, 22, 86, 18. | option_a=51 | option_b=52 | option_c=50 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

id=22790 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 24, 34, 46? | option_a=24 | option_b=14 | option_c=46 | option_d=34 | answer=C | explanation=The first three numbers increase by 10, so the next should be 44. Therefore 46 is the odd one out.

id=22791 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=O | option_c=W | option_d=K | answer=A | explanation=Move 4 positions forward from O; the resulting letter is S.

id=22792 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39205 at 8% per annum for 3 years. | option_a=9309 | option_b=48614 | option_c=9409 | option_d=9509 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{39205 \times 8 \times 3}{100} = \text{■}9409$.

id=22793 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=51 | option_b=44 | option_c=35 | option_d=43 | answer=D | explanation=The common difference is 8. Therefore the next term is 35 + 8 = 43.

id=22794 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 21, 23, 25, ? | option_a=28 | option_b=27 | option_c=29 | option_d=25 | answer=B | explanation=The common difference is 2. Therefore the next term is 25 + 2 = 27.

id=22795 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 28. | option_a=160 | option_b=140 | option_c=560 | option_d=112 | answer=B | explanation= $LCM \times HCF = 20 \times 28$; $HCF(20, 28) = 4$, so $LCM = 140$.

id=22796 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=W | option_c=S | option_d=Q | answer=A | explanation=Move 2 positions forward from S; the resulting letter is U.

id=22797 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $64 / 16 = 4$ days.

id=22798 | topic=Percentages | difficulty=Easy | question=What is 20% of 1780? | option_a=356 | option_b=346 | option_c=712 | option_d=361 | answer=A | explanation=20% of 1780 = $(20/100) \times 1780 = 356$.

id=22799 | topic=Percentages | difficulty=Easy | question=What is 10% of 1049? | option_a=124 | option_b=104 | option_c=99 | option_d=208 | answer=B | explanation=10% of 1049 = $(10/100) \times 1049 = 104$.

id=22800 | topic=Averages | difficulty=Easy | question=Find the average of 93, 13, 39, 64, 15, 56, 42, 45, 63, 40. | option_a=47 | option_b=49 | option_c=48 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 470 ÷ 10 = 47.

Aptitude Questions — Records 22,801-22,830 of 100,000

id=22801 | topic=Averages | difficulty=Easy | question=Find the average of 95, 79, 53, 62, 17, 66. | option_a=64 | option_b=63 | option_c=62 | option_d=61 | answer=C | explanation=Average = sum of values + number of values = 372 ÷ 6 = 62.

id=22802 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=32 | option_b=28 | option_c=22 | option_d=27 | answer=D | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.

id=22803 | topic=Averages | difficulty=Easy | question=Find the average of 12, 96, 79, 13. | option_a=49 | option_b=52 | option_c=50 | option_d=51 | answer=C | explanation=Average = sum of values + number of values = 200 ÷ 4 = 50.

id=22804 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 25? | option_a=25 | option_b=11 | option_c=5 | option_d=17 | answer=A | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 25 is the odd one out.

id=22805 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=22806 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=22807 | topic=Percentages | difficulty=Easy | question=What is 15% of 1267? | option_a=190 | option_b=380 | option_c=180 | option_d=200 | answer=A | explanation=15% of 1267 = (15/100) × 1267 = 190.

id=22808 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45907 at 5% per annum for 2 years. | option_a=4590 | option_b=4690 | option_c=50497 | option_d=4490 | answer=A | explanation=SI = PRT/100 = 45907×5×2/100 = **■**4590.

id=22809 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=27 | option_b=23 | option_c=25 | option_d=26 | answer=C | explanation=The common difference is 2. Therefore the next term is 23 + 2 = 25.

id=22810 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4139 at 6% per annum for 3 years. | option_a=745 | option_b=645 | option_c=4884 | option_d=845 | answer=A | explanation=SI = PRT/100 = 4139×6×3/100 = **■**745.

id=22811 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 42? | option_a=33 | option_b=42 | option_c=36 | option_d=30 | answer=B | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 42 is the odd one out.

id=22812 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=22813 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=22814 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=36 | option_b=27 | option_c=43 | option_d=35 | answer=D | explanation=The common difference is 8. Therefore the next term is 27 + 8 = 35.

id=22815 | topic=Averages | difficulty=Easy | question=Find the average of 64, 27, 91, 47, 83, 72, 22. | option_a=60 | option_b=57 | option_c=59 | option_d=58 | answer=D | explanation=Average = sum of values + number of values = 406 ÷ 7 = 58.

id=22816 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=72 | option_c=36 | option_d=31 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=22817 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=G | option_b=D | option_c=A | option_d=J | answer=A | explanation=Move 3 positions forward from D; the resulting letter is G.

id=22818 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=G | option_b=K | option_c=O | option_d=S | answer=C | explanation=Move 4 positions forward from K; the resulting letter is O.

id=22819 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=U | option_c=W | option_d=Q | answer=B | explanation=Move 2 positions forward from S; the resulting letter is U.

id=22820 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=72 | option_c=36 | option_d=41 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=22821 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 8, 13, 19? | option_a=19 | option_b=3 | option_c=8 | option_d=13 | answer=A | explanation=The first three numbers increase by 5, so the next should be 18. Therefore 19 is the odd one out.

id=22822 | topic=Averages | difficulty=Easy | question=Find the average of 71, 23, 20, 13, 44, 49, 38, 30. | option_a=37 | option_b=35 | option_c=38 | option_d=36 | answer=D | explanation=Average = sum of values + number of values = 288 + 8 = 36.

id=22823 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:2 and the first is 216, what is the second? | option_a=42 | option_b=22 | option_c=24 | option_d=240 | answer=C | explanation=Scale factor = 216/18 = 12. Therefore second quantity = 2×12 = 24.

id=22824 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 33, 40, 49? | option_a=49 | option_b=33 | option_c=40 | option_d=26 | answer=A | explanation=The first three numbers increase by 7, so the next should be 47. Therefore 49 is the odd one out.

id=22825 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 20, 26, 34? | option_a=14 | option_b=26 | option_c=34 | option_d=20 | answer=C | explanation=The first three numbers increase by 6, so the next should be 32. Therefore 34 is the odd one out.

id=22826 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14126 at 10% per annum for 2 years. | option_a=2725 | option_b=2925 | option_c=16951 | option_d=2825 | answer=D | explanation=SI = PRT/100 = 14126×10×2/100 = **■**2825.

id=22827 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:7 and the first is 18, what is the second? | option_a=32 | option_b=7 | option_c=23 | option_d=14 | answer=D | explanation=Scale factor = 18/9 = 2. Therefore second quantity = 7×2 = 14.

id=22828 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 8. | option_a=224 | option_b=56 | option_c=48 | option_d=84 | answer=B | explanation=LCM × HCF = 28×8; HCF(28,8) = 4, so LCM = 56.

id=22829 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=300 | option_c=155 | option_d=145 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=22830 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=13 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

Aptitude Questions — Records 22,831-22,860 of 100,000

id=22831 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8415 at 6% per annum for 4 years. | option_a=2019 | option_b=10434 | option_c=2119 | option_d=1919 | answer=A | explanation=SI = $PRT/100 = 8415 \times 6 \times 4 / 100 = \blacksquare 2019$.

id=22832 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40464 at 12% per annum for 1 years. | option_a=45319 | option_b=4855 | option_c=4755 | option_d=4955 | answer=B | explanation=SI = $PRT/100 = 40464 \times 12 \times 1 / 100 = \blacksquare 4855$.

id=22833 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=J | option_b=Y | option_c=O | option_d=T | answer=D | explanation=Move 5 positions forward from O; the resulting letter is T.

id=22834 | topic=Percentages | difficulty=Easy | question=What is 10% of 303? | option_a=10 | option_b=40 | option_c=60 | option_d=30 | answer=D | explanation=10% of 303 = $(10/100) \times 303 = 30$.

id=22835 | topic=Percentages | difficulty=Easy | question=What is 25% of 1342? | option_a=335 | option_b=670 | option_c=345 | option_d=325 | answer=A | explanation=25% of 1342 = $(25/100) \times 1342 = 335$.

id=22836 | topic=Percentages | difficulty=Easy | question=What is 15% of 1602? | option_a=240 | option_b=480 | option_c=235 | option_d=260 | answer=A | explanation=15% of 1602 = $(15/100) \times 1602 = 240$.

id=22837 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=F | option_c=N | option_d=R | answer=C | explanation=Move 4 positions forward from J; the resulting letter is N.

id=22838 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:6 and the first is 24, what is the second? | option_a=72 | option_b=51 | option_c=42 | option_d=48 | answer=D | explanation=Scale factor = $24/3 = 8$. Therefore second quantity = $6 \times 8 = 48$.

id=22839 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=17 | option_c=12 | option_d=7 | answer=C | explanation=Speed = distance ÷ time = $120 \div 10 = 12$ km/h.

id=22840 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=F | option_b=J | option_c=R | option_d=N | answer=D | explanation=Move 4 positions forward from J; the resulting letter is N.

id=22841 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Q | option_b=Z | option_c=W | option_d=T | answer=C | explanation=Move 3 positions forward from T; the resulting letter is W.

id=22842 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=G | option_b=J | option_c=P | option_d=M | answer=D | explanation=Move 3 positions forward from J; the resulting letter is M.

id=22843 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=16 | option_d=3 | answer=A | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=22844 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2552. If it is sold at a profit of 10%, what is its selling price? | option_a=2807 | option_b=3062 | option_c=2562 | option_d=2552 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2552 \times 110 / 100 = \blacksquare 2807$.

id=22845 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=22846 | topic=Averages | difficulty=Easy | question=Find the average of 26, 74, 25, 24, 45, 57, 48, 37. | option_a=43 | option_b=44 | option_c=41 | option_d=42 | answer=D | explanation=Average = sum of values ÷ number of values = $336 \div 8 = 42$.

id=22847 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=22848 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 15. | option_a=144 | option_b=105 | option_c=120 | option_d=360 | answer=C | explanation= $LCM \times HCF = 24 \times 15$; $HCF(24, 15) = 3$, so LCM = 120.

id=22849 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=A | option_c=E | option_d=C | answer=C | explanation=Move 2 positions forward from C; the resulting letter is E.

id=22850 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:18 and the first is 56, what is the second? | option_a=182 | option_b=134 | option_c=108 | option_d=126 | answer=D | explanation=Scale factor = $56/8 = 7$. Therefore second quantity = $18 \times 7 = 126$.

id=22851 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44175 at 8% per annum for 3 years. | option_a=10602 | option_b=54777 | option_c=10502 | option_d=10702 | answer=A | explanation=SI = $PRT/100 = 44175 \times 8 \times 3 / 100 = \blacksquare 10602$.

id=22852 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=22853 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=22854 | topic=Percentages | difficulty=Easy | question=What is 5% of 425? | option_a=26 | option_b=42 | option_c=21 | option_d=11 | answer=C | explanation=5% of 425 = $(5/100) \times 425 = 21$.

id=22855 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 11, 20, 30? | option_a=11 | option_b=20 | option_c=2 | option_d=30 | answer=D | explanation=The first three numbers increase by 9, so the next should be 29. Therefore 30 is the odd one out.

id=22856 | topic=Percentages | difficulty=Easy | question=What is 40% of 317? | option_a=131 | option_b=126 | option_c=121 | option_d=252 | answer=B | explanation=40% of 317 = $(40/100) \times 317 = 126$.

id=22857 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $150 \div 5 = 30$ km/h.

id=22858 | topic=Percentages | difficulty=Easy | question=What is 12% of 1260? | option_a=156 | option_b=151 | option_c=141 | option_d=302 | answer=B | explanation=12% of 1260 = $(12/100) \times 1260 = 151$.

id=22859 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=96 | option_c=48 | option_d=43 | answer=C | explanation=Speed = distance ÷ time = $240 \div 5 = 48$ km/h.

id=22860 | topic=Percentages | difficulty=Easy | question=What is 30% of 459? | option_a=157 | option_b=274 | option_c=117 | option_d=137 | answer=D | explanation=30% of 459 = $(30/100) \times 459 = 137$.

Aptitude Questions — Records 22,861-22,890 of 100,000

- id=22861 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=125 | option_b=115 | option_c=120 | option_d=240 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.
- id=22862 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14819 at 4% per annum for 1 years. | option_a=692 | option_b=15411 | option_c=592 | option_d=492 | answer=C | explanation=SI = $PRT/100 = 14819 \times 4 \times 1/100 =$ **■**592.
- id=22863 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=K | option_c=I | option_d=E | answer=C | explanation=Move 2 positions forward from G; the resulting letter is I.
- id=22864 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13751 at 12% per annum for 4 years. | option_a=6500 | option_b=6600 | option_c=20351 | option_d=6700 | answer=B | explanation=SI = $PRT/100 = 13751 \times 12 \times 4/100 =$ **■**6600.
- id=22865 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 24, 34, 47? | option_a=34 | option_b=24 | option_c=14 | option_d=47 | answer=D | explanation=The first three numbers increase by 10, so the next should be 44. Therefore 47 is the odd one out.
- id=22866 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.
- id=22867 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33893 at 5% per annum for 5 years. | option_a=42366 | option_b=8373 | option_c=8473 | option_d=8573 | answer=C | explanation=SI = $PRT/100 = 33893 \times 5 \times 5/100 =$ **■**8473.
- id=22868 | topic=Percentages | difficulty=Easy | question=What is 12% of 337? | option_a=20 | option_b=40 | option_c=80 | option_d=50 | answer=B | explanation=12% of 337 = $(12/100) \times 337 = 40$.
- id=22869 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=43 | option_b=44 | option_c=52 | option_d=34 | answer=A | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.
- id=22870 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=33 | option_b=35 | option_c=29 | option_d=32 | answer=D | explanation=The common difference is 3. Therefore the next term is 29 + 3 = 32.
- id=22871 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4646. If it is sold at a profit of 25%, what is its selling price? | option_a=6271 | option_b=5807 | option_c=5343 | option_d=4671 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4646 \times 125/100 =$ **■**5807.
- id=22872 | topic=Percentages | difficulty=Easy | question=What is 20% of 1516? | option_a=298 | option_b=303 | option_c=606 | option_d=308 | answer=B | explanation=20% of 1516 = $(20/100) \times 1516 = 303$.
- id=22873 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=K | option_b=H | option_c=B | option_d=E | answer=B | explanation=Move 3 positions forward from E; the resulting letter is H.
- id=22874 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23210 at 4% per annum for 3 years. | option_a=2685 | option_b=25995 | option_c=2785 | option_d=2885 | answer=C | explanation=SI = $PRT/100 = 23210 \times 4 \times 3/100 =$ **■**2785.
- id=22875 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:9 and the first is 195, what is the second? | option_a=108 | option_b=117 | option_c=312 | option_d=132 | answer=B | explanation=Scale factor = $195/15 = 13$. Therefore second quantity = $9 \times 13 = 117$.
- id=22876 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:12 and the first is 225, what is the second? | option_a=405 | option_b=168 | option_c=180 | option_d=195 | answer=C | explanation=Scale factor = $225/15 = 15$. Therefore second quantity = $12 \times 15 = 180$.
- id=22877 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=45 | option_b=56 | option_c=65 | option_d=55 | answer=D | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.
- id=22878 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.
- id=22879 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=20 | option_c=15 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = $60 \div 6 = 10$ km/h.
- id=22880 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4294. If it is sold at a profit of 5%, what is its selling price? | option_a=4508 | option_b=4937 | option_c=4299 | option_d=4079 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4294 \times 105/100 =$ **■**4508.
- id=22881 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.
- id=22882 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:10 and the first is 4, what is the second? | option_a=22 | option_b=24 | option_c=10 | option_d=20 | answer=D | explanation=Scale factor = $4/2 = 2$. Therefore second quantity = $10 \times 2 = 20$.
- id=22883 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 19, 22, 25, ? | option_a=31 | option_b=25 | option_c=29 | option_d=28 | answer=D | explanation=The common difference is 3. Therefore the next term is 25 + 3 = 28.
- id=22884 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=5 | option_c=15 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = $60 \div 6 = 10$ km/h.
- id=22885 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:15 and the first is 342, what is the second? | option_a=270 | option_b=289 | option_c=255 | option_d=612 | answer=A | explanation=Scale factor = $342/19 = 18$. Therefore second quantity = $15 \times 18 = 270$.
- id=22886 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 30, 33, 39? | option_a=33 | option_b=27 | option_c=39 | option_d=30 | answer=C | explanation=The first three numbers increase by 3, so the next should be 36. Therefore 39 is the odd one out.
- id=22887 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=U | option_c=P | option_d=F | answer=C | explanation=Move 5 positions forward from K; the resulting letter is P.
- id=22888 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=J | option_c=N | option_d=B | answer=B | explanation=Move 4 positions forward from F; the resulting letter is J.
- id=22889 | topic=Percentages | difficulty=Easy | question=What is 10% of 285? | option_a=48 | option_b=56 | option_c=28 | option_d=18 | answer=C | explanation=10% of 285 = $(10/100) \times 285 = 28$.
- id=22890 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=S | option_b=K | option_c=G | option_d=O | answer=D | explanation=Move 4 positions forward from K; the resulting letter is O.

Aptitude Questions — Records 22,891-22,920 of 100,000

id=22891 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=18 | option_c=36 | option_d=23 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=22892 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=K | option_b=S | option_c=W | option_d=O | answer=B | explanation=Move 4 positions forward from O; the resulting letter is S.

id=22893 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=22894 | topic=Percentages | difficulty=Easy | question=What is 40% of 231? | option_a=184 | option_b=82 | option_c=112 | option_d=92 | answer=D | explanation=40% of 231 = (40/100) × 231 = 92.

id=22895 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=32 | option_b=26 | option_c=36 | option_d=31 | answer=D | explanation=The common difference is 5. Therefore the next term is 26 + 5 = 31.

id=22896 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:11 and the first is 247, what is the second? | option_a=390 | option_b=132 | option_c=162 | option_d=143 | answer=D | explanation=Scale factor = 247/19 = 13. Therefore second quantity = 11×13 = 143.

id=22897 | topic=Averages | difficulty=Easy | question=Find the average of 85, 36, 36, 63. | option_a=57 | option_b=55 | option_c=56 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 220 ÷ 4 = 55.

id=22898 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=P | option_b=T | option_c=V | option_d=R | answer=B | explanation=Move 2 positions forward from R; the resulting letter is T.

id=22899 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25809 at 8% per annum for 1 years. | option_a=1964 | option_b=2164 | option_c=2064 | option_d=27873 | answer=C | explanation=SI = PRT/100 = 25809×8×1/100 = **■**2064.

id=22900 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4909. If it is sold at a profit of 50%, what is its selling price? | option_a=6873 | option_b=7363 | option_c=4959 | option_d=7853 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4909 × 150/100 = **■**7363.

id=22901 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=22902 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 15, 18, 22? | option_a=15 | option_b=18 | option_c=22 | option_d=12 | answer=C | explanation=The first three numbers increase by 3, so the next should be 21. Therefore 22 is the odd one out.

id=22903 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=22904 | topic=Percentages | difficulty=Easy | question=What is 5% of 1171? | option_a=38 | option_b=78 | option_c=58 | option_d=116 | answer=C | explanation=5% of 1171 = (5/100) × 1171 = 58.

id=22905 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=27 | option_b=33 | option_c=32 | option_d=37 | answer=C | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

id=22906 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=P | option_b=R | option_c=S | option_d=Q | answer=B | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=22907 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 59? | option_a=36 | option_b=46 | option_c=26 | option_d=59 | answer=D | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 59 is the odd one out.

id=22908 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1839. If it is sold at a profit of 20%, what is its selling price? | option_a=2023 | option_b=2389 | option_c=2206 | option_d=1859 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1839 × 120/100 = **■**2206.

id=22909 | topic=Averages | difficulty=Easy | question=Find the average of 15, 19, 14, 70, 42, 75, 76, 17. | option_a=40 | option_b=41 | option_c=43 | option_d=42 | answer=B | explanation=Average = sum of values ÷ number of values = 328 ÷ 8 = 41.

id=22910 | topic=Averages | difficulty=Easy | question=Find the average of 92, 19, 70, 67, 12, 58. | option_a=55 | option_b=53 | option_c=52 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 318 ÷ 6 = 53.

id=22911 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34392 at 8% per annum for 5 years. | option_a=13656 | option_b=13856 | option_c=13756 | option_d=48148 | answer=C | explanation=SI = PRT/100 = 34392×8×5/100 = **■**13756.

id=22912 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 35, 42, 51? | option_a=42 | option_b=28 | option_c=51 | option_d=35 | answer=C | explanation=The first three numbers increase by 7, so the next should be 49. Therefore 51 is the odd one out.

id=22913 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23556 at 4% per annum for 2 years. | option_a=1884 | option_b=1784 | option_c=25440 | option_d=1984 | answer=A | explanation=SI = PRT/100 = 23556×4×2/100 = **■**1884.

id=22914 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:9 and the first is 120, what is the second? | option_a=186 | option_b=180 | option_c=300 | option_d=171 | answer=B | explanation=Scale factor = 120/6 = 20. Therefore second quantity = 9×20 = 180.

id=22915 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:7 and the first is 40, what is the second? | option_a=74 | option_b=110 | option_c=63 | option_d=70 | answer=D | explanation=Scale factor = 40/4 = 10. Therefore second quantity = 7×10 = 70.

id=22916 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=41 | option_b=49 | option_c=31 | option_d=40 | answer=D | explanation=The common difference is 9. Therefore the next term is 31 + 9 = 40.

id=22917 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=O | option_c=J | option_d=Z | answer=C | explanation=Move 5 positions forward from E; the resulting letter is J.

id=22918 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=L | option_c=J | option_d=P | answer=A | explanation=Move 2 positions forward from L; the resulting letter is N.

id=22919 | topic=Percentages | difficulty=Easy | question=What is 10% of 1283? | option_a=138 | option_b=128 | option_c=118 | option_d=256 | answer=B | explanation=10% of 1283 = (10/100) × 1283 = 128.

id=22920 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

Aptitude Questions — Records 22,921-22,950 of 100,000

id=22921 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■237. If it is sold at a profit of 10%, what is its selling price? | option_a=237 | option_b=260 | option_c=247 | option_d=283 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 237 × 110/100 = ■260.

id=22922 | topic=Averages | difficulty=Easy | question=Find the average of 41, 19, 13, 80, 32. | option_a=38 | option_b=39 | option_c=37 | option_d=36 | answer=C | explanation=Average = sum of values + number of values = 185 ÷ 5 = 37.

id=22923 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=39 | option_b=38 | option_c=29 | option_d=47 | answer=B | explanation=The common difference is 9. Therefore the next term is 29 + 9 = 38.

id=22924 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=22925 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=13 | option_c=23 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=22926 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=22927 | topic=Averages | difficulty=Easy | question=Find the average of 69, 95, 99, 89. | option_a=88 | option_b=89 | option_c=87 | option_d=90 | answer=A | explanation=Average = sum of values + number of values = 352 ÷ 4 = 88.

id=22928 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:16 and the first is 105, what is the second? | option_a=247 | option_b=224 | option_c=240 | option_d=345 | answer=C | explanation=Scale factor = 105/7 = 15. Therefore second quantity = 16×15 = 240.

id=22929 | topic=Averages | difficulty=Easy | question=Find the average of 60, 93, 41, 45, 62, 64, 27. | option_a=55 | option_b=56 | option_c=58 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 392 ÷ 7 = 56.

id=22930 | topic=Averages | difficulty=Easy | question=Find the average of 89, 73, 51, 38, 40, 87, 20, 69, 90, 13. | option_a=57 | option_b=59 | option_c=56 | option_d=58 | answer=A | explanation=Average = sum of values + number of values = 570 ÷ 10 = 57.

id=22931 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3298. If it is sold at a profit of 50%, what is its selling price? | option_a=3348 | option_b=4618 | option_c=5276 | option_d=4947 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3298 × 150/100 = ■4947.

id=22932 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=22933 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2219. If it is sold at a profit of 20%, what is its selling price? | option_a=2441 | option_b=2883 | option_c=2239 | option_d=2662 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2219 × 120/100 = ■2662.

id=22934 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 9, 13, 20? | option_a=13 | option_b=20 | option_c=9 | option_d=5 | answer=B | explanation=The first three numbers increase by 4, so the next should be 17. Therefore 20 is the odd one out.

id=22935 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=G | option_b=H | option_c=J | option_d=I | answer=D | explanation=Move 1 positions forward from H; the resulting letter is I.

id=22936 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=22937 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 11, 16, 23? | option_a=11 | option_b=23 | option_c=6 | option_d=16 | answer=B | explanation=The first three numbers increase by 5, so the next should be 21. Therefore 23 is the odd one out.

id=22938 | topic=Percentages | difficulty=Easy | question=What is 20% of 1917? | option_a=378 | option_b=766 | option_c=383 | option_d=388 | answer=C | explanation=20% of 1917 = (20/100) × 1917 = 383.

id=22939 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 27, 31, 36? | option_a=31 | option_b=36 | option_c=27 | option_d=23 | answer=B | explanation=The first three numbers increase by 4, so the next should be 35. Therefore 36 is the odd one out.

id=22940 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=22941 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=40 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=22942 | topic=Averages | difficulty=Easy | question=Find the average of 47, 58, 33. | option_a=46 | option_b=45 | option_c=48 | option_d=47 | answer=A | explanation=Average = sum of values + number of values = 138 ÷ 3 = 46.

id=22943 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=22944 | topic=Percentages | difficulty=Easy | question=What is 12% of 1861? | option_a=223 | option_b=213 | option_c=446 | option_d=233 | answer=A | explanation=12% of 1861 = (12/100) × 1861 = 223.

id=22945 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1061. If it is sold at a profit of 5%, what is its selling price? | option_a=1066 | option_b=1114 | option_c=1220 | option_d=1008 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1061 × 105/100 = ■1114.

id=22946 | topic=Percentages | difficulty=Easy | question=What is 15% of 928? | option_a=134 | option_b=278 | option_c=139 | option_d=149 | answer=C | explanation=15% of 928 = (15/100) × 928 = 139.

id=22947 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 41? | option_a=31 | option_b=23 | option_c=15 | option_d=41 | answer=D | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 41 is the odd one out.

id=22948 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=22949 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=120 | option_c=115 | option_d=240 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=22950 | topic=Percentages | difficulty=Easy | question=What is 5% of 1293? | option_a=84 | option_b=59 | option_c=128 | option_d=64 | answer=D | explanation=5% of 1293 = (5/100) × 1293 = 64.

Aptitude Questions — Records 22,951-22,980 of 100,000

id=22951 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4302. If it is sold at a profit of 40%, what is its selling price? | option_a=6022 | option_b=4342 | option_c=6452 | option_d=5592 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4302 \times 140/100 = \blacksquare 6022$.

id=22952 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=22953 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=A | option_c=J | option_d=G | answer=D | explanation=Move 3 positions forward from D; the resulting letter is G.

id=22954 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=24 | option_b=23 | option_c=28 | option_d=18 | answer=B | explanation=The common difference is 5. Therefore the next term is $18 + 5 = 23$.

id=22955 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 30? | option_a=30 | option_b=18 | option_c=13 | option_d=23 | answer=A | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 30 is the odd one out.

id=22956 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=31 | option_b=25 | option_c=32 | option_d=37 | answer=A | explanation=The common difference is 6. Therefore the next term is $25 + 6 = 31$.

id=22957 | topic=Averages | difficulty=Easy | question=Find the average of 10, 81, 29. | option_a=39 | option_b=40 | option_c=42 | option_d=41 | answer=B | explanation=Average = sum of values ÷ number of values = $120 \div 3 = 40$.

id=22958 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=22959 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=25 | option_c=20 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = $60 \div 3 = 20$ km/h.

id=22960 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■42490 at 12% per annum for 5 years. | option_a=25594 | option_b=67984 | option_c=25494 | option_d=25394 | answer=C | explanation=SI = $PRT/100 = 42490 \times 12 \times 5/100 = \blacksquare 25494$.

id=22961 | topic=Percentages | difficulty=Easy | question=What is 20% of 1850? | option_a=740 | option_b=370 | option_c=390 | option_d=365 | answer=B | explanation=20% of 1850 = $(20/100) \times 1850 = 370$.

id=22962 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=22963 | topic=Averages | difficulty=Easy | question=Find the average of 13, 80, 57, 12, 68, 22. | option_a=43 | option_b=42 | option_c=41 | option_d=44 | answer=B | explanation=Average = sum of values ÷ number of values = $252 \div 6 = 42$.

id=22964 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 26, 28, 33? | option_a=26 | option_b=28 | option_c=24 | option_d=33 | answer=D | explanation=The first three numbers increase by 2, so the next should be 30. Therefore 33 is the odd one out.

id=22965 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:5 and the first is 102, what is the second? | option_a=187 | option_b=80 | option_c=91 | option_d=85 | answer=D | explanation=Scale factor = $102/6 = 17$. Therefore second quantity = $5 \times 17 = 85$.

id=22966 | topic=Percentages | difficulty=Easy | question=What is 25% of 1071? | option_a=257 | option_b=272 | option_c=534 | option_d=267 | answer=D | explanation=25% of 1071 = $(25/100) \times 1071 = 267$.

id=22967 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3885. If it is sold at a profit of 15%, what is its selling price? | option_a=4467 | option_b=4079 | option_c=4855 | option_d=3900 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3885 \times 115/100 = \blacksquare 4467$.

id=22968 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 28? | option_a=23 | option_b=15 | option_c=19 | option_d=28 | answer=D | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 28 is the odd one out.

id=22969 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=22970 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4527. If it is sold at a profit of 20%, what is its selling price? | option_a=5884 | option_b=5432 | option_c=4547 | option_d=4980 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4527 \times 120/100 = \blacksquare 5432$.

id=22971 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 16, 25, 36? | option_a=16 | option_b=25 | option_c=36 | option_d=7 | answer=C | explanation=The first three numbers increase by 9, so the next should be 34. Therefore 36 is the odd one out.

id=22972 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 27. | option_a=405 | option_b=135 | option_c=150 | option_d=108 | answer=B | explanation= $LCM \times HCF = 15 \times 27$; $HCF(15, 27) = 3$, so $LCM = 135$.

id=22973 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■230. If it is sold at a profit of 50%, what is its selling price? | option_a=368 | option_b=322 | option_c=280 | option_d=345 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 230 \times 150/100 = \blacksquare 345$.

id=22974 | topic=Averages | difficulty=Easy | question=Find the average of 92, 47, 97, 40. | option_a=71 | option_b=68 | option_c=70 | option_d=69 | answer=D | explanation=Average = sum of values ÷ number of values = $276 \div 4 = 69$.

id=22975 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 12. | option_a=105 | option_b=84 | option_c=252 | option_d=72 | answer=B | explanation= $LCM \times HCF = 21 \times 12$; $HCF(21, 12) = 3$, so $LCM = 84$.

id=22976 | topic=Percentages | difficulty=Easy | question=What is 12% of 1776? | option_a=223 | option_b=208 | option_c=426 | option_d=213 | answer=D | explanation=12% of 1776 = $(12/100) \times 1776 = 213$.

id=22977 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=22978 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=22979 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:1 and the first is 56, what is the second? | option_a=7 | option_b=8 | option_c=64 | option_d=15 | answer=B | explanation=Scale factor = $56/7 = 8$. Therefore second quantity = $1 \times 8 = 8$.

id=22980 | topic=Averages | difficulty=Easy | question=Find the average of 81, 36, 93, 88, 10, 27, 42, 15. | option_a=51 | option_b=50 | option_c=48 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = $392 \div 8 = 49$.

Aptitude Questions — Records 22,981-23,010 of 100,000

id=22981 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■16746 at 15% per annum for 5 years. | option_a=29305 | option_b=12559 | option_c=12459 | option_d=12659 | answer=B | explanation=SI = PRT/100 = 16746×15×5/100 = ■12559.

id=22982 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=20 | option_b=19 | option_c=15 | option_d=23 | answer=B | explanation=The common difference is 4. Therefore the next term is 15 + 4 = 19.

id=22983 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 11, 20, 31? | option_a=20 | option_b=31 | option_c=2 | option_d=11 | answer=B | explanation=The first three numbers increase by 9, so the next should be 29. Therefore 31 is the odd one out.

id=22984 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=10 | option_c=20 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=22985 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 13, 18, 23, ? | option_a=33 | option_b=29 | option_c=28 | option_d=23 | answer=C | explanation=The common difference is 5. Therefore the next term is 23 + 5 = 28.

id=22986 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1104. If it is sold at a profit of 10%, what is its selling price? | option_a=1104 | option_b=1324 | option_c=1214 | option_d=1114 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1104 × 110/100 = ■1214.

id=22987 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=22988 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 27, 39, 51, ? | option_a=64 | option_b=51 | option_c=63 | option_d=75 | answer=C | explanation=The common difference is 12. Therefore the next term is 51 + 12 = 63.

id=22989 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=120 | option_c=125 | option_d=115 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=22990 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:9 and the first is 10, what is the second? | option_a=9 | option_b=18 | option_c=23 | option_d=28 | answer=B | explanation=Scale factor = 10/5 = 2. Therefore second quantity = 9×2 = 18.

id=22991 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=72 | option_c=31 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=22992 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■47534 at 8% per annum for 2 years. | option_a=7705 | option_b=7505 | option_c=7605 | option_d=55139 | answer=C | explanation=SI = PRT/100 = 47534×8×2/100 = ■7605.

id=22993 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:9 and the first is 33, what is the second? | option_a=99 | option_b=132 | option_c=90 | option_d=102 | answer=A | explanation=Scale factor = 33/3 = 11. Therefore second quantity = 9×11 = 99.

id=22994 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=90 | option_c=95 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=22995 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1263. If it is sold at a profit of 30%, what is its selling price? | option_a=1767 | option_b=1293 | option_c=1641 | option_d=1515 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1263 × 130/100 = ■1641.

id=22996 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=22997 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:12 and the first is 170, what is the second? | option_a=204 | option_b=374 | option_c=214 | option_d=192 | answer=A | explanation=Scale factor = 170/10 = 17. Therefore second quantity = 12×17 = 204.

id=22998 | topic=Percentages | difficulty=Easy | question=What is 30% of 260? | option_a=156 | option_b=73 | option_c=78 | option_d=88 | answer=C | explanation=30% of 260 = (30/100) × 260 = 78.

id=22999 | topic=Averages | difficulty=Easy | question=Find the average of 21, 62, 28, ? | option_a=37 | option_b=38 | option_c=36 | option_d=39 | answer=A | explanation=Average = sum of values ÷ number of values = 111 ÷ 3 = 37.

id=23000 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=31 | option_b=36 | option_c=24 | option_d=30 | answer=D | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.

id=23001 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=240 | option_c=120 | option_d=115 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=23002 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■918. If it is sold at a profit of 25%, what is its selling price? | option_a=1056 | option_b=1147 | option_c=1238 | option_d=943 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 918 × 125/100 = ■1147.

id=23003 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:12 and the first is 117, what is the second? | option_a=273 | option_b=165 | option_c=144 | option_d=156 | answer=D | explanation=Scale factor = 117/9 = 13. Therefore second quantity = 12×13 = 156.

id=23004 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=32 | option_b=40 | option_c=39 | option_d=46 | answer=C | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.

id=23005 | topic=Percentages | difficulty=Easy | question=What is 25% of 968? | option_a=262 | option_b=237 | option_c=484 | option_d=242 | answer=D | explanation=25% of 968 = (25/100) × 968 = 242.

id=23006 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=L | option_c=N | option_d=H | answer=B | explanation=Move 2 positions forward from J; the resulting letter is L.

id=23007 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:1 and the first is 22, what is the second? | option_a=1 | option_b=13 | option_c=2 | option_d=24 | answer=C | explanation=Scale factor = 22/11 = 2. Therefore second quantity = 1×2 = 2.

id=23008 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 10, 13, 16, ? | option_a=16 | option_b=20 | option_c=22 | option_d=19 | answer=D | explanation=The common difference is 3. Therefore the next term is 16 + 3 = 19.

id=23009 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■842. If it is sold at a profit of 40%, what is its selling price? | option_a=1094 | option_b=1178 | option_c=1262 | option_d=882 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 842 × 140/100 = ■1178.

id=23010 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4847. If it is sold at a profit of 15%, what is its selling price? | option_a=5090 | option_b=4862 | option_c=6058 | option_d=5574 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4847 × 115/100 = ■5574.

Aptitude Questions — Records 23,011-23,040 of 100,000

id=23011 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=80 | option_c=75 | option_d=150 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=23012 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:1 and the first is 84, what is the second? | option_a=98 | option_b=13 | option_c=20 | option_d=14 | answer=D | explanation=Scale factor = 84/6 = 14. Therefore second quantity = 1×14 = 14.

id=23013 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=Z | option_c=K | option_d=U | answer=D | explanation=Move 5 positions forward from P; the resulting letter is U.

id=23014 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=22 | option_b=28 | option_c=27 | option_d=32 | answer=C | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.

id=23015 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=50 | option_b=38 | option_c=45 | option_d=44 | answer=D | explanation=The common difference is 6. Therefore the next term is 38 + 6 = 44.

id=23016 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19222 at 15% per annum for 5 years. | option_a=14316 | option_b=14516 | option_c=14416 | option_d=33638 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{19222 \times 15 \times 5}{100} = \text{■}14416$.

id=23017 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=23018 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2710. If it is sold at a profit of 10%, what is its selling price? | option_a=2981 | option_b=2710 | option_c=3252 | option_d=2720 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2710 × 110/100 = **■**2981.

id=23019 | topic=Averages | difficulty=Easy | question=Find the average of 63, 77, 30, 26. | option_a=51 | option_b=50 | option_c=48 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 196 ÷ 4 = 49.

id=23020 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=M | option_b=H | option_c=C | option_d=X | answer=B | explanation=Move 5 positions forward from C; the resulting letter is H.

id=23021 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=Z | option_b=E | option_c=U | option_d=P | answer=A | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=23022 | topic=Percentages | difficulty=Easy | question=What is 20% of 83? | option_a=26 | option_b=16 | option_c=0 | option_d=32 | answer=B | explanation=20% of 83 = (20/100) × 83 = 16.

id=23023 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**936. If it is sold at a profit of 5%, what is its selling price? | option_a=889 | option_b=1075 | option_c=982 | option_d=941 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 936 × 105/100 = **■**982.

id=23024 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8119 at 4% per annum for 3 years. | option_a=9093 | option_b=1074 | option_c=974 | option_d=874 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{8119 \times 4 \times 3}{100} = \text{■}974$.

id=23025 | topic=Averages | difficulty=Easy | question=Find the average of 94, 29, 47, 64, 78, 71, 60, 53. | option_a=64 | option_b=62 | option_c=63 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 496 ÷ 8 = 62.

id=23026 | topic=Percentages | difficulty=Easy | question=What is 40% of 1664? | option_a=1330 | option_b=665 | option_c=670 | option_d=655 | answer=B | explanation=40% of 1664 = (40/100) × 1664 = 665.

id=23027 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23008 at 4% per annum for 4 years. | option_a=26689 | option_b=3581 | option_c=3781 | option_d=3681 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{23008 \times 4 \times 4}{100} = \text{■}3681$.

id=23028 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28412 at 8% per annum for 1 years. | option_a=2172 | option_b=30684 | option_c=2272 | option_d=2372 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{28412 \times 8 \times 1}{100} = \text{■}2272$.

id=23029 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2240. If it is sold at a profit of 30%, what is its selling price? | option_a=3136 | option_b=2270 | option_c=2688 | option_d=2912 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2240 × 130/100 = **■**2912.

id=23030 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 12, 15, 18, ? | option_a=21 | option_b=18 | option_c=24 | option_d=22 | answer=A | explanation=The common difference is 3. Therefore the next term is 18 + 3 = 21.

id=23031 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=24 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=23032 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=J | option_c=I | option_d=H | answer=B | explanation=Move 1 positions forward from I; the resulting letter is J.

id=23033 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=30 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=23034 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=20 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=23035 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29236 at 6% per annum for 2 years. | option_a=3608 | option_b=3508 | option_c=32744 | option_d=3408 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{29236 \times 6 \times 2}{100} = \text{■}3508$.

id=23036 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=80 | option_c=70 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=23037 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4865. If it is sold at a profit of 5%, what is its selling price? | option_a=5594 | option_b=5108 | option_c=4622 | option_d=4870 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4865 × 105/100 = **■**5108.

id=23038 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=23039 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 25, 30, 36? | option_a=30 | option_b=36 | option_c=20 | option_d=25 | answer=B | explanation=The first three numbers increase by 5, so the next should be 35. Therefore 36 is the odd one out.

id=23040 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4917. If it is sold at a profit of 25%, what is its selling price? | option_a=6637 | option_b=5655 | option_c=6146 | option_d=4942 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4917 × 125/100 = **■**6146.

Aptitude Questions — Records 23,041-23,070 of 100,000

id=23041 | topic=Percentages | difficulty=Easy | question=What is 5% of 1461? | option_a=146 | option_b=63 | option_c=83 | option_d=73 | answer=D | explanation=5% of 1461 = (5/100) × 1461 = 73.

id=23042 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 28? | option_a=28 | option_b=16 | option_c=19 | option_d=22 | answer=A | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 28 is the odd one out.

id=23043 | topic=Profit & Loss | difficulty=Easy | question=An article costs █417. If it is sold at a profit of 40%, what is its selling price? | option_a=583 | option_b=542 | option_c=624 | option_d=457 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 417 × 140/100 = █583.

id=23044 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8388 at 4% per annum for 5 years. | option_a=1577 | option_b=1777 | option_c=10065 | option_d=1677 | answer=D | explanation=SI = PRT/100 = 8388×4×5/100 = █1677.

id=23045 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:17 and the first is 187, what is the second? | option_a=476 | option_b=272 | option_c=300 | option_d=289 | answer=D | explanation=Scale factor = 187/11 = 17. Therefore second quantity = 17×17 = 289.

id=23046 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 12. | option_a=72 | option_b=84 | option_c=105 | option_d=252 | answer=B | explanation=LCM × HCF = 21×12; HCF(21,12) = 3, so LCM = 84.

id=23047 | topic=Profit & Loss | difficulty=Easy | question=An article costs █639. If it is sold at a profit of 40%, what is its selling price? | option_a=831 | option_b=679 | option_c=957 | option_d=894 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 639 × 140/100 = █894.

id=23048 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 36, 45, 56? | option_a=45 | option_b=27 | option_c=56 | option_d=36 | answer=C | explanation=The first three numbers increase by 9, so the next should be 54. Therefore 56 is the odd one out.

id=23049 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=35 | option_b=41 | option_c=27 | option_d=34 | answer=D | explanation=The common difference is 7. Therefore the next term is 27 + 7 = 34.

id=23050 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=12 | option_b=11 | option_c=13 | option_d=9 | answer=B | explanation=The common difference is 2. Therefore the next term is 9 + 2 = 11.

id=23051 | topic=Percentages | difficulty=Easy | question=What is 10% of 1812? | option_a=181 | option_b=171 | option_c=362 | option_d=191 | answer=A | explanation=10% of 1812 = (10/100) × 1812 = 181.

id=23052 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=44 | option_b=35 | option_c=43 | option_d=51 | answer=C | explanation=The common difference is 8. Therefore the next term is 35 + 8 = 43.

id=23053 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=P | option_c=T | option_d=R | answer=C | explanation=Move 2 positions forward from R; the resulting letter is T.

id=23054 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:13 and the first is 187, what is the second? | option_a=130 | option_b=160 | option_c=143 | option_d=330 | answer=C | explanation=Scale factor = 187/17 = 11. Therefore second quantity = 13×11 = 143.

id=23055 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 8. | option_a=8 | option_b=16 | option_c=64 | option_d=1 | answer=A | explanation=LCM × HCF = 8×8; HCF(8,8) = 8, so LCM = 8.

id=23056 | topic=Averages | difficulty=Easy | question=Find the average of 38, 36, 27, 62, 21, 61, 70, 13. | option_a=43 | option_b=40 | option_c=41 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = 328 ÷ 8 = 41.

id=23057 | topic=Averages | difficulty=Easy | question=Find the average of 25, 16, 58. | option_a=34 | option_b=32 | option_c=35 | option_d=33 | answer=D | explanation=Average = sum of values ÷ number of values = 99 ÷ 3 = 33.

id=23058 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7062 at 8% per annum for 2 years. | option_a=1129 | option_b=1029 | option_c=8191 | option_d=1229 | answer=A | explanation=SI = PRT/100 = 7062×8×2/100 = █1129.

id=23059 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2624. If it is sold at a profit of 15%, what is its selling price? | option_a=2639 | option_b=3017 | option_c=2755 | option_d=3279 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2624 × 115/100 = █3017.

id=23060 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=23061 | topic=Percentages | difficulty=Easy | question=What is 10% of 1812? | option_a=171 | option_b=186 | option_c=181 | option_d=362 | answer=C | explanation=10% of 1812 = (10/100) × 1812 = 181.

id=23062 | topic=Percentages | difficulty=Easy | question=What is 10% of 929? | option_a=92 | option_b=87 | option_c=184 | option_d=112 | answer=A | explanation=10% of 929 = (10/100) × 929 = 92.

id=23063 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 30? | option_a=22 | option_b=10 | option_c=16 | option_d=30 | answer=D | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 30 is the odd one out.

id=23064 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21077 at 10% per annum for 3 years. | option_a=6223 | option_b=6423 | option_c=27400 | option_d=6323 | answer=D | explanation=SI = PRT/100 = 21077×10×3/100 = █6323.

id=23065 | topic=Averages | difficulty=Easy | question=Find the average of 39, 70, 74, 99, 91, 98, 54, 59. | option_a=72 | option_b=75 | option_c=74 | option_d=73 | answer=D | explanation=Average = sum of values ÷ number of values = 584 ÷ 8 = 73.

id=23066 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=42 | option_b=47 | option_c=35 | option_d=41 | answer=D | explanation=The common difference is 6. Therefore the next term is 35 + 6 = 41.

id=23067 | topic=Percentages | difficulty=Easy | question=What is 50% of 904? | option_a=472 | option_b=904 | option_c=452 | option_d=442 | answer=C | explanation=50% of 904 = (50/100) × 904 = 452.

id=23068 | topic=Percentages | difficulty=Easy | question=What is 40% of 248? | option_a=99 | option_b=198 | option_c=104 | option_d=89 | answer=A | explanation=40% of 248 = (40/100) × 248 = 99.

id=23069 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=53 | option_b=41 | option_c=63 | option_d=52 | answer=D | explanation=The common difference is 11. Therefore the next term is 41 + 11 = 52.

id=23070 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=M | option_c=P | option_d=G | answer=B | explanation=Move 3 positions forward from J; the resulting letter is M.

Aptitude Questions — Records 23,071-23,100 of 100,000

id=23071 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:4 and the first is 10, what is the second? | option_a=30 | option_b=22 | option_c=20 | option_d=16 | answer=C | explanation=Scale factor = 10/2 = 5. Therefore second quantity = 4×5 = 20.

id=23072 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=23073 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=23074 | topic=Averages | difficulty=Easy | question=Find the average of 92, 37, 84, 65, 33, 57, 99, 98, 56. | option_a=69 | option_b=71 | option_c=68 | option_d=70 | answer=A | explanation=Average = sum of values ÷ number of values = 621 ÷ 9 = 69.

id=23075 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 14. | option_a=182 | option_b=208 | option_c=364 | option_d=168 | answer=A | explanation=LCM × HCF = 26×14; HCF(26,14) = 2, so LCM = 182.

id=23076 | topic=Averages | difficulty=Easy | question=Find the average of 44, 57, 27, 41, 74, 55, 70, 88. | option_a=59 | option_b=58 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

id=23077 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 33? | option_a=16 | option_b=24 | option_c=33 | option_d=8 | answer=C | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 33 is the odd one out.

id=23078 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=K | option_b=G | option_c=C | option_d=Y | answer=B | explanation=Move 4 positions forward from C; the resulting letter is G.

id=23079 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 3. | option_a=6 | option_b=3 | option_c=18 | option_d=12 | answer=A | explanation=LCM × HCF = 6×3; HCF(6,3) = 3, so LCM = 6.

id=23080 | topic=Percentages | difficulty=Easy | question=What is 30% of 634? | option_a=195 | option_b=190 | option_c=380 | option_d=180 | answer=B | explanation=30% of 634 = (30/100) × 634 = 190.

id=23081 | topic=Averages | difficulty=Easy | question=Find the average of 70, 46, 25, 37, 13, 61. | option_a=42 | option_b=44 | option_c=43 | option_d=41 | answer=A | explanation=Average = sum of values ÷ number of values = 252 ÷ 6 = 42.

id=23082 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=85 | option_c=90 | option_d=180 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=23083 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=145 | option_c=300 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=23084 | topic=Averages | difficulty=Easy | question=Find the average of 29, 18, 27, 33, 12, 46, 75, 96. | option_a=41 | option_b=43 | option_c=42 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = 336 ÷ 8 = 42.

id=23085 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹19305 at 10% per annum for 2 years. | option_a=3861 | option_b=3761 | option_c=23166 | option_d=3961 | answer=A | explanation=SI = PRT/100 = 19305×10×2/100 = ₹3861.

id=23086 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:15 and the first is 64, what is the second? | option_a=60 | option_b=45 | option_c=76 | option_d=124 | answer=A | explanation=Scale factor = 64/16 = 4. Therefore second quantity = 15×4 = 60.

id=23087 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1444. If it is sold at a profit of 50%, what is its selling price? | option_a=2310 | option_b=1494 | option_c=2166 | option_d=2022 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1444 × 150/100 = ₹2166.

id=23088 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 12, 17, 24? | option_a=12 | option_b=7 | option_c=24 | option_d=17 | answer=C | explanation=The first three numbers increase by 5, so the next should be 22. Therefore 24 is the odd one out.

id=23089 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=56 | option_b=55 | option_c=44 | option_d=66 | answer=B | explanation=The common difference is 11. Therefore the next term is 44 + 11 = 55.

id=23090 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=23091 | topic=Percentages | difficulty=Easy | question=What is 20% of 776? | option_a=155 | option_b=310 | option_c=160 | option_d=150 | answer=A | explanation=20% of 776 = (20/100) × 776 = 155.

id=23092 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=X | option_b=T | option_c=R | option_d=V | answer=D | explanation=Move 2 positions forward from T; the resulting letter is V.

id=23093 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=37 | option_b=49 | option_c=43 | option_d=44 | answer=C | explanation=The common difference is 6. Therefore the next term is 37 + 6 = 43.

id=23094 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=23095 | topic=Averages | difficulty=Easy | question=Find the average of 49, 74, 89, 45, 78. | option_a=67 | option_b=69 | option_c=66 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = 335 ÷ 5 = 67.

id=23096 | topic=Averages | difficulty=Easy | question=Find the average of 50, 82, 66, 94, 16, 88. | option_a=65 | option_b=67 | option_c=66 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 396 ÷ 6 = 66.

id=23097 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=36 | option_b=39 | option_c=35 | option_d=31 | answer=C | explanation=The common difference is 4. Therefore the next term is 31 + 4 = 35.

id=23098 | topic=Averages | difficulty=Easy | question=Find the average of 66, 61, 21, 40, 74, 74. | option_a=56 | option_b=58 | option_c=57 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 336 ÷ 6 = 56.

id=23099 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=W | option_b=Z | option_c=Q | option_d=T | answer=A | explanation=Move 3 positions forward from T; the resulting letter is W.

id=23100 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 30? | option_a=12 | option_b=20 | option_c=30 | option_d=4 | answer=C | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 30 is the odd one out.

Aptitude Questions — Records 23,101-23,130 of 100,000

id=23101 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:6 and the first is 77, what is the second? | option_a=53 | option_b=36 | option_c=42 | option_d=119 | answer=C | explanation=Scale factor = $77/11 = 7$. Therefore second quantity = $6 \times 7 = 42$.

id=23102 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = $180 \div 3 = 60$ km/h.

id=23103 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43, ? | option_a=51 | option_b=52 | option_c=43 | option_d=59 | answer=A | explanation=The common difference is 8. Therefore the next term is $43 + 8 = 51$.

id=23104 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 21. | option_a=210 | option_b=630 | option_c=240 | option_d=189 | answer=A | explanation= $LCM \times HCF = 30 \times 21$; $HCF(30,21) = 3$, so $LCM = 210$.

id=23105 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=45 | option_b=54 | option_c=44 | option_d=34 | answer=C | explanation=The common difference is 10. Therefore the next term is $34 + 10 = 44$.

id=23106 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 24. | option_a=24 | option_b=192 | option_c=1 | option_d=32 | answer=A | explanation= $LCM \times HCF = 8 \times 24$; $HCF(8,24) = 8$, so $LCM = 24$.

id=23107 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=5 | answer=B | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=23108 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=U | option_b=I | option_c=M | option_d=Q | answer=D | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=23109 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=32 | option_b=26 | option_c=36 | option_d=31 | answer=D | explanation=The common difference is 5. Therefore the next term is $26 + 5 = 31$.

id=23110 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3361. If it is sold at a profit of 25%, what is its selling price? | option_a=3386 | option_b=4537 | option_c=3865 | option_d=4201 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 3361 \times 125/100 = \text{█}4201$.

id=23111 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32655 at 5% per annum for 1 years. | option_a=34287 | option_b=1632 | option_c=1532 | option_d=1732 | answer=B | explanation= $SI = PRT/100 = 32655 \times 5 \times 1/100 = \text{█}1632$.

id=23112 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=Z | option_c=U | option_d=K | answer=C | explanation=Move 5 positions forward from P; the resulting letter is U.

id=23113 | topic=Averages | difficulty=Easy | question=Find the average of 29, 82, 87. | option_a=65 | option_b=67 | option_c=66 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = $198 \div 3 = 66$.

id=23114 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 10, 12, 14, ? | option_a=18 | option_b=17 | option_c=16 | option_d=14 | answer=C | explanation=The common difference is 2. Therefore the next term is $14 + 2 = 16$.

id=23115 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=24 | option_b=28 | option_c=20 | option_d=25 | answer=A | explanation=The common difference is 4. Therefore the next term is $20 + 4 = 24$.

id=23116 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:11 and the first is 209, what is the second? | option_a=220 | option_b=198 | option_c=209 | option_d=418 | answer=C | explanation=Scale factor = $209/11 = 19$. Therefore second quantity = $11 \times 19 = 209$.

id=23117 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=S | option_b=I | option_c=D | option_d=N | answer=D | explanation=Move 5 positions forward from I; the resulting letter is N.

id=23118 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2926. If it is sold at a profit of 40%, what is its selling price? | option_a=2966 | option_b=4096 | option_c=4388 | option_d=3804 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2926 \times 140/100 = \text{█}4096$.

id=23119 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=23120 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 38, 46, 57? | option_a=46 | option_b=30 | option_c=57 | option_d=38 | answer=C | explanation=The first three numbers increase by 8, so the next should be 54. Therefore 57 is the odd one out.

id=23121 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=23122 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:13 and the first is 5, what is the second? | option_a=65 | option_b=70 | option_c=52 | option_d=66 | answer=A | explanation=Scale factor = $5/1 = 5$. Therefore second quantity = $13 \times 5 = 65$.

id=23123 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 32, 42, 55? | option_a=55 | option_b=32 | option_c=42 | option_d=22 | answer=A | explanation=The first three numbers increase by 10, so the next should be 52. Therefore 55 is the odd one out.

id=23124 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1612. If it is sold at a profit of 40%, what is its selling price? | option_a=2095 | option_b=1652 | option_c=2256 | option_d=2417 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 1612 \times 140/100 = \text{█}2256$.

id=23125 | topic=Percentages | difficulty=Easy | question=What is 10% of 752? | option_a=75 | option_b=150 | option_c=95 | option_d=55 | answer=A | explanation= $10\% \text{ of } 752 = (10/100) \times 752 = 75$.

id=23126 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=23127 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=96 | option_c=43 | option_d=53 | answer=A | explanation=Speed = distance ÷ time = $240 \div 5 = 48$ km/h.

id=23128 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 9, 11, 15? | option_a=7 | option_b=11 | option_c=15 | option_d=9 | answer=C | explanation=The first three numbers increase by 2, so the next should be 13. Therefore 15 is the odd one out.

id=23129 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 16. | option_a=160 | option_b=90 | option_c=64 | option_d=80 | answer=D | explanation= $LCM \times HCF = 10 \times 16$; $HCF(10,16) = 2$, so $LCM = 80$.

id=23130 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8164 at 15% per annum for 4 years. | option_a=4798 | option_b=4898 | option_c=13062 | option_d=4998 | answer=B | explanation= $SI = PRT/100 = 8164 \times 15 \times 4/100 = \text{█}4898$.

Aptitude Questions — Records 23,131-23,160 of 100,000

id=23131 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4214. If it is sold at a profit of 10%, what is its selling price? | option_a=5056 | option_b=4214 | option_c=4224 | option_d=4635 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4214 × 110/100 = █4635.

id=23132 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 39, 49, 61? | option_a=39 | option_b=29 | option_c=49 | option_d=61 | answer=D | explanation=The first three numbers increase by 10, so the next should be 59. Therefore 61 is the odd one out.

id=23133 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3317. If it is sold at a profit of 40%, what is its selling price? | option_a=3357 | option_b=4974 | option_c=4312 | option_d=4643 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3317 × 140/100 = █4643.

id=23134 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31025 at 8% per annum for 2 years. | option_a=4864 | option_b=35989 | option_c=5064 | option_d=4964 | answer=D | explanation=SI = PRT/100 = 31025×8×2/100 = █4964.

id=23135 | topic=Percentages | difficulty=Easy | question=What is 20% of 1220? | option_a=264 | option_b=488 | option_c=244 | option_d=224 | answer=C | explanation=20% of 1220 = (20/100) × 1220 = 244.

id=23136 | topic=Averages | difficulty=Easy | question=Find the average of 84, 43, 85, 12, 63, 60, 86, 29, 78, 90. | option_a=65 | option_b=63 | option_c=64 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 630 ÷ 10 = 63.

id=23137 | topic=Percentages | difficulty=Easy | question=What is 25% of 736? | option_a=368 | option_b=194 | option_c=184 | option_d=179 | answer=C | explanation=25% of 736 = (25/100) × 736 = 184.

id=23138 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=23139 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47866 at 15% per annum for 2 years. | option_a=14459 | option_b=62225 | option_c=14359 | option_d=14259 | answer=C | explanation=SI = PRT/100 = 47866×15×2/100 = █14359.

id=23140 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 20, 26, 33? | option_a=14 | option_b=33 | option_c=26 | option_d=20 | answer=B | explanation=The first three numbers increase by 6, so the next should be 32. Therefore 33 is the odd one out.

id=23141 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 30, 34, 39? | option_a=26 | option_b=39 | option_c=30 | option_d=34 | answer=B | explanation=The first three numbers increase by 4, so the next should be 38. Therefore 39 is the odd one out.

id=23142 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1255 at 15% per annum for 4 years. | option_a=2008 | option_b=853 | option_c=753 | option_d=653 | answer=C | explanation=SI = PRT/100 = 1255×15×4/100 = █753.

id=23143 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=23144 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=I | option_b=J | option_c=H | option_d=G | answer=A | explanation=Move 1 positions forward from H; the resulting letter is I.

id=23145 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:4 and the first is 190, what is the second? | option_a=40 | option_b=59 | option_c=36 | option_d=230 | answer=A | explanation=Scale factor = 190/19 = 10. Therefore second quantity = 4×10 = 40.

id=23146 | topic=Percentages | difficulty=Easy | question=What is 15% of 1716? | option_a=277 | option_b=514 | option_c=257 | option_d=237 | answer=C | explanation=15% of 1716 = (15/100) × 1716 = 257.

id=23147 | topic=Percentages | difficulty=Easy | question=What is 12% of 536? | option_a=128 | option_b=64 | option_c=74 | option_d=44 | answer=B | explanation=12% of 536 = (12/100) × 536 = 64.

id=23148 | topic=Averages | difficulty=Easy | question=Find the average of 64, 22, 79, 91, 77, 49, 45, 93. | option_a=66 | option_b=67 | option_c=65 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 520 ÷ 8 = 65.

id=23149 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39491 at 12% per annum for 4 years. | option_a=58446 | option_b=18855 | option_c=18955 | option_d=19055 | answer=C | explanation=SI = PRT/100 = 39491×12×4/100 = █18955.

id=23150 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=J | option_c=H | option_d=I | answer=B | explanation=Move 1 positions forward from I; the resulting letter is J.

id=23151 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=200 | option_c=95 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=23152 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 30. | option_a=600 | option_b=60 | option_c=80 | option_d=30 | answer=B | explanation=LCM × HCF = 20×30; HCF(20,30) = 10, so LCM = 60.

id=23153 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=38 | option_b=51 | option_c=62 | option_d=50 | answer=D | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=23154 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 18, 22, 29? | option_a=22 | option_b=18 | option_c=29 | option_d=14 | answer=C | explanation=The first three numbers increase by 4, so the next should be 26. Therefore 29 is the odd one out.

id=23155 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=23156 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=J | option_b=F | option_c=B | option_d=X | answer=B | explanation=Move 4 positions forward from B; the resulting letter is F.

id=23157 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28171 at 15% per annum for 5 years. | option_a=49299 | option_b=21228 | option_c=21028 | option_d=21128 | answer=D | explanation=SI = PRT/100 = 28171×15×5/100 = █21128.

id=23158 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=23159 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 22, 31, 43? | option_a=31 | option_b=13 | option_c=43 | option_d=22 | answer=C | explanation=The first three numbers increase by 9, so the next should be 40. Therefore 43 is the odd one out.

id=23160 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=100 | option_c=105 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

Aptitude Questions — Records 23,161-23,190 of 100,000

id=23161 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=K | option_c=M | option_d=N | answer=C | explanation=Move 1 positions forward from L; the resulting letter is M.

id=23162 | topic=Percentages | difficulty=Easy | question=What is 30% of 290? | option_a=97 | option_b=87 | option_c=174 | option_d=82 | answer=B | explanation=30% of 290 = (30/100) × 290 = 87.

id=23163 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=20 | option_b=21 | option_c=17 | option_d=19 | answer=D | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=23164 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=17 | option_c=24 | option_d=7 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=23165 | topic=Percentages | difficulty=Easy | question=What is 10% of 1137? | option_a=226 | option_b=118 | option_c=113 | option_d=108 | answer=C | explanation=10% of 1137 = (10/100) × 1137 = 113.

id=23166 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=36 | option_b=30 | option_c=24 | option_d=31 | answer=B | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.

id=23167 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 20. | option_a=40 | option_b=1 | option_c=20 | option_d=22 | answer=C | explanation=LCM × HCF = 2×20; HCF(2,20) = 2, so LCM = 20.

id=23168 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=23169 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:5 and the first is 171, what is the second? | option_a=64 | option_b=45 | option_c=216 | option_d=40 | answer=B | explanation=Scale factor = 171/19 = 9. Therefore second quantity = 5×9 = 45.

id=23170 | topic=Profit & Loss | difficulty=Easy | question=An article costs █493. If it is sold at a profit of 40%, what is its selling price? | option_a=690 | option_b=641 | option_c=739 | option_d=533 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 493 × 140/100 = █690.

id=23171 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 24, 34, 47? | option_a=14 | option_b=24 | option_c=34 | option_d=47 | answer=D | explanation=The first three numbers increase by 10, so the next should be 44. Therefore 47 is the odd one out.

id=23172 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=20 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=23173 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 9, 14, 22? | option_a=22 | option_b=9 | option_c=4 | option_d=14 | answer=A | explanation=The first three numbers increase by 5, so the next should be 19. Therefore 22 is the odd one out.

id=23174 | topic=Averages | difficulty=Easy | question=Find the average of 49, 64, 16, 78, 23. | option_a=46 | option_b=48 | option_c=47 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 230 ÷ 5 = 46.

id=23175 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 7, 10, 15? | option_a=4 | option_b=10 | option_c=15 | option_d=7 | answer=C | explanation=The first three numbers increase by 3, so the next should be 13. Therefore 15 is the odd one out.

id=23176 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=60 | option_b=47 | option_c=59 | option_d=71 | answer=C | explanation=The common difference is 12. Therefore the next term is 47 + 12 = 59.

id=23177 | topic=Percentages | difficulty=Easy | question=What is 25% of 365? | option_a=182 | option_b=91 | option_c=81 | option_d=101 | answer=B | explanation=25% of 365 = (25/100) × 365 = 91.

id=23178 | topic=Profit & Loss | difficulty=Easy | question=An article costs █622. If it is sold at a profit of 10%, what is its selling price? | option_a=684 | option_b=622 | option_c=632 | option_d=746 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 622 × 110/100 = █684.

id=23179 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:17 and the first is 48, what is the second? | option_a=85 | option_b=102 | option_c=110 | option_d=150 | answer=B | explanation=Scale factor = 48/8 = 6. Therefore second quantity = 17×6 = 102.

id=23180 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=F | option_c=Z | option_d=I | answer=B | explanation=Move 3 positions forward from C; the resulting letter is F.

id=23181 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5289 at 12% per annum for 2 years. | option_a=1169 | option_b=6558 | option_c=1269 | option_d=1369 | answer=C | explanation=SI = PRT/100 = 5289×12×2/100 = █1269.

id=23182 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=K | option_c=M | option_d=O | answer=D | explanation=Move 2 positions forward from M; the resulting letter is O.

id=23183 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=53 | option_b=77 | option_c=66 | option_d=65 | answer=D | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.

id=23184 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2395 at 6% per annum for 4 years. | option_a=474 | option_b=2969 | option_c=574 | option_d=674 | answer=C | explanation=SI = PRT/100 = 2395×6×4/100 = █574.

id=23185 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=O | option_c=S | option_d=U | answer=C | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=23186 | topic=Averages | difficulty=Easy | question=Find the average of 34, 46, 25, 21, 34. | option_a=34 | option_b=32 | option_c=31 | option_d=33 | answer=B | explanation=Average = sum of values ÷ number of values = 160 ÷ 5 = 32.

id=23187 | topic=Averages | difficulty=Easy | question=Find the average of 73, 40, 26, 87, 88, 21, 50, 50, 79, 76. | option_a=61 | option_b=60 | option_c=58 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 590 ÷ 10 = 59.

id=23188 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21394 at 15% per annum for 2 years. | option_a=6418 | option_b=27812 | option_c=6318 | option_d=6518 | answer=A | explanation=SI = PRT/100 = 21394×15×2/100 = █6418.

id=23189 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=E | option_b=P | option_c=U | option_d=Z | answer=D | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=23190 | topic=Percentages | difficulty=Easy | question=What is 12% of 740? | option_a=176 | option_b=108 | option_c=68 | option_d=88 | answer=D | explanation=12% of 740 = (12/100) × 740 = 88.

Aptitude Questions — Records 23,191-23,220 of 100,000

id=23191 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=B | option_c=C | option_d=Z | answer=B | explanation=Move 1 positions forward from A; the resulting letter is B.

id=23192 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 17, 29, 41, ? | option_a=41 | option_b=53 | option_c=54 | option_d=65 | answer=B | explanation=The common difference is 12. Therefore the next term is 41 + 12 = 53.

id=23193 | topic=Percentages | difficulty=Easy | question=What is 25% of 1535? | option_a=766 | option_b=403 | option_c=383 | option_d=373 | answer=C | explanation=25% of 1535 = (25/100) × 1535 = 383.

id=23194 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=E | option_b=F | option_c=H | option_d=G | answer=D | explanation=Move 1 positions forward from F; the resulting letter is G.

id=23195 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=12 | option_b=17 | option_c=24 | option_d=7 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=23196 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=55 | option_c=50 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=23197 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=I | option_c=U | option_d=M | answer=A | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=23198 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3346. If it is sold at a profit of 20%, what is its selling price? | option_a=4349 | option_b=3366 | option_c=3681 | option_d=4015 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3346 × 120/100 = █4015.

id=23199 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=23200 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2645. If it is sold at a profit of 15%, what is its selling price? | option_a=2777 | option_b=2660 | option_c=3041 | option_d=3305 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2645 × 115/100 = █3041.

id=23201 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=38 | option_b=45 | option_c=50 | option_d=44 | answer=D | explanation=The common difference is 6. Therefore the next term is 38 + 6 = 44.

id=23202 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=23203 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=55 | option_c=100 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=23204 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=30 | option_c=20 | option_d=25 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=23205 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=W | option_c=Q | option_d=U | answer=D | explanation=Move 2 positions forward from S; the resulting letter is U.

id=23206 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=N | option_c=T | option_d=W | answer=C | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=23207 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=29 | option_d=19 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=23208 | topic=Percentages | difficulty=Easy | question=What is 10% of 566? | option_a=76 | option_b=46 | option_c=56 | option_d=112 | answer=C | explanation=10% of 566 = (10/100) × 566 = 56.

id=23209 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:18 and the first is 16, what is the second? | option_a=304 | option_b=270 | option_c=289 | option_d=288 | answer=D | explanation=Scale factor = 16/1 = 16. Therefore second quantity = 18×16 = 288.

id=23210 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=24 | option_c=17 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=23211 | topic=Number System | difficulty=Easy | question=Find the LCM of 13 and 13. | option_a=169 | option_b=1 | option_c=26 | option_d=13 | answer=D | explanation=LCM × HCF = 13×13; HCF(13,13) = 13, so LCM = 13.

id=23212 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=4 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=23213 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23143 at 6% per annum for 1 years. | option_a=24531 | option_b=1388 | option_c=1288 | option_d=1488 | answer=B | explanation=SI = PRT/100 = 23143×6×1/100 = █1388.

id=23214 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4717. If it is sold at a profit of 15%, what is its selling price? | option_a=5895 | option_b=4953 | option_c=4732 | option_d=5424 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4717 × 115/100 = █5424.

id=23215 | topic=Percentages | difficulty=Easy | question=What is 20% of 1135? | option_a=222 | option_b=454 | option_c=232 | option_d=227 | answer=D | explanation=20% of 1135 = (20/100) × 1135 = 227.

id=23216 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:13 and the first is 70, what is the second? | option_a=135 | option_b=79 | option_c=52 | option_d=65 | answer=D | explanation=Scale factor = 70/14 = 5. Therefore second quantity = 13×5 = 65.

id=23217 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=23218 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 33? | option_a=33 | option_b=28 | option_c=22 | option_d=25 | answer=A | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 33 is the odd one out.

id=23219 | topic=Averages | difficulty=Easy | question=Find the average of 45, 18, 100, 100, 87. | option_a=69 | option_b=71 | option_c=70 | option_d=72 | answer=C | explanation=Average = sum of values ÷ number of values = 350 ÷ 5 = 70.

id=23220 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 21. | option_a=567 | option_b=216 | option_c=189 | option_d=168 | answer=C | explanation=LCM × HCF = 27×21; HCF(27,21) = 3, so LCM = 189.

Aptitude Questions — Records 23,221-23,250 of 100,000

id=23221 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=23222 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=M | option_c=O | option_d=Q | answer=D | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=23223 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=41 | option_b=45 | option_c=40 | option_d=35 | answer=C | explanation=The common difference is 5. Therefore the next term is 35 + 5 = 40.

id=23224 | topic=Percentages | difficulty=Easy | question=What is 15% of 866? | option_a=258 | option_b=124 | option_c=129 | option_d=139 | answer=C | explanation=15% of 866 = (15/100) × 866 = 129.

id=23225 | topic=Averages | difficulty=Easy | question=Find the average of 59, 100, 15, 62, 10, 78. | option_a=53 | option_b=56 | option_c=54 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 324 ÷ 6 = 54.

id=23226 | topic=Percentages | difficulty=Easy | question=What is 25% of 390? | option_a=97 | option_b=102 | option_c=194 | option_d=87 | answer=A | explanation=25% of 390 = (25/100) × 390 = 97.

id=23227 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=O | option_c=S | option_d=Q | answer=C | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=23228 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**23886 at 15% per annum for 5 years. | option_a=41800 | option_b=17914 | option_c=18014 | option_d=17814 | answer=B | explanation=SI = PRT/100 = 23886×15×5/100 = **₹**17914.

id=23229 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:18 and the first is 24, what is the second? | option_a=168 | option_b=144 | option_c=126 | option_d=147 | answer=B | explanation=Scale factor = 24/3 = 8. Therefore second quantity = 18×8 = 144.

id=23230 | topic=Percentages | difficulty=Easy | question=What is 40% of 1519? | option_a=602 | option_b=607 | option_c=627 | option_d=1214 | answer=B | explanation=40% of 1519 = (40/100) × 1519 = 607.

id=23231 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:6 and the first is 126, what is the second? | option_a=102 | option_b=108 | option_c=115 | option_d=234 | answer=B | explanation=Scale factor = 126/7 = 18. Therefore second quantity = 6×18 = 108.

id=23232 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=23233 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**3629 at 15% per annum for 2 years. | option_a=1188 | option_b=4717 | option_c=1088 | option_d=988 | answer=C | explanation=SI = PRT/100 = 3629×15×2/100 = **₹**1088.

id=23234 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:3 and the first is 13, what is the second? | option_a=52 | option_b=40 | option_c=39 | option_d=36 | answer=C | explanation=Scale factor = 13/1 = 13. Therefore second quantity = 3×13 = 39.

id=23235 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:13 and the first is 98, what is the second? | option_a=78 | option_b=105 | option_c=91 | option_d=189 | answer=C | explanation=Scale factor = 98/14 = 7. Therefore second quantity = 13×7 = 91.

id=23236 | topic=Percentages | difficulty=Easy | question=What is 20% of 1193? | option_a=233 | option_b=476 | option_c=238 | option_d=243 | answer=C | explanation=20% of 1193 = (20/100) × 1193 = 238.

id=23237 | topic=Percentages | difficulty=Easy | question=What is 15% of 813? | option_a=121 | option_b=242 | option_c=141 | option_d=101 | answer=A | explanation=15% of 813 = (15/100) × 813 = 121.

id=23238 | topic=Averages | difficulty=Easy | question=Find the average of 83, 42, 49. | option_a=59 | option_b=60 | option_c=58 | option_d=57 | answer=C | explanation=Average = sum of values + number of values = 174 ÷ 3 = 58.

id=23239 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:1 and the first is 54, what is the second? | option_a=21 | option_b=18 | option_c=17 | option_d=72 | answer=B | explanation=Scale factor = 54/3 = 18. Therefore second quantity = 1×18 = 18.

id=23240 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 27? | option_a=27 | option_b=22 | option_c=24 | option_d=20 | answer=A | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 27 is the odd one out.

id=23241 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=23242 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 37? | option_a=37 | option_b=24 | option_c=14 | option_d=4 | answer=A | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 37 is the odd one out.

id=23243 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=23244 | topic=Percentages | difficulty=Easy | question=What is 15% of 1032? | option_a=149 | option_b=154 | option_c=164 | option_d=308 | answer=B | explanation=15% of 1032 = (15/100) × 1032 = 154.

id=23245 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=11 | option_b=12 | option_c=9 | option_d=13 | answer=A | explanation=The common difference is 2. Therefore the next term is 9 + 2 = 11.

id=23246 | topic=Averages | difficulty=Easy | question=Find the average of 40, 42, 80. | option_a=56 | option_b=54 | option_c=53 | option_d=55 | answer=B | explanation=Average = sum of values + number of values = 162 ÷ 3 = 54.

id=23247 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**525. If it is sold at a profit of 50%, what is its selling price? | option_a=735 | option_b=839 | option_c=787 | option_d=575 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 525 × 150/100 = **₹**787.

id=23248 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=67 | option_c=72 | option_d=77 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=23249 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:15 and the first is 10, what is the second? | option_a=135 | option_b=151 | option_c=160 | option_d=150 | answer=D | explanation=Scale factor = 10/1 = 10. Therefore second quantity = 15×10 = 150.

id=23250 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**10785 at 10% per annum for 4 years. | option_a=4314 | option_b=4414 | option_c=15099 | option_d=4214 | answer=A | explanation=SI = PRT/100 = 10785×10×4/100 = **₹**4314.

Aptitude Questions — Records 23,251-23,280 of 100,000

id=23251 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:18 and the first is 112, what is the second? | option_a=252 | option_b=364 | option_c=260 | option_d=234 | answer=A | explanation=Scale factor = 112/8 = 14. Therefore second quantity = 18×14 = 252.

id=23252 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:5 and the first is 98, what is the second? | option_a=133 | option_b=35 | option_c=49 | option_d=30 | answer=B | explanation=Scale factor = 98/14 = 7. Therefore second quantity = 5×7 = 35.

id=23253 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=26 | option_b=34 | option_c=30 | option_d=31 | answer=C | explanation=The common difference is 4. Therefore the next term is 26 + 4 = 30.

id=23254 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=K | option_b=Q | option_c=T | option_d=N | answer=B | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=23255 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=23256 | topic=Averages | difficulty=Easy | question=Find the average of 56, 96, 91, 57, 54, 77, 46, 85, 80, 48. | option_a=69 | option_b=71 | option_c=70 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = 690 ÷ 10 = 69.

id=23257 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=D | option_b=C | option_c=E | option_d=B | answer=A | explanation=Move 1 positions forward from C; the resulting letter is D.

id=23258 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=23259 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 27? | option_a=27 | option_b=11 | option_c=18 | option_d=4 | answer=A | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 27 is the odd one out.

id=23260 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=23261 | topic=Percentages | difficulty=Easy | question=What is 15% of 1556? | option_a=243 | option_b=223 | option_c=466 | option_d=233 | answer=D | explanation=15% of 1556 = (15/100) × 1556 = 233.

id=23262 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=G | option_c=E | option_d=C | answer=B | explanation=Move 2 positions forward from E; the resulting letter is G.

id=23263 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=23264 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=Q | option_c=O | option_d=P | answer=B | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=23265 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=18 | option_c=14 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=23266 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4985. If it is sold at a profit of 5%, what is its selling price? | option_a=5234 | option_b=5732 | option_c=4736 | option_d=4990 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4985 × 105/100 = █5234.

id=23267 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=16 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=23268 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=16 | option_b=20 | option_c=21 | option_d=24 | answer=B | explanation=The common difference is 4. Therefore the next term is 16 + 4 = 20.

id=23269 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=18 | option_b=19 | option_c=15 | option_d=21 | answer=A | explanation=The common difference is 3. Therefore the next term is 15 + 3 = 18.

id=23270 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=B | option_b=E | option_c=D | option_d=C | answer=C | explanation=Move 1 positions forward from C; the resulting letter is D.

id=23271 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 37, 44, 53? | option_a=53 | option_b=44 | option_c=37 | option_d=30 | answer=A | explanation=The first three numbers increase by 7, so the next should be 51. Therefore 53 is the odd one out.

id=23272 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34006 at 5% per annum for 2 years. | option_a=3400 | option_b=3300 | option_c=37406 | option_d=3500 | answer=A | explanation=SI = PRT/100 = 34006×5×2/100 = █3400.

id=23273 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25446 at 5% per annum for 1 years. | option_a=1372 | option_b=1172 | option_c=1272 | option_d=26718 | answer=C | explanation=SI = PRT/100 = 25446×5×1/100 = █1272.

id=23274 | topic=Percentages | difficulty=Easy | question=What is 12% of 163? | option_a=9 | option_b=29 | option_c=38 | option_d=19 | answer=D | explanation=12% of 163 = (12/100) × 163 = 19.

id=23275 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=32 | option_b=26 | option_c=30 | option_d=29 | answer=D | explanation=The common difference is 3. Therefore the next term is 26 + 3 = 29.

id=23276 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=23277 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=21 | option_b=27 | option_c=25 | option_d=24 | answer=D | explanation=The common difference is 3. Therefore the next term is 21 + 3 = 24.

id=23278 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=1 | option_c=6 | option_d=12 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=23279 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43514 at 6% per annum for 4 years. | option_a=10343 | option_b=10543 | option_c=10443 | option_d=53957 | answer=C | explanation=SI = PRT/100 = 43514×6×4/100 = █10443.

id=23280 | topic=Averages | difficulty=Easy | question=Find the average of 83, 84, 71, 83, 72, 26, 37, 16. | option_a=60 | option_b=59 | option_c=61 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 472 ÷ 8 = 59.

Aptitude Questions — Records 23,281-23,310 of 100,000

id=23281 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=56 | option_b=46 | option_c=55 | option_d=64 | answer=C | explanation=The common difference is 9. Therefore the next term is 46 + 9 = 55.

id=23282 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6422 at 6% per annum for 3 years. | option_a=7577 | option_b=1255 | option_c=1155 | option_d=1055 | answer=C | explanation=SI = PRT/100 = 6422×6×3/100 = **■**1155.

id=23283 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Y | option_b=U | option_c=M | option_d=Q | answer=B | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=23284 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 24, 32, 40, ? | option_a=49 | option_b=56 | option_c=40 | option_d=48 | answer=D | explanation=The common difference is 8. Therefore the next term is 40 + 8 = 48.

id=23285 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:12 and the first is 143, what is the second? | option_a=120 | option_b=275 | option_c=145 | option_d=132 | answer=D | explanation=Scale factor = 143/13 = 11. Therefore second quantity = 12×11 = 132.

id=23286 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=23287 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 15? | option_a=8 | option_b=11 | option_c=5 | option_d=15 | answer=D | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 15 is the odd one out.

id=23288 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=L | option_b=V | option_c=A | option_d=Q | answer=B | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=23289 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=M | option_c=G | option_d=I | answer=A | explanation=Move 2 positions forward from I; the resulting letter is K.

id=23290 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:7 and the first is 42, what is the second? | option_a=14 | option_b=21 | option_c=35 | option_d=63 | answer=B | explanation=Scale factor = 42/14 = 3. Therefore second quantity = 7×3 = 21.

id=23291 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1167. If it is sold at a profit of 5%, what is its selling price? | option_a=1225 | option_b=1341 | option_c=1109 | option_d=1172 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1167 × 105/100 = **■**1225.

id=23292 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=17 | option_d=7 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=23293 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 16. | option_a=64 | option_b=20 | option_c=16 | option_d=1 | answer=C | explanation=LCM × HCF = 4×16; HCF(4,16) = 4, so LCM = 16.

id=23294 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35366 at 4% per annum for 3 years. | option_a=39609 | option_b=4243 | option_c=4343 | option_d=4143 | answer=B | explanation=SI = PRT/100 = 35366×4×3/100 = **■**4243.

id=23295 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3569. If it is sold at a profit of 5%, what is its selling price? | option_a=3391 | option_b=3574 | option_c=3747 | option_d=4103 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3569 × 105/100 = **■**3747.

id=23296 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 4. | option_a=16 | option_b=32 | option_c=8 | option_d=4 | answer=C | explanation=LCM × HCF = 8×4; HCF(8,4) = 4, so LCM = 8.

id=23297 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1320. If it is sold at a profit of 40%, what is its selling price? | option_a=1848 | option_b=1716 | option_c=1980 | option_d=1360 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1320 × 140/100 = **■**1848.

id=23298 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:12 and the first is 24, what is the second? | option_a=60 | option_b=24 | option_c=44 | option_d=36 | answer=D | explanation=Scale factor = 24/8 = 3. Therefore second quantity = 12×3 = 36.

id=23299 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=B | option_b=A | option_c=Z | option_d=C | answer=A | explanation=Move 1 positions forward from A; the resulting letter is B.

id=23300 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 10, 15, 20, ? | option_a=26 | option_b=30 | option_c=25 | option_d=20 | answer=C | explanation=The common difference is 5. Therefore the next term is 20 + 5 = 25.

id=23301 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:17 and the first is 300, what is the second? | option_a=640 | option_b=340 | option_c=355 | option_d=323 | answer=B | explanation=Scale factor = 300/15 = 20. Therefore second quantity = 17×20 = 340.

id=23302 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 4. | option_a=32 | option_b=54 | option_c=36 | option_d=72 | answer=C | explanation=LCM × HCF = 18×4; HCF(18,4) = 2, so LCM = 36.

id=23303 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=R | option_b=J | option_c=F | option_d=N | answer=D | explanation=Move 4 positions forward from J; the resulting letter is N.

id=23304 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=B | option_b=W | option_c=R | option_d=M | answer=B | explanation=Move 5 positions forward from R; the resulting letter is W.

id=23305 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=23306 | topic=Averages | difficulty=Easy | question=Find the average of 12, 21, 24, 58, 30. | option_a=28 | option_b=31 | option_c=29 | option_d=30 | answer=C | explanation=Average = sum of values ÷ number of values = 145 ÷ 5 = 29.

id=23307 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 28? | option_a=24 | option_b=18 | option_c=21 | option_d=28 | answer=D | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 28 is the odd one out.

id=23308 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=24 | option_b=27 | option_c=28 | option_d=30 | answer=B | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=23309 | topic=Percentages | difficulty=Easy | question=What is 5% of 583? | option_a=29 | option_b=49 | option_c=19 | option_d=58 | answer=A | explanation=5% of 583 = (5/100) × 583 = 29.

id=23310 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:12 and the first is 15, what is the second? | option_a=41 | option_b=24 | option_c=51 | option_d=36 | answer=D | explanation=Scale factor = 15/5 = 3. Therefore second quantity = 12×3 = 36.

Aptitude Questions — Records 23,311-23,340 of 100,000

id=23311 | topic=Percentages | difficulty=Easy | question=What is 5% of 631? | option_a=31 | option_b=62 | option_c=36 | option_d=26 | answer=A | explanation=5% of 631 = (5/100) × 631 = 31.

id=23312 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1083. If it is sold at a profit of 50%, what is its selling price? | option_a=1133 | option_b=1624 | option_c=1516 | option_d=1732 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1083 × 150/100 = █1624.

id=23313 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=23314 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:20 and the first is 187, what is the second? | option_a=200 | option_b=237 | option_c=220 | option_d=407 | answer=C | explanation=Scale factor = 187/17 = 11. Therefore second quantity = 20×11 = 220.

id=23315 | topic=Percentages | difficulty=Easy | question=What is 40% of 1685? | option_a=674 | option_b=1348 | option_c=669 | option_d=694 | answer=A | explanation=40% of 1685 = (40/100) × 1685 = 674.

id=23316 | topic=Averages | difficulty=Easy | question=Find the average of 49, 81, 100, 42, 44, 74, 83, 27, 23, 37. | option_a=58 | option_b=55 | option_c=57 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 560 ÷ 10 = 56.

id=23317 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=O | option_b=P | option_c=M | option_d=N | answer=A | explanation=Move 1 positions forward from N; the resulting letter is O.

id=23318 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=V | option_c=P | option_d=T | answer=D | explanation=Move 2 positions forward from R; the resulting letter is T.

id=23319 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1741. If it is sold at a profit of 10%, what is its selling price? | option_a=1751 | option_b=1915 | option_c=1741 | option_d=2089 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1741 × 110/100 = █1915.

id=23320 | topic=Averages | difficulty=Easy | question=Find the average of 53, 96, 27, 28. | option_a=52 | option_b=50 | option_c=51 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 204 ÷ 4 = 51.

id=23321 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 31, 35, 41? | option_a=31 | option_b=27 | option_c=41 | option_d=35 | answer=C | explanation=The first three numbers increase by 4, so the next should be 39. Therefore 41 is the odd one out.

id=23322 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=23323 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=4 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=23324 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:1 and the first is 51, what is the second? | option_a=68 | option_b=16 | option_c=20 | option_d=17 | answer=D | explanation=Scale factor = 51/3 = 17. Therefore second quantity = 1×17 = 17.

id=23325 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 17, 23, 30? | option_a=23 | option_b=11 | option_c=17 | option_d=30 | answer=D | explanation=The first three numbers increase by 6, so the next should be 29. Therefore 30 is the odd one out.

id=23326 | topic=Averages | difficulty=Easy | question=Find the average of 92, 54, 93, 49, 77, 82, 15. | option_a=68 | option_b=65 | option_c=67 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = 462 ÷ 7 = 66.

id=23327 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 43? | option_a=43 | option_b=30 | option_c=24 | option_d=36 | answer=A | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 43 is the odd one out.

id=23328 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=E | option_c=A | option_d=C | answer=B | explanation=Move 2 positions forward from C; the resulting letter is E.

id=23329 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3708. If it is sold at a profit of 40%, what is its selling price? | option_a=5561 | option_b=4821 | option_c=3748 | option_d=5191 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3708 × 140/100 = █5191.

id=23330 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 29, 36, 44? | option_a=22 | option_b=44 | option_c=36 | option_d=29 | answer=B | explanation=The first three numbers increase by 7, so the next should be 43. Therefore 44 is the odd one out.

id=23331 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=J | option_c=H | option_d=D | answer=C | explanation=Move 2 positions forward from F; the resulting letter is H.

id=23332 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=23333 | topic=Percentages | difficulty=Easy | question=What is 5% of 1448? | option_a=62 | option_b=72 | option_c=82 | option_d=144 | answer=B | explanation=5% of 1448 = (5/100) × 1448 = 72.

id=23334 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49962 at 10% per annum for 4 years. | option_a=20084 | option_b=69946 | option_c=19984 | option_d=19884 | answer=C | explanation=SI = PRT/100 = 49962×10×4/100 = █19984.

id=23335 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=24 | option_c=17 | option_d=7 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=23336 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=12 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=23337 | topic=Percentages | difficulty=Easy | question=What is 30% of 1056? | option_a=632 | option_b=306 | option_c=316 | option_d=336 | answer=C | explanation=30% of 1056 = (30/100) × 1056 = 316.

id=23338 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40698 at 6% per annum for 2 years. | option_a=4783 | option_b=4983 | option_c=4883 | option_d=45581 | answer=C | explanation=SI = PRT/100 = 40698×6×2/100 = █4883.

id=23339 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=45 | option_b=55 | option_c=54 | option_d=63 | answer=C | explanation=The common difference is 9. Therefore the next term is 45 + 9 = 54.

id=23340 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24272 at 8% per annum for 5 years. | option_a=9608 | option_b=33980 | option_c=9708 | option_d=9808 | answer=C | explanation=SI = PRT/100 = 24272×8×5/100 = █9708.

Aptitude Questions — Records 23,341-23,370 of 100,000

- id=23341 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=G | option_c=A | option_d=E | answer=D | explanation=Move 2 positions forward from C; the resulting letter is E.
- id=23342 | topic=Percentages | difficulty=Easy | question=What is 10% of 753? | option_a=95 | option_b=65 | option_c=75 | option_d=150 | answer=C | explanation=10% of 753 = (10/100) × 753 = 75.
- id=23343 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1180. If it is sold at a profit of 50%, what is its selling price? | option_a=1888 | option_b=1652 | option_c=1770 | option_d=1230 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1180 × 150/100 = █1770.
- id=23344 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=X | option_b=B | option_c=P | option_d=T | answer=A | explanation=Move 4 positions forward from T; the resulting letter is X.
- id=23345 | topic=Profit & Loss | difficulty=Easy | question=An article costs █595. If it is sold at a profit of 40%, what is its selling price? | option_a=635 | option_b=774 | option_c=892 | option_d=833 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 595 × 140/100 = █833.
- id=23346 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:6 and the first is 56, what is the second? | option_a=78 | option_b=84 | option_c=88 | option_d=140 | answer=B | explanation=Scale factor = 56/4 = 14. Therefore second quantity = 6×14 = 84.
- id=23347 | topic=Percentages | difficulty=Easy | question=What is 10% of 1969? | option_a=196 | option_b=392 | option_c=191 | option_d=201 | answer=A | explanation=10% of 1969 = (10/100) × 1969 = 196.
- id=23348 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=23 | option_b=22 | option_c=27 | option_d=17 | answer=B | explanation=The common difference is 5. Therefore the next term is 17 + 5 = 22.
- id=23349 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 45? | option_a=45 | option_b=34 | option_c=18 | option_d=26 | answer=A | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 45 is the odd one out.
- id=23350 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 30, 32, 35? | option_a=28 | option_b=32 | option_c=30 | option_d=35 | answer=D | explanation=The first three numbers increase by 2, so the next should be 34. Therefore 35 is the odd one out.
- id=23351 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:11 and the first is 120, what is the second? | option_a=209 | option_b=220 | option_c=340 | option_d=226 | answer=B | explanation=Scale factor = 120/6 = 20. Therefore second quantity = 11×20 = 220.
- id=23352 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 26. | option_a=364 | option_b=728 | option_c=338 | option_d=392 | answer=A | explanation=LCM × HCF = 28×26; HCF(28,26) = 2, so LCM = 364.
- id=23353 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 28? | option_a=28 | option_b=19 | option_c=15 | option_d=23 | answer=A | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 28 is the odd one out.
- id=23354 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:6 and the first is 27, what is the second? | option_a=27 | option_b=12 | option_c=18 | option_d=45 | answer=C | explanation=Scale factor = 27/9 = 3. Therefore second quantity = 6×3 = 18.
- id=23355 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3124. If it is sold at a profit of 40%, what is its selling price? | option_a=4373 | option_b=4685 | option_c=3164 | option_d=4061 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3124 × 140/100 = █4373.
- id=23356 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=22 | option_b=26 | option_c=18 | option_d=23 | answer=A | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.
- id=23357 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 13, 21, 30? | option_a=13 | option_b=30 | option_c=21 | option_d=5 | answer=B | explanation=The first three numbers increase by 8, so the next should be 29. Therefore 30 is the odd one out.
- id=23358 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4430. If it is sold at a profit of 10%, what is its selling price? | option_a=4440 | option_b=4430 | option_c=4873 | option_d=5316 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4430 × 110/100 = █4873.
- id=23359 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 8, 11, 14, ? | option_a=18 | option_b=20 | option_c=14 | option_d=17 | answer=D | explanation=The common difference is 3. Therefore the next term is 14 + 3 = 17.
- id=23360 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18694 at 12% per annum for 5 years. | option_a=11216 | option_b=11316 | option_c=11116 | option_d=29910 | answer=A | explanation=SI = PRT/100 = 18694×12×5/100 = █11216.
- id=23361 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19665 at 15% per annum for 2 years. | option_a=25564 | option_b=5999 | option_c=5799 | option_d=5899 | answer=D | explanation=SI = PRT/100 = 19665×15×2/100 = █5899.
- id=23362 | topic=Averages | difficulty=Easy | question=Find the average of 38, 81, 19. | option_a=48 | option_b=47 | option_c=45 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 138 ÷ 3 = 46.
- id=23363 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1574. If it is sold at a profit of 10%, what is its selling price? | option_a=1574 | option_b=1888 | option_c=1731 | option_d=1584 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1574 × 110/100 = █1731.
- id=23364 | topic=Averages | difficulty=Easy | question=Find the average of 91, 45, 32, 73, 90, 23. | option_a=59 | option_b=60 | option_c=58 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.
- id=23365 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2029. If it is sold at a profit of 10%, what is its selling price? | option_a=2029 | option_b=2433 | option_c=2231 | option_d=2039 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2029 × 110/100 = █2231.
- id=23366 | topic=Percentages | difficulty=Easy | question=What is 15% of 336? | option_a=60 | option_b=100 | option_c=40 | option_d=50 | answer=D | explanation=15% of 336 = (15/100) × 336 = 50.
- id=23367 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:13 and the first is 14, what is the second? | option_a=33 | option_b=13 | option_c=26 | option_d=40 | answer=C | explanation=Scale factor = 14/7 = 2. Therefore second quantity = 13×2 = 26.
- id=23368 | topic=Percentages | difficulty=Easy | question=What is 25% of 76? | option_a=14 | option_b=19 | option_c=29 | option_d=38 | answer=B | explanation=25% of 76 = (25/100) × 76 = 19.
- id=23369 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 28. | option_a=1 | option_b=32 | option_c=28 | option_d=112 | answer=C | explanation=LCM × HCF = 4×28; HCF(4,28) = 4, so LCM = 28.
- id=23370 | topic=Percentages | difficulty=Easy | question=What is 12% of 1213? | option_a=165 | option_b=290 | option_c=140 | option_d=145 | answer=D | explanation=12% of 1213 = (12/100) × 1213 = 145.

Aptitude Questions — Records 23,371-23,400 of 100,000

id=23371 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=L | option_c=I | option_d=K | answer=D | explanation=Move 1 positions forward from J; the resulting letter is K.

id=23372 | topic=Averages | difficulty=Easy | question=Find the average of 91, 19, 41, 94, 62, 85, 65, 73, 16, 34. | option_a=60 | option_b=58 | option_c=57 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 580 ÷ 10 = 58.

id=23373 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=23374 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=Y | option_b=O | option_c=T | option_d=D | answer=A | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=23375 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:9 and the first is 400, what is the second? | option_a=580 | option_b=200 | option_c=180 | option_d=171 | answer=C | explanation=Scale factor = 400/20 = 20. Therefore second quantity = 9×20 = 180.

id=23376 | topic=Percentages | difficulty=Easy | question=What is 20% of 1080? | option_a=216 | option_b=432 | option_c=196 | option_d=221 | answer=A | explanation=20% of 1080 = (20/100) × 1080 = 216.

id=23377 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=47 | option_b=38 | option_c=39 | option_d=29 | answer=B | explanation=The common difference is 9. Therefore the next term is 29 + 9 = 38.

id=23378 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27832 at 5% per annum for 3 years. | option_a=32006 | option_b=4274 | option_c=4074 | option_d=4174 | answer=D | explanation=SI = PRT/100 = 27832×5×3/100 = **■**4174.

id=23379 | topic=Averages | difficulty=Easy | question=Find the average of 79, 39, 36, 50, 21. | option_a=45 | option_b=46 | option_c=47 | option_d=44 | answer=A | explanation=Average = sum of values ÷ number of values = 225 ÷ 5 = 45.

id=23380 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:10 and the first is 91, what is the second? | option_a=83 | option_b=161 | option_c=60 | option_d=70 | answer=D | explanation=Scale factor = 91/13 = 7. Therefore second quantity = 10×7 = 70.

id=23381 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=65 | option_b=54 | option_c=43 | option_d=55 | answer=B | explanation=The common difference is 11. Therefore the next term is 43 + 11 = 54.

id=23382 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11836 at 5% per annum for 3 years. | option_a=1775 | option_b=1675 | option_c=13611 | option_d=1875 | answer=A | explanation=SI = PRT/100 = 11836×5×3/100 = **■**1775.

id=23383 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=23384 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44577 at 5% per annum for 5 years. | option_a=55721 | option_b=11044 | option_c=11144 | option_d=11244 | answer=C | explanation=SI = PRT/100 = 44577×5×5/100 = **■**11144.

id=23385 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:12 and the first is 56, what is the second? | option_a=140 | option_b=92 | option_c=84 | option_d=72 | answer=C | explanation=Scale factor = 56/8 = 7. Therefore second quantity = 12×7 = 84.

id=23386 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:10 and the first is 196, what is the second? | option_a=154 | option_b=140 | option_c=130 | option_d=336 | answer=B | explanation=Scale factor = 196/14 = 14. Therefore second quantity = 10×14 = 140.

id=23387 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:19 and the first is 156, what is the second? | option_a=384 | option_b=241 | option_c=228 | option_d=209 | answer=C | explanation=Scale factor = 156/13 = 12. Therefore second quantity = 19×12 = 228.

id=23388 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=K | option_b=G | option_c=Y | option_d=C | answer=B | explanation=Move 4 positions forward from C; the resulting letter is G.

id=23389 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=200 | option_c=105 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=23390 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=23391 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:5 and the first is 102, what is the second? | option_a=132 | option_b=30 | option_c=25 | option_d=47 | answer=B | explanation=Scale factor = 102/17 = 6. Therefore second quantity = 5×6 = 30.

id=23392 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 26? | option_a=11 | option_b=26 | option_c=4 | option_d=18 | answer=B | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 26 is the odd one out.

id=23393 | topic=Percentages | difficulty=Easy | question=What is 50% of 602? | option_a=602 | option_b=301 | option_c=296 | option_d=311 | answer=B | explanation=50% of 602 = (50/100) × 602 = 301.

id=23394 | topic=Averages | difficulty=Easy | question=Find the average of 14, 23, 98, 81, 26, 92, 51. | option_a=55 | option_b=56 | option_c=54 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 385 ÷ 7 = 55.

id=23395 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=58 | option_b=57 | option_c=67 | option_d=47 | answer=B | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

id=23396 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**193. If it is sold at a profit of 15%, what is its selling price? | option_a=221 | option_b=240 | option_c=208 | option_d=202 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 193 × 115/100 = **■**221.

id=23397 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=23398 | topic=Averages | difficulty=Easy | question=Find the average of 90, 24, 17, 53. | option_a=46 | option_b=48 | option_c=45 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 184 ÷ 4 = 46.

id=23399 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=41 | option_c=36 | option_d=72 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=23400 | topic=Averages | difficulty=Easy | question=Find the average of 83, 19, 66, 96, 48, 99, 65. | option_a=67 | option_b=68 | option_c=70 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 476 ÷ 7 = 68.

Aptitude Questions — Records 23,401-23,430 of 100,000

id=23401 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:7 and the first is 289, what is the second? | option_a=136 | option_b=408 | option_c=119 | option_d=112 | answer=C | explanation=Scale factor = $289/17 = 17$. Therefore second quantity = $7 \times 17 = 119$.

id=23402 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=55 | option_c=45 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = $300 \div 6 = 50$ km/h.

id=23403 | topic=Averages | difficulty=Easy | question=Find the average of 42, 40, 46, 19, 44, 33, 75, 77, 43, 101. | option_a=53 | option_b=54 | option_c=52 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = $520 \div 10 = 52$.

id=23404 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 38? | option_a=38 | option_b=13 | option_c=29 | option_d=21 | answer=A | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 38 is the odd one out.

id=23405 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26927 at 12% per annum for 5 years. | option_a=43083 | option_b=16256 | option_c=16156 | option_d=16056 | answer=C | explanation=SI = $PRT/100 = 26927 \times 12 \times 5/100 = \text{■}16156$.

id=23406 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=45 | option_b=29 | option_c=37 | option_d=38 | answer=C | explanation=The common difference is 8. Therefore the next term is $29 + 8 = 37$.

id=23407 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=J | option_b=V | option_c=R | option_d=N | answer=C | explanation=Move 4 positions forward from N; the resulting letter is R.

id=23408 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 18, 26, 36? | option_a=10 | option_b=18 | option_c=36 | option_d=26 | answer=C | explanation=The first three numbers increase by 8, so the next should be 34. Therefore 36 is the odd one out.

id=23409 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:20 and the first is 117, what is the second? | option_a=240 | option_b=260 | option_c=377 | option_d=269 | answer=B | explanation=Scale factor = $117/9 = 13$. Therefore second quantity = $20 \times 13 = 260$.

id=23410 | topic=Averages | difficulty=Easy | question=Find the average of 95, 10, 73, 44, 92, 79, 12, 24, 63, 68. | option_a=56 | option_b=58 | option_c=57 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = $560 \div 10 = 56$.

id=23411 | topic=Averages | difficulty=Easy | question=Find the average of 79, 87, 35. | option_a=69 | option_b=67 | option_c=66 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = $201 \div 3 = 67$.

id=23412 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:16 and the first is 16, what is the second? | option_a=272 | option_b=256 | option_c=240 | option_d=257 | answer=B | explanation=Scale factor = $16/1 = 16$. Therefore second quantity = $16 \times 16 = 256$.

id=23413 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=200 | option_c=95 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = $300 \div 3 = 100$ km/h.

id=23414 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.

id=23415 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:7 and the first is 360, what is the second? | option_a=140 | option_b=158 | option_c=500 | option_d=133 | answer=A | explanation=Scale factor = $360/18 = 20$. Therefore second quantity = $7 \times 20 = 140$.

id=23416 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 15? | option_a=8 | option_b=12 | option_c=15 | option_d=10 | answer=C | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 15 is the odd one out.

id=23417 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=A | option_b=O | option_c=S | option_d=W | answer=D | explanation=Move 4 positions forward from S; the resulting letter is W.

id=23418 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4516. If it is sold at a profit of 50%, what is its selling price? | option_a=6323 | option_b=4566 | option_c=7225 | option_d=6774 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4516 \times 150/100 = \text{■}6774$.

id=23419 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:16 and the first is 140, what is the second? | option_a=144 | option_b=160 | option_c=300 | option_d=174 | answer=B | explanation=Scale factor = $140/14 = 10$. Therefore second quantity = $16 \times 10 = 160$.

id=23420 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=8 | option_d=3 | answer=B | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=23421 | topic=Percentages | difficulty=Easy | question=What is 40% of 1205? | option_a=964 | option_b=492 | option_c=477 | option_d=482 | answer=D | explanation=40% of 1205 = $(40/100) \times 1205 = 482$.

id=23422 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2794. If it is sold at a profit of 30%, what is its selling price? | option_a=3632 | option_b=2824 | option_c=3353 | option_d=3911 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2794 \times 130/100 = \text{■}3632$.

id=23423 | topic=Percentages | difficulty=Easy | question=What is 25% of 529? | option_a=132 | option_b=264 | option_c=137 | option_d=112 | answer=A | explanation=25% of 529 = $(25/100) \times 529 = 132$.

id=23424 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1141. If it is sold at a profit of 10%, what is its selling price? | option_a=1141 | option_b=1369 | option_c=1151 | option_d=1255 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1141 \times 110/100 = \text{■}1255$.

id=23425 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=B | option_b=F | option_c=N | option_d=J | answer=D | explanation=Move 4 positions forward from F; the resulting letter is J.

id=23426 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=23427 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=23428 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2508. If it is sold at a profit of 30%, what is its selling price? | option_a=2538 | option_b=3260 | option_c=3010 | option_d=3510 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2508 \times 130/100 = \text{■}3260$.

id=23429 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 23, 26, 32? | option_a=23 | option_b=20 | option_c=32 | option_d=26 | answer=C | explanation=The first three numbers increase by 3, so the next should be 29. Therefore 32 is the odd one out.

id=23430 | topic=Percentages | difficulty=Easy | question=What is 15% of 1828? | option_a=274 | option_b=264 | option_c=548 | option_d=279 | answer=A | explanation=15% of 1828 = $(15/100) \times 1828 = 274$.

Aptitude Questions — Records 23,431-23,460 of 100,000

id=23431 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=40 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=23432 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=40 | option_b=60 | option_c=51 | option_d=50 | answer=D | explanation=The common difference is 10. Therefore the next term is 40 + 10 = 50.

id=23433 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:9 and the first is 200, what is the second? | option_a=110 | option_b=290 | option_c=90 | option_d=81 | answer=C | explanation=Scale factor = 200/20 = 10. Therefore second quantity = 9×10 = 90.

id=23434 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5687 at 6% per annum for 3 years. | option_a=6710 | option_b=1023 | option_c=923 | option_d=1123 | answer=B | explanation=SI = $PRT/100 = 5687 \times 6 \times 3/100 = \text{■}1023$.

id=23435 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=23436 | topic=Averages | difficulty=Easy | question=Find the average of 49, 58, 54, 50, 67, 52. | option_a=54 | option_b=55 | option_c=57 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = $330 \div 6 = 55$.

id=23437 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=M | option_b=S | option_c=P | option_d=V | answer=B | explanation=Move 3 positions forward from P; the resulting letter is S.

id=23438 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:11 and the first is 24, what is the second? | option_a=33 | option_b=22 | option_c=41 | option_d=57 | answer=A | explanation=Scale factor = $24/8 = 3$. Therefore second quantity = $11 \times 3 = 33$.

id=23439 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 42? | option_a=31 | option_b=23 | option_c=42 | option_d=15 | answer=C | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 42 is the odd one out.

id=23440 | topic=Averages | difficulty=Easy | question=Find the average of 30, 52, 52, 84, 70, 56, 93, 27. | option_a=57 | option_b=60 | option_c=58 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = $464 \div 8 = 58$.

id=23441 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18318 at 10% per annum for 1 years. | option_a=1831 | option_b=1931 | option_c=20149 | option_d=1731 | answer=A | explanation=SI = $PRT/100 = 18318 \times 10 \times 1/100 = \text{■}1831$.

id=23442 | topic=Percentages | difficulty=Easy | question=What is 50% of 384? | option_a=192 | option_b=197 | option_c=172 | option_d=384 | answer=A | explanation=50% of 384 = $(50/100) \times 384 = 192$.

id=23443 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:1 and the first is 5, what is the second? | option_a=5 | option_b=10 | option_c=6 | option_d=4 | answer=A | explanation=Scale factor = $5/1 = 5$. Therefore second quantity = $1 \times 5 = 5$.

id=23444 | topic=Percentages | difficulty=Easy | question=What is 20% of 1878? | option_a=375 | option_b=380 | option_c=750 | option_d=370 | answer=A | explanation=20% of 1878 = $(20/100) \times 1878 = 375$.

id=23445 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 12. | option_a=60 | option_b=90 | option_c=360 | option_d=48 | answer=A | explanation= $LCM \times HCF = 30 \times 12$; $HCF(30,12) = 6$, so $LCM = 60$.

id=23446 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48296 at 8% per annum for 3 years. | option_a=11591 | option_b=11491 | option_c=11691 | option_d=59887 | answer=A | explanation=SI = $PRT/100 = 48296 \times 8 \times 3/100 = \text{■}11591$.

id=23447 | topic=Percentages | difficulty=Easy | question=What is 20% of 111? | option_a=12 | option_b=44 | option_c=27 | option_d=22 | answer=D | explanation=20% of 111 = $(20/100) \times 111 = 22$.

id=23448 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=76 | option_b=52 | option_c=64 | option_d=65 | answer=C | explanation=The common difference is 12. Therefore the next term is $52 + 12 = 64$.

id=23449 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=I | option_c=H | option_d=J | answer=D | explanation=Move 1 positions forward from I; the resulting letter is J.

id=23450 | topic=Averages | difficulty=Easy | question=Find the average of 45, 13, 79, 54, 24. | option_a=44 | option_b=45 | option_c=42 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = $215 \div 5 = 43$.

id=23451 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 195, what is the second? | option_a=36 | option_b=39 | option_c=54 | option_d=234 | answer=B | explanation=Scale factor = $195/15 = 13$. Therefore second quantity = $3 \times 13 = 39$.

id=23452 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34097 at 15% per annum for 5 years. | option_a=25572 | option_b=59669 | option_c=25472 | option_d=25672 | answer=A | explanation=SI = $PRT/100 = 34097 \times 15 \times 5/100 = \text{■}25572$.

id=23453 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 16, 21, 29? | option_a=21 | option_b=29 | option_c=11 | option_d=16 | answer=B | explanation=The first three numbers increase by 5, so the next should be 26. Therefore 29 is the odd one out.

id=23454 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=B | option_b=W | option_c=R | option_d=M | answer=B | explanation=Move 5 positions forward from R; the resulting letter is W.

id=23455 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=31 | option_b=36 | option_c=32 | option_d=26 | answer=A | explanation=The common difference is 5. Therefore the next term is $26 + 5 = 31$.

id=23456 | topic=Percentages | difficulty=Easy | question=What is 40% of 1086? | option_a=414 | option_b=444 | option_c=434 | option_d=868 | answer=C | explanation=40% of 1086 = $(40/100) \times 1086 = 434$.

id=23457 | topic=Percentages | difficulty=Easy | question=What is 15% of 1551? | option_a=237 | option_b=464 | option_c=232 | option_d=212 | answer=C | explanation=15% of 1551 = $(15/100) \times 1551 = 232$.

id=23458 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=30 | option_c=25 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = $150 \div 6 = 25$ km/h.

id=23459 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**368. If it is sold at a profit of 25%, what is its selling price? | option_a=460 | option_b=496 | option_c=424 | option_d=393 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 368 \times 125/100 = \text{■}460$.

id=23460 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**451. If it is sold at a profit of 15%, what is its selling price? | option_a=466 | option_b=563 | option_c=518 | option_d=473 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 451 \times 115/100 = \text{■}518$.

Aptitude Questions — Records 23,461-23,490 of 100,000

id=23461 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:11 and the first is 44, what is the second? | option_a=121 | option_b=125 | option_c=165 | option_d=110 | answer=A | explanation=Scale factor = 44/4 = 11. Therefore second quantity = 11×11 = 121.

id=23462 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■2507 at 12% per annum for 4 years. | option_a=1303 | option_b=3710 | option_c=1203 | option_d=1103 | answer=C | explanation=SI = PRT/100 = 2507×12×4/100 = ■1203.

id=23463 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■8321 at 4% per annum for 5 years. | option_a=1664 | option_b=9985 | option_c=1564 | option_d=1764 | answer=A | explanation=SI = PRT/100 = 8321×4×5/100 = ■1664.

id=23464 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=20 | option_b=22 | option_c=18 | option_d=21 | answer=A | explanation=The common difference is 2. Therefore the next term is 18 + 2 = 20.

id=23465 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■12298 at 5% per annum for 3 years. | option_a=1744 | option_b=1844 | option_c=1944 | option_d=14142 | answer=B | explanation=SI = PRT/100 = 12298×5×3/100 = ■1844.

id=23466 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=23467 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4591. If it is sold at a profit of 25%, what is its selling price? | option_a=5279 | option_b=6197 | option_c=5738 | option_d=4616 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4591 × 125/100 = ■5738.

id=23468 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=51 | option_b=40 | option_c=52 | option_d=62 | answer=A | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=23469 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=L | option_b=F | option_c=I | option_d=C | answer=C | explanation=Move 3 positions forward from F; the resulting letter is I.

id=23470 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=23471 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=5 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=23472 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=17 | option_b=19 | option_c=20 | option_d=21 | answer=B | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=23473 | topic=Percentages | difficulty=Easy | question=What is 10% of 722? | option_a=77 | option_b=62 | option_c=72 | option_d=144 | answer=C | explanation=10% of 722 = (10/100) × 722 = 72.

id=23474 | topic=Percentages | difficulty=Easy | question=What is 50% of 462? | option_a=462 | option_b=231 | option_c=236 | option_d=221 | answer=B | explanation=50% of 462 = (50/100) × 462 = 231.

id=23475 | topic=Averages | difficulty=Easy | question=Find the average of 25, 41, 90, 50, 11, 97, 52, 29, 83, 52. | option_a=53 | option_b=52 | option_c=54 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=23476 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 19? | option_a=15 | option_b=12 | option_c=9 | option_d=19 | answer=D | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 19 is the odd one out.

id=23477 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=W | option_b=E | option_c=I | option_d=A | answer=B | explanation=Move 4 positions forward from A; the resulting letter is E.

id=23478 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=41 | option_c=31 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=23479 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4713. If it is sold at a profit of 30%, what is its selling price? | option_a=6126 | option_b=5655 | option_c=4743 | option_d=6597 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4713 × 130/100 = ■6126.

id=23480 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=15 | option_c=20 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=23481 | topic=Percentages | difficulty=Easy | question=What is 5% of 1228? | option_a=56 | option_b=122 | option_c=61 | option_d=71 | answer=C | explanation=5% of 1228 = (5/100) × 1228 = 61.

id=23482 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=23483 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 31, 33, 37? | option_a=37 | option_b=33 | option_c=31 | option_d=29 | answer=A | explanation=The first three numbers increase by 2, so the next should be 35. Therefore 37 is the odd one out.

id=23484 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 27. | option_a=135 | option_b=405 | option_c=150 | option_d=108 | answer=A | explanation=LCM × HCF = 15×27; HCF(15,27) = 3, so LCM = 135.

id=23485 | topic=Averages | difficulty=Easy | question=Find the average of 70, 83, 24. | option_a=59 | option_b=61 | option_c=58 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 177 ÷ 3 = 59.

id=23486 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=23487 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:7 and the first is 44, what is the second? | option_a=121 | option_b=70 | option_c=81 | option_d=77 | answer=D | explanation=Scale factor = 44/4 = 11. Therefore second quantity = 7×11 = 77.

id=23488 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=19 | option_b=20 | option_c=21 | option_d=17 | answer=A | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=23489 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=23490 | topic=Percentages | difficulty=Easy | question=What is 40% of 351? | option_a=140 | option_b=150 | option_c=280 | option_d=130 | answer=A | explanation=40% of 351 = (40/100) × 351 = 140.

Aptitude Questions — Records 23,491-23,520 of 100,000

id=23491 | topic=Averages | difficulty=Easy | question=Find the average of 71, 91, 61, 88, 82, 22, 84, 45. | option_a=70 | option_b=68 | option_c=67 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 544 ÷ 8 = 68.

id=23492 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=31 | option_c=72 | option_d=41 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=23493 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1920. If it is sold at a profit of 15%, what is its selling price? | option_a=1935 | option_b=2400 | option_c=2016 | option_d=2208 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1920 × 115/100 = █2208.

id=23494 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=23495 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 43? | option_a=31 | option_b=43 | option_c=21 | option_d=11 | answer=B | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 43 is the odd one out.

id=23496 | topic=Percentages | difficulty=Easy | question=What is 25% of 1508? | option_a=377 | option_b=754 | option_c=397 | option_d=357 | answer=A | explanation=25% of 1508 = (25/100) × 1508 = 377.

id=23497 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 35, 42, 50? | option_a=42 | option_b=28 | option_c=50 | option_d=35 | answer=C | explanation=The first three numbers increase by 7, so the next should be 49. Therefore 50 is the odd one out.

id=23498 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 12, 15, 18, ? | option_a=24 | option_b=18 | option_c=22 | option_d=21 | answer=D | explanation=The common difference is 3. Therefore the next term is 18 + 3 = 21.

id=23499 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=23500 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 59? | option_a=59 | option_b=46 | option_c=26 | option_d=36 | answer=A | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 59 is the odd one out.

id=23501 | topic=Profit & Loss | difficulty=Easy | question=An article costs █485. If it is sold at a profit of 20%, what is its selling price? | option_a=534 | option_b=630 | option_c=505 | option_d=582 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 485 × 120/100 = █582.

id=23502 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=I | option_c=E | option_d=W | answer=C | explanation=Move 4 positions forward from A; the resulting letter is E.

id=23503 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=23504 | topic=Percentages | difficulty=Easy | question=What is 30% of 1109? | option_a=664 | option_b=327 | option_c=332 | option_d=337 | answer=C | explanation=30% of 1109 = (30/100) × 1109 = 332.

id=23505 | topic=Averages | difficulty=Easy | question=Find the average of 95, 40, 63, 23, 95, 26. | option_a=57 | option_b=56 | option_c=58 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 342 ÷ 6 = 57.

id=23506 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=Y | option_b=O | option_c=T | option_d=J | answer=C | explanation=Move 5 positions forward from O; the resulting letter is T.

id=23507 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=23508 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=23509 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=J | option_b=B | option_c=F | option_d=N | answer=A | explanation=Move 4 positions forward from F; the resulting letter is J.

id=23510 | topic=Averages | difficulty=Easy | question=Find the average of 90, 98, 71, 28, 60, 56, 21, 14, 84. | option_a=59 | option_b=58 | option_c=57 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 522 ÷ 9 = 58.

id=23511 | topic=Averages | difficulty=Easy | question=Find the average of 57, 13, 99, 18, 34, 93, 27, 71, 95, 53. | option_a=56 | option_b=58 | option_c=57 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 560 ÷ 10 = 56.

id=23512 | topic=Averages | difficulty=Easy | question=Find the average of 34, 37, 40, 43, 21, 60, 17. | option_a=35 | option_b=36 | option_c=38 | option_d=37 | answer=B | explanation=Average = sum of values ÷ number of values = 252 ÷ 7 = 36.

id=23513 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=O | option_c=X | option_d=U | answer=D | explanation=Move 3 positions forward from R; the resulting letter is U.

id=23514 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=52 | option_b=44 | option_c=34 | option_d=43 | answer=D | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

id=23515 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28936 at 10% per annum for 4 years. | option_a=40510 | option_b=11674 | option_c=11474 | option_d=11574 | answer=D | explanation=SI = PRT/100 = 28936×10×4/100 = █11574.

id=23516 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 300, what is the second? | option_a=360 | option_b=57 | option_c=60 | option_d=75 | answer=C | explanation=Scale factor = 300/15 = 20. Therefore second quantity = 3×20 = 60.

id=23517 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 45? | option_a=30 | option_b=24 | option_c=45 | option_d=36 | answer=C | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 45 is the odd one out.

id=23518 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=23519 | topic=Averages | difficulty=Easy | question=Find the average of 29, 66, 31, 92, 18, 58, 67, 71. | option_a=54 | option_b=56 | option_c=53 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 432 ÷ 8 = 54.

id=23520 | topic=Percentages | difficulty=Easy | question=What is 25% of 1520? | option_a=380 | option_b=760 | option_c=400 | option_d=375 | answer=A | explanation=25% of 1520 = (25/100) × 1520 = 380.

Aptitude Questions — Records 23,521-23,550 of 100,000

id=23521 | topic=Percentages | difficulty=Easy | question=What is 12% of 1747? | option_a=229 | option_b=204 | option_c=418 | option_d=209 | answer=D | explanation=12% of 1747 = (12/100) × 1747 = 209.

id=23522 | topic=Averages | difficulty=Easy | question=Find the average of 43, 15, 47, 75, | option_a=47 | option_b=44 | option_c=45 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 180 ÷ 4 = 45.

id=23523 | topic=Averages | difficulty=Easy | question=Find the average of 45, 18, 40, 33, 45, 65, 97, | option_a=50 | option_b=51 | option_c=49 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 343 ÷ 7 = 49.

id=23524 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 32, 40, 51? | option_a=40 | option_b=24 | option_c=32 | option_d=51 | answer=D | explanation=The first three numbers increase by 8, so the next should be 48. Therefore 51 is the odd one out.

id=23525 | topic=Averages | difficulty=Easy | question=Find the average of 26, 53, 85, 34, 66, 54, | option_a=52 | option_b=53 | option_c=55 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 318 ÷ 6 = 53.

id=23526 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=36 | option_c=31 | option_d=72 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=23527 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 9, | option_a=135 | option_b=36 | option_c=45 | option_d=60 | answer=C | explanation=LCM × HCF = 15×9, HCF(15,9) = 3, so LCM = 45.

id=23528 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=24 | option_c=29 | option_d=48 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=23529 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=36 | option_c=18 | option_d=23 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=23530 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:6 and the first is 24, what is the second? | option_a=18 | option_b=26 | option_c=42 | option_d=12 | answer=A | explanation=Scale factor = 24/8 = 3. Therefore second quantity = 6×3 = 18.

id=23531 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=23532 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does "P" become? | option_a=K | option_b=P | option_c=U | option_d=Z | answer=C | explanation=Move 5 positions forward from P; the resulting letter is U.

id=23533 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3401. If it is sold at a profit of 15%, what is its selling price? | option_a=3416 | option_b=3911 | option_c=3571 | option_d=4251 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3401 × 115/100 = █3911.

id=23534 | topic=Profit & Loss | difficulty=Easy | question=An article costs █956. If it is sold at a profit of 30%, what is its selling price? | option_a=1147 | option_b=986 | option_c=1337 | option_d=1242 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 956 × 130/100 = █1242.

id=23535 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 32? | option_a=16 | option_b=26 | option_c=32 | option_d=21 | answer=C | explanation=The first three numbers increase by 5, so the next should be 31. Therefore 32 is the odd one out.

id=23536 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1301. If it is sold at a profit of 30%, what is its selling price? | option_a=1821 | option_b=1561 | option_c=1331 | option_d=1691 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1301 × 130/100 = █1691.

id=23537 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 25, 30, 38? | option_a=25 | option_b=30 | option_c=20 | option_d=38 | answer=D | explanation=The first three numbers increase by 5, so the next should be 35. Therefore 38 is the odd one out.

id=23538 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1612. If it is sold at a profit of 5%, what is its selling price? | option_a=1692 | option_b=1853 | option_c=1617 | option_d=1531 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1612 × 105/100 = █1692.

id=23539 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=L | option_c=T | option_d=H | answer=A | explanation=Move 4 positions forward from L; the resulting letter is P.

id=23540 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=13 | option_c=18 | option_d=23 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=23541 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:12 and the first is 28, what is the second? | option_a=156 | option_b=170 | option_c=196 | option_d=168 | answer=D | explanation=Scale factor = 28/2 = 14. Therefore second quantity = 12×14 = 168.

id=23542 | topic=Averages | difficulty=Easy | question=Find the average of 24, 69, 47, 36, 44, 38, | option_a=42 | option_b=44 | option_c=45 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = 258 ÷ 6 = 43.

id=23543 | topic=Percentages | difficulty=Easy | question=What is 12% of 66? | option_a=0 | option_b=7 | option_c=14 | option_d=12 | answer=B | explanation=12% of 66 = (12/100) × 66 = 7.

id=23544 | topic=Percentages | difficulty=Easy | question=What is 30% of 451? | option_a=130 | option_b=270 | option_c=135 | option_d=140 | answer=C | explanation=30% of 451 = (30/100) × 451 = 135.

id=23545 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 18, | option_a=1 | option_b=18 | option_c=20 | option_d=36 | answer=B | explanation=LCM × HCF = 2×18, HCF(2,18) = 2, so LCM = 18.

id=23546 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=23547 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2941. If it is sold at a profit of 20%, what is its selling price? | option_a=3529 | option_b=3823 | option_c=3235 | option_d=2961 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2941 × 120/100 = █3529.

id=23548 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3373. If it is sold at a profit of 40%, what is its selling price? | option_a=4722 | option_b=4385 | option_c=3413 | option_d=5059 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3373 × 140/100 = █4722.

id=23549 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20359 at 6% per annum for 2 years. | option_a=2543 | option_b=2443 | option_c=2343 | option_d=22802 | answer=B | explanation=SI = PRT/100 = 20359×6×2/100 = █2443.

id=23550 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4203. If it is sold at a profit of 15%, what is its selling price? | option_a=5253 | option_b=4413 | option_c=4218 | option_d=4833 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4203 × 115/100 = █4833.

Aptitude Questions — Records 23,551-23,580 of 100,000

id=23551 | topic=Averages | difficulty=Easy | question=Find the average of 68, 56, 85, 79. | option_a=73 | option_b=74 | option_c=72 | option_d=71 | answer=C | explanation=Average = sum of values ÷ number of values = 288 ÷ 4 = 72.

id=23552 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=23553 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=47 | option_b=69 | option_c=58 | option_d=59 | answer=C | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.

id=23554 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=L | option_c=T | option_d=H | answer=A | explanation=Move 4 positions forward from L; the resulting letter is P.

id=23555 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=23556 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:19 and the first is 99, what is the second? | option_a=190 | option_b=308 | option_c=218 | option_d=209 | answer=D | explanation=Scale factor = 99/9 = 11. Therefore second quantity = 19×11 = 209.

id=23557 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2620. If it is sold at a profit of 10%, what is its selling price? | option_a=3144 | option_b=2882 | option_c=2630 | option_d=2620 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2620 × 110/100 = █2882.

id=23558 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:19 and the first is 45, what is the second? | option_a=102 | option_b=38 | option_c=72 | option_d=57 | answer=D | explanation=Scale factor = 45/15 = 3. Therefore second quantity = 19×3 = 57.

id=23559 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1030 at 12% per annum for 4 years. | option_a=394 | option_b=494 | option_c=1524 | option_d=594 | answer=B | explanation=SI = PRT/100 = 1030×12×4/100 = █494.

id=23560 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 23, 32, 43? | option_a=23 | option_b=14 | option_c=43 | option_d=32 | answer=C | explanation=The first three numbers increase by 9, so the next should be 41. Therefore 43 is the odd one out.

id=23561 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 18, 22, 29? | option_a=29 | option_b=18 | option_c=14 | option_d=22 | answer=A | explanation=The first three numbers increase by 4, so the next should be 26. Therefore 29 is the odd one out.

id=23562 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=23563 | topic=Averages | difficulty=Easy | question=Find the average of 43, 86, 50, 62, 29. | option_a=56 | option_b=55 | option_c=53 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 270 ÷ 5 = 54.

id=23564 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=23565 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Y | option_b=U | option_c=M | option_d=Q | answer=B | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=23566 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2836. If it is sold at a profit of 15%, what is its selling price? | option_a=2978 | option_b=3544 | option_c=2851 | option_d=3261 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2836 × 115/100 = █3261.

id=23567 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:13 and the first is 28, what is the second? | option_a=182 | option_b=184 | option_c=169 | option_d=210 | answer=A | explanation=Scale factor = 28/2 = 14. Therefore second quantity = 13×14 = 182.

id=23568 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=10 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=23569 | topic=Averages | difficulty=Easy | question=Find the average of 52, 90, 27, 82, 44, 83. | option_a=65 | option_b=64 | option_c=63 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 378 ÷ 6 = 63.

id=23570 | topic=Percentages | difficulty=Easy | question=What is 12% of 1825? | option_a=224 | option_b=199 | option_c=219 | option_d=438 | answer=C | explanation=12% of 1825 = (12/100) × 1825 = 219.

id=23571 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23288 at 4% per annum for 2 years. | option_a=1763 | option_b=1863 | option_c=25151 | option_d=1963 | answer=B | explanation=SI = PRT/100 = 23288×4×2/100 = █1863.

id=23572 | topic=Percentages | difficulty=Easy | question=What is 15% of 1251? | option_a=374 | option_b=187 | option_c=182 | option_d=192 | answer=B | explanation=15% of 1251 = (15/100) × 1251 = 187.

id=23573 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 59? | option_a=59 | option_b=47 | option_c=37 | option_d=27 | answer=A | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 59 is the odd one out.

id=23574 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=23575 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=66 | option_b=65 | option_c=77 | option_d=53 | answer=B | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.

id=23576 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=B | option_b=Q | option_c=G | option_d=L | answer=D | explanation=Move 5 positions forward from G; the resulting letter is L.

id=23577 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8728 at 10% per annum for 1 years. | option_a=972 | option_b=9600 | option_c=872 | option_d=772 | answer=C | explanation=SI = PRT/100 = 8728×10×1/100 = █872.

id=23578 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=23579 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 28, 36, 44, ? | option_a=53 | option_b=52 | option_c=44 | option_d=60 | answer=B | explanation=The common difference is 8. Therefore the next term is 44 + 8 = 52.

id=23580 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=72 | option_c=67 | option_d=77 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

Aptitude Questions — Records 23,581-23,610 of 100,000

- id=23581 | topic=Averages | difficulty=Easy | question=Find the average of 99, 57, 45, 42, 74, 25. | option_a=59 | option_b=57 | option_c=58 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 342 ÷ 6 = 57.
- id=23582 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=25 | option_b=21 | option_c=24 | option_d=27 | answer=C | explanation=The common difference is 3. Therefore the next term is 21 + 3 = 24.
- id=23583 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=X | option_b=C | option_c=S | option_d=N | answer=A | explanation=Move 5 positions forward from S; the resulting letter is X.
- id=23584 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1303. If it is sold at a profit of 15%, what is its selling price? | option_a=1498 | option_b=1368 | option_c=1628 | option_d=1318 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1303 × 115/100 = █1498.
- id=23585 | topic=Averages | difficulty=Easy | question=Find the average of 51, 58, 10, 100, 95, 28. | option_a=58 | option_b=56 | option_c=57 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 342 ÷ 6 = 57.
- id=23586 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 13, 16, 20? | option_a=10 | option_b=13 | option_c=16 | option_d=20 | answer=D | explanation=The first three numbers increase by 3, so the next should be 19. Therefore 20 is the odd one out.
- id=23587 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=75 | option_c=70 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.
- id=23588 | topic=Averages | difficulty=Easy | question=Find the average of 53, 74, 33, 56, 48, 90, 76, 10. | option_a=57 | option_b=55 | option_c=56 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 440 ÷ 8 = 55.
- id=23589 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 8. | option_a=150 | option_b=240 | option_c=120 | option_d=112 | answer=C | explanation=LCM × HCF = 30×8; HCF(30,8) = 2, so LCM = 120.
- id=23590 | topic=Averages | difficulty=Easy | question=Find the average of 89, 44, 83, 56. | option_a=68 | option_b=67 | option_c=70 | option_d=69 | answer=A | explanation=Average = sum of values ÷ number of values = 272 ÷ 4 = 68.
- id=23591 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:1 and the first is 30, what is the second? | option_a=36 | option_b=11 | option_c=6 | option_d=5 | answer=C | explanation=Scale factor = 30/5 = 6. Therefore second quantity = 1×6 = 6.
- id=23592 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=B | option_b=E | option_c=H | option_d=K | answer=C | explanation=Move 3 positions forward from E; the resulting letter is H.
- id=23593 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3406. If it is sold at a profit of 20%, what is its selling price? | option_a=3426 | option_b=4087 | option_c=4427 | option_d=3747 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3406 × 120/100 = █4087.
- id=23594 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=19 | option_b=15 | option_c=23 | option_d=20 | answer=A | explanation=The common difference is 4. Therefore the next term is 15 + 4 = 19.
- id=23595 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=G | option_b=K | option_c=O | option_d=S | answer=C | explanation=Move 4 positions forward from K; the resulting letter is O.
- id=23596 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.
- id=23597 | topic=Percentages | difficulty=Easy | question=What is 12% of 251? | option_a=60 | option_b=10 | option_c=40 | option_d=30 | answer=D | explanation=12% of 251 = (12/100) × 251 = 30.
- id=23598 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6436 at 6% per annum for 5 years. | option_a=8366 | option_b=1830 | option_c=1930 | option_d=2030 | answer=C | explanation=SI = PRT/100 = 6436×6×5/100 = █1930.
- id=23599 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2126. If it is sold at a profit of 10%, what is its selling price? | option_a=2338 | option_b=2550 | option_c=2126 | option_d=2136 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2126 × 110/100 = █2338.
- id=23600 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 35? | option_a=4 | option_b=35 | option_c=24 | option_d=14 | answer=B | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 35 is the odd one out.
- id=23601 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=M | option_b=O | option_c=N | option_d=P | answer=B | explanation=Move 1 positions forward from N; the resulting letter is O.
- id=23602 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.
- id=23603 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 8. | option_a=32 | option_b=12 | option_c=1 | option_d=8 | answer=D | explanation=LCM × HCF = 4×8; HCF(4,8) = 4, so LCM = 8.
- id=23604 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=N | option_c=V | option_d=J | answer=A | explanation=Move 4 positions forward from N; the resulting letter is R.
- id=23605 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=31 | option_c=36 | option_d=72 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.
- id=23606 | topic=Averages | difficulty=Easy | question=Find the average of 47, 88, 99. | option_a=79 | option_b=78 | option_c=77 | option_d=80 | answer=B | explanation=Average = sum of values ÷ number of values = 234 ÷ 3 = 78.
- id=23607 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1845. If it is sold at a profit of 20%, what is its selling price? | option_a=1865 | option_b=2030 | option_c=2398 | option_d=2214 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1845 × 120/100 = █2214.
- id=23608 | topic=Percentages | difficulty=Easy | question=What is 15% of 1139? | option_a=165 | option_b=190 | option_c=170 | option_d=340 | answer=C | explanation=15% of 1139 = (15/100) × 1139 = 170.
- id=23609 | topic=Percentages | difficulty=Easy | question=What is 15% of 1039? | option_a=135 | option_b=310 | option_c=160 | option_d=155 | answer=D | explanation=15% of 1039 = (15/100) × 1039 = 155.
- id=23610 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 26. | option_a=624 | option_b=286 | option_c=312 | option_d=336 | answer=C | explanation=LCM × HCF = 24×26; HCF(24,26) = 2, so LCM = 312.

Aptitude Questions — Records 23,611-23,640 of 100,000

- id=23611 | topic=Percentages | difficulty=Easy | question=What is 25% of 1916? | option_a=459 | option_b=489 | option_c=958 | option_d=479 | answer=D | explanation=25% of 1916 = (25/100) × 1916 = 479.
- id=23612 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 11, 16, 24? | option_a=24 | option_b=6 | option_c=11 | option_d=16 | answer=A | explanation=The first three numbers increase by 5, so the next should be 21. Therefore 24 is the odd one out.
- id=23613 | topic=Averages | difficulty=Easy | question=Find the average of 73, 49, 58, 10, 69, 95. | option_a=58 | option_b=59 | option_c=60 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.
- id=23614 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49129 at 6% per annum for 1 years. | option_a=3047 | option_b=52076 | option_c=2847 | option_d=2947 | answer=D | explanation=SI = PRT/100 = 49129×6×1/100 = **■**2947.
- id=23615 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=23616 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=O | option_b=Q | option_c=S | option_d=U | answer=C | explanation=Move 2 positions forward from Q; the resulting letter is S.
- id=23617 | topic=Averages | difficulty=Easy | question=Find the average of 79, 50, 63, 24, 77, 75, 94. | option_a=65 | option_b=67 | option_c=68 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = 462 ÷ 7 = 66.
- id=23618 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:6 and the first is 180, what is the second? | option_a=102 | option_b=84 | option_c=270 | option_d=90 | answer=D | explanation=Scale factor = 180/12 = 15. Therefore second quantity = 6×15 = 90.
- id=23619 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=23620 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 240, what is the second? | option_a=63 | option_b=288 | option_c=48 | option_d=45 | answer=C | explanation=Scale factor = 240/15 = 16. Therefore second quantity = 3×16 = 48.
- id=23621 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=36 | option_c=31 | option_d=41 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.
- id=23622 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=L | option_c=T | option_d=X | answer=C | explanation=Move 4 positions forward from P; the resulting letter is T.
- id=23623 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17787 at 4% per annum for 3 years. | option_a=19921 | option_b=2034 | option_c=2134 | option_d=2234 | answer=C | explanation=SI = PRT/100 = 17787×4×3/100 = **■**2134.
- id=23624 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 22. | option_a=176 | option_b=192 | option_c=154 | option_d=352 | answer=A | explanation=LCM × HCF = 16×22; HCF(16,22) = 2, so LCM = 176.
- id=23625 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**946. If it is sold at a profit of 10%, what is its selling price? | option_a=1134 | option_b=956 | option_c=946 | option_d=1040 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 946 × 110/100 = **■**1040.
- id=23626 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 15, 21, 28? | option_a=9 | option_b=21 | option_c=15 | option_d=28 | answer=D | explanation=The first three numbers increase by 6, so the next should be 27. Therefore 28 is the odd one out.
- id=23627 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=S | option_c=O | option_d=Q | answer=B | explanation=Move 2 positions forward from Q; the resulting letter is S.
- id=23628 | topic=Percentages | difficulty=Easy | question=What is 5% of 763? | option_a=76 | option_b=38 | option_c=33 | option_d=43 | answer=B | explanation=5% of 763 = (5/100) × 763 = 38.
- id=23629 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:12 and the first is 195, what is the second? | option_a=171 | option_b=156 | option_c=351 | option_d=144 | answer=B | explanation=Scale factor = 195/15 = 13. Therefore second quantity = 12×13 = 156.
- id=23630 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=45 | option_b=46 | option_c=37 | option_d=53 | answer=A | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.
- id=23631 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4192. If it is sold at a profit of 10%, what is its selling price? | option_a=5030 | option_b=4611 | option_c=4192 | option_d=4202 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4192 × 110/100 = **■**4611.
- id=23632 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=M | option_b=H | option_c=C | option_d=X | answer=B | explanation=Move 5 positions forward from C; the resulting letter is H.
- id=23633 | topic=Averages | difficulty=Easy | question=Find the average of 20, 60, 61, 15, 56, 39, 50. | option_a=42 | option_b=44 | option_c=45 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = 301 ÷ 7 = 43.
- id=23634 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4802. If it is sold at a profit of 15%, what is its selling price? | option_a=4817 | option_b=6002 | option_c=5042 | option_d=5522 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4802 × 115/100 = **■**5522.
- id=23635 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=38 | option_b=45 | option_c=46 | option_d=52 | answer=B | explanation=The common difference is 7. Therefore the next term is 38 + 7 = 45.
- id=23636 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:9 and the first is 84, what is the second? | option_a=126 | option_b=132 | option_c=210 | option_d=117 | answer=A | explanation=Scale factor = 84/6 = 14. Therefore second quantity = 9×14 = 126.
- id=23637 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=S | option_b=J | option_c=M | option_d=P | answer=D | explanation=Move 3 positions forward from M; the resulting letter is P.
- id=23638 | topic=Percentages | difficulty=Easy | question=What is 5% of 433? | option_a=42 | option_b=21 | option_c=31 | option_d=11 | answer=B | explanation=5% of 433 = (5/100) × 433 = 21.
- id=23639 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 9, 12, 18? | option_a=12 | option_b=18 | option_c=9 | option_d=6 | answer=B | explanation=The first three numbers increase by 3, so the next should be 15. Therefore 18 is the odd one out.
- id=23640 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 18. | option_a=1 | option_b=18 | option_c=36 | option_d=20 | answer=B | explanation=LCM × HCF = 2×18; HCF(2,18) = 2, so LCM = 18.

Aptitude Questions — Records 23,641-23,670 of 100,000

id=23641 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=23642 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30485 at 12% per annum for 3 years. | option_a=41459 | option_b=10974 | option_c=11074 | option_d=10874 | answer=B | explanation=SI = PRT/100 = 30485×12×3/100 = **■**10974.

id=23643 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:7 and the first is 76, what is the second? | option_a=209 | option_b=133 | option_c=126 | option_d=137 | answer=B | explanation=Scale factor = 76/4 = 19. Therefore second quantity = 7×19 = 133.

id=23644 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=23645 | topic=Percentages | difficulty=Easy | question=What is 25% of 338? | option_a=168 | option_b=89 | option_c=84 | option_d=79 | answer=C | explanation=25% of 338 = (25/100) × 338 = 84.

id=23646 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=32 | option_b=40 | option_c=36 | option_d=37 | answer=C | explanation=The common difference is 4. Therefore the next term is 32 + 4 = 36.

id=23647 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=K | option_b=P | option_c=U | option_d=Z | answer=C | explanation=Move 5 positions forward from P; the resulting letter is U.

id=23648 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=360 | option_c=185 | option_d=180 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=23649 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1802. If it is sold at a profit of 20%, what is its selling price? | option_a=1822 | option_b=1982 | option_c=2162 | option_d=2342 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1802 × 120/100 = **■**2162.

id=23650 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4268. If it is sold at a profit of 50%, what is its selling price? | option_a=4318 | option_b=6828 | option_c=5976 | option_d=6402 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4268 × 150/100 = **■**6402.

id=23651 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:16 and the first is 16, what is the second? | option_a=257 | option_b=240 | option_c=256 | option_d=272 | answer=C | explanation=Scale factor = 16/1 = 16. Therefore second quantity = 16×16 = 256.

id=23652 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=85 | option_c=180 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=23653 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:3 and the first is 96, what is the second? | option_a=18 | option_b=34 | option_c=15 | option_d=114 | answer=A | explanation=Scale factor = 96/16 = 6. Therefore second quantity = 3×6 = 18.

id=23654 | topic=Percentages | difficulty=Easy | question=What is 25% of 575? | option_a=286 | option_b=153 | option_c=133 | option_d=143 | answer=D | explanation=25% of 575 = (25/100) × 575 = 143.

id=23655 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:15 and the first is 52, what is the second? | option_a=45 | option_b=60 | option_c=112 | option_d=73 | answer=B | explanation=Scale factor = 52/13 = 4. Therefore second quantity = 15×4 = 60.

id=23656 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=23657 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46706 at 12% per annum for 4 years. | option_a=22318 | option_b=69124 | option_c=22418 | option_d=22518 | answer=C | explanation=SI = PRT/100 = 46706×12×4/100 = **■**22418.

id=23658 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17355 at 5% per annum for 2 years. | option_a=1635 | option_b=19090 | option_c=1835 | option_d=1735 | answer=D | explanation=SI = PRT/100 = 17355×5×2/100 = **■**1735.

id=23659 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44037 at 6% per annum for 2 years. | option_a=5284 | option_b=5384 | option_c=49321 | option_d=5184 | answer=A | explanation=SI = PRT/100 = 44037×6×2/100 = **■**5284.

id=23660 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=23661 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=5 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=23662 | topic=Averages | difficulty=Easy | question=Find the average of 38, 65, 79, 48, 88, 40, 52, 70. | option_a=62 | option_b=61 | option_c=60 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 480 ÷ 8 = 60.

id=23663 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 20? | option_a=11 | option_b=7 | option_c=15 | option_d=20 | answer=D | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 20 is the odd one out.

id=23664 | topic=Percentages | difficulty=Easy | question=What is 20% of 304? | option_a=80 | option_b=120 | option_c=50 | option_d=60 | answer=D | explanation=20% of 304 = (20/100) × 304 = 60.

id=23665 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:11 and the first is 80, what is the second? | option_a=55 | option_b=44 | option_c=135 | option_d=71 | answer=A | explanation=Scale factor = 80/16 = 5. Therefore second quantity = 11×5 = 55.

id=23666 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=N | option_b=S | option_c=X | option_d=C | answer=C | explanation=Move 5 positions forward from S; the resulting letter is X.

id=23667 | topic=Percentages | difficulty=Easy | question=What is 15% of 1681? | option_a=257 | option_b=252 | option_c=504 | option_d=247 | answer=B | explanation=15% of 1681 = (15/100) × 1681 = 252.

id=23668 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12455 at 6% per annum for 4 years. | option_a=15444 | option_b=3089 | option_c=2989 | option_d=2889 | answer=C | explanation=SI = PRT/100 = 12455×6×4/100 = **■**2989.

id=23669 | topic=Averages | difficulty=Easy | question=Find the average of 11, 10, 53, 21, 95, 30, 67, 20, 17. | option_a=36 | option_b=37 | option_c=38 | option_d=35 | answer=A | explanation=Average = sum of values ÷ number of values = 324 ÷ 9 = 36.

id=23670 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 23,671-23,700 of 100,000

id=23671 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=23672 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20767 at 15% per annum for 5 years. | option_a=15675 | option_b=15575 | option_c=15475 | option_d=36342 | answer=B | explanation=SI = PRT/100 = 20767×15×5/100 = **■**15575.

id=23673 | topic=Averages | difficulty=Easy | question=Find the average of 36, 100, 11, 77. | option_a=58 | option_b=55 | option_c=57 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 224 ÷ 4 = 56.

id=23674 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:12 and the first is 234, what is the second? | option_a=156 | option_b=144 | option_c=174 | option_d=390 | answer=A | explanation=Scale factor = 234/18 = 13. Therefore second quantity = 12×13 = 156.

id=23675 | topic=Percentages | difficulty=Easy | question=What is 15% of 1653? | option_a=242 | option_b=247 | option_c=267 | option_d=494 | answer=B | explanation=15% of 1653 = (15/100) × 1653 = 247.

id=23676 | topic=Percentages | difficulty=Easy | question=What is 15% of 127? | option_a=19 | option_b=38 | option_c=9 | option_d=24 | answer=A | explanation=15% of 127 = (15/100) × 127 = 19.

id=23677 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=23678 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=23679 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4148. If it is sold at a profit of 10%, what is its selling price? | option_a=4148 | option_b=4158 | option_c=4562 | option_d=4976 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4148 × 110/100 = **■**4562.

id=23680 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=15 | option_c=20 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=23681 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 37? | option_a=26 | option_b=37 | option_c=30 | option_d=22 | answer=B | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 37 is the odd one out.

id=23682 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:8 and the first is 9, what is the second? | option_a=73 | option_b=64 | option_c=72 | option_d=81 | answer=C | explanation=Scale factor = 9/1 = 9. Therefore second quantity = 8×9 = 72.

id=23683 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=23684 | topic=Percentages | difficulty=Easy | question=What is 50% of 1599? | option_a=804 | option_b=799 | option_c=779 | option_d=1598 | answer=B | explanation=50% of 1599 = (50/100) × 1599 = 799.

id=23685 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:17 and the first is 132, what is the second? | option_a=336 | option_b=215 | option_c=187 | option_d=204 | answer=D | explanation=Scale factor = 132/11 = 12. Therefore second quantity = 17×12 = 204.

id=23686 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=23687 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41945 at 6% per annum for 3 years. | option_a=7450 | option_b=7650 | option_c=49495 | option_d=7550 | answer=D | explanation=SI = PRT/100 = 41945×6×3/100 = **■**7550.

id=23688 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=23689 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48584 at 4% per annum for 5 years. | option_a=58300 | option_b=9616 | option_c=9716 | option_d=9816 | answer=C | explanation=SI = PRT/100 = 48584×4×5/100 = **■**9716.

id=23690 | topic=Averages | difficulty=Easy | question=Find the average of 16, 89, 53, 62. | option_a=55 | option_b=57 | option_c=54 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 220 ÷ 4 = 55.

id=23691 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=T | option_c=S | option_d=Q | answer=C | explanation=Move 1 positions forward from R; the resulting letter is S.

id=23692 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 53? | option_a=41 | option_b=32 | option_c=53 | option_d=23 | answer=C | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 53 is the odd one out.

id=23693 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2229 at 12% per annum for 5 years. | option_a=1437 | option_b=1337 | option_c=3566 | option_d=1237 | answer=B | explanation=SI = PRT/100 = 2229×12×5/100 = **■**1337.

id=23694 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=46 | option_b=37 | option_c=55 | option_d=47 | answer=A | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=23695 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:14 and the first is 108, what is the second? | option_a=84 | option_b=102 | option_c=70 | option_d=192 | answer=A | explanation=Scale factor = 108/18 = 6. Therefore second quantity = 14×6 = 84.

id=23696 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=C | option_b=X | option_c=S | option_d=N | answer=B | explanation=Move 5 positions forward from S; the resulting letter is X.

id=23697 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=20 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=23698 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 3. | option_a=12 | option_b=18 | option_c=3 | option_d=6 | answer=D | explanation=LCM × HCF = 6×3; HCF(6,3) = 3, so LCM = 6.

id=23699 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=L | option_c=N | option_d=P | answer=D | explanation=Move 2 positions forward from N; the resulting letter is P.

id=23700 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4338. If it is sold at a profit of 15%, what is its selling price? | option_a=4353 | option_b=5421 | option_c=4555 | option_d=4988 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4338 × 115/100 = **■**4988.

Aptitude Questions — Records 23,701-23,730 of 100,000

id=23701 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=40 | option_b=28 | option_c=34 | option_d=35 | answer=C | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.

id=23702 | topic=Averages | difficulty=Easy | question=Find the average of 56, 28, 43, 15, 73, 55, 79, 43. | option_a=48 | option_b=49 | option_c=51 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 392 ÷ 8 = 49.

id=23703 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=23704 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:1 and the first is 280, what is the second? | option_a=294 | option_b=13 | option_c=14 | option_d=34 | answer=C | explanation=Scale factor = 280/20 = 14. Therefore second quantity = 1×14 = 14.

id=23705 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 8. | option_a=16 | option_b=24 | option_c=96 | option_d=36 | answer=B | explanation=LCM × HCF = 12×8; HCF(12,8) = 4, so LCM = 24.

id=23706 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 12, 16, 23? | option_a=12 | option_b=23 | option_c=8 | option_d=16 | answer=B | explanation=The first three numbers increase by 4, so the next should be 20. Therefore 23 is the odd one out.

id=23707 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 17, 21, 26? | option_a=17 | option_b=26 | option_c=21 | option_d=13 | answer=B | explanation=The first three numbers increase by 4, so the next should be 25. Therefore 26 is the odd one out.

id=23708 | topic=Averages | difficulty=Easy | question=Find the average of 13, 66, 32, 53. | option_a=41 | option_b=40 | option_c=42 | option_d=43 | answer=A | explanation=Average = sum of values ÷ number of values = 164 ÷ 4 = 41.

id=23709 | topic=Percentages | difficulty=Easy | question=What is 5% of 175? | option_a=174 | option_b=107 | option_c=82 | option_d=87 | answer=D | explanation=5% of 175 = (5/100) × 175 = 87.

id=23710 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 24? | option_a=24 | option_b=9 | option_c=15 | option_d=3 | answer=A | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 24 is the odd one out.

id=23711 | topic=Percentages | difficulty=Easy | question=What is 12% of 419? | option_a=60 | option_b=50 | option_c=40 | option_d=100 | answer=B | explanation=12% of 419 = (12/100) × 419 = 50.

id=23712 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹22724 at 5% per annum for 2 years. | option_a=2372 | option_b=24996 | option_c=2172 | option_d=2272 | answer=D | explanation=SI = PRT/100 = 22724×5×2/100 = ₹2272.

id=23713 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=F | option_b=G | option_c=H | option_d=I | answer=C | explanation=Move 1 positions forward from G; the resulting letter is H.

id=23714 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=P | option_b=T | option_c=X | option_d=B | answer=C | explanation=Move 4 positions forward from T; the resulting letter is X.

id=23715 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:13 and the first is 12, what is the second? | option_a=51 | option_b=43 | option_c=39 | option_d=26 | answer=C | explanation=Scale factor = 12/4 = 3. Therefore second quantity = 13×3 = 39.

id=23716 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹30719 at 10% per annum for 5 years. | option_a=46078 | option_b=15359 | option_c=15459 | option_d=15259 | answer=B | explanation=SI = PRT/100 = 30719×10×5/100 = ₹15359.

id=23717 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=36 | option_c=72 | option_d=31 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=23718 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹13755 at 10% per annum for 4 years. | option_a=5502 | option_b=5602 | option_c=19257 | option_d=5402 | answer=A | explanation=SI = PRT/100 = 13755×10×4/100 = ₹5502.

id=23719 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 36? | option_a=19 | option_b=29 | option_c=36 | option_d=24 | answer=C | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 36 is the odd one out.

id=23720 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=G | option_c=I | option_d=J | answer=C | explanation=Move 1 positions forward from H; the resulting letter is I.

id=23721 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=P | option_c=K | option_d=A | answer=C | explanation=Move 5 positions forward from F; the resulting letter is K.

id=23722 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=180 | option_c=360 | option_d=175 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=23723 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=9 | option_b=11 | option_c=13 | option_d=12 | answer=B | explanation=The common difference is 2. Therefore the next term is 9 + 2 = 11.

id=23724 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹1253 at 4% per annum for 1 years. | option_a=50 | option_b=1303 | option_c=0 | option_d=150 | answer=A | explanation=SI = PRT/100 = 1253×4×1/100 = ₹50.

id=23725 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 20. | option_a=72 | option_b=240 | option_c=60 | option_d=40 | answer=C | explanation=LCM × HCF = 12×20; HCF(12,20) = 4, so LCM = 60.

id=23726 | topic=Averages | difficulty=Easy | question=Find the average of 23, 34, 17, 74, 22. | option_a=36 | option_b=33 | option_c=34 | option_d=35 | answer=C | explanation=Average = sum of values ÷ number of values = 170 ÷ 5 = 34.

id=23727 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=13 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=23728 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹4698. If it is sold at a profit of 10%, what is its selling price? | option_a=5167 | option_b=4698 | option_c=4708 | option_d=5636 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4698 × 110/100 = ₹5167.

id=23729 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹551. If it is sold at a profit of 50%, what is its selling price? | option_a=881 | option_b=826 | option_c=771 | option_d=601 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 551 × 150/100 = ₹826.

id=23730 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 23,731-23,760 of 100,000

id=23731 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37812 at 15% per annum for 3 years. | option_a=54827 | option_b=17115 | option_c=16915 | option_d=17015 | answer=D | explanation=SI = PRT/100 = 37812×15×3/100 = **■**17015.

id=23732 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=37 | option_b=23 | option_c=30 | option_d=31 | answer=C | explanation=The common difference is 7. Therefore the next term is 23 + 7 = 30.

id=23733 | topic=Averages | difficulty=Easy | question=Find the average of 14, 89, 28, 48, 71, 80, 93, 19, 15, 33. | option_a=49 | option_b=51 | option_c=50 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = 490 ÷ 10 = 49.

id=23734 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13754 at 15% per annum for 5 years. | option_a=10415 | option_b=24069 | option_c=10215 | option_d=10315 | answer=D | explanation=SI = PRT/100 = 13754×15×5/100 = **■**10315.

id=23735 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 66, what is the second? | option_a=80 | option_b=96 | option_c=107 | option_d=162 | answer=B | explanation=Scale factor = 66/11 = 6. Therefore second quantity = 16×6 = 96.

id=23736 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 34? | option_a=6 | option_b=24 | option_c=34 | option_d=15 | answer=C | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 34 is the odd one out.

id=23737 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 24, 36, 48, ? | option_a=61 | option_b=60 | option_c=72 | option_d=48 | answer=B | explanation=The common difference is 12. Therefore the next term is 48 + 12 = 60.

id=23738 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:20 and the first is 190, what is the second? | option_a=180 | option_b=390 | option_c=200 | option_d=219 | answer=C | explanation=Scale factor = 190/19 = 10. Therefore second quantity = 20×10 = 200.

id=23739 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=E | option_c=C | option_d=A | answer=B | explanation=Move 2 positions forward from C; the resulting letter is E.

id=23740 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=27 | option_b=23 | option_c=26 | option_d=29 | answer=C | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.

id=23741 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49708 at 12% per annum for 1 years. | option_a=55672 | option_b=5964 | option_c=6064 | option_d=5864 | answer=B | explanation=SI = PRT/100 = 49708×12×1/100 = **■**5964.

id=23742 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=Q | option_c=N | option_d=P | answer=D | explanation=Move 1 positions forward from O; the resulting letter is P.

id=23743 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**378. If it is sold at a profit of 10%, what is its selling price? | option_a=1052 | option_b=965 | option_c=888 | option_d=878 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 878 × 110/100 = **■**965.

id=23744 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36946 at 8% per annum for 1 years. | option_a=2955 | option_b=39901 | option_c=2855 | option_d=3055 | answer=A | explanation=SI = PRT/100 = 36946×8×1/100 = **■**2955.

id=23745 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43510 at 8% per annum for 5 years. | option_a=60914 | option_b=17304 | option_c=17504 | option_d=17404 | answer=D | explanation=SI = PRT/100 = 43510×8×5/100 = **■**17404.

id=23746 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=F | option_c=I | option_d=Z | answer=B | explanation=Move 3 positions forward from C; the resulting letter is F.

id=23747 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3420. If it is sold at a profit of 10%, what is its selling price? | option_a=3430 | option_b=4104 | option_c=3762 | option_d=3420 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3420 × 110/100 = **■**3762.

id=23748 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=57 | option_b=58 | option_c=67 | option_d=47 | answer=A | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

id=23749 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=P | option_b=G | option_c=J | option_d=M | answer=D | explanation=Move 3 positions forward from J; the resulting letter is M.

id=23750 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=23751 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 29? | option_a=20 | option_b=12 | option_c=29 | option_d=4 | answer=C | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 29 is the odd one out.

id=23752 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:18 and the first is 288, what is the second? | option_a=324 | option_b=306 | option_c=612 | option_d=340 | answer=A | explanation=Scale factor = 288/16 = 18. Therefore second quantity = 18×18 = 324.

id=23753 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=23754 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3707. If it is sold at a profit of 10%, what is its selling price? | option_a=3717 | option_b=4447 | option_c=4077 | option_d=3707 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3707 × 110/100 = **■**4077.

id=23755 | topic=Averages | difficulty=Easy | question=Find the average of 75, 95, 47, 44, 30, 81. | option_a=61 | option_b=62 | option_c=63 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 372 ÷ 6 = 62.

id=23756 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=L | option_b=O | option_c=N | option_d=M | answer=C | explanation=Move 1 positions forward from M; the resulting letter is N.

id=23757 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=25 | option_b=22 | option_c=23 | option_d=19 | answer=B | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.

id=23758 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=45 | option_c=40 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=23759 | topic=Percentages | difficulty=Easy | question=What is 50% of 1758? | option_a=859 | option_b=899 | option_c=879 | option_d=1758 | answer=C | explanation=50% of 1758 = (50/100) × 1758 = 879.

id=23760 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=24 | option_b=21 | option_c=20 | option_d=16 | answer=C | explanation=The common difference is 4. Therefore the next term is 16 + 4 = 20.

Aptitude Questions — Records 23,761-23,790 of 100,000

id=23761 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:18 and the first is 133, what is the second? | option_a=475 | option_b=342 | option_c=324 | option_d=349 | answer=B | explanation=Scale factor = 133/7 = 19. Therefore second quantity = 18×19 = 342.

id=23762 | topic=Percentages | difficulty=Easy | question=What is 10% of 760? | option_a=71 | option_b=76 | option_c=152 | option_d=86 | answer=B | explanation=10% of 760 = (10/100) × 760 = 76.

id=23763 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=115 | option_c=125 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=23764 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2545. If it is sold at a profit of 5%, what is its selling price? | option_a=2550 | option_b=2418 | option_c=2926 | option_d=2672 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2545 × 105/100 = █2672.

id=23765 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:10 and the first is 240, what is the second? | option_a=360 | option_b=140 | option_c=110 | option_d=120 | answer=D | explanation=Scale factor = 240/20 = 12. Therefore second quantity = 10×12 = 120.

id=23766 | topic=Percentages | difficulty=Easy | question=What is 40% of 482? | option_a=384 | option_b=192 | option_c=172 | option_d=202 | answer=B | explanation=40% of 482 = (40/100) × 482 = 192.

id=23767 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 36, 44, 55? | option_a=36 | option_b=44 | option_c=55 | option_d=28 | answer=C | explanation=The first three numbers increase by 8, so the next should be 52. Therefore 55 is the odd one out.

id=23768 | topic=Percentages | difficulty=Easy | question=What is 20% of 1966? | option_a=786 | option_b=403 | option_c=388 | option_d=393 | answer=D | explanation=20% of 1966 = (20/100) × 1966 = 393.

id=23769 | topic=Percentages | difficulty=Easy | question=What is 50% of 645? | option_a=317 | option_b=342 | option_c=644 | option_d=322 | answer=D | explanation=50% of 645 = (50/100) × 645 = 322.

id=23770 | topic=Percentages | difficulty=Easy | question=What is 30% of 1996? | option_a=1196 | option_b=603 | option_c=598 | option_d=588 | answer=C | explanation=30% of 1996 = (30/100) × 1996 = 598.

id=23771 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5720 at 15% per annum for 5 years. | option_a=4390 | option_b=4290 | option_c=4190 | option_d=10010 | answer=B | explanation=SI = PRT/100 = 5720×15×5/100 = █4290.

id=23772 | topic=Averages | difficulty=Easy | question=Find the average of 76, 55, 83, 14. | option_a=59 | option_b=57 | option_c=58 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 228 ÷ 4 = 57.

id=23773 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=23774 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 21? | option_a=7 | option_b=21 | option_c=15 | option_d=11 | answer=B | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 21 is the odd one out.

id=23775 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=23776 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=41 | option_b=29 | option_c=35 | option_d=36 | answer=C | explanation=The common difference is 6. Therefore the next term is 29 + 6 = 35.

id=23777 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49786 at 10% per annum for 5 years. | option_a=24893 | option_b=24993 | option_c=24793 | option_d=74679 | answer=A | explanation=SI = PRT/100 = 49786×10×5/100 = █24893.

id=23778 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13179 at 10% per annum for 5 years. | option_a=6489 | option_b=19768 | option_c=6589 | option_d=6689 | answer=C | explanation=SI = PRT/100 = 13179×10×5/100 = █6589.

id=23779 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14048 at 6% per annum for 4 years. | option_a=3371 | option_b=3271 | option_c=17419 | option_d=3471 | answer=A | explanation=SI = PRT/100 = 14048×6×4/100 = █3371.

id=23780 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=23781 | topic=Percentages | difficulty=Easy | question=What is 40% of 780? | option_a=317 | option_b=307 | option_c=312 | option_d=624 | answer=C | explanation=40% of 780 = (40/100) × 780 = 312.

id=23782 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=P | option_c=L | option_d=R | answer=B | explanation=Move 2 positions forward from N; the resulting letter is P.

id=23783 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=23784 | topic=Averages | difficulty=Easy | question=Find the average of 61, 64, 51, 34, 37, 95. | option_a=56 | option_b=57 | option_c=58 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 342 ÷ 6 = 57.

id=23785 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=45 | option_c=35 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=23786 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=Q | option_c=M | option_d=S | answer=B | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=23787 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 5. | option_a=1 | option_b=10 | option_c=5 | option_d=25 | answer=C | explanation=LCM × HCF = 5×5; HCF(5,5) = 5, so LCM = 5.

id=23788 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=Y | option_c=S | option_d=U | answer=A | explanation=Move 2 positions forward from U; the resulting letter is W.

id=23789 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36583 at 6% per annum for 4 years. | option_a=8779 | option_b=8679 | option_c=45362 | option_d=8879 | answer=A | explanation=SI = PRT/100 = 36583×6×4/100 = █8779.

id=23790 | topic=Profit & Loss | difficulty=Easy | question=An article costs █916. If it is sold at a profit of 15%, what is its selling price? | option_a=1144 | option_b=931 | option_c=962 | option_d=1053 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 916 × 115/100 = █1053.

Aptitude Questions — Records 23,791-23,820 of 100,000

- id=23791 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2630. If it is sold at a profit of 15%, what is its selling price? | option_a=2761 | option_b=2645 | option_c=3024 | option_d=3287 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2630 × 115/100 = ■3024.
- id=23792 | topic=Averages | difficulty=Easy | question=Find the average of 32, 49, 51, 17, 41. | option_a=38 | option_b=37 | option_c=40 | option_d=39 | answer=A | explanation=Average = sum of values ÷ number of values = 190 ÷ 5 = 38.
- id=23793 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 13, 21, 30? | option_a=5 | option_b=30 | option_c=21 | option_d=13 | answer=B | explanation=The first three numbers increase by 8, so the next should be 29. Therefore 30 is the odd one out.
- id=23794 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2249. If it is sold at a profit of 20%, what is its selling price? | option_a=2474 | option_b=2269 | option_c=2922 | option_d=2698 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2249 × 120/100 = ■2698.
- id=23795 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■21872 at 4% per annum for 2 years. | option_a=1749 | option_b=23621 | option_c=1849 | option_d=1649 | answer=A | explanation=SI = PRT/100 = 21872×4×2/100 = ■1749.
- id=23796 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.
- id=23797 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=40 | option_b=35 | option_c=41 | option_d=45 | answer=A | explanation=The common difference is 5. Therefore the next term is 35 + 5 = 40.
- id=23798 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=M | option_c=I | option_d=K | answer=B | explanation=Move 2 positions forward from K; the resulting letter is M.
- id=23799 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=180 | option_c=185 | option_d=360 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.
- id=23800 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4932. If it is sold at a profit of 15%, what is its selling price? | option_a=5178 | option_b=6164 | option_c=4947 | option_d=5671 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4932 × 115/100 = ■5671.
- id=23801 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=360 | option_b=185 | option_c=175 | option_d=180 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.
- id=23802 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:2 and the first is 30, what is the second? | option_a=4 | option_b=34 | option_c=2 | option_d=19 | answer=A | explanation=Scale factor = 30/15 = 2. Therefore second quantity = 2×2 = 4.
- id=23803 | topic=Averages | difficulty=Easy | question=Find the average of 42, 33, 11, 42. | option_a=31 | option_b=34 | option_c=32 | option_d=33 | answer=C | explanation=Average = sum of values ÷ number of values = 128 ÷ 4 = 32.
- id=23804 | topic=Averages | difficulty=Easy | question=Find the average of 27, 35, 55. | option_a=41 | option_b=40 | option_c=39 | option_d=38 | answer=C | explanation=Average = sum of values ÷ number of values = 117 ÷ 3 = 39.
- id=23805 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=28 | option_b=33 | option_c=36 | option_d=32 | answer=D | explanation=The common difference is 4. Therefore the next term is 28 + 4 = 32.
- id=23806 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.
- id=23807 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 14, 17, 22? | option_a=17 | option_b=14 | option_c=22 | option_d=11 | answer=C | explanation=The first three numbers increase by 3, so the next should be 20. Therefore 22 is the odd one out.
- id=23808 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■41680 at 5% per annum for 3 years. | option_a=6252 | option_b=47932 | option_c=6152 | option_d=6352 | answer=A | explanation=SI = PRT/100 = 41680×5×3/100 = ■6252.
- id=23809 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=45 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.
- id=23810 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=58 | option_b=48 | option_c=47 | option_d=36 | answer=C | explanation=The common difference is 11. Therefore the next term is 36 + 11 = 47.
- id=23811 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■6335 at 4% per annum for 2 years. | option_a=606 | option_b=506 | option_c=6841 | option_d=406 | answer=B | explanation=SI = PRT/100 = 6335×4×2/100 = ■506.
- id=23812 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■433. If it is sold at a profit of 40%, what is its selling price? | option_a=649 | option_b=473 | option_c=606 | option_d=563 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 433 × 140/100 = ■606.
- id=23813 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=23814 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2246. If it is sold at a profit of 50%, what is its selling price? | option_a=3145 | option_b=3593 | option_c=3369 | option_d=2296 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2246 × 150/100 = ■3369.
- id=23815 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Q | option_b=W | option_c=T | option_d=Z | answer=B | explanation=Move 3 positions forward from T; the resulting letter is W.
- id=23816 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=37 | option_b=38 | option_c=45 | option_d=29 | answer=A | explanation=The common difference is 8. Therefore the next term is 29 + 8 = 37.
- id=23817 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=48 | option_b=41 | option_c=34 | option_d=42 | answer=B | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.
- id=23818 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=4 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=23819 | topic=Averages | difficulty=Easy | question=Find the average of 51, 87, 28, 73, 92, 35, 95, 23, 22, 84. | option_a=60 | option_b=61 | option_c=58 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 590 ÷ 10 = 59.
- id=23820 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4090. If it is sold at a profit of 10%, what is its selling price? | option_a=4908 | option_b=4100 | option_c=4499 | option_d=4090 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4090 × 110/100 = ■4499.

Aptitude Questions — Records 23,821-23,850 of 100,000

id=23821 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=23822 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 23, 30, 37, ? | option_a=51 | option_b=37 | option_c=45 | option_d=44 | answer=D | explanation=The common difference is 7. Therefore the next term is 37 + 7 = 44.

id=23823 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36777 at 6% per annum for 4 years. | option_a=8726 | option_b=8826 | option_c=45603 | option_d=8926 | answer=B | explanation=SI = PRT/100 = 36777×6×4/100 = **■**8826.

id=23824 | topic=Averages | difficulty=Easy | question=Find the average of 80, 54, 54, 21, 97, 19, 34, 57. | option_a=53 | option_b=52 | option_c=54 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=23825 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=9 | option_c=4 | option_d=14 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=23826 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=J | option_c=V | option_d=R | answer=D | explanation=Move 4 positions forward from N; the resulting letter is R.

id=23827 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**966. If it is sold at a profit of 10%, what is its selling price? | option_a=976 | option_b=966 | option_c=1062 | option_d=1158 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 966 × 110/100 = **■**1062.

id=23828 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=23 | option_b=20 | option_c=26 | option_d=24 | answer=A | explanation=The common difference is 3. Therefore the next term is 20 + 3 = 23.

id=23829 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2600 at 12% per annum for 3 years. | option_a=1036 | option_b=836 | option_c=3536 | option_d=936 | answer=D | explanation=SI = PRT/100 = 2600×12×3/100 = **■**936.

id=23830 | topic=Percentages | difficulty=Easy | question=What is 50% of 1833? | option_a=1832 | option_b=926 | option_c=916 | option_d=911 | answer=C | explanation=50% of 1833 = (50/100) × 1833 = 916.

id=23831 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=55 | option_b=66 | option_c=42 | option_d=54 | answer=D | explanation=The common difference is 12. Therefore the next term is 42 + 12 = 54.

id=23832 | topic=Percentages | difficulty=Easy | question=What is 40% of 822? | option_a=308 | option_b=656 | option_c=338 | option_d=328 | answer=D | explanation=40% of 822 = (40/100) × 822 = 328.

id=23833 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 24. | option_a=144 | option_b=672 | option_c=196 | option_d=168 | answer=D | explanation=LCM × HCF = 28×24; HCF(28,24) = 4, so LCM = 168.

id=23834 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4388. If it is sold at a profit of 10%, what is its selling price? | option_a=4826 | option_b=5264 | option_c=4398 | option_d=4388 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4388 × 110/100 = **■**4826.

id=23835 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=E | option_b=G | option_c=H | option_d=F | answer=B | explanation=Move 1 positions forward from F; the resulting letter is G.

id=23836 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=H | option_b=E | option_c=B | option_d=K | answer=A | explanation=Move 3 positions forward from E; the resulting letter is H.

id=23837 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=85 | option_c=160 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=23838 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=65 | option_b=53 | option_c=66 | option_d=77 | answer=A | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.

id=23839 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=Q | option_c=R | option_d=P | answer=C | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=23840 | topic=Averages | difficulty=Easy | question=Find the average of 84, 15, 56, 86, 21, 25, 65, 89, 18. | option_a=50 | option_b=51 | option_c=53 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 459 ÷ 9 = 51.

id=23841 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=A | option_b=B | option_c=D | option_d=C | answer=D | explanation=Move 1 positions forward from B; the resulting letter is C.

id=23842 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 21, 30, 41? | option_a=12 | option_b=30 | option_c=21 | option_d=41 | answer=D | explanation=The first three numbers increase by 9, so the next should be 39. Therefore 41 is the odd one out.

id=23843 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=24 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=23844 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39645 at 12% per annum for 1 years. | option_a=4657 | option_b=4757 | option_c=44402 | option_d=4857 | answer=B | explanation=SI = PRT/100 = 39645×12×1/100 = **■**4757.

id=23845 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 30. | option_a=270 | option_b=60 | option_c=99 | option_d=90 | answer=D | explanation=LCM × HCF = 9×30; HCF(9,30) = 3, so LCM = 90.

id=23846 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=24 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=23847 | topic=Averages | difficulty=Easy | question=Find the average of 34, 70, 43, 38, 55, 44, 85, 96, 100, 75. | option_a=65 | option_b=63 | option_c=66 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 640 ÷ 10 = 64.

id=23848 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**863. If it is sold at a profit of 40%, what is its selling price? | option_a=903 | option_b=1208 | option_c=1294 | option_d=1122 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 863 × 140/100 = **■**1208.

id=23849 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:15 and the first is 225, what is the second? | option_a=450 | option_b=240 | option_c=210 | option_d=225 | answer=D | explanation=Scale factor = 225/15 = 15. Therefore second quantity = 15×15 = 225.

id=23850 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 22. | option_a=88 | option_b=44 | option_c=22 | option_d=48 | answer=B | explanation=LCM × HCF = 4×22; HCF(4,22) = 2, so LCM = 44.

Aptitude Questions — Records 23,851-23,880 of 100,000

id=23851 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=23852 | topic=Percentages | difficulty=Easy | question=What is 25% of 1372? | option_a=363 | option_b=333 | option_c=686 | option_d=343 | answer=D | explanation=25% of 1372 = (25/100) × 1372 = 343.

id=23853 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4569. If it is sold at a profit of 10%, what is its selling price? | option_a=4579 | option_b=5481 | option_c=5025 | option_d=4569 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4569 × 110/100 = █5025.

id=23854 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 12. | option_a=1 | option_b=16 | option_c=12 | option_d=48 | answer=C | explanation=LCM × HCF = 4×12; HCF(4,12) = 4, so LCM = 12.

id=23855 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:19 and the first is 63, what is the second? | option_a=152 | option_b=171 | option_c=178 | option_d=234 | answer=B | explanation=Scale factor = 63/7 = 9. Therefore second quantity = 19×9 = 171.

id=23856 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2797. If it is sold at a profit of 50%, what is its selling price? | option_a=4474 | option_b=3916 | option_c=2847 | option_d=4195 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2797 × 150/100 = █4195.

id=23857 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=23858 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=23859 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 25? | option_a=21 | option_b=25 | option_c=15 | option_d=18 | answer=B | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 25 is the odd one out.

id=23860 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:19 and the first is 51, what is the second? | option_a=38 | option_b=74 | option_c=108 | option_d=57 | answer=D | explanation=Scale factor = 51/17 = 3. Therefore second quantity = 19×3 = 57.

id=23861 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:7 and the first is 144, what is the second? | option_a=74 | option_b=56 | option_c=49 | option_d=200 | answer=B | explanation=Scale factor = 144/18 = 8. Therefore second quantity = 7×8 = 56.

id=23862 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13270 at 5% per annum for 3 years. | option_a=1890 | option_b=15260 | option_c=1990 | option_d=2090 | answer=C | explanation=SI = PRT/100 = 13270×5×3/100 = █1990.

id=23863 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 14, 20, 28? | option_a=20 | option_b=28 | option_c=8 | option_d=14 | answer=B | explanation=The first three numbers increase by 6, so the next should be 26. Therefore 28 is the odd one out.

id=23864 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=12 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=23865 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4499 at 4% per annum for 5 years. | option_a=899 | option_b=5398 | option_c=999 | option_d=799 | answer=A | explanation=SI = PRT/100 = 4499×4×5/100 = █899.

id=23866 | topic=Averages | difficulty=Easy | question=Find the average of 44, 43, 62, 20, 65, 89, 27. | option_a=50 | option_b=49 | option_c=52 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

id=23867 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=23868 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=23869 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 31, 34, 39? | option_a=39 | option_b=31 | option_c=34 | option_d=28 | answer=A | explanation=The first three numbers increase by 3, so the next should be 37. Therefore 39 is the odd one out.

id=23870 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 35, 45, 58? | option_a=25 | option_b=35 | option_c=58 | option_d=45 | answer=C | explanation=The first three numbers increase by 10, so the next should be 55. Therefore 58 is the odd one out.

id=23871 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4595. If it is sold at a profit of 15%, what is its selling price? | option_a=4610 | option_b=4825 | option_c=5284 | option_d=5743 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4595 × 115/100 = █5284.

id=23872 | topic=Averages | difficulty=Easy | question=Find the average of 88, 65, 39, 53, 40. | option_a=58 | option_b=57 | option_c=59 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.

id=23873 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=23874 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=M | option_c=Y | option_d=U | answer=D | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=23875 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=23876 | topic=Profit & Loss | difficulty=Easy | question=An article costs █308. If it is sold at a profit of 20%, what is its selling price? | option_a=328 | option_b=399 | option_c=339 | option_d=369 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 308 × 120/100 = █369.

id=23877 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:1 and the first is 4, what is the second? | option_a=8 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Scale factor = 4/1 = 4. Therefore second quantity = 1×4 = 4.

id=23878 | topic=Averages | difficulty=Easy | question=Find the average of 27, 84, 49, 40. | option_a=49 | option_b=52 | option_c=51 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 200 ÷ 4 = 50.

id=23879 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=23880 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4970. If it is sold at a profit of 20%, what is its selling price? | option_a=6461 | option_b=5964 | option_c=4990 | option_d=5467 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4970 × 120/100 = █5964.

Aptitude Questions — Records 23,881-23,910 of 100,000

id=23881 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 14. | option_a=154 | option_b=336 | option_c=192 | option_d=168 | answer=D | explanation=LCM × HCF = 24×14; HCF(24,14) = 2, so LCM = 168.

id=23882 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19141 at 4% per annum for 4 years. | option_a=3062 | option_b=22203 | option_c=2962 | option_d=3162 | answer=A | explanation=SI = PRT/100 = 19141×4×4/100 = **■**3062.

id=23883 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:12 and the first is 238, what is the second? | option_a=204 | option_b=442 | option_c=192 | option_d=218 | answer=A | explanation=Scale factor = 238/14 = 17. Therefore second quantity = 12×17 = 204.

id=23884 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=90 | option_c=85 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=23885 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=6 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=23886 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1971. If it is sold at a profit of 10%, what is its selling price? | option_a=2168 | option_b=1971 | option_c=2365 | option_d=1981 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1971 × 110/100 = **■**2168.

id=23887 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4054 at 6% per annum for 3 years. | option_a=829 | option_b=629 | option_c=4783 | option_d=729 | answer=D | explanation=SI = PRT/100 = 4054×6×3/100 = **■**729.

id=23888 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=125 | option_c=240 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=23889 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 33? | option_a=28 | option_b=33 | option_c=22 | option_d=25 | answer=B | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 33 is the odd one out.

id=23890 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 45? | option_a=33 | option_b=13 | option_c=45 | option_d=23 | answer=C | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 45 is the odd one out.

id=23891 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=V | option_c=F | option_d=K | answer=C | explanation=Move 5 positions forward from A; the resulting letter is F.

id=23892 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 60? | option_a=27 | option_b=37 | option_c=60 | option_d=47 | answer=C | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 60 is the odd one out.

id=23893 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=23894 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 5, 8, 11, ? | option_a=17 | option_b=11 | option_c=15 | option_d=14 | answer=D | explanation=The common difference is 3. Therefore the next term is 11 + 3 = 14.

id=23895 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 45? | option_a=36 | option_b=24 | option_c=45 | option_d=30 | answer=C | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 45 is the odd one out.

id=23896 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=32 | option_b=42 | option_c=41 | option_d=50 | answer=C | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

id=23897 | topic=Percentages | difficulty=Easy | question=What is 20% of 928? | option_a=370 | option_b=165 | option_c=205 | option_d=185 | answer=D | explanation=20% of 928 = (20/100) × 928 = 185.

id=23898 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20367 at 15% per annum for 5 years. | option_a=15375 | option_b=15175 | option_c=35642 | option_d=15275 | answer=D | explanation=SI = PRT/100 = 20367×15×5/100 = **■**15275.

id=23899 | topic=Averages | difficulty=Easy | question=Find the average of 60, 83, 28, 48, 11, 100, 48. | option_a=56 | option_b=53 | option_c=55 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

id=23900 | topic=Averages | difficulty=Easy | question=Find the average of 49, 51, 47. | option_a=48 | option_b=49 | option_c=50 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 147 ÷ 3 = 49.

id=23901 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:5 and the first is 133, what is the second? | option_a=95 | option_b=90 | option_c=102 | option_d=228 | answer=A | explanation=Scale factor = 133/7 = 19. Therefore second quantity = 5×19 = 95.

id=23902 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3870 at 10% per annum for 2 years. | option_a=874 | option_b=4644 | option_c=674 | option_d=774 | answer=D | explanation=SI = PRT/100 = 3870×10×2/100 = **■**774.

id=23903 | topic=Averages | difficulty=Easy | question=Find the average of 36, 32, 59, 87, 51. | option_a=52 | option_b=53 | option_c=55 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 265 ÷ 5 = 53.

id=23904 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:5 and the first is 60, what is the second? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Scale factor = 60/5 = 12. Therefore second quantity = 5×12 = 60.

id=23905 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:3 and the first is 36, what is the second? | option_a=9 | option_b=6 | option_c=45 | option_d=21 | answer=A | explanation=Scale factor = 36/12 = 3. Therefore second quantity = 3×3 = 9.

id=23906 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=95 | option_c=105 | option_d=200 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=23907 | topic=Percentages | difficulty=Easy | question=What is 30% of 387? | option_a=121 | option_b=116 | option_c=96 | option_d=232 | answer=B | explanation=30% of 387 = (30/100) × 387 = 116.

id=23908 | topic=Percentages | difficulty=Easy | question=What is 12% of 535? | option_a=64 | option_b=69 | option_c=44 | option_d=128 | answer=A | explanation=12% of 535 = (12/100) × 535 = 64.

id=23909 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=75 | option_c=80 | option_d=160 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=23910 | topic=Averages | difficulty=Easy | question=Find the average of 98, 100, 70, 39, 53. | option_a=73 | option_b=74 | option_c=71 | option_d=72 | answer=D | explanation=Average = sum of values ÷ number of values = 360 ÷ 5 = 72.

Aptitude Questions — Records 23,911-23,940 of 100,000

id=23911 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:12 and the first is 91, what is the second? | option_a=72 | option_b=97 | option_c=175 | option_d=84 | answer=D | explanation=Scale factor = $91/13 = 7$. Therefore second quantity = $12 \times 7 = 84$.

id=23912 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:16 and the first is 60, what is the second? | option_a=92 | option_b=140 | option_c=80 | option_d=64 | answer=C | explanation=Scale factor = $60/12 = 5$. Therefore second quantity = $16 \times 5 = 80$.

id=23913 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=44 | option_b=34 | option_c=39 | option_d=40 | answer=C | explanation=The common difference is 5. Therefore the next term is $34 + 5 = 39$.

id=23914 | topic=Profit & Loss | difficulty=Easy | question=An article costs █340. If it is sold at a profit of 50%, what is its selling price? | option_a=390 | option_b=510 | option_c=476 | option_d=544 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 340 \times 150/100 = \text{█}510$.

id=23915 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=24 | option_d=7 | answer=A | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=23916 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=T | option_b=R | option_c=S | option_d=Q | answer=C | explanation=Move 1 positions forward from R; the resulting letter is S.

id=23917 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4684. If it is sold at a profit of 5%, what is its selling price? | option_a=4918 | option_b=5386 | option_c=4689 | option_d=4450 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 4684 \times 105/100 = \text{█}4918$.

id=23918 | topic=Profit & Loss | difficulty=Easy | question=An article costs █300. If it is sold at a profit of 5%, what is its selling price? | option_a=315 | option_b=345 | option_c=305 | option_d=285 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 300 \times 105/100 = \text{█}315$.

id=23919 | topic=Averages | difficulty=Easy | question=Find the average of 17, 53, 12, 90, 55, 28, 55, 92, 84. | option_a=54 | option_b=56 | option_c=53 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = $486 \div 9 = 54$.

id=23920 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=73 | option_b=61 | option_c=49 | option_d=62 | answer=B | explanation=The common difference is 12. Therefore the next term is $49 + 12 = 61$.

id=23921 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14089 at 10% per annum for 1 years. | option_a=1308 | option_b=1508 | option_c=1408 | option_d=15497 | answer=C | explanation=SI = $PRT/100 = 14089 \times 10 \times 1/100 = \text{█}1408$.

id=23922 | topic=Percentages | difficulty=Easy | question=What is 25% of 1655? | option_a=826 | option_b=393 | option_c=413 | option_d=418 | answer=C | explanation=25% of 1655 = $(25/100) \times 1655 = 413$.

id=23923 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15901 at 5% per annum for 1 years. | option_a=795 | option_b=16696 | option_c=895 | option_d=695 | answer=A | explanation=SI = $PRT/100 = 15901 \times 5 \times 1/100 = \text{█}795$.

id=23924 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 24. | option_a=624 | option_b=312 | option_c=288 | option_d=338 | answer=B | explanation=LCM $\times$ HCF = 26×24 ; $HCF(26,24) = 2$, so LCM = 312.

id=23925 | topic=Percentages | difficulty=Easy | question=What is 20% of 1016? | option_a=193 | option_b=406 | option_c=203 | option_d=208 | answer=C | explanation=20% of 1016 = $(20/100) \times 1016 = 203$.

id=23926 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = $60 \div 2 = 30$ km/h.

id=23927 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40360 at 4% per annum for 5 years. | option_a=7972 | option_b=8172 | option_c=8072 | option_d=48432 | answer=C | explanation=SI = $PRT/100 = 40360 \times 4 \times 5/100 = \text{█}8072$.

id=23928 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:14 and the first is 238, what is the second? | option_a=434 | option_b=196 | option_c=182 | option_d=213 | answer=B | explanation=Scale factor = $238/17 = 14$. Therefore second quantity = $14 \times 14 = 196$.

id=23929 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=62 | option_b=51 | option_c=40 | option_d=52 | answer=B | explanation=The common difference is 11. Therefore the next term is $40 + 11 = 51$.

id=23930 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = $90 \div 3 = 30$ km/h.

id=23931 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2723. If it is sold at a profit of 15%, what is its selling price? | option_a=3403 | option_b=2859 | option_c=2738 | option_d=3131 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2723 \times 115/100 = \text{█}3131$.

id=23932 | topic=Percentages | difficulty=Easy | question=What is 40% of 1396? | option_a=558 | option_b=538 | option_c=1116 | option_d=568 | answer=A | explanation=40% of 1396 = $(40/100) \times 1396 = 558$.

id=23933 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=56 | option_b=57 | option_c=47 | option_d=65 | answer=A | explanation=The common difference is 9. Therefore the next term is $47 + 9 = 56$.

id=23934 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 27, 39, 51, ? | option_a=75 | option_b=64 | option_c=51 | option_d=63 | answer=D | explanation=The common difference is 12. Therefore the next term is $51 + 12 = 63$.

id=23935 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.

id=23936 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 42? | option_a=32 | option_b=18 | option_c=42 | option_d=25 | answer=C | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 42 is the odd one out.

id=23937 | topic=Averages | difficulty=Easy | question=Find the average of 66, 97, 90, 53, 90, 12. | option_a=67 | option_b=70 | option_c=68 | option_d=69 | answer=C | explanation=Average = sum of values ÷ number of values = $408 \div 6 = 68$.

id=23938 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 30. | option_a=270 | option_b=99 | option_c=90 | option_d=60 | answer=C | explanation=LCM $\times$ HCF = 9×30 ; $HCF(9,30) = 3$, so LCM = 90.

id=23939 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=28 | option_b=24 | option_c=29 | option_d=32 | answer=A | explanation=The common difference is 4. Therefore the next term is $24 + 4 = 28$.

id=23940 | topic=Averages | difficulty=Easy | question=Find the average of 22, 50, 53, 38, 62, 76, 42, 36, 53. | option_a=48 | option_b=50 | option_c=49 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = $432 \div 9 = 48$.

Aptitude Questions — Records 23,941-23,970 of 100,000

id=23941 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21504 at 4% per annum for 1 years. | option_a=22364 | option_b=960 | option_c=760 | option_d=860 | answer=D | explanation=SI = PRT/100 = 21504×4×1/100 = **■**860.

id=23942 | topic=Percentages | difficulty=Easy | question=What is 25% of 1649? | option_a=824 | option_b=407 | option_c=432 | option_d=412 | answer=D | explanation=25% of 1649 = (25/100) × 1649 = 412.

id=23943 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 16, 23, 30, ? | option_a=44 | option_b=30 | option_c=38 | option_d=37 | answer=D | explanation=The common difference is 7. Therefore the next term is 30 + 7 = 37.

id=23944 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=23945 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2778. If it is sold at a profit of 10%, what is its selling price? | option_a=2778 | option_b=3332 | option_c=2788 | option_d=3055 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2778 × 110/100 = **■**3055.

id=23946 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=23947 | topic=Averages | difficulty=Easy | question=Find the average of 92, 86, 20, 39, 45, 25, 20, 100, 29, 44. | option_a=51 | option_b=50 | option_c=49 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 500 ÷ 10 = 50.

id=23948 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=10 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=23949 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33495 at 10% per annum for 5 years. | option_a=50242 | option_b=16647 | option_c=16847 | option_d=16747 | answer=D | explanation=SI = PRT/100 = 33495×10×5/100 = **■**16747.

id=23950 | topic=Percentages | difficulty=Easy | question=What is 20% of 1102? | option_a=200 | option_b=220 | option_c=440 | option_d=240 | answer=B | explanation=20% of 1102 = (20/100) × 1102 = 220.

id=23951 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 22. | option_a=88 | option_b=44 | option_c=48 | option_d=22 | answer=B | explanation=LCM × HCF = 4×22; HCF(4,22) = 2, so LCM = 44.

id=23952 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=L | option_b=K | option_c=M | option_d=J | answer=A | explanation=Move 1 positions forward from K; the resulting letter is L.

id=23953 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=53 | option_b=45 | option_c=46 | option_d=37 | answer=B | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=23954 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=L | option_c=K | option_d=I | answer=C | explanation=Move 1 positions forward from J; the resulting letter is K.

id=23955 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 51? | option_a=41 | option_b=25 | option_c=33 | option_d=51 | answer=D | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 51 is the odd one out.

id=23956 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=19 | option_b=22 | option_c=14 | option_d=18 | answer=D | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.

id=23957 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=C | option_b=G | option_c=O | option_d=K | answer=D | explanation=Move 4 positions forward from G; the resulting letter is K.

id=23958 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19164 at 8% per annum for 2 years. | option_a=3166 | option_b=22230 | option_c=2966 | option_d=3066 | answer=D | explanation=SI = PRT/100 = 19164×8×2/100 = **■**3066.

id=23959 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 24, 30, 39? | option_a=39 | option_b=24 | option_c=18 | option_d=30 | answer=A | explanation=The first three numbers increase by 6, so the next should be 36. Therefore 39 is the odd one out.

id=23960 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=23961 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:8 and the first is 4, what is the second? | option_a=33 | option_b=24 | option_c=32 | option_d=36 | answer=C | explanation=Scale factor = 4/1 = 4. Therefore second quantity = 8×4 = 32.

id=23962 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=95 | option_c=180 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=23963 | topic=Averages | difficulty=Easy | question=Find the average of 65, 26, 16, 70, 23. | option_a=40 | option_b=42 | option_c=41 | option_d=39 | answer=A | explanation=Average = sum of values ÷ number of values = 200 ÷ 5 = 40.

id=23964 | topic=Averages | difficulty=Easy | question=Find the average of 44, 86, 47, 97, 56, 41, 56. | option_a=60 | option_b=61 | option_c=63 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 427 ÷ 7 = 61.

id=23965 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:4 and the first is 112, what is the second? | option_a=64 | option_b=176 | option_c=71 | option_d=60 | answer=A | explanation=Scale factor = 112/7 = 16. Therefore second quantity = 4×16 = 64.

id=23966 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=23967 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=L | option_c=F | option_d=H | answer=A | explanation=Move 2 positions forward from H; the resulting letter is J.

id=23968 | topic=Percentages | difficulty=Easy | question=What is 25% of 1028? | option_a=237 | option_b=514 | option_c=277 | option_d=257 | answer=D | explanation=25% of 1028 = (25/100) × 1028 = 257.

id=23969 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=40 | option_b=49 | option_c=58 | option_d=50 | answer=B | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

id=23970 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

Aptitude Questions — Records 23,971-24,000 of 100,000

id=23971 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=W | option_b=B | option_c=M | option_d=R | answer=A | explanation=Move 5 positions forward from R; the resulting letter is W.

id=23972 | topic=Averages | difficulty=Easy | question=Find the average of 22, 13, 85, 78, 72, 48. | option_a=53 | option_b=54 | option_c=55 | option_d=52 | answer=A | explanation=Average = sum of values + number of values = 318 ÷ 6 = 53.

id=23973 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=23974 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2772. If it is sold at a profit of 10%, what is its selling price? | option_a=3049 | option_b=3326 | option_c=2772 | option_d=2782 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2772 × 110/100 = █3049.

id=23975 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45673 at 5% per annum for 2 years. | option_a=4467 | option_b=4667 | option_c=50240 | option_d=4567 | answer=D | explanation=SI = PRT/100 = 45673×5×2/100 = █4567.

id=23976 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=E | option_c=O | option_d=T | answer=C | explanation=Move 5 positions forward from J; the resulting letter is O.

id=23977 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=M | option_b=P | option_c=V | option_d=S | answer=D | explanation=Move 3 positions forward from P; the resulting letter is S.

id=23978 | topic=Percentages | difficulty=Easy | question=What is 25% of 1549? | option_a=774 | option_b=382 | option_c=387 | option_d=407 | answer=C | explanation=25% of 1549 = (25/100) × 1549 = 387.

id=23979 | topic=Averages | difficulty=Easy | question=Find the average of 49, 84, 44. | option_a=61 | option_b=59 | option_c=58 | option_d=60 | answer=B | explanation=Average = sum of values + number of values = 177 ÷ 3 = 59.

id=23980 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=37 | option_b=33 | option_c=34 | option_d=29 | answer=B | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=23981 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48753 at 10% per annum for 1 years. | option_a=4875 | option_b=53628 | option_c=4975 | option_d=4775 | answer=A | explanation=SI = PRT/100 = 48753×10×1/100 = █4875.

id=23982 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=T | option_c=S | option_d=R | answer=B | explanation=Move 1 positions forward from S; the resulting letter is T.

id=23983 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=12 | option_c=17 | option_d=24 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=23984 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=4 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=23985 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 14, 23, 35? | option_a=23 | option_b=5 | option_c=14 | option_d=35 | answer=D | explanation=The first three numbers increase by 9, so the next should be 32. Therefore 35 is the odd one out.

id=23986 | topic=Percentages | difficulty=Easy | question=What is 20% of 755? | option_a=161 | option_b=302 | option_c=151 | option_d=131 | answer=C | explanation=20% of 755 = (20/100) × 755 = 151.

id=23987 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=23988 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=23989 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:3 and the first is 288, what is the second? | option_a=336 | option_b=45 | option_c=66 | option_d=48 | answer=D | explanation=Scale factor = 288/18 = 16. Therefore second quantity = 3×16 = 48.

id=23990 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=16 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=23991 | topic=Percentages | difficulty=Easy | question=What is 25% of 1412? | option_a=706 | option_b=363 | option_c=343 | option_d=353 | answer=D | explanation=25% of 1412 = (25/100) × 1412 = 353.

id=23992 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:8 and the first is 64, what is the second? | option_a=24 | option_b=48 | option_c=32 | option_d=96 | answer=C | explanation=Scale factor = 64/16 = 4. Therefore second quantity = 8×4 = 32.

id=23993 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3418 at 6% per annum for 3 years. | option_a=4033 | option_b=715 | option_c=615 | option_d=515 | answer=C | explanation=SI = PRT/100 = 3418×6×3/100 = █615.

id=23994 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=125 | option_c=115 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=23995 | topic=Percentages | difficulty=Easy | question=What is 12% of 264? | option_a=31 | option_b=21 | option_c=51 | option_d=62 | answer=A | explanation=12% of 264 = (12/100) × 264 = 31.

id=23996 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4040. If it is sold at a profit of 15%, what is its selling price? | option_a=4646 | option_b=5050 | option_c=4242 | option_d=4055 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4040 × 115/100 = █4646.

id=23997 | topic=Profit & Loss | difficulty=Easy | question=An article costs █754. If it is sold at a profit of 20%, what is its selling price? | option_a=979 | option_b=904 | option_c=774 | option_d=829 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 754 × 120/100 = █904.

id=23998 | topic=Averages | difficulty=Easy | question=Find the average of 91, 80, 30. | option_a=68 | option_b=69 | option_c=67 | option_d=66 | answer=C | explanation=Average = sum of values + number of values = 201 ÷ 3 = 67.

id=23999 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=N | option_b=O | option_c=Q | option_d=P | answer=D | explanation=Move 1 positions forward from O; the resulting letter is P.

id=24000 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:17 and the first is 14, what is the second? | option_a=48 | option_b=17 | option_c=34 | option_d=41 | answer=C | explanation=Scale factor = 14/7 = 2. Therefore second quantity = 17×2 = 34.

Aptitude Questions — Records 24,001-24,030 of 100,000

id=24001 | topic=Percentages | difficulty=Easy | question=What is 15% of 1369? | option_a=225 | option_b=410 | option_c=205 | option_d=185 | answer=C | explanation=15% of 1369 = (15/100) × 1369 = 205.

id=24002 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2703. If it is sold at a profit of 5%, what is its selling price? | option_a=2838 | option_b=2568 | option_c=2708 | option_d=3108 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2703 × 105/100 = █2838.

id=24003 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=24004 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=10 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=24005 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4273. If it is sold at a profit of 5%, what is its selling price? | option_a=2878 | option_b=4913 | option_c=4486 | option_d=4059 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4273 × 105/100 = █4486.

id=24006 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=30 | option_b=35 | option_c=40 | option_d=36 | answer=B | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=24007 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22449 at 10% per annum for 3 years. | option_a=6734 | option_b=6634 | option_c=6834 | option_d=29183 | answer=A | explanation=SI = PRT/100 = 22449×10×3/100 = █6734.

id=24008 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24010 at 5% per annum for 4 years. | option_a=28812 | option_b=4702 | option_c=4802 | option_d=4902 | answer=C | explanation=SI = PRT/100 = 24010×5×4/100 = █4802.

id=24009 | topic=Percentages | difficulty=Easy | question=What is 10% of 1843? | option_a=179 | option_b=184 | option_c=189 | option_d=368 | answer=B | explanation=10% of 1843 = (10/100) × 1843 = 184.

id=24010 | topic=Averages | difficulty=Easy | question=Find the average of 27, 88, 72, 33, 13, 79, 56, 17, 65. | option_a=50 | option_b=49 | option_c=51 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 450 ÷ 9 = 50.

id=24011 | topic=Percentages | difficulty=Easy | question=What is 20% of 1787? | option_a=714 | option_b=367 | option_c=357 | option_d=347 | answer=C | explanation=20% of 1787 = (20/100) × 1787 = 357.

id=24012 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=O | option_b=N | option_c=M | option_d=P | answer=A | explanation=Move 1 positions forward from N; the resulting letter is O.

id=24013 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=X | option_b=B | option_c=T | option_d=P | answer=A | explanation=Move 4 positions forward from T; the resulting letter is X.

id=24014 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=39 | option_b=35 | option_c=34 | option_d=29 | answer=C | explanation=The common difference is 5. Therefore the next term is 29 + 5 = 34.

id=24015 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=44 | option_b=50 | option_c=36 | option_d=43 | answer=D | explanation=The common difference is 7. Therefore the next term is 36 + 7 = 43.

id=24016 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:10 and the first is 40, what is the second? | option_a=90 | option_b=140 | option_c=104 | option_d=100 | answer=D | explanation=Scale factor = 40/4 = 10. Therefore second quantity = 10×10 = 100.

id=24017 | topic=Percentages | difficulty=Easy | question=What is 5% of 1762? | option_a=93 | option_b=88 | option_c=68 | option_d=176 | answer=B | explanation=5% of 1762 = (5/100) × 1762 = 88.

id=24018 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14533 at 5% per annum for 5 years. | option_a=3633 | option_b=3733 | option_c=18166 | option_d=3533 | answer=A | explanation=SI = PRT/100 = 14533×5×5/100 = █3633.

id=24019 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2733. If it is sold at a profit of 20%, what is its selling price? | option_a=2753 | option_b=3552 | option_c=3279 | option_d=3006 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2733 × 120/100 = █3279.

id=24020 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13824 at 10% per annum for 1 years. | option_a=1282 | option_b=1382 | option_c=15206 | option_d=1482 | answer=B | explanation=SI = PRT/100 = 13824×10×1/100 = █1382.

id=24021 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=24022 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:14 and the first is 28, what is the second? | option_a=28 | option_b=56 | option_c=14 | option_d=42 | answer=A | explanation=Scale factor = 28/14 = 2. Therefore second quantity = 14×2 = 28.

id=24023 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:1 and the first is 28, what is the second? | option_a=42 | option_b=14 | option_c=16 | option_d=13 | answer=B | explanation=Scale factor = 28/2 = 14. Therefore second quantity = 1×14 = 14.

id=24024 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4299. If it is sold at a profit of 50%, what is its selling price? | option_a=6019 | option_b=4349 | option_c=6448 | option_d=6877 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4299 × 150/100 = █6448.

id=24025 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=N | option_c=Y | option_d=I | answer=D | explanation=Move 5 positions forward from D; the resulting letter is I.

id=24026 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=I | option_c=G | option_d=C | answer=C | explanation=Move 2 positions forward from E; the resulting letter is G.

id=24027 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=O | option_c=R | option_d=I | answer=B | explanation=Move 3 positions forward from L; the resulting letter is O.

id=24028 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=48 | option_b=56 | option_c=47 | option_d=38 | answer=C | explanation=The common difference is 9. Therefore the next term is 38 + 9 = 47.

id=24029 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:18 and the first is 340, what is the second? | option_a=700 | option_b=360 | option_c=377 | option_d=342 | answer=B | explanation=Scale factor = 340/17 = 20. Therefore second quantity = 18×20 = 360.

id=24030 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Y | option_b=U | option_c=C | option_d=Q | answer=A | explanation=Move 4 positions forward from U; the resulting letter is Y.

Aptitude Questions — Records 24,031-24,060 of 100,000

id=24031 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1185. If it is sold at a profit of 15%, what is its selling price? | option_a=1362 | option_b=1200 | option_c=1480 | option_d=1244 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1185 × 115/100 = ■1362.

id=24032 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■21352 at 15% per annum for 4 years. | option_a=12711 | option_b=12911 | option_c=34163 | option_d=12811 | answer=D | explanation=SI = PRT/100 = 21352×15×4/100 = ■12811.

id=24033 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4095. If it is sold at a profit of 50%, what is its selling price? | option_a=5733 | option_b=6142 | option_c=6551 | option_d=4145 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4095 × 150/100 = ■6142.

id=24034 | topic=Averages | difficulty=Easy | question=Find the average of 54, 78, 88, 61, 50, 25, 85. | option_a=63 | option_b=62 | option_c=65 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = 441 ÷ 7 = 63.

id=24035 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■9158 at 8% per annum for 2 years. | option_a=1565 | option_b=1365 | option_c=1465 | option_d=10623 | answer=C | explanation=SI = PRT/100 = 9158×8×2/100 = ■1465.

id=24036 | topic=Averages | difficulty=Easy | question=Find the average of 44, 27, 50, 27. | option_a=39 | option_b=37 | option_c=38 | option_d=36 | answer=B | explanation=Average = sum of values ÷ number of values = 148 ÷ 4 = 37.

id=24037 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=24038 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■28329 at 12% per annum for 4 years. | option_a=13597 | option_b=13497 | option_c=41926 | option_d=13697 | answer=A | explanation=SI = PRT/100 = 28329×12×4/100 = ■13597.

id=24039 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=43 | option_b=42 | option_c=52 | option_d=32 | answer=B | explanation=The common difference is 10. Therefore the next term is 32 + 10 = 42.

id=24040 | topic=Percentages | difficulty=Easy | question=What is 20% of 360? | option_a=92 | option_b=52 | option_c=72 | option_d=144 | answer=C | explanation=20% of 360 = (20/100) × 360 = 72.

id=24041 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■40340 at 10% per annum for 5 years. | option_a=20270 | option_b=20170 | option_c=60510 | option_d=20070 | answer=B | explanation=SI = PRT/100 = 40340×10×5/100 = ■20170.

id=24042 | topic=Percentages | difficulty=Easy | question=What is 25% of 613? | option_a=143 | option_b=163 | option_c=306 | option_d=153 | answer=D | explanation=25% of 613 = (25/100) × 613 = 153.

id=24043 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=H | option_b=G | option_c=I | option_d=F | answer=A | explanation=Move 1 positions forward from G; the resulting letter is H.

id=24044 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:7 and the first is 39, what is the second? | option_a=130 | option_b=91 | option_c=84 | option_d=94 | answer=B | explanation=Scale factor = 39/3 = 13. Therefore second quantity = 7×13 = 91.

id=24045 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2873. If it is sold at a profit of 40%, what is its selling price? | option_a=4022 | option_b=3735 | option_c=4309 | option_d=2913 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2873 × 140/100 = ■4022.

id=24046 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 37? | option_a=22 | option_b=30 | option_c=37 | option_d=26 | answer=C | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 37 is the odd one out.

id=24047 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■48502 at 4% per annum for 3 years. | option_a=5920 | option_b=5820 | option_c=5720 | option_d=54322 | answer=B | explanation=SI = PRT/100 = 48502×4×3/100 = ■5820.

id=24048 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:2 and the first is 36, what is the second? | option_a=22 | option_b=2 | option_c=4 | option_d=40 | answer=C | explanation=Scale factor = 36/18 = 2. Therefore second quantity = 2×2 = 4.

id=24049 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=41 | option_b=51 | option_c=61 | option_d=52 | answer=B | explanation=The common difference is 10. Therefore the next term is 41 + 10 = 51.

id=24050 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 23? | option_a=20 | option_b=23 | option_c=18 | option_d=16 | answer=B | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 23 is the odd one out.

id=24051 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:20 and the first is 16, what is the second? | option_a=20 | option_b=48 | option_c=40 | option_d=56 | answer=C | explanation=Scale factor = 16/8 = 2. Therefore second quantity = 20×2 = 40.

id=24052 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 44? | option_a=31 | option_b=11 | option_c=21 | option_d=44 | answer=D | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 44 is the odd one out.

id=24053 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2088. If it is sold at a profit of 5%, what is its selling price? | option_a=2400 | option_b=2093 | option_c=1984 | option_d=2192 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2088 × 105/100 = ■2192.

id=24054 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=63 | option_b=45 | option_c=55 | option_d=54 | answer=D | explanation=The common difference is 9. Therefore the next term is 45 + 9 = 54.

id=24055 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=51 | option_b=60 | option_c=42 | option_d=52 | answer=A | explanation=The common difference is 9. Therefore the next term is 42 + 9 = 51.

id=24056 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=24057 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=I | option_b=H | option_c=G | option_d=J | answer=A | explanation=Move 1 positions forward from H; the resulting letter is I.

id=24058 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=X | option_b=T | option_c=P | option_d=B | answer=A | explanation=Move 4 positions forward from T; the resulting letter is X.

id=24059 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=63 | option_b=55 | option_c=54 | option_d=45 | answer=C | explanation=The common difference is 9. Therefore the next term is 45 + 9 = 54.

id=24060 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 24. | option_a=48 | option_b=24 | option_c=1 | option_d=26 | answer=B | explanation=LCM × HCF = 2×24; HCF(2,24) = 2, so LCM = 24.

Aptitude Questions — Records 24,061-24,090 of 100,000

id=24061 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 15, 20, 28? | option_a=10 | option_b=20 | option_c=15 | option_d=28 | answer=D | explanation=The first three numbers increase by 5, so the next should be 25. Therefore 28 is the odd one out.

id=24062 | topic=Percentages | difficulty=Easy | question=What is 15% of 1166? | option_a=164 | option_b=174 | option_c=348 | option_d=184 | answer=B | explanation=15% of 1166 = (15/100) × 1166 = 174.

id=24063 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4233. If it is sold at a profit of 5%, what is its selling price? | option_a=4238 | option_b=4867 | option_c=4444 | option_d=4021 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4233 × 105/100 = █4444.

id=24064 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 26, 28, 31? | option_a=24 | option_b=28 | option_c=26 | option_d=31 | answer=D | explanation=The first three numbers increase by 2, so the next should be 30. Therefore 31 is the odd one out.

id=24065 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=9 | option_c=14 | option_d=18 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=24066 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 50? | option_a=39 | option_b=50 | option_c=30 | option_d=21 | answer=B | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 50 is the odd one out.

id=24067 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4323. If it is sold at a profit of 5%, what is its selling price? | option_a=4328 | option_b=4107 | option_c=4971 | option_d=4539 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4323 × 105/100 = █4539.

id=24068 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3255. If it is sold at a profit of 40%, what is its selling price? | option_a=4557 | option_b=4232 | option_c=3295 | option_d=4882 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3255 × 140/100 = █4557.

id=24069 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=96 | option_c=53 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=24070 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4982. If it is sold at a profit of 15%, what is its selling price? | option_a=6227 | option_b=4997 | option_c=5729 | option_d=5231 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4982 × 115/100 = █5729.

id=24071 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 15, 18, 23? | option_a=15 | option_b=23 | option_c=18 | option_d=12 | answer=B | explanation=The first three numbers increase by 3, so the next should be 21. Therefore 23 is the odd one out.

id=24072 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:18 and the first is 117, what is the second? | option_a=175 | option_b=144 | option_c=279 | option_d=162 | answer=D | explanation=Scale factor = 117/13 = 9. Therefore second quantity = 18×9 = 162.

id=24073 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=53 | option_b=41 | option_c=63 | option_d=52 | answer=D | explanation=The common difference is 11. Therefore the next term is 41 + 11 = 52.

id=24074 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=30 | option_b=31 | option_c=25 | option_d=35 | answer=A | explanation=The common difference is 5. Therefore the next term is 25 + 5 = 30.

id=24075 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 17, 29, 41, ? | option_a=65 | option_b=41 | option_c=53 | option_d=54 | answer=C | explanation=The common difference is 12. Therefore the next term is 41 + 12 = 53.

id=24076 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=24077 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=24078 | topic=Averages | difficulty=Easy | question=Find the average of 62, 23, 26, | option_a=39 | option_b=37 | option_c=38 | option_d=36 | answer=B | explanation=Average = sum of values ÷ number of values = 111 ÷ 3 = 37.

id=24079 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=43 | option_b=44 | option_c=33 | option_d=53 | answer=A | explanation=The common difference is 10. Therefore the next term is 33 + 10 = 43.

id=24080 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=60 | option_b=49 | option_c=50 | option_d=38 | answer=B | explanation=The common difference is 11. Therefore the next term is 38 + 11 = 49.

id=24081 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=36 | option_c=13 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=24082 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=H | option_b=E | option_c=Y | option_d=B | answer=B | explanation=Move 3 positions forward from B; the resulting letter is E.

id=24083 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10813 at 12% per annum for 1 years. | option_a=1297 | option_b=1397 | option_c=1197 | option_d=12110 | answer=A | explanation=SI = PRT/100 = 10813×12×1/100 = █1297.

id=24084 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=32 | option_b=40 | option_c=41 | option_d=48 | answer=B | explanation=The common difference is 8. Therefore the next term is 32 + 8 = 40.

id=24085 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27961 at 12% per annum for 4 years. | option_a=13521 | option_b=13421 | option_c=13321 | option_d=41382 | answer=B | explanation=SI = PRT/100 = 27961×12×4/100 = █13421.

id=24086 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7980 at 12% per annum for 5 years. | option_a=4688 | option_b=12768 | option_c=4788 | option_d=4888 | answer=C | explanation=SI = PRT/100 = 7980×12×5/100 = █4788.

id=24087 | topic=Profit & Loss | difficulty=Easy | question=An article costs █370. If it is sold at a profit of 40%, what is its selling price? | option_a=518 | option_b=410 | option_c=481 | option_d=555 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 370 × 140/100 = █518.

id=24088 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 20. | option_a=40 | option_b=160 | option_c=20 | option_d=48 | answer=A | explanation=LCM × HCF = 8×20; HCF(8,20) = 4, so LCM = 40.

id=24089 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=43 | option_b=63 | option_c=54 | option_d=53 | answer=D | explanation=The common difference is 10. Therefore the next term is 43 + 10 = 53.

id=24090 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:9 and the first is 170, what is the second? | option_a=81 | option_b=90 | option_c=107 | option_d=260 | answer=B | explanation=Scale factor = 170/17 = 10. Therefore second quantity = 9×10 = 90.

Aptitude Questions — Records 24,091-24,120 of 100,000

id=24091 | topic=Averages | difficulty=Easy | question=Find the average of 100, 18, 39, 98, 82, 40, 73, 27, 99, 54. | option_a=65 | option_b=64 | option_c=63 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 630 ÷ 10 = 63.

id=24092 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4625. If it is sold at a profit of 5%, what is its selling price? | option_a=4630 | option_b=4856 | option_c=4394 | option_d=5318 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4625 × 105/100 = █4856.

id=24093 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 11, 19, 29? | option_a=11 | option_b=29 | option_c=3 | option_d=19 | answer=B | explanation=The first three numbers increase by 8, so the next should be 27. Therefore 29 is the odd one out.

id=24094 | topic=Percentages | difficulty=Easy | question=What is 25% of 620? | option_a=175 | option_b=155 | option_c=310 | option_d=150 | answer=B | explanation=25% of 620 = (25/100) × 620 = 155.

id=24095 | topic=Percentages | difficulty=Easy | question=What is 40% of 1959? | option_a=773 | option_b=803 | option_c=1566 | option_d=783 | answer=D | explanation=40% of 1959 = (40/100) × 1959 = 783.

id=24096 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=52 | option_b=53 | option_c=62 | option_d=42 | answer=A | explanation=The common difference is 10. Therefore the next term is 42 + 10 = 52.

id=24097 | topic=Averages | difficulty=Easy | question=Find the average of 51, 37, 55, 49. | option_a=48 | option_b=47 | option_c=50 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 192 ÷ 4 = 48.

id=24098 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=24099 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 31? | option_a=31 | option_b=20 | option_c=25 | option_d=15 | answer=A | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 31 is the odd one out.

id=24100 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=150 | option_d=70 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=24101 | topic=Averages | difficulty=Easy | question=Find the average of 95, 65, 43, 76, 21, 24, 54. | option_a=53 | option_b=55 | option_c=56 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

id=24102 | topic=Averages | difficulty=Easy | question=Find the average of 42, 40, 25, 14, 15, 63, 50, 63. | option_a=41 | option_b=38 | option_c=39 | option_d=40 | answer=C | explanation=Average = sum of values ÷ number of values = 312 ÷ 8 = 39.

id=24103 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=Y | option_c=C | option_d=A | answer=C | explanation=Move 2 positions forward from A; the resulting letter is C.

id=24104 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=24105 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4885. If it is sold at a profit of 50%, what is its selling price? | option_a=7815 | option_b=7327 | option_c=6839 | option_d=4935 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4885 × 150/100 = █7327.

id=24106 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:16 and the first is 14, what is the second? | option_a=39 | option_b=32 | option_c=16 | option_d=46 | answer=B | explanation=Scale factor = 14/7 = 2. Therefore second quantity = 16×2 = 32.

id=24107 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=33 | option_b=27 | option_c=32 | option_d=37 | answer=C | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

id=24108 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4405. If it is sold at a profit of 40%, what is its selling price? | option_a=6167 | option_b=5727 | option_c=6607 | option_d=4445 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4405 × 140/100 = █6167.

id=24109 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=14 | option_b=19 | option_c=18 | option_d=22 | answer=C | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.

id=24110 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=46 | option_b=34 | option_c=41 | option_d=40 | answer=D | explanation=The common difference is 6. Therefore the next term is 34 + 6 = 40.

id=24111 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=62 | option_b=49 | option_c=73 | option_d=61 | answer=D | explanation=The common difference is 12. Therefore the next term is 49 + 12 = 61.

id=24112 | topic=Percentages | difficulty=Easy | question=What is 5% of 866? | option_a=53 | option_b=86 | option_c=43 | option_d=23 | answer=C | explanation=5% of 866 = (5/100) × 866 = 43.

id=24113 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1162. If it is sold at a profit of 25%, what is its selling price? | option_a=1187 | option_b=1336 | option_c=1568 | option_d=1452 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1162 × 125/100 = █1452.

id=24114 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=24115 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=18 | option_b=15 | option_c=17 | option_d=19 | answer=C | explanation=The common difference is 2. Therefore the next term is 15 + 2 = 17.

id=24116 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=24117 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 22? | option_a=15 | option_b=7 | option_c=11 | option_d=22 | answer=D | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 22 is the odd one out.

id=24118 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=24119 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=24120 | topic=Percentages | difficulty=Easy | question=What is 10% of 514? | option_a=102 | option_b=51 | option_c=46 | option_d=71 | answer=B | explanation=10% of 514 = (10/100) × 514 = 51.

Aptitude Questions — Records 24,121-24,150 of 100,000

id=24121 | topic=Percentages | difficulty=Easy | question=What is 30% of 703? | option_a=215 | option_b=205 | option_c=210 | option_d=420 | answer=C | explanation=30% of 703 = (30/100) × 703 = 210.

id=24122 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=31 | option_b=30 | option_c=34 | option_d=26 | answer=B | explanation=The common difference is 4. Therefore the next term is 26 + 4 = 30.

id=24123 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4888. If it is sold at a profit of 50%, what is its selling price? | option_a=7820 | option_b=4938 | option_c=7332 | option_d=6844 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4888 × 150/100 = █7332.

id=24124 | topic=Averages | difficulty=Easy | question=Find the average of 74, 82, 45, 48, 25, 69, 52, 77. | option_a=58 | option_b=60 | option_c=61 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 472 ÷ 8 = 59.

id=24125 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46677 at 12% per annum for 5 years. | option_a=27906 | option_b=28006 | option_c=74683 | option_d=28106 | answer=B | explanation=SI = PRT/100 = 46677×12×5/100 = █28006.

id=24126 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=24127 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=25 | option_b=28 | option_c=22 | option_d=26 | answer=A | explanation=The common difference is 3. Therefore the next term is 22 + 3 = 25.

id=24128 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 30? | option_a=10 | option_b=16 | option_c=22 | option_d=30 | answer=D | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 30 is the odd one out.

id=24129 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=185 | option_c=175 | option_d=360 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=24130 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=24131 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4261. If it is sold at a profit of 20%, what is its selling price? | option_a=4281 | option_b=4687 | option_c=5113 | option_d=5539 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4261 × 120/100 = █5113.

id=24132 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=17 | option_b=20 | option_c=19 | option_d=21 | answer=C | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=24133 | topic=Averages | difficulty=Easy | question=Find the average of 59, 58, 27. | option_a=47 | option_b=48 | option_c=49 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 144 ÷ 3 = 48.

id=24134 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:14 and the first is 240, what is the second? | option_a=280 | option_b=520 | option_c=266 | option_d=292 | answer=A | explanation=Scale factor = 240/12 = 20. Therefore second quantity = 14×20 = 280.

id=24135 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:19 and the first is 54, what is the second? | option_a=225 | option_b=171 | option_c=177 | option_d=152 | answer=B | explanation=Scale factor = 54/6 = 9. Therefore second quantity = 19×9 = 171.

id=24136 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=24137 | topic=Percentages | difficulty=Easy | question=What is 50% of 1959? | option_a=969 | option_b=1958 | option_c=979 | option_d=999 | answer=C | explanation=50% of 1959 = (50/100) × 1959 = 979.

id=24138 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=24139 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 20, 30, 42? | option_a=20 | option_b=30 | option_c=10 | option_d=42 | answer=D | explanation=The first three numbers increase by 10, so the next should be 40. Therefore 42 is the odd one out.

id=24140 | topic=Percentages | difficulty=Easy | question=What is 30% of 1552? | option_a=930 | option_b=455 | option_c=485 | option_d=465 | answer=D | explanation=30% of 1552 = (30/100) × 1552 = 465.

id=24141 | topic=Percentages | difficulty=Easy | question=What is 50% of 1845? | option_a=1844 | option_b=932 | option_c=912 | option_d=922 | answer=D | explanation=50% of 1845 = (50/100) × 1845 = 922.

id=24142 | topic=Percentages | difficulty=Easy | question=What is 25% of 1020? | option_a=265 | option_b=250 | option_c=255 | option_d=510 | answer=C | explanation=25% of 1020 = (25/100) × 1020 = 255.

id=24143 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45965 at 12% per annum for 4 years. | option_a=68028 | option_b=22063 | option_c=22163 | option_d=21963 | answer=B | explanation=SI = PRT/100 = 45965×12×4/100 = █22063.

id=24144 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:1 and the first is 195, what is the second? | option_a=28 | option_b=12 | option_c=208 | option_d=13 | answer=D | explanation=Scale factor = 195/15 = 13. Therefore second quantity = 1×13 = 13.

id=24145 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=24146 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10726 at 8% per annum for 1 years. | option_a=858 | option_b=958 | option_c=758 | option_d=11584 | answer=A | explanation=SI = PRT/100 = 10726×8×1/100 = █858.

id=24147 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2082. If it is sold at a profit of 50%, what is its selling price? | option_a=2132 | option_b=2915 | option_c=3331 | option_d=3123 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2082 × 150/100 = █3123.

id=24148 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=46 | option_b=37 | option_c=53 | option_d=45 | answer=D | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=24149 | topic=Averages | difficulty=Easy | question=Find the average of 10, 84, 96, 93, 34, 27, 33, 39, 61. | option_a=52 | option_b=53 | option_c=54 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 477 ÷ 9 = 53.

id=24150 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 24,151-24,180 of 100,000

id=24151 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4358. If it is sold at a profit of 5%, what is its selling price? | option_a=4363 | option_b=4575 | option_c=5010 | option_d=4140 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4358 \times 105/100 = \blacksquare4575$.

id=24152 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■43621 at 5% per annum for 2 years. | option_a=4262 | option_b=47983 | option_c=4462 | option_d=4362 | answer=D | explanation= $SI = PRT/100 = 43621 \times 5 \times 2/100 = \blacksquare4362$.

id=24153 | topic=Averages | difficulty=Easy | question=Find the average of 11, 17, 46, 100, 10, 73, 81, 15, 12, 15. | option_a=37 | option_b=39 | option_c=38 | option_d=40 | answer=C | explanation=Average = sum of values ÷ number of values = $380 \div 10 = 38$.

id=24154 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4517. If it is sold at a profit of 5%, what is its selling price? | option_a=4291 | option_b=5193 | option_c=4742 | option_d=4522 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4517 \times 105/100 = \blacksquare4742$.

id=24155 | topic=Percentages | difficulty=Easy | question=What is 5% of 117? | option_a=10 | option_b=0 | option_c=15 | option_d=5 | answer=D | explanation= $5\% \text{ of } 117 = (5/100) \times 117 = 5$.

id=24156 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = $90 \div 6 = 15 \text{ km/h}$.

id=24157 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 9? | option_a=4 | option_b=2 | option_c=6 | option_d=9 | answer=D | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 9 is the odd one out.

id=24158 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3 \text{ days}$.

id=24159 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2636. If it is sold at a profit of 30%, what is its selling price? | option_a=3426 | option_b=2666 | option_c=3163 | option_d=3689 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2636 \times 130/100 = \blacksquare3426$.

id=24160 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:5 and the first is 180, what is the second? | option_a=90 | option_b=100 | option_c=85 | option_d=270 | answer=A | explanation=Scale factor = $180/10 = 18$. Therefore second quantity = $5 \times 18 = 90$.

id=24161 | topic=Percentages | difficulty=Easy | question=What is 50% of 1253? | option_a=616 | option_b=626 | option_c=1252 | option_d=646 | answer=B | explanation= $50\% \text{ of } 1253 = (50/100) \times 1253 = 626$.

id=24162 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:20 and the first is 65, what is the second? | option_a=80 | option_b=100 | option_c=165 | option_d=113 | answer=B | explanation=Scale factor = $65/13 = 5$. Therefore second quantity = $20 \times 5 = 100$.

id=24163 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:8 and the first is 280, what is the second? | option_a=132 | option_b=104 | option_c=112 | option_d=392 | answer=C | explanation=Scale factor = $280/20 = 14$. Therefore second quantity = $8 \times 14 = 112$.

id=24164 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 17? | option_a=17 | option_b=10 | option_c=8 | option_d=12 | answer=A | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 17 is the odd one out.

id=24165 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1453. If it is sold at a profit of 40%, what is its selling price? | option_a=1493 | option_b=2179 | option_c=1889 | option_d=2034 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1453 \times 140/100 = \blacksquare2034$.

id=24166 | topic=Percentages | difficulty=Easy | question=What is 50% of 1221? | option_a=1220 | option_b=610 | option_c=590 | option_d=630 | answer=B | explanation= $50\% \text{ of } 1221 = (50/100) \times 1221 = 610$.

id=24167 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 28, 38, 48, ? | option_a=68 | option_b=58 | option_c=48 | option_d=59 | answer=B | explanation=The common difference is 10. Therefore the next term is $48 + 10 = 58$.

id=24168 | topic=Averages | difficulty=Easy | question=Find the average of 82, 44, 11, 11, 38, 36. | option_a=38 | option_b=39 | option_c=37 | option_d=36 | answer=C | explanation=Average = sum of values ÷ number of values = $222 \div 6 = 37$.

id=24169 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=28 | option_b=31 | option_c=27 | option_d=23 | answer=C | explanation=The common difference is 4. Therefore the next term is $23 + 4 = 27$.

id=24170 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=78 | option_b=67 | option_c=66 | option_d=54 | answer=C | explanation=The common difference is 12. Therefore the next term is $54 + 12 = 66$.

id=24171 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=13 | option_b=12 | option_c=11 | option_d=9 | answer=C | explanation=The common difference is 2. Therefore the next term is $9 + 2 = 11$.

id=24172 | topic=Averages | difficulty=Easy | question=Find the average of 60, 72, 33, 18, 54, 85, 46, 72. | option_a=54 | option_b=55 | option_c=57 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = $440 \div 8 = 55$.

id=24173 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 45? | option_a=45 | option_b=32 | option_c=37 | option_d=27 | answer=A | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 45 is the odd one out.

id=24174 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=5 | option_d=24 | answer=A | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6 \text{ days}$.

id=24175 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 18. | option_a=72 | option_b=270 | option_c=90 | option_d=105 | answer=C | explanation= $LCM \times HCF = 15 \times 18$, $HCF(15,18) = 3$, so $LCM = 90$.

id=24176 | topic=Averages | difficulty=Easy | question=Find the average of 44, 99, 73, 35, 84, 22, 36, 23, 19, 35. | option_a=46 | option_b=49 | option_c=47 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = $470 \div 10 = 47$.

id=24177 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=40 | option_b=32 | option_c=36 | option_d=37 | answer=C | explanation=The common difference is 4. Therefore the next term is $32 + 4 = 36$.

id=24178 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 18, 27, 37? | option_a=9 | option_b=27 | option_c=18 | option_d=37 | answer=D | explanation=The first three numbers increase by 9, so the next should be 36. Therefore 37 is the odd one out.

id=24179 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 29? | option_a=29 | option_b=24 | option_c=26 | option_d=22 | answer=A | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 29 is the odd one out.

id=24180 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=57 | option_b=47 | option_c=35 | option_d=46 | answer=D | explanation=The common difference is 11. Therefore the next term is $35 + 11 = 46$.

Aptitude Questions — Records 24,181-24,210 of 100,000

id=24181 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=52 | option_b=76 | option_c=65 | option_d=64 | answer=D | explanation=The common difference is 12. Therefore the next term is $52 + 12 = 64$.

id=24182 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=C | option_b=L | option_c=I | option_d=F | answer=C | explanation=Move 3 positions forward from F; the resulting letter is I.

id=24183 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=P | option_c=O | option_d=M | answer=C | explanation=Move 1 positions forward from N; the resulting letter is O.

id=24184 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=100 | option_c=55 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = $300 \div 6 = 50$ km/h.

id=24185 | topic=Averages | difficulty=Easy | question=Find the average of 49, 58, 74, 13, 48, 16. | option_a=42 | option_b=44 | option_c=45 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = $258 \div 6 = 43$.

id=24186 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $180 \div 6 = 30$ km/h.

id=24187 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:10 and the first is 38, what is the second? | option_a=228 | option_b=192 | option_c=190 | option_d=180 | answer=C | explanation=Scale factor = $38/2 = 19$. Therefore second quantity = $10 \times 19 = 190$.

id=24188 | topic=Averages | difficulty=Easy | question=Find the average of 28, 91, 66, 60, 19, 16, 12, 57, 38. | option_a=42 | option_b=44 | option_c=43 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = $387 \div 9 = 43$.

id=24189 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 24. | option_a=36 | option_b=1 | option_c=24 | option_d=288 | answer=C | explanation=LCM × HCF = 12×24 ; $HCF(12, 24) = 12$, so LCM = 24.

id=24190 | topic=Averages | difficulty=Easy | question=Find the average of 81, 37, 96, 18. | option_a=57 | option_b=59 | option_c=60 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = $232 \div 4 = 58$.

id=24191 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=47 | option_b=46 | option_c=36 | option_d=56 | answer=B | explanation=The common difference is 10. Therefore the next term is $36 + 10 = 46$.

id=24192 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:7 and the first is 14, what is the second? | option_a=112 | option_b=91 | option_c=99 | option_d=98 | answer=D | explanation=Scale factor = $14/1 = 14$. Therefore second quantity = $7 \times 14 = 98$.

id=24193 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.

id=24194 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 16, 26, 38? | option_a=6 | option_b=26 | option_c=16 | option_d=38 | answer=B | explanation=The first three numbers increase by 10, so the next should be 36. Therefore 38 is the odd one out.

id=24195 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=11 | option_c=6 | option_d=12 | answer=C | explanation=Speed = distance ÷ time = $60 \div 10 = 6$ km/h.

id=24196 | topic=Profit & Loss | difficulty=Easy | question=An article costs █799. If it is sold at a profit of 20%, what is its selling price? | option_a=958 | option_b=1037 | option_c=819 | option_d=879 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 799 \times 120/100 = \text{█}958$.

id=24197 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 9, 12, 16? | option_a=16 | option_b=6 | option_c=9 | option_d=12 | answer=A | explanation=The first three numbers increase by 3, so the next should be 15. Therefore 16 is the odd one out.

id=24198 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31767 at 10% per annum for 4 years. | option_a=12806 | option_b=12606 | option_c=12706 | option_d=44473 | answer=C | explanation=SI = $PRT/100 = 31767 \times 10 \times 4/100 = \text{█}12706$.

id=24199 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 17, 20, 24? | option_a=14 | option_b=24 | option_c=17 | option_d=20 | answer=B | explanation=The first three numbers increase by 3, so the next should be 23. Therefore 24 is the odd one out.

id=24200 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17678 at 12% per annum for 1 years. | option_a=2021 | option_b=2221 | option_c=2121 | option_d=19799 | answer=C | explanation=SI = $PRT/100 = 17678 \times 12 \times 1/100 = \text{█}2121$.

id=24201 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 18? | option_a=18 | option_b=15 | option_c=13 | option_d=11 | answer=A | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 18 is the odd one out.

id=24202 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7612 at 6% per annum for 3 years. | option_a=1370 | option_b=8982 | option_c=1270 | option_d=1470 | answer=A | explanation=SI = $PRT/100 = 7612 \times 6 \times 3/100 = \text{█}1370$.

id=24203 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=55 | option_c=100 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = $150 \div 3 = 50$ km/h.

id=24204 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=27 | option_b=26 | option_c=22 | option_d=30 | answer=B | explanation=The common difference is 4. Therefore the next term is $22 + 4 = 26$.

id=24205 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 14. | option_a=84 | option_b=96 | option_c=168 | option_d=70 | answer=A | explanation=LCM × HCF = 12×14 ; $HCF(12, 14) = 2$, so LCM = 84.

id=24206 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:13 and the first is 20, what is the second? | option_a=52 | option_b=72 | option_c=57 | option_d=39 | answer=A | explanation=Scale factor = $20/5 = 4$. Therefore second quantity = $13 \times 4 = 52$.

id=24207 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 27, 31, 37? | option_a=31 | option_b=27 | option_c=37 | option_d=23 | answer=C | explanation=The first three numbers increase by 4, so the next should be 35. Therefore 37 is the odd one out.

id=24208 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:20 and the first is 180, what is the second? | option_a=280 | option_b=480 | option_c=312 | option_d=300 | answer=D | explanation=Scale factor = $180/12 = 15$. Therefore second quantity = $20 \times 15 = 300$.

id=24209 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:10 and the first is 60, what is the second? | option_a=110 | option_b=125 | option_c=120 | option_d=180 | answer=C | explanation=Scale factor = $60/5 = 12$. Therefore second quantity = $10 \times 12 = 120$.

id=24210 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=37 | option_b=53 | option_c=46 | option_d=45 | answer=D | explanation=The common difference is 8. Therefore the next term is $37 + 8 = 45$.

Aptitude Questions — Records 24,211-24,240 of 100,000

- id=24211 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=27 | option_b=28 | option_c=32 | option_d=22 | answer=A | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.
- id=24212 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=J | option_c=K | option_d=H | answer=B | explanation=Move 1 positions forward from I; the resulting letter is J.
- id=24213 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=24214 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:8 and the first is 114, what is the second? | option_a=152 | option_b=266 | option_c=158 | option_d=144 | answer=A | explanation=Scale factor = 114/6 = 19. Therefore second quantity = 8×19 = 152.
- id=24215 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 26. | option_a=156 | option_b=52 | option_c=84 | option_d=78 | answer=D | explanation=LCM × HCF = 6×26; HCF(6,26) = 2, so LCM = 78.
- id=24216 | topic=Percentages | difficulty=Easy | question=What is 12% of 1929? | option_a=251 | option_b=231 | option_c=462 | option_d=221 | answer=B | explanation=12% of 1929 = (12/100) × 1929 = 231.
- id=24217 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:14 and the first is 65, what is the second? | option_a=168 | option_b=182 | option_c=247 | option_d=187 | answer=B | explanation=Scale factor = 65/5 = 13. Therefore second quantity = 14×13 = 182.
- id=24218 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■39676 at 12% per annum for 4 years. | option_a=19044 | option_b=58720 | option_c=19144 | option_d=18944 | answer=A | explanation=SI = PRT/100 = 39676×12×4/100 = ■19044.
- id=24219 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=Y | option_b=W | option_c=U | option_d=S | answer=B | explanation=Move 2 positions forward from U; the resulting letter is W.
- id=24220 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=N | option_c=P | option_d=L | answer=C | explanation=Move 2 positions forward from N; the resulting letter is P.
- id=24221 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:14 and the first is 28, what is the second? | option_a=126 | option_b=84 | option_c=102 | option_d=98 | answer=D | explanation=Scale factor = 28/4 = 7. Therefore second quantity = 14×7 = 98.
- id=24222 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=180 | option_c=360 | option_d=175 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.
- id=24223 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■293. If it is sold at a profit of 25%, what is its selling price? | option_a=366 | option_b=337 | option_c=395 | option_d=318 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 293 × 125/100 = ■366.
- id=24224 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3376. If it is sold at a profit of 20%, what is its selling price? | option_a=3714 | option_b=3396 | option_c=4051 | option_d=4388 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3376 × 120/100 = ■4051.
- id=24225 | topic=Averages | difficulty=Easy | question=Find the average of 89, 31, 58, 40, 71, 29, 75, 95. | option_a=61 | option_b=60 | option_c=62 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 488 ÷ 8 = 61.
- id=24226 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 37? | option_a=15 | option_b=5 | option_c=37 | option_d=25 | answer=C | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 37 is the odd one out.
- id=24227 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=12 | option_c=17 | option_d=24 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.
- id=24228 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:17 and the first is 18, what is the second? | option_a=57 | option_b=51 | option_c=34 | option_d=69 | answer=B | explanation=Scale factor = 18/6 = 3. Therefore second quantity = 17×3 = 51.
- id=24229 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=35 | option_b=34 | option_c=28 | option_d=40 | answer=B | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.
- id=24230 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■2157 at 6% per annum for 5 years. | option_a=547 | option_b=647 | option_c=747 | option_d=2804 | answer=B | explanation=SI = PRT/100 = 2157×6×5/100 = ■647.
- id=24231 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:17 and the first is 32, what is the second? | option_a=68 | option_b=76 | option_c=51 | option_d=100 | answer=A | explanation=Scale factor = 32/8 = 4. Therefore second quantity = 17×4 = 68.
- id=24232 | topic=Percentages | difficulty=Easy | question=What is 40% of 1147? | option_a=916 | option_b=438 | option_c=458 | option_d=463 | answer=C | explanation=40% of 1147 = (40/100) × 1147 = 458.
- id=24233 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=K | option_b=Q | option_c=M | option_d=O | answer=D | explanation=Move 2 positions forward from M; the resulting letter is O.
- id=24234 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=8 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=24235 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=45 | option_c=55 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.
- id=24236 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=26 | option_b=20 | option_c=23 | option_d=24 | answer=C | explanation=The common difference is 3. Therefore the next term is 20 + 3 = 23.
- id=24237 | topic=Percentages | difficulty=Easy | question=What is 30% of 1015? | option_a=304 | option_b=608 | option_c=299 | option_d=324 | answer=A | explanation=30% of 1015 = (30/100) × 1015 = 304.
- id=24238 | topic=Averages | difficulty=Easy | question=Find the average of 82, 77, 21, 83, 74, 17. | option_a=59 | option_b=60 | option_c=61 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.
- id=24239 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■44410 at 6% per annum for 5 years. | option_a=57733 | option_b=13223 | option_c=13323 | option_d=13423 | answer=C | explanation=SI = PRT/100 = 44410×6×5/100 = ■13323.
- id=24240 | topic=Percentages | difficulty=Easy | question=What is 40% of 702? | option_a=300 | option_b=560 | option_c=280 | option_d=260 | answer=C | explanation=40% of 702 = (40/100) × 702 = 280.

Aptitude Questions — Records 24,241-24,270 of 100,000

id=24241 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 28, 38, 50? | option_a=50 | option_b=28 | option_c=18 | option_d=38 | answer=A | explanation=The first three numbers increase by 10, so the next should be 48. Therefore 50 is the odd one out.

id=24242 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=A | option_b=Q | option_c=L | option_d=V | answer=D | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=24243 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:13 and the first is 4, what is the second? | option_a=28 | option_b=26 | option_c=13 | option_d=30 | answer=B | explanation=Scale factor = $4/2 = 2$. Therefore second quantity = $13 \times 2 = 26$.

id=24244 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 43? | option_a=43 | option_b=17 | option_c=33 | option_d=25 | answer=A | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 43 is the odd one out.

id=24245 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:2 and the first is 5, what is the second? | option_a=10 | option_b=11 | option_c=15 | option_d=8 | answer=A | explanation=Scale factor = $5/1 = 5$. Therefore second quantity = $2 \times 5 = 10$.

id=24246 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6073 at 15% per annum for 3 years. | option_a=8805 | option_b=2632 | option_c=2732 | option_d=2832 | answer=C | explanation=SI = $PRT/100 = 6073 \times 15 \times 3/100 =$ **■**2732.

id=24247 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=47 | option_b=36 | option_c=48 | option_d=58 | answer=A | explanation=The common difference is 11. Therefore the next term is $36 + 11 = 47$.

id=24248 | topic=Percentages | difficulty=Easy | question=What is 10% of 1605? | option_a=160 | option_b=180 | option_c=320 | option_d=155 | answer=A | explanation= $10\% \text{ of } 1605 = (10/100) \times 1605 = 160$.

id=24249 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28618 at 8% per annum for 1 years. | option_a=2389 | option_b=2289 | option_c=30907 | option_d=2189 | answer=B | explanation=SI = $PRT/100 = 28618 \times 8 \times 1/100 =$ **■**2289.

id=24250 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:14 and the first is 20, what is the second? | option_a=76 | option_b=42 | option_c=61 | option_d=56 | answer=D | explanation=Scale factor = $20/5 = 4$. Therefore second quantity = $14 \times 4 = 56$.

id=24251 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:2 and the first is 182, what is the second? | option_a=24 | option_b=26 | option_c=40 | option_d=208 | answer=B | explanation=Scale factor = $182/14 = 13$. Therefore second quantity = $2 \times 13 = 26$.

id=24252 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=23 | option_b=22 | option_c=25 | option_d=19 | answer=B | explanation=The common difference is 3. Therefore the next term is $19 + 3 = 22$.

id=24253 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 24, 32, 40, ? | option_a=48 | option_b=49 | option_c=56 | option_d=40 | answer=A | explanation=The common difference is 8. Therefore the next term is $40 + 8 = 48$.

id=24254 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1754. If it is sold at a profit of 10%, what is its selling price? | option_a=2104 | option_b=1764 | option_c=1754 | option_d=1929 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1754 \times 110/100 =$ **■**1929.

id=24255 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34982 at 15% per annum for 3 years. | option_a=15641 | option_b=50723 | option_c=15841 | option_d=15741 | answer=D | explanation=SI = $PRT/100 = 34982 \times 15 \times 3/100 =$ **■**15741.

id=24256 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=T | option_b=P | option_c=L | option_d=H | answer=B | explanation=Move 4 positions forward from L; the resulting letter is P.

id=24257 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1766. If it is sold at a profit of 30%, what is its selling price? | option_a=1796 | option_b=2471 | option_c=2295 | option_d=2119 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1766 \times 130/100 =$ **■**2295.

id=24258 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 27, 31, 36? | option_a=23 | option_b=36 | option_c=27 | option_d=31 | answer=B | explanation=The first three numbers increase by 4, so the next should be 35. Therefore 36 is the odd one out.

id=24259 | topic=Percentages | difficulty=Easy | question=What is 25% of 386? | option_a=96 | option_b=91 | option_c=192 | option_d=101 | answer=A | explanation= $25\% \text{ of } 386 = (25/100) \times 386 = 96$.

id=24260 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=43 | option_b=32 | option_c=42 | option_d=52 | answer=C | explanation=The common difference is 10. Therefore the next term is $32 + 10 = 42$.

id=24261 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=P | option_b=R | option_c=T | option_d=V | answer=C | explanation=Move 2 positions forward from R; the resulting letter is T.

id=24262 | topic=Number System | difficulty=Easy | question=Find the LCM of 29 and 29. | option_a=29 | option_b=841 | option_c=58 | option_d=1 | answer=A | explanation= $LCM \times HCF = 29 \times 29$; $HCF(29, 29) = 29$, so $LCM = 29$.

id=24263 | topic=Averages | difficulty=Easy | question=Find the average of 52, 56, 77, 63. | option_a=62 | option_b=63 | option_c=61 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = $248 \div 4 = 62$.

id=24264 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:8 and the first is 51, what is the second? | option_a=128 | option_b=136 | option_c=139 | option_d=187 | answer=B | explanation=Scale factor = $51/3 = 17$. Therefore second quantity = $8 \times 17 = 136$.

id=24265 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:1 and the first is 28, what is the second? | option_a=11 | option_b=32 | option_c=4 | option_d=3 | answer=C | explanation=Scale factor = $28/7 = 4$. Therefore second quantity = $1 \times 4 = 4$.

id=24266 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 26. | option_a=260 | option_b=104 | option_c=130 | option_d=140 | answer=C | explanation= $LCM \times HCF = 10 \times 26$; $HCF(10, 26) = 2$, so $LCM = 130$.

id=24267 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6418 at 6% per annum for 1 years. | option_a=6803 | option_b=285 | option_c=485 | option_d=385 | answer=D | explanation=SI = $PRT/100 = 6418 \times 6 \times 1/100 =$ **■**385.

id=24268 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44204 at 4% per annum for 1 years. | option_a=1868 | option_b=1668 | option_c=1768 | option_d=45972 | answer=C | explanation=SI = $PRT/100 = 44204 \times 4 \times 1/100 =$ **■**1768.

id=24269 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 32, 42, 53? | option_a=53 | option_b=32 | option_c=42 | option_d=22 | answer=A | explanation=The first three numbers increase by 10, so the next should be 52. Therefore 53 is the odd one out.

id=24270 | topic=Averages | difficulty=Easy | question=Find the average of 13, 30, 83, 75, 66, 76, 92, 72, 69. | option_a=65 | option_b=66 | option_c=63 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = $576 \div 9 = 64$.

Aptitude Questions — Records 24,271-24,300 of 100,000

id=24271 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=50 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=24272 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=Q | option_b=O | option_c=P | option_d=N | answer=C | explanation=Move 1 positions forward from O; the resulting letter is P.

id=24273 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32989 at 10% per annum for 3 years. | option_a=9996 | option_b=42885 | option_c=9896 | option_d=9796 | answer=C | explanation=SI = PRT/100 = 32989×10×3/100 = **■**9896.

id=24274 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=Q | option_b=S | option_c=O | option_d=M | answer=A | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=24275 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33651 at 12% per annum for 2 years. | option_a=7976 | option_b=41727 | option_c=8076 | option_d=8176 | answer=C | explanation=SI = PRT/100 = 33651×12×2/100 = **■**8076.

id=24276 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=24277 | topic=Averages | difficulty=Easy | question=Find the average of 12, 59, 86, 95. | option_a=64 | option_b=65 | option_c=62 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 252 ÷ 4 = 63.

id=24278 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 50? | option_a=50 | option_b=30 | option_c=39 | option_d=21 | answer=A | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 50 is the odd one out.

id=24279 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1764. If it is sold at a profit of 30%, what is its selling price? | option_a=2469 | option_b=2293 | option_c=2117 | option_d=1794 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1764 × 130/100 = **■**2293.

id=24280 | topic=Averages | difficulty=Easy | question=Find the average of 12, 45, 39, 22, 37. | option_a=32 | option_b=33 | option_c=30 | option_d=31 | answer=D | explanation=Average = sum of values ÷ number of values = 155 ÷ 5 = 31.

id=24281 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=360 | option_b=185 | option_c=175 | option_d=180 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=24282 | topic=Averages | difficulty=Easy | question=Find the average of 15, 47, 85, 25, 93. | option_a=52 | option_b=55 | option_c=54 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 265 ÷ 5 = 53.

id=24283 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:5 and the first is 80, what is the second? | option_a=120 | option_b=50 | option_c=35 | option_d=40 | answer=D | explanation=Scale factor = 80/10 = 8. Therefore second quantity = 5×8 = 40.

id=24284 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:20 and the first is 169, what is the second? | option_a=429 | option_b=260 | option_c=273 | option_d=240 | answer=B | explanation=Scale factor = 169/13 = 13. Therefore second quantity = 20×13 = 260.

id=24285 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=V | option_c=R | option_d=X | answer=B | explanation=Move 2 positions forward from T; the resulting letter is V.

id=24286 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:16 and the first is 15, what is the second? | option_a=80 | option_b=95 | option_c=64 | option_d=83 | answer=A | explanation=Scale factor = 15/3 = 5. Therefore second quantity = 16×5 = 80.

id=24287 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:6 and the first is 98, what is the second? | option_a=140 | option_b=36 | option_c=42 | option_d=56 | answer=C | explanation=Scale factor = 98/14 = 7. Therefore second quantity = 6×7 = 42.

id=24288 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=24289 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=24290 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=O | option_b=Y | option_c=D | option_d=T | answer=B | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=24291 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=24292 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=24293 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=V | option_c=F | option_d=K | answer=C | explanation=Move 5 positions forward from A; the resulting letter is F.

id=24294 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=39 | option_b=34 | option_c=35 | option_d=29 | answer=B | explanation=The common difference is 5. Therefore the next term is 29 + 5 = 34.

id=24295 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=24296 | topic=Averages | difficulty=Easy | question=Find the average of 78, 84, 34, 67, 98, 81, 32, 30. | option_a=63 | option_b=64 | option_c=62 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 504 ÷ 8 = 63.

id=24297 | topic=Percentages | difficulty=Easy | question=What is 20% of 1311? | option_a=242 | option_b=262 | option_c=282 | option_d=524 | answer=B | explanation=20% of 1311 = (20/100) × 1311 = 262.

id=24298 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=45 | option_c=40 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=24299 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 18, 23, 28, ? | option_a=34 | option_b=33 | option_c=28 | option_d=38 | answer=B | explanation=The common difference is 5. Therefore the next term is 28 + 5 = 33.

id=24300 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24152 at 5% per annum for 1 years. | option_a=25359 | option_b=1207 | option_c=1307 | option_d=1107 | answer=B | explanation=SI = PRT/100 = 24152×5×1/100 = **■**1207.

Aptitude Questions — Records 24,301-24,330 of 100,000

- id=24301 | topic=Percentages | difficulty=Easy | question=What is 50% of 1035? | option_a=522 | option_b=512 | option_c=517 | option_d=1034 | answer=C | explanation=50% of 1035 = (50/100) × 1035 = 517.
- id=24302 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=120 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.
- id=24303 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 36? | option_a=24 | option_b=14 | option_c=36 | option_d=4 | answer=C | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 36 is the odd one out.
- id=24304 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 13, 17, 23? | option_a=23 | option_b=17 | option_c=9 | option_d=13 | answer=A | explanation=The first three numbers increase by 4, so the next should be 21. Therefore 23 is the odd one out.
- id=24305 | topic=Averages | difficulty=Easy | question=Find the average of 65, 45, 25, 37. | option_a=42 | option_b=44 | option_c=45 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = 172 ÷ 4 = 43.
- id=24306 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:20 and the first is 176, what is the second? | option_a=300 | option_b=331 | option_c=496 | option_d=320 | answer=D | explanation=Scale factor = 176/11 = 16. Therefore second quantity = 20×16 = 320.
- id=24307 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:4 and the first is 95, what is the second? | option_a=20 | option_b=39 | option_c=115 | option_d=16 | answer=A | explanation=Scale factor = 95/19 = 5. Therefore second quantity = 4×5 = 20.
- id=24308 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1194. If it is sold at a profit of 10%, what is its selling price? | option_a=1432 | option_b=1313 | option_c=1194 | option_d=1204 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1194 × 110/100 = █1313.
- id=24309 | topic=Averages | difficulty=Easy | question=Find the average of 55, 82, 84, 37, 84, 24. | option_a=61 | option_b=62 | option_c=63 | option_d=60 | answer=A | explanation=Average = sum of values + number of values = 366 ÷ 6 = 61.
- id=24310 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6994 at 15% per annum for 2 years. | option_a=9092 | option_b=2198 | option_c=1998 | option_d=2098 | answer=D | explanation=SI = PRT/100 = 6994×15×2/100 = █2098.
- id=24311 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=60 | option_b=38 | option_c=50 | option_d=49 | answer=D | explanation=The common difference is 11. Therefore the next term is 38 + 11 = 49.
- id=24312 | topic=Averages | difficulty=Easy | question=Find the average of 38, 85, 88, 33. | option_a=61 | option_b=63 | option_c=60 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 244 ÷ 4 = 61.
- id=24313 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=34 | option_b=40 | option_c=28 | option_d=35 | answer=A | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.
- id=24314 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 12, 21, 30, ? | option_a=39 | option_b=40 | option_c=30 | option_d=48 | answer=A | explanation=The common difference is 9. Therefore the next term is 30 + 9 = 39.
- id=24315 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=90 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.
- id=24316 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.
- id=24317 | topic=Averages | difficulty=Easy | question=Find the average of 36, 39, 56, 92, 89, 87, 10, 46, 45, 100. | option_a=60 | option_b=61 | option_c=62 | option_d=59 | answer=A | explanation=Average = sum of values + number of values = 600 ÷ 10 = 60.
- id=24318 | topic=Averages | difficulty=Easy | question=Find the average of 38, 71, 17. | option_a=42 | option_b=41 | option_c=43 | option_d=44 | answer=A | explanation=Average = sum of values + number of values = 126 ÷ 3 = 42.
- id=24319 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44390 at 12% per annum for 5 years. | option_a=26634 | option_b=71024 | option_c=26734 | option_d=26534 | answer=A | explanation=SI = PRT/100 = 44390×12×5/100 = █26634.
- id=24320 | topic=Averages | difficulty=Easy | question=Find the average of 72, 76, 83. | option_a=77 | option_b=78 | option_c=76 | option_d=79 | answer=A | explanation=Average = sum of values + number of values = 231 ÷ 3 = 77.
- id=24321 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=N | option_b=T | option_c=Q | option_d=W | answer=B | explanation=Move 3 positions forward from Q; the resulting letter is T.
- id=24322 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3731. If it is sold at a profit of 30%, what is its selling price? | option_a=3761 | option_b=4477 | option_c=5223 | option_d=4850 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3731 × 130/100 = █4850.
- id=24323 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=50 | option_b=51 | option_c=61 | option_d=39 | answer=A | explanation=The common difference is 11. Therefore the next term is 39 + 11 = 50.
- id=24324 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3416. If it is sold at a profit of 40%, what is its selling price? | option_a=4782 | option_b=3456 | option_c=5123 | option_d=4441 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3416 × 140/100 = █4782.
- id=24325 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=34 | option_b=48 | option_c=42 | option_d=41 | answer=D | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.
- id=24326 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.
- id=24327 | topic=Percentages | difficulty=Easy | question=What is 5% of 1311? | option_a=70 | option_b=45 | option_c=130 | option_d=65 | answer=D | explanation=5% of 1311 = (5/100) × 1311 = 65.
- id=24328 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=24 | option_b=26 | option_c=22 | option_d=25 | answer=A | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.
- id=24329 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3751. If it is sold at a profit of 30%, what is its selling price? | option_a=4876 | option_b=5251 | option_c=4501 | option_d=3781 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3751 × 130/100 = █4876.
- id=24330 | topic=Averages | difficulty=Easy | question=Find the average of 29, 42, 20, 91, 78. | option_a=52 | option_b=54 | option_c=51 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 260 ÷ 5 = 52.

Aptitude Questions — Records 24,331-24,360 of 100,000

id=24331 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 15, 19, 24? | option_a=15 | option_b=19 | option_c=11 | option_d=24 | answer=D | explanation=The first three numbers increase by 4, so the next should be 23. Therefore 24 is the odd one out.

id=24332 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=23 | option_b=30 | option_c=37 | option_d=31 | answer=B | explanation=The common difference is 7. Therefore the next term is 23 + 7 = 30.

id=24333 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=21 | option_b=23 | option_c=17 | option_d=20 | answer=D | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=24334 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=R | option_b=T | option_c=V | option_d=X | answer=C | explanation=Move 2 positions forward from T; the resulting letter is V.

id=24335 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3300. If it is sold at a profit of 40%, what is its selling price? | option_a=3340 | option_b=4290 | option_c=4950 | option_d=4620 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3300 × 140/100 = █4620.

id=24336 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1714. If it is sold at a profit of 20%, what is its selling price? | option_a=1734 | option_b=1885 | option_c=2227 | option_d=2056 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1714 × 120/100 = █2056.

id=24337 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=N | option_b=B | option_c=F | option_d=J | answer=D | explanation=Move 4 positions forward from F; the resulting letter is J.

id=24338 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:11 and the first is 144, what is the second? | option_a=88 | option_b=243 | option_c=115 | option_d=99 | answer=D | explanation=Scale factor = 144/16 = 9. Therefore second quantity = 11×9 = 99.

id=24339 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 22, 31, 42? | option_a=42 | option_b=22 | option_c=13 | option_d=31 | answer=A | explanation=The first three numbers increase by 9, so the next should be 40. Therefore 42 is the odd one out.

id=24340 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21006 at 4% per annum for 1 years. | option_a=840 | option_b=21846 | option_c=740 | option_d=940 | answer=A | explanation=SI = PRT/100 = 21006×4×1/100 = █840.

id=24341 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=L | option_b=V | option_c=Q | option_d=A | answer=B | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=24342 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2507. If it is sold at a profit of 40%, what is its selling price? | option_a=3509 | option_b=3759 | option_c=3259 | option_d=2547 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2507 × 140/100 = █3509.

id=24343 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2207 at 8% per annum for 1 years. | option_a=76 | option_b=276 | option_c=2383 | option_d=176 | answer=D | explanation=SI = PRT/100 = 2207×8×1/100 = █176.

id=24344 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=T | option_c=L | option_d=X | answer=B | explanation=Move 4 positions forward from P; the resulting letter is T.

id=24345 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 18, 24, 30, ? | option_a=36 | option_b=42 | option_c=37 | option_d=30 | answer=A | explanation=The common difference is 6. Therefore the next term is 30 + 6 = 36.

id=24346 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:4 and the first is 112, what is the second? | option_a=56 | option_b=168 | option_c=52 | option_d=64 | answer=A | explanation=Scale factor = 112/8 = 14. Therefore second quantity = 4×14 = 56.

id=24347 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:17 and the first is 96, what is the second? | option_a=85 | option_b=118 | option_c=102 | option_d=198 | answer=C | explanation=Scale factor = 96/16 = 6. Therefore second quantity = 17×6 = 102.

id=24348 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3854. If it is sold at a profit of 50%, what is its selling price? | option_a=5781 | option_b=6166 | option_c=5396 | option_d=3904 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3854 × 150/100 = █5781.

id=24349 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 34? | option_a=21 | option_b=25 | option_c=34 | option_d=29 | answer=C | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 34 is the odd one out.

id=24350 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39789 at 12% per annum for 1 years. | option_a=4674 | option_b=44563 | option_c=4874 | option_d=4774 | answer=D | explanation=SI = PRT/100 = 39789×12×1/100 = █4774.

id=24351 | topic=Percentages | difficulty=Easy | question=What is 15% of 1469? | option_a=220 | option_b=225 | option_c=210 | option_d=440 | answer=A | explanation=15% of 1469 = (15/100) × 1469 = 220.

id=24352 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:20 and the first is 21, what is the second? | option_a=140 | option_b=161 | option_c=143 | option_d=120 | answer=A | explanation=Scale factor = 21/3 = 7. Therefore second quantity = 20×7 = 140.

id=24353 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=240 | option_c=125 | option_d=115 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=24354 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=T | option_c=N | option_d=W | answer=B | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=24355 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:13 and the first is 36, what is the second? | option_a=62 | option_b=44 | option_c=13 | option_d=26 | answer=D | explanation=Scale factor = 36/18 = 2. Therefore second quantity = 13×2 = 26.

id=24356 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:2 and the first is 8, what is the second? | option_a=17 | option_b=14 | option_c=24 | option_d=16 | answer=D | explanation=Scale factor = 8/1 = 8. Therefore second quantity = 2×8 = 16.

id=24357 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=70 | option_b=75 | option_c=150 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=24358 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=Z | option_b=C | option_c=A | option_d=B | answer=D | explanation=Move 1 positions forward from A; the resulting letter is B.

id=24359 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=24360 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1094. If it is sold at a profit of 25%, what is its selling price? | option_a=1258 | option_b=1476 | option_c=1367 | option_d=1119 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1094 × 125/100 = █1367.

Aptitude Questions — Records 24,361-24,390 of 100,000

id=24361 | topic=Percentages | difficulty=Easy | question=What is 50% of 1979? | option_a=979 | option_b=1978 | option_c=989 | option_d=1009 | answer=C | explanation=50% of 1979 = $(50/100) \times 1979 = 989$.

id=24362 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=T | option_c=N | option_d=W | answer=B | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=24363 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 13. | option_a=338 | option_b=13 | option_c=26 | option_d=52 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 26 \times 13$; $\text{HCF}(26,13) = 13$, so $\text{LCM} = 26$.

id=24364 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=L | option_b=I | option_c=J | option_d=K | answer=D | explanation=Move 1 positions forward from J; the resulting letter is K.

id=24365 | topic=Percentages | difficulty=Easy | question=What is 5% of 832? | option_a=21 | option_b=41 | option_c=82 | option_d=46 | answer=B | explanation= $5\% \text{ of } 832 = (5/100) \times 832 = 41$.

id=24366 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=17 | option_b=15 | option_c=13 | option_d=16 | answer=B | explanation=The common difference is 2. Therefore the next term is $13 + 2 = 15$.

id=24367 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=O | option_c=A | option_d=S | answer=A | explanation=Move 4 positions forward from S; the resulting letter is W.

id=24368 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 52? | option_a=41 | option_b=52 | option_c=23 | option_d=32 | answer=B | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 52 is the odd one out.

id=24369 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2993. If it is sold at a profit of 25%, what is its selling price? | option_a=3442 | option_b=3741 | option_c=3018 | option_d=4040 | answer=B | explanation= $\text{Selling price} = \text{CP} \times (100 + \text{profit}\%)/100 = 2993 \times 125/100 = \text{■}3741$.

id=24370 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=12 | option_d=2 | answer=A | explanation= $\text{Combined rate} = 1/6 + 1/6 = 12/36$. $\text{Time} = 36/12 = 3$ days.

id=24371 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=H | option_b=M | option_c=C | option_d=X | answer=A | explanation=Move 5 positions forward from C; the resulting letter is H.

id=24372 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=K | option_b=I | option_c=L | option_d=J | answer=A | explanation=Move 1 positions forward from J; the resulting letter is K.

id=24373 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 18. | option_a=216 | option_b=468 | option_c=234 | option_d=260 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 26 \times 18$; $\text{HCF}(26,18) = 2$, so $\text{LCM} = 234$.

id=24374 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37695 at 12% per annum for 4 years. | option_a=55788 | option_b=17993 | option_c=18193 | option_d=18093 | answer=D | explanation= $\text{SI} = \text{PRT}/100 = 37695 \times 12 \times 4/100 = \text{■}18093$.

id=24375 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=85 | option_c=90 | option_d=180 | answer=C | explanation= $\text{Speed} = \text{distance} \div \text{time} = 180 \div 2 = 90$ km/h.

id=24376 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**472. If it is sold at a profit of 50%, what is its selling price? | option_a=522 | option_b=708 | option_c=661 | option_d=755 | answer=B | explanation= $\text{Selling price} = \text{CP} \times (100 + \text{profit}\%)/100 = 472 \times 150/100 = \text{■}708$.

id=24377 | topic=Percentages | difficulty=Easy | question=What is 50% of 1180? | option_a=1180 | option_b=590 | option_c=580 | option_d=600 | answer=B | explanation=50% of 1180 = $(50/100) \times 1180 = 590$.

id=24378 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39266 at 10% per annum for 5 years. | option_a=19533 | option_b=19633 | option_c=58899 | option_d=19733 | answer=B | explanation= $\text{SI} = \text{PRT}/100 = 39266 \times 10 \times 5/100 = \text{■}19633$.

id=24379 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=A | option_b=G | option_c=J | option_d=D | answer=B | explanation=Move 3 positions forward from D; the resulting letter is G.

id=24380 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=G | option_b=I | option_c=M | option_d=K | answer=D | explanation=Move 2 positions forward from I; the resulting letter is K.

id=24381 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20043 at 8% per annum for 1 years. | option_a=21646 | option_b=1603 | option_c=1703 | option_d=1503 | answer=B | explanation= $\text{SI} = \text{PRT}/100 = 20043 \times 8 \times 1/100 = \text{■}1603$.

id=24382 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:6 and the first is 72, what is the second? | option_a=120 | option_b=57 | option_c=48 | option_d=42 | answer=C | explanation= $\text{Scale factor} = 72/9 = 8$. Therefore second quantity = $6 \times 8 = 48$.

id=24383 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35498 at 10% per annum for 4 years. | option_a=49697 | option_b=14099 | option_c=14299 | option_d=14199 | answer=D | explanation= $\text{SI} = \text{PRT}/100 = 35498 \times 10 \times 4/100 = \text{■}14199$.

id=24384 | topic=Averages | difficulty=Easy | question=Find the average of 58, 56, 46, 67, 51, 97, 87. | option_a=68 | option_b=65 | option_c=66 | option_d=67 | answer=C | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 462 \div 7 = 66$.

id=24385 | topic=Averages | difficulty=Easy | question=Find the average of 23, 27, 26, 41, 16, 22, 34. | option_a=28 | option_b=29 | option_c=26 | option_d=27 | answer=D | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 189 \div 7 = 27$.

id=24386 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 14. | option_a=1 | option_b=14 | option_c=16 | option_d=28 | answer=B | explanation= $\text{LCM} \times \text{HCF} = 2 \times 14$; $\text{HCF}(2,14) = 2$, so $\text{LCM} = 14$.

id=24387 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39426 at 4% per annum for 2 years. | option_a=3054 | option_b=42580 | option_c=3154 | option_d=3254 | answer=C | explanation= $\text{SI} = \text{PRT}/100 = 39426 \times 4 \times 2/100 = \text{■}3154$.

id=24388 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=A | option_b=C | option_c=E | option_d=G | answer=C | explanation=Move 2 positions forward from C; the resulting letter is E.

id=24389 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7176 at 6% per annum for 4 years. | option_a=1822 | option_b=1622 | option_c=8898 | option_d=1722 | answer=D | explanation= $\text{SI} = \text{PRT}/100 = 7176 \times 6 \times 4/100 = \text{■}1722$.

id=24390 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 20, 22, 26? | option_a=22 | option_b=26 | option_c=20 | option_d=18 | answer=B | explanation=The first three numbers increase by 2, so the next should be 24. Therefore 26 is the odd one out.

Aptitude Questions — Records 24,391-24,420 of 100,000

id=24391 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3444. If it is sold at a profit of 20%, what is its selling price? | option_a=4476 | option_b=3788 | option_c=4132 | option_d=3464 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3444 × 120/100 = █4132.

id=24392 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3930. If it is sold at a profit of 25%, what is its selling price? | option_a=5305 | option_b=4519 | option_c=4912 | option_d=3955 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3930 × 125/100 = █4912.

id=24393 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3164. If it is sold at a profit of 10%, what is its selling price? | option_a=3796 | option_b=3480 | option_c=3164 | option_d=3174 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3164 × 110/100 = █3480.

id=24394 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:1 and the first is 15, what is the second? | option_a=8 | option_b=18 | option_c=3 | option_d=2 | answer=C | explanation=Scale factor = 15/5 = 3. Therefore second quantity = 1×3 = 3.

id=24395 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4937. If it is sold at a profit of 20%, what is its selling price? | option_a=5431 | option_b=6417 | option_c=4957 | option_d=5924 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4937 × 120/100 = █5924.

id=24396 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=360 | option_c=185 | option_d=175 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=24397 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 20, 28, 37? | option_a=20 | option_b=28 | option_c=12 | option_d=37 | answer=D | explanation=The first three numbers increase by 8, so the next should be 36. Therefore 37 is the odd one out.

id=24398 | topic=Percentages | difficulty=Easy | question=What is 40% of 1093? | option_a=457 | option_b=427 | option_c=874 | option_d=437 | answer=D | explanation=40% of 1093 = (40/100) × 1093 = 437.

id=24399 | topic=Percentages | difficulty=Easy | question=What is 30% of 1385? | option_a=415 | option_b=830 | option_c=420 | option_d=395 | answer=A | explanation=30% of 1385 = (30/100) × 1385 = 415.

id=24400 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:19 and the first is 95, what is the second? | option_a=76 | option_b=190 | option_c=95 | option_d=114 | answer=C | explanation=Scale factor = 95/19 = 5. Therefore second quantity = 19×5 = 95.

id=24401 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2243. If it is sold at a profit of 10%, what is its selling price? | option_a=2253 | option_b=2691 | option_c=2243 | option_d=2467 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2243 × 110/100 = █2467.

id=24402 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3171 at 15% per annum for 4 years. | option_a=1902 | option_b=5073 | option_c=2002 | option_d=1802 | answer=A | explanation=SI = PRT/100 = 3171×15×4/100 = █1902.

id=24403 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 26? | option_a=19 | option_b=21 | option_c=17 | option_d=26 | answer=D | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 26 is the odd one out.

id=24404 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=W | option_b=H | option_c=M | option_d=R | answer=D | explanation=Move 5 positions forward from M; the resulting letter is R.

id=24405 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=D | option_b=G | option_c=E | option_d=F | answer=D | explanation=Move 1 positions forward from E; the resulting letter is F.

id=24406 | topic=Averages | difficulty=Easy | question=Find the average of 37, 70, 75, 102. | option_a=70 | option_b=71 | option_c=73 | option_d=72 | answer=B | explanation=Average = sum of values ÷ number of values = 284 ÷ 4 = 71.

id=24407 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=I | option_c=A | option_d=M | answer=B | explanation=Move 4 positions forward from E; the resulting letter is I.

id=24408 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36104 at 5% per annum for 2 years. | option_a=3710 | option_b=39714 | option_c=3510 | option_d=3610 | answer=D | explanation=SI = PRT/100 = 36104×5×2/100 = █3610.

id=24409 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 29, 37, 47? | option_a=21 | option_b=37 | option_c=47 | option_d=29 | answer=C | explanation=The first three numbers increase by 8, so the next should be 45. Therefore 47 is the odd one out.

id=24410 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 11, 19, 30? | option_a=11 | option_b=19 | option_c=30 | option_d=3 | answer=C | explanation=The first three numbers increase by 8, so the next should be 27. Therefore 30 is the odd one out.

id=24411 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28485 at 10% per annum for 1 years. | option_a=2948 | option_b=2848 | option_c=31333 | option_d=2748 | answer=B | explanation=SI = PRT/100 = 28485×10×1/100 = █2848.

id=24412 | topic=Averages | difficulty=Easy | question=Find the average of 82, 62, 94, 97, 86, 27, 42, 94. | option_a=73 | option_b=74 | option_c=75 | option_d=72 | answer=A | explanation=Average = sum of values ÷ number of values = 584 ÷ 8 = 73.

id=24413 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 22, 29, 39? | option_a=15 | option_b=29 | option_c=39 | option_d=22 | answer=C | explanation=The first three numbers increase by 7, so the next should be 36. Therefore 39 is the odd one out.

id=24414 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=T | option_c=L | option_d=H | answer=A | explanation=Move 4 positions forward from L; the resulting letter is P.

id=24415 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=66 | option_b=67 | option_c=54 | option_d=78 | answer=A | explanation=The common difference is 12. Therefore the next term is 54 + 12 = 66.

id=24416 | topic=Averages | difficulty=Easy | question=Find the average of 40, 69, 32, 59, 45, 70, 88, 37. | option_a=54 | option_b=57 | option_c=56 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 440 ÷ 8 = 55.

id=24417 | topic=Percentages | difficulty=Easy | question=What is 20% of 286? | option_a=37 | option_b=62 | option_c=57 | option_d=114 | answer=C | explanation=20% of 286 = (20/100) × 286 = 57.

id=24418 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13633 at 6% per annum for 1 years. | option_a=817 | option_b=14450 | option_c=917 | option_d=717 | answer=A | explanation=SI = PRT/100 = 13633×6×1/100 = █817.

id=24419 | topic=Averages | difficulty=Easy | question=Find the average of 23, 45, 74, 71, 93, 66. | option_a=64 | option_b=63 | option_c=62 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 372 ÷ 6 = 62.

id=24420 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

Aptitude Questions — Records 24,421-24,450 of 100,000

id=24421 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:18 and the first is 104, what is the second? | option_a=144 | option_b=157 | option_c=126 | option_d=248 | answer=A | explanation=Scale factor = $104/13 = 8$. Therefore second quantity = $18 \times 8 = 144$.

id=24422 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2702. If it is sold at a profit of 40%, what is its selling price? | option_a=4052 | option_b=2742 | option_c=3512 | option_d=3782 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2702 \times 140/100 = \text{█}3782$.

id=24423 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=24424 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 209, what is the second? | option_a=304 | option_b=288 | option_c=513 | option_d=315 | answer=A | explanation=Scale factor = $209/11 = 19$. Therefore second quantity = $16 \times 19 = 304$.

id=24425 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30553 at 12% per annum for 1 years. | option_a=3566 | option_b=34219 | option_c=3666 | option_d=3766 | answer=C | explanation=SI = $PRT/100 = 30553 \times 12 \times 1/100 = \text{█}3666$.

id=24426 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 20, 28, 38? | option_a=28 | option_b=38 | option_c=20 | option_d=12 | answer=B | explanation=The first three numbers increase by 8, so the next should be 36. Therefore 38 is the odd one out.

id=24427 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1754. If it is sold at a profit of 50%, what is its selling price? | option_a=2456 | option_b=2806 | option_c=2631 | option_d=1804 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1754 \times 150/100 = \text{█}2631$.

id=24428 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:17 and the first is 270, what is the second? | option_a=525 | option_b=238 | option_c=255 | option_d=273 | answer=C | explanation=Scale factor = $270/18 = 15$. Therefore second quantity = $17 \times 15 = 255$.

id=24429 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=50 | option_b=39 | option_c=61 | option_d=51 | answer=A | explanation=The common difference is 11. Therefore the next term is $39 + 11 = 50$.

id=24430 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:17 and the first is 64, what is the second? | option_a=272 | option_b=276 | option_c=336 | option_d=255 | answer=A | explanation=Scale factor = $64/4 = 16$. Therefore second quantity = $17 \times 16 = 272$.

id=24431 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 240 \div 4 = 60$ km/h.

id=24432 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=24433 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 7, 10, 14? | option_a=7 | option_b=10 | option_c=14 | option_d=4 | answer=C | explanation=The first three numbers increase by 3, so the next should be 13. Therefore 14 is the odd one out.

id=24434 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=24435 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35967 at 6% per annum for 5 years. | option_a=10790 | option_b=10690 | option_c=10890 | option_d=46757 | answer=A | explanation=SI = $PRT/100 = 35967 \times 6 \times 5/100 = \text{█}10790$.

id=24436 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=24437 | topic=Averages | difficulty=Easy | question=Find the average of 39, 68, 18, 42, 19, 42. | option_a=40 | option_b=39 | option_c=38 | option_d=37 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 228 \div 6 = 38$.

id=24438 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:6 and the first is 144, what is the second? | option_a=84 | option_b=72 | option_c=216 | option_d=66 | answer=B | explanation=Scale factor = $144/12 = 12$. Therefore second quantity = $6 \times 12 = 72$.

id=24439 | topic=Averages | difficulty=Easy | question=Find the average of 50, 37, 54, 64, 51, 46, 73, 52, 95. | option_a=59 | option_b=60 | option_c=58 | option_d=57 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 522 \div 9 = 58$.

id=24440 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:7 and the first is 80, what is the second? | option_a=136 | option_b=56 | option_c=66 | option_d=49 | answer=B | explanation=Scale factor = $80/10 = 8$. Therefore second quantity = $7 \times 8 = 56$.

id=24441 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:17 and the first is 42, what is the second? | option_a=238 | option_b=280 | option_c=221 | option_d=241 | answer=A | explanation=Scale factor = $42/3 = 14$. Therefore second quantity = $17 \times 14 = 238$.

id=24442 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:10 and the first is 247, what is the second? | option_a=149 | option_b=377 | option_c=120 | option_d=130 | answer=D | explanation=Scale factor = $247/19 = 13$. Therefore second quantity = $10 \times 13 = 130$.

id=24443 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 25. | option_a=60 | option_b=250 | option_c=50 | option_d=25 | answer=C | explanation=LCM $\times$ HCF = 10×25 ; $HCF(10,25) = 5$, so LCM = 50.

id=24444 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=24445 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=24446 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 32, 42, 53? | option_a=32 | option_b=53 | option_c=42 | option_d=22 | answer=B | explanation=The first three numbers increase by 10, so the next should be 52. Therefore 53 is the odd one out.

id=24447 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=42 | option_b=47 | option_c=35 | option_d=41 | answer=D | explanation=The common difference is 6. Therefore the next term is $35 + 6 = 41$.

id=24448 | topic=Percentages | difficulty=Easy | question=What is 5% of 147? | option_a=0 | option_b=17 | option_c=7 | option_d=14 | answer=C | explanation=5% of 147 = $(5/100) \times 147 = 7$.

id=24449 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=24450 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=31 | option_b=32 | option_c=36 | option_d=26 | answer=A | explanation=The common difference is 5. Therefore the next term is $26 + 5 = 31$.

Aptitude Questions — Records 24,451-24,480 of 100,000

id=24451 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 13, 23, 34? | option_a=23 | option_b=3 | option_c=34 | option_d=13 | answer=C | explanation=The first three numbers increase by 10, so the next should be 33. Therefore 34 is the odd one out.

id=24452 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=24453 | topic=Averages | difficulty=Easy | question=Find the average of 55, 90, 73, 83, 42, 61, 25, 31, 64, 46. | option_a=59 | option_b=57 | option_c=58 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.

id=24454 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=K | option_c=I | option_d=M | answer=D | explanation=Move 2 positions forward from K; the resulting letter is M.

id=24455 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:7 and the first is 90, what is the second? | option_a=125 | option_b=28 | option_c=53 | option_d=35 | answer=D | explanation=Scale factor = 90/18 = 5. Therefore second quantity = 7×5 = 35.

id=24456 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31168 at 6% per annum for 1 years. | option_a=1870 | option_b=33038 | option_c=1970 | option_d=1770 | answer=A | explanation=SI = PRT/100 = 31168×6×1/100 = **■**1870.

id=24457 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=P | option_b=Y | option_c=S | option_d=V | answer=D | explanation=Move 3 positions forward from S; the resulting letter is V.

id=24458 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:1 and the first is 44, what is the second? | option_a=3 | option_b=4 | option_c=48 | option_d=15 | answer=B | explanation=Scale factor = 44/11 = 4. Therefore second quantity = 1×4 = 4.

id=24459 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=7 | option_c=12 | option_d=17 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=24460 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=D | option_b=O | option_c=T | option_d=Y | answer=D | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=24461 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41827 at 10% per annum for 2 years. | option_a=8365 | option_b=8465 | option_c=50192 | option_d=8265 | answer=A | explanation=SI = PRT/100 = 41827×10×2/100 = **■**8365.

id=24462 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=36 | option_b=41 | option_c=35 | option_d=29 | answer=C | explanation=The common difference is 6. Therefore the next term is 29 + 6 = 35.

id=24463 | topic=Averages | difficulty=Easy | question=Find the average of 26, 59, 55, 44. | option_a=47 | option_b=45 | option_c=46 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 184 ÷ 4 = 46.

id=24464 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43426 at 12% per annum for 5 years. | option_a=89481 | option_b=25955 | option_c=26055 | option_d=26155 | answer=C | explanation=SI = PRT/100 = 43426×12×5/100 = **■**26055.

id=24465 | topic=Percentages | difficulty=Easy | question=What is 5% of 80? | option_a=14 | option_b=0 | option_c=4 | option_d=8 | answer=C | explanation=5% of 80 = (5/100) × 80 = 4.

id=24466 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 26, 33, 43? | option_a=26 | option_b=19 | option_c=43 | option_d=33 | answer=C | explanation=The first three numbers increase by 7, so the next should be 40. Therefore 43 is the odd one out.

id=24467 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:16 and the first is 238, what is the second? | option_a=286 | option_b=256 | option_c=272 | option_d=510 | answer=C | explanation=Scale factor = 238/14 = 17. Therefore second quantity = 16×17 = 272.

id=24468 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23372 at 4% per annum for 3 years. | option_a=2904 | option_b=2704 | option_c=2804 | option_d=26176 | answer=C | explanation=SI = PRT/100 = 23372×4×3/100 = **■**2804.

id=24469 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=L | option_b=W | option_c=B | option_d=G | answer=D | explanation=Move 5 positions forward from B; the resulting letter is G.

id=24470 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=95 | option_c=105 | option_d=200 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=24471 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**610. If it is sold at a profit of 10%, what is its selling price? | option_a=610 | option_b=732 | option_c=620 | option_d=671 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 610 × 110/100 = **■**671.

id=24472 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=24473 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=10 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=24474 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16114 at 15% per annum for 2 years. | option_a=4834 | option_b=20948 | option_c=4734 | option_d=4934 | answer=A | explanation=SI = PRT/100 = 16114×15×2/100 = **■**4834.

id=24475 | topic=Averages | difficulty=Easy | question=Find the average of 15, 82, 18, 46, 10, 77, 74. | option_a=48 | option_b=46 | option_c=47 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = 322 ÷ 7 = 46.

id=24476 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=37 | option_b=43 | option_c=38 | option_d=31 | answer=A | explanation=The common difference is 6. Therefore the next term is 31 + 6 = 37.

id=24477 | topic=Averages | difficulty=Easy | question=Find the average of 100, 30, 93, 53, 59. | option_a=67 | option_b=68 | option_c=66 | option_d=69 | answer=A | explanation=Average = sum of values ÷ number of values = 335 ÷ 5 = 67.

id=24478 | topic=Percentages | difficulty=Easy | question=What is 10% of 957? | option_a=105 | option_b=75 | option_c=190 | option_d=95 | answer=D | explanation=10% of 957 = (10/100) × 957 = 95.

id=24479 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=64 | option_b=52 | option_c=76 | option_d=65 | answer=A | explanation=The common difference is 12. Therefore the next term is 52 + 12 = 64.

id=24480 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=M | option_b=P | option_c=O | option_d=N | answer=C | explanation=Move 1 positions forward from N; the resulting letter is O.

Aptitude Questions — Records 24,481-24,510 of 100,000

id=24481 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■26577 at 5% per annum for 1 years. | option_a=1428 | option_b=1228 | option_c=27905 | option_d=1328 | answer=D | explanation=SI = PRT/100 = 26577×5×1/100 = ■1328.

id=24482 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 21, 23, 25, ? | option_a=25 | option_b=28 | option_c=29 | option_d=27 | answer=D | explanation=The common difference is 2. Therefore the next term is 25 + 2 = 27.

id=24483 | topic=Percentages | difficulty=Easy | question=What is 40% of 711? | option_a=284 | option_b=279 | option_c=304 | option_d=568 | answer=A | explanation=40% of 711 = (40/100) × 711 = 284.

id=24484 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=24485 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=R | option_b=Q | option_c=P | option_d=S | answer=A | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=24486 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 26, 35, 45? | option_a=26 | option_b=45 | option_c=35 | option_d=17 | answer=B | explanation=The first three numbers increase by 9, so the next should be 44. Therefore 45 is the odd one out.

id=24487 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■617. If it is sold at a profit of 15%, what is its selling price? | option_a=709 | option_b=632 | option_c=770 | option_d=648 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 617 × 115/100 = ■709.

id=24488 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 46? | option_a=46 | option_b=27 | option_c=19 | option_d=35 | answer=A | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 46 is the odd one out.

id=24489 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=24490 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:3 and the first is 323, what is the second? | option_a=48 | option_b=51 | option_c=374 | option_d=70 | answer=B | explanation=Scale factor = 323/19 = 17. Therefore second quantity = 3×17 = 51.

id=24491 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:2 and the first is 36, what is the second? | option_a=22 | option_b=18 | option_c=54 | option_d=16 | answer=B | explanation=Scale factor = 36/4 = 9. Therefore second quantity = 2×9 = 18.

id=24492 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=E | option_b=F | option_c=G | option_d=H | answer=C | explanation=Move 1 positions forward from F; the resulting letter is G.

id=24493 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 24, 33, 43? | option_a=33 | option_b=43 | option_c=15 | option_d=24 | answer=B | explanation=The first three numbers increase by 9, so the next should be 42. Therefore 43 is the odd one out.

id=24494 | topic=Averages | difficulty=Easy | question=Find the average of 49, 26, 94, 39, 102. | option_a=61 | option_b=63 | option_c=62 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 310 ÷ 5 = 62.

id=24495 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=24496 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=J | option_c=F | option_d=X | answer=C | explanation=Move 4 positions forward from B; the resulting letter is F.

id=24497 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3975. If it is sold at a profit of 40%, what is its selling price? | option_a=5565 | option_b=4015 | option_c=5962 | option_d=5168 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3975 × 140/100 = ■5565.

id=24498 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 17, 19, 21, ? | option_a=25 | option_b=21 | option_c=24 | option_d=23 | answer=D | explanation=The common difference is 2. Therefore the next term is 21 + 2 = 23.

id=24499 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=13 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=24500 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=24501 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=24502 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=24503 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=19 | option_c=48 | option_d=29 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=24504 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=105 | option_c=200 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=24505 | topic=Averages | difficulty=Easy | question=Find the average of 60, 50, 86, 24, 40. | option_a=51 | option_b=52 | option_c=53 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 260 ÷ 5 = 52.

id=24506 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■17896 at 10% per annum for 2 years. | option_a=3679 | option_b=3579 | option_c=3479 | option_d=21475 | answer=B | explanation=SI = PRT/100 = 17896×10×2/100 = ■3579.

id=24507 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:13 and the first is 210, what is the second? | option_a=195 | option_b=405 | option_c=182 | option_d=209 | answer=A | explanation=Scale factor = 210/14 = 15. Therefore second quantity = 13×15 = 195.

id=24508 | topic=Averages | difficulty=Easy | question=Find the average of 10, 28, 19, 63. | option_a=29 | option_b=32 | option_c=31 | option_d=30 | answer=D | explanation=Average = sum of values ÷ number of values = 120 ÷ 4 = 30.

id=24509 | topic=Averages | difficulty=Easy | question=Find the average of 48, 24, 15, 75, 44, 56, 57, 105. | option_a=52 | option_b=54 | option_c=53 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.

id=24510 | topic=Percentages | difficulty=Easy | question=What is 20% of 1464? | option_a=584 | option_b=292 | option_c=312 | option_d=287 | answer=B | explanation=20% of 1464 = (20/100) × 1464 = 292.

Aptitude Questions — Records 24,511-24,540 of 100,000

id=24511 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:15 and the first is 300, what is the second? | option_a=210 | option_b=525 | option_c=225 | option_d=245 | answer=C | explanation=Scale factor = 300/20 = 15. Therefore second quantity = 15×15 = 225.

id=24512 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:9 and the first is 20, what is the second? | option_a=36 | option_b=56 | option_c=41 | option_d=27 | answer=A | explanation=Scale factor = 20/5 = 4. Therefore second quantity = 9×4 = 36.

id=24513 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 33, 39, 47? | option_a=39 | option_b=27 | option_c=47 | option_d=33 | answer=C | explanation=The first three numbers increase by 6, so the next should be 45. Therefore 47 is the odd one out.

id=24514 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=125 | option_c=120 | option_d=115 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=24515 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=70 | option_d=150 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=24516 | topic=Percentages | difficulty=Easy | question=What is 5% of 730? | option_a=41 | option_b=36 | option_c=72 | option_d=31 | answer=B | explanation=5% of 730 = (5/100) × 730 = 36.

id=24517 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=41 | option_b=35 | option_c=47 | option_d=42 | answer=A | explanation=The common difference is 6. Therefore the next term is 35 + 6 = 41.

id=24518 | topic=Profit & Loss | difficulty=Easy | question=An article costs █484. If it is sold at a profit of 10%, what is its selling price? | option_a=580 | option_b=494 | option_c=532 | option_d=484 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 484 × 110/100 = █532.

id=24519 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2164. If it is sold at a profit of 40%, what is its selling price? | option_a=3245 | option_b=2204 | option_c=2813 | option_d=3029 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2164 × 140/100 = █3029.

id=24520 | topic=Percentages | difficulty=Easy | question=What is 40% of 768? | option_a=297 | option_b=312 | option_c=307 | option_d=614 | answer=C | explanation=40% of 768 = (40/100) × 768 = 307.

id=24521 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3803 at 5% per annum for 3 years. | option_a=570 | option_b=670 | option_c=4373 | option_d=470 | answer=A | explanation=SI = PRT/100 = 3803×5×3/100 = █570.

id=24522 | topic=Averages | difficulty=Easy | question=Find the average of 49, 59, 100, 79, 64, 87, 66. | option_a=71 | option_b=74 | option_c=73 | option_d=72 | answer=D | explanation=Average = sum of values ÷ number of values = 504 ÷ 7 = 72.

id=24523 | topic=Percentages | difficulty=Easy | question=What is 30% of 1282? | option_a=404 | option_b=768 | option_c=384 | option_d=364 | answer=C | explanation=30% of 1282 = (30/100) × 1282 = 384.

id=24524 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 18. | option_a=72 | option_b=180 | option_c=100 | option_d=90 | answer=D | explanation=LCM × HCF = 10×18; HCF(10,18) = 2, so LCM = 90.

id=24525 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:8 and the first is 224, what is the second? | option_a=112 | option_b=336 | option_c=104 | option_d=128 | answer=A | explanation=Scale factor = 224/16 = 14. Therefore second quantity = 8×14 = 112.

id=24526 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 26. | option_a=416 | option_b=224 | option_c=208 | option_d=182 | answer=C | explanation=LCM × HCF = 16×26; HCF(16,26) = 2, so LCM = 208.

id=24527 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2045. If it is sold at a profit of 5%, what is its selling price? | option_a=2050 | option_b=1943 | option_c=2351 | option_d=2147 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2045 × 105/100 = █2147.

id=24528 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:5 and the first is 19, what is the second? | option_a=90 | option_b=114 | option_c=96 | option_d=95 | answer=D | explanation=Scale factor = 19/1 = 19. Therefore second quantity = 5×19 = 95.

id=24529 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=36 | option_c=18 | option_d=13 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=24530 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:9 and the first is 9, what is the second? | option_a=72 | option_b=82 | option_c=81 | option_d=90 | answer=C | explanation=Scale factor = 9/1 = 9. Therefore second quantity = 9×9 = 81.

id=24531 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1766. If it is sold at a profit of 40%, what is its selling price? | option_a=2648 | option_b=2296 | option_c=1806 | option_d=2472 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1766 × 140/100 = █2472.

id=24532 | topic=Averages | difficulty=Easy | question=Find the average of 57, 70, 34, 33, 89, 56, 98, 67. | option_a=62 | option_b=63 | option_c=64 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 504 ÷ 8 = 63.

id=24533 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 23, 28, 35? | option_a=28 | option_b=35 | option_c=18 | option_d=23 | answer=B | explanation=The first three numbers increase by 5, so the next should be 33. Therefore 35 is the odd one out.

id=24534 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=24535 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 20. | option_a=72 | option_b=60 | option_c=40 | option_d=240 | answer=B | explanation=LCM × HCF = 12×20; HCF(12,20) = 4, so LCM = 60.

id=24536 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:10 and the first is 255, what is the second? | option_a=160 | option_b=170 | option_c=425 | option_d=185 | answer=B | explanation=Scale factor = 255/15 = 17. Therefore second quantity = 10×17 = 170.

id=24537 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 16. | option_a=32 | option_b=72 | option_c=48 | option_d=384 | answer=C | explanation=LCM × HCF = 24×16; HCF(24,16) = 8, so LCM = 48.

id=24538 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1564. If it is sold at a profit of 25%, what is its selling price? | option_a=1589 | option_b=1799 | option_c=1955 | option_d=2111 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1564 × 125/100 = █1955.

id=24539 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=24 | option_c=12 | option_d=17 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=24540 | topic=Percentages | difficulty=Easy | question=What is 25% of 1195? | option_a=298 | option_b=278 | option_c=303 | option_d=596 | answer=A | explanation=25% of 1195 = (25/100) × 1195 = 298.

Aptitude Questions — Records 24,541-24,570 of 100,000

id=24541 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1001. If it is sold at a profit of 10%, what is its selling price? | option_a=1011 | option_b=1201 | option_c=1001 | option_d=1101 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1001 × 110/100 = █1101.

id=24542 | topic=Percentages | difficulty=Easy | question=What is 25% of 1311? | option_a=317 | option_b=654 | option_c=347 | option_d=327 | answer=D | explanation=25% of 1311 = (25/100) × 1311 = 327.

id=24543 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=24544 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=21 | option_b=24 | option_c=16 | option_d=20 | answer=D | explanation=The common difference is 4. Therefore the next term is 16 + 4 = 20.

id=24545 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:7 and the first is 240, what is the second? | option_a=104 | option_b=84 | option_c=324 | option_d=77 | answer=B | explanation=Scale factor = 240/20 = 12. Therefore second quantity = 7×12 = 84.

id=24546 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=7 | option_c=17 | option_d=24 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=24547 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4072. If it is sold at a profit of 5%, what is its selling price? | option_a=4682 | option_b=3868 | option_c=4077 | option_d=4275 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4072 × 105/100 = █4275.

id=24548 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=5 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=24549 | topic=Profit & Loss | difficulty=Easy | question=An article costs █432. If it is sold at a profit of 30%, what is its selling price? | option_a=604 | option_b=561 | option_c=462 | option_d=518 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 432 × 130/100 = █561.

id=24550 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 25, 27, 30? | option_a=27 | option_b=23 | option_c=25 | option_d=30 | answer=D | explanation=The first three numbers increase by 2, so the next should be 29. Therefore 30 is the odd one out.

id=24551 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1966. If it is sold at a profit of 50%, what is its selling price? | option_a=2753 | option_b=3145 | option_c=2016 | option_d=2949 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1966 × 150/100 = █2949.

id=24552 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43802 at 6% per annum for 5 years. | option_a=56942 | option_b=13240 | option_c=13140 | option_d=13040 | answer=C | explanation=SI = PRT/100 = 43802×6×5/100 = █13140.

id=24553 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 28, 38, 51? | option_a=18 | option_b=38 | option_c=28 | option_d=51 | answer=D | explanation=The first three numbers increase by 10, so the next should be 48. Therefore 51 is the odd one out.

id=24554 | topic=Averages | difficulty=Easy | question=Find the average of 86, 27, 15, 64, 14, 88, 14. | option_a=43 | option_b=45 | option_c=46 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = 308 ÷ 7 = 44.

id=24555 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 29? | option_a=24 | option_b=20 | option_c=16 | option_d=29 | answer=D | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 29 is the odd one out.

id=24556 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:1 and the first is 16, what is the second? | option_a=10 | option_b=2 | option_c=1 | option_d=18 | answer=B | explanation=Scale factor = 16/8 = 2. Therefore second quantity = 1×2 = 2.

id=24557 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6666 at 6% per annum for 2 years. | option_a=699 | option_b=899 | option_c=799 | option_d=7465 | answer=C | explanation=SI = PRT/100 = 6666×6×2/100 = █799.

id=24558 | topic=Averages | difficulty=Easy | question=Find the average of 53, 32, 86, 97. | option_a=67 | option_b=68 | option_c=69 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 268 ÷ 4 = 67.

id=24559 | topic=Percentages | difficulty=Easy | question=What is 30% of 1777? | option_a=1066 | option_b=523 | option_c=553 | option_d=533 | answer=D | explanation=30% of 1777 = (30/100) × 1777 = 533.

id=24560 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=24561 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:6 and the first is 288, what is the second? | option_a=124 | option_b=396 | option_c=102 | option_d=108 | answer=D | explanation=Scale factor = 288/16 = 18. Therefore second quantity = 6×18 = 108.

id=24562 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4782 at 8% per annum for 2 years. | option_a=865 | option_b=765 | option_c=665 | option_d=5547 | answer=B | explanation=SI = PRT/100 = 4782×8×2/100 = █765.

id=24563 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36660 at 15% per annum for 3 years. | option_a=16397 | option_b=16497 | option_c=53157 | option_d=16597 | answer=B | explanation=SI = PRT/100 = 36660×15×3/100 = █16497.

id=24564 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 27. | option_a=300 | option_b=243 | option_c=270 | option_d=810 | answer=C | explanation=LCM × HCF = 30×27; HCF(30,27) = 3, so LCM = 270.

id=24565 | topic=Averages | difficulty=Easy | question=Find the average of 59, 80, 40, 84, 45, 34. | option_a=58 | option_b=59 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 342 ÷ 6 = 57.

id=24566 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=24567 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=24568 | topic=Percentages | difficulty=Easy | question=What is 40% of 254? | option_a=202 | option_b=121 | option_c=101 | option_d=81 | answer=C | explanation=40% of 254 = (40/100) × 254 = 101.

id=24569 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=J | option_c=F | option_d=L | answer=B | explanation=Move 2 positions forward from H; the resulting letter is J.

id=24570 | topic=Percentages | difficulty=Easy | question=What is 5% of 179? | option_a=16 | option_b=3 | option_c=8 | option_d=18 | answer=C | explanation=5% of 179 = (5/100) × 179 = 8.

Aptitude Questions — Records 24,571-24,600 of 100,000

id=24571 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=240 | option_c=120 | option_d=115 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=24572 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 26. | option_a=728 | option_b=392 | option_c=364 | option_d=338 | answer=C | explanation=LCM × HCF = 28×26; HCF(28,26) = 2, so LCM = 364.

id=24573 | topic=Percentages | difficulty=Easy | question=What is 40% of 1859? | option_a=743 | option_b=753 | option_c=723 | option_d=1486 | answer=A | explanation=40% of 1859 = (40/100) × 1859 = 743.

id=24574 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2837. If it is sold at a profit of 5%, what is its selling price? | option_a=2978 | option_b=3261 | option_c=2695 | option_d=2842 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2837 × 105/100 = ₹2978.

id=24575 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=28 | option_b=24 | option_c=30 | option_d=27 | answer=D | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=24576 | topic=Averages | difficulty=Easy | question=Find the average of 25, 16, 59, 57, 48, 48, 41. | option_a=42 | option_b=41 | option_c=43 | option_d=44 | answer=A | explanation=Average = sum of values ÷ number of values = 294 ÷ 7 = 42.

id=24577 | topic=Percentages | difficulty=Easy | question=What is 10% of 820? | option_a=164 | option_b=82 | option_c=77 | option_d=92 | answer=B | explanation=10% of 820 = (10/100) × 820 = 82.

id=24578 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=39 | option_b=45 | option_c=31 | option_d=38 | answer=D | explanation=The common difference is 7. Therefore the next term is 31 + 7 = 38.

id=24579 | topic=Percentages | difficulty=Easy | question=What is 15% of 1480? | option_a=444 | option_b=242 | option_c=212 | option_d=222 | answer=D | explanation=15% of 1480 = (15/100) × 1480 = 222.

id=24580 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹13247 at 8% per annum for 5 years. | option_a=5298 | option_b=5398 | option_c=18545 | option_d=5198 | answer=A | explanation=SI = PRT/100 = 13247×8×5/100 = ₹5298.

id=24581 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:15 and the first is 140, what is the second? | option_a=150 | option_b=290 | option_c=135 | option_d=164 | answer=A | explanation=Scale factor = 140/14 = 10. Therefore second quantity = 15×10 = 150.

id=24582 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:1 and the first is 144, what is the second? | option_a=152 | option_b=26 | option_c=7 | option_d=8 | answer=D | explanation=Scale factor = 144/18 = 8. Therefore second quantity = 1×8 = 8.

id=24583 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=D | option_c=L | option_d=Z | answer=A | explanation=Move 4 positions forward from D; the resulting letter is H.

id=24584 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:19 and the first is 30, what is the second? | option_a=119 | option_b=114 | option_c=95 | option_d=144 | answer=B | explanation=Scale factor = 30/5 = 6. Therefore second quantity = 19×6 = 114.

id=24585 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹33195 at 4% per annum for 4 years. | option_a=5311 | option_b=5411 | option_c=5211 | option_d=38506 | answer=A | explanation=SI = PRT/100 = 33195×4×4/100 = ₹5311.

id=24586 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹46980 at 6% per annum for 5 years. | option_a=13994 | option_b=14094 | option_c=14194 | option_d=61074 | answer=B | explanation=SI = PRT/100 = 46980×6×5/100 = ₹14094.

id=24587 | topic=Averages | difficulty=Easy | question=Find the average of 68, 58, 51, 92, 98, 21, 95. | option_a=71 | option_b=70 | option_c=69 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 483 ÷ 7 = 69.

id=24588 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=T | option_b=U | option_c=V | option_d=W | answer=C | explanation=Move 1 positions forward from U; the resulting letter is V.

id=24589 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=59 | option_b=50 | option_c=49 | option_d=39 | answer=C | explanation=The common difference is 10. Therefore the next term is 39 + 10 = 49.

id=24590 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=43 | option_b=55 | option_c=54 | option_d=65 | answer=C | explanation=The common difference is 11. Therefore the next term is 43 + 11 = 54.

id=24591 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=A | option_b=O | option_c=W | option_d=S | answer=C | explanation=Move 4 positions forward from S; the resulting letter is W.

id=24592 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=W | option_c=I | option_d=E | answer=D | explanation=Move 4 positions forward from A; the resulting letter is E.

id=24593 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:12 and the first is 65, what is the second? | option_a=73 | option_b=125 | option_c=60 | option_d=48 | answer=C | explanation=Scale factor = 65/13 = 5. Therefore second quantity = 12×5 = 60.

id=24594 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:12 and the first is 140, what is the second? | option_a=178 | option_b=308 | option_c=156 | option_d=168 | answer=D | explanation=Scale factor = 140/10 = 14. Therefore second quantity = 12×14 = 168.

id=24595 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 34? | option_a=29 | option_b=34 | option_c=25 | option_d=27 | answer=B | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 34 is the odd one out.

id=24596 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:2 and the first is 16, what is the second? | option_a=18 | option_b=32 | option_c=16 | option_d=14 | answer=C | explanation=Scale factor = 16/2 = 8. Therefore second quantity = 2×8 = 16.

id=24597 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹8640 at 4% per annum for 1 years. | option_a=8985 | option_b=245 | option_c=445 | option_d=345 | answer=D | explanation=SI = PRT/100 = 8640×4×1/100 = ₹345.

id=24598 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹31226 at 5% per annum for 4 years. | option_a=6145 | option_b=37471 | option_c=6245 | option_d=6345 | answer=C | explanation=SI = PRT/100 = 31226×5×4/100 = ₹6245.

id=24599 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹24196 at 15% per annum for 5 years. | option_a=18047 | option_b=18147 | option_c=42343 | option_d=18247 | answer=B | explanation=SI = PRT/100 = 24196×15×5/100 = ₹18147.

id=24600 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 25, 31, 39? | option_a=19 | option_b=25 | option_c=39 | option_d=31 | answer=C | explanation=The first three numbers increase by 6, so the next should be 37. Therefore 39 is the odd one out.

Aptitude Questions — Records 24,601-24,630 of 100,000

id=24601 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:9 and the first is 221, what is the second? | option_a=117 | option_b=338 | option_c=108 | option_d=134 | answer=A | explanation=Scale factor = 221/17 = 13. Therefore second quantity = 9×13 = 117.

id=24602 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12312 at 6% per annum for 4 years. | option_a=15266 | option_b=3054 | option_c=2854 | option_d=2954 | answer=D | explanation=SI = PRT/100 = 12312×6×4/100 = **■**2954.

id=24603 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 12? | option_a=8 | option_b=6 | option_c=4 | option_d=12 | answer=D | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 12 is the odd one out.

id=24604 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=41 | option_b=51 | option_c=61 | option_d=52 | answer=B | explanation=The common difference is 10. Therefore the next term is 41 + 10 = 51.

id=24605 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=44 | option_b=50 | option_c=45 | option_d=38 | answer=A | explanation=The common difference is 6. Therefore the next term is 38 + 6 = 44.

id=24606 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=I | option_b=F | option_c=Z | option_d=C | answer=B | explanation=Move 3 positions forward from C; the resulting letter is F.

id=24607 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:16 and the first is 60, what is the second? | option_a=323 | option_b=380 | option_c=320 | option_d=304 | answer=C | explanation=Scale factor = 60/3 = 20. Therefore second quantity = 16×20 = 320.

id=24608 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=8 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=24609 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=74 | option_b=64 | option_c=52 | option_d=63 | answer=D | explanation=The common difference is 11. Therefore the next term is 52 + 11 = 63.

id=24610 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=24611 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3021. If it is sold at a profit of 50%, what is its selling price? | option_a=4531 | option_b=4229 | option_c=4833 | option_d=3071 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3021 × 150/100 = **■**4531.

id=24612 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=24613 | topic=Percentages | difficulty=Easy | question=What is 20% of 149? | option_a=58 | option_b=34 | option_c=9 | option_d=29 | answer=D | explanation=20% of 149 = (20/100) × 149 = 29.

id=24614 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=9 | option_c=14 | option_d=4 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=24615 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=T | option_c=P | option_d=V | answer=B | explanation=Move 2 positions forward from R; the resulting letter is T.

id=24616 | topic=Percentages | difficulty=Easy | question=What is 30% of 136? | option_a=30 | option_b=50 | option_c=80 | option_d=40 | answer=D | explanation=30% of 136 = (30/100) × 136 = 40.

id=24617 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 58? | option_a=47 | option_b=37 | option_c=58 | option_d=27 | answer=C | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 58 is the odd one out.

id=24618 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=24619 | topic=Averages | difficulty=Easy | question=Find the average of 16, 78, 75, 26, 65, 18, 84, 30, 55, 73. | option_a=51 | option_b=53 | option_c=54 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 520 ÷ 10 = 52.

id=24620 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=68 | option_b=46 | option_c=58 | option_d=57 | answer=D | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.

id=24621 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 11, 19, 28? | option_a=11 | option_b=19 | option_c=3 | option_d=28 | answer=D | explanation=The first three numbers increase by 8, so the next should be 27. Therefore 28 is the odd one out.

id=24622 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:15 and the first is 56, what is the second? | option_a=90 | option_b=161 | option_c=105 | option_d=113 | answer=C | explanation=Scale factor = 56/8 = 7. Therefore second quantity = 15×7 = 105.

id=24623 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40022 at 12% per annum for 4 years. | option_a=19310 | option_b=19110 | option_c=19210 | option_d=59232 | answer=C | explanation=SI = PRT/100 = 40022×12×4/100 = **■**19210.

id=24624 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 20, 23, 28? | option_a=23 | option_b=17 | option_c=20 | option_d=28 | answer=D | explanation=The first three numbers increase by 3, so the next should be 26. Therefore 28 is the odd one out.

id=24625 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 9, 11, 16? | option_a=9 | option_b=16 | option_c=11 | option_d=7 | answer=B | explanation=The first three numbers increase by 2, so the next should be 13. Therefore 16 is the odd one out.

id=24626 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=41 | option_c=36 | option_d=31 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=24627 | topic=Averages | difficulty=Easy | question=Find the average of 91, 97, 88. | option_a=92 | option_b=91 | option_c=94 | option_d=93 | answer=A | explanation=Average = sum of values ÷ number of values = 276 ÷ 3 = 92.

id=24628 | topic=Percentages | difficulty=Easy | question=What is 10% of 668? | option_a=71 | option_b=132 | option_c=56 | option_d=66 | answer=D | explanation=10% of 668 = (10/100) × 668 = 66.

id=24629 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=O | option_c=R | option_d=Q | answer=D | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=24630 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=Z | option_b=L | option_c=H | option_d=D | answer=C | explanation=Move 4 positions forward from D; the resulting letter is H.

Aptitude Questions — Records 24,631-24,660 of 100,000

- id=24631 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.
- id=24632 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=180 | option_c=360 | option_d=175 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.
- id=24633 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 25? | option_a=16 | option_b=18 | option_c=20 | option_d=25 | answer=D | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 25 is the odd one out.
- id=24634 | topic=Percentages | difficulty=Easy | question=What is 5% of 1379? | option_a=68 | option_b=136 | option_c=48 | option_d=78 | answer=A | explanation=5% of 1379 = (5/100) × 1379 = 68.
- id=24635 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=36 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.
- id=24636 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 21? | option_a=11 | option_b=21 | option_c=7 | option_d=15 | answer=B | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 21 is the odd one out.
- id=24637 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=60 | option_b=51 | option_c=52 | option_d=42 | answer=B | explanation=The common difference is 9. Therefore the next term is 42 + 9 = 51.
- id=24638 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 14, 18, 24? | option_a=10 | option_b=14 | option_c=24 | option_d=18 | answer=C | explanation=The first three numbers increase by 4, so the next should be 22. Therefore 24 is the odd one out.
- id=24639 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.
- id=24640 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 15, 23, 34? | option_a=7 | option_b=23 | option_c=15 | option_d=34 | answer=D | explanation=The first three numbers increase by 8, so the next should be 31. Therefore 34 is the odd one out.
- id=24641 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=K | option_b=F | option_c=A | option_d=V | answer=B | explanation=Move 5 positions forward from A; the resulting letter is F.
- id=24642 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=N | option_b=S | option_c=X | option_d=C | answer=C | explanation=Move 5 positions forward from S; the resulting letter is X.
- id=24643 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■18895 at 8% per annum for 2 years. | option_a=2923 | option_b=21918 | option_c=3123 | option_d=3023 | answer=D | explanation=SI = PRT/100 = 18895×8×2/100 = ■3023.
- id=24644 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 32? | option_a=12 | option_b=18 | option_c=32 | option_d=24 | answer=C | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 32 is the odd one out.
- id=24645 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■6437 at 8% per annum for 2 years. | option_a=7466 | option_b=1029 | option_c=929 | option_d=1129 | answer=B | explanation=SI = PRT/100 = 6437×8×2/100 = ■1029.
- id=24646 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■998. If it is sold at a profit of 40%, what is its selling price? | option_a=1397 | option_b=1298 | option_c=1496 | option_d=1038 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 998 × 140/100 = ■1397.
- id=24647 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=24 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.
- id=24648 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2574. If it is sold at a profit of 40%, what is its selling price? | option_a=2614 | option_b=3346 | option_c=3860 | option_d=3603 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2574 × 140/100 = ■3603.
- id=24649 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=45 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.
- id=24650 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 30, 34, 41? | option_a=30 | option_b=26 | option_c=34 | option_d=41 | answer=D | explanation=The first three numbers increase by 4, so the next should be 38. Therefore 41 is the odd one out.
- id=24651 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=P | option_b=S | option_c=M | option_d=J | answer=A | explanation=Move 3 positions forward from M; the resulting letter is P.
- id=24652 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=24653 | topic=Averages | difficulty=Easy | question=Find the average of 23, 12, 73. | option_a=35 | option_b=38 | option_c=36 | option_d=37 | answer=C | explanation=Average = sum of values ÷ number of values = 108 ÷ 3 = 36.
- id=24654 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=A | option_b=B | option_c=C | option_d=D | answer=C | explanation=Move 1 positions forward from B; the resulting letter is C.
- id=24655 | topic=Averages | difficulty=Easy | question=Find the average of 55, 63, 16, 58, 26, 80, 80. | option_a=54 | option_b=56 | option_c=55 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.
- id=24656 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.
- id=24657 | topic=Percentages | difficulty=Easy | question=What is 5% of 1771? | option_a=108 | option_b=88 | option_c=176 | option_d=78 | answer=B | explanation=5% of 1771 = (5/100) × 1771 = 88.
- id=24658 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=C | option_b=A | option_c=D | option_d=B | answer=A | explanation=Move 1 positions forward from B; the resulting letter is C.
- id=24659 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=24660 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 20, 23, 29? | option_a=17 | option_b=20 | option_c=29 | option_d=23 | answer=C | explanation=The first three numbers increase by 3, so the next should be 26. Therefore 29 is the odd one out.

Aptitude Questions — Records 24,661-24,690 of 100,000

id=24661 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:18 and the first is 10, what is the second? | option_a=36 | option_b=41 | option_c=46 | option_d=18 | answer=A | explanation=Scale factor = 10/5 = 2. Therefore second quantity = 18×2 = 36.

id=24662 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=24663 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:15 and the first is 26, what is the second? | option_a=195 | option_b=180 | option_c=197 | option_d=221 | answer=A | explanation=Scale factor = 26/2 = 13. Therefore second quantity = 15×13 = 195.

id=24664 | topic=Percentages | difficulty=Easy | question=What is 12% of 814? | option_a=97 | option_b=194 | option_c=87 | option_d=107 | answer=A | explanation=12% of 814 = (12/100) × 814 = 97.

id=24665 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34586 at 8% per annum for 1 years. | option_a=2866 | option_b=2766 | option_c=2666 | option_d=37352 | answer=B | explanation=SI = PRT/100 = 34586×8×1/100 = **■**2766.

id=24666 | topic=Averages | difficulty=Easy | question=Find the average of 78, 22, 85, 10, 55. | option_a=52 | option_b=49 | option_c=50 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 250 ÷ 5 = 50.

id=24667 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=24668 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=24669 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:18 and the first is 132, what is the second? | option_a=198 | option_b=348 | option_c=216 | option_d=227 | answer=C | explanation=Scale factor = 132/11 = 12. Therefore second quantity = 18×12 = 216.

id=24670 | topic=Percentages | difficulty=Easy | question=What is 40% of 1053? | option_a=842 | option_b=421 | option_c=441 | option_d=416 | answer=B | explanation=40% of 1053 = (40/100) × 1053 = 421.

id=24671 | topic=Percentages | difficulty=Easy | question=What is 50% of 921? | option_a=460 | option_b=920 | option_c=480 | option_d=450 | answer=A | explanation=50% of 921 = (50/100) × 921 = 460.

id=24672 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18148 at 8% per annum for 1 years. | option_a=1551 | option_b=19599 | option_c=1451 | option_d=1351 | answer=C | explanation=SI = PRT/100 = 18148×8×1/100 = **■**1451.

id=24673 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7547 at 8% per annum for 3 years. | option_a=1711 | option_b=1811 | option_c=1911 | option_d=9358 | answer=B | explanation=SI = PRT/100 = 7547×8×3/100 = **■**1811.

id=24674 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:15 and the first is 34, what is the second? | option_a=47 | option_b=30 | option_c=64 | option_d=15 | answer=B | explanation=Scale factor = 34/17 = 2. Therefore second quantity = 15×2 = 30.

id=24675 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 14, 23, 35? | option_a=14 | option_b=35 | option_c=23 | option_d=5 | answer=B | explanation=The first three numbers increase by 9, so the next should be 32. Therefore 35 is the odd one out.

id=24676 | topic=Percentages | difficulty=Easy | question=What is 30% of 1876? | option_a=562 | option_b=1124 | option_c=557 | option_d=567 | answer=A | explanation=30% of 1876 = (30/100) × 1876 = 562.

id=24677 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does "T" become? | option_a=B | option_b=T | option_c=P | option_d=X | answer=D | explanation=Move 4 positions forward from T; the resulting letter is X.

id=24678 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=25 | option_b=39 | option_c=33 | option_d=32 | answer=D | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.

id=24679 | topic=Averages | difficulty=Easy | question=Find the average of 37, 91, 89, 27, 94, 44, 92, 30. | option_a=65 | option_b=64 | option_c=63 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 504 ÷ 8 = 63.

id=24680 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=56 | option_b=68 | option_c=44 | option_d=57 | answer=A | explanation=The common difference is 12. Therefore the next term is 44 + 12 = 56.

id=24681 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=5 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=24682 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=11 | option_c=6 | option_d=12 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=24683 | topic=Percentages | difficulty=Easy | question=What is 5% of 437? | option_a=31 | option_b=1 | option_c=42 | option_d=21 | answer=D | explanation=5% of 437 = (5/100) × 437 = 21.

id=24684 | topic=Averages | difficulty=Easy | question=Find the average of 39, 73, 15, 93, 73, 34, 36, 49, 23, 65. | option_a=50 | option_b=52 | option_c=49 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 500 ÷ 10 = 50.

id=24685 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does "O" become? | option_a=O | option_b=L | option_c=U | option_d=R | answer=D | explanation=Move 3 positions forward from O; the resulting letter is R.

id=24686 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 10. | option_a=80 | option_b=30 | option_c=48 | option_d=40 | answer=D | explanation=LCM × HCF = 8×10; HCF(8,10) = 2, so LCM = 40.

id=24687 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:17 and the first is 56, what is the second? | option_a=119 | option_b=192 | option_c=143 | option_d=136 | answer=D | explanation=Scale factor = 56/7 = 8. Therefore second quantity = 17×8 = 136.

id=24688 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:6 and the first is 160, what is the second? | option_a=76 | option_b=54 | option_c=220 | option_d=60 | answer=D | explanation=Scale factor = 160/16 = 10. Therefore second quantity = 6×10 = 60.

id=24689 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=24690 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:1 and the first is 260, what is the second? | option_a=273 | option_b=13 | option_c=12 | option_d=33 | answer=B | explanation=Scale factor = 260/20 = 13. Therefore second quantity = 1×13 = 13.

Aptitude Questions — Records 24,691-24,720 of 100,000

id=24691 | topic=Averages | difficulty=Easy | question=Find the average of 32, 87, 42, 59, 95, 95, 81, 19, 25, 105. | option_a=63 | option_b=64 | option_c=65 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 640 ÷ 10 = 64.

id=24692 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=13 | option_c=36 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=24693 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 23, 27, 34? | option_a=27 | option_b=23 | option_c=34 | option_d=19 | answer=C | explanation=The first three numbers increase by 4, so the next should be 31. Therefore 34 is the odd one out.

id=24694 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33912 at 5% per annum for 4 years. | option_a=40694 | option_b=6682 | option_c=6782 | option_d=6882 | answer=C | explanation=SI = $PRT/100 = 33912 \times 5 \times 4 / 100 = \text{■}6782$.

id=24695 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=24696 | topic=Percentages | difficulty=Easy | question=What is 12% of 1176? | option_a=141 | option_b=282 | option_c=121 | option_d=146 | answer=A | explanation=12% of 1176 = $(12/100) \times 1176 = 141$.

id=24697 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1710. If it is sold at a profit of 30%, what is its selling price? | option_a=2394 | option_b=2052 | option_c=1740 | option_d=2223 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1710 \times 130 / 100 = \text{■}2223$.

id=24698 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=24699 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=24 | option_d=5 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=24700 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:19 and the first is 105, what is the second? | option_a=148 | option_b=133 | option_c=114 | option_d=238 | answer=B | explanation=Scale factor = $105/15 = 7$. Therefore second quantity = $19 \times 7 = 133$.

id=24701 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1342 at 15% per annum for 4 years. | option_a=905 | option_b=805 | option_c=2147 | option_d=705 | answer=B | explanation=SI = $PRT/100 = 1342 \times 15 \times 4 / 100 = \text{■}805$.

id=24702 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=7 | option_d=5 | answer=A | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=24703 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=18 | option_c=36 | option_d=23 | answer=B | explanation=Speed = distance ÷ time = $90 \div 5 = 18$ km/h.

id=24704 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4592. If it is sold at a profit of 5%, what is its selling price? | option_a=4597 | option_b=4821 | option_c=4362 | option_d=5280 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4592 \times 105 / 100 = \text{■}4821$.

id=24705 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 28, 31, 37? | option_a=37 | option_b=31 | option_c=25 | option_d=28 | answer=A | explanation=The first three numbers increase by 3, so the next should be 34. Therefore 37 is the odd one out.

id=24706 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=P | option_b=E | option_c=Z | option_d=U | answer=C | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=24707 | topic=Percentages | difficulty=Easy | question=What is 15% of 907? | option_a=136 | option_b=272 | option_c=146 | option_d=131 | answer=A | explanation=15% of 907 = $(15/100) \times 907 = 136$.

id=24708 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=24709 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.

id=24710 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:9 and the first is 40, what is the second? | option_a=38 | option_b=9 | option_c=58 | option_d=18 | answer=D | explanation=Scale factor = $40/20 = 2$. Therefore second quantity = $9 \times 2 = 18$.

id=24711 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 33, 38, 45? | option_a=38 | option_b=45 | option_c=28 | option_d=33 | answer=B | explanation=The first three numbers increase by 5, so the next should be 43. Therefore 45 is the odd one out.

id=24712 | topic=Averages | difficulty=Easy | question=Find the average of 45, 14, 41, 26, 79, 39, 39, 35, 40, 72. | option_a=42 | option_b=45 | option_c=44 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = $430 \div 10 = 43$.

id=24713 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:6 and the first is 6, what is the second? | option_a=20 | option_b=24 | option_c=12 | option_d=18 | answer=D | explanation=Scale factor = $6/2 = 3$. Therefore second quantity = $6 \times 3 = 18$.

id=24714 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=41 | option_b=40 | option_c=46 | option_d=34 | answer=B | explanation=The common difference is 6. Therefore the next term is $34 + 6 = 40$.

id=24715 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:15 and the first is 77, what is the second? | option_a=172 | option_b=165 | option_c=150 | option_d=242 | answer=B | explanation=Scale factor = $77/7 = 11$. Therefore second quantity = $15 \times 11 = 165$.

id=24716 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=39 | option_b=38 | option_c=43 | option_d=33 | answer=B | explanation=The common difference is 5. Therefore the next term is $33 + 5 = 38$.

id=24717 | topic=Percentages | difficulty=Easy | question=What is 15% of 95? | option_a=4 | option_b=14 | option_c=19 | option_d=28 | answer=B | explanation=15% of 95 = $(15/100) \times 95 = 14$.

id=24718 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=7 | option_d=24 | answer=A | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=24719 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:20 and the first is 221, what is the second? | option_a=340 | option_b=320 | option_c=561 | option_d=353 | answer=A | explanation=Scale factor = $221/13 = 17$. Therefore second quantity = $20 \times 17 = 340$.

id=24720 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45692 at 5% per annum for 1 years. | option_a=2184 | option_b=2384 | option_c=47976 | option_d=2284 | answer=D | explanation=SI = $PRT/100 = 45692 \times 5 \times 1 / 100 = \text{■}2284$.

Aptitude Questions — Records 24,721-24,750 of 100,000

id=24721 | topic=Percentages | difficulty=Easy | question=What is 50% of 1813? | option_a=906 | option_b=1812 | option_c=911 | option_d=896 | answer=A | explanation=50% of 1813 = (50/100) × 1813 = 906.

id=24722 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31775 at 10% per annum for 2 years. | option_a=6455 | option_b=38130 | option_c=6355 | option_d=6255 | answer=C | explanation=SI = PRT/100 = 31775×10×2/100 = **■**6355.

id=24723 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 20. | option_a=40 | option_b=20 | option_c=22 | option_d=1 | answer=B | explanation=LCM × HCF = 2×20; HCF(2,20) = 2, so LCM = 20.

id=24724 | topic=Percentages | difficulty=Easy | question=What is 5% of 1940? | option_a=97 | option_b=117 | option_c=194 | option_d=77 | answer=A | explanation=5% of 1940 = (5/100) × 1940 = 97.

id=24725 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=55 | option_d=100 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=24726 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=16 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=24727 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=69 | option_b=49 | option_c=60 | option_d=59 | answer=D | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

id=24728 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:5 and the first is 33, what is the second? | option_a=10 | option_b=26 | option_c=15 | option_d=48 | answer=C | explanation=Scale factor = 33/11 = 3. Therefore second quantity = 5×3 = 15.

id=24729 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 34, 43, 55? | option_a=43 | option_b=34 | option_c=25 | option_d=55 | answer=D | explanation=The first three numbers increase by 9, so the next should be 52. Therefore 55 is the odd one out.

id=24730 | topic=Averages | difficulty=Easy | question=Find the average of 81, 93, 83, 96, 97, 61, 37, 36. | option_a=72 | option_b=74 | option_c=73 | option_d=75 | answer=C | explanation=Average = sum of values ÷ number of values = 584 ÷ 8 = 73.

id=24731 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=28 | option_b=26 | option_c=24 | option_d=27 | answer=B | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.

id=24732 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:20 and the first is 44, what is the second? | option_a=220 | option_b=224 | option_c=200 | option_d=264 | answer=A | explanation=Scale factor = 44/4 = 11. Therefore second quantity = 20×11 = 220.

id=24733 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21599 at 8% per annum for 3 years. | option_a=5183 | option_b=5283 | option_c=5083 | option_d=26782 | answer=A | explanation=SI = PRT/100 = 21599×8×3/100 = **■**5183.

id=24734 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 27? | option_a=27 | option_b=22 | option_c=24 | option_d=20 | answer=A | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 27 is the odd one out.

id=24735 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 26, 33, 43? | option_a=26 | option_b=33 | option_c=19 | option_d=43 | answer=D | explanation=The first three numbers increase by 7, so the next should be 40. Therefore 43 is the odd one out.

id=24736 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**973. If it is sold at a profit of 40%, what is its selling price? | option_a=1265 | option_b=1013 | option_c=1362 | option_d=1459 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 973 × 140/100 = **■**1362.

id=24737 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 50? | option_a=50 | option_b=19 | option_c=29 | option_d=39 | answer=A | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 50 is the odd one out.

id=24738 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1188. If it is sold at a profit of 30%, what is its selling price? | option_a=1662 | option_b=1544 | option_c=1426 | option_d=1218 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1188 × 130/100 = **■**1544.

id=24739 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=U | option_b=K | option_c=Z | option_d=P | answer=A | explanation=Move 5 positions forward from P; the resulting letter is U.

id=24740 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 21. | option_a=189 | option_b=240 | option_c=630 | option_d=210 | answer=D | explanation=LCM × HCF = 30×21; HCF(30,21) = 3, so LCM = 210.

id=24741 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 28, 31, 37? | option_a=31 | option_b=37 | option_c=28 | option_d=25 | answer=B | explanation=The first three numbers increase by 3, so the next should be 34. Therefore 37 is the odd one out.

id=24742 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=60 | option_b=70 | option_c=59 | option_d=48 | answer=C | explanation=The common difference is 11. Therefore the next term is 48 + 11 = 59.

id=24743 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:4 and the first is 55, what is the second? | option_a=49 | option_b=99 | option_c=44 | option_d=40 | answer=C | explanation=Scale factor = 55/5 = 11. Therefore second quantity = 4×11 = 44.

id=24744 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28509 at 8% per annum for 1 years. | option_a=2280 | option_b=2380 | option_c=2180 | option_d=30789 | answer=A | explanation=SI = PRT/100 = 28509×8×1/100 = **■**2280.

id=24745 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=20 | option_c=15 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=24746 | topic=Averages | difficulty=Easy | question=Find the average of 98, 80, 36, 85, 21. | option_a=63 | option_b=64 | option_c=66 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 320 ÷ 5 = 64.

id=24747 | topic=Averages | difficulty=Easy | question=Find the average of 46, 84, 20. | option_a=50 | option_b=52 | option_c=51 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 150 ÷ 3 = 50.

id=24748 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:10 and the first is 102, what is the second? | option_a=50 | option_b=60 | option_c=162 | option_d=77 | answer=B | explanation=Scale factor = 102/17 = 6. Therefore second quantity = 10×6 = 60.

id=24749 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 14? | option_a=9 | option_b=5 | option_c=7 | option_d=14 | answer=D | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 14 is the odd one out.

id=24750 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=90 | option_c=85 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

Aptitude Questions — Records 24,751-24,780 of 100,000

id=24751 | topic=Averages | difficulty=Easy | question=Find the average of 37, 98, 89, 33, 38, 59. | option_a=60 | option_b=58 | option_c=61 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.

id=24752 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:8 and the first is 252, what is the second? | option_a=364 | option_b=112 | option_c=104 | option_d=130 | answer=B | explanation=Scale factor = 252/18 = 14. Therefore second quantity = 8×14 = 112.

id=24753 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=24754 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=24755 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 25? | option_a=20 | option_b=25 | option_c=18 | option_d=16 | answer=B | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 25 is the odd one out.

id=24756 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:13 and the first is 51, what is the second? | option_a=221 | option_b=224 | option_c=272 | option_d=208 | answer=A | explanation=Scale factor = 51/3 = 17. Therefore second quantity = 13×17 = 221.

id=24757 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=24758 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=24 | option_c=12 | option_d=7 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=24759 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:16 and the first is 216, what is the second? | option_a=300 | option_b=288 | option_c=272 | option_d=504 | answer=B | explanation=Scale factor = 216/12 = 18. Therefore second quantity = 16×18 = 288.

id=24760 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4226. If it is sold at a profit of 20%, what is its selling price? | option_a=4649 | option_b=4246 | option_c=5071 | option_d=5493 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4226 × 120/100 = █5071.

id=24761 | topic=Percentages | difficulty=Easy | question=What is 30% of 251? | option_a=65 | option_b=75 | option_c=150 | option_d=85 | answer=B | explanation=30% of 251 = (30/100) × 251 = 75.

id=24762 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=24763 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:10 and the first is 256, what is the second? | option_a=116 | option_b=150 | option_c=160 | option_d=176 | answer=C | explanation=Scale factor = 256/16 = 16. Therefore second quantity = 10×16 = 160.

id=24764 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2294. If it is sold at a profit of 40%, what is its selling price? | option_a=2982 | option_b=3211 | option_c=3440 | option_d=2334 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2294 × 140/100 = █3211.

id=24765 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=H | option_b=T | option_c=L | option_d=P | answer=D | explanation=Move 4 positions forward from L; the resulting letter is P.

id=24766 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=24767 | topic=Percentages | difficulty=Easy | question=What is 10% of 1407? | option_a=280 | option_b=140 | option_c=135 | option_d=150 | answer=B | explanation=10% of 1407 = (10/100) × 1407 = 140.

id=24768 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=24769 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 8, 11, 14, ? | option_a=18 | option_b=20 | option_c=14 | option_d=17 | answer=D | explanation=The common difference is 3. Therefore the next term is 14 + 3 = 17.

id=24770 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:7 and the first is 126, what is the second? | option_a=189 | option_b=77 | option_c=56 | option_d=63 | answer=D | explanation=Scale factor = 126/14 = 9. Therefore second quantity = 7×9 = 63.

id=24771 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3756. If it is sold at a profit of 20%, what is its selling price? | option_a=4507 | option_b=4132 | option_c=4882 | option_d=3776 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3756 × 120/100 = █4507.

id=24772 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=43 | option_b=63 | option_c=53 | option_d=54 | answer=C | explanation=The common difference is 10. Therefore the next term is 43 + 10 = 53.

id=24773 | topic=Percentages | difficulty=Easy | question=What is 40% of 420? | option_a=336 | option_b=188 | option_c=163 | option_d=168 | answer=D | explanation=40% of 420 = (40/100) × 420 = 168.

id=24774 | topic=Averages | difficulty=Easy | question=Find the average of 26, 72, 73, 19, 75. | option_a=52 | option_b=55 | option_c=54 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 265 ÷ 5 = 53.

id=24775 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=27 | option_b=33 | option_c=39 | option_d=34 | answer=B | explanation=The common difference is 6. Therefore the next term is 27 + 6 = 33.

id=24776 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:20 and the first is 22, what is the second? | option_a=200 | option_b=242 | option_c=222 | option_d=220 | answer=D | explanation=Scale factor = 22/2 = 11. Therefore second quantity = 20×11 = 220.

id=24777 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 11, 20, 30? | option_a=20 | option_b=11 | option_c=2 | option_d=30 | answer=D | explanation=The first three numbers increase by 9, so the next should be 29. Therefore 30 is the odd one out.

id=24778 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4232. If it is sold at a profit of 50%, what is its selling price? | option_a=6348 | option_b=5925 | option_c=4282 | option_d=6771 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4232 × 150/100 = █6348.

id=24779 | topic=Averages | difficulty=Easy | question=Find the average of 56, 86, 71, 15. | option_a=58 | option_b=57 | option_c=59 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 228 ÷ 4 = 57.

id=24780 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10910 at 6% per annum for 1 years. | option_a=11564 | option_b=754 | option_c=554 | option_d=654 | answer=D | explanation=SI = PRT/100 = 10910×6×1/100 = █654.

Aptitude Questions — Records 24,781-24,810 of 100,000

id=24781 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=24782 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=120 | option_c=125 | option_d=115 | answer=B | explanation=Speed = distance ÷ time = $\frac{240}{2} = 120$ km/h.

id=24783 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=M | option_c=N | option_d=K | answer=B | explanation=Move 1 positions forward from L; the resulting letter is M.

id=24784 | topic=Percentages | difficulty=Easy | question=What is 20% of 346? | option_a=138 | option_b=69 | option_c=74 | option_d=64 | answer=B | explanation=20% of 346 = $(\frac{20}{100}) \times 346 = 69$.

id=24785 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=21 | option_b=28 | option_c=27 | option_d=33 | answer=C | explanation=The common difference is 6. Therefore the next term is $21 + 6 = 27$.

id=24786 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=S | option_c=T | option_d=U | answer=D | explanation=Move 1 positions forward from T; the resulting letter is U.

id=24787 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=16 | option_b=14 | option_c=15 | option_d=12 | answer=B | explanation=The common difference is 2. Therefore the next term is $12 + 2 = 14$.

id=24788 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=V | option_b=L | option_c=Q | option_d=A | answer=A | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=24789 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 23, 28, 35? | option_a=35 | option_b=28 | option_c=23 | option_d=18 | answer=A | explanation=The first three numbers increase by 5, so the next should be 33. Therefore 35 is the odd one out.

id=24790 | topic=Percentages | difficulty=Easy | question=What is 10% of 702? | option_a=75 | option_b=50 | option_c=70 | option_d=140 | answer=C | explanation=10% of 702 = $(\frac{10}{100}) \times 702 = 70$.

id=24791 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:16 and the first is 21, what is the second? | option_a=69 | option_b=55 | option_c=48 | option_d=32 | answer=C | explanation=Scale factor = $\frac{21}{7} = 3$. Therefore second quantity = $16 \times 3 = 48$.

id=24792 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:18 and the first is 80, what is the second? | option_a=260 | option_b=162 | option_c=180 | option_d=188 | answer=C | explanation=Scale factor = $\frac{80}{8} = 10$. Therefore second quantity = $18 \times 10 = 180$.

id=24793 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 12. | option_a=288 | option_b=24 | option_c=12 | option_d=48 | answer=B | explanation= $\text{LCM} \times \text{HCF} = 24 \times 12$: $\text{HCF}(24,12) = 12$, so $\text{LCM} = 24$.

id=24794 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:4 and the first is 80, what is the second? | option_a=84 | option_b=80 | option_c=76 | option_d=160 | answer=B | explanation=Scale factor = $\frac{80}{4} = 20$. Therefore second quantity = $4 \times 20 = 80$.

id=24795 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=16 | option_d=3 | answer=B | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

id=24796 | topic=Percentages | difficulty=Easy | question=What is 20% of 1713? | option_a=342 | option_b=322 | option_c=684 | option_d=347 | answer=A | explanation=20% of 1713 = $(\frac{20}{100}) \times 1713 = 342$.

id=24797 | topic=Percentages | difficulty=Easy | question=What is 20% of 586? | option_a=122 | option_b=234 | option_c=117 | option_d=112 | answer=C | explanation=20% of 586 = $(\frac{20}{100}) \times 586 = 117$.

id=24798 | topic=Percentages | difficulty=Easy | question=What is 12% of 1198? | option_a=143 | option_b=286 | option_c=148 | option_d=123 | answer=A | explanation=12% of 1198 = $(\frac{12}{100}) \times 1198 = 143$.

id=24799 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=67 | option_c=77 | option_d=144 | answer=A | explanation=Speed = distance ÷ time = $\frac{360}{5} = 72$ km/h.

id=24800 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=28 | option_b=22 | option_c=32 | option_d=27 | answer=D | explanation=The common difference is 5. Therefore the next term is $22 + 5 = 27$.

id=24801 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 17, 23, 31? | option_a=31 | option_b=11 | option_c=17 | option_d=23 | answer=A | explanation=The first three numbers increase by 6, so the next should be 29. Therefore 31 is the odd one out.

id=24802 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=N | option_c=T | option_d=R | answer=D | explanation=Move 2 positions forward from P; the resulting letter is R.

id=24803 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46549 at 15% per annum for 2 years. | option_a=13964 | option_b=13864 | option_c=60513 | option_d=14064 | answer=A | explanation= $\text{SI} = \frac{\text{PRT}}{100} = \frac{46549 \times 15 \times 2}{100} = \text{■}13964$.

id=24804 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 7, 12, 20? | option_a=7 | option_b=20 | option_c=2 | option_d=12 | answer=B | explanation=The first three numbers increase by 5, so the next should be 17. Therefore 20 is the odd one out.

id=24805 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $\frac{300}{10} = 30$ km/h.

id=24806 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1995. If it is sold at a profit of 25%, what is its selling price? | option_a=2020 | option_b=2493 | option_c=2294 | option_d=2692 | answer=B | explanation=Selling price = $\text{CP} \times (\frac{100 + \text{profit}\%}{100}) = 1995 \times \frac{125}{100} = \text{■}2493$.

id=24807 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:19 and the first is 300, what is the second? | option_a=305 | option_b=585 | option_c=266 | option_d=285 | answer=D | explanation=Scale factor = $\frac{300}{20} = 15$. Therefore second quantity = $19 \times 15 = 285$.

id=24808 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 31, 40, 51? | option_a=22 | option_b=40 | option_c=31 | option_d=51 | answer=D | explanation=The first three numbers increase by 9, so the next should be 49. Therefore 51 is the odd one out.

id=24809 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=F | option_b=J | option_c=H | option_d=L | answer=B | explanation=Move 2 positions forward from H; the resulting letter is J.

id=24810 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=40 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = $\frac{120}{6} = 20$ km/h.

Aptitude Questions — Records 24,811-24,840 of 100,000

id=24811 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1856. If it is sold at a profit of 5%, what is its selling price? | option_a=1948 | option_b=1763 | option_c=2133 | option_d=1861 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1856 × 105/100 = █1948.

id=24812 | topic=Averages | difficulty=Easy | question=Find the average of 21, 20, 40, 42, 89, 42, 92, 85, 35, 44. | option_a=52 | option_b=51 | option_c=53 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

id=24813 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 14, 18, 23? | option_a=23 | option_b=10 | option_c=14 | option_d=18 | answer=A | explanation=The first three numbers increase by 4, so the next should be 22. Therefore 23 is the odd one out.

id=24814 | topic=Percentages | difficulty=Easy | question=What is 30% of 131? | option_a=78 | option_b=39 | option_c=49 | option_d=19 | answer=B | explanation=30% of 131 = (30/100) × 131 = 39.

id=24815 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 43? | option_a=43 | option_b=27 | option_c=20 | option_d=34 | answer=A | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 43 is the odd one out.

id=24816 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 12, 17, 24? | option_a=17 | option_b=24 | option_c=12 | option_d=7 | answer=B | explanation=The first three numbers increase by 5, so the next should be 22. Therefore 24 is the odd one out.

id=24817 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 42? | option_a=11 | option_b=21 | option_c=31 | option_d=42 | answer=D | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 42 is the odd one out.

id=24818 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=61 | option_b=62 | option_c=73 | option_d=49 | answer=A | explanation=The common difference is 12. Therefore the next term is 49 + 12 = 61.

id=24819 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9464 at 12% per annum for 5 years. | option_a=5778 | option_b=5678 | option_c=15142 | option_d=5578 | answer=B | explanation=SI = PRT/100 = 9464×12×5/100 = █5678.

id=24820 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 21. | option_a=126 | option_b=48 | option_c=42 | option_d=21 | answer=C | explanation=LCM × HCF = 6×21; HCF(6,21) = 3, so LCM = 42.

id=24821 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:19 and the first is 24, what is the second? | option_a=228 | option_b=209 | option_c=320 | option_d=252 | answer=A | explanation=Scale factor = 24/2 = 12. Therefore second quantity = 19×12 = 228.

id=24822 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:16 and the first is 88, what is the second? | option_a=264 | option_b=176 | option_c=160 | option_d=184 | answer=B | explanation=Scale factor = 88/8 = 11. Therefore second quantity = 16×11 = 176.

id=24823 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=24824 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26404 at 5% per annum for 1 years. | option_a=27724 | option_b=1420 | option_c=1220 | option_d=1320 | answer=D | explanation=SI = PRT/100 = 26404×5×1/100 = █1320.

id=24825 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 14, 16, 20? | option_a=12 | option_b=14 | option_c=16 | option_d=20 | answer=D | explanation=The first three numbers increase by 2, so the next should be 18. Therefore 20 is the odd one out.

id=24826 | topic=Averages | difficulty=Easy | question=Find the average of 77, 33, 32, 32, 16. | option_a=37 | option_b=39 | option_c=40 | option_d=38 | answer=D | explanation=Average = sum of values ÷ number of values = 190 ÷ 5 = 38.

id=24827 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=Q | option_c=M | option_d=K | answer=A | explanation=Move 2 positions forward from M; the resulting letter is O.

id=24828 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:18 and the first is 135, what is the second? | option_a=270 | option_b=279 | option_c=405 | option_d=252 | answer=A | explanation=Scale factor = 135/9 = 15. Therefore second quantity = 18×15 = 270.

id=24829 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:13 and the first is 289, what is the second? | option_a=221 | option_b=238 | option_c=510 | option_d=208 | answer=A | explanation=Scale factor = 289/17 = 17. Therefore second quantity = 13×17 = 221.

id=24830 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=Z | option_b=C | option_c=B | option_d=A | answer=C | explanation=Move 1 positions forward from A; the resulting letter is B.

id=24831 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:4 and the first is 256, what is the second? | option_a=64 | option_b=60 | option_c=320 | option_d=80 | answer=A | explanation=Scale factor = 256/16 = 16. Therefore second quantity = 4×16 = 64.

id=24832 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=36 | option_c=72 | option_d=41 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=24833 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:20 and the first is 108, what is the second? | option_a=160 | option_b=192 | option_c=180 | option_d=288 | answer=C | explanation=Scale factor = 108/12 = 9. Therefore second quantity = 20×9 = 180.

id=24834 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=100 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=24835 | topic=Averages | difficulty=Easy | question=Find the average of 32, 35, 80. | option_a=48 | option_b=49 | option_c=51 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 147 ÷ 3 = 49.

id=24836 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 26, 33, 42? | option_a=42 | option_b=19 | option_c=33 | option_d=26 | answer=A | explanation=The first three numbers increase by 7, so the next should be 40. Therefore 42 is the odd one out.

id=24837 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=44 | option_b=56 | option_c=66 | option_d=55 | answer=D | explanation=The common difference is 11. Therefore the next term is 44 + 11 = 55.

id=24838 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:5 and the first is 50, what is the second? | option_a=35 | option_b=25 | option_c=75 | option_d=20 | answer=B | explanation=Scale factor = 50/10 = 5. Therefore second quantity = 5×5 = 25.

id=24839 | topic=Averages | difficulty=Easy | question=Find the average of 64, 62, 60, 96, 25, 40, 97, 44. | option_a=61 | option_b=60 | option_c=62 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 488 ÷ 8 = 61.

id=24840 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 24,841-24,870 of 100,000

id=24841 | topic=Percentages | difficulty=Easy | question=What is 20% of 268? | option_a=58 | option_b=53 | option_c=48 | option_d=106 | answer=B | explanation=20% of 268 = (20/100) × 268 = 53.

id=24842 | topic=Averages | difficulty=Easy | question=Find the average of 57, 95, 67. | option_a=75 | option_b=72 | option_c=74 | option_d=73 | answer=D | explanation=Average = sum of values ÷ number of values = 219 ÷ 3 = 73.

id=24843 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=24844 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 26, 28, 31? | option_a=28 | option_b=31 | option_c=24 | option_d=26 | answer=B | explanation=The first three numbers increase by 2, so the next should be 30. Therefore 31 is the odd one out.

id=24845 | topic=Averages | difficulty=Easy | question=Find the average of 17, 53, 27, 25, 62, 68, 89, 35. | option_a=46 | option_b=47 | option_c=48 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 376 ÷ 8 = 47.

id=24846 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37411 at 4% per annum for 2 years. | option_a=40403 | option_b=3092 | option_c=2992 | option_d=2892 | answer=C | explanation=SI = $\frac{PRT}{100}$ = $\frac{37411 \times 4 \times 2}{100}$ = **■**2992.

id=24847 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 29? | option_a=20 | option_b=24 | option_c=22 | option_d=29 | answer=D | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 29 is the odd one out.

id=24848 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2672. If it is sold at a profit of 50%, what is its selling price? | option_a=3741 | option_b=4275 | option_c=2722 | option_d=4008 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100$ = $2672 \times \frac{150}{100}$ = **■**4008.

id=24849 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2613. If it is sold at a profit of 15%, what is its selling price? | option_a=2628 | option_b=2743 | option_c=3265 | option_d=3004 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100$ = $2613 \times \frac{115}{100}$ = **■**3004.

id=24850 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 46? | option_a=32 | option_b=38 | option_c=26 | option_d=46 | answer=D | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 46 is the odd one out.

id=24851 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=54 | option_b=45 | option_c=63 | option_d=55 | answer=A | explanation=The common difference is 9. Therefore the next term is 45 + 9 = 54.

id=24852 | topic=Averages | difficulty=Easy | question=Find the average of 50, 82, 92, 96, 93, 94, 63, 30. | option_a=77 | option_b=76 | option_c=74 | option_d=75 | answer=D | explanation=Average = sum of values ÷ number of values = 600 ÷ 8 = 75.

id=24853 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 43? | option_a=25 | option_b=17 | option_c=43 | option_d=33 | answer=C | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 43 is the odd one out.

id=24854 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=24855 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=75 | option_c=80 | option_d=150 | answer=B | explanation=Speed = distance ÷ time = $\frac{150}{2} = 75$ km/h.

id=24856 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=F | option_b=G | option_c=H | option_d=I | answer=C | explanation=Move 1 positions forward from G; the resulting letter is H.

id=24857 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1567. If it is sold at a profit of 5%, what is its selling price? | option_a=1801 | option_b=1645 | option_c=1572 | option_d=1489 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100$ = $1567 \times \frac{105}{100}$ = **■**1645.

id=24858 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=N | option_b=D | option_c=I | option_d=S | answer=A | explanation=Move 5 positions forward from I; the resulting letter is N.

id=24859 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=N | option_c=R | option_d=Z | answer=A | explanation=Move 4 positions forward from R; the resulting letter is V.

id=24860 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=R | option_b=H | option_c=C | option_d=M | answer=D | explanation=Move 5 positions forward from H; the resulting letter is M.

id=24861 | topic=Percentages | difficulty=Easy | question=What is 12% of 1856? | option_a=444 | option_b=222 | option_c=217 | option_d=227 | answer=B | explanation=12% of 1856 = $\frac{(12)}{100} \times 1856 = 222$.

id=24862 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=24863 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=H | option_c=L | option_d=J | answer=C | explanation=Move 2 positions forward from J; the resulting letter is L.

id=24864 | topic=Percentages | difficulty=Easy | question=What is 20% of 521? | option_a=208 | option_b=109 | option_c=99 | option_d=104 | answer=D | explanation=20% of 521 = $\frac{(20)}{100} \times 521 = 104$.

id=24865 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=28 | option_b=29 | option_c=32 | option_d=24 | answer=A | explanation=The common difference is 4. Therefore the next term is 24 + 4 = 28.

id=24866 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = $\frac{60}{4} = 15$ km/h.

id=24867 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:3 and the first is 95, what is the second? | option_a=12 | option_b=110 | option_c=34 | option_d=15 | answer=D | explanation=Scale factor = $\frac{95}{19} = 5$. Therefore second quantity = $3 \times 5 = 15$.

id=24868 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8314 at 6% per annum for 1 years. | option_a=398 | option_b=498 | option_c=598 | option_d=8812 | answer=B | explanation=SI = $\frac{PRT}{100}$ = $\frac{8314 \times 6 \times 1}{100}$ = **■**498.

id=24869 | topic=Percentages | difficulty=Easy | question=What is 50% of 122? | option_a=71 | option_b=56 | option_c=122 | option_d=61 | answer=D | explanation=50% of 122 = $\frac{(50)}{100} \times 122 = 61$.

id=24870 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=25 | option_c=15 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = $\frac{120}{6} = 20$ km/h.

Aptitude Questions — Records 24,871-24,900 of 100,000

id=24871 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:9 and the first is 270, what is the second? | option_a=126 | option_b=135 | option_c=153 | option_d=405 | answer=B | explanation=Scale factor = 270/18 = 15. Therefore second quantity = 9×15 = 135.

id=24872 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=24873 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14031 at 10% per annum for 1 years. | option_a=1303 | option_b=1403 | option_c=15434 | option_d=1503 | answer=B | explanation=SI = PRT/100 = 14031×10×1/100 = █1403.

id=24874 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 21? | option_a=17 | option_b=15 | option_c=13 | option_d=21 | answer=D | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 21 is the odd one out.

id=24875 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=24876 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 25, 34, 43, ? | option_a=52 | option_b=43 | option_c=53 | option_d=61 | answer=A | explanation=The common difference is 9. Therefore the next term is 43 + 9 = 52.

id=24877 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10065 at 8% per annum for 5 years. | option_a=4026 | option_b=3926 | option_c=14091 | option_d=4126 | answer=A | explanation=SI = PRT/100 = 10065×8×5/100 = █4026.

id=24878 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=U | option_b=K | option_c=P | option_d=F | answer=C | explanation=Move 5 positions forward from K; the resulting letter is P.

id=24879 | topic=Averages | difficulty=Easy | question=Find the average of 41, 42, 57, 15, 35. | option_a=38 | option_b=39 | option_c=40 | option_d=37 | answer=A | explanation=Average = sum of values ÷ number of values = 190 ÷ 5 = 38.

id=24880 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:14 and the first is 180, what is the second? | option_a=196 | option_b=210 | option_c=390 | option_d=222 | answer=B | explanation=Scale factor = 180/12 = 15. Therefore second quantity = 14×15 = 210.

id=24881 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2606. If it is sold at a profit of 10%, what is its selling price? | option_a=2606 | option_b=2866 | option_c=3126 | option_d=2616 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2606 × 110/100 = █2866.

id=24882 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 11, 14, 19? | option_a=11 | option_b=8 | option_c=19 | option_d=14 | answer=C | explanation=The first three numbers increase by 3, so the next should be 17. Therefore 19 is the odd one out.

id=24883 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 35, 42, 52? | option_a=52 | option_b=28 | option_c=42 | option_d=35 | answer=A | explanation=The first three numbers increase by 7, so the next should be 49. Therefore 52 is the odd one out.

id=24884 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 21, 30, 40? | option_a=40 | option_b=21 | option_c=12 | option_d=30 | answer=A | explanation=The first three numbers increase by 9, so the next should be 39. Therefore 40 is the odd one out.

id=24885 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4024. If it is sold at a profit of 15%, what is its selling price? | option_a=5029 | option_b=4039 | option_c=4627 | option_d=4225 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4024 × 115/100 = █4627.

id=24886 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28038 at 4% per annum for 3 years. | option_a=3264 | option_b=31402 | option_c=3464 | option_d=3364 | answer=D | explanation=SI = PRT/100 = 28038×4×3/100 = █3364.

id=24887 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 35, 41, 49? | option_a=41 | option_b=29 | option_c=35 | option_d=49 | answer=D | explanation=The first three numbers increase by 6, so the next should be 47. Therefore 49 is the odd one out.

id=24888 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 16, 20, 25? | option_a=20 | option_b=25 | option_c=12 | option_d=16 | answer=B | explanation=The first three numbers increase by 4, so the next should be 24. Therefore 25 is the odd one out.

id=24889 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2421. If it is sold at a profit of 30%, what is its selling price? | option_a=2451 | option_b=3147 | option_c=2905 | option_d=3389 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2421 × 130/100 = █3147.

id=24890 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25453 at 4% per annum for 4 years. | option_a=4072 | option_b=29525 | option_c=3972 | option_d=4172 | answer=A | explanation=SI = PRT/100 = 25453×4×4/100 = █4072.

id=24891 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35516 at 8% per annum for 1 years. | option_a=2841 | option_b=2941 | option_c=38357 | option_d=2741 | answer=A | explanation=SI = PRT/100 = 35516×8×1/100 = █2841.

id=24892 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 16. | option_a=240 | option_b=480 | option_c=224 | option_d=270 | answer=A | explanation=LCM × HCF = 30×16; HCF(30,16) = 2, so LCM = 240.

id=24893 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=5 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=24894 | topic=Percentages | difficulty=Easy | question=What is 15% of 973? | option_a=290 | option_b=165 | option_c=135 | option_d=145 | answer=D | explanation=15% of 973 = (15/100) × 973 = 145.

id=24895 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11251 at 12% per annum for 3 years. | option_a=15301 | option_b=4050 | option_c=3950 | option_d=4150 | answer=B | explanation=SI = PRT/100 = 11251×12×3/100 = █4050.

id=24896 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3072. If it is sold at a profit of 25%, what is its selling price? | option_a=3097 | option_b=3840 | option_c=4147 | option_d=3533 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3072 × 125/100 = █3840.

id=24897 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=55 | option_c=100 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=24898 | topic=Averages | difficulty=Easy | question=Find the average of 67, 98, 81, 11, 98, 10, 88, 19. | option_a=60 | option_b=59 | option_c=61 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 472 ÷ 8 = 59.

id=24899 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=24900 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=32 | option_b=31 | option_c=28 | option_d=34 | answer=B | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

Aptitude Questions — Records 24,901-24,930 of 100,000

id=24901 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=P | option_b=T | option_c=X | option_d=B | answer=C | explanation=Move 4 positions forward from T; the resulting letter is X.

id=24902 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=36 | option_c=31 | option_d=72 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=24903 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1703. If it is sold at a profit of 30%, what is its selling price? | option_a=1733 | option_b=2043 | option_c=2213 | option_d=2383 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1703 × 130/100 = █2213.

id=24904 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=60 | option_b=69 | option_c=49 | option_d=59 | answer=D | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

id=24905 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=K | option_c=Z | option_d=U | answer=D | explanation=Move 5 positions forward from P; the resulting letter is U.

id=24906 | topic=Percentages | difficulty=Easy | question=What is 30% of 1624? | option_a=487 | option_b=467 | option_c=492 | option_d=974 | answer=A | explanation=30% of 1624 = (30/100) × 1624 = 487.

id=24907 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=100 | option_c=95 | option_d=105 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=24908 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=60 | option_b=49 | option_c=71 | option_d=61 | answer=A | explanation=The common difference is 11. Therefore the next term is 49 + 11 = 60.

id=24909 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30141 at 15% per annum for 1 years. | option_a=34662 | option_b=4521 | option_c=4421 | option_d=4621 | answer=B | explanation=SI = PRT/100 = 30141×15×1/100 = █4521.

id=24910 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=30 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=24911 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=50 | option_b=59 | option_c=49 | option_d=39 | answer=C | explanation=The common difference is 10. Therefore the next term is 39 + 10 = 49.

id=24912 | topic=Averages | difficulty=Easy | question=Find the average of 43, 57, 56, 70, 31, 75, 48, 22, 51, 27. | option_a=49 | option_b=50 | option_c=47 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = 480 ÷ 10 = 48.

id=24913 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=S | option_b=P | option_c=V | option_d=M | answer=A | explanation=Move 3 positions forward from P; the resulting letter is S.

id=24914 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=24915 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=150 | option_c=70 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=24916 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=15 | option_c=20 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=24917 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=48 | option_c=53 | option_d=43 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=24918 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1649. If it is sold at a profit of 20%, what is its selling price? | option_a=1669 | option_b=1814 | option_c=2142 | option_d=1978 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1649 × 120/100 = █1978.

id=24919 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 51? | option_a=21 | option_b=39 | option_c=30 | option_d=51 | answer=D | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 51 is the odd one out.

id=24920 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:18 and the first is 12, what is the second? | option_a=58 | option_b=54 | option_c=36 | option_d=66 | answer=B | explanation=Scale factor = 12/4 = 3. Therefore second quantity = 18×3 = 54.

id=24921 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=12 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=24922 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 38, 48, 59? | option_a=48 | option_b=59 | option_c=28 | option_d=38 | answer=B | explanation=The first three numbers increase by 10, so the next should be 58. Therefore 59 is the odd one out.

id=24923 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=100 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=24924 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3674. If it is sold at a profit of 25%, what is its selling price? | option_a=3699 | option_b=4225 | option_c=4959 | option_d=4592 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3674 × 125/100 = █4592.

id=24925 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=24 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=24926 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:16 and the first is 72, what is the second? | option_a=200 | option_b=137 | option_c=128 | option_d=112 | answer=C | explanation=Scale factor = 72/9 = 8. Therefore second quantity = 16×8 = 128.

id=24927 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33211 at 8% per annum for 4 years. | option_a=10627 | option_b=10727 | option_c=10527 | option_d=43838 | answer=A | explanation=SI = PRT/100 = 33211×8×4/100 = █10627.

id=24928 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:20 and the first is 104, what is the second? | option_a=364 | option_b=240 | option_c=268 | option_d=260 | answer=D | explanation=Scale factor = 104/8 = 13. Therefore second quantity = 20×13 = 260.

id=24929 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:18 and the first is 323, what is the second? | option_a=306 | option_b=325 | option_c=629 | option_d=288 | answer=A | explanation=Scale factor = 323/19 = 17. Therefore second quantity = 18×17 = 306.

id=24930 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 21, 25, 31? | option_a=25 | option_b=17 | option_c=21 | option_d=31 | answer=D | explanation=The first three numbers increase by 4, so the next should be 29. Therefore 31 is the odd one out.

Aptitude Questions — Records 24,931-24,960 of 100,000

id=24931 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■49902 at 4% per annum for 3 years. | option_a=5888 | option_b=5988 | option_c=55890 | option_d=6088 | answer=B | explanation=SI = PRT/100 = 49902×4×3/100 = ■5988.

id=24932 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:11 and the first is 126, what is the second? | option_a=187 | option_b=198 | option_c=324 | option_d=205 | answer=B | explanation=Scale factor = 126/7 = 18. Therefore second quantity = 11×18 = 198.

id=24933 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:19 and the first is 112, what is the second? | option_a=152 | option_b=133 | option_c=264 | option_d=166 | answer=A | explanation=Scale factor = 112/14 = 8. Therefore second quantity = 19×8 = 152.

id=24934 | topic=Percentages | difficulty=Easy | question=What is 25% of 839? | option_a=418 | option_b=214 | option_c=189 | option_d=209 | answer=D | explanation=25% of 839 = (25/100) × 839 = 209.

id=24935 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=24936 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 14, 23, 35? | option_a=5 | option_b=23 | option_c=35 | option_d=14 | answer=C | explanation=The first three numbers increase by 9, so the next should be 32. Therefore 35 is the odd one out.

id=24937 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 25, 33, 41, ? | option_a=41 | option_b=50 | option_c=49 | option_d=57 | answer=C | explanation=The common difference is 8. Therefore the next term is 41 + 8 = 49.

id=24938 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=24939 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■35161 at 10% per annum for 3 years. | option_a=10548 | option_b=45709 | option_c=10648 | option_d=10448 | answer=A | explanation=SI = PRT/100 = 35161×10×3/100 = ■10548.

id=24940 | topic=Averages | difficulty=Easy | question=Find the average of 56, 41, 49, 15, 47, 71, 64. | option_a=48 | option_b=51 | option_c=49 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 343 ÷ 7 = 49.

id=24941 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=24942 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=26 | option_b=27 | option_c=28 | option_d=24 | answer=A | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.

id=24943 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=W | option_c=I | option_d=E | answer=D | explanation=Move 4 positions forward from A; the resulting letter is E.

id=24944 | topic=Percentages | difficulty=Easy | question=What is 50% of 246? | option_a=103 | option_b=133 | option_c=246 | option_d=123 | answer=D | explanation=50% of 246 = (50/100) × 246 = 123.

id=24945 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=F | option_b=U | option_c=P | option_d=K | answer=C | explanation=Move 5 positions forward from K; the resulting letter is P.

id=24946 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=45 | option_c=55 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=24947 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=24948 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=20 | option_b=21 | option_c=17 | option_d=23 | answer=A | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=24949 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 37? | option_a=37 | option_b=14 | option_c=4 | option_d=24 | answer=A | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 37 is the odd one out.

id=24950 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=J | option_b=G | option_c=A | option_d=D | answer=B | explanation=Move 3 positions forward from D; the resulting letter is G.

id=24951 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=29 | option_b=28 | option_c=32 | option_d=24 | answer=B | explanation=The common difference is 4. Therefore the next term is 24 + 4 = 28.

id=24952 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=S | option_b=U | option_c=W | option_d=Y | answer=C | explanation=Move 2 positions forward from U; the resulting letter is W.

id=24953 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=24954 | topic=Averages | difficulty=Easy | question=Find the average of 80, 88, 31, 97, 76, 28, 34, 50, 51, 95. | option_a=63 | option_b=64 | option_c=62 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 630 ÷ 10 = 63.

id=24955 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:12 and the first is 51, what is the second? | option_a=87 | option_b=53 | option_c=24 | option_d=36 | answer=D | explanation=Scale factor = 51/17 = 3. Therefore second quantity = 12×3 = 36.

id=24956 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=43 | option_b=27 | option_c=36 | option_d=35 | answer=D | explanation=The common difference is 8. Therefore the next term is 27 + 8 = 35.

id=24957 | topic=Percentages | difficulty=Easy | question=What is 40% of 1784? | option_a=693 | option_b=713 | option_c=723 | option_d=1426 | answer=B | explanation=40% of 1784 = (40/100) × 1784 = 713.

id=24958 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=I | option_c=C | option_d=L | answer=B | explanation=Move 3 positions forward from F; the resulting letter is I.

id=24959 | topic=Averages | difficulty=Easy | question=Find the average of 26, 46, 86, 36, 36. | option_a=45 | option_b=46 | option_c=47 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 230 ÷ 5 = 46.

id=24960 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2850. If it is sold at a profit of 50%, what is its selling price? | option_a=2900 | option_b=4275 | option_c=3990 | option_d=4560 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2850 × 150/100 = ■4275.

Aptitude Questions — Records 24,961-24,990 of 100,000

id=24961 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=23 | option_b=22 | option_c=19 | option_d=25 | answer=B | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.

id=24962 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■22178 at 6% per annum for 3 years. | option_a=3892 | option_b=3992 | option_c=26170 | option_d=4092 | answer=B | explanation=SI = $PRT/100 = 22178 \times 6 \times 3/100 = \blacksquare 3992$.

id=24963 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=S | option_b=T | option_c=V | option_d=U | answer=D | explanation=Move 1 positions forward from T; the resulting letter is U.

id=24964 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 31? | option_a=23 | option_b=31 | option_c=13 | option_d=18 | answer=B | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 31 is the odd one out.

id=24965 | topic=Averages | difficulty=Easy | question=Find the average of 69, 42, 52, 40, 97. | option_a=62 | option_b=60 | option_c=59 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 300 ÷ 5 = 60.

id=24966 | topic=Averages | difficulty=Easy | question=Find the average of 44, 30, 85, 83, 74, 68. | option_a=66 | option_b=65 | option_c=63 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 384 ÷ 6 = 64.

id=24967 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■202. If it is sold at a profit of 40%, what is its selling price? | option_a=302 | option_b=262 | option_c=242 | option_d=282 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 202 \times 140/100 = \blacksquare 282$.

id=24968 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=23 | option_b=20 | option_c=24 | option_d=22 | answer=D | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=24969 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=H | option_c=P | option_d=T | answer=C | explanation=Move 4 positions forward from L; the resulting letter is P.

id=24970 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=24971 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=16 | option_b=18 | option_c=20 | option_d=19 | answer=B | explanation=The common difference is 2. Therefore the next term is 16 + 2 = 18.

id=24972 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=M | option_b=X | option_c=C | option_d=H | answer=D | explanation=Move 5 positions forward from C; the resulting letter is H.

id=24973 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=45 | option_b=33 | option_c=39 | option_d=40 | answer=C | explanation=The common difference is 6. Therefore the next term is 33 + 6 = 39.

id=24974 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=17 | option_d=7 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=24975 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=24976 | topic=Averages | difficulty=Easy | question=Find the average of 26, 40, 29, 90, 25, 72, 89. | option_a=54 | option_b=52 | option_c=55 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 371 ÷ 7 = 53.

id=24977 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=H | option_c=B | option_d=D | answer=A | explanation=Move 2 positions forward from D; the resulting letter is F.

id=24978 | topic=Averages | difficulty=Easy | question=Find the average of 97, 18, 94, 82, 56, 26, 18, 59, 76, 84. | option_a=62 | option_b=60 | option_c=61 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = 610 ÷ 10 = 61.

id=24979 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=28 | option_b=23 | option_c=24 | option_d=18 | answer=B | explanation=The common difference is 5. Therefore the next term is 18 + 5 = 23.

id=24980 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4226. If it is sold at a profit of 40%, what is its selling price? | option_a=6338 | option_b=5494 | option_c=5916 | option_d=4266 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 4226 \times 140/100 = \blacksquare 5916$.

id=24981 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=180 | option_c=85 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=24982 | topic=Percentages | difficulty=Easy | question=What is 40% of 108? | option_a=33 | option_b=43 | option_c=53 | option_d=86 | answer=B | explanation=40% of 108 = $(40/100) \times 108 = 43$.

id=24983 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=23 | option_b=19 | option_c=20 | option_d=15 | answer=B | explanation=The common difference is 4. Therefore the next term is 15 + 4 = 19.

id=24984 | topic=Averages | difficulty=Easy | question=Find the average of 52, 46, 18, 20, 82, 10, 42, 21, 35, 44. | option_a=36 | option_b=39 | option_c=37 | option_d=38 | answer=C | explanation=Average = sum of values ÷ number of values = 370 ÷ 10 = 37.

id=24985 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2556. If it is sold at a profit of 15%, what is its selling price? | option_a=3194 | option_b=2684 | option_c=2939 | option_d=2571 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2556 \times 115/100 = \blacksquare 2939$.

id=24986 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■40089 at 4% per annum for 2 years. | option_a=3307 | option_b=3107 | option_c=3207 | option_d=43296 | answer=C | explanation=SI = $PRT/100 = 40089 \times 4 \times 2/100 = \blacksquare 3207$.

id=24987 | topic=Averages | difficulty=Easy | question=Find the average of 27, 13, 13, 56, 86, 84, 20. | option_a=41 | option_b=38 | option_c=40 | option_d=39 | answer=D | explanation=Average = sum of values ÷ number of values = 312 ÷ 8 = 39.

id=24988 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 42? | option_a=22 | option_b=42 | option_c=28 | option_d=34 | answer=B | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 42 is the odd one out.

id=24989 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:2 and the first is 48, what is the second? | option_a=22 | option_b=64 | option_c=14 | option_d=16 | answer=D | explanation=Scale factor = $48/6 = 8$. Therefore second quantity = $2 \times 8 = 16$.

id=24990 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 23, 27, 33? | option_a=19 | option_b=23 | option_c=27 | option_d=33 | answer=D | explanation=The first three numbers increase by 4, so the next should be 31. Therefore 33 is the odd one out.

Aptitude Questions — Records 24,991-25,020 of 100,000

id=24991 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=46 | option_b=70 | option_c=59 | option_d=58 | answer=D | explanation=The common difference is 12. Therefore the next term is 46 + 12 = 58.

id=24992 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=N | option_b=K | option_c=H | option_d=E | answer=B | explanation=Move 3 positions forward from H; the resulting letter is K.

id=24993 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49650 at 6% per annum for 5 years. | option_a=14795 | option_b=14895 | option_c=64545 | option_d=14995 | answer=B | explanation=SI = $PRT/100 = 49650 \times 6 \times 5/100 = \text{■}14895$.

id=24994 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:6 and the first is 128, what is the second? | option_a=176 | option_b=42 | option_c=64 | option_d=48 | answer=D | explanation=Scale factor = $128/16 = 8$. Therefore second quantity = $6 \times 8 = 48$.

id=24995 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 22, 32, 44? | option_a=32 | option_b=44 | option_c=12 | option_d=22 | answer=B | explanation=The first three numbers increase by 10, so the next should be 42. Therefore 44 is the odd one out.

id=24996 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=24997 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=7 | option_d=24 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=24998 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=18 | option_d=13 | answer=C | explanation=Speed = distance ÷ time = $90 \div 5 = 18$ km/h.

id=24999 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=J | option_b=N | option_c=P | option_d=L | answer=B | explanation=Move 2 positions forward from L; the resulting letter is N.

id=25000 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=K | option_c=S | option_d=G | answer=A | explanation=Move 4 positions forward from K; the resulting letter is O.

id=25001 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=25002 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4482. If it is sold at a profit of 25%, what is its selling price? | option_a=6050 | option_b=4507 | option_c=5602 | option_d=5154 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4482 \times 125/100 = \text{■}5602$.

id=25003 | topic=Averages | difficulty=Easy | question=Find the average of 51, 46, 44, 93, 79, 41. | option_a=58 | option_b=59 | option_c=61 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = $354 \div 6 = 59$.

id=25004 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 31, 33, 36? | option_a=33 | option_b=36 | option_c=29 | option_d=31 | answer=B | explanation=The first three numbers increase by 2, so the next should be 35. Therefore 36 is the odd one out.

id=25005 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=26 | option_b=25 | option_c=22 | option_d=24 | answer=D | explanation=The common difference is 2. Therefore the next term is $22 + 2 = 24$.

id=25006 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=25007 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 34? | option_a=26 | option_b=34 | option_c=12 | option_d=19 | answer=B | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 34 is the odd one out.

id=25008 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=48 | option_b=36 | option_c=47 | option_d=58 | answer=C | explanation=The common difference is 11. Therefore the next term is $36 + 11 = 47$.

id=25009 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=41 | option_b=59 | option_c=50 | option_d=51 | answer=C | explanation=The common difference is 9. Therefore the next term is $41 + 9 = 50$.

id=25010 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = $120 \div 4 = 30$ km/h.

id=25011 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11745 at 6% per annum for 3 years. | option_a=2214 | option_b=13859 | option_c=2114 | option_d=2014 | answer=C | explanation=SI = $PRT/100 = 11745 \times 6 \times 3/100 = \text{■}2114$.

id=25012 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=25013 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=G | option_b=A | option_c=J | option_d=D | answer=A | explanation=Move 3 positions forward from D; the resulting letter is G.

id=25014 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=19 | option_c=29 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = $240 \div 10 = 24$ km/h.

id=25015 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4282. If it is sold at a profit of 15%, what is its selling price? | option_a=5352 | option_b=4496 | option_c=4297 | option_d=4924 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4282 \times 115/100 = \text{■}4924$.

id=25016 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=25017 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=25018 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24175 at 6% per annum for 1 years. | option_a=1550 | option_b=25625 | option_c=1450 | option_d=1350 | answer=C | explanation=SI = $PRT/100 = 24175 \times 6 \times 1/100 = \text{■}1450$.

id=25019 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.

id=25020 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=33 | option_b=40 | option_c=39 | option_d=45 | answer=C | explanation=The common difference is 6. Therefore the next term is $33 + 6 = 39$.

Aptitude Questions — Records 25,021-25,050 of 100,000

id=25021 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3534. If it is sold at a profit of 40%, what is its selling price? | option_a=3574 | option_b=5300 | option_c=4594 | option_d=4947 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3534 × 140/100 = ■4947.

id=25022 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:6 and the first is 28, what is the second? | option_a=24 | option_b=18 | option_c=31 | option_d=52 | answer=A | explanation=Scale factor = 28/7 = 4. Therefore second quantity = 6×4 = 24.

id=25023 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■22140 at 8% per annum for 5 years. | option_a=30996 | option_b=8856 | option_c=8956 | option_d=8756 | answer=B | explanation=SI = PRT/100 = 22140×8×5/100 = ■8856.

id=25024 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■48439 at 8% per annum for 4 years. | option_a=15400 | option_b=63939 | option_c=15600 | option_d=15500 | answer=D | explanation=SI = PRT/100 = 48439×8×4/100 = ■15500.

id=25025 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=N | option_b=D | option_c=I | option_d=S | answer=A | explanation=Move 5 positions forward from I; the resulting letter is N.

id=25026 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 90, what is the second? | option_a=33 | option_b=108 | option_c=15 | option_d=18 | answer=D | explanation=Scale factor = 90/15 = 6. Therefore second quantity = 3×6 = 18.

id=25027 | topic=Percentages | difficulty=Easy | question=What is 12% of 1225? | option_a=137 | option_b=147 | option_c=294 | option_d=152 | answer=B | explanation=12% of 1225 = (12/100) × 1225 = 147.

id=25028 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=25029 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 15, 20, 27? | option_a=10 | option_b=20 | option_c=15 | option_d=27 | answer=D | explanation=The first three numbers increase by 5, so the next should be 25. Therefore 27 is the odd one out.

id=25030 | topic=Percentages | difficulty=Easy | question=What is 25% of 1612? | option_a=403 | option_b=393 | option_c=806 | option_d=413 | answer=A | explanation=25% of 1612 = (25/100) × 1612 = 403.

id=25031 | topic=Averages | difficulty=Easy | question=Find the average of 58, 27, 49, 87, 90, 26, 55, 57, 64. | option_a=59 | option_b=58 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 513 ÷ 9 = 57.

id=25032 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=25033 | topic=Averages | difficulty=Easy | question=Find the average of 97, 45, 53, 77, 71, 95. | option_a=73 | option_b=75 | option_c=74 | option_d=72 | answer=A | explanation=Average = sum of values ÷ number of values = 438 ÷ 6 = 73.

id=25034 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 36, 43, 52? | option_a=29 | option_b=52 | option_c=43 | option_d=36 | answer=B | explanation=The first three numbers increase by 7, so the next should be 50. Therefore 52 is the odd one out.

id=25035 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2635. If it is sold at a profit of 25%, what is its selling price? | option_a=3293 | option_b=3030 | option_c=3556 | option_d=2660 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2635 × 125/100 = ■3293.

id=25036 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=25037 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 39, 49, 62? | option_a=62 | option_b=39 | option_c=49 | option_d=29 | answer=A | explanation=The first three numbers increase by 10, so the next should be 59. Therefore 62 is the odd one out.

id=25038 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 18. | option_a=18 | option_b=40 | option_c=72 | option_d=36 | answer=D | explanation=LCM × HCF = 4×18; HCF(4,18) = 2, so LCM = 36.

id=25039 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=23 | option_b=29 | option_c=27 | option_d=26 | answer=D | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.

id=25040 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=31 | option_b=32 | option_c=38 | option_d=24 | answer=A | explanation=The common difference is 7. Therefore the next term is 24 + 7 = 31.

id=25041 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:3 and the first is 154, what is the second? | option_a=42 | option_b=196 | option_c=39 | option_d=53 | answer=A | explanation=Scale factor = 154/11 = 14. Therefore second quantity = 3×14 = 42.

id=25042 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3714. If it is sold at a profit of 20%, what is its selling price? | option_a=3734 | option_b=4085 | option_c=4456 | option_d=4827 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3714 × 120/100 = ■4456.

id=25043 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■1849 at 12% per annum for 2 years. | option_a=2292 | option_b=443 | option_c=543 | option_d=343 | answer=B | explanation=SI = PRT/100 = 1849×12×2/100 = ■443.

id=25044 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3444. If it is sold at a profit of 20%, what is its selling price? | option_a=3464 | option_b=3788 | option_c=4132 | option_d=4476 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3444 × 120/100 = ■4132.

id=25045 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■6671 at 6% per annum for 4 years. | option_a=1501 | option_b=1601 | option_c=8272 | option_d=1701 | answer=B | explanation=SI = PRT/100 = 6671×6×4/100 = ■1601.

id=25046 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 16, 23, 31? | option_a=16 | option_b=9 | option_c=23 | option_d=31 | answer=D | explanation=The first three numbers increase by 7, so the next should be 30. Therefore 31 is the odd one out.

id=25047 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■31856 at 12% per annum for 1 years. | option_a=3722 | option_b=35678 | option_c=3922 | option_d=3822 | answer=D | explanation=SI = PRT/100 = 31856×12×1/100 = ■3822.

id=25048 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:8 and the first is 360, what is the second? | option_a=178 | option_b=152 | option_c=520 | option_d=160 | answer=D | explanation=Scale factor = 360/18 = 20. Therefore second quantity = 8×20 = 160.

id=25049 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=41 | option_c=72 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=25050 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■45467 at 8% per annum for 2 years. | option_a=7374 | option_b=7274 | option_c=7174 | option_d=52741 | answer=B | explanation=SI = PRT/100 = 45467×8×2/100 = ■7274.

Aptitude Questions — Records 25,051-25,080 of 100,000

id=25051 | topic=Percentages | difficulty=Easy | question=What is 5% of 193? | option_a=9 | option_b=0 | option_c=18 | option_d=29 | answer=A | explanation=5% of 193 = (5/100) × 193 = 9.

id=25052 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3080. If it is sold at a profit of 5%, what is its selling price? | option_a=3085 | option_b=3234 | option_c=2926 | option_d=3542 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3080 × 105/100 = █3234.

id=25053 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3302 at 10% per annum for 1 years. | option_a=3632 | option_b=330 | option_c=430 | option_d=230 | answer=B | explanation=SI = PRT/100 = 3302×10×1/100 = █330.

id=25054 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=25055 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 43? | option_a=43 | option_b=34 | option_c=38 | option_d=30 | answer=A | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 43 is the odd one out.

id=25056 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=360 | option_c=185 | option_d=180 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=25057 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 31, 42, 53, ? | option_a=53 | option_b=75 | option_c=65 | option_d=64 | answer=D | explanation=The common difference is 11. Therefore the next term is 53 + 11 = 64.

id=25058 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=25059 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=A | option_b=D | option_c=G | option_d=J | answer=C | explanation=Move 3 positions forward from D; the resulting letter is G.

id=25060 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=25 | option_b=35 | option_c=31 | option_d=30 | answer=D | explanation=The common difference is 5. Therefore the next term is 25 + 5 = 30.

id=25061 | topic=Averages | difficulty=Easy | question=Find the average of 78, 88, 18, 98, 45, 98, 25, 46. | option_a=64 | option_b=61 | option_c=63 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 496 ÷ 8 = 62.

id=25062 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 15, 22, 29, ? | option_a=29 | option_b=37 | option_c=43 | option_d=36 | answer=D | explanation=The common difference is 7. Therefore the next term is 29 + 7 = 36.

id=25063 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=Z | option_c=Q | option_d=W | answer=D | explanation=Move 3 positions forward from T; the resulting letter is W.

id=25064 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41766 at 15% per annum for 1 years. | option_a=8164 | option_b=48030 | option_c=6364 | option_d=6264 | answer=D | explanation=SI = PRT/100 = 41766×15×1/100 = █6264.

id=25065 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:9 and the first is 180, what is the second? | option_a=81 | option_b=261 | option_c=72 | option_d=101 | answer=A | explanation=Scale factor = 180/20 = 9. Therefore second quantity = 9×9 = 81.

id=25066 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3291. If it is sold at a profit of 40%, what is its selling price? | option_a=4278 | option_b=4936 | option_c=4607 | option_d=3331 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3291 × 140/100 = █4607.

id=25067 | topic=Percentages | difficulty=Easy | question=What is 25% of 1997? | option_a=494 | option_b=998 | option_c=509 | option_d=499 | answer=D | explanation=25% of 1997 = (25/100) × 1997 = 499.

id=25068 | topic=Percentages | difficulty=Easy | question=What is 40% of 194? | option_a=154 | option_b=82 | option_c=77 | option_d=57 | answer=C | explanation=40% of 194 = (40/100) × 194 = 77.

id=25069 | topic=Percentages | difficulty=Easy | question=What is 25% of 1481? | option_a=740 | option_b=360 | option_c=370 | option_d=390 | answer=C | explanation=25% of 1481 = (25/100) × 1481 = 370.

id=25070 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=31 | option_b=24 | option_c=36 | option_d=30 | answer=D | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.

id=25071 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=25072 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8298 at 15% per annum for 4 years. | option_a=13276 | option_b=4978 | option_c=4878 | option_d=5078 | answer=B | explanation=SI = PRT/100 = 8298×15×4/100 = █4978.

id=25073 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2055. If it is sold at a profit of 30%, what is its selling price? | option_a=2466 | option_b=2876 | option_c=2085 | option_d=2671 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2055 × 130/100 = █2671.

id=25074 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=Y | option_c=C | option_d=A | answer=C | explanation=Move 2 positions forward from A; the resulting letter is C.

id=25075 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:3 and the first is 204, what is the second? | option_a=36 | option_b=240 | option_c=33 | option_d=53 | answer=A | explanation=Scale factor = 204/17 = 12. Therefore second quantity = 3×12 = 36.

id=25076 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42270 at 4% per annum for 5 years. | option_a=8554 | option_b=50724 | option_c=8354 | option_d=8454 | answer=D | explanation=SI = PRT/100 = 42270×4×5/100 = █8454.

id=25077 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:2 and the first is 5, what is the second? | option_a=10 | option_b=8 | option_c=11 | option_d=15 | answer=A | explanation=Scale factor = 5/1 = 5. Therefore second quantity = 2×5 = 10.

id=25078 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41414 at 15% per annum for 2 years. | option_a=53838 | option_b=12424 | option_c=12324 | option_d=12524 | answer=B | explanation=SI = PRT/100 = 41414×15×2/100 = █12424.

id=25079 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 35, 44, 54? | option_a=44 | option_b=54 | option_c=35 | option_d=26 | answer=B | explanation=The first three numbers increase by 9, so the next should be 53. Therefore 54 is the odd one out.

id=25080 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=44 | option_b=57 | option_c=56 | option_d=68 | answer=C | explanation=The common difference is 12. Therefore the next term is 44 + 12 = 56.

Aptitude Questions — Records 25,081-25,110 of 100,000

id=25081 | topic=Averages | difficulty=Easy | question=Find the average of 19, 100, 60, 49, 64, 98. | option_a=64 | option_b=66 | option_c=67 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 390 ÷ 6 = 65.

id=25082 | topic=Percentages | difficulty=Easy | question=What is 30% of 623? | option_a=196 | option_b=181 | option_c=372 | option_d=186 | answer=D | explanation=30% of 623 = (30/100) × 623 = 186.

id=25083 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=45 | option_b=63 | option_c=54 | option_d=55 | answer=C | explanation=The common difference is 9. Therefore the next term is 45 + 9 = 54.

id=25084 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 20. | option_a=180 | option_b=160 | option_c=198 | option_d=360 | answer=A | explanation=LCM × HCF = 18×20; HCF(18,20) = 2, so LCM = 180.

id=25085 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:20 and the first is 270, what is the second? | option_a=630 | option_b=375 | option_c=360 | option_d=340 | answer=C | explanation=Scale factor = 270/15 = 18. Therefore second quantity = 20×18 = 360.

id=25086 | topic=Percentages | difficulty=Easy | question=What is 50% of 693? | option_a=692 | option_b=326 | option_c=366 | option_d=346 | answer=D | explanation=50% of 693 = (50/100) × 693 = 346.

id=25087 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=E | option_c=G | option_d=H | answer=C | explanation=Move 1 positions forward from F; the resulting letter is G.

id=25088 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=25089 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**966. If it is sold at a profit of 15%, what is its selling price? | option_a=981 | option_b=1206 | option_c=1014 | option_d=1110 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 966 × 115/100 = **₹**1110.

id=25090 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:17 and the first is 22, what is the second? | option_a=17 | option_b=34 | option_c=56 | option_d=45 | answer=B | explanation=Scale factor = 22/11 = 2. Therefore second quantity = 17×2 = 34.

id=25091 | topic=Percentages | difficulty=Easy | question=What is 25% of 1558? | option_a=384 | option_b=394 | option_c=389 | option_d=778 | answer=C | explanation=25% of 1558 = (25/100) × 1558 = 389.

id=25092 | topic=Averages | difficulty=Easy | question=Find the average of 53, 51, 49, 87, 56, 77, 54, 82, 62, 29. | option_a=62 | option_b=60 | option_c=59 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=25093 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**7598 at 10% per annum for 4 years. | option_a=10637 | option_b=3139 | option_c=3039 | option_d=2939 | answer=C | explanation=SI = PRT/100 = 7598×10×4/100 = **₹**3039.

id=25094 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1733. If it is sold at a profit of 15%, what is its selling price? | option_a=2165 | option_b=1819 | option_c=1992 | option_d=1748 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1733 × 115/100 = **₹**1992.

id=25095 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 45? | option_a=25 | option_b=45 | option_c=37 | option_d=31 | answer=B | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 45 is the odd one out.

id=25096 | topic=Percentages | difficulty=Easy | question=What is 5% of 762? | option_a=38 | option_b=33 | option_c=48 | option_d=76 | answer=A | explanation=5% of 762 = (5/100) × 762 = 38.

id=25097 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3612. If it is sold at a profit of 40%, what is its selling price? | option_a=4695 | option_b=5417 | option_c=3652 | option_d=5056 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3612 × 140/100 = **₹**5056.

id=25098 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=25099 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=46 | option_b=38 | option_c=54 | option_d=47 | answer=A | explanation=The common difference is 8. Therefore the next term is 38 + 8 = 46.

id=25100 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=21 | option_b=19 | option_c=18 | option_d=15 | answer=C | explanation=The common difference is 3. Therefore the next term is 15 + 3 = 18.

id=25101 | topic=Averages | difficulty=Easy | question=Find the average of 45, 72, 39. | option_a=54 | option_b=52 | option_c=51 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 156 ÷ 3 = 52.

id=25102 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 36? | option_a=17 | option_b=25 | option_c=36 | option_d=9 | answer=C | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 36 is the odd one out.

id=25103 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:20 and the first is 208, what is the second? | option_a=240 | option_b=260 | option_c=468 | option_d=276 | answer=B | explanation=Scale factor = 208/16 = 13. Therefore second quantity = 20×13 = 260.

id=25104 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=28 | option_b=44 | option_c=37 | option_d=36 | answer=D | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=25105 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=18 | option_b=19 | option_c=14 | option_d=22 | answer=A | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.

id=25106 | topic=Averages | difficulty=Easy | question=Find the average of 26, 82, 87, 93, 66, 18, 67, 68, 45, 98. | option_a=65 | option_b=66 | option_c=64 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = 650 ÷ 10 = 65.

id=25107 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=36 | option_b=45 | option_c=52 | option_d=44 | answer=D | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.

id=25108 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=25109 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**34435 at 12% per annum for 4 years. | option_a=16528 | option_b=50963 | option_c=16428 | option_d=16628 | answer=A | explanation=SI = PRT/100 = 34435×12×4/100 = **₹**16528.

id=25110 | topic=Averages | difficulty=Easy | question=Find the average of 81, 48, 37, 64, 41, 22, 16, 11, 14, 56. | option_a=41 | option_b=39 | option_c=40 | option_d=38 | answer=B | explanation=Average = sum of values ÷ number of values = 390 ÷ 10 = 39.

Aptitude Questions — Records 25,111-25,140 of 100,000

id=25111 | topic=Profit & Loss | difficulty=Easy | question=An article costs █477. If it is sold at a profit of 50%, what is its selling price? | option_a=527 | option_b=668 | option_c=715 | option_d=762 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 477 × 150/100 = █715.

id=25112 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=32 | option_b=39 | option_c=38 | option_d=44 | answer=C | explanation=The common difference is 6. Therefore the next term is 32 + 6 = 38.

id=25113 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=20 | option_c=25 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=25114 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=25115 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=25116 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2202. If it is sold at a profit of 40%, what is its selling price? | option_a=3082 | option_b=3302 | option_c=2242 | option_d=2862 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2202 × 140/100 = █3082.

id=25117 | topic=Averages | difficulty=Easy | question=Find the average of 91, 67, 28, 85, 19. | option_a=59 | option_b=60 | option_c=57 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 290 ÷ 5 = 58.

id=25118 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=M | option_c=J | option_d=L | answer=D | explanation=Move 1 positions forward from K; the resulting letter is L.

id=25119 | topic=Percentages | difficulty=Easy | question=What is 10% of 961? | option_a=96 | option_b=86 | option_c=106 | option_d=192 | answer=A | explanation=10% of 961 = (10/100) × 961 = 96.

id=25120 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2725. If it is sold at a profit of 10%, what is its selling price? | option_a=3269 | option_b=2735 | option_c=2725 | option_d=2997 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2725 × 110/100 = █2997.

id=25121 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:11 and the first is 65, what is the second? | option_a=44 | option_b=68 | option_c=120 | option_d=55 | answer=D | explanation=Scale factor = 65/13 = 5. Therefore second quantity = 11×5 = 55.

id=25122 | topic=Averages | difficulty=Easy | question=Find the average of 84, 41, 92, 90, 49, 76. | option_a=72 | option_b=71 | option_c=73 | option_d=74 | answer=A | explanation=Average = sum of values ÷ number of values = 432 ÷ 6 = 72.

id=25123 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 30, 32, 36? | option_a=30 | option_b=28 | option_c=36 | option_d=32 | answer=C | explanation=The first three numbers increase by 2, so the next should be 34. Therefore 36 is the odd one out.

id=25124 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=90 | option_c=40 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=25125 | topic=Percentages | difficulty=Easy | question=What is 40% of 1151? | option_a=920 | option_b=480 | option_c=460 | option_d=450 | answer=C | explanation=40% of 1151 = (40/100) × 1151 = 460.

id=25126 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4564. If it is sold at a profit of 10%, what is its selling price? | option_a=5476 | option_b=4574 | option_c=5020 | option_d=4564 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4564 × 110/100 = █5020.

id=25127 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=V | option_b=M | option_c=P | option_d=S | answer=D | explanation=Move 3 positions forward from P; the resulting letter is S.

id=25128 | topic=Averages | difficulty=Easy | question=Find the average of 70, 13, 42, 57, 15, 28, 80, 23. | option_a=41 | option_b=43 | option_c=42 | option_d=40 | answer=A | explanation=Average = sum of values ÷ number of values = 328 ÷ 8 = 41.

id=25129 | topic=Percentages | difficulty=Easy | question=What is 25% of 1586? | option_a=391 | option_b=396 | option_c=792 | option_d=401 | answer=B | explanation=25% of 1586 = (25/100) × 1586 = 396.

id=25130 | topic=Percentages | difficulty=Easy | question=What is 40% of 374? | option_a=298 | option_b=129 | option_c=149 | option_d=169 | answer=C | explanation=40% of 374 = (40/100) × 374 = 149.

id=25131 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=33 | option_b=44 | option_c=43 | option_d=53 | answer=C | explanation=The common difference is 10. Therefore the next term is 33 + 10 = 43.

id=25132 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=L | option_c=K | option_d=J | answer=B | explanation=Move 1 positions forward from K; the resulting letter is L.

id=25133 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=25134 | topic=Percentages | difficulty=Easy | question=What is 20% of 56? | option_a=6 | option_b=11 | option_c=21 | option_d=22 | answer=B | explanation=20% of 56 = (20/100) × 56 = 11.

id=25135 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=28 | option_b=24 | option_c=32 | option_d=29 | answer=A | explanation=The common difference is 4. Therefore the next term is 24 + 4 = 28.

id=25136 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1322. If it is sold at a profit of 25%, what is its selling price? | option_a=1784 | option_b=1520 | option_c=1652 | option_d=1347 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1322 × 125/100 = █1652.

id=25137 | topic=Profit & Loss | difficulty=Easy | question=An article costs █189. If it is sold at a profit of 25%, what is its selling price? | option_a=214 | option_b=254 | option_c=236 | option_d=218 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 189 × 125/100 = █236.

id=25138 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19009 at 5% per annum for 4 years. | option_a=3701 | option_b=22810 | option_c=3801 | option_d=3901 | answer=C | explanation=SI = PRT/100 = 19009×5×4/100 = █3801.

id=25139 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=25140 | topic=Percentages | difficulty=Easy | question=What is 12% of 1276? | option_a=143 | option_b=306 | option_c=158 | option_d=153 | answer=D | explanation=12% of 1276 = (12/100) × 1276 = 153.

Aptitude Questions — Records 25,141-25,170 of 100,000

id=25141 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=P | option_b=F | option_c=U | option_d=K | answer=A | explanation=Move 5 positions forward from K; the resulting letter is P.

id=25142 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 45? | option_a=45 | option_b=31 | option_c=37 | option_d=25 | answer=A | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 45 is the odd one out.

id=25143 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 27. | option_a=324 | option_b=120 | option_c=108 | option_d=81 | answer=C | explanation= $LCM \times HCF = 12 \times 27$; $HCF(12,27) = 3$, so $LCM = 108$.

id=25144 | topic=Percentages | difficulty=Easy | question=What is 12% of 467? | option_a=36 | option_b=56 | option_c=66 | option_d=112 | answer=B | explanation= $12\% \text{ of } 467 = (12/100) \times 467 = 56$.

id=25145 | topic=Averages | difficulty=Easy | question=Find the average of 99, 53, 89, 80, 69, 79, 63. | option_a=75 | option_b=77 | option_c=76 | option_d=78 | answer=C | explanation= $Average = \text{sum of values} \div \text{number of values} = 532 \div 7 = 76$.

id=25146 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:3 and the first is 85, what is the second? | option_a=136 | option_b=51 | option_c=48 | option_d=56 | answer=B | explanation= $Scale \text{ factor} = 85/5 = 17$. Therefore second quantity = $3 \times 17 = 51$.

id=25147 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=L | option_c=H | option_d=Z | answer=C | explanation=Move 4 positions forward from D; the resulting letter is H.

id=25148 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2399. If it is sold at a profit of 15%, what is its selling price? | option_a=2997 | option_b=2519 | option_c=2414 | option_d=2758 | answer=D | explanation= $Selling \text{ price} = CP \times (100 + \text{profit}\%)/100 = 2399 \times 115/100 = \text{₹}2758$.

id=25149 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3918. If it is sold at a profit of 40%, what is its selling price? | option_a=5094 | option_b=5485 | option_c=3958 | option_d=5876 | answer=B | explanation= $Selling \text{ price} = CP \times (100 + \text{profit}\%)/100 = 3918 \times 140/100 = \text{₹}5485$.

id=25150 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 24, 33, 43? | option_a=43 | option_b=33 | option_c=24 | option_d=15 | answer=A | explanation=The first three numbers increase by 9, so the next should be 42. Therefore 43 is the odd one out.

id=25151 | topic=Averages | difficulty=Easy | question=Find the average of 34, 82, 38, 61, 99, 27, 12, 47, 77, 53. | option_a=52 | option_b=53 | option_c=54 | option_d=55 | answer=B | explanation= $Average = \text{sum of values} \div \text{number of values} = 530 \div 10 = 53$.

id=25152 | topic=Averages | difficulty=Easy | question=Find the average of 70, 80, 35, 14, 19, 73, 58, 51. | option_a=50 | option_b=52 | option_c=49 | option_d=51 | answer=A | explanation= $Average = \text{sum of values} \div \text{number of values} = 400 \div 8 = 50$.

id=25153 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=X | option_b=C | option_c=H | option_d=M | answer=C | explanation=Move 5 positions forward from C; the resulting letter is H.

id=25154 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation= $Combined \text{ rate} = 1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=25155 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**8275 at 6% per annum for 5 years. | option_a=2582 | option_b=10757 | option_c=2482 | option_d=2382 | answer=C | explanation= $SI = PRT/100 = 8275 \times 6 \times 5/100 = \text{₹}2482$.

id=25156 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3732. If it is sold at a profit of 30%, what is its selling price? | option_a=4478 | option_b=5224 | option_c=4851 | option_d=3762 | answer=C | explanation= $Selling \text{ price} = CP \times (100 + \text{profit}\%)/100 = 3732 \times 130/100 = \text{₹}4851$.

id=25157 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**28314 at 15% per annum for 4 years. | option_a=17088 | option_b=45302 | option_c=16888 | option_d=16988 | answer=D | explanation= $SI = PRT/100 = 28314 \times 15 \times 4/100 = \text{₹}16988$.

id=25158 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**46504 at 12% per annum for 3 years. | option_a=16641 | option_b=16741 | option_c=16841 | option_d=63245 | answer=B | explanation= $SI = PRT/100 = 46504 \times 12 \times 3/100 = \text{₹}16741$.

id=25159 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 26, 33, 42? | option_a=19 | option_b=33 | option_c=42 | option_d=26 | answer=C | explanation=The first three numbers increase by 7, so the next should be 40. Therefore 42 is the odd one out.

id=25160 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=D | option_c=F | option_d=J | answer=A | explanation=Move 2 positions forward from F; the resulting letter is H.

id=25161 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**31836 at 6% per annum for 5 years. | option_a=9450 | option_b=9550 | option_c=41386 | option_d=9650 | answer=B | explanation= $SI = PRT/100 = 31836 \times 6 \times 5/100 = \text{₹}9550$.

id=25162 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 30, 38, 48? | option_a=48 | option_b=22 | option_c=38 | option_d=30 | answer=A | explanation=The first three numbers increase by 8, so the next should be 46. Therefore 48 is the odd one out.

id=25163 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation= $Combined \text{ rate} = 1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=25164 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 5, 7, 12? | option_a=7 | option_b=12 | option_c=5 | option_d=3 | answer=B | explanation=The first three numbers increase by 2, so the next should be 9. Therefore 12 is the odd one out.

id=25165 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:14 and the first is 12, what is the second? | option_a=168 | option_b=169 | option_c=180 | option_d=154 | answer=A | explanation= $Scale \text{ factor} = 12/1 = 12$. Therefore second quantity = $14 \times 12 = 168$.

id=25166 | topic=Averages | difficulty=Easy | question=Find the average of 34, 57, 70, 91. | option_a=65 | option_b=63 | option_c=64 | option_d=62 | answer=B | explanation= $Average = \text{sum of values} \div \text{number of values} = 252 \div 4 = 63$.

id=25167 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 35, 45, 57? | option_a=45 | option_b=35 | option_c=57 | option_d=25 | answer=C | explanation=The first three numbers increase by 10, so the next should be 55. Therefore 57 is the odd one out.

id=25168 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**10697 at 15% per annum for 3 years. | option_a=15510 | option_b=4713 | option_c=4813 | option_d=4913 | answer=C | explanation= $SI = PRT/100 = 10697 \times 15 \times 3/100 = \text{₹}4813$.

id=25169 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3004. If it is sold at a profit of 20%, what is its selling price? | option_a=3904 | option_b=3024 | option_c=3604 | option_d=3304 | answer=C | explanation= $Selling \text{ price} = CP \times (100 + \text{profit}\%)/100 = 3004 \times 120/100 = \text{₹}3604$.

id=25170 | topic=Percentages | difficulty=Easy | question=What is 15% of 262? | option_a=78 | option_b=59 | option_c=19 | option_d=39 | answer=D | explanation= $15\% \text{ of } 262 = (15/100) \times 262 = 39$.

Aptitude Questions — Records 25,171-25,200 of 100,000

id=25171 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=O | option_b=N | option_c=P | option_d=M | answer=A | explanation=Move 1 positions forward from N; the resulting letter is O.

id=25172 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18129 at 4% per annum for 5 years. | option_a=3525 | option_b=21754 | option_c=3625 | option_d=3725 | answer=C | explanation=SI = $\text{PRT}/100 = 18129 \times 4 \times 5 / 100 = \text{■}3625$.

id=25173 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 33? | option_a=33 | option_b=22 | option_c=28 | option_d=25 | answer=A | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 33 is the odd one out.

id=25174 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37465 at 6% per annum for 1 years. | option_a=2147 | option_b=39712 | option_c=2347 | option_d=2247 | answer=D | explanation=SI = $\text{PRT}/100 = 37465 \times 6 \times 1 / 100 = \text{■}2247$.

id=25175 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.

id=25176 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 14. | option_a=21 | option_b=98 | option_c=14 | option_d=1 | answer=C | explanation=LCM × HCF = 7×14 ; HCF(7,14) = 7, so LCM = 14.

id=25177 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=24 | option_d=5 | answer=A | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=25178 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 12, 17, 24? | option_a=24 | option_b=17 | option_c=12 | option_d=7 | answer=A | explanation=The first three numbers increase by 5, so the next should be 22. Therefore 24 is the odd one out.

id=25179 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:3 and the first is 84, what is the second? | option_a=32 | option_b=18 | option_c=102 | option_d=15 | answer=B | explanation=Scale factor = $84/14 = 6$. Therefore second quantity = $3 \times 6 = 18$.

id=25180 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=Y | option_c=P | option_d=V | answer=D | explanation=Move 3 positions forward from S; the resulting letter is V.

id=25181 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 14. | option_a=14 | option_b=28 | option_c=1 | option_d=16 | answer=A | explanation=LCM × HCF = 2×14 ; HCF(2,14) = 2, so LCM = 14.

id=25182 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=45 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = $300 \div 6 = 50$ km/h.

id=25183 | topic=Percentages | difficulty=Easy | question=What is 15% of 1820? | option_a=293 | option_b=253 | option_c=546 | option_d=273 | answer=D | explanation=15% of 1820 = $(15/100) \times 1820 = 273$.

id=25184 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=J | option_b=K | option_c=H | option_d=I | answer=A | explanation=Move 1 positions forward from I; the resulting letter is J.

id=25185 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 25, 31, 40? | option_a=25 | option_b=19 | option_c=31 | option_d=40 | answer=D | explanation=The first three numbers increase by 6, so the next should be 37. Therefore 40 is the odd one out.

id=25186 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16318 at 6% per annum for 2 years. | option_a=1858 | option_b=18276 | option_c=2058 | option_d=1958 | answer=D | explanation=SI = $\text{PRT}/100 = 16318 \times 6 \times 2 / 100 = \text{■}1958$.

id=25187 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2090. If it is sold at a profit of 40%, what is its selling price? | option_a=2130 | option_b=3135 | option_c=2717 | option_d=2926 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 2090 \times 140 / 100 = \text{■}2926$.

id=25188 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=26 | option_b=27 | option_c=28 | option_d=24 | answer=A | explanation=The common difference is 2. Therefore the next term is $24 + 2 = 26$.

id=25189 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 15, 18, 22? | option_a=22 | option_b=12 | option_c=18 | option_d=15 | answer=A | explanation=The first three numbers increase by 3, so the next should be 21. Therefore 22 is the odd one out.

id=25190 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=O | option_b=X | option_c=R | option_d=U | answer=D | explanation=Move 3 positions forward from R; the resulting letter is U.

id=25191 | topic=Averages | difficulty=Easy | question=Find the average of 55, 42, 89, 93, 72, 36, 36, 33. | option_a=58 | option_b=57 | option_c=56 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = $456 \div 8 = 57$.

id=25192 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:14 and the first is 63, what is the second? | option_a=126 | option_b=133 | option_c=189 | option_d=112 | answer=A | explanation=Scale factor = $63/7 = 9$. Therefore second quantity = $14 \times 9 = 126$.

id=25193 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 16. | option_a=128 | option_b=162 | option_c=144 | option_d=288 | answer=C | explanation=LCM × HCF = 18×16 ; HCF(18,16) = 2, so LCM = 144.

id=25194 | topic=Percentages | difficulty=Easy | question=What is 30% of 1854? | option_a=1112 | option_b=556 | option_c=566 | option_d=546 | answer=B | explanation=30% of 1854 = $(30/100) \times 1854 = 556$.

id=25195 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=120 | option_c=115 | option_d=240 | answer=B | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.

id=25196 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4514. If it is sold at a profit of 15%, what is its selling price? | option_a=4529 | option_b=5642 | option_c=4740 | option_d=5191 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 4514 \times 115 / 100 = \text{■}5191$.

id=25197 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14870 at 8% per annum for 1 years. | option_a=16059 | option_b=1189 | option_c=1089 | option_d=1289 | answer=B | explanation=SI = $\text{PRT}/100 = 14870 \times 8 \times 1 / 100 = \text{■}1189$.

id=25198 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 61? | option_a=61 | option_b=30 | option_c=40 | option_d=50 | answer=A | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 61 is the odd one out.

id=25199 | topic=Averages | difficulty=Easy | question=Find the average of 82, 43, 86, 11, 43, 45, 65, 75, 72. | option_a=58 | option_b=60 | option_c=57 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = $522 \div 9 = 58$.

id=25200 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:16 and the first is 208, what is the second? | option_a=416 | option_b=192 | option_c=208 | option_d=224 | answer=C | explanation=Scale factor = $208/16 = 13$. Therefore second quantity = $16 \times 13 = 208$.

Aptitude Questions — Records 25,201-25,230 of 100,000

id=25201 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:4 and the first is 225, what is the second? | option_a=285 | option_b=75 | option_c=56 | option_d=60 | answer=D | explanation=Scale factor = $225/15 = 15$. Therefore second quantity = $4 \times 15 = 60$.

id=25202 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=80 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = $120 \div 3 = 40$ km/h.

id=25203 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4196. If it is sold at a profit of 15%, what is its selling price? | option_a=4825 | option_b=4211 | option_c=4406 | option_d=5244 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4196 \times 115/100 = \text{█}4825$.

id=25204 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=26 | option_b=22 | option_c=18 | option_d=23 | answer=B | explanation=The common difference is 4. Therefore the next term is $18 + 4 = 22$.

id=25205 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=K | option_c=C | option_d=O | answer=B | explanation=Move 4 positions forward from G; the resulting letter is K.

id=25206 | topic=Percentages | difficulty=Easy | question=What is 5% of 174? | option_a=8 | option_b=16 | option_c=13 | option_d=0 | answer=A | explanation=5% of 174 = $(5/100) \times 174 = 8$.

id=25207 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:11 and the first is 323, what is the second? | option_a=510 | option_b=176 | option_c=187 | option_d=206 | answer=C | explanation=Scale factor = $323/19 = 17$. Therefore second quantity = $11 \times 17 = 187$.

id=25208 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:1 and the first is 84, what is the second? | option_a=6 | option_b=20 | option_c=5 | option_d=90 | answer=A | explanation=Scale factor = $84/14 = 6$. Therefore second quantity = $1 \times 6 = 6$.

id=25209 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 36? | option_a=29 | option_b=32 | option_c=36 | option_d=26 | answer=C | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 36 is the odd one out.

id=25210 | topic=Percentages | difficulty=Easy | question=What is 30% of 993? | option_a=287 | option_b=297 | option_c=594 | option_d=307 | answer=B | explanation=30% of 993 = $(30/100) \times 993 = 297$.

id=25211 | topic=Averages | difficulty=Easy | question=Find the average of 90, 90, 17, 16, 98, 31. | option_a=56 | option_b=58 | option_c=59 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = $342 \div 6 = 57$.

id=25212 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 23, 32, 42? | option_a=32 | option_b=42 | option_c=23 | option_d=14 | answer=B | explanation=The first three numbers increase by 9, so the next should be 41. Therefore 42 is the odd one out.

id=25213 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4126 at 4% per annum for 4 years. | option_a=4786 | option_b=660 | option_c=760 | option_d=560 | answer=B | explanation=SI = $PRT/100 = 4126 \times 4 \times 4/100 = \text{█}660$.

id=25214 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=9 | option_b=18 | option_c=14 | option_d=4 | answer=A | explanation=Speed = distance ÷ time = $90 \div 10 = 9$ km/h.

id=25215 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2544. If it is sold at a profit of 15%, what is its selling price? | option_a=2559 | option_b=3179 | option_c=2671 | option_d=2925 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2544 \times 115/100 = \text{█}2925$.

id=25216 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15310 at 5% per annum for 1 years. | option_a=665 | option_b=865 | option_c=765 | option_d=16075 | answer=C | explanation=SI = $PRT/100 = 15310 \times 5 \times 1/100 = \text{█}765$.

id=25217 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 34? | option_a=29 | option_b=25 | option_c=34 | option_d=21 | answer=C | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 34 is the odd one out.

id=25218 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=36 | option_c=72 | option_d=31 | answer=B | explanation=Speed = distance ÷ time = $180 \div 5 = 36$ km/h.

id=25219 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=N | option_b=W | option_c=T | option_d=Q | answer=C | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=25220 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 20. | option_a=22 | option_b=40 | option_c=1 | option_d=20 | answer=D | explanation= $LCM \times HCF = 2 \times 20$; $HCF(2, 20) = 2$, so $LCM = 20$.

id=25221 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = $90 \div 3 = 30$ km/h.

id=25222 | topic=Averages | difficulty=Easy | question=Find the average of 96, 65, 99, 76, 34. | option_a=75 | option_b=73 | option_c=76 | option_d=74 | answer=D | explanation=Average = sum of values ÷ number of values = $370 \div 5 = 74$.

id=25223 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=19 | option_b=22 | option_c=23 | option_d=25 | answer=B | explanation=The common difference is 3. Therefore the next term is $19 + 3 = 22$.

id=25224 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10346 at 10% per annum for 1 years. | option_a=1134 | option_b=11380 | option_c=934 | option_d=1034 | answer=D | explanation=SI = $PRT/100 = 10346 \times 10 \times 1/100 = \text{█}1034$.

id=25225 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=25226 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 45? | option_a=34 | option_b=45 | option_c=30 | option_d=38 | answer=B | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 45 is the odd one out.

id=25227 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2079. If it is sold at a profit of 50%, what is its selling price? | option_a=3325 | option_b=2129 | option_c=3118 | option_d=2911 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2079 \times 150/100 = \text{█}3118$.

id=25228 | topic=Averages | difficulty=Easy | question=Find the average of 60, 24, 97, 95, 100, 90, 59, 16, 44. | option_a=65 | option_b=67 | option_c=64 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = $585 \div 9 = 65$.

id=25229 | topic=Profit & Loss | difficulty=Easy | question=An article costs █228. If it is sold at a profit of 20%, what is its selling price? | option_a=248 | option_b=251 | option_c=295 | option_d=273 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 228 \times 120/100 = \text{█}273$.

id=25230 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=35 | option_b=36 | option_c=42 | option_d=28 | answer=A | explanation=The common difference is 7. Therefore the next term is $28 + 7 = 35$.

Aptitude Questions — Records 25,231-25,260 of 100,000

id=25231 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 27. | option_a=240 | option_b=216 | option_c=189 | option_d=648 | answer=B | explanation= $LCM \times HCF = 24 \times 27$; $HCF(24,27) = 3$, so $LCM = 216$.

id=25232 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=55 | option_b=66 | option_c=54 | option_d=42 | answer=C | explanation=The common difference is 12. Therefore the next term is $42 + 12 = 54$.

id=25233 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=25234 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=25235 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:15 and the first is 80, what is the second? | option_a=200 | option_b=105 | option_c=130 | option_d=120 | answer=D | explanation=Scale factor = $\frac{80}{10} = 8$. Therefore second quantity = $15 \times 8 = 120$.

id=25236 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4369. If it is sold at a profit of 30%, what is its selling price? | option_a=6115 | option_b=5243 | option_c=5679 | option_d=4399 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4369 \times \frac{130}{100} = \text{█5679}$.

id=25237 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=30 | option_b=29 | option_c=26 | option_d=28 | answer=D | explanation=The common difference is 2. Therefore the next term is $26 + 2 = 28$.

id=25238 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=25239 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = $\frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=25240 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1447. If it is sold at a profit of 15%, what is its selling price? | option_a=1664 | option_b=1808 | option_c=1462 | option_d=1520 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1447 \times \frac{115}{100} = \text{█1664}$.

id=25241 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=N | option_b=I | option_c=S | option_d=D | answer=A | explanation=Move 5 positions forward from I; the resulting letter is N.

id=25242 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12} = 3$ days.

id=25243 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:10 and the first is 18, what is the second? | option_a=63 | option_b=60 | option_c=50 | option_d=78 | answer=B | explanation=Scale factor = $\frac{18}{3} = 6$. Therefore second quantity = $10 \times 6 = 60$.

id=25244 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31066 at 6% per annum for 5 years. | option_a=9319 | option_b=9219 | option_c=40385 | option_d=9419 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{31066 \times 6 \times 5}{100} = \text{█9319}$.

id=25245 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=B | option_c=Z | option_d=C | answer=B | explanation=Move 1 positions forward from A; the resulting letter is B.

id=25246 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3132 at 6% per annum for 5 years. | option_a=4071 | option_b=1039 | option_c=839 | option_d=939 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{3132 \times 6 \times 5}{100} = \text{█939}$.

id=25247 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=35 | option_b=36 | option_c=31 | option_d=39 | answer=A | explanation=The common difference is 4. Therefore the next term is $31 + 4 = 35$.

id=25248 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=12 | option_b=18 | option_c=15 | option_d=16 | answer=C | explanation=The common difference is 3. Therefore the next term is $12 + 3 = 15$.

id=25249 | topic=Percentages | difficulty=Easy | question=What is 15% of 1864? | option_a=279 | option_b=558 | option_c=289 | option_d=269 | answer=A | explanation= $15\% \text{ of } 1864 = \frac{15}{100} \times 1864 = 279$.

id=25250 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3958. If it is sold at a profit of 10%, what is its selling price? | option_a=4748 | option_b=3968 | option_c=4353 | option_d=3958 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3958 \times \frac{110}{100} = \text{█4353}$.

id=25251 | topic=Profit & Loss | difficulty=Easy | question=An article costs █616. If it is sold at a profit of 30%, what is its selling price? | option_a=861 | option_b=739 | option_c=800 | option_d=646 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 616 \times \frac{130}{100} = \text{█800}$.

id=25252 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=34 | option_b=37 | option_c=29 | option_d=33 | answer=D | explanation=The common difference is 4. Therefore the next term is $29 + 4 = 33$.

id=25253 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=80 | option_c=85 | option_d=75 | answer=B | explanation= $Speed = \frac{\text{distance}}{\text{time}} = \frac{240}{3} = 80 \text{ km/h}$.

id=25254 | topic=Averages | difficulty=Easy | question=Find the average of 69, 63, 38, 55, 20, 73. | option_a=54 | option_b=55 | option_c=52 | option_d=53 | answer=D | explanation= $Average = \frac{\text{sum of values}}{\text{number of values}} = \frac{318}{6} = 53$.

id=25255 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=L | option_c=K | option_d=M | answer=D | explanation=Move 1 positions forward from L; the resulting letter is M.

id=25256 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9374 at 10% per annum for 4 years. | option_a=3849 | option_b=13123 | option_c=3649 | option_d=3749 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{9374 \times 10 \times 4}{100} = \text{█3749}$.

id=25257 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 13, 19, 27? | option_a=13 | option_b=7 | option_c=19 | option_d=27 | answer=D | explanation=The first three numbers increase by 6, so the next should be 25. Therefore 27 is the odd one out.

id=25258 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

id=25259 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3413 at 15% per annum for 5 years. | option_a=2559 | option_b=2659 | option_c=5972 | option_d=2459 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{3413 \times 15 \times 5}{100} = \text{█2559}$.

id=25260 | topic=Averages | difficulty=Easy | question=Find the average of 100, 81, 83, 61, 99, 62. | option_a=81 | option_b=80 | option_c=82 | option_d=83 | answer=A | explanation= $Average = \frac{\text{sum of values}}{\text{number of values}} = \frac{486}{6} = 81$.

Aptitude Questions — Records 25,261-25,290 of 100,000

id=25261 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=25262 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 24. | option_a=96 | option_b=120 | option_c=135 | option_d=360 | answer=B | explanation=LCM × HCF = 15×24; HCF(15,24) = 3, so LCM = 120.

id=25263 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:4 and the first is 120, what is the second? | option_a=36 | option_b=40 | option_c=52 | option_d=160 | answer=B | explanation=Scale factor = 120/12 = 10. Therefore second quantity = 4×10 = 40.

id=25264 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=44 | option_b=35 | option_c=43 | option_d=51 | answer=C | explanation=The common difference is 8. Therefore the next term is 35 + 8 = 43.

id=25265 | topic=Averages | difficulty=Easy | question=Find the average of 31, 91, 49, 57, 38, 98, 38, 29, 31, 58. | option_a=54 | option_b=51 | option_c=52 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 520 ÷ 10 = 52.

id=25266 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=14 | option_b=10 | option_c=13 | option_d=12 | answer=D | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.

id=25267 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=7 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=25268 | topic=Averages | difficulty=Easy | question=Find the average of 65, 76, 74, 31, 25, 89, 42, 71, 31. | option_a=56 | option_b=55 | option_c=57 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=25269 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■48599 at 5% per annum for 2 years. | option_a=9819 | option_b=58318 | option_c=9619 | option_d=9719 | answer=D | explanation=SI = PRT/100 = 48599×5×4/100 = ■9719.

id=25270 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=19 | option_c=24 | option_d=48 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=25271 | topic=Percentages | difficulty=Easy | question=What is 40% of 1071? | option_a=856 | option_b=438 | option_c=418 | option_d=428 | answer=D | explanation=40% of 1071 = (40/100) × 1071 = 428.

id=25272 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■48550 at 4% per annum for 2 years. | option_a=3884 | option_b=3984 | option_c=3784 | option_d=52434 | answer=A | explanation=SI = PRT/100 = 48550×4×2/100 = ■3884.

id=25273 | topic=Averages | difficulty=Easy | question=Find the average of 71, 20, 96, 64, 52, 76, 104. | option_a=71 | option_b=69 | option_c=68 | option_d=70 | answer=B | explanation=Average = sum of values ÷ number of values = 483 ÷ 7 = 69.

id=25274 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=45 | option_b=40 | option_c=41 | option_d=35 | answer=B | explanation=The common difference is 5. Therefore the next term is 35 + 5 = 40.

id=25275 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:14 and the first is 6, what is the second? | option_a=85 | option_b=90 | option_c=84 | option_d=70 | answer=C | explanation=Scale factor = 6/1 = 6. Therefore second quantity = 14×6 = 84.

id=25276 | topic=Averages | difficulty=Easy | question=Find the average of 25, 44, 37, 93, 43, 19, 43, 18, 65. | option_a=42 | option_b=45 | option_c=43 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = 387 ÷ 9 = 43.

id=25277 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 21. | option_a=21 | option_b=24 | option_c=63 | option_d=1 | answer=A | explanation=LCM × HCF = 3×21; HCF(3,21) = 3, so LCM = 21.

id=25278 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:18 and the first is 220, what is the second? | option_a=418 | option_b=180 | option_c=198 | option_d=218 | answer=C | explanation=Scale factor = 220/20 = 11. Therefore second quantity = 18×11 = 198.

id=25279 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1519. If it is sold at a profit of 50%, what is its selling price? | option_a=2278 | option_b=1569 | option_c=2127 | option_d=2429 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1519 × 150/100 = ■2278.

id=25280 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■44231 at 15% per annum for 1 years. | option_a=6634 | option_b=6534 | option_c=6734 | option_d=50865 | answer=A | explanation=SI = PRT/100 = 44231×15×1/100 = ■6634.

id=25281 | topic=Averages | difficulty=Easy | question=Find the average of 77, 63, 55, 16, 79. | option_a=57 | option_b=58 | option_c=59 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 290 ÷ 5 = 58.

id=25282 | topic=Averages | difficulty=Easy | question=Find the average of 82, 29, 23, 67, 79. | option_a=58 | option_b=56 | option_c=57 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 280 ÷ 5 = 56.

id=25283 | topic=Averages | difficulty=Easy | question=Find the average of 98, 99, 51, 86, 40, 11, 64, 73, 34, 34. | option_a=59 | option_b=60 | option_c=61 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 590 ÷ 10 = 59.

id=25284 | topic=Averages | difficulty=Easy | question=Find the average of 63, 93, 83, 41. | option_a=69 | option_b=70 | option_c=72 | option_d=71 | answer=B | explanation=Average = sum of values ÷ number of values = 280 ÷ 4 = 70.

id=25285 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■29180 at 4% per annum for 4 years. | option_a=4568 | option_b=4768 | option_c=33848 | option_d=4668 | answer=D | explanation=SI = PRT/100 = 29180×4×4/100 = ■4668.

id=25286 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=49 | option_b=58 | option_c=40 | option_d=50 | answer=A | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

id=25287 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1492. If it is sold at a profit of 30%, what is its selling price? | option_a=1790 | option_b=1939 | option_c=1522 | option_d=2088 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1492 × 130/100 = ■1939.

id=25288 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=P | option_c=M | option_d=O | answer=D | explanation=Move 1 positions forward from N; the resulting letter is O.

id=25289 | topic=Averages | difficulty=Easy | question=Find the average of 33, 62, 15, 17, 42, 28, 47, 61, 71, 34. | option_a=43 | option_b=41 | option_c=42 | option_d=40 | answer=B | explanation=Average = sum of values ÷ number of values = 410 ÷ 10 = 41.

id=25290 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=41 | option_b=42 | option_c=32 | option_d=50 | answer=A | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

Aptitude Questions — Records 25,291-25,320 of 100,000

id=25291 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 15, 20, 27? | option_a=27 | option_b=10 | option_c=15 | option_d=20 | answer=A | explanation=The first three numbers increase by 5, so the next should be 25. Therefore 27 is the odd one out.

id=25292 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=59 | option_b=60 | option_c=48 | option_d=70 | answer=A | explanation=The common difference is 11. Therefore the next term is 48 + 11 = 59.

id=25293 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4500. If it is sold at a profit of 25%, what is its selling price? | option_a=5175 | option_b=6075 | option_c=4525 | option_d=5625 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4500 × 125/100 = █5625.

id=25294 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39966 at 6% per annum for 4 years. | option_a=9491 | option_b=49557 | option_c=9691 | option_d=9591 | answer=D | explanation=SI = PRT/100 = 39966×6×4/100 = █9591.

id=25295 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=240 | option_c=115 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=25296 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 47? | option_a=24 | option_b=47 | option_c=31 | option_d=38 | answer=B | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 47 is the odd one out.

id=25297 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=32 | option_b=40 | option_c=46 | option_d=39 | answer=D | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.

id=25298 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=50 | option_b=42 | option_c=41 | option_d=32 | answer=C | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

id=25299 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46473 at 8% per annum for 3 years. | option_a=11153 | option_b=11253 | option_c=11053 | option_d=57626 | answer=A | explanation=SI = PRT/100 = 46473×8×3/100 = █11153.

id=25300 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=25301 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=25302 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=26 | option_b=27 | option_c=23 | option_d=29 | answer=A | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.

id=25303 | topic=Number System | difficulty=Easy | question=Find the LCM of 17 and 17. | option_a=289 | option_b=34 | option_c=1 | option_d=17 | answer=D | explanation=LCM × HCF = 17×17; HCF(17,17) = 17, so LCM = 17.

id=25304 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:12 and the first is 77, what is the second? | option_a=84 | option_b=95 | option_c=72 | option_d=161 | answer=A | explanation=Scale factor = 77/11 = 7. Therefore second quantity = 12×7 = 84.

id=25305 | topic=Averages | difficulty=Easy | question=Find the average of 48, 97, 92, 83, 35, 37, 36, 81, 103. | option_a=69 | option_b=67 | option_c=70 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = 612 ÷ 9 = 68.

id=25306 | topic=Averages | difficulty=Easy | question=Find the average of 40, 76, 12, 74, 96, 50, 37. | option_a=56 | option_b=57 | option_c=55 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 385 ÷ 7 = 55.

id=25307 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 28. | option_a=784 | option_b=56 | option_c=1 | option_d=28 | answer=D | explanation=LCM × HCF = 28×28; HCF(28,28) = 28, so LCM = 28.

id=25308 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=25309 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 18. | option_a=378 | option_b=126 | option_c=147 | option_d=108 | answer=B | explanation=LCM × HCF = 21×18; HCF(21,18) = 3, so LCM = 126.

id=25310 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:18 and the first is 176, what is the second? | option_a=374 | option_b=198 | option_c=214 | option_d=180 | answer=B | explanation=Scale factor = 176/16 = 11. Therefore second quantity = 18×11 = 198.

id=25311 | topic=Percentages | difficulty=Easy | question=What is 50% of 1444? | option_a=732 | option_b=722 | option_c=1444 | option_d=702 | answer=B | explanation=50% of 1444 = (50/100) × 1444 = 722.

id=25312 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47534 at 12% per annum for 1 years. | option_a=5604 | option_b=5804 | option_c=5704 | option_d=53238 | answer=C | explanation=SI = PRT/100 = 47534×12×1/100 = █5704.

id=25313 | topic=Percentages | difficulty=Easy | question=What is 15% of 588? | option_a=88 | option_b=176 | option_c=93 | option_d=68 | answer=A | explanation=15% of 588 = (15/100) × 588 = 88.

id=25314 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29167 at 10% per annum for 5 years. | option_a=14483 | option_b=43750 | option_c=14583 | option_d=14683 | answer=C | explanation=SI = PRT/100 = 29167×10×5/100 = █14583.

id=25315 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=N | option_c=K | option_d=E | answer=C | explanation=Move 3 positions forward from H; the resulting letter is K.

id=25316 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 26. | option_a=728 | option_b=364 | option_c=392 | option_d=338 | answer=B | explanation=LCM × HCF = 28×26; HCF(28,26) = 2, so LCM = 364.

id=25317 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=40 | option_c=20 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=25318 | topic=Percentages | difficulty=Easy | question=What is 5% of 1239? | option_a=122 | option_b=41 | option_c=66 | option_d=61 | answer=D | explanation=5% of 1239 = (5/100) × 1239 = 61.

id=25319 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 31, 42, 53, ? | option_a=65 | option_b=64 | option_c=75 | option_d=53 | answer=B | explanation=The common difference is 11. Therefore the next term is 53 + 11 = 64.

id=25320 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=24 | option_b=25 | option_c=27 | option_d=21 | answer=A | explanation=The common difference is 3. Therefore the next term is 21 + 3 = 24.

Aptitude Questions — Records 25,321-25,350 of 100,000

id=25321 | topic=Averages | difficulty=Easy | question=Find the average of 66, 30, 26, 28, 70. | option_a=46 | option_b=43 | option_c=45 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = 220 ÷ 5 = 44.

id=25322 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=25 | option_b=27 | option_c=26 | option_d=23 | answer=A | explanation=The common difference is 2. Therefore the next term is 23 + 2 = 25.

id=25323 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=25324 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:2 and the first is 153, what is the second? | option_a=18 | option_b=35 | option_c=171 | option_d=16 | answer=A | explanation=Scale factor = 153/17 = 9. Therefore second quantity = 2×9 = 18.

id=25325 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=K | option_b=P | option_c=Z | option_d=U | answer=D | explanation=Move 5 positions forward from P; the resulting letter is U.

id=25326 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1101. If it is sold at a profit of 50%, what is its selling price? | option_a=1761 | option_b=1651 | option_c=1151 | option_d=1541 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1101 × 150/100 = █1651.

id=25327 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=25328 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 16, 25, 36? | option_a=16 | option_b=25 | option_c=36 | option_d=7 | answer=C | explanation=The first three numbers increase by 9, so the next should be 34. Therefore 36 is the odd one out.

id=25329 | topic=Percentages | difficulty=Easy | question=What is 20% of 1989? | option_a=397 | option_b=387 | option_c=794 | option_d=417 | answer=A | explanation=20% of 1989 = (20/100) × 1989 = 397.

id=25330 | topic=Percentages | difficulty=Easy | question=What is 10% of 1848? | option_a=184 | option_b=189 | option_c=368 | option_d=164 | answer=A | explanation=10% of 1848 = (10/100) × 1848 = 184.

id=25331 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 13, 20, 30? | option_a=13 | option_b=20 | option_c=30 | option_d=6 | answer=C | explanation=The first three numbers increase by 7, so the next should be 27. Therefore 30 is the odd one out.

id=25332 | topic=Percentages | difficulty=Easy | question=What is 10% of 142? | option_a=28 | option_b=24 | option_c=14 | option_d=9 | answer=C | explanation=10% of 142 = (10/100) × 142 = 14.

id=25333 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 29, 36, 45? | option_a=29 | option_b=45 | option_c=36 | option_d=22 | answer=B | explanation=The first three numbers increase by 7, so the next should be 43. Therefore 45 is the odd one out.

id=25334 | topic=Averages | difficulty=Easy | question=Find the average of 72, 65, 22, 13. | option_a=44 | option_b=42 | option_c=43 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = 172 ÷ 4 = 43.

id=25335 | topic=Percentages | difficulty=Easy | question=What is 50% of 1081? | option_a=520 | option_b=560 | option_c=540 | option_d=1080 | answer=C | explanation=50% of 1081 = (50/100) × 1081 = 540.

id=25336 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 21, 30, 41? | option_a=41 | option_b=21 | option_c=12 | option_d=30 | answer=A | explanation=The first three numbers increase by 9, so the next should be 39. Therefore 41 is the odd one out.

id=25337 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=100 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=25338 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 46? | option_a=19 | option_b=27 | option_c=46 | option_d=35 | answer=C | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 46 is the odd one out.

id=25339 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=25340 | topic=Averages | difficulty=Easy | question=Find the average of 100, 64, 21, 24, 56, 26, 56, 101. | option_a=57 | option_b=55 | option_c=58 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 448 ÷ 8 = 56.

id=25341 | topic=Percentages | difficulty=Easy | question=What is 40% of 770? | option_a=308 | option_b=328 | option_c=616 | option_d=288 | answer=A | explanation=40% of 770 = (40/100) × 770 = 308.

id=25342 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 20. | option_a=48 | option_b=160 | option_c=20 | option_d=40 | answer=D | explanation=LCM × HCF = 8×20; HCF(8,20) = 4, so LCM = 40.

id=25343 | topic=Profit & Loss | difficulty=Easy | question=An article costs █207. If it is sold at a profit of 50%, what is its selling price? | option_a=257 | option_b=310 | option_c=330 | option_d=290 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 207 × 150/100 = █310.

id=25344 | topic=Percentages | difficulty=Easy | question=What is 30% of 1674? | option_a=492 | option_b=502 | option_c=1004 | option_d=512 | answer=B | explanation=30% of 1674 = (30/100) × 1674 = 502.

id=25345 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21959 at 4% per annum for 4 years. | option_a=3513 | option_b=3413 | option_c=25472 | option_d=3613 | answer=A | explanation=SI = PRT/100 = 21959×4×4/100 = █3513.

id=25346 | topic=Averages | difficulty=Easy | question=Find the average of 96, 14, 30, 81, 69. | option_a=60 | option_b=57 | option_c=58 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 290 ÷ 5 = 58.

id=25347 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:14 and the first is 6, what is the second? | option_a=14 | option_b=28 | option_c=31 | option_d=34 | answer=B | explanation=Scale factor = 6/3 = 2. Therefore second quantity = 14×2 = 28.

id=25348 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 30. | option_a=30 | option_b=45 | option_c=450 | option_d=1 | answer=A | explanation=LCM × HCF = 15×30; HCF(15,30) = 15, so LCM = 30.

id=25349 | topic=Percentages | difficulty=Easy | question=What is 20% of 283? | option_a=112 | option_b=66 | option_c=56 | option_d=36 | answer=C | explanation=20% of 283 = (20/100) × 283 = 56.

id=25350 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43627 at 10% per annum for 3 years. | option_a=13188 | option_b=13088 | option_c=12988 | option_d=56715 | answer=B | explanation=SI = PRT/100 = 43627×10×3/100 = █13088.

Aptitude Questions — Records 25,351-25,380 of 100,000

id=25351 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49609 at 12% per annum for 4 years. | option_a=23712 | option_b=23912 | option_c=73421 | option_d=23812 | answer=D | explanation=SI = $PRT/100 = 49609 \times 12 \times 4/100 = \text{■}23812$.

id=25352 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 15. | option_a=45 | option_b=54 | option_c=30 | option_d=135 | answer=A | explanation= $LCM \times HCF = 9 \times 15$; $HCF(9,15) = 3$, so $LCM = 45$.

id=25353 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40939 at 5% per annum for 1 years. | option_a=2046 | option_b=2146 | option_c=1946 | option_d=42985 | answer=A | explanation=SI = $PRT/100 = 40939 \times 5 \times 1/100 = \text{■}2046$.

id=25354 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=25355 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:20 and the first is 80, what is the second? | option_a=170 | option_b=140 | option_c=160 | option_d=240 | answer=C | explanation=Scale factor = $80/10 = 8$. Therefore second quantity = $20 \times 8 = 160$.

id=25356 | topic=Percentages | difficulty=Easy | question=What is 15% of 1886? | option_a=292 | option_b=282 | option_c=272 | option_d=564 | answer=B | explanation= $15\% \text{ of } 1886 = (15/100) \times 1886 = 282$.

id=25357 | topic=Averages | difficulty=Easy | question=Find the average of 91, 78, 88, 70, 36, 61, 35, 60, 57. | option_a=66 | option_b=65 | option_c=64 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = $576 \div 9 = 64$.

id=25358 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 24, 36, 48, ? | option_a=61 | option_b=60 | option_c=72 | option_d=48 | answer=B | explanation=The common difference is 12. Therefore the next term is $48 + 12 = 60$.

id=25359 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=25360 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:2 and the first is 17, what is the second? | option_a=32 | option_b=51 | option_c=35 | option_d=34 | answer=D | explanation=Scale factor = $17/1 = 17$. Therefore second quantity = $2 \times 17 = 34$.

id=25361 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=G | option_b=K | option_c=O | option_d=S | answer=C | explanation=Move 4 positions forward from K; the resulting letter is O.

id=25362 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 21, 23, 28? | option_a=19 | option_b=21 | option_c=23 | option_d=28 | answer=D | explanation=The first three numbers increase by 2, so the next should be 25. Therefore 28 is the odd one out.

id=25363 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8367 at 8% per annum for 1 years. | option_a=669 | option_b=9036 | option_c=569 | option_d=769 | answer=A | explanation=SI = $PRT/100 = 8367 \times 8 \times 1/100 = \text{■}669$.

id=25364 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=25365 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=G | option_c=C | option_d=A | answer=A | explanation=Move 2 positions forward from C; the resulting letter is E.

id=25366 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 3. | option_a=3 | option_b=6 | option_c=12 | option_d=18 | answer=B | explanation= $LCM \times HCF = 6 \times 3$; $HCF(6,3) = 3$, so $LCM = 6$.

id=25367 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:13 and the first is 208, what is the second? | option_a=377 | option_b=169 | option_c=185 | option_d=156 | answer=B | explanation=Scale factor = $208/16 = 13$. Therefore second quantity = $13 \times 13 = 169$.

id=25368 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20578 at 12% per annum for 2 years. | option_a=25516 | option_b=4938 | option_c=4838 | option_d=5038 | answer=B | explanation=SI = $PRT/100 = 20578 \times 12 \times 2/100 = \text{■}4938$.

id=25369 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Z | option_b=T | option_c=Q | option_d=W | answer=D | explanation=Move 3 positions forward from T; the resulting letter is W.

id=25370 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6665 at 10% per annum for 1 years. | option_a=666 | option_b=7331 | option_c=766 | option_d=566 | answer=A | explanation=SI = $PRT/100 = 6665 \times 10 \times 1/100 = \text{■}666$.

id=25371 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=150 | option_c=70 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = $300 \div 4 = 75$ km/h.

id=25372 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:17 and the first is 54, what is the second? | option_a=102 | option_b=85 | option_c=111 | option_d=156 | answer=A | explanation=Scale factor = $54/9 = 6$. Therefore second quantity = $17 \times 6 = 102$.

id=25373 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=25374 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=70 | option_d=150 | answer=B | explanation=Speed = distance ÷ time = $300 \div 4 = 75$ km/h.

id=25375 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45134 at 10% per annum for 2 years. | option_a=54160 | option_b=9026 | option_c=8926 | option_d=9126 | answer=B | explanation=SI = $PRT/100 = 45134 \times 10 \times 2/100 = \text{■}9026$.

id=25376 | topic=Averages | difficulty=Easy | question=Find the average of 77, 74, 43, 64, 41, 83, 19, 87. | option_a=61 | option_b=60 | option_c=63 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = $488 \div 8 = 61$.

id=25377 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 31? | option_a=14 | option_b=31 | option_c=24 | option_d=19 | answer=B | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 31 is the odd one out.

id=25378 | topic=Averages | difficulty=Easy | question=Find the average of 67, 30, 61, 93, 14, 70, 99. | option_a=61 | option_b=64 | option_c=62 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = $434 \div 7 = 62$.

id=25379 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=Q | option_c=O | option_d=K | answer=C | explanation=Move 2 positions forward from M; the resulting letter is O.

id=25380 | topic=Averages | difficulty=Easy | question=Find the average of 70, 20, 32, 91, 90, 72, 24. | option_a=59 | option_b=58 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = $399 \div 7 = 57$.

Aptitude Questions — Records 25,381-25,410 of 100,000

id=25381 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=25382 | topic=Number System | difficulty=Easy | question=Find the LCM of 29 and 29. | option_a=841 | option_b=58 | option_c=1 | option_d=29 | answer=D | explanation=LCM × HCF = 29×29; HCF(29,29) = 29, so LCM = 29.

id=25383 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17513 at 12% per annum for 1 years. | option_a=2101 | option_b=19614 | option_c=2001 | option_d=2201 | answer=A | explanation=SI = PRT/100 = 17513×12×1/100 = **■**2101.

id=25384 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=S | option_b=P | option_c=V | option_d=M | answer=A | explanation=Move 3 positions forward from P; the resulting letter is S.

id=25385 | topic=Averages | difficulty=Easy | question=Find the average of 31, 52, 52, 42, 53, 70. | option_a=49 | option_b=50 | option_c=52 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 300 ÷ 6 = 50.

id=25386 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43390 at 4% per annum for 1 years. | option_a=1735 | option_b=1635 | option_c=1835 | option_d=45125 | answer=A | explanation=SI = PRT/100 = 43390×4×1/100 = **■**1735.

id=25387 | topic=Percentages | difficulty=Easy | question=What is 10% of 1594? | option_a=318 | option_b=149 | option_c=164 | option_d=159 | answer=D | explanation=10% of 1594 = (10/100) × 1594 = 159.

id=25388 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=O | option_b=Y | option_c=T | option_d=D | answer=B | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=25389 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=25390 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=M | option_b=E | option_c=Q | option_d=I | answer=A | explanation=Move 4 positions forward from I; the resulting letter is M.

id=25391 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 22, 29, 37? | option_a=22 | option_b=29 | option_c=37 | option_d=15 | answer=C | explanation=The first three numbers increase by 7, so the next should be 36. Therefore 37 is the odd one out.

id=25392 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=63 | option_b=52 | option_c=39 | option_d=51 | answer=D | explanation=The common difference is 12. Therefore the next term is 39 + 12 = 51.

id=25393 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3723. If it is sold at a profit of 20%, what is its selling price? | option_a=4839 | option_b=4095 | option_c=3743 | option_d=4467 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3723 × 120/100 = **■**4467.

id=25394 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47856 at 8% per annum for 1 years. | option_a=3728 | option_b=51684 | option_c=3928 | option_d=3828 | answer=D | explanation=SI = PRT/100 = 47856×8×1/100 = **■**3828.

id=25395 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**867. If it is sold at a profit of 25%, what is its selling price? | option_a=892 | option_b=997 | option_c=1083 | option_d=1169 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 867 × 125/100 = **■**1083.

id=25396 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=K | option_b=C | option_c=Y | option_d=G | answer=D | explanation=Move 4 positions forward from C; the resulting letter is G.

id=25397 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=46 | option_b=38 | option_c=54 | option_d=47 | answer=A | explanation=The common difference is 8. Therefore the next term is 38 + 8 = 46.

id=25398 | topic=Percentages | difficulty=Easy | question=What is 12% of 1276? | option_a=163 | option_b=143 | option_c=153 | option_d=306 | answer=C | explanation=12% of 1276 = (12/100) × 1276 = 153.

id=25399 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40311 at 12% per annum for 4 years. | option_a=19349 | option_b=19249 | option_c=59660 | option_d=19449 | answer=A | explanation=SI = PRT/100 = 40311×12×4/100 = **■**19349.

id=25400 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49665 at 4% per annum for 2 years. | option_a=53638 | option_b=3873 | option_c=3973 | option_d=4073 | answer=C | explanation=SI = PRT/100 = 49665×4×2/100 = **■**3973.

id=25401 | topic=Averages | difficulty=Easy | question=Find the average of 19, 30, 47, 33, 63, 27, 30, 71. | option_a=39 | option_b=41 | option_c=40 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = 320 ÷ 8 = 40.

id=25402 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48729 at 4% per annum for 2 years. | option_a=3798 | option_b=3998 | option_c=3898 | option_d=52627 | answer=C | explanation=SI = PRT/100 = 48729×4×2/100 = **■**3898.

id=25403 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41888 at 12% per annum for 5 years. | option_a=25232 | option_b=25032 | option_c=67020 | option_d=25132 | answer=D | explanation=SI = PRT/100 = 41888×12×5/100 = **■**25132.

id=25404 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 14. | option_a=126 | option_b=160 | option_c=140 | option_d=280 | answer=C | explanation=LCM × HCF = 20×14; HCF(20,14) = 2, so LCM = 140.

id=25405 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 24. | option_a=120 | option_b=130 | option_c=240 | option_d=96 | answer=A | explanation=LCM × HCF = 10×24; HCF(10,24) = 2, so LCM = 120.

id=25406 | topic=Percentages | difficulty=Easy | question=What is 40% of 1986? | option_a=1588 | option_b=774 | option_c=799 | option_d=794 | answer=D | explanation=40% of 1986 = (40/100) × 1986 = 794.

id=25407 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:14 and the first is 26, what is the second? | option_a=28 | option_b=14 | option_c=54 | option_d=41 | answer=A | explanation=Scale factor = 26/13 = 2. Therefore second quantity = 14×2 = 28.

id=25408 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2614. If it is sold at a profit of 10%, what is its selling price? | option_a=2875 | option_b=2624 | option_c=3136 | option_d=2614 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2614 × 110/100 = **■**2875.

id=25409 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21172 at 15% per annum for 4 years. | option_a=12603 | option_b=33875 | option_c=12803 | option_d=12703 | answer=D | explanation=SI = PRT/100 = 21172×15×4/100 = **■**12703.

id=25410 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=M | option_c=W | option_d=B | answer=C | explanation=Move 5 positions forward from R; the resulting letter is W.

Aptitude Questions — Records 25,411-25,440 of 100,000

id=25411 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=39 | option_b=61 | option_c=50 | option_d=51 | answer=C | explanation=The common difference is 11. Therefore the next term is 39 + 11 = 50.

id=25412 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=25413 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=38 | option_b=44 | option_c=45 | option_d=50 | answer=B | explanation=The common difference is 6. Therefore the next term is 38 + 6 = 44.

id=25414 | topic=Percentages | difficulty=Easy | question=What is 10% of 57? | option_a=25 | option_b=10 | option_c=5 | option_d=0 | answer=C | explanation=10% of 57 = (10/100) × 57 = 5.

id=25415 | topic=Averages | difficulty=Easy | question=Find the average of 87, 17, 12, 92, 25, 43. | option_a=46 | option_b=45 | option_c=48 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 276 ÷ 6 = 46.

id=25416 | topic=Percentages | difficulty=Easy | question=What is 30% of 1649? | option_a=988 | option_b=484 | option_c=499 | option_d=494 | answer=D | explanation=30% of 1649 = (30/100) × 1649 = 494.

id=25417 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=90 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=25418 | topic=Averages | difficulty=Easy | question=Find the average of 84, 22, 75, 17, 81, 61, 67, 42, 55, 36. | option_a=56 | option_b=55 | option_c=53 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

id=25419 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=25420 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:8 and the first is 18, what is the second? | option_a=72 | option_b=90 | option_c=74 | option_d=64 | answer=A | explanation=Scale factor = 18/2 = 9. Therefore second quantity = 8×9 = 72.

id=25421 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=24 | option_c=48 | option_d=19 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=25422 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹6101 at 15% per annum for 3 years. | option_a=2845 | option_b=2745 | option_c=2645 | option_d=8846 | answer=B | explanation=SI = PRT/100 = 6101×15×3/100 = ₹2745.

id=25423 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:1 and the first is 14, what is the second? | option_a=15 | option_b=14 | option_c=13 | option_d=28 | answer=B | explanation=Scale factor = 14/1 = 14. Therefore second quantity = 1×14 = 14.

id=25424 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹974. If it is sold at a profit of 40%, what is its selling price? | option_a=1363 | option_b=1460 | option_c=1014 | option_d=1266 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 974 × 140/100 = ₹1363.

id=25425 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=T | option_c=N | option_d=R | answer=D | explanation=Move 2 positions forward from P; the resulting letter is R.

id=25426 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:16 and the first is 3, what is the second? | option_a=32 | option_b=51 | option_c=49 | option_d=48 | answer=D | explanation=Scale factor = 3/1 = 3. Therefore second quantity = 16×3 = 48.

id=25427 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹30868 at 6% per annum for 5 years. | option_a=9160 | option_b=40128 | option_c=9260 | option_d=9360 | answer=C | explanation=SI = PRT/100 = 30868×6×5/100 = ₹9260.

id=25428 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=25429 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2057. If it is sold at a profit of 40%, what is its selling price? | option_a=3084 | option_b=2879 | option_c=2674 | option_d=2097 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2057 × 140/100 = ₹2879.

id=25430 | topic=Averages | difficulty=Easy | question=Find the average of 52, 92, 33, 75, 23. | option_a=57 | option_b=54 | option_c=55 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 275 ÷ 5 = 55.

id=25431 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 18. | option_a=324 | option_b=1 | option_c=36 | option_d=18 | answer=D | explanation=LCM × HCF = 18×18; HCF(18,18) = 18, so LCM = 18.

id=25432 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=L | option_b=F | option_c=I | option_d=C | answer=C | explanation=Move 3 positions forward from F; the resulting letter is I.

id=25433 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=25434 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹13277 at 6% per annum for 2 years. | option_a=14870 | option_b=1693 | option_c=1593 | option_d=1493 | answer=C | explanation=SI = PRT/100 = 13277×6×2/100 = ₹1593.

id=25435 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=25436 | topic=Averages | difficulty=Easy | question=Find the average of 42, 12, 70, 91, 80, 96, 50. | option_a=62 | option_b=63 | option_c=65 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 441 ÷ 7 = 63.

id=25437 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:6 and the first is 8, what is the second? | option_a=42 | option_b=56 | option_c=48 | option_d=49 | answer=C | explanation=Scale factor = 8/1 = 8. Therefore second quantity = 6×8 = 48.

id=25438 | topic=Percentages | difficulty=Easy | question=What is 5% of 1612? | option_a=70 | option_b=85 | option_c=80 | option_d=160 | answer=C | explanation=5% of 1612 = (5/100) × 1612 = 80.

id=25439 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 29, 37, 48? | option_a=48 | option_b=37 | option_c=21 | option_d=29 | answer=A | explanation=The first three numbers increase by 8, so the next should be 45. Therefore 48 is the odd one out.

id=25440 | topic=Averages | difficulty=Easy | question=Find the average of 30, 66, 69, 82, 95, 58, 18, 70. | option_a=61 | option_b=63 | option_c=60 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 488 ÷ 8 = 61.

Aptitude Questions — Records 25,441-25,470 of 100,000

id=25441 | topic=Profit & Loss | difficulty=Easy | question=An article costs █855. If it is sold at a profit of 40%, what is its selling price? | option_a=1282 | option_b=1112 | option_c=1197 | option_d=895 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 855 × 140/100 = █1197.

id=25442 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4659. If it is sold at a profit of 40%, what is its selling price? | option_a=6987 | option_b=6522 | option_c=6057 | option_d=4699 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4659 × 140/100 = █6522.

id=25443 | topic=Averages | difficulty=Easy | question=Find the average of 24, 31, 52, 65, 79, 90, 46, 98, 88, 97. | option_a=67 | option_b=68 | option_c=66 | option_d=69 | answer=A | explanation=Average = sum of values ÷ number of values = 670 ÷ 10 = 67.

id=25444 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=96 | option_c=48 | option_d=53 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=25445 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1752. If it is sold at a profit of 40%, what is its selling price? | option_a=2277 | option_b=1792 | option_c=2452 | option_d=2627 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1752 × 140/100 = █2452.

id=25446 | topic=Averages | difficulty=Easy | question=Find the average of 32, 67, 57, 32. | option_a=49 | option_b=48 | option_c=47 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 188 ÷ 4 = 47.

id=25447 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:15 and the first is 208, what is the second? | option_a=195 | option_b=211 | option_c=180 | option_d=403 | answer=A | explanation=Scale factor = 208/16 = 13. Therefore second quantity = 15×13 = 195.

id=25448 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=27 | option_b=35 | option_c=41 | option_d=34 | answer=D | explanation=The common difference is 7. Therefore the next term is 27 + 7 = 34.

id=25449 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=S | option_b=M | option_c=V | option_d=P | answer=A | explanation=Move 3 positions forward from P; the resulting letter is S.

id=25450 | topic=Profit & Loss | difficulty=Easy | question=An article costs █498. If it is sold at a profit of 50%, what is its selling price? | option_a=796 | option_b=747 | option_c=698 | option_d=548 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 498 × 150/100 = █747.

id=25451 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 24. | option_a=264 | option_b=286 | option_c=528 | option_d=240 | answer=A | explanation=LCM × HCF = 22×24; HCF(22,24) = 2, so LCM = 264.

id=25452 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 285, what is the second? | option_a=72 | option_b=342 | option_c=57 | option_d=54 | answer=C | explanation=Scale factor = 285/15 = 19. Therefore second quantity = 3×19 = 57.

id=25453 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=B | option_b=W | option_c=M | option_d=R | answer=B | explanation=Move 5 positions forward from R; the resulting letter is W.

id=25454 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:11 and the first is 48, what is the second? | option_a=165 | option_b=179 | option_c=176 | option_d=224 | answer=C | explanation=Scale factor = 48/3 = 16. Therefore second quantity = 11×16 = 176.

id=25455 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:2 and the first is 247, what is the second? | option_a=51 | option_b=285 | option_c=36 | option_d=38 | answer=D | explanation=Scale factor = 247/13 = 19. Therefore second quantity = 2×19 = 38.

id=25456 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=25457 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=25458 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23133 at 6% per annum for 3 years. | option_a=27296 | option_b=4163 | option_c=4063 | option_d=4263 | answer=B | explanation=SI = PRT/100 = 23133×6×3/100 = █4163.

id=25459 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=E | option_b=O | option_c=T | option_d=J | answer=B | explanation=Move 5 positions forward from J; the resulting letter is O.

id=25460 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 35, 45, 56? | option_a=25 | option_b=56 | option_c=35 | option_d=45 | answer=B | explanation=The first three numbers increase by 10, so the next should be 55. Therefore 56 is the odd one out.

id=25461 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:8 and the first is 65, what is the second? | option_a=53 | option_b=32 | option_c=105 | option_d=40 | answer=D | explanation=Scale factor = 65/13 = 5. Therefore second quantity = 8×5 = 40.

id=25462 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 36? | option_a=36 | option_b=25 | option_c=21 | option_d=29 | answer=A | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 36 is the odd one out.

id=25463 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1035. If it is sold at a profit of 5%, what is its selling price? | option_a=983 | option_b=1189 | option_c=1040 | option_d=1086 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1035 × 105/100 = █1086.

id=25464 | topic=Percentages | difficulty=Easy | question=What is 15% of 266? | option_a=39 | option_b=44 | option_c=19 | option_d=78 | answer=A | explanation=15% of 266 = (15/100) × 266 = 39.

id=25465 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4732. If it is sold at a profit of 25%, what is its selling price? | option_a=5915 | option_b=5442 | option_c=4757 | option_d=6388 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4732 × 125/100 = █5915.

id=25466 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 22, 27, 32, ? | option_a=38 | option_b=42 | option_c=37 | option_d=32 | answer=C | explanation=The common difference is 5. Therefore the next term is 32 + 5 = 37.

id=25467 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=25468 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2915. If it is sold at a profit of 25%, what is its selling price? | option_a=2940 | option_b=3352 | option_c=3643 | option_d=3934 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2915 × 125/100 = █3643.

id=25469 | topic=Percentages | difficulty=Easy | question=What is 5% of 1209? | option_a=120 | option_b=40 | option_c=80 | option_d=60 | answer=D | explanation=5% of 1209 = (5/100) × 1209 = 60.

id=25470 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:17 and the first is 128, what is the second? | option_a=400 | option_b=255 | option_c=280 | option_d=272 | answer=D | explanation=Scale factor = 128/8 = 16. Therefore second quantity = 17×16 = 272.

Aptitude Questions — Records 25,471-25,500 of 100,000

id=25471 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2822. If it is sold at a profit of 10%, what is its selling price? | option_a=3386 | option_b=2822 | option_c=2832 | option_d=3104 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2822 × 110/100 = ■3104.

id=25472 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=L | option_b=K | option_c=M | option_d=J | answer=A | explanation=Move 1 positions forward from K; the resulting letter is L.

id=25473 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■42741 at 10% per annum for 1 years. | option_a=4174 | option_b=47015 | option_c=4374 | option_d=4274 | answer=D | explanation=SI = PRT/100 = 42741×10×1/100 = ■4274.

id=25474 | topic=Percentages | difficulty=Easy | question=What is 40% of 55? | option_a=44 | option_b=32 | option_c=22 | option_d=2 | answer=C | explanation=40% of 55 = (40/100) × 55 = 22.

id=25475 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=25476 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=Q | option_c=K | option_d=M | answer=A | explanation=Move 2 positions forward from M; the resulting letter is O.

id=25477 | topic=Averages | difficulty=Easy | question=Find the average of 46, 60, 59, 84, 68, 51, 24, 13, 76, 59. | option_a=54 | option_b=56 | option_c=55 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

id=25478 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=240 | option_d=115 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=25479 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=25480 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3591. If it is sold at a profit of 10%, what is its selling price? | option_a=3591 | option_b=3950 | option_c=4309 | option_d=3601 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3591 × 110/100 = ■3950.

id=25481 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:2 and the first is 210, what is the second? | option_a=238 | option_b=43 | option_c=28 | option_d=26 | answer=C | explanation=Scale factor = 210/15 = 14. Therefore second quantity = 2×14 = 28.

id=25482 | topic=Percentages | difficulty=Easy | question=What is 12% of 201? | option_a=29 | option_b=48 | option_c=24 | option_d=19 | answer=C | explanation=12% of 201 = (12/100) × 201 = 24.

id=25483 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3384. If it is sold at a profit of 10%, what is its selling price? | option_a=4060 | option_b=3384 | option_c=3722 | option_d=3394 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3384 × 110/100 = ■3722.

id=25484 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=29 | option_b=34 | option_c=37 | option_d=33 | answer=D | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=25485 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■30637 at 6% per annum for 4 years. | option_a=7352 | option_b=7252 | option_c=37989 | option_d=7452 | answer=A | explanation=SI = PRT/100 = 30637×6×4/100 = ■7352.

id=25486 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 18? | option_a=18 | option_b=3 | option_c=7 | option_d=11 | answer=A | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 18 is the odd one out.

id=25487 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 16, 25, 37? | option_a=25 | option_b=37 | option_c=16 | option_d=7 | answer=B | explanation=The first three numbers increase by 9, so the next should be 34. Therefore 37 is the odd one out.

id=25488 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■188. If it is sold at a profit of 10%, what is its selling price? | option_a=224 | option_b=206 | option_c=198 | option_d=188 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 188 × 110/100 = ■206.

id=25489 | topic=Averages | difficulty=Easy | question=Find the average of 11, 34, 43, 16. | option_a=28 | option_b=25 | option_c=27 | option_d=26 | answer=D | explanation=Average = sum of values ÷ number of values = 104 ÷ 4 = 26.

id=25490 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:8 and the first is 78, what is the second? | option_a=61 | option_b=126 | option_c=40 | option_d=48 | answer=D | explanation=Scale factor = 78/13 = 6. Therefore second quantity = 8×6 = 48.

id=25491 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■22855 at 4% per annum for 3 years. | option_a=2642 | option_b=25597 | option_c=2742 | option_d=2842 | answer=C | explanation=SI = PRT/100 = 22855×4×3/100 = ■2742.

id=25492 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=J | option_b=B | option_c=X | option_d=F | answer=D | explanation=Move 4 positions forward from B; the resulting letter is F.

id=25493 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=24 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=25494 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 34, 43, 55? | option_a=43 | option_b=55 | option_c=25 | option_d=34 | answer=B | explanation=The first three numbers increase by 9, so the next should be 52. Therefore 55 is the odd one out.

id=25495 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=Z | option_b=J | option_c=O | option_d=E | answer=B | explanation=Move 5 positions forward from E; the resulting letter is J.

id=25496 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 15. | option_a=30 | option_b=15 | option_c=225 | option_d=1 | answer=B | explanation=LCM × HCF = 15×15; HCF(15,15) = 15, so LCM = 15.

id=25497 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=31 | option_c=72 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=25498 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 5. | option_a=10 | option_b=25 | option_c=1 | option_d=5 | answer=D | explanation=LCM × HCF = 5×5; HCF(5,5) = 5, so LCM = 5.

id=25499 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=22 | option_b=23 | option_c=19 | option_d=25 | answer=A | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.

id=25500 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3482. If it is sold at a profit of 5%, what is its selling price? | option_a=4004 | option_b=3308 | option_c=3487 | option_d=3656 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3482 × 105/100 = ■3656.

Aptitude Questions — Records 25,501-25,530 of 100,000

id=25501 | topic=Percentages | difficulty=Easy | question=What is 10% of 1555? | option_a=310 | option_b=155 | option_c=175 | option_d=145 | answer=B | explanation=10% of 1555 = (10/100) × 1555 = 155.

id=25502 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=25503 | topic=Profit & Loss | difficulty=Easy | question=An article costs █584. If it is sold at a profit of 5%, what is its selling price? | option_a=613 | option_b=589 | option_c=555 | option_d=671 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 584 × 105/100 = █613.

id=25504 | topic=Percentages | difficulty=Easy | question=What is 15% of 1366? | option_a=204 | option_b=408 | option_c=194 | option_d=214 | answer=A | explanation=15% of 1366 = (15/100) × 1366 = 204.

id=25505 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=25506 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=25507 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=25508 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:20 and the first is 126, what is the second? | option_a=306 | option_b=180 | option_c=160 | option_d=194 | answer=B | explanation=Scale factor = 126/14 = 9. Therefore second quantity = 20×9 = 180.

id=25509 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=O | option_b=A | option_c=S | option_d=W | answer=D | explanation=Move 4 positions forward from S; the resulting letter is W.

id=25510 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=P | option_b=M | option_c=G | option_d=J | answer=B | explanation=Move 3 positions forward from J; the resulting letter is M.

id=25511 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43, ? | option_a=59 | option_b=51 | option_c=52 | option_d=43 | answer=B | explanation=The common difference is 8. Therefore the next term is 43 + 8 = 51.

id=25512 | topic=Percentages | difficulty=Easy | question=What is 20% of 545? | option_a=114 | option_b=109 | option_c=218 | option_d=89 | answer=B | explanation=20% of 545 = (20/100) × 545 = 109.

id=25513 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=95 | option_c=180 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=25514 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=46 | option_b=39 | option_c=47 | option_d=53 | answer=A | explanation=The common difference is 7. Therefore the next term is 39 + 7 = 46.

id=25515 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38703 at 4% per annum for 4 years. | option_a=6292 | option_b=44895 | option_c=6192 | option_d=6092 | answer=C | explanation=SI = PRT/100 = 38703×4×4/100 = █6192.

id=25516 | topic=Averages | difficulty=Easy | question=Find the average of 54, 40, 52, 64, 75. | option_a=59 | option_b=58 | option_c=57 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.

id=25517 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1989. If it is sold at a profit of 40%, what is its selling price? | option_a=2586 | option_b=2029 | option_c=2982 | option_d=2784 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1989 × 140/100 = █2784.

id=25518 | topic=Averages | difficulty=Easy | question=Find the average of 40, 18, 10, 67, 75, 97, 25, 52, 12. | option_a=46 | option_b=44 | option_c=45 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = 396 ÷ 9 = 44.

id=25519 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=L | option_c=J | option_d=P | answer=A | explanation=Move 2 positions forward from L; the resulting letter is N.

id=25520 | topic=Averages | difficulty=Easy | question=Find the average of 80, 36, 93, 44, 37, 55, 82. | option_a=62 | option_b=60 | option_c=61 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = 427 ÷ 7 = 61.

id=25521 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 26. | option_a=520 | option_b=260 | option_c=280 | option_d=234 | answer=B | explanation=LCM × HCF = 20×26; HCF(20,26) = 2, so LCM = 260.

id=25522 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=45 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=25523 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=25524 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 23, 25, 30? | option_a=25 | option_b=30 | option_c=23 | option_d=21 | answer=B | explanation=The first three numbers increase by 2, so the next should be 27. Therefore 30 is the odd one out.

id=25525 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=G | option_c=K | option_d=S | answer=A | explanation=Move 4 positions forward from K; the resulting letter is O.

id=25526 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 44? | option_a=44 | option_b=17 | option_c=25 | option_d=33 | answer=A | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 44 is the odd one out.

id=25527 | topic=Percentages | difficulty=Easy | question=What is 5% of 537? | option_a=21 | option_b=26 | option_c=52 | option_d=46 | answer=B | explanation=5% of 537 = (5/100) × 537 = 26.

id=25528 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=40 | option_b=34 | option_c=33 | option_d=26 | answer=C | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

id=25529 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:5 and the first is 84, what is the second? | option_a=114 | option_b=44 | option_c=25 | option_d=30 | answer=D | explanation=Scale factor = 84/14 = 6. Therefore second quantity = 5×6 = 30.

id=25530 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3881. If it is sold at a profit of 50%, what is its selling price? | option_a=3931 | option_b=5821 | option_c=6209 | option_d=5433 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3881 × 150/100 = █5821.

Aptitude Questions — Records 25,531-25,560 of 100,000

id=25531 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=26 | option_b=25 | option_c=28 | option_d=22 | answer=B | explanation=The common difference is 3. Therefore the next term is 22 + 3 = 25.

id=25532 | topic=Averages | difficulty=Easy | question=Find the average of 73, 88, 91, 32, 58, 83, 62, 91, 78, 24. | option_a=69 | option_b=70 | option_c=67 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = 680 ÷ 10 = 68.

id=25533 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■3310 at 15% per annum for 1 years. | option_a=596 | option_b=396 | option_c=496 | option_d=3806 | answer=C | explanation=SI = $PRT/100 = 3310 \times 15 \times 1/100 = \blacksquare 496$.

id=25534 | topic=Averages | difficulty=Easy | question=Find the average of 39, 60, 72, 17. | option_a=47 | option_b=46 | option_c=49 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = 188 ÷ 4 = 47.

id=25535 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3807. If it is sold at a profit of 10%, what is its selling price? | option_a=4567 | option_b=3807 | option_c=4187 | option_d=3817 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3807 \times 110/100 = \blacksquare 4187$.

id=25536 | topic=Percentages | difficulty=Easy | question=What is 40% of 67? | option_a=52 | option_b=36 | option_c=16 | option_d=26 | answer=D | explanation=40% of 67 = $(40/100) \times 67 = 26$.

id=25537 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=S | option_b=M | option_c=P | option_d=J | answer=C | explanation=Move 3 positions forward from M; the resulting letter is P.

id=25538 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=25539 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=12 | option_b=14 | option_c=15 | option_d=16 | answer=B | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=25540 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=12 | option_b=17 | option_c=24 | option_d=7 | answer=A | explanation=Speed = distance ÷ time = $120 \div 10 = 12$ km/h.

id=25541 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=25542 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=O | option_b=K | option_c=C | option_d=G | answer=B | explanation=Move 4 positions forward from G; the resulting letter is K.

id=25543 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 22? | option_a=22 | option_b=3 | option_c=9 | option_d=15 | answer=A | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 22 is the odd one out.

id=25544 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=90 | option_c=50 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = $180 \div 4 = 45$ km/h.

id=25545 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 20. | option_a=30 | option_b=1 | option_c=20 | option_d=200 | answer=C | explanation= $LCM \times HCF = 10 \times 20$; $HCF(10, 20) = 10$, so $LCM = 20$.

id=25546 | topic=Averages | difficulty=Easy | question=Find the average of 53, 75, 76, 16, 75. | option_a=60 | option_b=58 | option_c=61 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = $295 \div 5 = 59$.

id=25547 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1984. If it is sold at a profit of 10%, what is its selling price? | option_a=2380 | option_b=1994 | option_c=1984 | option_d=2182 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1984 \times 110/100 = \blacksquare 2182$.

id=25548 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=155 | option_c=300 | option_d=145 | answer=A | explanation=Speed = distance ÷ time = $300 \div 2 = 150$ km/h.

id=25549 | topic=Averages | difficulty=Easy | question=Find the average of 87, 97, 31, 17, 25, 61, 95. | option_a=61 | option_b=59 | option_c=58 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = $413 \div 7 = 59$.

id=25550 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■22834 at 6% per annum for 3 years. | option_a=4010 | option_b=4210 | option_c=4110 | option_d=26944 | answer=C | explanation=SI = $PRT/100 = 22834 \times 6 \times 3/100 = \blacksquare 4110$.

id=25551 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=30 | option_b=25 | option_c=33 | option_d=29 | answer=D | explanation=The common difference is 4. Therefore the next term is 25 + 4 = 29.

id=25552 | topic=Averages | difficulty=Easy | question=Find the average of 86, 82, 92, 67, 17, 92, 35, 57. | option_a=67 | option_b=66 | option_c=65 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = $528 \div 8 = 66$.

id=25553 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=25 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = $150 \div 6 = 25$ km/h.

id=25554 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:5 and the first is 171, what is the second? | option_a=104 | option_b=266 | option_c=95 | option_d=90 | answer=C | explanation=Scale factor = $171/9 = 19$. Therefore second quantity = $5 \times 19 = 95$.

id=25555 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=K | option_c=W | option_d=S | answer=D | explanation=Move 4 positions forward from O; the resulting letter is S.

id=25556 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=25557 | topic=Percentages | difficulty=Easy | question=What is 30% of 1084? | option_a=320 | option_b=650 | option_c=325 | option_d=330 | answer=C | explanation=30% of 1084 = $(30/100) \times 1084 = 325$.

id=25558 | topic=Averages | difficulty=Easy | question=Find the average of 55, 26, 19, 83, 25, 14. | option_a=36 | option_b=39 | option_c=37 | option_d=38 | answer=C | explanation=Average = sum of values ÷ number of values = $222 \div 6 = 37$.

id=25559 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4323. If it is sold at a profit of 15%, what is its selling price? | option_a=4971 | option_b=5403 | option_c=4539 | option_d=4338 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4323 \times 115/100 = \blacksquare 4971$.

id=25560 | topic=Averages | difficulty=Easy | question=Find the average of 70, 21, 65, 44, 93, 16, 55. | option_a=53 | option_b=51 | option_c=54 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = $364 \div 7 = 52$.

Aptitude Questions — Records 25,561-25,590 of 100,000

id=25561 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 30, 32, 36? | option_a=36 | option_b=32 | option_c=28 | option_d=30 | answer=A | explanation=The first three numbers increase by 2, so the next should be 34. Therefore 36 is the odd one out.

id=25562 | topic=Percentages | difficulty=Easy | question=What is 15% of 637? | option_a=190 | option_b=100 | option_c=95 | option_d=75 | answer=C | explanation=15% of 637 = (15/100) × 637 = 95.

id=25563 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=25564 | topic=Averages | difficulty=Easy | question=Find the average of 38, 39, 70, 29, 39, 67. | option_a=46 | option_b=48 | option_c=49 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 282 ÷ 6 = 47.

id=25565 | topic=Percentages | difficulty=Easy | question=What is 12% of 1260? | option_a=156 | option_b=151 | option_c=302 | option_d=131 | answer=B | explanation=12% of 1260 = (12/100) × 1260 = 151.

id=25566 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=25567 | topic=Averages | difficulty=Easy | question=Find the average of 86, 45, 28, 63, 22, 58, 17, 91, 20, 60. | option_a=49 | option_b=51 | option_c=48 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 490 ÷ 10 = 49.

id=25568 | topic=Percentages | difficulty=Easy | question=What is 30% of 1299? | option_a=389 | option_b=778 | option_c=384 | option_d=394 | answer=A | explanation=30% of 1299 = (30/100) × 1299 = 389.

id=25569 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=J | option_b=M | option_c=G | option_d=D | answer=A | explanation=Move 3 positions forward from G; the resulting letter is J.

id=25570 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:16 and the first is 38, what is the second? | option_a=70 | option_b=51 | option_c=32 | option_d=16 | answer=C | explanation=Scale factor = 38/19 = 2. Therefore second quantity = 16×2 = 32.

id=25571 | topic=Averages | difficulty=Easy | question=Find the average of 47, 100, 95, 57, 58, 50, 18, 79. | option_a=62 | option_b=63 | option_c=64 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 504 ÷ 8 = 63.

id=25572 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27034 at 8% per annum for 4 years. | option_a=8650 | option_b=35684 | option_c=8750 | option_d=8550 | answer=A | explanation=SI = PRT/100 = 27034×8×4/100 = **■**8650.

id=25573 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=25574 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:1 and the first is 76, what is the second? | option_a=23 | option_b=19 | option_c=18 | option_d=95 | answer=B | explanation=Scale factor = 76/4 = 19. Therefore second quantity = 1×19 = 19.

id=25575 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:14 and the first is 66, what is the second? | option_a=154 | option_b=140 | option_c=160 | option_d=220 | answer=A | explanation=Scale factor = 66/6 = 11. Therefore second quantity = 14×11 = 154.

id=25576 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6844 at 6% per annum for 4 years. | option_a=8486 | option_b=1742 | option_c=1542 | option_d=1642 | answer=D | explanation=SI = PRT/100 = 6844×6×4/100 = **■**1642.

id=25577 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=25578 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:17 and the first is 68, what is the second? | option_a=51 | option_b=68 | option_c=136 | option_d=85 | answer=B | explanation=Scale factor = 68/17 = 4. Therefore second quantity = 17×4 = 68.

id=25579 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=M | option_b=P | option_c=G | option_d=J | answer=A | explanation=Move 3 positions forward from J; the resulting letter is M.

id=25580 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=25581 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24927 at 4% per annum for 1 years. | option_a=897 | option_b=1097 | option_c=25924 | option_d=997 | answer=D | explanation=SI = PRT/100 = 24927×4×1/100 = **■**997.

id=25582 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=25583 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=18 | option_c=23 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=25584 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38171 at 12% per annum for 1 years. | option_a=42751 | option_b=4480 | option_c=4580 | option_d=4680 | answer=C | explanation=SI = PRT/100 = 38171×12×1/100 = **■**4580.

id=25585 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:6 and the first is 323, what is the second? | option_a=96 | option_b=102 | option_c=425 | option_d=121 | answer=B | explanation=Scale factor = 323/19 = 17. Therefore second quantity = 6×17 = 102.

id=25586 | topic=Averages | difficulty=Easy | question=Find the average of 74, 34, 69, 83. | option_a=66 | option_b=64 | option_c=67 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 260 ÷ 4 = 65.

id=25587 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=50 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=25588 | topic=Percentages | difficulty=Easy | question=What is 20% of 341? | option_a=88 | option_b=63 | option_c=68 | option_d=136 | answer=C | explanation=20% of 341 = (20/100) × 341 = 68.

id=25589 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:2 and the first is 12, what is the second? | option_a=36 | option_b=25 | option_c=22 | option_d=24 | answer=D | explanation=Scale factor = 12/1 = 12. Therefore second quantity = 2×12 = 24.

id=25590 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 44? | option_a=31 | option_b=25 | option_c=37 | option_d=44 | answer=D | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 44 is the odd one out.

Aptitude Questions — Records 25,591-25,620 of 100,000

id=25591 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=25592 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:1 and the first is 112, what is the second? | option_a=16 | option_b=15 | option_c=128 | option_d=23 | answer=A | explanation=Scale factor = 112/7 = 16. Therefore second quantity = 1×16 = 16.

id=25593 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=25594 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=26 | option_b=22 | option_c=25 | option_d=24 | answer=D | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.

id=25595 | topic=Profit & Loss | difficulty=Easy | question=An article costs █787. If it is sold at a profit of 25%, what is its selling price? | option_a=905 | option_b=1061 | option_c=812 | option_d=983 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 787 × 125/100 = █983.

id=25596 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 42? | option_a=27 | option_b=42 | option_c=20 | option_d=34 | answer=B | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 42 is the odd one out.

id=25597 | topic=Percentages | difficulty=Easy | question=What is 40% of 128? | option_a=51 | option_b=56 | option_c=41 | option_d=102 | answer=A | explanation=40% of 128 = (40/100) × 128 = 51.

id=25598 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8114 at 5% per annum for 4 years. | option_a=1622 | option_b=1522 | option_c=9736 | option_d=1722 | answer=A | explanation=SI = PRT/100 = 8114×5×4/100 = █1622.

id=25599 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46798 at 15% per annum for 5 years. | option_a=35198 | option_b=35098 | option_c=81896 | option_d=34998 | answer=B | explanation=SI = PRT/100 = 46798×15×5/100 = █35098.

id=25600 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=E | option_c=C | option_d=D | answer=B | explanation=Move 1 positions forward from D; the resulting letter is E.

id=25601 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=D | option_c=F | option_d=B | answer=C | explanation=Move 2 positions forward from D; the resulting letter is F.

id=25602 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=I | option_b=Z | option_c=F | option_d=C | answer=C | explanation=Move 3 positions forward from C; the resulting letter is F.

id=25603 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 53? | option_a=20 | option_b=40 | option_c=53 | option_d=30 | answer=C | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 53 is the odd one out.

id=25604 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:3 and the first is 252, what is the second? | option_a=42 | option_b=60 | option_c=294 | option_d=39 | answer=A | explanation=Scale factor = 252/18 = 14. Therefore second quantity = 3×14 = 42.

id=25605 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:16 and the first is 117, what is the second? | option_a=192 | option_b=208 | option_c=325 | option_d=217 | answer=B | explanation=Scale factor = 117/9 = 13. Therefore second quantity = 16×13 = 208.

id=25606 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 16. | option_a=64 | option_b=90 | option_c=80 | option_d=160 | answer=C | explanation=LCM × HCF = 10×16; HCF(10,16) = 2, so LCM = 80.

id=25607 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=33 | option_b=34 | option_c=39 | option_d=27 | answer=A | explanation=The common difference is 6. Therefore the next term is 27 + 6 = 33.

id=25608 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 22? | option_a=8 | option_b=2 | option_c=14 | option_d=22 | answer=D | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 22 is the odd one out.

id=25609 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:19 and the first is 60, what is the second? | option_a=171 | option_b=250 | option_c=190 | option_d=196 | answer=C | explanation=Scale factor = 60/6 = 10. Therefore second quantity = 19×10 = 190.

id=25610 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=41 | option_b=42 | option_c=32 | option_d=50 | answer=A | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

id=25611 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:13 and the first is 182, what is the second? | option_a=351 | option_b=183 | option_c=169 | option_d=156 | answer=C | explanation=Scale factor = 182/14 = 13. Therefore second quantity = 13×13 = 169.

id=25612 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:19 and the first is 120, what is the second? | option_a=234 | option_b=134 | option_c=95 | option_d=114 | answer=D | explanation=Scale factor = 120/20 = 6. Therefore second quantity = 19×6 = 114.

id=25613 | topic=Percentages | difficulty=Easy | question=What is 25% of 1865? | option_a=932 | option_b=461 | option_c=486 | option_d=466 | answer=D | explanation=25% of 1865 = (25/100) × 1865 = 466.

id=25614 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=25615 | topic=Percentages | difficulty=Easy | question=What is 12% of 1555? | option_a=181 | option_b=372 | option_c=186 | option_d=191 | answer=C | explanation=12% of 1555 = (12/100) × 1555 = 186.

id=25616 | topic=Averages | difficulty=Easy | question=Find the average of 81, 12, 75. | option_a=58 | option_b=57 | option_c=55 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 168 ÷ 3 = 56.

id=25617 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:7 and the first is 16, what is the second? | option_a=58 | option_b=56 | option_c=72 | option_d=49 | answer=B | explanation=Scale factor = 16/2 = 8. Therefore second quantity = 7×8 = 56.

id=25618 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1622. If it is sold at a profit of 30%, what is its selling price? | option_a=1652 | option_b=1946 | option_c=2270 | option_d=2108 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1622 × 130/100 = █2108.

id=25619 | topic=Percentages | difficulty=Easy | question=What is 40% of 683? | option_a=273 | option_b=283 | option_c=263 | option_d=546 | answer=A | explanation=40% of 683 = (40/100) × 683 = 273.

id=25620 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23981 at 12% per annum for 1 years. | option_a=2977 | option_b=2777 | option_c=26858 | option_d=2877 | answer=D | explanation=SI = PRT/100 = 23981×12×1/100 = █2877.

Aptitude Questions — Records 25,621-25,650 of 100,000

id=25621 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1122. If it is sold at a profit of 5%, what is its selling price? | option_a=1178 | option_b=1290 | option_c=1127 | option_d=1066 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1122 × 105/100 = **■**1178.

id=25622 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 43? | option_a=35 | option_b=23 | option_c=43 | option_d=29 | answer=C | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 43 is the odd one out.

id=25623 | topic=Percentages | difficulty=Easy | question=What is 10% of 1323? | option_a=264 | option_b=142 | option_c=122 | option_d=132 | answer=D | explanation=10% of 1323 = (10/100) × 1323 = 132.

id=25624 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=25625 | topic=Averages | difficulty=Easy | question=Find the average of 32, 13, 18, 32, 26, 23. | option_a=25 | option_b=26 | option_c=24 | option_d=23 | answer=C | explanation=Average = sum of values ÷ number of values = 144 ÷ 6 = 24.

id=25626 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 21? | option_a=21 | option_b=16 | option_c=18 | option_d=14 | answer=A | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 21 is the odd one out.

id=25627 | topic=Averages | difficulty=Easy | question=Find the average of 84, 77, 20, 71. | option_a=65 | option_b=63 | option_c=62 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 252 ÷ 4 = 63.

id=25628 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 4. | option_a=42 | option_b=28 | option_c=24 | option_d=56 | answer=B | explanation=LCM × HCF = 14×4; HCF(14,4) = 2, so LCM = 28.

id=25629 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=25630 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13527 at 12% per annum for 5 years. | option_a=8016 | option_b=21643 | option_c=8116 | option_d=8216 | answer=C | explanation=SI = PRT/100 = 13527×12×5/100 = **■**8116.

id=25631 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 38, 48, 60? | option_a=48 | option_b=38 | option_c=60 | option_d=28 | answer=C | explanation=The first three numbers increase by 10, so the next should be 58. Therefore 60 is the odd one out.

id=25632 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=E | option_b=D | option_c=C | option_d=F | answer=A | explanation=Move 1 positions forward from D; the resulting letter is E.

id=25633 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=52 | option_b=36 | option_c=44 | option_d=45 | answer=C | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.

id=25634 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=7 | option_c=12 | option_d=17 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=25635 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=39 | option_b=25 | option_c=32 | option_d=33 | answer=C | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.

id=25636 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=25637 | topic=Averages | difficulty=Easy | question=Find the average of 36, 43, 36, 81. | option_a=50 | option_b=49 | option_c=48 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 196 ÷ 4 = 49.

id=25638 | topic=Percentages | difficulty=Easy | question=What is 20% of 597? | option_a=114 | option_b=238 | option_c=139 | option_d=119 | answer=D | explanation=20% of 597 = (20/100) × 597 = 119.

id=25639 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=Y | option_b=T | option_c=J | option_d=O | answer=B | explanation=Move 5 positions forward from O; the resulting letter is T.

id=25640 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=R | option_c=T | option_d=S | answer=C | explanation=Move 1 positions forward from S; the resulting letter is T.

id=25641 | topic=Percentages | difficulty=Easy | question=What is 5% of 1441? | option_a=72 | option_b=67 | option_c=77 | option_d=144 | answer=A | explanation=5% of 1441 = (5/100) × 1441 = 72.

id=25642 | topic=Percentages | difficulty=Easy | question=What is 20% of 1797? | option_a=718 | option_b=339 | option_c=369 | option_d=359 | answer=D | explanation=20% of 1797 = (20/100) × 1797 = 359.

id=25643 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4036. If it is sold at a profit of 10%, what is its selling price? | option_a=4842 | option_b=4046 | option_c=4439 | option_d=4036 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4036 × 110/100 = **■**4439.

id=25644 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6831 at 5% per annum for 1 years. | option_a=341 | option_b=7172 | option_c=441 | option_d=241 | answer=A | explanation=SI = PRT/100 = 6831×5×1/100 = **■**341.

id=25645 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:6 and the first is 210, what is the second? | option_a=104 | option_b=90 | option_c=84 | option_d=300 | answer=B | explanation=Scale factor = 210/14 = 15. Therefore second quantity = 6×15 = 90.

id=25646 | topic=Averages | difficulty=Easy | question=Find the average of 59, 84, 40. | option_a=63 | option_b=62 | option_c=61 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 183 ÷ 3 = 61.

id=25647 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=O | option_b=Y | option_c=D | option_d=T | answer=B | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=25648 | topic=Averages | difficulty=Easy | question=Find the average of 10, 32, 30, 98, 87, 31, 32, 32. | option_a=43 | option_b=45 | option_c=44 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 352 ÷ 8 = 44.

id=25649 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3857 at 5% per annum for 1 years. | option_a=4049 | option_b=192 | option_c=92 | option_d=292 | answer=B | explanation=SI = PRT/100 = 3857×5×1/100 = **■**192.

id=25650 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 15. | option_a=105 | option_b=360 | option_c=144 | option_d=120 | answer=D | explanation=LCM × HCF = 24×15; HCF(24,15) = 3, so LCM = 120.

Aptitude Questions — Records 25,651-25,680 of 100,000

id=25651 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=25652 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2654. If it is sold at a profit of 50%, what is its selling price? | option_a=2704 | option_b=4246 | option_c=3716 | option_d=3981 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2654 \times 150/100 = \text{█}3981$.

id=25653 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1065. If it is sold at a profit of 10%, what is its selling price? | option_a=1075 | option_b=1277 | option_c=1171 | option_d=1065 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1065 \times 110/100 = \text{█}1171$.

id=25654 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=O | option_b=D | option_c=Y | option_d=T | answer=C | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=25655 | topic=Averages | difficulty=Easy | question=Find the average of 89, 82, 21, 56, 72. | option_a=64 | option_b=63 | option_c=66 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = $320 \div 5 = 64$.

id=25656 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.

id=25657 | topic=Averages | difficulty=Easy | question=Find the average of 91, 85, 65, 48, 34, 97. | option_a=70 | option_b=69 | option_c=71 | option_d=72 | answer=A | explanation=Average = sum of values ÷ number of values = $420 \div 6 = 70$.

id=25658 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:11 and the first is 221, what is the second? | option_a=132 | option_b=143 | option_c=364 | option_d=160 | answer=B | explanation=Scale factor = $221/17 = 13$. Therefore second quantity = $11 \times 13 = 143$.

id=25659 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44181 at 10% per annum for 2 years. | option_a=8736 | option_b=8836 | option_c=53017 | option_d=8936 | answer=B | explanation=SI = $PRT/100 = 44181 \times 10 \times 2/100 = \text{█}8836$.

id=25660 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3185. If it is sold at a profit of 25%, what is its selling price? | option_a=3981 | option_b=3663 | option_c=3210 | option_d=4299 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3185 \times 125/100 = \text{█}3981$.

id=25661 | topic=Averages | difficulty=Easy | question=Find the average of 14, 60, 90, 43, 68, 94, 40, 95. | option_a=64 | option_b=63 | option_c=62 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = $504 \div 8 = 63$.

id=25662 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1935. If it is sold at a profit of 50%, what is its selling price? | option_a=2709 | option_b=2902 | option_c=1985 | option_d=3095 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1935 \times 150/100 = \text{█}2902$.

id=25663 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30790 at 5% per annum for 1 years. | option_a=1639 | option_b=1439 | option_c=1539 | option_d=32329 | answer=C | explanation=SI = $PRT/100 = 30790 \times 5 \times 1/100 = \text{█}1539$.

id=25664 | topic=Averages | difficulty=Easy | question=Find the average of 32, 57, 30, 54, 51, 63, 56, 16, 46. | option_a=47 | option_b=45 | option_c=44 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = $405 \div 9 = 45$.

id=25665 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.

id=25666 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:15 and the first is 112, what is the second? | option_a=90 | option_b=105 | option_c=217 | option_d=121 | answer=B | explanation=Scale factor = $112/16 = 7$. Therefore second quantity = $15 \times 7 = 105$.

id=25667 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=I | option_b=R | option_c=O | option_d=L | answer=C | explanation=Move 3 positions forward from L; the resulting letter is O.

id=25668 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=80 | option_c=45 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = $120 \div 3 = 40$ km/h.

id=25669 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=25670 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=O | option_b=R | option_c=U | option_d=X | answer=C | explanation=Move 3 positions forward from R; the resulting letter is U.

id=25671 | topic=Averages | difficulty=Easy | question=Find the average of 21, 82, 96, 10, 59, 97, 77, 28, 63, 57. | option_a=58 | option_b=60 | option_c=59 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = $590 \div 10 = 59$.

id=25672 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=K | option_c=O | option_d=C | answer=B | explanation=Move 4 positions forward from G; the resulting letter is K.

id=25673 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = $360 \div 6 = 60$ km/h.

id=25674 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=11 | option_b=9 | option_c=13 | option_d=12 | answer=A | explanation=The common difference is 2. Therefore the next term is $9 + 2 = 11$.

id=25675 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3554. If it is sold at a profit of 40%, what is its selling price? | option_a=4620 | option_b=3594 | option_c=4975 | option_d=5330 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3554 \times 140/100 = \text{█}4975$.

id=25676 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=Z | option_b=C | option_c=F | option_d=I | answer=C | explanation=Move 3 positions forward from C; the resulting letter is F.

id=25677 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=25678 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 12, 21, 30, ? | option_a=39 | option_b=48 | option_c=40 | option_d=30 | answer=A | explanation=The common difference is 9. Therefore the next term is $30 + 9 = 39$.

id=25679 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 13, 20, 30? | option_a=20 | option_b=13 | option_c=6 | option_d=30 | answer=D | explanation=The first three numbers increase by 7, so the next should be 27. Therefore 30 is the odd one out.

id=25680 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=48 | option_b=40 | option_c=54 | option_d=47 | answer=D | explanation=The common difference is 7. Therefore the next term is $40 + 7 = 47$.

Aptitude Questions — Records 25,681-25,710 of 100,000

id=25681 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 51? | option_a=23 | option_b=41 | option_c=51 | option_d=32 | answer=C | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 51 is the odd one out.

id=25682 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1964. If it is sold at a profit of 50%, what is its selling price? | option_a=2014 | option_b=2946 | option_c=2750 | option_d=3142 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1964 × 150/100 = █2946.

id=25683 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=44 | option_b=34 | option_c=54 | option_d=45 | answer=A | explanation=The common difference is 10. Therefore the next term is 34 + 10 = 44.

id=25684 | topic=Averages | difficulty=Easy | question=Find the average of 49, 63, 20, 48, 36, 57, 59, 52. | option_a=48 | option_b=49 | option_c=50 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 384 ÷ 8 = 48.

id=25685 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=36 | option_d=13 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=25686 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=25687 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3942. If it is sold at a profit of 20%, what is its selling price? | option_a=3962 | option_b=5124 | option_c=4730 | option_d=4336 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3942 × 120/100 = █4730.

id=25688 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=25689 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=90 | option_c=180 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=25690 | topic=Percentages | difficulty=Easy | question=What is 30% of 883? | option_a=528 | option_b=264 | option_c=254 | option_d=274 | answer=B | explanation=30% of 883 = (30/100) × 883 = 264.

id=25691 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 6. | option_a=60 | option_b=54 | option_c=80 | option_d=120 | answer=A | explanation=LCM × HCF = 20×6; HCF(20,6) = 2, so LCM = 60.

id=25692 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:15 and the first is 117, what is the second? | option_a=204 | option_b=312 | option_c=180 | option_d=195 | answer=D | explanation=Scale factor = 117/9 = 13. Therefore second quantity = 15×13 = 195.

id=25693 | topic=Averages | difficulty=Easy | question=Find the average of 83, 67, 53, 39, 25, 41, 91. | option_a=56 | option_b=57 | option_c=58 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 399 ÷ 7 = 57.

id=25694 | topic=Averages | difficulty=Easy | question=Find the average of 74, 48, 33, 89. | option_a=61 | option_b=63 | option_c=62 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 244 ÷ 4 = 61.

id=25695 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=A | option_c=C | option_d=B | answer=C | explanation=Move 1 positions forward from B; the resulting letter is C.

id=25696 | topic=Percentages | difficulty=Easy | question=What is 40% of 484? | option_a=193 | option_b=183 | option_c=198 | option_d=386 | answer=A | explanation=40% of 484 = (40/100) × 484 = 193.

id=25697 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 6. | option_a=6 | option_b=24 | option_c=72 | option_d=12 | answer=D | explanation=LCM × HCF = 12×6; HCF(12,6) = 6, so LCM = 12.

id=25698 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=J | option_c=P | option_d=S | answer=C | explanation=Move 3 positions forward from M; the resulting letter is P.

id=25699 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1537. If it is sold at a profit of 30%, what is its selling price? | option_a=2151 | option_b=1567 | option_c=1845 | option_d=1998 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1537 × 130/100 = █1998.

id=25700 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:10 and the first is 64, what is the second? | option_a=104 | option_b=30 | option_c=56 | option_d=40 | answer=D | explanation=Scale factor = 64/16 = 4. Therefore second quantity = 10×4 = 40.

id=25701 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7661 at 10% per annum for 4 years. | option_a=2964 | option_b=3164 | option_c=3064 | option_d=10725 | answer=C | explanation=SI = PRT/100 = 7661×10×4/100 = █3064.

id=25702 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:14 and the first is 88, what is the second? | option_a=112 | option_b=98 | option_c=200 | option_d=123 | answer=A | explanation=Scale factor = 88/11 = 8. Therefore second quantity = 14×8 = 112.

id=25703 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=25704 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49768 at 4% per annum for 1 years. | option_a=1890 | option_b=51758 | option_c=1990 | option_d=2090 | answer=C | explanation=SI = PRT/100 = 49768×4×1/100 = █1990.

id=25705 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:12 and the first is 144, what is the second? | option_a=336 | option_b=201 | option_c=180 | option_d=192 | answer=D | explanation=Scale factor = 144/9 = 16. Therefore second quantity = 12×16 = 192.

id=25706 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:13 and the first is 2, what is the second? | option_a=26 | option_b=27 | option_c=28 | option_d=13 | answer=A | explanation=Scale factor = 2/1 = 2. Therefore second quantity = 13×2 = 26.

id=25707 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:9 and the first is 112, what is the second? | option_a=117 | option_b=238 | option_c=126 | option_d=134 | answer=C | explanation=Scale factor = 112/8 = 14. Therefore second quantity = 9×14 = 126.

id=25708 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4260. If it is sold at a profit of 25%, what is its selling price? | option_a=5751 | option_b=4899 | option_c=4285 | option_d=5325 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4260 × 125/100 = █5325.

id=25709 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3051. If it is sold at a profit of 30%, what is its selling price? | option_a=3081 | option_b=4271 | option_c=3966 | option_d=3661 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3051 × 130/100 = █3966.

id=25710 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3265. If it is sold at a profit of 50%, what is its selling price? | option_a=5223 | option_b=4571 | option_c=3315 | option_d=4897 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3265 × 150/100 = █4897.

Aptitude Questions — Records 25,711-25,740 of 100,000

id=25711 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:9 and the first is 44, what is the second? | option_a=27 | option_b=36 | option_c=47 | option_d=80 | answer=B | explanation=Scale factor = $44/11 = 4$. Therefore second quantity = $9 \times 4 = 36$.

id=25712 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:2 and the first is 360, what is the second? | option_a=396 | option_b=34 | option_c=56 | option_d=36 | answer=D | explanation=Scale factor = $360/20 = 18$. Therefore second quantity = $2 \times 18 = 36$.

id=25713 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:16 and the first is 20, what is the second? | option_a=48 | option_b=64 | option_c=69 | option_d=84 | answer=B | explanation=Scale factor = $20/5 = 4$. Therefore second quantity = $16 \times 4 = 64$.

id=25714 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=H | option_b=J | option_c=K | option_d=I | answer=B | explanation=Move 1 positions forward from I; the resulting letter is J.

id=25715 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=X | option_b=T | option_c=L | option_d=P | answer=B | explanation=Move 4 positions forward from P; the resulting letter is T.

id=25716 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1369. If it is sold at a profit of 15%, what is its selling price? | option_a=1438 | option_b=1710 | option_c=1574 | option_d=1384 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1369 \times 115/100 = \text{█}1574$.

id=25717 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=55 | option_b=45 | option_c=35 | option_d=46 | answer=B | explanation=The common difference is 10. Therefore the next term is $35 + 10 = 45$.

id=25718 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 22. | option_a=216 | option_b=198 | option_c=396 | option_d=176 | answer=B | explanation= $LCM \times HCF = 18 \times 22$; $HCF(18,22) = 2$, so $LCM = 198$.

id=25719 | topic=Averages | difficulty=Easy | question=Find the average of 72, 50, 70, 86, 60, 56, 19. | option_a=60 | option_b=59 | option_c=61 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = $413 \div 7 = 59$.

id=25720 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 28, 30, 38? | option_a=25 | option_b=30 | option_c=38 | option_d=20 | answer=C | explanation=The first three numbers increase by 5, so the next should be 35. Therefore 38 is the odd one out.

id=25721 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=25722 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14358 at 6% per annum for 3 years. | option_a=16942 | option_b=2484 | option_c=2684 | option_d=2584 | answer=D | explanation= $SI = PRT/100 = 14358 \times 6 \times 3/100 = \text{█}2584$.

id=25723 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 28, 36, 47? | option_a=47 | option_b=28 | option_c=20 | option_d=36 | answer=A | explanation=The first three numbers increase by 8, so the next should be 44. Therefore 47 is the odd one out.

id=25724 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 35, 42, 51? | option_a=35 | option_b=42 | option_c=28 | option_d=51 | answer=D | explanation=The first three numbers increase by 7, so the next should be 49. Therefore 51 is the odd one out.

id=25725 | topic=Percentages | difficulty=Easy | question=What is 5% of 959? | option_a=47 | option_b=57 | option_c=42 | option_d=94 | answer=A | explanation=5% of 959 = $(5/100) \times 959 = 47$.

id=25726 | topic=Averages | difficulty=Easy | question=Find the average of 28, 39, 44, 26, 96, 89, 94, 80, 95, 69. | option_a=68 | option_b=66 | option_c=67 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = $660 \div 10 = 66$.

id=25727 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $120 \div 2 = 60$ km/h.

id=25728 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:13 and the first is 187, what is the second? | option_a=232 | option_b=208 | option_c=408 | option_d=221 | answer=D | explanation=Scale factor = $187/11 = 17$. Therefore second quantity = $13 \times 17 = 221$.

id=25729 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = $90 \div 3 = 30$ km/h.

id=25730 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1304. If it is sold at a profit of 25%, what is its selling price? | option_a=1329 | option_b=1500 | option_c=1760 | option_d=1630 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1304 \times 125/100 = \text{█}1630$.

id=25731 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1072. If it is sold at a profit of 50%, what is its selling price? | option_a=1715 | option_b=1122 | option_c=1608 | option_d=1501 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1072 \times 150/100 = \text{█}1608$.

id=25732 | topic=Averages | difficulty=Easy | question=Find the average of 16, 25, 10. | option_a=17 | option_b=18 | option_c=16 | option_d=19 | answer=A | explanation=Average = sum of values ÷ number of values = $51 \div 3 = 17$.

id=25733 | topic=Averages | difficulty=Easy | question=Find the average of 63, 21, 79, 77. | option_a=62 | option_b=60 | option_c=61 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = $240 \div 4 = 60$.

id=25734 | topic=Averages | difficulty=Easy | question=Find the average of 48, 58, 77, 44, 48. | option_a=55 | option_b=54 | option_c=56 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = $275 \div 5 = 55$.

id=25735 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=16 | answer=A | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=25736 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4865 at 4% per annum for 5 years. | option_a=1073 | option_b=973 | option_c=873 | option_d=5838 | answer=B | explanation= $SI = PRT/100 = 4865 \times 4 \times 5/100 = \text{█}973$.

id=25737 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=25738 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2592. If it is sold at a profit of 50%, what is its selling price? | option_a=2642 | option_b=3888 | option_c=4147 | option_d=3629 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2592 \times 150/100 = \text{█}3888$.

id=25739 | topic=Percentages | difficulty=Easy | question=What is 15% of 943? | option_a=282 | option_b=146 | option_c=141 | option_d=136 | answer=C | explanation=15% of 943 = $(15/100) \times 943 = 141$.

id=25740 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3261. If it is sold at a profit of 20%, what is its selling price? | option_a=3913 | option_b=3281 | option_c=3587 | option_d=4239 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3261 \times 120/100 = \text{█}3913$.

Aptitude Questions — Records 25,741-25,770 of 100,000

id=25741 | topic=Percentages | difficulty=Easy | question=What is 50% of 1259? | option_a=629 | option_b=1258 | option_c=609 | option_d=649 | answer=A | explanation=50% of 1259 = $(50/100) \times 1259 = 629$.

id=25742 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=25743 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 17? | option_a=11 | option_b=9 | option_c=17 | option_d=13 | answer=C | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 17 is the odd one out.

id=25744 | topic=Percentages | difficulty=Easy | question=What is 15% of 344? | option_a=51 | option_b=41 | option_c=56 | option_d=102 | answer=A | explanation=15% of 344 = $(15/100) \times 344 = 51$.

id=25745 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=I | option_c=C | option_d=L | answer=B | explanation=Move 3 positions forward from F; the resulting letter is I.

id=25746 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=V | option_b=J | option_c=N | option_d=R | answer=D | explanation=Move 4 positions forward from N; the resulting letter is R.

id=25747 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 17, 26, 36? | option_a=26 | option_b=17 | option_c=36 | option_d=8 | answer=C | explanation=The first three numbers increase by 9, so the next should be 35. Therefore 36 is the odd one out.

id=25748 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=40 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = $360 \div 8 = 45$ km/h.

id=25749 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=25750 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=37 | option_b=41 | option_c=31 | option_d=36 | answer=D | explanation=The common difference is 5. Therefore the next term is $31 + 5 = 36$.

id=25751 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=32 | option_b=22 | option_c=27 | option_d=28 | answer=C | explanation=The common difference is 5. Therefore the next term is $22 + 5 = 27$.

id=25752 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**344. If it is sold at a profit of 40%, what is its selling price? | option_a=1097 | option_b=884 | option_c=1265 | option_d=1181 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 844 \times 140/100 = \text{■}1181$.

id=25753 | topic=Averages | difficulty=Easy | question=Find the average of 96, 95, 48, 83, 63, 35. | option_a=71 | option_b=69 | option_c=70 | option_d=72 | answer=C | explanation=Average = sum of values ÷ number of values = $420 \div 6 = 70$.

id=25754 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=29 | option_d=19 | answer=A | explanation=Speed = distance ÷ time = $240 \div 10 = 24$ km/h.

id=25755 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 35? | option_a=22 | option_b=27 | option_c=17 | option_d=35 | answer=D | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 35 is the odd one out.

id=25756 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = $60 \div 2 = 30$ km/h.

id=25757 | topic=Averages | difficulty=Easy | question=Find the average of 11, 48, 50, 26, 60, 69, 85, 57, 13, 11. | option_a=45 | option_b=44 | option_c=43 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = $430 \div 10 = 43$.

id=25758 | topic=Averages | difficulty=Easy | question=Find the average of 45, 12, 28, 48, 53, 98, 48, 92. | option_a=55 | option_b=52 | option_c=54 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = $424 \div 8 = 53$.

id=25759 | topic=Averages | difficulty=Easy | question=Find the average of 41, 60, 15, 91, 12, 95, 29, 25. | option_a=47 | option_b=46 | option_c=45 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = $368 \div 8 = 46$.

id=25760 | topic=Averages | difficulty=Easy | question=Find the average of 50, 27, 55, 12. | option_a=35 | option_b=36 | option_c=38 | option_d=37 | answer=B | explanation=Average = sum of values ÷ number of values = $144 \div 4 = 36$.

id=25761 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=25762 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=Z | option_b=P | option_c=U | option_d=E | answer=A | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=25763 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41648 at 5% per annum for 2 years. | option_a=45812 | option_b=4264 | option_c=4064 | option_d=4164 | answer=D | explanation=SI = $PRT/100 = 41648 \times 5 \times 2/100 = \text{■}4164$.

id=25764 | topic=Averages | difficulty=Easy | question=Find the average of 57, 99, 81. | option_a=78 | option_b=79 | option_c=80 | option_d=81 | answer=B | explanation=Average = sum of values ÷ number of values = $237 \div 3 = 79$.

id=25765 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 50? | option_a=25 | option_b=50 | option_c=33 | option_d=41 | answer=B | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 50 is the odd one out.

id=25766 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=Q | option_b=G | option_c=L | option_d=B | answer=C | explanation=Move 5 positions forward from G; the resulting letter is L.

id=25767 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 48? | option_a=48 | option_b=40 | option_c=34 | option_d=28 | answer=A | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 48 is the odd one out.

id=25768 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=19 | option_c=48 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = $240 \div 10 = 24$ km/h.

id=25769 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6041 at 4% per annum for 1 years. | option_a=141 | option_b=6282 | option_c=341 | option_d=241 | answer=D | explanation=SI = $PRT/100 = 6041 \times 4 \times 1/100 = \text{■}241$.

id=25770 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2907. If it is sold at a profit of 50%, what is its selling price? | option_a=4070 | option_b=4360 | option_c=2957 | option_d=4650 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2907 \times 150/100 = \text{■}4360$.

Aptitude Questions — Records 25,771-25,800 of 100,000

id=25771 | topic=Percentages | difficulty=Easy | question=What is 40% of 1181? | option_a=467 | option_b=472 | option_c=944 | option_d=492 | answer=B | explanation=40% of 1181 = (40/100) × 1181 = 472.

id=25772 | topic=Percentages | difficulty=Easy | question=What is 40% of 1798? | option_a=729 | option_b=714 | option_c=1438 | option_d=719 | answer=D | explanation=40% of 1798 = (40/100) × 1798 = 719.

id=25773 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=32 | option_b=42 | option_c=50 | option_d=41 | answer=D | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

id=25774 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=Y | option_c=E | option_d=A | answer=A | explanation=Move 2 positions forward from A; the resulting letter is C.

id=25775 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4139. If it is sold at a profit of 30%, what is its selling price? | option_a=5380 | option_b=5793 | option_c=4169 | option_d=4967 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4139 × 130/100 = █5380.

id=25776 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3784. If it is sold at a profit of 50%, what is its selling price? | option_a=5676 | option_b=3834 | option_c=5298 | option_d=6054 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3784 × 150/100 = █5676.

id=25777 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:16 and the first is 56, what is the second? | option_a=48 | option_b=120 | option_c=64 | option_d=78 | answer=C | explanation=Scale factor = 56/14 = 4. Therefore second quantity = 16×4 = 64.

id=25778 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 22, 29, 39? | option_a=29 | option_b=22 | option_c=39 | option_d=15 | answer=C | explanation=The first three numbers increase by 7, so the next should be 36. Therefore 39 is the odd one out.

id=25779 | topic=Percentages | difficulty=Easy | question=What is 25% of 219? | option_a=74 | option_b=54 | option_c=108 | option_d=49 | answer=B | explanation=25% of 219 = (25/100) × 219 = 54.

id=25780 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 31? | option_a=10 | option_b=16 | option_c=31 | option_d=22 | answer=C | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 31 is the odd one out.

id=25781 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3491. If it is sold at a profit of 10%, what is its selling price? | option_a=4189 | option_b=3840 | option_c=3491 | option_d=3501 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3491 × 110/100 = █3840.

id=25782 | topic=Percentages | difficulty=Easy | question=What is 30% of 1041? | option_a=302 | option_b=332 | option_c=312 | option_d=624 | answer=C | explanation=30% of 1041 = (30/100) × 1041 = 312.

id=25783 | topic=Averages | difficulty=Easy | question=Find the average of 20, 20, 71, 21. | option_a=32 | option_b=35 | option_c=33 | option_d=34 | answer=C | explanation=Average = sum of values ÷ number of values = 132 ÷ 4 = 33.

id=25784 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 35, 40, 46? | option_a=35 | option_b=30 | option_c=46 | option_d=40 | answer=C | explanation=The first three numbers increase by 5, so the next should be 45. Therefore 46 is the odd one out.

id=25785 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 37? | option_a=21 | option_b=37 | option_c=31 | option_d=26 | answer=B | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 37 is the odd one out.

id=25786 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=25787 | topic=Percentages | difficulty=Easy | question=What is 10% of 673? | option_a=67 | option_b=47 | option_c=134 | option_d=72 | answer=A | explanation=10% of 673 = (10/100) × 673 = 67.

id=25788 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=200 | option_c=95 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=25789 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=25790 | topic=Averages | difficulty=Easy | question=Find the average of 28, 53, 14, 63, 17. | option_a=34 | option_b=36 | option_c=35 | option_d=37 | answer=C | explanation=Average = sum of values ÷ number of values = 175 ÷ 5 = 35.

id=25791 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=25792 | topic=Averages | difficulty=Easy | question=Find the average of 97, 23, 23, 11, 70, 16, 92, 36. | option_a=46 | option_b=45 | option_c=48 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 368 ÷ 8 = 46.

id=25793 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=35 | option_c=80 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=25794 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=25795 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1594. If it is sold at a profit of 10%, what is its selling price? | option_a=1594 | option_b=1604 | option_c=1912 | option_d=1753 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1594 × 110/100 = █1753.

id=25796 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 21, 23, 26? | option_a=26 | option_b=23 | option_c=21 | option_d=19 | answer=A | explanation=The first three numbers increase by 2, so the next should be 25. Therefore 26 is the odd one out.

id=25797 | topic=Averages | difficulty=Easy | question=Find the average of 27, 81, 61, 94, 44, 31, 41, 59, 85, 27. | option_a=57 | option_b=55 | option_c=54 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 550 ÷ 10 = 55.

id=25798 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3432. If it is sold at a profit of 15%, what is its selling price? | option_a=3447 | option_b=3603 | option_c=3946 | option_d=4289 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3432 × 115/100 = █3946.

id=25799 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=72 | option_c=31 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=25800 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26849 at 15% per annum for 1 years. | option_a=4127 | option_b=4027 | option_c=3927 | option_d=30876 | answer=B | explanation=SI = PRT/100 = 26849×15×1/100 = █4027.

Aptitude Questions — Records 25,801-25,830 of 100,000

- id=25801 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 43? | option_a=11 | option_b=31 | option_c=21 | option_d=43 | answer=D | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 43 is the odd one out.
- id=25802 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:6 and the first is 112, what is the second? | option_a=96 | option_b=103 | option_c=90 | option_d=208 | answer=A | explanation=Scale factor = $112/7 = 16$. Therefore second quantity = $6 \times 16 = 96$.
- id=25803 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2785. If it is sold at a profit of 30%, what is its selling price? | option_a=3898 | option_b=3620 | option_c=3342 | option_d=2815 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2785 \times 130/100 = \text{₹}3620$.
- id=25804 | topic=Averages | difficulty=Easy | question=Find the average of 93, 54, 79, 13, 45, 45, 90, 40, 18. | option_a=55 | option_b=52 | option_c=54 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = $477 \div 9 = 53$.
- id=25805 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=90 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = $180 \div 4 = 45$ km/h.
- id=25806 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**37009 at 6% per annum for 1 years. | option_a=2120 | option_b=2220 | option_c=39229 | option_d=2320 | answer=B | explanation=SI = $PRT/100 = 37009 \times 6 \times 1/100 = \text{₹}2220$.
- id=25807 | topic=Averages | difficulty=Easy | question=Find the average of 82, 90, 29, 66, 13. | option_a=57 | option_b=58 | option_c=56 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = $280 \div 5 = 56$.
- id=25808 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 8. | option_a=64 | option_b=90 | option_c=72 | option_d=144 | answer=C | explanation= $LCM \times HCF = 18 \times 8$; $HCF(18,8) = 2$, so $LCM = 72$.
- id=25809 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 10, 13, 18? | option_a=18 | option_b=13 | option_c=10 | option_d=7 | answer=A | explanation=The first three numbers increase by 3, so the next should be 16. Therefore 18 is the odd one out.
- id=25810 | topic=Percentages | difficulty=Easy | question=What is 5% of 972? | option_a=68 | option_b=96 | option_c=38 | option_d=48 | answer=D | explanation= $5\% \text{ of } 972 = (5/100) \times 972 = 48$.
- id=25811 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=43 | option_c=48 | option_d=53 | answer=C | explanation=Speed = distance ÷ time = $240 \div 5 = 48$ km/h.
- id=25812 | topic=Averages | difficulty=Easy | question=Find the average of 16, 73, 20, 87, 44, 24. | option_a=46 | option_b=43 | option_c=44 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = $264 \div 6 = 44$.
- id=25813 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.
- id=25814 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1296. If it is sold at a profit of 30%, what is its selling price? | option_a=1813 | option_b=1555 | option_c=1684 | option_d=1326 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1296 \times 130/100 = \text{₹}1684$.
- id=25815 | topic=Averages | difficulty=Easy | question=Find the average of 10, 22, 36, 29, 46, 91. | option_a=41 | option_b=39 | option_c=40 | option_d=38 | answer=B | explanation=Average = sum of values ÷ number of values = $234 \div 6 = 39$.
- id=25816 | topic=Averages | difficulty=Easy | question=Find the average of 60, 29, 72, 29, 90, 86, 93, 87, 30. | option_a=63 | option_b=65 | option_c=64 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = $576 \div 9 = 64$.
- id=25817 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:19 and the first is 24, what is the second? | option_a=138 | option_b=95 | option_c=114 | option_d=118 | answer=C | explanation=Scale factor = $24/4 = 6$. Therefore second quantity = $19 \times 6 = 114$.
- id=25818 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:3 and the first is 72, what is the second? | option_a=84 | option_b=9 | option_c=12 | option_d=30 | answer=C | explanation=Scale factor = $72/18 = 4$. Therefore second quantity = $3 \times 4 = 12$.
- id=25819 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**7834 at 4% per annum for 4 years. | option_a=1153 | option_b=1353 | option_c=9087 | option_d=1253 | answer=D | explanation=SI = $PRT/100 = 7834 \times 4 \times 4/100 = \text{₹}1253$.
- id=25820 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:2 and the first is 70, what is the second? | option_a=12 | option_b=84 | option_c=14 | option_d=24 | answer=C | explanation=Scale factor = $70/10 = 7$. Therefore second quantity = $2 \times 7 = 14$.
- id=25821 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.
- id=25822 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3005. If it is sold at a profit of 15%, what is its selling price? | option_a=3755 | option_b=3455 | option_c=3155 | option_d=3020 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3005 \times 115/100 = \text{₹}3455$.
- id=25823 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=A | option_c=C | option_d=B | answer=C | explanation=Move 1 positions forward from B; the resulting letter is C.
- id=25824 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3133. If it is sold at a profit of 15%, what is its selling price? | option_a=3602 | option_b=3915 | option_c=3148 | option_d=3289 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3133 \times 115/100 = \text{₹}3602$.
- id=25825 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=X | option_b=B | option_c=F | option_d=J | answer=C | explanation=Move 4 positions forward from B; the resulting letter is F.
- id=25826 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3939. If it is sold at a profit of 30%, what is its selling price? | option_a=4727 | option_b=3969 | option_c=5513 | option_d=5120 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3939 \times 130/100 = \text{₹}5120$.
- id=25827 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.
- id=25828 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=63 | option_b=52 | option_c=39 | option_d=51 | answer=D | explanation=The common difference is 12. Therefore the next term is $39 + 12 = 51$.
- id=25829 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 5. | option_a=15 | option_b=10 | option_c=75 | option_d=30 | answer=A | explanation= $LCM \times HCF = 15 \times 5$; $HCF(15,5) = 5$, so $LCM = 15$.
- id=25830 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**6484 at 4% per annum for 2 years. | option_a=7002 | option_b=418 | option_c=618 | option_d=518 | answer=D | explanation=SI = $PRT/100 = 6484 \times 4 \times 2/100 = \text{₹}518$.

Aptitude Questions — Records 25,831-25,860 of 100,000

id=25831 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 27. | option_a=210 | option_b=567 | option_c=189 | option_d=162 | answer=C | explanation=LCM × HCF = 21×27; HCF(21,27) = 3, so LCM = 189.

id=25832 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=25833 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 28? | option_a=19 | option_b=22 | option_c=16 | option_d=28 | answer=D | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 28 is the odd one out.

id=25834 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=25 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=25835 | topic=Averages | difficulty=Easy | question=Find the average of 65, 48, 88, 96, 10, 22, 18, 77. | option_a=53 | option_b=54 | option_c=52 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.

id=25836 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2539. If it is sold at a profit of 20%, what is its selling price? | option_a=2559 | option_b=3299 | option_c=2793 | option_d=3046 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2539 × 120/100 = █3046.

id=25837 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1050. If it is sold at a profit of 20%, what is its selling price? | option_a=1260 | option_b=1070 | option_c=1365 | option_d=1155 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1050 × 120/100 = █1260.

id=25838 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8011 at 15% per annum for 5 years. | option_a=6008 | option_b=14019 | option_c=5908 | option_d=6108 | answer=A | explanation=SI = PRT/100 = 8011×15×5/100 = █6008.

id=25839 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=52 | option_b=62 | option_c=53 | option_d=42 | answer=A | explanation=The common difference is 10. Therefore the next term is 42 + 10 = 52.

id=25840 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:15 and the first is 12, what is the second? | option_a=49 | option_b=57 | option_c=30 | option_d=45 | answer=D | explanation=Scale factor = 12/4 = 3. Therefore second quantity = 15×3 = 45.

id=25841 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:20 and the first is 34, what is the second? | option_a=20 | option_b=40 | option_c=57 | option_d=74 | answer=B | explanation=Scale factor = 34/17 = 2. Therefore second quantity = 20×2 = 40.

id=25842 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36296 at 12% per annum for 2 years. | option_a=45007 | option_b=8611 | option_c=8711 | option_d=8811 | answer=C | explanation=SI = PRT/100 = 36296×12×2/100 = █8711.

id=25843 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=34 | option_b=30 | option_c=24 | option_d=29 | answer=D | explanation=The common difference is 5. Therefore the next term is 24 + 5 = 29.

id=25844 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=Z | option_b=I | option_c=F | option_d=C | answer=C | explanation=Move 3 positions forward from C; the resulting letter is F.

id=25845 | topic=Averages | difficulty=Easy | question=Find the average of 48, 98, 10, 83, 41, 92. | option_a=61 | option_b=63 | option_c=62 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 372 ÷ 6 = 62.

id=25846 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14004 at 8% per annum for 3 years. | option_a=17364 | option_b=3260 | option_c=3360 | option_d=3460 | answer=C | explanation=SI = PRT/100 = 14004×8×3/100 = █3360.

id=25847 | topic=Percentages | difficulty=Easy | question=What is 30% of 758? | option_a=232 | option_b=454 | option_c=222 | option_d=227 | answer=D | explanation=30% of 758 = (30/100) × 758 = 227.

id=25848 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 13, 17, 21, ? | option_a=26 | option_b=21 | option_c=29 | option_d=25 | answer=D | explanation=The common difference is 4. Therefore the next term is 21 + 4 = 25.

id=25849 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=77 | option_c=72 | option_d=67 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=25850 | topic=Averages | difficulty=Easy | question=Find the average of 48, 59, 87, 54, 57. | option_a=60 | option_b=63 | option_c=61 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 305 ÷ 5 = 61.

id=25851 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=25852 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14475 at 8% per annum for 1 years. | option_a=1058 | option_b=1158 | option_c=1258 | option_d=15633 | answer=B | explanation=SI = PRT/100 = 14475×8×1/100 = █1158.

id=25853 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=62 | option_b=51 | option_c=63 | option_d=73 | answer=A | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.

id=25854 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=5 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=25855 | topic=Averages | difficulty=Easy | question=Find the average of 16, 96, 60, 17, 36. | option_a=45 | option_b=44 | option_c=46 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 225 ÷ 5 = 45.

id=25856 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:15 and the first is 272, what is the second? | option_a=527 | option_b=271 | option_c=255 | option_d=240 | answer=C | explanation=Scale factor = 272/16 = 17. Therefore second quantity = 15×17 = 255.

id=25857 | topic=Percentages | difficulty=Easy | question=What is 30% of 1298? | option_a=394 | option_b=369 | option_c=389 | option_d=778 | answer=C | explanation=30% of 1298 = (30/100) × 1298 = 389.

id=25858 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=145 | option_c=300 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=25859 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=25860 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

Aptitude Questions — Records 25,861-25,890 of 100,000

id=25861 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 28, 38, 49? | option_a=28 | option_b=38 | option_c=49 | option_d=18 | answer=C | explanation=The first three numbers increase by 10, so the next should be 48. Therefore 49 is the odd one out.

id=25862 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=48 | option_c=53 | option_d=43 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=25863 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39052 at 12% per annum for 4 years. | option_a=18844 | option_b=57796 | option_c=18644 | option_d=18744 | answer=D | explanation=SI = $PRT/100$ = $39052 \times 12 \times 4/100$ = **■**18744.

id=25864 | topic=Percentages | difficulty=Easy | question=What is 10% of 1977? | option_a=217 | option_b=394 | option_c=197 | option_d=177 | answer=C | explanation=10% of 1977 = $(10/100) \times 1977$ = 197.

id=25865 | topic=Averages | difficulty=Easy | question=Find the average of 17, 90, 46, 64, 48, 71. | option_a=57 | option_b=58 | option_c=55 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = $336 \div 6$ = 56.

id=25866 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=S | option_b=U | option_c=Y | option_d=W | answer=D | explanation=Move 2 positions forward from U; the resulting letter is W.

id=25867 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 15. | option_a=15 | option_b=75 | option_c=1 | option_d=20 | answer=A | explanation=LCM $\times$ HCF = 5×15 , HCF(5,15) = 5, so LCM = 15.

id=25868 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:5 and the first is 72, what is the second? | option_a=66 | option_b=55 | option_c=60 | option_d=132 | answer=C | explanation=Scale factor = $72/6$ = 12. Therefore second quantity = 5×12 = 60.

id=25869 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2422. If it is sold at a profit of 40%, what is its selling price? | option_a=3390 | option_b=3148 | option_c=3632 | option_d=2462 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100$ = $2422 \times 140/100$ = **■**3390.

id=25870 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = $300 \div 5$ = 60 km/h.

id=25871 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:2 and the first is 48, what is the second? | option_a=12 | option_b=60 | option_c=10 | option_d=20 | answer=A | explanation=Scale factor = $48/8$ = 6. Therefore second quantity = 2×6 = 12.

id=25872 | topic=Averages | difficulty=Easy | question=Find the average of 53, 74, 24, 35, 98, 28. | option_a=54 | option_b=52 | option_c=51 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = $312 \div 6$ = 52.

id=25873 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/6 + 1/6$ = $12/36$. Time = $36/12$ = 3 days.

id=25874 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $1/3 + 1/6$ = $9/18$. Time = $18/9$ = 2 days.

id=25875 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 14, 19, 25? | option_a=25 | option_b=19 | option_c=9 | option_d=14 | answer=A | explanation=The first three numbers increase by 5, so the next should be 24. Therefore 25 is the odd one out.

id=25876 | topic=Averages | difficulty=Easy | question=Find the average of 33, 70, 61, 33, 58. | option_a=50 | option_b=52 | option_c=51 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = $255 \div 5$ = 51.

id=25877 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=39 | option_b=31 | option_c=36 | option_d=35 | answer=D | explanation=The common difference is 4. Therefore the next term is $31 + 4$ = 35.

id=25878 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:15 and the first is 120, what is the second? | option_a=90 | option_b=110 | option_c=75 | option_d=210 | answer=A | explanation=Scale factor = $120/20$ = 6. Therefore second quantity = 15×6 = 90.

id=25879 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = $1/8 + 1/8$ = $16/64$. Time = $64/16$ = 4 days.

id=25880 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3042 at 4% per annum for 4 years. | option_a=486 | option_b=386 | option_c=586 | option_d=3528 | answer=A | explanation=SI = $PRT/100$ = $3042 \times 4 \times 4/100$ = **■**486.

id=25881 | topic=Averages | difficulty=Easy | question=Find the average of 62, 96, 34, 69, 20, 58, 46. | option_a=56 | option_b=57 | option_c=54 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = $385 \div 7$ = 55.

id=25882 | topic=Averages | difficulty=Easy | question=Find the average of 80, 54, 56, 50. | option_a=61 | option_b=60 | option_c=59 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = $240 \div 4$ = 60.

id=25883 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=80 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = $240 \div 6$ = 40 km/h.

id=25884 | topic=Percentages | difficulty=Easy | question=What is 20% of 1262? | option_a=504 | option_b=252 | option_c=272 | option_d=232 | answer=B | explanation=20% of 1262 = $(20/100) \times 1262$ = 252.

id=25885 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 34, 41, 51? | option_a=51 | option_b=34 | option_c=41 | option_d=27 | answer=A | explanation=The first three numbers increase by 7, so the next should be 48. Therefore 51 is the odd one out.

id=25886 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=C | option_b=F | option_c=D | option_d=E | answer=D | explanation=Move 1 positions forward from D; the resulting letter is E.

id=25887 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=K | option_b=Z | option_c=P | option_d=U | answer=D | explanation=Move 5 positions forward from P; the resulting letter is U.

id=25888 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=38 | option_b=33 | option_c=43 | option_d=39 | answer=A | explanation=The common difference is 5. Therefore the next term is $33 + 5$ = 38.

id=25889 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1690 at 6% per annum for 3 years. | option_a=204 | option_b=404 | option_c=1994 | option_d=304 | answer=D | explanation=SI = $PRT/100$ = $1690 \times 6 \times 3/100$ = **■**304.

id=25890 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:12 and the first is 117, what is the second? | option_a=156 | option_b=273 | option_c=144 | option_d=165 | answer=A | explanation=Scale factor = $117/9$ = 13. Therefore second quantity = 12×13 = 156.

Aptitude Questions — Records 25,891-25,920 of 100,000

id=25891 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 35? | option_a=35 | option_b=28 | option_c=26 | option_d=30 | answer=A | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 35 is the odd one out.

id=25892 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**17729 at 4% per annum for 5 years. | option_a=3445 | option_b=21274 | option_c=3645 | option_d=3545 | answer=D | explanation=SI = $PRT/100 = 17729 \times 4 \times 5/100 = \text{₹}3545$.

id=25893 | topic=Percentages | difficulty=Easy | question=What is 25% of 1158? | option_a=279 | option_b=309 | option_c=289 | option_d=578 | answer=C | explanation=25% of 1158 = $(25/100) \times 1158 = 289$.

id=25894 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=R | option_c=F | option_d=N | answer=D | explanation=Move 4 positions forward from J; the resulting letter is N.

id=25895 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:7 and the first is 33, what is the second? | option_a=110 | option_b=80 | option_c=70 | option_d=77 | answer=D | explanation=Scale factor = $33/3 = 11$. Therefore second quantity = $7 \times 11 = 77$.

id=25896 | topic=Percentages | difficulty=Easy | question=What is 5% of 484? | option_a=24 | option_b=14 | option_c=34 | option_d=48 | answer=A | explanation=5% of 484 = $(5/100) \times 484 = 24$.

id=25897 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = $150 \div 10 = 15$ km/h.

id=25898 | topic=Percentages | difficulty=Easy | question=What is 50% of 961? | option_a=960 | option_b=480 | option_c=490 | option_d=475 | answer=B | explanation=50% of 961 = $(50/100) \times 961 = 480$.

id=25899 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=33 | option_b=27 | option_c=34 | option_d=39 | answer=A | explanation=The common difference is 6. Therefore the next term is $27 + 6 = 33$.

id=25900 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 43? | option_a=28 | option_b=21 | option_c=43 | option_d=35 | answer=C | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 43 is the odd one out.

id=25901 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:13 and the first is 52, what is the second? | option_a=169 | option_b=156 | option_c=221 | option_d=173 | answer=A | explanation=Scale factor = $52/4 = 13$. Therefore second quantity = $13 \times 13 = 169$.

id=25902 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3695. If it is sold at a profit of 10%, what is its selling price? | option_a=3695 | option_b=4064 | option_c=3705 | option_d=4433 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3695 \times 110/100 = \text{₹}4064$.

id=25903 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=25904 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 35? | option_a=26 | option_b=35 | option_c=12 | option_d=19 | answer=B | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 35 is the odd one out.

id=25905 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 22, 27, 32, ? | option_a=32 | option_b=38 | option_c=42 | option_d=37 | answer=D | explanation=The common difference is 5. Therefore the next term is $32 + 5 = 37$.

id=25906 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=53 | option_c=96 | option_d=43 | answer=A | explanation=Speed = distance ÷ time = $240 \div 5 = 48$ km/h.

id=25907 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = $360 \div 6 = 60$ km/h.

id=25908 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:6 and the first is 39, what is the second? | option_a=78 | option_b=81 | option_c=117 | option_d=72 | answer=A | explanation=Scale factor = $39/3 = 13$. Therefore second quantity = $6 \times 13 = 78$.

id=25909 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:18 and the first is 143, what is the second? | option_a=211 | option_b=180 | option_c=341 | option_d=198 | answer=D | explanation=Scale factor = $143/13 = 11$. Therefore second quantity = $18 \times 11 = 198$.

id=25910 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=17 | option_d=7 | answer=B | explanation=Speed = distance ÷ time = $120 \div 10 = 12$ km/h.

id=25911 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 27, 30, 34? | option_a=34 | option_b=24 | option_c=30 | option_d=27 | answer=A | explanation=The first three numbers increase by 3, so the next should be 33. Therefore 34 is the odd one out.

id=25912 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=43 | option_c=96 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = $240 \div 5 = 48$ km/h.

id=25913 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=52 | option_b=64 | option_c=76 | option_d=65 | answer=B | explanation=The common difference is 12. Therefore the next term is $52 + 12 = 64$.

id=25914 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1073. If it is sold at a profit of 5%, what is its selling price? | option_a=1233 | option_b=1078 | option_c=1126 | option_d=1019 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1073 \times 105/100 = \text{₹}1126$.

id=25915 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 47? | option_a=40 | option_b=47 | option_c=28 | option_d=34 | answer=B | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 47 is the odd one out.

id=25916 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:7 and the first is 320, what is the second? | option_a=112 | option_b=432 | option_c=132 | option_d=105 | answer=A | explanation=Scale factor = $320/20 = 16$. Therefore second quantity = $7 \times 16 = 112$.

id=25917 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=30 | option_b=38 | option_c=39 | option_d=46 | answer=B | explanation=The common difference is 8. Therefore the next term is $30 + 8 = 38$.

id=25918 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 49? | option_a=49 | option_b=19 | option_c=28 | option_d=37 | answer=A | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 49 is the odd one out.

id=25919 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 10, 18, 27? | option_a=2 | option_b=18 | option_c=10 | option_d=27 | answer=D | explanation=The first three numbers increase by 8, so the next should be 26. Therefore 27 is the odd one out.

id=25920 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=32 | option_b=31 | option_c=28 | option_d=34 | answer=B | explanation=The common difference is 3. Therefore the next term is $28 + 3 = 31$.

Aptitude Questions — Records 25,921-25,950 of 100,000

id=25921 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:7 and the first is 60, what is the second? | option_a=102 | option_b=52 | option_c=35 | option_d=42 | answer=D | explanation=Scale factor = 60/10 = 6. Therefore second quantity = 7×6 = 42.

id=25922 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=J | option_c=F | option_d=R | answer=A | explanation=Move 4 positions forward from J; the resulting letter is N.

id=25923 | topic=Percentages | difficulty=Easy | question=What is 50% of 544? | option_a=292 | option_b=544 | option_c=272 | option_d=267 | answer=C | explanation=50% of 544 = (50/100) × 544 = 272.

id=25924 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1815. If it is sold at a profit of 50%, what is its selling price? | option_a=1865 | option_b=2903 | option_c=2722 | option_d=2541 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1815 × 150/100 = █2722.

id=25925 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2290. If it is sold at a profit of 10%, what is its selling price? | option_a=2748 | option_b=2290 | option_c=2300 | option_d=2519 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2290 × 110/100 = █2519.

id=25926 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5407 at 6% per annum for 2 years. | option_a=548 | option_b=748 | option_c=648 | option_d=6055 | answer=C | explanation=SI = PRT/100 = 5407×6×2/100 = █648.

id=25927 | topic=Percentages | difficulty=Easy | question=What is 12% of 1633? | option_a=195 | option_b=215 | option_c=185 | option_d=390 | answer=A | explanation=12% of 1633 = (12/100) × 1633 = 195.

id=25928 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=145 | option_c=155 | option_d=300 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=25929 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=L | option_b=K | option_c=J | option_d=I | answer=B | explanation=Move 1 positions forward from J; the resulting letter is K.

id=25930 | topic=Percentages | difficulty=Easy | question=What is 5% of 1970? | option_a=196 | option_b=88 | option_c=98 | option_d=103 | answer=C | explanation=5% of 1970 = (5/100) × 1970 = 98.

id=25931 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:15 and the first is 272, what is the second? | option_a=257 | option_b=240 | option_c=225 | option_d=512 | answer=B | explanation=Scale factor = 272/17 = 16. Therefore second quantity = 15×16 = 240.

id=25932 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=9 | option_c=14 | option_d=18 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=25933 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14469 at 15% per annum for 4 years. | option_a=8781 | option_b=8581 | option_c=23150 | option_d=8681 | answer=D | explanation=SI = PRT/100 = 14469×15×4/100 = █8681.

id=25934 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:8 and the first is 130, what is the second? | option_a=210 | option_b=93 | option_c=80 | option_d=72 | answer=C | explanation=Scale factor = 130/13 = 10. Therefore second quantity = 8×10 = 80.

id=25935 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=25936 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=S | option_b=X | option_c=I | option_d=N | answer=A | explanation=Move 5 positions forward from N; the resulting letter is S.

id=25937 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 24. | option_a=480 | option_b=96 | option_c=120 | option_d=140 | answer=C | explanation=LCM × HCF = 20×24; HCF(20,24) = 4, so LCM = 120.

id=25938 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11435 at 10% per annum for 4 years. | option_a=4674 | option_b=4574 | option_c=16009 | option_d=4474 | answer=B | explanation=SI = PRT/100 = 11435×10×4/100 = █4574.

id=25939 | topic=Averages | difficulty=Easy | question=Find the average of 31, 12, 71, 22. | option_a=36 | option_b=35 | option_c=33 | option_d=34 | answer=D | explanation=Average = sum of values ÷ number of values = 136 ÷ 4 = 34.

id=25940 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:7 and the first is 60, what is the second? | option_a=200 | option_b=143 | option_c=133 | option_d=140 | answer=D | explanation=Scale factor = 60/3 = 20. Therefore second quantity = 7×20 = 140.

id=25941 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6775 at 15% per annum for 4 years. | option_a=4065 | option_b=3965 | option_c=10840 | option_d=4165 | answer=A | explanation=SI = PRT/100 = 6775×15×4/100 = █4065.

id=25942 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=28 | option_b=22 | option_c=29 | option_d=34 | answer=A | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.

id=25943 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37586 at 15% per annum for 1 years. | option_a=5537 | option_b=5737 | option_c=43223 | option_d=5637 | answer=D | explanation=SI = PRT/100 = 37586×15×1/100 = █5637.

id=25944 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=20 | option_b=21 | option_c=19 | option_d=17 | answer=C | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=25945 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6689 at 8% per annum for 1 years. | option_a=635 | option_b=7224 | option_c=435 | option_d=535 | answer=D | explanation=SI = PRT/100 = 6689×8×1/100 = █535.

id=25946 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 22. | option_a=242 | option_b=528 | option_c=264 | option_d=288 | answer=C | explanation=LCM × HCF = 24×22; HCF(24,22) = 2, so LCM = 264.

id=25947 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 45? | option_a=27 | option_b=19 | option_c=45 | option_d=35 | answer=C | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 45 is the odd one out.

id=25948 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 10, 13, 16, ? | option_a=16 | option_b=20 | option_c=22 | option_d=19 | answer=D | explanation=The common difference is 3. Therefore the next term is 16 + 3 = 19.

id=25949 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 23? | option_a=15 | option_b=17 | option_c=23 | option_d=19 | answer=C | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 23 is the odd one out.

id=25950 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

Aptitude Questions — Records 25,951-25,980 of 100,000

id=25951 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 10. | option_a=20 | option_b=150 | option_c=45 | option_d=30 | answer=D | explanation=LCM × HCF = 15×10; HCF(15,10) = 5, so LCM = 30.

id=25952 | topic=Averages | difficulty=Easy | question=Find the average of 97, 84, 36, 60, 34, 95, 56. | option_a=68 | option_b=66 | option_c=67 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 462 ÷ 7 = 66.

id=25953 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13670 at 15% per annum for 1 years. | option_a=2150 | option_b=2050 | option_c=1950 | option_d=15720 | answer=B | explanation=SI = PRT/100 = 13670×15×1/100 = **■**2050.

id=25954 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 25, 34, 45? | option_a=45 | option_b=25 | option_c=34 | option_d=16 | answer=A | explanation=The first three numbers increase by 9, so the next should be 43. Therefore 45 is the odd one out.

id=25955 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=25956 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45025 at 10% per annum for 2 years. | option_a=9005 | option_b=9105 | option_c=54030 | option_d=8905 | answer=A | explanation=SI = PRT/100 = 45025×10×2/100 = **■**9005.

id=25957 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=25958 | topic=Percentages | difficulty=Easy | question=What is 50% of 947? | option_a=453 | option_b=946 | option_c=493 | option_d=473 | answer=D | explanation=50% of 947 = (50/100) × 947 = 473.

id=25959 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=30 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=25960 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 9, 14, 22? | option_a=22 | option_b=9 | option_c=4 | option_d=14 | answer=A | explanation=The first three numbers increase by 5, so the next should be 19. Therefore 22 is the odd one out.

id=25961 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:18 and the first is 150, what is the second? | option_a=420 | option_b=270 | option_c=252 | option_d=280 | answer=B | explanation=Scale factor = 150/10 = 15. Therefore second quantity = 18×15 = 270.

id=25962 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=W | option_c=T | option_d=N | answer=C | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=25963 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=25964 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=41 | option_b=36 | option_c=35 | option_d=29 | answer=C | explanation=The common difference is 6. Therefore the next term is 29 + 6 = 35.

id=25965 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33613 at 6% per annum for 5 years. | option_a=10083 | option_b=9983 | option_c=10183 | option_d=43696 | answer=A | explanation=SI = PRT/100 = 33613×6×5/100 = **■**10083.

id=25966 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2856. If it is sold at a profit of 5%, what is its selling price? | option_a=2998 | option_b=2713 | option_c=2861 | option_d=3283 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2856 × 105/100 = **■**2998.

id=25967 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=25968 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28115 at 10% per annum for 2 years. | option_a=5523 | option_b=5623 | option_c=5723 | option_d=33738 | answer=B | explanation=SI = PRT/100 = 28115×10×2/100 = **■**5623.

id=25969 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=24 | option_c=19 | option_d=29 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=25970 | topic=Averages | difficulty=Easy | question=Find the average of 74, 70, 66. | option_a=71 | option_b=70 | option_c=72 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 210 ÷ 3 = 70.

id=25971 | topic=Percentages | difficulty=Easy | question=What is 30% of 897? | option_a=269 | option_b=259 | option_c=279 | option_d=538 | answer=A | explanation=30% of 897 = (30/100) × 897 = 269.

id=25972 | topic=Percentages | difficulty=Easy | question=What is 20% of 835? | option_a=147 | option_b=334 | option_c=177 | option_d=167 | answer=D | explanation=20% of 835 = (20/100) × 835 = 167.

id=25973 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=53 | option_b=45 | option_c=46 | option_d=37 | answer=B | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=25974 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:2 and the first is 60, what is the second? | option_a=22 | option_b=10 | option_c=8 | option_d=70 | answer=B | explanation=Scale factor = 60/12 = 5. Therefore second quantity = 2×5 = 10.

id=25975 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=31 | option_b=32 | option_c=28 | option_d=34 | answer=A | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=25976 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46982 at 10% per annum for 4 years. | option_a=18792 | option_b=18892 | option_c=65774 | option_d=18692 | answer=A | explanation=SI = PRT/100 = 46982×10×4/100 = **■**18792.

id=25977 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 22, 25, 30? | option_a=19 | option_b=22 | option_c=25 | option_d=30 | answer=D | explanation=The first three numbers increase by 3, so the next should be 28. Therefore 30 is the odd one out.

id=25978 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34175 at 10% per annum for 4 years. | option_a=13770 | option_b=13570 | option_c=13670 | option_d=47845 | answer=C | explanation=SI = PRT/100 = 34175×10×4/100 = **■**13670.

id=25979 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=23 | option_b=24 | option_c=19 | option_d=27 | answer=A | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=25980 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19675 at 5% per annum for 3 years. | option_a=2851 | option_b=22626 | option_c=2951 | option_d=3051 | answer=C | explanation=SI = PRT/100 = 19675×5×3/100 = **■**2951.

Aptitude Questions — Records 25,981-26,010 of 100,000

id=25981 | topic=Percentages | difficulty=Easy | question=What is 12% of 425? | option_a=51 | option_b=102 | option_c=31 | option_d=56 | answer=A | explanation=12% of 425 = (12/100) × 425 = 51.

id=25982 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 31, 34, 38? | option_a=38 | option_b=28 | option_c=31 | option_d=34 | answer=A | explanation=The first three numbers increase by 3, so the next should be 37. Therefore 38 is the odd one out.

id=25983 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=25984 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36610 at 4% per annum for 1 years. | option_a=38074 | option_b=1464 | option_c=1364 | option_d=1564 | answer=B | explanation=SI = PRT/100 = 36610×4×1/100 = **■**1464.

id=25985 | topic=Averages | difficulty=Easy | question=Find the average of 100, 79, 96, 45. | option_a=80 | option_b=79 | option_c=81 | option_d=82 | answer=A | explanation=Average = sum of values ÷ number of values = 320 ÷ 4 = 80.

id=25986 | topic=Averages | difficulty=Easy | question=Find the average of 52, 91, 52. | option_a=66 | option_b=64 | option_c=65 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 195 ÷ 3 = 65.

id=25987 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33802 at 12% per annum for 2 years. | option_a=8212 | option_b=41914 | option_c=8012 | option_d=8112 | answer=D | explanation=SI = PRT/100 = 33802×12×2/100 = **■**8112.

id=25988 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:12 and the first is 51, what is the second? | option_a=36 | option_b=53 | option_c=24 | option_d=87 | answer=A | explanation=Scale factor = 51/17 = 3. Therefore second quantity = 12×3 = 36.

id=25989 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2216. If it is sold at a profit of 15%, what is its selling price? | option_a=2548 | option_b=2769 | option_c=2327 | option_d=2231 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2216 × 115/100 = **■**2548.

id=25990 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=155 | option_c=300 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=25991 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 10, 12, 14, ? | option_a=16 | option_b=17 | option_c=14 | option_d=18 | answer=A | explanation=The common difference is 2. Therefore the next term is 14 + 2 = 16.

id=25992 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 28. | option_a=28 | option_b=56 | option_c=30 | option_d=1 | answer=A | explanation=LCM × HCF = 2×28; HCF(2,28) = 2, so LCM = 28.

id=25993 | topic=Percentages | difficulty=Easy | question=What is 40% of 258? | option_a=93 | option_b=103 | option_c=206 | option_d=123 | answer=B | explanation=40% of 258 = (40/100) × 258 = 103.

id=25994 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=61 | option_b=70 | option_c=60 | option_d=50 | answer=C | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

id=25995 | topic=Averages | difficulty=Easy | question=Find the average of 34, 78, 28, 93, 51, 97, 19, 32. | option_a=56 | option_b=54 | option_c=55 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 432 ÷ 8 = 54.

id=25996 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:5 and the first is 80, what is the second? | option_a=41 | option_b=25 | option_c=105 | option_d=20 | answer=B | explanation=Scale factor = 80/16 = 5. Therefore second quantity = 5×5 = 25.

id=25997 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 15, 23, 33? | option_a=7 | option_b=23 | option_c=33 | option_d=15 | answer=C | explanation=The first three numbers increase by 8, so the next should be 31. Therefore 33 is the odd one out.

id=25998 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=66 | option_b=42 | option_c=54 | option_d=55 | answer=C | explanation=The common difference is 12. Therefore the next term is 42 + 12 = 54.

id=25999 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 23, 28, 35? | option_a=18 | option_b=23 | option_c=35 | option_d=28 | answer=C | explanation=The first three numbers increase by 5, so the next should be 33. Therefore 35 is the odd one out.

id=26000 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 10. | option_a=100 | option_b=10 | option_c=20 | option_d=1 | answer=B | explanation=LCM × HCF = 10×10; HCF(10,10) = 10, so LCM = 10.

id=26001 | topic=Averages | difficulty=Easy | question=Find the average of 64, 90, 33, 25. | option_a=55 | option_b=53 | option_c=52 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 212 ÷ 4 = 53.

id=26002 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:12 and the first is 34, what is the second? | option_a=204 | option_b=238 | option_c=192 | option_d=206 | answer=A | explanation=Scale factor = 34/2 = 17. Therefore second quantity = 12×17 = 204.

id=26003 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=40 | option_c=15 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=26004 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=V | option_c=T | option_d=U | answer=B | explanation=Move 1 positions forward from U; the resulting letter is V.

id=26005 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=26006 | topic=Percentages | difficulty=Easy | question=What is 25% of 1517? | option_a=379 | option_b=359 | option_c=389 | option_d=758 | answer=A | explanation=25% of 1517 = (25/100) × 1517 = 379.

id=26007 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=G | option_b=M | option_c=P | option_d=J | answer=B | explanation=Move 3 positions forward from J; the resulting letter is M.

id=26008 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=26009 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:9 and the first is 80, what is the second? | option_a=63 | option_b=72 | option_c=82 | option_d=152 | answer=B | explanation=Scale factor = 80/10 = 8. Therefore second quantity = 9×8 = 72.

id=26010 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:2 and the first is 34, what is the second? | option_a=32 | option_b=36 | option_c=34 | option_d=68 | answer=C | explanation=Scale factor = 34/2 = 17. Therefore second quantity = 2×17 = 34.

Aptitude Questions — Records 26,011-26,040 of 100,000

- id=26011 | topic=Profit & Loss | difficulty=Easy | question=An article costs █567. If it is sold at a profit of 15%, what is its selling price? | option_a=652 | option_b=582 | option_c=708 | option_d=596 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 567 × 115/100 = █652.
- id=26012 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 45? | option_a=21 | option_b=45 | option_c=35 | option_d=28 | answer=B | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 45 is the odd one out.
- id=26013 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=54 | option_b=46 | option_c=36 | option_d=45 | answer=D | explanation=The common difference is 9. Therefore the next term is 36 + 9 = 45.
- id=26014 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 24. | option_a=432 | option_b=48 | option_c=90 | option_d=72 | answer=D | explanation=LCM × HCF = 18×24; HCF(18,24) = 6, so LCM = 72.
- id=26015 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.
- id=26016 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=B | option_c=J | option_d=N | answer=C | explanation=Move 4 positions forward from F; the resulting letter is J.
- id=26017 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 22? | option_a=3 | option_b=9 | option_c=15 | option_d=22 | answer=D | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 22 is the odd one out.
- id=26018 | topic=Profit & Loss | difficulty=Easy | question=An article costs █992. If it is sold at a profit of 15%, what is its selling price? | option_a=1140 | option_b=1041 | option_c=1239 | option_d=1007 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 992 × 115/100 = █1140.
- id=26019 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=6 | option_c=1 | option_d=11 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.
- id=26020 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=Q | option_b=K | option_c=N | option_d=H | answer=C | explanation=Move 3 positions forward from K; the resulting letter is N.
- id=26021 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42534 at 5% per annum for 3 years. | option_a=6480 | option_b=48914 | option_c=6380 | option_d=6280 | answer=C | explanation=SI = PRT/100 = 42534×5×3/100 = █6380.
- id=26022 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=O | option_b=J | option_c=E | option_d=Z | answer=B | explanation=Move 5 positions forward from E; the resulting letter is J.
- id=26023 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=26024 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30381 at 5% per annum for 4 years. | option_a=6076 | option_b=5976 | option_c=6176 | option_d=36457 | answer=A | explanation=SI = PRT/100 = 30381×5×4/100 = █6076.
- id=26025 | topic=Profit & Loss | difficulty=Easy | question=An article costs █201. If it is sold at a profit of 15%, what is its selling price? | option_a=211 | option_b=216 | option_c=251 | option_d=231 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 201 × 115/100 = █231.
- id=26026 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 5, 8, 11, ? | option_a=14 | option_b=15 | option_c=11 | option_d=17 | answer=A | explanation=The common difference is 3. Therefore the next term is 11 + 3 = 14.
- id=26027 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=28 | option_b=34 | option_c=22 | option_d=29 | answer=A | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.
- id=26028 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:19 and the first is 128, what is the second? | option_a=168 | option_b=133 | option_c=152 | option_d=280 | answer=C | explanation=Scale factor = 128/16 = 8. Therefore second quantity = 19×8 = 152.
- id=26029 | topic=Averages | difficulty=Easy | question=Find the average of 27, 85, 68, 30, 15. | option_a=44 | option_b=47 | option_c=45 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 225 ÷ 5 = 45.
- id=26030 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:4 and the first is 180, what is the second? | option_a=72 | option_b=82 | option_c=68 | option_d=252 | answer=A | explanation=Scale factor = 180/10 = 18. Therefore second quantity = 4×18 = 72.
- id=26031 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.
- id=26032 | topic=Percentages | difficulty=Easy | question=What is 40% of 1904? | option_a=771 | option_b=761 | option_c=1522 | option_d=741 | answer=B | explanation=40% of 1904 = (40/100) × 1904 = 761.
- id=26033 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:15 and the first is 32, what is the second? | option_a=68 | option_b=92 | option_c=45 | option_d=60 | answer=D | explanation=Scale factor = 32/8 = 4. Therefore second quantity = 15×4 = 60.
- id=26034 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4624. If it is sold at a profit of 40%, what is its selling price? | option_a=6473 | option_b=6935 | option_c=4664 | option_d=6011 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4624 × 140/100 = █6473.
- id=26035 | topic=Percentages | difficulty=Easy | question=What is 30% of 604? | option_a=201 | option_b=171 | option_c=362 | option_d=181 | answer=D | explanation=30% of 604 = (30/100) × 604 = 181.
- id=26036 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 5, 8, 11, ? | option_a=15 | option_b=17 | option_c=14 | option_d=11 | answer=C | explanation=The common difference is 3. Therefore the next term is 11 + 3 = 14.
- id=26037 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4647. If it is sold at a profit of 20%, what is its selling price? | option_a=5112 | option_b=5576 | option_c=6040 | option_d=4667 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4647 × 120/100 = █5576.
- id=26038 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 33, 42, 54? | option_a=54 | option_b=42 | option_c=24 | option_d=33 | answer=A | explanation=The first three numbers increase by 9, so the next should be 51. Therefore 54 is the odd one out.
- id=26039 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 20. | option_a=20 | option_b=100 | option_c=1 | option_d=25 | answer=A | explanation=LCM × HCF = 5×20; HCF(5,20) = 5, so LCM = 20.
- id=26040 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:20 and the first is 14, what is the second? | option_a=120 | option_b=154 | option_c=142 | option_d=140 | answer=D | explanation=Scale factor = 14/2 = 7. Therefore second quantity = 20×7 = 140.

Aptitude Questions — Records 26,041-26,070 of 100,000

id=26041 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 58? | option_a=47 | option_b=29 | option_c=58 | option_d=38 | answer=C | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 58 is the odd one out.

id=26042 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=45 | option_b=55 | option_c=35 | option_d=46 | answer=A | explanation=The common difference is 10. Therefore the next term is 35 + 10 = 45.

id=26043 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=34 | option_b=33 | option_c=27 | option_d=39 | answer=B | explanation=The common difference is 6. Therefore the next term is 27 + 6 = 33.

id=26044 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 29, 38, 48? | option_a=20 | option_b=48 | option_c=29 | option_d=38 | answer=B | explanation=The first three numbers increase by 9, so the next should be 47. Therefore 48 is the odd one out.

id=26045 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=32 | option_b=28 | option_c=34 | option_d=31 | answer=D | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=26046 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:17 and the first is 266, what is the second? | option_a=323 | option_b=589 | option_c=306 | option_d=337 | answer=A | explanation=Scale factor = $266/14 = 19$. Therefore second quantity = $17 \times 19 = 323$.

id=26047 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:8 and the first is 16, what is the second? | option_a=36 | option_b=24 | option_c=32 | option_d=48 | answer=C | explanation=Scale factor = $16/4 = 4$. Therefore second quantity = $8 \times 4 = 32$.

id=26048 | topic=Percentages | difficulty=Easy | question=What is 5% of 352? | option_a=22 | option_b=12 | option_c=17 | option_d=34 | answer=C | explanation=5% of 352 = $(5/100) \times 352 = 17$.

id=26049 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=26050 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=26051 | topic=Percentages | difficulty=Easy | question=What is 30% of 1365? | option_a=818 | option_b=409 | option_c=389 | option_d=419 | answer=B | explanation=30% of 1365 = $(30/100) \times 1365 = 409$.

id=26052 | topic=Averages | difficulty=Easy | question=Find the average of 47, 79, 67, 100, 85, 46, 17. | option_a=64 | option_b=65 | option_c=62 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = $441 \div 7 = 63$.

id=26053 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 10. | option_a=75 | option_b=50 | option_c=40 | option_d=250 | answer=B | explanation= $LCM \times HCF = 25 \times 10$; $HCF(25,10) = 5$, so $LCM = 50$.

id=26054 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 25? | option_a=6 | option_b=25 | option_c=18 | option_d=12 | answer=B | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 25 is the odd one out.

id=26055 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 37, 46, 57? | option_a=46 | option_b=57 | option_c=37 | option_d=28 | answer=B | explanation=The first three numbers increase by 9, so the next should be 55. Therefore 57 is the odd one out.

id=26056 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43242 at 15% per annum for 3 years. | option_a=19358 | option_b=19558 | option_c=19458 | option_d=62700 | answer=C | explanation=SI = $PRT/100 = 43242 \times 15 \times 3/100 = \text{■}19458$.

id=26057 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**273. If it is sold at a profit of 50%, what is its selling price? | option_a=323 | option_b=436 | option_c=382 | option_d=409 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 273 \times 150/100 = \text{■}409$.

id=26058 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3880. If it is sold at a profit of 25%, what is its selling price? | option_a=3905 | option_b=5238 | option_c=4462 | option_d=4850 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3880 \times 125/100 = \text{■}4850$.

id=26059 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:18 and the first is 76, what is the second? | option_a=342 | option_b=418 | option_c=346 | option_d=324 | answer=A | explanation=Scale factor = $76/4 = 19$. Therefore second quantity = $18 \times 19 = 342$.

id=26060 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 44? | option_a=37 | option_b=44 | option_c=33 | option_d=29 | answer=B | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 44 is the odd one out.

id=26061 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:9 and the first is 210, what is the second? | option_a=141 | option_b=117 | option_c=336 | option_d=126 | answer=D | explanation=Scale factor = $210/15 = 14$. Therefore second quantity = $9 \times 14 = 126$.

id=26062 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 24? | option_a=17 | option_b=24 | option_c=15 | option_d=19 | answer=B | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 24 is the odd one out.

id=26063 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=26064 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2537. If it is sold at a profit of 15%, what is its selling price? | option_a=2917 | option_b=2552 | option_c=3170 | option_d=2664 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2537 \times 115/100 = \text{■}2917$.

id=26065 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = $120 \div 3 = 40$ km/h.

id=26066 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=12 | option_d=4 | answer=B | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=26067 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:8 and the first is 144, what is the second? | option_a=120 | option_b=137 | option_c=272 | option_d=128 | answer=D | explanation=Scale factor = $144/9 = 16$. Therefore second quantity = $8 \times 16 = 128$.

id=26068 | topic=Averages | difficulty=Easy | question=Find the average of 26, 88, 42, 12, 19, 47. | option_a=41 | option_b=40 | option_c=38 | option_d=39 | answer=D | explanation=Average = sum of values ÷ number of values = $234 \div 6 = 39$.

id=26069 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does "T" become? | option_a=T | option_b=S | option_c=V | option_d=U | answer=D | explanation=Move 1 positions forward from T; the resulting letter is U.

id=26070 | topic=Percentages | difficulty=Easy | question=What is 5% of 1841? | option_a=87 | option_b=112 | option_c=92 | option_d=184 | answer=C | explanation=5% of 1841 = $(5/100) \times 1841 = 92$.

Aptitude Questions — Records 26,071-26,100 of 100,000

- id=26071 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=48 | option_b=49 | option_c=59 | option_d=37 | answer=A | explanation=The common difference is 11. Therefore the next term is 37 + 11 = 48.
- id=26072 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1665 at 5% per annum for 3 years. | option_a=1914 | option_b=249 | option_c=149 | option_d=349 | answer=B | explanation=SI = $\frac{PRT}{100}$ = $\frac{1665 \times 5 \times 3}{100}$ = **■**249.
- id=26073 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 13, 17, 21, ? | option_a=21 | option_b=25 | option_c=26 | option_d=29 | answer=B | explanation=The common difference is 4. Therefore the next term is 21 + 4 = 25.
- id=26074 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2554. If it is sold at a profit of 50%, what is its selling price? | option_a=3576 | option_b=2604 | option_c=4086 | option_d=3831 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100$ = $2554 \times \frac{150}{100}$ = **■**3831.
- id=26075 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**205. If it is sold at a profit of 25%, what is its selling price? | option_a=256 | option_b=230 | option_c=276 | option_d=236 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100$ = $205 \times \frac{125}{100}$ = **■**256.
- id=26076 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 15. | option_a=30 | option_b=60 | option_c=15 | option_d=450 | answer=A | explanation=LCM $\times$ HCF = 30×15 ; HCF(30,15) = 15, so LCM = 30.
- id=26077 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6371 at 12% per annum for 1 years. | option_a=7135 | option_b=664 | option_c=764 | option_d=864 | answer=C | explanation=SI = $\frac{PRT}{100}$ = $\frac{6371 \times 12 \times 1}{100}$ = **■**764.
- id=26078 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 13, 19, 27? | option_a=13 | option_b=19 | option_c=27 | option_d=7 | answer=C | explanation=The first three numbers increase by 6, so the next should be 25. Therefore 27 is the odd one out.
- id=26079 | topic=Percentages | difficulty=Easy | question=What is 10% of 743? | option_a=74 | option_b=54 | option_c=148 | option_d=94 | answer=A | explanation=10% of 743 = $(\frac{10}{100}) \times 743$ = 74.
- id=26080 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 15. | option_a=75 | option_b=100 | option_c=375 | option_d=60 | answer=A | explanation=LCM $\times$ HCF = 25×15 ; HCF(25,15) = 5, so LCM = 75.
- id=26081 | topic=Averages | difficulty=Easy | question=Find the average of 28, 95, 52, 53, 89, 26, 78, 107. | option_a=66 | option_b=65 | option_c=67 | option_d=68 | answer=A | explanation=Average = sum of values + number of values = $528 \div 8$ = 66.
- id=26082 | topic=Averages | difficulty=Easy | question=Find the average of 37, 87, 47, 69, 30. | option_a=53 | option_b=54 | option_c=56 | option_d=55 | answer=B | explanation=Average = sum of values $\div$ number of values = $270 \div 5$ = 54.
- id=26083 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=N | option_c=Z | option_d=V | answer=D | explanation=Move 4 positions forward from R; the resulting letter is V.
- id=26084 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=25 | option_d=50 | answer=C | explanation=Speed = distance $\div$ time = $150 \div 6$ = 25 km/h.
- id=26085 | topic=Averages | difficulty=Easy | question=Find the average of 100, 54, 99, 62, 65. | option_a=75 | option_b=77 | option_c=78 | option_d=76 | answer=D | explanation=Average = sum of values $\div$ number of values = $380 \div 5$ = 76.
- id=26086 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=L | option_b=R | option_c=O | option_d=U | answer=B | explanation=Move 3 positions forward from O; the resulting letter is R.
- id=26087 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1344. If it is sold at a profit of 10%, what is its selling price? | option_a=1344 | option_b=1612 | option_c=1478 | option_d=1354 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100$ = $1344 \times \frac{110}{100}$ = **■**1478.
- id=26088 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30255 at 4% per annum for 5 years. | option_a=6151 | option_b=36306 | option_c=5951 | option_d=6051 | answer=D | explanation=SI = $\frac{PRT}{100}$ = $\frac{30255 \times 4 \times 5}{100}$ = **■**6051.
- id=26089 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4790. If it is sold at a profit of 20%, what is its selling price? | option_a=5269 | option_b=5748 | option_c=4810 | option_d=6227 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100$ = $4790 \times \frac{120}{100}$ = **■**5748.
- id=26090 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:9 and the first is 77, what is the second? | option_a=106 | option_b=176 | option_c=99 | option_d=90 | answer=C | explanation=Scale factor = $77 / 7$ = 11. Therefore second quantity = 9×11 = 99.
- id=26091 | topic=Percentages | difficulty=Easy | question=What is 50% of 974? | option_a=492 | option_b=487 | option_c=482 | option_d=974 | answer=B | explanation=50% of 974 = $(\frac{50}{100}) \times 974$ = 487.
- id=26092 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=26 | option_b=22 | option_c=25 | option_d=28 | answer=C | explanation=The common difference is 3. Therefore the next term is 22 + 3 = 25.
- id=26093 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12}$ = 3 days.
- id=26094 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36333 at 4% per annum for 1 years. | option_a=1553 | option_b=37786 | option_c=1453 | option_d=1353 | answer=C | explanation=SI = $\frac{PRT}{100}$ = $\frac{36333 \times 4 \times 1}{100}$ = **■**1453.
- id=26095 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=O | option_c=D | option_d=Y | answer=D | explanation=Move 5 positions forward from T; the resulting letter is Y.
- id=26096 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12}$ = 3 days.
- id=26097 | topic=Averages | difficulty=Easy | question=Find the average of 68, 19, 83, 82, 87, 57. | option_a=67 | option_b=68 | option_c=66 | option_d=65 | answer=C | explanation=Average = sum of values + number of values = $396 \div 6$ = 66.
- id=26098 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41880 at 10% per annum for 2 years. | option_a=8276 | option_b=50256 | option_c=8376 | option_d=8476 | answer=C | explanation=SI = $\frac{PRT}{100}$ = $\frac{41880 \times 10 \times 2}{100}$ = **■**8376.
- id=26099 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = $\frac{1}{4} + \frac{1}{4} = \frac{8}{16}$. Time = $\frac{16}{8}$ = 2 days.
- id=26100 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22004 at 4% per annum for 5 years. | option_a=4300 | option_b=4400 | option_c=26404 | option_d=4500 | answer=B | explanation=SI = $\frac{PRT}{100}$ = $\frac{22004 \times 4 \times 5}{100}$ = **■**4400.

Aptitude Questions — Records 26,101-26,130 of 100,000

id=26101 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=26102 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=26103 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=26104 | topic=Averages | difficulty=Easy | question=Find the average of 55, 27, 22, 13, 30, 18, 80, 90, 88. | option_a=46 | option_b=48 | option_c=47 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 423 ÷ 9 = 47.

id=26105 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=K | option_c=N | option_d=E | answer=B | explanation=Move 3 positions forward from H; the resulting letter is K.

id=26106 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3486. If it is sold at a profit of 30%, what is its selling price? | option_a=3516 | option_b=4531 | option_c=4879 | option_d=4183 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3486 × 130/100 = █4531.

id=26107 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=N | option_b=D | option_c=I | option_d=Y | answer=C | explanation=Move 5 positions forward from D; the resulting letter is I.

id=26108 | topic=Percentages | difficulty=Easy | question=What is 15% of 941? | option_a=282 | option_b=146 | option_c=141 | option_d=131 | answer=C | explanation=15% of 941 = (15/100) × 941 = 141.

id=26109 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:3 and the first is 32, what is the second? | option_a=56 | option_b=24 | option_c=28 | option_d=21 | answer=B | explanation=Scale factor = 32/4 = 8. Therefore second quantity = 3×8 = 24.

id=26110 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 7, 10, 15? | option_a=7 | option_b=15 | option_c=10 | option_d=4 | answer=B | explanation=The first three numbers increase by 3, so the next should be 13. Therefore 15 is the odd one out.

id=26111 | topic=Averages | difficulty=Easy | question=Find the average of 36, 71, 18, 30, 85, 69, 95, 38, 10, 38. | option_a=48 | option_b=51 | option_c=50 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 490 ÷ 10 = 49.

id=26112 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:7 and the first is 32, what is the second? | option_a=14 | option_b=46 | option_c=30 | option_d=7 | answer=A | explanation=Scale factor = 32/16 = 2. Therefore second quantity = 7×2 = 14.

id=26113 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=32 | option_b=27 | option_c=20 | option_d=26 | answer=D | explanation=The common difference is 6. Therefore the next term is 20 + 6 = 26.

id=26114 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=72 | option_b=50 | option_c=61 | option_d=62 | answer=C | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.

id=26115 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3650. If it is sold at a profit of 40%, what is its selling price? | option_a=3690 | option_b=5475 | option_c=5110 | option_d=4745 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3650 × 140/100 = █5110.

id=26116 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:19 and the first is 64, what is the second? | option_a=216 | option_b=133 | option_c=152 | option_d=160 | answer=C | explanation=Scale factor = 64/8 = 8. Therefore second quantity = 19×8 = 152.

id=26117 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 31, 42, 53, ? | option_a=65 | option_b=53 | option_c=75 | option_d=64 | answer=D | explanation=The common difference is 11. Therefore the next term is 53 + 11 = 64.

id=26118 | topic=Percentages | difficulty=Easy | question=What is 25% of 1961? | option_a=490 | option_b=510 | option_c=980 | option_d=470 | answer=A | explanation=25% of 1961 = (25/100) × 1961 = 490.

id=26119 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 21? | option_a=15 | option_b=21 | option_c=17 | option_d=13 | answer=B | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 21 is the odd one out.

id=26120 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 5, 7, 11? | option_a=5 | option_b=7 | option_c=3 | option_d=11 | answer=D | explanation=The first three numbers increase by 2, so the next should be 9. Therefore 11 is the odd one out.

id=26121 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=X | option_b=M | option_c=C | option_d=H | answer=D | explanation=Move 5 positions forward from C; the resulting letter is H.

id=26122 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 62? | option_a=30 | option_b=62 | option_c=50 | option_d=40 | answer=B | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 62 is the odd one out.

id=26123 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:20 and the first is 85, what is the second? | option_a=100 | option_b=117 | option_c=185 | option_d=80 | answer=A | explanation=Scale factor = 85/17 = 5. Therefore second quantity = 20×5 = 100.

id=26124 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:7 and the first is 224, what is the second? | option_a=98 | option_b=322 | option_c=91 | option_d=114 | answer=A | explanation=Scale factor = 224/16 = 14. Therefore second quantity = 7×14 = 98.

id=26125 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 20, 22, 25? | option_a=25 | option_b=18 | option_c=20 | option_d=22 | answer=A | explanation=The first three numbers increase by 2, so the next should be 24. Therefore 25 is the odd one out.

id=26126 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=5 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=26127 | topic=Percentages | difficulty=Easy | question=What is 20% of 1945? | option_a=369 | option_b=399 | option_c=778 | option_d=389 | answer=D | explanation=20% of 1945 = (20/100) × 1945 = 389.

id=26128 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=26129 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 52? | option_a=52 | option_b=23 | option_c=41 | option_d=32 | answer=A | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 52 is the odd one out.

id=26130 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:16 and the first is 90, what is the second? | option_a=80 | option_b=96 | option_c=111 | option_d=186 | answer=B | explanation=Scale factor = 90/15 = 6. Therefore second quantity = 16×6 = 96.

Aptitude Questions — Records 26,131-26,160 of 100,000

id=26131 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 24? | option_a=19 | option_b=24 | option_c=17 | option_d=15 | answer=B | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 24 is the odd one out.

id=26132 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=29 | option_c=24 | option_d=19 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=26133 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=34 | option_b=33 | option_c=37 | option_d=29 | answer=B | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=26134 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:20 and the first is 171, what is the second? | option_a=389 | option_b=551 | option_c=380 | option_d=360 | answer=C | explanation=Scale factor = 171/9 = 19. Therefore second quantity = 20×19 = 380.

id=26135 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=X | option_b=J | option_c=F | option_d=B | answer=C | explanation=Move 4 positions forward from B; the resulting letter is F.

id=26136 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4181. If it is sold at a profit of 30%, what is its selling price? | option_a=5435 | option_b=5017 | option_c=4211 | option_d=5853 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4181 × 130/100 = █5435.

id=26137 | topic=Averages | difficulty=Easy | question=Find the average of 99, 85, 44, 67, 68, 82, 51, 68, 19, 87. | option_a=69 | option_b=66 | option_c=67 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 670 ÷ 10 = 67.

id=26138 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:14 and the first is 12, what is the second? | option_a=54 | option_b=28 | option_c=46 | option_d=42 | answer=D | explanation=Scale factor = 12/4 = 3. Therefore second quantity = 14×3 = 42.

id=26139 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=M | option_c=I | option_d=G | answer=A | explanation=Move 2 positions forward from I; the resulting letter is K.

id=26140 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:12 and the first is 289, what is the second? | option_a=192 | option_b=493 | option_c=221 | option_d=204 | answer=D | explanation=Scale factor = 289/17 = 17. Therefore second quantity = 12×17 = 204.

id=26141 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=26142 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=D | option_c=G | option_d=X | answer=B | explanation=Move 3 positions forward from A; the resulting letter is D.

id=26143 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=Z | option_b=I | option_c=C | option_d=F | answer=D | explanation=Move 3 positions forward from C; the resulting letter is F.

id=26144 | topic=Percentages | difficulty=Easy | question=What is 20% of 1169? | option_a=213 | option_b=466 | option_c=243 | option_d=233 | answer=D | explanation=20% of 1169 = (20/100) × 1169 = 233.

id=26145 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=16 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=26146 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=L | option_c=A | option_d=V | answer=D | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=26147 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=26148 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:20 and the first is 30, what is the second? | option_a=150 | option_b=100 | option_c=125 | option_d=120 | answer=D | explanation=Scale factor = 30/5 = 6. Therefore second quantity = 20×6 = 120.

id=26149 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=50 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=26150 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=18 | option_c=36 | option_d=23 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=26151 | topic=Percentages | difficulty=Easy | question=What is 40% of 1515? | option_a=586 | option_b=1212 | option_c=606 | option_d=611 | answer=C | explanation=40% of 1515 = (40/100) × 1515 = 606.

id=26152 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=U | option_c=Y | option_d=S | answer=A | explanation=Move 2 positions forward from U; the resulting letter is W.

id=26153 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=C | option_b=L | option_c=I | option_d=F | answer=C | explanation=Move 3 positions forward from F; the resulting letter is I.

id=26154 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1738. If it is sold at a profit of 40%, what is its selling price? | option_a=1778 | option_b=2260 | option_c=2433 | option_d=2606 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1738 × 140/100 = █2433.

id=26155 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23808 at 6% per annum for 4 years. | option_a=5613 | option_b=5813 | option_c=29521 | option_d=5713 | answer=D | explanation=SI = PRT/100 = 23808×6×4/100 = █5713.

id=26156 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 28? | option_a=22 | option_b=28 | option_c=20 | option_d=24 | answer=B | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 28 is the odd one out.

id=26157 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 14. | option_a=14 | option_b=28 | option_c=1 | option_d=196 | answer=A | explanation=LCM × HCF = 14×14; HCF(14,14) = 14, so LCM = 14.

id=26158 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 21. | option_a=144 | option_b=126 | option_c=378 | option_d=105 | answer=B | explanation=LCM × HCF = 18×21; HCF(18,21) = 3, so LCM = 126.

id=26159 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:1 and the first is 65, what is the second? | option_a=13 | option_b=12 | option_c=78 | option_d=18 | answer=A | explanation=Scale factor = 65/5 = 13. Therefore second quantity = 1×13 = 13.

id=26160 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=O | option_b=G | option_c=K | option_d=C | answer=C | explanation=Move 4 positions forward from G; the resulting letter is K.

Aptitude Questions — Records 26,161-26,190 of 100,000

id=26161 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3740. If it is sold at a profit of 10%, what is its selling price? | option_a=4114 | option_b=4488 | option_c=3740 | option_d=3750 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3740 × 110/100 = █4114.

id=26162 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:8 and the first is 54, what is the second? | option_a=16 | option_b=78 | option_c=24 | option_d=42 | answer=C | explanation=Scale factor = 54/18 = 3. Therefore second quantity = 8×3 = 24.

id=26163 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2105. If it is sold at a profit of 10%, what is its selling price? | option_a=2115 | option_b=2105 | option_c=2525 | option_d=2315 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2105 × 110/100 = █2315.

id=26164 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26442 at 15% per annum for 2 years. | option_a=7932 | option_b=8032 | option_c=7832 | option_d=34374 | answer=A | explanation=SI = PRT/100 = 26442×15×2/100 = █7932.

id=26165 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=I | option_c=M | option_d=O | answer=C | explanation=Move 2 positions forward from K; the resulting letter is M.

id=26166 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:17 and the first is 288, what is the second? | option_a=290 | option_b=272 | option_c=560 | option_d=255 | answer=B | explanation=Scale factor = 288/18 = 16. Therefore second quantity = 17×16 = 272.

id=26167 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2631. If it is sold at a profit of 30%, what is its selling price? | option_a=3683 | option_b=3157 | option_c=3420 | option_d=2661 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2631 × 130/100 = █3420.

id=26168 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 8. | option_a=192 | option_b=48 | option_c=24 | option_d=16 | answer=C | explanation=LCM × HCF = 24×8; HCF(24,8) = 8, so LCM = 24.

id=26169 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=J | option_b=G | option_c=A | option_d=D | answer=B | explanation=Move 3 positions forward from D; the resulting letter is G.

id=26170 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=26171 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16776 at 10% per annum for 4 years. | option_a=6710 | option_b=23486 | option_c=6810 | option_d=6610 | answer=A | explanation=SI = PRT/100 = 16776×10×4/100 = █6710.

id=26172 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35830 at 8% per annum for 5 years. | option_a=14232 | option_b=14332 | option_c=14432 | option_d=50162 | answer=B | explanation=SI = PRT/100 = 35830×8×5/100 = █14332.

id=26173 | topic=Averages | difficulty=Easy | question=Find the average of 98, 69, 58, 15, 100. | option_a=69 | option_b=70 | option_c=68 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 340 ÷ 5 = 68.

id=26174 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=26175 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=26176 | topic=Averages | difficulty=Easy | question=Find the average of 98, 96, 86, 49, 62, 74, 74. | option_a=76 | option_b=77 | option_c=79 | option_d=78 | answer=B | explanation=Average = sum of values ÷ number of values = 539 ÷ 7 = 77.

id=26177 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=27 | option_b=23 | option_c=25 | option_d=26 | answer=C | explanation=The common difference is 2. Therefore the next term is 23 + 2 = 25.

id=26178 | topic=Percentages | difficulty=Easy | question=What is 15% of 1668? | option_a=230 | option_b=500 | option_c=250 | option_d=260 | answer=C | explanation=15% of 1668 = (15/100) × 1668 = 250.

id=26179 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=55 | option_c=50 | option_d=100 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=26180 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 30? | option_a=23 | option_b=18 | option_c=30 | option_d=13 | answer=C | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 30 is the odd one out.

id=26181 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3444. If it is sold at a profit of 40%, what is its selling price? | option_a=3484 | option_b=4477 | option_c=4821 | option_d=5165 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3444 × 140/100 = █4821.

id=26182 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=50 | option_b=62 | option_c=38 | option_d=51 | answer=A | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=26183 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=26184 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=F | option_b=H | option_c=G | option_d=I | answer=B | explanation=Move 1 positions forward from G; the resulting letter is H.

id=26185 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 13, 21, 30? | option_a=13 | option_b=30 | option_c=5 | option_d=21 | answer=B | explanation=The first three numbers increase by 8, so the next should be 29. Therefore 30 is the odd one out.

id=26186 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=48 | option_c=24 | option_d=19 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=26187 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30711 at 10% per annum for 2 years. | option_a=6142 | option_b=6242 | option_c=36853 | option_d=6042 | answer=A | explanation=SI = PRT/100 = 30711×10×2/100 = █6142.

id=26188 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2043. If it is sold at a profit of 50%, what is its selling price? | option_a=2860 | option_b=3064 | option_c=3268 | option_d=2093 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2043 × 150/100 = █3064.

id=26189 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=V | option_c=N | option_d=Z | answer=B | explanation=Move 4 positions forward from R; the resulting letter is V.

id=26190 | topic=Averages | difficulty=Easy | question=Find the average of 26, 70, 55, 30, 65, 30. | option_a=48 | option_b=45 | option_c=46 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 276 ÷ 6 = 46.

Aptitude Questions — Records 26,191-26,220 of 100,000

id=26191 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 28. | option_a=252 | option_b=504 | option_c=270 | option_d=224 | answer=A | explanation=LCM × HCF = 18×28; HCF(18,28) = 2, so LCM = 252.

id=26192 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=39 | option_b=34 | option_c=33 | option_d=27 | answer=C | explanation=The common difference is 6. Therefore the next term is 27 + 6 = 33.

id=26193 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2373. If it is sold at a profit of 40%, what is its selling price? | option_a=3085 | option_b=2413 | option_c=3559 | option_d=3322 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2373 × 140/100 = █3322.

id=26194 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=31 | option_c=41 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=26195 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=T | option_b=H | option_c=P | option_d=L | answer=C | explanation=Move 4 positions forward from L; the resulting letter is P.

id=26196 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15384 at 4% per annum for 5 years. | option_a=3076 | option_b=3176 | option_c=2976 | option_d=18460 | answer=A | explanation=SI = PRT/100 = 15384×4×5/100 = █3076.

id=26197 | topic=Averages | difficulty=Easy | question=Find the average of 26, 97, 60, 70, 80, 87. | option_a=70 | option_b=69 | option_c=71 | option_d=72 | answer=A | explanation=Average = sum of values ÷ number of values = 420 ÷ 6 = 70.

id=26198 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=23 | option_b=19 | option_c=25 | option_d=22 | answer=D | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.

id=26199 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=46 | option_b=34 | option_c=41 | option_d=40 | answer=D | explanation=The common difference is 6. Therefore the next term is 34 + 6 = 40.

id=26200 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:1 and the first is 221, what is the second? | option_a=12 | option_b=234 | option_c=30 | option_d=13 | answer=D | explanation=Scale factor = 221/17 = 13. Therefore second quantity = 1×13 = 13.

id=26201 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=33 | option_b=29 | option_c=30 | option_d=25 | answer=B | explanation=The common difference is 4. Therefore the next term is 25 + 4 = 29.

id=26202 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:16 and the first is 112, what is the second? | option_a=224 | option_b=336 | option_c=232 | option_d=208 | answer=A | explanation=Scale factor = 112/8 = 14. Therefore second quantity = 16×14 = 224.

id=26203 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3828. If it is sold at a profit of 10%, what is its selling price? | option_a=3828 | option_b=4210 | option_c=4592 | option_d=3838 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3828 × 110/100 = █4210.

id=26204 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3290. If it is sold at a profit of 20%, what is its selling price? | option_a=3948 | option_b=3619 | option_c=4277 | option_d=3310 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3290 × 120/100 = █3948.

id=26205 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Q | option_b=Y | option_c=C | option_d=U | answer=B | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=26206 | topic=Percentages | difficulty=Easy | question=What is 30% of 1761? | option_a=508 | option_b=1056 | option_c=533 | option_d=528 | answer=D | explanation=30% of 1761 = (30/100) × 1761 = 528.

id=26207 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:16 and the first is 77, what is the second? | option_a=160 | option_b=253 | option_c=176 | option_d=183 | answer=C | explanation=Scale factor = 77/7 = 11. Therefore second quantity = 16×11 = 176.

id=26208 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6366 at 10% per annum for 4 years. | option_a=2446 | option_b=8912 | option_c=2546 | option_d=2646 | answer=C | explanation=SI = PRT/100 = 6366×10×4/100 = █2546.

id=26209 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=X | option_b=H | option_c=C | option_d=M | answer=B | explanation=Move 5 positions forward from C; the resulting letter is H.

id=26210 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=P | option_b=T | option_c=R | option_d=V | answer=B | explanation=Move 2 positions forward from R; the resulting letter is T.

id=26211 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=A | option_b=E | option_c=M | option_d=I | answer=D | explanation=Move 4 positions forward from E; the resulting letter is I.

id=26212 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1670. If it is sold at a profit of 25%, what is its selling price? | option_a=1695 | option_b=2087 | option_c=1920 | option_d=2254 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1670 × 125/100 = █2087.

id=26213 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=J | option_c=M | option_d=L | answer=D | explanation=Move 1 positions forward from K; the resulting letter is L.

id=26214 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=S | option_b=I | option_c=X | option_d=N | answer=A | explanation=Move 5 positions forward from N; the resulting letter is S.

id=26215 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=42 | option_b=34 | option_c=26 | option_d=35 | answer=B | explanation=The common difference is 8. Therefore the next term is 26 + 8 = 34.

id=26216 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=12 | option_b=17 | option_c=7 | option_d=24 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=26217 | topic=Averages | difficulty=Easy | question=Find the average of 10, 44, 91, 77, 43, 15, 98. | option_a=54 | option_b=53 | option_c=55 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

id=26218 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:15 and the first is 208, what is the second? | option_a=240 | option_b=448 | option_c=253 | option_d=225 | answer=A | explanation=Scale factor = 208/13 = 16. Therefore second quantity = 15×16 = 240.

id=26219 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 22, 25, 29? | option_a=29 | option_b=19 | option_c=22 | option_d=25 | answer=A | explanation=The first three numbers increase by 3, so the next should be 28. Therefore 29 is the odd one out.

id=26220 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

Aptitude Questions — Records 26,221-26,250 of 100,000

id=26221 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=45 | option_b=38 | option_c=29 | option_d=37 | answer=D | explanation=The common difference is 8. Therefore the next term is 29 + 8 = 37.

id=26222 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:10 and the first is 3, what is the second? | option_a=33 | option_b=30 | option_c=20 | option_d=31 | answer=B | explanation=Scale factor = 3/1 = 3. Therefore second quantity = 10×3 = 30.

id=26223 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=160 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=26224 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=125 | option_c=115 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=26225 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=S | option_c=W | option_d=K | answer=B | explanation=Move 4 positions forward from O; the resulting letter is S.

id=26226 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 28? | option_a=5 | option_b=12 | option_c=19 | option_d=28 | answer=D | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 28 is the odd one out.

id=26227 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 16, 21, 28? | option_a=16 | option_b=28 | option_c=21 | option_d=11 | answer=B | explanation=The first three numbers increase by 5, so the next should be 26. Therefore 28 is the odd one out.

id=26228 | topic=Averages | difficulty=Easy | question=Find the average of 99, 74, 27, 54, 73, 66, 37, 59, 15. | option_a=57 | option_b=58 | option_c=56 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=26229 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=K | option_b=A | option_c=F | option_d=V | answer=C | explanation=Move 5 positions forward from A; the resulting letter is F.

id=26230 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18127 at 10% per annum for 5 years. | option_a=8963 | option_b=9063 | option_c=27190 | option_d=9163 | answer=B | explanation=SI = PRT/100 = 18127×10×5/100 = **■**9063.

id=26231 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=29 | option_b=30 | option_c=23 | option_d=35 | answer=A | explanation=The common difference is 6. Therefore the next term is 23 + 6 = 29.

id=26232 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:2 and the first is 196, what is the second? | option_a=28 | option_b=42 | option_c=224 | option_d=26 | answer=A | explanation=Scale factor = 196/14 = 14. Therefore second quantity = 2×14 = 28.

id=26233 | topic=Percentages | difficulty=Easy | question=What is 5% of 1156? | option_a=77 | option_b=57 | option_c=52 | option_d=114 | answer=B | explanation=5% of 1156 = (5/100) × 1156 = 57.

id=26234 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=26235 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 30. | option_a=840 | option_b=448 | option_c=390 | option_d=420 | answer=D | explanation=LCM × HCF = 28×30; HCF(28,30) = 2, so LCM = 420.

id=26236 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 24? | option_a=3 | option_b=15 | option_c=24 | option_d=9 | answer=C | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 24 is the odd one out.

id=26237 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2491. If it is sold at a profit of 5%, what is its selling price? | option_a=2864 | option_b=2496 | option_c=2615 | option_d=2366 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2491 × 105/100 = **■**2615.

id=26238 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=29 | option_c=19 | option_d=48 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=26239 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=26240 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 25? | option_a=20 | option_b=25 | option_c=16 | option_d=18 | answer=B | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 25 is the odd one out.

id=26241 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 33? | option_a=18 | option_b=12 | option_c=24 | option_d=33 | answer=D | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 33 is the odd one out.

id=26242 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 8. | option_a=60 | option_b=40 | option_c=160 | option_d=32 | answer=B | explanation=LCM × HCF = 20×8; HCF(20,8) = 4, so LCM = 40.

id=26243 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=E | option_c=H | option_d=G | answer=D | explanation=Move 1 positions forward from F; the resulting letter is G.

id=26244 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42838 at 6% per annum for 4 years. | option_a=10181 | option_b=10281 | option_c=53119 | option_d=10381 | answer=B | explanation=SI = PRT/100 = 42838×6×4/100 = **■**10281.

id=26245 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 18. | option_a=18 | option_b=54 | option_c=1 | option_d=21 | answer=A | explanation=LCM × HCF = 3×18; HCF(3,18) = 3, so LCM = 18.

id=26246 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32186 at 5% per annum for 2 years. | option_a=3318 | option_b=35404 | option_c=3118 | option_d=3218 | answer=D | explanation=SI = PRT/100 = 32186×5×2/100 = **■**3218.

id=26247 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=26248 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39541 at 15% per annum for 1 years. | option_a=45472 | option_b=5831 | option_c=6031 | option_d=5931 | answer=D | explanation=SI = PRT/100 = 39541×15×1/100 = **■**5931.

id=26249 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3576. If it is sold at a profit of 5%, what is its selling price? | option_a=3754 | option_b=4111 | option_c=3397 | option_d=3581 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3576 × 105/100 = **■**3754.

id=26250 | topic=Averages | difficulty=Easy | question=Find the average of 72, 34, 71, 64, 27, 29, 102. | option_a=59 | option_b=57 | option_c=56 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 399 ÷ 7 = 57.

Aptitude Questions — Records 26,251-26,280 of 100,000

id=26251 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28146 at 10% per annum for 5 years. | option_a=13973 | option_b=14073 | option_c=14173 | option_d=42219 | answer=B | explanation=SI = PRT/100 = 28146×10×5/100 = **■**14073.

id=26252 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:9 and the first is 24, what is the second? | option_a=132 | option_b=99 | option_c=110 | option_d=108 | answer=D | explanation=Scale factor = 24/2 = 12. Therefore second quantity = 9×12 = 108.

id=26253 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=N | option_c=W | option_d=T | answer=D | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=26254 | topic=Percentages | difficulty=Easy | question=What is 5% of 1933? | option_a=91 | option_b=192 | option_c=116 | option_d=96 | answer=D | explanation=5% of 1933 = (5/100) × 1933 = 96.

id=26255 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 14. | option_a=280 | option_b=126 | option_c=140 | option_d=160 | answer=C | explanation=LCM × HCF = 20×14; HCF(20,14) = 2, so LCM = 140.

id=26256 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=180 | option_c=360 | option_d=185 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=26257 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:12 and the first is 60, what is the second? | option_a=56 | option_b=24 | option_c=96 | option_d=36 | answer=D | explanation=Scale factor = 60/20 = 3. Therefore second quantity = 12×3 = 36.

id=26258 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=L | option_b=R | option_c=U | option_d=O | answer=B | explanation=Move 3 positions forward from O; the resulting letter is R.

id=26259 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=70 | option_d=150 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=26260 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:2 and the first is 90, what is the second? | option_a=28 | option_b=16 | option_c=108 | option_d=18 | answer=D | explanation=Scale factor = 90/10 = 9. Therefore second quantity = 2×9 = 18.

id=26261 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=26262 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:20 and the first is 112, what is the second? | option_a=272 | option_b=174 | option_c=160 | option_d=140 | answer=C | explanation=Scale factor = 112/14 = 8. Therefore second quantity = 20×8 = 160.

id=26263 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=9 | option_c=18 | option_d=14 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=26264 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=K | option_b=V | option_c=A | option_d=F | answer=D | explanation=Move 5 positions forward from A; the resulting letter is F.

id=26265 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1844. If it is sold at a profit of 15%, what is its selling price? | option_a=1859 | option_b=2120 | option_c=2304 | option_d=1936 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1844 × 115/100 = **■**2120.

id=26266 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3630. If it is sold at a profit of 20%, what is its selling price? | option_a=4356 | option_b=3650 | option_c=3993 | option_d=4719 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3630 × 120/100 = **■**4356.

id=26267 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=30 | option_b=26 | option_c=32 | option_d=29 | answer=D | explanation=The common difference is 3. Therefore the next term is 26 + 3 = 29.

id=26268 | topic=Averages | difficulty=Easy | question=Find the average of 19, 79, 10, 85, 95, 42. | option_a=55 | option_b=57 | option_c=54 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 330 ÷ 6 = 55.

id=26269 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 47? | option_a=47 | option_b=23 | option_c=37 | option_d=30 | answer=A | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 47 is the odd one out.

id=26270 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3963. If it is sold at a profit of 10%, what is its selling price? | option_a=3963 | option_b=3973 | option_c=4755 | option_d=4359 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3963 × 110/100 = **■**4359.

id=26271 | topic=Percentages | difficulty=Easy | question=What is 12% of 1058? | option_a=252 | option_b=121 | option_c=131 | option_d=126 | answer=D | explanation=12% of 1058 = (12/100) × 1058 = 126.

id=26272 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=26273 | topic=Percentages | difficulty=Easy | question=What is 10% of 1743? | option_a=184 | option_b=348 | option_c=154 | option_d=174 | answer=D | explanation=10% of 1743 = (10/100) × 1743 = 174.

id=26274 | topic=Averages | difficulty=Easy | question=Find the average of 87, 53, 66, 66, 10, 92, 82, 12, 47, 95. | option_a=60 | option_b=63 | option_c=61 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 610 ÷ 10 = 61.

id=26275 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=23 | option_c=36 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=26276 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34431 at 4% per annum for 2 years. | option_a=37185 | option_b=2654 | option_c=2754 | option_d=2854 | answer=C | explanation=SI = PRT/100 = 34431×4×2/100 = **■**2754.

id=26277 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=40 | option_c=20 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=26278 | topic=Averages | difficulty=Easy | question=Find the average of 10, 78, 24, 94, 29. | option_a=46 | option_b=48 | option_c=49 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 235 ÷ 5 = 47.

id=26279 | topic=Averages | difficulty=Easy | question=Find the average of 28, 27, 57, 20, 88. | option_a=44 | option_b=46 | option_c=43 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 220 ÷ 5 = 44.

id=26280 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:13 and the first is 96, what is the second? | option_a=164 | option_b=143 | option_c=156 | option_d=252 | answer=C | explanation=Scale factor = 96/8 = 12. Therefore second quantity = 13×12 = 156.

Aptitude Questions — Records 26,281-26,310 of 100,000

id=26281 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 22, what is the second? | option_a=43 | option_b=16 | option_c=32 | option_d=54 | answer=C | explanation=Scale factor = 22/11 = 2. Therefore second quantity = 16×2 = 32.

id=26282 | topic=Percentages | difficulty=Easy | question=What is 20% of 728? | option_a=145 | option_b=140 | option_c=155 | option_d=290 | answer=A | explanation=20% of 728 = (20/100) × 728 = 145.

id=26283 | topic=Averages | difficulty=Easy | question=Find the average of 27, 71, 32, 46. | option_a=45 | option_b=43 | option_c=44 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 176 ÷ 4 = 44.

id=26284 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4630. If it is sold at a profit of 10%, what is its selling price? | option_a=4640 | option_b=5093 | option_c=5556 | option_d=4630 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4630 × 110/100 = █5093.

id=26285 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:7 and the first is 56, what is the second? | option_a=49 | option_b=42 | option_c=105 | option_d=57 | answer=A | explanation=Scale factor = 56/8 = 7. Therefore second quantity = 7×7 = 49.

id=26286 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=46 | option_b=56 | option_c=55 | option_d=64 | answer=C | explanation=The common difference is 9. Therefore the next term is 46 + 9 = 55.

id=26287 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=26288 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=26289 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32703 at 8% per annum for 3 years. | option_a=7948 | option_b=40551 | option_c=7748 | option_d=7848 | answer=D | explanation=SI = PRT/100 = 32703×8×3/100 = █7848.

id=26290 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=40 | option_b=54 | option_c=47 | option_d=48 | answer=C | explanation=The common difference is 7. Therefore the next term is 40 + 7 = 47.

id=26291 | topic=Percentages | difficulty=Easy | question=What is 50% of 1250? | option_a=625 | option_b=1250 | option_c=605 | option_d=635 | answer=A | explanation=50% of 1250 = (50/100) × 1250 = 625.

id=26292 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=26293 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 18, 25, 35? | option_a=35 | option_b=25 | option_c=18 | option_d=11 | answer=A | explanation=The first three numbers increase by 7, so the next should be 32. Therefore 35 is the odd one out.

id=26294 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:8 and the first is 33, what is the second? | option_a=91 | option_b=80 | option_c=121 | option_d=88 | answer=D | explanation=Scale factor = 33/3 = 11. Therefore second quantity = 8×11 = 88.

id=26295 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46952 at 6% per annum for 4 years. | option_a=11168 | option_b=58220 | option_c=11268 | option_d=11368 | answer=C | explanation=SI = PRT/100 = 46952×6×4/100 = █11268.

id=26296 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:18 and the first is 140, what is the second? | option_a=266 | option_b=108 | option_c=146 | option_d=126 | answer=D | explanation=Scale factor = 140/20 = 7. Therefore second quantity = 18×7 = 126.

id=26297 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=26298 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:20 and the first is 30, what is the second? | option_a=200 | option_b=203 | option_c=180 | option_d=230 | answer=A | explanation=Scale factor = 30/3 = 10. Therefore second quantity = 20×10 = 200.

id=26299 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:3 and the first is 54, what is the second? | option_a=18 | option_b=27 | option_c=15 | option_d=72 | answer=A | explanation=Scale factor = 54/9 = 6. Therefore second quantity = 3×6 = 18.

id=26300 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=26301 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=P | option_c=L | option_d=D | answer=C | explanation=Move 4 positions forward from H; the resulting letter is L.

id=26302 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:1 and the first is 33, what is the second? | option_a=14 | option_b=10 | option_c=11 | option_d=44 | answer=C | explanation=Scale factor = 33/3 = 11. Therefore second quantity = 1×11 = 11.

id=26303 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=5 | option_c=20 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=26304 | topic=Averages | difficulty=Easy | question=Find the average of 56, 98, 10, 76, 60, 49, 54, 81, 101. | option_a=65 | option_b=64 | option_c=66 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = 585 ÷ 9 = 65.

id=26305 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 47? | option_a=19 | option_b=28 | option_c=37 | option_d=47 | answer=D | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 47 is the odd one out.

id=26306 | topic=Averages | difficulty=Easy | question=Find the average of 36, 63, 84. | option_a=63 | option_b=62 | option_c=61 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 183 ÷ 3 = 61.

id=26307 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 33? | option_a=18 | option_b=12 | option_c=33 | option_d=24 | answer=C | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 33 is the odd one out.

id=26308 | topic=Percentages | difficulty=Easy | question=What is 15% of 1778? | option_a=266 | option_b=246 | option_c=276 | option_d=532 | answer=A | explanation=15% of 1778 = (15/100) × 1778 = 266.

id=26309 | topic=Percentages | difficulty=Easy | question=What is 20% of 362? | option_a=72 | option_b=144 | option_c=52 | option_d=77 | answer=A | explanation=20% of 362 = (20/100) × 362 = 72.

id=26310 | topic=Averages | difficulty=Easy | question=Find the average of 34, 59, 48. | option_a=49 | option_b=48 | option_c=46 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 141 ÷ 3 = 47.

Aptitude Questions — Records 26,311-26,340 of 100,000

id=26311 | topic=Averages | difficulty=Easy | question=Find the average of 83, 45, 37. | option_a=56 | option_b=54 | option_c=55 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 165 ÷ 3 = 55.

id=26312 | topic=Averages | difficulty=Easy | question=Find the average of 31, 74, 81, 42. | option_a=59 | option_b=58 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 228 ÷ 4 = 57.

id=26313 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 20, 28, 37? | option_a=37 | option_b=12 | option_c=20 | option_d=28 | answer=A | explanation=The first three numbers increase by 8, so the next should be 36. Therefore 37 is the odd one out.

id=26314 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=24 | option_c=19 | option_d=29 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=26315 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=Y | option_c=A | option_d=E | answer=A | explanation=Move 2 positions forward from A; the resulting letter is C.

id=26316 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 15, 22, 31? | option_a=15 | option_b=8 | option_c=22 | option_d=31 | answer=D | explanation=The first three numbers increase by 7, so the next should be 29. Therefore 31 is the odd one out.

id=26317 | topic=Percentages | difficulty=Easy | question=What is 5% of 262? | option_a=33 | option_b=26 | option_c=13 | option_d=0 | answer=C | explanation=5% of 262 = (5/100) × 262 = 13.

id=26318 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=M | option_b=Q | option_c=U | option_d=Y | answer=C | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=26319 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35713 at 10% per annum for 3 years. | option_a=10713 | option_b=10813 | option_c=10613 | option_d=46426 | answer=A | explanation=SI = PRT/100 = 35713×10×3/100 = **■**10713.

id=26320 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:14 and the first is 136, what is the second? | option_a=238 | option_b=224 | option_c=246 | option_d=374 | answer=A | explanation=Scale factor = 136/8 = 17. Therefore second quantity = 14×17 = 238.

id=26321 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=26 | option_b=27 | option_c=25 | option_d=23 | answer=C | explanation=The common difference is 2. Therefore the next term is 23 + 2 = 25.

id=26322 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=41 | option_b=51 | option_c=61 | option_d=52 | answer=B | explanation=The common difference is 10. Therefore the next term is 41 + 10 = 51.

id=26323 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 46? | option_a=23 | option_b=37 | option_c=46 | option_d=30 | answer=C | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 46 is the odd one out.

id=26324 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 38, 48, 60? | option_a=28 | option_b=60 | option_c=38 | option_d=48 | answer=B | explanation=The first three numbers increase by 10, so the next should be 58. Therefore 60 is the odd one out.

id=26325 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:10 and the first is 210, what is the second? | option_a=360 | option_b=164 | option_c=150 | option_d=140 | answer=C | explanation=Scale factor = 210/14 = 15. Therefore second quantity = 10×15 = 150.

id=26326 | topic=Percentages | difficulty=Easy | question=What is 30% of 848? | option_a=234 | option_b=254 | option_c=508 | option_d=274 | answer=B | explanation=30% of 848 = (30/100) × 848 = 254.

id=26327 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:15 and the first is 55, what is the second? | option_a=75 | option_b=86 | option_c=130 | option_d=60 | answer=A | explanation=Scale factor = 55/11 = 5. Therefore second quantity = 15×5 = 75.

id=26328 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:16 and the first is 112, what is the second? | option_a=368 | option_b=240 | option_c=263 | option_d=256 | answer=D | explanation=Scale factor = 112/7 = 16. Therefore second quantity = 16×16 = 256.

id=26329 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 36, 44, 54? | option_a=54 | option_b=36 | option_c=44 | option_d=28 | answer=A | explanation=The first three numbers increase by 8, so the next should be 52. Therefore 54 is the odd one out.

id=26330 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=S | option_b=T | option_c=U | option_d=V | answer=C | explanation=Move 1 positions forward from T; the resulting letter is U.

id=26331 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 33, 43, 54? | option_a=54 | option_b=43 | option_c=33 | option_d=23 | answer=A | explanation=The first three numbers increase by 10, so the next should be 53. Therefore 54 is the odd one out.

id=26332 | topic=Percentages | difficulty=Easy | question=What is 10% of 1278? | option_a=127 | option_b=107 | option_c=254 | option_d=147 | answer=A | explanation=10% of 1278 = (10/100) × 1278 = 127.

id=26333 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1681. If it is sold at a profit of 5%, what is its selling price? | option_a=1597 | option_b=1765 | option_c=1933 | option_d=1686 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1681 × 105/100 = **■**1765.

id=26334 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=Z | option_b=I | option_c=C | option_d=F | answer=D | explanation=Move 3 positions forward from C; the resulting letter is F.

id=26335 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:7 and the first is 400, what is the second? | option_a=133 | option_b=540 | option_c=160 | option_d=140 | answer=D | explanation=Scale factor = 400/20 = 20. Therefore second quantity = 7×20 = 140.

id=26336 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**281. If it is sold at a profit of 40%, what is its selling price? | option_a=393 | option_b=365 | option_c=421 | option_d=321 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 281 × 140/100 = **■**393.

id=26337 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=Z | option_c=D | option_d=L | answer=A | explanation=Move 4 positions forward from D; the resulting letter is H.

id=26338 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4998. If it is sold at a profit of 40%, what is its selling price? | option_a=5038 | option_b=6498 | option_c=6997 | option_d=7496 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4998 × 140/100 = **■**6997.

id=26339 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**571. If it is sold at a profit of 5%, what is its selling price? | option_a=542 | option_b=576 | option_c=599 | option_d=656 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 571 × 105/100 = **■**599.

id=26340 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:18 and the first is 96, what is the second? | option_a=108 | option_b=124 | option_c=90 | option_d=204 | answer=A | explanation=Scale factor = 96/16 = 6. Therefore second quantity = 18×6 = 108.

Aptitude Questions — Records 26,341-26,370 of 100,000

id=26341 | topic=Averages | difficulty=Easy | question=Find the average of 64, 88, 91. | option_a=81 | option_b=80 | option_c=82 | option_d=83 | answer=A | explanation=Average = sum of values ÷ number of values = 243 ÷ 3 = 81.

id=26342 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=14 | option_c=4 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=26343 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=F | option_b=D | option_c=G | option_d=E | answer=A | explanation=Move 1 positions forward from E; the resulting letter is F.

id=26344 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21647 at 8% per annum for 3 years. | option_a=5295 | option_b=26842 | option_c=5095 | option_d=5195 | answer=D | explanation=SI = PRT/100 = 21647×8×3/100 = **■**5195.

id=26345 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39948 at 4% per annum for 2 years. | option_a=3195 | option_b=43143 | option_c=3295 | option_d=3095 | answer=A | explanation=SI = PRT/100 = 39948×4×2/100 = **■**3195.

id=26346 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=26347 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=26348 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=160 | option_c=85 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=26349 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 13, 20, 29? | option_a=29 | option_b=20 | option_c=6 | option_d=13 | answer=B | explanation=The first three numbers increase by 7, so the next should be 27. Therefore 29 is the odd one out.

id=26350 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=26351 | topic=Percentages | difficulty=Easy | question=What is 40% of 570? | option_a=456 | option_b=233 | option_c=228 | option_d=223 | answer=C | explanation=40% of 570 = (40/100) × 570 = 228.

id=26352 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 9, 13, 19? | option_a=5 | option_b=19 | option_c=13 | option_d=9 | answer=B | explanation=The first three numbers increase by 4, so the next should be 17. Therefore 19 is the odd one out.

id=26353 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**207. If it is sold at a profit of 10%, what is its selling price? | option_a=207 | option_b=227 | option_c=217 | option_d=247 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 207 × 110/100 = **■**227.

id=26354 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:3 and the first is 176, what is the second? | option_a=45 | option_b=59 | option_c=224 | option_d=48 | answer=D | explanation=Scale factor = 176/11 = 16. Therefore second quantity = 3×16 = 48.

id=26355 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3767. If it is sold at a profit of 30%, what is its selling price? | option_a=4521 | option_b=5273 | option_c=4897 | option_d=3797 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3767 × 130/100 = **■**4897.

id=26356 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=44 | option_b=38 | option_c=32 | option_d=39 | answer=B | explanation=The common difference is 6. Therefore the next term is 32 + 6 = 38.

id=26357 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=115 | option_d=240 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=26358 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 19? | option_a=9 | option_b=15 | option_c=12 | option_d=19 | answer=D | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 19 is the odd one out.

id=26359 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33916 at 12% per annum for 5 years. | option_a=20449 | option_b=54265 | option_c=20249 | option_d=20349 | answer=D | explanation=SI = PRT/100 = 33916×12×5/100 = **■**20349.

id=26360 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=40 | option_b=48 | option_c=47 | option_d=54 | answer=C | explanation=The common difference is 7. Therefore the next term is 40 + 7 = 47.

id=26361 | topic=Averages | difficulty=Easy | question=Find the average of 19, 88, 60, 66, 40, 57, 56, 22. | option_a=52 | option_b=50 | option_c=51 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 408 ÷ 8 = 51.

id=26362 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=26363 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=26364 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**937. If it is sold at a profit of 15%, what is its selling price? | option_a=984 | option_b=1170 | option_c=952 | option_d=1077 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 937 × 115/100 = **■**1077.

id=26365 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4264. If it is sold at a profit of 5%, what is its selling price? | option_a=4477 | option_b=4269 | option_c=4051 | option_d=4903 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4264 × 105/100 = **■**4477.

id=26366 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 34? | option_a=34 | option_b=22 | option_c=2 | option_d=12 | answer=A | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 34 is the odd one out.

id=26367 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6817 at 12% per annum for 3 years. | option_a=2354 | option_b=2454 | option_c=2554 | option_d=9271 | answer=B | explanation=SI = PRT/100 = 6817×12×3/100 = **■**2454.

id=26368 | topic=Averages | difficulty=Easy | question=Find the average of 62, 40, 17, 80, 27, 34, 87, 21. | option_a=47 | option_b=45 | option_c=48 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 368 ÷ 8 = 46.

id=26369 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 12, 17, 23? | option_a=12 | option_b=7 | option_c=23 | option_d=17 | answer=C | explanation=The first three numbers increase by 5, so the next should be 22. Therefore 23 is the odd one out.

id=26370 | topic=Percentages | difficulty=Easy | question=What is 30% of 711? | option_a=426 | option_b=218 | option_c=213 | option_d=208 | answer=C | explanation=30% of 711 = (30/100) × 711 = 213.

Aptitude Questions — Records 26,371-26,400 of 100,000

id=26371 | topic=Percentages | difficulty=Easy | question=What is 20% of 823? | option_a=154 | option_b=174 | option_c=328 | option_d=164 | answer=D | explanation=20% of 823 = (20/100) × 823 = 164.

id=26372 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=P | option_c=Q | option_d=N | answer=B | explanation=Move 1 positions forward from O; the resulting letter is P.

id=26373 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 8. | option_a=32 | option_b=8 | option_c=1 | option_d=12 | answer=B | explanation=LCM × HCF = 4×8; HCF(4,8) = 4, so LCM = 8.

id=26374 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=R | option_b=L | option_c=U | option_d=O | answer=A | explanation=Move 3 positions forward from O; the resulting letter is R.

id=26375 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 36, 45, 55? | option_a=45 | option_b=36 | option_c=55 | option_d=27 | answer=C | explanation=The first three numbers increase by 9, so the next should be 54. Therefore 55 is the odd one out.

id=26376 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 18. | option_a=24 | option_b=108 | option_c=1 | option_d=18 | answer=D | explanation=LCM × HCF = 6×18; HCF(6,18) = 6, so LCM = 18.

id=26377 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=R | option_b=S | option_c=Q | option_d=P | answer=A | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=26378 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4902. If it is sold at a profit of 25%, what is its selling price? | option_a=6127 | option_b=5637 | option_c=6617 | option_d=4927 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4902 × 125/100 = █6127.

id=26379 | topic=Percentages | difficulty=Easy | question=What is 15% of 1391? | option_a=213 | option_b=208 | option_c=188 | option_d=416 | answer=B | explanation=15% of 1391 = (15/100) × 1391 = 208.

id=26380 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=L | option_b=I | option_c=C | option_d=F | answer=B | explanation=Move 3 positions forward from F; the resulting letter is I.

id=26381 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=71 | option_b=47 | option_c=59 | option_d=60 | answer=C | explanation=The common difference is 12. Therefore the next term is 47 + 12 = 59.

id=26382 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7118 at 8% per annum for 5 years. | option_a=2747 | option_b=9965 | option_c=2847 | option_d=2947 | answer=C | explanation=SI = PRT/100 = 7118×8×5/100 = █2847.

id=26383 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 27, 30, 35? | option_a=30 | option_b=35 | option_c=24 | option_d=27 | answer=B | explanation=The first three numbers increase by 3, so the next should be 33. Therefore 35 is the odd one out.

id=26384 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17389 at 5% per annum for 3 years. | option_a=19997 | option_b=2608 | option_c=2708 | option_d=2508 | answer=B | explanation=SI = PRT/100 = 17389×5×3/100 = █2608.

id=26385 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=26386 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=S | option_b=J | option_c=P | option_d=M | answer=C | explanation=Move 3 positions forward from M; the resulting letter is P.

id=26387 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=26388 | topic=Averages | difficulty=Easy | question=Find the average of 37, 68, 39, 99, 52. | option_a=61 | option_b=60 | option_c=59 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 295 ÷ 5 = 59.

id=26389 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=51 | option_b=41 | option_c=50 | option_d=59 | answer=C | explanation=The common difference is 9. Therefore the next term is 41 + 9 = 50.

id=26390 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=38 | option_b=43 | option_c=37 | option_d=31 | answer=C | explanation=The common difference is 6. Therefore the next term is 31 + 6 = 37.

id=26391 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:2 and the first is 96, what is the second? | option_a=22 | option_b=32 | option_c=24 | option_d=120 | answer=C | explanation=Scale factor = 96/8 = 12. Therefore second quantity = 2×12 = 24.

id=26392 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=70 | option_c=75 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=26393 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 27, 36, 47? | option_a=18 | option_b=36 | option_c=27 | option_d=47 | answer=D | explanation=The first three numbers increase by 9, so the next should be 45. Therefore 47 is the odd one out.

id=26394 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=37 | option_b=38 | option_c=31 | option_d=43 | answer=A | explanation=The common difference is 6. Therefore the next term is 31 + 6 = 37.

id=26395 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=47 | option_b=37 | option_c=46 | option_d=55 | answer=C | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=26396 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=58 | option_b=69 | option_c=57 | option_d=45 | answer=C | explanation=The common difference is 12. Therefore the next term is 45 + 12 = 57.

id=26397 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=K | option_b=F | option_c=A | option_d=V | answer=B | explanation=Move 5 positions forward from A; the resulting letter is F.

id=26398 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=26399 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1052. If it is sold at a profit of 30%, what is its selling price? | option_a=1082 | option_b=1262 | option_c=1472 | option_d=1367 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1052 × 130/100 = █1367.

id=26400 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43, ? | option_a=43 | option_b=59 | option_c=52 | option_d=51 | answer=D | explanation=The common difference is 8. Therefore the next term is 43 + 8 = 51.

Aptitude Questions — Records 26,401-26,430 of 100,000

id=26401 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=44 | option_b=62 | option_c=53 | option_d=54 | answer=C | explanation=The common difference is 9. Therefore the next term is 44 + 9 = 53.

id=26402 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=U | option_c=R | option_d=L | answer=C | explanation=Move 3 positions forward from O; the resulting letter is R.

id=26403 | topic=Percentages | difficulty=Easy | question=What is 20% of 275? | option_a=75 | option_b=55 | option_c=45 | option_d=110 | answer=B | explanation=20% of 275 = (20/100) × 275 = 55.

id=26404 | topic=Percentages | difficulty=Easy | question=What is 10% of 867? | option_a=76 | option_b=86 | option_c=172 | option_d=96 | answer=B | explanation=10% of 867 = (10/100) × 867 = 86.

id=26405 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 26, 35, 47? | option_a=26 | option_b=35 | option_c=47 | option_d=17 | answer=C | explanation=The first three numbers increase by 9, so the next should be 44. Therefore 47 is the odd one out.

id=26406 | topic=Averages | difficulty=Easy | question=Find the average of 91, 32, 84, 91, 67, 32, 77, 63, 23, 50. | option_a=63 | option_b=62 | option_c=60 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 610 ÷ 10 = 61.

id=26407 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 37, 46, 57? | option_a=57 | option_b=37 | option_c=46 | option_d=28 | answer=A | explanation=The first three numbers increase by 9, so the next should be 55. Therefore 57 is the odd one out.

id=26408 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4088. If it is sold at a profit of 10%, what is its selling price? | option_a=4098 | option_b=4088 | option_c=4904 | option_d=4496 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4088 × 110/100 = █4496.

id=26409 | topic=Averages | difficulty=Easy | question=Find the average of 95, 67, 92, 22. | option_a=70 | option_b=71 | option_c=68 | option_d=69 | answer=D | explanation=Average = sum of values ÷ number of values = 276 ÷ 4 = 69.

id=26410 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47944 at 12% per annum for 2 years. | option_a=59450 | option_b=11506 | option_c=11406 | option_d=11606 | answer=B | explanation=SI = PRT/100 = 47944×12×2/100 = █11506.

id=26411 | topic=Averages | difficulty=Easy | question=Find the average of 54, 68, 47, 89, 94, 89, 32, 51, 16, 30. | option_a=58 | option_b=56 | option_c=59 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.

id=26412 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:2 and the first is 340, what is the second? | option_a=40 | option_b=380 | option_c=38 | option_d=57 | answer=A | explanation=Scale factor = 340/17 = 20. Therefore second quantity = 2×20 = 40.

id=26413 | topic=Averages | difficulty=Easy | question=Find the average of 65, 78, 79, 91, 78, 79, 100, 24, 90. | option_a=75 | option_b=76 | option_c=78 | option_d=77 | answer=B | explanation=Average = sum of values ÷ number of values = 684 ÷ 9 = 76.

id=26414 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=M | option_c=L | option_d=J | answer=C | explanation=Move 1 positions forward from K; the resulting letter is L.

id=26415 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=26416 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=95 | option_c=180 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=26417 | topic=Profit & Loss | difficulty=Easy | question=An article costs █338. If it is sold at a profit of 25%, what is its selling price? | option_a=363 | option_b=455 | option_c=389 | option_d=422 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 338 × 125/100 = █422.

id=26418 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:9 and the first is 8, what is the second? | option_a=22 | option_b=9 | option_c=18 | option_d=26 | answer=C | explanation=Scale factor = 8/4 = 2. Therefore second quantity = 9×2 = 18.

id=26419 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 41? | option_a=30 | option_b=41 | option_c=35 | option_d=25 | answer=B | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 41 is the odd one out.

id=26420 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:19 and the first is 75, what is the second? | option_a=76 | option_b=110 | option_c=170 | option_d=95 | answer=D | explanation=Scale factor = 75/15 = 5. Therefore second quantity = 19×5 = 95.

id=26421 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=62 | option_b=51 | option_c=52 | option_d=40 | answer=B | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=26422 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=8 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=26423 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 24, 30, 39? | option_a=39 | option_b=30 | option_c=18 | option_d=24 | answer=A | explanation=The first three numbers increase by 6, so the next should be 36. Therefore 39 is the odd one out.

id=26424 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49690 at 6% per annum for 1 years. | option_a=2981 | option_b=3081 | option_c=52671 | option_d=2881 | answer=A | explanation=SI = PRT/100 = 49690×6×1/100 = █2981.

id=26425 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45622 at 4% per annum for 3 years. | option_a=51096 | option_b=5574 | option_c=5474 | option_d=5374 | answer=C | explanation=SI = PRT/100 = 45622×4×3/100 = █5474.

id=26426 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7047 at 4% per annum for 3 years. | option_a=845 | option_b=745 | option_c=7892 | option_d=945 | answer=A | explanation=SI = PRT/100 = 7047×4×3/100 = █845.

id=26427 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 27, 32, 38? | option_a=38 | option_b=22 | option_c=27 | option_d=32 | answer=A | explanation=The first three numbers increase by 5, so the next should be 37. Therefore 38 is the odd one out.

id=26428 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:13 and the first is 10, what is the second? | option_a=13 | option_b=31 | option_c=36 | option_d=26 | answer=D | explanation=Scale factor = 10/5 = 2. Therefore second quantity = 13×2 = 26.

id=26429 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 44? | option_a=33 | option_b=17 | option_c=44 | option_d=25 | answer=C | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 44 is the odd one out.

id=26430 | topic=Averages | difficulty=Easy | question=Find the average of 72, 30, 45, 88, 58, 55, 58. | option_a=59 | option_b=58 | option_c=60 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 406 ÷ 7 = 58.

Aptitude Questions — Records 26,431-26,460 of 100,000

id=26431 | topic=Percentages | difficulty=Easy | question=What is 30% of 1951? | option_a=1170 | option_b=575 | option_c=595 | option_d=585 | answer=D | explanation=30% of 1951 = (30/100) × 1951 = 585.

id=26432 | topic=Percentages | difficulty=Easy | question=What is 20% of 453? | option_a=100 | option_b=90 | option_c=80 | option_d=180 | answer=B | explanation=20% of 453 = (20/100) × 453 = 90.

id=26433 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**28619 at 10% per annum for 2 years. | option_a=5823 | option_b=5623 | option_c=34342 | option_d=5723 | answer=D | explanation=SI = PRT/100 = 28619×10×2/100 = **₹**5723.

id=26434 | topic=Averages | difficulty=Easy | question=Find the average of 99, 70, 26, 10, 96, 41. | option_a=58 | option_b=57 | option_c=56 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 342 ÷ 6 = 57.

id=26435 | topic=Percentages | difficulty=Easy | question=What is 12% of 795? | option_a=95 | option_b=75 | option_c=100 | option_d=190 | answer=A | explanation=12% of 795 = (12/100) × 795 = 95.

id=26436 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=60 | option_b=50 | option_c=38 | option_d=49 | answer=D | explanation=The common difference is 11. Therefore the next term is 38 + 11 = 49.

id=26437 | topic=Averages | difficulty=Easy | question=Find the average of 33, 67, 86, 59, 23, 38, 94, 72. | option_a=59 | option_b=60 | option_c=58 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 472 ÷ 8 = 59.

id=26438 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 47? | option_a=28 | option_b=47 | option_c=40 | option_d=34 | answer=B | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 47 is the odd one out.

id=26439 | topic=Percentages | difficulty=Easy | question=What is 15% of 405? | option_a=120 | option_b=55 | option_c=70 | option_d=60 | answer=D | explanation=15% of 405 = (15/100) × 405 = 60.

id=26440 | topic=Percentages | difficulty=Easy | question=What is 10% of 506? | option_a=55 | option_b=30 | option_c=100 | option_d=50 | answer=D | explanation=10% of 506 = (10/100) × 506 = 50.

id=26441 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=V | option_c=P | option_d=T | answer=D | explanation=Move 2 positions forward from R; the resulting letter is T.

id=26442 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=59 | option_b=37 | option_c=48 | option_d=49 | answer=C | explanation=The common difference is 11. Therefore the next term is 37 + 11 = 48.

id=26443 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=S | option_b=O | option_c=G | option_d=K | answer=B | explanation=Move 4 positions forward from K; the resulting letter is O.

id=26444 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3103. If it is sold at a profit of 40%, what is its selling price? | option_a=4654 | option_b=4034 | option_c=3143 | option_d=4344 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3103 × 140/100 = **₹**4344.

id=26445 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 37? | option_a=32 | option_b=30 | option_c=37 | option_d=34 | answer=C | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 37 is the odd one out.

id=26446 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=26447 | topic=Averages | difficulty=Easy | question=Find the average of 16, 77, 15, 87, 69, 18, 50, 28. | option_a=47 | option_b=44 | option_c=46 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 360 ÷ 8 = 45.

id=26448 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**42500 at 15% per annum for 1 years. | option_a=48875 | option_b=6275 | option_c=6375 | option_d=6475 | answer=C | explanation=SI = PRT/100 = 42500×15×1/100 = **₹**6375.

id=26449 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=26450 | topic=Averages | difficulty=Easy | question=Find the average of 72, 77, 67, 79, 57, 99, 12, 72, 74, 71. | option_a=70 | option_b=69 | option_c=67 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = 680 ÷ 10 = 68.

id=26451 | topic=Averages | difficulty=Easy | question=Find the average of 13, 84, 55, 26, 46, 13, 78. | option_a=44 | option_b=46 | option_c=45 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 315 ÷ 7 = 45.

id=26452 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=E | option_b=O | option_c=J | option_d=T | answer=B | explanation=Move 5 positions forward from J; the resulting letter is O.

id=26453 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 33, 40, 48? | option_a=26 | option_b=33 | option_c=40 | option_d=48 | answer=D | explanation=The first three numbers increase by 7, so the next should be 47. Therefore 48 is the odd one out.

id=26454 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=26455 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=V | option_c=N | option_d=J | answer=A | explanation=Move 4 positions forward from N; the resulting letter is R.

id=26456 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 34? | option_a=22 | option_b=28 | option_c=34 | option_d=25 | answer=C | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 34 is the odd one out.

id=26457 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 16? | option_a=13 | option_b=9 | option_c=11 | option_d=16 | answer=D | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 16 is the odd one out.

id=26458 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=22 | option_b=17 | option_c=23 | option_d=27 | answer=A | explanation=The common difference is 5. Therefore the next term is 17 + 5 = 22.

id=26459 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 14, 17, 23? | option_a=23 | option_b=17 | option_c=11 | option_d=14 | answer=A | explanation=The first three numbers increase by 3, so the next should be 20. Therefore 23 is the odd one out.

id=26460 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 52? | option_a=52 | option_b=29 | option_c=39 | option_d=19 | answer=A | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 52 is the odd one out.

Aptitude Questions — Records 26,461-26,490 of 100,000

id=26461 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:14 and the first is 75, what is the second? | option_a=145 | option_b=70 | option_c=85 | option_d=56 | answer=B | explanation=Scale factor = 75/15 = 5. Therefore second quantity = 14×5 = 70.

id=26462 | topic=Averages | difficulty=Easy | question=Find the average of 78, 83, 57, 46. | option_a=67 | option_b=68 | option_c=66 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = 264 ÷ 4 = 66.

id=26463 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40877 at 12% per annum for 1 years. | option_a=4805 | option_b=4905 | option_c=5005 | option_d=45782 | answer=B | explanation=SI = PRT/100 = 40877×12×1/100 = **■**4905.

id=26464 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=26465 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=44 | option_b=34 | option_c=43 | option_d=52 | answer=C | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

id=26466 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=46 | option_b=58 | option_c=70 | option_d=59 | answer=B | explanation=The common difference is 12. Therefore the next term is 46 + 12 = 58.

id=26467 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 27, 32, 38? | option_a=32 | option_b=27 | option_c=22 | option_d=38 | answer=D | explanation=The first three numbers increase by 5, so the next should be 37. Therefore 38 is the odd one out.

id=26468 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=29 | option_b=37 | option_c=45 | option_d=38 | answer=B | explanation=The common difference is 8. Therefore the next term is 29 + 8 = 37.

id=26469 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=4 | option_c=9 | option_d=14 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=26470 | topic=Averages | difficulty=Easy | question=Find the average of 41, 30, 84, 75, 65, 64, 92, 79, 47, 73. | option_a=65 | option_b=66 | option_c=64 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = 650 ÷ 10 = 65.

id=26471 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 21, 28, 38? | option_a=14 | option_b=21 | option_c=38 | option_d=28 | answer=C | explanation=The first three numbers increase by 7, so the next should be 35. Therefore 38 is the odd one out.

id=26472 | topic=Averages | difficulty=Easy | question=Find the average of 100, 89, 23, 25, 90, 51. | option_a=62 | option_b=63 | option_c=64 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 378 ÷ 6 = 63.

id=26473 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=26474 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=27 | option_b=30 | option_c=33 | option_d=31 | answer=B | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.

id=26475 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3191. If it is sold at a profit of 20%, what is its selling price? | option_a=4148 | option_b=3829 | option_c=3211 | option_d=3510 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3191 × 120/100 = **■**3829.

id=26476 | topic=Percentages | difficulty=Easy | question=What is 40% of 265? | option_a=106 | option_b=101 | option_c=212 | option_d=111 | answer=A | explanation=40% of 265 = (40/100) × 265 = 106.

id=26477 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=6 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=26478 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=P | option_c=Q | option_d=N | answer=B | explanation=Move 1 positions forward from O; the resulting letter is P.

id=26479 | topic=Percentages | difficulty=Easy | question=What is 15% of 1932? | option_a=578 | option_b=309 | option_c=279 | option_d=289 | answer=D | explanation=15% of 1932 = (15/100) × 1932 = 289.

id=26480 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=125 | option_c=120 | option_d=240 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=26481 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3628. If it is sold at a profit of 30%, what is its selling price? | option_a=4716 | option_b=4354 | option_c=5078 | option_d=3658 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3628 × 130/100 = **■**4716.

id=26482 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17663 at 8% per annum for 4 years. | option_a=23315 | option_b=5752 | option_c=5652 | option_d=5552 | answer=C | explanation=SI = PRT/100 = 17663×8×4/100 = **■**5652.

id=26483 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 62? | option_a=30 | option_b=50 | option_c=62 | option_d=40 | answer=C | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 62 is the odd one out.

id=26484 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37714 at 6% per annum for 1 years. | option_a=39976 | option_b=2362 | option_c=2162 | option_d=2262 | answer=D | explanation=SI = PRT/100 = 37714×6×1/100 = **■**2262.

id=26485 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=G | option_b=P | option_c=M | option_d=J | answer=C | explanation=Move 3 positions forward from J; the resulting letter is M.

id=26486 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=26487 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19460 at 15% per annum for 2 years. | option_a=25298 | option_b=5838 | option_c=5738 | option_d=5938 | answer=B | explanation=SI = PRT/100 = 19460×15×2/100 = **■**5838.

id=26488 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28872 at 6% per annum for 1 years. | option_a=30604 | option_b=1832 | option_c=1632 | option_d=1732 | answer=D | explanation=SI = PRT/100 = 28872×6×1/100 = **■**1732.

id=26489 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=26490 | topic=Percentages | difficulty=Easy | question=What is 20% of 351? | option_a=140 | option_b=75 | option_c=50 | option_d=70 | answer=D | explanation=20% of 351 = (20/100) × 351 = 70.

Aptitude Questions — Records 26,491-26,520 of 100,000

id=26491 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4028. If it is sold at a profit of 15%, what is its selling price? | option_a=4230 | option_b=4043 | option_c=5034 | option_d=4632 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 4028 \times 115/100 = \text{█}4632$.

id=26492 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3233. If it is sold at a profit of 5%, what is its selling price? | option_a=3717 | option_b=3071 | option_c=3394 | option_d=3238 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 3233 \times 105/100 = \text{█}3394$.

id=26493 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $120 \div 4 = 30$ km/h.

id=26494 | topic=Averages | difficulty=Easy | question=Find the average of 54, 50, 45, 58, 11, 85, 50, 44, 65, 108. | option_a=57 | option_b=58 | option_c=59 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = $570 \div 10 = 57$.

id=26495 | topic=Percentages | difficulty=Easy | question=What is 5% of 1311? | option_a=65 | option_b=45 | option_c=130 | option_d=85 | answer=A | explanation=5% of 1311 = $(5/100) \times 1311 = 65$.

id=26496 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 9. | option_a=90 | option_b=270 | option_c=81 | option_d=120 | answer=A | explanation=LCM $\times$ HCF = 30×9 ; HCF(30,9) = 3, so LCM = 90.

id=26497 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 13. | option_a=338 | option_b=13 | option_c=52 | option_d=26 | answer=D | explanation=LCM $\times$ HCF = 26×13 ; HCF(26,13) = 13, so LCM = 26.

id=26498 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=E | option_b=O | option_c=J | option_d=T | answer=B | explanation=Move 5 positions forward from J; the resulting letter is O.

id=26499 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:18 and the first is 208, what is the second? | option_a=234 | option_b=442 | option_c=216 | option_d=250 | answer=A | explanation=Scale factor = $208/16 = 13$. Therefore second quantity = $18 \times 13 = 234$.

id=26500 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = $180 \div 3 = 60$ km/h.

id=26501 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.

id=26502 | topic=Percentages | difficulty=Easy | question=What is 10% of 438? | option_a=38 | option_b=43 | option_c=48 | option_d=86 | answer=B | explanation=10% of 438 = $(10/100) \times 438 = 43$.

id=26503 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8268 at 6% per annum for 2 years. | option_a=9260 | option_b=992 | option_c=1092 | option_d=892 | answer=B | explanation=SI = $PRT/100 = 8268 \times 6 \times 2/100 = \text{█}992$.

id=26504 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=45 | option_b=38 | option_c=50 | option_d=44 | answer=D | explanation=The common difference is 6. Therefore the next term is $38 + 6 = 44$.

id=26505 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=35 | option_b=29 | option_c=41 | option_d=36 | answer=A | explanation=The common difference is 6. Therefore the next term is $29 + 6 = 35$.

id=26506 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=1 | option_c=6 | option_d=11 | answer=C | explanation=Speed = distance ÷ time = $60 \div 10 = 6$ km/h.

id=26507 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 198, what is the second? | option_a=299 | option_b=288 | option_c=486 | option_d=272 | answer=B | explanation=Scale factor = $198/11 = 18$. Therefore second quantity = $16 \times 18 = 288$.

id=26508 | topic=Averages | difficulty=Easy | question=Find the average of 77, 11, 20, 10, 75, 67, 56, 20. | option_a=43 | option_b=42 | option_c=44 | option_d=41 | answer=B | explanation=Average = sum of values ÷ number of values = $336 \div 8 = 42$.

id=26509 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=12 | option_d=2 | answer=A | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=26510 | topic=Averages | difficulty=Easy | question=Find the average of 55, 33, 61, 54, 74, 19, 103. | option_a=58 | option_b=59 | option_c=57 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = $399 \div 7 = 57$.

id=26511 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4074. If it is sold at a profit of 30%, what is its selling price? | option_a=4104 | option_b=4889 | option_c=5703 | option_d=5296 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 4074 \times 130/100 = \text{█}5296$.

id=26512 | topic=Averages | difficulty=Easy | question=Find the average of 18, 56, 40, 19, 22, 53, 53, 59. | option_a=42 | option_b=40 | option_c=39 | option_d=41 | answer=B | explanation=Average = sum of values ÷ number of values = $320 \div 8 = 40$.

id=26513 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2253. If it is sold at a profit of 30%, what is its selling price? | option_a=2928 | option_b=2283 | option_c=2703 | option_d=3153 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2253 \times 130/100 = \text{█}2928$.

id=26514 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 39, 49, 60? | option_a=49 | option_b=60 | option_c=29 | option_d=39 | answer=B | explanation=The first three numbers increase by 10, so the next should be 59. Therefore 60 is the odd one out.

id=26515 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = $360 \div 6 = 60$ km/h.

id=26516 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 17, 27, 38? | option_a=17 | option_b=38 | option_c=27 | option_d=7 | answer=B | explanation=The first three numbers increase by 10, so the next should be 37. Therefore 38 is the odd one out.

id=26517 | topic=Profit & Loss | difficulty=Easy | question=An article costs █278. If it is sold at a profit of 30%, what is its selling price? | option_a=388 | option_b=308 | option_c=334 | option_d=361 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 278 \times 130/100 = \text{█}361$.

id=26518 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 31, 41, 53? | option_a=21 | option_b=31 | option_c=53 | option_d=41 | answer=C | explanation=The first three numbers increase by 10, so the next should be 51. Therefore 53 is the odd one out.

id=26519 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49981 at 6% per annum for 1 years. | option_a=2998 | option_b=52979 | option_c=2898 | option_d=3098 | answer=A | explanation=SI = $PRT/100 = 49981 \times 6 \times 1/100 = \text{█}2998$.

id=26520 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=J | option_c=P | option_d=S | answer=C | explanation=Move 3 positions forward from M; the resulting letter is P.

Aptitude Questions — Records 26,521-26,550 of 100,000

id=26521 | topic=Averages | difficulty=Easy | question=Find the average of 96, 82, 55, 52, 45. | option_a=66 | option_b=68 | option_c=67 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 330 ÷ 5 = 66.

id=26522 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■19412 at 15% per annum for 2 years. | option_a=5723 | option_b=5823 | option_c=25235 | option_d=5923 | answer=B | explanation=SI = PRT/100 = 19412×15×2/100 = ■5823.

id=26523 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■543. If it is sold at a profit of 5%, what is its selling price? | option_a=548 | option_b=516 | option_c=624 | option_d=570 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 543 × 105/100 = ■570.

id=26524 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 27. | option_a=162 | option_b=54 | option_c=27 | option_d=60 | answer=B | explanation=LCM × HCF = 6×27; HCF(6,27) = 3, so LCM = 54.

id=26525 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4462. If it is sold at a profit of 40%, what is its selling price? | option_a=5800 | option_b=4502 | option_c=6246 | option_d=6692 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4462 × 140/100 = ■6246.

id=26526 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=26527 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:18 and the first is 380, what is the second? | option_a=740 | option_b=342 | option_c=379 | option_d=360 | answer=D | explanation=Scale factor = 380/19 = 20. Therefore second quantity = 18×20 = 360.

id=26528 | topic=Averages | difficulty=Easy | question=Find the average of 28, 56, 33, 33, 31, 91, 106. | option_a=53 | option_b=55 | option_c=56 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

id=26529 | topic=Averages | difficulty=Easy | question=Find the average of 83, 98, 41. | option_a=75 | option_b=74 | option_c=76 | option_d=73 | answer=B | explanation=Average = sum of values ÷ number of values = 222 ÷ 3 = 74.

id=26530 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:17 and the first is 171, what is the second? | option_a=332 | option_b=306 | option_c=323 | option_d=494 | answer=C | explanation=Scale factor = 171/9 = 19. Therefore second quantity = 17×19 = 323.

id=26531 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2569. If it is sold at a profit of 30%, what is its selling price? | option_a=3595 | option_b=3083 | option_c=2599 | option_d=3339 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2569 × 130/100 = ■3339.

id=26532 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=50 | option_c=20 | option_d=25 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=26533 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:8 and the first is 45, what is the second? | option_a=32 | option_b=49 | option_c=40 | option_d=85 | answer=C | explanation=Scale factor = 45/9 = 5. Therefore second quantity = 8×5 = 40.

id=26534 | topic=Averages | difficulty=Easy | question=Find the average of 46, 68, 45. | option_a=54 | option_b=55 | option_c=53 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 159 ÷ 3 = 53.

id=26535 | topic=Averages | difficulty=Easy | question=Find the average of 28, 54, 30, 69, 78, 86, 64, 53, 67, 51. | option_a=57 | option_b=58 | option_c=60 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 580 ÷ 10 = 58.

id=26536 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:5 and the first is 190, what is the second? | option_a=105 | option_b=95 | option_c=90 | option_d=285 | answer=B | explanation=Scale factor = 190/10 = 19. Therefore second quantity = 5×19 = 95.

id=26537 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=77 | option_c=67 | option_d=144 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=26538 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=K | option_b=O | option_c=S | option_d=W | answer=C | explanation=Move 4 positions forward from O; the resulting letter is S.

id=26539 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 8, 12, 19? | option_a=19 | option_b=4 | option_c=8 | option_d=12 | answer=A | explanation=The first three numbers increase by 4, so the next should be 16. Therefore 19 is the odd one out.

id=26540 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=O | option_b=P | option_c=Q | option_d=R | answer=C | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=26541 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■4091 at 5% per annum for 3 years. | option_a=4704 | option_b=713 | option_c=613 | option_d=513 | answer=C | explanation=SI = PRT/100 = 4091×5×3/100 = ■613.

id=26542 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 20, 22, 25? | option_a=20 | option_b=25 | option_c=22 | option_d=18 | answer=B | explanation=The first three numbers increase by 2, so the next should be 24. Therefore 25 is the odd one out.

id=26543 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=D | option_b=Y | option_c=T | option_d=O | answer=B | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=26544 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■28320 at 15% per annum for 3 years. | option_a=12744 | option_b=12644 | option_c=41064 | option_d=12844 | answer=A | explanation=SI = PRT/100 = 28320×15×3/100 = ■12744.

id=26545 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=A | option_b=G | option_c=E | option_d=C | answer=C | explanation=Move 2 positions forward from C; the resulting letter is E.

id=26546 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=49 | option_b=60 | option_c=69 | option_d=59 | answer=D | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

id=26547 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=U | option_b=R | option_c=X | option_d=O | answer=A | explanation=Move 3 positions forward from R; the resulting letter is U.

id=26548 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:9 and the first is 169, what is the second? | option_a=286 | option_b=117 | option_c=108 | option_d=130 | answer=B | explanation=Scale factor = 169/13 = 13. Therefore second quantity = 9×13 = 117.

id=26549 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=C | option_b=L | option_c=I | option_d=F | answer=C | explanation=Move 3 positions forward from F; the resulting letter is I.

id=26550 | topic=Averages | difficulty=Easy | question=Find the average of 24, 35, 13, 32. | option_a=27 | option_b=26 | option_c=25 | option_d=28 | answer=B | explanation=Average = sum of values ÷ number of values = 104 ÷ 4 = 26.

Aptitude Questions — Records 26,551-26,580 of 100,000

- id=26551 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■18885 at 12% per annum for 3 years. | option_a=6898 | option_b=6798 | option_c=25683 | option_d=6698 | answer=B | explanation=SI = PRT/100 = 18885×12×3/100 = ■6798.
- id=26552 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2821. If it is sold at a profit of 25%, what is its selling price? | option_a=3526 | option_b=2846 | option_c=3808 | option_d=3244 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2821 × 125/100 = ■3526.
- id=26553 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■383. If it is sold at a profit of 25%, what is its selling price? | option_a=408 | option_b=478 | option_c=516 | option_d=440 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 383 × 125/100 = ■478.
- id=26554 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:8 and the first is 216, what is the second? | option_a=88 | option_b=114 | option_c=96 | option_d=312 | answer=C | explanation=Scale factor = 216/18 = 12. Therefore second quantity = 8×12 = 96.
- id=26555 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2570. If it is sold at a profit of 15%, what is its selling price? | option_a=3212 | option_b=2585 | option_c=2698 | option_d=2955 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2570 × 115/100 = ■2955.
- id=26556 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=50 | option_b=60 | option_c=38 | option_d=49 | answer=D | explanation=The common difference is 11. Therefore the next term is 38 + 11 = 49.
- id=26557 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:16 and the first is 169, what is the second? | option_a=377 | option_b=208 | option_c=192 | option_d=221 | answer=B | explanation=Scale factor = 169/13 = 13. Therefore second quantity = 16×13 = 208.
- id=26558 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=36 | option_b=52 | option_c=45 | option_d=44 | answer=D | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.
- id=26559 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 13, 18, 25? | option_a=13 | option_b=18 | option_c=25 | option_d=8 | answer=C | explanation=The first three numbers increase by 5, so the next should be 23. Therefore 25 is the odd one out.
- id=26560 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■336. If it is sold at a profit of 25%, what is its selling price? | option_a=361 | option_b=453 | option_c=420 | option_d=387 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 336 × 125/100 = ■420.
- id=26561 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■22134 at 4% per annum for 1 years. | option_a=785 | option_b=985 | option_c=23019 | option_d=885 | answer=D | explanation=SI = PRT/100 = 22134×4×1/100 = ■885.
- id=26562 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=Q | option_b=M | option_c=I | option_d=E | answer=B | explanation=Move 4 positions forward from I; the resulting letter is M.
- id=26563 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:15 and the first is 102, what is the second? | option_a=75 | option_b=107 | option_c=90 | option_d=192 | answer=C | explanation=Scale factor = 102/17 = 6. Therefore second quantity = 15×6 = 90.
- id=26564 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 25, 34, 44? | option_a=16 | option_b=25 | option_c=44 | option_d=34 | answer=C | explanation=The first three numbers increase by 9, so the next should be 43. Therefore 44 is the odd one out.
- id=26565 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■28929 at 6% per annum for 3 years. | option_a=5207 | option_b=5107 | option_c=5307 | option_d=34136 | answer=A | explanation=SI = PRT/100 = 28929×6×3/100 = ■5207.
- id=26566 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=26567 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■37627 at 15% per annum for 3 years. | option_a=16832 | option_b=54559 | option_c=16932 | option_d=17032 | answer=C | explanation=SI = PRT/100 = 37627×15×3/100 = ■16932.
- id=26568 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:3 and the first is 14, what is the second? | option_a=35 | option_b=23 | option_c=21 | option_d=18 | answer=C | explanation=Scale factor = 14/2 = 7. Therefore second quantity = 3×7 = 21.
- id=26569 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.
- id=26570 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.
- id=26571 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=26 | option_b=42 | option_c=35 | option_d=34 | answer=D | explanation=The common difference is 8. Therefore the next term is 26 + 8 = 34.
- id=26572 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=51 | option_b=63 | option_c=52 | option_d=39 | answer=A | explanation=The common difference is 12. Therefore the next term is 39 + 12 = 51.
- id=26573 | topic=Percentages | difficulty=Easy | question=What is 20% of 1257? | option_a=261 | option_b=231 | option_c=251 | option_d=502 | answer=C | explanation=20% of 1257 = (20/100) × 1257 = 251.
- id=26574 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=P | option_b=U | option_c=Z | option_d=E | answer=C | explanation=Move 5 positions forward from U; the resulting letter is Z.
- id=26575 | topic=Averages | difficulty=Easy | question=Find the average of 90, 79, 73, 28, 69, 99. | option_a=74 | option_b=73 | option_c=72 | option_d=75 | answer=B | explanation=Average = sum of values ÷ number of values = 438 ÷ 6 = 73.
- id=26576 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=N | option_b=H | option_c=K | option_d=Q | answer=A | explanation=Move 3 positions forward from K; the resulting letter is N.
- id=26577 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=95 | option_d=180 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.
- id=26578 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 43? | option_a=25 | option_b=33 | option_c=17 | option_d=43 | answer=D | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 43 is the odd one out.
- id=26579 | topic=Percentages | difficulty=Easy | question=What is 10% of 931? | option_a=93 | option_b=186 | option_c=88 | option_d=98 | answer=A | explanation=10% of 931 = (10/100) × 931 = 93.
- id=26580 | topic=Percentages | difficulty=Easy | question=What is 10% of 555? | option_a=35 | option_b=110 | option_c=75 | option_d=55 | answer=D | explanation=10% of 555 = (10/100) × 555 = 55.

Aptitude Questions — Records 26,581-26,610 of 100,000

id=26581 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=H | option_c=L | option_d=Z | answer=B | explanation=Move 4 positions forward from D; the resulting letter is H.

id=26582 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=26583 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 51? | option_a=51 | option_b=33 | option_c=25 | option_d=41 | answer=A | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 51 is the odd one out.

id=26584 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=26585 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=C | option_c=X | option_d=N | answer=C | explanation=Move 5 positions forward from S; the resulting letter is X.

id=26586 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=V | option_c=P | option_d=Y | answer=B | explanation=Move 3 positions forward from S; the resulting letter is V.

id=26587 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1826. If it is sold at a profit of 50%, what is its selling price? | option_a=2553 | option_b=1876 | option_c=2739 | option_d=2921 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1826 × 150/100 = █2739.

id=26588 | topic=Averages | difficulty=Easy | question=Find the average of 35, 45, 65, 49, 60, 92, 69, 33. | option_a=56 | option_b=58 | option_c=57 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 448 ÷ 8 = 56.

id=26589 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1899. If it is sold at a profit of 10%, what is its selling price? | option_a=2277 | option_b=1909 | option_c=2088 | option_d=1899 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1899 × 110/100 = █2088.

id=26590 | topic=Percentages | difficulty=Easy | question=What is 5% of 878? | option_a=86 | option_b=23 | option_c=53 | option_d=43 | answer=D | explanation=5% of 878 = (5/100) × 878 = 43.

id=26591 | topic=Averages | difficulty=Easy | question=Find the average of 11, 54, 31, 30, 40, 57, 100, 27, 55. | option_a=44 | option_b=45 | option_c=46 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 405 ÷ 9 = 45.

id=26592 | topic=Averages | difficulty=Easy | question=Find the average of 85, 62, 68, 53, 52, 30, 63. | option_a=60 | option_b=59 | option_c=58 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 413 ÷ 7 = 59.

id=26593 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=56 | option_b=67 | option_c=45 | option_d=57 | answer=A | explanation=The common difference is 11. Therefore the next term is 45 + 11 = 56.

id=26594 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 15, 22, 31? | option_a=22 | option_b=31 | option_c=8 | option_d=15 | answer=B | explanation=The first three numbers increase by 7, so the next should be 29. Therefore 31 is the odd one out.

id=26595 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=60 | option_b=49 | option_c=50 | option_d=38 | answer=B | explanation=The common difference is 11. Therefore the next term is 38 + 11 = 49.

id=26596 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=46 | option_b=39 | option_c=30 | option_d=38 | answer=D | explanation=The common difference is 8. Therefore the next term is 30 + 8 = 38.

id=26597 | topic=Averages | difficulty=Easy | question=Find the average of 55, 57, 23, 55, 31, 45, 59, 99. | option_a=53 | option_b=55 | option_c=52 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.

id=26598 | topic=Percentages | difficulty=Easy | question=What is 10% of 973? | option_a=117 | option_b=97 | option_c=77 | option_d=194 | answer=B | explanation=10% of 973 = (10/100) × 973 = 97.

id=26599 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:13 and the first is 8, what is the second? | option_a=13 | option_b=26 | option_c=30 | option_d=34 | answer=B | explanation=Scale factor = 8/4 = 2. Therefore second quantity = 13×2 = 26.

id=26600 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 31, 39, 50? | option_a=31 | option_b=39 | option_c=50 | option_d=23 | answer=C | explanation=The first three numbers increase by 8, so the next should be 47. Therefore 50 is the odd one out.

id=26601 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 30. | option_a=1 | option_b=60 | option_c=32 | option_d=30 | answer=D | explanation=LCM × HCF = 2×30; HCF(2,30) = 2, so LCM = 30.

id=26602 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:13 and the first is 39, what is the second? | option_a=39 | option_b=78 | option_c=26 | option_d=52 | answer=A | explanation=Scale factor = 39/13 = 3. Therefore second quantity = 13×3 = 39.

id=26603 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2180. If it is sold at a profit of 40%, what is its selling price? | option_a=2220 | option_b=2834 | option_c=3052 | option_d=3270 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2180 × 140/100 = █3052.

id=26604 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=F | option_c=R | option_d=N | answer=D | explanation=Move 4 positions forward from J; the resulting letter is N.

id=26605 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=61 | option_b=60 | option_c=49 | option_d=71 | answer=B | explanation=The common difference is 11. Therefore the next term is 49 + 11 = 60.

id=26606 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 50? | option_a=27 | option_b=17 | option_c=37 | option_d=50 | answer=D | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 50 is the odd one out.

id=26607 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 7, 10, 16? | option_a=7 | option_b=4 | option_c=16 | option_d=10 | answer=C | explanation=The first three numbers increase by 3, so the next should be 13. Therefore 16 is the odd one out.

id=26608 | topic=Averages | difficulty=Easy | question=Find the average of 65, 48, 41, 60, 100, 22, 45, 83. | option_a=59 | option_b=57 | option_c=58 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 464 ÷ 8 = 58.

id=26609 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=X | option_b=B | option_c=T | option_d=P | answer=A | explanation=Move 4 positions forward from T; the resulting letter is X.

id=26610 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45497 at 4% per annum for 1 years. | option_a=1919 | option_b=1819 | option_c=1719 | option_d=47316 | answer=B | explanation=SI = PRT/100 = 45497×4×1/100 = █1819.

Aptitude Questions — Records 26,611-26,640 of 100,000

id=26611 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 11, 16, 24? | option_a=11 | option_b=6 | option_c=24 | option_d=16 | answer=C | explanation=The first three numbers increase by 5, so the next should be 21. Therefore 24 is the odd one out.

id=26612 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4264. If it is sold at a profit of 5%, what is its selling price? | option_a=4477 | option_b=4051 | option_c=4903 | option_d=4269 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4264 × 105/100 = █4477.

id=26613 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20042 at 6% per annum for 1 years. | option_a=21244 | option_b=1202 | option_c=1302 | option_d=1102 | answer=B | explanation=SI = PRT/100 = 20042×6×1/100 = █1202.

id=26614 | topic=Percentages | difficulty=Easy | question=What is 30% of 296? | option_a=98 | option_b=88 | option_c=78 | option_d=176 | answer=B | explanation=30% of 296 = (30/100) × 296 = 88.

id=26615 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3769. If it is sold at a profit of 50%, what is its selling price? | option_a=5277 | option_b=3819 | option_c=5653 | option_d=6029 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3769 × 150/100 = █5653.

id=26616 | topic=Averages | difficulty=Easy | question=Find the average of 49, 62, 38, 63, 36, 49, 39. | option_a=50 | option_b=48 | option_c=49 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 336 ÷ 7 = 48.

id=26617 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=M | option_b=I | option_c=G | option_d=K | answer=D | explanation=Move 2 positions forward from I; the resulting letter is K.

id=26618 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:6 and the first is 17, what is the second? | option_a=96 | option_b=102 | option_c=103 | option_d=119 | answer=B | explanation=Scale factor = 17/1 = 17. Therefore second quantity = 6×17 = 102.

id=26619 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=26620 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=26621 | topic=Percentages | difficulty=Easy | question=What is 20% of 1082? | option_a=216 | option_b=236 | option_c=432 | option_d=196 | answer=A | explanation=20% of 1082 = (20/100) × 1082 = 216.

id=26622 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=26623 | topic=Percentages | difficulty=Easy | question=What is 10% of 1635? | option_a=168 | option_b=163 | option_c=153 | option_d=326 | answer=B | explanation=10% of 1635 = (10/100) × 1635 = 163.

id=26624 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=E | option_b=F | option_c=D | option_d=C | answer=A | explanation=Move 1 positions forward from D; the resulting letter is E.

id=26625 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38182 at 6% per annum for 1 years. | option_a=2390 | option_b=2290 | option_c=2190 | option_d=40472 | answer=B | explanation=SI = PRT/100 = 38182×6×1/100 = █2290.

id=26626 | topic=Averages | difficulty=Easy | question=Find the average of 97, 80, 35, 92, 76. | option_a=78 | option_b=77 | option_c=76 | option_d=75 | answer=C | explanation=Average = sum of values ÷ number of values = 380 ÷ 5 = 76.

id=26627 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:18 and the first is 304, what is the second? | option_a=307 | option_b=270 | option_c=592 | option_d=288 | answer=D | explanation=Scale factor = 304/19 = 16. Therefore second quantity = 18×16 = 288.

id=26628 | topic=Percentages | difficulty=Easy | question=What is 15% of 1077? | option_a=181 | option_b=322 | option_c=161 | option_d=141 | answer=C | explanation=15% of 1077 = (15/100) × 1077 = 161.

id=26629 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=13 | option_b=14 | option_c=15 | option_d=11 | answer=A | explanation=The common difference is 2. Therefore the next term is 11 + 2 = 13.

id=26630 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 25, 30, 38? | option_a=30 | option_b=38 | option_c=25 | option_d=20 | answer=B | explanation=The first three numbers increase by 5, so the next should be 35. Therefore 38 is the odd one out.

id=26631 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20693 at 10% per annum for 4 years. | option_a=28970 | option_b=8177 | option_c=8277 | option_d=8377 | answer=C | explanation=SI = PRT/100 = 20693×10×4/100 = █8277.

id=26632 | topic=Percentages | difficulty=Easy | question=What is 15% of 1464? | option_a=438 | option_b=214 | option_c=239 | option_d=219 | answer=D | explanation=15% of 1464 = (15/100) × 1464 = 219.

id=26633 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=26634 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=26635 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=26636 | topic=Averages | difficulty=Easy | question=Find the average of 78, 52, 53, 80, 20, 67, 19, 60, 78, 43. | option_a=57 | option_b=54 | option_c=56 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 550 ÷ 10 = 55.

id=26637 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:5 and the first is 120, what is the second? | option_a=150 | option_b=30 | option_c=25 | option_d=50 | answer=B | explanation=Scale factor = 120/20 = 6. Therefore second quantity = 5×6 = 30.

id=26638 | topic=Percentages | difficulty=Easy | question=What is 30% of 843? | option_a=257 | option_b=252 | option_c=504 | option_d=232 | answer=B | explanation=30% of 843 = (30/100) × 843 = 252.

id=26639 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=E | option_b=K | option_c=I | option_d=G | answer=C | explanation=Move 2 positions forward from G; the resulting letter is I.

id=26640 | topic=Percentages | difficulty=Easy | question=What is 10% of 620? | option_a=57 | option_b=124 | option_c=62 | option_d=72 | answer=C | explanation=10% of 620 = (10/100) × 620 = 62.

Aptitude Questions — Records 26,641-26,670 of 100,000

id=26641 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=F | option_b=K | option_c=A | option_d=V | answer=A | explanation=Move 5 positions forward from A; the resulting letter is F.

id=26642 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=Z | option_c=D | option_d=F | answer=C | explanation=Move 2 positions forward from B; the resulting letter is D.

id=26643 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1725. If it is sold at a profit of 40%, what is its selling price? | option_a=2243 | option_b=2415 | option_c=2587 | option_d=1765 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1725 × 140/100 = █2415.

id=26644 | topic=Averages | difficulty=Easy | question=Find the average of 64, 37, 93, 11, 85. | option_a=60 | option_b=58 | option_c=57 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 290 ÷ 5 = 58.

id=26645 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=24 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=26646 | topic=Percentages | difficulty=Easy | question=What is 10% of 977? | option_a=194 | option_b=77 | option_c=97 | option_d=102 | answer=C | explanation=10% of 977 = (10/100) × 977 = 97.

id=26647 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:20 and the first is 24, what is the second? | option_a=80 | option_b=86 | option_c=104 | option_d=60 | answer=A | explanation=Scale factor = 24/6 = 4. Therefore second quantity = 20×4 = 80.

id=26648 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=26649 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:17 and the first is 342, what is the second? | option_a=306 | option_b=325 | option_c=648 | option_d=289 | answer=A | explanation=Scale factor = 342/19 = 18. Therefore second quantity = 17×18 = 306.

id=26650 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=24 | option_d=29 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=26651 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 10. | option_a=40 | option_b=50 | option_c=75 | option_d=250 | answer=B | explanation=LCM × HCF = 25×10; HCF(25,10) = 5, so LCM = 50.

id=26652 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=30 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=26653 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=U | option_c=F | option_d=P | answer=D | explanation=Move 5 positions forward from K; the resulting letter is P.

id=26654 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=26655 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=26656 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=Y | option_b=P | option_c=S | option_d=V | answer=D | explanation=Move 3 positions forward from S; the resulting letter is V.

id=26657 | topic=Averages | difficulty=Easy | question=Find the average of 42, 24, 27, 29, 69, 90, 73, 69, 63. | option_a=55 | option_b=53 | option_c=56 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 486 ÷ 9 = 54.

id=26658 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3429. If it is sold at a profit of 40%, what is its selling price? | option_a=4800 | option_b=4458 | option_c=3469 | option_d=5142 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3429 × 140/100 = █4800.

id=26659 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=H | option_c=N | option_d=Q | answer=C | explanation=Move 3 positions forward from K; the resulting letter is N.

id=26660 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4247. If it is sold at a profit of 20%, what is its selling price? | option_a=5096 | option_b=4672 | option_c=5520 | option_d=4267 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4247 × 120/100 = █5096.

id=26661 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 26, 29, 33? | option_a=26 | option_b=33 | option_c=29 | option_d=23 | answer=B | explanation=The first three numbers increase by 3, so the next should be 32. Therefore 33 is the odd one out.

id=26662 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:6 and the first is 120, what is the second? | option_a=66 | option_b=192 | option_c=82 | option_d=72 | answer=D | explanation=Scale factor = 120/10 = 12. Therefore second quantity = 6×12 = 72.

id=26663 | topic=Averages | difficulty=Easy | question=Find the average of 81, 22, 59. | option_a=54 | option_b=53 | option_c=55 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 162 ÷ 3 = 54.

id=26664 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3320. If it is sold at a profit of 30%, what is its selling price? | option_a=3984 | option_b=4316 | option_c=3350 | option_d=4648 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3320 × 130/100 = █4316.

id=26665 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:13 and the first is 3, what is the second? | option_a=39 | option_b=42 | option_c=40 | option_d=26 | answer=A | explanation=Scale factor = 3/1 = 3. Therefore second quantity = 13×3 = 39.

id=26666 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=45 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=26667 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=26668 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 22. | option_a=120 | option_b=220 | option_c=88 | option_d=110 | answer=D | explanation=LCM × HCF = 10×22; HCF(10,22) = 2, so LCM = 110.

id=26669 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:7 and the first is 324, what is the second? | option_a=144 | option_b=126 | option_c=119 | option_d=450 | answer=B | explanation=Scale factor = 324/18 = 18. Therefore second quantity = 7×18 = 126.

id=26670 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=48 | option_c=24 | option_d=19 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

Aptitude Questions — Records 26,671-26,700 of 100,000

id=26671 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 45? | option_a=31 | option_b=37 | option_c=45 | option_d=25 | answer=C | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 45 is the odd one out.

id=26672 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 13, 23, 35? | option_a=35 | option_b=3 | option_c=13 | option_d=23 | answer=A | explanation=The first three numbers increase by 10, so the next should be 33. Therefore 35 is the odd one out.

id=26673 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 24, 27, 31? | option_a=27 | option_b=24 | option_c=21 | option_d=31 | answer=D | explanation=The first three numbers increase by 3, so the next should be 30. Therefore 31 is the odd one out.

id=26674 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=95 | option_d=180 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=26675 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=T | option_c=H | option_d=P | answer=D | explanation=Move 4 positions forward from L; the resulting letter is P.

id=26676 | topic=Averages | difficulty=Easy | question=Find the average of 39, 76, 20, 57, 85, 62, 71, 29, 17, 44. | option_a=51 | option_b=50 | option_c=49 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 500 ÷ 10 = 50.

id=26677 | topic=Percentages | difficulty=Easy | question=What is 10% of 1489? | option_a=143 | option_b=153 | option_c=296 | option_d=148 | answer=D | explanation=10% of 1489 = (10/100) × 1489 = 148.

id=26678 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=20 | option_b=26 | option_c=27 | option_d=32 | answer=B | explanation=The common difference is 6. Therefore the next term is 20 + 6 = 26.

id=26679 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=26680 | topic=Percentages | difficulty=Easy | question=What is 12% of 1574? | option_a=168 | option_b=376 | option_c=188 | option_d=208 | answer=C | explanation=12% of 1574 = (12/100) × 1574 = 188.

id=26681 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:7 and the first is 108, what is the second? | option_a=171 | option_b=75 | option_c=56 | option_d=63 | answer=D | explanation=Scale factor = 108/12 = 9. Therefore second quantity = 7×9 = 63.

id=26682 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=26683 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=48 | option_b=47 | option_c=38 | option_d=56 | answer=B | explanation=The common difference is 9. Therefore the next term is 38 + 9 = 47.

id=26684 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=26685 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=26686 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4053. If it is sold at a profit of 25%, what is its selling price? | option_a=4078 | option_b=5471 | option_c=5066 | option_d=4661 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4053 × 125/100 = █5066.

id=26687 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:6 and the first is 340, what is the second? | option_a=122 | option_b=96 | option_c=442 | option_d=102 | answer=D | explanation=Scale factor = 340/20 = 17. Therefore second quantity = 6×17 = 102.

id=26688 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:1 and the first is 30, what is the second? | option_a=11 | option_b=36 | option_c=5 | option_d=6 | answer=D | explanation=Scale factor = 30/5 = 6. Therefore second quantity = 1×6 = 6.

id=26689 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4973. If it is sold at a profit of 5%, what is its selling price? | option_a=5221 | option_b=4978 | option_c=4724 | option_d=5718 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4973 × 105/100 = █5221.

id=26690 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39307 at 15% per annum for 3 years. | option_a=56995 | option_b=17588 | option_c=17688 | option_d=17788 | answer=C | explanation=SI = PRT/100 = 39307×15×3/100 = █17688.

id=26691 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=26692 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=26693 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=80 | option_b=56 | option_c=68 | option_d=69 | answer=C | explanation=The common difference is 12. Therefore the next term is 56 + 12 = 68.

id=26694 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 21, 23, 25, ? | option_a=25 | option_b=27 | option_c=29 | option_d=28 | answer=B | explanation=The common difference is 2. Therefore the next term is 25 + 2 = 27.

id=26695 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=26696 | topic=Averages | difficulty=Easy | question=Find the average of 73, 26, 57, 42, 95, 61, 97, 60, 29. | option_a=62 | option_b=60 | option_c=61 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 540 ÷ 9 = 60.

id=26697 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:8 and the first is 176, what is the second? | option_a=120 | option_b=128 | option_c=304 | option_d=139 | answer=B | explanation=Scale factor = 176/11 = 16. Therefore second quantity = 8×16 = 128.

id=26698 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10914 at 10% per annum for 1 years. | option_a=12005 | option_b=991 | option_c=1191 | option_d=1091 | answer=D | explanation=SI = PRT/100 = 10914×10×1/100 = █1091.

id=26699 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1493. If it is sold at a profit of 20%, what is its selling price? | option_a=1642 | option_b=1513 | option_c=1791 | option_d=1940 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1493 × 120/100 = █1791.

id=26700 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

Aptitude Questions — Records 26,701-26,730 of 100,000

id=26701 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=55 | option_b=65 | option_c=56 | option_d=45 | answer=A | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.

id=26702 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:10 and the first is 130, what is the second? | option_a=90 | option_b=230 | option_c=100 | option_d=113 | answer=C | explanation=Scale factor = 130/13 = 10. Therefore second quantity = 10×10 = 100.

id=26703 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1598. If it is sold at a profit of 40%, what is its selling price? | option_a=2237 | option_b=2396 | option_c=2078 | option_d=1638 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1598 × 140/100 = ₹2237.

id=26704 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=7 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=26705 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=32 | option_b=42 | option_c=52 | option_d=43 | answer=B | explanation=The common difference is 10. Therefore the next term is 32 + 10 = 42.

id=26706 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=26707 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=26708 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=I | option_b=W | option_c=A | option_d=E | answer=D | explanation=Move 4 positions forward from A; the resulting letter is E.

id=26709 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=24 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=26710 | topic=Percentages | difficulty=Easy | question=What is 20% of 665? | option_a=113 | option_b=133 | option_c=138 | option_d=266 | answer=B | explanation=20% of 665 = (20/100) × 665 = 133.

id=26711 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=33 | option_b=38 | option_c=39 | option_d=43 | answer=B | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.

id=26712 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 42? | option_a=15 | option_b=23 | option_c=31 | option_d=42 | answer=D | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 42 is the odd one out.

id=26713 | topic=Averages | difficulty=Easy | question=Find the average of 85, 93, 79, 83. | option_a=87 | option_b=86 | option_c=85 | option_d=84 | answer=C | explanation=Average = sum of values ÷ number of values = 340 ÷ 4 = 85.

id=26714 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=12 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=26715 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 37? | option_a=24 | option_b=37 | option_c=14 | option_d=4 | answer=B | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 37 is the odd one out.

id=26716 | topic=Averages | difficulty=Easy | question=Find the average of 90, 45, 38, 21, 18, 46. | option_a=45 | option_b=43 | option_c=44 | option_d=42 | answer=B | explanation=Average = sum of values ÷ number of values = 258 ÷ 6 = 43.

id=26717 | topic=Averages | difficulty=Easy | question=Find the average of 87, 71, 20, 37, 35. | option_a=49 | option_b=51 | option_c=50 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 250 ÷ 5 = 50.

id=26718 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:7 and the first is 88, what is the second? | option_a=67 | option_b=56 | option_c=49 | option_d=144 | answer=B | explanation=Scale factor = 88/11 = 8. Therefore second quantity = 7×8 = 56.

id=26719 | topic=Percentages | difficulty=Easy | question=What is 10% of 235? | option_a=46 | option_b=3 | option_c=43 | option_d=23 | answer=D | explanation=10% of 235 = (10/100) × 235 = 23.

id=26720 | topic=Averages | difficulty=Easy | question=Find the average of 68, 74, 96, 27, 32, 60, 63. | option_a=61 | option_b=59 | option_c=62 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 420 ÷ 7 = 60.

id=26721 | topic=Percentages | difficulty=Easy | question=What is 12% of 248? | option_a=58 | option_b=34 | option_c=29 | option_d=9 | answer=C | explanation=12% of 248 = (12/100) × 248 = 29.

id=26722 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=26723 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:4 and the first is 40, what is the second? | option_a=20 | option_b=60 | option_c=16 | option_d=28 | answer=A | explanation=Scale factor = 40/8 = 5. Therefore second quantity = 4×5 = 20.

id=26724 | topic=Percentages | difficulty=Easy | question=What is 20% of 1871? | option_a=384 | option_b=369 | option_c=748 | option_d=374 | answer=D | explanation=20% of 1871 = (20/100) × 1871 = 374.

id=26725 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:13 and the first is 135, what is the second? | option_a=104 | option_b=117 | option_c=132 | option_d=252 | answer=B | explanation=Scale factor = 135/15 = 9. Therefore second quantity = 13×9 = 117.

id=26726 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:6 and the first is 88, what is the second? | option_a=66 | option_b=74 | option_c=154 | option_d=60 | answer=A | explanation=Scale factor = 88/8 = 11. Therefore second quantity = 6×11 = 66.

id=26727 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=44 | option_b=40 | option_c=34 | option_d=39 | answer=D | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

id=26728 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:10 and the first is 117, what is the second? | option_a=130 | option_b=247 | option_c=139 | option_d=120 | answer=A | explanation=Scale factor = 117/9 = 13. Therefore second quantity = 10×13 = 130.

id=26729 | topic=Percentages | difficulty=Easy | question=What is 20% of 1090? | option_a=218 | option_b=208 | option_c=436 | option_d=223 | answer=A | explanation=20% of 1090 = (20/100) × 1090 = 218.

id=26730 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=D | option_c=L | option_d=Z | answer=A | explanation=Move 4 positions forward from D; the resulting letter is H.

Aptitude Questions — Records 26,731-26,760 of 100,000

id=26731 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=95 | option_c=100 | option_d=105 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=26732 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=14 | option_b=10 | option_c=13 | option_d=12 | answer=D | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.

id=26733 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:10 and the first is 90, what is the second? | option_a=50 | option_b=150 | option_c=75 | option_d=60 | answer=D | explanation=Scale factor = 90/15 = 6. Therefore second quantity = 10×6 = 60.

id=26734 | topic=Percentages | difficulty=Easy | question=What is 20% of 679? | option_a=145 | option_b=135 | option_c=115 | option_d=270 | answer=B | explanation=20% of 679 = (20/100) × 679 = 135.

id=26735 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=50 | option_d=25 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=26736 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2981. If it is sold at a profit of 15%, what is its selling price? | option_a=3428 | option_b=3726 | option_c=2996 | option_d=3130 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2981 × 115/100 = █3428.

id=26737 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 10, 12, 14, ? | option_a=17 | option_b=16 | option_c=18 | option_d=14 | answer=B | explanation=The common difference is 2. Therefore the next term is 14 + 2 = 16.

id=26738 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=26739 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=20 | option_c=25 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=26740 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=P | option_b=U | option_c=Z | option_d=E | answer=C | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=26741 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16403 at 4% per annum for 2 years. | option_a=17715 | option_b=1312 | option_c=1412 | option_d=1212 | answer=B | explanation=SI = PRT/100 = 16403×4×2/100 = █1312.

id=26742 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=26743 | topic=Percentages | difficulty=Easy | question=What is 12% of 835? | option_a=90 | option_b=100 | option_c=105 | option_d=200 | answer=B | explanation=12% of 835 = (12/100) × 835 = 100.

id=26744 | topic=Averages | difficulty=Easy | question=Find the average of 95, 62, 71, 87, 61, 99, 49, 100. | option_a=80 | option_b=78 | option_c=79 | option_d=77 | answer=B | explanation=Average = sum of values ÷ number of values = 624 ÷ 8 = 78.

id=26745 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37045 at 4% per annum for 3 years. | option_a=4545 | option_b=41490 | option_c=4345 | option_d=4445 | answer=D | explanation=SI = PRT/100 = 37045×4×3/100 = █4445.

id=26746 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:7 and the first is 60, what is the second? | option_a=63 | option_b=130 | option_c=76 | option_d=70 | answer=D | explanation=Scale factor = 60/6 = 10. Therefore second quantity = 7×10 = 70.

id=26747 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 30, 34, 41? | option_a=30 | option_b=26 | option_c=34 | option_d=41 | answer=D | explanation=The first three numbers increase by 4, so the next should be 38. Therefore 41 is the odd one out.

id=26748 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=26749 | topic=Percentages | difficulty=Easy | question=What is 15% of 1877? | option_a=281 | option_b=562 | option_c=261 | option_d=286 | answer=A | explanation=15% of 1877 = (15/100) × 1877 = 281.

id=26750 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=P | option_b=Q | option_c=N | option_d=O | answer=A | explanation=Move 1 positions forward from O; the resulting letter is P.

id=26751 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2767. If it is sold at a profit of 40%, what is its selling price? | option_a=3873 | option_b=4149 | option_c=3597 | option_d=2807 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2767 × 140/100 = █3873.

id=26752 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=26753 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25636 at 4% per annum for 3 years. | option_a=28712 | option_b=3076 | option_c=3176 | option_d=2976 | answer=B | explanation=SI = PRT/100 = 25636×4×3/100 = █3076.

id=26754 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=64 | option_b=46 | option_c=56 | option_d=55 | answer=D | explanation=The common difference is 9. Therefore the next term is 46 + 9 = 55.

id=26755 | topic=Percentages | difficulty=Easy | question=What is 10% of 1808? | option_a=180 | option_b=360 | option_c=190 | option_d=160 | answer=A | explanation=10% of 1808 = (10/100) × 1808 = 180.

id=26756 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27010 at 8% per annum for 4 years. | option_a=8743 | option_b=8643 | option_c=35653 | option_d=8543 | answer=B | explanation=SI = PRT/100 = 27010×8×4/100 = █8643.

id=26757 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=26758 | topic=Profit & Loss | difficulty=Easy | question=An article costs █558. If it is sold at a profit of 30%, what is its selling price? | option_a=588 | option_b=670 | option_c=725 | option_d=780 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 558 × 130/100 = █725.

id=26759 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4841. If it is sold at a profit of 10%, what is its selling price? | option_a=4851 | option_b=4841 | option_c=5809 | option_d=5325 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4841 × 110/100 = █5325.

id=26760 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3891. If it is sold at a profit of 10%, what is its selling price? | option_a=4280 | option_b=4669 | option_c=3901 | option_d=3891 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3891 × 110/100 = █4280.

Aptitude Questions — Records 26,761-26,790 of 100,000

- id=26761 | topic=Averages | difficulty=Easy | question=Find the average of 10, 26, 38, 50. | option_a=33 | option_b=32 | option_c=31 | option_d=30 | answer=C | explanation=Average = sum of values ÷ number of values = $124 \div 4 = 31$.
- id=26762 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4930. If it is sold at a profit of 15%, what is its selling price? | option_a=5669 | option_b=5176 | option_c=6162 | option_d=4945 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4930 \times 115 / 100 = \text{█}5669$.
- id=26763 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48761 at 6% per annum for 3 years. | option_a=57537 | option_b=8676 | option_c=8776 | option_d=8876 | answer=C | explanation=SI = $PRT / 100 = 48761 \times 6 \times 3 / 100 = \text{█}8776$.
- id=26764 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=X | option_b=N | option_c=I | option_d=S | answer=D | explanation=Move 5 positions forward from N; the resulting letter is S.
- id=26765 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=5 | answer=B | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.
- id=26766 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=28 | option_b=24 | option_c=30 | option_d=27 | answer=D | explanation=The common difference is 3. Therefore the next term is $24 + 3 = 27$.
- id=26767 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3140. If it is sold at a profit of 5%, what is its selling price? | option_a=3611 | option_b=3145 | option_c=3297 | option_d=2983 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3140 \times 105 / 100 = \text{█}3297$.
- id=26768 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=U | option_b=R | option_c=O | option_d=L | answer=B | explanation=Move 3 positions forward from O; the resulting letter is R.
- id=26769 | topic=Averages | difficulty=Easy | question=Find the average of 77, 35, 56, 80. | option_a=63 | option_b=61 | option_c=64 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = $248 \div 4 = 62$.
- id=26770 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11104 at 4% per annum for 5 years. | option_a=2320 | option_b=13324 | option_c=2220 | option_d=2120 | answer=C | explanation=SI = $PRT / 100 = 11104 \times 4 \times 5 / 100 = \text{█}2220$.
- id=26771 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=8 | option_b=12 | option_c=10 | option_d=11 | answer=C | explanation=The common difference is 2. Therefore the next term is $8 + 2 = 10$.
- id=26772 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.
- id=26773 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=J | option_b=K | option_c=I | option_d=H | answer=A | explanation=Move 1 positions forward from I; the resulting letter is J.
- id=26774 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=13 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = $180 \div 10 = 18$ km/h.
- id=26775 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=35 | option_c=40 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = $120 \div 3 = 40$ km/h.
- id=26776 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39479 at 5% per annum for 5 years. | option_a=49348 | option_b=9969 | option_c=9769 | option_d=9869 | answer=D | explanation=SI = $PRT / 100 = 39479 \times 5 \times 5 / 100 = \text{█}9869$.
- id=26777 | topic=Percentages | difficulty=Easy | question=What is 20% of 1652? | option_a=330 | option_b=660 | option_c=340 | option_d=325 | answer=A | explanation=20% of 1652 = $(20/100) \times 1652 = 330$.
- id=26778 | topic=Averages | difficulty=Easy | question=Find the average of 62, 99, 87, 54, 81, 91, 98, 31, 75, 42. | option_a=72 | option_b=71 | option_c=74 | option_d=73 | answer=A | explanation=Average = sum of values ÷ number of values = $720 \div 10 = 72$.
- id=26779 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=46 | option_b=39 | option_c=30 | option_d=38 | answer=D | explanation=The common difference is 8. Therefore the next term is $30 + 8 = 38$.
- id=26780 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2814. If it is sold at a profit of 40%, what is its selling price? | option_a=3939 | option_b=4220 | option_c=3658 | option_d=2854 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2814 \times 140 / 100 = \text{█}3939$.
- id=26781 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2214. If it is sold at a profit of 30%, what is its selling price? | option_a=2878 | option_b=2657 | option_c=2244 | option_d=3099 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2214 \times 130 / 100 = \text{█}2878$.
- id=26782 | topic=Averages | difficulty=Easy | question=Find the average of 31, 94, 91. | option_a=72 | option_b=73 | option_c=71 | option_d=74 | answer=A | explanation=Average = sum of values ÷ number of values = $216 \div 3 = 72$.
- id=26783 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 25, 35, 48? | option_a=25 | option_b=15 | option_c=48 | option_d=35 | answer=C | explanation=The first three numbers increase by 10, so the next should be 45. Therefore 48 is the odd one out.
- id=26784 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=13 | option_c=18 | option_d=23 | answer=C | explanation=Speed = distance ÷ time = $180 \div 10 = 18$ km/h.
- id=26785 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 16, 26, 37? | option_a=16 | option_b=26 | option_c=37 | option_d=6 | answer=C | explanation=The first three numbers increase by 10, so the next should be 36. Therefore 37 is the odd one out.
- id=26786 | topic=Averages | difficulty=Easy | question=Find the average of 67, 70, 91, 56, 66. | option_a=72 | option_b=71 | option_c=70 | option_d=69 | answer=C | explanation=Average = sum of values ÷ number of values = $350 \div 5 = 70$.
- id=26787 | topic=Averages | difficulty=Easy | question=Find the average of 64, 27, 80, 71, 63, 97. | option_a=67 | option_b=66 | option_c=68 | option_d=69 | answer=A | explanation=Average = sum of values ÷ number of values = $402 \div 6 = 67$.
- id=26788 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.
- id=26789 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=30 | option_c=25 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = $150 \div 6 = 25$ km/h.
- id=26790 | topic=Averages | difficulty=Easy | question=Find the average of 21, 61, 32, 94. | option_a=54 | option_b=53 | option_c=52 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = $208 \div 4 = 52$.

Aptitude Questions — Records 26,791-26,820 of 100,000

id=26791 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=120 | option_c=125 | option_d=115 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=26792 | topic=Percentages | difficulty=Easy | question=What is 30% of 1998? | option_a=609 | option_b=599 | option_c=579 | option_d=1198 | answer=B | explanation=30% of 1998 = (30/100) × 1998 = 599.

id=26793 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 45? | option_a=19 | option_b=45 | option_c=27 | option_d=35 | answer=B | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 45 is the odd one out.

id=26794 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=80 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=26795 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 14. | option_a=154 | option_b=308 | option_c=140 | option_d=176 | answer=A | explanation=LCM × HCF = 22×14; HCF(22,14) = 2, so LCM = 154.

id=26796 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=26797 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=26798 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 43? | option_a=24 | option_b=43 | option_c=36 | option_d=30 | answer=B | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 43 is the odd one out.

id=26799 | topic=Profit & Loss | difficulty=Easy | question=An article costs █832. If it is sold at a profit of 50%, what is its selling price? | option_a=1165 | option_b=1248 | option_c=1331 | option_d=882 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 832 × 150/100 = █1248.

id=26800 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 27. | option_a=27 | option_b=1 | option_c=243 | option_d=36 | answer=A | explanation=LCM × HCF = 9×27; HCF(9,27) = 9, so LCM = 27.

id=26801 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=72 | option_c=31 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=26802 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=37 | option_b=43 | option_c=38 | option_d=31 | answer=A | explanation=The common difference is 6. Therefore the next term is 31 + 6 = 37.

id=26803 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:3 and the first is 143, what is the second? | option_a=36 | option_b=50 | option_c=182 | option_d=39 | answer=D | explanation=Scale factor = 143/11 = 13. Therefore second quantity = 3×13 = 39.

id=26804 | topic=Percentages | difficulty=Easy | question=What is 12% of 1960? | option_a=235 | option_b=470 | option_c=255 | option_d=215 | answer=A | explanation=12% of 1960 = (12/100) × 1960 = 235.

id=26805 | topic=Percentages | difficulty=Easy | question=What is 10% of 544? | option_a=108 | option_b=59 | option_c=34 | option_d=54 | answer=D | explanation=10% of 544 = (10/100) × 544 = 54.

id=26806 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2445. If it is sold at a profit of 40%, what is its selling price? | option_a=3423 | option_b=3667 | option_c=3179 | option_d=2485 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2445 × 140/100 = █3423.

id=26807 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1957. If it is sold at a profit of 30%, what is its selling price? | option_a=2544 | option_b=1987 | option_c=2349 | option_d=2739 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1957 × 130/100 = █2544.

id=26808 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:18 and the first is 81, what is the second? | option_a=162 | option_b=243 | option_c=171 | option_d=144 | answer=A | explanation=Scale factor = 81/9 = 9. Therefore second quantity = 18×9 = 162.

id=26809 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:10 and the first is 39, what is the second? | option_a=130 | option_b=120 | option_c=169 | option_d=133 | answer=A | explanation=Scale factor = 39/3 = 13. Therefore second quantity = 10×13 = 130.

id=26810 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 13, 17, 24? | option_a=13 | option_b=17 | option_c=9 | option_d=24 | answer=D | explanation=The first three numbers increase by 4, so the next should be 21. Therefore 24 is the odd one out.

id=26811 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=S | option_b=U | option_c=V | option_d=T | answer=B | explanation=Move 1 positions forward from T; the resulting letter is U.

id=26812 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33381 at 4% per annum for 1 years. | option_a=1335 | option_b=34716 | option_c=1435 | option_d=1235 | answer=A | explanation=SI = PRT/100 = 33381×4×1/100 = █1335.

id=26813 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=L | option_b=H | option_c=J | option_d=N | answer=A | explanation=Move 2 positions forward from J; the resulting letter is L.

id=26814 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=F | option_c=L | option_d=J | answer=D | explanation=Move 2 positions forward from H; the resulting letter is J.

id=26815 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 50? | option_a=41 | option_b=25 | option_c=50 | option_d=33 | answer=C | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 50 is the odd one out.

id=26816 | topic=Averages | difficulty=Easy | question=Find the average of 40, 40, 20, 51, 76, 43. | option_a=45 | option_b=46 | option_c=47 | option_d=44 | answer=A | explanation=Average = sum of values ÷ number of values = 270 ÷ 6 = 45.

id=26817 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=26818 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=22 | option_b=27 | option_c=28 | option_d=32 | answer=B | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.

id=26819 | topic=Averages | difficulty=Easy | question=Find the average of 32, 31, 99, 51, 14, 79. | option_a=51 | option_b=50 | option_c=52 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 306 ÷ 6 = 51.

id=26820 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=7 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

Aptitude Questions — Records 26,821-26,850 of 100,000

id=26821 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■12641 at 5% per annum for 1 years. | option_a=632 | option_b=13273 | option_c=732 | option_d=532 | answer=A | explanation=SI = PRT/100 = 12641×5×1/100 = ■632.

id=26822 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1415. If it is sold at a profit of 5%, what is its selling price? | option_a=1420 | option_b=1344 | option_c=1485 | option_d=1626 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1415 × 105/100 = ■1485.

id=26823 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3977. If it is sold at a profit of 40%, what is its selling price? | option_a=5567 | option_b=4017 | option_c=5964 | option_d=5170 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3977 × 140/100 = ■5567.

id=26824 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■17932 at 6% per annum for 3 years. | option_a=3127 | option_b=3327 | option_c=21159 | option_d=3227 | answer=D | explanation=SI = PRT/100 = 17932×6×3/100 = ■3227.

id=26825 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=26826 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:13 and the first is 21, what is the second? | option_a=46 | option_b=26 | option_c=39 | option_d=60 | answer=C | explanation=Scale factor = 21/7 = 3. Therefore second quantity = 13×3 = 39.

id=26827 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2876. If it is sold at a profit of 40%, what is its selling price? | option_a=4313 | option_b=4026 | option_c=2916 | option_d=3739 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2876 × 140/100 = ■4026.

id=26828 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=25 | option_c=15 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=26829 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=26830 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4532. If it is sold at a profit of 30%, what is its selling price? | option_a=4562 | option_b=5438 | option_c=6344 | option_d=5891 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4532 × 130/100 = ■5891.

id=26831 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1371. If it is sold at a profit of 25%, what is its selling price? | option_a=1576 | option_b=1850 | option_c=1713 | option_d=1396 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1371 × 125/100 = ■1713.

id=26832 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=30 | option_b=26 | option_c=27 | option_d=22 | answer=B | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.

id=26833 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=30 | option_b=27 | option_c=24 | option_d=28 | answer=B | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=26834 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=26835 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1336. If it is sold at a profit of 5%, what is its selling price? | option_a=1341 | option_b=1535 | option_c=1269 | option_d=1402 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1336 × 105/100 = ■1402.

id=26836 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=51 | option_b=62 | option_c=40 | option_d=52 | answer=A | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=26837 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:9 and the first is 54, what is the second? | option_a=81 | option_b=27 | option_c=18 | option_d=45 | answer=B | explanation=Scale factor = 54/18 = 3. Therefore second quantity = 9×3 = 27.

id=26838 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 12. | option_a=24 | option_b=108 | option_c=45 | option_d=36 | answer=D | explanation=LCM × HCF = 9×12; HCF(9,12) = 3, so LCM = 36.

id=26839 | topic=Percentages | difficulty=Easy | question=What is 30% of 1903? | option_a=1140 | option_b=570 | option_c=575 | option_d=560 | answer=B | explanation=30% of 1903 = (30/100) × 1903 = 570.

id=26840 | topic=Averages | difficulty=Easy | question=Find the average of 95, 12, 84, 60, 79, 53, 97, 64, 76, 40. | option_a=65 | option_b=67 | option_c=68 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = 660 ÷ 10 = 66.

id=26841 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:7 and the first is 95, what is the second? | option_a=130 | option_b=54 | option_c=28 | option_d=35 | answer=D | explanation=Scale factor = 95/19 = 5. Therefore second quantity = 7×5 = 35.

id=26842 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 17, 29, 41, ? | option_a=53 | option_b=54 | option_c=41 | option_d=65 | answer=A | explanation=The common difference is 12. Therefore the next term is 41 + 12 = 53.

id=26843 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4492. If it is sold at a profit of 20%, what is its selling price? | option_a=5839 | option_b=4512 | option_c=5390 | option_d=4941 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4492 × 120/100 = ■5390.

id=26844 | topic=Percentages | difficulty=Easy | question=What is 5% of 967? | option_a=43 | option_b=96 | option_c=58 | option_d=48 | answer=D | explanation=5% of 967 = (5/100) × 967 = 48.

id=26845 | topic=Percentages | difficulty=Easy | question=What is 30% of 1916? | option_a=584 | option_b=569 | option_c=574 | option_d=1148 | answer=C | explanation=30% of 1916 = (30/100) × 1916 = 574.

id=26846 | topic=Percentages | difficulty=Easy | question=What is 50% of 1448? | option_a=1448 | option_b=729 | option_c=714 | option_d=724 | answer=D | explanation=50% of 1448 = (50/100) × 1448 = 724.

id=26847 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=36 | option_c=13 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=26848 | topic=Percentages | difficulty=Easy | question=What is 30% of 431? | option_a=129 | option_b=139 | option_c=109 | option_d=258 | answer=A | explanation=30% of 431 = (30/100) × 431 = 129.

id=26849 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=L | option_c=K | option_d=J | answer=B | explanation=Move 1 positions forward from K; the resulting letter is L.

id=26850 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■39574 at 8% per annum for 4 years. | option_a=12763 | option_b=12663 | option_c=52237 | option_d=12563 | answer=B | explanation=SI = PRT/100 = 39574×8×4/100 = ■12663.

Aptitude Questions — Records 26,851-26,880 of 100,000

- id=26851 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:14 and the first is 24, what is the second? | option_a=28 | option_b=40 | option_c=14 | option_d=52 | answer=A | explanation=Scale factor = 24/12 = 2. Therefore second quantity = 14×2 = 28.
- id=26852 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 22, 28, 36? | option_a=36 | option_b=22 | option_c=16 | option_d=28 | answer=A | explanation=The first three numbers increase by 6, so the next should be 34. Therefore 36 is the odd one out.
- id=26853 | topic=Percentages | difficulty=Easy | question=What is 30% of 1010? | option_a=298 | option_b=303 | option_c=606 | option_d=323 | answer=B | explanation=30% of 1010 = (30/100) × 1010 = 303.
- id=26854 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=66 | option_b=53 | option_c=77 | option_d=65 | answer=D | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.
- id=26855 | topic=Percentages | difficulty=Easy | question=What is 20% of 1311? | option_a=242 | option_b=524 | option_c=282 | option_d=262 | answer=D | explanation=20% of 1311 = (20/100) × 1311 = 262.
- id=26856 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=26857 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=Y | option_c=K | option_d=C | answer=A | explanation=Move 4 positions forward from C; the resulting letter is G.
- id=26858 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.
- id=26859 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:2 and the first is 98, what is the second? | option_a=12 | option_b=112 | option_c=28 | option_d=14 | answer=D | explanation=Scale factor = 98/14 = 7. Therefore second quantity = 2×7 = 14.
- id=26860 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=26861 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 15, 20, 26? | option_a=10 | option_b=26 | option_c=20 | option_d=15 | answer=B | explanation=The first three numbers increase by 5, so the next should be 25. Therefore 26 is the odd one out.
- id=26862 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:10 and the first is 270, what is the second? | option_a=150 | option_b=420 | option_c=140 | option_d=168 | answer=A | explanation=Scale factor = 270/18 = 15. Therefore second quantity = 10×15 = 150.
- id=26863 | topic=Averages | difficulty=Easy | question=Find the average of 64, 38, 79, 39, 56, 61, 98, 91, 68. | option_a=65 | option_b=67 | option_c=68 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = 594 ÷ 9 = 66.
- id=26864 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=E | option_c=B | option_d=D | answer=D | explanation=Move 1 positions forward from C; the resulting letter is D.
- id=26865 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=31 | option_c=72 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.
- id=26866 | topic=Averages | difficulty=Easy | question=Find the average of 60, 61, 59, 48. | option_a=59 | option_b=58 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 228 ÷ 4 = 57.
- id=26867 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11730 at 10% per annum for 2 years. | option_a=2446 | option_b=2246 | option_c=14076 | option_d=2346 | answer=D | explanation=SI = PRT/100 = 11730×10×2/100 = **■**2346.
- id=26868 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 32? | option_a=24 | option_b=32 | option_c=17 | option_d=10 | answer=B | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 32 is the odd one out.
- id=26869 | topic=Averages | difficulty=Easy | question=Find the average of 28, 73, 42, 88, 30, 63. | option_a=56 | option_b=55 | option_c=54 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 324 ÷ 6 = 54.
- id=26870 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4028. If it is sold at a profit of 30%, what is its selling price? | option_a=5236 | option_b=5638 | option_c=4058 | option_d=4834 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4028 × 130/100 = **■**5236.
- id=26871 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 26, 36, 47? | option_a=36 | option_b=47 | option_c=16 | option_d=26 | answer=B | explanation=The first three numbers increase by 10, so the next should be 46. Therefore 47 is the odd one out.
- id=26872 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=45 | option_b=46 | option_c=38 | option_d=52 | answer=A | explanation=The common difference is 7. Therefore the next term is 38 + 7 = 45.
- id=26873 | topic=Averages | difficulty=Easy | question=Find the average of 78, 82, 22, 37, 27, 72. | option_a=54 | option_b=55 | option_c=52 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 318 ÷ 6 = 53.
- id=26874 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7187 at 6% per annum for 3 years. | option_a=8480 | option_b=1393 | option_c=1193 | option_d=1293 | answer=D | explanation=SI = PRT/100 = 7187×6×3/100 = **■**1293.
- id=26875 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 33, 42, 54? | option_a=42 | option_b=24 | option_c=33 | option_d=54 | answer=D | explanation=The first three numbers increase by 9, so the next should be 51. Therefore 54 is the odd one out.
- id=26876 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=26877 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 31, 34, 40? | option_a=40 | option_b=34 | option_c=31 | option_d=28 | answer=A | explanation=The first three numbers increase by 3, so the next should be 37. Therefore 40 is the odd one out.
- id=26878 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=11 | option_b=15 | option_c=13 | option_d=14 | answer=C | explanation=The common difference is 2. Therefore the next term is 11 + 2 = 13.
- id=26879 | topic=Averages | difficulty=Easy | question=Find the average of 55, 65, 23, 33. | option_a=46 | option_b=43 | option_c=45 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = 176 ÷ 4 = 44.
- id=26880 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 10? | option_a=2 | option_b=6 | option_c=4 | option_d=10 | answer=D | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 10 is the odd one out.

Aptitude Questions — Records 26,881-26,910 of 100,000

id=26881 | topic=Averages | difficulty=Easy | question=Find the average of 40, 60, 69, 20, 91. | option_a=57 | option_b=56 | option_c=58 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 280 ÷ 5 = 56.

id=26882 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=26883 | topic=Averages | difficulty=Easy | question=Find the average of 58, 59, 31, 32, 19, 53, 35. | option_a=43 | option_b=41 | option_c=40 | option_d=42 | answer=B | explanation=Average = sum of values ÷ number of values = 287 ÷ 7 = 41.

id=26884 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=26885 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=R | option_b=X | option_c=A | option_d=U | answer=B | explanation=Move 3 positions forward from U; the resulting letter is X.

id=26886 | topic=Averages | difficulty=Easy | question=Find the average of 48, 14, 79, 53, 11, 58, 17, 36, 77, 57. | option_a=46 | option_b=45 | option_c=47 | option_d=44 | answer=B | explanation=Average = sum of values ÷ number of values = 450 ÷ 10 = 45.

id=26887 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2793. If it is sold at a profit of 30%, what is its selling price? | option_a=3630 | option_b=3909 | option_c=3351 | option_d=2823 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2793 × 130/100 = █3630.

id=26888 | topic=Percentages | difficulty=Easy | question=What is 10% of 1659? | option_a=330 | option_b=185 | option_c=160 | option_d=165 | answer=D | explanation=10% of 1659 = (10/100) × 1659 = 165.

id=26889 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:9 and the first is 3, what is the second? | option_a=27 | option_b=28 | option_c=18 | option_d=30 | answer=A | explanation=Scale factor = 3/1 = 3. Therefore second quantity = 9×3 = 27.

id=26890 | topic=Averages | difficulty=Easy | question=Find the average of 23, 100, 45, 36, 81. | option_a=58 | option_b=56 | option_c=59 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.

id=26891 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=V | option_c=P | option_d=T | answer=D | explanation=Move 2 positions forward from R; the resulting letter is T.

id=26892 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20407 at 15% per annum for 1 years. | option_a=3061 | option_b=23468 | option_c=3161 | option_d=2961 | answer=A | explanation=SI = PRT/100 = 20407×15×1/100 = █3061.

id=26893 | topic=Percentages | difficulty=Easy | question=What is 10% of 975? | option_a=87 | option_b=97 | option_c=102 | option_d=194 | answer=B | explanation=10% of 975 = (10/100) × 975 = 97.

id=26894 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 33? | option_a=12 | option_b=2 | option_c=22 | option_d=33 | answer=D | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 33 is the odd one out.

id=26895 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=55 | option_b=54 | option_c=42 | option_d=66 | answer=B | explanation=The common difference is 12. Therefore the next term is 42 + 12 = 54.

id=26896 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4559. If it is sold at a profit of 20%, what is its selling price? | option_a=5470 | option_b=5015 | option_c=5925 | option_d=4579 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4559 × 120/100 = █5470.

id=26897 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 18, 28, 38, ? | option_a=48 | option_b=49 | option_c=58 | option_d=38 | answer=A | explanation=The common difference is 10. Therefore the next term is 38 + 10 = 48.

id=26898 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2011. If it is sold at a profit of 20%, what is its selling price? | option_a=2413 | option_b=2031 | option_c=2212 | option_d=2614 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2011 × 120/100 = █2413.

id=26899 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=26900 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 24, 32, 43? | option_a=16 | option_b=32 | option_c=24 | option_d=43 | answer=D | explanation=The first three numbers increase by 8, so the next should be 40. Therefore 43 is the odd one out.

id=26901 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Q | option_b=W | option_c=T | option_d=Z | answer=B | explanation=Move 3 positions forward from T; the resulting letter is W.

id=26902 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=39 | option_b=40 | option_c=45 | option_d=33 | answer=A | explanation=The common difference is 6. Therefore the next term is 33 + 6 = 39.

id=26903 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=U | option_b=Q | option_c=M | option_d=I | answer=B | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=26904 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:13 and the first is 33, what is the second? | option_a=130 | option_b=176 | option_c=143 | option_d=146 | answer=C | explanation=Scale factor = 33/3 = 11. Therefore second quantity = 13×11 = 143.

id=26905 | topic=Percentages | difficulty=Easy | question=What is 5% of 1899? | option_a=84 | option_b=188 | option_c=94 | option_d=114 | answer=C | explanation=5% of 1899 = (5/100) × 1899 = 94.

id=26906 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22378 at 4% per annum for 1 years. | option_a=23273 | option_b=995 | option_c=895 | option_d=795 | answer=C | explanation=SI = PRT/100 = 22378×4×1/100 = █895.

id=26907 | topic=Averages | difficulty=Easy | question=Find the average of 44, 68, 72, 36, 19, 40, 57, 92, 22. | option_a=49 | option_b=52 | option_c=50 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 450 ÷ 9 = 50.

id=26908 | topic=Percentages | difficulty=Easy | question=What is 40% of 1838? | option_a=730 | option_b=735 | option_c=1470 | option_d=755 | answer=B | explanation=40% of 1838 = (40/100) × 1838 = 735.

id=26909 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:11 and the first is 196, what is the second? | option_a=154 | option_b=350 | option_c=143 | option_d=168 | answer=A | explanation=Scale factor = 196/14 = 14. Therefore second quantity = 11×14 = 154.

id=26910 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

Aptitude Questions — Records 26,911-26,940 of 100,000

id=26911 | topic=Percentages | difficulty=Easy | question=What is 50% of 1536? | option_a=768 | option_b=773 | option_c=1536 | option_d=763 | answer=A | explanation=50% of 1536 = (50/100) × 1536 = 768.

id=26912 | topic=Averages | difficulty=Easy | question=Find the average of 24, 72, 38, 90. | option_a=58 | option_b=56 | option_c=57 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 224 ÷ 4 = 56.

id=26913 | topic=Averages | difficulty=Easy | question=Find the average of 56, 51, 85, 20, 37, 64, 88, 87. | option_a=62 | option_b=63 | option_c=60 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 488 ÷ 8 = 61.

id=26914 | topic=Averages | difficulty=Easy | question=Find the average of 34, 57, 47. | option_a=46 | option_b=48 | option_c=47 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 138 ÷ 3 = 46.

id=26915 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=R | option_b=W | option_c=H | option_d=M | answer=A | explanation=Move 5 positions forward from M; the resulting letter is R.

id=26916 | topic=Averages | difficulty=Easy | question=Find the average of 89, 66, 67. | option_a=75 | option_b=74 | option_c=76 | option_d=73 | answer=B | explanation=Average = sum of values ÷ number of values = 222 ÷ 3 = 74.

id=26917 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=G | option_c=A | option_d=E | answer=D | explanation=Move 2 positions forward from C; the resulting letter is E.

id=26918 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=26919 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3534 at 6% per annum for 3 years. | option_a=636 | option_b=736 | option_c=536 | option_d=4170 | answer=A | explanation=SI = PRT/100 = 3534×6×3/100 = **■**636.

id=26920 | topic=Percentages | difficulty=Easy | question=What is 12% of 1962? | option_a=230 | option_b=240 | option_c=470 | option_d=235 | answer=D | explanation=12% of 1962 = (12/100) × 1962 = 235.

id=26921 | topic=Percentages | difficulty=Easy | question=What is 20% of 1049? | option_a=189 | option_b=418 | option_c=219 | option_d=209 | answer=D | explanation=20% of 1049 = (20/100) × 1049 = 209.

id=26922 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22665 at 5% per annum for 3 years. | option_a=3299 | option_b=26064 | option_c=3499 | option_d=3399 | answer=D | explanation=SI = PRT/100 = 22665×5×3/100 = **■**3399.

id=26923 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=26924 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=145 | option_c=300 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=26925 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34066 at 10% per annum for 5 years. | option_a=51099 | option_b=17033 | option_c=16933 | option_d=17133 | answer=B | explanation=SI = PRT/100 = 34066×10×5/100 = **■**17033.

id=26926 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=26927 | topic=Averages | difficulty=Easy | question=Find the average of 83, 69, 63, 88, 51, 54, 49, 23. | option_a=59 | option_b=60 | option_c=61 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 480 ÷ 8 = 60.

id=26928 | topic=Percentages | difficulty=Easy | question=What is 15% of 1714? | option_a=257 | option_b=237 | option_c=277 | option_d=514 | answer=A | explanation=15% of 1714 = (15/100) × 1714 = 257.

id=26929 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5131 at 10% per annum for 3 years. | option_a=6670 | option_b=1539 | option_c=1639 | option_d=1439 | answer=B | explanation=SI = PRT/100 = 5131×10×3/100 = **■**1539.

id=26930 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:13 and the first is 156, what is the second? | option_a=143 | option_b=169 | option_c=156 | option_d=312 | answer=C | explanation=Scale factor = 156/13 = 12. Therefore second quantity = 13×12 = 156.

id=26931 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=25 | option_b=24 | option_c=28 | option_d=20 | answer=B | explanation=The common difference is 4. Therefore the next term is 20 + 4 = 24.

id=26932 | topic=Averages | difficulty=Easy | question=Find the average of 12, 96, 24, 59, 94, 56, 58. | option_a=59 | option_b=57 | option_c=58 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 399 ÷ 7 = 57.

id=26933 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 16, 21, 28? | option_a=28 | option_b=16 | option_c=21 | option_d=11 | answer=A | explanation=The first three numbers increase by 5, so the next should be 26. Therefore 28 is the odd one out.

id=26934 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:10 and the first is 228, what is the second? | option_a=110 | option_b=348 | option_c=120 | option_d=139 | answer=C | explanation=Scale factor = 228/19 = 12. Therefore second quantity = 10×12 = 120.

id=26935 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4664. If it is sold at a profit of 50%, what is its selling price? | option_a=4714 | option_b=7462 | option_c=6996 | option_d=6530 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4664 × 150/100 = **■**6996.

id=26936 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=36 | option_c=13 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=26937 | topic=Averages | difficulty=Easy | question=Find the average of 77, 80, 17. | option_a=59 | option_b=60 | option_c=57 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 174 ÷ 3 = 58.

id=26938 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=26939 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=Q | option_b=K | option_c=T | option_d=N | answer=A | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=26940 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3172. If it is sold at a profit of 5%, what is its selling price? | option_a=3177 | option_b=3330 | option_c=3647 | option_d=3013 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3172 × 105/100 = **■**3330.

Aptitude Questions — Records 26,941-26,970 of 100,000

id=26941 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:9 and the first is 300, what is the second? | option_a=171 | option_b=195 | option_c=180 | option_d=480 | answer=C | explanation=Scale factor = $300/15 = 20$. Therefore second quantity = $9 \times 20 = 180$.

id=26942 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3486. If it is sold at a profit of 10%, what is its selling price? | option_a=3834 | option_b=3486 | option_c=4182 | option_d=3496 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3486 \times 110/100 = \text{█}3834$.

id=26943 | topic=Percentages | difficulty=Easy | question=What is 40% of 1889? | option_a=1510 | option_b=760 | option_c=755 | option_d=750 | answer=C | explanation= 40% of 1889 = $(40/100) \times 1889 = 755$.

id=26944 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 13, 21, 30? | option_a=21 | option_b=13 | option_c=5 | option_d=30 | answer=D | explanation=The first three numbers increase by 8, so the next should be 29. Therefore 30 is the odd one out.

id=26945 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=26946 | topic=Averages | difficulty=Easy | question=Find the average of 89, 95, 77. | option_a=87 | option_b=89 | option_c=86 | option_d=88 | answer=A | explanation=Average = sum of values + number of values = $261 \div 3 = 87$.

id=26947 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 21, 30, 39, ? | option_a=57 | option_b=39 | option_c=49 | option_d=48 | answer=D | explanation=The common difference is 9. Therefore the next term is $39 + 9 = 48$.

id=26948 | topic=Percentages | difficulty=Easy | question=What is 30% of 1259? | option_a=357 | option_b=397 | option_c=754 | option_d=377 | answer=D | explanation= 30% of 1259 = $(30/100) \times 1259 = 377$.

id=26949 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 26, 35, 46? | option_a=17 | option_b=46 | option_c=26 | option_d=35 | answer=B | explanation=The first three numbers increase by 9, so the next should be 44. Therefore 46 is the odd one out.

id=26950 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=26951 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1973. If it is sold at a profit of 30%, what is its selling price? | option_a=2367 | option_b=2761 | option_c=2564 | option_d=2003 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1973 \times 130/100 = \text{█}2564$.

id=26952 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7671 at 5% per annum for 2 years. | option_a=667 | option_b=8438 | option_c=767 | option_d=867 | answer=C | explanation=SI = $PRT/100 = 7671 \times 5 \times 2/100 = \text{█}767$.

id=26953 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1986. If it is sold at a profit of 30%, what is its selling price? | option_a=2016 | option_b=2581 | option_c=2779 | option_d=2383 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1986 \times 130/100 = \text{█}2581$.

id=26954 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance + time = $180 \div 3 = 60$ km/h.

id=26955 | topic=Profit & Loss | difficulty=Easy | question=An article costs █993. If it is sold at a profit of 50%, what is its selling price? | option_a=1588 | option_b=1390 | option_c=1489 | option_d=1043 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 993 \times 150/100 = \text{█}1489$.

id=26956 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=D | option_b=O | option_c=Y | option_d=T | answer=C | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=26957 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:19 and the first is 42, what is the second? | option_a=269 | option_b=266 | option_c=308 | option_d=247 | answer=B | explanation=Scale factor = $42/3 = 14$. Therefore second quantity = $19 \times 14 = 266$.

id=26958 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4111. If it is sold at a profit of 20%, what is its selling price? | option_a=4933 | option_b=4522 | option_c=4131 | option_d=5344 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4111 \times 120/100 = \text{█}4933$.

id=26959 | topic=Averages | difficulty=Easy | question=Find the average of 30, 17, 19, 76, 14, 18. | option_a=29 | option_b=30 | option_c=28 | option_d=31 | answer=A | explanation=Average = sum of values + number of values = $174 \div 6 = 29$.

id=26960 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=26961 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 22. | option_a=44 | option_b=484 | option_c=22 | option_d=1 | answer=C | explanation= $LCM \times HCF = 22 \times 22$; $HCF(22, 22) = 22$, so $LCM = 22$.

id=26962 | topic=Percentages | difficulty=Easy | question=What is 25% of 1444? | option_a=722 | option_b=361 | option_c=351 | option_d=371 | answer=B | explanation= 25% of 1444 = $(25/100) \times 1444 = 361$.

id=26963 | topic=Percentages | difficulty=Easy | question=What is 15% of 1556? | option_a=238 | option_b=223 | option_c=233 | option_d=466 | answer=C | explanation= 15% of 1556 = $(15/100) \times 1556 = 233$.

id=26964 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:9 and the first is 154, what is the second? | option_a=137 | option_b=280 | option_c=117 | option_d=126 | answer=D | explanation=Scale factor = $154/11 = 14$. Therefore second quantity = $9 \times 14 = 126$.

id=26965 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 46? | option_a=24 | option_b=38 | option_c=31 | option_d=46 | answer=D | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 46 is the odd one out.

id=26966 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 27, 30, 36? | option_a=36 | option_b=27 | option_c=24 | option_d=30 | answer=A | explanation=The first three numbers increase by 3, so the next should be 33. Therefore 36 is the odd one out.

id=26967 | topic=Percentages | difficulty=Easy | question=What is 25% of 1063? | option_a=255 | option_b=285 | option_c=530 | option_d=265 | answer=D | explanation= 25% of 1063 = $(25/100) \times 1063 = 265$.

id=26968 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 21? | option_a=8 | option_b=2 | option_c=21 | option_d=14 | answer=C | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 21 is the odd one out.

id=26969 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1523. If it is sold at a profit of 30%, what is its selling price? | option_a=1553 | option_b=2131 | option_c=1827 | option_d=1979 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1523 \times 130/100 = \text{█}1979$.

id=26970 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30018 at 6% per annum for 5 years. | option_a=8905 | option_b=9005 | option_c=39023 | option_d=9105 | answer=B | explanation=SI = $PRT/100 = 30018 \times 6 \times 5/100 = \text{█}9005$.

Aptitude Questions — Records 26,971-27,000 of 100,000

id=26971 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 41? | option_a=32 | option_b=25 | option_c=41 | option_d=18 | answer=C | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 41 is the odd one out.

id=26972 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=B | option_b=X | option_c=P | option_d=T | answer=B | explanation=Move 4 positions forward from T; the resulting letter is X.

id=26973 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=26974 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:11 and the first is 224, what is the second? | option_a=143 | option_b=378 | option_c=154 | option_d=170 | answer=C | explanation=Scale factor = $\frac{224}{16} = 14$. Therefore second quantity = $11 \times 14 = 154$.

id=26975 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2322 at 5% per annum for 1 years. | option_a=16 | option_b=216 | option_c=2438 | option_d=116 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{2322 \times 5 \times 1}{100} = \text{■}116$.

id=26976 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1437. If it is sold at a profit of 30%, what is its selling price? | option_a=2011 | option_b=1725 | option_c=1467 | option_d=1868 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1437 \times \frac{130}{100} = \text{■}1868$.

id=26977 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 15. | option_a=405 | option_b=135 | option_c=120 | option_d=162 | answer=B | explanation= $LCM \times HCF = 27 \times 15$; $HCF(27,15) = 3$, so $LCM = 135$.

id=26978 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=25 | option_d=50 | answer=C | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{150}{6} = 25$ km/h.

id=26979 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30716 at 5% per annum for 5 years. | option_a=7679 | option_b=7779 | option_c=7579 | option_d=38395 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{30716 \times 5 \times 5}{100} = \text{■}7679$.

id=26980 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=13 | option_c=23 | option_d=18 | answer=D | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{90}{5} = 18$ km/h.

id=26981 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=26982 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=8 | answer=A | explanation=Combined rate = $\frac{1}{4} + \frac{1}{4} = \frac{8}{16}$. Time = $\frac{16}{8} = 2$ days.

id=26983 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:20 and the first is 18, what is the second? | option_a=160 | option_b=182 | option_c=198 | option_d=180 | answer=D | explanation=Scale factor = $\frac{18}{2} = 9$. Therefore second quantity = $20 \times 9 = 180$.

id=26984 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=33 | option_b=31 | option_c=27 | option_d=30 | answer=D | explanation=The common difference is 3. Therefore the next term is $27 + 3 = 30$.

id=26985 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=22 | option_b=21 | option_c=17 | option_d=25 | answer=B | explanation=The common difference is 4. Therefore the next term is $17 + 4 = 21$.

id=26986 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23480 at 6% per annum for 5 years. | option_a=7044 | option_b=6944 | option_c=30524 | option_d=7144 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{23480 \times 6 \times 5}{100} = \text{■}7044$.

id=26987 | topic=Percentages | difficulty=Easy | question=What is 5% of 942? | option_a=42 | option_b=57 | option_c=94 | option_d=47 | answer=D | explanation= $5\% \text{ of } 942 = \frac{5}{100} \times 942 = 47$.

id=26988 | topic=Percentages | difficulty=Easy | question=What is 20% of 1422? | option_a=284 | option_b=289 | option_c=568 | option_d=264 | answer=A | explanation= $20\% \text{ of } 1422 = \frac{20}{100} \times 1422 = 284$.

id=26989 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 22. | option_a=44 | option_b=1 | option_c=484 | option_d=22 | answer=D | explanation= $LCM \times HCF = 22 \times 22$; $HCF(22,22) = 22$, so $LCM = 22$.

id=26990 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:1 and the first is 128, what is the second? | option_a=24 | option_b=144 | option_c=15 | option_d=16 | answer=D | explanation=Scale factor = $\frac{128}{8} = 16$. Therefore second quantity = $1 \times 16 = 16$.

id=26991 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=90 | option_c=95 | option_d=85 | answer=B | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{180}{2} = 90$ km/h.

id=26992 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 28, 38, 49? | option_a=28 | option_b=18 | option_c=49 | option_d=38 | answer=C | explanation=The first three numbers increase by 10, so the next should be 48. Therefore 49 is the odd one out.

id=26993 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 39? | option_a=39 | option_b=13 | option_c=29 | option_d=21 | answer=A | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 39 is the odd one out.

id=26994 | topic=Averages | difficulty=Easy | question=Find the average of 49, 12, 61, 70, 51, 70, 44. | option_a=50 | option_b=52 | option_c=51 | option_d=53 | answer=C | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{357}{7} = 51$.

id=26995 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=6 | option_d=20 | answer=A | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.

id=26996 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=30 | option_b=34 | option_c=26 | option_d=31 | answer=A | explanation=The common difference is 4. Therefore the next term is $26 + 4 = 30$.

id=26997 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=50 | option_b=44 | option_c=45 | option_d=38 | answer=B | explanation=The common difference is 6. Therefore the next term is $38 + 6 = 44$.

id=26998 | topic=Percentages | difficulty=Easy | question=What is 20% of 840? | option_a=158 | option_b=168 | option_c=178 | option_d=336 | answer=B | explanation= $20\% \text{ of } 840 = \frac{20}{100} \times 840 = 168$.

id=26999 | topic=Averages | difficulty=Easy | question=Find the average of 73, 13, 90, 42, 15, 19. | option_a=42 | option_b=44 | option_c=43 | option_d=41 | answer=A | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{252}{6} = 42$.

id=27000 | topic=Averages | difficulty=Easy | question=Find the average of 23, 10, 73, 89, 22, 91, 63, 26, 83, 90. | option_a=56 | option_b=57 | option_c=59 | option_d=58 | answer=B | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{570}{10} = 57$.

Aptitude Questions — Records 27,001-27,030 of 100,000

id=27001 | topic=Percentages | difficulty=Easy | question=What is 10% of 1330? | option_a=133 | option_b=266 | option_c=128 | option_d=143 | answer=A | explanation=10% of 1330 = (10/100) × 1330 = 133.

id=27002 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=9 | option_b=14 | option_c=18 | option_d=4 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=27003 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=Y | option_b=N | option_c=I | option_d=D | answer=C | explanation=Move 5 positions forward from D; the resulting letter is I.

id=27004 | topic=Percentages | difficulty=Easy | question=What is 50% of 1831? | option_a=905 | option_b=915 | option_c=925 | option_d=1830 | answer=B | explanation=50% of 1831 = (50/100) × 1831 = 915.

id=27005 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 39, 48, 58? | option_a=58 | option_b=30 | option_c=39 | option_d=48 | answer=A | explanation=The first three numbers increase by 9, so the next should be 57. Therefore 58 is the odd one out.

id=27006 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=30 | option_b=37 | option_c=23 | option_d=31 | answer=A | explanation=The common difference is 7. Therefore the next term is 23 + 7 = 30.

id=27007 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=23 | option_b=21 | option_c=20 | option_d=17 | answer=C | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=27008 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40464 at 4% per annum for 2 years. | option_a=3137 | option_b=3237 | option_c=3337 | option_d=43701 | answer=B | explanation=SI = PRT/100 = 40464×4×2/100 = **■**3237.

id=27009 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 25, 34, 44? | option_a=16 | option_b=34 | option_c=44 | option_d=25 | answer=C | explanation=The first three numbers increase by 9, so the next should be 43. Therefore 44 is the odd one out.

id=27010 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 28, 32, 39? | option_a=28 | option_b=24 | option_c=32 | option_d=39 | answer=D | explanation=The first three numbers increase by 4, so the next should be 36. Therefore 39 is the odd one out.

id=27011 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:5 and the first is 192, what is the second? | option_a=272 | option_b=80 | option_c=92 | option_d=75 | answer=B | explanation=Scale factor = 192/12 = 16. Therefore second quantity = 5×16 = 80.

id=27012 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=95 | option_c=180 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=27013 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=30 | option_b=22 | option_c=26 | option_d=27 | answer=C | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.

id=27014 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8074 at 6% per annum for 4 years. | option_a=2037 | option_b=1837 | option_c=1937 | option_d=10011 | answer=C | explanation=SI = PRT/100 = 8074×6×4/100 = **■**1937.

id=27015 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=27016 | topic=Percentages | difficulty=Easy | question=What is 10% of 1273? | option_a=127 | option_b=147 | option_c=254 | option_d=122 | answer=A | explanation=10% of 1273 = (10/100) × 1273 = 127.

id=27017 | topic=Percentages | difficulty=Easy | question=What is 12% of 1339? | option_a=160 | option_b=165 | option_c=320 | option_d=150 | answer=A | explanation=12% of 1339 = (12/100) × 1339 = 160.

id=27018 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=6 | option_c=11 | option_d=1 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=27019 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=8 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=27020 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=27021 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34597 at 15% per annum for 2 years. | option_a=10379 | option_b=44976 | option_c=10279 | option_d=10479 | answer=A | explanation=SI = PRT/100 = 34597×15×2/100 = **■**10379.

id=27022 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2619. If it is sold at a profit of 25%, what is its selling price? | option_a=3273 | option_b=3534 | option_c=3012 | option_d=2644 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2619 × 125/100 = **■**3273.

id=27023 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 48? | option_a=17 | option_b=48 | option_c=27 | option_d=37 | answer=B | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 48 is the odd one out.

id=27024 | topic=Averages | difficulty=Easy | question=Find the average of 70, 93, 67, 96, 58, 68, 55, 13, 38. | option_a=61 | option_b=63 | option_c=64 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 558 ÷ 9 = 62.

id=27025 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3707. If it is sold at a profit of 5%, what is its selling price? | option_a=4262 | option_b=3892 | option_c=3522 | option_d=3712 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3707 × 105/100 = **■**3892.

id=27026 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=54 | option_b=53 | option_c=62 | option_d=44 | answer=B | explanation=The common difference is 9. Therefore the next term is 44 + 9 = 53.

id=27027 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 14, 23, 33? | option_a=5 | option_b=23 | option_c=33 | option_d=14 | answer=C | explanation=The first three numbers increase by 9, so the next should be 32. Therefore 33 is the odd one out.

id=27028 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 34, 43, 54? | option_a=43 | option_b=54 | option_c=34 | option_d=25 | answer=B | explanation=The first three numbers increase by 9, so the next should be 52. Therefore 54 is the odd one out.

id=27029 | topic=Averages | difficulty=Easy | question=Find the average of 19, 65, 64, 14, 76, 98. | option_a=57 | option_b=55 | option_c=56 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 336 ÷ 6 = 56.

id=27030 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=J | option_b=H | option_c=I | option_d=K | answer=A | explanation=Move 1 positions forward from I; the resulting letter is J.

Aptitude Questions — Records 27,031-27,060 of 100,000

id=27031 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:10 and the first is 104, what is the second? | option_a=130 | option_b=120 | option_c=234 | option_d=138 | answer=A | explanation=Scale factor = 104/8 = 13. Therefore second quantity = 10×13 = 130.

id=27032 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=27033 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 12. | option_a=182 | option_b=156 | option_c=312 | option_d=144 | answer=B | explanation=LCM × HCF = 26×12; HCF(26,12) = 2, so LCM = 156.

id=27034 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=90 | option_c=180 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=27035 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■39596 at 5% per annum for 5 years. | option_a=9899 | option_b=49495 | option_c=9799 | option_d=9999 | answer=A | explanation=SI = PRT/100 = 39596×5×5/100 = ■9899.

id=27036 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■4905 at 12% per annum for 4 years. | option_a=7259 | option_b=2254 | option_c=2354 | option_d=2454 | answer=C | explanation=SI = PRT/100 = 4905×12×4/100 = ■2354.

id=27037 | topic=Averages | difficulty=Easy | question=Find the average of 91, 57, 28, 84. | option_a=66 | option_b=64 | option_c=67 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 260 ÷ 4 = 65.

id=27038 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=12 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=27039 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=T | option_c=N | option_d=R | answer=D | explanation=Move 2 positions forward from P; the resulting letter is R.

id=27040 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:10 and the first is 36, what is the second? | option_a=20 | option_b=38 | option_c=56 | option_d=10 | answer=A | explanation=Scale factor = 36/18 = 2. Therefore second quantity = 10×2 = 20.

id=27041 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■4139 at 15% per annum for 1 years. | option_a=720 | option_b=4759 | option_c=520 | option_d=620 | answer=D | explanation=SI = PRT/100 = 4139×15×1/100 = ■620.

id=27042 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■43142 at 10% per annum for 3 years. | option_a=12842 | option_b=13042 | option_c=56084 | option_d=12942 | answer=D | explanation=SI = PRT/100 = 43142×10×3/100 = ■12942.

id=27043 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=100 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=27044 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=27045 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=27046 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3265. If it is sold at a profit of 20%, what is its selling price? | option_a=3592 | option_b=4244 | option_c=3285 | option_d=3918 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3265 × 120/100 = ■3918.

id=27047 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■5259 at 12% per annum for 1 years. | option_a=5890 | option_b=631 | option_c=531 | option_d=731 | answer=B | explanation=SI = PRT/100 = 5259×12×1/100 = ■631.

id=27048 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=36 | option_c=41 | option_d=72 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=27049 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 51? | option_a=30 | option_b=20 | option_c=51 | option_d=40 | answer=C | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 51 is the odd one out.

id=27050 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=27051 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=30 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=27052 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2820. If it is sold at a profit of 10%, what is its selling price? | option_a=3102 | option_b=3384 | option_c=2820 | option_d=2830 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2820 × 110/100 = ■3102.

id=27053 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 10. | option_a=100 | option_b=110 | option_c=132 | option_d=220 | answer=B | explanation=LCM × HCF = 22×10; HCF(22,10) = 2, so LCM = 110.

id=27054 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=R | option_c=C | option_d=M | answer=D | explanation=Move 5 positions forward from H; the resulting letter is M.

id=27055 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=36 | option_b=31 | option_c=30 | option_d=24 | answer=C | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.

id=27056 | topic=Percentages | difficulty=Easy | question=What is 50% of 1212? | option_a=606 | option_b=611 | option_c=1212 | option_d=586 | answer=A | explanation=50% of 1212 = (50/100) × 1212 = 606.

id=27057 | topic=Percentages | difficulty=Easy | question=What is 15% of 1650? | option_a=227 | option_b=247 | option_c=267 | option_d=494 | answer=B | explanation=15% of 1650 = (15/100) × 1650 = 247.

id=27058 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=6 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=27059 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:3 and the first is 121, what is the second? | option_a=33 | option_b=30 | option_c=44 | option_d=154 | answer=A | explanation=Scale factor = 121/11 = 11. Therefore second quantity = 3×11 = 33.

id=27060 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 9, 14, 22? | option_a=14 | option_b=4 | option_c=22 | option_d=9 | answer=C | explanation=The first three numbers increase by 5, so the next should be 19. Therefore 22 is the odd one out.

Aptitude Questions — Records 27,061-27,090 of 100,000

id=27061 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=67 | option_c=72 | option_d=144 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=27062 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=27063 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 32, 36, 41? | option_a=28 | option_b=32 | option_c=36 | option_d=41 | answer=D | explanation=The first three numbers increase by 4, so the next should be 40. Therefore 41 is the odd one out.

id=27064 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 18, 26, 35? | option_a=26 | option_b=18 | option_c=10 | option_d=35 | answer=D | explanation=The first three numbers increase by 8, so the next should be 34. Therefore 35 is the odd one out.

id=27065 | topic=Averages | difficulty=Easy | question=Find the average of 57, 18, 96, 82, 29, 42. | option_a=55 | option_b=54 | option_c=53 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 324 ÷ 6 = 54.

id=27066 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=27067 | topic=Percentages | difficulty=Easy | question=What is 10% of 1906? | option_a=185 | option_b=380 | option_c=195 | option_d=190 | answer=D | explanation=10% of 1906 = (10/100) × 1906 = 190.

id=27068 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 38, 46, 57? | option_a=57 | option_b=30 | option_c=38 | option_d=46 | answer=A | explanation=The first three numbers increase by 8, so the next should be 54. Therefore 57 is the odd one out.

id=27069 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 39? | option_a=39 | option_b=21 | option_c=31 | option_d=26 | answer=A | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 39 is the odd one out.

id=27070 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1138. If it is sold at a profit of 15%, what is its selling price? | option_a=1153 | option_b=1421 | option_c=1195 | option_d=1308 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1138 × 115/100 = **■**1308.

id=27071 | topic=Averages | difficulty=Easy | question=Find the average of 56, 69, 63, 100, 32. | option_a=64 | option_b=65 | option_c=66 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 320 ÷ 5 = 64.

id=27072 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15534 at 10% per annum for 5 years. | option_a=7767 | option_b=7667 | option_c=7867 | option_d=23301 | answer=A | explanation=SI = PRT/100 = 15534×10×5/100 = **■**7767.

id=27073 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 4. | option_a=30 | option_b=16 | option_c=20 | option_d=40 | answer=C | explanation=LCM × HCF = 10×4; HCF(10,4) = 2, so LCM = 20.

id=27074 | topic=Averages | difficulty=Easy | question=Find the average of 19, 95, 63. | option_a=59 | option_b=61 | option_c=60 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 177 ÷ 3 = 59.

id=27075 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 27? | option_a=4 | option_b=18 | option_c=27 | option_d=11 | answer=C | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 27 is the odd one out.

id=27076 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14101 at 15% per annum for 1 years. | option_a=2115 | option_b=16216 | option_c=2015 | option_d=2215 | answer=A | explanation=SI = PRT/100 = 14101×15×1/100 = **■**2115.

id=27077 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=27078 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2547. If it is sold at a profit of 15%, what is its selling price? | option_a=2562 | option_b=3183 | option_c=2675 | option_d=2929 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2547 × 115/100 = **■**2929.

id=27079 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:4 and the first is 70, what is the second? | option_a=28 | option_b=38 | option_c=98 | option_d=24 | answer=A | explanation=Scale factor = 70/10 = 7. Therefore second quantity = 4×7 = 28.

id=27080 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=150 | option_c=70 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=27081 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**156. If it is sold at a profit of 10%, what is its selling price? | option_a=186 | option_b=171 | option_c=166 | option_d=156 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 156 × 110/100 = **■**171.

id=27082 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=27083 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 26, 33, 41? | option_a=33 | option_b=19 | option_c=41 | option_d=26 | answer=C | explanation=The first three numbers increase by 7, so the next should be 40. Therefore 41 is the odd one out.

id=27084 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43298 at 15% per annum for 3 years. | option_a=19584 | option_b=19484 | option_c=62782 | option_d=19384 | answer=B | explanation=SI = PRT/100 = 43298×15×3/100 = **■**19484.

id=27085 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=27086 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3927. If it is sold at a profit of 15%, what is its selling price? | option_a=3942 | option_b=4908 | option_c=4124 | option_d=4516 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3927 × 115/100 = **■**4516.

id=27087 | topic=Percentages | difficulty=Easy | question=What is 25% of 1878? | option_a=479 | option_b=459 | option_c=938 | option_d=469 | answer=D | explanation=25% of 1878 = (25/100) × 1878 = 469.

id=27088 | topic=Averages | difficulty=Easy | question=Find the average of 30, 13, 90, 58, 24. | option_a=43 | option_b=42 | option_c=44 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 215 ÷ 5 = 43.

id=27089 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=5 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=27090 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2713. If it is sold at a profit of 15%, what is its selling price? | option_a=2848 | option_b=3119 | option_c=3390 | option_d=2728 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2713 × 115/100 = **■**3119.

Aptitude Questions — Records 27,091-27,120 of 100,000

id=27091 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 10. | option_a=30 | option_b=60 | option_c=300 | option_d=20 | answer=A | explanation=LCM × HCF = 30×10; HCF(30,10) = 10, so LCM = 30.

id=27092 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=O | option_c=U | option_d=X | answer=C | explanation=Move 3 positions forward from R; the resulting letter is U.

id=27093 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 33? | option_a=28 | option_b=22 | option_c=25 | option_d=33 | answer=D | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 33 is the odd one out.

id=27094 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=27095 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 26, 33, 43? | option_a=19 | option_b=43 | option_c=26 | option_d=33 | answer=B | explanation=The first three numbers increase by 7, so the next should be 40. Therefore 43 is the odd one out.

id=27096 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1612 at 4% per annum for 1 years. | option_a=164 | option_b=64 | option_c=0 | option_d=1676 | answer=B | explanation=SI = PRT/100 = 1612×4×1/100 = **■**64.

id=27097 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=46 | option_b=36 | option_c=45 | option_d=54 | answer=C | explanation=The common difference is 9. Therefore the next term is 36 + 9 = 45.

id=27098 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 23, 27, 34? | option_a=19 | option_b=23 | option_c=27 | option_d=34 | answer=D | explanation=The first three numbers increase by 4, so the next should be 31. Therefore 34 is the odd one out.

id=27099 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 22, 31, 41? | option_a=31 | option_b=41 | option_c=22 | option_d=13 | answer=B | explanation=The first three numbers increase by 9, so the next should be 40. Therefore 41 is the odd one out.

id=27100 | topic=Percentages | difficulty=Easy | question=What is 30% of 445? | option_a=133 | option_b=128 | option_c=266 | option_d=138 | answer=A | explanation=30% of 445 = (30/100) × 445 = 133.

id=27101 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:11 and the first is 60, what is the second? | option_a=22 | option_b=93 | option_c=33 | option_d=53 | answer=C | explanation=Scale factor = 60/20 = 3. Therefore second quantity = 11×3 = 33.

id=27102 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=28 | option_b=26 | option_c=27 | option_d=24 | answer=B | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.

id=27103 | topic=Averages | difficulty=Easy | question=Find the average of 31, 61, 37, 88, 44, 88, 63, 60. | option_a=60 | option_b=58 | option_c=61 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 472 ÷ 8 = 59.

id=27104 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 22, what is the second? | option_a=32 | option_b=43 | option_c=54 | option_d=16 | answer=A | explanation=Scale factor = 22/11 = 2. Therefore second quantity = 16×2 = 32.

id=27105 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39097 at 4% per annum for 5 years. | option_a=7919 | option_b=7819 | option_c=46916 | option_d=7719 | answer=B | explanation=SI = PRT/100 = 39097×4×5/100 = **■**7819.

id=27106 | topic=Averages | difficulty=Easy | question=Find the average of 43, 16, 41, 49, 15, 75, 69. | option_a=44 | option_b=45 | option_c=43 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 308 ÷ 7 = 44.

id=27107 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=85 | option_c=90 | option_d=180 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=27108 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=13 | option_c=18 | option_d=23 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=27109 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:7 and the first is 24, what is the second? | option_a=35 | option_b=66 | option_c=46 | option_d=42 | answer=D | explanation=Scale factor = 24/4 = 6. Therefore second quantity = 7×6 = 42.

id=27110 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=M | option_c=N | option_d=O | answer=D | explanation=Move 1 positions forward from N; the resulting letter is O.

id=27111 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=40 | option_c=15 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=27112 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=27113 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=12 | option_b=13 | option_c=10 | option_d=14 | answer=A | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.

id=27114 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26994 at 8% per annum for 3 years. | option_a=6478 | option_b=6578 | option_c=6378 | option_d=33472 | answer=A | explanation=SI = PRT/100 = 26994×8×3/100 = **■**6478.

id=27115 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1387. If it is sold at a profit of 10%, what is its selling price? | option_a=1525 | option_b=1387 | option_c=1397 | option_d=1663 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1387 × 110/100 = **■**1525.

id=27116 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 17, 22, 30? | option_a=17 | option_b=12 | option_c=22 | option_d=30 | answer=D | explanation=The first three numbers increase by 5, so the next should be 27. Therefore 30 is the odd one out.

id=27117 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 11, 16, 23? | option_a=11 | option_b=23 | option_c=16 | option_d=6 | answer=B | explanation=The first three numbers increase by 5, so the next should be 21. Therefore 23 is the odd one out.

id=27118 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=Q | option_c=P | option_d=N | answer=C | explanation=Move 1 positions forward from O; the resulting letter is P.

id=27119 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=48 | option_c=43 | option_d=96 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=27120 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:19 and the first is 130, what is the second? | option_a=190 | option_b=320 | option_c=171 | option_d=203 | answer=A | explanation=Scale factor = 130/13 = 10. Therefore second quantity = 19×10 = 190.

Aptitude Questions — Records 27,121-27,150 of 100,000

id=27121 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=6 | option_c=1 | option_d=12 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=27122 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:6 and the first is 260, what is the second? | option_a=98 | option_b=72 | option_c=78 | option_d=338 | answer=C | explanation=Scale factor = 260/20 = 13. Therefore second quantity = 6×13 = 78.

id=27123 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40106 at 12% per annum for 1 years. | option_a=44918 | option_b=4712 | option_c=4812 | option_d=4912 | answer=C | explanation=SI = PRT/100 = 40106×12×1/100 = **■**4812.

id=27124 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23279 at 6% per annum for 3 years. | option_a=27469 | option_b=4190 | option_c=4290 | option_d=4090 | answer=B | explanation=SI = PRT/100 = 23279×6×3/100 = **■**4190.

id=27125 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 4. | option_a=8 | option_b=1 | option_c=16 | option_d=4 | answer=D | explanation=LCM × HCF = 4×4; HCF(4,4) = 4, so LCM = 4.

id=27126 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=13 | option_b=16 | option_c=17 | option_d=19 | answer=B | explanation=The common difference is 3. Therefore the next term is 13 + 3 = 16.

id=27127 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 14, 16, 21? | option_a=14 | option_b=21 | option_c=16 | option_d=12 | answer=B | explanation=The first three numbers increase by 2, so the next should be 18. Therefore 21 is the odd one out.

id=27128 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=27129 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=9 | option_b=4 | option_c=14 | option_d=18 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=27130 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=27131 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=48 | option_b=39 | option_c=55 | option_d=47 | answer=D | explanation=The common difference is 8. Therefore the next term is 39 + 8 = 47.

id=27132 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=J | option_b=I | option_c=K | option_d=H | answer=A | explanation=Move 1 positions forward from I; the resulting letter is J.

id=27133 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=J | option_b=O | option_c=T | option_d=Y | answer=C | explanation=Move 5 positions forward from O; the resulting letter is T.

id=27134 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4614. If it is sold at a profit of 20%, what is its selling price? | option_a=5075 | option_b=4634 | option_c=5997 | option_d=5536 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4614 × 120/100 = **■**5536.

id=27135 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=27136 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:11 and the first is 45, what is the second? | option_a=100 | option_b=44 | option_c=55 | option_d=64 | answer=C | explanation=Scale factor = 45/9 = 5. Therefore second quantity = 11×5 = 55.

id=27137 | topic=Averages | difficulty=Easy | question=Find the average of 39, 77, 35, 73. | option_a=57 | option_b=55 | option_c=58 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 224 ÷ 4 = 56.

id=27138 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 26, 29, 35? | option_a=23 | option_b=26 | option_c=29 | option_d=35 | answer=D | explanation=The first three numbers increase by 3, so the next should be 32. Therefore 35 is the odd one out.

id=27139 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=72 | option_c=41 | option_d=31 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=27140 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=27141 | topic=Averages | difficulty=Easy | question=Find the average of 22, 78, 29, 44, 36, 96, 49, 46. | option_a=51 | option_b=49 | option_c=50 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 400 ÷ 8 = 50.

id=27142 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=27143 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 38? | option_a=10 | option_b=19 | option_c=38 | option_d=28 | answer=C | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 38 is the odd one out.

id=27144 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=85 | option_c=180 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=27145 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30423 at 12% per annum for 5 years. | option_a=18153 | option_b=18253 | option_c=48676 | option_d=18353 | answer=B | explanation=SI = PRT/100 = 30423×12×5/100 = **■**18253.

id=27146 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**169. If it is sold at a profit of 30%, what is its selling price? | option_a=219 | option_b=199 | option_c=203 | option_d=235 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 169 × 130/100 = **■**219.

id=27147 | topic=Percentages | difficulty=Easy | question=What is 20% of 1266? | option_a=273 | option_b=253 | option_c=506 | option_d=243 | answer=B | explanation=20% of 1266 = (20/100) × 1266 = 253.

id=27148 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=B | option_b=F | option_c=J | option_d=N | answer=C | explanation=Move 4 positions forward from F; the resulting letter is J.

id=27149 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=27150 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:11 and the first is 110, what is the second? | option_a=121 | option_b=110 | option_c=220 | option_d=99 | answer=B | explanation=Scale factor = 110/11 = 10. Therefore second quantity = 11×10 = 110.

Aptitude Questions — Records 27,151-27,180 of 100,000

id=27151 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=30 | option_b=32 | option_c=29 | option_d=26 | answer=C | explanation=The common difference is 3. Therefore the next term is 26 + 3 = 29.

id=27152 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 20, 30, 41? | option_a=30 | option_b=20 | option_c=10 | option_d=41 | answer=D | explanation=The first three numbers increase by 10, so the next should be 40. Therefore 41 is the odd one out.

id=27153 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=27154 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=57 | option_b=46 | option_c=66 | option_d=56 | answer=D | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=27155 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=12 | option_c=6 | option_d=11 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=27156 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■42113 at 6% per annum for 1 years. | option_a=44639 | option_b=2426 | option_c=2626 | option_d=2526 | answer=D | explanation=SI = PRT/100 = 42113×6×1/100 = ■2526.

id=27157 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=L | option_c=N | option_d=H | answer=B | explanation=Move 2 positions forward from J; the resulting letter is L.

id=27158 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:6 and the first is 33, what is the second? | option_a=18 | option_b=51 | option_c=29 | option_d=12 | answer=A | explanation=Scale factor = 33/11 = 3. Therefore second quantity = 6×3 = 18.

id=27159 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=O | option_c=P | option_d=Q | answer=D | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=27160 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=E | option_b=I | option_c=Q | option_d=M | answer=D | explanation=Move 4 positions forward from I; the resulting letter is M.

id=27161 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:15 and the first is 247, what is the second? | option_a=532 | option_b=285 | option_c=298 | option_d=270 | answer=B | explanation=Scale factor = 247/13 = 19. Therefore second quantity = 15×19 = 285.

id=27162 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3787. If it is sold at a profit of 30%, what is its selling price? | option_a=3817 | option_b=4923 | option_c=5301 | option_d=4545 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3787 × 130/100 = ■4923.

id=27163 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4875. If it is sold at a profit of 30%, what is its selling price? | option_a=4905 | option_b=6824 | option_c=5850 | option_d=6337 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4875 × 130/100 = ■6337.

id=27164 | topic=Percentages | difficulty=Easy | question=What is 5% of 156? | option_a=0 | option_b=14 | option_c=27 | option_d=7 | answer=D | explanation=5% of 156 = (5/100) × 156 = 7.

id=27165 | topic=Averages | difficulty=Easy | question=Find the average of 22, 28, 43, 31, 89, 71, 44, 16. | option_a=44 | option_b=43 | option_c=45 | option_d=42 | answer=B | explanation=Average = sum of values ÷ number of values = 344 ÷ 8 = 43.

id=27166 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 33, 42, 54? | option_a=54 | option_b=33 | option_c=24 | option_d=42 | answer=A | explanation=The first three numbers increase by 9, so the next should be 51. Therefore 54 is the odd one out.

id=27167 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=J | option_c=F | option_d=H | answer=B | explanation=Move 2 positions forward from H; the resulting letter is J.

id=27168 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=27169 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=27170 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=28 | option_b=27 | option_c=22 | option_d=32 | answer=B | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.

id=27171 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2731. If it is sold at a profit of 5%, what is its selling price? | option_a=2594 | option_b=2736 | option_c=2867 | option_d=3140 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2731 × 105/100 = ■2867.

id=27172 | topic=Percentages | difficulty=Easy | question=What is 40% of 757? | option_a=302 | option_b=604 | option_c=282 | option_d=312 | answer=A | explanation=40% of 757 = (40/100) × 757 = 302.

id=27173 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:1 and the first is 39, what is the second? | option_a=42 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Scale factor = 39/13 = 3. Therefore second quantity = 1×3 = 3.

id=27174 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=46 | option_b=38 | option_c=45 | option_d=52 | answer=C | explanation=The common difference is 7. Therefore the next term is 38 + 7 = 45.

id=27175 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=27176 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=27177 | topic=Averages | difficulty=Easy | question=Find the average of 53, 91, 22, 74. | option_a=61 | option_b=60 | option_c=62 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 240 ÷ 4 = 60.

id=27178 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 43? | option_a=43 | option_b=18 | option_c=26 | option_d=34 | answer=A | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 43 is the odd one out.

id=27179 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=45 | option_c=35 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=27180 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=56 | option_b=47 | option_c=46 | option_d=36 | answer=C | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.

Aptitude Questions — Records 27,181-27,210 of 100,000

id=27181 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=90 | option_c=50 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=27182 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=D | option_b=Y | option_c=O | option_d=T | answer=B | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=27183 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=C | option_b=E | option_c=D | option_d=F | answer=B | explanation=Move 1 positions forward from D; the resulting letter is E.

id=27184 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=44 | option_b=56 | option_c=66 | option_d=55 | answer=D | explanation=The common difference is 11. Therefore the next term is 44 + 11 = 55.

id=27185 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 22? | option_a=22 | option_b=8 | option_c=2 | option_d=14 | answer=A | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 22 is the odd one out.

id=27186 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 34, 41, 49? | option_a=41 | option_b=34 | option_c=27 | option_d=49 | answer=D | explanation=The first three numbers increase by 7, so the next should be 48. Therefore 49 is the odd one out.

id=27187 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=18 | option_c=23 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=27188 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=27189 | topic=Percentages | difficulty=Easy | question=What is 20% of 691? | option_a=128 | option_b=158 | option_c=276 | option_d=138 | answer=D | explanation=20% of 691 = (20/100) × 691 = 138.

id=27190 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=N | option_b=Q | option_c=P | option_d=O | answer=C | explanation=Move 1 positions forward from O; the resulting letter is P.

id=27191 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=65 | option_b=55 | option_c=56 | option_d=45 | answer=B | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.

id=27192 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=50 | option_c=45 | option_d=100 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=27193 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=P | option_c=F | option_d=U | answer=B | explanation=Move 5 positions forward from K; the resulting letter is P.

id=27194 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 38? | option_a=21 | option_b=31 | option_c=38 | option_d=26 | answer=C | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 38 is the odd one out.

id=27195 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=44 | option_b=38 | option_c=32 | option_d=39 | answer=B | explanation=The common difference is 6. Therefore the next term is 32 + 6 = 38.

id=27196 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:12 and the first is 324, what is the second? | option_a=540 | option_b=216 | option_c=234 | option_d=204 | answer=B | explanation=Scale factor = 324/18 = 18. Therefore second quantity = 12×18 = 216.

id=27197 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 25, 31, 38? | option_a=31 | option_b=25 | option_c=19 | option_d=38 | answer=D | explanation=The first three numbers increase by 6, so the next should be 37. Therefore 38 is the odd one out.

id=27198 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22851 at 6% per annum for 3 years. | option_a=4213 | option_b=4113 | option_c=4013 | option_d=26964 | answer=B | explanation=SI = PRT/100 = 22851×6×3/100 = **■**4113.

id=27199 | topic=Averages | difficulty=Easy | question=Find the average of 100, 78, 58, 57, 45, 24, 55, 90, 96, 27. | option_a=63 | option_b=62 | option_c=64 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 630 ÷ 10 = 63.

id=27200 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=R | option_b=X | option_c=A | option_d=U | answer=B | explanation=Move 3 positions forward from U; the resulting letter is X.

id=27201 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=34 | option_b=38 | option_c=30 | option_d=35 | answer=A | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.

id=27202 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4324. If it is sold at a profit of 30%, what is its selling price? | option_a=4354 | option_b=5189 | option_c=6053 | option_d=5621 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4324 × 130/100 = **■**5621.

id=27203 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 30, 38, 49? | option_a=38 | option_b=30 | option_c=22 | option_d=49 | answer=D | explanation=The first three numbers increase by 8, so the next should be 46. Therefore 49 is the odd one out.

id=27204 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=V | option_c=N | option_d=J | answer=A | explanation=Move 4 positions forward from N; the resulting letter is R.

id=27205 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=27206 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 41? | option_a=41 | option_b=28 | option_c=22 | option_d=34 | answer=A | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 41 is the odd one out.

id=27207 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2429. If it is sold at a profit of 50%, what is its selling price? | option_a=3885 | option_b=2479 | option_c=3643 | option_d=3401 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2429 × 150/100 = **■**3643.

id=27208 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16762 at 15% per annum for 3 years. | option_a=7442 | option_b=24304 | option_c=7642 | option_d=7542 | answer=D | explanation=SI = PRT/100 = 16762×15×3/100 = **■**7542.

id=27209 | topic=Percentages | difficulty=Easy | question=What is 10% of 1601? | option_a=160 | option_b=320 | option_c=170 | option_d=155 | answer=A | explanation=10% of 1601 = (10/100) × 1601 = 160.

id=27210 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 42? | option_a=21 | option_b=31 | option_c=42 | option_d=11 | answer=C | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 42 is the odd one out.

Aptitude Questions — Records 27,211-27,240 of 100,000

id=27211 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 42? | option_a=36 | option_b=42 | option_c=33 | option_d=30 | answer=B | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 42 is the odd one out.

id=27212 | topic=Profit & Loss | difficulty=Easy | question=An article costs █319. If it is sold at a profit of 50%, what is its selling price? | option_a=447 | option_b=478 | option_c=509 | option_d=369 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 319 × 150/100 = █478.

id=27213 | topic=Averages | difficulty=Easy | question=Find the average of 87, 94, 35, 60. | option_a=70 | option_b=71 | option_c=69 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 276 ÷ 4 = 69.

id=27214 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=32 | option_b=33 | option_c=37 | option_d=27 | answer=A | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

id=27215 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=J | option_c=F | option_d=L | answer=B | explanation=Move 2 positions forward from H; the resulting letter is J.

id=27216 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29590 at 6% per annum for 5 years. | option_a=8877 | option_b=38467 | option_c=8777 | option_d=8977 | answer=A | explanation=SI = PRT/100 = 29590×6×5/100 = █8877.

id=27217 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=27218 | topic=Averages | difficulty=Easy | question=Find the average of 52, 33, 23, 40. | option_a=36 | option_b=39 | option_c=38 | option_d=37 | answer=D | explanation=Average = sum of values ÷ number of values = 148 ÷ 4 = 37.

id=27219 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=56 | option_b=55 | option_c=65 | option_d=45 | answer=B | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.

id=27220 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=27221 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27789 at 10% per annum for 3 years. | option_a=8236 | option_b=8436 | option_c=8336 | option_d=36125 | answer=C | explanation=SI = PRT/100 = 27789×10×3/100 = █8336.

id=27222 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48798 at 8% per annum for 4 years. | option_a=64413 | option_b=15615 | option_c=15515 | option_d=15715 | answer=B | explanation=SI = PRT/100 = 48798×8×4/100 = █15615.

id=27223 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=A | option_c=B | option_d=Z | answer=C | explanation=Move 1 positions forward from A; the resulting letter is B.

id=27224 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35694 at 8% per annum for 2 years. | option_a=5711 | option_b=5811 | option_c=5611 | option_d=41405 | answer=A | explanation=SI = PRT/100 = 35694×8×2/100 = █5711.

id=27225 | topic=Percentages | difficulty=Easy | question=What is 15% of 70? | option_a=0 | option_b=20 | option_c=10 | option_d=30 | answer=C | explanation=15% of 70 = (15/100) × 70 = 10.

id=27226 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 33? | option_a=8 | option_b=24 | option_c=16 | option_d=33 | answer=D | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 33 is the odd one out.

id=27227 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=27228 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:17 and the first is 112, what is the second? | option_a=221 | option_b=350 | option_c=238 | option_d=246 | answer=C | explanation=Scale factor = 112/8 = 14. Therefore second quantity = 17×14 = 238.

id=27229 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2178. If it is sold at a profit of 50%, what is its selling price? | option_a=2228 | option_b=3267 | option_c=3484 | option_d=3050 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2178 × 150/100 = █3267.

id=27230 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=27231 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=I | option_b=U | option_c=M | option_d=Q | answer=D | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=27232 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32713 at 10% per annum for 3 years. | option_a=9713 | option_b=9813 | option_c=9913 | option_d=42526 | answer=B | explanation=SI = PRT/100 = 32713×10×3/100 = █9813.

id=27233 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=40 | option_c=45 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=27234 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=56 | option_b=43 | option_c=55 | option_d=67 | answer=C | explanation=The common difference is 12. Therefore the next term is 43 + 12 = 55.

id=27235 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=150 | option_d=70 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=27236 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 16. | option_a=128 | option_b=24 | option_c=1 | option_d=16 | answer=D | explanation=LCM × HCF = 8×16; HCF(8,16) = 8, so LCM = 16.

id=27237 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1865. If it is sold at a profit of 40%, what is its selling price? | option_a=2797 | option_b=2611 | option_c=2425 | option_d=1905 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1865 × 140/100 = █2611.

id=27238 | topic=Profit & Loss | difficulty=Easy | question=An article costs █903. If it is sold at a profit of 25%, what is its selling price? | option_a=1128 | option_b=1218 | option_c=1038 | option_d=928 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 903 × 125/100 = █1128.

id=27239 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=25 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=27240 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=M | option_b=I | option_c=Q | option_d=E | answer=A | explanation=Move 4 positions forward from I; the resulting letter is M.

Aptitude Questions — Records 27,241-27,270 of 100,000

id=27241 | topic=Averages | difficulty=Easy | question=Find the average of 98, 92, 99, 27. | option_a=78 | option_b=81 | option_c=79 | option_d=80 | answer=C | explanation=Average = sum of values ÷ number of values = 316 ÷ 4 = 79.

id=27242 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=85 | option_d=160 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=27243 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=23 | option_c=13 | option_d=36 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=27244 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=360 | option_b=185 | option_c=175 | option_d=180 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=27245 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=63 | option_b=39 | option_c=52 | option_d=51 | answer=D | explanation=The common difference is 12. Therefore the next term is 39 + 12 = 51.

id=27246 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4129. If it is sold at a profit of 25%, what is its selling price? | option_a=4154 | option_b=5161 | option_c=4749 | option_d=5573 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4129 × 125/100 = █5161.

id=27247 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18389 at 8% per annum for 5 years. | option_a=7355 | option_b=7455 | option_c=25744 | option_d=7255 | answer=A | explanation=SI = PRT/100 = 18389×8×5/100 = █7355.

id=27248 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=27 | option_b=24 | option_c=26 | option_d=28 | answer=C | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.

id=27249 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=80 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=27250 | topic=Profit & Loss | difficulty=Easy | question=An article costs █371. If it is sold at a profit of 50%, what is its selling price? | option_a=1219 | option_b=1306 | option_c=1393 | option_d=921 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 871 × 150/100 = █1306.

id=27251 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39514 at 5% per annum for 2 years. | option_a=43465 | option_b=3951 | option_c=3851 | option_d=4051 | answer=B | explanation=SI = PRT/100 = 39514×5×2/100 = █3951.

id=27252 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36880 at 8% per annum for 2 years. | option_a=5800 | option_b=42780 | option_c=6000 | option_d=5900 | answer=D | explanation=SI = PRT/100 = 36880×8×2/100 = █5900.

id=27253 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4809. If it is sold at a profit of 20%, what is its selling price? | option_a=6250 | option_b=4829 | option_c=5770 | option_d=5290 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4809 × 120/100 = █5770.

id=27254 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=80 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=27255 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=19 | option_b=24 | option_c=27 | option_d=23 | answer=D | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=27256 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=67 | option_b=57 | option_c=58 | option_d=47 | answer=B | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

id=27257 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:15 and the first is 228, what is the second? | option_a=180 | option_b=408 | option_c=165 | option_d=199 | answer=A | explanation=Scale factor = 228/19 = 12. Therefore second quantity = 15×12 = 180.

id=27258 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25872 at 6% per annum for 2 years. | option_a=28976 | option_b=3004 | option_c=3204 | option_d=3104 | answer=D | explanation=SI = PRT/100 = 25872×6×2/100 = █3104.

id=27259 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 34, 41, 50? | option_a=34 | option_b=41 | option_c=27 | option_d=50 | answer=D | explanation=The first three numbers increase by 7, so the next should be 48. Therefore 50 is the odd one out.

id=27260 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=10 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=27261 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=27262 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5690 at 15% per annum for 2 years. | option_a=1607 | option_b=7397 | option_c=1707 | option_d=1807 | answer=C | explanation=SI = PRT/100 = 5690×15×2/100 = █1707.

id=27263 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=34 | option_b=30 | option_c=26 | option_d=31 | answer=B | explanation=The common difference is 4. Therefore the next term is 26 + 4 = 30.

id=27264 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=W | option_b=B | option_c=L | option_d=G | answer=D | explanation=Move 5 positions forward from B; the resulting letter is G.

id=27265 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 25, 34, 44? | option_a=34 | option_b=25 | option_c=44 | option_d=16 | answer=C | explanation=The first three numbers increase by 9, so the next should be 43. Therefore 44 is the odd one out.

id=27266 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=I | option_b=N | option_c=S | option_d=X | answer=C | explanation=Move 5 positions forward from N; the resulting letter is S.

id=27267 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 44? | option_a=33 | option_b=25 | option_c=17 | option_d=44 | answer=D | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 44 is the odd one out.

id=27268 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19202 at 4% per annum for 2 years. | option_a=1436 | option_b=20738 | option_c=1536 | option_d=1636 | answer=C | explanation=SI = PRT/100 = 19202×4×2/100 = █1536.

id=27269 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=45 | option_b=57 | option_c=56 | option_d=67 | answer=C | explanation=The common difference is 11. Therefore the next term is 45 + 11 = 56.

id=27270 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:3 and the first is 240, what is the second? | option_a=57 | option_b=300 | option_c=72 | option_d=60 | answer=D | explanation=Scale factor = 240/12 = 20. Therefore second quantity = 3×20 = 60.

Aptitude Questions — Records 27,271-27,300 of 100,000

id=27271 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23807 at 10% per annum for 2 years. | option_a=4661 | option_b=4761 | option_c=28568 | option_d=4861 | answer=B | explanation=SI = PRT/100 = 23807×10×2/100 = **■**4761.

id=27272 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=27273 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21953 at 15% per annum for 3 years. | option_a=31831 | option_b=9978 | option_c=9778 | option_d=9878 | answer=D | explanation=SI = PRT/100 = 21953×15×3/100 = **■**9878.

id=27274 | topic=Percentages | difficulty=Easy | question=What is 12% of 472? | option_a=76 | option_b=112 | option_c=36 | option_d=56 | answer=D | explanation=12% of 472 = (12/100) × 472 = 56.

id=27275 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=37 | option_b=28 | option_c=44 | option_d=36 | answer=D | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=27276 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 16? | option_a=8 | option_b=11 | option_c=16 | option_d=5 | answer=C | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 16 is the odd one out.

id=27277 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=71 | option_b=61 | option_c=60 | option_d=49 | answer=C | explanation=The common difference is 11. Therefore the next term is 49 + 11 = 60.

id=27278 | topic=Percentages | difficulty=Easy | question=What is 15% of 395? | option_a=69 | option_b=59 | option_c=118 | option_d=49 | answer=B | explanation=15% of 395 = (15/100) × 395 = 59.

id=27279 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=4 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=27280 | topic=Averages | difficulty=Easy | question=Find the average of 79, 88, 84, 23, 100, 94, 33, 10, 38. | option_a=61 | option_b=63 | option_c=62 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 549 ÷ 9 = 61.

id=27281 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=E | option_b=K | option_c=I | option_d=G | answer=C | explanation=Move 2 positions forward from G; the resulting letter is I.

id=27282 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=27283 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1462. If it is sold at a profit of 25%, what is its selling price? | option_a=1681 | option_b=1827 | option_c=1487 | option_d=1973 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1462 × 125/100 = **■**1827.

id=27284 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=9 | option_b=18 | option_c=14 | option_d=4 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=27285 | topic=Percentages | difficulty=Easy | question=What is 10% of 77? | option_a=7 | option_b=2 | option_c=14 | option_d=12 | answer=A | explanation=10% of 77 = (10/100) × 77 = 7.

id=27286 | topic=Percentages | difficulty=Easy | question=What is 15% of 1014? | option_a=152 | option_b=132 | option_c=304 | option_d=162 | answer=A | explanation=15% of 1014 = (15/100) × 1014 = 152.

id=27287 | topic=Averages | difficulty=Easy | question=Find the average of 25, 86, 79, 38. | option_a=58 | option_b=57 | option_c=56 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 228 ÷ 4 = 57.

id=27288 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=34 | option_b=41 | option_c=35 | option_d=27 | answer=A | explanation=The common difference is 7. Therefore the next term is 27 + 7 = 34.

id=27289 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=47 | option_b=56 | option_c=38 | option_d=48 | answer=A | explanation=The common difference is 9. Therefore the next term is 38 + 9 = 47.

id=27290 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23767 at 10% per annum for 2 years. | option_a=4753 | option_b=4653 | option_c=4853 | option_d=28520 | answer=A | explanation=SI = PRT/100 = 23767×10×2/100 = **■**4753.

id=27291 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31030 at 4% per annum for 4 years. | option_a=5064 | option_b=4964 | option_c=4864 | option_d=35994 | answer=B | explanation=SI = PRT/100 = 31030×4×4/100 = **■**4964.

id=27292 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29920 at 6% per annum for 3 years. | option_a=35305 | option_b=5485 | option_c=5385 | option_d=5285 | answer=C | explanation=SI = PRT/100 = 29920×6×3/100 = **■**5385.

id=27293 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1013. If it is sold at a profit of 5%, what is its selling price? | option_a=1063 | option_b=1018 | option_c=1164 | option_d=962 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1013 × 105/100 = **■**1063.

id=27294 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=27295 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15776 at 4% per annum for 1 years. | option_a=16407 | option_b=631 | option_c=731 | option_d=531 | answer=B | explanation=SI = PRT/100 = 15776×4×1/100 = **■**631.

id=27296 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:15 and the first is 342, what is the second? | option_a=303 | option_b=627 | option_c=285 | option_d=270 | answer=C | explanation=Scale factor = 342/18 = 19. Therefore second quantity = 15×19 = 285.

id=27297 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2028. If it is sold at a profit of 15%, what is its selling price? | option_a=2130 | option_b=2534 | option_c=2332 | option_d=2043 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2028 × 115/100 = **■**2332.

id=27298 | topic=Percentages | difficulty=Easy | question=What is 20% of 1730? | option_a=351 | option_b=346 | option_c=326 | option_d=692 | answer=B | explanation=20% of 1730 = (20/100) × 1730 = 346.

id=27299 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=27300 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=150 | option_c=145 | option_d=300 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

Aptitude Questions — Records 27,301-27,330 of 100,000

id=27301 | topic=Averages | difficulty=Easy | question=Find the average of 13, 15, 25, 74, 17, 15, 86, 92, 77. | option_a=45 | option_b=47 | option_c=46 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 414 ÷ 9 = 46.

id=27302 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=25 | option_c=15 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=27303 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=27304 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:14 and the first is 150, what is the second? | option_a=290 | option_b=155 | option_c=126 | option_d=140 | answer=D | explanation=Scale factor = 150/15 = 10. Therefore second quantity = 14×10 = 140.

id=27305 | topic=Percentages | difficulty=Easy | question=What is 20% of 1350? | option_a=275 | option_b=260 | option_c=270 | option_d=540 | answer=C | explanation=20% of 1350 = (20/100) × 1350 = 270.

id=27306 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4230 at 8% per annum for 5 years. | option_a=5922 | option_b=1692 | option_c=1592 | option_d=1792 | answer=B | explanation=SI = PRT/100 = 4230×8×5/100 = **■**1692.

id=27307 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3900. If it is sold at a profit of 10%, what is its selling price? | option_a=4290 | option_b=3900 | option_c=4680 | option_d=3910 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3900 × 110/100 = **■**4290.

id=27308 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30646 at 10% per annum for 4 years. | option_a=42904 | option_b=12158 | option_c=12258 | option_d=12358 | answer=C | explanation=SI = PRT/100 = 30646×10×4/100 = **■**12258.

id=27309 | topic=Percentages | difficulty=Easy | question=What is 25% of 570? | option_a=162 | option_b=142 | option_c=284 | option_d=122 | answer=B | explanation=25% of 570 = (25/100) × 570 = 142.

id=27310 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4790. If it is sold at a profit of 5%, what is its selling price? | option_a=5508 | option_b=5029 | option_c=4795 | option_d=4550 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4790 × 105/100 = **■**5029.

id=27311 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:18 and the first is 182, what is the second? | option_a=434 | option_b=252 | option_c=234 | option_d=265 | answer=B | explanation=Scale factor = 182/13 = 14. Therefore second quantity = 18×14 = 252.

id=27312 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=61 | option_b=71 | option_c=49 | option_d=60 | answer=D | explanation=The common difference is 11. Therefore the next term is 49 + 11 = 60.

id=27313 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=27314 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2966. If it is sold at a profit of 20%, what is its selling price? | option_a=2986 | option_b=3263 | option_c=3559 | option_d=3855 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2966 × 120/100 = **■**3559.

id=27315 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=J | option_c=V | option_d=N | answer=A | explanation=Move 4 positions forward from N; the resulting letter is R.

id=27316 | topic=Percentages | difficulty=Easy | question=What is 50% of 1054? | option_a=522 | option_b=547 | option_c=1054 | option_d=527 | answer=D | explanation=50% of 1054 = (50/100) × 1054 = 527.

id=27317 | topic=Percentages | difficulty=Easy | question=What is 20% of 182? | option_a=72 | option_b=36 | option_c=46 | option_d=26 | answer=B | explanation=20% of 182 = (20/100) × 182 = 36.

id=27318 | topic=Averages | difficulty=Easy | question=Find the average of 59, 67, 17, 73, 84. | option_a=61 | option_b=62 | option_c=60 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 300 ÷ 5 = 60.

id=27319 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=42 | option_b=41 | option_c=35 | option_d=47 | answer=B | explanation=The common difference is 6. Therefore the next term is 35 + 6 = 41.

id=27320 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1885. If it is sold at a profit of 10%, what is its selling price? | option_a=1895 | option_b=2073 | option_c=2261 | option_d=1885 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1885 × 110/100 = **■**2073.

id=27321 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=Q | option_c=E | option_d=M | answer=D | explanation=Move 4 positions forward from I; the resulting letter is M.

id=27322 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 34? | option_a=25 | option_b=22 | option_c=28 | option_d=34 | answer=D | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 34 is the odd one out.

id=27323 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 20, 28, 37? | option_a=37 | option_b=20 | option_c=12 | option_d=28 | answer=A | explanation=The first three numbers increase by 8, so the next should be 36. Therefore 37 is the odd one out.

id=27324 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=51 | option_b=63 | option_c=39 | option_d=52 | answer=A | explanation=The common difference is 12. Therefore the next term is 39 + 12 = 51.

id=27325 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 29? | option_a=29 | option_b=18 | option_c=23 | option_d=13 | answer=A | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 29 is the odd one out.

id=27326 | topic=Averages | difficulty=Easy | question=Find the average of 95, 98, 44, 63, 70. | option_a=73 | option_b=76 | option_c=74 | option_d=75 | answer=C | explanation=Average = sum of values ÷ number of values = 370 ÷ 5 = 74.

id=27327 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:20 and the first is 209, what is the second? | option_a=429 | option_b=239 | option_c=220 | option_d=200 | answer=C | explanation=Scale factor = 209/19 = 11. Therefore second quantity = 20×11 = 220.

id=27328 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=40 | option_c=80 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=27329 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=45 | option_b=39 | option_c=31 | option_d=38 | answer=D | explanation=The common difference is 7. Therefore the next term is 31 + 7 = 38.

id=27330 | topic=Percentages | difficulty=Easy | question=What is 5% of 1217? | option_a=60 | option_b=120 | option_c=50 | option_d=70 | answer=A | explanation=5% of 1217 = (5/100) × 1217 = 60.

Aptitude Questions — Records 27,331-27,360 of 100,000

id=27331 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=4 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=27332 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 26, 32, 39? | option_a=20 | option_b=39 | option_c=32 | option_d=26 | answer=B | explanation=The first three numbers increase by 6, so the next should be 38. Therefore 39 is the odd one out.

id=27333 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:9 and the first is 20, what is the second? | option_a=110 | option_b=81 | option_c=90 | option_d=92 | answer=C | explanation=Scale factor = 20/2 = 10. Therefore second quantity = 9×10 = 90.

id=27334 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=Z | option_c=F | option_d=B | answer=A | explanation=Move 2 positions forward from B; the resulting letter is D.

id=27335 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:3 and the first is 160, what is the second? | option_a=68 | option_b=220 | option_c=60 | option_d=57 | answer=C | explanation=Scale factor = 160/8 = 20. Therefore second quantity = 3×20 = 60.

id=27336 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47620 at 15% per annum for 4 years. | option_a=28672 | option_b=76192 | option_c=28472 | option_d=28572 | answer=D | explanation=SI = PRT/100 = 47620×15×4/100 = **■**28572.

id=27337 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=F | option_b=L | option_c=J | option_d=H | answer=C | explanation=Move 2 positions forward from H; the resulting letter is J.

id=27338 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30257 at 15% per annum for 5 years. | option_a=22592 | option_b=22792 | option_c=52949 | option_d=22692 | answer=D | explanation=SI = PRT/100 = 30257×15×5/100 = **■**22692.

id=27339 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:9 and the first is 105, what is the second? | option_a=63 | option_b=78 | option_c=168 | option_d=54 | answer=A | explanation=Scale factor = 105/15 = 7. Therefore second quantity = 9×7 = 63.

id=27340 | topic=Averages | difficulty=Easy | question=Find the average of 61, 36, 92, 35, 58, 57, 25. | option_a=53 | option_b=51 | option_c=52 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 364 ÷ 7 = 52.

id=27341 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=X | option_b=F | option_c=B | option_d=J | answer=B | explanation=Move 4 positions forward from B; the resulting letter is F.

id=27342 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=23 | option_b=22 | option_c=17 | option_d=27 | answer=B | explanation=The common difference is 5. Therefore the next term is 17 + 5 = 22.

id=27343 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 18, 24, 30, ? | option_a=37 | option_b=36 | option_c=30 | option_d=42 | answer=B | explanation=The common difference is 6. Therefore the next term is 30 + 6 = 36.

id=27344 | topic=Percentages | difficulty=Easy | question=What is 20% of 884? | option_a=181 | option_b=176 | option_c=166 | option_d=352 | answer=B | explanation=20% of 884 = (20/100) × 884 = 176.

id=27345 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:7 and the first is 54, what is the second? | option_a=63 | option_b=69 | option_c=56 | option_d=117 | answer=A | explanation=Scale factor = 54/6 = 9. Therefore second quantity = 7×9 = 63.

id=27346 | topic=Averages | difficulty=Easy | question=Find the average of 48, 96, 33, 74, 24, 35, 62, 36. | option_a=52 | option_b=51 | option_c=50 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 408 ÷ 8 = 51.

id=27347 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=T | option_c=P | option_d=V | answer=B | explanation=Move 2 positions forward from R; the resulting letter is T.

id=27348 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1895. If it is sold at a profit of 5%, what is its selling price? | option_a=1989 | option_b=2178 | option_c=1800 | option_d=1900 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1895 × 105/100 = **■**1989.

id=27349 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3400. If it is sold at a profit of 40%, what is its selling price? | option_a=3440 | option_b=4420 | option_c=4760 | option_d=5100 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3400 × 140/100 = **■**4760.

id=27350 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35793 at 5% per annum for 5 years. | option_a=8948 | option_b=8848 | option_c=44741 | option_d=9048 | answer=A | explanation=SI = PRT/100 = 35793×5×5/100 = **■**8948.

id=27351 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 9, 12, 17? | option_a=6 | option_b=12 | option_c=17 | option_d=9 | answer=C | explanation=The first three numbers increase by 3, so the next should be 15. Therefore 17 is the odd one out.

id=27352 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=80 | option_c=75 | option_d=150 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=27353 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=O | option_b=I | option_c=L | option_d=F | answer=C | explanation=Move 3 positions forward from I; the resulting letter is L.

id=27354 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=27355 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=95 | option_c=85 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=27356 | topic=Averages | difficulty=Easy | question=Find the average of 89, 97, 21, 10, 32, 83, 33, 67. | option_a=56 | option_b=53 | option_c=54 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 432 ÷ 8 = 54.

id=27357 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6085 at 15% per annum for 2 years. | option_a=1825 | option_b=1925 | option_c=7910 | option_d=1725 | answer=A | explanation=SI = PRT/100 = 6085×15×2/100 = **■**1825.

id=27358 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2400. If it is sold at a profit of 40%, what is its selling price? | option_a=3360 | option_b=3600 | option_c=3120 | option_d=2440 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2400 × 140/100 = **■**3360.

id=27359 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40387 at 5% per annum for 1 years. | option_a=2019 | option_b=42406 | option_c=2119 | option_d=1919 | answer=A | explanation=SI = PRT/100 = 40387×5×1/100 = **■**2019.

id=27360 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=N | option_b=R | option_c=Z | option_d=V | answer=D | explanation=Move 4 positions forward from R; the resulting letter is V.

Aptitude Questions — Records 27,361-27,390 of 100,000

id=27361 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:4 and the first is 121, what is the second? | option_a=44 | option_b=165 | option_c=55 | option_d=40 | answer=A | explanation=Scale factor = $121/11 = 11$. Therefore second quantity = $4 \times 11 = 44$.

id=27362 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:20 and the first is 20, what is the second? | option_a=220 | option_b=202 | option_c=200 | option_d=180 | answer=C | explanation=Scale factor = $20/2 = 10$. Therefore second quantity = $20 \times 10 = 200$.

id=27363 | topic=Percentages | difficulty=Easy | question=What is 25% of 1531? | option_a=372 | option_b=764 | option_c=392 | option_d=382 | answer=D | explanation=25% of 1531 = $(25/100) \times 1531 = 382$.

id=27364 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1902. If it is sold at a profit of 40%, what is its selling price? | option_a=2663 | option_b=3043 | option_c=1952 | option_d=2853 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1902 \times 150/100 = \text{█}2853$.

id=27365 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 22? | option_a=9 | option_b=3 | option_c=22 | option_d=15 | answer=C | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 22 is the odd one out.

id=27366 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=G | option_b=H | option_c=J | option_d=I | answer=D | explanation=Move 1 positions forward from H; the resulting letter is I.

id=27367 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3678. If it is sold at a profit of 40%, what is its selling price? | option_a=5163 | option_b=5149 | option_c=3718 | option_d=4782 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3678 \times 140/100 = \text{█}5149$.

id=27368 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=G | option_c=I | option_d=C | answer=B | explanation=Move 2 positions forward from E; the resulting letter is G.

id=27369 | topic=Percentages | difficulty=Easy | question=What is 40% of 1766? | option_a=706 | option_b=686 | option_c=711 | option_d=1412 | answer=A | explanation=40% of 1766 = $(40/100) \times 1766 = 706$.

id=27370 | topic=Profit & Loss | difficulty=Easy | question=An article costs █739. If it is sold at a profit of 50%, what is its selling price? | option_a=1181 | option_b=1035 | option_c=1108 | option_d=789 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 739 \times 150/100 = \text{█}1108$.

id=27371 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=49 | option_b=37 | option_c=43 | option_d=44 | answer=C | explanation=The common difference is 6. Therefore the next term is $37 + 6 = 43$.

id=27372 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48265 at 4% per annum for 2 years. | option_a=52126 | option_b=3961 | option_c=3861 | option_d=3761 | answer=C | explanation=SI = $PRT/100 = 48265 \times 4 \times 2/100 = \text{█}3861$.

id=27373 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=15 | option_b=17 | option_c=13 | option_d=16 | answer=A | explanation=The common difference is 2. Therefore the next term is $13 + 2 = 15$.

id=27374 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 10. | option_a=72 | option_b=50 | option_c=120 | option_d=60 | answer=D | explanation= $LCM \times HCF = 12 \times 10$; $HCF(12,10) = 2$, so $LCM = 60$.

id=27375 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41234 at 6% per annum for 5 years. | option_a=12370 | option_b=12270 | option_c=12470 | option_d=53604 | answer=A | explanation=SI = $PRT/100 = 41234 \times 6 \times 5/100 = \text{█}12370$.

id=27376 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14281 at 12% per annum for 2 years. | option_a=17708 | option_b=3527 | option_c=3327 | option_d=3427 | answer=D | explanation=SI = $PRT/100 = 14281 \times 12 \times 2/100 = \text{█}3427$.

id=27377 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=150 | option_c=145 | option_d=300 | answer=B | explanation=Speed = distance ÷ time = $300 \div 2 = 150$ km/h.

id=27378 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 176, what is the second? | option_a=432 | option_b=267 | option_c=240 | option_d=256 | answer=D | explanation=Scale factor = $176/11 = 16$. Therefore second quantity = $16 \times 16 = 256$.

id=27379 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:15 and the first is 30, what is the second? | option_a=255 | option_b=225 | option_c=210 | option_d=227 | answer=B | explanation=Scale factor = $30/2 = 15$. Therefore second quantity = $15 \times 15 = 225$.

id=27380 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=X | option_b=D | option_c=A | option_d=G | answer=B | explanation=Move 3 positions forward from A; the resulting letter is D.

id=27381 | topic=Averages | difficulty=Easy | question=Find the average of 50, 35, 67, 51, 22. | option_a=46 | option_b=44 | option_c=47 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = $225 \div 5 = 45$.

id=27382 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4685. If it is sold at a profit of 15%, what is its selling price? | option_a=5387 | option_b=5855 | option_c=4919 | option_d=4700 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4685 \times 115/100 = \text{█}5387$.

id=27383 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=F | option_b=H | option_c=I | option_d=G | answer=B | explanation=Move 1 positions forward from G; the resulting letter is H.

id=27384 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=N | option_b=Q | option_c=P | option_d=O | answer=C | explanation=Move 1 positions forward from O; the resulting letter is P.

id=27385 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 27. | option_a=120 | option_b=108 | option_c=324 | option_d=81 | answer=B | explanation= $LCM \times HCF = 12 \times 27$; $HCF(12,27) = 3$, so $LCM = 108$.

id=27386 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2329. If it is sold at a profit of 20%, what is its selling price? | option_a=2562 | option_b=2349 | option_c=3026 | option_d=2794 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2329 \times 120/100 = \text{█}2794$.

id=27387 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3441. If it is sold at a profit of 5%, what is its selling price? | option_a=3269 | option_b=3613 | option_c=3957 | option_d=3446 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3441 \times 105/100 = \text{█}3613$.

id=27388 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=31 | option_c=36 | option_d=72 | answer=C | explanation=Speed = distance ÷ time = $180 \div 5 = 36$ km/h.

id=27389 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 34, 43, 54? | option_a=43 | option_b=25 | option_c=34 | option_d=54 | answer=D | explanation=The first three numbers increase by 9, so the next should be 52. Therefore 54 is the odd one out.

id=27390 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17259 at 8% per annum for 1 years. | option_a=18639 | option_b=1380 | option_c=1480 | option_d=1280 | answer=B | explanation=SI = $PRT/100 = 17259 \times 8 \times 1/100 = \text{█}1380$.

Aptitude Questions — Records 27,391-27,420 of 100,000

id=27391 | topic=Averages | difficulty=Easy | question=Find the average of 47, 15, 14, 18, 45, 41, 47, 69. | option_a=38 | option_b=37 | option_c=36 | option_d=39 | answer=B | explanation=Average = sum of values ÷ number of values = 296 ÷ 8 = 37.

id=27392 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4932. If it is sold at a profit of 40%, what is its selling price? | option_a=6411 | option_b=4972 | option_c=6904 | option_d=7397 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4932 × 140/100 = █6904.

id=27393 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35638 at 12% per annum for 2 years. | option_a=44191 | option_b=8453 | option_c=8553 | option_d=8653 | answer=C | explanation=SI = PRT/100 = 35638×12×2/100 = █8553.

id=27394 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21931 at 4% per annum for 4 years. | option_a=3408 | option_b=25439 | option_c=3608 | option_d=3508 | answer=D | explanation=SI = PRT/100 = 21931×4×4/100 = █3508.

id=27395 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22218 at 6% per annum for 1 years. | option_a=23551 | option_b=1333 | option_c=1433 | option_d=1233 | answer=B | explanation=SI = PRT/100 = 22218×6×1/100 = █1333.

id=27396 | topic=Percentages | difficulty=Easy | question=What is 20% of 1771? | option_a=344 | option_b=708 | option_c=354 | option_d=364 | answer=C | explanation=20% of 1771 = (20/100) × 1771 = 354.

id=27397 | topic=Averages | difficulty=Easy | question=Find the average of 78, 54, 53, 16, 84, 75, 88, 11, 20, 11. | option_a=51 | option_b=50 | option_c=49 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 490 ÷ 10 = 49.

id=27398 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=44 | option_b=54 | option_c=55 | option_d=64 | answer=B | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=27399 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=90 | option_b=50 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=27400 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:11 and the first is 196, what is the second? | option_a=168 | option_b=143 | option_c=350 | option_d=154 | answer=D | explanation=Scale factor = 196/14 = 14. Therefore second quantity = 11×14 = 154.

id=27401 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=P | option_b=Q | option_c=S | option_d=R | answer=D | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=27402 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 24, 32, 41? | option_a=41 | option_b=24 | option_c=16 | option_d=32 | answer=A | explanation=The first three numbers increase by 8, so the next should be 40. Therefore 41 is the odd one out.

id=27403 | topic=Averages | difficulty=Easy | question=Find the average of 30, 73, 53. | option_a=54 | option_b=52 | option_c=53 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 156 ÷ 3 = 52.

id=27404 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2571. If it is sold at a profit of 20%, what is its selling price? | option_a=3085 | option_b=2591 | option_c=3342 | option_d=2828 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2571 × 120/100 = █3085.

id=27405 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=95 | option_c=90 | option_d=180 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=27406 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2195. If it is sold at a profit of 50%, what is its selling price? | option_a=3292 | option_b=3073 | option_c=2245 | option_d=3511 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2195 × 150/100 = █3292.

id=27407 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=31 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=The common difference is 5. Therefore the next term is 25 + 5 = 30.

id=27408 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 19, 29, 41? | option_a=19 | option_b=9 | option_c=29 | option_d=41 | answer=D | explanation=The first three numbers increase by 10, so the next should be 39. Therefore 41 is the odd one out.

id=27409 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=K | option_c=M | option_d=L | answer=C | explanation=Move 1 positions forward from L; the resulting letter is M.

id=27410 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43079 at 8% per annum for 3 years. | option_a=10238 | option_b=53417 | option_c=10338 | option_d=10438 | answer=C | explanation=SI = PRT/100 = 43079×8×3/100 = █10338.

id=27411 | topic=Percentages | difficulty=Easy | question=What is 20% of 1952? | option_a=370 | option_b=410 | option_c=780 | option_d=390 | answer=D | explanation=20% of 1952 = (20/100) × 1952 = 390.

id=27412 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 42? | option_a=29 | option_b=35 | option_c=23 | option_d=42 | answer=D | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 42 is the odd one out.

id=27413 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=27414 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:19 and the first is 60, what is the second? | option_a=380 | option_b=361 | option_c=440 | option_d=383 | answer=A | explanation=Scale factor = 60/3 = 20. Therefore second quantity = 19×20 = 380.

id=27415 | topic=Averages | difficulty=Easy | question=Find the average of 75, 59, 10, 82, 43, 55. | option_a=56 | option_b=55 | option_c=54 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 324 ÷ 6 = 54.

id=27416 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=48 | option_b=49 | option_c=37 | option_d=59 | answer=A | explanation=The common difference is 11. Therefore the next term is 37 + 11 = 48.

id=27417 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=60 | option_b=52 | option_c=51 | option_d=42 | answer=C | explanation=The common difference is 9. Therefore the next term is 42 + 9 = 51.

id=27418 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=20 | option_b=22 | option_c=21 | option_d=18 | answer=A | explanation=The common difference is 2. Therefore the next term is 18 + 2 = 20.

id=27419 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=27420 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 28? | option_a=22 | option_b=24 | option_c=20 | option_d=28 | answer=D | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 28 is the odd one out.

Aptitude Questions — Records 27,421-27,450 of 100,000

id=27421 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:5 and the first is 14, what is the second? | option_a=35 | option_b=30 | option_c=49 | option_d=37 | answer=A | explanation=Scale factor = $14/2 = 7$. Therefore second quantity = $5 \times 7 = 35$.

id=27422 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:18 and the first is 108, what is the second? | option_a=198 | option_b=324 | option_c=225 | option_d=216 | answer=D | explanation=Scale factor = $108/9 = 12$. Therefore second quantity = $18 \times 12 = 216$.

id=27423 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = $180 \div 6 = 30$ km/h.

id=27424 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3234. If it is sold at a profit of 10%, what is its selling price? | option_a=3557 | option_b=3880 | option_c=3244 | option_d=3234 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3234 \times 110/100 = \text{█}3557$.

id=27425 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 33, 39, 46? | option_a=33 | option_b=39 | option_c=27 | option_d=46 | answer=D | explanation=The first three numbers increase by 6, so the next should be 45. Therefore 46 is the odd one out.

id=27426 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 36? | option_a=21 | option_b=29 | option_c=25 | option_d=36 | answer=D | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 36 is the odd one out.

id=27427 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 39? | option_a=22 | option_b=30 | option_c=14 | option_d=39 | answer=D | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 39 is the odd one out.

id=27428 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 46? | option_a=37 | option_b=30 | option_c=46 | option_d=23 | answer=C | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 46 is the odd one out.

id=27429 | topic=Averages | difficulty=Easy | question=Find the average of 40, 88, 62, 34, 38, 19, 16, 60, 75. | option_a=47 | option_b=49 | option_c=48 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = $432 \div 9 = 48$.

id=27430 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 41? | option_a=30 | option_b=36 | option_c=33 | option_d=41 | answer=D | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 41 is the odd one out.

id=27431 | topic=Averages | difficulty=Easy | question=Find the average of 92, 85, 45, 83, 45. | option_a=71 | option_b=72 | option_c=70 | option_d=69 | answer=C | explanation=Average = sum of values ÷ number of values = $350 \div 5 = 70$.

id=27432 | topic=Percentages | difficulty=Easy | question=What is 25% of 1973? | option_a=513 | option_b=986 | option_c=473 | option_d=493 | answer=D | explanation=25% of 1973 = $(25/100) \times 1973 = 493$.

id=27433 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:13 and the first is 182, what is the second? | option_a=169 | option_b=195 | option_c=182 | option_d=364 | answer=C | explanation=Scale factor = $182/13 = 14$. Therefore second quantity = $13 \times 14 = 182$.

id=27434 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28708 at 15% per annum for 5 years. | option_a=21631 | option_b=50239 | option_c=21531 | option_d=21431 | answer=C | explanation=SI = $PRT/100 = 28708 \times 15 \times 5/100 = \text{█}21531$.

id=27435 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13313 at 12% per annum for 4 years. | option_a=19703 | option_b=6290 | option_c=6490 | option_d=6390 | answer=D | explanation=SI = $PRT/100 = 13313 \times 12 \times 4/100 = \text{█}6390$.

id=27436 | topic=Averages | difficulty=Easy | question=Find the average of 77, 77, 59. | option_a=71 | option_b=70 | option_c=72 | option_d=73 | answer=A | explanation=Average = sum of values ÷ number of values = $213 \div 3 = 71$.

id=27437 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = $90 \div 2 = 45$ km/h.

id=27438 | topic=Percentages | difficulty=Easy | question=What is 5% of 1942? | option_a=92 | option_b=102 | option_c=194 | option_d=97 | answer=D | explanation=5% of 1942 = $(5/100) \times 1942 = 97$.

id=27439 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=55 | option_c=100 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = $150 \div 3 = 50$ km/h.

id=27440 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=I | option_b=N | option_c=D | option_d=Y | answer=A | explanation=Move 5 positions forward from D; the resulting letter is I.

id=27441 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34341 at 8% per annum for 4 years. | option_a=11089 | option_b=10889 | option_c=10989 | option_d=45330 | answer=C | explanation=SI = $PRT/100 = 34341 \times 8 \times 4/100 = \text{█}10989$.

id=27442 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:17 and the first is 10, what is the second? | option_a=153 | option_b=170 | option_c=171 | option_d=180 | answer=B | explanation=Scale factor = $10/1 = 10$. Therefore second quantity = $17 \times 10 = 170$.

id=27443 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:5 and the first is 220, what is the second? | option_a=100 | option_b=95 | option_c=320 | option_d=111 | answer=A | explanation=Scale factor = $220/11 = 20$. Therefore second quantity = $5 \times 20 = 100$.

id=27444 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31855 at 15% per annum for 4 years. | option_a=19213 | option_b=19113 | option_c=19013 | option_d=50968 | answer=B | explanation=SI = $PRT/100 = 31855 \times 15 \times 4/100 = \text{█}19113$.

id=27445 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=24 | option_c=12 | option_d=7 | answer=C | explanation=Speed = distance ÷ time = $60 \div 5 = 12$ km/h.

id=27446 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 21, 30, 39, ? | option_a=48 | option_b=57 | option_c=39 | option_d=49 | answer=A | explanation=The common difference is 9. Therefore the next term is $39 + 9 = 48$.

id=27447 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 39? | option_a=21 | option_b=26 | option_c=39 | option_d=31 | answer=C | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 39 is the odd one out.

id=27448 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=N | option_c=T | option_d=W | answer=C | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=27449 | topic=Profit & Loss | difficulty=Easy | question=An article costs █682. If it is sold at a profit of 50%, what is its selling price? | option_a=1023 | option_b=1091 | option_c=955 | option_d=732 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 682 \times 150/100 = \text{█}1023$.

id=27450 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=7 | option_c=17 | option_d=24 | answer=A | explanation=Speed = distance ÷ time = $60 \div 5 = 12$ km/h.

Aptitude Questions — Records 27,451-27,480 of 100,000

id=27451 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=27452 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4355 at 5% per annum for 5 years. | option_a=1188 | option_b=988 | option_c=5443 | option_d=1088 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{4355 \times 5 \times 5}{100} = \text{■}1088$.

id=27453 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=27454 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17352 at 4% per annum for 3 years. | option_a=2082 | option_b=2182 | option_c=1982 | option_d=19434 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{17352 \times 4 \times 3}{100} = \text{■}2082$.

id=27455 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=J | option_c=N | option_d=B | answer=B | explanation=Move 4 positions forward from F; the resulting letter is J.

id=27456 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38296 at 10% per annum for 2 years. | option_a=7659 | option_b=45955 | option_c=7759 | option_d=7559 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{38296 \times 10 \times 2}{100} = \text{■}7659$.

id=27457 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:10 and the first is 84, what is the second? | option_a=74 | option_b=60 | option_c=50 | option_d=144 | answer=B | explanation=Scale factor = $\frac{84}{14} = 6$. Therefore second quantity = $10 \times 6 = 60$.

id=27458 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=27459 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=27460 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4103. If it is sold at a profit of 40%, what is its selling price? | option_a=5744 | option_b=4143 | option_c=5334 | option_d=6154 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4103 \times \frac{140}{100} = \text{■}5744$.

id=27461 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16467 at 15% per annum for 3 years. | option_a=23877 | option_b=7310 | option_c=7410 | option_d=7510 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{16467 \times 15 \times 3}{100} = \text{■}7410$.

id=27462 | topic=Averages | difficulty=Easy | question=Find the average of 60, 75, 84, 69, 28, 10, 38, 85, 42, 39. | option_a=54 | option_b=52 | option_c=53 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{530}{10} = 53$.

id=27463 | topic=Percentages | difficulty=Easy | question=What is 5% of 647? | option_a=32 | option_b=64 | option_c=12 | option_d=42 | answer=A | explanation=5% of 647 = $(\frac{5}{100}) \times 647 = 32$.

id=27464 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=J | option_b=I | option_c=H | option_d=K | answer=A | explanation=Move 1 positions forward from I; the resulting letter is J.

id=27465 | topic=Percentages | difficulty=Easy | question=What is 12% of 1910? | option_a=229 | option_b=249 | option_c=458 | option_d=219 | answer=A | explanation=12% of 1910 = $(\frac{12}{100}) \times 1910 = 229$.

id=27466 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=125 | option_c=120 | option_d=115 | answer=C | explanation=Speed = distance ÷ time = $\frac{360}{3} = 120$ km/h.

id=27467 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44951 at 15% per annum for 3 years. | option_a=20127 | option_b=65178 | option_c=20227 | option_d=20327 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{44951 \times 15 \times 3}{100} = \text{■}20227$.

id=27468 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48190 at 5% per annum for 4 years. | option_a=57828 | option_b=9538 | option_c=9738 | option_d=9638 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{48190 \times 5 \times 4}{100} = \text{■}9638$.

id=27469 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 17, 21, 27? | option_a=27 | option_b=13 | option_c=21 | option_d=17 | answer=A | explanation=The first three numbers increase by 4, so the next should be 25. Therefore 27 is the odd one out.

id=27470 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=C | option_c=Y | option_d=Q | answer=C | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=27471 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=25 | option_b=35 | option_c=31 | option_d=30 | answer=D | explanation=The common difference is 5. Therefore the next term is $25 + 5 = 30$.

id=27472 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**710. If it is sold at a profit of 15%, what is its selling price? | option_a=725 | option_b=745 | option_c=816 | option_d=887 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 710 \times \frac{115}{100} = \text{■}816$.

id=27473 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:1 and the first is 306, what is the second? | option_a=323 | option_b=17 | option_c=35 | option_d=16 | answer=B | explanation=Scale factor = $\frac{306}{18} = 17$. Therefore second quantity = $1 \times 17 = 17$.

id=27474 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=36 | option_c=18 | option_d=23 | answer=C | explanation=Speed = distance ÷ time = $\frac{90}{5} = 18$ km/h.

id=27475 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=27476 | topic=Percentages | difficulty=Easy | question=What is 10% of 917? | option_a=101 | option_b=91 | option_c=182 | option_d=81 | answer=B | explanation=10% of 917 = $(\frac{10}{100}) \times 917 = 91$.

id=27477 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:17 and the first is 180, what is the second? | option_a=384 | option_b=204 | option_c=187 | option_d=219 | answer=B | explanation=Scale factor = $\frac{180}{15} = 12$. Therefore second quantity = $17 \times 12 = 204$.

id=27478 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:12 and the first is 247, what is the second? | option_a=156 | option_b=144 | option_c=403 | option_d=175 | answer=A | explanation=Scale factor = $\frac{247}{19} = 13$. Therefore second quantity = $12 \times 13 = 156$.

id=27479 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 25, 35, 46? | option_a=25 | option_b=15 | option_c=46 | option_d=35 | answer=C | explanation=The first three numbers increase by 10, so the next should be 45. Therefore 46 is the odd one out.

id=27480 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = $\frac{120}{4} = 30$ km/h.

Aptitude Questions — Records 27,481-27,510 of 100,000

id=27481 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=11 | option_c=6 | option_d=12 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=27482 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=Y | option_b=S | option_c=V | option_d=P | answer=C | explanation=Move 3 positions forward from S; the resulting letter is V.

id=27483 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=24 | option_c=29 | option_d=19 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=27484 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=27485 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=27486 | topic=Percentages | difficulty=Easy | question=What is 25% of 1338? | option_a=334 | option_b=354 | option_c=329 | option_d=668 | answer=A | explanation=25% of 1338 = (25/100) × 1338 = 334.

id=27487 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 21, 28, 38? | option_a=14 | option_b=38 | option_c=28 | option_d=21 | answer=B | explanation=The first three numbers increase by 7, so the next should be 35. Therefore 38 is the odd one out.

id=27488 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=4 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=27489 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:2 and the first is 195, what is the second? | option_a=225 | option_b=30 | option_c=28 | option_d=43 | answer=B | explanation=Scale factor = 195/13 = 15. Therefore second quantity = 2×15 = 30.

id=27490 | topic=Averages | difficulty=Easy | question=Find the average of 86, 15, 92, 74, 79, 18, 41, 45, 57, 63. | option_a=58 | option_b=57 | option_c=59 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.

id=27491 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:1 and the first is 126, what is the second? | option_a=140 | option_b=23 | option_c=14 | option_d=13 | answer=C | explanation=Scale factor = 126/9 = 14. Therefore second quantity = 1×14 = 14.

id=27492 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=27493 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8180 at 10% per annum for 5 years. | option_a=4190 | option_b=12270 | option_c=3990 | option_d=4090 | answer=D | explanation=SI = PRT/100 = 8180×10×5/100 = **■**4090.

id=27494 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:10 and the first is 40, what is the second? | option_a=90 | option_b=58 | option_c=40 | option_d=50 | answer=D | explanation=Scale factor = 40/8 = 5. Therefore second quantity = 10×5 = 50.

id=27495 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:14 and the first is 114, what is the second? | option_a=266 | option_b=380 | option_c=272 | option_d=252 | answer=A | explanation=Scale factor = 114/6 = 19. Therefore second quantity = 14×19 = 266.

id=27496 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4760. If it is sold at a profit of 40%, what is its selling price? | option_a=7140 | option_b=6188 | option_c=6664 | option_d=4800 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4760 × 140/100 = **■**6664.

id=27497 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=27498 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 12. | option_a=312 | option_b=182 | option_c=156 | option_d=144 | answer=C | explanation=LCM × HCF = 26×12; HCF(26,12) = 2, so LCM = 156.

id=27499 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42690 at 6% per annum for 2 years. | option_a=5222 | option_b=5022 | option_c=47812 | option_d=5122 | answer=D | explanation=SI = PRT/100 = 42690×6×2/100 = **■**5122.

id=27500 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=27501 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=24 | option_b=22 | option_c=23 | option_d=20 | answer=B | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=27502 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:2 and the first is 112, what is the second? | option_a=39 | option_b=144 | option_c=32 | option_d=30 | answer=C | explanation=Scale factor = 112/7 = 16. Therefore second quantity = 2×16 = 32.

id=27503 | topic=Averages | difficulty=Easy | question=Find the average of 78, 43, 40, 93, 58, 24. | option_a=56 | option_b=58 | option_c=57 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 336 ÷ 6 = 56.

id=27504 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 28, 38, 50? | option_a=18 | option_b=38 | option_c=50 | option_d=28 | answer=C | explanation=The first three numbers increase by 10, so the next should be 48. Therefore 50 is the odd one out.

id=27505 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=L | option_c=H | option_d=J | answer=B | explanation=Move 2 positions forward from J; the resulting letter is L.

id=27506 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=27507 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=27508 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 24. | option_a=576 | option_b=1 | option_c=24 | option_d=48 | answer=C | explanation=LCM × HCF = 24×24; HCF(24,24) = 24, so LCM = 24.

id=27509 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=27510 | topic=Averages | difficulty=Easy | question=Find the average of 39, 39, 98, 44. | option_a=54 | option_b=56 | option_c=55 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 220 ÷ 4 = 55.

Aptitude Questions — Records 27,511-27,540 of 100,000

id=27511 | topic=Percentages | difficulty=Easy | question=What is 15% of 1542? | option_a=221 | option_b=241 | option_c=462 | option_d=231 | answer=D | explanation=15% of 1542 = (15/100) × 1542 = 231.

id=27512 | topic=Averages | difficulty=Easy | question=Find the average of 46, 24, 78, 92, 68, 64. | option_a=64 | option_b=63 | option_c=61 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 372 ÷ 6 = 62.

id=27513 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 9. | option_a=1 | option_b=9 | option_c=18 | option_d=81 | answer=B | explanation=LCM × HCF = 9×9; HCF(9,9) = 9, so LCM = 9.

id=27514 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=R | option_b=I | option_c=L | option_d=O | answer=D | explanation=Move 3 positions forward from L; the resulting letter is O.

id=27515 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=27516 | topic=Averages | difficulty=Easy | question=Find the average of 47, 59, 22, 23, 69. | option_a=46 | option_b=43 | option_c=45 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = 220 ÷ 5 = 44.

id=27517 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 24, 34, 47? | option_a=34 | option_b=24 | option_c=14 | option_d=47 | answer=D | explanation=The first three numbers increase by 10, so the next should be 44. Therefore 47 is the odd one out.

id=27518 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:19 and the first is 16, what is the second? | option_a=152 | option_b=154 | option_c=133 | option_d=168 | answer=A | explanation=Scale factor = 16/2 = 8. Therefore second quantity = 19×8 = 152.

id=27519 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=32 | option_b=33 | option_c=26 | option_d=38 | answer=A | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=27520 | topic=Profit & Loss | difficulty=Easy | question=An article costs █270. If it is sold at a profit of 15%, what is its selling price? | option_a=337 | option_b=283 | option_c=310 | option_d=285 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 270 × 115/100 = █310.

id=27521 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2174. If it is sold at a profit of 40%, what is its selling price? | option_a=2826 | option_b=2214 | option_c=3043 | option_d=3260 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2174 × 140/100 = █3043.

id=27522 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7094 at 4% per annum for 3 years. | option_a=851 | option_b=751 | option_c=951 | option_d=7945 | answer=A | explanation=SI = PRT/100 = 7094×4×3/100 = █851.

id=27523 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=R | option_c=T | option_d=S | answer=C | explanation=Move 1 positions forward from S; the resulting letter is T.

id=27524 | topic=Averages | difficulty=Easy | question=Find the average of 44, 100, 26, 94, 91, 29. | option_a=65 | option_b=64 | option_c=63 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 384 ÷ 6 = 64.

id=27525 | topic=Averages | difficulty=Easy | question=Find the average of 85, 59, 35, 33, 13. | option_a=47 | option_b=44 | option_c=46 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 225 ÷ 5 = 45.

id=27526 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=25 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=27527 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=48 | option_b=39 | option_c=55 | option_d=47 | answer=D | explanation=The common difference is 8. Therefore the next term is 39 + 8 = 47.

id=27528 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=15 | option_b=18 | option_c=19 | option_d=17 | answer=D | explanation=The common difference is 2. Therefore the next term is 15 + 2 = 17.

id=27529 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=44 | option_b=43 | option_c=36 | option_d=50 | answer=B | explanation=The common difference is 7. Therefore the next term is 36 + 7 = 43.

id=27530 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=40 | option_c=80 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=27531 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=44 | option_b=52 | option_c=45 | option_d=36 | answer=A | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.

id=27532 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=80 | option_c=35 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=27533 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=56 | option_b=36 | option_c=47 | option_d=46 | answer=D | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.

id=27534 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=27535 | topic=Percentages | difficulty=Easy | question=What is 20% of 702? | option_a=280 | option_b=140 | option_c=160 | option_d=130 | answer=B | explanation=20% of 702 = (20/100) × 702 = 140.

id=27536 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=I | option_c=S | option_d=X | answer=C | explanation=Move 5 positions forward from N; the resulting letter is S.

id=27537 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1716 at 8% per annum for 1 years. | option_a=37 | option_b=1853 | option_c=137 | option_d=237 | answer=C | explanation=SI = PRT/100 = 1716×8×1/100 = █137.

id=27538 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=27539 | topic=Averages | difficulty=Easy | question=Find the average of 41, 56, 28, 73, 45, 75. | option_a=55 | option_b=53 | option_c=54 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 318 ÷ 6 = 53.

id=27540 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=X | option_b=T | option_c=B | option_d=P | answer=A | explanation=Move 4 positions forward from T; the resulting letter is X.

Aptitude Questions — Records 27,541-27,570 of 100,000

id=27541 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=36 | option_c=13 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=27542 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=B | option_b=H | option_c=D | option_d=F | answer=D | explanation=Move 2 positions forward from D; the resulting letter is F.

id=27543 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:18 and the first is 220, what is the second? | option_a=371 | option_b=342 | option_c=360 | option_d=580 | answer=C | explanation=Scale factor = 220/11 = 20. Therefore second quantity = 18×20 = 360.

id=27544 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 20, 27, 36? | option_a=27 | option_b=13 | option_c=36 | option_d=20 | answer=C | explanation=The first three numbers increase by 7, so the next should be 34. Therefore 36 is the odd one out.

id=27545 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=36 | option_c=13 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=27546 | topic=Averages | difficulty=Easy | question=Find the average of 78, 81, 99, 53, 10, 95, 86, 74. | option_a=74 | option_b=71 | option_c=72 | option_d=73 | answer=C | explanation=Average = sum of values ÷ number of values = 576 ÷ 8 = 72.

id=27547 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 16. | option_a=176 | option_b=352 | option_c=198 | option_d=160 | answer=A | explanation=LCM × HCF = 22×16; HCF(22,16) = 2, so LCM = 176.

id=27548 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:13 and the first is 255, what is the second? | option_a=182 | option_b=450 | option_c=212 | option_d=195 | answer=D | explanation=Scale factor = 255/17 = 15. Therefore second quantity = 13×15 = 195.

id=27549 | topic=Averages | difficulty=Easy | question=Find the average of 78, 28, 41. | option_a=51 | option_b=49 | option_c=48 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 147 ÷ 3 = 49.

id=27550 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=U | option_c=Q | option_d=O | answer=A | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=27551 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:18 and the first is 120, what is the second? | option_a=192 | option_b=162 | option_c=180 | option_d=300 | answer=C | explanation=Scale factor = 120/12 = 10. Therefore second quantity = 18×10 = 180.

id=27552 | topic=Profit & Loss | difficulty=Easy | question=An article costs █477. If it is sold at a profit of 25%, what is its selling price? | option_a=643 | option_b=596 | option_c=549 | option_d=502 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 477 × 125/100 = █596.

id=27553 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 33, 40, 49? | option_a=40 | option_b=49 | option_c=26 | option_d=33 | answer=B | explanation=The first three numbers increase by 7, so the next should be 47. Therefore 49 is the odd one out.

id=27554 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=40 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=27555 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 42? | option_a=42 | option_b=32 | option_c=18 | option_d=25 | answer=A | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 42 is the odd one out.

id=27556 | topic=Percentages | difficulty=Easy | question=What is 5% of 317? | option_a=20 | option_b=5 | option_c=15 | option_d=30 | answer=C | explanation=5% of 317 = (5/100) × 317 = 15.

id=27557 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 23? | option_a=23 | option_b=16 | option_c=18 | option_d=20 | answer=A | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 23 is the odd one out.

id=27558 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=100 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=27559 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=27560 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 32, 42, 53? | option_a=22 | option_b=42 | option_c=32 | option_d=53 | answer=D | explanation=The first three numbers increase by 10, so the next should be 52. Therefore 53 is the odd one out.

id=27561 | topic=Percentages | difficulty=Easy | question=What is 12% of 925? | option_a=111 | option_b=101 | option_c=116 | option_d=222 | answer=A | explanation=12% of 925 = (12/100) × 925 = 111.

id=27562 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=36 | option_c=31 | option_d=72 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=27563 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=27564 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46893 at 5% per annum for 4 years. | option_a=9278 | option_b=9478 | option_c=9378 | option_d=56271 | answer=C | explanation=SI = PRT/100 = 46893×5×4/100 = █9378.

id=27565 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47296 at 15% per annum for 3 years. | option_a=68579 | option_b=21383 | option_c=21183 | option_d=21283 | answer=D | explanation=SI = PRT/100 = 47296×15×3/100 = █21283.

id=27566 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4939. If it is sold at a profit of 20%, what is its selling price? | option_a=4959 | option_b=6419 | option_c=5433 | option_d=5926 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4939 × 120/100 = █5926.

id=27567 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:18 and the first is 96, what is the second? | option_a=108 | option_b=124 | option_c=90 | option_d=204 | answer=A | explanation=Scale factor = 96/16 = 6. Therefore second quantity = 18×6 = 108.

id=27568 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=27569 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=34 | option_b=35 | option_c=26 | option_d=42 | answer=A | explanation=The common difference is 8. Therefore the next term is 26 + 8 = 34.

id=27570 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 29, 33, 38? | option_a=38 | option_b=25 | option_c=33 | option_d=29 | answer=A | explanation=The first three numbers increase by 4, so the next should be 37. Therefore 38 is the odd one out.

Aptitude Questions — Records 27,571-27,600 of 100,000

id=27571 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■29259 at 4% per annum for 5 years. | option_a=5951 | option_b=5751 | option_c=5851 | option_d=35110 | answer=C | explanation=SI = $PRT/100 = 29259 \times 4 \times 5/100 = \blacksquare 5851$.

id=27572 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=K | option_c=I | option_d=M | answer=D | explanation=Move 2 positions forward from K; the resulting letter is M.

id=27573 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:18 and the first is 168, what is the second? | option_a=198 | option_b=384 | option_c=216 | option_d=230 | answer=C | explanation=Scale factor = $168/14 = 12$. Therefore second quantity = $18 \times 12 = 216$.

id=27574 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 13, 18, 26? | option_a=13 | option_b=18 | option_c=26 | option_d=8 | answer=C | explanation=The first three numbers increase by 5, so the next should be 23. Therefore 26 is the odd one out.

id=27575 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■612. If it is sold at a profit of 10%, what is its selling price? | option_a=612 | option_b=734 | option_c=673 | option_d=622 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 612 \times 110/100 = \blacksquare 673$.

id=27576 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = $180 \div 4 = 45$ km/h.

id=27577 | topic=Percentages | difficulty=Easy | question=What is 10% of 431? | option_a=86 | option_b=33 | option_c=43 | option_d=48 | answer=C | explanation=10% of 431 = $(10/100) \times 431 = 43$.

id=27578 | topic=Percentages | difficulty=Easy | question=What is 12% of 306? | option_a=72 | option_b=36 | option_c=26 | option_d=56 | answer=B | explanation=12% of 306 = $(12/100) \times 306 = 36$.

id=27579 | topic=Averages | difficulty=Easy | question=Find the average of 92, 97, 89, 49, 91, 14, 65. | option_a=70 | option_b=71 | option_c=73 | option_d=72 | answer=B | explanation=Average = sum of values ÷ number of values = $497 \div 7 = 71$.

id=27580 | topic=Averages | difficulty=Easy | question=Find the average of 54, 75, 46, 81, 58, 58. | option_a=63 | option_b=64 | option_c=62 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = $372 \div 6 = 62$.

id=27581 | topic=Averages | difficulty=Easy | question=Find the average of 69, 49, 65. | option_a=60 | option_b=63 | option_c=61 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = $183 \div 3 = 61$.

id=27582 | topic=Percentages | difficulty=Easy | question=What is 5% of 1305? | option_a=85 | option_b=130 | option_c=60 | option_d=65 | answer=D | explanation=5% of 1305 = $(5/100) \times 1305 = 65$.

id=27583 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=1 | option_c=6 | option_d=12 | answer=C | explanation=Speed = distance ÷ time = $60 \div 10 = 6$ km/h.

id=27584 | topic=Percentages | difficulty=Easy | question=What is 25% of 1741? | option_a=435 | option_b=870 | option_c=445 | option_d=430 | answer=A | explanation=25% of 1741 = $(25/100) \times 1741 = 435$.

id=27585 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 18? | option_a=3 | option_b=7 | option_c=11 | option_d=18 | answer=D | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 18 is the odd one out.

id=27586 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 60? | option_a=60 | option_b=47 | option_c=27 | option_d=37 | answer=A | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 60 is the odd one out.

id=27587 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 44? | option_a=36 | option_b=24 | option_c=30 | option_d=44 | answer=D | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 44 is the odd one out.

id=27588 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=27589 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=18 | option_c=23 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = $90 \div 5 = 18$ km/h.

id=27590 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = $90 \div 6 = 15$ km/h.

id=27591 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2902. If it is sold at a profit of 25%, what is its selling price? | option_a=2927 | option_b=3627 | option_c=3337 | option_d=3917 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2902 \times 125/100 = \blacksquare 3627$.

id=27592 | topic=Averages | difficulty=Easy | question=Find the average of 32, 66, 28, 55, 19, 22. | option_a=38 | option_b=36 | option_c=37 | option_d=39 | answer=C | explanation=Average = sum of values ÷ number of values = $222 \div 6 = 37$.

id=27593 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=67 | option_b=55 | option_c=56 | option_d=43 | answer=B | explanation=The common difference is 12. Therefore the next term is $43 + 12 = 55$.

id=27594 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=75 | option_c=80 | option_d=70 | answer=B | explanation=Speed = distance ÷ time = $150 \div 2 = 75$ km/h.

id=27595 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=P | option_c=R | option_d=Q | answer=C | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=27596 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=27597 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=N | option_b=P | option_c=T | option_d=R | answer=D | explanation=Move 2 positions forward from P; the resulting letter is R.

id=27598 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:11 and the first is 361, what is the second? | option_a=209 | option_b=228 | option_c=570 | option_d=198 | answer=A | explanation=Scale factor = $361/19 = 19$. Therefore second quantity = $11 \times 19 = 209$.

id=27599 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 14, 16, 21? | option_a=14 | option_b=21 | option_c=12 | option_d=16 | answer=B | explanation=The first three numbers increase by 2, so the next should be 18. Therefore 21 is the odd one out.

id=27600 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=I | option_c=M | option_d=K | answer=C | explanation=Move 2 positions forward from K; the resulting letter is M.

Aptitude Questions — Records 27,601-27,630 of 100,000

id=27601 | topic=Percentages | difficulty=Easy | question=What is 30% of 1844? | option_a=533 | option_b=1106 | option_c=553 | option_d=563 | answer=C | explanation=30% of 1844 = (30/100) × 1844 = 553.

id=27602 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:5 and the first is 24, what is the second? | option_a=43 | option_b=64 | option_c=40 | option_d=35 | answer=C | explanation=Scale factor = 24/3 = 8. Therefore second quantity = 5×8 = 40.

id=27603 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=57 | option_b=46 | option_c=56 | option_d=66 | answer=C | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=27604 | topic=Averages | difficulty=Easy | question=Find the average of 54, 41, 93, 18, 78, 26, 14, 32, 91, 93. | option_a=54 | option_b=56 | option_c=55 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

id=27605 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:1 and the first is 91, what is the second? | option_a=13 | option_b=12 | option_c=104 | option_d=20 | answer=A | explanation=Scale factor = 91/7 = 13. Therefore second quantity = 1×13 = 13.

id=27606 | topic=Averages | difficulty=Easy | question=Find the average of 44, 96, 41, 76, 58, 10, 69, 94. | option_a=63 | option_b=62 | option_c=60 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 488 ÷ 8 = 61.

id=27607 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37387 at 15% per annum for 1 years. | option_a=42995 | option_b=5708 | option_c=5508 | option_d=5608 | answer=D | explanation=SI = PRT/100 = 37387×15×1/100 = **■**5608.

id=27608 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 16, 21, 27? | option_a=16 | option_b=11 | option_c=21 | option_d=27 | answer=D | explanation=The first three numbers increase by 5, so the next should be 26. Therefore 27 is the odd one out.

id=27609 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 6. | option_a=56 | option_b=84 | option_c=36 | option_d=42 | answer=D | explanation=LCM × HCF = 14×6; HCF(14,6) = 2, so LCM = 42.

id=27610 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=V | option_c=U | option_d=T | answer=B | explanation=Move 1 positions forward from U; the resulting letter is V.

id=27611 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 44? | option_a=44 | option_b=20 | option_c=34 | option_d=27 | answer=A | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 44 is the odd one out.

id=27612 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=27613 | topic=Averages | difficulty=Easy | question=Find the average of 41, 35, 67, 56, 55, 14, 54, 72, 19, 47. | option_a=45 | option_b=46 | option_c=47 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 460 ÷ 10 = 46.

id=27614 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:8 and the first is 30, what is the second? | option_a=54 | option_b=24 | option_c=16 | option_d=34 | answer=B | explanation=Scale factor = 30/10 = 3. Therefore second quantity = 8×3 = 24.

id=27615 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=62 | option_b=44 | option_c=54 | option_d=53 | answer=D | explanation=The common difference is 9. Therefore the next term is 44 + 9 = 53.

id=27616 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21176 at 8% per annum for 5 years. | option_a=8370 | option_b=8570 | option_c=8470 | option_d=29646 | answer=C | explanation=SI = PRT/100 = 21176×8×5/100 = **■**8470.

id=27617 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 35? | option_a=35 | option_b=26 | option_c=30 | option_d=28 | answer=A | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 35 is the odd one out.

id=27618 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6063 at 6% per annum for 3 years. | option_a=7154 | option_b=991 | option_c=1191 | option_d=1091 | answer=D | explanation=SI = PRT/100 = 6063×6×3/100 = **■**1091.

id=27619 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32806 at 5% per annum for 1 years. | option_a=34446 | option_b=1640 | option_c=1540 | option_d=1740 | answer=B | explanation=SI = PRT/100 = 32806×5×1/100 = **■**1640.

id=27620 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**562. If it is sold at a profit of 25%, what is its selling price? | option_a=646 | option_b=587 | option_c=758 | option_d=702 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 562 × 125/100 = **■**702.

id=27621 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19373 at 6% per annum for 5 years. | option_a=5811 | option_b=5711 | option_c=5911 | option_d=25184 | answer=A | explanation=SI = PRT/100 = 19373×6×5/100 = **■**5811.

id=27622 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14981 at 4% per annum for 1 years. | option_a=599 | option_b=699 | option_c=499 | option_d=15580 | answer=A | explanation=SI = PRT/100 = 14981×4×1/100 = **■**599.

id=27623 | topic=Percentages | difficulty=Easy | question=What is 20% of 805? | option_a=322 | option_b=156 | option_c=166 | option_d=161 | answer=D | explanation=20% of 805 = (20/100) × 805 = 161.

id=27624 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23931 at 15% per annum for 1 years. | option_a=3589 | option_b=27520 | option_c=3689 | option_d=3489 | answer=A | explanation=SI = PRT/100 = 23931×15×1/100 = **■**3589.

id=27625 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 24. | option_a=24 | option_b=1 | option_c=72 | option_d=27 | answer=A | explanation=LCM × HCF = 3×24; HCF(3,24) = 3, so LCM = 24.

id=27626 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=27627 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:13 and the first is 176, what is the second? | option_a=319 | option_b=143 | option_c=130 | option_d=159 | answer=B | explanation=Scale factor = 176/16 = 11. Therefore second quantity = 13×11 = 143.

id=27628 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:16 and the first is 234, what is the second? | option_a=442 | option_b=192 | option_c=208 | option_d=226 | answer=C | explanation=Scale factor = 234/18 = 13. Therefore second quantity = 16×13 = 208.

id=27629 | topic=Averages | difficulty=Easy | question=Find the average of 43, 26, 22, 23, 94, 36, 57, 35. | option_a=43 | option_b=44 | option_c=42 | option_d=41 | answer=C | explanation=Average = sum of values ÷ number of values = 336 ÷ 8 = 42.

id=27630 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=24 | option_b=20 | option_c=28 | option_d=25 | answer=A | explanation=The common difference is 4. Therefore the next term is 20 + 4 = 24.

Aptitude Questions — Records 27,631-27,660 of 100,000

id=27631 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=27632 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:9 and the first is 187, what is the second? | option_a=99 | option_b=90 | option_c=116 | option_d=286 | answer=A | explanation=Scale factor = $\frac{187}{17} = 11$. Therefore second quantity = $9 \times 11 = 99$.

id=27633 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:17 and the first is 114, what is the second? | option_a=216 | option_b=102 | option_c=85 | option_d=121 | answer=B | explanation=Scale factor = $\frac{114}{19} = 6$. Therefore second quantity = $17 \times 6 = 102$.

id=27634 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=C | option_c=Y | option_d=A | answer=B | explanation=Move 2 positions forward from A; the resulting letter is C.

id=27635 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 26? | option_a=18 | option_b=12 | option_c=6 | option_d=26 | answer=D | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 26 is the odd one out.

id=27636 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=27637 | topic=Percentages | difficulty=Easy | question=What is 5% of 1382? | option_a=59 | option_b=69 | option_c=89 | option_d=138 | answer=B | explanation=5% of 1382 = $(\frac{5}{100}) \times 1382 = 69$.

id=27638 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=T | option_b=N | option_c=Q | option_d=K | answer=C | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=27639 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:17 and the first is 128, what is the second? | option_a=255 | option_b=400 | option_c=280 | option_d=272 | answer=D | explanation=Scale factor = $\frac{128}{8} = 16$. Therefore second quantity = $17 \times 16 = 272$.

id=27640 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=W | option_b=Q | option_c=T | option_d=N | answer=C | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=27641 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{90}{3} = 30$ km/h.

id=27642 | topic=Percentages | difficulty=Easy | question=What is 40% of 1738? | option_a=700 | option_b=685 | option_c=1390 | option_d=695 | answer=D | explanation=40% of 1738 = $(\frac{40}{100}) \times 1738 = 695$.

id=27643 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=8 | answer=B | explanation=Combined rate = $\frac{1}{4} + \frac{1}{4} = \frac{8}{16}$. Time = $\frac{16}{8} = 2$ days.

id=27644 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=90 | option_c=95 | option_d=85 | answer=B | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{360}{4} = 90$ km/h.

id=27645 | topic=Averages | difficulty=Easy | question=Find the average of 31, 60, 32. | option_a=42 | option_b=40 | option_c=41 | option_d=43 | answer=C | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{123}{3} = 41$.

id=27646 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=60 | option_b=47 | option_c=71 | option_d=59 | answer=D | explanation=The common difference is 12. Therefore the next term is $47 + 12 = 59$.

id=27647 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=W | option_c=Q | option_d=U | answer=D | explanation=Move 2 positions forward from S; the resulting letter is U.

id=27648 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=100 | option_c=105 | option_d=200 | answer=B | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{300}{3} = 100$ km/h.

id=27649 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 23, 30, 37, ? | option_a=44 | option_b=51 | option_c=45 | option_d=37 | answer=A | explanation=The common difference is 7. Therefore the next term is $37 + 7 = 44$.

id=27650 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on $\blacksquare 47639$ at 6% per annum for 1 years. | option_a=50497 | option_b=2958 | option_c=2858 | option_d=2758 | answer=C | explanation=SI = $\frac{\text{PRT}}{100} = \frac{47639 \times 6 \times 1}{100} = \blacksquare 2858$.

id=27651 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=59 | option_b=60 | option_c=49 | option_d=69 | answer=A | explanation=The common difference is 10. Therefore the next term is $49 + 10 = 59$.

id=27652 | topic=Averages | difficulty=Easy | question=Find the average of 87, 48, 29, 71, 89, 102. | option_a=72 | option_b=73 | option_c=71 | option_d=70 | answer=C | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{426}{6} = 71$.

id=27653 | topic=Averages | difficulty=Easy | question=Find the average of 44, 35, 67, 83, 46, 64, 67. | option_a=59 | option_b=57 | option_c=60 | option_d=58 | answer=D | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{406}{7} = 58$.

id=27654 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 16. | option_a=198 | option_b=160 | option_c=176 | option_d=352 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 22 \times 16$; $\text{HCF}(22,16) = 2$, so $\text{LCM} = 176$.

id=27655 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:16 and the first is 176, what is the second? | option_a=176 | option_b=192 | option_c=352 | option_d=160 | answer=A | explanation=Scale factor = $\frac{176}{16} = 11$. Therefore second quantity = $16 \times 11 = 176$.

id=27656 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 20. | option_a=200 | option_b=440 | option_c=220 | option_d=242 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 22 \times 20$; $\text{HCF}(22,20) = 2$, so $\text{LCM} = 220$.

id=27657 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on $\blacksquare 39931$ at 10% per annum for 4 years. | option_a=15972 | option_b=15872 | option_c=16072 | option_d=55903 | answer=A | explanation=SI = $\frac{\text{PRT}}{100} = \frac{39931 \times 10 \times 4}{100} = \blacksquare 15972$.

id=27658 | topic=Averages | difficulty=Easy | question=Find the average of 87, 32, 21, 75, 41, 84, 72, 92. | option_a=65 | option_b=63 | option_c=64 | option_d=62 | answer=B | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{504}{8} = 63$.

id=27659 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:15 and the first is 150, what is the second? | option_a=375 | option_b=225 | option_c=235 | option_d=210 | answer=B | explanation=Scale factor = $\frac{150}{10} = 15$. Therefore second quantity = $15 \times 15 = 225$.

id=27660 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 28. | option_a=128 | option_b=84 | option_c=112 | option_d=448 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 16 \times 28$; $\text{HCF}(16,28) = 4$, so $\text{LCM} = 112$.

Aptitude Questions — Records 27,661-27,690 of 100,000

id=27661 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 16, 19, 23? | option_a=19 | option_b=13 | option_c=23 | option_d=16 | answer=C | explanation=The first three numbers increase by 3, so the next should be 22. Therefore 23 is the odd one out.

id=27662 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35965 at 8% per annum for 3 years. | option_a=8531 | option_b=44596 | option_c=8731 | option_d=8631 | answer=D | explanation=SI = $PRT/100 = 35965 \times 8 \times 3/100 = \text{■}8631$.

id=27663 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=W | option_c=S | option_d=Q | answer=A | explanation=Move 2 positions forward from S; the resulting letter is U.

id=27664 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:19 and the first is 50, what is the second? | option_a=105 | option_b=95 | option_c=76 | option_d=145 | answer=B | explanation=Scale factor = $50/10 = 5$. Therefore second quantity = $19 \times 5 = 95$.

id=27665 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=27666 | topic=Percentages | difficulty=Easy | question=What is 50% of 1759? | option_a=879 | option_b=874 | option_c=884 | option_d=1758 | answer=A | explanation= 50% of 1759 = $(50/100) \times 1759 = 879$.

id=27667 | topic=Averages | difficulty=Easy | question=Find the average of 42, 49, 83. | option_a=58 | option_b=60 | option_c=57 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = $174 \div 3 = 58$.

id=27668 | topic=Percentages | difficulty=Easy | question=What is 5% of 1469? | option_a=53 | option_b=146 | option_c=73 | option_d=78 | answer=C | explanation= 5% of 1469 = $(5/100) \times 1469 = 73$.

id=27669 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26883 at 5% per annum for 3 years. | option_a=30915 | option_b=4132 | option_c=4032 | option_d=3932 | answer=C | explanation=SI = $PRT/100 = 26883 \times 5 \times 3/100 = \text{■}4032$.

id=27670 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=27671 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:20 and the first is 119, what is the second? | option_a=347 | option_b=459 | option_c=340 | option_d=320 | answer=C | explanation=Scale factor = $119/7 = 17$. Therefore second quantity = $20 \times 17 = 340$.

id=27672 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=7 | option_d=5 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=27673 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=C | option_c=G | option_d=E | answer=C | explanation=Move 2 positions forward from E; the resulting letter is G.

id=27674 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13616 at 10% per annum for 2 years. | option_a=2823 | option_b=2723 | option_c=2623 | option_d=16339 | answer=B | explanation=SI = $PRT/100 = 13616 \times 10 \times 2/100 = \text{■}2723$.

id=27675 | topic=Percentages | difficulty=Easy | question=What is 5% of 625? | option_a=31 | option_b=51 | option_c=11 | option_d=62 | answer=A | explanation= 5% of 625 = $(5/100) \times 625 = 31$.

id=27676 | topic=Percentages | difficulty=Easy | question=What is 25% of 538? | option_a=129 | option_b=154 | option_c=268 | option_d=134 | answer=D | explanation= 25% of 538 = $(25/100) \times 538 = 134$.

id=27677 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 24. | option_a=120 | option_b=135 | option_c=96 | option_d=360 | answer=A | explanation= $LCM \times HCF = 15 \times 24$; $HCF(15, 24) = 3$, so $LCM = 120$.

id=27678 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2783. If it is sold at a profit of 25%, what is its selling price? | option_a=3756 | option_b=2808 | option_c=3200 | option_d=3478 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2783 \times 125/100 = \text{■}3478$.

id=27679 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=50 | option_c=55 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = $300 \div 6 = 50$ km/h.

id=27680 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=O | option_c=M | option_d=K | answer=B | explanation=Move 2 positions forward from M; the resulting letter is O.

id=27681 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 30. | option_a=360 | option_b=390 | option_c=416 | option_d=780 | answer=B | explanation= $LCM \times HCF = 26 \times 30$; $HCF(26, 30) = 2$, so $LCM = 390$.

id=27682 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 26? | option_a=11 | option_b=5 | option_c=17 | option_d=26 | answer=D | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 26 is the odd one out.

id=27683 | topic=Percentages | difficulty=Easy | question=What is 5% of 1707? | option_a=170 | option_b=65 | option_c=105 | option_d=85 | answer=D | explanation= 5% of 1707 = $(5/100) \times 1707 = 85$.

id=27684 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4729. If it is sold at a profit of 40%, what is its selling price? | option_a=6148 | option_b=6620 | option_c=4769 | option_d=7092 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4729 \times 140/100 = \text{■}6620$.

id=27685 | topic=Averages | difficulty=Easy | question=Find the average of 50, 27, 42, 31, 74, 100. | option_a=54 | option_b=55 | option_c=56 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = $324 \div 6 = 54$.

id=27686 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=62 | option_b=54 | option_c=44 | option_d=53 | answer=D | explanation=The common difference is 9. Therefore the next term is $44 + 9 = 53$.

id=27687 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=27688 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=68 | option_b=58 | option_c=46 | option_d=57 | answer=D | explanation=The common difference is 11. Therefore the next term is $46 + 11 = 57$.

id=27689 | topic=Percentages | difficulty=Easy | question=What is 50% of 1493? | option_a=746 | option_b=766 | option_c=1492 | option_d=736 | answer=A | explanation= 50% of 1493 = $(50/100) \times 1493 = 746$.

id=27690 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = $180 \div 3 = 60$ km/h.

Aptitude Questions — Records 27,691-27,720 of 100,000

id=27691 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 24, 27, 33? | option_a=24 | option_b=33 | option_c=21 | option_d=27 | answer=B | explanation=The first three numbers increase by 3, so the next should be 30. Therefore 33 is the odd one out.

id=27692 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=X | option_b=F | option_c=J | option_d=B | answer=B | explanation=Move 4 positions forward from B; the resulting letter is F.

id=27693 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=V | option_c=U | option_d=S | answer=C | explanation=Move 1 positions forward from T; the resulting letter is U.

id=27694 | topic=Percentages | difficulty=Easy | question=What is 20% of 911? | option_a=162 | option_b=187 | option_c=364 | option_d=182 | answer=D | explanation=20% of 911 = (20/100) × 911 = 182.

id=27695 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 8. | option_a=50 | option_b=80 | option_c=40 | option_d=32 | answer=C | explanation=LCM × HCF = 10×8; HCF(10,8) = 2, so LCM = 40.

id=27696 | topic=Averages | difficulty=Easy | question=Find the average of 39, 13, 28, 89, 58, 87, 30, 43, 81. | option_a=53 | option_b=54 | option_c=51 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 468 ÷ 9 = 52.

id=27697 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:9 and the first is 162, what is the second? | option_a=81 | option_b=99 | option_c=243 | option_d=72 | answer=A | explanation=Scale factor = 162/18 = 9. Therefore second quantity = 9×9 = 81.

id=27698 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=27699 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 30, 34, 41? | option_a=41 | option_b=30 | option_c=34 | option_d=26 | answer=A | explanation=The first three numbers increase by 4, so the next should be 38. Therefore 41 is the odd one out.

id=27700 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3272. If it is sold at a profit of 10%, what is its selling price? | option_a=3272 | option_b=3282 | option_c=3599 | option_d=3926 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3272 × 110/100 = █3599.

id=27701 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=27702 | topic=Percentages | difficulty=Easy | question=What is 12% of 1781? | option_a=223 | option_b=426 | option_c=203 | option_d=213 | answer=D | explanation=12% of 1781 = (12/100) × 1781 = 213.

id=27703 | topic=Percentages | difficulty=Easy | question=What is 25% of 1380? | option_a=350 | option_b=340 | option_c=690 | option_d=345 | answer=D | explanation=25% of 1380 = (25/100) × 1380 = 345.

id=27704 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=X | option_c=P | option_d=L | answer=A | explanation=Move 4 positions forward from P; the resulting letter is T.

id=27705 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=65 | option_b=64 | option_c=52 | option_d=76 | answer=B | explanation=The common difference is 12. Therefore the next term is 52 + 12 = 64.

id=27706 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=B | option_c=Z | option_d=C | answer=B | explanation=Move 1 positions forward from A; the resulting letter is B.

id=27707 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=145 | option_c=150 | option_d=300 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=27708 | topic=Percentages | difficulty=Easy | question=What is 40% of 456? | option_a=364 | option_b=182 | option_c=177 | option_d=192 | answer=B | explanation=40% of 456 = (40/100) × 456 = 182.

id=27709 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=15 | option_b=14 | option_c=11 | option_d=13 | answer=D | explanation=The common difference is 2. Therefore the next term is 11 + 2 = 13.

id=27710 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3597. If it is sold at a profit of 50%, what is its selling price? | option_a=5754 | option_b=5036 | option_c=3647 | option_d=5395 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3597 × 150/100 = █5395.

id=27711 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=S | option_b=Q | option_c=R | option_d=T | answer=A | explanation=Move 1 positions forward from R; the resulting letter is S.

id=27712 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=54 | option_b=42 | option_c=53 | option_d=64 | answer=C | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.

id=27713 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 19, 29, 40? | option_a=40 | option_b=19 | option_c=9 | option_d=29 | answer=A | explanation=The first three numbers increase by 10, so the next should be 39. Therefore 40 is the odd one out.

id=27714 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 20, 27, 36? | option_a=36 | option_b=27 | option_c=20 | option_d=13 | answer=A | explanation=The first three numbers increase by 7, so the next should be 34. Therefore 36 is the odd one out.

id=27715 | topic=Averages | difficulty=Easy | question=Find the average of 76, 26, 79, 60, 63, 38, 15. | option_a=52 | option_b=51 | option_c=53 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.

id=27716 | topic=Profit & Loss | difficulty=Easy | question=An article costs █587. If it is sold at a profit of 30%, what is its selling price? | option_a=705 | option_b=821 | option_c=617 | option_d=763 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 587 × 130/100 = █763.

id=27717 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=27718 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 13, 20, 30? | option_a=30 | option_b=6 | option_c=13 | option_d=20 | answer=A | explanation=The first three numbers increase by 7, so the next should be 27. Therefore 30 is the odd one out.

id=27719 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41717 at 8% per annum for 1 years. | option_a=3237 | option_b=3337 | option_c=45054 | option_d=3437 | answer=B | explanation=SI = PRT/100 = 41717×8×1/100 = █3337.

id=27720 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1320 at 6% per annum for 1 years. | option_a=1399 | option_b=0 | option_c=79 | option_d=179 | answer=C | explanation=SI = PRT/100 = 1320×6×1/100 = █79.

Aptitude Questions — Records 27,721-27,750 of 100,000

id=27721 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:1 and the first is 192, what is the second? | option_a=204 | option_b=11 | option_c=28 | option_d=12 | answer=D | explanation=Scale factor = $192/16 = 12$. Therefore second quantity = $1 \times 12 = 12$.

id=27722 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=95 | option_c=200 | option_d=105 | answer=A | explanation=Speed = distance ÷ time = $300 \div 3 = 100$ km/h.

id=27723 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 31, 33, 38? | option_a=29 | option_b=38 | option_c=33 | option_d=31 | answer=B | explanation=The first three numbers increase by 2, so the next should be 35. Therefore 38 is the odd one out.

id=27724 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=100 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = $150 \div 3 = 50$ km/h.

id=27725 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=49 | option_b=59 | option_c=69 | option_d=60 | answer=B | explanation=The common difference is 10. Therefore the next term is $49 + 10 = 59$.

id=27726 | topic=Averages | difficulty=Easy | question=Find the average of 77, 49, 41, 22, 11, 98, 18, 28, 34. | option_a=41 | option_b=44 | option_c=43 | option_d=42 | answer=D | explanation=Average = sum of values ÷ number of values = $378 \div 9 = 42$.

id=27727 | topic=Percentages | difficulty=Easy | question=What is 40% of 1598? | option_a=659 | option_b=1278 | option_c=639 | option_d=634 | answer=C | explanation=40% of 1598 = $(40/100) \times 1598 = 639$.

id=27728 | topic=Percentages | difficulty=Easy | question=What is 12% of 1344? | option_a=161 | option_b=322 | option_c=171 | option_d=151 | answer=A | explanation=12% of 1344 = $(12/100) \times 1344 = 161$.

id=27729 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=27730 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:15 and the first is 120, what is the second? | option_a=210 | option_b=233 | option_c=225 | option_d=345 | answer=C | explanation=Scale factor = $120/8 = 15$. Therefore second quantity = $15 \times 15 = 225$.

id=27731 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=32 | option_b=38 | option_c=31 | option_d=24 | answer=C | explanation=The common difference is 7. Therefore the next term is $24 + 7 = 31$.

id=27732 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=27733 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 27? | option_a=19 | option_b=16 | option_c=22 | option_d=27 | answer=D | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 27 is the odd one out.

id=27734 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=36 | option_b=41 | option_c=72 | option_d=31 | answer=A | explanation=Speed = distance ÷ time = $360 \div 10 = 36$ km/h.

id=27735 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 28, 36, 46? | option_a=20 | option_b=46 | option_c=36 | option_d=28 | answer=B | explanation=The first three numbers increase by 8, so the next should be 44. Therefore 46 is the odd one out.

id=27736 | topic=Percentages | difficulty=Easy | question=What is 30% of 1314? | option_a=788 | option_b=394 | option_c=389 | option_d=399 | answer=B | explanation=30% of 1314 = $(30/100) \times 1314 = 394$.

id=27737 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=5 | answer=B | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=27738 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:17 and the first is 99, what is the second? | option_a=187 | option_b=286 | option_c=196 | option_d=170 | answer=A | explanation=Scale factor = $99/9 = 11$. Therefore second quantity = $17 \times 11 = 187$.

id=27739 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 14, 17, 22? | option_a=11 | option_b=14 | option_c=17 | option_d=22 | answer=D | explanation=The first three numbers increase by 3, so the next should be 20. Therefore 22 is the odd one out.

id=27740 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 28, 36, 47? | option_a=47 | option_b=36 | option_c=28 | option_d=20 | answer=A | explanation=The first three numbers increase by 8, so the next should be 44. Therefore 47 is the odd one out.

id=27741 | topic=Averages | difficulty=Easy | question=Find the average of 19, 70, 71, 68, 45, 79, 22, 91, 74, 31. | option_a=56 | option_b=59 | option_c=58 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = $570 \div 10 = 57$.

id=27742 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:6 and the first is 152, what is the second? | option_a=42 | option_b=67 | option_c=48 | option_d=200 | answer=C | explanation=Scale factor = $152/19 = 8$. Therefore second quantity = $6 \times 8 = 48$.

id=27743 | topic=Averages | difficulty=Easy | question=Find the average of 33, 80, 90, 50, 13, 58. | option_a=53 | option_b=54 | option_c=56 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = $324 \div 6 = 54$.

id=27744 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=A | option_b=W | option_c=O | option_d=S | answer=B | explanation=Move 4 positions forward from S; the resulting letter is W.

id=27745 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=26 | option_b=33 | option_c=40 | option_d=34 | answer=B | explanation=The common difference is 7. Therefore the next term is $26 + 7 = 33$.

id=27746 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=27747 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:20 and the first is 228, what is the second? | option_a=240 | option_b=468 | option_c=259 | option_d=220 | answer=A | explanation=Scale factor = $228/19 = 12$. Therefore second quantity = $20 \times 12 = 240$.

id=27748 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1968. If it is sold at a profit of 10%, what is its selling price? | option_a=2164 | option_b=1968 | option_c=2360 | option_d=1978 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1968 \times 110/100 = \text{₹}2164$.

id=27749 | topic=Percentages | difficulty=Easy | question=What is 50% of 354? | option_a=177 | option_b=354 | option_c=187 | option_d=167 | answer=A | explanation=50% of 354 = $(50/100) \times 354 = 177$.

id=27750 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = $300 \div 10 = 30$ km/h.

Aptitude Questions — Records 27,751-27,780 of 100,000

id=27751 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2059. If it is sold at a profit of 50%, what is its selling price? | option_a=2883 | option_b=3088 | option_c=2109 | option_d=3293 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2059 × 150/100 = █3088.

id=27752 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=19 | option_b=21 | option_c=18 | option_d=15 | answer=C | explanation=The common difference is 3. Therefore the next term is 15 + 3 = 18.

id=27753 | topic=Percentages | difficulty=Easy | question=What is 25% of 1429? | option_a=357 | option_b=714 | option_c=362 | option_d=337 | answer=A | explanation=25% of 1429 = (25/100) × 1429 = 357.

id=27754 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=23 | option_c=18 | option_d=36 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=27755 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10455 at 5% per annum for 2 years. | option_a=11500 | option_b=1145 | option_c=1045 | option_d=945 | answer=C | explanation=SI = PRT/100 = 10455×5×2/100 = █1045.

id=27756 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=150 | option_c=75 | option_d=70 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=27757 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=12 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=27758 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=D | option_b=H | option_c=J | option_d=F | answer=B | explanation=Move 2 positions forward from F; the resulting letter is H.

id=27759 | topic=Percentages | difficulty=Easy | question=What is 12% of 1975? | option_a=257 | option_b=237 | option_c=232 | option_d=474 | answer=B | explanation=12% of 1975 = (12/100) × 1975 = 237.

id=27760 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=Q | option_c=U | option_d=W | answer=C | explanation=Move 2 positions forward from S; the resulting letter is U.

id=27761 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=27762 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=95 | option_c=180 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=27763 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=A | option_b=C | option_c=D | option_d=B | answer=B | explanation=Move 1 positions forward from B; the resulting letter is C.

id=27764 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=27765 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=8 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=27766 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:2 and the first is 22, what is the second? | option_a=44 | option_b=20 | option_c=24 | option_d=22 | answer=D | explanation=Scale factor = 22/2 = 11. Therefore second quantity = 2×11 = 22.

id=27767 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=27768 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=48 | option_b=42 | option_c=34 | option_d=41 | answer=D | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=27769 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 56? | option_a=45 | option_b=29 | option_c=37 | option_d=56 | answer=D | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 56 is the odd one out.

id=27770 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=27771 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4733. If it is sold at a profit of 25%, what is its selling price? | option_a=4758 | option_b=5443 | option_c=6389 | option_d=5916 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4733 × 125/100 = █5916.

id=27772 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=32 | option_b=33 | option_c=25 | option_d=39 | answer=A | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.

id=27773 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=27774 | topic=Averages | difficulty=Easy | question=Find the average of 38, 22, 41, 95, 22, 99, 62, 93. | option_a=60 | option_b=61 | option_c=58 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 472 ÷ 8 = 59.

id=27775 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=31 | option_b=37 | option_c=32 | option_d=25 | answer=A | explanation=The common difference is 6. Therefore the next term is 25 + 6 = 31.

id=27776 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 31? | option_a=22 | option_b=16 | option_c=10 | option_d=31 | answer=D | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 31 is the odd one out.

id=27777 | topic=Averages | difficulty=Easy | question=Find the average of 44, 65, 67, 76, 54, 42, 58. | option_a=60 | option_b=57 | option_c=59 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 406 ÷ 7 = 58.

id=27778 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35105 at 10% per annum for 1 years. | option_a=3610 | option_b=38615 | option_c=3510 | option_d=3410 | answer=C | explanation=SI = PRT/100 = 35105×10×1/100 = █3510.

id=27779 | topic=Percentages | difficulty=Easy | question=What is 20% of 1163? | option_a=227 | option_b=252 | option_c=232 | option_d=464 | answer=C | explanation=20% of 1163 = (20/100) × 1163 = 232.

id=27780 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=H | option_b=Q | option_c=K | option_d=N | answer=D | explanation=Move 3 positions forward from K; the resulting letter is N.

Aptitude Questions — Records 27,781-27,810 of 100,000

id=27781 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 4. | option_a=56 | option_b=42 | option_c=24 | option_d=28 | answer=D | explanation=LCM × HCF = 14×4; HCF(14,4) = 2, so LCM = 28.

id=27782 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=Y | option_b=E | option_c=A | option_d=C | answer=D | explanation=Move 2 positions forward from A; the resulting letter is C.

id=27783 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=18 | option_c=4 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=27784 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:2 and the first is 15, what is the second? | option_a=21 | option_b=6 | option_c=4 | option_d=11 | answer=B | explanation=Scale factor = 15/5 = 3. Therefore second quantity = 2×3 = 6.

id=27785 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 28. | option_a=504 | option_b=252 | option_c=224 | option_d=270 | answer=B | explanation=LCM × HCF = 18×28; HCF(18,28) = 2, so LCM = 252.

id=27786 | topic=Percentages | difficulty=Easy | question=What is 30% of 1075? | option_a=322 | option_b=317 | option_c=332 | option_d=644 | answer=A | explanation=30% of 1075 = (30/100) × 1075 = 322.

id=27787 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=31 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=The common difference is 5. Therefore the next term is 25 + 5 = 30.

id=27788 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=T | option_b=S | option_c=R | option_d=Q | answer=B | explanation=Move 1 positions forward from R; the resulting letter is S.

id=27789 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:20 and the first is 105, what is the second? | option_a=300 | option_b=307 | option_c=405 | option_d=280 | answer=A | explanation=Scale factor = 105/7 = 15. Therefore second quantity = 20×15 = 300.

id=27790 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=Q | option_b=S | option_c=W | option_d=U | answer=D | explanation=Move 2 positions forward from S; the resulting letter is U.

id=27791 | topic=Averages | difficulty=Easy | question=Find the average of 30, 99, 66, 77, 13. | option_a=56 | option_b=59 | option_c=58 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.

id=27792 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=27793 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3450. If it is sold at a profit of 40%, what is its selling price? | option_a=3490 | option_b=5175 | option_c=4830 | option_d=4485 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3450 × 140/100 = █4830.

id=27794 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=L | option_c=N | option_d=P | answer=D | explanation=Move 2 positions forward from N; the resulting letter is P.

id=27795 | topic=Averages | difficulty=Easy | question=Find the average of 43, 22, 17, 89, 33, 26, 32, 74. | option_a=43 | option_b=42 | option_c=44 | option_d=41 | answer=B | explanation=Average = sum of values ÷ number of values = 336 ÷ 8 = 42.

id=27796 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3129 at 6% per annum for 2 years. | option_a=275 | option_b=475 | option_c=3504 | option_d=375 | answer=D | explanation=SI = PRT/100 = 3129×6×2/100 = █375.

id=27797 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=27798 | topic=Percentages | difficulty=Easy | question=What is 5% of 1119? | option_a=55 | option_b=50 | option_c=60 | option_d=110 | answer=A | explanation=5% of 1119 = (5/100) × 1119 = 55.

id=27799 | topic=Profit & Loss | difficulty=Easy | question=An article costs █835. If it is sold at a profit of 50%, what is its selling price? | option_a=1169 | option_b=885 | option_c=1335 | option_d=1252 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 835 × 150/100 = █1252.

id=27800 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28889 at 5% per annum for 2 years. | option_a=2988 | option_b=2888 | option_c=31777 | option_d=2788 | answer=B | explanation=SI = PRT/100 = 28889×5×2/100 = █2888.

id=27801 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 18, 28, 41? | option_a=41 | option_b=28 | option_c=8 | option_d=18 | answer=A | explanation=The first three numbers increase by 10, so the next should be 38. Therefore 41 is the odd one out.

id=27802 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24800 at 4% per annum for 3 years. | option_a=2976 | option_b=2876 | option_c=27776 | option_d=3076 | answer=A | explanation=SI = PRT/100 = 24800×4×3/100 = █2976.

id=27803 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=31 | option_c=36 | option_d=41 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=27804 | topic=Percentages | difficulty=Easy | question=What is 20% of 557? | option_a=222 | option_b=131 | option_c=111 | option_d=101 | answer=C | explanation=20% of 557 = (20/100) × 557 = 111.

id=27805 | topic=Averages | difficulty=Easy | question=Find the average of 33, 65, 68, 52, 71, 17. | option_a=50 | option_b=51 | option_c=53 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 306 ÷ 6 = 51.

id=27806 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 26? | option_a=18 | option_b=21 | option_c=15 | option_d=26 | answer=D | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 26 is the odd one out.

id=27807 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=40 | option_c=25 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=27808 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 30, 38, 48? | option_a=22 | option_b=48 | option_c=38 | option_d=30 | answer=B | explanation=The first three numbers increase by 8, so the next should be 46. Therefore 48 is the odd one out.

id=27809 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:3 and the first is 48, what is the second? | option_a=48 | option_b=51 | option_c=96 | option_d=45 | answer=A | explanation=Scale factor = 48/3 = 16. Therefore second quantity = 3×16 = 48.

id=27810 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=Z | option_b=E | option_c=J | option_d=O | answer=C | explanation=Move 5 positions forward from E; the resulting letter is J.

Aptitude Questions — Records 27,811-27,840 of 100,000

id=27811 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 5, 8, 14? | option_a=2 | option_b=8 | option_c=5 | option_d=14 | answer=D | explanation=The first three numbers increase by 3, so the next should be 11. Therefore 14 is the odd one out.

id=27812 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=35 | option_b=45 | option_c=55 | option_d=46 | answer=B | explanation=The common difference is 10. Therefore the next term is 35 + 10 = 45.

id=27813 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 50? | option_a=39 | option_b=50 | option_c=21 | option_d=30 | answer=B | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 50 is the odd one out.

id=27814 | topic=Averages | difficulty=Easy | question=Find the average of 13, 29, 70, 35, 56, 13. | option_a=36 | option_b=37 | option_c=38 | option_d=35 | answer=A | explanation=Average = sum of values ÷ number of values = 216 ÷ 6 = 36.

id=27815 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=33 | option_b=35 | option_c=32 | option_d=29 | answer=C | explanation=The common difference is 3. Therefore the next term is 29 + 3 = 32.

id=27816 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 13, 23, 34? | option_a=34 | option_b=23 | option_c=3 | option_d=13 | answer=A | explanation=The first three numbers increase by 10, so the next should be 33. Therefore 34 is the odd one out.

id=27817 | topic=Percentages | difficulty=Easy | question=What is 15% of 530? | option_a=74 | option_b=99 | option_c=79 | option_d=158 | answer=C | explanation=15% of 530 = (15/100) × 530 = 79.

id=27818 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:2 and the first is 21, what is the second? | option_a=17 | option_b=14 | option_c=12 | option_d=35 | answer=B | explanation=Scale factor = 21/3 = 7. Therefore second quantity = 2×7 = 14.

id=27819 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:16 and the first is 342, what is the second? | option_a=288 | option_b=307 | option_c=272 | option_d=630 | answer=A | explanation=Scale factor = 342/19 = 18. Therefore second quantity = 16×18 = 288.

id=27820 | topic=Averages | difficulty=Easy | question=Find the average of 71, 75, 65, 46, 46, 57. | option_a=60 | option_b=59 | option_c=62 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 360 ÷ 6 = 60.

id=27821 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:9 and the first is 195, what is the second? | option_a=108 | option_b=312 | option_c=117 | option_d=132 | answer=C | explanation=Scale factor = 195/15 = 13. Therefore second quantity = 9×13 = 117.

id=27822 | topic=Profit & Loss | difficulty=Easy | question=An article costs █242. If it is sold at a profit of 10%, what is its selling price? | option_a=252 | option_b=266 | option_c=290 | option_d=242 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 242 × 110/100 = █266.

id=27823 | topic=Percentages | difficulty=Easy | question=What is 25% of 1739? | option_a=868 | option_b=444 | option_c=414 | option_d=434 | answer=D | explanation=25% of 1739 = (25/100) × 1739 = 434.

id=27824 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=90 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=27825 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16407 at 12% per annum for 2 years. | option_a=4037 | option_b=20344 | option_c=3937 | option_d=3837 | answer=C | explanation=SI = PRT/100 = 16407×12×2/100 = █3937.

id=27826 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=20 | option_c=15 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=27827 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=27828 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=27829 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2516. If it is sold at a profit of 30%, what is its selling price? | option_a=2546 | option_b=3270 | option_c=3019 | option_d=3521 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2516 × 130/100 = █3270.

id=27830 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=70 | option_d=150 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=27831 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=35 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=27832 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7075 at 4% per annum for 4 years. | option_a=1032 | option_b=8207 | option_c=1232 | option_d=1132 | answer=D | explanation=SI = PRT/100 = 7075×4×4/100 = █1132.

id=27833 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=72 | option_c=41 | option_d=31 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=27834 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=V | option_b=K | option_c=A | option_d=F | answer=D | explanation=Move 5 positions forward from A; the resulting letter is F.

id=27835 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 59? | option_a=38 | option_b=47 | option_c=59 | option_d=29 | answer=C | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 59 is the odd one out.

id=27836 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 13, 18, 26? | option_a=26 | option_b=13 | option_c=8 | option_d=18 | answer=A | explanation=The first three numbers increase by 5, so the next should be 23. Therefore 26 is the odd one out.

id=27837 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 10. | option_a=40 | option_b=48 | option_c=80 | option_d=30 | answer=A | explanation=LCM × HCF = 8×10; HCF(8,10) = 2, so LCM = 40.

id=27838 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 24. | option_a=140 | option_b=120 | option_c=480 | option_d=96 | answer=B | explanation=LCM × HCF = 20×24; HCF(20,24) = 4, so LCM = 120.

id=27839 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3420. If it is sold at a profit of 5%, what is its selling price? | option_a=3249 | option_b=3425 | option_c=3933 | option_d=3591 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3420 × 105/100 = █3591.

id=27840 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

Aptitude Questions — Records 27,841-27,870 of 100,000

id=27841 | topic=Percentages | difficulty=Easy | question=What is 12% of 325? | option_a=49 | option_b=78 | option_c=39 | option_d=19 | answer=C | explanation=12% of 325 = (12/100) × 325 = 39.

id=27842 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 24. | option_a=81 | option_b=72 | option_c=48 | option_d=216 | answer=B | explanation=LCM × HCF = 9×24; HCF(9,24) = 3, so LCM = 72.

id=27843 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44327 at 4% per annum for 1 years. | option_a=1773 | option_b=1873 | option_c=46100 | option_d=1673 | answer=A | explanation=SI = PRT/100 = 44327×4×1/100 = **■**1773.

id=27844 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=27845 | topic=Averages | difficulty=Easy | question=Find the average of 94, 12, 34, 38, 95, 51. | option_a=56 | option_b=55 | option_c=53 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 324 ÷ 6 = 54.

id=27846 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4533. If it is sold at a profit of 25%, what is its selling price? | option_a=6119 | option_b=5213 | option_c=4558 | option_d=5666 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4533 × 125/100 = **■**5666.

id=27847 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=27848 | topic=Percentages | difficulty=Easy | question=What is 50% of 791? | option_a=395 | option_b=790 | option_c=385 | option_d=415 | answer=A | explanation=50% of 791 = (50/100) × 791 = 395.

id=27849 | topic=Averages | difficulty=Easy | question=Find the average of 50, 42, 18, 42, 20, 66, 91, 23. | option_a=43 | option_b=44 | option_c=46 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = 352 ÷ 8 = 44.

id=27850 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:8 and the first is 40, what is the second? | option_a=69 | option_b=56 | option_c=104 | option_d=64 | answer=D | explanation=Scale factor = 40/5 = 8. Therefore second quantity = 8×8 = 64.

id=27851 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 30. | option_a=1 | option_b=30 | option_c=33 | option_d=90 | answer=B | explanation=LCM × HCF = 3×30; HCF(3,30) = 3, so LCM = 30.

id=27852 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=O | option_b=E | option_c=T | option_d=J | answer=A | explanation=Move 5 positions forward from J; the resulting letter is O.

id=27853 | topic=Averages | difficulty=Easy | question=Find the average of 72, 82, 77. | option_a=76 | option_b=78 | option_c=77 | option_d=79 | answer=C | explanation=Average = sum of values ÷ number of values = 231 ÷ 3 = 77.

id=27854 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 27, 39, 51, ? | option_a=64 | option_b=63 | option_c=51 | option_d=75 | answer=B | explanation=The common difference is 12. Therefore the next term is 51 + 12 = 63.

id=27855 | topic=Averages | difficulty=Easy | question=Find the average of 62, 60, 49. | option_a=56 | option_b=58 | option_c=59 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 171 ÷ 3 = 57.

id=27856 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1929. If it is sold at a profit of 20%, what is its selling price? | option_a=2122 | option_b=2314 | option_c=2506 | option_d=1949 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1929 × 120/100 = **■**2314.

id=27857 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:14 and the first is 60, what is the second? | option_a=214 | option_b=270 | option_c=196 | option_d=210 | answer=D | explanation=Scale factor = 60/4 = 15. Therefore second quantity = 14×15 = 210.

id=27858 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 9, 13, 18? | option_a=5 | option_b=9 | option_c=18 | option_d=13 | answer=C | explanation=The first three numbers increase by 4, so the next should be 17. Therefore 18 is the odd one out.

id=27859 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3026. If it is sold at a profit of 10%, what is its selling price? | option_a=3630 | option_b=3036 | option_c=3026 | option_d=3328 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3026 × 110/100 = **■**3328.

id=27860 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=85 | option_d=160 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=27861 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13951 at 5% per annum for 3 years. | option_a=1992 | option_b=16043 | option_c=2192 | option_d=2092 | answer=D | explanation=SI = PRT/100 = 13951×5×3/100 = **■**2092.

id=27862 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27778 at 4% per annum for 1 years. | option_a=1011 | option_b=28889 | option_c=1111 | option_d=1211 | answer=C | explanation=SI = PRT/100 = 27778×4×1/100 = **■**1111.

id=27863 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=27864 | topic=Averages | difficulty=Easy | question=Find the average of 66, 26, 18, 39, 77, 74. | option_a=51 | option_b=50 | option_c=49 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 300 ÷ 6 = 50.

id=27865 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7252 at 15% per annum for 4 years. | option_a=11603 | option_b=4451 | option_c=4251 | option_d=4351 | answer=D | explanation=SI = PRT/100 = 7252×15×4/100 = **■**4351.

id=27866 | topic=Percentages | difficulty=Easy | question=What is 20% of 1399? | option_a=269 | option_b=558 | option_c=279 | option_d=289 | answer=C | explanation=20% of 1399 = (20/100) × 1399 = 279.

id=27867 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=44 | option_b=36 | option_c=37 | option_d=28 | answer=B | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=27868 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 34? | option_a=15 | option_b=34 | option_c=24 | option_d=6 | answer=B | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 34 is the odd one out.

id=27869 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=C | option_c=D | option_d=A | answer=B | explanation=Move 1 positions forward from B; the resulting letter is C.

id=27870 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

Aptitude Questions — Records 27,871-27,900 of 100,000

id=27871 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=P | option_b=X | option_c=T | option_d=B | answer=B | explanation=Move 4 positions forward from T; the resulting letter is X.

id=27872 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=27873 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 28. | option_a=420 | option_b=450 | option_c=392 | option_d=840 | answer=A | explanation=LCM × HCF = 30×28; HCF(30,28) = 2, so LCM = 420.

id=27874 | topic=Percentages | difficulty=Easy | question=What is 50% of 1462? | option_a=731 | option_b=1462 | option_c=711 | option_d=751 | answer=A | explanation=50% of 1462 = (50/100) × 1462 = 731.

id=27875 | topic=Percentages | difficulty=Easy | question=What is 5% of 886? | option_a=88 | option_b=44 | option_c=64 | option_d=39 | answer=B | explanation=5% of 886 = (5/100) × 886 = 44.

id=27876 | topic=Averages | difficulty=Easy | question=Find the average of 99, 25, 80, 80. | option_a=72 | option_b=71 | option_c=73 | option_d=70 | answer=B | explanation=Average = sum of values ÷ number of values = 284 ÷ 4 = 71.

id=27877 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:1 and the first is 270, what is the second? | option_a=33 | option_b=17 | option_c=18 | option_d=288 | answer=C | explanation=Scale factor = 270/15 = 18. Therefore second quantity = 1×18 = 18.

id=27878 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=27879 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=27880 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=47 | option_b=59 | option_c=58 | option_d=69 | answer=C | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.

id=27881 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**27308 at 6% per annum for 4 years. | option_a=6453 | option_b=33861 | option_c=6553 | option_d=6653 | answer=C | explanation=SI = PRT/100 = 27308×6×4/100 = **₹**6553.

id=27882 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 36, 43, 52? | option_a=36 | option_b=29 | option_c=52 | option_d=43 | answer=C | explanation=The first three numbers increase by 7, so the next should be 50. Therefore 52 is the odd one out.

id=27883 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3444. If it is sold at a profit of 10%, what is its selling price? | option_a=4132 | option_b=3454 | option_c=3444 | option_d=3788 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3444 × 110/100 = **₹**3788.

id=27884 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=100 | option_c=200 | option_d=105 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=27885 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=96 | option_c=43 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=27886 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2592. If it is sold at a profit of 40%, what is its selling price? | option_a=3369 | option_b=3887 | option_c=2632 | option_d=3628 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2592 × 140/100 = **₹**3628.

id=27887 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=U | option_b=T | option_c=S | option_d=V | answer=A | explanation=Move 1 positions forward from T; the resulting letter is U.

id=27888 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=J | option_c=H | option_d=F | answer=B | explanation=Move 2 positions forward from H; the resulting letter is J.

id=27889 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=27890 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 16, 19, 23? | option_a=16 | option_b=19 | option_c=13 | option_d=23 | answer=D | explanation=The first three numbers increase by 3, so the next should be 22. Therefore 23 is the odd one out.

id=27891 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=35 | option_b=36 | option_c=27 | option_d=43 | answer=A | explanation=The common difference is 8. Therefore the next term is 27 + 8 = 35.

id=27892 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 16. | option_a=160 | option_b=64 | option_c=90 | option_d=80 | answer=D | explanation=LCM × HCF = 10×16; HCF(10,16) = 2, so LCM = 80.

id=27893 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**9627 at 4% per annum for 3 years. | option_a=1255 | option_b=10782 | option_c=1155 | option_d=1055 | answer=C | explanation=SI = PRT/100 = 9627×4×3/100 = **₹**1155.

id=27894 | topic=Averages | difficulty=Easy | question=Find the average of 43, 53, 96. | option_a=66 | option_b=65 | option_c=64 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = 192 ÷ 3 = 64.

id=27895 | topic=Averages | difficulty=Easy | question=Find the average of 44, 35, 53, 71, 63, 22. | option_a=50 | option_b=49 | option_c=48 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 288 ÷ 6 = 48.

id=27896 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3064. If it is sold at a profit of 5%, what is its selling price? | option_a=3069 | option_b=2911 | option_c=3217 | option_d=3523 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3064 × 105/100 = **₹**3217.

id=27897 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 15, 19, 26? | option_a=19 | option_b=26 | option_c=15 | option_d=11 | answer=B | explanation=The first three numbers increase by 4, so the next should be 23. Therefore 26 is the odd one out.

id=27898 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**30809 at 6% per annum for 3 years. | option_a=5545 | option_b=36354 | option_c=5645 | option_d=5445 | answer=A | explanation=SI = PRT/100 = 30809×6×3/100 = **₹**5545.

id=27899 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2447. If it is sold at a profit of 30%, what is its selling price? | option_a=3181 | option_b=3425 | option_c=2477 | option_d=2937 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2447 × 130/100 = **₹**3181.

id=27900 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=H | option_c=T | option_d=L | answer=A | explanation=Move 4 positions forward from L; the resulting letter is P.

Aptitude Questions — Records 27,901-27,930 of 100,000

id=27901 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=31 | option_c=41 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=27902 | topic=Averages | difficulty=Easy | question=Find the average of 18, 54, 29, 38, 96. | option_a=48 | option_b=46 | option_c=47 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 235 ÷ 5 = 47.

id=27903 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:14 and the first is 171, what is the second? | option_a=275 | option_b=437 | option_c=266 | option_d=252 | answer=C | explanation=Scale factor = 171/9 = 19. Therefore second quantity = 14×19 = 266.

id=27904 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4212. If it is sold at a profit of 15%, what is its selling price? | option_a=4422 | option_b=4227 | option_c=4843 | option_d=5264 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4212 × 115/100 = █4843.

id=27905 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=36 | option_b=40 | option_c=32 | option_d=37 | answer=A | explanation=The common difference is 4. Therefore the next term is 32 + 4 = 36.

id=27906 | topic=Percentages | difficulty=Easy | question=What is 40% of 1668? | option_a=667 | option_b=672 | option_c=647 | option_d=1334 | answer=A | explanation=40% of 1668 = (40/100) × 1668 = 667.

id=27907 | topic=Averages | difficulty=Easy | question=Find the average of 76, 57, 19, 44. | option_a=50 | option_b=48 | option_c=49 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 196 ÷ 4 = 49.

id=27908 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=53 | option_c=48 | option_d=43 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=27909 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=G | option_b=J | option_c=H | option_d=I | answer=D | explanation=Move 1 positions forward from H; the resulting letter is I.

id=27910 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4243. If it is sold at a profit of 20%, what is its selling price? | option_a=5515 | option_b=4263 | option_c=5091 | option_d=4667 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4243 × 120/100 = █5091.

id=27911 | topic=Averages | difficulty=Easy | question=Find the average of 55, 11, 49, 14, 26, 37. | option_a=31 | option_b=32 | option_c=33 | option_d=34 | answer=B | explanation=Average = sum of values ÷ number of values = 192 ÷ 6 = 32.

id=27912 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 24, 30, 38? | option_a=38 | option_b=30 | option_c=18 | option_d=24 | answer=A | explanation=The first three numbers increase by 6, so the next should be 36. Therefore 38 is the odd one out.

id=27913 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=V | option_c=J | option_d=R | answer=D | explanation=Move 4 positions forward from N; the resulting letter is R.

id=27914 | topic=Averages | difficulty=Easy | question=Find the average of 72, 100, 46, 35, 73, 78, 62, 77, 42. | option_a=64 | option_b=66 | option_c=67 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 585 ÷ 9 = 65.

id=27915 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1846. If it is sold at a profit of 15%, what is its selling price? | option_a=1861 | option_b=2306 | option_c=1938 | option_d=2122 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1846 × 115/100 = █2122.

id=27916 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=27917 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 44? | option_a=17 | option_b=44 | option_c=25 | option_d=33 | answer=B | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 44 is the odd one out.

id=27918 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:14 and the first is 55, what is the second? | option_a=140 | option_b=159 | option_c=209 | option_d=154 | answer=D | explanation=Scale factor = 55/5 = 11. Therefore second quantity = 14×11 = 154.

id=27919 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=27920 | topic=Averages | difficulty=Easy | question=Find the average of 58, 73, 21, 63, 83, 99, 16. | option_a=60 | option_b=59 | option_c=58 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 413 ÷ 7 = 59.

id=27921 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:11 and the first is 96, what is the second? | option_a=88 | option_b=77 | option_c=100 | option_d=184 | answer=A | explanation=Scale factor = 96/12 = 8. Therefore second quantity = 11×8 = 88.

id=27922 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 29, 31, 34? | option_a=27 | option_b=29 | option_c=31 | option_d=34 | answer=D | explanation=The first three numbers increase by 2, so the next should be 33. Therefore 34 is the odd one out.

id=27923 | topic=Percentages | difficulty=Easy | question=What is 20% of 1832? | option_a=366 | option_b=376 | option_c=361 | option_d=732 | answer=A | explanation=20% of 1832 = (20/100) × 1832 = 366.

id=27924 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:13 and the first is 304, what is the second? | option_a=227 | option_b=512 | option_c=208 | option_d=195 | answer=C | explanation=Scale factor = 304/19 = 16. Therefore second quantity = 13×16 = 208.

id=27925 | topic=Averages | difficulty=Easy | question=Find the average of 17, 52, 91, 94, 11. | option_a=53 | option_b=54 | option_c=55 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 265 ÷ 5 = 53.

id=27926 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 46? | option_a=24 | option_b=46 | option_c=31 | option_d=38 | answer=B | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 46 is the odd one out.

id=27927 | topic=Averages | difficulty=Easy | question=Find the average of 56, 76, 14, 72, 35, 26, 70, 99. | option_a=57 | option_b=58 | option_c=56 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 448 ÷ 8 = 56.

id=27928 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=240 | option_c=125 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=27929 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 20. | option_a=320 | option_b=80 | option_c=96 | option_d=60 | answer=B | explanation=LCM × HCF = 16×20; HCF(16,20) = 4, so LCM = 80.

id=27930 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 27,931-27,960 of 100,000

id=27931 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=V | option_b=U | option_c=T | option_d=W | answer=A | explanation=Move 1 positions forward from U; the resulting letter is V.

id=27932 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 30. | option_a=300 | option_b=40 | option_c=1 | option_d=30 | answer=D | explanation=LCM × HCF = 10×30; HCF(10,30) = 10, so LCM = 30.

id=27933 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 26? | option_a=17 | option_b=11 | option_c=26 | option_d=5 | answer=C | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 26 is the odd one out.

id=27934 | topic=Percentages | difficulty=Easy | question=What is 25% of 1524? | option_a=762 | option_b=376 | option_c=381 | option_d=391 | answer=C | explanation=25% of 1524 = (25/100) × 1524 = 381.

id=27935 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:20 and the first is 140, what is the second? | option_a=420 | option_b=280 | option_c=260 | option_d=290 | answer=B | explanation=Scale factor = 140/10 = 14. Therefore second quantity = 20×14 = 280.

id=27936 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 17, 26, 36? | option_a=36 | option_b=26 | option_c=17 | option_d=8 | answer=A | explanation=The first three numbers increase by 9, so the next should be 35. Therefore 36 is the odd one out.

id=27937 | topic=Averages | difficulty=Easy | question=Find the average of 29, 14, 92, 82, 95, 69, 96, 99. | option_a=72 | option_b=71 | option_c=73 | option_d=74 | answer=A | explanation=Average = sum of values ÷ number of values = 576 ÷ 8 = 72.

id=27938 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=57 | option_b=46 | option_c=68 | option_d=58 | answer=A | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.

id=27939 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=36 | option_c=23 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=27940 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19321 at 6% per annum for 4 years. | option_a=4637 | option_b=23958 | option_c=4737 | option_d=4537 | answer=A | explanation=SI = PRT/100 = 19321×6×4/100 = **■**4637.

id=27941 | topic=Averages | difficulty=Easy | question=Find the average of 13, 92, 24, 73, 93. | option_a=60 | option_b=58 | option_c=59 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 295 ÷ 5 = 59.

id=27942 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3579. If it is sold at a profit of 40%, what is its selling price? | option_a=4653 | option_b=5367 | option_c=5010 | option_d=3619 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3579 × 140/100 = **■**5010.

id=27943 | topic=Averages | difficulty=Easy | question=Find the average of 62, 75, 60, 60, 34, 51, 57. | option_a=57 | option_b=56 | option_c=59 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 399 ÷ 7 = 57.

id=27944 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=95 | option_c=105 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=27945 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1750. If it is sold at a profit of 30%, what is its selling price? | option_a=2100 | option_b=2450 | option_c=2275 | option_d=1780 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1750 × 130/100 = **■**2275.

id=27946 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=27947 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=7 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=27948 | topic=Averages | difficulty=Easy | question=Find the average of 83, 58, 51. | option_a=64 | option_b=63 | option_c=65 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 192 ÷ 3 = 64.

id=27949 | topic=Percentages | difficulty=Easy | question=What is 25% of 461? | option_a=230 | option_b=115 | option_c=95 | option_d=135 | answer=B | explanation=25% of 461 = (25/100) × 461 = 115.

id=27950 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=120 | option_c=125 | option_d=115 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=27951 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4284. If it is sold at a profit of 20%, what is its selling price? | option_a=5568 | option_b=5140 | option_c=4712 | option_d=4304 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4284 × 120/100 = **■**5140.

id=27952 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2358. If it is sold at a profit of 50%, what is its selling price? | option_a=3772 | option_b=3537 | option_c=2408 | option_d=3302 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2358 × 150/100 = **■**3537.

id=27953 | topic=Percentages | difficulty=Easy | question=What is 40% of 1629? | option_a=641 | option_b=651 | option_c=656 | option_d=1302 | answer=B | explanation=40% of 1629 = (40/100) × 1629 = 651.

id=27954 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=27955 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=33 | option_b=27 | option_c=32 | option_d=37 | answer=C | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

id=27956 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=27957 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3880. If it is sold at a profit of 50%, what is its selling price? | option_a=3930 | option_b=6208 | option_c=5432 | option_d=5820 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3880 × 150/100 = **■**5820.

id=27958 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2427. If it is sold at a profit of 25%, what is its selling price? | option_a=3033 | option_b=3275 | option_c=2791 | option_d=2452 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2427 × 125/100 = **■**3033.

id=27959 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=27960 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12773 at 15% per annum for 1 years. | option_a=2015 | option_b=1915 | option_c=1815 | option_d=14688 | answer=B | explanation=SI = PRT/100 = 12773×15×1/100 = **■**1915.

Aptitude Questions — Records 27,961-27,990 of 100,000

id=27961 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 27? | option_a=27 | option_b=22 | option_c=16 | option_d=19 | answer=A | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 27 is the odd one out.

id=27962 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 31, 41, 54? | option_a=41 | option_b=31 | option_c=21 | option_d=54 | answer=D | explanation=The first three numbers increase by 10, so the next should be 51. Therefore 54 is the odd one out.

id=27963 | topic=Percentages | difficulty=Easy | question=What is 50% of 1359? | option_a=689 | option_b=679 | option_c=1358 | option_d=674 | answer=B | explanation=50% of 1359 = $(50/100) \times 1359 = 679$.

id=27964 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = $180 \div 3 = 60$ km/h.

id=27965 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 31? | option_a=16 | option_b=22 | option_c=10 | option_d=31 | answer=D | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 31 is the odd one out.

id=27966 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46481 at 15% per annum for 5 years. | option_a=81341 | option_b=34960 | option_c=34860 | option_d=34760 | answer=C | explanation=SI = $PRT/100 = 46481 \times 15 \times 5/100 = \text{■}34860$.

id=27967 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=27968 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 43? | option_a=34 | option_b=43 | option_c=38 | option_d=30 | answer=B | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 43 is the odd one out.

id=27969 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=29 | option_c=24 | option_d=48 | answer=C | explanation=Speed = distance ÷ time = $240 \div 10 = 24$ km/h.

id=27970 | topic=Averages | difficulty=Easy | question=Find the average of 74, 97, 74, 28, 74, 47, 47, 31. | option_a=58 | option_b=60 | option_c=61 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = $472 \div 8 = 59$.

id=27971 | topic=Percentages | difficulty=Easy | question=What is 10% of 1514? | option_a=151 | option_b=302 | option_c=161 | option_d=146 | answer=A | explanation=10% of 1514 = $(10/100) \times 1514 = 151$.

id=27972 | topic=Averages | difficulty=Easy | question=Find the average of 52, 67, 17, 76. | option_a=53 | option_b=55 | option_c=52 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = $212 \div 4 = 53$.

id=27973 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=185 | option_c=360 | option_d=175 | answer=A | explanation=Speed = distance ÷ time = $360 \div 2 = 180$ km/h.

id=27974 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 15, 18, 24? | option_a=24 | option_b=15 | option_c=12 | option_d=18 | answer=A | explanation=The first three numbers increase by 3, so the next should be 21. Therefore 24 is the odd one out.

id=27975 | topic=Averages | difficulty=Easy | question=Find the average of 19, 90, 97, 40, 86, 22. | option_a=59 | option_b=61 | option_c=60 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = $354 \div 6 = 59$.

id=27976 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 44? | option_a=26 | option_b=44 | option_c=18 | option_d=34 | answer=B | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 44 is the odd one out.

id=27977 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17577 at 4% per annum for 4 years. | option_a=20389 | option_b=2712 | option_c=2912 | option_d=2812 | answer=D | explanation=SI = $PRT/100 = 17577 \times 4 \times 4/100 = \text{■}2812$.

id=27978 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:15 and the first is 81, what is the second? | option_a=120 | option_b=135 | option_c=216 | option_d=144 | answer=B | explanation=Scale factor = $81/9 = 9$. Therefore second quantity = $15 \times 9 = 135$.

id=27979 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=27980 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=O | option_b=W | option_c=S | option_d=A | answer=B | explanation=Move 4 positions forward from S; the resulting letter is W.

id=27981 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29005 at 4% per annum for 1 years. | option_a=1060 | option_b=1260 | option_c=1160 | option_d=30165 | answer=C | explanation=SI = $PRT/100 = 29005 \times 4 \times 1/100 = \text{■}1160$.

id=27982 | topic=Averages | difficulty=Easy | question=Find the average of 96, 55, 83, 32, 88, 52, 49. | option_a=66 | option_b=67 | option_c=64 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = $455 \div 7 = 65$.

id=27983 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=27984 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 21. | option_a=144 | option_b=378 | option_c=105 | option_d=126 | answer=D | explanation=LCM $\times$ HCF = 18×21 ; $HCF(18,21) = 3$, so LCM = 126.

id=27985 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**346. If it is sold at a profit of 15%, what is its selling price? | option_a=361 | option_b=397 | option_c=431 | option_d=363 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 346 \times 115/100 = \text{■}397$.

id=27986 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=R | option_b=M | option_c=H | option_d=W | answer=A | explanation=Move 5 positions forward from M; the resulting letter is R.

id=27987 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2311. If it is sold at a profit of 40%, what is its selling price? | option_a=3004 | option_b=3235 | option_c=3466 | option_d=2351 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2311 \times 140/100 = \text{■}3235$.

id=27988 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 60? | option_a=37 | option_b=27 | option_c=47 | option_d=60 | answer=D | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 60 is the odd one out.

id=27989 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=29 | option_c=48 | option_d=19 | answer=A | explanation=Speed = distance ÷ time = $240 \div 10 = 24$ km/h.

id=27990 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=27 | option_b=31 | option_c=26 | option_d=21 | answer=C | explanation=The common difference is 5. Therefore the next term is $21 + 5 = 26$.

Aptitude Questions — Records 27,991-28,020 of 100,000

id=27991 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:4 and the first is 105, what is the second? | option_a=67 | option_b=60 | option_c=56 | option_d=165 | answer=B | explanation=Scale factor = 105/7 = 15. Therefore second quantity = 4×15 = 60.

id=27992 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■47926 at 12% per annum for 3 years. | option_a=65179 | option_b=17253 | option_c=17353 | option_d=17153 | answer=B | explanation=SI = PRT/100 = 47926×12×3/100 = ■17253.

id=27993 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 9. | option_a=27 | option_b=18 | option_c=54 | option_d=243 | answer=A | explanation=LCM × HCF = 27×9; HCF(27,9) = 9, so LCM = 27.

id=27994 | topic=Averages | difficulty=Easy | question=Find the average of 57, 94, 78, 41, 67, 86, 71, 72, 29, 95. | option_a=71 | option_b=69 | option_c=70 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = 690 ÷ 10 = 69.

id=27995 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3534. If it is sold at a profit of 25%, what is its selling price? | option_a=3559 | option_b=4770 | option_c=4417 | option_d=4064 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3534 × 125/100 = ■4417.

id=27996 | topic=Percentages | difficulty=Easy | question=What is 15% of 759? | option_a=226 | option_b=123 | option_c=113 | option_d=93 | answer=C | explanation=15% of 759 = (15/100) × 759 = 113.

id=27997 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=27998 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=20 | option_c=15 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=27999 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:6 and the first is 36, what is the second? | option_a=24 | option_b=33 | option_c=60 | option_d=18 | answer=A | explanation=Scale factor = 36/9 = 4. Therefore second quantity = 6×4 = 24.

id=28000 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=Y | option_b=A | option_c=E | option_d=C | answer=D | explanation=Move 2 positions forward from A; the resulting letter is C.

id=28001 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2835. If it is sold at a profit of 50%, what is its selling price? | option_a=2885 | option_b=4535 | option_c=4252 | option_d=3969 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2835 × 150/100 = ■4252.

id=28002 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=17 | option_b=13 | option_c=19 | option_d=16 | answer=D | explanation=The common difference is 3. Therefore the next term is 13 + 3 = 16.

id=28003 | topic=Percentages | difficulty=Easy | question=What is 15% of 1263? | option_a=194 | option_b=378 | option_c=184 | option_d=189 | answer=D | explanation=15% of 1263 = (15/100) × 1263 = 189.

id=28004 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:16 and the first is 160, what is the second? | option_a=480 | option_b=304 | option_c=328 | option_d=320 | answer=D | explanation=Scale factor = 160/8 = 20. Therefore second quantity = 16×20 = 320.

id=28005 | topic=Averages | difficulty=Easy | question=Find the average of 94, 86, 70, 82, 80, 53, 57, 38. | option_a=71 | option_b=72 | option_c=69 | option_d=70 | answer=D | explanation=Average = sum of values ÷ number of values = 560 ÷ 8 = 70.

id=28006 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=28007 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:5 and the first is 10, what is the second? | option_a=15 | option_b=20 | option_c=10 | option_d=5 | answer=C | explanation=Scale factor = 10/5 = 2. Therefore second quantity = 5×2 = 10.

id=28008 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 37, 46, 56? | option_a=28 | option_b=56 | option_c=46 | option_d=37 | answer=B | explanation=The first three numbers increase by 9, so the next should be 55. Therefore 56 is the odd one out.

id=28009 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=28010 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 29, 36, 45? | option_a=22 | option_b=45 | option_c=36 | option_d=29 | answer=B | explanation=The first three numbers increase by 7, so the next should be 43. Therefore 45 is the odd one out.

id=28011 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=X | option_b=R | option_c=O | option_d=U | answer=D | explanation=Move 3 positions forward from R; the resulting letter is U.

id=28012 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=28013 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=X | option_c=T | option_d=R | answer=A | explanation=Move 2 positions forward from T; the resulting letter is V.

id=28014 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:18 and the first is 8, what is the second? | option_a=54 | option_b=80 | option_c=74 | option_d=72 | answer=D | explanation=Scale factor = 8/2 = 4. Therefore second quantity = 18×4 = 72.

id=28015 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 5, 7, 11? | option_a=7 | option_b=5 | option_c=11 | option_d=3 | answer=C | explanation=The first three numbers increase by 2, so the next should be 9. Therefore 11 is the odd one out.

id=28016 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=50 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=28017 | topic=Averages | difficulty=Easy | question=Find the average of 12, 59, 64, 12, 59, 34. | option_a=40 | option_b=42 | option_c=41 | option_d=39 | answer=A | explanation=Average = sum of values ÷ number of values = 240 ÷ 6 = 40.

id=28018 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=28019 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=28020 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■40632 at 4% per annum for 4 years. | option_a=6501 | option_b=47133 | option_c=6401 | option_d=6601 | answer=A | explanation=SI = PRT/100 = 40632×4×4/100 = ■6501.

Aptitude Questions — Records 28,021-28,050 of 100,000

id=28021 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 20, 26, 34? | option_a=14 | option_b=26 | option_c=34 | option_d=20 | answer=C | explanation=The first three numbers increase by 6, so the next should be 32. Therefore 34 is the odd one out.

id=28022 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=66 | option_b=46 | option_c=56 | option_d=57 | answer=C | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=28023 | topic=Percentages | difficulty=Easy | question=What is 15% of 1225? | option_a=183 | option_b=203 | option_c=366 | option_d=178 | answer=A | explanation=15% of 1225 = (15/100) × 1225 = 183.

id=28024 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=28025 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1180. If it is sold at a profit of 25%, what is its selling price? | option_a=1475 | option_b=1593 | option_c=1205 | option_d=1357 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1180 × 125/100 = █1475.

id=28026 | topic=Averages | difficulty=Easy | question=Find the average of 45, 85, 26. | option_a=53 | option_b=51 | option_c=52 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 156 ÷ 3 = 52.

id=28027 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16150 at 8% per annum for 3 years. | option_a=20026 | option_b=3776 | option_c=3976 | option_d=3876 | answer=D | explanation=SI = PRT/100 = 16150×8×3/100 = █3876.

id=28028 | topic=Averages | difficulty=Easy | question=Find the average of 76, 40, 46, 75, 98. | option_a=69 | option_b=67 | option_c=68 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 335 ÷ 5 = 67.

id=28029 | topic=Percentages | difficulty=Easy | question=What is 40% of 317? | option_a=126 | option_b=252 | option_c=106 | option_d=146 | answer=A | explanation=40% of 317 = (40/100) × 317 = 126.

id=28030 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 34? | option_a=16 | option_b=24 | option_c=34 | option_d=8 | answer=C | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 34 is the odd one out.

id=28031 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=K | option_c=M | option_d=L | answer=C | explanation=Move 1 positions forward from L; the resulting letter is M.

id=28032 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=35 | option_c=80 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=28033 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 10, 17, 27? | option_a=17 | option_b=27 | option_c=3 | option_d=10 | answer=B | explanation=The first three numbers increase by 7, so the next should be 24. Therefore 27 is the odd one out.

id=28034 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=Y | option_c=S | option_d=U | answer=A | explanation=Move 2 positions forward from U; the resulting letter is W.

id=28035 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=28036 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:3 and the first is 380, what is the second? | option_a=77 | option_b=54 | option_c=437 | option_d=57 | answer=D | explanation=Scale factor = 380/20 = 19. Therefore second quantity = 3×19 = 57.

id=28037 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2796. If it is sold at a profit of 15%, what is its selling price? | option_a=2936 | option_b=3215 | option_c=3494 | option_d=2811 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2796 × 115/100 = █3215.

id=28038 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=28039 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=28040 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=28041 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1626. If it is sold at a profit of 25%, what is its selling price? | option_a=1651 | option_b=2032 | option_c=1870 | option_d=2194 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1626 × 125/100 = █2032.

id=28042 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42524 at 8% per annum for 5 years. | option_a=17009 | option_b=16909 | option_c=17109 | option_d=59533 | answer=A | explanation=SI = PRT/100 = 42524×8×5/100 = █17009.

id=28043 | topic=Profit & Loss | difficulty=Easy | question=An article costs █513. If it is sold at a profit of 40%, what is its selling price? | option_a=769 | option_b=667 | option_c=553 | option_d=718 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 513 × 140/100 = █718.

id=28044 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46217 at 8% per annum for 2 years. | option_a=7494 | option_b=7394 | option_c=53611 | option_d=7294 | answer=B | explanation=SI = PRT/100 = 46217×8×2/100 = █7394.

id=28045 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=J | option_b=S | option_c=M | option_d=P | answer=D | explanation=Move 3 positions forward from M; the resulting letter is P.

id=28046 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=K | option_c=H | option_d=J | answer=D | explanation=Move 1 positions forward from I; the resulting letter is J.

id=28047 | topic=Percentages | difficulty=Easy | question=What is 12% of 147? | option_a=34 | option_b=7 | option_c=17 | option_d=37 | answer=C | explanation=12% of 147 = (12/100) × 147 = 17.

id=28048 | topic=Percentages | difficulty=Easy | question=What is 30% of 1204? | option_a=361 | option_b=356 | option_c=722 | option_d=381 | answer=A | explanation=30% of 1204 = (30/100) × 1204 = 361.

id=28049 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=28050 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 37, 44, 53? | option_a=30 | option_b=37 | option_c=44 | option_d=53 | answer=D | explanation=The first three numbers increase by 7, so the next should be 51. Therefore 53 is the odd one out.

Aptitude Questions — Records 28,051-28,080 of 100,000

id=28051 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=28052 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=28053 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=24 | option_b=28 | option_c=20 | option_d=25 | answer=A | explanation=The common difference is 4. Therefore the next term is $20 + 4 = 24$.

id=28054 | topic=Averages | difficulty=Easy | question=Find the average of 13, 15, 47, 36, 61, 97, 81, 42, 13, 65. | option_a=48 | option_b=49 | option_c=47 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{470}{10} = 47$.

id=28055 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 33, 39, 48? | option_a=27 | option_b=39 | option_c=48 | option_d=33 | answer=C | explanation=The first three numbers increase by 6, so the next should be 45. Therefore 48 is the odd one out.

id=28056 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=G | option_c=J | option_d=A | answer=B | explanation=Move 3 positions forward from D; the resulting letter is G.

id=28057 | topic=Profit & Loss | difficulty=Easy | question=An article costs █735. If it is sold at a profit of 40%, what is its selling price? | option_a=1029 | option_b=956 | option_c=1102 | option_d=775 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 735 \times \frac{140}{100} = \text{█}1029$.

id=28058 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=N | option_c=J | option_d=L | answer=B | explanation=Move 2 positions forward from L; the resulting letter is N.

id=28059 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 27, 30, 35? | option_a=27 | option_b=35 | option_c=30 | option_d=24 | answer=B | explanation=The first three numbers increase by 3, so the next should be 33. Therefore 35 is the odd one out.

id=28060 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = $\frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=28061 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=28 | option_b=18 | option_c=23 | option_d=24 | answer=C | explanation=The common difference is 5. Therefore the next term is $18 + 5 = 23$.

id=28062 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34827 at 5% per annum for 1 years. | option_a=1641 | option_b=1841 | option_c=36568 | option_d=1741 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{34827 \times 5 \times 1}{100} = \text{█}1741$.

id=28063 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = $\frac{300}{10} = 30$ km/h.

id=28064 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 31? | option_a=19 | option_b=31 | option_c=24 | option_d=14 | answer=B | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 31 is the odd one out.

id=28065 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21151 at 5% per annum for 4 years. | option_a=4330 | option_b=25381 | option_c=4130 | option_d=4230 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{21151 \times 5 \times 4}{100} = \text{█}4230$.

id=28066 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 9. | option_a=24 | option_b=54 | option_c=18 | option_d=9 | answer=C | explanation= $LCM \times HCF = 6 \times 9$; $HCF(6,9) = 3$, so $LCM = 18$.

id=28067 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=53 | option_b=42 | option_c=54 | option_d=64 | answer=A | explanation=The common difference is 11. Therefore the next term is $42 + 11 = 53$.

id=28068 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=56 | option_b=44 | option_c=57 | option_d=68 | answer=A | explanation=The common difference is 12. Therefore the next term is $44 + 12 = 56$.

id=28069 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:4 and the first is 153, what is the second? | option_a=77 | option_b=221 | option_c=64 | option_d=68 | answer=D | explanation=Scale factor = $\frac{153}{9} = 17$. Therefore second quantity = $4 \times 17 = 68$.

id=28070 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 28. | option_a=112 | option_b=280 | option_c=150 | option_d=140 | answer=D | explanation= $LCM \times HCF = 10 \times 28$; $HCF(10,28) = 2$, so $LCM = 140$.

id=28071 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=28072 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = $\frac{300}{5} = 60$ km/h.

id=28073 | topic=Averages | difficulty=Easy | question=Find the average of 11, 40, 13, 79, 62. | option_a=40 | option_b=43 | option_c=41 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{205}{5} = 41$.

id=28074 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=70 | option_b=59 | option_c=48 | option_d=60 | answer=B | explanation=The common difference is 11. Therefore the next term is $48 + 11 = 59$.

id=28075 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 24. | option_a=144 | option_b=672 | option_c=168 | option_d=196 | answer=C | explanation= $LCM \times HCF = 28 \times 24$; $HCF(28,24) = 4$, so $LCM = 168$.

id=28076 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

id=28077 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4380. If it is sold at a profit of 10%, what is its selling price? | option_a=4818 | option_b=4390 | option_c=5256 | option_d=4380 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4380 \times \frac{110}{100} = \text{█}4818$.

id=28078 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33524 at 15% per annum for 1 years. | option_a=4928 | option_b=5128 | option_c=38552 | option_d=5028 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{33524 \times 15 \times 1}{100} = \text{█}5028$.

id=28079 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=O | option_b=X | option_c=R | option_d=U | answer=D | explanation=Move 3 positions forward from R; the resulting letter is U.

id=28080 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 31, 33, 36? | option_a=33 | option_b=36 | option_c=29 | option_d=31 | answer=B | explanation=The first three numbers increase by 2, so the next should be 35. Therefore 36 is the odd one out.

Aptitude Questions — Records 28,081-28,110 of 100,000

id=28081 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=17 | option_d=7 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=28082 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3645. If it is sold at a profit of 5%, what is its selling price? | option_a=3827 | option_b=4191 | option_c=3463 | option_d=3650 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3645 × 105/100 = █3827.

id=28083 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11975 at 12% per annum for 5 years. | option_a=7285 | option_b=7185 | option_c=7085 | option_d=19160 | answer=B | explanation=SI = PRT/100 = 11975×12×5/100 = █7185.

id=28084 | topic=Averages | difficulty=Easy | question=Find the average of 65, 33, 37, 79, 84, 44, 53, 78, 76. | option_a=63 | option_b=62 | option_c=60 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 549 ÷ 9 = 61.

id=28085 | topic=Averages | difficulty=Easy | question=Find the average of 21, 54, 44, 32, 72, 64, 59, 85, 69, 90. | option_a=61 | option_b=59 | option_c=58 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 590 ÷ 10 = 59.

id=28086 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 28? | option_a=19 | option_b=15 | option_c=28 | option_d=23 | answer=C | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 28 is the odd one out.

id=28087 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4169. If it is sold at a profit of 25%, what is its selling price? | option_a=5211 | option_b=5627 | option_c=4795 | option_d=4194 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4169 × 125/100 = █5211.

id=28088 | topic=Percentages | difficulty=Easy | question=What is 30% of 1791? | option_a=517 | option_b=547 | option_c=1074 | option_d=537 | answer=D | explanation=30% of 1791 = (30/100) × 1791 = 537.

id=28089 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:11 and the first is 150, what is the second? | option_a=154 | option_b=165 | option_c=315 | option_d=175 | answer=B | explanation=Scale factor = 150/10 = 15. Therefore second quantity = 11×15 = 165.

id=28090 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2310. If it is sold at a profit of 25%, what is its selling price? | option_a=2656 | option_b=2887 | option_c=2335 | option_d=3118 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2310 × 125/100 = █2887.

id=28091 | topic=Averages | difficulty=Easy | question=Find the average of 68, 77, 17. | option_a=55 | option_b=56 | option_c=53 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 162 ÷ 3 = 54.

id=28092 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=28093 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=28094 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:12 and the first is 64, what is the second? | option_a=192 | option_b=256 | option_c=180 | option_d=196 | answer=A | explanation=Scale factor = 64/4 = 16. Therefore second quantity = 12×16 = 192.

id=28095 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=40 | option_b=53 | option_c=64 | option_d=52 | answer=D | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.

id=28096 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 17, 19, 21. ? | option_a=21 | option_b=23 | option_c=24 | option_d=25 | answer=B | explanation=The common difference is 2. Therefore the next term is 21 + 2 = 23.

id=28097 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:3 and the first is 60, what is the second? | option_a=96 | option_b=36 | option_c=41 | option_d=33 | answer=B | explanation=Scale factor = 60/5 = 12. Therefore second quantity = 3×12 = 36.

id=28098 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:3 and the first is 100, what is the second? | option_a=15 | option_b=12 | option_c=115 | option_d=35 | answer=A | explanation=Scale factor = 100/20 = 5. Therefore second quantity = 3×5 = 15.

id=28099 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 26. | option_a=624 | option_b=286 | option_c=312 | option_d=336 | answer=C | explanation=LCM × HCF = 24×26; HCF(24,26) = 2, so LCM = 312.

id=28100 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=D | option_b=O | option_c=Y | option_d=T | answer=C | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=28101 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 50? | option_a=19 | option_b=39 | option_c=29 | option_d=50 | answer=D | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 50 is the odd one out.

id=28102 | topic=Profit & Loss | difficulty=Easy | question=An article costs █628. If it is sold at a profit of 50%, what is its selling price? | option_a=1004 | option_b=880 | option_c=942 | option_d=678 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 628 × 150/100 = █942.

id=28103 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 51? | option_a=36 | option_b=42 | option_c=30 | option_d=51 | answer=D | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 51 is the odd one out.

id=28104 | topic=Percentages | difficulty=Easy | question=What is 25% of 1918? | option_a=958 | option_b=459 | option_c=479 | option_d=499 | answer=C | explanation=25% of 1918 = (25/100) × 1918 = 479.

id=28105 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 36? | option_a=14 | option_b=36 | option_c=24 | option_d=4 | answer=B | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 36 is the odd one out.

id=28106 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 18, 22, 28? | option_a=18 | option_b=22 | option_c=14 | option_d=28 | answer=D | explanation=The first three numbers increase by 4, so the next should be 26. Therefore 28 is the odd one out.

id=28107 | topic=Percentages | difficulty=Easy | question=What is 20% of 608? | option_a=242 | option_b=101 | option_c=121 | option_d=141 | answer=C | explanation=20% of 608 = (20/100) × 608 = 121.

id=28108 | topic=Percentages | difficulty=Easy | question=What is 5% of 1322? | option_a=66 | option_b=61 | option_c=76 | option_d=132 | answer=A | explanation=5% of 1322 = (5/100) × 1322 = 66.

id=28109 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 16, 21, 27? | option_a=21 | option_b=16 | option_c=11 | option_d=27 | answer=D | explanation=The first three numbers increase by 5, so the next should be 26. Therefore 27 is the odd one out.

id=28110 | topic=Percentages | difficulty=Easy | question=What is 50% of 607? | option_a=293 | option_b=303 | option_c=606 | option_d=323 | answer=B | explanation=50% of 607 = (50/100) × 607 = 303.

Aptitude Questions — Records 28,111-28,140 of 100,000

id=28111 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=L | option_c=F | option_d=J | answer=D | explanation=Move 2 positions forward from H; the resulting letter is J.

id=28112 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44619 at 4% per annum for 3 years. | option_a=5454 | option_b=49973 | option_c=5354 | option_d=5254 | answer=C | explanation=SI = PRT/100 = 44619×4×3/100 = **■**5354.

id=28113 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=59 | option_b=60 | option_c=47 | option_d=71 | answer=A | explanation=The common difference is 12. Therefore the next term is 47 + 12 = 59.

id=28114 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:8 and the first is 8, what is the second? | option_a=64 | option_b=65 | option_c=72 | option_d=56 | answer=A | explanation=Scale factor = 8/1 = 8. Therefore second quantity = 8×8 = 64.

id=28115 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=16 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=28116 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=41 | option_b=49 | option_c=55 | option_d=48 | answer=D | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.

id=28117 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=S | option_c=N | option_d=D | answer=C | explanation=Move 5 positions forward from I; the resulting letter is N.

id=28118 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2439. If it is sold at a profit of 25%, what is its selling price? | option_a=3291 | option_b=2464 | option_c=2805 | option_d=3048 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2439 × 125/100 = **■**3048.

id=28119 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=28120 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=M | option_b=N | option_c=O | option_d=P | answer=C | explanation=Move 1 positions forward from N; the resulting letter is O.

id=28121 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1571. If it is sold at a profit of 15%, what is its selling price? | option_a=1649 | option_b=1586 | option_c=1963 | option_d=1806 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1571 × 115/100 = **■**1806.

id=28122 | topic=Percentages | difficulty=Easy | question=What is 5% of 583? | option_a=58 | option_b=24 | option_c=29 | option_d=49 | answer=C | explanation=5% of 583 = (5/100) × 583 = 29.

id=28123 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=31 | option_b=32 | option_c=38 | option_d=24 | answer=A | explanation=The common difference is 7. Therefore the next term is 24 + 7 = 31.

id=28124 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:10 and the first is 196, what is the second? | option_a=140 | option_b=336 | option_c=154 | option_d=130 | answer=A | explanation=Scale factor = 196/14 = 14. Therefore second quantity = 10×14 = 140.

id=28125 | topic=Percentages | difficulty=Easy | question=What is 25% of 1262? | option_a=630 | option_b=320 | option_c=310 | option_d=315 | answer=D | explanation=25% of 1262 = (25/100) × 1262 = 315.

id=28126 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=13 | option_c=18 | option_d=23 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=28127 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**713. If it is sold at a profit of 50%, what is its selling price? | option_a=1140 | option_b=763 | option_c=998 | option_d=1069 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 713 × 150/100 = **■**1069.

id=28128 | topic=Averages | difficulty=Easy | question=Find the average of 14, 26, 19, 47, 42, 89, 22. | option_a=37 | option_b=36 | option_c=39 | option_d=38 | answer=A | explanation=Average = sum of values ÷ number of values = 259 ÷ 7 = 37.

id=28129 | topic=Percentages | difficulty=Easy | question=What is 20% of 1113? | option_a=242 | option_b=212 | option_c=222 | option_d=444 | answer=C | explanation=20% of 1113 = (20/100) × 1113 = 222.

id=28130 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31050 at 6% per annum for 3 years. | option_a=5489 | option_b=5589 | option_c=36639 | option_d=5689 | answer=B | explanation=SI = PRT/100 = 31050×6×3/100 = **■**5589.

id=28131 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 34, 39, 45? | option_a=39 | option_b=29 | option_c=45 | option_d=34 | answer=C | explanation=The first three numbers increase by 5, so the next should be 44. Therefore 45 is the odd one out.

id=28132 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3512. If it is sold at a profit of 20%, what is its selling price? | option_a=4565 | option_b=3863 | option_c=3532 | option_d=4214 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3512 × 120/100 = **■**4214.

id=28133 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=100 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=28134 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=Y | option_b=B | option_c=H | option_d=E | answer=D | explanation=Move 3 positions forward from B; the resulting letter is E.

id=28135 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=25 | option_c=20 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=28136 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=J | option_b=M | option_c=K | option_d=L | answer=D | explanation=Move 1 positions forward from K; the resulting letter is L.

id=28137 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=28138 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:19 and the first is 156, what is the second? | option_a=247 | option_b=228 | option_c=259 | option_d=403 | answer=A | explanation=Scale factor = 156/12 = 13. Therefore second quantity = 19×13 = 247.

id=28139 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49071 at 4% per annum for 2 years. | option_a=3925 | option_b=52996 | option_c=4025 | option_d=3825 | answer=A | explanation=SI = PRT/100 = 49071×4×2/100 = **■**3925.

id=28140 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42971 at 12% per annum for 4 years. | option_a=63597 | option_b=20626 | option_c=20526 | option_d=20726 | answer=B | explanation=SI = PRT/100 = 42971×12×4/100 = **■**20626.

Aptitude Questions — Records 28,141-28,170 of 100,000

id=28141 | topic=Percentages | difficulty=Easy | question=What is 25% of 1500? | option_a=385 | option_b=365 | option_c=750 | option_d=375 | answer=D | explanation=25% of 1500 = (25/100) × 1500 = 375.

id=28142 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21799 at 12% per annum for 5 years. | option_a=13179 | option_b=12979 | option_c=34878 | option_d=13079 | answer=D | explanation=SI = PRT/100 = 21799×12×5/100 = **■**13079.

id=28143 | topic=Percentages | difficulty=Easy | question=What is 20% of 1160? | option_a=232 | option_b=252 | option_c=212 | option_d=464 | answer=A | explanation=20% of 1160 = (20/100) × 1160 = 232.

id=28144 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=28145 | topic=Averages | difficulty=Easy | question=Find the average of 41, 90, 36, 92, 28, 67. | option_a=60 | option_b=58 | option_c=61 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.

id=28146 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22117 at 4% per annum for 5 years. | option_a=26540 | option_b=4423 | option_c=4523 | option_d=4323 | answer=B | explanation=SI = PRT/100 = 22117×4×5/100 = **■**4423.

id=28147 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 26, 32, 39? | option_a=32 | option_b=20 | option_c=26 | option_d=39 | answer=D | explanation=The first three numbers increase by 6, so the next should be 38. Therefore 39 is the odd one out.

id=28148 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3229. If it is sold at a profit of 50%, what is its selling price? | option_a=4521 | option_b=3279 | option_c=4843 | option_d=5165 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3229 × 150/100 = **■**4843.

id=28149 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=L | option_c=J | option_d=P | answer=A | explanation=Move 2 positions forward from L; the resulting letter is N.

id=28150 | topic=Percentages | difficulty=Easy | question=What is 10% of 1866? | option_a=372 | option_b=196 | option_c=181 | option_d=186 | answer=D | explanation=10% of 1866 = (10/100) × 1866 = 186.

id=28151 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=19 | option_b=13 | option_c=16 | option_d=17 | answer=C | explanation=The common difference is 3. Therefore the next term is 13 + 3 = 16.

id=28152 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2685. If it is sold at a profit of 10%, what is its selling price? | option_a=2685 | option_b=2695 | option_c=3221 | option_d=2953 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2685 × 110/100 = **■**2953.

id=28153 | topic=Percentages | difficulty=Easy | question=What is 10% of 675? | option_a=77 | option_b=67 | option_c=134 | option_d=47 | answer=B | explanation=10% of 675 = (10/100) × 675 = 67.

id=28154 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:3 and the first is 342, what is the second? | option_a=51 | option_b=54 | option_c=73 | option_d=396 | answer=B | explanation=Scale factor = 342/19 = 18. Therefore second quantity = 3×18 = 54.

id=28155 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7759 at 5% per annum for 5 years. | option_a=9698 | option_b=2039 | option_c=1939 | option_d=1839 | answer=C | explanation=SI = PRT/100 = 7759×5×5/100 = **■**1939.

id=28156 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 44? | option_a=37 | option_b=31 | option_c=44 | option_d=25 | answer=C | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 44 is the odd one out.

id=28157 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 39, 49, 60? | option_a=39 | option_b=60 | option_c=49 | option_d=29 | answer=B | explanation=The first three numbers increase by 10, so the next should be 59. Therefore 60 is the odd one out.

id=28158 | topic=Averages | difficulty=Easy | question=Find the average of 51, 28, 95, 15, 72, 13, 64, 83, 65. | option_a=54 | option_b=53 | option_c=55 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 486 ÷ 9 = 54.

id=28159 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37633 at 4% per annum for 3 years. | option_a=4515 | option_b=4415 | option_c=4615 | option_d=42148 | answer=A | explanation=SI = PRT/100 = 37633×4×3/100 = **■**4515.

id=28160 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=28161 | topic=Percentages | difficulty=Easy | question=What is 5% of 1718? | option_a=75 | option_b=95 | option_c=170 | option_d=85 | answer=D | explanation=5% of 1718 = (5/100) × 1718 = 85.

id=28162 | topic=Averages | difficulty=Easy | question=Find the average of 32, 48, 99, 90, 88, 30, 19. | option_a=60 | option_b=58 | option_c=57 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 406 ÷ 7 = 58.

id=28163 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=28164 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 22, 28, 35? | option_a=35 | option_b=22 | option_c=16 | option_d=28 | answer=A | explanation=The first three numbers increase by 6, so the next should be 34. Therefore 35 is the odd one out.

id=28165 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=F | option_c=D | option_d=G | answer=B | explanation=Move 1 positions forward from E; the resulting letter is F.

id=28166 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3033. If it is sold at a profit of 5%, what is its selling price? | option_a=3487 | option_b=3038 | option_c=2881 | option_d=3184 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3033 × 105/100 = **■**3184.

id=28167 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 45? | option_a=24 | option_b=30 | option_c=36 | option_d=45 | answer=D | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 45 is the odd one out.

id=28168 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=M | option_b=C | option_c=R | option_d=H | answer=A | explanation=Move 5 positions forward from H; the resulting letter is M.

id=28169 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=28170 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=61 | option_b=50 | option_c=72 | option_d=62 | answer=A | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.

Aptitude Questions — Records 28,171-28,200 of 100,000

id=28171 | topic=Percentages | difficulty=Easy | question=What is 12% of 632? | option_a=70 | option_b=150 | option_c=80 | option_d=75 | answer=D | explanation=12% of 632 = (12/100) × 632 = 75.

id=28172 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=H | option_b=J | option_c=N | option_d=L | answer=D | explanation=Move 2 positions forward from J; the resulting letter is L.

id=28173 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=40 | option_b=34 | option_c=26 | option_d=33 | answer=D | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

id=28174 | topic=Profit & Loss | difficulty=Easy | question=An article costs █645. If it is sold at a profit of 25%, what is its selling price? | option_a=742 | option_b=806 | option_c=870 | option_d=670 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 645 × 125/100 = █806.

id=28175 | topic=Percentages | difficulty=Easy | question=What is 30% of 675? | option_a=212 | option_b=182 | option_c=202 | option_d=404 | answer=C | explanation=30% of 675 = (30/100) × 675 = 202.

id=28176 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 34, 44, 56? | option_a=44 | option_b=24 | option_c=56 | option_d=34 | answer=C | explanation=The first three numbers increase by 10, so the next should be 54. Therefore 56 is the odd one out.

id=28177 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 21, 27, 35? | option_a=15 | option_b=35 | option_c=27 | option_d=21 | answer=B | explanation=The first three numbers increase by 6, so the next should be 33. Therefore 35 is the odd one out.

id=28178 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3137. If it is sold at a profit of 25%, what is its selling price? | option_a=3608 | option_b=3921 | option_c=3162 | option_d=4234 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3137 × 125/100 = █3921.

id=28179 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=50 | option_b=38 | option_c=49 | option_d=60 | answer=C | explanation=The common difference is 11. Therefore the next term is 38 + 11 = 49.

id=28180 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=31 | option_b=34 | option_c=32 | option_d=28 | answer=A | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=28181 | topic=Percentages | difficulty=Easy | question=What is 20% of 1739? | option_a=694 | option_b=352 | option_c=347 | option_d=342 | answer=C | explanation=20% of 1739 = (20/100) × 1739 = 347.

id=28182 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=40 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=28183 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 21? | option_a=15 | option_b=7 | option_c=11 | option_d=21 | answer=D | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 21 is the odd one out.

id=28184 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15403 at 6% per annum for 3 years. | option_a=2772 | option_b=18175 | option_c=2872 | option_d=2672 | answer=A | explanation=SI = PRT/100 = 15403×6×3/100 = █2772.

id=28185 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=90 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=28186 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=28187 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=28188 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10251 at 12% per annum for 5 years. | option_a=6250 | option_b=6150 | option_c=6050 | option_d=16401 | answer=B | explanation=SI = PRT/100 = 10251×12×5/100 = █6150.

id=28189 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=28190 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=36 | option_c=31 | option_d=72 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=28191 | topic=Percentages | difficulty=Easy | question=What is 30% of 989? | option_a=291 | option_b=296 | option_c=592 | option_d=301 | answer=B | explanation=30% of 989 = (30/100) × 989 = 296.

id=28192 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=H | option_b=N | option_c=K | option_d=Q | answer=B | explanation=Move 3 positions forward from K; the resulting letter is N.

id=28193 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3972. If it is sold at a profit of 5%, what is its selling price? | option_a=3773 | option_b=4170 | option_c=4567 | option_d=3977 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3972 × 105/100 = █4170.

id=28194 | topic=Percentages | difficulty=Easy | question=What is 12% of 1673? | option_a=400 | option_b=190 | option_c=200 | option_d=220 | answer=C | explanation=12% of 1673 = (12/100) × 1673 = 200.

id=28195 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=D | option_c=J | option_d=F | answer=A | explanation=Move 2 positions forward from F; the resulting letter is H.

id=28196 | topic=Percentages | difficulty=Easy | question=What is 30% of 832? | option_a=498 | option_b=249 | option_c=254 | option_d=229 | answer=B | explanation=30% of 832 = (30/100) × 832 = 249.

id=28197 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:2 and the first is 60, what is the second? | option_a=12 | option_b=72 | option_c=22 | option_d=10 | answer=A | explanation=Scale factor = 60/10 = 6. Therefore second quantity = 2×6 = 12.

id=28198 | topic=Averages | difficulty=Easy | question=Find the average of 52, 95, 51, 71, 96. | option_a=73 | option_b=74 | option_c=72 | option_d=75 | answer=A | explanation=Average = sum of values ÷ number of values = 365 ÷ 5 = 73.

id=28199 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=7 | option_c=12 | option_d=24 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=28200 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:1 and the first is 30, what is the second? | option_a=11 | option_b=35 | option_c=4 | option_d=5 | answer=D | explanation=Scale factor = 30/6 = 5. Therefore second quantity = 1×5 = 5.

Aptitude Questions — Records 28,201-28,230 of 100,000

id=28201 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■37937 at 10% per annum for 3 years. | option_a=11481 | option_b=11381 | option_c=49318 | option_d=11281 | answer=B | explanation=SI = PRT/100 = 37937×10×3/100 = ■11381.

id=28202 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■172. If it is sold at a profit of 50%, what is its selling price? | option_a=258 | option_b=275 | option_c=222 | option_d=241 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 172 × 150/100 = ■258.

id=28203 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:12 and the first is 209, what is the second? | option_a=216 | option_b=228 | option_c=239 | option_d=437 | answer=B | explanation=Scale factor = 209/11 = 19. Therefore second quantity = 12×19 = 228.

id=28204 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:7 and the first is 80, what is the second? | option_a=70 | option_b=63 | option_c=78 | option_d=150 | answer=A | explanation=Scale factor = 80/8 = 10. Therefore second quantity = 7×10 = 70.

id=28205 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=28206 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:2 and the first is 110, what is the second? | option_a=22 | option_b=132 | option_c=20 | option_d=32 | answer=A | explanation=Scale factor = 110/10 = 11. Therefore second quantity = 2×11 = 22.

id=28207 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■27578 at 8% per annum for 4 years. | option_a=36402 | option_b=8924 | option_c=8824 | option_d=8724 | answer=C | explanation=SI = PRT/100 = 27578×8×4/100 = ■8824.

id=28208 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=50 | option_c=55 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=28209 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:10 and the first is 121, what is the second? | option_a=100 | option_b=121 | option_c=231 | option_d=110 | answer=D | explanation=Scale factor = 121/11 = 11. Therefore second quantity = 10×11 = 110.

id=28210 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3432. If it is sold at a profit of 10%, what is its selling price? | option_a=3442 | option_b=3775 | option_c=3432 | option_d=4118 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3432 × 110/100 = ■3775.

id=28211 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=13 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=28212 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=T | option_b=K | option_c=N | option_d=Q | answer=D | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=28213 | topic=Percentages | difficulty=Easy | question=What is 12% of 1897? | option_a=237 | option_b=454 | option_c=227 | option_d=207 | answer=C | explanation=12% of 1897 = (12/100) × 1897 = 227.

id=28214 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 23? | option_a=14 | option_b=2 | option_c=8 | option_d=23 | answer=D | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 23 is the odd one out.

id=28215 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=28216 | topic=Averages | difficulty=Easy | question=Find the average of 46, 68, 72, 99, 87, 87, 69, 80. | option_a=77 | option_b=75 | option_c=76 | option_d=78 | answer=C | explanation=Average = sum of values ÷ number of values = 608 ÷ 8 = 76.

id=28217 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 16? | option_a=16 | option_b=11 | option_c=9 | option_d=13 | answer=A | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 16 is the odd one out.

id=28218 | topic=Averages | difficulty=Easy | question=Find the average of 71, 90, 38, 81. | option_a=70 | option_b=71 | option_c=69 | option_d=72 | answer=A | explanation=Average = sum of values ÷ number of values = 280 ÷ 4 = 70.

id=28219 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=6 | option_c=11 | option_d=1 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=28220 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=100 | option_c=105 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=28221 | topic=Averages | difficulty=Easy | question=Find the average of 89, 15, 71, 65. | option_a=60 | option_b=61 | option_c=62 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 240 ÷ 4 = 60.

id=28222 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■47603 at 12% per annum for 2 years. | option_a=11424 | option_b=59027 | option_c=11324 | option_d=11524 | answer=A | explanation=SI = PRT/100 = 47603×12×2/100 = ■11424.

id=28223 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=H | option_b=N | option_c=Q | option_d=K | answer=B | explanation=Move 3 positions forward from K; the resulting letter is N.

id=28224 | topic=Averages | difficulty=Easy | question=Find the average of 80, 44, 63, 93. | option_a=71 | option_b=69 | option_c=72 | option_d=70 | answer=D | explanation=Average = sum of values ÷ number of values = 280 ÷ 4 = 70.

id=28225 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 9, 11, 14? | option_a=9 | option_b=14 | option_c=7 | option_d=11 | answer=B | explanation=The first three numbers increase by 2, so the next should be 13. Therefore 14 is the odd one out.

id=28226 | topic=Percentages | difficulty=Easy | question=What is 25% of 171? | option_a=22 | option_b=62 | option_c=84 | option_d=42 | answer=D | explanation=25% of 171 = (25/100) × 171 = 42.

id=28227 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 15, 22, 30? | option_a=8 | option_b=15 | option_c=22 | option_d=30 | answer=D | explanation=The first three numbers increase by 7, so the next should be 29. Therefore 30 is the odd one out.

id=28228 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=Z | option_c=J | option_d=O | answer=C | explanation=Move 5 positions forward from E; the resulting letter is J.

id=28229 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 31? | option_a=31 | option_b=12 | option_c=18 | option_d=24 | answer=A | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 31 is the odd one out.

id=28230 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 4. | option_a=48 | option_b=52 | option_c=78 | option_d=104 | answer=B | explanation=LCM × HCF = 26×4; HCF(26,4) = 2, so LCM = 52.

Aptitude Questions — Records 28,231-28,260 of 100,000

id=28231 | topic=Percentages | difficulty=Easy | question=What is 15% of 1402? | option_a=205 | option_b=210 | option_c=420 | option_d=230 | answer=B | explanation=15% of 1402 = (15/100) × 1402 = 210.

id=28232 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=F | option_c=D | option_d=J | answer=A | explanation=Move 2 positions forward from F; the resulting letter is H.

id=28233 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Z | option_b=W | option_c=T | option_d=Q | answer=B | explanation=Move 3 positions forward from T; the resulting letter is W.

id=28234 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 49? | option_a=34 | option_b=49 | option_c=28 | option_d=40 | answer=B | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 49 is the odd one out.

id=28235 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=P | option_c=H | option_d=D | answer=A | explanation=Move 4 positions forward from H; the resulting letter is L.

id=28236 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=O | option_c=I | option_d=K | answer=A | explanation=Move 2 positions forward from K; the resulting letter is M.

id=28237 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:16 and the first is 140, what is the second? | option_a=300 | option_b=160 | option_c=174 | option_d=144 | answer=B | explanation=Scale factor = 140/14 = 10. Therefore second quantity = 16×10 = 160.

id=28238 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3708. If it is sold at a profit of 40%, what is its selling price? | option_a=5561 | option_b=5191 | option_c=3748 | option_d=4821 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3708 × 140/100 = █5191.

id=28239 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=B | option_b=T | option_c=X | option_d=P | answer=C | explanation=Move 4 positions forward from T; the resulting letter is X.

id=28240 | topic=Profit & Loss | difficulty=Easy | question=An article costs █329. If it is sold at a profit of 10%, what is its selling price? | option_a=361 | option_b=329 | option_c=339 | option_d=393 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 329 × 110/100 = █361.

id=28241 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=25 | option_b=31 | option_c=35 | option_d=30 | answer=D | explanation=The common difference is 5. Therefore the next term is 25 + 5 = 30.

id=28242 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=28243 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 29, 33, 38? | option_a=33 | option_b=25 | option_c=29 | option_d=38 | answer=D | explanation=The first three numbers increase by 4, so the next should be 37. Therefore 38 is the odd one out.

id=28244 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 12? | option_a=12 | option_b=8 | option_c=6 | option_d=4 | answer=A | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 12 is the odd one out.

id=28245 | topic=Averages | difficulty=Easy | question=Find the average of 83, 85, 13, 19, | option_a=49 | option_b=51 | option_c=52 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 200 ÷ 4 = 50.

id=28246 | topic=Averages | difficulty=Easy | question=Find the average of 33, 47, 48, 44, 28. | option_a=40 | option_b=39 | option_c=41 | option_d=42 | answer=A | explanation=Average = sum of values ÷ number of values = 200 ÷ 5 = 40.

id=28247 | topic=Percentages | difficulty=Easy | question=What is 20% of 1650? | option_a=660 | option_b=325 | option_c=335 | option_d=330 | answer=D | explanation=20% of 1650 = (20/100) × 1650 = 330.

id=28248 | topic=Averages | difficulty=Easy | question=Find the average of 33, 67, 68, 35, 62. | option_a=55 | option_b=53 | option_c=52 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 265 ÷ 5 = 53.

id=28249 | topic=Percentages | difficulty=Easy | question=What is 25% of 1432? | option_a=348 | option_b=358 | option_c=363 | option_d=716 | answer=B | explanation=25% of 1432 = (25/100) × 1432 = 358.

id=28250 | topic=Percentages | difficulty=Easy | question=What is 25% of 324? | option_a=162 | option_b=61 | option_c=81 | option_d=86 | answer=C | explanation=25% of 324 = (25/100) × 324 = 81.

id=28251 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=28252 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=63 | option_b=41 | option_c=53 | option_d=52 | answer=D | explanation=The common difference is 11. Therefore the next term is 41 + 11 = 52.

id=28253 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=20 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=28254 | topic=Averages | difficulty=Easy | question=Find the average of 98, 61, 18, | option_a=58 | option_b=60 | option_c=61 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 177 ÷ 3 = 59.

id=28255 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31877 at 10% per annum for 3 years. | option_a=9563 | option_b=9663 | option_c=9463 | option_d=41440 | answer=A | explanation=SI = PRT/100 = 31877×10×3/100 = █9563.

id=28256 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:1 and the first is 140, what is the second? | option_a=9 | option_b=24 | option_c=150 | option_d=10 | answer=D | explanation=Scale factor = 140/14 = 10. Therefore second quantity = 1×10 = 10.

id=28257 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3664 at 4% per annum for 2 years. | option_a=3957 | option_b=193 | option_c=393 | option_d=293 | answer=D | explanation=SI = PRT/100 = 3664×4×2/100 = █293.

id=28258 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:4 and the first is 84, what is the second? | option_a=108 | option_b=24 | option_c=38 | option_d=20 | answer=B | explanation=Scale factor = 84/14 = 6. Therefore second quantity = 4×6 = 24.

id=28259 | topic=Averages | difficulty=Easy | question=Find the average of 31, 69, 39, 94, 21, 60, 97, 29. | option_a=56 | option_b=54 | option_c=57 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 440 ÷ 8 = 55.

id=28260 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4261. If it is sold at a profit of 40%, what is its selling price? | option_a=5965 | option_b=4301 | option_c=5539 | option_d=6391 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4261 × 140/100 = █5965.

Aptitude Questions — Records 28,261-28,290 of 100,000

id=28261 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 33? | option_a=33 | option_b=10 | option_c=24 | option_d=17 | answer=A | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 33 is the odd one out.

id=28262 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1006. If it is sold at a profit of 40%, what is its selling price? | option_a=1308 | option_b=1046 | option_c=1408 | option_d=1508 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1006 × 140/100 = █1408.

id=28263 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=57 | option_b=46 | option_c=68 | option_d=58 | answer=A | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.

id=28264 | topic=Averages | difficulty=Easy | question=Find the average of 41, 39, 100, 58, 77. | option_a=65 | option_b=64 | option_c=63 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 315 ÷ 5 = 63.

id=28265 | topic=Averages | difficulty=Easy | question=Find the average of 23, 85, 75, 98, 73, 43, 79. | option_a=70 | option_b=67 | option_c=68 | option_d=69 | answer=C | explanation=Average = sum of values ÷ number of values = 476 ÷ 7 = 68.

id=28266 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=52 | option_b=60 | option_c=42 | option_d=51 | answer=D | explanation=The common difference is 9. Therefore the next term is 42 + 9 = 51.

id=28267 | topic=Percentages | difficulty=Easy | question=What is 50% of 1021? | option_a=510 | option_b=505 | option_c=1020 | option_d=520 | answer=A | explanation=50% of 1021 = (50/100) × 1021 = 510.

id=28268 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=69 | option_b=57 | option_c=45 | option_d=58 | answer=B | explanation=The common difference is 12. Therefore the next term is 45 + 12 = 57.

id=28269 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43, ? | option_a=52 | option_b=43 | option_c=59 | option_d=51 | answer=D | explanation=The common difference is 8. Therefore the next term is 43 + 8 = 51.

id=28270 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 29? | option_a=5 | option_b=19 | option_c=29 | option_d=12 | answer=C | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 29 is the odd one out.

id=28271 | topic=Averages | difficulty=Easy | question=Find the average of 39, 70, 12, 31, 75, 45, 43. | option_a=45 | option_b=44 | option_c=47 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 315 ÷ 7 = 45.

id=28272 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=75 | option_c=70 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=28273 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 16, 25, 37? | option_a=7 | option_b=16 | option_c=37 | option_d=25 | answer=C | explanation=The first three numbers increase by 9, so the next should be 34. Therefore 37 is the odd one out.

id=28274 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 28, 32, 37? | option_a=37 | option_b=32 | option_c=28 | option_d=24 | answer=A | explanation=The first three numbers increase by 4, so the next should be 36. Therefore 37 is the odd one out.

id=28275 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 47? | option_a=47 | option_b=38 | option_c=26 | option_d=32 | answer=A | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 47 is the odd one out.

id=28276 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=39 | option_b=33 | option_c=25 | option_d=32 | answer=D | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.

id=28277 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=12 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=28278 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1895 at 5% per annum for 2 years. | option_a=189 | option_b=89 | option_c=289 | option_d=2084 | answer=A | explanation=SI = PRT/100 = 1895×5×2/100 = █189.

id=28279 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:17 and the first is 60, what is the second? | option_a=238 | option_b=259 | option_c=315 | option_d=255 | answer=D | explanation=Scale factor = 60/4 = 15. Therefore second quantity = 17×15 = 255.

id=28280 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=45 | option_b=44 | option_c=34 | option_d=54 | answer=B | explanation=The common difference is 10. Therefore the next term is 34 + 10 = 44.

id=28281 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4252. If it is sold at a profit of 20%, what is its selling price? | option_a=5527 | option_b=4272 | option_c=5102 | option_d=4677 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4252 × 120/100 = █5102.

id=28282 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48407 at 6% per annum for 1 years. | option_a=2904 | option_b=3004 | option_c=2804 | option_d=51311 | answer=A | explanation=SI = PRT/100 = 48407×6×1/100 = █2904.

id=28283 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 24, 30, 37? | option_a=37 | option_b=24 | option_c=18 | option_d=30 | answer=A | explanation=The first three numbers increase by 6, so the next should be 36. Therefore 37 is the odd one out.

id=28284 | topic=Percentages | difficulty=Easy | question=What is 30% of 1328? | option_a=403 | option_b=796 | option_c=378 | option_d=398 | answer=D | explanation=30% of 1328 = (30/100) × 1328 = 398.

id=28285 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 13, 23, 35? | option_a=13 | option_b=3 | option_c=23 | option_d=35 | answer=D | explanation=The first three numbers increase by 10, so the next should be 33. Therefore 35 is the odd one out.

id=28286 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=69 | option_b=60 | option_c=59 | option_d=49 | answer=C | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

id=28287 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=28288 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=C | option_c=G | option_d=I | answer=C | explanation=Move 2 positions forward from E; the resulting letter is G.

id=28289 | topic=Percentages | difficulty=Easy | question=What is 10% of 87? | option_a=8 | option_b=18 | option_c=16 | option_d=0 | answer=A | explanation=10% of 87 = (10/100) × 87 = 8.

id=28290 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

Aptitude Questions — Records 28,291-28,320 of 100,000

id=28291 | topic=Percentages | difficulty=Easy | question=What is 20% of 1626? | option_a=315 | option_b=335 | option_c=325 | option_d=650 | answer=C | explanation=20% of 1626 = $(20/100) \times 1626 = 325$.

id=28292 | topic=Averages | difficulty=Easy | question=Find the average of 43, 91, 28, 39, 16, 23, 75, 83, 34. | option_a=48 | option_b=49 | option_c=50 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = $432 \div 9 = 48$.

id=28293 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 45? | option_a=45 | option_b=23 | option_c=37 | option_d=30 | answer=A | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 45 is the odd one out.

id=28294 | topic=Averages | difficulty=Easy | question=Find the average of 74, 83, 36, 46, 96, 60, 87, 91, 93. | option_a=74 | option_b=75 | option_c=73 | option_d=76 | answer=A | explanation=Average = sum of values ÷ number of values = $666 \div 9 = 74$.

id=28295 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=70 | option_d=150 | answer=A | explanation=Speed = distance ÷ time = $150 \div 2 = 75$ km/h.

id=28296 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17426 at 12% per annum for 4 years. | option_a=8364 | option_b=25790 | option_c=8464 | option_d=8264 | answer=A | explanation=SI = $PRT/100 = 17426 \times 12 \times 4/100 = \text{■}8364$.

id=28297 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3103. If it is sold at a profit of 5%, what is its selling price? | option_a=3108 | option_b=2948 | option_c=3568 | option_d=3258 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3103 \times 105/100 = \text{■}3258$.

id=28298 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=R | option_c=T | option_d=U | answer=C | explanation=Move 1 positions forward from S; the resulting letter is T.

id=28299 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=80 | option_b=68 | option_c=56 | option_d=69 | answer=B | explanation=The common difference is 12. Therefore the next term is $56 + 12 = 68$.

id=28300 | topic=Averages | difficulty=Easy | question=Find the average of 67, 92, 72. | option_a=78 | option_b=79 | option_c=76 | option_d=77 | answer=D | explanation=Average = sum of values ÷ number of values = $231 \div 3 = 77$.

id=28301 | topic=Percentages | difficulty=Easy | question=What is 50% of 1314? | option_a=637 | option_b=657 | option_c=1314 | option_d=667 | answer=B | explanation=50% of 1314 = $(50/100) \times 1314 = 657$.

id=28302 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1129. If it is sold at a profit of 25%, what is its selling price? | option_a=1411 | option_b=1523 | option_c=1299 | option_d=1154 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1129 \times 125/100 = \text{■}1411$.

id=28303 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=M | option_c=G | option_d=P | answer=B | explanation=Move 3 positions forward from J; the resulting letter is M.

id=28304 | topic=Percentages | difficulty=Easy | question=What is 40% of 861? | option_a=334 | option_b=364 | option_c=344 | option_d=688 | answer=C | explanation=40% of 861 = $(40/100) \times 861 = 344$.

id=28305 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1779. If it is sold at a profit of 30%, what is its selling price? | option_a=2135 | option_b=2489 | option_c=1809 | option_d=2312 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1779 \times 130/100 = \text{■}2312$.

id=28306 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = $90 \div 3 = 30$ km/h.

id=28307 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=I | option_b=G | option_c=H | option_d=J | answer=A | explanation=Move 1 positions forward from H; the resulting letter is I.

id=28308 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=X | option_c=D | option_d=G | answer=C | explanation=Move 3 positions forward from A; the resulting letter is D.

id=28309 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=28310 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=67 | option_c=72 | option_d=144 | answer=C | explanation=Speed = distance ÷ time = $360 \div 5 = 72$ km/h.

id=28311 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=20 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = $150 \div 6 = 25$ km/h.

id=28312 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2533. If it is sold at a profit of 50%, what is its selling price? | option_a=4052 | option_b=2583 | option_c=3799 | option_d=3546 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2533 \times 150/100 = \text{■}3799$.

id=28313 | topic=Averages | difficulty=Easy | question=Find the average of 88, 64, 54, 75, 85, 99, 11, 44. | option_a=67 | option_b=64 | option_c=66 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = $520 \div 8 = 65$.

id=28314 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:4 and the first is 240, what is the second? | option_a=80 | option_b=92 | option_c=76 | option_d=320 | answer=A | explanation=Scale factor = $240/12 = 20$. Therefore second quantity = $4 \times 20 = 80$.

id=28315 | topic=Averages | difficulty=Easy | question=Find the average of 39, 66, 70, 78, 44, 23, 39, 69, 76. | option_a=58 | option_b=55 | option_c=57 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = $504 \div 9 = 56$.

id=28316 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=13 | option_b=9 | option_c=12 | option_d=11 | answer=D | explanation=The common difference is 2. Therefore the next term is $9 + 2 = 11$.

id=28317 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:16 and the first is 72, what is the second? | option_a=192 | option_b=198 | option_c=176 | option_d=264 | answer=A | explanation=Scale factor = $72/6 = 12$. Therefore second quantity = $16 \times 12 = 192$.

id=28318 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=41 | option_b=29 | option_c=35 | option_d=36 | answer=C | explanation=The common difference is 6. Therefore the next term is $29 + 6 = 35$.

id=28319 | topic=Percentages | difficulty=Easy | question=What is 15% of 529? | option_a=89 | option_b=74 | option_c=158 | option_d=79 | answer=D | explanation=15% of 529 = $(15/100) \times 529 = 79$.

id=28320 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:15 and the first is 108, what is the second? | option_a=75 | option_b=108 | option_c=198 | option_d=90 | answer=D | explanation=Scale factor = $108/18 = 6$. Therefore second quantity = $15 \times 6 = 90$.

Aptitude Questions — Records 28,321-28,350 of 100,000

- id=28321 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:2 and the first is 84, what is the second? | option_a=112 | option_b=34 | option_c=26 | option_d=28 | answer=D | explanation=Scale factor = $84/6 = 14$. Therefore second quantity = $2 \times 14 = 28$.
- id=28322 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=4 | option_c=9 | option_d=18 | answer=C | explanation=Speed = distance ÷ time = $90 \div 10 = 9$ km/h.
- id=28323 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 38, 48, 60? | option_a=48 | option_b=28 | option_c=60 | option_d=38 | answer=C | explanation=The first three numbers increase by 10, so the next should be 58. Therefore 60 is the odd one out.
- id=28324 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 10. | option_a=50 | option_b=15 | option_c=10 | option_d=1 | answer=C | explanation=LCM × HCF = 5×10 ; HCF(5,10) = 5, so LCM = 10.
- id=28325 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:14 and the first is 176, what is the second? | option_a=330 | option_b=140 | option_c=154 | option_d=170 | answer=C | explanation=Scale factor = $176/16 = 11$. Therefore second quantity = $14 \times 11 = 154$.
- id=28326 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:3 and the first is 198, what is the second? | option_a=30 | option_b=33 | option_c=231 | option_d=51 | answer=B | explanation=Scale factor = $198/18 = 11$. Therefore second quantity = $3 \times 11 = 33$.
- id=28327 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:13 and the first is 180, what is the second? | option_a=143 | option_b=156 | option_c=336 | option_d=171 | answer=B | explanation=Scale factor = $180/15 = 12$. Therefore second quantity = $13 \times 12 = 156$.
- id=28328 | topic=Profit & Loss | difficulty=Easy | question=An article costs █711. If it is sold at a profit of 5%, what is its selling price? | option_a=817 | option_b=675 | option_c=746 | option_d=716 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 711 \times 105/100 = \text{█}746$.
- id=28329 | topic=Averages | difficulty=Easy | question=Find the average of 89, 23, 62. | option_a=60 | option_b=59 | option_c=57 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = $174 \div 3 = 58$.
- id=28330 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=15 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = $60 \div 3 = 20$ km/h.
- id=28331 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3545. If it is sold at a profit of 10%, what is its selling price? | option_a=3545 | option_b=3899 | option_c=3555 | option_d=4253 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 3545 \times 110/100 = \text{█}3899$.
- id=28332 | topic=Averages | difficulty=Easy | question=Find the average of 44, 56, 37, 30, 97, 47, 29, 62, 39. | option_a=49 | option_b=50 | option_c=48 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = $441 \div 9 = 49$.
- id=28333 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2473. If it is sold at a profit of 30%, what is its selling price? | option_a=2967 | option_b=3214 | option_c=3461 | option_d=2503 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2473 \times 130/100 = \text{█}3214$.
- id=28334 | topic=Averages | difficulty=Easy | question=Find the average of 42, 90, 86, 46. | option_a=65 | option_b=68 | option_c=66 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = $264 \div 4 = 66$.
- id=28335 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=K | option_c=W | option_d=O | answer=A | explanation=Move 4 positions forward from O; the resulting letter is S.
- id=28336 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.
- id=28337 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:1 and the first is 112, what is the second? | option_a=119 | option_b=7 | option_c=23 | option_d=6 | answer=B | explanation=Scale factor = $112/16 = 7$. Therefore second quantity = $1 \times 7 = 7$.
- id=28338 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 23, 28, 35? | option_a=23 | option_b=28 | option_c=18 | option_d=35 | answer=D | explanation=The first three numbers increase by 5, so the next should be 33. Therefore 35 is the odd one out.
- id=28339 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.
- id=28340 | topic=Percentages | difficulty=Easy | question=What is 25% of 561? | option_a=120 | option_b=140 | option_c=280 | option_d=150 | answer=B | explanation=25% of 561 = $(25/100) \times 561 = 140$.
- id=28341 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=25 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = $60 \div 3 = 20$ km/h.
- id=28342 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 28, 31, 36? | option_a=28 | option_b=31 | option_c=25 | option_d=36 | answer=D | explanation=The first three numbers increase by 3, so the next should be 34. Therefore 36 is the odd one out.
- id=28343 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.
- id=28344 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 12, 15, 18, ? | option_a=21 | option_b=22 | option_c=18 | option_d=24 | answer=A | explanation=The common difference is 3. Therefore the next term is $18 + 3 = 21$.
- id=28345 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=5 | answer=B | explanation=Speed = distance ÷ time = $60 \div 6 = 10$ km/h.
- id=28346 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4484. If it is sold at a profit of 15%, what is its selling price? | option_a=5604 | option_b=4499 | option_c=4708 | option_d=5156 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 4484 \times 115/100 = \text{█}5156$.
- id=28347 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=A | option_b=P | option_c=F | option_d=K | answer=D | explanation=Move 5 positions forward from F; the resulting letter is K.
- id=28348 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:18 and the first is 44, what is the second? | option_a=242 | option_b=198 | option_c=180 | option_d=202 | answer=B | explanation=Scale factor = $44/4 = 11$. Therefore second quantity = $18 \times 11 = 198$.
- id=28349 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=24 | option_d=5 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.
- id=28350 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:17 and the first is 90, what is the second? | option_a=243 | option_b=136 | option_c=153 | option_d=163 | answer=C | explanation=Scale factor = $90/10 = 9$. Therefore second quantity = $17 \times 9 = 153$.

Aptitude Questions — Records 28,351-28,380 of 100,000

id=28351 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1553. If it is sold at a profit of 10%, what is its selling price? | option_a=1708 | option_b=1553 | option_c=1563 | option_d=1863 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1553 × 110/100 = █1708.

id=28352 | topic=Percentages | difficulty=Easy | question=What is 10% of 443? | option_a=24 | option_b=44 | option_c=54 | option_d=88 | answer=B | explanation=10% of 443 = (10/100) × 443 = 44.

id=28353 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 53? | option_a=23 | option_b=41 | option_c=32 | option_d=53 | answer=D | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 53 is the odd one out.

id=28354 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1700. If it is sold at a profit of 50%, what is its selling price? | option_a=1750 | option_b=2550 | option_c=2380 | option_d=2720 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1700 × 150/100 = █2550.

id=28355 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 16, 25, 35? | option_a=35 | option_b=7 | option_c=25 | option_d=16 | answer=A | explanation=The first three numbers increase by 9, so the next should be 34. Therefore 35 is the odd one out.

id=28356 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=B | option_c=C | option_d=Z | answer=B | explanation=Move 1 positions forward from A; the resulting letter is B.

id=28357 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=18 | option_b=22 | option_c=21 | option_d=20 | answer=D | explanation=The common difference is 2. Therefore the next term is 18 + 2 = 20.

id=28358 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=28359 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22258 at 12% per annum for 3 years. | option_a=8112 | option_b=7912 | option_c=8012 | option_d=30270 | answer=C | explanation=SI = PRT/100 = 22258×12×3/100 = █8012.

id=28360 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=28361 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=28362 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=28363 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=H | option_b=T | option_c=L | option_d=P | answer=D | explanation=Move 4 positions forward from L; the resulting letter is P.

id=28364 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7839 at 6% per annum for 5 years. | option_a=2351 | option_b=2251 | option_c=10190 | option_d=2451 | answer=A | explanation=SI = PRT/100 = 7839×6×5/100 = █2351.

id=28365 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17531 at 15% per annum for 2 years. | option_a=5359 | option_b=5259 | option_c=5159 | option_d=22790 | answer=B | explanation=SI = PRT/100 = 17531×15×2/100 = █5259.

id=28366 | topic=Percentages | difficulty=Easy | question=What is 25% of 689? | option_a=172 | option_b=167 | option_c=182 | option_d=344 | answer=A | explanation=25% of 689 = (25/100) × 689 = 172.

id=28367 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=L | option_c=H | option_d=F | answer=A | explanation=Move 2 positions forward from H; the resulting letter is J.

id=28368 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=28369 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1256. If it is sold at a profit of 40%, what is its selling price? | option_a=1758 | option_b=1296 | option_c=1883 | option_d=1633 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1256 × 140/100 = █1758.

id=28370 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4033. If it is sold at a profit of 5%, what is its selling price? | option_a=4234 | option_b=4038 | option_c=3831 | option_d=4637 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4033 × 105/100 = █4234.

id=28371 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=28372 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=Y | option_b=P | option_c=S | option_d=V | answer=D | explanation=Move 3 positions forward from S; the resulting letter is V.

id=28373 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=Y | option_b=H | option_c=B | option_d=E | answer=D | explanation=Move 3 positions forward from B; the resulting letter is E.

id=28374 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36391 at 4% per annum for 2 years. | option_a=2811 | option_b=39302 | option_c=2911 | option_d=3011 | answer=C | explanation=SI = PRT/100 = 36391×4×2/100 = █2911.

id=28375 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=28376 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2458. If it is sold at a profit of 50%, what is its selling price? | option_a=3687 | option_b=3932 | option_c=3442 | option_d=2508 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2458 × 150/100 = █3687.

id=28377 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=28378 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 28? | option_a=28 | option_b=16 | option_c=22 | option_d=19 | answer=A | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 28 is the odd one out.

id=28379 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=F | option_b=I | option_c=H | option_d=G | answer=C | explanation=Move 1 positions forward from G; the resulting letter is H.

id=28380 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=D | option_c=F | option_d=Z | answer=B | explanation=Move 2 positions forward from B; the resulting letter is D.

Aptitude Questions — Records 28,381-28,410 of 100,000

id=28381 | topic=Averages | difficulty=Easy | question=Find the average of 66, 26, 23, 101. | option_a=53 | option_b=55 | option_c=54 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 216 ÷ 4 = 54.

id=28382 | topic=Percentages | difficulty=Easy | question=What is 25% of 1791? | option_a=442 | option_b=894 | option_c=447 | option_d=457 | answer=C | explanation=25% of 1791 = (25/100) × 1791 = 447.

id=28383 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:1 and the first is 30, what is the second? | option_a=40 | option_b=13 | option_c=9 | option_d=10 | answer=D | explanation=Scale factor = 30/3 = 10. Therefore second quantity = 1×10 = 10.

id=28384 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=Q | option_c=O | option_d=U | answer=A | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=28385 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49594 at 8% per annum for 3 years. | option_a=12002 | option_b=11802 | option_c=11902 | option_d=61496 | answer=C | explanation=SI = PRT/100 = 49594×8×3/100 = **■**11902.

id=28386 | topic=Percentages | difficulty=Easy | question=What is 20% of 1074? | option_a=204 | option_b=219 | option_c=428 | option_d=214 | answer=D | explanation=20% of 1074 = (20/100) × 1074 = 214.

id=28387 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=S | option_c=D | option_d=N | answer=D | explanation=Move 5 positions forward from I; the resulting letter is N.

id=28388 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=28389 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:8 and the first is 119, what is the second? | option_a=175 | option_b=48 | option_c=56 | option_d=73 | answer=C | explanation=Scale factor = 119/17 = 7. Therefore second quantity = 8×7 = 56.

id=28390 | topic=Averages | difficulty=Easy | question=Find the average of 35, 49, 95, 59, 37. | option_a=57 | option_b=56 | option_c=55 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 275 ÷ 5 = 55.

id=28391 | topic=Percentages | difficulty=Easy | question=What is 12% of 1073? | option_a=128 | option_b=118 | option_c=256 | option_d=138 | answer=A | explanation=12% of 1073 = (12/100) × 1073 = 128.

id=28392 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 44? | option_a=44 | option_b=33 | option_c=29 | option_d=37 | answer=A | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 44 is the odd one out.

id=28393 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=V | option_b=Q | option_c=A | option_d=L | answer=A | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=28394 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:1 and the first is 20, what is the second? | option_a=3 | option_b=9 | option_c=24 | option_d=4 | answer=D | explanation=Scale factor = 20/5 = 4. Therefore second quantity = 1×4 = 4.

id=28395 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41496 at 5% per annum for 2 years. | option_a=4149 | option_b=4249 | option_c=45645 | option_d=4049 | answer=A | explanation=SI = PRT/100 = 41496×5×2/100 = **■**4149.

id=28396 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 20. | option_a=25 | option_b=1 | option_c=100 | option_d=20 | answer=D | explanation=LCM × HCF = 5×20; HCF(5,20) = 5, so LCM = 20.

id=28397 | topic=Percentages | difficulty=Easy | question=What is 5% of 82? | option_a=14 | option_b=8 | option_c=0 | option_d=4 | answer=D | explanation=5% of 82 = (5/100) × 82 = 4.

id=28398 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=15 | option_c=20 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=28399 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 23, 32, 43? | option_a=14 | option_b=43 | option_c=23 | option_d=32 | answer=B | explanation=The first three numbers increase by 9, so the next should be 41. Therefore 43 is the odd one out.

id=28400 | topic=Averages | difficulty=Easy | question=Find the average of 21, 94, 32, 34, 34, 83, 38. | option_a=50 | option_b=48 | option_c=49 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 336 ÷ 7 = 48.

id=28401 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=28402 | topic=Averages | difficulty=Easy | question=Find the average of 73, 23, 35, 57, 26, 63, 13, 65, 36, 89. | option_a=47 | option_b=48 | option_c=49 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 480 ÷ 10 = 48.

id=28403 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:2 and the first is 36, what is the second? | option_a=72 | option_b=38 | option_c=34 | option_d=36 | answer=D | explanation=Scale factor = 36/2 = 18. Therefore second quantity = 2×18 = 36.

id=28404 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3345. If it is sold at a profit of 20%, what is its selling price? | option_a=4014 | option_b=4348 | option_c=3365 | option_d=3680 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3345 × 120/100 = **■**4014.

id=28405 | topic=Percentages | difficulty=Easy | question=What is 40% of 1707? | option_a=702 | option_b=682 | option_c=677 | option_d=1364 | answer=B | explanation=40% of 1707 = (40/100) × 1707 = 682.

id=28406 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:5 and the first is 35, what is the second? | option_a=30 | option_b=70 | option_c=40 | option_d=35 | answer=D | explanation=Scale factor = 35/5 = 7. Therefore second quantity = 5×7 = 35.

id=28407 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=24 | option_c=48 | option_d=29 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=28408 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=23 | option_c=36 | option_d=13 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=28409 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=62 | option_b=52 | option_c=40 | option_d=51 | answer=D | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=28410 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39822 at 12% per annum for 4 years. | option_a=58936 | option_b=19214 | option_c=19114 | option_d=19014 | answer=C | explanation=SI = PRT/100 = 39822×12×4/100 = **■**19114.

Aptitude Questions — Records 28,411-28,440 of 100,000

id=28411 | topic=Percentages | difficulty=Easy | question=What is 40% of 517? | option_a=226 | option_b=201 | option_c=412 | option_d=206 | answer=D | explanation=40% of 517 = (40/100) × 517 = 206.

id=28412 | topic=Percentages | difficulty=Easy | question=What is 25% of 1730? | option_a=864 | option_b=412 | option_c=432 | option_d=437 | answer=C | explanation=25% of 1730 = (25/100) × 1730 = 432.

id=28413 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:2 and the first is 16, what is the second? | option_a=14 | option_b=18 | option_c=16 | option_d=32 | answer=C | explanation=Scale factor = 16/2 = 8. Therefore second quantity = 2×8 = 16.

id=28414 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 5, 8, 11, ? | option_a=11 | option_b=14 | option_c=15 | option_d=17 | answer=B | explanation=The common difference is 3. Therefore the next term is 11 + 3 = 14.

id=28415 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=100 | option_c=105 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=28416 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 30, 34, 41? | option_a=30 | option_b=41 | option_c=26 | option_d=34 | answer=B | explanation=The first three numbers increase by 4, so the next should be 38. Therefore 41 is the odd one out.

id=28417 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=G | option_b=D | option_c=X | option_d=A | answer=B | explanation=Move 3 positions forward from A; the resulting letter is D.

id=28418 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=16 | option_b=21 | option_c=24 | option_d=20 | answer=D | explanation=The common difference is 4. Therefore the next term is 16 + 4 = 20.

id=28419 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=C | option_b=I | option_c=L | option_d=F | answer=B | explanation=Move 3 positions forward from F; the resulting letter is I.

id=28420 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=18 | option_c=14 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=28421 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=28422 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=30 | option_c=25 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=28423 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4302. If it is sold at a profit of 20%, what is its selling price? | option_a=5162 | option_b=4322 | option_c=5592 | option_d=4732 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4302 × 120/100 = █5162.

id=28424 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28808 at 4% per annum for 3 years. | option_a=3456 | option_b=3356 | option_c=32264 | option_d=3556 | answer=A | explanation=SI = PRT/100 = 28808×4×3/100 = █3456.

id=28425 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 14, 20, 28? | option_a=14 | option_b=20 | option_c=28 | option_d=8 | answer=C | explanation=The first three numbers increase by 6, so the next should be 26. Therefore 28 is the odd one out.

id=28426 | topic=Averages | difficulty=Easy | question=Find the average of 64, 35, 43, 29, 66, 18, 72, 26, 40, 57. | option_a=46 | option_b=44 | option_c=47 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 450 ÷ 10 = 45.

id=28427 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=28428 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11092 at 10% per annum for 5 years. | option_a=5446 | option_b=5546 | option_c=5646 | option_d=16638 | answer=B | explanation=SI = PRT/100 = 11092×10×5/100 = █5546.

id=28429 | topic=Averages | difficulty=Easy | question=Find the average of 60, 85, 84, 51. | option_a=72 | option_b=70 | option_c=71 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 280 ÷ 4 = 70.

id=28430 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:19 and the first is 120, what is the second? | option_a=133 | option_b=272 | option_c=152 | option_d=167 | answer=C | explanation=Scale factor = 120/15 = 8. Therefore second quantity = 19×8 = 152.

id=28431 | topic=Percentages | difficulty=Easy | question=What is 20% of 194? | option_a=48 | option_b=33 | option_c=38 | option_d=76 | answer=C | explanation=20% of 194 = (20/100) × 194 = 38.

id=28432 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=40 | option_b=46 | option_c=41 | option_d=34 | answer=A | explanation=The common difference is 6. Therefore the next term is 34 + 6 = 40.

id=28433 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 23? | option_a=16 | option_b=20 | option_c=23 | option_d=18 | answer=C | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 23 is the odd one out.

id=28434 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 16. | option_a=224 | option_b=240 | option_c=480 | option_d=270 | answer=B | explanation=LCM × HCF = 30×16; HCF(30,16) = 2, so LCM = 240.

id=28435 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=V | option_b=N | option_c=J | option_d=R | answer=D | explanation=Move 4 positions forward from N; the resulting letter is R.

id=28436 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=28437 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4475. If it is sold at a profit of 20%, what is its selling price? | option_a=5370 | option_b=4495 | option_c=4923 | option_d=5817 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4475 × 120/100 = █5370.

id=28438 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=70 | option_b=80 | option_c=75 | option_d=150 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=28439 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:6 and the first is 192, what is the second? | option_a=108 | option_b=288 | option_c=90 | option_d=96 | answer=D | explanation=Scale factor = 192/12 = 16. Therefore second quantity = 6×16 = 96.

id=28440 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 8, 12, 19? | option_a=12 | option_b=4 | option_c=8 | option_d=19 | answer=D | explanation=The first three numbers increase by 4, so the next should be 16. Therefore 19 is the odd one out.

Aptitude Questions — Records 28,441-28,470 of 100,000

id=28441 | topic=Averages | difficulty=Easy | question=Find the average of 98, 81, 71, 98, 97. | option_a=90 | option_b=91 | option_c=89 | option_d=88 | answer=C | explanation=Average = sum of values ÷ number of values = 445 ÷ 5 = 89.

id=28442 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:10 and the first is 38, what is the second? | option_a=58 | option_b=10 | option_c=39 | option_d=20 | answer=D | explanation=Scale factor = 38/19 = 2. Therefore second quantity = 10×2 = 20.

id=28443 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 32, 35, 39? | option_a=32 | option_b=35 | option_c=39 | option_d=29 | answer=C | explanation=The first three numbers increase by 3, so the next should be 38. Therefore 39 is the odd one out.

id=28444 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 31, 36, 42? | option_a=31 | option_b=26 | option_c=42 | option_d=36 | answer=C | explanation=The first three numbers increase by 5, so the next should be 41. Therefore 42 is the odd one out.

id=28445 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=47 | option_b=46 | option_c=37 | option_d=55 | answer=B | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=28446 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4015. If it is sold at a profit of 25%, what is its selling price? | option_a=4617 | option_b=5018 | option_c=4040 | option_d=5419 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4015 × 125/100 = █5018.

id=28447 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4171. If it is sold at a profit of 25%, what is its selling price? | option_a=4796 | option_b=5630 | option_c=4196 | option_d=5213 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4171 × 125/100 = █5213.

id=28448 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16202 at 6% per annum for 2 years. | option_a=1844 | option_b=2044 | option_c=18146 | option_d=1944 | answer=D | explanation=SI = PRT/100 = 16202×6×2/100 = █1944.

id=28449 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:14 and the first is 288, what is the second? | option_a=268 | option_b=252 | option_c=540 | option_d=238 | answer=B | explanation=Scale factor = 288/16 = 18. Therefore second quantity = 14×18 = 252.

id=28450 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=240 | option_c=125 | option_d=115 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=28451 | topic=Averages | difficulty=Easy | question=Find the average of 64, 82, 80, 71, 89, 31, 45. | option_a=65 | option_b=67 | option_c=66 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 462 ÷ 7 = 66.

id=28452 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:6 and the first is 24, what is the second? | option_a=6 | option_b=24 | option_c=12 | option_d=36 | answer=C | explanation=Scale factor = 24/12 = 2. Therefore second quantity = 6×2 = 12.

id=28453 | topic=Percentages | difficulty=Easy | question=What is 30% of 1972? | option_a=571 | option_b=1182 | option_c=611 | option_d=591 | answer=D | explanation=30% of 1972 = (30/100) × 1972 = 591.

id=28454 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 4. | option_a=6 | option_b=8 | option_c=4 | option_d=1 | answer=C | explanation=LCM × HCF = 2×4; HCF(2,4) = 2, so LCM = 4.

id=28455 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=50 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=28456 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=28457 | topic=Percentages | difficulty=Easy | question=What is 5% of 1267? | option_a=126 | option_b=63 | option_c=73 | option_d=53 | answer=B | explanation=5% of 1267 = (5/100) × 1267 = 63.

id=28458 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 12. | option_a=84 | option_b=105 | option_c=72 | option_d=252 | answer=A | explanation=LCM × HCF = 21×12; HCF(21,12) = 3, so LCM = 84.

id=28459 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1137. If it is sold at a profit of 50%, what is its selling price? | option_a=1705 | option_b=1592 | option_c=1187 | option_d=1818 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1137 × 150/100 = █1705.

id=28460 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23319 at 15% per annum for 2 years. | option_a=6995 | option_b=7095 | option_c=6895 | option_d=30314 | answer=A | explanation=SI = PRT/100 = 23319×15×2/100 = █6995.

id=28461 | topic=Averages | difficulty=Easy | question=Find the average of 78, 77, 22. | option_a=58 | option_b=60 | option_c=61 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 177 ÷ 3 = 59.

id=28462 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 48? | option_a=37 | option_b=48 | option_c=28 | option_d=19 | answer=B | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 48 is the odd one out.

id=28463 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12703 at 12% per annum for 2 years. | option_a=3048 | option_b=15751 | option_c=3148 | option_d=2948 | answer=A | explanation=SI = PRT/100 = 12703×12×2/100 = █3048.

id=28464 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4230. If it is sold at a profit of 30%, what is its selling price? | option_a=4260 | option_b=5076 | option_c=5499 | option_d=5922 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4230 × 130/100 = █5499.

id=28465 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48997 at 6% per annum for 1 years. | option_a=2939 | option_b=51936 | option_c=3039 | option_d=2839 | answer=A | explanation=SI = PRT/100 = 48997×6×1/100 = █2939.

id=28466 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4555. If it is sold at a profit of 40%, what is its selling price? | option_a=6377 | option_b=5922 | option_c=4595 | option_d=6832 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4555 × 140/100 = █6377.

id=28467 | topic=Profit & Loss | difficulty=Easy | question=An article costs █894. If it is sold at a profit of 15%, what is its selling price? | option_a=939 | option_b=909 | option_c=1117 | option_d=1028 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 894 × 115/100 = █1028.

id=28468 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=Q | option_c=V | option_d=G | answer=B | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=28469 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:10 and the first is 8, what is the second? | option_a=40 | option_b=42 | option_c=30 | option_d=48 | answer=A | explanation=Scale factor = 8/2 = 4. Therefore second quantity = 10×4 = 40.

id=28470 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:5 and the first is 2, what is the second? | option_a=10 | option_b=11 | option_c=12 | option_d=5 | answer=A | explanation=Scale factor = 2/1 = 2. Therefore second quantity = 5×2 = 10.

Aptitude Questions — Records 28,471-28,500 of 100,000

id=28471 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4763. If it is sold at a profit of 20%, what is its selling price? | option_a=6191 | option_b=5715 | option_c=4783 | option_d=5239 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4763 × 120/100 = █5715.

id=28472 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=X | option_c=J | option_d=B | answer=A | explanation=Move 4 positions forward from B; the resulting letter is F.

id=28473 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=28474 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:13 and the first is 234, what is the second? | option_a=403 | option_b=169 | option_c=187 | option_d=156 | answer=B | explanation=Scale factor = 234/18 = 13. Therefore second quantity = 13×13 = 169.

id=28475 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 15, 22, 29, ? | option_a=43 | option_b=36 | option_c=29 | option_d=37 | answer=B | explanation=The common difference is 7. Therefore the next term is 29 + 7 = 36.

id=28476 | topic=Averages | difficulty=Easy | question=Find the average of 42, 92, 82, 49, 40. | option_a=63 | option_b=62 | option_c=61 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 305 ÷ 5 = 61.

id=28477 | topic=Averages | difficulty=Easy | question=Find the average of 45, 54, 26, 40, 55. | option_a=46 | option_b=43 | option_c=45 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = 220 ÷ 5 = 44.

id=28478 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 18, 25, 33? | option_a=11 | option_b=25 | option_c=18 | option_d=33 | answer=D | explanation=The first three numbers increase by 7, so the next should be 32. Therefore 33 is the odd one out.

id=28479 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=28480 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Q | option_b=Y | option_c=U | option_d=C | answer=B | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=28481 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=A | option_b=D | option_c=C | option_d=B | answer=C | explanation=Move 1 positions forward from B; the resulting letter is C.

id=28482 | topic=Averages | difficulty=Easy | question=Find the average of 62, 23, 59, 72, 39. | option_a=50 | option_b=51 | option_c=52 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 255 ÷ 5 = 51.

id=28483 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:7 and the first is 34, what is the second? | option_a=14 | option_b=7 | option_c=48 | option_d=31 | answer=A | explanation=Scale factor = 34/17 = 2. Therefore second quantity = 7×2 = 14.

id=28484 | topic=Averages | difficulty=Easy | question=Find the average of 61, 95, 44, 47, 28. | option_a=56 | option_b=57 | option_c=55 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 275 ÷ 5 = 55.

id=28485 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=28486 | topic=Averages | difficulty=Easy | question=Find the average of 47, 27, 49, 60, 22. | option_a=42 | option_b=41 | option_c=43 | option_d=40 | answer=B | explanation=Average = sum of values ÷ number of values = 205 ÷ 5 = 41.

id=28487 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=85 | option_d=160 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=28488 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9991 at 4% per annum for 1 years. | option_a=399 | option_b=10390 | option_c=299 | option_d=499 | answer=A | explanation=SI = PRT/100 = 9991×4×1/100 = █399.

id=28489 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=28490 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=Q | option_b=G | option_c=L | option_d=B | answer=C | explanation=Move 5 positions forward from G; the resulting letter is L.

id=28491 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:9 and the first is 304, what is the second? | option_a=144 | option_b=448 | option_c=163 | option_d=135 | answer=A | explanation=Scale factor = 304/19 = 16. Therefore second quantity = 9×16 = 144.

id=28492 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:9 and the first is 24, what is the second? | option_a=58 | option_b=78 | option_c=54 | option_d=45 | answer=C | explanation=Scale factor = 24/4 = 6. Therefore second quantity = 9×6 = 54.

id=28493 | topic=Percentages | difficulty=Easy | question=What is 10% of 911? | option_a=81 | option_b=182 | option_c=91 | option_d=96 | answer=C | explanation=10% of 911 = (10/100) × 911 = 91.

id=28494 | topic=Averages | difficulty=Easy | question=Find the average of 39, 29, 52, 80. | option_a=51 | option_b=50 | option_c=52 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 200 ÷ 4 = 50.

id=28495 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 42? | option_a=33 | option_b=42 | option_c=17 | option_d=25 | answer=B | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 42 is the odd one out.

id=28496 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=45 | option_b=52 | option_c=38 | option_d=46 | answer=A | explanation=The common difference is 7. Therefore the next term is 38 + 7 = 45.

id=28497 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:19 and the first is 198, what is the second? | option_a=323 | option_b=353 | option_c=540 | option_d=342 | answer=D | explanation=Scale factor = 198/11 = 18. Therefore second quantity = 19×18 = 342.

id=28498 | topic=Percentages | difficulty=Easy | question=What is 20% of 874? | option_a=174 | option_b=348 | option_c=164 | option_d=194 | answer=A | explanation=20% of 874 = (20/100) × 874 = 174.

id=28499 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 15, 22, 29, ? | option_a=29 | option_b=36 | option_c=37 | option_d=43 | answer=B | explanation=The common difference is 7. Therefore the next term is 29 + 7 = 36.

id=28500 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

Aptitude Questions — Records 28,501-28,530 of 100,000

- id=28501 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 33? | option_a=33 | option_b=30 | option_c=28 | option_d=26 | answer=A | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 33 is the odd one out.
- id=28502 | topic=Averages | difficulty=Easy | question=Find the average of 11, 43, 14, 46, 99, 61, 66, 28. | option_a=47 | option_b=48 | option_c=46 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = 368 ÷ 8 = 46.
- id=28503 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 27, 39, 51, ? | option_a=63 | option_b=51 | option_c=64 | option_d=75 | answer=A | explanation=The common difference is 12. Therefore the next term is 51 + 12 = 63.
- id=28504 | topic=Percentages | difficulty=Easy | question=What is 40% of 752? | option_a=305 | option_b=300 | option_c=295 | option_d=600 | answer=B | explanation=40% of 752 = (40/100) × 752 = 300.
- id=28505 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=16 | option_b=13 | option_c=17 | option_d=15 | answer=D | explanation=The common difference is 2. Therefore the next term is 13 + 2 = 15.
- id=28506 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4592. If it is sold at a profit of 30%, what is its selling price? | option_a=6428 | option_b=5510 | option_c=4622 | option_d=5969 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4592 × 130/100 = █5969.
- id=28507 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 46? | option_a=25 | option_b=31 | option_c=46 | option_d=37 | answer=C | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 46 is the odd one out.
- id=28508 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42330 at 12% per annum for 3 years. | option_a=15138 | option_b=15238 | option_c=57568 | option_d=15338 | answer=B | explanation=SI = PRT/100 = 42330×12×3/100 = █15238.
- id=28509 | topic=Averages | difficulty=Easy | question=Find the average of 47, 88, 48. | option_a=61 | option_b=60 | option_c=62 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 183 ÷ 3 = 61.
- id=28510 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:16 and the first is 91, what is the second? | option_a=192 | option_b=215 | option_c=299 | option_d=208 | answer=D | explanation=Scale factor = 91/7 = 13. Therefore second quantity = 16×13 = 208.
- id=28511 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4121 at 4% per annum for 2 years. | option_a=4450 | option_b=329 | option_c=229 | option_d=429 | answer=B | explanation=SI = PRT/100 = 4121×4×2/100 = █329.
- id=28512 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=37 | option_b=30 | option_c=23 | option_d=31 | answer=B | explanation=The common difference is 7. Therefore the next term is 23 + 7 = 30.
- id=28513 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 8, 13, 21? | option_a=8 | option_b=3 | option_c=13 | option_d=21 | answer=D | explanation=The first three numbers increase by 5, so the next should be 18. Therefore 21 is the odd one out.
- id=28514 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:4 and the first is 100, what is the second? | option_a=76 | option_b=80 | option_c=180 | option_d=85 | answer=B | explanation=Scale factor = 100/5 = 20. Therefore second quantity = 4×20 = 80.
- id=28515 | topic=Percentages | difficulty=Easy | question=What is 5% of 158? | option_a=2 | option_b=27 | option_c=14 | option_d=7 | answer=D | explanation=5% of 158 = (5/100) × 158 = 7.
- id=28516 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3203. If it is sold at a profit of 25%, what is its selling price? | option_a=4323 | option_b=3228 | option_c=3683 | option_d=4003 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3203 × 125/100 = █4003.
- id=28517 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:16 and the first is 65, what is the second? | option_a=145 | option_b=80 | option_c=64 | option_d=93 | answer=B | explanation=Scale factor = 65/13 = 5. Therefore second quantity = 16×5 = 80.
- id=28518 | topic=Number System | difficulty=Easy | question=Find the LCM of 11 and 11. | option_a=11 | option_b=1 | option_c=121 | option_d=22 | answer=A | explanation=LCM × HCF = 11×11; HCF(11,11) = 11, so LCM = 11.
- id=28519 | topic=Profit & Loss | difficulty=Easy | question=An article costs █641. If it is sold at a profit of 15%, what is its selling price? | option_a=801 | option_b=656 | option_c=737 | option_d=673 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 641 × 115/100 = █737.
- id=28520 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=M | option_b=D | option_c=J | option_d=G | answer=C | explanation=Move 3 positions forward from G; the resulting letter is J.
- id=28521 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:1 and the first is 204, what is the second? | option_a=17 | option_b=221 | option_c=29 | option_d=16 | answer=A | explanation=Scale factor = 204/12 = 17. Therefore second quantity = 1×17 = 17.
- id=28522 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:12 and the first is 135, what is the second? | option_a=108 | option_b=123 | option_c=243 | option_d=96 | answer=A | explanation=Scale factor = 135/15 = 9. Therefore second quantity = 12×9 = 108.
- id=28523 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=41 | option_b=50 | option_c=51 | option_d=59 | answer=B | explanation=The common difference is 9. Therefore the next term is 41 + 9 = 50.
- id=28524 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.
- id=28525 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 12, 16, 21? | option_a=21 | option_b=16 | option_c=8 | option_d=12 | answer=A | explanation=The first three numbers increase by 4, so the next should be 20. Therefore 21 is the odd one out.
- id=28526 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=7 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.
- id=28527 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11914 at 8% per annum for 1 years. | option_a=853 | option_b=12867 | option_c=1053 | option_d=953 | answer=D | explanation=SI = PRT/100 = 11914×8×1/100 = █953.
- id=28528 | topic=Percentages | difficulty=Easy | question=What is 15% of 1086? | option_a=162 | option_b=167 | option_c=142 | option_d=324 | answer=A | explanation=15% of 1086 = (15/100) × 1086 = 162.
- id=28529 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 11, 14, 20? | option_a=11 | option_b=14 | option_c=20 | option_d=8 | answer=C | explanation=The first three numbers increase by 3, so the next should be 17. Therefore 20 is the odd one out.
- id=28530 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35082 at 10% per annum for 1 years. | option_a=3408 | option_b=3608 | option_c=3508 | option_d=38590 | answer=C | explanation=SI = PRT/100 = 35082×10×1/100 = █3508.

Aptitude Questions — Records 28,531-28,560 of 100,000

id=28531 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=28532 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4552. If it is sold at a profit of 5%, what is its selling price? | option_a=4557 | option_b=5234 | option_c=4324 | option_d=4779 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4552 × 105/100 = █4779.

id=28533 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=T | option_b=J | option_c=O | option_d=Y | answer=A | explanation=Move 5 positions forward from O; the resulting letter is T.

id=28534 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=6 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=28535 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3183. If it is sold at a profit of 50%, what is its selling price? | option_a=4774 | option_b=3233 | option_c=5092 | option_d=4456 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3183 × 150/100 = █4774.

id=28536 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8620 at 12% per annum for 2 years. | option_a=2068 | option_b=1968 | option_c=10688 | option_d=2168 | answer=A | explanation=SI = PRT/100 = 8620×12×2/100 = █2068.

id=28537 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1951. If it is sold at a profit of 5%, what is its selling price? | option_a=2243 | option_b=1853 | option_c=2048 | option_d=1956 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1951 × 105/100 = █2048.

id=28538 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=28539 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 20, 22, 26? | option_a=22 | option_b=18 | option_c=26 | option_d=20 | answer=C | explanation=The first three numbers increase by 2, so the next should be 24. Therefore 26 is the odd one out.

id=28540 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=28 | option_b=24 | option_c=27 | option_d=26 | answer=D | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.

id=28541 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2072. If it is sold at a profit of 25%, what is its selling price? | option_a=2097 | option_b=2383 | option_c=2590 | option_d=2797 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2072 × 125/100 = █2590.

id=28542 | topic=Averages | difficulty=Easy | question=Find the average of 83, 76, 60. | option_a=74 | option_b=73 | option_c=72 | option_d=75 | answer=B | explanation=Average = sum of values ÷ number of values = 219 ÷ 3 = 73.

id=28543 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=12 | option_c=24 | option_d=7 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=28544 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=28545 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=62 | option_b=49 | option_c=73 | option_d=61 | answer=D | explanation=The common difference is 12. Therefore the next term is 49 + 12 = 61.

id=28546 | topic=Percentages | difficulty=Easy | question=What is 10% of 1040? | option_a=208 | option_b=104 | option_c=84 | option_d=124 | answer=B | explanation=10% of 1040 = (10/100) × 1040 = 104.

id=28547 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14364 at 12% per annum for 2 years. | option_a=3447 | option_b=3547 | option_c=3347 | option_d=17811 | answer=A | explanation=SI = PRT/100 = 14364×12×2/100 = █3447.

id=28548 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3295. If it is sold at a profit of 50%, what is its selling price? | option_a=3345 | option_b=4942 | option_c=5271 | option_d=4613 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3295 × 150/100 = █4942.

id=28549 | topic=Percentages | difficulty=Easy | question=What is 12% of 1487? | option_a=178 | option_b=198 | option_c=173 | option_d=356 | answer=A | explanation=12% of 1487 = (12/100) × 1487 = 178.

id=28550 | topic=Averages | difficulty=Easy | question=Find the average of 53, 99, 36, 66, 42, 82, 45, 73, 33, 41. | option_a=57 | option_b=56 | option_c=59 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.

id=28551 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 36? | option_a=5 | option_b=36 | option_c=25 | option_d=15 | answer=B | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 36 is the odd one out.

id=28552 | topic=Averages | difficulty=Easy | question=Find the average of 17, 84, 53, 60, 71, 90, 49, 83, 69. | option_a=63 | option_b=65 | option_c=64 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = 576 ÷ 9 = 64.

id=28553 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:19 and the first is 88, what is the second? | option_a=163 | option_b=240 | option_c=152 | option_d=133 | answer=C | explanation=Scale factor = 88/11 = 8. Therefore second quantity = 19×8 = 152.

id=28554 | topic=Averages | difficulty=Easy | question=Find the average of 35, 46, 40, 94, 43, 46, 32. | option_a=48 | option_b=50 | option_c=49 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 336 ÷ 7 = 48.

id=28555 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:16 and the first is 208, what is the second? | option_a=208 | option_b=224 | option_c=416 | option_d=192 | answer=A | explanation=Scale factor = 208/16 = 13. Therefore second quantity = 16×13 = 208.

id=28556 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=K | option_c=H | option_d=J | answer=D | explanation=Move 1 positions forward from I; the resulting letter is J.

id=28557 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:12 and the first is 150, what is the second? | option_a=120 | option_b=270 | option_c=108 | option_d=135 | answer=A | explanation=Scale factor = 150/15 = 10. Therefore second quantity = 12×10 = 120.

id=28558 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:2 and the first is 323, what is the second? | option_a=55 | option_b=36 | option_c=38 | option_d=361 | answer=C | explanation=Scale factor = 323/17 = 19. Therefore second quantity = 2×19 = 38.

id=28559 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1061. If it is sold at a profit of 20%, what is its selling price? | option_a=1167 | option_b=1081 | option_c=1379 | option_d=1273 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1061 × 120/100 = █1273.

id=28560 | topic=Percentages | difficulty=Easy | question=What is 15% of 401? | option_a=65 | option_b=120 | option_c=60 | option_d=55 | answer=C | explanation=15% of 401 = (15/100) × 401 = 60.

Aptitude Questions — Records 28,561-28,590 of 100,000

id=28561 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 16. | option_a=48 | option_b=54 | option_c=96 | option_d=32 | answer=A | explanation=LCM × HCF = 6×16; HCF(6,16) = 2, so LCM = 48.

id=28562 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 12. | option_a=154 | option_b=132 | option_c=120 | option_d=264 | answer=B | explanation=LCM × HCF = 22×12; HCF(22,12) = 2, so LCM = 132.

id=28563 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:13 and the first is 28, what is the second? | option_a=210 | option_b=182 | option_c=169 | option_d=184 | answer=B | explanation=Scale factor = 28/2 = 14. Therefore second quantity = 13×14 = 182.

id=28564 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:18 and the first is 30, what is the second? | option_a=300 | option_b=270 | option_c=252 | option_d=272 | answer=B | explanation=Scale factor = 30/2 = 15. Therefore second quantity = 18×15 = 270.

id=28565 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 34, 41, 49? | option_a=41 | option_b=49 | option_c=34 | option_d=27 | answer=B | explanation=The first three numbers increase by 7, so the next should be 48. Therefore 49 is the odd one out.

id=28566 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=K | option_c=N | option_d=E | answer=B | explanation=Move 3 positions forward from H; the resulting letter is K.

id=28567 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=U | option_c=Q | option_d=O | answer=A | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=28568 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:15 and the first is 60, what is the second? | option_a=303 | option_b=300 | option_c=285 | option_d=360 | answer=B | explanation=Scale factor = 60/3 = 20. Therefore second quantity = 15×20 = 300.

id=28569 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:20 and the first is 140, what is the second? | option_a=380 | option_b=540 | option_c=400 | option_d=407 | answer=C | explanation=Scale factor = 140/7 = 20. Therefore second quantity = 20×20 = 400.

id=28570 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=28571 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:4 and the first is 40, what is the second? | option_a=32 | option_b=28 | option_c=72 | option_d=37 | answer=A | explanation=Scale factor = 40/5 = 8. Therefore second quantity = 4×8 = 32.

id=28572 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 32, 39, 49? | option_a=39 | option_b=32 | option_c=25 | option_d=49 | answer=D | explanation=The first three numbers increase by 7, so the next should be 46. Therefore 49 is the odd one out.

id=28573 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=R | option_c=T | option_d=S | answer=C | explanation=Move 1 positions forward from S; the resulting letter is T.

id=28574 | topic=Averages | difficulty=Easy | question=Find the average of 92, 35, 15, 62, 52, 95, 20. | option_a=52 | option_b=55 | option_c=53 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 371 ÷ 7 = 53.

id=28575 | topic=Percentages | difficulty=Easy | question=What is 20% of 665? | option_a=133 | option_b=266 | option_c=128 | option_d=143 | answer=A | explanation=20% of 665 = (20/100) × 665 = 133.

id=28576 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:13 and the first is 108, what is the second? | option_a=234 | option_b=342 | option_c=221 | option_d=240 | answer=B | explanation=Scale factor = 108/6 = 18. Therefore second quantity = 13×18 = 234.

id=28577 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:13 and the first is 68, what is the second? | option_a=120 | option_b=52 | option_c=69 | option_d=39 | answer=B | explanation=Scale factor = 68/17 = 4. Therefore second quantity = 13×4 = 52.

id=28578 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37802 at 5% per annum for 4 years. | option_a=45362 | option_b=7460 | option_c=7660 | option_d=7560 | answer=D | explanation=SI = PRT/100 = 37802×5×4/100 = **■**7560.

id=28579 | topic=Percentages | difficulty=Easy | question=What is 10% of 1791? | option_a=169 | option_b=358 | option_c=179 | option_d=199 | answer=C | explanation=10% of 1791 = (10/100) × 1791 = 179.

id=28580 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=28581 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31133 at 15% per annum for 5 years. | option_a=23449 | option_b=23249 | option_c=54482 | option_d=23349 | answer=D | explanation=SI = PRT/100 = 31133×15×5/100 = **■**23349.

id=28582 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=28583 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 10. | option_a=20 | option_b=40 | option_c=24 | option_d=10 | answer=A | explanation=LCM × HCF = 4×10; HCF(4,10) = 2, so LCM = 20.

id=28584 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 13, 21, 30? | option_a=21 | option_b=30 | option_c=13 | option_d=5 | answer=B | explanation=The first three numbers increase by 8, so the next should be 29. Therefore 30 is the odd one out.

id=28585 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=28586 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=16 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=28587 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=54 | option_b=78 | option_c=67 | option_d=66 | answer=D | explanation=The common difference is 12. Therefore the next term is 54 + 12 = 66.

id=28588 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27066 at 4% per annum for 5 years. | option_a=5313 | option_b=32479 | option_c=5413 | option_d=5513 | answer=C | explanation=SI = PRT/100 = 27066×4×5/100 = **■**5413.

id=28589 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=G | option_b=I | option_c=H | option_d=J | answer=B | explanation=Move 1 positions forward from H; the resulting letter is I.

id=28590 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 28,591-28,620 of 100,000

id=28591 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11520 at 12% per annum for 3 years. | option_a=4047 | option_b=15667 | option_c=4147 | option_d=4247 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{11520 \times 12 \times 3}{100} = \text{■}4147$.

id=28592 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=6 | option_c=11 | option_d=12 | answer=B | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{60}{10} = 6 \text{ km/h}$.

id=28593 | topic=Number System | difficulty=Easy | question=Find the LCM of 17 and 17. | option_a=17 | option_b=1 | option_c=289 | option_d=34 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 17 \times 17$; $\text{HCF}(17,17) = 17$, so $\text{LCM} = 17$.

id=28594 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:9 and the first is 154, what is the second? | option_a=137 | option_b=126 | option_c=117 | option_d=280 | answer=B | explanation= $\text{Scale factor} = \frac{154}{11} = 14$. Therefore second quantity = $9 \times 14 = 126$.

id=28595 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=O | option_c=I | option_d=K | answer=A | explanation=Move 2 positions forward from K; the resulting letter is M.

id=28596 | topic=Averages | difficulty=Easy | question=Find the average of 100, 83, 75, 26, 65, 100, 97. | option_a=78 | option_b=77 | option_c=79 | option_d=80 | answer=A | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{546}{7} = 78$.

id=28597 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation= $\text{Combined rate} = \frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=28598 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=P | option_b=O | option_c=N | option_d=Q | answer=A | explanation=Move 1 positions forward from O; the resulting letter is P.

id=28599 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48203 at 8% per annum for 5 years. | option_a=19181 | option_b=19281 | option_c=19381 | option_d=67484 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{48203 \times 8 \times 5}{100} = \text{■}19281$.

id=28600 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37335 at 8% per annum for 2 years. | option_a=5873 | option_b=43308 | option_c=5973 | option_d=6073 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{37335 \times 8 \times 2}{100} = \text{■}5973$.

id=28601 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:16 and the first is 247, what is the second? | option_a=208 | option_b=455 | option_c=227 | option_d=192 | answer=A | explanation= $\text{Scale factor} = \frac{247}{19} = 13$. Therefore second quantity = $16 \times 13 = 208$.

id=28602 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=13 | option_b=17 | option_c=15 | option_d=16 | answer=C | explanation=The common difference is 2. Therefore the next term is $13 + 2 = 15$.

id=28603 | topic=Percentages | difficulty=Easy | question=What is 40% of 572? | option_a=233 | option_b=456 | option_c=218 | option_d=228 | answer=D | explanation= $40\% \text{ of } 572 = \frac{40}{100} \times 572 = 228$.

id=28604 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=68 | option_b=44 | option_c=57 | option_d=56 | answer=D | explanation=The common difference is 12. Therefore the next term is $44 + 12 = 56$.

id=28605 | topic=Percentages | difficulty=Easy | question=What is 10% of 1962? | option_a=206 | option_b=392 | option_c=196 | option_d=191 | answer=C | explanation= $10\% \text{ of } 1962 = \frac{10}{100} \times 1962 = 196$.

id=28606 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=24 | option_b=25 | option_c=27 | option_d=21 | answer=A | explanation=The common difference is 3. Therefore the next term is $21 + 3 = 24$.

id=28607 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=13 | option_c=18 | option_d=36 | answer=C | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{90}{5} = 18 \text{ km/h}$.

id=28608 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=G | option_c=D | option_d=F | answer=D | explanation=Move 1 positions forward from E; the resulting letter is F.

id=28609 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3180. If it is sold at a profit of 5%, what is its selling price? | option_a=3021 | option_b=3185 | option_c=3339 | option_d=3657 | answer=C | explanation= $\text{Selling price} = CP \times \frac{(100 + \text{profit}\%)}{100} = 3180 \times \frac{105}{100} = \text{■}3339$.

id=28610 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=L | option_c=M | option_d=J | answer=B | explanation=Move 1 positions forward from K; the resulting letter is L.

id=28611 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:2 and the first is 70, what is the second? | option_a=24 | option_b=14 | option_c=12 | option_d=84 | answer=B | explanation= $\text{Scale factor} = \frac{70}{10} = 7$. Therefore second quantity = $2 \times 7 = 14$.

id=28612 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=Q | option_b=W | option_c=U | option_d=S | answer=C | explanation=Move 2 positions forward from S; the resulting letter is U.

id=28613 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:2 and the first is 234, what is the second? | option_a=36 | option_b=49 | option_c=270 | option_d=34 | answer=A | explanation= $\text{Scale factor} = \frac{234}{13} = 18$. Therefore second quantity = $2 \times 18 = 36$.

id=28614 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21748 at 10% per annum for 3 years. | option_a=6624 | option_b=28272 | option_c=6524 | option_d=6424 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{21748 \times 10 \times 3}{100} = \text{■}6524$.

id=28615 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 14. | option_a=210 | option_b=240 | option_c=420 | option_d=196 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 30 \times 14$; $\text{HCF}(30,14) = 2$, so $\text{LCM} = 210$.

id=28616 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4813. If it is sold at a profit of 40%, what is its selling price? | option_a=7219 | option_b=4853 | option_c=6257 | option_d=6738 | answer=D | explanation= $\text{Selling price} = CP \times \frac{(100 + \text{profit}\%)}{100} = 4813 \times \frac{140}{100} = \text{■}6738$.

id=28617 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2973. If it is sold at a profit of 40%, what is its selling price? | option_a=3013 | option_b=4459 | option_c=3865 | option_d=4162 | answer=D | explanation= $\text{Selling price} = CP \times \frac{(100 + \text{profit}\%)}{100} = 2973 \times \frac{140}{100} = \text{■}4162$.

id=28618 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=21 | option_b=20 | option_c=17 | option_d=23 | answer=B | explanation=The common difference is 3. Therefore the next term is $17 + 3 = 20$.

id=28619 | topic=Averages | difficulty=Easy | question=Find the average of 60, 11, 61, 41, 13, 34, 53. | option_a=41 | option_b=38 | option_c=40 | option_d=39 | answer=D | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{273}{7} = 39$.

id=28620 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{60}{2} = 30 \text{ km/h}$.

Aptitude Questions — Records 28,621-28,650 of 100,000

id=28621 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 43? | option_a=27 | option_b=34 | option_c=43 | option_d=20 | answer=C | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 43 is the odd one out.

id=28622 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 13, 23, 36? | option_a=36 | option_b=3 | option_c=13 | option_d=23 | answer=A | explanation=The first three numbers increase by 10, so the next should be 33. Therefore 36 is the odd one out.

id=28623 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11743 at 4% per annum for 4 years. | option_a=13621 | option_b=1778 | option_c=1878 | option_d=1978 | answer=C | explanation=SI = $PRT/100 = 11743 \times 4 \times 4 / 100 = \text{■}1878$.

id=28624 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 37? | option_a=32 | option_b=30 | option_c=34 | option_d=37 | answer=D | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 37 is the odd one out.

id=28625 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:13 and the first is 20, what is the second? | option_a=132 | option_b=117 | option_c=150 | option_d=130 | answer=D | explanation=Scale factor = $20/2 = 10$. Therefore second quantity = $13 \times 10 = 130$.

id=28626 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=C | option_b=F | option_c=I | option_d=L | answer=C | explanation=Move 3 positions forward from F; the resulting letter is I.

id=28627 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=56 | option_b=47 | option_c=36 | option_d=46 | answer=D | explanation=The common difference is 10. Therefore the next term is $36 + 10 = 46$.

id=28628 | topic=Percentages | difficulty=Easy | question=What is 40% of 1007? | option_a=392 | option_b=804 | option_c=402 | option_d=412 | answer=C | explanation= 40% of 1007 = $(40/100) \times 1007 = 402$.

id=28629 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = $360 \div 6 = 60$ km/h.

id=28630 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=85 | option_c=95 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = $180 \div 2 = 90$ km/h.

id=28631 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4201. If it is sold at a profit of 5%, what is its selling price? | option_a=3991 | option_b=4206 | option_c=4831 | option_d=4411 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4201 \times 105 / 100 = \text{■}4411$.

id=28632 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=53 | option_b=63 | option_c=41 | option_d=52 | answer=D | explanation=The common difference is 11. Therefore the next term is $41 + 11 = 52$.

id=28633 | topic=Percentages | difficulty=Easy | question=What is 12% of 213? | option_a=20 | option_b=50 | option_c=30 | option_d=25 | answer=D | explanation= 12% of 213 = $(12/100) \times 213 = 25$.

id=28634 | topic=Averages | difficulty=Easy | question=Find the average of 86, 56, 47. | option_a=63 | option_b=64 | option_c=65 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = $189 \div 3 = 63$.

id=28635 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=7 | option_d=17 | answer=B | explanation=Speed = distance ÷ time = $60 \div 5 = 12$ km/h.

id=28636 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3697 at 6% per annum for 1 years. | option_a=3918 | option_b=221 | option_c=121 | option_d=321 | answer=B | explanation=SI = $PRT/100 = 3697 \times 6 \times 1 / 100 = \text{■}221$.

id=28637 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9261 at 15% per annum for 2 years. | option_a=2878 | option_b=2678 | option_c=2778 | option_d=12039 | answer=C | explanation=SI = $PRT/100 = 9261 \times 15 \times 2 / 100 = \text{■}2778$.

id=28638 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:17 and the first is 320, what is the second? | option_a=272 | option_b=592 | option_c=292 | option_d=255 | answer=A | explanation=Scale factor = $320/20 = 16$. Therefore second quantity = $17 \times 16 = 272$.

id=28639 | topic=Percentages | difficulty=Easy | question=What is 40% of 1663? | option_a=645 | option_b=665 | option_c=1330 | option_d=670 | answer=B | explanation= 40% of 1663 = $(40/100) \times 1663 = 665$.

id=28640 | topic=Percentages | difficulty=Easy | question=What is 12% of 516? | option_a=81 | option_b=56 | option_c=122 | option_d=61 | answer=D | explanation= 12% of 516 = $(12/100) \times 516 = 61$.

id=28641 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=40 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = $120 \div 6 = 20$ km/h.

id=28642 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 14. | option_a=14 | option_b=32 | option_c=56 | option_d=28 | answer=D | explanation= $LCM \times HCF = 4 \times 14$; $HCF(4, 14) = 2$, so $LCM = 28$.

id=28643 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=56 | option_b=67 | option_c=55 | option_d=43 | answer=C | explanation=The common difference is 12. Therefore the next term is $43 + 12 = 55$.

id=28644 | topic=Percentages | difficulty=Easy | question=What is 10% of 1491? | option_a=139 | option_b=159 | option_c=149 | option_d=298 | answer=C | explanation= 10% of 1491 = $(10/100) \times 1491 = 149$.

id=28645 | topic=Averages | difficulty=Easy | question=Find the average of 80, 46, 99. | option_a=76 | option_b=75 | option_c=77 | option_d=74 | answer=B | explanation=Average = sum of values ÷ number of values = $225 \div 3 = 75$.

id=28646 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**855. If it is sold at a profit of 30%, what is its selling price? | option_a=1026 | option_b=1196 | option_c=1111 | option_d=885 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 855 \times 130 / 100 = \text{■}1111$.

id=28647 | topic=Averages | difficulty=Easy | question=Find the average of 11, 56, 38, 82, 34, 57, 44, 30. | option_a=44 | option_b=45 | option_c=43 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = $352 \div 8 = 44$.

id=28648 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=28649 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:14 and the first is 30, what is the second? | option_a=143 | option_b=126 | option_c=170 | option_d=140 | answer=D | explanation=Scale factor = $30/3 = 10$. Therefore second quantity = $14 \times 10 = 140$.

id=28650 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3297. If it is sold at a profit of 30%, what is its selling price? | option_a=4286 | option_b=3957 | option_c=4615 | option_d=3327 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3297 \times 130 / 100 = \text{■}4286$.

Aptitude Questions — Records 28,651-28,680 of 100,000

- id=28651 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3050. If it is sold at a profit of 15%, what is its selling price? | option_a=3812 | option_b=3202 | option_c=3065 | option_d=3507 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3050 × 115/100 = █3507.
- id=28652 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=28653 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=20 | option_b=21 | option_c=23 | option_d=17 | answer=A | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.
- id=28654 | topic=Percentages | difficulty=Easy | question=What is 15% of 1974? | option_a=301 | option_b=592 | option_c=296 | option_d=276 | answer=C | explanation=15% of 1974 = (15/100) × 1974 = 296.
- id=28655 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 45? | option_a=34 | option_b=18 | option_c=26 | option_d=45 | answer=D | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 45 is the odd one out.
- id=28656 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1693. If it is sold at a profit of 15%, what is its selling price? | option_a=1777 | option_b=1708 | option_c=2115 | option_d=1946 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1693 × 115/100 = █1946.
- id=28657 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34582 at 8% per annum for 4 years. | option_a=45648 | option_b=10966 | option_c=11066 | option_d=11166 | answer=C | explanation=SI = PRT/100 = 34582×8×4/100 = █11066.
- id=28658 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=28659 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=V | option_c=U | option_d=T | answer=B | explanation=Move 1 positions forward from U; the resulting letter is V.
- id=28660 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=28661 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.
- id=28662 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14340 at 5% per annum for 4 years. | option_a=2768 | option_b=2968 | option_c=17208 | option_d=2868 | answer=D | explanation=SI = PRT/100 = 14340×5×4/100 = █2868.
- id=28663 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.
- id=28664 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=A | option_b=P | option_c=F | option_d=K | answer=D | explanation=Move 5 positions forward from F; the resulting letter is K.
- id=28665 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=40 | option_c=15 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.
- id=28666 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:5 and the first is 176, what is the second? | option_a=50 | option_b=231 | option_c=71 | option_d=55 | answer=D | explanation=Scale factor = 176/16 = 11. Therefore second quantity = 5×11 = 55.
- id=28667 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:14 and the first is 32, what is the second? | option_a=256 | option_b=210 | option_c=226 | option_d=224 | answer=D | explanation=Scale factor = 32/2 = 16. Therefore second quantity = 14×16 = 224.
- id=28668 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=55 | option_b=35 | option_c=45 | option_d=46 | answer=C | explanation=The common difference is 10. Therefore the next term is 35 + 10 = 45.
- id=28669 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.
- id=28670 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:15 and the first is 78, what is the second? | option_a=75 | option_b=90 | option_c=103 | option_d=168 | answer=B | explanation=Scale factor = 78/13 = 6. Therefore second quantity = 15×6 = 90.
- id=28671 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=60 | option_b=38 | option_c=49 | option_d=50 | answer=C | explanation=The common difference is 11. Therefore the next term is 38 + 11 = 49.
- id=28672 | topic=Profit & Loss | difficulty=Easy | question=An article costs █631. If it is sold at a profit of 5%, what is its selling price? | option_a=725 | option_b=599 | option_c=636 | option_d=662 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 631 × 105/100 = █662.
- id=28673 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1624. If it is sold at a profit of 15%, what is its selling price? | option_a=1705 | option_b=1639 | option_c=1867 | option_d=2029 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1624 × 115/100 = █1867.
- id=28674 | topic=Averages | difficulty=Easy | question=Find the average of 59, 40, 53, 50, 72, 44. | option_a=55 | option_b=54 | option_c=52 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 318 ÷ 6 = 53.
- id=28675 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=17 | option_b=21 | option_c=20 | option_d=19 | answer=D | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.
- id=28676 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=59 | option_b=41 | option_c=51 | option_d=50 | answer=D | explanation=The common difference is 9. Therefore the next term is 41 + 9 = 50.
- id=28677 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 32? | option_a=26 | option_b=16 | option_c=21 | option_d=32 | answer=D | explanation=The first three numbers increase by 5, so the next should be 31. Therefore 32 is the odd one out.
- id=28678 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=28679 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=51 | option_b=52 | option_c=62 | option_d=40 | answer=A | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.
- id=28680 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2119 at 5% per annum for 1 years. | option_a=105 | option_b=5 | option_c=2224 | option_d=205 | answer=A | explanation=SI = PRT/100 = 2119×5×1/100 = █105.

Aptitude Questions — Records 28,681-28,710 of 100,000

id=28681 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■2275 at 4% per annum for 1 years. | option_a=0 | option_b=91 | option_c=191 | option_d=2366 | answer=B | explanation=SI = PRT/100 = 2275×4×1/100 = ■91.

id=28682 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=28683 | topic=Percentages | difficulty=Easy | question=What is 40% of 418? | option_a=157 | option_b=167 | option_c=177 | option_d=334 | answer=B | explanation=40% of 418 = (40/100) × 418 = 167.

id=28684 | topic=Percentages | difficulty=Easy | question=What is 20% of 202? | option_a=35 | option_b=60 | option_c=40 | option_d=80 | answer=C | explanation=20% of 202 = (20/100) × 202 = 40.

id=28685 | topic=Percentages | difficulty=Easy | question=What is 12% of 675? | option_a=81 | option_b=162 | option_c=101 | option_d=61 | answer=A | explanation=12% of 675 = (12/100) × 675 = 81.

id=28686 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=28687 | topic=Percentages | difficulty=Easy | question=What is 10% of 1548? | option_a=308 | option_b=134 | option_c=154 | option_d=164 | answer=C | explanation=10% of 1548 = (10/100) × 1548 = 154.

id=28688 | topic=Percentages | difficulty=Easy | question=What is 20% of 858? | option_a=191 | option_b=342 | option_c=166 | option_d=171 | answer=D | explanation=20% of 858 = (20/100) × 858 = 171.

id=28689 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=I | option_b=X | option_c=S | option_d=N | answer=C | explanation=Move 5 positions forward from N; the resulting letter is S.

id=28690 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 17, 21, 26? | option_a=13 | option_b=21 | option_c=17 | option_d=26 | answer=D | explanation=The first three numbers increase by 4, so the next should be 25. Therefore 26 is the odd one out.

id=28691 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■13281 at 8% per annum for 2 years. | option_a=2224 | option_b=15405 | option_c=2024 | option_d=2124 | answer=D | explanation=SI = PRT/100 = 13281×8×2/100 = ■2124.

id=28692 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=36 | option_b=41 | option_c=72 | option_d=31 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=28693 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=28694 | topic=Percentages | difficulty=Easy | question=What is 20% of 1700? | option_a=680 | option_b=340 | option_c=335 | option_d=360 | answer=B | explanation=20% of 1700 = (20/100) × 1700 = 340.

id=28695 | topic=Averages | difficulty=Easy | question=Find the average of 90, 72, 89, 51, 58, 84. | option_a=74 | option_b=75 | option_c=76 | option_d=73 | answer=A | explanation=Average = sum of values ÷ number of values = 444 ÷ 6 = 74.

id=28696 | topic=Averages | difficulty=Easy | question=Find the average of 21, 32, 79, 11, 98, 26, 83. | option_a=49 | option_b=50 | option_c=52 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

id=28697 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=28698 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:1 and the first is 247, what is the second? | option_a=18 | option_b=32 | option_c=19 | option_d=266 | answer=C | explanation=Scale factor = 247/13 = 19. Therefore second quantity = 1×19 = 19.

id=28699 | topic=Averages | difficulty=Easy | question=Find the average of 20, 36, 95, 16, 51, 18, 82, 26. | option_a=45 | option_b=42 | option_c=44 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = 344 ÷ 8 = 43.

id=28700 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=I | option_b=F | option_c=S | option_d=Z | answer=B | explanation=Move 3 positions forward from C; the resulting letter is F.

id=28701 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 59? | option_a=47 | option_b=59 | option_c=38 | option_d=29 | answer=B | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 59 is the odd one out.

id=28702 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=55 | option_c=50 | option_d=100 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=28703 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2763. If it is sold at a profit of 5%, what is its selling price? | option_a=3177 | option_b=2768 | option_c=2901 | option_d=2625 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2763 × 105/100 = ■2901.

id=28704 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=R | option_b=M | option_c=C | option_d=H | answer=B | explanation=Move 5 positions forward from H; the resulting letter is M.

id=28705 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:2 and the first is 120, what is the second? | option_a=16 | option_b=136 | option_c=14 | option_d=31 | answer=A | explanation=Scale factor = 120/15 = 8. Therefore second quantity = 2×8 = 16.

id=28706 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=1 | option_c=12 | option_d=11 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=28707 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=40 | option_b=39 | option_c=44 | option_d=34 | answer=B | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

id=28708 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=35 | option_c=40 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=28709 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:19 and the first is 9, what is the second? | option_a=171 | option_b=172 | option_c=152 | option_d=180 | answer=A | explanation=Scale factor = 9/1 = 9. Therefore second quantity = 19×9 = 171.

id=28710 | topic=Percentages | difficulty=Easy | question=What is 10% of 555? | option_a=60 | option_b=55 | option_c=110 | option_d=50 | answer=B | explanation=10% of 555 = (10/100) × 555 = 55.

Aptitude Questions — Records 28,711-28,740 of 100,000

id=28711 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 27? | option_a=12 | option_b=6 | option_c=27 | option_d=18 | answer=C | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 27 is the odd one out.

id=28712 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 26. | option_a=224 | option_b=208 | option_c=182 | option_d=416 | answer=B | explanation=LCM × HCF = 16×26; HCF(16,26) = 2, so LCM = 208.

id=28713 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=95 | option_c=180 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=28714 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2110. If it is sold at a profit of 5%, what is its selling price? | option_a=2004 | option_b=2215 | option_c=2426 | option_d=2115 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2110 × 105/100 = █2215.

id=28715 | topic=Averages | difficulty=Easy | question=Find the average of 49, 65, 71, 69, 48, 34, 80, 25, 61, 38. | option_a=53 | option_b=55 | option_c=54 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

id=28716 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:8 and the first is 210, what is the second? | option_a=322 | option_b=104 | option_c=112 | option_d=127 | answer=C | explanation=Scale factor = 210/15 = 14. Therefore second quantity = 8×14 = 112.

id=28717 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 6. | option_a=42 | option_b=63 | option_c=36 | option_d=126 | answer=A | explanation=LCM × HCF = 21×6; HCF(21,6) = 3, so LCM = 42.

id=28718 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=125 | option_b=120 | option_c=115 | option_d=240 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=28719 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 43? | option_a=34 | option_b=18 | option_c=26 | option_d=43 | answer=D | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 43 is the odd one out.

id=28720 | topic=Percentages | difficulty=Easy | question=What is 20% of 729? | option_a=150 | option_b=145 | option_c=290 | option_d=140 | answer=B | explanation=20% of 729 = (20/100) × 729 = 145.

id=28721 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=28 | option_b=34 | option_c=22 | option_d=29 | answer=A | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.

id=28722 | topic=Averages | difficulty=Easy | question=Find the average of 11, 39, 83, 20, 25, 76, 92, 78. | option_a=52 | option_b=55 | option_c=53 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.

id=28723 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=28724 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=U | option_b=K | option_c=F | option_d=P | answer=D | explanation=Move 5 positions forward from K; the resulting letter is P.

id=28725 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:16 and the first is 133, what is the second? | option_a=304 | option_b=288 | option_c=311 | option_d=437 | answer=A | explanation=Scale factor = 133/7 = 19. Therefore second quantity = 16×19 = 304.

id=28726 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=28727 | topic=Averages | difficulty=Easy | question=Find the average of 10, 76, 85, 61. | option_a=59 | option_b=58 | option_c=60 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 232 ÷ 4 = 58.

id=28728 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 39? | option_a=31 | option_b=26 | option_c=39 | option_d=21 | answer=C | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 39 is the odd one out.

id=28729 | topic=Averages | difficulty=Easy | question=Find the average of 55, 87, 16, 50, 45, 56, 55, 84. | option_a=57 | option_b=58 | option_c=55 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 448 ÷ 8 = 56.

id=28730 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35738 at 8% per annum for 3 years. | option_a=44315 | option_b=8677 | option_c=8577 | option_d=8477 | answer=C | explanation=SI = PRT/100 = 35738×8×3/100 = █8577.

id=28731 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=10 | option_b=12 | option_c=11 | option_d=8 | answer=A | explanation=The common difference is 2. Therefore the next term is 8 + 2 = 10.

id=28732 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43322 at 15% per annum for 2 years. | option_a=12896 | option_b=56318 | option_c=13096 | option_d=12996 | answer=D | explanation=SI = PRT/100 = 43322×15×2/100 = █12996.

id=28733 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:14 and the first is 304, what is the second? | option_a=570 | option_b=282 | option_c=252 | option_d=266 | answer=D | explanation=Scale factor = 304/16 = 19. Therefore second quantity = 14×19 = 266.

id=28734 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=54 | option_b=43 | option_c=65 | option_d=55 | answer=A | explanation=The common difference is 11. Therefore the next term is 43 + 11 = 54.

id=28735 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=48 | option_b=49 | option_c=59 | option_d=37 | answer=A | explanation=The common difference is 11. Therefore the next term is 37 + 11 = 48.

id=28736 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=50 | option_b=60 | option_c=61 | option_d=70 | answer=B | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

id=28737 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 5. | option_a=15 | option_b=20 | option_c=40 | option_d=100 | answer=B | explanation=LCM × HCF = 20×5; HCF(20,5) = 5, so LCM = 20.

id=28738 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=36 | option_c=13 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=28739 | topic=Profit & Loss | difficulty=Easy | question=An article costs █303. If it is sold at a profit of 25%, what is its selling price? | option_a=378 | option_b=328 | option_c=348 | option_d=408 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 303 × 125/100 = █378.

id=28740 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 21? | option_a=14 | option_b=16 | option_c=18 | option_d=21 | answer=D | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 21 is the odd one out.

Aptitude Questions — Records 28,741-28,770 of 100,000

id=28741 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=28742 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 14. | option_a=224 | option_b=98 | option_c=112 | option_d=128 | answer=C | explanation=LCM × HCF = 16×14; HCF(16,14) = 2, so LCM = 112.

id=28743 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=Y | option_b=D | option_c=O | option_d=T | answer=A | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=28744 | topic=Percentages | difficulty=Easy | question=What is 10% of 1597? | option_a=318 | option_b=179 | option_c=154 | option_d=159 | answer=D | explanation=10% of 1597 = (10/100) × 1597 = 159.

id=28745 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 16, 21, 28? | option_a=28 | option_b=11 | option_c=21 | option_d=16 | answer=A | explanation=The first three numbers increase by 5, so the next should be 26. Therefore 28 is the odd one out.

id=28746 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**11549 at 12% per annum for 4 years. | option_a=17092 | option_b=5443 | option_c=5643 | option_d=5543 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{11549 \times 12 \times 4}{100} = \text{₹}5543$.

id=28747 | topic=Percentages | difficulty=Easy | question=What is 40% of 1919? | option_a=772 | option_b=1534 | option_c=747 | option_d=767 | answer=D | explanation=40% of 1919 = $(40/100) \times 1919 = 767$.

id=28748 | topic=Percentages | difficulty=Easy | question=What is 50% of 724? | option_a=372 | option_b=362 | option_c=724 | option_d=342 | answer=B | explanation=50% of 724 = $(50/100) \times 724 = 362$.

id=28749 | topic=Averages | difficulty=Easy | question=Find the average of 86, 34, 65, 91. | option_a=69 | option_b=71 | option_c=68 | option_d=70 | answer=A | explanation=Average = sum of values ÷ number of values = $276 \div 4 = 69$.

id=28750 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=10 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = $150 \div 10 = 15$ km/h.

id=28751 | topic=Averages | difficulty=Easy | question=Find the average of 29, 16, 17, 16, 10, 24, 25, 75, 86, 102. | option_a=42 | option_b=40 | option_c=41 | option_d=39 | answer=B | explanation=Average = sum of values ÷ number of values = $400 \div 10 = 40$.

id=28752 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=P | option_b=J | option_c=S | option_d=M | answer=A | explanation=Move 3 positions forward from M; the resulting letter is P.

id=28753 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=25 | option_b=23 | option_c=27 | option_d=26 | answer=A | explanation=The common difference is 2. Therefore the next term is $23 + 2 = 25$.

id=28754 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=34 | option_b=28 | option_c=29 | option_d=22 | answer=B | explanation=The common difference is 6. Therefore the next term is $22 + 6 = 28$.

id=28755 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=T | option_b=L | option_c=H | option_d=P | answer=D | explanation=Move 4 positions forward from L; the resulting letter is P.

id=28756 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=Y | option_c=V | option_d=P | answer=C | explanation=Move 3 positions forward from S; the resulting letter is V.

id=28757 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 18. | option_a=216 | option_b=468 | option_c=260 | option_d=234 | answer=D | explanation=LCM × HCF = 26×18 ; $\text{HCF}(26,18) = 2$, so LCM = 234.

id=28758 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=G | option_b=D | option_c=X | option_d=A | answer=B | explanation=Move 3 positions forward from A; the resulting letter is D.

id=28759 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1500. If it is sold at a profit of 30%, what is its selling price? | option_a=1950 | option_b=1530 | option_c=1800 | option_d=2100 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1500 \times 130 / 100 = \text{₹}1950$.

id=28760 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=28761 | topic=Averages | difficulty=Easy | question=Find the average of 53, 83, 55, 37. | option_a=59 | option_b=58 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = $228 \div 4 = 57$.

id=28762 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = $180 \div 6 = 30$ km/h.

id=28763 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**10564 at 12% per annum for 5 years. | option_a=6238 | option_b=16902 | option_c=6338 | option_d=6438 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{10564 \times 12 \times 5}{100} = \text{₹}6338$.

id=28764 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=28765 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 13, 20, 30? | option_a=6 | option_b=30 | option_c=13 | option_d=20 | answer=B | explanation=The first three numbers increase by 7, so the next should be 27. Therefore 30 is the odd one out.

id=28766 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=31 | option_b=45 | option_c=38 | option_d=39 | answer=C | explanation=The common difference is 7. Therefore the next term is $31 + 7 = 38$.

id=28767 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=26 | option_b=31 | option_c=30 | option_d=34 | answer=C | explanation=The common difference is 4. Therefore the next term is $26 + 4 = 30$.

id=28768 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=28769 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=28770 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 35? | option_a=28 | option_b=20 | option_c=35 | option_d=24 | answer=C | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 35 is the odd one out.

Aptitude Questions — Records 28,771-28,800 of 100,000

id=28771 | topic=Percentages | difficulty=Easy | question=What is 10% of 427? | option_a=52 | option_b=22 | option_c=42 | option_d=84 | answer=C | explanation=10% of 427 = (10/100) × 427 = 42.

id=28772 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■2800 at 8% per annum for 5 years. | option_a=1220 | option_b=3920 | option_c=1020 | option_d=1120 | answer=D | explanation=SI = PRT/100 = 2800×8×5/100 = ■1120.

id=28773 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2969. If it is sold at a profit of 30%, what is its selling price? | option_a=3563 | option_b=2999 | option_c=4155 | option_d=3859 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2969 × 130/100 = ■3859.

id=28774 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=P | option_c=H | option_d=T | answer=B | explanation=Move 4 positions forward from L; the resulting letter is P.

id=28775 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=C | option_b=Y | option_c=Q | option_d=U | answer=B | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=28776 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=12 | option_c=7 | option_d=24 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=28777 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=38 | option_b=45 | option_c=31 | option_d=39 | answer=A | explanation=The common difference is 7. Therefore the next term is 31 + 7 = 38.

id=28778 | topic=Percentages | difficulty=Easy | question=What is 10% of 269? | option_a=26 | option_b=31 | option_c=52 | option_d=16 | answer=A | explanation=10% of 269 = (10/100) × 269 = 26.

id=28779 | topic=Averages | difficulty=Easy | question=Find the average of 35, 12, 58, 71. | option_a=46 | option_b=44 | option_c=45 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = 176 ÷ 4 = 44.

id=28780 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=28781 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=28782 | topic=Percentages | difficulty=Easy | question=What is 12% of 1104? | option_a=112 | option_b=264 | option_c=132 | option_d=142 | answer=C | explanation=12% of 1104 = (12/100) × 1104 = 132.

id=28783 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4357. If it is sold at a profit of 10%, what is its selling price? | option_a=4357 | option_b=4792 | option_c=4367 | option_d=5227 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4357 × 110/100 = ■4792.

id=28784 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=28785 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=17 | option_d=7 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=28786 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:11 and the first is 20, what is the second? | option_a=22 | option_b=32 | option_c=42 | option_d=11 | answer=A | explanation=Scale factor = 20/10 = 2. Therefore second quantity = 11×2 = 22.

id=28787 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■522. If it is sold at a profit of 40%, what is its selling price? | option_a=730 | option_b=782 | option_c=678 | option_d=562 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 522 × 140/100 = ■730.

id=28788 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=28789 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:13 and the first is 195, what is the second? | option_a=184 | option_b=364 | option_c=169 | option_d=156 | answer=C | explanation=Scale factor = 195/15 = 13. Therefore second quantity = 13×13 = 169.

id=28790 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=28791 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:5 and the first is 100, what is the second? | option_a=200 | option_b=95 | option_c=100 | option_d=105 | answer=C | explanation=Scale factor = 100/5 = 20. Therefore second quantity = 5×20 = 100.

id=28792 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=28793 | topic=Averages | difficulty=Easy | question=Find the average of 42, 68, 51, 19, 83, 91. | option_a=59 | option_b=60 | option_c=61 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.

id=28794 | topic=Percentages | difficulty=Easy | question=What is 25% of 1722? | option_a=860 | option_b=450 | option_c=430 | option_d=410 | answer=C | explanation=25% of 1722 = (25/100) × 1722 = 430.

id=28795 | topic=Averages | difficulty=Easy | question=Find the average of 34, 53, 63, 27, 25, 74. | option_a=47 | option_b=46 | option_c=45 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 276 ÷ 6 = 46.

id=28796 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=28797 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 41? | option_a=41 | option_b=11 | option_c=29 | option_d=20 | answer=A | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 41 is the odd one out.

id=28798 | topic=Averages | difficulty=Easy | question=Find the average of 75, 71, 53, 37. | option_a=58 | option_b=60 | option_c=61 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 236 ÷ 4 = 59.

id=28799 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■2803 at 10% per annum for 1 years. | option_a=3083 | option_b=380 | option_c=280 | option_d=180 | answer=C | explanation=SI = PRT/100 = 2803×10×1/100 = ■280.

id=28800 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:12 and the first is 76, what is the second? | option_a=67 | option_b=36 | option_c=48 | option_d=124 | answer=C | explanation=Scale factor = 76/19 = 4. Therefore second quantity = 12×4 = 48.

Aptitude Questions — Records 28,801-28,830 of 100,000

id=28801 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=32 | option_b=25 | option_c=39 | option_d=33 | answer=A | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.

id=28802 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=28803 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■2238 at 10% per annum for 5 years. | option_a=1219 | option_b=1019 | option_c=3357 | option_d=1119 | answer=D | explanation=SI = PRT/100 = 2238×10×5/100 = ■1119.

id=28804 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 25, 31, 39? | option_a=31 | option_b=19 | option_c=25 | option_d=39 | answer=D | explanation=The first three numbers increase by 6, so the next should be 37. Therefore 39 is the odd one out.

id=28805 | topic=Percentages | difficulty=Easy | question=What is 20% of 1698? | option_a=344 | option_b=678 | option_c=339 | option_d=334 | answer=C | explanation=20% of 1698 = (20/100) × 1698 = 339.

id=28806 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■41984 at 4% per annum for 1 years. | option_a=1679 | option_b=43663 | option_c=1579 | option_d=1779 | answer=A | explanation=SI = PRT/100 = 41984×4×1/100 = ■1679.

id=28807 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■368. If it is sold at a profit of 10%, what is its selling price? | option_a=440 | option_b=404 | option_c=378 | option_d=368 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 368 × 110/100 = ■404.

id=28808 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=32 | option_b=28 | option_c=34 | option_d=31 | answer=D | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=28809 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■44919 at 5% per annum for 2 years. | option_a=4391 | option_b=4491 | option_c=49410 | option_d=4591 | answer=B | explanation=SI = PRT/100 = 44919×5×2/100 = ■4491.

id=28810 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:20 and the first is 150, what is the second? | option_a=450 | option_b=300 | option_c=280 | option_d=310 | answer=B | explanation=Scale factor = 150/10 = 15. Therefore second quantity = 20×15 = 300.

id=28811 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=28812 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 22. | option_a=352 | option_b=176 | option_c=154 | option_d=192 | answer=B | explanation=LCM × HCF = 16×22; HCF(16,22) = 2, so LCM = 176.

id=28813 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=28814 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=28815 | topic=Percentages | difficulty=Easy | question=What is 5% of 1294? | option_a=128 | option_b=54 | option_c=84 | option_d=64 | answer=D | explanation=5% of 1294 = (5/100) × 1294 = 64.

id=28816 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Q | option_b=T | option_c=Z | option_d=W | answer=D | explanation=Move 3 positions forward from T; the resulting letter is W.

id=28817 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:6 and the first is 64, what is the second? | option_a=18 | option_b=24 | option_c=88 | option_d=40 | answer=B | explanation=Scale factor = 64/16 = 4. Therefore second quantity = 6×4 = 24.

id=28818 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=4 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=28819 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■11539 at 5% per annum for 1 years. | option_a=12115 | option_b=676 | option_c=476 | option_d=576 | answer=D | explanation=SI = PRT/100 = 11539×5×1/100 = ■576.

id=28820 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 24, 30, 38? | option_a=30 | option_b=18 | option_c=38 | option_d=24 | answer=C | explanation=The first three numbers increase by 6, so the next should be 36. Therefore 38 is the odd one out.

id=28821 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■660. If it is sold at a profit of 40%, what is its selling price? | option_a=858 | option_b=924 | option_c=700 | option_d=990 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 660 × 140/100 = ■924.

id=28822 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 27, 32, 38? | option_a=27 | option_b=22 | option_c=38 | option_d=32 | answer=C | explanation=The first three numbers increase by 5, so the next should be 37. Therefore 38 is the odd one out.

id=28823 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:20 and the first is 196, what is the second? | option_a=476 | option_b=260 | option_c=280 | option_d=294 | answer=C | explanation=Scale factor = 196/14 = 14. Therefore second quantity = 20×14 = 280.

id=28824 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:11 and the first is 11, what is the second? | option_a=110 | option_b=121 | option_c=132 | option_d=122 | answer=B | explanation=Scale factor = 11/1 = 11. Therefore second quantity = 11×11 = 121.

id=28825 | topic=Percentages | difficulty=Easy | question=What is 5% of 263? | option_a=0 | option_b=13 | option_c=26 | option_d=33 | answer=B | explanation=5% of 263 = (5/100) × 263 = 13.

id=28826 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:19 and the first is 72, what is the second? | option_a=152 | option_b=171 | option_c=179 | option_d=243 | answer=B | explanation=Scale factor = 72/8 = 9. Therefore second quantity = 19×9 = 171.

id=28827 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=50 | option_c=55 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=28828 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■45204 at 8% per annum for 1 years. | option_a=3516 | option_b=48820 | option_c=3716 | option_d=3616 | answer=D | explanation=SI = PRT/100 = 45204×8×1/100 = ■3616.

id=28829 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=W | option_b=Q | option_c=T | option_d=N | answer=C | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=28830 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■18129 at 10% per annum for 4 years. | option_a=7351 | option_b=7151 | option_c=7251 | option_d=25380 | answer=C | explanation=SI = PRT/100 = 18129×10×4/100 = ■7251.

Aptitude Questions — Records 28,831-28,860 of 100,000

id=28831 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=85 | option_c=80 | option_d=160 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=28832 | topic=Percentages | difficulty=Easy | question=What is 30% of 468? | option_a=280 | option_b=135 | option_c=140 | option_d=150 | answer=C | explanation=30% of 468 = (30/100) × 468 = 140.

id=28833 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2183. If it is sold at a profit of 40%, what is its selling price? | option_a=2223 | option_b=3274 | option_c=3056 | option_d=2838 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2183 × 140/100 = █3056.

id=28834 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=U | option_c=S | option_d=Q | answer=B | explanation=Move 2 positions forward from S; the resulting letter is U.

id=28835 | topic=Profit & Loss | difficulty=Easy | question=An article costs █855. If it is sold at a profit of 10%, what is its selling price? | option_a=855 | option_b=865 | option_c=1025 | option_d=940 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 855 × 110/100 = █940.

id=28836 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4294. If it is sold at a profit of 30%, what is its selling price? | option_a=5153 | option_b=4324 | option_c=5582 | option_d=6011 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4294 × 130/100 = █5582.

id=28837 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=W | option_c=O | option_d=A | answer=B | explanation=Move 4 positions forward from S; the resulting letter is W.

id=28838 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=150 | option_c=155 | option_d=300 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=28839 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41744 at 8% per annum for 4 years. | option_a=55102 | option_b=13258 | option_c=13458 | option_d=13358 | answer=D | explanation=SI = PRT/100 = 41744×8×4/100 = █13358.

id=28840 | topic=Percentages | difficulty=Easy | question=What is 10% of 1437? | option_a=286 | option_b=143 | option_c=148 | option_d=123 | answer=B | explanation=10% of 1437 = (10/100) × 1437 = 143.

id=28841 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=14 | option_b=15 | option_c=16 | option_d=12 | answer=A | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=28842 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=8 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=28843 | topic=Averages | difficulty=Easy | question=Find the average of 61, 44, 54, 62, 51, 83, 44, 88, 91, 32. | option_a=60 | option_b=63 | option_c=62 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 610 ÷ 10 = 61.

id=28844 | topic=Percentages | difficulty=Easy | question=What is 20% of 1055? | option_a=201 | option_b=231 | option_c=422 | option_d=211 | answer=D | explanation=20% of 1055 = (20/100) × 1055 = 211.

id=28845 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 33? | option_a=28 | option_b=25 | option_c=22 | option_d=33 | answer=D | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 33 is the odd one out.

id=28846 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=28847 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=28848 | topic=Averages | difficulty=Easy | question=Find the average of 47, 94, 62, 10, 82. | option_a=59 | option_b=60 | option_c=61 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 295 ÷ 5 = 59.

id=28849 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12363 at 5% per annum for 1 years. | option_a=518 | option_b=12981 | option_c=718 | option_d=618 | answer=D | explanation=SI = PRT/100 = 12363×5×1/100 = █618.

id=28850 | topic=Percentages | difficulty=Easy | question=What is 40% of 725? | option_a=295 | option_b=290 | option_c=285 | option_d=580 | answer=B | explanation=40% of 725 = (40/100) × 725 = 290.

id=28851 | topic=Averages | difficulty=Easy | question=Find the average of 47, 74, 39, 87, 82, 79. | option_a=69 | option_b=68 | option_c=70 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = 408 ÷ 6 = 68.

id=28852 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=12 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=28853 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21953 at 6% per annum for 4 years. | option_a=5268 | option_b=27221 | option_c=5168 | option_d=5368 | answer=A | explanation=SI = PRT/100 = 21953×6×4/100 = █5268.

id=28854 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=F | option_c=D | option_d=G | answer=B | explanation=Move 1 positions forward from E; the resulting letter is F.

id=28855 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=28856 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 30. | option_a=30 | option_b=150 | option_c=1 | option_d=35 | answer=A | explanation=LCM × HCF = 5×30, HCF(5,30) = 5, so LCM = 30.

id=28857 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=H | option_b=B | option_c=E | option_d=Y | answer=C | explanation=Move 3 positions forward from B; the resulting letter is E.

id=28858 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=L | option_b=J | option_c=H | option_d=N | answer=A | explanation=Move 2 positions forward from J; the resulting letter is L.

id=28859 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 37? | option_a=32 | option_b=30 | option_c=37 | option_d=34 | answer=C | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 37 is the odd one out.

id=28860 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

Aptitude Questions — Records 28,861-28,890 of 100,000

id=28861 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10907 at 8% per annum for 2 years. | option_a=12652 | option_b=1845 | option_c=1645 | option_d=1745 | answer=D | explanation=SI = $PRT/100 = 10907 \times 8 \times 2 / 100 = \text{■}1745$.

id=28862 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=D | option_b=G | option_c=F | option_d=E | answer=C | explanation=Move 1 positions forward from E; the resulting letter is F.

id=28863 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:1 and the first is 133, what is the second? | option_a=19 | option_b=18 | option_c=26 | option_d=152 | answer=A | explanation=Scale factor = $133/7 = 19$. Therefore second quantity = $1 \times 19 = 19$.

id=28864 | topic=Averages | difficulty=Easy | question=Find the average of 85, 77, 62, 28, 86, 88, 38, 96. | option_a=71 | option_b=69 | option_c=70 | option_d=72 | answer=C | explanation=Average = sum of values ÷ number of values = $560 \div 8 = 70$.

id=28865 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4214. If it is sold at a profit of 30%, what is its selling price? | option_a=4244 | option_b=5057 | option_c=5899 | option_d=5478 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4214 \times 130 / 100 = \text{■}5478$.

id=28866 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 6, 10, 17? | option_a=17 | option_b=2 | option_c=10 | option_d=6 | answer=A | explanation=The first three numbers increase by 4, so the next should be 14. Therefore 17 is the odd one out.

id=28867 | topic=Percentages | difficulty=Easy | question=What is 25% of 76? | option_a=39 | option_b=19 | option_c=14 | option_d=38 | answer=B | explanation=25% of 76 = $(25/100) \times 76 = 19$.

id=28868 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:3 and the first is 30, what is the second? | option_a=27 | option_b=33 | option_c=30 | option_d=60 | answer=C | explanation=Scale factor = $30/3 = 10$. Therefore second quantity = $3 \times 10 = 30$.

id=28869 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=L | option_b=N | option_c=H | option_d=J | answer=A | explanation=Move 2 positions forward from J; the resulting letter is L.

id=28870 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:16 and the first is 8, what is the second? | option_a=66 | option_b=48 | option_c=64 | option_d=72 | answer=C | explanation=Scale factor = $8/2 = 4$. Therefore second quantity = $16 \times 4 = 64$.

id=28871 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=155 | option_c=150 | option_d=300 | answer=C | explanation=Speed = distance ÷ time = $300 \div 2 = 150$ km/h.

id=28872 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3340. If it is sold at a profit of 20%, what is its selling price? | option_a=3674 | option_b=4008 | option_c=4342 | option_d=3360 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3340 \times 120 / 100 = \text{■}4008$.

id=28873 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 26, 36, 47? | option_a=26 | option_b=16 | option_c=36 | option_d=47 | answer=D | explanation=The first three numbers increase by 10, so the next should be 46. Therefore 47 is the odd one out.

id=28874 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=59 | option_b=70 | option_c=58 | option_d=46 | answer=C | explanation=The common difference is 12. Therefore the next term is $46 + 12 = 58$.

id=28875 | topic=Averages | difficulty=Easy | question=Find the average of 32, 80, 78, 38. | option_a=58 | option_b=59 | option_c=57 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = $228 \div 4 = 57$.

id=28876 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:1 and the first is 26, what is the second? | option_a=15 | option_b=12 | option_c=39 | option_d=13 | answer=D | explanation=Scale factor = $26/2 = 13$. Therefore second quantity = $1 \times 13 = 13$.

id=28877 | topic=Percentages | difficulty=Easy | question=What is 40% of 1962? | option_a=789 | option_b=784 | option_c=1568 | option_d=774 | answer=B | explanation=40% of 1962 = $(40/100) \times 1962 = 784$.

id=28878 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 26, 32, 39? | option_a=20 | option_b=32 | option_c=39 | option_d=26 | answer=C | explanation=The first three numbers increase by 6, so the next should be 38. Therefore 39 is the odd one out.

id=28879 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**584. If it is sold at a profit of 5%, what is its selling price? | option_a=589 | option_b=671 | option_c=555 | option_d=613 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 584 \times 105 / 100 = \text{■}613$.

id=28880 | topic=Percentages | difficulty=Easy | question=What is 40% of 1264? | option_a=485 | option_b=505 | option_c=510 | option_d=1010 | answer=B | explanation=40% of 1264 = $(40/100) \times 1264 = 505$.

id=28881 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41967 at 5% per annum for 4 years. | option_a=8493 | option_b=8293 | option_c=8393 | option_d=50360 | answer=C | explanation=SI = $PRT/100 = 41967 \times 5 \times 4 / 100 = \text{■}8393$.

id=28882 | topic=Percentages | difficulty=Easy | question=What is 10% of 255? | option_a=45 | option_b=50 | option_c=25 | option_d=15 | answer=C | explanation=10% of 255 = $(10/100) \times 255 = 25$.

id=28883 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=59 | option_b=51 | option_c=50 | option_d=41 | answer=C | explanation=The common difference is 9. Therefore the next term is $41 + 9 = 50$.

id=28884 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1680. If it is sold at a profit of 25%, what is its selling price? | option_a=2268 | option_b=2100 | option_c=1705 | option_d=1932 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1680 \times 125 / 100 = \text{■}2100$.

id=28885 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=28886 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 37? | option_a=17 | option_b=23 | option_c=37 | option_d=29 | answer=C | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 37 is the odd one out.

id=28887 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=28888 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=F | option_b=K | option_c=V | option_d=A | answer=A | explanation=Move 5 positions forward from A; the resulting letter is F.

id=28889 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35316 at 4% per annum for 1 years. | option_a=36728 | option_b=1312 | option_c=1512 | option_d=1412 | answer=D | explanation=SI = $PRT/100 = 35316 \times 4 \times 1 / 100 = \text{■}1412$.

id=28890 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 24. | option_a=720 | option_b=120 | option_c=96 | option_d=150 | answer=B | explanation=LCM $\times$ HCF = 30×24 ; HCF(30,24) = 6, so LCM = 120.

Aptitude Questions — Records 28,891-28,920 of 100,000

- id=28891 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 33? | option_a=33 | option_b=27 | option_c=29 | option_d=25 | answer=A | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 33 is the odd one out.
- id=28892 | topic=Profit & Loss | difficulty=Easy | question=An article costs █304. If it is sold at a profit of 10%, what is its selling price? | option_a=304 | option_b=314 | option_c=364 | option_d=334 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 304 × 110/100 = █334.
- id=28893 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=31 | option_b=27 | option_c=26 | option_d=21 | answer=C | explanation=The common difference is 5. Therefore the next term is 21 + 5 = 26.
- id=28894 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 27? | option_a=27 | option_b=24 | option_c=22 | option_d=20 | answer=A | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 27 is the odd one out.
- id=28895 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=53 | option_b=44 | option_c=35 | option_d=45 | answer=B | explanation=The common difference is 9. Therefore the next term is 35 + 9 = 44.
- id=28896 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 16. | option_a=64 | option_b=20 | option_c=16 | option_d=1 | answer=C | explanation=LCM × HCF = 4×16; HCF(4,16) = 4, so LCM = 16.
- id=28897 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.
- id=28898 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.
- id=28899 | topic=Averages | difficulty=Easy | question=Find the average of 58, 57, 26, 73, 52, 89, 58. | option_a=61 | option_b=58 | option_c=60 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 413 ÷ 7 = 59.
- id=28900 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 21, 23, 26? | option_a=21 | option_b=26 | option_c=23 | option_d=19 | answer=B | explanation=The first three numbers increase by 2, so the next should be 25. Therefore 26 is the odd one out.
- id=28901 | topic=Percentages | difficulty=Easy | question=What is 5% of 1880? | option_a=94 | option_b=188 | option_c=89 | option_d=114 | answer=A | explanation=5% of 1880 = (5/100) × 1880 = 94.
- id=28902 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:7 and the first is 126, what is the second? | option_a=224 | option_b=91 | option_c=107 | option_d=98 | answer=D | explanation=Scale factor = 126/9 = 14. Therefore second quantity = 7×14 = 98.
- id=28903 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42223 at 8% per annum for 3 years. | option_a=10033 | option_b=52356 | option_c=10233 | option_d=10133 | answer=D | explanation=SI = PRT/100 = 42223×8×3/100 = █10133.
- id=28904 | topic=Percentages | difficulty=Easy | question=What is 25% of 1921? | option_a=960 | option_b=480 | option_c=460 | option_d=500 | answer=B | explanation=25% of 1921 = (25/100) × 1921 = 480.
- id=28905 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=28906 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:5 and the first is 165, what is the second? | option_a=86 | option_b=70 | option_c=240 | option_d=75 | answer=D | explanation=Scale factor = 165/11 = 15. Therefore second quantity = 5×15 = 75.
- id=28907 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=J | option_c=O | option_d=Z | answer=B | explanation=Move 5 positions forward from E; the resulting letter is J.
- id=28908 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.
- id=28909 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=28910 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=95 | option_c=90 | option_d=180 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.
- id=28911 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 38? | option_a=26 | option_b=38 | option_c=32 | option_d=29 | answer=B | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 38 is the odd one out.
- id=28912 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.
- id=28913 | topic=Averages | difficulty=Easy | question=Find the average of 33, 65, 80, 20, 80, 24, 66, 36, 55. | option_a=52 | option_b=53 | option_c=50 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 459 ÷ 9 = 51.
- id=28914 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10507 at 6% per annum for 1 years. | option_a=11137 | option_b=630 | option_c=530 | option_d=730 | answer=B | explanation=SI = PRT/100 = 10507×6×1/100 = █630.
- id=28915 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26031 at 4% per annum for 4 years. | option_a=4264 | option_b=4064 | option_c=4164 | option_d=30195 | answer=C | explanation=SI = PRT/100 = 26031×4×4/100 = █4164.
- id=28916 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=S | option_b=O | option_c=G | option_d=K | answer=B | explanation=Move 4 positions forward from K; the resulting letter is O.
- id=28917 | topic=Averages | difficulty=Easy | question=Find the average of 77, 68, 49, 29, 93, 49, 90, 20, 56. | option_a=60 | option_b=61 | option_c=58 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 531 ÷ 9 = 59.
- id=28918 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39219 at 5% per annum for 1 years. | option_a=1860 | option_b=41179 | option_c=1960 | option_d=2060 | answer=C | explanation=SI = PRT/100 = 39219×5×1/100 = █1960.
- id=28919 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 10, 16, 23? | option_a=4 | option_b=16 | option_c=23 | option_d=10 | answer=C | explanation=The first three numbers increase by 6, so the next should be 22. Therefore 23 is the odd one out.
- id=28920 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 30. | option_a=120 | option_b=128 | option_c=90 | option_d=240 | answer=A | explanation=LCM × HCF = 8×30; HCF(8,30) = 2, so LCM = 120.

Aptitude Questions — Records 28,921-28,950 of 100,000

id=28921 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=9 | option_b=18 | option_c=4 | option_d=14 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=28922 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34470 at 6% per annum for 1 years. | option_a=2168 | option_b=2068 | option_c=36538 | option_d=1968 | answer=B | explanation=SI = $\text{PRT}/100 = 34470 \times 6 \times 1/100 = \text{■}2068$.

id=28923 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4709. If it is sold at a profit of 5%, what is its selling price? | option_a=4714 | option_b=5414 | option_c=4474 | option_d=4944 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 4709 \times 105/100 = \text{■}4944$.

id=28924 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=43 | option_c=53 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=28925 | topic=Percentages | difficulty=Easy | question=What is 12% of 784? | option_a=94 | option_b=84 | option_c=104 | option_d=188 | answer=A | explanation=12% of 784 = $(12/100) \times 784 = 94$.

id=28926 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 10, 13, 19? | option_a=13 | option_b=7 | option_c=19 | option_d=10 | answer=C | explanation=The first three numbers increase by 3, so the next should be 16. Therefore 19 is the odd one out.

id=28927 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:15 and the first is 36, what is the second? | option_a=75 | option_b=96 | option_c=126 | option_d=90 | answer=D | explanation=Scale factor = $36/6 = 6$. Therefore second quantity = $15 \times 6 = 90$.

id=28928 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 13, 19, 27? | option_a=19 | option_b=7 | option_c=13 | option_d=27 | answer=D | explanation=The first three numbers increase by 6, so the next should be 25. Therefore 27 is the odd one out.

id=28929 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 13, 23, 34? | option_a=3 | option_b=13 | option_c=34 | option_d=23 | answer=C | explanation=The first three numbers increase by 10, so the next should be 33. Therefore 34 is the odd one out.

id=28930 | topic=Averages | difficulty=Easy | question=Find the average of 44, 83, 23, 24, 82, 76, 77, 55. | option_a=60 | option_b=59 | option_c=58 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = $464 \div 8 = 58$.

id=28931 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32623 at 15% per annum for 1 years. | option_a=4793 | option_b=37516 | option_c=4993 | option_d=4893 | answer=D | explanation=SI = $\text{PRT}/100 = 32623 \times 15 \times 1/100 = \text{■}4893$.

id=28932 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:17 and the first is 255, what is the second? | option_a=544 | option_b=272 | option_c=304 | option_d=289 | answer=D | explanation=Scale factor = $255/15 = 17$. Therefore second quantity = $17 \times 17 = 289$.

id=28933 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=32 | option_b=27 | option_c=35 | option_d=31 | answer=D | explanation=The common difference is 4. Therefore the next term is $27 + 4 = 31$.

id=28934 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40225 at 5% per annum for 2 years. | option_a=4022 | option_b=44247 | option_c=3922 | option_d=4122 | answer=A | explanation=SI = $\text{PRT}/100 = 40225 \times 5 \times 2/100 = \text{■}4022$.

id=28935 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3190. If it is sold at a profit of 5%, what is its selling price? | option_a=3195 | option_b=3668 | option_c=3030 | option_d=3349 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 3190 \times 105/100 = \text{■}3349$.

id=28936 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=200 | option_c=105 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = $300 \div 3 = 100$ km/h.

id=28937 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:13 and the first is 208, what is the second? | option_a=416 | option_b=208 | option_c=195 | option_d=221 | answer=B | explanation=Scale factor = $208/13 = 16$. Therefore second quantity = $13 \times 16 = 208$.

id=28938 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=28939 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=V | option_c=T | option_d=W | answer=B | explanation=Move 1 positions forward from U; the resulting letter is V.

id=28940 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:10 and the first is 228, what is the second? | option_a=180 | option_b=190 | option_c=418 | option_d=202 | answer=B | explanation=Scale factor = $228/12 = 19$. Therefore second quantity = $10 \times 19 = 190$.

id=28941 | topic=Averages | difficulty=Easy | question=Find the average of 89, 61, 51, 26, 56, 83. | option_a=60 | option_b=61 | option_c=63 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = $366 \div 6 = 61$.

id=28942 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:8 and the first is 9, what is the second? | option_a=33 | option_b=27 | option_c=24 | option_d=16 | answer=C | explanation=Scale factor = $9/3 = 3$. Therefore second quantity = $8 \times 3 = 24$.

id=28943 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:7 and the first is 45, what is the second? | option_a=35 | option_b=28 | option_c=80 | option_d=44 | answer=A | explanation=Scale factor = $45/9 = 5$. Therefore second quantity = $7 \times 5 = 35$.

id=28944 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=Y | option_b=P | option_c=S | option_d=V | answer=D | explanation=Move 3 positions forward from S; the resulting letter is V.

id=28945 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:9 and the first is 44, what is the second? | option_a=36 | option_b=47 | option_c=80 | option_d=27 | answer=A | explanation=Scale factor = $44/11 = 4$. Therefore second quantity = $9 \times 4 = 36$.

id=28946 | topic=Averages | difficulty=Easy | question=Find the average of 89, 52, 84, 29, 63, 85. | option_a=67 | option_b=69 | option_c=66 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = $402 \div 6 = 67$.

id=28947 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=28948 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=28949 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=240 | option_c=115 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.

id=28950 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=O | option_c=U | option_d=X | answer=C | explanation=Move 3 positions forward from R; the resulting letter is U.

Aptitude Questions — Records 28,951-28,980 of 100,000

id=28951 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=28952 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1209. If it is sold at a profit of 5%, what is its selling price? | option_a=1269 | option_b=1214 | option_c=1149 | option_d=1389 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1209 × 105/100 = █1269.

id=28953 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=M | option_b=S | option_c=V | option_d=P | answer=B | explanation=Move 3 positions forward from P; the resulting letter is S.

id=28954 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 29, 37, 48? | option_a=48 | option_b=21 | option_c=37 | option_d=29 | answer=A | explanation=The first three numbers increase by 8, so the next should be 45. Therefore 48 is the odd one out.

id=28955 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28306 at 12% per annum for 5 years. | option_a=45289 | option_b=17083 | option_c=16983 | option_d=16883 | answer=C | explanation=SI = PRT/100 = 28306×12×5/100 = █16983.

id=28956 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:4 and the first is 209, what is the second? | option_a=40 | option_b=44 | option_c=253 | option_d=63 | answer=B | explanation=Scale factor = 209/19 = 11. Therefore second quantity = 4×11 = 44.

id=28957 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 10. | option_a=108 | option_b=90 | option_c=180 | option_d=80 | answer=B | explanation=LCM × HCF = 18×10; HCF(18,10) = 2, so LCM = 90.

id=28958 | topic=Averages | difficulty=Easy | question=Find the average of 80, 26, 32, 25, 13, 78, 15, 73, 54. | option_a=44 | option_b=43 | option_c=45 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 396 ÷ 9 = 44.

id=28959 | topic=Averages | difficulty=Easy | question=Find the average of 80, 56, 91, 88, 18, 69. | option_a=66 | option_b=68 | option_c=69 | option_d=67 | answer=D | explanation=Average = sum of values ÷ number of values = 402 ÷ 6 = 67.

id=28960 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=O | option_c=F | option_d=L | answer=D | explanation=Move 3 positions forward from I; the resulting letter is L.

id=28961 | topic=Percentages | difficulty=Easy | question=What is 10% of 1015? | option_a=121 | option_b=81 | option_c=101 | option_d=202 | answer=C | explanation=10% of 1015 = (10/100) × 1015 = 101.

id=28962 | topic=Averages | difficulty=Easy | question=Find the average of 26, 35, 89, 42, 43, 44, 27, 100, 53. | option_a=53 | option_b=52 | option_c=50 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 459 ÷ 9 = 51.

id=28963 | topic=Percentages | difficulty=Easy | question=What is 30% of 870? | option_a=261 | option_b=522 | option_c=281 | option_d=241 | answer=A | explanation=30% of 870 = (30/100) × 870 = 261.

id=28964 | topic=Averages | difficulty=Easy | question=Find the average of 17, 12, 40, 34, 20, 14, 90, 23, 78, 82. | option_a=43 | option_b=40 | option_c=41 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = 410 ÷ 10 = 41.

id=28965 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 43? | option_a=34 | option_b=28 | option_c=43 | option_d=22 | answer=C | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 43 is the odd one out.

id=28966 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36734 at 10% per annum for 3 years. | option_a=11120 | option_b=11020 | option_c=10920 | option_d=47754 | answer=B | explanation=SI = PRT/100 = 36734×10×3/100 = █11020.

id=28967 | topic=Percentages | difficulty=Easy | question=What is 12% of 706? | option_a=79 | option_b=168 | option_c=84 | option_d=94 | answer=C | explanation=12% of 706 = (12/100) × 706 = 84.

id=28968 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 15, 20, 26? | option_a=26 | option_b=15 | option_c=10 | option_d=20 | answer=A | explanation=The first three numbers increase by 5, so the next should be 25. Therefore 26 is the odd one out.

id=28969 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=44 | option_b=34 | option_c=40 | option_d=39 | answer=D | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

id=28970 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 35, 41, 50? | option_a=35 | option_b=41 | option_c=50 | option_d=29 | answer=C | explanation=The first three numbers increase by 6, so the next should be 47. Therefore 50 is the odd one out.

id=28971 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 27. | option_a=60 | option_b=54 | option_c=27 | option_d=162 | answer=B | explanation=LCM × HCF = 6×27; HCF(6,27) = 3, so LCM = 54.

id=28972 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=55 | option_b=43 | option_c=54 | option_d=65 | answer=C | explanation=The common difference is 11. Therefore the next term is 43 + 11 = 54.

id=28973 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:8 and the first is 256, what is the second? | option_a=144 | option_b=120 | option_c=128 | option_d=384 | answer=C | explanation=Scale factor = 256/16 = 16. Therefore second quantity = 8×16 = 128.

id=28974 | topic=Profit & Loss | difficulty=Easy | question=An article costs █372. If it is sold at a profit of 50%, what is its selling price? | option_a=521 | option_b=558 | option_c=595 | option_d=422 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 372 × 150/100 = █558.

id=28975 | topic=Percentages | difficulty=Easy | question=What is 50% of 1507? | option_a=773 | option_b=743 | option_c=753 | option_d=1506 | answer=C | explanation=50% of 1507 = (50/100) × 1507 = 753.

id=28976 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=54 | option_b=64 | option_c=53 | option_d=42 | answer=C | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.

id=28977 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2637. If it is sold at a profit of 10%, what is its selling price? | option_a=2637 | option_b=2647 | option_c=3163 | option_d=2900 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2637 × 110/100 = █2900.

id=28978 | topic=Averages | difficulty=Easy | question=Find the average of 58, 52, 67. | option_a=58 | option_b=60 | option_c=59 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 177 ÷ 3 = 59.

id=28979 | topic=Percentages | difficulty=Easy | question=What is 20% of 1982? | option_a=396 | option_b=416 | option_c=792 | option_d=391 | answer=A | explanation=20% of 1982 = (20/100) × 1982 = 396.

id=28980 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:3 and the first is 80, what is the second? | option_a=12 | option_b=92 | option_c=9 | option_d=32 | answer=A | explanation=Scale factor = 80/20 = 4. Therefore second quantity = 3×4 = 12.

Aptitude Questions — Records 28,981-29,010 of 100,000

id=28981 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:5 and the first is 120, what is the second? | option_a=106 | option_b=95 | option_c=100 | option_d=220 | answer=C | explanation=Scale factor = 120/6 = 20. Therefore second quantity = 5×20 = 100.

id=28982 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=28 | option_b=31 | option_c=27 | option_d=23 | answer=C | explanation=The common difference is 4. Therefore the next term is 23 + 4 = 27.

id=28983 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=56 | option_b=45 | option_c=67 | option_d=57 | answer=A | explanation=The common difference is 11. Therefore the next term is 45 + 11 = 56.

id=28984 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3323. If it is sold at a profit of 5%, what is its selling price? | option_a=3821 | option_b=3328 | option_c=3489 | option_d=3157 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3323 × 105/100 = █3489.

id=28985 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2283 at 5% per annum for 1 years. | option_a=114 | option_b=14 | option_c=2397 | option_d=214 | answer=A | explanation=SI = PRT/100 = 2283×5×1/100 = █114.

id=28986 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3314. If it is sold at a profit of 5%, what is its selling price? | option_a=3810 | option_b=3148 | option_c=3479 | option_d=3319 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3314 × 105/100 = █3479.

id=28987 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:17 and the first is 96, what is the second? | option_a=232 | option_b=119 | option_c=136 | option_d=148 | answer=C | explanation=Scale factor = 96/12 = 8. Therefore second quantity = 17×8 = 136.

id=28988 | topic=Averages | difficulty=Easy | question=Find the average of 78, 100, 66, 83, 38. | option_a=74 | option_b=75 | option_c=73 | option_d=72 | answer=C | explanation=Average = sum of values ÷ number of values = 365 ÷ 5 = 73.

id=28989 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=13 | option_b=10 | option_c=12 | option_d=14 | answer=C | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.

id=28990 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=V | option_b=L | option_c=Q | option_d=G | answer=C | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=28991 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 31? | option_a=31 | option_b=22 | option_c=24 | option_d=26 | answer=A | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 31 is the odd one out.

id=28992 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=28993 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=D | option_c=Z | option_d=B | answer=B | explanation=Move 2 positions forward from B; the resulting letter is D.

id=28994 | topic=Averages | difficulty=Easy | question=Find the average of 74, 62, 53, 64, 92, 99, 30, 96, 76, 94. | option_a=75 | option_b=76 | option_c=73 | option_d=74 | answer=D | explanation=Average = sum of values ÷ number of values = 740 ÷ 10 = 74.

id=28995 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 22, 32, 45? | option_a=35 | option_b=22 | option_c=32 | option_d=12 | answer=A | explanation=The first three numbers increase by 10, so the next should be 42. Therefore 45 is the odd one out.

id=28996 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=N | option_c=E | option_d=K | answer=D | explanation=Move 3 positions forward from H; the resulting letter is K.

id=28997 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=60 | option_b=47 | option_c=59 | option_d=71 | answer=C | explanation=The common difference is 12. Therefore the next term is 47 + 12 = 59.

id=28998 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 29, 34, 40? | option_a=40 | option_b=24 | option_c=34 | option_d=29 | answer=A | explanation=The first three numbers increase by 5, so the next should be 39. Therefore 40 is the odd one out.

id=28999 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 29, 37, 48? | option_a=21 | option_b=29 | option_c=48 | option_d=37 | answer=C | explanation=The first three numbers increase by 8, so the next should be 45. Therefore 48 is the odd one out.

id=29000 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:6 and the first is 204, what is the second? | option_a=66 | option_b=72 | option_c=89 | option_d=276 | answer=B | explanation=Scale factor = 204/17 = 12. Therefore second quantity = 6×12 = 72.

id=29001 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32159 at 8% per annum for 3 years. | option_a=39877 | option_b=7718 | option_c=7818 | option_d=7618 | answer=B | explanation=SI = PRT/100 = 32159×8×3/100 = █7718.

id=29002 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:1 and the first is 2, what is the second? | option_a=4 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Scale factor = 2/1 = 2. Therefore second quantity = 1×2 = 2.

id=29003 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=38 | option_b=48 | option_c=47 | option_d=56 | answer=C | explanation=The common difference is 9. Therefore the next term is 38 + 9 = 47.

id=29004 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3247. If it is sold at a profit of 5%, what is its selling price? | option_a=3733 | option_b=3085 | option_c=3409 | option_d=3252 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3247 × 105/100 = █3409.

id=29005 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=29006 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=24 | option_c=19 | option_d=29 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=29007 | topic=Profit & Loss | difficulty=Easy | question=An article costs █268. If it is sold at a profit of 15%, what is its selling price? | option_a=334 | option_b=283 | option_c=282 | option_d=308 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 268 × 115/100 = █308.

id=29008 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=29009 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=24 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=29010 | topic=Profit & Loss | difficulty=Easy | question=An article costs █266. If it is sold at a profit of 50%, what is its selling price? | option_a=316 | option_b=373 | option_c=399 | option_d=425 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 266 × 150/100 = █399.

Aptitude Questions — Records 29,011-29,040 of 100,000

id=29011 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=29012 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=29013 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22315 at 5% per annum for 1 years. | option_a=1115 | option_b=1015 | option_c=23430 | option_d=1215 | answer=A | explanation=SI = PRT/100 = 22315×5×1/100 = **■**1115.

id=29014 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=8 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=29015 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38403 at 8% per annum for 5 years. | option_a=15361 | option_b=15461 | option_c=53764 | option_d=15261 | answer=A | explanation=SI = PRT/100 = 38403×8×5/100 = **■**15361.

id=29016 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 30, 32, 36? | option_a=36 | option_b=30 | option_c=28 | option_d=32 | answer=A | explanation=The first three numbers increase by 2, so the next should be 34. Therefore 36 is the odd one out.

id=29017 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=O | option_b=N | option_c=M | option_d=P | answer=A | explanation=Move 1 positions forward from N; the resulting letter is O.

id=29018 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=46 | option_b=52 | option_c=38 | option_d=45 | answer=D | explanation=The common difference is 7. Therefore the next term is 38 + 7 = 45.

id=29019 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 9, 12, 16? | option_a=9 | option_b=12 | option_c=16 | option_d=6 | answer=C | explanation=The first three numbers increase by 3, so the next should be 15. Therefore 16 is the odd one out.

id=29020 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=13 | option_b=11 | option_c=15 | option_d=14 | answer=A | explanation=The common difference is 2. Therefore the next term is 11 + 2 = 13.

id=29021 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:20 and the first is 340, what is the second? | option_a=320 | option_b=360 | option_c=680 | option_d=340 | answer=D | explanation=Scale factor = 340/20 = 17. Therefore second quantity = 20×17 = 340.

id=29022 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 13, 21, 31? | option_a=13 | option_b=31 | option_c=21 | option_d=5 | answer=B | explanation=The first three numbers increase by 8, so the next should be 29. Therefore 31 is the odd one out.

id=29023 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=7 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=29024 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:11 and the first is 49, what is the second? | option_a=84 | option_b=66 | option_c=77 | option_d=126 | answer=C | explanation=Scale factor = 49/7 = 7. Therefore second quantity = 11×7 = 77.

id=29025 | topic=Percentages | difficulty=Easy | question=What is 50% of 1025? | option_a=502 | option_b=1024 | option_c=517 | option_d=512 | answer=D | explanation=50% of 1025 = (50/100) × 1025 = 512.

id=29026 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:10 and the first is 57, what is the second? | option_a=30 | option_b=87 | option_c=20 | option_d=49 | answer=A | explanation=Scale factor = 57/19 = 3. Therefore second quantity = 10×3 = 30.

id=29027 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 16. | option_a=18 | option_b=32 | option_c=1 | option_d=16 | answer=D | explanation=LCM × HCF = 2×16; HCF(2,16) = 2, so LCM = 16.

id=29028 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=C | option_b=H | option_c=R | option_d=M | answer=D | explanation=Move 5 positions forward from H; the resulting letter is M.

id=29029 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=E | option_c=K | option_d=I | answer=D | explanation=Move 2 positions forward from G; the resulting letter is I.

id=29030 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45740 at 5% per annum for 5 years. | option_a=57175 | option_b=11535 | option_c=11335 | option_d=11435 | answer=D | explanation=SI = PRT/100 = 45740×5×5/100 = **■**11435.

id=29031 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10527 at 15% per annum for 5 years. | option_a=7895 | option_b=18422 | option_c=7795 | option_d=7995 | answer=A | explanation=SI = PRT/100 = 10527×15×5/100 = **■**7895.

id=29032 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=13 | option_c=18 | option_d=36 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=29033 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=85 | option_c=160 | option_d=75 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=29034 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=29035 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:7 and the first is 144, what is the second? | option_a=79 | option_b=207 | option_c=56 | option_d=63 | answer=D | explanation=Scale factor = 144/16 = 9. Therefore second quantity = 7×9 = 63.

id=29036 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:17 and the first is 320, what is the second? | option_a=660 | option_b=340 | option_c=323 | option_d=356 | answer=B | explanation=Scale factor = 320/16 = 20. Therefore second quantity = 17×20 = 340.

id=29037 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3466. If it is sold at a profit of 10%, what is its selling price? | option_a=3466 | option_b=3476 | option_c=4158 | option_d=3812 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3466 × 110/100 = **■**3812.

id=29038 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:18 and the first is 4, what is the second? | option_a=73 | option_b=54 | option_c=76 | option_d=72 | answer=D | explanation=Scale factor = 4/1 = 4. Therefore second quantity = 18×4 = 72.

id=29039 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4602. If it is sold at a profit of 10%, what is its selling price? | option_a=5062 | option_b=4602 | option_c=5522 | option_d=4612 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4602 × 110/100 = **■**5062.

id=29040 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

Aptitude Questions — Records 29,041-29,070 of 100,000

id=29041 | topic=Percentages | difficulty=Easy | question=What is 20% of 1828? | option_a=375 | option_b=355 | option_c=365 | option_d=730 | answer=C | explanation=20% of 1828 = (20/100) × 1828 = 365.

id=29042 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 20. | option_a=220 | option_b=200 | option_c=440 | option_d=242 | answer=A | explanation=LCM × HCF = 22×20; HCF(22,20) = 2, so LCM = 220.

id=29043 | topic=Percentages | difficulty=Easy | question=What is 20% of 1244? | option_a=243 | option_b=496 | option_c=248 | option_d=268 | answer=C | explanation=20% of 1244 = (20/100) × 1244 = 248.

id=29044 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=29045 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=H | option_b=T | option_c=P | option_d=L | answer=C | explanation=Move 4 positions forward from L; the resulting letter is P.

id=29046 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 14, 18, 25? | option_a=14 | option_b=25 | option_c=10 | option_d=18 | answer=B | explanation=The first three numbers increase by 4, so the next should be 22. Therefore 25 is the odd one out.

id=29047 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Z | option_b=W | option_c=T | option_d=Q | answer=B | explanation=Move 3 positions forward from T; the resulting letter is W.

id=29048 | topic=Averages | difficulty=Easy | question=Find the average of 23, 51, 26, 76, 62, 32, 31. | option_a=42 | option_b=44 | option_c=43 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = 301 ÷ 7 = 43.

id=29049 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=30 | option_b=36 | option_c=24 | option_d=31 | answer=A | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.

id=29050 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40970 at 4% per annum for 2 years. | option_a=3377 | option_b=44247 | option_c=3177 | option_d=3277 | answer=D | explanation=SI = PRT/100 = 40970×4×2/100 = **■**3277.

id=29051 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:15 and the first is 5, what is the second? | option_a=75 | option_b=80 | option_c=60 | option_d=76 | answer=A | explanation=Scale factor = 5/1 = 5. Therefore second quantity = 15×5 = 75.

id=29052 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=27 | option_b=36 | option_c=43 | option_d=35 | answer=D | explanation=The common difference is 8. Therefore the next term is 27 + 8 = 35.

id=29053 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=D | option_b=E | option_c=G | option_d=F | answer=D | explanation=Move 1 positions forward from E; the resulting letter is F.

id=29054 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=P | option_b=B | option_c=T | option_d=X | answer=D | explanation=Move 4 positions forward from T; the resulting letter is X.

id=29055 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4865. If it is sold at a profit of 20%, what is its selling price? | option_a=4885 | option_b=6324 | option_c=5838 | option_d=5352 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4865 × 120/100 = **■**5838.

id=29056 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39526 at 12% per annum for 3 years. | option_a=53755 | option_b=14329 | option_c=14229 | option_d=14129 | answer=C | explanation=SI = PRT/100 = 39526×12×3/100 = **■**14229.

id=29057 | topic=Percentages | difficulty=Easy | question=What is 15% of 597? | option_a=178 | option_b=94 | option_c=84 | option_d=89 | answer=D | explanation=15% of 597 = (15/100) × 597 = 89.

id=29058 | topic=Percentages | difficulty=Easy | question=What is 40% of 1016? | option_a=411 | option_b=406 | option_c=396 | option_d=812 | answer=B | explanation=40% of 1016 = (40/100) × 1016 = 406.

id=29059 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=31 | option_b=32 | option_c=38 | option_d=24 | answer=A | explanation=The common difference is 7. Therefore the next term is 24 + 7 = 31.

id=29060 | topic=Percentages | difficulty=Easy | question=What is 10% of 212? | option_a=42 | option_b=26 | option_c=21 | option_d=11 | answer=C | explanation=10% of 212 = (10/100) × 212 = 21.

id=29061 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15574 at 8% per annum for 5 years. | option_a=6129 | option_b=6229 | option_c=6329 | option_d=21803 | answer=B | explanation=SI = PRT/100 = 15574×8×5/100 = **■**6229.

id=29062 | topic=Averages | difficulty=Easy | question=Find the average of 97, 20, 33, 95, 41, 83, 39, 18, 24. | option_a=50 | option_b=51 | option_c=49 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 450 ÷ 9 = 50.

id=29063 | topic=Averages | difficulty=Easy | question=Find the average of 73, 77, 81, 23, 55, 89, 67, 52, 86. | option_a=68 | option_b=67 | option_c=66 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 603 ÷ 9 = 67.

id=29064 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2080. If it is sold at a profit of 10%, what is its selling price? | option_a=2496 | option_b=2090 | option_c=2080 | option_d=2288 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2080 × 110/100 = **■**2288.

id=29065 | topic=Percentages | difficulty=Easy | question=What is 5% of 1243? | option_a=42 | option_b=124 | option_c=62 | option_d=72 | answer=C | explanation=5% of 1243 = (5/100) × 1243 = 62.

id=29066 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4801. If it is sold at a profit of 30%, what is its selling price? | option_a=4831 | option_b=5761 | option_c=6241 | option_d=6721 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4801 × 130/100 = **■**6241.

id=29067 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=36 | option_b=56 | option_c=47 | option_d=46 | answer=D | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.

id=29068 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:20 and the first is 17, what is the second? | option_a=357 | option_b=340 | option_c=320 | option_d=341 | answer=B | explanation=Scale factor = 17/1 = 17. Therefore second quantity = 20×17 = 340.

id=29069 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=N | option_b=P | option_c=Q | option_d=O | answer=B | explanation=Move 1 positions forward from O; the resulting letter is P.

id=29070 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:12 and the first is 323, what is the second? | option_a=204 | option_b=223 | option_c=192 | option_d=527 | answer=A | explanation=Scale factor = 323/19 = 17. Therefore second quantity = 12×17 = 204.

Aptitude Questions — Records 29,071-29,100 of 100,000

id=29071 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:7 and the first is 196, what is the second? | option_a=112 | option_b=98 | option_c=91 | option_d=294 | answer=B | explanation=Scale factor = $196/14 = 14$. Therefore second quantity = $7\times14 = 98$.

id=29072 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 17, 29, 41, ? | option_a=65 | option_b=54 | option_c=53 | option_d=41 | answer=C | explanation=The common difference is 12. Therefore the next term is $41 + 12 = 53$.

id=29073 | topic=Averages | difficulty=Easy | question=Find the average of 32, 13, 93. | option_a=47 | option_b=46 | option_c=48 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = $138 \div 3 = 46$.

id=29074 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=16 | option_b=18 | option_c=15 | option_d=12 | answer=C | explanation=The common difference is 3. Therefore the next term is $12 + 3 = 15$.

id=29075 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 12. | option_a=48 | option_b=24 | option_c=288 | option_d=12 | answer=B | explanation=LCM $\times$ HCF = 24×12 ; HCF(24,12) = 12, so LCM = 24.

id=29076 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 33, 38, 45? | option_a=33 | option_b=45 | option_c=28 | option_d=38 | answer=B | explanation=The first three numbers increase by 5, so the next should be 43. Therefore 45 is the odd one out.

id=29077 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=29078 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 37, 44, 52? | option_a=52 | option_b=37 | option_c=44 | option_d=30 | answer=A | explanation=The first three numbers increase by 7, so the next should be 51. Therefore 52 is the odd one out.

id=29079 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:11 and the first is 28, what is the second? | option_a=105 | option_b=66 | option_c=77 | option_d=81 | answer=C | explanation=Scale factor = $28/4 = 7$. Therefore second quantity = $11\times7 = 77$.

id=29080 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2199. If it is sold at a profit of 40%, what is its selling price? | option_a=3297 | option_b=2859 | option_c=3078 | option_d=2239 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2199 \times 140/100 = \text{█}3078$.

id=29081 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2971. If it is sold at a profit of 20%, what is its selling price? | option_a=3565 | option_b=3862 | option_c=3268 | option_d=2991 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2971 \times 120/100 = \text{█}3565$.

id=29082 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 27. | option_a=243 | option_b=1 | option_c=27 | option_d=36 | answer=C | explanation=LCM $\times$ HCF = 9×27 ; HCF(9,27) = 9, so LCM = 27.

id=29083 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 36? | option_a=36 | option_b=17 | option_c=25 | option_d=9 | answer=A | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 36 is the odd one out.

id=29084 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2440. If it is sold at a profit of 20%, what is its selling price? | option_a=2684 | option_b=2460 | option_c=3172 | option_d=2928 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2440 \times 120/100 = \text{█}2928$.

id=29085 | topic=Averages | difficulty=Easy | question=Find the average of 66, 82, 65. | option_a=73 | option_b=72 | option_c=71 | option_d=70 | answer=C | explanation=Average = sum of values ÷ number of values = $213 \div 3 = 71$.

id=29086 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=35 | option_b=27 | option_c=34 | option_d=41 | answer=C | explanation=The common difference is 7. Therefore the next term is $27 + 7 = 34$.

id=29087 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=29088 | topic=Profit & Loss | difficulty=Easy | question=An article costs █139. If it is sold at a profit of 15%, what is its selling price? | option_a=146 | option_b=172 | option_c=159 | option_d=154 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 139 \times 115/100 = \text{█}159$.

id=29089 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=53 | option_b=33 | option_c=43 | option_d=44 | answer=C | explanation=The common difference is 10. Therefore the next term is $33 + 10 = 43$.

id=29090 | topic=Percentages | difficulty=Easy | question=What is 20% of 618? | option_a=123 | option_b=246 | option_c=128 | option_d=113 | answer=A | explanation=20% of 618 = $(20/100) \times 618 = 123$.

id=29091 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21250 at 5% per annum for 4 years. | option_a=4250 | option_b=4150 | option_c=4350 | option_d=25500 | answer=A | explanation=SI = $PRT/100 = 21250\times5\times4/100 = \text{█}4250$.

id=29092 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41204 at 5% per annum for 3 years. | option_a=6280 | option_b=47384 | option_c=6180 | option_d=6080 | answer=C | explanation=SI = $PRT/100 = 41204\times5\times3/100 = \text{█}6180$.

id=29093 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=B | option_c=N | option_d=J | answer=D | explanation=Move 4 positions forward from F; the resulting letter is J.

id=29094 | topic=Averages | difficulty=Easy | question=Find the average of 68, 69, 76, 59. | option_a=68 | option_b=70 | option_c=69 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = $272 \div 4 = 68$.

id=29095 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = $120 \div 2 = 60$ km/h.

id=29096 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:19 and the first is 102, what is the second? | option_a=323 | option_b=304 | option_c=425 | option_d=329 | answer=A | explanation=Scale factor = $102/6 = 17$. Therefore second quantity = $19\times17 = 323$.

id=29097 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:16 and the first is 54, what is the second? | option_a=291 | option_b=288 | option_c=272 | option_d=342 | answer=B | explanation=Scale factor = $54/3 = 18$. Therefore second quantity = $16\times18 = 288$.

id=29098 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:20 and the first is 18, what is the second? | option_a=78 | option_b=66 | option_c=60 | option_d=40 | answer=C | explanation=Scale factor = $18/6 = 3$. Therefore second quantity = $20\times3 = 60$.

id=29099 | topic=Averages | difficulty=Easy | question=Find the average of 35, 76, 36, 83, 83, 54, 18. | option_a=55 | option_b=57 | option_c=56 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = $385 \div 7 = 55$.

id=29100 | topic=Averages | difficulty=Easy | question=Find the average of 55, 66, 38, 98, 45, 48, 45, 17, 17, 61. | option_a=49 | option_b=50 | option_c=48 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = $490 \div 10 = 49$.

Aptitude Questions — Records 29,101-29,130 of 100,000

id=29101 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:11 and the first is 84, what is the second? | option_a=66 | option_b=161 | option_c=89 | option_d=77 | answer=D | explanation=Scale factor = $84/12 = 7$. Therefore second quantity = $11 \times 7 = 77$.

id=29102 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=39 | option_b=46 | option_c=53 | option_d=47 | answer=B | explanation=The common difference is 7. Therefore the next term is $39 + 7 = 46$.

id=29103 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=D | option_b=E | option_c=F | option_d=G | answer=C | explanation=Move 1 positions forward from E; the resulting letter is F.

id=29104 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=29105 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=U | option_c=R | option_d=T | answer=D | explanation=Move 1 positions forward from S; the resulting letter is T.

id=29106 | topic=Averages | difficulty=Easy | question=Find the average of 34, 77, 84, 12, 19, 57, 49, 46, 68, 104. | option_a=55 | option_b=57 | option_c=56 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = $550 \div 10 = 55$.

id=29107 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=47 | option_b=57 | option_c=48 | option_d=37 | answer=A | explanation=The common difference is 10. Therefore the next term is $37 + 10 = 47$.

id=29108 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=120 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = $120 \div 2 = 60$ km/h.

id=29109 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24417 at 10% per annum for 5 years. | option_a=12308 | option_b=36625 | option_c=12208 | option_d=12108 | answer=C | explanation=SI = $PRT/100 = 24417 \times 10 \times 5/100 = \text{█}12208$.

id=29110 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 20? | option_a=9 | option_b=15 | option_c=12 | option_d=20 | answer=D | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 20 is the odd one out.

id=29111 | topic=Percentages | difficulty=Easy | question=What is 5% of 1342? | option_a=87 | option_b=62 | option_c=67 | option_d=134 | answer=C | explanation=5% of 1342 = $(5/100) \times 1342 = 67$.

id=29112 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 43? | option_a=28 | option_b=35 | option_c=43 | option_d=21 | answer=C | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 43 is the odd one out.

id=29113 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=45 | option_b=35 | option_c=44 | option_d=53 | answer=C | explanation=The common difference is 9. Therefore the next term is $35 + 9 = 44$.

id=29114 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 33? | option_a=17 | option_b=33 | option_c=22 | option_d=27 | answer=B | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 33 is the odd one out.

id=29115 | topic=Percentages | difficulty=Easy | question=What is 40% of 1663? | option_a=1330 | option_b=655 | option_c=665 | option_d=670 | answer=C | explanation=40% of 1663 = $(40/100) \times 1663 = 665$.

id=29116 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29121 at 10% per annum for 5 years. | option_a=43681 | option_b=14460 | option_c=14560 | option_d=14660 | answer=C | explanation=SI = $PRT/100 = 29121 \times 10 \times 5/100 = \text{█}14560$.

id=29117 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=52 | option_b=63 | option_c=51 | option_d=39 | answer=C | explanation=The common difference is 12. Therefore the next term is $39 + 12 = 51$.

id=29118 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 31, 36, 42? | option_a=36 | option_b=42 | option_c=26 | option_d=31 | answer=B | explanation=The first three numbers increase by 5, so the next should be 41. Therefore 42 is the odd one out.

id=29119 | topic=Averages | difficulty=Easy | question=Find the average of 74, 47, 63, 40. | option_a=55 | option_b=57 | option_c=58 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = $224 \div 4 = 56$.

id=29120 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11224 at 4% per annum for 5 years. | option_a=2244 | option_b=2144 | option_c=13468 | option_d=2344 | answer=A | explanation=SI = $PRT/100 = 11224 \times 4 \times 5/100 = \text{█}2244$.

id=29121 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=G | option_b=L | option_c=B | option_d=W | answer=A | explanation=Move 5 positions forward from B; the resulting letter is G.

id=29122 | topic=Averages | difficulty=Easy | question=Find the average of 99, 97, 32, 10, 81, 59, 61, 22, 97. | option_a=63 | option_b=64 | option_c=61 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = $558 \div 9 = 62$.

id=29123 | topic=Percentages | difficulty=Easy | question=What is 25% of 1090? | option_a=272 | option_b=262 | option_c=277 | option_d=544 | answer=A | explanation=25% of 1090 = $(25/100) \times 1090 = 272$.

id=29124 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43608 at 6% per annum for 1 years. | option_a=2616 | option_b=2716 | option_c=2516 | option_d=46224 | answer=A | explanation=SI = $PRT/100 = 43608 \times 6 \times 1/100 = \text{█}2616$.

id=29125 | topic=Percentages | difficulty=Easy | question=What is 12% of 366? | option_a=53 | option_b=38 | option_c=86 | option_d=43 | answer=D | explanation=12% of 366 = $(12/100) \times 366 = 43$.

id=29126 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = $180 \div 3 = 60$ km/h.

id=29127 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1627. If it is sold at a profit of 30%, what is its selling price? | option_a=2115 | option_b=1953 | option_c=1657 | option_d=2277 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1627 \times 130/100 = \text{█}2115$.

id=29128 | topic=Percentages | difficulty=Easy | question=What is 5% of 810? | option_a=80 | option_b=50 | option_c=35 | option_d=40 | answer=D | explanation=5% of 810 = $(5/100) \times 810 = 40$.

id=29129 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 17, 26, 37? | option_a=26 | option_b=17 | option_c=37 | option_d=8 | answer=C | explanation=The first three numbers increase by 9, so the next should be 35. Therefore 37 is the odd one out.

id=29130 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6031 at 5% per annum for 1 years. | option_a=301 | option_b=401 | option_c=6332 | option_d=201 | answer=A | explanation=SI = $PRT/100 = 6031 \times 5 \times 1/100 = \text{█}301$.

Aptitude Questions — Records 29,131-29,160 of 100,000

id=29131 | topic=Averages | difficulty=Easy | question=Find the average of 23, 81, 19, 26, 53, 45, 68. | option_a=44 | option_b=45 | option_c=47 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 315 ÷ 7 = 45.

id=29132 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=29133 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 55? | option_a=55 | option_b=37 | option_c=45 | option_d=29 | answer=A | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 55 is the odd one out.

id=29134 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 20? | option_a=11 | option_b=20 | option_c=13 | option_d=15 | answer=B | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 20 is the odd one out.

id=29135 | topic=Percentages | difficulty=Easy | question=What is 40% of 1921? | option_a=788 | option_b=758 | option_c=768 | option_d=1536 | answer=C | explanation=40% of 1921 = (40/100) × 1921 = 768.

id=29136 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=39 | option_b=55 | option_c=47 | option_d=48 | answer=C | explanation=The common difference is 8. Therefore the next term is 39 + 8 = 47.

id=29137 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30555 at 4% per annum for 4 years. | option_a=35443 | option_b=4988 | option_c=4788 | option_d=4888 | answer=D | explanation=SI = PRT/100 = 30555×4×4/100 = █4888.

id=29138 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:19 and the first is 270, what is the second? | option_a=612 | option_b=323 | option_c=357 | option_d=342 | answer=D | explanation=Scale factor = 270/15 = 18. Therefore second quantity = 19×18 = 342.

id=29139 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=39 | option_b=46 | option_c=47 | option_d=53 | answer=B | explanation=The common difference is 7. Therefore the next term is 39 + 7 = 46.

id=29140 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:14 and the first is 12, what is the second? | option_a=28 | option_b=46 | option_c=42 | option_d=54 | answer=C | explanation=Scale factor = 12/4 = 3. Therefore second quantity = 14×3 = 42.

id=29141 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=E | option_c=D | option_d=F | answer=D | explanation=Move 1 positions forward from E; the resulting letter is F.

id=29142 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 22. | option_a=144 | option_b=110 | option_c=132 | option_d=264 | answer=C | explanation=LCM × HCF = 12×22; HCF(12,22) = 2, so LCM = 132.

id=29143 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=48 | option_c=43 | option_d=53 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=29144 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:5 and the first is 39, what is the second? | option_a=65 | option_b=104 | option_c=60 | option_d=68 | answer=A | explanation=Scale factor = 39/3 = 13. Therefore second quantity = 5×13 = 65.

id=29145 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=53 | option_b=37 | option_c=46 | option_d=45 | answer=D | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=29146 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 31? | option_a=31 | option_b=4 | option_c=12 | option_d=20 | answer=A | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 31 is the odd one out.

id=29147 | topic=Profit & Loss | difficulty=Easy | question=An article costs █859. If it is sold at a profit of 20%, what is its selling price? | option_a=1030 | option_b=879 | option_c=945 | option_d=1115 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 859 × 120/100 = █1030.

id=29148 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49637 at 4% per annum for 5 years. | option_a=9827 | option_b=9927 | option_c=59564 | option_d=10027 | answer=B | explanation=SI = PRT/100 = 49637×4×5/100 = █9927.

id=29149 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=100 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=29150 | topic=Averages | difficulty=Easy | question=Find the average of 88, 97, 83, 51, 32, 80, 12, 64, 36, 67. | option_a=60 | option_b=61 | option_c=63 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 610 ÷ 10 = 61.

id=29151 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=Q | option_c=P | option_d=R | answer=D | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=29152 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=29153 | topic=Percentages | difficulty=Easy | question=What is 30% of 1854? | option_a=1112 | option_b=576 | option_c=546 | option_d=556 | answer=D | explanation=30% of 1854 = (30/100) × 1854 = 556.

id=29154 | topic=Averages | difficulty=Easy | question=Find the average of 19, 83, 34, 51, 11, 15, 33, 42. | option_a=35 | option_b=38 | option_c=37 | option_d=36 | answer=D | explanation=Average = sum of values ÷ number of values = 288 ÷ 8 = 36.

id=29155 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2184. If it is sold at a profit of 40%, what is its selling price? | option_a=3275 | option_b=3057 | option_c=2839 | option_d=2224 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2184 × 140/100 = █3057.

id=29156 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 22. | option_a=44 | option_b=66 | option_c=72 | option_d=132 | answer=B | explanation=LCM × HCF = 6×22; HCF(6,22) = 2, so LCM = 66.

id=29157 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 12, 16, 23? | option_a=23 | option_b=16 | option_c=8 | option_d=12 | answer=A | explanation=The first three numbers increase by 4, so the next should be 20. Therefore 23 is the odd one out.

id=29158 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=240 | option_c=115 | option_d=125 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=29159 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=D | option_b=M | option_c=G | option_d=J | answer=D | explanation=Move 3 positions forward from G; the resulting letter is J.

id=29160 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 43? | option_a=35 | option_b=23 | option_c=29 | option_d=43 | answer=D | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 43 is the odd one out.

Aptitude Questions — Records 29,161-29,190 of 100,000

id=29161 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3510. If it is sold at a profit of 5%, what is its selling price? | option_a=3685 | option_b=4036 | option_c=3334 | option_d=3515 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3510 × 105/100 = █3685.

id=29162 | topic=Percentages | difficulty=Easy | question=What is 5% of 493? | option_a=24 | option_b=48 | option_c=44 | option_d=4 | answer=A | explanation=5% of 493 = (5/100) × 493 = 24.

id=29163 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=90 | option_b=50 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=29164 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38762 at 5% per annum for 5 years. | option_a=9690 | option_b=48452 | option_c=9590 | option_d=9790 | answer=A | explanation=SI = PRT/100 = 38762×5×5/100 = █9690.

id=29165 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:7 and the first is 42, what is the second? | option_a=91 | option_b=55 | option_c=49 | option_d=42 | answer=C | explanation=Scale factor = 42/6 = 7. Therefore second quantity = 7×7 = 49.

id=29166 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=24 | option_b=27 | option_c=23 | option_d=19 | answer=C | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=29167 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:2 and the first is 190, what is the second? | option_a=210 | option_b=20 | option_c=18 | option_d=39 | answer=B | explanation=Scale factor = 190/19 = 10. Therefore second quantity = 2×10 = 20.

id=29168 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=14 | option_c=4 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=29169 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=29170 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18410 at 12% per annum for 2 years. | option_a=22828 | option_b=4518 | option_c=4418 | option_d=4318 | answer=C | explanation=SI = PRT/100 = 18410×12×2/100 = █4418.

id=29171 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=63 | option_b=74 | option_c=52 | option_d=64 | answer=A | explanation=The common difference is 11. Therefore the next term is 52 + 11 = 63.

id=29172 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=61 | option_b=39 | option_c=50 | option_d=51 | answer=C | explanation=The common difference is 11. Therefore the next term is 39 + 11 = 50.

id=29173 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24848 at 6% per annum for 2 years. | option_a=2981 | option_b=2881 | option_c=3081 | option_d=27829 | answer=A | explanation=SI = PRT/100 = 24848×6×2/100 = █2981.

id=29174 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=U | option_b=Z | option_c=P | option_d=K | answer=A | explanation=Move 5 positions forward from P; the resulting letter is U.

id=29175 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 17, 26, 38? | option_a=26 | option_b=17 | option_c=8 | option_d=38 | answer=D | explanation=The first three numbers increase by 9, so the next should be 35. Therefore 38 is the odd one out.

id=29176 | topic=Averages | difficulty=Easy | question=Find the average of 75, 33, 94, 33, 96, 95, 64, 53, 68, 99. | option_a=73 | option_b=72 | option_c=70 | option_d=71 | answer=D | explanation=Average = sum of values ÷ number of values = 710 ÷ 10 = 71.

id=29177 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 20. | option_a=40 | option_b=60 | option_c=240 | option_d=72 | answer=B | explanation=LCM × HCF = 12×20; HCF(12,20) = 4, so LCM = 60.

id=29178 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=S | option_c=K | option_d=G | answer=A | explanation=Move 4 positions forward from K; the resulting letter is O.

id=29179 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 40? | option_a=23 | option_b=15 | option_c=31 | option_d=40 | answer=D | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 40 is the odd one out.

id=29180 | topic=Averages | difficulty=Easy | question=Find the average of 29, 57, 82. | option_a=56 | option_b=57 | option_c=55 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 168 ÷ 3 = 56.

id=29181 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1828. If it is sold at a profit of 25%, what is its selling price? | option_a=2285 | option_b=2467 | option_c=2103 | option_d=1853 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1828 × 125/100 = █2285.

id=29182 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3320. If it is sold at a profit of 15%, what is its selling price? | option_a=3486 | option_b=3818 | option_c=3335 | option_d=4150 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3320 × 115/100 = █3818.

id=29183 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 5, 8, 13? | option_a=8 | option_b=13 | option_c=2 | option_d=5 | answer=B | explanation=The first three numbers increase by 3, so the next should be 11. Therefore 13 is the odd one out.

id=29184 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4885. If it is sold at a profit of 25%, what is its selling price? | option_a=6106 | option_b=4910 | option_c=6594 | option_d=5618 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4885 × 125/100 = █6106.

id=29185 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4590. If it is sold at a profit of 25%, what is its selling price? | option_a=5737 | option_b=5278 | option_c=6196 | option_d=4615 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4590 × 125/100 = █5737.

id=29186 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=72 | option_c=144 | option_d=77 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=29187 | topic=Averages | difficulty=Easy | question=Find the average of 72, 67, 90, 62, 34, 39, 84. | option_a=64 | option_b=65 | option_c=63 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 448 ÷ 7 = 64.

id=29188 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=29189 | topic=Percentages | difficulty=Easy | question=What is 25% of 1963? | option_a=485 | option_b=500 | option_c=490 | option_d=980 | answer=C | explanation=25% of 1963 = (25/100) × 1963 = 490.

id=29190 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44137 at 12% per annum for 2 years. | option_a=10592 | option_b=10692 | option_c=54729 | option_d=10492 | answer=A | explanation=SI = PRT/100 = 44137×12×2/100 = █10592.

Aptitude Questions — Records 29,191-29,220 of 100,000

id=29191 | topic=Percentages | difficulty=Easy | question=What is 5% of 870? | option_a=86 | option_b=33 | option_c=53 | option_d=43 | answer=D | explanation=5% of 870 = (5/100) × 870 = 43.

id=29192 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=B | option_b=G | option_c=Q | option_d=L | answer=D | explanation=Move 5 positions forward from G; the resulting letter is L.

id=29193 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=P | option_b=V | option_c=T | option_d=R | answer=C | explanation=Move 2 positions forward from R; the resulting letter is T.

id=29194 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=W | option_b=A | option_c=I | option_d=E | answer=D | explanation=Move 4 positions forward from A; the resulting letter is E.

id=29195 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 13, 16, 20? | option_a=13 | option_b=10 | option_c=20 | option_d=16 | answer=C | explanation=The first three numbers increase by 3, so the next should be 19. Therefore 20 is the odd one out.

id=29196 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:7 and the first is 28, what is the second? | option_a=14 | option_b=42 | option_c=28 | option_d=7 | answer=A | explanation=Scale factor = 28/14 = 2. Therefore second quantity = 7×2 = 14.

id=29197 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**9294 at 4% per annum for 5 years. | option_a=11152 | option_b=1758 | option_c=1858 | option_d=1958 | answer=C | explanation=SI = PRT/100 = 9294×4×5/100 = **₹**1858.

id=29198 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=29199 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**39646 at 6% per annum for 5 years. | option_a=51539 | option_b=11893 | option_c=11993 | option_d=11793 | answer=B | explanation=SI = PRT/100 = 39646×6×5/100 = **₹**11893.

id=29200 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**25460 at 12% per annum for 1 years. | option_a=3055 | option_b=2955 | option_c=3155 | option_d=28515 | answer=A | explanation=SI = PRT/100 = 25460×12×1/100 = **₹**3055.

id=29201 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3443. If it is sold at a profit of 50%, what is its selling price? | option_a=5508 | option_b=5164 | option_c=3493 | option_d=4820 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3443 × 150/100 = **₹**5164.

id=29202 | topic=Percentages | difficulty=Easy | question=What is 30% of 150? | option_a=447 | option_b=452 | option_c=472 | option_d=904 | answer=B | explanation=30% of 150 = (30/100) × 150 = 452.

id=29203 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 18, 25, 35? | option_a=18 | option_b=25 | option_c=35 | option_d=11 | answer=C | explanation=The first three numbers increase by 7, so the next should be 32. Therefore 35 is the odd one out.

id=29204 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**14379 at 10% per annum for 3 years. | option_a=4413 | option_b=4213 | option_c=18692 | option_d=4313 | answer=D | explanation=SI = PRT/100 = 14379×10×3/100 = **₹**4313.

id=29205 | topic=Percentages | difficulty=Easy | question=What is 5% of 845? | option_a=84 | option_b=42 | option_c=22 | option_d=62 | answer=B | explanation=5% of 845 = (5/100) × 845 = 42.

id=29206 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=29207 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1966. If it is sold at a profit of 5%, what is its selling price? | option_a=1971 | option_b=2260 | option_c=2064 | option_d=1868 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1966 × 105/100 = **₹**2064.

id=29208 | topic=Averages | difficulty=Easy | question=Find the average of 72, 95, 70, 81, 43, 12, 86, 25, 47, 79. | option_a=62 | option_b=63 | option_c=60 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 610 ÷ 10 = 61.

id=29209 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=29210 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=B | option_c=D | option_d=Z | answer=C | explanation=Move 2 positions forward from B; the resulting letter is D.

id=29211 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=26 | option_b=30 | option_c=31 | option_d=34 | answer=B | explanation=The common difference is 4. Therefore the next term is 26 + 4 = 30.

id=29212 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:9 and the first is 77, what is the second? | option_a=54 | option_b=63 | option_c=74 | option_d=140 | answer=B | explanation=Scale factor = 77/11 = 7. Therefore second quantity = 9×7 = 63.

id=29213 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=29214 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 33, 39, 46? | option_a=39 | option_b=46 | option_c=33 | option_d=27 | answer=B | explanation=The first three numbers increase by 6, so the next should be 45. Therefore 46 is the odd one out.

id=29215 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:8 and the first is 135, what is the second? | option_a=112 | option_b=255 | option_c=120 | option_d=129 | answer=C | explanation=Scale factor = 135/9 = 15. Therefore second quantity = 8×15 = 120.

id=29216 | topic=Percentages | difficulty=Easy | question=What is 5% of 688? | option_a=29 | option_b=34 | option_c=39 | option_d=68 | answer=B | explanation=5% of 688 = (5/100) × 688 = 34.

id=29217 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=29218 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 20? | option_a=20 | option_b=7 | option_c=11 | option_d=15 | answer=A | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 20 is the odd one out.

id=29219 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=90 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=29220 | topic=Percentages | difficulty=Easy | question=What is 12% of 776? | option_a=113 | option_b=93 | option_c=186 | option_d=88 | answer=B | explanation=12% of 776 = (12/100) × 776 = 93.

Aptitude Questions — Records 29,221-29,250 of 100,000

id=29221 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=29222 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=F | option_b=Z | option_c=I | option_d=C | answer=A | explanation=Move 3 positions forward from C; the resulting letter is F.

id=29223 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:11 and the first is 306, what is the second? | option_a=176 | option_b=493 | option_c=187 | option_d=205 | answer=C | explanation=Scale factor = 306/18 = 17. Therefore second quantity = 11×17 = 187.

id=29224 | topic=Percentages | difficulty=Easy | question=What is 40% of 160? | option_a=64 | option_b=44 | option_c=74 | option_d=128 | answer=A | explanation=40% of 160 = (40/100) × 160 = 64.

id=29225 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=13 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=29226 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=B | option_c=H | option_d=D | answer=A | explanation=Move 2 positions forward from D; the resulting letter is F.

id=29227 | topic=Percentages | difficulty=Easy | question=What is 10% of 1601? | option_a=150 | option_b=170 | option_c=160 | option_d=320 | answer=C | explanation=10% of 1601 = (10/100) × 1601 = 160.

id=29228 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=145 | option_c=300 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=29229 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 8, 12, 18? | option_a=12 | option_b=4 | option_c=18 | option_d=8 | answer=C | explanation=The first three numbers increase by 4, so the next should be 16. Therefore 18 is the odd one out.

id=29230 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 31? | option_a=24 | option_b=20 | option_c=31 | option_d=16 | answer=C | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 31 is the odd one out.

id=29231 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=Q | option_c=R | option_d=P | answer=C | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=29232 | topic=Averages | difficulty=Easy | question=Find the average of 32, 94, 78, 29, 57, 41, 59, 28, 12, 40. | option_a=48 | option_b=47 | option_c=49 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 470 ÷ 10 = 47.

id=29233 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1836. If it is sold at a profit of 40%, what is its selling price? | option_a=2753 | option_b=2570 | option_c=2387 | option_d=1876 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1836 × 140/100 = █2570.

id=29234 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=62 | option_b=38 | option_c=50 | option_d=51 | answer=C | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=29235 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=49 | option_b=42 | option_c=43 | option_d=35 | answer=B | explanation=The common difference is 7. Therefore the next term is 35 + 7 = 42.

id=29236 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1174. If it is sold at a profit of 10%, what is its selling price? | option_a=1408 | option_b=1184 | option_c=1174 | option_d=1291 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1174 × 110/100 = █1291.

id=29237 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=85 | option_c=180 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=29238 | topic=Percentages | difficulty=Easy | question=What is 10% of 1193? | option_a=139 | option_b=109 | option_c=119 | option_d=238 | answer=C | explanation=10% of 1193 = (10/100) × 1193 = 119.

id=29239 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46484 at 12% per annum for 1 years. | option_a=5478 | option_b=5678 | option_c=5578 | option_d=52062 | answer=C | explanation=SI = PRT/100 = 46484×12×1/100 = █5578.

id=29240 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=29241 | topic=Percentages | difficulty=Easy | question=What is 15% of 1248? | option_a=374 | option_b=207 | option_c=187 | option_d=182 | answer=C | explanation=15% of 1248 = (15/100) × 1248 = 187.

id=29242 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:8 and the first is 60, what is the second? | option_a=52 | option_b=32 | option_c=40 | option_d=100 | answer=C | explanation=Scale factor = 60/12 = 5. Therefore second quantity = 8×5 = 40.

id=29243 | topic=Percentages | difficulty=Easy | question=What is 15% of 405? | option_a=70 | option_b=50 | option_c=120 | option_d=60 | answer=D | explanation=15% of 405 = (15/100) × 405 = 60.

id=29244 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3393. If it is sold at a profit of 20%, what is its selling price? | option_a=3413 | option_b=4410 | option_c=3732 | option_d=4071 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3393 × 120/100 = █4071.

id=29245 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 10, 16, 25? | option_a=25 | option_b=16 | option_c=10 | option_d=4 | answer=A | explanation=The first three numbers increase by 6, so the next should be 22. Therefore 25 is the odd one out.

id=29246 | topic=Averages | difficulty=Easy | question=Find the average of 61, 74, 13, 52. | option_a=50 | option_b=49 | option_c=52 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 200 ÷ 4 = 50.

id=29247 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:2 and the first is 45, what is the second? | option_a=6 | option_b=4 | option_c=21 | option_d=51 | answer=A | explanation=Scale factor = 45/15 = 3. Therefore second quantity = 2×3 = 6.

id=29248 | topic=Averages | difficulty=Easy | question=Find the average of 76, 77, 77, 100, 56, 89, 23, 58, 17, 107. | option_a=67 | option_b=68 | option_c=70 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 680 ÷ 10 = 68.

id=29249 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=9 | option_c=4 | option_d=14 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=29250 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 23? | option_a=19 | option_b=17 | option_c=15 | option_d=23 | answer=D | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 23 is the odd one out.

Aptitude Questions — Records 29,251-29,280 of 100,000

id=29251 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=L | option_b=T | option_c=X | option_d=P | answer=B | explanation=Move 4 positions forward from P; the resulting letter is T.

id=29252 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=29253 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:13 and the first is 42, what is the second? | option_a=133 | option_b=78 | option_c=91 | option_d=97 | answer=C | explanation=Scale factor = 42/6 = 7. Therefore second quantity = 13×7 = 91.

id=29254 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=300 | option_c=155 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=29255 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=38 | option_b=30 | option_c=35 | option_d=34 | answer=D | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.

id=29256 | topic=Percentages | difficulty=Easy | question=What is 15% of 1289? | option_a=173 | option_b=386 | option_c=193 | option_d=203 | answer=C | explanation=15% of 1289 = (15/100) × 1289 = 193.

id=29257 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■4780 at 6% per annum for 4 years. | option_a=1047 | option_b=1247 | option_c=5927 | option_d=1147 | answer=D | explanation=SI = PRT/100 = 4780×6×4/100 = ■1147.

id=29258 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=52 | option_b=53 | option_c=62 | option_d=42 | answer=A | explanation=The common difference is 10. Therefore the next term is 42 + 10 = 52.

id=29259 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4466. If it is sold at a profit of 15%, what is its selling price? | option_a=4481 | option_b=5581 | option_c=5135 | option_d=4689 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4466 × 115/100 = ■5135.

id=29260 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 24, 30, 37? | option_a=24 | option_b=30 | option_c=18 | option_d=37 | answer=D | explanation=The first three numbers increase by 6, so the next should be 36. Therefore 37 is the odd one out.

id=29261 | topic=Averages | difficulty=Easy | question=Find the average of 41, 74, 93, 87, 24, 38, 56. | option_a=59 | option_b=58 | option_c=60 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 413 ÷ 7 = 59.

id=29262 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=31 | option_c=36 | option_d=41 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=29263 | topic=Averages | difficulty=Easy | question=Find the average of 15, 66, 78, 73. | option_a=57 | option_b=58 | option_c=59 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 232 ÷ 4 = 58.

id=29264 | topic=Averages | difficulty=Easy | question=Find the average of 72, 44, 84, 86, 83, 17, 21, 49. | option_a=56 | option_b=59 | option_c=57 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

id=29265 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=29266 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=70 | option_b=75 | option_c=150 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=29267 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■533. If it is sold at a profit of 20%, what is its selling price? | option_a=553 | option_b=586 | option_c=692 | option_d=639 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 533 × 120/100 = ■639.

id=29268 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=29269 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=G | option_c=F | option_d=H | answer=D | explanation=Move 1 positions forward from G; the resulting letter is H.

id=29270 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=S | option_b=T | option_c=V | option_d=U | answer=D | explanation=Move 1 positions forward from T; the resulting letter is U.

id=29271 | topic=Percentages | difficulty=Easy | question=What is 20% of 1896? | option_a=374 | option_b=389 | option_c=379 | option_d=758 | answer=C | explanation=20% of 1896 = (20/100) × 1896 = 379.

id=29272 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=34 | option_b=22 | option_c=28 | option_d=29 | answer=C | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.

id=29273 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 15. | option_a=30 | option_b=225 | option_c=15 | option_d=1 | answer=C | explanation=LCM × HCF = 15×15; HCF(15,15) = 15, so LCM = 15.

id=29274 | topic=Percentages | difficulty=Easy | question=What is 15% of 1817? | option_a=544 | option_b=292 | option_c=262 | option_d=272 | answer=D | explanation=15% of 1817 = (15/100) × 1817 = 272.

id=29275 | topic=Averages | difficulty=Easy | question=Find the average of 50, 40, 94, 40, 100, 15, 60. | option_a=56 | option_b=57 | option_c=59 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 399 ÷ 7 = 57.

id=29276 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=R | option_b=X | option_c=A | option_d=U | answer=B | explanation=Move 3 positions forward from U; the resulting letter is X.

id=29277 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■677. If it is sold at a profit of 5%, what is its selling price? | option_a=777 | option_b=710 | option_c=643 | option_d=682 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 677 × 105/100 = ■710.

id=29278 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=20 | option_b=28 | option_c=24 | option_d=25 | answer=C | explanation=The common difference is 4. Therefore the next term is 20 + 4 = 24.

id=29279 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=T | option_c=L | option_d=H | answer=A | explanation=Move 4 positions forward from L; the resulting letter is P.

id=29280 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:12 and the first is 323, what is the second? | option_a=527 | option_b=204 | option_c=192 | option_d=223 | answer=B | explanation=Scale factor = 323/19 = 17. Therefore second quantity = 12×17 = 204.

Aptitude Questions — Records 29,281-29,310 of 100,000

id=29281 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=29282 | topic=Averages | difficulty=Easy | question=Find the average of 69, 95, 82, 56, 88, 24. | option_a=71 | option_b=70 | option_c=68 | option_d=69 | answer=D | explanation=Average = sum of values ÷ number of values = 414 ÷ 6 = 69.

id=29283 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=Q | option_c=M | option_d=S | answer=B | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=29284 | topic=Averages | difficulty=Easy | question=Find the average of 19, 91, 63, 99. | option_a=67 | option_b=68 | option_c=70 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 272 ÷ 4 = 68.

id=29285 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=39 | option_b=47 | option_c=29 | option_d=38 | answer=D | explanation=The common difference is 9. Therefore the next term is 29 + 9 = 38.

id=29286 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 44? | option_a=44 | option_b=37 | option_c=29 | option_d=33 | answer=A | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 44 is the odd one out.

id=29287 | topic=Profit & Loss | difficulty=Easy | question=An article costs █361. If it is sold at a profit of 15%, what is its selling price? | option_a=415 | option_b=379 | option_c=376 | option_d=451 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 361 × 115/100 = █415.

id=29288 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=F | option_c=K | option_d=V | answer=B | explanation=Move 5 positions forward from A; the resulting letter is F.

id=29289 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=46 | option_b=40 | option_c=39 | option_d=32 | answer=C | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.

id=29290 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=20 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=29291 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=R | option_c=L | option_d=P | answer=D | explanation=Move 2 positions forward from N; the resulting letter is P.

id=29292 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19385 at 5% per annum for 4 years. | option_a=3977 | option_b=3777 | option_c=23262 | option_d=3877 | answer=D | explanation=SI = PRT/100 = 19385×5×4/100 = █3877.

id=29293 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32229 at 12% per annum for 2 years. | option_a=7634 | option_b=7734 | option_c=7834 | option_d=39963 | answer=B | explanation=SI = PRT/100 = 32229×12×2/100 = █7734.

id=29294 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2104. If it is sold at a profit of 20%, what is its selling price? | option_a=2524 | option_b=2314 | option_c=2734 | option_d=2124 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2104 × 120/100 = █2524.

id=29295 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=I | option_c=Q | option_d=U | answer=C | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=29296 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=29297 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1634. If it is sold at a profit of 25%, what is its selling price? | option_a=1659 | option_b=2042 | option_c=2205 | option_d=1879 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1634 × 125/100 = █2042.

id=29298 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=22 | option_b=25 | option_c=26 | option_d=24 | answer=D | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.

id=29299 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=M | option_b=G | option_c=J | option_d=D | answer=C | explanation=Move 3 positions forward from G; the resulting letter is J.

id=29300 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1582. If it is sold at a profit of 10%, what is its selling price? | option_a=1582 | option_b=1898 | option_c=1740 | option_d=1592 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1582 × 110/100 = █1740.

id=29301 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 12. | option_a=75 | option_b=48 | option_c=60 | option_d=180 | answer=C | explanation=LCM × HCF = 15×12; HCF(15,12) = 3, so LCM = 60.

id=29302 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3029. If it is sold at a profit of 30%, what is its selling price? | option_a=3635 | option_b=3937 | option_c=3059 | option_d=4239 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3029 × 130/100 = █3937.

id=29303 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4698. If it is sold at a profit of 15%, what is its selling price? | option_a=5871 | option_b=4713 | option_c=5402 | option_d=4933 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4698 × 115/100 = █5402.

id=29304 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=29305 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2931. If it is sold at a profit of 15%, what is its selling price? | option_a=3663 | option_b=2946 | option_c=3370 | option_d=3077 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2931 × 115/100 = █3370.

id=29306 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34391 at 6% per annum for 3 years. | option_a=6090 | option_b=6290 | option_c=6190 | option_d=40581 | answer=C | explanation=SI = PRT/100 = 34391×6×3/100 = █6190.

id=29307 | topic=Percentages | difficulty=Easy | question=What is 25% of 1084? | option_a=281 | option_b=542 | option_c=266 | option_d=271 | answer=D | explanation=25% of 1084 = (25/100) × 1084 = 271.

id=29308 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=29309 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37025 at 15% per annum for 5 years. | option_a=27768 | option_b=27868 | option_c=27668 | option_d=64793 | answer=A | explanation=SI = PRT/100 = 37025×15×5/100 = █27768.

id=29310 | topic=Averages | difficulty=Easy | question=Find the average of 62, 19, 61, 48, 25, 45, 59, 41. | option_a=47 | option_b=45 | option_c=46 | option_d=44 | answer=B | explanation=Average = sum of values ÷ number of values = 360 ÷ 8 = 45.

Aptitude Questions — Records 29,311-29,340 of 100,000

id=29311 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 17, 22, 30? | option_a=12 | option_b=30 | option_c=22 | option_d=17 | answer=B | explanation=The first three numbers increase by 5, so the next should be 27. Therefore 30 is the odd one out.

id=29312 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:15 and the first is 180, what is the second? | option_a=237 | option_b=405 | option_c=210 | option_d=225 | answer=D | explanation=Scale factor = $180/12 = 15$. Therefore second quantity = $15 \times 15 = 225$.

id=29313 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=30 | option_b=26 | option_c=29 | option_d=28 | answer=D | explanation=The common difference is 2. Therefore the next term is $26 + 2 = 28$.

id=29314 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=20 | option_d=6 | answer=A | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=29315 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3294. If it is sold at a profit of 50%, what is its selling price? | option_a=3344 | option_b=4612 | option_c=5270 | option_d=4941 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 3294 \times 150/100 = \text{█}4941$.

id=29316 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=P | option_c=T | option_d=N | answer=A | explanation=Move 2 positions forward from P; the resulting letter is R.

id=29317 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 13, 21, 31? | option_a=5 | option_b=31 | option_c=21 | option_d=13 | answer=B | explanation=The first three numbers increase by 8, so the next should be 29. Therefore 31 is the odd one out.

id=29318 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:19 and the first is 200, what is the second? | option_a=380 | option_b=361 | option_c=390 | option_d=580 | answer=A | explanation=Scale factor = $200/10 = 20$. Therefore second quantity = $19 \times 20 = 380$.

id=29319 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=8 | option_d=3 | answer=B | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=29320 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 30. | option_a=150 | option_b=175 | option_c=120 | option_d=750 | answer=A | explanation= $LCM \times HCF = 25 \times 30$; $HCF(25, 30) = 5$, so $LCM = 150$.

id=29321 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1929. If it is sold at a profit of 10%, what is its selling price? | option_a=1939 | option_b=2121 | option_c=2313 | option_d=1929 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 1929 \times 110/100 = \text{█}2121$.

id=29322 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:9 and the first is 320, what is the second? | option_a=164 | option_b=135 | option_c=144 | option_d=464 | answer=C | explanation=Scale factor = $320/20 = 16$. Therefore second quantity = $9 \times 16 = 144$.

id=29323 | topic=Percentages | difficulty=Easy | question=What is 10% of 98? | option_a=4 | option_b=29 | option_c=9 | option_d=18 | answer=C | explanation= $10\% \text{ of } 98 = (10/100) \times 98 = 9$.

id=29324 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=J | option_b=G | option_c=D | option_d=M | answer=A | explanation=Move 3 positions forward from G; the resulting letter is J.

id=29325 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=J | option_c=H | option_d=F | answer=B | explanation=Move 2 positions forward from H; the resulting letter is J.

id=29326 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=29327 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 15, 23, 34? | option_a=15 | option_b=34 | option_c=23 | option_d=7 | answer=B | explanation=The first three numbers increase by 8, so the next should be 31. Therefore 34 is the odd one out.

id=29328 | topic=Averages | difficulty=Easy | question=Find the average of 58, 76, 47, 97, 102. | option_a=76 | option_b=77 | option_c=75 | option_d=78 | answer=A | explanation=Average = $\text{sum of values} \div \text{number of values} = 380 \div 5 = 76$.

id=29329 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1433. If it is sold at a profit of 50%, what is its selling price? | option_a=1483 | option_b=2292 | option_c=2006 | option_d=2149 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 1433 \times 150/100 = \text{█}2149$.

id=29330 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34688 at 10% per annum for 4 years. | option_a=13975 | option_b=48563 | option_c=13875 | option_d=13775 | answer=C | explanation= $SI = PRT/100 = 34688 \times 10 \times 4/100 = \text{█}13875$.

id=29331 | topic=Percentages | difficulty=Easy | question=What is 12% of 643? | option_a=154 | option_b=87 | option_c=77 | option_d=57 | answer=C | explanation= $12\% \text{ of } 643 = (12/100) \times 643 = 77$.

id=29332 | topic=Averages | difficulty=Easy | question=Find the average of 20, 58, 80, 36, 45, 85. | option_a=53 | option_b=55 | option_c=54 | option_d=56 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 324 \div 6 = 54$.

id=29333 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45942 at 5% per annum for 2 years. | option_a=50536 | option_b=4494 | option_c=4594 | option_d=4694 | answer=C | explanation= $SI = PRT/100 = 45942 \times 5 \times 2/100 = \text{█}4594$.

id=29334 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation= $\text{Speed} = \text{distance} \div \text{time} = 360 \div 6 = 60 \text{ km/h}$.

id=29335 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42746 at 4% per annum for 1 years. | option_a=44455 | option_b=1809 | option_c=1709 | option_d=1609 | answer=C | explanation= $SI = PRT/100 = 42746 \times 4 \times 1/100 = \text{█}1709$.

id=29336 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=29337 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=T | option_c=U | option_d=S | answer=C | explanation=Move 1 positions forward from T; the resulting letter is U.

id=29338 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=M | option_b=X | option_c=H | option_d=C | answer=C | explanation=Move 5 positions forward from C; the resulting letter is H.

id=29339 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30113 at 4% per annum for 2 years. | option_a=2309 | option_b=2509 | option_c=32522 | option_d=2409 | answer=D | explanation= $SI = PRT/100 = 30113 \times 4 \times 2/100 = \text{█}2409$.

id=29340 | topic=Percentages | difficulty=Easy | question=What is 15% of 1683? | option_a=504 | option_b=257 | option_c=242 | option_d=252 | answer=D | explanation= $15\% \text{ of } 1683 = (15/100) \times 1683 = 252$.

Aptitude Questions — Records 29,341-29,370 of 100,000

id=29341 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:1 and the first is 16, what is the second? | option_a=17 | option_b=15 | option_c=16 | option_d=32 | answer=C | explanation=Scale factor = 16/1 = 16. Therefore second quantity = 1×16 = 16.

id=29342 | topic=Percentages | difficulty=Easy | question=What is 12% of 973? | option_a=96 | option_b=232 | option_c=136 | option_d=116 | answer=D | explanation=12% of 973 = (12/100) × 973 = 116.

id=29343 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=R | option_c=X | option_d=A | answer=C | explanation=Move 3 positions forward from U; the resulting letter is X.

id=29344 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=180 | option_c=90 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=29345 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=41 | option_c=36 | option_d=31 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=29346 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2078. If it is sold at a profit of 25%, what is its selling price? | option_a=2103 | option_b=2390 | option_c=2804 | option_d=2597 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2078 × 125/100 = █2597.

id=29347 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=29348 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13463 at 5% per annum for 4 years. | option_a=2592 | option_b=2792 | option_c=2692 | option_d=16155 | answer=C | explanation=SI = PRT/100 = 13463×5×4/100 = █2692.

id=29349 | topic=Percentages | difficulty=Easy | question=What is 50% of 640? | option_a=325 | option_b=320 | option_c=315 | option_d=640 | answer=B | explanation=50% of 640 = (50/100) × 640 = 320.

id=29350 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=75 | option_c=80 | option_d=150 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=29351 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=G | option_b=D | option_c=X | option_d=A | answer=B | explanation=Move 3 positions forward from A; the resulting letter is D.

id=29352 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 46? | option_a=24 | option_b=38 | option_c=31 | option_d=46 | answer=D | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 46 is the odd one out.

id=29353 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=R | option_b=X | option_c=V | option_d=T | answer=C | explanation=Move 2 positions forward from T; the resulting letter is V.

id=29354 | topic=Averages | difficulty=Easy | question=Find the average of 50, 42, 19. | option_a=38 | option_b=36 | option_c=37 | option_d=39 | answer=C | explanation=Average = sum of values ÷ number of values = 111 ÷ 3 = 37.

id=29355 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=61 | option_b=52 | option_c=51 | option_d=41 | answer=C | explanation=The common difference is 10. Therefore the next term is 41 + 10 = 51.

id=29356 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:5 and the first is 65, what is the second? | option_a=65 | option_b=70 | option_c=130 | option_d=60 | answer=A | explanation=Scale factor = 65/5 = 13. Therefore second quantity = 5×13 = 65.

id=29357 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=Q | option_b=H | option_c=N | option_d=K | answer=C | explanation=Move 3 positions forward from K; the resulting letter is N.

id=29358 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=32 | option_b=25 | option_c=33 | option_d=39 | answer=A | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.

id=29359 | topic=Averages | difficulty=Easy | question=Find the average of 89, 58, 88, 78, 10, 45, 80. | option_a=65 | option_b=64 | option_c=66 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 448 ÷ 7 = 64.

id=29360 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=4 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=29361 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=29362 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 11. | option_a=44 | option_b=242 | option_c=11 | option_d=22 | answer=D | explanation=LCM × HCF = 22×11; HCF(22,11) = 11, so LCM = 22.

id=29363 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 16. | option_a=54 | option_b=32 | option_c=48 | option_d=96 | answer=C | explanation=LCM × HCF = 6×16; HCF(6,16) = 2, so LCM = 48.

id=29364 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=55 | option_b=41 | option_c=49 | option_d=48 | answer=D | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.

id=29365 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=12 | option_c=24 | option_d=17 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=29366 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 57? | option_a=29 | option_b=38 | option_c=47 | option_d=57 | answer=D | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 57 is the odd one out.

id=29367 | topic=Percentages | difficulty=Easy | question=What is 20% of 286? | option_a=114 | option_b=77 | option_c=57 | option_d=52 | answer=C | explanation=20% of 286 = (20/100) × 286 = 57.

id=29368 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3914. If it is sold at a profit of 30%, what is its selling price? | option_a=5088 | option_b=5479 | option_c=3944 | option_d=4697 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3914 × 130/100 = █5088.

id=29369 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=40 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=29370 | topic=Profit & Loss | difficulty=Easy | question=An article costs █187. If it is sold at a profit of 5%, what is its selling price? | option_a=178 | option_b=192 | option_c=214 | option_d=196 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 187 × 105/100 = █196.

Aptitude Questions — Records 29,371-29,400 of 100,000

id=29371 | topic=Averages | difficulty=Easy | question=Find the average of 40, 32, 68, 25, 75, 16, 94. | option_a=52 | option_b=49 | option_c=50 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

id=29372 | topic=Percentages | difficulty=Easy | question=What is 12% of 1115? | option_a=128 | option_b=133 | option_c=266 | option_d=153 | answer=B | explanation=12% of 1115 = (12/100) × 1115 = 133.

id=29373 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=29374 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■1034 at 8% per annum for 5 years. | option_a=313 | option_b=413 | option_c=1447 | option_d=513 | answer=B | explanation=SI = PRT/100 = 1034×8×5/100 = ■413.

id=29375 | topic=Averages | difficulty=Easy | question=Find the average of 47, 14, 87, 92, 48, 89, 38, 89. | option_a=64 | option_b=63 | option_c=65 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 504 ÷ 8 = 63.

id=29376 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=E | option_b=G | option_c=F | option_d=H | answer=B | explanation=Move 1 positions forward from F; the resulting letter is G.

id=29377 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 10. | option_a=140 | option_b=280 | option_c=130 | option_d=168 | answer=A | explanation=LCM × HCF = 28×10; HCF(28,10) = 2, so LCM = 140.

id=29378 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=P | option_b=H | option_c=L | option_d=D | answer=C | explanation=Move 4 positions forward from H; the resulting letter is L.

id=29379 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:9 and the first is 119, what is the second? | option_a=160 | option_b=272 | option_c=144 | option_d=153 | answer=D | explanation=Scale factor = 119/7 = 17. Therefore second quantity = 9×17 = 153.

id=29380 | topic=Percentages | difficulty=Easy | question=What is 5% of 161? | option_a=16 | option_b=8 | option_c=0 | option_d=18 | answer=B | explanation=5% of 161 = (5/100) × 161 = 8.

id=29381 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 40? | option_a=21 | option_b=40 | option_c=29 | option_d=13 | answer=B | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 40 is the odd one out.

id=29382 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=J | option_c=D | option_d=M | answer=B | explanation=Move 3 positions forward from G; the resulting letter is J.

id=29383 | topic=Percentages | difficulty=Easy | question=What is 50% of 1195? | option_a=597 | option_b=592 | option_c=1194 | option_d=617 | answer=A | explanation=50% of 1195 = (50/100) × 1195 = 597.

id=29384 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 43? | option_a=21 | option_b=43 | option_c=11 | option_d=31 | answer=B | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 43 is the odd one out.

id=29385 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 28. | option_a=84 | option_b=588 | option_c=56 | option_d=105 | answer=A | explanation=LCM × HCF = 21×28; HCF(21,28) = 7, so LCM = 84.

id=29386 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 13, 21, 32? | option_a=21 | option_b=5 | option_c=13 | option_d=32 | answer=D | explanation=The first three numbers increase by 8, so the next should be 29. Therefore 32 is the odd one out.

id=29387 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■6427 at 15% per annum for 5 years. | option_a=4720 | option_b=4820 | option_c=11247 | option_d=4920 | answer=B | explanation=SI = PRT/100 = 6427×15×5/100 = ■4820.

id=29388 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=67 | option_b=47 | option_c=58 | option_d=57 | answer=D | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

id=29389 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■47680 at 4% per annum for 4 years. | option_a=7728 | option_b=7628 | option_c=7528 | option_d=55308 | answer=B | explanation=SI = PRT/100 = 47680×4×4/100 = ■7628.

id=29390 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:14 and the first is 255, what is the second? | option_a=224 | option_b=253 | option_c=238 | option_d=493 | answer=C | explanation=Scale factor = 255/15 = 17. Therefore second quantity = 14×17 = 238.

id=29391 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:17 and the first is 33, what is the second? | option_a=170 | option_b=220 | option_c=190 | option_d=187 | answer=D | explanation=Scale factor = 33/3 = 11. Therefore second quantity = 17×11 = 187.

id=29392 | topic=Averages | difficulty=Easy | question=Find the average of 74, 68, 51, 27, 70. | option_a=57 | option_b=60 | option_c=59 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 290 ÷ 5 = 58.

id=29393 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=29394 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■20545 at 4% per annum for 4 years. | option_a=23832 | option_b=3187 | option_c=3287 | option_d=3387 | answer=C | explanation=SI = PRT/100 = 20545×4×4/100 = ■3287.

id=29395 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=10 | option_c=20 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=29396 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=40 | option_c=20 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=29397 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=29398 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=29399 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=O | option_b=R | option_c=Q | option_d=P | answer=C | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=29400 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=33 | option_b=29 | option_c=30 | option_d=25 | answer=B | explanation=The common difference is 4. Therefore the next term is 25 + 4 = 29.

Aptitude Questions — Records 29,401-29,430 of 100,000

id=29401 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 7. | option_a=7 | option_b=14 | option_c=1 | option_d=49 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 7 \times 7$; $\text{HCF}(7,7) = 7$, so $\text{LCM} = 7$.

id=29402 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=31 | option_b=37 | option_c=43 | option_d=38 | answer=B | explanation=The common difference is 6. Therefore the next term is $31 + 6 = 37$.

id=29403 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 24, 32, 40, ? | option_a=48 | option_b=49 | option_c=56 | option_d=40 | answer=A | explanation=The common difference is 8. Therefore the next term is $40 + 8 = 48$.

id=29404 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=E | option_b=O | option_c=J | option_d=T | answer=B | explanation=Move 5 positions forward from J; the resulting letter is O.

id=29405 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=45 | option_b=35 | option_c=40 | option_d=41 | answer=C | explanation=The common difference is 5. Therefore the next term is $35 + 5 = 40$.

id=29406 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=35 | option_b=57 | option_c=46 | option_d=47 | answer=C | explanation=The common difference is 11. Therefore the next term is $35 + 11 = 46$.

id=29407 | topic=Averages | difficulty=Easy | question=Find the average of 43, 45, 82, 102. | option_a=68 | option_b=69 | option_c=67 | option_d=70 | answer=A | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 272 \div 4 = 68$.

id=29408 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**33858 at 15% per annum for 4 years. | option_a=54172 | option_b=20314 | option_c=20214 | option_d=20414 | answer=B | explanation= $\text{SI} = \text{PRT}/100 = 33858 \times 15 \times 4 / 100 = \text{₹}20314$.

id=29409 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**42619 at 10% per annum for 3 years. | option_a=55404 | option_b=12685 | option_c=12885 | option_d=12785 | answer=D | explanation= $\text{SI} = \text{PRT}/100 = 42619 \times 10 \times 3 / 100 = \text{₹}12785$.

id=29410 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=K | option_b=J | option_c=L | option_d=I | answer=A | explanation=Move 1 positions forward from J; the resulting letter is K.

id=29411 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**6542 at 12% per annum for 3 years. | option_a=8897 | option_b=2255 | option_c=2355 | option_d=2455 | answer=C | explanation= $\text{SI} = \text{PRT}/100 = 6542 \times 12 \times 3 / 100 = \text{₹}2355$.

id=29412 | topic=Percentages | difficulty=Easy | question=What is 15% of 1938? | option_a=285 | option_b=310 | option_c=580 | option_d=290 | answer=D | explanation= $15\% \text{ of } 1938 = (15/100) \times 1938 = 290$.

id=29413 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2142. If it is sold at a profit of 5%, what is its selling price? | option_a=2463 | option_b=2249 | option_c=2035 | option_d=2147 | answer=B | explanation= $\text{Selling price} = \text{CP} \times (100 + \text{profit}\%) / 100 = 2142 \times 105 / 100 = \text{₹}2249$.

id=29414 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 24? | option_a=24 | option_b=16 | option_c=20 | option_d=18 | answer=A | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 24 is the odd one out.

id=29415 | topic=Percentages | difficulty=Easy | question=What is 5% of 439? | option_a=21 | option_b=31 | option_c=42 | option_d=1 | answer=A | explanation= $5\% \text{ of } 439 = (5/100) \times 439 = 21$.

id=29416 | topic=Averages | difficulty=Easy | question=Find the average of 50, 51, 35, 69, 91, 38, 61, 21, 94, 50. | option_a=55 | option_b=58 | option_c=57 | option_d=56 | answer=D | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 560 \div 10 = 56$.

id=29417 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=13 | option_d=36 | answer=B | explanation= $\text{Speed} = \text{distance} \div \text{time} = 90 \div 5 = 18 \text{ km/h}$.

id=29418 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**6943 at 8% per annum for 4 years. | option_a=9164 | option_b=2321 | option_c=2221 | option_d=2121 | answer=C | explanation= $\text{SI} = \text{PRT}/100 = 6943 \times 8 \times 4 / 100 = \text{₹}2221$.

id=29419 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**13449 at 15% per annum for 2 years. | option_a=4034 | option_b=4134 | option_c=3934 | option_d=17483 | answer=A | explanation= $\text{SI} = \text{PRT}/100 = 13449 \times 15 \times 2 / 100 = \text{₹}4034$.

id=29420 | topic=Percentages | difficulty=Easy | question=What is 50% of 1561? | option_a=770 | option_b=800 | option_c=780 | option_d=1560 | answer=C | explanation= $50\% \text{ of } 1561 = (50/100) \times 1561 = 780$.

id=29421 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 51? | option_a=51 | option_b=39 | option_c=19 | option_d=29 | answer=A | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 51 is the odd one out.

id=29422 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 9. | option_a=54 | option_b=9 | option_c=18 | option_d=24 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 6 \times 9$; $\text{HCF}(6,9) = 3$, so $\text{LCM} = 18$.

id=29423 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=20 | option_c=25 | option_d=30 | answer=C | explanation= $\text{Speed} = \text{distance} \div \text{time} = 150 \div 6 = 25 \text{ km/h}$.

id=29424 | topic=Percentages | difficulty=Easy | question=What is 40% of 1826? | option_a=710 | option_b=735 | option_c=1460 | option_d=730 | answer=D | explanation= $40\% \text{ of } 1826 = (40/100) \times 1826 = 730$.

id=29425 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=144 | option_c=67 | option_d=77 | answer=A | explanation= $\text{Speed} = \text{distance} \div \text{time} = 360 \div 5 = 72 \text{ km/h}$.

id=29426 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**978. If it is sold at a profit of 15%, what is its selling price? | option_a=1124 | option_b=1027 | option_c=993 | option_d=1221 | answer=A | explanation= $\text{Selling price} = \text{CP} \times (100 + \text{profit}\%) / 100 = 978 \times 115 / 100 = \text{₹}1124$.

id=29427 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**945. If it is sold at a profit of 30%, what is its selling price? | option_a=1228 | option_b=1134 | option_c=975 | option_d=1322 | answer=A | explanation= $\text{Selling price} = \text{CP} \times (100 + \text{profit}\%) / 100 = 945 \times 130 / 100 = \text{₹}1228$.

id=29428 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=48 | option_b=49 | option_c=37 | option_d=59 | answer=A | explanation=The common difference is 11. Therefore the next term is $37 + 11 = 48$.

id=29429 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=15 | option_b=16 | option_c=17 | option_d=13 | answer=A | explanation=The common difference is 2. Therefore the next term is $13 + 2 = 15$.

id=29430 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=R | option_b=U | option_c=X | option_d=A | answer=C | explanation=Move 3 positions forward from U; the resulting letter is X.

Aptitude Questions — Records 29,431-29,460 of 100,000

- id=29431 | topic=Averages | difficulty=Easy | question=Find the average of 71, 88, 46, 41, 60, 71, 55, 68, 49. | option_a=61 | option_b=60 | option_c=63 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 549 ÷ 9 = 61.
- id=29432 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1127. If it is sold at a profit of 30%, what is its selling price? | option_a=1353 | option_b=1157 | option_c=1465 | option_d=1577 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1127 × 130/100 = █1465.
- id=29433 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=29434 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=B | option_b=P | option_c=X | option_d=T | answer=C | explanation=Move 4 positions forward from T; the resulting letter is X.
- id=29435 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=29436 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=23 | option_b=20 | option_c=21 | option_d=17 | answer=B | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.
- id=29437 | topic=Averages | difficulty=Easy | question=Find the average of 96, 47, 52, 12, 99, 70, 72. | option_a=63 | option_b=65 | option_c=64 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = 448 ÷ 7 = 64.
- id=29438 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 38, 46, 55? | option_a=46 | option_b=30 | option_c=38 | option_d=55 | answer=D | explanation=The first three numbers increase by 8, so the next should be 54. Therefore 55 is the odd one out.
- id=29439 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=70 | option_b=50 | option_c=60 | option_d=61 | answer=C | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.
- id=29440 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=M | option_b=Q | option_c=I | option_d=E | answer=A | explanation=Move 4 positions forward from I; the resulting letter is M.
- id=29441 | topic=Percentages | difficulty=Easy | question=What is 5% of 1992? | option_a=79 | option_b=119 | option_c=198 | option_d=99 | answer=D | explanation=5% of 1992 = (5/100) × 1992 = 99.
- id=29442 | topic=Averages | difficulty=Easy | question=Find the average of 38, 55, 62, 15, 35, 90, 99, 56, 54. | option_a=55 | option_b=58 | option_c=57 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.
- id=29443 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=80 | option_c=35 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.
- id=29444 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=40 | option_b=34 | option_c=41 | option_d=46 | answer=A | explanation=The common difference is 6. Therefore the next term is 34 + 6 = 40.
- id=29445 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=37 | option_b=27 | option_c=32 | option_d=33 | answer=C | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.
- id=29446 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=T | option_b=E | option_c=J | option_d=O | answer=D | explanation=Move 5 positions forward from J; the resulting letter is O.
- id=29447 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=29448 | topic=Averages | difficulty=Easy | question=Find the average of 45, 15, 51. | option_a=37 | option_b=39 | option_c=38 | option_d=36 | answer=A | explanation=Average = sum of values ÷ number of values = 111 ÷ 3 = 37.
- id=29449 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1981. If it is sold at a profit of 20%, what is its selling price? | option_a=2575 | option_b=2001 | option_c=2377 | option_d=2179 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1981 × 120/100 = █2377.
- id=29450 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=28 | option_b=40 | option_c=34 | option_d=35 | answer=C | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.
- id=29451 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10448 at 5% per annum for 5 years. | option_a=13060 | option_b=2612 | option_c=2512 | option_d=2712 | answer=B | explanation=SI = PRT/100 = 10448×5×5/100 = █2612.
- id=29452 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=95 | option_c=180 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.
- id=29453 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4955. If it is sold at a profit of 50%, what is its selling price? | option_a=6937 | option_b=7927 | option_c=7432 | option_d=5005 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4955 × 150/100 = █7432.
- id=29454 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2745. If it is sold at a profit of 20%, what is its selling price? | option_a=3294 | option_b=3568 | option_c=3020 | option_d=2765 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2745 × 120/100 = █3294.
- id=29455 | topic=Averages | difficulty=Easy | question=Find the average of 49, 88, 12, 95, 12, 35, 94, 55, 48, 62. | option_a=57 | option_b=55 | option_c=56 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 550 ÷ 10 = 55.
- id=29456 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 28, 32, 39? | option_a=28 | option_b=39 | option_c=32 | option_d=24 | answer=B | explanation=The first three numbers increase by 4, so the next should be 36. Therefore 39 is the odd one out.
- id=29457 | topic=Averages | difficulty=Easy | question=Find the average of 59, 55, 56, 99, 36. | option_a=63 | option_b=60 | option_c=61 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 305 ÷ 5 = 61.
- id=29458 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.
- id=29459 | topic=Averages | difficulty=Easy | question=Find the average of 56, 39, 20, 85. | option_a=51 | option_b=49 | option_c=50 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 200 ÷ 4 = 50.
- id=29460 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3232. If it is sold at a profit of 20%, what is its selling price? | option_a=3878 | option_b=3555 | option_c=3252 | option_d=4201 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3232 × 120/100 = █3878.

Aptitude Questions — Records 29,461-29,490 of 100,000

id=29461 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=36 | option_b=41 | option_c=35 | option_d=29 | answer=C | explanation=The common difference is 6. Therefore the next term is 29 + 6 = 35.

id=29462 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 28, 38, 48, ? | option_a=48 | option_b=68 | option_c=59 | option_d=58 | answer=D | explanation=The common difference is 10. Therefore the next term is 48 + 10 = 58.

id=29463 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 36? | option_a=36 | option_b=23 | option_c=29 | option_d=17 | answer=A | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 36 is the odd one out.

id=29464 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■29881 at 15% per annum for 5 years. | option_a=22410 | option_b=22510 | option_c=22310 | option_d=52291 | answer=A | explanation=SI = $PRT/100 = 29881 \times 15 \times 5/100 = \blacksquare 22410$.

id=29465 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:7 and the first is 65, what is the second? | option_a=91 | option_b=156 | option_c=96 | option_d=84 | answer=A | explanation=Scale factor = $65/5 = 13$. Therefore second quantity = $7 \times 13 = 91$.

id=29466 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 28, 33, 39? | option_a=23 | option_b=39 | option_c=28 | option_d=33 | answer=B | explanation=The first three numbers increase by 5, so the next should be 38. Therefore 39 is the odd one out.

id=29467 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=D | option_b=N | option_c=I | option_d=S | answer=B | explanation=Move 5 positions forward from I; the resulting letter is N.

id=29468 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=56 | option_b=66 | option_c=57 | option_d=46 | answer=A | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=29469 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3945. If it is sold at a profit of 40%, what is its selling price? | option_a=5129 | option_b=3985 | option_c=5917 | option_d=5523 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3945 \times 140/100 = \blacksquare 5523$.

id=29470 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=29471 | topic=Percentages | difficulty=Easy | question=What is 12% of 1173? | option_a=150 | option_b=140 | option_c=120 | option_d=280 | answer=B | explanation=12% of 1173 = $(12/100) \times 1173 = 140$.

id=29472 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=29473 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:2 and the first is 252, what is the second? | option_a=46 | option_b=280 | option_c=28 | option_d=26 | answer=C | explanation=Scale factor = $252/18 = 14$. Therefore second quantity = $2 \times 14 = 28$.

id=29474 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=29475 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4900. If it is sold at a profit of 20%, what is its selling price? | option_a=5390 | option_b=5880 | option_c=4920 | option_d=6370 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4900 \times 120/100 = \blacksquare 5880$.

id=29476 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=33 | option_b=29 | option_c=25 | option_d=30 | answer=B | explanation=The common difference is 4. Therefore the next term is 25 + 4 = 29.

id=29477 | topic=Averages | difficulty=Easy | question=Find the average of 60, 10, 55, 75, 68, 13, 33, 78, 67. | option_a=51 | option_b=53 | option_c=52 | option_d=50 | answer=A | explanation=Average = $\text{sum of values} / \text{number of values} = 459 / 9 = 51$.

id=29478 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=29479 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=29480 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:1 and the first is 90, what is the second? | option_a=108 | option_b=17 | option_c=18 | option_d=23 | answer=C | explanation=Scale factor = $90/5 = 18$. Therefore second quantity = $1 \times 18 = 18$.

id=29481 | topic=Percentages | difficulty=Easy | question=What is 50% of 204? | option_a=102 | option_b=92 | option_c=107 | option_d=204 | answer=A | explanation=50% of 204 = $(50/100) \times 204 = 102$.

id=29482 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=U | option_c=Q | option_d=I | answer=C | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=29483 | topic=Averages | difficulty=Easy | question=Find the average of 40, 85, 66, 32, 92. | option_a=64 | option_b=65 | option_c=63 | option_d=62 | answer=C | explanation=Average = $\text{sum of values} / \text{number of values} = 315 / 5 = 63$.

id=29484 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=37 | option_b=53 | option_c=45 | option_d=46 | answer=C | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=29485 | topic=Percentages | difficulty=Easy | question=What is 12% of 1628? | option_a=195 | option_b=190 | option_c=200 | option_d=390 | answer=A | explanation=12% of 1628 = $(12/100) \times 1628 = 195$.

id=29486 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1624. If it is sold at a profit of 20%, what is its selling price? | option_a=1644 | option_b=2110 | option_c=1786 | option_d=1948 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1624 \times 120/100 = \blacksquare 1948$.

id=29487 | topic=Percentages | difficulty=Easy | question=What is 20% of 1952? | option_a=780 | option_b=400 | option_c=370 | option_d=390 | answer=D | explanation=20% of 1952 = $(20/100) \times 1952 = 390$.

id=29488 | topic=Percentages | difficulty=Easy | question=What is 15% of 1672? | option_a=270 | option_b=250 | option_c=245 | option_d=500 | answer=B | explanation=15% of 1672 = $(15/100) \times 1672 = 250$.

id=29489 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=U | option_b=R | option_c=O | option_d=X | answer=A | explanation=Move 3 positions forward from R; the resulting letter is U.

id=29490 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4388. If it is sold at a profit of 25%, what is its selling price? | option_a=5923 | option_b=5047 | option_c=4413 | option_d=5485 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4388 \times 125/100 = \blacksquare 5485$.

Aptitude Questions — Records 29,491-29,520 of 100,000

id=29491 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14328 at 4% per annum for 5 years. | option_a=2865 | option_b=2965 | option_c=2765 | option_d=17193 | answer=A | explanation= $Si = \frac{PRT}{100} = \frac{14328 \times 4 \times 5}{100} = \blacksquare 2865$.

id=29492 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:8 and the first is 136, what is the second? | option_a=144 | option_b=128 | option_c=272 | option_d=136 | answer=D | explanation=Scale factor = $\frac{136}{8} = 17$. Therefore second quantity = $8 \times 17 = 136$.

id=29493 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=I | option_c=R | option_d=O | answer=D | explanation=Move 3 positions forward from L; the resulting letter is O.

id=29494 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:1 and the first is 16, what is the second? | option_a=24 | option_b=8 | option_c=10 | option_d=7 | answer=B | explanation=Scale factor = $\frac{16}{2} = 8$. Therefore second quantity = $1 \times 8 = 8$.

id=29495 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4622. If it is sold at a profit of 40%, what is its selling price? | option_a=6008 | option_b=6470 | option_c=6932 | option_d=4662 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4622 \times \frac{140}{100} = \blacksquare 6470$.

id=29496 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 26. | option_a=468 | option_b=208 | option_c=252 | option_d=234 | answer=D | explanation= $LCM \times HCF = 18 \times 26$; $HCF(18, 26) = 2$, so $LCM = 234$.

id=29497 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:2 and the first is 112, what is the second? | option_a=16 | option_b=128 | option_c=14 | option_d=30 | answer=A | explanation=Scale factor = $\frac{112}{14} = 8$. Therefore second quantity = $2 \times 8 = 16$.

id=29498 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 24, 27, 32? | option_a=32 | option_b=27 | option_c=21 | option_d=24 | answer=A | explanation=The first three numbers increase by 3, so the next should be 30. Therefore 32 is the odd one out.

id=29499 | topic=Percentages | difficulty=Easy | question=What is 20% of 1092? | option_a=238 | option_b=218 | option_c=208 | option_d=436 | answer=B | explanation= $20\% \text{ of } 1092 = \frac{20}{100} \times 1092 = 218$.

id=29500 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■613. If it is sold at a profit of 20%, what is its selling price? | option_a=674 | option_b=735 | option_c=796 | option_d=633 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 613 \times \frac{120}{100} = \blacksquare 735$.

id=29501 | topic=Averages | difficulty=Easy | question=Find the average of 15, 80, 89, 92, 61, 16, 21, 85, 26, 45. | option_a=55 | option_b=53 | option_c=52 | option_d=54 | answer=B | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{530}{10} = 53$.

id=29502 | topic=Percentages | difficulty=Easy | question=What is 30% of 578? | option_a=173 | option_b=153 | option_c=346 | option_d=178 | answer=A | explanation= $30\% \text{ of } 578 = \frac{30}{100} \times 578 = 173$.

id=29503 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 41? | option_a=41 | option_b=29 | option_c=11 | option_d=20 | answer=A | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 41 is the odd one out.

id=29504 | topic=Percentages | difficulty=Easy | question=What is 5% of 484? | option_a=24 | option_b=19 | option_c=34 | option_d=48 | answer=A | explanation= $5\% \text{ of } 484 = \frac{5}{100} \times 484 = 24$.

id=29505 | topic=Percentages | difficulty=Easy | question=What is 50% of 718? | option_a=339 | option_b=359 | option_c=718 | option_d=364 | answer=B | explanation= $50\% \text{ of } 718 = \frac{50}{100} \times 718 = 359$.

id=29506 | topic=Averages | difficulty=Easy | question=Find the average of 41, 38, 97, 47, 67. | option_a=58 | option_b=59 | option_c=60 | option_d=57 | answer=A | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{290}{5} = 58$.

id=29507 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 28. | option_a=30 | option_b=56 | option_c=28 | option_d=1 | answer=C | explanation= $LCM \times HCF = 2 \times 28$; $HCF(2, 28) = 2$, so $LCM = 28$.

id=29508 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 24, 32, 41? | option_a=16 | option_b=24 | option_c=32 | option_d=41 | answer=D | explanation=The first three numbers increase by 8, so the next should be 40. Therefore 41 is the odd one out.

id=29509 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=29 | option_c=19 | option_d=24 | answer=D | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{240}{10} = 24 \text{ km/h}$.

id=29510 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=16 | option_b=19 | option_c=13 | option_d=17 | answer=A | explanation=The common difference is 3. Therefore the next term is $13 + 3 = 16$.

id=29511 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 59? | option_a=26 | option_b=46 | option_c=59 | option_d=36 | answer=C | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 59 is the odd one out.

id=29512 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 33? | option_a=25 | option_b=33 | option_c=28 | option_d=22 | answer=B | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 33 is the odd one out.

id=29513 | topic=Percentages | difficulty=Easy | question=What is 5% of 592? | option_a=39 | option_b=58 | option_c=29 | option_d=24 | answer=C | explanation= $5\% \text{ of } 592 = \frac{5}{100} \times 592 = 29$.

id=29514 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{180}{6} = 30 \text{ km/h}$.

id=29515 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 8. | option_a=24 | option_b=30 | option_c=48 | option_d=16 | answer=A | explanation= $LCM \times HCF = 6 \times 8$; $HCF(6, 8) = 2$, so $LCM = 24$.

id=29516 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=49 | option_b=60 | option_c=59 | option_d=69 | answer=C | explanation=The common difference is 10. Therefore the next term is $49 + 10 = 59$.

id=29517 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=38 | option_b=30 | option_c=34 | option_d=35 | answer=C | explanation=The common difference is 4. Therefore the next term is $30 + 4 = 34$.

id=29518 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:19 and the first is 252, what is the second? | option_a=247 | option_b=284 | option_c=266 | option_d=518 | answer=C | explanation=Scale factor = $\frac{252}{18} = 14$. Therefore second quantity = $19 \times 14 = 266$.

id=29519 | topic=Percentages | difficulty=Easy | question=What is 12% of 1545? | option_a=185 | option_b=175 | option_c=370 | option_d=195 | answer=A | explanation= $12\% \text{ of } 1545 = \frac{12}{100} \times 1545 = 185$.

id=29520 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=Y | option_b=A | option_c=C | option_d=E | answer=C | explanation=Move 2 positions forward from A; the resulting letter is C.

Aptitude Questions — Records 29,521-29,550 of 100,000

id=29521 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=29522 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 30? | option_a=30 | option_b=24 | option_c=18 | option_d=21 | answer=A | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 30 is the odd one out.

id=29523 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=95 | option_c=180 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=29524 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=29525 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=29526 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 23? | option_a=18 | option_b=23 | option_c=16 | option_d=20 | answer=B | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 23 is the odd one out.

id=29527 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**25380 at 15% per annum for 1 years. | option_a=29187 | option_b=3807 | option_c=3707 | option_d=3907 | answer=B | explanation=SI = PRT/100 = 25380×15×1/100 = **₹**3807.

id=29528 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:17 and the first is 180, what is the second? | option_a=289 | option_b=306 | option_c=486 | option_d=316 | answer=B | explanation=Scale factor = 180/10 = 18. Therefore second quantity = 17×18 = 306.

id=29529 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=29530 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=N | option_c=M | option_d=L | answer=B | explanation=Move 1 positions forward from M; the resulting letter is N.

id=29531 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:10 and the first is 50, what is the second? | option_a=60 | option_b=100 | option_c=50 | option_d=40 | answer=C | explanation=Scale factor = 50/10 = 5. Therefore second quantity = 10×5 = 50.

id=29532 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**19065 at 12% per annum for 3 years. | option_a=6863 | option_b=6963 | option_c=6763 | option_d=25928 | answer=A | explanation=SI = PRT/100 = 19065×12×3/100 = **₹**6863.

id=29533 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=29534 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=14 | option_c=4 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=29535 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 28, 38, 48, ? | option_a=68 | option_b=58 | option_c=48 | option_d=59 | answer=B | explanation=The common difference is 10. Therefore the next term is 48 + 10 = 58.

id=29536 | topic=Averages | difficulty=Easy | question=Find the average of 56, 15, 73, 69, 60, 63. | option_a=55 | option_b=56 | option_c=57 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 336 ÷ 6 = 56.

id=29537 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4169. If it is sold at a profit of 50%, what is its selling price? | option_a=6669 | option_b=4219 | option_c=6253 | option_d=5837 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4169 × 150/100 = **₹**6253.

id=29538 | topic=Percentages | difficulty=Easy | question=What is 12% of 1572? | option_a=376 | option_b=168 | option_c=188 | option_d=193 | answer=C | explanation=12% of 1572 = (12/100) × 1572 = 188.

id=29539 | topic=Averages | difficulty=Easy | question=Find the average of 96, 44, 37, 74, 26, 44, 94, 47, 89, 79. | option_a=65 | option_b=64 | option_c=63 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 630 ÷ 10 = 63.

id=29540 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:2 and the first is 300, what is the second? | option_a=340 | option_b=40 | option_c=38 | option_d=55 | answer=B | explanation=Scale factor = 300/15 = 20. Therefore second quantity = 2×20 = 40.

id=29541 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=U | option_c=S | option_d=T | answer=B | explanation=Move 1 positions forward from T; the resulting letter is U.

id=29542 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:12 and the first is 306, what is the second? | option_a=510 | option_b=204 | option_c=222 | option_d=192 | answer=B | explanation=Scale factor = 306/18 = 17. Therefore second quantity = 12×17 = 204.

id=29543 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**31283 at 8% per annum for 2 years. | option_a=36288 | option_b=5105 | option_c=4905 | option_d=5005 | answer=D | explanation=SI = PRT/100 = 31283×8×2/100 = **₹**5005.

id=29544 | topic=Averages | difficulty=Easy | question=Find the average of 68, 87, 97. | option_a=85 | option_b=86 | option_c=84 | option_d=83 | answer=C | explanation=Average = sum of values ÷ number of values = 252 ÷ 3 = 84.

id=29545 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=P | option_b=Y | option_c=S | option_d=V | answer=D | explanation=Move 3 positions forward from S; the resulting letter is V.

id=29546 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:5 and the first is 289, what is the second? | option_a=85 | option_b=80 | option_c=374 | option_d=102 | answer=A | explanation=Scale factor = 289/17 = 17. Therefore second quantity = 5×17 = 85.

id=29547 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=K | option_c=C | option_d=O | answer=B | explanation=Move 4 positions forward from G; the resulting letter is K.

id=29548 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=X | option_b=I | option_c=S | option_d=N | answer=C | explanation=Move 5 positions forward from N; the resulting letter is S.

id=29549 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=O | option_b=M | option_c=N | option_d=P | answer=A | explanation=Move 1 positions forward from N; the resulting letter is O.

id=29550 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**5228 at 4% per annum for 3 years. | option_a=727 | option_b=627 | option_c=5855 | option_d=527 | answer=B | explanation=SI = PRT/100 = 5228×4×3/100 = **₹**627.

Aptitude Questions — Records 29,551-29,580 of 100,000

id=29551 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=M | option_c=Y | option_d=U | answer=D | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=29552 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 45? | option_a=37 | option_b=23 | option_c=30 | option_d=45 | answer=D | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 45 is the odd one out.

id=29553 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=125 | option_d=240 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=29554 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=4 | option_c=9 | option_d=18 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=29555 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=27 | option_b=26 | option_c=23 | option_d=25 | answer=D | explanation=The common difference is 2. Therefore the next term is 23 + 2 = 25.

id=29556 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=29557 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=L | option_b=O | option_c=R | option_d=U | answer=C | explanation=Move 3 positions forward from O; the resulting letter is R.

id=29558 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 10. | option_a=40 | option_b=80 | option_c=30 | option_d=48 | answer=A | explanation=LCM × HCF = 8×10; HCF(8,10) = 2, so LCM = 40.

id=29559 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:20 and the first is 154, what is the second? | option_a=200 | option_b=234 | option_c=220 | option_d=374 | answer=C | explanation=Scale factor = 154/14 = 11. Therefore second quantity = 20×11 = 220.

id=29560 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=K | option_b=J | option_c=L | option_d=I | answer=A | explanation=Move 1 positions forward from J; the resulting letter is K.

id=29561 | topic=Percentages | difficulty=Easy | question=What is 30% of 627? | option_a=183 | option_b=198 | option_c=376 | option_d=188 | answer=D | explanation=30% of 627 = (30/100) × 627 = 188.

id=29562 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=U | option_b=T | option_c=S | option_d=V | answer=A | explanation=Move 1 positions forward from T; the resulting letter is U.

id=29563 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=4 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=29564 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=29565 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=15 | option_b=19 | option_c=18 | option_d=17 | answer=D | explanation=The common difference is 2. Therefore the next term is 15 + 2 = 17.

id=29566 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=M | option_c=K | option_d=N | answer=B | explanation=Move 1 positions forward from L; the resulting letter is M.

id=29567 | topic=Averages | difficulty=Easy | question=Find the average of 74, 89, 33, 47, 64, 74, 59, 35, 38. | option_a=59 | option_b=57 | option_c=56 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 513 ÷ 9 = 57.

id=29568 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=P | option_c=L | option_d=D | answer=C | explanation=Move 4 positions forward from H; the resulting letter is L.

id=29569 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:13 and the first is 56, what is the second? | option_a=104 | option_b=160 | option_c=111 | option_d=91 | answer=A | explanation=Scale factor = 56/7 = 8. Therefore second quantity = 13×8 = 104.

id=29570 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 18, 23, 28, ? | option_a=28 | option_b=38 | option_c=34 | option_d=33 | answer=D | explanation=The common difference is 5. Therefore the next term is 28 + 5 = 33.

id=29571 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=60 | option_b=40 | option_c=50 | option_d=51 | answer=C | explanation=The common difference is 10. Therefore the next term is 40 + 10 = 50.

id=29572 | topic=Averages | difficulty=Easy | question=Find the average of 23, 37, 21, 64, 86, 82, 29, 86, 103. | option_a=61 | option_b=60 | option_c=58 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 531 ÷ 9 = 59.

id=29573 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=51 | option_b=35 | option_c=43 | option_d=44 | answer=C | explanation=The common difference is 8. Therefore the next term is 35 + 8 = 43.

id=29574 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 31, 39, 49? | option_a=49 | option_b=23 | option_c=39 | option_d=31 | answer=A | explanation=The first three numbers increase by 8, so the next should be 47. Therefore 49 is the odd one out.

id=29575 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 31, 42, 53, ? | option_a=53 | option_b=65 | option_c=64 | option_d=75 | answer=C | explanation=The common difference is 11. Therefore the next term is 53 + 11 = 64.

id=29576 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹27839 at 10% per annum for 5 years. | option_a=13819 | option_b=14019 | option_c=13919 | option_d=41758 | answer=C | explanation=SI = PRT/100 = 27839×10×5/100 = ₹13919.

id=29577 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=29578 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=29579 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=100 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=29580 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

Aptitude Questions — Records 29,581-29,610 of 100,000

id=29581 | topic=Profit & Loss | difficulty=Easy | question=An article costs █749. If it is sold at a profit of 40%, what is its selling price? | option_a=789 | option_b=1122 | option_c=1048 | option_d=974 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 749 × 140/100 = █1048.

id=29582 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:19 and the first is 16, what is the second? | option_a=285 | option_b=304 | option_c=320 | option_d=305 | answer=B | explanation=Scale factor = 16/1 = 16. Therefore second quantity = 19×16 = 304.

id=29583 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=30 | option_b=26 | option_c=28 | option_d=29 | answer=C | explanation=The common difference is 2. Therefore the next term is 26 + 2 = 28.

id=29584 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 8, 13, 19? | option_a=3 | option_b=13 | option_c=19 | option_d=8 | answer=C | explanation=The first three numbers increase by 5, so the next should be 18. Therefore 19 is the odd one out.

id=29585 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 37, 44, 53? | option_a=30 | option_b=53 | option_c=37 | option_d=44 | answer=B | explanation=The first three numbers increase by 7, so the next should be 51. Therefore 53 is the odd one out.

id=29586 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3845. If it is sold at a profit of 25%, what is its selling price? | option_a=3870 | option_b=4806 | option_c=5190 | option_d=4422 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3845 × 125/100 = █4806.

id=29587 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1894. If it is sold at a profit of 50%, what is its selling price? | option_a=3030 | option_b=2841 | option_c=2652 | option_d=1944 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1894 × 150/100 = █2841.

id=29588 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4375. If it is sold at a profit of 30%, what is its selling price? | option_a=6124 | option_b=4405 | option_c=5250 | option_d=5687 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4375 × 130/100 = █5687.

id=29589 | topic=Percentages | difficulty=Easy | question=What is 50% of 1090? | option_a=1090 | option_b=545 | option_c=550 | option_d=535 | answer=B | explanation=50% of 1090 = (50/100) × 1090 = 545.

id=29590 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2823. If it is sold at a profit of 40%, what is its selling price? | option_a=2863 | option_b=3670 | option_c=4234 | option_d=3952 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2823 × 140/100 = █3952.

id=29591 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:11 and the first is 260, what is the second? | option_a=163 | option_b=132 | option_c=143 | option_d=403 | answer=C | explanation=Scale factor = 260/20 = 13. Therefore second quantity = 11×13 = 143.

id=29592 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8323 at 8% per annum for 2 years. | option_a=1331 | option_b=1231 | option_c=1431 | option_d=9654 | answer=A | explanation=SI = PRT/100 = 8323×8×2/100 = █1331.

id=29593 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17828 at 8% per annum for 3 years. | option_a=4378 | option_b=4278 | option_c=4178 | option_d=22106 | answer=B | explanation=SI = PRT/100 = 17828×8×3/100 = █4278.

id=29594 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=B | option_b=E | option_c=C | option_d=D | answer=D | explanation=Move 1 positions forward from C; the resulting letter is D.

id=29595 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=S | option_c=R | option_d=P | answer=C | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=29596 | topic=Averages | difficulty=Easy | question=Find the average of 21, 21, 87, 40, 10, 73. | option_a=42 | option_b=41 | option_c=43 | option_d=44 | answer=A | explanation=Average = sum of values ÷ number of values = 252 ÷ 6 = 42.

id=29597 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=O | option_b=P | option_c=Q | option_d=R | answer=C | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=29598 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 30. | option_a=128 | option_b=90 | option_c=240 | option_d=120 | answer=D | explanation=LCM × HCF = 8×30; HCF(8,30) = 2, so LCM = 120.

id=29599 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=70 | option_b=150 | option_c=80 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=29600 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=47 | option_b=57 | option_c=67 | option_d=58 | answer=B | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

id=29601 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 10, 18, 28? | option_a=28 | option_b=2 | option_c=10 | option_d=18 | answer=A | explanation=The first three numbers increase by 8, so the next should be 26. Therefore 28 is the odd one out.

id=29602 | topic=Averages | difficulty=Easy | question=Find the average of 32, 68, 69, 98, 26, 97. | option_a=67 | option_b=65 | option_c=64 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 390 ÷ 6 = 65.

id=29603 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=65 | option_b=43 | option_c=54 | option_d=55 | answer=C | explanation=The common difference is 11. Therefore the next term is 43 + 11 = 54.

id=29604 | topic=Averages | difficulty=Easy | question=Find the average of 59, 91, 60, 90, 17, 91. | option_a=68 | option_b=70 | option_c=69 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = 408 ÷ 6 = 68.

id=29605 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=29606 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=30 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=29607 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 12, 21, 31? | option_a=12 | option_b=3 | option_c=21 | option_d=31 | answer=D | explanation=The first three numbers increase by 9, so the next should be 30. Therefore 31 is the odd one out.

id=29608 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=J | option_b=F | option_c=X | option_d=B | answer=B | explanation=Move 4 positions forward from B; the resulting letter is F.

id=29609 | topic=Averages | difficulty=Easy | question=Find the average of 68, 80, 78, 62. | option_a=71 | option_b=74 | option_c=73 | option_d=72 | answer=D | explanation=Average = sum of values ÷ number of values = 288 ÷ 4 = 72.

id=29610 | topic=Profit & Loss | difficulty=Easy | question=An article costs █212. If it is sold at a profit of 40%, what is its selling price? | option_a=252 | option_b=317 | option_c=275 | option_d=296 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 212 × 140/100 = █296.

Aptitude Questions — Records 29,611-29,640 of 100,000

id=29611 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=18 | option_c=13 | option_d=23 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=29612 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4906. If it is sold at a profit of 15%, what is its selling price? | option_a=5641 | option_b=6131 | option_c=5151 | option_d=4921 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4906 × 115/100 = █5641.

id=29613 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2623. If it is sold at a profit of 40%, what is its selling price? | option_a=3934 | option_b=3410 | option_c=3672 | option_d=2663 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2623 × 140/100 = █3672.

id=29614 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 46? | option_a=23 | option_b=46 | option_c=33 | option_d=13 | answer=B | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 46 is the odd one out.

id=29615 | topic=Percentages | difficulty=Easy | question=What is 40% of 1880? | option_a=772 | option_b=747 | option_c=752 | option_d=1504 | answer=C | explanation=40% of 1880 = (40/100) × 1880 = 752.

id=29616 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 25, 33, 41, ? | option_a=41 | option_b=57 | option_c=50 | option_d=49 | answer=D | explanation=The common difference is 8. Therefore the next term is 41 + 8 = 49.

id=29617 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 23, 30, 37, ? | option_a=51 | option_b=45 | option_c=44 | option_d=37 | answer=C | explanation=The common difference is 7. Therefore the next term is 37 + 7 = 44.

id=29618 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=17 | option_b=15 | option_c=18 | option_d=19 | answer=A | explanation=The common difference is 2. Therefore the next term is 15 + 2 = 17.

id=29619 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2696. If it is sold at a profit of 40%, what is its selling price? | option_a=2736 | option_b=4043 | option_c=3505 | option_d=3774 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2696 × 140/100 = █3774.

id=29620 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:1 and the first is 360, what is the second? | option_a=17 | option_b=38 | option_c=18 | option_d=378 | answer=C | explanation=Scale factor = 360/20 = 18. Therefore second quantity = 1×18 = 18.

id=29621 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=52 | option_b=62 | option_c=40 | option_d=51 | answer=D | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=29622 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38352 at 4% per annum for 1 years. | option_a=1434 | option_b=1534 | option_c=1634 | option_d=39886 | answer=B | explanation=SI = PRT/100 = 38352×4×1/100 = █1534.

id=29623 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:18 and the first is 133, what is the second? | option_a=259 | option_b=145 | option_c=108 | option_d=126 | answer=D | explanation=Scale factor = 133/19 = 7. Therefore second quantity = 18×7 = 126.

id=29624 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:6 and the first is 320, what is the second? | option_a=114 | option_b=120 | option_c=136 | option_d=440 | answer=B | explanation=Scale factor = 320/16 = 20. Therefore second quantity = 6×20 = 120.

id=29625 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=G | option_c=E | option_d=K | answer=A | explanation=Move 2 positions forward from G; the resulting letter is I.

id=29626 | topic=Percentages | difficulty=Easy | question=What is 15% of 1236? | option_a=185 | option_b=190 | option_c=370 | option_d=180 | answer=A | explanation=15% of 1236 = (15/100) × 1236 = 185.

id=29627 | topic=Percentages | difficulty=Easy | question=What is 50% of 736? | option_a=358 | option_b=378 | option_c=736 | option_d=368 | answer=D | explanation=50% of 736 = (50/100) × 736 = 368.

id=29628 | topic=Percentages | difficulty=Easy | question=What is 12% of 1895? | option_a=454 | option_b=207 | option_c=227 | option_d=247 | answer=C | explanation=12% of 1895 = (12/100) × 1895 = 227.

id=29629 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 43? | option_a=33 | option_b=29 | option_c=43 | option_d=37 | answer=C | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 43 is the odd one out.

id=29630 | topic=Averages | difficulty=Easy | question=Find the average of 95, 47, 56, 37, 80, 58, 13, 46. | option_a=53 | option_b=56 | option_c=54 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 432 ÷ 8 = 54.

id=29631 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32980 at 10% per annum for 1 years. | option_a=3398 | option_b=36278 | option_c=3198 | option_d=3298 | answer=D | explanation=SI = PRT/100 = 32980×10×1/100 = █3298.

id=29632 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=V | option_b=T | option_c=W | option_d=U | answer=A | explanation=Move 1 positions forward from U; the resulting letter is V.

id=29633 | topic=Percentages | difficulty=Easy | question=What is 40% of 1562? | option_a=634 | option_b=624 | option_c=604 | option_d=1248 | answer=B | explanation=40% of 1562 = (40/100) × 1562 = 624.

id=29634 | topic=Percentages | difficulty=Easy | question=What is 50% of 607? | option_a=293 | option_b=303 | option_c=606 | option_d=308 | answer=B | explanation=50% of 607 = (50/100) × 607 = 303.

id=29635 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2518 at 15% per annum for 5 years. | option_a=1888 | option_b=1788 | option_c=1988 | option_d=4406 | answer=A | explanation=SI = PRT/100 = 2518×15×5/100 = █1888.

id=29636 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43265 at 15% per annum for 4 years. | option_a=26059 | option_b=69224 | option_c=25859 | option_d=25959 | answer=D | explanation=SI = PRT/100 = 43265×15×4/100 = █25959.

id=29637 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=36 | option_b=44 | option_c=43 | option_d=50 | answer=C | explanation=The common difference is 7. Therefore the next term is 36 + 7 = 43.

id=29638 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=55 | option_d=100 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=29639 | topic=Percentages | difficulty=Easy | question=What is 15% of 1201? | option_a=190 | option_b=180 | option_c=170 | option_d=360 | answer=B | explanation=15% of 1201 = (15/100) × 1201 = 180.

id=29640 | topic=Profit & Loss | difficulty=Easy | question=An article costs █417. If it is sold at a profit of 5%, what is its selling price? | option_a=422 | option_b=437 | option_c=478 | option_d=396 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 417 × 105/100 = █437.

Aptitude Questions — Records 29,641-29,670 of 100,000

id=29641 | topic=Averages | difficulty=Easy | question=Find the average of 50, 57, 34. | option_a=47 | option_b=49 | option_c=48 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 141 ÷ 3 = 47.

id=29642 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 25. | option_a=375 | option_b=90 | option_c=50 | option_d=75 | answer=D | explanation=LCM × HCF = 15×25; HCF(15,25) = 5, so LCM = 75.

id=29643 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 36? | option_a=36 | option_b=26 | option_c=32 | option_d=29 | answer=A | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 36 is the odd one out.

id=29644 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2160. If it is sold at a profit of 15%, what is its selling price? | option_a=2700 | option_b=2484 | option_c=2268 | option_d=2175 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2160 × 115/100 = █2484.

id=29645 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=29646 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39533 at 15% per annum for 4 years. | option_a=63252 | option_b=23619 | option_c=23719 | option_d=23819 | answer=C | explanation=SI = PRT/100 = 39533×15×4/100 = █23719.

id=29647 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21544 at 10% per annum for 5 years. | option_a=10672 | option_b=10772 | option_c=10872 | option_d=32316 | answer=B | explanation=SI = PRT/100 = 21544×10×5/100 = █10772.

id=29648 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=32 | option_b=33 | option_c=37 | option_d=27 | answer=A | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

id=29649 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=29650 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 19, 27, 38? | option_a=11 | option_b=19 | option_c=38 | option_d=27 | answer=C | explanation=The first three numbers increase by 8, so the next should be 35. Therefore 38 is the odd one out.

id=29651 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38927 at 6% per annum for 3 years. | option_a=7106 | option_b=7006 | option_c=6906 | option_d=45933 | answer=B | explanation=SI = PRT/100 = 38927×6×3/100 = █7006.

id=29652 | topic=Profit & Loss | difficulty=Easy | question=An article costs █999. If it is sold at a profit of 30%, what is its selling price? | option_a=1397 | option_b=1199 | option_c=1298 | option_d=1029 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 999 × 130/100 = █1298.

id=29653 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5098 at 4% per annum for 5 years. | option_a=919 | option_b=1019 | option_c=6117 | option_d=1119 | answer=B | explanation=SI = PRT/100 = 5098×4×5/100 = █1019.

id=29654 | topic=Percentages | difficulty=Easy | question=What is 25% of 1774? | option_a=443 | option_b=463 | option_c=438 | option_d=886 | answer=A | explanation=25% of 1774 = (25/100) × 1774 = 443.

id=29655 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:3 and the first is 144, what is the second? | option_a=27 | option_b=24 | option_c=171 | option_d=43 | answer=A | explanation=Scale factor = 144/16 = 9. Therefore second quantity = 3×9 = 27.

id=29656 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=29657 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=70 | option_d=150 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=29658 | topic=Averages | difficulty=Easy | question=Find the average of 10, 99, 39, 18, 51, 40, 52, 71, 47, 13. | option_a=46 | option_b=43 | option_c=45 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = 440 ÷ 10 = 44.

id=29659 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:9 and the first is 40, what is the second? | option_a=58 | option_b=9 | option_c=38 | option_d=18 | answer=D | explanation=Scale factor = 40/20 = 2. Therefore second quantity = 9×2 = 18.

id=29660 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:9 and the first is 38, what is the second? | option_a=37 | option_b=18 | option_c=9 | option_d=56 | answer=B | explanation=Scale factor = 38/19 = 2. Therefore second quantity = 9×2 = 18.

id=29661 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 18, 26, 35? | option_a=35 | option_b=26 | option_c=18 | option_d=10 | answer=A | explanation=The first three numbers increase by 8, so the next should be 34. Therefore 35 is the odd one out.

id=29662 | topic=Averages | difficulty=Easy | question=Find the average of 59, 32, 72, 10, 28, 99. | option_a=51 | option_b=49 | option_c=50 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 300 ÷ 6 = 50.

id=29663 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=37 | option_b=36 | option_c=40 | option_d=32 | answer=B | explanation=The common difference is 4. Therefore the next term is 32 + 4 = 36.

id=29664 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4623 at 6% per annum for 2 years. | option_a=554 | option_b=654 | option_c=5177 | option_d=454 | answer=A | explanation=SI = PRT/100 = 4623×6×2/100 = █554.

id=29665 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8710 at 4% per annum for 1 years. | option_a=448 | option_b=248 | option_c=348 | option_d=9058 | answer=C | explanation=SI = PRT/100 = 8710×4×1/100 = █348.

id=29666 | topic=Averages | difficulty=Easy | question=Find the average of 52, 70, 68, 49, 69, 71, 55. | option_a=63 | option_b=64 | option_c=61 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 434 ÷ 7 = 62.

id=29667 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:18 and the first is 162, what is the second? | option_a=324 | option_b=180 | option_c=162 | option_d=144 | answer=C | explanation=Scale factor = 162/18 = 9. Therefore second quantity = 18×9 = 162.

id=29668 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:1 and the first is 156, what is the second? | option_a=169 | option_b=25 | option_c=12 | option_d=13 | answer=D | explanation=Scale factor = 156/12 = 13. Therefore second quantity = 1×13 = 13.

id=29669 | topic=Averages | difficulty=Easy | question=Find the average of 87, 100, 83, 30, 32, 55, 55, 22. | option_a=60 | option_b=57 | option_c=58 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 464 ÷ 8 = 58.

id=29670 | topic=Averages | difficulty=Easy | question=Find the average of 22, 74, 33, 17, 18, 71, 72, 53. | option_a=47 | option_b=46 | option_c=44 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 360 ÷ 8 = 45.

Aptitude Questions — Records 29,671-29,700 of 100,000

id=29671 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1221. If it is sold at a profit of 10%, what is its selling price? | option_a=1343 | option_b=1465 | option_c=1221 | option_d=1231 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1221 × 110/100 = █1343.

id=29672 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 24. | option_a=24 | option_b=1 | option_c=576 | option_d=48 | answer=A | explanation=LCM × HCF = 24×24; HCF(24,24) = 24, so LCM = 24.

id=29673 | topic=Averages | difficulty=Easy | question=Find the average of 88, 87, 78, 51. | option_a=76 | option_b=77 | option_c=75 | option_d=78 | answer=A | explanation=Average = sum of values ÷ number of values = 304 ÷ 4 = 76.

id=29674 | topic=Percentages | difficulty=Easy | question=What is 10% of 271? | option_a=22 | option_b=47 | option_c=54 | option_d=27 | answer=D | explanation=10% of 271 = (10/100) × 271 = 27.

id=29675 | topic=Percentages | difficulty=Easy | question=What is 10% of 756? | option_a=80 | option_b=150 | option_c=55 | option_d=75 | answer=D | explanation=10% of 756 = (10/100) × 756 = 75.

id=29676 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=Q | option_b=N | option_c=T | option_d=K | answer=A | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=29677 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=29678 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 20. | option_a=286 | option_b=240 | option_c=520 | option_d=260 | answer=D | explanation=LCM × HCF = 26×20; HCF(26,20) = 2, so LCM = 260.

id=29679 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=48 | option_c=24 | option_d=19 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=29680 | topic=Averages | difficulty=Easy | question=Find the average of 28, 64, 64, 31, 53. | option_a=48 | option_b=49 | option_c=47 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 240 ÷ 5 = 48.

id=29681 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 29? | option_a=5 | option_b=29 | option_c=12 | option_d=19 | answer=B | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 29 is the odd one out.

id=29682 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=29683 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1160. If it is sold at a profit of 5%, what is its selling price? | option_a=1334 | option_b=1218 | option_c=1165 | option_d=1102 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1160 × 105/100 = █1218.

id=29684 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=29685 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=N | option_b=W | option_c=Q | option_d=T | answer=D | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=29686 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4612. If it is sold at a profit of 50%, what is its selling price? | option_a=6457 | option_b=4662 | option_c=7379 | option_d=6918 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4612 × 150/100 = █6918.

id=29687 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=C | option_c=Y | option_d=K | answer=A | explanation=Move 4 positions forward from C; the resulting letter is G.

id=29688 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 4. | option_a=44 | option_b=88 | option_c=40 | option_d=66 | answer=A | explanation=LCM × HCF = 22×4; HCF(22,4) = 2, so LCM = 44.

id=29689 | topic=Percentages | difficulty=Easy | question=What is 50% of 311? | option_a=310 | option_b=150 | option_c=155 | option_d=165 | answer=C | explanation=50% of 311 = (50/100) × 311 = 155.

id=29690 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=29691 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=29692 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=26 | option_b=30 | option_c=27 | option_d=22 | answer=A | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.

id=29693 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=29694 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30738 at 8% per annum for 1 years. | option_a=2459 | option_b=2359 | option_c=33197 | option_d=2559 | answer=A | explanation=SI = PRT/100 = 30738×8×1/100 = █2459.

id=29695 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42701 at 10% per annum for 3 years. | option_a=12910 | option_b=55511 | option_c=12710 | option_d=12810 | answer=D | explanation=SI = PRT/100 = 42701×10×3/100 = █12810.

id=29696 | topic=Profit & Loss | difficulty=Easy | question=An article costs █981. If it is sold at a profit of 15%, what is its selling price? | option_a=996 | option_b=1128 | option_c=1226 | option_d=1030 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 981 × 115/100 = █1128.

id=29697 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=U | option_c=X | option_d=O | answer=B | explanation=Move 3 positions forward from R; the resulting letter is U.

id=29698 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=29699 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:5 and the first is 170, what is the second? | option_a=50 | option_b=67 | option_c=220 | option_d=45 | answer=A | explanation=Scale factor = 170/17 = 10. Therefore second quantity = 5×10 = 50.

id=29700 | topic=Averages | difficulty=Easy | question=Find the average of 61, 44, 21. | option_a=43 | option_b=44 | option_c=42 | option_d=41 | answer=C | explanation=Average = sum of values ÷ number of values = 126 ÷ 3 = 42.

Aptitude Questions — Records 29,701-29,730 of 100,000

id=29701 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:8 and the first is 252, what is the second? | option_a=396 | option_b=144 | option_c=136 | option_d=158 | answer=B | explanation=Scale factor = 252/14 = 18. Therefore second quantity = 8×18 = 144.

id=29702 | topic=Percentages | difficulty=Easy | question=What is 40% of 1394? | option_a=567 | option_b=1114 | option_c=552 | option_d=557 | answer=D | explanation=40% of 1394 = (40/100) × 1394 = 557.

id=29703 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■42446 at 15% per annum for 4 years. | option_a=25367 | option_b=25467 | option_c=25567 | option_d=67913 | answer=B | explanation=SI = PRT/100 = 42446×15×4/100 = ■25467.

id=29704 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 10, 18, 28? | option_a=28 | option_b=10 | option_c=18 | option_d=2 | answer=A | explanation=The first three numbers increase by 8, so the next should be 26. Therefore 28 is the odd one out.

id=29705 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:13 and the first is 54, what is the second? | option_a=171 | option_b=117 | option_c=104 | option_d=123 | answer=B | explanation=Scale factor = 54/6 = 9. Therefore second quantity = 13×9 = 117.

id=29706 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=37 | option_b=34 | option_c=33 | option_d=29 | answer=C | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=29707 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3024. If it is sold at a profit of 15%, what is its selling price? | option_a=3039 | option_b=3175 | option_c=3779 | option_d=3477 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3024 × 115/100 = ■3477.

id=29708 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=59 | option_b=49 | option_c=69 | option_d=60 | answer=A | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

id=29709 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=29710 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=145 | option_c=155 | option_d=300 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=29711 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=55 | option_c=50 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=29712 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=29713 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 25, 30, 36? | option_a=25 | option_b=36 | option_c=30 | option_d=20 | answer=B | explanation=The first three numbers increase by 5, so the next should be 35. Therefore 36 is the odd one out.

id=29714 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4085. If it is sold at a profit of 25%, what is its selling price? | option_a=5514 | option_b=4698 | option_c=5106 | option_d=4110 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4085 × 125/100 = ■5106.

id=29715 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3968. If it is sold at a profit of 25%, what is its selling price? | option_a=3993 | option_b=5356 | option_c=4564 | option_d=4960 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3968 × 125/100 = ■4960.

id=29716 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=U | option_b=P | option_c=K | option_d=Z | answer=A | explanation=Move 5 positions forward from P; the resulting letter is U.

id=29717 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=N | option_c=P | option_d=R | answer=D | explanation=Move 2 positions forward from P; the resulting letter is R.

id=29718 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:2 and the first is 54, what is the second? | option_a=12 | option_b=66 | option_c=10 | option_d=21 | answer=A | explanation=Scale factor = 54/9 = 6. Therefore second quantity = 2×6 = 12.

id=29719 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=29720 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=52 | option_b=61 | option_c=41 | option_d=51 | answer=D | explanation=The common difference is 10. Therefore the next term is 41 + 10 = 51.

id=29721 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 37? | option_a=37 | option_b=5 | option_c=25 | option_d=15 | answer=A | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 37 is the odd one out.

id=29722 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:1 and the first is 204, what is the second? | option_a=16 | option_b=17 | option_c=29 | option_d=221 | answer=B | explanation=Scale factor = 204/12 = 17. Therefore second quantity = 1×17 = 17.

id=29723 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=29724 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=L | option_b=B | option_c=G | option_d=W | answer=C | explanation=Move 5 positions forward from B; the resulting letter is G.

id=29725 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=E | option_c=B | option_d=D | answer=D | explanation=Move 1 positions forward from C; the resulting letter is D.

id=29726 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=29727 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 40? | option_a=31 | option_b=15 | option_c=40 | option_d=23 | answer=C | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 40 is the odd one out.

id=29728 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3378. If it is sold at a profit of 20%, what is its selling price? | option_a=4390 | option_b=3716 | option_c=4053 | option_d=3398 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3378 × 120/100 = ■4053.

id=29729 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:16 and the first is 76, what is the second? | option_a=308 | option_b=288 | option_c=380 | option_d=304 | answer=D | explanation=Scale factor = 76/4 = 19. Therefore second quantity = 16×19 = 304.

id=29730 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 16? | option_a=11 | option_b=7 | option_c=3 | option_d=16 | answer=D | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 16 is the odd one out.

Aptitude Questions — Records 29,731-29,760 of 100,000

id=29731 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=51 | option_b=60 | option_c=40 | option_d=50 | answer=D | explanation=The common difference is 10. Therefore the next term is 40 + 10 = 50.

id=29732 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17852 at 4% per annum for 2 years. | option_a=19280 | option_b=1328 | option_c=1428 | option_d=1528 | answer=C | explanation=SI = $PRT/100 = 17852 \times 4 \times 2/100 = \text{■}1428$.

id=29733 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 14, 17, 23? | option_a=23 | option_b=17 | option_c=14 | option_d=11 | answer=A | explanation=The first three numbers increase by 3, so the next should be 20. Therefore 23 is the odd one out.

id=29734 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 5. | option_a=75 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation= $LCM \times HCF = 15 \times 5$, $HCF(15,5) = 5$, so $LCM = 15$.

id=29735 | topic=Averages | difficulty=Easy | question=Find the average of 44, 80, 59, 17, 18, 45, 52, 27, 18. | option_a=41 | option_b=39 | option_c=42 | option_d=40 | answer=D | explanation=Average = sum of values ÷ number of values = $360 \div 9 = 40$.

id=29736 | topic=Percentages | difficulty=Easy | question=What is 15% of 974? | option_a=136 | option_b=151 | option_c=146 | option_d=292 | answer=C | explanation=15% of 974 = $(15/100) \times 974 = 146$.

id=29737 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23737 at 12% per annum for 2 years. | option_a=5596 | option_b=5696 | option_c=5796 | option_d=29433 | answer=B | explanation=SI = $PRT/100 = 23737 \times 12 \times 2/100 = \text{■}5696$.

id=29738 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:2 and the first is 144, what is the second? | option_a=24 | option_b=168 | option_c=22 | option_d=36 | answer=A | explanation=Scale factor = $144/12 = 12$. Therefore second quantity = $2 \times 12 = 24$.

id=29739 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:17 and the first is 225, what is the second? | option_a=270 | option_b=255 | option_c=238 | option_d=480 | answer=B | explanation=Scale factor = $225/15 = 15$. Therefore second quantity = $17 \times 15 = 255$.

id=29740 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45082 at 12% per annum for 4 years. | option_a=21739 | option_b=21539 | option_c=21639 | option_d=66721 | answer=C | explanation=SI = $PRT/100 = 45082 \times 12 \times 4/100 = \text{■}21639$.

id=29741 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=39 | option_b=38 | option_c=31 | option_d=45 | answer=B | explanation=The common difference is 7. Therefore the next term is $31 + 7 = 38$.

id=29742 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=100 | option_c=45 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = $150 \div 3 = 50$ km/h.

id=29743 | topic=Averages | difficulty=Easy | question=Find the average of 76, 15, 42, 27. | option_a=42 | option_b=39 | option_c=40 | option_d=41 | answer=C | explanation=Average = sum of values ÷ number of values = $160 \div 4 = 40$.

id=29744 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=V | option_c=R | option_d=J | answer=C | explanation=Move 4 positions forward from N; the resulting letter is R.

id=29745 | topic=Averages | difficulty=Easy | question=Find the average of 32, 34, 89, 45, 100. | option_a=59 | option_b=61 | option_c=60 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = $300 \div 5 = 60$.

id=29746 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 29, 37, 46? | option_a=37 | option_b=46 | option_c=29 | option_d=21 | answer=B | explanation=The first three numbers increase by 8, so the next should be 45. Therefore 46 is the odd one out.

id=29747 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 24? | option_a=20 | option_b=16 | option_c=18 | option_d=24 | answer=D | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 24 is the odd one out.

id=29748 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=8 | option_d=1 | answer=B | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=29749 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4873. If it is sold at a profit of 20%, what is its selling price? | option_a=5847 | option_b=5360 | option_c=6334 | option_d=4893 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4873 \times 120/100 = \text{■}5847$.

id=29750 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14975 at 12% per annum for 2 years. | option_a=3694 | option_b=3594 | option_c=18569 | option_d=3494 | answer=B | explanation=SI = $PRT/100 = 14975 \times 12 \times 2/100 = \text{■}3594$.

id=29751 | topic=Averages | difficulty=Easy | question=Find the average of 81, 42, 89, 27, 39, 94. | option_a=64 | option_b=63 | option_c=61 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = $372 \div 6 = 62$.

id=29752 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 19, 25, 32? | option_a=25 | option_b=19 | option_c=13 | option_d=32 | answer=D | explanation=The first three numbers increase by 6, so the next should be 31. Therefore 32 is the odd one out.

id=29753 | topic=Percentages | difficulty=Easy | question=What is 5% of 1887? | option_a=94 | option_b=104 | option_c=89 | option_d=188 | answer=A | explanation=5% of 1887 = $(5/100) \times 1887 = 94$.

id=29754 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:18 and the first is 153, what is the second? | option_a=306 | option_b=459 | option_c=315 | option_d=288 | answer=A | explanation=Scale factor = $153/9 = 17$. Therefore second quantity = $18 \times 17 = 306$.

id=29755 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=59 | option_b=37 | option_c=49 | option_d=48 | answer=D | explanation=The common difference is 11. Therefore the next term is $37 + 11 = 48$.

id=29756 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=85 | option_d=160 | answer=A | explanation=Speed = distance ÷ time = $240 \div 3 = 80$ km/h.

id=29757 | topic=Percentages | difficulty=Easy | question=What is 5% of 1938? | option_a=192 | option_b=96 | option_c=76 | option_d=101 | answer=B | explanation=5% of 1938 = $(5/100) \times 1938 = 96$.

id=29758 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=29759 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=240 | option_d=115 | answer=A | explanation=Speed = distance ÷ time = $240 \div 2 = 120$ km/h.

id=29760 | topic=Averages | difficulty=Easy | question=Find the average of 67, 68, 58, 27, 28, 55, 95, 54, 52. | option_a=57 | option_b=58 | option_c=56 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = $504 \div 9 = 56$.

Aptitude Questions — Records 29,761-29,790 of 100,000

id=29761 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 20. | option_a=40 | option_b=90 | option_c=60 | option_d=600 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 30 \times 20$; $\text{HCF}(30,20) = 10$, so $\text{LCM} = 60$.

id=29762 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=40 | option_d=15 | answer=A | explanation= $\text{Speed} = \text{distance} \div \text{time} = 60 \div 3 = 20 \text{ km/h}$.

id=29763 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=28 | option_b=27 | option_c=31 | option_d=23 | answer=B | explanation=The common difference is 4. Therefore the next term is $23 + 4 = 27$.

id=29764 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43, ? | option_a=59 | option_b=51 | option_c=43 | option_d=52 | answer=B | explanation=The common difference is 8. Therefore the next term is $43 + 8 = 51$.

id=29765 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 25, 30, 38? | option_a=38 | option_b=30 | option_c=25 | option_d=20 | answer=A | explanation=The first three numbers increase by 5, so the next should be 35. Therefore 38 is the odd one out.

id=29766 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 51? | option_a=30 | option_b=39 | option_c=51 | option_d=21 | answer=C | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 51 is the odd one out.

id=29767 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3020. If it is sold at a profit of 15%, what is its selling price? | option_a=3035 | option_b=3775 | option_c=3171 | option_d=3473 | answer=D | explanation= $\text{Selling price} = \text{CP} \times (100 + \text{profit}\%)/100 = 3020 \times 115/100 = \text{₹}3473$.

id=29768 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=22 | option_b=25 | option_c=17 | option_d=21 | answer=D | explanation=The common difference is 4. Therefore the next term is $17 + 4 = 21$.

id=29769 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2119. If it is sold at a profit of 5%, what is its selling price? | option_a=2435 | option_b=2013 | option_c=2224 | option_d=2124 | answer=C | explanation= $\text{Selling price} = \text{CP} \times (100 + \text{profit}\%)/100 = 2119 \times 105/100 = \text{₹}2224$.

id=29770 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation= $\text{Combined rate} = 1/4 + 1/12 = 16/48$. $\text{Time} = 48/16 = 3$ days.

id=29771 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=R | option_c=I | option_d=O | answer=D | explanation=Move 3 positions forward from L; the resulting letter is O.

id=29772 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 3. | option_a=18 | option_b=54 | option_c=15 | option_d=36 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 18 \times 3$; $\text{HCF}(18,3) = 3$, so $\text{LCM} = 18$.

id=29773 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3796. If it is sold at a profit of 10%, what is its selling price? | option_a=3796 | option_b=3806 | option_c=4175 | option_d=4554 | answer=C | explanation= $\text{Selling price} = \text{CP} \times (100 + \text{profit}\%)/100 = 3796 \times 110/100 = \text{₹}4175$.

id=29774 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation= $\text{Combined rate} = 1/12 + 1/6 = 18/72$. $\text{Time} = 72/18 = 4$ days.

id=29775 | topic=Percentages | difficulty=Easy | question=What is 25% of 1500? | option_a=375 | option_b=355 | option_c=750 | option_d=385 | answer=A | explanation= $25\% \text{ of } 1500 = (25/100) \times 1500 = 375$.

id=29776 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 17? | option_a=9 | option_b=13 | option_c=17 | option_d=11 | answer=C | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 17 is the odd one out.

id=29777 | topic=Averages | difficulty=Easy | question=Find the average of 14, 15, 100, 34, 37, 69, 28, 60, 61, 102. | option_a=52 | option_b=51 | option_c=53 | option_d=54 | answer=A | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 520 \div 10 = 52$.

id=29778 | topic=Averages | difficulty=Easy | question=Find the average of 33, 24, 99, 54, 60, 30. | option_a=50 | option_b=51 | option_c=49 | option_d=52 | answer=A | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 300 \div 6 = 50$.

id=29779 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**43380 at 6% per annum for 5 years. | option_a=12914 | option_b=13014 | option_c=13114 | option_d=56394 | answer=B | explanation= $\text{SI} = \text{PRT}/100 = 43380 \times 6 \times 5/100 = \text{₹}13014$.

id=29780 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=80 | option_c=35 | option_d=40 | answer=D | explanation= $\text{Speed} = \text{distance} \div \text{time} = 120 \div 3 = 40 \text{ km/h}$.

id=29781 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=35 | option_b=44 | option_c=43 | option_d=51 | answer=C | explanation=The common difference is 8. Therefore the next term is $35 + 8 = 43$.

id=29782 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 27. | option_a=108 | option_b=150 | option_c=405 | option_d=135 | answer=D | explanation= $\text{LCM} \times \text{HCF} = 15 \times 27$; $\text{HCF}(15,27) = 3$, so $\text{LCM} = 135$.

id=29783 | topic=Percentages | difficulty=Easy | question=What is 30% of 411? | option_a=113 | option_b=133 | option_c=246 | option_d=123 | answer=D | explanation= $30\% \text{ of } 411 = (30/100) \times 411 = 123$.

id=29784 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 25. | option_a=750 | option_b=150 | option_c=125 | option_d=180 | answer=B | explanation= $\text{LCM} \times \text{HCF} = 30 \times 25$; $\text{HCF}(30,25) = 5$, so $\text{LCM} = 150$.

id=29785 | topic=Percentages | difficulty=Easy | question=What is 12% of 821? | option_a=78 | option_b=98 | option_c=118 | option_d=196 | answer=B | explanation= $12\% \text{ of } 821 = (12/100) \times 821 = 98$.

id=29786 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**11357 at 12% per annum for 3 years. | option_a=3988 | option_b=15445 | option_c=4188 | option_d=4088 | answer=D | explanation= $\text{SI} = \text{PRT}/100 = 11357 \times 12 \times 3/100 = \text{₹}4088$.

id=29787 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=40 | option_c=20 | option_d=15 | answer=C | explanation= $\text{Speed} = \text{distance} \div \text{time} = 120 \div 6 = 20 \text{ km/h}$.

id=29788 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**259. If it is sold at a profit of 50%, what is its selling price? | option_a=413 | option_b=388 | option_c=363 | option_d=309 | answer=B | explanation= $\text{Selling price} = \text{CP} \times (100 + \text{profit}\%)/100 = 259 \times 150/100 = \text{₹}388$.

id=29789 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation= $\text{Combined rate} = 1/12 + 1/6 = 18/72$. $\text{Time} = 72/18 = 4$ days.

id=29790 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=T | option_b=R | option_c=U | option_d=S | answer=A | explanation=Move 1 positions forward from S; the resulting letter is T.

Aptitude Questions — Records 29,791-29,820 of 100,000

id=29791 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=47 | option_b=54 | option_c=48 | option_d=40 | answer=A | explanation=The common difference is 7. Therefore the next term is 40 + 7 = 47.

id=29792 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=56 | option_b=45 | option_c=67 | option_d=57 | answer=A | explanation=The common difference is 11. Therefore the next term is 45 + 11 = 56.

id=29793 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=L | option_b=I | option_c=F | option_d=O | answer=A | explanation=Move 3 positions forward from I; the resulting letter is L.

id=29794 | topic=Averages | difficulty=Easy | question=Find the average of 37, 45, 84, 92, 62. | option_a=64 | option_b=65 | option_c=66 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 320 ÷ 5 = 64.

id=29795 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 48? | option_a=27 | option_b=17 | option_c=48 | option_d=37 | answer=C | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 48 is the odd one out.

id=29796 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:7 and the first is 180, what is the second? | option_a=264 | option_b=77 | option_c=99 | option_d=84 | answer=D | explanation=Scale factor = 180/15 = 12. Therefore second quantity = 7×12 = 84.

id=29797 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=29798 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31278 at 8% per annum for 2 years. | option_a=5004 | option_b=5104 | option_c=4904 | option_d=36282 | answer=A | explanation=SI = PRT/100 = 31278×8×2/100 = **■**5004.

id=29799 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1002. If it is sold at a profit of 5%, what is its selling price? | option_a=1007 | option_b=952 | option_c=1052 | option_d=1152 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1002 × 105/100 = **■**1052.

id=29800 | topic=Percentages | difficulty=Easy | question=What is 5% of 1497? | option_a=64 | option_b=94 | option_c=74 | option_d=148 | answer=C | explanation=5% of 1497 = (5/100) × 1497 = 74.

id=29801 | topic=Percentages | difficulty=Easy | question=What is 25% of 581? | option_a=165 | option_b=145 | option_c=290 | option_d=135 | answer=B | explanation=25% of 581 = (25/100) × 581 = 145.

id=29802 | topic=Averages | difficulty=Easy | question=Find the average of 43, 92, 82, 95, 53. | option_a=74 | option_b=72 | option_c=75 | option_d=73 | answer=D | explanation=Average = sum of values ÷ number of values = 365 ÷ 5 = 73.

id=29803 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:8 and the first is 12, what is the second? | option_a=24 | option_b=36 | option_c=28 | option_d=16 | answer=A | explanation=Scale factor = 12/4 = 3. Therefore second quantity = 8×3 = 24.

id=29804 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 27? | option_a=18 | option_b=12 | option_c=6 | option_d=27 | answer=D | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 27 is the odd one out.

id=29805 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=80 | option_c=40 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=29806 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 22, 25, 29? | option_a=22 | option_b=25 | option_c=29 | option_d=19 | answer=C | explanation=The first three numbers increase by 3, so the next should be 28. Therefore 29 is the odd one out.

id=29807 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 29, 37, 47? | option_a=21 | option_b=37 | option_c=29 | option_d=47 | answer=D | explanation=The first three numbers increase by 8, so the next should be 45. Therefore 47 is the odd one out.

id=29808 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11772 at 10% per annum for 5 years. | option_a=5786 | option_b=5886 | option_c=17658 | option_d=5986 | answer=B | explanation=SI = PRT/100 = 11772×10×5/100 = **■**5886.

id=29809 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=B | option_b=Z | option_c=C | option_d=A | answer=A | explanation=Move 1 positions forward from A; the resulting letter is B.

id=29810 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 17, 26, 38? | option_a=38 | option_b=26 | option_c=17 | option_d=8 | answer=A | explanation=The first three numbers increase by 9, so the next should be 35. Therefore 38 is the odd one out.

id=29811 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=54 | option_b=43 | option_c=65 | option_d=55 | answer=A | explanation=The common difference is 11. Therefore the next term is 43 + 11 = 54.

id=29812 | topic=Averages | difficulty=Easy | question=Find the average of 88, 14, 87. | option_a=63 | option_b=65 | option_c=62 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = 189 ÷ 3 = 63.

id=29813 | topic=Averages | difficulty=Easy | question=Find the average of 25, 67, 74, 16, 68, 32, 75. | option_a=52 | option_b=53 | option_c=50 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.

id=29814 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=L | option_c=N | option_d=P | answer=D | explanation=Move 2 positions forward from N; the resulting letter is P.

id=29815 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=96 | option_c=43 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=29816 | topic=Averages | difficulty=Easy | question=Find the average of 38, 49, 87, 90, 87, 75. | option_a=71 | option_b=73 | option_c=70 | option_d=72 | answer=A | explanation=Average = sum of values ÷ number of values = 426 ÷ 6 = 71.

id=29817 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:19 and the first is 48, what is the second? | option_a=209 | option_b=276 | option_c=228 | option_d=232 | answer=C | explanation=Scale factor = 48/4 = 12. Therefore second quantity = 19×12 = 228.

id=29818 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4555. If it is sold at a profit of 15%, what is its selling price? | option_a=4570 | option_b=4783 | option_c=5238 | option_d=5693 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4555 × 115/100 = **■**5238.

id=29819 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:13 and the first is 15, what is the second? | option_a=54 | option_b=26 | option_c=39 | option_d=44 | answer=C | explanation=Scale factor = 15/5 = 3. Therefore second quantity = 13×3 = 39.

id=29820 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1419. If it is sold at a profit of 50%, what is its selling price? | option_a=1987 | option_b=1469 | option_c=2269 | option_d=2128 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1419 × 150/100 = **■**2128.

Aptitude Questions — Records 29,821-29,850 of 100,000

id=29821 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1081. If it is sold at a profit of 20%, what is its selling price? | option_a=1101 | option_b=1405 | option_c=1189 | option_d=1297 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1081 × 120/100 = **■**1297.

id=29822 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 43? | option_a=43 | option_b=29 | option_c=37 | option_d=33 | answer=A | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 43 is the odd one out.

id=29823 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=29824 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10028 at 10% per annum for 4 years. | option_a=14039 | option_b=4111 | option_c=3911 | option_d=4011 | answer=D | explanation=SI = PRT/100 = 10028×10×4/100 = **■**4011.

id=29825 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=N | option_b=X | option_c=S | option_d=C | answer=B | explanation=Move 5 positions forward from S; the resulting letter is X.

id=29826 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=12 | option_c=17 | option_d=24 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=29827 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=29828 | topic=Percentages | difficulty=Easy | question=What is 15% of 1139? | option_a=180 | option_b=170 | option_c=340 | option_d=160 | answer=B | explanation=15% of 1139 = (15/100) × 1139 = 170.

id=29829 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27230 at 4% per annum for 4 years. | option_a=4356 | option_b=4256 | option_c=31586 | option_d=4456 | answer=A | explanation=SI = PRT/100 = 27230×4×4/100 = **■**4356.

id=29830 | topic=Percentages | difficulty=Easy | question=What is 10% of 513? | option_a=46 | option_b=102 | option_c=51 | option_d=71 | answer=C | explanation=10% of 513 = (10/100) × 513 = 51.

id=29831 | topic=Averages | difficulty=Easy | question=Find the average of 88, 54, 80, 69, 42, 18, 75, 38. | option_a=58 | option_b=60 | option_c=59 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 464 ÷ 8 = 58.

id=29832 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41179 at 4% per annum for 3 years. | option_a=5041 | option_b=46120 | option_c=4841 | option_d=4941 | answer=D | explanation=SI = PRT/100 = 41179×4×3/100 = **■**4941.

id=29833 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=29834 | topic=Averages | difficulty=Easy | question=Find the average of 84, 10, 65, 78, 23. | option_a=54 | option_b=53 | option_c=51 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 260 ÷ 5 = 52.

id=29835 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:20 and the first is 126, what is the second? | option_a=340 | option_b=360 | option_c=486 | option_d=367 | answer=B | explanation=Scale factor = 126/7 = 18. Therefore second quantity = 20×18 = 360.

id=29836 | topic=Averages | difficulty=Easy | question=Find the average of 40, 38, 92, 25, 73, 54, 45, 74, 89, 100. | option_a=65 | option_b=64 | option_c=63 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 630 ÷ 10 = 63.

id=29837 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:4 and the first is 48, what is the second? | option_a=44 | option_b=96 | option_c=48 | option_d=52 | answer=C | explanation=Scale factor = 48/4 = 12. Therefore second quantity = 4×12 = 48.

id=29838 | topic=Averages | difficulty=Easy | question=Find the average of 69, 22, 38, 79, 53, 12, 53, 95, 74. | option_a=56 | option_b=55 | option_c=57 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.

id=29839 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 31? | option_a=31 | option_b=23 | option_c=13 | option_d=18 | answer=A | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 31 is the odd one out.

id=29840 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=41 | option_c=72 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=29841 | topic=Percentages | difficulty=Easy | question=What is 15% of 926? | option_a=128 | option_b=276 | option_c=138 | option_d=148 | answer=C | explanation=15% of 926 = (15/100) × 926 = 138.

id=29842 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**124. If it is sold at a profit of 25%, what is its selling price? | option_a=155 | option_b=149 | option_c=167 | option_d=143 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 124 × 125/100 = **■**155.

id=29843 | topic=Averages | difficulty=Easy | question=Find the average of 35, 86, 99, 92, 93. | option_a=82 | option_b=80 | option_c=81 | option_d=83 | answer=C | explanation=Average = sum of values ÷ number of values = 405 ÷ 5 = 81.

id=29844 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 16, 23, 30, ? | option_a=30 | option_b=37 | option_c=38 | option_d=44 | answer=B | explanation=The common difference is 7. Therefore the next term is 30 + 7 = 37.

id=29845 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=55 | option_b=41 | option_c=48 | option_d=49 | answer=C | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.

id=29846 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=23 | option_b=24 | option_c=20 | option_d=22 | answer=D | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=29847 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16459 at 15% per annum for 2 years. | option_a=4837 | option_b=21396 | option_c=4937 | option_d=5037 | answer=C | explanation=SI = PRT/100 = 16459×15×2/100 = **■**4937.

id=29848 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=E | option_b=G | option_c=H | option_d=F | answer=B | explanation=Move 1 positions forward from F; the resulting letter is G.

id=29849 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=4 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=29850 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 32? | option_a=32 | option_b=25 | option_c=28 | option_d=22 | answer=A | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 32 is the odd one out.

Aptitude Questions — Records 29,851-29,880 of 100,000

id=29851 | topic=Profit & Loss | difficulty=Easy | question=An article costs █233. If it is sold at a profit of 20%, what is its selling price? | option_a=302 | option_b=256 | option_c=279 | option_d=253 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 233 × 120/100 = █279.

id=29852 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13417 at 10% per annum for 4 years. | option_a=18783 | option_b=5466 | option_c=5266 | option_d=5366 | answer=D | explanation=SI = PRT/100 = 13417×10×4/100 = █5366.

id=29853 | topic=Averages | difficulty=Easy | question=Find the average of 15, 39, 81, 53. | option_a=48 | option_b=49 | option_c=47 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 188 ÷ 4 = 47.

id=29854 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=70 | option_c=80 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=29855 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 15, 22, 31? | option_a=22 | option_b=8 | option_c=15 | option_d=31 | answer=D | explanation=The first three numbers increase by 7, so the next should be 29. Therefore 31 is the odd one out.

id=29856 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=J | option_c=G | option_d=A | answer=C | explanation=Move 3 positions forward from D; the resulting letter is G.

id=29857 | topic=Percentages | difficulty=Easy | question=What is 50% of 1593? | option_a=1592 | option_b=796 | option_c=786 | option_d=816 | answer=B | explanation=50% of 1593 = (50/100) × 1593 = 796.

id=29858 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47120 at 8% per annum for 3 years. | option_a=11408 | option_b=58428 | option_c=11208 | option_d=11308 | answer=D | explanation=SI = PRT/100 = 47120×8×3/100 = █11308.

id=29859 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 12. | option_a=24 | option_b=96 | option_c=32 | option_d=12 | answer=A | explanation=LCM × HCF = 8×12; HCF(8,12) = 4, so LCM = 24.

id=29860 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4267. If it is sold at a profit of 10%, what is its selling price? | option_a=4277 | option_b=5119 | option_c=4267 | option_d=4693 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4267 × 110/100 = █4693.

id=29861 | topic=Percentages | difficulty=Easy | question=What is 40% of 313? | option_a=135 | option_b=125 | option_c=115 | option_d=250 | answer=B | explanation=40% of 313 = (40/100) × 313 = 125.

id=29862 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=F | option_c=G | option_d=E | answer=C | explanation=Move 1 positions forward from F; the resulting letter is G.

id=29863 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30400 at 6% per annum for 2 years. | option_a=3748 | option_b=34048 | option_c=3548 | option_d=3648 | answer=D | explanation=SI = PRT/100 = 30400×6×2/100 = █3648.

id=29864 | topic=Averages | difficulty=Easy | question=Find the average of 87, 17, 87, 14, 74, 33. | option_a=51 | option_b=53 | option_c=52 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 312 ÷ 6 = 52.

id=29865 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1141 at 4% per annum for 3 years. | option_a=1277 | option_b=136 | option_c=36 | option_d=236 | answer=B | explanation=SI = PRT/100 = 1141×4×3/100 = █136.

id=29866 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=37 | option_b=45 | option_c=38 | option_d=29 | answer=A | explanation=The common difference is 8. Therefore the next term is 29 + 8 = 37.

id=29867 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 8, 11, 14, ? | option_a=18 | option_b=17 | option_c=14 | option_d=20 | answer=B | explanation=The common difference is 3. Therefore the next term is 14 + 3 = 17.

id=29868 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:16 and the first is 15, what is the second? | option_a=83 | option_b=64 | option_c=95 | option_d=80 | answer=D | explanation=Scale factor = 15/3 = 5. Therefore second quantity = 16×5 = 80.

id=29869 | topic=Percentages | difficulty=Easy | question=What is 30% of 1239? | option_a=371 | option_b=742 | option_c=376 | option_d=366 | answer=A | explanation=30% of 1239 = (30/100) × 1239 = 371.

id=29870 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=G | option_b=L | option_c=B | option_d=W | answer=A | explanation=Move 5 positions forward from B; the resulting letter is G.

id=29871 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4973. If it is sold at a profit of 15%, what is its selling price? | option_a=4988 | option_b=5221 | option_c=6215 | option_d=5718 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4973 × 115/100 = █5718.

id=29872 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4138. If it is sold at a profit of 10%, what is its selling price? | option_a=4138 | option_b=4551 | option_c=4148 | option_d=4964 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4138 × 110/100 = █4551.

id=29873 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2902. If it is sold at a profit of 15%, what is its selling price? | option_a=3337 | option_b=3627 | option_c=2917 | option_d=3047 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2902 × 115/100 = █3337.

id=29874 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 53? | option_a=53 | option_b=32 | option_c=23 | option_d=41 | answer=A | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 53 is the odd one out.

id=29875 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 24, 36, 48, ? | option_a=48 | option_b=60 | option_c=61 | option_d=72 | answer=B | explanation=The common difference is 12. Therefore the next term is 48 + 12 = 60.

id=29876 | topic=Percentages | difficulty=Easy | question=What is 20% of 1712? | option_a=342 | option_b=352 | option_c=322 | option_d=684 | answer=A | explanation=20% of 1712 = (20/100) × 1712 = 342.

id=29877 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 22. | option_a=48 | option_b=22 | option_c=44 | option_d=88 | answer=C | explanation=LCM × HCF = 4×22; HCF(4,22) = 2, so LCM = 44.

id=29878 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:16 and the first is 204, what is the second? | option_a=272 | option_b=256 | option_c=476 | option_d=284 | answer=A | explanation=Scale factor = 204/12 = 17. Therefore second quantity = 16×17 = 272.

id=29879 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=20 | option_d=5 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=29880 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2678. If it is sold at a profit of 50%, what is its selling price? | option_a=4017 | option_b=2728 | option_c=3750 | option_d=4284 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2678 × 150/100 = █4017.

Aptitude Questions — Records 29,881-29,910 of 100,000

id=29881 | topic=Percentages | difficulty=Easy | question=What is 20% of 1961? | option_a=392 | option_b=397 | option_c=784 | option_d=372 | answer=A | explanation=20% of 1961 = (20/100) × 1961 = 392.

id=29882 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:20 and the first is 360, what is the second? | option_a=760 | option_b=400 | option_c=380 | option_d=418 | answer=B | explanation=Scale factor = 360/18 = 20. Therefore second quantity = 20×20 = 400.

id=29883 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=29884 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=29885 | topic=Profit & Loss | difficulty=Easy | question=An article costs █582. If it is sold at a profit of 20%, what is its selling price? | option_a=756 | option_b=640 | option_c=698 | option_d=602 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 582 × 120/100 = █698.

id=29886 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:4 and the first is 64, what is the second? | option_a=80 | option_b=32 | option_c=16 | option_d=12 | answer=C | explanation=Scale factor = 64/16 = 4. Therefore second quantity = 4×4 = 16.

id=29887 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=150 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=29888 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=T | option_b=Q | option_c=W | option_d=N | answer=A | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=29889 | topic=Percentages | difficulty=Easy | question=What is 15% of 961? | option_a=288 | option_b=149 | option_c=139 | option_d=144 | answer=D | explanation=15% of 961 = (15/100) × 961 = 144.

id=29890 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31769 at 12% per annum for 3 years. | option_a=11436 | option_b=43205 | option_c=11536 | option_d=11336 | answer=A | explanation=SI = PRT/100 = 31769×12×3/100 = █11436.

id=29891 | topic=Percentages | difficulty=Easy | question=What is 50% of 1676? | option_a=848 | option_b=838 | option_c=1676 | option_d=828 | answer=B | explanation=50% of 1676 = (50/100) × 1676 = 838.

id=29892 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=15 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=29893 | topic=Percentages | difficulty=Easy | question=What is 15% of 116? | option_a=0 | option_b=27 | option_c=34 | option_d=17 | answer=D | explanation=15% of 116 = (15/100) × 116 = 17.

id=29894 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=30 | option_b=38 | option_c=39 | option_d=46 | answer=B | explanation=The common difference is 8. Therefore the next term is 30 + 8 = 38.

id=29895 | topic=Percentages | difficulty=Easy | question=What is 5% of 1102? | option_a=65 | option_b=35 | option_c=110 | option_d=55 | answer=D | explanation=5% of 1102 = (5/100) × 1102 = 55.

id=29896 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1234. If it is sold at a profit of 30%, what is its selling price? | option_a=1727 | option_b=1264 | option_c=1604 | option_d=1481 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1234 × 130/100 = █1604.

id=29897 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=50 | option_b=34 | option_c=42 | option_d=43 | answer=C | explanation=The common difference is 8. Therefore the next term is 34 + 8 = 42.

id=29898 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34043 at 12% per annum for 1 years. | option_a=4085 | option_b=38128 | option_c=3985 | option_d=4185 | answer=A | explanation=SI = PRT/100 = 34043×12×1/100 = █4085.

id=29899 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 11, 16, 22? | option_a=6 | option_b=11 | option_c=16 | option_d=22 | answer=D | explanation=The first three numbers increase by 5, so the next should be 21. Therefore 22 is the odd one out.

id=29900 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=J | option_b=O | option_c=E | option_d=Z | answer=A | explanation=Move 5 positions forward from E; the resulting letter is J.

id=29901 | topic=Percentages | difficulty=Easy | question=What is 10% of 1558? | option_a=165 | option_b=145 | option_c=155 | option_d=310 | answer=C | explanation=10% of 1558 = (10/100) × 1558 = 155.

id=29902 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=X | option_c=R | option_d=A | answer=B | explanation=Move 3 positions forward from U; the resulting letter is X.

id=29903 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=40 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=29904 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=10 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=29905 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 18, 28, 38, ? | option_a=58 | option_b=38 | option_c=48 | option_d=49 | answer=C | explanation=The common difference is 10. Therefore the next term is 38 + 10 = 48.

id=29906 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 22. | option_a=264 | option_b=286 | option_c=572 | option_d=312 | answer=B | explanation=LCM × HCF = 26×22; HCF(26,22) = 2, so LCM = 286.

id=29907 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=29908 | topic=Averages | difficulty=Easy | question=Find the average of 46, 14, 85, 84, 17, 58, 67, 85. | option_a=56 | option_b=57 | option_c=58 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

id=29909 | topic=Percentages | difficulty=Easy | question=What is 25% of 924? | option_a=231 | option_b=236 | option_c=226 | option_d=462 | answer=A | explanation=25% of 924 = (25/100) × 924 = 231.

id=29910 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=D | option_b=N | option_c=I | option_d=S | answer=B | explanation=Move 5 positions forward from I; the resulting letter is N.

Aptitude Questions — Records 29,911-29,940 of 100,000

id=29911 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=29912 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=30 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = $60 \div 4 = 15$ km/h.

id=29913 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4669. If it is sold at a profit of 10%, what is its selling price? | option_a=5135 | option_b=4669 | option_c=4679 | option_d=5601 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4669 \times 110/100 = \text{█}5135$.

id=29914 | topic=Averages | difficulty=Easy | question=Find the average of 52, 53, 53, 75, 72, 61. | option_a=63 | option_b=61 | option_c=60 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = $366 \div 6 = 61$.

id=29915 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 24, 36, 48, ? | option_a=72 | option_b=48 | option_c=60 | option_d=61 | answer=C | explanation=The common difference is 12. Therefore the next term is $48 + 12 = 60$.

id=29916 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.

id=29917 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:12 and the first is 27, what is the second? | option_a=135 | option_b=108 | option_c=96 | option_d=111 | answer=B | explanation=Scale factor = $27/3 = 9$. Therefore second quantity = $12 \times 9 = 108$.

id=29918 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=22 | option_b=25 | option_c=19 | option_d=23 | answer=A | explanation=The common difference is 3. Therefore the next term is $19 + 3 = 22$.

id=29919 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 44? | option_a=44 | option_b=11 | option_c=31 | option_d=21 | answer=A | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 44 is the odd one out.

id=29920 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 20. | option_a=320 | option_b=80 | option_c=60 | option_d=96 | answer=B | explanation= $LCM \times HCF = 16 \times 20$; $HCF(16, 20) = 4$, so $LCM = 80$.

id=29921 | topic=Profit & Loss | difficulty=Easy | question=An article costs █187. If it is sold at a profit of 15%, what is its selling price? | option_a=215 | option_b=233 | option_c=202 | option_d=197 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 187 \times 115/100 = \text{█}215$.

id=29922 | topic=Percentages | difficulty=Easy | question=What is 10% of 1802? | option_a=360 | option_b=180 | option_c=185 | option_d=175 | answer=B | explanation=10% of 1802 = $(10/100) \times 1802 = 180$.

id=29923 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=27 | option_b=31 | option_c=26 | option_d=21 | answer=C | explanation=The common difference is 5. Therefore the next term is $21 + 5 = 26$.

id=29924 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3216. If it is sold at a profit of 40%, what is its selling price? | option_a=4181 | option_b=3256 | option_c=4823 | option_d=4502 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3216 \times 140/100 = \text{█}4502$.

id=29925 | topic=Averages | difficulty=Easy | question=Find the average of 40, 66, 79, 42, 98, 75, 96, 66, 14. | option_a=63 | option_b=65 | option_c=64 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = $576 \div 9 = 64$.

id=29926 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=57 | option_b=67 | option_c=56 | option_d=45 | answer=C | explanation=The common difference is 11. Therefore the next term is $45 + 11 = 56$.

id=29927 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3467. If it is sold at a profit of 30%, what is its selling price? | option_a=4161 | option_b=3497 | option_c=4853 | option_d=4507 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3467 \times 130/100 = \text{█}4507$.

id=29928 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:4 and the first is 84, what is the second? | option_a=24 | option_b=20 | option_c=108 | option_d=38 | answer=A | explanation=Scale factor = $84/14 = 6$. Therefore second quantity = $4 \times 6 = 24$.

id=29929 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=29930 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3173 at 8% per annum for 5 years. | option_a=1269 | option_b=1169 | option_c=1369 | option_d=4442 | answer=A | explanation= $SI = PRT/100 = 3173 \times 8 \times 5/100 = \text{█}1269$.

id=29931 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6456 at 4% per annum for 5 years. | option_a=7747 | option_b=1291 | option_c=1391 | option_d=1191 | answer=B | explanation= $SI = PRT/100 = 6456 \times 4 \times 5/100 = \text{█}1291$.

id=29932 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10298 at 12% per annum for 4 years. | option_a=4843 | option_b=15241 | option_c=5043 | option_d=4943 | answer=D | explanation= $SI = PRT/100 = 10298 \times 12 \times 4/100 = \text{█}4943$.

id=29933 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=29934 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 20. | option_a=20 | option_b=80 | option_c=1 | option_d=24 | answer=A | explanation= $LCM \times HCF = 4 \times 20$; $HCF(4, 20) = 4$, so $LCM = 20$.

id=29935 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=A | option_b=G | option_c=J | option_d=D | answer=B | explanation=Move 3 positions forward from D; the resulting letter is G.

id=29936 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22427 at 12% per annum for 2 years. | option_a=27809 | option_b=5382 | option_c=5482 | option_d=5282 | answer=B | explanation= $SI = PRT/100 = 22427 \times 12 \times 2/100 = \text{█}5382$.

id=29937 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 43? | option_a=43 | option_b=22 | option_c=34 | option_d=28 | answer=A | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 43 is the odd one out.

id=29938 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 30, 38, 47? | option_a=22 | option_b=30 | option_c=47 | option_d=38 | answer=C | explanation=The first three numbers increase by 8, so the next should be 46. Therefore 47 is the odd one out.

id=29939 | topic=Averages | difficulty=Easy | question=Find the average of 43, 85, 92, 86, 43, 47. | option_a=67 | option_b=66 | option_c=65 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = $396 \div 6 = 66$.

id=29940 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=53 | option_b=64 | option_c=40 | option_d=52 | answer=D | explanation=The common difference is 12. Therefore the next term is $40 + 12 = 52$.

Aptitude Questions — Records 29,941-29,970 of 100,000

id=29941 | topic=Averages | difficulty=Easy | question=Find the average of 12, 56, 40. | option_a=35 | option_b=36 | option_c=37 | option_d=38 | answer=B | explanation=Average = sum of values ÷ number of values = $108 \div 3 = 36$.

id=29942 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:12 and the first is 10, what is the second? | option_a=108 | option_b=121 | option_c=130 | option_d=120 | answer=D | explanation=Scale factor = $10/1 = 10$. Therefore second quantity = $12 \times 10 = 120$.

id=29943 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 34? | option_a=8 | option_b=24 | option_c=16 | option_d=34 | answer=D | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 34 is the odd one out.

id=29944 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=T | option_b=O | option_c=J | option_d=E | answer=B | explanation=Move 5 positions forward from J; the resulting letter is O.

id=29945 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=29946 | topic=Percentages | difficulty=Easy | question=What is 12% of 1956? | option_a=468 | option_b=254 | option_c=229 | option_d=234 | answer=D | explanation=12% of 1956 = $(12/100) \times 1956 = 234$.

id=29947 | topic=Averages | difficulty=Easy | question=Find the average of 39, 56, 75, 31, 36, 13, 59, 65, 24, 52. | option_a=47 | option_b=46 | option_c=45 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = $450 \div 10 = 45$.

id=29948 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 37, 44, 53? | option_a=44 | option_b=37 | option_c=30 | option_d=53 | answer=D | explanation=The first three numbers increase by 7, so the next should be 51. Therefore 53 is the odd one out.

id=29949 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 14. | option_a=140 | option_b=280 | option_c=160 | option_d=126 | answer=A | explanation=LCM $\times$ HCF = 20×14 ; HCF(20,14) = 2, so LCM = 140.

id=29950 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2634. If it is sold at a profit of 15%, what is its selling price? | option_a=2649 | option_b=3029 | option_c=3292 | option_d=2766 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2634 \times 115/100 = \text{₹}3029$.

id=29951 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 22? | option_a=15 | option_b=17 | option_c=22 | option_d=13 | answer=C | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 22 is the odd one out.

id=29952 | topic=Percentages | difficulty=Easy | question=What is 30% of 1233? | option_a=349 | option_b=379 | option_c=369 | option_d=738 | answer=C | explanation=30% of 1233 = $(30/100) \times 1233 = 369$.

id=29953 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=S | option_c=W | option_d=Q | answer=A | explanation=Move 2 positions forward from S; the resulting letter is U.

id=29954 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=V | option_b=A | option_c=Q | option_d=L | answer=A | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=29955 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:1 and the first is 70, what is the second? | option_a=84 | option_b=14 | option_c=13 | option_d=19 | answer=B | explanation=Scale factor = $70/5 = 14$. Therefore second quantity = $1 \times 14 = 14$.

id=29956 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2716. If it is sold at a profit of 50%, what is its selling price? | option_a=2766 | option_b=3803 | option_c=4345 | option_d=4074 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2716 \times 150/100 = \text{₹}4074$.

id=29957 | topic=Percentages | difficulty=Easy | question=What is 20% of 811? | option_a=182 | option_b=142 | option_c=162 | option_d=324 | answer=C | explanation=20% of 811 = $(20/100) \times 811 = 162$.

id=29958 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=8 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=29959 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=38 | option_b=45 | option_c=29 | option_d=37 | answer=D | explanation=The common difference is 8. Therefore the next term is $29 + 8 = 37$.

id=29960 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 30? | option_a=20 | option_b=30 | option_c=12 | option_d=4 | answer=B | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 30 is the odd one out.

id=29961 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 13, 19, 27? | option_a=27 | option_b=13 | option_c=7 | option_d=19 | answer=A | explanation=The first three numbers increase by 6, so the next should be 25. Therefore 27 is the odd one out.

id=29962 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:17 and the first is 102, what is the second? | option_a=391 | option_b=272 | option_c=289 | option_d=295 | answer=C | explanation=Scale factor = $102/6 = 17$. Therefore second quantity = $17 \times 17 = 289$.

id=29963 | topic=Percentages | difficulty=Easy | question=What is 12% of 1600? | option_a=187 | option_b=192 | option_c=202 | option_d=384 | answer=B | explanation=12% of 1600 = $(12/100) \times 1600 = 192$.

id=29964 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=17 | option_b=21 | option_c=20 | option_d=19 | answer=D | explanation=The common difference is 2. Therefore the next term is $17 + 2 = 19$.

id=29965 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**1523 at 5% per annum for 4 years. | option_a=304 | option_b=404 | option_c=204 | option_d=1827 | answer=A | explanation=SI = $PRT/100 = 1523 \times 5 \times 4/100 = \text{₹}304$.

id=29966 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=29967 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 4. | option_a=4 | option_b=16 | option_c=8 | option_d=32 | answer=C | explanation=LCM $\times$ HCF = 8×4 ; HCF(8,4) = 4, so LCM = 8.

id=29968 | topic=Averages | difficulty=Easy | question=Find the average of 36, 47, 94, 29, 54, 67, 42, 19, 79, 73. | option_a=55 | option_b=56 | option_c=53 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = $540 \div 10 = 54$.

id=29969 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1036. If it is sold at a profit of 5%, what is its selling price? | option_a=1041 | option_b=1190 | option_c=984 | option_d=1087 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1036 \times 105/100 = \text{₹}1087$.

id=29970 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**21371 at 5% per annum for 4 years. | option_a=4174 | option_b=4274 | option_c=25645 | option_d=4374 | answer=B | explanation=SI = $PRT/100 = 21371 \times 5 \times 4/100 = \text{₹}4274$.

Aptitude Questions — Records 29,971-30,000 of 100,000

id=29971 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4506. If it is sold at a profit of 10%, what is its selling price? | option_a=4516 | option_b=4506 | option_c=5406 | option_d=4956 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4506 × 110/100 = **■**4956.

id=29972 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=K | option_b=G | option_c=C | option_d=Y | answer=B | explanation=Move 4 positions forward from C; the resulting letter is G.

id=29973 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=54 | option_b=46 | option_c=47 | option_d=38 | answer=B | explanation=The common difference is 8. Therefore the next term is 38 + 8 = 46.

id=29974 | topic=Averages | difficulty=Easy | question=Find the average of 82, 19, 89, 29, 24, 46, 85, 82. | option_a=58 | option_b=57 | option_c=59 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

id=29975 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=32 | option_b=26 | option_c=27 | option_d=20 | answer=B | explanation=The common difference is 6. Therefore the next term is 20 + 6 = 26.

id=29976 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1912. If it is sold at a profit of 15%, what is its selling price? | option_a=2007 | option_b=2389 | option_c=1927 | option_d=2198 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1912 × 115/100 = **■**2198.

id=29977 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 22? | option_a=3 | option_b=9 | option_c=22 | option_d=15 | answer=C | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 22 is the odd one out.

id=29978 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=Q | option_b=S | option_c=R | option_d=T | answer=B | explanation=Move 1 positions forward from R; the resulting letter is S.

id=29979 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=29980 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3304. If it is sold at a profit of 30%, what is its selling price? | option_a=4295 | option_b=3965 | option_c=4625 | option_d=3334 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3304 × 130/100 = **■**4295.

id=29981 | topic=Percentages | difficulty=Easy | question=What is 5% of 935? | option_a=46 | option_b=66 | option_c=92 | option_d=36 | answer=A | explanation=5% of 935 = (5/100) × 935 = 46.

id=29982 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=29983 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=28 | option_b=23 | option_c=18 | option_d=24 | answer=B | explanation=The common difference is 5. Therefore the next term is 18 + 5 = 23.

id=29984 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6819 at 15% per annum for 5 years. | option_a=11933 | option_b=5114 | option_c=5014 | option_d=5214 | answer=B | explanation=SI = PRT/100 = 6819×15×5/100 = **■**5114.

id=29985 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4422. If it is sold at a profit of 5%, what is its selling price? | option_a=5085 | option_b=4201 | option_c=4427 | option_d=4643 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4422 × 105/100 = **■**4643.

id=29986 | topic=Percentages | difficulty=Easy | question=What is 12% of 549? | option_a=130 | option_b=85 | option_c=60 | option_d=65 | answer=D | explanation=12% of 549 = (12/100) × 549 = 65.

id=29987 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:10 and the first is 26, what is the second? | option_a=10 | option_b=33 | option_c=46 | option_d=20 | answer=D | explanation=Scale factor = 26/13 = 2. Therefore second quantity = 10×2 = 20.

id=29988 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 35, 41, 50? | option_a=35 | option_b=41 | option_c=29 | option_d=50 | answer=D | explanation=The first three numbers increase by 6, so the next should be 47. Therefore 50 is the odd one out.

id=29989 | topic=Percentages | difficulty=Easy | question=What is 20% of 401? | option_a=85 | option_b=160 | option_c=70 | option_d=80 | answer=D | explanation=20% of 401 = (20/100) × 401 = 80.

id=29990 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4239. If it is sold at a profit of 30%, what is its selling price? | option_a=4269 | option_b=5087 | option_c=5933 | option_d=5510 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4239 × 130/100 = **■**5510.

id=29991 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 14. | option_a=70 | option_b=96 | option_c=84 | option_d=168 | answer=C | explanation=LCM × HCF = 12×14; HCF(12,14) = 2, so LCM = 84.

id=29992 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=40 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=29993 | topic=Percentages | difficulty=Easy | question=What is 20% of 1819? | option_a=726 | option_b=363 | option_c=383 | option_d=353 | answer=B | explanation=20% of 1819 = (20/100) × 1819 = 363.

id=29994 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=32 | option_b=38 | option_c=24 | option_d=31 | answer=D | explanation=The common difference is 7. Therefore the next term is 24 + 7 = 31.

id=29995 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:18 and the first is 7, what is the second? | option_a=108 | option_b=133 | option_c=127 | option_d=126 | answer=D | explanation=Scale factor = 7/1 = 7. Therefore second quantity = 18×7 = 126.

id=29996 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=J | option_b=P | option_c=L | option_d=N | answer=D | explanation=Move 2 positions forward from L; the resulting letter is N.

id=29997 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32875 at 4% per annum for 2 years. | option_a=2630 | option_b=2730 | option_c=2530 | option_d=35505 | answer=A | explanation=SI = PRT/100 = 32875×4×2/100 = **■**2630.

id=29998 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 10, 13, 16, ? | option_a=19 | option_b=22 | option_c=16 | option_d=20 | answer=A | explanation=The common difference is 3. Therefore the next term is 16 + 3 = 19.

id=29999 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 38? | option_a=30 | option_b=34 | option_c=32 | option_d=38 | answer=D | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 38 is the odd one out.

id=30000 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:1 and the first is 176, what is the second? | option_a=187 | option_b=27 | option_c=11 | option_d=10 | answer=C | explanation=Scale factor = 176/16 = 11. Therefore second quantity = 1×11 = 11.

Aptitude Questions — Records 30,001-30,030 of 100,000

id=30001 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:18 and the first is 26, what is the second? | option_a=62 | option_b=18 | option_c=36 | option_d=49 | answer=C | explanation=Scale factor = 26/13 = 2. Therefore second quantity = 18×2 = 36.

id=30002 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=30003 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■20558 at 4% per annum for 3 years. | option_a=23024 | option_b=2466 | option_c=2366 | option_d=2566 | answer=B | explanation=SI = PRT/100 = 20558×4×3/100 = ■2466.

id=30004 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=45 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=30005 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4993. If it is sold at a profit of 5%, what is its selling price? | option_a=4743 | option_b=4998 | option_c=5242 | option_d=5741 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4993 × 105/100 = ■5242.

id=30006 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=51 | option_b=62 | option_c=63 | option_d=73 | answer=B | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.

id=30007 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=200 | option_c=95 | option_d=105 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=30008 | topic=Percentages | difficulty=Easy | question=What is 10% of 287? | option_a=23 | option_b=28 | option_c=48 | option_d=56 | answer=B | explanation=10% of 287 = (10/100) × 287 = 28.

id=30009 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4435. If it is sold at a profit of 10%, what is its selling price? | option_a=4445 | option_b=4878 | option_c=4435 | option_d=5321 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4435 × 110/100 = ■4878.

id=30010 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:11 and the first is 176, what is the second? | option_a=165 | option_b=352 | option_c=187 | option_d=176 | answer=D | explanation=Scale factor = 176/11 = 16. Therefore second quantity = 11×16 = 176.

id=30011 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=N | option_c=R | option_d=P | answer=C | explanation=Move 2 positions forward from P; the resulting letter is R.

id=30012 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:5 and the first is 32, what is the second? | option_a=52 | option_b=28 | option_c=15 | option_d=20 | answer=D | explanation=Scale factor = 32/8 = 4. Therefore second quantity = 5×4 = 20.

id=30013 | topic=Averages | difficulty=Easy | question=Find the average of 81, 71, 11, 41, 83, 24, 88. | option_a=56 | option_b=57 | option_c=58 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 399 ÷ 7 = 57.

id=30014 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=30015 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 26? | option_a=11 | option_b=26 | option_c=18 | option_d=4 | answer=B | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 26 is the odd one out.

id=30016 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=30017 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=30018 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1531. If it is sold at a profit of 10%, what is its selling price? | option_a=1684 | option_b=1837 | option_c=1531 | option_d=1541 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1531 × 110/100 = ■1684.

id=30019 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■44947 at 4% per annum for 4 years. | option_a=7091 | option_b=7191 | option_c=7291 | option_d=52138 | answer=B | explanation=SI = PRT/100 = 44947×4×4/100 = ■7191.

id=30020 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=42 | option_b=41 | option_c=35 | option_d=47 | answer=B | explanation=The common difference is 6. Therefore the next term is 35 + 6 = 41.

id=30021 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 20, 30, 42? | option_a=20 | option_b=42 | option_c=10 | option_d=30 | answer=B | explanation=The first three numbers increase by 10, so the next should be 40. Therefore 42 is the odd one out.

id=30022 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:14 and the first is 64, what is the second? | option_a=42 | option_b=56 | option_c=72 | option_d=120 | answer=B | explanation=Scale factor = 64/16 = 4. Therefore second quantity = 14×4 = 56.

id=30023 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=30024 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=40 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=30025 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=155 | option_c=145 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=30026 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=80 | option_c=35 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=30027 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=39 | option_b=53 | option_c=47 | option_d=46 | answer=D | explanation=The common difference is 7. Therefore the next term is 39 + 7 = 46.

id=30028 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=D | option_b=A | option_c=X | option_d=G | answer=A | explanation=Move 3 positions forward from A; the resulting letter is D.

id=30029 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■426. If it is sold at a profit of 40%, what is its selling price? | option_a=638 | option_b=466 | option_c=596 | option_d=554 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 426 × 140/100 = ■596.

id=30030 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 59? | option_a=29 | option_b=38 | option_c=59 | option_d=47 | answer=C | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 59 is the odd one out.

Aptitude Questions — Records 30,031-30,060 of 100,000

id=30031 | topic=Averages | difficulty=Easy | question=Find the average of 100, 26, 27. | option_a=52 | option_b=53 | option_c=51 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 153 ÷ 3 = 51.

id=30032 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=30033 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1586. If it is sold at a profit of 15%, what is its selling price? | option_a=1601 | option_b=1981 | option_c=1823 | option_d=1665 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1586 × 115/100 = █1823.

id=30034 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=47 | option_b=53 | option_c=39 | option_d=46 | answer=D | explanation=The common difference is 7. Therefore the next term is 39 + 7 = 46.

id=30035 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=69 | option_b=57 | option_c=45 | option_d=58 | answer=B | explanation=The common difference is 12. Therefore the next term is 45 + 12 = 57.

id=30036 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 29, 37, 46? | option_a=37 | option_b=46 | option_c=29 | option_d=21 | answer=B | explanation=The first three numbers increase by 8, so the next should be 45. Therefore 46 is the odd one out.

id=30037 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20020 at 15% per annum for 5 years. | option_a=15115 | option_b=15015 | option_c=14915 | option_d=35035 | answer=B | explanation=SI = PRT/100 = 20020×15×5/100 = █15015.

id=30038 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 12, 21, 30, ? | option_a=39 | option_b=30 | option_c=48 | option_d=40 | answer=A | explanation=The common difference is 9. Therefore the next term is 30 + 9 = 39.

id=30039 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 24, 30, 37? | option_a=24 | option_b=30 | option_c=37 | option_d=18 | answer=C | explanation=The first three numbers increase by 6, so the next should be 36. Therefore 37 is the odd one out.

id=30040 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:10 and the first is 100, what is the second? | option_a=200 | option_b=205 | option_c=300 | option_d=190 | answer=A | explanation=Scale factor = 100/5 = 20. Therefore second quantity = 10×20 = 200.

id=30041 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=63 | option_b=52 | option_c=39 | option_d=51 | answer=D | explanation=The common difference is 12. Therefore the next term is 39 + 12 = 51.

id=30042 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=17 | option_b=16 | option_c=13 | option_d=15 | answer=D | explanation=The common difference is 2. Therefore the next term is 13 + 2 = 15.

id=30043 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 48? | option_a=28 | option_b=48 | option_c=34 | option_d=40 | answer=B | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 48 is the odd one out.

id=30044 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=L | option_b=R | option_c=N | option_d=P | answer=D | explanation=Move 2 positions forward from N; the resulting letter is P.

id=30045 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=G | option_b=I | option_c=J | option_d=H | answer=B | explanation=Move 1 positions forward from H; the resulting letter is I.

id=30046 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=I | option_c=H | option_d=F | answer=C | explanation=Move 1 positions forward from G; the resulting letter is H.

id=30047 | topic=Profit & Loss | difficulty=Easy | question=An article costs █624. If it is sold at a profit of 30%, what is its selling price? | option_a=654 | option_b=873 | option_c=749 | option_d=811 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 624 × 130/100 = █811.

id=30048 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4099. If it is sold at a profit of 40%, what is its selling price? | option_a=5329 | option_b=4139 | option_c=5738 | option_d=6147 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4099 × 140/100 = █5738.

id=30049 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:13 and the first is 65, what is the second? | option_a=65 | option_b=52 | option_c=78 | option_d=130 | answer=A | explanation=Scale factor = 65/13 = 5. Therefore second quantity = 13×5 = 65.

id=30050 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=D | option_b=J | option_c=H | option_d=F | answer=C | explanation=Move 2 positions forward from F; the resulting letter is H.

id=30051 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 16? | option_a=11 | option_b=8 | option_c=5 | option_d=16 | answer=D | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 16 is the odd one out.

id=30052 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 10. | option_a=280 | option_b=168 | option_c=140 | option_d=130 | answer=C | explanation=LCM × HCF = 28×10; HCF(28,10) = 2, so LCM = 140.

id=30053 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:10 and the first is 80, what is the second? | option_a=70 | option_b=160 | option_c=90 | option_d=80 | answer=D | explanation=Scale factor = 80/10 = 8. Therefore second quantity = 10×8 = 80.

id=30054 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1822. If it is sold at a profit of 40%, what is its selling price? | option_a=2550 | option_b=1862 | option_c=2368 | option_d=2732 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1822 × 140/100 = █2550.

id=30055 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=17 | option_b=19 | option_c=13 | option_d=16 | answer=D | explanation=The common difference is 3. Therefore the next term is 13 + 3 = 16.

id=30056 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 35? | option_a=12 | option_b=19 | option_c=26 | option_d=35 | answer=D | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 35 is the odd one out.

id=30057 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:17 and the first is 256, what is the second? | option_a=272 | option_b=288 | option_c=528 | option_d=255 | answer=A | explanation=Scale factor = 256/16 = 16. Therefore second quantity = 17×16 = 272.

id=30058 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 10. | option_a=30 | option_b=48 | option_c=80 | option_d=40 | answer=D | explanation=LCM × HCF = 8×10; HCF(8,10) = 2, so LCM = 40.

id=30059 | topic=Percentages | difficulty=Easy | question=What is 30% of 1718? | option_a=520 | option_b=1030 | option_c=515 | option_d=510 | answer=C | explanation=30% of 1718 = (30/100) × 1718 = 515.

id=30060 | topic=Percentages | difficulty=Easy | question=What is 30% of 680? | option_a=209 | option_b=199 | option_c=408 | option_d=204 | answer=D | explanation=30% of 680 = (30/100) × 680 = 204.

Aptitude Questions — Records 30,061-30,090 of 100,000

id=30061 | topic=Averages | difficulty=Easy | question=Find the average of 99, 79, 71. | option_a=84 | option_b=85 | option_c=83 | option_d=82 | answer=C | explanation=Average = sum of values ÷ number of values = 249 ÷ 3 = 83.

id=30062 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4508. If it is sold at a profit of 50%, what is its selling price? | option_a=4558 | option_b=6762 | option_c=6312 | option_d=7212 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4508 × 150/100 = █6762.

id=30063 | topic=Percentages | difficulty=Easy | question=What is 25% of 1926? | option_a=962 | option_b=501 | option_c=476 | option_d=481 | answer=D | explanation=25% of 1926 = (25/100) × 1926 = 481.

id=30064 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45721 at 6% per annum for 1 years. | option_a=2843 | option_b=2743 | option_c=48464 | option_d=2643 | answer=B | explanation=SI = PRT/100 = 45721×6×1/100 = █2743.

id=30065 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=30066 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 32, 42, 55? | option_a=42 | option_b=55 | option_c=32 | option_d=22 | answer=B | explanation=The first three numbers increase by 10, so the next should be 52. Therefore 55 is the odd one out.

id=30067 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4906. If it is sold at a profit of 30%, what is its selling price? | option_a=5887 | option_b=4936 | option_c=6867 | option_d=6377 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4906 × 130/100 = █6377.

id=30068 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:1 and the first is 26, what is the second? | option_a=39 | option_b=15 | option_c=13 | option_d=12 | answer=C | explanation=Scale factor = 26/2 = 13. Therefore second quantity = 1×13 = 13.

id=30069 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=L | option_c=B | option_d=Q | answer=B | explanation=Move 5 positions forward from G; the resulting letter is L.

id=30070 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 30, 38, 48? | option_a=48 | option_b=30 | option_c=22 | option_d=38 | answer=A | explanation=The first three numbers increase by 8, so the next should be 46. Therefore 48 is the odd one out.

id=30071 | topic=Percentages | difficulty=Easy | question=What is 10% of 867? | option_a=86 | option_b=66 | option_c=91 | option_d=172 | answer=A | explanation=10% of 867 = (10/100) × 867 = 86.

id=30072 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=F | option_b=E | option_c=G | option_d=D | answer=A | explanation=Move 1 positions forward from E; the resulting letter is F.

id=30073 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:16 and the first is 40, what is the second? | option_a=72 | option_b=52 | option_c=32 | option_d=16 | answer=C | explanation=Scale factor = 40/20 = 2. Therefore second quantity = 16×2 = 32.

id=30074 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4002. If it is sold at a profit of 5%, what is its selling price? | option_a=4602 | option_b=4007 | option_c=4202 | option_d=3802 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4002 × 105/100 = █4202.

id=30075 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=22 | option_b=28 | option_c=34 | option_d=29 | answer=B | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.

id=30076 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:8 and the first is 60, what is the second? | option_a=160 | option_b=163 | option_c=152 | option_d=220 | answer=A | explanation=Scale factor = 60/3 = 20. Therefore second quantity = 8×20 = 160.

id=30077 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 44? | option_a=44 | option_b=32 | option_c=27 | option_d=37 | answer=A | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 44 is the odd one out.

id=30078 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=150 | option_c=155 | option_d=145 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=30079 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3698. If it is sold at a profit of 25%, what is its selling price? | option_a=4253 | option_b=4991 | option_c=3723 | option_d=4622 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3698 × 125/100 = █4622.

id=30080 | topic=Averages | difficulty=Easy | question=Find the average of 70, 91, 63, 12. | option_a=58 | option_b=60 | option_c=59 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 236 ÷ 4 = 59.

id=30081 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=T | option_c=H | option_d=P | answer=D | explanation=Move 4 positions forward from L; the resulting letter is P.

id=30082 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 17, 27, 38? | option_a=27 | option_b=17 | option_c=7 | option_d=38 | answer=D | explanation=The first three numbers increase by 10, so the next should be 37. Therefore 38 is the odd one out.

id=30083 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=20 | option_c=25 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=30084 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45960 at 12% per annum for 4 years. | option_a=21960 | option_b=22160 | option_c=22060 | option_d=68020 | answer=C | explanation=SI = PRT/100 = 45960×12×4/100 = █22060.

id=30085 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2784. If it is sold at a profit of 25%, what is its selling price? | option_a=2809 | option_b=3202 | option_c=3490 | option_d=3758 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2784 × 125/100 = █3480.

id=30086 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=34 | option_b=33 | option_c=40 | option_d=26 | answer=B | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

id=30087 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1952. If it is sold at a profit of 10%, what is its selling price? | option_a=2342 | option_b=2147 | option_c=1952 | option_d=1962 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1952 × 110/100 = █2147.

id=30088 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=N | option_b=Y | option_c=I | option_d=D | answer=C | explanation=Move 5 positions forward from D; the resulting letter is I.

id=30089 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=H | option_b=M | option_c=W | option_d=R | answer=D | explanation=Move 5 positions forward from M; the resulting letter is R.

id=30090 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=125 | option_b=240 | option_c=115 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

Aptitude Questions — Records 30,091-30,120 of 100,000

- id=30091 | topic=Percentages | difficulty=Easy | question=What is 10% of 1821? | option_a=192 | option_b=172 | option_c=364 | option_d=182 | answer=D | explanation=10% of 1821 = (10/100) × 1821 = 182.
- id=30092 | topic=Averages | difficulty=Easy | question=Find the average of 48, 74, 45, 69, 32, 78, 35, 91, 15, 23. | option_a=52 | option_b=51 | option_c=50 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.
- id=30093 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.
- id=30094 | topic=Percentages | difficulty=Easy | question=What is 5% of 374? | option_a=36 | option_b=18 | option_c=8 | option_d=23 | answer=B | explanation=5% of 374 = (5/100) × 374 = 18.
- id=30095 | topic=Averages | difficulty=Easy | question=Find the average of 27, 43, 21, 17, 59, 55. | option_a=38 | option_b=36 | option_c=39 | option_d=37 | answer=D | explanation=Average = sum of values ÷ number of values = 222 ÷ 6 = 37.
- id=30096 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=36 | option_c=13 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.
- id=30097 | topic=Averages | difficulty=Easy | question=Find the average of 44, 84, 38, 71, 59, 82, 99, 47, 79. | option_a=67 | option_b=68 | option_c=66 | option_d=69 | answer=A | explanation=Average = sum of values ÷ number of values = 603 ÷ 9 = 67.
- id=30098 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:19 and the first is 180, what is the second? | option_a=285 | option_b=465 | option_c=297 | option_d=266 | answer=A | explanation=Scale factor = 180/12 = 15. Therefore second quantity = 19×15 = 285.
- id=30099 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=33 | option_b=43 | option_c=38 | option_d=39 | answer=C | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.
- id=30100 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=O | option_c=P | option_d=M | answer=B | explanation=Move 1 positions forward from N; the resulting letter is O.
- id=30101 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 8. | option_a=48 | option_b=56 | option_c=70 | option_d=112 | answer=B | explanation=LCM × HCF = 14×8; HCF(14,8) = 2, so LCM = 56.
- id=30102 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.
- id=30103 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:6 and the first is 80, what is the second? | option_a=96 | option_b=90 | option_c=176 | option_d=101 | answer=A | explanation=Scale factor = 80/5 = 16. Therefore second quantity = 6×16 = 96.
- id=30104 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=100 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.
- id=30105 | topic=Percentages | difficulty=Easy | question=What is 10% of 1716? | option_a=161 | option_b=342 | option_c=171 | option_d=176 | answer=C | explanation=10% of 1716 = (10/100) × 1716 = 171.
- id=30106 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=R | option_b=T | option_c=U | option_d=S | answer=B | explanation=Move 1 positions forward from S; the resulting letter is T.
- id=30107 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=45 | option_b=44 | option_c=38 | option_d=50 | answer=B | explanation=The common difference is 6. Therefore the next term is 38 + 6 = 44.
- id=30108 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=30109 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26045 at 10% per annum for 3 years. | option_a=33858 | option_b=7813 | option_c=7713 | option_d=7913 | answer=B | explanation=SI = PRT/100 = 26045×10×3/100 = **■**7813.
- id=30110 | topic=Averages | difficulty=Easy | question=Find the average of 43, 73, 79. | option_a=65 | option_b=64 | option_c=67 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 195 ÷ 3 = 65.
- id=30111 | topic=Percentages | difficulty=Easy | question=What is 25% of 1606? | option_a=401 | option_b=406 | option_c=802 | option_d=396 | answer=A | explanation=25% of 1606 = (25/100) × 1606 = 401.
- id=30112 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=30113 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.
- id=30114 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**762. If it is sold at a profit of 25%, what is its selling price? | option_a=787 | option_b=1028 | option_c=952 | option_d=876 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 762 × 125/100 = **■**952.
- id=30115 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.
- id=30116 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37560 at 6% per annum for 4 years. | option_a=9014 | option_b=8914 | option_c=9114 | option_d=46574 | answer=A | explanation=SI = PRT/100 = 37560×6×4/100 = **■**9014.
- id=30117 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:11 and the first is 90, what is the second? | option_a=119 | option_b=99 | option_c=200 | option_d=110 | answer=D | explanation=Scale factor = 90/9 = 10. Therefore second quantity = 11×10 = 110.
- id=30118 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**254. If it is sold at a profit of 5%, what is its selling price? | option_a=259 | option_b=266 | option_c=241 | option_d=291 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 254 × 105/100 = **■**266.
- id=30119 | topic=Percentages | difficulty=Easy | question=What is 25% of 505? | option_a=126 | option_b=252 | option_c=106 | option_d=131 | answer=A | explanation=25% of 505 = (25/100) × 505 = 126.
- id=30120 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=47 | option_b=65 | option_c=57 | option_d=56 | answer=D | explanation=The common difference is 9. Therefore the next term is 47 + 9 = 56.

Aptitude Questions — Records 30,121-30,150 of 100,000

id=30121 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2956. If it is sold at a profit of 10%, what is its selling price? | option_a=2966 | option_b=2956 | option_c=3251 | option_d=3546 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2956 × 110/100 = █3251.

id=30122 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=30123 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 34? | option_a=24 | option_b=15 | option_c=6 | option_d=34 | answer=D | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 34 is the odd one out.

id=30124 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2946. If it is sold at a profit of 15%, what is its selling price? | option_a=3093 | option_b=3387 | option_c=3681 | option_d=2961 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2946 × 115/100 = █3387.

id=30125 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=20 | option_b=24 | option_c=25 | option_d=28 | answer=B | explanation=The common difference is 4. Therefore the next term is 20 + 4 = 24.

id=30126 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=30127 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8584 at 8% per annum for 4 years. | option_a=11330 | option_b=2846 | option_c=2746 | option_d=2646 | answer=C | explanation=SI = PRT/100 = 8584×8×4/100 = █2746.

id=30128 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=30129 | topic=Averages | difficulty=Easy | question=Find the average of 62, 94, 52, 48, 40, 64. | option_a=59 | option_b=62 | option_c=61 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 360 ÷ 6 = 60.

id=30130 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=23 | option_b=31 | option_c=37 | option_d=30 | answer=D | explanation=The common difference is 7. Therefore the next term is 23 + 7 = 30.

id=30131 | topic=Percentages | difficulty=Easy | question=What is 12% of 269? | option_a=64 | option_b=12 | option_c=42 | option_d=32 | answer=D | explanation=12% of 269 = (12/100) × 269 = 32.

id=30132 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 20, 22, 26? | option_a=18 | option_b=20 | option_c=26 | option_d=22 | answer=C | explanation=The first three numbers increase by 2, so the next should be 24. Therefore 26 is the odd one out.

id=30133 | topic=Averages | difficulty=Easy | question=Find the average of 51, 50, 12, 93, 79. | option_a=58 | option_b=59 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.

id=30134 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=G | option_b=V | option_c=Q | option_d=L | answer=C | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=30135 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4462. If it is sold at a profit of 15%, what is its selling price? | option_a=5131 | option_b=4477 | option_c=5577 | option_d=4685 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4462 × 115/100 = █5131.

id=30136 | topic=Averages | difficulty=Easy | question=Find the average of 67, 34, 37, 39, 18. | option_a=38 | option_b=41 | option_c=39 | option_d=40 | answer=C | explanation=Average = sum of values ÷ number of values = 195 ÷ 5 = 39.

id=30137 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=30138 | topic=Averages | difficulty=Easy | question=Find the average of 67, 90, 101. | option_a=87 | option_b=86 | option_c=88 | option_d=85 | answer=B | explanation=Average = sum of values ÷ number of values = 258 ÷ 3 = 86.

id=30139 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:13 and the first is 55, what is the second? | option_a=52 | option_b=65 | option_c=120 | option_d=76 | answer=B | explanation=Scale factor = 55/11 = 5. Therefore second quantity = 13×5 = 65.

id=30140 | topic=Profit & Loss | difficulty=Easy | question=An article costs █675. If it is sold at a profit of 5%, what is its selling price? | option_a=708 | option_b=680 | option_c=775 | option_d=641 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 675 × 105/100 = █708.

id=30141 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 3. | option_a=18 | option_b=21 | option_c=63 | option_d=42 | answer=B | explanation=LCM × HCF = 21×3; HCF(21,3) = 3, so LCM = 21.

id=30142 | topic=Profit & Loss | difficulty=Easy | question=An article costs █572. If it is sold at a profit of 25%, what is its selling price? | option_a=597 | option_b=772 | option_c=715 | option_d=658 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 572 × 125/100 = █715.

id=30143 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=44 | option_b=50 | option_c=36 | option_d=43 | answer=D | explanation=The common difference is 7. Therefore the next term is 36 + 7 = 43.

id=30144 | topic=Percentages | difficulty=Easy | question=What is 50% of 794? | option_a=392 | option_b=794 | option_c=402 | option_d=397 | answer=D | explanation=50% of 794 = (50/100) × 794 = 397.

id=30145 | topic=Percentages | difficulty=Easy | question=What is 25% of 943? | option_a=240 | option_b=215 | option_c=235 | option_d=470 | answer=C | explanation=25% of 943 = (25/100) × 943 = 235.

id=30146 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 42? | option_a=42 | option_b=34 | option_c=22 | option_d=28 | answer=A | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 42 is the odd one out.

id=30147 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=X | option_b=A | option_c=U | option_d=R | answer=A | explanation=Move 3 positions forward from U; the resulting letter is X.

id=30148 | topic=Percentages | difficulty=Easy | question=What is 30% of 329? | option_a=98 | option_b=88 | option_c=108 | option_d=196 | answer=A | explanation=30% of 329 = (30/100) × 329 = 98.

id=30149 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4920. If it is sold at a profit of 15%, what is its selling price? | option_a=5658 | option_b=6150 | option_c=4935 | option_d=5166 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4920 × 115/100 = █5658.

id=30150 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=20 | option_d=5 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

Aptitude Questions — Records 30,151-30,180 of 100,000

id=30151 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=30 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=30152 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1436. If it is sold at a profit of 20%, what is its selling price? | option_a=1866 | option_b=1723 | option_c=1580 | option_d=1456 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1436 × 120/100 = █1723.

id=30153 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3854. If it is sold at a profit of 15%, what is its selling price? | option_a=4047 | option_b=3869 | option_c=4817 | option_d=4432 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3854 × 115/100 = █4432.

id=30154 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=H | option_b=P | option_c=T | option_d=L | answer=B | explanation=Move 4 positions forward from L; the resulting letter is P.

id=30155 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=33 | option_b=32 | option_c=26 | option_d=38 | answer=B | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=30156 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 29, 33, 38? | option_a=33 | option_b=38 | option_c=25 | option_d=29 | answer=B | explanation=The first three numbers increase by 4, so the next should be 37. Therefore 38 is the odd one out.

id=30157 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=45 | option_b=54 | option_c=46 | option_d=36 | answer=A | explanation=The common difference is 9. Therefore the next term is 36 + 9 = 45.

id=30158 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=50 | option_d=25 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=30159 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3098. If it is sold at a profit of 50%, what is its selling price? | option_a=4338 | option_b=4956 | option_c=4647 | option_d=3148 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3098 × 150/100 = █4647.

id=30160 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 10, 15, 23? | option_a=5 | option_b=10 | option_c=23 | option_d=15 | answer=C | explanation=The first three numbers increase by 5, so the next should be 20. Therefore 23 is the odd one out.

id=30161 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 11? | option_a=6 | option_b=11 | option_c=2 | option_d=4 | answer=B | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 11 is the odd one out.

id=30162 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:13 and the first is 39, what is the second? | option_a=78 | option_b=26 | option_c=39 | option_d=52 | answer=C | explanation=Scale factor = 39/13 = 3. Therefore second quantity = 13×3 = 39.

id=30163 | topic=Profit & Loss | difficulty=Easy | question=An article costs █747. If it is sold at a profit of 5%, what is its selling price? | option_a=858 | option_b=784 | option_c=710 | option_d=752 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 747 × 105/100 = █784.

id=30164 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 30, 33, 37? | option_a=37 | option_b=27 | option_c=33 | option_d=30 | answer=A | explanation=The first three numbers increase by 3, so the next should be 36. Therefore 37 is the odd one out.

id=30165 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=50 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=30166 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43, ? | option_a=59 | option_b=52 | option_c=51 | option_d=43 | answer=C | explanation=The common difference is 8. Therefore the next term is 43 + 8 = 51.

id=30167 | topic=Averages | difficulty=Easy | question=Find the average of 22, 35, 42, 93, 61, 29. | option_a=47 | option_b=48 | option_c=46 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 282 ÷ 6 = 47.

id=30168 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 23? | option_a=8 | option_b=14 | option_c=23 | option_d=2 | answer=C | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 23 is the odd one out.

id=30169 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3903. If it is sold at a profit of 15%, what is its selling price? | option_a=4878 | option_b=3918 | option_c=4488 | option_d=4098 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3903 × 115/100 = █4488.

id=30170 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=18 | option_b=16 | option_c=20 | option_d=19 | answer=A | explanation=The common difference is 2. Therefore the next term is 16 + 2 = 18.

id=30171 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1419. If it is sold at a profit of 10%, what is its selling price? | option_a=1429 | option_b=1419 | option_c=1560 | option_d=1701 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1419 × 110/100 = █1560.

id=30172 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4674 at 10% per annum for 1 years. | option_a=467 | option_b=367 | option_c=567 | option_d=5141 | answer=A | explanation=SI = PRT/100 = 4674×10×1/100 = █467.

id=30173 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=13 | option_c=18 | option_d=36 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=30174 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=85 | option_c=90 | option_d=180 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=30175 | topic=Averages | difficulty=Easy | question=Find the average of 61, 26, 60. | option_a=50 | option_b=49 | option_c=48 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 147 ÷ 3 = 49.

id=30176 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=B | option_b=C | option_c=D | option_d=E | answer=C | explanation=Move 1 positions forward from C; the resulting letter is D.

id=30177 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2855. If it is sold at a profit of 50%, what is its selling price? | option_a=4282 | option_b=3997 | option_c=2905 | option_d=4567 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2855 × 150/100 = █4282.

id=30178 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:12 and the first is 140, what is the second? | option_a=156 | option_b=308 | option_c=168 | option_d=178 | answer=C | explanation=Scale factor = 140/10 = 14. Therefore second quantity = 12×14 = 168.

id=30179 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27718 at 12% per annum for 5 years. | option_a=16730 | option_b=44348 | option_c=16630 | option_d=16530 | answer=C | explanation=SI = PRT/100 = 27718×12×5/100 = █16630.

id=30180 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:4 and the first is 280, what is the second? | option_a=360 | option_b=94 | option_c=80 | option_d=76 | answer=C | explanation=Scale factor = 280/14 = 20. Therefore second quantity = 4×20 = 80.

Aptitude Questions — Records 30,181-30,210 of 100,000

id=30181 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:17 and the first is 112, what is the second? | option_a=231 | option_b=102 | option_c=135 | option_d=119 | answer=D | explanation=Scale factor = $112/16 = 7$. Therefore second quantity = $17 \times 7 = 119$.

id=30182 | topic=Averages | difficulty=Easy | question=Find the average of 99, 55, 24, 100, 91, 91, 51. | option_a=74 | option_b=75 | option_c=72 | option_d=73 | answer=D | explanation=Average = sum of values ÷ number of values = $511 \div 7 = 73$.

id=30183 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4736. If it is sold at a profit of 5%, what is its selling price? | option_a=5445 | option_b=4972 | option_c=4499 | option_d=4741 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4736 \times 105/100 = \text{█}4972$.

id=30184 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=32 | option_b=26 | option_c=29 | option_d=30 | answer=C | explanation=The common difference is 3. Therefore the next term is $26 + 3 = 29$.

id=30185 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:9 and the first is 77, what is the second? | option_a=54 | option_b=74 | option_c=140 | option_d=63 | answer=D | explanation=Scale factor = $77/11 = 7$. Therefore second quantity = $9 \times 7 = 63$.

id=30186 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=85 | option_c=90 | option_d=180 | answer=C | explanation=Speed = distance ÷ time = $360 \div 4 = 90$ km/h.

id=30187 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=30188 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=13 | option_c=18 | option_d=23 | answer=C | explanation=Speed = distance ÷ time = $90 \div 5 = 18$ km/h.

id=30189 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=O | option_b=R | option_c=X | option_d=U | answer=D | explanation=Move 3 positions forward from R; the resulting letter is U.

id=30190 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=H | option_c=B | option_d=F | answer=D | explanation=Move 2 positions forward from D; the resulting letter is F.

id=30191 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 21, 27, 34? | option_a=34 | option_b=27 | option_c=21 | option_d=15 | answer=A | explanation=The first three numbers increase by 6, so the next should be 33. Therefore 34 is the odd one out.

id=30192 | topic=Profit & Loss | difficulty=Easy | question=An article costs █215. If it is sold at a profit of 50%, what is its selling price? | option_a=265 | option_b=301 | option_c=322 | option_d=343 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 215 \times 150/100 = \text{█}322$.

id=30193 | topic=Profit & Loss | difficulty=Easy | question=An article costs █838. If it is sold at a profit of 5%, what is its selling price? | option_a=843 | option_b=962 | option_c=879 | option_d=796 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 838 \times 105/100 = \text{█}879$.

id=30194 | topic=Averages | difficulty=Easy | question=Find the average of 87, 73, 39, 27, 33, 76, 31, 97, 32. | option_a=56 | option_b=55 | option_c=54 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = $495 \div 9 = 55$.

id=30195 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3090. If it is sold at a profit of 25%, what is its selling price? | option_a=3862 | option_b=4171 | option_c=3553 | option_d=3115 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3090 \times 125/100 = \text{█}3862$.

id=30196 | topic=Profit & Loss | difficulty=Easy | question=An article costs █845. If it is sold at a profit of 5%, what is its selling price? | option_a=850 | option_b=803 | option_c=887 | option_d=971 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 845 \times 105/100 = \text{█}887$.

id=30197 | topic=Percentages | difficulty=Easy | question=What is 10% of 571? | option_a=67 | option_b=37 | option_c=57 | option_d=114 | answer=C | explanation=10% of 571 = $(10/100) \times 571 = 57$.

id=30198 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=20 | option_b=21 | option_c=23 | option_d=17 | answer=A | explanation=The common difference is 3. Therefore the next term is $17 + 3 = 20$.

id=30199 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=30 | option_b=31 | option_c=27 | option_d=33 | answer=A | explanation=The common difference is 3. Therefore the next term is $27 + 3 = 30$.

id=30200 | topic=Number System | difficulty=Easy | question=Find the LCM of 23 and 23. | option_a=1 | option_b=23 | option_c=529 | option_d=46 | answer=B | explanation= $LCM \times HCF = 23 \times 23$; $HCF(23, 23) = 23$, so $LCM = 23$.

id=30201 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2260 at 8% per annum for 3 years. | option_a=542 | option_b=442 | option_c=642 | option_d=2802 | answer=A | explanation= $SI = PRT/100 = 2260 \times 8 \times 3/100 = \text{█}542$.

id=30202 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = $90 \div 3 = 30$ km/h.

id=30203 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=19 | option_b=23 | option_c=25 | option_d=22 | answer=D | explanation=The common difference is 3. Therefore the next term is $19 + 3 = 22$.

id=30204 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=C | option_b=D | option_c=B | option_d=A | answer=A | explanation=Move 1 positions forward from B; the resulting letter is C.

id=30205 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 27, 39, 51, ? | option_a=75 | option_b=63 | option_c=51 | option_d=64 | answer=B | explanation=The common difference is 12. Therefore the next term is $51 + 12 = 63$.

id=30206 | topic=Percentages | difficulty=Easy | question=What is 25% of 1720? | option_a=430 | option_b=860 | option_c=410 | option_d=435 | answer=A | explanation=25% of 1720 = $(25/100) \times 1720 = 430$.

id=30207 | topic=Percentages | difficulty=Easy | question=What is 12% of 679? | option_a=61 | option_b=162 | option_c=81 | option_d=91 | answer=C | explanation=12% of 679 = $(12/100) \times 679 = 81$.

id=30208 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 24. | option_a=48 | option_b=90 | option_c=72 | option_d=432 | answer=C | explanation= $LCM \times HCF = 18 \times 24$; $HCF(18, 24) = 6$, so $LCM = 72$.

id=30209 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2629. If it is sold at a profit of 5%, what is its selling price? | option_a=2760 | option_b=3022 | option_c=2634 | option_d=2498 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2629 \times 105/100 = \text{█}2760$.

id=30210 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=300 | option_c=145 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = $300 \div 2 = 150$ km/h.

Aptitude Questions — Records 30,211-30,240 of 100,000

id=30211 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=F | option_c=D | option_d=B | answer=B | explanation=Move 2 positions forward from D; the resulting letter is F.

id=30212 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=D | option_b=I | option_c=S | option_d=N | answer=D | explanation=Move 5 positions forward from I; the resulting letter is N.

id=30213 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=23 | option_b=17 | option_c=20 | option_d=21 | answer=C | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=30214 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=30215 | topic=Averages | difficulty=Easy | question=Find the average of 54, 36, 45. | option_a=46 | option_b=44 | option_c=45 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 135 ÷ 3 = 45.

id=30216 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=35 | option_b=31 | option_c=32 | option_d=27 | answer=B | explanation=The common difference is 4. Therefore the next term is 27 + 4 = 31.

id=30217 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:13 and the first is 180, what is the second? | option_a=117 | option_b=310 | option_c=130 | option_d=148 | answer=C | explanation=Scale factor = 180/18 = 10. Therefore second quantity = 13×10 = 130.

id=30218 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 13, 21, 31? | option_a=5 | option_b=21 | option_c=13 | option_d=31 | answer=D | explanation=The first three numbers increase by 8, so the next should be 29. Therefore 31 is the odd one out.

id=30219 | topic=Percentages | difficulty=Easy | question=What is 15% of 1796? | option_a=264 | option_b=538 | option_c=269 | option_d=274 | answer=C | explanation=15% of 1796 = (15/100) × 1796 = 269.

id=30220 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹25468 at 5% per annum for 2 years. | option_a=2646 | option_b=28014 | option_c=2446 | option_d=2546 | answer=D | explanation=SI = PRT/100 = 25468×5×2/100 = ₹2546.

id=30221 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=G | option_b=A | option_c=D | option_d=J | answer=A | explanation=Move 3 positions forward from D; the resulting letter is G.

id=30222 | topic=Percentages | difficulty=Easy | question=What is 25% of 1319? | option_a=329 | option_b=319 | option_c=658 | option_d=334 | answer=A | explanation=25% of 1319 = (25/100) × 1319 = 329.

id=30223 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹48082 at 5% per annum for 1 years. | option_a=2504 | option_b=50486 | option_c=2304 | option_d=2404 | answer=D | explanation=SI = PRT/100 = 48082×5×1/100 = ₹2404.

id=30224 | topic=Percentages | difficulty=Easy | question=What is 25% of 287? | option_a=142 | option_b=91 | option_c=71 | option_d=61 | answer=C | explanation=25% of 287 = (25/100) × 287 = 71.

id=30225 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹49980 at 5% per annum for 3 years. | option_a=7397 | option_b=57477 | option_c=7597 | option_d=7497 | answer=D | explanation=SI = PRT/100 = 49980×5×3/100 = ₹7497.

id=30226 | topic=Percentages | difficulty=Easy | question=What is 10% of 1475? | option_a=147 | option_b=137 | option_c=152 | option_d=294 | answer=A | explanation=10% of 1475 = (10/100) × 1475 = 147.

id=30227 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=30228 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=K | option_b=P | option_c=F | option_d=A | answer=A | explanation=Move 5 positions forward from F; the resulting letter is K.

id=30229 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=26 | option_b=22 | option_c=28 | option_d=25 | answer=D | explanation=The common difference is 3. Therefore the next term is 22 + 3 = 25.

id=30230 | topic=Percentages | difficulty=Easy | question=What is 40% of 1318? | option_a=527 | option_b=507 | option_c=537 | option_d=1054 | answer=A | explanation=40% of 1318 = (40/100) × 1318 = 527.

id=30231 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=30232 | topic=Averages | difficulty=Easy | question=Find the average of 16, 27, 35, 50. | option_a=32 | option_b=33 | option_c=31 | option_d=34 | answer=A | explanation=Average = sum of values ÷ number of values = 128 ÷ 4 = 32.

id=30233 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=M | option_b=L | option_c=K | option_d=N | answer=A | explanation=Move 1 positions forward from L; the resulting letter is M.

id=30234 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2583. If it is sold at a profit of 10%, what is its selling price? | option_a=2583 | option_b=2841 | option_c=3099 | option_d=2593 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2583 × 110/100 = ₹2841.

id=30235 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=E | option_c=G | option_d=H | answer=C | explanation=Move 1 positions forward from F; the resulting letter is G.

id=30236 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 38? | option_a=38 | option_b=13 | option_c=29 | option_d=21 | answer=A | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 38 is the odd one out.

id=30237 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=30238 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=25 | option_b=22 | option_c=24 | option_d=26 | answer=C | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.

id=30239 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹41959 at 5% per annum for 5 years. | option_a=10489 | option_b=10389 | option_c=52448 | option_d=10589 | answer=A | explanation=SI = PRT/100 = 41959×5×5/100 = ₹10489.

id=30240 | topic=Averages | difficulty=Easy | question=Find the average of 38, 16, 13, 40, 32, 53. | option_a=34 | option_b=33 | option_c=32 | option_d=31 | answer=C | explanation=Average = sum of values ÷ number of values = 192 ÷ 6 = 32.

Aptitude Questions — Records 30,241-30,270 of 100,000

id=30241 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=20 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=30242 | topic=Percentages | difficulty=Easy | question=What is 25% of 1538? | option_a=384 | option_b=404 | option_c=768 | option_d=374 | answer=A | explanation=25% of 1538 = (25/100) × 1538 = 384.

id=30243 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=Z | option_c=B | option_d=D | answer=D | explanation=Move 2 positions forward from B; the resulting letter is D.

id=30244 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:20 and the first is 14, what is the second? | option_a=20 | option_b=40 | option_c=54 | option_d=47 | answer=B | explanation=Scale factor = 14/7 = 2. Therefore second quantity = 20×2 = 40.

id=30245 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:11 and the first is 28, what is the second? | option_a=51 | option_b=33 | option_c=44 | option_d=72 | answer=C | explanation=Scale factor = 28/7 = 4. Therefore second quantity = 11×4 = 44.

id=30246 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29261 at 10% per annum for 5 years. | option_a=43891 | option_b=14630 | option_c=14730 | option_d=14530 | answer=B | explanation=SI = PRT/100 = 29261×10×5/100 = **■**14630.

id=30247 | topic=Averages | difficulty=Easy | question=Find the average of 91, 15, 28, 65, 61. | option_a=53 | option_b=51 | option_c=52 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 260 ÷ 5 = 52.

id=30248 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=180 | option_c=185 | option_d=360 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=30249 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=X | option_b=C | option_c=N | option_d=S | answer=A | explanation=Move 5 positions forward from S; the resulting letter is X.

id=30250 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=30251 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 16, 25, 36? | option_a=36 | option_b=16 | option_c=7 | option_d=25 | answer=A | explanation=The first three numbers increase by 9, so the next should be 34. Therefore 36 is the odd one out.

id=30252 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=200 | option_c=95 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=30253 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=41 | option_c=72 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=30254 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=30255 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:20 and the first is 204, what is the second? | option_a=220 | option_b=257 | option_c=444 | option_d=240 | answer=D | explanation=Scale factor = 204/17 = 12. Therefore second quantity = 20×12 = 240.

id=30256 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3303. If it is sold at a profit of 30%, what is its selling price? | option_a=3333 | option_b=3963 | option_c=4623 | option_d=4293 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3303 × 130/100 = **■**4293.

id=30257 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 21. | option_a=105 | option_b=144 | option_c=378 | option_d=126 | answer=D | explanation=LCM × HCF = 18×21; HCF(18,21) = 3, so LCM = 126.

id=30258 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:20 and the first is 210, what is the second? | option_a=314 | option_b=300 | option_c=280 | option_d=510 | answer=B | explanation=Scale factor = 210/14 = 15. Therefore second quantity = 20×15 = 300.

id=30259 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4470. If it is sold at a profit of 50%, what is its selling price? | option_a=4520 | option_b=6705 | option_c=7152 | option_d=6258 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4470 × 150/100 = **■**6705.

id=30260 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=30261 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26826 at 6% per annum for 1 years. | option_a=1509 | option_b=1709 | option_c=1609 | option_d=28435 | answer=C | explanation=SI = PRT/100 = 26826×6×1/100 = **■**1609.

id=30262 | topic=Averages | difficulty=Easy | question=Find the average of 60, 37, 19, 88, 95, 15, 46, 94, 50. | option_a=56 | option_b=55 | option_c=57 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=30263 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=30264 | topic=Percentages | difficulty=Easy | question=What is 12% of 1417? | option_a=340 | option_b=170 | option_c=175 | option_d=160 | answer=B | explanation=12% of 1417 = (12/100) × 1417 = 170.

id=30265 | topic=Averages | difficulty=Easy | question=Find the average of 44, 29, 19, 37, 98, 19, 76. | option_a=47 | option_b=48 | option_c=45 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 322 ÷ 7 = 46.

id=30266 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2431 at 15% per annum for 5 years. | option_a=4254 | option_b=1723 | option_c=1823 | option_d=1923 | answer=C | explanation=SI = PRT/100 = 2431×15×5/100 = **■**1823.

id=30267 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=24 | option_c=12 | option_d=7 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=30268 | topic=Averages | difficulty=Easy | question=Find the average of 13, 61, 21, 79, 93, 27. | option_a=51 | option_b=48 | option_c=50 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 294 ÷ 6 = 49.

id=30269 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=30270 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:17 and the first is 90, what is the second? | option_a=255 | option_b=238 | option_c=261 | option_d=345 | answer=A | explanation=Scale factor = 90/6 = 15. Therefore second quantity = 17×15 = 255.

Aptitude Questions — Records 30,271-30,300 of 100,000

id=30271 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 20. | option_a=90 | option_b=40 | option_c=60 | option_d=600 | answer=C | explanation=LCM × HCF = 30×20; HCF(30,20) = 10, so LCM = 60.

id=30272 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=180 | option_c=360 | option_d=175 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=30273 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=I | option_b=C | option_c=F | option_d=Z | answer=C | explanation=Move 3 positions forward from C; the resulting letter is F.

id=30274 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=30275 | topic=Percentages | difficulty=Easy | question=What is 25% of 54? | option_a=33 | option_b=8 | option_c=13 | option_d=26 | answer=C | explanation=25% of 54 = (25/100) × 54 = 13.

id=30276 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2245. If it is sold at a profit of 30%, what is its selling price? | option_a=2694 | option_b=2918 | option_c=2275 | option_d=3142 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2245 × 130/100 = █2918.

id=30277 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13217 at 10% per annum for 4 years. | option_a=5386 | option_b=5286 | option_c=18503 | option_d=5186 | answer=B | explanation=SI = PRT/100 = 13217×10×4/100 = █5286.

id=30278 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43459 at 8% per annum for 5 years. | option_a=17383 | option_b=60842 | option_c=17483 | option_d=17283 | answer=A | explanation=SI = PRT/100 = 43459×8×5/100 = █17383.

id=30279 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=39 | option_b=50 | option_c=49 | option_d=59 | answer=C | explanation=The common difference is 10. Therefore the next term is 39 + 10 = 49.

id=30280 | topic=Averages | difficulty=Easy | question=Find the average of 39, 75, 87, 20, 85, 69, 43, 31, 10. | option_a=51 | option_b=53 | option_c=52 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 459 ÷ 9 = 51.

id=30281 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48989 at 4% per annum for 1 years. | option_a=1959 | option_b=2059 | option_c=50948 | option_d=1859 | answer=A | explanation=SI = PRT/100 = 48989×4×1/100 = █1959.

id=30282 | topic=Averages | difficulty=Easy | question=Find the average of 79, 80, 91, 36, 59. | option_a=70 | option_b=71 | option_c=68 | option_d=69 | answer=D | explanation=Average = sum of values ÷ number of values = 345 ÷ 5 = 69.

id=30283 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 28, 38, 48, ? | option_a=68 | option_b=59 | option_c=48 | option_d=58 | answer=D | explanation=The common difference is 10. Therefore the next term is 48 + 10 = 58.

id=30284 | topic=Percentages | difficulty=Easy | question=What is 5% of 80? | option_a=24 | option_b=8 | option_c=0 | option_d=4 | answer=D | explanation=5% of 80 = (5/100) × 80 = 4.

id=30285 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1533. If it is sold at a profit of 5%, what is its selling price? | option_a=1456 | option_b=1762 | option_c=1538 | option_d=1609 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1533 × 105/100 = █1609.

id=30286 | topic=Averages | difficulty=Easy | question=Find the average of 47, 32, 27, 54, 45, 89. | option_a=51 | option_b=48 | option_c=49 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 294 ÷ 6 = 49.

id=30287 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 46? | option_a=30 | option_b=37 | option_c=46 | option_d=23 | answer=C | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 46 is the odd one out.

id=30288 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 12. | option_a=1 | option_b=24 | option_c=12 | option_d=144 | answer=C | explanation=LCM × HCF = 12×12; HCF(12,12) = 12, so LCM = 12.

id=30289 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10101 at 10% per annum for 3 years. | option_a=3130 | option_b=3030 | option_c=2930 | option_d=13131 | answer=B | explanation=SI = PRT/100 = 10101×10×3/100 = █3030.

id=30290 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38947 at 5% per annum for 1 years. | option_a=40894 | option_b=1847 | option_c=2047 | option_d=1947 | answer=D | explanation=SI = PRT/100 = 38947×5×1/100 = █1947.

id=30291 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=50 | option_b=40 | option_c=49 | option_d=58 | answer=C | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

id=30292 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 41? | option_a=36 | option_b=41 | option_c=33 | option_d=30 | answer=B | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 41 is the odd one out.

id=30293 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:7 and the first is 56, what is the second? | option_a=42 | option_b=28 | option_c=21 | option_d=84 | answer=B | explanation=Scale factor = 56/14 = 4. Therefore second quantity = 7×4 = 28.

id=30294 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=30295 | topic=Percentages | difficulty=Easy | question=What is 10% of 963? | option_a=76 | option_b=192 | option_c=96 | option_d=106 | answer=C | explanation=10% of 963 = (10/100) × 963 = 96.

id=30296 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=80 | option_d=150 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=30297 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3504. If it is sold at a profit of 50%, what is its selling price? | option_a=5606 | option_b=5256 | option_c=3554 | option_d=4906 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3504 × 150/100 = █5256.

id=30298 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 20. | option_a=40 | option_b=1 | option_c=20 | option_d=400 | answer=C | explanation=LCM × HCF = 20×20; HCF(20,20) = 20, so LCM = 20.

id=30299 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=30300 | topic=Averages | difficulty=Easy | question=Find the average of 14, 19, 82, 45, 60. | option_a=44 | option_b=46 | option_c=43 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 220 ÷ 5 = 44.

Aptitude Questions — Records 30,301-30,330 of 100,000

id=30301 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=47 | option_b=54 | option_c=40 | option_d=48 | answer=A | explanation=The common difference is 7. Therefore the next term is 40 + 7 = 47.

id=30302 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:8 and the first is 40, what is the second? | option_a=72 | option_b=24 | option_c=32 | option_d=42 | answer=C | explanation=Scale factor = 40/10 = 4. Therefore second quantity = 8×4 = 32.

id=30303 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=30304 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 22, 32, 44? | option_a=22 | option_b=32 | option_c=44 | option_d=12 | answer=C | explanation=The first three numbers increase by 10, so the next should be 42. Therefore 44 is the odd one out.

id=30305 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20663 at 5% per annum for 5 years. | option_a=5065 | option_b=25828 | option_c=5265 | option_d=5165 | answer=D | explanation=SI = PRT/100 = 20663×5×5/100 = **■**5165.

id=30306 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=30307 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1276. If it is sold at a profit of 50%, what is its selling price? | option_a=1914 | option_b=1326 | option_c=2041 | option_d=1787 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1276 × 150/100 = **■**1914.

id=30308 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2607. If it is sold at a profit of 5%, what is its selling price? | option_a=2997 | option_b=2477 | option_c=2737 | option_d=2612 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2607 × 105/100 = **■**2737.

id=30309 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=W | option_c=T | option_d=N | answer=C | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=30310 | topic=Averages | difficulty=Easy | question=Find the average of 91, 88, 24, 88, 61, 16, 20, 96, 60, 96. | option_a=64 | option_b=65 | option_c=66 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 640 ÷ 10 = 64.

id=30311 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 17, 19, 21, ? | option_a=21 | option_b=23 | option_c=24 | option_d=25 | answer=B | explanation=The common difference is 2. Therefore the next term is 21 + 2 = 23.

id=30312 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1095 at 5% per annum for 3 years. | option_a=264 | option_b=1259 | option_c=64 | option_d=164 | answer=D | explanation=SI = PRT/100 = 1095×5×3/100 = **■**164.

id=30313 | topic=Percentages | difficulty=Easy | question=What is 25% of 453? | option_a=113 | option_b=118 | option_c=108 | option_d=226 | answer=A | explanation=25% of 453 = (25/100) × 453 = 113.

id=30314 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=50 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=30315 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38026 at 10% per annum for 3 years. | option_a=49433 | option_b=11407 | option_c=11307 | option_d=11507 | answer=B | explanation=SI = PRT/100 = 38026×10×3/100 = **■**11407.

id=30316 | topic=Percentages | difficulty=Easy | question=What is 20% of 1958? | option_a=391 | option_b=782 | option_c=386 | option_d=411 | answer=A | explanation=20% of 1958 = (20/100) × 1958 = 391.

id=30317 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1507. If it is sold at a profit of 5%, what is its selling price? | option_a=1432 | option_b=1732 | option_c=1512 | option_d=1582 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1507 × 105/100 = **■**1582.

id=30318 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=24 | option_b=26 | option_c=25 | option_d=22 | answer=A | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.

id=30319 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=30320 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=B | option_c=J | option_d=X | answer=A | explanation=Move 4 positions forward from B; the resulting letter is F.

id=30321 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=Q | option_b=T | option_c=R | option_d=S | answer=D | explanation=Move 1 positions forward from R; the resulting letter is S.

id=30322 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 21, 30, 40? | option_a=40 | option_b=21 | option_c=30 | option_d=12 | answer=A | explanation=The first three numbers increase by 9, so the next should be 39. Therefore 40 is the odd one out.

id=30323 | topic=Averages | difficulty=Easy | question=Find the average of 28, 40, 61, 64, 87, 52, 28, 64. | option_a=54 | option_b=52 | option_c=55 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.

id=30324 | topic=Averages | difficulty=Easy | question=Find the average of 75, 55, 53, 84, 10, 11. | option_a=49 | option_b=48 | option_c=47 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 288 ÷ 6 = 48.

id=30325 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=U | option_b=V | option_c=T | option_d=S | answer=A | explanation=Move 1 positions forward from T; the resulting letter is U.

id=30326 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=B | option_b=M | option_c=W | option_d=R | answer=C | explanation=Move 5 positions forward from R; the resulting letter is W.

id=30327 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 34, 42, 52? | option_a=34 | option_b=26 | option_c=52 | option_d=42 | answer=C | explanation=The first three numbers increase by 8, so the next should be 50. Therefore 52 is the odd one out.

id=30328 | topic=Percentages | difficulty=Easy | question=What is 50% of 1564? | option_a=787 | option_b=762 | option_c=1564 | option_d=782 | answer=D | explanation=50% of 1564 = (50/100) × 1564 = 782.

id=30329 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 29? | option_a=19 | option_b=15 | option_c=23 | option_d=29 | answer=D | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 29 is the odd one out.

id=30330 | topic=Averages | difficulty=Easy | question=Find the average of 73, 59, 56, 74, 17, 39. | option_a=54 | option_b=55 | option_c=52 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 318 ÷ 6 = 53.

Aptitude Questions — Records 30,331-30,360 of 100,000

id=30331 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=G | option_c=D | option_d=F | answer=D | explanation=Move 1 positions forward from E; the resulting letter is F.

id=30332 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=40 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=30333 | topic=Averages | difficulty=Easy | question=Find the average of 99, 43, 90, 28, 85. | option_a=71 | option_b=69 | option_c=68 | option_d=70 | answer=B | explanation=Average = sum of values ÷ number of values = 345 ÷ 5 = 69.

id=30334 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 32? | option_a=19 | option_b=24 | option_c=32 | option_d=14 | answer=C | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 32 is the odd one out.

id=30335 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4708. If it is sold at a profit of 10%, what is its selling price? | option_a=5178 | option_b=4718 | option_c=4708 | option_d=5648 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4708 × 110/100 = █5178.

id=30336 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:7 and the first is 81, what is the second? | option_a=144 | option_b=72 | option_c=56 | option_d=63 | answer=D | explanation=Scale factor = 81/9 = 9. Therefore second quantity = 7×9 = 63.

id=30337 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:6 and the first is 180, what is the second? | option_a=87 | option_b=252 | option_c=72 | option_d=66 | answer=C | explanation=Scale factor = 180/15 = 12. Therefore second quantity = 6×12 = 72.

id=30338 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2246 at 8% per annum for 2 years. | option_a=259 | option_b=359 | option_c=459 | option_d=2605 | answer=B | explanation=SI = PRT/100 = 2246×8×2/100 = █359.

id=30339 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19593 at 4% per annum for 3 years. | option_a=21944 | option_b=2251 | option_c=2451 | option_d=2351 | answer=D | explanation=SI = PRT/100 = 19593×4×3/100 = █2351.

id=30340 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:6 and the first is 260, what is the second? | option_a=98 | option_b=78 | option_c=72 | option_d=338 | answer=B | explanation=Scale factor = 260/20 = 13. Therefore second quantity = 6×13 = 78.

id=30341 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 11, 20, 32? | option_a=20 | option_b=32 | option_c=2 | option_d=11 | answer=B | explanation=The first three numbers increase by 9, so the next should be 29. Therefore 32 is the odd one out.

id=30342 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=22 | option_b=18 | option_c=23 | option_d=26 | answer=A | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

id=30343 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27763 at 12% per annum for 5 years. | option_a=44420 | option_b=16557 | option_c=16757 | option_d=16657 | answer=D | explanation=SI = PRT/100 = 27763×12×5/100 = █16657.

id=30344 | topic=Averages | difficulty=Easy | question=Find the average of 49, 24, 18, 41, 24, 39, 13, 32. | option_a=31 | option_b=30 | option_c=29 | option_d=32 | answer=B | explanation=Average = sum of values ÷ number of values = 240 ÷ 8 = 30.

id=30345 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=M | option_c=I | option_d=A | answer=C | explanation=Move 4 positions forward from E; the resulting letter is I.

id=30346 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=5 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=30347 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 26. | option_a=104 | option_b=78 | option_c=112 | option_d=208 | answer=A | explanation=LCM × HCF = 8×26; HCF(8,26) = 2, so LCM = 104.

id=30348 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=G | option_b=P | option_c=M | option_d=J | answer=C | explanation=Move 3 positions forward from J; the resulting letter is M.

id=30349 | topic=Percentages | difficulty=Easy | question=What is 40% of 450? | option_a=185 | option_b=360 | option_c=175 | option_d=180 | answer=D | explanation=40% of 450 = (40/100) × 450 = 180.

id=30350 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=30351 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24471 at 5% per annum for 4 years. | option_a=4994 | option_b=4894 | option_c=29365 | option_d=4794 | answer=B | explanation=SI = PRT/100 = 24471×5×4/100 = █4894.

id=30352 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 14. | option_a=140 | option_b=154 | option_c=308 | option_d=176 | answer=B | explanation=LCM × HCF = 22×14; HCF(22,14) = 2, so LCM = 154.

id=30353 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=58 | option_b=46 | option_c=68 | option_d=57 | answer=D | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.

id=30354 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1961. If it is sold at a profit of 20%, what is its selling price? | option_a=1981 | option_b=2549 | option_c=2157 | option_d=2353 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1961 × 120/100 = █2353.

id=30355 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24987 at 15% per annum for 3 years. | option_a=36231 | option_b=11244 | option_c=11144 | option_d=11344 | answer=B | explanation=SI = PRT/100 = 24987×15×3/100 = █11244.

id=30356 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 7. | option_a=98 | option_b=14 | option_c=7 | option_d=28 | answer=B | explanation=LCM × HCF = 14×7; HCF(14,7) = 7, so LCM = 14.

id=30357 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=30358 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:10 and the first is 36, what is the second? | option_a=20 | option_b=66 | option_c=30 | option_d=42 | answer=C | explanation=Scale factor = 36/12 = 3. Therefore second quantity = 10×3 = 30.

id=30359 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1015 at 8% per annum for 5 years. | option_a=1421 | option_b=306 | option_c=506 | option_d=406 | answer=D | explanation=SI = PRT/100 = 1015×8×5/100 = █406.

id=30360 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=6 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

Aptitude Questions — Records 30,361-30,390 of 100,000

id=30361 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=36 | option_c=41 | option_d=31 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=30362 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=6 | option_c=1 | option_d=11 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=30363 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■33414 at 8% per annum for 4 years. | option_a=10592 | option_b=44106 | option_c=10692 | option_d=10792 | answer=C | explanation=SI = PRT/100 = 33414×8×4/100 = ■10692.

id=30364 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■48734 at 10% per annum for 2 years. | option_a=9846 | option_b=58480 | option_c=9646 | option_d=9746 | answer=D | explanation=SI = PRT/100 = 48734×10×2/100 = ■9746.

id=30365 | topic=Averages | difficulty=Easy | question=Find the average of 68, 99, 67, 59, 70, 49, 73, 99. | option_a=73 | option_b=74 | option_c=75 | option_d=72 | answer=A | explanation=Average = sum of values ÷ number of values = 584 ÷ 8 = 73.

id=30366 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=16 | option_b=21 | option_c=20 | option_d=24 | answer=C | explanation=The common difference is 4. Therefore the next term is 16 + 4 = 20.

id=30367 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=76 | option_b=52 | option_c=64 | option_d=65 | answer=C | explanation=The common difference is 12. Therefore the next term is 52 + 12 = 64.

id=30368 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1773. If it is sold at a profit of 40%, what is its selling price? | option_a=2482 | option_b=2659 | option_c=1813 | option_d=2305 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1773 × 140/100 = ■2482.

id=30369 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:1 and the first is 144, what is the second? | option_a=12 | option_b=156 | option_c=24 | option_d=11 | answer=A | explanation=Scale factor = 144/12 = 12. Therefore second quantity = 1×12 = 12.

id=30370 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 27, 33, 42? | option_a=27 | option_b=42 | option_c=21 | option_d=33 | answer=B | explanation=The first three numbers increase by 6, so the next should be 39. Therefore 42 is the odd one out.

id=30371 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=M | option_b=O | option_c=P | option_d=N | answer=B | explanation=Move 1 positions forward from N; the resulting letter is O.

id=30372 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:19 and the first is 114, what is the second? | option_a=475 | option_b=361 | option_c=367 | option_d=342 | answer=B | explanation=Scale factor = 114/6 = 19. Therefore second quantity = 19×19 = 361.

id=30373 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=30374 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■22875 at 4% per annum for 4 years. | option_a=3560 | option_b=3660 | option_c=26535 | option_d=3760 | answer=B | explanation=SI = PRT/100 = 22875×4×4/100 = ■3660.

id=30375 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:15 and the first is 6, what is the second? | option_a=96 | option_b=90 | option_c=91 | option_d=75 | answer=B | explanation=Scale factor = 6/1 = 6. Therefore second quantity = 15×6 = 90.

id=30376 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=30377 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 15. | option_a=135 | option_b=120 | option_c=405 | option_d=162 | answer=A | explanation=LCM × HCF = 27×15; HCF(27,15) = 3, so LCM = 135.

id=30378 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=49 | option_b=39 | option_c=50 | option_d=59 | answer=A | explanation=The common difference is 10. Therefore the next term is 39 + 10 = 49.

id=30379 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=K | option_c=H | option_d=J | answer=D | explanation=Move 1 positions forward from I; the resulting letter is J.

id=30380 | topic=Percentages | difficulty=Easy | question=What is 40% of 344? | option_a=274 | option_b=132 | option_c=137 | option_d=147 | answer=C | explanation=40% of 344 = (40/100) × 344 = 137.

id=30381 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=D | option_c=F | option_d=J | answer=A | explanation=Move 2 positions forward from F; the resulting letter is H.

id=30382 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=30383 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=30384 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=30 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=30385 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=24 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=30386 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=41 | option_b=49 | option_c=55 | option_d=48 | answer=D | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.

id=30387 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:7 and the first is 195, what is the second? | option_a=105 | option_b=300 | option_c=98 | option_d=118 | answer=A | explanation=Scale factor = 195/13 = 15. Therefore second quantity = 7×15 = 105.

id=30388 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:1 and the first is 30, what is the second? | option_a=14 | option_b=17 | option_c=45 | option_d=15 | answer=D | explanation=Scale factor = 30/2 = 15. Therefore second quantity = 1×15 = 15.

id=30389 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 28? | option_a=24 | option_b=28 | option_c=18 | option_d=21 | answer=B | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 28 is the odd one out.

id=30390 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=L | option_b=U | option_c=R | option_d=O | answer=C | explanation=Move 3 positions forward from O; the resulting letter is R.

Aptitude Questions — Records 30,391-30,420 of 100,000

id=30391 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:16 and the first is 119, what is the second? | option_a=112 | option_b=231 | option_c=96 | option_d=129 | answer=A | explanation=Scale factor = 119/17 = 7. Therefore second quantity = 16×7 = 112.

id=30392 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 27? | option_a=19 | option_b=16 | option_c=27 | option_d=22 | answer=C | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 27 is the odd one out.

id=30393 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2258. If it is sold at a profit of 40%, what is its selling price? | option_a=3386 | option_b=2298 | option_c=3161 | option_d=2936 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2258 × 140/100 = █3161.

id=30394 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=62 | option_b=40 | option_c=52 | option_d=51 | answer=D | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=30395 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 28? | option_a=12 | option_b=5 | option_c=28 | option_d=19 | answer=C | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 28 is the odd one out.

id=30396 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42708 at 8% per annum for 1 years. | option_a=46124 | option_b=3416 | option_c=3516 | option_d=3316 | answer=B | explanation=SI = PRT/100 = 42708×8×1/100 = █3416.

id=30397 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=30398 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=P | option_c=R | option_d=T | answer=D | explanation=Move 2 positions forward from R; the resulting letter is T.

id=30399 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44944 at 10% per annum for 2 years. | option_a=9088 | option_b=8888 | option_c=53932 | option_d=8988 | answer=D | explanation=SI = PRT/100 = 44944×10×2/100 = █8988.

id=30400 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=H | option_c=Z | option_d=L | answer=B | explanation=Move 4 positions forward from D; the resulting letter is H.

id=30401 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:15 and the first is 9, what is the second? | option_a=144 | option_b=120 | option_c=135 | option_d=136 | answer=C | explanation=Scale factor = 9/1 = 9. Therefore second quantity = 15×9 = 135.

id=30402 | topic=Percentages | difficulty=Easy | question=What is 12% of 1420? | option_a=165 | option_b=170 | option_c=180 | option_d=340 | answer=B | explanation=12% of 1420 = (12/100) × 1420 = 170.

id=30403 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32247 at 4% per annum for 3 years. | option_a=36116 | option_b=3869 | option_c=3769 | option_d=3969 | answer=B | explanation=SI = PRT/100 = 32247×4×3/100 = █3869.

id=30404 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=54 | option_b=55 | option_c=66 | option_d=42 | answer=A | explanation=The common difference is 12. Therefore the next term is 42 + 12 = 54.

id=30405 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 35? | option_a=35 | option_b=29 | option_c=21 | option_d=25 | answer=A | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 35 is the odd one out.

id=30406 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4222. If it is sold at a profit of 40%, what is its selling price? | option_a=6332 | option_b=4262 | option_c=5910 | option_d=5488 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4222 × 140/100 = █5910.

id=30407 | topic=Percentages | difficulty=Easy | question=What is 10% of 798? | option_a=89 | option_b=158 | option_c=79 | option_d=74 | answer=C | explanation=10% of 798 = (10/100) × 798 = 79.

id=30408 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 't' become? | option_a=E | option_b=M | option_c=I | option_d=Q | answer=B | explanation=Move 4 positions forward from t; the resulting letter is M.

id=30409 | topic=Percentages | difficulty=Easy | question=What is 40% of 449? | option_a=184 | option_b=358 | option_c=169 | option_d=179 | answer=D | explanation=40% of 449 = (40/100) × 449 = 179.

id=30410 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=29 | option_c=24 | option_d=48 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=30411 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=30412 | topic=Averages | difficulty=Easy | question=Find the average of 54, 14, 89, 54, 61, 62, 61, 37, 63. | option_a=57 | option_b=56 | option_c=55 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.

id=30413 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=52 | option_b=64 | option_c=65 | option_d=76 | answer=B | explanation=The common difference is 12. Therefore the next term is 52 + 12 = 64.

id=30414 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=B | option_b=A | option_c=C | option_d=Z | answer=A | explanation=Move 1 positions forward from A; the resulting letter is B.

id=30415 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=N | option_b=J | option_c=F | option_d=B | answer=B | explanation=Move 4 positions forward from F; the resulting letter is J.

id=30416 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13700 at 5% per annum for 5 years. | option_a=3425 | option_b=3325 | option_c=17125 | option_d=3525 | answer=A | explanation=SI = PRT/100 = 13700×5×5/100 = █3425.

id=30417 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=80 | option_c=75 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=30418 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 26. | option_a=468 | option_b=234 | option_c=252 | option_d=208 | answer=B | explanation=LCM × HCF = 18×26; HCF(18,26) = 2, so LCM = 234.

id=30419 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=30420 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 21. | option_a=84 | option_b=105 | option_c=120 | option_d=315 | answer=B | explanation=LCM × HCF = 15×21; HCF(15,21) = 3, so LCM = 105.

Aptitude Questions — Records 30,421-30,450 of 100,000

id=30421 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=O | option_b=J | option_c=E | option_d=T | answer=A | explanation=Move 5 positions forward from J; the resulting letter is O.

id=30422 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 20? | option_a=15 | option_b=17 | option_c=13 | option_d=20 | answer=D | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 20 is the odd one out.

id=30423 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1139. If it is sold at a profit of 5%, what is its selling price? | option_a=1308 | option_b=1195 | option_c=1144 | option_d=1082 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1139 × 105/100 = █1195.

id=30424 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 12. | option_a=96 | option_b=135 | option_c=324 | option_d=108 | answer=D | explanation=LCM × HCF = 27×12; HCF(27,12) = 3, so LCM = 108.

id=30425 | topic=Percentages | difficulty=Easy | question=What is 15% of 1406? | option_a=190 | option_b=420 | option_c=210 | option_d=220 | answer=C | explanation=15% of 1406 = (15/100) × 1406 = 210.

id=30426 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=30427 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=30428 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27803 at 6% per annum for 3 years. | option_a=5004 | option_b=4904 | option_c=5104 | option_d=32807 | answer=A | explanation=SI = PRT/100 = 27803×6×3/100 = █5004.

id=30429 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=30430 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=20 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=30431 | topic=Averages | difficulty=Easy | question=Find the average of 75, 10, 17. | option_a=36 | option_b=34 | option_c=35 | option_d=33 | answer=B | explanation=Average = sum of values ÷ number of values = 102 ÷ 3 = 34.

id=30432 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44178 at 12% per annum for 2 years. | option_a=54780 | option_b=10702 | option_c=10502 | option_d=10602 | answer=D | explanation=SI = PRT/100 = 44178×12×2/100 = █10602.

id=30433 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=O | option_c=Q | option_d=K | answer=B | explanation=Move 2 positions forward from M; the resulting letter is O.

id=30434 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 25, 35, 46? | option_a=15 | option_b=25 | option_c=46 | option_d=35 | answer=C | explanation=The first three numbers increase by 10, so the next should be 45. Therefore 46 is the odd one out.

id=30435 | topic=Percentages | difficulty=Easy | question=What is 10% of 604? | option_a=120 | option_b=50 | option_c=60 | option_d=65 | answer=C | explanation=10% of 604 = (10/100) × 604 = 60.

id=30436 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38998 at 5% per annum for 3 years. | option_a=44847 | option_b=5949 | option_c=5849 | option_d=5749 | answer=C | explanation=SI = PRT/100 = 38998×5×3/100 = █5849.

id=30437 | topic=Averages | difficulty=Easy | question=Find the average of 15, 13, 89, 58, 88, 30, 57. | option_a=51 | option_b=49 | option_c=50 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

id=30438 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:7 and the first is 88, what is the second? | option_a=56 | option_b=49 | option_c=67 | option_d=144 | answer=A | explanation=Scale factor = 88/11 = 8. Therefore second quantity = 7×8 = 56.

id=30439 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=C | option_b=K | option_c=O | option_d=G | answer=B | explanation=Move 4 positions forward from G; the resulting letter is K.

id=30440 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 48? | option_a=37 | option_b=19 | option_c=48 | option_d=28 | answer=C | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 48 is the odd one out.

id=30441 | topic=Averages | difficulty=Easy | question=Find the average of 92, 67, 42, 64, 88, 19. | option_a=63 | option_b=61 | option_c=64 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 372 ÷ 6 = 62.

id=30442 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 21. | option_a=189 | option_b=567 | option_c=168 | option_d=216 | answer=A | explanation=LCM × HCF = 27×21; HCF(27,21) = 3, so LCM = 189.

id=30443 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=30444 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 14. | option_a=84 | option_b=28 | option_c=48 | option_d=42 | answer=D | explanation=LCM × HCF = 6×14; HCF(6,14) = 2, so LCM = 42.

id=30445 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=30446 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:16 and the first is 240, what is the second? | option_a=332 | option_b=560 | option_c=320 | option_d=304 | answer=C | explanation=Scale factor = 240/12 = 20. Therefore second quantity = 16×20 = 320.

id=30447 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 28. | option_a=420 | option_b=450 | option_c=840 | option_d=392 | answer=A | explanation=LCM × HCF = 30×28; HCF(30,28) = 2, so LCM = 420.

id=30448 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:17 and the first is 300, what is the second? | option_a=355 | option_b=323 | option_c=340 | option_d=640 | answer=C | explanation=Scale factor = 300/15 = 20. Therefore second quantity = 17×20 = 340.

id=30449 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=17 | option_c=12 | option_d=7 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=30450 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 24. | option_a=96 | option_b=140 | option_c=480 | option_d=120 | answer=D | explanation=LCM × HCF = 20×24; HCF(20,24) = 4, so LCM = 120.

Aptitude Questions — Records 30,451-30,480 of 100,000

id=30451 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1353. If it is sold at a profit of 40%, what is its selling price? | option_a=1894 | option_b=2029 | option_c=1759 | option_d=1393 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1353 × 140/100 = █1894.

id=30452 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:3 and the first is 170, what is the second? | option_a=200 | option_b=30 | option_c=27 | option_d=47 | answer=B | explanation=Scale factor = 170/17 = 10. Therefore second quantity = 3×10 = 30.

id=30453 | topic=Percentages | difficulty=Easy | question=What is 5% of 1670? | option_a=166 | option_b=83 | option_c=103 | option_d=63 | answer=B | explanation=5% of 1670 = (5/100) × 1670 = 83.

id=30454 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2125. If it is sold at a profit of 40%, what is its selling price? | option_a=2975 | option_b=2165 | option_c=2763 | option_d=3187 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2125 × 140/100 = █2975.

id=30455 | topic=Percentages | difficulty=Easy | question=What is 25% of 1568? | option_a=402 | option_b=784 | option_c=382 | option_d=392 | answer=D | explanation=25% of 1568 = (25/100) × 1568 = 392.

id=30456 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=29 | option_b=27 | option_c=23 | option_d=26 | answer=D | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.

id=30457 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=30458 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4116. If it is sold at a profit of 20%, what is its selling price? | option_a=5350 | option_b=4528 | option_c=4136 | option_d=4939 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4116 × 120/100 = █4939.

id=30459 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=40 | option_b=49 | option_c=41 | option_d=31 | answer=A | explanation=The common difference is 9. Therefore the next term is 31 + 9 = 40.

id=30460 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=30461 | topic=Percentages | difficulty=Easy | question=What is 10% of 1338? | option_a=143 | option_b=266 | option_c=128 | option_d=133 | answer=D | explanation=10% of 1338 = (10/100) × 1338 = 133.

id=30462 | topic=Percentages | difficulty=Easy | question=What is 40% of 980? | option_a=392 | option_b=784 | option_c=402 | option_d=382 | answer=A | explanation=40% of 980 = (40/100) × 980 = 392.

id=30463 | topic=Averages | difficulty=Easy | question=Find the average of 10, 83, 98, 87, 47, 17, ? | option_a=57 | option_b=59 | option_c=56 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 342 ÷ 6 = 57.

id=30464 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1216. If it is sold at a profit of 30%, what is its selling price? | option_a=1459 | option_b=1580 | option_c=1246 | option_d=1701 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1216 × 130/100 = █1580.

id=30465 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2749. If it is sold at a profit of 30%, what is its selling price? | option_a=3573 | option_b=3847 | option_c=2779 | option_d=3299 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2749 × 130/100 = █3573.

id=30466 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=30467 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=T | option_c=P | option_d=N | answer=A | explanation=Move 2 positions forward from P; the resulting letter is R.

id=30468 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=40 | option_b=48 | option_c=32 | option_d=41 | answer=A | explanation=The common difference is 8. Therefore the next term is 32 + 8 = 40.

id=30469 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44698 at 8% per annum for 4 years. | option_a=14303 | option_b=14403 | option_c=59001 | option_d=14203 | answer=A | explanation=SI = PRT/100 = 44698×8×4/100 = █14303.

id=30470 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=I | option_b=O | option_c=R | option_d=L | answer=B | explanation=Move 3 positions forward from L; the resulting letter is O.

id=30471 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=26 | option_b=30 | option_c=29 | option_d=28 | answer=D | explanation=The common difference is 2. Therefore the next term is 26 + 2 = 28.

id=30472 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3598. If it is sold at a profit of 50%, what is its selling price? | option_a=5397 | option_b=5756 | option_c=3648 | option_d=5038 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3598 × 150/100 = █5397.

id=30473 | topic=Profit & Loss | difficulty=Easy | question=An article costs █173. If it is sold at a profit of 15%, what is its selling price? | option_a=198 | option_b=188 | option_c=181 | option_d=215 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 173 × 115/100 = █198.

id=30474 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6074 at 8% per annum for 5 years. | option_a=8503 | option_b=2329 | option_c=2429 | option_d=2529 | answer=C | explanation=SI = PRT/100 = 6074×8×5/100 = █2429.

id=30475 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=17 | option_b=19 | option_c=21 | option_d=20 | answer=B | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=30476 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=M | option_c=V | option_d=S | answer=D | explanation=Move 3 positions forward from P; the resulting letter is S.

id=30477 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=67 | option_b=57 | option_c=56 | option_d=45 | answer=C | explanation=The common difference is 11. Therefore the next term is 45 + 11 = 56.

id=30478 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:15 and the first is 128, what is the second? | option_a=240 | option_b=248 | option_c=368 | option_d=225 | answer=A | explanation=Scale factor = 128/8 = 16. Therefore second quantity = 15×16 = 240.

id=30479 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45363 at 5% per annum for 3 years. | option_a=6804 | option_b=52167 | option_c=6904 | option_d=6704 | answer=A | explanation=SI = PRT/100 = 45363×5×3/100 = █6804.

id=30480 | topic=Percentages | difficulty=Easy | question=What is 15% of 1654? | option_a=496 | option_b=268 | option_c=248 | option_d=243 | answer=C | explanation=15% of 1654 = (15/100) × 1654 = 248.

Aptitude Questions — Records 30,481-30,510 of 100,000

id=30481 | topic=Percentages | difficulty=Easy | question=What is 10% of 301? | option_a=35 | option_b=20 | option_c=30 | option_d=60 | answer=C | explanation=10% of 301 = (10/100) × 301 = 30.

id=30482 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:2 and the first is 361, what is the second? | option_a=36 | option_b=399 | option_c=38 | option_d=57 | answer=C | explanation=Scale factor = 361/19 = 19. Therefore second quantity = 2×19 = 38.

id=30483 | topic=Averages | difficulty=Easy | question=Find the average of 30, 49, 49, 73, 14. | option_a=44 | option_b=45 | option_c=42 | option_d=43 | answer=D | explanation=Average = sum of values + number of values = 215 ÷ 5 = 43.

id=30484 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=47 | option_b=59 | option_c=69 | option_d=58 | answer=D | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.

id=30485 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2373. If it is sold at a profit of 15%, what is its selling price? | option_a=2491 | option_b=2965 | option_c=2728 | option_d=2388 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2373 × 115/100 = █2728.

id=30486 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=K | option_c=M | option_d=G | answer=B | explanation=Move 2 positions forward from I; the resulting letter is K.

id=30487 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=36 | option_b=47 | option_c=46 | option_d=56 | answer=C | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.

id=30488 | topic=Averages | difficulty=Easy | question=Find the average of 25, 14, 37, 91, 80, 84, 103. | option_a=64 | option_b=63 | option_c=61 | option_d=62 | answer=D | explanation=Average = sum of values + number of values = 434 ÷ 7 = 62.

id=30489 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 12, 14, 17? | option_a=12 | option_b=10 | option_c=14 | option_d=17 | answer=D | explanation=The first three numbers increase by 2, so the next should be 16. Therefore 17 is the odd one out.

id=30490 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=150 | option_c=70 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=30491 | topic=Averages | difficulty=Easy | question=Find the average of 55, 18, 70, 23, 28, 48, 94, 17, 79. | option_a=48 | option_b=50 | option_c=49 | option_d=47 | answer=A | explanation=Average = sum of values + number of values = 432 ÷ 9 = 48.

id=30492 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38264 at 12% per annum for 5 years. | option_a=61222 | option_b=23058 | option_c=22958 | option_d=22858 | answer=C | explanation=SI = PRT/100 = 38264×12×5/100 = █22958.

id=30493 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=80 | option_c=40 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=30494 | topic=Averages | difficulty=Easy | question=Find the average of 59, 95, 92. | option_a=83 | option_b=82 | option_c=84 | option_d=81 | answer=B | explanation=Average = sum of values + number of values = 246 ÷ 3 = 82.

id=30495 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:8 and the first is 210, what is the second? | option_a=112 | option_b=127 | option_c=104 | option_d=322 | answer=A | explanation=Scale factor = 210/15 = 14. Therefore second quantity = 8×14 = 112.

id=30496 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=30497 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=G | option_c=F | option_d=E | answer=B | explanation=Move 1 positions forward from F; the resulting letter is G.

id=30498 | topic=Averages | difficulty=Easy | question=Find the average of 76, 68, 35, 37, 59, 96, 42, 24, 94. | option_a=58 | option_b=59 | option_c=60 | option_d=61 | answer=B | explanation=Average = sum of values + number of values = 531 ÷ 9 = 59.

id=30499 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:4 and the first is 60, what is the second? | option_a=80 | option_b=76 | option_c=83 | option_d=140 | answer=A | explanation=Scale factor = 60/3 = 20. Therefore second quantity = 4×20 = 80.

id=30500 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=53 | option_b=62 | option_c=52 | option_d=42 | answer=C | explanation=The common difference is 10. Therefore the next term is 42 + 10 = 52.

id=30501 | topic=Percentages | difficulty=Easy | question=What is 30% of 811? | option_a=248 | option_b=233 | option_c=486 | option_d=243 | answer=D | explanation=30% of 811 = (30/100) × 811 = 243.

id=30502 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=34 | option_b=33 | option_c=37 | option_d=29 | answer=B | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=30503 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=L | option_b=K | option_c=J | option_d=M | answer=A | explanation=Move 1 positions forward from K; the resulting letter is L.

id=30504 | topic=Percentages | difficulty=Easy | question=What is 15% of 1578? | option_a=236 | option_b=216 | option_c=246 | option_d=472 | answer=A | explanation=15% of 1578 = (15/100) × 1578 = 236.

id=30505 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12107 at 5% per annum for 3 years. | option_a=1716 | option_b=1816 | option_c=1916 | option_d=13923 | answer=B | explanation=SI = PRT/100 = 12107×5×3/100 = █1816.

id=30506 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=30507 | topic=Percentages | difficulty=Easy | question=What is 5% of 1456? | option_a=52 | option_b=144 | option_c=77 | option_d=72 | answer=D | explanation=5% of 1456 = (5/100) × 1456 = 72.

id=30508 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=51 | option_b=42 | option_c=43 | option_d=33 | answer=B | explanation=The common difference is 9. Therefore the next term is 33 + 9 = 42.

id=30509 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=30510 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=R | option_b=T | option_c=U | option_d=S | answer=B | explanation=Move 1 positions forward from S; the resulting letter is T.

Aptitude Questions — Records 30,511-30,540 of 100,000

- id=30511 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:7 and the first is 90, what is the second? | option_a=42 | option_b=132 | option_c=57 | option_d=35 | answer=A | explanation=Scale factor = 90/15 = 6. Therefore second quantity = 7×6 = 42.
- id=30512 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=5 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.
- id=30513 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.
- id=30514 | topic=Averages | difficulty=Easy | question=Find the average of 74, 14, 24, 24. | option_a=33 | option_b=35 | option_c=36 | option_d=34 | answer=D | explanation=Average = sum of values ÷ number of values = 136 ÷ 4 = 34.
- id=30515 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=12 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=30516 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46920 at 6% per annum for 4 years. | option_a=58180 | option_b=11160 | option_c=11360 | option_d=11260 | answer=D | explanation=SI = PRT/100 = 46920×6×4/100 = █11260.
- id=30517 | topic=Averages | difficulty=Easy | question=Find the average of 67, 48, 98, 65, 18, 52. | option_a=59 | option_b=58 | option_c=60 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 348 ÷ 6 = 58.
- id=30518 | topic=Averages | difficulty=Easy | question=Find the average of 20, 41, 21, 35, 18. | option_a=28 | option_b=29 | option_c=26 | option_d=27 | answer=D | explanation=Average = sum of values ÷ number of values = 135 ÷ 5 = 27.
- id=30519 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.
- id=30520 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=C | option_c=G | option_d=O | answer=A | explanation=Move 4 positions forward from G; the resulting letter is K.
- id=30521 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=58 | option_b=69 | option_c=45 | option_d=57 | answer=D | explanation=The common difference is 12. Therefore the next term is 45 + 12 = 57.
- id=30522 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.
- id=30523 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.
- id=30524 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=30525 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2827. If it is sold at a profit of 50%, what is its selling price? | option_a=4240 | option_b=4522 | option_c=2877 | option_d=3958 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2827 × 150/100 = █4240.
- id=30526 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=33 | option_b=42 | option_c=51 | option_d=43 | answer=B | explanation=The common difference is 9. Therefore the next term is 33 + 9 = 42.
- id=30527 | topic=Averages | difficulty=Easy | question=Find the average of 75, 52, 13, 65, 80. | option_a=57 | option_b=56 | option_c=58 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.
- id=30528 | topic=Percentages | difficulty=Easy | question=What is 25% of 552? | option_a=143 | option_b=118 | option_c=276 | option_d=138 | answer=D | explanation=25% of 552 = (25/100) × 552 = 138.
- id=30529 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=N | option_b=O | option_c=M | option_d=L | answer=A | explanation=Move 1 positions forward from M; the resulting letter is N.
- id=30530 | topic=Percentages | difficulty=Easy | question=What is 25% of 1637? | option_a=409 | option_b=399 | option_c=818 | option_d=419 | answer=A | explanation=25% of 1637 = (25/100) × 1637 = 409.
- id=30531 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=360 | option_b=180 | option_c=185 | option_d=175 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.
- id=30532 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:20 and the first is 33, what is the second? | option_a=220 | option_b=223 | option_c=253 | option_d=200 | answer=A | explanation=Scale factor = 33/3 = 11. Therefore second quantity = 20×11 = 220.
- id=30533 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=67 | option_c=72 | option_d=77 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.
- id=30534 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:11 and the first is 153, what is the second? | option_a=176 | option_b=187 | option_c=340 | option_d=196 | answer=B | explanation=Scale factor = 153/9 = 17. Therefore second quantity = 11×17 = 187.
- id=30535 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25355 at 12% per annum for 4 years. | option_a=12170 | option_b=12070 | option_c=37525 | option_d=12270 | answer=A | explanation=SI = PRT/100 = 25355×12×4/100 = █12170.
- id=30536 | topic=Averages | difficulty=Easy | question=Find the average of 44, 71, 33, 47, 40, 34, 81. | option_a=50 | option_b=52 | option_c=51 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.
- id=30537 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 14. | option_a=14 | option_b=98 | option_c=1 | option_d=21 | answer=A | explanation=LCM × HCF = 7×14; HCF(7,14) = 7, so LCM = 14.
- id=30538 | topic=Profit & Loss | difficulty=Easy | question=An article costs █512. If it is sold at a profit of 50%, what is its selling price? | option_a=717 | option_b=768 | option_c=819 | option_d=562 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 512 × 150/100 = █768.
- id=30539 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=O | option_b=S | option_c=W | option_d=A | answer=C | explanation=Move 4 positions forward from S; the resulting letter is W.
- id=30540 | topic=Averages | difficulty=Easy | question=Find the average of 11, 54, 39, 17, 56, 99, 91, 57. | option_a=53 | option_b=55 | option_c=52 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.

Aptitude Questions — Records 30,541-30,570 of 100,000

id=30541 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 16. | option_a=144 | option_b=288 | option_c=162 | option_d=128 | answer=A | explanation=LCM × HCF = 18×16; HCF(18,16) = 2, so LCM = 144.

id=30542 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=S | option_c=I | option_d=X | answer=B | explanation=Move 5 positions forward from N; the resulting letter is S.

id=30543 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:19 and the first is 140, what is the second? | option_a=520 | option_b=361 | option_c=380 | option_d=387 | answer=C | explanation=Scale factor = 140/7 = 20. Therefore second quantity = 19×20 = 380.

id=30544 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=N | option_b=K | option_c=E | option_d=H | answer=B | explanation=Move 3 positions forward from H; the resulting letter is K.

id=30545 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 21, 27, 36? | option_a=27 | option_b=15 | option_c=21 | option_d=36 | answer=D | explanation=The first three numbers increase by 6, so the next should be 33. Therefore 36 is the odd one out.

id=30546 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 16, 25, 36? | option_a=36 | option_b=16 | option_c=7 | option_d=25 | answer=A | explanation=The first three numbers increase by 9, so the next should be 34. Therefore 36 is the odd one out.

id=30547 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=30548 | topic=Averages | difficulty=Easy | question=Find the average of 65, 70, 30, 84, 52, 77. | option_a=62 | option_b=65 | option_c=64 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 378 ÷ 6 = 63.

id=30549 | topic=Averages | difficulty=Easy | question=Find the average of 76, 24, 46, 12, 32. | option_a=37 | option_b=38 | option_c=39 | option_d=40 | answer=B | explanation=Average = sum of values ÷ number of values = 190 ÷ 5 = 38.

id=30550 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=37 | option_b=48 | option_c=57 | option_d=47 | answer=D | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

id=30551 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=29 | option_c=48 | option_d=19 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=30552 | topic=Averages | difficulty=Easy | question=Find the average of 73, 56, 23, 23, 60. | option_a=46 | option_b=48 | option_c=49 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 235 ÷ 5 = 47.

id=30553 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4657. If it is sold at a profit of 50%, what is its selling price? | option_a=7450 | option_b=4707 | option_c=6520 | option_d=6985 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4657 × 150/100 = █6985.

id=30554 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=37 | option_b=32 | option_c=40 | option_d=36 | answer=D | explanation=The common difference is 4. Therefore the next term is 32 + 4 = 36.

id=30555 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=50 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=30556 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=35 | option_b=33 | option_c=29 | option_d=32 | answer=D | explanation=The common difference is 3. Therefore the next term is 29 + 3 = 32.

id=30557 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=31 | option_b=27 | option_c=28 | option_d=23 | answer=B | explanation=The common difference is 4. Therefore the next term is 23 + 4 = 27.

id=30558 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 24, 32, 40, ? | option_a=49 | option_b=56 | option_c=40 | option_d=48 | answer=D | explanation=The common difference is 8. Therefore the next term is 40 + 8 = 48.

id=30559 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:1 and the first is 180, what is the second? | option_a=15 | option_b=195 | option_c=14 | option_d=27 | answer=A | explanation=Scale factor = 180/12 = 15. Therefore second quantity = 1×15 = 15.

id=30560 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25339 at 12% per annum for 3 years. | option_a=9022 | option_b=9222 | option_c=9122 | option_d=34461 | answer=C | explanation=SI = PRT/100 = 25339×12×3/100 = █9122.

id=30561 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4694. If it is sold at a profit of 20%, what is its selling price? | option_a=5163 | option_b=4714 | option_c=5632 | option_d=6101 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4694 × 120/100 = █5632.

id=30562 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=30563 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=24 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=30564 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=30565 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=15 | option_c=20 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=30566 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=43 | option_b=42 | option_c=35 | option_d=49 | answer=B | explanation=The common difference is 7. Therefore the next term is 35 + 7 = 42.

id=30567 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=30568 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:8 and the first is 204, what is the second? | option_a=300 | option_b=96 | option_c=113 | option_d=88 | answer=B | explanation=Scale factor = 204/17 = 12. Therefore second quantity = 8×12 = 96.

id=30569 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3933. If it is sold at a profit of 10%, what is its selling price? | option_a=4719 | option_b=4326 | option_c=3943 | option_d=3933 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3933 × 110/100 = █4326.

id=30570 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 30,571-30,600 of 100,000

id=30571 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=72 | option_c=41 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=30572 | topic=Averages | difficulty=Easy | question=Find the average of 49, 64, 48, 63, 98, 68, 12, 86. | option_a=61 | option_b=62 | option_c=63 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 488 ÷ 8 = 61.

id=30573 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=30574 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:5 and the first is 110, what is the second? | option_a=45 | option_b=61 | option_c=160 | option_d=50 | answer=D | explanation=Scale factor = 110/11 = 10. Therefore second quantity = 5×10 = 50.

id=30575 | topic=Averages | difficulty=Easy | question=Find the average of 28, 56, 20, 44, 11, 65, 13, 65, 56, 72. | option_a=43 | option_b=42 | option_c=45 | option_d=44 | answer=A | explanation=Average = sum of values ÷ number of values = 430 ÷ 10 = 43.

id=30576 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4292. If it is sold at a profit of 50%, what is its selling price? | option_a=4342 | option_b=6438 | option_c=6009 | option_d=6867 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4292 × 150/100 = █6438.

id=30577 | topic=Averages | difficulty=Easy | question=Find the average of 50, 28, 53, 88, 81, 90. | option_a=64 | option_b=67 | option_c=66 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 390 ÷ 6 = 65.

id=30578 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 36, 45, 56? | option_a=36 | option_b=45 | option_c=27 | option_d=56 | answer=D | explanation=The first three numbers increase by 9, so the next should be 54. Therefore 56 is the odd one out.

id=30579 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=L | option_b=F | option_c=O | option_d=I | answer=A | explanation=Move 3 positions forward from I; the resulting letter is L.

id=30580 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 12. | option_a=36 | option_b=24 | option_c=54 | option_d=216 | answer=A | explanation=LCM × HCF = 18×12; HCF(18,12) = 6, so LCM = 36.

id=30581 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3044. If it is sold at a profit of 40%, what is its selling price? | option_a=4261 | option_b=3957 | option_c=3084 | option_d=4565 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3044 × 140/100 = █4261.

id=30582 | topic=Percentages | difficulty=Easy | question=What is 40% of 1569? | option_a=622 | option_b=627 | option_c=1254 | option_d=637 | answer=B | explanation=40% of 1569 = (40/100) × 1569 = 627.

id=30583 | topic=Averages | difficulty=Easy | question=Find the average of 11, 72, 42, 88, 54, 57. | option_a=56 | option_b=53 | option_c=55 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 324 ÷ 6 = 54.

id=30584 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 19, 22, 25, ? | option_a=28 | option_b=29 | option_c=31 | option_d=25 | answer=A | explanation=The common difference is 3. Therefore the next term is 25 + 3 = 28.

id=30585 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=36 | option_b=33 | option_c=32 | option_d=28 | answer=C | explanation=The common difference is 4. Therefore the next term is 28 + 4 = 32.

id=30586 | topic=Percentages | difficulty=Easy | question=What is 40% of 1493? | option_a=1194 | option_b=607 | option_c=587 | option_d=597 | answer=D | explanation=40% of 1493 = (40/100) × 1493 = 597.

id=30587 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=71 | option_b=61 | option_c=49 | option_d=60 | answer=D | explanation=The common difference is 11. Therefore the next term is 49 + 11 = 60.

id=30588 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=28 | option_b=24 | option_c=20 | option_d=25 | answer=B | explanation=The common difference is 4. Therefore the next term is 20 + 4 = 24.

id=30589 | topic=Profit & Loss | difficulty=Easy | question=An article costs █369. If it is sold at a profit of 10%, what is its selling price? | option_a=441 | option_b=379 | option_c=369 | option_d=405 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 369 × 110/100 = █405.

id=30590 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 25. | option_a=50 | option_b=60 | option_c=250 | option_d=25 | answer=A | explanation=LCM × HCF = 10×25; HCF(10,25) = 5, so LCM = 50.

id=30591 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=30592 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3218. If it is sold at a profit of 20%, what is its selling price? | option_a=3540 | option_b=3238 | option_c=3861 | option_d=4182 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3218 × 120/100 = █3861.

id=30593 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3283. If it is sold at a profit of 15%, what is its selling price? | option_a=4103 | option_b=3775 | option_c=3447 | option_d=3298 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3283 × 115/100 = █3775.

id=30594 | topic=Averages | difficulty=Easy | question=Find the average of 82, 80, 96, 62. | option_a=80 | option_b=79 | option_c=82 | option_d=81 | answer=A | explanation=Average = sum of values ÷ number of values = 320 ÷ 4 = 80.

id=30595 | topic=Percentages | difficulty=Easy | question=What is 10% of 697? | option_a=138 | option_b=59 | option_c=89 | option_d=69 | answer=D | explanation=10% of 697 = (10/100) × 697 = 69.

id=30596 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=12 | option_c=1 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=30597 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=Z | option_b=D | option_c=H | option_d=L | answer=C | explanation=Move 4 positions forward from D; the resulting letter is H.

id=30598 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:20 and the first is 143, what is the second? | option_a=200 | option_b=220 | option_c=233 | option_d=363 | answer=B | explanation=Scale factor = 143/13 = 11. Therefore second quantity = 20×11 = 220.

id=30599 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 24, 36, 48, ? | option_a=61 | option_b=48 | option_c=60 | option_d=72 | answer=C | explanation=The common difference is 12. Therefore the next term is 48 + 12 = 60.

id=30600 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 30,601-30,630 of 100,000

id=30601 | topic=Averages | difficulty=Easy | question=Find the average of 100, 25, 63, 23, 99. | option_a=62 | option_b=64 | option_c=63 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 310 ÷ 5 = 62.

id=30602 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=30 | option_b=29 | option_c=23 | option_d=35 | answer=B | explanation=The common difference is 6. Therefore the next term is 23 + 6 = 29.

id=30603 | topic=Percentages | difficulty=Easy | question=What is 12% of 917? | option_a=120 | option_b=110 | option_c=100 | option_d=220 | answer=B | explanation=12% of 917 = (12/100) × 917 = 110.

id=30604 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:10 and the first is 45, what is the second? | option_a=20 | option_b=30 | option_c=45 | option_d=75 | answer=B | explanation=Scale factor = 45/15 = 3. Therefore second quantity = 10×3 = 30.

id=30605 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=45 | option_c=35 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=30606 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=55 | option_b=56 | option_c=66 | option_d=44 | answer=A | explanation=The common difference is 11. Therefore the next term is 44 + 11 = 55.

id=30607 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 20. | option_a=160 | option_b=180 | option_c=360 | option_d=198 | answer=B | explanation=LCM × HCF = 18×20; HCF(18,20) = 2, so LCM = 180.

id=30608 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■45904 at 15% per annum for 2 years. | option_a=59675 | option_b=13771 | option_c=13871 | option_d=13671 | answer=B | explanation=SI = PRT/100 = 45904×15×2/100 = ■13771.

id=30609 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 13? | option_a=13 | option_b=5 | option_c=7 | option_d=9 | answer=A | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 13 is the odd one out.

id=30610 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4472. If it is sold at a profit of 40%, what is its selling price? | option_a=4512 | option_b=5813 | option_c=6707 | option_d=6260 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4472 × 140/100 = ■6260.

id=30611 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■48337 at 4% per annum for 1 years. | option_a=2033 | option_b=50270 | option_c=1933 | option_d=1833 | answer=C | explanation=SI = PRT/100 = 48337×4×1/100 = ■1933.

id=30612 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=30613 | topic=Percentages | difficulty=Easy | question=What is 15% of 1446? | option_a=211 | option_b=226 | option_c=432 | option_d=216 | answer=D | explanation=15% of 1446 = (15/100) × 1446 = 216.

id=30614 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■5085 at 5% per annum for 3 years. | option_a=5847 | option_b=862 | option_c=762 | option_d=662 | answer=C | explanation=SI = PRT/100 = 5085×5×3/100 = ■762.

id=30615 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=30616 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2474. If it is sold at a profit of 5%, what is its selling price? | option_a=2479 | option_b=2350 | option_c=2597 | option_d=2844 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2474 × 105/100 = ■2597.

id=30617 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 28, 38, 49? | option_a=18 | option_b=38 | option_c=49 | option_d=28 | answer=C | explanation=The first three numbers increase by 10, so the next should be 48. Therefore 49 is the odd one out.

id=30618 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=180 | option_c=360 | option_d=185 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=30619 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=85 | option_d=160 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=30620 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:4 and the first is 45, what is the second? | option_a=60 | option_b=63 | option_c=56 | option_d=105 | answer=A | explanation=Scale factor = 45/3 = 15. Therefore second quantity = 4×15 = 60.

id=30621 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=30622 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:5 and the first is 90, what is the second? | option_a=59 | option_b=140 | option_c=50 | option_d=45 | answer=C | explanation=Scale factor = 90/9 = 10. Therefore second quantity = 5×10 = 50.

id=30623 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:1 and the first is 306, what is the second? | option_a=18 | option_b=17 | option_c=35 | option_d=324 | answer=A | explanation=Scale factor = 306/17 = 18. Therefore second quantity = 1×18 = 18.

id=30624 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=41 | option_b=33 | option_c=47 | option_d=40 | answer=D | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.

id=30625 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:14 and the first is 140, what is the second? | option_a=280 | option_b=420 | option_c=266 | option_d=287 | answer=A | explanation=Scale factor = 140/7 = 20. Therefore second quantity = 14×20 = 280.

id=30626 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 41? | option_a=11 | option_b=41 | option_c=29 | option_d=20 | answer=B | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 41 is the odd one out.

id=30627 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=D | option_c=B | option_d=E | answer=B | explanation=Move 1 positions forward from C; the resulting letter is D.

id=30628 | topic=Percentages | difficulty=Easy | question=What is 15% of 855? | option_a=256 | option_b=138 | option_c=123 | option_d=128 | answer=D | explanation=15% of 855 = (15/100) × 855 = 128.

id=30629 | topic=Averages | difficulty=Easy | question=Find the average of 61, 67, 72, 76, 92, 34, 18. | option_a=61 | option_b=60 | option_c=59 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 420 ÷ 7 = 60.

id=30630 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

Aptitude Questions — Records 30,631-30,660 of 100,000

id=30631 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=40 | option_b=51 | option_c=62 | option_d=52 | answer=B | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=30632 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4552. If it is sold at a profit of 10%, what is its selling price? | option_a=4552 | option_b=4562 | option_c=5462 | option_d=5007 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4552 × 110/100 = █5007.

id=30633 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32973 at 6% per annum for 2 years. | option_a=4056 | option_b=3956 | option_c=36929 | option_d=3856 | answer=B | explanation=SI = PRT/100 = 32973×6×2/100 = █3956.

id=30634 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 36? | option_a=36 | option_b=24 | option_c=15 | option_d=6 | answer=A | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 36 is the odd one out.

id=30635 | topic=Averages | difficulty=Easy | question=Find the average of 99, 96, 15. | option_a=69 | option_b=70 | option_c=72 | option_d=71 | answer=B | explanation=Average = sum of values + number of values = 210 ÷ 3 = 70.

id=30636 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 16, 19, 24? | option_a=19 | option_b=13 | option_c=24 | option_d=16 | answer=C | explanation=The first three numbers increase by 3, so the next should be 22. Therefore 24 is the odd one out.

id=30637 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=C | option_b=X | option_c=S | option_d=N | answer=B | explanation=Move 5 positions forward from S; the resulting letter is X.

id=30638 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 22, 28, 37? | option_a=16 | option_b=22 | option_c=28 | option_d=37 | answer=D | explanation=The first three numbers increase by 6, so the next should be 34. Therefore 37 is the odd one out.

id=30639 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=43 | option_b=50 | option_c=36 | option_d=44 | answer=A | explanation=The common difference is 7. Therefore the next term is 36 + 7 = 43.

id=30640 | topic=Averages | difficulty=Easy | question=Find the average of 73, 49, 98, 56, 58, 62. | option_a=65 | option_b=68 | option_c=66 | option_d=67 | answer=C | explanation=Average = sum of values + number of values = 396 ÷ 6 = 66.

id=30641 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=8 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=30642 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29988 at 8% per annum for 4 years. | option_a=9496 | option_b=9696 | option_c=39584 | option_d=9596 | answer=D | explanation=SI = PRT/100 = 29988×8×4/100 = █9596.

id=30643 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=30644 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=30645 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=14 | option_b=12 | option_c=15 | option_d=16 | answer=A | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=30646 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32957 at 4% per annum for 2 years. | option_a=35593 | option_b=2736 | option_c=2636 | option_d=2536 | answer=C | explanation=SI = PRT/100 = 32957×4×2/100 = █2636.

id=30647 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=43 | option_b=37 | option_c=38 | option_d=31 | answer=B | explanation=The common difference is 6. Therefore the next term is 31 + 6 = 37.

id=30648 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42343 at 4% per annum for 4 years. | option_a=49117 | option_b=6774 | option_c=6874 | option_d=6674 | answer=B | explanation=SI = PRT/100 = 42343×4×4/100 = █6774.

id=30649 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=28 | option_b=24 | option_c=27 | option_d=26 | answer=D | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.

id=30650 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=I | option_b=L | option_c=O | option_d=R | answer=C | explanation=Move 3 positions forward from L; the resulting letter is O.

id=30651 | topic=Averages | difficulty=Easy | question=Find the average of 27, 93, 40, 81, 22, 51, 39, 76, 39. | option_a=51 | option_b=54 | option_c=52 | option_d=53 | answer=C | explanation=Average = sum of values + number of values = 468 ÷ 9 = 52.

id=30652 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 35? | option_a=25 | option_b=21 | option_c=35 | option_d=29 | answer=C | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 35 is the odd one out.

id=30653 | topic=Averages | difficulty=Easy | question=Find the average of 11, 24, 78, 83, 88, 82. | option_a=61 | option_b=60 | option_c=63 | option_d=62 | answer=A | explanation=Average = sum of values + number of values = 366 ÷ 6 = 61.

id=30654 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43725 at 4% per annum for 4 years. | option_a=6996 | option_b=6896 | option_c=50721 | option_d=7096 | answer=A | explanation=SI = PRT/100 = 43725×4×4/100 = █6996.

id=30655 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=36 | option_b=35 | option_c=43 | option_d=27 | answer=B | explanation=The common difference is 8. Therefore the next term is 27 + 8 = 35.

id=30656 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 44? | option_a=27 | option_b=35 | option_c=44 | option_d=19 | answer=C | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 44 is the odd one out.

id=30657 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=35 | option_b=39 | option_c=36 | option_d=31 | answer=A | explanation=The common difference is 4. Therefore the next term is 31 + 4 = 35.

id=30658 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 10, 13, 16, ? | option_a=19 | option_b=16 | option_c=22 | option_d=20 | answer=A | explanation=The common difference is 3. Therefore the next term is 16 + 3 = 19.

id=30659 | topic=Percentages | difficulty=Easy | question=What is 25% of 1571? | option_a=784 | option_b=382 | option_c=402 | option_d=392 | answer=D | explanation=25% of 1571 = (25/100) × 1571 = 392.

id=30660 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

Aptitude Questions — Records 30,661-30,690 of 100,000

id=30661 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32146 at 6% per annum for 1 years. | option_a=1828 | option_b=1928 | option_c=34074 | option_d=2028 | answer=B | explanation=SI = PRT/100 = 32146×6×1/100 = **■**1928.

id=30662 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=P | option_b=S | option_c=R | option_d=Q | answer=C | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=30663 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=J | option_b=N | option_c=R | option_d=V | answer=C | explanation=Move 4 positions forward from N; the resulting letter is R.

id=30664 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=53 | option_b=54 | option_c=63 | option_d=43 | answer=A | explanation=The common difference is 10. Therefore the next term is 43 + 10 = 53.

id=30665 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1459. If it is sold at a profit of 25%, what is its selling price? | option_a=1678 | option_b=1823 | option_c=1484 | option_d=1968 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1459 × 125/100 = **■**1823.

id=30666 | topic=Percentages | difficulty=Easy | question=What is 50% of 128? | option_a=59 | option_b=64 | option_c=84 | option_d=128 | answer=B | explanation=50% of 128 = (50/100) × 128 = 64.

id=30667 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:4 and the first is 78, what is the second? | option_a=20 | option_b=24 | option_c=102 | option_d=37 | answer=B | explanation=Scale factor = 78/13 = 6. Therefore second quantity = 4×6 = 24.

id=30668 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 34? | option_a=34 | option_b=17 | option_c=27 | option_d=22 | answer=A | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 34 is the odd one out.

id=30669 | topic=Percentages | difficulty=Easy | question=What is 10% of 853? | option_a=65 | option_b=170 | option_c=85 | option_d=95 | answer=C | explanation=10% of 853 = (10/100) × 853 = 85.

id=30670 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:19 and the first is 120, what is the second? | option_a=361 | option_b=386 | option_c=500 | option_d=380 | answer=D | explanation=Scale factor = 120/6 = 20. Therefore second quantity = 19×20 = 380.

id=30671 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=30672 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=H | option_c=F | option_d=B | answer=C | explanation=Move 2 positions forward from D; the resulting letter is F.

id=30673 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2921. If it is sold at a profit of 50%, what is its selling price? | option_a=4381 | option_b=2971 | option_c=4673 | option_d=4089 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2921 × 150/100 = **■**4381.

id=30674 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=R | option_c=F | option_d=J | answer=A | explanation=Move 4 positions forward from J; the resulting letter is N.

id=30675 | topic=Percentages | difficulty=Easy | question=What is 50% of 630? | option_a=630 | option_b=315 | option_c=325 | option_d=310 | answer=B | explanation=50% of 630 = (50/100) × 630 = 315.

id=30676 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=43 | option_b=49 | option_c=42 | option_d=35 | answer=C | explanation=The common difference is 7. Therefore the next term is 35 + 7 = 42.

id=30677 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=S | option_c=J | option_d=P | answer=D | explanation=Move 3 positions forward from M; the resulting letter is P.

id=30678 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:19 and the first is 72, what is the second? | option_a=94 | option_b=76 | option_c=148 | option_d=57 | answer=B | explanation=Scale factor = 72/18 = 4. Therefore second quantity = 19×4 = 76.

id=30679 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=I | option_b=C | option_c=L | option_d=F | answer=A | explanation=Move 3 positions forward from F; the resulting letter is I.

id=30680 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 9? | option_a=6 | option_b=4 | option_c=2 | option_d=9 | answer=D | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 9 is the odd one out.

id=30681 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21403 at 6% per annum for 1 years. | option_a=22687 | option_b=1384 | option_c=1184 | option_d=1284 | answer=D | explanation=SI = PRT/100 = 21403×6×1/100 = **■**1284.

id=30682 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=30683 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:4 and the first is 22, what is the second? | option_a=44 | option_b=46 | option_c=40 | option_d=66 | answer=A | explanation=Scale factor = 22/2 = 11. Therefore second quantity = 4×11 = 44.

id=30684 | topic=Percentages | difficulty=Easy | question=What is 30% of 872? | option_a=261 | option_b=522 | option_c=251 | option_d=271 | answer=A | explanation=30% of 872 = (30/100) × 872 = 261.

id=30685 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31382 at 5% per annum for 4 years. | option_a=6176 | option_b=37658 | option_c=6276 | option_d=6376 | answer=C | explanation=SI = PRT/100 = 31382×5×4/100 = **■**6276.

id=30686 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 4. | option_a=78 | option_b=104 | option_c=52 | option_d=48 | answer=C | explanation=LCM × HCF = 26×4; HCF(26,4) = 2, so LCM = 52.

id=30687 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=5 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=30688 | topic=Averages | difficulty=Easy | question=Find the average of 26, 25, 10, 87. | option_a=38 | option_b=36 | option_c=39 | option_d=37 | answer=D | explanation=Average = sum of values ÷ number of values = 148 ÷ 4 = 37.

id=30689 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:11 and the first is 120, what is the second? | option_a=186 | option_b=86 | option_c=55 | option_d=66 | answer=D | explanation=Scale factor = 120/20 = 6. Therefore second quantity = 11×6 = 66.

id=30690 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2714. If it is sold at a profit of 15%, what is its selling price? | option_a=3121 | option_b=2729 | option_c=3392 | option_d=2850 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2714 × 115/100 = **■**3121.

Aptitude Questions — Records 30,691-30,720 of 100,000

id=30691 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=20 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=30692 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 16. | option_a=128 | option_b=1 | option_c=24 | option_d=16 | answer=D | explanation=LCM × HCF = 8×16; HCF(8,16) = 8, so LCM = 16.

id=30693 | topic=Percentages | difficulty=Easy | question=What is 12% of 1294? | option_a=175 | option_b=145 | option_c=155 | option_d=310 | answer=C | explanation=12% of 1294 = (12/100) × 1294 = 155.

id=30694 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1698. If it is sold at a profit of 30%, what is its selling price? | option_a=1728 | option_b=2038 | option_c=2376 | option_d=2207 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1698 × 130/100 = █2207.

id=30695 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=30696 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=A | option_b=R | option_c=U | option_d=X | answer=D | explanation=Move 3 positions forward from U; the resulting letter is X.

id=30697 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=K | option_c=H | option_d=B | answer=C | explanation=Move 3 positions forward from E; the resulting letter is H.

id=30698 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29433 at 15% per annum for 1 years. | option_a=4314 | option_b=4414 | option_c=33847 | option_d=4514 | answer=B | explanation=SI = PRT/100 = 29433×15×1/100 = █4414.

id=30699 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=K | option_b=C | option_c=G | option_d=Y | answer=C | explanation=Move 4 positions forward from C; the resulting letter is G.

id=30700 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45370 at 12% per annum for 1 years. | option_a=5544 | option_b=50814 | option_c=5444 | option_d=5344 | answer=C | explanation=SI = PRT/100 = 45370×12×1/100 = █5444.

id=30701 | topic=Percentages | difficulty=Easy | question=What is 20% of 1105? | option_a=226 | option_b=216 | option_c=442 | option_d=221 | answer=D | explanation=20% of 1105 = (20/100) × 1105 = 221.

id=30702 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=30703 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=Z | option_c=D | option_d=B | answer=C | explanation=Move 2 positions forward from B; the resulting letter is D.

id=30704 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=300 | option_c=150 | option_d=145 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=30705 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20721 at 12% per annum for 2 years. | option_a=4873 | option_b=25694 | option_c=4973 | option_d=5073 | answer=C | explanation=SI = PRT/100 = 20721×12×2/100 = █4973.

id=30706 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=24 | option_c=17 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=30707 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=55 | option_b=48 | option_c=39 | option_d=47 | answer=D | explanation=The common difference is 8. Therefore the next term is 39 + 8 = 47.

id=30708 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=C | option_c=G | option_d=I | answer=C | explanation=Move 2 positions forward from E; the resulting letter is G.

id=30709 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14379 at 5% per annum for 5 years. | option_a=3494 | option_b=3594 | option_c=17973 | option_d=3694 | answer=B | explanation=SI = PRT/100 = 14379×5×5/100 = █3594.

id=30710 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:2 and the first is 24, what is the second? | option_a=26 | option_b=48 | option_c=24 | option_d=22 | answer=C | explanation=Scale factor = 24/2 = 12. Therefore second quantity = 2×12 = 24.

id=30711 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13172 at 6% per annum for 1 years. | option_a=790 | option_b=890 | option_c=690 | option_d=13962 | answer=A | explanation=SI = PRT/100 = 13172×6×1/100 = █790.

id=30712 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 18, 22, 29? | option_a=14 | option_b=29 | option_c=22 | option_d=18 | answer=B | explanation=The first three numbers increase by 4, so the next should be 26. Therefore 29 is the odd one out.

id=30713 | topic=Averages | difficulty=Easy | question=Find the average of 50, 31, 61, 17, 95, 52, 29, 99, 97. | option_a=61 | option_b=60 | option_c=59 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 531 ÷ 9 = 59.

id=30714 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 4. | option_a=32 | option_b=16 | option_c=12 | option_d=64 | answer=B | explanation=LCM × HCF = 16×4; HCF(16,4) = 4, so LCM = 16.

id=30715 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 17, 21, 27? | option_a=21 | option_b=17 | option_c=27 | option_d=13 | answer=C | explanation=The first three numbers increase by 4, so the next should be 25. Therefore 27 is the odd one out.

id=30716 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=30717 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2488. If it is sold at a profit of 40%, what is its selling price? | option_a=3235 | option_b=3731 | option_c=2528 | option_d=3483 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2488 × 140/100 = █3483.

id=30718 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:9 and the first is 224, what is the second? | option_a=126 | option_b=117 | option_c=142 | option_d=350 | answer=A | explanation=Scale factor = 224/16 = 14. Therefore second quantity = 9×14 = 126.

id=30719 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2799. If it is sold at a profit of 40%, what is its selling price? | option_a=3639 | option_b=3918 | option_c=4197 | option_d=2839 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2799 × 140/100 = █3918.

id=30720 | topic=Averages | difficulty=Easy | question=Find the average of 91, 96, 30, 86, 52, 93, 96, 77, 72. | option_a=78 | option_b=76 | option_c=79 | option_d=77 | answer=D | explanation=Average = sum of values ÷ number of values = 693 ÷ 9 = 77.

Aptitude Questions — Records 30,721-30,750 of 100,000

id=30721 | topic=Percentages | difficulty=Easy | question=What is 50% of 1029? | option_a=534 | option_b=1028 | option_c=494 | option_d=514 | answer=D | explanation=50% of 1029 = $(50/100) \times 1029 = 514$.

id=30722 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 10, 18, 28? | option_a=2 | option_b=18 | option_c=10 | option_d=28 | answer=D | explanation=The first three numbers increase by 8, so the next should be 26. Therefore 28 is the odd one out.

id=30723 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=30724 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6461 at 8% per annum for 1 years. | option_a=516 | option_b=416 | option_c=6977 | option_d=616 | answer=A | explanation=SI = $PRT/100 = 6461 \times 8 \times 1/100 = \text{█}516$.

id=30725 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=N | option_c=E | option_d=K | answer=D | explanation=Move 3 positions forward from H; the resulting letter is K.

id=30726 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4266. If it is sold at a profit of 10%, what is its selling price? | option_a=4276 | option_b=4266 | option_c=5118 | option_d=4692 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4266 \times 110/100 = \text{█}4692$.

id=30727 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=E | option_b=Y | option_c=B | option_d=H | answer=A | explanation=Move 3 positions forward from B; the resulting letter is E.

id=30728 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=51 | option_b=59 | option_c=50 | option_d=41 | answer=C | explanation=The common difference is 9. Therefore the next term is $41 + 9 = 50$.

id=30729 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:4 and the first is 55, what is the second? | option_a=40 | option_b=49 | option_c=44 | option_d=99 | answer=C | explanation=Scale factor = $55/5 = 11$. Therefore second quantity = $4 \times 11 = 44$.

id=30730 | topic=Averages | difficulty=Easy | question=Find the average of 38, 66, 17, 93, 57, 101. | option_a=63 | option_b=62 | option_c=64 | option_d=61 | answer=B | explanation=Average = sum of values $\div$ number of values = $372 \div 6 = 62$.

id=30731 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=30732 | topic=Averages | difficulty=Easy | question=Find the average of 46, 77, 79, 83, 19, 48, 70, 26. | option_a=57 | option_b=56 | option_c=58 | option_d=55 | answer=B | explanation=Average = sum of values $\div$ number of values = $448 \div 8 = 56$.

id=30733 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=N | option_c=M | option_d=L | answer=B | explanation=Move 1 positions forward from M; the resulting letter is N.

id=30734 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=125 | option_b=240 | option_c=115 | option_d=120 | answer=D | explanation=Speed = distance $\div$ time = $240 \div 2 = 120$ km/h.

id=30735 | topic=Averages | difficulty=Easy | question=Find the average of 82, 44, 72. | option_a=65 | option_b=67 | option_c=66 | option_d=68 | answer=C | explanation=Average = sum of values $\div$ number of values = $198 \div 3 = 66$.

id=30736 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 35, 42, 51? | option_a=35 | option_b=51 | option_c=28 | option_d=42 | answer=B | explanation=The first three numbers increase by 7, so the next should be 49. Therefore 51 is the odd one out.

id=30737 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=240 | option_d=125 | answer=A | explanation=Speed = distance $\div$ time = $240 \div 2 = 120$ km/h.

id=30738 | topic=Percentages | difficulty=Easy | question=What is 10% of 1064? | option_a=106 | option_b=212 | option_c=126 | option_d=86 | answer=A | explanation=10% of 1064 = $(10/100) \times 1064 = 106$.

id=30739 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=24 | option_d=5 | answer=A | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=30740 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 23, 30, 37, ? | option_a=45 | option_b=51 | option_c=44 | option_d=37 | answer=C | explanation=The common difference is 7. Therefore the next term is $37 + 7 = 44$.

id=30741 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=66 | option_b=42 | option_c=55 | option_d=54 | answer=D | explanation=The common difference is 12. Therefore the next term is $42 + 12 = 54$.

id=30742 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=30743 | topic=Profit & Loss | difficulty=Easy | question=An article costs █573. If it is sold at a profit of 40%, what is its selling price? | option_a=859 | option_b=613 | option_c=802 | option_d=745 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 573 \times 140/100 = \text{█}802$.

id=30744 | topic=Percentages | difficulty=Easy | question=What is 5% of 1661? | option_a=88 | option_b=166 | option_c=63 | option_d=83 | answer=D | explanation=5% of 1661 = $(5/100) \times 1661 = 83$.

id=30745 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=62 | option_b=52 | option_c=53 | option_d=42 | answer=B | explanation=The common difference is 10. Therefore the next term is $42 + 10 = 52$.

id=30746 | topic=Percentages | difficulty=Easy | question=What is 15% of 1335? | option_a=190 | option_b=200 | option_c=210 | option_d=400 | answer=B | explanation=15% of 1335 = $(15/100) \times 1335 = 200$.

id=30747 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1794. If it is sold at a profit of 50%, what is its selling price? | option_a=2870 | option_b=2691 | option_c=2512 | option_d=1844 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1794 \times 150/100 = \text{█}2691$.

id=30748 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:14 and the first is 270, what is the second? | option_a=228 | option_b=210 | option_c=196 | option_d=480 | answer=B | explanation=Scale factor = $270/18 = 15$. Therefore second quantity = $14 \times 15 = 210$.

id=30749 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=7 | option_d=24 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=30750 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:3 and the first is 288, what is the second? | option_a=66 | option_b=336 | option_c=48 | option_d=45 | answer=C | explanation=Scale factor = $288/18 = 16$. Therefore second quantity = $3 \times 16 = 48$.

Aptitude Questions — Records 30,751-30,780 of 100,000

id=30751 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=K | option_c=F | option_d=V | answer=C | explanation=Move 5 positions forward from A; the resulting letter is F.

id=30752 | topic=Percentages | difficulty=Easy | question=What is 25% of 1896? | option_a=948 | option_b=454 | option_c=494 | option_d=474 | answer=D | explanation=25% of 1896 = (25/100) × 1896 = 474.

id=30753 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:15 and the first is 20, what is the second? | option_a=75 | option_b=60 | option_c=95 | option_d=79 | answer=A | explanation=Scale factor = 20/4 = 5. Therefore second quantity = 15×5 = 75.

id=30754 | topic=Averages | difficulty=Easy | question=Find the average of 83, 44, 38, 69, 51. | option_a=59 | option_b=56 | option_c=58 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.

id=30755 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:11 and the first is 11, what is the second? | option_a=122 | option_b=132 | option_c=110 | option_d=121 | answer=D | explanation=Scale factor = 11/1 = 11. Therefore second quantity = 11×11 = 121.

id=30756 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=45 | option_b=55 | option_c=46 | option_d=35 | answer=A | explanation=The common difference is 10. Therefore the next term is 35 + 10 = 45.

id=30757 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=J | option_b=T | option_c=Y | option_d=O | answer=B | explanation=Move 5 positions forward from O; the resulting letter is T.

id=30758 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=F | option_b=I | option_c=C | option_d=Z | answer=A | explanation=Move 3 positions forward from C; the resulting letter is F.

id=30759 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=30760 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹4770. If it is sold at a profit of 15%, what is its selling price? | option_a=5008 | option_b=4785 | option_c=5485 | option_d=5962 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4770 × 115/100 = ₹5485.

id=30761 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=30762 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 10, 13, 16, ? | option_a=20 | option_b=19 | option_c=16 | option_d=22 | answer=B | explanation=The common difference is 3. Therefore the next term is 16 + 3 = 19.

id=30763 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=P | option_c=S | option_d=R | answer=D | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=30764 | topic=Percentages | difficulty=Easy | question=What is 10% of 1047? | option_a=208 | option_b=114 | option_c=104 | option_d=94 | answer=C | explanation=10% of 1047 = (10/100) × 1047 = 104.

id=30765 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:10 and the first is 126, what is the second? | option_a=180 | option_b=306 | option_c=187 | option_d=170 | answer=A | explanation=Scale factor = 126/7 = 18. Therefore second quantity = 10×18 = 180.

id=30766 | topic=Percentages | difficulty=Easy | question=What is 12% of 1257? | option_a=140 | option_b=150 | option_c=160 | option_d=300 | answer=B | explanation=12% of 1257 = (12/100) × 1257 = 150.

id=30767 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=200 | option_c=105 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=30768 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=29 | option_b=35 | option_c=39 | option_d=34 | answer=D | explanation=The common difference is 5. Therefore the next term is 29 + 5 = 34.

id=30769 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 5, 8, 11, ? | option_a=14 | option_b=17 | option_c=11 | option_d=15 | answer=A | explanation=The common difference is 3. Therefore the next term is 11 + 3 = 14.

id=30770 | topic=Averages | difficulty=Easy | question=Find the average of 82, 79, 46. | option_a=71 | option_b=69 | option_c=68 | option_d=70 | answer=B | explanation=Average = sum of values ÷ number of values = 207 ÷ 3 = 69.

id=30771 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2070. If it is sold at a profit of 30%, what is its selling price? | option_a=2898 | option_b=2100 | option_c=2691 | option_d=2484 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2070 × 130/100 = ₹2691.

id=30772 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹48138 at 4% per annum for 5 years. | option_a=9627 | option_b=9727 | option_c=9527 | option_d=57765 | answer=A | explanation=SI = PRT/100 = 48138×4×5/100 = ₹9627.

id=30773 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=Q | option_b=N | option_c=O | option_d=P | answer=D | explanation=Move 1 positions forward from O; the resulting letter is P.

id=30774 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹29015 at 10% per annum for 5 years. | option_a=14607 | option_b=43522 | option_c=14507 | option_d=14407 | answer=C | explanation=SI = PRT/100 = 29015×10×5/100 = ₹14507.

id=30775 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=31 | option_c=36 | option_d=72 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=30776 | topic=Percentages | difficulty=Easy | question=What is 40% of 596? | option_a=243 | option_b=233 | option_c=238 | option_d=476 | answer=C | explanation=40% of 596 = (40/100) × 596 = 238.

id=30777 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=30778 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 6. | option_a=30 | option_b=60 | option_c=24 | option_d=180 | answer=A | explanation=LCM × HCF = 30×6; HCF(30,6) = 6, so LCM = 30.

id=30779 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=26 | option_b=30 | option_c=27 | option_d=22 | answer=A | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.

id=30780 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=150 | option_c=145 | option_d=300 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

Aptitude Questions — Records 30,781-30,810 of 100,000

id=30781 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2001. If it is sold at a profit of 20%, what is its selling price? | option_a=2401 | option_b=2601 | option_c=2021 | option_d=2201 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2001 × 120/100 = █2401.

id=30782 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=J | option_c=V | option_d=N | answer=A | explanation=Move 4 positions forward from N; the resulting letter is R.

id=30783 | topic=Averages | difficulty=Easy | question=Find the average of 99, 37, 17, 49, 48, 50. | option_a=51 | option_b=52 | option_c=50 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 300 ÷ 6 = 50.

id=30784 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=30785 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=Z | option_c=D | option_d=F | answer=C | explanation=Move 2 positions forward from B; the resulting letter is D.

id=30786 | topic=Averages | difficulty=Easy | question=Find the average of 63, 27, 50, 98, 94, 92, 52, 47, 12, 65. | option_a=61 | option_b=62 | option_c=60 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=30787 | topic=Averages | difficulty=Easy | question=Find the average of 40, 93, 53, 86. | option_a=69 | option_b=67 | option_c=70 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = 272 ÷ 4 = 68.

id=30788 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=32 | option_b=33 | option_c=25 | option_d=39 | answer=A | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.

id=30789 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 30. | option_a=175 | option_b=120 | option_c=150 | option_d=750 | answer=C | explanation=LCM × HCF = 25×30; HCF(25,30) = 5, so LCM = 150.

id=30790 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=30791 | topic=Percentages | difficulty=Easy | question=What is 25% of 156? | option_a=39 | option_b=34 | option_c=59 | option_d=78 | answer=A | explanation=25% of 156 = (25/100) × 156 = 39.

id=30792 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=Q | option_b=G | option_c=B | option_d=L | answer=D | explanation=Move 5 positions forward from G; the resulting letter is L.

id=30793 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:8 and the first is 156, what is the second? | option_a=96 | option_b=88 | option_c=252 | option_d=109 | answer=A | explanation=Scale factor = 156/13 = 12. Therefore second quantity = 8×12 = 96.

id=30794 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=37 | option_b=33 | option_c=27 | option_d=32 | answer=D | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

id=30795 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=30 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=30796 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21038 at 10% per annum for 5 years. | option_a=31557 | option_b=10619 | option_c=10419 | option_d=10519 | answer=D | explanation=SI = PRT/100 = 21038×10×5/100 = █10519.

id=30797 | topic=Profit & Loss | difficulty=Easy | question=An article costs █903. If it is sold at a profit of 10%, what is its selling price? | option_a=903 | option_b=993 | option_c=1083 | option_d=913 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 903 × 110/100 = █993.

id=30798 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=36 | option_c=72 | option_d=31 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=30799 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:10 and the first is 30, what is the second? | option_a=40 | option_b=30 | option_c=60 | option_d=20 | answer=B | explanation=Scale factor = 30/10 = 3. Therefore second quantity = 10×3 = 30.

id=30800 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=23 | option_b=19 | option_c=24 | option_d=27 | answer=A | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=30801 | topic=Percentages | difficulty=Easy | question=What is 20% of 282? | option_a=51 | option_b=76 | option_c=112 | option_d=56 | answer=D | explanation=20% of 282 = (20/100) × 282 = 56.

id=30802 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 25, 27, 32? | option_a=23 | option_b=32 | option_c=25 | option_d=27 | answer=B | explanation=The first three numbers increase by 2, so the next should be 29. Therefore 32 is the odd one out.

id=30803 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=38 | option_b=37 | option_c=29 | option_d=45 | answer=B | explanation=The common difference is 8. Therefore the next term is 29 + 8 = 37.

id=30804 | topic=Averages | difficulty=Easy | question=Find the average of 80, 68, 54, 38. | option_a=61 | option_b=59 | option_c=62 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 240 ÷ 4 = 60.

id=30805 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:19 and the first is 78, what is the second? | option_a=228 | option_b=247 | option_c=325 | option_d=253 | answer=B | explanation=Scale factor = 78/6 = 13. Therefore second quantity = 19×13 = 247.

id=30806 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=S | option_c=Q | option_d=W | answer=A | explanation=Move 2 positions forward from S; the resulting letter is U.

id=30807 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=30808 | topic=Averages | difficulty=Easy | question=Find the average of 21, 27, 75, 25, 49, 96, 65, 70, 20, 32. | option_a=50 | option_b=48 | option_c=47 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 480 ÷ 10 = 48.

id=30809 | topic=Percentages | difficulty=Easy | question=What is 10% of 1099? | option_a=218 | option_b=89 | option_c=114 | option_d=109 | answer=D | explanation=10% of 1099 = (10/100) × 1099 = 109.

id=30810 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:1 and the first is 33, what is the second? | option_a=44 | option_b=10 | option_c=11 | option_d=14 | answer=C | explanation=Scale factor = 33/3 = 11. Therefore second quantity = 1×11 = 11.

Aptitude Questions — Records 30,811-30,840 of 100,000

id=30811 | topic=Averages | difficulty=Easy | question=Find the average of 14, 85, 55, 42. | option_a=48 | option_b=50 | option_c=49 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 196 ÷ 4 = 49.

id=30812 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 29, 31, 34? | option_a=29 | option_b=27 | option_c=31 | option_d=34 | answer=D | explanation=The first three numbers increase by 2, so the next should be 33. Therefore 34 is the odd one out.

id=30813 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:4 and the first is 176, what is the second? | option_a=240 | option_b=75 | option_c=60 | option_d=64 | answer=D | explanation=Scale factor = 176/11 = 16. Therefore second quantity = 4×16 = 64.

id=30814 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 7, 10, 14? | option_a=10 | option_b=7 | option_c=4 | option_d=14 | answer=D | explanation=The first three numbers increase by 3, so the next should be 13. Therefore 14 is the odd one out.

id=30815 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:11 and the first is 48, what is the second? | option_a=224 | option_b=176 | option_c=165 | option_d=179 | answer=B | explanation=Scale factor = 48/3 = 16. Therefore second quantity = 11×16 = 176.

id=30816 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=30817 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=H | option_b=L | option_c=J | option_d=N | answer=B | explanation=Move 2 positions forward from J; the resulting letter is L.

id=30818 | topic=Averages | difficulty=Easy | question=Find the average of 34, 10, 18, 69, 58, 15, 77, 80, 98. | option_a=51 | option_b=52 | option_c=50 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 459 ÷ 9 = 51.

id=30819 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 23, 27, 32? | option_a=19 | option_b=27 | option_c=32 | option_d=23 | answer=C | explanation=The first three numbers increase by 4, so the next should be 31. Therefore 32 is the odd one out.

id=30820 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 18. | option_a=120 | option_b=90 | option_c=540 | option_d=72 | answer=B | explanation=LCM × HCF = 30×18; HCF(30,18) = 6, so LCM = 90.

id=30821 | topic=Averages | difficulty=Easy | question=Find the average of 22, 57, 71, 30. | option_a=46 | option_b=47 | option_c=45 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = 180 ÷ 4 = 45.

id=30822 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 15, 23, 34? | option_a=7 | option_b=34 | option_c=23 | option_d=15 | answer=B | explanation=The first three numbers increase by 8, so the next should be 31. Therefore 34 is the odd one out.

id=30823 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=24 | option_c=29 | option_d=19 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=30824 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:16 and the first is 18, what is the second? | option_a=272 | option_b=306 | option_c=289 | option_d=288 | answer=D | explanation=Scale factor = 18/1 = 18. Therefore second quantity = 16×18 = 288.

id=30825 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=N | option_c=Z | option_d=R | answer=A | explanation=Move 4 positions forward from R; the resulting letter is V.

id=30826 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4235. If it is sold at a profit of 5%, what is its selling price? | option_a=4869 | option_b=4446 | option_c=4023 | option_d=4240 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4235 × 105/100 = █4446.

id=30827 | topic=Averages | difficulty=Easy | question=Find the average of 72, 12, 73, 33, 18, 69, 97, 98. | option_a=58 | option_b=60 | option_c=59 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 472 ÷ 8 = 59.

id=30828 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=C | option_b=D | option_c=E | option_d=F | answer=C | explanation=Move 1 positions forward from D; the resulting letter is E.

id=30829 | topic=Percentages | difficulty=Easy | question=What is 20% of 867? | option_a=183 | option_b=346 | option_c=163 | option_d=173 | answer=D | explanation=20% of 867 = (20/100) × 867 = 173.

id=30830 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41. ? | option_a=59 | option_b=51 | option_c=50 | option_d=41 | answer=C | explanation=The common difference is 9. Therefore the next term is 41 + 9 = 50.

id=30831 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4580. If it is sold at a profit of 40%, what is its selling price? | option_a=6412 | option_b=5954 | option_c=6870 | option_d=4620 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4580 × 140/100 = █6412.

id=30832 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=E | option_c=C | option_d=Y | answer=C | explanation=Move 2 positions forward from A; the resulting letter is C.

id=30833 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:12 and the first is 77, what is the second? | option_a=209 | option_b=120 | option_c=132 | option_d=139 | answer=C | explanation=Scale factor = 77/7 = 11. Therefore second quantity = 12×11 = 132.

id=30834 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:15 and the first is 323, what is the second? | option_a=578 | option_b=255 | option_c=240 | option_d=274 | answer=B | explanation=Scale factor = 323/19 = 17. Therefore second quantity = 15×17 = 255.

id=30835 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25967 at 6% per annum for 1 years. | option_a=1558 | option_b=1658 | option_c=27525 | option_d=1458 | answer=A | explanation=SI = PRT/100 = 25967×6×1/100 = █1558.

id=30836 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=30837 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=40 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=30838 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28023 at 12% per annum for 3 years. | option_a=10188 | option_b=38111 | option_c=10088 | option_d=9988 | answer=C | explanation=SI = PRT/100 = 28023×12×3/100 = █10088.

id=30839 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:16 and the first is 171, what is the second? | option_a=288 | option_b=475 | option_c=313 | option_d=304 | answer=D | explanation=Scale factor = 171/9 = 19. Therefore second quantity = 16×19 = 304.

id=30840 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15038 at 4% per annum for 4 years. | option_a=17444 | option_b=2506 | option_c=2306 | option_d=2406 | answer=D | explanation=SI = PRT/100 = 15038×4×4/100 = █2406.

Aptitude Questions — Records 30,841-30,870 of 100,000

id=30841 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=T | option_c=P | option_d=N | answer=A | explanation=Move 2 positions forward from P; the resulting letter is R.

id=30842 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 20. | option_a=500 | option_b=100 | option_c=125 | option_d=80 | answer=B | explanation=LCM × HCF = 25×20; HCF(25,20) = 5, so LCM = 100.

id=30843 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4370. If it is sold at a profit of 10%, what is its selling price? | option_a=4807 | option_b=5244 | option_c=4380 | option_d=4370 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4370 × 110/100 = █4807.

id=30844 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=B | option_c=F | option_d=D | answer=C | explanation=Move 2 positions forward from D; the resulting letter is F.

id=30845 | topic=Averages | difficulty=Easy | question=Find the average of 77, 36, 93, 82. | option_a=71 | option_b=74 | option_c=72 | option_d=73 | answer=C | explanation=Average = sum of values ÷ number of values = 288 ÷ 4 = 72.

id=30846 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 5, 8, 11, ? | option_a=11 | option_b=15 | option_c=17 | option_d=14 | answer=D | explanation=The common difference is 3. Therefore the next term is 11 + 3 = 14.

id=30847 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2477. If it is sold at a profit of 10%, what is its selling price? | option_a=2487 | option_b=2971 | option_c=2724 | option_d=2477 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2477 × 110/100 = █2724.

id=30848 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=9 | option_c=14 | option_d=4 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=30849 | topic=Percentages | difficulty=Easy | question=What is 15% of 1839? | option_a=265 | option_b=295 | option_c=275 | option_d=550 | answer=C | explanation=15% of 1839 = (15/100) × 1839 = 275.

id=30850 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=30851 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=J | option_c=G | option_d=I | answer=D | explanation=Move 1 positions forward from H; the resulting letter is I.

id=30852 | topic=Averages | difficulty=Easy | question=Find the average of 52, 43, 41, 80. | option_a=56 | option_b=55 | option_c=54 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 216 ÷ 4 = 54.

id=30853 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=44 | option_b=32 | option_c=39 | option_d=38 | answer=D | explanation=The common difference is 6. Therefore the next term is 32 + 6 = 38.

id=30854 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 21. | option_a=630 | option_b=189 | option_c=210 | option_d=240 | answer=C | explanation=LCM × HCF = 30×21; HCF(30,21) = 3, so LCM = 210.

id=30855 | topic=Averages | difficulty=Easy | question=Find the average of 70, 92, 21, 63, 66, 102. | option_a=71 | option_b=70 | option_c=68 | option_d=69 | answer=D | explanation=Average = sum of values ÷ number of values = 414 ÷ 6 = 69.

id=30856 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=C | option_c=D | option_d=E | answer=D | explanation=Move 1 positions forward from D; the resulting letter is E.

id=30857 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=L | option_c=I | option_d=C | answer=C | explanation=Move 3 positions forward from F; the resulting letter is I.

id=30858 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=30859 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15601 at 6% per annum for 1 years. | option_a=836 | option_b=16537 | option_c=936 | option_d=1036 | answer=C | explanation=SI = PRT/100 = 15601×6×1/100 = █936.

id=30860 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=35 | option_b=40 | option_c=34 | option_d=28 | answer=C | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.

id=30861 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=5 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=30862 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=G | option_b=K | option_c=M | option_d=I | answer=B | explanation=Move 2 positions forward from I; the resulting letter is K.

id=30863 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3130. If it is sold at a profit of 40%, what is its selling price? | option_a=4695 | option_b=3170 | option_c=4382 | option_d=4069 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3130 × 140/100 = █4382.

id=30864 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 20. | option_a=120 | option_b=480 | option_c=100 | option_d=144 | answer=A | explanation=LCM × HCF = 24×20; HCF(24,20) = 4, so LCM = 120.

id=30865 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 33? | option_a=12 | option_b=33 | option_c=24 | option_d=18 | answer=B | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 33 is the odd one out.

id=30866 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 14, 20, 29? | option_a=20 | option_b=8 | option_c=14 | option_d=29 | answer=D | explanation=The first three numbers increase by 6, so the next should be 26. Therefore 29 is the odd one out.

id=30867 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=9 | option_c=4 | option_d=14 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=30868 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4169. If it is sold at a profit of 40%, what is its selling price? | option_a=6252 | option_b=5836 | option_c=5420 | option_d=4209 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4169 × 140/100 = █5836.

id=30869 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=29 | option_b=37 | option_c=33 | option_d=34 | answer=C | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=30870 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=I | option_b=L | option_c=C | option_d=F | answer=A | explanation=Move 3 positions forward from F; the resulting letter is I.

Aptitude Questions — Records 30,871-30,900 of 100,000

id=30871 | topic=Percentages | difficulty=Easy | question=What is 12% of 1205? | option_a=139 | option_b=149 | option_c=288 | option_d=144 | answer=D | explanation=12% of 1205 = (12/100) × 1205 = 144.

id=30872 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=30873 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 45? | option_a=37 | option_b=45 | option_c=25 | option_d=31 | answer=B | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 45 is the odd one out.

id=30874 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=1 | option_c=6 | option_d=12 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=30875 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=14 | option_b=13 | option_c=10 | option_d=12 | answer=D | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.

id=30876 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 30. | option_a=40 | option_b=1 | option_c=300 | option_d=30 | answer=D | explanation=LCM × HCF = 10×30; HCF(10,30) = 10, so LCM = 30.

id=30877 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=J | option_b=M | option_c=L | option_d=K | answer=C | explanation=Move 1 positions forward from K; the resulting letter is L.

id=30878 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=33 | option_b=39 | option_c=38 | option_d=43 | answer=C | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.

id=30879 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=15 | option_b=18 | option_c=19 | option_d=21 | answer=B | explanation=The common difference is 3. Therefore the next term is 15 + 3 = 18.

id=30880 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**22684 at 12% per annum for 2 years. | option_a=28128 | option_b=5544 | option_c=5344 | option_d=5444 | answer=D | explanation=SI = PRT/100 = 22684×12×2/100 = **₹**5444.

id=30881 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4772. If it is sold at a profit of 15%, what is its selling price? | option_a=5964 | option_b=4787 | option_c=5010 | option_d=5487 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4772 × 115/100 = **₹**5487.

id=30882 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**22244 at 5% per annum for 4 years. | option_a=4548 | option_b=4448 | option_c=26692 | option_d=4348 | answer=B | explanation=SI = PRT/100 = 22244×5×4/100 = **₹**4448.

id=30883 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=L | option_b=G | option_c=B | option_d=Q | answer=A | explanation=Move 5 positions forward from G; the resulting letter is L.

id=30884 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=30885 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**30006 at 8% per annum for 3 years. | option_a=37207 | option_b=7301 | option_c=7201 | option_d=7101 | answer=C | explanation=SI = PRT/100 = 30006×8×3/100 = **₹**7201.

id=30886 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**14016 at 8% per annum for 1 years. | option_a=15137 | option_b=1121 | option_c=1021 | option_d=1221 | answer=B | explanation=SI = PRT/100 = 14016×8×1/100 = **₹**1121.

id=30887 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**45205 at 8% per annum for 4 years. | option_a=14465 | option_b=14565 | option_c=14365 | option_d=59670 | answer=A | explanation=SI = PRT/100 = 45205×8×4/100 = **₹**14465.

id=30888 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=32 | option_b=31 | option_c=34 | option_d=28 | answer=B | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=30889 | topic=Averages | difficulty=Easy | question=Find the average of 47, 51, 53, 86, 53. | option_a=57 | option_b=59 | option_c=60 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 290 ÷ 5 = 58.

id=30890 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=15 | option_b=19 | option_c=20 | option_d=23 | answer=B | explanation=The common difference is 4. Therefore the next term is 15 + 4 = 19.

id=30891 | topic=Averages | difficulty=Easy | question=Find the average of 69, 63, 48, 66, 40, 92. | option_a=62 | option_b=65 | option_c=63 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 378 ÷ 6 = 63.

id=30892 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**34083 at 12% per annum for 2 years. | option_a=8279 | option_b=42262 | option_c=8179 | option_d=8079 | answer=C | explanation=SI = PRT/100 = 34083×12×2/100 = **₹**8179.

id=30893 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=30894 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:10 and the first is 84, what is the second? | option_a=82 | option_b=70 | option_c=154 | option_d=60 | answer=B | explanation=Scale factor = 84/12 = 7. Therefore second quantity = 10×7 = 70.

id=30895 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**33012 at 15% per annum for 3 years. | option_a=14755 | option_b=14955 | option_c=47867 | option_d=14855 | answer=D | explanation=SI = PRT/100 = 33012×15×3/100 = **₹**14855.

id=30896 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=40 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=30897 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=36 | option_b=35 | option_c=27 | option_d=43 | answer=B | explanation=The common difference is 8. Therefore the next term is 27 + 8 = 35.

id=30898 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1964. If it is sold at a profit of 30%, what is its selling price? | option_a=2553 | option_b=2749 | option_c=2357 | option_d=1994 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1964 × 130/100 = **₹**2553.

id=30899 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:17 and the first is 32, what is the second? | option_a=304 | option_b=272 | option_c=274 | option_d=255 | answer=B | explanation=Scale factor = 32/2 = 16. Therefore second quantity = 17×16 = 272.

id=30900 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 21, 28, 36? | option_a=36 | option_b=21 | option_c=14 | option_d=28 | answer=A | explanation=The first three numbers increase by 7, so the next should be 35. Therefore 36 is the odd one out.

Aptitude Questions — Records 30,901-30,930 of 100,000

- id=30901 | topic=Number System | difficulty=Easy | question=Find the LCM of 23 and 23. | option_a=46 | option_b=1 | option_c=23 | option_d=529 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 23 \times 23$; $\text{HCF}(23,23) = 23$, so $\text{LCM} = 23$.
- id=30902 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.
- id=30903 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 48? | option_a=34 | option_b=40 | option_c=28 | option_d=48 | answer=D | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 48 is the odd one out.
- id=30904 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 24, 32, 43? | option_a=43 | option_b=16 | option_c=32 | option_d=24 | answer=A | explanation=The first three numbers increase by 8, so the next should be 40. Therefore 43 is the odd one out.
- id=30905 | topic=Averages | difficulty=Easy | question=Find the average of 59, 74, 77. | option_a=71 | option_b=72 | option_c=70 | option_d=69 | answer=C | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{210}{3} = 70$.
- id=30906 | topic=Percentages | difficulty=Easy | question=What is 10% of 888? | option_a=88 | option_b=93 | option_c=83 | option_d=176 | answer=A | explanation= $10\% \text{ of } 888 = \frac{10}{100} \times 888 = 88$.
- id=30907 | topic=Averages | difficulty=Easy | question=Find the average of 88, 11, 50, 96, 87, 55, 67, 66, 38. | option_a=64 | option_b=61 | option_c=63 | option_d=62 | answer=D | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{558}{9} = 62$.
- id=30908 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:16 and the first is 57, what is the second? | option_a=105 | option_b=48 | option_c=67 | option_d=32 | answer=B | explanation=Scale factor = $\frac{57}{19} = 3$. Therefore second quantity = $16 \times 3 = 48$.
- id=30909 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:6 and the first is 27, what is the second? | option_a=18 | option_b=27 | option_c=12 | option_d=45 | answer=A | explanation=Scale factor = $\frac{27}{9} = 3$. Therefore second quantity = $6 \times 3 = 18$.
- id=30910 | topic=Profit & Loss | difficulty=Easy | question=An article costs $\blacksquare 2105$. If it is sold at a profit of 30%, what is its selling price? | option_a=2135 | option_b=2946 | option_c=2736 | option_d=2526 | answer=C | explanation= $\text{Selling price} = \text{CP} \times \frac{100 + \text{profit}\%}{100} = 2105 \times \frac{130}{100} = \blacksquare 2736$.
- id=30911 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 17, 20, 26? | option_a=17 | option_b=14 | option_c=20 | option_d=26 | answer=D | explanation=The first three numbers increase by 3, so the next should be 23. Therefore 26 is the odd one out.
- id=30912 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on $\blacksquare 29103$ at 10% per annum for 3 years. | option_a=8730 | option_b=37833 | option_c=8830 | option_d=8630 | answer=A | explanation= $\text{SI} = \frac{\text{PRT}}{100} = \frac{29103 \times 10 \times 3}{100} = \blacksquare 8730$.
- id=30913 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=72 | option_c=144 | option_d=77 | answer=B | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{360}{5} = 72 \text{ km/h}$.
- id=30914 | topic=Percentages | difficulty=Easy | question=What is 40% of 229? | option_a=182 | option_b=91 | option_c=96 | option_d=71 | answer=B | explanation= $40\% \text{ of } 229 = \frac{40}{100} \times 229 = 91$.
- id=30915 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = $\frac{1}{4} + \frac{1}{4} = \frac{8}{16}$. Time = $\frac{16}{8} = 2$ days.
- id=30916 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=Y | option_b=C | option_c=K | option_d=G | answer=D | explanation=Move 4 positions forward from C; the resulting letter is G.
- id=30917 | topic=Averages | difficulty=Easy | question=Find the average of 14, 25, 42, 83. | option_a=42 | option_b=43 | option_c=41 | option_d=40 | answer=C | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{164}{4} = 41$.
- id=30918 | topic=Profit & Loss | difficulty=Easy | question=An article costs $\blacksquare 298$. If it is sold at a profit of 30%, what is its selling price? | option_a=416 | option_b=387 | option_c=358 | option_d=328 | answer=B | explanation= $\text{Selling price} = \text{CP} \times \frac{100 + \text{profit}\%}{100} = 298 \times \frac{130}{100} = \blacksquare 387$.
- id=30919 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 30. | option_a=60 | option_b=108 | option_c=540 | option_d=90 | answer=D | explanation= $\text{LCM} \times \text{HCF} = 18 \times 30$; $\text{HCF}(18,30) = 6$, so $\text{LCM} = 90$.
- id=30920 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:6 and the first is 72, what is the second? | option_a=180 | option_b=112 | option_c=108 | option_d=102 | answer=C | explanation=Scale factor = $\frac{72}{4} = 18$. Therefore second quantity = $6 \times 18 = 108$.
- id=30921 | topic=Percentages | difficulty=Easy | question=What is 12% of 1739? | option_a=208 | option_b=218 | option_c=416 | option_d=198 | answer=A | explanation= $12\% \text{ of } 1739 = \frac{12}{100} \times 1739 = 208$.
- id=30922 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 58? | option_a=46 | option_b=26 | option_c=36 | option_d=58 | answer=D | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 58 is the odd one out.
- id=30923 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:7 and the first is 98, what is the second? | option_a=105 | option_b=98 | option_c=196 | option_d=91 | answer=B | explanation=Scale factor = $\frac{98}{7} = 14$. Therefore second quantity = $7 \times 14 = 98$.
- id=30924 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:13 and the first is 208, what is the second? | option_a=169 | option_b=185 | option_c=156 | option_d=377 | answer=A | explanation=Scale factor = $\frac{208}{16} = 13$. Therefore second quantity = $13 \times 13 = 169$.
- id=30925 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 15, 21, 28? | option_a=9 | option_b=21 | option_c=15 | option_d=28 | answer=D | explanation=The first three numbers increase by 6, so the next should be 27. Therefore 28 is the odd one out.
- id=30926 | topic=Averages | difficulty=Easy | question=Find the average of 100, 37, 86, 48, 42, 31, 20, 38, 23, 85. | option_a=50 | option_b=51 | option_c=53 | option_d=52 | answer=B | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{510}{10} = 51$.
- id=30927 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:18 and the first is 64, what is the second? | option_a=352 | option_b=270 | option_c=292 | option_d=288 | answer=D | explanation=Scale factor = $\frac{64}{4} = 16$. Therefore second quantity = $18 \times 16 = 288$.
- id=30928 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:7 and the first is 44, what is the second? | option_a=81 | option_b=70 | option_c=77 | option_d=121 | answer=C | explanation=Scale factor = $\frac{44}{4} = 11$. Therefore second quantity = $7 \times 11 = 77$.
- id=30929 | topic=Profit & Loss | difficulty=Easy | question=An article costs $\blacksquare 4074$. If it is sold at a profit of 15%, what is its selling price? | option_a=4089 | option_b=5092 | option_c=4278 | option_d=4685 | answer=D | explanation= $\text{Selling price} = \text{CP} \times \frac{100 + \text{profit}\%}{100} = 4074 \times \frac{115}{100} = \blacksquare 4685$.
- id=30930 | topic=Percentages | difficulty=Easy | question=What is 50% of 352? | option_a=196 | option_b=156 | option_c=352 | option_d=176 | answer=D | explanation= $50\% \text{ of } 352 = \frac{50}{100} \times 352 = 176$.

Aptitude Questions — Records 30,931-30,960 of 100,000

- id=30931 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=30932 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=28 | option_b=24 | option_c=30 | option_d=27 | answer=D | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.
- id=30933 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=41 | option_b=51 | option_c=59 | option_d=50 | answer=D | explanation=The common difference is 9. Therefore the next term is 41 + 9 = 50.
- id=30934 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=100 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.
- id=30935 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=G | option_c=E | option_d=K | answer=A | explanation=Move 2 positions forward from G; the resulting letter is I.
- id=30936 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 25, 31, 38? | option_a=31 | option_b=38 | option_c=19 | option_d=25 | answer=B | explanation=The first three numbers increase by 6, so the next should be 37. Therefore 38 is the odd one out.
- id=30937 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 21, 23, 25, ? | option_a=28 | option_b=29 | option_c=25 | option_d=27 | answer=D | explanation=The common difference is 2. Therefore the next term is 25 + 2 = 27.
- id=30938 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.
- id=30939 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 44? | option_a=38 | option_b=34 | option_c=44 | option_d=30 | answer=C | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 44 is the odd one out.
- id=30940 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:1 and the first is 342, what is the second? | option_a=360 | option_b=17 | option_c=18 | option_d=37 | answer=C | explanation=Scale factor = 342/19 = 18. Therefore second quantity = 1×18 = 18.
- id=30941 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1226. If it is sold at a profit of 15%, what is its selling price? | option_a=1409 | option_b=1241 | option_c=1531 | option_d=1287 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1226 × 115/100 = █1409.
- id=30942 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29970 at 5% per annum for 5 years. | option_a=7392 | option_b=7492 | option_c=7592 | option_d=37462 | answer=B | explanation=SI = PRT/100 = 29970×5×5/100 = █7492.
- id=30943 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=40 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.
- id=30944 | topic=Percentages | difficulty=Easy | question=What is 15% of 1584? | option_a=474 | option_b=232 | option_c=237 | option_d=242 | answer=C | explanation=15% of 1584 = (15/100) × 1584 = 237.
- id=30945 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=K | option_b=N | option_c=H | option_d=E | answer=A | explanation=Move 3 positions forward from H; the resulting letter is K.
- id=30946 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=Z | option_c=D | option_d=B | answer=C | explanation=Move 2 positions forward from B; the resulting letter is D.
- id=30947 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:19 and the first is 10, what is the second? | option_a=95 | option_b=76 | option_c=97 | option_d=105 | answer=A | explanation=Scale factor = 10/2 = 5. Therefore second quantity = 19×5 = 95.
- id=30948 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.
- id=30949 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=21 | option_b=20 | option_c=17 | option_d=23 | answer=B | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.
- id=30950 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 13, 20, 28? | option_a=13 | option_b=6 | option_c=28 | option_d=20 | answer=C | explanation=The first three numbers increase by 7, so the next should be 27. Therefore 28 is the odd one out.
- id=30951 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:16 and the first is 112, what is the second? | option_a=240 | option_b=368 | option_c=263 | option_d=256 | answer=D | explanation=Scale factor = 112/7 = 16. Therefore second quantity = 16×16 = 256.
- id=30952 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=44 | option_b=52 | option_c=36 | option_d=45 | answer=A | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.
- id=30953 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3300. If it is sold at a profit of 20%, what is its selling price? | option_a=3960 | option_b=3320 | option_c=3630 | option_d=4290 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3300 × 120/100 = █3960.
- id=30954 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 32, 35, 39? | option_a=29 | option_b=32 | option_c=35 | option_d=39 | answer=D | explanation=The first three numbers increase by 3, so the next should be 38. Therefore 39 is the odd one out.
- id=30955 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 27, 32, 38? | option_a=32 | option_b=27 | option_c=38 | option_d=22 | answer=C | explanation=The first three numbers increase by 5, so the next should be 37. Therefore 38 is the odd one out.
- id=30956 | topic=Profit & Loss | difficulty=Easy | question=An article costs █951. If it is sold at a profit of 5%, what is its selling price? | option_a=956 | option_b=998 | option_c=903 | option_d=1093 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 951 × 105/100 = █998.
- id=30957 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=115 | option_c=120 | option_d=125 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.
- id=30958 | topic=Percentages | difficulty=Easy | question=What is 20% of 1427? | option_a=285 | option_b=290 | option_c=275 | option_d=570 | answer=A | explanation=20% of 1427 = (20/100) × 1427 = 285.
- id=30959 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=40 | option_b=53 | option_c=52 | option_d=64 | answer=C | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.
- id=30960 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2848. If it is sold at a profit of 50%, what is its selling price? | option_a=3988 | option_b=4272 | option_c=4556 | option_d=2898 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2848 × 150/100 = █4272.

Aptitude Questions — Records 30,961-30,990 of 100,000

- id=30961 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2500. If it is sold at a profit of 5%, what is its selling price? | option_a=2625 | option_b=2375 | option_c=2875 | option_d=2505 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2500 × 105/100 = █2625.
- id=30962 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 45? | option_a=23 | option_b=33 | option_c=45 | option_d=13 | answer=C | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 45 is the odd one out.
- id=30963 | topic=Percentages | difficulty=Easy | question=What is 15% of 382? | option_a=67 | option_b=57 | option_c=114 | option_d=47 | answer=B | explanation=15% of 382 = (15/100) × 382 = 57.
- id=30964 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39340 at 8% per annum for 1 years. | option_a=3047 | option_b=3147 | option_c=3247 | option_d=42487 | answer=B | explanation=SI = PRT/100 = 39340×8×1/100 = █3147.
- id=30965 | topic=Averages | difficulty=Easy | question=Find the average of 89, 21, 13. | option_a=41 | option_b=43 | option_c=42 | option_d=40 | answer=A | explanation=Average = sum of values ÷ number of values = 123 ÷ 3 = 41.
- id=30966 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4307. If it is sold at a profit of 50%, what is its selling price? | option_a=6890 | option_b=6030 | option_c=6460 | option_d=4357 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4307 × 150/100 = █6460.
- id=30967 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4358. If it is sold at a profit of 40%, what is its selling price? | option_a=6536 | option_b=6101 | option_c=5666 | option_d=4398 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4358 × 140/100 = █6101.
- id=30968 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 19? | option_a=15 | option_b=13 | option_c=11 | option_d=19 | answer=D | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 19 is the odd one out.
- id=30969 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=37 | option_b=48 | option_c=59 | option_d=49 | answer=B | explanation=The common difference is 11. Therefore the next term is 37 + 11 = 48.
- id=30970 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.
- id=30971 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=W | option_b=T | option_c=Z | option_d=Q | answer=A | explanation=Move 3 positions forward from T; the resulting letter is W.
- id=30972 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 20. | option_a=80 | option_b=125 | option_c=100 | option_d=500 | answer=C | explanation=LCM × HCF = 25×20; HCF(25,20) = 5, so LCM = 100.
- id=30973 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=15 | option_b=17 | option_c=13 | option_d=16 | answer=A | explanation=The common difference is 2. Therefore the next term is 13 + 2 = 15.
- id=30974 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=240 | option_d=125 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.
- id=30975 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.
- id=30976 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36935 at 10% per annum for 5 years. | option_a=18467 | option_b=18367 | option_c=18567 | option_d=55402 | answer=A | explanation=SI = PRT/100 = 36935×10×5/100 = █18467.
- id=30977 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1094. If it is sold at a profit of 40%, what is its selling price? | option_a=1134 | option_b=1531 | option_c=1640 | option_d=1422 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1094 × 140/100 = █1531.
- id=30978 | topic=Averages | difficulty=Easy | question=Find the average of 50, 100, 99. | option_a=85 | option_b=82 | option_c=84 | option_d=83 | answer=D | explanation=Average = sum of values ÷ number of values = 249 ÷ 3 = 83.
- id=30979 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43544 at 15% per annum for 5 years. | option_a=76202 | option_b=32558 | option_c=32658 | option_d=32758 | answer=C | explanation=SI = PRT/100 = 43544×15×5/100 = █32658.
- id=30980 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=53 | option_b=77 | option_c=65 | option_d=66 | answer=C | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.
- id=30981 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 41? | option_a=33 | option_b=41 | option_c=30 | option_d=36 | answer=B | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 41 is the odd one out.
- id=30982 | topic=Percentages | difficulty=Easy | question=What is 40% of 738? | option_a=285 | option_b=590 | option_c=300 | option_d=295 | answer=D | explanation=40% of 738 = (40/100) × 738 = 295.
- id=30983 | topic=Percentages | difficulty=Easy | question=What is 40% of 55? | option_a=17 | option_b=22 | option_c=44 | option_d=27 | answer=B | explanation=40% of 55 = (40/100) × 55 = 22.
- id=30984 | topic=Percentages | difficulty=Easy | question=What is 12% of 1736? | option_a=213 | option_b=416 | option_c=188 | option_d=208 | answer=D | explanation=12% of 1736 = (12/100) × 1736 = 208.
- id=30985 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:12 and the first is 16, what is the second? | option_a=12 | option_b=32 | option_c=40 | option_d=24 | answer=D | explanation=Scale factor = 16/8 = 2. Therefore second quantity = 12×2 = 24.
- id=30986 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 38, 48, 61? | option_a=48 | option_b=38 | option_c=28 | option_d=61 | answer=D | explanation=The first three numbers increase by 10, so the next should be 58. Therefore 61 is the odd one out.
- id=30987 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 35? | option_a=30 | option_b=22 | option_c=26 | option_d=35 | answer=D | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 35 is the odd one out.
- id=30988 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.
- id=30989 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49748 at 4% per annum for 4 years. | option_a=57707 | option_b=7859 | option_c=8059 | option_d=7959 | answer=D | explanation=SI = PRT/100 = 49748×4×4/100 = █7959.
- id=30990 | topic=Percentages | difficulty=Easy | question=What is 20% of 135? | option_a=22 | option_b=54 | option_c=27 | option_d=37 | answer=C | explanation=20% of 135 = (20/100) × 135 = 27.

Aptitude Questions — Records 30,991-31,020 of 100,000

id=30991 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:12 and the first is 110, what is the second? | option_a=142 | option_b=242 | option_c=132 | option_d=120 | answer=C | explanation=Scale factor = 110/10 = 11. Therefore second quantity = 12×11 = 132.

id=30992 | topic=Percentages | difficulty=Easy | question=What is 30% of 829? | option_a=496 | option_b=248 | option_c=238 | option_d=258 | answer=B | explanation=30% of 829 = (30/100) × 829 = 248.

id=30993 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=23 | option_b=20 | option_c=17 | option_d=21 | answer=B | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=30994 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 8. | option_a=104 | option_b=130 | option_c=208 | option_d=96 | answer=A | explanation=LCM × HCF = 26×8; HCF(26,8) = 2, so LCM = 104.

id=30995 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=33 | option_b=39 | option_c=34 | option_d=27 | answer=A | explanation=The common difference is 6. Therefore the next term is 27 + 6 = 33.

id=30996 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■45175 at 12% per annum for 3 years. | option_a=61438 | option_b=16363 | option_c=16263 | option_d=16163 | answer=C | explanation=SI = PRT/100 = 45175×12×3/100 = ■16263.

id=30997 | topic=Averages | difficulty=Easy | question=Find the average of 94, 32, 49, 30, 56, 21. | option_a=48 | option_b=46 | option_c=47 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 282 ÷ 6 = 47.

id=30998 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=30999 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■4257 at 10% per annum for 4 years. | option_a=1702 | option_b=1602 | option_c=5959 | option_d=1802 | answer=A | explanation=SI = PRT/100 = 4257×10×4/100 = ■1702.

id=31000 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:10 and the first is 51, what is the second? | option_a=81 | option_b=20 | option_c=47 | option_d=30 | answer=D | explanation=Scale factor = 51/17 = 3. Therefore second quantity = 10×3 = 30.

id=31001 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=54 | option_b=34 | option_c=45 | option_d=44 | answer=D | explanation=The common difference is 10. Therefore the next term is 34 + 10 = 44.

id=31002 | topic=Averages | difficulty=Easy | question=Find the average of 33, 13, 75, 93, 99, 21, 32, 76, 95, 63. | option_a=59 | option_b=61 | option_c=62 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=31003 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=C | option_b=I | option_c=L | option_d=F | answer=B | explanation=Move 3 positions forward from F; the resulting letter is I.

id=31004 | topic=Percentages | difficulty=Easy | question=What is 25% of 1521? | option_a=375 | option_b=760 | option_c=380 | option_d=385 | answer=C | explanation=25% of 1521 = (25/100) × 1521 = 380.

id=31005 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=16 | option_b=17 | option_c=15 | option_d=13 | answer=C | explanation=The common difference is 2. Therefore the next term is 13 + 2 = 15.

id=31006 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■45537 at 4% per annum for 5 years. | option_a=9207 | option_b=9107 | option_c=54644 | option_d=9007 | answer=B | explanation=SI = PRT/100 = 45537×4×5/100 = ■9107.

id=31007 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4443. If it is sold at a profit of 15%, what is its selling price? | option_a=4458 | option_b=4665 | option_c=5109 | option_d=5553 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4443 × 115/100 = ■5109.

id=31008 | topic=Averages | difficulty=Easy | question=Find the average of 88, 89, 38, 66, 15, 70. | option_a=63 | option_b=62 | option_c=61 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 366 ÷ 6 = 61.

id=31009 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=V | option_b=R | option_c=N | option_d=J | answer=B | explanation=Move 4 positions forward from N; the resulting letter is R.

id=31010 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4679. If it is sold at a profit of 10%, what is its selling price? | option_a=5146 | option_b=4689 | option_c=5613 | option_d=4679 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4679 × 110/100 = ■5146.

id=31011 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=38 | option_b=39 | option_c=43 | option_d=33 | answer=A | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.

id=31012 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=50 | option_b=61 | option_c=60 | option_d=70 | answer=C | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

id=31013 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 22. | option_a=286 | option_b=308 | option_c=336 | option_d=616 | answer=B | explanation=LCM × HCF = 28×22; HCF(28,22) = 2, so LCM = 308.

id=31014 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■28705 at 5% per annum for 5 years. | option_a=7176 | option_b=35881 | option_c=7076 | option_d=7276 | answer=A | explanation=SI = PRT/100 = 28705×5×5/100 = ■7176.

id=31015 | topic=Averages | difficulty=Easy | question=Find the average of 86, 13, 21, 41, 45, 95, 84. | option_a=54 | option_b=56 | option_c=57 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 385 ÷ 7 = 55.

id=31016 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=B | option_c=D | option_d=C | answer=C | explanation=Move 1 positions forward from C; the resulting letter is D.

id=31017 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 13, 19, 26? | option_a=19 | option_b=7 | option_c=26 | option_d=13 | answer=C | explanation=The first three numbers increase by 6, so the next should be 25. Therefore 26 is the odd one out.

id=31018 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 15. | option_a=15 | option_b=150 | option_c=40 | option_d=30 | answer=D | explanation=LCM × HCF = 10×15; HCF(10,15) = 5, so LCM = 30.

id=31019 | topic=Percentages | difficulty=Easy | question=What is 15% of 1994? | option_a=299 | option_b=598 | option_c=319 | option_d=294 | answer=A | explanation=15% of 1994 = (15/100) × 1994 = 299.

id=31020 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=50 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

Aptitude Questions — Records 31,021-31,050 of 100,000

- id=31021 | topic=Percentages | difficulty=Easy | question=What is 15% of 1952? | option_a=584 | option_b=282 | option_c=292 | option_d=297 | answer=C | explanation=15% of 1952 = $(15/100) \times 1952 = 292$.
- id=31022 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 29? | option_a=29 | option_b=19 | option_c=23 | option_d=15 | answer=A | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 29 is the odd one out.
- id=31023 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:9 and the first is 18, what is the second? | option_a=18 | option_b=27 | option_c=9 | option_d=36 | answer=A | explanation=Scale factor = $18/9 = 2$. Therefore second quantity = $9 \times 2 = 18$.
- id=31024 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=29 | option_c=24 | option_d=19 | answer=C | explanation=Speed = distance $\div$ time = $240 \div 10 = 24$ km/h.
- id=31025 | topic=Averages | difficulty=Easy | question=Find the average of 59, 24, 11, 90, 79, 55. | option_a=53 | option_b=52 | option_c=54 | option_d=55 | answer=A | explanation=Average = sum of values $\div$ number of values = $318 \div 6 = 53$.
- id=31026 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3252. If it is sold at a profit of 30%, what is its selling price? | option_a=4227 | option_b=4552 | option_c=3902 | option_d=3282 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 3252 \times 130/100 = \text{█}4227$.
- id=31027 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=49 | option_b=41 | option_c=55 | option_d=48 | answer=D | explanation=The common difference is 7. Therefore the next term is $41 + 7 = 48$.
- id=31028 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:15 and the first is 42, what is the second? | option_a=105 | option_b=147 | option_c=90 | option_d=111 | answer=A | explanation=Scale factor = $42/6 = 7$. Therefore second quantity = $15 \times 7 = 105$.
- id=31029 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=54 | option_b=44 | option_c=53 | option_d=62 | answer=C | explanation=The common difference is 9. Therefore the next term is $44 + 9 = 53$.
- id=31030 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=A | option_c=C | option_d=B | answer=C | explanation=Move 1 positions forward from B; the resulting letter is C.
- id=31031 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27049 at 12% per annum for 1 years. | option_a=3345 | option_b=30294 | option_c=3245 | option_d=3145 | answer=C | explanation=SI = $PRT/100 = 27049 \times 12 \times 1/100 = \text{█}3245$.
- id=31032 | topic=Profit & Loss | difficulty=Easy | question=An article costs █974. If it is sold at a profit of 30%, what is its selling price? | option_a=1169 | option_b=1004 | option_c=1266 | option_d=1363 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 974 \times 130/100 = \text{█}1266$.
- id=31033 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1863. If it is sold at a profit of 25%, what is its selling price? | option_a=2142 | option_b=2328 | option_c=1888 | option_d=2514 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 1863 \times 125/100 = \text{█}2328$.
- id=31034 | topic=Averages | difficulty=Easy | question=Find the average of 33, 63, 16, 52, 24, 33, 49, 18. | option_a=38 | option_b=35 | option_c=37 | option_d=36 | answer=D | explanation=Average = sum of values $\div$ number of values = $288 \div 8 = 36$.
- id=31035 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance $\div$ time = $300 \div 5 = 60$ km/h.
- id=31036 | topic=Profit & Loss | difficulty=Easy | question=An article costs █549. If it is sold at a profit of 20%, what is its selling price? | option_a=658 | option_b=604 | option_c=712 | option_d=569 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 549 \times 120/100 = \text{█}658$.
- id=31037 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.
- id=31038 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=U | option_b=Z | option_c=K | option_d=P | answer=A | explanation=Move 5 positions forward from P; the resulting letter is U.
- id=31039 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=45 | option_b=38 | option_c=50 | option_d=44 | answer=D | explanation=The common difference is 6. Therefore the next term is $38 + 6 = 44$.
- id=31040 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30220 at 5% per annum for 2 years. | option_a=3122 | option_b=2922 | option_c=3022 | option_d=33242 | answer=C | explanation=SI = $PRT/100 = 30220 \times 5 \times 2/100 = \text{█}3022$.
- id=31041 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 29, 36, 45? | option_a=29 | option_b=36 | option_c=45 | option_d=22 | answer=C | explanation=The first three numbers increase by 7, so the next should be 43. Therefore 45 is the odd one out.
- id=31042 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 28. | option_a=64 | option_b=56 | option_c=28 | option_d=224 | answer=B | explanation=LCM $\times$ HCF = 8×28 ; $HCF(8,28) = 4$, so LCM = 56.
- id=31043 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=12 | option_c=7 | option_d=24 | answer=B | explanation=Speed = distance $\div$ time = $60 \div 5 = 12$ km/h.
- id=31044 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:2 and the first is 170, what is the second? | option_a=37 | option_b=20 | option_c=18 | option_d=190 | answer=B | explanation=Scale factor = $170/17 = 10$. Therefore second quantity = $2 \times 10 = 20$.
- id=31045 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17229 at 15% per annum for 2 years. | option_a=5168 | option_b=5068 | option_c=22397 | option_d=5268 | answer=A | explanation=SI = $PRT/100 = 17229 \times 15 \times 2/100 = \text{█}5168$.
- id=31046 | topic=Averages | difficulty=Easy | question=Find the average of 46, 48, 58, 96, 47. | option_a=58 | option_b=61 | option_c=59 | option_d=60 | answer=C | explanation=Average = sum of values $\div$ number of values = $295 \div 5 = 59$.
- id=31047 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=26 | option_b=28 | option_c=27 | option_d=24 | answer=A | explanation=The common difference is 2. Therefore the next term is $24 + 2 = 26$.
- id=31048 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 17, 20, 24? | option_a=24 | option_b=17 | option_c=20 | option_d=14 | answer=A | explanation=The first three numbers increase by 3, so the next should be 23. Therefore 24 is the odd one out.
- id=31049 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:17 and the first is 84, what is the second? | option_a=187 | option_b=211 | option_c=288 | option_d=204 | answer=D | explanation=Scale factor = $84/7 = 12$. Therefore second quantity = $17 \times 12 = 204$.
- id=31050 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43621 at 12% per annum for 1 years. | option_a=5134 | option_b=5234 | option_c=48855 | option_d=5334 | answer=B | explanation=SI = $PRT/100 = 43621 \times 12 \times 1/100 = \text{█}5234$.

Aptitude Questions — Records 31,051-31,080 of 100,000

id=31051 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:9 and the first is 35, what is the second? | option_a=98 | option_b=63 | option_c=68 | option_d=54 | answer=B | explanation=Scale factor = 35/5 = 7. Therefore second quantity = 9×7 = 63.

id=31052 | topic=Percentages | difficulty=Easy | question=What is 5% of 1437? | option_a=91 | option_b=71 | option_c=61 | option_d=142 | answer=B | explanation=5% of 1437 = (5/100) × 1437 = 71.

id=31053 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 4. | option_a=104 | option_b=52 | option_c=78 | option_d=48 | answer=B | explanation=LCM × HCF = 26×4; HCF(26,4) = 2, so LCM = 52.

id=31054 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=31055 | topic=Averages | difficulty=Easy | question=Find the average of 59, 90, 14, 12, 30, 23. | option_a=37 | option_b=40 | option_c=38 | option_d=39 | answer=C | explanation=Average = sum of values ÷ number of values = 228 ÷ 6 = 38.

id=31056 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=45 | option_b=53 | option_c=37 | option_d=46 | answer=A | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=31057 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 32, 35, 39? | option_a=35 | option_b=32 | option_c=39 | option_d=29 | answer=C | explanation=The first three numbers increase by 3, so the next should be 38. Therefore 39 is the odd one out.

id=31058 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31391 at 4% per annum for 2 years. | option_a=2611 | option_b=2511 | option_c=2411 | option_d=33902 | answer=B | explanation=SI = PRT/100 = 31391×4×2/100 = **■**2511.

id=31059 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 13? | option_a=6 | option_b=13 | option_c=8 | option_d=4 | answer=B | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 13 is the odd one out.

id=31060 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=M | option_c=U | option_d=I | answer=A | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=31061 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 24. | option_a=168 | option_b=144 | option_c=182 | option_d=336 | answer=A | explanation=LCM × HCF = 14×24; HCF(14,24) = 2, so LCM = 168.

id=31062 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=18 | option_b=26 | option_c=23 | option_d=22 | answer=D | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

id=31063 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 24, 36, 48, ? | option_a=61 | option_b=48 | option_c=72 | option_d=60 | answer=D | explanation=The common difference is 12. Therefore the next term is 48 + 12 = 60.

id=31064 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11340 at 4% per annum for 1 years. | option_a=553 | option_b=453 | option_c=11793 | option_d=353 | answer=B | explanation=SI = PRT/100 = 11340×4×1/100 = **■**453.

id=31065 | topic=Averages | difficulty=Easy | question=Find the average of 49, 92, 63, 32, 39. | option_a=55 | option_b=56 | option_c=57 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 275 ÷ 5 = 55.

id=31066 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 19? | option_a=12 | option_b=9 | option_c=19 | option_d=15 | answer=C | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 19 is the odd one out.

id=31067 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:12 and the first is 119, what is the second? | option_a=203 | option_b=72 | option_c=101 | option_d=84 | answer=D | explanation=Scale factor = 119/17 = 7. Therefore second quantity = 12×7 = 84.

id=31068 | topic=Percentages | difficulty=Easy | question=What is 50% of 318? | option_a=318 | option_b=149 | option_c=179 | option_d=159 | answer=D | explanation=50% of 318 = (50/100) × 318 = 159.

id=31069 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=55 | option_c=50 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=31070 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 22, 29, 38? | option_a=22 | option_b=15 | option_c=29 | option_d=38 | answer=D | explanation=The first three numbers increase by 7, so the next should be 36. Therefore 38 is the odd one out.

id=31071 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**333. If it is sold at a profit of 30%, what is its selling price? | option_a=432 | option_b=465 | option_c=363 | option_d=399 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 333 × 130/100 = **■**432.

id=31072 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4232. If it is sold at a profit of 10%, what is its selling price? | option_a=4232 | option_b=5078 | option_c=4655 | option_d=4242 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4232 × 110/100 = **■**4655.

id=31073 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=80 | option_c=35 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=31074 | topic=Averages | difficulty=Easy | question=Find the average of 82, 84, 81, 45. | option_a=74 | option_b=72 | option_c=75 | option_d=73 | answer=D | explanation=Average = sum of values ÷ number of values = 292 ÷ 4 = 73.

id=31075 | topic=Averages | difficulty=Easy | question=Find the average of 56, 71, 69, 17, 26, 89, 62, 79, 53. | option_a=59 | option_b=60 | option_c=58 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 522 ÷ 9 = 58.

id=31076 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:5 and the first is 117, what is the second? | option_a=60 | option_b=65 | option_c=74 | option_d=182 | answer=B | explanation=Scale factor = 117/9 = 13. Therefore second quantity = 5×13 = 65.

id=31077 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 30, 38, 49? | option_a=30 | option_b=49 | option_c=22 | option_d=38 | answer=B | explanation=The first three numbers increase by 8, so the next should be 46. Therefore 49 is the odd one out.

id=31078 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 26. | option_a=234 | option_b=468 | option_c=252 | option_d=208 | answer=A | explanation=LCM × HCF = 18×26; HCF(18,26) = 2, so LCM = 234.

id=31079 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3047 at 10% per annum for 3 years. | option_a=3961 | option_b=814 | option_c=1014 | option_d=914 | answer=D | explanation=SI = PRT/100 = 3047×10×3/100 = **■**914.

id=31080 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=49 | option_b=58 | option_c=50 | option_d=40 | answer=A | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

Aptitude Questions — Records 31,081-31,110 of 100,000

id=31081 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=13 | option_b=15 | option_c=17 | option_d=16 | answer=B | explanation=The common difference is 2. Therefore the next term is 13 + 2 = 15.

id=31082 | topic=Averages | difficulty=Easy | question=Find the average of 73, 31, 13, 59, 67, 54, 65, 22. | option_a=47 | option_b=48 | option_c=49 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 384 ÷ 8 = 48.

id=31083 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=31084 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=53 | option_c=48 | option_d=43 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=31085 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=31086 | topic=Percentages | difficulty=Easy | question=What is 30% of 1549? | option_a=928 | option_b=469 | option_c=464 | option_d=459 | answer=C | explanation=30% of 1549 = (30/100) × 1549 = 464.

id=31087 | topic=Averages | difficulty=Easy | question=Find the average of 45, 73, 85, 18, 69. | option_a=59 | option_b=57 | option_c=58 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 290 ÷ 5 = 58.

id=31088 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39742 at 8% per annum for 4 years. | option_a=12717 | option_b=12617 | option_c=52459 | option_d=12817 | answer=A | explanation=SI = PRT/100 = 39742×8×4/100 = █12717.

id=31089 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=31090 | topic=Averages | difficulty=Easy | question=Find the average of 98, 52, 52, 12, 77, 35, 13, 77. | option_a=53 | option_b=54 | option_c=51 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=31091 | topic=Averages | difficulty=Easy | question=Find the average of 31, 74, 52, 83, 93, 54, 30, 25, 82, 76. | option_a=61 | option_b=60 | option_c=62 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=31092 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 31, 33, 36? | option_a=31 | option_b=33 | option_c=36 | option_d=29 | answer=C | explanation=The first three numbers increase by 2, so the next should be 35. Therefore 36 is the odd one out.

id=31093 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 32, 40, 50? | option_a=32 | option_b=24 | option_c=50 | option_d=40 | answer=C | explanation=The first three numbers increase by 8, so the next should be 48. Therefore 50 is the odd one out.

id=31094 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 17, 22, 30? | option_a=30 | option_b=22 | option_c=12 | option_d=17 | answer=A | explanation=The first three numbers increase by 5, so the next should be 27. Therefore 30 is the odd one out.

id=31095 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 42? | option_a=27 | option_b=34 | option_c=42 | option_d=20 | answer=C | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 42 is the odd one out.

id=31096 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=100 | option_c=95 | option_d=200 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=31097 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 15, 19, 26? | option_a=19 | option_b=15 | option_c=11 | option_d=26 | answer=D | explanation=The first three numbers increase by 4, so the next should be 23. Therefore 26 is the odd one out.

id=31098 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=43 | option_c=96 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=31099 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1836. If it is sold at a profit of 10%, what is its selling price? | option_a=1846 | option_b=2202 | option_c=2019 | option_d=1836 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1836 × 110/100 = █2019.

id=31100 | topic=Percentages | difficulty=Easy | question=What is 10% of 1552? | option_a=145 | option_b=310 | option_c=155 | option_d=165 | answer=C | explanation=10% of 1552 = (10/100) × 1552 = 155.

id=31101 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=31102 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=22 | option_b=25 | option_c=24 | option_d=26 | answer=C | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.

id=31103 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=39 | option_b=44 | option_c=38 | option_d=32 | answer=C | explanation=The common difference is 6. Therefore the next term is 32 + 6 = 38.

id=31104 | topic=Averages | difficulty=Easy | question=Find the average of 69, 77, 37, 79, 58, 78, 10, 91. | option_a=65 | option_b=64 | option_c=63 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 576 ÷ 9 = 64.

id=31105 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=V | option_b=T | option_c=W | option_d=U | answer=A | explanation=Move 1 positions forward from U; the resulting letter is V.

id=31106 | topic=Profit & Loss | difficulty=Easy | question=An article costs █684. If it is sold at a profit of 10%, what is its selling price? | option_a=684 | option_b=752 | option_c=694 | option_d=820 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 684 × 110/100 = █752.

id=31107 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=X | option_b=R | option_c=U | option_d=A | answer=A | explanation=Move 3 positions forward from U; the resulting letter is X.

id=31108 | topic=Averages | difficulty=Easy | question=Find the average of 63, 37, 75, 73, 36, 64, 79, 29. | option_a=56 | option_b=58 | option_c=57 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

id=31109 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=40 | option_c=45 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=31110 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

Aptitude Questions — Records 31,111-31,140 of 100,000

id=31111 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=L | option_b=N | option_c=J | option_d=H | answer=A | explanation=Move 2 positions forward from J; the resulting letter is L.

id=31112 | topic=Percentages | difficulty=Easy | question=What is 25% of 1711? | option_a=427 | option_b=417 | option_c=437 | option_d=854 | answer=A | explanation=25% of 1711 = (25/100) × 1711 = 427.

id=31113 | topic=Percentages | difficulty=Easy | question=What is 12% of 613? | option_a=53 | option_b=73 | option_c=78 | option_d=146 | answer=B | explanation=12% of 613 = (12/100) × 613 = 73.

id=31114 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:12 and the first is 187, what is the second? | option_a=120 | option_b=149 | option_c=132 | option_d=319 | answer=C | explanation=Scale factor = 187/17 = 11. Therefore second quantity = 12×11 = 132.

id=31115 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32427 at 10% per annum for 3 years. | option_a=9728 | option_b=42155 | option_c=9628 | option_d=9828 | answer=A | explanation=SI = PRT/100 = 32427×10×3/100 = **■**9728.

id=31116 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=31117 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21452 at 6% per annum for 2 years. | option_a=2574 | option_b=24026 | option_c=2474 | option_d=2674 | answer=A | explanation=SI = PRT/100 = 21452×6×2/100 = **■**2574.

id=31118 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 16. | option_a=32 | option_b=60 | option_c=192 | option_d=48 | answer=D | explanation=LCM × HCF = 12×16; HCF(12,16) = 4, so LCM = 48.

id=31119 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**504. If it is sold at a profit of 30%, what is its selling price? | option_a=705 | option_b=605 | option_c=655 | option_d=534 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 504 × 130/100 = **■**655.

id=31120 | topic=Percentages | difficulty=Easy | question=What is 30% of 1392? | option_a=437 | option_b=834 | option_c=417 | option_d=412 | answer=C | explanation=30% of 1392 = (30/100) × 1392 = 417.

id=31121 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=33 | option_b=26 | option_c=34 | option_d=40 | answer=A | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

id=31122 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 42? | option_a=11 | option_b=21 | option_c=42 | option_d=31 | answer=C | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 42 is the odd one out.

id=31123 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=31124 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 31, 35, 40? | option_a=35 | option_b=40 | option_c=27 | option_d=31 | answer=B | explanation=The first three numbers increase by 4, so the next should be 39. Therefore 40 is the odd one out.

id=31125 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=Q | option_c=S | option_d=W | answer=A | explanation=Move 2 positions forward from S; the resulting letter is U.

id=31126 | topic=Percentages | difficulty=Easy | question=What is 12% of 1288? | option_a=144 | option_b=159 | option_c=308 | option_d=154 | answer=D | explanation=12% of 1288 = (12/100) × 1288 = 154.

id=31127 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:4 and the first is 133, what is the second? | option_a=28 | option_b=47 | option_c=24 | option_d=161 | answer=A | explanation=Scale factor = 133/19 = 7. Therefore second quantity = 4×7 = 28.

id=31128 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:7 and the first is 182, what is the second? | option_a=91 | option_b=84 | option_c=105 | option_d=273 | answer=A | explanation=Scale factor = 182/14 = 13. Therefore second quantity = 7×13 = 91.

id=31129 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 21, 25, 32? | option_a=25 | option_b=32 | option_c=21 | option_d=17 | answer=B | explanation=The first three numbers increase by 4, so the next should be 29. Therefore 32 is the odd one out.

id=31130 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4668. If it is sold at a profit of 40%, what is its selling price? | option_a=6069 | option_b=6535 | option_c=7001 | option_d=4708 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4668 × 140/100 = **■**6535.

id=31131 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 18, 28, 38, ? | option_a=49 | option_b=48 | option_c=38 | option_d=58 | answer=B | explanation=The common difference is 10. Therefore the next term is 38 + 10 = 48.

id=31132 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 12. | option_a=48 | option_b=64 | option_c=192 | option_d=36 | answer=A | explanation=LCM × HCF = 16×12; HCF(16,12) = 4, so LCM = 48.

id=31133 | topic=Percentages | difficulty=Easy | question=What is 12% of 1512? | option_a=161 | option_b=181 | option_c=362 | option_d=191 | answer=B | explanation=12% of 1512 = (12/100) × 1512 = 181.

id=31134 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2274. If it is sold at a profit of 20%, what is its selling price? | option_a=2294 | option_b=2501 | option_c=2728 | option_d=2955 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2274 × 120/100 = **■**2728.

id=31135 | topic=Averages | difficulty=Easy | question=Find the average of 81, 29, 98, 93, 77, 14, 54, 11, 38. | option_a=54 | option_b=56 | option_c=57 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.

id=31136 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19389 at 6% per annum for 1 years. | option_a=1063 | option_b=1163 | option_c=1263 | option_d=20552 | answer=B | explanation=SI = PRT/100 = 19389×6×1/100 = **■**1163.

id=31137 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37511 at 4% per annum for 3 years. | option_a=4601 | option_b=4401 | option_c=4501 | option_d=42012 | answer=C | explanation=SI = PRT/100 = 37511×4×3/100 = **■**4501.

id=31138 | topic=Percentages | difficulty=Easy | question=What is 50% of 1290? | option_a=640 | option_b=665 | option_c=1290 | option_d=645 | answer=D | explanation=50% of 1290 = (50/100) × 1290 = 645.

id=31139 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 6. | option_a=6 | option_b=16 | option_c=12 | option_d=24 | answer=C | explanation=LCM × HCF = 4×6; HCF(4,6) = 2, so LCM = 12.

id=31140 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:2 and the first is 132, what is the second? | option_a=35 | option_b=22 | option_c=156 | option_d=24 | answer=D | explanation=Scale factor = 132/11 = 12. Therefore second quantity = 2×12 = 24.

Aptitude Questions — Records 31,141-31,170 of 100,000

id=31141 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=F | option_c=V | option_d=K | answer=B | explanation=Move 5 positions forward from A, the resulting letter is F.

id=31142 | topic=Averages | difficulty=Easy | question=Find the average of 94, 45, 80, 53. | option_a=67 | option_b=69 | option_c=70 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = 272 ÷ 4 = 68.

id=31143 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■46670 at 5% per annum for 2 years. | option_a=51337 | option_b=4567 | option_c=4767 | option_d=4667 | answer=D | explanation=SI = PRT/100 = 46670×5×2/100 = ■4667.

id=31144 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■29320 at 6% per annum for 4 years. | option_a=6936 | option_b=7036 | option_c=36356 | option_d=7136 | answer=B | explanation=SI = PRT/100 = 29320×6×4/100 = ■7036.

id=31145 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=31146 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=144 | option_c=77 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=31147 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:5 and the first is 198, what is the second? | option_a=50 | option_b=73 | option_c=55 | option_d=253 | answer=C | explanation=Scale factor = 198/18 = 11. Therefore second quantity = 5×11 = 55.

id=31148 | topic=Percentages | difficulty=Easy | question=What is 5% of 1731? | option_a=76 | option_b=86 | option_c=172 | option_d=106 | answer=B | explanation=5% of 1731 = (5/100) × 1731 = 86.

id=31149 | topic=Averages | difficulty=Easy | question=Find the average of 11, 67, 14, 85, 81, 31, 50, 48, 15, 28. | option_a=43 | option_b=42 | option_c=45 | option_d=44 | answer=A | explanation=Average = sum of values ÷ number of values = 430 ÷ 10 = 43.

id=31150 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:17 and the first is 54, what is the second? | option_a=34 | option_b=105 | option_c=51 | option_d=69 | answer=C | explanation=Scale factor = 54/18 = 3. Therefore second quantity = 17×3 = 51.

id=31151 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 47? | option_a=47 | option_b=28 | option_c=19 | option_d=37 | answer=A | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 47 is the odd one out.

id=31152 | topic=Percentages | difficulty=Easy | question=What is 5% of 1419? | option_a=140 | option_b=80 | option_c=70 | option_d=50 | answer=C | explanation=5% of 1419 = (5/100) × 1419 = 70.

id=31153 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4538. If it is sold at a profit of 20%, what is its selling price? | option_a=4558 | option_b=4992 | option_c=5445 | option_d=5898 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4538 × 120/100 = ■5445.

id=31154 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=31155 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:18 and the first is 35, what is the second? | option_a=108 | option_b=161 | option_c=131 | option_d=126 | answer=D | explanation=Scale factor = 35/5 = 7. Therefore second quantity = 18×7 = 126.

id=31156 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:8 and the first is 117, what is the second? | option_a=104 | option_b=96 | option_c=113 | option_d=221 | answer=A | explanation=Scale factor = 117/9 = 13. Therefore second quantity = 8×13 = 104.

id=31157 | topic=Percentages | difficulty=Easy | question=What is 20% of 1166? | option_a=233 | option_b=466 | option_c=228 | option_d=243 | answer=A | explanation=20% of 1166 = (20/100) × 1166 = 233.

id=31158 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■2571 at 6% per annum for 5 years. | option_a=3342 | option_b=871 | option_c=671 | option_d=771 | answer=D | explanation=SI = PRT/100 = 2571×6×5/100 = ■771.

id=31159 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:1 and the first is 76, what is the second? | option_a=23 | option_b=95 | option_c=18 | option_d=19 | answer=D | explanation=Scale factor = 76/4 = 19. Therefore second quantity = 1×19 = 19.

id=31160 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4596. If it is sold at a profit of 5%, what is its selling price? | option_a=4366 | option_b=4825 | option_c=5284 | option_d=4601 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4596 × 105/100 = ■4825.

id=31161 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=50 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=31162 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=31163 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 35? | option_a=6 | option_b=24 | option_c=35 | option_d=15 | answer=C | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 35 is the odd one out.

id=31164 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2885. If it is sold at a profit of 25%, what is its selling price? | option_a=3318 | option_b=2910 | option_c=3606 | option_d=3894 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2885 × 125/100 = ■3606.

id=31165 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■17937 at 12% per annum for 2 years. | option_a=4304 | option_b=4404 | option_c=22241 | option_d=4204 | answer=A | explanation=SI = PRT/100 = 17937×12×2/100 = ■4304.

id=31166 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 17, 27, 39? | option_a=17 | option_b=39 | option_c=27 | option_d=7 | answer=B | explanation=The first three numbers increase by 10, so the next should be 37. Therefore 39 is the odd one out.

id=31167 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=31168 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=5 | option_c=15 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=31169 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■23469 at 8% per annum for 4 years. | option_a=30979 | option_b=7410 | option_c=7510 | option_d=7610 | answer=C | explanation=SI = PRT/100 = 23469×8×4/100 = ■7510.

id=31170 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 43? | option_a=35 | option_b=43 | option_c=25 | option_d=30 | answer=B | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 43 is the odd one out.

Aptitude Questions — Records 31,171-31,200 of 100,000

id=31171 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=31172 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=25 | option_b=20 | option_c=28 | option_d=24 | answer=D | explanation=The common difference is 4. Therefore the next term is 20 + 4 = 24.

id=31173 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4741. If it is sold at a profit of 50%, what is its selling price? | option_a=7111 | option_b=4791 | option_c=6637 | option_d=7585 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4741 × 150/100 = █7111.

id=31174 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=38 | option_b=30 | option_c=35 | option_d=34 | answer=D | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.

id=31175 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=180 | option_c=95 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=31176 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=Y | option_c=M | option_d=U | answer=D | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=31177 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5059 at 5% per annum for 1 years. | option_a=252 | option_b=352 | option_c=152 | option_d=5311 | answer=A | explanation=SI = PRT/100 = 5059×5×1/100 = █252.

id=31178 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=O | option_c=U | option_d=S | answer=D | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=31179 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:12 and the first is 120, what is the second? | option_a=84 | option_b=96 | option_c=111 | option_d=216 | answer=B | explanation=Scale factor = 120/15 = 8. Therefore second quantity = 12×8 = 96.

id=31180 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4651. If it is sold at a profit of 5%, what is its selling price? | option_a=5348 | option_b=4656 | option_c=4883 | option_d=4418 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4651 × 105/100 = █4883.

id=31181 | topic=Percentages | difficulty=Easy | question=What is 5% of 558? | option_a=54 | option_b=27 | option_c=32 | option_d=22 | answer=B | explanation=5% of 558 = (5/100) × 558 = 27.

id=31182 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=31183 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=29 | option_c=19 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=31184 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=20 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=31185 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=31186 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22206 at 6% per annum for 3 years. | option_a=3897 | option_b=4097 | option_c=26203 | option_d=3997 | answer=D | explanation=SI = PRT/100 = 22206×6×3/100 = █3997.

id=31187 | topic=Averages | difficulty=Easy | question=Find the average of 61, 76, 40. | option_a=58 | option_b=59 | option_c=60 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 177 ÷ 3 = 59.

id=31188 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=45 | option_b=46 | option_c=55 | option_d=35 | answer=A | explanation=The common difference is 10. Therefore the next term is 35 + 10 = 45.

id=31189 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=31190 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=P | option_b=U | option_c=E | option_d=Z | answer=D | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=31191 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4313. If it is sold at a profit of 40%, what is its selling price? | option_a=6469 | option_b=4353 | option_c=5607 | option_d=6038 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4313 × 140/100 = █6038.

id=31192 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=31193 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3536. If it is sold at a profit of 50%, what is its selling price? | option_a=4951 | option_b=3586 | option_c=5657 | option_d=5304 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3536 × 150/100 = █5304.

id=31194 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11469 at 12% per annum for 1 years. | option_a=1476 | option_b=1276 | option_c=1376 | option_d=12845 | answer=C | explanation=SI = PRT/100 = 11469×12×1/100 = █1376.

id=31195 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=56 | option_b=44 | option_c=66 | option_d=55 | answer=D | explanation=The common difference is 11. Therefore the next term is 44 + 11 = 55.

id=31196 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=C | option_b=B | option_c=D | option_d=A | answer=A | explanation=Move 1 positions forward from B; the resulting letter is C.

id=31197 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=240 | option_c=120 | option_d=125 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=31198 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=69 | option_b=56 | option_c=80 | option_d=68 | answer=D | explanation=The common difference is 12. Therefore the next term is 56 + 12 = 68.

id=31199 | topic=Percentages | difficulty=Easy | question=What is 5% of 1462? | option_a=83 | option_b=53 | option_c=146 | option_d=73 | answer=D | explanation=5% of 1462 = (5/100) × 1462 = 73.

id=31200 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25302 at 6% per annum for 3 years. | option_a=29856 | option_b=4554 | option_c=4454 | option_d=4654 | answer=B | explanation=SI = PRT/100 = 25302×6×3/100 = █4554.

Aptitude Questions — Records 31,201-31,230 of 100,000

id=31201 | topic=Averages | difficulty=Easy | question=Find the average of 26, 28, 61, 11, 41, 73, 26, 39, 99, 26. | option_a=43 | option_b=44 | option_c=42 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 430 ÷ 10 = 43.

id=31202 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2858. If it is sold at a profit of 40%, what is its selling price? | option_a=3716 | option_b=4286 | option_c=4001 | option_d=2898 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2858 × 140/100 = **■**4001.

id=31203 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=31204 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3840 at 5% per annum for 3 years. | option_a=476 | option_b=4416 | option_c=676 | option_d=576 | answer=D | explanation=SI = PRT/100 = 3840×5×3/100 = **■**576.

id=31205 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1530. If it is sold at a profit of 5%, what is its selling price? | option_a=1453 | option_b=1535 | option_c=1759 | option_d=1606 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1530 × 105/100 = **■**1606.

id=31206 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=31207 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 5, 7, 11? | option_a=11 | option_b=3 | option_c=7 | option_d=5 | answer=A | explanation=The first three numbers increase by 2, so the next should be 9. Therefore 11 is the odd one out.

id=31208 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11538 at 4% per annum for 2 years. | option_a=1023 | option_b=12461 | option_c=823 | option_d=923 | answer=D | explanation=SI = PRT/100 = 11538×4×2/100 = **■**923.

id=31209 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39161 at 12% per annum for 3 years. | option_a=53258 | option_b=14197 | option_c=14097 | option_d=13997 | answer=C | explanation=SI = PRT/100 = 39161×12×3/100 = **■**14097.

id=31210 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=7 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=31211 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18335 at 4% per annum for 4 years. | option_a=3033 | option_b=21268 | option_c=2833 | option_d=2933 | answer=D | explanation=SI = PRT/100 = 18335×4×4/100 = **■**2933.

id=31212 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=31213 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=64 | option_b=52 | option_c=40 | option_d=53 | answer=B | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.

id=31214 | topic=Averages | difficulty=Easy | question=Find the average of 92, 11, 37, 47, 59, 32, 72. | option_a=50 | option_b=49 | option_c=51 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

id=31215 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=62 | option_b=54 | option_c=44 | option_d=53 | answer=D | explanation=The common difference is 9. Therefore the next term is 44 + 9 = 53.

id=31216 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 29, 34, 41? | option_a=29 | option_b=24 | option_c=41 | option_d=34 | answer=C | explanation=The first three numbers increase by 5, so the next should be 39. Therefore 41 is the odd one out.

id=31217 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32479 at 5% per annum for 5 years. | option_a=8119 | option_b=40598 | option_c=8019 | option_d=8219 | answer=A | explanation=SI = PRT/100 = 32479×5×5/100 = **■**8119.

id=31218 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43730 at 6% per annum for 1 years. | option_a=2523 | option_b=46353 | option_c=2623 | option_d=2723 | answer=C | explanation=SI = PRT/100 = 43730×6×1/100 = **■**2623.

id=31219 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=H | option_c=L | option_d=T | answer=A | explanation=Move 4 positions forward from L; the resulting letter is P.

id=31220 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=31 | option_b=32 | option_c=36 | option_d=26 | answer=A | explanation=The common difference is 5. Therefore the next term is 26 + 5 = 31.

id=31221 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=64 | option_b=54 | option_c=55 | option_d=44 | answer=B | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=31222 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 52? | option_a=41 | option_b=25 | option_c=33 | option_d=52 | answer=D | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 52 is the odd one out.

id=31223 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:9 and the first is 72, what is the second? | option_a=72 | option_b=81 | option_c=153 | option_d=89 | answer=B | explanation=Scale factor = 72/8 = 9. Therefore second quantity = 9×9 = 81.

id=31224 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**208. If it is sold at a profit of 25%, what is its selling price? | option_a=280 | option_b=260 | option_c=233 | option_d=240 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 208 × 125/100 = **■**260.

id=31225 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1543. If it is sold at a profit of 50%, what is its selling price? | option_a=2468 | option_b=2160 | option_c=2314 | option_d=1593 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1543 × 150/100 = **■**2314.

id=31226 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:14 and the first is 25, what is the second? | option_a=56 | option_b=70 | option_c=95 | option_d=75 | answer=B | explanation=Scale factor = 25/5 = 5. Therefore second quantity = 14×5 = 70.

id=31227 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:18 and the first is 108, what is the second? | option_a=108 | option_b=216 | option_c=126 | option_d=90 | answer=A | explanation=Scale factor = 108/18 = 6. Therefore second quantity = 18×6 = 108.

id=31228 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=N | option_c=V | option_d=Z | answer=C | explanation=Move 4 positions forward from R; the resulting letter is V.

id=31229 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=12 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=31230 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 31,231-31,260 of 100,000

id=31231 | topic=Averages | difficulty=Easy | question=Find the average of 74, 48, 42, 92, 77, 34, 83, 12, 87. | option_a=63 | option_b=60 | option_c=61 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 549 ÷ 9 = 61.

id=31232 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 28? | option_a=16 | option_b=22 | option_c=19 | option_d=28 | answer=D | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 28 is the odd one out.

id=31233 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 17, 25, 33, ? | option_a=49 | option_b=41 | option_c=42 | option_d=33 | answer=B | explanation=The common difference is 8. Therefore the next term is 33 + 8 = 41.

id=31234 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=85 | option_c=160 | option_d=75 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=31235 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1878. If it is sold at a profit of 30%, what is its selling price? | option_a=2254 | option_b=1908 | option_c=2441 | option_d=2628 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1878 × 130/100 = █2441.

id=31236 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46302 at 5% per annum for 1 years. | option_a=2415 | option_b=2215 | option_c=48617 | option_d=2315 | answer=D | explanation=SI = PRT/100 = 46302×5×1/100 = █2315.

id=31237 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:17 and the first is 10, what is the second? | option_a=153 | option_b=170 | option_c=180 | option_d=171 | answer=B | explanation=Scale factor = 10/1 = 10. Therefore second quantity = 17×10 = 170.

id=31238 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3157. If it is sold at a profit of 25%, what is its selling price? | option_a=3182 | option_b=3946 | option_c=4261 | option_d=3631 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3157 × 125/100 = █3946.

id=31239 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=29 | option_b=33 | option_c=34 | option_d=37 | answer=B | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=31240 | topic=Averages | difficulty=Easy | question=Find the average of 52, 61, 100, 95, 92. | option_a=79 | option_b=82 | option_c=80 | option_d=81 | answer=C | explanation=Average = sum of values ÷ number of values = 400 ÷ 5 = 80.

id=31241 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=31242 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35034 at 10% per annum for 2 years. | option_a=7106 | option_b=7006 | option_c=42040 | option_d=6906 | answer=B | explanation=SI = PRT/100 = 35034×10×2/100 = █7006.

id=31243 | topic=Averages | difficulty=Easy | question=Find the average of 33, 39, 31, 47, 89, 79. | option_a=52 | option_b=53 | option_c=54 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 318 ÷ 6 = 53.

id=31244 | topic=Averages | difficulty=Easy | question=Find the average of 92, 96, 41, 47. | option_a=69 | option_b=70 | option_c=68 | option_d=71 | answer=A | explanation=Average = sum of values ÷ number of values = 276 ÷ 4 = 69.

id=31245 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 10. | option_a=130 | option_b=260 | option_c=120 | option_d=156 | answer=A | explanation=LCM × HCF = 26×10; HCF(26,10) = 2, so LCM = 130.

id=31246 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 26. | option_a=1 | option_b=28 | option_c=26 | option_d=52 | answer=C | explanation=LCM × HCF = 2×26; HCF(2,26) = 2, so LCM = 26.

id=31247 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=L | option_b=T | option_c=P | option_d=X | answer=B | explanation=Move 4 positions forward from P; the resulting letter is T.

id=31248 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=31249 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=S | option_c=W | option_d=Q | answer=A | explanation=Move 2 positions forward from S; the resulting letter is U.

id=31250 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=S | option_c=U | option_d=T | answer=C | explanation=Move 1 positions forward from T; the resulting letter is U.

id=31251 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=45 | option_b=50 | option_c=38 | option_d=44 | answer=D | explanation=The common difference is 6. Therefore the next term is 38 + 6 = 44.

id=31252 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:14 and the first is 180, what is the second? | option_a=320 | option_b=140 | option_c=158 | option_d=126 | answer=B | explanation=Scale factor = 180/18 = 10. Therefore second quantity = 14×10 = 140.

id=31253 | topic=Averages | difficulty=Easy | question=Find the average of 63, 38, 33, 43, 43, 26. | option_a=42 | option_b=43 | option_c=40 | option_d=41 | answer=D | explanation=Average = sum of values ÷ number of values = 246 ÷ 6 = 41.

id=31254 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:10 and the first is 40, what is the second? | option_a=85 | option_b=80 | option_c=120 | option_d=70 | answer=B | explanation=Scale factor = 40/5 = 8. Therefore second quantity = 10×8 = 80.

id=31255 | topic=Averages | difficulty=Easy | question=Find the average of 95, 37, 94, 95, 24. | option_a=69 | option_b=70 | option_c=68 | option_d=71 | answer=A | explanation=Average = sum of values ÷ number of values = 345 ÷ 5 = 69.

id=31256 | topic=Percentages | difficulty=Easy | question=What is 25% of 1487? | option_a=381 | option_b=371 | option_c=366 | option_d=742 | answer=B | explanation=25% of 1487 = (25/100) × 1487 = 371.

id=31257 | topic=Percentages | difficulty=Easy | question=What is 5% of 408? | option_a=25 | option_b=20 | option_c=10 | option_d=40 | answer=B | explanation=5% of 408 = (5/100) × 408 = 20.

id=31258 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 26. | option_a=140 | option_b=260 | option_c=104 | option_d=130 | answer=D | explanation=LCM × HCF = 10×26; HCF(10,26) = 2, so LCM = 130.

id=31259 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'i' become? | option_a=E | option_b=M | option_c=Q | option_d=I | answer=B | explanation=Move 4 positions forward from I; the resulting letter is M.

id=31260 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 22. | option_a=66 | option_b=132 | option_c=72 | option_d=44 | answer=A | explanation=LCM × HCF = 6×22; HCF(6,22) = 2, so LCM = 66.

Aptitude Questions — Records 31,261-31,290 of 100,000

id=31261 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 23, 25, 28? | option_a=25 | option_b=23 | option_c=21 | option_d=28 | answer=D | explanation=The first three numbers increase by 2, so the next should be 27. Therefore 28 is the odd one out.

id=31262 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:17 and the first is 256, what is the second? | option_a=272 | option_b=255 | option_c=288 | option_d=528 | answer=A | explanation=Scale factor = $256/16 = 16$. Therefore second quantity = $17 \times 16 = 272$.

id=31263 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39887 at 10% per annum for 5 years. | option_a=59830 | option_b=19943 | option_c=20043 | option_d=19843 | answer=B | explanation=SI = $PRT/100 = 39887 \times 10 \times 5/100 = \text{■}19943$.

id=31264 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=34 | option_b=26 | option_c=35 | option_d=42 | answer=A | explanation=The common difference is 8. Therefore the next term is $26 + 8 = 34$.

id=31265 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=Z | option_c=B | option_d=C | answer=C | explanation=Move 1 positions forward from A; the resulting letter is B.

id=31266 | topic=Percentages | difficulty=Easy | question=What is 12% of 1826? | option_a=219 | option_b=224 | option_c=209 | option_d=438 | answer=A | explanation= $12\% \text{ of } 1826 = (12/100) \times 1826 = 219$.

id=31267 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3556. If it is sold at a profit of 5%, what is its selling price? | option_a=3561 | option_b=3378 | option_c=4088 | option_d=3733 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3556 \times 105/100 = \text{■}3733$.

id=31268 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=40 | option_c=15 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = $60 \div 3 = 20$ km/h.

id=31269 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:9 and the first is 255, what is the second? | option_a=408 | option_b=153 | option_c=168 | option_d=144 | answer=B | explanation=Scale factor = $255/15 = 17$. Therefore second quantity = $9 \times 17 = 153$.

id=31270 | topic=Percentages | difficulty=Easy | question=What is 30% of 1693? | option_a=512 | option_b=507 | option_c=502 | option_d=1014 | answer=B | explanation= $30\% \text{ of } 1693 = (30/100) \times 1693 = 507$.

id=31271 | topic=Averages | difficulty=Easy | question=Find the average of 20, 20, 96, 55, 86, 74, 57, 56. | option_a=57 | option_b=60 | option_c=58 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = $464 \div 8 = 58$.

id=31272 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 27, 39, 51, ? | option_a=64 | option_b=75 | option_c=51 | option_d=63 | answer=D | explanation=The common difference is 12. Therefore the next term is $51 + 12 = 63$.

id=31273 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=31274 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = $180 \div 6 = 30$ km/h.

id=31275 | topic=Averages | difficulty=Easy | question=Find the average of 30, 43, 71, 33, 37, 96, 94, 60, 31. | option_a=54 | option_b=55 | option_c=57 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = $495 \div 9 = 55$.

id=31276 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 24. | option_a=24 | option_b=1 | option_c=96 | option_d=28 | answer=A | explanation= $LCM \times HCF = 4 \times 24$; $HCF(4,24) = 4$, so LCM = 24.

id=31277 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 30. | option_a=270 | option_b=297 | option_c=810 | option_d=240 | answer=A | explanation= $LCM \times HCF = 27 \times 30$; $HCF(27,30) = 3$, so LCM = 270.

id=31278 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20091 at 15% per annum for 3 years. | option_a=9140 | option_b=29131 | option_c=9040 | option_d=8940 | answer=C | explanation=SI = $PRT/100 = 20091 \times 15 \times 3/100 = \text{■}9040$.

id=31279 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=31280 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=46 | option_b=56 | option_c=36 | option_d=47 | answer=A | explanation=The common difference is 10. Therefore the next term is $36 + 10 = 46$.

id=31281 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49041 at 15% per annum for 3 years. | option_a=22068 | option_b=21968 | option_c=22168 | option_d=71109 | answer=A | explanation=SI = $PRT/100 = 49041 \times 15 \times 3/100 = \text{■}22068$.

id=31282 | topic=Percentages | difficulty=Easy | question=What is 50% of 578? | option_a=289 | option_b=299 | option_c=284 | option_d=578 | answer=A | explanation= $50\% \text{ of } 578 = (50/100) \times 578 = 289$.

id=31283 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = $300 \div 10 = 30$ km/h.

id=31284 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:4 and the first is 34, what is the second? | option_a=70 | option_b=64 | option_c=68 | option_d=102 | answer=C | explanation=Scale factor = $34/2 = 17$. Therefore second quantity = $4 \times 17 = 68$.

id=31285 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2580. If it is sold at a profit of 30%, what is its selling price? | option_a=3612 | option_b=3354 | option_c=3096 | option_d=2610 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2580 \times 130/100 = \text{■}3354$.

id=31286 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:13 and the first is 18, what is the second? | option_a=235 | option_b=221 | option_c=234 | option_d=252 | answer=C | explanation=Scale factor = $18/1 = 18$. Therefore second quantity = $13 \times 18 = 234$.

id=31287 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 22, 32, 45? | option_a=45 | option_b=22 | option_c=12 | option_d=32 | answer=A | explanation=The first three numbers increase by 10, so the next should be 42. Therefore 45 is the odd one out.

id=31288 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 16, 19, 25? | option_a=25 | option_b=16 | option_c=13 | option_d=19 | answer=A | explanation=The first three numbers increase by 3, so the next should be 22. Therefore 25 is the odd one out.

id=31289 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19810 at 15% per annum for 5 years. | option_a=14757 | option_b=34667 | option_c=14857 | option_d=14957 | answer=C | explanation=SI = $PRT/100 = 19810 \times 15 \times 5/100 = \text{■}14857$.

id=31290 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 6, 10, 17? | option_a=2 | option_b=10 | option_c=17 | option_d=6 | answer=C | explanation=The first three numbers increase by 4, so the next should be 14. Therefore 17 is the odd one out.

Aptitude Questions — Records 31,291-31,320 of 100,000

id=31291 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■1712 at 15% per annum for 4 years. | option_a=927 | option_b=1127 | option_c=2739 | option_d=1027 | answer=D | explanation=SI = PRT/100 = 1712×15×4/100 = ■1027.

id=31292 | topic=Percentages | difficulty=Easy | question=What is 20% of 1078? | option_a=195 | option_b=430 | option_c=215 | option_d=220 | answer=C | explanation=20% of 1078 = (20/100) × 1078 = 215.

id=31293 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■9825 at 5% per annum for 5 years. | option_a=2456 | option_b=2556 | option_c=12281 | option_d=2356 | answer=A | explanation=SI = PRT/100 = 9825×5×5/100 = ■2456.

id=31294 | topic=Percentages | difficulty=Easy | question=What is 10% of 1980? | option_a=198 | option_b=396 | option_c=203 | option_d=193 | answer=A | explanation=10% of 1980 = (10/100) × 1980 = 198.

id=31295 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:7 and the first is 28, what is the second? | option_a=7 | option_b=28 | option_c=14 | option_d=42 | answer=C | explanation=Scale factor = 28/14 = 2. Therefore second quantity = 7×2 = 14.

id=31296 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 33? | option_a=25 | option_b=15 | option_c=33 | option_d=20 | answer=C | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 33 is the odd one out.

id=31297 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■40867 at 8% per annum for 2 years. | option_a=47405 | option_b=6438 | option_c=6538 | option_d=6638 | answer=C | explanation=SI = PRT/100 = 40867×8×2/100 = ■6538.

id=31298 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=31299 | topic=Averages | difficulty=Easy | question=Find the average of 98, 49, 14, 53, 41, 69. | option_a=55 | option_b=53 | option_c=56 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 324 ÷ 6 = 54.

id=31300 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=Q | option_b=G | option_c=L | option_d=V | answer=A | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=31301 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=360 | option_c=180 | option_d=175 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=31302 | topic=Percentages | difficulty=Easy | question=What is 5% of 751? | option_a=74 | option_b=17 | option_c=42 | option_d=37 | answer=D | explanation=5% of 751 = (5/100) × 751 = 37.

id=31303 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:19 and the first is 169, what is the second? | option_a=260 | option_b=247 | option_c=228 | option_d=416 | answer=B | explanation=Scale factor = 169/13 = 13. Therefore second quantity = 19×13 = 247.

id=31304 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■16324 at 6% per annum for 5 years. | option_a=4797 | option_b=4997 | option_c=21221 | option_d=4897 | answer=D | explanation=SI = PRT/100 = 16324×6×5/100 = ■4897.

id=31305 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=28 | option_b=34 | option_c=31 | option_d=32 | answer=C | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=31306 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■809. If it is sold at a profit of 40%, what is its selling price? | option_a=1052 | option_b=1132 | option_c=1212 | option_d=849 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 809 × 140/100 = ■1132.

id=31307 | topic=Averages | difficulty=Easy | question=Find the average of 49, 62, 69, 91, 18, 60, 38, 22, 23, 98. | option_a=55 | option_b=52 | option_c=53 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=31308 | topic=Percentages | difficulty=Easy | question=What is 12% of 548? | option_a=130 | option_b=85 | option_c=55 | option_d=65 | answer=D | explanation=12% of 548 = (12/100) × 548 = 65.

id=31309 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=31 | option_b=40 | option_c=49 | option_d=41 | answer=B | explanation=The common difference is 9. Therefore the next term is 31 + 9 = 40.

id=31310 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1755. If it is sold at a profit of 30%, what is its selling price? | option_a=2456 | option_b=1785 | option_c=2281 | option_d=2106 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1755 × 130/100 = ■2281.

id=31311 | topic=Percentages | difficulty=Easy | question=What is 50% of 1412? | option_a=716 | option_b=706 | option_c=686 | option_d=1412 | answer=B | explanation=50% of 1412 = (50/100) × 1412 = 706.

id=31312 | topic=Averages | difficulty=Easy | question=Find the average of 58, 22, 70, 10, 65. | option_a=45 | option_b=44 | option_c=46 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 225 ÷ 5 = 45.

id=31313 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=90 | option_c=180 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=31314 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=K | option_b=P | option_c=F | option_d=A | answer=A | explanation=Move 5 positions forward from F; the resulting letter is K.

id=31315 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■7073 at 4% per annum for 4 years. | option_a=1231 | option_b=1131 | option_c=1031 | option_d=8204 | answer=B | explanation=SI = PRT/100 = 7073×4×4/100 = ■1131.

id=31316 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=27 | option_b=23 | option_c=19 | option_d=24 | answer=B | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=31317 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■8727 at 10% per annum for 4 years. | option_a=3590 | option_b=12217 | option_c=3490 | option_d=3390 | answer=C | explanation=SI = PRT/100 = 8727×10×4/100 = ■3490.

id=31318 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■34712 at 10% per annum for 5 years. | option_a=52068 | option_b=17256 | option_c=17356 | option_d=17456 | answer=C | explanation=SI = PRT/100 = 34712×10×5/100 = ■17356.

id=31319 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=H | option_c=Z | option_d=L | answer=B | explanation=Move 4 positions forward from D; the resulting letter is H.

id=31320 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4892. If it is sold at a profit of 40%, what is its selling price? | option_a=6848 | option_b=6359 | option_c=4932 | option_d=7337 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4892 × 140/100 = ■6848.

Aptitude Questions — Records 31,321-31,350 of 100,000

id=31321 | topic=Percentages | difficulty=Easy | question=What is 25% of 850? | option_a=217 | option_b=212 | option_c=424 | option_d=207 | answer=B | explanation=25% of 850 = (25/100) × 850 = 212.

id=31322 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=H | option_b=L | option_c=P | option_d=T | answer=C | explanation=Move 4 positions forward from L; the resulting letter is P.

id=31323 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 8, 10, 13? | option_a=6 | option_b=10 | option_c=13 | option_d=8 | answer=C | explanation=The first three numbers increase by 2, so the next should be 12. Therefore 13 is the odd one out.

id=31324 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=R | option_b=N | option_c=F | option_d=J | answer=B | explanation=Move 4 positions forward from J; the resulting letter is N.

id=31325 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=T | option_b=N | option_c=Q | option_d=K | answer=C | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=31326 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=4 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=31327 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 18, 25, 33? | option_a=25 | option_b=18 | option_c=33 | option_d=11 | answer=C | explanation=The first three numbers increase by 7, so the next should be 32. Therefore 33 is the odd one out.

id=31328 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=31329 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 4. | option_a=88 | option_b=40 | option_c=44 | option_d=66 | answer=C | explanation=LCM × HCF = 22×4; HCF(22,4) = 2, so LCM = 44.

id=31330 | topic=Profit & Loss | difficulty=Easy | question=An article costs █479. If it is sold at a profit of 5%, what is its selling price? | option_a=549 | option_b=502 | option_c=455 | option_d=484 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 479 × 105/100 = █502.

id=31331 | topic=Percentages | difficulty=Easy | question=What is 10% of 1652? | option_a=185 | option_b=165 | option_c=330 | option_d=160 | answer=B | explanation=10% of 1652 = (10/100) × 1652 = 165.

id=31332 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=31333 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13601 at 4% per annum for 1 years. | option_a=644 | option_b=444 | option_c=14145 | option_d=544 | answer=D | explanation=SI = PRT/100 = 13601×4×1/100 = █544.

id=31334 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14731 at 10% per annum for 4 years. | option_a=5892 | option_b=5992 | option_c=5792 | option_d=20623 | answer=A | explanation=SI = PRT/100 = 14731×10×4/100 = █5892.

id=31335 | topic=Averages | difficulty=Easy | question=Find the average of 55, 58, 68, 31. | option_a=55 | option_b=54 | option_c=52 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 212 ÷ 4 = 53.

id=31336 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 17, 27, 39? | option_a=17 | option_b=7 | option_c=27 | option_d=39 | answer=D | explanation=The first three numbers increase by 10, so the next should be 37. Therefore 39 is the odd one out.

id=31337 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=16 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=31338 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 10, 13, 19? | option_a=19 | option_b=10 | option_c=7 | option_d=13 | answer=A | explanation=The first three numbers increase by 3, so the next should be 16. Therefore 19 is the odd one out.

id=31339 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=100 | option_c=45 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=31340 | topic=Averages | difficulty=Easy | question=Find the average of 67, 87, 59. | option_a=73 | option_b=71 | option_c=72 | option_d=70 | answer=B | explanation=Average = sum of values ÷ number of values = 213 ÷ 3 = 71.

id=31341 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=31342 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 34, 43, 55? | option_a=55 | option_b=25 | option_c=43 | option_d=34 | answer=A | explanation=The first three numbers increase by 9, so the next should be 52. Therefore 55 is the odd one out.

id=31343 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:17 and the first is 20, what is the second? | option_a=73 | option_b=88 | option_c=68 | option_d=51 | answer=C | explanation=Scale factor = 20/5 = 4. Therefore second quantity = 17×4 = 68.

id=31344 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=F | option_b=D | option_c=G | option_d=E | answer=A | explanation=Move 1 positions forward from E; the resulting letter is F.

id=31345 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8047 at 10% per annum for 4 years. | option_a=11265 | option_b=3218 | option_c=3318 | option_d=3118 | answer=B | explanation=SI = PRT/100 = 8047×10×4/100 = █3218.

id=31346 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9328 at 6% per annum for 5 years. | option_a=12126 | option_b=2898 | option_c=2798 | option_d=2698 | answer=C | explanation=SI = PRT/100 = 9328×6×5/100 = █2798.

id=31347 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=31348 | topic=Averages | difficulty=Easy | question=Find the average of 19, 21, 91, 23, 53, 83, 39. | option_a=49 | option_b=47 | option_c=46 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 329 ÷ 7 = 47.

id=31349 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=O | option_c=I | option_d=R | answer=B | explanation=Move 3 positions forward from L; the resulting letter is O.

id=31350 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:11 and the first is 72, what is the second? | option_a=78 | option_b=55 | option_c=66 | option_d=138 | answer=C | explanation=Scale factor = 72/12 = 6. Therefore second quantity = 11×6 = 66.

Aptitude Questions — Records 31,351-31,380 of 100,000

- id=31351 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 9, 14, 20? | option_a=9 | option_b=20 | option_c=14 | option_d=4 | answer=B | explanation=The first three numbers increase by 5, so the next should be 19. Therefore 20 is the odd one out.
- id=31352 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1697. If it is sold at a profit of 30%, what is its selling price? | option_a=2206 | option_b=2037 | option_c=1727 | option_d=2375 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1697 × 130/100 = █2206.
- id=31353 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19062 at 4% per annum for 1 years. | option_a=862 | option_b=662 | option_c=19824 | option_d=762 | answer=D | explanation=SI = PRT/100 = 19062×4×1/100 = █762.
- id=31354 | topic=Averages | difficulty=Easy | question=Find the average of 84, 73, 45, 10. | option_a=54 | option_b=53 | option_c=52 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 212 ÷ 4 = 53.
- id=31355 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=7 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.
- id=31356 | topic=Percentages | difficulty=Easy | question=What is 40% of 562? | option_a=219 | option_b=224 | option_c=234 | option_d=448 | answer=B | explanation=40% of 562 = (40/100) × 562 = 224.
- id=31357 | topic=Percentages | difficulty=Easy | question=What is 20% of 1882? | option_a=396 | option_b=371 | option_c=376 | option_d=752 | answer=C | explanation=20% of 1882 = (20/100) × 1882 = 376.
- id=31358 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=41 | option_b=36 | option_c=29 | option_d=35 | answer=D | explanation=The common difference is 6. Therefore the next term is 29 + 6 = 35.
- id=31359 | topic=Percentages | difficulty=Easy | question=What is 15% of 733? | option_a=99 | option_b=109 | option_c=218 | option_d=119 | answer=B | explanation=15% of 733 = (15/100) × 733 = 109.
- id=31360 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 12, 14, 17? | option_a=12 | option_b=17 | option_c=14 | option_d=10 | answer=B | explanation=The first three numbers increase by 2, so the next should be 16. Therefore 17 is the odd one out.
- id=31361 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=144 | option_c=77 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.
- id=31362 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=R | option_c=P | option_d=T | answer=D | explanation=Move 2 positions forward from R; the resulting letter is T.
- id=31363 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2466. If it is sold at a profit of 30%, what is its selling price? | option_a=2496 | option_b=2959 | option_c=3451 | option_d=3205 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2466 × 130/100 = █3205.
- id=31364 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:17 and the first is 57, what is the second? | option_a=326 | option_b=306 | option_c=380 | option_d=323 | answer=D | explanation=Scale factor = 57/3 = 19. Therefore second quantity = 17×19 = 323.
- id=31365 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46205 at 4% per annum for 4 years. | option_a=7292 | option_b=53597 | option_c=7492 | option_d=7392 | answer=D | explanation=SI = PRT/100 = 46205×4×4/100 = █7392.
- id=31366 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:8 and the first is 68, what is the second? | option_a=100 | option_b=32 | option_c=24 | option_d=49 | answer=B | explanation=Scale factor = 68/17 = 4. Therefore second quantity = 8×4 = 32.
- id=31367 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.
- id=31368 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.
- id=31369 | topic=Percentages | difficulty=Easy | question=What is 30% of 624? | option_a=374 | option_b=182 | option_c=197 | option_d=187 | answer=D | explanation=30% of 624 = (30/100) × 624 = 187.
- id=31370 | topic=Averages | difficulty=Easy | question=Find the average of 13, 27, 95, 89. | option_a=55 | option_b=56 | option_c=58 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 224 ÷ 4 = 56.
- id=31371 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:2 and the first is 234, what is the second? | option_a=49 | option_b=270 | option_c=36 | option_d=34 | answer=C | explanation=Scale factor = 234/13 = 18. Therefore second quantity = 2×18 = 36.
- id=31372 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 36? | option_a=22 | option_b=26 | option_c=30 | option_d=36 | answer=D | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 36 is the odd one out.
- id=31373 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 15, 18, 23? | option_a=12 | option_b=18 | option_c=15 | option_d=23 | answer=D | explanation=The first three numbers increase by 3, so the next should be 21. Therefore 23 is the odd one out.
- id=31374 | topic=Averages | difficulty=Easy | question=Find the average of 35, 10, 46, 63, 40, 72, 76, 97, 65. | option_a=55 | option_b=58 | option_c=57 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.
- id=31375 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=31376 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25474 at 8% per annum for 2 years. | option_a=29549 | option_b=4175 | option_c=4075 | option_d=3975 | answer=C | explanation=SI = PRT/100 = 25474×8×2/100 = █4075.
- id=31377 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47884 at 4% per annum for 3 years. | option_a=5646 | option_b=53630 | option_c=5846 | option_d=5746 | answer=D | explanation=SI = PRT/100 = 47884×4×3/100 = █5746.
- id=31378 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45689 at 5% per annum for 4 years. | option_a=54826 | option_b=9037 | option_c=9137 | option_d=9237 | answer=C | explanation=SI = PRT/100 = 45689×5×4/100 = █9137.
- id=31379 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.
- id=31380 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

Aptitude Questions — Records 31,381-31,410 of 100,000

- id=31381 | topic=Percentages | difficulty=Easy | question=What is 12% of 511? | option_a=122 | option_b=61 | option_c=56 | option_d=71 | answer=B | explanation=12% of 511 = (12/100) × 511 = 61.
- id=31382 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=G | option_b=I | option_c=J | option_d=H | answer=B | explanation=Move 1 positions forward from H; the resulting letter is I.
- id=31383 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=L | option_b=K | option_c=M | option_d=J | answer=A | explanation=Move 1 positions forward from K; the resulting letter is L.
- id=31384 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=48 | option_c=24 | option_d=19 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.
- id=31385 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**49193 at 4% per annum for 5 years. | option_a=9738 | option_b=9938 | option_c=9838 | option_d=59031 | answer=C | explanation=SI = PRT/100 = 49193×4×5/100 = **₹**9838.
- id=31386 | topic=Averages | difficulty=Easy | question=Find the average of 17, 36, 45, 30, 53, 28, 41, 74, 88, 88. | option_a=49 | option_b=50 | option_c=51 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 500 ÷ 10 = 50.
- id=31387 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1751. If it is sold at a profit of 20%, what is its selling price? | option_a=2101 | option_b=1926 | option_c=2276 | option_d=1771 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1751 × 120/100 = **₹**2101.
- id=31388 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 26. | option_a=208 | option_b=416 | option_c=182 | option_d=224 | answer=A | explanation=LCM × HCF = 16×26; HCF(16,26) = 2, so LCM = 208.
- id=31389 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:5 and the first is 209, what is the second? | option_a=90 | option_b=304 | option_c=106 | option_d=95 | answer=D | explanation=Scale factor = 209/11 = 19. Therefore second quantity = 5×19 = 95.
- id=31390 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:2 and the first is 112, what is the second? | option_a=36 | option_b=26 | option_c=28 | option_d=140 | answer=C | explanation=Scale factor = 112/8 = 14. Therefore second quantity = 2×14 = 28.
- id=31391 | topic=Averages | difficulty=Easy | question=Find the average of 24, 60, 88, 84, 78, 84, 57, 39, 26. | option_a=60 | option_b=59 | option_c=61 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 540 ÷ 9 = 60.
- id=31392 | topic=Averages | difficulty=Easy | question=Find the average of 38, 63, 11, 71, 92, 19. | option_a=49 | option_b=51 | option_c=48 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 294 ÷ 6 = 49.
- id=31393 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 18. | option_a=180 | option_b=72 | option_c=100 | option_d=90 | answer=D | explanation=LCM × HCF = 10×18; HCF(10,18) = 2, so LCM = 90.
- id=31394 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Y | option_b=U | option_c=M | option_d=Q | answer=B | explanation=Move 4 positions forward from Q; the resulting letter is U.
- id=31395 | topic=Percentages | difficulty=Easy | question=What is 40% of 931? | option_a=744 | option_b=392 | option_c=362 | option_d=372 | answer=D | explanation=40% of 931 = (40/100) × 931 = 372.
- id=31396 | topic=Percentages | difficulty=Easy | question=What is 25% of 1528? | option_a=764 | option_b=382 | option_c=362 | option_d=392 | answer=B | explanation=25% of 1528 = (25/100) × 1528 = 382.
- id=31397 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**8020 at 8% per annum for 2 years. | option_a=1283 | option_b=9303 | option_c=1183 | option_d=1383 | answer=A | explanation=SI = PRT/100 = 8020×8×2/100 = **₹**1283.
- id=31398 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=31399 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3494. If it is sold at a profit of 25%, what is its selling price? | option_a=4716 | option_b=4018 | option_c=4367 | option_d=3519 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3494 × 125/100 = **₹**4367.
- id=31400 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=Z | option_b=B | option_c=C | option_d=A | answer=B | explanation=Move 1 positions forward from A; the resulting letter is B.
- id=31401 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=H | option_b=Y | option_c=E | option_d=B | answer=C | explanation=Move 3 positions forward from B; the resulting letter is E.
- id=31402 | topic=Averages | difficulty=Easy | question=Find the average of 55, 32, 48, 71, 58, 67, 73, 12, 91, 53. | option_a=55 | option_b=57 | option_c=58 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 560 ÷ 10 = 56.
- id=31403 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 33, 40, 49? | option_a=49 | option_b=33 | option_c=40 | option_d=26 | answer=A | explanation=The first three numbers increase by 7, so the next should be 47. Therefore 49 is the odd one out.
- id=31404 | topic=Averages | difficulty=Easy | question=Find the average of 15, 70, 10, 74, 81. | option_a=52 | option_b=51 | option_c=49 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 250 ÷ 5 = 50.
- id=31405 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:17 and the first is 40, what is the second? | option_a=340 | option_b=380 | option_c=342 | option_d=323 | answer=A | explanation=Scale factor = 40/2 = 20. Therefore second quantity = 17×20 = 340.
- id=31406 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2061. If it is sold at a profit of 5%, what is its selling price? | option_a=2370 | option_b=1958 | option_c=2066 | option_d=2164 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2061 × 105/100 = **₹**2164.
- id=31407 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 17, 20, 26? | option_a=20 | option_b=14 | option_c=26 | option_d=17 | answer=C | explanation=The first three numbers increase by 3, so the next should be 23. Therefore 26 is the odd one out.
- id=31408 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:9 and the first is 72, what is the second? | option_a=72 | option_b=144 | option_c=63 | option_d=81 | answer=A | explanation=Scale factor = 72/9 = 8. Therefore second quantity = 9×8 = 72.
- id=31409 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 17, 20, 25? | option_a=20 | option_b=14 | option_c=17 | option_d=25 | answer=D | explanation=The first three numbers increase by 3, so the next should be 23. Therefore 25 is the odd one out.
- id=31410 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=36 | option_c=41 | option_d=31 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

Aptitude Questions — Records 31,411-31,440 of 100,000

id=31411 | topic=Averages | difficulty=Easy | question=Find the average of 35, 68, 98, 42, 32. | option_a=56 | option_b=57 | option_c=54 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 275 ÷ 5 = 55.

id=31412 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:12 and the first is 27, what is the second? | option_a=36 | option_b=24 | option_c=63 | option_d=45 | answer=A | explanation=Scale factor = 27/9 = 3. Therefore second quantity = 12×3 = 36.

id=31413 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'i' become? | option_a=J | option_b=H | option_c=I | option_d=K | answer=A | explanation=Move 1 positions forward from I; the resulting letter is J.

id=31414 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17548 at 6% per annum for 4 years. | option_a=4111 | option_b=4211 | option_c=21759 | option_d=4311 | answer=B | explanation=SI = PRT/100 = 17548×6×4/100 = **■**4211.

id=31415 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**242. If it is sold at a profit of 40%, what is its selling price? | option_a=362 | option_b=314 | option_c=338 | option_d=282 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 242 × 140/100 = **■**338.

id=31416 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1086. If it is sold at a profit of 10%, what is its selling price? | option_a=1086 | option_b=1096 | option_c=1194 | option_d=1302 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1086 × 110/100 = **■**1194.

id=31417 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=A | option_c=M | option_d=E | answer=A | explanation=Move 4 positions forward from E; the resulting letter is I.

id=31418 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44583 at 15% per annum for 3 years. | option_a=20062 | option_b=20162 | option_c=64645 | option_d=19962 | answer=A | explanation=SI = PRT/100 = 44583×15×3/100 = **■**20062.

id=31419 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=63 | option_b=52 | option_c=51 | option_d=39 | answer=C | explanation=The common difference is 12. Therefore the next term is 39 + 12 = 51.

id=31420 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=21 | option_b=20 | option_c=18 | option_d=22 | answer=B | explanation=The common difference is 2. Therefore the next term is 18 + 2 = 20.

id=31421 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=31422 | topic=Percentages | difficulty=Easy | question=What is 5% of 1083? | option_a=59 | option_b=44 | option_c=108 | option_d=54 | answer=D | explanation=5% of 1083 = (5/100) × 1083 = 54.

id=31423 | topic=Percentages | difficulty=Easy | question=What is 20% of 1858? | option_a=742 | option_b=361 | option_c=391 | option_d=371 | answer=D | explanation=20% of 1858 = (20/100) × 1858 = 371.

id=31424 | topic=Averages | difficulty=Easy | question=Find the average of 21, 87, 68, 64. | option_a=62 | option_b=60 | option_c=61 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 240 ÷ 4 = 60.

id=31425 | topic=Averages | difficulty=Easy | question=Find the average of 95, 95, 15, 92, 38, 43. | option_a=62 | option_b=63 | option_c=64 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 378 ÷ 6 = 63.

id=31426 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=36 | option_c=72 | option_d=41 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=31427 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:3 and the first is 256, what is the second? | option_a=48 | option_b=45 | option_c=304 | option_d=64 | answer=A | explanation=Scale factor = 256/16 = 16. Therefore second quantity = 3×16 = 48.

id=31428 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1124. If it is sold at a profit of 5%, what is its selling price? | option_a=1129 | option_b=1180 | option_c=1292 | option_d=1068 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1124 × 105/100 = **■**1180.

id=31429 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20226 at 5% per annum for 2 years. | option_a=2022 | option_b=2122 | option_c=1922 | option_d=22248 | answer=A | explanation=SI = PRT/100 = 20226×5×2/100 = **■**2022.

id=31430 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=31431 | topic=Percentages | difficulty=Easy | question=What is 15% of 1020? | option_a=153 | option_b=306 | option_c=163 | option_d=143 | answer=A | explanation=15% of 1020 = (15/100) × 1020 = 153.

id=31432 | topic=Averages | difficulty=Easy | question=Find the average of 24, 42, 60, 19, 80. | option_a=46 | option_b=44 | option_c=47 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 225 ÷ 5 = 45.

id=31433 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'i' become? | option_a=F | option_b=I | option_c=O | option_d=L | answer=D | explanation=Move 3 positions forward from I; the resulting letter is L.

id=31434 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:6 and the first is 126, what is the second? | option_a=108 | option_b=234 | option_c=102 | option_d=115 | answer=A | explanation=Scale factor = 126/7 = 18. Therefore second quantity = 6×18 = 108.

id=31435 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:15 and the first is 143, what is the second? | option_a=195 | option_b=338 | option_c=180 | option_d=206 | answer=A | explanation=Scale factor = 143/11 = 13. Therefore second quantity = 15×13 = 195.

id=31436 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=25 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=31437 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 16, 26, 37? | option_a=6 | option_b=16 | option_c=26 | option_d=37 | answer=D | explanation=The first three numbers increase by 10, so the next should be 36. Therefore 37 is the odd one out.

id=31438 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 14, 23, 34? | option_a=23 | option_b=34 | option_c=14 | option_d=5 | answer=B | explanation=The first three numbers increase by 9, so the next should be 32. Therefore 34 is the odd one out.

id=31439 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=125 | option_b=240 | option_c=115 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=31440 | topic=Percentages | difficulty=Easy | question=What is 10% of 1473? | option_a=147 | option_b=294 | option_c=167 | option_d=137 | answer=A | explanation=10% of 1473 = (10/100) × 1473 = 147.

Aptitude Questions — Records 31,441-31,470 of 100,000

id=31441 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 27, 30, 35? | option_a=24 | option_b=27 | option_c=35 | option_d=30 | answer=C | explanation=The first three numbers increase by 3, so the next should be 33. Therefore 35 is the odd one out.

id=31442 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2509. If it is sold at a profit of 5%, what is its selling price? | option_a=2634 | option_b=2384 | option_c=2514 | option_d=2884 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2509 × 105/100 = █2634.

id=31443 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2161. If it is sold at a profit of 50%, what is its selling price? | option_a=3241 | option_b=3025 | option_c=2211 | option_d=3457 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2161 × 150/100 = █3241.

id=31444 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=5 | option_c=20 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=31445 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 27. | option_a=27 | option_b=54 | option_c=72 | option_d=486 | answer=B | explanation=LCM × HCF = 18×27; HCF(18,27) = 9, so LCM = 54.

id=31446 | topic=Percentages | difficulty=Easy | question=What is 10% of 568? | option_a=51 | option_b=112 | option_c=66 | option_d=56 | answer=D | explanation=10% of 568 = (10/100) × 568 = 56.

id=31447 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=R | option_b=N | option_c=J | option_d=F | answer=B | explanation=Move 4 positions forward from J; the resulting letter is N.

id=31448 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 29? | option_a=5 | option_b=29 | option_c=12 | option_d=19 | answer=B | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 29 is the odd one out.

id=31449 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:19 and the first is 36, what is the second? | option_a=95 | option_b=150 | option_c=114 | option_d=120 | answer=C | explanation=Scale factor = 36/6 = 6. Therefore second quantity = 19×6 = 114.

id=31450 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 55? | option_a=45 | option_b=37 | option_c=55 | option_d=29 | answer=C | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 55 is the odd one out.

id=31451 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36145 at 4% per annum for 2 years. | option_a=2791 | option_b=39036 | option_c=2991 | option_d=2891 | answer=D | explanation=SI = PRT/100 = 36145×4×2/100 = █2891.

id=31452 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=51 | option_b=43 | option_c=44 | option_d=35 | answer=B | explanation=The common difference is 8. Therefore the next term is 35 + 8 = 43.

id=31453 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=34 | option_b=52 | option_c=43 | option_d=44 | answer=C | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

id=31454 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=M | option_c=Y | option_d=U | answer=D | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=31455 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2388. If it is sold at a profit of 50%, what is its selling price? | option_a=3820 | option_b=3582 | option_c=3344 | option_d=2438 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2388 × 150/100 = █3582.

id=31456 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5698 at 4% per annum for 3 years. | option_a=6381 | option_b=683 | option_c=783 | option_d=583 | answer=B | explanation=SI = PRT/100 = 5698×4×3/100 = █683.

id=31457 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37729 at 5% per annum for 3 years. | option_a=5559 | option_b=5759 | option_c=43388 | option_d=5659 | answer=D | explanation=SI = PRT/100 = 37729×5×3/100 = █5659.

id=31458 | topic=Averages | difficulty=Easy | question=Find the average of 66, 39, 93, 80, 38, 42, 86, 76, 65, 85. | option_a=66 | option_b=69 | option_c=67 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 670 ÷ 10 = 67.

id=31459 | topic=Averages | difficulty=Easy | question=Find the average of 61, 22, 43. | option_a=43 | option_b=41 | option_c=42 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = 126 ÷ 3 = 42.

id=31460 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 6. | option_a=6 | option_b=12 | option_c=1 | option_d=36 | answer=A | explanation=LCM × HCF = 6×6; HCF(6,6) = 6, so LCM = 6.

id=31461 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=31462 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=47 | option_b=56 | option_c=46 | option_d=36 | answer=C | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.

id=31463 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=9 | option_b=18 | option_c=4 | option_d=14 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=31464 | topic=Percentages | difficulty=Easy | question=What is 5% of 1426? | option_a=71 | option_b=142 | option_c=76 | option_d=61 | answer=A | explanation=5% of 1426 = (5/100) × 1426 = 71.

id=31465 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 51? | option_a=51 | option_b=42 | option_c=30 | option_d=36 | answer=A | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 51 is the odd one out.

id=31466 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1708. If it is sold at a profit of 40%, what is its selling price? | option_a=2221 | option_b=2391 | option_c=2561 | option_d=1748 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1708 × 140/100 = █2391.

id=31467 | topic=Percentages | difficulty=Easy | question=What is 20% of 365? | option_a=146 | option_b=53 | option_c=73 | option_d=83 | answer=C | explanation=20% of 365 = (20/100) × 365 = 73.

id=31468 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24661 at 15% per annum for 1 years. | option_a=3599 | option_b=28360 | option_c=3799 | option_d=3699 | answer=D | explanation=SI = PRT/100 = 24661×15×1/100 = █3699.

id=31469 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 12, 21, 30, ? | option_a=30 | option_b=39 | option_c=48 | option_d=40 | answer=B | explanation=The common difference is 9. Therefore the next term is 30 + 9 = 39.

id=31470 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=51 | option_b=61 | option_c=50 | option_d=39 | answer=C | explanation=The common difference is 11. Therefore the next term is 39 + 11 = 50.

Aptitude Questions — Records 31,471-31,500 of 100,000

id=31471 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:2 and the first is 187, what is the second? | option_a=45 | option_b=221 | option_c=32 | option_d=34 | answer=D | explanation=Scale factor = 187/11 = 17. Therefore second quantity = 2×17 = 34.

id=31472 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:10 and the first is 24, what is the second? | option_a=50 | option_b=84 | option_c=64 | option_d=60 | answer=D | explanation=Scale factor = 24/4 = 6. Therefore second quantity = 10×6 = 60.

id=31473 | topic=Percentages | difficulty=Easy | question=What is 30% of 201? | option_a=80 | option_b=40 | option_c=120 | option_d=60 | answer=D | explanation=30% of 201 = (30/100) × 201 = 60.

id=31474 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30868 at 4% per annum for 2 years. | option_a=2469 | option_b=2569 | option_c=2369 | option_d=33337 | answer=A | explanation=SI = PRT/100 = 30868×4×2/100 = **■**2469.

id=31475 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 25, 33, 41, ? | option_a=41 | option_b=50 | option_c=49 | option_d=57 | answer=C | explanation=The common difference is 8. Therefore the next term is 41 + 8 = 49.

id=31476 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:18 and the first is 22, what is the second? | option_a=180 | option_b=200 | option_c=198 | option_d=220 | answer=C | explanation=Scale factor = 22/2 = 11. Therefore second quantity = 18×11 = 198.

id=31477 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 35, 45, 57? | option_a=25 | option_b=35 | option_c=45 | option_d=57 | answer=D | explanation=The first three numbers increase by 10, so the next should be 55. Therefore 57 is the odd one out.

id=31478 | topic=Percentages | difficulty=Easy | question=What is 30% of 468? | option_a=120 | option_b=140 | option_c=145 | option_d=280 | answer=B | explanation=30% of 468 = (30/100) × 468 = 140.

id=31479 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3316 at 8% per annum for 1 years. | option_a=365 | option_b=265 | option_c=3581 | option_d=165 | answer=B | explanation=SI = PRT/100 = 3316×8×1/100 = **■**265.

id=31480 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:16 and the first is 238, what is the second? | option_a=256 | option_b=286 | option_c=510 | option_d=272 | answer=D | explanation=Scale factor = 238/14 = 17. Therefore second quantity = 16×17 = 272.

id=31481 | topic=Percentages | difficulty=Easy | question=What is 25% of 1259? | option_a=319 | option_b=628 | option_c=314 | option_d=309 | answer=C | explanation=25% of 1259 = (25/100) × 1259 = 314.

id=31482 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=19 | option_c=48 | option_d=29 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=31483 | topic=Averages | difficulty=Easy | question=Find the average of 19, 67, 96, 100, 90, 60. | option_a=71 | option_b=74 | option_c=72 | option_d=73 | answer=C | explanation=Average = sum of values ÷ number of values = 432 ÷ 6 = 72.

id=31484 | topic=Percentages | difficulty=Easy | question=What is 5% of 450? | option_a=42 | option_b=12 | option_c=44 | option_d=22 | answer=D | explanation=5% of 450 = (5/100) × 450 = 22.

id=31485 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1374. If it is sold at a profit of 40%, what is its selling price? | option_a=1414 | option_b=1786 | option_c=2060 | option_d=1923 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1374 × 140/100 = **■**1923.

id=31486 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 22. | option_a=96 | option_b=88 | option_c=66 | option_d=176 | answer=B | explanation=LCM × HCF = 8×22; HCF(8,22) = 2, so LCM = 88.

id=31487 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2834. If it is sold at a profit of 50%, what is its selling price? | option_a=2884 | option_b=4251 | option_c=4534 | option_d=3968 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2834 × 150/100 = **■**4251.

id=31488 | topic=Averages | difficulty=Easy | question=Find the average of 74, 49, 66. | option_a=65 | option_b=62 | option_c=64 | option_d=63 | answer=D | explanation=Average = sum of values + number of values = 189 ÷ 3 = 63.

id=31489 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7968 at 5% per annum for 3 years. | option_a=1195 | option_b=1095 | option_c=9163 | option_d=1295 | answer=A | explanation=SI = PRT/100 = 7968×5×3/100 = **■**1195.

id=31490 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=31491 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16362 at 10% per annum for 4 years. | option_a=22906 | option_b=6644 | option_c=6544 | option_d=6444 | answer=C | explanation=SI = PRT/100 = 16362×10×4/100 = **■**6544.

id=31492 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 39, 49, 61? | option_a=29 | option_b=49 | option_c=39 | option_d=61 | answer=D | explanation=The first three numbers increase by 10, so the next should be 59. Therefore 61 is the odd one out.

id=31493 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=31494 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2156. If it is sold at a profit of 5%, what is its selling price? | option_a=2263 | option_b=2161 | option_c=2048 | option_d=2478 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2156 × 105/100 = **■**2263.

id=31495 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:8 and the first is 209, what is the second? | option_a=152 | option_b=163 | option_c=144 | option_d=361 | answer=A | explanation=Scale factor = 209/11 = 19. Therefore second quantity = 8×19 = 152.

id=31496 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 20, 30, 43? | option_a=43 | option_b=20 | option_c=10 | option_d=30 | answer=A | explanation=The first three numbers increase by 10, so the next should be 40. Therefore 43 is the odd one out.

id=31497 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=31498 | topic=Averages | difficulty=Easy | question=Find the average of 83, 18, 45, 81, 88, 81. | option_a=67 | option_b=66 | option_c=68 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 396 ÷ 6 = 66.

id=31499 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=31500 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 10, 13, 16, ? | option_a=22 | option_b=19 | option_c=20 | option_d=16 | answer=B | explanation=The common difference is 3. Therefore the next term is 16 + 3 = 19.

Aptitude Questions — Records 31,501-31,530 of 100,000

- id=31501 | topic=Percentages | difficulty=Easy | question=What is 5% of 1548? | option_a=67 | option_b=97 | option_c=154 | option_d=77 | answer=D | explanation=5% of 1548 = (5/100) × 1548 = 77.
- id=31502 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:11 and the first is 140, what is the second? | option_a=227 | option_b=220 | option_c=209 | option_d=360 | answer=B | explanation=Scale factor = 140/7 = 20. Therefore second quantity = 11×20 = 220.
- id=31503 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6539 at 15% per annum for 4 years. | option_a=3823 | option_b=3923 | option_c=10462 | option_d=4023 | answer=B | explanation=SI = PRT/100 = 6539×15×4/100 = **■**3923.
- id=31504 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16868 at 12% per annum for 3 years. | option_a=6072 | option_b=22940 | option_c=5972 | option_d=6172 | answer=A | explanation=SI = PRT/100 = 16868×12×3/100 = **■**6072.
- id=31505 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2998. If it is sold at a profit of 5%, what is its selling price? | option_a=3446 | option_b=2848 | option_c=3003 | option_d=3147 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2998 × 105/100 = **■**3147.
- id=31506 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=Q | option_b=R | option_c=T | option_d=S | answer=D | explanation=Move 1 positions forward from R; the resulting letter is S.
- id=31507 | topic=Averages | difficulty=Easy | question=Find the average of 43, 13, 82. | option_a=48 | option_b=47 | option_c=46 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = 138 ÷ 3 = 46.
- id=31508 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3281. If it is sold at a profit of 25%, what is its selling price? | option_a=4101 | option_b=3306 | option_c=4429 | option_d=3773 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3281 × 125/100 = **■**4101.
- id=31509 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=115 | option_c=125 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.
- id=31510 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:3 and the first is 40, what is the second? | option_a=9 | option_b=12 | option_c=22 | option_d=52 | answer=B | explanation=Scale factor = 40/10 = 4. Therefore second quantity = 3×4 = 12.
- id=31511 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23678 at 4% per annum for 1 years. | option_a=24625 | option_b=947 | option_c=847 | option_d=1047 | answer=B | explanation=SI = PRT/100 = 23678×4×1/100 = **■**947.
- id=31512 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13335 at 10% per annum for 5 years. | option_a=6667 | option_b=6567 | option_c=20002 | option_d=6767 | answer=A | explanation=SI = PRT/100 = 13335×10×5/100 = **■**6667.
- id=31513 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 30. | option_a=108 | option_b=540 | option_c=90 | option_d=60 | answer=C | explanation=LCM × HCF = 18×30; HCF(18,30) = 6, so LCM = 90.
- id=31514 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 12, 16, 23? | option_a=16 | option_b=12 | option_c=8 | option_d=23 | answer=D | explanation=The first three numbers increase by 4, so the next should be 20. Therefore 23 is the odd one out.
- id=31515 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=P | option_c=R | option_d=T | answer=D | explanation=Move 2 positions forward from R; the resulting letter is T.
- id=31516 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22345 at 10% per annum for 4 years. | option_a=31283 | option_b=9038 | option_c=8938 | option_d=8838 | answer=C | explanation=SI = PRT/100 = 22345×10×4/100 = **■**8938.
- id=31517 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:2 and the first is 170, what is the second? | option_a=18 | option_b=20 | option_c=37 | option_d=190 | answer=B | explanation=Scale factor = 170/17 = 10. Therefore second quantity = 2×10 = 20.
- id=31518 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4225. If it is sold at a profit of 20%, what is its selling price? | option_a=5492 | option_b=4648 | option_c=4245 | option_d=5070 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4225 × 120/100 = **■**5070.
- id=31519 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=56 | option_b=36 | option_c=46 | option_d=47 | answer=C | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.
- id=31520 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=I | option_c=S | option_d=X | answer=C | explanation=Move 5 positions forward from N; the resulting letter is S.
- id=31521 | topic=Percentages | difficulty=Easy | question=What is 15% of 785? | option_a=97 | option_b=117 | option_c=234 | option_d=122 | answer=B | explanation=15% of 785 = (15/100) × 785 = 117.
- id=31522 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:9 and the first is 100, what is the second? | option_a=90 | option_b=81 | option_c=100 | option_d=190 | answer=A | explanation=Scale factor = 100/10 = 10. Therefore second quantity = 9×10 = 90.
- id=31523 | topic=Percentages | difficulty=Easy | question=What is 25% of 384? | option_a=101 | option_b=86 | option_c=96 | option_d=192 | answer=C | explanation=25% of 384 = (25/100) × 384 = 96.
- id=31524 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43, ? | option_a=43 | option_b=51 | option_c=52 | option_d=59 | answer=B | explanation=The common difference is 8. Therefore the next term is 43 + 8 = 51.
- id=31525 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**582. If it is sold at a profit of 50%, what is its selling price? | option_a=873 | option_b=815 | option_c=931 | option_d=632 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 582 × 150/100 = **■**873.
- id=31526 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=W | option_b=R | option_c=B | option_d=M | answer=A | explanation=Move 5 positions forward from R; the resulting letter is W.
- id=31527 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 29, 34, 42? | option_a=24 | option_b=34 | option_c=42 | option_d=29 | answer=C | explanation=The first three numbers increase by 5, so the next should be 39. Therefore 42 is the odd one out.
- id=31528 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9038 at 5% per annum for 3 years. | option_a=1455 | option_b=1255 | option_c=10393 | option_d=1355 | answer=D | explanation=SI = PRT/100 = 9038×5×3/100 = **■**1355.
- id=31529 | topic=Averages | difficulty=Easy | question=Find the average of 89, 44, 81, 27, 29, 15, 51. | option_a=47 | option_b=49 | option_c=48 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 336 ÷ 7 = 48.
- id=31530 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 29, 33, 38? | option_a=29 | option_b=25 | option_c=33 | option_d=38 | answer=D | explanation=The first three numbers increase by 4, so the next should be 37. Therefore 38 is the odd one out.

Aptitude Questions — Records 31,531-31,560 of 100,000

id=31531 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=A | option_b=P | option_c=F | option_d=K | answer=D | explanation=Move 5 positions forward from F; the resulting letter is K.

id=31532 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=43 | option_c=53 | option_d=96 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=31533 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2740. If it is sold at a profit of 20%, what is its selling price? | option_a=3562 | option_b=3014 | option_c=2760 | option_d=3288 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2740 × 120/100 = █3288.

id=31534 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 29? | option_a=20 | option_b=29 | option_c=22 | option_d=24 | answer=B | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 29 is the odd one out.

id=31535 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25642 at 6% per annum for 2 years. | option_a=3177 | option_b=2977 | option_c=28719 | option_d=3077 | answer=D | explanation=SI = PRT/100 = 25642×6×2/100 = █3077.

id=31536 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=29 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=31537 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 45? | option_a=19 | option_b=35 | option_c=27 | option_d=45 | answer=D | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 45 is the odd one out.

id=31538 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=55 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=31539 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=31540 | topic=Averages | difficulty=Easy | question=Find the average of 95, 73, 98, 58, 31. | option_a=70 | option_b=71 | option_c=72 | option_d=73 | answer=B | explanation=Average = sum of values ÷ number of values = 355 ÷ 5 = 71.

id=31541 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3055. If it is sold at a profit of 10%, what is its selling price? | option_a=3360 | option_b=3065 | option_c=3055 | option_d=3665 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3055 × 110/100 = █3360.

id=31542 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:20 and the first is 60, what is the second? | option_a=140 | option_b=60 | option_c=95 | option_d=80 | answer=D | explanation=Scale factor = 60/15 = 4. Therefore second quantity = 20×4 = 80.

id=31543 | topic=Averages | difficulty=Easy | question=Find the average of 52, 89, 46, 27, 93, 55, 72. | option_a=64 | option_b=63 | option_c=61 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 434 ÷ 7 = 62.

id=31544 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 25, 34, 46? | option_a=46 | option_b=25 | option_c=34 | option_d=16 | answer=A | explanation=The first three numbers increase by 9, so the next should be 43. Therefore 46 is the odd one out.

id=31545 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=31546 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=31547 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=31548 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=31549 | topic=Averages | difficulty=Easy | question=Find the average of 46, 55, 11, 80. | option_a=48 | option_b=47 | option_c=50 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 192 ÷ 4 = 48.

id=31550 | topic=Averages | difficulty=Easy | question=Find the average of 49, 94, 83, 36, 86, 28, 61, 95, 80. | option_a=70 | option_b=69 | option_c=67 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = 612 ÷ 9 = 68.

id=31551 | topic=Percentages | difficulty=Easy | question=What is 10% of 405? | option_a=40 | option_b=30 | option_c=60 | option_d=80 | answer=A | explanation=10% of 405 = (10/100) × 405 = 40.

id=31552 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22431 at 15% per annum for 1 years. | option_a=3264 | option_b=3464 | option_c=25795 | option_d=3364 | answer=D | explanation=SI = PRT/100 = 22431×15×1/100 = █3364.

id=31553 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 16, 20, 26? | option_a=20 | option_b=12 | option_c=16 | option_d=26 | answer=D | explanation=The first three numbers increase by 4, so the next should be 24. Therefore 26 is the odd one out.

id=31554 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14315 at 8% per annum for 3 years. | option_a=17750 | option_b=3335 | option_c=3435 | option_d=3535 | answer=C | explanation=SI = PRT/100 = 14315×8×3/100 = █3435.

id=31555 | topic=Percentages | difficulty=Easy | question=What is 30% of 1263? | option_a=378 | option_b=756 | option_c=398 | option_d=368 | answer=A | explanation=30% of 1263 = (30/100) × 1263 = 378.

id=31556 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=50 | option_c=45 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=31557 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=W | option_c=T | option_d=N | answer=C | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=31558 | topic=Percentages | difficulty=Easy | question=What is 10% of 1468? | option_a=146 | option_b=156 | option_c=136 | option_d=292 | answer=A | explanation=10% of 1468 = (10/100) × 1468 = 146.

id=31559 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=125 | option_b=120 | option_c=115 | option_d=240 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=31560 | topic=Averages | difficulty=Easy | question=Find the average of 31, 44, 83, 10, 62, 48, 69, 54, 13. | option_a=45 | option_b=47 | option_c=48 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 414 ÷ 9 = 46.

Aptitude Questions — Records 31,561-31,590 of 100,000

id=31561 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=125 | option_b=240 | option_c=115 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=31562 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48659 at 10% per annum for 5 years. | option_a=24429 | option_b=24329 | option_c=24229 | option_d=72988 | answer=B | explanation=SI = $PRT/100 = 48659 \times 10 \times 5 / 100 =$ **■**24329.

id=31563 | topic=Averages | difficulty=Easy | question=Find the average of 58, 84, 93, 41, 96, 18. | option_a=64 | option_b=66 | option_c=65 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 390 ÷ 6 = 65.

id=31564 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9291 at 8% per annum for 3 years. | option_a=11520 | option_b=2329 | option_c=2229 | option_d=2129 | answer=C | explanation=SI = $PRT/100 = 9291 \times 8 \times 3 / 100 =$ **■**2229.

id=31565 | topic=Percentages | difficulty=Easy | question=What is 10% of 1820? | option_a=182 | option_b=177 | option_c=187 | option_d=364 | answer=A | explanation=10% of 1820 = $(10/100) \times 1820 =$ 182.

id=31566 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=67 | option_c=72 | option_d=144 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=31567 | topic=Percentages | difficulty=Easy | question=What is 30% of 160? | option_a=48 | option_b=96 | option_c=43 | option_d=68 | answer=A | explanation=30% of 160 = $(30/100) \times 160 =$ 48.

id=31568 | topic=Averages | difficulty=Easy | question=Find the average of 88, 75, 69, 76, 14, 30, 14, 90. | option_a=56 | option_b=58 | option_c=59 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

id=31569 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=18 | option_c=36 | option_d=23 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=31570 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 8. | option_a=12 | option_b=32 | option_c=1 | option_d=8 | answer=D | explanation=LCM × HCF = 4×8; HCF(4,8) = 4, so LCM = 8.

id=31571 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=36 | option_b=35 | option_c=30 | option_d=40 | answer=B | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=31572 | topic=Averages | difficulty=Easy | question=Find the average of 73, 67, 16, 70, 37, 54, 19. | option_a=49 | option_b=48 | option_c=47 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 336 ÷ 7 = 48.

id=31573 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4211. If it is sold at a profit of 5%, what is its selling price? | option_a=4000 | option_b=4842 | option_c=4216 | option_d=4421 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4211 \times 105 / 100 =$ **■**4421.

id=31574 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=21 | option_b=19 | option_c=15 | option_d=18 | answer=D | explanation=The common difference is 3. Therefore the next term is 15 + 3 = 18.

id=31575 | topic=Averages | difficulty=Easy | question=Find the average of 99, 17, 53, 16, 50, 43, 76, 43, 52, 21. | option_a=48 | option_b=49 | option_c=47 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 470 ÷ 10 = 47.

id=31576 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=20 | option_c=15 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=31577 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29788 at 15% per annum for 1 years. | option_a=4468 | option_b=34256 | option_c=4368 | option_d=4568 | answer=A | explanation=SI = $PRT/100 = 29788 \times 15 \times 1 / 100 =$ **■**4468.

id=31578 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 =$ 4 days.

id=31579 | topic=Averages | difficulty=Easy | question=Find the average of 99, 15, 47, 43. | option_a=53 | option_b=51 | option_c=52 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 204 ÷ 4 = 51.

id=31580 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:16 and the first is 208, what is the second? | option_a=256 | option_b=464 | option_c=269 | option_d=240 | answer=A | explanation=Scale factor = $208/13 =$ 16. Therefore second quantity = $16 \times 16 =$ 256.

id=31581 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2696. If it is sold at a profit of 10%, what is its selling price? | option_a=3234 | option_b=2696 | option_c=2706 | option_d=2965 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2696 \times 110 / 100 =$ **■**2965.

id=31582 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:12 and the first is 154, what is the second? | option_a=286 | option_b=132 | option_c=146 | option_d=120 | answer=B | explanation=Scale factor = $154/14 =$ 11. Therefore second quantity = $12 \times 11 =$ 132.

id=31583 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 10, 16, 23? | option_a=16 | option_b=10 | option_c=23 | option_d=4 | answer=C | explanation=The first three numbers increase by 6, so the next should be 22. Therefore 23 is the odd one out.

id=31584 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 41? | option_a=11 | option_b=20 | option_c=29 | option_d=41 | answer=D | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 41 is the odd one out.

id=31585 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3850. If it is sold at a profit of 50%, what is its selling price? | option_a=5390 | option_b=3900 | option_c=5775 | option_d=6160 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3850 \times 150 / 100 =$ **■**5775.

id=31586 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**752. If it is sold at a profit of 20%, what is its selling price? | option_a=772 | option_b=902 | option_c=977 | option_d=827 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 752 \times 120 / 100 =$ **■**902.

id=31587 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=N | option_b=K | option_c=H | option_d=Q | answer=A | explanation=Move 3 positions forward from K; the resulting letter is N.

id=31588 | topic=Percentages | difficulty=Easy | question=What is 15% of 839? | option_a=125 | option_b=130 | option_c=250 | option_d=120 | answer=A | explanation=15% of 839 = $(15/100) \times 839 =$ 125.

id=31589 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:10 and the first is 126, what is the second? | option_a=216 | option_b=104 | option_c=80 | option_d=90 | answer=D | explanation=Scale factor = $126/14 =$ 9. Therefore second quantity = $10 \times 9 =$ 90.

id=31590 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=23 | option_b=19 | option_c=20 | option_d=15 | answer=B | explanation=The common difference is 4. Therefore the next term is 15 + 4 = 19.

Aptitude Questions — Records 31,591-31,620 of 100,000

id=31591 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3140. If it is sold at a profit of 20%, what is its selling price? | option_a=3160 | option_b=3454 | option_c=4082 | option_d=3768 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3140 × 120/100 = █3768.

id=31592 | topic=Percentages | difficulty=Easy | question=What is 20% of 1775? | option_a=375 | option_b=350 | option_c=355 | option_d=710 | answer=C | explanation=20% of 1775 = (20/100) × 1775 = 355.

id=31593 | topic=Percentages | difficulty=Easy | question=What is 15% of 1106? | option_a=170 | option_b=165 | option_c=155 | option_d=330 | answer=B | explanation=15% of 1106 = (15/100) × 1106 = 165.

id=31594 | topic=Percentages | difficulty=Easy | question=What is 12% of 385? | option_a=46 | option_b=36 | option_c=51 | option_d=92 | answer=A | explanation=12% of 385 = (12/100) × 385 = 46.

id=31595 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39564 at 10% per annum for 1 years. | option_a=43520 | option_b=3856 | option_c=3956 | option_d=4056 | answer=C | explanation=SI = PRT/100 = 39564×10×1/100 = █3956.

id=31596 | topic=Averages | difficulty=Easy | question=Find the average of 45, 87, 47, 32, 36, 35, 16, 18, 55, 69. | option_a=46 | option_b=44 | option_c=43 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = 440 ÷ 10 = 44.

id=31597 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=C | option_b=Q | option_c=U | option_d=Y | answer=D | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=31598 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:11 and the first is 225, what is the second? | option_a=165 | option_b=390 | option_c=180 | option_d=154 | answer=A | explanation=Scale factor = 225/15 = 15. Therefore second quantity = 11×15 = 165.

id=31599 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=31600 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=31601 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=31602 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=5 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=31603 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:18 and the first is 91, what is the second? | option_a=139 | option_b=126 | option_c=217 | option_d=108 | answer=B | explanation=Scale factor = 91/13 = 7. Therefore second quantity = 18×7 = 126.

id=31604 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 18. | option_a=140 | option_b=108 | option_c=126 | option_d=252 | answer=C | explanation=LCM × HCF = 14×18; HCF(14,18) = 2, so LCM = 126.

id=31605 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13370 at 10% per annum for 1 years. | option_a=1337 | option_b=1237 | option_c=14707 | option_d=1437 | answer=A | explanation=SI = PRT/100 = 13370×10×1/100 = █1337.

id=31606 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=55 | option_b=45 | option_c=56 | option_d=65 | answer=A | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.

id=31607 | topic=Averages | difficulty=Easy | question=Find the average of 26, 26, 58, 48, 71, 77. | option_a=51 | option_b=52 | option_c=50 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 306 ÷ 6 = 51.

id=31608 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 21, 30, 40? | option_a=21 | option_b=30 | option_c=12 | option_d=40 | answer=D | explanation=The first three numbers increase by 9, so the next should be 39. Therefore 40 is the odd one out.

id=31609 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 14, 20, 29? | option_a=29 | option_b=20 | option_c=14 | option_d=8 | answer=A | explanation=The first three numbers increase by 6, so the next should be 26. Therefore 29 is the odd one out.

id=31610 | topic=Percentages | difficulty=Easy | question=What is 10% of 1856? | option_a=205 | option_b=175 | option_c=370 | option_d=185 | answer=D | explanation=10% of 1856 = (10/100) × 1856 = 185.

id=31611 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 33? | option_a=33 | option_b=8 | option_c=16 | option_d=24 | answer=A | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 33 is the odd one out.

id=31612 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39291 at 12% per annum for 4 years. | option_a=18759 | option_b=18859 | option_c=18959 | option_d=58150 | answer=B | explanation=SI = PRT/100 = 39291×12×4/100 = █18859.

id=31613 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=24 | option_b=36 | option_c=31 | option_d=30 | answer=D | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.

id=31614 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=31615 | topic=Averages | difficulty=Easy | question=Find the average of 18, 82, 48, 47, 96, 23, 36, 58, 33, 99. | option_a=53 | option_b=54 | option_c=55 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

id=31616 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=43 | option_b=34 | option_c=50 | option_d=42 | answer=D | explanation=The common difference is 8. Therefore the next term is 34 + 8 = 42.

id=31617 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:19 and the first is 60, what is the second? | option_a=233 | option_b=228 | option_c=209 | option_d=288 | answer=B | explanation=Scale factor = 60/5 = 12. Therefore second quantity = 19×12 = 228.

id=31618 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18114 at 10% per annum for 1 years. | option_a=1811 | option_b=19925 | option_c=1911 | option_d=1711 | answer=A | explanation=SI = PRT/100 = 18114×10×1/100 = █1811.

id=31619 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3640 at 10% per annum for 5 years. | option_a=5460 | option_b=1720 | option_c=1820 | option_d=1920 | answer=C | explanation=SI = PRT/100 = 3640×10×5/100 = █1820.

id=31620 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=95 | option_c=180 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

Aptitude Questions — Records 31,621-31,650 of 100,000

id=31621 | topic=Percentages | difficulty=Easy | question=What is 12% of 361? | option_a=53 | option_b=86 | option_c=33 | option_d=43 | answer=D | explanation=12% of 361 = (12/100) × 361 = 43.

id=31622 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■44456 at 8% per annum for 3 years. | option_a=10669 | option_b=10769 | option_c=10569 | option_d=55125 | answer=A | explanation=SI = PRT/100 = 44456×8×3/100 = ■10669.

id=31623 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=C | option_c=B | option_d=D | answer=D | explanation=Move 1 positions forward from C; the resulting letter is D.

id=31624 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:19 and the first is 36, what is the second? | option_a=231 | option_b=209 | option_c=228 | option_d=264 | answer=C | explanation=Scale factor = 36/3 = 12. Therefore second quantity = 19×12 = 228.

id=31625 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=50 | option_b=51 | option_c=39 | option_d=61 | answer=A | explanation=The common difference is 11. Therefore the next term is 39 + 11 = 50.

id=31626 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 25, 27, 32? | option_a=25 | option_b=27 | option_c=32 | option_d=23 | answer=C | explanation=The first three numbers increase by 2, so the next should be 29. Therefore 32 is the odd one out.

id=31627 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=31628 | topic=Averages | difficulty=Easy | question=Find the average of 47, 77, 56, 96. | option_a=70 | option_b=71 | option_c=69 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 276 ÷ 4 = 69.

id=31629 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3587. If it is sold at a profit of 30%, what is its selling price? | option_a=4663 | option_b=4305 | option_c=3617 | option_d=5021 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3587 × 130/100 = ■4663.

id=31630 | topic=Percentages | difficulty=Easy | question=What is 12% of 491? | option_a=68 | option_b=53 | option_c=116 | option_d=58 | answer=D | explanation=12% of 491 = (12/100) × 491 = 58.

id=31631 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=41 | option_b=32 | option_c=40 | option_d=48 | answer=C | explanation=The common difference is 8. Therefore the next term is 32 + 8 = 40.

id=31632 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■49988 at 5% per annum for 3 years. | option_a=57486 | option_b=7598 | option_c=7498 | option_d=7398 | answer=C | explanation=SI = PRT/100 = 49988×5×3/100 = ■7498.

id=31633 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 31, 43, 55, ? | option_a=68 | option_b=79 | option_c=67 | option_d=55 | answer=C | explanation=The common difference is 12. Therefore the next term is 55 + 12 = 67.

id=31634 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 8. | option_a=224 | option_b=84 | option_c=56 | option_d=48 | answer=C | explanation=LCM × HCF = 28×8; HCF(28,8) = 4, so LCM = 56.

id=31635 | topic=Percentages | difficulty=Easy | question=What is 30% of 852? | option_a=265 | option_b=255 | option_c=510 | option_d=235 | answer=B | explanation=30% of 852 = (30/100) × 852 = 255.

id=31636 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4927. If it is sold at a profit of 20%, what is its selling price? | option_a=5420 | option_b=4947 | option_c=6404 | option_d=5912 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4927 × 120/100 = ■5912.

id=31637 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=Q | option_b=N | option_c=O | option_d=P | answer=D | explanation=Move 1 positions forward from O; the resulting letter is P.

id=31638 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4202. If it is sold at a profit of 40%, what is its selling price? | option_a=5882 | option_b=6302 | option_c=5462 | option_d=4242 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4202 × 140/100 = ■5882.

id=31639 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=S | option_b=J | option_c=M | option_d=P | answer=D | explanation=Move 3 positions forward from M; the resulting letter is P.

id=31640 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■1673 at 10% per annum for 1 years. | option_a=67 | option_b=167 | option_c=1840 | option_d=267 | answer=B | explanation=SI = PRT/100 = 1673×10×1/100 = ■167.

id=31641 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=31642 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1570. If it is sold at a profit of 30%, what is its selling price? | option_a=1884 | option_b=2198 | option_c=1600 | option_d=2041 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1570 × 130/100 = ■2041.

id=31643 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 5, 7, 11? | option_a=7 | option_b=11 | option_c=5 | option_d=3 | answer=B | explanation=The first three numbers increase by 2, so the next should be 9. Therefore 11 is the odd one out.

id=31644 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 27? | option_a=18 | option_b=12 | option_c=6 | option_d=27 | answer=D | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 27 is the odd one out.

id=31645 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2255. If it is sold at a profit of 25%, what is its selling price? | option_a=2593 | option_b=3043 | option_c=2280 | option_d=2818 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2255 × 125/100 = ■2818.

id=31646 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=80 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=31647 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 38? | option_a=38 | option_b=29 | option_c=17 | option_d=23 | answer=A | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 38 is the odd one out.

id=31648 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=T | option_b=Y | option_c=O | option_d=J | answer=A | explanation=Move 5 positions forward from O; the resulting letter is T.

id=31649 | topic=Percentages | difficulty=Easy | question=What is 15% of 433? | option_a=74 | option_b=128 | option_c=64 | option_d=59 | answer=C | explanation=15% of 433 = (15/100) × 433 = 64.

id=31650 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:4 and the first is 120, what is the second? | option_a=56 | option_b=180 | option_c=68 | option_d=60 | answer=D | explanation=Scale factor = 120/8 = 15. Therefore second quantity = 4×15 = 60.

Aptitude Questions — Records 31,651-31,680 of 100,000

id=31651 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 18? | option_a=18 | option_b=11 | option_c=9 | option_d=13 | answer=A | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 18 is the odd one out.

id=31652 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=P | option_c=L | option_d=N | answer=B | explanation=Move 2 positions forward from N; the resulting letter is P.

id=31653 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=31654 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=31655 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 30? | option_a=24 | option_b=30 | option_c=20 | option_d=16 | answer=B | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 30 is the odd one out.

id=31656 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=31657 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=Y | option_b=U | option_c=S | option_d=W | answer=D | explanation=Move 2 positions forward from U; the resulting letter is W.

id=31658 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:11 and the first is 260, what is the second? | option_a=480 | option_b=209 | option_c=233 | option_d=220 | answer=D | explanation=Scale factor = 260/13 = 20. Therefore second quantity = 11×20 = 220.

id=31659 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=29 | option_b=38 | option_c=47 | option_d=39 | answer=B | explanation=The common difference is 9. Therefore the next term is 29 + 9 = 38.

id=31660 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=24 | option_b=29 | option_c=25 | option_d=19 | answer=A | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.

id=31661 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=40 | option_b=41 | option_c=45 | option_d=35 | answer=A | explanation=The common difference is 5. Therefore the next term is 35 + 5 = 40.

id=31662 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:16 and the first is 12, what is the second? | option_a=76 | option_b=48 | option_c=67 | option_d=64 | answer=D | explanation=Scale factor = 12/3 = 4. Therefore second quantity = 16×4 = 64.

id=31663 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=13 | option_b=10 | option_c=14 | option_d=12 | answer=D | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.

id=31664 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:14 and the first is 192, what is the second? | option_a=210 | option_b=416 | option_c=224 | option_d=236 | answer=C | explanation=Scale factor = 192/12 = 16. Therefore second quantity = 14×16 = 224.

id=31665 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11154 at 15% per annum for 4 years. | option_a=6692 | option_b=6792 | option_c=17846 | option_d=6592 | answer=A | explanation=SI = PRT/100 = 11154×15×4/100 = **■**6692.

id=31666 | topic=Percentages | difficulty=Easy | question=What is 30% of 274? | option_a=82 | option_b=92 | option_c=164 | option_d=77 | answer=A | explanation=30% of 274 = (30/100) × 274 = 82.

id=31667 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=31668 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=80 | option_c=35 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=31669 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=50 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=31670 | topic=Averages | difficulty=Easy | question=Find the average of 95, 71, 98, 95, 20, 42, 19, 82, 54. | option_a=64 | option_b=65 | option_c=66 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 576 ÷ 9 = 64.

id=31671 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=42 | option_b=34 | option_c=41 | option_d=48 | answer=C | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=31672 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=45 | option_b=90 | option_c=50 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=31673 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8225 at 5% per annum for 5 years. | option_a=2156 | option_b=10281 | option_c=1956 | option_d=2056 | answer=D | explanation=SI = PRT/100 = 8225×5×5/100 = **■**2056.

id=31674 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=P | option_b=H | option_c=D | option_d=L | answer=D | explanation=Move 4 positions forward from H; the resulting letter is L.

id=31675 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:6 and the first is 24, what is the second? | option_a=18 | option_b=24 | option_c=30 | option_d=48 | answer=B | explanation=Scale factor = 24/6 = 4. Therefore second quantity = 6×4 = 24.

id=31676 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=180 | option_c=185 | option_d=360 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=31677 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1240. If it is sold at a profit of 50%, what is its selling price? | option_a=1860 | option_b=1736 | option_c=1984 | option_d=1290 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1240 × 150/100 = **■**1860.

id=31678 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=34 | option_b=35 | option_c=30 | option_d=38 | answer=A | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.

id=31679 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 20? | option_a=17 | option_b=20 | option_c=15 | option_d=13 | answer=B | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 20 is the odd one out.

id=31680 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=O | option_c=I | option_d=R | answer=B | explanation=Move 3 positions forward from L; the resulting letter is O.

Aptitude Questions — Records 31,681-31,710 of 100,000

id=31681 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:19 and the first is 196, what is the second? | option_a=280 | option_b=247 | option_c=266 | option_d=462 | answer=C | explanation=Scale factor = 196/14 = 14. Therefore second quantity = 19×14 = 266.

id=31682 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:13 and the first is 18, what is the second? | option_a=252 | option_b=221 | option_c=234 | option_d=235 | answer=C | explanation=Scale factor = 18/1 = 18. Therefore second quantity = 13×18 = 234.

id=31683 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1216. If it is sold at a profit of 40%, what is its selling price? | option_a=1702 | option_b=1256 | option_c=1581 | option_d=1823 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1216 × 140/100 = █1702.

id=31684 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11320 at 4% per annum for 5 years. | option_a=2164 | option_b=2364 | option_c=2264 | option_d=13584 | answer=C | explanation=SI = PRT/100 = 11320×4×5/100 = █2264.

id=31685 | topic=Averages | difficulty=Easy | question=Find the average of 38, 54, 19, 41, 58. | option_a=44 | option_b=43 | option_c=42 | option_d=41 | answer=C | explanation=Average = sum of values ÷ number of values = 210 ÷ 5 = 42.

id=31686 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=30 | option_b=27 | option_c=22 | option_d=26 | answer=D | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.

id=31687 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=100 | option_c=45 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=31688 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=95 | option_c=85 | option_d=180 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=31689 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=31690 | topic=Averages | difficulty=Easy | question=Find the average of 54, 53, 78, 92, 19, 75, 33, 72, 83, 51. | option_a=60 | option_b=63 | option_c=61 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 610 ÷ 10 = 61.

id=31691 | topic=Averages | difficulty=Easy | question=Find the average of 36, 20, 29, 22, 14, 22, 98, 71. | option_a=40 | option_b=39 | option_c=41 | option_d=38 | answer=B | explanation=Average = sum of values ÷ number of values = 312 ÷ 8 = 39.

id=31692 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19197 at 4% per annum for 5 years. | option_a=23036 | option_b=3939 | option_c=3839 | option_d=3739 | answer=C | explanation=SI = PRT/100 = 19197×4×5/100 = █3839.

id=31693 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=31694 | topic=Averages | difficulty=Easy | question=Find the average of 88, 33, 65. | option_a=61 | option_b=63 | option_c=62 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 186 ÷ 3 = 62.

id=31695 | topic=Averages | difficulty=Easy | question=Find the average of 20, 78, 21, 38, 24, 47. | option_a=40 | option_b=38 | option_c=39 | option_d=37 | answer=B | explanation=Average = sum of values ÷ number of values = 228 ÷ 6 = 38.

id=31696 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=31697 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47199 at 5% per annum for 2 years. | option_a=51918 | option_b=4719 | option_c=4619 | option_d=4819 | answer=B | explanation=SI = PRT/100 = 47199×5×2/100 = █4719.

id=31698 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:2 and the first is 72, what is the second? | option_a=16 | option_b=14 | option_c=88 | option_d=25 | answer=A | explanation=Scale factor = 72/9 = 8. Therefore second quantity = 2×8 = 16.

id=31699 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:1 and the first is 190, what is the second? | option_a=29 | option_b=19 | option_c=18 | option_d=209 | answer=B | explanation=Scale factor = 190/10 = 19. Therefore second quantity = 1×19 = 19.

id=31700 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=31701 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=41 | option_b=32 | option_c=50 | option_d=42 | answer=A | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

id=31702 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 29, 33, 38? | option_a=33 | option_b=38 | option_c=25 | option_d=29 | answer=B | explanation=The first three numbers increase by 4, so the next should be 37. Therefore 38 is the odd one out.

id=31703 | topic=Averages | difficulty=Easy | question=Find the average of 32, 42, 69, 80, 82. | option_a=60 | option_b=61 | option_c=62 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 305 ÷ 5 = 61.

id=31704 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2874. If it is sold at a profit of 30%, what is its selling price? | option_a=4023 | option_b=3449 | option_c=2904 | option_d=3736 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2874 × 130/100 = █3736.

id=31705 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:20 and the first is 221, what is the second? | option_a=260 | option_b=277 | option_c=240 | option_d=481 | answer=A | explanation=Scale factor = 221/17 = 13. Therefore second quantity = 20×13 = 260.

id=31706 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=32 | option_b=33 | option_c=38 | option_d=26 | answer=A | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=31707 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:16 and the first is 200, what is the second? | option_a=520 | option_b=330 | option_c=320 | option_d=304 | answer=C | explanation=Scale factor = 200/10 = 20. Therefore second quantity = 16×20 = 320.

id=31708 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=32 | option_b=27 | option_c=31 | option_d=35 | answer=C | explanation=The common difference is 4. Therefore the next term is 27 + 4 = 31.

id=31709 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32859 at 6% per annum for 2 years. | option_a=4043 | option_b=3943 | option_c=36802 | option_d=3843 | answer=B | explanation=SI = PRT/100 = 32859×6×2/100 = █3943.

id=31710 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4755. If it is sold at a profit of 50%, what is its selling price? | option_a=4805 | option_b=7607 | option_c=6657 | option_d=7132 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4755 × 150/100 = █7132.

Aptitude Questions — Records 31,711-31,740 of 100,000

id=31711 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=43 | option_b=65 | option_c=55 | option_d=54 | answer=D | explanation=The common difference is 11. Therefore the next term is 43 + 11 = 54.

id=31712 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=14 | option_b=10 | option_c=13 | option_d=12 | answer=D | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.

id=31713 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=31714 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=43 | option_b=51 | option_c=42 | option_d=33 | answer=C | explanation=The common difference is 9. Therefore the next term is 33 + 9 = 42.

id=31715 | topic=Percentages | difficulty=Easy | question=What is 25% of 1581? | option_a=415 | option_b=790 | option_c=395 | option_d=390 | answer=C | explanation=25% of 1581 = (25/100) × 1581 = 395.

id=31716 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=24 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=31717 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=31718 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2979. If it is sold at a profit of 30%, what is its selling price? | option_a=4169 | option_b=3009 | option_c=3575 | option_d=3872 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2979 × 130/100 = █3872.

id=31719 | topic=Averages | difficulty=Easy | question=Find the average of 78, 100, 56, 62, 74, 51, 90. | option_a=75 | option_b=72 | option_c=74 | option_d=73 | answer=D | explanation=Average = sum of values ÷ number of values = 511 ÷ 7 = 73.

id=31720 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:8 and the first is 340, what is the second? | option_a=476 | option_b=156 | option_c=128 | option_d=136 | answer=D | explanation=Scale factor = 340/20 = 17. Therefore second quantity = 8×17 = 136.

id=31721 | topic=Percentages | difficulty=Easy | question=What is 40% of 1874? | option_a=739 | option_b=749 | option_c=1498 | option_d=769 | answer=B | explanation=40% of 1874 = (40/100) × 1874 = 749.

id=31722 | topic=Percentages | difficulty=Easy | question=What is 25% of 896? | option_a=448 | option_b=219 | option_c=244 | option_d=224 | answer=D | explanation=25% of 896 = (25/100) × 896 = 224.

id=31723 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32201 at 6% per annum for 4 years. | option_a=39929 | option_b=7628 | option_c=7828 | option_d=7728 | answer=D | explanation=SI = PRT/100 = 32201×6×4/100 = █7728.

id=31724 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=31725 | topic=Averages | difficulty=Easy | question=Find the average of 29, 42, 26, 74, 15, 55, 50, 17, 34. | option_a=37 | option_b=40 | option_c=38 | option_d=39 | answer=C | explanation=Average = sum of values ÷ number of values = 342 ÷ 9 = 38.

id=31726 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2108. If it is sold at a profit of 30%, what is its selling price? | option_a=2740 | option_b=2950 | option_c=2530 | option_d=2138 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2108 × 130/100 = █2740.

id=31727 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=J | option_c=F | option_d=R | answer=A | explanation=Move 4 positions forward from J; the resulting letter is N.

id=31728 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:19 and the first is 55, what is the second? | option_a=209 | option_b=264 | option_c=190 | option_d=214 | answer=A | explanation=Scale factor = 55/5 = 11. Therefore second quantity = 19×11 = 209.

id=31729 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=77 | option_b=65 | option_c=53 | option_d=66 | answer=B | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.

id=31730 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3209. If it is sold at a profit of 30%, what is its selling price? | option_a=3851 | option_b=3239 | option_c=4491 | option_d=4171 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3209 × 130/100 = █4171.

id=31731 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:11 and the first is 70, what is the second? | option_a=110 | option_b=180 | option_c=99 | option_d=117 | answer=A | explanation=Scale factor = 70/7 = 10. Therefore second quantity = 11×10 = 110.

id=31732 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=24 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=31733 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=31734 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=31735 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=8 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=31736 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=31737 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=39 | option_b=30 | option_c=46 | option_d=38 | answer=D | explanation=The common difference is 8. Therefore the next term is 30 + 8 = 38.

id=31738 | topic=Percentages | difficulty=Easy | question=What is 15% of 397? | option_a=118 | option_b=54 | option_c=69 | option_d=59 | answer=D | explanation=15% of 397 = (15/100) × 397 = 59.

id=31739 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:2 and the first is 40, what is the second? | option_a=24 | option_b=20 | option_c=18 | option_d=60 | answer=B | explanation=Scale factor = 40/4 = 10. Therefore second quantity = 2×10 = 20.

id=31740 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=O | option_c=K | option_d=Q | answer=B | explanation=Move 2 positions forward from M; the resulting letter is O.

Aptitude Questions — Records 31,741-31,770 of 100,000

id=31741 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:15 and the first is 60, what is the second? | option_a=90 | option_b=75 | option_c=150 | option_d=100 | answer=A | explanation=Scale factor = 60/10 = 6. Therefore second quantity = 15×6 = 90.

id=31742 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=31743 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:20 and the first is 60, what is the second? | option_a=80 | option_b=60 | option_c=40 | option_d=120 | answer=B | explanation=Scale factor = 60/20 = 3. Therefore second quantity = 20×3 = 60.

id=31744 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:3 and the first is 10, what is the second? | option_a=40 | option_b=31 | option_c=27 | option_d=30 | answer=D | explanation=Scale factor = 10/1 = 10. Therefore second quantity = 3×10 = 30.

id=31745 | topic=Averages | difficulty=Easy | question=Find the average of 46, 82, 65, 42, 54, 41, 70, 65, 82, 53. | option_a=61 | option_b=62 | option_c=60 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=31746 | topic=Percentages | difficulty=Easy | question=What is 40% of 1038? | option_a=830 | option_b=395 | option_c=420 | option_d=415 | answer=D | explanation=40% of 1038 = (40/100) × 1038 = 415.

id=31747 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:1 and the first is 48, what is the second? | option_a=4 | option_b=52 | option_c=3 | option_d=16 | answer=A | explanation=Scale factor = 48/12 = 4. Therefore second quantity = 1×4 = 4.

id=31748 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=19 | option_b=22 | option_c=14 | option_d=18 | answer=D | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.

id=31749 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 32, 40, 51? | option_a=32 | option_b=40 | option_c=24 | option_d=51 | answer=D | explanation=The first three numbers increase by 8, so the next should be 48. Therefore 51 is the odd one out.

id=31750 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:17 and the first is 12, what is the second? | option_a=34 | option_b=46 | option_c=17 | option_d=40 | answer=A | explanation=Scale factor = 12/6 = 2. Therefore second quantity = 17×2 = 34.

id=31751 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:3 and the first is 160, what is the second? | option_a=220 | option_b=60 | option_c=57 | option_d=68 | answer=B | explanation=Scale factor = 160/8 = 20. Therefore second quantity = 3×20 = 60.

id=31752 | topic=Averages | difficulty=Easy | question=Find the average of 99, 72, 63. | option_a=78 | option_b=80 | option_c=79 | option_d=77 | answer=A | explanation=Average = sum of values ÷ number of values = 234 ÷ 3 = 78.

id=31753 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=J | option_b=S | option_c=M | option_d=P | answer=D | explanation=Move 3 positions forward from M; the resulting letter is P.

id=31754 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=T | option_b=O | option_c=Y | option_d=J | answer=A | explanation=Move 5 positions forward from O; the resulting letter is T.

id=31755 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=Z | option_c=I | option_d=F | answer=D | explanation=Move 3 positions forward from C; the resulting letter is F.

id=31756 | topic=Averages | difficulty=Easy | question=Find the average of 53, 27, 28, 93, 30, 36, 17, 83, 29. | option_a=43 | option_b=45 | option_c=46 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = 396 ÷ 9 = 44.

id=31757 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹160. If it is sold at a profit of 30%, what is its selling price? | option_a=224 | option_b=192 | option_c=208 | option_d=190 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 160 × 130/100 = ₹208.

id=31758 | topic=Averages | difficulty=Easy | question=Find the average of 98, 85, 17, 98, 92. | option_a=80 | option_b=77 | option_c=78 | option_d=79 | answer=C | explanation=Average = sum of values ÷ number of values = 390 ÷ 5 = 78.

id=31759 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=29 | option_b=30 | option_c=25 | option_d=33 | answer=A | explanation=The common difference is 4. Therefore the next term is 25 + 4 = 29.

id=31760 | topic=Averages | difficulty=Easy | question=Find the average of 75, 14, 21, 98, 34, 96, 68. | option_a=59 | option_b=57 | option_c=60 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 406 ÷ 7 = 58.

id=31761 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 20, 22, 25? | option_a=20 | option_b=18 | option_c=22 | option_d=25 | answer=D | explanation=The first three numbers increase by 2, so the next should be 24. Therefore 25 is the odd one out.

id=31762 | topic=Percentages | difficulty=Easy | question=What is 20% of 1849? | option_a=364 | option_b=369 | option_c=379 | option_d=738 | answer=B | explanation=20% of 1849 = (20/100) × 1849 = 369.

id=31763 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=31764 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=31765 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 25? | option_a=5 | option_b=11 | option_c=17 | option_d=25 | answer=D | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 25 is the odd one out.

id=31766 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 28? | option_a=28 | option_b=15 | option_c=19 | option_d=23 | answer=A | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 28 is the odd one out.

id=31767 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=52 | option_b=63 | option_c=51 | option_d=39 | answer=C | explanation=The common difference is 12. Therefore the next term is 39 + 12 = 51.

id=31768 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:6 and the first is 126, what is the second? | option_a=84 | option_b=78 | option_c=93 | option_d=210 | answer=A | explanation=Scale factor = 126/9 = 14. Therefore second quantity = 6×14 = 84.

id=31769 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹45764 at 6% per annum for 5 years. | option_a=59493 | option_b=13729 | option_c=13829 | option_d=13629 | answer=B | explanation=SI = PRT/100 = 45764×6×5/100 = ₹13729.

id=31770 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 50? | option_a=41 | option_b=25 | option_c=50 | option_d=33 | answer=C | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 50 is the odd one out.

Aptitude Questions — Records 31,771-31,800 of 100,000

id=31771 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3133. If it is sold at a profit of 40%, what is its selling price? | option_a=4386 | option_b=4699 | option_c=4073 | option_d=3173 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3133 × 140/100 = █4386.

id=31772 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=P | option_c=T | option_d=H | answer=B | explanation=Move 4 positions forward from L; the resulting letter is P.

id=31773 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 24, 34, 47? | option_a=47 | option_b=14 | option_c=34 | option_d=24 | answer=A | explanation=The first three numbers increase by 10, so the next should be 44. Therefore 47 is the odd one out.

id=31774 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:13 and the first is 30, what is the second? | option_a=117 | option_b=133 | option_c=130 | option_d=160 | answer=C | explanation=Scale factor = 30/3 = 10. Therefore second quantity = 13×10 = 130.

id=31775 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3555. If it is sold at a profit of 50%, what is its selling price? | option_a=4977 | option_b=5332 | option_c=5687 | option_d=3605 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3555 × 150/100 = █5332.

id=31776 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:15 and the first is 126, what is the second? | option_a=90 | option_b=123 | option_c=231 | option_d=105 | answer=D | explanation=Scale factor = 126/18 = 7. Therefore second quantity = 15×7 = 105.

id=31777 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 44? | option_a=25 | option_b=33 | option_c=44 | option_d=17 | answer=C | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 44 is the odd one out.

id=31778 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=51 | option_b=62 | option_c=40 | option_d=52 | answer=A | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=31779 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:11 and the first is 176, what is the second? | option_a=137 | option_b=110 | option_c=297 | option_d=121 | answer=D | explanation=Scale factor = 176/16 = 11. Therefore second quantity = 11×11 = 121.

id=31780 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2994. If it is sold at a profit of 30%, what is its selling price? | option_a=4191 | option_b=3024 | option_c=3892 | option_d=3593 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2994 × 130/100 = █3892.

id=31781 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37616 at 8% per annum for 2 years. | option_a=5918 | option_b=6118 | option_c=6018 | option_d=43634 | answer=C | explanation=SI = PRT/100 = 37616×8×2/100 = █6018.

id=31782 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:2 and the first is 260, what is the second? | option_a=300 | option_b=53 | option_c=38 | option_d=40 | answer=D | explanation=Scale factor = 260/13 = 20. Therefore second quantity = 2×20 = 40.

id=31783 | topic=Percentages | difficulty=Easy | question=What is 50% of 692? | option_a=341 | option_b=692 | option_c=356 | option_d=346 | answer=D | explanation=50% of 692 = (50/100) × 692 = 346.

id=31784 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=22 | option_b=23 | option_c=27 | option_d=17 | answer=A | explanation=The common difference is 5. Therefore the next term is 17 + 5 = 22.

id=31785 | topic=Percentages | difficulty=Easy | question=What is 25% of 1290? | option_a=327 | option_b=644 | option_c=317 | option_d=322 | answer=D | explanation=25% of 1290 = (25/100) × 1290 = 322.

id=31786 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 14, 20, 28? | option_a=14 | option_b=8 | option_c=28 | option_d=20 | answer=C | explanation=The first three numbers increase by 6, so the next should be 26. Therefore 28 is the odd one out.

id=31787 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 27, 30, 35? | option_a=30 | option_b=35 | option_c=27 | option_d=24 | answer=B | explanation=The first three numbers increase by 3, so the next should be 33. Therefore 35 is the odd one out.

id=31788 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=B | option_b=E | option_c=H | option_d=K | answer=C | explanation=Move 3 positions forward from E; the resulting letter is H.

id=31789 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=Q | option_b=E | option_c=M | option_d=I | answer=C | explanation=Move 4 positions forward from I; the resulting letter is M.

id=31790 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17062 at 10% per annum for 2 years. | option_a=3412 | option_b=3312 | option_c=3512 | option_d=20474 | answer=A | explanation=SI = PRT/100 = 17062×10×2/100 = █3412.

id=31791 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:3 and the first is 234, what is the second? | option_a=51 | option_b=54 | option_c=288 | option_d=67 | answer=B | explanation=Scale factor = 234/13 = 18. Therefore second quantity = 3×18 = 54.

id=31792 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 24? | option_a=17 | option_b=21 | option_c=19 | option_d=24 | answer=D | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 24 is the odd one out.

id=31793 | topic=Averages | difficulty=Easy | question=Find the average of 38, 91, 42. | option_a=59 | option_b=56 | option_c=58 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 171 ÷ 3 = 57.

id=31794 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=30 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=31795 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 40? | option_a=40 | option_b=23 | option_c=15 | option_d=31 | answer=A | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 40 is the odd one out.

id=31796 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=B | option_b=C | option_c=A | option_d=Z | answer=A | explanation=Move 1 positions forward from A; the resulting letter is B.

id=31797 | topic=Averages | difficulty=Easy | question=Find the average of 20, 65, 25, 63, 32, 81, 14, 88, 35. | option_a=47 | option_b=49 | option_c=46 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = 423 ÷ 9 = 47.

id=31798 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:14 and the first is 48, what is the second? | option_a=104 | option_b=56 | option_c=42 | option_d=68 | answer=B | explanation=Scale factor = 48/12 = 4. Therefore second quantity = 14×4 = 56.

id=31799 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=41 | option_b=52 | option_c=61 | option_d=51 | answer=D | explanation=The common difference is 10. Therefore the next term is 41 + 10 = 51.

id=31800 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

Aptitude Questions — Records 31,801-31,830 of 100,000

id=31801 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2975. If it is sold at a profit of 20%, what is its selling price? | option_a=2995 | option_b=3867 | option_c=3570 | option_d=3273 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2975 × 120/100 = █3570.

id=31802 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7389 at 15% per annum for 2 years. | option_a=2116 | option_b=2216 | option_c=9605 | option_d=2316 | answer=B | explanation=SI = PRT/100 = 7389×15×2/100 = █2216.

id=31803 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:13 and the first is 18, what is the second? | option_a=119 | option_b=117 | option_c=135 | option_d=104 | answer=B | explanation=Scale factor = 18/2 = 9. Therefore second quantity = 13×9 = 117.

id=31804 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=Q | option_b=T | option_c=N | option_d=K | answer=A | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=31805 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 30. | option_a=33 | option_b=1 | option_c=90 | option_d=30 | answer=D | explanation=LCM × HCF = 3×30; HCF(3,30) = 3, so LCM = 30.

id=31806 | topic=Percentages | difficulty=Easy | question=What is 10% of 1665? | option_a=166 | option_b=156 | option_c=332 | option_d=176 | answer=A | explanation=10% of 1665 = (10/100) × 1665 = 166.

id=31807 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=M | option_c=V | option_d=S | answer=D | explanation=Move 3 positions forward from P; the resulting letter is S.

id=31808 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4328. If it is sold at a profit of 40%, what is its selling price? | option_a=5627 | option_b=4368 | option_c=6059 | option_d=6491 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4328 × 140/100 = █6059.

id=31809 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4158. If it is sold at a profit of 40%, what is its selling price? | option_a=5821 | option_b=4198 | option_c=5406 | option_d=6236 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4158 × 140/100 = █5821.

id=31810 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 10, 15, 20, ? | option_a=20 | option_b=26 | option_c=25 | option_d=30 | answer=C | explanation=The common difference is 5. Therefore the next term is 20 + 5 = 25.

id=31811 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:5 and the first is 18, what is the second? | option_a=19 | option_b=5 | option_c=10 | option_d=28 | answer=C | explanation=Scale factor = 18/9 = 2. Therefore second quantity = 5×2 = 10.

id=31812 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=40 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=31813 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 31, 41, 53? | option_a=41 | option_b=31 | option_c=21 | option_d=53 | answer=D | explanation=The first three numbers increase by 10, so the next should be 51. Therefore 53 is the odd one out.

id=31814 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39971 at 12% per annum for 5 years. | option_a=24082 | option_b=23882 | option_c=63953 | option_d=23982 | answer=D | explanation=SI = PRT/100 = 39971×12×5/100 = █23982.

id=31815 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43012 at 10% per annum for 4 years. | option_a=60216 | option_b=17204 | option_c=17104 | option_d=17304 | answer=B | explanation=SI = PRT/100 = 43012×10×4/100 = █17204.

id=31816 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 22. | option_a=308 | option_b=616 | option_c=336 | option_d=286 | answer=A | explanation=LCM × HCF = 28×22; HCF(28,22) = 2, so LCM = 308.

id=31817 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=I | option_b=D | option_c=N | option_d=Y | answer=A | explanation=Move 5 positions forward from D; the resulting letter is I.

id=31818 | topic=Averages | difficulty=Easy | question=Find the average of 98, 93, 92, 36, 61, 52. | option_a=73 | option_b=72 | option_c=74 | option_d=71 | answer=B | explanation=Average = sum of values ÷ number of values = 432 ÷ 6 = 72.

id=31819 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 52? | option_a=40 | option_b=20 | option_c=52 | option_d=30 | answer=C | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 52 is the odd one out.

id=31820 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34645 at 8% per annum for 2 years. | option_a=40188 | option_b=5643 | option_c=5443 | option_d=5543 | answer=D | explanation=SI = PRT/100 = 34645×8×2/100 = █5543.

id=31821 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=50 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=31822 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:4 and the first is 60, what is the second? | option_a=36 | option_b=40 | option_c=100 | option_d=46 | answer=B | explanation=Scale factor = 60/6 = 10. Therefore second quantity = 4×10 = 40.

id=31823 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=31824 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=41 | option_b=27 | option_c=35 | option_d=34 | answer=D | explanation=The common difference is 7. Therefore the next term is 27 + 7 = 34.

id=31825 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45103 at 10% per annum for 4 years. | option_a=17941 | option_b=18041 | option_c=18141 | option_d=63144 | answer=B | explanation=SI = PRT/100 = 45103×10×4/100 = █18041.

id=31826 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 28? | option_a=28 | option_b=23 | option_c=15 | option_d=19 | answer=A | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 28 is the odd one out.

id=31827 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6545 at 5% per annum for 4 years. | option_a=1209 | option_b=7854 | option_c=1409 | option_d=1309 | answer=D | explanation=SI = PRT/100 = 6545×5×4/100 = █1309.

id=31828 | topic=Averages | difficulty=Easy | question=Find the average of 94, 20, 80, 76, 86, 34. | option_a=66 | option_b=65 | option_c=64 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = 390 ÷ 6 = 65.

id=31829 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 34? | option_a=8 | option_b=24 | option_c=16 | option_d=34 | answer=D | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 34 is the odd one out.

id=31830 | topic=Averages | difficulty=Easy | question=Find the average of 23, 84, 85, 11, 81, 80, 21. | option_a=56 | option_b=54 | option_c=55 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 385 ÷ 7 = 55.

Aptitude Questions — Records 31,831-31,860 of 100,000

id=31831 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■819. If it is sold at a profit of 50%, what is its selling price? | option_a=1228 | option_b=1309 | option_c=869 | option_d=1147 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 819 × 150/100 = ■1228.

id=31832 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:5 and the first is 45, what is the second? | option_a=15 | option_b=60 | option_c=10 | option_d=30 | answer=A | explanation=Scale factor = 45/15 = 3. Therefore second quantity = 5×3 = 15.

id=31833 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=180 | option_c=95 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=31834 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■44466 at 8% per annum for 1 years. | option_a=3457 | option_b=3557 | option_c=48023 | option_d=3657 | answer=B | explanation=SI = PRT/100 = 44466×8×1/100 = ■3557.

id=31835 | topic=Percentages | difficulty=Easy | question=What is 25% of 1434? | option_a=716 | option_b=363 | option_c=358 | option_d=348 | answer=C | explanation=25% of 1434 = (25/100) × 1434 = 358.

id=31836 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=19 | option_d=29 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=31837 | topic=Averages | difficulty=Easy | question=Find the average of 53, 29, 58, 63, 64, 64, 67, 50. | option_a=57 | option_b=58 | option_c=55 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 448 ÷ 8 = 56.

id=31838 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2452. If it is sold at a profit of 30%, what is its selling price? | option_a=3432 | option_b=2482 | option_c=3187 | option_d=2942 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2452 × 130/100 = ■3187.

id=31839 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■13517 at 8% per annum for 2 years. | option_a=15679 | option_b=2262 | option_c=2062 | option_d=2162 | answer=D | explanation=SI = PRT/100 = 13517×8×2/100 = ■2162.

id=31840 | topic=Averages | difficulty=Easy | question=Find the average of 24, 60, 47, 17. | option_a=39 | option_b=36 | option_c=37 | option_d=38 | answer=C | explanation=Average = sum of values ÷ number of values = 148 ÷ 4 = 37.

id=31841 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 15. | option_a=15 | option_b=60 | option_c=450 | option_d=30 | answer=D | explanation=LCM × HCF = 30×15; HCF(30,15) = 15, so LCM = 30.

id=31842 | topic=Percentages | difficulty=Easy | question=What is 12% of 770? | option_a=102 | option_b=87 | option_c=92 | option_d=184 | answer=C | explanation=12% of 770 = (12/100) × 770 = 92.

id=31843 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=O | option_c=Q | option_d=M | answer=C | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=31844 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:5 and the first is 280, what is the second? | option_a=380 | option_b=95 | option_c=100 | option_d=114 | answer=C | explanation=Scale factor = 280/14 = 20. Therefore second quantity = 5×20 = 100.

id=31845 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■500. If it is sold at a profit of 15%, what is its selling price? | option_a=525 | option_b=625 | option_c=515 | option_d=575 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 500 × 115/100 = ■575.

id=31846 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=50 | option_b=70 | option_c=61 | option_d=60 | answer=D | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

id=31847 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 57? | option_a=57 | option_b=47 | option_c=29 | option_d=38 | answer=A | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 57 is the odd one out.

id=31848 | topic=Averages | difficulty=Easy | question=Find the average of 84, 10, 83, 45, 58, 54, 70, 87, 58. | option_a=60 | option_b=62 | option_c=61 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = 549 ÷ 9 = 61.

id=31849 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■471. If it is sold at a profit of 20%, what is its selling price? | option_a=491 | option_b=565 | option_c=612 | option_d=518 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 471 × 120/100 = ■565.

id=31850 | topic=Averages | difficulty=Easy | question=Find the average of 24, 36, 16, 96, 53, 10, 17. | option_a=37 | option_b=36 | option_c=35 | option_d=38 | answer=B | explanation=Average = sum of values ÷ number of values = 252 ÷ 7 = 36.

id=31851 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 30? | option_a=30 | option_b=18 | option_c=23 | option_d=13 | answer=A | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 30 is the odd one out.

id=31852 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:2 and the first is 56, what is the second? | option_a=6 | option_b=22 | option_c=64 | option_d=8 | answer=D | explanation=Scale factor = 56/14 = 4. Therefore second quantity = 2×4 = 8.

id=31853 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4694. If it is sold at a profit of 25%, what is its selling price? | option_a=5398 | option_b=6336 | option_c=4719 | option_d=5867 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4694 × 125/100 = ■5867.

id=31854 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=9 | option_c=18 | option_d=4 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=31855 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:18 and the first is 224, what is the second? | option_a=476 | option_b=268 | option_c=234 | option_d=252 | answer=D | explanation=Scale factor = 224/16 = 14. Therefore second quantity = 18×14 = 252.

id=31856 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:19 and the first is 272, what is the second? | option_a=285 | option_b=304 | option_c=576 | option_d=321 | answer=B | explanation=Scale factor = 272/17 = 16. Therefore second quantity = 19×16 = 304.

id=31857 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:12 and the first is 272, what is the second? | option_a=204 | option_b=476 | option_c=192 | option_d=220 | answer=A | explanation=Scale factor = 272/16 = 17. Therefore second quantity = 12×17 = 204.

id=31858 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=60 | option_b=50 | option_c=70 | option_d=61 | answer=A | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

id=31859 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=31860 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

Aptitude Questions — Records 31,861-31,890 of 100,000

id=31861 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=25 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=31862 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:16 and the first is 140, what is the second? | option_a=304 | option_b=320 | option_c=327 | option_d=460 | answer=B | explanation=Scale factor = 140/7 = 20. Therefore second quantity = 16×20 = 320.

id=31863 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=29 | option_b=26 | option_c=30 | option_d=32 | answer=A | explanation=The common difference is 3. Therefore the next term is 26 + 3 = 29.

id=31864 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 36, 45, 56? | option_a=27 | option_b=36 | option_c=56 | option_d=45 | answer=C | explanation=The first three numbers increase by 9, so the next should be 54. Therefore 56 is the odd one out.

id=31865 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13289 at 12% per annum for 5 years. | option_a=7973 | option_b=8073 | option_c=7873 | option_d=21262 | answer=A | explanation=SI = $PRT/100 = 13289 \times 12 \times 5/100 = \text{■}7973$.

id=31866 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41554 at 5% per annum for 2 years. | option_a=4055 | option_b=45709 | option_c=4255 | option_d=4155 | answer=D | explanation=SI = $PRT/100 = 41554 \times 5 \times 2/100 = \text{■}4155$.

id=31867 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=31868 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=31869 | topic=Averages | difficulty=Easy | question=Find the average of 65, 25, 86, 83, 33, 62. | option_a=58 | option_b=59 | option_c=61 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = $354 \div 6 = 59$.

id=31870 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 6. | option_a=12 | option_b=24 | option_c=72 | option_d=6 | answer=A | explanation=LCM × HCF = 12×6 ; HCF(12, 6) = 6, so LCM = 12.

id=31871 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=11 | option_b=12 | option_c=8 | option_d=10 | answer=D | explanation=The common difference is 2. Therefore the next term is $8 + 2 = 10$.

id=31872 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does "I" become? | option_a=J | option_b=I | option_c=H | option_d=K | answer=A | explanation=Move 1 positions forward from I; the resulting letter is J.

id=31873 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 24, 30, 36, ? | option_a=36 | option_b=42 | option_c=48 | option_d=43 | answer=B | explanation=The common difference is 6. Therefore the next term is $36 + 6 = 42$.

id=31874 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = $180 \div 6 = 30$ km/h.

id=31875 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:4 and the first is 96, what is the second? | option_a=44 | option_b=32 | option_c=128 | option_d=28 | answer=B | explanation=Scale factor = $96/12 = 8$. Therefore second quantity = $4 \times 8 = 32$.

id=31876 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=31877 | topic=Averages | difficulty=Easy | question=Find the average of 24, 99, 13, 40. | option_a=44 | option_b=43 | option_c=46 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = $176 \div 4 = 44$.

id=31878 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = $180 \div 6 = 30$ km/h.

id=31879 | topic=Percentages | difficulty=Easy | question=What is 5% of 50? | option_a=22 | option_b=2 | option_c=4 | option_d=0 | answer=B | explanation=5% of 50 = $(5/100) \times 50 = 2$.

id=31880 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=31881 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does "K" become? | option_a=N | option_b=K | option_c=Q | option_d=H | answer=A | explanation=Move 3 positions forward from K; the resulting letter is N.

id=31882 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**550. If it is sold at a profit of 40%, what is its selling price? | option_a=825 | option_b=590 | option_c=770 | option_d=715 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 550 \times 140/100 = \text{■}770$.

id=31883 | topic=Averages | difficulty=Easy | question=Find the average of 35, 96, 89, 80. | option_a=75 | option_b=74 | option_c=77 | option_d=76 | answer=A | explanation=Average = sum of values ÷ number of values = $300 \div 4 = 75$.

id=31884 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=21 | option_b=27 | option_c=24 | option_d=25 | answer=C | explanation=The common difference is 3. Therefore the next term is $21 + 3 = 24$.

id=31885 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 44? | option_a=35 | option_b=44 | option_c=28 | option_d=21 | answer=B | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 44 is the odd one out.

id=31886 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 285, what is the second? | option_a=54 | option_b=72 | option_c=342 | option_d=57 | answer=D | explanation=Scale factor = $285/15 = 19$. Therefore second quantity = $3 \times 19 = 57$.

id=31887 | topic=Averages | difficulty=Easy | question=Find the average of 19, 64, 96, 20, 51, 65, 49, 50, 27. | option_a=50 | option_b=48 | option_c=49 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = $441 \div 9 = 49$.

id=31888 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.

id=31889 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:2 and the first is 187, what is the second? | option_a=221 | option_b=34 | option_c=45 | option_d=32 | answer=B | explanation=Scale factor = $187/11 = 17$. Therefore second quantity = $2 \times 17 = 34$.

id=31890 | topic=Percentages | difficulty=Easy | question=What is 40% of 1120? | option_a=443 | option_b=896 | option_c=453 | option_d=448 | answer=D | explanation=40% of 1120 = $(40/100) \times 1120 = 448$.

Aptitude Questions — Records 31,891-31,920 of 100,000

id=31891 | topic=Averages | difficulty=Easy | question=Find the average of 83, 71, 88, 77, 29, 54, 60. | option_a=68 | option_b=66 | option_c=65 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = 462 ÷ 7 = 66.

id=31892 | topic=Percentages | difficulty=Easy | question=What is 20% of 1094? | option_a=218 | option_b=213 | option_c=238 | option_d=436 | answer=A | explanation=20% of 1094 = (20/100) × 1094 = 218.

id=31893 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2494. If it is sold at a profit of 50%, what is its selling price? | option_a=3492 | option_b=3990 | option_c=3741 | option_d=2544 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2494 × 150/100 = █3741.

id=31894 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:15 and the first is 266, what is the second? | option_a=195 | option_b=210 | option_c=229 | option_d=476 | answer=B | explanation=Scale factor = 266/19 = 14. Therefore second quantity = 15×14 = 210.

id=31895 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 22? | option_a=15 | option_b=17 | option_c=13 | option_d=22 | answer=D | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 22 is the odd one out.

id=31896 | topic=Percentages | difficulty=Easy | question=What is 30% of 677? | option_a=198 | option_b=208 | option_c=406 | option_d=203 | answer=D | explanation=30% of 677 = (30/100) × 677 = 203.

id=31897 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=31898 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1413. If it is sold at a profit of 10%, what is its selling price? | option_a=1695 | option_b=1554 | option_c=1423 | option_d=1413 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1413 × 110/100 = █1554.

id=31899 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:1 and the first is 30, what is the second? | option_a=2 | option_b=3 | option_c=33 | option_d=13 | answer=B | explanation=Scale factor = 30/10 = 3. Therefore second quantity = 1×3 = 3.

id=31900 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 14, 16, 19? | option_a=14 | option_b=19 | option_c=12 | option_d=16 | answer=B | explanation=The first three numbers increase by 2, so the next should be 18. Therefore 19 is the odd one out.

id=31901 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=120 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=31902 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 15, 23, 34? | option_a=7 | option_b=15 | option_c=23 | option_d=34 | answer=D | explanation=The first three numbers increase by 8, so the next should be 31. Therefore 34 is the odd one out.

id=31903 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=145 | option_c=300 | option_d=155 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=31904 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3246. If it is sold at a profit of 5%, what is its selling price? | option_a=3251 | option_b=3408 | option_c=3732 | option_d=3084 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3246 × 105/100 = █3408.

id=31905 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=L | option_b=N | option_c=M | option_d=O | answer=B | explanation=Move 1 positions forward from M; the resulting letter is N.

id=31906 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26969 at 8% per annum for 3 years. | option_a=6472 | option_b=33441 | option_c=6572 | option_d=6372 | answer=A | explanation=SI = PRT/100 = 26969×8×3/100 = █6472.

id=31907 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7170 at 8% per annum for 5 years. | option_a=2868 | option_b=2968 | option_c=10038 | option_d=2768 | answer=A | explanation=SI = PRT/100 = 7170×8×5/100 = █2868.

id=31908 | topic=Percentages | difficulty=Easy | question=What is 30% of 1893? | option_a=567 | option_b=547 | option_c=587 | option_d=1134 | answer=A | explanation=30% of 1893 = (30/100) × 1893 = 567.

id=31909 | topic=Profit & Loss | difficulty=Easy | question=An article costs █503. If it is sold at a profit of 5%, what is its selling price? | option_a=508 | option_b=528 | option_c=478 | option_d=578 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 503 × 105/100 = █528.

id=31910 | topic=Profit & Loss | difficulty=Easy | question=An article costs █804. If it is sold at a profit of 30%, what is its selling price? | option_a=1045 | option_b=1125 | option_c=965 | option_d=834 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 804 × 130/100 = █1045.

id=31911 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=72 | option_c=41 | option_d=31 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=31912 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21749 at 15% per annum for 2 years. | option_a=6524 | option_b=6424 | option_c=28273 | option_d=6624 | answer=A | explanation=SI = PRT/100 = 21749×15×2/100 = █6524.

id=31913 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1212. If it is sold at a profit of 15%, what is its selling price? | option_a=1272 | option_b=1227 | option_c=1514 | option_d=1393 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1212 × 115/100 = █1393.

id=31914 | topic=Profit & Loss | difficulty=Easy | question=An article costs █869. If it is sold at a profit of 20%, what is its selling price? | option_a=889 | option_b=1042 | option_c=956 | option_d=1128 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 869 × 120/100 = █1042.

id=31915 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4887. If it is sold at a profit of 50%, what is its selling price? | option_a=7818 | option_b=6842 | option_c=4937 | option_d=7330 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4887 × 150/100 = █7330.

id=31916 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3272. If it is sold at a profit of 15%, what is its selling price? | option_a=3762 | option_b=3435 | option_c=4089 | option_d=3287 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3272 × 115/100 = █3762.

id=31917 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=85 | option_c=95 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=31918 | topic=Percentages | difficulty=Easy | question=What is 12% of 1500? | option_a=180 | option_b=170 | option_c=185 | option_d=360 | answer=A | explanation=12% of 1500 = (12/100) × 1500 = 180.

id=31919 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 30. | option_a=600 | option_b=80 | option_c=30 | option_d=60 | answer=D | explanation=LCM × HCF = 20×30; HCF(20,30) = 10, so LCM = 60.

id=31920 | topic=Percentages | difficulty=Easy | question=What is 20% of 1935? | option_a=774 | option_b=367 | option_c=407 | option_d=387 | answer=D | explanation=20% of 1935 = (20/100) × 1935 = 387.

Aptitude Questions — Records 31,921-31,950 of 100,000

id=31921 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2955. If it is sold at a profit of 5%, what is its selling price? | option_a=3397 | option_b=2807 | option_c=2960 | option_d=3102 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2955 × 105/100 = █3102.

id=31922 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=31923 | topic=Percentages | difficulty=Easy | question=What is 5% of 1508? | option_a=75 | option_b=150 | option_c=80 | option_d=55 | answer=A | explanation=5% of 1508 = (5/100) × 1508 = 75.

id=31924 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=31925 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2269 at 4% per annum for 4 years. | option_a=363 | option_b=463 | option_c=2632 | option_d=263 | answer=A | explanation=SI = PRT/100 = 2269×4×4/100 = █363.

id=31926 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:3 and the first is 192, what is the second? | option_a=240 | option_b=45 | option_c=60 | option_d=48 | answer=D | explanation=Scale factor = 192/12 = 16. Therefore second quantity = 3×16 = 48.

id=31927 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 17, 23, 31? | option_a=31 | option_b=23 | option_c=11 | option_d=17 | answer=A | explanation=The first three numbers increase by 6, so the next should be 29. Therefore 31 is the odd one out.

id=31928 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=15 | option_b=14 | option_c=12 | option_d=16 | answer=B | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=31929 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=31930 | topic=Percentages | difficulty=Easy | question=What is 50% of 1143? | option_a=1142 | option_b=571 | option_c=576 | option_d=566 | answer=B | explanation=50% of 1143 = (50/100) × 1143 = 571.

id=31931 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does "T" become? | option_a=P | option_b=B | option_c=T | option_d=X | answer=D | explanation=Move 4 positions forward from T; the resulting letter is X.

id=31932 | topic=Averages | difficulty=Easy | question=Find the average of 46, 83, 18, 89, 62, 76, 32. | option_a=57 | option_b=59 | option_c=58 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 406 ÷ 7 = 58.

id=31933 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=31934 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=120 | option_c=115 | option_d=125 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=31935 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=80 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=31936 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 28? | option_a=24 | option_b=22 | option_c=28 | option_d=20 | answer=C | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 28 is the odd one out.

id=31937 | topic=Percentages | difficulty=Easy | question=What is 5% of 1193? | option_a=79 | option_b=59 | option_c=54 | option_d=118 | answer=B | explanation=5% of 1193 = (5/100) × 1193 = 59.

id=31938 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:12 and the first is 60, what is the second? | option_a=120 | option_b=108 | option_c=126 | option_d=180 | answer=A | explanation=Scale factor = 60/6 = 10. Therefore second quantity = 12×10 = 120.

id=31939 | topic=Averages | difficulty=Easy | question=Find the average of 49, 82, 92, 81, 79, 19. | option_a=66 | option_b=67 | option_c=68 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 402 ÷ 6 = 67.

id=31940 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 52? | option_a=40 | option_b=30 | option_c=52 | option_d=20 | answer=C | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 52 is the odd one out.

id=31941 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 24? | option_a=15 | option_b=17 | option_c=19 | option_d=24 | answer=D | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 24 is the odd one out.

id=31942 | topic=Percentages | difficulty=Easy | question=What is 40% of 1367? | option_a=1092 | option_b=556 | option_c=546 | option_d=526 | answer=C | explanation=40% of 1367 = (40/100) × 1367 = 546.

id=31943 | topic=Percentages | difficulty=Easy | question=What is 20% of 1127? | option_a=225 | option_b=245 | option_c=450 | option_d=215 | answer=A | explanation=20% of 1127 = (20/100) × 1127 = 225.

id=31944 | topic=Averages | difficulty=Easy | question=Find the average of 68, 87, 43. | option_a=67 | option_b=66 | option_c=68 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 198 ÷ 3 = 66.

id=31945 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=300 | option_c=155 | option_d=145 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=31946 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=74 | option_b=52 | option_c=63 | option_d=64 | answer=C | explanation=The common difference is 11. Therefore the next term is 52 + 11 = 63.

id=31947 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4042. If it is sold at a profit of 15%, what is its selling price? | option_a=5052 | option_b=4648 | option_c=4057 | option_d=4244 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4042 × 115/100 = █4648.

id=31948 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 52? | option_a=32 | option_b=41 | option_c=23 | option_d=52 | answer=D | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 52 is the odd one out.

id=31949 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=31950 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:19 and the first is 8, what is the second? | option_a=38 | option_b=46 | option_c=42 | option_d=19 | answer=A | explanation=Scale factor = 8/4 = 2. Therefore second quantity = 19×2 = 38.

Aptitude Questions — Records 31,951-31,980 of 100,000

id=31951 | topic=Percentages | difficulty=Easy | question=What is 25% of 1462? | option_a=730 | option_b=370 | option_c=355 | option_d=365 | answer=D | explanation=25% of 1462 = (25/100) × 1462 = 365.

id=31952 | topic=Averages | difficulty=Easy | question=Find the average of 96, 90, 58, 23, 86, 94, 14, 76, 66. | option_a=69 | option_b=66 | option_c=67 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 603 ÷ 9 = 67.

id=31953 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=31954 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:6 and the first is 48, what is the second? | option_a=34 | option_b=18 | option_c=12 | option_d=66 | answer=B | explanation=Scale factor = 48/16 = 3. Therefore second quantity = 6×3 = 18.

id=31955 | topic=Averages | difficulty=Easy | question=Find the average of 93, 80, 25, 64, 99, 95. | option_a=76 | option_b=78 | option_c=75 | option_d=77 | answer=A | explanation=Average = sum of values ÷ number of values = 456 ÷ 6 = 76.

id=31956 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 28, 38, 48, ? | option_a=59 | option_b=48 | option_c=58 | option_d=68 | answer=C | explanation=The common difference is 10. Therefore the next term is 48 + 10 = 58.

id=31957 | topic=Averages | difficulty=Easy | question=Find the average of 76, 28, 28. | option_a=44 | option_b=46 | option_c=45 | option_d=43 | answer=A | explanation=Average = sum of values ÷ number of values = 132 ÷ 3 = 44.

id=31958 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:10 and the first is 10, what is the second? | option_a=25 | option_b=30 | option_c=20 | option_d=10 | answer=C | explanation=Scale factor = 10/5 = 2. Therefore second quantity = 10×2 = 20.

id=31959 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 48? | option_a=38 | option_b=48 | option_c=31 | option_d=24 | answer=B | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 48 is the odd one out.

id=31960 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2218. If it is sold at a profit of 30%, what is its selling price? | option_a=3104 | option_b=2883 | option_c=2662 | option_d=2248 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2218 × 130/100 = █2883.

id=31961 | topic=Averages | difficulty=Easy | question=Find the average of 69, 11, 11, 54, 85. | option_a=45 | option_b=47 | option_c=48 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 230 ÷ 5 = 46.

id=31962 | topic=Percentages | difficulty=Easy | question=What is 12% of 509? | option_a=81 | option_b=61 | option_c=56 | option_d=122 | answer=B | explanation=12% of 509 = (12/100) × 509 = 61.

id=31963 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=31964 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=41 | option_c=31 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=31965 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28253 at 8% per annum for 1 years. | option_a=2260 | option_b=2160 | option_c=2360 | option_d=30513 | answer=A | explanation=SI = PRT/100 = 28253×8×1/100 = █2260.

id=31966 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 37? | option_a=37 | option_b=29 | option_c=32 | option_d=26 | answer=A | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 37 is the odd one out.

id=31967 | topic=Percentages | difficulty=Easy | question=What is 5% of 1404? | option_a=140 | option_b=75 | option_c=70 | option_d=50 | answer=C | explanation=5% of 1404 = (5/100) × 1404 = 70.

id=31968 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=31969 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=31970 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 13? | option_a=6 | option_b=8 | option_c=4 | option_d=13 | answer=D | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 13 is the odd one out.

id=31971 | topic=Percentages | difficulty=Easy | question=What is 20% of 618? | option_a=123 | option_b=246 | option_c=118 | option_d=133 | answer=A | explanation=20% of 618 = (20/100) × 618 = 123.

id=31972 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=31973 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:20 and the first is 324, what is the second? | option_a=378 | option_b=684 | option_c=340 | option_d=360 | answer=D | explanation=Scale factor = 324/18 = 18. Therefore second quantity = 20×18 = 360.

id=31974 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=31975 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=O | option_c=K | option_d=M | answer=B | explanation=Move 2 positions forward from M; the resulting letter is O.

id=31976 | topic=Profit & Loss | difficulty=Easy | question=An article costs █909. If it is sold at a profit of 10%, what is its selling price? | option_a=919 | option_b=909 | option_c=1089 | option_d=999 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 909 × 110/100 = █999.

id=31977 | topic=Averages | difficulty=Easy | question=Find the average of 93, 37, 59. | option_a=64 | option_b=65 | option_c=63 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 189 ÷ 3 = 63.

id=31978 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=27 | option_b=26 | option_c=23 | option_d=29 | answer=B | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.

id=31979 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1222. If it is sold at a profit of 15%, what is its selling price? | option_a=1283 | option_b=1527 | option_c=1405 | option_d=1237 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1222 × 115/100 = █1405.

id=31980 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:3 and the first is 144, what is the second? | option_a=33 | option_b=36 | option_c=48 | option_d=180 | answer=B | explanation=Scale factor = 144/12 = 12. Therefore second quantity = 3×12 = 36.

Aptitude Questions — Records 31,981-32,010 of 100,000

id=31981 | topic=Percentages | difficulty=Easy | question=What is 30% of 815? | option_a=254 | option_b=244 | option_c=488 | option_d=239 | answer=B | explanation=30% of 815 = (30/100) × 815 = 244.

id=31982 | topic=Percentages | difficulty=Easy | question=What is 10% of 706? | option_a=140 | option_b=90 | option_c=70 | option_d=65 | answer=C | explanation=10% of 706 = (10/100) × 706 = 70.

id=31983 | topic=Averages | difficulty=Easy | question=Find the average of 80, 16, 75. | option_a=58 | option_b=59 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 171 ÷ 3 = 57.

id=31984 | topic=Percentages | difficulty=Easy | question=What is 40% of 1395? | option_a=553 | option_b=578 | option_c=1116 | option_d=558 | answer=D | explanation=40% of 1395 = (40/100) × 1395 = 558.

id=31985 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4110. If it is sold at a profit of 40%, what is its selling price? | option_a=4150 | option_b=5754 | option_c=6165 | option_d=5343 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4110 × 140/100 = █5754.

id=31986 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15289 at 10% per annum for 3 years. | option_a=4586 | option_b=4686 | option_c=19875 | option_d=4486 | answer=A | explanation=SI = PRT/100 = 15289×10×3/100 = █4586.

id=31987 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1933. If it is sold at a profit of 30%, what is its selling price? | option_a=2512 | option_b=1963 | option_c=2319 | option_d=2705 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1933 × 130/100 = █2512.

id=31988 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=120 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=31989 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=31990 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 5, 8, 12? | option_a=8 | option_b=12 | option_c=2 | option_d=5 | answer=B | explanation=The first three numbers increase by 3, so the next should be 11. Therefore 12 is the odd one out.

id=31991 | topic=Averages | difficulty=Easy | question=Find the average of 10, 88, 91, 55, 98, 53, 19, 42, 21. | option_a=52 | option_b=54 | option_c=55 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 477 ÷ 9 = 53.

id=31992 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=31993 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=A | option_c=K | option_d=P | answer=C | explanation=Move 5 positions forward from F; the resulting letter is K.

id=31994 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=53 | option_b=33 | option_c=44 | option_d=43 | answer=D | explanation=The common difference is 10. Therefore the next term is 33 + 10 = 43.

id=31995 | topic=Percentages | difficulty=Easy | question=What is 10% of 1095? | option_a=104 | option_b=109 | option_c=114 | option_d=218 | answer=B | explanation=10% of 1095 = (10/100) × 1095 = 109.

id=31996 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4283. If it is sold at a profit of 10%, what is its selling price? | option_a=4283 | option_b=4293 | option_c=4711 | option_d=5139 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4283 × 110/100 = █4711.

id=31997 | topic=Profit & Loss | difficulty=Easy | question=An article costs █423. If it is sold at a profit of 30%, what is its selling price? | option_a=453 | option_b=591 | option_c=507 | option_d=549 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 423 × 130/100 = █549.

id=31998 | topic=Averages | difficulty=Easy | question=Find the average of 48, 12, 25, 79, 43, 40, 52, 45. | option_a=43 | option_b=45 | option_c=42 | option_d=44 | answer=A | explanation=Average = sum of values ÷ number of values = 344 ÷ 8 = 43.

id=31999 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2727 at 15% per annum for 5 years. | option_a=2145 | option_b=2045 | option_c=4772 | option_d=1945 | answer=B | explanation=SI = PRT/100 = 2727×15×5/100 = █2045.

id=32000 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=32001 | topic=Percentages | difficulty=Easy | question=What is 20% of 1492? | option_a=298 | option_b=308 | option_c=288 | option_d=596 | answer=A | explanation=20% of 1492 = (20/100) × 1492 = 298.

id=32002 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 18. | option_a=36 | option_b=486 | option_c=54 | option_d=81 | answer=C | explanation=LCM × HCF = 27×18; HCF(27,18) = 9, so LCM = 54.

id=32003 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=R | option_b=A | option_c=U | option_d=X | answer=D | explanation=Move 3 positions forward from U; the resulting letter is X.

id=32004 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1260. If it is sold at a profit of 40%, what is its selling price? | option_a=1638 | option_b=1890 | option_c=1300 | option_d=1764 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1260 × 140/100 = █1764.

id=32005 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3050. If it is sold at a profit of 5%, what is its selling price? | option_a=3507 | option_b=3055 | option_c=2897 | option_d=3202 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3050 × 105/100 = █3202.

id=32006 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 22, 27, 32, ? | option_a=32 | option_b=38 | option_c=37 | option_d=42 | answer=C | explanation=The common difference is 5. Therefore the next term is 32 + 5 = 37.

id=32007 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:8 and the first is 32, what is the second? | option_a=160 | option_b=128 | option_c=120 | option_d=130 | answer=B | explanation=Scale factor = 32/2 = 16. Therefore second quantity = 8×16 = 128.

id=32008 | topic=Percentages | difficulty=Easy | question=What is 5% of 803? | option_a=20 | option_b=40 | option_c=45 | option_d=80 | answer=B | explanation=5% of 803 = (5/100) × 803 = 40.

id=32009 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=V | option_b=F | option_c=K | option_d=A | answer=B | explanation=Move 5 positions forward from A; the resulting letter is F.

id=32010 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22391 at 5% per annum for 4 years. | option_a=4578 | option_b=26869 | option_c=4478 | option_d=4378 | answer=C | explanation=SI = PRT/100 = 22391×5×4/100 = █4478.

Aptitude Questions — Records 32,011-32,040 of 100,000

id=32011 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=60 | option_b=70 | option_c=50 | option_d=61 | answer=A | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

id=32012 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4713 at 8% per annum for 2 years. | option_a=5467 | option_b=854 | option_c=754 | option_d=654 | answer=C | explanation=SI = $PRT/100 = 4713 \times 8 \times 2/100 = \text{■}754$.

id=32013 | topic=Averages | difficulty=Easy | question=Find the average of 56, 72, 21, 95, 21, 17, 75. | option_a=53 | option_b=50 | option_c=51 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.

id=32014 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=40 | option_b=46 | option_c=32 | option_d=39 | answer=D | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.

id=32015 | topic=Percentages | difficulty=Easy | question=What is 20% of 121?? | option_a=238 | option_b=248 | option_c=243 | option_d=486 | answer=C | explanation=20% of 1217 = $(20/100) \times 1217 = 243$.

id=32016 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44986 at 5% per annum for 1 years. | option_a=47235 | option_b=2249 | option_c=2349 | option_d=2149 | answer=B | explanation=SI = $PRT/100 = 44986 \times 5 \times 1/100 = \text{■}2249$.

id=32017 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**258. If it is sold at a profit of 10%, what is its selling price? | option_a=268 | option_b=283 | option_c=258 | option_d=308 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 258 \times 110/100 = \text{■}283$.

id=32018 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=G | option_c=H | option_d=F | answer=C | explanation=Move 1 positions forward from G; the resulting letter is H.

id=32019 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 10, 13, 16, ? | option_a=19 | option_b=20 | option_c=22 | option_d=16 | answer=A | explanation=The common difference is 3. Therefore the next term is 16 + 3 = 19.

id=32020 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2563. If it is sold at a profit of 15%, what is its selling price? | option_a=3203 | option_b=2691 | option_c=2947 | option_d=2578 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2563 \times 115/100 = \text{■}2947$.

id=32021 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=32022 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1313. If it is sold at a profit of 20%, what is its selling price? | option_a=1575 | option_b=1706 | option_c=1333 | option_d=1444 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1313 \times 120/100 = \text{■}1575$.

id=32023 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18413 at 8% per annum for 5 years. | option_a=7265 | option_b=7365 | option_c=7465 | option_d=25778 | answer=B | explanation=SI = $PRT/100 = 18413 \times 8 \times 5/100 = \text{■}7365$.

id=32024 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:11 and the first is 54, what is the second? | option_a=252 | option_b=201 | option_c=198 | option_d=187 | answer=C | explanation=Scale factor = $54/3 = 18$. Therefore second quantity = $11 \times 18 = 198$.

id=32025 | topic=Averages | difficulty=Easy | question=Find the average of 72, 19, 52, 67, 69, 66, 81, 47, 32, 95. | option_a=56 | option_b=55 | option_c=57 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = $560 \div 10 = 56$.

id=32026 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = $60 \div 4 = 15$ km/h.

id=32027 | topic=Averages | difficulty=Easy | question=Find the average of 61, 92, 24, ? | option_a=61 | option_b=58 | option_c=59 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = $177 \div 3 = 59$.

id=32028 | topic=Averages | difficulty=Easy | question=Find the average of 25, 51, 94, 58, 43, 64, 36. | option_a=53 | option_b=52 | option_c=55 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = $371 \div 7 = 53$.

id=32029 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=45 | option_b=29 | option_c=37 | option_d=38 | answer=C | explanation=The common difference is 8. Therefore the next term is 29 + 8 = 37.

id=32030 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=32031 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:1 and the first is 20, what is the second? | option_a=12 | option_b=10 | option_c=30 | option_d=9 | answer=B | explanation=Scale factor = $20/2 = 10$. Therefore second quantity = $1 \times 10 = 10$.

id=32032 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = $120 \div 6 = 20$ km/h.

id=32033 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=44 | option_b=40 | option_c=34 | option_d=39 | answer=D | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

id=32034 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=E | option_b=H | option_c=K | option_d=N | answer=C | explanation=Move 3 positions forward from H; the resulting letter is K.

id=32035 | topic=Averages | difficulty=Easy | question=Find the average of 54, 66, 82, 96, 70, 87, 71, 89, 78, 47. | option_a=74 | option_b=75 | option_c=76 | option_d=73 | answer=A | explanation=Average = sum of values ÷ number of values = $740 \div 10 = 74$.

id=32036 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=Q | option_c=Y | option_d=M | answer=A | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=32037 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:11 and the first is 30, what is the second? | option_a=99 | option_b=140 | option_c=113 | option_d=110 | answer=D | explanation=Scale factor = $30/3 = 10$. Therefore second quantity = $11 \times 10 = 110$.

id=32038 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**267. If it is sold at a profit of 15%, what is its selling price? | option_a=333 | option_b=282 | option_c=307 | option_d=281 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 267 \times 115/100 = \text{■}307$.

id=32039 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 27? | option_a=27 | option_b=16 | option_c=22 | option_d=19 | answer=A | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 27 is the odd one out.

id=32040 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=55 | option_b=46 | option_c=64 | option_d=56 | answer=A | explanation=The common difference is 9. Therefore the next term is 46 + 9 = 55.

Aptitude Questions — Records 32,041-32,070 of 100,000

id=32041 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■4949 at 5% per annum for 1 years. | option_a=247 | option_b=5196 | option_c=147 | option_d=347 | answer=A | explanation=SI = $PRT/100 = 4949 \times 5 \times 1/100 = \blacksquare 247$.

id=32042 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=24 | option_c=7 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=32043 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=54 | option_b=38 | option_c=46 | option_d=47 | answer=C | explanation=The common difference is 8. Therefore the next term is 38 + 8 = 46.

id=32044 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:16 and the first is 120, what is the second? | option_a=240 | option_b=224 | option_c=248 | option_d=360 | answer=A | explanation=Scale factor = 120/8 = 15. Therefore second quantity = 16×15 = 240.

id=32045 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=32046 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=32047 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=63 | option_b=51 | option_c=62 | option_d=73 | answer=C | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.

id=32048 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 16? | option_a=8 | option_b=11 | option_c=5 | option_d=16 | answer=D | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 16 is the odd one out.

id=32049 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=32050 | topic=Percentages | difficulty=Easy | question=What is 30% of 1307? | option_a=412 | option_b=392 | option_c=382 | option_d=784 | answer=B | explanation=30% of 1307 = (30/100) × 1307 = 392.

id=32051 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=T | option_b=N | option_c=W | option_d=Q | answer=A | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=32052 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=J | option_b=B | option_c=F | option_d=N | answer=A | explanation=Move 4 positions forward from F; the resulting letter is J.

id=32053 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=15 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=32054 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■414. If it is sold at a profit of 20%, what is its selling price? | option_a=455 | option_b=496 | option_c=537 | option_d=434 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 414 × 120/100 = ■496.

id=32055 | topic=Averages | difficulty=Easy | question=Find the average of 64, 54, 96, 33, 12, 67, 52, 92, 97. | option_a=64 | option_b=65 | option_c=62 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 567 ÷ 9 = 63.

id=32056 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2624. If it is sold at a profit of 5%, what is its selling price? | option_a=3017 | option_b=2755 | option_c=2493 | option_d=2629 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2624 × 105/100 = ■2755.

id=32057 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=32058 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=32059 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=32060 | topic=Averages | difficulty=Easy | question=Find the average of 67, 62, 30, 34, 65, 13, 20, 29. | option_a=39 | option_b=40 | option_c=41 | option_d=42 | answer=B | explanation=Average = sum of values ÷ number of values = 320 ÷ 8 = 40.

id=32061 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=58 | option_b=69 | option_c=47 | option_d=59 | answer=A | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.

id=32062 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 30. | option_a=360 | option_b=416 | option_c=780 | option_d=390 | answer=D | explanation=LCM × HCF = 26×30; HCF(26,30) = 2, so LCM = 390.

id=32063 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2317. If it is sold at a profit of 30%, what is its selling price? | option_a=2347 | option_b=3243 | option_c=3012 | option_d=2781 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2317 × 130/100 = ■3012.

id=32064 | topic=Percentages | difficulty=Easy | question=What is 20% of 1461? | option_a=584 | option_b=287 | option_c=292 | option_d=312 | answer=C | explanation=20% of 1461 = (20/100) × 1461 = 292.

id=32065 | topic=Percentages | difficulty=Easy | question=What is 20% of 1045? | option_a=189 | option_b=229 | option_c=209 | option_d=418 | answer=C | explanation=20% of 1045 = (20/100) × 1045 = 209.

id=32066 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:12 and the first is 192, what is the second? | option_a=204 | option_b=192 | option_c=180 | option_d=384 | answer=B | explanation=Scale factor = 192/12 = 16. Therefore second quantity = 12×16 = 192.

id=32067 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=32068 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=Q | option_b=G | option_c=L | option_d=V | answer=A | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=32069 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=32070 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=E | option_b=M | option_c=I | option_d=Q | answer=B | explanation=Move 4 positions forward from I; the resulting letter is M.

Aptitude Questions — Records 32,071-32,100 of 100,000

- id=32071 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■12750 at 10% per annum for 3 years. | option_a=16575 | option_b=3725 | option_c=3925 | option_d=3825 | answer=D | explanation=SI = PRT/100 = 12750×10×3/100 = ■3825.
- id=32072 | topic=Averages | difficulty=Easy | question=Find the average of 69, 14, 71, 22, 37, 70, 96, 62, 57, 52. | option_a=54 | option_b=56 | option_c=57 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 550 ÷ 10 = 55.
- id=32073 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=50 | option_b=38 | option_c=44 | option_d=45 | answer=C | explanation=The common difference is 6. Therefore the next term is 38 + 6 = 44.
- id=32074 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=32075 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.
- id=32076 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=34 | option_b=41 | option_c=46 | option_d=40 | answer=D | explanation=The common difference is 6. Therefore the next term is 34 + 6 = 40.
- id=32077 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 28? | option_a=4 | option_b=18 | option_c=28 | option_d=11 | answer=C | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 28 is the odd one out.
- id=32078 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 12. | option_a=96 | option_b=12 | option_c=24 | option_d=32 | answer=C | explanation=LCM × HCF = 8×12; HCF(8,12) = 4, so LCM = 24.
- id=32079 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 34? | option_a=22 | option_b=12 | option_c=2 | option_d=34 | answer=D | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 34 is the odd one out.
- id=32080 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■13234 at 8% per annum for 1 years. | option_a=1058 | option_b=1158 | option_c=958 | option_d=14292 | answer=A | explanation=SI = PRT/100 = 13234×8×1/100 = ■1058.
- id=32081 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:2 and the first is 160, what is the second? | option_a=18 | option_b=20 | option_c=36 | option_d=180 | answer=B | explanation=Scale factor = 160/16 = 10. Therefore second quantity = 2×10 = 20.
- id=32082 | topic=Percentages | difficulty=Easy | question=What is 20% of 615? | option_a=143 | option_b=118 | option_c=123 | option_d=246 | answer=C | explanation=20% of 615 = (20/100) × 615 = 123.
- id=32083 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 16. | option_a=224 | option_b=240 | option_c=270 | option_d=480 | answer=B | explanation=LCM × HCF = 30×16; HCF(30,16) = 2, so LCM = 240.
- id=32084 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 27? | option_a=21 | option_b=15 | option_c=27 | option_d=18 | answer=C | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 27 is the odd one out.
- id=32085 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.
- id=32086 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=16 | option_b=19 | option_c=13 | option_d=17 | answer=A | explanation=The common difference is 3. Therefore the next term is 13 + 3 = 16.
- id=32087 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:16 and the first is 10, what is the second? | option_a=32 | option_b=42 | option_c=37 | option_d=16 | answer=A | explanation=Scale factor = 10/5 = 2. Therefore second quantity = 16×2 = 32.
- id=32088 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1017. If it is sold at a profit of 40%, what is its selling price? | option_a=1423 | option_b=1524 | option_c=1322 | option_d=1057 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1017 × 140/100 = ■1423.
- id=32089 | topic=Percentages | difficulty=Easy | question=What is 15% of 540? | option_a=91 | option_b=81 | option_c=162 | option_d=76 | answer=B | explanation=15% of 540 = (15/100) × 540 = 81.
- id=32090 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=32091 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=X | option_c=B | option_d=P | answer=B | explanation=Move 4 positions forward from T; the resulting letter is X.
- id=32092 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:13 and the first is 40, what is the second? | option_a=300 | option_b=260 | option_c=247 | option_d=262 | answer=B | explanation=Scale factor = 40/2 = 20. Therefore second quantity = 13×20 = 260.
- id=32093 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■30450 at 12% per annum for 5 years. | option_a=18170 | option_b=18370 | option_c=18270 | option_d=48720 | answer=C | explanation=SI = PRT/100 = 30450×12×5/100 = ■18270.
- id=32094 | topic=Percentages | difficulty=Easy | question=What is 10% of 1306? | option_a=130 | option_b=135 | option_c=110 | option_d=260 | answer=A | explanation=10% of 1306 = (10/100) × 1306 = 130.
- id=32095 | topic=Percentages | difficulty=Easy | question=What is 20% of 1717? | option_a=353 | option_b=686 | option_c=333 | option_d=343 | answer=D | explanation=20% of 1717 = (20/100) × 1717 = 343.
- id=32096 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=C | option_b=G | option_c=E | option_d=I | answer=B | explanation=Move 2 positions forward from E; the resulting letter is G.
- id=32097 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:16 and the first is 85, what is the second? | option_a=80 | option_b=165 | option_c=97 | option_d=64 | answer=A | explanation=Scale factor = 85/17 = 5. Therefore second quantity = 16×5 = 80.
- id=32098 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=S | option_c=R | option_d=T | answer=D | explanation=Move 1 positions forward from S; the resulting letter is T.
- id=32099 | topic=Percentages | difficulty=Easy | question=What is 40% of 1736? | option_a=689 | option_b=694 | option_c=1388 | option_d=714 | answer=B | explanation=40% of 1736 = (40/100) × 1736 = 694.
- id=32100 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 38, 46, 56? | option_a=56 | option_b=30 | option_c=46 | option_d=38 | answer=A | explanation=The first three numbers increase by 8, so the next should be 54. Therefore 56 is the odd one out.

Aptitude Questions — Records 32,101-32,130 of 100,000

id=32101 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:8 and the first is 8, what is the second? | option_a=8 | option_b=20 | option_c=16 | option_d=24 | answer=C | explanation=Scale factor = $\frac{8}{4} = 2$. Therefore second quantity = $8 \times 2 = 16$.

id=32102 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3059. If it is sold at a profit of 25%, what is its selling price? | option_a=4128 | option_b=3518 | option_c=3823 | option_d=3084 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3059 \times 125 / 100 = \text{█}3823$.

id=32103 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=R | option_c=X | option_d=A | answer=C | explanation=Move 3 positions forward from U; the resulting letter is X.

id=32104 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=44 | option_b=32 | option_c=38 | option_d=39 | answer=C | explanation=The common difference is 6. Therefore the next term is $32 + 6 = 38$.

id=32105 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=W | option_c=M | option_d=B | answer=B | explanation=Move 5 positions forward from R; the resulting letter is W.

id=32106 | topic=Averages | difficulty=Easy | question=Find the average of 100, 14, 77, 73, 36, 77, 77, 89, 17, 100. | option_a=65 | option_b=66 | option_c=68 | option_d=67 | answer=B | explanation=Average = $\text{sum of values} \div \text{number of values} = 660 \div 10 = 66$.

id=32107 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 38? | option_a=26 | option_b=38 | option_c=29 | option_d=32 | answer=B | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 38 is the odd one out.

id=32108 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 180 \div 6 = 30$ km/h.

id=32109 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=28 | option_b=26 | option_c=24 | option_d=27 | answer=B | explanation=The common difference is 2. Therefore the next term is $24 + 2 = 26$.

id=32110 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=19 | option_c=24 | option_d=29 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 240 \div 10 = 24$ km/h.

id=32111 | topic=Percentages | difficulty=Easy | question=What is 15% of 1465? | option_a=438 | option_b=219 | option_c=199 | option_d=229 | answer=B | explanation= $15\% \text{ of } 1465 = (15/100) \times 1465 = 219$.

id=32112 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 8. | option_a=8 | option_b=1 | option_c=16 | option_d=64 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 8 \times 8$; $\text{HCF}(8,8) = 8$, so $\text{LCM} = 8$.

id=32113 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23292 at 5% per annum for 3 years. | option_a=26785 | option_b=3493 | option_c=3393 | option_d=3593 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{23292 \times 5 \times 3}{100} = \text{█}3493$.

id=32114 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2706. If it is sold at a profit of 10%, what is its selling price? | option_a=2716 | option_b=3246 | option_c=2706 | option_d=2976 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2706 \times 110 / 100 = \text{█}2976$.

id=32115 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=32116 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=144 | option_c=67 | option_d=77 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 360 \div 5 = 72$ km/h.

id=32117 | topic=Percentages | difficulty=Easy | question=What is 50% of 1378? | option_a=689 | option_b=1378 | option_c=669 | option_d=709 | answer=A | explanation= $50\% \text{ of } 1378 = (50/100) \times 1378 = 689$.

id=32118 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=50 | option_c=40 | option_d=45 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 90 \div 2 = 45$ km/h.

id=32119 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2054. If it is sold at a profit of 30%, what is its selling price? | option_a=2670 | option_b=2084 | option_c=2465 | option_d=2875 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2054 \times 130 / 100 = \text{█}2670$.

id=32120 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=X | option_b=A | option_c=R | option_d=U | answer=A | explanation=Move 3 positions forward from U; the resulting letter is X.

id=32121 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 24, 33, 44? | option_a=44 | option_b=24 | option_c=15 | option_d=33 | answer=A | explanation=The first three numbers increase by 9, so the next should be 42. Therefore 44 is the odd one out.

id=32122 | topic=Averages | difficulty=Easy | question=Find the average of 60, 25, 71. | option_a=52 | option_b=53 | option_c=54 | option_d=51 | answer=A | explanation=Average = $\text{sum of values} \div \text{number of values} = 156 \div 3 = 52$.

id=32123 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=32124 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 26, 35, 47? | option_a=17 | option_b=47 | option_c=26 | option_d=35 | answer=B | explanation=The first three numbers increase by 9, so the next should be 44. Therefore 47 is the odd one out.

id=32125 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 21. | option_a=63 | option_b=84 | option_c=252 | option_d=96 | answer=B | explanation= $\text{LCM} \times \text{HCF} = 12 \times 21$; $\text{HCF}(12,21) = 3$, so $\text{LCM} = 84$.

id=32126 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.

id=32127 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 30? | option_a=30 | option_b=13 | option_c=23 | option_d=18 | answer=A | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 30 is the odd one out.

id=32128 | topic=Percentages | difficulty=Easy | question=What is 12% of 1500? | option_a=360 | option_b=170 | option_c=180 | option_d=200 | answer=C | explanation= $12\% \text{ of } 1500 = (12/100) \times 1500 = 180$.

id=32129 | topic=Averages | difficulty=Easy | question=Find the average of 45, 86, 81, 77, 76. | option_a=72 | option_b=75 | option_c=74 | option_d=73 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 365 \div 5 = 73$.

id=32130 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=L | option_b=R | option_c=U | option_d=O | answer=B | explanation=Move 3 positions forward from O; the resulting letter is R.

Aptitude Questions — Records 32,131-32,160 of 100,000

id=32131 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■33678 at 10% per annum for 2 years. | option_a=40413 | option_b=6635 | option_c=6835 | option_d=6735 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{33678 \times 10 \times 2}{100} = \blacksquare 6735$.

id=32132 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=32133 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:2 and the first is 24, what is the second? | option_a=16 | option_b=10 | option_c=12 | option_d=36 | answer=C | explanation=Scale factor = $24/4 = 6$. Therefore second quantity = $2 \times 6 = 12$.

id=32134 | topic=Percentages | difficulty=Easy | question=What is 10% of 1620? | option_a=182 | option_b=152 | option_c=162 | option_d=324 | answer=C | explanation=10% of 1620 = $(10/100) \times 1620 = 162$.

id=32135 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=32136 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3495. If it is sold at a profit of 20%, what is its selling price? | option_a=4194 | option_b=4543 | option_c=3845 | option_d=3515 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3495 \times 120/100 = \blacksquare 4194$.

id=32137 | topic=Averages | difficulty=Easy | question=Find the average of 50, 13, 33. | option_a=33 | option_b=32 | option_c=31 | option_d=34 | answer=B | explanation=Average = sum of values ÷ number of values = $96 \div 3 = 32$.

id=32138 | topic=Averages | difficulty=Easy | question=Find the average of 93, 59, 44, 85, 69, 84, 95, 67, 61. | option_a=74 | option_b=73 | option_c=72 | option_d=75 | answer=B | explanation=Average = sum of values ÷ number of values = $657 \div 9 = 73$.

id=32139 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 56? | option_a=29 | option_b=45 | option_c=37 | option_d=56 | answer=D | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 56 is the odd one out.

id=32140 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:10 and the first is 12, what is the second? | option_a=121 | option_b=110 | option_c=132 | option_d=120 | answer=D | explanation=Scale factor = $12/1 = 12$. Therefore second quantity = $10 \times 12 = 120$.

id=32141 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = $60 \div 2 = 30$ km/h.

id=32142 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=G | option_c=F | option_d=H | answer=D | explanation=Move 1 positions forward from G; the resulting letter is H.

id=32143 | topic=Percentages | difficulty=Easy | question=What is 20% of 421? | option_a=168 | option_b=79 | option_c=94 | option_d=84 | answer=D | explanation=20% of 421 = $(20/100) \times 421 = 84$.

id=32144 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $90 \div 3 = 30$ km/h.

id=32145 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 44? | option_a=18 | option_b=44 | option_c=26 | option_d=34 | answer=B | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 44 is the odd one out.

id=32146 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2835. If it is sold at a profit of 40%, what is its selling price? | option_a=3686 | option_b=2875 | option_c=3969 | option_d=4252 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2835 \times 140/100 = \blacksquare 3969$.

id=32147 | topic=Averages | difficulty=Easy | question=Find the average of 97, 95, 27, 30, 36. | option_a=56 | option_b=59 | option_c=58 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = $285 \div 5 = 57$.

id=32148 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=7 | option_c=12 | option_d=24 | answer=C | explanation=Speed = distance ÷ time = $120 \div 10 = 12$ km/h.

id=32149 | topic=Averages | difficulty=Easy | question=Find the average of 31, 91, 38, 80. | option_a=60 | option_b=62 | option_c=61 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = $240 \div 4 = 60$.

id=32150 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=64 | option_b=52 | option_c=40 | option_d=53 | answer=B | explanation=The common difference is 12. Therefore the next term is $40 + 12 = 52$.

id=32151 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 29? | option_a=19 | option_b=29 | option_c=12 | option_d=5 | answer=B | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 29 is the odd one out.

id=32152 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=32153 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 22, 26, 31? | option_a=31 | option_b=26 | option_c=22 | option_d=18 | answer=A | explanation=The first three numbers increase by 4, so the next should be 30. Therefore 31 is the odd one out.

id=32154 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4137. If it is sold at a profit of 25%, what is its selling price? | option_a=4162 | option_b=4758 | option_c=5584 | option_d=5171 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4137 \times 125/100 = \blacksquare 5171$.

id=32155 | topic=Percentages | difficulty=Easy | question=What is 25% of 171? | option_a=84 | option_b=52 | option_c=42 | option_d=37 | answer=C | explanation=25% of 171 = $(25/100) \times 171 = 42$.

id=32156 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 17, 26, 36? | option_a=36 | option_b=8 | option_c=17 | option_d=26 | answer=A | explanation=The first three numbers increase by 9, so the next should be 35. Therefore 36 is the odd one out.

id=32157 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = $180 \div 6 = 30$ km/h.

id=32158 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=47 | option_b=48 | option_c=56 | option_d=38 | answer=A | explanation=The common difference is 9. Therefore the next term is $38 + 9 = 47$.

id=32159 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=120 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.

id=32160 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2178. If it is sold at a profit of 25%, what is its selling price? | option_a=2505 | option_b=2722 | option_c=2939 | option_d=2203 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2178 \times 125/100 = \blacksquare 2722$.

Aptitude Questions — Records 32,161-32,190 of 100,000

id=32161 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 50? | option_a=30 | option_b=39 | option_c=50 | option_d=21 | answer=C | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 50 is the odd one out.

id=32162 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=46 | option_b=32 | option_c=40 | option_d=39 | answer=D | explanation=The common difference is 7. Therefore the next term is $32 + 7 = 39$.

id=32163 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1090. If it is sold at a profit of 15%, what is its selling price? | option_a=1105 | option_b=1253 | option_c=1144 | option_d=1362 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1090 \times 115/100 = \text{█}1253$.

id=32164 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=41 | option_b=40 | option_c=35 | option_d=45 | answer=B | explanation=The common difference is 5. Therefore the next term is $35 + 5 = 40$.

id=32165 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=Z | option_b=I | option_c=C | option_d=F | answer=D | explanation=Move 3 positions forward from C; the resulting letter is F.

id=32166 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48946 at 5% per annum for 5 years. | option_a=12136 | option_b=12336 | option_c=61182 | option_d=12236 | answer=D | explanation=SI = $PRT/100 = 48946 \times 5 \times 5/100 = \text{█}12236$.

id=32167 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:4 and the first is 143, what is the second? | option_a=57 | option_b=187 | option_c=40 | option_d=44 | answer=D | explanation=Scale factor = $143/13 = 11$. Therefore second quantity = $4 \times 11 = 44$.

id=32168 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=32169 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3346. If it is sold at a profit of 20%, what is its selling price? | option_a=4349 | option_b=4015 | option_c=3681 | option_d=3366 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3346 \times 120/100 = \text{█}4015$.

id=32170 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33518 at 12% per annum for 3 years. | option_a=11966 | option_b=45584 | option_c=12166 | option_d=12066 | answer=D | explanation=SI = $PRT/100 = 33518 \times 12 \times 3/100 = \text{█}12066$.

id=32171 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=155 | option_c=300 | option_d=145 | answer=A | explanation=Speed = distance ÷ time = $300 \div 2 = 150$ km/h.

id=32172 | topic=Averages | difficulty=Easy | question=Find the average of 86, 33, 81, 24, 36, | option_a=53 | option_b=51 | option_c=54 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = $260 \div 5 = 52$.

id=32173 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 35, 44, 55? | option_a=44 | option_b=26 | option_c=55 | option_d=35 | answer=C | explanation=The first three numbers increase by 9, so the next should be 53. Therefore 55 is the odd one out.

id=32174 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3803. If it is sold at a profit of 50%, what is its selling price? | option_a=5324 | option_b=3853 | option_c=5704 | option_d=6084 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3803 \times 150/100 = \text{█}5704$.

id=32175 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45473 at 4% per annum for 1 years. | option_a=1718 | option_b=1818 | option_c=47291 | option_d=1918 | answer=B | explanation=SI = $PRT/100 = 45473 \times 4 \times 1/100 = \text{█}1818$.

id=32176 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 9, 13, 18? | option_a=18 | option_b=9 | option_c=13 | option_d=5 | answer=A | explanation=The first three numbers increase by 4, so the next should be 17. Therefore 18 is the odd one out.

id=32177 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:14 and the first is 255, what is the second? | option_a=465 | option_b=196 | option_c=227 | option_d=210 | answer=D | explanation=Scale factor = $255/17 = 15$. Therefore second quantity = $14 \times 15 = 210$.

id=32178 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44340 at 10% per annum for 5 years. | option_a=22270 | option_b=22170 | option_c=66510 | option_d=22070 | answer=B | explanation=SI = $PRT/100 = 44340 \times 10 \times 5/100 = \text{█}22170$.

id=32179 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22183 at 15% per annum for 3 years. | option_a=10082 | option_b=32165 | option_c=9882 | option_d=9982 | answer=D | explanation=SI = $PRT/100 = 22183 \times 15 \times 3/100 = \text{█}9982$.

id=32180 | topic=Averages | difficulty=Easy | question=Find the average of 98, 98, 49, 85, 49, 84, 97. | option_a=82 | option_b=81 | option_c=79 | option_d=80 | answer=D | explanation=Average = sum of values ÷ number of values = $560 \div 7 = 80$.

id=32181 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=T | option_c=W | option_d=V | answer=D | explanation=Move 1 positions forward from U; the resulting letter is V.

id=32182 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1335. If it is sold at a profit of 10%, what is its selling price? | option_a=1468 | option_b=1345 | option_c=1601 | option_d=1335 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1335 \times 110/100 = \text{█}1468$.

id=32183 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 40? | option_a=40 | option_b=32 | option_c=25 | option_d=18 | answer=A | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 40 is the odd one out.

id=32184 | topic=Averages | difficulty=Easy | question=Find the average of 29, 92, 78, 65, 37, 93, 24, 40, 55. | option_a=56 | option_b=59 | option_c=58 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = $513 \div 9 = 57$.

id=32185 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=D | option_c=A | option_d=C | answer=D | explanation=Move 1 positions forward from B; the resulting letter is C.

id=32186 | topic=Percentages | difficulty=Easy | question=What is 10% of 1058? | option_a=105 | option_b=210 | option_c=85 | option_d=125 | answer=A | explanation=10% of 1058 = $(10/100) \times 1058 = 105$.

id=32187 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:12 and the first is 60, what is the second? | option_a=184 | option_b=240 | option_c=180 | option_d=168 | answer=C | explanation=Scale factor = $60/4 = 15$. Therefore second quantity = $12 \times 15 = 180$.

id=32188 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=32189 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3717. If it is sold at a profit of 15%, what is its selling price? | option_a=4274 | option_b=3732 | option_c=3903 | option_d=4645 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3717 \times 115/100 = \text{█}4274$.

id=32190 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = $120 \div 2 = 60$ km/h.

Aptitude Questions — Records 32,191-32,220 of 100,000

id=32191 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■44881 at 15% per annum for 4 years. | option_a=27028 | option_b=71809 | option_c=26828 | option_d=26928 | answer=D | explanation=SI = PRT/100 = 44881×15×4/100 = ■26928.

id=32192 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1164. If it is sold at a profit of 40%, what is its selling price? | option_a=1629 | option_b=1745 | option_c=1513 | option_d=1204 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1164 × 140/100 = ■1629.

id=32193 | topic=Percentages | difficulty=Easy | question=What is 50% of 1675? | option_a=832 | option_b=847 | option_c=837 | option_d=1674 | answer=C | explanation=50% of 1675 = (50/100) × 1675 = 837.

id=32194 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4638. If it is sold at a profit of 15%, what is its selling price? | option_a=4653 | option_b=5796 | option_c=5333 | option_d=4870 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4638 × 115/100 = ■5333.

id=32195 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=Z | option_b=P | option_c=U | option_d=K | answer=C | explanation=Move 5 positions forward from P; the resulting letter is U.

id=32196 | topic=Averages | difficulty=Easy | question=Find the average of 46, 44, 11, 51, 96, 98, 29, 21, 50, 84. | option_a=54 | option_b=53 | option_c=52 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=32197 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=29 | option_c=19 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=32198 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■33402 at 4% per annum for 3 years. | option_a=3908 | option_b=4108 | option_c=37410 | option_d=4008 | answer=D | explanation=SI = PRT/100 = 33402×4×3/100 = ■4008.

id=32199 | topic=Percentages | difficulty=Easy | question=What is 30% of 1100? | option_a=660 | option_b=330 | option_c=310 | option_d=350 | answer=B | explanation=30% of 1100 = (30/100) × 1100 = 330.

id=32200 | topic=Percentages | difficulty=Easy | question=What is 15% of 797? | option_a=129 | option_b=238 | option_c=114 | option_d=119 | answer=D | explanation=15% of 797 = (15/100) × 797 = 119.

id=32201 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:11 and the first is 256, what is the second? | option_a=432 | option_b=165 | option_c=192 | option_d=176 | answer=D | explanation=Scale factor = 256/16 = 16. Therefore second quantity = 11×16 = 176.

id=32202 | topic=Averages | difficulty=Easy | question=Find the average of 49, 40, 94, 78, 43, 15, 17. | option_a=48 | option_b=47 | option_c=50 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 336 ÷ 7 = 48.

id=32203 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■2242 at 8% per annum for 2 years. | option_a=358 | option_b=258 | option_c=458 | option_d=2600 | answer=A | explanation=SI = PRT/100 = 2242×8×2/100 = ■358.

id=32204 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 8. | option_a=32 | option_b=60 | option_c=160 | option_d=40 | answer=D | explanation=LCM × HCF = 20×8; HCF(20,8) = 4, so LCM = 40.

id=32205 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 35? | option_a=26 | option_b=19 | option_c=12 | option_d=35 | answer=D | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 35 is the odd one out.

id=32206 | topic=Percentages | difficulty=Easy | question=What is 5% of 1317? | option_a=85 | option_b=55 | option_c=65 | option_d=130 | answer=C | explanation=5% of 1317 = (5/100) × 1317 = 65.

id=32207 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:5 and the first is 36, what is the second? | option_a=27 | option_b=15 | option_c=51 | option_d=10 | answer=B | explanation=Scale factor = 36/12 = 3. Therefore second quantity = 5×3 = 15.

id=32208 | topic=Percentages | difficulty=Easy | question=What is 40% of 811? | option_a=324 | option_b=344 | option_c=648 | option_d=319 | answer=A | explanation=40% of 811 = (40/100) × 811 = 324.

id=32209 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=32210 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=80 | option_d=150 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=32211 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 38, 48, 61? | option_a=28 | option_b=48 | option_c=38 | option_d=61 | answer=D | explanation=The first three numbers increase by 10, so the next should be 58. Therefore 61 is the odd one out.

id=32212 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:14 and the first is 240, what is the second? | option_a=239 | option_b=210 | option_c=464 | option_d=224 | answer=D | explanation=Scale factor = 240/15 = 16. Therefore second quantity = 14×16 = 224.

id=32213 | topic=Percentages | difficulty=Easy | question=What is 40% of 322? | option_a=256 | option_b=108 | option_c=133 | option_d=128 | answer=D | explanation=40% of 322 = (40/100) × 322 = 128.

id=32214 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=32215 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=L | option_c=X | option_d=T | answer=D | explanation=Move 4 positions forward from P; the resulting letter is T.

id=32216 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=17 | option_b=20 | option_c=21 | option_d=19 | answer=D | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=32217 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=M | option_b=B | option_c=W | option_d=R | answer=C | explanation=Move 5 positions forward from R; the resulting letter is W.

id=32218 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=32219 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=14 | option_c=4 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=32220 | topic=Averages | difficulty=Easy | question=Find the average of 23, 33, 52, 92. | option_a=51 | option_b=49 | option_c=52 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 200 ÷ 4 = 50.

Aptitude Questions — Records 32,221-32,250 of 100,000

id=32221 | topic=Percentages | difficulty=Easy | question=What is 40% of 1552? | option_a=640 | option_b=615 | option_c=1240 | option_d=620 | answer=D | explanation=40% of 1552 = (40/100) × 1552 = 620.

id=32222 | topic=Percentages | difficulty=Easy | question=What is 12% of 882? | option_a=105 | option_b=210 | option_c=125 | option_d=95 | answer=A | explanation=12% of 882 = (12/100) × 882 = 105.

id=32223 | topic=Averages | difficulty=Easy | question=Find the average of 86, 27, 58, 31, 75, 71, 69, 88, 53. | option_a=62 | option_b=61 | option_c=64 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 558 ÷ 9 = 62.

id=32224 | topic=Averages | difficulty=Easy | question=Find the average of 11, 48, 32, 17, 35, 91, 68, 35, 96, 107. | option_a=55 | option_b=54 | option_c=53 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

id=32225 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:3 and the first is 340, what is the second? | option_a=77 | option_b=57 | option_c=400 | option_d=60 | answer=D | explanation=Scale factor = 340/17 = 20. Therefore second quantity = 3×20 = 60.

id=32226 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4160. If it is sold at a profit of 50%, what is its selling price? | option_a=6240 | option_b=4210 | option_c=5824 | option_d=6656 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4160 × 150/100 = █6240.

id=32227 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 43? | option_a=43 | option_b=28 | option_c=35 | option_d=21 | answer=A | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 43 is the odd one out.

id=32228 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=25 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=32229 | topic=Percentages | difficulty=Easy | question=What is 30% of 1668? | option_a=1000 | option_b=480 | option_c=500 | option_d=520 | answer=C | explanation=30% of 1668 = (30/100) × 1668 = 500.

id=32230 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=100 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=32231 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1472. If it is sold at a profit of 30%, what is its selling price? | option_a=1502 | option_b=1913 | option_c=1766 | option_d=2060 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1472 × 130/100 = █1913.

id=32232 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=32233 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=4 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=32234 | topic=Percentages | difficulty=Easy | question=What is 20% of 1357? | option_a=542 | option_b=271 | option_c=291 | option_d=266 | answer=B | explanation=20% of 1357 = (20/100) × 1357 = 271.

id=32235 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 3. | option_a=6 | option_b=1 | option_c=9 | option_d=3 | answer=D | explanation=LCM × HCF = 3×3; HCF(3,3) = 3, so LCM = 3.

id=32236 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 43? | option_a=37 | option_b=29 | option_c=43 | option_d=33 | answer=C | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 43 is the odd one out.

id=32237 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2351. If it is sold at a profit of 5%, what is its selling price? | option_a=2356 | option_b=2703 | option_c=2233 | option_d=2468 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2351 × 105/100 = █2468.

id=32238 | topic=Percentages | difficulty=Easy | question=What is 50% of 451? | option_a=450 | option_b=225 | option_c=230 | option_d=205 | answer=B | explanation=50% of 451 = (50/100) × 451 = 225.

id=32239 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 17, 25, 33, ? | option_a=42 | option_b=49 | option_c=41 | option_d=33 | answer=C | explanation=The common difference is 8. Therefore the next term is 33 + 8 = 41.

id=32240 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=A | option_c=X | option_d=R | answer=C | explanation=Move 3 positions forward from U; the resulting letter is X.

id=32241 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3768. If it is sold at a profit of 40%, what is its selling price? | option_a=5651 | option_b=5275 | option_c=3808 | option_d=4899 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3768 × 140/100 = █5275.

id=32242 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:7 and the first is 238, what is the second? | option_a=98 | option_b=91 | option_c=336 | option_d=115 | answer=A | explanation=Scale factor = 238/17 = 14. Therefore second quantity = 7×14 = 98.

id=32243 | topic=Number System | difficulty=Easy | question=Find the LCM of 11 and 11. | option_a=121 | option_b=22 | option_c=1 | option_d=11 | answer=D | explanation=LCM × HCF = 11×11; HCF(11,11) = 11, so LCM = 11.

id=32244 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 31? | option_a=31 | option_b=4 | option_c=20 | option_d=12 | answer=A | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 31 is the odd one out.

id=32245 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=32246 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:7 and the first is 320, what is the second? | option_a=112 | option_b=105 | option_c=432 | option_d=132 | answer=A | explanation=Scale factor = 320/20 = 16. Therefore second quantity = 7×16 = 112.

id=32247 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=B | option_c=D | option_d=Z | answer=C | explanation=Move 2 positions forward from B; the resulting letter is D.

id=32248 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=Y | option_b=C | option_c=A | option_d=E | answer=B | explanation=Move 2 positions forward from A; the resulting letter is C.

id=32249 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31249 at 4% per annum for 4 years. | option_a=4899 | option_b=4999 | option_c=5099 | option_d=36248 | answer=B | explanation=SI = PRT/100 = 31249×4×4/100 = █4999.

id=32250 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 4. | option_a=40 | option_b=44 | option_c=88 | option_d=66 | answer=B | explanation=LCM × HCF = 22×4; HCF(22,4) = 2, so LCM = 44.

Aptitude Questions — Records 32,251-32,280 of 100,000

id=32251 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=66 | option_b=77 | option_c=65 | option_d=53 | answer=C | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.

id=32252 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3898 at 10% per annum for 2 years. | option_a=879 | option_b=4677 | option_c=679 | option_d=779 | answer=D | explanation=SI = PRT/100 = 3898×10×2/100 = **■**779.

id=32253 | topic=Averages | difficulty=Easy | question=Find the average of 22, 15, 83, 85, 80. | option_a=56 | option_b=59 | option_c=57 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.

id=32254 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=G | option_c=C | option_d=I | answer=B | explanation=Move 2 positions forward from E; the resulting letter is G.

id=32255 | topic=Percentages | difficulty=Easy | question=What is 10% of 393? | option_a=29 | option_b=39 | option_c=59 | option_d=78 | answer=B | explanation=10% of 393 = (10/100) × 393 = 39.

id=32256 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3289. If it is sold at a profit of 20%, what is its selling price? | option_a=3946 | option_b=3309 | option_c=3618 | option_d=4274 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3289 × 120/100 = **■**3946.

id=32257 | topic=Percentages | difficulty=Easy | question=What is 40% of 150? | option_a=60 | option_b=40 | option_c=120 | option_d=70 | answer=A | explanation=40% of 150 = (40/100) × 150 = 60.

id=32258 | topic=Percentages | difficulty=Easy | question=What is 5% of 1130? | option_a=56 | option_b=66 | option_c=46 | option_d=112 | answer=A | explanation=5% of 1130 = (5/100) × 1130 = 56.

id=32259 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14045 at 10% per annum for 3 years. | option_a=4313 | option_b=4113 | option_c=4213 | option_d=18258 | answer=C | explanation=SI = PRT/100 = 14045×10×3/100 = **■**4213.

id=32260 | topic=Averages | difficulty=Easy | question=Find the average of 84, 58, 67, 90, 18, 55. | option_a=62 | option_b=61 | option_c=64 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 372 ÷ 6 = 62.

id=32261 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=32262 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=56 | option_b=43 | option_c=55 | option_d=67 | answer=C | explanation=The common difference is 12. Therefore the next term is 43 + 12 = 55.

id=32263 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=11 | option_b=8 | option_c=10 | option_d=12 | answer=C | explanation=The common difference is 2. Therefore the next term is 8 + 2 = 10.

id=32264 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41798 at 5% per annum for 3 years. | option_a=6169 | option_b=48067 | option_c=6269 | option_d=6369 | answer=C | explanation=SI = PRT/100 = 41798×5×3/100 = **■**6269.

id=32265 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=32266 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=Z | option_b=K | option_c=U | option_d=P | answer=C | explanation=Move 5 positions forward from P; the resulting letter is U.

id=32267 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 43? | option_a=21 | option_b=43 | option_c=31 | option_d=11 | answer=B | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 43 is the odd one out.

id=32268 | topic=Averages | difficulty=Easy | question=Find the average of 38, 24, 38, 53, 32, 15, 87. | option_a=40 | option_b=42 | option_c=41 | option_d=43 | answer=C | explanation=Average = sum of values ÷ number of values = 287 ÷ 7 = 41.

id=32269 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=18 | option_c=4 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=32270 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:5 and the first is 18, what is the second? | option_a=10 | option_b=33 | option_c=21 | option_d=15 | answer=D | explanation=Scale factor = 18/6 = 3. Therefore second quantity = 5×3 = 15.

id=32271 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=K | option_b=C | option_c=G | option_d=Y | answer=C | explanation=Move 4 positions forward from C; the resulting letter is G.

id=32272 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=K | option_c=E | option_d=N | answer=B | explanation=Move 3 positions forward from H; the resulting letter is K.

id=32273 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=4 | option_c=18 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=32274 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=Y | option_b=G | option_c=K | option_d=C | answer=B | explanation=Move 4 positions forward from C; the resulting letter is G.

id=32275 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4658. If it is sold at a profit of 30%, what is its selling price? | option_a=4688 | option_b=6055 | option_c=5590 | option_d=6520 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4658 × 130/100 = **■**6055.

id=32276 | topic=Percentages | difficulty=Easy | question=What is 50% of 1998? | option_a=999 | option_b=1004 | option_c=979 | option_d=1998 | answer=A | explanation=50% of 1998 = (50/100) × 1998 = 999.

id=32277 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=4 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=32278 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1157. If it is sold at a profit of 5%, what is its selling price? | option_a=1329 | option_b=1214 | option_c=1099 | option_d=1162 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1157 × 105/100 = **■**1214.

id=32279 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=32280 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**464. If it is sold at a profit of 20%, what is its selling price? | option_a=510 | option_b=484 | option_c=556 | option_d=602 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 464 × 120/100 = **■**556.

Aptitude Questions — Records 32,281-32,310 of 100,000

id=32281 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=F | option_c=H | option_d=G | answer=C | explanation=Move 1 positions forward from G; the resulting letter is H.

id=32282 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:13 and the first is 160, what is the second? | option_a=268 | option_b=420 | option_c=260 | option_d=247 | answer=C | explanation=Scale factor = 160/8 = 20. Therefore second quantity = 13×20 = 260.

id=32283 | topic=Averages | difficulty=Easy | question=Find the average of 54, 100, 59, 40, 52. | option_a=62 | option_b=63 | option_c=60 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 305 ÷ 5 = 61.

id=32284 | topic=Averages | difficulty=Easy | question=Find the average of 70, 28, 65, 62, 99, 13, 97. | option_a=62 | option_b=64 | option_c=63 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 434 ÷ 7 = 62.

id=32285 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=20 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=32286 | topic=Percentages | difficulty=Easy | question=What is 10% of 1643? | option_a=174 | option_b=164 | option_c=159 | option_d=328 | answer=B | explanation=10% of 1643 = (10/100) × 1643 = 164.

id=32287 | topic=Percentages | difficulty=Easy | question=What is 15% of 625? | option_a=186 | option_b=93 | option_c=73 | option_d=103 | answer=B | explanation=15% of 625 = (15/100) × 625 = 93.

id=32288 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■16684 at 12% per annum for 4 years. | option_a=24692 | option_b=8008 | option_c=8108 | option_d=7908 | answer=B | explanation=SI = PRT/100 = 16684×12×4/100 = ■8008.

id=32289 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1629. If it is sold at a profit of 50%, what is its selling price? | option_a=2443 | option_b=2281 | option_c=1679 | option_d=2605 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1629 × 150/100 = ■2443.

id=32290 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=32291 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=H | option_c=G | option_d=F | answer=B | explanation=Move 1 positions forward from G; the resulting letter is H.

id=32292 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:18 and the first is 360, what is the second? | option_a=342 | option_b=378 | option_c=360 | option_d=720 | answer=C | explanation=Scale factor = 360/18 = 20. Therefore second quantity = 18×20 = 360.

id=32293 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 24? | option_a=17 | option_b=24 | option_c=15 | option_d=19 | answer=B | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 24 is the odd one out.

id=32294 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=M | option_b=S | option_c=P | option_d=V | answer=B | explanation=Move 3 positions forward from P; the resulting letter is S.

id=32295 | topic=Averages | difficulty=Easy | question=Find the average of 56, 23, 80, 36, 24, 98, 71, 67, 94. | option_a=60 | option_b=63 | option_c=62 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 549 ÷ 9 = 61.

id=32296 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=41 | option_c=31 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=32297 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■191. If it is sold at a profit of 25%, what is its selling price? | option_a=257 | option_b=238 | option_c=216 | option_d=219 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 191 × 125/100 = ■238.

id=32298 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■2422 at 5% per annum for 1 years. | option_a=121 | option_b=2543 | option_c=21 | option_d=221 | answer=A | explanation=SI = PRT/100 = 2422×5×1/100 = ■121.

id=32299 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=32300 | topic=Percentages | difficulty=Easy | question=What is 15% of 1130? | option_a=179 | option_b=338 | option_c=169 | option_d=159 | answer=C | explanation=15% of 1130 = (15/100) × 1130 = 169.

id=32301 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■39417 at 15% per annum for 2 years. | option_a=11725 | option_b=11825 | option_c=11925 | option_d=51242 | answer=B | explanation=SI = PRT/100 = 39417×15×2/100 = ■11825.

id=32302 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=Q | option_b=U | option_c=W | option_d=S | answer=B | explanation=Move 2 positions forward from S; the resulting letter is U.

id=32303 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=43 | option_b=50 | option_c=42 | option_d=34 | answer=C | explanation=The common difference is 8. Therefore the next term is 34 + 8 = 42.

id=32304 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■325. If it is sold at a profit of 20%, what is its selling price? | option_a=390 | option_b=422 | option_c=345 | option_d=358 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 325 × 120/100 = ■390.

id=32305 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 24. | option_a=36 | option_b=24 | option_c=1 | option_d=288 | answer=B | explanation=LCM × HCF = 12×24; HCF(12,24) = 12, so LCM = 24.

id=32306 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:7 and the first is 24, what is the second? | option_a=46 | option_b=42 | option_c=35 | option_d=66 | answer=B | explanation=Scale factor = 24/4 = 6. Therefore second quantity = 7×6 = 42.

id=32307 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 8, 13, 20? | option_a=8 | option_b=13 | option_c=3 | option_d=20 | answer=D | explanation=The first three numbers increase by 5, so the next should be 18. Therefore 20 is the odd one out.

id=32308 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=43 | option_b=38 | option_c=37 | option_d=31 | answer=C | explanation=The common difference is 6. Therefore the next term is 31 + 6 = 37.

id=32309 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■43606 at 4% per annum for 2 years. | option_a=3588 | option_b=3488 | option_c=47094 | option_d=3388 | answer=B | explanation=SI = PRT/100 = 43606×4×2/100 = ■3488.

id=32310 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:7 and the first is 238, what is the second? | option_a=133 | option_b=112 | option_c=119 | option_d=357 | answer=C | explanation=Scale factor = 238/14 = 17. Therefore second quantity = 7×17 = 119.

Aptitude Questions — Records 32,311-32,340 of 100,000

id=32311 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:10 and the first is 18, what is the second? | option_a=20 | option_b=10 | option_c=29 | option_d=38 | answer=A | explanation=Scale factor = 18/9 = 2. Therefore second quantity = 10×2 = 20.

id=32312 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=32313 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21872 at 5% per annum for 1 years. | option_a=22965 | option_b=1093 | option_c=993 | option_d=1193 | answer=B | explanation=SI = PRT/100 = 21872×5×1/100 = **■**1093.

id=32314 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=32315 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46840 at 4% per annum for 1 years. | option_a=1873 | option_b=1973 | option_c=1773 | option_d=48713 | answer=A | explanation=SI = PRT/100 = 46840×4×1/100 = **■**1873.

id=32316 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:13 and the first is 48, what is the second? | option_a=211 | option_b=208 | option_c=256 | option_d=195 | answer=B | explanation=Scale factor = 48/3 = 16. Therefore second quantity = 13×16 = 208.

id=32317 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=I | option_b=J | option_c=L | option_d=K | answer=D | explanation=Move 1 positions forward from J; the resulting letter is K.

id=32318 | topic=Percentages | difficulty=Easy | question=What is 50% of 1719? | option_a=859 | option_b=864 | option_c=1718 | option_d=839 | answer=A | explanation=50% of 1719 = (50/100) × 1719 = 859.

id=32319 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:2 and the first is 135, what is the second? | option_a=28 | option_b=165 | option_c=39 | option_d=30 | answer=D | explanation=Scale factor = 135/9 = 15. Therefore second quantity = 2×15 = 30.

id=32320 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:17 and the first is 270, what is the second? | option_a=525 | option_b=255 | option_c=238 | option_d=273 | answer=B | explanation=Scale factor = 270/18 = 15. Therefore second quantity = 17×15 = 255.

id=32321 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:15 and the first is 30, what is the second? | option_a=135 | option_b=150 | option_c=153 | option_d=180 | answer=B | explanation=Scale factor = 30/3 = 10. Therefore second quantity = 15×10 = 150.

id=32322 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=25 | option_c=40 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=32323 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=95 | option_c=105 | option_d=200 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=32324 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:1 and the first is 70, what is the second? | option_a=6 | option_b=7 | option_c=17 | option_d=77 | answer=B | explanation=Scale factor = 70/10 = 7. Therefore second quantity = 1×7 = 7.

id=32325 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2107. If it is sold at a profit of 25%, what is its selling price? | option_a=2843 | option_b=2132 | option_c=2423 | option_d=2633 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2107 × 125/100 = **■**2633.

id=32326 | topic=Averages | difficulty=Easy | question=Find the average of 84, 57, 38, 10, 76. | option_a=55 | option_b=53 | option_c=54 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 265 ÷ 5 = 53.

id=32327 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=Q | option_b=K | option_c=H | option_d=N | answer=D | explanation=Move 3 positions forward from K; the resulting letter is N.

id=32328 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 16. | option_a=1 | option_b=18 | option_c=32 | option_d=16 | answer=D | explanation=LCM × HCF = 2×16; HCF(2,16) = 2, so LCM = 16.

id=32329 | topic=Averages | difficulty=Easy | question=Find the average of 21, 13, 81, 96, 54. | option_a=52 | option_b=53 | option_c=54 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 265 ÷ 5 = 53.

id=32330 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=32331 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4342. If it is sold at a profit of 15%, what is its selling price? | option_a=4357 | option_b=5427 | option_c=4559 | option_d=4993 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4342 × 115/100 = **■**4993.

id=32332 | topic=Averages | difficulty=Easy | question=Find the average of 86, 91, 76, 11, 61, 80, 11, 88. | option_a=65 | option_b=62 | option_c=64 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 504 ÷ 8 = 63.

id=32333 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 16, 23, 30, ? | option_a=38 | option_b=37 | option_c=44 | option_d=30 | answer=B | explanation=The common difference is 7. Therefore the next term is 30 + 7 = 37.

id=32334 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28000 at 8% per annum for 3 years. | option_a=6620 | option_b=34720 | option_c=6720 | option_d=6820 | answer=C | explanation=SI = PRT/100 = 28000×8×3/100 = **■**6720.

id=32335 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=68 | option_b=46 | option_c=58 | option_d=57 | answer=D | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.

id=32336 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=80 | option_c=75 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=32337 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=32338 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 17, 25, 33, ? | option_a=33 | option_b=49 | option_c=42 | option_d=41 | answer=D | explanation=The common difference is 8. Therefore the next term is 33 + 8 = 41.

id=32339 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=34 | option_b=44 | option_c=40 | option_d=39 | answer=D | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

id=32340 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

Aptitude Questions — Records 32,341-32,370 of 100,000

- id=32341 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.
- id=32342 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13680 at 5% per annum for 4 years. | option_a=2836 | option_b=16416 | option_c=2636 | option_d=2736 | answer=D | explanation=SI = PRT/100 = 13680×5×4/100 = **■**2736.
- id=32343 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=48 | option_b=41 | option_c=49 | option_d=55 | answer=A | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.
- id=32344 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21845 at 5% per annum for 5 years. | option_a=5361 | option_b=27306 | option_c=5461 | option_d=5561 | answer=C | explanation=SI = PRT/100 = 21845×5×5/100 = **■**5461.
- id=32345 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:13 and the first is 90, what is the second? | option_a=104 | option_b=117 | option_c=207 | option_d=127 | answer=B | explanation=Scale factor = 90/10 = 9. Therefore second quantity = 13×9 = 117.
- id=32346 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 17, 25, 33, ? | option_a=41 | option_b=42 | option_c=49 | option_d=33 | answer=A | explanation=The common difference is 8. Therefore the next term is 33 + 8 = 41.
- id=32347 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3357. If it is sold at a profit of 50%, what is its selling price? | option_a=5035 | option_b=5370 | option_c=3407 | option_d=4700 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3357 × 150/100 = **■**5035.
- id=32348 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37521 at 5% per annum for 5 years. | option_a=46901 | option_b=9280 | option_c=9380 | option_d=9480 | answer=C | explanation=SI = PRT/100 = 37521×5×5/100 = **■**9380.
- id=32349 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47678 at 10% per annum for 2 years. | option_a=9535 | option_b=9435 | option_c=9635 | option_d=57213 | answer=A | explanation=SI = PRT/100 = 47678×10×2/100 = **■**9535.
- id=32350 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 13? | option_a=3 | option_b=13 | option_c=9 | option_d=6 | answer=B | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 13 is the odd one out.
- id=32351 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=40 | option_c=25 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.
- id=32352 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 43? | option_a=28 | option_b=43 | option_c=22 | option_d=34 | answer=B | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 43 is the odd one out.
- id=32353 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=J | option_b=N | option_c=P | option_d=L | answer=B | explanation=Move 2 positions forward from L; the resulting letter is N.
- id=32354 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=A | option_b=D | option_c=B | option_d=C | answer=D | explanation=Move 1 positions forward from B; the resulting letter is C.
- id=32355 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=32356 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.
- id=32357 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2967. If it is sold at a profit of 15%, what is its selling price? | option_a=2982 | option_b=3116 | option_c=3412 | option_d=3708 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2967 × 115/100 = **■**3412.
- id=32358 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=24 | option_c=12 | option_d=17 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.
- id=32359 | topic=Averages | difficulty=Easy | question=Find the average of 57, 82, 48, 52, 54, 75, 12, 20. | option_a=49 | option_b=52 | option_c=50 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 400 ÷ 8 = 50.
- id=32360 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.
- id=32361 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.
- id=32362 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 16, 20, 26? | option_a=20 | option_b=16 | option_c=12 | option_d=26 | answer=D | explanation=The first three numbers increase by 4, so the next should be 24. Therefore 26 is the odd one out.
- id=32363 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=32364 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.
- id=32365 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43, ? | option_a=52 | option_b=59 | option_c=43 | option_d=51 | answer=D | explanation=The common difference is 8. Therefore the next term is 43 + 8 = 51.
- id=32366 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 30? | option_a=23 | option_b=30 | option_c=15 | option_d=19 | answer=B | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 30 is the odd one out.
- id=32367 | topic=Averages | difficulty=Easy | question=Find the average of 77, 81, 48, 77, 97, 87, 79. | option_a=78 | option_b=77 | option_c=80 | option_d=79 | answer=A | explanation=Average = sum of values ÷ number of values = 546 ÷ 7 = 78.
- id=32368 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2968. If it is sold at a profit of 20%, what is its selling price? | option_a=2988 | option_b=3265 | option_c=3561 | option_d=3857 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2968 × 120/100 = **■**3561.
- id=32369 | topic=Percentages | difficulty=Easy | question=What is 12% of 1287? | option_a=144 | option_b=154 | option_c=308 | option_d=174 | answer=B | explanation=12% of 1287 = (12/100) × 1287 = 154.
- id=32370 | topic=Percentages | difficulty=Easy | question=What is 50% of 1327? | option_a=1326 | option_b=653 | option_c=663 | option_d=673 | answer=C | explanation=50% of 1327 = (50/100) × 1327 = 663.

Aptitude Questions — Records 32,371-32,400 of 100,000

id=32371 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=32372 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:5 and the first is 228, what is the second? | option_a=55 | option_b=288 | option_c=79 | option_d=60 | answer=D | explanation=Scale factor = 228/19 = 12. Therefore second quantity = 5×12 = 60.

id=32373 | topic=Averages | difficulty=Easy | question=Find the average of 21, 94, 12, 59, 31, 47, 33, 16, 47. | option_a=41 | option_b=42 | option_c=40 | option_d=39 | answer=C | explanation=Average = sum of values ÷ number of values = 360 ÷ 9 = 40.

id=32374 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■2592 at 15% per annum for 5 years. | option_a=1944 | option_b=2044 | option_c=1844 | option_d=4536 | answer=A | explanation=SI = $PRT/100 = 2592 \times 15 \times 5 / 100 =$ ■1944.

id=32375 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■27533 at 5% per annum for 4 years. | option_a=5506 | option_b=5406 | option_c=5606 | option_d=33039 | answer=A | explanation=SI = $PRT/100 = 27533 \times 5 \times 4 / 100 =$ ■5506.

id=32376 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=25 | option_b=27 | option_c=23 | option_d=26 | answer=A | explanation=The common difference is 2. Therefore the next term is 23 + 2 = 25.

id=32377 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3206. If it is sold at a profit of 30%, what is its selling price? | option_a=4487 | option_b=3236 | option_c=3847 | option_d=4167 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3206 × 130/100 = ■4167.

id=32378 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=E | option_b=O | option_c=T | option_d=J | answer=B | explanation=Move 5 positions forward from J; the resulting letter is O.

id=32379 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■483. If it is sold at a profit of 30%, what is its selling price? | option_a=627 | option_b=579 | option_c=513 | option_d=675 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 483 × 130/100 = ■627.

id=32380 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=W | option_c=N | option_d=T | answer=D | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=32381 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:4 and the first is 156, what is the second? | option_a=48 | option_b=61 | option_c=44 | option_d=204 | answer=A | explanation=Scale factor = 156/13 = 12. Therefore second quantity = 4×12 = 48.

id=32382 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=Q | option_c=O | option_d=P | answer=B | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=32383 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 39? | option_a=29 | option_b=39 | option_c=21 | option_d=13 | answer=B | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 39 is the odd one out.

id=32384 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=32385 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■21233 at 4% per annum for 3 years. | option_a=2447 | option_b=2547 | option_c=23780 | option_d=2647 | answer=B | explanation=SI = $PRT/100 = 21233 \times 4 \times 3 / 100 =$ ■2547.

id=32386 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=55 | option_b=54 | option_c=44 | option_d=64 | answer=B | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=32387 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=32388 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=32389 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=21 | option_b=31 | option_c=26 | option_d=27 | answer=C | explanation=The common difference is 5. Therefore the next term is 21 + 5 = 26.

id=32390 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=P | option_b=U | option_c=E | option_d=Z | answer=D | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=32391 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=32392 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:19 and the first is 84, what is the second? | option_a=114 | option_b=145 | option_c=133 | option_d=217 | answer=C | explanation=Scale factor = 84/12 = 7. Therefore second quantity = 19×7 = 133.

id=32393 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 29, 38, 48? | option_a=29 | option_b=20 | option_c=48 | option_d=38 | answer=C | explanation=The first three numbers increase by 9, so the next should be 47. Therefore 48 is the odd one out.

id=32394 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=21 | option_b=23 | option_c=17 | option_d=20 | answer=D | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=32395 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=32396 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=32397 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=K | option_b=T | option_c=N | option_d=Q | answer=D | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=32398 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=55 | option_c=50 | option_d=100 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=32399 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:9 and the first is 14, what is the second? | option_a=18 | option_b=9 | option_c=25 | option_d=32 | answer=A | explanation=Scale factor = 14/7 = 2. Therefore second quantity = 9×2 = 18.

id=32400 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:12 and the first is 323, what is the second? | option_a=223 | option_b=192 | option_c=204 | option_d=527 | answer=C | explanation=Scale factor = 323/19 = 17. Therefore second quantity = 12×17 = 204.

Aptitude Questions — Records 32,401-32,430 of 100,000

id=32401 | topic=Profit & Loss | difficulty=Easy | question=An article costs █930. If it is sold at a profit of 10%, what is its selling price? | option_a=930 | option_b=1116 | option_c=1023 | option_d=940 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 930 × 110/100 = █1023.

id=32402 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=Y | option_b=P | option_c=V | option_d=S | answer=C | explanation=Move 3 positions forward from S; the resulting letter is V.

id=32403 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=32404 | topic=Averages | difficulty=Easy | question=Find the average of 71, 32, 49, 24. | option_a=43 | option_b=45 | option_c=44 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 176 ÷ 4 = 44.

id=32405 | topic=Averages | difficulty=Easy | question=Find the average of 39, 48, 34, 19, 38, 63, 33, 41, 27. | option_a=40 | option_b=38 | option_c=39 | option_d=37 | answer=B | explanation=Average = sum of values ÷ number of values = 342 ÷ 9 = 38.

id=32406 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=C | option_c=Y | option_d=E | answer=B | explanation=Move 2 positions forward from A; the resulting letter is C.

id=32407 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=32408 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=35 | option_b=30 | option_c=31 | option_d=25 | answer=B | explanation=The common difference is 5. Therefore the next term is 25 + 5 = 30.

id=32409 | topic=Averages | difficulty=Easy | question=Find the average of 90, 70, 30, 65, 98, 58, 24, 40, 12, 43. | option_a=53 | option_b=52 | option_c=54 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=32410 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=12 | option_c=17 | option_d=24 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=32411 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=150 | option_c=145 | option_d=300 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=32412 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 9, 13, 18? | option_a=18 | option_b=13 | option_c=5 | option_d=9 | answer=A | explanation=The first three numbers increase by 4, so the next should be 17. Therefore 18 is the odd one out.

id=32413 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4142. If it is sold at a profit of 50%, what is its selling price? | option_a=6627 | option_b=5799 | option_c=6213 | option_d=4192 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4142 × 150/100 = █6213.

id=32414 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3442. If it is sold at a profit of 30%, what is its selling price? | option_a=4130 | option_b=3472 | option_c=4818 | option_d=4474 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3442 × 130/100 = █4474.

id=32415 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4090. If it is sold at a profit of 20%, what is its selling price? | option_a=4908 | option_b=5317 | option_c=4499 | option_d=4110 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4090 × 120/100 = █4908.

id=32416 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=28 | option_b=27 | option_c=33 | option_d=21 | answer=B | explanation=The common difference is 6. Therefore the next term is 21 + 6 = 27.

id=32417 | topic=Percentages | difficulty=Easy | question=What is 15% of 399? | option_a=49 | option_b=79 | option_c=118 | option_d=59 | answer=D | explanation=15% of 399 = (15/100) × 399 = 59.

id=32418 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 22, 26, 33? | option_a=18 | option_b=22 | option_c=26 | option_d=33 | answer=D | explanation=The first three numbers increase by 4, so the next should be 30. Therefore 33 is the odd one out.

id=32419 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24886 at 5% per annum for 4 years. | option_a=4877 | option_b=5077 | option_c=29863 | option_d=4977 | answer=D | explanation=SI = PRT/100 = 24886×5×4/100 = █4977.

id=32420 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2280. If it is sold at a profit of 50%, what is its selling price? | option_a=3420 | option_b=3192 | option_c=2330 | option_d=3648 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2280 × 150/100 = █3420.

id=32421 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29020 at 12% per annum for 2 years. | option_a=6964 | option_b=7064 | option_c=6864 | option_d=35984 | answer=A | explanation=SI = PRT/100 = 29020×12×2/100 = █6964.

id=32422 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:6 and the first is 40, what is the second? | option_a=88 | option_b=53 | option_c=42 | option_d=48 | answer=D | explanation=Scale factor = 40/5 = 8. Therefore second quantity = 6×8 = 48.

id=32423 | topic=Averages | difficulty=Easy | question=Find the average of 31, 43, 69, 68, 74. | option_a=58 | option_b=57 | option_c=59 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.

id=32424 | topic=Averages | difficulty=Easy | question=Find the average of 62, 52, 93, 55, 75, 18, 20, 65. | option_a=56 | option_b=57 | option_c=55 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 440 ÷ 8 = 55.

id=32425 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=32426 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=12 | option_c=24 | option_d=17 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=32427 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=32428 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=360 | option_b=180 | option_c=185 | option_d=175 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=32429 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39034 at 4% per annum for 1 years. | option_a=1461 | option_b=1561 | option_c=40595 | option_d=1661 | answer=B | explanation=SI = PRT/100 = 39034×4×1/100 = █1561.

id=32430 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24955 at 5% per annum for 3 years. | option_a=3843 | option_b=3743 | option_c=3643 | option_d=28698 | answer=B | explanation=SI = PRT/100 = 24955×5×3/100 = █3743.

Aptitude Questions — Records 32,431-32,460 of 100,000

id=32431 | topic=Averages | difficulty=Easy | question=Find the average of 63, 48, 47, 43, 31, 73, 45. | option_a=51 | option_b=49 | option_c=52 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

id=32432 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 8. | option_a=48 | option_b=84 | option_c=224 | option_d=56 | answer=D | explanation=LCM × HCF = 28×8; HCF(28,8) = 4, so LCM = 56.

id=32433 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=O | option_c=T | option_d=E | answer=B | explanation=Move 5 positions forward from J; the resulting letter is O.

id=32434 | topic=Profit & Loss | difficulty=Easy | question=An article costs █177. If it is sold at a profit of 15%, what is its selling price? | option_a=186 | option_b=203 | option_c=192 | option_d=220 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 177 × 115/100 = █203.

id=32435 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 13, 18, 23, ? | option_a=29 | option_b=33 | option_c=23 | option_d=28 | answer=D | explanation=The common difference is 5. Therefore the next term is 23 + 5 = 28.

id=32436 | topic=Percentages | difficulty=Easy | question=What is 5% of 197? | option_a=9 | option_b=18 | option_c=14 | option_d=0 | answer=A | explanation=5% of 197 = (5/100) × 197 = 9.

id=32437 | topic=Profit & Loss | difficulty=Easy | question=An article costs █977. If it is sold at a profit of 20%, what is its selling price? | option_a=1172 | option_b=1075 | option_c=1269 | option_d=997 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 977 × 120/100 = █1172.

id=32438 | topic=Averages | difficulty=Easy | question=Find the average of 16, 68, 54. | option_a=48 | option_b=47 | option_c=45 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 138 ÷ 3 = 46.

id=32439 | topic=Averages | difficulty=Easy | question=Find the average of 48, 100, 31, 46, 85. | option_a=63 | option_b=62 | option_c=61 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 310 ÷ 5 = 62.

id=32440 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=L | option_b=J | option_c=M | option_d=K | answer=A | explanation=Move 1 positions forward from K; the resulting letter is L.

id=32441 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:11 and the first is 84, what is the second? | option_a=77 | option_b=66 | option_c=89 | option_d=161 | answer=A | explanation=Scale factor = 84/12 = 7. Therefore second quantity = 11×7 = 77.

id=32442 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=32443 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=M | option_c=U | option_d=Y | answer=C | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=32444 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:16 and the first is 51, what is the second? | option_a=256 | option_b=323 | option_c=272 | option_d=275 | answer=C | explanation=Scale factor = 51/3 = 17. Therefore second quantity = 16×17 = 272.

id=32445 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=29 | option_c=24 | option_d=48 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=32446 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=47 | option_b=36 | option_c=58 | option_d=48 | answer=A | explanation=The common difference is 11. Therefore the next term is 36 + 11 = 47.

id=32447 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=22 | option_b=23 | option_c=18 | option_d=26 | answer=A | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

id=32448 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 31, 36, 43? | option_a=36 | option_b=26 | option_c=43 | option_d=31 | answer=C | explanation=The first three numbers increase by 5, so the next should be 41. Therefore 43 is the odd one out.

id=32449 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 44? | option_a=33 | option_b=13 | option_c=44 | option_d=23 | answer=C | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 44 is the odd one out.

id=32450 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 26, 29, 34? | option_a=26 | option_b=29 | option_c=23 | option_d=34 | answer=D | explanation=The first three numbers increase by 3, so the next should be 32. Therefore 34 is the odd one out.

id=32451 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3155 at 15% per annum for 1 years. | option_a=373 | option_b=3628 | option_c=573 | option_d=473 | answer=D | explanation=SI = PRT/100 = 3155×15×1/100 = █473.

id=32452 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=32453 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:12 and the first is 12, what is the second? | option_a=51 | option_b=48 | option_c=36 | option_d=60 | answer=B | explanation=Scale factor = 12/3 = 4. Therefore second quantity = 12×4 = 48.

id=32454 | topic=Profit & Loss | difficulty=Easy | question=An article costs █392. If it is sold at a profit of 40%, what is its selling price? | option_a=548 | option_b=587 | option_c=509 | option_d=432 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 392 × 140/100 = █548.

id=32455 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=32456 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:14 and the first is 121, what is the second? | option_a=140 | option_b=154 | option_c=275 | option_d=165 | answer=B | explanation=Scale factor = 121/11 = 11. Therefore second quantity = 14×11 = 154.

id=32457 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4080. If it is sold at a profit of 50%, what is its selling price? | option_a=6528 | option_b=5712 | option_c=6120 | option_d=4130 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4080 × 150/100 = █6120.

id=32458 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2439. If it is sold at a profit of 25%, what is its selling price? | option_a=3291 | option_b=2464 | option_c=3048 | option_d=2805 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2439 × 125/100 = █3048.

id=32459 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=76 | option_b=52 | option_c=64 | option_d=65 | answer=C | explanation=The common difference is 12. Therefore the next term is 52 + 12 = 64.

id=32460 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 28, 33, 39? | option_a=39 | option_b=28 | option_c=33 | option_d=23 | answer=A | explanation=The first three numbers increase by 5, so the next should be 38. Therefore 39 is the odd one out.

Aptitude Questions — Records 32,461-32,490 of 100,000

id=32461 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:2 and the first is 160, what is the second? | option_a=200 | option_b=40 | option_c=48 | option_d=38 | answer=B | explanation=Scale factor = 160/8 = 20. Therefore second quantity = 2×20 = 40.

id=32462 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1134. If it is sold at a profit of 10%, what is its selling price? | option_a=1247 | option_b=1144 | option_c=1360 | option_d=1134 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1134 × 110/100 = █1247.

id=32463 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37817 at 12% per annum for 1 years. | option_a=4438 | option_b=42355 | option_c=4538 | option_d=4638 | answer=C | explanation=SI = PRT/100 = 37817×12×1/100 = █4538.

id=32464 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47188 at 4% per annum for 1 years. | option_a=1787 | option_b=49075 | option_c=1987 | option_d=1887 | answer=D | explanation=SI = PRT/100 = 47188×4×1/100 = █1887.

id=32465 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=55 | option_c=100 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=32466 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:3 and the first is 7, what is the second? | option_a=22 | option_b=18 | option_c=21 | option_d=28 | answer=C | explanation=Scale factor = 7/1 = 7. Therefore second quantity = 3×7 = 21.

id=32467 | topic=Averages | difficulty=Easy | question=Find the average of 91, 14, 71, 33, 15, 40. | option_a=44 | option_b=45 | option_c=46 | option_d=43 | answer=A | explanation=Average = sum of values ÷ number of values = 264 ÷ 6 = 44.

id=32468 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=32469 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40068 at 8% per annum for 4 years. | option_a=52889 | option_b=12821 | option_c=12721 | option_d=12921 | answer=B | explanation=SI = PRT/100 = 40068×8×4/100 = █12821.

id=32470 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4611. If it is sold at a profit of 20%, what is its selling price? | option_a=4631 | option_b=5072 | option_c=5533 | option_d=5994 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4611 × 120/100 = █5533.

id=32471 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:17 and the first is 126, what is the second? | option_a=364 | option_b=247 | option_c=238 | option_d=221 | answer=C | explanation=Scale factor = 126/9 = 14. Therefore second quantity = 17×14 = 238.

id=32472 | topic=Percentages | difficulty=Easy | question=What is 25% of 1906? | option_a=471 | option_b=952 | option_c=476 | option_d=496 | answer=C | explanation=25% of 1906 = (25/100) × 1906 = 476.

id=32473 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42871 at 15% per annum for 4 years. | option_a=25622 | option_b=68593 | option_c=25822 | option_d=25722 | answer=D | explanation=SI = PRT/100 = 42871×15×4/100 = █25722.

id=32474 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 22, 29, 38? | option_a=15 | option_b=29 | option_c=22 | option_d=38 | answer=D | explanation=The first three numbers increase by 7, so the next should be 36. Therefore 38 is the odd one out.

id=32475 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=155 | option_c=150 | option_d=145 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=32476 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=31 | option_b=24 | option_c=30 | option_d=36 | answer=C | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.

id=32477 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1585. If it is sold at a profit of 25%, what is its selling price? | option_a=2139 | option_b=1610 | option_c=1981 | option_d=1823 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1585 × 125/100 = █1981.

id=32478 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47145 at 5% per annum for 4 years. | option_a=9429 | option_b=56574 | option_c=9329 | option_d=9529 | answer=A | explanation=SI = PRT/100 = 47145×5×4/100 = █9429.

id=32479 | topic=Averages | difficulty=Easy | question=Find the average of 27, 74, 18, 69, 89, 69, 95. | option_a=62 | option_b=63 | option_c=65 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 441 ÷ 7 = 63.

id=32480 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=48 | option_b=37 | option_c=47 | option_d=57 | answer=C | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

id=32481 | topic=Averages | difficulty=Easy | question=Find the average of 40, 31, 27, 78. | option_a=44 | option_b=45 | option_c=43 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 176 ÷ 4 = 44.

id=32482 | topic=Percentages | difficulty=Easy | question=What is 15% of 1187? | option_a=356 | option_b=178 | option_c=188 | option_d=173 | answer=B | explanation=15% of 1187 = (15/100) × 1187 = 178.

id=32483 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35521 at 4% per annum for 1 years. | option_a=1520 | option_b=1420 | option_c=1320 | option_d=36941 | answer=B | explanation=SI = PRT/100 = 35521×4×1/100 = █1420.

id=32484 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 10. | option_a=150 | option_b=20 | option_c=45 | option_d=30 | answer=D | explanation=LCM × HCF = 15×10; HCF(15,10) = 5, so LCM = 30.

id=32485 | topic=Percentages | difficulty=Easy | question=What is 40% of 984? | option_a=383 | option_b=393 | option_c=786 | option_d=413 | answer=B | explanation=40% of 984 = (40/100) × 984 = 393.

id=32486 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2931. If it is sold at a profit of 50%, what is its selling price? | option_a=4103 | option_b=4396 | option_c=2981 | option_d=4689 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2931 × 150/100 = █4396.

id=32487 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:15 and the first is 102, what is the second? | option_a=75 | option_b=107 | option_c=192 | option_d=90 | answer=D | explanation=Scale factor = 102/17 = 6. Therefore second quantity = 15×6 = 90.

id=32488 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4790. If it is sold at a profit of 25%, what is its selling price? | option_a=5987 | option_b=4815 | option_c=6466 | option_d=5508 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4790 × 125/100 = █5987.

id=32489 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=30 | option_b=28 | option_c=29 | option_d=26 | answer=B | explanation=The common difference is 2. Therefore the next term is 26 + 2 = 28.

id=32490 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2560. If it is sold at a profit of 30%, what is its selling price? | option_a=3072 | option_b=3328 | option_c=2590 | option_d=3584 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2560 × 130/100 = █3328.

Aptitude Questions — Records 32,491-32,520 of 100,000

id=32491 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=180 | option_c=360 | option_d=175 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=32492 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24707 at 8% per annum for 3 years. | option_a=30636 | option_b=5829 | option_c=5929 | option_d=6029 | answer=C | explanation=SI = $PRT/100 = 24707 \times 8 \times 3/100 = \text{■}5929$.

id=32493 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 26, 32, 40? | option_a=32 | option_b=40 | option_c=20 | option_d=26 | answer=B | explanation=The first three numbers increase by 6, so the next should be 38. Therefore 40 is the odd one out.

id=32494 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1577. If it is sold at a profit of 10%, what is its selling price? | option_a=1891 | option_b=1587 | option_c=1734 | option_d=1577 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1577 \times 110/100 = \text{■}1734$.

id=32495 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 18, 24, 30, ? | option_a=42 | option_b=30 | option_c=37 | option_d=36 | answer=D | explanation=The common difference is 6. Therefore the next term is 30 + 6 = 36.

id=32496 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**380. If it is sold at a profit of 50%, what is its selling price? | option_a=608 | option_b=532 | option_c=570 | option_d=430 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 380 \times 150/100 = \text{■}570$.

id=32497 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 26. | option_a=338 | option_b=728 | option_c=392 | option_d=364 | answer=D | explanation= $LCM \times HCF = 28 \times 26$; $HCF(28, 26) = 2$, so $LCM = 364$.

id=32498 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1526. If it is sold at a profit of 10%, what is its selling price? | option_a=1536 | option_b=1526 | option_c=1678 | option_d=1830 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1526 \times 110/100 = \text{■}1678$.

id=32499 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28414 at 15% per annum for 3 years. | option_a=12686 | option_b=12786 | option_c=12886 | option_d=41200 | answer=B | explanation=SI = $PRT/100 = 28414 \times 15 \times 3/100 = \text{■}12786$.

id=32500 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=P | option_b=M | option_c=G | option_d=J | answer=B | explanation=Move 3 positions forward from J; the resulting letter is M.

id=32501 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:6 and the first is 132, what is the second? | option_a=78 | option_b=66 | option_c=198 | option_d=60 | answer=B | explanation=Scale factor = $132/12 = 11$. Therefore second quantity = $6 \times 11 = 66$.

id=32502 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14680 at 5% per annum for 2 years. | option_a=1468 | option_b=1568 | option_c=16148 | option_d=1368 | answer=A | explanation=SI = $PRT/100 = 14680 \times 5 \times 2/100 = \text{■}1468$.

id=32503 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=62 | option_b=50 | option_c=61 | option_d=72 | answer=C | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.

id=32504 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=32505 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=24 | option_d=5 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=32506 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=8 | answer=B | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=32507 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 41? | option_a=22 | option_b=30 | option_c=14 | option_d=41 | answer=D | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 41 is the odd one out.

id=32508 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=F | option_b=A | option_c=K | option_d=V | answer=A | explanation=Move 5 positions forward from A; the resulting letter is F.

id=32509 | topic=Averages | difficulty=Easy | question=Find the average of 29, 48, 62, 90, 44, 99. | option_a=63 | option_b=61 | option_c=62 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = $372 \div 6 = 62$.

id=32510 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 26, 28, 31? | option_a=31 | option_b=28 | option_c=24 | option_d=26 | answer=A | explanation=The first three numbers increase by 2, so the next should be 30. Therefore 31 is the odd one out.

id=32511 | topic=Averages | difficulty=Easy | question=Find the average of 48, 47, 45, 67, 82, 34, 42, 91, 66. | option_a=59 | option_b=60 | option_c=57 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = $522 \div 9 = 58$.

id=32512 | topic=Percentages | difficulty=Easy | question=What is 30% of 461? | option_a=128 | option_b=276 | option_c=158 | option_d=138 | answer=D | explanation=30% of 461 = $(30/100) \times 461 = 138$.

id=32513 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 22, 31, 42? | option_a=13 | option_b=42 | option_c=31 | option_d=22 | answer=B | explanation=The first three numbers increase by 9, so the next should be 40. Therefore 42 is the odd one out.

id=32514 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42353 at 10% per annum for 3 years. | option_a=12805 | option_b=55058 | option_c=12605 | option_d=12705 | answer=D | explanation=SI = $PRT/100 = 42353 \times 10 \times 3/100 = \text{■}12705$.

id=32515 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 42? | option_a=35 | option_b=42 | option_c=30 | option_d=25 | answer=B | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 42 is the odd one out.

id=32516 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44472 at 15% per annum for 1 years. | option_a=6770 | option_b=6670 | option_c=51142 | option_d=6570 | answer=B | explanation=SI = $PRT/100 = 44472 \times 15 \times 1/100 = \text{■}6670$.

id=32517 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=32518 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=30 | option_b=24 | option_c=31 | option_d=36 | answer=A | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.

id=32519 | topic=Percentages | difficulty=Easy | question=What is 12% of 1184? | option_a=132 | option_b=284 | option_c=152 | option_d=142 | answer=D | explanation=12% of 1184 = $(12/100) \times 1184 = 142$.

id=32520 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12630 at 12% per annum for 2 years. | option_a=3131 | option_b=15661 | option_c=3031 | option_d=2931 | answer=C | explanation=SI = $PRT/100 = 12630 \times 12 \times 2/100 = \text{■}3031$.

Aptitude Questions — Records 32,521-32,550 of 100,000

id=32521 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=9 | option_b=14 | option_c=4 | option_d=18 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=32522 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 16. | option_a=60 | option_b=32 | option_c=48 | option_d=192 | answer=C | explanation=LCM × HCF = 12×16; HCF(12,16) = 4, so LCM = 48.

id=32523 | topic=Percentages | difficulty=Easy | question=What is 40% of 892? | option_a=366 | option_b=356 | option_c=712 | option_d=346 | answer=B | explanation=40% of 892 = (40/100) × 892 = 356.

id=32524 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=32525 | topic=Percentages | difficulty=Easy | question=What is 15% of 719? | option_a=107 | option_b=112 | option_c=97 | option_d=214 | answer=A | explanation=15% of 719 = (15/100) × 719 = 107.

id=32526 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 28, 31, 36? | option_a=28 | option_b=25 | option_c=36 | option_d=31 | answer=C | explanation=The first three numbers increase by 3, so the next should be 34. Therefore 36 is the odd one out.

id=32527 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=160 | option_c=85 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=32528 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1661. If it is sold at a profit of 20%, what is its selling price? | option_a=2159 | option_b=1993 | option_c=1681 | option_d=1827 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1661 × 120/100 = █1993.

id=32529 | topic=Percentages | difficulty=Easy | question=What is 5% of 554? | option_a=27 | option_b=32 | option_c=7 | option_d=54 | answer=A | explanation=5% of 554 = (5/100) × 554 = 27.

id=32530 | topic=Averages | difficulty=Easy | question=Find the average of 25, 49, 95, 50, 93, 74, 17, 101. | option_a=62 | option_b=65 | option_c=64 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 504 ÷ 8 = 63.

id=32531 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1799. If it is sold at a profit of 50%, what is its selling price? | option_a=2698 | option_b=1849 | option_c=2519 | option_d=2877 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1799 × 150/100 = █2698.

id=32532 | topic=Percentages | difficulty=Easy | question=What is 25% of 733? | option_a=366 | option_b=178 | option_c=188 | option_d=183 | answer=D | explanation=25% of 733 = (25/100) × 733 = 183.

id=32533 | topic=Percentages | difficulty=Easy | question=What is 10% of 137? | option_a=26 | option_b=23 | option_c=8 | option_d=13 | answer=D | explanation=10% of 137 = (10/100) × 137 = 13.

id=32534 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:20 and the first is 120, what is the second? | option_a=212 | option_b=320 | option_c=180 | option_d=200 | answer=D | explanation=Scale factor = 120/12 = 10. Therefore second quantity = 20×10 = 200.

id=32535 | topic=Averages | difficulty=Easy | question=Find the average of 69, 51, 77, 43. | option_a=61 | option_b=60 | option_c=62 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 240 ÷ 4 = 60.

id=32536 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 19, 29, 40? | option_a=40 | option_b=19 | option_c=29 | option_d=9 | answer=A | explanation=The first three numbers increase by 10, so the next should be 39. Therefore 40 is the odd one out.

id=32537 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4322. If it is sold at a profit of 15%, what is its selling price? | option_a=4337 | option_b=5402 | option_c=4970 | option_d=4538 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4322 × 115/100 = █4970.

id=32538 | topic=Percentages | difficulty=Easy | question=What is 30% of 317? | option_a=95 | option_b=85 | option_c=190 | option_d=115 | answer=A | explanation=30% of 317 = (30/100) × 317 = 95.

id=32539 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1521. If it is sold at a profit of 10%, what is its selling price? | option_a=1521 | option_b=1825 | option_c=1531 | option_d=1673 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1521 × 110/100 = █1673.

id=32540 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=32541 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does "I" become? | option_a=H | option_b=J | option_c=I | option_d=K | answer=B | explanation=Move 1 positions forward from I; the resulting letter is J.

id=32542 | topic=Percentages | difficulty=Easy | question=What is 15% of 1952? | option_a=282 | option_b=292 | option_c=312 | option_d=584 | answer=B | explanation=15% of 1952 = (15/100) × 1952 = 292.

id=32543 | topic=Profit & Loss | difficulty=Easy | question=An article costs █316. If it is sold at a profit of 10%, what is its selling price? | option_a=378 | option_b=316 | option_c=347 | option_d=326 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 316 × 110/100 = █347.

id=32544 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 20, 27, 37? | option_a=27 | option_b=37 | option_c=20 | option_d=13 | answer=B | explanation=The first three numbers increase by 7, so the next should be 34. Therefore 37 is the odd one out.

id=32545 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 46? | option_a=35 | option_b=27 | option_c=19 | option_d=46 | answer=D | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 46 is the odd one out.

id=32546 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3910. If it is sold at a profit of 15%, what is its selling price? | option_a=3925 | option_b=4496 | option_c=4887 | option_d=4105 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3910 × 115/100 = █4496.

id=32547 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=5 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=32548 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=18 | option_b=19 | option_c=16 | option_d=20 | answer=A | explanation=The common difference is 2. Therefore the next term is 16 + 2 = 18.

id=32549 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=46 | option_b=32 | option_c=39 | option_d=40 | answer=C | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.

id=32550 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:20 and the first is 176, what is the second? | option_a=200 | option_b=236 | option_c=220 | option_d=396 | answer=C | explanation=Scale factor = 176/16 = 11. Therefore second quantity = 20×11 = 220.

Aptitude Questions — Records 32,551-32,580 of 100,000

id=32551 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=46 | option_b=57 | option_c=35 | option_d=47 | answer=A | explanation=The common difference is 11. Therefore the next term is 35 + 11 = 46.

id=32552 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=39 | option_b=25 | option_c=32 | option_d=33 | answer=C | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.

id=32553 | topic=Averages | difficulty=Easy | question=Find the average of 38, 21, 71, 89, 63, 14, 39, 46, 48, 61. | option_a=49 | option_b=48 | option_c=50 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 490 ÷ 10 = 49.

id=32554 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**8188 at 5% per annum for 5 years. | option_a=10235 | option_b=1947 | option_c=2047 | option_d=2147 | answer=C | explanation=SI = PRT/100 = 8188×5×5/100 = **₹**2047.

id=32555 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4864. If it is sold at a profit of 20%, what is its selling price? | option_a=6322 | option_b=5350 | option_c=4884 | option_d=5836 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4864 × 120/100 = **₹**5836.

id=32556 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=32557 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**36552 at 10% per annum for 3 years. | option_a=10865 | option_b=47517 | option_c=10965 | option_d=11065 | answer=C | explanation=SI = PRT/100 = 36552×10×3/100 = **₹**10965.

id=32558 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2206. If it is sold at a profit of 25%, what is its selling price? | option_a=2757 | option_b=2231 | option_c=2977 | option_d=2537 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2206 × 125/100 = **₹**2757.

id=32559 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=G | option_b=B | option_c=L | option_d=W | answer=A | explanation=Move 5 positions forward from B; the resulting letter is G.

id=32560 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**23731 at 5% per annum for 1 years. | option_a=1286 | option_b=1186 | option_c=24917 | option_d=1086 | answer=B | explanation=SI = PRT/100 = 23731×5×1/100 = **₹**1186.

id=32561 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 21. | option_a=42 | option_b=441 | option_c=1 | option_d=21 | answer=D | explanation=LCM × HCF = 21×21; HCF(21,21) = 21, so LCM = 21.

id=32562 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 27? | option_a=27 | option_b=19 | option_c=16 | option_d=22 | answer=A | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 27 is the odd one out.

id=32563 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3989. If it is sold at a profit of 10%, what is its selling price? | option_a=3999 | option_b=4387 | option_c=3989 | option_d=4785 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3989 × 110/100 = **₹**4387.

id=32564 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**15805 at 4% per annum for 3 years. | option_a=1996 | option_b=1896 | option_c=17701 | option_d=1796 | answer=B | explanation=SI = PRT/100 = 15805×4×3/100 = **₹**1896.

id=32565 | topic=Percentages | difficulty=Easy | question=What is 12% of 1795? | option_a=430 | option_b=210 | option_c=215 | option_d=235 | answer=C | explanation=12% of 1795 = (12/100) × 1795 = 215.

id=32566 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:1 and the first is 45, what is the second? | option_a=9 | option_b=54 | option_c=14 | option_d=8 | answer=A | explanation=Scale factor = 45/5 = 9. Therefore second quantity = 1×9 = 9.

id=32567 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4006. If it is sold at a profit of 30%, what is its selling price? | option_a=4807 | option_b=5607 | option_c=4036 | option_d=5207 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4006 × 130/100 = **₹**5207.

id=32568 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=7 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=32569 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:1 and the first is 144, what is the second? | option_a=25 | option_b=15 | option_c=160 | option_d=16 | answer=D | explanation=Scale factor = 144/9 = 16. Therefore second quantity = 1×16 = 16.

id=32570 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3632. If it is sold at a profit of 20%, what is its selling price? | option_a=3995 | option_b=4358 | option_c=3652 | option_d=4721 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3632 × 120/100 = **₹**4358.

id=32571 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=B | option_b=J | option_c=F | option_d=N | answer=B | explanation=Move 4 positions forward from F; the resulting letter is J.

id=32572 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=43 | option_c=48 | option_d=53 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=32573 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:4 and the first is 10, what is the second? | option_a=41 | option_b=50 | option_c=36 | option_d=40 | answer=D | explanation=Scale factor = 10/1 = 10. Therefore second quantity = 4×10 = 40.

id=32574 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**35100 at 12% per annum for 1 years. | option_a=4212 | option_b=39312 | option_c=4312 | option_d=4112 | answer=A | explanation=SI = PRT/100 = 35100×12×1/100 = **₹**4212.

id=32575 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=40 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=32576 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**22569 at 10% per annum for 5 years. | option_a=11284 | option_b=33853 | option_c=11384 | option_d=11184 | answer=A | explanation=SI = PRT/100 = 22569×10×5/100 = **₹**11284.

id=32577 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:16 and the first is 64, what is the second? | option_a=64 | option_b=128 | option_c=48 | option_d=80 | answer=A | explanation=Scale factor = 64/16 = 4. Therefore second quantity = 16×4 = 64.

id=32578 | topic=Averages | difficulty=Easy | question=Find the average of 19, 24, 48, 28, 48, 43. | option_a=37 | option_b=36 | option_c=34 | option_d=35 | answer=D | explanation=Average = sum of values ÷ number of values = 210 ÷ 6 = 35.

id=32579 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 12. | option_a=324 | option_b=135 | option_c=108 | option_d=96 | answer=C | explanation=LCM × HCF = 27×12; HCF(27,12) = 3, so LCM = 108.

id=32580 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=J | option_b=B | option_c=F | option_d=N | answer=A | explanation=Move 4 positions forward from F; the resulting letter is J.

Aptitude Questions — Records 32,581-32,610 of 100,000

id=32581 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=Q | option_c=Y | option_d=C | answer=C | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=32582 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4778. If it is sold at a profit of 25%, what is its selling price? | option_a=4803 | option_b=5972 | option_c=5495 | option_d=6449 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4778 × 125/100 = █5972.

id=32583 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=26 | option_b=30 | option_c=22 | option_d=27 | answer=A | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.

id=32584 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 22, 25, 30? | option_a=25 | option_b=22 | option_c=19 | option_d=30 | answer=D | explanation=The first three numbers increase by 3, so the next should be 28. Therefore 30 is the odd one out.

id=32585 | topic=Averages | difficulty=Easy | question=Find the average of 80, 14, 47, 20, 34. | option_a=40 | option_b=38 | option_c=41 | option_d=39 | answer=D | explanation=Average = sum of values ÷ number of values = 195 ÷ 5 = 39.

id=32586 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=L | option_c=J | option_d=K | answer=B | explanation=Move 1 positions forward from K; the resulting letter is L.

id=32587 | topic=Profit & Loss | difficulty=Easy | question=An article costs █898. If it is sold at a profit of 20%, what is its selling price? | option_a=918 | option_b=1166 | option_c=988 | option_d=1077 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 898 × 120/100 = █1077.

id=32588 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 17, 29, 41, ? | option_a=65 | option_b=41 | option_c=53 | option_d=54 | answer=C | explanation=The common difference is 12. Therefore the next term is 41 + 12 = 53.

id=32589 | topic=Averages | difficulty=Easy | question=Find the average of 30, 53, 59, 19, 83, 32. | option_a=46 | option_b=48 | option_c=45 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 276 ÷ 6 = 46.

id=32590 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=U | option_c=S | option_d=T | answer=B | explanation=Move 1 positions forward from T; the resulting letter is U.

id=32591 | topic=Averages | difficulty=Easy | question=Find the average of 71, 46, 15, 48, 59, 39, 27, 95. | option_a=52 | option_b=50 | option_c=51 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 400 ÷ 8 = 50.

id=32592 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4701. If it is sold at a profit of 25%, what is its selling price? | option_a=6346 | option_b=4726 | option_c=5406 | option_d=5876 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4701 × 125/100 = █5876.

id=32593 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=55 | option_b=54 | option_c=42 | option_d=66 | answer=B | explanation=The common difference is 12. Therefore the next term is 42 + 12 = 54.

id=32594 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=X | option_c=L | option_d=P | answer=A | explanation=Move 4 positions forward from P; the resulting letter is T.

id=32595 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=R | option_c=N | option_d=T | answer=B | explanation=Move 2 positions forward from P; the resulting letter is R.

id=32596 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 35? | option_a=35 | option_b=25 | option_c=17 | option_d=9 | answer=A | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 35 is the odd one out.

id=32597 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 31, 40, 51? | option_a=40 | option_b=51 | option_c=31 | option_d=22 | answer=B | explanation=The first three numbers increase by 9, so the next should be 49. Therefore 51 is the odd one out.

id=32598 | topic=Averages | difficulty=Easy | question=Find the average of 14, 52, 60, 91, 22, 90, 20, 11. | option_a=44 | option_b=46 | option_c=45 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 360 ÷ 8 = 45.

id=32599 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=26 | option_b=38 | option_c=33 | option_d=32 | answer=D | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=32600 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13883 at 6% per annum for 5 years. | option_a=18047 | option_b=4264 | option_c=4064 | option_d=4164 | answer=D | explanation=SI = PRT/100 = 13883×6×5/100 = █4164.

id=32601 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 19, 22, 25, ? | option_a=31 | option_b=29 | option_c=28 | option_d=25 | answer=C | explanation=The common difference is 3. Therefore the next term is 25 + 3 = 28.

id=32602 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=20 | option_c=15 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=32603 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=22 | option_b=19 | option_c=14 | option_d=18 | answer=D | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.

id=32604 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 31, 40, 52? | option_a=22 | option_b=40 | option_c=31 | option_d=52 | answer=D | explanation=The first three numbers increase by 9, so the next should be 49. Therefore 52 is the odd one out.

id=32605 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 22? | option_a=15 | option_b=22 | option_c=3 | option_d=9 | answer=B | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 22 is the odd one out.

id=32606 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 49? | option_a=37 | option_b=17 | option_c=27 | option_d=49 | answer=D | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 49 is the odd one out.

id=32607 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:15 and the first is 32, what is the second? | option_a=242 | option_b=240 | option_c=272 | option_d=225 | answer=B | explanation=Scale factor = 32/2 = 16. Therefore second quantity = 15×16 = 240.

id=32608 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=26 | option_b=32 | option_c=33 | option_d=38 | answer=B | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=32609 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:18 and the first is 10, what is the second? | option_a=18 | option_b=36 | option_c=41 | option_d=46 | answer=B | explanation=Scale factor = 10/5 = 2. Therefore second quantity = 18×2 = 36.

id=32610 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 32,611-32,640 of 100,000

- id=32611 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.
- id=32612 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3002. If it is sold at a profit of 30%, what is its selling price? | option_a=4202 | option_b=3602 | option_c=3902 | option_d=3032 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3002 × 130/100 = █3902.
- id=32613 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:1 and the first is 208, what is the second? | option_a=29 | option_b=16 | option_c=15 | option_d=224 | answer=B | explanation=Scale factor = 208/13 = 16. Therefore second quantity = 1×16 = 16.
- id=32614 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=360 | option_b=175 | option_c=185 | option_d=180 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.
- id=32615 | topic=Averages | difficulty=Easy | question=Find the average of 31, 40, 31, 91, 75, 67, 48, 84, 51, 52. | option_a=59 | option_b=57 | option_c=56 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.
- id=32616 | topic=Averages | difficulty=Easy | question=Find the average of 48, 64, 95. | option_a=69 | option_b=71 | option_c=70 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = 207 ÷ 3 = 69.
- id=32617 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:1 and the first is 195, what is the second? | option_a=13 | option_b=28 | option_c=208 | option_d=12 | answer=A | explanation=Scale factor = 195/15 = 13. Therefore second quantity = 1×13 = 13.
- id=32618 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1357. If it is sold at a profit of 50%, what is its selling price? | option_a=2170 | option_b=1407 | option_c=1900 | option_d=2035 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1357 × 150/100 = █2035.
- id=32619 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=4 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=32620 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:18 and the first is 90, what is the second? | option_a=180 | option_b=270 | option_c=162 | option_d=189 | answer=A | explanation=Scale factor = 90/9 = 10. Therefore second quantity = 18×10 = 180.
- id=32621 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=26 | option_b=34 | option_c=40 | option_d=33 | answer=D | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.
- id=32622 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 39? | option_a=39 | option_b=21 | option_c=31 | option_d=26 | answer=A | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 39 is the odd one out.
- id=32623 | topic=Averages | difficulty=Easy | question=Find the average of 75, 23, 67, 71. | option_a=58 | option_b=59 | option_c=61 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 236 ÷ 4 = 59.
- id=32624 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=M | option_b=P | option_c=S | option_d=V | answer=C | explanation=Move 3 positions forward from P; the resulting letter is S.
- id=32625 | topic=Percentages | difficulty=Easy | question=What is 10% of 81? | option_a=8 | option_b=0 | option_c=18 | option_d=16 | answer=A | explanation=10% of 81 = (10/100) × 81 = 8.
- id=32626 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:2 and the first is 39, what is the second? | option_a=45 | option_b=4 | option_c=19 | option_d=6 | answer=D | explanation=Scale factor = 39/13 = 3. Therefore second quantity = 2×3 = 6.
- id=32627 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=32628 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=180 | option_c=185 | option_d=360 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.
- id=32629 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 21, 28, 38? | option_a=28 | option_b=38 | option_c=21 | option_d=14 | answer=B | explanation=The first three numbers increase by 7, so the next should be 35. Therefore 38 is the odd one out.
- id=32630 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=R | option_b=O | option_c=L | option_d=U | answer=A | explanation=Move 3 positions forward from O; the resulting letter is R.
- id=32631 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 14, 22, 33? | option_a=22 | option_b=14 | option_c=6 | option_d=33 | answer=D | explanation=The first three numbers increase by 8, so the next should be 30. Therefore 33 is the odd one out.
- id=32632 | topic=Averages | difficulty=Easy | question=Find the average of 68, 28, 69, 39, 28, 68. | option_a=52 | option_b=49 | option_c=51 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 300 ÷ 6 = 50.
- id=32633 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=C | option_b=E | option_c=G | option_d=I | answer=C | explanation=Move 2 positions forward from E; the resulting letter is G.
- id=32634 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11669 at 12% per annum for 5 years. | option_a=7101 | option_b=18670 | option_c=7001 | option_d=6901 | answer=C | explanation=SI = PRT/100 = 11669×12×5/100 = █7001.
- id=32635 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 27? | option_a=27 | option_b=21 | option_c=15 | option_d=18 | answer=A | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 27 is the odd one out.
- id=32636 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26989 at 10% per annum for 4 years. | option_a=37784 | option_b=10895 | option_c=10695 | option_d=10795 | answer=D | explanation=SI = PRT/100 = 26989×10×4/100 = █10795.
- id=32637 | topic=Profit & Loss | difficulty=Easy | question=An article costs █238. If it is sold at a profit of 5%, what is its selling price? | option_a=243 | option_b=249 | option_c=272 | option_d=226 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 238 × 105/100 = █249.
- id=32638 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=Z | option_b=E | option_c=P | option_d=U | answer=A | explanation=Move 5 positions forward from U; the resulting letter is Z.
- id=32639 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:5 and the first is 162, what is the second? | option_a=99 | option_b=85 | option_c=252 | option_d=90 | answer=D | explanation=Scale factor = 162/9 = 18. Therefore second quantity = 5×18 = 90.
- id=32640 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=L | option_b=I | option_c=J | option_d=K | answer=D | explanation=Move 1 positions forward from J; the resulting letter is K.

Aptitude Questions — Records 32,641-32,670 of 100,000

id=32641 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=32642 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=28 | option_b=34 | option_c=31 | option_d=32 | answer=C | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=32643 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:6 and the first is 180, what is the second? | option_a=78 | option_b=60 | option_c=54 | option_d=240 | answer=B | explanation=Scale factor = 180/18 = 10. Therefore second quantity = 6×10 = 60.

id=32644 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3493. If it is sold at a profit of 25%, what is its selling price? | option_a=3518 | option_b=4366 | option_c=4715 | option_d=4017 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3493 × 125/100 = █4366.

id=32645 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:14 and the first is 32, what is the second? | option_a=56 | option_b=88 | option_c=64 | option_d=42 | answer=A | explanation=Scale factor = 32/8 = 4. Therefore second quantity = 14×4 = 56.

id=32646 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 59? | option_a=46 | option_b=26 | option_c=36 | option_d=59 | answer=D | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 59 is the odd one out.

id=32647 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=56 | option_b=47 | option_c=48 | option_d=38 | answer=B | explanation=The common difference is 9. Therefore the next term is 38 + 9 = 47.

id=32648 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4062. If it is sold at a profit of 50%, what is its selling price? | option_a=6499 | option_b=6093 | option_c=5687 | option_d=4112 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4062 × 150/100 = █6093.

id=32649 | topic=Percentages | difficulty=Easy | question=What is 15% of 794? | option_a=119 | option_b=99 | option_c=129 | option_d=238 | answer=A | explanation=15% of 794 = (15/100) × 794 = 119.

id=32650 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 19, 25, 32? | option_a=19 | option_b=32 | option_c=13 | option_d=25 | answer=B | explanation=The first three numbers increase by 6, so the next should be 31. Therefore 32 is the odd one out.

id=32651 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=32652 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:2 and the first is 11, what is the second? | option_a=22 | option_b=23 | option_c=20 | option_d=33 | answer=A | explanation=Scale factor = 11/1 = 11. Therefore second quantity = 2×11 = 22.

id=32653 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4275. If it is sold at a profit of 30%, what is its selling price? | option_a=5130 | option_b=5984 | option_c=4305 | option_d=5557 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4275 × 130/100 = █5557.

id=32654 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:15 and the first is 48, what is the second? | option_a=90 | option_b=75 | option_c=98 | option_d=138 | answer=A | explanation=Scale factor = 48/8 = 6. Therefore second quantity = 15×6 = 90.

id=32655 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23193 at 4% per annum for 1 years. | option_a=24120 | option_b=827 | option_c=927 | option_d=1027 | answer=C | explanation=SI = PRT/100 = 23193×4×1/100 = █927.

id=32656 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14922 at 4% per annum for 4 years. | option_a=2487 | option_b=17309 | option_c=2287 | option_d=2387 | answer=D | explanation=SI = PRT/100 = 14922×4×4/100 = █2387.

id=32657 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:2 and the first is 70, what is the second? | option_a=28 | option_b=33 | option_c=98 | option_d=26 | answer=A | explanation=Scale factor = 70/5 = 14. Therefore second quantity = 2×14 = 28.

id=32658 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=T | option_b=V | option_c=P | option_d=R | answer=A | explanation=Move 2 positions forward from R; the resulting letter is T.

id=32659 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=32660 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1134 at 5% per annum for 5 years. | option_a=383 | option_b=283 | option_c=1417 | option_d=183 | answer=B | explanation=SI = PRT/100 = 1134×5×5/100 = █283.

id=32661 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=32662 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=32663 | topic=Profit & Loss | difficulty=Easy | question=An article costs █427. If it is sold at a profit of 30%, what is its selling price? | option_a=597 | option_b=457 | option_c=555 | option_d=513 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 427 × 130/100 = █555.

id=32664 | topic=Averages | difficulty=Easy | question=Find the average of 64, 61, 64. | option_a=64 | option_b=65 | option_c=62 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 189 ÷ 3 = 63.

id=32665 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 24. | option_a=528 | option_b=286 | option_c=264 | option_d=240 | answer=C | explanation=LCM × HCF = 22×24; HCF(22,24) = 2, so LCM = 264.

id=32666 | topic=Percentages | difficulty=Easy | question=What is 10% of 1863? | option_a=176 | option_b=186 | option_c=196 | option_d=372 | answer=B | explanation=10% of 1863 = (10/100) × 1863 = 186.

id=32667 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:15 and the first is 240, what is the second? | option_a=241 | option_b=465 | option_c=225 | option_d=210 | answer=C | explanation=Scale factor = 240/16 = 15. Therefore second quantity = 15×15 = 225.

id=32668 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=Q | option_b=U | option_c=S | option_d=W | answer=B | explanation=Move 2 positions forward from S; the resulting letter is U.

id=32669 | topic=Averages | difficulty=Easy | question=Find the average of 70, 34, 89, 71, 71. | option_a=67 | option_b=69 | option_c=66 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = 335 ÷ 5 = 67.

id=32670 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:18 and the first is 143, what is the second? | option_a=180 | option_b=211 | option_c=341 | option_d=198 | answer=D | explanation=Scale factor = 143/13 = 11. Therefore second quantity = 18×11 = 198.

Aptitude Questions — Records 32,671-32,700 of 100,000

id=32671 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:15 and the first is 153, what is the second? | option_a=408 | option_b=255 | option_c=240 | option_d=264 | answer=B | explanation=Scale factor = $153/9 = 17$. Therefore second quantity = $15 \times 17 = 255$.

id=32672 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=45 | option_b=44 | option_c=35 | option_d=53 | answer=B | explanation=The common difference is 9. Therefore the next term is $35 + 9 = 44$.

id=32673 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=150 | option_c=70 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = $300 \div 4 = 75$ km/h.

id=32674 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 5, 7, 10? | option_a=5 | option_b=10 | option_c=3 | option_d=7 | answer=B | explanation=The first three numbers increase by 2, so the next should be 9. Therefore 10 is the odd one out.

id=32675 | topic=Averages | difficulty=Easy | question=Find the average of 32, 90, 49, 16, 51, 91, 33, 80, 63, 85. | option_a=61 | option_b=60 | option_c=59 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = $590 \div 10 = 59$.

id=32676 | topic=Percentages | difficulty=Easy | question=What is 50% of 199? | option_a=99 | option_b=94 | option_c=198 | option_d=109 | answer=A | explanation=50% of 199 = $(50/100) \times 199 = 99$.

id=32677 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=22 | option_b=17 | option_c=25 | option_d=21 | answer=D | explanation=The common difference is 4. Therefore the next term is $17 + 4 = 21$.

id=32678 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:20 and the first is 119, what is the second? | option_a=157 | option_b=120 | option_c=259 | option_d=140 | answer=D | explanation=Scale factor = $119/17 = 7$. Therefore second quantity = $20 \times 7 = 140$.

id=32679 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 16, 23, 32? | option_a=32 | option_b=16 | option_c=9 | option_d=23 | answer=A | explanation=The first three numbers increase by 7, so the next should be 30. Therefore 32 is the odd one out.

id=32680 | topic=Percentages | difficulty=Easy | question=What is 15% of 385? | option_a=62 | option_b=114 | option_c=52 | option_d=57 | answer=D | explanation=15% of 385 = $(15/100) \times 385 = 57$.

id=32681 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 30? | option_a=16 | option_b=24 | option_c=20 | option_d=30 | answer=D | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 30 is the odd one out.

id=32682 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 5. | option_a=100 | option_b=15 | option_c=40 | option_d=20 | answer=D | explanation= $LCM \times HCF = 20 \times 5$; $HCF(20,5) = 5$, so $LCM = 20$.

id=32683 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 14. | option_a=84 | option_b=168 | option_c=70 | option_d=96 | answer=A | explanation= $LCM \times HCF = 12 \times 14$; $HCF(12,14) = 2$, so $LCM = 84$.

id=32684 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1820. If it is sold at a profit of 30%, what is its selling price? | option_a=2366 | option_b=1850 | option_c=2548 | option_d=2184 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1820 \times 130/100 = \text{█}2366$.

id=32685 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=160 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = $240 \div 3 = 80$ km/h.

id=32686 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=28 | option_b=33 | option_c=27 | option_d=21 | answer=C | explanation=The common difference is 6. Therefore the next term is $21 + 6 = 27$.

id=32687 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=53 | option_b=54 | option_c=62 | option_d=44 | answer=A | explanation=The common difference is 9. Therefore the next term is $44 + 9 = 53$.

id=32688 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45278 at 10% per annum for 1 years. | option_a=4427 | option_b=49805 | option_c=4627 | option_d=4527 | answer=D | explanation= $SI = PRT/100 = 45278 \times 10 \times 1/100 = \text{█}4527$.

id=32689 | topic=Percentages | difficulty=Easy | question=What is 20% of 881? | option_a=196 | option_b=176 | option_c=171 | option_d=352 | answer=B | explanation=20% of 881 = $(20/100) \times 881 = 176$.

id=32690 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=55 | option_c=50 | option_d=100 | answer=C | explanation=Speed = distance ÷ time = $150 \div 3 = 50$ km/h.

id=32691 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:16 and the first is 65, what is the second? | option_a=213 | option_b=208 | option_c=273 | option_d=192 | answer=B | explanation=Scale factor = $65/5 = 13$. Therefore second quantity = $16 \times 13 = 208$.

id=32692 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=17 | option_d=7 | answer=B | explanation=Speed = distance ÷ time = $120 \div 10 = 12$ km/h.

id=32693 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:16 and the first is 225, what is the second? | option_a=255 | option_b=465 | option_c=224 | option_d=240 | answer=D | explanation=Scale factor = $225/15 = 15$. Therefore second quantity = $16 \times 15 = 240$.

id=32694 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does "T" become? | option_a=U | option_b=V | option_c=T | option_d=S | answer=A | explanation=Move 1 positions forward from T; the resulting letter is U.

id=32695 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=32696 | topic=Averages | difficulty=Easy | question=Find the average of 27, 63, 21. | option_a=39 | option_b=36 | option_c=38 | option_d=37 | answer=D | explanation=Average = sum of values ÷ number of values = $111 \div 3 = 37$.

id=32697 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:2 and the first is 240, what is the second? | option_a=38 | option_b=52 | option_c=40 | option_d=280 | answer=C | explanation=Scale factor = $240/12 = 20$. Therefore second quantity = $2 \times 20 = 40$.

id=32698 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:20 and the first is 380, what is the second? | option_a=400 | option_b=760 | option_c=380 | option_d=360 | answer=C | explanation=Scale factor = $380/20 = 19$. Therefore second quantity = $20 \times 19 = 380$.

id=32699 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 6. | option_a=6 | option_b=1 | option_c=12 | option_d=36 | answer=A | explanation= $LCM \times HCF = 6 \times 6$; $HCF(6,6) = 6$, so $LCM = 6$.

id=32700 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=6 | option_d=4 | answer=B | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

Aptitude Questions — Records 32,701-32,730 of 100,000

id=32701 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=32702 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18901 at 15% per annum for 5 years. | option_a=14275 | option_b=14075 | option_c=33076 | option_d=14175 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{18901 \times 15 \times 5}{100} = \text{■}14175$.

id=32703 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 16, 21, 29? | option_a=16 | option_b=29 | option_c=11 | option_d=21 | answer=B | explanation=The first three numbers increase by 5, so the next should be 26. Therefore 29 is the odd one out.

id=32704 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 20. | option_a=20 | option_b=400 | option_c=40 | option_d=1 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 20 \times 20$; $\text{HCF}(20, 20) = 20$, so $\text{LCM} = 20$.

id=32705 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=24 | option_c=48 | option_d=19 | answer=B | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{120}{5} = 24$ km/h.

id=32706 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=43 | option_b=35 | option_c=36 | option_d=27 | answer=B | explanation=The common difference is 8. Therefore the next term is $27 + 8 = 35$.

id=32707 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=F | option_c=J | option_d=L | answer=C | explanation=Move 2 positions forward from H; the resulting letter is J.

id=32708 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:2 and the first is 18, what is the second? | option_a=34 | option_b=37 | option_c=54 | option_d=36 | answer=D | explanation=Scale factor = $\frac{18}{1} = 18$. Therefore second quantity = $2 \times 18 = 36$.

id=32709 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=59 | option_b=49 | option_c=50 | option_d=39 | answer=B | explanation=The common difference is 10. Therefore the next term is $39 + 10 = 49$.

id=32710 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=50 | option_d=100 | answer=C | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{300}{6} = 50$ km/h.

id=32711 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:15 and the first is 182, what is the second? | option_a=195 | option_b=223 | option_c=210 | option_d=392 | answer=C | explanation=Scale factor = $\frac{182}{13} = 14$. Therefore second quantity = $15 \times 14 = 210$.

id=32712 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8014 at 4% per annum for 2 years. | option_a=741 | option_b=641 | option_c=8655 | option_d=541 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{8014 \times 4 \times 2}{100} = \text{■}641$.

id=32713 | topic=Averages | difficulty=Easy | question=Find the average of 42, 43, 32, 14, 37, 22, 86, 20, 85, 19. | option_a=42 | option_b=40 | option_c=41 | option_d=39 | answer=B | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{400}{10} = 40$.

id=32714 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12} = 3$ days.

id=32715 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=90 | option_d=50 | answer=A | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{180}{4} = 45$ km/h.

id=32716 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2482. If it is sold at a profit of 25%, what is its selling price? | option_a=3350 | option_b=3102 | option_c=2507 | option_d=2854 | answer=B | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 2482 \times \frac{125}{100} = \text{■}3102$.

id=32717 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:3 and the first is 108, what is the second? | option_a=60 | option_b=54 | option_c=51 | option_d=162 | answer=B | explanation=Scale factor = $\frac{108}{6} = 18$. Therefore second quantity = $3 \times 18 = 54$.

id=32718 | topic=Averages | difficulty=Easy | question=Find the average of 88, 63, 56, 16, 66, 77. | option_a=63 | option_b=62 | option_c=60 | option_d=61 | answer=D | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{366}{6} = 61$.

id=32719 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=56 | option_b=80 | option_c=69 | option_d=68 | answer=D | explanation=The common difference is 12. Therefore the next term is $56 + 12 = 68$.

id=32720 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=32721 | topic=Averages | difficulty=Easy | question=Find the average of 58, 49, 53, 22, 100, 30. | option_a=52 | option_b=51 | option_c=53 | option_d=54 | answer=A | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{312}{6} = 52$.

id=32722 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2590. If it is sold at a profit of 25%, what is its selling price? | option_a=2978 | option_b=3496 | option_c=2615 | option_d=3237 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 2590 \times \frac{125}{100} = \text{■}3237$.

id=32723 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=23 | option_b=21 | option_c=22 | option_d=19 | answer=B | explanation=The common difference is 2. Therefore the next term is $19 + 2 = 21$.

id=32724 | topic=Averages | difficulty=Easy | question=Find the average of 41, 73, 48, 53, 48, 31. | option_a=50 | option_b=48 | option_c=49 | option_d=51 | answer=C | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{294}{6} = 49$.

id=32725 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 32, 36, 43? | option_a=32 | option_b=43 | option_c=36 | option_d=28 | answer=B | explanation=The first three numbers increase by 4, so the next should be 40. Therefore 43 is the odd one out.

id=32726 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44313 at 10% per annum for 3 years. | option_a=13393 | option_b=13293 | option_c=57606 | option_d=13193 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{44313 \times 10 \times 3}{100} = \text{■}13293$.

id=32727 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:12 and the first is 156, what is the second? | option_a=144 | option_b=156 | option_c=168 | option_d=312 | answer=B | explanation=Scale factor = $\frac{156}{12} = 13$. Therefore second quantity = $12 \times 13 = 156$.

id=32728 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 28. | option_a=112 | option_b=280 | option_c=140 | option_d=150 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 10 \times 28$; $\text{HCF}(10, 28) = 2$, so $\text{LCM} = 140$.

id=32729 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 20. | option_a=120 | option_b=560 | option_c=140 | option_d=168 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 28 \times 20$; $\text{HCF}(28, 20) = 4$, so $\text{LCM} = 140$.

id=32730 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 27, 33, 40? | option_a=27 | option_b=40 | option_c=33 | option_d=21 | answer=B | explanation=The first three numbers increase by 6, so the next should be 39. Therefore 40 is the odd one out.

Aptitude Questions — Records 32,731-32,760 of 100,000

id=32731 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19830 at 4% per annum for 5 years. | option_a=4066 | option_b=23796 | option_c=3966 | option_d=3866 | answer=C | explanation=SI = $PRT/100 = 19830 \times 4 \times 5/100 =$ **■**3966.

id=32732 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=125 | option_c=115 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.

id=32733 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=40 | option_c=45 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = $240 \div 6 = 40$ km/h.

id=32734 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:6 and the first is 272, what is the second? | option_a=102 | option_b=374 | option_c=118 | option_d=96 | answer=A | explanation=Scale factor = $272/16 = 17$. Therefore second quantity = $6 \times 17 = 102$.

id=32735 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:8 and the first is 90, what is the second? | option_a=82 | option_b=72 | option_c=162 | option_d=64 | answer=B | explanation=Scale factor = $90/10 = 9$. Therefore second quantity = $8 \times 9 = 72$.

id=32736 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=V | option_c=T | option_d=W | answer=B | explanation=Move 1 positions forward from U; the resulting letter is V.

id=32737 | topic=Averages | difficulty=Easy | question=Find the average of 12, 55, 25, 80. | option_a=42 | option_b=45 | option_c=44 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = $172 \div 4 = 43$.

id=32738 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=45 | option_b=58 | option_c=57 | option_d=69 | answer=C | explanation=The common difference is 12. Therefore the next term is $45 + 12 = 57$.

id=32739 | topic=Averages | difficulty=Easy | question=Find the average of 72, 19, 12, 17, 90. | option_a=42 | option_b=44 | option_c=43 | option_d=41 | answer=A | explanation=Average = sum of values ÷ number of values = $210 \div 5 = 42$.

id=32740 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23201 at 12% per annum for 2 years. | option_a=5468 | option_b=28769 | option_c=5568 | option_d=5668 | answer=C | explanation=SI = $PRT/100 = 23201 \times 12 \times 2/100 =$ **■**5568.

id=32741 | topic=Percentages | difficulty=Easy | question=What is 12% of 65? | option_a=14 | option_b=0 | option_c=27 | option_d=7 | answer=D | explanation= 12% of $65 = (12/100) \times 65 = 7$.

id=32742 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=32743 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=155 | option_c=300 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = $300 \div 2 = 150$ km/h.

id=32744 | topic=Percentages | difficulty=Easy | question=What is 12% of 148? | option_a=27 | option_b=34 | option_c=17 | option_d=0 | answer=C | explanation= 12% of $148 = (12/100) \times 148 = 17$.

id=32745 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:5 and the first is 187, what is the second? | option_a=72 | option_b=55 | option_c=50 | option_d=242 | answer=B | explanation=Scale factor = $187/17 = 11$. Therefore second quantity = $5 \times 11 = 55$.

id=32746 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34433 at 12% per annum for 3 years. | option_a=12295 | option_b=12495 | option_c=46828 | option_d=12395 | answer=D | explanation=SI = $PRT/100 = 34433 \times 12 \times 3/100 =$ **■**12395.

id=32747 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=145 | option_c=155 | option_d=300 | answer=A | explanation=Speed = distance ÷ time = $300 \div 2 = 150$ km/h.

id=32748 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=32749 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:10 and the first is 19, what is the second? | option_a=180 | option_b=191 | option_c=190 | option_d=209 | answer=C | explanation=Scale factor = $19/1 = 19$. Therefore second quantity = $10 \times 19 = 190$.

id=32750 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:10 and the first is 104, what is the second? | option_a=93 | option_b=70 | option_c=80 | option_d=184 | answer=C | explanation=Scale factor = $104/13 = 8$. Therefore second quantity = $10 \times 8 = 80$.

id=32751 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=W | option_c=Q | option_d=S | answer=A | explanation=Move 2 positions forward from S; the resulting letter is U.

id=32752 | topic=Averages | difficulty=Easy | question=Find the average of 32, 27, 55, 89, 84, 95, 47, 37, 15, 39. | option_a=51 | option_b=54 | option_c=52 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = $520 \div 10 = 52$.

id=32753 | topic=Percentages | difficulty=Easy | question=What is 25% of 53? | option_a=13 | option_b=23 | option_c=3 | option_d=26 | answer=A | explanation= 25% of $53 = (25/100) \times 53 = 13$.

id=32754 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 24, 34, 47? | option_a=14 | option_b=47 | option_c=34 | option_d=24 | answer=B | explanation=The first three numbers increase by 10, so the next should be 44. Therefore 47 is the odd one out.

id=32755 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=H | option_c=L | option_d=T | answer=A | explanation=Move 4 positions forward from L; the resulting letter is P.

id=32756 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 12. | option_a=1 | option_b=36 | option_c=12 | option_d=15 | answer=C | explanation= $LCM \times HCF = 3 \times 12$; $HCF(3,12) = 3$, so $LCM = 12$.

id=32757 | topic=Percentages | difficulty=Easy | question=What is 25% of 1376? | option_a=354 | option_b=688 | option_c=344 | option_d=339 | answer=C | explanation= 25% of $1376 = (25/100) \times 1376 = 344$.

id=32758 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4131 at 12% per annum for 5 years. | option_a=2578 | option_b=2478 | option_c=2378 | option_d=6609 | answer=B | explanation=SI = $PRT/100 = 4131 \times 12 \times 5/100 =$ **■**2478.

id=32759 | topic=Averages | difficulty=Easy | question=Find the average of 46, 35, 23, 94, 25, 36, 91. | option_a=51 | option_b=52 | option_c=49 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = $350 \div 7 = 50$.

id=32760 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 30, 32, 35? | option_a=28 | option_b=35 | option_c=32 | option_d=30 | answer=B | explanation=The first three numbers increase by 2, so the next should be 34. Therefore 35 is the odd one out.

Aptitude Questions — Records 32,761-32,790 of 100,000

id=32761 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=180 | option_c=85 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=32762 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=R | option_c=I | option_d=O | answer=D | explanation=Move 3 positions forward from L; the resulting letter is O.

id=32763 | topic=Profit & Loss | difficulty=Easy | question=An article costs █538. If it is sold at a profit of 10%, what is its selling price? | option_a=548 | option_b=644 | option_c=591 | option_d=538 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 538 × 110/100 = █591.

id=32764 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=55 | option_b=66 | option_c=54 | option_d=42 | answer=C | explanation=The common difference is 12. Therefore the next term is 42 + 12 = 54.

id=32765 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=M | option_c=K | option_d=Q | answer=A | explanation=Move 2 positions forward from M; the resulting letter is O.

id=32766 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 42? | option_a=31 | option_b=42 | option_c=21 | option_d=11 | answer=B | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 42 is the odd one out.

id=32767 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=52 | option_b=46 | option_c=45 | option_d=38 | answer=C | explanation=The common difference is 7. Therefore the next term is 38 + 7 = 45.

id=32768 | topic=Averages | difficulty=Easy | question=Find the average of 38, 82, 18, 77, 23, 98, 99, 93, 78, 64. | option_a=67 | option_b=66 | option_c=69 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = 670 ÷ 10 = 67.

id=32769 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=37 | option_b=23 | option_c=31 | option_d=30 | answer=D | explanation=The common difference is 7. Therefore the next term is 23 + 7 = 30.

id=32770 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=40 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=32771 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:19 and the first is 180, what is the second? | option_a=190 | option_b=370 | option_c=208 | option_d=171 | answer=A | explanation=Scale factor = 180/18 = 10. Therefore second quantity = 19×10 = 190.

id=32772 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:9 and the first is 162, what is the second? | option_a=81 | option_b=99 | option_c=243 | option_d=72 | answer=A | explanation=Scale factor = 162/18 = 9. Therefore second quantity = 9×9 = 81.

id=32773 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=32774 | topic=Percentages | difficulty=Easy | question=What is 10% of 73? | option_a=0 | option_b=7 | option_c=14 | option_d=12 | answer=B | explanation=10% of 73 = (10/100) × 73 = 7.

id=32775 | topic=Percentages | difficulty=Easy | question=What is 20% of 1859? | option_a=742 | option_b=381 | option_c=366 | option_d=371 | answer=D | explanation=20% of 1859 = (20/100) × 1859 = 371.

id=32776 | topic=Averages | difficulty=Easy | question=Find the average of 26, 61, 27, 12, 92, 76, 80, 24, 64, 78. | option_a=54 | option_b=56 | option_c=55 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

id=32777 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=J | option_b=H | option_c=F | option_d=D | answer=B | explanation=Move 2 positions forward from F; the resulting letter is H.

id=32778 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2080. If it is sold at a profit of 25%, what is its selling price? | option_a=2600 | option_b=2808 | option_c=2392 | option_d=2105 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2080 × 125/100 = █2600.

id=32779 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 20. | option_a=20 | option_b=100 | option_c=1 | option_d=25 | answer=A | explanation=LCM × HCF = 5×20; HCF(5,20) = 5, so LCM = 20.

id=32780 | topic=Percentages | difficulty=Easy | question=What is 15% of 413? | option_a=56 | option_b=122 | option_c=61 | option_d=66 | answer=C | explanation=15% of 413 = (15/100) × 413 = 61.

id=32781 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=32782 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=32783 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=32784 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:17 and the first is 91, what is the second? | option_a=221 | option_b=228 | option_c=204 | option_d=312 | answer=A | explanation=Scale factor = 91/7 = 13. Therefore second quantity = 17×13 = 221.

id=32785 | topic=Percentages | difficulty=Easy | question=What is 20% of 844? | option_a=173 | option_b=336 | option_c=148 | option_d=168 | answer=D | explanation=20% of 844 = (20/100) × 844 = 168.

id=32786 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2378. If it is sold at a profit of 15%, what is its selling price? | option_a=2734 | option_b=2393 | option_c=2497 | option_d=2971 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2378 × 115/100 = █2734.

id=32787 | topic=Averages | difficulty=Easy | question=Find the average of 23, 24, 15, 70, 23, 43, 89, 25, 61, 47. | option_a=44 | option_b=41 | option_c=43 | option_d=42 | answer=D | explanation=Average = sum of values ÷ number of values = 420 ÷ 10 = 42.

id=32788 | topic=Averages | difficulty=Easy | question=Find the average of 10, 94, 73, 97, 51, 89, 24, 62, 49. | option_a=61 | option_b=62 | option_c=63 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 549 ÷ 9 = 61.

id=32789 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 34? | option_a=19 | option_b=34 | option_c=12 | option_d=26 | answer=B | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 34 is the odd one out.

id=32790 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=U | option_c=Y | option_d=S | answer=A | explanation=Move 2 positions forward from U; the resulting letter is W.

Aptitude Questions — Records 32,791-32,820 of 100,000

id=32791 | topic=Percentages | difficulty=Easy | question=What is 10% of 521? | option_a=42 | option_b=104 | option_c=52 | option_d=62 | answer=C | explanation=10% of 521 = (10/100) × 521 = 52.

id=32792 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=I | option_b=O | option_c=R | option_d=L | answer=B | explanation=Move 3 positions forward from L; the resulting letter is O.

id=32793 | topic=Percentages | difficulty=Easy | question=What is 20% of 796? | option_a=154 | option_b=164 | option_c=318 | option_d=159 | answer=D | explanation=20% of 796 = (20/100) × 796 = 159.

id=32794 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41216 at 8% per annum for 1 years. | option_a=3197 | option_b=44513 | option_c=3297 | option_d=3397 | answer=C | explanation=SI = PRT/100 = 41216×8×1/100 = **■**3297.

id=32795 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=Q | option_c=H | option_d=N | answer=D | explanation=Move 3 positions forward from K; the resulting letter is N.

id=32796 | topic=Percentages | difficulty=Easy | question=What is 25% of 187? | option_a=92 | option_b=46 | option_c=56 | option_d=36 | answer=B | explanation=25% of 187 = (25/100) × 187 = 46.

id=32797 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19716 at 5% per annum for 3 years. | option_a=22673 | option_b=2857 | option_c=2957 | option_d=3057 | answer=C | explanation=SI = PRT/100 = 19716×5×3/100 = **■**2957.

id=32798 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=X | option_b=M | option_c=H | option_d=C | answer=C | explanation=Move 5 positions forward from C; the resulting letter is H.

id=32799 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=32800 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1363. If it is sold at a profit of 40%, what is its selling price? | option_a=1772 | option_b=2044 | option_c=1908 | option_d=1403 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1363 × 140/100 = **■**1908.

id=32801 | topic=Percentages | difficulty=Easy | question=What is 12% of 656? | option_a=73 | option_b=78 | option_c=83 | option_d=156 | answer=B | explanation=12% of 656 = (12/100) × 656 = 78.

id=32802 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=57 | option_b=69 | option_c=45 | option_d=58 | answer=A | explanation=The common difference is 12. Therefore the next term is 45 + 12 = 57.

id=32803 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 18. | option_a=72 | option_b=120 | option_c=540 | option_d=90 | answer=D | explanation=LCM × HCF = 30×18; HCF(30,18) = 6, so LCM = 90.

id=32804 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3971. If it is sold at a profit of 50%, what is its selling price? | option_a=6353 | option_b=4021 | option_c=5956 | option_d=5559 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3971 × 150/100 = **■**5956.

id=32805 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1663. If it is sold at a profit of 20%, what is its selling price? | option_a=2161 | option_b=1683 | option_c=1829 | option_d=1995 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1663 × 120/100 = **■**1995.

id=32806 | topic=Averages | difficulty=Easy | question=Find the average of 12, 80, 95, 61. | option_a=61 | option_b=64 | option_c=62 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = 248 ÷ 4 = 62.

id=32807 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=O | option_c=I | option_d=K | answer=A | explanation=Move 2 positions forward from K; the resulting letter is M.

id=32808 | topic=Percentages | difficulty=Easy | question=What is 30% of 482? | option_a=144 | option_b=288 | option_c=124 | option_d=149 | answer=A | explanation=30% of 482 = (30/100) × 482 = 144.

id=32809 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3915. If it is sold at a profit of 20%, what is its selling price? | option_a=4307 | option_b=5089 | option_c=3935 | option_d=4698 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3915 × 120/100 = **■**4698.

id=32810 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 13, 18, 23, ? | option_a=29 | option_b=23 | option_c=33 | option_d=28 | answer=D | explanation=The common difference is 5. Therefore the next term is 23 + 5 = 28.

id=32811 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=33 | option_b=31 | option_c=30 | option_d=27 | answer=C | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.

id=32812 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:8 and the first is 40, what is the second? | option_a=80 | option_b=40 | option_c=48 | option_d=32 | answer=B | explanation=Scale factor = 40/8 = 5. Therefore second quantity = 8×5 = 40.

id=32813 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41999 at 12% per annum for 5 years. | option_a=67198 | option_b=25099 | option_c=25299 | option_d=25199 | answer=D | explanation=SI = PRT/100 = 41999×12×5/100 = **■**25199.

id=32814 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=59 | option_b=37 | option_c=49 | option_d=48 | answer=D | explanation=The common difference is 11. Therefore the next term is 37 + 11 = 48.

id=32815 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2434. If it is sold at a profit of 10%, what is its selling price? | option_a=2444 | option_b=2677 | option_c=2920 | option_d=2434 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2434 × 110/100 = **■**2677.

id=32816 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4896. If it is sold at a profit of 20%, what is its selling price? | option_a=6364 | option_b=4916 | option_c=5386 | option_d=5875 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4896 × 120/100 = **■**5875.

id=32817 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=6 | option_c=11 | option_d=1 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=32818 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=21 | option_b=24 | option_c=27 | option_d=25 | answer=B | explanation=The common difference is 3. Therefore the next term is 21 + 3 = 24.

id=32819 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=L | option_b=N | option_c=H | option_d=J | answer=A | explanation=Move 2 positions forward from J; the resulting letter is L.

id=32820 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=L | option_b=J | option_c=K | option_d=I | answer=C | explanation=Move 1 positions forward from J; the resulting letter is K.

Aptitude Questions — Records 32,821-32,850 of 100,000

- id=32821 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2790 at 8% per annum for 3 years. | option_a=569 | option_b=769 | option_c=3459 | option_d=669 | answer=D | explanation=SI = $PRT/100 = 2790 \times 8 \times 3/100 = \text{■}669$.
- id=32822 | topic=Averages | difficulty=Easy | question=Find the average of 76, 33, 36, 63, 46, 34, 99, 37. | option_a=53 | option_b=52 | option_c=54 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = $424 \div 8 = 53$.
- id=32823 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2049. If it is sold at a profit of 50%, what is its selling price? | option_a=3073 | option_b=2099 | option_c=2869 | option_d=3277 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2049 \times 150/100 = \text{■}3073$.
- id=32824 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 47? | option_a=40 | option_b=28 | option_c=34 | option_d=47 | answer=D | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 47 is the odd one out.
- id=32825 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=22 | option_b=23 | option_c=19 | option_d=21 | answer=D | explanation=The common difference is 2. Therefore the next term is $19 + 2 = 21$.
- id=32826 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=62 | option_b=53 | option_c=54 | option_d=44 | answer=B | explanation=The common difference is 9. Therefore the next term is $44 + 9 = 53$.
- id=32827 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:13 and the first is 156, what is the second? | option_a=325 | option_b=169 | option_c=156 | option_d=181 | answer=B | explanation=Scale factor = $156/12 = 13$. Therefore second quantity = $13 \times 13 = 169$.
- id=32828 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31018 at 10% per annum for 3 years. | option_a=9205 | option_b=40323 | option_c=9305 | option_d=9405 | answer=C | explanation=SI = $PRT/100 = 31018 \times 10 \times 3/100 = \text{■}9305$.
- id=32829 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47051 at 5% per annum for 1 years. | option_a=2452 | option_b=49403 | option_c=2252 | option_d=2352 | answer=D | explanation=SI = $PRT/100 = 47051 \times 5 \times 1/100 = \text{■}2352$.
- id=32830 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4836. If it is sold at a profit of 20%, what is its selling price? | option_a=5320 | option_b=4856 | option_c=5803 | option_d=6286 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4836 \times 120/100 = \text{■}5803$.
- id=32831 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 32, 40, 51? | option_a=51 | option_b=32 | option_c=40 | option_d=24 | answer=A | explanation=The first three numbers increase by 8, so the next should be 48. Therefore 51 is the odd one out.
- id=32832 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 16, 26, 37? | option_a=16 | option_b=6 | option_c=37 | option_d=26 | answer=C | explanation=The first three numbers increase by 10, so the next should be 36. Therefore 37 is the odd one out.
- id=32833 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=X | option_c=H | option_d=M | answer=C | explanation=Move 5 positions forward from C; the resulting letter is H.
- id=32834 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:18 and the first is 128, what is the second? | option_a=144 | option_b=272 | option_c=126 | option_d=160 | answer=A | explanation=Scale factor = $128/16 = 8$. Therefore second quantity = $18 \times 8 = 144$.
- id=32835 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 27. | option_a=243 | option_b=270 | option_c=300 | option_d=810 | answer=B | explanation= $LCM \times HCF = 30 \times 27$; $HCF(30,27) = 3$, so $LCM = 270$.
- id=32836 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=18 | option_c=23 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = $180 \div 10 = 18$ km/h.
- id=32837 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 22, 32, 43? | option_a=32 | option_b=12 | option_c=43 | option_d=22 | answer=C | explanation=The first three numbers increase by 10, so the next should be 42. Therefore 43 is the odd one out.
- id=32838 | topic=Averages | difficulty=Easy | question=Find the average of 17, 87, 33, 30, 68. | option_a=48 | option_b=46 | option_c=49 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = $235 \div 5 = 47$.
- id=32839 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.
- id=32840 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16286 at 4% per annum for 2 years. | option_a=1402 | option_b=1202 | option_c=1302 | option_d=17588 | answer=C | explanation=SI = $PRT/100 = 16286 \times 4 \times 2/100 = \text{■}1302$.
- id=32841 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=20 | option_c=10 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = $60 \div 6 = 10$ km/h.
- id=32842 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=90 | option_c=180 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = $180 \div 2 = 90$ km/h.
- id=32843 | topic=Averages | difficulty=Easy | question=Find the average of 36, 94, 14, 92, 24, 10, 14, 68. | option_a=45 | option_b=44 | option_c=46 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = $352 \div 8 = 44$.
- id=32844 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3059. If it is sold at a profit of 25%, what is its selling price? | option_a=3518 | option_b=3823 | option_c=3084 | option_d=4128 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3059 \times 125/100 = \text{■}3823$.
- id=32845 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=50 | option_b=51 | option_c=39 | option_d=61 | answer=A | explanation=The common difference is 11. Therefore the next term is $39 + 11 = 50$.
- id=32846 | topic=Percentages | difficulty=Easy | question=What is 20% of 1609? | option_a=331 | option_b=321 | option_c=642 | option_d=316 | answer=B | explanation=20% of 1609 = $(20/100) \times 1609 = 321$.
- id=32847 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:17 and the first is 255, what is the second? | option_a=510 | option_b=272 | option_c=255 | option_d=238 | answer=C | explanation=Scale factor = $255/17 = 15$. Therefore second quantity = $17 \times 15 = 255$.
- id=32848 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=Y | option_b=O | option_c=T | option_d=D | answer=A | explanation=Move 5 positions forward from T; the resulting letter is Y.
- id=32849 | topic=Percentages | difficulty=Easy | question=What is 20% of 1124? | option_a=448 | option_b=224 | option_c=204 | option_d=234 | answer=B | explanation=20% of 1124 = $(20/100) \times 1124 = 224$.
- id=32850 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=10 | option_b=14 | option_c=13 | option_d=12 | answer=D | explanation=The common difference is 2. Therefore the next term is $10 + 2 = 12$.

Aptitude Questions — Records 32,851-32,880 of 100,000

id=32851 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 30. | option_a=1 | option_b=40 | option_c=30 | option_d=300 | answer=C | explanation=LCM × HCF = 10×30; HCF(10,30) = 10, so LCM = 30.

id=32852 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=63 | option_b=41 | option_c=53 | option_d=52 | answer=D | explanation=The common difference is 11. Therefore the next term is 41 + 11 = 52.

id=32853 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=18 | option_b=19 | option_c=14 | option_d=22 | answer=A | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.

id=32854 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=J | option_b=V | option_c=N | option_d=R | answer=D | explanation=Move 4 positions forward from N; the resulting letter is R.

id=32855 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=43 | option_b=42 | option_c=32 | option_d=52 | answer=B | explanation=The common difference is 10. Therefore the next term is 32 + 10 = 42.

id=32856 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=32857 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33746 at 15% per annum for 1 years. | option_a=5161 | option_b=4961 | option_c=5061 | option_d=38807 | answer=C | explanation=SI = $PRT/100 = 33746 \times 15 \times 1/100 = \text{■}5061$.

id=32858 | topic=Averages | difficulty=Easy | question=Find the average of 41, 49, 93. | option_a=62 | option_b=61 | option_c=60 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 183 ÷ 3 = 61.

id=32859 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4174. If it is sold at a profit of 50%, what is its selling price? | option_a=4224 | option_b=5844 | option_c=6678 | option_d=6261 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4174 \times 150/100 = \text{■}6261$.

id=32860 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=32861 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=32862 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=32863 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=S | option_c=M | option_d=Q | answer=D | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=32864 | topic=Averages | difficulty=Easy | question=Find the average of 95, 40, 89, 23, 87, 32, 61, 36, 73, 94. | option_a=65 | option_b=62 | option_c=63 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 630 ÷ 10 = 63.

id=32865 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18888 at 10% per annum for 4 years. | option_a=7455 | option_b=26443 | option_c=7655 | option_d=7555 | answer=D | explanation=SI = $PRT/100 = 18888 \times 10 \times 4/100 = \text{■}7555$.

id=32866 | topic=Averages | difficulty=Easy | question=Find the average of 100, 45, 35, 27, 93. | option_a=60 | option_b=61 | option_c=62 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 300 ÷ 5 = 60.

id=32867 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10883 at 10% per annum for 3 years. | option_a=14147 | option_b=3264 | option_c=3164 | option_d=3364 | answer=B | explanation=SI = $PRT/100 = 10883 \times 10 \times 3/100 = \text{■}3264$.

id=32868 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30275 at 6% per annum for 4 years. | option_a=7166 | option_b=7266 | option_c=7366 | option_d=37541 | answer=B | explanation=SI = $PRT/100 = 30275 \times 6 \times 4/100 = \text{■}7266$.

id=32869 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3616. If it is sold at a profit of 40%, what is its selling price? | option_a=3656 | option_b=5423 | option_c=4701 | option_d=5062 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3616 \times 140/100 = \text{■}5062$.

id=32870 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4425. If it is sold at a profit of 25%, what is its selling price? | option_a=5973 | option_b=5089 | option_c=5531 | option_d=4450 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4425 \times 125/100 = \text{■}5531$.

id=32871 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41325 at 12% per annum for 2 years. | option_a=9818 | option_b=51243 | option_c=9918 | option_d=10018 | answer=C | explanation=SI = $PRT/100 = 41325 \times 12 \times 2/100 = \text{■}9918$.

id=32872 | topic=Averages | difficulty=Easy | question=Find the average of 39, 44, 66, 42, 35, 74. | option_a=51 | option_b=49 | option_c=52 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 300 ÷ 6 = 50.

id=32873 | topic=Percentages | difficulty=Easy | question=What is 15% of 472? | option_a=140 | option_b=70 | option_c=65 | option_d=80 | answer=B | explanation=15% of 472 = $(15/100) \times 472 = 70$.

id=32874 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42715 at 5% per annum for 2 years. | option_a=46986 | option_b=4171 | option_c=4371 | option_d=4271 | answer=D | explanation=SI = $PRT/100 = 42715 \times 5 \times 2/100 = \text{■}4271$.

id=32875 | topic=Percentages | difficulty=Easy | question=What is 40% of 837? | option_a=334 | option_b=314 | option_c=668 | option_d=339 | answer=A | explanation=40% of 837 = $(40/100) \times 837 = 334$.

id=32876 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=C | option_b=X | option_c=N | option_d=S | answer=B | explanation=Move 5 positions forward from S; the resulting letter is X.

id=32877 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2685. If it is sold at a profit of 25%, what is its selling price? | option_a=3624 | option_b=3088 | option_c=3356 | option_d=2710 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2685 \times 125/100 = \text{■}3356$.

id=32878 | topic=Percentages | difficulty=Easy | question=What is 12% of 1832? | option_a=239 | option_b=438 | option_c=219 | option_d=199 | answer=C | explanation=12% of 1832 = $(12/100) \times 1832 = 219$.

id=32879 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 17, 23, 32? | option_a=17 | option_b=11 | option_c=32 | option_d=23 | answer=C | explanation=The first three numbers increase by 6, so the next should be 29. Therefore 32 is the odd one out.

id=32880 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**931. If it is sold at a profit of 10%, what is its selling price? | option_a=931 | option_b=1024 | option_c=1117 | option_d=941 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 931 \times 110/100 = \text{■}1024$.

Aptitude Questions — Records 32,881-32,910 of 100,000

id=32881 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=R | option_c=P | option_d=Q | answer=B | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=32882 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:15 and the first is 306, what is the second? | option_a=255 | option_b=240 | option_c=273 | option_d=561 | answer=A | explanation=Scale factor = 306/18 = 17. Therefore second quantity = 15×17 = 255.

id=32883 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=28 | option_b=27 | option_c=26 | option_d=24 | answer=C | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.

id=32884 | topic=Averages | difficulty=Easy | question=Find the average of 11, 37, 87, 42, 14, 49, 69, 65, 58. | option_a=47 | option_b=48 | option_c=50 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 432 ÷ 9 = 48.

id=32885 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13658 at 4% per annum for 4 years. | option_a=15843 | option_b=2285 | option_c=2085 | option_d=2185 | answer=D | explanation=SI = PRT/100 = 13658×4×4/100 = **■**2185.

id=32886 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=29 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=32887 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 39, 48, 58? | option_a=58 | option_b=48 | option_c=30 | option_d=39 | answer=A | explanation=The first three numbers increase by 9, so the next should be 57. Therefore 58 is the odd one out.

id=32888 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45258 at 6% per annum for 2 years. | option_a=5330 | option_b=50688 | option_c=5430 | option_d=5530 | answer=C | explanation=SI = PRT/100 = 45258×6×2/100 = **■**5430.

id=32889 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=32890 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 24, 30, 37? | option_a=24 | option_b=18 | option_c=37 | option_d=30 | answer=C | explanation=The first three numbers increase by 6, so the next should be 36. Therefore 37 is the odd one out.

id=32891 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=57 | option_b=67 | option_c=58 | option_d=47 | answer=A | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

id=32892 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=M | option_b=S | option_c=O | option_d=Q | answer=D | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=32893 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=5 | option_c=20 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=32894 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=33 | option_b=27 | option_c=32 | option_d=37 | answer=C | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

id=32895 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=Q | option_b=T | option_c=S | option_d=R | answer=C | explanation=Move 1 positions forward from R; the resulting letter is S.

id=32896 | topic=Percentages | difficulty=Easy | question=What is 15% of 536? | option_a=100 | option_b=160 | option_c=60 | option_d=80 | answer=D | explanation=15% of 536 = (15/100) × 536 = 80.

id=32897 | topic=Averages | difficulty=Easy | question=Find the average of 91, 11, 51. | option_a=51 | option_b=53 | option_c=52 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 153 ÷ 3 = 51.

id=32898 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=41 | option_c=31 | option_d=72 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=32899 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 35, 42, 52? | option_a=42 | option_b=52 | option_c=35 | option_d=28 | answer=B | explanation=The first three numbers increase by 7, so the next should be 49. Therefore 52 is the odd one out.

id=32900 | topic=Percentages | difficulty=Easy | question=What is 40% of 1592? | option_a=1272 | option_b=636 | option_c=626 | option_d=656 | answer=B | explanation=40% of 1592 = (40/100) × 1592 = 636.

id=32901 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=50 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=32902 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2576. If it is sold at a profit of 30%, what is its selling price? | option_a=3091 | option_b=3348 | option_c=3605 | option_d=2606 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2576 × 130/100 = **■**3348.

id=32903 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=L | option_c=F | option_d=O | answer=B | explanation=Move 3 positions forward from I; the resulting letter is L.

id=32904 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15057 at 5% per annum for 5 years. | option_a=3864 | option_b=18821 | option_c=3664 | option_d=3764 | answer=D | explanation=SI = PRT/100 = 15057×5×5/100 = **■**3764.

id=32905 | topic=Percentages | difficulty=Easy | question=What is 25% of 618? | option_a=144 | option_b=308 | option_c=159 | option_d=154 | answer=D | explanation=25% of 618 = (25/100) × 618 = 154.

id=32906 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 10? | option_a=2 | option_b=6 | option_c=4 | option_d=10 | answer=D | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 10 is the odd one out.

id=32907 | topic=Averages | difficulty=Easy | question=Find the average of 33, 82, 96, 83, 16. | option_a=63 | option_b=64 | option_c=62 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 310 ÷ 5 = 62.

id=32908 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44589 at 8% per annum for 2 years. | option_a=7034 | option_b=7134 | option_c=51723 | option_d=7234 | answer=B | explanation=SI = PRT/100 = 44589×8×2/100 = **■**7134.

id=32909 | topic=Averages | difficulty=Easy | question=Find the average of 24, 32, 89, 29, 72, 29, 95, 37, 52. | option_a=51 | option_b=50 | option_c=53 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 459 ÷ 9 = 51.

id=32910 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2258. If it is sold at a profit of 5%, what is its selling price? | option_a=2370 | option_b=2145 | option_c=2263 | option_d=2595 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2258 × 105/100 = **■**2370.

Aptitude Questions — Records 32,911-32,940 of 100,000

- id=32911 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:13 and the first is 60, what is the second? | option_a=136 | option_b=117 | option_c=130 | option_d=190 | answer=C | explanation=Scale factor = 60/6 = 10. Therefore second quantity = 13×10 = 130.
- id=32912 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=32913 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=Q | option_b=O | option_c=N | option_d=P | answer=D | explanation=Move 1 positions forward from O; the resulting letter is P.
- id=32914 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:5 and the first is 216, what is the second? | option_a=85 | option_b=90 | option_c=102 | option_d=306 | answer=B | explanation=Scale factor = 216/12 = 18. Therefore second quantity = 5×18 = 90.
- id=32915 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:6 and the first is 320, what is the second? | option_a=136 | option_b=114 | option_c=440 | option_d=120 | answer=D | explanation=Scale factor = 320/16 = 20. Therefore second quantity = 6×20 = 120.
- id=32916 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=32917 | topic=Averages | difficulty=Easy | question=Find the average of 20, 59, 97, 38, 83, 26, 90. | option_a=59 | option_b=58 | option_c=61 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 413 ÷ 7 = 59.
- id=32918 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.
- id=32919 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=30 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.
- id=32920 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=4 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=32921 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=50 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.
- id=32922 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:1 and the first is 182, what is the second? | option_a=195 | option_b=12 | option_c=13 | option_d=27 | answer=C | explanation=Scale factor = 182/14 = 13. Therefore second quantity = 1×13 = 13.
- id=32923 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 24? | option_a=24 | option_b=21 | option_c=17 | option_d=19 | answer=A | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 24 is the odd one out.
- id=32924 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 30. | option_a=64 | option_b=30 | option_c=120 | option_d=60 | answer=D | explanation=LCM × HCF = 4×30; HCF(4,30) = 2, so LCM = 60.
- id=32925 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 28? | option_a=16 | option_b=19 | option_c=22 | option_d=28 | answer=D | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 28 is the odd one out.
- id=32926 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 23, 28, 35? | option_a=23 | option_b=18 | option_c=28 | option_d=35 | answer=D | explanation=The first three numbers increase by 5, so the next should be 33. Therefore 35 is the odd one out.
- id=32927 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=32928 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=30 | option_b=31 | option_c=37 | option_d=23 | answer=A | explanation=The common difference is 7. Therefore the next term is 23 + 7 = 30.
- id=32929 | topic=Averages | difficulty=Easy | question=Find the average of 52, 59, 55, 15, 32, 98, 100, 86, 34. | option_a=61 | option_b=60 | option_c=58 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 531 ÷ 9 = 59.
- id=32930 | topic=Averages | difficulty=Easy | question=Find the average of 48, 34, 20, 53, 34, 63, 16, 84. | option_a=45 | option_b=44 | option_c=46 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = 352 ÷ 8 = 44.
- id=32931 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 32? | option_a=27 | option_b=29 | option_c=25 | option_d=32 | answer=D | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 32 is the odd one out.
- id=32932 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 36? | option_a=36 | option_b=25 | option_c=17 | option_d=9 | answer=A | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 36 is the odd one out.
- id=32933 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=32934 | topic=Averages | difficulty=Easy | question=Find the average of 59, 29, 39, 57, 18, 49, 53, 48, 71. | option_a=49 | option_b=46 | option_c=48 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 423 ÷ 9 = 47.
- id=32935 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=20 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=32936 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=J | option_b=F | option_c=X | option_d=B | answer=B | explanation=Move 4 positions forward from B; the resulting letter is F.
- id=32937 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹3934. If it is sold at a profit of 5%, what is its selling price? | option_a=3737 | option_b=4523 | option_c=4130 | option_d=3939 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3934 × 105/100 = ₹4130.
- id=32938 | topic=Averages | difficulty=Easy | question=Find the average of 80, 41, 64, 19. | option_a=50 | option_b=52 | option_c=53 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 204 ÷ 4 = 51.
- id=32939 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.
- id=32940 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=49 | option_b=48 | option_c=55 | option_d=41 | answer=B | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.

Aptitude Questions — Records 32,941-32,970 of 100,000

id=32941 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=32942 | topic=Averages | difficulty=Easy | question=Find the average of 97, 41, 54. | option_a=63 | option_b=64 | option_c=66 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = $192 \div 3 = 64$.

id=32943 | topic=Percentages | difficulty=Easy | question=What is 5% of 1679? | option_a=88 | option_b=73 | option_c=83 | option_d=166 | answer=C | explanation=5% of 1679 = $(5/100) \times 1679 = 83$.

id=32944 | topic=Averages | difficulty=Easy | question=Find the average of 52, 27, 90, 55. | option_a=56 | option_b=55 | option_c=58 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = $224 \div 4 = 56$.

id=32945 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:18 and the first is 110, what is the second? | option_a=198 | option_b=308 | option_c=180 | option_d=208 | answer=A | explanation=Scale factor = $110/10 = 11$. Therefore second quantity = $18 \times 11 = 198$.

id=32946 | topic=Averages | difficulty=Easy | question=Find the average of 96, 49, 64, 89, 43, 23, 91. | option_a=64 | option_b=65 | option_c=67 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = $455 \div 7 = 65$.

id=32947 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46181 at 6% per annum for 3 years. | option_a=8412 | option_b=8212 | option_c=8312 | option_d=54493 | answer=C | explanation=SI = $PRT/100 = 46181 \times 6 \times 3/100 = \text{■}8312$.

id=32948 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=66 | option_b=54 | option_c=55 | option_d=42 | answer=B | explanation=The common difference is 12. Therefore the next term is $42 + 12 = 54$.

id=32949 | topic=Percentages | difficulty=Easy | question=What is 12% of 1051? | option_a=121 | option_b=126 | option_c=146 | option_d=252 | answer=B | explanation=12% of 1051 = $(12/100) \times 1051 = 126$.

id=32950 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=32951 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 24. | option_a=1 | option_b=24 | option_c=72 | option_d=27 | answer=B | explanation=LCM $\times$ HCF = 3×24 ; $HCF(3, 24) = 3$, so LCM = 24.

id=32952 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=32953 | topic=Averages | difficulty=Easy | question=Find the average of 36, 83, 91, 83, 34, 90, 79, 56. | option_a=69 | option_b=70 | option_c=71 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = $552 \div 8 = 69$.

id=32954 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=H | option_c=E | option_d=G | answer=D | explanation=Move 1 positions forward from F; the resulting letter is G.

id=32955 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30562 at 15% per annum for 1 years. | option_a=4584 | option_b=35146 | option_c=4684 | option_d=4484 | answer=A | explanation=SI = $PRT/100 = 30562 \times 15 \times 1/100 = \text{■}4584$.

id=32956 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=5 | answer=B | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

id=32957 | topic=Percentages | difficulty=Easy | question=What is 50% of 344? | option_a=344 | option_b=172 | option_c=177 | option_d=162 | answer=B | explanation=50% of 344 = $(50/100) \times 344 = 172$.

id=32958 | topic=Averages | difficulty=Easy | question=Find the average of 84, 79, 42, 84, 61, 91, 24, 31. | option_a=64 | option_b=62 | option_c=63 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = $496 \div 8 = 62$.

id=32959 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = $60 \div 2 = 30$ km/h.

id=32960 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=W | option_c=M | option_d=B | answer=B | explanation=Move 5 positions forward from R; the resulting letter is W.

id=32961 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:5 and the first is 126, what is the second? | option_a=79 | option_b=70 | option_c=196 | option_d=65 | answer=B | explanation=Scale factor = $126/9 = 14$. Therefore second quantity = $5 \times 14 = 70$.

id=32962 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:8 and the first is 95, what is the second? | option_a=152 | option_b=247 | option_c=157 | option_d=144 | answer=A | explanation=Scale factor = $95/5 = 19$. Therefore second quantity = $8 \times 19 = 152$.

id=32963 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 30, 38, 49? | option_a=38 | option_b=49 | option_c=22 | option_d=30 | answer=B | explanation=The first three numbers increase by 8, so the next should be 46. Therefore 49 is the odd one out.

id=32964 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=54 | option_b=43 | option_c=55 | option_d=65 | answer=A | explanation=The common difference is 11. Therefore the next term is $43 + 11 = 54$.

id=32965 | topic=Averages | difficulty=Easy | question=Find the average of 99, 44, 88, 31, 46, 22. | option_a=55 | option_b=54 | option_c=57 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = $330 \div 6 = 55$.

id=32966 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 62? | option_a=62 | option_b=40 | option_c=50 | option_d=30 | answer=A | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 62 is the odd one out.

id=32967 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=32968 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 13, 18, 23, ? | option_a=23 | option_b=29 | option_c=33 | option_d=28 | answer=D | explanation=The common difference is 5. Therefore the next term is $23 + 5 = 28$.

id=32969 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**850. If it is sold at a profit of 30%, what is its selling price? | option_a=1105 | option_b=1020 | option_c=1190 | option_d=880 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 850 \times 130/100 = \text{■}1105$.

id=32970 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=19 | option_c=24 | option_d=29 | answer=C | explanation=Speed = distance ÷ time = $240 \div 10 = 24$ km/h.

Aptitude Questions — Records 32,971-33,000 of 100,000

id=32971 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 11? | option_a=6 | option_b=11 | option_c=8 | option_d=4 | answer=B | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 11 is the odd one out.

id=32972 | topic=Averages | difficulty=Easy | question=Find the average of 75, 90, 10, 71, 52, 89, 97, 34, 68, 24. | option_a=63 | option_b=60 | option_c=62 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 610 ÷ 10 = 61.

id=32973 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:16 and the first is 56, what is the second? | option_a=120 | option_b=64 | option_c=48 | option_d=78 | answer=B | explanation=Scale factor = 56/14 = 4. Therefore second quantity = 16×4 = 64.

id=32974 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 5. | option_a=150 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=LCM × HCF = 30×5; HCF(30,5) = 5, so LCM = 30.

id=32975 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 58? | option_a=37 | option_b=58 | option_c=47 | option_d=27 | answer=B | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 58 is the odd one out.

id=32976 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=P | option_b=H | option_c=D | option_d=L | answer=D | explanation=Move 4 positions forward from H; the resulting letter is L.

id=32977 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=V | option_c=T | option_d=P | answer=C | explanation=Move 2 positions forward from R; the resulting letter is T.

id=32978 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 24, 33, 43? | option_a=24 | option_b=15 | option_c=43 | option_d=33 | answer=C | explanation=The first three numbers increase by 9, so the next should be 42. Therefore 43 is the odd one out.

id=32979 | topic=Percentages | difficulty=Easy | question=What is 30% of 1314? | option_a=399 | option_b=389 | option_c=394 | option_d=788 | answer=C | explanation=30% of 1314 = (30/100) × 1314 = 394.

id=32980 | topic=Percentages | difficulty=Easy | question=What is 30% of 1710? | option_a=1026 | option_b=503 | option_c=523 | option_d=513 | answer=D | explanation=30% of 1710 = (30/100) × 1710 = 513.

id=32981 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=8 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=32982 | topic=Averages | difficulty=Easy | question=Find the average of 65, 78, 74, 63. | option_a=72 | option_b=69 | option_c=70 | option_d=71 | answer=C | explanation=Average = sum of values ÷ number of values = 280 ÷ 4 = 70.

id=32983 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 28, 36, 44, ? | option_a=53 | option_b=44 | option_c=60 | option_d=52 | answer=D | explanation=The common difference is 8. Therefore the next term is 44 + 8 = 52.

id=32984 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 31? | option_a=18 | option_b=13 | option_c=31 | option_d=23 | answer=C | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 31 is the odd one out.

id=32985 | topic=Percentages | difficulty=Easy | question=What is 50% of 521? | option_a=255 | option_b=260 | option_c=520 | option_d=280 | answer=B | explanation=50% of 521 = (50/100) × 521 = 260.

id=32986 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=W | option_c=Q | option_d=Z | answer=B | explanation=Move 3 positions forward from T; the resulting letter is W.

id=32987 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1521. If it is sold at a profit of 40%, what is its selling price? | option_a=2129 | option_b=1561 | option_c=2281 | option_d=1977 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1521 × 140/100 = █2129.

id=32988 | topic=Averages | difficulty=Easy | question=Find the average of 83, 24, 80, 48, 98, 57, 33, 41. | option_a=59 | option_b=58 | option_c=57 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 464 ÷ 8 = 58.

id=32989 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 27, 32, 39? | option_a=39 | option_b=22 | option_c=27 | option_d=32 | answer=A | explanation=The first three numbers increase by 5, so the next should be 37. Therefore 39 is the odd one out.

id=32990 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=85 | option_c=90 | option_d=180 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=32991 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=32992 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34418 at 6% per annum for 1 years. | option_a=1965 | option_b=2065 | option_c=2165 | option_d=36483 | answer=B | explanation=SI = PRT/100 = 34418×6×1/100 = █2065.

id=32993 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 45? | option_a=25 | option_b=37 | option_c=45 | option_d=31 | answer=C | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 45 is the odd one out.

id=32994 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 33, 39, 46? | option_a=27 | option_b=46 | option_c=33 | option_d=39 | answer=B | explanation=The first three numbers increase by 6, so the next should be 45. Therefore 46 is the odd one out.

id=32995 | topic=Averages | difficulty=Easy | question=Find the average of 37, 29, 25, 44, 54, 46, 16, 63, 10. | option_a=36 | option_b=35 | option_c=37 | option_d=38 | answer=A | explanation=Average = sum of values ÷ number of values = 324 ÷ 9 = 36.

id=32996 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:12 and the first is 150, what is the second? | option_a=135 | option_b=270 | option_c=120 | option_d=108 | answer=C | explanation=Scale factor = 150/15 = 10. Therefore second quantity = 12×10 = 120.

id=32997 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=49 | option_b=55 | option_c=41 | option_d=48 | answer=D | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.

id=32998 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:11 and the first is 210, what is the second? | option_a=165 | option_b=154 | option_c=179 | option_d=375 | answer=A | explanation=Scale factor = 210/14 = 15. Therefore second quantity = 11×15 = 165.

id=32999 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 9. | option_a=81 | option_b=1 | option_c=18 | option_d=9 | answer=D | explanation=LCM × HCF = 9×9; HCF(9,9) = 9, so LCM = 9.

id=33000 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

Aptitude Questions — Records 33,001-33,030 of 100,000

id=33001 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 10. | option_a=50 | option_b=15 | option_c=10 | option_d=1 | answer=C | explanation=LCM × HCF = 5×10; HCF(5,10) = 5, so LCM = 10.

id=33002 | topic=Averages | difficulty=Easy | question=Find the average of 42, 68, 64, 16, 53, 94, 64, 80, 34, 85. | option_a=60 | option_b=61 | option_c=59 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=33003 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:1 and the first is 200, what is the second? | option_a=210 | option_b=9 | option_c=30 | option_d=10 | answer=D | explanation=Scale factor = 200/20 = 10. Therefore second quantity = 1×10 = 10.

id=33004 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:17 and the first is 11, what is the second? | option_a=187 | option_b=170 | option_c=188 | option_d=198 | answer=A | explanation=Scale factor = 11/1 = 11. Therefore second quantity = 17×11 = 187.

id=33005 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=33006 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:1 and the first is 18, what is the second? | option_a=11 | option_b=27 | option_c=9 | option_d=8 | answer=C | explanation=Scale factor = 18/2 = 9. Therefore second quantity = 1×9 = 9.

id=33007 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:11 and the first is 52, what is the second? | option_a=33 | option_b=44 | option_c=96 | option_d=57 | answer=B | explanation=Scale factor = 52/13 = 4. Therefore second quantity = 11×4 = 44.

id=33008 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=33009 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 12, 16, 23? | option_a=8 | option_b=16 | option_c=23 | option_d=12 | answer=C | explanation=The first three numbers increase by 4, so the next should be 20. Therefore 23 is the odd one out.

id=33010 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:19 and the first is 110, what is the second? | option_a=319 | option_b=209 | option_c=190 | option_d=219 | answer=B | explanation=Scale factor = 110/10 = 11. Therefore second quantity = 19×11 = 209.

id=33011 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2533. If it is sold at a profit of 25%, what is its selling price? | option_a=3166 | option_b=3419 | option_c=2558 | option_d=2913 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2533 × 125/100 = █3166.

id=33012 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:4 and the first is 24, what is the second? | option_a=72 | option_b=50 | option_c=48 | option_d=44 | answer=C | explanation=Scale factor = 24/2 = 12. Therefore second quantity = 4×12 = 48.

id=33013 | topic=Percentages | difficulty=Easy | question=What is 15% of 1511? | option_a=221 | option_b=452 | option_c=246 | option_d=226 | answer=D | explanation=15% of 1511 = (15/100) × 1511 = 226.

id=33014 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=75 | option_c=70 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=33015 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=33016 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=150 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=33017 | topic=Averages | difficulty=Easy | question=Find the average of 91, 94, 27, 81, 47, 54, 47, 98, 36, 55. | option_a=62 | option_b=63 | option_c=64 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 630 ÷ 10 = 63.

id=33018 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 12, 21, 30, ? | option_a=30 | option_b=39 | option_c=40 | option_d=48 | answer=B | explanation=The common difference is 9. Therefore the next term is 30 + 9 = 39.

id=33019 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=33020 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=Y | option_b=C | option_c=E | option_d=A | answer=B | explanation=Move 2 positions forward from A; the resulting letter is C.

id=33021 | topic=Averages | difficulty=Easy | question=Find the average of 21, 25, 90, 72, 67. | option_a=56 | option_b=54 | option_c=55 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 275 ÷ 5 = 55.

id=33022 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 32, 40, 51? | option_a=51 | option_b=24 | option_c=40 | option_d=32 | answer=A | explanation=The first three numbers increase by 8, so the next should be 48. Therefore 51 is the odd one out.

id=33023 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=33 | option_b=38 | option_c=32 | option_d=26 | answer=C | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=33024 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1985. If it is sold at a profit of 20%, what is its selling price? | option_a=2184 | option_b=2580 | option_c=2005 | option_d=2382 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1985 × 120/100 = █2382.

id=33025 | topic=Percentages | difficulty=Easy | question=What is 12% of 1826? | option_a=214 | option_b=239 | option_c=219 | option_d=438 | answer=C | explanation=12% of 1826 = (12/100) × 1826 = 219.

id=33026 | topic=Averages | difficulty=Easy | question=Find the average of 66, 19, 61, 38, 78, 100, 100. | option_a=65 | option_b=68 | option_c=66 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 462 ÷ 7 = 66.

id=33027 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=33028 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=W | option_b=N | option_c=Q | option_d=T | answer=D | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=33029 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4292. If it is sold at a profit of 30%, what is its selling price? | option_a=5579 | option_b=4322 | option_c=6008 | option_d=5150 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4292 × 130/100 = █5579.

id=33030 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 8, 13, 20? | option_a=8 | option_b=20 | option_c=13 | option_d=3 | answer=B | explanation=The first three numbers increase by 5, so the next should be 18. Therefore 20 is the odd one out.

Aptitude Questions — Records 33,031-33,060 of 100,000

- id=33031 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=L | option_c=K | option_d=I | answer=C | explanation=Move 1 positions forward from J; the resulting letter is K.
- id=33032 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=24 | option_d=5 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.
- id=33033 | topic=Percentages | difficulty=Easy | question=What is 5% of 751? | option_a=47 | option_b=32 | option_c=37 | option_d=74 | answer=C | explanation=5% of 751 = $(\frac{5}{100}) \times 751 = 37$.
- id=33034 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 20, 27, 36? | option_a=13 | option_b=27 | option_c=36 | option_d=20 | answer=C | explanation=The first three numbers increase by 7, so the next should be 34. Therefore 36 is the odd one out.
- id=33035 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=5 | option_c=10 | option_d=20 | answer=C | explanation=Speed = distance $\div$ time = $60 \div 6 = 10$ km/h.
- id=33036 | topic=Percentages | difficulty=Easy | question=What is 12% of 1535? | option_a=184 | option_b=368 | option_c=194 | option_d=174 | answer=A | explanation=12% of 1535 = $(\frac{12}{100}) \times 1535 = 184$.
- id=33037 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1386. If it is sold at a profit of 25%, what is its selling price? | option_a=1870 | option_b=1411 | option_c=1732 | option_d=1594 | answer=C | explanation=Selling price = CP $\times$ (100 + profit%)/100 = $1386 \times \frac{125}{100} = \text{█}1732$.
- id=33038 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 33? | option_a=33 | option_b=26 | option_c=28 | option_d=30 | answer=A | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 33 is the odd one out.
- id=33039 | topic=Percentages | difficulty=Easy | question=What is 20% of 1793? | option_a=368 | option_b=716 | option_c=353 | option_d=358 | answer=D | explanation=20% of 1793 = $(\frac{20}{100}) \times 1793 = 358$.
- id=33040 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:16 and the first is 6, what is the second? | option_a=32 | option_b=54 | option_c=50 | option_d=48 | answer=D | explanation=Scale factor = $\frac{6}{2} = 3$. Therefore second quantity = $16 \times 3 = 48$.
- id=33041 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=O | option_c=K | option_d=I | answer=A | explanation=Move 2 positions forward from K; the resulting letter is M.
- id=33042 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=6 | option_d=4 | answer=B | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.
- id=33043 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 14, 19, 25? | option_a=19 | option_b=9 | option_c=25 | option_d=14 | answer=C | explanation=The first three numbers increase by 5, so the next should be 24. Therefore 25 is the odd one out.
- id=33044 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 36? | option_a=22 | option_b=30 | option_c=36 | option_d=26 | answer=C | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 36 is the odd one out.
- id=33045 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 31, 33, 37? | option_a=33 | option_b=37 | option_c=29 | option_d=31 | answer=B | explanation=The first three numbers increase by 2, so the next should be 35. Therefore 37 is the odd one out.
- id=33046 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=M | option_b=R | option_c=B | option_d=W | answer=D | explanation=Move 5 positions forward from R; the resulting letter is W.
- id=33047 | topic=Averages | difficulty=Easy | question=Find the average of 11, 15, 74, 76, 76, 26, 37. | option_a=45 | option_b=44 | option_c=47 | option_d=46 | answer=A | explanation=Average = sum of values $\div$ number of values = $315 \div 7 = 45$.
- id=33048 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12216 at 12% per annum for 5 years. | option_a=7429 | option_b=7229 | option_c=7329 | option_d=19545 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{12216 \times 12 \times 5}{100} = \text{█}7329$.
- id=33049 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=58 | option_b=50 | option_c=49 | option_d=40 | answer=C | explanation=The common difference is 9. Therefore the next term is $40 + 9 = 49$.
- id=33050 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=32 | option_b=27 | option_c=28 | option_d=22 | answer=B | explanation=The common difference is 5. Therefore the next term is $22 + 5 = 27$.
- id=33051 | topic=Averages | difficulty=Easy | question=Find the average of 55, 94, 49, 23, 49. | option_a=54 | option_b=56 | option_c=53 | option_d=55 | answer=A | explanation=Average = sum of values $\div$ number of values = $270 \div 5 = 54$.
- id=33052 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 26, 33, 42? | option_a=42 | option_b=19 | option_c=33 | option_d=26 | answer=A | explanation=The first three numbers increase by 7, so the next should be 40. Therefore 42 is the odd one out.
- id=33053 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.
- id=33054 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=40 | option_b=39 | option_c=46 | option_d=32 | answer=B | explanation=The common difference is 7. Therefore the next term is $32 + 7 = 39$.
- id=33055 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1935 at 12% per annum for 1 years. | option_a=2167 | option_b=232 | option_c=132 | option_d=332 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{1935 \times 12 \times 1}{100} = \text{█}232$.
- id=33056 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=36 | option_c=18 | option_d=13 | answer=C | explanation=Speed = distance $\div$ time = $180 \div 10 = 18$ km/h.
- id=33057 | topic=Averages | difficulty=Easy | question=Find the average of 21, 98, 48, 82, 64, 83. | option_a=65 | option_b=68 | option_c=66 | option_d=67 | answer=C | explanation=Average = sum of values $\div$ number of values = $396 \div 6 = 66$.
- id=33058 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:12 and the first is 24, what is the second? | option_a=44 | option_b=24 | option_c=36 | option_d=60 | answer=C | explanation=Scale factor = $\frac{24}{8} = 3$. Therefore second quantity = $12 \times 3 = 36$.
- id=33059 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.
- id=33060 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 18, 24, 30, ? | option_a=36 | option_b=30 | option_c=42 | option_d=37 | answer=A | explanation=The common difference is 6. Therefore the next term is $30 + 6 = 36$.

Aptitude Questions — Records 33,061-33,090 of 100,000

id=33061 | topic=Averages | difficulty=Easy | question=Find the average of 92, 95, 22, 72, 72, 63, 59, 45, 29. | option_a=60 | option_b=62 | option_c=63 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 549 ÷ 9 = 61.

id=33062 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3243. If it is sold at a profit of 20%, what is its selling price? | option_a=3891 | option_b=3567 | option_c=4215 | option_d=3263 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3243 × 120/100 = █3891.

id=33063 | topic=Averages | difficulty=Easy | question=Find the average of 98, 29, 10, 74, 66, 27, 59, 101. | option_a=60 | option_b=58 | option_c=57 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 464 ÷ 8 = 58.

id=33064 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4621. If it is sold at a profit of 20%, what is its selling price? | option_a=5545 | option_b=5083 | option_c=4641 | option_d=6007 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4621 × 120/100 = █5545.

id=33065 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=33066 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=33067 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=33068 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22107 at 10% per annum for 4 years. | option_a=30949 | option_b=8742 | option_c=8942 | option_d=8842 | answer=D | explanation=SI = PRT/100 = 22107×10×4/100 = █8842.

id=33069 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 18. | option_a=504 | option_b=252 | option_c=234 | option_d=280 | answer=B | explanation=LCM × HCF = 28×18; HCF(28,18) = 2, so LCM = 252.

id=33070 | topic=Averages | difficulty=Easy | question=Find the average of 46, 49, 93, 80. | option_a=66 | option_b=69 | option_c=67 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 268 ÷ 4 = 67.

id=33071 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:17 and the first is 105, what is the second? | option_a=238 | option_b=255 | option_c=360 | option_d=262 | answer=B | explanation=Scale factor = 105/7 = 15. Therefore second quantity = 17×15 = 255.

id=33072 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=33073 | topic=Percentages | difficulty=Easy | question=What is 50% of 756? | option_a=383 | option_b=373 | option_c=378 | option_d=756 | answer=C | explanation=50% of 756 = (50/100) × 756 = 378.

id=33074 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3565. If it is sold at a profit of 40%, what is its selling price? | option_a=4635 | option_b=4991 | option_c=5347 | option_d=3605 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3565 × 140/100 = █4991.

id=33075 | topic=Averages | difficulty=Easy | question=Find the average of 50, 20, 10, 76, 48, 73, 24, 69, 62. | option_a=50 | option_b=47 | option_c=48 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 432 ÷ 9 = 48.

id=33076 | topic=Averages | difficulty=Easy | question=Find the average of 47, 87, 85, 15, 43, 91, 23, 65, 84. | option_a=60 | option_b=61 | option_c=62 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 540 ÷ 9 = 60.

id=33077 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=D | option_c=G | option_d=F | answer=D | explanation=Move 1 positions forward from E; the resulting letter is F.

id=33078 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 31, 42, 53, ? | option_a=75 | option_b=53 | option_c=64 | option_d=65 | answer=C | explanation=The common difference is 11. Therefore the next term is 53 + 11 = 64.

id=33079 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=33080 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1985. If it is sold at a profit of 25%, what is its selling price? | option_a=2283 | option_b=2010 | option_c=2679 | option_d=2481 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1985 × 125/100 = █2481.

id=33081 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 34, 39, 46? | option_a=29 | option_b=39 | option_c=34 | option_d=46 | answer=D | explanation=The first three numbers increase by 5, so the next should be 44. Therefore 46 is the odd one out.

id=33082 | topic=Percentages | difficulty=Easy | question=What is 5% of 511? | option_a=25 | option_b=20 | option_c=30 | option_d=50 | answer=A | explanation=5% of 511 = (5/100) × 511 = 25.

id=33083 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=35 | option_b=38 | option_c=34 | option_d=30 | answer=C | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.

id=33084 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:20 and the first is 60, what is the second? | option_a=80 | option_b=120 | option_c=60 | option_d=40 | answer=C | explanation=Scale factor = 60/20 = 3. Therefore second quantity = 20×3 = 60.

id=33085 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=145 | option_c=150 | option_d=300 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=33086 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=O | option_c=M | option_d=N | answer=B | explanation=Move 1 positions forward from N; the resulting letter is O.

id=33087 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=125 | option_b=120 | option_c=240 | option_d=115 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=33088 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 10, 14, 19? | option_a=19 | option_b=10 | option_c=14 | option_d=6 | answer=A | explanation=The first three numbers increase by 4, so the next should be 18. Therefore 19 is the odd one out.

id=33089 | topic=Percentages | difficulty=Easy | question=What is 15% of 762? | option_a=228 | option_b=94 | option_c=114 | option_d=134 | answer=C | explanation=15% of 762 = (15/100) × 762 = 114.

id=33090 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=H | option_b=B | option_c=K | option_d=E | answer=A | explanation=Move 3 positions forward from E; the resulting letter is H.

Aptitude Questions — Records 33,091-33,120 of 100,000

id=33091 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=X | option_b=U | option_c=A | option_d=R | answer=A | explanation=Move 3 positions forward from U; the resulting letter is X.

id=33092 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=X | option_b=P | option_c=B | option_d=T | answer=A | explanation=Move 4 positions forward from T; the resulting letter is X.

id=33093 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=27 | option_b=31 | option_c=33 | option_d=30 | answer=D | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.

id=33094 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39810 at 10% per annum for 3 years. | option_a=11843 | option_b=51753 | option_c=11943 | option_d=12043 | answer=C | explanation=SI = $PRT/100 = 39810 \times 10 \times 3/100 = \text{■}11943$.

id=33095 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=85 | option_c=90 | option_d=95 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=33096 | topic=Percentages | difficulty=Easy | question=What is 25% of 1572? | option_a=373 | option_b=393 | option_c=403 | option_d=786 | answer=B | explanation=25% of 1572 = $(25/100) \times 1572 = 393$.

id=33097 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=33098 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28721 at 8% per annum for 1 years. | option_a=2197 | option_b=31018 | option_c=2397 | option_d=2297 | answer=D | explanation=SI = $PRT/100 = 28721 \times 8 \times 1/100 = \text{■}2297$.

id=33099 | topic=Averages | difficulty=Easy | question=Find the average of 73, 14, 92, 13. | option_a=50 | option_b=49 | option_c=47 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = $192 \div 4 = 48$.

id=33100 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $60 \div 2 = 30$ km/h.

id=33101 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=29 | option_b=30 | option_c=33 | option_d=25 | answer=A | explanation=The common difference is 4. Therefore the next term is 25 + 4 = 29.

id=33102 | topic=Averages | difficulty=Easy | question=Find the average of 75, 87, 66, 56, 58, 43, 47, 48. | option_a=59 | option_b=61 | option_c=60 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = $480 \div 8 = 60$.

id=33103 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 15, 19, 25? | option_a=25 | option_b=19 | option_c=11 | option_d=15 | answer=A | explanation=The first three numbers increase by 4, so the next should be 23. Therefore 25 is the odd one out.

id=33104 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**925. If it is sold at a profit of 5%, what is its selling price? | option_a=930 | option_b=1063 | option_c=879 | option_d=971 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 925 \times 105/100 = \text{■}971$.

id=33105 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=M | option_c=J | option_d=L | answer=D | explanation=Move 1 positions forward from K; the resulting letter is L.

id=33106 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 35, 42, 51? | option_a=28 | option_b=42 | option_c=35 | option_d=51 | answer=D | explanation=The first three numbers increase by 7, so the next should be 49. Therefore 51 is the odd one out.

id=33107 | topic=Percentages | difficulty=Easy | question=What is 20% of 1461? | option_a=282 | option_b=292 | option_c=584 | option_d=297 | answer=B | explanation=20% of 1461 = $(20/100) \times 1461 = 292$.

id=33108 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2137. If it is sold at a profit of 5%, what is its selling price? | option_a=2142 | option_b=2243 | option_c=2030 | option_d=2456 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2137 \times 105/100 = \text{■}2243$.

id=33109 | topic=Averages | difficulty=Easy | question=Find the average of 36, 31, 45, 33, 16, 77, 42. | option_a=39 | option_b=42 | option_c=41 | option_d=40 | answer=D | explanation=Average = sum of values ÷ number of values = $280 \div 7 = 40$.

id=33110 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2960. If it is sold at a profit of 25%, what is its selling price? | option_a=3996 | option_b=3700 | option_c=2985 | option_d=3404 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2960 \times 125/100 = \text{■}3700$.

id=33111 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 25. | option_a=50 | option_b=375 | option_c=90 | option_d=75 | answer=D | explanation=LCM $\times$ HCF = 15×25 ; HCF(15,25) = 5, so LCM = 75.

id=33112 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=33113 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4117. If it is sold at a profit of 20%, what is its selling price? | option_a=4940 | option_b=4137 | option_c=5351 | option_d=4529 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 4117 \times 120/100 = \text{■}4940$.

id=33114 | topic=Percentages | difficulty=Easy | question=What is 10% of 627? | option_a=124 | option_b=62 | option_c=57 | option_d=67 | answer=B | explanation=10% of 627 = $(10/100) \times 627 = 62$.

id=33115 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=160 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = $240 \div 3 = 80$ km/h.

id=33116 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 21, 23, 25, ? | option_a=28 | option_b=29 | option_c=27 | option_d=25 | answer=C | explanation=The common difference is 2. Therefore the next term is 25 + 2 = 27.

id=33117 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 28, 38, 48, ? | option_a=58 | option_b=48 | option_c=68 | option_d=59 | answer=A | explanation=The common difference is 10. Therefore the next term is 48 + 10 = 58.

id=33118 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=M | option_c=L | option_d=K | answer=B | explanation=Move 1 positions forward from L; the resulting letter is M.

id=33119 | topic=Averages | difficulty=Easy | question=Find the average of 88, 40, 19, 21, 78, 69, 52, 16, 23, 54. | option_a=46 | option_b=48 | option_c=47 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = $460 \div 10 = 46$.

id=33120 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

Aptitude Questions — Records 33,121-33,150 of 100,000

id=33121 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2082. If it is sold at a profit of 10%, what is its selling price? | option_a=2092 | option_b=2498 | option_c=2082 | option_d=2290 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2082 × 110/100 = **■**2290.

id=33122 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:2 and the first is 18, what is the second? | option_a=22 | option_b=4 | option_c=2 | option_d=13 | answer=B | explanation=Scale factor = 18/9 = 2. Therefore second quantity = 2×2 = 4.

id=33123 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=44 | option_b=54 | option_c=62 | option_d=53 | answer=D | explanation=The common difference is 9. Therefore the next term is 44 + 9 = 53.

id=33124 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2632 at 12% per annum for 2 years. | option_a=731 | option_b=531 | option_c=631 | option_d=3263 | answer=C | explanation=SI = PRT/100 = 2632×12×2/100 = **■**631.

id=33125 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=E | option_c=I | option_d=K | answer=C | explanation=Move 2 positions forward from G; the resulting letter is I.

id=33126 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**123. If it is sold at a profit of 10%, what is its selling price? | option_a=133 | option_b=123 | option_c=135 | option_d=147 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 123 × 110/100 = **■**135.

id=33127 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=33128 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 9, 13, 19? | option_a=5 | option_b=13 | option_c=9 | option_d=19 | answer=D | explanation=The first three numbers increase by 4, so the next should be 17. Therefore 19 is the odd one out.

id=33129 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:8 and the first is 39, what is the second? | option_a=63 | option_b=37 | option_c=16 | option_d=24 | answer=D | explanation=Scale factor = 39/13 = 3. Therefore second quantity = 8×3 = 24.

id=33130 | topic=Percentages | difficulty=Easy | question=What is 15% of 661? | option_a=99 | option_b=79 | option_c=198 | option_d=104 | answer=A | explanation=15% of 661 = (15/100) × 661 = 99.

id=33131 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:2 and the first is 165, what is the second? | option_a=30 | option_b=41 | option_c=28 | option_d=195 | answer=A | explanation=Scale factor = 165/11 = 15. Therefore second quantity = 2×15 = 30.

id=33132 | topic=Percentages | difficulty=Easy | question=What is 40% of 1961? | option_a=1568 | option_b=784 | option_c=774 | option_d=804 | answer=B | explanation=40% of 1961 = (40/100) × 1961 = 784.

id=33133 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 16. | option_a=288 | option_b=128 | option_c=162 | option_d=144 | answer=D | explanation=LCM × HCF = 18×16; HCF(18,16) = 2, so LCM = 144.

id=33134 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3296. If it is sold at a profit of 20%, what is its selling price? | option_a=3316 | option_b=3955 | option_c=4284 | option_d=3626 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3296 × 120/100 = **■**3955.

id=33135 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:9 and the first is 34, what is the second? | option_a=35 | option_b=52 | option_c=18 | option_d=9 | answer=C | explanation=Scale factor = 34/17 = 2. Therefore second quantity = 9×2 = 18.

id=33136 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4200. If it is sold at a profit of 25%, what is its selling price? | option_a=4225 | option_b=5670 | option_c=5250 | option_d=4830 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4200 × 125/100 = **■**5250.

id=33137 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:5 and the first is 16, what is the second? | option_a=24 | option_b=36 | option_c=20 | option_d=15 | answer=C | explanation=Scale factor = 16/4 = 4. Therefore second quantity = 5×4 = 20.

id=33138 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3499. If it is sold at a profit of 30%, what is its selling price? | option_a=4897 | option_b=4548 | option_c=3529 | option_d=4199 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3499 × 130/100 = **■**4548.

id=33139 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42843 at 10% per annum for 3 years. | option_a=12752 | option_b=12852 | option_c=12952 | option_d=55695 | answer=B | explanation=SI = PRT/100 = 42843×10×3/100 = **■**12852.

id=33140 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17494 at 8% per annum for 4 years. | option_a=5498 | option_b=23092 | option_c=5598 | option_d=5698 | answer=C | explanation=SI = PRT/100 = 17494×8×4/100 = **■**5598.

id=33141 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 41? | option_a=22 | option_b=41 | option_c=14 | option_d=30 | answer=B | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 41 is the odd one out.

id=33142 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8950 at 6% per annum for 4 years. | option_a=2148 | option_b=2048 | option_c=11098 | option_d=2248 | answer=A | explanation=SI = PRT/100 = 8950×6×4/100 = **■**2148.

id=33143 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4017. If it is sold at a profit of 30%, what is its selling price? | option_a=4047 | option_b=5222 | option_c=4821 | option_d=5623 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4017 × 130/100 = **■**5222.

id=33144 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**815. If it is sold at a profit of 10%, what is its selling price? | option_a=815 | option_b=896 | option_c=825 | option_d=977 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 815 × 110/100 = **■**896.

id=33145 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=60 | option_b=42 | option_c=51 | option_d=52 | answer=C | explanation=The common difference is 9. Therefore the next term is 42 + 9 = 51.

id=33146 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3016. If it is sold at a profit of 20%, what is its selling price? | option_a=3619 | option_b=3920 | option_c=3036 | option_d=3318 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3016 × 120/100 = **■**3619.

id=33147 | topic=Percentages | difficulty=Easy | question=What is 25% of 1751? | option_a=432 | option_b=874 | option_c=457 | option_d=437 | answer=D | explanation=25% of 1751 = (25/100) × 1751 = 437.

id=33148 | topic=Percentages | difficulty=Easy | question=What is 25% of 139? | option_a=54 | option_b=68 | option_c=34 | option_d=24 | answer=C | explanation=25% of 139 = (25/100) × 139 = 34.

id=33149 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=26 | option_b=28 | option_c=25 | option_d=22 | answer=C | explanation=The common difference is 3. Therefore the next term is 22 + 3 = 25.

id=33150 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=Y | option_c=W | option_d=S | answer=C | explanation=Move 2 positions forward from U; the resulting letter is W.

Aptitude Questions — Records 33,151-33,180 of 100,000

id=33151 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=36 | option_c=41 | option_d=72 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=33152 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=26 | option_b=25 | option_c=28 | option_d=22 | answer=B | explanation=The common difference is 3. Therefore the next term is 22 + 3 = 25.

id=33153 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4427. If it is sold at a profit of 5%, what is its selling price? | option_a=4648 | option_b=4206 | option_c=4432 | option_d=5090 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4427 × 105/100 = █4648.

id=33154 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4802 at 12% per annum for 1 years. | option_a=5378 | option_b=576 | option_c=476 | option_d=676 | answer=B | explanation=SI = PRT/100 = 4802×12×1/100 = █576.

id=33155 | topic=Averages | difficulty=Easy | question=Find the average of 82, 89, 21, 61, 100, 96, 15, 53, 41. | option_a=63 | option_b=61 | option_c=64 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 558 ÷ 9 = 62.

id=33156 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=52 | option_b=53 | option_c=42 | option_d=62 | answer=A | explanation=The common difference is 10. Therefore the next term is 42 + 10 = 52.

id=33157 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26360 at 15% per annum for 4 years. | option_a=15916 | option_b=42176 | option_c=15716 | option_d=15816 | answer=D | explanation=SI = PRT/100 = 26360×15×4/100 = █15816.

id=33158 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:12 and the first is 15, what is the second? | option_a=51 | option_b=24 | option_c=41 | option_d=36 | answer=D | explanation=Scale factor = 15/5 = 3. Therefore second quantity = 12×3 = 36.

id=33159 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=33160 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:1 and the first is 255, what is the second? | option_a=32 | option_b=14 | option_c=270 | option_d=15 | answer=D | explanation=Scale factor = 255/17 = 15. Therefore second quantity = 1×15 = 15.

id=33161 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=33162 | topic=Percentages | difficulty=Easy | question=What is 30% of 1590? | option_a=487 | option_b=457 | option_c=954 | option_d=477 | answer=D | explanation=30% of 1590 = (30/100) × 1590 = 477.

id=33163 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=N | option_b=R | option_c=P | option_d=T | answer=B | explanation=Move 2 positions forward from P; the resulting letter is R.

id=33164 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=33165 | topic=Averages | difficulty=Easy | question=Find the average of 90, 61, 98, 59. | option_a=79 | option_b=77 | option_c=76 | option_d=78 | answer=B | explanation=Average = sum of values ÷ number of values = 308 ÷ 4 = 77.

id=33166 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=33167 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15493 at 5% per annum for 5 years. | option_a=3873 | option_b=3773 | option_c=19366 | option_d=3973 | answer=A | explanation=SI = PRT/100 = 15493×5×5/100 = █3873.

id=33168 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:11 and the first is 8, what is the second? | option_a=26 | option_b=11 | option_c=22 | option_d=30 | answer=C | explanation=Scale factor = 8/4 = 2. Therefore second quantity = 11×2 = 22.

id=33169 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:12 and the first is 8, what is the second? | option_a=96 | option_b=97 | option_c=84 | option_d=104 | answer=A | explanation=Scale factor = 8/1 = 8. Therefore second quantity = 12×8 = 96.

id=33170 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 30? | option_a=18 | option_b=30 | option_c=13 | option_d=23 | answer=B | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 30 is the odd one out.

id=33171 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=30 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=33172 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=33173 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=70 | option_b=59 | option_c=60 | option_d=48 | answer=B | explanation=The common difference is 11. Therefore the next term is 48 + 11 = 59.

id=33174 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5066 at 4% per annum for 4 years. | option_a=5876 | option_b=710 | option_c=910 | option_d=810 | answer=D | explanation=SI = PRT/100 = 5066×4×4/100 = █810.

id=33175 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:6 and the first is 160, what is the second? | option_a=54 | option_b=76 | option_c=60 | option_d=220 | answer=C | explanation=Scale factor = 160/16 = 10. Therefore second quantity = 6×10 = 60.

id=33176 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=33177 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28416 at 6% per annum for 5 years. | option_a=8624 | option_b=8524 | option_c=36940 | option_d=8424 | answer=B | explanation=SI = PRT/100 = 28416×6×5/100 = █8524.

id=33178 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1524. If it is sold at a profit of 40%, what is its selling price? | option_a=1981 | option_b=1564 | option_c=2133 | option_d=2285 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1524 × 140/100 = █2133.

id=33179 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=33180 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8492 at 4% per annum for 4 years. | option_a=1358 | option_b=1258 | option_c=9850 | option_d=1458 | answer=A | explanation=SI = PRT/100 = 8492×4×4/100 = █1358.

Aptitude Questions — Records 33,181-33,210 of 100,000

id=33181 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=45 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=33182 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=K | option_c=N | option_d=M | answer=D | explanation=Move 1 positions forward from L; the resulting letter is M.

id=33183 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 22, 26, 31? | option_a=22 | option_b=31 | option_c=26 | option_d=18 | answer=B | explanation=The first three numbers increase by 4, so the next should be 30. Therefore 31 is the odd one out.

id=33184 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 24. | option_a=72 | option_b=1 | option_c=27 | option_d=24 | answer=D | explanation=LCM × HCF = 3×24; HCF(3,24) = 3, so LCM = 24.

id=33185 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=37 | option_b=43 | option_c=44 | option_d=49 | answer=B | explanation=The common difference is 6. Therefore the next term is 37 + 6 = 43.

id=33186 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=36 | option_c=13 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=33187 | topic=Percentages | difficulty=Easy | question=What is 20% of 2000? | option_a=410 | option_b=395 | option_c=400 | option_d=800 | answer=C | explanation=20% of 2000 = (20/100) × 2000 = 400.

id=33188 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 35? | option_a=4 | option_b=14 | option_c=35 | option_d=24 | answer=C | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 35 is the odd one out.

id=33189 | topic=Profit & Loss | difficulty=Easy | question=An article costs █606. If it is sold at a profit of 5%, what is its selling price? | option_a=611 | option_b=696 | option_c=636 | option_d=576 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 606 × 105/100 = █636.

id=33190 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:4 and the first is 34, what is the second? | option_a=8 | option_b=25 | option_c=4 | option_d=42 | answer=A | explanation=Scale factor = 34/17 = 2. Therefore second quantity = 4×2 = 8.

id=33191 | topic=Percentages | difficulty=Easy | question=What is 5% of 860? | option_a=63 | option_b=86 | option_c=23 | option_d=43 | answer=D | explanation=5% of 860 = (5/100) × 860 = 43.

id=33192 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:18 and the first is 204, what is the second? | option_a=216 | option_b=233 | option_c=198 | option_d=420 | answer=A | explanation=Scale factor = 204/17 = 12. Therefore second quantity = 18×12 = 216.

id=33193 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 36, 45, 56? | option_a=45 | option_b=27 | option_c=56 | option_d=36 | answer=C | explanation=The first three numbers increase by 9, so the next should be 54. Therefore 56 is the odd one out.

id=33194 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 10? | option_a=4 | option_b=2 | option_c=10 | option_d=6 | answer=C | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 10 is the odd one out.

id=33195 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 19, 22, 25, ? | option_a=28 | option_b=31 | option_c=29 | option_d=25 | answer=A | explanation=The common difference is 3. Therefore the next term is 25 + 3 = 28.

id=33196 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=33197 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 37, 46, 57? | option_a=46 | option_b=37 | option_c=28 | option_d=57 | answer=D | explanation=The first three numbers increase by 9, so the next should be 55. Therefore 57 is the odd one out.

id=33198 | topic=Averages | difficulty=Easy | question=Find the average of 50, 24, 16. | option_a=31 | option_b=32 | option_c=30 | option_d=29 | answer=C | explanation=Average = sum of values ÷ number of values = 90 ÷ 3 = 30.

id=33199 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=O | option_b=J | option_c=E | option_d=Z | answer=B | explanation=Move 5 positions forward from E; the resulting letter is J.

id=33200 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35462 at 10% per annum for 5 years. | option_a=17631 | option_b=17831 | option_c=17731 | option_d=53193 | answer=C | explanation=SI = PRT/100 = 35462×10×5/100 = █17731.

id=33201 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=33202 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 38? | option_a=13 | option_b=21 | option_c=29 | option_d=38 | answer=D | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 38 is the odd one out.

id=33203 | topic=Profit & Loss | difficulty=Easy | question=An article costs █856. If it is sold at a profit of 40%, what is its selling price? | option_a=896 | option_b=1113 | option_c=1198 | option_d=1283 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 856 × 140/100 = █1198.

id=33204 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1178 at 10% per annum for 4 years. | option_a=1649 | option_b=471 | option_c=371 | option_d=571 | answer=B | explanation=SI = PRT/100 = 1178×10×4/100 = █471.

id=33205 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 14? | option_a=14 | option_b=7 | option_c=9 | option_d=5 | answer=A | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 14 is the odd one out.

id=33206 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20170 at 15% per annum for 2 years. | option_a=6051 | option_b=26221 | option_c=5951 | option_d=6151 | answer=A | explanation=SI = PRT/100 = 20170×15×2/100 = █6051.

id=33207 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=33208 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=100 | option_c=105 | option_d=200 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=33209 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=23 | option_c=36 | option_d=13 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=33210 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 5, 7, 10? | option_a=5 | option_b=10 | option_c=3 | option_d=7 | answer=B | explanation=The first three numbers increase by 2, so the next should be 9. Therefore 10 is the odd one out.

Aptitude Questions — Records 33,211-33,240 of 100,000

id=33211 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 30. | option_a=390 | option_b=416 | option_c=360 | option_d=780 | answer=A | explanation= $LCM \times HCF = 26 \times 30$; $HCF(26,30) = 2$, so $LCM = 390$.

id=33212 | topic=Percentages | difficulty=Easy | question=What is 15% of 909? | option_a=272 | option_b=136 | option_c=116 | option_d=146 | answer=B | explanation= $15\% \text{ of } 909 = (15/100) \times 909 = 136$.

id=33213 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=33214 | topic=Averages | difficulty=Easy | question=Find the average of 92, 27, 40, 69. | option_a=59 | option_b=58 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = $228 \div 4 = 57$.

id=33215 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=5 | answer=C | explanation=Speed = distance ÷ time = $60 \div 6 = 10$ km/h.

id=33216 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=52 | option_b=51 | option_c=40 | option_d=62 | answer=B | explanation=The common difference is 11. Therefore the next term is $40 + 11 = 51$.

id=33217 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 24, 30, 36, ? | option_a=48 | option_b=36 | option_c=42 | option_d=43 | answer=C | explanation=The common difference is 6. Therefore the next term is $36 + 6 = 42$.

id=33218 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4338 at 15% per annum for 4 years. | option_a=2702 | option_b=6940 | option_c=2602 | option_d=2502 | answer=C | explanation= $SI = PRT/100 = 4338 \times 15 \times 4/100 = \text{■}2602$.

id=33219 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:4 and the first is 15, what is the second? | option_a=8 | option_b=12 | option_c=17 | option_d=27 | answer=B | explanation=Scale factor = $15/5 = 3$. Therefore second quantity = $4 \times 3 = 12$.

id=33220 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=I | option_b=L | option_c=R | option_d=O | answer=D | explanation=Move 3 positions forward from L; the resulting letter is O.

id=33221 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39697 at 4% per annum for 2 years. | option_a=3275 | option_b=42872 | option_c=3175 | option_d=3075 | answer=C | explanation= $SI = PRT/100 = 39697 \times 4 \times 2/100 = \text{■}3175$.

id=33222 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 11, 16, 23? | option_a=16 | option_b=11 | option_c=6 | option_d=23 | answer=D | explanation=The first three numbers increase by 5, so the next should be 21. Therefore 23 is the odd one out.

id=33223 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 14, 17, 22? | option_a=22 | option_b=11 | option_c=17 | option_d=14 | answer=A | explanation=The first three numbers increase by 3, so the next should be 20. Therefore 22 is the odd one out.

id=33224 | topic=Percentages | difficulty=Easy | question=What is 15% of 710? | option_a=96 | option_b=126 | option_c=106 | option_d=212 | answer=C | explanation= $15\% \text{ of } 710 = (15/100) \times 710 = 106$.

id=33225 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=22 | option_b=27 | option_c=26 | option_d=30 | answer=C | explanation=The common difference is 4. Therefore the next term is $22 + 4 = 26$.

id=33226 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=60 | option_b=71 | option_c=49 | option_d=61 | answer=A | explanation=The common difference is 11. Therefore the next term is $49 + 11 = 60$.

id=33227 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 18? | option_a=11 | option_b=18 | option_c=13 | option_d=15 | answer=B | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 18 is the odd one out.

id=33228 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3842. If it is sold at a profit of 40%, what is its selling price? | option_a=4994 | option_b=3882 | option_c=5378 | option_d=5762 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3842 \times 140/100 = \text{■}5378$.

id=33229 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9565 at 5% per annum for 1 years. | option_a=10043 | option_b=478 | option_c=578 | option_d=378 | answer=B | explanation= $SI = PRT/100 = 9565 \times 5 \times 1/100 = \text{■}478$.

id=33230 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 21? | option_a=21 | option_b=13 | option_c=17 | option_d=15 | answer=A | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 21 is the odd one out.

id=33231 | topic=Percentages | difficulty=Easy | question=What is 25% of 1364? | option_a=341 | option_b=682 | option_c=336 | option_d=351 | answer=A | explanation= $25\% \text{ of } 1364 = (25/100) \times 1364 = 341$.

id=33232 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3926. If it is sold at a profit of 20%, what is its selling price? | option_a=4319 | option_b=5103 | option_c=4711 | option_d=3946 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3926 \times 120/100 = \text{■}4711$.

id=33233 | topic=Percentages | difficulty=Easy | question=What is 5% of 736? | option_a=36 | option_b=46 | option_c=72 | option_d=31 | answer=A | explanation= $5\% \text{ of } 736 = (5/100) \times 736 = 36$.

id=33234 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:3 and the first is 36, what is the second? | option_a=63 | option_b=24 | option_c=31 | option_d=27 | answer=D | explanation=Scale factor = $36/4 = 9$. Therefore second quantity = $3 \times 9 = 27$.

id=33235 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=33236 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 33, 40, 49? | option_a=26 | option_b=40 | option_c=49 | option_d=33 | answer=C | explanation=The first three numbers increase by 7, so the next should be 47. Therefore 49 is the odd one out.

id=33237 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2372. If it is sold at a profit of 20%, what is its selling price? | option_a=2609 | option_b=3083 | option_c=2392 | option_d=2846 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2372 \times 120/100 = \text{■}2846$.

id=33238 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=33239 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:19 and the first is 9, what is the second? | option_a=152 | option_b=171 | option_c=172 | option_d=180 | answer=B | explanation=Scale factor = $9/1 = 9$. Therefore second quantity = $19 \times 9 = 171$.

id=33240 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=W | option_c=V | option_d=T | answer=C | explanation=Move 1 positions forward from U; the resulting letter is V.

Aptitude Questions — Records 33,241-33,270 of 100,000

id=33241 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**380. If it is sold at a profit of 25%, what is its selling price? | option_a=437 | option_b=513 | option_c=475 | option_d=405 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 380 × 125/100 = **■**475.

id=33242 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**733. If it is sold at a profit of 20%, what is its selling price? | option_a=806 | option_b=753 | option_c=952 | option_d=879 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 733 × 120/100 = **■**879.

id=33243 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=Q | option_b=M | option_c=S | option_d=O | answer=A | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=33244 | topic=Averages | difficulty=Easy | question=Find the average of 76, 94, 26, 76, 61, 46, 90, 69, 20. | option_a=63 | option_b=62 | option_c=64 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 558 ÷ 9 = 62.

id=33245 | topic=Averages | difficulty=Easy | question=Find the average of 18, 92, 63, 47. | option_a=57 | option_b=55 | option_c=56 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 220 ÷ 4 = 55.

id=33246 | topic=Percentages | difficulty=Easy | question=What is 10% of 701? | option_a=65 | option_b=70 | option_c=75 | option_d=140 | answer=B | explanation=10% of 701 = (10/100) × 701 = 70.

id=33247 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=69 | option_b=80 | option_c=68 | option_d=56 | answer=C | explanation=The common difference is 12. Therefore the next term is 56 + 12 = 68.

id=33248 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:10 and the first is 270, what is the second? | option_a=150 | option_b=140 | option_c=420 | option_d=168 | answer=A | explanation=Scale factor = 270/18 = 15. Therefore second quantity = 10×15 = 150.

id=33249 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**147. If it is sold at a profit of 15%, what is its selling price? | option_a=169 | option_b=155 | option_c=162 | option_d=183 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 147 × 115/100 = **■**169.

id=33250 | topic=Averages | difficulty=Easy | question=Find the average of 67, 53, 87, 20, 74, 83. | option_a=65 | option_b=64 | option_c=66 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 384 ÷ 6 = 64.

id=33251 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37882 at 8% per annum for 3 years. | option_a=9191 | option_b=8991 | option_c=46973 | option_d=9091 | answer=D | explanation=SI = PRT/100 = 37882×8×3/100 = **■**9091.

id=33252 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49674 at 6% per annum for 4 years. | option_a=11921 | option_b=11821 | option_c=12021 | option_d=61595 | answer=A | explanation=SI = PRT/100 = 49674×6×4/100 = **■**11921.

id=33253 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 33? | option_a=30 | option_b=28 | option_c=26 | option_d=33 | answer=D | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 33 is the odd one out.

id=33254 | topic=Averages | difficulty=Easy | question=Find the average of 96, 27, 53, 72. | option_a=64 | option_b=61 | option_c=63 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 248 ÷ 4 = 62.

id=33255 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 4. | option_a=88 | option_b=66 | option_c=40 | option_d=44 | answer=D | explanation=LCM × HCF = 22×4; HCF(22,4) = 2, so LCM = 44.

id=33256 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2469. If it is sold at a profit of 25%, what is its selling price? | option_a=3086 | option_b=2840 | option_c=3332 | option_d=2494 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2469 × 125/100 = **■**3086.

id=33257 | topic=Percentages | difficulty=Easy | question=What is 5% of 1199? | option_a=54 | option_b=118 | option_c=79 | option_d=59 | answer=D | explanation=5% of 1199 = (5/100) × 1199 = 59.

id=33258 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1671. If it is sold at a profit of 50%, what is its selling price? | option_a=1721 | option_b=2506 | option_c=2673 | option_d=2339 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1671 × 150/100 = **■**2506.

id=33259 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11161 at 10% per annum for 1 years. | option_a=1116 | option_b=1016 | option_c=1216 | option_d=12277 | answer=A | explanation=SI = PRT/100 = 11161×10×1/100 = **■**1116.

id=33260 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1130. If it is sold at a profit of 40%, what is its selling price? | option_a=1469 | option_b=1582 | option_c=1695 | option_d=1170 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1130 × 140/100 = **■**1582.

id=33261 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=M | option_c=P | option_d=G | answer=B | explanation=Move 3 positions forward from J; the resulting letter is M.

id=33262 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:14 and the first is 260, what is the second? | option_a=182 | option_b=168 | option_c=442 | option_d=202 | answer=A | explanation=Scale factor = 260/20 = 13. Therefore second quantity = 14×13 = 182.

id=33263 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=39 | option_b=50 | option_c=61 | option_d=51 | answer=B | explanation=The common difference is 11. Therefore the next term is 39 + 11 = 50.

id=33264 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=40 | option_b=36 | option_c=35 | option_d=30 | answer=C | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=33265 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 7, 12, 20? | option_a=2 | option_b=20 | option_c=7 | option_d=12 | answer=B | explanation=The first three numbers increase by 5, so the next should be 17. Therefore 20 is the odd one out.

id=33266 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 46? | option_a=46 | option_b=13 | option_c=23 | option_d=33 | answer=A | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 46 is the odd one out.

id=33267 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=R | option_b=X | option_c=A | option_d=U | answer=B | explanation=Move 3 positions forward from U; the resulting letter is X.

id=33268 | topic=Percentages | difficulty=Easy | question=What is 25% of 729? | option_a=177 | option_b=182 | option_c=364 | option_d=202 | answer=B | explanation=25% of 729 = (25/100) × 729 = 182.

id=33269 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=16 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=33270 | topic=Averages | difficulty=Easy | question=Find the average of 17, 85, 100, 22. | option_a=56 | option_b=55 | option_c=58 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 224 ÷ 4 = 56.

Aptitude Questions — Records 33,271-33,300 of 100,000

id=33271 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3551. If it is sold at a profit of 15%, what is its selling price? | option_a=4438 | option_b=3728 | option_c=3566 | option_d=4083 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3551 × 115/100 = █4083.

id=33272 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 14. | option_a=1 | option_b=14 | option_c=196 | option_d=28 | answer=B | explanation=LCM × HCF = 14×14; HCF(14,14) = 14, so LCM = 14.

id=33273 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 20. | option_a=60 | option_b=40 | option_c=66 | option_d=120 | answer=A | explanation=LCM × HCF = 6×20; HCF(6,20) = 2, so LCM = 60.

id=33274 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1714 at 15% per annum for 2 years. | option_a=514 | option_b=614 | option_c=414 | option_d=2228 | answer=A | explanation=SI = PRT/100 = 1714×15×2/100 = █514.

id=33275 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=40 | option_b=41 | option_c=33 | option_d=47 | answer=A | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.

id=33276 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42601 at 4% per annum for 4 years. | option_a=6816 | option_b=6716 | option_c=49417 | option_d=6916 | answer=A | explanation=SI = PRT/100 = 42601×4×4/100 = █6816.

id=33277 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:16 and the first is 180, what is the second? | option_a=340 | option_b=144 | option_c=160 | option_d=178 | answer=C | explanation=Scale factor = 180/18 = 10. Therefore second quantity = 16×10 = 160.

id=33278 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=33279 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=33280 | topic=Averages | difficulty=Easy | question=Find the average of 87, 47, 89, 21, 10, 16. | option_a=47 | option_b=45 | option_c=44 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 270 ÷ 6 = 45.

id=33281 | topic=Percentages | difficulty=Easy | question=What is 20% of 1276? | option_a=250 | option_b=275 | option_c=510 | option_d=255 | answer=D | explanation=20% of 1276 = (20/100) × 1276 = 255.

id=33282 | topic=Percentages | difficulty=Easy | question=What is 30% of 1802? | option_a=520 | option_b=1080 | option_c=545 | option_d=540 | answer=D | explanation=30% of 1802 = (30/100) × 1802 = 540.

id=33283 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2471. If it is sold at a profit of 30%, what is its selling price? | option_a=3459 | option_b=3212 | option_c=2501 | option_d=2965 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2471 × 130/100 = █3212.

id=33284 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 34? | option_a=30 | option_b=34 | option_c=26 | option_d=28 | answer=B | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 34 is the odd one out.

id=33285 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=B | option_b=T | option_c=P | option_d=X | answer=D | explanation=Move 4 positions forward from T; the resulting letter is X.

id=33286 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=12 | option_c=7 | option_d=24 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=33287 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28192 at 12% per annum for 5 years. | option_a=45107 | option_b=16915 | option_c=17015 | option_d=16815 | answer=B | explanation=SI = PRT/100 = 28192×12×5/100 = █16915.

id=33288 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=33289 | topic=Averages | difficulty=Easy | question=Find the average of 37, 74, 66. | option_a=59 | option_b=61 | option_c=60 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 177 ÷ 3 = 59.

id=33290 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=33291 | topic=Averages | difficulty=Easy | question=Find the average of 71, 75, 90, 77, 88, 18, 66, 59. | option_a=70 | option_b=67 | option_c=68 | option_d=69 | answer=C | explanation=Average = sum of values ÷ number of values = 544 ÷ 8 = 68.

id=33292 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 46? | option_a=33 | option_b=13 | option_c=46 | option_d=23 | answer=C | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 46 is the odd one out.

id=33293 | topic=Averages | difficulty=Easy | question=Find the average of 98, 46, 95, 89, 33, 57, 79. | option_a=71 | option_b=73 | option_c=70 | option_d=72 | answer=A | explanation=Average = sum of values ÷ number of values = 497 ÷ 7 = 71.

id=33294 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=J | option_c=L | option_d=H | answer=C | explanation=Move 2 positions forward from J; the resulting letter is L.

id=33295 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=M | option_b=U | option_c=Q | option_d=Y | answer=B | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=33296 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=Z | option_b=H | option_c=L | option_d=D | answer=B | explanation=Move 4 positions forward from D; the resulting letter is H.

id=33297 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2423. If it is sold at a profit of 25%, what is its selling price? | option_a=3028 | option_b=2448 | option_c=3270 | option_d=2786 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2423 × 125/100 = █3028.

id=33298 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=6 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=33299 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 43? | option_a=43 | option_b=34 | option_c=28 | option_d=22 | answer=A | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 43 is the odd one out.

id=33300 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=18 | option_b=19 | option_c=22 | option_d=14 | answer=A | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.

Aptitude Questions — Records 33,301-33,330 of 100,000

id=33301 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=75 | option_d=150 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=33302 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45834 at 6% per annum for 5 years. | option_a=59584 | option_b=13750 | option_c=13850 | option_d=13650 | answer=B | explanation=SI = PRT/100 = 45834×6×5/100 = **■**13750.

id=33303 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=33304 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 30? | option_a=22 | option_b=10 | option_c=16 | option_d=30 | answer=D | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 30 is the odd one out.

id=33305 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=33306 | topic=Percentages | difficulty=Easy | question=What is 30% of 1211? | option_a=726 | option_b=343 | option_c=363 | option_d=373 | answer=C | explanation=30% of 1211 = (30/100) × 1211 = 363.

id=33307 | topic=Percentages | difficulty=Easy | question=What is 15% of 898? | option_a=139 | option_b=114 | option_c=268 | option_d=134 | answer=D | explanation=15% of 898 = (15/100) × 898 = 134.

id=33308 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3663. If it is sold at a profit of 10%, what is its selling price? | option_a=3663 | option_b=4029 | option_c=3673 | option_d=4395 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3663 × 110/100 = **■**4029.

id=33309 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=33310 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 22? | option_a=19 | option_b=17 | option_c=15 | option_d=22 | answer=D | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 22 is the odd one out.

id=33311 | topic=Percentages | difficulty=Easy | question=What is 40% of 1472? | option_a=608 | option_b=1176 | option_c=568 | option_d=588 | answer=D | explanation=40% of 1472 = (40/100) × 1472 = 588.

id=33312 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 35? | option_a=35 | option_b=24 | option_c=16 | option_d=8 | answer=A | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 35 is the odd one out.

id=33313 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 16? | option_a=13 | option_b=11 | option_c=9 | option_d=16 | answer=D | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 16 is the odd one out.

id=33314 | topic=Percentages | difficulty=Easy | question=What is 20% of 1255? | option_a=241 | option_b=502 | option_c=251 | option_d=256 | answer=C | explanation=20% of 1255 = (20/100) × 1255 = 251.

id=33315 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3824. If it is sold at a profit of 5%, what is its selling price? | option_a=4397 | option_b=4015 | option_c=3633 | option_d=3829 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3824 × 105/100 = **■**4015.

id=33316 | topic=Percentages | difficulty=Easy | question=What is 10% of 1909? | option_a=190 | option_b=380 | option_c=185 | option_d=210 | answer=A | explanation=10% of 1909 = (10/100) × 1909 = 190.

id=33317 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:15 and the first is 17, what is the second? | option_a=255 | option_b=272 | option_c=240 | option_d=256 | answer=A | explanation=Scale factor = 17/1 = 17. Therefore second quantity = 15×17 = 255.

id=33318 | topic=Averages | difficulty=Easy | question=Find the average of 70, 13, 29, 29, 99. | option_a=49 | option_b=50 | option_c=48 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 240 ÷ 5 = 48.

id=33319 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=33320 | topic=Averages | difficulty=Easy | question=Find the average of 26, 17, 72, 45. | option_a=40 | option_b=39 | option_c=42 | option_d=41 | answer=A | explanation=Average = sum of values ÷ number of values = 160 ÷ 4 = 40.

id=33321 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44736 at 6% per annum for 3 years. | option_a=8052 | option_b=7952 | option_c=8152 | option_d=52788 | answer=A | explanation=SI = PRT/100 = 44736×6×3/100 = **■**8052.

id=33322 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2582. If it is sold at a profit of 30%, what is its selling price? | option_a=3356 | option_b=3098 | option_c=3614 | option_d=2612 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2582 × 130/100 = **■**3356.

id=33323 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=6 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=33324 | topic=Averages | difficulty=Easy | question=Find the average of 25, 29, 15. | option_a=23 | option_b=24 | option_c=22 | option_d=25 | answer=A | explanation=Average = sum of values ÷ number of values = 69 ÷ 3 = 23.

id=33325 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:13 and the first is 81, what is the second? | option_a=126 | option_b=104 | option_c=117 | option_d=198 | answer=C | explanation=Scale factor = 81/9 = 9. Therefore second quantity = 13×9 = 117.

id=33326 | topic=Percentages | difficulty=Easy | question=What is 15% of 1983? | option_a=297 | option_b=277 | option_c=594 | option_d=307 | answer=A | explanation=15% of 1983 = (15/100) × 1983 = 297.

id=33327 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=A | option_b=P | option_c=F | option_d=K | answer=D | explanation=Move 5 positions forward from F; the resulting letter is K.

id=33328 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**535. If it is sold at a profit of 40%, what is its selling price? | option_a=802 | option_b=749 | option_c=696 | option_d=575 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 535 × 140/100 = **■**749.

id=33329 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 31, 42, 53, ? | option_a=64 | option_b=65 | option_c=75 | option_d=53 | answer=A | explanation=The common difference is 11. Therefore the next term is 53 + 11 = 64.

id=33330 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47569 at 10% per annum for 1 years. | option_a=4756 | option_b=52325 | option_c=4856 | option_d=4656 | answer=A | explanation=SI = PRT/100 = 47569×10×1/100 = **■**4756.

Aptitude Questions — Records 33,331-33,360 of 100,000

id=33331 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=22 | option_b=25 | option_c=19 | option_d=23 | answer=A | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.

id=33332 | topic=Percentages | difficulty=Easy | question=What is 15% of 1501? | option_a=230 | option_b=215 | option_c=450 | option_d=225 | answer=D | explanation=15% of 1501 = (15/100) × 1501 = 225.

id=33333 | topic=Averages | difficulty=Easy | question=Find the average of 88, 98, 68, 11, 71, 13, 63, 25, 39, 54. | option_a=53 | option_b=54 | option_c=52 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=33334 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2296. If it is sold at a profit of 25%, what is its selling price? | option_a=2870 | option_b=3099 | option_c=2321 | option_d=2641 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2296 × 125/100 = ₹2870.

id=33335 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=95 | option_c=100 | option_d=105 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=33336 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹3001. If it is sold at a profit of 5%, what is its selling price? | option_a=2851 | option_b=3006 | option_c=3451 | option_d=3151 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3001 × 105/100 = ₹3151.

id=33337 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=E | option_c=I | option_d=C | answer=A | explanation=Move 2 positions forward from E; the resulting letter is G.

id=33338 | topic=Percentages | difficulty=Easy | question=What is 40% of 988? | option_a=790 | option_b=395 | option_c=375 | option_d=405 | answer=B | explanation=40% of 988 = (40/100) × 988 = 395.

id=33339 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:15 and the first is 128, what is the second? | option_a=248 | option_b=225 | option_c=368 | option_d=240 | answer=D | explanation=Scale factor = 128/8 = 16. Therefore second quantity = 15×16 = 240.

id=33340 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=33341 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=33342 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹20104 at 6% per annum for 1 years. | option_a=1106 | option_b=1306 | option_c=21310 | option_d=1206 | answer=D | explanation=SI = PRT/100 = 20104×6×1/100 = ₹1206.

id=33343 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=23 | option_d=36 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=33344 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=E | option_b=F | option_c=H | option_d=G | answer=D | explanation=Move 1 positions forward from F; the resulting letter is G.

id=33345 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 15? | option_a=15 | option_b=11 | option_c=8 | option_d=5 | answer=A | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 15 is the odd one out.

id=33346 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=10 | option_d=5 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=33347 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 8. | option_a=192 | option_b=16 | option_c=24 | option_d=48 | answer=C | explanation=LCM × HCF = 24×8; HCF(24,8) = 8, so LCM = 24.

id=33348 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹19909 at 12% per annum for 4 years. | option_a=29465 | option_b=9656 | option_c=9556 | option_d=9456 | answer=C | explanation=SI = PRT/100 = 19909×12×4/100 = ₹9556.

id=33349 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 44? | option_a=44 | option_b=26 | option_c=34 | option_d=18 | answer=A | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 44 is the odd one out.

id=33350 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=33351 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 33? | option_a=28 | option_b=30 | option_c=33 | option_d=26 | answer=C | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 33 is the odd one out.

id=33352 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 43? | option_a=25 | option_b=43 | option_c=17 | option_d=33 | answer=B | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 43 is the odd one out.

id=33353 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹41617 at 10% per annum for 4 years. | option_a=16746 | option_b=16646 | option_c=16546 | option_d=58263 | answer=B | explanation=SI = PRT/100 = 41617×10×4/100 = ₹16646.

id=33354 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1244. If it is sold at a profit of 50%, what is its selling price? | option_a=1866 | option_b=1742 | option_c=1294 | option_d=1990 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1244 × 150/100 = ₹1866.

id=33355 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:10 and the first is 112, what is the second? | option_a=192 | option_b=94 | option_c=80 | option_d=70 | answer=C | explanation=Scale factor = 112/14 = 8. Therefore second quantity = 10×8 = 80.

id=33356 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=19 | option_c=24 | option_d=48 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=33357 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=B | option_b=K | option_c=E | option_d=H | answer=D | explanation=Move 3 positions forward from E; the resulting letter is H.

id=33358 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=33359 | topic=Averages | difficulty=Easy | question=Find the average of 58, 66, 20. | option_a=47 | option_b=50 | option_c=48 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 144 ÷ 3 = 48.

id=33360 | topic=Percentages | difficulty=Easy | question=What is 15% of 600? | option_a=180 | option_b=95 | option_c=80 | option_d=90 | answer=D | explanation=15% of 600 = (15/100) × 600 = 90.

Aptitude Questions — Records 33,361-33,390 of 100,000

id=33361 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24334 at 5% per annum for 2 years. | option_a=2333 | option_b=26767 | option_c=2433 | option_d=2533 | answer=C | explanation=SI = $PRT/100 = 24334 \times 5 \times 2/100 = \text{■}2433$.

id=33362 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=Q | option_b=H | option_c=N | option_d=K | answer=C | explanation=Move 3 positions forward from K; the resulting letter is N.

id=33363 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 43? | option_a=37 | option_b=43 | option_c=33 | option_d=29 | answer=B | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 43 is the odd one out.

id=33364 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2692. If it is sold at a profit of 30%, what is its selling price? | option_a=3230 | option_b=2722 | option_c=3499 | option_d=3768 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2692 \times 130/100 = \text{■}3499$.

id=33365 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35588 at 15% per annum for 1 years. | option_a=5338 | option_b=40926 | option_c=5238 | option_d=5438 | answer=A | explanation=SI = $PRT/100 = 35588 \times 15 \times 1/100 = \text{■}5338$.

id=33366 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42805 at 10% per annum for 4 years. | option_a=59927 | option_b=17222 | option_c=17122 | option_d=17022 | answer=C | explanation=SI = $PRT/100 = 42805 \times 10 \times 4/100 = \text{■}17122$.

id=33367 | topic=Percentages | difficulty=Easy | question=What is 10% of 257? | option_a=50 | option_b=25 | option_c=20 | option_d=30 | answer=B | explanation=10% of 257 = $(10/100) \times 257 = 25$.

id=33368 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=36 | option_b=31 | option_c=72 | option_d=41 | answer=A | explanation=Speed = distance ÷ time = $360 \div 10 = 36$ km/h.

id=33369 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=E | option_b=P | option_c=U | option_d=Z | answer=D | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=33370 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**354. If it is sold at a profit of 5%, what is its selling price? | option_a=406 | option_b=359 | option_c=336 | option_d=371 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 354 \times 105/100 = \text{■}371$.

id=33371 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 12. | option_a=60 | option_b=120 | option_c=48 | option_d=70 | answer=A | explanation= $LCM \times HCF = 10 \times 12$; $HCF(10,12) = 2$, so $LCM = 60$.

id=33372 | topic=Percentages | difficulty=Easy | question=What is 15% of 300? | option_a=90 | option_b=45 | option_c=55 | option_d=25 | answer=B | explanation=15% of 300 = $(15/100) \times 300 = 45$.

id=33373 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=18 | option_c=23 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = $90 \div 5 = 18$ km/h.

id=33374 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 22, 31, 42? | option_a=31 | option_b=22 | option_c=42 | option_d=13 | answer=C | explanation=The first three numbers increase by 9, so the next should be 40. Therefore 42 is the odd one out.

id=33375 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**862. If it is sold at a profit of 5%, what is its selling price? | option_a=867 | option_b=905 | option_c=819 | option_d=991 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 862 \times 105/100 = \text{■}905$.

id=33376 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.

id=33377 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=180 | option_c=90 | option_d=95 | answer=C | explanation=Speed = distance ÷ time = $180 \div 2 = 90$ km/h.

id=33378 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=30 | option_b=31 | option_c=26 | option_d=34 | answer=A | explanation=The common difference is 4. Therefore the next term is $26 + 4 = 30$.

id=33379 | topic=Percentages | difficulty=Easy | question=What is 10% of 1852? | option_a=165 | option_b=370 | option_c=195 | option_d=185 | answer=D | explanation=10% of 1852 = $(10/100) \times 1852 = 185$.

id=33380 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=75 | option_c=80 | option_d=70 | answer=B | explanation=Speed = distance ÷ time = $300 \div 4 = 75$ km/h.

id=33381 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:18 and the first is 44, what is the second? | option_a=83 | option_b=72 | option_c=116 | option_d=54 | answer=B | explanation=Scale factor = $44/11 = 4$. Therefore second quantity = $18 \times 4 = 72$.

id=33382 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=17 | option_c=7 | option_d=24 | answer=A | explanation=Speed = distance ÷ time = $60 \div 5 = 12$ km/h.

id=33383 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=61 | option_b=72 | option_c=50 | option_d=62 | answer=A | explanation=The common difference is 11. Therefore the next term is $50 + 11 = 61$.

id=33384 | topic=Averages | difficulty=Easy | question=Find the average of 76, 71, 69. | option_a=71 | option_b=73 | option_c=72 | option_d=74 | answer=C | explanation=Average = sum of values ÷ number of values = $216 \div 3 = 72$.

id=33385 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=L | option_b=H | option_c=J | option_d=N | answer=A | explanation=Move 2 positions forward from J; the resulting letter is L.

id=33386 | topic=Percentages | difficulty=Easy | question=What is 25% of 1102? | option_a=275 | option_b=295 | option_c=550 | option_d=255 | answer=A | explanation=25% of 1102 = $(25/100) \times 1102 = 275$.

id=33387 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=33388 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=33389 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = $300 \div 10 = 30$ km/h.

id=33390 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33577 at 6% per annum for 2 years. | option_a=3929 | option_b=4129 | option_c=37606 | option_d=4029 | answer=D | explanation=SI = $PRT/100 = 33577 \times 6 \times 2/100 = \text{■}4029$.

Aptitude Questions — Records 33,391-33,420 of 100,000

id=33391 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2668. If it is sold at a profit of 15%, what is its selling price? | option_a=2802 | option_b=3068 | option_c=2683 | option_d=3334 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2668 \times 115/100 = \blacksquare 3068$.

id=33392 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=33393 | topic=Averages | difficulty=Easy | question=Find the average of 85, 63, 11, 56, 83, 78, 26, 102. | option_a=65 | option_b=62 | option_c=64 | option_d=63 | answer=D | explanation=Average = sum of values + number of values = $504 \div 8 = 63$.

id=33394 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:5 and the first is 11, what is the second? | option_a=56 | option_b=55 | option_c=66 | option_d=50 | answer=B | explanation=Scale factor = $11/1 = 11$. Therefore second quantity = $5 \times 11 = 55$.

id=33395 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=33396 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4314. If it is sold at a profit of 5%, what is its selling price? | option_a=4098 | option_b=4960 | option_c=4529 | option_d=4319 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4314 \times 105/100 = \blacksquare 4529$.

id=33397 | topic=Averages | difficulty=Easy | question=Find the average of 93, 32, 71, 50, 84, 40, 58, 68. | option_a=61 | option_b=62 | option_c=64 | option_d=63 | answer=B | explanation=Average = sum of values + number of values = $496 \div 8 = 62$.

id=33398 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■690. If it is sold at a profit of 20%, what is its selling price? | option_a=710 | option_b=828 | option_c=897 | option_d=759 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 690 \times 120/100 = \blacksquare 828$.

id=33399 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■44739 at 8% per annum for 4 years. | option_a=14316 | option_b=14416 | option_c=14216 | option_d=59055 | answer=A | explanation=SI = $PRT/100 = 44739 \times 8 \times 4/100 = \blacksquare 14316$.

id=33400 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=180 | option_c=95 | option_d=90 | answer=D | explanation=Speed = distance + time = $360 \div 4 = 90$ km/h.

id=33401 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 25, 31, 39? | option_a=25 | option_b=31 | option_c=39 | option_d=19 | answer=C | explanation=The first three numbers increase by 6, so the next should be 37. Therefore 39 is the odd one out.

id=33402 | topic=Averages | difficulty=Easy | question=Find the average of 11, 12, 25. | option_a=18 | option_b=17 | option_c=15 | option_d=16 | answer=D | explanation=Average = sum of values + number of values = $48 \div 3 = 16$.

id=33403 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:13 and the first is 7, what is the second? | option_a=91 | option_b=78 | option_c=98 | option_d=92 | answer=A | explanation=Scale factor = $7/1 = 7$. Therefore second quantity = $13 \times 7 = 91$.

id=33404 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:9 and the first is 30, what is the second? | option_a=45 | option_b=54 | option_c=84 | option_d=59 | answer=B | explanation=Scale factor = $30/5 = 6$. Therefore second quantity = $9 \times 6 = 54$.

id=33405 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=33406 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14032 at 8% per annum for 4 years. | option_a=4490 | option_b=4590 | option_c=18522 | option_d=4390 | answer=A | explanation=SI = $PRT/100 = 14032 \times 8 \times 4/100 = \blacksquare 4490$.

id=33407 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 10. | option_a=140 | option_b=130 | option_c=280 | option_d=168 | answer=A | explanation=LCM $\times$ HCF = 28×10 ; $HCF(28,10) = 2$, so LCM = 140.

id=33408 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance + time = $60 \div 2 = 30$ km/h.

id=33409 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:17 and the first is 68, what is the second? | option_a=51 | option_b=68 | option_c=136 | option_d=85 | answer=B | explanation=Scale factor = $68/17 = 4$. Therefore second quantity = $17 \times 4 = 68$.

id=33410 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■45260 at 8% per annum for 5 years. | option_a=18204 | option_b=18004 | option_c=18104 | option_d=63364 | answer=C | explanation=SI = $PRT/100 = 45260 \times 8 \times 5/100 = \blacksquare 18104$.

id=33411 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:19 and the first is 165, what is the second? | option_a=285 | option_b=296 | option_c=450 | option_d=266 | answer=A | explanation=Scale factor = $165/11 = 15$. Therefore second quantity = $19 \times 15 = 285$.

id=33412 | topic=Percentages | difficulty=Easy | question=What is 10% of 1147? | option_a=228 | option_b=109 | option_c=134 | option_d=114 | answer=D | explanation=10% of 1147 = $(10/100) \times 1147 = 114$.

id=33413 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=33414 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 28, 38, 51? | option_a=18 | option_b=28 | option_c=51 | option_d=38 | answer=C | explanation=The first three numbers increase by 10, so the next should be 48. Therefore 51 is the odd one out.

id=33415 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance + time = $360 \div 6 = 60$ km/h.

id=33416 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 25, 34, 45? | option_a=16 | option_b=25 | option_c=45 | option_d=34 | answer=C | explanation=The first three numbers increase by 9, so the next should be 43. Therefore 45 is the odd one out.

id=33417 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■37568 at 15% per annum for 3 years. | option_a=16805 | option_b=54473 | option_c=17005 | option_d=16905 | answer=D | explanation=SI = $PRT/100 = 37568 \times 15 \times 3/100 = \blacksquare 16905$.

id=33418 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 30. | option_a=352 | option_b=330 | option_c=300 | option_d=660 | answer=B | explanation=LCM $\times$ HCF = 22×30 ; $HCF(22,30) = 2$, so LCM = 330.

id=33419 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■22927 at 8% per annum for 4 years. | option_a=7236 | option_b=7336 | option_c=30263 | option_d=7436 | answer=B | explanation=SI = $PRT/100 = 22927 \times 8 \times 4/100 = \blacksquare 7336$.

id=33420 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=C | option_b=E | option_c=I | option_d=G | answer=D | explanation=Move 2 positions forward from E; the resulting letter is G.

Aptitude Questions — Records 33,421-33,450 of 100,000

id=33421 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:13 and the first is 80, what is the second? | option_a=132 | option_b=39 | option_c=72 | option_d=52 | answer=D | explanation=Scale factor = 80/20 = 4. Therefore second quantity = 13×4 = 52.

id=33422 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=23 | option_d=36 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=33423 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 22, 29, 37? | option_a=37 | option_b=29 | option_c=22 | option_d=15 | answer=A | explanation=The first three numbers increase by 7, so the next should be 36. Therefore 37 is the odd one out.

id=33424 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=35 | option_b=41 | option_c=42 | option_d=47 | answer=B | explanation=The common difference is 6. Therefore the next term is 35 + 6 = 41.

id=33425 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=30 | option_b=25 | option_c=31 | option_d=35 | answer=A | explanation=The common difference is 5. Therefore the next term is 25 + 5 = 30.

id=33426 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 17, 20, 25? | option_a=20 | option_b=25 | option_c=14 | option_d=17 | answer=B | explanation=The first three numbers increase by 3, so the next should be 23. Therefore 25 is the odd one out.

id=33427 | topic=Averages | difficulty=Easy | question=Find the average of 58, 79, 47, 76, 99, 23, 61, 19, 105. | option_a=65 | option_b=62 | option_c=63 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 567 ÷ 9 = 63.

id=33428 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 40? | option_a=31 | option_b=23 | option_c=40 | option_d=15 | answer=C | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 40 is the odd one out.

id=33429 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:16 and the first is 104, what is the second? | option_a=112 | option_b=232 | option_c=141 | option_d=128 | answer=D | explanation=Scale factor = 104/13 = 8. Therefore second quantity = 16×8 = 128.

id=33430 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1440. If it is sold at a profit of 15%, what is its selling price? | option_a=1455 | option_b=1656 | option_c=1800 | option_d=1512 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1440 × 115/100 = █1656.

id=33431 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=100 | option_c=95 | option_d=105 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=33432 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1372. If it is sold at a profit of 50%, what is its selling price? | option_a=1422 | option_b=1921 | option_c=2195 | option_d=2058 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1372 × 150/100 = █2058.

id=33433 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 29, 36, 45? | option_a=22 | option_b=29 | option_c=45 | option_d=36 | answer=C | explanation=The first three numbers increase by 7, so the next should be 43. Therefore 45 is the odd one out.

id=33434 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 24. | option_a=72 | option_b=1 | option_c=24 | option_d=27 | answer=C | explanation=LCM × HCF = 3×24; HCF(3,24) = 3, so LCM = 24.

id=33435 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=W | option_c=A | option_d=I | answer=A | explanation=Move 4 positions forward from A; the resulting letter is E.

id=33436 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3387. If it is sold at a profit of 40%, what is its selling price? | option_a=5079 | option_b=4741 | option_c=3427 | option_d=4403 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3387 × 140/100 = █4741.

id=33437 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=G | option_b=J | option_c=A | option_d=D | answer=A | explanation=Move 3 positions forward from D; the resulting letter is G.

id=33438 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:18 and the first is 33, what is the second? | option_a=54 | option_b=87 | option_c=36 | option_d=65 | answer=A | explanation=Scale factor = 33/11 = 3. Therefore second quantity = 18×3 = 54.

id=33439 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=50 | option_c=30 | option_d=25 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=33440 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26238 at 12% per annum for 5 years. | option_a=15842 | option_b=15642 | option_c=41980 | option_d=15742 | answer=D | explanation=SI = PRT/100 = 26238×12×5/100 = █15742.

id=33441 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 21, 28, 37? | option_a=21 | option_b=14 | option_c=28 | option_d=37 | answer=D | explanation=The first three numbers increase by 7, so the next should be 35. Therefore 37 is the odd one out.

id=33442 | topic=Averages | difficulty=Easy | question=Find the average of 59, 44, 22, 95, 63, 75, 84, 98, 54. | option_a=67 | option_b=66 | option_c=68 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 594 ÷ 9 = 66.

id=33443 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 25, 31, 38? | option_a=25 | option_b=19 | option_c=38 | option_d=31 | answer=C | explanation=The first three numbers increase by 6, so the next should be 37. Therefore 38 is the odd one out.

id=33444 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=61 | option_b=51 | option_c=39 | option_d=50 | answer=D | explanation=The common difference is 11. Therefore the next term is 39 + 11 = 50.

id=33445 | topic=Percentages | difficulty=Easy | question=What is 40% of 1931? | option_a=772 | option_b=1544 | option_c=762 | option_d=792 | answer=A | explanation=40% of 1931 = (40/100) × 1931 = 772.

id=33446 | topic=Percentages | difficulty=Easy | question=What is 10% of 412? | option_a=82 | option_b=41 | option_c=36 | option_d=51 | answer=B | explanation=10% of 412 = (10/100) × 412 = 41.

id=33447 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3315. If it is sold at a profit of 10%, what is its selling price? | option_a=3325 | option_b=3977 | option_c=3646 | option_d=3315 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3315 × 110/100 = █3646.

id=33448 | topic=Profit & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:2 and the first is 90, what is the second? | option_a=30 | option_b=120 | option_c=36 | option_d=28 | answer=A | explanation=Scale factor = 90/6 = 15. Therefore second quantity = 2×15 = 30.

id=33449 | topic=Profit & Loss | difficulty=Easy | question=An article costs █779. If it is sold at a profit of 40%, what is its selling price? | option_a=819 | option_b=1013 | option_c=1090 | option_d=1167 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 779 × 140/100 = █1090.

id=33450 | topic=Percentages | difficulty=Easy | question=What is 30% of 891? | option_a=262 | option_b=267 | option_c=534 | option_d=287 | answer=B | explanation=30% of 891 = (30/100) × 891 = 267.

Aptitude Questions — Records 33,451-33,480 of 100,000

id=33451 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 26, 35, 46? | option_a=26 | option_b=35 | option_c=46 | option_d=17 | answer=C | explanation=The first three numbers increase by 9, so the next should be 44. Therefore 46 is the odd one out.

id=33452 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47697 at 8% per annum for 1 years. | option_a=3715 | option_b=3815 | option_c=51512 | option_d=3915 | answer=B | explanation=SI = PRT/100 = 47697×8×1/100 = **■**3815.

id=33453 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=95 | option_d=180 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=33454 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 25, 34, 43, ? | option_a=53 | option_b=43 | option_c=52 | option_d=61 | answer=C | explanation=The common difference is 9. Therefore the next term is 43 + 9 = 52.

id=33455 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=37 | option_b=31 | option_c=36 | option_d=41 | answer=C | explanation=The common difference is 5. Therefore the next term is 31 + 5 = 36.

id=33456 | topic=Averages | difficulty=Easy | question=Find the average of 40, 43, 38, 74, 29, 100, 47. | option_a=53 | option_b=52 | option_c=55 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 371 ÷ 7 = 53.

id=33457 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=30 | option_b=36 | option_c=31 | option_d=24 | answer=A | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.

id=33458 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:4 and the first is 102, what is the second? | option_a=126 | option_b=24 | option_c=41 | option_d=20 | answer=B | explanation=Scale factor = 102/17 = 6. Therefore second quantity = 4×6 = 24.

id=33459 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 37? | option_a=37 | option_b=19 | option_c=24 | option_d=29 | answer=A | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 37 is the odd one out.

id=33460 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=40 | option_b=47 | option_c=31 | option_d=39 | answer=D | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

id=33461 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=15 | option_c=20 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=33462 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26703 at 5% per annum for 5 years. | option_a=33378 | option_b=6575 | option_c=6675 | option_d=6775 | answer=C | explanation=SI = PRT/100 = 26703×5×5/100 = **■**6675.

id=33463 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 26, 36, 48? | option_a=48 | option_b=26 | option_c=16 | option_d=36 | answer=A | explanation=The first three numbers increase by 10, so the next should be 46. Therefore 48 is the odd one out.

id=33464 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=15 | option_c=40 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=33465 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:7 and the first is 162, what is the second? | option_a=126 | option_b=119 | option_c=135 | option_d=288 | answer=A | explanation=Scale factor = 162/9 = 18. Therefore second quantity = 7×18 = 126.

id=33466 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=51 | option_b=52 | option_c=63 | option_d=39 | answer=A | explanation=The common difference is 12. Therefore the next term is 39 + 12 = 51.

id=33467 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:3 and the first is 84, what is the second? | option_a=15 | option_b=18 | option_c=102 | option_d=32 | answer=B | explanation=Scale factor = 84/14 = 6. Therefore second quantity = 3×6 = 18.

id=33468 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=33469 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=18 | option_b=22 | option_c=14 | option_d=19 | answer=A | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.

id=33470 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:11 and the first is 360, what is the second? | option_a=187 | option_b=218 | option_c=558 | option_d=198 | answer=D | explanation=Scale factor = 360/20 = 18. Therefore second quantity = 11×18 = 198.

id=33471 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41486 at 5% per annum for 2 years. | option_a=4148 | option_b=45634 | option_c=4248 | option_d=4048 | answer=A | explanation=SI = PRT/100 = 41486×5×2/100 = **■**4148.

id=33472 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=33473 | topic=Percentages | difficulty=Easy | question=What is 50% of 743? | option_a=742 | option_b=351 | option_c=391 | option_d=371 | answer=D | explanation=50% of 743 = (50/100) × 743 = 371.

id=33474 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=56 | option_b=65 | option_c=45 | option_d=55 | answer=D | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.

id=33475 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=57 | option_b=37 | option_c=48 | option_d=47 | answer=D | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

id=33476 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=20 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=33477 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 10, 16, 23? | option_a=10 | option_b=16 | option_c=4 | option_d=23 | answer=D | explanation=The first three numbers increase by 6, so the next should be 22. Therefore 23 is the odd one out.

id=33478 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:16 and the first is 11, what is the second? | option_a=177 | option_b=176 | option_c=160 | option_d=187 | answer=B | explanation=Scale factor = 11/1 = 11. Therefore second quantity = 16×11 = 176.

id=33479 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=240 | option_c=120 | option_d=125 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=33480 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=44 | option_b=37 | option_c=28 | option_d=36 | answer=D | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

Aptitude Questions — Records 33,481-33,510 of 100,000

id=33481 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:11 and the first is 132, what is the second? | option_a=143 | option_b=132 | option_c=121 | option_d=264 | answer=B | explanation=Scale factor = 132/11 = 12. Therefore second quantity = 11×12 = 132.

id=33482 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=33483 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=26 | option_b=30 | option_c=34 | option_d=31 | answer=B | explanation=The common difference is 4. Therefore the next term is 26 + 4 = 30.

id=33484 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■47661 at 5% per annum for 2 years. | option_a=4766 | option_b=4866 | option_c=52427 | option_d=4666 | answer=A | explanation=SI = PRT/100 = 47661×5×2/100 = ■4766.

id=33485 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=19 | option_b=15 | option_c=18 | option_d=17 | answer=D | explanation=The common difference is 2. Therefore the next term is 15 + 2 = 17.

id=33486 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=37 | option_b=34 | option_c=33 | option_d=29 | answer=C | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=33487 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=N | option_b=P | option_c=Q | option_d=O | answer=B | explanation=Move 1 positions forward from O; the resulting letter is P.

id=33488 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3422. If it is sold at a profit of 5%, what is its selling price? | option_a=3935 | option_b=3427 | option_c=3251 | option_d=3593 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3422 × 105/100 = ■3593.

id=33489 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=150 | option_d=70 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=33490 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=36 | option_c=31 | option_d=41 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=33491 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■897. If it is sold at a profit of 5%, what is its selling price? | option_a=941 | option_b=1030 | option_c=902 | option_d=852 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 897 × 105/100 = ■941.

id=33492 | topic=Averages | difficulty=Easy | question=Find the average of 41, 77, 53. | option_a=56 | option_b=57 | option_c=59 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 171 ÷ 3 = 57.

id=33493 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=32 | option_b=41 | option_c=40 | option_d=48 | answer=C | explanation=The common difference is 8. Therefore the next term is 32 + 8 = 40.

id=33494 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:7 and the first is 120, what is the second? | option_a=84 | option_b=204 | option_c=94 | option_d=77 | answer=A | explanation=Scale factor = 120/10 = 12. Therefore second quantity = 7×12 = 84.

id=33495 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=33496 | topic=Percentages | difficulty=Easy | question=What is 15% of 924? | option_a=138 | option_b=128 | option_c=158 | option_d=276 | answer=A | explanation=15% of 924 = (15/100) × 924 = 138.

id=33497 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:16 and the first is 60, what is the second? | option_a=323 | option_b=320 | option_c=380 | option_d=304 | answer=B | explanation=Scale factor = 60/3 = 20. Therefore second quantity = 16×20 = 320.

id=33498 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4591. If it is sold at a profit of 20%, what is its selling price? | option_a=5509 | option_b=5050 | option_c=4611 | option_d=5968 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4591 × 120/100 = ■5509.

id=33499 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1582. If it is sold at a profit of 20%, what is its selling price? | option_a=1740 | option_b=2056 | option_c=1602 | option_d=1898 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1582 × 120/100 = ■1898.

id=33500 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:7 and the first is 132, what is the second? | option_a=77 | option_b=89 | option_c=70 | option_d=209 | answer=A | explanation=Scale factor = 132/12 = 11. Therefore second quantity = 7×11 = 77.

id=33501 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=33502 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=N | option_b=Q | option_c=H | option_d=K | answer=A | explanation=Move 3 positions forward from K; the resulting letter is N.

id=33503 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■976. If it is sold at a profit of 15%, what is its selling price? | option_a=1219 | option_b=1025 | option_c=991 | option_d=1122 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 976 × 115/100 = ■1122.

id=33504 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■32230 at 6% per annum for 1 years. | option_a=1933 | option_b=1833 | option_c=34163 | option_d=2033 | answer=A | explanation=SI = PRT/100 = 32230×6×1/100 = ■1933.

id=33505 | topic=Averages | difficulty=Easy | question=Find the average of 75, 50, 71, 28, 35, 77. | option_a=58 | option_b=56 | option_c=57 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 336 ÷ 6 = 56.

id=33506 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■30136 at 6% per annum for 4 years. | option_a=7332 | option_b=37368 | option_c=7232 | option_d=7132 | answer=C | explanation=SI = PRT/100 = 30136×6×4/100 = ■7232.

id=33507 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■23041 at 4% per annum for 3 years. | option_a=2864 | option_b=2764 | option_c=2664 | option_d=25805 | answer=B | explanation=SI = PRT/100 = 23041×4×3/100 = ■2764.

id=33508 | topic=Percentages | difficulty=Easy | question=What is 50% of 192? | option_a=96 | option_b=192 | option_c=101 | option_d=86 | answer=A | explanation=50% of 192 = (50/100) × 192 = 96.

id=33509 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4526. If it is sold at a profit of 20%, what is its selling price? | option_a=4979 | option_b=4546 | option_c=5431 | option_d=5883 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4526 × 120/100 = ■5431.

id=33510 | topic=Averages | difficulty=Easy | question=Find the average of 72, 66, 36. | option_a=58 | option_b=59 | option_c=57 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 174 ÷ 3 = 58.

Aptitude Questions — Records 33,511-33,540 of 100,000

- id=33511 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 24. | option_a=120 | option_b=140 | option_c=480 | option_d=96 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 20 \times 24$; $\text{HCF}(20,24) = 4$, so $\text{LCM} = 120$.
- id=33512 | topic=Percentages | difficulty=Easy | question=What is 15% of 1289? | option_a=386 | option_b=193 | option_c=173 | option_d=203 | answer=B | explanation= $15\% \text{ of } 1289 = (15/100) \times 1289 = 193$.
- id=33513 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation= $\text{Speed} = \text{distance} \div \text{time} = 240 \div 8 = 30 \text{ km/h}$.
- id=33514 | topic=Averages | difficulty=Easy | question=Find the average of 66, 63, 11, 28. | option_a=44 | option_b=43 | option_c=41 | option_d=42 | answer=D | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 168 \div 4 = 42$.
- id=33515 | topic=Percentages | difficulty=Easy | question=What is 12% of 481? | option_a=57 | option_b=114 | option_c=37 | option_d=67 | answer=A | explanation= $12\% \text{ of } 481 = (12/100) \times 481 = 57$.
- id=33516 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3938. If it is sold at a profit of 15%, what is its selling price? | option_a=4528 | option_b=4921 | option_c=3953 | option_d=4135 | answer=A | explanation= $\text{Selling price} = \text{CP} \times (100 + \text{profit}\%)/100 = 3938 \times 115/100 = \text{█}4528$.
- id=33517 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 15. | option_a=1 | option_b=15 | option_c=75 | option_d=20 | answer=B | explanation= $\text{LCM} \times \text{HCF} = 5 \times 15$; $\text{HCF}(5,15) = 5$, so $\text{LCM} = 15$.
- id=33518 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2186. If it is sold at a profit of 10%, what is its selling price? | option_a=2186 | option_b=2196 | option_c=2404 | option_d=2622 | answer=C | explanation= $\text{Selling price} = \text{CP} \times (100 + \text{profit}\%)/100 = 2186 \times 110/100 = \text{█}2404$.
- id=33519 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation= $\text{Combined rate} = 1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.
- id=33520 | topic=Percentages | difficulty=Easy | question=What is 30% of 1977? | option_a=583 | option_b=603 | option_c=1186 | option_d=593 | answer=D | explanation= $30\% \text{ of } 1977 = (30/100) \times 1977 = 593$.
- id=33521 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 6. | option_a=12 | option_b=1 | option_c=6 | option_d=8 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 2 \times 6$; $\text{HCF}(2,6) = 2$, so $\text{LCM} = 6$.
- id=33522 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1697. If it is sold at a profit of 50%, what is its selling price? | option_a=2545 | option_b=2714 | option_c=1747 | option_d=2376 | answer=A | explanation= $\text{Selling price} = \text{CP} \times (100 + \text{profit}\%)/100 = 1697 \times 150/100 = \text{█}2545$.
- id=33523 | topic=Percentages | difficulty=Easy | question=What is 50% of 1479? | option_a=1478 | option_b=759 | option_c=739 | option_d=719 | answer=C | explanation= $50\% \text{ of } 1479 = (50/100) \times 1479 = 739$.
- id=33524 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 30? | option_a=18 | option_b=30 | option_c=23 | option_d=13 | answer=B | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 30 is the odd one out.
- id=33525 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4722. If it is sold at a profit of 50%, what is its selling price? | option_a=6611 | option_b=4772 | option_c=7083 | option_d=7555 | answer=C | explanation= $\text{Selling price} = \text{CP} \times (100 + \text{profit}\%)/100 = 4722 \times 150/100 = \text{█}7083$.
- id=33526 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=28 | option_b=25 | option_c=20 | option_d=24 | answer=D | explanation=The common difference is 4. Therefore the next term is $20 + 4 = 24$.
- id=33527 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:6 and the first is 120, what is the second? | option_a=210 | option_b=84 | option_c=98 | option_d=90 | answer=D | explanation= $\text{Scale factor} = 120/8 = 15$. Therefore second quantity = $6 \times 15 = 90$.
- id=33528 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation= $\text{Combined rate} = 1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.
- id=33529 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=L | option_b=N | option_c=R | option_d=P | answer=D | explanation=Move 2 positions forward from N; the resulting letter is P.
- id=33530 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=R | option_b=W | option_c=H | option_d=M | answer=A | explanation=Move 5 positions forward from M; the resulting letter is R.
- id=33531 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 24, 30, 37? | option_a=18 | option_b=24 | option_c=37 | option_d=30 | answer=C | explanation=The first three numbers increase by 6, so the next should be 36. Therefore 37 is the odd one out.
- id=33532 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1750. If it is sold at a profit of 20%, what is its selling price? | option_a=1925 | option_b=2275 | option_c=1770 | option_d=2100 | answer=D | explanation= $\text{Selling price} = \text{CP} \times (100 + \text{profit}\%)/100 = 1750 \times 120/100 = \text{█}2100$.
- id=33533 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=L | option_c=N | option_d=P | answer=D | explanation=Move 2 positions forward from N; the resulting letter is P.
- id=33534 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 32? | option_a=32 | option_b=14 | option_c=19 | option_d=24 | answer=A | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 32 is the odd one out.
- id=33535 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=22 | option_b=26 | option_c=18 | option_d=23 | answer=A | explanation=The common difference is 4. Therefore the next term is $18 + 4 = 22$.
- id=33536 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3316. If it is sold at a profit of 10%, what is its selling price? | option_a=3326 | option_b=3316 | option_c=3647 | option_d=3978 | answer=C | explanation= $\text{Selling price} = \text{CP} \times (100 + \text{profit}\%)/100 = 3316 \times 110/100 = \text{█}3647$.
- id=33537 | topic=Averages | difficulty=Easy | question=Find the average of 49, 85, 61. | option_a=67 | option_b=66 | option_c=65 | option_d=64 | answer=C | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 195 \div 3 = 65$.
- id=33538 | topic=Percentages | difficulty=Easy | question=What is 40% of 1485? | option_a=574 | option_b=1188 | option_c=604 | option_d=594 | answer=D | explanation= $40\% \text{ of } 1485 = (40/100) \times 1485 = 594$.
- id=33539 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3022 at 8% per annum for 4 years. | option_a=1067 | option_b=3989 | option_c=867 | option_d=967 | answer=D | explanation= $\text{SI} = \text{PRT}/100 = 3022 \times 8 \times 4/100 = \text{█}967$.
- id=33540 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation= $\text{Combined rate} = 1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

Aptitude Questions — Records 33,541-33,570 of 100,000

id=33541 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 22. | option_a=176 | option_b=96 | option_c=88 | option_d=66 | answer=C | explanation= $LCM \times HCF = 8 \times 22$; $HCF(8,22) = 2$, so $LCM = 88$.

id=33542 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=C | option_b=L | option_c=F | option_d=I | answer=D | explanation=Move 3 positions forward from F; the resulting letter is I.

id=33543 | topic=Averages | difficulty=Easy | question=Find the average of 52, 99, 11, 45, 51, 60. | option_a=55 | option_b=54 | option_c=52 | option_d=53 | answer=D | explanation= $Average = \text{sum of values} \div \text{number of values} = 318 \div 6 = 53$.

id=33544 | topic=Percentages | difficulty=Easy | question=What is 5% of 1285? | option_a=69 | option_b=44 | option_c=128 | option_d=64 | answer=D | explanation= $5\% \text{ of } 1285 = (5/100) \times 1285 = 64$.

id=33545 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:6 and the first is 128, what is the second? | option_a=64 | option_b=42 | option_c=48 | option_d=176 | answer=C | explanation= $Scale\ factor = 128/16 = 8$. Therefore second quantity = $6 \times 8 = 48$.

id=33546 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=56 | option_b=46 | option_c=47 | option_d=36 | answer=B | explanation=The common difference is 10. Therefore the next term is $36 + 10 = 46$.

id=33547 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation= $Combined\ rate = 1/6 + 1/6 = 12/36$. $Time = 36/12 = 3$ days.

id=33548 | topic=Averages | difficulty=Easy | question=Find the average of 85, 42, 56, 85, 18, 54, 35, 83, 91. | option_a=62 | option_b=63 | option_c=60 | option_d=61 | answer=D | explanation= $Average = \text{sum of values} \div \text{number of values} = 549 \div 9 = 61$.

id=33549 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 9. | option_a=90 | option_b=270 | option_c=120 | option_d=81 | answer=A | explanation= $LCM \times HCF = 30 \times 9$; $HCF(30,9) = 3$, so $LCM = 90$.

id=33550 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 10. | option_a=15 | option_b=1 | option_c=50 | option_d=10 | answer=D | explanation= $LCM \times HCF = 5 \times 10$; $HCF(5,10) = 5$, so $LCM = 10$.

id=33551 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=22 | option_b=23 | option_c=20 | option_d=24 | answer=A | explanation=The common difference is 2. Therefore the next term is $20 + 2 = 22$.

id=33552 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 41? | option_a=41 | option_b=30 | option_c=22 | option_d=14 | answer=A | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 41 is the odd one out.

id=33553 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation= $Combined\ rate = 1/6 + 1/12 = 18/72$. $Time = 72/18 = 4$ days.

id=33554 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=H | option_b=J | option_c=I | option_d=K | answer=B | explanation=Move 1 positions forward from I; the resulting letter is J.

id=33555 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=D | option_c=J | option_d=H | answer=D | explanation=Move 2 positions forward from F; the resulting letter is H.

id=33556 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 39, 48, 60? | option_a=60 | option_b=39 | option_c=30 | option_d=48 | answer=A | explanation=The first three numbers increase by 9, so the next should be 57. Therefore 60 is the odd one out.

id=33557 | topic=Percentages | difficulty=Easy | question=What is 15% of 160? | option_a=48 | option_b=24 | option_c=34 | option_d=19 | answer=B | explanation= $15\% \text{ of } 160 = (15/100) \times 160 = 24$.

id=33558 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=I | option_c=K | option_d=O | answer=A | explanation=Move 2 positions forward from K; the resulting letter is M.

id=33559 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:19 and the first is 285, what is the second? | option_a=646 | option_b=376 | option_c=361 | option_d=342 | answer=C | explanation= $Scale\ factor = 285/15 = 19$. Therefore second quantity = $19 \times 19 = 361$.

id=33560 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 26. | option_a=26 | option_b=56 | option_c=104 | option_d=52 | answer=D | explanation= $LCM \times HCF = 4 \times 26$; $HCF(4,26) = 2$, so $LCM = 52$.

id=33561 | topic=Averages | difficulty=Easy | question=Find the average of 40, 55, 27, 67, 76, 43, 100, 24. | option_a=56 | option_b=54 | option_c=53 | option_d=55 | answer=B | explanation= $Average = \text{sum of values} \div \text{number of values} = 432 \div 8 = 54$.

id=33562 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1958. If it is sold at a profit of 50%, what is its selling price? | option_a=2937 | option_b=2008 | option_c=3132 | option_d=2742 | answer=A | explanation= $Selling\ price = CP \times (100 + \text{profit}\%)/100 = 1958 \times 150/100 = \text{₹}2937$.

id=33563 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=D | option_b=G | option_c=J | option_d=M | answer=C | explanation=Move 3 positions forward from G; the resulting letter is J.

id=33564 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=J | option_c=F | option_d=X | answer=C | explanation=Move 4 positions forward from B; the resulting letter is F.

id=33565 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=40 | option_b=35 | option_c=30 | option_d=36 | answer=B | explanation=The common difference is 5. Therefore the next term is $30 + 5 = 35$.

id=33566 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=1 | option_c=11 | option_d=12 | answer=A | explanation= $Speed = \text{distance} \div \text{time} = 60 \div 10 = 6$ km/h.

id=33567 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation= $Combined\ rate = 1/3 + 1/6 = 9/18$. $Time = 18/9 = 2$ days.

id=33568 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=T | option_c=L | option_d=X | answer=B | explanation=Move 4 positions forward from P; the resulting letter is T.

id=33569 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=C | option_c=E | option_d=Y | answer=B | explanation=Move 2 positions forward from A; the resulting letter is C.

id=33570 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:20 and the first is 50, what is the second? | option_a=150 | option_b=110 | option_c=80 | option_d=100 | answer=D | explanation= $Scale\ factor = 50/10 = 5$. Therefore second quantity = $20 \times 5 = 100$.

Aptitude Questions — Records 33,571-33,600 of 100,000

id=33571 | topic=Averages | difficulty=Easy | question=Find the average of 17, 10, 91, 70. | option_a=48 | option_b=46 | option_c=47 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 188 ÷ 4 = 47.

id=33572 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=40 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=33573 | topic=Percentages | difficulty=Easy | question=What is 25% of 418? | option_a=109 | option_b=99 | option_c=104 | option_d=208 | answer=C | explanation=25% of 418 = (25/100) × 418 = 104.

id=33574 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15581 at 8% per annum for 1 years. | option_a=1246 | option_b=1346 | option_c=16827 | option_d=1146 | answer=A | explanation=SI = PRT/100 = 15581×8×1/100 = **■**1246.

id=33575 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=24 | option_b=29 | option_c=32 | option_d=28 | answer=D | explanation=The common difference is 4. Therefore the next term is 24 + 4 = 28.

id=33576 | topic=Averages | difficulty=Easy | question=Find the average of 50, 26, 68, 95, 50, 22, 53, 52. | option_a=53 | option_b=51 | option_c=54 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=33577 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=33578 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1086. If it is sold at a profit of 10%, what is its selling price? | option_a=1194 | option_b=1302 | option_c=1096 | option_d=1086 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1086 × 110/100 = **■**1194.

id=33579 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33447 at 15% per annum for 4 years. | option_a=20068 | option_b=20168 | option_c=19968 | option_d=53515 | answer=A | explanation=SI = PRT/100 = 33447×15×4/100 = **■**20068.

id=33580 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2911. If it is sold at a profit of 25%, what is its selling price? | option_a=3929 | option_b=3638 | option_c=3347 | option_d=2936 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2911 × 125/100 = **■**3638.

id=33581 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 35, 45, 56? | option_a=56 | option_b=35 | option_c=45 | option_d=25 | answer=A | explanation=The first three numbers increase by 10, so the next should be 55. Therefore 56 is the odd one out.

id=33582 | topic=Percentages | difficulty=Easy | question=What is 25% of 1340? | option_a=315 | option_b=335 | option_c=355 | option_d=670 | answer=B | explanation=25% of 1340 = (25/100) × 1340 = 335.

id=33583 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=33584 | topic=Averages | difficulty=Easy | question=Find the average of 59, 90, 90, 35, 89, 33, 73, 35, 36. | option_a=60 | option_b=62 | option_c=59 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 540 ÷ 9 = 60.

id=33585 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20588 at 6% per annum for 3 years. | option_a=24293 | option_b=3705 | option_c=3805 | option_d=3605 | answer=B | explanation=SI = PRT/100 = 20588×6×3/100 = **■**3705.

id=33586 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17195 at 10% per annum for 2 years. | option_a=20634 | option_b=3539 | option_c=3339 | option_d=3439 | answer=D | explanation=SI = PRT/100 = 17195×10×2/100 = **■**3439.

id=33587 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=33588 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5808 at 6% per annum for 3 years. | option_a=6853 | option_b=1145 | option_c=945 | option_d=1045 | answer=D | explanation=SI = PRT/100 = 5808×6×3/100 = **■**1045.

id=33589 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3875. If it is sold at a profit of 30%, what is its selling price? | option_a=3905 | option_b=4650 | option_c=5424 | option_d=5037 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3875 × 130/100 = **■**5037.

id=33590 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=33591 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1090. If it is sold at a profit of 30%, what is its selling price? | option_a=1526 | option_b=1120 | option_c=1308 | option_d=1417 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1090 × 130/100 = **■**1417.

id=33592 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=L | option_c=H | option_d=Z | answer=C | explanation=Move 4 positions forward from D; the resulting letter is H.

id=33593 | topic=Averages | difficulty=Easy | question=Find the average of 64, 17, 94, 22, 73, 42. | option_a=54 | option_b=53 | option_c=51 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 312 ÷ 6 = 52.

id=33594 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 48? | option_a=38 | option_b=24 | option_c=48 | option_d=31 | answer=C | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 48 is the odd one out.

id=33595 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2789. If it is sold at a profit of 10%, what is its selling price? | option_a=3345 | option_b=2799 | option_c=2789 | option_d=3067 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2789 × 110/100 = **■**3067.

id=33596 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4916. If it is sold at a profit of 15%, what is its selling price? | option_a=6144 | option_b=5162 | option_c=4931 | option_d=5653 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4916 × 115/100 = **■**5653.

id=33597 | topic=Averages | difficulty=Easy | question=Find the average of 74, 16, 48. | option_a=48 | option_b=47 | option_c=46 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = 138 ÷ 3 = 46.

id=33598 | topic=Averages | difficulty=Easy | question=Find the average of 92, 27, 56, 67, 38, 96, 72. | option_a=64 | option_b=63 | option_c=65 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 448 ÷ 7 = 64.

id=33599 | topic=Percentages | difficulty=Easy | question=What is 40% of 789? | option_a=320 | option_b=295 | option_c=315 | option_d=630 | answer=C | explanation=40% of 789 = (40/100) × 789 = 315.

id=33600 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28465 at 15% per annum for 4 years. | option_a=17179 | option_b=16979 | option_c=17079 | option_d=45544 | answer=C | explanation=SI = PRT/100 = 28465×15×4/100 = **■**17079.

Aptitude Questions — Records 33,601-33,630 of 100,000

id=33601 | topic=Averages | difficulty=Easy | question=Find the average of 96, 59, 77, 56, 18, 93, 90, 79. | option_a=71 | option_b=72 | option_c=73 | option_d=70 | answer=A | explanation=Average = sum of values ÷ number of values = 568 ÷ 8 = 71.

id=33602 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13345 at 12% per annum for 1 years. | option_a=14946 | option_b=1501 | option_c=1601 | option_d=1701 | answer=C | explanation=SI = $PRT/100 = 13345 \times 12 \times 1/100 = \text{■}1601$.

id=33603 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:19 and the first is 209, what is the second? | option_a=570 | option_b=361 | option_c=342 | option_d=372 | answer=B | explanation=Scale factor = $209/11 = 19$. Therefore second quantity = $19 \times 19 = 361$.

id=33604 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=33605 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 30, 38, 48? | option_a=30 | option_b=48 | option_c=38 | option_d=22 | answer=B | explanation=The first three numbers increase by 8, so the next should be 46. Therefore 48 is the odd one out.

id=33606 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 20, 27, 36? | option_a=20 | option_b=36 | option_c=13 | option_d=27 | answer=B | explanation=The first three numbers increase by 7, so the next should be 34. Therefore 36 is the odd one out.

id=33607 | topic=Percentages | difficulty=Easy | question=What is 20% of 1938? | option_a=397 | option_b=387 | option_c=774 | option_d=377 | answer=B | explanation=20% of 1938 = $(20/100) \times 1938 = 387$.

id=33608 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:7 and the first is 128, what is the second? | option_a=49 | option_b=184 | option_c=56 | option_d=72 | answer=C | explanation=Scale factor = $128/16 = 8$. Therefore second quantity = $7 \times 8 = 56$.

id=33609 | topic=Percentages | difficulty=Easy | question=What is 12% of 1220? | option_a=292 | option_b=146 | option_c=156 | option_d=141 | answer=B | explanation=12% of 1220 = $(12/100) \times 1220 = 146$.

id=33610 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 52? | option_a=33 | option_b=52 | option_c=25 | option_d=41 | answer=B | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 52 is the odd one out.

id=33611 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 24, 34, 45? | option_a=24 | option_b=34 | option_c=14 | option_d=45 | answer=D | explanation=The first three numbers increase by 10, so the next should be 44. Therefore 45 is the odd one out.

id=33612 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=33613 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2969. If it is sold at a profit of 15%, what is its selling price? | option_a=3710 | option_b=3118 | option_c=3414 | option_d=2984 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2969 \times 115/100 = \text{■}3414$.

id=33614 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=51 | option_b=59 | option_c=50 | option_d=41 | answer=C | explanation=The common difference is 9. Therefore the next term is $41 + 9 = 50$.

id=33615 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11015 at 6% per annum for 4 years. | option_a=2543 | option_b=2643 | option_c=13658 | option_d=2743 | answer=B | explanation=SI = $PRT/100 = 11015 \times 6 \times 4/100 = \text{■}2643$.

id=33616 | topic=Averages | difficulty=Easy | question=Find the average of 42, 13, 99, 88, 31, 29, 28, 94. | option_a=53 | option_b=52 | option_c=54 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = $424 \div 8 = 53$.

id=33617 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.

id=33618 | topic=Averages | difficulty=Easy | question=Find the average of 40, 89, 46, 37, 103. | option_a=62 | option_b=64 | option_c=63 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = $315 \div 5 = 63$.

id=33619 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 16, 21, 28? | option_a=28 | option_b=21 | option_c=16 | option_d=11 | answer=A | explanation=The first three numbers increase by 5, so the next should be 26. Therefore 28 is the odd one out.

id=33620 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3547. If it is sold at a profit of 40%, what is its selling price? | option_a=4965 | option_b=5319 | option_c=4611 | option_d=3587 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3547 \times 140/100 = \text{■}4965$.

id=33621 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:19 and the first is 234, what is the second? | option_a=576 | option_b=323 | option_c=342 | option_d=355 | answer=C | explanation=Scale factor = $234/13 = 18$. Therefore second quantity = $19 \times 18 = 342$.

id=33622 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=33623 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 31, 34, 38? | option_a=28 | option_b=31 | option_c=34 | option_d=38 | answer=D | explanation=The first three numbers increase by 3, so the next should be 37. Therefore 38 is the odd one out.

id=33624 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=F | option_b=G | option_c=H | option_d=I | answer=C | explanation=Move 1 positions forward from G; the resulting letter is H.

id=33625 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 36? | option_a=36 | option_b=29 | option_c=17 | option_d=23 | answer=A | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 36 is the odd one out.

id=33626 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12666 at 15% per annum for 5 years. | option_a=22165 | option_b=9499 | option_c=9399 | option_d=9599 | answer=B | explanation=SI = $PRT/100 = 12666 \times 15 \times 5/100 = \text{■}9499$.

id=33627 | topic=Percentages | difficulty=Easy | question=What is 5% of 1802? | option_a=85 | option_b=95 | option_c=180 | option_d=90 | answer=D | explanation=5% of 1802 = $(5/100) \times 1802 = 90$.

id=33628 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=33629 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29597 at 15% per annum for 3 years. | option_a=42915 | option_b=13218 | option_c=13418 | option_d=13318 | answer=D | explanation=SI = $PRT/100 = 29597 \times 15 \times 3/100 = \text{■}13318$.

id=33630 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 19, 25, 33? | option_a=33 | option_b=25 | option_c=19 | option_d=13 | answer=A | explanation=The first three numbers increase by 6, so the next should be 31. Therefore 33 is the odd one out.

Aptitude Questions — Records 33,631-33,660 of 100,000

id=33631 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=H | option_c=G | option_d=I | answer=D | explanation=Move 1 positions forward from H; the resulting letter is I.

id=33632 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=33633 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=54 | option_b=55 | option_c=64 | option_d=44 | answer=A | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=33634 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:5 and the first is 4, what is the second? | option_a=24 | option_b=20 | option_c=21 | option_d=15 | answer=B | explanation=Scale factor = 4/1 = 4. Therefore second quantity = 5×4 = 20.

id=33635 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=I | option_b=E | option_c=W | option_d=A | answer=B | explanation=Move 4 positions forward from A; the resulting letter is E.

id=33636 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 18, 26, 35? | option_a=35 | option_b=10 | option_c=18 | option_d=26 | answer=A | explanation=The first three numbers increase by 8, so the next should be 34. Therefore 35 is the odd one out.

id=33637 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=33638 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1860. If it is sold at a profit of 20%, what is its selling price? | option_a=1880 | option_b=2046 | option_c=2232 | option_d=2418 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1860 × 120/100 = █2232.

id=33639 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=M | option_b=S | option_c=V | option_d=P | answer=B | explanation=Move 3 positions forward from P; the resulting letter is S.

id=33640 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:19 and the first is 270, what is the second? | option_a=303 | option_b=555 | option_c=266 | option_d=285 | answer=D | explanation=Scale factor = 270/18 = 15. Therefore second quantity = 19×15 = 285.

id=33641 | topic=Percentages | difficulty=Easy | question=What is 12% of 1208? | option_a=164 | option_b=144 | option_c=134 | option_d=288 | answer=B | explanation=12% of 1208 = (12/100) × 1208 = 144.

id=33642 | topic=Averages | difficulty=Easy | question=Find the average of 78, 21, 36. | option_a=45 | option_b=46 | option_c=47 | option_d=44 | answer=A | explanation=Average = sum of values ÷ number of values = 135 ÷ 3 = 45.

id=33643 | topic=Averages | difficulty=Easy | question=Find the average of 100, 75, 80. | option_a=86 | option_b=85 | option_c=87 | option_d=84 | answer=B | explanation=Average = sum of values ÷ number of values = 255 ÷ 3 = 85.

id=33644 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=120 | option_c=125 | option_d=240 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=33645 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 27, 36, 48? | option_a=48 | option_b=27 | option_c=36 | option_d=18 | answer=A | explanation=The first three numbers increase by 9, so the next should be 45. Therefore 48 is the odd one out.

id=33646 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 35, 41, 49? | option_a=41 | option_b=49 | option_c=35 | option_d=29 | answer=B | explanation=The first three numbers increase by 6, so the next should be 47. Therefore 49 is the odd one out.

id=33647 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 34? | option_a=17 | option_b=22 | option_c=27 | option_d=34 | answer=D | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 34 is the odd one out.

id=33648 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2455. If it is sold at a profit of 5%, what is its selling price? | option_a=2577 | option_b=2332 | option_c=2460 | option_d=2822 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2455 × 105/100 = █2577.

id=33649 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=31 | option_c=41 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=33650 | topic=Averages | difficulty=Easy | question=Find the average of 15, 74, 92, 71, 37, 35. | option_a=55 | option_b=56 | option_c=54 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 324 ÷ 6 = 54.

id=33651 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2561. If it is sold at a profit of 5%, what is its selling price? | option_a=2689 | option_b=2566 | option_c=2945 | option_d=2433 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2561 × 105/100 = █2689.

id=33652 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=72 | option_c=77 | option_d=144 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=33653 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=33654 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1127. If it is sold at a profit of 50%, what is its selling price? | option_a=1802 | option_b=1177 | option_c=1690 | option_d=1578 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1127 × 150/100 = █1690.

id=33655 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41227 at 8% per annum for 3 years. | option_a=9994 | option_b=51121 | option_c=9894 | option_d=9794 | answer=C | explanation=SI = PRT/100 = 41227×8×3/100 = █9894.

id=33656 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=33657 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:6 and the first is 28, what is the second? | option_a=112 | option_b=78 | option_c=84 | option_d=86 | answer=C | explanation=Scale factor = 28/2 = 14. Therefore second quantity = 6×14 = 84.

id=33658 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:14 and the first is 70, what is the second? | option_a=168 | option_b=84 | option_c=98 | option_d=108 | answer=C | explanation=Scale factor = 70/10 = 7. Therefore second quantity = 14×7 = 98.

id=33659 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=32 | option_b=46 | option_c=40 | option_d=39 | answer=D | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.

id=33660 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 33,661-33,690 of 100,000

id=33661 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 26, 35, 45? | option_a=26 | option_b=45 | option_c=17 | option_d=35 | answer=B | explanation=The first three numbers increase by 9, so the next should be 44. Therefore 45 is the odd one out.

id=33662 | topic=Percentages | difficulty=Easy | question=What is 50% of 1564? | option_a=1564 | option_b=787 | option_c=782 | option_d=772 | answer=C | explanation=50% of 1564 = $(50/100) \times 1564 = 782$.

id=33663 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4450 at 8% per annum for 3 years. | option_a=1168 | option_b=968 | option_c=5518 | option_d=1068 | answer=D | explanation=SI = $PRT/100 = 4450 \times 8 \times 3/100 = \text{■}1068$.

id=33664 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'f' become? | option_a=M | option_b=E | option_c=Q | option_d=I | answer=A | explanation=Move 4 positions forward from f; the resulting letter is M.

id=33665 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=61 | option_b=50 | option_c=70 | option_d=60 | answer=D | explanation=The common difference is 10. Therefore the next term is $50 + 10 = 60$.

id=33666 | topic=Averages | difficulty=Easy | question=Find the average of 11, 71, 19, 16, 85, 27, 40, 51. | option_a=42 | option_b=39 | option_c=41 | option_d=40 | answer=D | explanation=Average = sum of values ÷ number of values = $320 \div 8 = 40$.

id=33667 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=33668 | topic=Percentages | difficulty=Easy | question=What is 20% of 793? | option_a=158 | option_b=168 | option_c=138 | option_d=316 | answer=A | explanation=20% of 793 = $(20/100) \times 793 = 158$.

id=33669 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=58 | option_b=45 | option_c=57 | option_d=69 | answer=C | explanation=The common difference is 12. Therefore the next term is $45 + 12 = 57$.

id=33670 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 15. | option_a=135 | option_b=405 | option_c=162 | option_d=120 | answer=A | explanation=LCM $\times$ HCF = 27×15 ; $HCF(27, 15) = 3$, so LCM = 135.

id=33671 | topic=Percentages | difficulty=Easy | question=What is 30% of 1140? | option_a=684 | option_b=332 | option_c=352 | option_d=342 | answer=D | explanation=30% of 1140 = $(30/100) \times 1140 = 342$.

id=33672 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13677 at 4% per annum for 1 years. | option_a=547 | option_b=647 | option_c=447 | option_d=14224 | answer=A | explanation=SI = $PRT/100 = 13677 \times 4 \times 1/100 = \text{■}547$.

id=33673 | topic=Averages | difficulty=Easy | question=Find the average of 77, 40, 15, 69, 45, 10, 94, 61, 66. | option_a=52 | option_b=54 | option_c=55 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = $477 \div 9 = 53$.

id=33674 | topic=Percentages | difficulty=Easy | question=What is 50% of 627? | option_a=313 | option_b=626 | option_c=333 | option_d=308 | answer=A | explanation=50% of 627 = $(50/100) \times 627 = 313$.

id=33675 | topic=Percentages | difficulty=Easy | question=What is 10% of 55? | option_a=15 | option_b=5 | option_c=10 | option_d=0 | answer=B | explanation=10% of 55 = $(10/100) \times 55 = 5$.

id=33676 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2988. If it is sold at a profit of 5%, what is its selling price? | option_a=3435 | option_b=3137 | option_c=2993 | option_d=2839 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2988 \times 105/100 = \text{■}3137$.

id=33677 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 15. | option_a=360 | option_b=120 | option_c=105 | option_d=144 | answer=B | explanation=LCM $\times$ HCF = 24×15 ; $HCF(24, 15) = 3$, so LCM = 120.

id=33678 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = $240 \div 6 = 40$ km/h.

id=33679 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 34, 42, 51? | option_a=26 | option_b=42 | option_c=51 | option_d=34 | answer=C | explanation=The first three numbers increase by 8, so the next should be 50. Therefore 51 is the odd one out.

id=33680 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=100 | option_c=50 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = $300 \div 6 = 50$ km/h.

id=33681 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=33682 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 26? | option_a=19 | option_b=17 | option_c=26 | option_d=21 | answer=C | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 26 is the odd one out.

id=33683 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=19 | option_c=48 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = $120 \div 5 = 24$ km/h.

id=33684 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31732 at 12% per annum for 3 years. | option_a=43155 | option_b=11523 | option_c=11323 | option_d=11423 | answer=D | explanation=SI = $PRT/100 = 31732 \times 12 \times 3/100 = \text{■}11423$.

id=33685 | topic=Averages | difficulty=Easy | question=Find the average of 88, 71, 36, 59, 34, 67, 81, 28. | option_a=59 | option_b=57 | option_c=60 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = $464 \div 8 = 58$.

id=33686 | topic=Percentages | difficulty=Easy | question=What is 10% of 1871? | option_a=187 | option_b=374 | option_c=177 | option_d=192 | answer=A | explanation=10% of 1871 = $(10/100) \times 1871 = 187$.

id=33687 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2710. If it is sold at a profit of 25%, what is its selling price? | option_a=3387 | option_b=3658 | option_c=2735 | option_d=3116 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2710 \times 125/100 = \text{■}3387$.

id=33688 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2755. If it is sold at a profit of 5%, what is its selling price? | option_a=2760 | option_b=3167 | option_c=2617 | option_d=2892 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2755 \times 105/100 = \text{■}2892$.

id=33689 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=J | option_b=A | option_c=D | option_d=G | answer=D | explanation=Move 3 positions forward from D; the resulting letter is G.

id=33690 | topic=Averages | difficulty=Easy | question=Find the average of 18, 90, 52, 16. | option_a=45 | option_b=46 | option_c=43 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = $176 \div 4 = 44$.

Aptitude Questions — Records 33,691-33,720 of 100,000

id=33691 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=24 | option_b=27 | option_c=28 | option_d=30 | answer=B | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=33692 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=K | option_c=E | option_d=N | answer=B | explanation=Move 3 positions forward from H; the resulting letter is K.

id=33693 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:6 and the first is 144, what is the second? | option_a=102 | option_b=252 | option_c=116 | option_d=108 | answer=D | explanation=Scale factor = 144/8 = 18. Therefore second quantity = 6×18 = 108.

id=33694 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=36 | option_c=18 | option_d=23 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=33695 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=44 | option_b=32 | option_c=38 | option_d=39 | answer=C | explanation=The common difference is 6. Therefore the next term is 32 + 6 = 38.

id=33696 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=34 | option_b=29 | option_c=37 | option_d=33 | answer=D | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=33697 | topic=Percentages | difficulty=Easy | question=What is 15% of 1793? | option_a=536 | option_b=248 | option_c=288 | option_d=268 | answer=D | explanation=15% of 1793 = (15/100) × 1793 = 268.

id=33698 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■46329 at 4% per annum for 4 years. | option_a=53741 | option_b=7512 | option_c=7312 | option_d=7412 | answer=D | explanation=SI = PRT/100 = 46329×4×4/100 = ■7412.

id=33699 | topic=Percentages | difficulty=Easy | question=What is 25% of 1400? | option_a=345 | option_b=355 | option_c=700 | option_d=350 | answer=D | explanation=25% of 1400 = (25/100) × 1400 = 350.

id=33700 | topic=Averages | difficulty=Easy | question=Find the average of 21, 89, 94, 21, 30, 97, 33. | option_a=54 | option_b=56 | option_c=57 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 385 ÷ 7 = 55.

id=33701 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=24 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=33702 | topic=Averages | difficulty=Easy | question=Find the average of 53, 63, 98, 77, 78, 10, 99, 42. | option_a=65 | option_b=67 | option_c=64 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 520 ÷ 8 = 65.

id=33703 | topic=Averages | difficulty=Easy | question=Find the average of 31, 65, 34, 23, 87, 91, 77, 80. | option_a=63 | option_b=60 | option_c=61 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 488 ÷ 8 = 61.

id=33704 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 18. | option_a=40 | option_b=18 | option_c=72 | option_d=36 | answer=D | explanation=LCM × HCF = 4×18; HCF(4,18) = 2, so LCM = 36.

id=33705 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:10 and the first is 48, what is the second? | option_a=80 | option_b=86 | option_c=128 | option_d=70 | answer=A | explanation=Scale factor = 48/6 = 8. Therefore second quantity = 10×8 = 80.

id=33706 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=33707 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■2825 at 10% per annum for 3 years. | option_a=947 | option_b=747 | option_c=3672 | option_d=847 | answer=D | explanation=SI = PRT/100 = 2825×10×3/100 = ■847.

id=33708 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 13, 17, 21, ? | option_a=21 | option_b=25 | option_c=26 | option_d=29 | answer=B | explanation=The common difference is 4. Therefore the next term is 21 + 4 = 25.

id=33709 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2950. If it is sold at a profit of 10%, what is its selling price? | option_a=2960 | option_b=3540 | option_c=3245 | option_d=2950 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2950 × 110/100 = ■3245.

id=33710 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 15, 23, 33? | option_a=15 | option_b=7 | option_c=23 | option_d=33 | answer=D | explanation=The first three numbers increase by 8, so the next should be 31. Therefore 33 is the odd one out.

id=33711 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 52? | option_a=30 | option_b=20 | option_c=40 | option_d=52 | answer=D | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 52 is the odd one out.

id=33712 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=74 | option_b=50 | option_c=62 | option_d=63 | answer=C | explanation=The common difference is 12. Therefore the next term is 50 + 12 = 62.

id=33713 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=33714 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 42? | option_a=20 | option_b=34 | option_c=42 | option_d=27 | answer=C | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 42 is the odd one out.

id=33715 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=C | option_c=E | option_d=F | answer=C | explanation=Move 1 positions forward from D; the resulting letter is E.

id=33716 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=33717 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=39 | option_b=29 | option_c=38 | option_d=47 | answer=C | explanation=The common difference is 9. Therefore the next term is 29 + 9 = 38.

id=33718 | topic=Averages | difficulty=Easy | question=Find the average of 93, 32, 92, 49, 39, 67. | option_a=64 | option_b=62 | option_c=61 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 372 ÷ 6 = 62.

id=33719 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 48? | option_a=28 | option_b=19 | option_c=37 | option_d=48 | answer=D | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 48 is the odd one out.

id=33720 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=J | option_c=Z | option_d=O | answer=B | explanation=Move 5 positions forward from E; the resulting letter is J.

Aptitude Questions — Records 33,721-33,750 of 100,000

id=33721 | topic=Averages | difficulty=Easy | question=Find the average of 23, 32, 64, 62, 99. | option_a=58 | option_b=55 | option_c=57 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 280 ÷ 5 = 56.

id=33722 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=180 | option_c=90 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=33723 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■38736 at 12% per annum for 4 years. | option_a=18693 | option_b=57329 | option_c=18593 | option_d=18493 | answer=C | explanation=SI = $PRT/100 = 38736 \times 12 \times 4 / 100 = \blacksquare 18593$.

id=33724 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2610. If it is sold at a profit of 30%, what is its selling price? | option_a=2640 | option_b=3654 | option_c=3393 | option_d=3132 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2610 \times 130 / 100 = \blacksquare 3393$.

id=33725 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 31? | option_a=24 | option_b=31 | option_c=14 | option_d=19 | answer=B | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 31 is the odd one out.

id=33726 | topic=Percentages | difficulty=Easy | question=What is 40% of 137? | option_a=54 | option_b=34 | option_c=74 | option_d=108 | answer=A | explanation=40% of 137 = $(40/100) \times 137 = 54$.

id=33727 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=37 | option_b=36 | option_c=44 | option_d=28 | answer=B | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=33728 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=56 | option_b=55 | option_c=43 | option_d=67 | answer=B | explanation=The common difference is 12. Therefore the next term is 43 + 12 = 55.

id=33729 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 51? | option_a=33 | option_b=41 | option_c=51 | option_d=25 | answer=C | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 51 is the odd one out.

id=33730 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=5 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=33731 | topic=Percentages | difficulty=Easy | question=What is 50% of 239? | option_a=119 | option_b=99 | option_c=139 | option_d=238 | answer=A | explanation=50% of 239 = $(50/100) \times 239 = 119$.

id=33732 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:3 and the first is 44, what is the second? | option_a=23 | option_b=56 | option_c=12 | option_d=9 | answer=C | explanation=Scale factor = $44/11 = 4$. Therefore second quantity = $3 \times 4 = 12$.

id=33733 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■34843 at 6% per annum for 5 years. | option_a=10352 | option_b=10552 | option_c=10452 | option_d=45295 | answer=C | explanation=SI = $PRT/100 = 34843 \times 6 \times 5 / 100 = \blacksquare 10452$.

id=33734 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does "T" become? | option_a=V | option_b=T | option_c=X | option_d=R | answer=A | explanation=Move 2 positions forward from T; the resulting letter is V.

id=33735 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■19533 at 15% per annum for 3 years. | option_a=8689 | option_b=28322 | option_c=8889 | option_d=8789 | answer=D | explanation=SI = $PRT/100 = 19533 \times 15 \times 3 / 100 = \blacksquare 8789$.

id=33736 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:17 and the first is 15, what is the second? | option_a=85 | option_b=100 | option_c=88 | option_d=68 | answer=A | explanation=Scale factor = $15/3 = 5$. Therefore second quantity = $17 \times 5 = 85$.

id=33737 | topic=Averages | difficulty=Easy | question=Find the average of 28, 31, 46, 26, 84, 13, 11, 33. | option_a=35 | option_b=36 | option_c=34 | option_d=33 | answer=C | explanation=Average = sum of values ÷ number of values = $272 \div 8 = 34$.

id=33738 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2406. If it is sold at a profit of 40%, what is its selling price? | option_a=3368 | option_b=3608 | option_c=2446 | option_d=3128 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2406 \times 140 / 100 = \blacksquare 3368$.

id=33739 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 21, 25, 31? | option_a=17 | option_b=21 | option_c=25 | option_d=31 | answer=D | explanation=The first three numbers increase by 4, so the next should be 29. Therefore 31 is the odd one out.

id=33740 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■37701 at 12% per annum for 5 years. | option_a=22620 | option_b=22720 | option_c=22520 | option_d=60321 | answer=A | explanation=SI = $PRT/100 = 37701 \times 12 \times 5 / 100 = \blacksquare 22620$.

id=33741 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:18 and the first is 198, what is the second? | option_a=180 | option_b=216 | option_c=198 | option_d=396 | answer=C | explanation=Scale factor = $198/18 = 11$. Therefore second quantity = $18 \times 11 = 198$.

id=33742 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 8, 10, 14? | option_a=8 | option_b=6 | option_c=14 | option_d=10 | answer=C | explanation=The first three numbers increase by 2, so the next should be 12. Therefore 14 is the odd one out.

id=33743 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3592. If it is sold at a profit of 10%, what is its selling price? | option_a=4310 | option_b=3592 | option_c=3602 | option_d=3951 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3592 \times 110 / 100 = \blacksquare 3951$.

id=33744 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=33745 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=33746 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 51? | option_a=51 | option_b=40 | option_c=30 | option_d=20 | answer=A | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 51 is the odd one out.

id=33747 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=100 | option_c=200 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = $300 \div 3 = 100$ km/h.

id=33748 | topic=Averages | difficulty=Easy | question=Find the average of 77, 64, 30. | option_a=59 | option_b=57 | option_c=58 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = $171 \div 3 = 57$.

id=33749 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:7 and the first is 28, what is the second? | option_a=42 | option_b=53 | option_c=49 | option_d=77 | answer=C | explanation=Scale factor = $28/4 = 7$. Therefore second quantity = $7 \times 7 = 49$.

id=33750 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=8 | option_d=3 | answer=B | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

Aptitude Questions — Records 33,751-33,780 of 100,000

id=33751 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 24, 31, 39? | option_a=17 | option_b=31 | option_c=24 | option_d=39 | answer=D | explanation=The first three numbers increase by 7, so the next should be 38. Therefore 39 is the odd one out.

id=33752 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46329 at 10% per annum for 2 years. | option_a=9165 | option_b=9265 | option_c=9365 | option_d=55594 | answer=B | explanation=SI = $PRT/100 = 46329 \times 10 \times 2/100 = \text{■}9265$.

id=33753 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 21, 27, 34? | option_a=15 | option_b=34 | option_c=21 | option_d=27 | answer=B | explanation=The first three numbers increase by 6, so the next should be 33. Therefore 34 is the odd one out.

id=33754 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=33755 | topic=Percentages | difficulty=Easy | question=What is 20% of 1808? | option_a=361 | option_b=381 | option_c=356 | option_d=722 | answer=A | explanation=20% of 1808 = $(20/100) \times 1808 = 361$.

id=33756 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2789. If it is sold at a profit of 20%, what is its selling price? | option_a=3068 | option_b=3346 | option_c=3624 | option_d=2809 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2789 \times 120/100 = \text{■}3346$.

id=33757 | topic=Averages | difficulty=Easy | question=Find the average of 30, 84, 27. | option_a=48 | option_b=49 | option_c=47 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = $141 \div 3 = 47$.

id=33758 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**333. If it is sold at a profit of 15%, what is its selling price? | option_a=382 | option_b=415 | option_c=349 | option_d=348 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 333 \times 115/100 = \text{■}382$.

id=33759 | topic=Percentages | difficulty=Easy | question=What is 30% of 1147? | option_a=688 | option_b=349 | option_c=334 | option_d=344 | answer=D | explanation=30% of 1147 = $(30/100) \times 1147 = 344$.

id=33760 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=Y | option_b=U | option_c=S | option_d=W | answer=D | explanation=Move 2 positions forward from U; the resulting letter is W.

id=33761 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=1 | option_c=12 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = $60 \div 10 = 6$ km/h.

id=33762 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 30. | option_a=330 | option_b=300 | option_c=352 | option_d=660 | answer=A | explanation= $LCM \times HCF = 22 \times 30$; $HCF(22,30) = 2$, so $LCM = 330$.

id=33763 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=95 | option_c=100 | option_d=105 | answer=C | explanation=Speed = distance ÷ time = $300 \div 3 = 100$ km/h.

id=33764 | topic=Averages | difficulty=Easy | question=Find the average of 74, 48, 66, 47, 11, 20, 62, 85, 40, 17. | option_a=49 | option_b=48 | option_c=47 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = $470 \div 10 = 47$.

id=33765 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:13 and the first is 36, what is the second? | option_a=61 | option_b=52 | option_c=39 | option_d=88 | answer=B | explanation=Scale factor = $36/9 = 4$. Therefore second quantity = $13 \times 4 = 52$.

id=33766 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.

id=33767 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 36, 45, 55? | option_a=55 | option_b=36 | option_c=45 | option_d=27 | answer=A | explanation=The first three numbers increase by 9, so the next should be 54. Therefore 55 is the odd one out.

id=33768 | topic=Averages | difficulty=Easy | question=Find the average of 49, 24, 27, 49, 76, 53, 43, 47. | option_a=48 | option_b=46 | option_c=47 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = $368 \div 8 = 46$.

id=33769 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2703. If it is sold at a profit of 50%, what is its selling price? | option_a=2753 | option_b=3784 | option_c=4324 | option_d=4054 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2703 \times 150/100 = \text{■}4054$.

id=33770 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:2 and the first is 36, what is the second? | option_a=72 | option_b=36 | option_c=34 | option_d=38 | answer=B | explanation=Scale factor = $36/2 = 18$. Therefore second quantity = $2 \times 18 = 36$.

id=33771 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=F | option_b=D | option_c=G | option_d=E | answer=A | explanation=Move 1 positions forward from E; the resulting letter is F.

id=33772 | topic=Percentages | difficulty=Easy | question=What is 20% of 707? | option_a=141 | option_b=282 | option_c=136 | option_d=161 | answer=A | explanation=20% of 707 = $(20/100) \times 707 = 141$.

id=33773 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 39? | option_a=31 | option_b=21 | option_c=39 | option_d=26 | answer=C | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 39 is the odd one out.

id=33774 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 29, 34, 40? | option_a=34 | option_b=29 | option_c=40 | option_d=24 | answer=C | explanation=The first three numbers increase by 5, so the next should be 39. Therefore 40 is the odd one out.

id=33775 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**714. If it is sold at a profit of 25%, what is its selling price? | option_a=892 | option_b=821 | option_c=963 | option_d=739 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 714 \times 125/100 = \text{■}892$.

id=33776 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 24. | option_a=528 | option_b=286 | option_c=264 | option_d=240 | answer=C | explanation= $LCM \times HCF = 22 \times 24$; $HCF(22,24) = 2$, so $LCM = 264$.

id=33777 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=33778 | topic=Percentages | difficulty=Easy | question=What is 40% of 574? | option_a=229 | option_b=458 | option_c=219 | option_d=234 | answer=A | explanation=40% of 574 = $(40/100) \times 574 = 229$.

id=33779 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=C | option_b=L | option_c=I | option_d=F | answer=C | explanation=Move 3 positions forward from F; the resulting letter is I.

id=33780 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 17, 25, 33, ? | option_a=41 | option_b=33 | option_c=42 | option_d=49 | answer=A | explanation=The common difference is 8. Therefore the next term is $33 + 8 = 41$.

Aptitude Questions — Records 33,781-33,810 of 100,000

id=33781 | topic=Averages | difficulty=Easy | question=Find the average of 37, 78, 69, 19, 39, 52. | option_a=50 | option_b=49 | option_c=51 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 294 ÷ 6 = 49.

id=33782 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=150 | option_c=155 | option_d=145 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=33783 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=33784 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1422. If it is sold at a profit of 25%, what is its selling price? | option_a=1777 | option_b=1635 | option_c=1919 | option_d=1447 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1422 × 125/100 = █1777.

id=33785 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=21 | option_b=27 | option_c=24 | option_d=25 | answer=C | explanation=The common difference is 3. Therefore the next term is 21 + 3 = 24.

id=33786 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 45? | option_a=28 | option_b=35 | option_c=21 | option_d=45 | answer=D | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 45 is the odd one out.

id=33787 | topic=Averages | difficulty=Easy | question=Find the average of 51, 97, 68, 36. | option_a=62 | option_b=63 | option_c=64 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 252 ÷ 4 = 63.

id=33788 | topic=Averages | difficulty=Easy | question=Find the average of 87, 15, 15. | option_a=40 | option_b=41 | option_c=39 | option_d=38 | answer=C | explanation=Average = sum of values ÷ number of values = 117 ÷ 3 = 39.

id=33789 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13615 at 12% per annum for 1 years. | option_a=1733 | option_b=15248 | option_c=1533 | option_d=1633 | answer=D | explanation=SI = PRT/100 = 13615×12×1/100 = █1633.

id=33790 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 40? | option_a=40 | option_b=22 | option_c=14 | option_d=30 | answer=A | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 40 is the odd one out.

id=33791 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=I | option_b=O | option_c=R | option_d=L | answer=B | explanation=Move 3 positions forward from L; the resulting letter is O.

id=33792 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38759 at 4% per annum for 3 years. | option_a=4551 | option_b=4651 | option_c=4751 | option_d=43410 | answer=B | explanation=SI = PRT/100 = 38759×4×3/100 = █4651.

id=33793 | topic=Percentages | difficulty=Easy | question=What is 40% of 668? | option_a=247 | option_b=287 | option_c=534 | option_d=267 | answer=D | explanation=40% of 668 = (40/100) × 668 = 267.

id=33794 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2195. If it is sold at a profit of 10%, what is its selling price? | option_a=2205 | option_b=2195 | option_c=2633 | option_d=2414 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2195 × 110/100 = █2414.

id=33795 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=47 | option_b=67 | option_c=58 | option_d=57 | answer=D | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

id=33796 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 13, 18, 23, ? | option_a=29 | option_b=33 | option_c=23 | option_d=28 | answer=D | explanation=The common difference is 5. Therefore the next term is 23 + 5 = 28.

id=33797 | topic=Averages | difficulty=Easy | question=Find the average of 78, 36, 36, 76, 13, 37, 46, 96, 50. | option_a=54 | option_b=51 | option_c=52 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 468 ÷ 9 = 52.

id=33798 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=8 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=33799 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=50 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=33800 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8292 at 4% per annum for 2 years. | option_a=663 | option_b=563 | option_c=8955 | option_d=763 | answer=A | explanation=SI = PRT/100 = 8292×4×2/100 = █663.

id=33801 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=40 | option_d=90 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=33802 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=40 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=33803 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=50 | option_c=55 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=33804 | topic=Averages | difficulty=Easy | question=Find the average of 64, 41, 45, 85, 35, 12, 35, 67. | option_a=50 | option_b=47 | option_c=49 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = 384 ÷ 8 = 48.

id=33805 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 20? | option_a=13 | option_b=17 | option_c=15 | option_d=20 | answer=D | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 20 is the odd one out.

id=33806 | topic=Averages | difficulty=Easy | question=Find the average of 27, 48, 42, 61, 18, 25, 90, 73. | option_a=47 | option_b=50 | option_c=48 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 384 ÷ 8 = 48.

id=33807 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=M | option_b=A | option_c=I | option_d=E | answer=C | explanation=Move 4 positions forward from E; the resulting letter is I.

id=33808 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=100 | option_c=50 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=33809 | topic=Averages | difficulty=Easy | question=Find the average of 72, 74, 64. | option_a=71 | option_b=72 | option_c=70 | option_d=69 | answer=C | explanation=Average = sum of values ÷ number of values = 210 ÷ 3 = 70.

id=33810 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 33,811-33,840 of 100,000

id=33811 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=33812 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:5 and the first is 48, what is the second? | option_a=68 | option_b=15 | option_c=20 | option_d=32 | answer=C | explanation=Scale factor = 48/12 = 4. Therefore second quantity = 5×4 = 20.

id=33813 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=33814 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=33815 | topic=Averages | difficulty=Easy | question=Find the average of 29, 75, 92, 63, 82, 100, 22, 90, 59, 78. | option_a=69 | option_b=70 | option_c=71 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = 690 ÷ 10 = 69.

id=33816 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:17 and the first is 64, what is the second? | option_a=144 | option_b=119 | option_c=136 | option_d=200 | answer=C | explanation=Scale factor = 64/8 = 8. Therefore second quantity = 17×8 = 136.

id=33817 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=33818 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=51 | option_b=50 | option_c=40 | option_d=60 | answer=B | explanation=The common difference is 10. Therefore the next term is 40 + 10 = 50.

id=33819 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 11, 19, 30? | option_a=30 | option_b=19 | option_c=3 | option_d=11 | answer=A | explanation=The first three numbers increase by 8, so the next should be 27. Therefore 30 is the odd one out.

id=33820 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6143 at 6% per annum for 4 years. | option_a=7617 | option_b=1474 | option_c=1574 | option_d=1374 | answer=B | explanation=SI = PRT/100 = 6143×6×4/100 = **■**1474.

id=33821 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34768 at 5% per annum for 1 years. | option_a=1838 | option_b=36506 | option_c=1738 | option_d=1638 | answer=C | explanation=SI = PRT/100 = 34768×5×1/100 = **■**1738.

id=33822 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=42 | option_b=52 | option_c=53 | option_d=62 | answer=B | explanation=The common difference is 10. Therefore the next term is 42 + 10 = 52.

id=33823 | topic=Percentages | difficulty=Easy | question=What is 30% of 815? | option_a=234 | option_b=244 | option_c=254 | option_d=488 | answer=B | explanation=30% of 815 = (30/100) × 815 = 244.

id=33824 | topic=Averages | difficulty=Easy | question=Find the average of 69, 21, 51, 80, 61, 72. | option_a=60 | option_b=61 | option_c=59 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.

id=33825 | topic=Averages | difficulty=Easy | question=Find the average of 75, 14, 82, 99, 13, 101. | option_a=63 | option_b=65 | option_c=64 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = 384 ÷ 6 = 64.

id=33826 | topic=Averages | difficulty=Easy | question=Find the average of 98, 37, 14, 30, 21, 64, 44, 21, 58. | option_a=45 | option_b=43 | option_c=44 | option_d=42 | answer=B | explanation=Average = sum of values ÷ number of values = 387 ÷ 9 = 43.

id=33827 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 18, 22, 28? | option_a=18 | option_b=14 | option_c=28 | option_d=22 | answer=C | explanation=The first three numbers increase by 4, so the next should be 26. Therefore 28 is the odd one out.

id=33828 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35798 at 5% per annum for 3 years. | option_a=41167 | option_b=5469 | option_c=5369 | option_d=5269 | answer=C | explanation=SI = PRT/100 = 35798×5×3/100 = **■**5369.

id=33829 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does "C" become? | option_a=A | option_b=E | option_c=C | option_d=G | answer=B | explanation=Move 2 positions forward from C; the resulting letter is E.

id=33830 | topic=Percentages | difficulty=Easy | question=What is 40% of 1222? | option_a=498 | option_b=468 | option_c=976 | option_d=488 | answer=D | explanation=40% of 1222 = (40/100) × 1222 = 488.

id=33831 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=55 | option_b=35 | option_c=46 | option_d=45 | answer=D | explanation=The common difference is 10. Therefore the next term is 35 + 10 = 45.

id=33832 | topic=Percentages | difficulty=Easy | question=What is 5% of 61? | option_a=3 | option_b=13 | option_c=0 | option_d=6 | answer=A | explanation=5% of 61 = (5/100) × 61 = 3.

id=33833 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=40 | option_b=45 | option_c=35 | option_d=41 | answer=A | explanation=The common difference is 5. Therefore the next term is 35 + 5 = 40.

id=33834 | topic=Percentages | difficulty=Easy | question=What is 30% of 1016? | option_a=284 | option_b=608 | option_c=304 | option_d=314 | answer=C | explanation=30% of 1016 = (30/100) × 1016 = 304.

id=33835 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=8 | option_b=12 | option_c=11 | option_d=10 | answer=D | explanation=The common difference is 2. Therefore the next term is 8 + 2 = 10.

id=33836 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 4. | option_a=4 | option_b=1 | option_c=8 | option_d=16 | answer=A | explanation=LCM × HCF = 4×4; HCF(4,4) = 4, so LCM = 4.

id=33837 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 25. | option_a=120 | option_b=100 | option_c=500 | option_d=75 | answer=B | explanation=LCM × HCF = 20×25; HCF(20,25) = 5, so LCM = 100.

id=33838 | topic=Percentages | difficulty=Easy | question=What is 12% of 1632? | option_a=215 | option_b=185 | option_c=195 | option_d=390 | answer=C | explanation=12% of 1632 = (12/100) × 1632 = 195.

id=33839 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4469. If it is sold at a profit of 15%, what is its selling price? | option_a=5585 | option_b=4693 | option_c=5139 | option_d=4484 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4469 × 115/100 = **■**5139.

id=33840 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2514. If it is sold at a profit of 10%, what is its selling price? | option_a=2765 | option_b=3016 | option_c=2514 | option_d=2524 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2514 × 110/100 = **■**2765.

Aptitude Questions — Records 33,841-33,870 of 100,000

id=33841 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2154. If it is sold at a profit of 40%, what is its selling price? | option_a=2800 | option_b=3230 | option_c=2194 | option_d=3015 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2154 × 140/100 = ■3015.

id=33842 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■17992 at 6% per annum for 1 years. | option_a=979 | option_b=19071 | option_c=1079 | option_d=1179 | answer=C | explanation=SI = PRT/100 = 17992×6×1/100 = ■1079.

id=33843 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:13 and the first is 306, what is the second? | option_a=208 | option_b=239 | option_c=527 | option_d=221 | answer=D | explanation=Scale factor = 306/18 = 17. Therefore second quantity = 13×17 = 221.

id=33844 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=Z | option_b=B | option_c=F | option_d=D | answer=D | explanation=Move 2 positions forward from B; the resulting letter is D.

id=33845 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:11 and the first is 128, what is the second? | option_a=165 | option_b=176 | option_c=304 | option_d=184 | answer=B | explanation=Scale factor = 128/8 = 16. Therefore second quantity = 11×16 = 176.

id=33846 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=33847 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■27510 at 15% per annum for 5 years. | option_a=20632 | option_b=48142 | option_c=20532 | option_d=20732 | answer=A | explanation=SI = PRT/100 = 27510×15×5/100 = ■20632.

id=33848 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 42? | option_a=22 | option_b=42 | option_c=28 | option_d=34 | answer=B | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 42 is the odd one out.

id=33849 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=33850 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1656. If it is sold at a profit of 10%, what is its selling price? | option_a=1666 | option_b=1656 | option_c=1986 | option_d=1821 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1656 × 110/100 = ■1821.

id=33851 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2798. If it is sold at a profit of 50%, what is its selling price? | option_a=4476 | option_b=3918 | option_c=4197 | option_d=2848 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2798 × 150/100 = ■4197.

id=33852 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 18. | option_a=24 | option_b=18 | option_c=108 | option_d=1 | answer=B | explanation=LCM × HCF = 6×18; HCF(6,18) = 6, so LCM = 18.

id=33853 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■22278 at 5% per annum for 2 years. | option_a=2327 | option_b=2227 | option_c=24505 | option_d=2127 | answer=B | explanation=SI = PRT/100 = 22278×5×2/100 = ■2227.

id=33854 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 32? | option_a=28 | option_b=22 | option_c=32 | option_d=25 | answer=C | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 32 is the odd one out.

id=33855 | topic=Percentages | difficulty=Easy | question=What is 20% of 1773? | option_a=354 | option_b=359 | option_c=344 | option_d=708 | answer=A | explanation=20% of 1773 = (20/100) × 1773 = 354.

id=33856 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=V | option_c=P | option_d=Y | answer=B | explanation=Move 3 positions forward from S; the resulting letter is V.

id=33857 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=T | option_b=R | option_c=S | option_d=U | answer=A | explanation=Move 1 positions forward from S; the resulting letter is T.

id=33858 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■31455 at 5% per annum for 4 years. | option_a=6391 | option_b=6191 | option_c=37746 | option_d=6291 | answer=D | explanation=SI = PRT/100 = 31455×5×4/100 = ■6291.

id=33859 | topic=Averages | difficulty=Easy | question=Find the average of 57, 67, 12, 81, 14, 63, 91. | option_a=57 | option_b=55 | option_c=56 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 385 ÷ 7 = 55.

id=33860 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■6558 at 6% per annum for 2 years. | option_a=786 | option_b=886 | option_c=686 | option_d=7344 | answer=A | explanation=SI = PRT/100 = 6558×6×2/100 = ■786.

id=33861 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=U | option_b=F | option_c=P | option_d=K | answer=C | explanation=Move 5 positions forward from K; the resulting letter is P.

id=33862 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:9 and the first is 55, what is the second? | option_a=104 | option_b=154 | option_c=90 | option_d=99 | answer=D | explanation=Scale factor = 55/5 = 11. Therefore second quantity = 9×11 = 99.

id=33863 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 18, 27, 39? | option_a=27 | option_b=9 | option_c=18 | option_d=39 | answer=D | explanation=The first three numbers increase by 9, so the next should be 36. Therefore 39 is the odd one out.

id=33864 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=D | option_b=E | option_c=B | option_d=C | answer=A | explanation=Move 1 positions forward from C; the resulting letter is D.

id=33865 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=33866 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 17, 23, 32? | option_a=23 | option_b=17 | option_c=32 | option_d=11 | answer=C | explanation=The first three numbers increase by 6, so the next should be 29. Therefore 32 is the odd one out.

id=33867 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■20775 at 4% per annum for 3 years. | option_a=2393 | option_b=2593 | option_c=23268 | option_d=2493 | answer=D | explanation=SI = PRT/100 = 20775×4×3/100 = ■2493.

id=33868 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 23, 27, 33? | option_a=33 | option_b=19 | option_c=23 | option_d=27 | answer=A | explanation=The first three numbers increase by 4, so the next should be 31. Therefore 33 is the odd one out.

id=33869 | topic=Percentages | difficulty=Easy | question=What is 50% of 115? | option_a=57 | option_b=62 | option_c=52 | option_d=114 | answer=A | explanation=50% of 115 = (50/100) × 115 = 57.

id=33870 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 11, 14, 20? | option_a=11 | option_b=14 | option_c=8 | option_d=20 | answer=D | explanation=The first three numbers increase by 3, so the next should be 17. Therefore 20 is the odd one out.

Aptitude Questions — Records 33,871-33,900 of 100,000

id=33871 | topic=Percentages | difficulty=Easy | question=What is 15% of 1808? | option_a=542 | option_b=261 | option_c=276 | option_d=271 | answer=D | explanation=15% of 1808 = (15/100) × 1808 = 271.

id=33872 | topic=Percentages | difficulty=Easy | question=What is 50% of 1259? | option_a=639 | option_b=609 | option_c=629 | option_d=1258 | answer=C | explanation=50% of 1259 = (50/100) × 1259 = 629.

id=33873 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=150 | option_c=145 | option_d=300 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=33874 | topic=Profit & Loss | difficulty=Easy | question=An article costs █207. If it is sold at a profit of 50%, what is its selling price? | option_a=290 | option_b=310 | option_c=330 | option_d=257 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 207 × 150/100 = █310.

id=33875 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=P | option_b=U | option_c=E | option_d=Z | answer=D | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=33876 | topic=Percentages | difficulty=Easy | question=What is 10% of 400? | option_a=40 | option_b=80 | option_c=50 | option_d=35 | answer=A | explanation=10% of 400 = (10/100) × 400 = 40.

id=33877 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3776. If it is sold at a profit of 50%, what is its selling price? | option_a=6041 | option_b=5287 | option_c=5664 | option_d=3826 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3776 × 150/100 = █5664.

id=33878 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=33879 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=33880 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=36 | option_b=47 | option_c=58 | option_d=48 | answer=B | explanation=The common difference is 11. Therefore the next term is 36 + 11 = 47.

id=33881 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=52 | option_b=44 | option_c=43 | option_d=34 | answer=C | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

id=33882 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=33883 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 22? | option_a=15 | option_b=7 | option_c=11 | option_d=22 | answer=D | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 22 is the odd one out.

id=33884 | topic=Averages | difficulty=Easy | question=Find the average of 47, 45, 64, 90, 26, 70. | option_a=59 | option_b=58 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 342 ÷ 6 = 57.

id=33885 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=33886 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1996. If it is sold at a profit of 15%, what is its selling price? | option_a=2011 | option_b=2096 | option_c=2494 | option_d=2295 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1996 × 115/100 = █2295.

id=33887 | topic=Averages | difficulty=Easy | question=Find the average of 39, 72, 42. | option_a=50 | option_b=51 | option_c=53 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 153 ÷ 3 = 51.

id=33888 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=K | option_c=G | option_d=Y | answer=C | explanation=Move 4 positions forward from C; the resulting letter is G.

id=33889 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31781 at 12% per annum for 5 years. | option_a=50849 | option_b=19168 | option_c=19068 | option_d=18968 | answer=C | explanation=SI = PRT/100 = 31781×12×5/100 = █19068.

id=33890 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:10 and the first is 30, what is the second? | option_a=50 | option_b=10 | option_c=20 | option_d=35 | answer=C | explanation=Scale factor = 30/15 = 2. Therefore second quantity = 10×2 = 20.

id=33891 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=J | option_c=S | option_d=P | answer=D | explanation=Move 3 positions forward from M; the resulting letter is P.

id=33892 | topic=Percentages | difficulty=Easy | question=What is 12% of 227? | option_a=37 | option_b=22 | option_c=54 | option_d=27 | answer=D | explanation=12% of 227 = (12/100) × 227 = 27.

id=33893 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=R | option_c=T | option_d=N | answer=B | explanation=Move 2 positions forward from P; the resulting letter is R.

id=33894 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 15? | option_a=15 | option_b=11 | option_c=8 | option_d=5 | answer=A | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 15 is the odd one out.

id=33895 | topic=Percentages | difficulty=Easy | question=What is 20% of 1879? | option_a=375 | option_b=380 | option_c=370 | option_d=750 | answer=A | explanation=20% of 1879 = (20/100) × 1879 = 375.

id=33896 | topic=Averages | difficulty=Easy | question=Find the average of 79, 38, 13, 87, 98, 63. | option_a=65 | option_b=63 | option_c=62 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 378 ÷ 6 = 63.

id=33897 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=144 | option_c=72 | option_d=77 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=33898 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=Z | option_c=B | option_d=F | answer=A | explanation=Move 2 positions forward from B; the resulting letter is D.

id=33899 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35095 at 6% per annum for 3 years. | option_a=6317 | option_b=6417 | option_c=41412 | option_d=6217 | answer=A | explanation=SI = PRT/100 = 35095×6×3/100 = █6317.

id=33900 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

Aptitude Questions — Records 33,901-33,930 of 100,000

id=33901 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=Z | option_b=C | option_c=I | option_d=F | answer=D | explanation=Move 3 positions forward from C; the resulting letter is F.

id=33902 | topic=Percentages | difficulty=Easy | question=What is 12% of 465? | option_a=55 | option_b=60 | option_c=50 | option_d=110 | answer=A | explanation=12% of 465 = $(12/100) \times 465 = 55$.

id=33903 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 25? | option_a=21 | option_b=18 | option_c=15 | option_d=25 | answer=D | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 25 is the odd one out.

id=33904 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=X | option_c=N | option_d=C | answer=B | explanation=Move 5 positions forward from S; the resulting letter is X.

id=33905 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=6 | option_c=11 | option_d=1 | answer=B | explanation=Speed = distance ÷ time = $60 \div 10 = 6$ km/h.

id=33906 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = $180 \div 3 = 60$ km/h.

id=33907 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=35 | option_c=80 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = $120 \div 3 = 40$ km/h.

id=33908 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=23 | option_b=19 | option_c=21 | option_d=22 | answer=C | explanation=The common difference is 2. Therefore the next term is $19 + 2 = 21$.

id=33909 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35355 at 4% per annum for 1 years. | option_a=36769 | option_b=1514 | option_c=1314 | option_d=1414 | answer=D | explanation=SI = $PRT/100 = 35355 \times 4 \times 1/100 = \text{■}1414$.

id=33910 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 52? | option_a=40 | option_b=30 | option_c=20 | option_d=52 | answer=D | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 52 is the odd one out.

id=33911 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33397 at 8% per annum for 1 years. | option_a=2771 | option_b=2671 | option_c=36068 | option_d=2571 | answer=B | explanation=SI = $PRT/100 = 33397 \times 8 \times 1/100 = \text{■}2671$.

id=33912 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31853 at 4% per annum for 1 years. | option_a=1174 | option_b=1374 | option_c=1274 | option_d=33127 | answer=C | explanation=SI = $PRT/100 = 31853 \times 4 \times 1/100 = \text{■}1274$.

id=33913 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=B | option_b=W | option_c=R | option_d=M | answer=B | explanation=Move 5 positions forward from R; the resulting letter is W.

id=33914 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 33? | option_a=26 | option_b=28 | option_c=30 | option_d=33 | answer=D | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 33 is the odd one out.

id=33915 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=U | option_b=I | option_c=M | option_d=Q | answer=D | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=33916 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**950. If it is sold at a profit of 30%, what is its selling price? | option_a=1140 | option_b=980 | option_c=1330 | option_d=1235 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 950 \times 130/100 = \text{■}1235$.

id=33917 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=H | option_c=L | option_d=F | answer=A | explanation=Move 2 positions forward from H; the resulting letter is J.

id=33918 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49728 at 6% per annum for 1 years. | option_a=3083 | option_b=2983 | option_c=2883 | option_d=52711 | answer=B | explanation=SI = $PRT/100 = 49728 \times 6 \times 1/100 = \text{■}2983$.

id=33919 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 34? | option_a=34 | option_b=22 | option_c=25 | option_d=28 | answer=A | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 34 is the odd one out.

id=33920 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=C | option_c=B | option_d=D | answer=D | explanation=Move 1 positions forward from C; the resulting letter is D.

id=33921 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 21, 30, 42? | option_a=42 | option_b=21 | option_c=12 | option_d=30 | answer=A | explanation=The first three numbers increase by 9, so the next should be 39. Therefore 42 is the odd one out.

id=33922 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=55 | option_c=50 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = $150 \div 3 = 50$ km/h.

id=33923 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=24 | option_b=23 | option_c=20 | option_d=26 | answer=B | explanation=The common difference is 3. Therefore the next term is $20 + 3 = 23$.

id=33924 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 32, 36, 43? | option_a=28 | option_b=36 | option_c=43 | option_d=32 | answer=C | explanation=The first three numbers increase by 4, so the next should be 40. Therefore 43 is the odd one out.

id=33925 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1385. If it is sold at a profit of 40%, what is its selling price? | option_a=1939 | option_b=2077 | option_c=1801 | option_d=1425 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1385 \times 140/100 = \text{■}1939$.

id=33926 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:5 and the first is 68, what is the second? | option_a=88 | option_b=20 | option_c=37 | option_d=15 | answer=B | explanation=Scale factor = $68/17 = 4$. Therefore second quantity = $5 \times 4 = 20$.

id=33927 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 41? | option_a=11 | option_b=29 | option_c=20 | option_d=41 | answer=D | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 41 is the odd one out.

id=33928 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=Y | option_b=P | option_c=S | option_d=V | answer=D | explanation=Move 3 positions forward from S; the resulting letter is V.

id=33929 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=X | option_c=C | option_d=N | answer=B | explanation=Move 5 positions forward from S; the resulting letter is X.

id=33930 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=I | option_b=M | option_c=Q | option_d=U | answer=C | explanation=Move 4 positions forward from M; the resulting letter is Q.

Aptitude Questions — Records 33,931-33,960 of 100,000

id=33931 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1467. If it is sold at a profit of 5%, what is its selling price? | option_a=1686 | option_b=1394 | option_c=1540 | option_d=1472 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1467 × 105/100 = ■1540.

id=33932 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=12 | option_c=1 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=33933 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 31, 43, 55, ? | option_a=79 | option_b=68 | option_c=67 | option_d=55 | answer=C | explanation=The common difference is 12. Therefore the next term is 55 + 12 = 67.

id=33934 | topic=Percentages | difficulty=Easy | question=What is 10% of 1522? | option_a=304 | option_b=152 | option_c=162 | option_d=147 | answer=B | explanation=10% of 1522 = (10/100) × 1522 = 152.

id=33935 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:16 and the first is 104, what is the second? | option_a=216 | option_b=312 | option_c=192 | option_d=208 | answer=D | explanation=Scale factor = 104/8 = 13. Therefore second quantity = 16×13 = 208.

id=33936 | topic=Averages | difficulty=Easy | question=Find the average of 72, 29, 50, 35, 62, 46, 53, 93, 42, 48. | option_a=54 | option_b=53 | option_c=52 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=33937 | topic=Percentages | difficulty=Easy | question=What is 25% of 792? | option_a=193 | option_b=218 | option_c=198 | option_d=396 | answer=C | explanation=25% of 792 = (25/100) × 792 = 198.

id=33938 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=I | option_c=K | option_d=M | answer=D | explanation=Move 2 positions forward from K; the resulting letter is M.

id=33939 | topic=Averages | difficulty=Easy | question=Find the average of 38, 13, 71, 23, 66, 80, 71, 29, 68, 21. | option_a=49 | option_b=47 | option_c=48 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 480 ÷ 10 = 48.

id=33940 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=33941 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=41 | option_b=52 | option_c=61 | option_d=51 | answer=D | explanation=The common difference is 10. Therefore the next term is 41 + 10 = 51.

id=33942 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=A | option_c=B | option_d=Z | answer=C | explanation=Move 1 positions forward from A; the resulting letter is B.

id=33943 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=9 | option_b=14 | option_c=4 | option_d=18 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=33944 | topic=Percentages | difficulty=Easy | question=What is 30% of 1432? | option_a=858 | option_b=429 | option_c=439 | option_d=409 | answer=B | explanation=30% of 1432 = (30/100) × 1432 = 429.

id=33945 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=L | option_c=J | option_d=N | answer=D | explanation=Move 2 positions forward from L; the resulting letter is N.

id=33946 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=45 | option_b=56 | option_c=57 | option_d=67 | answer=B | explanation=The common difference is 11. Therefore the next term is 45 + 11 = 56.

id=33947 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Y | option_b=U | option_c=M | option_d=Q | answer=B | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=33948 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=A | option_b=I | option_c=E | option_d=M | answer=B | explanation=Move 4 positions forward from E; the resulting letter is I.

id=33949 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 8. | option_a=96 | option_b=24 | option_c=16 | option_d=36 | answer=B | explanation=LCM × HCF = 12×8; HCF(12,8) = 4, so LCM = 24.

id=33950 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 49? | option_a=37 | option_b=17 | option_c=27 | option_d=49 | answer=D | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 49 is the odd one out.

id=33951 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:20 and the first is 24, what is the second? | option_a=68 | option_b=60 | option_c=40 | option_d=84 | answer=B | explanation=Scale factor = 24/8 = 3. Therefore second quantity = 20×3 = 60.

id=33952 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=33953 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Q | option_b=W | option_c=T | option_d=Z | answer=B | explanation=Move 3 positions forward from T; the resulting letter is W.

id=33954 | topic=Averages | difficulty=Easy | question=Find the average of 59, 69, 94. | option_a=74 | option_b=76 | option_c=73 | option_d=75 | answer=A | explanation=Average = sum of values ÷ number of values = 222 ÷ 3 = 74.

id=33955 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 29, 36, 46? | option_a=36 | option_b=46 | option_c=22 | option_d=29 | answer=B | explanation=The first three numbers increase by 7, so the next should be 43. Therefore 46 is the odd one out.

id=33956 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=46 | option_b=52 | option_c=45 | option_d=38 | answer=C | explanation=The common difference is 7. Therefore the next term is 38 + 7 = 45.

id=33957 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 32, 39, 47? | option_a=32 | option_b=25 | option_c=47 | option_d=39 | answer=C | explanation=The first three numbers increase by 7, so the next should be 46. Therefore 47 is the odd one out.

id=33958 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■16231 at 8% per annum for 4 years. | option_a=21424 | option_b=5193 | option_c=5293 | option_d=5093 | answer=B | explanation=SI = PRT/100 = 16231×8×4/100 = ■5193.

id=33959 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=33960 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4898. If it is sold at a profit of 10%, what is its selling price? | option_a=5387 | option_b=4898 | option_c=4908 | option_d=5876 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4898 × 110/100 = ■5387.

Aptitude Questions — Records 33,961-33,990 of 100,000

id=33961 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3127 at 5% per annum for 5 years. | option_a=781 | option_b=3908 | option_c=681 | option_d=881 | answer=A | explanation=SI = PRT/100 = 3127×5×5/100 = **■**781.

id=33962 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1008. If it is sold at a profit of 10%, what is its selling price? | option_a=1208 | option_b=1018 | option_c=1008 | option_d=1108 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1008 × 110/100 = **■**1108.

id=33963 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3261. If it is sold at a profit of 30%, what is its selling price? | option_a=4565 | option_b=3291 | option_c=3913 | option_d=4239 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3261 × 130/100 = **■**4239.

id=33964 | topic=Averages | difficulty=Easy | question=Find the average of 45, 56, 21, 38, 45, 29, 89, 21. | option_a=42 | option_b=45 | option_c=43 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = 344 ÷ 8 = 43.

id=33965 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=33966 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=19 | option_b=20 | option_c=23 | option_d=15 | answer=A | explanation=The common difference is 4. Therefore the next term is 15 + 4 = 19.

id=33967 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:18 and the first is 40, what is the second? | option_a=342 | option_b=400 | option_c=360 | option_d=362 | answer=C | explanation=Scale factor = 40/2 = 20. Therefore second quantity = 18×20 = 360.

id=33968 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=40 | option_c=80 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=33969 | topic=Percentages | difficulty=Easy | question=What is 25% of 244? | option_a=61 | option_b=56 | option_c=81 | option_d=122 | answer=A | explanation=25% of 244 = (25/100) × 244 = 61.

id=33970 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 25, 31, 40? | option_a=25 | option_b=40 | option_c=31 | option_d=19 | answer=B | explanation=The first three numbers increase by 6, so the next should be 37. Therefore 40 is the odd one out.

id=33971 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26856 at 10% per annum for 1 years. | option_a=2785 | option_b=2585 | option_c=2685 | option_d=29541 | answer=C | explanation=SI = PRT/100 = 26856×10×1/100 = **■**2685.

id=33972 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=L | option_c=K | option_d=I | answer=C | explanation=Move 1 positions forward from J; the resulting letter is K.

id=33973 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17972 at 4% per annum for 3 years. | option_a=20128 | option_b=2156 | option_c=2056 | option_d=2256 | answer=B | explanation=SI = PRT/100 = 17972×4×3/100 = **■**2156.

id=33974 | topic=Averages | difficulty=Easy | question=Find the average of 13, 20, 79, 87, 72, 77. | option_a=59 | option_b=58 | option_c=60 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 348 ÷ 6 = 58.

id=33975 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33558 at 4% per annum for 4 years. | option_a=5269 | option_b=5369 | option_c=5469 | option_d=38927 | answer=B | explanation=SI = PRT/100 = 33558×4×4/100 = **■**5369.

id=33976 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=T | option_b=N | option_c=Q | option_d=W | answer=A | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=33977 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=V | option_c=Z | option_d=N | answer=B | explanation=Move 4 positions forward from R; the resulting letter is V.

id=33978 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=45 | option_b=29 | option_c=37 | option_d=38 | answer=C | explanation=The common difference is 8. Therefore the next term is 29 + 8 = 37.

id=33979 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:5 and the first is 171, what is the second? | option_a=90 | option_b=95 | option_c=104 | option_d=266 | answer=B | explanation=Scale factor = 171/9 = 19. Therefore second quantity = 5×19 = 95.

id=33980 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=38 | option_b=26 | option_c=33 | option_d=32 | answer=D | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=33981 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=33982 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:13 and the first is 342, what is the second? | option_a=589 | option_b=234 | option_c=265 | option_d=247 | answer=D | explanation=Scale factor = 342/18 = 19. Therefore second quantity = 13×19 = 247.

id=33983 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 44? | option_a=21 | option_b=31 | option_c=44 | option_d=11 | answer=C | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 44 is the odd one out.

id=33984 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37810 at 5% per annum for 5 years. | option_a=9552 | option_b=9352 | option_c=47262 | option_d=9452 | answer=D | explanation=SI = PRT/100 = 37810×5×5/100 = **■**9452.

id=33985 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3394. If it is sold at a profit of 30%, what is its selling price? | option_a=4073 | option_b=4412 | option_c=4751 | option_d=3424 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3394 × 130/100 = **■**4412.

id=33986 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=53 | option_b=63 | option_c=54 | option_d=43 | answer=A | explanation=The common difference is 10. Therefore the next term is 43 + 10 = 53.

id=33987 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=70 | option_c=80 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=33988 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:3 and the first is 36, what is the second? | option_a=27 | option_b=24 | option_c=31 | option_d=63 | answer=A | explanation=Scale factor = 36/4 = 9. Therefore second quantity = 3×9 = 27.

id=33989 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=32 | option_b=40 | option_c=37 | option_d=36 | answer=D | explanation=The common difference is 4. Therefore the next term is 32 + 4 = 36.

id=33990 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=95 | option_d=180 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

Aptitude Questions — Records 33,991-34,020 of 100,000

id=33991 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=38 | option_b=50 | option_c=62 | option_d=51 | answer=B | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=33992 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=33993 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 35? | option_a=35 | option_b=19 | option_c=24 | option_d=29 | answer=A | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 35 is the odd one out.

id=33994 | topic=Percentages | difficulty=Easy | question=What is 50% of 179? | option_a=89 | option_b=178 | option_c=109 | option_d=84 | answer=A | explanation=50% of 179 = (50/100) × 179 = 89.

id=33995 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**41963 at 8% per annum for 3 years. | option_a=9971 | option_b=52034 | option_c=10071 | option_d=10171 | answer=C | explanation=SI = PRT/100 = 41963×8×3/100 = **₹**10071.

id=33996 | topic=Averages | difficulty=Easy | question=Find the average of 58, 38, 95, 23, 22, 13, 62, 69, 43. | option_a=48 | option_b=46 | option_c=49 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 423 ÷ 9 = 47.

id=33997 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=33998 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2880. If it is sold at a profit of 40%, what is its selling price? | option_a=4320 | option_b=2920 | option_c=4032 | option_d=3744 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2880 × 140/100 = **₹**4032.

id=33999 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=M | option_c=Y | option_d=Q | answer=A | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=34000 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 14. | option_a=280 | option_b=140 | option_c=126 | option_d=160 | answer=B | explanation=LCM × HCF = 20×14; HCF(20,14) = 2, so LCM = 140.

id=34001 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=40 | option_b=35 | option_c=41 | option_d=45 | answer=A | explanation=The common difference is 5. Therefore the next term is 35 + 5 = 40.

id=34002 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 33? | option_a=33 | option_b=26 | option_c=28 | option_d=30 | answer=A | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 33 is the odd one out.

id=34003 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=29 | option_c=19 | option_d=48 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=34004 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**35390 at 8% per annum for 1 years. | option_a=2731 | option_b=38221 | option_c=2831 | option_d=2931 | answer=C | explanation=SI = PRT/100 = 35390×8×1/100 = **₹**2831.

id=34005 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=95 | option_c=100 | option_d=200 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=34006 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=34007 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=39 | option_b=32 | option_c=25 | option_d=33 | answer=B | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.

id=34008 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**35653 at 4% per annum for 3 years. | option_a=39931 | option_b=4178 | option_c=4278 | option_d=4378 | answer=C | explanation=SI = PRT/100 = 35653×4×3/100 = **₹**4278.

id=34009 | topic=Averages | difficulty=Easy | question=Find the average of 51, 80, 21, 73, 100, 33, 69. | option_a=60 | option_b=62 | option_c=61 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = 427 ÷ 7 = 61.

id=34010 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**6230 at 10% per annum for 5 years. | option_a=3115 | option_b=3215 | option_c=3015 | option_d=9345 | answer=A | explanation=SI = PRT/100 = 6230×10×5/100 = **₹**3115.

id=34011 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:16 and the first is 98, what is the second? | option_a=231 | option_b=322 | option_c=208 | option_d=224 | answer=D | explanation=Scale factor = 98/7 = 14. Therefore second quantity = 16×14 = 224.

id=34012 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 33? | option_a=25 | option_b=27 | option_c=33 | option_d=29 | answer=C | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 33 is the odd one out.

id=34013 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=M | option_b=Q | option_c=Y | option_d=U | answer=D | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=34014 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=A | option_c=K | option_d=P | answer=C | explanation=Move 5 positions forward from F; the resulting letter is K.

id=34015 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=20 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=34016 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=34017 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=34018 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=48 | option_b=41 | option_c=40 | option_d=32 | answer=C | explanation=The common difference is 8. Therefore the next term is 32 + 8 = 40.

id=34019 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 40? | option_a=23 | option_b=40 | option_c=31 | option_d=15 | answer=B | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 40 is the odd one out.

id=34020 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=N | option_b=O | option_c=P | option_d=Q | answer=C | explanation=Move 1 positions forward from O; the resulting letter is P.

Aptitude Questions — Records 34,021-34,050 of 100,000

id=34021 | topic=Profit & Loss | difficulty=Easy | question=An article costs █325. If it is sold at a profit of 5%, what is its selling price? | option_a=341 | option_b=373 | option_c=330 | option_d=309 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 325 \times 105/100 = \text{█}341$.

id=34022 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:13 and the first is 9, what is the second? | option_a=104 | option_b=117 | option_c=118 | option_d=126 | answer=B | explanation=Scale factor = $9/1 = 9$. Therefore second quantity = $13 \times 9 = 117$.

id=34023 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4376. If it is sold at a profit of 50%, what is its selling price? | option_a=6564 | option_b=6127 | option_c=7001 | option_d=4426 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4376 \times 150/100 = \text{█}6564$.

id=34024 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=34025 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3207. If it is sold at a profit of 5%, what is its selling price? | option_a=3687 | option_b=3047 | option_c=3212 | option_d=3367 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3207 \times 105/100 = \text{█}3367$.

id=34026 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=34027 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=32 | option_b=25 | option_c=33 | option_d=39 | answer=A | explanation=The common difference is 7. Therefore the next term is $25 + 7 = 32$.

id=34028 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 22. | option_a=120 | option_b=110 | option_c=220 | option_d=88 | answer=B | explanation= $LCM \times HCF = 10 \times 22$; $HCF(10, 22) = 2$, so $LCM = 110$.

id=34029 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=34030 | topic=Percentages | difficulty=Easy | question=What is 10% of 712? | option_a=91 | option_b=71 | option_c=142 | option_d=61 | answer=B | explanation= $10\% \text{ of } 712 = (10/100) \times 712 = 71$.

id=34031 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=H | option_b=F | option_c=G | option_d=I | answer=A | explanation=Move 1 positions forward from G; the resulting letter is H.

id=34032 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 5. | option_a=10 | option_b=50 | option_c=20 | option_d=5 | answer=A | explanation= $LCM \times HCF = 10 \times 5$; $HCF(10, 5) = 5$, so $LCM = 10$.

id=34033 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2480. If it is sold at a profit of 10%, what is its selling price? | option_a=2480 | option_b=2976 | option_c=2490 | option_d=2728 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2480 \times 110/100 = \text{█}2728$.

id=34034 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3838. If it is sold at a profit of 5%, what is its selling price? | option_a=3843 | option_b=4412 | option_c=3646 | option_d=4029 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3838 \times 105/100 = \text{█}4029$.

id=34035 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=115 | option_d=240 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 360 \div 3 = 120 \text{ km/h}$.

id=34036 | topic=Averages | difficulty=Easy | question=Find the average of 58, 61, 16, 51, 13, 77, 90, 50. | option_a=54 | option_b=52 | option_c=53 | option_d=51 | answer=B | explanation=Average = $\text{sum of values} \div \text{number of values} = 416 \div 8 = 52$.

id=34037 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=80 | option_d=45 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 120 \div 3 = 40 \text{ km/h}$.

id=34038 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 43? | option_a=25 | option_b=43 | option_c=17 | option_d=33 | answer=B | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 43 is the odd one out.

id=34039 | topic=Averages | difficulty=Easy | question=Find the average of 69, 15, 54, 59, 65, 27, 35, 86, 25, 65. | option_a=50 | option_b=52 | option_c=49 | option_d=51 | answer=A | explanation=Average = $\text{sum of values} \div \text{number of values} = 500 \div 10 = 50$.

id=34040 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=12 | option_d=2 | answer=B | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=34041 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=31 | option_b=49 | option_c=40 | option_d=41 | answer=C | explanation=The common difference is 9. Therefore the next term is $31 + 9 = 40$.

id=34042 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 23, 32, 43? | option_a=32 | option_b=43 | option_c=23 | option_d=14 | answer=B | explanation=The first three numbers increase by 9, so the next should be 41. Therefore 43 is the odd one out.

id=34043 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 30, 38, 48? | option_a=22 | option_b=30 | option_c=48 | option_d=38 | answer=C | explanation=The first three numbers increase by 8, so the next should be 46. Therefore 48 is the odd one out.

id=34044 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40804 at 15% per annum for 5 years. | option_a=30703 | option_b=30503 | option_c=71407 | option_d=30603 | answer=D | explanation= $SI = PRT/100 = 40804 \times 15 \times 5/100 = \text{█}30603$.

id=34045 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=30 | option_c=20 | option_d=25 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 150 \div 6 = 25 \text{ km/h}$.

id=34046 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48979 at 8% per annum for 1 years. | option_a=3818 | option_b=4018 | option_c=52897 | option_d=3918 | answer=D | explanation= $SI = PRT/100 = 48979 \times 8 \times 1/100 = \text{█}3918$.

id=34047 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=52 | option_b=63 | option_c=53 | option_d=41 | answer=A | explanation=The common difference is 11. Therefore the next term is $41 + 11 = 52$.

id=34048 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 21. | option_a=630 | option_b=210 | option_c=240 | option_d=189 | answer=B | explanation= $LCM \times HCF = 30 \times 21$; $HCF(30, 21) = 3$, so $LCM = 210$.

id=34049 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38042 at 4% per annum for 1 years. | option_a=1521 | option_b=1621 | option_c=1421 | option_d=39563 | answer=A | explanation= $SI = PRT/100 = 38042 \times 4 \times 1/100 = \text{█}1521$.

id=34050 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 37? | option_a=30 | option_b=37 | option_c=26 | option_d=22 | answer=B | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 37 is the odd one out.

Aptitude Questions — Records 34,051-34,080 of 100,000

id=34051 | topic=Percentages | difficulty=Easy | question=What is 40% of 1118? | option_a=452 | option_b=447 | option_c=437 | option_d=894 | answer=B | explanation=40% of 1118 = $(40/100) \times 1118 = 447$.

id=34052 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:13 and the first is 132, what is the second? | option_a=130 | option_b=155 | option_c=275 | option_d=143 | answer=D | explanation=Scale factor = $132/12 = 11$. Therefore second quantity = $13 \times 11 = 143$.

id=34053 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**5325 at 6% per annum for 1 years. | option_a=419 | option_b=5644 | option_c=319 | option_d=219 | answer=C | explanation=SI = $PRT/100 = 5325 \times 6 \times 1/100 = \text{₹}319$.

id=34054 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=18 | option_d=13 | answer=C | explanation=Speed = distance ÷ time = $180 \div 10 = 18$ km/h.

id=34055 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=L | option_c=J | option_d=P | answer=A | explanation=Move 2 positions forward from L; the resulting letter is N.

id=34056 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:7 and the first is 90, what is the second? | option_a=42 | option_b=57 | option_c=132 | option_d=35 | answer=A | explanation=Scale factor = $90/15 = 6$. Therefore second quantity = $7 \times 6 = 42$.

id=34057 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 25, 34, 45? | option_a=34 | option_b=45 | option_c=25 | option_d=16 | answer=B | explanation=The first three numbers increase by 9, so the next should be 43. Therefore 45 is the odd one out.

id=34058 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 29, 38, 48? | option_a=29 | option_b=38 | option_c=20 | option_d=48 | answer=D | explanation=The first three numbers increase by 9, so the next should be 47. Therefore 48 is the odd one out.

id=34059 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**1979 at 4% per annum for 2 years. | option_a=158 | option_b=258 | option_c=58 | option_d=2137 | answer=A | explanation=SI = $PRT/100 = 1979 \times 4 \times 2/100 = \text{₹}158$.

id=34060 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=34061 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=34062 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 34, 41, 51? | option_a=41 | option_b=51 | option_c=34 | option_d=27 | answer=B | explanation=The first three numbers increase by 7, so the next should be 48. Therefore 51 is the odd one out.

id=34063 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:12 and the first is 162, what is the second? | option_a=108 | option_b=270 | option_c=126 | option_d=96 | answer=A | explanation=Scale factor = $162/18 = 9$. Therefore second quantity = $12 \times 9 = 108$.

id=34064 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=36 | option_c=41 | option_d=31 | answer=B | explanation=Speed = distance ÷ time = $180 \div 5 = 36$ km/h.

id=34065 | topic=Averages | difficulty=Easy | question=Find the average of 23, 74, 94, 30, 69, 88. | option_a=64 | option_b=63 | option_c=65 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = $378 \div 6 = 63$.

id=34066 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=19 | option_b=16 | option_c=13 | option_d=17 | answer=B | explanation=The common difference is 3. Therefore the next term is $13 + 3 = 16$.

id=34067 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=34068 | topic=Percentages | difficulty=Easy | question=What is 50% of 1709? | option_a=874 | option_b=849 | option_c=854 | option_d=1708 | answer=C | explanation=50% of 1709 = $(50/100) \times 1709 = 854$.

id=34069 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4414. If it is sold at a profit of 50%, what is its selling price? | option_a=7062 | option_b=4464 | option_c=6621 | option_d=6180 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4414 \times 150/100 = \text{₹}6621$.

id=34070 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1820. If it is sold at a profit of 20%, what is its selling price? | option_a=2184 | option_b=2002 | option_c=1840 | option_d=2366 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1820 \times 120/100 = \text{₹}2184$.

id=34071 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**33183 at 12% per annum for 1 years. | option_a=3881 | option_b=4081 | option_c=3981 | option_d=37164 | answer=C | explanation=SI = $PRT/100 = 33183 \times 12 \times 1/100 = \text{₹}3981$.

id=34072 | topic=Percentages | difficulty=Easy | question=What is 25% of 1701? | option_a=445 | option_b=850 | option_c=425 | option_d=415 | answer=C | explanation=25% of 1701 = $(25/100) \times 1701 = 425$.

id=34073 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 9, 12, 18? | option_a=18 | option_b=9 | option_c=6 | option_d=12 | answer=A | explanation=The first three numbers increase by 3, so the next should be 15. Therefore 18 is the odd one out.

id=34074 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=27 | option_b=21 | option_c=24 | option_d=25 | answer=C | explanation=The common difference is 3. Therefore the next term is $21 + 3 = 24$.

id=34075 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**31882 at 15% per annum for 4 years. | option_a=51011 | option_b=19029 | option_c=19129 | option_d=19229 | answer=C | explanation=SI = $PRT/100 = 31882 \times 15 \times 4/100 = \text{₹}19129$.

id=34076 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=20 | option_b=21 | option_c=23 | option_d=17 | answer=A | explanation=The common difference is 3. Therefore the next term is $17 + 3 = 20$.

id=34077 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:2 and the first is 24, what is the second? | option_a=4 | option_b=16 | option_c=28 | option_d=2 | answer=A | explanation=Scale factor = $24/12 = 2$. Therefore second quantity = $2 \times 2 = 4$.

id=34078 | topic=Percentages | difficulty=Easy | question=What is 30% of 1967? | option_a=1180 | option_b=585 | option_c=590 | option_d=595 | answer=C | explanation=30% of 1967 = $(30/100) \times 1967 = 590$.

id=34079 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 33? | option_a=33 | option_b=12 | option_c=24 | option_d=18 | answer=A | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 33 is the odd one out.

id=34080 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3098. If it is sold at a profit of 10%, what is its selling price? | option_a=3716 | option_b=3108 | option_c=3098 | option_d=3407 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3098 \times 110/100 = \text{₹}3407$.

Aptitude Questions — Records 34,081-34,110 of 100,000

id=34081 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 14, 17, 23? | option_a=11 | option_b=23 | option_c=17 | option_d=14 | answer=B | explanation=The first three numbers increase by 3, so the next should be 20. Therefore 23 is the odd one out.

id=34082 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=34083 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=41 | option_c=36 | option_d=72 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=34084 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:2 and the first is 78, what is the second? | option_a=32 | option_b=26 | option_c=24 | option_d=104 | answer=B | explanation=Scale factor = 78/6 = 13. Therefore second quantity = 2×13 = 26.

id=34085 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=25 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=34086 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=U | option_c=S | option_d=V | answer=B | explanation=Move 1 positions forward from T; the resulting letter is U.

id=34087 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40014 at 4% per annum for 3 years. | option_a=4901 | option_b=44815 | option_c=4801 | option_d=4701 | answer=C | explanation=SI = PRT/100 = 40014×4×3/100 = **■**4801.

id=34088 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 18? | option_a=13 | option_b=11 | option_c=15 | option_d=18 | answer=D | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 18 is the odd one out.

id=34089 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=24 | option_c=12 | option_d=7 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=34090 | topic=Averages | difficulty=Easy | question=Find the average of 47, 80, 23, 22. | option_a=45 | option_b=43 | option_c=44 | option_d=42 | answer=B | explanation=Average = sum of values ÷ number of values = 172 ÷ 4 = 43.

id=34091 | topic=Percentages | difficulty=Easy | question=What is 25% of 736? | option_a=179 | option_b=368 | option_c=194 | option_d=184 | answer=D | explanation=25% of 736 = (25/100) × 736 = 184.

id=34092 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24969 at 4% per annum for 4 years. | option_a=3995 | option_b=4095 | option_c=28964 | option_d=3895 | answer=A | explanation=SI = PRT/100 = 24969×4×4/100 = **■**3995.

id=34093 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=43 | option_c=96 | option_d=53 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=34094 | topic=Percentages | difficulty=Easy | question=What is 5% of 660? | option_a=66 | option_b=33 | option_c=23 | option_d=53 | answer=B | explanation=5% of 660 = (5/100) × 660 = 33.

id=34095 | topic=Percentages | difficulty=Easy | question=What is 25% of 291? | option_a=62 | option_b=72 | option_c=77 | option_d=144 | answer=B | explanation=25% of 291 = (25/100) × 291 = 72.

id=34096 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 30. | option_a=60 | option_b=72 | option_c=360 | option_d=30 | answer=A | explanation=LCM × HCF = 12×30; HCF(12,30) = 6, so LCM = 60.

id=34097 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=12 | option_c=7 | option_d=24 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=34098 | topic=Averages | difficulty=Easy | question=Find the average of 78, 54, 78. | option_a=70 | option_b=72 | option_c=71 | option_d=69 | answer=A | explanation=Average = sum of values ÷ number of values = 210 ÷ 3 = 70.

id=34099 | topic=Averages | difficulty=Easy | question=Find the average of 69, 31, 47. | option_a=50 | option_b=48 | option_c=51 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 147 ÷ 3 = 49.

id=34100 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 10. | option_a=10 | option_b=100 | option_c=20 | option_d=1 | answer=A | explanation=LCM × HCF = 10×10; HCF(10,10) = 10, so LCM = 10.

id=34101 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=11 | option_b=10 | option_c=12 | option_d=8 | answer=B | explanation=The common difference is 2. Therefore the next term is 8 + 2 = 10.

id=34102 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 26, 36, 49? | option_a=26 | option_b=36 | option_c=16 | option_d=49 | answer=D | explanation=The first three numbers increase by 10, so the next should be 46. Therefore 49 is the odd one out.

id=34103 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=24 | option_c=12 | option_d=7 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=34104 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:17 and the first is 190, what is the second? | option_a=513 | option_b=333 | option_c=323 | option_d=306 | answer=C | explanation=Scale factor = 190/10 = 19. Therefore second quantity = 17×19 = 323.

id=34105 | topic=Percentages | difficulty=Easy | question=What is 25% of 244? | option_a=122 | option_b=71 | option_c=51 | option_d=61 | answer=D | explanation=25% of 244 = (25/100) × 244 = 61.

id=34106 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=I | option_b=O | option_c=M | option_d=K | answer=C | explanation=Move 2 positions forward from K; the resulting letter is M.

id=34107 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:4 and the first is 52, what is the second? | option_a=52 | option_b=104 | option_c=48 | option_d=56 | answer=A | explanation=Scale factor = 52/4 = 13. Therefore second quantity = 4×13 = 52.

id=34108 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=A | option_b=S | option_c=W | option_d=O | answer=C | explanation=Move 4 positions forward from S; the resulting letter is W.

id=34109 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1775. If it is sold at a profit of 20%, what is its selling price? | option_a=2307 | option_b=2130 | option_c=1953 | option_d=1795 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1775 × 120/100 = **■**2130.

id=34110 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1844. If it is sold at a profit of 10%, what is its selling price? | option_a=2212 | option_b=2028 | option_c=1844 | option_d=1854 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1844 × 110/100 = **■**2028.

Aptitude Questions — Records 34,111-34,140 of 100,000

id=34111 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44681 at 6% per annum for 1 years. | option_a=47361 | option_b=2680 | option_c=2780 | option_d=2580 | answer=B | explanation=SI = PRT/100 = 44681×6×1/100 = **■**2680.

id=34112 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17558 at 5% per annum for 5 years. | option_a=4489 | option_b=21947 | option_c=4389 | option_d=4289 | answer=C | explanation=SI = PRT/100 = 17558×5×5/100 = **■**4389.

id=34113 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=Y | option_b=J | option_c=T | option_d=O | answer=C | explanation=Move 5 positions forward from O; the resulting letter is T.

id=34114 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 105, what is the second? | option_a=21 | option_b=18 | option_c=126 | option_d=36 | answer=A | explanation=Scale factor = 105/15 = 7. Therefore second quantity = 3×7 = 21.

id=34115 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=M | option_c=K | option_d=G | answer=C | explanation=Move 2 positions forward from I; the resulting letter is K.

id=34116 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:18 and the first is 234, what is the second? | option_a=558 | option_b=324 | option_c=306 | option_d=337 | answer=B | explanation=Scale factor = 234/13 = 18. Therefore second quantity = 18×18 = 324.

id=34117 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:19 and the first is 32, what is the second? | option_a=152 | option_b=133 | option_c=184 | option_d=156 | answer=A | explanation=Scale factor = 32/4 = 8. Therefore second quantity = 19×8 = 152.

id=34118 | topic=Percentages | difficulty=Easy | question=What is 5% of 629? | option_a=62 | option_b=21 | option_c=31 | option_d=36 | answer=C | explanation=5% of 629 = (5/100) × 629 = 31.

id=34119 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=34120 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=40 | option_b=48 | option_c=47 | option_d=54 | answer=C | explanation=The common difference is 7. Therefore the next term is 40 + 7 = 47.

id=34121 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 24, 32, 41? | option_a=41 | option_b=16 | option_c=24 | option_d=32 | answer=A | explanation=The first three numbers increase by 8, so the next should be 40. Therefore 41 is the odd one out.

id=34122 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1865. If it is sold at a profit of 10%, what is its selling price? | option_a=2051 | option_b=2237 | option_c=1875 | option_d=1865 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1865 × 110/100 = **■**2051.

id=34123 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:2 and the first is 99, what is the second? | option_a=31 | option_b=22 | option_c=20 | option_d=121 | answer=B | explanation=Scale factor = 99/9 = 11. Therefore second quantity = 2×11 = 22.

id=34124 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=Y | option_c=K | option_d=C | answer=A | explanation=Move 4 positions forward from C; the resulting letter is G.

id=34125 | topic=Averages | difficulty=Easy | question=Find the average of 92, 94, 71, 32, 61. | option_a=72 | option_b=71 | option_c=69 | option_d=70 | answer=D | explanation=Average = sum of values ÷ number of values = 350 ÷ 5 = 70.

id=34126 | topic=Averages | difficulty=Easy | question=Find the average of 89, 70, 35, 99, 42, 48, 60, 45. | option_a=61 | option_b=60 | option_c=63 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 488 ÷ 8 = 61.

id=34127 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4884. If it is sold at a profit of 25%, what is its selling price? | option_a=6593 | option_b=6105 | option_c=5617 | option_d=4909 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4884 × 125/100 = **■**6105.

id=34128 | topic=Averages | difficulty=Easy | question=Find the average of 10, 11, 85, 68, 16. | option_a=40 | option_b=37 | option_c=39 | option_d=38 | answer=D | explanation=Average = sum of values ÷ number of values = 190 ÷ 5 = 38.

id=34129 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=O | option_b=C | option_c=K | option_d=G | answer=C | explanation=Move 4 positions forward from G; the resulting letter is K.

id=34130 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=34131 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1724. If it is sold at a profit of 25%, what is its selling price? | option_a=2155 | option_b=1983 | option_c=1749 | option_d=2327 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1724 × 125/100 = **■**2155.

id=34132 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1698 at 15% per annum for 1 years. | option_a=154 | option_b=354 | option_c=254 | option_d=1952 | answer=C | explanation=SI = PRT/100 = 1698×15×1/100 = **■**254.

id=34133 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=E | option_b=N | option_c=H | option_d=K | answer=D | explanation=Move 3 positions forward from H; the resulting letter is K.

id=34134 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:12 and the first is 128, what is the second? | option_a=112 | option_b=96 | option_c=224 | option_d=84 | answer=B | explanation=Scale factor = 128/16 = 8. Therefore second quantity = 12×8 = 96.

id=34135 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:3 and the first is 153, what is the second? | option_a=51 | option_b=48 | option_c=60 | option_d=204 | answer=A | explanation=Scale factor = 153/9 = 17. Therefore second quantity = 3×17 = 51.

id=34136 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=40 | option_b=32 | option_c=36 | option_d=37 | answer=C | explanation=The common difference is 4. Therefore the next term is 32 + 4 = 36.

id=34137 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=34138 | topic=Percentages | difficulty=Easy | question=What is 5% of 1080? | option_a=108 | option_b=54 | option_c=74 | option_d=34 | answer=B | explanation=5% of 1080 = (5/100) × 1080 = 54.

id=34139 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 20, 30, 43? | option_a=20 | option_b=10 | option_c=43 | option_d=30 | answer=C | explanation=The first three numbers increase by 10, so the next should be 40. Therefore 43 is the odd one out.

id=34140 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=T | option_b=O | option_c=Y | option_d=J | answer=A | explanation=Move 5 positions forward from O; the resulting letter is T.

Aptitude Questions — Records 34,141-34,170 of 100,000

id=34141 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 37, 46, 56? | option_a=56 | option_b=46 | option_c=28 | option_d=37 | answer=A | explanation=The first three numbers increase by 9, so the next should be 55. Therefore 56 is the odd one out.

id=34142 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 10. | option_a=1 | option_b=15 | option_c=50 | option_d=10 | answer=D | explanation=LCM × HCF = 5×10; HCF(5,10) = 5, so LCM = 10.

id=34143 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■44743 at 12% per annum for 5 years. | option_a=71588 | option_b=26845 | option_c=26945 | option_d=26745 | answer=B | explanation=SI = PRT/100 = 44743×12×5/100 = ■26845.

id=34144 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=43 | option_b=54 | option_c=55 | option_d=65 | answer=B | explanation=The common difference is 11. Therefore the next term is 43 + 11 = 54.

id=34145 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=U | option_c=Q | option_d=I | answer=C | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=34146 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=50 | option_c=100 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=34147 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=34148 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=240 | option_c=115 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=34149 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:16 and the first is 323, what is the second? | option_a=321 | option_b=288 | option_c=304 | option_d=627 | answer=C | explanation=Scale factor = 323/17 = 19. Therefore second quantity = 16×19 = 304.

id=34150 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=34151 | topic=Percentages | difficulty=Easy | question=What is 50% of 532? | option_a=532 | option_b=261 | option_c=286 | option_d=266 | answer=D | explanation=50% of 532 = (50/100) × 532 = 266.

id=34152 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=Y | option_b=E | option_c=A | option_d=C | answer=D | explanation=Move 2 positions forward from A; the resulting letter is C.

id=34153 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=34154 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:7 and the first is 21, what is the second? | option_a=42 | option_b=21 | option_c=14 | option_d=28 | answer=B | explanation=Scale factor = 21/7 = 3. Therefore second quantity = 7×3 = 21.

id=34155 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 27. | option_a=1 | option_b=27 | option_c=54 | option_d=729 | answer=B | explanation=LCM × HCF = 27×27; HCF(27,27) = 27, so LCM = 27.

id=34156 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 44? | option_a=44 | option_b=17 | option_c=25 | option_d=33 | answer=A | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 44 is the odd one out.

id=34157 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■43543 at 8% per annum for 5 years. | option_a=17417 | option_b=17317 | option_c=17517 | option_d=60960 | answer=A | explanation=SI = PRT/100 = 43543×8×5/100 = ■17417.

id=34158 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■23041 at 8% per annum for 4 years. | option_a=7473 | option_b=7373 | option_c=30414 | option_d=7273 | answer=B | explanation=SI = PRT/100 = 23041×8×4/100 = ■7373.

id=34159 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 16, 21, 28? | option_a=16 | option_b=28 | option_c=21 | option_d=11 | answer=B | explanation=The first three numbers increase by 5, so the next should be 26. Therefore 28 is the odd one out.

id=34160 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=46 | option_b=36 | option_c=56 | option_d=47 | answer=A | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.

id=34161 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2112. If it is sold at a profit of 5%, what is its selling price? | option_a=2217 | option_b=2006 | option_c=2117 | option_d=2428 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2112 × 105/100 = ■2217.

id=34162 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 43? | option_a=37 | option_b=27 | option_c=43 | option_d=32 | answer=C | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 43 is the odd one out.

id=34163 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=O | option_c=I | option_d=M | answer=D | explanation=Move 2 positions forward from K; the resulting letter is M.

id=34164 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■48922 at 8% per annum for 3 years. | option_a=11741 | option_b=11841 | option_c=11641 | option_d=60663 | answer=A | explanation=SI = PRT/100 = 48922×8×3/100 = ■11741.

id=34165 | topic=Percentages | difficulty=Easy | question=What is 5% of 1016? | option_a=100 | option_b=60 | option_c=30 | option_d=50 | answer=D | explanation=5% of 1016 = (5/100) × 1016 = 50.

id=34166 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=24 | option_b=20 | option_c=28 | option_d=25 | answer=A | explanation=The common difference is 4. Therefore the next term is 20 + 4 = 24.

id=34167 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2364. If it is sold at a profit of 50%, what is its selling price? | option_a=3310 | option_b=3546 | option_c=2414 | option_d=3782 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2364 × 150/100 = ■3546.

id=34168 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=29 | option_c=19 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=34169 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=28 | option_b=29 | option_c=30 | option_d=26 | answer=A | explanation=The common difference is 2. Therefore the next term is 26 + 2 = 28.

id=34170 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

Aptitude Questions — Records 34,171-34,200 of 100,000

id=34171 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=T | option_b=J | option_c=O | option_d=Y | answer=A | explanation=Move 5 positions forward from O; the resulting letter is T.

id=34172 | topic=Averages | difficulty=Easy | question=Find the average of 86, 12, 19, 52, 80, 16, 36, 79, 76, 74. | option_a=52 | option_b=55 | option_c=54 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=34173 | topic=Profit & Loss | difficulty=Easy | question=An article costs █578. If it is sold at a profit of 30%, what is its selling price? | option_a=751 | option_b=608 | option_c=808 | option_d=694 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 578 × 130/100 = █751.

id=34174 | topic=Averages | difficulty=Easy | question=Find the average of 65, 25, 19, 67, 44, 91, 100, 81, 47, 41. | option_a=59 | option_b=57 | option_c=58 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 580 ÷ 10 = 58.

id=34175 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 14, 19, 26? | option_a=9 | option_b=19 | option_c=14 | option_d=26 | answer=D | explanation=The first three numbers increase by 5, so the next should be 24. Therefore 26 is the odd one out.

id=34176 | topic=Averages | difficulty=Easy | question=Find the average of 68, 22, 14, 62, 55, 33, 49, 98, 103. | option_a=55 | option_b=57 | option_c=56 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=34177 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 26, 33, 43? | option_a=33 | option_b=19 | option_c=43 | option_d=26 | answer=C | explanation=The first three numbers increase by 7, so the next should be 40. Therefore 43 is the odd one out.

id=34178 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:9 and the first is 112, what is the second? | option_a=238 | option_b=117 | option_c=134 | option_d=126 | answer=D | explanation=Scale factor = 112/8 = 14. Therefore second quantity = 9×14 = 126.

id=34179 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1318. If it is sold at a profit of 40%, what is its selling price? | option_a=1845 | option_b=1976 | option_c=1358 | option_d=1714 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1318 × 140/100 = █1845.

id=34180 | topic=Percentages | difficulty=Easy | question=What is 50% of 649? | option_a=329 | option_b=324 | option_c=304 | option_d=648 | answer=B | explanation=50% of 649 = (50/100) × 649 = 324.

id=34181 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=120 | option_c=125 | option_d=115 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=34182 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=7 | option_d=17 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=34183 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4284. If it is sold at a profit of 15%, what is its selling price? | option_a=5354 | option_b=4299 | option_c=4926 | option_d=4498 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4284 × 115/100 = █4926.

id=34184 | topic=Averages | difficulty=Easy | question=Find the average of 17, 45, 76. | option_a=46 | option_b=45 | option_c=47 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = 138 ÷ 3 = 46.

id=34185 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1584. If it is sold at a profit of 50%, what is its selling price? | option_a=2534 | option_b=2376 | option_c=2218 | option_d=1634 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1584 × 150/100 = █2376.

id=34186 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=34187 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4608. If it is sold at a profit of 25%, what is its selling price? | option_a=4633 | option_b=5760 | option_c=5300 | option_d=6220 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4608 × 125/100 = █5760.

id=34188 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4849. If it is sold at a profit of 25%, what is its selling price? | option_a=6061 | option_b=6545 | option_c=5577 | option_d=4874 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4849 × 125/100 = █6061.

id=34189 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=46 | option_b=54 | option_c=36 | option_d=45 | answer=D | explanation=The common difference is 9. Therefore the next term is 36 + 9 = 45.

id=34190 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=20 | option_c=15 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=34191 | topic=Profit & Loss | difficulty=Easy | question=An article costs █425. If it is sold at a profit of 10%, what is its selling price? | option_a=425 | option_b=509 | option_c=467 | option_d=435 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 425 × 110/100 = █467.

id=34192 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=42 | option_b=60 | option_c=51 | option_d=52 | answer=C | explanation=The common difference is 9. Therefore the next term is 42 + 9 = 51.

id=34193 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=34194 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=34195 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=67 | option_b=57 | option_c=58 | option_d=47 | answer=B | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

id=34196 | topic=Profit & Loss | difficulty=Easy | question=An article costs █681. If it is sold at a profit of 50%, what is its selling price? | option_a=731 | option_b=1021 | option_c=1089 | option_d=953 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 681 × 150/100 = █1021.

id=34197 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4395. If it is sold at a profit of 10%, what is its selling price? | option_a=4405 | option_b=4395 | option_c=5273 | option_d=4834 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4395 × 110/100 = █4834.

id=34198 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3873. If it is sold at a profit of 50%, what is its selling price? | option_a=3923 | option_b=5809 | option_c=6196 | option_d=5422 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3873 × 150/100 = █5809.

id=34199 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=34200 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3633. If it is sold at a profit of 50%, what is its selling price? | option_a=5812 | option_b=5449 | option_c=5086 | option_d=3683 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3633 × 150/100 = █5449.

Aptitude Questions — Records 34,201-34,230 of 100,000

id=34201 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=F | option_b=G | option_c=I | option_d=H | answer=D | explanation=Move 1 positions forward from G; the resulting letter is H.

id=34202 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=37 | option_b=32 | option_c=25 | option_d=31 | answer=D | explanation=The common difference is 6. Therefore the next term is 25 + 6 = 31.

id=34203 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=95 | option_d=180 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=34204 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=34205 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 34? | option_a=34 | option_b=22 | option_c=28 | option_d=25 | answer=A | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 34 is the odd one out.

id=34206 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=Q | option_b=E | option_c=I | option_d=M | answer=D | explanation=Move 4 positions forward from I; the resulting letter is M.

id=34207 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=45 | option_b=44 | option_c=52 | option_d=36 | answer=B | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.

id=34208 | topic=Averages | difficulty=Easy | question=Find the average of 48, 23, 92, 37, 70, 24, 49. | option_a=49 | option_b=51 | option_c=48 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 343 ÷ 7 = 49.

id=34209 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=I | option_b=R | option_c=O | option_d=L | answer=C | explanation=Move 3 positions forward from L; the resulting letter is O.

id=34210 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:6 and the first is 78, what is the second? | option_a=30 | option_b=36 | option_c=114 | option_d=49 | answer=B | explanation=Scale factor = 78/13 = 6. Therefore second quantity = 6×6 = 36.

id=34211 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24211 at 12% per annum for 3 years. | option_a=32926 | option_b=8715 | option_c=8615 | option_d=8815 | answer=B | explanation=SI = PRT/100 = 24211×12×3/100 = **■**8715.

id=34212 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3113. If it is sold at a profit of 10%, what is its selling price? | option_a=3123 | option_b=3735 | option_c=3113 | option_d=3424 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3113 × 110/100 = **■**3424.

id=34213 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=20 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=34214 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**158. If it is sold at a profit of 15%, what is its selling price? | option_a=173 | option_b=166 | option_c=196 | option_d=181 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 158 × 115/100 = **■**181.

id=34215 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 33, 42, 54? | option_a=33 | option_b=54 | option_c=42 | option_d=24 | answer=B | explanation=The first three numbers increase by 9, so the next should be 51. Therefore 54 is the odd one out.

id=34216 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=34217 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=34218 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=34219 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 32, 36, 43? | option_a=36 | option_b=28 | option_c=43 | option_d=32 | answer=C | explanation=The first three numbers increase by 4, so the next should be 40. Therefore 43 is the odd one out.

id=34220 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 50? | option_a=17 | option_b=27 | option_c=50 | option_d=37 | answer=C | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 50 is the odd one out.

id=34221 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 18. | option_a=234 | option_b=504 | option_c=280 | option_d=252 | answer=D | explanation=LCM × HCF = 28×18; HCF(28,18) = 2, so LCM = 252.

id=34222 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:19 and the first is 225, what is the second? | option_a=285 | option_b=300 | option_c=266 | option_d=510 | answer=A | explanation=Scale factor = 225/15 = 15. Therefore second quantity = 19×15 = 285.

id=34223 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 24, 36, 48, ? | option_a=60 | option_b=72 | option_c=61 | option_d=48 | answer=A | explanation=The common difference is 12. Therefore the next term is 48 + 12 = 60.

id=34224 | topic=Percentages | difficulty=Easy | question=What is 15% of 1226? | option_a=183 | option_b=203 | option_c=366 | option_d=163 | answer=A | explanation=15% of 1226 = (15/100) × 1226 = 183.

id=34225 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=25 | option_c=20 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=34226 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=M | option_b=G | option_c=K | option_d=I | answer=C | explanation=Move 2 positions forward from I; the resulting letter is K.

id=34227 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=34228 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 20? | option_a=20 | option_b=15 | option_c=17 | option_d=13 | answer=A | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 20 is the odd one out.

id=34229 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 34, 39, 46? | option_a=29 | option_b=39 | option_c=46 | option_d=34 | answer=C | explanation=The first three numbers increase by 5, so the next should be 44. Therefore 46 is the odd one out.

id=34230 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29560 at 8% per annum for 3 years. | option_a=7194 | option_b=36654 | option_c=7094 | option_d=6994 | answer=C | explanation=SI = PRT/100 = 29560×8×3/100 = **■**7094.

Aptitude Questions — Records 34,231-34,260 of 100,000

id=34231 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4004. If it is sold at a profit of 15%, what is its selling price? | option_a=5004 | option_b=4019 | option_c=4204 | option_d=4604 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4004 × 115/100 = █4604.

id=34232 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=49 | option_b=50 | option_c=39 | option_d=59 | answer=A | explanation=The common difference is 10. Therefore the next term is 39 + 10 = 49.

id=34233 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 22. | option_a=176 | option_b=396 | option_c=216 | option_d=198 | answer=D | explanation=LCM × HCF = 18×22; HCF(18,22) = 2, so LCM = 198.

id=34234 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28154 at 15% per annum for 2 years. | option_a=8346 | option_b=8546 | option_c=8446 | option_d=36600 | answer=C | explanation=SI = PRT/100 = 28154×15×2/100 = █8446.

id=34235 | topic=Percentages | difficulty=Easy | question=What is 5% of 803? | option_a=80 | option_b=40 | option_c=20 | option_d=60 | answer=B | explanation=5% of 803 = (5/100) × 803 = 40.

id=34236 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=34237 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=19 | option_b=15 | option_c=17 | option_d=18 | answer=C | explanation=The common difference is 2. Therefore the next term is 15 + 2 = 17.

id=34238 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3247. If it is sold at a profit of 40%, what is its selling price? | option_a=4869 | option_b=3287 | option_c=4221 | option_d=4545 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3247 × 140/100 = █4545.

id=34239 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 14, 22, 32, ? | option_a=22 | option_b=32 | option_c=14 | option_d=6 | answer=B | explanation=The first three numbers increase by 8, so the next should be 30. Therefore 32 is the odd one out.

id=34240 | topic=Percentages | difficulty=Easy | question=What is 40% of 1852? | option_a=735 | option_b=740 | option_c=1480 | option_d=760 | answer=B | explanation=40% of 1852 = (40/100) × 1852 = 740.

id=34241 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=360 | option_b=175 | option_c=185 | option_d=180 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=34242 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=67 | option_b=78 | option_c=54 | option_d=66 | answer=D | explanation=The common difference is 12. Therefore the next term is 54 + 12 = 66.

id=34243 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=51 | option_b=63 | option_c=52 | option_d=39 | answer=A | explanation=The common difference is 12. Therefore the next term is 39 + 12 = 51.

id=34244 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 22, 25, 31? | option_a=19 | option_b=22 | option_c=31 | option_d=25 | answer=C | explanation=The first three numbers increase by 3, so the next should be 28. Therefore 31 is the odd one out.

id=34245 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=61 | option_b=52 | option_c=51 | option_d=41 | answer=C | explanation=The common difference is 10. Therefore the next term is 41 + 10 = 51.

id=34246 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=85 | option_c=180 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=34247 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13406 at 10% per annum for 5 years. | option_a=6803 | option_b=6603 | option_c=20109 | option_d=6703 | answer=D | explanation=SI = PRT/100 = 13406×10×5/100 = █6703.

id=34248 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=34249 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 29, 33, 39? | option_a=25 | option_b=39 | option_c=29 | option_d=33 | answer=B | explanation=The first three numbers increase by 4, so the next should be 37. Therefore 39 is the odd one out.

id=34250 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1361. If it is sold at a profit of 5%, what is its selling price? | option_a=1429 | option_b=1366 | option_c=1293 | option_d=1565 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1361 × 105/100 = █1429.

id=34251 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:9 and the first is 30, what is the second? | option_a=18 | option_b=37 | option_c=57 | option_d=27 | answer=D | explanation=Scale factor = 30/10 = 3. Therefore second quantity = 9×3 = 27.

id=34252 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=A | option_b=I | option_c=E | option_d=M | answer=B | explanation=Move 4 positions forward from E; the resulting letter is I.

id=34253 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=S | option_b=O | option_c=G | option_d=K | answer=B | explanation=Move 4 positions forward from K; the resulting letter is O.

id=34254 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19885 at 15% per annum for 1 years. | option_a=2982 | option_b=2882 | option_c=3082 | option_d=22867 | answer=A | explanation=SI = PRT/100 = 19885×15×1/100 = █2982.

id=34255 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 6. | option_a=24 | option_b=90 | option_c=45 | option_d=30 | answer=D | explanation=LCM × HCF = 15×6; HCF(15,6) = 3, so LCM = 30.

id=34256 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=43 | option_b=44 | option_c=37 | option_d=49 | answer=A | explanation=The common difference is 6. Therefore the next term is 37 + 6 = 43.

id=34257 | topic=Averages | difficulty=Easy | question=Find the average of 30, 32, 49. | option_a=39 | option_b=38 | option_c=37 | option_d=36 | answer=C | explanation=Average = sum of values ÷ number of values = 111 ÷ 3 = 37.

id=34258 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:2 and the first is 104, what is the second? | option_a=24 | option_b=26 | option_c=34 | option_d=130 | answer=B | explanation=Scale factor = 104/8 = 13. Therefore second quantity = 2×13 = 26.

id=34259 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=34260 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=F | option_c=Z | option_d=I | answer=B | explanation=Move 3 positions forward from C; the resulting letter is F.

Aptitude Questions — Records 34,261-34,290 of 100,000

id=34261 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=46 | option_b=45 | option_c=35 | option_d=55 | answer=B | explanation=The common difference is 10. Therefore the next term is 35 + 10 = 45.

id=34262 | topic=Averages | difficulty=Easy | question=Find the average of 74, 24, 76. | option_a=58 | option_b=59 | option_c=60 | option_d=57 | answer=A | explanation=Average = sum of values + number of values = 174 ÷ 3 = 58.

id=34263 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■15668 at 8% per annum for 4 years. | option_a=5013 | option_b=5113 | option_c=20681 | option_d=4913 | answer=A | explanation=SI = PRT/100 = 15668×8×4/100 = ■5013.

id=34264 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=43 | option_b=35 | option_c=27 | option_d=36 | answer=B | explanation=The common difference is 8. Therefore the next term is 27 + 8 = 35.

id=34265 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=29 | option_b=24 | option_c=34 | option_d=30 | answer=A | explanation=The common difference is 5. Therefore the next term is 24 + 5 = 29.

id=34266 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:2 and the first is 11, what is the second? | option_a=23 | option_b=33 | option_c=20 | option_d=22 | answer=D | explanation=Scale factor = 11/1 = 11. Therefore second quantity = 2×11 = 22.

id=34267 | topic=Averages | difficulty=Easy | question=Find the average of 50, 27, 22, 54, 84, 20, 58. | option_a=47 | option_b=46 | option_c=44 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 315 ÷ 7 = 45.

id=34268 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 21, 25, 30? | option_a=25 | option_b=21 | option_c=17 | option_d=30 | answer=D | explanation=The first three numbers increase by 4, so the next should be 29. Therefore 30 is the odd one out.

id=34269 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 17, 20, 26? | option_a=26 | option_b=14 | option_c=20 | option_d=17 | answer=A | explanation=The first three numbers increase by 3, so the next should be 23. Therefore 26 is the odd one out.

id=34270 | topic=Percentages | difficulty=Easy | question=What is 20% of 1676? | option_a=335 | option_b=670 | option_c=330 | option_d=345 | answer=A | explanation=20% of 1676 = (20/100) × 1676 = 335.

id=34271 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:19 and the first is 300, what is the second? | option_a=305 | option_b=585 | option_c=285 | option_d=266 | answer=C | explanation=Scale factor = 300/20 = 15. Therefore second quantity = 19×15 = 285.

id=34272 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1962. If it is sold at a profit of 25%, what is its selling price? | option_a=2452 | option_b=2648 | option_c=2256 | option_d=1987 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1962 × 125/100 = ■2452.

id=34273 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2613. If it is sold at a profit of 10%, what is its selling price? | option_a=2874 | option_b=3135 | option_c=2623 | option_d=2613 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2613 × 110/100 = ■2874.

id=34274 | topic=Percentages | difficulty=Easy | question=What is 10% of 1549? | option_a=159 | option_b=154 | option_c=308 | option_d=149 | answer=B | explanation=10% of 1549 = (10/100) × 1549 = 154.

id=34275 | topic=Averages | difficulty=Easy | question=Find the average of 59, 84, 84, 40, 28, 45, 39, 69. | option_a=57 | option_b=58 | option_c=56 | option_d=55 | answer=C | explanation=Average = sum of values + number of values = 448 ÷ 8 = 56.

id=34276 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 8, 13, 20? | option_a=3 | option_b=13 | option_c=8 | option_d=20 | answer=D | explanation=The first three numbers increase by 5, so the next should be 18. Therefore 20 is the odd one out.

id=34277 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=A | option_b=B | option_c=C | option_d=D | answer=C | explanation=Move 1 positions forward from B; the resulting letter is C.

id=34278 | topic=Percentages | difficulty=Easy | question=What is 20% of 851? | option_a=340 | option_b=175 | option_c=165 | option_d=170 | answer=D | explanation=20% of 851 = (20/100) × 851 = 170.

id=34279 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2275. If it is sold at a profit of 40%, what is its selling price? | option_a=2315 | option_b=2958 | option_c=3185 | option_d=3412 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2275 × 140/100 = ■3185.

id=34280 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=34281 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=34282 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 10. | option_a=40 | option_b=10 | option_c=200 | option_d=20 | answer=D | explanation=LCM × HCF = 20×10; HCF(20,10) = 10, so LCM = 20.

id=34283 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 8, 11, 14, ? | option_a=20 | option_b=17 | option_c=14 | option_d=18 | answer=B | explanation=The common difference is 3. Therefore the next term is 14 + 3 = 17.

id=34284 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:12 and the first is 380, what is the second? | option_a=248 | option_b=228 | option_c=608 | option_d=216 | answer=B | explanation=Scale factor = 380/20 = 19. Therefore second quantity = 12×19 = 228.

id=34285 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=36 | option_c=31 | option_d=72 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=34286 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=34287 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=V | option_b=M | option_c=P | option_d=S | answer=D | explanation=Move 3 positions forward from P; the resulting letter is S.

id=34288 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 44? | option_a=37 | option_b=32 | option_c=44 | option_d=27 | answer=C | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 44 is the odd one out.

id=34289 | topic=Percentages | difficulty=Easy | question=What is 15% of 240? | option_a=26 | option_b=41 | option_c=36 | option_d=72 | answer=C | explanation=15% of 240 = (15/100) × 240 = 36.

id=34290 | topic=Percentages | difficulty=Easy | question=What is 30% of 1064? | option_a=638 | option_b=309 | option_c=324 | option_d=319 | answer=D | explanation=30% of 1064 = (30/100) × 1064 = 319.

Aptitude Questions — Records 34,291-34,320 of 100,000

id=34291 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:15 and the first is 65, what is the second? | option_a=60 | option_b=75 | option_c=88 | option_d=140 | answer=B | explanation=Scale factor = $65/13 = 5$. Therefore second quantity = $15 \times 5 = 75$.

id=34292 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**719. If it is sold at a profit of 10%, what is its selling price? | option_a=719 | option_b=861 | option_c=790 | option_d=729 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 719 \times 110/100 = \text{₹}790$.

id=34293 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:16 and the first is 120, what is the second? | option_a=360 | option_b=224 | option_c=240 | option_d=248 | answer=C | explanation=Scale factor = $120/8 = 15$. Therefore second quantity = $16 \times 15 = 240$.

id=34294 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=I | option_c=S | option_d=X | answer=C | explanation=Move 5 positions forward from N; the resulting letter is S.

id=34295 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=34296 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=V | option_b=N | option_c=J | option_d=R | answer=D | explanation=Move 4 positions forward from N; the resulting letter is R.

id=34297 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=34298 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=34299 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 22. | option_a=44 | option_b=484 | option_c=1 | option_d=22 | answer=D | explanation= $LCM \times HCF = 22 \times 22$; $HCF(22, 22) = 22$, so $LCM = 22$.

id=34300 | topic=Percentages | difficulty=Easy | question=What is 15% of 167? | option_a=35 | option_b=25 | option_c=50 | option_d=20 | answer=B | explanation= $15\% \text{ of } 167 = (15/100) \times 167 = 25$.

id=34301 | topic=Percentages | difficulty=Easy | question=What is 15% of 827? | option_a=119 | option_b=124 | option_c=134 | option_d=248 | answer=B | explanation= $15\% \text{ of } 827 = (15/100) \times 827 = 124$.

id=34302 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:2 and the first is 192, what is the second? | option_a=40 | option_b=216 | option_c=22 | option_d=24 | answer=D | explanation=Scale factor = $192/16 = 12$. Therefore second quantity = $2 \times 12 = 24$.

id=34303 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 15, 20, 27? | option_a=27 | option_b=20 | option_c=10 | option_d=15 | answer=A | explanation=The first three numbers increase by 5, so the next should be 25. Therefore 27 is the odd one out.

id=34304 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**7205 at 8% per annum for 4 years. | option_a=2305 | option_b=2405 | option_c=2205 | option_d=9510 | answer=A | explanation= $SI = PRT/100 = 7205 \times 8 \times 4/100 = \text{₹}2305$.

id=34305 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**451. If it is sold at a profit of 50%, what is its selling price? | option_a=721 | option_b=501 | option_c=631 | option_d=676 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 451 \times 150/100 = \text{₹}676$.

id=34306 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:19 and the first is 285, what is the second? | option_a=646 | option_b=342 | option_c=376 | option_d=361 | answer=D | explanation=Scale factor = $285/15 = 19$. Therefore second quantity = $19 \times 19 = 361$.

id=34307 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=23 | option_b=25 | option_c=27 | option_d=26 | answer=B | explanation=The common difference is 2. Therefore the next term is $23 + 2 = 25$.

id=34308 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=34309 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**49294 at 4% per annum for 2 years. | option_a=3843 | option_b=3943 | option_c=53237 | option_d=4043 | answer=B | explanation= $SI = PRT/100 = 49294 \times 4 \times 2/100 = \text{₹}3943$.

id=34310 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=160 | option_c=80 | option_d=75 | answer=C | explanation= $\text{Speed} = \text{distance} \div \text{time} = 240 \div 3 = 80 \text{ km/h}$.

id=34311 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=23 | option_b=19 | option_c=25 | option_d=22 | answer=D | explanation=The common difference is 3. Therefore the next term is $19 + 3 = 22$.

id=34312 | topic=Percentages | difficulty=Easy | question=What is 40% of 1979? | option_a=801 | option_b=781 | option_c=791 | option_d=1582 | answer=C | explanation= $40\% \text{ of } 1979 = (40/100) \times 1979 = 791$.

id=34313 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=K | option_b=E | option_c=B | option_d=H | answer=D | explanation=Move 3 positions forward from E; the resulting letter is H.

id=34314 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=4 | option_d=20 | answer=A | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=34315 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**1354 at 10% per annum for 2 years. | option_a=270 | option_b=170 | option_c=370 | option_d=1624 | answer=A | explanation= $SI = PRT/100 = 1354 \times 10 \times 2/100 = \text{₹}270$.

id=34316 | topic=Averages | difficulty=Easy | question=Find the average of 50, 83, 68, 53, 31. | option_a=58 | option_b=59 | option_c=56 | option_d=57 | answer=D | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 285 \div 5 = 57$.

id=34317 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**17908 at 8% per annum for 3 years. | option_a=22205 | option_b=4297 | option_c=4397 | option_d=4197 | answer=B | explanation= $SI = PRT/100 = 17908 \times 8 \times 3/100 = \text{₹}4297$.

id=34318 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=80 | option_d=35 | answer=B | explanation= $\text{Speed} = \text{distance} \div \text{time} = 240 \div 6 = 40 \text{ km/h}$.

id=34319 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=P | option_b=S | option_c=Q | option_d=R | answer=D | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=34320 | topic=Percentages | difficulty=Easy | question=What is 5% of 59? | option_a=2 | option_b=22 | option_c=0 | option_d=4 | answer=A | explanation= $5\% \text{ of } 59 = (5/100) \times 59 = 2$.

Aptitude Questions — Records 34,321-34,350 of 100,000

id=34321 | topic=Percentages | difficulty=Easy | question=What is 25% of 1614? | option_a=408 | option_b=806 | option_c=383 | option_d=403 | answer=D | explanation=25% of 1614 = (25/100) × 1614 = 403.

id=34322 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 9, 16, 26? | option_a=16 | option_b=2 | option_c=26 | option_d=9 | answer=C | explanation=The first three numbers increase by 7, so the next should be 23. Therefore 26 is the odd one out.

id=34323 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=N | option_b=J | option_c=F | option_d=B | answer=B | explanation=Move 4 positions forward from F; the resulting letter is J.

id=34324 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=K | option_c=S | option_d=W | answer=C | explanation=Move 4 positions forward from O; the resulting letter is S.

id=34325 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1761. If it is sold at a profit of 5%, what is its selling price? | option_a=2025 | option_b=1849 | option_c=1673 | option_d=1766 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1761 × 105/100 = █1849.

id=34326 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46224 at 4% per annum for 1 years. | option_a=1848 | option_b=48072 | option_c=1948 | option_d=1748 | answer=A | explanation=SI = PRT/100 = 46224×4×1/100 = █1848.

id=34327 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:17 and the first is 247, what is the second? | option_a=468 | option_b=221 | option_c=204 | option_d=240 | answer=B | explanation=Scale factor = 247/19 = 13. Therefore second quantity = 17×13 = 221.

id=34328 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=100 | option_c=50 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=34329 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=160 | option_c=85 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=34330 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40440 at 10% per annum for 4 years. | option_a=16076 | option_b=16176 | option_c=16276 | option_d=56616 | answer=B | explanation=SI = PRT/100 = 40440×10×4/100 = █16176.

id=34331 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:7 and the first is 64, what is the second? | option_a=49 | option_b=64 | option_c=56 | option_d=120 | answer=C | explanation=Scale factor = 64/8 = 8. Therefore second quantity = 7×8 = 56.

id=34332 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=46 | option_b=59 | option_c=70 | option_d=58 | answer=D | explanation=The common difference is 12. Therefore the next term is 46 + 12 = 58.

id=34333 | topic=Percentages | difficulty=Easy | question=What is 12% of 317? | option_a=58 | option_b=28 | option_c=38 | option_d=76 | answer=C | explanation=12% of 317 = (12/100) × 317 = 38.

id=34334 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=O | option_c=A | option_d=S | answer=A | explanation=Move 4 positions forward from S; the resulting letter is W.

id=34335 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=R | option_c=P | option_d=S | answer=B | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=34336 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=34337 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=34338 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39840 at 6% per annum for 3 years. | option_a=7171 | option_b=47011 | option_c=7271 | option_d=7071 | answer=A | explanation=SI = PRT/100 = 39840×6×3/100 = █7171.

id=34339 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=34340 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=23 | option_b=21 | option_c=17 | option_d=20 | answer=D | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=34341 | topic=Averages | difficulty=Easy | question=Find the average of 83, 26, 11, 67, 31, 39, 92, 82, 32, 57. | option_a=52 | option_b=51 | option_c=53 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 520 ÷ 10 = 52.

id=34342 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 29, 36, 44? | option_a=29 | option_b=44 | option_c=22 | option_d=36 | answer=B | explanation=The first three numbers increase by 7, so the next should be 43. Therefore 44 is the odd one out.

id=34343 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:14 and the first is 38, what is the second? | option_a=304 | option_b=266 | option_c=252 | option_d=268 | answer=B | explanation=Scale factor = 38/2 = 19. Therefore second quantity = 14×19 = 266.

id=34344 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=32 | option_b=42 | option_c=50 | option_d=41 | answer=D | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

id=34345 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:4 and the first is 95, what is the second? | option_a=76 | option_b=72 | option_c=171 | option_d=81 | answer=A | explanation=Scale factor = 95/5 = 19. Therefore second quantity = 4×19 = 76.

id=34346 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=34347 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:20 and the first is 200, what is the second? | option_a=380 | option_b=600 | option_c=410 | option_d=400 | answer=D | explanation=Scale factor = 200/10 = 20. Therefore second quantity = 20×20 = 400.

id=34348 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4298. If it is sold at a profit of 20%, what is its selling price? | option_a=5586 | option_b=5157 | option_c=4728 | option_d=4318 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4298 × 120/100 = █5157.

id=34349 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 12. | option_a=264 | option_b=132 | option_c=154 | option_d=120 | answer=B | explanation=LCM × HCF = 22×12; HCF(22,12) = 2, so LCM = 132.

id=34350 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 20, 22, 26? | option_a=20 | option_b=22 | option_c=26 | option_d=18 | answer=C | explanation=The first three numbers increase by 2, so the next should be 24. Therefore 26 is the odd one out.

Aptitude Questions — Records 34,351-34,380 of 100,000

id=34351 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=55 | option_b=54 | option_c=44 | option_d=64 | answer=B | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=34352 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=34353 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=67 | option_c=77 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=34354 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=45 | option_c=40 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=34355 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 4. | option_a=48 | option_b=12 | option_c=8 | option_d=24 | answer=B | explanation=LCM × HCF = 12×4; HCF(12,4) = 4, so LCM = 12.

id=34356 | topic=Averages | difficulty=Easy | question=Find the average of 24, 100, 53, 55, 38. | option_a=55 | option_b=56 | option_c=54 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 270 ÷ 5 = 54.

id=34357 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=50 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=34358 | topic=Averages | difficulty=Easy | question=Find the average of 45, 72, 61, 63, 58, 63, 16. | option_a=54 | option_b=56 | option_c=53 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

id=34359 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=34360 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:15 and the first is 228, what is the second? | option_a=199 | option_b=165 | option_c=180 | option_d=408 | answer=C | explanation=Scale factor = 228/19 = 12. Therefore second quantity = 15×12 = 180.

id=34361 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15758 at 12% per annum for 1 years. | option_a=17648 | option_b=1790 | option_c=1890 | option_d=1990 | answer=C | explanation=SI = PRT/100 = 15758×12×1/100 = **■**1890.

id=34362 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1653. If it is sold at a profit of 10%, what is its selling price? | option_a=1653 | option_b=1983 | option_c=1663 | option_d=1818 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1653 × 110/100 = **■**1818.

id=34363 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44439 at 15% per annum for 2 years. | option_a=13431 | option_b=13231 | option_c=57770 | option_d=13331 | answer=D | explanation=SI = PRT/100 = 44439×15×2/100 = **■**13331.

id=34364 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=45 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=34365 | topic=Percentages | difficulty=Easy | question=What is 12% of 203? | option_a=14 | option_b=48 | option_c=29 | option_d=24 | answer=D | explanation=12% of 203 = (12/100) × 203 = 24.

id=34366 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4271. If it is sold at a profit of 50%, what is its selling price? | option_a=5979 | option_b=6406 | option_c=6833 | option_d=4321 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4271 × 150/100 = **■**6406.

id=34367 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=P | option_c=O | option_d=M | answer=C | explanation=Move 1 positions forward from N; the resulting letter is O.

id=34368 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:18 and the first is 90, what is the second? | option_a=252 | option_b=172 | option_c=162 | option_d=144 | answer=C | explanation=Scale factor = 90/10 = 9. Therefore second quantity = 18×9 = 162.

id=34369 | topic=Percentages | difficulty=Easy | question=What is 50% of 1823? | option_a=911 | option_b=931 | option_c=1822 | option_d=901 | answer=A | explanation=50% of 1823 = (50/100) × 1823 = 911.

id=34370 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=O | option_c=A | option_d=S | answer=A | explanation=Move 4 positions forward from S; the resulting letter is W.

id=34371 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10038 at 12% per annum for 4 years. | option_a=4918 | option_b=4718 | option_c=14856 | option_d=4818 | answer=D | explanation=SI = PRT/100 = 10038×12×4/100 = **■**4818.

id=34372 | topic=Averages | difficulty=Easy | question=Find the average of 59, 83, 65, 29, 80, 31, 51, 60, 82. | option_a=60 | option_b=62 | option_c=59 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 540 ÷ 9 = 60.

id=34373 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=W | option_c=T | option_d=V | answer=D | explanation=Move 1 positions forward from U; the resulting letter is V.

id=34374 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28370 at 6% per annum for 2 years. | option_a=3404 | option_b=3304 | option_c=3504 | option_d=31774 | answer=A | explanation=SI = PRT/100 = 28370×6×2/100 = **■**3404.

id=34375 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=36 | option_b=33 | option_c=28 | option_d=32 | answer=D | explanation=The common difference is 4. Therefore the next term is 28 + 4 = 32.

id=34376 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28734 at 6% per annum for 3 years. | option_a=5272 | option_b=33906 | option_c=5172 | option_d=5072 | answer=C | explanation=SI = PRT/100 = 28734×6×3/100 = **■**5172.

id=34377 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=24 | option_b=25 | option_c=20 | option_d=28 | answer=A | explanation=The common difference is 4. Therefore the next term is 20 + 4 = 24.

id=34378 | topic=Averages | difficulty=Easy | question=Find the average of 30, 27, 17, 13, 69, 55, 90, 19. | option_a=39 | option_b=41 | option_c=40 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = 320 ÷ 8 = 40.

id=34379 | topic=Averages | difficulty=Easy | question=Find the average of 51, 67, 47, 96, 78, 12, 69, 76. | option_a=61 | option_b=63 | option_c=64 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 496 ÷ 8 = 62.

id=34380 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1229. If it is sold at a profit of 5%, what is its selling price? | option_a=1234 | option_b=1290 | option_c=1168 | option_d=1412 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1229 × 105/100 = **■**1290.

Aptitude Questions — Records 34,381-34,410 of 100,000

id=34381 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7892 at 5% per annum for 1 years. | option_a=394 | option_b=294 | option_c=494 | option_d=8286 | answer=A | explanation=SI = PRT/100 = 7892×5×1/100 = **■**394.

id=34382 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=34383 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 24, 36, 48, ? | option_a=61 | option_b=48 | option_c=72 | option_d=60 | answer=D | explanation=The common difference is 12. Therefore the next term is 48 + 12 = 60.

id=34384 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=28 | option_b=34 | option_c=22 | option_d=29 | answer=A | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.

id=34385 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=B | option_b=B | option_c=E | option_d=H | answer=D | explanation=Move 3 positions forward from E; the resulting letter is H.

id=34386 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 26, 29, 34? | option_a=23 | option_b=29 | option_c=26 | option_d=34 | answer=D | explanation=The first three numbers increase by 3, so the next should be 32. Therefore 34 is the odd one out.

id=34387 | topic=Averages | difficulty=Easy | question=Find the average of 26, 27, 76. | option_a=45 | option_b=43 | option_c=44 | option_d=42 | answer=B | explanation=Average = sum of values ÷ number of values = 129 ÷ 3 = 43.

id=34388 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44584 at 10% per annum for 1 years. | option_a=4458 | option_b=49042 | option_c=4358 | option_d=4558 | answer=A | explanation=SI = PRT/100 = 44584×10×1/100 = **■**4458.

id=34389 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=29 | option_b=30 | option_c=33 | option_d=25 | answer=A | explanation=The common difference is 4. Therefore the next term is 25 + 4 = 29.

id=34390 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=Z | option_c=E | option_d=P | answer=B | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=34391 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 20. | option_a=180 | option_b=198 | option_c=360 | option_d=160 | answer=A | explanation=LCM × HCF = 18×20; HCF(18,20) = 2, so LCM = 180.

id=34392 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 8, 12, 17? | option_a=17 | option_b=8 | option_c=4 | option_d=12 | answer=A | explanation=The first three numbers increase by 4, so the next should be 16. Therefore 17 is the odd one out.

id=34393 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 5. | option_a=30 | option_b=75 | option_c=10 | option_d=15 | answer=D | explanation=LCM × HCF = 15×5; HCF(15,5) = 5, so LCM = 15.

id=34394 | topic=Percentages | difficulty=Easy | question=What is 10% of 924? | option_a=102 | option_b=87 | option_c=184 | option_d=92 | answer=D | explanation=10% of 924 = (10/100) × 924 = 92.

id=34395 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 28, 38, 51? | option_a=18 | option_b=38 | option_c=28 | option_d=51 | answer=D | explanation=The first three numbers increase by 10, so the next should be 48. Therefore 51 is the odd one out.

id=34396 | topic=Percentages | difficulty=Easy | question=What is 30% of 1833? | option_a=549 | option_b=1098 | option_c=529 | option_d=554 | answer=A | explanation=30% of 1833 = (30/100) × 1833 = 549.

id=34397 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=V | option_b=A | option_c=K | option_d=F | answer=D | explanation=Move 5 positions forward from A; the resulting letter is F.

id=34398 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 25? | option_a=25 | option_b=6 | option_c=18 | option_d=12 | answer=A | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 25 is the odd one out.

id=34399 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 12? | option_a=9 | option_b=5 | option_c=7 | option_d=12 | answer=D | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 12 is the odd one out.

id=34400 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=28 | option_b=33 | option_c=21 | option_d=27 | answer=D | explanation=The common difference is 6. Therefore the next term is 21 + 6 = 27.

id=34401 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 7, 10, 14? | option_a=10 | option_b=4 | option_c=7 | option_d=14 | answer=D | explanation=The first three numbers increase by 3, so the next should be 13. Therefore 14 is the odd one out.

id=34402 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=85 | option_c=75 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=34403 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=15 | option_b=17 | option_c=19 | option_d=18 | answer=B | explanation=The common difference is 2. Therefore the next term is 15 + 2 = 17.

id=34404 | topic=Percentages | difficulty=Easy | question=What is 5% of 1913? | option_a=105 | option_b=95 | option_c=190 | option_d=85 | answer=B | explanation=5% of 1913 = (5/100) × 1913 = 95.

id=34405 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=K | option_c=I | option_d=M | answer=D | explanation=Move 2 positions forward from K; the resulting letter is M.

id=34406 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2042. If it is sold at a profit of 40%, what is its selling price? | option_a=2858 | option_b=2654 | option_c=3062 | option_d=2082 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2042 × 140/100 = **■**2858.

id=34407 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=37 | option_b=28 | option_c=44 | option_d=36 | answer=D | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=34408 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=34409 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3905. If it is sold at a profit of 25%, what is its selling price? | option_a=4881 | option_b=5271 | option_c=4491 | option_d=3930 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3905 × 125/100 = **■**4881.

id=34410 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

Aptitude Questions — Records 34,411-34,440 of 100,000

id=34411 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=J | option_b=B | option_c=N | option_d=F | answer=A | explanation=Move 4 positions forward from F; the resulting letter is J.

id=34412 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=34413 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=160 | option_c=75 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = $240 \div 3 = 80$ km/h.

id=34414 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.

id=34415 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=34416 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=L | option_b=T | option_c=P | option_d=X | answer=B | explanation=Move 4 positions forward from P; the resulting letter is T.

id=34417 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 33? | option_a=33 | option_b=10 | option_c=17 | option_d=24 | answer=A | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 33 is the odd one out.

id=34418 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4375. If it is sold at a profit of 30%, what is its selling price? | option_a=5687 | option_b=4405 | option_c=5250 | option_d=6124 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4375 \times \frac{130}{100} = \text{█}5687$.

id=34419 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 8, 13, 21? | option_a=8 | option_b=3 | option_c=21 | option_d=13 | answer=C | explanation=The first three numbers increase by 5, so the next should be 18. Therefore 21 is the odd one out.

id=34420 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=58 | option_b=47 | option_c=57 | option_d=67 | answer=C | explanation=The common difference is 10. Therefore the next term is $47 + 10 = 57$.

id=34421 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4432. If it is sold at a profit of 15%, what is its selling price? | option_a=4653 | option_b=5539 | option_c=4447 | option_d=5096 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4432 \times \frac{115}{100} = \text{█}5096$.

id=34422 | topic=Profit & Loss | difficulty=Easy | question=An article costs █630. If it is sold at a profit of 15%, what is its selling price? | option_a=661 | option_b=787 | option_c=724 | option_d=645 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 630 \times \frac{115}{100} = \text{█}724$.

id=34423 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31559 at 8% per annum for 2 years. | option_a=5049 | option_b=4949 | option_c=5149 | option_d=36608 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{31559 \times 8 \times 2}{100} = \text{█}5049$.

id=34424 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 14, 21, 29? | option_a=21 | option_b=7 | option_c=14 | option_d=29 | answer=D | explanation=The first three numbers increase by 7, so the next should be 28. Therefore 29 is the odd one out.

id=34425 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=Y | option_c=S | option_d=U | answer=A | explanation=Move 2 positions forward from U; the resulting letter is W.

id=34426 | topic=Averages | difficulty=Easy | question=Find the average of 74, 19, 74, 71, 62, 30, 39, 36, 31, 74. | option_a=53 | option_b=52 | option_c=50 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{510}{10} = 51$.

id=34427 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=16 | option_b=24 | option_c=21 | option_d=20 | answer=D | explanation=The common difference is 4. Therefore the next term is $16 + 4 = 20$.

id=34428 | topic=Averages | difficulty=Easy | question=Find the average of 73, 11, 99. | option_a=61 | option_b=62 | option_c=63 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{183}{3} = 61$.

id=34429 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:11 and the first is 56, what is the second? | option_a=88 | option_b=95 | option_c=77 | option_d=144 | answer=A | explanation=Scale factor = $\frac{56}{7} = 8$. Therefore second quantity = $11 \times 8 = 88$.

id=34430 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=34431 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 10, 15, 20, ? | option_a=30 | option_b=26 | option_c=20 | option_d=25 | answer=D | explanation=The common difference is 5. Therefore the next term is $20 + 5 = 25$.

id=34432 | topic=Percentages | difficulty=Easy | question=What is 30% of 1064? | option_a=319 | option_b=339 | option_c=309 | option_d=638 | answer=A | explanation=30% of 1064 = $(\frac{30}{100}) \times 1064 = 319$.

id=34433 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=16 | option_b=20 | option_c=18 | option_d=19 | answer=C | explanation=The common difference is 2. Therefore the next term is $16 + 2 = 18$.

id=34434 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35121 at 12% per annum for 2 years. | option_a=43550 | option_b=8529 | option_c=8429 | option_d=8329 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{35121 \times 12 \times 2}{100} = \text{█}8429$.

id=34435 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=47 | option_b=57 | option_c=58 | option_d=67 | answer=B | explanation=The common difference is 10. Therefore the next term is $47 + 10 = 57$.

id=34436 | topic=Profit & Loss | difficulty=Easy | question=An article costs █499. If it is sold at a profit of 25%, what is its selling price? | option_a=574 | option_b=623 | option_c=672 | option_d=524 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 499 \times \frac{125}{100} = \text{█}623$.

id=34437 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=34438 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21749 at 15% per annum for 2 years. | option_a=6524 | option_b=6424 | option_c=28273 | option_d=6624 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{21749 \times 15 \times 2}{100} = \text{█}6524$.

id=34439 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:4 and the first is 38, what is the second? | option_a=78 | option_b=72 | option_c=114 | option_d=76 | answer=D | explanation=Scale factor = $\frac{38}{2} = 19$. Therefore second quantity = $4 \times 19 = 76$.

id=34440 | topic=Percentages | difficulty=Easy | question=What is 10% of 457? | option_a=25 | option_b=90 | option_c=45 | option_d=65 | answer=C | explanation=10% of 457 = $(\frac{10}{100}) \times 457 = 45$.

Aptitude Questions — Records 34,441-34,470 of 100,000

id=34441 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=37 | option_b=57 | option_c=47 | option_d=48 | answer=C | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

id=34442 | topic=Averages | difficulty=Easy | question=Find the average of 64, 46, 57, 71, 83, 21. | option_a=56 | option_b=58 | option_c=59 | option_d=57 | answer=D | explanation=Average = sum of values + number of values = 342 ÷ 6 = 57.

id=34443 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24582 at 5% per annum for 1 years. | option_a=1129 | option_b=25811 | option_c=1329 | option_d=1229 | answer=D | explanation=SI = $PRT/100 = 24582 \times 5 \times 1/100 = \text{■}1229$.

id=34444 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=34445 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27805 at 4% per annum for 3 years. | option_a=3436 | option_b=3336 | option_c=3236 | option_d=31141 | answer=B | explanation=SI = $PRT/100 = 27805 \times 4 \times 3/100 = \text{■}3336$.

id=34446 | topic=Averages | difficulty=Easy | question=Find the average of 90, 87, 12. | option_a=62 | option_b=64 | option_c=63 | option_d=65 | answer=C | explanation=Average = sum of values + number of values = 189 ÷ 3 = 63.

id=34447 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:18 and the first is 340, what is the second? | option_a=700 | option_b=342 | option_c=360 | option_d=377 | answer=C | explanation=Scale factor = $340/17 = 20$. Therefore second quantity = $18 \times 20 = 360$.

id=34448 | topic=Averages | difficulty=Easy | question=Find the average of 31, 27, 89, 88, 91, 34. | option_a=62 | option_b=61 | option_c=60 | option_d=59 | answer=C | explanation=Average = sum of values + number of values = 360 ÷ 6 = 60.

id=34449 | topic=Averages | difficulty=Easy | question=Find the average of 49, 84, 22, 32, 27, 44. | option_a=42 | option_b=45 | option_c=44 | option_d=43 | answer=D | explanation=Average = sum of values + number of values = 258 ÷ 6 = 43.

id=34450 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=40 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=34451 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=34452 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=60 | option_b=50 | option_c=38 | option_d=49 | answer=D | explanation=The common difference is 11. Therefore the next term is 38 + 11 = 49.

id=34453 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:18 and the first is 99, what is the second? | option_a=207 | option_b=198 | option_c=180 | option_d=297 | answer=B | explanation=Scale factor = $99/9 = 11$. Therefore second quantity = $18 \times 11 = 198$.

id=34454 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=D | option_b=T | option_c=Y | option_d=O | answer=C | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=34455 | topic=Averages | difficulty=Easy | question=Find the average of 87, 18, 24, 75, 65, 49. | option_a=55 | option_b=52 | option_c=54 | option_d=53 | answer=D | explanation=Average = sum of values + number of values = 318 ÷ 6 = 53.

id=34456 | topic=Averages | difficulty=Easy | question=Find the average of 21, 57, 47, 56, 80, 15, 86, 34, 57, 107. | option_a=57 | option_b=55 | option_c=56 | option_d=58 | answer=C | explanation=Average = sum of values + number of values = 560 ÷ 10 = 56.

id=34457 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:6 and the first is 13, what is the second? | option_a=79 | option_b=72 | option_c=78 | option_d=91 | answer=C | explanation=Scale factor = $13/1 = 13$. Therefore second quantity = $6 \times 13 = 78$.

id=34458 | topic=Percentages | difficulty=Easy | question=What is 5% of 537? | option_a=52 | option_b=26 | option_c=31 | option_d=16 | answer=B | explanation=5% of 537 = $(5/100) \times 537 = 26$.

id=34459 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 28. | option_a=728 | option_b=390 | option_c=364 | option_d=336 | answer=C | explanation=LCM × HCF = 26×28 ; HCF(26,28) = 2, so LCM = 364.

id=34460 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=34461 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:7 and the first is 152, what is the second? | option_a=141 | option_b=285 | option_c=126 | option_d=133 | answer=D | explanation=Scale factor = $152/8 = 19$. Therefore second quantity = $7 \times 19 = 133$.

id=34462 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46564 at 15% per annum for 1 years. | option_a=6884 | option_b=6984 | option_c=7084 | option_d=53548 | answer=B | explanation=SI = $PRT/100 = 46564 \times 15 \times 1/100 = \text{■}6984$.

id=34463 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**307. If it is sold at a profit of 30%, what is its selling price? | option_a=369 | option_b=429 | option_c=337 | option_d=399 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 307 \times 130/100 = \text{■}399$.

id=34464 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=34465 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=K | option_b=L | option_c=M | option_d=N | answer=C | explanation=Move 1 positions forward from L; the resulting letter is M.

id=34466 | topic=Averages | difficulty=Easy | question=Find the average of 29, 50, 13, 41, 31, 94, 86, 72, 94, 20. | option_a=54 | option_b=52 | option_c=53 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=34467 | topic=Averages | difficulty=Easy | question=Find the average of 60, 94, 66, 93, 96, 64, 78, 27, 51, 41. | option_a=69 | option_b=66 | option_c=68 | option_d=67 | answer=D | explanation=Average = sum of values ÷ number of values = 670 ÷ 10 = 67.

id=34468 | topic=Percentages | difficulty=Easy | question=What is 40% of 1854? | option_a=1482 | option_b=751 | option_c=721 | option_d=741 | answer=D | explanation=40% of 1854 = $(40/100) \times 1854 = 741$.

id=34469 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8698 at 10% per annum for 1 years. | option_a=9567 | option_b=769 | option_c=969 | option_d=869 | answer=D | explanation=SI = $PRT/100 = 8698 \times 10 \times 1/100 = \text{■}869$.

id=34470 | topic=Percentages | difficulty=Easy | question=What is 25% of 1569? | option_a=392 | option_b=382 | option_c=784 | option_d=402 | answer=A | explanation=25% of 1569 = $(25/100) \times 1569 = 392$.

Aptitude Questions — Records 34,471-34,500 of 100,000

id=34471 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=34472 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■46451 at 5% per annum for 1 years. | option_a=2422 | option_b=48773 | option_c=2222 | option_d=2322 | answer=D | explanation=SI = PRT/100 = 46451×5×1/100 = ■2322.

id=34473 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=31 | option_b=27 | option_c=30 | option_d=33 | answer=C | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.

id=34474 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■2137 at 15% per annum for 1 years. | option_a=320 | option_b=220 | option_c=420 | option_d=2457 | answer=A | explanation=SI = PRT/100 = 2137×15×1/100 = ■320.

id=34475 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=K | option_c=J | option_d=H | answer=C | explanation=Move 1 positions forward from I; the resulting letter is J.

id=34476 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 14. | option_a=196 | option_b=210 | option_c=240 | option_d=420 | answer=B | explanation=LCM × HCF = 30×14; HCF(30,14) = 2, so LCM = 210.

id=34477 | topic=Averages | difficulty=Easy | question=Find the average of 78, 99, 18. | option_a=67 | option_b=64 | option_c=66 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 195 ÷ 3 = 65.

id=34478 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4434. If it is sold at a profit of 20%, what is its selling price? | option_a=4454 | option_b=5763 | option_c=4877 | option_d=5320 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4434 × 120/100 = ■5320.

id=34479 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 17, 20, 26? | option_a=20 | option_b=14 | option_c=26 | option_d=17 | answer=C | explanation=The first three numbers increase by 3, so the next should be 23. Therefore 26 is the odd one out.

id=34480 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 17, 25, 33, ? | option_a=42 | option_b=33 | option_c=41 | option_d=49 | answer=C | explanation=The common difference is 8. Therefore the next term is 33 + 8 = 41.

id=34481 | topic=Averages | difficulty=Easy | question=Find the average of 76, 41, 61, 98, 72, 75, 30, 99. | option_a=69 | option_b=71 | option_c=68 | option_d=70 | answer=A | explanation=Average = sum of values ÷ number of values = 552 ÷ 8 = 69.

id=34482 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:19 and the first is 18, what is the second? | option_a=173 | option_b=171 | option_c=152 | option_d=189 | answer=B | explanation=Scale factor = 18/2 = 9. Therefore second quantity = 19×9 = 171.

id=34483 | topic=Averages | difficulty=Easy | question=Find the average of 87, 19, 97, 53. | option_a=65 | option_b=63 | option_c=64 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = 256 ÷ 4 = 64.

id=34484 | topic=Percentages | difficulty=Easy | question=What is 5% of 1676? | option_a=93 | option_b=166 | option_c=83 | option_d=73 | answer=C | explanation=5% of 1676 = (5/100) × 1676 = 83.

id=34485 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 41? | option_a=15 | option_b=23 | option_c=31 | option_d=41 | answer=D | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 41 is the odd one out.

id=34486 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:8 and the first is 52, what is the second? | option_a=45 | option_b=84 | option_c=24 | option_d=32 | answer=D | explanation=Scale factor = 52/13 = 4. Therefore second quantity = 8×4 = 32.

id=34487 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:8 and the first is 98, what is the second? | option_a=154 | option_b=70 | option_c=56 | option_d=48 | answer=C | explanation=Scale factor = 98/14 = 7. Therefore second quantity = 8×7 = 56.

id=34488 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 26, 36, 47? | option_a=16 | option_b=26 | option_c=47 | option_d=36 | answer=C | explanation=The first three numbers increase by 10, so the next should be 46. Therefore 47 is the odd one out.

id=34489 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=34490 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■285. If it is sold at a profit of 30%, what is its selling price? | option_a=398 | option_b=342 | option_c=315 | option_d=370 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 285 × 130/100 = ■370.

id=34491 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:19 and the first is 57, what is the second? | option_a=364 | option_b=361 | option_c=342 | option_d=418 | answer=B | explanation=Scale factor = 57/3 = 19. Therefore second quantity = 19×19 = 361.

id=34492 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=H | option_c=J | option_d=D | answer=B | explanation=Move 2 positions forward from F; the resulting letter is H.

id=34493 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=17 | option_b=19 | option_c=13 | option_d=16 | answer=D | explanation=The common difference is 3. Therefore the next term is 13 + 3 = 16.

id=34494 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=W | option_c=U | option_d=Q | answer=C | explanation=Move 2 positions forward from S; the resulting letter is U.

id=34495 | topic=Percentages | difficulty=Easy | question=What is 10% of 654? | option_a=65 | option_b=45 | option_c=130 | option_d=85 | answer=A | explanation=10% of 654 = (10/100) × 654 = 65.

id=34496 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■34197 at 8% per annum for 5 years. | option_a=13578 | option_b=13678 | option_c=47875 | option_d=13778 | answer=B | explanation=SI = PRT/100 = 34197×8×5/100 = ■13678.

id=34497 | topic=Percentages | difficulty=Easy | question=What is 40% of 715? | option_a=281 | option_b=572 | option_c=306 | option_d=286 | answer=D | explanation=40% of 715 = (40/100) × 715 = 286.

id=34498 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=10 | option_b=11 | option_c=12 | option_d=8 | answer=A | explanation=The common difference is 2. Therefore the next term is 8 + 2 = 10.

id=34499 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 14, 16, 19? | option_a=12 | option_b=19 | option_c=14 | option_d=16 | answer=B | explanation=The first three numbers increase by 2, so the next should be 18. Therefore 19 is the odd one out.

id=34500 | topic=Percentages | difficulty=Easy | question=What is 10% of 1627? | option_a=162 | option_b=152 | option_c=172 | option_d=324 | answer=A | explanation=10% of 1627 = (10/100) × 1627 = 162.

Aptitude Questions — Records 34,501-34,530 of 100,000

id=34501 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=34502 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=42 | option_b=50 | option_c=41 | option_d=32 | answer=C | explanation=The common difference is 9. Therefore the next term is $32 + 9 = 41$.

id=34503 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:16 and the first is 234, what is the second? | option_a=208 | option_b=226 | option_c=192 | option_d=442 | answer=A | explanation=Scale factor = $\frac{234}{18} = 13$. Therefore second quantity = $16 \times 13 = 208$.

id=34504 | topic=Percentages | difficulty=Easy | question=What is 40% of 486? | option_a=388 | option_b=214 | option_c=189 | option_d=194 | answer=D | explanation= 40% of 486 = $(\frac{40}{100}) \times 486 = 194$.

id=34505 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=7 | option_c=12 | option_d=17 | answer=C | explanation=Speed = distance $\div$ time = $\frac{120}{10} = 12$ km/h.

id=34506 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3987. If it is sold at a profit of 25%, what is its selling price? | option_a=5381 | option_b=4012 | option_c=4585 | option_d=4983 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3987 \times \frac{125}{100} = \text{█}4983$.

id=34507 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41842 at 6% per annum for 2 years. | option_a=4921 | option_b=5121 | option_c=46863 | option_d=5021 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{41842 \times 6 \times 2}{100} = \text{█}5021$.

id=34508 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=31 | option_c=72 | option_d=36 | answer=D | explanation=Speed = distance $\div$ time = $\frac{180}{5} = 36$ km/h.

id=34509 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 33, 43, 56? | option_a=56 | option_b=33 | option_c=23 | option_d=43 | answer=A | explanation=The first three numbers increase by 10, so the next should be 53. Therefore 56 is the odd one out.

id=34510 | topic=Averages | difficulty=Easy | question=Find the average of 36, 40, 92, 90, 94, 73, 44, 70, 69, 72. | option_a=70 | option_b=67 | option_c=68 | option_d=69 | answer=C | explanation=Average = sum of values $\div$ number of values = $\frac{680}{10} = 68$.

id=34511 | topic=Averages | difficulty=Easy | question=Find the average of 46, 62, 10, 43, 95, 90, 99, 65, 30. | option_a=61 | option_b=60 | option_c=59 | option_d=62 | answer=B | explanation=Average = sum of values $\div$ number of values = $\frac{540}{9} = 60$.

id=34512 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=37 | option_b=47 | option_c=46 | option_d=55 | answer=C | explanation=The common difference is 9. Therefore the next term is $37 + 9 = 46$.

id=34513 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17579 at 12% per annum for 4 years. | option_a=8337 | option_b=8537 | option_c=8437 | option_d=26016 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{17579 \times 12 \times 4}{100} = \text{█}8437$.

id=34514 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30259 at 4% per annum for 4 years. | option_a=35100 | option_b=4841 | option_c=4941 | option_d=4741 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{30259 \times 4 \times 4}{100} = \text{█}4841$.

id=34515 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1287. If it is sold at a profit of 25%, what is its selling price? | option_a=1312 | option_b=1480 | option_c=1736 | option_d=1608 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1287 \times \frac{125}{100} = \text{█}1608$.

id=34516 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=O | option_c=U | option_d=X | answer=C | explanation=Move 3 positions forward from R; the resulting letter is U.

id=34517 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1275. If it is sold at a profit of 30%, what is its selling price? | option_a=1305 | option_b=1784 | option_c=1530 | option_d=1657 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1275 \times \frac{130}{100} = \text{█}1657$.

id=34518 | topic=Averages | difficulty=Easy | question=Find the average of 97, 89, 48. | option_a=79 | option_b=77 | option_c=80 | option_d=78 | answer=D | explanation=Average = sum of values $\div$ number of values = $\frac{234}{3} = 78$.

id=34519 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=H | option_c=N | option_d=Q | answer=C | explanation=Move 3 positions forward from K; the resulting letter is N.

id=34520 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=160 | option_c=80 | option_d=85 | answer=C | explanation=Speed = distance $\div$ time = $\frac{240}{3} = 80$ km/h.

id=34521 | topic=Averages | difficulty=Easy | question=Find the average of 50, 71, 55, 44, 47, 94, 61, 34. | option_a=56 | option_b=58 | option_c=59 | option_d=57 | answer=D | explanation=Average = sum of values $\div$ number of values = $\frac{456}{8} = 57$.

id=34522 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=90 | option_c=85 | option_d=95 | answer=B | explanation=Speed = distance $\div$ time = $\frac{360}{4} = 90$ km/h.

id=34523 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=O | option_b=J | option_c=E | option_d=Z | answer=B | explanation=Move 5 positions forward from E; the resulting letter is J.

id=34524 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=43 | option_c=48 | option_d=53 | answer=C | explanation=Speed = distance $\div$ time = $\frac{240}{5} = 48$ km/h.

id=34525 | topic=Averages | difficulty=Easy | question=Find the average of 28, 58, 83, 51. | option_a=55 | option_b=57 | option_c=54 | option_d=56 | answer=A | explanation=Average = sum of values $\div$ number of values = $\frac{220}{4} = 55$.

id=34526 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=13 | option_b=16 | option_c=15 | option_d=17 | answer=C | explanation=The common difference is 2. Therefore the next term is $13 + 2 = 15$.

id=34527 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=G | option_b=V | option_c=Q | option_d=L | answer=C | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=34528 | topic=Averages | difficulty=Easy | question=Find the average of 37, 72, 19, 100, 54, 32, 45, 31, 33. | option_a=47 | option_b=49 | option_c=48 | option_d=46 | answer=A | explanation=Average = sum of values $\div$ number of values = $\frac{423}{9} = 47$.

id=34529 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4401. If it is sold at a profit of 30%, what is its selling price? | option_a=4431 | option_b=6161 | option_c=5721 | option_d=5281 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4401 \times \frac{130}{100} = \text{█}5721$.

id=34530 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3261. If it is sold at a profit of 50%, what is its selling price? | option_a=3311 | option_b=4565 | option_c=5217 | option_d=4891 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3261 \times \frac{150}{100} = \text{█}4891$.

Aptitude Questions — Records 34,531-34,560 of 100,000

id=34531 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=M | option_c=O | option_d=Q | answer=D | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=34532 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=59 | option_b=47 | option_c=69 | option_d=58 | answer=D | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.

id=34533 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 12, 15, 18, ? | option_a=18 | option_b=21 | option_c=24 | option_d=22 | answer=B | explanation=The common difference is 3. Therefore the next term is 18 + 3 = 21.

id=34534 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=41 | option_b=47 | option_c=33 | option_d=40 | answer=D | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.

id=34535 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 34? | option_a=28 | option_b=30 | option_c=26 | option_d=34 | answer=D | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 34 is the odd one out.

id=34536 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 12, 21, 30, ? | option_a=30 | option_b=39 | option_c=48 | option_d=40 | answer=B | explanation=The common difference is 9. Therefore the next term is 30 + 9 = 39.

id=34537 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=24 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=34538 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=M | option_b=C | option_c=R | option_d=H | answer=A | explanation=Move 5 positions forward from H; the resulting letter is M.

id=34539 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=34540 | topic=Averages | difficulty=Easy | question=Find the average of 67, 35, 73, 65, 41, 16, 32. | option_a=48 | option_b=46 | option_c=47 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 329 ÷ 7 = 47.

id=34541 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21583 at 4% per annum for 1 years. | option_a=22446 | option_b=863 | option_c=763 | option_d=963 | answer=B | explanation=SI = PRT/100 = 21583×4×1/100 = **■**863.

id=34542 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40966 at 15% per annum for 3 years. | option_a=18534 | option_b=18334 | option_c=59400 | option_d=18434 | answer=D | explanation=SI = PRT/100 = 40966×15×3/100 = **■**18434.

id=34543 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 34, 39, 47? | option_a=34 | option_b=39 | option_c=47 | option_d=29 | answer=C | explanation=The first three numbers increase by 5, so the next should be 44. Therefore 47 is the odd one out.

id=34544 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:11 and the first is 38, what is the second? | option_a=41 | option_b=60 | option_c=11 | option_d=22 | answer=D | explanation=Scale factor = 38/19 = 2. Therefore second quantity = 11×2 = 22.

id=34545 | topic=Averages | difficulty=Easy | question=Find the average of 58, 78, 81, 37, 23, 52, 49. | option_a=56 | option_b=54 | option_c=55 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

id=34546 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=67 | option_b=58 | option_c=47 | option_d=57 | answer=D | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

id=34547 | topic=Percentages | difficulty=Easy | question=What is 5% of 87? | option_a=8 | option_b=0 | option_c=14 | option_d=4 | answer=D | explanation=5% of 87 = (5/100) × 87 = 4.

id=34548 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=34549 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37615 at 10% per annum for 2 years. | option_a=45138 | option_b=7523 | option_c=7423 | option_d=7623 | answer=B | explanation=SI = PRT/100 = 37615×10×2/100 = **■**7523.

id=34550 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:15 and the first is 150, what is the second? | option_a=165 | option_b=150 | option_c=300 | option_d=135 | answer=B | explanation=Scale factor = 150/15 = 10. Therefore second quantity = 15×10 = 150.

id=34551 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=160 | option_c=85 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=34552 | topic=Averages | difficulty=Easy | question=Find the average of 16, 10, 53, 99, 64, 72, 22. | option_a=48 | option_b=49 | option_c=50 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 336 ÷ 7 = 48.

id=34553 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 18? | option_a=11 | option_b=18 | option_c=15 | option_d=13 | answer=B | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 18 is the odd one out.

id=34554 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=50 | option_c=45 | option_d=100 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=34555 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:20 and the first is 153, what is the second? | option_a=320 | option_b=340 | option_c=349 | option_d=493 | answer=B | explanation=Scale factor = 153/9 = 17. Therefore second quantity = 20×17 = 340.

id=34556 | topic=Percentages | difficulty=Easy | question=What is 10% of 1062? | option_a=106 | option_b=96 | option_c=111 | option_d=212 | answer=A | explanation=10% of 1062 = (10/100) × 1062 = 106.

id=34557 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=360 | option_c=180 | option_d=185 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=34558 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 50? | option_a=30 | option_b=42 | option_c=50 | option_d=36 | answer=C | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 50 is the odd one out.

id=34559 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=95 | option_d=180 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=34560 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3428. If it is sold at a profit of 20%, what is its selling price? | option_a=3448 | option_b=3771 | option_c=4113 | option_d=4455 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3428 × 120/100 = **■**4113.

Aptitude Questions — Records 34,561-34,590 of 100,000

id=34561 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=36 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=34562 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29981 at 15% per annum for 3 years. | option_a=13591 | option_b=43472 | option_c=13391 | option_d=13491 | answer=D | explanation=SI = $PRT/100$ = $29981 \times 15 \times 3/100$ = **■**13491.

id=34563 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=51 | option_b=62 | option_c=38 | option_d=50 | answer=D | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=34564 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7474 at 12% per annum for 4 years. | option_a=3487 | option_b=3587 | option_c=11061 | option_d=3687 | answer=B | explanation=SI = $PRT/100$ = $7474 \times 12 \times 4/100$ = **■**3587.

id=34565 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=O | option_c=C | option_d=K | answer=D | explanation=Move 4 positions forward from G; the resulting letter is K.

id=34566 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=28 | option_b=30 | option_c=24 | option_d=27 | answer=D | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=34567 | topic=Averages | difficulty=Easy | question=Find the average of 98, 55, 97, 86, 99, 15. | option_a=77 | option_b=74 | option_c=76 | option_d=75 | answer=D | explanation=Average = sum of values ÷ number of values = $450 \div 6$ = 75.

id=34568 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2425. If it is sold at a profit of 40%, what is its selling price? | option_a=3637 | option_b=2465 | option_c=3395 | option_d=3153 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100$ = $2425 \times 140/100$ = **■**3395.

id=34569 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:11 and the first is 66, what is the second? | option_a=121 | option_b=110 | option_c=187 | option_d=127 | answer=A | explanation=Scale factor = $66/6$ = 11. Therefore second quantity = 11×11 = 121.

id=34570 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 30? | option_a=4 | option_b=30 | option_c=20 | option_d=12 | answer=B | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 30 is the odd one out.

id=34571 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6992 at 4% per annum for 3 years. | option_a=739 | option_b=7831 | option_c=939 | option_d=839 | answer=D | explanation=SI = $PRT/100$ = $6992 \times 4 \times 3/100$ = **■**839.

id=34572 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8153 at 15% per annum for 4 years. | option_a=13044 | option_b=4991 | option_c=4791 | option_d=4891 | answer=D | explanation=SI = $PRT/100$ = $8153 \times 15 \times 4/100$ = **■**4891.

id=34573 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=49 | option_b=40 | option_c=50 | option_d=58 | answer=A | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

id=34574 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=17 | option_b=21 | option_c=19 | option_d=20 | answer=C | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=34575 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20363 at 15% per annum for 4 years. | option_a=32580 | option_b=12217 | option_c=12117 | option_d=12317 | answer=B | explanation=SI = $PRT/100$ = $20363 \times 15 \times 4/100$ = **■**12217.

id=34576 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=31 | option_b=27 | option_c=30 | option_d=33 | answer=C | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.

id=34577 | topic=Percentages | difficulty=Easy | question=What is 30% of 970? | option_a=291 | option_b=281 | option_c=301 | option_d=582 | answer=A | explanation=30% of 970 = $(30/100) \times 970$ = 291.

id=34578 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=54 | option_b=63 | option_c=45 | option_d=55 | answer=A | explanation=The common difference is 9. Therefore the next term is 45 + 9 = 54.

id=34579 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:11 and the first is 24, what is the second? | option_a=22 | option_b=34 | option_c=46 | option_d=11 | answer=A | explanation=Scale factor = $24/12$ = 2. Therefore second quantity = 11×2 = 22.

id=34580 | topic=Percentages | difficulty=Easy | question=What is 20% of 1234? | option_a=492 | option_b=246 | option_c=236 | option_d=266 | answer=B | explanation=20% of 1234 = $(20/100) \times 1234$ = 246.

id=34581 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4$ = 16/48. Time = $48/16$ = 3 days.

id=34582 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 18. | option_a=24 | option_b=108 | option_c=18 | option_d=1 | answer=C | explanation= $LCM \times HCF = 6 \times 18$; $HCF(6,18) = 6$, so $LCM = 18$.

id=34583 | topic=Averages | difficulty=Easy | question=Find the average of 94, 50, 22, 46, 63. | option_a=57 | option_b=54 | option_c=55 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = $275 \div 5$ = 55.

id=34584 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3386 at 4% per annum for 4 years. | option_a=441 | option_b=3927 | option_c=541 | option_d=641 | answer=C | explanation=SI = $PRT/100$ = $3386 \times 4 \times 4/100$ = **■**541.

id=34585 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=H | option_b=K | option_c=E | option_d=B | answer=A | explanation=Move 3 positions forward from E; the resulting letter is H.

id=34586 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5417 at 5% per annum for 3 years. | option_a=912 | option_b=6229 | option_c=712 | option_d=812 | answer=D | explanation=SI = $PRT/100$ = $5417 \times 5 \times 3/100$ = **■**812.

id=34587 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=Q | option_c=U | option_d=O | answer=A | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=34588 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18067 at 6% per annum for 3 years. | option_a=21319 | option_b=3352 | option_c=3152 | option_d=3252 | answer=D | explanation=SI = $PRT/100$ = $18067 \times 6 \times 3/100$ = **■**3252.

id=34589 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 25, 34, 43, ? | option_a=61 | option_b=53 | option_c=52 | option_d=43 | answer=C | explanation=The common difference is 9. Therefore the next term is 43 + 9 = 52.

id=34590 | topic=Averages | difficulty=Easy | question=Find the average of 38, 81, 10, 63. | option_a=47 | option_b=49 | option_c=50 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = $192 \div 4$ = 48.

Aptitude Questions — Records 34,591-34,620 of 100,000

id=34591 | topic=Averages | difficulty=Easy | question=Find the average of 72, 41, 97. | option_a=69 | option_b=72 | option_c=70 | option_d=71 | answer=C | explanation=Average = sum of values ÷ number of values = 210 ÷ 3 = 70.

id=34592 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=35 | option_b=27 | option_c=34 | option_d=41 | answer=C | explanation=The common difference is 7. Therefore the next term is 27 + 7 = 34.

id=34593 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 54? | option_a=29 | option_b=54 | option_c=45 | option_d=37 | answer=B | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 54 is the odd one out.

id=34594 | topic=Averages | difficulty=Easy | question=Find the average of 99, 34, 60, 35. | option_a=56 | option_b=59 | option_c=58 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 228 ÷ 4 = 57.

id=34595 | topic=Averages | difficulty=Easy | question=Find the average of 80, 34, 93. | option_a=69 | option_b=68 | option_c=71 | option_d=70 | answer=A | explanation=Average = sum of values ÷ number of values = 207 ÷ 3 = 69.

id=34596 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=44 | option_b=45 | option_c=50 | option_d=38 | answer=A | explanation=The common difference is 6. Therefore the next term is 38 + 6 = 44.

id=34597 | topic=Profit & Loss | difficulty=Easy | question=An article costs █973. If it is sold at a profit of 15%, what is its selling price? | option_a=988 | option_b=1021 | option_c=1215 | option_d=1118 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 973 × 115/100 = █1118.

id=34598 | topic=Percentages | difficulty=Easy | question=What is 20% of 1239? | option_a=247 | option_b=494 | option_c=237 | option_d=252 | answer=A | explanation=20% of 1239 = (20/100) × 1239 = 247.

id=34599 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 43? | option_a=37 | option_b=32 | option_c=43 | option_d=27 | answer=C | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 43 is the odd one out.

id=34600 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=40 | option_c=80 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=34601 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:2 and the first is 210, what is the second? | option_a=28 | option_b=43 | option_c=26 | option_d=238 | answer=A | explanation=Scale factor = 210/15 = 14. Therefore second quantity = 2×14 = 28.

id=34602 | topic=Percentages | difficulty=Easy | question=What is 5% of 983? | option_a=98 | option_b=59 | option_c=49 | option_d=44 | answer=C | explanation=5% of 983 = (5/100) × 983 = 49.

id=34603 | topic=Averages | difficulty=Easy | question=Find the average of 23, 13, 56, 73, 55, 94, 50, 52. | option_a=51 | option_b=53 | option_c=52 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=34604 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=95 | option_c=100 | option_d=105 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=34605 | topic=Averages | difficulty=Easy | question=Find the average of 43, 44, 98, 94, 82, 27, 53, 103. | option_a=69 | option_b=67 | option_c=68 | option_d=70 | answer=C | explanation=Average = sum of values ÷ number of values = 544 ÷ 8 = 68.

id=34606 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3518. If it is sold at a profit of 40%, what is its selling price? | option_a=5276 | option_b=4574 | option_c=3558 | option_d=4925 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3518 × 140/100 = █4925.

id=34607 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=34608 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39889 at 15% per annum for 3 years. | option_a=18050 | option_b=57839 | option_c=17850 | option_d=17950 | answer=D | explanation=SI = PRT/100 = 39889×15×3/100 = █17950.

id=34609 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7222 at 6% per annum for 2 years. | option_a=966 | option_b=866 | option_c=8088 | option_d=766 | answer=B | explanation=SI = PRT/100 = 7222×6×2/100 = █866.

id=34610 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=Y | option_c=E | option_d=C | answer=D | explanation=Move 2 positions forward from A; the resulting letter is C.

id=34611 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=H | option_c=J | option_d=K | answer=C | explanation=Move 1 positions forward from I; the resulting letter is J.

id=34612 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 40? | option_a=32 | option_b=25 | option_c=40 | option_d=18 | answer=C | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 40 is the odd one out.

id=34613 | topic=Percentages | difficulty=Easy | question=What is 5% of 1025? | option_a=56 | option_b=51 | option_c=31 | option_d=102 | answer=B | explanation=5% of 1025 = (5/100) × 1025 = 51.

id=34614 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=L | option_b=B | option_c=Q | option_d=G | answer=A | explanation=Move 5 positions forward from G; the resulting letter is L.

id=34615 | topic=Percentages | difficulty=Easy | question=What is 10% of 1767? | option_a=352 | option_b=176 | option_c=166 | option_d=181 | answer=B | explanation=10% of 1767 = (10/100) × 1767 = 176.

id=34616 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:11 and the first is 16, what is the second? | option_a=38 | option_b=11 | option_c=30 | option_d=22 | answer=D | explanation=Scale factor = 16/8 = 2. Therefore second quantity = 11×2 = 22.

id=34617 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47942 at 6% per annum for 5 years. | option_a=14482 | option_b=62324 | option_c=14282 | option_d=14382 | answer=D | explanation=SI = PRT/100 = 47942×6×5/100 = █14382.

id=34618 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=W | option_b=G | option_c=B | option_d=L | answer=B | explanation=Move 5 positions forward from B; the resulting letter is G.

id=34619 | topic=Profit & Loss | difficulty=Easy | question=An article costs █819. If it is sold at a profit of 50%, what is its selling price? | option_a=1228 | option_b=1147 | option_c=1309 | option_d=869 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 819 × 150/100 = █1228.

id=34620 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3876. If it is sold at a profit of 15%, what is its selling price? | option_a=4457 | option_b=4844 | option_c=3891 | option_d=4070 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3876 × 115/100 = █4457.

Aptitude Questions — Records 34,621-34,650 of 100,000

id=34621 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3407. If it is sold at a profit of 20%, what is its selling price? | option_a=3748 | option_b=3427 | option_c=4088 | option_d=4428 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3407 × 120/100 = █4088.

id=34622 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:3 and the first is 144, what is the second? | option_a=180 | option_b=36 | option_c=33 | option_d=48 | answer=B | explanation=Scale factor = 144/12 = 12. Therefore second quantity = 3×12 = 36.

id=34623 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4752. If it is sold at a profit of 50%, what is its selling price? | option_a=7603 | option_b=6653 | option_c=4802 | option_d=7128 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4752 × 150/100 = █7128.

id=34624 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 3. | option_a=3 | option_b=6 | option_c=9 | option_d=1 | answer=A | explanation=LCM × HCF = 3×3; HCF(3,3) = 3, so LCM = 3.

id=34625 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2112. If it is sold at a profit of 40%, what is its selling price? | option_a=2745 | option_b=3167 | option_c=2956 | option_d=2152 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2112 × 140/100 = █2956.

id=34626 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=B | option_c=Q | option_d=L | answer=D | explanation=Move 5 positions forward from G; the resulting letter is L.

id=34627 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=36 | option_d=13 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=34628 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2435. If it is sold at a profit of 10%, what is its selling price? | option_a=2921 | option_b=2445 | option_c=2678 | option_d=2435 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2435 × 110/100 = █2678.

id=34629 | topic=Percentages | difficulty=Easy | question=What is 5% of 1302? | option_a=65 | option_b=130 | option_c=85 | option_d=60 | answer=A | explanation=5% of 1302 = (5/100) × 1302 = 65.

id=34630 | topic=Percentages | difficulty=Easy | question=What is 40% of 535? | option_a=219 | option_b=428 | option_c=214 | option_d=194 | answer=C | explanation=40% of 535 = (40/100) × 535 = 214.

id=34631 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18055 at 5% per annum for 5 years. | option_a=4613 | option_b=4413 | option_c=4513 | option_d=22568 | answer=C | explanation=SI = PRT/100 = 18055×5×5/100 = █4513.

id=34632 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=D | option_b=E | option_c=B | option_d=C | answer=A | explanation=Move 1 positions forward from C; the resulting letter is D.

id=34633 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 18. | option_a=18 | option_b=1 | option_c=324 | option_d=36 | answer=A | explanation=LCM × HCF = 18×18; HCF(18,18) = 18, so LCM = 18.

id=34634 | topic=Averages | difficulty=Easy | question=Find the average of 86, 11, 86, 38, 91, 78. | option_a=64 | option_b=67 | option_c=66 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 390 ÷ 6 = 65.

id=34635 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 50? | option_a=21 | option_b=50 | option_c=30 | option_d=39 | answer=B | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 50 is the odd one out.

id=34636 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=20 | option_b=21 | option_c=24 | option_d=16 | answer=A | explanation=The common difference is 4. Therefore the next term is 16 + 4 = 20.

id=34637 | topic=Averages | difficulty=Easy | question=Find the average of 41, 46, 67, 19, 92. | option_a=54 | option_b=55 | option_c=53 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 265 ÷ 5 = 53.

id=34638 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=W | option_c=Y | option_d=S | answer=B | explanation=Move 2 positions forward from U; the resulting letter is W.

id=34639 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3114. If it is sold at a profit of 10%, what is its selling price? | option_a=3114 | option_b=3736 | option_c=3425 | option_d=3124 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3114 × 110/100 = █3425.

id=34640 | topic=Percentages | difficulty=Easy | question=What is 50% of 266? | option_a=266 | option_b=133 | option_c=143 | option_d=113 | answer=B | explanation=50% of 266 = (50/100) × 266 = 133.

id=34641 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:3 and the first is 14, what is the second? | option_a=6 | option_b=3 | option_c=20 | option_d=13 | answer=A | explanation=Scale factor = 14/7 = 2. Therefore second quantity = 3×2 = 6.

id=34642 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 58? | option_a=38 | option_b=47 | option_c=29 | option_d=58 | answer=D | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 58 is the odd one out.

id=34643 | topic=Averages | difficulty=Easy | question=Find the average of 87, 59, 51, 15, 67, 20, 65. | option_a=51 | option_b=52 | option_c=54 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 364 ÷ 7 = 52.

id=34644 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4422. If it is sold at a profit of 50%, what is its selling price? | option_a=4472 | option_b=6191 | option_c=6633 | option_d=7075 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4422 × 150/100 = █6633.

id=34645 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 4. | option_a=16 | option_b=40 | option_c=20 | option_d=80 | answer=C | explanation=LCM × HCF = 20×4; HCF(20,4) = 4, so LCM = 20.

id=34646 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 37, 46, 57? | option_a=57 | option_b=28 | option_c=37 | option_d=46 | answer=A | explanation=The first three numbers increase by 9, so the next should be 55. Therefore 57 is the odd one out.

id=34647 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=H | option_b=L | option_c=T | option_d=P | answer=D | explanation=Move 4 positions forward from L; the resulting letter is P.

id=34648 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=34649 | topic=Averages | difficulty=Easy | question=Find the average of 30, 34, 84, 88. | option_a=59 | option_b=58 | option_c=61 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 236 ÷ 4 = 59.

id=34650 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=28 | option_b=29 | option_c=26 | option_d=30 | answer=A | explanation=The common difference is 2. Therefore the next term is 26 + 2 = 28.

Aptitude Questions — Records 34,651-34,680 of 100,000

id=34651 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=34652 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■34858 at 15% per annum for 2 years. | option_a=10457 | option_b=10557 | option_c=45315 | option_d=10357 | answer=A | explanation=SI = PRT/100 = 34858×15×2/100 = ■10457.

id=34653 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 30? | option_a=30 | option_b=18 | option_c=23 | option_d=13 | answer=A | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 30 is the odd one out.

id=34654 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 24, 32, 43? | option_a=16 | option_b=43 | option_c=24 | option_d=32 | answer=B | explanation=The first three numbers increase by 8, so the next should be 40. Therefore 43 is the odd one out.

id=34655 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:3 and the first is 320, what is the second? | option_a=60 | option_b=76 | option_c=57 | option_d=380 | answer=A | explanation=Scale factor = 320/16 = 20. Therefore second quantity = 3×20 = 60.

id=34656 | topic=Percentages | difficulty=Easy | question=What is 20% of 1791? | option_a=358 | option_b=716 | option_c=368 | option_d=353 | answer=A | explanation=20% of 1791 = (20/100) × 1791 = 358.

id=34657 | topic=Averages | difficulty=Easy | question=Find the average of 86, 28, 18, 28, 25. | option_a=37 | option_b=39 | option_c=38 | option_d=36 | answer=A | explanation=Average = sum of values ÷ number of values = 185 ÷ 5 = 37.

id=34658 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14157 at 5% per annum for 3 years. | option_a=16280 | option_b=2023 | option_c=2223 | option_d=2123 | answer=D | explanation=SI = PRT/100 = 14157×5×3/100 = ■2123.

id=34659 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1886. If it is sold at a profit of 20%, what is its selling price? | option_a=2451 | option_b=1906 | option_c=2075 | option_d=2263 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1886 × 120/100 = ■2263.

id=34660 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=34661 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=37 | option_b=43 | option_c=31 | option_d=38 | answer=A | explanation=The common difference is 6. Therefore the next term is 31 + 6 = 37.

id=34662 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=30 | option_b=24 | option_c=34 | option_d=29 | answer=D | explanation=The common difference is 5. Therefore the next term is 24 + 5 = 29.

id=34663 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=C | option_b=Q | option_c=U | option_d=Y | answer=D | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=34664 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:2 and the first is 48, what is the second? | option_a=24 | option_b=72 | option_c=28 | option_d=22 | answer=A | explanation=Scale factor = 48/4 = 12. Therefore second quantity = 2×12 = 24.

id=34665 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:17 and the first is 54, what is the second? | option_a=51 | option_b=69 | option_c=34 | option_d=105 | answer=A | explanation=Scale factor = 54/18 = 3. Therefore second quantity = 17×3 = 51.

id=34666 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 44? | option_a=44 | option_b=34 | option_c=38 | option_d=30 | answer=A | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 44 is the odd one out.

id=34667 | topic=Averages | difficulty=Easy | question=Find the average of 53, 73, 21, 22, 44, 56, 10, 95, 85. | option_a=52 | option_b=51 | option_c=53 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 459 ÷ 9 = 51.

id=34668 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 21, 27, 34? | option_a=34 | option_b=21 | option_c=27 | option_d=15 | answer=A | explanation=The first three numbers increase by 6, so the next should be 33. Therefore 34 is the odd one out.

id=34669 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:18 and the first is 160, what is the second? | option_a=164 | option_b=304 | option_c=144 | option_d=126 | answer=C | explanation=Scale factor = 160/20 = 8. Therefore second quantity = 18×8 = 144.

id=34670 | topic=Percentages | difficulty=Easy | question=What is 40% of 836? | option_a=329 | option_b=334 | option_c=339 | option_d=668 | answer=B | explanation=40% of 836 = (40/100) × 836 = 334.

id=34671 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:7 and the first is 153, what is the second? | option_a=119 | option_b=112 | option_c=272 | option_d=128 | answer=A | explanation=Scale factor = 153/9 = 17. Therefore second quantity = 7×17 = 119.

id=34672 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:18 and the first is 180, what is the second? | option_a=342 | option_b=144 | option_c=182 | option_d=162 | answer=D | explanation=Scale factor = 180/20 = 9. Therefore second quantity = 18×9 = 162.

id=34673 | topic=Percentages | difficulty=Easy | question=What is 5% of 417? | option_a=20 | option_b=30 | option_c=40 | option_d=15 | answer=A | explanation=5% of 417 = (5/100) × 417 = 20.

id=34674 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=36 | option_b=45 | option_c=52 | option_d=44 | answer=D | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.

id=34675 | topic=Averages | difficulty=Easy | question=Find the average of 83, 91, 29, 74, 92, 15. | option_a=64 | option_b=66 | option_c=65 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 384 ÷ 6 = 64.

id=34676 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=34677 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:3 and the first is 54, what is the second? | option_a=57 | option_b=54 | option_c=51 | option_d=108 | answer=B | explanation=Scale factor = 54/3 = 18. Therefore second quantity = 3×18 = 54.

id=34678 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=M | option_b=L | option_c=N | option_d=K | answer=A | explanation=Move 1 positions forward from L; the resulting letter is M.

id=34679 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:20 and the first is 35, what is the second? | option_a=135 | option_b=80 | option_c=100 | option_d=107 | answer=C | explanation=Scale factor = 35/7 = 5. Therefore second quantity = 20×5 = 100.

id=34680 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=60 | option_b=47 | option_c=71 | option_d=59 | answer=D | explanation=The common difference is 12. Therefore the next term is 47 + 12 = 59.

Aptitude Questions — Records 34,681-34,710 of 100,000

id=34681 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 26, 33, 42? | option_a=19 | option_b=26 | option_c=42 | option_d=33 | answer=C | explanation=The first three numbers increase by 7, so the next should be 40. Therefore 42 is the odd one out.

id=34682 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:8 and the first is 220, what is the second? | option_a=160 | option_b=380 | option_c=171 | option_d=152 | answer=A | explanation=Scale factor = $220/11 = 20$. Therefore second quantity = $8 \times 20 = 160$.

id=34683 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:17 and the first is 169, what is the second? | option_a=234 | option_b=204 | option_c=221 | option_d=390 | answer=C | explanation=Scale factor = $169/13 = 13$. Therefore second quantity = $17 \times 13 = 221$.

id=34684 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:15 and the first is 40, what is the second? | option_a=154 | option_b=190 | option_c=150 | option_d=135 | answer=C | explanation=Scale factor = $40/4 = 10$. Therefore second quantity = $15 \times 10 = 150$.

id=34685 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37571 at 8% per annum for 1 years. | option_a=2905 | option_b=3105 | option_c=40576 | option_d=3005 | answer=D | explanation=SI = $PRT/100 = 37571 \times 8 \times 1/100 = \text{■}3005$.

id=34686 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25768 at 5% per annum for 1 years. | option_a=1188 | option_b=1288 | option_c=1388 | option_d=27056 | answer=B | explanation=SI = $PRT/100 = 25768 \times 5 \times 1/100 = \text{■}1288$.

id=34687 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**403. If it is sold at a profit of 20%, what is its selling price? | option_a=523 | option_b=443 | option_c=483 | option_d=423 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 403 \times 120/100 = \text{■}483$.

id=34688 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=36 | option_b=39 | option_c=35 | option_d=31 | answer=C | explanation=The common difference is 4. Therefore the next term is $31 + 4 = 35$.

id=34689 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19006 at 6% per annum for 5 years. | option_a=5701 | option_b=5601 | option_c=24707 | option_d=5801 | answer=A | explanation=SI = $PRT/100 = 19006 \times 6 \times 5/100 = \text{■}5701$.

id=34690 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45657 at 10% per annum for 1 years. | option_a=4465 | option_b=4565 | option_c=50222 | option_d=4665 | answer=B | explanation=SI = $PRT/100 = 45657 \times 10 \times 1/100 = \text{■}4565$.

id=34691 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 50? | option_a=42 | option_b=50 | option_c=30 | option_d=36 | answer=B | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 50 is the odd one out.

id=34692 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15307 at 5% per annum for 2 years. | option_a=1530 | option_b=1430 | option_c=16837 | option_d=1630 | answer=A | explanation=SI = $PRT/100 = 15307 \times 5 \times 2/100 = \text{■}1530$.

id=34693 | topic=Percentages | difficulty=Easy | question=What is 30% of 953? | option_a=290 | option_b=285 | option_c=570 | option_d=275 | answer=B | explanation= $30\% \text{ of } 953 = (30/100) \times 953 = 285$.

id=34694 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 30. | option_a=30 | option_b=1 | option_c=150 | option_d=35 | answer=A | explanation= $LCM \times HCF = 5 \times 30$, $HCF(5, 30) = 5$, so $LCM = 30$.

id=34695 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=96 | option_c=53 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = $240 \div 5 = 48 \text{ km/h}$.

id=34696 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5 \text{ days}$.

id=34697 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=8 | option_d=3 | answer=B | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2 \text{ days}$.

id=34698 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=31 | option_c=36 | option_d=72 | answer=C | explanation=Speed = distance ÷ time = $180 \div 5 = 36 \text{ km/h}$.

id=34699 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16976 at 6% per annum for 1 years. | option_a=918 | option_b=17994 | option_c=1018 | option_d=1118 | answer=C | explanation=SI = $PRT/100 = 16976 \times 6 \times 1/100 = \text{■}1018$.

id=34700 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 16, 25, 35? | option_a=16 | option_b=7 | option_c=35 | option_d=25 | answer=C | explanation=The first three numbers increase by 9, so the next should be 34. Therefore 35 is the odd one out.

id=34701 | topic=Averages | difficulty=Easy | question=Find the average of 67, 64, 52. | option_a=62 | option_b=61 | option_c=60 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = $183 \div 3 = 61$.

id=34702 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:12 and the first is 120, what is the second? | option_a=168 | option_b=180 | option_c=188 | option_d=300 | answer=B | explanation=Scale factor = $120/8 = 15$. Therefore second quantity = $12 \times 15 = 180$.

id=34703 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1872. If it is sold at a profit of 50%, what is its selling price? | option_a=2808 | option_b=2995 | option_c=1922 | option_d=2621 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1872 \times 150/100 = \text{■}2808$.

id=34704 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:19 and the first is 3, what is the second? | option_a=57 | option_b=58 | option_c=38 | option_d=60 | answer=A | explanation=Scale factor = $3/1 = 3$. Therefore second quantity = $19 \times 3 = 57$.

id=34705 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21480 at 12% per annum for 5 years. | option_a=12788 | option_b=12888 | option_c=34368 | option_d=12988 | answer=B | explanation=SI = $PRT/100 = 21480 \times 12 \times 5/100 = \text{■}12888$.

id=34706 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**963. If it is sold at a profit of 30%, what is its selling price? | option_a=993 | option_b=1251 | option_c=1155 | option_d=1347 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 963 \times 130/100 = \text{■}1251$.

id=34707 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = $180 \div 3 = 60 \text{ km/h}$.

id=34708 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=100 | option_c=105 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = $300 \div 3 = 100 \text{ km/h}$.

id=34709 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=35 | option_b=42 | option_c=47 | option_d=41 | answer=D | explanation=The common difference is 6. Therefore the next term is $35 + 6 = 41$.

id=34710 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6509 at 8% per annum for 3 years. | option_a=8071 | option_b=1562 | option_c=1662 | option_d=1462 | answer=B | explanation=SI = $PRT/100 = 6509 \times 8 \times 3/100 = \text{■}1562$.

Aptitude Questions — Records 34,711-34,740 of 100,000

id=34711 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=28 | option_b=23 | option_c=24 | option_d=18 | answer=B | explanation=The common difference is 5. Therefore the next term is 18 + 5 = 23.

id=34712 | topic=Averages | difficulty=Easy | question=Find the average of 93, 28, 51, 60. | option_a=59 | option_b=57 | option_c=60 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 232 ÷ 4 = 58.

id=34713 | topic=Profit & Loss | difficulty=Easy | question=An article costs █693. If it is sold at a profit of 5%, what is its selling price? | option_a=727 | option_b=796 | option_c=698 | option_d=658 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 693 × 105/100 = █727.

id=34714 | topic=Percentages | difficulty=Easy | question=What is 25% of 1834? | option_a=478 | option_b=916 | option_c=438 | option_d=458 | answer=D | explanation=25% of 1834 = (25/100) × 1834 = 458.

id=34715 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=54 | option_b=46 | option_c=45 | option_d=36 | answer=C | explanation=The common difference is 9. Therefore the next term is 36 + 9 = 45.

id=34716 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 27, 33, 41? | option_a=33 | option_b=21 | option_c=27 | option_d=41 | answer=D | explanation=The first three numbers increase by 6, so the next should be 39. Therefore 41 is the odd one out.

id=34717 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=34718 | topic=Percentages | difficulty=Easy | question=What is 50% of 897? | option_a=448 | option_b=438 | option_c=896 | option_d=468 | answer=A | explanation=50% of 897 = (50/100) × 897 = 448.

id=34719 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:11 and the first is 60, what is the second? | option_a=44 | option_b=104 | option_c=33 | option_d=59 | answer=A | explanation=Scale factor = 60/15 = 4. Therefore second quantity = 11×4 = 44.

id=34720 | topic=Percentages | difficulty=Easy | question=What is 12% of 1862? | option_a=243 | option_b=446 | option_c=223 | option_d=203 | answer=C | explanation=12% of 1862 = (12/100) × 1862 = 223.

id=34721 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3209. If it is sold at a profit of 50%, what is its selling price? | option_a=3259 | option_b=4813 | option_c=5133 | option_d=4493 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3209 × 150/100 = █4813.

id=34722 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 12, 21, 30, ? | option_a=39 | option_b=30 | option_c=40 | option_d=48 | answer=A | explanation=The common difference is 9. Therefore the next term is 30 + 9 = 39.

id=34723 | topic=Averages | difficulty=Easy | question=Find the average of 63, 61, 100, 71, 28, 78, 66, 53. | option_a=64 | option_b=67 | option_c=66 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 520 ÷ 8 = 65.

id=34724 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=R | option_c=W | option_d=H | answer=B | explanation=Move 5 positions forward from M; the resulting letter is R.

id=34725 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15621 at 10% per annum for 4 years. | option_a=6248 | option_b=6148 | option_c=21869 | option_d=6348 | answer=A | explanation=SI = PRT/100 = 15621×10×4/100 = █6248.

id=34726 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4726 at 8% per annum for 4 years. | option_a=6238 | option_b=1512 | option_c=1612 | option_d=1412 | answer=B | explanation=SI = PRT/100 = 4726×8×4/100 = █1512.

id=34727 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 5. | option_a=20 | option_b=50 | option_c=125 | option_d=25 | answer=D | explanation=LCM × HCF = 25×5; HCF(25,5) = 5, so LCM = 25.

id=34728 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 37? | option_a=37 | option_b=4 | option_c=24 | option_d=14 | answer=A | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 37 is the odd one out.

id=34729 | topic=Averages | difficulty=Easy | question=Find the average of 88, 82, 88. | option_a=87 | option_b=88 | option_c=85 | option_d=86 | answer=D | explanation=Average = sum of values ÷ number of values = 258 ÷ 3 = 86.

id=34730 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=52 | option_b=64 | option_c=76 | option_d=65 | answer=B | explanation=The common difference is 12. Therefore the next term is 52 + 12 = 64.

id=34731 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:3 and the first is 240, what is the second? | option_a=276 | option_b=56 | option_c=36 | option_d=33 | answer=C | explanation=Scale factor = 240/20 = 12. Therefore second quantity = 3×12 = 36.

id=34732 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=4 | option_c=9 | option_d=18 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=34733 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 27, 39, 51, ? | option_a=63 | option_b=64 | option_c=75 | option_d=51 | answer=A | explanation=The common difference is 12. Therefore the next term is 51 + 12 = 63.

id=34734 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=34735 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31946 at 4% per annum for 4 years. | option_a=5111 | option_b=5211 | option_c=37057 | option_d=5011 | answer=A | explanation=SI = PRT/100 = 31946×4×4/100 = █5111.

id=34736 | topic=Averages | difficulty=Easy | question=Find the average of 51, 28, 83. | option_a=56 | option_b=54 | option_c=53 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 162 ÷ 3 = 54.

id=34737 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=64 | option_b=76 | option_c=65 | option_d=52 | answer=A | explanation=The common difference is 12. Therefore the next term is 52 + 12 = 64.

id=34738 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5581 at 6% per annum for 1 years. | option_a=434 | option_b=5915 | option_c=234 | option_d=334 | answer=D | explanation=SI = PRT/100 = 5581×6×1/100 = █334.

id=34739 | topic=Averages | difficulty=Easy | question=Find the average of 77, 31, 13, 50, 33, 12, 81, 15. | option_a=41 | option_b=38 | option_c=40 | option_d=39 | answer=D | explanation=Average = sum of values ÷ number of values = 312 ÷ 8 = 39.

id=34740 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22738 at 12% per annum for 3 years. | option_a=8285 | option_b=8085 | option_c=30923 | option_d=8185 | answer=D | explanation=SI = PRT/100 = 22738×12×3/100 = █8185.

Aptitude Questions — Records 34,741-34,770 of 100,000

id=34741 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=34742 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=34743 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=90 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=34744 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=R | option_b=X | option_c=T | option_d=V | answer=D | explanation=Move 2 positions forward from T; the resulting letter is V.

id=34745 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=B | option_c=D | option_d=Z | answer=C | explanation=Move 2 positions forward from B; the resulting letter is D.

id=34746 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:12 and the first is 44, what is the second? | option_a=48 | option_b=92 | option_c=59 | option_d=36 | answer=A | explanation=Scale factor = 44/11 = 4. Therefore second quantity = 12×4 = 48.

id=34747 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13659 at 15% per annum for 5 years. | option_a=10244 | option_b=23903 | option_c=10344 | option_d=10144 | answer=A | explanation=SI = PRT/100 = 13659×15×5/100 = **■**10244.

id=34748 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47770 at 15% per annum for 2 years. | option_a=14431 | option_b=14331 | option_c=62101 | option_d=14231 | answer=B | explanation=SI = PRT/100 = 47770×15×2/100 = **■**14331.

id=34749 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3313. If it is sold at a profit of 5%, what is its selling price? | option_a=3147 | option_b=3318 | option_c=3809 | option_d=3478 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3313 × 105/100 = **■**3478.

id=34750 | topic=Averages | difficulty=Easy | question=Find the average of 58, 45, 69, 24, 96, 14. | option_a=53 | option_b=52 | option_c=50 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 306 ÷ 6 = 51.

id=34751 | topic=Averages | difficulty=Easy | question=Find the average of 38, 78, 98, 19, 60, 66, 97, 72, 55, 17. | option_a=62 | option_b=61 | option_c=60 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=34752 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=F | option_c=H | option_d=L | answer=A | explanation=Move 2 positions forward from H; the resulting letter is J.

id=34753 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=5 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=34754 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 26. | option_a=208 | option_b=104 | option_c=112 | option_d=78 | answer=B | explanation=LCM × HCF = 8×26; HCF(8,26) = 2, so LCM = 104.

id=34755 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=34756 | topic=Averages | difficulty=Easy | question=Find the average of 45, 19, 19, 35, 48, 78, 80, 50, 19, 47. | option_a=45 | option_b=46 | option_c=43 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = 440 ÷ 10 = 44.

id=34757 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2413. If it is sold at a profit of 10%, what is its selling price? | option_a=2423 | option_b=2413 | option_c=2895 | option_d=2654 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2413 × 110/100 = **■**2654.

id=34758 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=K | option_b=Y | option_c=C | option_d=G | answer=D | explanation=Move 4 positions forward from C; the resulting letter is G.

id=34759 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12202 at 15% per annum for 2 years. | option_a=3660 | option_b=15862 | option_c=3560 | option_d=3760 | answer=A | explanation=SI = PRT/100 = 12202×15×2/100 = **■**3660.

id=34760 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 21? | option_a=21 | option_b=14 | option_c=18 | option_d=16 | answer=A | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 21 is the odd one out.

id=34761 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2532. If it is sold at a profit of 20%, what is its selling price? | option_a=3038 | option_b=2552 | option_c=2785 | option_d=3291 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2532 × 120/100 = **■**3038.

id=34762 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 5, 7, 11? | option_a=11 | option_b=7 | option_c=5 | option_d=3 | answer=A | explanation=The first three numbers increase by 2, so the next should be 9. Therefore 11 is the odd one out.

id=34763 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4537 at 4% per annum for 3 years. | option_a=5081 | option_b=444 | option_c=544 | option_d=644 | answer=C | explanation=SI = PRT/100 = 4537×4×3/100 = **■**544.

id=34764 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:13 and the first is 33, what is the second? | option_a=146 | option_b=176 | option_c=143 | option_d=130 | answer=C | explanation=Scale factor = 33/3 = 11. Therefore second quantity = 13×11 = 143.

id=34765 | topic=Percentages | difficulty=Easy | question=What is 40% of 692? | option_a=281 | option_b=276 | option_c=271 | option_d=552 | answer=B | explanation=40% of 692 = (40/100) × 692 = 276.

id=34766 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=34767 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2247 at 10% per annum for 3 years. | option_a=2921 | option_b=574 | option_c=674 | option_d=774 | answer=C | explanation=SI = PRT/100 = 2247×10×3/100 = **■**674.

id=34768 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=A | option_b=S | option_c=W | option_d=O | answer=C | explanation=Move 4 positions forward from S; the resulting letter is W.

id=34769 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 14, 17, 23? | option_a=23 | option_b=11 | option_c=14 | option_d=17 | answer=A | explanation=The first three numbers increase by 3, so the next should be 20. Therefore 23 is the odd one out.

id=34770 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 8, 11, 14, ? | option_a=20 | option_b=17 | option_c=14 | option_d=18 | answer=B | explanation=The common difference is 3. Therefore the next term is 14 + 3 = 17.

Aptitude Questions — Records 34,771-34,800 of 100,000

id=34771 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=T | option_c=X | option_d=R | answer=A | explanation=Move 2 positions forward from T; the resulting letter is V.

id=34772 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1391. If it is sold at a profit of 40%, what is its selling price? | option_a=1947 | option_b=1431 | option_c=1808 | option_d=2086 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1391 × 140/100 = █1947.

id=34773 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39301 at 8% per annum for 4 years. | option_a=12476 | option_b=12576 | option_c=12676 | option_d=51877 | answer=B | explanation=SI = PRT/100 = 39301×8×4/100 = █12576.

id=34774 | topic=Averages | difficulty=Easy | question=Find the average of 83, 96, 35, 67, 26, 83. | option_a=64 | option_b=65 | option_c=67 | option_d=66 | answer=B | explanation=Average = sum of values + number of values = 390 ÷ 6 = 65.

id=34775 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=34776 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1241. If it is sold at a profit of 25%, what is its selling price? | option_a=1551 | option_b=1675 | option_c=1266 | option_d=1427 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1241 × 125/100 = █1551.

id=34777 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2532 at 4% per annum for 5 years. | option_a=406 | option_b=3038 | option_c=506 | option_d=606 | answer=C | explanation=SI = PRT/100 = 2532×4×5/100 = █506.

id=34778 | topic=Averages | difficulty=Easy | question=Find the average of 35, 79, 18. | option_a=44 | option_b=43 | option_c=46 | option_d=45 | answer=A | explanation=Average = sum of values + number of values = 132 ÷ 3 = 44.

id=34779 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=40 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=34780 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 32? | option_a=22 | option_b=32 | option_c=4 | option_d=13 | answer=B | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 32 is the odd one out.

id=34781 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=34782 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18281 at 6% per annum for 2 years. | option_a=2293 | option_b=2193 | option_c=2093 | option_d=20474 | answer=B | explanation=SI = PRT/100 = 18281×6×2/100 = █2193.

id=34783 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=E | option_b=Z | option_c=U | option_d=P | answer=B | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=34784 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:20 and the first is 70, what is the second? | option_a=120 | option_b=140 | option_c=210 | option_d=150 | answer=B | explanation=Scale factor = 70/10 = 7. Therefore second quantity = 20×7 = 140.

id=34785 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=34786 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:20 and the first is 21, what is the second? | option_a=67 | option_b=81 | option_c=40 | option_d=60 | answer=D | explanation=Scale factor = 21/7 = 3. Therefore second quantity = 20×3 = 60.

id=34787 | topic=Percentages | difficulty=Easy | question=What is 12% of 1772? | option_a=212 | option_b=424 | option_c=207 | option_d=217 | answer=A | explanation=12% of 1772 = (12/100) × 1772 = 212.

id=34788 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:10 and the first is 98, what is the second? | option_a=147 | option_b=140 | option_c=130 | option_d=238 | answer=B | explanation=Scale factor = 98/7 = 14. Therefore second quantity = 10×14 = 140.

id=34789 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4306. If it is sold at a profit of 15%, what is its selling price? | option_a=5381 | option_b=4951 | option_c=4321 | option_d=4521 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4306 × 115/100 = █4951.

id=34790 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4248. If it is sold at a profit of 5%, what is its selling price? | option_a=4460 | option_b=4253 | option_c=4884 | option_d=4036 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4248 × 105/100 = █4460.

id=34791 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=V | option_b=Q | option_c=G | option_d=L | answer=B | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=34792 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:15 and the first is 96, what is the second? | option_a=106 | option_b=75 | option_c=186 | option_d=90 | answer=D | explanation=Scale factor = 96/16 = 6. Therefore second quantity = 15×6 = 90.

id=34793 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20101 at 10% per annum for 1 years. | option_a=2010 | option_b=1910 | option_c=2110 | option_d=22111 | answer=A | explanation=SI = PRT/100 = 20101×10×1/100 = █2010.

id=34794 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=S | option_c=V | option_d=M | answer=B | explanation=Move 3 positions forward from P; the resulting letter is S.

id=34795 | topic=Percentages | difficulty=Easy | question=What is 12% of 960? | option_a=95 | option_b=115 | option_c=125 | option_d=230 | answer=B | explanation=12% of 960 = (12/100) × 960 = 115.

id=34796 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=34797 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=57 | option_b=46 | option_c=58 | option_d=68 | answer=A | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.

id=34798 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=50 | option_b=34 | option_c=42 | option_d=43 | answer=C | explanation=The common difference is 8. Therefore the next term is 34 + 8 = 42.

id=34799 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:14 and the first is 56, what is the second? | option_a=112 | option_b=70 | option_c=42 | option_d=56 | answer=D | explanation=Scale factor = 56/14 = 4. Therefore second quantity = 14×4 = 56.

id=34800 | topic=Averages | difficulty=Easy | question=Find the average of 32, 64, 31, 32, 77, 65, 91, 66, 73. | option_a=58 | option_b=59 | option_c=61 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 531 ÷ 9 = 59.

Aptitude Questions — Records 34,801-34,830 of 100,000

id=34801 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■879. If it is sold at a profit of 30%, what is its selling price? | option_a=1142 | option_b=1229 | option_c=909 | option_d=1055 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 879 × 130/100 = ■1142.

id=34802 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=M | option_b=W | option_c=B | option_d=R | answer=B | explanation=Move 5 positions forward from R; the resulting letter is W.

id=34803 | topic=Percentages | difficulty=Easy | question=What is 5% of 378? | option_a=18 | option_b=36 | option_c=8 | option_d=28 | answer=A | explanation=5% of 378 = (5/100) × 378 = 18.

id=34804 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:20 and the first is 306, what is the second? | option_a=666 | option_b=360 | option_c=340 | option_d=377 | answer=B | explanation=Scale factor = 306/17 = 18. Therefore second quantity = 20×18 = 360.

id=34805 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=30 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=34806 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:13 and the first is 216, what is the second? | option_a=450 | option_b=246 | option_c=234 | option_d=221 | answer=C | explanation=Scale factor = 216/12 = 18. Therefore second quantity = 13×18 = 234.

id=34807 | topic=Percentages | difficulty=Easy | question=What is 15% of 847? | option_a=127 | option_b=107 | option_c=132 | option_d=254 | answer=A | explanation=15% of 847 = (15/100) × 847 = 127.

id=34808 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 51? | option_a=33 | option_b=51 | option_c=41 | option_d=25 | answer=B | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 51 is the odd one out.

id=34809 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 20. | option_a=144 | option_b=120 | option_c=100 | option_d=480 | answer=B | explanation=LCM × HCF = 24×20; HCF(24,20) = 4, so LCM = 120.

id=34810 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■2983 at 12% per annum for 3 years. | option_a=973 | option_b=1173 | option_c=4056 | option_d=1073 | answer=D | explanation=SI = PRT/100 = 2983×12×3/100 = ■1073.

id=34811 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=34812 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3050. If it is sold at a profit of 20%, what is its selling price? | option_a=3070 | option_b=3355 | option_c=3660 | option_d=3965 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3050 × 120/100 = ■3660.

id=34813 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=J | option_b=V | option_c=N | option_d=R | answer=D | explanation=Move 4 positions forward from N; the resulting letter is R.

id=34814 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2618. If it is sold at a profit of 30%, what is its selling price? | option_a=2648 | option_b=3664 | option_c=3403 | option_d=3142 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2618 × 130/100 = ■3403.

id=34815 | topic=Percentages | difficulty=Easy | question=What is 20% of 409? | option_a=81 | option_b=61 | option_c=162 | option_d=86 | answer=A | explanation=20% of 409 = (20/100) × 409 = 81.

id=34816 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2004. If it is sold at a profit of 50%, what is its selling price? | option_a=3006 | option_b=3206 | option_c=2054 | option_d=2806 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2004 × 150/100 = ■3006.

id=34817 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=F | option_b=C | option_c=Z | option_d=I | answer=A | explanation=Move 3 positions forward from C; the resulting letter is F.

id=34818 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=35 | option_b=23 | option_c=29 | option_d=30 | answer=C | explanation=The common difference is 6. Therefore the next term is 23 + 6 = 29.

id=34819 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=90 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=34820 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 15. | option_a=15 | option_b=30 | option_c=225 | option_d=1 | answer=A | explanation=LCM × HCF = 15×15; HCF(15,15) = 15, so LCM = 15.

id=34821 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=34822 | topic=Averages | difficulty=Easy | question=Find the average of 50, 29, 74, 23, 32, 11, 42, 11. | option_a=34 | option_b=35 | option_c=36 | option_d=33 | answer=A | explanation=Average = sum of values ÷ number of values = 272 ÷ 8 = 34.

id=34823 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3004. If it is sold at a profit of 50%, what is its selling price? | option_a=4806 | option_b=3054 | option_c=4206 | option_d=4506 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3004 × 150/100 = ■4506.

id=34824 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=36 | option_b=37 | option_c=40 | option_d=32 | answer=A | explanation=The common difference is 4. Therefore the next term is 32 + 4 = 36.

id=34825 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:8 and the first is 84, what is the second? | option_a=88 | option_b=96 | option_c=180 | option_d=103 | answer=B | explanation=Scale factor = 84/7 = 12. Therefore second quantity = 8×12 = 96.

id=34826 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:3 and the first is 70, what is the second? | option_a=21 | option_b=31 | option_c=18 | option_d=91 | answer=A | explanation=Scale factor = 70/10 = 7. Therefore second quantity = 3×7 = 21.

id=34827 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4987. If it is sold at a profit of 40%, what is its selling price? | option_a=5027 | option_b=7479 | option_c=6981 | option_d=6483 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4987 × 140/100 = ■6981.

id=34828 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■16824 at 10% per annum for 5 years. | option_a=8312 | option_b=25236 | option_c=8512 | option_d=8412 | answer=D | explanation=SI = PRT/100 = 16824×10×5/100 = ■8412.

id=34829 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=115 | option_c=120 | option_d=125 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=34830 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

Aptitude Questions — Records 34,831-34,860 of 100,000

id=34831 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:9 and the first is 195, what is the second? | option_a=117 | option_b=132 | option_c=312 | option_d=108 | answer=A | explanation=Scale factor = $195/15 = 13$. Therefore second quantity = $9 \times 13 = 117$.

id=34832 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=34833 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=34834 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=B | option_b=R | option_c=M | option_d=W | answer=D | explanation=Move 5 positions forward from R; the resulting letter is W.

id=34835 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=H | option_b=K | option_c=B | option_d=E | answer=A | explanation=Move 3 positions forward from E; the resulting letter is H.

id=34836 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=85 | option_d=160 | answer=B | explanation=Speed = distance ÷ time = $240 \div 3 = 80$ km/h.

id=34837 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 28. | option_a=28 | option_b=1 | option_c=56 | option_d=784 | answer=A | explanation=LCM × HCF = 28×28 ; HCF(28,28) = 28, so LCM = 28.

id=34838 | topic=Percentages | difficulty=Easy | question=What is 5% of 270? | option_a=13 | option_b=26 | option_c=0 | option_d=33 | answer=A | explanation=5% of 270 = $(5/100) \times 270 = 13$.

id=34839 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=34840 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:9 and the first is 154, what is the second? | option_a=90 | option_b=113 | option_c=253 | option_d=99 | answer=D | explanation=Scale factor = $154/14 = 11$. Therefore second quantity = $9 \times 11 = 99$.

id=34841 | topic=Percentages | difficulty=Easy | question=What is 25% of 1192? | option_a=293 | option_b=298 | option_c=596 | option_d=318 | answer=B | explanation=25% of 1192 = $(25/100) \times 1192 = 298$.

id=34842 | topic=Averages | difficulty=Easy | question=Find the average of 54, 25, 63, 80, 58. | option_a=56 | option_b=55 | option_c=58 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = $280 \div 5 = 56$.

id=34843 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:4 and the first is 80, what is the second? | option_a=42 | option_b=112 | option_c=28 | option_d=32 | answer=D | explanation=Scale factor = $80/10 = 8$. Therefore second quantity = $4 \times 8 = 32$.

id=34844 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:20 and the first is 170, what is the second? | option_a=340 | option_b=350 | option_c=510 | option_d=320 | answer=A | explanation=Scale factor = $170/10 = 17$. Therefore second quantity = $20 \times 17 = 340$.

id=34845 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=34846 | topic=Percentages | difficulty=Easy | question=What is 40% of 902? | option_a=380 | option_b=355 | option_c=720 | option_d=360 | answer=D | explanation=40% of 902 = $(40/100) \times 902 = 360$.

id=34847 | topic=Percentages | difficulty=Easy | question=What is 25% of 1063? | option_a=255 | option_b=285 | option_c=265 | option_d=530 | answer=C | explanation=25% of 1063 = $(25/100) \times 1063 = 265$.

id=34848 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=34849 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■15851 at 5% per annum for 1 years. | option_a=16643 | option_b=892 | option_c=692 | option_d=792 | answer=D | explanation=SI = $PRT/100 = 15851 \times 5 \times 1/100 = \blacksquare 792$.

id=34850 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■582. If it is sold at a profit of 25%, what is its selling price? | option_a=669 | option_b=607 | option_c=727 | option_d=785 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 582 \times 125/100 = \blacksquare 727$.

id=34851 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 24. | option_a=286 | option_b=240 | option_c=528 | option_d=264 | answer=D | explanation=LCM × HCF = 22×24 ; HCF(22,24) = 2, so LCM = 264.

id=34852 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = $120 \div 4 = 30$ km/h.

id=34853 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=34854 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3308. If it is sold at a profit of 25%, what is its selling price? | option_a=4465 | option_b=3805 | option_c=4135 | option_d=3333 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3308 \times 125/100 = \blacksquare 4135$.

id=34855 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=55 | option_c=100 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = $300 \div 6 = 50$ km/h.

id=34856 | topic=Averages | difficulty=Easy | question=Find the average of 52, 43, 80, 20, 39, 48. | option_a=49 | option_b=48 | option_c=46 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = $282 \div 6 = 47$.

id=34857 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=I | option_c=A | option_d=M | answer=B | explanation=Move 4 positions forward from E; the resulting letter is I.

id=34858 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 32, 42, 55? | option_a=42 | option_b=22 | option_c=55 | option_d=32 | answer=C | explanation=The first three numbers increase by 10, so the next should be 52. Therefore 55 is the odd one out.

id=34859 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=L | option_b=F | option_c=O | option_d=I | answer=A | explanation=Move 3 positions forward from I; the resulting letter is L.

id=34860 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=P | option_c=L | option_d=N | answer=B | explanation=Move 2 positions forward from N; the resulting letter is P.

Aptitude Questions — Records 34,861-34,890 of 100,000

id=34861 | topic=Percentages | difficulty=Easy | question=What is 25% of 708? | option_a=354 | option_b=177 | option_c=157 | option_d=182 | answer=B | explanation=25% of 708 = (25/100) × 708 = 177.

id=34862 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=34863 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=80 | option_c=75 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=34864 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 14. | option_a=196 | option_b=14 | option_c=1 | option_d=28 | answer=B | explanation=LCM × HCF = 14×14; HCF(14,14) = 14, so LCM = 14.

id=34865 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 21. | option_a=63 | option_b=588 | option_c=84 | option_d=112 | answer=C | explanation=LCM × HCF = 28×21; HCF(28,21) = 7, so LCM = 84.

id=34866 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 42? | option_a=42 | option_b=33 | option_c=37 | option_d=29 | answer=A | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 42 is the odd one out.

id=34867 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 16, 25, 36? | option_a=36 | option_b=16 | option_c=7 | option_d=25 | answer=A | explanation=The first three numbers increase by 9, so the next should be 34. Therefore 36 is the odd one out.

id=34868 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4980. If it is sold at a profit of 10%, what is its selling price? | option_a=4980 | option_b=4990 | option_c=5976 | option_d=5478 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4980 × 110/100 = █5478.

id=34869 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 37, 46, 56? | option_a=37 | option_b=46 | option_c=56 | option_d=28 | answer=C | explanation=The first three numbers increase by 9, so the next should be 55. Therefore 56 is the odd one out.

id=34870 | topic=Averages | difficulty=Easy | question=Find the average of 50, 79, 90. | option_a=73 | option_b=74 | option_c=72 | option_d=75 | answer=A | explanation=Average = sum of values ÷ number of values = 219 ÷ 3 = 73.

id=34871 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:20 and the first is 18, what is the second? | option_a=66 | option_b=78 | option_c=40 | option_d=60 | answer=D | explanation=Scale factor = 18/6 = 3. Therefore second quantity = 20×3 = 60.

id=34872 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=B | option_b=X | option_c=P | option_d=T | answer=B | explanation=Move 4 positions forward from T; the resulting letter is X.

id=34873 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=155 | option_c=300 | option_d=145 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=34874 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=F | option_b=V | option_c=A | option_d=K | answer=A | explanation=Move 5 positions forward from A; the resulting letter is F.

id=34875 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27764 at 8% per annum for 2 years. | option_a=4342 | option_b=4542 | option_c=4442 | option_d=32206 | answer=C | explanation=SI = PRT/100 = 27764×8×2/100 = █4442.

id=34876 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=4 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=34877 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=40 | option_d=90 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=34878 | topic=Averages | difficulty=Easy | question=Find the average of 82, 72, 20, 18, 98, 12, 20. | option_a=46 | option_b=45 | option_c=48 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 322 ÷ 7 = 46.

id=34879 | topic=Averages | difficulty=Easy | question=Find the average of 80, 52, 87, 14, 96, 27, 81, 83, 92. | option_a=70 | option_b=69 | option_c=67 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = 612 ÷ 9 = 68.

id=34880 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=360 | option_b=180 | option_c=185 | option_d=175 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=34881 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19861 at 8% per annum for 5 years. | option_a=7844 | option_b=8044 | option_c=27805 | option_d=7944 | answer=D | explanation=SI = PRT/100 = 19861×8×5/100 = █7944.

id=34882 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 32? | option_a=32 | option_b=13 | option_c=4 | option_d=22 | answer=A | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 32 is the odd one out.

id=34883 | topic=Averages | difficulty=Easy | question=Find the average of 92, 55, 98, 100, 39, 41, 86, 81. | option_a=76 | option_b=75 | option_c=74 | option_d=73 | answer=C | explanation=Average = sum of values ÷ number of values = 592 ÷ 8 = 74.

id=34884 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=8 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=34885 | topic=Averages | difficulty=Easy | question=Find the average of 26, 17, 75, 21, 59, 98, 47. | option_a=48 | option_b=49 | option_c=50 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 343 ÷ 7 = 49.

id=34886 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=H | option_b=C | option_c=X | option_d=M | answer=A | explanation=Move 5 positions forward from C; the resulting letter is H.

id=34887 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34590 at 4% per annum for 1 years. | option_a=1383 | option_b=1283 | option_c=1483 | option_d=35973 | answer=A | explanation=SI = PRT/100 = 34590×4×1/100 = █1383.

id=34888 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 4. | option_a=4 | option_b=6 | option_c=8 | option_d=1 | answer=A | explanation=LCM × HCF = 2×4; HCF(2,4) = 2, so LCM = 4.

id=34889 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=6 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=34890 | topic=Averages | difficulty=Easy | question=Find the average of 97, 82, 69, 86, 20, 48, 46. | option_a=65 | option_b=63 | option_c=64 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = 448 ÷ 7 = 64.

Aptitude Questions — Records 34,891-34,920 of 100,000

id=34891 | topic=Averages | difficulty=Easy | question=Find the average of 70, 64, 44, 23, 88, 76, 20, 33, 104. | option_a=59 | option_b=58 | option_c=57 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 522 ÷ 9 = 58.

id=34892 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=32 | option_b=48 | option_c=41 | option_d=40 | answer=D | explanation=The common difference is 8. Therefore the next term is 32 + 8 = 40.

id=34893 | topic=Averages | difficulty=Easy | question=Find the average of 48, 33, 37, 14, 78, 54, 88, 77, 10, 71. | option_a=53 | option_b=52 | option_c=50 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

id=34894 | topic=Profit & Loss | difficulty=Easy | question=An article costs █718. If it is sold at a profit of 15%, what is its selling price? | option_a=754 | option_b=896 | option_c=825 | option_d=733 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 718 × 115/100 = █825.

id=34895 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3197. If it is sold at a profit of 20%, what is its selling price? | option_a=4155 | option_b=3517 | option_c=3836 | option_d=3217 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3197 × 120/100 = █3836.

id=34896 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=95 | option_c=180 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=34897 | topic=Averages | difficulty=Easy | question=Find the average of 60, 59, 43. | option_a=55 | option_b=53 | option_c=54 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 162 ÷ 3 = 54.

id=34898 | topic=Averages | difficulty=Easy | question=Find the average of 21, 25, 83, 84, 37. | option_a=49 | option_b=52 | option_c=50 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 250 ÷ 5 = 50.

id=34899 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=55 | option_b=64 | option_c=54 | option_d=44 | answer=C | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=34900 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4796. If it is sold at a profit of 30%, what is its selling price? | option_a=4826 | option_b=6713 | option_c=5755 | option_d=6234 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4796 × 130/100 = █6234.

id=34901 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:14 and the first is 18, what is the second? | option_a=42 | option_b=60 | option_c=48 | option_d=28 | answer=A | explanation=Scale factor = 18/6 = 3. Therefore second quantity = 14×3 = 42.

id=34902 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=34903 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=P | option_b=A | option_c=F | option_d=K | answer=D | explanation=Move 5 positions forward from F; the resulting letter is K.

id=34904 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 31, 35, 42? | option_a=35 | option_b=27 | option_c=42 | option_d=31 | answer=C | explanation=The first three numbers increase by 4, so the next should be 39. Therefore 42 is the odd one out.

id=34905 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40683 at 4% per annum for 2 years. | option_a=3154 | option_b=43937 | option_c=3354 | option_d=3254 | answer=D | explanation=SI = PRT/100 = 40683×4×2/100 = █3254.

id=34906 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=63 | option_b=53 | option_c=41 | option_d=52 | answer=D | explanation=The common difference is 11. Therefore the next term is 41 + 11 = 52.

id=34907 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=34908 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 14. | option_a=98 | option_b=21 | option_c=14 | option_d=1 | answer=C | explanation=LCM × HCF = 7×14; HCF(7,14) = 7, so LCM = 14.

id=34909 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 42? | option_a=37 | option_b=29 | option_c=42 | option_d=33 | answer=C | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 42 is the odd one out.

id=34910 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=34911 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 47? | option_a=30 | option_b=23 | option_c=37 | option_d=47 | answer=D | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 47 is the odd one out.

id=34912 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 10, 15, 22? | option_a=5 | option_b=10 | option_c=22 | option_d=15 | answer=C | explanation=The first three numbers increase by 5, so the next should be 20. Therefore 22 is the odd one out.

id=34913 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=115 | option_d=240 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=34914 | topic=Profit & Loss | difficulty=Easy | question=An article costs █889. If it is sold at a profit of 20%, what is its selling price? | option_a=909 | option_b=1066 | option_c=978 | option_d=1154 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 889 × 120/100 = █1066.

id=34915 | topic=Averages | difficulty=Easy | question=Find the average of 89, 27, 34, 102. | option_a=63 | option_b=62 | option_c=64 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 252 ÷ 4 = 63.

id=34916 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32432 at 10% per annum for 4 years. | option_a=12872 | option_b=45404 | option_c=13072 | option_d=12972 | answer=D | explanation=SI = PRT/100 = 32432×10×4/100 = █12972.

id=34917 | topic=Percentages | difficulty=Easy | question=What is 25% of 251? | option_a=42 | option_b=72 | option_c=62 | option_d=124 | answer=C | explanation=25% of 251 = (25/100) × 251 = 62.

id=34918 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=62 | option_b=54 | option_c=53 | option_d=44 | answer=C | explanation=The common difference is 9. Therefore the next term is 44 + 9 = 53.

id=34919 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 27? | option_a=19 | option_b=27 | option_c=22 | option_d=16 | answer=B | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 27 is the odd one out.

id=34920 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11186 at 15% per annum for 2 years. | option_a=14541 | option_b=3455 | option_c=3355 | option_d=3255 | answer=C | explanation=SI = PRT/100 = 11186×15×2/100 = █3355.

Aptitude Questions — Records 34,921-34,950 of 100,000

id=34921 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=M | option_c=C | option_d=R | answer=B | explanation=Move 5 positions forward from H; the resulting letter is M.

id=34922 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43062 at 8% per annum for 4 years. | option_a=56841 | option_b=13679 | option_c=13779 | option_d=13879 | answer=C | explanation=SI = $PRT/100 = 43062 \times 8 \times 4/100 = \text{■}13779$.

id=34923 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 29? | option_a=12 | option_b=29 | option_c=4 | option_d=20 | answer=B | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 29 is the odd one out.

id=34924 | topic=Percentages | difficulty=Easy | question=What is 10% of 1148? | option_a=109 | option_b=228 | option_c=124 | option_d=114 | answer=D | explanation=10% of 1148 = $(10/100) \times 1148 = 114$.

id=34925 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=R | option_b=O | option_c=U | option_d=L | answer=A | explanation=Move 3 positions forward from O; the resulting letter is R.

id=34926 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11152 at 6% per annum for 4 years. | option_a=13828 | option_b=2576 | option_c=2776 | option_d=2676 | answer=D | explanation=SI = $PRT/100 = 11152 \times 6 \times 4/100 = \text{■}2676$.

id=34927 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:12 and the first is 221, what is the second? | option_a=173 | option_b=377 | option_c=144 | option_d=156 | answer=D | explanation=Scale factor = $221/17 = 13$. Therefore second quantity = $12 \times 13 = 156$.

id=34928 | topic=Percentages | difficulty=Easy | question=What is 25% of 387? | option_a=86 | option_b=106 | option_c=192 | option_d=96 | answer=D | explanation=25% of 387 = $(25/100) \times 387 = 96$.

id=34929 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = $150 \div 5 = 30$ km/h.

id=34930 | topic=Number System | difficulty=Easy | question=Find the LCM of 11 and 11. | option_a=1 | option_b=11 | option_c=121 | option_d=22 | answer=B | explanation=LCM × HCF = 11×11 ; $HCF(11,11) = 11$, so LCM = 11.

id=34931 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=51 | option_b=60 | option_c=50 | option_d=40 | answer=C | explanation=The common difference is 10. Therefore the next term is $40 + 10 = 50$.

id=34932 | topic=Averages | difficulty=Easy | question=Find the average of 80, 79, 90, 77, 68, 52, 80, 27, 53, 94. | option_a=71 | option_b=70 | option_c=69 | option_d=72 | answer=B | explanation=Average = sum of values ÷ number of values = $700 \div 10 = 70$.

id=34933 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=50 | option_d=90 | answer=B | explanation=Speed = distance ÷ time = $90 \div 2 = 45$ km/h.

id=34934 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2920. If it is sold at a profit of 20%, what is its selling price? | option_a=3796 | option_b=3504 | option_c=3212 | option_d=2940 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2920 \times 120/100 = \text{■}3504$.

id=34935 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=B | option_c=J | option_d=N | answer=C | explanation=Move 4 positions forward from F; the resulting letter is J.

id=34936 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:6 and the first is 320, what is the second? | option_a=96 | option_b=416 | option_c=116 | option_d=90 | answer=A | explanation=Scale factor = $320/20 = 16$. Therefore second quantity = $6 \times 16 = 96$.

id=34937 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=19 | option_b=18 | option_c=20 | option_d=16 | answer=B | explanation=The common difference is 2. Therefore the next term is $16 + 2 = 18$.

id=34938 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3518 at 10% per annum for 2 years. | option_a=703 | option_b=803 | option_c=4221 | option_d=603 | answer=A | explanation=SI = $PRT/100 = 3518 \times 10 \times 2/100 = \text{■}703$.

id=34939 | topic=Averages | difficulty=Easy | question=Find the average of 26, 76, 100, 100, 43, 87. | option_a=73 | option_b=74 | option_c=71 | option_d=72 | answer=D | explanation=Average = sum of values ÷ number of values = $432 \div 6 = 72$.

id=34940 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 11? | option_a=2 | option_b=11 | option_c=4 | option_d=6 | answer=B | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 11 is the odd one out.

id=34941 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=H | option_b=K | option_c=B | option_d=E | answer=A | explanation=Move 3 positions forward from E; the resulting letter is H.

id=34942 | topic=Percentages | difficulty=Easy | question=What is 15% of 1417? | option_a=212 | option_b=192 | option_c=424 | option_d=222 | answer=A | explanation=15% of 1417 = $(15/100) \times 1417 = 212$.

id=34943 | topic=Averages | difficulty=Easy | question=Find the average of 78, 60, 90, 99, 88. | option_a=82 | option_b=84 | option_c=85 | option_d=83 | answer=D | explanation=Average = sum of values ÷ number of values = $415 \div 5 = 83$.

id=34944 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 10. | option_a=200 | option_b=40 | option_c=20 | option_d=10 | answer=C | explanation=LCM × HCF = 20×10 ; $HCF(20,10) = 10$, so LCM = 20.

id=34945 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=27 | option_b=22 | option_c=17 | option_d=23 | answer=B | explanation=The common difference is 5. Therefore the next term is $17 + 5 = 22$.

id=34946 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=29 | option_b=24 | option_c=34 | option_d=30 | answer=A | explanation=The common difference is 5. Therefore the next term is $24 + 5 = 29$.

id=34947 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=34948 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:7 and the first is 100, what is the second? | option_a=70 | option_b=80 | option_c=170 | option_d=63 | answer=A | explanation=Scale factor = $100/10 = 10$. Therefore second quantity = $7 \times 10 = 70$.

id=34949 | topic=Percentages | difficulty=Easy | question=What is 5% of 1786? | option_a=89 | option_b=84 | option_c=94 | option_d=178 | answer=A | explanation=5% of 1786 = $(5/100) \times 1786 = 89$.

id=34950 | topic=Percentages | difficulty=Easy | question=What is 40% of 370? | option_a=158 | option_b=138 | option_c=148 | option_d=296 | answer=C | explanation=40% of 370 = $(40/100) \times 370 = 148$.

Aptitude Questions — Records 34,951-34,980 of 100,000

id=34951 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15740 at 6% per annum for 5 years. | option_a=4622 | option_b=4822 | option_c=20462 | option_d=4722 | answer=D | explanation=SI = $PRT/100 = 15740 \times 6 \times 5/100 = \text{■}4722$.

id=34952 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:14 and the first is 18, what is the second? | option_a=37 | option_b=14 | option_c=46 | option_d=28 | answer=D | explanation=Scale factor = $18/9 = 2$. Therefore second quantity = $14 \times 2 = 28$.

id=34953 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10708 at 6% per annum for 3 years. | option_a=2027 | option_b=12635 | option_c=1927 | option_d=1827 | answer=C | explanation=SI = $PRT/100 = 10708 \times 6 \times 3/100 = \text{■}1927$.

id=34954 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 13. | option_a=338 | option_b=13 | option_c=52 | option_d=26 | answer=D | explanation= $LCM \times HCF = 26 \times 13$; $HCF(26,13) = 13$, so $LCM = 26$.

id=34955 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=W | option_b=B | option_c=G | option_d=L | answer=C | explanation=Move 5 positions forward from B; the resulting letter is G.

id=34956 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=A | option_c=J | option_d=G | answer=D | explanation=Move 3 positions forward from D; the resulting letter is G.

id=34957 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13912 at 10% per annum for 5 years. | option_a=6856 | option_b=6956 | option_c=7056 | option_d=20868 | answer=B | explanation=SI = $PRT/100 = 13912 \times 10 \times 5/100 = \text{■}6956$.

id=34958 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3536 at 10% per annum for 3 years. | option_a=4596 | option_b=960 | option_c=1060 | option_d=1160 | answer=C | explanation=SI = $PRT/100 = 3536 \times 10 \times 3/100 = \text{■}1060$.

id=34959 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=T | option_b=S | option_c=U | option_d=R | answer=A | explanation=Move 1 positions forward from S; the resulting letter is T.

id=34960 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:20 and the first is 22, what is the second? | option_a=222 | option_b=242 | option_c=200 | option_d=220 | answer=D | explanation=Scale factor = $22/2 = 11$. Therefore second quantity = $20 \times 11 = 220$.

id=34961 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=43 | option_c=48 | option_d=96 | answer=C | explanation=Speed = distance ÷ time = $240 \div 5 = 48$ km/h.

id=34962 | topic=Percentages | difficulty=Easy | question=What is 30% of 418? | option_a=125 | option_b=250 | option_c=120 | option_d=135 | answer=A | explanation=30% of 418 = $(30/100) \times 418 = 125$.

id=34963 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 11. | option_a=44 | option_b=11 | option_c=242 | option_d=22 | answer=D | explanation= $LCM \times HCF = 22 \times 11$; $HCF(22,11) = 11$, so $LCM = 22$.

id=34964 | topic=Percentages | difficulty=Easy | question=What is 25% of 641? | option_a=320 | option_b=140 | option_c=160 | option_d=165 | answer=C | explanation=25% of 641 = $(25/100) \times 641 = 160$.

id=34965 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:1 and the first is 288, what is the second? | option_a=34 | option_b=304 | option_c=16 | option_d=15 | answer=C | explanation=Scale factor = $288/18 = 16$. Therefore second quantity = $1 \times 16 = 16$.

id=34966 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=X | option_c=A | option_d=R | answer=B | explanation=Move 3 positions forward from U; the resulting letter is X.

id=34967 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:6 and the first is 130, what is the second? | option_a=73 | option_b=60 | option_c=54 | option_d=190 | answer=B | explanation=Scale factor = $130/13 = 10$. Therefore second quantity = $6 \times 10 = 60$.

id=34968 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=95 | option_d=180 | answer=A | explanation=Speed = distance ÷ time = $180 \div 2 = 90$ km/h.

id=34969 | topic=Percentages | difficulty=Easy | question=What is 12% of 1205? | option_a=144 | option_b=288 | option_c=149 | option_d=124 | answer=A | explanation=12% of 1205 = $(12/100) \times 1205 = 144$.

id=34970 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=L | option_b=C | option_c=F | option_d=I | answer=D | explanation=Move 3 positions forward from F; the resulting letter is I.

id=34971 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=90 | option_c=50 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = $180 \div 4 = 45$ km/h.

id=34972 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=34973 | topic=Percentages | difficulty=Easy | question=What is 20% of 1358? | option_a=261 | option_b=276 | option_c=542 | option_d=271 | answer=D | explanation=20% of 1358 = $(20/100) \times 1358 = 271$.

id=34974 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1767. If it is sold at a profit of 20%, what is its selling price? | option_a=2296 | option_b=1787 | option_c=1944 | option_d=2120 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1767 \times 120/100 = \text{■}2120$.

id=34975 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=Y | option_b=S | option_c=U | option_d=W | answer=D | explanation=Move 2 positions forward from U; the resulting letter is W.

id=34976 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1719. If it is sold at a profit of 20%, what is its selling price? | option_a=2233 | option_b=2062 | option_c=1739 | option_d=1891 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1719 \times 120/100 = \text{■}2062$.

id=34977 | topic=Percentages | difficulty=Easy | question=What is 10% of 1248? | option_a=134 | option_b=124 | option_c=248 | option_d=114 | answer=B | explanation=10% of 1248 = $(10/100) \times 1248 = 124$.

id=34978 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=25 | option_b=17 | option_c=21 | option_d=22 | answer=C | explanation=The common difference is 4. Therefore the next term is $17 + 4 = 21$.

id=34979 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=L | option_c=F | option_d=O | answer=B | explanation=Move 3 positions forward from I; the resulting letter is L.

id=34980 | topic=Averages | difficulty=Easy | question=Find the average of 87, 89, 81, 53, 76, 72, 98, 20. | option_a=72 | option_b=71 | option_c=74 | option_d=73 | answer=A | explanation=Average = sum of values ÷ number of values = $576 \div 8 = 72$.

Aptitude Questions — Records 34,981-35,010 of 100,000

id=34981 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=144 | option_c=67 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=34982 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=32 | option_b=33 | option_c=29 | option_d=35 | answer=A | explanation=The common difference is 3. Therefore the next term is 29 + 3 = 32.

id=34983 | topic=Percentages | difficulty=Easy | question=What is 25% of 753? | option_a=198 | option_b=188 | option_c=183 | option_d=376 | answer=B | explanation=25% of 753 = (25/100) × 753 = 188.

id=34984 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 31, 43, 55, ? | option_a=67 | option_b=55 | option_c=68 | option_d=79 | answer=A | explanation=The common difference is 12. Therefore the next term is 55 + 12 = 67.

id=34985 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=28 | option_b=33 | option_c=21 | option_d=27 | answer=D | explanation=The common difference is 6. Therefore the next term is 21 + 6 = 27.

id=34986 | topic=Averages | difficulty=Easy | question=Find the average of 35, 13, 59, 76, 21, 30. | option_a=39 | option_b=38 | option_c=40 | option_d=41 | answer=A | explanation=Average = sum of values ÷ number of values = 234 ÷ 6 = 39.

id=34987 | topic=Averages | difficulty=Easy | question=Find the average of 28, 34, 100, 13, 45, 59, 31, 50, 63. | option_a=47 | option_b=46 | option_c=48 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 423 ÷ 9 = 47.

id=34988 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **2548** at 8% per annum for 4 years. | option_a=3363 | option_b=915 | option_c=815 | option_d=715 | answer=C | explanation=SI = PRT/100 = 2548×8×4/100 = **815**.

id=34989 | topic=Profit & Loss | difficulty=Easy | question=An article costs **3459**. If it is sold at a profit of 10%, what is its selling price? | option_a=4149 | option_b=3804 | option_c=3469 | option_d=3459 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3459 × 110/100 = **3804**.

id=34990 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=C | option_c=X | option_d=N | answer=C | explanation=Move 5 positions forward from S; the resulting letter is X.

id=34991 | topic=Percentages | difficulty=Easy | question=What is 25% of 192? | option_a=68 | option_b=96 | option_c=48 | option_d=38 | answer=C | explanation=25% of 192 = (25/100) × 192 = 48.

id=34992 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=50 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=34993 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **20250** at 10% per annum for 3 years. | option_a=5975 | option_b=26325 | option_c=6075 | option_d=6175 | answer=C | explanation=SI = PRT/100 = 20250×10×3/100 = **6075**.

id=34994 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=Y | option_c=O | option_d=D | answer=B | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=34995 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 33, 39, 48? | option_a=48 | option_b=33 | option_c=39 | option_d=27 | answer=A | explanation=The first three numbers increase by 6, so the next should be 45. Therefore 48 is the odd one out.

id=34996 | topic=Profit & Loss | difficulty=Easy | question=An article costs **3072**. If it is sold at a profit of 20%, what is its selling price? | option_a=3993 | option_b=3092 | option_c=3379 | option_d=3686 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3072 × 120/100 = **3686**.

id=34997 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:9 and the first is 96, what is the second? | option_a=99 | option_b=108 | option_c=116 | option_d=204 | answer=B | explanation=Scale factor = 96/8 = 12. Therefore second quantity = 9×12 = 108.

id=34998 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=90 | option_c=85 | option_d=180 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=34999 | topic=Profit & Loss | difficulty=Easy | question=An article costs **3593**. If it is sold at a profit of 15%, what is its selling price? | option_a=3772 | option_b=4131 | option_c=4490 | option_d=3608 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3593 × 115/100 = **4131**.

id=35000 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 28. | option_a=84 | option_b=105 | option_c=588 | option_d=56 | answer=A | explanation=LCM × HCF = 21×28; HCF(21,28) = 7, so LCM = 84.

id=35001 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=38 | option_b=47 | option_c=56 | option_d=48 | answer=B | explanation=The common difference is 9. Therefore the next term is 38 + 9 = 47.

id=35002 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=24 | option_c=29 | option_d=19 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=35003 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:4 and the first is 238, what is the second? | option_a=56 | option_b=294 | option_c=52 | option_d=73 | answer=A | explanation=Scale factor = 238/17 = 14. Therefore second quantity = 4×14 = 56.

id=35004 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=O | option_c=T | option_d=E | answer=B | explanation=Move 5 positions forward from J; the resulting letter is O.

id=35005 | topic=Averages | difficulty=Easy | question=Find the average of 14, 24, 10, 34, 49, 33, 37, 95. | option_a=36 | option_b=37 | option_c=39 | option_d=38 | answer=B | explanation=Average = sum of values ÷ number of values = 296 ÷ 8 = 37.

id=35006 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=35 | option_b=42 | option_c=26 | option_d=34 | answer=D | explanation=The common difference is 8. Therefore the next term is 26 + 8 = 34.

id=35007 | topic=Profit & Loss | difficulty=Easy | question=An article costs **446**. If it is sold at a profit of 25%, what is its selling price? | option_a=471 | option_b=513 | option_c=601 | option_d=557 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 446 × 125/100 = **557**.

id=35008 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=19 | option_d=29 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=35009 | topic=Percentages | difficulty=Easy | question=What is 30% of 1121? | option_a=316 | option_b=336 | option_c=356 | option_d=672 | answer=B | explanation=30% of 1121 = (30/100) × 1121 = 336.

id=35010 | topic=Number System | difficulty=Easy | question=Find the LCM of 13 and 26. | option_a=1 | option_b=26 | option_c=338 | option_d=39 | answer=B | explanation=LCM × HCF = 13×26; HCF(13,26) = 13, so LCM = 26.

Aptitude Questions — Records 35,011-35,040 of 100,000

id=35011 | topic=Profit & Loss | difficulty=Easy | question=An article costs █411. If it is sold at a profit of 20%, what is its selling price? | option_a=431 | option_b=452 | option_c=493 | option_d=534 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 411 × 120/100 = █493.

id=35012 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=31 | option_b=37 | option_c=32 | option_d=25 | answer=A | explanation=The common difference is 6. Therefore the next term is 25 + 6 = 31.

id=35013 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=54 | option_b=53 | option_c=64 | option_d=42 | answer=B | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.

id=35014 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=35015 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17345 at 4% per annum for 5 years. | option_a=20814 | option_b=3469 | option_c=3369 | option_d=3569 | answer=B | explanation=SI = PRT/100 = 17345×4×5/100 = █3469.

id=35016 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=W | option_c=S | option_d=Y | answer=B | explanation=Move 2 positions forward from U; the resulting letter is W.

id=35017 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 40? | option_a=36 | option_b=33 | option_c=40 | option_d=30 | answer=C | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 40 is the odd one out.

id=35018 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=35019 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 19? | option_a=12 | option_b=15 | option_c=9 | option_d=19 | answer=D | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 19 is the odd one out.

id=35020 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 9, 16, 26? | option_a=16 | option_b=2 | option_c=9 | option_d=26 | answer=D | explanation=The first three numbers increase by 7, so the next should be 23. Therefore 26 is the odd one out.

id=35021 | topic=Percentages | difficulty=Easy | question=What is 5% of 1819? | option_a=70 | option_b=110 | option_c=180 | option_d=90 | answer=D | explanation=5% of 1819 = (5/100) × 1819 = 90.

id=35022 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:4 and the first is 288, what is the second? | option_a=72 | option_b=360 | option_c=88 | option_d=68 | answer=A | explanation=Scale factor = 288/16 = 18. Therefore second quantity = 4×18 = 72.

id=35023 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 29, 36, 44? | option_a=22 | option_b=44 | option_c=36 | option_d=29 | answer=B | explanation=The first three numbers increase by 7, so the next should be 43. Therefore 44 is the odd one out.

id=35024 | topic=Averages | difficulty=Easy | question=Find the average of 80, 24, 89, 47, 66, 68, 55, 83. | option_a=65 | option_b=63 | option_c=66 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 512 ÷ 8 = 64.

id=35025 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:15 and the first is 48, what is the second? | option_a=45 | option_b=30 | option_c=61 | option_d=93 | answer=A | explanation=Scale factor = 48/16 = 3. Therefore second quantity = 15×3 = 45.

id=35026 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 14. | option_a=63 | option_b=42 | option_c=28 | option_d=294 | answer=B | explanation=LCM × HCF = 21×14; HCF(21,14) = 7, so LCM = 42.

id=35027 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=35028 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=35 | option_b=27 | option_c=32 | option_d=31 | answer=D | explanation=The common difference is 4. Therefore the next term is 27 + 4 = 31.

id=35029 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=35030 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=35031 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2022. If it is sold at a profit of 25%, what is its selling price? | option_a=2325 | option_b=2729 | option_c=2047 | option_d=2527 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2022 × 125/100 = █2527.

id=35032 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 4. | option_a=40 | option_b=16 | option_c=20 | option_d=80 | answer=C | explanation=LCM × HCF = 20×4; HCF(20,4) = 4, so LCM = 20.

id=35033 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45492 at 10% per annum for 5 years. | option_a=68238 | option_b=22646 | option_c=22746 | option_d=22846 | answer=C | explanation=SI = PRT/100 = 45492×10×5/100 = █22746.

id=35034 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=P | option_c=E | option_d=Z | answer=D | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=35035 | topic=Averages | difficulty=Easy | question=Find the average of 62, 39, 13, 55, 58, 19, 94, 60. | option_a=52 | option_b=51 | option_c=50 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 400 ÷ 8 = 50.

id=35036 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 26, 28, 31? | option_a=26 | option_b=24 | option_c=31 | option_d=28 | answer=C | explanation=The first three numbers increase by 2, so the next should be 30. Therefore 31 is the odd one out.

id=35037 | topic=Percentages | difficulty=Easy | question=What is 20% of 378? | option_a=85 | option_b=70 | option_c=75 | option_d=150 | answer=C | explanation=20% of 378 = (20/100) × 378 = 75.

id=35038 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=72 | option_c=41 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=35039 | topic=Percentages | difficulty=Easy | question=What is 5% of 1800? | option_a=90 | option_b=80 | option_c=180 | option_d=100 | answer=A | explanation=5% of 1800 = (5/100) × 1800 = 90.

id=35040 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=L | option_b=P | option_c=N | option_d=R | answer=B | explanation=Move 2 positions forward from N; the resulting letter is P.

Aptitude Questions — Records 35,041-35,070 of 100,000

id=35041 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3513. If it is sold at a profit of 30%, what is its selling price? | option_a=3543 | option_b=4215 | option_c=4917 | option_d=4566 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3513 \times 130/100 = \text{█}4566$.

id=35042 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1059. If it is sold at a profit of 5%, what is its selling price? | option_a=1216 | option_b=1006 | option_c=1064 | option_d=1111 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1059 \times 105/100 = \text{█}1111$.

id=35043 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 22? | option_a=22 | option_b=3 | option_c=9 | option_d=15 | answer=A | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 22 is the odd one out.

id=35044 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4340. If it is sold at a profit of 10%, what is its selling price? | option_a=5208 | option_b=4350 | option_c=4774 | option_d=4340 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4340 \times 110/100 = \text{█}4774$.

id=35045 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=35046 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=A | option_b=D | option_c=B | option_d=C | answer=D | explanation=Move 1 positions forward from B; the resulting letter is C.

id=35047 | topic=Averages | difficulty=Easy | question=Find the average of 21, 92, 22. | option_a=47 | option_b=45 | option_c=46 | option_d=44 | answer=B | explanation=Average = sum of values + number of values = $135 \div 3 = 45$.

id=35048 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=X | option_b=H | option_c=M | option_d=C | answer=B | explanation=Move 5 positions forward from C; the resulting letter is H.

id=35049 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 24, 30, 36, ? | option_a=36 | option_b=43 | option_c=42 | option_d=48 | answer=C | explanation=The common difference is 6. Therefore the next term is $36 + 6 = 42$.

id=35050 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33626 at 8% per annum for 2 years. | option_a=5380 | option_b=5480 | option_c=5280 | option_d=39006 | answer=A | explanation=SI = $PRT/100 = 33626 \times 8 \times 2/100 = \text{█}5380$.

id=35051 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=35052 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 47? | option_a=47 | option_b=19 | option_c=37 | option_d=28 | answer=A | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 47 is the odd one out.

id=35053 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 17, 22, 29? | option_a=22 | option_b=12 | option_c=29 | option_d=17 | answer=C | explanation=The first three numbers increase by 5, so the next should be 27. Therefore 29 is the odd one out.

id=35054 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=41 | option_c=31 | option_d=72 | answer=A | explanation=Speed = distance + time = $180 \div 5 = 36$ km/h.

id=35055 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=35056 | topic=Averages | difficulty=Easy | question=Find the average of 37, 31, 40, 27, 64, 53. | option_a=44 | option_b=41 | option_c=43 | option_d=42 | answer=D | explanation=Average = sum of values + number of values = $252 \div 6 = 42$.

id=35057 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13381 at 4% per annum for 1 years. | option_a=635 | option_b=435 | option_c=535 | option_d=13916 | answer=C | explanation=SI = $PRT/100 = 13381 \times 4 \times 1/100 = \text{█}535$.

id=35058 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance + time = $300 \div 10 = 30$ km/h.

id=35059 | topic=Averages | difficulty=Easy | question=Find the average of 32, 86, 49, 96, 26, 54, 19, 23, 47. | option_a=49 | option_b=47 | option_c=48 | option_d=50 | answer=C | explanation=Average = sum of values + number of values = $432 \div 9 = 48$.

id=35060 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=39 | option_b=55 | option_c=47 | option_d=48 | answer=C | explanation=The common difference is 8. Therefore the next term is $39 + 8 = 47$.

id=35061 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=35062 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:8 and the first is 256, what is the second? | option_a=384 | option_b=144 | option_c=128 | option_d=120 | answer=C | explanation=Scale factor = $256/16 = 16$. Therefore second quantity = $8 \times 16 = 128$.

id=35063 | topic=Averages | difficulty=Easy | question=Find the average of 48, 17, 66, 47, 37, 13, 46, 38. | option_a=40 | option_b=38 | option_c=41 | option_d=39 | answer=D | explanation=Average = sum of values + number of values = $312 \div 8 = 39$.

id=35064 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1624. If it is sold at a profit of 30%, what is its selling price? | option_a=1654 | option_b=1949 | option_c=2273 | option_d=2111 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1624 \times 130/100 = \text{█}2111$.

id=35065 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1532. If it is sold at a profit of 5%, what is its selling price? | option_a=1537 | option_b=1761 | option_c=1608 | option_d=1455 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1532 \times 105/100 = \text{█}1608$.

id=35066 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance + time = $120 \div 8 = 15$ km/h.

id=35067 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35913 at 12% per annum for 4 years. | option_a=17338 | option_b=17238 | option_c=53151 | option_d=17138 | answer=B | explanation=SI = $PRT/100 = 35913 \times 12 \times 4/100 = \text{█}17238$.

id=35068 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 50? | option_a=21 | option_b=39 | option_c=50 | option_d=30 | answer=C | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 50 is the odd one out.

id=35069 | topic=Percentages | difficulty=Easy | question=What is 5% of 451? | option_a=17 | option_b=32 | option_c=44 | option_d=22 | answer=D | explanation=5% of 451 = $(5/100) \times 451 = 22$.

id=35070 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=Q | option_c=I | option_d=U | answer=B | explanation=Move 4 positions forward from M; the resulting letter is Q.

Aptitude Questions — Records 35,071-35,100 of 100,000

id=35071 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=Q | option_c=P | option_d=N | answer=C | explanation=Move 1 positions forward from O; the resulting letter is P.

id=35072 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=M | option_c=Q | option_d=K | answer=A | explanation=Move 2 positions forward from M; the resulting letter is O.

id=35073 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=90 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=35074 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 22? | option_a=13 | option_b=17 | option_c=15 | option_d=22 | answer=D | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 22 is the odd one out.

id=35075 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:14 and the first is 24, what is the second? | option_a=28 | option_b=50 | option_c=42 | option_d=66 | answer=C | explanation=Scale factor = 24/8 = 3. Therefore second quantity = 14×3 = 42.

id=35076 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=Q | option_c=P | option_d=O | answer=B | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=35077 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17182 at 12% per annum for 4 years. | option_a=25429 | option_b=8347 | option_c=8147 | option_d=8247 | answer=D | explanation=SI = PRT/100 = 17182×12×4/100 = **■**8247.

id=35078 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44216 at 6% per annum for 1 years. | option_a=46868 | option_b=2752 | option_c=2652 | option_d=2552 | answer=C | explanation=SI = PRT/100 = 44216×6×1/100 = **■**2652.

id=35079 | topic=Averages | difficulty=Easy | question=Find the average of 92, 53, 40, 43, 72. | option_a=61 | option_b=60 | option_c=59 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 300 ÷ 5 = 60.

id=35080 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:12 and the first is 180, what is the second? | option_a=108 | option_b=300 | option_c=138 | option_d=120 | answer=D | explanation=Scale factor = 180/18 = 10. Therefore second quantity = 12×10 = 120.

id=35081 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2647. If it is sold at a profit of 50%, what is its selling price? | option_a=3706 | option_b=4234 | option_c=2697 | option_d=3970 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2647 × 150/100 = **■**3970.

id=35082 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=N | option_b=K | option_c=H | option_d=E | answer=B | explanation=Move 3 positions forward from H; the resulting letter is K.

id=35083 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46304 at 12% per annum for 1 years. | option_a=51860 | option_b=5456 | option_c=5656 | option_d=5556 | answer=D | explanation=SI = PRT/100 = 46304×12×1/100 = **■**5556.

id=35084 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20333 at 10% per annum for 3 years. | option_a=5999 | option_b=6199 | option_c=6099 | option_d=26432 | answer=C | explanation=SI = PRT/100 = 20333×10×3/100 = **■**6099.

id=35085 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 48? | option_a=37 | option_b=48 | option_c=27 | option_d=17 | answer=B | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 48 is the odd one out.

id=35086 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=33 | option_b=47 | option_c=40 | option_d=41 | answer=C | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.

id=35087 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2799. If it is sold at a profit of 5%, what is its selling price? | option_a=2659 | option_b=2938 | option_c=2804 | option_d=3217 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2799 × 105/100 = **■**2938.

id=35088 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9685 at 5% per annum for 3 years. | option_a=11137 | option_b=1352 | option_c=1452 | option_d=1552 | answer=C | explanation=SI = PRT/100 = 9685×5×3/100 = **■**1452.

id=35089 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=39 | option_b=38 | option_c=45 | option_d=31 | answer=B | explanation=The common difference is 7. Therefore the next term is 31 + 7 = 38.

id=35090 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=35091 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=V | option_b=L | option_c=Q | option_d=G | answer=C | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=35092 | topic=Percentages | difficulty=Easy | question=What is 30% of 1509? | option_a=462 | option_b=904 | option_c=447 | option_d=452 | answer=D | explanation=30% of 1509 = (30/100) × 1509 = 452.

id=35093 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=K | option_b=Z | option_c=P | option_d=U | answer=D | explanation=Move 5 positions forward from P; the resulting letter is U.

id=35094 | topic=Averages | difficulty=Easy | question=Find the average of 16, 33, 48, 19, 12, 17, 77, 42. | option_a=35 | option_b=34 | option_c=32 | option_d=33 | answer=D | explanation=Average = sum of values ÷ number of values = 264 ÷ 8 = 33.

id=35095 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3920. If it is sold at a profit of 50%, what is its selling price? | option_a=5880 | option_b=5488 | option_c=3970 | option_d=6272 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3920 × 150/100 = **■**5880.

id=35096 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=T | option_b=Q | option_c=N | option_d=W | answer=A | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=35097 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=35098 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 35? | option_a=6 | option_b=35 | option_c=15 | option_d=24 | answer=B | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 35 is the odd one out.

id=35099 | topic=Percentages | difficulty=Easy | question=What is 10% of 1201? | option_a=100 | option_b=125 | option_c=240 | option_d=120 | answer=D | explanation=10% of 1201 = (10/100) × 1201 = 120.

id=35100 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 44? | option_a=23 | option_b=13 | option_c=44 | option_d=33 | answer=C | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 44 is the odd one out.

Aptitude Questions — Records 35,101-35,130 of 100,000

id=35101 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■27941 at 6% per annum for 4 years. | option_a=6605 | option_b=6705 | option_c=34646 | option_d=6805 | answer=B | explanation=SI = PRT/100 = 27941×6×4/100 = ■6705.

id=35102 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4606. If it is sold at a profit of 20%, what is its selling price? | option_a=5987 | option_b=5067 | option_c=5527 | option_d=4626 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4606 × 120/100 = ■5527.

id=35103 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 8. | option_a=48 | option_b=192 | option_c=24 | option_d=16 | answer=C | explanation=LCM × HCF = 24×8; HCF(24,8) = 8, so LCM = 24.

id=35104 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:12 and the first is 95, what is the second? | option_a=60 | option_b=155 | option_c=48 | option_d=79 | answer=A | explanation=Scale factor = 95/19 = 5. Therefore second quantity = 12×5 = 60.

id=35105 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=35106 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■2884 at 8% per annum for 3 years. | option_a=692 | option_b=792 | option_c=592 | option_d=3576 | answer=A | explanation=SI = PRT/100 = 2884×8×3/100 = ■692.

id=35107 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■35650 at 10% per annum for 5 years. | option_a=17825 | option_b=53475 | option_c=17725 | option_d=17925 | answer=A | explanation=SI = PRT/100 = 35650×10×5/100 = ■17825.

id=35108 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:2 and the first is 196, what is the second? | option_a=224 | option_b=28 | option_c=42 | option_d=26 | answer=B | explanation=Scale factor = 196/14 = 14. Therefore second quantity = 2×14 = 28.

id=35109 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=35110 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=35111 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=39 | option_b=59 | option_c=50 | option_d=49 | answer=D | explanation=The common difference is 10. Therefore the next term is 39 + 10 = 49.

id=35112 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=35113 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■11092 at 8% per annum for 4 years. | option_a=3549 | option_b=14641 | option_c=3449 | option_d=3649 | answer=A | explanation=SI = PRT/100 = 11092×8×4/100 = ■3549.

id=35114 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=60 | option_b=70 | option_c=59 | option_d=48 | answer=C | explanation=The common difference is 11. Therefore the next term is 48 + 11 = 59.

id=35115 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=24 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=35116 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2300. If it is sold at a profit of 25%, what is its selling price? | option_a=2325 | option_b=3105 | option_c=2875 | option_d=2645 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2300 × 125/100 = ■2875.

id=35117 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:1 and the first is 180, what is the second? | option_a=8 | option_b=9 | option_c=189 | option_d=29 | answer=B | explanation=Scale factor = 180/20 = 9. Therefore second quantity = 1×9 = 9.

id=35118 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■18374 at 12% per annum for 5 years. | option_a=10924 | option_b=29398 | option_c=11024 | option_d=11124 | answer=C | explanation=SI = PRT/100 = 18374×12×5/100 = ■11024.

id=35119 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 50? | option_a=50 | option_b=21 | option_c=30 | option_d=39 | answer=A | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 50 is the odd one out.

id=35120 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:20 and the first is 30, what is the second? | option_a=90 | option_b=40 | option_c=60 | option_d=70 | answer=C | explanation=Scale factor = 30/10 = 3. Therefore second quantity = 20×3 = 60.

id=35121 | topic=Averages | difficulty=Easy | question=Find the average of 41, 22, 99, 29, 54. | option_a=50 | option_b=49 | option_c=51 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 245 ÷ 5 = 49.

id=35122 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■10806 at 12% per annum for 3 years. | option_a=3990 | option_b=14696 | option_c=3790 | option_d=3890 | answer=D | explanation=SI = PRT/100 = 10806×12×3/100 = ■3890.

id=35123 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=35124 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2111. If it is sold at a profit of 30%, what is its selling price? | option_a=2533 | option_b=2141 | option_c=2955 | option_d=2744 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2111 × 130/100 = ■2744.

id=35125 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 13, 23, 34? | option_a=13 | option_b=23 | option_c=3 | option_d=34 | answer=D | explanation=The first three numbers increase by 10, so the next should be 33. Therefore 34 is the odd one out.

id=35126 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:9 and the first is 144, what is the second? | option_a=63 | option_b=216 | option_c=72 | option_d=90 | answer=C | explanation=Scale factor = 144/18 = 8. Therefore second quantity = 9×8 = 72.

id=35127 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=35128 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=49 | option_b=39 | option_c=50 | option_d=59 | answer=A | explanation=The common difference is 10. Therefore the next term is 39 + 10 = 49.

id=35129 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=35130 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:11 and the first is 220, what is the second? | option_a=231 | option_b=220 | option_c=440 | option_d=209 | answer=B | explanation=Scale factor = 220/11 = 20. Therefore second quantity = 11×20 = 220.

Aptitude Questions — Records 35,131-35,160 of 100,000

- id=35131 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 31? | option_a=22 | option_b=24 | option_c=26 | option_d=31 | answer=D | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 31 is the odd one out.
- id=35132 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.
- id=35133 | topic=Percentages | difficulty=Easy | question=What is 12% of 1204? | option_a=144 | option_b=149 | option_c=139 | option_d=288 | answer=A | explanation=12% of 1204 = $(\frac{12}{100}) \times 1204 = 144$.
- id=35134 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23819 at 12% per annum for 4 years. | option_a=11433 | option_b=11333 | option_c=11533 | option_d=35252 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{23819 \times 12 \times 4}{100} = \text{■}11433$.
- id=35135 | topic=Averages | difficulty=Easy | question=Find the average of 25, 59, 24. | option_a=36 | option_b=37 | option_c=38 | option_d=35 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{108}{3} = 36$.
- id=35136 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = $\frac{300}{10} = 30$ km/h.
- id=35137 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=34 | option_b=39 | option_c=29 | option_d=35 | answer=A | explanation=The common difference is 5. Therefore the next term is $29 + 5 = 34$.
- id=35138 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=U | option_b=K | option_c=F | option_d=P | answer=D | explanation=Move 5 positions forward from K; the resulting letter is P.
- id=35139 | topic=Averages | difficulty=Easy | question=Find the average of 70, 96, 56, 48, 25, 44, 68, 32, 70, 91. | option_a=62 | option_b=60 | option_c=59 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{600}{10} = 60$.
- id=35140 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 24. | option_a=27 | option_b=1 | option_c=72 | option_d=24 | answer=D | explanation=LCM $\times$ HCF = 3×24 ; HCF(3,24) = 3, so LCM = 24.
- id=35141 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:13 and the first is 76, what is the second? | option_a=52 | option_b=39 | option_c=71 | option_d=128 | answer=A | explanation=Scale factor = $\frac{76}{19} = 4$. Therefore second quantity = $13 \times 4 = 52$.
- id=35142 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29839 at 4% per annum for 4 years. | option_a=4774 | option_b=4674 | option_c=34613 | option_d=4874 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{29839 \times 4 \times 4}{100} = \text{■}4774$.
- id=35143 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 25, 27, 32? | option_a=25 | option_b=27 | option_c=23 | option_d=32 | answer=D | explanation=The first three numbers increase by 2, so the next should be 29. Therefore 32 is the odd one out.
- id=35144 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=22 | option_b=25 | option_c=28 | option_d=26 | answer=B | explanation=The common difference is 3. Therefore the next term is $22 + 3 = 25$.
- id=35145 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4817. If it is sold at a profit of 30%, what is its selling price? | option_a=4847 | option_b=5781 | option_c=6743 | option_d=6262 | answer=D | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 4817 \times \frac{130}{100} = \text{■}6262$.
- id=35146 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.
- id=35147 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 26, 33, 42? | option_a=42 | option_b=26 | option_c=33 | option_d=19 | answer=A | explanation=The first three numbers increase by 7, so the next should be 40. Therefore 42 is the odd one out.
- id=35148 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=12 | answer=B | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12} = 3$ days.
- id=35149 | topic=Averages | difficulty=Easy | question=Find the average of 23, 52, 73, 32, 43, 16, 31, 100, 62. | option_a=49 | option_b=47 | option_c=50 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{432}{9} = 48$.
- id=35150 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:17 and the first is 84, what is the second? | option_a=288 | option_b=211 | option_c=187 | option_d=204 | answer=D | explanation=Scale factor = $\frac{84}{7} = 12$. Therefore second quantity = $17 \times 12 = 204$.
- id=35151 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 20, 30, 42? | option_a=42 | option_b=30 | option_c=10 | option_d=20 | answer=A | explanation=The first three numbers increase by 10, so the next should be 40. Therefore 42 is the odd one out.
- id=35152 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3106. If it is sold at a profit of 40%, what is its selling price? | option_a=4348 | option_b=3146 | option_c=4038 | option_d=4658 | answer=A | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 3106 \times \frac{140}{100} = \text{■}4348$.
- id=35153 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 14, 22, 32? | option_a=14 | option_b=6 | option_c=22 | option_d=32 | answer=D | explanation=The first three numbers increase by 8, so the next should be 30. Therefore 32 is the odd one out.
- id=35154 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=40 | option_b=50 | option_c=51 | option_d=60 | answer=B | explanation=The common difference is 10. Therefore the next term is $40 + 10 = 50$.
- id=35155 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8686 at 12% per annum for 3 years. | option_a=3026 | option_b=3226 | option_c=11812 | option_d=3126 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{8686 \times 12 \times 3}{100} = \text{■}3126$.
- id=35156 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48181 at 8% per annum for 4 years. | option_a=15417 | option_b=15517 | option_c=15317 | option_d=63598 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{48181 \times 8 \times 4}{100} = \text{■}15417$.
- id=35157 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=29 | option_b=25 | option_c=19 | option_d=24 | answer=D | explanation=The common difference is 5. Therefore the next term is $19 + 5 = 24$.
- id=35158 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=35 | option_c=80 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = $\frac{240}{6} = 40$ km/h.
- id=35159 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40368 at 15% per annum for 3 years. | option_a=18065 | option_b=18265 | option_c=58533 | option_d=18165 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{40368 \times 15 \times 3}{100} = \text{■}18165$.
- id=35160 | topic=Percentages | difficulty=Easy | question=What is 20% of 1052? | option_a=190 | option_b=420 | option_c=215 | option_d=210 | answer=D | explanation=20% of 1052 = $(\frac{20}{100}) \times 1052 = 210$.

Aptitude Questions — Records 35,161-35,190 of 100,000

id=35161 | topic=Percentages | difficulty=Easy | question=What is 15% of 851? | option_a=117 | option_b=137 | option_c=127 | option_d=254 | answer=C | explanation=15% of 851 = (15/100) × 851 = 127.

id=35162 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=60 | option_b=50 | option_c=61 | option_d=70 | answer=A | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

id=35163 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=31 | option_c=41 | option_d=72 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=35164 | topic=Percentages | difficulty=Easy | question=What is 10% of 1861? | option_a=166 | option_b=186 | option_c=372 | option_d=196 | answer=B | explanation=10% of 1861 = (10/100) × 1861 = 186.

id=35165 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=35166 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 10, 17, 25? | option_a=3 | option_b=25 | option_c=10 | option_d=17 | answer=B | explanation=The first three numbers increase by 7, so the next should be 24. Therefore 25 is the odd one out.

id=35167 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=7 | option_c=12 | option_d=24 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=35168 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=14 | option_b=12 | option_c=10 | option_d=13 | answer=B | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.

id=35169 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=16 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=35170 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=L | option_b=G | option_c=B | option_d=W | answer=B | explanation=Move 5 positions forward from B; the resulting letter is G.

id=35171 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:6 and the first is 247, what is the second? | option_a=72 | option_b=97 | option_c=78 | option_d=325 | answer=C | explanation=Scale factor = 247/19 = 13. Therefore second quantity = 6×13 = 78.

id=35172 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■5063 at 5% per annum for 5 years. | option_a=6328 | option_b=1165 | option_c=1265 | option_d=1365 | answer=C | explanation=SI = PRT/100 = 5063×5×5/100 = ■1265.

id=35173 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=L | option_c=H | option_d=F | answer=A | explanation=Move 2 positions forward from H; the resulting letter is J.

id=35174 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=35175 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■3343 at 12% per annum for 1 years. | option_a=3744 | option_b=501 | option_c=301 | option_d=401 | answer=D | explanation=SI = PRT/100 = 3343×12×1/100 = ■401.

id=35176 | topic=Percentages | difficulty=Easy | question=What is 15% of 638? | option_a=100 | option_b=75 | option_c=190 | option_d=95 | answer=D | explanation=15% of 638 = (15/100) × 638 = 95.

id=35177 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=24 | option_c=19 | option_d=29 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=35178 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=35 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=35179 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 27? | option_a=27 | option_b=19 | option_c=12 | option_d=5 | answer=A | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 27 is the odd one out.

id=35180 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■10155 at 4% per annum for 3 years. | option_a=11373 | option_b=1118 | option_c=1218 | option_d=1318 | answer=C | explanation=SI = PRT/100 = 10155×4×3/100 = ■1218.

id=35181 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=30 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=35182 | topic=Percentages | difficulty=Easy | question=What is 30% of 1419? | option_a=420 | option_b=850 | option_c=425 | option_d=445 | answer=C | explanation=30% of 1419 = (30/100) × 1419 = 425.

id=35183 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=35184 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:18 and the first is 26, what is the second? | option_a=234 | option_b=260 | option_c=216 | option_d=236 | answer=A | explanation=Scale factor = 26/2 = 13. Therefore second quantity = 18×13 = 234.

id=35185 | topic=Averages | difficulty=Easy | question=Find the average of 75, 23, 12, 25, 90, 98, 23, 32, 90, 42. | option_a=50 | option_b=52 | option_c=53 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

id=35186 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 36, 43, 52? | option_a=29 | option_b=36 | option_c=52 | option_d=43 | answer=C | explanation=The first three numbers increase by 7, so the next should be 50. Therefore 52 is the odd one out.

id=35187 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 46? | option_a=27 | option_b=35 | option_c=19 | option_d=46 | answer=D | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 46 is the odd one out.

id=35188 | topic=Percentages | difficulty=Easy | question=What is 10% of 1321? | option_a=152 | option_b=264 | option_c=127 | option_d=132 | answer=D | explanation=10% of 1321 = (10/100) × 1321 = 132.

id=35189 | topic=Averages | difficulty=Easy | question=Find the average of 10, 69, 70, 87, 99, 33, 44, 94, 20, 74. | option_a=62 | option_b=60 | option_c=61 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=35190 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:20 and the first is 100, what is the second? | option_a=200 | option_b=120 | option_c=80 | option_d=100 | answer=D | explanation=Scale factor = 100/20 = 5. Therefore second quantity = 20×5 = 100.

Aptitude Questions — Records 35,191-35,220 of 100,000

- id=35191 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=61 | option_b=72 | option_c=62 | option_d=50 | answer=A | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.
- id=35192 | topic=Averages | difficulty=Easy | question=Find the average of 81, 59, 46, 20, 79. | option_a=59 | option_b=56 | option_c=57 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.
- id=35193 | topic=Percentages | difficulty=Easy | question=What is 12% of 436? | option_a=104 | option_b=32 | option_c=72 | option_d=52 | answer=D | explanation=12% of 436 = (12/100) × 436 = 52.
- id=35194 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=30 | option_b=29 | option_c=34 | option_d=24 | answer=B | explanation=The common difference is 5. Therefore the next term is 24 + 5 = 29.
- id=35195 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2811. If it is sold at a profit of 40%, what is its selling price? | option_a=3654 | option_b=3935 | option_c=4216 | option_d=2851 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2811 × 140/100 = █3935.
- id=35196 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4798. If it is sold at a profit of 15%, what is its selling price? | option_a=4813 | option_b=5038 | option_c=5517 | option_d=5996 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4798 × 115/100 = █5517.
- id=35197 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=120 | option_c=125 | option_d=115 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.
- id=35198 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=40 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.
- id=35199 | topic=Profit & Loss | difficulty=Easy | question=An article costs █730. If it is sold at a profit of 25%, what is its selling price? | option_a=839 | option_b=912 | option_c=985 | option_d=755 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 730 × 125/100 = █912.
- id=35200 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 31? | option_a=22 | option_b=16 | option_c=10 | option_d=31 | answer=D | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 31 is the odd one out.
- id=35201 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=P | option_b=J | option_c=M | option_d=S | answer=A | explanation=Move 3 positions forward from M; the resulting letter is P.
- id=35202 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=17 | option_c=12 | option_d=7 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.
- id=35203 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.
- id=35204 | topic=Averages | difficulty=Easy | question=Find the average of 28, 83, 59, 32, 68, 97, 77, 76. | option_a=66 | option_b=67 | option_c=64 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 520 ÷ 8 = 65.
- id=35205 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:15 and the first is 27, what is the second? | option_a=54 | option_b=72 | option_c=45 | option_d=30 | answer=C | explanation=Scale factor = 27/9 = 3. Therefore second quantity = 15×3 = 45.
- id=35206 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:8 and the first is 108, what is the second? | option_a=48 | option_b=156 | option_c=40 | option_d=66 | answer=A | explanation=Scale factor = 108/18 = 6. Therefore second quantity = 8×6 = 48.
- id=35207 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=37 | option_b=30 | option_c=23 | option_d=31 | answer=B | explanation=The common difference is 7. Therefore the next term is 23 + 7 = 30.
- id=35208 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=J | option_b=D | option_c=G | option_d=A | answer=C | explanation=Move 3 positions forward from D; the resulting letter is G.
- id=35209 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4109. If it is sold at a profit of 15%, what is its selling price? | option_a=4315 | option_b=5135 | option_c=4725 | option_d=4124 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4109 × 115/100 = █4725.
- id=35210 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 14, 22, 32? | option_a=6 | option_b=32 | option_c=22 | option_d=14 | answer=B | explanation=The first three numbers increase by 8, so the next should be 30. Therefore 32 is the odd one out.
- id=35211 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2261. If it is sold at a profit of 40%, what is its selling price? | option_a=3165 | option_b=3391 | option_c=2301 | option_d=2939 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2261 × 140/100 = █3165.
- id=35212 | topic=Percentages | difficulty=Easy | question=What is 50% of 955? | option_a=472 | option_b=954 | option_c=497 | option_d=477 | answer=D | explanation=50% of 955 = (50/100) × 955 = 477.
- id=35213 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=150 | option_d=70 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.
- id=35214 | topic=Percentages | difficulty=Easy | question=What is 12% of 1615? | option_a=173 | option_b=193 | option_c=203 | option_d=386 | answer=B | explanation=12% of 1615 = (12/100) × 1615 = 193.
- id=35215 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:14 and the first is 68, what is the second? | option_a=73 | option_b=56 | option_c=124 | option_d=42 | answer=B | explanation=Scale factor = 68/17 = 4. Therefore second quantity = 14×4 = 56.
- id=35216 | topic=Averages | difficulty=Easy | question=Find the average of 84, 17, 59, 90, 50, 54, 15, 62, 49, 80. | option_a=56 | option_b=57 | option_c=58 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 560 ÷ 10 = 56.
- id=35217 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.
- id=35218 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:16 and the first is 180, what is the second? | option_a=500 | option_b=329 | option_c=304 | option_d=320 | answer=D | explanation=Scale factor = 180/9 = 20. Therefore second quantity = 16×20 = 320.
- id=35219 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=43 | option_b=35 | option_c=42 | option_d=49 | answer=C | explanation=The common difference is 7. Therefore the next term is 35 + 7 = 42.
- id=35220 | topic=Averages | difficulty=Easy | question=Find the average of 40, 21, 38, 64, 69, 69, 42. | option_a=48 | option_b=49 | option_c=50 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 343 ÷ 7 = 49.

Aptitude Questions — Records 35,221-35,250 of 100,000

id=35221 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40842 at 10% per annum for 5 years. | option_a=20421 | option_b=20321 | option_c=61263 | option_d=20521 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{40842 \times 10 \times 5}{100} = \text{■}20421$.

id=35222 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=34 | option_b=43 | option_c=50 | option_d=42 | answer=D | explanation=The common difference is 8. Therefore the next term is $34 + 8 = 42$.

id=35223 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2713. If it is sold at a profit of 5%, what is its selling price? | option_a=2848 | option_b=2577 | option_c=2718 | option_d=3119 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2713 \times 105 / 100 = \text{■}2848$.

id=35224 | topic=Percentages | difficulty=Easy | question=What is 5% of 1434? | option_a=81 | option_b=142 | option_c=71 | option_d=66 | answer=C | explanation= $5\% \text{ of } 1434 = \frac{5}{100} \times 1434 = 71$.

id=35225 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

id=35226 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1445. If it is sold at a profit of 40%, what is its selling price? | option_a=1485 | option_b=2167 | option_c=2023 | option_d=1879 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1445 \times 140 / 100 = \text{■}2023$.

id=35227 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 30. | option_a=128 | option_b=90 | option_c=120 | option_d=240 | answer=C | explanation= $LCM \times HCF = 8 \times 30$; $HCF(8, 30) = 2$, so $LCM = 120$.

id=35228 | topic=Averages | difficulty=Easy | question=Find the average of 83, 90, 38, 23, 71. | option_a=61 | option_b=63 | option_c=62 | option_d=60 | answer=A | explanation=Average = $\frac{\text{sum of values} + \text{number of values}}{2} = \frac{305 + 5}{2} = 61$.

id=35229 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4676. If it is sold at a profit of 20%, what is its selling price? | option_a=5611 | option_b=5144 | option_c=6078 | option_d=4696 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4676 \times 120 / 100 = \text{■}5611$.

id=35230 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=D | option_c=C | option_d=A | answer=C | explanation=Move 1 positions forward from B; the resulting letter is C.

id=35231 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=P | option_b=N | option_c=O | option_d=Q | answer=A | explanation=Move 1 positions forward from O; the resulting letter is P.

id=35232 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=M | option_c=Y | option_d=U | answer=D | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=35233 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 31, 41, 53? | option_a=21 | option_b=41 | option_c=31 | option_d=53 | answer=D | explanation=The first three numbers increase by 10, so the next should be 51. Therefore 53 is the odd one out.

id=35234 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4306. If it is sold at a profit of 20%, what is its selling price? | option_a=5597 | option_b=5167 | option_c=4326 | option_d=4737 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4306 \times 120 / 100 = \text{■}5167$.

id=35235 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 18? | option_a=11 | option_b=15 | option_c=13 | option_d=18 | answer=D | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 18 is the odd one out.

id=35236 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2035. If it is sold at a profit of 25%, what is its selling price? | option_a=2543 | option_b=2340 | option_c=2746 | option_d=2060 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2035 \times 125 / 100 = \text{■}2543$.

id=35237 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 16, 23, 30, ? | option_a=38 | option_b=30 | option_c=37 | option_d=44 | answer=C | explanation=The common difference is 7. Therefore the next term is $30 + 7 = 37$.

id=35238 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 37, 46, 57? | option_a=28 | option_b=46 | option_c=37 | option_d=57 | answer=D | explanation=The first three numbers increase by 9, so the next should be 55. Therefore 57 is the odd one out.

id=35239 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41463 at 4% per annum for 3 years. | option_a=5075 | option_b=46438 | option_c=4975 | option_d=4875 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{41463 \times 4 \times 3}{100} = \text{■}4975$.

id=35240 | topic=Percentages | difficulty=Easy | question=What is 5% of 1229? | option_a=81 | option_b=61 | option_c=122 | option_d=56 | answer=B | explanation= $5\% \text{ of } 1229 = \frac{5}{100} \times 1229 = 61$.

id=35241 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31422 at 15% per annum for 4 years. | option_a=18753 | option_b=18953 | option_c=50275 | option_d=18853 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{31422 \times 15 \times 4}{100} = \text{■}18853$.

id=35242 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=A | option_c=C | option_d=G | answer=A | explanation=Move 2 positions forward from C; the resulting letter is E.

id=35243 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:13 and the first is 180, what is the second? | option_a=130 | option_b=310 | option_c=148 | option_d=117 | answer=A | explanation=Scale factor = $\frac{180}{18} = 10$. Therefore second quantity = $13 \times 10 = 130$.

id=35244 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=75 | option_c=80 | option_d=150 | answer=B | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{150}{2} = 75 \text{ km/h}$.

id=35245 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 36, 45, 57? | option_a=57 | option_b=45 | option_c=36 | option_d=27 | answer=A | explanation=The first three numbers increase by 9, so the next should be 54. Therefore 57 is the odd one out.

id=35246 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=90 | option_d=50 | answer=B | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{90}{2} = 45 \text{ km/h}$.

id=35247 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=F | option_b=I | option_c=O | option_d=L | answer=D | explanation=Move 3 positions forward from I; the resulting letter is L.

id=35248 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=65 | option_d=60 | answer=D | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{120}{2} = 60 \text{ km/h}$.

id=35249 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=X | option_c=T | option_d=L | answer=C | explanation=Move 4 positions forward from P; the resulting letter is T.

id=35250 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:7 and the first is 35, what is the second? | option_a=54 | option_b=84 | option_c=49 | option_d=42 | answer=C | explanation=Scale factor = $\frac{35}{5} = 7$. Therefore second quantity = $7 \times 7 = 49$.

Aptitude Questions — Records 35,251-35,280 of 100,000

id=35251 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:13 and the first is 190, what is the second? | option_a=149 | option_b=320 | option_c=117 | option_d=130 | answer=D | explanation=Scale factor = 190/19 = 10. Therefore second quantity = 13×10 = 130.

id=35252 | topic=Percentages | difficulty=Easy | question=What is 20% of 792? | option_a=148 | option_b=316 | option_c=158 | option_d=178 | answer=C | explanation=20% of 792 = (20/100) × 792 = 158.

id=35253 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=K | option_b=A | option_c=P | option_d=F | answer=A | explanation=Move 5 positions forward from F; the resulting letter is K.

id=35254 | topic=Averages | difficulty=Easy | question=Find the average of 41, 59, 21, 76, 32, 72, 23, 82, 98. | option_a=57 | option_b=56 | option_c=55 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=35255 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=35256 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 43? | option_a=43 | option_b=33 | option_c=25 | option_d=17 | answer=A | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 43 is the odd one out.

id=35257 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2473. If it is sold at a profit of 15%, what is its selling price? | option_a=2843 | option_b=2488 | option_c=3090 | option_d=2596 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2473 × 115/100 = █2843.

id=35258 | topic=Averages | difficulty=Easy | question=Find the average of 27, 25, 70, 18, 64, 29, 47. | option_a=39 | option_b=41 | option_c=40 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = 280 ÷ 7 = 40.

id=35259 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:12 and the first is 54, what is the second? | option_a=36 | option_b=54 | option_c=90 | option_d=24 | answer=A | explanation=Scale factor = 54/18 = 3. Therefore second quantity = 12×3 = 36.

id=35260 | topic=Averages | difficulty=Easy | question=Find the average of 93, 89, 88. | option_a=89 | option_b=91 | option_c=92 | option_d=90 | answer=D | explanation=Average = sum of values ÷ number of values = 270 ÷ 3 = 90.

id=35261 | topic=Averages | difficulty=Easy | question=Find the average of 72, 40, 42, 65, 12, 54, 57, 25, 28, 35. | option_a=44 | option_b=42 | option_c=45 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = 430 ÷ 10 = 43.

id=35262 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:16 and the first is 300, what is the second? | option_a=304 | option_b=335 | option_c=320 | option_d=620 | answer=C | explanation=Scale factor = 300/15 = 20. Therefore second quantity = 16×20 = 320.

id=35263 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32079 at 12% per annum for 4 years. | option_a=47476 | option_b=15497 | option_c=15297 | option_d=15397 | answer=D | explanation=SI = PRT/100 = 32079×12×4/100 = █15397.

id=35264 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=35265 | topic=Profit & Loss | difficulty=Easy | question=An article costs █784. If it is sold at a profit of 5%, what is its selling price? | option_a=745 | option_b=789 | option_c=823 | option_d=901 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 784 × 105/100 = █823.

id=35266 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=23 | option_b=28 | option_c=27 | option_d=31 | answer=C | explanation=The common difference is 4. Therefore the next term is 23 + 4 = 27.

id=35267 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1415. If it is sold at a profit of 10%, what is its selling price? | option_a=1415 | option_b=1425 | option_c=1556 | option_d=1697 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1415 × 110/100 = █1556.

id=35268 | topic=Averages | difficulty=Easy | question=Find the average of 65, 86, 42, 82, 32, 75, 43, 39. | option_a=60 | option_b=58 | option_c=57 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 464 ÷ 8 = 58.

id=35269 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5939 at 4% per annum for 2 years. | option_a=6414 | option_b=375 | option_c=475 | option_d=575 | answer=C | explanation=SI = PRT/100 = 5939×4×2/100 = █475.

id=35270 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=R | option_c=P | option_d=Q | answer=B | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=35271 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=35272 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 17, 23, 30? | option_a=23 | option_b=17 | option_c=30 | option_d=11 | answer=C | explanation=The first three numbers increase by 6, so the next should be 29. Therefore 30 is the odd one out.

id=35273 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3958. If it is sold at a profit of 20%, what is its selling price? | option_a=5144 | option_b=4354 | option_c=3978 | option_d=4749 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3958 × 120/100 = █4749.

id=35274 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=12 | option_b=10 | option_c=8 | option_d=11 | answer=B | explanation=The common difference is 2. Therefore the next term is 8 + 2 = 10.

id=35275 | topic=Averages | difficulty=Easy | question=Find the average of 35, 23, 68, 83, 81. | option_a=59 | option_b=57 | option_c=60 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 290 ÷ 5 = 58.

id=35276 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=35277 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 16, 23, 30, ? | option_a=30 | option_b=44 | option_c=37 | option_d=38 | answer=C | explanation=The common difference is 7. Therefore the next term is 30 + 7 = 37.

id=35278 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=35279 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23562 at 10% per annum for 2 years. | option_a=4712 | option_b=4612 | option_c=4812 | option_d=28274 | answer=A | explanation=SI = PRT/100 = 23562×10×2/100 = █4712.

id=35280 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 20. | option_a=66 | option_b=60 | option_c=120 | option_d=40 | answer=B | explanation=LCM × HCF = 6×20; HCF(6,20) = 2, so LCM = 60.

Aptitude Questions — Records 35,281-35,310 of 100,000

id=35281 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 35, 41, 49? | option_a=29 | option_b=49 | option_c=41 | option_d=35 | answer=B | explanation=The first three numbers increase by 6, so the next should be 47. Therefore 49 is the odd one out.

id=35282 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 36, 43, 53? | option_a=36 | option_b=29 | option_c=53 | option_d=43 | answer=C | explanation=The first three numbers increase by 7, so the next should be 50. Therefore 53 is the odd one out.

id=35283 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=20 | option_b=22 | option_c=18 | option_d=21 | answer=A | explanation=The common difference is 2. Therefore the next term is $18 + 2 = 20$.

id=35284 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=M | option_b=O | option_c=P | option_d=N | answer=B | explanation=Move 1 positions forward from N; the resulting letter is O.

id=35285 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**401. If it is sold at a profit of 25%, what is its selling price? | option_a=426 | option_b=501 | option_c=541 | option_d=461 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 401 \times 125/100 = \text{■}501$.

id=35286 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1864. If it is sold at a profit of 25%, what is its selling price? | option_a=2330 | option_b=1889 | option_c=2144 | option_d=2516 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 1864 \times 125/100 = \text{■}2330$.

id=35287 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1711. If it is sold at a profit of 10%, what is its selling price? | option_a=1882 | option_b=1721 | option_c=1711 | option_d=2053 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 1711 \times 110/100 = \text{■}1882$.

id=35288 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:18 and the first is 52, what is the second? | option_a=238 | option_b=216 | option_c=234 | option_d=286 | answer=C | explanation=Scale factor = $52/4 = 13$. Therefore second quantity = $18 \times 13 = 234$.

id=35289 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 28, 31, 35? | option_a=25 | option_b=35 | option_c=31 | option_d=28 | answer=B | explanation=The first three numbers increase by 3, so the next should be 34. Therefore 35 is the odd one out.

id=35290 | topic=Averages | difficulty=Easy | question=Find the average of 33, 49, 84, 64, 85, | option_a=63 | option_b=64 | option_c=62 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = $315 \div 5 = 63$.

id=35291 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=38 | option_b=31 | option_c=24 | option_d=32 | answer=B | explanation=The common difference is 7. Therefore the next term is $24 + 7 = 31$.

id=35292 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4016. If it is sold at a profit of 40%, what is its selling price? | option_a=5221 | option_b=5622 | option_c=4056 | option_d=6023 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 4016 \times 140/100 = \text{■}5622$.

id=35293 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 28? | option_a=21 | option_b=18 | option_c=28 | option_d=24 | answer=C | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 28 is the odd one out.

id=35294 | topic=Averages | difficulty=Easy | question=Find the average of 56, 30, 13, 68, 66, 26, 79, 74, 20, 18, | option_a=46 | option_b=47 | option_c=44 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = $450 \div 10 = 45$.

id=35295 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=43 | option_b=54 | option_c=63 | option_d=53 | answer=D | explanation=The common difference is 10. Therefore the next term is $43 + 10 = 53$.

id=35296 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 20. | option_a=200 | option_b=242 | option_c=440 | option_d=220 | answer=D | explanation= $LCM \times HCF = 22 \times 20$; $HCF(22,20) = 2$, so $LCM = 220$.

id=35297 | topic=Averages | difficulty=Easy | question=Find the average of 25, 95, 54, 43, 60, 97, 49, 93, 24, | option_a=62 | option_b=61 | option_c=59 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = $540 \div 9 = 60$.

id=35298 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9862 at 6% per annum for 4 years. | option_a=12228 | option_b=2266 | option_c=2466 | option_d=2366 | answer=D | explanation= $SI = PRT/100 = 9862 \times 6 \times 4/100 = \text{■}2366$.

id=35299 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29158 at 6% per annum for 2 years. | option_a=3498 | option_b=3598 | option_c=3398 | option_d=32656 | answer=A | explanation= $SI = PRT/100 = 29158 \times 6 \times 2/100 = \text{■}3498$.

id=35300 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2243. If it is sold at a profit of 5%, what is its selling price? | option_a=2131 | option_b=2355 | option_c=2579 | option_d=2248 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2243 \times 105/100 = \text{■}2355$.

id=35301 | topic=Percentages | difficulty=Easy | question=What is 50% of 829? | option_a=424 | option_b=414 | option_c=409 | option_d=828 | answer=B | explanation=50% of 829 = $(50/100) \times 829 = 414$.

id=35302 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=T | option_b=O | option_c=Y | option_d=J | answer=A | explanation=Move 5 positions forward from O; the resulting letter is T.

id=35303 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:15 and the first is 11, what is the second? | option_a=166 | option_b=165 | option_c=176 | option_d=150 | answer=B | explanation=Scale factor = $11/1 = 11$. Therefore second quantity = $15 \times 11 = 165$.

id=35304 | topic=Percentages | difficulty=Easy | question=What is 20% of 1092? | option_a=218 | option_b=213 | option_c=228 | option_d=436 | answer=A | explanation=20% of 1092 = $(20/100) \times 1092 = 218$.

id=35305 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=19 | option_b=18 | option_c=15 | option_d=17 | answer=D | explanation=The common difference is 2. Therefore the next term is $15 + 2 = 17$.

id=35306 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = $240 \div 8 = 30$ km/h.

id=35307 | topic=Percentages | difficulty=Easy | question=What is 15% of 604? | option_a=90 | option_b=100 | option_c=80 | option_d=180 | answer=A | explanation=15% of 604 = $(15/100) \times 604 = 90$.

id=35308 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5582 at 5% per annum for 3 years. | option_a=837 | option_b=937 | option_c=6419 | option_d=737 | answer=A | explanation= $SI = PRT/100 = 5582 \times 5 \times 3/100 = \text{■}837$.

id=35309 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=4 | option_d=20 | answer=A | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=35310 | topic=Percentages | difficulty=Easy | question=What is 15% of 1346? | option_a=181 | option_b=221 | option_c=402 | option_d=201 | answer=D | explanation=15% of 1346 = $(15/100) \times 1346 = 201$.

Aptitude Questions — Records 35,311-35,340 of 100,000

- id=35311 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=7 | option_d=24 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.
- id=35312 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:20 and the first is 42, what is the second? | option_a=120 | option_b=146 | option_c=140 | option_d=182 | answer=C | explanation=Scale factor = $\frac{42}{6} = 7$. Therefore second quantity = $20 \times 7 = 140$.
- id=35313 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=H | option_c=J | option_d=L | answer=D | explanation=Move 2 positions forward from J; the resulting letter is L.
- id=35314 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:4 and the first is 20, what is the second? | option_a=16 | option_b=40 | option_c=24 | option_d=20 | answer=D | explanation=Scale factor = $\frac{20}{4} = 5$. Therefore second quantity = $4 \times 5 = 20$.
- id=35315 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=14 | option_b=15 | option_c=11 | option_d=13 | answer=D | explanation=The common difference is 2. Therefore the next term is $11 + 2 = 13$.
- id=35316 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 33? | option_a=27 | option_b=22 | option_c=17 | option_d=33 | answer=D | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 33 is the odd one out.
- id=35317 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=T | option_b=N | option_c=W | option_d=Q | answer=A | explanation=Move 3 positions forward from Q; the resulting letter is T.
- id=35318 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=Y | option_b=P | option_c=V | option_d=S | answer=C | explanation=Move 3 positions forward from S; the resulting letter is V.
- id=35319 | topic=Percentages | difficulty=Easy | question=What is 15% of 1200? | option_a=160 | option_b=200 | option_c=180 | option_d=360 | answer=C | explanation=15% of 1200 = $(\frac{15}{100}) \times 1200 = 180$.
- id=35320 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = $\frac{90}{3} = 30$ km/h.
- id=35321 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:1 and the first is 54, what is the second? | option_a=5 | option_b=15 | option_c=6 | option_d=60 | answer=C | explanation=Scale factor = $\frac{54}{9} = 6$. Therefore second quantity = $1 \times 6 = 6$.
- id=35322 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=41 | option_b=46 | option_c=40 | option_d=34 | answer=C | explanation=The common difference is 6. Therefore the next term is $34 + 6 = 40$.
- id=35323 | topic=Averages | difficulty=Easy | question=Find the average of 20, 98, 38, 36, 39, 45, 84, 64. | option_a=55 | option_b=54 | option_c=52 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{424}{8} = 53$.
- id=35324 | topic=Averages | difficulty=Easy | question=Find the average of 32, 98, 49, 50, 65, 98, 23, 82, 46, 87. | option_a=63 | option_b=62 | option_c=65 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{630}{10} = 63$.
- id=35325 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=D | option_c=M | option_d=J | answer=D | explanation=Move 3 positions forward from G; the resulting letter is J.
- id=35326 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1433. If it is sold at a profit of 30%, what is its selling price? | option_a=1719 | option_b=1862 | option_c=1463 | option_d=2005 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1433 \times \frac{130}{100} = \text{█}1862$.
- id=35327 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=36 | option_b=30 | option_c=24 | option_d=31 | answer=B | explanation=The common difference is 6. Therefore the next term is $24 + 6 = 30$.
- id=35328 | topic=Averages | difficulty=Easy | question=Find the average of 97, 73, 33, 33. | option_a=59 | option_b=58 | option_c=61 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{236}{4} = 59$.
- id=35329 | topic=Percentages | difficulty=Easy | question=What is 40% of 1117? | option_a=441 | option_b=446 | option_c=892 | option_d=456 | answer=B | explanation=40% of 1117 = $(\frac{40}{100}) \times 1117 = 446$.
- id=35330 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:14 and the first is 12, what is the second? | option_a=28 | option_b=34 | option_c=14 | option_d=40 | answer=A | explanation=Scale factor = $\frac{12}{6} = 2$. Therefore second quantity = $14 \times 2 = 28$.
- id=35331 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:19 and the first is 72, what is the second? | option_a=76 | option_b=94 | option_c=148 | option_d=57 | answer=A | explanation=Scale factor = $\frac{72}{18} = 4$. Therefore second quantity = $19 \times 4 = 76$.
- id=35332 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=24 | option_c=48 | option_d=29 | answer=B | explanation=Speed = distance ÷ time = $\frac{240}{10} = 24$ km/h.
- id=35333 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 10, 17, 26? | option_a=17 | option_b=10 | option_c=26 | option_d=3 | answer=C | explanation=The first three numbers increase by 7, so the next should be 24. Therefore 26 is the odd one out.
- id=35334 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38746 at 10% per annum for 4 years. | option_a=15498 | option_b=15598 | option_c=54244 | option_d=15398 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{38746 \times 10 \times 4}{100} = \text{█}15498$.
- id=35335 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = $\frac{150}{10} = 15$ km/h.
- id=35336 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28660 at 10% per annum for 3 years. | option_a=8698 | option_b=8598 | option_c=8498 | option_d=37258 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{28660 \times 10 \times 3}{100} = \text{█}8598$.
- id=35337 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:4 and the first is 238, what is the second? | option_a=73 | option_b=294 | option_c=52 | option_d=56 | answer=D | explanation=Scale factor = $\frac{238}{17} = 14$. Therefore second quantity = $4 \times 14 = 56$.
- id=35338 | topic=Profit & Loss | difficulty=Easy | question=An article costs █182. If it is sold at a profit of 40%, what is its selling price? | option_a=222 | option_b=236 | option_c=254 | option_d=272 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 182 \times \frac{140}{100} = \text{█}254$.
- id=35339 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2265. If it is sold at a profit of 15%, what is its selling price? | option_a=2830 | option_b=2280 | option_c=2604 | option_d=2378 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2265 \times \frac{115}{100} = \text{█}2604$.
- id=35340 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20670 at 10% per annum for 2 years. | option_a=24804 | option_b=4234 | option_c=4034 | option_d=4134 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{20670 \times 10 \times 2}{100} = \text{█}4134$.

Aptitude Questions — Records 35,341-35,370 of 100,000

id=35341 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4662. If it is sold at a profit of 10%, what is its selling price? | option_a=4662 | option_b=4672 | option_c=5128 | option_d=5594 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4662 × 110/100 = ■5128.

id=35342 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=I | option_b=Z | option_c=C | option_d=F | answer=D | explanation=Move 3 positions forward from C; the resulting letter is F.

id=35343 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■41762 at 8% per annum for 2 years. | option_a=6681 | option_b=48443 | option_c=6781 | option_d=6581 | answer=A | explanation=SI = PRT/100 = 41762×8×2/100 = ■6681.

id=35344 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=35345 | topic=Percentages | difficulty=Easy | question=What is 40% of 487? | option_a=174 | option_b=199 | option_c=194 | option_d=388 | answer=C | explanation=40% of 487 = (40/100) × 487 = 194.

id=35346 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=80 | option_c=35 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=35347 | topic=Percentages | difficulty=Easy | question=What is 50% of 1567? | option_a=788 | option_b=778 | option_c=1566 | option_d=783 | answer=D | explanation=50% of 1567 = (50/100) × 1567 = 783.

id=35348 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=35349 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=35350 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=35351 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=O | option_b=S | option_c=W | option_d=A | answer=C | explanation=Move 4 positions forward from S; the resulting letter is W.

id=35352 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=52 | option_b=44 | option_c=36 | option_d=45 | answer=B | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.

id=35353 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=22 | option_b=26 | option_c=18 | option_d=23 | answer=A | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

id=35354 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=Q | option_c=W | option_d=U | answer=D | explanation=Move 2 positions forward from S; the resulting letter is U.

id=35355 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=J | option_b=L | option_c=M | option_d=K | answer=B | explanation=Move 1 positions forward from K; the resulting letter is L.

id=35356 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3319. If it is sold at a profit of 5%, what is its selling price? | option_a=3484 | option_b=3153 | option_c=3815 | option_d=3324 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3319 × 105/100 = ■3484.

id=35357 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3477. If it is sold at a profit of 40%, what is its selling price? | option_a=5214 | option_b=4867 | option_c=3517 | option_d=4520 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3477 × 140/100 = ■4867.

id=35358 | topic=Averages | difficulty=Easy | question=Find the average of 80, 21, 45, 68, 97, 36, 95, 30. | option_a=58 | option_b=61 | option_c=59 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 472 ÷ 8 = 59.

id=35359 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■6697 at 10% per annum for 3 years. | option_a=1909 | option_b=2109 | option_c=8706 | option_d=2009 | answer=D | explanation=SI = PRT/100 = 6697×10×3/100 = ■2009.

id=35360 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=O | option_c=E | option_d=T | answer=B | explanation=Move 5 positions forward from J; the resulting letter is O.

id=35361 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 6. | option_a=9 | option_b=18 | option_c=6 | option_d=1 | answer=C | explanation=LCM × HCF = 3×6; HCF(3,6) = 3, so LCM = 6.

id=35362 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=35363 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=33 | option_b=27 | option_c=34 | option_d=39 | answer=A | explanation=The common difference is 6. Therefore the next term is 27 + 6 = 33.

id=35364 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=24 | option_c=29 | option_d=19 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=35365 | topic=Percentages | difficulty=Easy | question=What is 12% of 1053? | option_a=252 | option_b=136 | option_c=121 | option_d=126 | answer=D | explanation=12% of 1053 = (12/100) × 1053 = 126.

id=35366 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=35367 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■35814 at 5% per annum for 3 years. | option_a=5472 | option_b=41186 | option_c=5272 | option_d=5372 | answer=D | explanation=SI = PRT/100 = 35814×5×3/100 = ■5372.

id=35368 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14258 at 8% per annum for 2 years. | option_a=2181 | option_b=2381 | option_c=2281 | option_d=16539 | answer=C | explanation=SI = PRT/100 = 14258×8×2/100 = ■2281.

id=35369 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=G | option_c=F | option_d=H | answer=D | explanation=Move 1 positions forward from G; the resulting letter is H.

id=35370 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■2108 at 15% per annum for 2 years. | option_a=732 | option_b=632 | option_c=532 | option_d=2740 | answer=B | explanation=SI = PRT/100 = 2108×15×2/100 = ■632.

Aptitude Questions — Records 35,371-35,400 of 100,000

id=35371 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=34 | option_b=22 | option_c=28 | option_d=29 | answer=C | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.

id=35372 | topic=Averages | difficulty=Easy | question=Find the average of 53, 67, 31, 86, 76, 80, 62. | option_a=66 | option_b=64 | option_c=65 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 455 ÷ 7 = 65.

id=35373 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:11 and the first is 135, what is the second? | option_a=99 | option_b=114 | option_c=234 | option_d=88 | answer=A | explanation=Scale factor = 135/15 = 9. Therefore second quantity = 11×9 = 99.

id=35374 | topic=Percentages | difficulty=Easy | question=What is 20% of 1047? | option_a=204 | option_b=229 | option_c=209 | option_d=418 | answer=C | explanation=20% of 1047 = (20/100) × 1047 = 209.

id=35375 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 41? | option_a=14 | option_b=22 | option_c=41 | option_d=30 | answer=C | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 41 is the odd one out.

id=35376 | topic=Averages | difficulty=Easy | question=Find the average of 33, 18, 87, 73, 33, 84, 92. | option_a=61 | option_b=62 | option_c=60 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 420 ÷ 7 = 60.

id=35377 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46579 at 15% per annum for 3 years. | option_a=21060 | option_b=20960 | option_c=67539 | option_d=20860 | answer=B | explanation=SI = PRT/100 = 46579×15×3/100 = **■**20960.

id=35378 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=S | option_b=I | option_c=N | option_d=X | answer=A | explanation=Move 5 positions forward from N; the resulting letter is S.

id=35379 | topic=Averages | difficulty=Easy | question=Find the average of 52, 61, 54, 67, 85, 87, 46, 49, 66. | option_a=64 | option_b=65 | option_c=62 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 567 ÷ 9 = 63.

id=35380 | topic=Averages | difficulty=Easy | question=Find the average of 43, 69, 29, 18, 29, 98, 82, 48. | option_a=53 | option_b=51 | option_c=52 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=35381 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1625. If it is sold at a profit of 50%, what is its selling price? | option_a=2275 | option_b=2599 | option_c=1675 | option_d=2437 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1625 × 150/100 = **■**2437.

id=35382 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:19 and the first is 48, what is the second? | option_a=158 | option_b=133 | option_c=152 | option_d=200 | answer=C | explanation=Scale factor = 48/6 = 8. Therefore second quantity = 19×8 = 152.

id=35383 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**213. If it is sold at a profit of 5%, what is its selling price? | option_a=202 | option_b=244 | option_c=218 | option_d=223 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 213 × 105/100 = **■**223.

id=35384 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13596 at 8% per annum for 1 years. | option_a=1187 | option_b=1087 | option_c=14683 | option_d=987 | answer=B | explanation=SI = PRT/100 = 13596×8×1/100 = **■**1087.

id=35385 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=31 | option_b=40 | option_c=47 | option_d=39 | answer=D | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

id=35386 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 34, 39, 47? | option_a=39 | option_b=34 | option_c=47 | option_d=29 | answer=C | explanation=The first three numbers increase by 5, so the next should be 44. Therefore 47 is the odd one out.

id=35387 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46154 at 10% per annum for 5 years. | option_a=22977 | option_b=23177 | option_c=69231 | option_d=23077 | answer=D | explanation=SI = PRT/100 = 46154×10×5/100 = **■**23077.

id=35388 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=56 | option_b=69 | option_c=68 | option_d=80 | answer=C | explanation=The common difference is 12. Therefore the next term is 56 + 12 = 68.

id=35389 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4708. If it is sold at a profit of 30%, what is its selling price? | option_a=5650 | option_b=4738 | option_c=6120 | option_d=6590 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4708 × 130/100 = **■**6120.

id=35390 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=35391 | topic=Averages | difficulty=Easy | question=Find the average of 92, 73, 50, 92, 20, 48, 85, 28. | option_a=63 | option_b=62 | option_c=60 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 488 ÷ 8 = 61.

id=35392 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=P | option_b=R | option_c=T | option_d=V | answer=C | explanation=Move 2 positions forward from R; the resulting letter is T.

id=35393 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=48 | option_c=24 | option_d=19 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=35394 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3090. If it is sold at a profit of 30%, what is its selling price? | option_a=3120 | option_b=3708 | option_c=4326 | option_d=4017 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3090 × 130/100 = **■**4017.

id=35395 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=10 | option_b=12 | option_c=8 | option_d=11 | answer=A | explanation=The common difference is 2. Therefore the next term is 8 + 2 = 10.

id=35396 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=35397 | topic=Averages | difficulty=Easy | question=Find the average of 36, 29, 97, 68, 50, 88, 88, 90, 95, 89. | option_a=72 | option_b=73 | option_c=74 | option_d=75 | answer=B | explanation=Average = sum of values ÷ number of values = 730 ÷ 10 = 73.

id=35398 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 15? | option_a=8 | option_b=15 | option_c=12 | option_d=10 | answer=B | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 15 is the odd one out.

id=35399 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:5 and the first is 110, what is the second? | option_a=50 | option_b=61 | option_c=45 | option_d=160 | answer=A | explanation=Scale factor = 110/11 = 10. Therefore second quantity = 5×10 = 50.

id=35400 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=F | option_b=V | option_c=K | option_d=A | answer=A | explanation=Move 5 positions forward from A; the resulting letter is F.

Aptitude Questions — Records 35,401-35,430 of 100,000

id=35401 | topic=Percentages | difficulty=Easy | question=What is 10% of 718? | option_a=66 | option_b=71 | option_c=142 | option_d=76 | answer=B | explanation=10% of 718 = (10/100) × 718 = 71.

id=35402 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=B | option_b=D | option_c=C | option_d=E | answer=B | explanation=Move 1 positions forward from C; the resulting letter is D.

id=35403 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=46 | option_b=57 | option_c=58 | option_d=68 | answer=B | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.

id=35404 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=W | option_b=A | option_c=I | option_d=E | answer=D | explanation=Move 4 positions forward from A; the resulting letter is E.

id=35405 | topic=Averages | difficulty=Easy | question=Find the average of 50, 84, 43, 91. | option_a=68 | option_b=69 | option_c=67 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = 268 ÷ 4 = 67.

id=35406 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=6 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=35407 | topic=Percentages | difficulty=Easy | question=What is 12% of 1722? | option_a=206 | option_b=226 | option_c=412 | option_d=201 | answer=A | explanation=12% of 1722 = (12/100) × 1722 = 206.

id=35408 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:12 and the first is 300, what is the second? | option_a=255 | option_b=240 | option_c=540 | option_d=228 | answer=B | explanation=Scale factor = 300/15 = 20. Therefore second quantity = 12×20 = 240.

id=35409 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31196 at 12% per annum for 4 years. | option_a=46170 | option_b=14974 | option_c=14874 | option_d=15074 | answer=B | explanation=SI = PRT/100 = 31196×12×4/100 = **■**14974.

id=35410 | topic=Averages | difficulty=Easy | question=Find the average of 76, 31, 72, 91, 93, 75, 55, 60, 41, 66. | option_a=67 | option_b=66 | option_c=65 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = 660 ÷ 10 = 66.

id=35411 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=35412 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=35413 | topic=Averages | difficulty=Easy | question=Find the average of 70, 57, 52, 49. | option_a=59 | option_b=56 | option_c=58 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 228 ÷ 4 = 57.

id=35414 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=22 | option_b=23 | option_c=27 | option_d=17 | answer=A | explanation=The common difference is 5. Therefore the next term is 17 + 5 = 22.

id=35415 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=35416 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 27, 32, 40? | option_a=32 | option_b=40 | option_c=22 | option_d=27 | answer=B | explanation=The first three numbers increase by 5, so the next should be 37. Therefore 40 is the odd one out.

id=35417 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:15 and the first is 18, what is the second? | option_a=15 | option_b=39 | option_c=30 | option_d=48 | answer=C | explanation=Scale factor = 18/9 = 2. Therefore second quantity = 15×2 = 30.

id=35418 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=35419 | topic=Percentages | difficulty=Easy | question=What is 25% of 612? | option_a=153 | option_b=306 | option_c=173 | option_d=133 | answer=A | explanation=25% of 612 = (25/100) × 612 = 153.

id=35420 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:13 and the first is 22, what is the second? | option_a=165 | option_b=130 | option_c=145 | option_d=143 | answer=D | explanation=Scale factor = 22/2 = 11. Therefore second quantity = 13×11 = 143.

id=35421 | topic=Averages | difficulty=Easy | question=Find the average of 43, 63, 49, 30, 66, 19. | option_a=46 | option_b=45 | option_c=44 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 270 ÷ 6 = 45.

id=35422 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=45 | option_b=50 | option_c=44 | option_d=38 | answer=C | explanation=The common difference is 6. Therefore the next term is 38 + 6 = 44.

id=35423 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2812. If it is sold at a profit of 5%, what is its selling price? | option_a=3233 | option_b=2817 | option_c=2671 | option_d=2952 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2812 × 105/100 = **■**2952.

id=35424 | topic=Averages | difficulty=Easy | question=Find the average of 68, 18, 20, 22, 78, 26, 47, 33. | option_a=38 | option_b=40 | option_c=39 | option_d=41 | answer=C | explanation=Average = sum of values ÷ number of values = 312 ÷ 8 = 39.

id=35425 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=33 | option_b=39 | option_c=25 | option_d=32 | answer=D | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.

id=35426 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2813. If it is sold at a profit of 25%, what is its selling price? | option_a=3235 | option_b=3516 | option_c=3797 | option_d=2838 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2813 × 125/100 = **■**3516.

id=35427 | topic=Averages | difficulty=Easy | question=Find the average of 12, 37, 32, 43, 98, 51, 55, 12, 76, 34. | option_a=45 | option_b=44 | option_c=46 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 450 ÷ 10 = 45.

id=35428 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:3 and the first is 56, what is the second? | option_a=29 | option_b=77 | option_c=18 | option_d=21 | answer=D | explanation=Scale factor = 56/8 = 7. Therefore second quantity = 3×7 = 21.

id=35429 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 26, 28, 32? | option_a=24 | option_b=32 | option_c=26 | option_d=28 | answer=B | explanation=The first three numbers increase by 2, so the next should be 30. Therefore 32 is the odd one out.

id=35430 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=A | option_c=C | option_d=B | answer=C | explanation=Move 1 positions forward from B; the resulting letter is C.

Aptitude Questions — Records 35,431-35,460 of 100,000

id=35431 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=28 | option_b=35 | option_c=40 | option_d=34 | answer=D | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.

id=35432 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:6 and the first is 32, what is the second? | option_a=24 | option_b=18 | option_c=56 | option_d=32 | answer=A | explanation=Scale factor = 32/8 = 4. Therefore second quantity = 6×4 = 24.

id=35433 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 20. | option_a=144 | option_b=100 | option_c=120 | option_d=480 | answer=C | explanation=LCM × HCF = 24×20; HCF(24,20) = 4, so LCM = 120.

id=35434 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=160 | option_c=75 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=35435 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=35436 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40593 at 12% per annum for 2 years. | option_a=9642 | option_b=9742 | option_c=50335 | option_d=9842 | answer=B | explanation=SI = PRT/100 = 40593×12×2/100 = **■**9742.

id=35437 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2162. If it is sold at a profit of 30%, what is its selling price? | option_a=2594 | option_b=2192 | option_c=3026 | option_d=2810 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2162 × 130/100 = **■**2810.

id=35438 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=36 | option_d=13 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=35439 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=35440 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=20 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=35441 | topic=Averages | difficulty=Easy | question=Find the average of 81, 52, 95, 65, 36, 34, 78. | option_a=63 | option_b=64 | option_c=65 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 441 ÷ 7 = 63.

id=35442 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 25, 35, 46? | option_a=46 | option_b=25 | option_c=15 | option_d=35 | answer=A | explanation=The first three numbers increase by 10, so the next should be 45. Therefore 46 is the odd one out.

id=35443 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 11, 20, 30? | option_a=2 | option_b=20 | option_c=30 | option_d=11 | answer=C | explanation=The first three numbers increase by 9, so the next should be 29. Therefore 30 is the odd one out.

id=35444 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 34, 43, 55? | option_a=34 | option_b=55 | option_c=25 | option_d=43 | answer=B | explanation=The first three numbers increase by 9, so the next should be 52. Therefore 55 is the odd one out.

id=35445 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2490. If it is sold at a profit of 10%, what is its selling price? | option_a=2500 | option_b=2739 | option_c=2490 | option_d=2988 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2490 × 110/100 = **■**2739.

id=35446 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22806 at 15% per annum for 4 years. | option_a=13783 | option_b=36489 | option_c=13683 | option_d=13583 | answer=C | explanation=SI = PRT/100 = 22806×15×4/100 = **■**13683.

id=35447 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12522 at 15% per annum for 1 years. | option_a=1978 | option_b=1878 | option_c=1778 | option_d=14400 | answer=B | explanation=SI = PRT/100 = 12522×15×1/100 = **■**1878.

id=35448 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**309. If it is sold at a profit of 25%, what is its selling price? | option_a=356 | option_b=386 | option_c=334 | option_d=416 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 309 × 125/100 = **■**386.

id=35449 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1405. If it is sold at a profit of 25%, what is its selling price? | option_a=1616 | option_b=1756 | option_c=1430 | option_d=1896 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1405 × 125/100 = **■**1756.

id=35450 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=35451 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=35452 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=L | option_c=H | option_d=T | answer=A | explanation=Move 4 positions forward from L; the resulting letter is P.

id=35453 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**936. If it is sold at a profit of 40%, what is its selling price? | option_a=976 | option_b=1403 | option_c=1310 | option_d=1217 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 936 × 140/100 = **■**1310.

id=35454 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=21 | option_b=20 | option_c=18 | option_d=22 | answer=B | explanation=The common difference is 2. Therefore the next term is 18 + 2 = 20.

id=35455 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:8 and the first is 45, what is the second? | option_a=85 | option_b=40 | option_c=32 | option_d=49 | answer=B | explanation=Scale factor = 45/9 = 5. Therefore second quantity = 8×5 = 40.

id=35456 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=35457 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:6 and the first is 120, what is the second? | option_a=54 | option_b=60 | option_c=180 | option_d=72 | answer=B | explanation=Scale factor = 120/12 = 10. Therefore second quantity = 6×10 = 60.

id=35458 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=35459 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:14 and the first is 32, what is the second? | option_a=88 | option_b=42 | option_c=56 | option_d=64 | answer=C | explanation=Scale factor = 32/8 = 4. Therefore second quantity = 14×4 = 56.

id=35460 | topic=Averages | difficulty=Easy | question=Find the average of 13, 35, 100, 61, 61, 33, 58, 33, 19, 67. | option_a=49 | option_b=48 | option_c=47 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 480 ÷ 10 = 48.

Aptitude Questions — Records 35,461-35,490 of 100,000

id=35461 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4640 at 6% per annum for 5 years. | option_a=1492 | option_b=1292 | option_c=6032 | option_d=1392 | answer=D | explanation=SI = $PRT/100 = 4640 \times 6 \times 5/100 = \text{■}1392$.

id=35462 | topic=Percentages | difficulty=Easy | question=What is 50% of 945? | option_a=482 | option_b=472 | option_c=944 | option_d=452 | answer=B | explanation=50% of 945 = $(50/100) \times 945 = 472$.

id=35463 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = $180 \div 4 = 45$ km/h.

id=35464 | topic=Averages | difficulty=Easy | question=Find the average of 90, 41, 61, 30, 12, 48, 94, 72. | option_a=55 | option_b=57 | option_c=58 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = $448 \div 8 = 56$.

id=35465 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49482 at 12% per annum for 2 years. | option_a=11775 | option_b=61357 | option_c=11875 | option_d=11975 | answer=C | explanation=SI = $PRT/100 = 49482 \times 12 \times 2/100 = \text{■}11875$.

id=35466 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 20. | option_a=60 | option_b=240 | option_c=72 | option_d=40 | answer=A | explanation=LCM × HCF = 12×20 ; HCF(12,20) = 4, so LCM = 60.

id=35467 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=50 | option_b=58 | option_c=40 | option_d=49 | answer=D | explanation=The common difference is 9. Therefore the next term is $40 + 9 = 49$.

id=35468 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3027. If it is sold at a profit of 10%, what is its selling price? | option_a=3329 | option_b=3631 | option_c=3027 | option_d=3037 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3027 \times 110/100 = \text{■}3329$.

id=35469 | topic=Averages | difficulty=Easy | question=Find the average of 42, 82, 81, 74, 32, 78, 79, 70, 38. | option_a=65 | option_b=64 | option_c=66 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = $576 \div 9 = 64$.

id=35470 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:20 and the first is 51, what is the second? | option_a=40 | option_b=77 | option_c=111 | option_d=60 | answer=D | explanation=Scale factor = $51/17 = 3$. Therefore second quantity = $20 \times 3 = 60$.

id=35471 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:12 and the first is 152, what is the second? | option_a=84 | option_b=115 | option_c=248 | option_d=96 | answer=D | explanation=Scale factor = $152/19 = 8$. Therefore second quantity = $12 \times 8 = 96$.

id=35472 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3670. If it is sold at a profit of 20%, what is its selling price? | option_a=4404 | option_b=3690 | option_c=4771 | option_d=4037 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3670 \times 120/100 = \text{■}4404$.

id=35473 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=23 | option_b=19 | option_c=21 | option_d=22 | answer=C | explanation=The common difference is 2. Therefore the next term is $19 + 2 = 21$.

id=35474 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1027. If it is sold at a profit of 25%, what is its selling price? | option_a=1181 | option_b=1052 | option_c=1283 | option_d=1385 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1027 \times 125/100 = \text{■}1283$.

id=35475 | topic=Averages | difficulty=Easy | question=Find the average of 28, 38, 44, 94, 98, 72, 53. | option_a=60 | option_b=63 | option_c=61 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = $427 \div 7 = 61$.

id=35476 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**508. If it is sold at a profit of 5%, what is its selling price? | option_a=513 | option_b=483 | option_c=583 | option_d=533 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 508 \times 105/100 = \text{■}533$.

id=35477 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = $60 \div 2 = 30$ km/h.

id=35478 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:12 and the first is 25, what is the second? | option_a=60 | option_b=85 | option_c=65 | option_d=48 | answer=A | explanation=Scale factor = $25/5 = 5$. Therefore second quantity = $12 \times 5 = 60$.

id=35479 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2679. If it is sold at a profit of 5%, what is its selling price? | option_a=2812 | option_b=2684 | option_c=3079 | option_d=2545 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2679 \times 105/100 = \text{■}2812$.

id=35480 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=12 | option_d=2 | answer=A | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=35481 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2941. If it is sold at a profit of 10%, what is its selling price? | option_a=2951 | option_b=3235 | option_c=3529 | option_d=2941 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2941 \times 110/100 = \text{■}3235$.

id=35482 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:4 and the first is 221, what is the second? | option_a=273 | option_b=48 | option_c=52 | option_d=69 | answer=C | explanation=Scale factor = $221/17 = 13$. Therefore second quantity = $4 \times 13 = 52$.

id=35483 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2522. If it is sold at a profit of 25%, what is its selling price? | option_a=3152 | option_b=2547 | option_c=2900 | option_d=3404 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2522 \times 125/100 = \text{■}3152$.

id=35484 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:20 and the first is 68, what is the second? | option_a=340 | option_b=408 | option_c=320 | option_d=344 | answer=A | explanation=Scale factor = $68/4 = 17$. Therefore second quantity = $20 \times 17 = 340$.

id=35485 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48611 at 8% per annum for 3 years. | option_a=11766 | option_b=11666 | option_c=11566 | option_d=60277 | answer=B | explanation=SI = $PRT/100 = 48611 \times 8 \times 3/100 = \text{■}11666$.

id=35486 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41490 at 15% per annum for 3 years. | option_a=60160 | option_b=18770 | option_c=18670 | option_d=18570 | answer=C | explanation=SI = $PRT/100 = 41490 \times 15 \times 3/100 = \text{■}18670$.

id=35487 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=35488 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20062 at 10% per annum for 3 years. | option_a=6018 | option_b=6118 | option_c=26080 | option_d=5918 | answer=A | explanation=SI = $PRT/100 = 20062 \times 10 \times 3/100 = \text{■}6018$.

id=35489 | topic=Percentages | difficulty=Easy | question=What is 20% of 160? | option_a=22 | option_b=64 | option_c=42 | option_d=32 | answer=D | explanation=20% of 160 = $(20/100) \times 160 = 32$.

id=35490 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $120 \div 4 = 30$ km/h.

Aptitude Questions — Records 35,491-35,520 of 100,000

id=35491 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=48 | option_b=54 | option_c=47 | option_d=40 | answer=C | explanation=The common difference is 7. Therefore the next term is 40 + 7 = 47.

id=35492 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:13 and the first is 117, what is the second? | option_a=104 | option_b=130 | option_c=117 | option_d=234 | answer=C | explanation=Scale factor = 117/13 = 9. Therefore second quantity = 13×9 = 117.

id=35493 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=35494 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=22 | option_b=14 | option_c=18 | option_d=19 | answer=C | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.

id=35495 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=35496 | topic=Percentages | difficulty=Easy | question=What is 25% of 336? | option_a=168 | option_b=104 | option_c=79 | option_d=84 | answer=D | explanation=25% of 336 = (25/100) × 336 = 84.

id=35497 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=17 | option_c=12 | option_d=7 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=35498 | topic=Percentages | difficulty=Easy | question=What is 12% of 166? | option_a=19 | option_b=9 | option_c=29 | option_d=38 | answer=A | explanation=12% of 166 = (12/100) × 166 = 19.

id=35499 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=P | option_c=Q | option_d=O | answer=C | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=35500 | topic=Averages | difficulty=Easy | question=Find the average of 24, 96, 51, 89. | option_a=66 | option_b=64 | option_c=65 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 260 ÷ 4 = 65.

id=35501 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=28 | option_b=25 | option_c=26 | option_d=22 | answer=B | explanation=The common difference is 3. Therefore the next term is 22 + 3 = 25.

id=35502 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12566 at 8% per annum for 3 years. | option_a=15581 | option_b=3015 | option_c=2915 | option_d=3115 | answer=B | explanation=SI = PRT/100 = 12566×8×3/100 = **■**3015.

id=35503 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 39? | option_a=28 | option_b=39 | option_c=19 | option_d=10 | answer=B | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 39 is the odd one out.

id=35504 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 8. | option_a=1 | option_b=10 | option_c=16 | option_d=8 | answer=D | explanation=LCM × HCF = 2×8; HCF(2,8) = 2, so LCM = 8.

id=35505 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=35506 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10924 at 4% per annum for 2 years. | option_a=11797 | option_b=773 | option_c=973 | option_d=873 | answer=D | explanation=SI = PRT/100 = 10924×4×2/100 = **■**873.

id=35507 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22815 at 12% per annum for 4 years. | option_a=10951 | option_b=10851 | option_c=11051 | option_d=33766 | answer=A | explanation=SI = PRT/100 = 22815×12×4/100 = **■**10951.

id=35508 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=35509 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=35510 | topic=Averages | difficulty=Easy | question=Find the average of 56, 79, 23, 97, 95. | option_a=71 | option_b=72 | option_c=70 | option_d=69 | answer=C | explanation=Average = sum of values ÷ number of values = 350 ÷ 5 = 70.

id=35511 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=35512 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=73 | option_b=51 | option_c=62 | option_d=63 | answer=C | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.

id=35513 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 41? | option_a=41 | option_b=22 | option_c=30 | option_d=14 | answer=A | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 41 is the odd one out.

id=35514 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 31, 34, 39? | option_a=28 | option_b=34 | option_c=39 | option_d=31 | answer=C | explanation=The first three numbers increase by 3, so the next should be 37. Therefore 39 is the odd one out.

id=35515 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 18, 23, 28, ? | option_a=33 | option_b=34 | option_c=28 | option_d=38 | answer=A | explanation=The common difference is 5. Therefore the next term is 28 + 5 = 33.

id=35516 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=22 | option_b=23 | option_c=19 | option_d=21 | answer=D | explanation=The common difference is 2. Therefore the next term is 19 + 2 = 21.

id=35517 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=155 | option_c=150 | option_d=145 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=35518 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=M | option_c=L | option_d=J | answer=C | explanation=Move 1 positions forward from K; the resulting letter is L.

id=35519 | topic=Averages | difficulty=Easy | question=Find the average of 20, 38, 37, 18, 58, 69, 47, 65. | option_a=43 | option_b=44 | option_c=45 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 352 ÷ 8 = 44.

id=35520 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:7 and the first is 14, what is the second? | option_a=112 | option_b=91 | option_c=99 | option_d=98 | answer=D | explanation=Scale factor = 14/1 = 14. Therefore second quantity = 7×14 = 98.

Aptitude Questions — Records 35,521-35,550 of 100,000

id=35521 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3211 at 8% per annum for 2 years. | option_a=413 | option_b=613 | option_c=3724 | option_d=513 | answer=D | explanation=SI = PRT/100 = 3211×8×2/100 = **■**513.

id=35522 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=V | option_b=A | option_c=F | option_d=K | answer=C | explanation=Move 5 positions forward from A; the resulting letter is F.

id=35523 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2750. If it is sold at a profit of 20%, what is its selling price? | option_a=3575 | option_b=2770 | option_c=3025 | option_d=3300 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2750 × 120/100 = **■**3300.

id=35524 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:20 and the first is 108, what is the second? | option_a=348 | option_b=240 | option_c=220 | option_d=249 | answer=B | explanation=Scale factor = 108/9 = 12. Therefore second quantity = 20×12 = 240.

id=35525 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=Y | option_c=C | option_d=Q | answer=B | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=35526 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=64 | option_b=52 | option_c=65 | option_d=76 | answer=A | explanation=The common difference is 12. Therefore the next term is 52 + 12 = 64.

id=35527 | topic=Averages | difficulty=Easy | question=Find the average of 83, 88, 44, 33, 66, 22. | option_a=55 | option_b=58 | option_c=57 | option_d=56 | answer=D | explanation=Average = sum of values + number of values = 336 ÷ 6 = 56.

id=35528 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:7 and the first is 9, what is the second? | option_a=21 | option_b=14 | option_c=30 | option_d=24 | answer=A | explanation=Scale factor = 9/3 = 3. Therefore second quantity = 7×3 = 21.

id=35529 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19695 at 10% per annum for 3 years. | option_a=5808 | option_b=25603 | option_c=6008 | option_d=5908 | answer=D | explanation=SI = PRT/100 = 19695×10×3/100 = **■**5908.

id=35530 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=70 | option_d=150 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=35531 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**348. If it is sold at a profit of 40%, what is its selling price? | option_a=521 | option_b=453 | option_c=487 | option_d=388 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 348 × 140/100 = **■**487.

id=35532 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=D | option_b=C | option_c=B | option_d=E | answer=A | explanation=Move 1 positions forward from C; the resulting letter is D.

id=35533 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4724 at 15% per annum for 5 years. | option_a=3543 | option_b=3643 | option_c=8267 | option_d=3443 | answer=A | explanation=SI = PRT/100 = 4724×15×5/100 = **■**3543.

id=35534 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 27, 36, 48? | option_a=36 | option_b=18 | option_c=27 | option_d=48 | answer=D | explanation=The first three numbers increase by 9, so the next should be 45. Therefore 48 is the odd one out.

id=35535 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3801. If it is sold at a profit of 15%, what is its selling price? | option_a=3816 | option_b=4751 | option_c=4371 | option_d=3991 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3801 × 115/100 = **■**4371.

id=35536 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=S | option_b=N | option_c=X | option_d=I | answer=A | explanation=Move 5 positions forward from N; the resulting letter is S.

id=35537 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22037 at 10% per annum for 4 years. | option_a=8914 | option_b=30851 | option_c=8714 | option_d=8814 | answer=D | explanation=SI = PRT/100 = 22037×10×4/100 = **■**8814.

id=35538 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=47 | option_b=39 | option_c=53 | option_d=46 | answer=D | explanation=The common difference is 7. Therefore the next term is 39 + 7 = 46.

id=35539 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=36 | option_c=31 | option_d=41 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=35540 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=40 | option_b=41 | option_c=31 | option_d=49 | answer=A | explanation=The common difference is 9. Therefore the next term is 31 + 9 = 40.

id=35541 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**958. If it is sold at a profit of 40%, what is its selling price? | option_a=1341 | option_b=998 | option_c=1246 | option_d=1436 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 958 × 140/100 = **■**1341.

id=35542 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 26? | option_a=26 | option_b=22 | option_c=16 | option_d=19 | answer=A | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 26 is the odd one out.

id=35543 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:17 and the first is 12, what is the second? | option_a=114 | option_b=104 | option_c=85 | option_d=102 | answer=D | explanation=Scale factor = 12/2 = 6. Therefore second quantity = 17×6 = 102.

id=35544 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1166. If it is sold at a profit of 20%, what is its selling price? | option_a=1399 | option_b=1283 | option_c=1186 | option_d=1515 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1166 × 120/100 = **■**1399.

id=35545 | topic=Percentages | difficulty=Easy | question=What is 30% of 888? | option_a=266 | option_b=532 | option_c=246 | option_d=276 | answer=A | explanation=30% of 888 = (30/100) × 888 = 266.

id=35546 | topic=Percentages | difficulty=Easy | question=What is 12% of 211? | option_a=50 | option_b=25 | option_c=20 | option_d=35 | answer=B | explanation=12% of 211 = (12/100) × 211 = 25.

id=35547 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=35548 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=48 | option_b=32 | option_c=41 | option_d=40 | answer=D | explanation=The common difference is 8. Therefore the next term is 32 + 8 = 40.

id=35549 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=35550 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:2 and the first is 119, what is the second? | option_a=133 | option_b=12 | option_c=31 | option_d=14 | answer=D | explanation=Scale factor = 119/17 = 7. Therefore second quantity = 2×7 = 14.

Aptitude Questions — Records 35,551-35,580 of 100,000

id=35551 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 34, 41, 51? | option_a=51 | option_b=41 | option_c=34 | option_d=27 | answer=A | explanation=The first three numbers increase by 7, so the next should be 48. Therefore 51 is the odd one out.

id=35552 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=10 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=35553 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:2 and the first is 140, what is the second? | option_a=26 | option_b=28 | option_c=168 | option_d=38 | answer=B | explanation=Scale factor = 140/10 = 14. Therefore second quantity = 2×14 = 28.

id=35554 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=35555 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:17 and the first is 17, what is the second? | option_a=289 | option_b=272 | option_c=306 | option_d=290 | answer=A | explanation=Scale factor = 17/1 = 17. Therefore second quantity = 17×17 = 289.

id=35556 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 14. | option_a=28 | option_b=42 | option_c=84 | option_d=48 | answer=B | explanation=LCM × HCF = 6×14; HCF(6,14) = 2, so LCM = 42.

id=35557 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=W | option_b=L | option_c=G | option_d=B | answer=C | explanation=Move 5 positions forward from B; the resulting letter is G.

id=35558 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=63 | option_b=64 | option_c=52 | option_d=74 | answer=A | explanation=The common difference is 11. Therefore the next term is 52 + 11 = 63.

id=35559 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3631. If it is sold at a profit of 30%, what is its selling price? | option_a=4720 | option_b=4357 | option_c=5083 | option_d=3661 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3631 × 130/100 = █4720.

id=35560 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47602 at 6% per annum for 3 years. | option_a=8668 | option_b=8568 | option_c=8468 | option_d=56170 | answer=B | explanation=SI = PRT/100 = 47602×6×3/100 = █8568.

id=35561 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=57 | option_b=35 | option_c=47 | option_d=46 | answer=D | explanation=The common difference is 11. Therefore the next term is 35 + 11 = 46.

id=35562 | topic=Percentages | difficulty=Easy | question=What is 50% of 993? | option_a=516 | option_b=486 | option_c=496 | option_d=992 | answer=C | explanation=50% of 993 = (50/100) × 993 = 496.

id=35563 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11085 at 8% per annum for 1 years. | option_a=986 | option_b=886 | option_c=11971 | option_d=786 | answer=B | explanation=SI = PRT/100 = 11085×8×1/100 = █886.

id=35564 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=64 | option_b=76 | option_c=65 | option_d=52 | answer=A | explanation=The common difference is 12. Therefore the next term is 52 + 12 = 64.

id=35565 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 44? | option_a=37 | option_b=44 | option_c=27 | option_d=32 | answer=B | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 44 is the odd one out.

id=35566 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=15 | option_d=5 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=35567 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=S | option_c=R | option_d=T | answer=D | explanation=Move 1 positions forward from S; the resulting letter is T.

id=35568 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1459. If it is sold at a profit of 30%, what is its selling price? | option_a=2041 | option_b=1489 | option_c=1896 | option_d=1751 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1459 × 130/100 = █1896.

id=35569 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=49 | option_b=35 | option_c=42 | option_d=43 | answer=C | explanation=The common difference is 7. Therefore the next term is 35 + 7 = 42.

id=35570 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 34, 43, 55? | option_a=55 | option_b=25 | option_c=43 | option_d=34 | answer=A | explanation=The first three numbers increase by 9, so the next should be 52. Therefore 55 is the odd one out.

id=35571 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=35572 | topic=Averages | difficulty=Easy | question=Find the average of 67, 68, 39, 67, 43, 16. | option_a=49 | option_b=51 | option_c=52 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 300 ÷ 6 = 50.

id=35573 | topic=Percentages | difficulty=Easy | question=What is 5% of 1951? | option_a=97 | option_b=102 | option_c=77 | option_d=194 | answer=A | explanation=5% of 1951 = (5/100) × 1951 = 97.

id=35574 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=35575 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=I | option_b=Y | option_c=N | option_d=D | answer=A | explanation=Move 5 positions forward from D; the resulting letter is I.

id=35576 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=35 | option_b=34 | option_c=39 | option_d=29 | answer=B | explanation=The common difference is 5. Therefore the next term is 29 + 5 = 34.

id=35577 | topic=Percentages | difficulty=Easy | question=What is 10% of 505? | option_a=55 | option_b=45 | option_c=50 | option_d=100 | answer=C | explanation=10% of 505 = (10/100) × 505 = 50.

id=35578 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=24 | option_c=19 | option_d=29 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=35579 | topic=Percentages | difficulty=Easy | question=What is 50% of 562? | option_a=261 | option_b=281 | option_c=562 | option_d=291 | answer=B | explanation=50% of 562 = (50/100) × 562 = 281.

id=35580 | topic=Averages | difficulty=Easy | question=Find the average of 59, 61, 81, 11, 73. | option_a=57 | option_b=58 | option_c=56 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.

Aptitude Questions — Records 35,581-35,610 of 100,000

id=35581 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29808 at 15% per annum for 2 years. | option_a=9042 | option_b=8842 | option_c=38750 | option_d=8942 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{29808 \times 15 \times 2}{100} = \text{■}8942$.

id=35582 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 13, 18, 24? | option_a=24 | option_b=18 | option_c=13 | option_d=8 | answer=A | explanation=The first three numbers increase by 5, so the next should be 23. Therefore 24 is the odd one out.

id=35583 | topic=Averages | difficulty=Easy | question=Find the average of 99, 33, 41, 94, 28. | option_a=58 | option_b=59 | option_c=61 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = $295 \div 5 = 59$.

id=35584 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=B | option_b=E | option_c=C | option_d=D | answer=D | explanation=Move 1 positions forward from C; the resulting letter is D.

id=35585 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=F | option_c=O | option_d=L | answer=D | explanation=Move 3 positions forward from I; the resulting letter is L.

id=35586 | topic=Percentages | difficulty=Easy | question=What is 5% of 1516? | option_a=75 | option_b=95 | option_c=150 | option_d=70 | answer=A | explanation= $5\% \text{ of } 1516 = \frac{5}{100} \times 1516 = 75$.

id=35587 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1343. If it is sold at a profit of 20%, what is its selling price? | option_a=1611 | option_b=1745 | option_c=1477 | option_d=1363 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1343 \times \frac{120}{100} = \text{■}1611$.

id=35588 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $18/9 = 2$ days.

id=35589 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4950 at 12% per annum for 5 years. | option_a=2870 | option_b=2970 | option_c=7920 | option_d=3070 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{4950 \times 12 \times 5}{100} = \text{■}2970$.

id=35590 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 53? | option_a=32 | option_b=23 | option_c=41 | option_d=53 | answer=D | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 53 is the odd one out.

id=35591 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**981. If it is sold at a profit of 10%, what is its selling price? | option_a=1177 | option_b=991 | option_c=981 | option_d=1079 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 981 \times \frac{110}{100} = \text{■}1079$.

id=35592 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=80 | option_c=45 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = $240 \div 6 = 40$ km/h.

id=35593 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=S | option_b=V | option_c=T | option_d=U | answer=D | explanation=Move 1 positions forward from T; the resulting letter is U.

id=35594 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.

id=35595 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=P | option_b=B | option_c=T | option_d=X | answer=D | explanation=Move 4 positions forward from T; the resulting letter is X.

id=35596 | topic=Percentages | difficulty=Easy | question=What is 5% of 1526? | option_a=71 | option_b=152 | option_c=86 | option_d=76 | answer=D | explanation= $5\% \text{ of } 1526 = \frac{5}{100} \times 1526 = 76$.

id=35597 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2649. If it is sold at a profit of 15%, what is its selling price? | option_a=3046 | option_b=3310 | option_c=2664 | option_d=2782 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2649 \times \frac{115}{100} = \text{■}3046$.

id=35598 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:17 and the first is 200, what is the second? | option_a=153 | option_b=190 | option_c=170 | option_d=370 | answer=C | explanation=Scale factor = $200/20 = 10$. Therefore second quantity = $17 \times 10 = 170$.

id=35599 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3555. If it is sold at a profit of 5%, what is its selling price? | option_a=3377 | option_b=3560 | option_c=3732 | option_d=4087 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3555 \times \frac{105}{100} = \text{■}3732$.

id=35600 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 28? | option_a=18 | option_b=21 | option_c=24 | option_d=28 | answer=D | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 28 is the odd one out.

id=35601 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2128. If it is sold at a profit of 30%, what is its selling price? | option_a=2766 | option_b=2554 | option_c=2978 | option_d=2158 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2128 \times \frac{130}{100} = \text{■}2766$.

id=35602 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2196. If it is sold at a profit of 15%, what is its selling price? | option_a=2525 | option_b=2744 | option_c=2306 | option_d=2211 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2196 \times \frac{115}{100} = \text{■}2525$.

id=35603 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 37, 44, 52? | option_a=30 | option_b=37 | option_c=52 | option_d=44 | answer=C | explanation=The first three numbers increase by 7, so the next should be 51. Therefore 52 is the odd one out.

id=35604 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:6 and the first is 120, what is the second? | option_a=114 | option_b=240 | option_c=126 | option_d=120 | answer=D | explanation=Scale factor = $120/6 = 20$. Therefore second quantity = $6 \times 20 = 120$.

id=35605 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=30 | option_b=25 | option_c=33 | option_d=29 | answer=D | explanation=The common difference is 4. Therefore the next term is $25 + 4 = 29$.

id=35606 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=52 | option_b=32 | option_c=42 | option_d=43 | answer=C | explanation=The common difference is 10. Therefore the next term is $32 + 10 = 42$.

id=35607 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4396. If it is sold at a profit of 40%, what is its selling price? | option_a=6593 | option_b=5715 | option_c=6154 | option_d=4436 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4396 \times \frac{140}{100} = \text{■}6154$.

id=35608 | topic=Averages | difficulty=Easy | question=Find the average of 97, 61, 32, 17, 52, 77. | option_a=58 | option_b=57 | option_c=55 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = $336 \div 6 = 56$.

id=35609 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1895. If it is sold at a profit of 20%, what is its selling price? | option_a=2085 | option_b=2274 | option_c=2463 | option_d=1915 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1895 \times \frac{120}{100} = \text{■}2274$.

id=35610 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $18/9 = 2$ days.

Aptitude Questions — Records 35,611-35,640 of 100,000

id=35611 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11931 at 8% per annum for 2 years. | option_a=2008 | option_b=1908 | option_c=13839 | option_d=1808 | answer=B | explanation=SI = PRT/100 = 11931×8×2/100 = **■**1908.

id=35612 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16660 at 15% per annum for 4 years. | option_a=26656 | option_b=10096 | option_c=9996 | option_d=9896 | answer=C | explanation=SI = PRT/100 = 16660×15×4/100 = **■**9996.

id=35613 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 12. | option_a=24 | option_b=36 | option_c=108 | option_d=45 | answer=B | explanation=LCM × HCF = 9×12; HCF(9,12) = 3, so LCM = 36.

id=35614 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40567 at 12% per annum for 1 years. | option_a=4968 | option_b=4768 | option_c=45435 | option_d=4868 | answer=D | explanation=SI = PRT/100 = 40567×12×1/100 = **■**4868.

id=35615 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=C | option_c=K | option_d=Y | answer=A | explanation=Move 4 positions forward from C; the resulting letter is G.

id=35616 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1022. If it is sold at a profit of 10%, what is its selling price? | option_a=1226 | option_b=1032 | option_c=1124 | option_d=1022 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1022 × 110/100 = **■**1124.

id=35617 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 28. | option_a=616 | option_b=330 | option_c=308 | option_d=280 | answer=C | explanation=LCM × HCF = 22×28; HCF(22,28) = 2, so LCM = 308.

id=35618 | topic=Percentages | difficulty=Easy | question=What is 5% of 312? | option_a=30 | option_b=15 | option_c=5 | option_d=35 | answer=B | explanation=5% of 312 = (5/100) × 312 = 15.

id=35619 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7983 at 12% per annum for 2 years. | option_a=9898 | option_b=2015 | option_c=1815 | option_d=1915 | answer=D | explanation=SI = PRT/100 = 7983×12×2/100 = **■**1915.

id=35620 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=35621 | topic=Percentages | difficulty=Easy | question=What is 50% of 1401? | option_a=680 | option_b=1400 | option_c=700 | option_d=705 | answer=C | explanation=50% of 1401 = (50/100) × 1401 = 700.

id=35622 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49723 at 10% per annum for 3 years. | option_a=64639 | option_b=15016 | option_c=14816 | option_d=14916 | answer=D | explanation=SI = PRT/100 = 49723×10×3/100 = **■**14916.

id=35623 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2729. If it is sold at a profit of 50%, what is its selling price? | option_a=3821 | option_b=4093 | option_c=2779 | option_d=4365 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2729 × 150/100 = **■**4093.

id=35624 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=S | option_b=V | option_c=U | option_d=T | answer=C | explanation=Move 1 positions forward from T; the resulting letter is U.

id=35625 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:1 and the first is 260, what is the second? | option_a=12 | option_b=273 | option_c=13 | option_d=33 | answer=C | explanation=Scale factor = 260/20 = 13. Therefore second quantity = 1×13 = 13.

id=35626 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 14, 21, 31? | option_a=31 | option_b=14 | option_c=21 | option_d=7 | answer=A | explanation=The first three numbers increase by 7, so the next should be 28. Therefore 31 is the odd one out.

id=35627 | topic=Averages | difficulty=Easy | question=Find the average of 52, 95, 84, 86, 62, 89, 21, 39. | option_a=65 | option_b=67 | option_c=66 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 528 ÷ 8 = 66.

id=35628 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 17, 20, 26? | option_a=14 | option_b=26 | option_c=17 | option_d=20 | answer=B | explanation=The first three numbers increase by 3, so the next should be 23. Therefore 26 is the odd one out.

id=35629 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=H | option_b=E | option_c=B | option_d=Y | answer=B | explanation=Move 3 positions forward from B; the resulting letter is E.

id=35630 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 8, 10, 13? | option_a=6 | option_b=10 | option_c=8 | option_d=13 | answer=D | explanation=The first three numbers increase by 2, so the next should be 12. Therefore 13 is the odd one out.

id=35631 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3915. If it is sold at a profit of 10%, what is its selling price? | option_a=3915 | option_b=4306 | option_c=3925 | option_d=4697 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3915 × 110/100 = **■**4306.

id=35632 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11626 at 6% per annum for 1 years. | option_a=797 | option_b=12323 | option_c=697 | option_d=597 | answer=C | explanation=SI = PRT/100 = 11626×6×1/100 = **■**697.

id=35633 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=35634 | topic=Averages | difficulty=Easy | question=Find the average of 47, 35, 47, 76, 59, 79, 58, 90, 22. | option_a=56 | option_b=59 | option_c=58 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 513 ÷ 9 = 57.

id=35635 | topic=Averages | difficulty=Easy | question=Find the average of 59, 69, 64, 12, 29, 25, 94, 72. | option_a=52 | option_b=55 | option_c=53 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.

id=35636 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=V | option_c=Z | option_d=N | answer=B | explanation=Move 4 positions forward from R; the resulting letter is V.

id=35637 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=35638 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=12 | option_b=10 | option_c=11 | option_d=8 | answer=B | explanation=The common difference is 2. Therefore the next term is 8 + 2 = 10.

id=35639 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=Q | option_b=S | option_c=T | option_d=R | answer=B | explanation=Move 1 positions forward from R; the resulting letter is S.

id=35640 | topic=Percentages | difficulty=Easy | question=What is 5% of 1712? | option_a=95 | option_b=170 | option_c=80 | option_d=85 | answer=D | explanation=5% of 1712 = (5/100) × 1712 = 85.

Aptitude Questions — Records 35,641-35,670 of 100,000

id=35641 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 45? | option_a=27 | option_b=45 | option_c=32 | option_d=37 | answer=B | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 45 is the odd one out.

id=35642 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=35643 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 22. | option_a=110 | option_b=120 | option_c=220 | option_d=88 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 10 \times 22$; $\text{HCF}(10, 22) = 2$, so $\text{LCM} = 110$.

id=35644 | topic=Percentages | difficulty=Easy | question=What is 10% of 267? | option_a=26 | option_b=52 | option_c=31 | option_d=6 | answer=A | explanation= $10\% \text{ of } 267 = (\frac{10}{100}) \times 267 = 26$.

id=35645 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=45 | option_d=55 | answer=A | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{300}{6} = 50 \text{ km/h}$.

id=35646 | topic=Averages | difficulty=Easy | question=Find the average of 27, 48, 92, 45. | option_a=54 | option_b=55 | option_c=53 | option_d=52 | answer=C | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{212}{4} = 53$.

id=35647 | topic=Profit & Loss | difficulty=Easy | question=An article costs █264. If it is sold at a profit of 10%, what is its selling price? | option_a=264 | option_b=316 | option_c=274 | option_d=290 | answer=D | explanation= $\text{Selling price} = \text{CP} \times (\frac{100 + \text{profit}\%}{100}) = 264 \times \frac{110}{100} = \text{█}290$.

id=35648 | topic=Percentages | difficulty=Easy | question=What is 30% of 115? | option_a=68 | option_b=14 | option_c=34 | option_d=39 | answer=C | explanation= $30\% \text{ of } 115 = (\frac{30}{100}) \times 115 = 34$.

id=35649 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 23, 25, 29? | option_a=29 | option_b=23 | option_c=25 | option_d=21 | answer=A | explanation=The first three numbers increase by 2, so the next should be 27. Therefore 29 is the odd one out.

id=35650 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 24? | option_a=17 | option_b=15 | option_c=24 | option_d=19 | answer=C | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 24 is the odd one out.

id=35651 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2266. If it is sold at a profit of 30%, what is its selling price? | option_a=2945 | option_b=2296 | option_c=2719 | option_d=3171 | answer=A | explanation= $\text{Selling price} = \text{CP} \times (\frac{100 + \text{profit}\%}{100}) = 2266 \times \frac{130}{100} = \text{█}2945$.

id=35652 | topic=Averages | difficulty=Easy | question=Find the average of 16, 53, 82, 16, 55, 50, 82, 22. | option_a=47 | option_b=46 | option_c=49 | option_d=48 | answer=A | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{376}{8} = 47$.

id=35653 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=45 | option_d=40 | answer=D | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{120}{3} = 40 \text{ km/h}$.

id=35654 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=120 | option_d=60 | answer=D | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{180}{3} = 60 \text{ km/h}$.

id=35655 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=O | option_b=P | option_c=N | option_d=M | answer=A | explanation=Move 1 positions forward from N; the resulting letter is O.

id=35656 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.

id=35657 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=35658 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=35659 | topic=Percentages | difficulty=Easy | question=What is 5% of 1161? | option_a=116 | option_b=48 | option_c=63 | option_d=58 | answer=D | explanation= $5\% \text{ of } 1161 = (\frac{5}{100}) \times 1161 = 58$.

id=35660 | topic=Averages | difficulty=Easy | question=Find the average of 93, 58, 50. | option_a=66 | option_b=69 | option_c=67 | option_d=68 | answer=C | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{201}{3} = 67$.

id=35661 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4103. If it is sold at a profit of 10%, what is its selling price? | option_a=4923 | option_b=4113 | option_c=4103 | option_d=4513 | answer=D | explanation= $\text{Selling price} = \text{CP} \times (\frac{100 + \text{profit}\%}{100}) = 4103 \times \frac{110}{100} = \text{█}4513$.

id=35662 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=26 | option_b=20 | option_c=24 | option_d=23 | answer=D | explanation=The common difference is 3. Therefore the next term is $20 + 3 = 23$.

id=35663 | topic=Profit & Loss | difficulty=Easy | question=An article costs █372. If it is sold at a profit of 15%, what is its selling price? | option_a=427 | option_b=464 | option_c=387 | option_d=390 | answer=A | explanation= $\text{Selling price} = \text{CP} \times (\frac{100 + \text{profit}\%}{100}) = 372 \times \frac{115}{100} = \text{█}427$.

id=35664 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34440 at 15% per annum for 2 years. | option_a=44772 | option_b=10332 | option_c=10432 | option_d=10232 | answer=B | explanation= $\text{SI} = \frac{\text{PRT}}{100} = \frac{34440 \times 15 \times 2}{100} = \text{█}10332$.

id=35665 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = $\frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=35666 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=15 | option_d=30 | answer=C | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{120}{8} = 15 \text{ km/h}$.

id=35667 | topic=Averages | difficulty=Easy | question=Find the average of 57, 53, 40, 14. | option_a=40 | option_b=42 | option_c=41 | option_d=43 | answer=C | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{164}{4} = 41$.

id=35668 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13145 at 5% per annum for 4 years. | option_a=2529 | option_b=2729 | option_c=15774 | option_d=2629 | answer=D | explanation= $\text{SI} = \frac{\text{PRT}}{100} = \frac{13145 \times 5 \times 4}{100} = \text{█}2629$.

id=35669 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1510. If it is sold at a profit of 40%, what is its selling price? | option_a=1963 | option_b=1550 | option_c=2114 | option_d=2265 | answer=C | explanation= $\text{Selling price} = \text{CP} \times (\frac{100 + \text{profit}\%}{100}) = 1510 \times \frac{140}{100} = \text{█}2114$.

id=35670 | topic=Averages | difficulty=Easy | question=Find the average of 97, 47, 40, 35, 16. | option_a=48 | option_b=46 | option_c=47 | option_d=49 | answer=C | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{235}{5} = 47$.

Aptitude Questions — Records 35,671-35,700 of 100,000

id=35671 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 26? | option_a=17 | option_b=26 | option_c=5 | option_d=11 | answer=B | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 26 is the odd one out.

id=35672 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 31, 33, 38? | option_a=29 | option_b=38 | option_c=31 | option_d=33 | answer=B | explanation=The first three numbers increase by 2, so the next should be 35. Therefore 38 is the odd one out.

id=35673 | topic=Percentages | difficulty=Easy | question=What is 10% of 878? | option_a=67 | option_b=87 | option_c=174 | option_d=97 | answer=B | explanation=10% of 878 = (10/100) × 878 = 87.

id=35674 | topic=Averages | difficulty=Easy | question=Find the average of 16, 42, 51, 15, 40, 70, 15, 15, 24. | option_a=34 | option_b=32 | option_c=33 | option_d=31 | answer=B | explanation=Average = sum of values ÷ number of values = 288 ÷ 9 = 32.

id=35675 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=17 | option_c=7 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=35676 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=35677 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:5 and the first is 40, what is the second? | option_a=10 | option_b=5 | option_c=50 | option_d=30 | answer=A | explanation=Scale factor = 40/20 = 2. Therefore second quantity = 5×2 = 10.

id=35678 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=35679 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=35680 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=7 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=35681 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 13, 19, 27? | option_a=7 | option_b=27 | option_c=19 | option_d=13 | answer=B | explanation=The first three numbers increase by 6, so the next should be 25. Therefore 27 is the odd one out.

id=35682 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=H | option_c=P | option_d=T | answer=C | explanation=Move 4 positions forward from L; the resulting letter is P.

id=35683 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=E | option_b=M | option_c=I | option_d=Q | answer=B | explanation=Move 4 positions forward from I; the resulting letter is M.

id=35684 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:5 and the first is 14, what is the second? | option_a=35 | option_b=37 | option_c=49 | option_d=30 | answer=A | explanation=Scale factor = 14/2 = 7. Therefore second quantity = 5×7 = 35.

id=35685 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1155 at 10% per annum for 1 years. | option_a=115 | option_b=1270 | option_c=215 | option_d=15 | answer=A | explanation=SI = PRT/100 = 1155×10×1/100 = **■**115.

id=35686 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=35687 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=F | option_b=I | option_c=C | option_d=Z | answer=A | explanation=Move 3 positions forward from C; the resulting letter is F.

id=35688 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=Y | option_c=J | option_d=T | answer=D | explanation=Move 5 positions forward from O; the resulting letter is T.

id=35689 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2089. If it is sold at a profit of 40%, what is its selling price? | option_a=2716 | option_b=2924 | option_c=2129 | option_d=3132 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2089 × 140/100 = **■**2924.

id=35690 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 16, 21, 28? | option_a=16 | option_b=11 | option_c=28 | option_d=21 | answer=C | explanation=The first three numbers increase by 5, so the next should be 26. Therefore 28 is the odd one out.

id=35691 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**279. If it is sold at a profit of 15%, what is its selling price? | option_a=320 | option_b=293 | option_c=294 | option_d=347 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 279 × 115/100 = **■**320.

id=35692 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=47 | option_b=48 | option_c=55 | option_d=39 | answer=A | explanation=The common difference is 8. Therefore the next term is 39 + 8 = 47.

id=35693 | topic=Averages | difficulty=Easy | question=Find the average of 100, 97, 36, 11. | option_a=60 | option_b=61 | option_c=63 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 244 ÷ 4 = 61.

id=35694 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 12? | option_a=5 | option_b=12 | option_c=9 | option_d=7 | answer=B | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 12 is the odd one out.

id=35695 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:11 and the first is 12, what is the second? | option_a=55 | option_b=66 | option_c=68 | option_d=78 | answer=B | explanation=Scale factor = 12/2 = 6. Therefore second quantity = 11×6 = 66.

id=35696 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 6, 10, 15? | option_a=15 | option_b=6 | option_c=2 | option_d=10 | answer=A | explanation=The first three numbers increase by 4, so the next should be 14. Therefore 15 is the odd one out.

id=35697 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3675. If it is sold at a profit of 20%, what is its selling price? | option_a=3695 | option_b=4410 | option_c=4043 | option_d=4777 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3675 × 120/100 = **■**4410.

id=35698 | topic=Averages | difficulty=Easy | question=Find the average of 35, 64, 88, 25, 79, 14, 66, 47, 50, 102. | option_a=58 | option_b=59 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.

id=35699 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=19 | option_c=48 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=35700 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=X | option_c=U | option_d=O | answer=C | explanation=Move 3 positions forward from R; the resulting letter is U.

Aptitude Questions — Records 35,701-35,730 of 100,000

id=35701 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■26194 at 4% per annum for 5 years. | option_a=31432 | option_b=5338 | option_c=5138 | option_d=5238 | answer=D | explanation=SI = $PRT/100 = 26194 \times 4 \times 5/100 = \blacksquare 5238$.

id=35702 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 27, 31, 37? | option_a=37 | option_b=31 | option_c=23 | option_d=27 | answer=A | explanation=The first three numbers increase by 4, so the next should be 35. Therefore 37 is the odd one out.

id=35703 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=41 | option_c=36 | option_d=31 | answer=C | explanation=Speed = distance ÷ time = $180 \div 5 = 36$ km/h.

id=35704 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:17 and the first is 210, what is the second? | option_a=269 | option_b=255 | option_c=465 | option_d=238 | answer=B | explanation=Scale factor = $210/14 = 15$. Therefore second quantity = $17 \times 15 = 255$.

id=35705 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = $120 \div 4 = 30$ km/h.

id=35706 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 22, 32, 43? | option_a=12 | option_b=43 | option_c=32 | option_d=22 | answer=B | explanation=The first three numbers increase by 10, so the next should be 42. Therefore 43 is the odd one out.

id=35707 | topic=Percentages | difficulty=Easy | question=What is 15% of 1065? | option_a=318 | option_b=179 | option_c=159 | option_d=139 | answer=C | explanation=15% of 1065 = $(15/100) \times 1065 = 159$.

id=35708 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:5 and the first is 5, what is the second? | option_a=20 | option_b=26 | option_c=25 | option_d=30 | answer=C | explanation=Scale factor = $5/1 = 5$. Therefore second quantity = $5 \times 5 = 25$.

id=35709 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=40 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = $60 \div 3 = 20$ km/h.

id=35710 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=53 | option_b=64 | option_c=52 | option_d=40 | answer=C | explanation=The common difference is 12. Therefore the next term is $40 + 12 = 52$.

id=35711 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=D | option_c=X | option_d=G | answer=B | explanation=Move 3 positions forward from A; the resulting letter is D.

id=35712 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 45? | option_a=38 | option_b=26 | option_c=45 | option_d=32 | answer=C | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 45 is the odd one out.

id=35713 | topic=Averages | difficulty=Easy | question=Find the average of 75, 99, 96, 46, 14, 75, 43. | option_a=65 | option_b=66 | option_c=64 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = $448 \div 7 = 64$.

id=35714 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 38, 46, 57? | option_a=46 | option_b=57 | option_c=38 | option_d=30 | answer=B | explanation=The first three numbers increase by 8, so the next should be 54. Therefore 57 is the odd one out.

id=35715 | topic=Percentages | difficulty=Easy | question=What is 30% of 103? | option_a=10 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=30% of 103 = $(30/100) \times 103 = 30$.

id=35716 | topic=Averages | difficulty=Easy | question=Find the average of 58, 98, 102. | option_a=88 | option_b=87 | option_c=85 | option_d=86 | answer=D | explanation=Average = sum of values ÷ number of values = $258 \div 3 = 86$.

id=35717 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 25. | option_a=50 | option_b=250 | option_c=60 | option_d=25 | answer=A | explanation= $LCM \times HCF = 10 \times 25$; $HCF(10, 25) = 5$, so $LCM = 50$.

id=35718 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=17 | option_c=24 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = $60 \div 5 = 12$ km/h.

id=35719 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=35720 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■6158 at 12% per annum for 2 years. | option_a=7635 | option_b=1377 | option_c=1477 | option_d=1577 | answer=C | explanation=SI = $PRT/100 = 6158 \times 12 \times 2/100 = \blacksquare 1477$.

id=35721 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 50? | option_a=42 | option_b=30 | option_c=50 | option_d=36 | answer=C | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 50 is the odd one out.

id=35722 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=5 | option_d=24 | answer=A | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=35723 | topic=Averages | difficulty=Easy | question=Find the average of 96, 98, 55, 56, 71, 89, 46. | option_a=73 | option_b=72 | option_c=74 | option_d=75 | answer=A | explanation=Average = sum of values ÷ number of values = $511 \div 7 = 73$.

id=35724 | topic=Percentages | difficulty=Easy | question=What is 40% of 609? | option_a=263 | option_b=486 | option_c=243 | option_d=238 | answer=C | explanation=40% of 609 = $(40/100) \times 609 = 243$.

id=35725 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=19 | option_d=29 | answer=A | explanation=Speed = distance ÷ time = $240 \div 10 = 24$ km/h.

id=35726 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:14 and the first is 198, what is the second? | option_a=172 | option_b=140 | option_c=352 | option_d=154 | answer=D | explanation=Scale factor = $198/18 = 11$. Therefore second quantity = $14 \times 11 = 154$.

id=35727 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=H | option_c=P | option_d=T | answer=C | explanation=Move 4 positions forward from L; the resulting letter is P.

id=35728 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 35? | option_a=35 | option_b=27 | option_c=17 | option_d=22 | answer=A | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 35 is the odd one out.

id=35729 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=35730 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2707. If it is sold at a profit of 50%, what is its selling price? | option_a=4330 | option_b=2757 | option_c=4060 | option_d=3790 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2707 \times 150/100 = \blacksquare 4060$.

Aptitude Questions — Records 35,731-35,760 of 100,000

id=35731 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=42 | option_b=55 | option_c=54 | option_d=66 | answer=C | explanation=The common difference is 12. Therefore the next term is 42 + 12 = 54.

id=35732 | topic=Averages | difficulty=Easy | question=Find the average of 70, 22, 85, 34, 99, 68. | option_a=65 | option_b=62 | option_c=64 | option_d=63 | answer=D | explanation=Average = sum of values + number of values = 378 ÷ 6 = 63.

id=35733 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=35734 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1642. If it is sold at a profit of 15%, what is its selling price? | option_a=1888 | option_b=2052 | option_c=1657 | option_d=1724 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1642 × 115/100 = █1888.

id=35735 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17425 at 8% per annum for 5 years. | option_a=6870 | option_b=7070 | option_c=24395 | option_d=6970 | answer=D | explanation=SI = PRT/100 = 17425×8×5/100 = █6970.

id=35736 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3230. If it is sold at a profit of 5%, what is its selling price? | option_a=3068 | option_b=3235 | option_c=3714 | option_d=3391 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3230 × 105/100 = █3391.

id=35737 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=35738 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:3 and the first is 288, what is the second? | option_a=342 | option_b=51 | option_c=70 | option_d=54 | answer=D | explanation=Scale factor = 288/16 = 18. Therefore second quantity = 3×18 = 54.

id=35739 | topic=Percentages | difficulty=Easy | question=What is 15% of 662? | option_a=198 | option_b=99 | option_c=109 | option_d=94 | answer=B | explanation=15% of 662 = (15/100) × 662 = 99.

id=35740 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=35741 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=100 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=35742 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 18, 28, 39? | option_a=28 | option_b=18 | option_c=8 | option_d=39 | answer=D | explanation=The first three numbers increase by 10, so the next should be 38. Therefore 39 is the odd one out.

id=35743 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 28? | option_a=11 | option_b=28 | option_c=18 | option_d=4 | answer=B | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 28 is the odd one out.

id=35744 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=E | option_c=G | option_d=C | answer=C | explanation=Move 2 positions forward from E; the resulting letter is G.

id=35745 | topic=Percentages | difficulty=Easy | question=What is 50% of 1201? | option_a=600 | option_b=605 | option_c=1200 | option_d=590 | answer=A | explanation=50% of 1201 = (50/100) × 1201 = 600.

id=35746 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 22. | option_a=288 | option_b=528 | option_c=264 | option_d=242 | answer=C | explanation=LCM × HCF = 24×22; HCF(24,22) = 2, so LCM = 264.

id=35747 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:8 and the first is 114, what is the second? | option_a=152 | option_b=266 | option_c=158 | option_d=144 | answer=A | explanation=Scale factor = 114/6 = 19. Therefore second quantity = 8×19 = 152.

id=35748 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=37 | option_b=27 | option_c=33 | option_d=32 | answer=D | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

id=35749 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:13 and the first is 16, what is the second? | option_a=104 | option_b=106 | option_c=120 | option_d=91 | answer=A | explanation=Scale factor = 16/2 = 8. Therefore second quantity = 13×8 = 104.

id=35750 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=10 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=35751 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=47 | option_b=48 | option_c=57 | option_d=37 | answer=A | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

id=35752 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=13 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=35753 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=35754 | topic=Averages | difficulty=Easy | question=Find the average of 48, 43, 70, 12, 61, 18. | option_a=41 | option_b=43 | option_c=42 | option_d=44 | answer=C | explanation=Average = sum of values + number of values = 252 ÷ 6 = 42.

id=35755 | topic=Percentages | difficulty=Easy | question=What is 50% of 1034? | option_a=537 | option_b=497 | option_c=1034 | option_d=517 | answer=D | explanation=50% of 1034 = (50/100) × 1034 = 517.

id=35756 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=12 | option_b=16 | option_c=15 | option_d=18 | answer=C | explanation=The common difference is 3. Therefore the next term is 12 + 3 = 15.

id=35757 | topic=Averages | difficulty=Easy | question=Find the average of 14, 76, 19, 98, 63, 37, 36. | option_a=48 | option_b=50 | option_c=49 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 343 ÷ 7 = 49.

id=35758 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=41 | option_b=31 | option_c=49 | option_d=40 | answer=D | explanation=The common difference is 9. Therefore the next term is 31 + 9 = 40.

id=35759 | topic=Averages | difficulty=Easy | question=Find the average of 87, 65, 86, 75, 43, 92, 88, 40. | option_a=72 | option_b=74 | option_c=73 | option_d=71 | answer=A | explanation=Average = sum of values ÷ number of values = 576 ÷ 8 = 72.

id=35760 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 35,761-35,790 of 100,000

id=35761 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=35762 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=20 | option_b=24 | option_c=22 | option_d=23 | answer=C | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=35763 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=24 | option_c=12 | option_d=7 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=35764 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:5 and the first is 42, what is the second? | option_a=41 | option_b=30 | option_c=77 | option_d=35 | answer=D | explanation=Scale factor = 42/6 = 7. Therefore second quantity = 5×7 = 35.

id=35765 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 6, 10, 16? | option_a=6 | option_b=2 | option_c=16 | option_d=10 | answer=C | explanation=The first three numbers increase by 4, so the next should be 14. Therefore 16 is the odd one out.

id=35766 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=P | option_b=R | option_c=S | option_d=Q | answer=B | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=35767 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 38? | option_a=38 | option_b=17 | option_c=23 | option_d=29 | answer=A | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 38 is the odd one out.

id=35768 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=35769 | topic=Percentages | difficulty=Easy | question=What is 5% of 552? | option_a=54 | option_b=17 | option_c=27 | option_d=32 | answer=C | explanation=5% of 552 = (5/100) × 552 = 27.

id=35770 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 38? | option_a=10 | option_b=38 | option_c=28 | option_d=19 | answer=B | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 38 is the odd one out.

id=35771 | topic=Averages | difficulty=Easy | question=Find the average of 89, 19, 46, 13, 68. | option_a=49 | option_b=47 | option_c=46 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 235 ÷ 5 = 47.

id=35772 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=35773 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:2 and the first is 98, what is the second? | option_a=28 | option_b=35 | option_c=26 | option_d=126 | answer=A | explanation=Scale factor = 98/7 = 14. Therefore second quantity = 2×14 = 28.

id=35774 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2821. If it is sold at a profit of 50%, what is its selling price? | option_a=4231 | option_b=2871 | option_c=3949 | option_d=4513 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2821 × 150/100 = █4231.

id=35775 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 23? | option_a=18 | option_b=14 | option_c=16 | option_d=23 | answer=D | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 23 is the odd one out.

id=35776 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=46 | option_b=38 | option_c=30 | option_d=39 | answer=B | explanation=The common difference is 8. Therefore the next term is 30 + 8 = 38.

id=35777 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=35778 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35508 at 8% per annum for 1 years. | option_a=2740 | option_b=2840 | option_c=38348 | option_d=2940 | answer=B | explanation=SI = PRT/100 = 35508×8×1/100 = █2840.

id=35779 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=20 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=35780 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 26, 36, 49? | option_a=49 | option_b=26 | option_c=16 | option_d=36 | answer=A | explanation=The first three numbers increase by 10, so the next should be 46. Therefore 49 is the odd one out.

id=35781 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1334. If it is sold at a profit of 50%, what is its selling price? | option_a=1384 | option_b=2001 | option_c=1868 | option_d=2134 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1334 × 150/100 = █2001.

id=35782 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1022. If it is sold at a profit of 30%, what is its selling price? | option_a=1052 | option_b=1430 | option_c=1226 | option_d=1328 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1022 × 130/100 = █1328.

id=35783 | topic=Percentages | difficulty=Easy | question=What is 15% of 1460? | option_a=438 | option_b=219 | option_c=199 | option_d=229 | answer=B | explanation=15% of 1460 = (15/100) × 1460 = 219.

id=35784 | topic=Averages | difficulty=Easy | question=Find the average of 49, 80, 71, 53, 91, 14, 64, 63, 28. | option_a=57 | option_b=59 | option_c=58 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 513 ÷ 9 = 57.

id=35785 | topic=Percentages | difficulty=Easy | question=What is 20% of 1957? | option_a=401 | option_b=391 | option_c=782 | option_d=386 | answer=B | explanation=20% of 1957 = (20/100) × 1957 = 391.

id=35786 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3629. If it is sold at a profit of 20%, what is its selling price? | option_a=4716 | option_b=4354 | option_c=3992 | option_d=3649 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3629 × 120/100 = █4354.

id=35787 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 35? | option_a=35 | option_b=29 | option_c=25 | option_d=21 | answer=A | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 35 is the odd one out.

id=35788 | topic=Averages | difficulty=Easy | question=Find the average of 58, 82, 100, 62, 95, 92, 25, 28, 34, 34. | option_a=62 | option_b=61 | option_c=63 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 610 ÷ 10 = 61.

id=35789 | topic=Averages | difficulty=Easy | question=Find the average of 71, 98, 40, 83. | option_a=73 | option_b=75 | option_c=74 | option_d=72 | answer=A | explanation=Average = sum of values ÷ number of values = 292 ÷ 4 = 73.

id=35790 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2609. If it is sold at a profit of 5%, what is its selling price? | option_a=2999 | option_b=2739 | option_c=2479 | option_d=2614 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2609 × 105/100 = █2739.

Aptitude Questions — Records 35,791-35,820 of 100,000

id=35791 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 35? | option_a=8 | option_b=16 | option_c=35 | option_d=24 | answer=C | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 35 is the odd one out.

id=35792 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39858 at 4% per annum for 1 years. | option_a=1494 | option_b=41452 | option_c=1694 | option_d=1594 | answer=D | explanation=SI = PRT/100 = 39858×4×1/100 = **■**1594.

id=35793 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23208 at 12% per annum for 3 years. | option_a=31562 | option_b=8354 | option_c=8454 | option_d=8254 | answer=B | explanation=SI = PRT/100 = 23208×12×3/100 = **■**8354.

id=35794 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=35795 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1169 at 15% per annum for 5 years. | option_a=976 | option_b=776 | option_c=2045 | option_d=876 | answer=D | explanation=SI = PRT/100 = 1169×15×5/100 = **■**876.

id=35796 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4626. If it is sold at a profit of 10%, what is its selling price? | option_a=5088 | option_b=5550 | option_c=4636 | option_d=4626 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4626 × 110/100 = **■**5088.

id=35797 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 14. | option_a=14 | option_b=28 | option_c=56 | option_d=392 | answer=B | explanation=LCM × HCF = 28×14; HCF(28,14) = 14, so LCM = 28.

id=35798 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 22, 25, 30? | option_a=22 | option_b=25 | option_c=19 | option_d=30 | answer=D | explanation=The first three numbers increase by 3, so the next should be 28. Therefore 30 is the odd one out.

id=35799 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29268 at 8% per annum for 2 years. | option_a=4782 | option_b=33950 | option_c=4582 | option_d=4682 | answer=D | explanation=SI = PRT/100 = 29268×8×2/100 = **■**4682.

id=35800 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=35801 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12533 at 5% per annum for 5 years. | option_a=3233 | option_b=3133 | option_c=3033 | option_d=15666 | answer=B | explanation=SI = PRT/100 = 12533×5×5/100 = **■**3133.

id=35802 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 8. | option_a=70 | option_b=56 | option_c=112 | option_d=48 | answer=B | explanation=LCM × HCF = 14×8; HCF(14,8) = 2, so LCM = 56.

id=35803 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=35804 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42867 at 12% per annum for 2 years. | option_a=10288 | option_b=53155 | option_c=10388 | option_d=10188 | answer=A | explanation=SI = PRT/100 = 42867×12×2/100 = **■**10288.

id=35805 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=P | option_b=B | option_c=X | option_d=T | answer=C | explanation=Move 4 positions forward from T; the resulting letter is X.

id=35806 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:4 and the first is 320, what is the second? | option_a=76 | option_b=80 | option_c=400 | option_d=96 | answer=B | explanation=Scale factor = 320/16 = 20. Therefore second quantity = 4×20 = 80.

id=35807 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=G | option_b=K | option_c=I | option_d=M | answer=B | explanation=Move 2 positions forward from I; the resulting letter is K.

id=35808 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18672 at 5% per annum for 3 years. | option_a=21472 | option_b=2900 | option_c=2700 | option_d=2800 | answer=D | explanation=SI = PRT/100 = 18672×5×3/100 = **■**2800.

id=35809 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:11 and the first is 96, what is the second? | option_a=132 | option_b=140 | option_c=121 | option_d=228 | answer=A | explanation=Scale factor = 96/8 = 12. Therefore second quantity = 11×12 = 132.

id=35810 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1846. If it is sold at a profit of 20%, what is its selling price? | option_a=2031 | option_b=2215 | option_c=2399 | option_d=1866 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1846 × 120/100 = **■**2215.

id=35811 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=29 | option_b=35 | option_c=32 | option_d=33 | answer=C | explanation=The common difference is 3. Therefore the next term is 29 + 3 = 32.

id=35812 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=34 | option_b=40 | option_c=33 | option_d=26 | answer=C | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

id=35813 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4171. If it is sold at a profit of 5%, what is its selling price? | option_a=4379 | option_b=3962 | option_c=4176 | option_d=4796 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4171 × 105/100 = **■**4379.

id=35814 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=50 | option_d=25 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=35815 | topic=Percentages | difficulty=Easy | question=What is 12% of 1828? | option_a=438 | option_b=199 | option_c=219 | option_d=239 | answer=C | explanation=12% of 1828 = (12/100) × 1828 = 219.

id=35816 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=35817 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=54 | option_b=66 | option_c=55 | option_d=42 | answer=A | explanation=The common difference is 12. Therefore the next term is 42 + 12 = 54.

id=35818 | topic=Averages | difficulty=Easy | question=Find the average of 81, 22, 16, 87, 65, 39, 40, 66. | option_a=52 | option_b=54 | option_c=51 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=35819 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 28. | option_a=84 | option_b=56 | option_c=105 | option_d=588 | answer=A | explanation=LCM × HCF = 21×28; HCF(21,28) = 7, so LCM = 84.

id=35820 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=J | option_b=L | option_c=P | option_d=N | answer=D | explanation=Move 2 positions forward from L; the resulting letter is N.

Aptitude Questions — Records 35,821-35,850 of 100,000

id=35821 | topic=Percentages | difficulty=Easy | question=What is 15% of 1579? | option_a=231 | option_b=472 | option_c=236 | option_d=256 | answer=C | explanation=15% of 1579 = (15/100) × 1579 = 236.

id=35822 | topic=Averages | difficulty=Easy | question=Find the average of 32, 29, 70, 89, 63, 13, 38, 23, 99, 14. | option_a=48 | option_b=46 | option_c=47 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 470 ÷ 10 = 47.

id=35823 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:15 and the first is 54, what is the second? | option_a=30 | option_b=45 | option_c=99 | option_d=63 | answer=B | explanation=Scale factor = 54/18 = 3. Therefore second quantity = 15×3 = 45.

id=35824 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9494 at 6% per annum for 2 years. | option_a=1139 | option_b=1039 | option_c=10633 | option_d=1239 | answer=A | explanation=SI = PRT/100 = 9494×6×2/100 = **■**1139.

id=35825 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 14, 18, 23? | option_a=14 | option_b=18 | option_c=10 | option_d=23 | answer=D | explanation=The first three numbers increase by 4, so the next should be 22. Therefore 23 is the odd one out.

id=35826 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4606 at 10% per annum for 2 years. | option_a=5527 | option_b=1021 | option_c=921 | option_d=821 | answer=C | explanation=SI = PRT/100 = 4606×10×2/100 = **■**921.

id=35827 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=42 | option_b=41 | option_c=47 | option_d=35 | answer=B | explanation=The common difference is 6. Therefore the next term is 35 + 6 = 41.

id=35828 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=H | option_c=R | option_d=W | answer=C | explanation=Move 5 positions forward from M; the resulting letter is R.

id=35829 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 14, 23, 33? | option_a=23 | option_b=5 | option_c=14 | option_d=33 | answer=D | explanation=The first three numbers increase by 9, so the next should be 32. Therefore 33 is the odd one out.

id=35830 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 16, 23, 33? | option_a=33 | option_b=9 | option_c=16 | option_d=23 | answer=A | explanation=The first three numbers increase by 7, so the next should be 30. Therefore 33 is the odd one out.

id=35831 | topic=Averages | difficulty=Easy | question=Find the average of 41, 23, 92, 71, 94, 38, 44, 94, 34. | option_a=61 | option_b=58 | option_c=60 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 531 ÷ 9 = 59.

id=35832 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=57 | option_b=47 | option_c=35 | option_d=46 | answer=D | explanation=The common difference is 11. Therefore the next term is 35 + 11 = 46.

id=35833 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46377 at 6% per annum for 3 years. | option_a=54724 | option_b=8347 | option_c=8247 | option_d=8447 | answer=B | explanation=SI = PRT/100 = 46377×6×3/100 = **■**8347.

id=35834 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=35835 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**390. If it is sold at a profit of 40%, what is its selling price? | option_a=430 | option_b=546 | option_c=507 | option_d=585 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 390 × 140/100 = **■**546.

id=35836 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=35837 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=T | option_c=U | option_d=R | answer=B | explanation=Move 1 positions forward from S; the resulting letter is T.

id=35838 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=36 | option_b=43 | option_c=35 | option_d=27 | answer=C | explanation=The common difference is 8. Therefore the next term is 27 + 8 = 35.

id=35839 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 15. | option_a=108 | option_b=90 | option_c=75 | option_d=270 | answer=B | explanation=LCM × HCF = 18×15; HCF(18,15) = 3, so LCM = 90.

id=35840 | topic=Number System | difficulty=Easy | question=Find the LCM of 13 and 13. | option_a=169 | option_b=13 | option_c=1 | option_d=26 | answer=B | explanation=LCM × HCF = 13×13; HCF(13,13) = 13, so LCM = 13.

id=35841 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=B | option_c=D | option_d=E | answer=C | explanation=Move 1 positions forward from C; the resulting letter is D.

id=35842 | topic=Percentages | difficulty=Easy | question=What is 20% of 152? | option_a=60 | option_b=50 | option_c=10 | option_d=30 | answer=D | explanation=20% of 152 = (20/100) × 152 = 30.

id=35843 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=35844 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=Y | option_c=O | option_d=D | answer=B | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=35845 | topic=Averages | difficulty=Easy | question=Find the average of 99, 96, 27, 78, 26, 94. | option_a=72 | option_b=69 | option_c=71 | option_d=70 | answer=D | explanation=Average = sum of values ÷ number of values = 420 ÷ 6 = 70.

id=35846 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=36 | option_c=31 | option_d=72 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=35847 | topic=Percentages | difficulty=Easy | question=What is 10% of 129? | option_a=12 | option_b=0 | option_c=17 | option_d=24 | answer=A | explanation=10% of 129 = (10/100) × 129 = 12.

id=35848 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**514. If it is sold at a profit of 50%, what is its selling price? | option_a=720 | option_b=822 | option_c=564 | option_d=771 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 514 × 150/100 = **■**771.

id=35849 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4968. If it is sold at a profit of 20%, what is its selling price? | option_a=5961 | option_b=6457 | option_c=5465 | option_d=4988 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4968 × 120/100 = **■**5961.

id=35850 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

Aptitude Questions — Records 35,851-35,880 of 100,000

- id=35851 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■1192 at 8% per annum for 4 years. | option_a=1573 | option_b=381 | option_c=481 | option_d=281 | answer=B | explanation=SI = $PRT/100 = 1192 \times 8 \times 4 / 100 = \blacksquare 381$.
- id=35852 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 11, 19, 29? | option_a=11 | option_b=19 | option_c=3 | option_d=29 | answer=D | explanation=The first three numbers increase by 8, so the next should be 27. Therefore 29 is the odd one out.
- id=35853 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.
- id=35854 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=6 | option_c=1 | option_d=11 | answer=B | explanation=Speed = distance ÷ time = $60 \div 10 = 6$ km/h.
- id=35855 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 16. | option_a=128 | option_b=1 | option_c=16 | option_d=24 | answer=C | explanation=LCM × HCF = 8×16 ; HCF(8,16) = 8, so LCM = 16.
- id=35856 | topic=Averages | difficulty=Easy | question=Find the average of 46, 80, 11, 57, 41, 11. | option_a=43 | option_b=40 | option_c=41 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = $246 \div 6 = 41$.
- id=35857 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:9 and the first is 130, what is the second? | option_a=108 | option_b=247 | option_c=127 | option_d=117 | answer=D | explanation=Scale factor = $130/10 = 13$. Therefore second quantity = $9 \times 13 = 117$.
- id=35858 | topic=Percentages | difficulty=Easy | question=What is 50% of 304? | option_a=157 | option_b=147 | option_c=152 | option_d=304 | answer=C | explanation=50% of 304 = $(50/100) \times 304 = 152$.
- id=35859 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=96 | option_c=43 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = $240 \div 5 = 48$ km/h.
- id=35860 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 26. | option_a=140 | option_b=260 | option_c=104 | option_d=130 | answer=D | explanation=LCM × HCF = 10×26 ; HCF(10,26) = 2, so LCM = 130.
- id=35861 | topic=Averages | difficulty=Easy | question=Find the average of 12, 48, 83, 59, 71, 76, 24, 91. | option_a=60 | option_b=57 | option_c=58 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = $464 \div 8 = 58$.
- id=35862 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=32 | option_b=29 | option_c=26 | option_d=30 | answer=B | explanation=The common difference is 3. Therefore the next term is $26 + 3 = 29$.
- id=35863 | topic=Averages | difficulty=Easy | question=Find the average of 62, 35, 10, 76, 39, 98, 88, 96, 27. | option_a=60 | option_b=59 | option_c=58 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = $531 \div 9 = 59$.
- id=35864 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 31? | option_a=24 | option_b=19 | option_c=14 | option_d=31 | answer=D | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 31 is the odd one out.
- id=35865 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 30? | option_a=23 | option_b=18 | option_c=30 | option_d=13 | answer=C | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 30 is the odd one out.
- id=35866 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4351. If it is sold at a profit of 10%, what is its selling price? | option_a=4786 | option_b=4351 | option_c=4361 | option_d=5221 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4351 \times 110 / 100 = \blacksquare 4786$.
- id=35867 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=S | option_c=K | option_d=W | answer=B | explanation=Move 4 positions forward from O; the resulting letter is S.
- id=35868 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=E | option_c=I | option_d=K | answer=C | explanation=Move 2 positions forward from G; the resulting letter is I.
- id=35869 | topic=Percentages | difficulty=Easy | question=What is 50% of 1026? | option_a=513 | option_b=533 | option_c=493 | option_d=1026 | answer=A | explanation=50% of 1026 = $(50/100) \times 1026 = 513$.
- id=35870 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 11, 20, 30? | option_a=11 | option_b=2 | option_c=30 | option_d=20 | answer=C | explanation=The first three numbers increase by 9, so the next should be 29. Therefore 30 is the odd one out.
- id=35871 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=L | option_b=V | option_c=A | option_d=Q | answer=B | explanation=Move 5 positions forward from Q; the resulting letter is V.
- id=35872 | topic=Percentages | difficulty=Easy | question=What is 12% of 1891? | option_a=452 | option_b=221 | option_c=231 | option_d=226 | answer=D | explanation=12% of 1891 = $(12/100) \times 1891 = 226$.
- id=35873 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.
- id=35874 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=J | option_c=H | option_d=D | answer=C | explanation=Move 2 positions forward from F; the resulting letter is H.
- id=35875 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:13 and the first is 117, what is the second? | option_a=104 | option_b=234 | option_c=130 | option_d=117 | answer=D | explanation=Scale factor = $117/13 = 9$. Therefore second quantity = $13 \times 9 = 117$.
- id=35876 | topic=Number System | difficulty=Easy | question=Find the LCM of 11 and 22. | option_a=1 | option_b=33 | option_c=242 | option_d=22 | answer=D | explanation=LCM × HCF = 11×22 ; HCF(11,22) = 11, so LCM = 22.
- id=35877 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=U | option_c=Q | option_d=O | answer=A | explanation=Move 2 positions forward from Q; the resulting letter is S.
- id=35878 | topic=Averages | difficulty=Easy | question=Find the average of 27, 18, 39, 24, 42. | option_a=29 | option_b=30 | option_c=31 | option_d=32 | answer=B | explanation=Average = sum of values ÷ number of values = $150 \div 5 = 30$.
- id=35879 | topic=Percentages | difficulty=Easy | question=What is 5% of 1240? | option_a=124 | option_b=52 | option_c=72 | option_d=62 | answer=D | explanation=5% of 1240 = $(5/100) \times 1240 = 62$.
- id=35880 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=34 | option_b=27 | option_c=39 | option_d=33 | answer=D | explanation=The common difference is 6. Therefore the next term is $27 + 6 = 33$.

Aptitude Questions — Records 35,881-35,910 of 100,000

id=35881 | topic=Percentages | difficulty=Easy | question=What is 5% of 1463? | option_a=73 | option_b=146 | option_c=78 | option_d=53 | answer=A | explanation=5% of 1463 = (5/100) × 1463 = 73.

id=35882 | topic=Averages | difficulty=Easy | question=Find the average of 73, 96, 40, 16, 95. | option_a=63 | option_b=64 | option_c=65 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 320 ÷ 5 = 64.

id=35883 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=70 | option_c=80 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=35884 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 26? | option_a=26 | option_b=18 | option_c=15 | option_d=21 | answer=A | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 26 is the odd one out.

id=35885 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=I | option_c=K | option_d=M | answer=D | explanation=Move 2 positions forward from K; the resulting letter is M.

id=35886 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:20 and the first is 32, what is the second? | option_a=140 | option_b=192 | option_c=164 | option_d=160 | answer=D | explanation=Scale factor = 32/4 = 8. Therefore second quantity = 20×8 = 160.

id=35887 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21099 at 6% per annum for 3 years. | option_a=3697 | option_b=3797 | option_c=24896 | option_d=3897 | answer=B | explanation=SI = PRT/100 = 21099×6×3/100 = **■**3797.

id=35888 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=20 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=35889 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=R | option_b=T | option_c=U | option_d=S | answer=B | explanation=Move 1 positions forward from S; the resulting letter is T.

id=35890 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2335. If it is sold at a profit of 50%, what is its selling price? | option_a=3269 | option_b=3502 | option_c=2385 | option_d=3735 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2335 × 150/100 = **■**3502.

id=35891 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2534. If it is sold at a profit of 40%, what is its selling price? | option_a=3800 | option_b=2574 | option_c=3294 | option_d=3547 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2534 × 140/100 = **■**3547.

id=35892 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18121 at 8% per annum for 3 years. | option_a=4249 | option_b=4349 | option_c=22470 | option_d=4449 | answer=B | explanation=SI = PRT/100 = 18121×8×3/100 = **■**4349.

id=35893 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**354. If it is sold at a profit of 50%, what is its selling price? | option_a=531 | option_b=404 | option_c=496 | option_d=566 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 354 × 150/100 = **■**531.

id=35894 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=Q | option_c=V | option_d=G | answer=B | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=35895 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15070 at 10% per annum for 1 years. | option_a=1507 | option_b=16577 | option_c=1407 | option_d=1607 | answer=A | explanation=SI = PRT/100 = 15070×10×1/100 = **■**1507.

id=35896 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=50 | option_c=100 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=35897 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31107 at 6% per annum for 4 years. | option_a=38572 | option_b=7465 | option_c=7565 | option_d=7365 | answer=B | explanation=SI = PRT/100 = 31107×6×4/100 = **■**7465.

id=35898 | topic=Averages | difficulty=Easy | question=Find the average of 47, 78, 91, 41, 71, 14. | option_a=57 | option_b=59 | option_c=58 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 342 ÷ 6 = 57.

id=35899 | topic=Averages | difficulty=Easy | question=Find the average of 42, 98, 24, 84, 42. | option_a=60 | option_b=58 | option_c=57 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 290 ÷ 5 = 58.

id=35900 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=35901 | topic=Percentages | difficulty=Easy | question=What is 10% of 129? | option_a=12 | option_b=32 | option_c=2 | option_d=24 | answer=A | explanation=10% of 129 = (10/100) × 129 = 12.

id=35902 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=63 | option_b=50 | option_c=74 | option_d=62 | answer=D | explanation=The common difference is 12. Therefore the next term is 50 + 12 = 62.

id=35903 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=31 | option_b=26 | option_c=27 | option_d=21 | answer=B | explanation=The common difference is 5. Therefore the next term is 21 + 5 = 26.

id=35904 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 22, 26, 33? | option_a=18 | option_b=26 | option_c=33 | option_d=22 | answer=C | explanation=The first three numbers increase by 4, so the next should be 30. Therefore 33 is the odd one out.

id=35905 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6907 at 15% per annum for 1 years. | option_a=1036 | option_b=1136 | option_c=936 | option_d=7943 | answer=A | explanation=SI = PRT/100 = 6907×15×1/100 = **■**1036.

id=35906 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 27? | option_a=27 | option_b=12 | option_c=18 | option_d=6 | answer=A | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 27 is the odd one out.

id=35907 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=35908 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=35909 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2928. If it is sold at a profit of 50%, what is its selling price? | option_a=4100 | option_b=4392 | option_c=4684 | option_d=2978 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2928 × 150/100 = **■**4392.

id=35910 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**528. If it is sold at a profit of 30%, what is its selling price? | option_a=558 | option_b=738 | option_c=634 | option_d=686 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 528 × 130/100 = **■**686.

Aptitude Questions — Records 35,911-35,940 of 100,000

id=35911 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=O | option_c=S | option_d=U | answer=C | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=35912 | topic=Averages | difficulty=Easy | question=Find the average of 89, 47, 73, 54, 62. | option_a=65 | option_b=67 | option_c=66 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = 325 ÷ 5 = 65.

id=35913 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:8 and the first is 154, what is the second? | option_a=112 | option_b=123 | option_c=104 | option_d=266 | answer=A | explanation=Scale factor = 154/11 = 14. Therefore second quantity = 8×14 = 112.

id=35914 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:6 and the first is 196, what is the second? | option_a=98 | option_b=78 | option_c=84 | option_d=280 | answer=C | explanation=Scale factor = 196/14 = 14. Therefore second quantity = 6×14 = 84.

id=35915 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 13, 20, 30? | option_a=13 | option_b=6 | option_c=20 | option_d=30 | answer=D | explanation=The first three numbers increase by 7, so the next should be 27. Therefore 30 is the odd one out.

id=35916 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 38? | option_a=38 | option_b=26 | option_c=29 | option_d=32 | answer=A | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 38 is the odd one out.

id=35917 | topic=Profit & Loss | difficulty=Easy | question=An article costs █765. If it is sold at a profit of 20%, what is its selling price? | option_a=994 | option_b=918 | option_c=842 | option_d=785 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 765 × 120/100 = █918.

id=35918 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 31? | option_a=13 | option_b=31 | option_c=23 | option_d=18 | answer=B | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 31 is the odd one out.

id=35919 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10701 at 6% per annum for 5 years. | option_a=3310 | option_b=3210 | option_c=13911 | option_d=3110 | answer=B | explanation=SI = PRT/100 = 10701×6×5/100 = █3210.

id=35920 | topic=Averages | difficulty=Easy | question=Find the average of 28, 63, 50. | option_a=49 | option_b=46 | option_c=48 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 141 ÷ 3 = 47.

id=35921 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=155 | option_c=145 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=35922 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=35923 | topic=Percentages | difficulty=Easy | question=What is 10% of 1127? | option_a=224 | option_b=132 | option_c=92 | option_d=112 | answer=D | explanation=10% of 1127 = (10/100) × 1127 = 112.

id=35924 | topic=Percentages | difficulty=Easy | question=What is 5% of 379? | option_a=18 | option_b=8 | option_c=28 | option_d=36 | answer=A | explanation=5% of 379 = (5/100) × 379 = 18.

id=35925 | topic=Profit & Loss | difficulty=Easy | question=An article costs █992. If it is sold at a profit of 30%, what is its selling price? | option_a=1190 | option_b=1388 | option_c=1289 | option_d=1022 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 992 × 130/100 = █1289.

id=35926 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:8 and the first is 180, what is the second? | option_a=111 | option_b=96 | option_c=88 | option_d=276 | answer=B | explanation=Scale factor = 180/15 = 12. Therefore second quantity = 8×12 = 96.

id=35927 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27036 at 8% per annum for 3 years. | option_a=6488 | option_b=6588 | option_c=6388 | option_d=33524 | answer=A | explanation=SI = PRT/100 = 27036×8×3/100 = █6488.

id=35928 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=8 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=35929 | topic=Averages | difficulty=Easy | question=Find the average of 100, 55, 41, 54, 75. | option_a=67 | option_b=66 | option_c=64 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 325 ÷ 5 = 65.

id=35930 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2794. If it is sold at a profit of 50%, what is its selling price? | option_a=4191 | option_b=2844 | option_c=4470 | option_d=3912 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2794 × 150/100 = █4191.

id=35931 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4567. If it is sold at a profit of 50%, what is its selling price? | option_a=4617 | option_b=7306 | option_c=6394 | option_d=6850 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4567 × 150/100 = █6850.

id=35932 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4653. If it is sold at a profit of 40%, what is its selling price? | option_a=6049 | option_b=4693 | option_c=6979 | option_d=6514 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4653 × 140/100 = █6514.

id=35933 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 32? | option_a=4 | option_b=22 | option_c=32 | option_d=13 | answer=C | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 32 is the odd one out.

id=35934 | topic=Averages | difficulty=Easy | question=Find the average of 57, 54, 41, 75, 37, 47, 74. | option_a=55 | option_b=54 | option_c=57 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 385 ÷ 7 = 55.

id=35935 | topic=Averages | difficulty=Easy | question=Find the average of 31, 86, 86, 63, 36, 100. | option_a=68 | option_b=67 | option_c=69 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 402 ÷ 6 = 67.

id=35936 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1239. If it is sold at a profit of 20%, what is its selling price? | option_a=1609 | option_b=1363 | option_c=1259 | option_d=1486 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1239 × 120/100 = █1486.

id=35937 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=40 | option_b=46 | option_c=41 | option_d=34 | answer=A | explanation=The common difference is 6. Therefore the next term is 34 + 6 = 40.

id=35938 | topic=Averages | difficulty=Easy | question=Find the average of 94, 55, 96, 32, 48. | option_a=64 | option_b=67 | option_c=66 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 325 ÷ 5 = 65.

id=35939 | topic=Averages | difficulty=Easy | question=Find the average of 44, 19, 97, 66, 59. | option_a=59 | option_b=58 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.

id=35940 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 41? | option_a=25 | option_b=32 | option_c=18 | option_d=41 | answer=D | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 41 is the odd one out.

Aptitude Questions — Records 35,941-35,970 of 100,000

id=35941 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:1 and the first is 48, what is the second? | option_a=11 | option_b=12 | option_c=16 | option_d=60 | answer=B | explanation=Scale factor = 48/4 = 12. Therefore second quantity = 1×12 = 12.

id=35942 | topic=Percentages | difficulty=Easy | question=What is 15% of 320? | option_a=53 | option_b=28 | option_c=48 | option_d=96 | answer=C | explanation=15% of 320 = (15/100) × 320 = 48.

id=35943 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=G | option_c=P | option_d=M | answer=D | explanation=Move 3 positions forward from J; the resulting letter is M.

id=35944 | topic=Profit & Loss | difficulty=Easy | question=An article costs █710. If it is sold at a profit of 50%, what is its selling price? | option_a=1136 | option_b=760 | option_c=994 | option_d=1065 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 710 × 150/100 = █1065.

id=35945 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:13 and the first is 10, what is the second? | option_a=117 | option_b=131 | option_c=130 | option_d=140 | answer=C | explanation=Scale factor = 10/1 = 10. Therefore second quantity = 13×10 = 130.

id=35946 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39074 at 12% per annum for 3 years. | option_a=13966 | option_b=14166 | option_c=53140 | option_d=14066 | answer=D | explanation=SI = PRT/100 = 39074×12×3/100 = █14066.

id=35947 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 6. | option_a=30 | option_b=24 | option_c=90 | option_d=45 | answer=A | explanation=LCM × HCF = 15×6; HCF(15,6) = 3, so LCM = 30.

id=35948 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=35949 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=V | option_c=A | option_d=L | answer=B | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=35950 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=50 | option_b=36 | option_c=44 | option_d=43 | answer=D | explanation=The common difference is 7. Therefore the next term is 36 + 7 = 43.

id=35951 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=R | option_b=T | option_c=X | option_d=V | answer=D | explanation=Move 2 positions forward from T; the resulting letter is V.

id=35952 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=50 | option_b=42 | option_c=41 | option_d=32 | answer=C | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

id=35953 | topic=Averages | difficulty=Easy | question=Find the average of 18, 75, 16, 13, 100, 35, 10, 13. | option_a=35 | option_b=37 | option_c=36 | option_d=34 | answer=A | explanation=Average = sum of values ÷ number of values = 280 ÷ 8 = 35.

id=35954 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15369 at 5% per annum for 2 years. | option_a=1636 | option_b=1436 | option_c=16905 | option_d=1536 | answer=D | explanation=SI = PRT/100 = 15369×5×2/100 = █1536.

id=35955 | topic=Percentages | difficulty=Easy | question=What is 12% of 1592? | option_a=191 | option_b=171 | option_c=382 | option_d=201 | answer=A | explanation=12% of 1592 = (12/100) × 1592 = 191.

id=35956 | topic=Averages | difficulty=Easy | question=Find the average of 29, 35, 50. | option_a=38 | option_b=39 | option_c=40 | option_d=37 | answer=A | explanation=Average = sum of values ÷ number of values = 114 ÷ 3 = 38.

id=35957 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 24. | option_a=1 | option_b=48 | option_c=26 | option_d=24 | answer=D | explanation=LCM × HCF = 2×24; HCF(2,24) = 2, so LCM = 24.

id=35958 | topic=Percentages | difficulty=Easy | question=What is 10% of 1369? | option_a=156 | option_b=272 | option_c=136 | option_d=131 | answer=C | explanation=10% of 1369 = (10/100) × 1369 = 136.

id=35959 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=Q | option_b=R | option_c=S | option_d=T | answer=C | explanation=Move 1 positions forward from R; the resulting letter is S.

id=35960 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:6 and the first is 165, what is the second? | option_a=66 | option_b=81 | option_c=60 | option_d=231 | answer=A | explanation=Scale factor = 165/15 = 11. Therefore second quantity = 6×11 = 66.

id=35961 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=90 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=35962 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5873 at 12% per annum for 1 years. | option_a=6577 | option_b=704 | option_c=604 | option_d=804 | answer=B | explanation=SI = PRT/100 = 5873×12×1/100 = █704.

id=35963 | topic=Averages | difficulty=Easy | question=Find the average of 31, 65, 18, 14. | option_a=31 | option_b=33 | option_c=32 | option_d=34 | answer=C | explanation=Average = sum of values ÷ number of values = 128 ÷ 4 = 32.

id=35964 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=41 | option_b=37 | option_c=31 | option_d=36 | answer=D | explanation=The common difference is 5. Therefore the next term is 31 + 5 = 36.

id=35965 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 34? | option_a=12 | option_b=26 | option_c=34 | option_d=19 | answer=C | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 34 is the odd one out.

id=35966 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=59 | option_b=58 | option_c=47 | option_d=69 | answer=B | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.

id=35967 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=35968 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 29? | option_a=16 | option_b=24 | option_c=20 | option_d=29 | answer=D | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 29 is the odd one out.

id=35969 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 35, 45, 58? | option_a=25 | option_b=45 | option_c=58 | option_d=35 | answer=C | explanation=The first three numbers increase by 10, so the next should be 55. Therefore 58 is the odd one out.

id=35970 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31386 at 15% per annum for 3 years. | option_a=14023 | option_b=14223 | option_c=45509 | option_d=14123 | answer=D | explanation=SI = PRT/100 = 31386×15×3/100 = █14123.

Aptitude Questions — Records 35,971-36,000 of 100,000

id=35971 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=35 | option_b=46 | option_c=57 | option_d=47 | answer=B | explanation=The common difference is 11. Therefore the next term is 35 + 11 = 46.

id=35972 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=24 | option_c=7 | option_d=17 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=35973 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=F | option_c=L | option_d=O | answer=C | explanation=Move 3 positions forward from I; the resulting letter is L.

id=35974 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3222. If it is sold at a profit of 40%, what is its selling price? | option_a=4510 | option_b=3262 | option_c=4832 | option_d=4188 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3222 × 140/100 = █4510.

id=35975 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4310. If it is sold at a profit of 25%, what is its selling price? | option_a=4335 | option_b=5387 | option_c=4956 | option_d=5818 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4310 × 125/100 = █5387.

id=35976 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=67 | option_b=55 | option_c=56 | option_d=43 | answer=B | explanation=The common difference is 12. Therefore the next term is 43 + 12 = 55.

id=35977 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=10 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=35978 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37124 at 5% per annum for 2 years. | option_a=40836 | option_b=3812 | option_c=3612 | option_d=3712 | answer=D | explanation=SI = PRT/100 = 37124×5×2/100 = █3712.

id=35979 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=35980 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=35981 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:5 and the first is 260, what is the second? | option_a=113 | option_b=95 | option_c=360 | option_d=100 | answer=D | explanation=Scale factor = 260/13 = 20. Therefore second quantity = 5×20 = 100.

id=35982 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2337. If it is sold at a profit of 10%, what is its selling price? | option_a=2347 | option_b=2337 | option_c=2570 | option_d=2803 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2337 × 110/100 = █2570.

id=35983 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=70 | option_c=80 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=35984 | topic=Profit & Loss | difficulty=Easy | question=An article costs █258. If it is sold at a profit of 5%, what is its selling price? | option_a=295 | option_b=263 | option_c=270 | option_d=245 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 258 × 105/100 = █270.

id=35985 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:14 and the first is 170, what is the second? | option_a=157 | option_b=140 | option_c=126 | option_d=310 | answer=B | explanation=Scale factor = 170/17 = 10. Therefore second quantity = 14×10 = 140.

id=35986 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=40 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=35987 | topic=Averages | difficulty=Easy | question=Find the average of 93, 45, 13, 78, 89, 95, 44, 44, 55, 84. | option_a=64 | option_b=66 | option_c=65 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 640 ÷ 10 = 64.

id=35988 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1054. If it is sold at a profit of 10%, what is its selling price? | option_a=1064 | option_b=1264 | option_c=1159 | option_d=1054 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1054 × 110/100 = █1159.

id=35989 | topic=Percentages | difficulty=Easy | question=What is 5% of 1404? | option_a=60 | option_b=70 | option_c=90 | option_d=140 | answer=B | explanation=5% of 1404 = (5/100) × 1404 = 70.

id=35990 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=43 | option_b=37 | option_c=49 | option_d=44 | answer=A | explanation=The common difference is 6. Therefore the next term is 37 + 6 = 43.

id=35991 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=85 | option_c=95 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=35992 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:17 and the first is 323, what is the second? | option_a=340 | option_b=646 | option_c=306 | option_d=323 | answer=D | explanation=Scale factor = 323/17 = 19. Therefore second quantity = 17×19 = 323.

id=35993 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=35994 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1912. If it is sold at a profit of 25%, what is its selling price? | option_a=2581 | option_b=1937 | option_c=2390 | option_d=2199 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1912 × 125/100 = █2390.

id=35995 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=F | option_b=G | option_c=H | option_d=I | answer=C | explanation=Move 1 positions forward from G; the resulting letter is H.

id=35996 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=S | option_b=X | option_c=I | option_d=N | answer=A | explanation=Move 5 positions forward from N; the resulting letter is S.

id=35997 | topic=Percentages | difficulty=Easy | question=What is 15% of 1282? | option_a=192 | option_b=197 | option_c=384 | option_d=172 | answer=A | explanation=15% of 1282 = (15/100) × 1282 = 192.

id=35998 | topic=Averages | difficulty=Easy | question=Find the average of 84, 84, 23, 65, 21, 83, 74, 51, 37. | option_a=59 | option_b=58 | option_c=57 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 522 ÷ 9 = 58.

id=35999 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:11 and the first is 180, what is the second? | option_a=99 | option_b=290 | option_c=110 | option_d=128 | answer=C | explanation=Scale factor = 180/18 = 10. Therefore second quantity = 11×10 = 110.

id=36000 | topic=Percentages | difficulty=Easy | question=What is 15% of 328? | option_a=39 | option_b=49 | option_c=98 | option_d=54 | answer=B | explanation=15% of 328 = (15/100) × 328 = 49.

Aptitude Questions — Records 36,001-36,030 of 100,000

id=36001 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=33 | option_b=40 | option_c=41 | option_d=47 | answer=B | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.

id=36002 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 39, 49, 61? | option_a=29 | option_b=39 | option_c=61 | option_d=49 | answer=C | explanation=The first three numbers increase by 10, so the next should be 59. Therefore 61 is the odd one out.

id=36003 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=H | option_b=B | option_c=Y | option_d=E | answer=D | explanation=Move 3 positions forward from B; the resulting letter is E.

id=36004 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 44? | option_a=21 | option_b=11 | option_c=44 | option_d=31 | answer=C | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 44 is the odd one out.

id=36005 | topic=Averages | difficulty=Easy | question=Find the average of 43, 87, 11, 68, 63, 32, 86, 27, 78. | option_a=56 | option_b=57 | option_c=54 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.

id=36006 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=36 | option_d=13 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=36007 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 10. | option_a=140 | option_b=168 | option_c=280 | option_d=130 | answer=A | explanation=LCM × HCF = 28×10; HCF(28,10) = 2, so LCM = 140.

id=36008 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:8 and the first is 7, what is the second? | option_a=56 | option_b=48 | option_c=57 | option_d=63 | answer=A | explanation=Scale factor = 7/1 = 7. Therefore second quantity = 8×7 = 56.

id=36009 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 19, 27, 36? | option_a=19 | option_b=27 | option_c=11 | option_d=36 | answer=D | explanation=The first three numbers increase by 8, so the next should be 35. Therefore 36 is the odd one out.

id=36010 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=29 | option_b=33 | option_c=34 | option_d=37 | answer=B | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=36011 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=95 | option_d=180 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=36012 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 21, 30, 39, ? | option_a=49 | option_b=39 | option_c=48 | option_d=57 | answer=C | explanation=The common difference is 9. Therefore the next term is 39 + 9 = 48.

id=36013 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=I | option_c=A | option_d=W | answer=A | explanation=Move 4 positions forward from A; the resulting letter is E.

id=36014 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=Y | option_c=P | option_d=V | answer=D | explanation=Move 3 positions forward from S; the resulting letter is V.

id=36015 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=70 | option_b=75 | option_c=150 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=36016 | topic=Number System | difficulty=Easy | question=Find the LCM of 23 and 23. | option_a=529 | option_b=23 | option_c=1 | option_d=46 | answer=B | explanation=LCM × HCF = 23×23; HCF(23,23) = 23, so LCM = 23.

id=36017 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹202. If it is sold at a profit of 15%, what is its selling price? | option_a=212 | option_b=252 | option_c=217 | option_d=232 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 202 × 115/100 = ₹232.

id=36018 | topic=Averages | difficulty=Easy | question=Find the average of 88, 45, 17, 53, 32, 93, 66, 84, 67, 25. | option_a=58 | option_b=59 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.

id=36019 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=34 | option_b=26 | option_c=33 | option_d=40 | answer=C | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

id=36020 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹3442. If it is sold at a profit of 15%, what is its selling price? | option_a=3457 | option_b=4302 | option_c=3958 | option_d=3614 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3442 × 115/100 = ₹3958.

id=36021 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=K | option_b=Y | option_c=G | option_d=C | answer=C | explanation=Move 4 positions forward from C; the resulting letter is G.

id=36022 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 24, 30, 39? | option_a=18 | option_b=24 | option_c=30 | option_d=39 | answer=D | explanation=The first three numbers increase by 6, so the next should be 36. Therefore 39 is the odd one out.

id=36023 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:1 and the first is 360, what is the second? | option_a=380 | option_b=20 | option_c=38 | option_d=19 | answer=B | explanation=Scale factor = 360/18 = 20. Therefore second quantity = 1×20 = 20.

id=36024 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 25, 35, 48? | option_a=25 | option_b=35 | option_c=48 | option_d=15 | answer=C | explanation=The first three numbers increase by 10, so the next should be 45. Therefore 48 is the odd one out.

id=36025 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 57? | option_a=38 | option_b=57 | option_c=47 | option_d=29 | answer=B | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 57 is the odd one out.

id=36026 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=35 | option_b=46 | option_c=47 | option_d=57 | answer=B | explanation=The common difference is 11. Therefore the next term is 35 + 11 = 46.

id=36027 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=K | option_b=N | option_c=H | option_d=E | answer=A | explanation=Move 3 positions forward from H; the resulting letter is K.

id=36028 | topic=Percentages | difficulty=Easy | question=What is 40% of 1983? | option_a=773 | option_b=813 | option_c=1586 | option_d=793 | answer=D | explanation=40% of 1983 = (40/100) × 1983 = 793.

id=36029 | topic=Percentages | difficulty=Easy | question=What is 5% of 826? | option_a=51 | option_b=41 | option_c=82 | option_d=21 | answer=B | explanation=5% of 826 = (5/100) × 826 = 41.

id=36030 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:14 and the first is 380, what is the second? | option_a=280 | option_b=266 | option_c=299 | option_d=660 | answer=A | explanation=Scale factor = 380/19 = 20. Therefore second quantity = 14×20 = 280.

Aptitude Questions — Records 36,031-36,060 of 100,000

id=36031 | topic=Percentages | difficulty=Easy | question=What is 50% of 1249? | option_a=644 | option_b=1248 | option_c=619 | option_d=624 | answer=D | explanation=50% of 1249 = $(50/100) \times 1249 = 624$.

id=36032 | topic=Percentages | difficulty=Easy | question=What is 10% of 860? | option_a=91 | option_b=86 | option_c=172 | option_d=66 | answer=B | explanation=10% of 860 = $(10/100) \times 860 = 86$.

id=36033 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 6. | option_a=32 | option_b=48 | option_c=24 | option_d=18 | answer=C | explanation= $LCM \times HCF = 8 \times 6$; $HCF(8,6) = 2$, so $LCM = 24$.

id=36034 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=X | option_b=N | option_c=S | option_d=I | answer=C | explanation=Move 5 positions forward from N; the resulting letter is S.

id=36035 | topic=Percentages | difficulty=Easy | question=What is 40% of 1786? | option_a=714 | option_b=694 | option_c=1428 | option_d=724 | answer=A | explanation=40% of 1786 = $(40/100) \times 1786 = 714$.

id=36036 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=180 | option_c=175 | option_d=360 | answer=B | explanation=Speed = distance ÷ time = $360 \div 2 = 180$ km/h.

id=36037 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=33 | option_b=26 | option_c=38 | option_d=32 | answer=D | explanation=The common difference is 6. Therefore the next term is $26 + 6 = 32$.

id=36038 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=36039 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 21? | option_a=17 | option_b=13 | option_c=15 | option_d=21 | answer=D | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 21 is the odd one out.

id=36040 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4289. If it is sold at a profit of 25%, what is its selling price? | option_a=4933 | option_b=5789 | option_c=5361 | option_d=4314 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4289 \times 125/100 = \text{█}5361$.

id=36041 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4618. If it is sold at a profit of 40%, what is its selling price? | option_a=4658 | option_b=6004 | option_c=6926 | option_d=6465 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4618 \times 140/100 = \text{█}6465$.

id=36042 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = $120 \div 2 = 60$ km/h.

id=36043 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=36044 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=36045 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=H | option_b=K | option_c=B | option_d=E | answer=A | explanation=Move 3 positions forward from E; the resulting letter is H.

id=36046 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=52 | option_b=65 | option_c=76 | option_d=64 | answer=D | explanation=The common difference is 12. Therefore the next term is $52 + 12 = 64$.

id=36047 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=75 | option_c=80 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = $240 \div 3 = 80$ km/h.

id=36048 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42302 at 12% per annum for 3 years. | option_a=57530 | option_b=15228 | option_c=15328 | option_d=15128 | answer=B | explanation=SI = $PRT/100 = 42302 \times 12 \times 3/100 = \text{█}15228$.

id=36049 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23370 at 6% per annum for 2 years. | option_a=2804 | option_b=2704 | option_c=26174 | option_d=2904 | answer=A | explanation=SI = $PRT/100 = 23370 \times 6 \times 2/100 = \text{█}2804$.

id=36050 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=61 | option_b=50 | option_c=72 | option_d=62 | answer=A | explanation=The common difference is 11. Therefore the next term is $50 + 11 = 61$.

id=36051 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=36052 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=X | option_b=N | option_c=I | option_d=S | answer=D | explanation=Move 5 positions forward from N; the resulting letter is S.

id=36053 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:20 and the first is 88, what is the second? | option_a=248 | option_b=160 | option_c=171 | option_d=140 | answer=B | explanation=Scale factor = $88/11 = 8$. Therefore second quantity = $20 \times 8 = 160$.

id=36054 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 15. | option_a=144 | option_b=360 | option_c=120 | option_d=105 | answer=C | explanation= $LCM \times HCF = 24 \times 15$; $HCF(24,15) = 3$, so $LCM = 120$.

id=36055 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:15 and the first is 52, what is the second? | option_a=45 | option_b=73 | option_c=112 | option_d=60 | answer=D | explanation=Scale factor = $52/13 = 4$. Therefore second quantity = $15 \times 4 = 60$.

id=36056 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=36057 | topic=Percentages | difficulty=Easy | question=What is 15% of 1123? | option_a=336 | option_b=173 | option_c=168 | option_d=158 | answer=C | explanation=15% of 1123 = $(15/100) \times 1123 = 168$.

id=36058 | topic=Averages | difficulty=Easy | question=Find the average of 13, 71, 85, 31, 55. | option_a=52 | option_b=50 | option_c=51 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = $255 \div 5 = 51$.

id=36059 | topic=Percentages | difficulty=Easy | question=What is 40% of 911? | option_a=728 | option_b=364 | option_c=344 | option_d=374 | answer=B | explanation=40% of 911 = $(40/100) \times 911 = 364$.

id=36060 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

Aptitude Questions — Records 36,061-36,090 of 100,000

id=36061 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=9 | option_c=4 | option_d=18 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=36062 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=36063 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 8. | option_a=112 | option_b=150 | option_c=240 | option_d=120 | answer=D | explanation=LCM × HCF = 30×8; HCF(30,8) = 2, so LCM = 120.

id=36064 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=21 | option_b=22 | option_c=17 | option_d=25 | answer=A | explanation=The common difference is 4. Therefore the next term is 17 + 4 = 21.

id=36065 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■20500 at 5% per annum for 4 years. | option_a=4200 | option_b=4100 | option_c=4000 | option_d=24600 | answer=B | explanation=SI = PRT/100 = 20500×5×4/100 = ■4100.

id=36066 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=36067 | topic=Averages | difficulty=Easy | question=Find the average of 24, 97, 50, 69, 86, 10, 65, 65, 29. | option_a=55 | option_b=57 | option_c=54 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.

id=36068 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4693. If it is sold at a profit of 20%, what is its selling price? | option_a=5162 | option_b=5631 | option_c=6100 | option_d=4713 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4693 × 120/100 = ■5631.

id=36069 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■48028 at 5% per annum for 5 years. | option_a=11907 | option_b=60035 | option_c=12007 | option_d=12107 | answer=C | explanation=SI = PRT/100 = 48028×5×5/100 = ■12007.

id=36070 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■49113 at 6% per annum for 3 years. | option_a=8940 | option_b=57953 | option_c=8740 | option_d=8840 | answer=D | explanation=SI = PRT/100 = 49113×6×3/100 = ■8840.

id=36071 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■8378 at 6% per annum for 2 years. | option_a=905 | option_b=1105 | option_c=9383 | option_d=1005 | answer=D | explanation=SI = PRT/100 = 8378×6×2/100 = ■1005.

id=36072 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=J | option_c=K | option_d=L | answer=D | explanation=Move 1 positions forward from K; the resulting letter is L.

id=36073 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■5947 at 6% per annum for 3 years. | option_a=1070 | option_b=1170 | option_c=970 | option_d=7017 | answer=A | explanation=SI = PRT/100 = 5947×6×3/100 = ■1070.

id=36074 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 26. | option_a=364 | option_b=338 | option_c=392 | option_d=728 | answer=A | explanation=LCM × HCF = 28×26; HCF(28,26) = 2, so LCM = 364.

id=36075 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=180 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=36076 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1802. If it is sold at a profit of 20%, what is its selling price? | option_a=2342 | option_b=2162 | option_c=1822 | option_d=1982 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1802 × 120/100 = ■2162.

id=36077 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 10, 16, 24? | option_a=10 | option_b=4 | option_c=16 | option_d=24 | answer=D | explanation=The first three numbers increase by 6, so the next should be 22. Therefore 24 is the odd one out.

id=36078 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■22630 at 8% per annum for 3 years. | option_a=28061 | option_b=5431 | option_c=5331 | option_d=5531 | answer=B | explanation=SI = PRT/100 = 22630×8×3/100 = ■5431.

id=36079 | topic=Averages | difficulty=Easy | question=Find the average of 75, 21, 25, 60, 99, 65, 31, 100, 91. | option_a=65 | option_b=64 | option_c=62 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 567 ÷ 9 = 63.

id=36080 | topic=Averages | difficulty=Easy | question=Find the average of 58, 56, 27. | option_a=47 | option_b=46 | option_c=48 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 141 ÷ 3 = 47.

id=36081 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■32988 at 10% per annum for 2 years. | option_a=39585 | option_b=6497 | option_c=6597 | option_d=6697 | answer=C | explanation=SI = PRT/100 = 32988×10×2/100 = ■6597.

id=36082 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=36083 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=36084 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=72 | option_c=36 | option_d=31 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=36085 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 12, 15, 18, ? | option_a=18 | option_b=24 | option_c=22 | option_d=21 | answer=D | explanation=The common difference is 3. Therefore the next term is 18 + 3 = 21.

id=36086 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:5 and the first is 60, what is the second? | option_a=45 | option_b=110 | option_c=56 | option_d=50 | answer=D | explanation=Scale factor = 60/6 = 10. Therefore second quantity = 5×10 = 50.

id=36087 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=36088 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 30, 32, 37? | option_a=37 | option_b=30 | option_c=28 | option_d=32 | answer=A | explanation=The first three numbers increase by 2, so the next should be 34. Therefore 37 is the odd one out.

id=36089 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 35, 44, 56? | option_a=56 | option_b=44 | option_c=35 | option_d=26 | answer=A | explanation=The first three numbers increase by 9, so the next should be 53. Therefore 56 is the odd one out.

id=36090 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=20 | option_b=24 | option_c=23 | option_d=26 | answer=C | explanation=The common difference is 3. Therefore the next term is 20 + 3 = 23.

Aptitude Questions — Records 36,091-36,120 of 100,000

id=36091 | topic=Averages | difficulty=Easy | question=Find the average of 75, 14, 37, 94, 75. | option_a=59 | option_b=60 | option_c=58 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 295 ÷ 5 = 59.

id=36092 | topic=Averages | difficulty=Easy | question=Find the average of 53, 82, 96, 73, 96. | option_a=82 | option_b=79 | option_c=81 | option_d=80 | answer=D | explanation=Average = sum of values ÷ number of values = 400 ÷ 5 = 80.

id=36093 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**37959 at 15% per annum for 1 years. | option_a=43652 | option_b=5593 | option_c=5793 | option_d=5693 | answer=D | explanation=SI = $PRT/100 = 37959 \times 15 \times 1/100 = \text{₹}5693$.

id=36094 | topic=Averages | difficulty=Easy | question=Find the average of 88, 24, 14, 99, 55, 11, 30, 48, 37, 24. | option_a=45 | option_b=43 | option_c=44 | option_d=42 | answer=B | explanation=Average = sum of values ÷ number of values = 430 ÷ 10 = 43.

id=36095 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:20 and the first is 80, what is the second? | option_a=100 | option_b=80 | option_c=60 | option_d=160 | answer=B | explanation=Scale factor = $80/20 = 4$. Therefore second quantity = $20 \times 4 = 80$.

id=36096 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=17 | option_c=12 | option_d=24 | answer=C | explanation=Speed = distance ÷ time = $120 \div 10 = 12$ km/h.

id=36097 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=Q | option_b=M | option_c=I | option_d=E | answer=B | explanation=Move 4 positions forward from I; the resulting letter is M.

id=36098 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**628. If it is sold at a profit of 25%, what is its selling price? | option_a=847 | option_b=785 | option_c=723 | option_d=653 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 628 \times 125/100 = \text{₹}785$.

id=36099 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**235. If it is sold at a profit of 30%, what is its selling price? | option_a=265 | option_b=328 | option_c=282 | option_d=305 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 235 \times 130/100 = \text{₹}305$.

id=36100 | topic=Averages | difficulty=Easy | question=Find the average of 17, 17, 34, 58, 52, 17, 88, 21. | option_a=40 | option_b=39 | option_c=37 | option_d=38 | answer=D | explanation=Average = sum of values ÷ number of values = $304 \div 8 = 38$.

id=36101 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=E | option_b=H | option_c=N | option_d=K | answer=D | explanation=Move 3 positions forward from H; the resulting letter is K.

id=36102 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=H | option_b=K | option_c=N | option_d=Q | answer=C | explanation=Move 3 positions forward from K; the resulting letter is N.

id=36103 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=X | option_b=B | option_c=P | option_d=T | answer=A | explanation=Move 4 positions forward from T; the resulting letter is X.

id=36104 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:2 and the first is 288, what is the second? | option_a=32 | option_b=320 | option_c=30 | option_d=50 | answer=A | explanation=Scale factor = $288/18 = 16$. Therefore second quantity = $2 \times 16 = 32$.

id=36105 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 46? | option_a=46 | option_b=35 | option_c=19 | option_d=27 | answer=A | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 46 is the odd one out.

id=36106 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=36107 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=47 | option_b=55 | option_c=39 | option_d=48 | answer=A | explanation=The common difference is 8. Therefore the next term is $39 + 8 = 47$.

id=36108 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=35 | option_b=41 | option_c=45 | option_d=40 | answer=D | explanation=The common difference is 5. Therefore the next term is $35 + 5 = 40$.

id=36109 | topic=Averages | difficulty=Easy | question=Find the average of 10, 22, 100. | option_a=44 | option_b=43 | option_c=46 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = $132 \div 3 = 44$.

id=36110 | topic=Averages | difficulty=Easy | question=Find the average of 96, 32, 12, 13, 17, 70, 36, 16, 68. | option_a=42 | option_b=40 | option_c=41 | option_d=39 | answer=B | explanation=Average = sum of values ÷ number of values = $360 \div 9 = 40$.

id=36111 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=4 | option_c=18 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = $90 \div 10 = 9$ km/h.

id=36112 | topic=Percentages | difficulty=Easy | question=What is 50% of 357? | option_a=178 | option_b=356 | option_c=158 | option_d=188 | answer=A | explanation=50% of 357 = $(50/100) \times 357 = 178$.

id=36113 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 13, 23, 36? | option_a=13 | option_b=23 | option_c=36 | option_d=3 | answer=C | explanation=The first three numbers increase by 10, so the next should be 33. Therefore 36 is the odd one out.

id=36114 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:10 and the first is 24, what is the second? | option_a=70 | option_b=104 | option_c=80 | option_d=83 | answer=C | explanation=Scale factor = $24/3 = 8$. Therefore second quantity = $10 \times 8 = 80$.

id=36115 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=T | option_b=U | option_c=W | option_d=V | answer=D | explanation=Move 1 positions forward from U; the resulting letter is V.

id=36116 | topic=Percentages | difficulty=Easy | question=What is 50% of 578? | option_a=279 | option_b=299 | option_c=289 | option_d=578 | answer=C | explanation=50% of 578 = $(50/100) \times 578 = 289$.

id=36117 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=36118 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=Z | option_b=B | option_c=A | option_d=C | answer=B | explanation=Move 1 positions forward from A; the resulting letter is B.

id=36119 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 4. | option_a=30 | option_b=40 | option_c=16 | option_d=20 | answer=D | explanation= $LCM \times HCF = 10 \times 4$; $HCF(10,4) = 2$, so $LCM = 20$.

id=36120 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**15361 at 5% per annum for 5 years. | option_a=3940 | option_b=3840 | option_c=3740 | option_d=19201 | answer=B | explanation=SI = $PRT/100 = 15361 \times 5 \times 5/100 = \text{₹}3840$.

Aptitude Questions — Records 36,121-36,150 of 100,000

id=36121 | topic=Percentages | difficulty=Easy | question=What is 25% of 569? | option_a=284 | option_b=142 | option_c=137 | option_d=152 | answer=B | explanation=25% of 569 = (25/100) × 569 = 142.

id=36122 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=36123 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 22. | option_a=360 | option_b=330 | option_c=308 | option_d=660 | answer=B | explanation=LCM × HCF = 30×22; HCF(30,22) = 2, so LCM = 330.

id=36124 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=63 | option_b=51 | option_c=62 | option_d=73 | answer=C | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.

id=36125 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2030. If it is sold at a profit of 40%, what is its selling price? | option_a=3045 | option_b=2070 | option_c=2639 | option_d=2842 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2030 × 140/100 = █2842.

id=36126 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4713. If it is sold at a profit of 25%, what is its selling price? | option_a=6362 | option_b=4738 | option_c=5420 | option_d=5891 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4713 × 125/100 = █5891.

id=36127 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=P | option_c=G | option_d=M | answer=D | explanation=Move 3 positions forward from J; the resulting letter is M.

id=36128 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=19 | option_c=48 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=36129 | topic=Percentages | difficulty=Easy | question=What is 20% of 382? | option_a=56 | option_b=96 | option_c=152 | option_d=76 | answer=D | explanation=20% of 382 = (20/100) × 382 = 76.

id=36130 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=L | option_b=H | option_c=N | option_d=J | answer=A | explanation=Move 2 positions forward from J; the resulting letter is L.

id=36131 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=36132 | topic=Averages | difficulty=Easy | question=Find the average of 18, 29, 54, 30, 84. | option_a=45 | option_b=42 | option_c=44 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = 215 ÷ 5 = 43.

id=36133 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 26, 28, 32? | option_a=24 | option_b=26 | option_c=28 | option_d=32 | answer=D | explanation=The first three numbers increase by 2, so the next should be 30. Therefore 32 is the odd one out.

id=36134 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=36135 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=I | option_c=C | option_d=G | answer=D | explanation=Move 2 positions forward from E; the resulting letter is G.

id=36136 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=30 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=36137 | topic=Percentages | difficulty=Easy | question=What is 10% of 1417? | option_a=146 | option_b=282 | option_c=141 | option_d=131 | answer=C | explanation=10% of 1417 = (10/100) × 1417 = 141.

id=36138 | topic=Averages | difficulty=Easy | question=Find the average of 52, 10, 52. | option_a=40 | option_b=37 | option_c=39 | option_d=38 | answer=D | explanation=Average = sum of values ÷ number of values = 114 ÷ 3 = 38.

id=36139 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=34 | option_b=41 | option_c=27 | option_d=35 | answer=A | explanation=The common difference is 7. Therefore the next term is 27 + 7 = 34.

id=36140 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:10 and the first is 38, what is the second? | option_a=39 | option_b=10 | option_c=58 | option_d=20 | answer=D | explanation=Scale factor = 38/19 = 2. Therefore second quantity = 10×2 = 20.

id=36141 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=36142 | topic=Percentages | difficulty=Easy | question=What is 30% of 942? | option_a=564 | option_b=277 | option_c=292 | option_d=282 | answer=D | explanation=30% of 942 = (30/100) × 942 = 282.

id=36143 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=H | option_c=W | option_d=R | answer=D | explanation=Move 5 positions forward from M; the resulting letter is R.

id=36144 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 14, 18, 24? | option_a=18 | option_b=14 | option_c=10 | option_d=24 | answer=D | explanation=The first three numbers increase by 4, so the next should be 22. Therefore 24 is the odd one out.

id=36145 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30973 at 5% per annum for 3 years. | option_a=4745 | option_b=4645 | option_c=4545 | option_d=35618 | answer=B | explanation=SI = PRT/100 = 30973×5×3/100 = █4645.

id=36146 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4901 at 5% per annum for 1 years. | option_a=245 | option_b=145 | option_c=345 | option_d=5146 | answer=A | explanation=SI = PRT/100 = 4901×5×1/100 = █245.

id=36147 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=W | option_c=Q | option_d=U | answer=D | explanation=Move 2 positions forward from S; the resulting letter is U.

id=36148 | topic=Averages | difficulty=Easy | question=Find the average of 49, 14, 67, 69, 80, 22, 19, 30, 20, 90. | option_a=45 | option_b=46 | option_c=47 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 460 ÷ 10 = 46.

id=36149 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:9 and the first is 7, what is the second? | option_a=54 | option_b=70 | option_c=64 | option_d=63 | answer=D | explanation=Scale factor = 7/1 = 7. Therefore second quantity = 9×7 = 63.

id=36150 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=54 | option_b=53 | option_c=42 | option_d=64 | answer=B | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.

Aptitude Questions — Records 36,151-36,180 of 100,000

id=36151 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 23, 32, 43? | option_a=14 | option_b=23 | option_c=43 | option_d=32 | answer=C | explanation=The first three numbers increase by 9, so the next should be 41. Therefore 43 is the odd one out.

id=36152 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 33? | option_a=21 | option_b=26 | option_c=16 | option_d=33 | answer=D | explanation=The first three numbers increase by 5, so the next should be 31. Therefore 33 is the odd one out.

id=36153 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:5 and the first is 380, what is the second? | option_a=90 | option_b=95 | option_c=475 | option_d=115 | answer=B | explanation=Scale factor = 380/20 = 19. Therefore second quantity = 5×19 = 95.

id=36154 | topic=Percentages | difficulty=Easy | question=What is 5% of 926? | option_a=46 | option_b=66 | option_c=36 | option_d=92 | answer=A | explanation=5% of 926 = (5/100) × 926 = 46.

id=36155 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=55 | option_c=100 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=36156 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=36157 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40868 at 5% per annum for 1 years. | option_a=1943 | option_b=42911 | option_c=2043 | option_d=2143 | answer=C | explanation=SI = PRT/100 = 40868×5×1/100 = █2043.

id=36158 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=36159 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=36160 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=150 | option_c=70 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=36161 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=X | option_b=S | option_c=I | option_d=N | answer=B | explanation=Move 5 positions forward from N; the resulting letter is S.

id=36162 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=19 | option_c=29 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=36163 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=22 | option_b=26 | option_c=30 | option_d=27 | answer=B | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.

id=36164 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 20? | option_a=15 | option_b=7 | option_c=20 | option_d=11 | answer=C | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 20 is the odd one out.

id=36165 | topic=Percentages | difficulty=Easy | question=What is 40% of 1028? | option_a=391 | option_b=411 | option_c=822 | option_d=431 | answer=B | explanation=40% of 1028 = (40/100) × 1028 = 411.

id=36166 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:18 and the first is 52, what is the second? | option_a=238 | option_b=234 | option_c=216 | option_d=286 | answer=B | explanation=Scale factor = 52/4 = 13. Therefore second quantity = 18×13 = 234.

id=36167 | topic=Percentages | difficulty=Easy | question=What is 20% of 1518? | option_a=606 | option_b=323 | option_c=303 | option_d=293 | answer=C | explanation=20% of 1518 = (20/100) × 1518 = 303.

id=36168 | topic=Averages | difficulty=Easy | question=Find the average of 63, 11, 59, 97, 15, 13, 87, 56, 84, 25. | option_a=51 | option_b=53 | option_c=52 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

id=36169 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2385. If it is sold at a profit of 15%, what is its selling price? | option_a=2400 | option_b=2980 | option_c=2504 | option_d=2742 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2385 × 115/100 = █2742.

id=36170 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=P | option_b=D | option_c=L | option_d=H | answer=C | explanation=Move 4 positions forward from H; the resulting letter is L.

id=36171 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 33, 38, 46? | option_a=33 | option_b=46 | option_c=38 | option_d=28 | answer=B | explanation=The first three numbers increase by 5, so the next should be 43. Therefore 46 is the odd one out.

id=36172 | topic=Averages | difficulty=Easy | question=Find the average of 71, 21, 93, 54, 49, 40, 60, 77, 102. | option_a=65 | option_b=62 | option_c=64 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 567 ÷ 9 = 63.

id=36173 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=47 | option_b=36 | option_c=58 | option_d=48 | answer=A | explanation=The common difference is 11. Therefore the next term is 36 + 11 = 47.

id=36174 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42598 at 10% per annum for 1 years. | option_a=46857 | option_b=4259 | option_c=4359 | option_d=4159 | answer=B | explanation=SI = PRT/100 = 42598×10×1/100 = █4259.

id=36175 | topic=Averages | difficulty=Easy | question=Find the average of 86, 37, 88, 78, 27, 98. | option_a=68 | option_b=69 | option_c=70 | option_d=71 | answer=B | explanation=Average = sum of values ÷ number of values = 414 ÷ 6 = 69.

id=36176 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=X | option_b=U | option_c=R | option_d=A | answer=A | explanation=Move 3 positions forward from U; the resulting letter is X.

id=36177 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 77, what is the second? | option_a=96 | option_b=112 | option_c=123 | option_d=189 | answer=B | explanation=Scale factor = 77/11 = 7. Therefore second quantity = 16×7 = 112.

id=36178 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:11 and the first is 32, what is the second? | option_a=208 | option_b=176 | option_c=178 | option_d=165 | answer=B | explanation=Scale factor = 32/2 = 16. Therefore second quantity = 11×16 = 176.

id=36179 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 10. | option_a=110 | option_b=120 | option_c=144 | option_d=240 | answer=B | explanation=LCM × HCF = 24×10; HCF(24,10) = 2, so LCM = 120.

id=36180 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=28 | option_b=26 | option_c=30 | option_d=29 | answer=A | explanation=The common difference is 2. Therefore the next term is 26 + 2 = 28.

Aptitude Questions — Records 36,181-36,210 of 100,000

id=36181 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=77 | option_b=66 | option_c=53 | option_d=65 | answer=D | explanation=The common difference is 12. Therefore the next term is $53 + 12 = 65$.

id=36182 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=G | option_b=S | option_c=K | option_d=O | answer=D | explanation=Move 4 positions forward from K; the resulting letter is O.

id=36183 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2280. If it is sold at a profit of 40%, what is its selling price? | option_a=2964 | option_b=2320 | option_c=3192 | option_d=3420 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2280 \times 140/100 = \text{█}3192$.

id=36184 | topic=Averages | difficulty=Easy | question=Find the average of 27, 92, 24, 68, 88, 97. | option_a=66 | option_b=65 | option_c=68 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = $396 \div 6 = 66$.

id=36185 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 60? | option_a=37 | option_b=47 | option_c=60 | option_d=27 | answer=C | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 60 is the odd one out.

id=36186 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=12 | option_c=17 | option_d=24 | answer=B | explanation=Speed = distance ÷ time = $60 \div 5 = 12$ km/h.

id=36187 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=56 | option_b=45 | option_c=65 | option_d=55 | answer=D | explanation=The common difference is 10. Therefore the next term is $45 + 10 = 55$.

id=36188 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4400 at 10% per annum for 1 years. | option_a=4840 | option_b=340 | option_c=540 | option_d=440 | answer=D | explanation=SI = $PRT/100 = 4400 \times 10 \times 1/100 = \text{█}440$.

id=36189 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=80 | option_c=150 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = $150 \div 2 = 75$ km/h.

id=36190 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 35, 43, 54? | option_a=27 | option_b=43 | option_c=54 | option_d=35 | answer=C | explanation=The first three numbers increase by 8, so the next should be 51. Therefore 54 is the odd one out.

id=36191 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4002. If it is sold at a profit of 15%, what is its selling price? | option_a=5002 | option_b=4202 | option_c=4017 | option_d=4602 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4002 \times 115/100 = \text{█}4602$.

id=36192 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 11? | option_a=4 | option_b=11 | option_c=2 | option_d=6 | answer=B | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 11 is the odd one out.

id=36193 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 30. | option_a=32 | option_b=60 | option_c=1 | option_d=30 | answer=D | explanation= $LCM \times HCF = 2 \times 30$; $HCF(2,30) = 2$, so $LCM = 30$.

id=36194 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:7 and the first is 180, what is the second? | option_a=243 | option_b=56 | option_c=83 | option_d=63 | answer=D | explanation=Scale factor = $180/20 = 9$. Therefore second quantity = $7 \times 9 = 63$.

id=36195 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14456 at 5% per annum for 4 years. | option_a=2891 | option_b=17347 | option_c=2991 | option_d=2791 | answer=A | explanation=SI = $PRT/100 = 14456 \times 5 \times 4/100 = \text{█}2891$.

id=36196 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4564. If it is sold at a profit of 40%, what is its selling price? | option_a=4604 | option_b=6389 | option_c=6845 | option_d=5933 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4564 \times 140/100 = \text{█}6389$.

id=36197 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 25, 35, 47? | option_a=25 | option_b=15 | option_c=47 | option_d=35 | answer=C | explanation=The first three numbers increase by 10, so the next should be 45. Therefore 47 is the odd one out.

id=36198 | topic=Averages | difficulty=Easy | question=Find the average of 88, 64, 13. | option_a=56 | option_b=54 | option_c=57 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = $165 \div 3 = 55$.

id=36199 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 13, 17, 23? | option_a=23 | option_b=17 | option_c=13 | option_d=9 | answer=A | explanation=The first three numbers increase by 4, so the next should be 21. Therefore 23 is the odd one out.

id=36200 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 35, 44, 55? | option_a=44 | option_b=26 | option_c=55 | option_d=35 | answer=C | explanation=The first three numbers increase by 9, so the next should be 53. Therefore 55 is the odd one out.

id=36201 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=43 | option_c=53 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = $240 \div 5 = 48$ km/h.

id=36202 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 29? | option_a=12 | option_b=29 | option_c=19 | option_d=5 | answer=B | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 29 is the odd one out.

id=36203 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=12 | answer=B | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=36204 | topic=Percentages | difficulty=Easy | question=What is 25% of 1668? | option_a=437 | option_b=417 | option_c=412 | option_d=834 | answer=B | explanation= $25\% \text{ of } 1668 = (25/100) \times 1668 = 417$.

id=36205 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=S | option_b=I | option_c=X | option_d=N | answer=A | explanation=Move 5 positions forward from N; the resulting letter is S.

id=36206 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=M | option_c=A | option_d=I | answer=D | explanation=Move 4 positions forward from E; the resulting letter is I.

id=36207 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 33, 39, 46? | option_a=27 | option_b=39 | option_c=33 | option_d=46 | answer=D | explanation=The first three numbers increase by 6, so the next should be 45. Therefore 46 is the odd one out.

id=36208 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = $150 \div 5 = 30$ km/h.

id=36209 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 34, 42, 51? | option_a=34 | option_b=42 | option_c=51 | option_d=26 | answer=C | explanation=The first three numbers increase by 8, so the next should be 50. Therefore 51 is the odd one out.

id=36210 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

Aptitude Questions — Records 36,211-36,240 of 100,000

id=36211 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=V | option_c=Q | option_d=G | answer=C | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=36212 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=24 | option_d=5 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=36213 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 15. | option_a=162 | option_b=120 | option_c=135 | option_d=405 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 27 \times 15$; $\text{HCF}(27,15) = 3$, so $\text{LCM} = 135$.

id=36214 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37236 at 6% per annum for 3 years. | option_a=6602 | option_b=6702 | option_c=6802 | option_d=43938 | answer=B | explanation= $\text{SI} = \frac{\text{PRT}}{100} = \frac{37236 \times 6 \times 3}{100} = \text{■}6702$.

id=36215 | topic=Averages | difficulty=Easy | question=Find the average of 84, 45, 10, 39, 41, 95, 88, 46. | option_a=58 | option_b=57 | option_c=56 | option_d=55 | answer=C | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{448}{8} = 56$.

id=36216 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 33? | option_a=33 | option_b=2 | option_c=12 | option_d=22 | answer=A | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 33 is the odd one out.

id=36217 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**453. If it is sold at a profit of 40%, what is its selling price? | option_a=493 | option_b=589 | option_c=679 | option_d=634 | answer=D | explanation= $\text{Selling price} = \text{CP} \times \frac{(100 + \text{profit}\%)}{100} = 453 \times \frac{140}{100} = \text{■}634$.

id=36218 | topic=Averages | difficulty=Easy | question=Find the average of 65, 75, 97, 38, 38, 11, 84, 77, 28, 47. | option_a=56 | option_b=55 | option_c=58 | option_d=57 | answer=A | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{560}{10} = 56$.

id=36219 | topic=Percentages | difficulty=Easy | question=What is 5% of 1625? | option_a=81 | option_b=76 | option_c=91 | option_d=162 | answer=A | explanation= $5\% \text{ of } 1625 = \frac{(5/100) \times 1625}{1} = 81$.

id=36220 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2685. If it is sold at a profit of 15%, what is its selling price? | option_a=2819 | option_b=3355 | option_c=3087 | option_d=2700 | answer=C | explanation= $\text{Selling price} = \text{CP} \times \frac{(100 + \text{profit}\%)}{100} = 2685 \times \frac{115}{100} = \text{■}3087$.

id=36221 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 21, 23, 27? | option_a=27 | option_b=19 | option_c=23 | option_d=21 | answer=A | explanation=The first three numbers increase by 2, so the next should be 25. Therefore 27 is the odd one out.

id=36222 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 34, 39, 47? | option_a=29 | option_b=39 | option_c=47 | option_d=34 | answer=C | explanation=The first three numbers increase by 5, so the next should be 44. Therefore 47 is the odd one out.

id=36223 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 15. | option_a=270 | option_b=108 | option_c=75 | option_d=90 | answer=D | explanation= $\text{LCM} \times \text{HCF} = 18 \times 15$; $\text{HCF}(18,15) = 3$, so $\text{LCM} = 90$.

id=36224 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:9 and the first is 112, what is the second? | option_a=63 | option_b=79 | option_c=54 | option_d=175 | answer=A | explanation= $\text{Scale factor} = \frac{112}{16} = 7$. Therefore second quantity = $9 \times 7 = 63$.

id=36225 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:4 and the first is 52, what is the second? | option_a=12 | option_b=16 | option_c=29 | option_d=68 | answer=B | explanation= $\text{Scale factor} = \frac{52}{13} = 4$. Therefore second quantity = $4 \times 4 = 16$.

id=36226 | topic=Percentages | difficulty=Easy | question=What is 40% of 1110? | option_a=449 | option_b=888 | option_c=424 | option_d=444 | answer=D | explanation= $40\% \text{ of } 1110 = \frac{(40/100) \times 1110}{1} = 444$.

id=36227 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 29, 34, 42? | option_a=24 | option_b=42 | option_c=34 | option_d=29 | answer=B | explanation=The first three numbers increase by 5, so the next should be 39. Therefore 42 is the odd one out.

id=36228 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 15? | option_a=8 | option_b=11 | option_c=5 | option_d=15 | answer=D | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 15 is the odd one out.

id=36229 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=38 | option_b=45 | option_c=50 | option_d=44 | answer=D | explanation=The common difference is 6. Therefore the next term is $38 + 6 = 44$.

id=36230 | topic=Percentages | difficulty=Easy | question=What is 12% of 1299? | option_a=310 | option_b=135 | option_c=160 | option_d=155 | answer=D | explanation= $12\% \text{ of } 1299 = \frac{(12/100) \times 1299}{1} = 155$.

id=36231 | topic=Averages | difficulty=Easy | question=Find the average of 42, 79, 65, 88, 13, 32, 14, 35. | option_a=47 | option_b=45 | option_c=48 | option_d=46 | answer=D | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{368}{8} = 46$.

id=36232 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:3 and the first is 16, what is the second? | option_a=24 | option_b=40 | option_c=26 | option_d=21 | answer=A | explanation= $\text{Scale factor} = \frac{16}{2} = 8$. Therefore second quantity = $3 \times 8 = 24$.

id=36233 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=Z | option_b=H | option_c=L | option_d=D | answer=B | explanation=Move 4 positions forward from D; the resulting letter is H.

id=36234 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 34? | option_a=24 | option_b=34 | option_c=28 | option_d=20 | answer=B | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 34 is the odd one out.

id=36235 | topic=Averages | difficulty=Easy | question=Find the average of 83, 63, 13. | option_a=54 | option_b=52 | option_c=55 | option_d=53 | answer=D | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{159}{3} = 53$.

id=36236 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=15 | option_d=30 | answer=C | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{120}{8} = 15 \text{ km/h}$.

id=36237 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=85 | option_c=80 | option_d=75 | answer=C | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{240}{3} = 80 \text{ km/h}$.

id=36238 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = $\frac{1}{4} + \frac{1}{4} = \frac{8}{16}$. Time = $\frac{16}{8} = 2$ days.

id=36239 | topic=Averages | difficulty=Easy | question=Find the average of 92, 81, 58. | option_a=78 | option_b=79 | option_c=77 | option_d=76 | answer=C | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{231}{3} = 77$.

id=36240 | topic=Percentages | difficulty=Easy | question=What is 50% of 209? | option_a=109 | option_b=104 | option_c=99 | option_d=208 | answer=B | explanation= $50\% \text{ of } 209 = \frac{(50/100) \times 209}{1} = 104$.

Aptitude Questions — Records 36,241-36,270 of 100,000

id=36241 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=17 | option_b=19 | option_c=21 | option_d=20 | answer=B | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=36242 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=36243 | topic=Percentages | difficulty=Easy | question=What is 15% of 342? | option_a=46 | option_b=71 | option_c=102 | option_d=51 | answer=D | explanation=15% of 342 = (15/100) × 342 = 51.

id=36244 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=7 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=36245 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44250 at 12% per annum for 1 years. | option_a=49560 | option_b=5310 | option_c=5410 | option_d=5210 | answer=B | explanation=SI = PRT/100 = 44250×12×1/100 = **■**5310.

id=36246 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 38? | option_a=23 | option_b=17 | option_c=38 | option_d=29 | answer=C | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 38 is the odd one out.

id=36247 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 24. | option_a=286 | option_b=528 | option_c=240 | option_d=264 | answer=D | explanation=LCM × HCF = 22×24; HCF(22,24) = 2, so LCM = 264.

id=36248 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=36249 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=115 | option_c=120 | option_d=240 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=36250 | topic=Percentages | difficulty=Easy | question=What is 10% of 398? | option_a=78 | option_b=29 | option_c=49 | option_d=39 | answer=D | explanation=10% of 398 = (10/100) × 398 = 39.

id=36251 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 31, 42, 53, ? | option_a=75 | option_b=65 | option_c=53 | option_d=64 | answer=D | explanation=The common difference is 11. Therefore the next term is 53 + 11 = 64.

id=36252 | topic=Percentages | difficulty=Easy | question=What is 25% of 530? | option_a=142 | option_b=132 | option_c=112 | option_d=264 | answer=B | explanation=25% of 530 = (25/100) × 530 = 132.

id=36253 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:13 and the first is 6, what is the second? | option_a=29 | option_b=26 | option_c=32 | option_d=13 | answer=B | explanation=Scale factor = 6/3 = 2. Therefore second quantity = 13×2 = 26.

id=36254 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=53 | option_c=48 | option_d=43 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=36255 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46339 at 10% per annum for 2 years. | option_a=9167 | option_b=55606 | option_c=9367 | option_d=9267 | answer=D | explanation=SI = PRT/100 = 46339×10×2/100 = **■**9267.

id=36256 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 29, 36, 44? | option_a=36 | option_b=29 | option_c=22 | option_d=44 | answer=D | explanation=The first three numbers increase by 7, so the next should be 43. Therefore 44 is the odd one out.

id=36257 | topic=Percentages | difficulty=Easy | question=What is 50% of 608? | option_a=299 | option_b=304 | option_c=309 | option_d=608 | answer=B | explanation=50% of 608 = (50/100) × 608 = 304.

id=36258 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=V | option_b=K | option_c=A | option_d=F | answer=D | explanation=Move 5 positions forward from A; the resulting letter is F.

id=36259 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=J | option_c=H | option_d=D | answer=C | explanation=Move 2 positions forward from F; the resulting letter is H.

id=36260 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=U | option_c=I | option_d=M | answer=A | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=36261 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:19 and the first is 154, what is the second? | option_a=420 | option_b=266 | option_c=247 | option_d=277 | answer=B | explanation=Scale factor = 154/11 = 14. Therefore second quantity = 19×14 = 266.

id=36262 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 20. | option_a=1 | option_b=400 | option_c=40 | option_d=20 | answer=D | explanation=LCM × HCF = 20×20; HCF(20,20) = 20, so LCM = 20.

id=36263 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=20 | option_c=10 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=36264 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=36265 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2683. If it is sold at a profit of 40%, what is its selling price? | option_a=2723 | option_b=3488 | option_c=4024 | option_d=3756 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2683 × 140/100 = **■**3756.

id=36266 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=36267 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:14 and the first is 72, what is the second? | option_a=84 | option_b=96 | option_c=70 | option_d=156 | answer=A | explanation=Scale factor = 72/12 = 6. Therefore second quantity = 14×6 = 84.

id=36268 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:13 and the first is 48, what is the second? | option_a=195 | option_b=208 | option_c=211 | option_d=256 | answer=B | explanation=Scale factor = 48/3 = 16. Therefore second quantity = 13×16 = 208.

id=36269 | topic=Percentages | difficulty=Easy | question=What is 15% of 1775? | option_a=261 | option_b=266 | option_c=276 | option_d=532 | answer=B | explanation=15% of 1775 = (15/100) × 1775 = 266.

id=36270 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:13 and the first is 48, what is the second? | option_a=195 | option_b=211 | option_c=256 | option_d=208 | answer=D | explanation=Scale factor = 48/3 = 16. Therefore second quantity = 13×16 = 208.

Aptitude Questions — Records 36,271-36,300 of 100,000

id=36271 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2790. If it is sold at a profit of 25%, what is its selling price? | option_a=3487 | option_b=3208 | option_c=3766 | option_d=2815 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2790 × 125/100 = █3487.

id=36272 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=80 | option_c=35 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=36273 | topic=Averages | difficulty=Easy | question=Find the average of 40, 37, 54, 65. | option_a=49 | option_b=50 | option_c=48 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 196 ÷ 4 = 49.

id=36274 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6035 at 10% per annum for 2 years. | option_a=1207 | option_b=1107 | option_c=7242 | option_d=1307 | answer=A | explanation=SI = PRT/100 = 6035×10×2/100 = █1207.

id=36275 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=36276 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=36277 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 8. | option_a=96 | option_b=36 | option_c=24 | option_d=16 | answer=C | explanation=LCM × HCF = 12×8; HCF(12,8) = 4, so LCM = 24.

id=36278 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=42 | option_b=35 | option_c=28 | option_d=36 | answer=B | explanation=The common difference is 7. Therefore the next term is 28 + 7 = 35.

id=36279 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=D | option_c=S | option_d=N | answer=D | explanation=Move 5 positions forward from I; the resulting letter is N.

id=36280 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=36281 | topic=Averages | difficulty=Easy | question=Find the average of 92, 54, 22. | option_a=55 | option_b=57 | option_c=58 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 168 ÷ 3 = 56.

id=36282 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22453 at 5% per annum for 5 years. | option_a=5713 | option_b=28066 | option_c=5613 | option_d=5513 | answer=C | explanation=SI = PRT/100 = 22453×5×5/100 = █5613.

id=36283 | topic=Percentages | difficulty=Easy | question=What is 15% of 1888? | option_a=283 | option_b=566 | option_c=263 | option_d=303 | answer=A | explanation=15% of 1888 = (15/100) × 1888 = 283.

id=36284 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14718 at 10% per annum for 4 years. | option_a=5787 | option_b=5987 | option_c=20605 | option_d=5887 | answer=D | explanation=SI = PRT/100 = 14718×10×4/100 = █5887.

id=36285 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36199 at 8% per annum for 3 years. | option_a=8787 | option_b=8687 | option_c=8587 | option_d=44886 | answer=B | explanation=SI = PRT/100 = 36199×8×3/100 = █8687.

id=36286 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:20 and the first is 256, what is the second? | option_a=300 | option_b=320 | option_c=336 | option_d=576 | answer=B | explanation=Scale factor = 256/16 = 16. Therefore second quantity = 20×16 = 320.

id=36287 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 14, 21, 31? | option_a=31 | option_b=7 | option_c=14 | option_d=21 | answer=A | explanation=The first three numbers increase by 7, so the next should be 28. Therefore 31 is the odd one out.

id=36288 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 20. | option_a=200 | option_b=30 | option_c=1 | option_d=20 | answer=D | explanation=LCM × HCF = 10×20; HCF(10,20) = 10, so LCM = 20.

id=36289 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21390 at 8% per annum for 4 years. | option_a=6744 | option_b=6844 | option_c=28234 | option_d=6944 | answer=B | explanation=SI = PRT/100 = 21390×8×4/100 = █6844.

id=36290 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16826 at 12% per annum for 2 years. | option_a=20864 | option_b=4138 | option_c=4038 | option_d=3938 | answer=C | explanation=SI = PRT/100 = 16826×12×2/100 = █4038.

id=36291 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20780 at 5% per annum for 2 years. | option_a=2178 | option_b=2078 | option_c=22858 | option_d=1978 | answer=B | explanation=SI = PRT/100 = 20780×5×2/100 = █2078.

id=36292 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3331. If it is sold at a profit of 40%, what is its selling price? | option_a=3371 | option_b=4663 | option_c=4996 | option_d=4330 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3331 × 140/100 = █4663.

id=36293 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:11 and the first is 24, what is the second? | option_a=77 | option_b=88 | option_c=112 | option_d=91 | answer=B | explanation=Scale factor = 24/3 = 8. Therefore second quantity = 11×8 = 88.

id=36294 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 31, 43, 55, ? | option_a=68 | option_b=67 | option_c=79 | option_d=55 | answer=B | explanation=The common difference is 12. Therefore the next term is 55 + 12 = 67.

id=36295 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=34 | option_b=30 | option_c=35 | option_d=38 | answer=A | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.

id=36296 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:1 and the first is 30, what is the second? | option_a=10 | option_b=13 | option_c=9 | option_d=40 | answer=A | explanation=Scale factor = 30/3 = 10. Therefore second quantity = 1×10 = 10.

id=36297 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 25, 30, 36? | option_a=36 | option_b=20 | option_c=30 | option_d=25 | answer=A | explanation=The first three numbers increase by 5, so the next should be 35. Therefore 36 is the odd one out.

id=36298 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=F | option_b=U | option_c=P | option_d=K | answer=C | explanation=Move 5 positions forward from K; the resulting letter is P.

id=36299 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:13 and the first is 168, what is the second? | option_a=156 | option_b=324 | option_c=143 | option_d=170 | answer=A | explanation=Scale factor = 168/14 = 12. Therefore second quantity = 13×12 = 156.

id=36300 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:20 and the first is 84, what is the second? | option_a=100 | option_b=120 | option_c=204 | option_d=134 | answer=B | explanation=Scale factor = 84/14 = 6. Therefore second quantity = 20×6 = 120.

Aptitude Questions — Records 36,301-36,330 of 100,000

id=36301 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=J | option_b=H | option_c=F | option_d=D | answer=B | explanation=Move 2 positions forward from F; the resulting letter is H.

id=36302 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=Q | option_c=Y | option_d=M | answer=A | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=36303 | topic=Percentages | difficulty=Easy | question=What is 10% of 124? | option_a=7 | option_b=12 | option_c=24 | option_d=22 | answer=B | explanation=10% of 124 = (10/100) × 124 = 12.

id=36304 | topic=Averages | difficulty=Easy | question=Find the average of 46, 81, 55, 18. | option_a=51 | option_b=50 | option_c=52 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 200 ÷ 4 = 50.

id=36305 | topic=Percentages | difficulty=Easy | question=What is 20% of 797? | option_a=318 | option_b=164 | option_c=149 | option_d=159 | answer=D | explanation=20% of 797 = (20/100) × 797 = 159.

id=36306 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=33 | option_b=27 | option_c=34 | option_d=39 | answer=A | explanation=The common difference is 6. Therefore the next term is 27 + 6 = 33.

id=36307 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=160 | option_c=80 | option_d=75 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=36308 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=150 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=36309 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:18 and the first is 44, what is the second? | option_a=116 | option_b=54 | option_c=72 | option_d=83 | answer=C | explanation=Scale factor = 44/11 = 4. Therefore second quantity = 18×4 = 72.

id=36310 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 18? | option_a=15 | option_b=11 | option_c=18 | option_d=13 | answer=C | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 18 is the odd one out.

id=36311 | topic=Percentages | difficulty=Easy | question=What is 5% of 1466? | option_a=53 | option_b=83 | option_c=73 | option_d=146 | answer=C | explanation=5% of 1466 = (5/100) × 1466 = 73.

id=36312 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=36 | option_b=31 | option_c=32 | option_d=26 | answer=B | explanation=The common difference is 5. Therefore the next term is 26 + 5 = 31.

id=36313 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4577. If it is sold at a profit of 5%, what is its selling price? | option_a=4582 | option_b=5262 | option_c=4805 | option_d=4348 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4577 × 105/100 = █4805.

id=36314 | topic=Percentages | difficulty=Easy | question=What is 50% of 1566? | option_a=788 | option_b=783 | option_c=1566 | option_d=763 | answer=B | explanation=50% of 1566 = (50/100) × 1566 = 783.

id=36315 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=P | option_c=M | option_d=O | answer=D | explanation=Move 1 positions forward from N; the resulting letter is O.

id=36316 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 5, 8, 12? | option_a=12 | option_b=2 | option_c=8 | option_d=5 | answer=A | explanation=The first three numbers increase by 3, so the next should be 11. Therefore 12 is the odd one out.

id=36317 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2927. If it is sold at a profit of 5%, what is its selling price? | option_a=3365 | option_b=2781 | option_c=3073 | option_d=2932 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2927 × 105/100 = █3073.

id=36318 | topic=Averages | difficulty=Easy | question=Find the average of 77, 16, 72. | option_a=56 | option_b=54 | option_c=55 | option_d=57 | answer=C | explanation=Average = sum of values + number of values = 165 ÷ 3 = 55.

id=36319 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=7 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=36320 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 28, 38, 50? | option_a=18 | option_b=38 | option_c=28 | option_d=50 | answer=D | explanation=The first three numbers increase by 10, so the next should be 48. Therefore 50 is the odd one out.

id=36321 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13892 at 6% per annum for 5 years. | option_a=4267 | option_b=4167 | option_c=18059 | option_d=4067 | answer=B | explanation=SI = PRT/100 = 13892×6×5/100 = █4167.

id=36322 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 39, 49, 61? | option_a=61 | option_b=39 | option_c=49 | option_d=29 | answer=A | explanation=The first three numbers increase by 10, so the next should be 59. Therefore 61 is the odd one out.

id=36323 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:14 and the first is 40, what is the second? | option_a=56 | option_b=66 | option_c=42 | option_d=96 | answer=A | explanation=Scale factor = 40/10 = 4. Therefore second quantity = 14×4 = 56.

id=36324 | topic=Averages | difficulty=Easy | question=Find the average of 89, 27, 45, 103. | option_a=67 | option_b=66 | option_c=65 | option_d=68 | answer=B | explanation=Average = sum of values + number of values = 264 ÷ 4 = 66.

id=36325 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=36326 | topic=Profit & Loss | difficulty=Easy | question=An article costs █410. If it is sold at a profit of 30%, what is its selling price? | option_a=574 | option_b=533 | option_c=492 | option_d=440 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 410 × 130/100 = █533.

id=36327 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 18. | option_a=54 | option_b=18 | option_c=21 | option_d=1 | answer=B | explanation=LCM × HCF = 3×18; HCF(3,18) = 3, so LCM = 18.

id=36328 | topic=Averages | difficulty=Easy | question=Find the average of 25, 54, 65. | option_a=48 | option_b=50 | option_c=49 | option_d=47 | answer=A | explanation=Average = sum of values + number of values = 144 ÷ 3 = 48.

id=36329 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 41? | option_a=29 | option_b=41 | option_c=11 | option_d=20 | answer=B | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 41 is the odd one out.

id=36330 | topic=Percentages | difficulty=Easy | question=What is 12% of 687? | option_a=77 | option_b=87 | option_c=164 | option_d=82 | answer=D | explanation=12% of 687 = (12/100) × 687 = 82.

Aptitude Questions — Records 36,331-36,360 of 100,000

id=36331 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2135. If it is sold at a profit of 15%, what is its selling price? | option_a=2150 | option_b=2668 | option_c=2455 | option_d=2242 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2135 × 115/100 = ■2455.

id=36332 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1199. If it is sold at a profit of 50%, what is its selling price? | option_a=1249 | option_b=1798 | option_c=1679 | option_d=1917 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1199 × 150/100 = ■1798.

id=36333 | topic=Percentages | difficulty=Easy | question=What is 12% of 445? | option_a=53 | option_b=106 | option_c=48 | option_d=63 | answer=A | explanation=12% of 445 = (12/100) × 445 = 53.

id=36334 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=40 | option_b=39 | option_c=45 | option_d=33 | answer=B | explanation=The common difference is 6. Therefore the next term is 33 + 6 = 39.

id=36335 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 31? | option_a=31 | option_b=20 | option_c=25 | option_d=15 | answer=A | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 31 is the odd one out.

id=36336 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3357. If it is sold at a profit of 40%, what is its selling price? | option_a=3397 | option_b=4699 | option_c=5034 | option_d=4364 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3357 × 140/100 = ■4699.

id=36337 | topic=Percentages | difficulty=Easy | question=What is 25% of 1778? | option_a=888 | option_b=449 | option_c=444 | option_d=424 | answer=C | explanation=25% of 1778 = (25/100) × 1778 = 444.

id=36338 | topic=Percentages | difficulty=Easy | question=What is 50% of 1070? | option_a=545 | option_b=1070 | option_c=535 | option_d=530 | answer=C | explanation=50% of 1070 = (50/100) × 1070 = 535.

id=36339 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■7687 at 12% per annum for 4 years. | option_a=11376 | option_b=3789 | option_c=3589 | option_d=3689 | answer=D | explanation=SI = PRT/100 = 7687×12×4/100 = ■3689.

id=36340 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=E | option_c=O | option_d=T | answer=C | explanation=Move 5 positions forward from J; the resulting letter is O.

id=36341 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=36342 | topic=Percentages | difficulty=Easy | question=What is 25% of 180? | option_a=35 | option_b=90 | option_c=55 | option_d=45 | answer=D | explanation=25% of 180 = (25/100) × 180 = 45.

id=36343 | topic=Percentages | difficulty=Easy | question=What is 12% of 385? | option_a=26 | option_b=56 | option_c=46 | option_d=92 | answer=C | explanation=12% of 385 = (12/100) × 385 = 46.

id=36344 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=36345 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 18. | option_a=180 | option_b=360 | option_c=200 | option_d=162 | answer=A | explanation=LCM × HCF = 20×18; HCF(20,18) = 2, so LCM = 180.

id=36346 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:2 and the first is 162, what is the second? | option_a=34 | option_b=45 | option_c=198 | option_d=36 | answer=D | explanation=Scale factor = 162/9 = 18. Therefore second quantity = 2×18 = 36.

id=36347 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=46 | option_b=59 | option_c=70 | option_d=58 | answer=D | explanation=The common difference is 12. Therefore the next term is 46 + 12 = 58.

id=36348 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=F | option_b=K | option_c=A | option_d=V | answer=A | explanation=Move 5 positions forward from A; the resulting letter is F.

id=36349 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=36350 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=F | option_b=J | option_c=N | option_d=R | answer=C | explanation=Move 4 positions forward from J; the resulting letter is N.

id=36351 | topic=Percentages | difficulty=Easy | question=What is 15% of 427? | option_a=64 | option_b=84 | option_c=128 | option_d=44 | answer=A | explanation=15% of 427 = (15/100) × 427 = 64.

id=36352 | topic=Averages | difficulty=Easy | question=Find the average of 10, 98, 19, 100, 57, 12, 85, 89, 25. | option_a=57 | option_b=56 | option_c=54 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.

id=36353 | topic=Percentages | difficulty=Easy | question=What is 20% of 1480? | option_a=296 | option_b=286 | option_c=592 | option_d=301 | answer=A | explanation=20% of 1480 = (20/100) × 1480 = 296.

id=36354 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4667. If it is sold at a profit of 30%, what is its selling price? | option_a=5601 | option_b=4697 | option_c=6067 | option_d=6533 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4667 × 130/100 = ■6067.

id=36355 | topic=Percentages | difficulty=Easy | question=What is 30% of 1604? | option_a=491 | option_b=471 | option_c=962 | option_d=481 | answer=D | explanation=30% of 1604 = (30/100) × 1604 = 481.

id=36356 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=36357 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 8, 11, 14, ? | option_a=14 | option_b=20 | option_c=17 | option_d=18 | answer=C | explanation=The common difference is 3. Therefore the next term is 14 + 3 = 17.

id=36358 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=36359 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 10. | option_a=36 | option_b=30 | option_c=20 | option_d=60 | answer=B | explanation=LCM × HCF = 6×10; HCF(6,10) = 2, so LCM = 30.

id=36360 | topic=Percentages | difficulty=Easy | question=What is 50% of 150? | option_a=80 | option_b=150 | option_c=70 | option_d=75 | answer=D | explanation=50% of 150 = (50/100) × 150 = 75.

Aptitude Questions — Records 36,361-36,390 of 100,000

id=36361 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 13, 17, 21, ? | option_a=26 | option_b=29 | option_c=21 | option_d=25 | answer=D | explanation=The common difference is 4. Therefore the next term is 21 + 4 = 25.

id=36362 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=36363 | topic=Percentages | difficulty=Easy | question=What is 25% of 892? | option_a=446 | option_b=223 | option_c=233 | option_d=218 | answer=B | explanation=25% of 892 = (25/100) × 892 = 223.

id=36364 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 39? | option_a=39 | option_b=30 | option_c=32 | option_d=34 | answer=A | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 39 is the odd one out.

id=36365 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=17 | option_c=7 | option_d=24 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=36366 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 17, 25, 33, ? | option_a=42 | option_b=49 | option_c=33 | option_d=41 | answer=D | explanation=The common difference is 8. Therefore the next term is 33 + 8 = 41.

id=36367 | topic=Percentages | difficulty=Easy | question=What is 50% of 1288? | option_a=664 | option_b=634 | option_c=644 | option_d=1288 | answer=C | explanation=50% of 1288 = (50/100) × 1288 = 644.

id=36368 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■26473 at 10% per annum for 3 years. | option_a=7841 | option_b=8041 | option_c=7941 | option_d=34414 | answer=C | explanation=SI = PRT/100 = 26473×10×3/100 = ■7941.

id=36369 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=36370 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=K | option_b=L | option_c=I | option_d=J | answer=A | explanation=Move 1 positions forward from J; the resulting letter is K.

id=36371 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=36372 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■12892 at 12% per annum for 4 years. | option_a=6088 | option_b=6288 | option_c=19080 | option_d=6188 | answer=D | explanation=SI = PRT/100 = 12892×12×4/100 = ■6188.

id=36373 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■688. If it is sold at a profit of 20%, what is its selling price? | option_a=893 | option_b=757 | option_c=825 | option_d=708 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 688 × 120/100 = ■825.

id=36374 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=C | option_b=B | option_c=D | option_d=A | answer=A | explanation=Move 1 positions forward from B; the resulting letter is C.

id=36375 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=36 | option_c=31 | option_d=41 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=36376 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 50? | option_a=33 | option_b=41 | option_c=25 | option_d=50 | answer=D | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 50 is the odd one out.

id=36377 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=V | option_c=J | option_d=R | answer=D | explanation=Move 4 positions forward from N; the resulting letter is R.

id=36378 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:16 and the first is 64, what is the second? | option_a=320 | option_b=240 | option_c=256 | option_d=260 | answer=C | explanation=Scale factor = 64/4 = 16. Therefore second quantity = 16×16 = 256.

id=36379 | topic=Averages | difficulty=Easy | question=Find the average of 27, 45, 100, 34, 44. | option_a=52 | option_b=49 | option_c=50 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 250 ÷ 5 = 50.

id=36380 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4613. If it is sold at a profit of 10%, what is its selling price? | option_a=5074 | option_b=4623 | option_c=5535 | option_d=4613 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4613 × 110/100 = ■5074.

id=36381 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 47? | option_a=47 | option_b=31 | option_c=24 | option_d=38 | answer=A | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 47 is the odd one out.

id=36382 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=36383 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=Q | option_c=W | option_d=Z | answer=C | explanation=Move 3 positions forward from T; the resulting letter is W.

id=36384 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=55 | option_b=46 | option_c=47 | option_d=37 | answer=B | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=36385 | topic=Percentages | difficulty=Easy | question=What is 50% of 691? | option_a=355 | option_b=690 | option_c=325 | option_d=345 | answer=D | explanation=50% of 691 = (50/100) × 691 = 345.

id=36386 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1982. If it is sold at a profit of 50%, what is its selling price? | option_a=2973 | option_b=2032 | option_c=2775 | option_d=3171 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1982 × 150/100 = ■2973.

id=36387 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:9 and the first is 153, what is the second? | option_a=234 | option_b=98 | option_c=72 | option_d=81 | answer=D | explanation=Scale factor = 153/17 = 9. Therefore second quantity = 9×9 = 81.

id=36388 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1514. If it is sold at a profit of 25%, what is its selling price? | option_a=1741 | option_b=2043 | option_c=1892 | option_d=1539 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1514 × 125/100 = ■1892.

id=36389 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■11715 at 12% per annum for 2 years. | option_a=14526 | option_b=2811 | option_c=2911 | option_d=2711 | answer=B | explanation=SI = PRT/100 = 11715×12×2/100 = ■2811.

id=36390 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:17 and the first is 143, what is the second? | option_a=221 | option_b=232 | option_c=204 | option_d=364 | answer=A | explanation=Scale factor = 143/11 = 13. Therefore second quantity = 17×13 = 221.

Aptitude Questions — Records 36,391-36,420 of 100,000

id=36391 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=36392 | topic=Percentages | difficulty=Easy | question=What is 20% of 1048? | option_a=209 | option_b=219 | option_c=199 | option_d=418 | answer=A | explanation=20% of 1048 = (20/100) × 1048 = 209.

id=36393 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 13? | option_a=13 | option_b=6 | option_c=9 | option_d=3 | answer=A | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 13 is the odd one out.

id=36394 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=16 | option_b=19 | option_c=17 | option_d=13 | answer=A | explanation=The common difference is 3. Therefore the next term is 13 + 3 = 16.

id=36395 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=6 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=36396 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=Q | option_b=L | option_c=G | option_d=V | answer=A | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=36397 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=36398 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4182. If it is sold at a profit of 5%, what is its selling price? | option_a=4187 | option_b=4391 | option_c=4809 | option_d=3973 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4182 × 105/100 = █4391.

id=36399 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 10? | option_a=2 | option_b=6 | option_c=10 | option_d=4 | answer=C | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 10 is the odd one out.

id=36400 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=22 | option_b=32 | option_c=28 | option_d=27 | answer=D | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.

id=36401 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=36402 | topic=Averages | difficulty=Easy | question=Find the average of 15, 55, 56, 47, 80, 35. | option_a=49 | option_b=50 | option_c=47 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = 288 ÷ 6 = 48.

id=36403 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=36404 | topic=Averages | difficulty=Easy | question=Find the average of 16, 99, 98. | option_a=70 | option_b=73 | option_c=71 | option_d=72 | answer=C | explanation=Average = sum of values ÷ number of values = 213 ÷ 3 = 71.

id=36405 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 10, 12, 14, ? | option_a=16 | option_b=18 | option_c=14 | option_d=17 | answer=A | explanation=The common difference is 2. Therefore the next term is 14 + 2 = 16.

id=36406 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=36407 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=36408 | topic=Averages | difficulty=Easy | question=Find the average of 64, 23, 27, 40, 88, 92, 56, 17, 26, 27. | option_a=46 | option_b=45 | option_c=47 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = 460 ÷ 10 = 46.

id=36409 | topic=Percentages | difficulty=Easy | question=What is 10% of 1868? | option_a=372 | option_b=186 | option_c=196 | option_d=176 | answer=B | explanation=10% of 1868 = (10/100) × 1868 = 186.

id=36410 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:20 and the first is 104, what is the second? | option_a=260 | option_b=268 | option_c=364 | option_d=240 | answer=A | explanation=Scale factor = 104/8 = 13. Therefore second quantity = 20×13 = 260.

id=36411 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=36412 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2576 at 4% per annum for 1 years. | option_a=2679 | option_b=3 | option_c=203 | option_d=103 | answer=D | explanation=SI = PRT/100 = 2576×4×1/100 = █103.

id=36413 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:16 and the first is 126, what is the second? | option_a=295 | option_b=288 | option_c=272 | option_d=414 | answer=B | explanation=Scale factor = 126/7 = 18. Therefore second quantity = 16×18 = 288.

id=36414 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=36415 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 42? | option_a=42 | option_b=17 | option_c=33 | option_d=25 | answer=A | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 42 is the odd one out.

id=36416 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=I | option_c=J | option_d=H | answer=C | explanation=Move 1 positions forward from I; the resulting letter is J.

id=36417 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 4. | option_a=8 | option_b=16 | option_c=4 | option_d=32 | answer=A | explanation=LCM × HCF = 8×4; HCF(8,4) = 4, so LCM = 8.

id=36418 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22524 at 5% per annum for 5 years. | option_a=5631 | option_b=5531 | option_c=28155 | option_d=5731 | answer=A | explanation=SI = PRT/100 = 22524×5×5/100 = █5631.

id=36419 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=36420 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=24 | option_c=7 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

Aptitude Questions — Records 36,421-36,450 of 100,000

id=36421 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=F | option_b=K | option_c=P | option_d=U | answer=C | explanation=Move 5 positions forward from K; the resulting letter is P.

id=36422 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39348 at 6% per annum for 2 years. | option_a=4721 | option_b=4821 | option_c=44069 | option_d=4621 | answer=A | explanation=SI = $PRT/100 = 39348 \times 6 \times 2/100 = \text{■}4721$.

id=36423 | topic=Averages | difficulty=Easy | question=Find the average of 37, 30, 10, 72, 81. | option_a=47 | option_b=45 | option_c=46 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = $230 \div 5 = 46$.

id=36424 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=36425 | topic=Percentages | difficulty=Easy | question=What is 5% of 60? | option_a=6 | option_b=3 | option_c=0 | option_d=23 | answer=B | explanation=5% of 60 = $(5/100) \times 60 = 3$.

id=36426 | topic=Percentages | difficulty=Easy | question=What is 5% of 1172? | option_a=48 | option_b=58 | option_c=116 | option_d=63 | answer=B | explanation=5% of 1172 = $(5/100) \times 1172 = 58$.

id=36427 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:6 and the first is 70, what is the second? | option_a=112 | option_b=52 | option_c=36 | option_d=42 | answer=D | explanation=Scale factor = $70/10 = 7$. Therefore second quantity = $6 \times 7 = 42$.

id=36428 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=200 | option_c=95 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = $300 \div 3 = 100$ km/h.

id=36429 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44322 at 5% per annum for 4 years. | option_a=8864 | option_b=53186 | option_c=8764 | option_d=8964 | answer=A | explanation=SI = $PRT/100 = 44322 \times 5 \times 4/100 = \text{■}8864$.

id=36430 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36052 at 8% per annum for 2 years. | option_a=5668 | option_b=5768 | option_c=5868 | option_d=41820 | answer=B | explanation=SI = $PRT/100 = 36052 \times 8 \times 2/100 = \text{■}5768$.

id=36431 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4227. If it is sold at a profit of 15%, what is its selling price? | option_a=5283 | option_b=4439 | option_c=4242 | option_d=4861 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4227 \times 115/100 = \text{■}4861$.

id=36432 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=28 | option_b=23 | option_c=18 | option_d=24 | answer=B | explanation=The common difference is 5. Therefore the next term is $18 + 5 = 23$.

id=36433 | topic=Averages | difficulty=Easy | question=Find the average of 96, 76, 44. | option_a=74 | option_b=71 | option_c=73 | option_d=72 | answer=D | explanation=Average = sum of values ÷ number of values = $216 \div 3 = 72$.

id=36434 | topic=Percentages | difficulty=Easy | question=What is 40% of 566? | option_a=221 | option_b=452 | option_c=236 | option_d=226 | answer=D | explanation=40% of 566 = $(40/100) \times 566 = 226$.

id=36435 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 49? | option_a=49 | option_b=28 | option_c=19 | option_d=37 | answer=A | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 49 is the odd one out.

id=36436 | topic=Averages | difficulty=Easy | question=Find the average of 17, 79, 49, 62, 83, 10, 85. | option_a=56 | option_b=57 | option_c=54 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = $385 \div 7 = 55$.

id=36437 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=E | option_c=G | option_d=I | answer=D | explanation=Move 2 positions forward from G; the resulting letter is I.

id=36438 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:6 and the first is 228, what is the second? | option_a=108 | option_b=342 | option_c=126 | option_d=114 | answer=D | explanation=Scale factor = $228/12 = 19$. Therefore second quantity = $6 \times 19 = 114$.

id=36439 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=95 | option_c=105 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = $300 \div 3 = 100$ km/h.

id=36440 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=Y | option_b=S | option_c=W | option_d=U | answer=C | explanation=Move 2 positions forward from U; the resulting letter is W.

id=36441 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 35, 40, 47? | option_a=30 | option_b=40 | option_c=35 | option_d=47 | answer=D | explanation=The first three numbers increase by 5, so the next should be 45. Therefore 47 is the odd one out.

id=36442 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=38 | option_b=30 | option_c=39 | option_d=46 | answer=A | explanation=The common difference is 8. Therefore the next term is $30 + 8 = 38$.

id=36443 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:7 and the first is 56, what is the second? | option_a=112 | option_b=56 | option_c=63 | option_d=49 | answer=B | explanation=Scale factor = $56/7 = 8$. Therefore second quantity = $7 \times 8 = 56$.

id=36444 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:15 and the first is 32, what is the second? | option_a=45 | option_b=68 | option_c=92 | option_d=60 | answer=D | explanation=Scale factor = $32/8 = 4$. Therefore second quantity = $15 \times 4 = 60$.

id=36445 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:16 and the first is 39, what is the second? | option_a=211 | option_b=247 | option_c=192 | option_d=208 | answer=D | explanation=Scale factor = $39/3 = 13$. Therefore second quantity = $16 \times 13 = 208$.

id=36446 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1071 at 8% per annum for 3 years. | option_a=157 | option_b=1328 | option_c=357 | option_d=257 | answer=D | explanation=SI = $PRT/100 = 1071 \times 8 \times 3/100 = \text{■}257$.

id=36447 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:9 and the first is 28, what is the second? | option_a=128 | option_b=126 | option_c=117 | option_d=154 | answer=B | explanation=Scale factor = $28/2 = 14$. Therefore second quantity = $9 \times 14 = 126$.

id=36448 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = $180 \div 4 = 45$ km/h.

id=36449 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 17, 29, 41, ? | option_a=53 | option_b=65 | option_c=54 | option_d=41 | answer=A | explanation=The common difference is 12. Therefore the next term is $41 + 12 = 53$.

id=36450 | topic=Averages | difficulty=Easy | question=Find the average of 77, 16, 77, 74, 27, 97, 87. | option_a=65 | option_b=66 | option_c=64 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = $455 \div 7 = 65$.

Aptitude Questions — Records 36,451-36,480 of 100,000

id=36451 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:1 and the first is 196, what is the second? | option_a=210 | option_b=14 | option_c=28 | option_d=13 | answer=B | explanation=Scale factor = 196/14 = 14. Therefore second quantity = 1×14 = 14.

id=36452 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 12. | option_a=24 | option_b=12 | option_c=1 | option_d=144 | answer=B | explanation=LCM × HCF = 12×12; HCF(12,12) = 12, so LCM = 12.

id=36453 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:3 and the first is 40, what is the second? | option_a=62 | option_b=57 | option_c=100 | option_d=60 | answer=D | explanation=Scale factor = 40/2 = 20. Therefore second quantity = 3×20 = 60.

id=36454 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:20 and the first is 216, what is the second? | option_a=372 | option_b=340 | option_c=576 | option_d=360 | answer=D | explanation=Scale factor = 216/12 = 18. Therefore second quantity = 20×18 = 360.

id=36455 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:5 and the first is 28, what is the second? | option_a=65 | option_b=70 | option_c=98 | option_d=72 | answer=B | explanation=Scale factor = 28/2 = 14. Therefore second quantity = 5×14 = 70.

id=36456 | topic=Percentages | difficulty=Easy | question=What is 50% of 59? | option_a=29 | option_b=34 | option_c=19 | option_d=58 | answer=A | explanation=50% of 59 = (50/100) × 59 = 29.

id=36457 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 31, 40, 52? | option_a=40 | option_b=22 | option_c=52 | option_d=31 | answer=C | explanation=The first three numbers increase by 9, so the next should be 49. Therefore 52 is the odd one out.

id=36458 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=36459 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:8 and the first is 162, what is the second? | option_a=72 | option_b=90 | option_c=64 | option_d=234 | answer=A | explanation=Scale factor = 162/18 = 9. Therefore second quantity = 8×9 = 72.

id=36460 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=A | option_c=B | option_d=C | answer=D | explanation=Move 1 positions forward from B; the resulting letter is C.

id=36461 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 48? | option_a=24 | option_b=48 | option_c=31 | option_d=38 | answer=B | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 48 is the odd one out.

id=36462 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:15 and the first is 320, what is the second? | option_a=316 | option_b=285 | option_c=300 | option_d=620 | answer=C | explanation=Scale factor = 320/16 = 20. Therefore second quantity = 15×20 = 300.

id=36463 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=36464 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=A | option_c=C | option_d=G | answer=A | explanation=Move 2 positions forward from C; the resulting letter is E.

id=36465 | topic=Percentages | difficulty=Easy | question=What is 15% of 1896? | option_a=568 | option_b=289 | option_c=279 | option_d=284 | answer=D | explanation=15% of 1896 = (15/100) × 1896 = 284.

id=36466 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=P | option_c=G | option_d=M | answer=D | explanation=Move 3 positions forward from J; the resulting letter is M.

id=36467 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:17 and the first is 10, what is the second? | option_a=95 | option_b=87 | option_c=85 | option_d=68 | answer=C | explanation=Scale factor = 10/2 = 5. Therefore second quantity = 17×5 = 85.

id=36468 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=36469 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=O | option_c=U | option_d=S | answer=D | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=36470 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 24, 32, 40, ? | option_a=49 | option_b=48 | option_c=40 | option_d=56 | answer=B | explanation=The common difference is 8. Therefore the next term is 40 + 8 = 48.

id=36471 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=50 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=36472 | topic=Percentages | difficulty=Easy | question=What is 15% of 1014? | option_a=142 | option_b=304 | option_c=152 | option_d=157 | answer=C | explanation=15% of 1014 = (15/100) × 1014 = 152.

id=36473 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=L | option_c=F | option_d=O | answer=B | explanation=Move 3 positions forward from I; the resulting letter is L.

id=36474 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 27, 39, 51, ? | option_a=63 | option_b=64 | option_c=75 | option_d=51 | answer=A | explanation=The common difference is 12. Therefore the next term is 51 + 12 = 63.

id=36475 | topic=Percentages | difficulty=Easy | question=What is 25% of 1421? | option_a=345 | option_b=710 | option_c=360 | option_d=355 | answer=D | explanation=25% of 1421 = (25/100) × 1421 = 355.

id=36476 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4652. If it is sold at a profit of 50%, what is its selling price? | option_a=6513 | option_b=7443 | option_c=4702 | option_d=6978 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4652 × 150/100 = █6978.

id=36477 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30479 at 12% per annum for 2 years. | option_a=7314 | option_b=7214 | option_c=7414 | option_d=37793 | answer=A | explanation=SI = PRT/100 = 30479×12×2/100 = █7314.

id=36478 | topic=Averages | difficulty=Easy | question=Find the average of 59, 28, 38, 55, 47, 24, 30, 53, 62. | option_a=44 | option_b=45 | option_c=46 | option_d=43 | answer=A | explanation=Average = sum of values ÷ number of values = 396 ÷ 9 = 44.

id=36479 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48611 at 6% per annum for 3 years. | option_a=57360 | option_b=8849 | option_c=8749 | option_d=8649 | answer=C | explanation=SI = PRT/100 = 48611×6×3/100 = █8749.

id=36480 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30919 at 4% per annum for 3 years. | option_a=3810 | option_b=3710 | option_c=34629 | option_d=3610 | answer=B | explanation=SI = PRT/100 = 30919×4×3/100 = █3710.

Aptitude Questions — Records 36,481-36,510 of 100,000

id=36481 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=36482 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=20 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=36483 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35453 at 5% per annum for 3 years. | option_a=5217 | option_b=40770 | option_c=5317 | option_d=5417 | answer=C | explanation=SI = $PRT/100 = 35453 \times 5 \times 3/100 =$ **■**5317.

id=36484 | topic=Averages | difficulty=Easy | question=Find the average of 16, 15, 98. | option_a=44 | option_b=43 | option_c=45 | option_d=42 | answer=B | explanation=Average = sum of values + number of values = 129 ÷ 3 = 43.

id=36485 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46671 at 6% per annum for 2 years. | option_a=5700 | option_b=5500 | option_c=52271 | option_d=5600 | answer=D | explanation=SI = $PRT/100 = 46671 \times 6 \times 2/100 =$ **■**5600.

id=36486 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 24. | option_a=384 | option_b=24 | option_c=64 | option_d=48 | answer=D | explanation=LCM × HCF = 16×24; HCF(16,24) = 8, so LCM = 48.

id=36487 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:16 and the first is 20, what is the second? | option_a=160 | option_b=162 | option_c=180 | option_d=144 | answer=A | explanation=Scale factor = 20/2 = 10. Therefore second quantity = 16×10 = 160.

id=36488 | topic=Averages | difficulty=Easy | question=Find the average of 80, 55, 13, 62, 56, 94. | option_a=62 | option_b=59 | option_c=60 | option_d=61 | answer=C | explanation=Average = sum of values + number of values = 360 ÷ 6 = 60.

id=36489 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 22. | option_a=264 | option_b=286 | option_c=572 | option_d=312 | answer=B | explanation=LCM × HCF = 26×22; HCF(26,22) = 2, so LCM = 286.

id=36490 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=L | option_b=W | option_c=G | option_d=B | answer=C | explanation=Move 5 positions forward from B; the resulting letter is G.

id=36491 | topic=Averages | difficulty=Easy | question=Find the average of 11, 55, 88, 99, 75, 92. | option_a=69 | option_b=72 | option_c=71 | option_d=70 | answer=D | explanation=Average = sum of values + number of values = 420 ÷ 6 = 70.

id=36492 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=36493 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 18, 26, 36? | option_a=18 | option_b=10 | option_c=26 | option_d=36 | answer=D | explanation=The first three numbers increase by 8, so the next should be 34. Therefore 36 is the odd one out.

id=36494 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4258. If it is sold at a profit of 30%, what is its selling price? | option_a=5110 | option_b=5960 | option_c=5535 | option_d=4288 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4258 × 130/100 = **■**5535.

id=36495 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=30 | option_c=20 | option_d=25 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=36496 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=30 | option_b=27 | option_c=31 | option_d=33 | answer=A | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.

id=36497 | topic=Percentages | difficulty=Easy | question=What is 20% of 1104? | option_a=440 | option_b=230 | option_c=210 | option_d=220 | answer=D | explanation=20% of 1104 = (20/100) × 1104 = 220.

id=36498 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=7 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=36499 | topic=Percentages | difficulty=Easy | question=What is 30% of 1382? | option_a=414 | option_b=409 | option_c=828 | option_d=424 | answer=A | explanation=30% of 1382 = (30/100) × 1382 = 414.

id=36500 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:4 and the first is 28, what is the second? | option_a=22 | option_b=4 | option_c=8 | option_d=36 | answer=C | explanation=Scale factor = 28/14 = 2. Therefore second quantity = 4×2 = 8.

id=36501 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34772 at 12% per annum for 5 years. | option_a=20763 | option_b=20863 | option_c=55635 | option_d=20963 | answer=B | explanation=SI = $PRT/100 = 34772 \times 12 \times 5/100 =$ **■**20863.

id=36502 | topic=Averages | difficulty=Easy | question=Find the average of 17, 31, 11, 95, 28, 76. | option_a=42 | option_b=44 | option_c=43 | option_d=45 | answer=C | explanation=Average = sum of values + number of values = 258 ÷ 6 = 43.

id=36503 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 33, 42, 52? | option_a=42 | option_b=24 | option_c=52 | option_d=33 | answer=C | explanation=The first three numbers increase by 9, so the next should be 51. Therefore 52 is the odd one out.

id=36504 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4360. If it is sold at a profit of 40%, what is its selling price? | option_a=5668 | option_b=6540 | option_c=6104 | option_d=4400 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4360 × 140/100 = **■**6104.

id=36505 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 34? | option_a=34 | option_b=25 | option_c=21 | option_d=29 | answer=A | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 34 is the odd one out.

id=36506 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=80 | option_c=75 | option_d=150 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=36507 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:5 and the first is 320, what is the second? | option_a=100 | option_b=95 | option_c=420 | option_d=116 | answer=A | explanation=Scale factor = 320/16 = 20. Therefore second quantity = 5×20 = 100.

id=36508 | topic=Percentages | difficulty=Easy | question=What is 30% of 756? | option_a=452 | option_b=246 | option_c=226 | option_d=206 | answer=C | explanation=30% of 756 = (30/100) × 756 = 226.

id=36509 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:14 and the first is 45, what is the second? | option_a=70 | option_b=56 | option_c=79 | option_d=115 | answer=A | explanation=Scale factor = 45/9 = 5. Therefore second quantity = 14×5 = 70.

id=36510 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=50 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

Aptitude Questions — Records 36,511-36,540 of 100,000

- id=36511 | topic=Percentages | difficulty=Easy | question=What is 15% of 845? | option_a=252 | option_b=116 | option_c=131 | option_d=126 | answer=D | explanation=15% of 845 = (15/100) × 845 = 126.
- id=36512 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=36513 | topic=Averages | difficulty=Easy | question=Find the average of 37, 100, 27, 74, 80, 102. | option_a=72 | option_b=69 | option_c=71 | option_d=70 | answer=D | explanation=Average = sum of values ÷ number of values = 420 ÷ 6 = 70.
- id=36514 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=G | option_c=M | option_d=I | answer=A | explanation=Move 2 positions forward from I; the resulting letter is K.
- id=36515 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=48 | option_b=49 | option_c=55 | option_d=41 | answer=A | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.
- id=36516 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.
- id=36517 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=13 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.
- id=36518 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=U | option_c=R | option_d=T | answer=D | explanation=Move 1 positions forward from S; the resulting letter is T.
- id=36519 | topic=Percentages | difficulty=Easy | question=What is 12% of 1094? | option_a=111 | option_b=141 | option_c=262 | option_d=131 | answer=D | explanation=12% of 1094 = (12/100) × 1094 = 131.
- id=36520 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**21696 at 8% per annum for 1 years. | option_a=1835 | option_b=1635 | option_c=1735 | option_d=23431 | answer=C | explanation=SI = PRT/100 = 21696×8×1/100 = **₹**1735.
- id=36521 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**34052 at 5% per annum for 4 years. | option_a=6910 | option_b=40862 | option_c=6710 | option_d=6810 | answer=D | explanation=SI = PRT/100 = 34052×5×4/100 = **₹**6810.
- id=36522 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=47 | option_b=39 | option_c=46 | option_d=53 | answer=C | explanation=The common difference is 7. Therefore the next term is 39 + 7 = 46.
- id=36523 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=Z | option_b=U | option_c=E | option_d=P | answer=A | explanation=Move 5 positions forward from U; the resulting letter is Z.
- id=36524 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:17 and the first is 78, what is the second? | option_a=204 | option_b=221 | option_c=227 | option_d=299 | answer=B | explanation=Scale factor = 78/6 = 13. Therefore second quantity = 17×13 = 221.
- id=36525 | topic=Percentages | difficulty=Easy | question=What is 15% of 55? | option_a=28 | option_b=8 | option_c=3 | option_d=16 | answer=B | explanation=15% of 55 = (15/100) × 55 = 8.
- id=36526 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 53? | option_a=40 | option_b=30 | option_c=20 | option_d=53 | answer=D | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 53 is the odd one out.
- id=36527 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**47937 at 4% per annum for 5 years. | option_a=9587 | option_b=9687 | option_c=9487 | option_d=57524 | answer=A | explanation=SI = PRT/100 = 47937×4×5/100 = **₹**9587.
- id=36528 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2262. If it is sold at a profit of 30%, what is its selling price? | option_a=2292 | option_b=2940 | option_c=2714 | option_d=3166 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2262 × 130/100 = **₹**2940.
- id=36529 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=36530 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2444. If it is sold at a profit of 30%, what is its selling price? | option_a=3177 | option_b=2933 | option_c=2474 | option_d=3421 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2444 × 130/100 = **₹**3177.
- id=36531 | topic=Percentages | difficulty=Easy | question=What is 25% of 439? | option_a=89 | option_b=109 | option_c=218 | option_d=119 | answer=B | explanation=25% of 439 = (25/100) × 439 = 109.
- id=36532 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:2 and the first is 342, what is the second? | option_a=378 | option_b=55 | option_c=36 | option_d=34 | answer=C | explanation=Scale factor = 342/19 = 18. Therefore second quantity = 2×18 = 36.
- id=36533 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1162. If it is sold at a profit of 15%, what is its selling price? | option_a=1220 | option_b=1177 | option_c=1452 | option_d=1336 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1162 × 115/100 = **₹**1336.
- id=36534 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=Q | option_c=T | option_d=K | answer=B | explanation=Move 3 positions forward from N; the resulting letter is Q.
- id=36535 | topic=Percentages | difficulty=Easy | question=What is 20% of 1921? | option_a=364 | option_b=384 | option_c=768 | option_d=394 | answer=B | explanation=20% of 1921 = (20/100) × 1921 = 384.
- id=36536 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 6. | option_a=12 | option_b=36 | option_c=1 | option_d=6 | answer=D | explanation=LCM × HCF = 6×6; HCF(6,6) = 6, so LCM = 6.
- id=36537 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=17 | option_b=15 | option_c=19 | option_d=18 | answer=A | explanation=The common difference is 2. Therefore the next term is 15 + 2 = 17.
- id=36538 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**42469 at 10% per annum for 5 years. | option_a=21234 | option_b=63703 | option_c=21134 | option_d=21334 | answer=A | explanation=SI = PRT/100 = 42469×10×5/100 = **₹**21234.
- id=36539 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1736. If it is sold at a profit of 40%, what is its selling price? | option_a=2603 | option_b=2257 | option_c=2430 | option_d=1776 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1736 × 140/100 = **₹**2430.
- id=36540 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 22. | option_a=132 | option_b=44 | option_c=72 | option_d=66 | answer=D | explanation=LCM × HCF = 6×22; HCF(6,22) = 2, so LCM = 66.

Aptitude Questions — Records 36,541-36,570 of 100,000

id=36541 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4917. If it is sold at a profit of 20%, what is its selling price? | option_a=5409 | option_b=5900 | option_c=4937 | option_d=6391 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4917 × 120/100 = ■5900.

id=36542 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■10261 at 15% per annum for 4 years. | option_a=6156 | option_b=6056 | option_c=6256 | option_d=16417 | answer=A | explanation=SI = PRT/100 = 10261×15×4/100 = ■6156.

id=36543 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=F | option_b=K | option_c=P | option_d=U | answer=C | explanation=Move 5 positions forward from K; the resulting letter is P.

id=36544 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=C | option_c=E | option_d=A | answer=C | explanation=Move 2 positions forward from C; the resulting letter is E.

id=36545 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=I | option_c=Y | option_d=N | answer=B | explanation=Move 5 positions forward from D; the resulting letter is I.

id=36546 | topic=Averages | difficulty=Easy | question=Find the average of 52, 99, 96, 91, 67, 47, 87, 101. | option_a=79 | option_b=82 | option_c=80 | option_d=81 | answer=C | explanation=Average = sum of values ÷ number of values = 640 ÷ 8 = 80.

id=36547 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 22. | option_a=22 | option_b=88 | option_c=48 | option_d=44 | answer=D | explanation=LCM × HCF = 4×22; HCF(4,22) = 2, so LCM = 44.

id=36548 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1551. If it is sold at a profit of 20%, what is its selling price? | option_a=1861 | option_b=1706 | option_c=1571 | option_d=2016 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1551 × 120/100 = ■1861.

id=36549 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=L | option_c=H | option_d=F | answer=A | explanation=Move 2 positions forward from H; the resulting letter is J.

id=36550 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=12 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=36551 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 37? | option_a=29 | option_b=17 | option_c=37 | option_d=23 | answer=C | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 37 is the odd one out.

id=36552 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=P | option_b=Q | option_c=R | option_d=S | answer=C | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=36553 | topic=Percentages | difficulty=Easy | question=What is 12% of 1390? | option_a=166 | option_b=171 | option_c=332 | option_d=161 | answer=A | explanation=12% of 1390 = (12/100) × 1390 = 166.

id=36554 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2653. If it is sold at a profit of 40%, what is its selling price? | option_a=3979 | option_b=3714 | option_c=3449 | option_d=2693 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2653 × 140/100 = ■3714.

id=36555 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■33083 at 10% per annum for 2 years. | option_a=6716 | option_b=39699 | option_c=6516 | option_d=6616 | answer=D | explanation=SI = PRT/100 = 33083×10×2/100 = ■6616.

id=36556 | topic=Averages | difficulty=Easy | question=Find the average of 19, 48, 96, 69, 53, 86, 84, 89. | option_a=70 | option_b=67 | option_c=68 | option_d=69 | answer=C | explanation=Average = sum of values ÷ number of values = 544 ÷ 8 = 68.

id=36557 | topic=Percentages | difficulty=Easy | question=What is 25% of 939? | option_a=468 | option_b=214 | option_c=234 | option_d=239 | answer=C | explanation=25% of 939 = (25/100) × 939 = 234.

id=36558 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:18 and the first is 180, what is the second? | option_a=342 | option_b=369 | option_c=360 | option_d=540 | answer=C | explanation=Scale factor = 180/9 = 20. Therefore second quantity = 18×20 = 360.

id=36559 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:10 and the first is 8, what is the second? | option_a=42 | option_b=30 | option_c=40 | option_d=48 | answer=C | explanation=Scale factor = 8/2 = 4. Therefore second quantity = 10×4 = 40.

id=36560 | topic=Averages | difficulty=Easy | question=Find the average of 11, 67, 10, 91, 76. | option_a=52 | option_b=51 | option_c=50 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 255 ÷ 5 = 51.

id=36561 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=36562 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3278. If it is sold at a profit of 40%, what is its selling price? | option_a=4262 | option_b=4589 | option_c=4916 | option_d=3318 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3278 × 140/100 = ■4589.

id=36563 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=50 | option_d=100 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=36564 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=D | option_c=F | option_d=B | answer=C | explanation=Move 2 positions forward from D; the resulting letter is F.

id=36565 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=L | option_b=Q | option_c=A | option_d=V | answer=D | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=36566 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 43? | option_a=22 | option_b=34 | option_c=28 | option_d=43 | answer=D | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 43 is the odd one out.

id=36567 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=I | option_b=E | option_c=W | option_d=A | answer=B | explanation=Move 4 positions forward from A; the resulting letter is E.

id=36568 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■16927 at 8% per annum for 2 years. | option_a=2608 | option_b=2808 | option_c=2708 | option_d=19635 | answer=C | explanation=SI = PRT/100 = 16927×8×2/100 = ■2708.

id=36569 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 22, 29, 37? | option_a=22 | option_b=15 | option_c=29 | option_d=37 | answer=D | explanation=The first three numbers increase by 7, so the next should be 36. Therefore 37 is the odd one out.

id=36570 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 45? | option_a=35 | option_b=45 | option_c=28 | option_d=21 | answer=B | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 45 is the odd one out.

Aptitude Questions — Records 36,571-36,600 of 100,000

id=36571 | topic=Averages | difficulty=Easy | question=Find the average of 84, 36, 72, 31, 73, 40. | option_a=56 | option_b=57 | option_c=58 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 336 ÷ 6 = 56.

id=36572 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=36573 | topic=Percentages | difficulty=Easy | question=What is 30% of 1872? | option_a=551 | option_b=1122 | option_c=566 | option_d=561 | answer=D | explanation=30% of 1872 = (30/100) × 1872 = 561.

id=36574 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1465. If it is sold at a profit of 5%, what is its selling price? | option_a=1470 | option_b=1684 | option_c=1392 | option_d=1538 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1465 × 105/100 = █1538.

id=36575 | topic=Averages | difficulty=Easy | question=Find the average of 12, 53, 30, 29, 21, 73, 27, 24, 64. | option_a=37 | option_b=36 | option_c=39 | option_d=38 | answer=A | explanation=Average = sum of values ÷ number of values = 333 ÷ 9 = 37.

id=36576 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2019. If it is sold at a profit of 10%, what is its selling price? | option_a=2019 | option_b=2029 | option_c=2421 | option_d=2220 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2019 × 110/100 = █2220.

id=36577 | topic=Profit & Loss | difficulty=Easy | question=An article costs █662. If it is sold at a profit of 25%, what is its selling price? | option_a=687 | option_b=761 | option_c=893 | option_d=827 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 662 × 125/100 = █827.

id=36578 | topic=Profit & Loss | difficulty=Easy | question=An article costs █969. If it is sold at a profit of 5%, what is its selling price? | option_a=921 | option_b=1017 | option_c=1113 | option_d=974 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 969 × 105/100 = █1017.

id=36579 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=36580 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=36581 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=29 | option_c=48 | option_d=19 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=36582 | topic=Averages | difficulty=Easy | question=Find the average of 87, 68, 63, 48, 11, 75, 55, 65. | option_a=58 | option_b=59 | option_c=60 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 472 ÷ 8 = 59.

id=36583 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1216. If it is sold at a profit of 30%, what is its selling price? | option_a=1701 | option_b=1459 | option_c=1246 | option_d=1580 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1216 × 130/100 = █1580.

id=36584 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:6 and the first is 96, what is the second? | option_a=52 | option_b=132 | option_c=36 | option_d=30 | answer=C | explanation=Scale factor = 96/16 = 6. Therefore second quantity = 6×6 = 36.

id=36585 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=40 | option_b=34 | option_c=41 | option_d=46 | answer=A | explanation=The common difference is 6. Therefore the next term is 34 + 6 = 40.

id=36586 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2392. If it is sold at a profit of 10%, what is its selling price? | option_a=2402 | option_b=2392 | option_c=2631 | option_d=2870 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2392 × 110/100 = █2631.

id=36587 | topic=Averages | difficulty=Easy | question=Find the average of 56, 25, 76, 49, 94, 36. | option_a=58 | option_b=55 | option_c=56 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 336 ÷ 6 = 56.

id=36588 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1232. If it is sold at a profit of 40%, what is its selling price? | option_a=1724 | option_b=1272 | option_c=1847 | option_d=1601 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1232 × 140/100 = █1724.

id=36589 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14655 at 4% per annum for 1 years. | option_a=686 | option_b=486 | option_c=586 | option_d=15241 | answer=C | explanation=SI = PRT/100 = 14655×4×1/100 = █586.

id=36590 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=13 | option_b=15 | option_c=14 | option_d=11 | answer=A | explanation=The common difference is 2. Therefore the next term is 11 + 2 = 13.

id=36591 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=36592 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=36593 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=36594 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32362 at 6% per annum for 2 years. | option_a=36245 | option_b=3983 | option_c=3883 | option_d=3783 | answer=C | explanation=SI = PRT/100 = 32362×6×2/100 = █3883.

id=36595 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=L | option_b=P | option_c=R | option_d=N | answer=B | explanation=Move 2 positions forward from N; the resulting letter is P.

id=36596 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3333. If it is sold at a profit of 20%, what is its selling price? | option_a=3999 | option_b=3353 | option_c=3666 | option_d=4332 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3333 × 120/100 = █3999.

id=36597 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=77 | option_c=67 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=36598 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49400 at 15% per annum for 4 years. | option_a=29740 | option_b=79040 | option_c=29540 | option_d=29640 | answer=D | explanation=SI = PRT/100 = 49400×15×4/100 = █29640.

id=36599 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=36600 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=120 | option_c=125 | option_d=115 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

Aptitude Questions — Records 36,601-36,630 of 100,000

id=36601 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■719. If it is sold at a profit of 25%, what is its selling price? | option_a=969 | option_b=898 | option_c=744 | option_d=827 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 719 × 125/100 = ■898.

id=36602 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 15, 22, 32? | option_a=32 | option_b=8 | option_c=22 | option_d=15 | answer=A | explanation=The first three numbers increase by 7, so the next should be 29. Therefore 32 is the odd one out.

id=36603 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2873. If it is sold at a profit of 25%, what is its selling price? | option_a=2898 | option_b=3304 | option_c=3591 | option_d=3878 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2873 × 125/100 = ■3591.

id=36604 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=60 | option_b=70 | option_c=48 | option_d=59 | answer=D | explanation=The common difference is 11. Therefore the next term is 48 + 11 = 59.

id=36605 | topic=Percentages | difficulty=Easy | question=What is 5% of 539? | option_a=26 | option_b=52 | option_c=36 | option_d=16 | answer=A | explanation=5% of 539 = (5/100) × 539 = 26.

id=36606 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:9 and the first is 152, what is the second? | option_a=323 | option_b=179 | option_c=171 | option_d=162 | answer=C | explanation=Scale factor = 152/8 = 19. Therefore second quantity = 9×19 = 171.

id=36607 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=41 | option_b=42 | option_c=48 | option_d=34 | answer=A | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=36608 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=70 | option_b=50 | option_c=60 | option_d=61 | answer=C | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

id=36609 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=32 | option_b=41 | option_c=42 | option_d=50 | answer=B | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

id=36610 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1624. If it is sold at a profit of 30%, what is its selling price? | option_a=1654 | option_b=1949 | option_c=2273 | option_d=2111 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1624 × 130/100 = ■2111.

id=36611 | topic=Averages | difficulty=Easy | question=Find the average of 97, 12, 46, 78, 60, 99, 80, 13, 71, 94. | option_a=66 | option_b=67 | option_c=65 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 650 ÷ 10 = 65.

id=36612 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■20167 at 15% per annum for 5 years. | option_a=15025 | option_b=15225 | option_c=15125 | option_d=35292 | answer=C | explanation=SI = PRT/100 = 20167×15×5/100 = ■15125.

id=36613 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=36614 | topic=Percentages | difficulty=Easy | question=What is 10% of 1434? | option_a=138 | option_b=143 | option_c=153 | option_d=286 | answer=B | explanation=10% of 1434 = (10/100) × 1434 = 143.

id=36615 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=Q | option_c=U | option_d=S | answer=C | explanation=Move 2 positions forward from S; the resulting letter is U.

id=36616 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■32839 at 12% per annum for 2 years. | option_a=40720 | option_b=7781 | option_c=7881 | option_d=7981 | answer=C | explanation=SI = PRT/100 = 32839×12×2/100 = ■7881.

id=36617 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:18 and the first is 81, what is the second? | option_a=144 | option_b=171 | option_c=243 | option_d=162 | answer=D | explanation=Scale factor = 81/9 = 9. Therefore second quantity = 18×9 = 162.

id=36618 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4821. If it is sold at a profit of 50%, what is its selling price? | option_a=6749 | option_b=7713 | option_c=4871 | option_d=7231 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4821 × 150/100 = ■7231.

id=36619 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=36620 | topic=Percentages | difficulty=Easy | question=What is 15% of 1245? | option_a=181 | option_b=186 | option_c=372 | option_d=191 | answer=B | explanation=15% of 1245 = (15/100) × 1245 = 186.

id=36621 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 27, 39, 51, ? | option_a=75 | option_b=63 | option_c=64 | option_d=51 | answer=B | explanation=The common difference is 12. Therefore the next term is 51 + 12 = 63.

id=36622 | topic=Averages | difficulty=Easy | question=Find the average of 14, 55, 13, 36, 87, 15, 10, 57, 42, 51. | option_a=37 | option_b=40 | option_c=39 | option_d=38 | answer=D | explanation=Average = sum of values ÷ number of values = 380 ÷ 10 = 38.

id=36623 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=D | option_c=O | option_d=Y | answer=D | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=36624 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=O | option_b=M | option_c=P | option_d=N | answer=A | explanation=Move 1 positions forward from N; the resulting letter is O.

id=36625 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=36626 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=7 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=36627 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=K | option_b=P | option_c=Z | option_d=U | answer=D | explanation=Move 5 positions forward from P; the resulting letter is U.

id=36628 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=63 | option_b=62 | option_c=74 | option_d=50 | answer=B | explanation=The common difference is 12. Therefore the next term is 50 + 12 = 62.

id=36629 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 20. | option_a=20 | option_b=1 | option_c=200 | option_d=30 | answer=A | explanation=LCM × HCF = 10×20; HCF(10,20) = 10, so LCM = 20.

id=36630 | topic=Averages | difficulty=Easy | question=Find the average of 77, 93, 11, 51, 63, 80, 43, 83, 66. | option_a=64 | option_b=63 | option_c=62 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 567 ÷ 9 = 63.

Aptitude Questions — Records 36,631-36,660 of 100,000

id=36631 | topic=Profit & Loss | difficulty=Easy | question=An article costs █990. If it is sold at a profit of 5%, what is its selling price? | option_a=995 | option_b=1138 | option_c=1039 | option_d=940 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 990 \times 105/100 = \text{█}1039$.

id=36632 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=B | option_b=W | option_c=R | option_d=M | answer=B | explanation=Move 5 positions forward from R; the resulting letter is W.

id=36633 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=F | option_b=I | option_c=O | option_d=L | answer=D | explanation=Move 3 positions forward from I; the resulting letter is L.

id=36634 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=36635 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=C | option_b=K | option_c=O | option_d=G | answer=B | explanation=Move 4 positions forward from G; the resulting letter is K.

id=36636 | topic=Profit & Loss | difficulty=Easy | question=An article costs █146. If it is sold at a profit of 25%, what is its selling price? | option_a=182 | option_b=171 | option_c=196 | option_d=168 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 146 \times 125/100 = \text{█}182$.

id=36637 | topic=Percentages | difficulty=Easy | question=What is 12% of 1516? | option_a=176 | option_b=181 | option_c=201 | option_d=362 | answer=B | explanation=12% of 1516 = $(12/100) \times 1516 = 181$.

id=36638 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=31 | option_c=36 | option_d=72 | answer=C | explanation=Speed = distance ÷ time = $360 \div 10 = 36$ km/h.

id=36639 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=36640 | topic=Averages | difficulty=Easy | question=Find the average of 60, 29, 19, 77, 65, 66, 27. | option_a=50 | option_b=48 | option_c=51 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = $343 \div 7 = 49$.

id=36641 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1283. If it is sold at a profit of 25%, what is its selling price? | option_a=1475 | option_b=1308 | option_c=1603 | option_d=1731 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1283 \times 125/100 = \text{█}1603$.

id=36642 | topic=Profit & Loss | difficulty=Easy | question=An article costs █633. If it is sold at a profit of 15%, what is its selling price? | option_a=664 | option_b=648 | option_c=727 | option_d=790 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 633 \times 115/100 = \text{█}727$.

id=36643 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3910. If it is sold at a profit of 15%, what is its selling price? | option_a=4105 | option_b=4496 | option_c=4887 | option_d=3925 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3910 \times 115/100 = \text{█}4496$.

id=36644 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=47 | option_b=60 | option_c=71 | option_d=59 | answer=D | explanation=The common difference is 12. Therefore the next term is $47 + 12 = 59$.

id=36645 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3243. If it is sold at a profit of 15%, what is its selling price? | option_a=3405 | option_b=3729 | option_c=4053 | option_d=3258 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3243 \times 115/100 = \text{█}3729$.

id=36646 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = $90 \div 3 = 30$ km/h.

id=36647 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=36648 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3479. If it is sold at a profit of 40%, what is its selling price? | option_a=4870 | option_b=3519 | option_c=4523 | option_d=5217 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3479 \times 140/100 = \text{█}4870$.

id=36649 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=36 | option_b=35 | option_c=27 | option_d=43 | answer=B | explanation=The common difference is 8. Therefore the next term is $27 + 8 = 35$.

id=36650 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=C | option_b=B | option_c=D | option_d=A | answer=A | explanation=Move 1 positions forward from B; the resulting letter is C.

id=36651 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=48 | option_b=47 | option_c=36 | option_d=58 | answer=B | explanation=The common difference is 11. Therefore the next term is $36 + 11 = 47$.

id=36652 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=72 | option_c=36 | option_d=31 | answer=C | explanation=Speed = distance ÷ time = $180 \div 5 = 36$ km/h.

id=36653 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=20 | option_b=22 | option_c=23 | option_d=24 | answer=B | explanation=The common difference is 2. Therefore the next term is $20 + 2 = 22$.

id=36654 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 23? | option_a=15 | option_b=9 | option_c=23 | option_d=3 | answer=C | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 23 is the odd one out.

id=36655 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=K | option_b=A | option_c=V | option_d=F | answer=D | explanation=Move 5 positions forward from A; the resulting letter is F.

id=36656 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1575. If it is sold at a profit of 20%, what is its selling price? | option_a=2047 | option_b=1733 | option_c=1890 | option_d=1595 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1575 \times 120/100 = \text{█}1890$.

id=36657 | topic=Percentages | difficulty=Easy | question=What is 50% of 1172? | option_a=1172 | option_b=576 | option_c=586 | option_d=606 | answer=C | explanation=50% of 1172 = $(50/100) \times 1172 = 586$.

id=36658 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5407 at 10% per annum for 2 years. | option_a=1181 | option_b=981 | option_c=1081 | option_d=6488 | answer=C | explanation=SI = $PRT/100 = 5407 \times 10 \times 2/100 = \text{█}1081$.

id=36659 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=19 | option_b=15 | option_c=23 | option_d=20 | answer=A | explanation=The common difference is 4. Therefore the next term is $15 + 4 = 19$.

id=36660 | topic=Percentages | difficulty=Easy | question=What is 50% of 344? | option_a=162 | option_b=172 | option_c=192 | option_d=344 | answer=B | explanation=50% of 344 = $(50/100) \times 344 = 172$.

Aptitude Questions — Records 36,661-36,690 of 100,000

id=36661 | topic=Percentages | difficulty=Easy | question=What is 20% of 1242? | option_a=228 | option_b=253 | option_c=496 | option_d=248 | answer=D | explanation=20% of 1242 = (20/100) × 1242 = 248.

id=36662 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=23 | option_c=13 | option_d=36 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=36663 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■11077 at 12% per annum for 4 years. | option_a=5316 | option_b=16393 | option_c=5416 | option_d=5216 | answer=A | explanation=SI = PRT/100 = 11077×12×4/100 = ■5316.

id=36664 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=36665 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 36, 43, 53? | option_a=53 | option_b=29 | option_c=36 | option_d=43 | answer=A | explanation=The first three numbers increase by 7, so the next should be 50. Therefore 53 is the odd one out.

id=36666 | topic=Averages | difficulty=Easy | question=Find the average of 52, 68, 16, 34, 76, 22, 48, 52. | option_a=48 | option_b=45 | option_c=47 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 368 ÷ 8 = 46.

id=36667 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:20 and the first is 216, what is the second? | option_a=240 | option_b=258 | option_c=456 | option_d=220 | answer=A | explanation=Scale factor = 216/18 = 12. Therefore second quantity = 20×12 = 240.

id=36668 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:4 and the first is 126, what is the second? | option_a=50 | option_b=32 | option_c=162 | option_d=36 | answer=D | explanation=Scale factor = 126/14 = 9. Therefore second quantity = 4×9 = 36.

id=36669 | topic=Averages | difficulty=Easy | question=Find the average of 67, 49, 84, 34, 73, 35, 78. | option_a=60 | option_b=61 | option_c=62 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 420 ÷ 7 = 60.

id=36670 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 26, 32, 41? | option_a=41 | option_b=26 | option_c=20 | option_d=32 | answer=A | explanation=The first three numbers increase by 6, so the next should be 38. Therefore 41 is the odd one out.

id=36671 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 19, 25, 32? | option_a=25 | option_b=32 | option_c=13 | option_d=19 | answer=B | explanation=The first three numbers increase by 6, so the next should be 31. Therefore 32 is the odd one out.

id=36672 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=36673 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=8 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=36674 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=40 | option_b=34 | option_c=41 | option_d=46 | answer=A | explanation=The common difference is 6. Therefore the next term is 34 + 6 = 40.

id=36675 | topic=Averages | difficulty=Easy | question=Find the average of 51, 13, 22, 72, 37, 91, 40, 81, 81, 102. | option_a=61 | option_b=59 | option_c=58 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 590 ÷ 10 = 59.

id=36676 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=36677 | topic=Percentages | difficulty=Easy | question=What is 40% of 1251? | option_a=500 | option_b=495 | option_c=520 | option_d=1000 | answer=A | explanation=40% of 1251 = (40/100) × 1251 = 500.

id=36678 | topic=Percentages | difficulty=Easy | question=What is 10% of 1305? | option_a=120 | option_b=260 | option_c=130 | option_d=135 | answer=C | explanation=10% of 1305 = (10/100) × 1305 = 130.

id=36679 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=55 | option_c=100 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=36680 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:9 and the first is 104, what is the second? | option_a=85 | option_b=72 | option_c=63 | option_d=176 | answer=B | explanation=Scale factor = 104/13 = 8. Therefore second quantity = 9×8 = 72.

id=36681 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=36682 | topic=Averages | difficulty=Easy | question=Find the average of 97, 60, 81, 90, 49, 55. | option_a=73 | option_b=71 | option_c=72 | option_d=74 | answer=C | explanation=Average = sum of values ÷ number of values = 432 ÷ 6 = 72.

id=36683 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=51 | option_b=44 | option_c=35 | option_d=43 | answer=D | explanation=The common difference is 8. Therefore the next term is 35 + 8 = 43.

id=36684 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=36685 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=19 | option_b=21 | option_c=22 | option_d=23 | answer=B | explanation=The common difference is 2. Therefore the next term is 19 + 2 = 21.

id=36686 | topic=Percentages | difficulty=Easy | question=What is 5% of 1479? | option_a=73 | option_b=68 | option_c=78 | option_d=146 | answer=A | explanation=5% of 1479 = (5/100) × 1479 = 73.

id=36687 | topic=Averages | difficulty=Easy | question=Find the average of 93, 66, 56, 73, 98, 44, 95, 67, 13, 45. | option_a=64 | option_b=65 | option_c=67 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 650 ÷ 10 = 65.

id=36688 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=51 | option_b=33 | option_c=43 | option_d=42 | answer=D | explanation=The common difference is 9. Therefore the next term is 33 + 9 = 42.

id=36689 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■25205 at 10% per annum for 3 years. | option_a=32766 | option_b=7561 | option_c=7461 | option_d=7661 | answer=B | explanation=SI = PRT/100 = 25205×10×3/100 = ■7561.

id=36690 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

Aptitude Questions — Records 36,691-36,720 of 100,000

id=36691 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=H | option_b=I | option_c=F | option_d=G | answer=A | explanation=Move 1 positions forward from G; the resulting letter is H.

id=36692 | topic=Percentages | difficulty=Easy | question=What is 10% of 1990? | option_a=204 | option_b=194 | option_c=199 | option_d=398 | answer=C | explanation=10% of 1990 = (10/100) × 1990 = 199.

id=36693 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2135. If it is sold at a profit of 15%, what is its selling price? | option_a=2668 | option_b=2455 | option_c=2150 | option_d=2242 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2135 × 115/100 = █2455.

id=36694 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28067 at 8% per annum for 3 years. | option_a=6836 | option_b=34803 | option_c=6636 | option_d=6736 | answer=D | explanation=SI = PRT/100 = 28067×8×3/100 = █6736.

id=36695 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=10 | option_b=12 | option_c=13 | option_d=14 | answer=B | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.

id=36696 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 30, 34, 40? | option_a=26 | option_b=40 | option_c=30 | option_d=34 | answer=B | explanation=The first three numbers increase by 4, so the next should be 38. Therefore 40 is the odd one out.

id=36697 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=29 | option_c=24 | option_d=48 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=36698 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=14 | option_b=18 | option_c=19 | option_d=22 | answer=B | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.

id=36699 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=100 | option_c=50 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=36700 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=X | option_b=R | option_c=O | option_d=U | answer=D | explanation=Move 3 positions forward from R; the resulting letter is U.

id=36701 | topic=Averages | difficulty=Easy | question=Find the average of 16, 33, 57, 70. | option_a=44 | option_b=45 | option_c=46 | option_d=43 | answer=A | explanation=Average = sum of values ÷ number of values = 176 ÷ 4 = 44.

id=36702 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=13 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=36703 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 10, 15, 23? | option_a=15 | option_b=5 | option_c=10 | option_d=23 | answer=D | explanation=The first three numbers increase by 5, so the next should be 20. Therefore 23 is the odd one out.

id=36704 | topic=Averages | difficulty=Easy | question=Find the average of 78, 36, 75, 54, 60, 85, 58, 30, 10. | option_a=56 | option_b=55 | option_c=54 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 486 ÷ 9 = 54.

id=36705 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 9, 14, 21? | option_a=21 | option_b=9 | option_c=4 | option_d=14 | answer=A | explanation=The first three numbers increase by 5, so the next should be 19. Therefore 21 is the odd one out.

id=36706 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=17 | option_d=7 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=36707 | topic=Averages | difficulty=Easy | question=Find the average of 30, 72, 89, 40, 16, 43, 45, 25. | option_a=47 | option_b=44 | option_c=46 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 360 ÷ 8 = 45.

id=36708 | topic=Profit & Loss | difficulty=Easy | question=An article costs █157. If it is sold at a profit of 20%, what is its selling price? | option_a=177 | option_b=203 | option_c=173 | option_d=188 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 157 × 120/100 = █188.

id=36709 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=36710 | topic=Percentages | difficulty=Easy | question=What is 5% of 1119? | option_a=55 | option_b=110 | option_c=35 | option_d=75 | answer=A | explanation=5% of 1119 = (5/100) × 1119 = 55.

id=36711 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 17, 26, 37? | option_a=26 | option_b=37 | option_c=17 | option_d=8 | answer=B | explanation=The first three numbers increase by 9, so the next should be 35. Therefore 37 is the odd one out.

id=36712 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 22, 29, 37? | option_a=15 | option_b=22 | option_c=37 | option_d=29 | answer=C | explanation=The first three numbers increase by 7, so the next should be 36. Therefore 37 is the odd one out.

id=36713 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=15 | option_b=13 | option_c=16 | option_d=17 | answer=A | explanation=The common difference is 2. Therefore the next term is 13 + 2 = 15.

id=36714 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=100 | option_c=105 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=36715 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=44 | option_b=36 | option_c=45 | option_d=52 | answer=A | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.

id=36716 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=36717 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 5, 8, 11, ? | option_a=15 | option_b=14 | option_c=17 | option_d=11 | answer=B | explanation=The common difference is 3. Therefore the next term is 11 + 3 = 14.

id=36718 | topic=Profit & Loss | difficulty=Easy | question=An article costs █539. If it is sold at a profit of 5%, what is its selling price? | option_a=512 | option_b=544 | option_c=565 | option_d=618 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 539 × 105/100 = █565.

id=36719 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4989. If it is sold at a profit of 40%, what is its selling price? | option_a=6984 | option_b=5029 | option_c=6486 | option_d=7482 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4989 × 140/100 = █6984.

id=36720 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=75 | option_c=80 | option_d=70 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

Aptitude Questions — Records 36,721-36,750 of 100,000

id=36721 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=36722 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:7 and the first is 238, what is the second? | option_a=119 | option_b=357 | option_c=112 | option_d=133 | answer=A | explanation=Scale factor = 238/14 = 17. Therefore second quantity = 7×17 = 119.

id=36723 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=B | option_c=J | option_d=N | answer=C | explanation=Move 4 positions forward from F; the resulting letter is J.

id=36724 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=41 | option_b=55 | option_c=49 | option_d=48 | answer=D | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.

id=36725 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2285. If it is sold at a profit of 50%, what is its selling price? | option_a=3427 | option_b=3655 | option_c=3199 | option_d=2335 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2285 × 150/100 = █3427.

id=36726 | topic=Averages | difficulty=Easy | question=Find the average of 94, 45, 71, 55, 84, 67, 68, 92. | option_a=73 | option_b=71 | option_c=74 | option_d=72 | answer=D | explanation=Average = sum of values ÷ number of values = 576 ÷ 8 = 72.

id=36727 | topic=Percentages | difficulty=Easy | question=What is 50% of 1984? | option_a=1984 | option_b=1012 | option_c=992 | option_d=972 | answer=C | explanation=50% of 1984 = (50/100) × 1984 = 992.

id=36728 | topic=Averages | difficulty=Easy | question=Find the average of 48, 18, 12. | option_a=25 | option_b=28 | option_c=27 | option_d=26 | answer=D | explanation=Average = sum of values ÷ number of values = 78 ÷ 3 = 26.

id=36729 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=5 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=36730 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=50 | option_b=60 | option_c=61 | option_d=70 | answer=B | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

id=36731 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32348 at 6% per annum for 4 years. | option_a=7763 | option_b=40111 | option_c=7863 | option_d=7663 | answer=A | explanation=SI = PRT/100 = 32348×6×4/100 = █7763.

id=36732 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3413. If it is sold at a profit of 30%, what is its selling price? | option_a=4777 | option_b=4436 | option_c=3443 | option_d=4095 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3413 × 130/100 = █4436.

id=36733 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 32? | option_a=25 | option_b=29 | option_c=32 | option_d=27 | answer=C | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 32 is the odd one out.

id=36734 | topic=Percentages | difficulty=Easy | question=What is 25% of 1588? | option_a=397 | option_b=377 | option_c=407 | option_d=794 | answer=A | explanation=25% of 1588 = (25/100) × 1588 = 397.

id=36735 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=20 | option_b=17 | option_c=19 | option_d=21 | answer=C | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=36736 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28113 at 6% per annum for 1 years. | option_a=1686 | option_b=29799 | option_c=1786 | option_d=1586 | answer=A | explanation=SI = PRT/100 = 28113×6×1/100 = █1686.

id=36737 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=B | option_b=C | option_c=D | option_d=E | answer=C | explanation=Move 1 positions forward from C; the resulting letter is D.

id=36738 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 12. | option_a=48 | option_b=12 | option_c=24 | option_d=288 | answer=C | explanation=LCM × HCF = 24×12; HCF(24,12) = 12, so LCM = 24.

id=36739 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 28? | option_a=23 | option_b=19 | option_c=15 | option_d=28 | answer=D | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 28 is the odd one out.

id=36740 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2612. If it is sold at a profit of 20%, what is its selling price? | option_a=2873 | option_b=3395 | option_c=3134 | option_d=2632 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2612 × 120/100 = █3134.

id=36741 | topic=Averages | difficulty=Easy | question=Find the average of 10, 92, 93, 61, 54. | option_a=63 | option_b=62 | option_c=64 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 310 ÷ 5 = 62.

id=36742 | topic=Percentages | difficulty=Easy | question=What is 30% of 114? | option_a=34 | option_b=24 | option_c=54 | option_d=68 | answer=A | explanation=30% of 114 = (30/100) × 114 = 34.

id=36743 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=65 | option_b=52 | option_c=76 | option_d=64 | answer=D | explanation=The common difference is 12. Therefore the next term is 52 + 12 = 64.

id=36744 | topic=Averages | difficulty=Easy | question=Find the average of 73, 86, 73, 21, 51, 98. | option_a=67 | option_b=66 | option_c=69 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = 402 ÷ 6 = 67.

id=36745 | topic=Averages | difficulty=Easy | question=Find the average of 41, 63, 42, 92, 41, 22, 64, 83, 47. | option_a=56 | option_b=55 | option_c=54 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.

id=36746 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=U | option_c=L | option_d=R | answer=D | explanation=Move 3 positions forward from O; the resulting letter is R.

id=36747 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36974 at 6% per annum for 2 years. | option_a=4436 | option_b=4336 | option_c=4536 | option_d=41410 | answer=A | explanation=SI = PRT/100 = 36974×6×2/100 = █4436.

id=36748 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=40 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=36749 | topic=Percentages | difficulty=Easy | question=What is 50% of 511? | option_a=250 | option_b=510 | option_c=255 | option_d=260 | answer=C | explanation=50% of 511 = (50/100) × 511 = 255.

id=36750 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=40 | option_c=45 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

Aptitude Questions — Records 36,751-36,780 of 100,000

id=36751 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=36752 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=36753 | topic=Percentages | difficulty=Easy | question=What is 50% of 957? | option_a=473 | option_b=478 | option_c=483 | option_d=956 | answer=B | explanation=50% of 957 = (50/100) × 957 = 478.

id=36754 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=26 | option_b=20 | option_c=23 | option_d=24 | answer=C | explanation=The common difference is 3. Therefore the next term is 20 + 3 = 23.

id=36755 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=11 | option_b=13 | option_c=9 | option_d=12 | answer=A | explanation=The common difference is 2. Therefore the next term is 9 + 2 = 11.

id=36756 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=E | option_c=C | option_d=G | answer=D | explanation=Move 2 positions forward from E; the resulting letter is G.

id=36757 | topic=Averages | difficulty=Easy | question=Find the average of 82, 95, 68, 42, 64, 51. | option_a=69 | option_b=66 | option_c=67 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 402 ÷ 6 = 67.

id=36758 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47400 at 4% per annum for 4 years. | option_a=7584 | option_b=54984 | option_c=7684 | option_d=7484 | answer=A | explanation=SI = PRT/100 = 47400×4×4/100 = **■**7584.

id=36759 | topic=Averages | difficulty=Easy | question=Find the average of 55, 21, 88, 71, 91, 33, 59, 22. | option_a=55 | option_b=57 | option_c=54 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 440 ÷ 8 = 55.

id=36760 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=7 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=36761 | topic=Averages | difficulty=Easy | question=Find the average of 38, 37, 76, 57, 59, 57. | option_a=55 | option_b=54 | option_c=56 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 324 ÷ 6 = 54.

id=36762 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=90 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=36763 | topic=Percentages | difficulty=Easy | question=What is 10% of 1897? | option_a=378 | option_b=209 | option_c=169 | option_d=189 | answer=D | explanation=10% of 1897 = (10/100) × 1897 = 189.

id=36764 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=36765 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=105 | option_c=100 | option_d=200 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=36766 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=5 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=36767 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28894 at 15% per annum for 3 years. | option_a=12902 | option_b=41896 | option_c=13102 | option_d=13002 | answer=D | explanation=SI = PRT/100 = 28894×15×3/100 = **■**13002.

id=36768 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=36769 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=U | option_c=Q | option_d=S | answer=B | explanation=Move 2 positions forward from S; the resulting letter is U.

id=36770 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=E | option_c=Y | option_d=H | answer=B | explanation=Move 3 positions forward from B; the resulting letter is E.

id=36771 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27994 at 5% per annum for 4 years. | option_a=5598 | option_b=5498 | option_c=33592 | option_d=5698 | answer=A | explanation=SI = PRT/100 = 27994×5×4/100 = **■**5598.

id=36772 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:8 and the first is 35, what is the second? | option_a=47 | option_b=40 | option_c=32 | option_d=75 | answer=B | explanation=Scale factor = 35/7 = 5. Therefore second quantity = 8×5 = 40.

id=36773 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15720 at 12% per annum for 4 years. | option_a=7645 | option_b=23265 | option_c=7545 | option_d=7445 | answer=C | explanation=SI = PRT/100 = 15720×12×4/100 = **■**7545.

id=36774 | topic=Averages | difficulty=Easy | question=Find the average of 97, 17, 55, 79, 69, 63, 43, 58, 77, 102. | option_a=67 | option_b=68 | option_c=66 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = 660 ÷ 10 = 66.

id=36775 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=Y | option_c=U | option_d=S | answer=A | explanation=Move 2 positions forward from U; the resulting letter is W.

id=36776 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=J | option_b=E | option_c=Z | option_d=O | answer=A | explanation=Move 5 positions forward from E; the resulting letter is J.

id=36777 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 56? | option_a=29 | option_b=56 | option_c=45 | option_d=37 | answer=B | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 56 is the odd one out.

id=36778 | topic=Percentages | difficulty=Easy | question=What is 5% of 715? | option_a=35 | option_b=70 | option_c=40 | option_d=30 | answer=A | explanation=5% of 715 = (5/100) × 715 = 35.

id=36779 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=18 | option_c=9 | option_d=4 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=36780 | topic=Averages | difficulty=Easy | question=Find the average of 54, 39, 92, 96, 80, 43, 83, 47, 33, 73. | option_a=65 | option_b=66 | option_c=64 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = 640 ÷ 10 = 64.

Aptitude Questions — Records 36,781-36,810 of 100,000

id=36781 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=36782 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4141. If it is sold at a profit of 15%, what is its selling price? | option_a=5176 | option_b=4348 | option_c=4156 | option_d=4762 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4141 × 115/100 = █4762.

id=36783 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4274. If it is sold at a profit of 20%, what is its selling price? | option_a=4701 | option_b=4294 | option_c=5128 | option_d=5555 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4274 × 120/100 = █5128.

id=36784 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=36785 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:15 and the first is 100, what is the second? | option_a=160 | option_b=250 | option_c=135 | option_d=150 | answer=D | explanation=Scale factor = 100/10 = 10. Therefore second quantity = 15×10 = 150.

id=36786 | topic=Averages | difficulty=Easy | question=Find the average of 60, 41, 94. | option_a=66 | option_b=67 | option_c=65 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 195 ÷ 3 = 65.

id=36787 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3198 at 15% per annum for 1 years. | option_a=3677 | option_b=579 | option_c=379 | option_d=479 | answer=D | explanation=SI = PRT/100 = 3198×15×1/100 = █479.

id=36788 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 6, 10, 15? | option_a=6 | option_b=10 | option_c=15 | option_d=2 | answer=C | explanation=The first three numbers increase by 4, so the next should be 14. Therefore 15 is the odd one out.

id=36789 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30956 at 12% per annum for 3 years. | option_a=11044 | option_b=11144 | option_c=42100 | option_d=11244 | answer=B | explanation=SI = PRT/100 = 30956×12×3/100 = █11144.

id=36790 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=26 | option_b=32 | option_c=29 | option_d=30 | answer=C | explanation=The common difference is 3. Therefore the next term is 26 + 3 = 29.

id=36791 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4654. If it is sold at a profit of 5%, what is its selling price? | option_a=4886 | option_b=4659 | option_c=4421 | option_d=5351 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4654 × 105/100 = █4886.

id=36792 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2487. If it is sold at a profit of 15%, what is its selling price? | option_a=2612 | option_b=2860 | option_c=2502 | option_d=3108 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2487 × 115/100 = █2860.

id=36793 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46547 at 8% per annum for 4 years. | option_a=14795 | option_b=14995 | option_c=61442 | option_d=14895 | answer=D | explanation=SI = PRT/100 = 46547×8×4/100 = █14895.

id=36794 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=36795 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:1 and the first is 196, what is the second? | option_a=210 | option_b=28 | option_c=14 | option_d=13 | answer=C | explanation=Scale factor = 196/14 = 14. Therefore second quantity = 1×14 = 14.

id=36796 | topic=Averages | difficulty=Easy | question=Find the average of 50, 60, 98, 16. | option_a=56 | option_b=58 | option_c=55 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 224 ÷ 4 = 56.

id=36797 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 26? | option_a=11 | option_b=26 | option_c=17 | option_d=5 | answer=B | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 26 is the odd one out.

id=36798 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=13 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=36799 | topic=Averages | difficulty=Easy | question=Find the average of 57, 28, 59, 45, 85, 86. | option_a=61 | option_b=62 | option_c=59 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 360 ÷ 6 = 60.

id=36800 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=40 | option_b=52 | option_c=62 | option_d=51 | answer=D | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=36801 | topic=Percentages | difficulty=Easy | question=What is 40% of 67? | option_a=36 | option_b=52 | option_c=21 | option_d=26 | answer=D | explanation=40% of 67 = (40/100) × 67 = 26.

id=36802 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 28, 38, 48, ? | option_a=59 | option_b=48 | option_c=68 | option_d=58 | answer=D | explanation=The common difference is 10. Therefore the next term is 48 + 10 = 58.

id=36803 | topic=Averages | difficulty=Easy | question=Find the average of 61, 22, 35, 68, 49, 95. | option_a=55 | option_b=57 | option_c=54 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 330 ÷ 6 = 55.

id=36804 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 16? | option_a=3 | option_b=7 | option_c=16 | option_d=11 | answer=C | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 16 is the odd one out.

id=36805 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33326 at 10% per annum for 3 years. | option_a=10097 | option_b=9997 | option_c=9897 | option_d=43323 | answer=B | explanation=SI = PRT/100 = 33326×10×3/100 = █9997.

id=36806 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=H | option_b=L | option_c=N | option_d=J | answer=B | explanation=Move 2 positions forward from J; the resulting letter is L.

id=36807 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=36808 | topic=Profit & Loss | difficulty=Easy | question=An article costs █142. If it is sold at a profit of 25%, what is its selling price? | option_a=191 | option_b=177 | option_c=167 | option_d=163 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 142 × 125/100 = █177.

id=36809 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 13? | option_a=9 | option_b=13 | option_c=3 | option_d=6 | answer=B | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 13 is the odd one out.

id=36810 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

Aptitude Questions — Records 36,811-36,840 of 100,000

id=36811 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=36812 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 8. | option_a=32 | option_b=80 | option_c=50 | option_d=40 | answer=D | explanation=LCM × HCF = 10×8; HCF(10,8) = 2, so LCM = 40.

id=36813 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49599 at 12% per annum for 5 years. | option_a=79358 | option_b=29659 | option_c=29859 | option_d=29759 | answer=D | explanation=SI = PRT/100 = 49599×12×5/100 = █29759.

id=36814 | topic=Percentages | difficulty=Easy | question=What is 5% of 1619? | option_a=80 | option_b=160 | option_c=100 | option_d=70 | answer=A | explanation=5% of 1619 = (5/100) × 1619 = 80.

id=36815 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=A | option_b=E | option_c=G | option_d=C | answer=B | explanation=Move 2 positions forward from C; the resulting letter is E.

id=36816 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=36817 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=U | option_b=R | option_c=O | option_d=X | answer=A | explanation=Move 3 positions forward from R; the resulting letter is U.

id=36818 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=48 | option_c=53 | option_d=96 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=36819 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=42 | option_b=34 | option_c=50 | option_d=43 | answer=A | explanation=The common difference is 8. Therefore the next term is 34 + 8 = 42.

id=36820 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3581. If it is sold at a profit of 10%, what is its selling price? | option_a=3939 | option_b=4297 | option_c=3581 | option_d=3591 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3581 × 110/100 = █3939.

id=36821 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 34? | option_a=21 | option_b=34 | option_c=26 | option_d=16 | answer=B | explanation=The first three numbers increase by 5, so the next should be 31. Therefore 34 is the odd one out.

id=36822 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=33 | option_b=21 | option_c=28 | option_d=27 | answer=D | explanation=The common difference is 6. Therefore the next term is 21 + 6 = 27.

id=36823 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=36824 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:19 and the first is 20, what is the second? | option_a=96 | option_b=76 | option_c=81 | option_d=57 | answer=B | explanation=Scale factor = 20/5 = 4. Therefore second quantity = 19×4 = 76.

id=36825 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:17 and the first is 32, what is the second? | option_a=272 | option_b=304 | option_c=274 | option_d=255 | answer=A | explanation=Scale factor = 32/2 = 16. Therefore second quantity = 17×16 = 272.

id=36826 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 19? | option_a=11 | option_b=19 | option_c=13 | option_d=15 | answer=B | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 19 is the odd one out.

id=36827 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=36828 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 20. | option_a=40 | option_b=120 | option_c=60 | option_d=66 | answer=C | explanation=LCM × HCF = 6×20; HCF(6,20) = 2, so LCM = 60.

id=36829 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=35 | option_b=30 | option_c=25 | option_d=31 | answer=B | explanation=The common difference is 5. Therefore the next term is 25 + 5 = 30.

id=36830 | topic=Profit & Loss | difficulty=Easy | question=An article costs █583. If it is sold at a profit of 5%, what is its selling price? | option_a=588 | option_b=670 | option_c=554 | option_d=612 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 583 × 105/100 = █612.

id=36831 | topic=Percentages | difficulty=Easy | question=What is 12% of 1236? | option_a=153 | option_b=296 | option_c=138 | option_d=148 | answer=D | explanation=12% of 1236 = (12/100) × 1236 = 148.

id=36832 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:16 and the first is 182, what is the second? | option_a=406 | option_b=237 | option_c=224 | option_d=208 | answer=C | explanation=Scale factor = 182/13 = 14. Therefore second quantity = 16×14 = 224.

id=36833 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4629. If it is sold at a profit of 40%, what is its selling price? | option_a=6942 | option_b=6018 | option_c=6480 | option_d=4669 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4629 × 140/100 = █6480.

id=36834 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:2 and the first is 130, what is the second? | option_a=150 | option_b=33 | option_c=18 | option_d=20 | answer=D | explanation=Scale factor = 130/13 = 10. Therefore second quantity = 2×10 = 20.

id=36835 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:12 and the first is 104, what is the second? | option_a=200 | option_b=84 | option_c=109 | option_d=96 | answer=D | explanation=Scale factor = 104/13 = 8. Therefore second quantity = 12×8 = 96.

id=36836 | topic=Percentages | difficulty=Easy | question=What is 5% of 559? | option_a=32 | option_b=27 | option_c=7 | option_d=54 | answer=B | explanation=5% of 559 = (5/100) × 559 = 27.

id=36837 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=Q | option_c=S | option_d=M | answer=B | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=36838 | topic=Percentages | difficulty=Easy | question=What is 30% of 1671? | option_a=1002 | option_b=521 | option_c=501 | option_d=496 | answer=C | explanation=30% of 1671 = (30/100) × 1671 = 501.

id=36839 | topic=Percentages | difficulty=Easy | question=What is 25% of 1049? | option_a=524 | option_b=262 | option_c=257 | option_d=267 | answer=B | explanation=25% of 1049 = (25/100) × 1049 = 262.

id=36840 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 15, 21, 29? | option_a=29 | option_b=15 | option_c=9 | option_d=21 | answer=A | explanation=The first three numbers increase by 6, so the next should be 27. Therefore 29 is the odd one out.

Aptitude Questions — Records 36,841-36,870 of 100,000

id=36841 | topic=Percentages | difficulty=Easy | question=What is 15% of 1658? | option_a=228 | option_b=496 | option_c=248 | option_d=258 | answer=C | explanation=15% of 1658 = (15/100) × 1658 = 248.

id=36842 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3475. If it is sold at a profit of 20%, what is its selling price? | option_a=4517 | option_b=3823 | option_c=3495 | option_d=4170 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3475 × 120/100 = █4170.

id=36843 | topic=Averages | difficulty=Easy | question=Find the average of 91, 21, 53, 15, 31, 61, 29, 51. | option_a=43 | option_b=45 | option_c=46 | option_d=44 | answer=D | explanation=Average = sum of values + number of values = 352 ÷ 8 = 44.

id=36844 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:1 and the first is 187, what is the second? | option_a=204 | option_b=16 | option_c=17 | option_d=28 | answer=C | explanation=Scale factor = 187/11 = 17. Therefore second quantity = 1×17 = 17.

id=36845 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=33 | option_b=32 | option_c=27 | option_d=37 | answer=B | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

id=36846 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:17 and the first is 240, what is the second? | option_a=255 | option_b=287 | option_c=512 | option_d=272 | answer=D | explanation=Scale factor = 240/15 = 16. Therefore second quantity = 17×16 = 272.

id=36847 | topic=Percentages | difficulty=Easy | question=What is 25% of 620? | option_a=310 | option_b=145 | option_c=175 | option_d=155 | answer=D | explanation=25% of 620 = (25/100) × 620 = 155.

id=36848 | topic=Percentages | difficulty=Easy | question=What is 30% of 1278? | option_a=403 | option_b=373 | option_c=766 | option_d=383 | answer=D | explanation=30% of 1278 = (30/100) × 1278 = 383.

id=36849 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=H | option_b=K | option_c=B | option_d=E | answer=A | explanation=Move 3 positions forward from E; the resulting letter is H.

id=36850 | topic=Percentages | difficulty=Easy | question=What is 15% of 938? | option_a=135 | option_b=150 | option_c=280 | option_d=140 | answer=D | explanation=15% of 938 = (15/100) × 938 = 140.

id=36851 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38271 at 15% per annum for 5 years. | option_a=28703 | option_b=28803 | option_c=66974 | option_d=28603 | answer=A | explanation=SI = PRT/100 = 38271×15×5/100 = █28703.

id=36852 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13301 at 15% per annum for 1 years. | option_a=2095 | option_b=1895 | option_c=1995 | option_d=15296 | answer=C | explanation=SI = PRT/100 = 13301×15×1/100 = █1995.

id=36853 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=36854 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=A | option_b=W | option_c=O | option_d=S | answer=B | explanation=Move 4 positions forward from S; the resulting letter is W.

id=36855 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=36856 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1260. If it is sold at a profit of 15%, what is its selling price? | option_a=1449 | option_b=1323 | option_c=1575 | option_d=1275 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1260 × 115/100 = █1449.

id=36857 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Z | option_b=W | option_c=Q | option_d=T | answer=B | explanation=Move 3 positions forward from T; the resulting letter is B.

id=36858 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26878 at 6% per annum for 3 years. | option_a=4938 | option_b=4738 | option_c=31716 | option_d=4838 | answer=D | explanation=SI = PRT/100 = 26878×6×3/100 = █4838.

id=36859 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=50 | option_b=63 | option_c=74 | option_d=62 | answer=D | explanation=The common difference is 12. Therefore the next term is 50 + 12 = 62.

id=36860 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=19 | option_b=21 | option_c=18 | option_d=15 | answer=C | explanation=The common difference is 3. Therefore the next term is 15 + 3 = 18.

id=36861 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=36862 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=36863 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 10. | option_a=140 | option_b=280 | option_c=130 | option_d=168 | answer=A | explanation=LCM × HCF = 28×10; HCF(28,10) = 2, so LCM = 140.

id=36864 | topic=Percentages | difficulty=Easy | question=What is 10% of 1981? | option_a=188 | option_b=396 | option_c=198 | option_d=208 | answer=C | explanation=10% of 1981 = (10/100) × 1981 = 198.

id=36865 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1880. If it is sold at a profit of 25%, what is its selling price? | option_a=1905 | option_b=2350 | option_c=2538 | option_d=2162 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1880 × 125/100 = █2350.

id=36866 | topic=Percentages | difficulty=Easy | question=What is 12% of 1937? | option_a=232 | option_b=227 | option_c=464 | option_d=242 | answer=A | explanation=12% of 1937 = (12/100) × 1937 = 232.

id=36867 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48630 at 15% per annum for 4 years. | option_a=77808 | option_b=29078 | option_c=29178 | option_d=29278 | answer=C | explanation=SI = PRT/100 = 48630×15×4/100 = █29178.

id=36868 | topic=Percentages | difficulty=Easy | question=What is 40% of 1410? | option_a=1128 | option_b=564 | option_c=574 | option_d=554 | answer=B | explanation=40% of 1410 = (40/100) × 1410 = 564.

id=36869 | topic=Averages | difficulty=Easy | question=Find the average of 23, 97, 41, 20, 17, 99, 69, 64, 56. | option_a=53 | option_b=56 | option_c=54 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 486 ÷ 9 = 54.

id=36870 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24678 at 10% per annum for 5 years. | option_a=37017 | option_b=12239 | option_c=12339 | option_d=12439 | answer=C | explanation=SI = PRT/100 = 24678×10×5/100 = █12339.

Aptitude Questions — Records 36,871-36,900 of 100,000

id=36871 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 15, 22, 31? | option_a=22 | option_b=8 | option_c=31 | option_d=15 | answer=C | explanation=The first three numbers increase by 7, so the next should be 29. Therefore 31 is the odd one out.

id=36872 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=B | option_c=E | option_d=D | answer=D | explanation=Move 1 positions forward from C; the resulting letter is D.

id=36873 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=36874 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:3 and the first is 13, what is the second? | option_a=52 | option_b=40 | option_c=36 | option_d=39 | answer=D | explanation=Scale factor = $\frac{13}{1} = 13$. Therefore second quantity = $3 \times 13 = 39$.

id=36875 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24394 at 12% per annum for 1 years. | option_a=2827 | option_b=27321 | option_c=3027 | option_d=2927 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{24394 \times 12 \times 1}{100} = \text{■}2927$.

id=36876 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=N | option_c=L | option_d=M | answer=B | explanation=Move 1 positions forward from M; the resulting letter is N.

id=36877 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8722 at 12% per annum for 5 years. | option_a=5233 | option_b=13955 | option_c=5333 | option_d=5133 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{8722 \times 12 \times 5}{100} = \text{■}5233$.

id=36878 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21683 at 15% per annum for 3 years. | option_a=9757 | option_b=9657 | option_c=9857 | option_d=31440 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{21683 \times 15 \times 3}{100} = \text{■}9757$.

id=36879 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 30. | option_a=450 | option_b=45 | option_c=30 | option_d=1 | answer=C | explanation=LCM $\times$ HCF = 15×30 ; HCF(15,30) = 15, so LCM = 30.

id=36880 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2737. If it is sold at a profit of 10%, what is its selling price? | option_a=3010 | option_b=3283 | option_c=2737 | option_d=2747 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = \frac{2737 \times 110}{100} = \text{■}3010$.

id=36881 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=6 | option_c=11 | option_d=1 | answer=B | explanation=Speed = distance $\div$ time = $60 \div 10 = 6$ km/h.

id=36882 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3662. If it is sold at a profit of 30%, what is its selling price? | option_a=4760 | option_b=3692 | option_c=5126 | option_d=4394 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = \frac{3662 \times 130}{100} = \text{■}4760$.

id=36883 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 20. | option_a=24 | option_b=20 | option_c=80 | option_d=1 | answer=B | explanation=LCM $\times$ HCF = 4×20 ; HCF(4,20) = 4, so LCM = 20.

id=36884 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = $\frac{1}{4} + \frac{1}{4} = \frac{8}{16}$. Time = $\frac{16}{8} = 2$ days.

id=36885 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=51 | option_b=42 | option_c=43 | option_d=33 | answer=B | explanation=The common difference is 9. Therefore the next term is $33 + 9 = 42$.

id=36886 | topic=Percentages | difficulty=Easy | question=What is 15% of 816? | option_a=127 | option_b=122 | option_c=244 | option_d=102 | answer=B | explanation=15% of 816 = $(\frac{15}{100}) \times 816 = 122$.

id=36887 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:7 and the first is 90, what is the second? | option_a=57 | option_b=42 | option_c=132 | option_d=35 | answer=B | explanation=Scale factor = $\frac{90}{15} = 6$. Therefore second quantity = $7 \times 6 = 42$.

id=36888 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=N | option_c=D | option_d=S | answer=B | explanation=Move 5 positions forward from I; the resulting letter is N.

id=36889 | topic=Averages | difficulty=Easy | question=Find the average of 56, 64, 90, 12, 42, 53, 62, 73, 43. | option_a=55 | option_b=56 | option_c=54 | option_d=57 | answer=A | explanation=Average = sum of values $\div$ number of values = $495 \div 9 = 55$.

id=36890 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45038 at 4% per annum for 5 years. | option_a=54045 | option_b=8907 | option_c=9107 | option_d=9007 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{45038 \times 4 \times 5}{100} = \text{■}9007$.

id=36891 | topic=Percentages | difficulty=Easy | question=What is 10% of 1562? | option_a=176 | option_b=312 | option_c=151 | option_d=156 | answer=D | explanation=10% of 1562 = $(\frac{10}{100}) \times 1562 = 156$.

id=36892 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=36893 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=G | option_c=S | option_d=K | answer=A | explanation=Move 4 positions forward from K; the resulting letter is O.

id=36894 | topic=Percentages | difficulty=Easy | question=What is 25% of 575? | option_a=163 | option_b=138 | option_c=143 | option_d=286 | answer=C | explanation=25% of 575 = $(\frac{25}{100}) \times 575 = 143$.

id=36895 | topic=Averages | difficulty=Easy | question=Find the average of 84, 48, 48, 95, 40, 18, 38. | option_a=54 | option_b=55 | option_c=53 | option_d=52 | answer=C | explanation=Average = sum of values $\div$ number of values = $371 \div 7 = 53$.

id=36896 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4225. If it is sold at a profit of 20%, what is its selling price? | option_a=4648 | option_b=5070 | option_c=5492 | option_d=4245 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = \frac{4225 \times 120}{100} = \text{■}5070$.

id=36897 | topic=Averages | difficulty=Easy | question=Find the average of 68, 61, 13, 25, 70, 61, 30, 15, 80. | option_a=49 | option_b=48 | option_c=46 | option_d=47 | answer=D | explanation=Average = sum of values $\div$ number of values = $423 \div 9 = 47$.

id=36898 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 22, 28, 37? | option_a=16 | option_b=22 | option_c=28 | option_d=37 | answer=D | explanation=The first three numbers increase by 6, so the next should be 34. Therefore 37 is the odd one out.

id=36899 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=77 | option_c=67 | option_d=72 | answer=D | explanation=Speed = distance $\div$ time = $360 \div 5 = 72$ km/h.

id=36900 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46521 at 15% per annum for 1 years. | option_a=6878 | option_b=7078 | option_c=6978 | option_d=53499 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{46521 \times 15 \times 1}{100} = \text{■}6978$.

Aptitude Questions — Records 36,901-36,930 of 100,000

id=36901 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=22 | option_b=28 | option_c=25 | option_d=26 | answer=C | explanation=The common difference is 3. Therefore the next term is 22 + 3 = 25.

id=36902 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 20, 23, 27? | option_a=17 | option_b=20 | option_c=27 | option_d=23 | answer=C | explanation=The first three numbers increase by 3, so the next should be 26. Therefore 27 is the odd one out.

id=36903 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4875. If it is sold at a profit of 25%, what is its selling price? | option_a=4900 | option_b=6093 | option_c=6580 | option_d=5606 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4875 × 125/100 = █6093.

id=36904 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=25 | option_c=30 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=36905 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 15, 18, 23? | option_a=23 | option_b=18 | option_c=15 | option_d=12 | answer=A | explanation=The first three numbers increase by 3, so the next should be 21. Therefore 23 is the odd one out.

id=36906 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46971 at 4% per annum for 5 years. | option_a=9494 | option_b=56365 | option_c=9394 | option_d=9294 | answer=C | explanation=SI = PRT/100 = 46971×4×5/100 = █9394.

id=36907 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=36908 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7714 at 15% per annum for 1 years. | option_a=8871 | option_b=1157 | option_c=1257 | option_d=1057 | answer=B | explanation=SI = PRT/100 = 7714×15×1/100 = █1157.

id=36909 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:15 and the first is 195, what is the second? | option_a=225 | option_b=238 | option_c=210 | option_d=420 | answer=A | explanation=Scale factor = 195/13 = 15. Therefore second quantity = 15×15 = 225.

id=36910 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 9, 13, 18? | option_a=18 | option_b=5 | option_c=13 | option_d=9 | answer=A | explanation=The first three numbers increase by 4, so the next should be 17. Therefore 18 is the odd one out.

id=36911 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7690 at 15% per annum for 4 years. | option_a=4614 | option_b=4714 | option_c=4514 | option_d=12304 | answer=A | explanation=SI = PRT/100 = 7690×15×4/100 = █4614.

id=36912 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:13 and the first is 60, what is the second? | option_a=39 | option_b=59 | option_c=99 | option_d=26 | answer=A | explanation=Scale factor = 60/20 = 3. Therefore second quantity = 13×3 = 39.

id=36913 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2331 at 8% per annum for 4 years. | option_a=645 | option_b=745 | option_c=3076 | option_d=845 | answer=B | explanation=SI = PRT/100 = 2331×8×4/100 = █745.

id=36914 | topic=Percentages | difficulty=Easy | question=What is 30% of 1208? | option_a=357 | option_b=372 | option_c=362 | option_d=724 | answer=C | explanation=30% of 1208 = (30/100) × 1208 = 362.

id=36915 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 21, 23, 25, ? | option_a=28 | option_b=25 | option_c=29 | option_d=27 | answer=D | explanation=The common difference is 2. Therefore the next term is 25 + 2 = 27.

id=36916 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=O | option_b=E | option_c=J | option_d=T | answer=A | explanation=Move 5 positions forward from J; the resulting letter is O.

id=36917 | topic=Percentages | difficulty=Easy | question=What is 12% of 1583? | option_a=209 | option_b=184 | option_c=378 | option_d=189 | answer=D | explanation=12% of 1583 = (12/100) × 1583 = 189.

id=36918 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=36919 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 31, 39, 48? | option_a=48 | option_b=31 | option_c=23 | option_d=39 | answer=A | explanation=The first three numbers increase by 8, so the next should be 47. Therefore 48 is the odd one out.

id=36920 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26952 at 8% per annum for 4 years. | option_a=8524 | option_b=8624 | option_c=35576 | option_d=8724 | answer=B | explanation=SI = PRT/100 = 26952×8×4/100 = █8624.

id=36921 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3486. If it is sold at a profit of 5%, what is its selling price? | option_a=3660 | option_b=3312 | option_c=4008 | option_d=3491 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3486 × 105/100 = █3660.

id=36922 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 20? | option_a=11 | option_b=13 | option_c=15 | option_d=20 | answer=D | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 20 is the odd one out.

id=36923 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=90 | option_c=180 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=36924 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=36925 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 14, 17, 22? | option_a=17 | option_b=22 | option_c=14 | option_d=11 | answer=B | explanation=The first three numbers increase by 3, so the next should be 20. Therefore 22 is the odd one out.

id=36926 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 32? | option_a=22 | option_b=25 | option_c=32 | option_d=28 | answer=C | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 32 is the odd one out.

id=36927 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6500 at 8% per annum for 1 years. | option_a=520 | option_b=7020 | option_c=420 | option_d=620 | answer=A | explanation=SI = PRT/100 = 6500×8×1/100 = █520.

id=36928 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=W | option_b=Z | option_c=T | option_d=Q | answer=A | explanation=Move 3 positions forward from T; the resulting letter is W.

id=36929 | topic=Averages | difficulty=Easy | question=Find the average of 87, 26, 55. | option_a=56 | option_b=58 | option_c=55 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 168 ÷ 3 = 56.

id=36930 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:19 and the first is 170, what is the second? | option_a=190 | option_b=360 | option_c=171 | option_d=207 | answer=A | explanation=Scale factor = 170/17 = 10. Therefore second quantity = 19×10 = 190.

Aptitude Questions — Records 36,931-36,960 of 100,000

id=36931 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:12 and the first is 57, what is the second? | option_a=228 | option_b=285 | option_c=231 | option_d=216 | answer=A | explanation=Scale factor = 57/3 = 19. Therefore second quantity = 12×19 = 228.

id=36932 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=36933 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=39 | option_b=29 | option_c=38 | option_d=47 | answer=C | explanation=The common difference is 9. Therefore the next term is 29 + 9 = 38.

id=36934 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■35868 at 8% per annum for 4 years. | option_a=11577 | option_b=47345 | option_c=11377 | option_d=11477 | answer=D | explanation=SI = PRT/100 = 35868×8×4/100 = ■11477.

id=36935 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=36936 | topic=Percentages | difficulty=Easy | question=What is 30% of 958? | option_a=574 | option_b=307 | option_c=287 | option_d=277 | answer=C | explanation=30% of 958 = (30/100) × 958 = 287.

id=36937 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=C | option_c=X | option_d=N | answer=C | explanation=Move 5 positions forward from S; the resulting letter is X.

id=36938 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■39191 at 12% per annum for 1 years. | option_a=4602 | option_b=43893 | option_c=4802 | option_d=4702 | answer=D | explanation=SI = PRT/100 = 39191×12×1/100 = ■4702.

id=36939 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=36940 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■37640 at 8% per annum for 5 years. | option_a=15156 | option_b=15056 | option_c=52696 | option_d=14956 | answer=B | explanation=SI = PRT/100 = 37640×8×5/100 = ■15056.

id=36941 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■2180 at 10% per annum for 5 years. | option_a=3270 | option_b=1190 | option_c=990 | option_d=1090 | answer=D | explanation=SI = PRT/100 = 2180×10×5/100 = ■1090.

id=36942 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 20, 23, 28? | option_a=17 | option_b=23 | option_c=28 | option_d=20 | answer=C | explanation=The first three numbers increase by 3, so the next should be 26. Therefore 28 is the odd one out.

id=36943 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 23, 32, 42? | option_a=14 | option_b=42 | option_c=32 | option_d=23 | answer=B | explanation=The first three numbers increase by 9, so the next should be 41. Therefore 42 is the odd one out.

id=36944 | topic=Percentages | difficulty=Easy | question=What is 40% of 420? | option_a=336 | option_b=168 | option_c=173 | option_d=163 | answer=B | explanation=40% of 420 = (40/100) × 420 = 168.

id=36945 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=36946 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 27, 33, 40? | option_a=21 | option_b=27 | option_c=33 | option_d=40 | answer=D | explanation=The first three numbers increase by 6, so the next should be 39. Therefore 40 is the odd one out.

id=36947 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=150 | option_c=155 | option_d=145 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=36948 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=F | option_b=R | option_c=J | option_d=N | answer=D | explanation=Move 4 positions forward from J; the resulting letter is N.

id=36949 | topic=Averages | difficulty=Easy | question=Find the average of 27, 36, 71, 19, 47, 31, 34, 72, 91, 22. | option_a=47 | option_b=45 | option_c=46 | option_d=44 | answer=B | explanation=Average = sum of values ÷ number of values = 450 ÷ 10 = 45.

id=36950 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=67 | option_c=77 | option_d=144 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=36951 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 36, 43, 52? | option_a=29 | option_b=52 | option_c=43 | option_d=36 | answer=B | explanation=The first three numbers increase by 7, so the next should be 50. Therefore 52 is the odd one out.

id=36952 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■742. If it is sold at a profit of 20%, what is its selling price? | option_a=890 | option_b=964 | option_c=762 | option_d=816 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 742 × 120/100 = ■890.

id=36953 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■19208 at 6% per annum for 2 years. | option_a=2404 | option_b=21512 | option_c=2204 | option_d=2304 | answer=D | explanation=SI = PRT/100 = 19208×6×2/100 = ■2304.

id=36954 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=36955 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=Y | option_b=I | option_c=N | option_d=D | answer=B | explanation=Move 5 positions forward from D; the resulting letter is I.

id=36956 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=27 | option_b=32 | option_c=26 | option_d=20 | answer=C | explanation=The common difference is 6. Therefore the next term is 20 + 6 = 26.

id=36957 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=45 | option_c=50 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=36958 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 10, 13, 17? | option_a=7 | option_b=17 | option_c=10 | option_d=13 | answer=B | explanation=The first three numbers increase by 3, so the next should be 16. Therefore 17 is the odd one out.

id=36959 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4718. If it is sold at a profit of 25%, what is its selling price? | option_a=4743 | option_b=5426 | option_c=5897 | option_d=6368 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4718 × 125/100 = ■5897.

id=36960 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:15 and the first is 22, what is the second? | option_a=167 | option_b=187 | option_c=150 | option_d=165 | answer=D | explanation=Scale factor = 22/2 = 11. Therefore second quantity = 15×11 = 165.

Aptitude Questions — Records 36,961-36,990 of 100,000

id=36961 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 21? | option_a=8 | option_b=14 | option_c=21 | option_d=2 | answer=C | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 21 is the odd one out.

id=36962 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2019. If it is sold at a profit of 15%, what is its selling price? | option_a=2321 | option_b=2034 | option_c=2120 | option_d=2522 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2019 × 115/100 = █2321.

id=36963 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=E | option_c=A | option_d=G | answer=B | explanation=Move 2 positions forward from C; the resulting letter is E.

id=36964 | topic=Averages | difficulty=Easy | question=Find the average of 88, 41, 81. | option_a=71 | option_b=70 | option_c=69 | option_d=72 | answer=B | explanation=Average = sum of values ÷ number of values = 210 ÷ 3 = 70.

id=36965 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:1 and the first is 12, what is the second? | option_a=12 | option_b=13 | option_c=24 | option_d=11 | answer=A | explanation=Scale factor = 12/1 = 12. Therefore second quantity = 1×12 = 12.

id=36966 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=23 | option_b=27 | option_c=17 | option_d=22 | answer=D | explanation=The common difference is 5. Therefore the next term is 17 + 5 = 22.

id=36967 | topic=Averages | difficulty=Easy | question=Find the average of 77, 41, 86. | option_a=69 | option_b=67 | option_c=70 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = 204 ÷ 3 = 68.

id=36968 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=33 | option_b=38 | option_c=32 | option_d=26 | answer=C | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=36969 | topic=Averages | difficulty=Easy | question=Find the average of 51, 92, 96, 33, 41, 35, 79. | option_a=61 | option_b=62 | option_c=63 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 427 ÷ 7 = 61.

id=36970 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=20 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=36971 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:7 and the first is 160, what is the second? | option_a=148 | option_b=300 | option_c=140 | option_d=133 | answer=C | explanation=Scale factor = 160/8 = 20. Therefore second quantity = 7×20 = 140.

id=36972 | topic=Averages | difficulty=Easy | question=Find the average of 63, 23, 73, 68, 38. | option_a=53 | option_b=55 | option_c=54 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 265 ÷ 5 = 53.

id=36973 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=K | option_c=S | option_d=W | answer=C | explanation=Move 4 positions forward from O; the resulting letter is S.

id=36974 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=28 | option_b=20 | option_c=25 | option_d=24 | answer=D | explanation=The common difference is 4. Therefore the next term is 20 + 4 = 24.

id=36975 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:6 and the first is 342, what is the second? | option_a=108 | option_b=102 | option_c=127 | option_d=450 | answer=A | explanation=Scale factor = 342/19 = 18. Therefore second quantity = 6×18 = 108.

id=36976 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43734 at 6% per annum for 1 years. | option_a=2724 | option_b=46358 | option_c=2524 | option_d=2624 | answer=D | explanation=SI = PRT/100 = 43734×6×1/100 = █2624.

id=36977 | topic=Averages | difficulty=Easy | question=Find the average of 44, 54, 91, 23. | option_a=55 | option_b=53 | option_c=54 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 212 ÷ 4 = 53.

id=36978 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=36979 | topic=Percentages | difficulty=Easy | question=What is 20% of 232? | option_a=46 | option_b=56 | option_c=92 | option_d=41 | answer=A | explanation=20% of 232 = (20/100) × 232 = 46.

id=36980 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:10 and the first is 247, what is the second? | option_a=231 | option_b=209 | option_c=228 | option_d=264 | answer=C | explanation=Scale factor = 36/3 = 12. Therefore second quantity = 19×12 = 228.

id=36981 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13978 at 4% per annum for 4 years. | option_a=2136 | option_b=2336 | option_c=16214 | option_d=2236 | answer=D | explanation=SI = PRT/100 = 13978×4×4/100 = █2236.

id=36982 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:10 and the first is 247, what is the second? | option_a=180 | option_b=190 | option_c=437 | option_d=203 | answer=B | explanation=Scale factor = 247/13 = 19. Therefore second quantity = 10×19 = 190.

id=36983 | topic=Percentages | difficulty=Easy | question=What is 50% of 1250? | option_a=1250 | option_b=635 | option_c=625 | option_d=605 | answer=C | explanation=50% of 1250 = (50/100) × 1250 = 625.

id=36984 | topic=Percentages | difficulty=Easy | question=What is 15% of 290? | option_a=33 | option_b=86 | option_c=53 | option_d=43 | answer=D | explanation=15% of 290 = (15/100) × 290 = 43.

id=36985 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2816. If it is sold at a profit of 20%, what is its selling price? | option_a=2836 | option_b=3660 | option_c=3098 | option_d=3379 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2816 × 120/100 = █3379.

id=36986 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=U | option_b=T | option_c=V | option_d=S | answer=A | explanation=Move 1 positions forward from T; the resulting letter is U.

id=36987 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=T | option_c=W | option_d=V | answer=D | explanation=Move 1 positions forward from U; the resulting letter is V.

id=36988 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=T | option_b=U | option_c=W | option_d=V | answer=D | explanation=Move 1 positions forward from U; the resulting letter is V.

id=36989 | topic=Number System | difficulty=Easy | question=Find the LCM of 19 and 19. | option_a=1 | option_b=38 | option_c=361 | option_d=19 | answer=D | explanation=LCM × HCF = 19×19; HCF(19,19) = 19, so LCM = 19.

id=36990 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 26? | option_a=17 | option_b=5 | option_c=11 | option_d=26 | answer=D | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 26 is the odd one out.

Aptitude Questions — Records 36,991-37,020 of 100,000

id=36991 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:12 and the first is 100, what is the second? | option_a=48 | option_b=60 | option_c=80 | option_d=160 | answer=B | explanation=Scale factor = 100/20 = 5. Therefore second quantity = 12×5 = 60.

id=36992 | topic=Averages | difficulty=Easy | question=Find the average of 54, 73, 44, 31, 53. | option_a=53 | option_b=52 | option_c=50 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 255 ÷ 5 = 51.

id=36993 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=36 | option_c=72 | option_d=41 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=36994 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=36995 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=24 | option_b=29 | option_c=25 | option_d=19 | answer=A | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.

id=36996 | topic=Averages | difficulty=Easy | question=Find the average of 98, 20, 34, 49, 48, 95, 13. | option_a=51 | option_b=52 | option_c=53 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.

id=36997 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4499. If it is sold at a profit of 15%, what is its selling price? | option_a=5179 | option_b=4514 | option_c=5622 | option_d=4724 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4499 × 115/100 = █5173.

id=36998 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:16 and the first is 36, what is the second? | option_a=96 | option_b=80 | option_c=102 | option_d=132 | answer=A | explanation=Scale factor = 36/6 = 6. Therefore second quantity = 16×6 = 96.

id=36999 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=36 | option_b=35 | option_c=28 | option_d=42 | answer=B | explanation=The common difference is 7. Therefore the next term is 28 + 7 = 35.

id=37000 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=37 | option_b=38 | option_c=29 | option_d=45 | answer=A | explanation=The common difference is 8. Therefore the next term is 29 + 8 = 37.

id=37001 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=7 | option_c=12 | option_d=24 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=37002 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=37003 | topic=Averages | difficulty=Easy | question=Find the average of 49, 15, 76, 56, 34, 58. | option_a=50 | option_b=48 | option_c=47 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 288 ÷ 6 = 48.

id=37004 | topic=Percentages | difficulty=Easy | question=What is 50% of 1996? | option_a=998 | option_b=1003 | option_c=1996 | option_d=993 | answer=A | explanation=50% of 1996 = (50/100) × 1996 = 998.

id=37005 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2874. If it is sold at a profit of 50%, what is its selling price? | option_a=4311 | option_b=4598 | option_c=2924 | option_d=4024 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2874 × 150/100 = █4311.

id=37006 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=26 | option_b=23 | option_c=29 | option_d=27 | answer=A | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.

id=37007 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43831 at 15% per annum for 4 years. | option_a=26198 | option_b=26398 | option_c=26298 | option_d=70129 | answer=C | explanation=SI = PRT/100 = 43831×15×4/100 = █26298.

id=37008 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=N | option_c=E | option_d=K | answer=D | explanation=Move 3 positions forward from H; the resulting letter is K.

id=37009 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 14. | option_a=28 | option_b=32 | option_c=56 | option_d=14 | answer=A | explanation=LCM × HCF = 4×14; HCF(4,14) = 2, so LCM = 28.

id=37010 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 27. | option_a=240 | option_b=216 | option_c=648 | option_d=189 | answer=B | explanation=LCM × HCF = 24×27; HCF(24,27) = 3, so LCM = 216.

id=37011 | topic=Averages | difficulty=Easy | question=Find the average of 56, 62, 97, 68, 87. | option_a=73 | option_b=75 | option_c=74 | option_d=76 | answer=C | explanation=Average = sum of values ÷ number of values = 370 ÷ 5 = 74.

id=37012 | topic=Averages | difficulty=Easy | question=Find the average of 87, 31, 32, 46, 40, 79, 91. | option_a=57 | option_b=58 | option_c=60 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 406 ÷ 7 = 58.

id=37013 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=29 | option_c=19 | option_d=48 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=37014 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=37015 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:13 and the first is 17, what is the second? | option_a=238 | option_b=222 | option_c=208 | option_d=221 | answer=D | explanation=Scale factor = 17/1 = 17. Therefore second quantity = 13×17 = 221.

id=37016 | topic=Averages | difficulty=Easy | question=Find the average of 21, 58, 75, 77, 20, 66, 51, 40, 87. | option_a=56 | option_b=54 | option_c=55 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.

id=37017 | topic=Percentages | difficulty=Easy | question=What is 15% of 690? | option_a=206 | option_b=103 | option_c=123 | option_d=83 | answer=B | explanation=15% of 690 = (15/100) × 690 = 103.

id=37018 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=37019 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2199 at 5% per annum for 5 years. | option_a=2748 | option_b=449 | option_c=649 | option_d=549 | answer=D | explanation=SI = PRT/100 = 2199×5×5/100 = █549.

id=37020 | topic=Percentages | difficulty=Easy | question=What is 50% of 1385? | option_a=1384 | option_b=687 | option_c=697 | option_d=692 | answer=D | explanation=50% of 1385 = (50/100) × 1385 = 692.

Aptitude Questions — Records 37,021-37,050 of 100,000

id=37021 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=37022 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3771. If it is sold at a profit of 5%, what is its selling price? | option_a=3959 | option_b=3776 | option_c=3582 | option_d=4336 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3771 × 105/100 = █3959.

id=37023 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4991. If it is sold at a profit of 5%, what is its selling price? | option_a=5240 | option_b=4996 | option_c=5739 | option_d=4741 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4991 × 105/100 = █5240.

id=37024 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=37025 | topic=Averages | difficulty=Easy | question=Find the average of 57, 48, 36. | option_a=47 | option_b=48 | option_c=49 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 141 ÷ 3 = 47.

id=37026 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:6 and the first is 192, what is the second? | option_a=66 | option_b=72 | option_c=88 | option_d=264 | answer=B | explanation=Scale factor = 192/16 = 12. Therefore second quantity = 6×12 = 72.

id=37027 | topic=Averages | difficulty=Easy | question=Find the average of 97, 76, 92, 24, 69, 62. | option_a=71 | option_b=70 | option_c=72 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 420 ÷ 6 = 70.

id=37028 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25840 at 10% per annum for 4 years. | option_a=10236 | option_b=36176 | option_c=10336 | option_d=10436 | answer=C | explanation=SI = PRT/100 = 25840×10×4/100 = █10336.

id=37029 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16906 at 15% per annum for 1 years. | option_a=2535 | option_b=2435 | option_c=2635 | option_d=19441 | answer=A | explanation=SI = PRT/100 = 16906×15×1/100 = █2535.

id=37030 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:12 and the first is 56, what is the second? | option_a=92 | option_b=84 | option_c=140 | option_d=72 | answer=B | explanation=Scale factor = 56/8 = 7. Therefore second quantity = 12×7 = 84.

id=37031 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=T | option_b=R | option_c=S | option_d=Q | answer=C | explanation=Move 1 positions forward from R; the resulting letter is S.

id=37032 | topic=Averages | difficulty=Easy | question=Find the average of 20, 94, 38, 70, 65, 89, 23. | option_a=57 | option_b=59 | option_c=58 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 399 ÷ 7 = 57.

id=37033 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3886. If it is sold at a profit of 40%, what is its selling price? | option_a=5440 | option_b=3926 | option_c=5052 | option_d=5828 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3886 × 140/100 = █5440.

id=37034 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=K | option_b=F | option_c=V | option_d=A | answer=B | explanation=Move 5 positions forward from A; the resulting letter is F.

id=37035 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:6 and the first is 85, what is the second? | option_a=24 | option_b=30 | option_c=115 | option_d=47 | answer=B | explanation=Scale factor = 85/17 = 5. Therefore second quantity = 6×5 = 30.

id=37036 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 7. | option_a=7 | option_b=1 | option_c=49 | option_d=14 | answer=A | explanation=LCM × HCF = 7×7; HCF(7,7) = 7, so LCM = 7.

id=37037 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=37038 | topic=Averages | difficulty=Easy | question=Find the average of 18, 84, 36, 75, 25, 40, 20, 78. | option_a=47 | option_b=46 | option_c=49 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = 376 ÷ 8 = 47.

id=37039 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 6. | option_a=54 | option_b=60 | option_c=120 | option_d=80 | answer=B | explanation=LCM × HCF = 20×6; HCF(20,6) = 2, so LCM = 60.

id=37040 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=85 | option_d=160 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=37041 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24667 at 6% per annum for 4 years. | option_a=5820 | option_b=5920 | option_c=30587 | option_d=6020 | answer=B | explanation=SI = PRT/100 = 24667×6×4/100 = █5920.

id=37042 | topic=Percentages | difficulty=Easy | question=What is 12% of 1150? | option_a=143 | option_b=138 | option_c=118 | option_d=276 | answer=B | explanation=12% of 1150 = (12/100) × 1150 = 138.

id=37043 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=P | option_b=O | option_c=Q | option_d=N | answer=A | explanation=Move 1 positions forward from O; the resulting letter is P.

id=37044 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 31? | option_a=18 | option_b=31 | option_c=13 | option_d=23 | answer=B | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 31 is the odd one out.

id=37045 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=53 | option_b=54 | option_c=42 | option_d=64 | answer=A | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.

id=37046 | topic=Averages | difficulty=Easy | question=Find the average of 44, 99, 23, 74, 45, 33. | option_a=53 | option_b=52 | option_c=55 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 318 ÷ 6 = 53.

id=37047 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47903 at 4% per annum for 5 years. | option_a=9480 | option_b=9680 | option_c=9580 | option_d=57483 | answer=C | explanation=SI = PRT/100 = 47903×4×5/100 = █9580.

id=37048 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=37049 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32014 at 12% per annum for 5 years. | option_a=19308 | option_b=51222 | option_c=19108 | option_d=19208 | answer=D | explanation=SI = PRT/100 = 32014×12×5/100 = █19208.

id=37050 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=D | option_c=N | option_d=S | answer=C | explanation=Move 5 positions forward from I; the resulting letter is N.

Aptitude Questions — Records 37,051-37,080 of 100,000

id=37051 | topic=Averages | difficulty=Easy | question=Find the average of 96, 20, 93, 84, 76, 69. | option_a=74 | option_b=72 | option_c=73 | option_d=75 | answer=C | explanation=Average = sum of values ÷ number of values = 438 ÷ 6 = 73.

id=37052 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=30 | option_b=35 | option_c=34 | option_d=38 | answer=C | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.

id=37053 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=25 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=37054 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=E | option_c=D | option_d=B | answer=C | explanation=Move 1 positions forward from C; the resulting letter is D.

id=37055 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=P | option_b=E | option_c=U | option_d=Z | answer=D | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=37056 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3651. If it is sold at a profit of 10%, what is its selling price? | option_a=4381 | option_b=3651 | option_c=4016 | option_d=3661 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3651 × 110/100 = █4016.

id=37057 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=N | option_b=V | option_c=Z | option_d=R | answer=B | explanation=Move 4 positions forward from R; the resulting letter is V.

id=37058 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 10, 13, 18? | option_a=10 | option_b=13 | option_c=18 | option_d=7 | answer=C | explanation=The first three numbers increase by 3, so the next should be 16. Therefore 18 is the odd one out.

id=37059 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:4 and the first is 225, what is the second? | option_a=56 | option_b=285 | option_c=75 | option_d=60 | answer=D | explanation=Scale factor = 225/15 = 15. Therefore second quantity = 4×15 = 60.

id=37060 | topic=Averages | difficulty=Easy | question=Find the average of 69, 74, 39, 90, 73. | option_a=69 | option_b=70 | option_c=68 | option_d=71 | answer=A | explanation=Average = sum of values ÷ number of values = 345 ÷ 5 = 69.

id=37061 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 15, 19, 26? | option_a=11 | option_b=26 | option_c=15 | option_d=19 | answer=B | explanation=The first three numbers increase by 4, so the next should be 23. Therefore 26 is the odd one out.

id=37062 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 35, 44, 55? | option_a=44 | option_b=55 | option_c=35 | option_d=26 | answer=B | explanation=The first three numbers increase by 9, so the next should be 53. Therefore 55 is the odd one out.

id=37063 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=37064 | topic=Averages | difficulty=Easy | question=Find the average of 47, 19, 83, 27, 38, 15, 91, 24, 51, 15. | option_a=43 | option_b=41 | option_c=42 | option_d=40 | answer=B | explanation=Average = sum of values ÷ number of values = 410 ÷ 10 = 41.

id=37065 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=G | option_b=I | option_c=J | option_d=H | answer=B | explanation=Move 1 positions forward from H; the resulting letter is I.

id=37066 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=X | option_c=J | option_d=B | answer=A | explanation=Move 4 positions forward from B; the resulting letter is F.

id=37067 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=A | option_c=V | option_d=L | answer=C | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=37068 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 4. | option_a=24 | option_b=12 | option_c=8 | option_d=48 | answer=B | explanation=LCM × HCF = 12×4; HCF(12,4) = 4, so LCM = 12.

id=37069 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 14, 22, 33? | option_a=6 | option_b=33 | option_c=22 | option_d=14 | answer=B | explanation=The first three numbers increase by 8, so the next should be 30. Therefore 33 is the odd one out.

id=37070 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33389 at 6% per annum for 5 years. | option_a=10016 | option_b=10116 | option_c=9916 | option_d=43405 | answer=A | explanation=SI = PRT/100 = 33389×6×5/100 = █10016.

id=37071 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2023. If it is sold at a profit of 25%, what is its selling price? | option_a=2048 | option_b=2326 | option_c=2528 | option_d=2730 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2023 × 125/100 = █2528.

id=37072 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 30. | option_a=30 | option_b=450 | option_c=45 | option_d=1 | answer=A | explanation=LCM × HCF = 15×30; HCF(15,30) = 15, so LCM = 30.

id=37073 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12548 at 10% per annum for 4 years. | option_a=17567 | option_b=5019 | option_c=5119 | option_d=4919 | answer=B | explanation=SI = PRT/100 = 12548×10×4/100 = █5019.

id=37074 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=15 | option_b=16 | option_c=12 | option_d=14 | answer=D | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=37075 | topic=Percentages | difficulty=Easy | question=What is 50% of 1958? | option_a=974 | option_b=989 | option_c=979 | option_d=1958 | answer=C | explanation=50% of 1958 = (50/100) × 1958 = 979.

id=37076 | topic=Averages | difficulty=Easy | question=Find the average of 66, 85, 75, 78. | option_a=75 | option_b=77 | option_c=78 | option_d=76 | answer=D | explanation=Average = sum of values ÷ number of values = 304 ÷ 4 = 76.

id=37077 | topic=Percentages | difficulty=Easy | question=What is 5% of 1699? | option_a=168 | option_b=89 | option_c=64 | option_d=84 | answer=D | explanation=5% of 1699 = (5/100) × 1699 = 84.

id=37078 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42428 at 15% per annum for 5 years. | option_a=74249 | option_b=31721 | option_c=31921 | option_d=31821 | answer=D | explanation=SI = PRT/100 = 42428×15×5/100 = █31821.

id=37079 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=19 | option_b=16 | option_c=17 | option_d=13 | answer=B | explanation=The common difference is 3. Therefore the next term is 13 + 3 = 16.

id=37080 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:18 and the first is 84, what is the second? | option_a=90 | option_b=192 | option_c=122 | option_d=108 | answer=D | explanation=Scale factor = 84/14 = 6. Therefore second quantity = 18×6 = 108.

Aptitude Questions — Records 37,081-37,110 of 100,000

id=37081 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:6 and the first is 32, what is the second? | option_a=42 | option_b=48 | option_c=80 | option_d=52 | answer=B | explanation=Scale factor = $32/4 = 8$. Therefore second quantity = $6 \times 8 = 48$.

id=37082 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3772. If it is sold at a profit of 25%, what is its selling price? | option_a=3797 | option_b=5092 | option_c=4338 | option_d=4715 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3772 \times 125/100 = \text{█}4715$.

id=37083 | topic=Percentages | difficulty=Easy | question=What is 50% of 1909? | option_a=959 | option_b=954 | option_c=949 | option_d=1908 | answer=B | explanation= 50% of $1909 = (50/100) \times 1909 = 954$.

id=37084 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 28, 32, 38? | option_a=32 | option_b=24 | option_c=28 | option_d=38 | answer=D | explanation=The first three numbers increase by 4, so the next should be 36. Therefore 38 is the odd one out.

id=37085 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 32, 42, 55? | option_a=32 | option_b=22 | option_c=55 | option_d=42 | answer=C | explanation=The first three numbers increase by 10, so the next should be 52. Therefore 55 is the odd one out.

id=37086 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = $120 \div 2 = 60$ km/h.

id=37087 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44985 at 8% per annum for 2 years. | option_a=7297 | option_b=7097 | option_c=52182 | option_d=7197 | answer=D | explanation=SI = $PRT/100 = 44985 \times 8 \times 2/100 = \text{█}7197$.

id=37088 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=74 | option_b=63 | option_c=62 | option_d=50 | answer=C | explanation=The common difference is 12. Therefore the next term is $50 + 12 = 62$.

id=37089 | topic=Profit & Loss | difficulty=Easy | question=An article costs █307. If it is sold at a profit of 50%, what is its selling price? | option_a=357 | option_b=430 | option_c=490 | option_d=460 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 307 \times 150/100 = \text{█}460$.

id=37090 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=Y | option_c=H | option_d=E | answer=D | explanation=Move 3 positions forward from B; the resulting letter is E.

id=37091 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = $300 \div 10 = 30$ km/h.

id=37092 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47291 at 6% per annum for 2 years. | option_a=52965 | option_b=5574 | option_c=5674 | option_d=5774 | answer=C | explanation=SI = $PRT/100 = 47291 \times 6 \times 2/100 = \text{█}5674$.

id=37093 | topic=Percentages | difficulty=Easy | question=What is 20% of 409? | option_a=81 | option_b=71 | option_c=91 | option_d=162 | answer=A | explanation= 20% of $409 = (20/100) \times 409 = 81$.

id=37094 | topic=Percentages | difficulty=Easy | question=What is 50% of 395? | option_a=394 | option_b=197 | option_c=187 | option_d=217 | answer=B | explanation= 50% of $395 = (50/100) \times 395 = 197$.

id=37095 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:7 and the first is 120, what is the second? | option_a=94 | option_b=84 | option_c=204 | option_d=77 | answer=B | explanation=Scale factor = $120/10 = 12$. Therefore second quantity = $7 \times 12 = 84$.

id=37096 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=37097 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 13, 17, 23? | option_a=13 | option_b=9 | option_c=17 | option_d=23 | answer=D | explanation=The first three numbers increase by 4, so the next should be 21. Therefore 23 is the odd one out.

id=37098 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4366. If it is sold at a profit of 25%, what is its selling price? | option_a=5457 | option_b=5893 | option_c=5021 | option_d=4391 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4366 \times 125/100 = \text{█}5457$.

id=37099 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=Z | option_b=J | option_c=O | option_d=E | answer=B | explanation=Move 5 positions forward from E; the resulting letter is J.

id=37100 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3481. If it is sold at a profit of 10%, what is its selling price? | option_a=4177 | option_b=3481 | option_c=3829 | option_d=3491 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3481 \times 110/100 = \text{█}3829$.

id=37101 | topic=Averages | difficulty=Easy | question=Find the average of 34, 11, 62, 58, 30, 26, 97, 55, 32. | option_a=47 | option_b=46 | option_c=44 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = $405 \div 9 = 45$.

id=37102 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:12 and the first is 72, what is the second? | option_a=168 | option_b=96 | option_c=105 | option_d=84 | answer=B | explanation=Scale factor = $72/9 = 8$. Therefore second quantity = $12 \times 8 = 96$.

id=37103 | topic=Percentages | difficulty=Easy | question=What is 30% of 798? | option_a=229 | option_b=239 | option_c=249 | option_d=478 | answer=B | explanation= 30% of $798 = (30/100) \times 798 = 239$.

id=37104 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 44? | option_a=23 | option_b=44 | option_c=29 | option_d=35 | answer=B | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 44 is the odd one out.

id=37105 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=40 | option_b=41 | option_c=31 | option_d=49 | answer=A | explanation=The common difference is 9. Therefore the next term is $31 + 9 = 40$.

id=37106 | topic=Averages | difficulty=Easy | question=Find the average of 93, 62, 98, 83, 54, 24. | option_a=70 | option_b=68 | option_c=71 | option_d=69 | answer=D | explanation=Average = sum of values ÷ number of values = $414 \div 6 = 69$.

id=37107 | topic=Percentages | difficulty=Easy | question=What is 40% of 1006? | option_a=804 | option_b=422 | option_c=382 | option_d=402 | answer=D | explanation= 40% of $1006 = (40/100) \times 1006 = 402$.

id=37108 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=37109 | topic=Averages | difficulty=Easy | question=Find the average of 29, 39, 12, 83, 51, 44, 71. | option_a=48 | option_b=46 | option_c=47 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = $329 \div 7 = 47$.

id=37110 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

Aptitude Questions — Records 37,111-37,140 of 100,000

id=37111 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=40 | option_b=33 | option_c=41 | option_d=47 | answer=A | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.

id=37112 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=30 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=37113 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=37114 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=37115 | topic=Averages | difficulty=Easy | question=Find the average of 99, 75, 71, 99, 41. | option_a=79 | option_b=77 | option_c=78 | option_d=76 | answer=B | explanation=Average = sum of values ÷ number of values = 385 ÷ 5 = 77.

id=37116 | topic=Profit & Loss | difficulty=Easy | question=An article costs █238. If it is sold at a profit of 25%, what is its selling price? | option_a=320 | option_b=274 | option_c=263 | option_d=297 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 238 × 125/100 = █297.

id=37117 | topic=Profit & Loss | difficulty=Easy | question=An article costs █839. If it is sold at a profit of 10%, what is its selling price? | option_a=839 | option_b=922 | option_c=1005 | option_d=849 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 839 × 110/100 = █922.

id=37118 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20647 at 5% per annum for 2 years. | option_a=22711 | option_b=2164 | option_c=2064 | option_d=1964 | answer=C | explanation=SI = PRT/100 = 20647×5×2/100 = █2064.

id=37119 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=37120 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46874 at 6% per annum for 3 years. | option_a=8337 | option_b=55311 | option_c=8537 | option_d=8437 | answer=D | explanation=SI = PRT/100 = 46874×6×3/100 = █8437.

id=37121 | topic=Averages | difficulty=Easy | question=Find the average of 27, 81, 27, 31, 47, 39. | option_a=42 | option_b=43 | option_c=44 | option_d=41 | answer=A | explanation=Average = sum of values ÷ number of values = 252 ÷ 6 = 42.

id=37122 | topic=Profit & Loss | difficulty=Easy | question=An article costs █908. If it is sold at a profit of 20%, what is its selling price? | option_a=1089 | option_b=1179 | option_c=928 | option_d=999 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 908 × 120/100 = █1089.

id=37123 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=T | option_c=P | option_d=R | answer=B | explanation=Move 2 positions forward from R; the resulting letter is T.

id=37124 | topic=Averages | difficulty=Easy | question=Find the average of 75, 14, 57, 54. | option_a=50 | option_b=49 | option_c=52 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 200 ÷ 4 = 50.

id=37125 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=37126 | topic=Averages | difficulty=Easy | question=Find the average of 31, 26, 39, 56, 51, 65, 25, 11. | option_a=39 | option_b=37 | option_c=40 | option_d=38 | answer=D | explanation=Average = sum of values ÷ number of values = 304 ÷ 8 = 38.

id=37127 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13057 at 4% per annum for 1 years. | option_a=622 | option_b=13579 | option_c=522 | option_d=422 | answer=C | explanation=SI = PRT/100 = 13057×4×1/100 = █522.

id=37128 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:12 and the first is 108, what is the second? | option_a=90 | option_b=180 | option_c=72 | option_d=60 | answer=C | explanation=Scale factor = 108/18 = 6. Therefore second quantity = 12×6 = 72.

id=37129 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 51? | option_a=51 | option_b=39 | option_c=19 | option_d=29 | answer=A | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 51 is the odd one out.

id=37130 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=20 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=37131 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=S | option_b=M | option_c=V | option_d=P | answer=A | explanation=Move 3 positions forward from P; the resulting letter is S.

id=37132 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=50 | option_c=20 | option_d=25 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=37133 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3682. If it is sold at a profit of 50%, what is its selling price? | option_a=3732 | option_b=5155 | option_c=5523 | option_d=5891 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3682 × 150/100 = █5523.

id=37134 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 39? | option_a=14 | option_b=22 | option_c=39 | option_d=30 | answer=C | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 39 is the odd one out.

id=37135 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:19 and the first is 128, what is the second? | option_a=432 | option_b=312 | option_c=285 | option_d=304 | answer=D | explanation=Scale factor = 128/8 = 16. Therefore second quantity = 19×16 = 304.

id=37136 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=V | option_b=U | option_c=T | option_d=W | answer=A | explanation=Move 1 positions forward from U; the resulting letter is V.

id=37137 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=C | option_b=O | option_c=K | option_d=G | answer=C | explanation=Move 4 positions forward from G; the resulting letter is K.

id=37138 | topic=Averages | difficulty=Easy | question=Find the average of 94, 76, 22. | option_a=66 | option_b=64 | option_c=65 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 192 ÷ 3 = 64.

id=37139 | topic=Averages | difficulty=Easy | question=Find the average of 53, 48, 48, 98, 18, 41, 100. | option_a=57 | option_b=58 | option_c=60 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 406 ÷ 7 = 58.

id=37140 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4991 at 8% per annum for 5 years. | option_a=1896 | option_b=1996 | option_c=2096 | option_d=6987 | answer=B | explanation=SI = PRT/100 = 4991×8×5/100 = █1996.

Aptitude Questions — Records 37,141-37,170 of 100,000

id=37141 | topic=Percentages | difficulty=Easy | question=What is 10% of 574? | option_a=114 | option_b=77 | option_c=37 | option_d=57 | answer=D | explanation=10% of 574 = (10/100) × 574 = 57.

id=37142 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=N | option_c=M | option_d=K | answer=C | explanation=Move 1 positions forward from L; the resulting letter is M.

id=37143 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 15. | option_a=30 | option_b=15 | option_c=450 | option_d=60 | answer=A | explanation=LCM × HCF = 30×15; HCF(30,15) = 15, so LCM = 30.

id=37144 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25894 at 10% per annum for 3 years. | option_a=7768 | option_b=7668 | option_c=7868 | option_d=33662 | answer=A | explanation=SI = PRT/100 = 25894×10×3/100 = **■**7768.

id=37145 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1027. If it is sold at a profit of 30%, what is its selling price? | option_a=1335 | option_b=1057 | option_c=1437 | option_d=1233 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1027 × 130/100 = **■**1335.

id=37146 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 35, 41, 50? | option_a=41 | option_b=35 | option_c=29 | option_d=50 | answer=D | explanation=The first three numbers increase by 6, so the next should be 47. Therefore 50 is the odd one out.

id=37147 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=5 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=37148 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=K | option_b=U | option_c=Z | option_d=P | answer=B | explanation=Move 5 positions forward from P; the resulting letter is U.

id=37149 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34260 at 10% per annum for 2 years. | option_a=6952 | option_b=41112 | option_c=6752 | option_d=6852 | answer=D | explanation=SI = PRT/100 = 34260×10×2/100 = **■**6852.

id=37150 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:20 and the first is 44, what is the second? | option_a=91 | option_b=60 | option_c=80 | option_d=124 | answer=C | explanation=Scale factor = 44/11 = 4. Therefore second quantity = 20×4 = 80.

id=37151 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 20. | option_a=80 | option_b=100 | option_c=500 | option_d=125 | answer=B | explanation=LCM × HCF = 25×20; HCF(25,20) = 5, so LCM = 100.

id=37152 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 45? | option_a=45 | option_b=30 | option_c=38 | option_d=34 | answer=A | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 45 is the odd one out.

id=37153 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31711 at 5% per annum for 3 years. | option_a=4656 | option_b=4756 | option_c=4856 | option_d=36467 | answer=B | explanation=SI = PRT/100 = 31711×5×3/100 = **■**4756.

id=37154 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1987 at 12% per annum for 1 years. | option_a=2225 | option_b=138 | option_c=338 | option_d=238 | answer=D | explanation=SI = PRT/100 = 1987×12×1/100 = **■**238.

id=37155 | topic=Averages | difficulty=Easy | question=Find the average of 81, 33, 60, 90, 56. | option_a=63 | option_b=65 | option_c=64 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = 320 ÷ 5 = 64.

id=37156 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:17 and the first is 44, what is the second? | option_a=51 | option_b=68 | option_c=112 | option_d=79 | answer=B | explanation=Scale factor = 44/11 = 4. Therefore second quantity = 17×4 = 68.

id=37157 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:4 and the first is 165, what is the second? | option_a=40 | option_b=44 | option_c=59 | option_d=209 | answer=B | explanation=Scale factor = 165/15 = 11. Therefore second quantity = 4×11 = 44.

id=37158 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=U | option_c=S | option_d=Q | answer=B | explanation=Move 2 positions forward from S; the resulting letter is U.

id=37159 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=20 | option_c=15 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=37160 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=34 | option_b=31 | option_c=26 | option_d=30 | answer=D | explanation=The common difference is 4. Therefore the next term is 26 + 4 = 30.

id=37161 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4366. If it is sold at a profit of 10%, what is its selling price? | option_a=5238 | option_b=4802 | option_c=4376 | option_d=4366 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4366 × 110/100 = **■**4802.

id=37162 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=37163 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3027. If it is sold at a profit of 20%, what is its selling price? | option_a=3047 | option_b=3330 | option_c=3934 | option_d=3632 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3027 × 120/100 = **■**3632.

id=37164 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=37165 | topic=Averages | difficulty=Easy | question=Find the average of 46, 92, 17, 71, 69, 66, 45. | option_a=60 | option_b=57 | option_c=59 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 406 ÷ 7 = 58.

id=37166 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:18 and the first is 95, what is the second? | option_a=342 | option_b=437 | option_c=347 | option_d=324 | answer=A | explanation=Scale factor = 95/5 = 19. Therefore second quantity = 18×19 = 342.

id=37167 | topic=Percentages | difficulty=Easy | question=What is 50% of 1513? | option_a=746 | option_b=1512 | option_c=761 | option_d=756 | answer=D | explanation=50% of 1513 = (50/100) × 1513 = 756.

id=37168 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=50 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=37169 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16711 at 6% per annum for 1 years. | option_a=902 | option_b=1102 | option_c=17713 | option_d=1002 | answer=D | explanation=SI = PRT/100 = 16711×6×1/100 = **■**1002.

id=37170 | topic=Percentages | difficulty=Easy | question=What is 30% of 1300? | option_a=395 | option_b=390 | option_c=780 | option_d=370 | answer=B | explanation=30% of 1300 = (30/100) × 1300 = 390.

Aptitude Questions — Records 37,171-37,200 of 100,000

id=37171 | topic=Averages | difficulty=Easy | question=Find the average of 15, 91, 60, 52, 13, 89, 75, 31, 60, 14. | option_a=49 | option_b=50 | option_c=51 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 500 ÷ 10 = 50.

id=37172 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:13 and the first is 56, what is the second? | option_a=91 | option_b=104 | option_c=111 | option_d=160 | answer=B | explanation=Scale factor = 56/7 = 8. Therefore second quantity = 13×8 = 104.

id=37173 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 31? | option_a=31 | option_b=16 | option_c=20 | option_d=24 | answer=A | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 31 is the odd one out.

id=37174 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=R | option_c=L | option_d=U | answer=B | explanation=Move 3 positions forward from O; the resulting letter is R.

id=37175 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=77 | option_c=144 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=37176 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Y | option_b=U | option_c=C | option_d=Q | answer=A | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=37177 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=37178 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=31 | option_b=43 | option_c=38 | option_d=37 | answer=D | explanation=The common difference is 6. Therefore the next term is 31 + 6 = 37.

id=37179 | topic=Percentages | difficulty=Easy | question=What is 25% of 165? | option_a=82 | option_b=21 | option_c=51 | option_d=41 | answer=D | explanation=25% of 165 = (25/100) × 165 = 41.

id=37180 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=80 | option_c=35 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=37181 | topic=Averages | difficulty=Easy | question=Find the average of 100, 30, 31, 61, 74, 84, 58, 16, 32. | option_a=55 | option_b=53 | option_c=54 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 486 ÷ 9 = 54.

id=37182 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 36? | option_a=23 | option_b=29 | option_c=17 | option_d=36 | answer=D | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 36 is the odd one out.

id=37183 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=19 | option_c=29 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=37184 | topic=Percentages | difficulty=Easy | question=What is 12% of 1230? | option_a=142 | option_b=294 | option_c=157 | option_d=147 | answer=D | explanation=12% of 1230 = (12/100) × 1230 = 147.

id=37185 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1643 at 12% per annum for 1 years. | option_a=1840 | option_b=297 | option_c=97 | option_d=197 | answer=D | explanation=SI = PRT/100 = 1643×12×1/100 = **■**197.

id=37186 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:15 and the first is 120, what is the second? | option_a=285 | option_b=300 | option_c=420 | option_d=306 | answer=B | explanation=Scale factor = 120/6 = 20. Therefore second quantity = 15×20 = 300.

id=37187 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=49 | option_b=50 | option_c=38 | option_d=60 | answer=A | explanation=The common difference is 11. Therefore the next term is 38 + 11 = 49.

id=37188 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25301 at 10% per annum for 2 years. | option_a=5060 | option_b=30361 | option_c=4960 | option_d=5160 | answer=A | explanation=SI = PRT/100 = 25301×10×2/100 = **■**5060.

id=37189 | topic=Averages | difficulty=Easy | question=Find the average of 90, 87, 27. | option_a=68 | option_b=70 | option_c=69 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = 204 ÷ 3 = 68.

id=37190 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=O | option_c=G | option_d=S | answer=B | explanation=Move 4 positions forward from K; the resulting letter is O.

id=37191 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=37192 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=37193 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 45? | option_a=23 | option_b=45 | option_c=33 | option_d=13 | answer=B | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 45 is the odd one out.

id=37194 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=37195 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 32, 40, 50? | option_a=50 | option_b=40 | option_c=32 | option_d=24 | answer=A | explanation=The first three numbers increase by 8, so the next should be 48. Therefore 50 is the odd one out.

id=37196 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 49? | option_a=30 | option_b=36 | option_c=49 | option_d=42 | answer=C | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 49 is the odd one out.

id=37197 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 10, 17, 26? | option_a=17 | option_b=3 | option_c=26 | option_d=10 | answer=C | explanation=The first three numbers increase by 7, so the next should be 24. Therefore 26 is the odd one out.

id=37198 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 13, 17, 21, ? | option_a=26 | option_b=21 | option_c=29 | option_d=25 | answer=D | explanation=The common difference is 4. Therefore the next term is 21 + 4 = 25.

id=37199 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 24. | option_a=24 | option_b=1 | option_c=192 | option_d=32 | answer=A | explanation=LCM × HCF = 8×24; HCF(8,24) = 8, so LCM = 24.

id=37200 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 15. | option_a=15 | option_b=30 | option_c=450 | option_d=60 | answer=B | explanation=LCM × HCF = 30×15; HCF(30,15) = 15, so LCM = 30.

Aptitude Questions — Records 37,201-37,230 of 100,000

id=37201 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:2 and the first is 14, what is the second? | option_a=42 | option_b=29 | option_c=28 | option_d=26 | answer=C | explanation=Scale factor = 14/1 = 14. Therefore second quantity = 2×14 = 28.

id=37202 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=Y | option_c=P | option_d=V | answer=D | explanation=Move 3 positions forward from S; the resulting letter is V.

id=37203 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:3 and the first is 28, what is the second? | option_a=21 | option_b=18 | option_c=49 | option_d=25 | answer=A | explanation=Scale factor = 28/4 = 7. Therefore second quantity = 3×7 = 21.

id=37204 | topic=Percentages | difficulty=Easy | question=What is 25% of 1921? | option_a=960 | option_b=480 | option_c=485 | option_d=470 | answer=B | explanation=25% of 1921 = (25/100) × 1921 = 480.

id=37205 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16823 at 6% per annum for 1 years. | option_a=17832 | option_b=1109 | option_c=1009 | option_d=909 | answer=C | explanation=SI = PRT/100 = 16823×6×1/100 = **■**1009.

id=37206 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=B | option_c=D | option_d=H | answer=A | explanation=Move 2 positions forward from D; the resulting letter is F.

id=37207 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1800 at 15% per annum for 2 years. | option_a=2340 | option_b=640 | option_c=540 | option_d=440 | answer=C | explanation=SI = PRT/100 = 1800×15×2/100 = **■**540.

id=37208 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:10 and the first is 68, what is the second? | option_a=238 | option_b=160 | option_c=170 | option_d=174 | answer=C | explanation=Scale factor = 68/4 = 17. Therefore second quantity = 10×17 = 170.

id=37209 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=40 | option_b=41 | option_c=49 | option_d=31 | answer=A | explanation=The common difference is 9. Therefore the next term is 31 + 9 = 40.

id=37210 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2204. If it is sold at a profit of 10%, what is its selling price? | option_a=2204 | option_b=2214 | option_c=2424 | option_d=2644 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2204 × 110/100 = **■**2424.

id=37211 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=24 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=37212 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=37213 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 31, 33, 37? | option_a=37 | option_b=33 | option_c=29 | option_d=31 | answer=A | explanation=The first three numbers increase by 2, so the next should be 35. Therefore 37 is the odd one out.

id=37214 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=T | option_c=L | option_d=X | answer=B | explanation=Move 4 positions forward from P; the resulting letter is T.

id=37215 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=37216 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2909. If it is sold at a profit of 5%, what is its selling price? | option_a=2764 | option_b=3054 | option_c=3344 | option_d=2914 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2909 × 105/100 = **■**3054.

id=37217 | topic=Percentages | difficulty=Easy | question=What is 10% of 1525? | option_a=157 | option_b=152 | option_c=304 | option_d=132 | answer=B | explanation=10% of 1525 = (10/100) × 1525 = 152.

id=37218 | topic=Averages | difficulty=Easy | question=Find the average of 53, 66, 74, 16, 25, 36. | option_a=46 | option_b=45 | option_c=47 | option_d=44 | answer=B | explanation=Average = sum of values ÷ number of values = 270 ÷ 6 = 45.

id=37219 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=37220 | topic=Averages | difficulty=Easy | question=Find the average of 39, 48, 59, 95, 97, 92, 30, 90, 80. | option_a=71 | option_b=72 | option_c=69 | option_d=70 | answer=D | explanation=Average = sum of values + number of values = 630 ÷ 9 = 70.

id=37221 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3236. If it is sold at a profit of 25%, what is its selling price? | option_a=3261 | option_b=4368 | option_c=4045 | option_d=3722 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3236 × 125/100 = **■**4045.

id=37222 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**932. If it is sold at a profit of 20%, what is its selling price? | option_a=1025 | option_b=952 | option_c=1118 | option_d=1211 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 932 × 120/100 = **■**1118.

id=37223 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25697 at 5% per annum for 2 years. | option_a=2669 | option_b=2569 | option_c=2469 | option_d=28266 | answer=B | explanation=SI = PRT/100 = 25697×5×2/100 = **■**2569.

id=37224 | topic=Averages | difficulty=Easy | question=Find the average of 10, 93, 49, 23, 16, 73. | option_a=46 | option_b=44 | option_c=45 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = 264 ÷ 6 = 44.

id=37225 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 30? | option_a=30 | option_b=12 | option_c=20 | option_d=4 | answer=A | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 30 is the odd one out.

id=37226 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 21. | option_a=24 | option_b=1 | option_c=21 | option_d=63 | answer=C | explanation=LCM × HCF = 3×21; HCF(3,21) = 3, so LCM = 21.

id=37227 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=37228 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=33 | option_b=21 | option_c=28 | option_d=27 | answer=D | explanation=The common difference is 6. Therefore the next term is 21 + 6 = 27.

id=37229 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 14. | option_a=28 | option_b=48 | option_c=42 | option_d=84 | answer=C | explanation=LCM × HCF = 6×14; HCF(6,14) = 2, so LCM = 42.

id=37230 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

Aptitude Questions — Records 37,231-37,260 of 100,000

id=37231 | topic=Averages | difficulty=Easy | question=Find the average of 61, 71, 25, 30, 44, 60, 80. | option_a=55 | option_b=53 | option_c=52 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = $371 \div 7 = 53$.

id=37232 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:5 and the first is 78, what is the second? | option_a=71 | option_b=60 | option_c=143 | option_d=65 | answer=D | explanation=Scale factor = $78/6 = 13$. Therefore second quantity = $5 \times 13 = 65$.

id=37233 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=H | option_b=B | option_c=E | option_d=Y | answer=C | explanation=Move 3 positions forward from B; the resulting letter is E.

id=37234 | topic=Percentages | difficulty=Easy | question=What is 40% of 1746? | option_a=678 | option_b=1396 | option_c=698 | option_d=703 | answer=C | explanation= 40% of 1746 = $(40/100) \times 1746 = 698$.

id=37235 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 22. | option_a=352 | option_b=192 | option_c=154 | option_d=176 | answer=D | explanation= $LCM \times HCF = 16 \times 22$; $HCF(16,22) = 2$, so $LCM = 176$.

id=37236 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3006. If it is sold at a profit of 15%, what is its selling price? | option_a=3021 | option_b=3756 | option_c=3156 | option_d=3456 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3006 \times 115/100 = \text{█}3456$.

id=37237 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 28, 38, 49? | option_a=49 | option_b=38 | option_c=18 | option_d=28 | answer=A | explanation=The first three numbers increase by 10, so the next should be 48. Therefore 49 is the odd one out.

id=37238 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:18 and the first is 12, what is the second? | option_a=66 | option_b=54 | option_c=36 | option_d=58 | answer=B | explanation=Scale factor = $12/4 = 3$. Therefore second quantity = $18 \times 3 = 54$.

id=37239 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=59 | option_b=51 | option_c=50 | option_d=41 | answer=C | explanation=The common difference is 9. Therefore the next term is $41 + 9 = 50$.

id=37240 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=36 | option_c=18 | option_d=13 | answer=C | explanation=Speed = distance ÷ time = $180 \div 10 = 18$ km/h.

id=37241 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 5. | option_a=125 | option_b=50 | option_c=20 | option_d=25 | answer=D | explanation= $LCM \times HCF = 25 \times 5$; $HCF(25,5) = 5$, so $LCM = 25$.

id=37242 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 20, 23, 28? | option_a=23 | option_b=28 | option_c=17 | option_d=20 | answer=B | explanation=The first three numbers increase by 3, so the next should be 26. Therefore 28 is the odd one out.

id=37243 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:12 and the first is 182, what is the second? | option_a=156 | option_b=170 | option_c=338 | option_d=144 | answer=A | explanation=Scale factor = $182/14 = 13$. Therefore second quantity = $12 \times 13 = 156$.

id=37244 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 23, 25, 29? | option_a=21 | option_b=23 | option_c=25 | option_d=29 | answer=D | explanation=The first three numbers increase by 2, so the next should be 27. Therefore 29 is the odd one out.

id=37245 | topic=Averages | difficulty=Easy | question=Find the average of 84, 95, 25. | option_a=67 | option_b=70 | option_c=69 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = $204 \div 3 = 68$.

id=37246 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=L | option_c=O | option_d=N | answer=D | explanation=Move 1 positions forward from M; the resulting letter is N.

id=37247 | topic=Percentages | difficulty=Easy | question=What is 12% of 481? | option_a=57 | option_b=114 | option_c=77 | option_d=52 | answer=A | explanation= 12% of 481 = $(12/100) \times 481 = 57$.

id=37248 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2848. If it is sold at a profit of 50%, what is its selling price? | option_a=4556 | option_b=2898 | option_c=3988 | option_d=4272 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2848 \times 150/100 = \text{█}4272$.

id=37249 | topic=Percentages | difficulty=Easy | question=What is 20% of 664? | option_a=264 | option_b=152 | option_c=132 | option_d=127 | answer=C | explanation= 20% of 664 = $(20/100) \times 664 = 132$.

id=37250 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 18, 28, 38, ? | option_a=38 | option_b=49 | option_c=58 | option_d=48 | answer=D | explanation=The common difference is 10. Therefore the next term is $38 + 10 = 48$.

id=37251 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=B | option_b=E | option_c=D | option_d=C | answer=C | explanation=Move 1 positions forward from C; the resulting letter is D.

id=37252 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=45 | option_b=57 | option_c=56 | option_d=67 | answer=C | explanation=The common difference is 11. Therefore the next term is $45 + 11 = 56$.

id=37253 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=62 | option_b=51 | option_c=38 | option_d=50 | answer=D | explanation=The common difference is 12. Therefore the next term is $38 + 12 = 50$.

id=37254 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 32? | option_a=32 | option_b=12 | option_c=24 | option_d=18 | answer=A | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 32 is the odd one out.

id=37255 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=36 | option_b=35 | option_c=40 | option_d=30 | answer=B | explanation=The common difference is 5. Therefore the next term is $30 + 5 = 35$.

id=37256 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:3 and the first is 300, what is the second? | option_a=45 | option_b=65 | option_c=345 | option_d=42 | answer=A | explanation=Scale factor = $300/20 = 15$. Therefore second quantity = $3 \times 15 = 45$.

id=37257 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=37258 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=41 | option_c=31 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = $180 \div 5 = 36$ km/h.

id=37259 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=V | option_b=U | option_c=W | option_d=T | answer=A | explanation=Move 1 positions forward from U; the resulting letter is V.

id=37260 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21624 at 4% per annum for 5 years. | option_a=4424 | option_b=25948 | option_c=4324 | option_d=4224 | answer=C | explanation= $SI = PRT/100 = 21624 \times 4 \times 5/100 = \text{█}4324$.

Aptitude Questions — Records 37,261-37,290 of 100,000

id=37261 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4090. If it is sold at a profit of 15%, what is its selling price? | option_a=5112 | option_b=4294 | option_c=4105 | option_d=4703 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4090 × 115/100 = █4703.

id=37262 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=37263 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=37264 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31985 at 5% per annum for 3 years. | option_a=4897 | option_b=4797 | option_c=36782 | option_d=4697 | answer=B | explanation=SI = PRT/100 = 31985×5×3/100 = █4797.

id=37265 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=41 | option_b=48 | option_c=34 | option_d=42 | answer=A | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=37266 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=120 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=37267 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29083 at 4% per annum for 3 years. | option_a=32572 | option_b=3489 | option_c=3389 | option_d=3589 | answer=B | explanation=SI = PRT/100 = 29083×4×3/100 = █3489.

id=37268 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=40 | option_b=52 | option_c=53 | option_d=64 | answer=B | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.

id=37269 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does "I" become? | option_a=N | option_b=S | option_c=D | option_d=I | answer=A | explanation=Move 5 positions forward from I; the resulting letter is N.

id=37270 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=24 | option_c=7 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=37271 | topic=Averages | difficulty=Easy | question=Find the average of 81, 82, 61, 78, 37, 31, 25, 33, 94. | option_a=60 | option_b=59 | option_c=58 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 522 ÷ 9 = 58.

id=37272 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=5 | option_c=20 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=37273 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40672 at 15% per annum for 2 years. | option_a=12201 | option_b=12301 | option_c=52873 | option_d=12101 | answer=A | explanation=SI = PRT/100 = 40672×15×2/100 = █12201.

id=37274 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 24. | option_a=90 | option_b=48 | option_c=432 | option_d=72 | answer=D | explanation=LCM × HCF = 18×24; HCF(18,24) = 6, so LCM = 72.

id=37275 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=33 | option_b=47 | option_c=40 | option_d=41 | answer=C | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.

id=37276 | topic=Profit & Loss | difficulty=Easy | question=An article costs █611. If it is sold at a profit of 30%, what is its selling price? | option_a=794 | option_b=855 | option_c=641 | option_d=733 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 611 × 130/100 = █794.

id=37277 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=37278 | topic=Percentages | difficulty=Easy | question=What is 15% of 588? | option_a=68 | option_b=88 | option_c=176 | option_d=98 | answer=B | explanation=15% of 588 = (15/100) × 588 = 88.

id=37279 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 20? | option_a=15 | option_b=9 | option_c=20 | option_d=12 | answer=C | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 20 is the odd one out.

id=37280 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=37281 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 10, 17, 26? | option_a=10 | option_b=3 | option_c=17 | option_d=26 | answer=D | explanation=The first three numbers increase by 7, so the next should be 24. Therefore 26 is the odd one out.

id=37282 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35131 at 4% per annum for 4 years. | option_a=5520 | option_b=40751 | option_c=5620 | option_d=5720 | answer=C | explanation=SI = PRT/100 = 35131×4×4/100 = █5620.

id=37283 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 20. | option_a=40 | option_b=160 | option_c=48 | option_d=20 | answer=A | explanation=LCM × HCF = 8×20; HCF(8,20) = 4, so LCM = 40.

id=37284 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 30, 32, 36? | option_a=36 | option_b=32 | option_c=30 | option_d=28 | answer=A | explanation=The first three numbers increase by 2, so the next should be 34. Therefore 36 is the odd one out.

id=37285 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42510 at 6% per annum for 5 years. | option_a=12653 | option_b=12853 | option_c=55263 | option_d=12753 | answer=D | explanation=SI = PRT/100 = 42510×6×5/100 = █12753.

id=37286 | topic=Averages | difficulty=Easy | question=Find the average of 29, 75, 78, 52, 72, 95, 94, 36, 31, 68. | option_a=63 | option_b=65 | option_c=64 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 630 ÷ 10 = 63.

id=37287 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does "T" become? | option_a=Q | option_b=T | option_c=Z | option_d=W | answer=D | explanation=Move 3 positions forward from T; the resulting letter is W.

id=37288 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39276 at 15% per annum for 4 years. | option_a=23565 | option_b=23665 | option_c=62841 | option_d=23465 | answer=A | explanation=SI = PRT/100 = 39276×15×4/100 = █23565.

id=37289 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 24. | option_a=504 | option_b=189 | option_c=168 | option_d=144 | answer=C | explanation=LCM × HCF = 21×24; HCF(21,24) = 3, so LCM = 168.

id=37290 | topic=Percentages | difficulty=Easy | question=What is 40% of 439? | option_a=175 | option_b=165 | option_c=195 | option_d=350 | answer=A | explanation=40% of 439 = (40/100) × 439 = 175.

Aptitude Questions — Records 37,291-37,320 of 100,000

id=37291 | topic=Percentages | difficulty=Easy | question=What is 5% of 1784? | option_a=84 | option_b=178 | option_c=89 | option_d=99 | answer=C | explanation=5% of 1784 = (5/100) × 1784 = 89.

id=37292 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15759 at 5% per annum for 4 years. | option_a=18910 | option_b=3051 | option_c=3251 | option_d=3151 | answer=D | explanation=SI = PRT/100 = 15759×5×4/100 = **■**3151.

id=37293 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:12 and the first is 260, what is the second? | option_a=253 | option_b=228 | option_c=240 | option_d=500 | answer=C | explanation=Scale factor = 260/13 = 20. Therefore second quantity = 12×20 = 240.

id=37294 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43, ? | option_a=52 | option_b=51 | option_c=59 | option_d=43 | answer=B | explanation=The common difference is 8. Therefore the next term is 43 + 8 = 51.

id=37295 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 8, 13, 19? | option_a=8 | option_b=13 | option_c=19 | option_d=3 | answer=C | explanation=The first three numbers increase by 5, so the next should be 18. Therefore 19 is the odd one out.

id=37296 | topic=Percentages | difficulty=Easy | question=What is 30% of 856? | option_a=246 | option_b=512 | option_c=276 | option_d=256 | answer=D | explanation=30% of 856 = (30/100) × 856 = 256.

id=37297 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:14 and the first is 132, what is the second? | option_a=154 | option_b=300 | option_c=168 | option_d=179 | answer=C | explanation=Scale factor = 132/11 = 12. Therefore second quantity = 14×12 = 168.

id=37298 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 4. | option_a=36 | option_b=32 | option_c=54 | option_d=72 | answer=A | explanation=LCM × HCF = 18×4; HCF(18,4) = 2, so LCM = 36.

id=37299 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29042 at 5% per annum for 3 years. | option_a=4356 | option_b=4256 | option_c=33398 | option_d=4456 | answer=A | explanation=SI = PRT/100 = 29042×5×3/100 = **■**4356.

id=37300 | topic=Averages | difficulty=Easy | question=Find the average of 83, 77, 23. | option_a=63 | option_b=62 | option_c=61 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 183 ÷ 3 = 61.

id=37301 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=85 | option_c=90 | option_d=180 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=37302 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=50 | option_c=20 | option_d=25 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=37303 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:15 and the first is 256, what is the second? | option_a=256 | option_b=240 | option_c=225 | option_d=496 | answer=B | explanation=Scale factor = 256/16 = 16. Therefore second quantity = 15×16 = 240.

id=37304 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 15. | option_a=30 | option_b=54 | option_c=45 | option_d=135 | answer=C | explanation=LCM × HCF = 9×15; HCF(9,15) = 3, so LCM = 45.

id=37305 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4477. If it is sold at a profit of 50%, what is its selling price? | option_a=6715 | option_b=6268 | option_c=4527 | option_d=7162 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4477 × 150/100 = **■**6715.

id=37306 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=37307 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 10, 15, 21? | option_a=21 | option_b=10 | option_c=5 | option_d=15 | answer=A | explanation=The first three numbers increase by 5, so the next should be 20. Therefore 21 is the odd one out.

id=37308 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 22. | option_a=312 | option_b=286 | option_c=264 | option_d=572 | answer=B | explanation=LCM × HCF = 26×22; HCF(26,22) = 2, so LCM = 286.

id=37309 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=12 | option_b=7 | option_c=24 | option_d=17 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=37310 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 43? | option_a=30 | option_b=38 | option_c=34 | option_d=43 | answer=D | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 43 is the odd one out.

id=37311 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 30, 33, 39? | option_a=33 | option_b=30 | option_c=27 | option_d=39 | answer=D | explanation=The first three numbers increase by 3, so the next should be 36. Therefore 39 is the odd one out.

id=37312 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=37313 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1700. If it is sold at a profit of 25%, what is its selling price? | option_a=2125 | option_b=1725 | option_c=1955 | option_d=2295 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1700 × 125/100 = **■**2125.

id=37314 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=37315 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=50 | option_c=45 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=37316 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=G | option_c=I | option_d=C | answer=B | explanation=Move 2 positions forward from E; the resulting letter is G.

id=37317 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:19 and the first is 36, what is the second? | option_a=378 | option_b=342 | option_c=344 | option_d=323 | answer=B | explanation=Scale factor = 36/2 = 18. Therefore second quantity = 19×18 = 342.

id=37318 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 28, 38, 49? | option_a=38 | option_b=49 | option_c=18 | option_d=28 | answer=B | explanation=The first three numbers increase by 10, so the next should be 48. Therefore 49 is the odd one out.

id=37319 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31641 at 8% per annum for 5 years. | option_a=12556 | option_b=12756 | option_c=12656 | option_d=44297 | answer=C | explanation=SI = PRT/100 = 31641×8×5/100 = **■**12656.

id=37320 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=W | option_b=I | option_c=E | option_d=A | answer=C | explanation=Move 4 positions forward from A; the resulting letter is E.

Aptitude Questions — Records 37,321-37,350 of 100,000

id=37321 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 46? | option_a=26 | option_b=38 | option_c=32 | option_d=46 | answer=D | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 46 is the odd one out.

id=37322 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Q | option_b=Z | option_c=W | option_d=T | answer=C | explanation=Move 3 positions forward from T; the resulting letter is W.

id=37323 | topic=Averages | difficulty=Easy | question=Find the average of 77, 56, 99, 58, 77, 47. | option_a=68 | option_b=70 | option_c=69 | option_d=71 | answer=C | explanation=Average = sum of values ÷ number of values = 414 ÷ 6 = 69.

id=37324 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=29 | option_b=33 | option_c=32 | option_d=35 | answer=C | explanation=The common difference is 3. Therefore the next term is 29 + 3 = 32.

id=37325 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=36 | option_b=47 | option_c=58 | option_d=48 | answer=B | explanation=The common difference is 11. Therefore the next term is 36 + 11 = 47.

id=37326 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2777. If it is sold at a profit of 30%, what is its selling price? | option_a=3610 | option_b=3333 | option_c=2807 | option_d=3887 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2777 × 130/100 = █3610.

id=37327 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:15 and the first is 180, what is the second? | option_a=285 | option_b=300 | option_c=309 | option_d=480 | answer=B | explanation=Scale factor = 180/9 = 20. Therefore second quantity = 15×20 = 300.

id=37328 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4440. If it is sold at a profit of 40%, what is its selling price? | option_a=4480 | option_b=6660 | option_c=6216 | option_d=5772 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4440 × 140/100 = █6216.

id=37329 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3802. If it is sold at a profit of 25%, what is its selling price? | option_a=4372 | option_b=3827 | option_c=5132 | option_d=4752 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3802 × 125/100 = █4752.

id=37330 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=37331 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=37332 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=20 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=37333 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 16. | option_a=32 | option_b=16 | option_c=1 | option_d=18 | answer=B | explanation=LCM × HCF = 2×16; HCF(2,16) = 2, so LCM = 16.

id=37334 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 15, 21, 28? | option_a=9 | option_b=21 | option_c=28 | option_d=15 | answer=C | explanation=The first three numbers increase by 6, so the next should be 27. Therefore 28 is the odd one out.

id=37335 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=50 | option_b=38 | option_c=51 | option_d=62 | answer=A | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=37336 | topic=Percentages | difficulty=Easy | question=What is 10% of 856? | option_a=85 | option_b=170 | option_c=90 | option_d=80 | answer=A | explanation=10% of 856 = (10/100) × 856 = 85.

id=37337 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=55 | option_d=100 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=37338 | topic=Percentages | difficulty=Easy | question=What is 30% of 478? | option_a=133 | option_b=153 | option_c=286 | option_d=143 | answer=D | explanation=30% of 478 = (30/100) × 478 = 143.

id=37339 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 13, 16, 20? | option_a=10 | option_b=20 | option_c=16 | option_d=13 | answer=B | explanation=The first three numbers increase by 3, so the next should be 19. Therefore 20 is the odd one out.

id=37340 | topic=Percentages | difficulty=Easy | question=What is 30% of 889? | option_a=266 | option_b=532 | option_c=271 | option_d=246 | answer=A | explanation=30% of 889 = (30/100) × 889 = 266.

id=37341 | topic=Averages | difficulty=Easy | question=Find the average of 94, 28, 30, 28, 22, 94, 75. | option_a=54 | option_b=52 | option_c=53 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 371 ÷ 7 = 53.

id=37342 | topic=Averages | difficulty=Easy | question=Find the average of 37, 75, 47, 13. | option_a=43 | option_b=42 | option_c=44 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 172 ÷ 4 = 43.

id=37343 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=A | option_c=E | option_d=Y | answer=A | explanation=Move 2 positions forward from A; the resulting letter is C.

id=37344 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3069. If it is sold at a profit of 40%, what is its selling price? | option_a=3109 | option_b=4602 | option_c=4296 | option_d=3990 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3069 × 140/100 = █4296.

id=37345 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=26 | option_b=23 | option_c=24 | option_d=20 | answer=B | explanation=The common difference is 3. Therefore the next term is 20 + 3 = 23.

id=37346 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=37347 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 16. | option_a=16 | option_b=1 | option_c=32 | option_d=18 | answer=A | explanation=LCM × HCF = 2×16; HCF(2,16) = 2, so LCM = 16.

id=37348 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49616 at 10% per annum for 5 years. | option_a=24908 | option_b=24708 | option_c=74424 | option_d=24808 | answer=D | explanation=SI = PRT/100 = 49616×10×5/100 = █24808.

id=37349 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=K | option_c=G | option_d=E | answer=A | explanation=Move 2 positions forward from G; the resulting letter is I.

id=37350 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=40 | option_c=80 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

Aptitude Questions — Records 37,351-37,380 of 100,000

- id=37351 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28714 at 10% per annum for 3 years. | option_a=8714 | option_b=8614 | option_c=8514 | option_d=37328 | answer=B | explanation=SI = PRT/100 = 28714×10×3/100 = **■**8614.
- id=37352 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=P | option_c=H | option_d=D | answer=A | explanation=Move 4 positions forward from H; the resulting letter is L.
- id=37353 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 10, 18, 28? | option_a=2 | option_b=18 | option_c=28 | option_d=10 | answer=C | explanation=The first three numbers increase by 8, so the next should be 26. Therefore 28 is the odd one out.
- id=37354 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:7 and the first is 323, what is the second? | option_a=456 | option_b=126 | option_c=133 | option_d=150 | answer=C | explanation=Scale factor = 323/17 = 19. Therefore second quantity = 7×19 = 133.
- id=37355 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40179 at 8% per annum for 3 years. | option_a=9542 | option_b=9742 | option_c=9642 | option_d=49821 | answer=C | explanation=SI = PRT/100 = 40179×8×3/100 = **■**9642.
- id=37356 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46419 at 12% per annum for 2 years. | option_a=57559 | option_b=11140 | option_c=11040 | option_d=11240 | answer=B | explanation=SI = PRT/100 = 46419×12×2/100 = **■**11140.
- id=37357 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=20 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=37358 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=65 | option_b=64 | option_c=76 | option_d=52 | answer=B | explanation=The common difference is 12. Therefore the next term is 52 + 12 = 64.
- id=37359 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=L | option_b=Q | option_c=V | option_d=A | answer=C | explanation=Move 5 positions forward from Q; the resulting letter is V.
- id=37360 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.
- id=37361 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=55 | option_c=50 | option_d=100 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.
- id=37362 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=15 | option_b=19 | option_c=17 | option_d=18 | answer=C | explanation=The common difference is 2. Therefore the next term is 15 + 2 = 17.
- id=37363 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=N | option_c=Z | option_d=R | answer=A | explanation=Move 4 positions forward from R; the resulting letter is V.
- id=37364 | topic=Percentages | difficulty=Easy | question=What is 40% of 1458? | option_a=588 | option_b=573 | option_c=1166 | option_d=583 | answer=D | explanation=40% of 1458 = (40/100) × 1458 = 583.
- id=37365 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.
- id=37366 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36914 at 12% per annum for 1 years. | option_a=41343 | option_b=4529 | option_c=4329 | option_d=4429 | answer=D | explanation=SI = PRT/100 = 36914×12×1/100 = **■**4429.
- id=37367 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25431 at 4% per annum for 2 years. | option_a=1934 | option_b=2034 | option_c=2134 | option_d=27465 | answer=B | explanation=SI = PRT/100 = 25431×4×2/100 = **■**2034.
- id=37368 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 24. | option_a=168 | option_b=182 | option_c=336 | option_d=144 | answer=A | explanation=LCM × HCF = 14×24; HCF(14,24) = 2, so LCM = 168.
- id=37369 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6893 at 4% per annum for 3 years. | option_a=827 | option_b=927 | option_c=727 | option_d=7720 | answer=A | explanation=SI = PRT/100 = 6893×4×3/100 = **■**827.
- id=37370 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=E | option_c=F | option_d=C | answer=B | explanation=Move 1 positions forward from D; the resulting letter is E.
- id=37371 | topic=Percentages | difficulty=Easy | question=What is 15% of 1770? | option_a=530 | option_b=265 | option_c=245 | option_d=270 | answer=B | explanation=15% of 1770 = (15/100) × 1770 = 265.
- id=37372 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1689. If it is sold at a profit of 50%, what is its selling price? | option_a=2533 | option_b=2365 | option_c=2701 | option_d=1739 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1689 × 150/100 = **■**2533.
- id=37373 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.
- id=37374 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1823. If it is sold at a profit of 20%, what is its selling price? | option_a=2369 | option_b=2187 | option_c=2005 | option_d=1843 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1823 × 120/100 = **■**2187.
- id=37375 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 7. | option_a=1 | option_b=7 | option_c=14 | option_d=49 | answer=B | explanation=LCM × HCF = 7×7; HCF(7,7) = 7, so LCM = 7.
- id=37376 | topic=Percentages | difficulty=Easy | question=What is 15% of 740? | option_a=222 | option_b=131 | option_c=111 | option_d=91 | answer=C | explanation=15% of 740 = (15/100) × 740 = 111.
- id=37377 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:17 and the first is 120, what is the second? | option_a=460 | option_b=323 | option_c=340 | option_d=346 | answer=C | explanation=Scale factor = 120/6 = 20. Therefore second quantity = 17×20 = 340.
- id=37378 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=7 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.
- id=37379 | topic=Percentages | difficulty=Easy | question=What is 20% of 236? | option_a=94 | option_b=27 | option_c=57 | option_d=47 | answer=D | explanation=20% of 236 = (20/100) × 236 = 47.
- id=37380 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:8 and the first is 272, what is the second? | option_a=408 | option_b=152 | option_c=128 | option_d=136 | answer=D | explanation=Scale factor = 272/16 = 17. Therefore second quantity = 8×17 = 136.

Aptitude Questions — Records 37,381-37,410 of 100,000

id=37381 | topic=Averages | difficulty=Easy | question=Find the average of 65, 23, 84, 40, 98, 19, 14. | option_a=51 | option_b=49 | option_c=50 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 343 ÷ 7 = 49.

id=37382 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:10 and the first is 171, what is the second? | option_a=90 | option_b=261 | option_c=109 | option_d=80 | answer=A | explanation=Scale factor = 171/19 = 9. Therefore second quantity = 10×9 = 90.

id=37383 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■37985 at 8% per annum for 2 years. | option_a=6177 | option_b=5977 | option_c=6077 | option_d=44062 | answer=C | explanation=SI = PRT/100 = 37985×8×2/100 = ■6077.

id=37384 | topic=Averages | difficulty=Easy | question=Find the average of 22, 80, 48. | option_a=52 | option_b=51 | option_c=49 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 150 ÷ 3 = 50.

id=37385 | topic=Percentages | difficulty=Easy | question=What is 40% of 446? | option_a=178 | option_b=188 | option_c=356 | option_d=168 | answer=A | explanation=40% of 446 = (40/100) × 446 = 178.

id=37386 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=145 | option_c=155 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=37387 | topic=Averages | difficulty=Easy | question=Find the average of 52, 83, 81. | option_a=71 | option_b=74 | option_c=73 | option_d=72 | answer=D | explanation=Average = sum of values ÷ number of values = 216 ÷ 3 = 72.

id=37388 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:7 and the first is 187, what is the second? | option_a=119 | option_b=306 | option_c=130 | option_d=112 | answer=A | explanation=Scale factor = 187/11 = 17. Therefore second quantity = 7×17 = 119.

id=37389 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=4 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=37390 | topic=Percentages | difficulty=Easy | question=What is 30% of 1188? | option_a=346 | option_b=356 | option_c=712 | option_d=361 | answer=B | explanation=30% of 1188 = (30/100) × 1188 = 356.

id=37391 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■16328 at 10% per annum for 1 years. | option_a=17960 | option_b=1532 | option_c=1732 | option_d=1632 | answer=D | explanation=SI = PRT/100 = 16328×10×1/100 = ■1632.

id=37392 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=37 | option_b=47 | option_c=57 | option_d=48 | answer=B | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

id=37393 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=37394 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:5 and the first is 136, what is the second? | option_a=80 | option_b=93 | option_c=85 | option_d=221 | answer=C | explanation=Scale factor = 136/8 = 17. Therefore second quantity = 5×17 = 85.

id=37395 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=37396 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=28 | option_b=32 | option_c=27 | option_d=22 | answer=C | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.

id=37397 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=Q | option_b=B | option_c=L | option_d=G | answer=C | explanation=Move 5 positions forward from G; the resulting letter is L.

id=37398 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■22656 at 4% per annum for 3 years. | option_a=2718 | option_b=25374 | option_c=2818 | option_d=2618 | answer=A | explanation=SI = PRT/100 = 22656×4×3/100 = ■2718.

id=37399 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=37400 | topic=Averages | difficulty=Easy | question=Find the average of 71, 79, 66, 63, 86, 79, 16, 11, 75, 104. | option_a=67 | option_b=64 | option_c=66 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 650 ÷ 10 = 65.

id=37401 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=80 | option_c=85 | option_d=75 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=37402 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=62 | option_b=73 | option_c=49 | option_d=61 | answer=D | explanation=The common difference is 12. Therefore the next term is 49 + 12 = 61.

id=37403 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1805. If it is sold at a profit of 10%, what is its selling price? | option_a=1985 | option_b=2165 | option_c=1805 | option_d=1815 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1805 × 110/100 = ■1985.

id=37404 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■22307 at 4% per annum for 3 years. | option_a=24983 | option_b=2676 | option_c=2776 | option_d=2576 | answer=B | explanation=SI = PRT/100 = 22307×4×3/100 = ■2676.

id=37405 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:16 and the first is 228, what is the second? | option_a=211 | option_b=192 | option_c=176 | option_d=420 | answer=B | explanation=Scale factor = 228/19 = 12. Therefore second quantity = 16×12 = 192.

id=37406 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=37407 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=R | option_c=O | option_d=Q | answer=D | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=37408 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■450. If it is sold at a profit of 25%, what is its selling price? | option_a=517 | option_b=562 | option_c=607 | option_d=475 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 450 × 125/100 = ■562.

id=37409 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=A | option_c=E | option_d=C | answer=C | explanation=Move 2 positions forward from C; the resulting letter is E.

id=37410 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 37,411-37,440 of 100,000

id=37411 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=50 | option_c=25 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=37412 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=L | option_b=M | option_c=K | option_d=J | answer=A | explanation=Move 1 positions forward from K; the resulting letter is L.

id=37413 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:18 and the first is 57, what is the second? | option_a=399 | option_b=345 | option_c=342 | option_d=324 | answer=C | explanation=Scale factor = 57/3 = 19. Therefore second quantity = 18×19 = 342.

id=37414 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1836 at 4% per annum for 3 years. | option_a=120 | option_b=220 | option_c=320 | option_d=2056 | answer=B | explanation=SI = PRT/100 = 1836×4×3/100 = **■**220.

id=37415 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3339. If it is sold at a profit of 20%, what is its selling price? | option_a=3359 | option_b=4339 | option_c=4006 | option_d=3673 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3339 × 120/100 = **■**4006.

id=37416 | topic=Averages | difficulty=Easy | question=Find the average of 35, 60, 87, 33, 75. | option_a=60 | option_b=57 | option_c=59 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 290 ÷ 5 = 58.

id=37417 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=22 | option_b=32 | option_c=27 | option_d=28 | answer=C | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.

id=37418 | topic=Averages | difficulty=Easy | question=Find the average of 41, 63, 70, 24, 100, 17, 52, 99, 65, 39. | option_a=58 | option_b=56 | option_c=59 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.

id=37419 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4299. If it is sold at a profit of 40%, what is its selling price? | option_a=4339 | option_b=6018 | option_c=6447 | option_d=5589 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4299 × 140/100 = **■**6018.

id=37420 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=X | option_c=L | option_d=P | answer=A | explanation=Move 4 positions forward from P; the resulting letter is T.

id=37421 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=37422 | topic=Averages | difficulty=Easy | question=Find the average of 14, 27, 41, 98, 18, 30. | option_a=39 | option_b=38 | option_c=37 | option_d=40 | answer=B | explanation=Average = sum of values ÷ number of values = 228 ÷ 6 = 38.

id=37423 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=20 | option_c=25 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=37424 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3098. If it is sold at a profit of 40%, what is its selling price? | option_a=4337 | option_b=3138 | option_c=4028 | option_d=4646 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3098 × 140/100 = **■**4337.

id=37425 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:7 and the first is 128, what is the second? | option_a=240 | option_b=120 | option_c=105 | option_d=112 | answer=D | explanation=Scale factor = 128/8 = 16. Therefore second quantity = 7×16 = 112.

id=37426 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4614. If it is sold at a profit of 40%, what is its selling price? | option_a=4654 | option_b=6920 | option_c=6459 | option_d=5998 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4614 × 140/100 = **■**6459.

id=37427 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=300 | option_c=155 | option_d=145 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=37428 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=29 | option_b=35 | option_c=41 | option_d=36 | answer=B | explanation=The common difference is 6. Therefore the next term is 29 + 6 = 35.

id=37429 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42833 at 8% per annum for 4 years. | option_a=13606 | option_b=13706 | option_c=13806 | option_d=56539 | answer=B | explanation=SI = PRT/100 = 42833×8×4/100 = **■**13706.

id=37430 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=50 | option_b=60 | option_c=38 | option_d=49 | answer=D | explanation=The common difference is 11. Therefore the next term is 38 + 11 = 49.

id=37431 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1006. If it is sold at a profit of 5%, what is its selling price? | option_a=1011 | option_b=956 | option_c=1156 | option_d=1056 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1006 × 105/100 = **■**1056.

id=37432 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28845 at 10% per annum for 5 years. | option_a=14522 | option_b=14322 | option_c=14422 | option_d=43267 | answer=C | explanation=SI = PRT/100 = 28845×10×5/100 = **■**14422.

id=37433 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=29 | option_c=19 | option_d=48 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=37434 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**224. If it is sold at a profit of 40%, what is its selling price? | option_a=313 | option_b=264 | option_c=291 | option_d=335 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 224 × 140/100 = **■**313.

id=37435 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2726. If it is sold at a profit of 50%, what is its selling price? | option_a=4361 | option_b=4089 | option_c=2776 | option_d=3817 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2726 × 150/100 = **■**4089.

id=37436 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=37437 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=L | option_c=H | option_d=T | answer=A | explanation=Move 4 positions forward from L; the resulting letter is P.

id=37438 | topic=Averages | difficulty=Easy | question=Find the average of 83, 63, 87, 30, 64, 21. | option_a=60 | option_b=58 | option_c=57 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 348 ÷ 6 = 58.

id=37439 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47147 at 8% per annum for 4 years. | option_a=15187 | option_b=62234 | option_c=14987 | option_d=15087 | answer=D | explanation=SI = PRT/100 = 47147×8×4/100 = **■**15087.

id=37440 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=K | option_c=S | option_d=G | answer=A | explanation=Move 4 positions forward from K; the resulting letter is O.

Aptitude Questions — Records 37,441-37,470 of 100,000

id=37441 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=37442 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=37443 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1648. If it is sold at a profit of 15%, what is its selling price? | option_a=2059 | option_b=1895 | option_c=1663 | option_d=1731 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1648 × 115/100 = █1895.

id=37444 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=15 | option_c=40 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=37445 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:6 and the first is 240, what is the second? | option_a=90 | option_b=111 | option_c=336 | option_d=96 | answer=D | explanation=Scale factor = 240/15 = 16. Therefore second quantity = 6×16 = 96.

id=37446 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=37447 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=40 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=37448 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 22. | option_a=176 | option_b=96 | option_c=66 | option_d=88 | answer=D | explanation=LCM × HCF = 8×22; HCF(8,22) = 2, so LCM = 88.

id=37449 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1367. If it is sold at a profit of 25%, what is its selling price? | option_a=1572 | option_b=1708 | option_c=1844 | option_d=1392 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1367 × 125/100 = █1708.

id=37450 | topic=Percentages | difficulty=Easy | question=What is 5% of 1619? | option_a=100 | option_b=75 | option_c=160 | option_d=80 | answer=D | explanation=5% of 1619 = (5/100) × 1619 = 80.

id=37451 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:7 and the first is 323, what is the second? | option_a=138 | option_b=442 | option_c=112 | option_d=119 | answer=D | explanation=Scale factor = 323/19 = 17. Therefore second quantity = 7×17 = 119.

id=37452 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=43 | option_c=48 | option_d=53 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=37453 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4375. If it is sold at a profit of 50%, what is its selling price? | option_a=6562 | option_b=6125 | option_c=4425 | option_d=6999 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4375 × 150/100 = █6562.

id=37454 | topic=Percentages | difficulty=Easy | question=What is 5% of 261? | option_a=3 | option_b=23 | option_c=13 | option_d=26 | answer=C | explanation=5% of 261 = (5/100) × 261 = 13.

id=37455 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24541 at 8% per annum for 5 years. | option_a=9816 | option_b=34357 | option_c=9716 | option_d=9916 | answer=A | explanation=SI = PRT/100 = 24541×8×5/100 = █9816.

id=37456 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 5. | option_a=10 | option_b=20 | option_c=50 | option_d=5 | answer=A | explanation=LCM × HCF = 10×5; HCF(10,5) = 5, so LCM = 10.

id=37457 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19364 at 12% per annum for 3 years. | option_a=6871 | option_b=6971 | option_c=7071 | option_d=26335 | answer=B | explanation=SI = PRT/100 = 19364×12×3/100 = █6971.

id=37458 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=32 | option_b=42 | option_c=50 | option_d=41 | answer=D | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

id=37459 | topic=Profit & Loss | difficulty=Easy | question=An article costs █773. If it is sold at a profit of 40%, what is its selling price? | option_a=1159 | option_b=1005 | option_c=1082 | option_d=813 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 773 × 140/100 = █1082.

id=37460 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=12 | option_b=7 | option_c=17 | option_d=24 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=37461 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 26. | option_a=156 | option_b=196 | option_c=364 | option_d=182 | answer=D | explanation=LCM × HCF = 14×26; HCF(14,26) = 2, so LCM = 182.

id=37462 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15499 at 4% per annum for 5 years. | option_a=2999 | option_b=3199 | option_c=18598 | option_d=3099 | answer=D | explanation=SI = PRT/100 = 15499×4×5/100 = █3099.

id=37463 | topic=Percentages | difficulty=Easy | question=What is 20% of 755? | option_a=151 | option_b=171 | option_c=302 | option_d=146 | answer=A | explanation=20% of 755 = (20/100) × 755 = 151.

id=37464 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=37465 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:7 and the first is 324, what is the second? | option_a=126 | option_b=450 | option_c=119 | option_d=144 | answer=A | explanation=Scale factor = 324/18 = 18. Therefore second quantity = 7×18 = 126.

id=37466 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:8 and the first is 209, what is the second? | option_a=88 | option_b=297 | option_c=80 | option_d=107 | answer=A | explanation=Scale factor = 209/19 = 11. Therefore second quantity = 8×11 = 88.

id=37467 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 60, what is the second? | option_a=9 | option_b=12 | option_c=72 | option_d=27 | answer=B | explanation=Scale factor = 60/15 = 4. Therefore second quantity = 3×4 = 12.

id=37468 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22124 at 5% per annum for 2 years. | option_a=2112 | option_b=2312 | option_c=24336 | option_d=2212 | answer=D | explanation=SI = PRT/100 = 22124×5×2/100 = █2212.

id=37469 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=20 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=37470 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4023. If it is sold at a profit of 25%, what is its selling price? | option_a=5028 | option_b=5430 | option_c=4048 | option_d=4626 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4023 × 125/100 = █5028.

Aptitude Questions — Records 37,471-37,500 of 100,000

id=37471 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 14. | option_a=154 | option_b=336 | option_c=192 | option_d=168 | answer=D | explanation=LCM × HCF = 24×14; HCF(24,14) = 2, so LCM = 168.

id=37472 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 5, 8, 12? | option_a=8 | option_b=5 | option_c=2 | option_d=12 | answer=D | explanation=The first three numbers increase by 3, so the next should be 11. Therefore 12 is the odd one out.

id=37473 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 22. | option_a=24 | option_b=44 | option_c=1 | option_d=22 | answer=D | explanation=LCM × HCF = 2×22; HCF(2,22) = 2, so LCM = 22.

id=37474 | topic=Averages | difficulty=Easy | question=Find the average of 24, 62, 66, 91, 60, 100, 31. | option_a=62 | option_b=63 | option_c=64 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 434 ÷ 7 = 62.

id=37475 | topic=Percentages | difficulty=Easy | question=What is 25% of 445? | option_a=106 | option_b=222 | option_c=111 | option_d=121 | answer=C | explanation=25% of 445 = (25/100) × 445 = 111.

id=37476 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44973 at 10% per annum for 2 years. | option_a=8894 | option_b=8994 | option_c=9094 | option_d=53967 | answer=B | explanation=SI = PRT/100 = 44973×10×2/100 = **■**8994.

id=37477 | topic=Averages | difficulty=Easy | question=Find the average of 56, 84, 55, 27, 40, 97, 63, 50. | option_a=58 | option_b=59 | option_c=60 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 472 ÷ 8 = 59.

id=37478 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:5 and the first is 100, what is the second? | option_a=150 | option_b=45 | option_c=50 | option_d=60 | answer=C | explanation=Scale factor = 100/10 = 10. Therefore second quantity = 5×10 = 50.

id=37479 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=37480 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:7 and the first is 168, what is the second? | option_a=266 | option_b=98 | option_c=91 | option_d=110 | answer=B | explanation=Scale factor = 168/12 = 14. Therefore second quantity = 7×14 = 98.

id=37481 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 25? | option_a=15 | option_b=25 | option_c=18 | option_d=21 | answer=B | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 25 is the odd one out.

id=37482 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4327. If it is sold at a profit of 30%, what is its selling price? | option_a=5625 | option_b=5193 | option_c=4357 | option_d=6057 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4327 × 130/100 = **■**5625.

id=37483 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=37484 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42714 at 6% per annum for 3 years. | option_a=7788 | option_b=7688 | option_c=50402 | option_d=7588 | answer=B | explanation=SI = PRT/100 = 42714×6×3/100 = **■**7688.

id=37485 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2224. If it is sold at a profit of 20%, what is its selling price? | option_a=2446 | option_b=2668 | option_c=2890 | option_d=2244 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2224 × 120/100 = **■**2668.

id=37486 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=8 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=37487 | topic=Averages | difficulty=Easy | question=Find the average of 42, 92, 47, 31. | option_a=55 | option_b=53 | option_c=54 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 212 ÷ 4 = 53.

id=37488 | topic=Averages | difficulty=Easy | question=Find the average of 51, 19, 73, 50, 57. | option_a=52 | option_b=51 | option_c=50 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 250 ÷ 5 = 50.

id=37489 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 26, 28, 33? | option_a=26 | option_b=24 | option_c=28 | option_d=33 | answer=D | explanation=The first three numbers increase by 2, so the next should be 30. Therefore 33 is the odd one out.

id=37490 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3166. If it is sold at a profit of 20%, what is its selling price? | option_a=4115 | option_b=3483 | option_c=3186 | option_d=3799 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3166 × 120/100 = **■**3799.

id=37491 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3633. If it is sold at a profit of 40%, what is its selling price? | option_a=4723 | option_b=3673 | option_c=5449 | option_d=5086 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3633 × 140/100 = **■**5086.

id=37492 | topic=Percentages | difficulty=Easy | question=What is 15% of 1437? | option_a=235 | option_b=215 | option_c=195 | option_d=430 | answer=B | explanation=15% of 1437 = (15/100) × 1437 = 215.

id=37493 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45572 at 4% per annum for 5 years. | option_a=54686 | option_b=9214 | option_c=9014 | option_d=9114 | answer=D | explanation=SI = PRT/100 = 45572×4×5/100 = **■**9114.

id=37494 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:17 and the first is 51, what is the second? | option_a=34 | option_b=51 | option_c=102 | option_d=68 | answer=B | explanation=Scale factor = 51/17 = 3. Therefore second quantity = 17×3 = 51.

id=37495 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=16 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=37496 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4687. If it is sold at a profit of 5%, what is its selling price? | option_a=4692 | option_b=4453 | option_c=4921 | option_d=5389 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4687 × 105/100 = **■**4921.

id=37497 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:2 and the first is 289, what is the second? | option_a=323 | option_b=32 | option_c=51 | option_d=34 | answer=D | explanation=Scale factor = 289/17 = 17. Therefore second quantity = 2×17 = 34.

id=37498 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=80 | option_c=150 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=37499 | topic=Percentages | difficulty=Easy | question=What is 20% of 982? | option_a=176 | option_b=196 | option_c=201 | option_d=392 | answer=B | explanation=20% of 982 = (20/100) × 982 = 196.

id=37500 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:4 and the first is 54, what is the second? | option_a=20 | option_b=78 | option_c=33 | option_d=24 | answer=D | explanation=Scale factor = 54/9 = 6. Therefore second quantity = 4×6 = 24.

Aptitude Questions — Records 37,501-37,530 of 100,000

- id=37501 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2574. If it is sold at a profit of 30%, what is its selling price? | option_a=3346 | option_b=3603 | option_c=2604 | option_d=3089 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2574 × 130/100 = █3346.
- id=37502 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=C | option_c=I | option_d=L | answer=C | explanation=Move 3 positions forward from F; the resulting letter is I.
- id=37503 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14790 at 8% per annum for 1 years. | option_a=15973 | option_b=1283 | option_c=1083 | option_d=1183 | answer=D | explanation=SI = PRT/100 = 14790×8×1/100 = █1183.
- id=37504 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=48 | option_b=41 | option_c=49 | option_d=55 | answer=A | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.
- id=37505 | topic=Profit & Loss | difficulty=Easy | question=An article costs █849. If it is sold at a profit of 30%, what is its selling price? | option_a=1187 | option_b=879 | option_c=1103 | option_d=1019 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 849 × 130/100 = █1103.
- id=37506 | topic=Percentages | difficulty=Easy | question=What is 10% of 659? | option_a=65 | option_b=75 | option_c=45 | option_d=130 | answer=A | explanation=10% of 659 = (10/100) × 659 = 65.
- id=37507 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:7 and the first is 80, what is the second? | option_a=192 | option_b=117 | option_c=105 | option_d=112 | answer=D | explanation=Scale factor = 80/5 = 16. Therefore second quantity = 7×16 = 112.
- id=37508 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.
- id=37509 | topic=Averages | difficulty=Easy | question=Find the average of 22, 48, 62, 68, 60, 86, 53. | option_a=58 | option_b=59 | option_c=57 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 399 ÷ 7 = 57.
- id=37510 | topic=Averages | difficulty=Easy | question=Find the average of 38, 62, 22, 60, 66, 58, 49, 37. | option_a=51 | option_b=50 | option_c=48 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 392 ÷ 8 = 49.
- id=37511 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:9 and the first is 51, what is the second? | option_a=204 | option_b=153 | option_c=144 | option_d=156 | answer=B | explanation=Scale factor = 51/3 = 17. Therefore second quantity = 9×17 = 153.
- id=37512 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=23 | option_b=31 | option_c=28 | option_d=27 | answer=D | explanation=The common difference is 4. Therefore the next term is 23 + 4 = 27.
- id=37513 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=X | option_b=C | option_c=N | option_d=S | answer=A | explanation=Move 5 positions forward from S; the resulting letter is X.
- id=37514 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.
- id=37515 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 11, 14, 20? | option_a=8 | option_b=20 | option_c=11 | option_d=14 | answer=B | explanation=The first three numbers increase by 3, so the next should be 17. Therefore 20 is the odd one out.
- id=37516 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=X | option_c=R | option_d=A | answer=B | explanation=Move 3 positions forward from U; the resulting letter is X.
- id=37517 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4908. If it is sold at a profit of 25%, what is its selling price? | option_a=5645 | option_b=4933 | option_c=6135 | option_d=6625 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4908 × 125/100 = █6135.
- id=37518 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 20, 28, 39? | option_a=20 | option_b=39 | option_c=28 | option_d=12 | answer=B | explanation=The first three numbers increase by 8, so the next should be 36. Therefore 39 is the odd one out.
- id=37519 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=50 | option_c=25 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.
- id=37520 | topic=Percentages | difficulty=Easy | question=What is 15% of 595? | option_a=89 | option_b=178 | option_c=84 | option_d=94 | answer=A | explanation=15% of 595 = (15/100) × 595 = 89.
- id=37521 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=30 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.
- id=37522 | topic=Percentages | difficulty=Easy | question=What is 50% of 746? | option_a=373 | option_b=393 | option_c=746 | option_d=363 | answer=A | explanation=50% of 746 = (50/100) × 746 = 373.
- id=37523 | topic=Averages | difficulty=Easy | question=Find the average of 51, 79, 67, 39, 38, 72, 102. | option_a=66 | option_b=63 | option_c=65 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 448 ÷ 7 = 64.
- id=37524 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 4. | option_a=90 | option_b=60 | option_c=120 | option_d=56 | answer=B | explanation=LCM × HCF = 30×4; HCF(30,4) = 2, so LCM = 60.
- id=37525 | topic=Percentages | difficulty=Easy | question=What is 15% of 1269? | option_a=185 | option_b=380 | option_c=200 | option_d=190 | answer=D | explanation=15% of 1269 = (15/100) × 1269 = 190.
- id=37526 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=37527 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2119. If it is sold at a profit of 30%, what is its selling price? | option_a=2754 | option_b=2965 | option_c=2543 | option_d=2149 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2119 × 130/100 = █2754.
- id=37528 | topic=Averages | difficulty=Easy | question=Find the average of 24, 77, 33, 56, 94, 58, 27, 73, 42, 26. | option_a=53 | option_b=52 | option_c=51 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.
- id=37529 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=25 | option_c=15 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.
- id=37530 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12993 at 4% per annum for 1 years. | option_a=619 | option_b=419 | option_c=13512 | option_d=519 | answer=D | explanation=SI = PRT/100 = 12993×4×1/100 = █519.

Aptitude Questions — Records 37,531-37,560 of 100,000

id=37531 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=O | option_c=X | option_d=U | answer=D | explanation=Move 3 positions forward from R; the resulting letter is U.

id=37532 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=37533 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=12 | option_b=14 | option_c=15 | option_d=16 | answer=B | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=37534 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 37, 46, 57? | option_a=46 | option_b=28 | option_c=57 | option_d=37 | answer=C | explanation=The first three numbers increase by 9, so the next should be 55. Therefore 57 is the odd one out.

id=37535 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:8 and the first is 95, what is the second? | option_a=157 | option_b=247 | option_c=144 | option_d=152 | answer=D | explanation=Scale factor = 95/5 = 19. Therefore second quantity = 8×19 = 152.

id=37536 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 28, 32, 38? | option_a=38 | option_b=24 | option_c=32 | option_d=28 | answer=A | explanation=The first three numbers increase by 4, so the next should be 36. Therefore 38 is the odd one out.

id=37537 | topic=Averages | difficulty=Easy | question=Find the average of 91, 50, 55, 40. | option_a=58 | option_b=60 | option_c=61 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 236 ÷ 4 = 59.

id=37538 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:18 and the first is 210, what is the second? | option_a=234 | option_b=267 | option_c=252 | option_d=462 | answer=C | explanation=Scale factor = 210/15 = 14. Therefore second quantity = 18×14 = 252.

id=37539 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 10, 15, 20, ? | option_a=30 | option_b=26 | option_c=20 | option_d=25 | answer=D | explanation=The common difference is 5. Therefore the next term is 20 + 5 = 25.

id=37540 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:2 and the first is 38, what is the second? | option_a=23 | option_b=2 | option_c=4 | option_d=42 | answer=C | explanation=Scale factor = 38/19 = 2. Therefore second quantity = 2×2 = 4.

id=37541 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 14, 23, 35? | option_a=5 | option_b=23 | option_c=14 | option_d=35 | answer=D | explanation=The first three numbers increase by 9, so the next should be 32. Therefore 35 is the odd one out.

id=37542 | topic=Averages | difficulty=Easy | question=Find the average of 49, 90, 64, 75, 55, 13, 53. | option_a=57 | option_b=56 | option_c=59 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 399 ÷ 7 = 57.

id=37543 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:6 and the first is 380, what is the second? | option_a=114 | option_b=108 | option_c=494 | option_d=134 | answer=A | explanation=Scale factor = 380/20 = 19. Therefore second quantity = 6×19 = 114.

id=37544 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:15 and the first is 120, what is the second? | option_a=210 | option_b=90 | option_c=75 | option_d=110 | answer=B | explanation=Scale factor = 120/20 = 6. Therefore second quantity = 15×6 = 90.

id=37545 | topic=Averages | difficulty=Easy | question=Find the average of 86, 49, 91, 88, 69, 93, 86, 70, 71, 47. | option_a=75 | option_b=76 | option_c=77 | option_d=74 | answer=A | explanation=Average = sum of values ÷ number of values = 750 ÷ 10 = 75.

id=37546 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19594 at 15% per annum for 3 years. | option_a=8717 | option_b=8917 | option_c=28411 | option_d=8817 | answer=D | explanation=SI = PRT/100 = 19594×15×3/100 = **■**8817.

id=37547 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31907 at 6% per annum for 5 years. | option_a=9672 | option_b=9472 | option_c=9572 | option_d=41479 | answer=C | explanation=SI = PRT/100 = 31907×6×5/100 = **■**9572.

id=37548 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14223 at 8% per annum for 5 years. | option_a=19912 | option_b=5689 | option_c=5789 | option_d=5589 | answer=B | explanation=SI = PRT/100 = 14223×8×5/100 = **■**5689.

id=37549 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=L | option_c=J | option_d=H | answer=B | explanation=Move 2 positions forward from J; the resulting letter is L.

id=37550 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=40 | option_b=41 | option_c=47 | option_d=33 | answer=A | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.

id=37551 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 32, 40, 51? | option_a=40 | option_b=32 | option_c=24 | option_d=51 | answer=D | explanation=The first three numbers increase by 8, so the next should be 48. Therefore 51 is the odd one out.

id=37552 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=100 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=37553 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1829. If it is sold at a profit of 20%, what is its selling price? | option_a=2012 | option_b=2376 | option_c=2194 | option_d=1849 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1829 × 120/100 = **■**2194.

id=37554 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2525. If it is sold at a profit of 40%, what is its selling price? | option_a=2565 | option_b=3787 | option_c=3283 | option_d=3535 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2525 × 140/100 = **■**3535.

id=37555 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42986 at 6% per annum for 3 years. | option_a=7737 | option_b=7637 | option_c=7837 | option_d=50723 | answer=A | explanation=SI = PRT/100 = 42986×6×3/100 = **■**7737.

id=37556 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=Z | option_c=D | option_d=F | answer=C | explanation=Move 2 positions forward from B; the resulting letter is D.

id=37557 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=36 | option_d=13 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=37558 | topic=Percentages | difficulty=Easy | question=What is 12% of 1245? | option_a=159 | option_b=298 | option_c=149 | option_d=144 | answer=C | explanation=12% of 1245 = (12/100) × 1245 = 149.

id=37559 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=U | option_c=L | option_d=R | answer=D | explanation=Move 3 positions forward from O; the resulting letter is R.

id=37560 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 33? | option_a=27 | option_b=33 | option_c=17 | option_d=22 | answer=B | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 33 is the odd one out.

Aptitude Questions — Records 37,561-37,590 of 100,000

id=37561 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=12 | option_c=11 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=37562 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=R | option_c=S | option_d=P | answer=B | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=37563 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:15 and the first is 70, what is the second? | option_a=115 | option_b=175 | option_c=90 | option_d=105 | answer=D | explanation=Scale factor = 70/10 = 7. Therefore second quantity = 15×7 = 105.

id=37564 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■47208 at 6% per annum for 2 years. | option_a=5764 | option_b=52872 | option_c=5564 | option_d=5664 | answer=D | explanation=SI = PRT/100 = 47208×6×2/100 = ■5664.

id=37565 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 36, 44, 55? | option_a=44 | option_b=28 | option_c=55 | option_d=36 | answer=C | explanation=The first three numbers increase by 8, so the next should be 52. Therefore 55 is the odd one out.

id=37566 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=18 | option_c=36 | option_d=23 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=37567 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1647. If it is sold at a profit of 30%, what is its selling price? | option_a=1977 | option_b=2305 | option_c=1677 | option_d=2141 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1647 × 130/100 = ■2141.

id=37568 | topic=Averages | difficulty=Easy | question=Find the average of 80, 100, 85, 12, 27, 96, 32, 96, 84. | option_a=68 | option_b=70 | option_c=69 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = 612 ÷ 9 = 68.

id=37569 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=24 | option_b=32 | option_c=29 | option_d=28 | answer=D | explanation=The common difference is 4. Therefore the next term is 24 + 4 = 28.

id=37570 | topic=Percentages | difficulty=Easy | question=What is 12% of 1247? | option_a=144 | option_b=149 | option_c=159 | option_d=298 | answer=B | explanation=12% of 1247 = (12/100) × 1247 = 149.

id=37571 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=20 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=37572 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 13, 19, 26? | option_a=26 | option_b=19 | option_c=13 | option_d=7 | answer=A | explanation=The first three numbers increase by 6, so the next should be 25. Therefore 26 is the odd one out.

id=37573 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=185 | option_c=180 | option_d=360 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=37574 | topic=Percentages | difficulty=Easy | question=What is 50% of 490? | option_a=225 | option_b=255 | option_c=245 | option_d=490 | answer=C | explanation=50% of 490 = (50/100) × 490 = 245.

id=37575 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■41040 at 4% per annum for 2 years. | option_a=44323 | option_b=3283 | option_c=3383 | option_d=3183 | answer=B | explanation=SI = PRT/100 = 41040×4×2/100 = ■3283.

id=37576 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=L | option_b=K | option_c=J | option_d=M | answer=A | explanation=Move 1 positions forward from K; the resulting letter is L.

id=37577 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2593. If it is sold at a profit of 20%, what is its selling price? | option_a=2852 | option_b=3111 | option_c=3370 | option_d=2613 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2593 × 120/100 = ■3111.

id=37578 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:6 and the first is 6, what is the second? | option_a=20 | option_b=18 | option_c=24 | option_d=12 | answer=B | explanation=Scale factor = 6/2 = 3. Therefore second quantity = 6×3 = 18.

id=37579 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=37580 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=I | option_b=C | option_c=Z | option_d=F | answer=D | explanation=Move 3 positions forward from C; the resulting letter is F.

id=37581 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=37582 | topic=Averages | difficulty=Easy | question=Find the average of 36, 30, 37, 97, 12, 100, 66. | option_a=54 | option_b=55 | option_c=56 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

id=37583 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:19 and the first is 272, what is the second? | option_a=595 | option_b=304 | option_c=323 | option_d=339 | answer=C | explanation=Scale factor = 272/16 = 17. Therefore second quantity = 19×17 = 323.

id=37584 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■26647 at 4% per annum for 1 years. | option_a=1065 | option_b=27712 | option_c=965 | option_d=1165 | answer=A | explanation=SI = PRT/100 = 26647×4×1/100 = ■1065.

id=37585 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1601. If it is sold at a profit of 30%, what is its selling price? | option_a=2241 | option_b=1921 | option_c=2081 | option_d=1631 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1601 × 130/100 = ■2081.

id=37586 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:6 and the first is 32, what is the second? | option_a=98 | option_b=128 | option_c=90 | option_d=96 | answer=D | explanation=Scale factor = 32/2 = 16. Therefore second quantity = 6×16 = 96.

id=37587 | topic=Averages | difficulty=Easy | question=Find the average of 14, 85, 70, 15, 70, 17, 26, 87. | option_a=47 | option_b=50 | option_c=48 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 384 ÷ 8 = 48.

id=37588 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:6 and the first is 60, what is the second? | option_a=90 | option_b=84 | option_c=94 | option_d=150 | answer=A | explanation=Scale factor = 60/4 = 15. Therefore second quantity = 6×15 = 90.

id=37589 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=37590 | topic=Percentages | difficulty=Easy | question=What is 30% of 1999? | option_a=579 | option_b=599 | option_c=1198 | option_d=604 | answer=B | explanation=30% of 1999 = (30/100) × 1999 = 599.

Aptitude Questions — Records 37,591-37,620 of 100,000

id=37591 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■17467 at 8% per annum for 1 years. | option_a=18864 | option_b=1297 | option_c=1497 | option_d=1397 | answer=D | explanation=SI = $PRT/100 = 17467 \times 8 \times 1/100 = \blacksquare 1397$.

id=37592 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 31? | option_a=31 | option_b=20 | option_c=25 | option_d=15 | answer=A | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 31 is the odd one out.

id=37593 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■17181 at 5% per annum for 4 years. | option_a=20617 | option_b=3436 | option_c=3336 | option_d=3536 | answer=B | explanation=SI = $PRT/100 = 17181 \times 5 \times 4/100 = \blacksquare 3436$.

id=37594 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:18 and the first is 192, what is the second? | option_a=408 | option_b=216 | option_c=232 | option_d=198 | answer=B | explanation=Scale factor = $192/16 = 12$. Therefore second quantity = $18 \times 12 = 216$.

id=37595 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:15 and the first is 26, what is the second? | option_a=43 | option_b=30 | option_c=56 | option_d=15 | answer=B | explanation=Scale factor = $26/13 = 2$. Therefore second quantity = $15 \times 2 = 30$.

id=37596 | topic=Percentages | difficulty=Easy | question=What is 30% of 309? | option_a=97 | option_b=87 | option_c=92 | option_d=184 | answer=C | explanation=30% of 309 = $(30/100) \times 309 = 92$.

id=37597 | topic=Percentages | difficulty=Easy | question=What is 15% of 1317? | option_a=217 | option_b=177 | option_c=197 | option_d=394 | answer=C | explanation=15% of 1317 = $(15/100) \times 1317 = 197$.

id=37598 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■7128 at 4% per annum for 1 years. | option_a=7413 | option_b=385 | option_c=285 | option_d=185 | answer=C | explanation=SI = $PRT/100 = 7128 \times 4 \times 1/100 = \blacksquare 285$.

id=37599 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4865. If it is sold at a profit of 50%, what is its selling price? | option_a=4915 | option_b=7297 | option_c=6811 | option_d=7783 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4865 \times 150/100 = \blacksquare 7297$.

id=37600 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 20. | option_a=400 | option_b=20 | option_c=40 | option_d=1 | answer=B | explanation=LCM $\times$ HCF = 20×20 ; HCF(20,20) = 20, so LCM = 20.

id=37601 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:2 and the first is 169, what is the second? | option_a=26 | option_b=24 | option_c=195 | option_d=39 | answer=A | explanation=Scale factor = $169/13 = 13$. Therefore second quantity = $2 \times 13 = 26$.

id=37602 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 51? | option_a=23 | option_b=41 | option_c=51 | option_d=32 | answer=C | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 51 is the odd one out.

id=37603 | topic=Percentages | difficulty=Easy | question=What is 25% of 1998? | option_a=499 | option_b=998 | option_c=489 | option_d=519 | answer=A | explanation=25% of 1998 = $(25/100) \times 1998 = 499$.

id=37604 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=19 | option_b=24 | option_c=23 | option_d=27 | answer=C | explanation=The common difference is 4. Therefore the next term is $19 + 4 = 23$.

id=37605 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■11742 at 5% per annum for 1 years. | option_a=587 | option_b=487 | option_c=687 | option_d=12329 | answer=A | explanation=SI = $PRT/100 = 11742 \times 5 \times 1/100 = \blacksquare 587$.

id=37606 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=37607 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 26? | option_a=21 | option_b=19 | option_c=17 | option_d=26 | answer=D | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 26 is the odd one out.

id=37608 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 28? | option_a=24 | option_b=28 | option_c=18 | option_d=21 | answer=B | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 28 is the odd one out.

id=37609 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=35 | option_b=30 | option_c=40 | option_d=36 | answer=A | explanation=The common difference is 5. Therefore the next term is $30 + 5 = 35$.

id=37610 | topic=Averages | difficulty=Easy | question=Find the average of 34, 21, 14, 67. | option_a=33 | option_b=34 | option_c=35 | option_d=36 | answer=B | explanation=Average = sum of values $\div$ number of values = $136 \div 4 = 34$.

id=37611 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=6 | option_d=20 | answer=B | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=37612 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=32 | option_b=26 | option_c=38 | option_d=33 | answer=A | explanation=The common difference is 6. Therefore the next term is $26 + 6 = 32$.

id=37613 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=S | option_c=K | option_d=G | answer=A | explanation=Move 4 positions forward from K; the resulting letter is O.

id=37614 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=23 | option_b=17 | option_c=21 | option_d=20 | answer=D | explanation=The common difference is 3. Therefore the next term is $17 + 3 = 20$.

id=37615 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4006. If it is sold at a profit of 15%, what is its selling price? | option_a=4206 | option_b=4021 | option_c=5006 | option_d=4606 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4006 \times 115/100 = \blacksquare 4606$.

id=37616 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance $\div$ time = $180 \div 3 = 60$ km/h.

id=37617 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2606. If it is sold at a profit of 5%, what is its selling price? | option_a=2996 | option_b=2476 | option_c=2736 | option_d=2611 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2606 \times 105/100 = \blacksquare 2736$.

id=37618 | topic=Averages | difficulty=Easy | question=Find the average of 10, 71, 67, 21, 88, 35, 44, 24. | option_a=46 | option_b=47 | option_c=44 | option_d=45 | answer=D | explanation=Average = sum of values $\div$ number of values = $360 \div 8 = 45$.

id=37619 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■13048 at 12% per annum for 3 years. | option_a=4597 | option_b=4797 | option_c=17745 | option_d=4697 | answer=D | explanation=SI = $PRT/100 = 13048 \times 12 \times 3/100 = \blacksquare 4697$.

id=37620 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=73 | option_b=61 | option_c=62 | option_d=49 | answer=B | explanation=The common difference is 12. Therefore the next term is $49 + 12 = 61$.

Aptitude Questions — Records 37,621-37,650 of 100,000

id=37621 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=41 | option_c=31 | option_d=72 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=37622 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=37623 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=Z | option_c=L | option_d=H | answer=D | explanation=Move 4 positions forward from D; the resulting letter is H.

id=37624 | topic=Percentages | difficulty=Easy | question=What is 40% of 1908? | option_a=783 | option_b=743 | option_c=763 | option_d=1526 | answer=C | explanation=40% of 1908 = (40/100) × 1908 = 763.

id=37625 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=37626 | topic=Averages | difficulty=Easy | question=Find the average of 77, 62, 42, 75. | option_a=64 | option_b=66 | option_c=63 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 256 ÷ 4 = 64.

id=37627 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=N | option_c=C | option_d=X | answer=D | explanation=Move 5 positions forward from S; the resulting letter is X.

id=37628 | topic=Averages | difficulty=Easy | question=Find the average of 87, 17, 29, 39, 79, 29, 56, 91, 104. | option_a=58 | option_b=61 | option_c=59 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 531 ÷ 9 = 59.

id=37629 | topic=Percentages | difficulty=Easy | question=What is 25% of 83? | option_a=30 | option_b=0 | option_c=20 | option_d=40 | answer=C | explanation=25% of 83 = (25/100) × 83 = 20.

id=37630 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=37631 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=Y | option_b=O | option_c=T | option_d=J | answer=C | explanation=Move 5 positions forward from O; the resulting letter is T.

id=37632 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3061. If it is sold at a profit of 50%, what is its selling price? | option_a=4285 | option_b=4897 | option_c=4591 | option_d=3111 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3061 × 150/100 = █4591.

id=37633 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:4 and the first is 300, what is the second? | option_a=80 | option_b=60 | option_c=360 | option_d=56 | answer=B | explanation=Scale factor = 300/20 = 15. Therefore second quantity = 4×15 = 60.

id=37634 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=34 | option_b=39 | option_c=27 | option_d=33 | answer=D | explanation=The common difference is 6. Therefore the next term is 27 + 6 = 33.

id=37635 | topic=Profit & Loss | difficulty=Easy | question=An article costs █887. If it is sold at a profit of 40%, what is its selling price? | option_a=927 | option_b=1153 | option_c=1241 | option_d=1329 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 887 × 140/100 = █1241.

id=37636 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=K | option_c=Q | option_d=M | answer=A | explanation=Move 2 positions forward from M; the resulting letter is O.

id=37637 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=A | option_b=B | option_c=C | option_d=D | answer=C | explanation=Move 1 positions forward from B; the resulting letter is C.

id=37638 | topic=Averages | difficulty=Easy | question=Find the average of 33, 14, 42, 47. | option_a=34 | option_b=35 | option_c=36 | option_d=33 | answer=A | explanation=Average = sum of values ÷ number of values = 136 ÷ 4 = 34.

id=37639 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1658. If it is sold at a profit of 5%, what is its selling price? | option_a=1663 | option_b=1905 | option_c=1575 | option_d=1740 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1658 × 105/100 = █1740.

id=37640 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20832 at 10% per annum for 5 years. | option_a=10516 | option_b=10316 | option_c=10416 | option_d=31248 | answer=C | explanation=SI = PRT/100 = 20832×10×5/100 = █10416.

id=37641 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:2 and the first is 140, what is the second? | option_a=154 | option_b=14 | option_c=12 | option_d=34 | answer=B | explanation=Scale factor = 140/20 = 7. Therefore second quantity = 2×7 = 14.

id=37642 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=53 | option_b=52 | option_c=63 | option_d=41 | answer=B | explanation=The common difference is 11. Therefore the next term is 41 + 11 = 52.

id=37643 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=37644 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=P | option_c=F | option_d=U | answer=B | explanation=Move 5 positions forward from K; the resulting letter is P.

id=37645 | topic=Percentages | difficulty=Easy | question=What is 20% of 964? | option_a=384 | option_b=202 | option_c=192 | option_d=182 | answer=C | explanation=20% of 964 = (20/100) × 964 = 192.

id=37646 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48105 at 8% per annum for 1 years. | option_a=3748 | option_b=51953 | option_c=3948 | option_d=3848 | answer=D | explanation=SI = PRT/100 = 48105×8×1/100 = █3848.

id=37647 | topic=Averages | difficulty=Easy | question=Find the average of 100, 12, 83, 58, 22. | option_a=56 | option_b=57 | option_c=55 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 275 ÷ 5 = 55.

id=37648 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 47? | option_a=28 | option_b=47 | option_c=37 | option_d=19 | answer=B | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 47 is the odd one out.

id=37649 | topic=Percentages | difficulty=Easy | question=What is 40% of 1583? | option_a=643 | option_b=633 | option_c=1266 | option_d=628 | answer=B | explanation=40% of 1583 = (40/100) × 1583 = 633.

id=37650 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 37,651-37,680 of 100,000

id=37651 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=25 | option_b=23 | option_c=19 | option_d=22 | answer=D | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.

id=37652 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12207 at 4% per annum for 2 years. | option_a=13183 | option_b=1076 | option_c=976 | option_d=876 | answer=C | explanation=SI = PRT/100 = 12207×4×2/100 = **■**976.

id=37653 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 36, 44, 54? | option_a=28 | option_b=36 | option_c=54 | option_d=44 | answer=C | explanation=The first three numbers increase by 8, so the next should be 52. Therefore 54 is the odd one out.

id=37654 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=12 | option_b=17 | option_c=24 | option_d=7 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=37655 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=37656 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7948 at 12% per annum for 4 years. | option_a=11763 | option_b=3915 | option_c=3815 | option_d=3715 | answer=C | explanation=SI = PRT/100 = 7948×12×4/100 = **■**3815.

id=37657 | topic=Percentages | difficulty=Easy | question=What is 40% of 1868? | option_a=747 | option_b=1494 | option_c=757 | option_d=737 | answer=A | explanation=40% of 1868 = (40/100) × 1868 = 747.

id=37658 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=B | option_c=W | option_d=M | answer=C | explanation=Move 5 positions forward from R; the resulting letter is W.

id=37659 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=F | option_b=K | option_c=U | option_d=P | answer=D | explanation=Move 5 positions forward from K; the resulting letter is P.

id=37660 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 3. | option_a=12 | option_b=18 | option_c=3 | option_d=6 | answer=D | explanation=LCM × HCF = 6×3; HCF(6,3) = 3, so LCM = 6.

id=37661 | topic=Averages | difficulty=Easy | question=Find the average of 24, 59, 42, 71, 34, 97, 72. | option_a=57 | option_b=58 | option_c=59 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 399 ÷ 7 = 57.

id=37662 | topic=Percentages | difficulty=Easy | question=What is 20% of 1414? | option_a=282 | option_b=564 | option_c=292 | option_d=277 | answer=A | explanation=20% of 1414 = (20/100) × 1414 = 282.

id=37663 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3300. If it is sold at a profit of 5%, what is its selling price? | option_a=3465 | option_b=3795 | option_c=3305 | option_d=3135 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3300 × 105/100 = **■**3465.

id=37664 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 25, 33, 41, ? | option_a=49 | option_b=41 | option_c=50 | option_d=57 | answer=A | explanation=The common difference is 8. Therefore the next term is 41 + 8 = 49.

id=37665 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=37666 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3065. If it is sold at a profit of 5%, what is its selling price? | option_a=3524 | option_b=3070 | option_c=3218 | option_d=2912 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3065 × 105/100 = **■**3218.

id=37667 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**706. If it is sold at a profit of 30%, what is its selling price? | option_a=987 | option_b=736 | option_c=917 | option_d=847 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 706 × 130/100 = **■**917.

id=37668 | topic=Averages | difficulty=Easy | question=Find the average of 40, 17, 76, 84, 71, 14, 85, 13. | option_a=49 | option_b=51 | option_c=50 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 400 ÷ 8 = 50.

id=37669 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 14. | option_a=168 | option_b=182 | option_c=208 | option_d=364 | answer=B | explanation=LCM × HCF = 26×14; HCF(26,14) = 2, so LCM = 182.

id=37670 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=T | option_c=R | option_d=S | answer=B | explanation=Move 1 positions forward from S; the resulting letter is T.

id=37671 | topic=Averages | difficulty=Easy | question=Find the average of 50, 50, 79, 47, 95, 33, 83, 82, 89, 62. | option_a=68 | option_b=67 | option_c=69 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 670 ÷ 10 = 67.

id=37672 | topic=Averages | difficulty=Easy | question=Find the average of 26, 24, 80, 92, 28. | option_a=52 | option_b=50 | option_c=51 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 250 ÷ 5 = 50.

id=37673 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:8 and the first is 143, what is the second? | option_a=88 | option_b=101 | option_c=80 | option_d=231 | answer=A | explanation=Scale factor = 143/13 = 11. Therefore second quantity = 8×11 = 88.

id=37674 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 25, 30, 36? | option_a=36 | option_b=30 | option_c=20 | option_d=25 | answer=A | explanation=The first three numbers increase by 5, so the next should be 35. Therefore 36 is the odd one out.

id=37675 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=11 | option_c=6 | option_d=12 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=37676 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=20 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=37677 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**135. If it is sold at a profit of 15%, what is its selling price? | option_a=168 | option_b=155 | option_c=142 | option_d=150 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 135 × 115/100 = **■**155.

id=37678 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 6, 10, 17? | option_a=17 | option_b=2 | option_c=10 | option_d=6 | answer=A | explanation=The first three numbers increase by 4, so the next should be 14. Therefore 17 is the odd one out.

id=37679 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=67 | option_b=55 | option_c=56 | option_d=43 | answer=B | explanation=The common difference is 12. Therefore the next term is 43 + 12 = 55.

id=37680 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:17 and the first is 76, what is the second? | option_a=323 | option_b=327 | option_c=399 | option_d=306 | answer=A | explanation=Scale factor = 76/4 = 19. Therefore second quantity = 17×19 = 323.

Aptitude Questions — Records 37,681-37,710 of 100,000

id=37681 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=35 | option_b=41 | option_c=47 | option_d=42 | answer=B | explanation=The common difference is 6. Therefore the next term is 35 + 6 = 41.

id=37682 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4959. If it is sold at a profit of 40%, what is its selling price? | option_a=7437 | option_b=4999 | option_c=6447 | option_d=6942 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4959 × 140/100 = █6942.

id=37683 | topic=Percentages | difficulty=Easy | question=What is 15% of 1745? | option_a=522 | option_b=281 | option_c=256 | option_d=261 | answer=D | explanation=15% of 1745 = (15/100) × 1745 = 261.

id=37684 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=37685 | topic=Averages | difficulty=Easy | question=Find the average of 69, 64, 22, 19, 52, 91, 56, 96, 71. | option_a=61 | option_b=59 | option_c=60 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 540 ÷ 9 = 60.

id=37686 | topic=Averages | difficulty=Easy | question=Find the average of 48, 26, 73, 49, 42, 33, 79. | option_a=49 | option_b=51 | option_c=50 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

id=37687 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=B | option_b=H | option_c=F | option_d=D | answer=C | explanation=Move 2 positions forward from D; the resulting letter is F.

id=37688 | topic=Averages | difficulty=Easy | question=Find the average of 90, 21, 16, 83, 18, 28, 84, 60. | option_a=49 | option_b=51 | option_c=52 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 400 ÷ 8 = 50.

id=37689 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14735 at 4% per annum for 1 years. | option_a=15324 | option_b=489 | option_c=689 | option_d=589 | answer=D | explanation=SI = PRT/100 = 14735×4×1/100 = █589.

id=37690 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=40 | option_b=31 | option_c=49 | option_d=41 | answer=A | explanation=The common difference is 9. Therefore the next term is 31 + 9 = 40.

id=37691 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22973 at 8% per annum for 2 years. | option_a=3675 | option_b=3575 | option_c=26648 | option_d=3775 | answer=A | explanation=SI = PRT/100 = 22973×8×2/100 = █3675.

id=37692 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=37693 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 35, 40, 48? | option_a=40 | option_b=30 | option_c=35 | option_d=32 | answer=D | explanation=The first three numbers increase by 5, so the next should be 45. Therefore 48 is the odd one out.

id=37694 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 28? | option_a=20 | option_b=24 | option_c=22 | option_d=28 | answer=D | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 28 is the odd one out.

id=37695 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 45? | option_a=26 | option_b=45 | option_c=32 | option_d=38 | answer=B | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 45 is the odd one out.

id=37696 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=37697 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=J | option_c=Y | option_d=T | answer=D | explanation=Move 5 positions forward from O; the resulting letter is T.

id=37698 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35406 at 12% per annum for 4 years. | option_a=17094 | option_b=16894 | option_c=16994 | option_d=52400 | answer=C | explanation=SI = PRT/100 = 35406×12×4/100 = █16994.

id=37699 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 32, 39, 48? | option_a=48 | option_b=25 | option_c=35 | option_d=32 | answer=A | explanation=The first three numbers increase by 7, so the next should be 46. Therefore 48 is the odd one out.

id=37700 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=37701 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=K | option_c=Q | option_d=O | answer=D | explanation=Move 2 positions forward from M; the resulting letter is O.

id=37702 | topic=Percentages | difficulty=Easy | question=What is 30% of 989? | option_a=592 | option_b=286 | option_c=296 | option_d=316 | answer=C | explanation=30% of 989 = (30/100) × 989 = 296.

id=37703 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 10. | option_a=20 | option_b=30 | option_c=60 | option_d=300 | answer=B | explanation=LCM × HCF = 30×10; HCF(30,10) = 10, so LCM = 30.

id=37704 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=53 | option_c=96 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=37705 | topic=Percentages | difficulty=Easy | question=What is 25% of 1825? | option_a=466 | option_b=912 | option_c=446 | option_d=456 | answer=D | explanation=25% of 1825 = (25/100) × 1825 = 456.

id=37706 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 27? | option_a=27 | option_b=18 | option_c=11 | option_d=4 | answer=A | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 27 is the odd one out.

id=37707 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18053 at 15% per annum for 5 years. | option_a=13639 | option_b=31592 | option_c=13539 | option_d=13439 | answer=C | explanation=SI = PRT/100 = 18053×15×5/100 = █13539.

id=37708 | topic=Percentages | difficulty=Easy | question=What is 30% of 1087? | option_a=326 | option_b=306 | option_c=652 | option_d=336 | answer=A | explanation=30% of 1087 = (30/100) × 1087 = 326.

id=37709 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4304. If it is sold at a profit of 20%, what is its selling price? | option_a=5594 | option_b=4324 | option_c=4734 | option_d=5164 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4304 × 120/100 = █5164.

id=37710 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 47? | option_a=19 | option_b=47 | option_c=37 | option_d=28 | answer=B | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 47 is the odd one out.

Aptitude Questions — Records 37,711-37,740 of 100,000

id=37711 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 18. | option_a=48 | option_b=216 | option_c=18 | option_d=36 | answer=D | explanation=LCM × HCF = 12×18; HCF(12,18) = 6, so LCM = 36.

id=37712 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=37713 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=24 | option_c=48 | option_d=19 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=37714 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=37715 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 30. | option_a=270 | option_b=99 | option_c=90 | option_d=60 | answer=C | explanation=LCM × HCF = 9×30; HCF(9,30) = 3, so LCM = 90.

id=37716 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2099. If it is sold at a profit of 25%, what is its selling price? | option_a=2623 | option_b=2414 | option_c=2832 | option_d=2124 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2099 × 125/100 = █2623.

id=37717 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=37718 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=O | option_b=C | option_c=G | option_d=K | answer=D | explanation=Move 4 positions forward from G; the resulting letter is K.

id=37719 | topic=Percentages | difficulty=Easy | question=What is 50% of 1110? | option_a=575 | option_b=545 | option_c=555 | option_d=1110 | answer=C | explanation=50% of 1110 = (50/100) × 1110 = 555.

id=37720 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=144 | option_c=67 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=37721 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:7 and the first is 117, what is the second? | option_a=84 | option_b=100 | option_c=208 | option_d=91 | answer=D | explanation=Scale factor = 117/9 = 13. Therefore second quantity = 7×13 = 91.

id=37722 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=37723 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=63 | option_b=54 | option_c=55 | option_d=45 | answer=B | explanation=The common difference is 9. Therefore the next term is 45 + 9 = 54.

id=37724 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=38 | option_b=39 | option_c=46 | option_d=30 | answer=A | explanation=The common difference is 8. Therefore the next term is 30 + 8 = 38.

id=37725 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27536 at 15% per annum for 3 years. | option_a=12491 | option_b=12391 | option_c=12291 | option_d=39927 | answer=B | explanation=SI = PRT/100 = 27536×15×3/100 = █12391.

id=37726 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=M | option_c=O | option_d=N | answer=C | explanation=Move 1 positions forward from N; the resulting letter is O.

id=37727 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39484 at 4% per annum for 4 years. | option_a=6317 | option_b=6217 | option_c=45801 | option_d=6417 | answer=A | explanation=SI = PRT/100 = 39484×4×4/100 = █6317.

id=37728 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=35 | option_b=31 | option_c=27 | option_d=32 | answer=B | explanation=The common difference is 4. Therefore the next term is 27 + 4 = 31.

id=37729 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=37730 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36218 at 8% per annum for 4 years. | option_a=11589 | option_b=11689 | option_c=47807 | option_d=11489 | answer=A | explanation=SI = PRT/100 = 36218×8×4/100 = █11589.

id=37731 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 26. | option_a=312 | option_b=624 | option_c=336 | option_d=286 | answer=A | explanation=LCM × HCF = 24×26; HCF(24,26) = 2, so LCM = 312.

id=37732 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2494. If it is sold at a profit of 40%, what is its selling price? | option_a=3740 | option_b=3242 | option_c=3491 | option_d=2534 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2494 × 140/100 = █3491.

id=37733 | topic=Averages | difficulty=Easy | question=Find the average of 55, 27, 15, 46, 45, 97, 92, 27, 24, 62. | option_a=51 | option_b=49 | option_c=50 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 490 ÷ 10 = 49.

id=37734 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=31 | option_b=38 | option_c=43 | option_d=37 | answer=D | explanation=The common difference is 6. Therefore the next term is 31 + 6 = 37.

id=37735 | topic=Averages | difficulty=Easy | question=Find the average of 14, 18, 37. | option_a=25 | option_b=23 | option_c=22 | option_d=24 | answer=B | explanation=Average = sum of values ÷ number of values = 69 ÷ 3 = 23.

id=37736 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=46 | option_b=36 | option_c=54 | option_d=45 | answer=D | explanation=The common difference is 9. Therefore the next term is 36 + 9 = 45.

id=37737 | topic=Averages | difficulty=Easy | question=Find the average of 70, 69, 32, 15, 19, 34, 19, 21, 90. | option_a=42 | option_b=40 | option_c=43 | option_d=41 | answer=D | explanation=Average = sum of values ÷ number of values = 369 ÷ 9 = 41.

id=37738 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15405 at 10% per annum for 1 years. | option_a=1440 | option_b=1540 | option_c=1640 | option_d=16945 | answer=B | explanation=SI = PRT/100 = 15405×10×1/100 = █1540.

id=37739 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 16? | option_a=5 | option_b=8 | option_c=16 | option_d=11 | answer=C | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 16 is the odd one out.

id=37740 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=P | option_b=V | option_c=Y | option_d=S | answer=B | explanation=Move 3 positions forward from S; the resulting letter is V.

Aptitude Questions — Records 37,741-37,770 of 100,000

id=37741 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=80 | option_c=35 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=37742 | topic=Averages | difficulty=Easy | question=Find the average of 34, 70, 80, 60, 38, 71, 42, 85, 22, 98. | option_a=59 | option_b=62 | option_c=61 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=37743 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 46? | option_a=30 | option_b=23 | option_c=46 | option_d=37 | answer=C | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 46 is the odd one out.

id=37744 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 20, 26, 33? | option_a=14 | option_b=26 | option_c=33 | option_d=20 | answer=C | explanation=The first three numbers increase by 6, so the next should be 32. Therefore 33 is the odd one out.

id=37745 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:1 and the first is 182, what is the second? | option_a=13 | option_b=27 | option_c=195 | option_d=12 | answer=A | explanation=Scale factor = 182/14 = 13. Therefore second quantity = 1×13 = 13.

id=37746 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=I | option_c=E | option_d=W | answer=C | explanation=Move 4 positions forward from A; the resulting letter is E.

id=37747 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=24 | option_b=29 | option_c=19 | option_d=25 | answer=A | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.

id=37748 | topic=Percentages | difficulty=Easy | question=What is 30% of 913? | option_a=546 | option_b=253 | option_c=273 | option_d=283 | answer=C | explanation=30% of 913 = (30/100) × 913 = 273.

id=37749 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=37750 | topic=Percentages | difficulty=Easy | question=What is 40% of 648? | option_a=518 | option_b=259 | option_c=249 | option_d=279 | answer=B | explanation=40% of 648 = (40/100) × 648 = 259.

id=37751 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 20, 27, 35? | option_a=27 | option_b=35 | option_c=20 | option_d=13 | answer=B | explanation=The first three numbers increase by 7, so the next should be 34. Therefore 35 is the odd one out.

id=37752 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=37753 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=37754 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 8. | option_a=32 | option_b=60 | option_c=160 | option_d=40 | answer=D | explanation=LCM × HCF = 20×8; HCF(20,8) = 4, so LCM = 40.

id=37755 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=31 | option_b=36 | option_c=30 | option_d=24 | answer=C | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.

id=37756 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Z | option_b=T | option_c=Q | option_d=W | answer=D | explanation=Move 3 positions forward from T; the resulting letter is W.

id=37757 | topic=Averages | difficulty=Easy | question=Find the average of 26, 96, 47, 57, 51, 66, 91, 22, 68, 46. | option_a=58 | option_b=57 | option_c=59 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.

id=37758 | topic=Profit & Loss | difficulty=Easy | question=An article costs █608. If it is sold at a profit of 5%, what is its selling price? | option_a=578 | option_b=638 | option_c=613 | option_d=698 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 608 × 105/100 = █638.

id=37759 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=90 | option_c=85 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=37760 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 16, 21, 29? | option_a=29 | option_b=21 | option_c=16 | option_d=11 | answer=A | explanation=The first three numbers increase by 5, so the next should be 26. Therefore 29 is the odd one out.

id=37761 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:14 and the first is 225, what is the second? | option_a=196 | option_b=435 | option_c=210 | option_d=225 | answer=C | explanation=Scale factor = 225/15 = 15. Therefore second quantity = 14×15 = 210.

id=37762 | topic=Percentages | difficulty=Easy | question=What is 20% of 1383? | option_a=286 | option_b=271 | option_c=552 | option_d=276 | answer=D | explanation=20% of 1383 = (20/100) × 1383 = 276.

id=37763 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=37764 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 35, 42, 52? | option_a=28 | option_b=35 | option_c=42 | option_d=52 | answer=D | explanation=The first three numbers increase by 7, so the next should be 49. Therefore 52 is the odd one out.

id=37765 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=I | option_c=E | option_d=W | answer=C | explanation=Move 4 positions forward from A; the resulting letter is E.

id=37766 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46804 at 8% per annum for 2 years. | option_a=7488 | option_b=7588 | option_c=7388 | option_d=54292 | answer=A | explanation=SI = PRT/100 = 46804×8×2/100 = █7488.

id=37767 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 24. | option_a=338 | option_b=288 | option_c=624 | option_d=312 | answer=D | explanation=LCM × HCF = 26×24; HCF(26,24) = 2, so LCM = 312.

id=37768 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4084. If it is sold at a profit of 30%, what is its selling price? | option_a=4114 | option_b=5717 | option_c=4901 | option_d=5309 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4084 × 130/100 = █5309.

id=37769 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1717. If it is sold at a profit of 50%, what is its selling price? | option_a=2404 | option_b=2746 | option_c=2575 | option_d=1767 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1717 × 150/100 = █2575.

id=37770 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=L | option_b=O | option_c=M | option_d=N | answer=D | explanation=Move 1 positions forward from M; the resulting letter is N.

Aptitude Questions — Records 37,771-37,800 of 100,000

id=37771 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 18, 24, 30, ? | option_a=37 | option_b=42 | option_c=36 | option_d=30 | answer=C | explanation=The common difference is 6. Therefore the next term is 30 + 6 = 36.

id=37772 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20520 at 10% per annum for 4 years. | option_a=8308 | option_b=8108 | option_c=28728 | option_d=8208 | answer=D | explanation=SI = PRT/100 = 20520×10×4/100 = **■**8208.

id=37773 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 38? | option_a=25 | option_b=15 | option_c=5 | option_d=38 | answer=D | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 38 is the odd one out.

id=37774 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:19 and the first is 228, what is the second? | option_a=342 | option_b=589 | option_c=361 | option_d=373 | answer=C | explanation=Scale factor = 228/12 = 19. Therefore second quantity = 19×19 = 361.

id=37775 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16780 at 8% per annum for 2 years. | option_a=2784 | option_b=2584 | option_c=19464 | option_d=2684 | answer=D | explanation=SI = PRT/100 = 16780×8×2/100 = **■**2684.

id=37776 | topic=Averages | difficulty=Easy | question=Find the average of 72, 29, 65, 91, 20, 86, 64, 72, 77. | option_a=64 | option_b=63 | option_c=65 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 576 ÷ 9 = 64.

id=37777 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=S | option_c=Y | option_d=U | answer=A | explanation=Move 2 positions forward from U; the resulting letter is W.

id=37778 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=42 | option_b=41 | option_c=48 | option_d=34 | answer=B | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=37779 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=8 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=37780 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=B | option_b=W | option_c=R | option_d=M | answer=B | explanation=Move 5 positions forward from R; the resulting letter is W.

id=37781 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=7 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=37782 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=37783 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=59 | option_b=70 | option_c=46 | option_d=58 | answer=D | explanation=The common difference is 12. Therefore the next term is 46 + 12 = 58.

id=37784 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3531. If it is sold at a profit of 25%, what is its selling price? | option_a=4060 | option_b=4413 | option_c=4766 | option_d=3556 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3531 × 125/100 = **■**4413.

id=37785 | topic=Percentages | difficulty=Easy | question=What is 50% of 1391? | option_a=1390 | option_b=715 | option_c=695 | option_d=685 | answer=C | explanation=50% of 1391 = (50/100) × 1391 = 695.

id=37786 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=17 | option_c=7 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=37787 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3557. If it is sold at a profit of 50%, what is its selling price? | option_a=5335 | option_b=4980 | option_c=5690 | option_d=3607 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3557 × 150/100 = **■**5335.

id=37788 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=44 | option_b=35 | option_c=53 | option_d=45 | answer=A | explanation=The common difference is 9. Therefore the next term is 35 + 9 = 44.

id=37789 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 23, 25, 30? | option_a=21 | option_b=25 | option_c=23 | option_d=30 | answer=D | explanation=The first three numbers increase by 2, so the next should be 27. Therefore 30 is the odd one out.

id=37790 | topic=Averages | difficulty=Easy | question=Find the average of 68, 19, 45, 33, 97, 60, 53, 78, 42. | option_a=55 | option_b=56 | option_c=57 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.

id=37791 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=37792 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=O | option_c=Q | option_d=M | answer=C | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=37793 | topic=Averages | difficulty=Easy | question=Find the average of 50, 21, 28, 65. | option_a=43 | option_b=41 | option_c=42 | option_d=40 | answer=B | explanation=Average = sum of values ÷ number of values = 164 ÷ 4 = 41.

id=37794 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:9 and the first is 117, what is the second? | option_a=108 | option_b=117 | option_c=126 | option_d=234 | answer=B | explanation=Scale factor = 117/9 = 13. Therefore second quantity = 9×13 = 117.

id=37795 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=P | option_b=V | option_c=T | option_d=R | answer=C | explanation=Move 2 positions forward from R; the resulting letter is T.

id=37796 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=37797 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=41 | option_c=72 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=37798 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 37, 44, 53? | option_a=30 | option_b=53 | option_c=44 | option_d=37 | answer=B | explanation=The first three numbers increase by 7, so the next should be 51. Therefore 53 is the odd one out.

id=37799 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=55 | option_b=46 | option_c=47 | option_d=37 | answer=B | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=37800 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 34? | option_a=22 | option_b=12 | option_c=2 | option_d=34 | answer=D | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 34 is the odd one out.

Aptitude Questions — Records 37,801-37,830 of 100,000

id=37801 | topic=Percentages | difficulty=Easy | question=What is 30% of 1178? | option_a=348 | option_b=363 | option_c=706 | option_d=353 | answer=D | explanation=30% of 1178 = (30/100) × 1178 = 353.

id=37802 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:5 and the first is 65, what is the second? | option_a=90 | option_b=38 | option_c=20 | option_d=25 | answer=D | explanation=Scale factor = 65/13 = 5. Therefore second quantity = 5×5 = 25.

id=37803 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 22, 32, 43? | option_a=12 | option_b=32 | option_c=22 | option_d=43 | answer=D | explanation=The first three numbers increase by 10, so the next should be 42. Therefore 43 is the odd one out.

id=37804 | topic=Averages | difficulty=Easy | question=Find the average of 44, 15, 61, 84, 79, 37, 79. | option_a=56 | option_b=58 | option_c=57 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 399 ÷ 7 = 57.

id=37805 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=41 | option_b=35 | option_c=34 | option_d=27 | answer=C | explanation=The common difference is 7. Therefore the next term is 27 + 7 = 34.

id=37806 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 26? | option_a=4 | option_b=26 | option_c=18 | option_d=11 | answer=B | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 26 is the odd one out.

id=37807 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4991. If it is sold at a profit of 25%, what is its selling price? | option_a=5739 | option_b=6737 | option_c=5016 | option_d=6238 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4991 × 125/100 = █6238.

id=37808 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=37809 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=K | option_c=P | option_d=A | answer=B | explanation=Move 5 positions forward from F; the resulting letter is K.

id=37810 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=13 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=37811 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2591. If it is sold at a profit of 40%, what is its selling price? | option_a=3627 | option_b=3368 | option_c=2631 | option_d=3886 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2591 × 140/100 = █3627.

id=37812 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3650. If it is sold at a profit of 15%, what is its selling price? | option_a=3832 | option_b=4197 | option_c=3665 | option_d=4562 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3650 × 115/100 = █4197.

id=37813 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2629. If it is sold at a profit of 50%, what is its selling price? | option_a=2679 | option_b=3681 | option_c=4205 | option_d=3943 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2629 × 150/100 = █3943.

id=37814 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9136 at 12% per annum for 4 years. | option_a=4485 | option_b=13521 | option_c=4385 | option_d=4285 | answer=C | explanation=SI = PRT/100 = 9136×12×4/100 = █4385.

id=37815 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10555 at 6% per annum for 5 years. | option_a=3066 | option_b=3166 | option_c=13721 | option_d=3266 | answer=B | explanation=SI = PRT/100 = 10555×6×5/100 = █3166.

id=37816 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=24 | option_d=29 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=37817 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=I | option_c=M | option_d=G | answer=A | explanation=Move 2 positions forward from I; the resulting letter is K.

id=37818 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=27 | option_b=41 | option_c=35 | option_d=34 | answer=D | explanation=The common difference is 7. Therefore the next term is 27 + 7 = 34.

id=37819 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 18, 25, 35? | option_a=11 | option_b=18 | option_c=35 | option_d=25 | answer=C | explanation=The first three numbers increase by 7, so the next should be 32. Therefore 35 is the odd one out.

id=37820 | topic=Percentages | difficulty=Easy | question=What is 5% of 1561? | option_a=58 | option_b=88 | option_c=156 | option_d=78 | answer=D | explanation=5% of 1561 = (5/100) × 1561 = 78.

id=37821 | topic=Averages | difficulty=Easy | question=Find the average of 17, 55, 39, 33, 75, 75. | option_a=49 | option_b=51 | option_c=50 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = 294 ÷ 6 = 49.

id=37822 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=H | option_b=F | option_c=I | option_d=G | answer=A | explanation=Move 1 positions forward from G; the resulting letter is H.

id=37823 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2242. If it is sold at a profit of 10%, what is its selling price? | option_a=2252 | option_b=2690 | option_c=2466 | option_d=2242 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2242 × 110/100 = █2466.

id=37824 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 26. | option_a=336 | option_b=624 | option_c=312 | option_d=286 | answer=C | explanation=LCM × HCF = 24×26; HCF(24,26) = 2, so LCM = 312.

id=37825 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=64 | option_b=40 | option_c=53 | option_d=52 | answer=D | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.

id=37826 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=37827 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4703. If it is sold at a profit of 30%, what is its selling price? | option_a=6113 | option_b=6583 | option_c=5643 | option_d=4733 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4703 × 130/100 = █6113.

id=37828 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=T | option_b=W | option_c=Q | option_d=N | answer=A | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=37829 | topic=Averages | difficulty=Easy | question=Find the average of 73, 31, 59, 94, 32, 95. | option_a=63 | option_b=66 | option_c=64 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = 384 ÷ 6 = 64.

id=37830 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:19 and the first is 133, what is the second? | option_a=342 | option_b=368 | option_c=494 | option_d=361 | answer=D | explanation=Scale factor = 133/7 = 19. Therefore second quantity = 19×19 = 361.

Aptitude Questions — Records 37,831-37,860 of 100,000

- id=37831 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37583 at 15% per annum for 5 years. | option_a=28187 | option_b=65770 | option_c=28087 | option_d=28287 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{37583 \times 15 \times 5}{100} = \text{■}28187$.
- id=37832 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 37? | option_a=15 | option_b=25 | option_c=37 | option_d=5 | answer=C | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 37 is the odd one out.
- id=37833 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 27. | option_a=27 | option_b=30 | option_c=81 | option_d=1 | answer=A | explanation= $LCM \times HCF = 3 \times 27$; $HCF(3,27) = 3$, so $LCM = 27$.
- id=37834 | topic=Averages | difficulty=Easy | question=Find the average of 82, 26, 86, 22. | option_a=53 | option_b=55 | option_c=56 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = $216 \div 4 = 54$.
- id=37835 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 18, 26, 37? | option_a=10 | option_b=18 | option_c=26 | option_d=37 | answer=D | explanation=The first three numbers increase by 8, so the next should be 34. Therefore 37 is the odd one out.
- id=37836 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 38, 48, 59? | option_a=38 | option_b=28 | option_c=59 | option_d=48 | answer=C | explanation=The first three numbers increase by 10, so the next should be 58. Therefore 59 is the odd one out.
- id=37837 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=32 | option_b=35 | option_c=31 | option_d=27 | answer=C | explanation=The common difference is 4. Therefore the next term is $27 + 4 = 31$.
- id=37838 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.
- id=37839 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.
- id=37840 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=95 | option_c=90 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = $180 \div 2 = 90$ km/h.
- id=37841 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=27 | option_b=35 | option_c=43 | option_d=36 | answer=B | explanation=The common difference is 8. Therefore the next term is $27 + 8 = 35$.
- id=37842 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38336 at 12% per annum for 1 years. | option_a=4500 | option_b=42936 | option_c=4700 | option_d=4600 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{38336 \times 12 \times 1}{100} = \text{■}4600$.
- id=37843 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3485. If it is sold at a profit of 50%, what is its selling price? | option_a=4879 | option_b=5227 | option_c=5575 | option_d=3535 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3485 \times 150 / 100 = \text{■}5227$.
- id=37844 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1325. If it is sold at a profit of 15%, what is its selling price? | option_a=1655 | option_b=1391 | option_c=1340 | option_d=1523 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1325 \times 115 / 100 = \text{■}1523$.
- id=37845 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 29, 33, 38? | option_a=33 | option_b=29 | option_c=25 | option_d=38 | answer=D | explanation=The first three numbers increase by 4, so the next should be 37. Therefore 38 is the odd one out.
- id=37846 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 37? | option_a=29 | option_b=17 | option_c=37 | option_d=23 | answer=C | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 37 is the odd one out.
- id=37847 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22178 at 15% per annum for 1 years. | option_a=3226 | option_b=3326 | option_c=25504 | option_d=3426 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{22178 \times 15 \times 1}{100} = \text{■}3326$.
- id=37848 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 11, 20, 31? | option_a=11 | option_b=31 | option_c=20 | option_d=2 | answer=B | explanation=The first three numbers increase by 9, so the next should be 29. Therefore 31 is the odd one out.
- id=37849 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=115 | option_c=120 | option_d=125 | answer=C | explanation=Speed = distance ÷ time = $240 \div 2 = 120$ km/h.
- id=37850 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 22, 28, 36? | option_a=28 | option_b=36 | option_c=22 | option_d=16 | answer=B | explanation=The first three numbers increase by 6, so the next should be 34. Therefore 36 is the odd one out.
- id=37851 | topic=Percentages | difficulty=Easy | question=What is 20% of 739? | option_a=294 | option_b=147 | option_c=167 | option_d=142 | answer=B | explanation=20% of 739 = $(20/100) \times 739 = 147$.
- id=37852 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.
- id=37853 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=14 | option_c=9 | option_d=4 | answer=C | explanation=Speed = distance ÷ time = $90 \div 10 = 9$ km/h.
- id=37854 | topic=Percentages | difficulty=Easy | question=What is 25% of 550? | option_a=274 | option_b=147 | option_c=137 | option_d=117 | answer=C | explanation=25% of 550 = $(25/100) \times 550 = 137$.
- id=37855 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=26 | option_b=25 | option_c=22 | option_d=24 | answer=D | explanation=The common difference is 2. Therefore the next term is $22 + 2 = 24$.
- id=37856 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=Y | option_c=D | option_d=O | answer=B | explanation=Move 5 positions forward from T; the resulting letter is Y.
- id=37857 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=H | option_b=C | option_c=M | option_d=X | answer=A | explanation=Move 5 positions forward from C; the resulting letter is H.
- id=37858 | topic=Averages | difficulty=Easy | question=Find the average of 60, 18, 44, 14, 59, 56, 45, 93, 88. | option_a=54 | option_b=55 | option_c=52 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = $477 \div 9 = 53$.
- id=37859 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2166. If it is sold at a profit of 50%, what is its selling price? | option_a=3465 | option_b=2216 | option_c=3033 | option_d=3249 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2166 \times 150 / 100 = \text{■}3249$.
- id=37860 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=J | option_c=L | option_d=K | answer=C | explanation=Move 1 positions forward from K; the resulting letter is L.

Aptitude Questions — Records 37,861-37,890 of 100,000

id=37861 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 41? | option_a=33 | option_b=41 | option_c=36 | option_d=30 | answer=B | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 41 is the odd one out.

id=37862 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3211. If it is sold at a profit of 10%, what is its selling price? | option_a=3221 | option_b=3211 | option_c=3532 | option_d=3853 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3211 × 110/100 = █3532.

id=37863 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:18 and the first is 56, what is the second? | option_a=126 | option_b=108 | option_c=182 | option_d=134 | answer=A | explanation=Scale factor = 56/8 = 7. Therefore second quantity = 18×7 = 126.

id=37864 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=X | option_b=S | option_c=I | option_d=N | answer=B | explanation=Move 5 positions forward from N; the resulting letter is S.

id=37865 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 38, 46, 55? | option_a=38 | option_b=30 | option_c=55 | option_d=46 | answer=C | explanation=The first three numbers increase by 8, so the next should be 54. Therefore 55 is the odd one out.

id=37866 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11226 at 10% per annum for 5 years. | option_a=16839 | option_b=5713 | option_c=5613 | option_d=5513 | answer=C | explanation=SI = PRT/100 = 11226×10×5/100 = █5613.

id=37867 | topic=Percentages | difficulty=Easy | question=What is 15% of 546? | option_a=101 | option_b=162 | option_c=76 | option_d=81 | answer=D | explanation=15% of 546 = (15/100) × 546 = 81.

id=37868 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=F | option_b=K | option_c=U | option_d=P | answer=D | explanation=Move 5 positions forward from K; the resulting letter is P.

id=37869 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=37870 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=37871 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=37872 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46468 at 4% per annum for 1 years. | option_a=1958 | option_b=1858 | option_c=48326 | option_d=1758 | answer=B | explanation=SI = PRT/100 = 46468×4×1/100 = █1858.

id=37873 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21030 at 4% per annum for 3 years. | option_a=2523 | option_b=23553 | option_c=2423 | option_d=2623 | answer=A | explanation=SI = PRT/100 = 21030×4×3/100 = █2523.

id=37874 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4518. If it is sold at a profit of 25%, what is its selling price? | option_a=4543 | option_b=6098 | option_c=5196 | option_d=5647 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4518 × 125/100 = █5647.

id=37875 | topic=Averages | difficulty=Easy | question=Find the average of 31, 26, 31, 52, 91, 93. | option_a=56 | option_b=53 | option_c=55 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 324 ÷ 6 = 54.

id=37876 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1706 at 12% per annum for 3 years. | option_a=714 | option_b=2320 | option_c=514 | option_d=614 | answer=D | explanation=SI = PRT/100 = 1706×12×3/100 = █614.

id=37877 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=37878 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:6 and the first is 50, what is the second? | option_a=80 | option_b=24 | option_c=40 | option_d=30 | answer=D | explanation=Scale factor = 50/10 = 5. Therefore second quantity = 6×5 = 30.

id=37879 | topic=Profit & Loss | difficulty=Easy | question=An article costs █833. If it is sold at a profit of 30%, what is its selling price? | option_a=863 | option_b=1165 | option_c=999 | option_d=1082 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 833 × 130/100 = █1082.

id=37880 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:6 and the first is 209, what is the second? | option_a=60 | option_b=275 | option_c=85 | option_d=66 | answer=D | explanation=Scale factor = 209/19 = 11. Therefore second quantity = 6×11 = 66.

id=37881 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=25 | option_b=27 | option_c=21 | option_d=24 | answer=D | explanation=The common difference is 3. Therefore the next term is 21 + 3 = 24.

id=37882 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:4 and the first is 105, what is the second? | option_a=67 | option_b=60 | option_c=165 | option_d=56 | answer=B | explanation=Scale factor = 105/7 = 15. Therefore second quantity = 4×15 = 60.

id=37883 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 24? | option_a=17 | option_b=21 | option_c=24 | option_d=19 | answer=C | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 24 is the odd one out.

id=37884 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 44? | option_a=30 | option_b=44 | option_c=24 | option_d=36 | answer=B | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 44 is the odd one out.

id=37885 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21617 at 8% per annum for 4 years. | option_a=6917 | option_b=28534 | option_c=6817 | option_d=7017 | answer=A | explanation=SI = PRT/100 = 21617×8×4/100 = █6917.

id=37886 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=48 | option_c=43 | option_d=96 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=37887 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=37888 | topic=Percentages | difficulty=Easy | question=What is 50% of 531? | option_a=265 | option_b=285 | option_c=245 | option_d=530 | answer=A | explanation=50% of 531 = (50/100) × 531 = 265.

id=37889 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:3 and the first is 42, what is the second? | option_a=15 | option_b=25 | option_c=18 | option_d=60 | answer=C | explanation=Scale factor = 42/7 = 6. Therefore second quantity = 3×6 = 18.

id=37890 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 21, 28, 37? | option_a=14 | option_b=21 | option_c=37 | option_d=28 | answer=C | explanation=The first three numbers increase by 7, so the next should be 35. Therefore 37 is the odd one out.

Aptitude Questions — Records 37,891-37,920 of 100,000

id=37891 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=47 | option_b=54 | option_c=40 | option_d=48 | answer=A | explanation=The common difference is 7. Therefore the next term is 40 + 7 = 47.

id=37892 | topic=Percentages | difficulty=Easy | question=What is 40% of 1440? | option_a=1152 | option_b=556 | option_c=576 | option_d=596 | answer=C | explanation=40% of 1440 = (40/100) × 1440 = 576.

id=37893 | topic=Percentages | difficulty=Easy | question=What is 15% of 171? | option_a=20 | option_b=50 | option_c=25 | option_d=30 | answer=C | explanation=15% of 171 = (15/100) × 171 = 25.

id=37894 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=49 | option_b=48 | option_c=37 | option_d=59 | answer=B | explanation=The common difference is 11. Therefore the next term is 37 + 11 = 48.

id=37895 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=200 | option_c=105 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=37896 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27340 at 6% per annum for 1 years. | option_a=1640 | option_b=1740 | option_c=1540 | option_d=28980 | answer=A | explanation=SI = PRT/100 = 27340×6×1/100 = **■**1640.

id=37897 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:17 and the first is 84, what is the second? | option_a=203 | option_b=131 | option_c=102 | option_d=119 | answer=D | explanation=Scale factor = 84/12 = 7. Therefore second quantity = 17×7 = 119.

id=37898 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=22 | option_b=14 | option_c=19 | option_d=18 | answer=D | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.

id=37899 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:6 and the first is 216, what is the second? | option_a=72 | option_b=288 | option_c=90 | option_d=66 | answer=A | explanation=Scale factor = 216/18 = 12. Therefore second quantity = 6×12 = 72.

id=37900 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1815. If it is sold at a profit of 15%, what is its selling price? | option_a=1906 | option_b=1830 | option_c=2087 | option_d=2268 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1815 × 115/100 = **■**2087.

id=37901 | topic=Averages | difficulty=Easy | question=Find the average of 19, 79, 37, 26, 68, 70, 49, 25, 77. | option_a=49 | option_b=52 | option_c=50 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 450 ÷ 9 = 50.

id=37902 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=37903 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:18 and the first is 190, what is the second? | option_a=324 | option_b=532 | option_c=352 | option_d=342 | answer=D | explanation=Scale factor = 190/10 = 19. Therefore second quantity = 18×19 = 342.

id=37904 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=64 | option_b=53 | option_c=54 | option_d=42 | answer=B | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.

id=37905 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28211 at 4% per annum for 5 years. | option_a=5542 | option_b=5642 | option_c=33853 | option_d=5742 | answer=B | explanation=SI = PRT/100 = 28211×4×5/100 = **■**5642.

id=37906 | topic=Averages | difficulty=Easy | question=Find the average of 86, 47, 13, 51, 68, 28, 85, 96, 93. | option_a=65 | option_b=63 | option_c=64 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 567 ÷ 9 = 63.

id=37907 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=Q | option_b=O | option_c=R | option_d=P | answer=A | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=37908 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:20 and the first is 12, what is the second? | option_a=20 | option_b=52 | option_c=40 | option_d=46 | answer=C | explanation=Scale factor = 12/6 = 2. Therefore second quantity = 20×2 = 40.

id=37909 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 4. | option_a=96 | option_b=24 | option_c=20 | option_d=48 | answer=B | explanation=LCM × HCF = 24×4; HCF(24,4) = 4, so LCM = 24.

id=37910 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30091 at 8% per annum for 2 years. | option_a=4814 | option_b=34905 | option_c=4714 | option_d=4914 | answer=A | explanation=SI = PRT/100 = 30091×8×2/100 = **■**4814.

id=37911 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=20 | option_b=32 | option_c=26 | option_d=27 | answer=C | explanation=The common difference is 6. Therefore the next term is 20 + 6 = 26.

id=37912 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 22. | option_a=330 | option_b=308 | option_c=360 | option_d=660 | answer=A | explanation=LCM × HCF = 30×22; HCF(30,22) = 2, so LCM = 330.

id=37913 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 37? | option_a=29 | option_b=24 | option_c=37 | option_d=19 | answer=C | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 37 is the odd one out.

id=37914 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=37915 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=58 | option_b=69 | option_c=47 | option_d=59 | answer=A | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.

id=37916 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1174. If it is sold at a profit of 50%, what is its selling price? | option_a=1878 | option_b=1644 | option_c=1761 | option_d=1224 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1174 × 150/100 = **■**1761.

id=37917 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3572. If it is sold at a profit of 40%, what is its selling price? | option_a=3612 | option_b=4643 | option_c=5357 | option_d=5000 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3572 × 140/100 = **■**5000.

id=37918 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:15 and the first is 57, what is the second? | option_a=270 | option_b=342 | option_c=288 | option_d=285 | answer=D | explanation=Scale factor = 57/3 = 19. Therefore second quantity = 15×19 = 285.

id=37919 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=37920 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24759 at 5% per annum for 2 years. | option_a=27234 | option_b=2475 | option_c=2575 | option_d=2375 | answer=B | explanation=SI = PRT/100 = 24759×5×2/100 = **■**2475.

Aptitude Questions — Records 37,921-37,950 of 100,000

id=37921 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9263 at 12% per annum for 1 years. | option_a=10374 | option_b=1111 | option_c=1011 | option_d=1211 | answer=B | explanation=SI = PRT/100 = 9263×12×1/100 = **■**1111.

id=37922 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29610 at 10% per annum for 1 years. | option_a=2961 | option_b=2861 | option_c=32571 | option_d=3061 | answer=A | explanation=SI = PRT/100 = 29610×10×1/100 = **■**2961.

id=37923 | topic=Averages | difficulty=Easy | question=Find the average of 35, 41, 60, 28. | option_a=41 | option_b=40 | option_c=42 | option_d=43 | answer=A | explanation=Average = sum of values ÷ number of values = 164 ÷ 4 = 41.

id=37924 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2454. If it is sold at a profit of 50%, what is its selling price? | option_a=3436 | option_b=3681 | option_c=3926 | option_d=2504 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2454 × 150/100 = **■**3681.

id=37925 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 35, 42, 52? | option_a=42 | option_b=35 | option_c=52 | option_d=28 | answer=C | explanation=The first three numbers increase by 7, so the next should be 49. Therefore 52 is the odd one out.

id=37926 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 31? | option_a=25 | option_b=20 | option_c=31 | option_d=15 | answer=C | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 31 is the odd one out.

id=37927 | topic=Percentages | difficulty=Easy | question=What is 25% of 192? | option_a=53 | option_b=43 | option_c=48 | option_d=96 | answer=C | explanation=25% of 192 = (25/100) × 192 = 48.

id=37928 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:11 and the first is 133, what is the second? | option_a=198 | option_b=342 | option_c=209 | option_d=216 | answer=C | explanation=Scale factor = 133/7 = 19. Therefore second quantity = 11×19 = 209.

id=37929 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3729. If it is sold at a profit of 50%, what is its selling price? | option_a=5965 | option_b=5593 | option_c=3779 | option_d=5221 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3729 × 150/100 = **■**5593.

id=37930 | topic=Averages | difficulty=Easy | question=Find the average of 13, 75, 88, 87, 43, 48. | option_a=59 | option_b=58 | option_c=61 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.

id=37931 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=125 | option_c=120 | option_d=115 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=37932 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:2 and the first is 33, what is the second? | option_a=55 | option_b=20 | option_c=25 | option_d=22 | answer=D | explanation=Scale factor = 33/3 = 11. Therefore second quantity = 2×11 = 22.

id=37933 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=O | option_c=K | option_d=C | answer=C | explanation=Move 4 positions forward from G; the resulting letter is K.

id=37934 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=37935 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:14 and the first is 22, what is the second? | option_a=154 | option_b=176 | option_c=156 | option_d=140 | answer=A | explanation=Scale factor = 22/2 = 11. Therefore second quantity = 14×11 = 154.

id=37936 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19236 at 5% per annum for 4 years. | option_a=3747 | option_b=23083 | option_c=3947 | option_d=3847 | answer=D | explanation=SI = PRT/100 = 19236×5×4/100 = **■**3847.

id=37937 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1950. If it is sold at a profit of 40%, what is its selling price? | option_a=2925 | option_b=1990 | option_c=2535 | option_d=2730 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1950 × 140/100 = **■**2730.

id=37938 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=C | option_c=O | option_d=K | answer=D | explanation=Move 4 positions forward from G; the resulting letter is K.

id=37939 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2874. If it is sold at a profit of 50%, what is its selling price? | option_a=4311 | option_b=2924 | option_c=4024 | option_d=4598 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2874 × 150/100 = **■**4311.

id=37940 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=M | option_c=I | option_d=K | answer=B | explanation=Move 2 positions forward from K; the resulting letter is M.

id=37941 | topic=Averages | difficulty=Easy | question=Find the average of 27, 25, 12, 15, 49, 22. | option_a=27 | option_b=24 | option_c=25 | option_d=26 | answer=C | explanation=Average = sum of values ÷ number of values = 150 ÷ 6 = 25.

id=37942 | topic=Averages | difficulty=Easy | question=Find the average of 92, 44, 76, 91, 44, 78, 72. | option_a=72 | option_b=71 | option_c=70 | option_d=73 | answer=B | explanation=Average = sum of values ÷ number of values = 497 ÷ 7 = 71.

id=37943 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=96 | option_c=43 | option_d=53 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=37944 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=17 | option_c=24 | option_d=7 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=37945 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=40 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=37946 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33615 at 15% per annum for 1 years. | option_a=4942 | option_b=38657 | option_c=5142 | option_d=5042 | answer=D | explanation=SI = PRT/100 = 33615×15×1/100 = **■**5042.

id=37947 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9381 at 6% per annum for 4 years. | option_a=11632 | option_b=2351 | option_c=2151 | option_d=2251 | answer=D | explanation=SI = PRT/100 = 9381×6×4/100 = **■**2251.

id=37948 | topic=Averages | difficulty=Easy | question=Find the average of 18, 47, 19, 49, 17, 21, 42, 59. | option_a=34 | option_b=35 | option_c=33 | option_d=36 | answer=A | explanation=Average = sum of values ÷ number of values = 272 ÷ 8 = 34.

id=37949 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 27. | option_a=300 | option_b=243 | option_c=810 | option_d=270 | answer=D | explanation=LCM × HCF = 30×27; HCF(30,27) = 3, so LCM = 270.

id=37950 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43829 at 5% per annum for 2 years. | option_a=4482 | option_b=4382 | option_c=4282 | option_d=48211 | answer=B | explanation=SI = PRT/100 = 43829×5×2/100 = **■**4382.

Aptitude Questions — Records 37,951-37,980 of 100,000

id=37951 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=51 | option_b=43 | option_c=42 | option_d=33 | answer=C | explanation=The common difference is 9. Therefore the next term is 33 + 9 = 42.

id=37952 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 12. | option_a=48 | option_b=60 | option_c=360 | option_d=90 | answer=B | explanation=LCM × HCF = 30×12; HCF(30,12) = 6, so LCM = 60.

id=37953 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=37954 | topic=Averages | difficulty=Easy | question=Find the average of 46, 100, 15, 68, 21. | option_a=49 | option_b=50 | option_c=52 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 250 ÷ 5 = 50.

id=37955 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=37956 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4357. If it is sold at a profit of 5%, what is its selling price? | option_a=4362 | option_b=4139 | option_c=5009 | option_d=4574 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4357 × 105/100 = █4574.

id=37957 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:3 and the first is 9, what is the second? | option_a=36 | option_b=27 | option_c=28 | option_d=24 | answer=B | explanation=Scale factor = 9/1 = 9. Therefore second quantity = 3×9 = 27.

id=37958 | topic=Percentages | difficulty=Easy | question=What is 20% of 1303? | option_a=280 | option_b=260 | option_c=520 | option_d=255 | answer=B | explanation=20% of 1303 = (20/100) × 1303 = 260.

id=37959 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 7, 12, 19? | option_a=2 | option_b=12 | option_c=7 | option_d=19 | answer=D | explanation=The first three numbers increase by 5, so the next should be 17. Therefore 19 is the odd one out.

id=37960 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=37961 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=60 | option_b=59 | option_c=69 | option_d=49 | answer=B | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

id=37962 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=37963 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=11 | option_c=1 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=37964 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 32, 39, 48? | option_a=48 | option_b=39 | option_c=25 | option_d=32 | answer=A | explanation=The first three numbers increase by 7, so the next should be 46. Therefore 48 is the odd one out.

id=37965 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 19, 29, 41? | option_a=41 | option_b=29 | option_c=19 | option_d=9 | answer=A | explanation=The first three numbers increase by 10, so the next should be 39. Therefore 41 is the odd one out.

id=37966 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=58 | option_b=57 | option_c=47 | option_d=67 | answer=B | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

id=37967 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=J | option_c=V | option_d=N | answer=A | explanation=Move 4 positions forward from N; the resulting letter is R.

id=37968 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:3 and the first is 200, what is the second? | option_a=70 | option_b=57 | option_c=60 | option_d=260 | answer=C | explanation=Scale factor = 200/10 = 20. Therefore second quantity = 3×20 = 60.

id=37969 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=M | option_c=G | option_d=P | answer=B | explanation=Move 3 positions forward from J; the resulting letter is M.

id=37970 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=S | option_b=N | option_c=I | option_d=D | answer=B | explanation=Move 5 positions forward from I; the resulting letter is N.

id=37971 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:19 and the first is 44, what is the second? | option_a=190 | option_b=209 | option_c=253 | option_d=213 | answer=B | explanation=Scale factor = 44/4 = 11. Therefore second quantity = 19×11 = 209.

id=37972 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 35, 42, 52? | option_a=28 | option_b=42 | option_c=35 | option_d=52 | answer=D | explanation=The first three numbers increase by 7, so the next should be 49. Therefore 52 is the odd one out.

id=37973 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=37974 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:13 and the first is 40, what is the second? | option_a=65 | option_b=52 | option_c=73 | option_d=105 | answer=A | explanation=Scale factor = 40/8 = 5. Therefore second quantity = 13×5 = 65.

id=37975 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=29 | option_c=48 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=37976 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=E | option_b=U | option_c=P | option_d=Z | answer=D | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=37977 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4521 at 5% per annum for 2 years. | option_a=452 | option_b=4973 | option_c=352 | option_d=552 | answer=A | explanation=SI = PRT/100 = 4521×5×2/100 = █452.

id=37978 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=95 | option_d=180 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=37979 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=37980 | topic=Percentages | difficulty=Easy | question=What is 12% of 898? | option_a=107 | option_b=127 | option_c=214 | option_d=102 | answer=A | explanation=12% of 898 = (12/100) × 898 = 107.

Aptitude Questions — Records 37,981-38,010 of 100,000

id=37981 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:17 and the first is 72, what is the second? | option_a=187 | option_b=210 | option_c=276 | option_d=204 | answer=D | explanation=Scale factor = $72/6 = 12$. Therefore second quantity = $17 \times 12 = 204$.

id=37982 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=37983 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=37984 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.

id=37985 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=150 | option_d=70 | answer=B | explanation=Speed = distance ÷ time = $300 \div 4 = 75$ km/h.

id=37986 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=69 | option_b=80 | option_c=68 | option_d=56 | answer=C | explanation=The common difference is 12. Therefore the next term is $56 + 12 = 68$.

id=37987 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=240 | option_d=125 | answer=A | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.

id=37988 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=27 | option_b=22 | option_c=28 | option_d=32 | answer=A | explanation=The common difference is 5. Therefore the next term is $22 + 5 = 27$.

id=37989 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = $180 \div 3 = 60$ km/h.

id=37990 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 24? | option_a=15 | option_b=19 | option_c=17 | option_d=24 | answer=D | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 24 is the odd one out.

id=37991 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=25 | option_b=22 | option_c=26 | option_d=28 | answer=A | explanation=The common difference is 3. Therefore the next term is $22 + 3 = 25$.

id=37992 | topic=Percentages | difficulty=Easy | question=What is 15% of 1949? | option_a=282 | option_b=292 | option_c=312 | option_d=584 | answer=B | explanation=15% of 1949 = $(15/100) \times 1949 = 292$.

id=37993 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2534. If it is sold at a profit of 25%, what is its selling price? | option_a=3420 | option_b=2559 | option_c=2914 | option_d=3167 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2534 \times 125/100 = \text{█}3167$.

id=37994 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=Q | option_b=L | option_c=V | option_d=G | answer=A | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=37995 | topic=Percentages | difficulty=Easy | question=What is 30% of 1132? | option_a=319 | option_b=339 | option_c=349 | option_d=678 | answer=B | explanation=30% of 1132 = $(30/100) \times 1132 = 339$.

id=37996 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $60 \div 2 = 30$ km/h.

id=37997 | topic=Averages | difficulty=Easy | question=Find the average of 87, 52, 97, 13, 81. | option_a=65 | option_b=66 | option_c=67 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = $330 \div 5 = 66$.

id=37998 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 17, 21, 27? | option_a=13 | option_b=27 | option_c=21 | option_d=17 | answer=B | explanation=The first three numbers increase by 4, so the next should be 25. Therefore 27 is the odd one out.

id=37999 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=W | option_b=Z | option_c=T | option_d=Q | answer=A | explanation=Move 3 positions forward from T; the resulting letter is W.

id=38000 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=36 | option_b=40 | option_c=32 | option_d=37 | answer=A | explanation=The common difference is 4. Therefore the next term is $32 + 4 = 36$.

id=38001 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=Y | option_b=O | option_c=T | option_d=D | answer=A | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=38002 | topic=Profit & Loss | difficulty=Easy | question=An article costs █470. If it is sold at a profit of 25%, what is its selling price? | option_a=587 | option_b=495 | option_c=540 | option_d=634 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 470 \times 125/100 = \text{█}587$.

id=38003 | topic=Profit & Loss | difficulty=Easy | question=An article costs █520. If it is sold at a profit of 15%, what is its selling price? | option_a=546 | option_b=598 | option_c=535 | option_d=650 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 520 \times 115/100 = \text{█}598$.

id=38004 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:15 and the first is 12, what is the second? | option_a=57 | option_b=45 | option_c=49 | option_d=30 | answer=B | explanation=Scale factor = $12/4 = 3$. Therefore second quantity = $15 \times 3 = 45$.

id=38005 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=43 | option_b=50 | option_c=34 | option_d=42 | answer=D | explanation=The common difference is 8. Therefore the next term is $34 + 8 = 42$.

id=38006 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=4 | option_d=6 | answer=A | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=38007 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=F | option_c=D | option_d=B | answer=B | explanation=Move 2 positions forward from D; the resulting letter is F.

id=38008 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=12 | option_d=4 | answer=B | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=38009 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1361. If it is sold at a profit of 5%, what is its selling price? | option_a=1366 | option_b=1429 | option_c=1565 | option_d=1293 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1361 \times 105/100 = \text{█}1429$.

id=38010 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 14. | option_a=210 | option_b=240 | option_c=196 | option_d=420 | answer=A | explanation=LCM $\times$ HCF = 30×14 ; $HCF(30,14) = 2$, so LCM = 210.

Aptitude Questions — Records 38,011-38,040 of 100,000

id=38011 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 26. | option_a=312 | option_b=156 | option_c=130 | option_d=168 | answer=B | explanation=L $\times$ HCF = 12 $\times$ 26; HCF(12,26) = 2, so LCM = 156.

id=38012 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=Q | option_b=N | option_c=K | option_d=H | answer=B | explanation=Move 3 positions forward from K; the resulting letter is N.

id=38013 | topic=Profit & Loss | difficulty=Easy | question=An article costs █266. If it is sold at a profit of 40%, what is its selling price? | option_a=398 | option_b=306 | option_c=346 | option_d=372 | answer=D | explanation=Selling price = CP $\times$ (100 + profit%)/100 = 266 $\times$ 140/100 = █372.

id=38014 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:9 and the first is 48, what is the second? | option_a=78 | option_b=120 | option_c=63 | option_d=72 | answer=D | explanation=Scale factor = 48/6 = 8. Therefore second quantity = 9 $\times$ 8 = 72.

id=38015 | topic=Percentages | difficulty=Easy | question=What is 25% of 296? | option_a=148 | option_b=74 | option_c=54 | option_d=84 | answer=B | explanation=25% of 296 = (25/100) $\times$ 296 = 74.

id=38016 | topic=Averages | difficulty=Easy | question=Find the average of 22, 29, 66, 70, 41, 72, 67, 32, 60. | option_a=52 | option_b=50 | option_c=51 | option_d=53 | answer=C | explanation=Average = sum of values $\div$ number of values = 459 $\div$ 9 = 51.

id=38017 | topic=Averages | difficulty=Easy | question=Find the average of 80, 81, 14, 65, 95, 19, 92, 92, 56. | option_a=66 | option_b=68 | option_c=67 | option_d=65 | answer=A | explanation=Average = sum of values $\div$ number of values = 594 $\div$ 9 = 66.

id=38018 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=T | option_c=R | option_d=X | answer=A | explanation=Move 2 positions forward from T; the resulting letter is V.

id=38019 | topic=Averages | difficulty=Easy | question=Find the average of 83, 44, 55, 35, 19, 34. | option_a=45 | option_b=47 | option_c=46 | option_d=44 | answer=A | explanation=Average = sum of values $\div$ number of values = 270 $\div$ 6 = 45.

id=38020 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=38021 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=32 | option_b=46 | option_c=40 | option_d=39 | answer=D | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.

id=38022 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 53? | option_a=53 | option_b=41 | option_c=23 | option_d=32 | answer=A | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 53 is the odd one out.

id=38023 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=38024 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=P | option_c=R | option_d=T | answer=D | explanation=Move 2 positions forward from R; the resulting letter is T.

id=38025 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13837 at 5% per annum for 5 years. | option_a=3459 | option_b=17296 | option_c=3359 | option_d=3559 | answer=A | explanation=SI = PRT/100 = 13837 $\times$ 5 $\times$ 5/100 = █3459.

id=38026 | topic=Percentages | difficulty=Easy | question=What is 20% of 222? | option_a=64 | option_b=88 | option_c=34 | option_d=44 | answer=D | explanation=20% of 222 = (20/100) $\times$ 222 = 44.

id=38027 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=T | option_c=N | option_d=W | answer=B | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=38028 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4102. If it is sold at a profit of 15%, what is its selling price? | option_a=4307 | option_b=4717 | option_c=4117 | option_d=5127 | answer=B | explanation=Selling price = CP $\times$ (100 + profit%)/100 = 4102 $\times$ 115/100 = █4717.

id=38029 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 29, 36, 46? | option_a=46 | option_b=22 | option_c=36 | option_d=29 | answer=A | explanation=The first three numbers increase by 7, so the next should be 43. Therefore 46 is the odd one out.

id=38030 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=Q | option_b=V | option_c=G | option_d=L | answer=A | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=38031 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=38032 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 36, 44, 53? | option_a=53 | option_b=28 | option_c=44 | option_d=36 | answer=A | explanation=The first three numbers increase by 8, so the next should be 52. Therefore 53 is the odd one out.

id=38033 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12968 at 5% per annum for 1 years. | option_a=548 | option_b=748 | option_c=13616 | option_d=648 | answer=D | explanation=SI = PRT/100 = 12968 $\times$ 5 $\times$ 1/100 = █648.

id=38034 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4198. If it is sold at a profit of 30%, what is its selling price? | option_a=5457 | option_b=4228 | option_c=5876 | option_d=5038 | answer=A | explanation=Selling price = CP $\times$ (100 + profit%)/100 = 4198 $\times$ 130/100 = █5457.

id=38035 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 6. | option_a=9 | option_b=18 | option_c=6 | option_d=1 | answer=C | explanation=L $\times$ HCF = 3 $\times$ 6; HCF(3,6) = 3, so LCM = 6.

id=38036 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=G | option_c=I | option_d=C | answer=B | explanation=Move 2 positions forward from E; the resulting letter is G.

id=38037 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=38038 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=M | option_b=O | option_c=Q | option_d=S | answer=C | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=38039 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=C | option_b=H | option_c=R | option_d=M | answer=D | explanation=Move 5 positions forward from H; the resulting letter is M.

id=38040 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2934. If it is sold at a profit of 25%, what is its selling price? | option_a=3374 | option_b=3960 | option_c=2959 | option_d=3667 | answer=D | explanation=Selling price = CP $\times$ (100 + profit%)/100 = 2934 $\times$ 125/100 = █3667.

Aptitude Questions — Records 38,041-38,070 of 100,000

id=38041 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=V | option_b=L | option_c=A | option_d=Q | answer=A | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=38042 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=42 | option_b=49 | option_c=43 | option_d=35 | answer=A | explanation=The common difference is 7. Therefore the next term is 35 + 7 = 42.

id=38043 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=20 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=38044 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4361. If it is sold at a profit of 30%, what is its selling price? | option_a=5669 | option_b=5233 | option_c=6105 | option_d=4391 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4361 × 130/100 = █5669.

id=38045 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2756. If it is sold at a profit of 50%, what is its selling price? | option_a=4409 | option_b=3859 | option_c=4134 | option_d=2806 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2756 × 150/100 = █4134.

id=38046 | topic=Averages | difficulty=Easy | question=Find the average of 26, 42, 83, 64, 65. | option_a=58 | option_b=55 | option_c=56 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 280 ÷ 5 = 56.

id=38047 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=38048 | topic=Averages | difficulty=Easy | question=Find the average of 38, 99, 16. | option_a=52 | option_b=53 | option_c=51 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 153 ÷ 3 = 51.

id=38049 | topic=Averages | difficulty=Easy | question=Find the average of 92, 14, 17. | option_a=43 | option_b=41 | option_c=42 | option_d=40 | answer=B | explanation=Average = sum of values ÷ number of values = 123 ÷ 3 = 41.

id=38050 | topic=Profit & Loss | difficulty=Easy | question=An article costs █893. If it is sold at a profit of 15%, what is its selling price? | option_a=937 | option_b=1026 | option_c=1115 | option_d=908 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 893 × 115/100 = █1026.

id=38051 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3001. If it is sold at a profit of 15%, what is its selling price? | option_a=3151 | option_b=3016 | option_c=3751 | option_d=3451 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3001 × 115/100 = █3451.

id=38052 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=24 | option_d=29 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=38053 | topic=Percentages | difficulty=Easy | question=What is 50% of 1403? | option_a=681 | option_b=701 | option_c=1402 | option_d=711 | answer=B | explanation=50% of 1403 = (50/100) × 1403 = 701.

id=38054 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=85 | option_c=80 | option_d=75 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=38055 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:14 and the first is 68, what is the second? | option_a=73 | option_b=42 | option_c=124 | option_d=56 | answer=D | explanation=Scale factor = 68/17 = 4. Therefore second quantity = 14×4 = 56.

id=38056 | topic=Averages | difficulty=Easy | question=Find the average of 37, 27, 62. | option_a=42 | option_b=43 | option_c=41 | option_d=44 | answer=A | explanation=Average = sum of values ÷ number of values = 126 ÷ 3 = 42.

id=38057 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:14 and the first is 60, what is the second? | option_a=28 | option_b=62 | option_c=42 | option_d=102 | answer=C | explanation=Scale factor = 60/20 = 3. Therefore second quantity = 14×3 = 42.

id=38058 | topic=Averages | difficulty=Easy | question=Find the average of 11, 48, 99, 61, 85, 31, 11, 54. | option_a=51 | option_b=52 | option_c=50 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 400 ÷ 8 = 50.

id=38059 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=Z | option_c=D | option_d=B | answer=C | explanation=Move 2 positions forward from B; the resulting letter is D.

id=38060 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=38061 | topic=Percentages | difficulty=Easy | question=What is 40% of 698? | option_a=558 | option_b=299 | option_c=279 | option_d=259 | answer=C | explanation=40% of 698 = (40/100) × 698 = 279.

id=38062 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 19, 27, 36? | option_a=27 | option_b=11 | option_c=19 | option_d=36 | answer=D | explanation=The first three numbers increase by 8, so the next should be 35. Therefore 36 is the odd one out.

id=38063 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:11 and the first is 320, what is the second? | option_a=236 | option_b=540 | option_c=220 | option_d=209 | answer=C | explanation=Scale factor = 320/16 = 20. Therefore second quantity = 11×20 = 220.

id=38064 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 22. | option_a=120 | option_b=220 | option_c=110 | option_d=88 | answer=C | explanation=LCM × HCF = 10×22; HCF(10,22) = 2, so LCM = 110.

id=38065 | topic=Averages | difficulty=Easy | question=Find the average of 79, 39, 87, 27, 57, 61, 18, 63, 100. | option_a=59 | option_b=61 | option_c=60 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 531 ÷ 9 = 59.

id=38066 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2973. If it is sold at a profit of 10%, what is its selling price? | option_a=3270 | option_b=3567 | option_c=2983 | option_d=2973 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2973 × 110/100 = █3270.

id=38067 | topic=Profit & Loss | difficulty=Easy | question=An article costs █895. If it is sold at a profit of 15%, what is its selling price? | option_a=910 | option_b=1118 | option_c=940 | option_d=1029 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 895 × 115/100 = █1029.

id=38068 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5583 at 10% per annum for 3 years. | option_a=7257 | option_b=1674 | option_c=1774 | option_d=1574 | answer=B | explanation=SI = PRT/100 = 5583×10×3/100 = █1674.

id=38069 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42630 at 5% per annum for 3 years. | option_a=49024 | option_b=6394 | option_c=6294 | option_d=6494 | answer=B | explanation=SI = PRT/100 = 42630×5×3/100 = █6394.

id=38070 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15878 at 12% per annum for 1 years. | option_a=1905 | option_b=17783 | option_c=2005 | option_d=1805 | answer=A | explanation=SI = PRT/100 = 15878×12×1/100 = █1905.

Aptitude Questions — Records 38,071-38,100 of 100,000

id=38071 | topic=Percentages | difficulty=Easy | question=What is 40% of 1871? | option_a=738 | option_b=1496 | option_c=748 | option_d=753 | answer=C | explanation=40% of 1871 = (40/100) × 1871 = 748.

id=38072 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4585. If it is sold at a profit of 15%, what is its selling price? | option_a=4814 | option_b=4600 | option_c=5730 | option_d=5272 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4585 × 115/100 = █5272.

id=38073 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 35, 45, 58? | option_a=58 | option_b=25 | option_c=45 | option_d=35 | answer=A | explanation=The first three numbers increase by 10, so the next should be 55. Therefore 58 is the odd one out.

id=38074 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=38075 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3182. If it is sold at a profit of 30%, what is its selling price? | option_a=4136 | option_b=3818 | option_c=3212 | option_d=4454 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3182 × 130/100 = █4136.

id=38076 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:4 and the first is 57, what is the second? | option_a=31 | option_b=69 | option_c=8 | option_d=12 | answer=D | explanation=Scale factor = 57/19 = 3. Therefore second quantity = 4×3 = 12.

id=38077 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 24. | option_a=243 | option_b=192 | option_c=648 | option_d=216 | answer=D | explanation=LCM × HCF = 27×24; HCF(27,24) = 3, so LCM = 216.

id=38078 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=W | option_b=M | option_c=R | option_d=B | answer=A | explanation=Move 5 positions forward from R; the resulting letter is W.

id=38079 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1795. If it is sold at a profit of 40%, what is its selling price? | option_a=2513 | option_b=1835 | option_c=2334 | option_d=2692 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1795 × 140/100 = █2513.

id=38080 | topic=Averages | difficulty=Easy | question=Find the average of 91, 42, 14, 72, 92, 12, 61, 91, 88, 17. | option_a=59 | option_b=60 | option_c=58 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 580 ÷ 10 = 58.

id=38081 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=38082 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=65 | option_b=45 | option_c=56 | option_d=55 | answer=D | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.

id=38083 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20385 at 4% per annum for 2 years. | option_a=1730 | option_b=1630 | option_c=1530 | option_d=22015 | answer=B | explanation=SI = PRT/100 = 20385×4×2/100 = █1630.

id=38084 | topic=Percentages | difficulty=Easy | question=What is 20% of 1727? | option_a=335 | option_b=355 | option_c=345 | option_d=690 | answer=C | explanation=20% of 1727 = (20/100) × 1727 = 345.

id=38085 | topic=Averages | difficulty=Easy | question=Find the average of 32, 96, 30, 81, 52, 57. | option_a=57 | option_b=58 | option_c=60 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 348 ÷ 6 = 58.

id=38086 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=54 | option_b=48 | option_c=47 | option_d=40 | answer=C | explanation=The common difference is 7. Therefore the next term is 40 + 7 = 47.

id=38087 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 32, 39, 47? | option_a=25 | option_b=32 | option_c=47 | option_d=39 | answer=C | explanation=The first three numbers increase by 7, so the next should be 46. Therefore 47 is the odd one out.

id=38088 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=38089 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=38090 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 50? | option_a=17 | option_b=37 | option_c=27 | option_d=50 | answer=D | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 50 is the odd one out.

id=38091 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:3 and the first is 18, what is the second? | option_a=3 | option_b=24 | option_c=6 | option_d=15 | answer=C | explanation=Scale factor = 18/9 = 2. Therefore second quantity = 3×2 = 6.

id=38092 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=W | option_b=A | option_c=E | option_d=I | answer=C | explanation=Move 4 positions forward from A; the resulting letter is E.

id=38093 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=D | option_b=X | option_c=G | option_d=A | answer=A | explanation=Move 3 positions forward from A; the resulting letter is D.

id=38094 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 21. | option_a=42 | option_b=56 | option_c=21 | option_d=294 | answer=A | explanation=LCM × HCF = 14×21; HCF(14,21) = 7, so LCM = 42.

id=38095 | topic=Percentages | difficulty=Easy | question=What is 40% of 1979? | option_a=791 | option_b=1582 | option_c=786 | option_d=801 | answer=A | explanation=40% of 1979 = (40/100) × 1979 = 791.

id=38096 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=29 | option_c=24 | option_d=19 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=38097 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 21? | option_a=21 | option_b=11 | option_c=7 | option_d=15 | answer=A | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 21 is the odd one out.

id=38098 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=I | option_b=U | option_c=M | option_d=Q | answer=D | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=38099 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 20. | option_a=160 | option_b=48 | option_c=20 | option_d=40 | answer=D | explanation=LCM × HCF = 8×20; HCF(8,20) = 4, so LCM = 40.

id=38100 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:9 and the first is 140, what is the second? | option_a=90 | option_b=230 | option_c=81 | option_d=104 | answer=A | explanation=Scale factor = 140/14 = 10. Therefore second quantity = 9×10 = 90.

Aptitude Questions — Records 38,101-38,130 of 100,000

id=38101 | topic=Averages | difficulty=Easy | question=Find the average of 89, 55, 12, 49, 85, 33, 35, 76, 91, 65. | option_a=58 | option_b=61 | option_c=59 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 590 ÷ 10 = 59.

id=38102 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=38103 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1090. If it is sold at a profit of 20%, what is its selling price? | option_a=1308 | option_b=1417 | option_c=1110 | option_d=1199 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1090 × 120/100 = █1308.

id=38104 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=22 | option_b=34 | option_c=28 | option_d=29 | answer=C | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.

id=38105 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=38106 | topic=Percentages | difficulty=Easy | question=What is 25% of 157? | option_a=39 | option_b=78 | option_c=49 | option_d=19 | answer=A | explanation=25% of 157 = (25/100) × 157 = 39.

id=38107 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=38108 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=38109 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12205 at 6% per annum for 3 years. | option_a=2196 | option_b=14401 | option_c=2296 | option_d=2096 | answer=A | explanation=SI = PRT/100 = 12205×6×3/100 = █2196.

id=38110 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4008 at 10% per annum for 2 years. | option_a=701 | option_b=801 | option_c=901 | option_d=4809 | answer=B | explanation=SI = PRT/100 = 4008×10×2/100 = █801.

id=38111 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=38112 | topic=Percentages | difficulty=Easy | question=What is 5% of 161? | option_a=16 | option_b=8 | option_c=3 | option_d=28 | answer=B | explanation=5% of 161 = (5/100) × 161 = 8.

id=38113 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4981. If it is sold at a profit of 30%, what is its selling price? | option_a=6973 | option_b=6475 | option_c=5011 | option_d=5977 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4981 × 130/100 = █6475.

id=38114 | topic=Profit & Loss | difficulty=Easy | question=An article costs █572. If it is sold at a profit of 5%, what is its selling price? | option_a=657 | option_b=543 | option_c=600 | option_d=577 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 572 × 105/100 = █600.

id=38115 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9089 at 12% per annum for 2 years. | option_a=11270 | option_b=2081 | option_c=2181 | option_d=2281 | answer=C | explanation=SI = PRT/100 = 9089×12×2/100 = █2181.

id=38116 | topic=Percentages | difficulty=Easy | question=What is 15% of 1296? | option_a=194 | option_b=388 | option_c=214 | option_d=174 | answer=A | explanation=15% of 1296 = (15/100) × 1296 = 194.

id=38117 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=38118 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=38119 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 24, 27, 32? | option_a=24 | option_b=32 | option_c=21 | option_d=27 | answer=B | explanation=The first three numbers increase by 3, so the next should be 30. Therefore 32 is the odd one out.

id=38120 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18544 at 12% per annum for 4 years. | option_a=27445 | option_b=9001 | option_c=8801 | option_d=8901 | answer=D | explanation=SI = PRT/100 = 18544×12×4/100 = █8901.

id=38121 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=38122 | topic=Percentages | difficulty=Easy | question=What is 50% of 651? | option_a=650 | option_b=335 | option_c=325 | option_d=305 | answer=C | explanation=50% of 651 = (50/100) × 651 = 325.

id=38123 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24974 at 8% per annum for 5 years. | option_a=9989 | option_b=9889 | option_c=10089 | option_d=34963 | answer=A | explanation=SI = PRT/100 = 24974×8×5/100 = █9989.

id=38124 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1906 at 10% per annum for 2 years. | option_a=2287 | option_b=381 | option_c=481 | option_d=281 | answer=B | explanation=SI = PRT/100 = 1906×10×2/100 = █381.

id=38125 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2594. If it is sold at a profit of 30%, what is its selling price? | option_a=3372 | option_b=3631 | option_c=2624 | option_d=3113 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2594 × 130/100 = █3372.

id=38126 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:5 and the first is 54, what is the second? | option_a=33 | option_b=69 | option_c=15 | option_d=10 | answer=C | explanation=Scale factor = 54/18 = 3. Therefore second quantity = 5×3 = 15.

id=38127 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36328 at 5% per annum for 2 years. | option_a=3632 | option_b=3532 | option_c=3732 | option_d=39960 | answer=A | explanation=SI = PRT/100 = 36328×5×2/100 = █3632.

id=38128 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=38129 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3917. If it is sold at a profit of 25%, what is its selling price? | option_a=4505 | option_b=5287 | option_c=4896 | option_d=3942 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3917 × 125/100 = █4896.

id=38130 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 30. | option_a=1 | option_b=30 | option_c=35 | option_d=150 | answer=B | explanation=LCM × HCF = 5×30, HCF(5,30) = 5, so LCM = 30.

Aptitude Questions — Records 38,131-38,160 of 100,000

id=38131 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 27, 32, 38? | option_a=32 | option_b=38 | option_c=22 | option_d=27 | answer=B | explanation=The first three numbers increase by 5, so the next should be 37. Therefore 38 is the odd one out.

id=38132 | topic=Averages | difficulty=Easy | question=Find the average of 60, 79, 30, 59, 75, 42, 61, 94, 58. | option_a=61 | option_b=63 | option_c=64 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = $558 \div 9 = 62$.

id=38133 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 26. | option_a=104 | option_b=260 | option_c=140 | option_d=130 | answer=D | explanation=LCM $\times$ HCF = 10×26 ; $\text{HCF}(10,26) = 2$, so LCM = 130.

id=38134 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21606 at 4% per annum for 5 years. | option_a=4421 | option_b=25927 | option_c=4221 | option_d=4321 | answer=D | explanation=SI = $\text{PRT}/100 = 21606 \times 4 \times 5 / 100 = \text{■}4321$.

id=38135 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3324. If it is sold at a profit of 40%, what is its selling price? | option_a=4653 | option_b=4321 | option_c=4985 | option_d=3364 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 3324 \times 140 / 100 = \text{■}4653$.

id=38136 | topic=Averages | difficulty=Easy | question=Find the average of 94, 26, 25, 27. | option_a=42 | option_b=45 | option_c=43 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = $172 \div 4 = 43$.

id=38137 | topic=Percentages | difficulty=Easy | question=What is 40% of 670? | option_a=536 | option_b=288 | option_c=258 | option_d=268 | answer=D | explanation=40% of 670 = $(40/100) \times 670 = 268$.

id=38138 | topic=Averages | difficulty=Easy | question=Find the average of 90, 81, 81. | option_a=83 | option_b=85 | option_c=84 | option_d=86 | answer=C | explanation=Average = sum of values ÷ number of values = $252 \div 3 = 84$.

id=38139 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=N | option_b=R | option_c=V | option_d=Z | answer=C | explanation=Move 4 positions forward from R; the resulting letter is V.

id=38140 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1669. If it is sold at a profit of 25%, what is its selling price? | option_a=2252 | option_b=1694 | option_c=1920 | option_d=2086 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 1669 \times 125 / 100 = \text{■}2086$.

id=38141 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33733 at 5% per annum for 5 years. | option_a=8433 | option_b=8333 | option_c=8533 | option_d=42166 | answer=A | explanation=SI = $\text{PRT}/100 = 33733 \times 5 \times 5 / 100 = \text{■}8433$.

id=38142 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10780 at 15% per annum for 3 years. | option_a=4951 | option_b=4851 | option_c=15631 | option_d=4751 | answer=B | explanation=SI = $\text{PRT}/100 = 10780 \times 15 \times 3 / 100 = \text{■}4851$.

id=38143 | topic=Percentages | difficulty=Easy | question=What is 50% of 1214? | option_a=1214 | option_b=617 | option_c=602 | option_d=607 | answer=D | explanation=50% of 1214 = $(50/100) \times 1214 = 607$.

id=38144 | topic=Averages | difficulty=Easy | question=Find the average of 65, 84, 64. | option_a=71 | option_b=70 | option_c=73 | option_d=72 | answer=A | explanation=Average = sum of values ÷ number of values = $213 \div 3 = 71$.

id=38145 | topic=Averages | difficulty=Easy | question=Find the average of 28, 72, 17, 74, 82, 46, 93, 76. | option_a=61 | option_b=63 | option_c=60 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = $488 \div 8 = 61$.

id=38146 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=D | option_b=L | option_c=H | option_d=P | answer=B | explanation=Move 4 positions forward from H; the resulting letter is L.

id=38147 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 11, 16, 23? | option_a=11 | option_b=23 | option_c=6 | option_d=16 | answer=B | explanation=The first three numbers increase by 5, so the next should be 21. Therefore 23 is the odd one out.

id=38148 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3585. If it is sold at a profit of 50%, what is its selling price? | option_a=5377 | option_b=5019 | option_c=5735 | option_d=3635 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 3585 \times 150 / 100 = \text{■}5377$.

id=38149 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:10 and the first is 56, what is the second? | option_a=70 | option_b=136 | option_c=87 | option_d=80 | answer=D | explanation=Scale factor = $56/7 = 8$. Therefore second quantity = $10 \times 8 = 80$.

id=38150 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1174 at 8% per annum for 2 years. | option_a=87 | option_b=187 | option_c=287 | option_d=1361 | answer=B | explanation=SI = $\text{PRT}/100 = 1174 \times 8 \times 2 / 100 = \text{■}187$.

id=38151 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=F | option_b=H | option_c=J | option_d=L | answer=C | explanation=Move 2 positions forward from H; the resulting letter is J.

id=38152 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 21? | option_a=21 | option_b=17 | option_c=15 | option_d=13 | answer=A | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 21 is the odd one out.

id=38153 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 14. | option_a=252 | option_b=126 | option_c=144 | option_d=112 | answer=B | explanation=LCM $\times$ HCF = 18×14 ; $\text{HCF}(18,14) = 2$, so LCM = 126.

id=38154 | topic=Percentages | difficulty=Easy | question=What is 5% of 1951? | option_a=92 | option_b=97 | option_c=194 | option_d=117 | answer=B | explanation=5% of 1951 = $(5/100) \times 1951 = 97$.

id=38155 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=50 | option_b=51 | option_c=38 | option_d=62 | answer=A | explanation=The common difference is 12. Therefore the next term is $38 + 12 = 50$.

id=38156 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 31? | option_a=23 | option_b=13 | option_c=18 | option_d=31 | answer=D | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 31 is the odd one out.

id=38157 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=U | option_c=S | option_d=Q | answer=B | explanation=Move 2 positions forward from S; the resulting letter is U.

id=38158 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=38159 | topic=Percentages | difficulty=Easy | question=What is 10% of 1523? | option_a=147 | option_b=304 | option_c=152 | option_d=172 | answer=C | explanation=10% of 1523 = $(10/100) \times 1523 = 152$.

id=38160 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2941. If it is sold at a profit of 30%, what is its selling price? | option_a=3823 | option_b=3529 | option_c=2971 | option_d=4117 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 2941 \times 130 / 100 = \text{■}3823$.

Aptitude Questions — Records 38,161-38,190 of 100,000

id=38161 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=38162 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 31, 35, 41? | option_a=27 | option_b=41 | option_c=35 | option_d=31 | answer=B | explanation=The first three numbers increase by 4, so the next should be 39. Therefore 41 is the odd one out.

id=38163 | topic=Averages | difficulty=Easy | question=Find the average of 21, 64, 46, 94, 73, 33, 14, 39. | option_a=50 | option_b=49 | option_c=48 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 384 ÷ 8 = 48.

id=38164 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=38165 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 20, 23, 28? | option_a=23 | option_b=28 | option_c=17 | option_d=20 | answer=B | explanation=The first three numbers increase by 3, so the next should be 26. Therefore 28 is the odd one out.

id=38166 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3048. If it is sold at a profit of 50%, what is its selling price? | option_a=4572 | option_b=4268 | option_c=3098 | option_d=4876 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3048 × 150/100 = █4572.

id=38167 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=L | option_b=I | option_c=J | option_d=K | answer=D | explanation=Move 1 positions forward from J; the resulting letter is K.

id=38168 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=20 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=38169 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 26, 33, 42? | option_a=26 | option_b=19 | option_c=42 | option_d=33 | answer=C | explanation=The first three numbers increase by 7, so the next should be 40. Therefore 42 is the odd one out.

id=38170 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=Q | option_b=O | option_c=M | option_d=S | answer=A | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=38171 | topic=Averages | difficulty=Easy | question=Find the average of 76, 28, 30, 91, 45. | option_a=54 | option_b=56 | option_c=55 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 270 ÷ 5 = 54.

id=38172 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=20 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=38173 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=D | option_b=A | option_c=G | option_d=X | answer=A | explanation=Move 3 positions forward from A; the resulting letter is D.

id=38174 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1198. If it is sold at a profit of 20%, what is its selling price? | option_a=1218 | option_b=1318 | option_c=1556 | option_d=1437 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1198 × 120/100 = █1437.

id=38175 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 12, 17, 25? | option_a=12 | option_b=17 | option_c=7 | option_d=25 | answer=D | explanation=The first three numbers increase by 5, so the next should be 22. Therefore 25 is the odd one out.

id=38176 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3368 at 8% per annum for 1 years. | option_a=369 | option_b=3637 | option_c=269 | option_d=169 | answer=C | explanation=SI = PRT/100 = 3368×8×1/100 = █269.

id=38177 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 13, 18, 23, ? | option_a=28 | option_b=33 | option_c=23 | option_d=29 | answer=A | explanation=The common difference is 5. Therefore the next term is 23 + 5 = 28.

id=38178 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:17 and the first is 150, what is the second? | option_a=255 | option_b=265 | option_c=238 | option_d=405 | answer=A | explanation=Scale factor = 150/10 = 15. Therefore second quantity = 17×15 = 255.

id=38179 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:2 and the first is 204, what is the second? | option_a=22 | option_b=24 | option_c=228 | option_d=41 | answer=B | explanation=Scale factor = 204/17 = 12. Therefore second quantity = 2×12 = 24.

id=38180 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 15, 22, 32? | option_a=8 | option_b=22 | option_c=32 | option_d=15 | answer=C | explanation=The first three numbers increase by 7, so the next should be 29. Therefore 32 is the odd one out.

id=38181 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=38182 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23536 at 4% per annum for 2 years. | option_a=1982 | option_b=1882 | option_c=25418 | option_d=1782 | answer=B | explanation=SI = PRT/100 = 23536×4×2/100 = █1882.

id=38183 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=38184 | topic=Averages | difficulty=Easy | question=Find the average of 59, 56, 95, 33, 43, 57, 39, 13, 86, 59. | option_a=53 | option_b=55 | option_c=54 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

id=38185 | topic=Profit & Loss | difficulty=Easy | question=An article costs █125. If it is sold at a profit of 5%, what is its selling price? | option_a=130 | option_b=119 | option_c=131 | option_d=143 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 125 × 105/100 = █131.

id=38186 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 35? | option_a=8 | option_b=16 | option_c=35 | option_d=24 | answer=C | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 35 is the odd one out.

id=38187 | topic=Percentages | difficulty=Easy | question=What is 20% of 1082? | option_a=211 | option_b=216 | option_c=432 | option_d=221 | answer=B | explanation=20% of 1082 = (20/100) × 1082 = 216.

id=38188 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=45 | option_b=36 | option_c=52 | option_d=44 | answer=D | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.

id=38189 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=7 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=38190 | topic=Profit & Loss | difficulty=Easy | question=An article costs █580. If it is sold at a profit of 10%, what is its selling price? | option_a=638 | option_b=696 | option_c=580 | option_d=590 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 580 × 110/100 = █638.

Aptitude Questions — Records 38,191-38,220 of 100,000

id=38191 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:9 and the first is 60, what is the second? | option_a=150 | option_b=81 | option_c=90 | option_d=96 | answer=C | explanation=Scale factor = 60/6 = 10. Therefore second quantity = 9×10 = 90.

id=38192 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39533 at 4% per annum for 3 years. | option_a=4843 | option_b=4743 | option_c=44276 | option_d=4643 | answer=B | explanation=SI = PRT/100 = 39533×4×3/100 = **■**4743.

id=38193 | topic=Percentages | difficulty=Easy | question=What is 15% of 977? | option_a=156 | option_b=146 | option_c=141 | option_d=292 | answer=B | explanation=15% of 977 = (15/100) × 977 = 146.

id=38194 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 20, 26, 35? | option_a=26 | option_b=35 | option_c=20 | option_d=14 | answer=B | explanation=The first three numbers increase by 6, so the next should be 32. Therefore 35 is the odd one out.

id=38195 | topic=Averages | difficulty=Easy | question=Find the average of 79, 39, 17, 18, 15, 75, 65. | option_a=43 | option_b=44 | option_c=45 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 308 ÷ 7 = 44.

id=38196 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:2 and the first is 187, what is the second? | option_a=209 | option_b=20 | option_c=22 | option_d=39 | answer=C | explanation=Scale factor = 187/17 = 11. Therefore second quantity = 2×11 = 22.

id=38197 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:1 and the first is 72, what is the second? | option_a=81 | option_b=8 | option_c=9 | option_d=17 | answer=C | explanation=Scale factor = 72/8 = 9. Therefore second quantity = 1×9 = 9.

id=38198 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=M | option_c=E | option_d=A | answer=A | explanation=Move 4 positions forward from E; the resulting letter is I.

id=38199 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**857. If it is sold at a profit of 5%, what is its selling price? | option_a=814 | option_b=862 | option_c=899 | option_d=984 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 857 × 105/100 = **■**899.

id=38200 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=B | option_b=D | option_c=E | option_d=C | answer=B | explanation=Move 1 positions forward from C; the resulting letter is D.

id=38201 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 22. | option_a=96 | option_b=66 | option_c=88 | option_d=176 | answer=C | explanation=LCM × HCF = 8×22; HCF(8,22) = 2, so LCM = 88.

id=38202 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10436 at 15% per annum for 5 years. | option_a=7827 | option_b=7927 | option_c=7727 | option_d=18263 | answer=A | explanation=SI = PRT/100 = 10436×15×5/100 = **■**7827.

id=38203 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24728 at 4% per annum for 1 years. | option_a=889 | option_b=25717 | option_c=989 | option_d=1089 | answer=C | explanation=SI = PRT/100 = 24728×4×1/100 = **■**989.

id=38204 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:14 and the first is 168, what is the second? | option_a=364 | option_b=196 | option_c=182 | option_d=208 | answer=B | explanation=Scale factor = 168/12 = 14. Therefore second quantity = 14×14 = 196.

id=38205 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 35, 40, 48? | option_a=48 | option_b=30 | option_c=40 | option_d=35 | answer=A | explanation=The first three numbers increase by 5, so the next should be 45. Therefore 48 is the odd one out.

id=38206 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35606 at 6% per annum for 1 years. | option_a=2236 | option_b=2036 | option_c=2136 | option_d=37742 | answer=C | explanation=SI = PRT/100 = 35606×6×1/100 = **■**2136.

id=38207 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=72 | option_c=41 | option_d=31 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=38208 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=43 | option_b=38 | option_c=33 | option_d=39 | answer=B | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.

id=38209 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=D | option_b=G | option_c=J | option_d=M | answer=C | explanation=Move 3 positions forward from G; the resulting letter is J.

id=38210 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=240 | option_c=125 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=38211 | topic=Averages | difficulty=Easy | question=Find the average of 100, 34, 80, 87, 82, 60, 30, 10, 32, 35. | option_a=55 | option_b=57 | option_c=56 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 550 ÷ 10 = 55.

id=38212 | topic=Percentages | difficulty=Easy | question=What is 25% of 1051? | option_a=524 | option_b=262 | option_c=252 | option_d=282 | answer=B | explanation=25% of 1051 = (25/100) × 1051 = 262.

id=38213 | topic=Averages | difficulty=Easy | question=Find the average of 41, 16, 14, 33. | option_a=27 | option_b=26 | option_c=25 | option_d=28 | answer=B | explanation=Average = sum of values ÷ number of values = 104 ÷ 4 = 26.

id=38214 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=38215 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 25, 34, 43, ? | option_a=53 | option_b=52 | option_c=43 | option_d=61 | answer=B | explanation=The common difference is 9. Therefore the next term is 43 + 9 = 52.

id=38216 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:2 and the first is 140, what is the second? | option_a=47 | option_b=38 | option_c=40 | option_d=180 | answer=C | explanation=Scale factor = 140/7 = 20. Therefore second quantity = 2×20 = 40.

id=38217 | topic=Percentages | difficulty=Easy | question=What is 40% of 657? | option_a=262 | option_b=524 | option_c=242 | option_d=267 | answer=A | explanation=40% of 657 = (40/100) × 657 = 262.

id=38218 | topic=Percentages | difficulty=Easy | question=What is 15% of 1606? | option_a=480 | option_b=245 | option_c=240 | option_d=235 | answer=C | explanation=15% of 1606 = (15/100) × 1606 = 240.

id=38219 | topic=Averages | difficulty=Easy | question=Find the average of 48, 11, 61. | option_a=42 | option_b=40 | option_c=41 | option_d=39 | answer=B | explanation=Average = sum of values ÷ number of values = 120 ÷ 3 = 40.

id=38220 | topic=Averages | difficulty=Easy | question=Find the average of 82, 69, 67, 51, 17, 25, 60. | option_a=55 | option_b=53 | option_c=52 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 371 ÷ 7 = 53.

Aptitude Questions — Records 38,221-38,250 of 100,000

id=38221 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=24 | option_b=21 | option_c=25 | option_d=27 | answer=A | explanation=The common difference is 3. Therefore the next term is 21 + 3 = 24.

id=38222 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=38223 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=38224 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:10 and the first is 234, what is the second? | option_a=130 | option_b=364 | option_c=148 | option_d=120 | answer=A | explanation=Scale factor = 234/18 = 13. Therefore second quantity = 10×13 = 130.

id=38225 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 22? | option_a=16 | option_b=22 | option_c=14 | option_d=18 | answer=B | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 22 is the odd one out.

id=38226 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 25? | option_a=11 | option_b=25 | option_c=5 | option_d=17 | answer=B | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 25 is the odd one out.

id=38227 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=D | option_c=F | option_d=J | answer=A | explanation=Move 2 positions forward from F; the resulting letter is H.

id=38228 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 23? | option_a=23 | option_b=19 | option_c=17 | option_d=15 | answer=A | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 23 is the odd one out.

id=38229 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=41 | option_c=31 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=38230 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=24 | option_b=27 | option_c=19 | option_d=23 | answer=D | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=38231 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=30 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=38232 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=O | option_b=E | option_c=T | option_d=J | answer=A | explanation=Move 5 positions forward from J; the resulting letter is O.

id=38233 | topic=Percentages | difficulty=Easy | question=What is 12% of 644? | option_a=154 | option_b=72 | option_c=77 | option_d=87 | answer=C | explanation=12% of 644 = (12/100) × 644 = 77.

id=38234 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=38235 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3489. If it is sold at a profit of 25%, what is its selling price? | option_a=4709 | option_b=3514 | option_c=4361 | option_d=4013 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3489 × 125/100 = █4361.

id=38236 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:17 and the first is 240, what is the second? | option_a=238 | option_b=271 | option_c=255 | option_d=495 | answer=C | explanation=Scale factor = 240/16 = 15. Therefore second quantity = 17×15 = 255.

id=38237 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:10 and the first is 162, what is the second? | option_a=342 | option_b=180 | option_c=189 | option_d=170 | answer=B | explanation=Scale factor = 162/9 = 18. Therefore second quantity = 10×18 = 180.

id=38238 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=38239 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4617. If it is sold at a profit of 15%, what is its selling price? | option_a=5770 | option_b=4848 | option_c=5309 | option_d=4632 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4617 × 115/100 = █5309.

id=38240 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=10 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=38241 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:8 and the first is 380, what is the second? | option_a=160 | option_b=540 | option_c=152 | option_d=179 | answer=A | explanation=Scale factor = 380/19 = 20. Therefore second quantity = 8×20 = 160.

id=38242 | topic=Percentages | difficulty=Easy | question=What is 15% of 1089? | option_a=183 | option_b=326 | option_c=163 | option_d=143 | answer=C | explanation=15% of 1089 = (15/100) × 1089 = 163.

id=38243 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=38244 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:4 and the first is 135, what is the second? | option_a=60 | option_b=195 | option_c=69 | option_d=56 | answer=A | explanation=Scale factor = 135/9 = 15. Therefore second quantity = 4×15 = 60.

id=38245 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=6 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=38246 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 51? | option_a=51 | option_b=41 | option_c=32 | option_d=23 | answer=A | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 51 is the odd one out.

id=38247 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8215 at 6% per annum for 3 years. | option_a=1578 | option_b=9693 | option_c=1378 | option_d=1478 | answer=D | explanation=SI = PRT/100 = 8215×6×3/100 = █1478.

id=38248 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 26? | option_a=19 | option_b=26 | option_c=22 | option_d=16 | answer=B | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 26 is the odd one out.

id=38249 | topic=Percentages | difficulty=Easy | question=What is 20% of 778? | option_a=310 | option_b=150 | option_c=155 | option_d=165 | answer=C | explanation=20% of 778 = (20/100) × 778 = 155.

id=38250 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1789. If it is sold at a profit of 20%, what is its selling price? | option_a=1968 | option_b=2324 | option_c=2146 | option_d=1809 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1789 × 120/100 = █2146.

Aptitude Questions — Records 38,251-38,280 of 100,000

id=38251 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=38252 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=17 | option_c=12 | option_d=7 | answer=C | explanation=Speed = distance ÷ time = $\frac{120}{10} = 12$ km/h.

id=38253 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:15 and the first is 36, what is the second? | option_a=96 | option_b=45 | option_c=69 | option_d=60 | answer=D | explanation=Scale factor = $\frac{36}{9} = 4$. Therefore second quantity = $15 \times 4 = 60$.

id=38254 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 36, 45, 55? | option_a=27 | option_b=55 | option_c=36 | option_d=45 | answer=B | explanation=The first three numbers increase by 9, so the next should be 54. Therefore 55 is the odd one out.

id=38255 | topic=Averages | difficulty=Easy | question=Find the average of 17, 53, 75, 55, 30, 37, 26, 38, 29. | option_a=39 | option_b=41 | option_c=42 | option_d=40 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{360}{9} = 40$.

id=38256 | topic=Averages | difficulty=Easy | question=Find the average of 10, 59, 12, 96, 40, 85, 44, 94. | option_a=56 | option_b=54 | option_c=57 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{440}{8} = 55$.

id=38257 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=50 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = $\frac{150}{6} = 25$ km/h.

id=38258 | topic=Averages | difficulty=Easy | question=Find the average of 15, 21, 97, 65, 66, 68, 23, 71, 42. | option_a=51 | option_b=52 | option_c=54 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{468}{9} = 52$.

id=38259 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 30. | option_a=180 | option_b=30 | option_c=36 | option_d=1 | answer=B | explanation=LCM × HCF = 6×30 ; HCF(6,30) = 6, so LCM = 30.

id=38260 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 15. | option_a=30 | option_b=15 | option_c=1 | option_d=225 | answer=B | explanation=LCM × HCF = 15×15 ; HCF(15,15) = 15, so LCM = 15.

id=38261 | topic=Number System | difficulty=Easy | question=Find the LCM of 17 and 17. | option_a=289 | option_b=34 | option_c=17 | option_d=1 | answer=C | explanation=LCM × HCF = 17×17 ; HCF(17,17) = 17, so LCM = 17.

id=38262 | topic=Percentages | difficulty=Easy | question=What is 25% of 205? | option_a=102 | option_b=41 | option_c=51 | option_d=61 | answer=C | explanation=25% of 205 = $(\frac{25}{100}) \times 205 = 51$.

id=38263 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1506. If it is sold at a profit of 5%, what is its selling price? | option_a=1511 | option_b=1731 | option_c=1581 | option_d=1431 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1506 \times \frac{105}{100} = \text{█1581}$.

id=38264 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=65 | option_b=66 | option_c=53 | option_d=77 | answer=A | explanation=The common difference is 12. Therefore the next term is $53 + 12 = 65$.

id=38265 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44460 at 5% per annum for 5 years. | option_a=11015 | option_b=55575 | option_c=11215 | option_d=11115 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{44460 \times 5 \times 5}{100} = \text{█11115}$.

id=38266 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 43? | option_a=23 | option_b=43 | option_c=35 | option_d=29 | answer=B | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 43 is the odd one out.

id=38267 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=38268 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=38269 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=175 | option_c=360 | option_d=185 | answer=A | explanation=Speed = distance ÷ time = $\frac{360}{2} = 180$ km/h.

id=38270 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=24 | option_c=48 | option_d=19 | answer=B | explanation=Speed = distance ÷ time = $\frac{120}{5} = 24$ km/h.

id=38271 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=A | option_b=I | option_c=E | option_d=M | answer=B | explanation=Move 4 positions forward from E; the resulting letter is I.

id=38272 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=23 | option_b=37 | option_c=31 | option_d=30 | answer=D | explanation=The common difference is 7. Therefore the next term is $23 + 7 = 30$.

id=38273 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=38274 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:8 and the first is 72, what is the second? | option_a=32 | option_b=24 | option_c=104 | option_d=50 | answer=A | explanation=Scale factor = $\frac{72}{18} = 4$. Therefore second quantity = $8 \times 4 = 32$.

id=38275 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26283 at 5% per annum for 5 years. | option_a=32853 | option_b=6670 | option_c=6470 | option_d=6570 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{26283 \times 5 \times 5}{100} = \text{█6570}$.

id=38276 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=55 | option_b=56 | option_c=45 | option_d=65 | answer=A | explanation=The common difference is 10. Therefore the next term is $45 + 10 = 55$.

id=38277 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=70 | option_b=80 | option_c=75 | option_d=150 | answer=C | explanation=Speed = distance ÷ time = $\frac{300}{4} = 75$ km/h.

id=38278 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 45? | option_a=45 | option_b=23 | option_c=37 | option_d=30 | answer=A | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 45 is the odd one out.

id=38279 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2782. If it is sold at a profit of 10%, what is its selling price? | option_a=2782 | option_b=3338 | option_c=2792 | option_d=3060 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2782 \times \frac{110}{100} = \text{█3060}$.

id=38280 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40278 at 8% per annum for 1 years. | option_a=3222 | option_b=43500 | option_c=3322 | option_d=3122 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{40278 \times 8 \times 1}{100} = \text{█3222}$.

Aptitude Questions — Records 38,281-38,310 of 100,000

id=38281 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 14, 18, 24? | option_a=18 | option_b=24 | option_c=14 | option_d=10 | answer=B | explanation=The first three numbers increase by 4, so the next should be 22. Therefore 24 is the odd one out.

id=38282 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2550. If it is sold at a profit of 30%, what is its selling price? | option_a=3570 | option_b=3315 | option_c=2580 | option_d=3060 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2550 × 130/100 = █3315.

id=38283 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=M | option_b=E | option_c=I | option_d=Q | answer=A | explanation=Move 4 positions forward from I; the resulting letter is M.

id=38284 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=38285 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=38286 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=38287 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=S | option_c=X | option_d=I | answer=B | explanation=Move 5 positions forward from N; the resulting letter is S.

id=38288 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=65 | option_b=45 | option_c=56 | option_d=55 | answer=D | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.

id=38289 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 46? | option_a=46 | option_b=25 | option_c=31 | option_d=37 | answer=A | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 46 is the odd one out.

id=38290 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 12. | option_a=48 | option_b=70 | option_c=60 | option_d=120 | answer=C | explanation=LCM × HCF = 10×12; HCF(10,12) = 2, so LCM = 60.

id=38291 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=18 | option_c=23 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=38292 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 24. | option_a=338 | option_b=624 | option_c=288 | option_d=312 | answer=D | explanation=LCM × HCF = 26×24; HCF(26,24) = 2, so LCM = 312.

id=38293 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=38294 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=T | option_c=Q | option_d=S | answer=D | explanation=Move 1 positions forward from R; the resulting letter is S.

id=38295 | topic=Percentages | difficulty=Easy | question=What is 30% of 1816? | option_a=1088 | option_b=544 | option_c=549 | option_d=524 | answer=B | explanation=30% of 1816 = (30/100) × 1816 = 544.

id=38296 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=185 | option_c=360 | option_d=180 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=38297 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=100 | option_c=45 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=38298 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30436 at 15% per annum for 2 years. | option_a=9030 | option_b=9130 | option_c=39566 | option_d=9230 | answer=B | explanation=SI = PRT/100 = 30436×15×2/100 = █9130.

id=38299 | topic=Averages | difficulty=Easy | question=Find the average of 100, 90, 50, 45, 30. | option_a=62 | option_b=64 | option_c=63 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = 315 ÷ 5 = 63.

id=38300 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 10. | option_a=1 | option_b=20 | option_c=10 | option_d=100 | answer=C | explanation=LCM × HCF = 10×10; HCF(10,10) = 10, so LCM = 10.

id=38301 | topic=Percentages | difficulty=Easy | question=What is 15% of 1419? | option_a=202 | option_b=424 | option_c=212 | option_d=217 | answer=C | explanation=15% of 1419 = (15/100) × 1419 = 212.

id=38302 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=85 | option_c=75 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=38303 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=36 | option_b=32 | option_c=26 | option_d=31 | answer=D | explanation=The common difference is 5. Therefore the next term is 26 + 5 = 31.

id=38304 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=38305 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 12, 14, 18? | option_a=14 | option_b=10 | option_c=12 | option_d=18 | answer=D | explanation=The first three numbers increase by 2, so the next should be 16. Therefore 18 is the odd one out.

id=38306 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4368. If it is sold at a profit of 25%, what is its selling price? | option_a=4393 | option_b=5460 | option_c=5896 | option_d=5024 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4368 × 125/100 = █5460.

id=38307 | topic=Percentages | difficulty=Easy | question=What is 30% of 960? | option_a=576 | option_b=288 | option_c=268 | option_d=298 | answer=B | explanation=30% of 960 = (30/100) × 960 = 288.

id=38308 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 32? | option_a=24 | option_b=32 | option_c=10 | option_d=17 | answer=B | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 32 is the odd one out.

id=38309 | topic=Averages | difficulty=Easy | question=Find the average of 38, 92, 73, 83, 72, 60, 44. | option_a=67 | option_b=68 | option_c=66 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = 462 ÷ 7 = 66.

id=38310 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=U | option_b=K | option_c=Z | option_d=P | answer=A | explanation=Move 5 positions forward from P; the resulting letter is U.

Aptitude Questions — Records 38,311-38,340 of 100,000

id=38311 | topic=Averages | difficulty=Easy | question=Find the average of 61, 30, 99, 94. | option_a=73 | option_b=71 | option_c=70 | option_d=72 | answer=B | explanation=Average = sum of values ÷ number of values = $284 \div 4 = 71$.

id=38312 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:20 and the first is 288, what is the second? | option_a=360 | option_b=648 | option_c=340 | option_d=376 | answer=A | explanation=Scale factor = $288/16 = 18$. Therefore second quantity = $20 \times 18 = 360$.

id=38313 | topic=Averages | difficulty=Easy | question=Find the average of 21, 56, 40. | option_a=39 | option_b=38 | option_c=40 | option_d=41 | answer=A | explanation=Average = sum of values ÷ number of values = $117 \div 3 = 39$.

id=38314 | topic=Percentages | difficulty=Easy | question=What is 40% of 198? | option_a=79 | option_b=59 | option_c=99 | option_d=158 | answer=A | explanation=40% of 198 = $(40/100) \times 198 = 79$.

id=38315 | topic=Averages | difficulty=Easy | question=Find the average of 33, 80, 98, 23, 31, 58, 54, 48, 70. | option_a=55 | option_b=56 | option_c=54 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = $495 \div 9 = 55$.

id=38316 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=28 | option_b=27 | option_c=23 | option_d=31 | answer=B | explanation=The common difference is 4. Therefore the next term is $23 + 4 = 27$.

id=38317 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=150 | option_c=145 | option_d=300 | answer=B | explanation=Speed = distance ÷ time = $300 \div 2 = 150$ km/h.

id=38318 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=D | option_c=A | option_d=C | answer=D | explanation=Move 1 positions forward from B; the resulting letter is C.

id=38319 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:2 and the first is 128, what is the second? | option_a=40 | option_b=160 | option_c=32 | option_d=30 | answer=C | explanation=Scale factor = $128/8 = 16$. Therefore second quantity = $2 \times 16 = 32$.

id=38320 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:14 and the first is 95, what is the second? | option_a=252 | option_b=271 | option_c=361 | option_d=266 | answer=D | explanation=Scale factor = $95/5 = 19$. Therefore second quantity = $14 \times 19 = 266$.

id=38321 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹4918. If it is sold at a profit of 15%, what is its selling price? | option_a=5164 | option_b=4933 | option_c=5655 | option_d=6146 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4918 \times 115/100 = \text{₹}5655$.

id=38322 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹9081 at 4% per annum for 5 years. | option_a=1716 | option_b=1816 | option_c=10897 | option_d=1916 | answer=B | explanation=SI = $PRT/100 = 9081 \times 4 \times 5/100 = \text{₹}1816$.

id=38323 | topic=Percentages | difficulty=Easy | question=What is 12% of 1721? | option_a=201 | option_b=211 | option_c=412 | option_d=206 | answer=D | explanation=12% of 1721 = $(12/100) \times 1721 = 206$.

id=38324 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 25, 30, 38? | option_a=25 | option_b=30 | option_c=38 | option_d=20 | answer=C | explanation=The first three numbers increase by 5, so the next should be 35. Therefore 38 is the odd one out.

id=38325 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 24, 30, 36, ? | option_a=42 | option_b=36 | option_c=43 | option_d=48 | answer=A | explanation=The common difference is 6. Therefore the next term is $36 + 6 = 42$.

id=38326 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=K | option_b=I | option_c=L | option_d=J | answer=A | explanation=Move 1 positions forward from J; the resulting letter is K.

id=38327 | topic=Percentages | difficulty=Easy | question=What is 20% of 1660? | option_a=664 | option_b=337 | option_c=332 | option_d=322 | answer=C | explanation=20% of 1660 = $(20/100) \times 1660 = 332$.

id=38328 | topic=Percentages | difficulty=Easy | question=What is 40% of 817? | option_a=652 | option_b=306 | option_c=331 | option_d=326 | answer=D | explanation=40% of 817 = $(40/100) \times 817 = 326$.

id=38329 | topic=Averages | difficulty=Easy | question=Find the average of 76, 30, 83, 95, 78, 25, 96, 45. | option_a=68 | option_b=67 | option_c=66 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = $528 \div 8 = 66$.

id=38330 | topic=Averages | difficulty=Easy | question=Find the average of 90, 79, 56, 44, 97, 40, 62, 84. | option_a=70 | option_b=71 | option_c=69 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = $552 \div 8 = 69$.

id=38331 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=45 | option_c=35 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = $120 \div 3 = 40$ km/h.

id=38332 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=38333 | topic=Averages | difficulty=Easy | question=Find the average of 42, 87, 48, 15. | option_a=48 | option_b=47 | option_c=49 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = $192 \div 4 = 48$.

id=38334 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:15 and the first is 270, what is the second? | option_a=540 | option_b=285 | option_c=255 | option_d=270 | answer=D | explanation=Scale factor = $270/15 = 18$. Therefore second quantity = $15 \times 18 = 270$.

id=38335 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.

id=38336 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=38337 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:1 and the first is 84, what is the second? | option_a=13 | option_b=98 | option_c=20 | option_d=14 | answer=D | explanation=Scale factor = $84/6 = 14$. Therefore second quantity = $1 \times 14 = 14$.

id=38338 | topic=Percentages | difficulty=Easy | question=What is 25% of 219? | option_a=108 | option_b=44 | option_c=54 | option_d=59 | answer=C | explanation=25% of 219 = $(25/100) \times 219 = 54$.

id=38339 | topic=Averages | difficulty=Easy | question=Find the average of 70, 20, 93, 95, 80, 86. | option_a=75 | option_b=76 | option_c=74 | option_d=73 | answer=C | explanation=Average = sum of values ÷ number of values = $444 \div 6 = 74$.

id=38340 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=42 | option_b=43 | option_c=49 | option_d=35 | answer=A | explanation=The common difference is 7. Therefore the next term is $35 + 7 = 42$.

Aptitude Questions — Records 38,341-38,370 of 100,000

id=38341 | topic=Averages | difficulty=Easy | question=Find the average of 51, 73, 87, 78, 12, 86, 67, 27, 104. | option_a=66 | option_b=67 | option_c=64 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 585 ÷ 9 = 65.

id=38342 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 46? | option_a=37 | option_b=46 | option_c=23 | option_d=30 | answer=B | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 46 is the odd one out.

id=38343 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1075. If it is sold at a profit of 5%, what is its selling price? | option_a=1235 | option_b=1128 | option_c=1021 | option_d=1080 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1075 × 105/100 = █1128.

id=38344 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 30. | option_a=30 | option_b=60 | option_c=900 | option_d=1 | answer=A | explanation=LCM × HCF = 30×30; HCF(30,30) = 30, so LCM = 30.

id=38345 | topic=Profit & Loss | difficulty=Easy | question=An article costs █158. If it is sold at a profit of 30%, what is its selling price? | option_a=220 | option_b=190 | option_c=188 | option_d=205 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 158 × 130/100 = █205.

id=38346 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=30 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=38347 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 39, 48, 58? | option_a=58 | option_b=48 | option_c=39 | option_d=30 | answer=A | explanation=The first three numbers increase by 9, so the next should be 57. Therefore 58 is the odd one out.

id=38348 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=55 | option_c=45 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=38349 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=19 | option_c=48 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=38350 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=31 | option_c=72 | option_d=41 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=38351 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34850 at 12% per annum for 2 years. | option_a=8364 | option_b=43214 | option_c=8464 | option_d=8264 | answer=A | explanation=SI = PRT/100 = 34850×12×2/100 = █8364.

id=38352 | topic=Percentages | difficulty=Easy | question=What is 25% of 1727? | option_a=421 | option_b=862 | option_c=436 | option_d=431 | answer=D | explanation=25% of 1727 = (25/100) × 1727 = 431.

id=38353 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:7 and the first is 78, what is the second? | option_a=35 | option_b=120 | option_c=42 | option_d=55 | answer=C | explanation=Scale factor = 78/13 = 6. Therefore second quantity = 7×6 = 42.

id=38354 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:14 and the first is 39, what is the second? | option_a=81 | option_b=55 | option_c=28 | option_d=42 | answer=D | explanation=Scale factor = 39/13 = 3. Therefore second quantity = 14×3 = 42.

id=38355 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=19 | option_b=18 | option_c=14 | option_d=22 | answer=B | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.

id=38356 | topic=Averages | difficulty=Easy | question=Find the average of 42, 70, 79, 53. | option_a=61 | option_b=62 | option_c=63 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 244 ÷ 4 = 61.

id=38357 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 25. | option_a=500 | option_b=75 | option_c=120 | option_d=100 | answer=D | explanation=LCM × HCF = 20×25; HCF(20,25) = 5, so LCM = 100.

id=38358 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 21. | option_a=84 | option_b=112 | option_c=63 | option_d=588 | answer=A | explanation=LCM × HCF = 28×21; HCF(28,21) = 7, so LCM = 84.

id=38359 | topic=Profit & Loss | difficulty=Easy | question=An article costs █897. If it is sold at a profit of 30%, what is its selling price? | option_a=1255 | option_b=1166 | option_c=1077 | option_d=927 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 897 × 130/100 = █1166.

id=38360 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:2 and the first is 7, what is the second? | option_a=14 | option_b=21 | option_c=15 | option_d=12 | answer=A | explanation=Scale factor = 7/1 = 7. Therefore second quantity = 2×7 = 14.

id=38361 | topic=Percentages | difficulty=Easy | question=What is 15% of 965? | option_a=288 | option_b=144 | option_c=164 | option_d=134 | answer=B | explanation=15% of 965 = (15/100) × 965 = 144.

id=38362 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 32, 40, 50? | option_a=40 | option_b=32 | option_c=50 | option_d=24 | answer=C | explanation=The first three numbers increase by 8, so the next should be 48. Therefore 50 is the odd one out.

id=38363 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:1 and the first is 72, what is the second? | option_a=17 | option_b=8 | option_c=80 | option_d=7 | answer=B | explanation=Scale factor = 72/9 = 8. Therefore second quantity = 1×8 = 8.

id=38364 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15558 at 15% per annum for 1 years. | option_a=2333 | option_b=17891 | option_c=2233 | option_d=2433 | answer=A | explanation=SI = PRT/100 = 15558×15×1/100 = █2333.

id=38365 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=38366 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4266. If it is sold at a profit of 40%, what is its selling price? | option_a=4306 | option_b=5546 | option_c=6398 | option_d=5972 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4266 × 140/100 = █5972.

id=38367 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=14 | option_c=4 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=38368 | topic=Percentages | difficulty=Easy | question=What is 40% of 637? | option_a=249 | option_b=508 | option_c=254 | option_d=264 | answer=C | explanation=40% of 637 = (40/100) × 637 = 254.

id=38369 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=38370 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=240 | option_c=120 | option_d=115 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

Aptitude Questions — Records 38,371-38,400 of 100,000

id=38371 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=L | option_b=I | option_c=J | option_d=K | answer=D | explanation=Move 1 positions forward from J; the resulting letter is K.

id=38372 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:14 and the first is 48, what is the second? | option_a=118 | option_b=98 | option_c=112 | option_d=160 | answer=C | explanation=Scale factor = 48/6 = 8. Therefore second quantity = 14×8 = 112.

id=38373 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3250. If it is sold at a profit of 50%, what is its selling price? | option_a=5200 | option_b=4875 | option_c=4550 | option_d=3300 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3250 × 150/100 = █4875.

id=38374 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=150 | option_c=70 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=38375 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=38376 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=29 | option_d=19 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=38377 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 23, 32, 43? | option_a=43 | option_b=23 | option_c=14 | option_d=32 | answer=A | explanation=The first three numbers increase by 9, so the next should be 41. Therefore 43 is the odd one out.

id=38378 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=34 | option_b=52 | option_c=44 | option_d=43 | answer=D | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

id=38379 | topic=Averages | difficulty=Easy | question=Find the average of 47, 42, 96, 91. | option_a=71 | option_b=68 | option_c=70 | option_d=69 | answer=D | explanation=Average = sum of values ÷ number of values = 276 ÷ 4 = 69.

id=38380 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1431 at 6% per annum for 4 years. | option_a=1774 | option_b=343 | option_c=443 | option_d=243 | answer=B | explanation=SI = PRT/100 = 1431×6×4/100 = █343.

id=38381 | topic=Averages | difficulty=Easy | question=Find the average of 89, 16, 30, 77. | option_a=54 | option_b=53 | option_c=52 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 212 ÷ 4 = 53.

id=38382 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=D | option_b=J | option_c=H | option_d=F | answer=C | explanation=Move 2 positions forward from F; the resulting letter is H.

id=38383 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=38384 | topic=Percentages | difficulty=Easy | question=What is 50% of 1584? | option_a=812 | option_b=792 | option_c=772 | option_d=1584 | answer=B | explanation=50% of 1584 = (50/100) × 1584 = 792.

id=38385 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23593 at 4% per annum for 1 years. | option_a=1043 | option_b=843 | option_c=24536 | option_d=943 | answer=D | explanation=SI = PRT/100 = 23593×4×1/100 = █943.

id=38386 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15120 at 5% per annum for 4 years. | option_a=2924 | option_b=18144 | option_c=3024 | option_d=3124 | answer=C | explanation=SI = PRT/100 = 15120×5×4/100 = █3024.

id=38387 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3332. If it is sold at a profit of 20%, what is its selling price? | option_a=4331 | option_b=3998 | option_c=3665 | option_d=3352 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3332 × 120/100 = █3998.

id=38388 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29866 at 10% per annum for 1 years. | option_a=32852 | option_b=2886 | option_c=2986 | option_d=3086 | answer=C | explanation=SI = PRT/100 = 29866×10×1/100 = █2986.

id=38389 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=30 | option_b=39 | option_c=46 | option_d=38 | answer=D | explanation=The common difference is 8. Therefore the next term is 30 + 8 = 38.

id=38390 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=56 | option_b=55 | option_c=65 | option_d=45 | answer=B | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.

id=38391 | topic=Percentages | difficulty=Easy | question=What is 12% of 630? | option_a=150 | option_b=65 | option_c=95 | option_d=75 | answer=D | explanation=12% of 630 = (12/100) × 630 = 75.

id=38392 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=38393 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45940 at 4% per annum for 2 years. | option_a=3675 | option_b=3775 | option_c=3575 | option_d=49615 | answer=A | explanation=SI = PRT/100 = 45940×4×2/100 = █3675.

id=38394 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:12 and the first is 70, what is the second? | option_a=72 | option_b=84 | option_c=94 | option_d=154 | answer=B | explanation=Scale factor = 70/10 = 7. Therefore second quantity = 12×7 = 84.

id=38395 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 165, what is the second? | option_a=251 | option_b=405 | option_c=240 | option_d=224 | answer=C | explanation=Scale factor = 165/11 = 15. Therefore second quantity = 16×15 = 240.

id=38396 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 43? | option_a=29 | option_b=37 | option_c=43 | option_d=33 | answer=C | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 43 is the odd one out.

id=38397 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=38398 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=R | option_b=S | option_c=P | option_d=Q | answer=A | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=38399 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=9 | option_c=14 | option_d=18 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=38400 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32692 at 5% per annum for 4 years. | option_a=6638 | option_b=6438 | option_c=6538 | option_d=39230 | answer=C | explanation=SI = PRT/100 = 32692×5×4/100 = █6538.

Aptitude Questions — Records 38,401-38,430 of 100,000

id=38401 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 34, 41, 50? | option_a=27 | option_b=34 | option_c=50 | option_d=41 | answer=C | explanation=The first three numbers increase by 7, so the next should be 48. Therefore 50 is the odd one out.

id=38402 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3579. If it is sold at a profit of 5%, what is its selling price? | option_a=3400 | option_b=3584 | option_c=4114 | option_d=3757 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3579 × 105/100 = █3757.

id=38403 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26153 at 10% per annum for 2 years. | option_a=5330 | option_b=5230 | option_c=5130 | option_d=31383 | answer=B | explanation=SI = PRT/100 = 26153×10×2/100 = █5230.

id=38404 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 36? | option_a=5 | option_b=25 | option_c=15 | option_d=36 | answer=D | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 36 is the odd one out.

id=38405 | topic=Averages | difficulty=Easy | question=Find the average of 48, 86, 49, 61. | option_a=61 | option_b=62 | option_c=63 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 244 ÷ 4 = 61.

id=38406 | topic=Percentages | difficulty=Easy | question=What is 12% of 1412? | option_a=169 | option_b=189 | option_c=164 | option_d=338 | answer=A | explanation=12% of 1412 = (12/100) × 1412 = 169.

id=38407 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=L | option_c=Z | option_d=D | answer=A | explanation=Move 4 positions forward from D; the resulting letter is H.

id=38408 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 11, 20, 32? | option_a=20 | option_b=32 | option_c=11 | option_d=2 | answer=B | explanation=The first three numbers increase by 9, so the next should be 29. Therefore 32 is the odd one out.

id=38409 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=52 | option_b=42 | option_c=51 | option_d=60 | answer=C | explanation=The common difference is 9. Therefore the next term is 42 + 9 = 51.

id=38410 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=38411 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 33, 40, 49? | option_a=49 | option_b=26 | option_c=33 | option_d=40 | answer=A | explanation=The first three numbers increase by 7, so the next should be 47. Therefore 49 is the odd one out.

id=38412 | topic=Averages | difficulty=Easy | question=Find the average of 77, 17, 37, 73, 25, 47. | option_a=48 | option_b=45 | option_c=47 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 276 ÷ 6 = 46.

id=38413 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 51? | option_a=51 | option_b=39 | option_c=19 | option_d=29 | answer=A | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 51 is the odd one out.

id=38414 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:11 and the first is 84, what is the second? | option_a=216 | option_b=139 | option_c=121 | option_d=132 | answer=D | explanation=Scale factor = 84/7 = 12. Therefore second quantity = 11×12 = 132.

id=38415 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:11 and the first is 72, what is the second? | option_a=202 | option_b=270 | option_c=198 | option_d=187 | answer=C | explanation=Scale factor = 72/4 = 18. Therefore second quantity = 11×18 = 198.

id=38416 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=50 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=38417 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4463. If it is sold at a profit of 50%, what is its selling price? | option_a=4513 | option_b=7140 | option_c=6248 | option_d=6694 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4463 × 150/100 = █6694.

id=38418 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:3 and the first is 190, what is the second? | option_a=30 | option_b=220 | option_c=49 | option_d=27 | answer=A | explanation=Scale factor = 190/19 = 10. Therefore second quantity = 3×10 = 30.

id=38419 | topic=Averages | difficulty=Easy | question=Find the average of 48, 66, 42, 28. | option_a=46 | option_b=45 | option_c=48 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 184 ÷ 4 = 46.

id=38420 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=96 | option_c=48 | option_d=43 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=38421 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19305 at 8% per annum for 5 years. | option_a=7622 | option_b=7822 | option_c=7722 | option_d=27027 | answer=C | explanation=SI = PRT/100 = 19305×8×5/100 = █7722.

id=38422 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 20, 27, 35? | option_a=20 | option_b=35 | option_c=13 | option_d=27 | answer=B | explanation=The first three numbers increase by 7, so the next should be 34. Therefore 35 is the odd one out.

id=38423 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=65 | option_b=55 | option_c=54 | option_d=43 | answer=C | explanation=The common difference is 11. Therefore the next term is 43 + 11 = 54.

id=38424 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 14, 18, 24? | option_a=24 | option_b=14 | option_c=18 | option_d=10 | answer=A | explanation=The first three numbers increase by 4, so the next should be 22. Therefore 24 is the odd one out.

id=38425 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32968 at 8% per annum for 3 years. | option_a=8012 | option_b=40880 | option_c=7812 | option_d=7912 | answer=D | explanation=SI = PRT/100 = 32968×8×3/100 = █7912.

id=38426 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=H | option_c=J | option_d=D | answer=B | explanation=Move 2 positions forward from F; the resulting letter is H.

id=38427 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=L | option_b=P | option_c=N | option_d=R | answer=B | explanation=Move 2 positions forward from N; the resulting letter is P.

id=38428 | topic=Averages | difficulty=Easy | question=Find the average of 86, 86, 40, 46, 56, 84, 10, 96. | option_a=65 | option_b=63 | option_c=64 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 504 ÷ 8 = 63.

id=38429 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=38430 | topic=Percentages | difficulty=Easy | question=What is 5% of 243? | option_a=0 | option_b=12 | option_c=22 | option_d=24 | answer=B | explanation=5% of 243 = (5/100) × 243 = 12.

Aptitude Questions — Records 38,431-38,460 of 100,000

id=38431 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=47 | option_b=37 | option_c=55 | option_d=46 | answer=D | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=38432 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=C | option_b=S | option_c=X | option_d=N | answer=C | explanation=Move 5 positions forward from S; the resulting letter is X.

id=38433 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=T | option_b=K | option_c=Q | option_d=N | answer=C | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=38434 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=70 | option_c=80 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=38435 | topic=Averages | difficulty=Easy | question=Find the average of 70, 76, 21, 65. | option_a=58 | option_b=60 | option_c=57 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 232 ÷ 4 = 58.

id=38436 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=300 | option_c=155 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=38437 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:18 and the first is 210, what is the second? | option_a=252 | option_b=462 | option_c=234 | option_d=267 | answer=A | explanation=Scale factor = 210/15 = 14. Therefore second quantity = 18×14 = 252.

id=38438 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=30 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=38439 | topic=Averages | difficulty=Easy | question=Find the average of 76, 68, 70, 31, 20. | option_a=52 | option_b=55 | option_c=54 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 265 ÷ 5 = 53.

id=38440 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3052. If it is sold at a profit of 50%, what is its selling price? | option_a=4578 | option_b=4883 | option_c=3102 | option_d=4273 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3052 × 150/100 = █4578.

id=38441 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=15 | option_b=18 | option_c=17 | option_d=19 | answer=C | explanation=The common difference is 2. Therefore the next term is 15 + 2 = 17.

id=38442 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39638 at 8% per annum for 5 years. | option_a=55493 | option_b=15955 | option_c=15855 | option_d=15755 | answer=C | explanation=SI = PRT/100 = 39638×8×5/100 = █15855.

id=38443 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=38444 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:2 and the first is 10, what is the second? | option_a=8 | option_b=10 | option_c=12 | option_d=20 | answer=B | explanation=Scale factor = 10/2 = 5. Therefore second quantity = 2×5 = 10.

id=38445 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=35 | option_b=23 | option_c=29 | option_d=30 | answer=C | explanation=The common difference is 6. Therefore the next term is 23 + 6 = 29.

id=38446 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7547 at 15% per annum for 5 years. | option_a=5660 | option_b=5560 | option_c=13207 | option_d=5760 | answer=A | explanation=SI = PRT/100 = 7547×15×5/100 = █5660.

id=38447 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 29, 38, 49? | option_a=38 | option_b=29 | option_c=20 | option_d=49 | answer=D | explanation=The first three numbers increase by 9, so the next should be 47. Therefore 49 is the odd one out.

id=38448 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:10 and the first is 35, what is the second? | option_a=60 | option_b=75 | option_c=105 | option_d=70 | answer=D | explanation=Scale factor = 35/5 = 7. Therefore second quantity = 10×7 = 70.

id=38449 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=41 | option_c=31 | option_d=72 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=38450 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=70 | option_d=150 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=38451 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=54 | option_b=53 | option_c=64 | option_d=42 | answer=B | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.

id=38452 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 12, 17, 25? | option_a=12 | option_b=17 | option_c=7 | option_d=25 | answer=D | explanation=The first three numbers increase by 5, so the next should be 22. Therefore 25 is the odd one out.

id=38453 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 22, 28, 36? | option_a=16 | option_b=22 | option_c=36 | option_d=28 | answer=C | explanation=The first three numbers increase by 6, so the next should be 34. Therefore 36 is the odd one out.

id=38454 | topic=Percentages | difficulty=Easy | question=What is 10% of 1912? | option_a=191 | option_b=211 | option_c=171 | option_d=382 | answer=A | explanation=10% of 1912 = (10/100) × 1912 = 191.

id=38455 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=40 | option_c=15 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=38456 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=65 | option_b=77 | option_c=53 | option_d=66 | answer=A | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.

id=38457 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 33? | option_a=33 | option_b=27 | option_c=22 | option_d=17 | answer=A | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 33 is the odd one out.

id=38458 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=50 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=38459 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=38460 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

Aptitude Questions — Records 38,461-38,490 of 100,000

id=38461 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1641. If it is sold at a profit of 10%, what is its selling price? | option_a=1969 | option_b=1805 | option_c=1641 | option_d=1651 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1641 × 110/100 = ■1805.

id=38462 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4941. If it is sold at a profit of 10%, what is its selling price? | option_a=4941 | option_b=5435 | option_c=5929 | option_d=4951 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4941 × 110/100 = ■5435.

id=38463 | topic=Percentages | difficulty=Easy | question=What is 12% of 1508? | option_a=200 | option_b=180 | option_c=175 | option_d=360 | answer=B | explanation=12% of 1508 = (12/100) × 1508 = 180.

id=38464 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 19, 29, 42? | option_a=19 | option_b=29 | option_c=42 | option_d=9 | answer=C | explanation=The first three numbers increase by 10, so the next should be 39. Therefore 42 is the odd one out.

id=38465 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=19 | option_c=24 | option_d=29 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=38466 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:14 and the first is 28, what is the second? | option_a=198 | option_b=196 | option_c=224 | option_d=182 | answer=B | explanation=Scale factor = 28/2 = 14. Therefore second quantity = 14×14 = 196.

id=38467 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4424. If it is sold at a profit of 25%, what is its selling price? | option_a=4449 | option_b=5972 | option_c=5530 | option_d=5088 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4424 × 125/100 = ■5530.

id=38468 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=48 | option_b=42 | option_c=34 | option_d=41 | answer=D | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=38469 | topic=Averages | difficulty=Easy | question=Find the average of 73, 31, 90, 19, 67, 26. | option_a=51 | option_b=50 | option_c=52 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 306 ÷ 6 = 51.

id=38470 | topic=Percentages | difficulty=Easy | question=What is 40% of 741? | option_a=296 | option_b=276 | option_c=592 | option_d=316 | answer=A | explanation=40% of 741 = (40/100) × 741 = 296.

id=38471 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2159. If it is sold at a profit of 40%, what is its selling price? | option_a=3022 | option_b=2807 | option_c=3237 | option_d=2199 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2159 × 140/100 = ■3022.

id=38472 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2745. If it is sold at a profit of 10%, what is its selling price? | option_a=3293 | option_b=3019 | option_c=2755 | option_d=2745 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2745 × 110/100 = ■3019.

id=38473 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■38139 at 5% per annum for 5 years. | option_a=9634 | option_b=9534 | option_c=47673 | option_d=9434 | answer=B | explanation=SI = PRT/100 = 38139×5×5/100 = ■9534.

id=38474 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=48 | option_c=24 | option_d=19 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=38475 | topic=Averages | difficulty=Easy | question=Find the average of 45, 64, 58, 18, 74, 53. | option_a=52 | option_b=54 | option_c=51 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 312 ÷ 6 = 52.

id=38476 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 17, 23, 30? | option_a=17 | option_b=30 | option_c=11 | option_d=23 | answer=B | explanation=The first three numbers increase by 6, so the next should be 29. Therefore 30 is the odd one out.

id=38477 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=S | option_b=I | option_c=X | option_d=N | answer=A | explanation=Move 5 positions forward from N; the resulting letter is S.

id=38478 | topic=Averages | difficulty=Easy | question=Find the average of 84, 38, 26, 62, 61, 13, 33, 19. | option_a=44 | option_b=43 | option_c=42 | option_d=41 | answer=C | explanation=Average = sum of values ÷ number of values = 336 ÷ 8 = 42.

id=38479 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=38 | option_b=52 | option_c=46 | option_d=45 | answer=D | explanation=The common difference is 7. Therefore the next term is 38 + 7 = 45.

id=38480 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:8 and the first is 119, what is the second? | option_a=255 | option_b=128 | option_c=136 | option_d=143 | answer=C | explanation=Scale factor = 119/7 = 17. Therefore second quantity = 8×17 = 136.

id=38481 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=18 | option_b=23 | option_c=22 | option_d=26 | answer=C | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

id=38482 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=21 | option_b=16 | option_c=20 | option_d=24 | answer=C | explanation=The common difference is 4. Therefore the next term is 16 + 4 = 20.

id=38483 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=80 | option_c=70 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=38484 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=38485 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=38486 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:17 and the first is 10, what is the second? | option_a=171 | option_b=180 | option_c=153 | option_d=170 | answer=D | explanation=Scale factor = 10/1 = 10. Therefore second quantity = 17×10 = 170.

id=38487 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=D | option_b=J | option_c=H | option_d=F | answer=C | explanation=Move 2 positions forward from F; the resulting letter is H.

id=38488 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=53 | option_c=96 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=38489 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 28. | option_a=1 | option_b=56 | option_c=28 | option_d=30 | answer=C | explanation=LCM × HCF = 2×28; HCF(2,28) = 2, so LCM = 28.

id=38490 | topic=Percentages | difficulty=Easy | question=What is 30% of 634? | option_a=380 | option_b=170 | option_c=190 | option_d=200 | answer=C | explanation=30% of 634 = (30/100) × 634 = 190.

Aptitude Questions — Records 38,491-38,520 of 100,000

id=38491 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:13 and the first is 48, what is the second? | option_a=39 | option_b=64 | option_c=52 | option_d=100 | answer=C | explanation=Scale factor = $48/12 = 4$. Therefore second quantity = $13 \times 4 = 52$.

id=38492 | topic=Averages | difficulty=Easy | question=Find the average of 21, 54, 69, 56. | option_a=51 | option_b=52 | option_c=49 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = $200 \div 4 = 50$.

id=38493 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:4 and the first is 12, what is the second? | option_a=49 | option_b=60 | option_c=44 | option_d=48 | answer=D | explanation=Scale factor = $12/1 = 12$. Therefore second quantity = $4 \times 12 = 48$.

id=38494 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=55 | option_b=46 | option_c=45 | option_d=35 | answer=C | explanation=The common difference is 10. Therefore the next term is $35 + 10 = 45$.

id=38495 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 32, 42, 53? | option_a=42 | option_b=22 | option_c=53 | option_d=32 | answer=C | explanation=The first three numbers increase by 10, so the next should be 52. Therefore 53 is the odd one out.

id=38496 | topic=Percentages | difficulty=Easy | question=What is 40% of 684? | option_a=283 | option_b=273 | option_c=263 | option_d=546 | answer=B | explanation=40% of 684 = $(40/100) \times 684 = 273$.

id=38497 | topic=Profit & Loss | difficulty=Easy | question=An article costs █431. If it is sold at a profit of 50%, what is its selling price? | option_a=689 | option_b=481 | option_c=646 | option_d=603 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 431 \times 150/100 = \text{█}646$.

id=38498 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4056. If it is sold at a profit of 30%, what is its selling price? | option_a=4086 | option_b=5272 | option_c=4867 | option_d=5677 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 4056 \times 130/100 = \text{█}5272$.

id=38499 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:3 and the first is 162, what is the second? | option_a=216 | option_b=63 | option_c=54 | option_d=51 | answer=C | explanation=Scale factor = $162/9 = 18$. Therefore second quantity = $3 \times 18 = 54$.

id=38500 | topic=Averages | difficulty=Easy | question=Find the average of 11, 39, 37, 53. | option_a=36 | option_b=37 | option_c=35 | option_d=34 | answer=C | explanation=Average = sum of values ÷ number of values = $140 \div 4 = 35$.

id=38501 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=38502 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:12 and the first is 360, what is the second? | option_a=228 | option_b=258 | option_c=600 | option_d=240 | answer=D | explanation=Scale factor = $360/18 = 20$. Therefore second quantity = $12 \times 20 = 240$.

id=38503 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=38504 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 28. | option_a=112 | option_b=448 | option_c=128 | option_d=84 | answer=A | explanation=LCM $\times$ HCF = 16×28 ; HCF(16,28) = 4, so LCM = 112.

id=38505 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=29 | option_b=35 | option_c=23 | option_d=30 | answer=A | explanation=The common difference is 6. Therefore the next term is $23 + 6 = 29$.

id=38506 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=38507 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=O | option_c=S | option_d=A | answer=A | explanation=Move 4 positions forward from S; the resulting letter is W.

id=38508 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=36 | option_d=13 | answer=B | explanation=Speed = distance ÷ time = $90 \div 5 = 18$ km/h.

id=38509 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=29 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = $240 \div 10 = 24$ km/h.

id=38510 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45509 at 10% per annum for 2 years. | option_a=9001 | option_b=54610 | option_c=9201 | option_d=9101 | answer=D | explanation=SI = $PRT/100 = 45509 \times 10 \times 2/100 = \text{█}9101$.

id=38511 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1022. If it is sold at a profit of 30%, what is its selling price? | option_a=1226 | option_b=1328 | option_c=1430 | option_d=1052 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 1022 \times 130/100 = \text{█}1328$.

id=38512 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13007 at 4% per annum for 3 years. | option_a=1660 | option_b=14567 | option_c=1460 | option_d=1560 | answer=D | explanation=SI = $PRT/100 = 13007 \times 4 \times 3/100 = \text{█}1560$.

id=38513 | topic=Percentages | difficulty=Easy | question=What is 12% of 760? | option_a=91 | option_b=182 | option_c=81 | option_d=111 | answer=A | explanation=12% of 760 = $(12/100) \times 760 = 91$.

id=38514 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4104. If it is sold at a profit of 5%, what is its selling price? | option_a=3899 | option_b=4109 | option_c=4719 | option_d=4309 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 4104 \times 105/100 = \text{█}4309$.

id=38515 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:18 and the first is 306, what is the second? | option_a=612 | option_b=306 | option_c=288 | option_d=324 | answer=B | explanation=Scale factor = $306/18 = 17$. Therefore second quantity = $18 \times 17 = 306$.

id=38516 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=I | option_b=M | option_c=U | option_d=Q | answer=D | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=38517 | topic=Profit & Loss | difficulty=Easy | question=An article costs █110. If it is sold at a profit of 50%, what is its selling price? | option_a=154 | option_b=176 | option_c=160 | option_d=165 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 110 \times 150/100 = \text{█}165$.

id=38518 | topic=Profit & Loss | difficulty=Easy | question=An article costs █260. If it is sold at a profit of 10%, what is its selling price? | option_a=312 | option_b=270 | option_c=260 | option_d=286 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 260 \times 110/100 = \text{█}286$.

id=38519 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=L | option_c=T | option_d=H | answer=A | explanation=Move 4 positions forward from L; the resulting letter is P.

id=38520 | topic=Percentages | difficulty=Easy | question=What is 25% of 459? | option_a=94 | option_b=119 | option_c=228 | option_d=114 | answer=D | explanation=25% of 459 = $(25/100) \times 459 = 114$.

Aptitude Questions — Records 38,521-38,550 of 100,000

id=38521 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 25, 27, 30? | option_a=25 | option_b=30 | option_c=23 | option_d=27 | answer=B | explanation=The first three numbers increase by 2, so the next should be 29. Therefore 30 is the odd one out.

id=38522 | topic=Percentages | difficulty=Easy | question=What is 5% of 1938? | option_a=192 | option_b=106 | option_c=76 | option_d=96 | answer=D | explanation=5% of 1938 = (5/100) × 1938 = 96.

id=38523 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=26 | option_b=36 | option_c=31 | option_d=32 | answer=C | explanation=The common difference is 5. Therefore the next term is 26 + 5 = 31.

id=38524 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=62 | option_b=50 | option_c=72 | option_d=61 | answer=D | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.

id=38525 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Q | option_b=Z | option_c=T | option_d=W | answer=D | explanation=Move 3 positions forward from T; the resulting letter is W.

id=38526 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:18 and the first is 256, what is the second? | option_a=270 | option_b=304 | option_c=288 | option_d=544 | answer=C | explanation=Scale factor = 256/16 = 16. Therefore second quantity = 18×16 = 288.

id=38527 | topic=Percentages | difficulty=Easy | question=What is 10% of 417? | option_a=61 | option_b=82 | option_c=36 | option_d=41 | answer=D | explanation=10% of 417 = (10/100) × 417 = 41.

id=38528 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 35, 45, 56? | option_a=56 | option_b=25 | option_c=45 | option_d=35 | answer=A | explanation=The first three numbers increase by 10, so the next should be 55. Therefore 56 is the odd one out.

id=38529 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44023 at 4% per annum for 1 years. | option_a=1760 | option_b=45783 | option_c=1660 | option_d=1860 | answer=A | explanation=SI = PRT/100 = 44023×4×1/100 = **■**1760.

id=38530 | topic=Averages | difficulty=Easy | question=Find the average of 54, 43, 29, 30. | option_a=40 | option_b=41 | option_c=38 | option_d=39 | answer=D | explanation=Average = sum of values ÷ number of values = 156 ÷ 4 = 39.

id=38531 | topic=Percentages | difficulty=Easy | question=What is 20% of 1911? | option_a=372 | option_b=392 | option_c=764 | option_d=382 | answer=D | explanation=20% of 1911 = (20/100) × 1911 = 382.

id=38532 | topic=Averages | difficulty=Easy | question=Find the average of 44, 64, 27, 80, 87, 15, 49, 34. | option_a=52 | option_b=49 | option_c=51 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 400 ÷ 8 = 50.

id=38533 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 10, 13, 17? | option_a=10 | option_b=17 | option_c=7 | option_d=13 | answer=B | explanation=The first three numbers increase by 3, so the next should be 16. Therefore 17 is the odd one out.

id=38534 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 59? | option_a=46 | option_b=26 | option_c=59 | option_d=36 | answer=C | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 59 is the odd one out.

id=38535 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 8. | option_a=48 | option_b=16 | option_c=24 | option_d=192 | answer=C | explanation=LCM × HCF = 24×8; HCF(24,8) = 8, so LCM = 24.

id=38536 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 35? | option_a=14 | option_b=24 | option_c=35 | option_d=4 | answer=C | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 35 is the odd one out.

id=38537 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=38538 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 34? | option_a=30 | option_b=34 | option_c=26 | option_d=28 | answer=B | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 34 is the odd one out.

id=38539 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=H | option_c=F | option_d=B | answer=C | explanation=Move 2 positions forward from D; the resulting letter is F.

id=38540 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 16, 23, 31? | option_a=9 | option_b=23 | option_c=31 | option_d=16 | answer=C | explanation=The first three numbers increase by 7, so the next should be 30. Therefore 31 is the odd one out.

id=38541 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=5 | option_c=10 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=38542 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 31? | option_a=24 | option_b=14 | option_c=31 | option_d=19 | answer=C | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 31 is the odd one out.

id=38543 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=38544 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=J | option_b=X | option_c=F | option_d=B | answer=C | explanation=Move 4 positions forward from B; the resulting letter is F.

id=38545 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3943. If it is sold at a profit of 15%, what is its selling price? | option_a=3958 | option_b=4928 | option_c=4534 | option_d=4140 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3943 × 115/100 = **■**4534.

id=38546 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 180, what is the second? | option_a=33 | option_b=216 | option_c=36 | option_d=51 | answer=C | explanation=Scale factor = 180/15 = 12. Therefore second quantity = 3×12 = 36.

id=38547 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=38548 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 36? | option_a=36 | option_b=26 | option_c=12 | option_d=19 | answer=A | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 36 is the odd one out.

id=38549 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 19, 22, 25, ? | option_a=25 | option_b=29 | option_c=31 | option_d=28 | answer=D | explanation=The common difference is 3. Therefore the next term is 25 + 3 = 28.

id=38550 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33513 at 6% per annum for 4 years. | option_a=7943 | option_b=8143 | option_c=41556 | option_d=8043 | answer=D | explanation=SI = PRT/100 = 33513×6×4/100 = **■**8043.

Aptitude Questions — Records 38,551-38,580 of 100,000

id=38551 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=38552 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

id=38553 | topic=Averages | difficulty=Easy | question=Find the average of 22, 17, 86, 97, 14, 57, 65, 58, 52. | option_a=51 | option_b=54 | option_c=52 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{468}{9} = 52$.

id=38554 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 32, 35, 39? | option_a=39 | option_b=32 | option_c=35 | option_d=29 | answer=A | explanation=The first three numbers increase by 3, so the next should be 38. Therefore 39 is the odd one out.

id=38555 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34689 at 4% per annum for 3 years. | option_a=4062 | option_b=4162 | option_c=4262 | option_d=38951 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{34689 \times 4 \times 3}{100} = \text{■}4162$.

id=38556 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20390 at 10% per annum for 4 years. | option_a=8256 | option_b=8056 | option_c=8156 | option_d=28546 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{20390 \times 10 \times 4}{100} = \text{■}8156$.

id=38557 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=Z | option_c=C | option_d=B | answer=D | explanation=Move 1 positions forward from A; the resulting letter is B.

id=38558 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:7 and the first is 91, what is the second? | option_a=98 | option_b=91 | option_c=182 | option_d=84 | answer=B | explanation=Scale factor = $\frac{91}{7} = 13$. Therefore second quantity = $7 \times 13 = 91$.

id=38559 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=X | option_b=P | option_c=T | option_d=B | answer=A | explanation=Move 4 positions forward from T; the resulting letter is X.

id=38560 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4876. If it is sold at a profit of 10%, what is its selling price? | option_a=4886 | option_b=5363 | option_c=4876 | option_d=5850 | answer=B | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 4876 \times \frac{110}{100} = \text{■}5363$.

id=38561 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6516 at 6% per annum for 2 years. | option_a=7297 | option_b=781 | option_c=881 | option_d=681 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{6516 \times 6 \times 2}{100} = \text{■}781$.

id=38562 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=73 | option_b=51 | option_c=62 | option_d=63 | answer=C | explanation=The common difference is 11. Therefore the next term is $51 + 11 = 62$.

id=38563 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=38564 | topic=Percentages | difficulty=Easy | question=What is 30% of 1554? | option_a=466 | option_b=932 | option_c=456 | option_d=476 | answer=A | explanation=30% of 1554 = $(\frac{30}{100}) \times 1554 = 466$.

id=38565 | topic=Percentages | difficulty=Easy | question=What is 20% of 1701? | option_a=680 | option_b=360 | option_c=340 | option_d=320 | answer=C | explanation=20% of 1701 = $(\frac{20}{100}) \times 1701 = 340$.

id=38566 | topic=Percentages | difficulty=Easy | question=What is 30% of 1886? | option_a=575 | option_b=1130 | option_c=545 | option_d=565 | answer=D | explanation=30% of 1886 = $(\frac{30}{100}) \times 1886 = 565$.

id=38567 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=R | option_c=N | option_d=L | answer=A | explanation=Move 2 positions forward from N; the resulting letter is P.

id=38568 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 6, 10, 17? | option_a=17 | option_b=6 | option_c=10 | option_d=2 | answer=A | explanation=The first three numbers increase by 4, so the next should be 14. Therefore 17 is the odd one out.

id=38569 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34321 at 6% per annum for 5 years. | option_a=10196 | option_b=44617 | option_c=10296 | option_d=10396 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{34321 \times 6 \times 5}{100} = \text{■}10296$.

id=38570 | topic=Percentages | difficulty=Easy | question=What is 25% of 745? | option_a=176 | option_b=372 | option_c=196 | option_d=186 | answer=D | explanation=25% of 745 = $(\frac{25}{100}) \times 745 = 186$.

id=38571 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 27. | option_a=54 | option_b=1 | option_c=27 | option_d=729 | answer=C | explanation=LCM $\times$ HCF = 27×27 ; HCF(27,27) = 27, so LCM = 27.

id=38572 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=38573 | topic=Averages | difficulty=Easy | question=Find the average of 83, 52, 95, 80, 77, 20, 49, 92, 93, 89. | option_a=74 | option_b=73 | option_c=72 | option_d=75 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{730}{10} = 73$.

id=38574 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=72 | option_c=31 | option_d=41 | answer=A | explanation=Speed = distance ÷ time = $\frac{180}{5} = 36$ km/h.

id=38575 | topic=Averages | difficulty=Easy | question=Find the average of 48, 56, 86, 52, 11, 34, 46, 91. | option_a=54 | option_b=53 | option_c=55 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{424}{8} = 53$.

id=38576 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12} = 3$ days.

id=38577 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:11 and the first is 98, what is the second? | option_a=143 | option_b=252 | option_c=154 | option_d=161 | answer=C | explanation=Scale factor = $\frac{98}{7} = 14$. Therefore second quantity = $11 \times 14 = 154$.

id=38578 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=A | option_b=D | option_c=C | option_d=B | answer=C | explanation=Move 1 positions forward from B; the resulting letter is C.

id=38579 | topic=Averages | difficulty=Easy | question=Find the average of 63, 42, 66, 48, 17, 28. | option_a=46 | option_b=44 | option_c=45 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{264}{6} = 44$.

id=38580 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:5 and the first is 160, what is the second? | option_a=90 | option_b=240 | option_c=75 | option_d=80 | answer=D | explanation=Scale factor = $\frac{160}{10} = 16$. Therefore second quantity = $5 \times 16 = 80$.

Aptitude Questions — Records 38,581-38,610 of 100,000

id=38581 | topic=Percentages | difficulty=Easy | question=What is 30% of 319? | option_a=190 | option_b=75 | option_c=105 | option_d=95 | answer=D | explanation=30% of 319 = (30/100) × 319 = 95.

id=38582 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=52 | option_b=64 | option_c=53 | option_d=40 | answer=A | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.

id=38583 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=17 | option_c=7 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=38584 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=38585 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32095 at 6% per annum for 3 years. | option_a=5877 | option_b=5677 | option_c=37872 | option_d=5777 | answer=D | explanation=SI = PRT/100 = 32095×6×3/100 = █5777.

id=38586 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=R | option_c=J | option_d=F | answer=A | explanation=Move 4 positions forward from J; the resulting letter is N.

id=38587 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 20, 26, 33? | option_a=26 | option_b=14 | option_c=20 | option_d=33 | answer=D | explanation=The first three numbers increase by 6, so the next should be 32. Therefore 33 is the odd one out.

id=38588 | topic=Averages | difficulty=Easy | question=Find the average of 10, 40, 27, 88, 19, 44. | option_a=38 | option_b=39 | option_c=40 | option_d=37 | answer=A | explanation=Average = sum of values ÷ number of values = 228 ÷ 6 = 38.

id=38589 | topic=Percentages | difficulty=Easy | question=What is 40% of 1106? | option_a=442 | option_b=437 | option_c=462 | option_d=884 | answer=A | explanation=40% of 1106 = (40/100) × 1106 = 442.

id=38590 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2595. If it is sold at a profit of 15%, what is its selling price? | option_a=3243 | option_b=2984 | option_c=2725 | option_d=2610 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2595 × 115/100 = █2984.

id=38591 | topic=Averages | difficulty=Easy | question=Find the average of 36, 78, 51, 26, 50, 89. | option_a=57 | option_b=55 | option_c=56 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 330 ÷ 6 = 55.

id=38592 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:6 and the first is 140, what is the second? | option_a=224 | option_b=94 | option_c=84 | option_d=78 | answer=C | explanation=Scale factor = 140/10 = 14. Therefore second quantity = 6×14 = 84.

id=38593 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:12 and the first is 78, what is the second? | option_a=72 | option_b=60 | option_c=85 | option_d=150 | answer=A | explanation=Scale factor = 78/13 = 6. Therefore second quantity = 12×6 = 72.

id=38594 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:13 and the first is 380, what is the second? | option_a=267 | option_b=247 | option_c=234 | option_d=627 | answer=B | explanation=Scale factor = 380/20 = 19. Therefore second quantity = 13×19 = 247.

id=38595 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 11, 20, 30? | option_a=30 | option_b=2 | option_c=20 | option_d=11 | answer=A | explanation=The first three numbers increase by 9, so the next should be 29. Therefore 30 is the odd one out.

id=38596 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 8. | option_a=48 | option_b=24 | option_c=16 | option_d=192 | answer=B | explanation=LCM × HCF = 24×8; HCF(24,8) = 8, so LCM = 24.

id=38597 | topic=Averages | difficulty=Easy | question=Find the average of 48, 32, 92, 74, 79, 17. | option_a=56 | option_b=58 | option_c=59 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 342 ÷ 6 = 57.

id=38598 | topic=Percentages | difficulty=Easy | question=What is 50% of 1195? | option_a=597 | option_b=577 | option_c=607 | option_d=1194 | answer=A | explanation=50% of 1195 = (50/100) × 1195 = 597.

id=38599 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=Q | option_b=T | option_c=N | option_d=K | answer=A | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=38600 | topic=Averages | difficulty=Easy | question=Find the average of 98, 32, 20, 54, 62, 76. | option_a=57 | option_b=59 | option_c=58 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 342 ÷ 6 = 57.

id=38601 | topic=Averages | difficulty=Easy | question=Find the average of 16, 23, 49, 44. | option_a=34 | option_b=32 | option_c=33 | option_d=35 | answer=C | explanation=Average = sum of values ÷ number of values = 132 ÷ 4 = 33.

id=38602 | topic=Percentages | difficulty=Easy | question=What is 15% of 1371? | option_a=410 | option_b=215 | option_c=195 | option_d=205 | answer=D | explanation=15% of 1371 = (15/100) × 1371 = 205.

id=38603 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:16 and the first is 30, what is the second? | option_a=78 | option_b=32 | option_c=58 | option_d=48 | answer=D | explanation=Scale factor = 30/10 = 3. Therefore second quantity = 16×3 = 48.

id=38604 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=95 | option_c=105 | option_d=200 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=38605 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=49 | option_b=62 | option_c=61 | option_d=73 | answer=C | explanation=The common difference is 12. Therefore the next term is 49 + 12 = 61.

id=38606 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=59 | option_b=60 | option_c=47 | option_d=71 | answer=A | explanation=The common difference is 12. Therefore the next term is 47 + 12 = 59.

id=38607 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:14 and the first is 110, what is the second? | option_a=140 | option_b=164 | option_c=264 | option_d=154 | answer=D | explanation=Scale factor = 110/10 = 11. Therefore second quantity = 14×11 = 154.

id=38608 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 33, 43, 54? | option_a=23 | option_b=43 | option_c=33 | option_d=54 | answer=D | explanation=The first three numbers increase by 10, so the next should be 53. Therefore 54 is the odd one out.

id=38609 | topic=Averages | difficulty=Easy | question=Find the average of 94, 46, 25. | option_a=54 | option_b=55 | option_c=57 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 165 ÷ 3 = 55.

id=38610 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=36 | option_b=40 | option_c=30 | option_d=35 | answer=D | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

Aptitude Questions — Records 38,611-38,640 of 100,000

id=38611 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:20 and the first is 120, what is the second? | option_a=220 | option_b=250 | option_c=360 | option_d=240 | answer=D | explanation=Scale factor = 120/10 = 12. Therefore second quantity = 20×12 = 240.

id=38612 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 22, 31, 41? | option_a=31 | option_b=41 | option_c=22 | option_d=13 | answer=B | explanation=The first three numbers increase by 9, so the next should be 40. Therefore 41 is the odd one out.

id=38613 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=12 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=38614 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 39? | option_a=21 | option_b=13 | option_c=29 | option_d=39 | answer=D | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 39 is the odd one out.

id=38615 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=C | option_b=F | option_c=D | option_d=E | answer=D | explanation=Move 1 positions forward from D; the resulting letter is E.

id=38616 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24863 at 10% per annum for 4 years. | option_a=9945 | option_b=10045 | option_c=34808 | option_d=9845 | answer=A | explanation=SI = PRT/100 = 24863×10×4/100 = **■**9945.

id=38617 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3915. If it is sold at a profit of 30%, what is its selling price? | option_a=3945 | option_b=5089 | option_c=5480 | option_d=4698 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3915 × 130/100 = **■**5089.

id=38618 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7183 at 10% per annum for 4 years. | option_a=2773 | option_b=2873 | option_c=10056 | option_d=2973 | answer=B | explanation=SI = PRT/100 = 7183×10×4/100 = **■**2873.

id=38619 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=48 | option_b=37 | option_c=57 | option_d=47 | answer=D | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

id=38620 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11671 at 4% per annum for 1 years. | option_a=566 | option_b=466 | option_c=366 | option_d=12137 | answer=B | explanation=SI = PRT/100 = 11671×4×1/100 = **■**466.

id=38621 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=36 | option_b=35 | option_c=43 | option_d=27 | answer=B | explanation=The common difference is 8. Therefore the next term is 27 + 8 = 35.

id=38622 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=37 | option_b=46 | option_c=55 | option_d=47 | answer=B | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=38623 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=27 | option_b=23 | option_c=28 | option_d=31 | answer=A | explanation=The common difference is 4. Therefore the next term is 23 + 4 = 27.

id=38624 | topic=Percentages | difficulty=Easy | question=What is 12% of 929? | option_a=111 | option_b=101 | option_c=222 | option_d=116 | answer=A | explanation=12% of 929 = (12/100) × 929 = 111.

id=38625 | topic=Averages | difficulty=Easy | question=Find the average of 17, 69, 85. | option_a=58 | option_b=56 | option_c=59 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 171 ÷ 3 = 57.

id=38626 | topic=Percentages | difficulty=Easy | question=What is 40% of 1048? | option_a=419 | option_b=409 | option_c=838 | option_d=439 | answer=A | explanation=40% of 1048 = (40/100) × 1048 = 419.

id=38627 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=50 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=38628 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4753. If it is sold at a profit of 40%, what is its selling price? | option_a=4793 | option_b=6654 | option_c=7129 | option_d=6179 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4753 × 140/100 = **■**6654.

id=38629 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 17, 22, 30? | option_a=12 | option_b=17 | option_c=30 | option_d=22 | answer=C | explanation=The first three numbers increase by 5, so the next should be 27. Therefore 30 is the odd one out.

id=38630 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 10. | option_a=108 | option_b=80 | option_c=90 | option_d=180 | answer=C | explanation=LCM × HCF = 18×10; HCF(18,10) = 2, so LCM = 90.

id=38631 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 28, 38, 49? | option_a=38 | option_b=18 | option_c=28 | option_d=49 | answer=D | explanation=The first three numbers increase by 10, so the next should be 48. Therefore 49 is the odd one out.

id=38632 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1982. If it is sold at a profit of 15%, what is its selling price? | option_a=1997 | option_b=2081 | option_c=2477 | option_d=2279 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1982 × 115/100 = **■**2279.

id=38633 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:17 and the first is 45, what is the second? | option_a=34 | option_b=51 | option_c=66 | option_d=96 | answer=B | explanation=Scale factor = 45/15 = 3. Therefore second quantity = 17×3 = 51.

id=38634 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**498. If it is sold at a profit of 15%, what is its selling price? | option_a=572 | option_b=621 | option_c=513 | option_d=523 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 498 × 115/100 = **■**572.

id=38635 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=13 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=38636 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:18 and the first is 8, what is the second? | option_a=54 | option_b=74 | option_c=72 | option_d=80 | answer=C | explanation=Scale factor = 8/2 = 4. Therefore second quantity = 18×4 = 72.

id=38637 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2014. If it is sold at a profit of 30%, what is its selling price? | option_a=2417 | option_b=2618 | option_c=2044 | option_d=2819 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2014 × 130/100 = **■**2618.

id=38638 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=160 | option_c=75 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=38639 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=L | option_b=Q | option_c=G | option_d=B | answer=A | explanation=Move 5 positions forward from G; the resulting letter is L.

id=38640 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

Aptitude Questions — Records 38,641-38,670 of 100,000

id=38641 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=38642 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=Z | option_b=V | option_c=R | option_d=N | answer=B | explanation=Move 4 positions forward from R; the resulting letter is V.

id=38643 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 10. | option_a=60 | option_b=300 | option_c=30 | option_d=20 | answer=C | explanation=LCM × HCF = 30×10; HCF(30,10) = 10, so LCM = 30.

id=38644 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 15, 18, 22? | option_a=15 | option_b=18 | option_c=12 | option_d=22 | answer=D | explanation=The first three numbers increase by 3, so the next should be 21. Therefore 22 is the odd one out.

id=38645 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=38646 | topic=Averages | difficulty=Easy | question=Find the average of 62, 60, 13, 69. | option_a=52 | option_b=50 | option_c=51 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 204 ÷ 4 = 51.

id=38647 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40467 at 5% per annum for 2 years. | option_a=4146 | option_b=3946 | option_c=44513 | option_d=4046 | answer=D | explanation=SI = PRT/100 = 40467×5×2/100 = **■**4046.

id=38648 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=L | option_b=N | option_c=P | option_d=R | answer=C | explanation=Move 2 positions forward from N; the resulting letter is P.

id=38649 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=K | option_c=S | option_d=W | answer=C | explanation=Move 4 positions forward from O; the resulting letter is S.

id=38650 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 9. | option_a=81 | option_b=90 | option_c=270 | option_d=120 | answer=B | explanation=LCM × HCF = 30×9; HCF(30,9) = 3, so LCM = 90.

id=38651 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2907. If it is sold at a profit of 5%, what is its selling price? | option_a=2762 | option_b=3342 | option_c=3052 | option_d=2912 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2907 × 105/100 = **■**3052.

id=38652 | topic=Percentages | difficulty=Easy | question=What is 20% of 687? | option_a=274 | option_b=137 | option_c=142 | option_d=127 | answer=B | explanation=20% of 687 = (20/100) × 687 = 137.

id=38653 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:10 and the first is 25, what is the second? | option_a=50 | option_b=55 | option_c=75 | option_d=40 | answer=A | explanation=Scale factor = 25/5 = 5. Therefore second quantity = 10×5 = 50.

id=38654 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=37 | option_b=31 | option_c=23 | option_d=30 | answer=D | explanation=The common difference is 7. Therefore the next term is 23 + 7 = 30.

id=38655 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:19 and the first is 80, what is the second? | option_a=171 | option_b=190 | option_c=270 | option_d=198 | answer=B | explanation=Scale factor = 80/8 = 10. Therefore second quantity = 19×10 = 190.

id=38656 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 26, 35, 47? | option_a=26 | option_b=35 | option_c=17 | option_d=47 | answer=D | explanation=The first three numbers increase by 9, so the next should be 44. Therefore 47 is the odd one out.

id=38657 | topic=Averages | difficulty=Easy | question=Find the average of 96, 56, 10, 98, 33, 91, 52, 74, 66. | option_a=66 | option_b=65 | option_c=63 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 576 ÷ 9 = 64.

id=38658 | topic=Averages | difficulty=Easy | question=Find the average of 35, 45, 77, 97, 96. | option_a=70 | option_b=72 | option_c=71 | option_d=69 | answer=A | explanation=Average = sum of values ÷ number of values = 350 ÷ 5 = 70.

id=38659 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 15, 20, 26? | option_a=15 | option_b=20 | option_c=10 | option_d=26 | answer=D | explanation=The first three numbers increase by 5, so the next should be 25. Therefore 26 is the odd one out.

id=38660 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=66 | option_b=44 | option_c=55 | option_d=56 | answer=C | explanation=The common difference is 11. Therefore the next term is 44 + 11 = 55.

id=38661 | topic=Percentages | difficulty=Easy | question=What is 40% of 181? | option_a=72 | option_b=52 | option_c=144 | option_d=82 | answer=A | explanation=40% of 181 = (40/100) × 181 = 72.

id=38662 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 8. | option_a=130 | option_b=96 | option_c=104 | option_d=208 | answer=C | explanation=LCM × HCF = 26×8; HCF(26,8) = 2, so LCM = 104.

id=38663 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6160 at 8% per annum for 2 years. | option_a=1085 | option_b=7145 | option_c=885 | option_d=985 | answer=D | explanation=SI = PRT/100 = 6160×8×2/100 = **■**985.

id=38664 | topic=Percentages | difficulty=Easy | question=What is 5% of 1684? | option_a=94 | option_b=64 | option_c=84 | option_d=168 | answer=C | explanation=5% of 1684 = (5/100) × 1684 = 84.

id=38665 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=44 | option_b=68 | option_c=56 | option_d=57 | answer=C | explanation=The common difference is 12. Therefore the next term is 44 + 12 = 56.

id=38666 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**865. If it is sold at a profit of 20%, what is its selling price? | option_a=952 | option_b=1124 | option_c=1038 | option_d=885 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 865 × 120/100 = **■**1038.

id=38667 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 14. | option_a=392 | option_b=56 | option_c=28 | option_d=14 | answer=C | explanation=LCM × HCF = 28×14; HCF(28,14) = 14, so LCM = 28.

id=38668 | topic=Averages | difficulty=Easy | question=Find the average of 79, 46, 75, 72. | option_a=69 | option_b=68 | option_c=70 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = 272 ÷ 4 = 68.

id=38669 | topic=Percentages | difficulty=Easy | question=What is 5% of 116? | option_a=0 | option_b=25 | option_c=5 | option_d=10 | answer=C | explanation=5% of 116 = (5/100) × 116 = 5.

id=38670 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=S | option_c=M | option_d=Q | answer=D | explanation=Move 2 positions forward from O; the resulting letter is Q.

Aptitude Questions — Records 38,671-38,700 of 100,000

id=38671 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1068 at 6% per annum for 3 years. | option_a=1260 | option_b=92 | option_c=292 | option_d=192 | answer=D | explanation=SI = PRT/100 = 1068×6×3/100 = **■**192.

id=38672 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=38673 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 28? | option_a=5 | option_b=12 | option_c=19 | option_d=28 | answer=D | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 28 is the odd one out.

id=38674 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=J | option_b=I | option_c=H | option_d=K | answer=A | explanation=Move 1 positions forward from I; the resulting letter is J.

id=38675 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 43? | option_a=43 | option_b=34 | option_c=30 | option_d=38 | answer=A | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 43 is the odd one out.

id=38676 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32052 at 4% per annum for 2 years. | option_a=2664 | option_b=2464 | option_c=2564 | option_d=34616 | answer=C | explanation=SI = PRT/100 = 32052×4×2/100 = **■**2564.

id=38677 | topic=Percentages | difficulty=Easy | question=What is 5% of 1708? | option_a=170 | option_b=85 | option_c=80 | option_d=90 | answer=B | explanation=5% of 1708 = (5/100) × 1708 = 85.

id=38678 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**402. If it is sold at a profit of 40%, what is its selling price? | option_a=442 | option_b=562 | option_c=602 | option_d=522 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 402 × 140/100 = **■**562.

id=38679 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 22? | option_a=15 | option_b=7 | option_c=22 | option_d=11 | answer=C | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 22 is the odd one out.

id=38680 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=38681 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 29, 33, 40? | option_a=25 | option_b=33 | option_c=29 | option_d=40 | answer=D | explanation=The first three numbers increase by 4, so the next should be 37. Therefore 40 is the odd one out.

id=38682 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:14 and the first is 84, what is the second? | option_a=182 | option_b=84 | option_c=98 | option_d=110 | answer=C | explanation=Scale factor = 84/12 = 7. Therefore second quantity = 14×7 = 98.

id=38683 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2316 at 10% per annum for 3 years. | option_a=794 | option_b=3010 | option_c=694 | option_d=594 | answer=C | explanation=SI = PRT/100 = 2316×10×3/100 = **■**694.

id=38684 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23158 at 6% per annum for 1 years. | option_a=1289 | option_b=1489 | option_c=24547 | option_d=1389 | answer=D | explanation=SI = PRT/100 = 23158×6×1/100 = **■**1389.

id=38685 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=F | option_c=B | option_d=Z | answer=A | explanation=Move 2 positions forward from B; the resulting letter is D.

id=38686 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 30. | option_a=330 | option_b=300 | option_c=352 | option_d=660 | answer=A | explanation=LCM × HCF = 22×30; HCF(22,30) = 2, so LCM = 330.

id=38687 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 8, 12, 19? | option_a=19 | option_b=12 | option_c=8 | option_d=4 | answer=A | explanation=The first three numbers increase by 4, so the next should be 16. Therefore 19 is the odd one out.

id=38688 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=38689 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27368 at 10% per annum for 4 years. | option_a=38315 | option_b=10947 | option_c=10847 | option_d=11047 | answer=B | explanation=SI = PRT/100 = 27368×10×4/100 = **■**10947.

id=38690 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:11 and the first is 260, what is the second? | option_a=132 | option_b=143 | option_c=163 | option_d=403 | answer=B | explanation=Scale factor = 260/20 = 13. Therefore second quantity = 11×13 = 143.

id=38691 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=U | option_b=P | option_c=K | option_d=F | answer=B | explanation=Move 5 positions forward from K; the resulting letter is P.

id=38692 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 26? | option_a=26 | option_b=16 | option_c=19 | option_d=22 | answer=A | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 26 is the odd one out.

id=38693 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=H | option_c=L | option_d=T | answer=A | explanation=Move 4 positions forward from L; the resulting letter is P.

id=38694 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=56 | option_b=55 | option_c=44 | option_d=66 | answer=B | explanation=The common difference is 11. Therefore the next term is 44 + 11 = 55.

id=38695 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=38696 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=38697 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37323 at 5% per annum for 3 years. | option_a=42921 | option_b=5598 | option_c=5498 | option_d=5698 | answer=B | explanation=SI = PRT/100 = 37323×5×3/100 = **■**5598.

id=38698 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=38699 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=50 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=38700 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2887. If it is sold at a profit of 20%, what is its selling price? | option_a=3176 | option_b=2907 | option_c=3752 | option_d=3464 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2887 × 120/100 = **■**3464.

Aptitude Questions — Records 38,701-38,730 of 100,000

id=38701 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■24518 at 15% per annum for 5 years. | option_a=18288 | option_b=42906 | option_c=18388 | option_d=18488 | answer=C | explanation=SI = PRT/100 = 24518×15×5/100 = ■18388.

id=38702 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=38703 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:20 and the first is 208, what is the second? | option_a=300 | option_b=333 | option_c=528 | option_d=320 | answer=D | explanation=Scale factor = 208/13 = 16. Therefore second quantity = 20×16 = 320.

id=38704 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:5 and the first is 289, what is the second? | option_a=80 | option_b=374 | option_c=102 | option_d=85 | answer=D | explanation=Scale factor = 289/17 = 17. Therefore second quantity = 5×17 = 85.

id=38705 | topic=Percentages | difficulty=Easy | question=What is 5% of 1930? | option_a=96 | option_b=91 | option_c=192 | option_d=101 | answer=A | explanation=5% of 1930 = (5/100) × 1930 = 96.

id=38706 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=L | option_b=W | option_c=B | option_d=G | answer=D | explanation=Move 5 positions forward from B; the resulting letter is G.

id=38707 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 24? | option_a=17 | option_b=24 | option_c=19 | option_d=21 | answer=B | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 24 is the odd one out.

id=38708 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=38709 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 23, 30, 39? | option_a=16 | option_b=30 | option_c=39 | option_d=23 | answer=C | explanation=The first three numbers increase by 7, so the next should be 37. Therefore 39 is the odd one out.

id=38710 | topic=Averages | difficulty=Easy | question=Find the average of 83, 64, 41, 68, 87, 17, 25. | option_a=57 | option_b=55 | option_c=54 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 385 ÷ 7 = 55.

id=38711 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■4114 at 4% per annum for 2 years. | option_a=429 | option_b=4443 | option_c=229 | option_d=329 | answer=D | explanation=SI = PRT/100 = 4114×4×2/100 = ■329.

id=38712 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=75 | option_c=80 | option_d=160 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=38713 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=95 | option_c=180 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=38714 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:6 and the first is 60, what is the second? | option_a=66 | option_b=60 | option_c=54 | option_d=120 | answer=B | explanation=Scale factor = 60/6 = 10. Therefore second quantity = 6×10 = 60.

id=38715 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=M | option_b=I | option_c=K | option_d=G | answer=C | explanation=Move 2 positions forward from I; the resulting letter is K.

id=38716 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:4 and the first is 42, what is the second? | option_a=24 | option_b=34 | option_c=28 | option_d=70 | answer=C | explanation=Scale factor = 42/6 = 7. Therefore second quantity = 4×7 = 28.

id=38717 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=38718 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=A | option_c=E | option_d=M | answer=A | explanation=Move 4 positions forward from E; the resulting letter is I.

id=38719 | topic=Percentages | difficulty=Easy | question=What is 40% of 1879? | option_a=751 | option_b=731 | option_c=1502 | option_d=761 | answer=A | explanation=40% of 1879 = (40/100) × 1879 = 751.

id=38720 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4881. If it is sold at a profit of 25%, what is its selling price? | option_a=6101 | option_b=6589 | option_c=5613 | option_d=4906 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4881 × 125/100 = ■6101.

id=38721 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=15 | option_c=20 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=38722 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=23 | option_c=13 | option_d=36 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=38723 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=A | option_b=C | option_c=D | option_d=B | answer=B | explanation=Move 1 positions forward from B; the resulting letter is C.

id=38724 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=24 | option_c=29 | option_d=48 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=38725 | topic=Averages | difficulty=Easy | question=Find the average of 66, 28, 24, 62, 52, 61, 68, 21, 14. | option_a=44 | option_b=43 | option_c=46 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 396 ÷ 9 = 44.

id=38726 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=33 | option_b=32 | option_c=35 | option_d=29 | answer=B | explanation=The common difference is 3. Therefore the next term is 29 + 3 = 32.

id=38727 | topic=Averages | difficulty=Easy | question=Find the average of 88, 80, 98, 23, 93, 100, 99, 86, 55, 48. | option_a=79 | option_b=76 | option_c=78 | option_d=77 | answer=D | explanation=Average = sum of values ÷ number of values = 770 ÷ 10 = 77.

id=38728 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=48 | option_b=70 | option_c=60 | option_d=59 | answer=D | explanation=The common difference is 11. Therefore the next term is 48 + 11 = 59.

id=38729 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 23, 27, 33? | option_a=27 | option_b=19 | option_c=23 | option_d=33 | answer=D | explanation=The first three numbers increase by 4, so the next should be 31. Therefore 33 is the odd one out.

id=38730 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 38,731-38,760 of 100,000

id=38731 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=59 | option_b=46 | option_c=58 | option_d=70 | answer=C | explanation=The common difference is 12. Therefore the next term is 46 + 12 = 58.

id=38732 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=21 | option_b=20 | option_c=24 | option_d=16 | answer=B | explanation=The common difference is 4. Therefore the next term is 16 + 4 = 20.

id=38733 | topic=Percentages | difficulty=Easy | question=What is 10% of 1424? | option_a=132 | option_b=284 | option_c=162 | option_d=142 | answer=D | explanation=10% of 1424 = (10/100) × 1424 = 142.

id=38734 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 27. | option_a=810 | option_b=243 | option_c=270 | option_d=300 | answer=C | explanation=LCM × HCF = 30×27; HCF(30,27) = 3, so LCM = 270.

id=38735 | topic=Profit & Loss | difficulty=Easy | question=An article costs █832. If it is sold at a profit of 10%, what is its selling price? | option_a=842 | option_b=832 | option_c=915 | option_d=998 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 832 × 110/100 = █915.

id=38736 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 17, 26, 38? | option_a=38 | option_b=8 | option_c=17 | option_d=26 | answer=A | explanation=The first three numbers increase by 9, so the next should be 35. Therefore 38 is the odd one out.

id=38737 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=38738 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=40 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=38739 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3538. If it is sold at a profit of 25%, what is its selling price? | option_a=3563 | option_b=4069 | option_c=4775 | option_d=4422 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3538 × 125/100 = █4422.

id=38740 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4449. If it is sold at a profit of 20%, what is its selling price? | option_a=4894 | option_b=4469 | option_c=5782 | option_d=5338 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4449 × 120/100 = █5338.

id=38741 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22379 at 6% per annum for 2 years. | option_a=2585 | option_b=2785 | option_c=2685 | option_d=25064 | answer=C | explanation=SI = PRT/100 = 22379×6×2/100 = █2685.

id=38742 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=13 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=38743 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=38744 | topic=Percentages | difficulty=Easy | question=What is 10% of 1595? | option_a=159 | option_b=169 | option_c=149 | option_d=318 | answer=A | explanation=10% of 1595 = (10/100) × 1595 = 159.

id=38745 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39546 at 6% per annum for 5 years. | option_a=11763 | option_b=51409 | option_c=11963 | option_d=11863 | answer=D | explanation=SI = PRT/100 = 39546×6×5/100 = █11863.

id=38746 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3706. If it is sold at a profit of 50%, what is its selling price? | option_a=5189 | option_b=3756 | option_c=5559 | option_d=5929 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3706 × 150/100 = █5559.

id=38747 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 33, 40, 48? | option_a=48 | option_b=26 | option_c=40 | option_d=33 | answer=A | explanation=The first three numbers increase by 7, so the next should be 47. Therefore 48 is the odd one out.

id=38748 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 11, 14, 18? | option_a=8 | option_b=11 | option_c=14 | option_d=18 | answer=D | explanation=The first three numbers increase by 3, so the next should be 17. Therefore 18 is the odd one out.

id=38749 | topic=Percentages | difficulty=Easy | question=What is 20% of 1447? | option_a=289 | option_b=279 | option_c=578 | option_d=294 | answer=A | explanation=20% of 1447 = (20/100) × 1447 = 289.

id=38750 | topic=Profit & Loss | difficulty=Easy | question=An article costs █248. If it is sold at a profit of 15%, what is its selling price? | option_a=261 | option_b=263 | option_c=285 | option_d=309 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 248 × 115/100 = █285.

id=38751 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=100 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=38752 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 14, 17, 23? | option_a=17 | option_b=23 | option_c=14 | option_d=11 | answer=B | explanation=The first three numbers increase by 3, so the next should be 20. Therefore 23 is the odd one out.

id=38753 | topic=Averages | difficulty=Easy | question=Find the average of 77, 77, 100, 102. | option_a=91 | option_b=90 | option_c=89 | option_d=88 | answer=C | explanation=Average = sum of values ÷ number of values = 356 ÷ 4 = 89.

id=38754 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=38755 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=38756 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4694 at 10% per annum for 5 years. | option_a=2247 | option_b=2447 | option_c=7041 | option_d=2347 | answer=D | explanation=SI = PRT/100 = 4694×10×5/100 = █2347.

id=38757 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=Q | option_b=V | option_c=G | option_d=L | answer=A | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=38758 | topic=Averages | difficulty=Easy | question=Find the average of 96, 18, 62, 14, 58, 86, 76, 86. | option_a=63 | option_b=62 | option_c=61 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 496 ÷ 8 = 62.

id=38759 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 21. | option_a=144 | option_b=126 | option_c=105 | option_d=378 | answer=B | explanation=LCM × HCF = 18×21; HCF(18,21) = 3, so LCM = 126.

id=38760 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19114 at 5% per annum for 5 years. | option_a=4678 | option_b=4778 | option_c=4878 | option_d=23892 | answer=B | explanation=SI = PRT/100 = 19114×5×5/100 = █4778.

Aptitude Questions — Records 38,761-38,790 of 100,000

id=38761 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:4 and the first is 255, what is the second? | option_a=83 | option_b=68 | option_c=323 | option_d=64 | answer=B | explanation=Scale factor = 255/15 = 17. Therefore second quantity = 4×17 = 68.

id=38762 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=12 | option_b=7 | option_c=17 | option_d=24 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=38763 | topic=Percentages | difficulty=Easy | question=What is 5% of 640? | option_a=42 | option_b=64 | option_c=12 | option_d=32 | answer=D | explanation=5% of 640 = (5/100) × 640 = 32.

id=38764 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=38765 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:2 and the first is 48, what is the second? | option_a=30 | option_b=32 | option_c=80 | option_d=35 | answer=B | explanation=Scale factor = 48/3 = 16. Therefore second quantity = 2×16 = 32.

id=38766 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:4 and the first is 32, what is the second? | option_a=28 | option_b=36 | option_c=64 | option_d=32 | answer=D | explanation=Scale factor = 32/4 = 8. Therefore second quantity = 4×8 = 32.

id=38767 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32030 at 15% per annum for 3 years. | option_a=14513 | option_b=46443 | option_c=14413 | option_d=14313 | answer=C | explanation=SI = PRT/100 = 32030×15×3/100 = █14413.

id=38768 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=N | option_c=L | option_d=M | answer=B | explanation=Move 1 positions forward from M; the resulting letter is N.

id=38769 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 32, 42, 53? | option_a=42 | option_b=53 | option_c=32 | option_d=22 | answer=B | explanation=The first three numbers increase by 10, so the next should be 52. Therefore 53 is the odd one out.

id=38770 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=65 | option_b=56 | option_c=45 | option_d=55 | answer=D | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.

id=38771 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=P | option_b=L | option_c=H | option_d=D | answer=B | explanation=Move 4 positions forward from H; the resulting letter is L.

id=38772 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=38773 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 46? | option_a=23 | option_b=37 | option_c=46 | option_d=30 | answer=C | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 46 is the odd one out.

id=38774 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:5 and the first is 100, what is the second? | option_a=100 | option_b=95 | option_c=200 | option_d=105 | answer=A | explanation=Scale factor = 100/5 = 20. Therefore second quantity = 5×20 = 100.

id=38775 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2382. If it is sold at a profit of 15%, what is its selling price? | option_a=2501 | option_b=2397 | option_c=2977 | option_d=2739 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2382 × 115/100 = █2739.

id=38776 | topic=Percentages | difficulty=Easy | question=What is 20% of 659? | option_a=131 | option_b=121 | option_c=151 | option_d=262 | answer=A | explanation=20% of 659 = (20/100) × 659 = 131.

id=38777 | topic=Averages | difficulty=Easy | question=Find the average of 89, 37, 12, 48, 20, 81, 12, 53, 71. | option_a=47 | option_b=49 | option_c=48 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 423 ÷ 9 = 47.

id=38778 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=K | option_b=Q | option_c=M | option_d=O | answer=D | explanation=Move 2 positions forward from M; the resulting letter is O.

id=38779 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:6 and the first is 34, what is the second? | option_a=6 | option_b=29 | option_c=46 | option_d=12 | answer=D | explanation=Scale factor = 34/17 = 2. Therefore second quantity = 6×2 = 12.

id=38780 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=38781 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=P | option_c=K | option_d=A | answer=C | explanation=Move 5 positions forward from F; the resulting letter is K.

id=38782 | topic=Averages | difficulty=Easy | question=Find the average of 38, 52, 59, 43, 59, 23, 44, 92, 50, 30. | option_a=50 | option_b=48 | option_c=51 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 490 ÷ 10 = 49.

id=38783 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4476. If it is sold at a profit of 5%, what is its selling price? | option_a=4481 | option_b=4699 | option_c=5146 | option_d=4252 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4476 × 105/100 = █4699.

id=38784 | topic=Profit & Loss | difficulty=Easy | question=An article costs █591. If it is sold at a profit of 40%, what is its selling price? | option_a=631 | option_b=768 | option_c=886 | option_d=827 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 591 × 140/100 = █827.

id=38785 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=38786 | topic=Profit & Loss | difficulty=Easy | question=An article costs █540. If it is sold at a profit of 5%, what is its selling price? | option_a=567 | option_b=621 | option_c=545 | option_d=513 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 540 × 105/100 = █567.

id=38787 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=85 | option_c=90 | option_d=180 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=38788 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 35? | option_a=19 | option_b=35 | option_c=24 | option_d=29 | answer=B | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 35 is the odd one out.

id=38789 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:13 and the first is 78, what is the second? | option_a=156 | option_b=175 | option_c=247 | option_d=169 | answer=D | explanation=Scale factor = 78/6 = 13. Therefore second quantity = 13×13 = 169.

id=38790 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=G | option_b=D | option_c=X | option_d=A | answer=B | explanation=Move 3 positions forward from A; the resulting letter is D.

Aptitude Questions — Records 38,791-38,820 of 100,000

id=38791 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 34? | option_a=4 | option_b=34 | option_c=13 | option_d=22 | answer=B | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 34 is the odd one out.

id=38792 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 45? | option_a=45 | option_b=35 | option_c=28 | option_d=21 | answer=A | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 45 is the odd one out.

id=38793 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4258. If it is sold at a profit of 5%, what is its selling price? | option_a=4470 | option_b=4045 | option_c=4263 | option_d=4895 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4258 × 105/100 = █4470.

id=38794 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 14. | option_a=1 | option_b=21 | option_c=14 | option_d=98 | answer=C | explanation=LCM × HCF = 7×14; HCF(7,14) = 7, so LCM = 14.

id=38795 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=Z | option_b=D | option_c=L | option_d=H | answer=D | explanation=Move 4 positions forward from D; the resulting letter is H.

id=38796 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 21. | option_a=42 | option_b=56 | option_c=294 | option_d=21 | answer=A | explanation=LCM × HCF = 14×21; HCF(14,21) = 7, so LCM = 42.

id=38797 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 27. | option_a=150 | option_b=405 | option_c=108 | option_d=135 | answer=D | explanation=LCM × HCF = 15×27; HCF(15,27) = 3, so LCM = 135.

id=38798 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 9. | option_a=270 | option_b=81 | option_c=90 | option_d=120 | answer=C | explanation=LCM × HCF = 30×9; HCF(30,9) = 3, so LCM = 90.

id=38799 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=19 | option_c=29 | option_d=48 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=38800 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 26. | option_a=104 | option_b=140 | option_c=260 | option_d=130 | answer=D | explanation=LCM × HCF = 10×26; HCF(10,26) = 2, so LCM = 130.

id=38801 | topic=Averages | difficulty=Easy | question=Find the average of 87, 53, 40. | option_a=59 | option_b=60 | option_c=62 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 180 ÷ 3 = 60.

id=38802 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=I | option_c=G | option_d=E | answer=B | explanation=Move 2 positions forward from G; the resulting letter is I.

id=38803 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2157 at 4% per annum for 3 years. | option_a=258 | option_b=2415 | option_c=158 | option_d=358 | answer=A | explanation=SI = PRT/100 = 2157×4×3/100 = █258.

id=38804 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 31, 42, 53, ? | option_a=64 | option_b=65 | option_c=53 | option_d=75 | answer=A | explanation=The common difference is 11. Therefore the next term is 53 + 11 = 64.

id=38805 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 19, 29, 41? | option_a=29 | option_b=9 | option_c=19 | option_d=41 | answer=D | explanation=The first three numbers increase by 10, so the next should be 39. Therefore 41 is the odd one out.

id=38806 | topic=Percentages | difficulty=Easy | question=What is 25% of 341? | option_a=170 | option_b=95 | option_c=85 | option_d=80 | answer=C | explanation=25% of 341 = (25/100) × 341 = 85.

id=38807 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=38808 | topic=Averages | difficulty=Easy | question=Find the average of 35, 40, 60, 29, 12, 99, 40. | option_a=47 | option_b=44 | option_c=45 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 315 ÷ 7 = 45.

id=38809 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=T | option_c=X | option_d=R | answer=A | explanation=Move 2 positions forward from T; the resulting letter is V.

id=38810 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 25, 31, 39? | option_a=39 | option_b=25 | option_c=19 | option_d=31 | answer=A | explanation=The first three numbers increase by 6, so the next should be 37. Therefore 39 is the odd one out.

id=38811 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38471 at 5% per annum for 2 years. | option_a=3747 | option_b=3947 | option_c=42318 | option_d=3847 | answer=D | explanation=SI = PRT/100 = 38471×5×2/100 = █3847.

id=38812 | topic=Averages | difficulty=Easy | question=Find the average of 98, 61, 80, 26, 58, 19. | option_a=59 | option_b=57 | option_c=58 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 342 ÷ 6 = 57.

id=38813 | topic=Averages | difficulty=Easy | question=Find the average of 77, 78, 100, 29, 85, 29, 30, 62, 91, 99. | option_a=69 | option_b=68 | option_c=67 | option_d=70 | answer=B | explanation=Average = sum of values ÷ number of values = 680 ÷ 10 = 68.

id=38814 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4459. If it is sold at a profit of 10%, what is its selling price? | option_a=4469 | option_b=5349 | option_c=4904 | option_d=4459 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4459 × 110/100 = █4904.

id=38815 | topic=Percentages | difficulty=Easy | question=What is 30% of 481? | option_a=288 | option_b=144 | option_c=124 | option_d=164 | answer=B | explanation=30% of 481 = (30/100) × 481 = 144.

id=38816 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=80 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=38817 | topic=Averages | difficulty=Easy | question=Find the average of 38, 19, 83, 56, 39. | option_a=49 | option_b=46 | option_c=48 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 235 ÷ 5 = 47.

id=38818 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=52 | option_b=43 | option_c=44 | option_d=34 | answer=B | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

id=38819 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=27 | option_b=30 | option_c=28 | option_d=24 | answer=A | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=38820 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14576 at 8% per annum for 1 years. | option_a=1266 | option_b=1066 | option_c=1166 | option_d=15742 | answer=C | explanation=SI = PRT/100 = 14576×8×1/100 = █1166.

Aptitude Questions — Records 38,821-38,850 of 100,000

id=38821 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**899. If it is sold at a profit of 30%, what is its selling price? | option_a=929 | option_b=1168 | option_c=1079 | option_d=1257 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 899 × 130/100 = **■**1168.

id=38822 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:12 and the first is 90, what is the second? | option_a=180 | option_b=270 | option_c=168 | option_d=186 | answer=A | explanation=Scale factor = 90/6 = 15. Therefore second quantity = 12×15 = 180.

id=38823 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=10 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=38824 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=30 | option_b=36 | option_c=35 | option_d=40 | answer=C | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=38825 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16374 at 15% per annum for 5 years. | option_a=12180 | option_b=12380 | option_c=12280 | option_d=28654 | answer=C | explanation=SI = PRT/100 = 16374×15×5/100 = **■**12280.

id=38826 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=55 | option_d=100 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=38827 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=L | option_b=Q | option_c=B | option_d=G | answer=A | explanation=Move 5 positions forward from G; the resulting letter is L.

id=38828 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 11, 14, 18? | option_a=18 | option_b=8 | option_c=11 | option_d=14 | answer=A | explanation=The first three numbers increase by 3, so the next should be 17. Therefore 18 is the odd one out.

id=38829 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 30? | option_a=22 | option_b=24 | option_c=30 | option_d=26 | answer=C | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 30 is the odd one out.

id=38830 | topic=Percentages | difficulty=Easy | question=What is 40% of 1670? | option_a=668 | option_b=688 | option_c=658 | option_d=1336 | answer=A | explanation=40% of 1670 = (40/100) × 1670 = 668.

id=38831 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=33 | option_b=34 | option_c=39 | option_d=27 | answer=A | explanation=The common difference is 6. Therefore the next term is 27 + 6 = 33.

id=38832 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=H | option_b=C | option_c=M | option_d=X | answer=A | explanation=Move 5 positions forward from C; the resulting letter is H.

id=38833 | topic=Averages | difficulty=Easy | question=Find the average of 25, 59, 55, 61, 74, 77, 69, 53, 59, 18. | option_a=57 | option_b=55 | option_c=54 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 550 ÷ 10 = 55.

id=38834 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=29 | option_c=24 | option_d=19 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=38835 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48178 at 6% per annum for 1 years. | option_a=51068 | option_b=2790 | option_c=2990 | option_d=2890 | answer=D | explanation=SI = PRT/100 = 48178×6×1/100 = **■**2890.

id=38836 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1306. If it is sold at a profit of 30%, what is its selling price? | option_a=1827 | option_b=1567 | option_c=1336 | option_d=1697 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1306 × 130/100 = **■**1697.

id=38837 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42224 at 12% per annum for 1 years. | option_a=5066 | option_b=4966 | option_c=47290 | option_d=5166 | answer=A | explanation=SI = PRT/100 = 42224×12×1/100 = **■**5066.

id=38838 | topic=Percentages | difficulty=Easy | question=What is 40% of 1725? | option_a=680 | option_b=710 | option_c=690 | option_d=1380 | answer=C | explanation=40% of 1725 = (40/100) × 1725 = 690.

id=38839 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 41? | option_a=30 | option_b=33 | option_c=36 | option_d=41 | answer=D | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 41 is the odd one out.

id=38840 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20928 at 15% per annum for 4 years. | option_a=12456 | option_b=33484 | option_c=12656 | option_d=12556 | answer=D | explanation=SI = PRT/100 = 20928×15×4/100 = **■**12556.

id=38841 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=Z | option_b=R | option_c=N | option_d=V | answer=D | explanation=Move 4 positions forward from R; the resulting letter is V.

id=38842 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:10 and the first is 132, what is the second? | option_a=110 | option_b=122 | option_c=242 | option_d=100 | answer=A | explanation=Scale factor = 132/12 = 11. Therefore second quantity = 10×11 = 110.

id=38843 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3297. If it is sold at a profit of 50%, what is its selling price? | option_a=4616 | option_b=5274 | option_c=4945 | option_d=3347 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3297 × 150/100 = **■**4945.

id=38844 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3180. If it is sold at a profit of 5%, what is its selling price? | option_a=3021 | option_b=3185 | option_c=3339 | option_d=3657 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3180 × 105/100 = **■**3339.

id=38845 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:18 and the first is 90, what is the second? | option_a=180 | option_b=90 | option_c=72 | option_d=108 | answer=B | explanation=Scale factor = 90/18 = 5. Therefore second quantity = 18×5 = 90.

id=38846 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=B | option_b=M | option_c=W | option_d=R | answer=C | explanation=Move 5 positions forward from R; the resulting letter is W.

id=38847 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31953 at 10% per annum for 5 years. | option_a=15976 | option_b=15876 | option_c=16076 | option_d=47929 | answer=A | explanation=SI = PRT/100 = 31953×10×5/100 = **■**15976.

id=38848 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=38849 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=38850 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=K | option_b=L | option_c=N | option_d=M | answer=D | explanation=Move 1 positions forward from L; the resulting letter is M.

Aptitude Questions — Records 38,851-38,880 of 100,000

id=38851 | topic=Percentages | difficulty=Easy | question=What is 5% of 862? | option_a=43 | option_b=33 | option_c=86 | option_d=53 | answer=A | explanation=5% of 862 = (5/100) × 862 = 43.

id=38852 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:17 and the first is 143, what is the second? | option_a=200 | option_b=187 | option_c=330 | option_d=170 | answer=B | explanation=Scale factor = 143/13 = 11. Therefore second quantity = 17×11 = 187.

id=38853 | topic=Percentages | difficulty=Easy | question=What is 30% of 1585? | option_a=950 | option_b=465 | option_c=480 | option_d=475 | answer=D | explanation=30% of 1585 = (30/100) × 1585 = 475.

id=38854 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does "T" become? | option_a=V | option_b=X | option_c=R | option_d=T | answer=A | explanation=Move 2 positions forward from T; the resulting letter is V.

id=38855 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:7 and the first is 45, what is the second? | option_a=63 | option_b=68 | option_c=56 | option_d=108 | answer=A | explanation=Scale factor = 45/5 = 9. Therefore second quantity = 7×9 = 63.

id=38856 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21791 at 15% per annum for 4 years. | option_a=34865 | option_b=13074 | option_c=12974 | option_d=13174 | answer=B | explanation=SI = PRT/100 = 21791×15×4/100 = **■**13074.

id=38857 | topic=Averages | difficulty=Easy | question=Find the average of 33, 46, 24, 12, 31, 91, 43, 24. | option_a=38 | option_b=39 | option_c=37 | option_d=40 | answer=A | explanation=Average = sum of values ÷ number of values = 304 ÷ 8 = 38.

id=38858 | topic=Percentages | difficulty=Easy | question=What is 30% of 1226? | option_a=372 | option_b=367 | option_c=734 | option_d=357 | answer=B | explanation=30% of 1226 = (30/100) × 1226 = 367.

id=38859 | topic=Percentages | difficulty=Easy | question=What is 50% of 880? | option_a=460 | option_b=440 | option_c=435 | option_d=880 | answer=B | explanation=50% of 880 = (50/100) × 880 = 440.

id=38860 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 20. | option_a=25 | option_b=20 | option_c=100 | option_d=1 | answer=B | explanation=LCM × HCF = 5×20; HCF(5,20) = 5, so LCM = 20.

id=38861 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=38862 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 43? | option_a=27 | option_b=37 | option_c=32 | option_d=43 | answer=D | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 43 is the odd one out.

id=38863 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=38864 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=9 | option_b=18 | option_c=4 | option_d=14 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=38865 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4048. If it is sold at a profit of 15%, what is its selling price? | option_a=5059 | option_b=4063 | option_c=4655 | option_d=4251 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4048 × 115/100 = **■**4655.

id=38866 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31122 at 12% per annum for 3 years. | option_a=42325 | option_b=11103 | option_c=11303 | option_d=11203 | answer=D | explanation=SI = PRT/100 = 31122×12×3/100 = **■**11203.

id=38867 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=15 | option_b=12 | option_c=16 | option_d=14 | answer=D | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=38868 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=150 | option_c=70 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=38869 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=31 | option_c=72 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=38870 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=38871 | topic=Averages | difficulty=Easy | question=Find the average of 52, 81, 34, 21. | option_a=47 | option_b=49 | option_c=48 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 188 ÷ 4 = 47.

id=38872 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=9 | option_b=14 | option_c=18 | option_d=4 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=38873 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 18, 26, 37? | option_a=10 | option_b=26 | option_c=37 | option_d=18 | answer=C | explanation=The first three numbers increase by 8, so the next should be 34. Therefore 37 is the odd one out.

id=38874 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1574. If it is sold at a profit of 50%, what is its selling price? | option_a=2204 | option_b=2361 | option_c=2518 | option_d=1624 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1574 × 150/100 = **■**2361.

id=38875 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:5 and the first is 220, what is the second? | option_a=275 | option_b=50 | option_c=75 | option_d=55 | answer=D | explanation=Scale factor = 220/20 = 11. Therefore second quantity = 5×11 = 55.

id=38876 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does "U" become? | option_a=W | option_b=U | option_c=V | option_d=T | answer=C | explanation=Move 1 positions forward from U; the resulting letter is V.

id=38877 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=20 | option_c=30 | option_d=25 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=38878 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=58 | option_b=46 | option_c=59 | option_d=70 | answer=A | explanation=The common difference is 12. Therefore the next term is 46 + 12 = 58.

id=38879 | topic=Percentages | difficulty=Easy | question=What is 12% of 1934? | option_a=232 | option_b=222 | option_c=252 | option_d=464 | answer=A | explanation=12% of 1934 = (12/100) × 1934 = 232.

id=38880 | topic=Averages | difficulty=Easy | question=Find the average of 44, 36, 42, 100, 63. | option_a=59 | option_b=58 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.

Aptitude Questions — Records 38,881-38,910 of 100,000

id=38881 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=38882 | topic=Percentages | difficulty=Easy | question=What is 20% of 1862? | option_a=372 | option_b=744 | option_c=362 | option_d=382 | answer=A | explanation=20% of 1862 = (20/100) × 1862 = 372.

id=38883 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40003 at 6% per annum for 2 years. | option_a=4900 | option_b=4700 | option_c=4800 | option_d=44803 | answer=C | explanation=SI = PRT/100 = 40003×6×2/100 = █4800.

id=38884 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=46 | option_b=70 | option_c=59 | option_d=58 | answer=D | explanation=The common difference is 12. Therefore the next term is 46 + 12 = 58.

id=38885 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=27 | option_b=24 | option_c=30 | option_d=28 | answer=A | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=38886 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2571. If it is sold at a profit of 30%, what is its selling price? | option_a=3599 | option_b=3342 | option_c=3085 | option_d=2601 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2571 × 130/100 = █3342.

id=38887 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=32 | option_b=37 | option_c=31 | option_d=25 | answer=C | explanation=The common difference is 6. Therefore the next term is 25 + 6 = 31.

id=38888 | topic=Percentages | difficulty=Easy | question=What is 12% of 815? | option_a=194 | option_b=117 | option_c=97 | option_d=92 | answer=C | explanation=12% of 815 = (12/100) × 815 = 97.

id=38889 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=P | option_b=K | option_c=U | option_d=F | answer=A | explanation=Move 5 positions forward from K; the resulting letter is P.

id=38890 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=4 | option_c=9 | option_d=14 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=38891 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 8, 13, 19? | option_a=13 | option_b=8 | option_c=3 | option_d=19 | answer=D | explanation=The first three numbers increase by 5, so the next should be 18. Therefore 19 is the odd one out.

id=38892 | topic=Profit & Loss | difficulty=Easy | question=An article costs █999. If it is sold at a profit of 25%, what is its selling price? | option_a=1149 | option_b=1024 | option_c=1347 | option_d=1248 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 999 × 125/100 = █1248.

id=38893 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=26 | option_b=23 | option_c=27 | option_d=25 | answer=D | explanation=The common difference is 2. Therefore the next term is 23 + 2 = 25.

id=38894 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=38895 | topic=Profit & Loss | difficulty=Easy | question=An article costs █130. If it is sold at a profit of 30%, what is its selling price? | option_a=160 | option_b=169 | option_c=182 | option_d=156 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 130 × 130/100 = █169.

id=38896 | topic=Profit & Loss | difficulty=Easy | question=An article costs █978. If it is sold at a profit of 25%, what is its selling price? | option_a=1319 | option_b=1222 | option_c=1003 | option_d=1125 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 978 × 125/100 = █1222.

id=38897 | topic=Percentages | difficulty=Easy | question=What is 30% of 1819? | option_a=545 | option_b=525 | option_c=1090 | option_d=555 | answer=A | explanation=30% of 1819 = (30/100) × 1819 = 545.

id=38898 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1296. If it is sold at a profit of 15%, what is its selling price? | option_a=1490 | option_b=1361 | option_c=1619 | option_d=1311 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1296 × 115/100 = █1490.

id=38899 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=150 | option_c=70 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=38900 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14990 at 8% per annum for 2 years. | option_a=2398 | option_b=17388 | option_c=2498 | option_d=2298 | answer=A | explanation=SI = PRT/100 = 14990×8×2/100 = █2398.

id=38901 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=90 | option_c=85 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=38902 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12070 at 4% per annum for 4 years. | option_a=1831 | option_b=1931 | option_c=14001 | option_d=2031 | answer=B | explanation=SI = PRT/100 = 12070×4×4/100 = █1931.

id=38903 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=40 | option_b=36 | option_c=32 | option_d=37 | answer=B | explanation=The common difference is 4. Therefore the next term is 32 + 4 = 36.

id=38904 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 20. | option_a=125 | option_b=100 | option_c=80 | option_d=500 | answer=B | explanation=LCM × HCF = 25×20; HCF(25,20) = 5, so LCM = 100.

id=38905 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=38906 | topic=Percentages | difficulty=Easy | question=What is 50% of 129? | option_a=74 | option_b=128 | option_c=64 | option_d=59 | answer=C | explanation=50% of 129 = (50/100) × 129 = 64.

id=38907 | topic=Percentages | difficulty=Easy | question=What is 5% of 195? | option_a=18 | option_b=9 | option_c=19 | option_d=0 | answer=B | explanation=5% of 195 = (5/100) × 195 = 9.

id=38908 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=R | option_b=X | option_c=A | option_d=U | answer=B | explanation=Move 3 positions forward from U; the resulting letter is X.

id=38909 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=14 | option_c=9 | option_d=18 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=38910 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:3 and the first is 6, what is the second? | option_a=19 | option_b=15 | option_c=18 | option_d=24 | answer=C | explanation=Scale factor = 6/1 = 6. Therefore second quantity = 3×6 = 18.

Aptitude Questions — Records 38,911-38,940 of 100,000

id=38911 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=38912 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25072 at 5% per annum for 4 years. | option_a=5014 | option_b=5114 | option_c=30086 | option_d=4914 | answer=A | explanation=SI = PRT/100 = 25072×5×4/100 = **■**5014.

id=38913 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 18, 25, 33? | option_a=25 | option_b=11 | option_c=33 | option_d=18 | answer=C | explanation=The first three numbers increase by 7, so the next should be 32. Therefore 33 is the odd one out.

id=38914 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=155 | option_c=150 | option_d=300 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=38915 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=38916 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=38917 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=38918 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=38919 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**863. If it is sold at a profit of 20%, what is its selling price? | option_a=949 | option_b=1121 | option_c=1035 | option_d=883 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 863 × 120/100 = **■**1035.

id=38920 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=G | option_c=E | option_d=H | answer=B | explanation=Move 1 positions forward from F; the resulting letter is G.

id=38921 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=38922 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 16? | option_a=16 | option_b=8 | option_c=10 | option_d=12 | answer=A | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 16 is the odd one out.

id=38923 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 14. | option_a=392 | option_b=28 | option_c=14 | option_d=56 | answer=B | explanation=LCM × HCF = 28×14; HCF(28,14) = 14, so LCM = 28.

id=38924 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Q | option_b=W | option_c=Z | option_d=T | answer=B | explanation=Move 3 positions forward from T; the resulting letter is W.

id=38925 | topic=Percentages | difficulty=Easy | question=What is 25% of 1236? | option_a=309 | option_b=304 | option_c=618 | option_d=329 | answer=A | explanation=25% of 1236 = (25/100) × 1236 = 309.

id=38926 | topic=Averages | difficulty=Easy | question=Find the average of 70, 84, 50, 40, 22, 15, 93, 23, 98. | option_a=56 | option_b=54 | option_c=57 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.

id=38927 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 38? | option_a=38 | option_b=10 | option_c=19 | option_d=28 | answer=A | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 38 is the odd one out.

id=38928 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 26, 35, 47? | option_a=35 | option_b=17 | option_c=47 | option_d=26 | answer=C | explanation=The first three numbers increase by 9, so the next should be 44. Therefore 47 is the odd one out.

id=38929 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3036. If it is sold at a profit of 5%, what is its selling price? | option_a=2884 | option_b=3490 | option_c=3187 | option_d=3041 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3036 × 105/100 = **■**3187.

id=38930 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=38931 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=38932 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:12 and the first is 84, what is the second? | option_a=72 | option_b=168 | option_c=84 | option_d=96 | answer=C | explanation=Scale factor = 84/12 = 7. Therefore second quantity = 12×7 = 84.

id=38933 | topic=Percentages | difficulty=Easy | question=What is 12% of 1973? | option_a=246 | option_b=472 | option_c=236 | option_d=231 | answer=C | explanation=12% of 1973 = (12/100) × 1973 = 236.

id=38934 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=31 | option_c=36 | option_d=72 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=38935 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=7 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=38936 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=38937 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=45 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=38938 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 17, 22, 28? | option_a=12 | option_b=28 | option_c=22 | option_d=17 | answer=B | explanation=The first three numbers increase by 5, so the next should be 27. Therefore 28 is the odd one out.

id=38939 | topic=Averages | difficulty=Easy | question=Find the average of 67, 44, 51, 31, 27, 62. | option_a=47 | option_b=46 | option_c=48 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 282 ÷ 6 = 47.

id=38940 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 34, 42, 52? | option_a=34 | option_b=42 | option_c=52 | option_d=26 | answer=C | explanation=The first three numbers increase by 8, so the next should be 50. Therefore 52 is the odd one out.

Aptitude Questions — Records 38,941-38,970 of 100,000

id=38941 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3112. If it is sold at a profit of 15%, what is its selling price? | option_a=3127 | option_b=3267 | option_c=3889 | option_d=3578 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3112 × 115/100 = █3578.

id=38942 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12003 at 10% per annum for 2 years. | option_a=14403 | option_b=2500 | option_c=2400 | option_d=2300 | answer=C | explanation=SI = PRT/100 = 12003×10×2/100 = █2400.

id=38943 | topic=Averages | difficulty=Easy | question=Find the average of 34, 35, 78, 92, 59, 69, 33, 35, 42. | option_a=53 | option_b=54 | option_c=55 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 477 ÷ 9 = 53.

id=38944 | topic=Averages | difficulty=Easy | question=Find the average of 53, 84, 60, 65, 30, 36, 44, 96, 36. | option_a=57 | option_b=58 | option_c=55 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=38945 | topic=Percentages | difficulty=Easy | question=What is 20% of 292? | option_a=58 | option_b=116 | option_c=78 | option_d=38 | answer=A | explanation=20% of 292 = (20/100) × 292 = 58.

id=38946 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 35, 45, 58? | option_a=45 | option_b=25 | option_c=35 | option_d=58 | answer=D | explanation=The first three numbers increase by 10, so the next should be 55. Therefore 58 is the odd one out.

id=38947 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:8 and the first is 40, what is the second? | option_a=120 | option_b=84 | option_c=72 | option_d=80 | answer=D | explanation=Scale factor = 40/4 = 10. Therefore second quantity = 8×10 = 80.

id=38948 | topic=Averages | difficulty=Easy | question=Find the average of 46, 68, 76, 52, 12, 99, 46, 91, 76, 54. | option_a=61 | option_b=64 | option_c=62 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = 620 ÷ 10 = 62.

id=38949 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26682 at 5% per annum for 4 years. | option_a=5336 | option_b=32018 | option_c=5436 | option_d=5236 | answer=A | explanation=SI = PRT/100 = 26682×5×4/100 = █5336.

id=38950 | topic=Averages | difficulty=Easy | question=Find the average of 77, 70, 59, 33, 76, 95, 87. | option_a=71 | option_b=70 | option_c=73 | option_d=72 | answer=A | explanation=Average = sum of values ÷ number of values = 497 ÷ 7 = 71.

id=38951 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=38952 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=J | option_c=D | option_d=H | answer=D | explanation=Move 2 positions forward from F; the resulting letter is H.

id=38953 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21871 at 10% per annum for 1 years. | option_a=24058 | option_b=2187 | option_c=2087 | option_d=2287 | answer=B | explanation=SI = PRT/100 = 21871×10×1/100 = █2187.

id=38954 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:2 and the first is 160, what is the second? | option_a=200 | option_b=40 | option_c=38 | option_d=48 | answer=B | explanation=Scale factor = 160/8 = 20. Therefore second quantity = 2×20 = 40.

id=38955 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=8 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=38956 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=100 | option_c=200 | option_d=105 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=38957 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:7 and the first is 136, what is the second? | option_a=49 | option_b=73 | option_c=192 | option_d=56 | answer=D | explanation=Scale factor = 136/17 = 8. Therefore second quantity = 7×8 = 56.

id=38958 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=J | option_b=M | option_c=P | option_d=S | answer=C | explanation=Move 3 positions forward from M; the resulting letter is P.

id=38959 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 25, 31, 38? | option_a=38 | option_b=25 | option_c=31 | option_d=19 | answer=A | explanation=The first three numbers increase by 6, so the next should be 37. Therefore 38 is the odd one out.

id=38960 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 14, 19, 25? | option_a=9 | option_b=19 | option_c=14 | option_d=25 | answer=D | explanation=The first three numbers increase by 5, so the next should be 24. Therefore 25 is the odd one out.

id=38961 | topic=Percentages | difficulty=Easy | question=What is 5% of 1677? | option_a=63 | option_b=88 | option_c=166 | option_d=83 | answer=D | explanation=5% of 1677 = (5/100) × 1677 = 83.

id=38962 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=38963 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42988 at 8% per annum for 2 years. | option_a=49866 | option_b=6978 | option_c=6778 | option_d=6878 | answer=D | explanation=SI = PRT/100 = 42988×8×2/100 = █6878.

id=38964 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1355. If it is sold at a profit of 10%, what is its selling price? | option_a=1490 | option_b=1355 | option_c=1365 | option_d=1625 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1355 × 110/100 = █1490.

id=38965 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=50 | option_d=90 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=38966 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=F | option_b=G | option_c=E | option_d=D | answer=A | explanation=Move 1 positions forward from E; the resulting letter is F.

id=38967 | topic=Percentages | difficulty=Easy | question=What is 30% of 817? | option_a=250 | option_b=240 | option_c=245 | option_d=490 | answer=C | explanation=30% of 817 = (30/100) × 817 = 245.

id=38968 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 34? | option_a=24 | option_b=16 | option_c=34 | option_d=8 | answer=C | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 34 is the odd one out.

id=38969 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=6 | option_c=1 | option_d=11 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=38970 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:16 and the first is 90, what is the second? | option_a=111 | option_b=186 | option_c=80 | option_d=96 | answer=D | explanation=Scale factor = 90/15 = 6. Therefore second quantity = 16×6 = 96.

Aptitude Questions — Records 38,971-39,000 of 100,000

id=38971 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=38972 | topic=Percentages | difficulty=Easy | question=What is 25% of 1193? | option_a=596 | option_b=298 | option_c=293 | option_d=303 | answer=B | explanation=25% of 1193 = (25/100) × 1193 = 298.

id=38973 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:6 and the first is 272, what is the second? | option_a=118 | option_b=96 | option_c=374 | option_d=102 | answer=D | explanation=Scale factor = 272/16 = 17. Therefore second quantity = 6×17 = 102.

id=38974 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 34? | option_a=28 | option_b=34 | option_c=30 | option_d=26 | answer=B | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 34 is the odd one out.

id=38975 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 24. | option_a=432 | option_b=90 | option_c=72 | option_d=48 | answer=C | explanation=LCM × HCF = 18×24; HCF(18,24) = 6, so LCM = 72.

id=38976 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=K | option_c=J | option_d=L | answer=D | explanation=Move 1 positions forward from K; the resulting letter is L.

id=38977 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3919 at 6% per annum for 5 years. | option_a=10075 | option_b=44094 | option_c=10275 | option_d=10175 | answer=D | explanation=SI = PRT/100 = 3919×6×5/100 = **■**10175.

id=38978 | topic=Percentages | difficulty=Easy | question=What is 5% of 1044? | option_a=57 | option_b=32 | option_c=52 | option_d=104 | answer=C | explanation=5% of 1044 = (5/100) × 1044 = 52.

id=38979 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 15? | option_a=15 | option_b=9 | option_c=6 | option_d=3 | answer=A | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 15 is the odd one out.

id=38980 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=50 | option_b=60 | option_c=51 | option_d=40 | answer=A | explanation=The common difference is 10. Therefore the next term is 40 + 10 = 50.

id=38981 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 16. | option_a=16 | option_b=256 | option_c=1 | option_d=32 | answer=A | explanation=LCM × HCF = 16×16; HCF(16,16) = 16, so LCM = 16.

id=38982 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2826. If it is sold at a profit of 30%, what is its selling price? | option_a=2856 | option_b=3673 | option_c=3391 | option_d=3955 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2826 × 130/100 = **■**3673.

id=38983 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=38984 | topic=Percentages | difficulty=Easy | question=What is 30% of 939? | option_a=291 | option_b=281 | option_c=562 | option_d=276 | answer=B | explanation=30% of 939 = (30/100) × 939 = 281.

id=38985 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=R | option_c=P | option_d=N | answer=B | explanation=Move 2 positions forward from P; the resulting letter is R.

id=38986 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 33, 38, 45? | option_a=33 | option_b=38 | option_c=45 | option_d=28 | answer=C | explanation=The first three numbers increase by 5, so the next should be 43. Therefore 45 is the odd one out.

id=38987 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=38988 | topic=Percentages | difficulty=Easy | question=What is 5% of 1779? | option_a=93 | option_b=176 | option_c=88 | option_d=83 | answer=C | explanation=5% of 1779 = (5/100) × 1779 = 88.

id=38989 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4780. If it is sold at a profit of 10%, what is its selling price? | option_a=4780 | option_b=5258 | option_c=5736 | option_d=4790 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4780 × 110/100 = **■**5258.

id=38990 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=38991 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2686. If it is sold at a profit of 10%, what is its selling price? | option_a=2696 | option_b=2954 | option_c=3222 | option_d=2686 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2686 × 110/100 = **■**2954.

id=38992 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 7. | option_a=42 | option_b=14 | option_c=21 | option_d=147 | answer=C | explanation=LCM × HCF = 21×7; HCF(21,7) = 7, so LCM = 21.

id=38993 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 29? | option_a=4 | option_b=12 | option_c=29 | option_d=20 | answer=C | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 29 is the odd one out.

id=38994 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=O | option_b=E | option_c=J | option_d=Z | answer=C | explanation=Move 5 positions forward from E; the resulting letter is J.

id=38995 | topic=Averages | difficulty=Easy | question=Find the average of 26, 98, 20. | option_a=48 | option_b=47 | option_c=49 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 144 ÷ 3 = 48.

id=38996 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=H | option_b=K | option_c=N | option_d=Q | answer=C | explanation=Move 3 positions forward from K; the resulting letter is N.

id=38997 | topic=Averages | difficulty=Easy | question=Find the average of 35, 100, 35, 53, 52. | option_a=55 | option_b=57 | option_c=54 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 275 ÷ 5 = 55.

id=38998 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2312. If it is sold at a profit of 15%, what is its selling price? | option_a=2327 | option_b=2658 | option_c=2427 | option_d=2889 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2312 × 115/100 = **■**2658.

id=38999 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=39000 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:11 and the first is 135, what is the second? | option_a=234 | option_b=99 | option_c=114 | option_d=88 | answer=B | explanation=Scale factor = 135/15 = 9. Therefore second quantity = 11×9 = 99.

Aptitude Questions — Records 39,001-39,030 of 100,000

id=39001 | topic=Percentages | difficulty=Easy | question=What is 15% of 1927? | option_a=578 | option_b=289 | option_c=279 | option_d=309 | answer=B | explanation=15% of 1927 = (15/100) × 1927 = 289.

id=39002 | topic=Averages | difficulty=Easy | question=Find the average of 29, 40, 100, 75. | option_a=61 | option_b=62 | option_c=63 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 244 ÷ 4 = 61.

id=39003 | topic=Profit & Loss | difficulty=Easy | question=An article costs █815. If it is sold at a profit of 5%, what is its selling price? | option_a=855 | option_b=774 | option_c=936 | option_d=820 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 815 × 105/100 = █855.

id=39004 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=72 | option_c=41 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=39005 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=P | option_b=Z | option_c=U | option_d=E | answer=B | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=39006 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=23 | option_b=24 | option_c=19 | option_d=27 | answer=A | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=39007 | topic=Percentages | difficulty=Easy | question=What is 12% of 96? | option_a=11 | option_b=22 | option_c=6 | option_d=16 | answer=A | explanation=12% of 96 = (12/100) × 96 = 11.

id=39008 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=39009 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=39010 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=9 | option_c=4 | option_d=14 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=39011 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 14. | option_a=1 | option_b=14 | option_c=21 | option_d=98 | answer=B | explanation=LCM × HCF = 7×14; HCF(7,14) = 7, so LCM = 14.

id=39012 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1346. If it is sold at a profit of 5%, what is its selling price? | option_a=1413 | option_b=1351 | option_c=1279 | option_d=1547 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1346 × 105/100 = █1413.

id=39013 | topic=Percentages | difficulty=Easy | question=What is 25% of 1573? | option_a=403 | option_b=786 | option_c=393 | option_d=388 | answer=C | explanation=25% of 1573 = (25/100) × 1573 = 393.

id=39014 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:3 and the first is 88, what is the second? | option_a=112 | option_b=35 | option_c=24 | option_d=21 | answer=C | explanation=Scale factor = 88/11 = 8. Therefore second quantity = 3×8 = 24.

id=39015 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1009. If it is sold at a profit of 10%, what is its selling price? | option_a=1109 | option_b=1019 | option_c=1209 | option_d=1009 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1009 × 110/100 = █1109.

id=39016 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3234 at 4% per annum for 2 years. | option_a=258 | option_b=3492 | option_c=158 | option_d=358 | answer=A | explanation=SI = PRT/100 = 3234×4×2/100 = █258.

id=39017 | topic=Averages | difficulty=Easy | question=Find the average of 26, 92, 95, 99, 75, 75. | option_a=76 | option_b=79 | option_c=78 | option_d=77 | answer=D | explanation=Average = sum of values ÷ number of values = 462 ÷ 6 = 77.

id=39018 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=5 | option_c=20 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=39019 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=39020 | topic=Profit & Loss | difficulty=Easy | question=An article costs █647. If it is sold at a profit of 15%, what is its selling price? | option_a=662 | option_b=808 | option_c=680 | option_d=744 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 647 × 115/100 = █744.

id=39021 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 14, 22, 32? | option_a=14 | option_b=22 | option_c=32 | option_d=6 | answer=C | explanation=The first three numbers increase by 8, so the next should be 30. Therefore 32 is the odd one out.

id=39022 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=4 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=39023 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:18 and the first is 135, what is the second? | option_a=162 | option_b=297 | option_c=144 | option_d=177 | answer=A | explanation=Scale factor = 135/15 = 9. Therefore second quantity = 18×9 = 162.

id=39024 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=39025 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40940 at 10% per annum for 2 years. | option_a=8088 | option_b=8288 | option_c=8188 | option_d=49128 | answer=C | explanation=SI = PRT/100 = 40940×10×2/100 = █8188.

id=39026 | topic=Averages | difficulty=Easy | question=Find the average of 23, 36, 42, 47. | option_a=36 | option_b=38 | option_c=39 | option_d=37 | answer=D | explanation=Average = sum of values ÷ number of values = 148 ÷ 4 = 37.

id=39027 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:18 and the first is 50, what is the second? | option_a=140 | option_b=90 | option_c=100 | option_d=72 | answer=B | explanation=Scale factor = 50/10 = 5. Therefore second quantity = 18×5 = 90.

id=39028 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:13 and the first is 40, what is the second? | option_a=130 | option_b=170 | option_c=134 | option_d=117 | answer=A | explanation=Scale factor = 40/4 = 10. Therefore second quantity = 13×10 = 130.

id=39029 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 25, 34, 43, ? | option_a=53 | option_b=61 | option_c=52 | option_d=43 | answer=C | explanation=The common difference is 9. Therefore the next term is 43 + 9 = 52.

id=39030 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=L | option_c=X | option_d=T | answer=D | explanation=Move 4 positions forward from P; the resulting letter is T.

Aptitude Questions — Records 39,031-39,060 of 100,000

id=39031 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10492 at 12% per annum for 1 years. | option_a=1259 | option_b=11751 | option_c=1359 | option_d=1159 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{10492 \times 12 \times 1}{100} = \text{■}1259$.

id=39032 | topic=Percentages | difficulty=Easy | question=What is 30% of 1541? | option_a=924 | option_b=482 | option_c=442 | option_d=462 | answer=D | explanation= $30\% \text{ of } 1541 = (\frac{30}{100}) \times 1541 = 462$.

id=39033 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 21. | option_a=1 | option_b=24 | option_c=63 | option_d=21 | answer=D | explanation= $LCM \times HCF = 3 \times 21$; $HCF(3,21) = 3$, so $LCM = 21$.

id=39034 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2251. If it is sold at a profit of 20%, what is its selling price? | option_a=2476 | option_b=2271 | option_c=2926 | option_d=2701 | answer=D | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%) / 100 = 2251 \times \frac{120}{100} = \text{■}2701$.

id=39035 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:4 and the first is 10, what is the second? | option_a=22 | option_b=30 | option_c=20 | option_d=16 | answer=C | explanation= $\text{Scale factor} = \frac{10}{2} = 5$. Therefore second quantity = $4 \times 5 = 20$.

id=39036 | topic=Averages | difficulty=Easy | question=Find the average of 32, 87, 64. | option_a=61 | option_b=60 | option_c=63 | option_d=62 | answer=A | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{183}{3} = 61$.

id=39037 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{240}{4} = 60 \text{ km/h}$.

id=39038 | topic=Averages | difficulty=Easy | question=Find the average of 83, 53, 64, 44, 89, 36, 81, 41, 39, 50. | option_a=60 | option_b=57 | option_c=59 | option_d=58 | answer=D | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{580}{10} = 58$.

id=39039 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{360}{6} = 60 \text{ km/h}$.

id=39040 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=D | option_c=B | option_d=E | answer=B | explanation=Move 1 positions forward from C; the resulting letter is D.

id=39041 | topic=Averages | difficulty=Easy | question=Find the average of 38, 91, 28, 74, 30, 25, 18, 27, 20. | option_a=41 | option_b=38 | option_c=40 | option_d=39 | answer=D | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{351}{9} = 39$.

id=39042 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=59 | option_b=69 | option_c=58 | option_d=47 | answer=C | explanation=The common difference is 11. Therefore the next term is $47 + 11 = 58$.

id=39043 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=76 | option_b=65 | option_c=52 | option_d=64 | answer=D | explanation=The common difference is 12. Therefore the next term is $52 + 12 = 64$.

id=39044 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 14, 17, 21? | option_a=21 | option_b=14 | option_c=11 | option_d=17 | answer=A | explanation=The first three numbers increase by 3, so the next should be 20. Therefore 21 is the odd one out.

id=39045 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=42 | option_b=43 | option_c=51 | option_d=33 | answer=A | explanation=The common difference is 9. Therefore the next term is $33 + 9 = 42$.

id=39046 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation= $\text{Combined rate} = \frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=39047 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30691 at 12% per annum for 1 years. | option_a=34373 | option_b=3782 | option_c=3682 | option_d=3582 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{30691 \times 12 \times 1}{100} = \text{■}3682$.

id=39048 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:15 and the first is 108, what is the second? | option_a=165 | option_b=288 | option_c=180 | option_d=189 | answer=C | explanation= $\text{Scale factor} = \frac{108}{9} = 12$. Therefore second quantity = $15 \times 12 = 180$.

id=39049 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**563. If it is sold at a profit of 20%, what is its selling price? | option_a=675 | option_b=731 | option_c=583 | option_d=619 | answer=A | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%) / 100 = 563 \times \frac{120}{100} = \text{■}675$.

id=39050 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1996. If it is sold at a profit of 20%, what is its selling price? | option_a=2594 | option_b=2016 | option_c=2395 | option_d=2196 | answer=C | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%) / 100 = 1996 \times \frac{120}{100} = \text{■}2395$.

id=39051 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:7 and the first is 153, what is the second? | option_a=80 | option_b=216 | option_c=56 | option_d=63 | answer=D | explanation= $\text{Scale factor} = \frac{153}{17} = 9$. Therefore second quantity = $7 \times 9 = 63$.

id=39052 | topic=Averages | difficulty=Easy | question=Find the average of 19, 10, 78, 93, 78, 66, 34. | option_a=54 | option_b=53 | option_c=56 | option_d=55 | answer=A | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{378}{7} = 54$.

id=39053 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=U | option_b=Z | option_c=P | option_d=K | answer=A | explanation=Move 5 positions forward from P; the resulting letter is U.

id=39054 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=W | option_c=S | option_d=K | answer=C | explanation=Move 4 positions forward from O; the resulting letter is S.

id=39055 | topic=Number System | difficulty=Easy | question=Find the LCM of 17 and 17. | option_a=34 | option_b=1 | option_c=17 | option_d=289 | answer=C | explanation= $LCM \times HCF = 17 \times 17$; $HCF(17,17) = 17$, so $LCM = 17$.

id=39056 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:3 and the first is 24, what is the second? | option_a=42 | option_b=22 | option_c=15 | option_d=18 | answer=D | explanation= $\text{Scale factor} = \frac{24}{4} = 6$. Therefore second quantity = $3 \times 6 = 18$.

id=39057 | topic=Percentages | difficulty=Easy | question=What is 25% of 1037? | option_a=249 | option_b=259 | option_c=518 | option_d=279 | answer=B | explanation= $25\% \text{ of } 1037 = (\frac{25}{100}) \times 1037 = 259$.

id=39058 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15065 at 15% per annum for 4 years. | option_a=8939 | option_b=9139 | option_c=24104 | option_d=9039 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{15065 \times 15 \times 4}{100} = \text{■}9039$.

id=39059 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4548. If it is sold at a profit of 5%, what is its selling price? | option_a=4553 | option_b=4775 | option_c=5229 | option_d=4321 | answer=B | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%) / 100 = 4548 \times \frac{105}{100} = \text{■}4775$.

id=39060 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4504. If it is sold at a profit of 10%, what is its selling price? | option_a=4504 | option_b=4514 | option_c=5404 | option_d=4954 | answer=D | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%) / 100 = 4504 \times \frac{110}{100} = \text{■}4954$.

Aptitude Questions — Records 39,061-39,090 of 100,000

id=39061 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:9 and the first is 176, what is the second? | option_a=155 | option_b=320 | option_c=135 | option_d=144 | answer=D | explanation=Scale factor = $176/11 = 16$. Therefore second quantity = $9 \times 16 = 144$.

id=39062 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=57 | option_b=48 | option_c=37 | option_d=47 | answer=D | explanation=The common difference is 10. Therefore the next term is $37 + 10 = 47$.

id=39063 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=48 | option_b=41 | option_c=40 | option_d=32 | answer=C | explanation=The common difference is 8. Therefore the next term is $32 + 8 = 40$.

id=39064 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.

id=39065 | topic=Percentages | difficulty=Easy | question=What is 25% of 650? | option_a=324 | option_b=162 | option_c=182 | option_d=142 | answer=B | explanation=25% of 650 = $(25/100) \times 650 = 162$.

id=39066 | topic=Profit & Loss | difficulty=Easy | question=An article costs █834. If it is sold at a profit of 5%, what is its selling price? | option_a=839 | option_b=875 | option_c=958 | option_d=792 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 834 \times 105/100 = \text{█}875$.

id=39067 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3590. If it is sold at a profit of 30%, what is its selling price? | option_a=4667 | option_b=3620 | option_c=4308 | option_d=5026 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3590 \times 130/100 = \text{█}4667$.

id=39068 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:17 and the first is 128, what is the second? | option_a=255 | option_b=280 | option_c=272 | option_d=400 | answer=C | explanation=Scale factor = $128/8 = 16$. Therefore second quantity = $17 \times 16 = 272$.

id=39069 | topic=Percentages | difficulty=Easy | question=What is 10% of 1449? | option_a=134 | option_b=144 | option_c=288 | option_d=164 | answer=B | explanation=10% of 1449 = $(10/100) \times 1449 = 144$.

id=39070 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 27. | option_a=216 | option_b=189 | option_c=648 | option_d=240 | answer=A | explanation= $LCM \times HCF = 24 \times 27$; $HCF(24, 27) = 3$, so $LCM = 216$.

id=39071 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=38 | option_b=56 | option_c=48 | option_d=47 | answer=D | explanation=The common difference is 9. Therefore the next term is $38 + 9 = 47$.

id=39072 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 10. | option_a=20 | option_b=24 | option_c=10 | option_d=40 | answer=A | explanation= $LCM \times HCF = 4 \times 10$; $HCF(4, 10) = 2$, so $LCM = 20$.

id=39073 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26326 at 12% per annum for 5 years. | option_a=15695 | option_b=42121 | option_c=15795 | option_d=15895 | answer=C | explanation= $SI = PRT/100 = 26326 \times 12 \times 5/100 = \text{█}15795$.

id=39074 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 20, 26, 33? | option_a=33 | option_b=26 | option_c=20 | option_d=14 | answer=A | explanation=The first three numbers increase by 6, so the next should be 32. Therefore 33 is the odd one out.

id=39075 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10219 at 6% per annum for 3 years. | option_a=1939 | option_b=12058 | option_c=1839 | option_d=1739 | answer=C | explanation= $SI = PRT/100 = 10219 \times 6 \times 3/100 = \text{█}1839$.

id=39076 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=24 | option_d=5 | answer=A | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=39077 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:9 and the first is 39, what is the second? | option_a=27 | option_b=40 | option_c=18 | option_d=66 | answer=A | explanation=Scale factor = $39/13 = 3$. Therefore second quantity = $9 \times 3 = 27$.

id=39078 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1371. If it is sold at a profit of 15%, what is its selling price? | option_a=1439 | option_b=1713 | option_c=1576 | option_d=1386 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1371 \times 115/100 = \text{█}1576$.

id=39079 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=39080 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=O | option_c=N | option_d=L | answer=C | explanation=Move 1 positions forward from M; the resulting letter is N.

id=39081 | topic=Averages | difficulty=Easy | question=Find the average of 57, 62, 20, 25, 91. | option_a=52 | option_b=51 | option_c=50 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = $255 \div 5 = 51$.

id=39082 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 4. | option_a=12 | option_b=48 | option_c=24 | option_d=8 | answer=A | explanation= $LCM \times HCF = 12 \times 4$; $HCF(12, 4) = 4$, so $LCM = 12$.

id=39083 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=H | option_b=P | option_c=T | option_d=L | answer=B | explanation=Move 4 positions forward from L; the resulting letter is P.

id=39084 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=W | option_c=V | option_d=T | answer=C | explanation=Move 1 positions forward from U; the resulting letter is V.

id=39085 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 22, 27, 32, ? | option_a=38 | option_b=42 | option_c=37 | option_d=32 | answer=C | explanation=The common difference is 5. Therefore the next term is $32 + 5 = 37$.

id=39086 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21683 at 6% per annum for 4 years. | option_a=26886 | option_b=5303 | option_c=5103 | option_d=5203 | answer=D | explanation= $SI = PRT/100 = 21683 \times 6 \times 4/100 = \text{█}5203$.

id=39087 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=21 | option_b=33 | option_c=28 | option_d=27 | answer=D | explanation=The common difference is 6. Therefore the next term is $21 + 6 = 27$.

id=39088 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 45? | option_a=31 | option_b=25 | option_c=37 | option_d=45 | answer=D | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 45 is the odd one out.

id=39089 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:11 and the first is 9, what is the second? | option_a=99 | option_b=100 | option_c=88 | option_d=108 | answer=A | explanation=Scale factor = $9/1 = 9$. Therefore second quantity = $11 \times 9 = 99$.

id=39090 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:15 and the first is 140, what is the second? | option_a=125 | option_b=245 | option_c=90 | option_d=105 | answer=D | explanation=Scale factor = $140/20 = 7$. Therefore second quantity = $15 \times 7 = 105$.

Aptitude Questions — Records 39,091-39,120 of 100,000

id=39091 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1328. If it is sold at a profit of 10%, what is its selling price? | option_a=1460 | option_b=1592 | option_c=1328 | option_d=1338 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1328 \times 110/100 = \text{█}1460$.

id=39092 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=J | option_b=D | option_c=A | option_d=G | answer=D | explanation=Move 3 positions forward from D; the resulting letter is G.

id=39093 | topic=Averages | difficulty=Easy | question=Find the average of 87, 42, 33, 49, 69, 92. | option_a=64 | option_b=61 | option_c=62 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = $372 \div 6 = 62$.

id=39094 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=K | option_c=W | option_d=O | answer=A | explanation=Move 4 positions forward from O; the resulting letter is S.

id=39095 | topic=Averages | difficulty=Easy | question=Find the average of 86, 41, 63, 65, 73, 42, 78. | option_a=65 | option_b=63 | option_c=64 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = $448 \div 7 = 64$.

id=39096 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32778 at 4% per annum for 4 years. | option_a=38022 | option_b=5144 | option_c=5244 | option_d=5344 | answer=C | explanation=SI = $PRT/100 = 32778 \times 4 \times 4/100 = \text{█}5244$.

id=39097 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 22. | option_a=264 | option_b=528 | option_c=242 | option_d=288 | answer=A | explanation= $LCM \times HCF = 24 \times 22$; $HCF(24, 22) = 2$, so $LCM = 264$.

id=39098 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19351 at 15% per annum for 3 years. | option_a=8607 | option_b=8707 | option_c=28058 | option_d=8807 | answer=B | explanation=SI = $PRT/100 = 19351 \times 15 \times 3/100 = \text{█}8707$.

id=39099 | topic=Averages | difficulty=Easy | question=Find the average of 36, 42, 10, 36, 21, 71. | option_a=36 | option_b=38 | option_c=37 | option_d=35 | answer=A | explanation=Average = sum of values ÷ number of values = $216 \div 6 = 36$.

id=39100 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = $120 \div 6 = 20$ km/h.

id=39101 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 27? | option_a=22 | option_b=27 | option_c=20 | option_d=24 | answer=B | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 27 is the odd one out.

id=39102 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:16 and the first is 90, what is the second? | option_a=288 | option_b=272 | option_c=378 | option_d=293 | answer=A | explanation=Scale factor = $90/5 = 18$. Therefore second quantity = $16 \times 18 = 288$.

id=39103 | topic=Percentages | difficulty=Easy | question=What is 25% of 302? | option_a=75 | option_b=150 | option_c=95 | option_d=65 | answer=A | explanation= $25\% \text{ of } 302 = (25/100) \times 302 = 75$.

id=39104 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = $300 \div 10 = 30$ km/h.

id=39105 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:9 and the first is 176, what is the second? | option_a=135 | option_b=155 | option_c=320 | option_d=144 | answer=D | explanation=Scale factor = $176/11 = 16$. Therefore second quantity = $9 \times 16 = 144$.

id=39106 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4647. If it is sold at a profit of 40%, what is its selling price? | option_a=6505 | option_b=6969 | option_c=6041 | option_d=4687 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4647 \times 140/100 = \text{█}6505$.

id=39107 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 14, 21, 30? | option_a=30 | option_b=21 | option_c=14 | option_d=7 | answer=A | explanation=The first three numbers increase by 7, so the next should be 28. Therefore 30 is the odd one out.

id=39108 | topic=Profit & Loss | difficulty=Easy | question=An article costs █337. If it is sold at a profit of 50%, what is its selling price? | option_a=505 | option_b=472 | option_c=387 | option_d=538 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 337 \times 150/100 = \text{█}505$.

id=39109 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=48 | option_b=70 | option_c=59 | option_d=60 | answer=C | explanation=The common difference is 11. Therefore the next term is $48 + 11 = 59$.

id=39110 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=26 | option_b=33 | option_c=38 | option_d=32 | answer=D | explanation=The common difference is 6. Therefore the next term is $26 + 6 = 32$.

id=39111 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:20 and the first is 150, what is the second? | option_a=215 | option_b=200 | option_c=180 | option_d=350 | answer=B | explanation=Scale factor = $150/15 = 10$. Therefore second quantity = $20 \times 10 = 200$.

id=39112 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=Y | option_b=O | option_c=J | option_d=T | answer=D | explanation=Move 5 positions forward from O; the resulting letter is T.

id=39113 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=M | option_b=I | option_c=G | option_d=K | answer=D | explanation=Move 2 positions forward from I; the resulting letter is K.

id=39114 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=39115 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=19 | option_c=48 | option_d=29 | answer=A | explanation=Speed = distance ÷ time = $120 \div 5 = 24$ km/h.

id=39116 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3940. If it is sold at a profit of 15%, what is its selling price? | option_a=4925 | option_b=4137 | option_c=3955 | option_d=4531 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3940 \times 115/100 = \text{█}4531$.

id=39117 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:15 and the first is 15, what is the second? | option_a=60 | option_b=78 | option_c=75 | option_d=90 | answer=C | explanation=Scale factor = $15/3 = 5$. Therefore second quantity = $15 \times 5 = 75$.

id=39118 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38215 at 4% per annum for 1 years. | option_a=1428 | option_b=39743 | option_c=1528 | option_d=1628 | answer=C | explanation=SI = $PRT/100 = 38215 \times 4 \times 1/100 = \text{█}1528$.

id=39119 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 12, 16, 21? | option_a=16 | option_b=21 | option_c=12 | option_d=8 | answer=B | explanation=The first three numbers increase by 4, so the next should be 20. Therefore 21 is the odd one out.

id=39120 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

Aptitude Questions — Records 39,121-39,150 of 100,000

id=39121 | topic=Percentages | difficulty=Easy | question=What is 15% of 720? | option_a=113 | option_b=108 | option_c=98 | option_d=216 | answer=B | explanation=15% of 720 = (15/100) × 720 = 108.

id=39122 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 22? | option_a=15 | option_b=13 | option_c=22 | option_d=17 | answer=C | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 22 is the odd one out.

id=39123 | topic=Averages | difficulty=Easy | question=Find the average of 90, 63, 55, 89, 95, 68, 87, 33, 77. | option_a=72 | option_b=73 | option_c=74 | option_d=75 | answer=B | explanation=Average = sum of values ÷ number of values = 657 ÷ 9 = 73.

id=39124 | topic=Averages | difficulty=Easy | question=Find the average of 20, 47, 61, 48. | option_a=45 | option_b=46 | option_c=44 | option_d=43 | answer=C | explanation=Average = sum of values ÷ number of values = 176 ÷ 4 = 44.

id=39125 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=39126 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=39127 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=90 | option_c=85 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=39128 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:18 and the first is 102, what is the second? | option_a=306 | option_b=288 | option_c=408 | option_d=312 | answer=A | explanation=Scale factor = 102/6 = 17. Therefore second quantity = 18×17 = 306.

id=39129 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹5615 at 10% per annum for 4 years. | option_a=2246 | option_b=7861 | option_c=2146 | option_d=2346 | answer=A | explanation=SI = PRT/100 = 5615×10×4/100 = ₹2246.

id=39130 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 6. | option_a=60 | option_b=120 | option_c=54 | option_d=80 | answer=A | explanation=LCM × HCF = 20×6; HCF(20,6) = 2, so LCM = 60.

id=39131 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=X | option_c=L | option_d=P | answer=A | explanation=Move 4 positions forward from P; the resulting letter is T.

id=39132 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹22345 at 6% per annum for 3 years. | option_a=4122 | option_b=3922 | option_c=4022 | option_d=26367 | answer=C | explanation=SI = PRT/100 = 22345×6×3/100 = ₹4022.

id=39133 | topic=Percentages | difficulty=Easy | question=What is 10% of 1956? | option_a=195 | option_b=185 | option_c=390 | option_d=200 | answer=A | explanation=10% of 1956 = (10/100) × 1956 = 195.

id=39134 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=39135 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=64 | option_b=52 | option_c=63 | option_d=74 | answer=C | explanation=The common difference is 11. Therefore the next term is 52 + 11 = 63.

id=39136 | topic=Percentages | difficulty=Easy | question=What is 12% of 663? | option_a=69 | option_b=79 | option_c=84 | option_d=158 | answer=B | explanation=12% of 663 = (12/100) × 663 = 79.

id=39137 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=75 | option_c=70 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=39138 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=39139 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹3618. If it is sold at a profit of 5%, what is its selling price? | option_a=3437 | option_b=4159 | option_c=3623 | option_d=3798 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3618 × 105/100 = ₹3798.

id=39140 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:4 and the first is 110, what is the second? | option_a=40 | option_b=54 | option_c=154 | option_d=44 | answer=D | explanation=Scale factor = 110/10 = 11. Therefore second quantity = 4×11 = 44.

id=39141 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 41? | option_a=20 | option_b=41 | option_c=11 | option_d=29 | answer=B | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 41 is the odd one out.

id=39142 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=26 | option_b=21 | option_c=27 | option_d=31 | answer=A | explanation=The common difference is 5. Therefore the next term is 21 + 5 = 26.

id=39143 | topic=Averages | difficulty=Easy | question=Find the average of 35, 11, 75, 72, 73, 46. | option_a=54 | option_b=52 | option_c=51 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 312 ÷ 6 = 52.

id=39144 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=52 | option_b=36 | option_c=44 | option_d=45 | answer=C | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.

id=39145 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹4635. If it is sold at a profit of 10%, what is its selling price? | option_a=5561 | option_b=4635 | option_c=4645 | option_d=5098 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4635 × 110/100 = ₹5098.

id=39146 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹29985 at 15% per annum for 1 years. | option_a=4597 | option_b=4397 | option_c=34482 | option_d=4497 | answer=D | explanation=SI = PRT/100 = 29985×15×1/100 = ₹4497.

id=39147 | topic=Averages | difficulty=Easy | question=Find the average of 68, 23, 87, 26, 26. | option_a=46 | option_b=48 | option_c=45 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 230 ÷ 5 = 46.

id=39148 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=39149 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=P | option_b=S | option_c=V | option_d=Y | answer=C | explanation=Move 3 positions forward from S; the resulting letter is V.

id=39150 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

Aptitude Questions — Records 39,151-39,180 of 100,000

id=39151 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=47 | option_b=36 | option_c=46 | option_d=56 | answer=C | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.

id=39152 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 4. | option_a=64 | option_b=12 | option_c=16 | option_d=32 | answer=C | explanation=LCM × HCF = 16×4; HCF(16,4) = 4, so LCM = 16.

id=39153 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31447 at 12% per annum for 2 years. | option_a=7547 | option_b=7647 | option_c=7447 | option_d=38994 | answer=A | explanation=SI = PRT/100 = 31447×12×2/100 = █7547.

id=39154 | topic=Averages | difficulty=Easy | question=Find the average of 31, 73, 42, 70. | option_a=53 | option_b=55 | option_c=56 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 216 ÷ 4 = 54.

id=39155 | topic=Percentages | difficulty=Easy | question=What is 50% of 1124? | option_a=542 | option_b=582 | option_c=562 | option_d=1124 | answer=C | explanation=50% of 1124 = (50/100) × 1124 = 562.

id=39156 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:6 and the first is 90, what is the second? | option_a=60 | option_b=54 | option_c=69 | option_d=150 | answer=A | explanation=Scale factor = 90/9 = 10. Therefore second quantity = 6×10 = 60.

id=39157 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=7 | option_c=12 | option_d=24 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=39158 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=27 | option_b=23 | option_c=31 | option_d=28 | answer=A | explanation=The common difference is 4. Therefore the next term is 23 + 4 = 27.

id=39159 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=26 | option_b=29 | option_c=30 | option_d=32 | answer=B | explanation=The common difference is 3. Therefore the next term is 26 + 3 = 29.

id=39160 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2436. If it is sold at a profit of 25%, what is its selling price? | option_a=3045 | option_b=2802 | option_c=3288 | option_d=2461 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2436 × 125/100 = █3045.

id=39161 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=20 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=39162 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 13, 18, 23, ? | option_a=23 | option_b=33 | option_c=28 | option_d=29 | answer=C | explanation=The common difference is 5. Therefore the next term is 23 + 5 = 28.

id=39163 | topic=Averages | difficulty=Easy | question=Find the average of 77, 91, 78, 70, 58, 44, 36, 38, 102. | option_a=66 | option_b=67 | option_c=65 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = 594 ÷ 9 = 66.

id=39164 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=T | option_b=P | option_c=H | option_d=L | answer=B | explanation=Move 4 positions forward from L; the resulting letter is P.

id=39165 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:18 and the first is 120, what is the second? | option_a=252 | option_b=278 | option_c=270 | option_d=390 | answer=C | explanation=Scale factor = 120/8 = 15. Therefore second quantity = 18×15 = 270.

id=39166 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24587 at 15% per annum for 5 years. | option_a=18340 | option_b=18440 | option_c=18540 | option_d=43027 | answer=B | explanation=SI = PRT/100 = 24587×15×5/100 = █18440.

id=39167 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=17 | option_b=13 | option_c=16 | option_d=19 | answer=C | explanation=The common difference is 3. Therefore the next term is 13 + 3 = 16.

id=39168 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 28, 36, 44, ? | option_a=52 | option_b=60 | option_c=53 | option_d=44 | answer=A | explanation=The common difference is 8. Therefore the next term is 44 + 8 = 52.

id=39169 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 12, 14, 18? | option_a=14 | option_b=18 | option_c=12 | option_d=10 | answer=B | explanation=The first three numbers increase by 2, so the next should be 16. Therefore 18 is the odd one out.

id=39170 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4564. If it is sold at a profit of 30%, what is its selling price? | option_a=4594 | option_b=5933 | option_c=5477 | option_d=6389 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4564 × 130/100 = █5933.

id=39171 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=39172 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=D | option_c=L | option_d=P | answer=C | explanation=Move 4 positions forward from H; the resulting letter is L.

id=39173 | topic=Averages | difficulty=Easy | question=Find the average of 52, 29, 80, 18, 46. | option_a=45 | option_b=47 | option_c=44 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 225 ÷ 5 = 45.

id=39174 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=C | option_b=M | option_c=R | option_d=H | answer=B | explanation=Move 5 positions forward from H; the resulting letter is M.

id=39175 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40689 at 10% per annum for 3 years. | option_a=12306 | option_b=12106 | option_c=12206 | option_d=52895 | answer=C | explanation=SI = PRT/100 = 40689×10×3/100 = █12206.

id=39176 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4839. If it is sold at a profit of 20%, what is its selling price? | option_a=6289 | option_b=4859 | option_c=5323 | option_d=5806 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4839 × 120/100 = █5806.

id=39177 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25625 at 12% per annum for 4 years. | option_a=12200 | option_b=12300 | option_c=12400 | option_d=37925 | answer=B | explanation=SI = PRT/100 = 25625×12×4/100 = █12300.

id=39178 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=69 | option_b=60 | option_c=49 | option_d=59 | answer=D | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

id=39179 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 18, 28, 41? | option_a=41 | option_b=18 | option_c=28 | option_d=8 | answer=A | explanation=The first three numbers increase by 10, so the next should be 38. Therefore 41 is the odd one out.

id=39180 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=5 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

Aptitude Questions — Records 39,181-39,210 of 100,000

id=39181 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=G | option_b=W | option_c=L | option_d=B | answer=A | explanation=Move 5 positions forward from B; the resulting letter is G.

id=39182 | topic=Averages | difficulty=Easy | question=Find the average of 10, 31, 65, 77, 10, 74, 61, 48. | option_a=47 | option_b=46 | option_c=49 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = 376 ÷ 8 = 47.

id=39183 | topic=Percentages | difficulty=Easy | question=What is 5% of 929? | option_a=46 | option_b=56 | option_c=92 | option_d=36 | answer=A | explanation=5% of 929 = (5/100) × 929 = 46.

id=39184 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=X | option_b=J | option_c=B | option_d=F | answer=D | explanation=Move 4 positions forward from B; the resulting letter is F.

id=39185 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:13 and the first is 15, what is the second? | option_a=182 | option_b=195 | option_c=210 | option_d=196 | answer=B | explanation=Scale factor = 15/1 = 15. Therefore second quantity = 13×15 = 195.

id=39186 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3200. If it is sold at a profit of 25%, what is its selling price? | option_a=4320 | option_b=3225 | option_c=4000 | option_d=3680 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3200 × 125/100 = █4000.

id=39187 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=39188 | topic=Averages | difficulty=Easy | question=Find the average of 81, 92, 82, 59, 52, 30, 15, 29, 67, 73. | option_a=57 | option_b=60 | option_c=59 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 580 ÷ 10 = 58.

id=39189 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=32 | option_b=35 | option_c=27 | option_d=31 | answer=D | explanation=The common difference is 4. Therefore the next term is 27 + 4 = 31.

id=39190 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=39191 | topic=Averages | difficulty=Easy | question=Find the average of 32, 30, 96, 49, 35, 100. | option_a=58 | option_b=57 | option_c=56 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 342 ÷ 6 = 57.

id=39192 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 28? | option_a=11 | option_b=18 | option_c=4 | option_d=28 | answer=D | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 28 is the odd one out.

id=39193 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4896 at 12% per annum for 3 years. | option_a=1762 | option_b=6658 | option_c=1862 | option_d=1662 | answer=A | explanation=SI = PRT/100 = 4896×12×3/100 = █1762.

id=39194 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:3 and the first is 160, what is the second? | option_a=190 | option_b=46 | option_c=30 | option_d=27 | answer=C | explanation=Scale factor = 160/16 = 10. Therefore second quantity = 3×10 = 30.

id=39195 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=Z | option_b=E | option_c=U | option_d=P | answer=A | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=39196 | topic=Percentages | difficulty=Easy | question=What is 20% of 424? | option_a=94 | option_b=79 | option_c=84 | option_d=168 | answer=C | explanation=20% of 424 = (20/100) × 424 = 84.

id=39197 | topic=Percentages | difficulty=Easy | question=What is 30% of 1825? | option_a=1094 | option_b=542 | option_c=547 | option_d=557 | answer=C | explanation=30% of 1825 = (30/100) × 1825 = 547.

id=39198 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 22, 25, 31? | option_a=31 | option_b=19 | option_c=25 | option_d=22 | answer=A | explanation=The first three numbers increase by 3, so the next should be 28. Therefore 31 is the odd one out.

id=39199 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=35 | option_c=40 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=39200 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:4 and the first is 68, what is the second? | option_a=68 | option_b=64 | option_c=72 | option_d=136 | answer=A | explanation=Scale factor = 68/4 = 17. Therefore second quantity = 4×17 = 68.

id=39201 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=39202 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=40 | option_c=35 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=39203 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=F | option_b=O | option_c=L | option_d=I | answer=C | explanation=Move 3 positions forward from I; the resulting letter is L.

id=39204 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 17, 27, 40? | option_a=40 | option_b=7 | option_c=17 | option_d=27 | answer=A | explanation=The first three numbers increase by 10, so the next should be 37. Therefore 40 is the odd one out.

id=39205 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 24, 30, 39? | option_a=24 | option_b=39 | option_c=18 | option_d=30 | answer=B | explanation=The first three numbers increase by 6, so the next should be 36. Therefore 39 is the odd one out.

id=39206 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39169 at 6% per annum for 5 years. | option_a=11650 | option_b=11750 | option_c=11850 | option_d=50919 | answer=B | explanation=SI = PRT/100 = 39169×6×5/100 = █11750.

id=39207 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1097. If it is sold at a profit of 40%, what is its selling price? | option_a=1426 | option_b=1644 | option_c=1137 | option_d=1535 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1097 × 140/100 = █1535.

id=39208 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 33, 40, 49? | option_a=49 | option_b=40 | option_c=26 | option_d=33 | answer=A | explanation=The first three numbers increase by 7, so the next should be 47. Therefore 49 is the odd one out.

id=39209 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:10 and the first is 90, what is the second? | option_a=40 | option_b=50 | option_c=140 | option_d=68 | answer=B | explanation=Scale factor = 90/18 = 5. Therefore second quantity = 10×5 = 50.

id=39210 | topic=Percentages | difficulty=Easy | question=What is 15% of 706? | option_a=115 | option_b=210 | option_c=105 | option_d=95 | answer=C | explanation=15% of 706 = (15/100) × 706 = 105.

Aptitude Questions — Records 39,211-39,240 of 100,000

id=39211 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:17 and the first is 90, what is the second? | option_a=192 | option_b=117 | option_c=85 | option_d=102 | answer=D | explanation=Scale factor = 90/15 = 6. Therefore second quantity = 17×6 = 102.

id=39212 | topic=Percentages | difficulty=Easy | question=What is 20% of 1399? | option_a=279 | option_b=299 | option_c=558 | option_d=269 | answer=A | explanation=20% of 1399 = (20/100) × 1399 = 279.

id=39213 | topic=Averages | difficulty=Easy | question=Find the average of 75, 62, 88, 23. | option_a=62 | option_b=63 | option_c=61 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = 248 ÷ 4 = 62.

id=39214 | topic=Percentages | difficulty=Easy | question=What is 40% of 1204? | option_a=962 | option_b=476 | option_c=501 | option_d=481 | answer=D | explanation=40% of 1204 = (40/100) × 1204 = 481.

id=39215 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 9. | option_a=36 | option_b=108 | option_c=27 | option_d=48 | answer=A | explanation=LCM × HCF = 12×9; HCF(12,9) = 3, so LCM = 36.

id=39216 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=80 | option_d=150 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=39217 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=E | option_c=G | option_d=F | answer=C | explanation=Move 1 positions forward from F; the resulting letter is G.

id=39218 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=E | option_c=K | option_d=G | answer=A | explanation=Move 2 positions forward from G; the resulting letter is I.

id=39219 | topic=Averages | difficulty=Easy | question=Find the average of 58, 63, 45, 46. | option_a=55 | option_b=52 | option_c=53 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 212 ÷ 4 = 53.

id=39220 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=39221 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=39222 | topic=Profit & Loss | difficulty=Easy | question=An article costs █768. If it is sold at a profit of 50%, what is its selling price? | option_a=818 | option_b=1152 | option_c=1076 | option_d=1228 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 768 × 150/100 = █1152.

id=39223 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 18. | option_a=162 | option_b=180 | option_c=200 | option_d=360 | answer=B | explanation=LCM × HCF = 20×18; HCF(20,18) = 2, so LCM = 180.

id=39224 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=39225 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 43? | option_a=35 | option_b=30 | option_c=25 | option_d=43 | answer=D | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 43 is the odd one out.

id=39226 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 12. | option_a=84 | option_b=168 | option_c=98 | option_d=72 | answer=A | explanation=LCM × HCF = 14×12; HCF(14,12) = 2, so LCM = 84.

id=39227 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=37 | option_b=49 | option_c=48 | option_d=59 | answer=C | explanation=The common difference is 11. Therefore the next term is 37 + 11 = 48.

id=39228 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41342 at 10% per annum for 5 years. | option_a=20671 | option_b=20771 | option_c=20571 | option_d=62013 | answer=A | explanation=SI = PRT/100 = 41342×10×5/100 = █20671.

id=39229 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3961. If it is sold at a profit of 30%, what is its selling price? | option_a=5545 | option_b=4753 | option_c=5149 | option_d=3991 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3961 × 130/100 = █5149.

id=39230 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=48 | option_b=57 | option_c=47 | option_d=37 | answer=C | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

id=39231 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=17 | option_b=23 | option_c=21 | option_d=20 | answer=D | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=39232 | topic=Averages | difficulty=Easy | question=Find the average of 15, 63, 17, 97. | option_a=48 | option_b=50 | option_c=49 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 192 ÷ 4 = 48.

id=39233 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2162. If it is sold at a profit of 40%, what is its selling price? | option_a=3026 | option_b=2202 | option_c=3242 | option_d=2810 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2162 × 140/100 = █3026.

id=39234 | topic=Averages | difficulty=Easy | question=Find the average of 20, 81, 93, 64, 52. | option_a=64 | option_b=63 | option_c=61 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 310 ÷ 5 = 62.

id=39235 | topic=Percentages | difficulty=Easy | question=What is 50% of 344? | option_a=177 | option_b=172 | option_c=162 | option_d=344 | answer=B | explanation=50% of 344 = (50/100) × 344 = 172.

id=39236 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=35 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=39237 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8991 at 12% per annum for 5 years. | option_a=5494 | option_b=14385 | option_c=5294 | option_d=5394 | answer=D | explanation=SI = PRT/100 = 8991×12×5/100 = █5394.

id=39238 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46917 at 15% per annum for 5 years. | option_a=35087 | option_b=82104 | option_c=35187 | option_d=35287 | answer=C | explanation=SI = PRT/100 = 46917×15×5/100 = █35187.

id=39239 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=45 | option_b=38 | option_c=50 | option_d=44 | answer=D | explanation=The common difference is 6. Therefore the next term is 38 + 6 = 44.

id=39240 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=36 | option_b=35 | option_c=39 | option_d=31 | answer=B | explanation=The common difference is 4. Therefore the next term is 31 + 4 = 35.

Aptitude Questions — Records 39,241-39,270 of 100,000

id=39241 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=41 | option_b=50 | option_c=51 | option_d=59 | answer=B | explanation=The common difference is 9. Therefore the next term is 41 + 9 = 50.

id=39242 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=33 | option_b=27 | option_c=21 | option_d=28 | answer=B | explanation=The common difference is 6. Therefore the next term is 21 + 6 = 27.

id=39243 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 11? | option_a=2 | option_b=6 | option_c=4 | option_d=11 | answer=D | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 11 is the odd one out.

id=39244 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=57 | option_b=45 | option_c=56 | option_d=67 | answer=C | explanation=The common difference is 11. Therefore the next term is 45 + 11 = 56.

id=39245 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4420 at 10% per annum for 5 years. | option_a=2210 | option_b=2310 | option_c=2110 | option_d=6630 | answer=A | explanation=SI = $PRT/100 = 4420 \times 10 \times 5/100 =$ **■**2210.

id=39246 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44138 at 12% per annum for 1 years. | option_a=5296 | option_b=5196 | option_c=5396 | option_d=49434 | answer=A | explanation=SI = $PRT/100 = 44138 \times 12 \times 1/100 =$ **■**5296.

id=39247 | topic=Percentages | difficulty=Easy | question=What is 25% of 645? | option_a=141 | option_b=171 | option_c=161 | option_d=322 | answer=C | explanation=25% of 645 = $(25/100) \times 645 = 161$.

id=39248 | topic=Averages | difficulty=Easy | question=Find the average of 24, 34, 74, 56, 14, 26. | option_a=39 | option_b=37 | option_c=40 | option_d=38 | answer=D | explanation=Average = sum of values ÷ number of values = 228 ÷ 6 = 38.

id=39249 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=56 | option_b=38 | option_c=47 | option_d=48 | answer=C | explanation=The common difference is 9. Therefore the next term is 38 + 9 = 47.

id=39250 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=39251 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=39252 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=14 | option_c=9 | option_d=18 | answer=C | explanation=Speed = distance ÷ time = $90 \div 10 = 9$ km/h.

id=39253 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3470. If it is sold at a profit of 50%, what is its selling price? | option_a=4858 | option_b=5205 | option_c=5552 | option_d=3520 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3470 \times 150/100 =$ **■**5205.

id=39254 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=Y | option_b=S | option_c=U | option_d=W | answer=D | explanation=Move 2 positions forward from U; the resulting letter is W.

id=39255 | topic=Percentages | difficulty=Easy | question=What is 15% of 1541? | option_a=251 | option_b=211 | option_c=462 | option_d=231 | answer=D | explanation=15% of 1541 = $(15/100) \times 1541 = 231$.

id=39256 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = $240 \div 6 = 40$ km/h.

id=39257 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=O | option_b=U | option_c=Q | option_d=S | answer=D | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=39258 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=39259 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=39260 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=B | option_b=P | option_c=T | option_d=X | answer=D | explanation=Move 4 positions forward from T; the resulting letter is X.

id=39261 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 23, 30, 37, ? | option_a=51 | option_b=37 | option_c=45 | option_d=44 | answer=D | explanation=The common difference is 7. Therefore the next term is 37 + 7 = 44.

id=39262 | topic=Averages | difficulty=Easy | question=Find the average of 18, 78, 100, 44, 48, 71, 79, 18. | option_a=58 | option_b=56 | option_c=59 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = $456 \div 8 = 57$.

id=39263 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28048 at 5% per annum for 5 years. | option_a=6912 | option_b=7012 | option_c=35060 | option_d=7112 | answer=B | explanation=SI = $PRT/100 = 28048 \times 5 \times 5/100 =$ **■**7012.

id=39264 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:15 and the first is 54, what is the second? | option_a=141 | option_b=189 | option_c=120 | option_d=135 | answer=D | explanation=Scale factor = $54/6 = 9$. Therefore second quantity = $15 \times 9 = 135$.

id=39265 | topic=Percentages | difficulty=Easy | question=What is 5% of 1751? | option_a=67 | option_b=174 | option_c=107 | option_d=87 | answer=D | explanation=5% of 1751 = $(5/100) \times 1751 = 87$.

id=39266 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:18 and the first is 132, what is the second? | option_a=330 | option_b=198 | option_c=180 | option_d=210 | answer=B | explanation=Scale factor = $132/12 = 11$. Therefore second quantity = $18 \times 11 = 198$.

id=39267 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1526. If it is sold at a profit of 15%, what is its selling price? | option_a=1754 | option_b=1541 | option_c=1602 | option_d=1906 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1526 \times 115/100 =$ **■**1754.

id=39268 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=39269 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=26 | option_b=27 | option_c=29 | option_d=23 | answer=A | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.

id=39270 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

Aptitude Questions — Records 39,271-39,300 of 100,000

id=39271 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 9, 14, 22? | option_a=4 | option_b=22 | option_c=9 | option_d=14 | answer=B | explanation=The first three numbers increase by 5, so the next should be 19. Therefore 22 is the odd one out.

id=39272 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=5 | answer=A | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

id=39273 | topic=Percentages | difficulty=Easy | question=What is 5% of 998? | option_a=98 | option_b=29 | option_c=49 | option_d=54 | answer=C | explanation=5% of 998 = $(5/100) \times 998 = 49$.

id=39274 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=36 | option_c=41 | option_d=31 | answer=B | explanation=Speed = distance ÷ time = $180 \div 5 = 36$ km/h.

id=39275 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:15 and the first is 84, what is the second? | option_a=165 | option_b=264 | option_c=180 | option_d=187 | answer=C | explanation=Scale factor = $84/7 = 12$. Therefore second quantity = $15 \times 12 = 180$.

id=39276 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1513. If it is sold at a profit of 10%, what is its selling price? | option_a=1664 | option_b=1523 | option_c=1815 | option_d=1513 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1513 \times \frac{110}{100} = \text{█}1664$.

id=39277 | topic=Averages | difficulty=Easy | question=Find the average of 51, 55, 71, 48, 13, 44. | option_a=49 | option_b=46 | option_c=47 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = $282 \div 6 = 47$.

id=39278 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22527 at 6% per annum for 5 years. | option_a=29285 | option_b=6758 | option_c=6658 | option_d=6858 | answer=B | explanation=SI = $PRT/100 = 22527 \times 6 \times 5/100 = \text{█}6758$.

id=39279 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=150 | option_c=75 | option_d=70 | answer=C | explanation=Speed = distance ÷ time = $150 \div 2 = 75$ km/h.

id=39280 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12693 at 10% per annum for 5 years. | option_a=6346 | option_b=6246 | option_c=19039 | option_d=6446 | answer=A | explanation=SI = $PRT/100 = 12693 \times 10 \times 5/100 = \text{█}6346$.

id=39281 | topic=Averages | difficulty=Easy | question=Find the average of 75, 92, 68, 50, 97, 85, 44. | option_a=72 | option_b=74 | option_c=75 | option_d=73 | answer=D | explanation=Average = sum of values ÷ number of values = $511 \div 7 = 73$.

id=39282 | topic=Percentages | difficulty=Easy | question=What is 10% of 1376? | option_a=137 | option_b=147 | option_c=274 | option_d=117 | answer=A | explanation=10% of 1376 = $(10/100) \times 1376 = 137$.

id=39283 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = $90 \div 6 = 15$ km/h.

id=39284 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8015 at 10% per annum for 4 years. | option_a=11221 | option_b=3206 | option_c=3106 | option_d=3306 | answer=B | explanation=SI = $PRT/100 = 8015 \times 10 \times 4/100 = \text{█}3206$.

id=39285 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = $360 \div 6 = 60$ km/h.

id=39286 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:20 and the first is 128, what is the second? | option_a=160 | option_b=140 | option_c=176 | option_d=288 | answer=A | explanation=Scale factor = $128/16 = 8$. Therefore second quantity = $20 \times 8 = 160$.

id=39287 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=240 | option_c=115 | option_d=125 | answer=A | explanation=Speed = distance ÷ time = $240 \div 2 = 120$ km/h.

id=39288 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=27 | option_b=21 | option_c=26 | option_d=31 | answer=C | explanation=The common difference is 5. Therefore the next term is $21 + 5 = 26$.

id=39289 | topic=Profit & Loss | difficulty=Easy | question=An article costs █931. If it is sold at a profit of 30%, what is its selling price? | option_a=1117 | option_b=1210 | option_c=961 | option_d=1303 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 931 \times \frac{130}{100} = \text{█}1210$.

id=39290 | topic=Averages | difficulty=Easy | question=Find the average of 88, 57, 23, 24. | option_a=50 | option_b=47 | option_c=48 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = $192 \div 4 = 48$.

id=39291 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=39292 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=39293 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 18, 28, 39? | option_a=18 | option_b=28 | option_c=39 | option_d=8 | answer=C | explanation=The first three numbers increase by 10, so the next should be 38. Therefore 39 is the odd one out.

id=39294 | topic=Averages | difficulty=Easy | question=Find the average of 63, 94, 100, 48, 58, 28, 94, 74, 62. | option_a=71 | option_b=70 | option_c=69 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = $621 \div 9 = 69$.

id=39295 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=51 | option_b=43 | option_c=35 | option_d=44 | answer=B | explanation=The common difference is 8. Therefore the next term is $35 + 8 = 43$.

id=39296 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 8. | option_a=32 | option_b=80 | option_c=40 | option_d=50 | answer=C | explanation=LCM $\times$ HCF = 10×8 ; $\text{HCF}(10, 8) = 2$, so LCM = 40.

id=39297 | topic=Percentages | difficulty=Easy | question=What is 20% of 816? | option_a=326 | option_b=168 | option_c=163 | option_d=153 | answer=C | explanation=20% of 816 = $(20/100) \times 816 = 163$.

id=39298 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=360 | option_c=180 | option_d=175 | answer=C | explanation=Speed = distance ÷ time = $360 \div 2 = 180$ km/h.

id=39299 | topic=Percentages | difficulty=Easy | question=What is 20% of 904? | option_a=180 | option_b=160 | option_c=200 | option_d=360 | answer=A | explanation=20% of 904 = $(20/100) \times 904 = 180$.

id=39300 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4337. If it is sold at a profit of 50%, what is its selling price? | option_a=4387 | option_b=6938 | option_c=6072 | option_d=6505 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4337 \times \frac{150}{100} = \text{█}6505$.

Aptitude Questions — Records 39,301-39,330 of 100,000

id=39301 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 14, 19, 26? | option_a=9 | option_b=19 | option_c=14 | option_d=26 | answer=D | explanation=The first three numbers increase by 5, so the next should be 24. Therefore 26 is the odd one out.

id=39302 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=43 | option_b=49 | option_c=35 | option_d=42 | answer=D | explanation=The common difference is 7. Therefore the next term is 35 + 7 = 42.

id=39303 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1796. If it is sold at a profit of 25%, what is its selling price? | option_a=2245 | option_b=1821 | option_c=2066 | option_d=2424 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1796 × 125/100 = █2245.

id=39304 | topic=Averages | difficulty=Easy | question=Find the average of 53, 63, 25. | option_a=48 | option_b=46 | option_c=49 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 141 ÷ 3 = 47.

id=39305 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 14. | option_a=98 | option_b=21 | option_c=14 | option_d=1 | answer=C | explanation=LCM × HCF = 7×14; HCF(7,14) = 7, so LCM = 14.

id=39306 | topic=Percentages | difficulty=Easy | question=What is 25% of 1954? | option_a=976 | option_b=488 | option_c=468 | option_d=508 | answer=B | explanation=25% of 1954 = (25/100) × 1954 = 488.

id=39307 | topic=Profit & Loss | difficulty=Easy | question=An article costs █569. If it is sold at a profit of 40%, what is its selling price? | option_a=852 | option_b=796 | option_c=609 | option_d=740 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 569 × 140/100 = █796.

id=39308 | topic=Averages | difficulty=Easy | question=Find the average of 58, 15, 61, 94, 90, 60. | option_a=65 | option_b=64 | option_c=63 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 378 ÷ 6 = 63.

id=39309 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=39310 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:6 and the first is 21, what is the second? | option_a=45 | option_b=63 | option_c=36 | option_d=42 | answer=D | explanation=Scale factor = 21/3 = 7. Therefore second quantity = 6×7 = 42.

id=39311 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27877 at 8% per annum for 4 years. | option_a=36797 | option_b=9020 | option_c=8920 | option_d=8820 | answer=C | explanation=SI = PRT/100 = 27877×8×4/100 = █8920.

id=39312 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=39313 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=39314 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 25. | option_a=30 | option_b=125 | option_c=25 | option_d=1 | answer=C | explanation=LCM × HCF = 5×25; HCF(5,25) = 5, so LCM = 25.

id=39315 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=24 | option_c=12 | option_d=7 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=39316 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=63 | option_b=53 | option_c=54 | option_d=43 | answer=B | explanation=The common difference is 10. Therefore the next term is 43 + 10 = 53.

id=39317 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=44 | option_b=53 | option_c=33 | option_d=43 | answer=D | explanation=The common difference is 10. Therefore the next term is 33 + 10 = 43.

id=39318 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 14. | option_a=56 | option_b=28 | option_c=14 | option_d=392 | answer=B | explanation=LCM × HCF = 28×14; HCF(28,14) = 14, so LCM = 28.

id=39319 | topic=Averages | difficulty=Easy | question=Find the average of 14, 25, 30, 60, 10, 71. | option_a=35 | option_b=36 | option_c=37 | option_d=34 | answer=A | explanation=Average = sum of values ÷ number of values = 210 ÷ 6 = 35.

id=39320 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3225. If it is sold at a profit of 20%, what is its selling price? | option_a=4192 | option_b=3245 | option_c=3870 | option_d=3548 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3225 × 120/100 = █3870.

id=39321 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2636. If it is sold at a profit of 50%, what is its selling price? | option_a=4217 | option_b=2686 | option_c=3954 | option_d=3691 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2636 × 150/100 = █3954.

id=39322 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:9 and the first is 60, what is the second? | option_a=105 | option_b=57 | option_c=36 | option_d=45 | answer=D | explanation=Scale factor = 60/12 = 5. Therefore second quantity = 9×5 = 45.

id=39323 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2164. If it is sold at a profit of 40%, what is its selling price? | option_a=2813 | option_b=3245 | option_c=3029 | option_d=2204 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2164 × 140/100 = █3029.

id=39324 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4711. If it is sold at a profit of 15%, what is its selling price? | option_a=4946 | option_b=4726 | option_c=5417 | option_d=5888 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4711 × 115/100 = █5417.

id=39325 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:18 and the first is 180, what is the second? | option_a=162 | option_b=180 | option_c=198 | option_d=360 | answer=B | explanation=Scale factor = 180/18 = 10. Therefore second quantity = 18×10 = 180.

id=39326 | topic=Averages | difficulty=Easy | question=Find the average of 97, 70, 45, 44, 74, 82, 71, 29, 24, 74. | option_a=63 | option_b=61 | option_c=62 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 610 ÷ 10 = 61.

id=39327 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 14, 22, 31? | option_a=14 | option_b=6 | option_c=22 | option_d=31 | answer=D | explanation=The first three numbers increase by 8, so the next should be 30. Therefore 31 is the odd one out.

id=39328 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=F | option_c=B | option_d=Z | answer=A | explanation=Move 2 positions forward from B; the resulting letter is D.

id=39329 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=100 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=39330 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:17 and the first is 8, what is the second? | option_a=17 | option_b=34 | option_c=42 | option_d=38 | answer=B | explanation=Scale factor = 8/4 = 2. Therefore second quantity = 17×2 = 34.

Aptitude Questions — Records 39,331-39,360 of 100,000

id=39331 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19176 at 15% per annum for 5 years. | option_a=33558 | option_b=14382 | option_c=14482 | option_d=14282 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{19176 \times 15 \times 5}{100} = \text{■}14382$.

id=39332 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:10 and the first is 30, what is the second? | option_a=20 | option_b=10 | option_c=35 | option_d=50 | answer=A | explanation=Scale factor = $\frac{30}{15} = 2$. Therefore second quantity = $10 \times 2 = 20$.

id=39333 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:20 and the first is 88, what is the second? | option_a=220 | option_b=228 | option_c=200 | option_d=308 | answer=A | explanation=Scale factor = $\frac{88}{8} = 11$. Therefore second quantity = $20 \times 11 = 220$.

id=39334 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=A | option_b=M | option_c=E | option_d=I | answer=D | explanation=Move 4 positions forward from E; the resulting letter is I.

id=39335 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**959. If it is sold at a profit of 30%, what is its selling price? | option_a=1341 | option_b=989 | option_c=1246 | option_d=1151 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 959 \times \frac{130}{100} = \text{■}1246$.

id=39336 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=6 | option_d=20 | answer=A | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.

id=39337 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:2 and the first is 80, what is the second? | option_a=37 | option_b=112 | option_c=30 | option_d=32 | answer=D | explanation=Scale factor = $\frac{80}{5} = 16$. Therefore second quantity = $2 \times 16 = 32$.

id=39338 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=S | option_b=G | option_c=O | option_d=K | answer=C | explanation=Move 4 positions forward from K; the resulting letter is O.

id=39339 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 12. | option_a=84 | option_b=336 | option_c=72 | option_d=112 | answer=A | explanation= $LCM \times HCF = 28 \times 12$; $HCF(28, 12) = 4$, so $LCM = 84$.

id=39340 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=39341 | topic=Averages | difficulty=Easy | question=Find the average of 84, 55, 84, 60, 19, 53, 18, 60, 71. | option_a=58 | option_b=55 | option_c=57 | option_d=56 | answer=D | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{504}{9} = 56$.

id=39342 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=47 | option_b=57 | option_c=58 | option_d=67 | answer=B | explanation=The common difference is 10. Therefore the next term is $47 + 10 = 57$.

id=39343 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31890 at 4% per annum for 3 years. | option_a=3726 | option_b=3926 | option_c=3826 | option_d=35716 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{31890 \times 4 \times 3}{100} = \text{■}3826$.

id=39344 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=41 | option_c=31 | option_d=36 | answer=D | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{180}{5} = 36$ km/h.

id=39345 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=15 | option_b=20 | option_c=23 | option_d=19 | answer=D | explanation=The common difference is 4. Therefore the next term is $15 + 4 = 19$.

id=39346 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:15 and the first is 30, what is the second? | option_a=180 | option_b=150 | option_c=135 | option_d=153 | answer=B | explanation=Scale factor = $\frac{30}{3} = 10$. Therefore second quantity = $15 \times 10 = 150$.

id=39347 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:1 and the first is 234, what is the second? | option_a=17 | option_b=18 | option_c=252 | option_d=31 | answer=B | explanation=Scale factor = $\frac{234}{13} = 18$. Therefore second quantity = $1 \times 18 = 18$.

id=39348 | topic=Percentages | difficulty=Easy | question=What is 40% of 1159? | option_a=483 | option_b=926 | option_c=463 | option_d=443 | answer=C | explanation= $40\% \text{ of } 1159 = \frac{40}{100} \times 1159 = 463$.

id=39349 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=39350 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=47 | option_b=46 | option_c=36 | option_d=56 | answer=B | explanation=The common difference is 10. Therefore the next term is $36 + 10 = 46$.

id=39351 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**323. If it is sold at a profit of 30%, what is its selling price? | option_a=451 | option_b=419 | option_c=387 | option_d=353 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 323 \times \frac{130}{100} = \text{■}419$.

id=39352 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=6 | option_c=1 | option_d=11 | answer=B | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{60}{10} = 6$ km/h.

id=39353 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1695. If it is sold at a profit of 25%, what is its selling price? | option_a=2118 | option_b=1949 | option_c=1720 | option_d=2287 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1695 \times \frac{125}{100} = \text{■}2118$.

id=39354 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=L | option_b=W | option_c=B | option_d=G | answer=D | explanation=Move 5 positions forward from B; the resulting letter is G.

id=39355 | topic=Averages | difficulty=Easy | question=Find the average of 87, 61, 50, 56, 62, 29, 19. | option_a=51 | option_b=54 | option_c=52 | option_d=53 | answer=C | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{364}{7} = 52$.

id=39356 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=5 | option_d=15 | answer=B | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{60}{6} = 10$ km/h.

id=39357 | topic=Percentages | difficulty=Easy | question=What is 50% of 1797? | option_a=1796 | option_b=878 | option_c=918 | option_d=898 | answer=D | explanation= $50\% \text{ of } 1797 = \frac{50}{100} \times 1797 = 898$.

id=39358 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=33 | option_b=32 | option_c=27 | option_d=37 | answer=B | explanation=The common difference is 5. Therefore the next term is $27 + 5 = 32$.

id=39359 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**633. If it is sold at a profit of 50%, what is its selling price? | option_a=1012 | option_b=886 | option_c=683 | option_d=949 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 633 \times \frac{150}{100} = \text{■}949$.

id=39360 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=E | option_b=P | option_c=Z | option_d=U | answer=C | explanation=Move 5 positions forward from U; the resulting letter is Z.

Aptitude Questions — Records 39,361-39,390 of 100,000

id=39361 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=29 | option_c=24 | option_d=48 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=39362 | topic=Averages | difficulty=Easy | question=Find the average of 30, 100, 33, 57, 58, 87, 83. | option_a=64 | option_b=66 | option_c=65 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 448 ÷ 7 = 64.

id=39363 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2316. If it is sold at a profit of 15%, what is its selling price? | option_a=2894 | option_b=2663 | option_c=2331 | option_d=2432 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2316 × 115/100 = █2663.

id=39364 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=O | option_b=Y | option_c=D | option_d=T | answer=B | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=39365 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=45 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=39366 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 10. | option_a=150 | option_b=30 | option_c=45 | option_d=20 | answer=B | explanation=LCM × HCF = 15×10; HCF(15,10) = 5, so LCM = 30.

id=39367 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40276 at 6% per annum for 1 years. | option_a=42692 | option_b=2516 | option_c=2416 | option_d=2316 | answer=C | explanation=SI = PRT/100 = 40276×6×1/100 = █2416.

id=39368 | topic=Percentages | difficulty=Easy | question=What is 10% of 1326? | option_a=264 | option_b=137 | option_c=132 | option_d=127 | answer=C | explanation=10% of 1326 = (10/100) × 1326 = 132.

id=39369 | topic=Percentages | difficulty=Easy | question=What is 40% of 913? | option_a=730 | option_b=365 | option_c=355 | option_d=375 | answer=B | explanation=40% of 913 = (40/100) × 913 = 365.

id=39370 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=35 | option_b=30 | option_c=25 | option_d=31 | answer=B | explanation=The common difference is 5. Therefore the next term is 25 + 5 = 30.

id=39371 | topic=Averages | difficulty=Easy | question=Find the average of 31, 86, 72, 15. | option_a=51 | option_b=52 | option_c=53 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 204 ÷ 4 = 51.

id=39372 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=17 | option_c=7 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=39373 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:4 and the first is 36, what is the second? | option_a=68 | option_b=108 | option_c=72 | option_d=74 | answer=C | explanation=Scale factor = 36/2 = 18. Therefore second quantity = 4×18 = 72.

id=39374 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=39375 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=A | option_b=U | option_c=X | option_d=R | answer=C | explanation=Move 3 positions forward from U; the resulting letter is X.

id=39376 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 23, 25, 30? | option_a=30 | option_b=21 | option_c=23 | option_d=25 | answer=A | explanation=The first three numbers increase by 2, so the next should be 27. Therefore 30 is the odd one out.

id=39377 | topic=Percentages | difficulty=Easy | question=What is 5% of 1724? | option_a=106 | option_b=86 | option_c=172 | option_d=81 | answer=B | explanation=5% of 1724 = (5/100) × 1724 = 86.

id=39378 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=B | option_b=X | option_c=T | option_d=P | answer=B | explanation=Move 4 positions forward from T; the resulting letter is X.

id=39379 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3831. If it is sold at a profit of 50%, what is its selling price? | option_a=5746 | option_b=6129 | option_c=5363 | option_d=3881 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3831 × 150/100 = █5746.

id=39380 | topic=Averages | difficulty=Easy | question=Find the average of 56, 63, 41, 37, 56, 46, 44, 48, 16, 93. | option_a=50 | option_b=49 | option_c=51 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 500 ÷ 10 = 50.

id=39381 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:7 and the first is 90, what is the second? | option_a=28 | option_b=53 | option_c=125 | option_d=35 | answer=D | explanation=Scale factor = 90/18 = 5. Therefore second quantity = 7×5 = 35.

id=39382 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=8 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=39383 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=M | option_c=D | option_d=J | answer=D | explanation=Move 3 positions forward from G; the resulting letter is J.

id=39384 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:3 and the first is 256, what is the second? | option_a=304 | option_b=64 | option_c=45 | option_d=48 | answer=D | explanation=Scale factor = 256/16 = 16. Therefore second quantity = 3×16 = 48.

id=39385 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=41 | option_b=45 | option_c=40 | option_d=35 | answer=C | explanation=The common difference is 5. Therefore the next term is 35 + 5 = 40.

id=39386 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4149. If it is sold at a profit of 50%, what is its selling price? | option_a=4199 | option_b=6223 | option_c=6637 | option_d=5809 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4149 × 150/100 = █6223.

id=39387 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=150 | option_c=80 | option_d=70 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=39388 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=40 | option_c=25 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=39389 | topic=Averages | difficulty=Easy | question=Find the average of 17, 95, 31, 73. | option_a=56 | option_b=55 | option_c=53 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 216 ÷ 4 = 54.

id=39390 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12987 at 8% per annum for 3 years. | option_a=16103 | option_b=3016 | option_c=3116 | option_d=3216 | answer=C | explanation=SI = PRT/100 = 12987×8×3/100 = █3116.

Aptitude Questions — Records 39,391-39,420 of 100,000

id=39391 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=7 | option_c=12 | option_d=24 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=39392 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:7 and the first is 133, what is the second? | option_a=266 | option_b=126 | option_c=140 | option_d=133 | answer=D | explanation=Scale factor = 133/7 = 19. Therefore second quantity = 7×19 = 133.

id=39393 | topic=Averages | difficulty=Easy | question=Find the average of 63, 15, 58, 24. | option_a=41 | option_b=39 | option_c=42 | option_d=40 | answer=D | explanation=Average = sum of values ÷ number of values = 160 ÷ 4 = 40.

id=39394 | topic=Percentages | difficulty=Easy | question=What is 12% of 837? | option_a=100 | option_b=120 | option_c=200 | option_d=90 | answer=A | explanation=12% of 837 = (12/100) × 837 = 100.

id=39395 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=O | option_c=I | option_d=R | answer=B | explanation=Move 3 positions forward from L; the resulting letter is O.

id=39396 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=39397 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52. ? | option_a=65 | option_b=64 | option_c=52 | option_d=76 | answer=B | explanation=The common difference is 12. Therefore the next term is 52 + 12 = 64.

id=39398 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 10. | option_a=15 | option_b=50 | option_c=10 | option_d=1 | answer=C | explanation=LCM × HCF = 5×10. HCF(5,10) = 5, so LCM = 10.

id=39399 | topic=Number System | difficulty=Easy | question=Find the LCM of 11 and 11. | option_a=1 | option_b=22 | option_c=11 | option_d=121 | answer=C | explanation=LCM × HCF = 11×11; HCF(11,11) = 11, so LCM = 11.

id=39400 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹8721 at 6% per annum for 4 years. | option_a=2093 | option_b=2193 | option_c=10814 | option_d=1993 | answer=A | explanation=SI = PRT/100 = 8721×6×4/100 = ₹2093.

id=39401 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:20 and the first is 66, what is the second? | option_a=186 | option_b=100 | option_c=131 | option_d=120 | answer=D | explanation=Scale factor = 66/11 = 6. Therefore second quantity = 20×6 = 120.

id=39402 | topic=Percentages | difficulty=Easy | question=What is 30% of 1176? | option_a=357 | option_b=704 | option_c=352 | option_d=332 | answer=C | explanation=30% of 1176 = (30/100) × 1176 = 352.

id=39403 | topic=Percentages | difficulty=Easy | question=What is 15% of 866? | option_a=109 | option_b=258 | option_c=134 | option_d=129 | answer=D | explanation=15% of 866 = (15/100) × 866 = 129.

id=39404 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:1 and the first is 33, what is the second? | option_a=11 | option_b=10 | option_c=14 | option_d=44 | answer=A | explanation=Scale factor = 33/3 = 11. Therefore second quantity = 1×11 = 11.

id=39405 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 21. | option_a=84 | option_b=112 | option_c=588 | option_d=63 | answer=A | explanation=LCM × HCF = 28×21; HCF(28,21) = 7, so LCM = 84.

id=39406 | topic=Averages | difficulty=Easy | question=Find the average of 27, 67, 37, 39, 55. | option_a=45 | option_b=44 | option_c=47 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 225 ÷ 5 = 45.

id=39407 | topic=Percentages | difficulty=Easy | question=What is 20% of 1078? | option_a=220 | option_b=215 | option_c=210 | option_d=430 | answer=B | explanation=20% of 1078 = (20/100) × 1078 = 215.

id=39408 | topic=Averages | difficulty=Easy | question=Find the average of 12, 22, 28, 69, 64. | option_a=38 | option_b=41 | option_c=39 | option_d=40 | answer=C | explanation=Average = sum of values ÷ number of values = 195 ÷ 5 = 39.

id=39409 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=G | option_c=L | option_d=W | answer=B | explanation=Move 5 positions forward from B; the resulting letter is G.

id=39410 | topic=Averages | difficulty=Easy | question=Find the average of 93, 18, 24. | option_a=46 | option_b=47 | option_c=44 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 135 ÷ 3 = 45.

id=39411 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 50? | option_a=30 | option_b=42 | option_c=36 | option_d=50 | answer=D | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 50 is the odd one out.

id=39412 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=I | option_c=L | option_d=C | answer=B | explanation=Move 3 positions forward from F; the resulting letter is I.

id=39413 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=E | option_c=M | option_d=Q | answer=C | explanation=Move 4 positions forward from I; the resulting letter is M.

id=39414 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=39415 | topic=Percentages | difficulty=Easy | question=What is 10% of 792? | option_a=79 | option_b=158 | option_c=74 | option_d=89 | answer=A | explanation=10% of 792 = (10/100) × 792 = 79.

id=39416 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2685. If it is sold at a profit of 5%, what is its selling price? | option_a=2690 | option_b=2819 | option_c=3087 | option_d=2551 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2685 × 105/100 = ₹2819.

id=39417 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 7. | option_a=7 | option_b=49 | option_c=14 | option_d=1 | answer=A | explanation=LCM × HCF = 7×7; HCF(7,7) = 7, so LCM = 7.

id=39418 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹775. If it is sold at a profit of 40%, what is its selling price? | option_a=815 | option_b=1008 | option_c=1162 | option_d=1085 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 775 × 140/100 = ₹1085.

id=39419 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 26, 33, 41? | option_a=33 | option_b=26 | option_c=41 | option_d=19 | answer=C | explanation=The first three numbers increase by 7, so the next should be 40. Therefore 41 is the odd one out.

id=39420 | topic=Averages | difficulty=Easy | question=Find the average of 100, 77, 93, 65, 54, 61. | option_a=74 | option_b=76 | option_c=75 | option_d=77 | answer=C | explanation=Average = sum of values ÷ number of values = 450 ÷ 6 = 75.

Aptitude Questions — Records 39,421-39,450 of 100,000

id=39421 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 7. | option_a=196 | option_b=56 | option_c=28 | option_d=21 | answer=C | explanation= $LCM \times HCF = 28 \times 7$; $HCF(28,7) = 7$, so $LCM = 28$.

id=39422 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 12. | option_a=36 | option_b=216 | option_c=24 | option_d=54 | answer=A | explanation= $LCM \times HCF = 18 \times 12$; $HCF(18,12) = 6$, so $LCM = 36$.

id=39423 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=24 | option_d=5 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=39424 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37974 at 10% per annum for 4 years. | option_a=15289 | option_b=53163 | option_c=15089 | option_d=15189 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{37974 \times 10 \times 4}{100} = \text{■}15189$.

id=39425 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 24, 30, 36, ? | option_a=43 | option_b=42 | option_c=48 | option_d=36 | answer=B | explanation=The common difference is 6. Therefore the next term is $36 + 6 = 42$.

id=39426 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 16. | option_a=48 | option_b=32 | option_c=60 | option_d=192 | answer=A | explanation= $LCM \times HCF = 12 \times 16$; $HCF(12,16) = 4$, so $LCM = 48$.

id=39427 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 20, 26, 33? | option_a=14 | option_b=33 | option_c=20 | option_d=26 | answer=B | explanation=The first three numbers increase by 6, so the next should be 32. Therefore 33 is the odd one out.

id=39428 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.

id=39429 | topic=Percentages | difficulty=Easy | question=What is 50% of 995? | option_a=507 | option_b=994 | option_c=497 | option_d=477 | answer=C | explanation=50% of 995 = $(50/100) \times 995 = 497$.

id=39430 | topic=Percentages | difficulty=Easy | question=What is 20% of 384? | option_a=81 | option_b=152 | option_c=76 | option_d=56 | answer=C | explanation=20% of 384 = $(20/100) \times 384 = 76$.

id=39431 | topic=Averages | difficulty=Easy | question=Find the average of 71, 57, 52, 28. | option_a=52 | option_b=53 | option_c=54 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = $208 \div 4 = 52$.

id=39432 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = $120 \div 8 = 15$ km/h.

id=39433 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30851 at 15% per annum for 3 years. | option_a=13982 | option_b=13882 | option_c=44733 | option_d=13782 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{30851 \times 15 \times 3}{100} = \text{■}13882$.

id=39434 | topic=Percentages | difficulty=Easy | question=What is 25% of 1611? | option_a=804 | option_b=402 | option_c=422 | option_d=392 | answer=B | explanation=25% of 1611 = $(25/100) \times 1611 = 402$.

id=39435 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=39436 | topic=Percentages | difficulty=Easy | question=What is 15% of 838? | option_a=135 | option_b=250 | option_c=125 | option_d=115 | answer=C | explanation=15% of 838 = $(15/100) \times 838 = 125$.

id=39437 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23995 at 15% per annum for 4 years. | option_a=14297 | option_b=38392 | option_c=14497 | option_d=14397 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{23995 \times 15 \times 4}{100} = \text{■}14397$.

id=39438 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 6. | option_a=144 | option_b=24 | option_c=48 | option_d=18 | answer=B | explanation= $LCM \times HCF = 24 \times 6$; $HCF(24,6) = 6$, so $LCM = 24$.

id=39439 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=40 | option_b=32 | option_c=36 | option_d=37 | answer=C | explanation=The common difference is 4. Therefore the next term is $32 + 4 = 36$.

id=39440 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:11 and the first is 252, what is the second? | option_a=187 | option_b=198 | option_c=212 | option_d=450 | answer=B | explanation=Scale factor = $\frac{252}{14} = 18$. Therefore second quantity = $11 \times 18 = 198$.

id=39441 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39582 at 8% per annum for 5 years. | option_a=15832 | option_b=55414 | option_c=15932 | option_d=15732 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{39582 \times 8 \times 5}{100} = \text{■}15832$.

id=39442 | topic=Averages | difficulty=Easy | question=Find the average of 69, 36, 85, 83, 91, 68, 89, 39. | option_a=71 | option_b=70 | option_c=69 | option_d=72 | answer=B | explanation=Average = sum of values ÷ number of values = $560 \div 8 = 70$.

id=39443 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=21 | option_b=22 | option_c=20 | option_d=18 | answer=C | explanation=The common difference is 2. Therefore the next term is $18 + 2 = 20$.

id=39444 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=50 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = $90 \div 2 = 45$ km/h.

id=39445 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 5. | option_a=10 | option_b=75 | option_c=15 | option_d=30 | answer=C | explanation= $LCM \times HCF = 15 \times 5$; $HCF(15,5) = 5$, so $LCM = 15$.

id=39446 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:11 and the first is 192, what is the second? | option_a=176 | option_b=368 | option_c=188 | option_d=165 | answer=A | explanation=Scale factor = $\frac{192}{12} = 16$. Therefore second quantity = $11 \times 16 = 176$.

id=39447 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=6 | option_c=12 | option_d=11 | answer=B | explanation=Speed = distance ÷ time = $60 \div 10 = 6$ km/h.

id=39448 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 37? | option_a=37 | option_b=32 | option_c=30 | option_d=34 | answer=A | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 37 is the odd one out.

id=39449 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=39450 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=21 | option_b=20 | option_c=18 | option_d=22 | answer=B | explanation=The common difference is 2. Therefore the next term is $18 + 2 = 20$.

Aptitude Questions — Records 39,451-39,480 of 100,000

id=39451 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=125 | option_c=120 | option_d=240 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=39452 | topic=Averages | difficulty=Easy | question=Find the average of 36, 63, 62, 100, 18, 27. | option_a=52 | option_b=53 | option_c=51 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 306 ÷ 6 = 51.

id=39453 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=39454 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=39455 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■49813 at 12% per annum for 2 years. | option_a=61768 | option_b=11855 | option_c=11955 | option_d=12055 | answer=C | explanation=SI = PRT/100 = 49813×12×2/100 = ■11955.

id=39456 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=R | option_b=S | option_c=U | option_d=T | answer=D | explanation=Move 1 positions forward from S; the resulting letter is T.

id=39457 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■22905 at 5% per annum for 5 years. | option_a=5626 | option_b=5726 | option_c=28631 | option_d=5826 | answer=B | explanation=SI = PRT/100 = 22905×5×5/100 = ■5726.

id=39458 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=18 | option_b=14 | option_c=19 | option_d=22 | answer=A | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.

id=39459 | topic=Percentages | difficulty=Easy | question=What is 40% of 1335? | option_a=1068 | option_b=544 | option_c=514 | option_d=534 | answer=D | explanation=40% of 1335 = (40/100) × 1335 = 534.

id=39460 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=49 | option_b=43 | option_c=42 | option_d=35 | answer=C | explanation=The common difference is 7. Therefore the next term is 35 + 7 = 42.

id=39461 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 20, 30, 41? | option_a=10 | option_b=20 | option_c=41 | option_d=30 | answer=C | explanation=The first three numbers increase by 10, so the next should be 40. Therefore 41 is the odd one out.

id=39462 | topic=Averages | difficulty=Easy | question=Find the average of 13, 65, 28, 56, 54, 72. | option_a=49 | option_b=47 | option_c=48 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 288 ÷ 6 = 48.

id=39463 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=39464 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1109. If it is sold at a profit of 15%, what is its selling price? | option_a=1165 | option_b=1275 | option_c=1385 | option_d=1124 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1109 × 115/100 = ■1275.

id=39465 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 13? | option_a=4 | option_b=6 | option_c=8 | option_d=13 | answer=D | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 13 is the odd one out.

id=39466 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 19, 29, 42? | option_a=19 | option_b=29 | option_c=9 | option_d=42 | answer=D | explanation=The first three numbers increase by 10, so the next should be 39. Therefore 42 is the odd one out.

id=39467 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 45? | option_a=38 | option_b=30 | option_c=34 | option_d=45 | answer=D | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 45 is the odd one out.

id=39468 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■39060 at 15% per annum for 1 years. | option_a=5859 | option_b=5959 | option_c=44919 | option_d=5759 | answer=A | explanation=SI = PRT/100 = 39060×15×1/100 = ■5859.

id=39469 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=39470 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3549. If it is sold at a profit of 40%, what is its selling price? | option_a=3589 | option_b=4968 | option_c=4614 | option_d=5322 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3549 × 140/100 = ■4968.

id=39471 | topic=Averages | difficulty=Easy | question=Find the average of 34, 47, 20, 35, 12, 89, 63, 22, 29. | option_a=39 | option_b=40 | option_c=38 | option_d=41 | answer=A | explanation=Average = sum of values ÷ number of values = 351 ÷ 9 = 39.

id=39472 | topic=Averages | difficulty=Easy | question=Find the average of 66, 36, 58, 72, 31, 47, 75. | option_a=57 | option_b=56 | option_c=54 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 385 ÷ 7 = 55.

id=39473 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=30 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=39474 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=12 | option_c=24 | option_d=17 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=39475 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=39476 | topic=Averages | difficulty=Easy | question=Find the average of 98, 75, 13, 72, 49, 16, 34. | option_a=52 | option_b=51 | option_c=53 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.

id=39477 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■42481 at 15% per annum for 2 years. | option_a=12844 | option_b=12744 | option_c=55225 | option_d=12844 | answer=B | explanation=SI = PRT/100 = 42481×15×2/100 = ■12744.

id=39478 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=39479 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 34, 42, 52? | option_a=42 | option_b=26 | option_c=34 | option_d=52 | answer=D | explanation=The first three numbers increase by 8, so the next should be 50. Therefore 52 is the odd one out.

id=39480 | topic=Percentages | difficulty=Easy | question=What is 10% of 1764? | option_a=166 | option_b=176 | option_c=186 | option_d=352 | answer=B | explanation=10% of 1764 = (10/100) × 1764 = 176.

Aptitude Questions — Records 39,481-39,510 of 100,000

id=39481 | topic=Averages | difficulty=Easy | question=Find the average of 34, 68, 36, 47, 85. | option_a=53 | option_b=56 | option_c=54 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 270 ÷ 5 = 54.

id=39482 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:12 and the first is 260, what is the second? | option_a=228 | option_b=240 | option_c=500 | option_d=253 | answer=B | explanation=Scale factor = 260/13 = 20. Therefore second quantity = 12×20 = 240.

id=39483 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25972 at 15% per annum for 5 years. | option_a=19579 | option_b=19379 | option_c=45451 | option_d=19479 | answer=D | explanation=SI = PRT/100 = 25972×15×5/100 = **■**19479.

id=39484 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1048 at 4% per annum for 5 years. | option_a=209 | option_b=1257 | option_c=309 | option_d=109 | answer=A | explanation=SI = PRT/100 = 1048×4×5/100 = **■**209.

id=39485 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=E | option_b=F | option_c=D | option_d=C | answer=A | explanation=Move 1 positions forward from D; the resulting letter is E.

id=39486 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 9. | option_a=36 | option_b=48 | option_c=108 | option_d=27 | answer=A | explanation=LCM × HCF = 12×9; HCF(12,9) = 3, so LCM = 36.

id=39487 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=60 | option_b=50 | option_c=49 | option_d=38 | answer=C | explanation=The common difference is 11. Therefore the next term is 38 + 11 = 49.

id=39488 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=U | option_b=O | option_c=L | option_d=R | answer=D | explanation=Move 3 positions forward from O; the resulting letter is R.

id=39489 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=Z | option_c=L | option_d=D | answer=A | explanation=Move 4 positions forward from D; the resulting letter is H.

id=39490 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=50 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=39491 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33358 at 15% per annum for 4 years. | option_a=53372 | option_b=20014 | option_c=19914 | option_d=20114 | answer=B | explanation=SI = PRT/100 = 33358×15×4/100 = **■**20014.

id=39492 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:8 and the first is 120, what is the second? | option_a=106 | option_b=88 | option_c=216 | option_d=96 | answer=D | explanation=Scale factor = 120/10 = 12. Therefore second quantity = 8×12 = 96.

id=39493 | topic=Averages | difficulty=Easy | question=Find the average of 85, 50, 23, 61, 87, 38, 84, 52. | option_a=61 | option_b=59 | option_c=62 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 480 ÷ 8 = 60.

id=39494 | topic=Averages | difficulty=Easy | question=Find the average of 30, 76, 46, 12, 34, 60. | option_a=44 | option_b=45 | option_c=42 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = 258 ÷ 6 = 43.

id=39495 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:20 and the first is 17, what is the second? | option_a=340 | option_b=341 | option_c=357 | option_d=320 | answer=A | explanation=Scale factor = 17/1 = 17. Therefore second quantity = 20×17 = 340.

id=39496 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3917. If it is sold at a profit of 25%, what is its selling price? | option_a=3942 | option_b=4505 | option_c=5287 | option_d=4896 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3917 × 125/100 = **■**4896.

id=39497 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2884. If it is sold at a profit of 20%, what is its selling price? | option_a=3460 | option_b=3172 | option_c=2904 | option_d=3748 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2884 × 120/100 = **■**3460.

id=39498 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3887. If it is sold at a profit of 20%, what is its selling price? | option_a=4664 | option_b=4276 | option_c=5052 | option_d=3907 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3887 × 120/100 = **■**4664.

id=39499 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=N | option_b=J | option_c=F | option_d=B | answer=B | explanation=Move 4 positions forward from F; the resulting letter is J.

id=39500 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:20 and the first is 15, what is the second? | option_a=75 | option_b=60 | option_c=65 | option_d=40 | answer=B | explanation=Scale factor = 15/5 = 3. Therefore second quantity = 20×3 = 60.

id=39501 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**882. If it is sold at a profit of 30%, what is its selling price? | option_a=1234 | option_b=912 | option_c=1058 | option_d=1146 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 882 × 130/100 = **■**1146.

id=39502 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:17 and the first is 361, what is the second? | option_a=306 | option_b=342 | option_c=323 | option_d=684 | answer=C | explanation=Scale factor = 361/19 = 19. Therefore second quantity = 17×19 = 323.

id=39503 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=Q | option_b=O | option_c=N | option_d=P | answer=D | explanation=Move 1 positions forward from O; the resulting letter is P.

id=39504 | topic=Averages | difficulty=Easy | question=Find the average of 26, 59, 87, 61, 91, 67, 18, 63. | option_a=59 | option_b=60 | option_c=58 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 472 ÷ 8 = 59.

id=39505 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2944. If it is sold at a profit of 30%, what is its selling price? | option_a=3533 | option_b=4121 | option_c=2974 | option_d=3827 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2944 × 130/100 = **■**3827.

id=39506 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 17, 29, 41, ? | option_a=41 | option_b=53 | option_c=54 | option_d=65 | answer=B | explanation=The common difference is 12. Therefore the next term is 41 + 12 = 53.

id=39507 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18271 at 12% per annum for 1 years. | option_a=20463 | option_b=2292 | option_c=2092 | option_d=2192 | answer=D | explanation=SI = PRT/100 = 18271×12×1/100 = **■**2192.

id=39508 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=40 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=39509 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=S | option_b=T | option_c=U | option_d=V | answer=C | explanation=Move 1 positions forward from T; the resulting letter is U.

id=39510 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4889. If it is sold at a profit of 30%, what is its selling price? | option_a=6355 | option_b=4919 | option_c=6843 | option_d=5867 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4889 × 130/100 = **■**6355.

Aptitude Questions — Records 39,511-39,540 of 100,000

id=39511 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4555. If it is sold at a profit of 30%, what is its selling price? | option_a=5921 | option_b=6376 | option_c=4585 | option_d=5466 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4555 \times 130/100 = \text{█}5921$.

id=39512 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.

id=39513 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:12 and the first is 51, what is the second? | option_a=207 | option_b=255 | option_c=192 | option_d=204 | answer=D | explanation=Scale factor = $51/3 = 17$. Therefore second quantity = $12 \times 17 = 204$.

id=39514 | topic=Averages | difficulty=Easy | question=Find the average of 24, 93, 30, 35, 91, 27, 78. | option_a=55 | option_b=56 | option_c=54 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = $378 \div 7 = 54$.

id=39515 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4765. If it is sold at a profit of 30%, what is its selling price? | option_a=5718 | option_b=6194 | option_c=6670 | option_d=4795 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4765 \times 130/100 = \text{█}6194$.

id=39516 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=52 | option_b=63 | option_c=53 | option_d=41 | answer=A | explanation=The common difference is 11. Therefore the next term is $41 + 11 = 52$.

id=39517 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=27 | option_b=26 | option_c=22 | option_d=30 | answer=B | explanation=The common difference is 4. Therefore the next term is $22 + 4 = 26$.

id=39518 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 29, 31, 35? | option_a=27 | option_b=29 | option_c=31 | option_d=35 | answer=D | explanation=The first three numbers increase by 2, so the next should be 33. Therefore 35 is the odd one out.

id=39519 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:3 and the first is 120, what is the second? | option_a=165 | option_b=53 | option_c=42 | option_d=45 | answer=D | explanation=Scale factor = $120/8 = 15$. Therefore second quantity = $3 \times 15 = 45$.

id=39520 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=J | option_c=R | option_d=V | answer=C | explanation=Move 4 positions forward from N; the resulting letter is R.

id=39521 | topic=Averages | difficulty=Easy | question=Find the average of 51, 13, 91, 28, 77. | option_a=53 | option_b=54 | option_c=51 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = $260 \div 5 = 52$.

id=39522 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=39523 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8231 at 10% per annum for 1 years. | option_a=823 | option_b=923 | option_c=9054 | option_d=723 | answer=A | explanation=SI = $PRT/100 = 8231 \times 10 \times 1/100 = \text{█}823$.

id=39524 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:11 and the first is 162, what is the second? | option_a=207 | option_b=187 | option_c=360 | option_d=198 | answer=D | explanation=Scale factor = $162/9 = 18$. Therefore second quantity = $11 \times 18 = 198$.

id=39525 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=O | option_b=Q | option_c=P | option_d=R | answer=B | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=39526 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=70 | option_b=75 | option_c=80 | option_d=150 | answer=B | explanation=Speed = distance ÷ time = $300 \div 4 = 75$ km/h.

id=39527 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:10 and the first is 99, what is the second? | option_a=90 | option_b=189 | option_c=101 | option_d=80 | answer=A | explanation=Scale factor = $99/11 = 9$. Therefore second quantity = $10 \times 9 = 90$.

id=39528 | topic=Averages | difficulty=Easy | question=Find the average of 88, 67, 23, 23, 59. | option_a=54 | option_b=53 | option_c=52 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = $260 \div 5 = 52$.

id=39529 | topic=Percentages | difficulty=Easy | question=What is 25% of 1789? | option_a=452 | option_b=894 | option_c=447 | option_d=442 | answer=C | explanation=25% of 1789 = $(25/100) \times 1789 = 447$.

id=39530 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:17 and the first is 18, what is the second? | option_a=69 | option_b=57 | option_c=51 | option_d=34 | answer=C | explanation=Scale factor = $18/6 = 3$. Therefore second quantity = $17 \times 3 = 51$.

id=39531 | topic=Percentages | difficulty=Easy | question=What is 40% of 1207? | option_a=964 | option_b=487 | option_c=477 | option_d=482 | answer=D | explanation=40% of 1207 = $(40/100) \times 1207 = 482$.

id=39532 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=56 | option_b=55 | option_c=64 | option_d=46 | answer=B | explanation=The common difference is 9. Therefore the next term is $46 + 9 = 55$.

id=39533 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=39534 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=48 | option_b=58 | option_c=36 | option_d=47 | answer=D | explanation=The common difference is 11. Therefore the next term is $36 + 11 = 47$.

id=39535 | topic=Averages | difficulty=Easy | question=Find the average of 13, 84, 62. | option_a=55 | option_b=54 | option_c=52 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = $159 \div 3 = 53$.

id=39536 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=39537 | topic=Averages | difficulty=Easy | question=Find the average of 86, 25, 59, 42, 96, 22. | option_a=54 | option_b=55 | option_c=57 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = $330 \div 6 = 55$.

id=39538 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 20. | option_a=240 | option_b=286 | option_c=520 | option_d=260 | answer=D | explanation= $LCM \times HCF = 26 \times 20$; $HCF(26,20) = 2$, so $LCM = 260$.

id=39539 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 22. | option_a=192 | option_b=352 | option_c=154 | option_d=176 | answer=D | explanation= $LCM \times HCF = 16 \times 22$; $HCF(16,22) = 2$, so $LCM = 176$.

id=39540 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=39 | option_b=47 | option_c=40 | option_d=31 | answer=A | explanation=The common difference is 8. Therefore the next term is $31 + 8 = 39$.

Aptitude Questions — Records 39,541-39,570 of 100,000

id=39541 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 14, 17, 21? | option_a=14 | option_b=21 | option_c=17 | option_d=11 | answer=B | explanation=The first three numbers increase by 3, so the next should be 20. Therefore 21 is the odd one out.

id=39542 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=R | option_b=U | option_c=A | option_d=X | answer=D | explanation=Move 3 positions forward from U; the resulting letter is X.

id=39543 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=K | option_b=E | option_c=N | option_d=H | answer=A | explanation=Move 3 positions forward from H; the resulting letter is K.

id=39544 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 15. | option_a=108 | option_b=75 | option_c=270 | option_d=90 | answer=D | explanation=LCM × HCF = 18×15; HCF(18,15) = 3, so LCM = 90.

id=39545 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:14 and the first is 140, what is the second? | option_a=420 | option_b=280 | option_c=266 | option_d=287 | answer=B | explanation=Scale factor = 140/7 = 20. Therefore second quantity = 14×20 = 280.

id=39546 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=33 | option_b=38 | option_c=43 | option_d=39 | answer=B | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.

id=39547 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=39548 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11630 at 12% per annum for 1 years. | option_a=1395 | option_b=1295 | option_c=1495 | option_d=13025 | answer=A | explanation=SI = PRT/100 = 11630×12×1/100 = **■**1395.

id=39549 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:13 and the first is 48, what is the second? | option_a=87 | option_b=39 | option_c=26 | option_d=55 | answer=B | explanation=Scale factor = 48/16 = 3. Therefore second quantity = 13×3 = 39.

id=39550 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41871 at 10% per annum for 4 years. | option_a=58619 | option_b=16748 | option_c=16848 | option_d=16648 | answer=B | explanation=SI = PRT/100 = 41871×10×4/100 = **■**16748.

id=39551 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17509 at 5% per annum for 3 years. | option_a=20135 | option_b=2726 | option_c=2626 | option_d=2526 | answer=C | explanation=SI = PRT/100 = 17509×5×3/100 = **■**2626.

id=39552 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 27. | option_a=648 | option_b=216 | option_c=240 | option_d=189 | answer=B | explanation=LCM × HCF = 24×27; HCF(24,27) = 3, so LCM = 216.

id=39553 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4872. If it is sold at a profit of 10%, what is its selling price? | option_a=5846 | option_b=5359 | option_c=4872 | option_d=4882 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4872 × 110/100 = **■**5359.

id=39554 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 10, 16, 25? | option_a=10 | option_b=4 | option_c=16 | option_d=25 | answer=D | explanation=The first three numbers increase by 6, so the next should be 22. Therefore 25 is the odd one out.

id=39555 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:16 and the first is 40, what is the second? | option_a=304 | option_b=360 | option_c=322 | option_d=320 | answer=D | explanation=Scale factor = 40/2 = 20. Therefore second quantity = 16×20 = 320.

id=39556 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:17 and the first is 228, what is the second? | option_a=335 | option_b=323 | option_c=551 | option_d=306 | answer=B | explanation=Scale factor = 228/12 = 19. Therefore second quantity = 17×19 = 323.

id=39557 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 32, 36, 41? | option_a=32 | option_b=41 | option_c=36 | option_d=28 | answer=B | explanation=The first three numbers increase by 4, so the next should be 40. Therefore 41 is the odd one out.

id=39558 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6189 at 5% per annum for 5 years. | option_a=1447 | option_b=1547 | option_c=1647 | option_d=7736 | answer=B | explanation=SI = PRT/100 = 6189×5×5/100 = **■**1547.

id=39559 | topic=Averages | difficulty=Easy | question=Find the average of 82, 37, 57, 55, 30, 84, 34, 46, 34. | option_a=50 | option_b=51 | option_c=52 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 459 ÷ 9 = 51.

id=39560 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=Y | option_b=N | option_c=I | option_d=D | answer=C | explanation=Move 5 positions forward from D; the resulting letter is I.

id=39561 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12803 at 8% per annum for 3 years. | option_a=3172 | option_b=3072 | option_c=2972 | option_d=15875 | answer=B | explanation=SI = PRT/100 = 12803×8×3/100 = **■**3072.

id=39562 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 33, 40, 49? | option_a=26 | option_b=49 | option_c=40 | option_d=33 | answer=B | explanation=The first three numbers increase by 7, so the next should be 47. Therefore 49 is the odd one out.

id=39563 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=24 | option_b=29 | option_c=19 | option_d=25 | answer=A | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.

id=39564 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49233 at 8% per annum for 4 years. | option_a=15754 | option_b=15854 | option_c=64987 | option_d=15654 | answer=A | explanation=SI = PRT/100 = 49233×8×4/100 = **■**15754.

id=39565 | topic=Percentages | difficulty=Easy | question=What is 30% of 591? | option_a=187 | option_b=354 | option_c=172 | option_d=177 | answer=D | explanation=30% of 591 = (30/100) × 591 = 177.

id=39566 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=24 | option_c=7 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=39567 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 39, 49, 61? | option_a=29 | option_b=49 | option_c=39 | option_d=61 | answer=D | explanation=The first three numbers increase by 10, so the next should be 59. Therefore 61 is the odd one out.

id=39568 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:6 and the first is 56, what is the second? | option_a=78 | option_b=88 | option_c=84 | option_d=140 | answer=C | explanation=Scale factor = 56/4 = 14. Therefore second quantity = 6×14 = 84.

id=39569 | topic=Averages | difficulty=Easy | question=Find the average of 97, 67, 62, 74, 77, 21, 92, 40, 70, 30. | option_a=64 | option_b=65 | option_c=62 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 630 ÷ 10 = 63.

id=39570 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**650. If it is sold at a profit of 20%, what is its selling price? | option_a=845 | option_b=670 | option_c=780 | option_d=715 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 650 × 120/100 = **■**780.

Aptitude Questions — Records 39,571-39,600 of 100,000

id=39571 | topic=Averages | difficulty=Easy | question=Find the average of 46, 91, 12, 64, 47. | option_a=52 | option_b=53 | option_c=54 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 260 ÷ 5 = 52.

id=39572 | topic=Averages | difficulty=Easy | question=Find the average of 86, 60, 40, 70, 90, 62. | option_a=70 | option_b=67 | option_c=68 | option_d=69 | answer=C | explanation=Average = sum of values ÷ number of values = 408 ÷ 6 = 68.

id=39573 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 24. | option_a=1 | option_b=26 | option_c=24 | option_d=48 | answer=C | explanation=LCM × HCF = 2×24; HCF(2,24) = 2, so LCM = 24.

id=39574 | topic=Percentages | difficulty=Easy | question=What is 30% of 641? | option_a=187 | option_b=384 | option_c=192 | option_d=197 | answer=C | explanation=30% of 641 = (30/100) × 641 = 192.

id=39575 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=12 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=39576 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 30? | option_a=26 | option_b=30 | option_c=22 | option_d=24 | answer=B | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 30 is the odd one out.

id=39577 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:1 and the first is 88, what is the second? | option_a=8 | option_b=96 | option_c=19 | option_d=7 | answer=A | explanation=Scale factor = 88/11 = 8. Therefore second quantity = 1×8 = 8.

id=39578 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21238 at 15% per annum for 2 years. | option_a=27609 | option_b=6371 | option_c=6271 | option_d=6471 | answer=B | explanation=SI = PRT/100 = 21238×15×2/100 = **■**6371.

id=39579 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=46 | option_b=36 | option_c=45 | option_d=54 | answer=C | explanation=The common difference is 9. Therefore the next term is 36 + 9 = 45.

id=39580 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=39581 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=Y | option_c=T | option_d=J | answer=C | explanation=Move 5 positions forward from O; the resulting letter is T.

id=39582 | topic=Averages | difficulty=Easy | question=Find the average of 18, 95, 73, 21, 49, 46, 45, 69. | option_a=54 | option_b=52 | option_c=53 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=39583 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=Q | option_b=O | option_c=N | option_d=P | answer=D | explanation=Move 1 positions forward from O; the resulting letter is P.

id=39584 | topic=Percentages | difficulty=Easy | question=What is 50% of 236? | option_a=108 | option_b=128 | option_c=118 | option_d=236 | answer=C | explanation=50% of 236 = (50/100) × 236 = 118.

id=39585 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1035. If it is sold at a profit of 30%, what is its selling price? | option_a=1448 | option_b=1345 | option_c=1065 | option_d=1242 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1035 × 130/100 = **■**1345.

id=39586 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=H | option_c=D | option_d=B | answer=A | explanation=Move 2 positions forward from D; the resulting letter is F.

id=39587 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=61 | option_b=50 | option_c=51 | option_d=39 | answer=B | explanation=The common difference is 11. Therefore the next term is 39 + 11 = 50.

id=39588 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:17 and the first is 60, what is the second? | option_a=238 | option_b=315 | option_c=255 | option_d=259 | answer=C | explanation=Scale factor = 60/4 = 15. Therefore second quantity = 17×15 = 255.

id=39589 | topic=Averages | difficulty=Easy | question=Find the average of 24, 35, 52. | option_a=39 | option_b=37 | option_c=36 | option_d=38 | answer=B | explanation=Average = sum of values ÷ number of values = 111 ÷ 3 = 37.

id=39590 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=39591 | topic=Averages | difficulty=Easy | question=Find the average of 30, 82, 70, 13, 65. | option_a=53 | option_b=51 | option_c=52 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 260 ÷ 5 = 52.

id=39592 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=39593 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=47 | option_b=37 | option_c=57 | option_d=48 | answer=A | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

id=39594 | topic=Percentages | difficulty=Easy | question=What is 20% of 1478? | option_a=305 | option_b=275 | option_c=590 | option_d=295 | answer=D | explanation=20% of 1478 = (20/100) × 1478 = 295.

id=39595 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 14. | option_a=1 | option_b=14 | option_c=21 | option_d=98 | answer=B | explanation=LCM × HCF = 7×14; HCF(7,14) = 7, so LCM = 14.

id=39596 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 17? | option_a=5 | option_b=11 | option_c=17 | option_d=8 | answer=C | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 17 is the odd one out.

id=39597 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 17, 23, 32? | option_a=23 | option_b=17 | option_c=32 | option_d=11 | answer=C | explanation=The first three numbers increase by 6, so the next should be 29. Therefore 32 is the odd one out.

id=39598 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2826. If it is sold at a profit of 15%, what is its selling price? | option_a=3249 | option_b=2967 | option_c=3531 | option_d=2841 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2826 × 115/100 = **■**3249.

id=39599 | topic=Percentages | difficulty=Easy | question=What is 25% of 1850? | option_a=924 | option_b=462 | option_c=442 | option_d=472 | answer=B | explanation=25% of 1850 = (25/100) × 1850 = 462.

id=39600 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=23 | option_b=24 | option_c=28 | option_d=18 | answer=A | explanation=The common difference is 5. Therefore the next term is 18 + 5 = 23.

Aptitude Questions — Records 39,601-39,630 of 100,000

id=39601 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 35, 40, 46? | option_a=35 | option_b=30 | option_c=40 | option_d=46 | answer=D | explanation=The first three numbers increase by 5, so the next should be 45. Therefore 46 is the odd one out.

id=39602 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=39603 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=300 | option_c=145 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = $300 \div 2 = 150$ km/h.

id=39604 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=39605 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=55 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = $150 \div 3 = 50$ km/h.

id=39606 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:20 and the first is 171, what is the second? | option_a=551 | option_b=360 | option_c=380 | option_d=389 | answer=C | explanation=Scale factor = $\frac{171}{9} = 19$. Therefore second quantity = $20 \times 19 = 380$.

id=39607 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=144 | option_c=77 | option_d=67 | answer=A | explanation=Speed = distance ÷ time = $360 \div 5 = 72$ km/h.

id=39608 | topic=Averages | difficulty=Easy | question=Find the average of 14, 39, 98, 18, 68, 81. | option_a=54 | option_b=53 | option_c=52 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = $318 \div 6 = 53$.

id=39609 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4069. If it is sold at a profit of 40%, what is its selling price? | option_a=4109 | option_b=6102 | option_c=5290 | option_d=5696 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4069 \times 140 / 100 = \text{█}5696$.

id=39610 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=39611 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 9, 14, 20? | option_a=20 | option_b=14 | option_c=4 | option_d=9 | answer=A | explanation=The first three numbers increase by 5, so the next should be 19. Therefore 20 is the odd one out.

id=39612 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=22 | option_b=32 | option_c=28 | option_d=27 | answer=D | explanation=The common difference is 5. Therefore the next term is $22 + 5 = 27$.

id=39613 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:10 and the first is 12, what is the second? | option_a=26 | option_b=32 | option_c=10 | option_d=20 | answer=D | explanation=Scale factor = $\frac{12}{6} = 2$. Therefore second quantity = $10 \times 2 = 20$.

id=39614 | topic=Percentages | difficulty=Easy | question=What is 12% of 1568? | option_a=376 | option_b=208 | option_c=178 | option_d=188 | answer=D | explanation= $12\% \text{ of } 1568 = (\frac{12}{100}) \times 1568 = 188$.

id=39615 | topic=Averages | difficulty=Easy | question=Find the average of 71, 53, 88, 83, 17, 42. | option_a=59 | option_b=61 | option_c=60 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = $354 \div 6 = 59$.

id=39616 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:10 and the first is 33, what is the second? | option_a=100 | option_b=110 | option_c=113 | option_d=143 | answer=B | explanation=Scale factor = $\frac{33}{3} = 11$. Therefore second quantity = $10 \times 11 = 110$.

id=39617 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=N | option_b=J | option_c=B | option_d=F | answer=B | explanation=Move 4 positions forward from F; the resulting letter is J.

id=39618 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=52 | option_b=40 | option_c=62 | option_d=51 | answer=D | explanation=The common difference is 11. Therefore the next term is $40 + 11 = 51$.

id=39619 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = $\frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=39620 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = $360 \div 6 = 60$ km/h.

id=39621 | topic=Averages | difficulty=Easy | question=Find the average of 34, 63, 82, 36, 11, 55, 10, 21, 72, 66. | option_a=44 | option_b=46 | option_c=47 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = $450 \div 10 = 45$.

id=39622 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=P | option_c=Q | option_d=N | answer=B | explanation=Move 1 positions forward from O; the resulting letter is P.

id=39623 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33921 at 4% per annum for 1 years. | option_a=1356 | option_b=1456 | option_c=1256 | option_d=35277 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{33921 \times 4 \times 1}{100} = \text{█}1356$.

id=39624 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=39625 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 35, 41, 49? | option_a=41 | option_b=49 | option_c=29 | option_d=35 | answer=B | explanation=The first three numbers increase by 6, so the next should be 47. Therefore 49 is the odd one out.

id=39626 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=39627 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 38? | option_a=21 | option_b=31 | option_c=38 | option_d=26 | answer=C | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 38 is the odd one out.

id=39628 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=12 | option_c=17 | option_d=24 | answer=B | explanation=Speed = distance ÷ time = $60 \div 5 = 12$ km/h.

id=39629 | topic=Averages | difficulty=Easy | question=Find the average of 70, 76, 22. | option_a=57 | option_b=58 | option_c=55 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = $168 \div 3 = 56$.

id=39630 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 8. | option_a=16 | option_b=10 | option_c=1 | option_d=8 | answer=D | explanation= $LCM \times HCF = 2 \times 8$; $HCF(2, 8) = 2$, so $LCM = 8$.

Aptitude Questions — Records 39,631-39,660 of 100,000

id=39631 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=20 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=39632 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:11 and the first is 30, what is the second? | option_a=37 | option_b=52 | option_c=22 | option_d=11 | answer=C | explanation=Scale factor = 30/15 = 2. Therefore second quantity = 11×2 = 22.

id=39633 | topic=Averages | difficulty=Easy | question=Find the average of 42, 65, 15, 94, 44, 100. | option_a=61 | option_b=59 | option_c=60 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 360 ÷ 6 = 60.

id=39634 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=41 | option_b=40 | option_c=49 | option_d=31 | answer=B | explanation=The common difference is 9. Therefore the next term is 31 + 9 = 40.

id=39635 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=39636 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=150 | option_c=145 | option_d=155 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=39637 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1868. If it is sold at a profit of 25%, what is its selling price? | option_a=1893 | option_b=2149 | option_c=2521 | option_d=2335 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1868 × 125/100 = █2335.

id=39638 | topic=Averages | difficulty=Easy | question=Find the average of 62, 58, 48, 36, 49, 33, 43. | option_a=47 | option_b=46 | option_c=48 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 329 ÷ 7 = 47.

id=39639 | topic=Averages | difficulty=Easy | question=Find the average of 33, 69, 41, 60, 85, 16, 48, 66, 87, 95. | option_a=60 | option_b=62 | option_c=61 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=39640 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 18, 24, 30, ? | option_a=36 | option_b=30 | option_c=42 | option_d=37 | answer=A | explanation=The common difference is 6. Therefore the next term is 30 + 6 = 36.

id=39641 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 26. | option_a=252 | option_b=208 | option_c=468 | option_d=234 | answer=D | explanation=LCM × HCF = 18×26; HCF(18,26) = 2, so LCM = 234.

id=39642 | topic=Percentages | difficulty=Easy | question=What is 20% of 135? | option_a=17 | option_b=47 | option_c=27 | option_d=54 | answer=C | explanation=20% of 135 = (20/100) × 135 = 27.

id=39643 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=Y | option_b=O | option_c=J | option_d=T | answer=D | explanation=Move 5 positions forward from O; the resulting letter is T.

id=39644 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 16. | option_a=16 | option_b=1 | option_c=128 | option_d=24 | answer=A | explanation=LCM × HCF = 8×16; HCF(8,16) = 8, so LCM = 16.

id=39645 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:20 and the first is 224, what is the second? | option_a=504 | option_b=296 | option_c=260 | option_d=280 | answer=D | explanation=Scale factor = 224/16 = 14. Therefore second quantity = 20×14 = 280.

id=39646 | topic=Averages | difficulty=Easy | question=Find the average of 38, 10, 86, 69, 42, 31, 100, 76, 16, 102. | option_a=58 | option_b=57 | option_c=56 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.

id=39647 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 40? | option_a=21 | option_b=13 | option_c=40 | option_d=29 | answer=C | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 40 is the odd one out.

id=39648 | topic=Percentages | difficulty=Easy | question=What is 40% of 1397? | option_a=563 | option_b=553 | option_c=558 | option_d=1116 | answer=C | explanation=40% of 1397 = (40/100) × 1397 = 558.

id=39649 | topic=Averages | difficulty=Easy | question=Find the average of 29, 23, 76, 65, 70, 64, 51. | option_a=54 | option_b=56 | option_c=53 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

id=39650 | topic=Averages | difficulty=Easy | question=Find the average of 63, 27, 99, 27. | option_a=55 | option_b=54 | option_c=56 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 216 ÷ 4 = 54.

id=39651 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=Z | option_c=H | option_d=L | answer=C | explanation=Move 4 positions forward from D; the resulting letter is H.

id=39652 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=39653 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1661. If it is sold at a profit of 10%, what is its selling price? | option_a=1671 | option_b=1993 | option_c=1661 | option_d=1827 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1661 × 110/100 = █1827.

id=39654 | topic=Averages | difficulty=Easy | question=Find the average of 40, 36, 26. | option_a=35 | option_b=36 | option_c=34 | option_d=33 | answer=C | explanation=Average = sum of values ÷ number of values = 102 ÷ 3 = 34.

id=39655 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4728. If it is sold at a profit of 50%, what is its selling price? | option_a=6620 | option_b=7564 | option_c=7092 | option_d=4778 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4728 × 150/100 = █7092.

id=39656 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 10, 13, 17? | option_a=10 | option_b=7 | option_c=17 | option_d=13 | answer=C | explanation=The first three numbers increase by 3, so the next should be 16. Therefore 17 is the odd one out.

id=39657 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=P | option_b=H | option_c=L | option_d=D | answer=C | explanation=Move 4 positions forward from H; the resulting letter is L.

id=39658 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=39659 | topic=Percentages | difficulty=Easy | question=What is 25% of 1840? | option_a=455 | option_b=460 | option_c=465 | option_d=920 | answer=B | explanation=25% of 1840 = (25/100) × 1840 = 460.

id=39660 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4710 at 6% per annum for 5 years. | option_a=1513 | option_b=6123 | option_c=1313 | option_d=1413 | answer=D | explanation=SI = PRT/100 = 4710×6×5/100 = █1413.

Aptitude Questions — Records 39,661-39,690 of 100,000

id=39661 | topic=Averages | difficulty=Easy | question=Find the average of 23, 51, 62, 80, 99, 95, 53, 105. | option_a=72 | option_b=73 | option_c=70 | option_d=71 | answer=D | explanation=Average = sum of values ÷ number of values = 568 ÷ 8 = 71.

id=39662 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=I | option_b=M | option_c=O | option_d=K | answer=B | explanation=Move 2 positions forward from K; the resulting letter is M.

id=39663 | topic=Averages | difficulty=Easy | question=Find the average of 100, 41, 36. | option_a=60 | option_b=61 | option_c=58 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 177 ÷ 3 = 59.

id=39664 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:5 and the first is 289, what is the second? | option_a=102 | option_b=85 | option_c=374 | option_d=80 | answer=B | explanation=Scale factor = 289/17 = 17. Therefore second quantity = 5×17 = 85.

id=39665 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=44 | option_b=55 | option_c=66 | option_d=56 | answer=B | explanation=The common difference is 11. Therefore the next term is 44 + 11 = 55.

id=39666 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=59 | option_b=46 | option_c=58 | option_d=70 | answer=C | explanation=The common difference is 12. Therefore the next term is 46 + 12 = 58.

id=39667 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=150 | option_c=75 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=39668 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=5 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=39669 | topic=Percentages | difficulty=Easy | question=What is 40% of 1516? | option_a=606 | option_b=616 | option_c=586 | option_d=1212 | answer=A | explanation=40% of 1516 = (40/100) × 1516 = 606.

id=39670 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=M | option_c=E | option_d=Q | answer=B | explanation=Move 4 positions forward from I; the resulting letter is M.

id=39671 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 23? | option_a=23 | option_b=2 | option_c=8 | option_d=14 | answer=A | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 23 is the odd one out.

id=39672 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=U | option_b=V | option_c=T | option_d=S | answer=A | explanation=Move 1 positions forward from T; the resulting letter is U.

id=39673 | topic=Averages | difficulty=Easy | question=Find the average of 78, 76, 33, 86, 94, 80, 32, 65. | option_a=70 | option_b=67 | option_c=69 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = 544 ÷ 8 = 68.

id=39674 | topic=Averages | difficulty=Easy | question=Find the average of 83, 61, 25, 72, 30, 89. | option_a=60 | option_b=61 | option_c=62 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 360 ÷ 6 = 60.

id=39675 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=V | option_c=L | option_d=A | answer=B | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=39676 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=39677 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=50 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=39678 | topic=Averages | difficulty=Easy | question=Find the average of 63, 88, 19, 10, 21, 98, 86, 94, 70, 101. | option_a=66 | option_b=65 | option_c=64 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = 650 ÷ 10 = 65.

id=39679 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=39680 | topic=Percentages | difficulty=Easy | question=What is 50% of 444? | option_a=242 | option_b=444 | option_c=222 | option_d=212 | answer=C | explanation=50% of 444 = (50/100) × 444 = 222.

id=39681 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:10 and the first is 30, what is the second? | option_a=35 | option_b=20 | option_c=50 | option_d=10 | answer=B | explanation=Scale factor = 30/15 = 2. Therefore second quantity = 10×2 = 20.

id=39682 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37372 at 10% per annum for 2 years. | option_a=7574 | option_b=44846 | option_c=7474 | option_d=7374 | answer=C | explanation=SI = PRT/100 = 37372×10×2/100 = **■**7474.

id=39683 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 35? | option_a=12 | option_b=22 | option_c=35 | option_d=2 | answer=C | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 35 is the odd one out.

id=39684 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=55 | option_b=66 | option_c=56 | option_d=44 | answer=A | explanation=The common difference is 11. Therefore the next term is 44 + 11 = 55.

id=39685 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=12 | option_b=14 | option_c=16 | option_d=15 | answer=B | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=39686 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=52 | option_b=42 | option_c=51 | option_d=60 | answer=C | explanation=The common difference is 9. Therefore the next term is 42 + 9 = 51.

id=39687 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:6 and the first is 24, what is the second? | option_a=48 | option_b=18 | option_c=24 | option_d=30 | answer=C | explanation=Scale factor = 24/6 = 4. Therefore second quantity = 6×4 = 24.

id=39688 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:3 and the first is 220, what is the second? | option_a=60 | option_b=57 | option_c=280 | option_d=71 | answer=A | explanation=Scale factor = 220/11 = 20. Therefore second quantity = 3×20 = 60.

id=39689 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=C | option_b=U | option_c=Q | option_d=Y | answer=D | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=39690 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 39,691-39,720 of 100,000

id=39691 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 20. | option_a=1 | option_b=20 | option_c=40 | option_d=400 | answer=B | explanation=LCM × HCF = 20×20; HCF(20,20) = 20, so LCM = 20.

id=39692 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:1 and the first is 152, what is the second? | option_a=27 | option_b=171 | option_c=18 | option_d=19 | answer=D | explanation=Scale factor = 152/8 = 19. Therefore second quantity = 1×19 = 19.

id=39693 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2770. If it is sold at a profit of 30%, what is its selling price? | option_a=3601 | option_b=2800 | option_c=3324 | option_d=3878 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2770 × 130/100 = █3601.

id=39694 | topic=Number System | difficulty=Easy | question=Find the LCM of 17 and 17. | option_a=289 | option_b=34 | option_c=1 | option_d=17 | answer=D | explanation=LCM × HCF = 17×17; HCF(17,17) = 17, so LCM = 17.

id=39695 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=36 | option_c=31 | option_d=41 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=39696 | topic=Percentages | difficulty=Easy | question=What is 10% of 505? | option_a=60 | option_b=100 | option_c=50 | option_d=30 | answer=C | explanation=10% of 505 = (10/100) × 505 = 50.

id=39697 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 24, 27, 33? | option_a=21 | option_b=24 | option_c=27 | option_d=33 | answer=D | explanation=The first three numbers increase by 3, so the next should be 30. Therefore 33 is the odd one out.

id=39698 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=36 | option_b=72 | option_c=41 | option_d=31 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=39699 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=39700 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=39701 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5386 at 8% per annum for 3 years. | option_a=1392 | option_b=1192 | option_c=1292 | option_d=6678 | answer=C | explanation=SI = PRT/100 = 5386×8×3/100 = █1292.

id=39702 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=X | option_b=M | option_c=H | option_d=C | answer=C | explanation=Move 5 positions forward from C; the resulting letter is H.

id=39703 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 37? | option_a=17 | option_b=23 | option_c=29 | option_d=37 | answer=D | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 37 is the odd one out.

id=39704 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 10? | option_a=2 | option_b=10 | option_c=6 | option_d=4 | answer=B | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 10 is the odd one out.

id=39705 | topic=Percentages | difficulty=Easy | question=What is 5% of 1848? | option_a=184 | option_b=82 | option_c=92 | option_d=97 | answer=C | explanation=5% of 1848 = (5/100) × 1848 = 92.

id=39706 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=X | option_c=H | option_d=M | answer=C | explanation=Move 5 positions forward from C; the resulting letter is H.

id=39707 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:20 and the first is 75, what is the second? | option_a=280 | option_b=300 | option_c=375 | option_d=305 | answer=B | explanation=Scale factor = 75/5 = 15. Therefore second quantity = 20×15 = 300.

id=39708 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=H | option_b=C | option_c=M | option_d=X | answer=A | explanation=Move 5 positions forward from C; the resulting letter is H.

id=39709 | topic=Averages | difficulty=Easy | question=Find the average of 47, 63, 36, 90. | option_a=58 | option_b=60 | option_c=59 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 236 ÷ 4 = 59.

id=39710 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Q | option_b=T | option_c=Z | option_d=W | answer=D | explanation=Move 3 positions forward from T; the resulting letter is W.

id=39711 | topic=Percentages | difficulty=Easy | question=What is 12% of 195? | option_a=23 | option_b=18 | option_c=28 | option_d=46 | answer=A | explanation=12% of 195 = (12/100) × 195 = 23.

id=39712 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 8, 11, 14, ? | option_a=20 | option_b=17 | option_c=14 | option_d=18 | answer=B | explanation=The common difference is 3. Therefore the next term is 14 + 3 = 17.

id=39713 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=B | option_c=D | option_d=H | answer=A | explanation=Move 2 positions forward from D; the resulting letter is F.

id=39714 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=42 | option_b=62 | option_c=52 | option_d=53 | answer=C | explanation=The common difference is 10. Therefore the next term is 42 + 10 = 52.

id=39715 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:2 and the first is 132, what is the second? | option_a=24 | option_b=156 | option_c=22 | option_d=35 | answer=A | explanation=Scale factor = 132/11 = 12. Therefore second quantity = 2×12 = 24.

id=39716 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=180 | option_c=95 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=39717 | topic=Averages | difficulty=Easy | question=Find the average of 29, 42, 100, 53. | option_a=57 | option_b=58 | option_c=56 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 224 ÷ 4 = 56.

id=39718 | topic=Profit & Loss | difficulty=Easy | question=An article costs █485. If it is sold at a profit of 20%, what is its selling price? | option_a=582 | option_b=534 | option_c=630 | option_d=505 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 485 × 120/100 = █582.

id=39719 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=38 | option_b=39 | option_c=30 | option_d=46 | answer=A | explanation=The common difference is 8. Therefore the next term is 30 + 8 = 38.

id=39720 | topic=Averages | difficulty=Easy | question=Find the average of 20, 51, 63, 43, 28. | option_a=42 | option_b=41 | option_c=40 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = 205 ÷ 5 = 41.

Aptitude Questions — Records 39,721-39,750 of 100,000

id=39721 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 31? | option_a=25 | option_b=15 | option_c=20 | option_d=31 | answer=D | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 31 is the odd one out.

id=39722 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=240 | option_c=125 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=39723 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=39724 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=39725 | topic=Averages | difficulty=Easy | question=Find the average of 78, 68, 19, 77, 50, 98, 23, 64, 20, 63. | option_a=58 | option_b=57 | option_c=55 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 560 ÷ 10 = 56.

id=39726 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 10. | option_a=120 | option_b=72 | option_c=60 | option_d=50 | answer=C | explanation=LCM × HCF = 12×10; HCF(12,10) = 2, so LCM = 60.

id=39727 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=50 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=39728 | topic=Percentages | difficulty=Easy | question=What is 40% of 1145? | option_a=458 | option_b=916 | option_c=438 | option_d=478 | answer=A | explanation=40% of 1145 = (40/100) × 1145 = 458.

id=39729 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=B | option_b=H | option_c=D | option_d=F | answer=D | explanation=Move 2 positions forward from D; the resulting letter is F.

id=39730 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 14, 19, 26? | option_a=14 | option_b=26 | option_c=9 | option_d=19 | answer=B | explanation=The first three numbers increase by 5, so the next should be 24. Therefore 26 is the odd one out.

id=39731 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 6. | option_a=24 | option_b=60 | option_c=30 | option_d=40 | answer=C | explanation=LCM × HCF = 10×6; HCF(10,6) = 2, so LCM = 30.

id=39732 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 44? | option_a=44 | option_b=27 | option_c=35 | option_d=19 | answer=A | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 44 is the odd one out.

id=39733 | topic=Percentages | difficulty=Easy | question=What is 20% of 408? | option_a=162 | option_b=81 | option_c=86 | option_d=71 | answer=B | explanation=20% of 408 = (20/100) × 408 = 81.

id=39734 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:8 and the first is 187, what is the second? | option_a=136 | option_b=128 | option_c=323 | option_d=147 | answer=A | explanation=Scale factor = 187/11 = 17. Therefore second quantity = 8×17 = 136.

id=39735 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=20 | option_b=23 | option_c=22 | option_d=24 | answer=C | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=39736 | topic=Averages | difficulty=Easy | question=Find the average of 61, 11, 91, 85. | option_a=63 | option_b=62 | option_c=64 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 248 ÷ 4 = 62.

id=39737 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 33, 38, 44? | option_a=28 | option_b=38 | option_c=44 | option_d=33 | answer=C | explanation=The first three numbers increase by 5, so the next should be 43. Therefore 44 is the odd one out.

id=39738 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:20 and the first is 190, what is the second? | option_a=180 | option_b=219 | option_c=200 | option_d=390 | answer=C | explanation=Scale factor = 190/19 = 10. Therefore second quantity = 20×10 = 200.

id=39739 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 22, 32, 45? | option_a=45 | option_b=32 | option_c=12 | option_d=22 | answer=A | explanation=The first three numbers increase by 10, so the next should be 42. Therefore 45 is the odd one out.

id=39740 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 33? | option_a=12 | option_b=33 | option_c=22 | option_d=2 | answer=B | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 33 is the odd one out.

id=39741 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12101 at 12% per annum for 2 years. | option_a=2804 | option_b=3004 | option_c=2904 | option_d=15005 | answer=C | explanation=SI = PRT/100 = 12101×12×2/100 = **■**2904.

id=39742 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=39743 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4073. If it is sold at a profit of 20%, what is its selling price? | option_a=4093 | option_b=4887 | option_c=4480 | option_d=5294 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4073 × 120/100 = **■**4887.

id=39744 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=60 | option_b=71 | option_c=47 | option_d=59 | answer=D | explanation=The common difference is 12. Therefore the next term is 47 + 12 = 59.

id=39745 | topic=Percentages | difficulty=Easy | question=What is 25% of 838? | option_a=418 | option_b=199 | option_c=209 | option_d=229 | answer=C | explanation=25% of 838 = (25/100) × 838 = 209.

id=39746 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=39747 | topic=Averages | difficulty=Easy | question=Find the average of 85, 79, 75, 17, 68, 102. | option_a=71 | option_b=72 | option_c=70 | option_d=73 | answer=A | explanation=Average = sum of values ÷ number of values = 426 ÷ 6 = 71.

id=39748 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7901 at 10% per annum for 2 years. | option_a=1480 | option_b=1580 | option_c=9481 | option_d=1680 | answer=B | explanation=SI = PRT/100 = 7901×10×2/100 = **■**1580.

id=39749 | topic=Averages | difficulty=Easy | question=Find the average of 38, 45, 27, 18. | option_a=32 | option_b=34 | option_c=31 | option_d=33 | answer=A | explanation=Average = sum of values ÷ number of values = 128 ÷ 4 = 32.

id=39750 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46293 at 10% per annum for 4 years. | option_a=18517 | option_b=18617 | option_c=18417 | option_d=64810 | answer=A | explanation=SI = PRT/100 = 46293×10×4/100 = **■**18517.

Aptitude Questions — Records 39,751-39,780 of 100,000

id=39751 | topic=Averages | difficulty=Easy | question=Find the average of 85, 68, 20, 29, 43. | option_a=50 | option_b=49 | option_c=51 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 245 ÷ 5 = 49.

id=39752 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=22 | option_b=27 | option_c=28 | option_d=32 | answer=B | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.

id=39753 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:17 and the first is 24, what is the second? | option_a=59 | option_b=51 | option_c=34 | option_d=75 | answer=B | explanation=Scale factor = 24/8 = 3. Therefore second quantity = 17×3 = 51.

id=39754 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2755. If it is sold at a profit of 30%, what is its selling price? | option_a=3306 | option_b=3856 | option_c=2785 | option_d=3581 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2755 × 130/100 = █3581.

id=39755 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=39756 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:14 and the first is 90, what is the second? | option_a=210 | option_b=300 | option_c=216 | option_d=196 | answer=A | explanation=Scale factor = 90/6 = 15. Therefore second quantity = 14×15 = 210.

id=39757 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=39 | option_b=27 | option_c=34 | option_d=33 | answer=D | explanation=The common difference is 6. Therefore the next term is 27 + 6 = 33.

id=39758 | topic=Percentages | difficulty=Easy | question=What is 50% of 1006? | option_a=1006 | option_b=508 | option_c=503 | option_d=483 | answer=C | explanation=50% of 1006 = (50/100) × 1006 = 503.

id=39759 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=42 | option_b=43 | option_c=32 | option_d=52 | answer=A | explanation=The common difference is 10. Therefore the next term is 32 + 10 = 42.

id=39760 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 31, 36, 42? | option_a=36 | option_b=31 | option_c=42 | option_d=26 | answer=C | explanation=The first three numbers increase by 5, so the next should be 41. Therefore 42 is the odd one out.

id=39761 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:13 and the first is 126, what is the second? | option_a=109 | option_b=78 | option_c=91 | option_d=217 | answer=C | explanation=Scale factor = 126/18 = 7. Therefore second quantity = 13×7 = 91.

id=39762 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=39763 | topic=Percentages | difficulty=Easy | question=What is 30% of 1154? | option_a=346 | option_b=326 | option_c=351 | option_d=692 | answer=A | explanation=30% of 1154 = (30/100) × 1154 = 346.

id=39764 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=B | option_b=E | option_c=C | option_d=D | answer=D | explanation=Move 1 positions forward from C; the resulting letter is D.

id=39765 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34285 at 10% per annum for 3 years. | option_a=10285 | option_b=10185 | option_c=10385 | option_d=44570 | answer=A | explanation=SI = PRT/100 = 34285×10×3/100 = █10285.

id=39766 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 28. | option_a=160 | option_b=560 | option_c=112 | option_d=140 | answer=D | explanation=LCM × HCF = 20×28; HCF(20,28) = 4, so LCM = 140.

id=39767 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=33 | option_b=32 | option_c=25 | option_d=39 | answer=B | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.

id=39768 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=26 | option_b=20 | option_c=23 | option_d=24 | answer=C | explanation=The common difference is 3. Therefore the next term is 20 + 3 = 23.

id=39769 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42932 at 4% per annum for 1 years. | option_a=1717 | option_b=1617 | option_c=1817 | option_d=44649 | answer=A | explanation=SI = PRT/100 = 42932×4×1/100 = █1717.

id=39770 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 31, 40, 50? | option_a=50 | option_b=31 | option_c=40 | option_d=22 | answer=A | explanation=The first three numbers increase by 9, so the next should be 49. Therefore 50 is the odd one out.

id=39771 | topic=Percentages | difficulty=Easy | question=What is 12% of 175? | option_a=21 | option_b=42 | option_c=16 | option_d=26 | answer=A | explanation=12% of 175 = (12/100) × 175 = 21.

id=39772 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48093 at 15% per annum for 3 years. | option_a=21641 | option_b=21541 | option_c=21741 | option_d=69734 | answer=A | explanation=SI = PRT/100 = 48093×15×3/100 = █21641.

id=39773 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2517. If it is sold at a profit of 30%, what is its selling price? | option_a=3272 | option_b=2547 | option_c=3021 | option_d=3523 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2517 × 130/100 = █3272.

id=39774 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 38, 48, 60? | option_a=60 | option_b=38 | option_c=28 | option_d=48 | answer=A | explanation=The first three numbers increase by 10, so the next should be 58. Therefore 60 is the odd one out.

id=39775 | topic=Percentages | difficulty=Easy | question=What is 30% of 629? | option_a=208 | option_b=178 | option_c=188 | option_d=376 | answer=C | explanation=30% of 629 = (30/100) × 629 = 188.

id=39776 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=39777 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:11 and the first is 100, what is the second? | option_a=120 | option_b=210 | option_c=99 | option_d=110 | answer=D | explanation=Scale factor = 100/10 = 10. Therefore second quantity = 11×10 = 110.

id=39778 | topic=Averages | difficulty=Easy | question=Find the average of 85, 91, 10, 14. | option_a=50 | option_b=52 | option_c=51 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 200 ÷ 4 = 50.

id=39779 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:6 and the first is 160, what is the second? | option_a=120 | option_b=280 | option_c=128 | option_d=114 | answer=A | explanation=Scale factor = 160/8 = 20. Therefore second quantity = 6×20 = 120.

id=39780 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

Aptitude Questions — Records 39,781-39,810 of 100,000

id=39781 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=N | option_b=H | option_c=E | option_d=K | answer=D | explanation=Move 3 positions forward from H; the resulting letter is K.

id=39782 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=F | option_b=K | option_c=V | option_d=A | answer=A | explanation=Move 5 positions forward from A; the resulting letter is F.

id=39783 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 43? | option_a=30 | option_b=38 | option_c=43 | option_d=34 | answer=C | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 43 is the odd one out.

id=39784 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 16, 19, 23? | option_a=19 | option_b=16 | option_c=23 | option_d=13 | answer=C | explanation=The first three numbers increase by 3, so the next should be 22. Therefore 23 is the odd one out.

id=39785 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 11, 14, 19? | option_a=19 | option_b=11 | option_c=14 | option_d=8 | answer=A | explanation=The first three numbers increase by 3, so the next should be 17. Therefore 19 is the odd one out.

id=39786 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 31, 36, 43? | option_a=43 | option_b=36 | option_c=26 | option_d=31 | answer=A | explanation=The first three numbers increase by 5, so the next should be 41. Therefore 43 is the odd one out.

id=39787 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=31 | option_b=45 | option_c=38 | option_d=39 | answer=C | explanation=The common difference is 7. Therefore the next term is $31 + 7 = 38$.

id=39788 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49210 at 12% per annum for 1 years. | option_a=6005 | option_b=5805 | option_c=5905 | option_d=55115 | answer=C | explanation=SI = $\text{PRT}/100 = 49210 \times 12 \times 1/100 = \text{■}5905$.

id=39789 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=39790 | topic=Percentages | difficulty=Easy | question=What is 25% of 1369? | option_a=352 | option_b=342 | option_c=337 | option_d=684 | answer=B | explanation=25% of 1369 = $(25/100) \times 1369 = 342$.

id=39791 | topic=Percentages | difficulty=Easy | question=What is 25% of 919? | option_a=224 | option_b=458 | option_c=229 | option_d=249 | answer=C | explanation=25% of 919 = $(25/100) \times 919 = 229$.

id=39792 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=30 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = $90 \div 6 = 15$ km/h.

id=39793 | topic=Percentages | difficulty=Easy | question=What is 15% of 888? | option_a=266 | option_b=133 | option_c=143 | option_d=128 | answer=B | explanation=15% of 888 = $(15/100) \times 888 = 133$.

id=39794 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=35 | option_b=25 | option_c=31 | option_d=30 | answer=D | explanation=The common difference is 5. Therefore the next term is $25 + 5 = 30$.

id=39795 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=45 | option_b=31 | option_c=38 | option_d=39 | answer=C | explanation=The common difference is 7. Therefore the next term is $31 + 7 = 38$.

id=39796 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 24, 34, 47? | option_a=47 | option_b=14 | option_c=24 | option_d=34 | answer=A | explanation=The first three numbers increase by 10, so the next should be 44. Therefore 47 is the odd one out.

id=39797 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27814 at 4% per annum for 2 years. | option_a=2225 | option_b=2125 | option_c=2325 | option_d=30039 | answer=A | explanation=SI = $\text{PRT}/100 = 27814 \times 4 \times 2/100 = \text{■}2225$.

id=39798 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:16 and the first is 76, what is the second? | option_a=64 | option_b=48 | option_c=140 | option_d=83 | answer=A | explanation=Scale factor = $76/19 = 4$. Therefore second quantity = $16 \times 4 = 64$.

id=39799 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:17 and the first is 90, what is the second? | option_a=153 | option_b=170 | option_c=260 | option_d=179 | answer=B | explanation=Scale factor = $90/9 = 10$. Therefore second quantity = $17 \times 10 = 170$.

id=39800 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:15 and the first is 60, what is the second? | option_a=100 | option_b=90 | option_c=150 | option_d=75 | answer=B | explanation=Scale factor = $60/10 = 6$. Therefore second quantity = $15 \times 6 = 90$.

id=39801 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=X | option_b=C | option_c=M | option_d=H | answer=D | explanation=Move 5 positions forward from C; the resulting letter is H.

id=39802 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = $90 \div 6 = 15$ km/h.

id=39803 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=O | option_c=M | option_d=P | answer=B | explanation=Move 1 positions forward from N; the resulting letter is O.

id=39804 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:5 and the first is 8, what is the second? | option_a=28 | option_b=22 | option_c=20 | option_d=15 | answer=C | explanation=Scale factor = $8/2 = 4$. Therefore second quantity = $5 \times 4 = 20$.

id=39805 | topic=Percentages | difficulty=Easy | question=What is 12% of 1853? | option_a=222 | option_b=444 | option_c=212 | option_d=232 | answer=A | explanation=12% of 1853 = $(12/100) \times 1853 = 222$.

id=39806 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=G | option_b=A | option_c=X | option_d=D | answer=D | explanation=Move 3 positions forward from A; the resulting letter is D.

id=39807 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:7 and the first is 19, what is the second? | option_a=152 | option_b=126 | option_c=133 | option_d=134 | answer=C | explanation=Scale factor = $19/1 = 19$. Therefore second quantity = $7 \times 19 = 133$.

id=39808 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=39809 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 6. | option_a=180 | option_b=24 | option_c=30 | option_d=60 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 30 \times 6$; $\text{HCF}(30,6) = 6$, so $\text{LCM} = 30$.

id=39810 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=40 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = $120 \div 6 = 20$ km/h.

Aptitude Questions — Records 39,811-39,840 of 100,000

id=39811 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2483. If it is sold at a profit of 30%, what is its selling price? | option_a=3475 | option_b=2513 | option_c=3227 | option_d=2979 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2483 × 130/100 = █3227.

id=39812 | topic=Percentages | difficulty=Easy | question=What is 30% of 154? | option_a=92 | option_b=46 | option_c=66 | option_d=26 | answer=B | explanation=30% of 154 = (30/100) × 154 = 46.

id=39813 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=53 | option_b=45 | option_c=46 | option_d=37 | answer=B | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=39814 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=95 | option_c=85 | option_d=180 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=39815 | topic=Averages | difficulty=Easy | question=Find the average of 58, 82, 83, 56, 41, 59, 26, 13, 95. | option_a=58 | option_b=59 | option_c=57 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 513 ÷ 9 = 57.

id=39816 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1882. If it is sold at a profit of 15%, what is its selling price? | option_a=1897 | option_b=2164 | option_c=1976 | option_d=2352 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1882 × 115/100 = █2164.

id=39817 | topic=Averages | difficulty=Easy | question=Find the average of 34, 96, 39, 28, 58. | option_a=52 | option_b=50 | option_c=53 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 255 ÷ 5 = 51.

id=39818 | topic=Averages | difficulty=Easy | question=Find the average of 49, 61, 51, 35, 32, 16, 73, 35. | option_a=46 | option_b=44 | option_c=43 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = 352 ÷ 8 = 44.

id=39819 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 24. | option_a=24 | option_b=48 | option_c=26 | option_d=1 | answer=A | explanation=LCM × HCF = 2×24; HCF(2,24) = 2, so LCM = 24.

id=39820 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=B | option_b=C | option_c=Z | option_d=A | answer=A | explanation=Move 1 positions forward from A; the resulting letter is B.

id=39821 | topic=Percentages | difficulty=Easy | question=What is 50% of 1899? | option_a=949 | option_b=929 | option_c=959 | option_d=1898 | answer=A | explanation=50% of 1899 = (50/100) × 1899 = 949.

id=39822 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:8 and the first is 56, what is the second? | option_a=116 | option_b=168 | option_c=104 | option_d=112 | answer=D | explanation=Scale factor = 56/4 = 14. Therefore second quantity = 8×14 = 112.

id=39823 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=39824 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Q | option_b=Y | option_c=U | option_d=C | answer=B | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=39825 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4005 at 12% per annum for 4 years. | option_a=1822 | option_b=1922 | option_c=2022 | option_d=5927 | answer=B | explanation=SI = PRT/100 = 4005×12×4/100 = █1922.

id=39826 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=43 | option_b=67 | option_c=55 | option_d=56 | answer=C | explanation=The common difference is 12. Therefore the next term is 43 + 12 = 55.

id=39827 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 5, 8, 11, ? | option_a=17 | option_b=15 | option_c=11 | option_d=14 | answer=D | explanation=The common difference is 3. Therefore the next term is 11 + 3 = 14.

id=39828 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 21, 23, 27? | option_a=21 | option_b=19 | option_c=23 | option_d=27 | answer=D | explanation=The first three numbers increase by 2, so the next should be 25. Therefore 27 is the odd one out.

id=39829 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11245 at 10% per annum for 5 years. | option_a=5622 | option_b=5522 | option_c=5722 | option_d=16867 | answer=A | explanation=SI = PRT/100 = 11245×10×5/100 = █5622.

id=39830 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=39831 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=43 | option_b=38 | option_c=33 | option_d=39 | answer=B | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.

id=39832 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:4 and the first is 162, what is the second? | option_a=54 | option_b=198 | option_c=36 | option_d=32 | answer=C | explanation=Scale factor = 162/18 = 9. Therefore second quantity = 4×9 = 36.

id=39833 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31207 at 12% per annum for 2 years. | option_a=7389 | option_b=7589 | option_c=38696 | option_d=7489 | answer=D | explanation=SI = PRT/100 = 31207×12×2/100 = █7489.

id=39834 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 13, 18, 23, ? | option_a=28 | option_b=33 | option_c=23 | option_d=29 | answer=A | explanation=The common difference is 5. Therefore the next term is 23 + 5 = 28.

id=39835 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=61 | option_b=60 | option_c=70 | option_d=50 | answer=B | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

id=39836 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=39837 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4786. If it is sold at a profit of 30%, what is its selling price? | option_a=4816 | option_b=6699 | option_c=6221 | option_d=5743 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4786 × 130/100 = █6221.

id=39838 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=F | option_b=K | option_c=V | option_d=A | answer=A | explanation=Move 5 positions forward from A; the resulting letter is F.

id=39839 | topic=Percentages | difficulty=Easy | question=What is 10% of 1939? | option_a=386 | option_b=193 | option_c=173 | option_d=213 | answer=B | explanation=10% of 1939 = (10/100) × 1939 = 193.

id=39840 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

Aptitude Questions — Records 39,841-39,870 of 100,000

id=39841 | topic=Averages | difficulty=Easy | question=Find the average of 26, 96, 82. | option_a=67 | option_b=68 | option_c=69 | option_d=70 | answer=B | explanation=Average = sum of values ÷ number of values = 204 ÷ 3 = 68.

id=39842 | topic=Averages | difficulty=Easy | question=Find the average of 27, 87, 56, 59, 13, 88. | option_a=56 | option_b=55 | option_c=57 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 330 ÷ 6 = 55.

id=39843 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=39844 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:15 and the first is 26, what is the second? | option_a=180 | option_b=195 | option_c=197 | option_d=221 | answer=B | explanation=Scale factor = 26/2 = 13. Therefore second quantity = 15×13 = 195.

id=39845 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4184. If it is sold at a profit of 30%, what is its selling price? | option_a=5021 | option_b=5439 | option_c=4214 | option_d=5857 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4184 × 130/100 = █5439.

id=39846 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 13? | option_a=13 | option_b=9 | option_c=7 | option_d=5 | answer=A | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 13 is the odd one out.

id=39847 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4984 at 6% per annum for 5 years. | option_a=1595 | option_b=1495 | option_c=6479 | option_d=1395 | answer=B | explanation=SI = PRT/100 = 4984×6×5/100 = █1495.

id=39848 | topic=Percentages | difficulty=Easy | question=What is 25% of 575? | option_a=163 | option_b=286 | option_c=138 | option_d=143 | answer=D | explanation=25% of 575 = (25/100) × 575 = 143.

id=39849 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1739. If it is sold at a profit of 15%, what is its selling price? | option_a=1754 | option_b=1999 | option_c=1826 | option_d=2172 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1739 × 115/100 = █1999.

id=39850 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=I | option_b=O | option_c=L | option_d=R | answer=B | explanation=Move 3 positions forward from L; the resulting letter is O.

id=39851 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=31 | option_b=49 | option_c=41 | option_d=40 | answer=D | explanation=The common difference is 9. Therefore the next term is 31 + 9 = 40.

id=39852 | topic=Percentages | difficulty=Easy | question=What is 12% of 1883? | option_a=230 | option_b=450 | option_c=225 | option_d=205 | answer=C | explanation=12% of 1883 = (12/100) × 1883 = 225.

id=39853 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1835. If it is sold at a profit of 15%, what is its selling price? | option_a=2293 | option_b=1927 | option_c=2110 | option_d=1850 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1835 × 115/100 = █2110.

id=39854 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5386 at 5% per annum for 3 years. | option_a=907 | option_b=807 | option_c=6193 | option_d=707 | answer=B | explanation=SI = PRT/100 = 5386×5×3/100 = █807.

id=39855 | topic=Averages | difficulty=Easy | question=Find the average of 18, 12, 52, 43, 29, 31, 88. | option_a=40 | option_b=38 | option_c=41 | option_d=39 | answer=D | explanation=Average = sum of values ÷ number of values = 273 ÷ 7 = 39.

id=39856 | topic=Averages | difficulty=Easy | question=Find the average of 91, 14, 12, 59, 96, 12, 39, 21. | option_a=44 | option_b=45 | option_c=43 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = 344 ÷ 8 = 43.

id=39857 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=145 | option_c=155 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=39858 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=39859 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=39860 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2131. If it is sold at a profit of 30%, what is its selling price? | option_a=2557 | option_b=2770 | option_c=2161 | option_d=2983 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2131 × 130/100 = █2770.

id=39861 | topic=Averages | difficulty=Easy | question=Find the average of 52, 45, 89, 99, 73, 67, 68, 91, 42, 34. | option_a=66 | option_b=65 | option_c=67 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = 660 ÷ 10 = 66.

id=39862 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:17 and the first is 119, what is the second? | option_a=296 | option_b=272 | option_c=408 | option_d=289 | answer=D | explanation=Scale factor = 119/7 = 17. Therefore second quantity = 17×17 = 289.

id=39863 | topic=Percentages | difficulty=Easy | question=What is 40% of 1593? | option_a=657 | option_b=637 | option_c=1274 | option_d=627 | answer=B | explanation=40% of 1593 = (40/100) × 1593 = 637.

id=39864 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 49? | option_a=17 | option_b=27 | option_c=49 | option_d=37 | answer=C | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 49 is the odd one out.

id=39865 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30497 at 12% per annum for 2 years. | option_a=7419 | option_b=7219 | option_c=7319 | option_d=37816 | answer=C | explanation=SI = PRT/100 = 30497×12×2/100 = █7319.

id=39866 | topic=Averages | difficulty=Easy | question=Find the average of 25, 57, 12, 86, 65, 95, 42, 90, 50, 18. | option_a=56 | option_b=55 | option_c=53 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

id=39867 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=39868 | topic=Percentages | difficulty=Easy | question=What is 25% of 1374? | option_a=343 | option_b=348 | option_c=686 | option_d=338 | answer=A | explanation=25% of 1374 = (25/100) × 1374 = 343.

id=39869 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4867. If it is sold at a profit of 15%, what is its selling price? | option_a=5111 | option_b=5597 | option_c=4882 | option_d=6083 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4867 × 115/100 = █5597.

id=39870 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:8 and the first is 10, what is the second? | option_a=16 | option_b=26 | option_c=21 | option_d=8 | answer=A | explanation=Scale factor = 10/5 = 2. Therefore second quantity = 8×2 = 16.

Aptitude Questions — Records 39,871-39,900 of 100,000

id=39871 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:11 and the first is 98, what is the second? | option_a=143 | option_b=161 | option_c=154 | option_d=252 | answer=C | explanation=Scale factor = $98/7 = 14$. Therefore second quantity = $11 \times 14 = 154$.

id=39872 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=77 | option_c=67 | option_d=144 | answer=A | explanation=Speed = distance ÷ time = $360 \div 5 = 72$ km/h.

id=39873 | topic=Percentages | difficulty=Easy | question=What is 50% of 1422? | option_a=711 | option_b=706 | option_c=721 | option_d=1422 | answer=A | explanation=50% of 1422 = $(50/100) \times 1422 = 711$.

id=39874 | topic=Averages | difficulty=Easy | question=Find the average of 67, 57, 67, 29, 35. | option_a=50 | option_b=53 | option_c=51 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = $255 \div 5 = 51$.

id=39875 | topic=Percentages | difficulty=Easy | question=What is 20% of 1203? | option_a=245 | option_b=230 | option_c=480 | option_d=240 | answer=D | explanation=20% of 1203 = $(20/100) \times 1203 = 240$.

id=39876 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 49? | option_a=21 | option_b=39 | option_c=30 | option_d=49 | answer=D | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 49 is the odd one out.

id=39877 | topic=Averages | difficulty=Easy | question=Find the average of 73, 63, 12, 76. | option_a=55 | option_b=57 | option_c=56 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = $224 \div 4 = 56$.

id=39878 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 9, 11, 14? | option_a=9 | option_b=7 | option_c=11 | option_d=14 | answer=D | explanation=The first three numbers increase by 2, so the next should be 13. Therefore 14 is the odd one out.

id=39879 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 26, 32, 40? | option_a=26 | option_b=40 | option_c=20 | option_d=32 | answer=B | explanation=The first three numbers increase by 6, so the next should be 38. Therefore 40 is the odd one out.

id=39880 | topic=Percentages | difficulty=Easy | question=What is 10% of 1596? | option_a=154 | option_b=179 | option_c=159 | option_d=318 | answer=C | explanation=10% of 1596 = $(10/100) \times 1596 = 159$.

id=39881 | topic=Percentages | difficulty=Easy | question=What is 40% of 1787? | option_a=734 | option_b=714 | option_c=1428 | option_d=694 | answer=B | explanation=40% of 1787 = $(40/100) \times 1787 = 714$.

id=39882 | topic=Percentages | difficulty=Easy | question=What is 25% of 1870? | option_a=467 | option_b=457 | option_c=934 | option_d=487 | answer=A | explanation=25% of 1870 = $(25/100) \times 1870 = 467$.

id=39883 | topic=Averages | difficulty=Easy | question=Find the average of 35, 89, 66, 95, 26, 33, 88, 72. | option_a=62 | option_b=65 | option_c=63 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = $504 \div 8 = 63$.

id=39884 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 23, 30, 37, ? | option_a=45 | option_b=44 | option_c=37 | option_d=51 | answer=B | explanation=The common difference is 7. Therefore the next term is $37 + 7 = 44$.

id=39885 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=37 | option_b=55 | option_c=46 | option_d=47 | answer=C | explanation=The common difference is 9. Therefore the next term is $37 + 9 = 46$.

id=39886 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=96 | option_c=48 | option_d=43 | answer=C | explanation=Speed = distance ÷ time = $240 \div 5 = 48$ km/h.

id=39887 | topic=Profit & Loss | difficulty=Easy | question=An article costs █163. If it is sold at a profit of 10%, what is its selling price? | option_a=173 | option_b=179 | option_c=163 | option_d=195 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 163 \times 110/100 = \text{█}179$.

id=39888 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=35 | option_b=32 | option_c=29 | option_d=33 | answer=B | explanation=The common difference is 3. Therefore the next term is $29 + 3 = 32$.

id=39889 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=39890 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:4 and the first is 323, what is the second? | option_a=399 | option_b=76 | option_c=93 | option_d=72 | answer=B | explanation=Scale factor = $323/17 = 19$. Therefore second quantity = $4 \times 19 = 76$.

id=39891 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=I | option_c=S | option_d=X | answer=C | explanation=Move 5 positions forward from N; the resulting letter is S.

id=39892 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1763. If it is sold at a profit of 50%, what is its selling price? | option_a=1813 | option_b=2820 | option_c=2644 | option_d=2468 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 1763 \times 150/100 = \text{█}2644$.

id=39893 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=55 | option_d=100 | answer=B | explanation=Speed = distance ÷ time = $150 \div 3 = 50$ km/h.

id=39894 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11715 at 6% per annum for 1 years. | option_a=12417 | option_b=802 | option_c=702 | option_d=602 | answer=C | explanation=SI = $PRT/100 = 11715 \times 6 \times 1/100 = \text{█}702$.

id=39895 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 42? | option_a=37 | option_b=42 | option_c=29 | option_d=33 | answer=B | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 42 is the odd one out.

id=39896 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 41? | option_a=31 | option_b=23 | option_c=15 | option_d=41 | answer=D | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 41 is the odd one out.

id=39897 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=T | option_c=R | option_d=N | answer=C | explanation=Move 2 positions forward from P; the resulting letter is R.

id=39898 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 8. | option_a=16 | option_b=24 | option_c=96 | option_d=36 | answer=B | explanation=LCM $\times$ HCF = 12×8 ; $\text{HCF}(12,8) = 4$, so LCM = 24.

id=39899 | topic=Averages | difficulty=Easy | question=Find the average of 56, 59, 77. | option_a=63 | option_b=65 | option_c=64 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = $192 \div 3 = 64$.

id=39900 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 24? | option_a=19 | option_b=24 | option_c=15 | option_d=17 | answer=B | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 24 is the odd one out.

Aptitude Questions — Records 39,901-39,930 of 100,000

id=39901 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=T | option_b=R | option_c=U | option_d=S | answer=A | explanation=Move 1 positions forward from S; the resulting letter is T.

id=39902 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=28 | option_b=18 | option_c=24 | option_d=23 | answer=D | explanation=The common difference is 5. Therefore the next term is 18 + 5 = 23.

id=39903 | topic=Percentages | difficulty=Easy | question=What is 40% of 1895? | option_a=738 | option_b=758 | option_c=1516 | option_d=778 | answer=B | explanation=40% of 1895 = (40/100) × 1895 = 758.

id=39904 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 6. | option_a=12 | option_b=72 | option_c=24 | option_d=6 | answer=A | explanation=LCM × HCF = 12×6; HCF(12,6) = 6, so LCM = 12.

id=39905 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23744 at 5% per annum for 3 years. | option_a=3661 | option_b=3461 | option_c=27305 | option_d=3561 | answer=D | explanation=SI = $PRT/100 = 23744 \times 5 \times 3 / 100 = \text{■}3561$.

id=39906 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=Y | option_c=Q | option_d=M | answer=A | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=39907 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**440. If it is sold at a profit of 25%, what is its selling price? | option_a=465 | option_b=550 | option_c=594 | option_d=506 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 440 \times 125 / 100 = \text{■}550$.

id=39908 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=24 | option_c=19 | option_d=48 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=39909 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28146 at 10% per annum for 3 years. | option_a=36589 | option_b=8443 | option_c=8343 | option_d=8543 | answer=B | explanation=SI = $PRT/100 = 28146 \times 10 \times 3 / 100 = \text{■}8443$.

id=39910 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=39911 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=R | option_b=A | option_c=X | option_d=U | answer=C | explanation=Move 3 positions forward from U; the resulting letter is X.

id=39912 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=29 | option_b=33 | option_c=30 | option_d=25 | answer=A | explanation=The common difference is 4. Therefore the next term is 25 + 4 = 29.

id=39913 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4083. If it is sold at a profit of 20%, what is its selling price? | option_a=5307 | option_b=4103 | option_c=4491 | option_d=4899 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4083 \times 120 / 100 = \text{■}4899$.

id=39914 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4221. If it is sold at a profit of 15%, what is its selling price? | option_a=4432 | option_b=4854 | option_c=5276 | option_d=4236 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4221 \times 115 / 100 = \text{■}4854$.

id=39915 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=W | option_b=T | option_c=Q | option_d=Z | answer=A | explanation=Move 3 positions forward from T; the resulting letter is W.

id=39916 | topic=Percentages | difficulty=Easy | question=What is 40% of 319? | option_a=127 | option_b=254 | option_c=137 | option_d=117 | answer=A | explanation=40% of 319 = (40/100) × 319 = 127.

id=39917 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=39918 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 36? | option_a=4 | option_b=36 | option_c=24 | option_d=14 | answer=B | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 36 is the odd one out.

id=39919 | topic=Percentages | difficulty=Easy | question=What is 50% of 1817? | option_a=903 | option_b=913 | option_c=1816 | option_d=908 | answer=D | explanation=50% of 1817 = (50/100) × 1817 = 908.

id=39920 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:1 and the first is 40, what is the second? | option_a=4 | option_b=14 | option_c=44 | option_d=3 | answer=A | explanation=Scale factor = 40/10 = 4. Therefore second quantity = 1×4 = 4.

id=39921 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11343 at 4% per annum for 3 years. | option_a=1361 | option_b=1461 | option_c=1261 | option_d=12704 | answer=A | explanation=SI = $PRT/100 = 11343 \times 4 \times 3 / 100 = \text{■}1361$.

id=39922 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**991. If it is sold at a profit of 25%, what is its selling price? | option_a=1337 | option_b=1139 | option_c=1016 | option_d=1238 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 991 \times 125 / 100 = \text{■}1238$.

id=39923 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34815 at 12% per annum for 5 years. | option_a=55704 | option_b=20789 | option_c=20889 | option_d=20989 | answer=C | explanation=SI = $PRT/100 = 34815 \times 12 \times 5 / 100 = \text{■}20889$.

id=39924 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=45 | option_b=56 | option_c=67 | option_d=57 | answer=B | explanation=The common difference is 11. Therefore the next term is 45 + 11 = 56.

id=39925 | topic=Percentages | difficulty=Easy | question=What is 40% of 540? | option_a=432 | option_b=226 | option_c=216 | option_d=196 | answer=C | explanation=40% of 540 = (40/100) × 540 = 216.

id=39926 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=T | option_b=J | option_c=Y | option_d=O | answer=A | explanation=Move 5 positions forward from O; the resulting letter is T.

id=39927 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20817 at 12% per annum for 4 years. | option_a=9892 | option_b=9992 | option_c=30809 | option_d=10092 | answer=B | explanation=SI = $PRT/100 = 20817 \times 12 \times 4 / 100 = \text{■}9992$.

id=39928 | topic=Averages | difficulty=Easy | question=Find the average of 55, 38, 88, 74, 41, 11, 80, 12, 24. | option_a=47 | option_b=49 | option_c=48 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 423 ÷ 9 = 47.

id=39929 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=G | option_b=O | option_c=S | option_d=K | answer=B | explanation=Move 4 positions forward from K; the resulting letter is O.

id=39930 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 15. | option_a=105 | option_b=126 | option_c=90 | option_d=315 | answer=A | explanation=LCM × HCF = 21×15; HCF(21,15) = 3, so LCM = 105.

Aptitude Questions — Records 39,931-39,960 of 100,000

id=39931 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 4. | option_a=104 | option_b=78 | option_c=52 | option_d=48 | answer=C | explanation=LCM × HCF = 26×4; HCF(26,4) = 2, so LCM = 52.

id=39932 | topic=Percentages | difficulty=Easy | question=What is 50% of 85? | option_a=84 | option_b=42 | option_c=52 | option_d=37 | answer=B | explanation=50% of 85 = (50/100) × 85 = 42.

id=39933 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=D | option_b=C | option_c=E | option_d=B | answer=A | explanation=Move 1 positions forward from C; the resulting letter is D.

id=39934 | topic=Percentages | difficulty=Easy | question=What is 40% of 1379? | option_a=571 | option_b=551 | option_c=531 | option_d=1102 | answer=B | explanation=40% of 1379 = (40/100) × 1379 = 551.

id=39935 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 11, 19, 28? | option_a=28 | option_b=11 | option_c=3 | option_d=19 | answer=A | explanation=The first three numbers increase by 8, so the next should be 27. Therefore 28 is the odd one out.

id=39936 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:4 and the first is 42, what is the second? | option_a=24 | option_b=34 | option_c=28 | option_d=70 | answer=C | explanation=Scale factor = 42/6 = 7. Therefore second quantity = 4×7 = 28.

id=39937 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=55 | option_b=54 | option_c=65 | option_d=43 | answer=B | explanation=The common difference is 11. Therefore the next term is 43 + 11 = 54.

id=39938 | topic=Averages | difficulty=Easy | question=Find the average of 39, 99, 12, 11, 100, 57. | option_a=55 | option_b=52 | option_c=53 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 318 ÷ 6 = 53.

id=39939 | topic=Percentages | difficulty=Easy | question=What is 12% of 218? | option_a=46 | option_b=16 | option_c=26 | option_d=52 | answer=C | explanation=12% of 218 = (12/100) × 218 = 26.

id=39940 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2746. If it is sold at a profit of 10%, what is its selling price? | option_a=2746 | option_b=3294 | option_c=3020 | option_d=2756 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2746 × 110/100 = ₹3020.

id=39941 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=15 | option_b=19 | option_c=20 | option_d=23 | answer=B | explanation=The common difference is 4. Therefore the next term is 15 + 4 = 19.

id=39942 | topic=Averages | difficulty=Easy | question=Find the average of 59, 54, 73. | option_a=61 | option_b=62 | option_c=64 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 186 ÷ 3 = 62.

id=39943 | topic=Averages | difficulty=Easy | question=Find the average of 33, 70, 16, 78, 12, 67. | option_a=45 | option_b=47 | option_c=46 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 276 ÷ 6 = 46.

id=39944 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=39945 | topic=Averages | difficulty=Easy | question=Find the average of 91, 65, 99. | option_a=85 | option_b=86 | option_c=84 | option_d=87 | answer=A | explanation=Average = sum of values ÷ number of values = 255 ÷ 3 = 85.

id=39946 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 10, 12, 14, ? | option_a=17 | option_b=14 | option_c=18 | option_d=16 | answer=D | explanation=The common difference is 2. Therefore the next term is 14 + 2 = 16.

id=39947 | topic=Percentages | difficulty=Easy | question=What is 20% of 329? | option_a=130 | option_b=55 | option_c=65 | option_d=70 | answer=C | explanation=20% of 329 = (20/100) × 329 = 65.

id=39948 | topic=Averages | difficulty=Easy | question=Find the average of 69, 61, 60, 30. | option_a=57 | option_b=56 | option_c=54 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 220 ÷ 4 = 55.

id=39949 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=13 | option_c=23 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=39950 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=155 | option_c=145 | option_d=300 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=39951 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹3563. If it is sold at a profit of 25%, what is its selling price? | option_a=4809 | option_b=3588 | option_c=4097 | option_d=4453 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3563 × 125/100 = ₹4453.

id=39952 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=39953 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=25 | option_b=23 | option_c=26 | option_d=27 | answer=A | explanation=The common difference is 2. Therefore the next term is 23 + 2 = 25.

id=39954 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹20196 at 12% per annum for 5 years. | option_a=12217 | option_b=12017 | option_c=12117 | option_d=32313 | answer=C | explanation=SI = PRT/100 = 20196×12×5/100 = ₹12117.

id=39955 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 43? | option_a=35 | option_b=21 | option_c=28 | option_d=43 | answer=D | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 43 is the odd one out.

id=39956 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=16 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=39957 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=22 | option_b=27 | option_c=28 | option_d=32 | answer=B | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.

id=39958 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 27? | option_a=11 | option_b=27 | option_c=4 | option_d=18 | answer=B | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 27 is the odd one out.

id=39959 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 16. | option_a=64 | option_b=80 | option_c=320 | option_d=100 | answer=B | explanation=LCM × HCF = 20×16; HCF(20,16) = 4, so LCM = 80.

id=39960 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 39? | option_a=21 | option_b=29 | option_c=39 | option_d=13 | answer=C | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 39 is the odd one out.

Aptitude Questions — Records 39,961-39,990 of 100,000

id=39961 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4819 at 12% per annum for 4 years. | option_a=2413 | option_b=2213 | option_c=2313 | option_d=7132 | answer=C | explanation=SI = $PRT/100 = 4819 \times 12 \times 4 / 100 =$ **■**2313.

id=39962 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=41 | option_c=36 | option_d=72 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=39963 | topic=Averages | difficulty=Easy | question=Find the average of 50, 40, 53, 23, 27, 69, 32. | option_a=43 | option_b=44 | option_c=42 | option_d=41 | answer=C | explanation=Average = sum of values ÷ number of values = 294 ÷ 7 = 42.

id=39964 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=39 | option_b=34 | option_c=40 | option_d=44 | answer=A | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

id=39965 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=80 | option_c=40 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=39966 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1234. If it is sold at a profit of 30%, what is its selling price? | option_a=1481 | option_b=1727 | option_c=1604 | option_d=1264 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1234 \times 130 / 100 =$ **■**1604.

id=39967 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=39968 | topic=Percentages | difficulty=Easy | question=What is 50% of 1444? | option_a=732 | option_b=1444 | option_c=722 | option_d=712 | answer=C | explanation=50% of 1444 = $(50/100) \times 1444 = 722$.

id=39969 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2160. If it is sold at a profit of 30%, what is its selling price? | option_a=3024 | option_b=2592 | option_c=2190 | option_d=2808 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2160 \times 130 / 100 =$ **■**2808.

id=39970 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 12, 15, 18, ? | option_a=22 | option_b=18 | option_c=21 | option_d=24 | answer=C | explanation=The common difference is 3. Therefore the next term is 18 + 3 = 21.

id=39971 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=30 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = $120 \div 8 = 15$ km/h.

id=39972 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3198. If it is sold at a profit of 25%, what is its selling price? | option_a=4316 | option_b=3223 | option_c=3678 | option_d=3997 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3198 \times 125 / 100 =$ **■**3997.

id=39973 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=F | option_c=Z | option_d=I | answer=B | explanation=Move 3 positions forward from C; the resulting letter is F.

id=39974 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 36? | option_a=23 | option_b=29 | option_c=36 | option_d=17 | answer=C | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 36 is the odd one out.

id=39975 | topic=Averages | difficulty=Easy | question=Find the average of 62, 53, 84, 82, 49. | option_a=68 | option_b=66 | option_c=65 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = $330 \div 5 = 66$.

id=39976 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 31, 43, 55, ? | option_a=67 | option_b=55 | option_c=68 | option_d=79 | answer=A | explanation=The common difference is 12. Therefore the next term is 55 + 12 = 67.

id=39977 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=39978 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**956. If it is sold at a profit of 20%, what is its selling price? | option_a=1147 | option_b=976 | option_c=1242 | option_d=1052 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 956 \times 120 / 100 =$ **■**1147.

id=39979 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16869 at 5% per annum for 2 years. | option_a=1586 | option_b=1786 | option_c=1686 | option_d=18555 | answer=C | explanation=SI = $PRT/100 = 16869 \times 5 \times 2 / 100 =$ **■**1686.

id=39980 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=41 | option_c=72 | option_d=31 | answer=A | explanation=Speed = distance ÷ time = $180 \div 5 = 36$ km/h.

id=39981 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=25 | option_c=20 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = $150 \div 6 = 25$ km/h.

id=39982 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3720. If it is sold at a profit of 20%, what is its selling price? | option_a=4464 | option_b=3740 | option_c=4836 | option_d=4092 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3720 \times 120 / 100 =$ **■**4464.

id=39983 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=V | option_c=T | option_d=W | answer=B | explanation=Move 1 positions forward from U; the resulting letter is V.

id=39984 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13016 at 5% per annum for 3 years. | option_a=1952 | option_b=1852 | option_c=14968 | option_d=2052 | answer=A | explanation=SI = $PRT/100 = 13016 \times 5 \times 3 / 100 =$ **■**1952.

id=39985 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3339. If it is sold at a profit of 25%, what is its selling price? | option_a=3840 | option_b=4506 | option_c=4173 | option_d=3364 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3339 \times 125 / 100 =$ **■**4173.

id=39986 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=39987 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=75 | option_c=80 | option_d=70 | answer=B | explanation=Speed = distance ÷ time = $150 \div 2 = 75$ km/h.

id=39988 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=7 | option_d=24 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=39989 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=26 | option_b=33 | option_c=38 | option_d=32 | answer=D | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=39990 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=B | option_b=H | option_c=K | option_d=E | answer=B | explanation=Move 3 positions forward from E; the resulting letter is H.

Aptitude Questions — Records 39,991-40,020 of 100,000

id=39991 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=50 | option_c=55 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=39992 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=39993 | topic=Averages | difficulty=Easy | question=Find the average of 81, 47, 68, 88. | option_a=70 | option_b=71 | option_c=73 | option_d=72 | answer=B | explanation=Average = sum of values ÷ number of values = 284 ÷ 4 = 71.

id=39994 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2304. If it is sold at a profit of 5%, what is its selling price? | option_a=2649 | option_b=2419 | option_c=2189 | option_d=2309 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2304 × 105/100 = █2419.

id=39995 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 15, 23, 33? | option_a=7 | option_b=33 | option_c=15 | option_d=23 | answer=B | explanation=The first three numbers increase by 8, so the next should be 31. Therefore 33 is the odd one out.

id=39996 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:16 and the first is 35, what is the second? | option_a=64 | option_b=115 | option_c=80 | option_d=87 | answer=C | explanation=Scale factor = 35/7 = 5. Therefore second quantity = 16×5 = 80.

id=39997 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=51 | option_b=42 | option_c=60 | option_d=52 | answer=A | explanation=The common difference is 9. Therefore the next term is 42 + 9 = 51.

id=39998 | topic=Percentages | difficulty=Easy | question=What is 12% of 1162? | option_a=144 | option_b=134 | option_c=139 | option_d=278 | answer=C | explanation=12% of 1162 = (12/100) × 1162 = 139.

id=39999 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=200 | option_c=105 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=40000 | topic=Percentages | difficulty=Easy | question=What is 20% of 1120? | option_a=448 | option_b=214 | option_c=224 | option_d=229 | answer=C | explanation=20% of 1120 = (20/100) × 1120 = 224.

id=40001 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=24 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=40002 | topic=Number System | difficulty=Easy | question=Find the LCM of 23 and 23. | option_a=529 | option_b=23 | option_c=46 | option_d=1 | answer=B | explanation=LCM × HCF = 23×23; HCF(23,23) = 23, so LCM = 23.

id=40003 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=40004 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=40005 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=40 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=40006 | topic=Averages | difficulty=Easy | question=Find the average of 80, 14, 26, 62, 95, 34, 18. | option_a=48 | option_b=49 | option_c=47 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 329 ÷ 7 = 47.

id=40007 | topic=Percentages | difficulty=Easy | question=What is 20% of 398? | option_a=79 | option_b=89 | option_c=158 | option_d=69 | answer=A | explanation=20% of 398 = (20/100) × 398 = 79.

id=40008 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 17, 25, 33, ? | option_a=42 | option_b=49 | option_c=41 | option_d=33 | answer=C | explanation=The common difference is 8. Therefore the next term is 33 + 8 = 41.

id=40009 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=40010 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=40011 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 21. | option_a=168 | option_b=189 | option_c=216 | option_d=567 | answer=B | explanation=LCM × HCF = 27×21; HCF(27,21) = 3, so LCM = 189.

id=40012 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=40013 | topic=Profit & Loss | difficulty=Easy | question=An article costs █336. If it is sold at a profit of 25%, what is its selling price? | option_a=453 | option_b=361 | option_c=387 | option_d=420 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 336 × 125/100 = █420.

id=40014 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:4 and the first is 208, what is the second? | option_a=272 | option_b=60 | option_c=64 | option_d=77 | answer=C | explanation=Scale factor = 208/13 = 16. Therefore second quantity = 4×16 = 64.

id=40015 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=N | option_b=Q | option_c=W | option_d=T | answer=D | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=40016 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 51? | option_a=30 | option_b=51 | option_c=20 | option_d=40 | answer=B | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 51 is the odd one out.

id=40017 | topic=Averages | difficulty=Easy | question=Find the average of 17, 15, 72, 20, 86. | option_a=42 | option_b=41 | option_c=43 | option_d=44 | answer=A | explanation=Average = sum of values ÷ number of values = 210 ÷ 5 = 42.

id=40018 | topic=Percentages | difficulty=Easy | question=What is 12% of 1193? | option_a=148 | option_b=123 | option_c=143 | option_d=286 | answer=C | explanation=12% of 1193 = (12/100) × 1193 = 143.

id=40019 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=40020 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 25, 34, 44? | option_a=34 | option_b=44 | option_c=16 | option_d=25 | answer=B | explanation=The first three numbers increase by 9, so the next should be 43. Therefore 44 is the odd one out.

Aptitude Questions — Records 40,021-40,050 of 100,000

id=40021 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=40022 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18078 at 5% per annum for 1 years. | option_a=1003 | option_b=803 | option_c=903 | option_d=18981 | answer=C | explanation=SI = PRT/100 = 18078×5×1/100 = **■**903.

id=40023 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=40024 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 5. | option_a=20 | option_b=25 | option_c=125 | option_d=50 | answer=B | explanation=LCM × HCF = 25×5; HCF(25,5) = 5, so LCM = 25.

id=40025 | topic=Averages | difficulty=Easy | question=Find the average of 50, 27, 80, 77, 18, 37, 83, 87, 40, 31. | option_a=53 | option_b=55 | option_c=54 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=40026 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=40027 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3332. If it is sold at a profit of 10%, what is its selling price? | option_a=3332 | option_b=3342 | option_c=3998 | option_d=3665 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3332 × 110/100 = **■**3665.

id=40028 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=K | option_b=Q | option_c=O | option_d=M | answer=C | explanation=Move 2 positions forward from M; the resulting letter is O.

id=40029 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=24 | option_c=29 | option_d=19 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=40030 | topic=Percentages | difficulty=Easy | question=What is 15% of 139? | option_a=20 | option_b=25 | option_c=10 | option_d=40 | answer=A | explanation=15% of 139 = (15/100) × 139 = 20.

id=40031 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=D | option_b=F | option_c=H | option_d=J | answer=C | explanation=Move 2 positions forward from F; the resulting letter is H.

id=40032 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:17 and the first is 270, what is the second? | option_a=321 | option_b=576 | option_c=289 | option_d=306 | answer=D | explanation=Scale factor = 270/15 = 18. Therefore second quantity = 17×18 = 306.

id=40033 | topic=Percentages | difficulty=Easy | question=What is 25% of 689? | option_a=152 | option_b=172 | option_c=344 | option_d=192 | answer=B | explanation=25% of 689 = (25/100) × 689 = 172.

id=40034 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:14 and the first is 9, what is the second? | option_a=112 | option_b=126 | option_c=135 | option_d=127 | answer=B | explanation=Scale factor = 9/1 = 9. Therefore second quantity = 14×9 = 126.

id=40035 | topic=Percentages | difficulty=Easy | question=What is 10% of 1700? | option_a=170 | option_b=340 | option_c=190 | option_d=165 | answer=A | explanation=10% of 1700 = (10/100) × 1700 = 170.

id=40036 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=56 | option_b=57 | option_c=46 | option_d=66 | answer=A | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=40037 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2342. If it is sold at a profit of 50%, what is its selling price? | option_a=3513 | option_b=3747 | option_c=3279 | option_d=2392 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2342 × 150/100 = **■**3513.

id=40038 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2189 at 5% per annum for 3 years. | option_a=428 | option_b=328 | option_c=228 | option_d=2517 | answer=B | explanation=SI = PRT/100 = 2189×5×3/100 = **■**328.

id=40039 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=50 | option_b=38 | option_c=51 | option_d=62 | answer=A | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=40040 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=24 | option_c=17 | option_d=7 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=40041 | topic=Percentages | difficulty=Easy | question=What is 12% of 1520? | option_a=364 | option_b=182 | option_c=177 | option_d=202 | answer=B | explanation=12% of 1520 = (12/100) × 1520 = 182.

id=40042 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15290 at 5% per annum for 5 years. | option_a=3822 | option_b=3922 | option_c=3722 | option_d=19112 | answer=A | explanation=SI = PRT/100 = 15290×5×5/100 = **■**3822.

id=40043 | topic=Percentages | difficulty=Easy | question=What is 40% of 839? | option_a=345 | option_b=335 | option_c=670 | option_d=315 | answer=B | explanation=40% of 839 = (40/100) × 839 = 335.

id=40044 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38556 at 8% per annum for 2 years. | option_a=6068 | option_b=6268 | option_c=6168 | option_d=44724 | answer=C | explanation=SI = PRT/100 = 38556×8×2/100 = **■**6168.

id=40045 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=40046 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:5 and the first is 221, what is the second? | option_a=80 | option_b=306 | option_c=98 | option_d=85 | answer=D | explanation=Scale factor = 221/13 = 17. Therefore second quantity = 5×17 = 85.

id=40047 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20181 at 12% per annum for 2 years. | option_a=25024 | option_b=4943 | option_c=4843 | option_d=4743 | answer=C | explanation=SI = PRT/100 = 20181×12×2/100 = **■**4843.

id=40048 | topic=Percentages | difficulty=Easy | question=What is 30% of 676? | option_a=212 | option_b=202 | option_c=182 | option_d=404 | answer=B | explanation=30% of 676 = (30/100) × 676 = 202.

id=40049 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=42 | option_b=55 | option_c=66 | option_d=54 | answer=D | explanation=The common difference is 12. Therefore the next term is 42 + 12 = 54.

id=40050 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4241. If it is sold at a profit of 50%, what is its selling price? | option_a=5937 | option_b=4291 | option_c=6361 | option_d=6785 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4241 × 150/100 = **■**6361.

Aptitude Questions — Records 40,051-40,080 of 100,000

id=40051 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=57 | option_b=68 | option_c=56 | option_d=44 | answer=C | explanation=The common difference is 12. Therefore the next term is $44 + 12 = 56$.

id=40052 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=40053 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4507. If it is sold at a profit of 40%, what is its selling price? | option_a=4547 | option_b=6309 | option_c=5859 | option_d=6759 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4507 \times 140/100 = \text{█}6309$.

id=40054 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4520. If it is sold at a profit of 50%, what is its selling price? | option_a=7232 | option_b=6328 | option_c=4570 | option_d=6780 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4520 \times 150/100 = \text{█}6780$.

id=40055 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=18 | option_b=23 | option_c=22 | option_d=26 | answer=C | explanation=The common difference is 4. Therefore the next term is $18 + 4 = 22$.

id=40056 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 31, 43, 55, ? | option_a=68 | option_b=55 | option_c=67 | option_d=79 | answer=C | explanation=The common difference is 12. Therefore the next term is $55 + 12 = 67$.

id=40057 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=40058 | topic=Averages | difficulty=Easy | question=Find the average of 23, 33, 34, 31, 78, 100, 65. | option_a=54 | option_b=53 | option_c=51 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = $364 \div 7 = 52$.

id=40059 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 24. | option_a=1 | option_b=26 | option_c=48 | option_d=24 | answer=D | explanation=LCM $\times$ HCF = 2×24 ; HCF(2,24) = 2, so LCM = 24.

id=40060 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.

id=40061 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=90 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = $360 \div 8 = 45$ km/h.

id=40062 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 27, 32, 40? | option_a=32 | option_b=27 | option_c=40 | option_d=22 | answer=C | explanation=The first three numbers increase by 5, so the next should be 37. Therefore 40 is the odd one out.

id=40063 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:18 and the first is 112, what is the second? | option_a=142 | option_b=126 | option_c=108 | option_d=238 | answer=B | explanation=Scale factor = $\frac{112}{16} = 7$. Therefore second quantity = $18 \times 7 = 126$.

id=40064 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = $120 \div 4 = 30$ km/h.

id=40065 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=50 | option_b=39 | option_c=49 | option_d=59 | answer=C | explanation=The common difference is 10. Therefore the next term is $39 + 10 = 49$.

id=40066 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=P | option_c=Q | option_d=N | answer=B | explanation=Move 1 positions forward from O; the resulting letter is P.

id=40067 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3081. If it is sold at a profit of 30%, what is its selling price? | option_a=4313 | option_b=3111 | option_c=4005 | option_d=3697 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3081 \times 130/100 = \text{█}4005$.

id=40068 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 24, 32, 40, ? | option_a=48 | option_b=49 | option_c=40 | option_d=56 | answer=A | explanation=The common difference is 8. Therefore the next term is $40 + 8 = 48$.

id=40069 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6019 at 4% per annum for 1 years. | option_a=240 | option_b=140 | option_c=6259 | option_d=340 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{6019 \times 4 \times 1}{100} = \text{█}240$.

id=40070 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2655. If it is sold at a profit of 40%, what is its selling price? | option_a=3717 | option_b=3982 | option_c=3452 | option_d=2695 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2655 \times 140/100 = \text{█}3717$.

id=40071 | topic=Percentages | difficulty=Easy | question=What is 20% of 233? | option_a=46 | option_b=36 | option_c=51 | option_d=92 | answer=A | explanation=20% of 233 = $(20/100) \times 233 = 46$.

id=40072 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38181 at 15% per annum for 3 years. | option_a=17181 | option_b=17081 | option_c=55362 | option_d=17281 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{38181 \times 15 \times 3}{100} = \text{█}17181$.

id=40073 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=25 | option_c=40 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = $60 \div 3 = 20$ km/h.

id=40074 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=35 | option_c=40 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = $240 \div 6 = 40$ km/h.

id=40075 | topic=Percentages | difficulty=Easy | question=What is 50% of 1000? | option_a=500 | option_b=520 | option_c=480 | option_d=1000 | answer=A | explanation=50% of 1000 = $(50/100) \times 1000 = 500$.

id=40076 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.

id=40077 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:6 and the first is 75, what is the second? | option_a=24 | option_b=105 | option_c=45 | option_d=30 | answer=D | explanation=Scale factor = $\frac{75}{15} = 5$. Therefore second quantity = $6 \times 5 = 30$.

id=40078 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=C | option_c=Y | option_d=E | answer=B | explanation=Move 2 positions forward from A; the resulting letter is C.

id=40079 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=40080 | topic=Percentages | difficulty=Easy | question=What is 10% of 146? | option_a=28 | option_b=4 | option_c=24 | option_d=14 | answer=D | explanation=10% of 146 = $(10/100) \times 146 = 14$.

Aptitude Questions — Records 40,081-40,110 of 100,000

id=40081 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=40082 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4054. If it is sold at a profit of 10%, what is its selling price? | option_a=4459 | option_b=4054 | option_c=4864 | option_d=4064 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4054 × 110/100 = █4459.

id=40083 | topic=Profit & Loss | difficulty=Easy | question=An article costs █399. If it is sold at a profit of 50%, what is its selling price? | option_a=637 | option_b=559 | option_c=449 | option_d=598 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 399 × 150/100 = █598.

id=40084 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=27 | option_b=39 | option_c=34 | option_d=33 | answer=D | explanation=The common difference is 6. Therefore the next term is 27 + 6 = 33.

id=40085 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=70 | option_b=59 | option_c=58 | option_d=46 | answer=C | explanation=The common difference is 12. Therefore the next term is 46 + 12 = 58.

id=40086 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:4 and the first is 60, what is the second? | option_a=76 | option_b=16 | option_c=31 | option_d=12 | answer=B | explanation=Scale factor = 60/15 = 4. Therefore second quantity = 4×4 = 16.

id=40087 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=45 | option_b=54 | option_c=34 | option_d=44 | answer=D | explanation=The common difference is 10. Therefore the next term is 34 + 10 = 44.

id=40088 | topic=Averages | difficulty=Easy | question=Find the average of 94, 33, 11. | option_a=48 | option_b=47 | option_c=45 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 138 ÷ 3 = 46.

id=40089 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3822. If it is sold at a profit of 20%, what is its selling price? | option_a=3842 | option_b=4204 | option_c=4586 | option_d=4968 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3822 × 120/100 = █4586.

id=40090 | topic=Profit & Loss | difficulty=Easy | question=An article costs █368. If it is sold at a profit of 25%, what is its selling price? | option_a=460 | option_b=393 | option_c=496 | option_d=424 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 368 × 125/100 = █460.

id=40091 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:1 and the first is 18, what is the second? | option_a=2 | option_b=3 | option_c=9 | option_d=21 | answer=B | explanation=Scale factor = 18/6 = 3. Therefore second quantity = 1×3 = 3.

id=40092 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=72 | option_c=36 | option_d=31 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=40093 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7176 at 15% per annum for 1 years. | option_a=1176 | option_b=976 | option_c=8252 | option_d=1076 | answer=D | explanation=SI = PRT/100 = 7176×15×1/100 = █1076.

id=40094 | topic=Percentages | difficulty=Easy | question=What is 10% of 1840? | option_a=368 | option_b=184 | option_c=194 | option_d=179 | answer=B | explanation=10% of 1840 = (10/100) × 1840 = 184.

id=40095 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2588. If it is sold at a profit of 30%, what is its selling price? | option_a=3106 | option_b=3364 | option_c=3622 | option_d=2618 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2588 × 130/100 = █3364.

id=40096 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32138 at 10% per annum for 2 years. | option_a=6427 | option_b=38565 | option_c=6327 | option_d=6527 | answer=A | explanation=SI = PRT/100 = 32138×10×2/100 = █6427.

id=40097 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 16. | option_a=162 | option_b=144 | option_c=288 | option_d=128 | answer=B | explanation=LCM × HCF = 18×16; HCF(18,16) = 2, so LCM = 144.

id=40098 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=40099 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=12 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=40100 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=40101 | topic=Averages | difficulty=Easy | question=Find the average of 90, 61, 50, 39, 37, 51, 37, 50, 33, 92. | option_a=53 | option_b=54 | option_c=56 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

id=40102 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=54 | option_b=44 | option_c=34 | option_d=45 | answer=B | explanation=The common difference is 10. Therefore the next term is 34 + 10 = 44.

id=40103 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4043. If it is sold at a profit of 5%, what is its selling price? | option_a=4649 | option_b=3841 | option_c=4245 | option_d=4048 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4043 × 105/100 = █4245.

id=40104 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 13, 23, 35? | option_a=23 | option_b=13 | option_c=3 | option_d=35 | answer=D | explanation=The first three numbers increase by 10, so the next should be 33. Therefore 35 is the odd one out.

id=40105 | topic=Averages | difficulty=Easy | question=Find the average of 64, 53, 41, 80, 98, 53, 95, 79, 94. | option_a=73 | option_b=74 | option_c=72 | option_d=75 | answer=A | explanation=Average = sum of values ÷ number of values = 657 ÷ 9 = 73.

id=40106 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 17, 21, 26? | option_a=13 | option_b=26 | option_c=21 | option_d=17 | answer=B | explanation=The first three numbers increase by 4, so the next should be 25. Therefore 26 is the odd one out.

id=40107 | topic=Averages | difficulty=Easy | question=Find the average of 43, 91, 99, 18, 25, 84. | option_a=62 | option_b=61 | option_c=60 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 360 ÷ 6 = 60.

id=40108 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=50 | option_d=100 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=40109 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=62 | option_b=51 | option_c=50 | option_d=38 | answer=C | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=40110 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=5 | option_c=15 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

Aptitude Questions — Records 40,111-40,140 of 100,000

id=40111 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=51 | option_b=63 | option_c=62 | option_d=73 | answer=C | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.

id=40112 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5302 at 5% per annum for 3 years. | option_a=6097 | option_b=795 | option_c=895 | option_d=695 | answer=B | explanation=SI = $PRT/100 = 5302 \times 5 \times 3/100 = \text{■}795$.

id=40113 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=50 | option_b=49 | option_c=59 | option_d=39 | answer=B | explanation=The common difference is 10. Therefore the next term is 39 + 10 = 49.

id=40114 | topic=Averages | difficulty=Easy | question=Find the average of 25, 39, 13, 88, 93, 37, 84, 97, 64. | option_a=59 | option_b=60 | option_c=62 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 540 ÷ 9 = 60.

id=40115 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:20 and the first is 65, what is the second? | option_a=80 | option_b=100 | option_c=113 | option_d=165 | answer=B | explanation=Scale factor = $65/13 = 5$. Therefore second quantity = $20 \times 5 = 100$.

id=40116 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39548 at 6% per annum for 1 years. | option_a=41920 | option_b=2372 | option_c=2472 | option_d=2272 | answer=B | explanation=SI = $PRT/100 = 39548 \times 6 \times 1/100 = \text{■}2372$.

id=40117 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2918. If it is sold at a profit of 50%, what is its selling price? | option_a=4668 | option_b=2968 | option_c=4086 | option_d=4377 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2918 \times 150/100 = \text{■}4377$.

id=40118 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=C | option_b=F | option_c=D | option_d=E | answer=D | explanation=Move 1 positions forward from D; the resulting letter is E.

id=40119 | topic=Percentages | difficulty=Easy | question=What is 50% of 67? | option_a=66 | option_b=33 | option_c=28 | option_d=38 | answer=B | explanation=50% of 67 = $(50/100) \times 67 = 33$.

id=40120 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=P | option_c=Q | option_d=N | answer=B | explanation=Move 1 positions forward from O; the resulting letter is P.

id=40121 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=W | option_b=Z | option_c=Q | option_d=T | answer=A | explanation=Move 3 positions forward from T; the resulting letter is W.

id=40122 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:12 and the first is 400, what is the second? | option_a=260 | option_b=228 | option_c=240 | option_d=640 | answer=C | explanation=Scale factor = $400/20 = 20$. Therefore second quantity = $12 \times 20 = 240$.

id=40123 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=40124 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 22, 29, 37? | option_a=29 | option_b=37 | option_c=15 | option_d=22 | answer=B | explanation=The first three numbers increase by 7, so the next should be 36. Therefore 37 is the odd one out.

id=40125 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=J | option_b=D | option_c=G | option_d=M | answer=A | explanation=Move 3 positions forward from G; the resulting letter is J.

id=40126 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6228 at 6% per annum for 2 years. | option_a=847 | option_b=647 | option_c=747 | option_d=6975 | answer=C | explanation=SI = $PRT/100 = 6228 \times 6 \times 2/100 = \text{■}747$.

id=40127 | topic=Percentages | difficulty=Easy | question=What is 12% of 335? | option_a=50 | option_b=80 | option_c=20 | option_d=40 | answer=D | explanation=12% of 335 = $(12/100) \times 335 = 40$.

id=40128 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49555 at 15% per annum for 4 years. | option_a=79288 | option_b=29833 | option_c=29733 | option_d=29633 | answer=C | explanation=SI = $PRT/100 = 49555 \times 15 \times 4/100 = \text{■}29733$.

id=40129 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=43 | option_b=49 | option_c=42 | option_d=35 | answer=C | explanation=The common difference is 7. Therefore the next term is 35 + 7 = 42.

id=40130 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=I | option_b=H | option_c=J | option_d=G | answer=A | explanation=Move 1 positions forward from H; the resulting letter is I.

id=40131 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=40132 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 30, 32, 36? | option_a=30 | option_b=36 | option_c=28 | option_d=32 | answer=B | explanation=The first three numbers increase by 2, so the next should be 34. Therefore 36 is the odd one out.

id=40133 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = $90 \div 6 = 15$ km/h.

id=40134 | topic=Percentages | difficulty=Easy | question=What is 12% of 1371? | option_a=328 | option_b=144 | option_c=184 | option_d=164 | answer=D | explanation=12% of 1371 = $(12/100) \times 1371 = 164$.

id=40135 | topic=Averages | difficulty=Easy | question=Find the average of 22, 27, 11, 66, 69. | option_a=39 | option_b=38 | option_c=41 | option_d=40 | answer=A | explanation=Average = sum of values ÷ number of values = $195 \div 5 = 39$.

id=40136 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4486. If it is sold at a profit of 20%, what is its selling price? | option_a=4506 | option_b=5831 | option_c=5383 | option_d=4935 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4486 \times 120/100 = \text{■}5383$.

id=40137 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=40138 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=T | option_c=O | option_d=E | answer=C | explanation=Move 5 positions forward from J; the resulting letter is O.

id=40139 | topic=Averages | difficulty=Easy | question=Find the average of 18, 59, 60, 48, 95. | option_a=55 | option_b=58 | option_c=56 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = $280 \div 5 = 56$.

id=40140 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

Aptitude Questions — Records 40,141-40,170 of 100,000

id=40141 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=20 | option_c=15 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=40142 | topic=Number System | difficulty=Easy | question=Find the LCM of 13 and 13. | option_a=1 | option_b=169 | option_c=13 | option_d=26 | answer=C | explanation=LCM × HCF = 13×13; HCF(13,13) = 13, so LCM = 13.

id=40143 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 32, 40, 50? | option_a=50 | option_b=32 | option_c=24 | option_d=40 | answer=A | explanation=The first three numbers increase by 8, so the next should be 48. Therefore 50 is the odd one out.

id=40144 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=30 | option_b=24 | option_c=31 | option_d=36 | answer=A | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.

id=40145 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=X | option_c=T | option_d=L | answer=C | explanation=Move 4 positions forward from P; the resulting letter is T.

id=40146 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2976. If it is sold at a profit of 10%, what is its selling price? | option_a=3570 | option_b=2976 | option_c=3273 | option_d=2986 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2976 × 110/100 = **₹**3273.

id=40147 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**28263 at 5% per annum for 2 years. | option_a=31089 | option_b=2926 | option_c=2826 | option_d=2726 | answer=C | explanation=SI = PRT/100 = 28263×5×2/100 = **₹**2826.

id=40148 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 25, 35, 48? | option_a=35 | option_b=25 | option_c=15 | option_d=48 | answer=D | explanation=The first three numbers increase by 10, so the next should be 45. Therefore 48 is the odd one out.

id=40149 | topic=Averages | difficulty=Easy | question=Find the average of 13, 10, 95, 28, 24, 82, 33, 69, 33. | option_a=44 | option_b=42 | option_c=43 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = 387 ÷ 9 = 43.

id=40150 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 26. | option_a=1 | option_b=676 | option_c=52 | option_d=26 | answer=D | explanation=LCM × HCF = 26×26; HCF(26,26) = 26, so LCM = 26.

id=40151 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 10, 17, 26? | option_a=3 | option_b=26 | option_c=17 | option_d=10 | answer=B | explanation=The first three numbers increase by 7, so the next should be 24. Therefore 26 is the odd one out.

id=40152 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:11 and the first is 112, what is the second? | option_a=176 | option_b=288 | option_c=183 | option_d=165 | answer=A | explanation=Scale factor = 112/7 = 16. Therefore second quantity = 11×16 = 176.

id=40153 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=15 | option_d=5 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=40154 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=50 | option_b=63 | option_c=62 | option_d=74 | answer=C | explanation=The common difference is 12. Therefore the next term is 50 + 12 = 62.

id=40155 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 18, 27, 38? | option_a=18 | option_b=27 | option_c=9 | option_d=38 | answer=D | explanation=The first three numbers increase by 9, so the next should be 36. Therefore 38 is the odd one out.

id=40156 | topic=Averages | difficulty=Easy | question=Find the average of 42, 88, 89. | option_a=75 | option_b=72 | option_c=73 | option_d=74 | answer=C | explanation=Average = sum of values ÷ number of values = 219 ÷ 3 = 73.

id=40157 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=F | option_b=R | option_c=J | option_d=N | answer=D | explanation=Move 4 positions forward from J; the resulting letter is N.

id=40158 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 26, 35, 45? | option_a=35 | option_b=45 | option_c=26 | option_d=17 | answer=B | explanation=The first three numbers increase by 9, so the next should be 44. Therefore 45 is the odd one out.

id=40159 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=50 | option_b=38 | option_c=62 | option_d=51 | answer=A | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=40160 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=4 | option_c=18 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=40161 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=37 | option_b=43 | option_c=31 | option_d=38 | answer=A | explanation=The common difference is 6. Therefore the next term is 31 + 6 = 37.

id=40162 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**29030 at 10% per annum for 2 years. | option_a=5706 | option_b=5806 | option_c=5906 | option_d=34836 | answer=B | explanation=SI = PRT/100 = 29030×10×2/100 = **₹**5806.

id=40163 | topic=Averages | difficulty=Easy | question=Find the average of 27, 24, 79, 50. | option_a=44 | option_b=45 | option_c=46 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 180 ÷ 4 = 45.

id=40164 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**37247 at 8% per annum for 5 years. | option_a=14798 | option_b=14898 | option_c=14998 | option_d=52145 | answer=B | explanation=SI = PRT/100 = 37247×8×5/100 = **₹**14898.

id=40165 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=K | option_b=H | option_c=N | option_d=E | answer=A | explanation=Move 3 positions forward from H; the resulting letter is K.

id=40166 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 41? | option_a=22 | option_b=41 | option_c=30 | option_d=14 | answer=B | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 41 is the odd one out.

id=40167 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3082. If it is sold at a profit of 15%, what is its selling price? | option_a=3852 | option_b=3236 | option_c=3544 | option_d=3097 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3082 × 115/100 = **₹**3544.

id=40168 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=40169 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=C | option_c=M | option_d=R | answer=C | explanation=Move 5 positions forward from H; the resulting letter is M.

id=40170 | topic=Averages | difficulty=Easy | question=Find the average of 69, 30, 21. | option_a=41 | option_b=39 | option_c=40 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = 120 ÷ 3 = 40.

Aptitude Questions — Records 40,171-40,200 of 100,000

id=40171 | topic=Percentages | difficulty=Easy | question=What is 15% of 529? | option_a=69 | option_b=84 | option_c=158 | option_d=79 | answer=D | explanation=15% of 529 = (15/100) × 529 = 79.

id=40172 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=12 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=40173 | topic=Percentages | difficulty=Easy | question=What is 10% of 1947? | option_a=204 | option_b=388 | option_c=184 | option_d=194 | answer=D | explanation=10% of 1947 = (10/100) × 1947 = 194.

id=40174 | topic=Averages | difficulty=Easy | question=Find the average of 62, 17, 79, 18, 38, 97, 49, 100, 44. | option_a=56 | option_b=57 | option_c=55 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=40175 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=54 | option_b=66 | option_c=67 | option_d=78 | answer=B | explanation=The common difference is 12. Therefore the next term is 54 + 12 = 66.

id=40176 | topic=Percentages | difficulty=Easy | question=What is 12% of 957? | option_a=114 | option_b=134 | option_c=228 | option_d=94 | answer=A | explanation=12% of 957 = (12/100) × 957 = 114.

id=40177 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1087 at 15% per annum for 2 years. | option_a=1413 | option_b=426 | option_c=326 | option_d=226 | answer=C | explanation=SI = PRT/100 = 1087×15×2/100 = **■**326.

id=40178 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=32 | option_b=33 | option_c=28 | option_d=36 | answer=A | explanation=The common difference is 4. Therefore the next term is 28 + 4 = 32.

id=40179 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:7 and the first is 45, what is the second? | option_a=35 | option_b=44 | option_c=28 | option_d=80 | answer=A | explanation=Scale factor = 45/9 = 5. Therefore second quantity = 7×5 = 35.

id=40180 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=12 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=40181 | topic=Averages | difficulty=Easy | question=Find the average of 37, 55, 62, 13, 19, 12. | option_a=35 | option_b=33 | option_c=34 | option_d=32 | answer=B | explanation=Average = sum of values ÷ number of values = 198 ÷ 6 = 33.

id=40182 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 18. | option_a=90 | option_b=105 | option_c=72 | option_d=270 | answer=A | explanation=LCM × HCF = 15×18; HCF(15,18) = 3, so LCM = 90.

id=40183 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=7 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=40184 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=40185 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1805. If it is sold at a profit of 10%, what is its selling price? | option_a=1815 | option_b=1805 | option_c=1985 | option_d=2165 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1805 × 110/100 = **■**1985.

id=40186 | topic=Averages | difficulty=Easy | question=Find the average of 26, 28, 75, 41, 86, 65, 29. | option_a=52 | option_b=50 | option_c=49 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

id=40187 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=54 | option_b=45 | option_c=55 | option_d=63 | answer=A | explanation=The common difference is 9. Therefore the next term is 45 + 9 = 54.

id=40188 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20590 at 6% per annum for 4 years. | option_a=4841 | option_b=5041 | option_c=4941 | option_d=25531 | answer=C | explanation=SI = PRT/100 = 20590×6×4/100 = **■**4941.

id=40189 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=35 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=40190 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 34? | option_a=26 | option_b=21 | option_c=16 | option_d=34 | answer=D | explanation=The first three numbers increase by 5, so the next should be 31. Therefore 34 is the odd one out.

id=40191 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=N | option_b=E | option_c=H | option_d=K | answer=D | explanation=Move 3 positions forward from H; the resulting letter is K.

id=40192 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=H | option_b=B | option_c=Y | option_d=E | answer=D | explanation=Move 3 positions forward from B; the resulting letter is E.

id=40193 | topic=Averages | difficulty=Easy | question=Find the average of 69, 34, 94, 10, 55, 77, 87, 38, 31. | option_a=57 | option_b=55 | option_c=54 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.

id=40194 | topic=Averages | difficulty=Easy | question=Find the average of 32, 12, 54, 90, 24, 24, 33, 75. | option_a=43 | option_b=44 | option_c=45 | option_d=42 | answer=A | explanation=Average = sum of values ÷ number of values = 344 ÷ 8 = 43.

id=40195 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40512 at 8% per annum for 1 years. | option_a=3340 | option_b=3240 | option_c=43752 | option_d=3140 | answer=B | explanation=SI = PRT/100 = 40512×8×1/100 = **■**3240.

id=40196 | topic=Averages | difficulty=Easy | question=Find the average of 75, 96, 97, 89, 92, 23, 76, 54, 59, 99. | option_a=76 | option_b=78 | option_c=77 | option_d=75 | answer=A | explanation=Average = sum of values ÷ number of values = 760 ÷ 10 = 76.

id=40197 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 31, 43, 55, ? | option_a=55 | option_b=79 | option_c=67 | option_d=68 | answer=C | explanation=The common difference is 12. Therefore the next term is 55 + 12 = 67.

id=40198 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=35 | option_b=43 | option_c=36 | option_d=27 | answer=A | explanation=The common difference is 8. Therefore the next term is 27 + 8 = 35.

id=40199 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:9 and the first is 280, what is the second? | option_a=406 | option_b=117 | option_c=146 | option_d=126 | answer=D | explanation=Scale factor = 280/20 = 14. Therefore second quantity = 9×14 = 126.

id=40200 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=21 | option_b=27 | option_c=24 | option_d=25 | answer=C | explanation=The common difference is 3. Therefore the next term is 21 + 3 = 24.

Aptitude Questions — Records 40,201-40,230 of 100,000

id=40201 | topic=Percentages | difficulty=Easy | question=What is 12% of 1264? | option_a=161 | option_b=151 | option_c=141 | option_d=302 | answer=B | explanation=12% of 1264 = (12/100) × 1264 = 151.

id=40202 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4393. If it is sold at a profit of 30%, what is its selling price? | option_a=5710 | option_b=6149 | option_c=5271 | option_d=4423 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4393 × 130/100 = █5710.

id=40203 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=V | option_b=A | option_c=K | option_d=F | answer=D | explanation=Move 5 positions forward from A; the resulting letter is F.

id=40204 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22651 at 15% per annum for 4 years. | option_a=13690 | option_b=13490 | option_c=13590 | option_d=36241 | answer=C | explanation=SI = PRT/100 = 22651×15×4/100 = █13590.

id=40205 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=X | option_b=B | option_c=F | option_d=J | answer=C | explanation=Move 4 positions forward from B; the resulting letter is F.

id=40206 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=40207 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=32 | option_b=33 | option_c=39 | option_d=25 | answer=A | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.

id=40208 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=C | option_b=K | option_c=G | option_d=O | answer=B | explanation=Move 4 positions forward from G; the resulting letter is K.

id=40209 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:3 and the first is 98, what is the second? | option_a=35 | option_b=21 | option_c=18 | option_d=119 | answer=B | explanation=Scale factor = 98/14 = 7. Therefore second quantity = 3×7 = 21.

id=40210 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 20. | option_a=120 | option_b=66 | option_c=60 | option_d=40 | answer=C | explanation=LCM × HCF = 6×20; HCF(6,20) = 2, so LCM = 60.

id=40211 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 31, 34, 40? | option_a=40 | option_b=31 | option_c=28 | option_d=34 | answer=A | explanation=The first three numbers increase by 3, so the next should be 37. Therefore 40 is the odd one out.

id=40212 | topic=Averages | difficulty=Easy | question=Find the average of 64, 54, 30, 20. | option_a=42 | option_b=44 | option_c=43 | option_d=41 | answer=A | explanation=Average = sum of values + number of values = 168 ÷ 4 = 42.

id=40213 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=40214 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 9, 16, 26? | option_a=2 | option_b=26 | option_c=16 | option_d=9 | answer=B | explanation=The first three numbers increase by 7, so the next should be 23. Therefore 26 is the odd one out.

id=40215 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:2 and the first is 240, what is the second? | option_a=28 | option_b=46 | option_c=270 | option_d=30 | answer=D | explanation=Scale factor = 240/16 = 15. Therefore second quantity = 2×15 = 30.

id=40216 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27327 at 4% per annum for 4 years. | option_a=4272 | option_b=4472 | option_c=31699 | option_d=4372 | answer=D | explanation=SI = PRT/100 = 27327×4×4/100 = █4372.

id=40217 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=40218 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:15 and the first is 234, what is the second? | option_a=504 | option_b=255 | option_c=283 | option_d=270 | answer=D | explanation=Scale factor = 234/13 = 18. Therefore second quantity = 15×18 = 270.

id=40219 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2463. If it is sold at a profit of 50%, what is its selling price? | option_a=3448 | option_b=3694 | option_c=2513 | option_d=3940 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2463 × 150/100 = █3694.

id=40220 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=40221 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=H | option_c=J | option_d=L | answer=D | explanation=Move 2 positions forward from J; the resulting letter is L.

id=40222 | topic=Averages | difficulty=Easy | question=Find the average of 22, 96, 24, 92, 49, 83. | option_a=60 | option_b=61 | option_c=63 | option_d=62 | answer=B | explanation=Average = sum of values + number of values = 366 ÷ 6 = 61.

id=40223 | topic=Percentages | difficulty=Easy | question=What is 20% of 1071? | option_a=428 | option_b=214 | option_c=234 | option_d=209 | answer=B | explanation=20% of 1071 = (20/100) × 1071 = 214.

id=40224 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 32, 40, 49? | option_a=24 | option_b=49 | option_c=40 | option_d=32 | answer=B | explanation=The first three numbers increase by 8, so the next should be 48. Therefore 49 is the odd one out.

id=40225 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 20? | option_a=15 | option_b=9 | option_c=20 | option_d=12 | answer=C | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 20 is the odd one out.

id=40226 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1936. If it is sold at a profit of 10%, what is its selling price? | option_a=2322 | option_b=1936 | option_c=2129 | option_d=1946 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1936 × 110/100 = █2129.

id=40227 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:20 and the first is 45, what is the second? | option_a=180 | option_b=160 | option_c=225 | option_d=185 | answer=A | explanation=Scale factor = 45/5 = 9. Therefore second quantity = 20×9 = 180.

id=40228 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 17, 26, 37? | option_a=8 | option_b=37 | option_c=17 | option_d=26 | answer=B | explanation=The first three numbers increase by 9, so the next should be 35. Therefore 37 is the odd one out.

id=40229 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=M | option_b=Q | option_c=I | option_d=E | answer=A | explanation=Move 4 positions forward from I; the resulting letter is M.

id=40230 | topic=Averages | difficulty=Easy | question=Find the average of 66, 79, 27, 91, 40, 39. | option_a=57 | option_b=58 | option_c=59 | option_d=56 | answer=A | explanation=Average = sum of values + number of values = 342 ÷ 6 = 57.

Aptitude Questions — Records 40,231-40,260 of 100,000

id=40231 | topic=Percentages | difficulty=Easy | question=What is 10% of 1251? | option_a=145 | option_b=105 | option_c=125 | option_d=250 | answer=C | explanation=10% of 1251 = (10/100) × 1251 = 125.

id=40232 | topic=Averages | difficulty=Easy | question=Find the average of 81, 14, 31, 34. | option_a=42 | option_b=39 | option_c=40 | option_d=41 | answer=C | explanation=Average = sum of values ÷ number of values = 160 ÷ 4 = 40.

id=40233 | topic=Percentages | difficulty=Easy | question=What is 20% of 1590? | option_a=308 | option_b=318 | option_c=636 | option_d=338 | answer=B | explanation=20% of 1590 = (20/100) × 1590 = 318.

id=40234 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19774 at 8% per annum for 3 years. | option_a=24519 | option_b=4845 | option_c=4645 | option_d=4745 | answer=D | explanation=SI = PRT/100 = 19774×8×3/100 = **■**4745.

id=40235 | topic=Averages | difficulty=Easy | question=Find the average of 79, 81, 43, 49. | option_a=63 | option_b=62 | option_c=65 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = 252 ÷ 4 = 63.

id=40236 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=41 | option_c=72 | option_d=31 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=40237 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=40238 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=40239 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=17 | option_c=12 | option_d=7 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=40240 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3282 at 4% per annum for 1 years. | option_a=3413 | option_b=131 | option_c=231 | option_d=31 | answer=B | explanation=SI = PRT/100 = 3282×4×1/100 = **■**131.

id=40241 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=40 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=40242 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=360 | option_b=180 | option_c=175 | option_d=185 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=40243 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 18, 25, 34? | option_a=18 | option_b=11 | option_c=34 | option_d=25 | answer=C | explanation=The first three numbers increase by 7, so the next should be 32. Therefore 34 is the odd one out.

id=40244 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:16 and the first is 12, what is the second? | option_a=32 | option_b=44 | option_c=16 | option_d=38 | answer=A | explanation=Scale factor = 12/6 = 2. Therefore second quantity = 16×2 = 32.

id=40245 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40477 at 4% per annum for 1 years. | option_a=42096 | option_b=1719 | option_c=1619 | option_d=1519 | answer=C | explanation=SI = PRT/100 = 40477×4×1/100 = **■**1619.

id=40246 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27084 at 5% per annum for 4 years. | option_a=32500 | option_b=5516 | option_c=5416 | option_d=5316 | answer=C | explanation=SI = PRT/100 = 27084×5×4/100 = **■**5416.

id=40247 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=F | option_c=H | option_d=J | answer=D | explanation=Move 2 positions forward from H; the resulting letter is J.

id=40248 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=40249 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 61? | option_a=50 | option_b=40 | option_c=61 | option_d=30 | answer=C | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 61 is the odd one out.

id=40250 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=68 | option_b=58 | option_c=46 | option_d=57 | answer=D | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.

id=40251 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=37 | option_b=47 | option_c=57 | option_d=48 | answer=B | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

id=40252 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=36 | option_c=72 | option_d=41 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=40253 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=30 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=40254 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6055 at 6% per annum for 2 years. | option_a=626 | option_b=6781 | option_c=726 | option_d=826 | answer=C | explanation=SI = PRT/100 = 6055×6×2/100 = **■**726.

id=40255 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:1 and the first is 84, what is the second? | option_a=12 | option_b=19 | option_c=11 | option_d=96 | answer=A | explanation=Scale factor = 84/7 = 12. Therefore second quantity = 1×12 = 12.

id=40256 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=115 | option_c=120 | option_d=125 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=40257 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=19 | option_c=48 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=40258 | topic=Averages | difficulty=Easy | question=Find the average of 65, 81, 51, 81, 96, 28. | option_a=69 | option_b=66 | option_c=67 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 402 ÷ 6 = 67.

id=40259 | topic=Averages | difficulty=Easy | question=Find the average of 52, 83, 63, 62, 15, 72, 33, 71, 80. | option_a=58 | option_b=60 | option_c=59 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 531 ÷ 9 = 59.

id=40260 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 40,261-40,290 of 100,000

id=40261 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=40262 | topic=Percentages | difficulty=Easy | question=What is 20% of 1118? | option_a=446 | option_b=223 | option_c=233 | option_d=213 | answer=B | explanation=20% of 1118 = (20/100) × 1118 = 223.

id=40263 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=A | option_b=C | option_c=E | option_d=G | answer=C | explanation=Move 2 positions forward from C; the resulting letter is E.

id=40264 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:10 and the first is 114, what is the second? | option_a=60 | option_b=174 | option_c=50 | option_d=79 | answer=A | explanation=Scale factor = 114/19 = 6. Therefore second quantity = 10×6 = 60.

id=40265 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:7 and the first is 44, what is the second? | option_a=72 | option_b=28 | option_c=39 | option_d=21 | answer=B | explanation=Scale factor = 44/11 = 4. Therefore second quantity = 7×4 = 28.

id=40266 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=14 | option_c=18 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=40267 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=H | option_c=P | option_d=T | answer=C | explanation=Move 4 positions forward from L; the resulting letter is P.

id=40268 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=36 | option_c=13 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=40269 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=43 | option_b=52 | option_c=42 | option_d=32 | answer=C | explanation=The common difference is 10. Therefore the next term is 32 + 10 = 42.

id=40270 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:17 and the first is 36, what is the second? | option_a=342 | option_b=306 | option_c=289 | option_d=308 | answer=B | explanation=Scale factor = 36/2 = 18. Therefore second quantity = 17×18 = 306.

id=40271 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 13, 18, 24? | option_a=24 | option_b=8 | option_c=13 | option_d=18 | answer=A | explanation=The first three numbers increase by 5, so the next should be 23. Therefore 24 is the odd one out.

id=40272 | topic=Percentages | difficulty=Easy | question=What is 50% of 682? | option_a=321 | option_b=351 | option_c=341 | option_d=682 | answer=C | explanation=50% of 682 = (50/100) × 682 = 341.

id=40273 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■10800 at 6% per annum for 1 years. | option_a=748 | option_b=648 | option_c=11448 | option_d=548 | answer=B | explanation=SI = PRT/100 = 10800×6×1/100 = ■648.

id=40274 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:15 and the first is 234, what is the second? | option_a=270 | option_b=255 | option_c=283 | option_d=504 | answer=A | explanation=Scale factor = 234/13 = 18. Therefore second quantity = 15×18 = 270.

id=40275 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=40276 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=36 | option_b=47 | option_c=48 | option_d=58 | answer=B | explanation=The common difference is 11. Therefore the next term is 36 + 11 = 47.

id=40277 | topic=Percentages | difficulty=Easy | question=What is 30% of 1783? | option_a=1068 | option_b=534 | option_c=529 | option_d=539 | answer=B | explanation=30% of 1783 = (30/100) × 1783 = 534.

id=40278 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Q | option_b=U | option_c=Y | option_d=C | answer=C | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=40279 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=43 | option_b=39 | option_c=38 | option_d=33 | answer=C | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.

id=40280 | topic=Percentages | difficulty=Easy | question=What is 20% of 1598? | option_a=319 | option_b=314 | option_c=339 | option_d=638 | answer=A | explanation=20% of 1598 = (20/100) × 1598 = 319.

id=40281 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=I | option_c=K | option_d=E | answer=B | explanation=Move 2 positions forward from G; the resulting letter is I.

id=40282 | topic=Averages | difficulty=Easy | question=Find the average of 100, 16, 88, 88, 92, 61, 24. | option_a=68 | option_b=67 | option_c=69 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 469 ÷ 7 = 67.

id=40283 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=46 | option_b=36 | option_c=56 | option_d=47 | answer=A | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.

id=40284 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=B | option_b=D | option_c=F | option_d=H | answer=C | explanation=Move 2 positions forward from D; the resulting letter is F.

id=40285 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=63 | option_b=73 | option_c=51 | option_d=62 | answer=D | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.

id=40286 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 4. | option_a=1 | option_b=4 | option_c=16 | option_d=8 | answer=B | explanation=LCM × HCF = 4×4; HCF(4,4) = 4, so LCM = 4.

id=40287 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 14. | option_a=80 | option_b=140 | option_c=56 | option_d=70 | answer=D | explanation=LCM × HCF = 10×14; HCF(10,14) = 2, so LCM = 70.

id=40288 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Y | option_b=M | option_c=U | option_d=Q | answer=C | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=40289 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1548. If it is sold at a profit of 50%, what is its selling price? | option_a=2322 | option_b=1598 | option_c=2168 | option_d=2476 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1548 × 150/100 = ■2322.

id=40290 | topic=Averages | difficulty=Easy | question=Find the average of 76, 46, 65, 21, 13, 68, 68. | option_a=52 | option_b=53 | option_c=51 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.

Aptitude Questions — Records 40,291-40,320 of 100,000

id=40291 | topic=Percentages | difficulty=Easy | question=What is 5% of 1456? | option_a=67 | option_b=77 | option_c=144 | option_d=72 | answer=D | explanation=5% of 1456 = (5/100) × 1456 = 72.

id=40292 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=19 | option_b=20 | option_c=16 | option_d=18 | answer=D | explanation=The common difference is 2. Therefore the next term is 16 + 2 = 18.

id=40293 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44486 at 4% per annum for 3 years. | option_a=5238 | option_b=49824 | option_c=5438 | option_d=5338 | answer=D | explanation=SI = PRT/100 = 44486×4×3/100 = **■**5338.

id=40294 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2531. If it is sold at a profit of 10%, what is its selling price? | option_a=2541 | option_b=2531 | option_c=3037 | option_d=2784 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2531 × 110/100 = **■**2784.

id=40295 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3868. If it is sold at a profit of 30%, what is its selling price? | option_a=4642 | option_b=3898 | option_c=5028 | option_d=5414 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3868 × 130/100 = **■**5028.

id=40296 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=D | option_b=O | option_c=T | option_d=Y | answer=D | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=40297 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=36 | option_c=18 | option_d=23 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=40298 | topic=Percentages | difficulty=Easy | question=What is 25% of 857? | option_a=224 | option_b=214 | option_c=428 | option_d=194 | answer=B | explanation=25% of 857 = (25/100) × 857 = 214.

id=40299 | topic=Percentages | difficulty=Easy | question=What is 10% of 599? | option_a=39 | option_b=59 | option_c=64 | option_d=118 | answer=B | explanation=10% of 599 = (10/100) × 599 = 59.

id=40300 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=20 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=40301 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=64 | option_b=55 | option_c=56 | option_d=46 | answer=B | explanation=The common difference is 9. Therefore the next term is 46 + 9 = 55.

id=40302 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25615 at 10% per annum for 1 years. | option_a=28176 | option_b=2461 | option_c=2561 | option_d=2661 | answer=C | explanation=SI = PRT/100 = 25615×10×1/100 = **■**2561.

id=40303 | topic=Percentages | difficulty=Easy | question=What is 30% of 743? | option_a=242 | option_b=444 | option_c=212 | option_d=222 | answer=D | explanation=30% of 743 = (30/100) × 743 = 222.

id=40304 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:7 and the first is 255, what is the second? | option_a=112 | option_b=134 | option_c=374 | option_d=119 | answer=D | explanation=Scale factor = 255/15 = 17. Therefore second quantity = 7×17 = 119.

id=40305 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 19, 27, 36? | option_a=27 | option_b=19 | option_c=36 | option_d=11 | answer=C | explanation=The first three numbers increase by 8, so the next should be 35. Therefore 36 is the odd one out.

id=40306 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25816 at 4% per annum for 4 years. | option_a=4230 | option_b=4030 | option_c=4130 | option_d=29946 | answer=C | explanation=SI = PRT/100 = 25816×4×4/100 = **■**4130.

id=40307 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=P | option_b=R | option_c=V | option_d=T | answer=D | explanation=Move 2 positions forward from R; the resulting letter is T.

id=40308 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=P | option_b=S | option_c=Y | option_d=V | answer=D | explanation=Move 3 positions forward from S; the resulting letter is V.

id=40309 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=M | option_c=H | option_d=X | answer=C | explanation=Move 5 positions forward from C; the resulting letter is H.

id=40310 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**317. If it is sold at a profit of 30%, what is its selling price? | option_a=347 | option_b=443 | option_c=381 | option_d=412 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 317 × 130/100 = **■**412.

id=40311 | topic=Percentages | difficulty=Easy | question=What is 10% of 1536? | option_a=153 | option_b=133 | option_c=306 | option_d=163 | answer=A | explanation=10% of 1536 = (10/100) × 1536 = 153.

id=40312 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=Q | option_b=L | option_c=B | option_d=G | answer=B | explanation=Move 5 positions forward from G; the resulting letter is L.

id=40313 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1985. If it is sold at a profit of 10%, what is its selling price? | option_a=1995 | option_b=2183 | option_c=1985 | option_d=2381 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1985 × 110/100 = **■**2183.

id=40314 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48609 at 5% per annum for 5 years. | option_a=60761 | option_b=12052 | option_c=12252 | option_d=12152 | answer=D | explanation=SI = PRT/100 = 48609×5×5/100 = **■**12152.

id=40315 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 19, 25, 33? | option_a=33 | option_b=13 | option_c=25 | option_d=19 | answer=A | explanation=The first three numbers increase by 6, so the next should be 31. Therefore 33 is the odd one out.

id=40316 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:17 and the first is 40, what is the second? | option_a=68 | option_b=85 | option_c=93 | option_d=125 | answer=B | explanation=Scale factor = 40/8 = 5. Therefore second quantity = 17×5 = 85.

id=40317 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=13 | option_b=16 | option_c=17 | option_d=15 | answer=D | explanation=The common difference is 2. Therefore the next term is 13 + 2 = 15.

id=40318 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=55 | option_c=100 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=40319 | topic=Percentages | difficulty=Easy | question=What is 20% of 1757? | option_a=351 | option_b=702 | option_c=371 | option_d=341 | answer=A | explanation=20% of 1757 = (20/100) × 1757 = 351.

id=40320 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=B | option_b=H | option_c=F | option_d=D | answer=C | explanation=Move 2 positions forward from D; the resulting letter is F.

Aptitude Questions — Records 40,321-40,350 of 100,000

id=40321 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 44? | option_a=34 | option_b=44 | option_c=18 | option_d=26 | answer=B | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 44 is the odd one out.

id=40322 | topic=Percentages | difficulty=Easy | question=What is 20% of 597? | option_a=129 | option_b=238 | option_c=119 | option_d=99 | answer=C | explanation=20% of 597 = (20/100) × 597 = 119.

id=40323 | topic=Profit & Loss | difficulty=Easy | question=An article costs █922. If it is sold at a profit of 25%, what is its selling price? | option_a=1244 | option_b=947 | option_c=1152 | option_d=1060 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 922 × 125/100 = █1152.

id=40324 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=52 | option_b=51 | option_c=62 | option_d=40 | answer=B | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=40325 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1166. If it is sold at a profit of 15%, what is its selling price? | option_a=1340 | option_b=1181 | option_c=1456 | option_d=1224 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1166 × 115/100 = █1340.

id=40326 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=40327 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17908 at 15% per annum for 4 years. | option_a=28652 | option_b=10744 | option_c=10844 | option_d=10644 | answer=B | explanation=SI = PRT/100 = 17908×15×4/100 = █10744.

id=40328 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=40329 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2079. If it is sold at a profit of 50%, what is its selling price? | option_a=2129 | option_b=3325 | option_c=2911 | option_d=3118 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2079 × 150/100 = █3118.

id=40330 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2379. If it is sold at a profit of 40%, what is its selling price? | option_a=3093 | option_b=3567 | option_c=2419 | option_d=3330 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2379 × 140/100 = █3330.

id=40331 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:6 and the first is 144, what is the second? | option_a=48 | option_b=70 | option_c=54 | option_d=198 | answer=C | explanation=Scale factor = 144/16 = 9. Therefore second quantity = 6×9 = 54.

id=40332 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7672 at 10% per annum for 5 years. | option_a=3836 | option_b=11508 | option_c=3936 | option_d=3736 | answer=A | explanation=SI = PRT/100 = 7672×10×5/100 = █3836.

id=40333 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=100 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=40334 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1142. If it is sold at a profit of 20%, what is its selling price? | option_a=1484 | option_b=1370 | option_c=1162 | option_d=1256 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1142 × 120/100 = █1370.

id=40335 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=44 | option_b=49 | option_c=37 | option_d=43 | answer=D | explanation=The common difference is 6. Therefore the next term is 37 + 6 = 43.

id=40336 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2256. If it is sold at a profit of 25%, what is its selling price? | option_a=2281 | option_b=3045 | option_c=2820 | option_d=2595 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2256 × 125/100 = █2820.

id=40337 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3282. If it is sold at a profit of 30%, what is its selling price? | option_a=3938 | option_b=3312 | option_c=4266 | option_d=4594 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3282 × 130/100 = █4266.

id=40338 | topic=Percentages | difficulty=Easy | question=What is 30% of 1281? | option_a=374 | option_b=384 | option_c=394 | option_d=768 | answer=B | explanation=30% of 1281 = (30/100) × 1281 = 384.

id=40339 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=42 | option_b=54 | option_c=66 | option_d=55 | answer=B | explanation=The common difference is 12. Therefore the next term is 42 + 12 = 54.

id=40340 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=20 | option_c=15 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=40341 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7043 at 6% per annum for 5 years. | option_a=2012 | option_b=2112 | option_c=2212 | option_d=9155 | answer=B | explanation=SI = PRT/100 = 7043×6×5/100 = █2112.

id=40342 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=24 | option_b=27 | option_c=19 | option_d=23 | answer=D | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=40343 | topic=Averages | difficulty=Easy | question=Find the average of 30, 40, 42, 44. | option_a=41 | option_b=38 | option_c=39 | option_d=40 | answer=C | explanation=Average = sum of values ÷ number of values = 156 ÷ 4 = 39.

id=40344 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=24 | option_c=29 | option_d=48 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=40345 | topic=Averages | difficulty=Easy | question=Find the average of 73, 73, 23, 47, 39, 16, 14, 56, 59, 100. | option_a=49 | option_b=50 | option_c=52 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 500 ÷ 10 = 50.

id=40346 | topic=Averages | difficulty=Easy | question=Find the average of 68, 19, 93. | option_a=61 | option_b=60 | option_c=59 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 180 ÷ 3 = 60.

id=40347 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=67 | option_c=144 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=40348 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=40349 | topic=Averages | difficulty=Easy | question=Find the average of 89, 58, 71, 67, 95, 47, 95, 83, 77, 68. | option_a=75 | option_b=76 | option_c=74 | option_d=77 | answer=A | explanation=Average = sum of values ÷ number of values = 750 ÷ 10 = 75.

id=40350 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=O | option_b=Z | option_c=J | option_d=E | answer=C | explanation=Move 5 positions forward from E; the resulting letter is J.

Aptitude Questions — Records 40,351-40,380 of 100,000

id=40351 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 32, 35, 39? | option_a=29 | option_b=32 | option_c=39 | option_d=35 | answer=C | explanation=The first three numbers increase by 3, so the next should be 38. Therefore 39 is the odd one out.

id=40352 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:11 and the first is 304, what is the second? | option_a=176 | option_b=165 | option_c=480 | option_d=195 | answer=A | explanation=Scale factor = $304/19 = 16$. Therefore second quantity = $11 \times 16 = 176$.

id=40353 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 13, 19, 26? | option_a=19 | option_b=7 | option_c=13 | option_d=26 | answer=D | explanation=The first three numbers increase by 6, so the next should be 25. Therefore 26 is the odd one out.

id=40354 | topic=Averages | difficulty=Easy | question=Find the average of 13, 16, 98, 21. | option_a=36 | option_b=38 | option_c=37 | option_d=39 | answer=C | explanation=Average = sum of values ÷ number of values = $148 \div 4 = 37$.

id=40355 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=40356 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=62 | option_b=73 | option_c=49 | option_d=61 | answer=D | explanation=The common difference is 12. Therefore the next term is $49 + 12 = 61$.

id=40357 | topic=Percentages | difficulty=Easy | question=What is 25% of 1386? | option_a=326 | option_b=356 | option_c=346 | option_d=692 | answer=C | explanation= 25% of 1386 = $(25/100) \times 1386 = 346$.

id=40358 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 43? | option_a=21 | option_b=43 | option_c=11 | option_d=31 | answer=B | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 43 is the odd one out.

id=40359 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=40360 | topic=Profit & Loss | difficulty=Easy | question=An article costs █425. If it is sold at a profit of 40%, what is its selling price? | option_a=595 | option_b=465 | option_c=637 | option_d=553 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 425 \times 140/100 = \text{█}595$.

id=40361 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=M | option_b=K | option_c=G | option_d=I | answer=B | explanation=Move 2 positions forward from I; the resulting letter is K.

id=40362 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=E | option_b=K | option_c=I | option_d=G | answer=C | explanation=Move 2 positions forward from G; the resulting letter is I.

id=40363 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3830. If it is sold at a profit of 20%, what is its selling price? | option_a=4213 | option_b=4979 | option_c=4596 | option_d=3850 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3830 \times 120/100 = \text{█}4596$.

id=40364 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:12 and the first is 64, what is the second? | option_a=84 | option_b=104 | option_c=160 | option_d=96 | answer=D | explanation=Scale factor = $64/8 = 8$. Therefore second quantity = $12 \times 8 = 96$.

id=40365 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45622 at 8% per annum for 4 years. | option_a=14699 | option_b=14499 | option_c=14599 | option_d=60221 | answer=C | explanation= $SI = PRT/100 = 45622 \times 8 \times 4/100 = \text{█}14599$.

id=40366 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:17 and the first is 72, what is the second? | option_a=174 | option_b=114 | option_c=85 | option_d=102 | answer=D | explanation=Scale factor = $72/12 = 6$. Therefore second quantity = $17 \times 6 = 102$.

id=40367 | topic=Percentages | difficulty=Easy | question=What is 20% of 1611? | option_a=322 | option_b=317 | option_c=342 | option_d=644 | answer=A | explanation= 20% of 1611 = $(20/100) \times 1611 = 322$.

id=40368 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:6 and the first is 114, what is the second? | option_a=55 | option_b=30 | option_c=150 | option_d=36 | answer=D | explanation=Scale factor = $114/19 = 6$. Therefore second quantity = $6 \times 6 = 36$.

id=40369 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=M | option_c=J | option_d=D | answer=C | explanation=Move 3 positions forward from G; the resulting letter is J.

id=40370 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=40371 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1568. If it is sold at a profit of 20%, what is its selling price? | option_a=1725 | option_b=2037 | option_c=1881 | option_d=1588 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1568 \times 120/100 = \text{█}1881$.

id=40372 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = $240 \div 8 = 30$ km/h.

id=40373 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2097. If it is sold at a profit of 40%, what is its selling price? | option_a=2726 | option_b=2137 | option_c=3144 | option_d=2935 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2097 \times 140/100 = \text{█}2935$.

id=40374 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=A | option_b=X | option_c=R | option_d=U | answer=B | explanation=Move 3 positions forward from U; the resulting letter is X.

id=40375 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 32, 40, 50? | option_a=32 | option_b=50 | option_c=24 | option_d=40 | answer=B | explanation=The first three numbers increase by 8, so the next should be 48. Therefore 50 is the odd one out.

id=40376 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 35, 41, 50? | option_a=41 | option_b=35 | option_c=50 | option_d=29 | answer=C | explanation=The first three numbers increase by 6, so the next should be 47. Therefore 50 is the odd one out.

id=40377 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 32? | option_a=32 | option_b=20 | option_c=15 | option_d=25 | answer=A | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 32 is the odd one out.

id=40378 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=100 | option_c=45 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = $150 \div 3 = 50$ km/h.

id=40379 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=40380 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

Aptitude Questions — Records 40,381-40,410 of 100,000

- id=40381 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:8 and the first is 72, what is the second? | option_a=136 | option_b=148 | option_c=216 | option_d=144 | answer=D | explanation=Scale factor = $72/4 = 18$. Therefore second quantity = $8 \times 18 = 144$.
- id=40382 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 14, 17, 23? | option_a=23 | option_b=11 | option_c=14 | option_d=17 | answer=A | explanation=The first three numbers increase by 3, so the next should be 20. Therefore 23 is the odd one out.
- id=40383 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 10, 12, 14, ? | option_a=14 | option_b=18 | option_c=16 | option_d=17 | answer=C | explanation=The common difference is 2. Therefore the next term is $14 + 2 = 16$.
- id=40384 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**35596 at 10% per annum for 2 years. | option_a=7219 | option_b=7119 | option_c=7019 | option_d=42715 | answer=B | explanation=SI = $PRT/100 = 35596 \times 10 \times 2/100 =$ **₹**7119.
- id=40385 | topic=Averages | difficulty=Easy | question=Find the average of 41, 53, 48, 80, 75, 67, 84. | option_a=65 | option_b=64 | option_c=63 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = $448 \div 7 = 64$.
- id=40386 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 26. | option_a=28 | option_b=52 | option_c=1 | option_d=26 | answer=D | explanation=LCM $\times$ HCF = 2×26 : HCF(2,26) = 2, so LCM = 26.
- id=40387 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 15, 20, 28? | option_a=15 | option_b=20 | option_c=10 | option_d=28 | answer=D | explanation=The first three numbers increase by 5, so the next should be 25. Therefore 28 is the odd one out.
- id=40388 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=47 | option_b=71 | option_c=60 | option_d=59 | answer=D | explanation=The common difference is 12. Therefore the next term is $47 + 12 = 59$.
- id=40389 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 8. | option_a=128 | option_b=32 | option_c=8 | option_d=16 | answer=D | explanation=LCM $\times$ HCF = 16×8 : HCF(16,8) = 8, so LCM = 16.
- id=40390 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=24 | option_c=12 | option_d=17 | answer=C | explanation=Speed = distance ÷ time = $60 \div 5 = 12$ km/h.
- id=40391 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:1 and the first is 40, what is the second? | option_a=42 | option_b=1 | option_c=22 | option_d=2 | answer=D | explanation=Scale factor = $40/20 = 2$. Therefore second quantity = $1 \times 2 = 2$.
- id=40392 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.
- id=40393 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $360 \div 6 = 60$ km/h.
- id=40394 | topic=Percentages | difficulty=Easy | question=What is 50% of 1836? | option_a=918 | option_b=923 | option_c=908 | option_d=1836 | answer=A | explanation=50% of 1836 = $(50/100) \times 1836 = 918$.
- id=40395 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=35 | option_b=43 | option_c=49 | option_d=42 | answer=D | explanation=The common difference is 7. Therefore the next term is $35 + 7 = 42$.
- id=40396 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 24, 34, 46? | option_a=14 | option_b=46 | option_c=24 | option_d=34 | answer=B | explanation=The first three numbers increase by 10, so the next should be 44. Therefore 46 is the odd one out.
- id=40397 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 26, 28, 32? | option_a=24 | option_b=26 | option_c=32 | option_d=28 | answer=C | explanation=The first three numbers increase by 2, so the next should be 30. Therefore 32 is the odd one out.
- id=40398 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=U | option_b=V | option_c=T | option_d=S | answer=A | explanation=Move 1 positions forward from T; the resulting letter is U.
- id=40399 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:8 and the first is 228, what is the second? | option_a=164 | option_b=380 | option_c=152 | option_d=144 | answer=C | explanation=Scale factor = $228/12 = 19$. Therefore second quantity = $8 \times 19 = 152$.
- id=40400 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 15. | option_a=54 | option_b=30 | option_c=45 | option_d=135 | answer=C | explanation=LCM $\times$ HCF = 9×15 : HCF(9,15) = 3, so LCM = 45.
- id=40401 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 35, 41, 50? | option_a=50 | option_b=35 | option_c=41 | option_d=29 | answer=A | explanation=The first three numbers increase by 6, so the next should be 47. Therefore 50 is the odd one out.
- id=40402 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=M | option_b=U | option_c=Y | option_d=Q | answer=B | explanation=Move 4 positions forward from Q; the resulting letter is U.
- id=40403 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=47 | option_b=69 | option_c=59 | option_d=58 | answer=D | explanation=The common difference is 11. Therefore the next term is $47 + 11 = 58$.
- id=40404 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**10572 at 5% per annum for 1 years. | option_a=528 | option_b=428 | option_c=11100 | option_d=628 | answer=A | explanation=SI = $PRT/100 = 10572 \times 5 \times 1/100 =$ **₹**528.
- id=40405 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 13, 19, 28? | option_a=13 | option_b=28 | option_c=19 | option_d=7 | answer=B | explanation=The first three numbers increase by 6, so the next should be 25. Therefore 28 is the odd one out.
- id=40406 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 46? | option_a=35 | option_b=46 | option_c=19 | option_d=27 | answer=B | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 46 is the odd one out.
- id=40407 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=35 | option_b=51 | option_c=43 | option_d=44 | answer=C | explanation=The common difference is 8. Therefore the next term is $35 + 8 = 43$.
- id=40408 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**11616 at 5% per annum for 4 years. | option_a=13939 | option_b=2323 | option_c=2223 | option_d=2423 | answer=B | explanation=SI = $PRT/100 = 11616 \times 5 \times 4/100 =$ **₹**2323.
- id=40409 | topic=Averages | difficulty=Easy | question=Find the average of 86, 27, 89, 50. | option_a=63 | option_b=64 | option_c=65 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = $252 \div 4 = 63$.
- id=40410 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=39 | option_b=29 | option_c=47 | option_d=38 | answer=D | explanation=The common difference is 9. Therefore the next term is $29 + 9 = 38$.

Aptitude Questions — Records 40,411-40,440 of 100,000

id=40411 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:6 and the first is 169, what is the second? | option_a=72 | option_b=247 | option_c=91 | option_d=78 | answer=D | explanation=Scale factor = 169/13 = 13. Therefore second quantity = 6×13 = 78.

id=40412 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1352. If it is sold at a profit of 10%, what is its selling price? | option_a=1362 | option_b=1352 | option_c=1622 | option_d=1487 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1352 × 110/100 = █1487.

id=40413 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:7 and the first is 16, what is the second? | option_a=32 | option_b=44 | option_c=28 | option_d=21 | answer=C | explanation=Scale factor = 16/4 = 4. Therefore second quantity = 7×4 = 28.

id=40414 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=90 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=40415 | topic=Percentages | difficulty=Easy | question=What is 15% of 1488? | option_a=233 | option_b=223 | option_c=213 | option_d=446 | answer=B | explanation=15% of 1488 = (15/100) × 1488 = 223.

id=40416 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 21, 30, 41? | option_a=12 | option_b=21 | option_c=30 | option_d=41 | answer=D | explanation=The first three numbers increase by 9, so the next should be 39. Therefore 41 is the odd one out.

id=40417 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=40418 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:11 and the first is 36, what is the second? | option_a=80 | option_b=33 | option_c=53 | option_d=44 | answer=D | explanation=Scale factor = 36/9 = 4. Therefore second quantity = 11×4 = 44.

id=40419 | topic=Percentages | difficulty=Easy | question=What is 10% of 1259? | option_a=105 | option_b=125 | option_c=145 | option_d=250 | answer=B | explanation=10% of 1259 = (10/100) × 1259 = 125.

id=40420 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:5 and the first is 34, what is the second? | option_a=87 | option_b=85 | option_c=119 | option_d=80 | answer=B | explanation=Scale factor = 34/2 = 17. Therefore second quantity = 5×17 = 85.

id=40421 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 12. | option_a=120 | option_b=48 | option_c=60 | option_d=70 | answer=C | explanation=LCM × HCF = 10×12; HCF(10,12) = 2, so LCM = 60.

id=40422 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=40423 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=Z | option_c=P | option_d=E | answer=B | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=40424 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=Q | option_b=G | option_c=B | option_d=L | answer=D | explanation=Move 5 positions forward from G; the resulting letter is L.

id=40425 | topic=Averages | difficulty=Easy | question=Find the average of 63, 28, 64, 10, 44, 79, 27. | option_a=44 | option_b=47 | option_c=45 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 315 ÷ 7 = 45.

id=40426 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 12. | option_a=1 | option_b=18 | option_c=12 | option_d=72 | answer=C | explanation=LCM × HCF = 6×12; HCF(6,12) = 6, so LCM = 12.

id=40427 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 28. | option_a=84 | option_b=448 | option_c=128 | option_d=112 | answer=D | explanation=LCM × HCF = 16×28; HCF(16,28) = 4, so LCM = 112.

id=40428 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:16 and the first is 255, what is the second? | option_a=495 | option_b=240 | option_c=224 | option_d=257 | answer=B | explanation=Scale factor = 255/17 = 15. Therefore second quantity = 16×15 = 240.

id=40429 | topic=Averages | difficulty=Easy | question=Find the average of 55, 89, 92, 44, 61, 13, 59. | option_a=61 | option_b=59 | option_c=58 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 413 ÷ 7 = 59.

id=40430 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=Q | option_b=R | option_c=P | option_d=O | answer=A | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=40431 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:6 and the first is 112, what is the second? | option_a=58 | option_b=42 | option_c=36 | option_d=154 | answer=B | explanation=Scale factor = 112/16 = 7. Therefore second quantity = 6×7 = 42.

id=40432 | topic=Percentages | difficulty=Easy | question=What is 10% of 1074? | option_a=117 | option_b=214 | option_c=102 | option_d=107 | answer=D | explanation=10% of 1074 = (10/100) × 1074 = 107.

id=40433 | topic=Percentages | difficulty=Easy | question=What is 50% of 1331? | option_a=1330 | option_b=665 | option_c=675 | option_d=660 | answer=B | explanation=50% of 1331 = (50/100) × 1331 = 665.

id=40434 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=24 | option_c=19 | option_d=48 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=40435 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=100 | option_c=200 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=40436 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 15, 23, 33? | option_a=7 | option_b=33 | option_c=15 | option_d=23 | answer=B | explanation=The first three numbers increase by 8, so the next should be 31. Therefore 33 is the odd one out.

id=40437 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 18, 25, 34? | option_a=11 | option_b=34 | option_c=25 | option_d=18 | answer=B | explanation=The first three numbers increase by 7, so the next should be 32. Therefore 34 is the odd one out.

id=40438 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 14, 18, 24? | option_a=24 | option_b=10 | option_c=14 | option_d=18 | answer=A | explanation=The first three numbers increase by 4, so the next should be 22. Therefore 24 is the odd one out.

id=40439 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2300. If it is sold at a profit of 40%, what is its selling price? | option_a=3220 | option_b=2990 | option_c=3450 | option_d=2340 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2300 × 140/100 = █3220.

id=40440 | topic=Averages | difficulty=Easy | question=Find the average of 42, 95, 74, 79, 75. | option_a=72 | option_b=74 | option_c=73 | option_d=75 | answer=C | explanation=Average = sum of values ÷ number of values = 365 ÷ 5 = 73.

Aptitude Questions — Records 40,441-40,470 of 100,000

id=40441 | topic=Averages | difficulty=Easy | question=Find the average of 18, 26, 82. | option_a=41 | option_b=44 | option_c=42 | option_d=43 | answer=C | explanation=Average = sum of values ÷ number of values = 126 ÷ 3 = 42.

id=40442 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=40443 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1848. If it is sold at a profit of 25%, what is its selling price? | option_a=2126 | option_b=1873 | option_c=2494 | option_d=2310 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1848 × 125/100 = █2310.

id=40444 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=P | option_c=Y | option_d=V | answer=D | explanation=Move 3 positions forward from S; the resulting letter is V.

id=40445 | topic=Averages | difficulty=Easy | question=Find the average of 33, 21, 77, 64, 22, 86, 31, 41, 57. | option_a=50 | option_b=48 | option_c=49 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 432 ÷ 9 = 48.

id=40446 | topic=Percentages | difficulty=Easy | question=What is 50% of 1339? | option_a=1338 | option_b=669 | option_c=674 | option_d=659 | answer=B | explanation=50% of 1339 = (50/100) × 1339 = 669.

id=40447 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 27, 39, 51. ? | option_a=51 | option_b=63 | option_c=75 | option_d=64 | answer=B | explanation=The common difference is 12. Therefore the next term is 51 + 12 = 63.

id=40448 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=180 | option_c=360 | option_d=185 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=40449 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=40450 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:7 and the first is 48, what is the second? | option_a=28 | option_b=76 | option_c=21 | option_d=40 | answer=A | explanation=Scale factor = 48/12 = 4. Therefore second quantity = 7×4 = 28.

id=40451 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=77 | option_c=144 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=40452 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=115 | option_c=240 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=40453 | topic=Averages | difficulty=Easy | question=Find the average of 77, 63, 49, 31. | option_a=56 | option_b=54 | option_c=55 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 220 ÷ 4 = 55.

id=40454 | topic=Averages | difficulty=Easy | question=Find the average of 87, 50, 10, 58, 11, 90. | option_a=51 | option_b=52 | option_c=50 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 306 ÷ 6 = 51.

id=40455 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 33, 39, 48? | option_a=39 | option_b=48 | option_c=27 | option_d=33 | answer=B | explanation=The first three numbers increase by 6, so the next should be 45. Therefore 48 is the odd one out.

id=40456 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:6 and the first is 135, what is the second? | option_a=99 | option_b=84 | option_c=225 | option_d=90 | answer=D | explanation=Scale factor = 135/9 = 15. Therefore second quantity = 6×15 = 90.

id=40457 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1387. If it is sold at a profit of 10%, what is its selling price? | option_a=1397 | option_b=1663 | option_c=1387 | option_d=1525 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1387 × 110/100 = █1525.

id=40458 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:20 and the first is 99, what is the second? | option_a=180 | option_b=279 | option_c=160 | option_d=191 | answer=A | explanation=Scale factor = 99/11 = 9. Therefore second quantity = 20×9 = 180.

id=40459 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=19 | option_c=48 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=40460 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=40461 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=40 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=40462 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2664. If it is sold at a profit of 5%, what is its selling price? | option_a=3063 | option_b=2797 | option_c=2531 | option_d=2669 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2664 × 105/100 = █2797.

id=40463 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:13 and the first is 22, what is the second? | option_a=48 | option_b=37 | option_c=13 | option_d=26 | answer=D | explanation=Scale factor = 22/11 = 2. Therefore second quantity = 13×2 = 26.

id=40464 | topic=Profit & Loss | difficulty=Easy | question=An article costs █636. If it is sold at a profit of 50%, what is its selling price? | option_a=891 | option_b=1017 | option_c=954 | option_d=686 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 636 × 150/100 = █954.

id=40465 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Z | option_b=Q | option_c=T | option_d=W | answer=D | explanation=Move 3 positions forward from T; the resulting letter is W.

id=40466 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43. ? | option_a=59 | option_b=43 | option_c=52 | option_d=51 | answer=D | explanation=The common difference is 8. Therefore the next term is 43 + 8 = 51.

id=40467 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:15 and the first is 70, what is the second? | option_a=105 | option_b=175 | option_c=90 | option_d=115 | answer=A | explanation=Scale factor = 70/10 = 7. Therefore second quantity = 15×7 = 105.

id=40468 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=T | option_b=U | option_c=W | option_d=V | answer=D | explanation=Move 1 positions forward from U; the resulting letter is V.

id=40469 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:4 and the first is 9, what is the second? | option_a=45 | option_b=36 | option_c=32 | option_d=37 | answer=B | explanation=Scale factor = 9/1 = 9. Therefore second quantity = 4×9 = 36.

id=40470 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:18 and the first is 90, what is the second? | option_a=180 | option_b=90 | option_c=108 | option_d=72 | answer=B | explanation=Scale factor = 90/18 = 5. Therefore second quantity = 18×5 = 90.

Aptitude Questions — Records 40,471-40,500 of 100,000

id=40471 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 16, 19, 23? | option_a=19 | option_b=16 | option_c=13 | option_d=23 | answer=D | explanation=The first three numbers increase by 3, so the next should be 22. Therefore 23 is the odd one out.

id=40472 | topic=Percentages | difficulty=Easy | question=What is 10% of 1132? | option_a=103 | option_b=113 | option_c=123 | option_d=226 | answer=B | explanation=10% of 1132 = $(10/100) \times 1132 = 113$.

id=40473 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=53 | option_c=43 | option_d=96 | answer=A | explanation=Speed = distance ÷ time = $240 \div 5 = 48$ km/h.

id=40474 | topic=Percentages | difficulty=Easy | question=What is 50% of 1977? | option_a=1008 | option_b=988 | option_c=983 | option_d=1976 | answer=B | explanation=50% of 1977 = $(50/100) \times 1977 = 988$.

id=40475 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 40? | option_a=29 | option_b=40 | option_c=21 | option_d=13 | answer=B | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 40 is the odd one out.

id=40476 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = $120 \div 3 = 40$ km/h.

id=40477 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 27? | option_a=15 | option_b=18 | option_c=27 | option_d=21 | answer=C | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 27 is the odd one out.

id=40478 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=67 | option_c=144 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = $360 \div 5 = 72$ km/h.

id=40479 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 10. | option_a=60 | option_b=72 | option_c=50 | option_d=120 | answer=A | explanation=LCM × HCF = 12×10 ; HCF(12,10) = 2, so LCM = 60.

id=40480 | topic=Percentages | difficulty=Easy | question=What is 20% of 563? | option_a=224 | option_b=122 | option_c=112 | option_d=92 | answer=C | explanation=20% of 563 = $(20/100) \times 563 = 112$.

id=40481 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:1 and the first is 76, what is the second? | option_a=95 | option_b=23 | option_c=18 | option_d=19 | answer=D | explanation=Scale factor = $76/4 = 19$. Therefore second quantity = $1 \times 19 = 19$.

id=40482 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32924 at 12% per annum for 1 years. | option_a=4050 | option_b=36874 | option_c=3850 | option_d=3950 | answer=D | explanation=SI = $PRT/100 = 32924 \times 12 \times 1/100 = \text{■}3950$.

id=40483 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:17 and the first is 270, what is the second? | option_a=238 | option_b=525 | option_c=273 | option_d=255 | answer=D | explanation=Scale factor = $270/18 = 15$. Therefore second quantity = $17 \times 15 = 255$.

id=40484 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=F | option_c=Z | option_d=B | answer=A | explanation=Move 2 positions forward from B; the resulting letter is D.

id=40485 | topic=Averages | difficulty=Easy | question=Find the average of 43, 11, 91, 78, 38, 81. | option_a=58 | option_b=56 | option_c=57 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = $342 \div 6 = 57$.

id=40486 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:3 and the first is 24, what is the second? | option_a=17 | option_b=33 | option_c=6 | option_d=9 | answer=D | explanation=Scale factor = $24/8 = 3$. Therefore second quantity = $3 \times 3 = 9$.

id=40487 | topic=Percentages | difficulty=Easy | question=What is 12% of 247? | option_a=58 | option_b=39 | option_c=29 | option_d=24 | answer=C | explanation=12% of 247 = $(12/100) \times 247 = 29$.

id=40488 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=52 | option_b=60 | option_c=51 | option_d=42 | answer=C | explanation=The common difference is 9. Therefore the next term is $42 + 9 = 51$.

id=40489 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**106. If it is sold at a profit of 50%, what is its selling price? | option_a=169 | option_b=149 | option_c=156 | option_d=159 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 106 \times 150/100 = \text{■}159$.

id=40490 | topic=Averages | difficulty=Easy | question=Find the average of 78, 89, 71, 22, 66, 24, 50, 27, 38, 55. | option_a=52 | option_b=51 | option_c=53 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = $520 \div 10 = 52$.

id=40491 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:1 and the first is 117, what is the second? | option_a=22 | option_b=13 | option_c=12 | option_d=130 | answer=B | explanation=Scale factor = $117/9 = 13$. Therefore second quantity = $1 \times 13 = 13$.

id=40492 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=180 | option_c=85 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = $180 \div 2 = 90$ km/h.

id=40493 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:16 and the first is 112, what is the second? | option_a=336 | option_b=232 | option_c=208 | option_d=224 | answer=D | explanation=Scale factor = $112/8 = 14$. Therefore second quantity = $16 \times 14 = 224$.

id=40494 | topic=Percentages | difficulty=Easy | question=What is 15% of 1010? | option_a=171 | option_b=141 | option_c=151 | option_d=302 | answer=C | explanation=15% of 1010 = $(15/100) \times 1010 = 151$.

id=40495 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**451. If it is sold at a profit of 30%, what is its selling price? | option_a=481 | option_b=586 | option_c=541 | option_d=631 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 451 \times 130/100 = \text{■}586$.

id=40496 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=40497 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45878 at 15% per annum for 1 years. | option_a=6781 | option_b=6981 | option_c=52759 | option_d=6881 | answer=D | explanation=SI = $PRT/100 = 45878 \times 15 \times 1/100 = \text{■}6881$.

id=40498 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2364. If it is sold at a profit of 15%, what is its selling price? | option_a=2379 | option_b=2482 | option_c=2718 | option_d=2954 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2364 \times 115/100 = \text{■}2718$.

id=40499 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 33, 39, 47? | option_a=39 | option_b=33 | option_c=47 | option_d=27 | answer=C | explanation=The first three numbers increase by 6, so the next should be 45. Therefore 47 is the odd one out.

id=40500 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 26. | option_a=130 | option_b=140 | option_c=260 | option_d=104 | answer=A | explanation=LCM × HCF = 10×26 ; HCF(10,26) = 2, so LCM = 130.

Aptitude Questions — Records 40,501-40,530 of 100,000

id=40501 | topic=Averages | difficulty=Easy | question=Find the average of 26, 95, 28, 21, 45, 41, 61, 67. | option_a=49 | option_b=50 | option_c=47 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = 384 ÷ 8 = 48.

id=40502 | topic=Percentages | difficulty=Easy | question=What is 25% of 940? | option_a=255 | option_b=470 | option_c=225 | option_d=235 | answer=D | explanation=25% of 940 = (25/100) × 940 = 235.

id=40503 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=G | option_b=J | option_c=H | option_d=I | answer=D | explanation=Move 1 positions forward from H; the resulting letter is I.

id=40504 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=41 | option_b=55 | option_c=48 | option_d=49 | answer=C | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.

id=40505 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=Q | option_c=K | option_d=M | answer=A | explanation=Move 2 positions forward from M; the resulting letter is O.

id=40506 | topic=Averages | difficulty=Easy | question=Find the average of 63, 15, 80, 78. | option_a=58 | option_b=60 | option_c=61 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 236 ÷ 4 = 59.

id=40507 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=74 | option_b=64 | option_c=63 | option_d=52 | answer=C | explanation=The common difference is 11. Therefore the next term is 52 + 11 = 63.

id=40508 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:1 and the first is 160, what is the second? | option_a=7 | option_b=168 | option_c=28 | option_d=8 | answer=D | explanation=Scale factor = 160/20 = 8. Therefore second quantity = 1×8 = 8.

id=40509 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24622 at 15% per annum for 5 years. | option_a=43088 | option_b=18466 | option_c=18366 | option_d=18566 | answer=B | explanation=SI = PRT/100 = 24622×15×5/100 = **■**18466.

id=40510 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 36? | option_a=21 | option_b=25 | option_c=36 | option_d=29 | answer=C | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 36 is the odd one out.

id=40511 | topic=Percentages | difficulty=Easy | question=What is 15% of 115? | option_a=34 | option_b=17 | option_c=12 | option_d=37 | answer=B | explanation=15% of 115 = (15/100) × 115 = 17.

id=40512 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=Q | option_b=P | option_c=R | option_d=O | answer=A | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=40513 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3596. If it is sold at a profit of 40%, what is its selling price? | option_a=3636 | option_b=5393 | option_c=5034 | option_d=4675 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3596 × 140/100 = **■**5034.

id=40514 | topic=Averages | difficulty=Easy | question=Find the average of 17, 72, 83, 52. | option_a=56 | option_b=57 | option_c=58 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 224 ÷ 4 = 56.

id=40515 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7426 at 4% per annum for 2 years. | option_a=8020 | option_b=494 | option_c=694 | option_d=594 | answer=D | explanation=SI = PRT/100 = 7426×4×2/100 = **■**594.

id=40516 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 33, 39, 46? | option_a=39 | option_b=33 | option_c=27 | option_d=46 | answer=D | explanation=The first three numbers increase by 6, so the next should be 45. Therefore 46 is the odd one out.

id=40517 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1961. If it is sold at a profit of 30%, what is its selling price? | option_a=2549 | option_b=2353 | option_c=2745 | option_d=1991 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1961 × 130/100 = **■**2549.

id=40518 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3348. If it is sold at a profit of 20%, what is its selling price? | option_a=3368 | option_b=4017 | option_c=3683 | option_d=4351 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3348 × 120/100 = **■**4017.

id=40519 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=24 | option_c=29 | option_d=19 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=40520 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29862 at 5% per annum for 5 years. | option_a=7465 | option_b=37327 | option_c=7365 | option_d=7565 | answer=A | explanation=SI = PRT/100 = 29862×5×5/100 = **■**7465.

id=40521 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 39, 49, 60? | option_a=39 | option_b=29 | option_c=49 | option_d=60 | answer=D | explanation=The first three numbers increase by 10, so the next should be 59. Therefore 60 is the odd one out.

id=40522 | topic=Percentages | difficulty=Easy | question=What is 40% of 1408? | option_a=1126 | option_b=573 | option_c=543 | option_d=563 | answer=D | explanation=40% of 1408 = (40/100) × 1408 = 563.

id=40523 | topic=Averages | difficulty=Easy | question=Find the average of 70, 23, 64, 19, 20, 61, 72. | option_a=46 | option_b=49 | option_c=47 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 329 ÷ 7 = 47.

id=40524 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42532 at 15% per annum for 4 years. | option_a=25519 | option_b=25619 | option_c=68051 | option_d=25419 | answer=A | explanation=SI = PRT/100 = 42532×15×4/100 = **■**25519.

id=40525 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 17, 29, 41, ? | option_a=53 | option_b=65 | option_c=41 | option_d=54 | answer=A | explanation=The common difference is 12. Therefore the next term is 41 + 12 = 53.

id=40526 | topic=Averages | difficulty=Easy | question=Find the average of 60, 67, 18, 47, 14, 14, 46. | option_a=40 | option_b=38 | option_c=37 | option_d=39 | answer=B | explanation=Average = sum of values ÷ number of values = 266 ÷ 7 = 38.

id=40527 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=40528 | topic=Averages | difficulty=Easy | question=Find the average of 99, 62, 44, 27, 43, 12, 19, 40, 77. | option_a=49 | option_b=48 | option_c=47 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 423 ÷ 9 = 47.

id=40529 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3920. If it is sold at a profit of 40%, what is its selling price? | option_a=5488 | option_b=5096 | option_c=3960 | option_d=5880 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3920 × 140/100 = **■**5488.

id=40530 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 40,531-40,560 of 100,000

id=40531 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 21. | option_a=21 | option_b=1 | option_c=441 | option_d=42 | answer=A | explanation=LCM × HCF = 21×21; HCF(21,21) = 21, so LCM = 21.

id=40532 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10745 at 12% per annum for 5 years. | option_a=6447 | option_b=6547 | option_c=6347 | option_d=17192 | answer=A | explanation=SI = $PRT/100 = 10745 \times 12 \times 5/100 = \text{■}6447$.

id=40533 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 31, 36, 44? | option_a=36 | option_b=26 | option_c=44 | option_d=31 | answer=C | explanation=The first three numbers increase by 5, so the next should be 41. Therefore 44 is the odd one out.

id=40534 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30375 at 12% per annum for 2 years. | option_a=37665 | option_b=7190 | option_c=7290 | option_d=7390 | answer=C | explanation=SI = $PRT/100 = 30375 \times 12 \times 2/100 = \text{■}7290$.

id=40535 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=40536 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 40? | option_a=11 | option_b=20 | option_c=40 | option_d=29 | answer=C | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 40 is the odd one out.

id=40537 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:12 and the first is 7, what is the second? | option_a=91 | option_b=84 | option_c=85 | option_d=72 | answer=B | explanation=Scale factor = $7/1 = 7$. Therefore second quantity = $12 \times 7 = 84$.

id=40538 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:3 and the first is 24, what is the second? | option_a=42 | option_b=15 | option_c=22 | option_d=18 | answer=D | explanation=Scale factor = $24/4 = 6$. Therefore second quantity = $3 \times 6 = 18$.

id=40539 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=70 | option_c=75 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = $150 \div 2 = 75$ km/h.

id=40540 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=I | option_c=A | option_d=M | answer=B | explanation=Move 4 positions forward from E; the resulting letter is I.

id=40541 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3472. If it is sold at a profit of 15%, what is its selling price? | option_a=3992 | option_b=3487 | option_c=3645 | option_d=4339 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3472 \times 115/100 = \text{■}3992$.

id=40542 | topic=Averages | difficulty=Easy | question=Find the average of 46, 34, 83, 81, 29, 73, 54, 83, 70, 37. | option_a=58 | option_b=60 | option_c=59 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = $590 \div 10 = 59$.

id=40543 | topic=Averages | difficulty=Easy | question=Find the average of 83, 67, 79, 66, 17, 12. | option_a=55 | option_b=54 | option_c=53 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = $324 \div 6 = 54$.

id=40544 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1489. If it is sold at a profit of 25%, what is its selling price? | option_a=1514 | option_b=2009 | option_c=1713 | option_d=1861 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1489 \times 125/100 = \text{■}1861$.

id=40545 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:3 and the first is 24, what is the second? | option_a=42 | option_b=22 | option_c=18 | option_d=15 | answer=C | explanation=Scale factor = $24/4 = 6$. Therefore second quantity = $3 \times 6 = 18$.

id=40546 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:20 and the first is 208, what is the second? | option_a=333 | option_b=320 | option_c=528 | option_d=300 | answer=B | explanation=Scale factor = $208/13 = 16$. Therefore second quantity = $20 \times 16 = 320$.

id=40547 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=D | option_b=N | option_c=S | option_d=I | answer=B | explanation=Move 5 positions forward from I; the resulting letter is N.

id=40548 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=13 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = $90 \div 5 = 18$ km/h.

id=40549 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4841. If it is sold at a profit of 50%, what is its selling price? | option_a=6777 | option_b=4891 | option_c=7745 | option_d=7261 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4841 \times 150/100 = \text{■}7261$.

id=40550 | topic=Percentages | difficulty=Easy | question=What is 50% of 699? | option_a=698 | option_b=359 | option_c=349 | option_d=329 | answer=C | explanation=50% of 699 = $(50/100) \times 699 = 349$.

id=40551 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 45? | option_a=37 | option_b=27 | option_c=32 | option_d=45 | answer=D | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 45 is the odd one out.

id=40552 | topic=Averages | difficulty=Easy | question=Find the average of 24, 26, 54, 72, 16, 83, 61. | option_a=48 | option_b=50 | option_c=49 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = $336 \div 7 = 48$.

id=40553 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=32 | option_b=36 | option_c=26 | option_d=31 | answer=D | explanation=The common difference is 5. Therefore the next term is $26 + 5 = 31$.

id=40554 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28912 at 10% per annum for 2 years. | option_a=34694 | option_b=5682 | option_c=5882 | option_d=5782 | answer=D | explanation=SI = $PRT/100 = 28912 \times 10 \times 2/100 = \text{■}5782$.

id=40555 | topic=Percentages | difficulty=Easy | question=What is 10% of 245? | option_a=48 | option_b=24 | option_c=34 | option_d=19 | answer=B | explanation=10% of 245 = $(10/100) \times 245 = 24$.

id=40556 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 24, 32, 40, ? | option_a=48 | option_b=56 | option_c=49 | option_d=40 | answer=A | explanation=The common difference is 8. Therefore the next term is $40 + 8 = 48$.

id=40557 | topic=Averages | difficulty=Easy | question=Find the average of 38, 79, 75. | option_a=65 | option_b=64 | option_c=66 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = $192 \div 3 = 64$.

id=40558 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=32 | option_b=29 | option_c=24 | option_d=28 | answer=D | explanation=The common difference is 4. Therefore the next term is $24 + 4 = 28$.

id=40559 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 22. | option_a=22 | option_b=44 | option_c=88 | option_d=48 | answer=B | explanation=LCM × HCF = 4×22 ; $HCF(4, 22) = 2$, so LCM = 44.

id=40560 | topic=Percentages | difficulty=Easy | question=What is 10% of 1347? | option_a=134 | option_b=139 | option_c=268 | option_d=124 | answer=A | explanation=10% of 1347 = $(10/100) \times 1347 = 134$.

Aptitude Questions — Records 40,561-40,590 of 100,000

id=40561 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 29? | option_a=29 | option_b=20 | option_c=4 | option_d=12 | answer=A | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 29 is the odd one out.

id=40562 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 35? | option_a=35 | option_b=17 | option_c=22 | option_d=27 | answer=A | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 35 is the odd one out.

id=40563 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=50 | option_b=62 | option_c=63 | option_d=74 | answer=B | explanation=The common difference is 12. Therefore the next term is $50 + 12 = 62$.

id=40564 | topic=Percentages | difficulty=Easy | question=What is 40% of 252? | option_a=120 | option_b=200 | option_c=80 | option_d=100 | answer=D | explanation=40% of 252 = $(40/100) \times 252 = 100$.

id=40565 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=40566 | topic=Percentages | difficulty=Easy | question=What is 30% of 1487? | option_a=426 | option_b=892 | option_c=466 | option_d=446 | answer=D | explanation=30% of 1487 = $(30/100) \times 1487 = 446$.

id=40567 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 20. | option_a=80 | option_b=60 | option_c=96 | option_d=320 | answer=A | explanation=LCM $\times$ HCF = 16×20 ; $HCF(16,20) = 4$, so LCM = 80.

id=40568 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:17 and the first is 22, what is the second? | option_a=34 | option_b=45 | option_c=17 | option_d=56 | answer=A | explanation=Scale factor = $22/11 = 2$. Therefore second quantity = $17 \times 2 = 34$.

id=40569 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23048 at 6% per annum for 1 years. | option_a=1382 | option_b=24430 | option_c=1282 | option_d=1482 | answer=A | explanation=SI = $PRT/100 = 23048 \times 6 \times 1/100 = \text{■}1382$.

id=40570 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:14 and the first is 135, what is the second? | option_a=345 | option_b=210 | option_c=196 | option_d=219 | answer=B | explanation=Scale factor = $135/9 = 15$. Therefore second quantity = $14 \times 15 = 210$.

id=40571 | topic=Percentages | difficulty=Easy | question=What is 50% of 1892? | option_a=941 | option_b=956 | option_c=1892 | option_d=946 | answer=D | explanation=50% of 1892 = $(50/100) \times 1892 = 946$.

id=40572 | topic=Percentages | difficulty=Easy | question=What is 10% of 342? | option_a=34 | option_b=68 | option_c=54 | option_d=14 | answer=A | explanation=10% of 342 = $(10/100) \times 342 = 34$.

id=40573 | topic=Percentages | difficulty=Easy | question=What is 20% of 821? | option_a=328 | option_b=164 | option_c=174 | option_d=159 | answer=B | explanation=20% of 821 = $(20/100) \times 821 = 164$.

id=40574 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=G | option_c=D | option_d=F | answer=D | explanation=Move 1 positions forward from E; the resulting letter is F.

id=40575 | topic=Averages | difficulty=Easy | question=Find the average of 14, 86, 87, 59, 40, 96, 101. | option_a=70 | option_b=69 | option_c=71 | option_d=68 | answer=B | explanation=Average = sum of values $\div$ number of values = $483 \div 7 = 69$.

id=40576 | topic=Averages | difficulty=Easy | question=Find the average of 38, 89, 87, 21, 25. | option_a=54 | option_b=52 | option_c=51 | option_d=53 | answer=B | explanation=Average = sum of values $\div$ number of values = $260 \div 5 = 52$.

id=40577 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=S | option_b=N | option_c=I | option_d=D | answer=B | explanation=Move 5 positions forward from I; the resulting letter is N.

id=40578 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 33? | option_a=16 | option_b=24 | option_c=33 | option_d=8 | answer=C | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 33 is the odd one out.

id=40579 | topic=Averages | difficulty=Easy | question=Find the average of 20, 70, 22, 49, 27, 46. | option_a=41 | option_b=40 | option_c=39 | option_d=38 | answer=C | explanation=Average = sum of values $\div$ number of values = $234 \div 6 = 39$.

id=40580 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=L | option_b=P | option_c=X | option_d=T | answer=D | explanation=Move 4 positions forward from P; the resulting letter is T.

id=40581 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:5 and the first is 36, what is the second? | option_a=51 | option_b=10 | option_c=27 | option_d=15 | answer=D | explanation=Scale factor = $36/12 = 3$. Therefore second quantity = $5 \times 3 = 15$.

id=40582 | topic=Averages | difficulty=Easy | question=Find the average of 77, 56, 56, 63. | option_a=65 | option_b=64 | option_c=63 | option_d=62 | answer=C | explanation=Average = sum of values $\div$ number of values = $252 \div 4 = 63$.

id=40583 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2617. If it is sold at a profit of 30%, what is its selling price? | option_a=2647 | option_b=3141 | option_c=3663 | option_d=3402 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2617 \times 130/100 = \text{■}3402$.

id=40584 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=40 | option_b=31 | option_c=47 | option_d=39 | answer=D | explanation=The common difference is 8. Therefore the next term is $31 + 8 = 39$.

id=40585 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=45 | option_d=80 | answer=A | explanation=Speed = distance $\div$ time = $120 \div 3 = 40$ km/h.

id=40586 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 20, 27, 37? | option_a=13 | option_b=20 | option_c=27 | option_d=37 | answer=D | explanation=The first three numbers increase by 7, so the next should be 34. Therefore 37 is the odd one out.

id=40587 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3997. If it is sold at a profit of 5%, what is its selling price? | option_a=4002 | option_b=4196 | option_c=4595 | option_d=3797 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3997 \times 105/100 = \text{■}4196$.

id=40588 | topic=Percentages | difficulty=Easy | question=What is 25% of 989? | option_a=242 | option_b=267 | option_c=494 | option_d=247 | answer=D | explanation=25% of 989 = $(25/100) \times 989 = 247$.

id=40589 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=31 | option_c=72 | option_d=41 | answer=A | explanation=Speed = distance $\div$ time = $180 \div 5 = 36$ km/h.

id=40590 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=36 | option_b=44 | option_c=50 | option_d=43 | answer=D | explanation=The common difference is 7. Therefore the next term is $36 + 7 = 43$.

Aptitude Questions — Records 40,591-40,620 of 100,000

id=40591 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 44? | option_a=37 | option_b=32 | option_c=27 | option_d=44 | answer=D | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 44 is the odd one out.

id=40592 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=40593 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13295 at 12% per annum for 5 years. | option_a=8077 | option_b=21272 | option_c=7977 | option_d=7877 | answer=C | explanation=SI = PRT/100 = 13295×12×5/100 = **■**7977.

id=40594 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=40595 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46321 at 15% per annum for 4 years. | option_a=27792 | option_b=27892 | option_c=27692 | option_d=74113 | answer=A | explanation=SI = PRT/100 = 46321×15×4/100 = **■**27792.

id=40596 | topic=Averages | difficulty=Easy | question=Find the average of 97, 77, 75, 92, 11, 88, 12, 28. | option_a=60 | option_b=59 | option_c=61 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 480 ÷ 8 = 60.

id=40597 | topic=Averages | difficulty=Easy | question=Find the average of 92, 35, 88, 61. | option_a=68 | option_b=71 | option_c=70 | option_d=69 | answer=D | explanation=Average = sum of values ÷ number of values = 276 ÷ 4 = 69.

id=40598 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 20. | option_a=240 | option_b=520 | option_c=286 | option_d=260 | answer=D | explanation=LCM × HCF = 26×20; HCF(26,20) = 2, so LCM = 260.

id=40599 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 13, 23, 34? | option_a=3 | option_b=34 | option_c=23 | option_d=13 | answer=B | explanation=The first three numbers increase by 10, so the next should be 33. Therefore 34 is the odd one out.

id=40600 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:11 and the first is 48, what is the second? | option_a=132 | option_b=180 | option_c=121 | option_d=136 | answer=A | explanation=Scale factor = 48/4 = 12. Therefore second quantity = 11×12 = 132.

id=40601 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=360 | option_b=175 | option_c=180 | option_d=185 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=40602 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=40603 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=40604 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=40605 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5493 at 10% per annum for 2 years. | option_a=1098 | option_b=6591 | option_c=1198 | option_d=998 | answer=A | explanation=SI = PRT/100 = 5493×10×2/100 = **■**1098.

id=40606 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=23 | option_c=36 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=40607 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=56 | option_b=64 | option_c=46 | option_d=55 | answer=D | explanation=The common difference is 9. Therefore the next term is 46 + 9 = 55.

id=40608 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 27, 39, 51, ? | option_a=75 | option_b=64 | option_c=63 | option_d=51 | answer=C | explanation=The common difference is 12. Therefore the next term is 51 + 12 = 63.

id=40609 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=6 | option_c=11 | option_d=12 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=40610 | topic=Percentages | difficulty=Easy | question=What is 40% of 55? | option_a=12 | option_b=27 | option_c=22 | option_d=44 | answer=C | explanation=40% of 55 = (40/100) × 55 = 22.

id=40611 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1543. If it is sold at a profit of 30%, what is its selling price? | option_a=2005 | option_b=2159 | option_c=1851 | option_d=1573 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1543 × 130/100 = **■**2005.

id=40612 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10117 at 12% per annum for 5 years. | option_a=16187 | option_b=5970 | option_c=6070 | option_d=6170 | answer=C | explanation=SI = PRT/100 = 10117×12×5/100 = **■**6070.

id=40613 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=40614 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=40615 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=D | option_b=B | option_c=C | option_d=E | answer=A | explanation=Move 1 positions forward from C; the resulting letter is D.

id=40616 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 9, 11, 16? | option_a=7 | option_b=9 | option_c=11 | option_d=16 | answer=D | explanation=The first three numbers increase by 2, so the next should be 13. Therefore 16 is the odd one out.

id=40617 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 43? | option_a=20 | option_b=43 | option_c=27 | option_d=34 | answer=B | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 43 is the odd one out.

id=40618 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=8 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=40619 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=200 | option_c=95 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=40620 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 37, 44, 54? | option_a=54 | option_b=44 | option_c=30 | option_d=37 | answer=A | explanation=The first three numbers increase by 7, so the next should be 51. Therefore 54 is the odd one out.

Aptitude Questions — Records 40,621-40,650 of 100,000

id=40621 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=13 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=40622 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=O | option_c=S | option_d=Q | answer=C | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=40623 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■10811 at 6% per annum for 2 years. | option_a=1197 | option_b=12108 | option_c=1297 | option_d=1397 | answer=C | explanation=SI = PRT/100 = 10811×6×2/100 = ■1297.

id=40624 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 7. | option_a=21 | option_b=28 | option_c=196 | option_d=56 | answer=B | explanation=LCM × HCF = 28×7; HCF(28,7) = 7, so LCM = 28.

id=40625 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=40626 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=40627 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4815. If it is sold at a profit of 25%, what is its selling price? | option_a=4840 | option_b=6018 | option_c=6499 | option_d=5537 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4815 × 125/100 = ■6018.

id=40628 | topic=Averages | difficulty=Easy | question=Find the average of 37, 71, 73, 44, 21, 46, 18, 74. | option_a=47 | option_b=50 | option_c=49 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = 384 ÷ 8 = 48.

id=40629 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=19 | option_b=29 | option_c=24 | option_d=25 | answer=C | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.

id=40630 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■12372 at 8% per annum for 3 years. | option_a=2869 | option_b=2969 | option_c=15341 | option_d=3069 | answer=B | explanation=SI = PRT/100 = 12372×8×3/100 = ■2969.

id=40631 | topic=Percentages | difficulty=Easy | question=What is 30% of 580? | option_a=154 | option_b=348 | option_c=174 | option_d=194 | answer=C | explanation=30% of 580 = (30/100) × 580 = 174.

id=40632 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■2208 at 4% per annum for 1 years. | option_a=2296 | option_b=0 | option_c=188 | option_d=88 | answer=D | explanation=SI = PRT/100 = 2208×4×1/100 = ■88.

id=40633 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=24 | option_b=21 | option_c=20 | option_d=16 | answer=C | explanation=The common difference is 4. Therefore the next term is 16 + 4 = 20.

id=40634 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 58? | option_a=27 | option_b=47 | option_c=58 | option_d=37 | answer=C | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 58 is the odd one out.

id=40635 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 43? | option_a=35 | option_b=43 | option_c=30 | option_d=25 | answer=B | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 43 is the odd one out.

id=40636 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■35394 at 6% per annum for 4 years. | option_a=8394 | option_b=8494 | option_c=8594 | option_d=43888 | answer=B | explanation=SI = PRT/100 = 35394×6×4/100 = ■8494.

id=40637 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:4 and the first is 90, what is the second? | option_a=126 | option_b=36 | option_c=32 | option_d=46 | answer=B | explanation=Scale factor = 90/10 = 9. Therefore second quantity = 4×9 = 36.

id=40638 | topic=Averages | difficulty=Easy | question=Find the average of 57, 36, 34, 55, 13. | option_a=38 | option_b=40 | option_c=41 | option_d=39 | answer=D | explanation=Average = sum of values ÷ number of values = 195 ÷ 5 = 39.

id=40639 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:5 and the first is 100, what is the second? | option_a=45 | option_b=150 | option_c=50 | option_d=60 | answer=C | explanation=Scale factor = 100/10 = 10. Therefore second quantity = 5×10 = 50.

id=40640 | topic=Averages | difficulty=Easy | question=Find the average of 83, 61, 56, 65, 80, 75. | option_a=70 | option_b=69 | option_c=71 | option_d=72 | answer=A | explanation=Average = sum of values ÷ number of values = 420 ÷ 6 = 70.

id=40641 | topic=Percentages | difficulty=Easy | question=What is 50% of 126? | option_a=58 | option_b=126 | option_c=68 | option_d=63 | answer=D | explanation=50% of 126 = (50/100) × 126 = 63.

id=40642 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=40643 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 16. | option_a=240 | option_b=224 | option_c=270 | option_d=480 | answer=A | explanation=LCM × HCF = 30×16; HCF(30,16) = 2, so LCM = 240.

id=40644 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 9, 14, 22? | option_a=22 | option_b=14 | option_c=9 | option_d=4 | answer=A | explanation=The first three numbers increase by 5, so the next should be 19. Therefore 22 is the odd one out.

id=40645 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=8 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=40646 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:9 and the first is 240, what is the second? | option_a=99 | option_b=108 | option_c=128 | option_d=348 | answer=B | explanation=Scale factor = 240/20 = 12. Therefore second quantity = 9×12 = 108.

id=40647 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=P | option_b=F | option_c=U | option_d=K | answer=A | explanation=Move 5 positions forward from K; the resulting letter is P.

id=40648 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=42 | option_b=49 | option_c=35 | option_d=43 | answer=A | explanation=The common difference is 7. Therefore the next term is 35 + 7 = 42.

id=40649 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 14? | option_a=6 | option_b=9 | option_c=14 | option_d=3 | answer=C | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 14 is the odd one out.

id=40650 | topic=Percentages | difficulty=Easy | question=What is 25% of 746? | option_a=186 | option_b=206 | option_c=372 | option_d=166 | answer=A | explanation=25% of 746 = (25/100) × 746 = 186.

Aptitude Questions — Records 40,651-40,680 of 100,000

id=40651 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:11 and the first is 154, what is the second? | option_a=135 | option_b=275 | option_c=121 | option_d=110 | answer=C | explanation=Scale factor = $154/14 = 11$. Therefore second quantity = $11 \times 11 = 121$.

id=40652 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 37, 46, 56? | option_a=37 | option_b=46 | option_c=56 | option_d=28 | answer=C | explanation=The first three numbers increase by 9, so the next should be 55. Therefore 56 is the odd one out.

id=40653 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=12 | option_b=24 | option_c=7 | option_d=17 | answer=A | explanation=Speed = distance ÷ time = $120 \div 10 = 12$ km/h.

id=40654 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 22. | option_a=88 | option_b=48 | option_c=22 | option_d=44 | answer=D | explanation= $LCM \times HCF = 4 \times 22$; $HCF(4, 22) = 2$, so $LCM = 44$.

id=40655 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2637. If it is sold at a profit of 20%, what is its selling price? | option_a=2901 | option_b=3164 | option_c=3427 | option_d=2657 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2637 \times 120/100 = \text{█}3164$.

id=40656 | topic=Percentages | difficulty=Easy | question=What is 12% of 79? | option_a=9 | option_b=4 | option_c=14 | option_d=18 | answer=A | explanation= $12\% \text{ of } 79 = (12/100) \times 79 = 9$.

id=40657 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 59? | option_a=27 | option_b=37 | option_c=47 | option_d=59 | answer=D | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 59 is the odd one out.

id=40658 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21414 at 10% per annum for 4 years. | option_a=8665 | option_b=8565 | option_c=29979 | option_d=8465 | answer=B | explanation= $SI = PRT/100 = 21414 \times 10 \times 4/100 = \text{█}8565$.

id=40659 | topic=Percentages | difficulty=Easy | question=What is 50% of 1830? | option_a=925 | option_b=1830 | option_c=895 | option_d=915 | answer=D | explanation= $50\% \text{ of } 1830 = (50/100) \times 1830 = 915$.

id=40660 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:9 and the first is 45, what is the second? | option_a=42 | option_b=72 | option_c=27 | option_d=18 | answer=C | explanation=Scale factor = $45/15 = 3$. Therefore second quantity = $9 \times 3 = 27$.

id=40661 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = $360 \div 8 = 45$ km/h.

id=40662 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=29 | option_b=28 | option_c=34 | option_d=22 | answer=B | explanation=The common difference is 6. Therefore the next term is $22 + 6 = 28$.

id=40663 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:20 and the first is 13, what is the second? | option_a=261 | option_b=260 | option_c=240 | option_d=273 | answer=B | explanation=Scale factor = $13/1 = 13$. Therefore second quantity = $20 \times 13 = 260$.

id=40664 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 22? | option_a=14 | option_b=22 | option_c=2 | option_d=8 | answer=B | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 22 is the odd one out.

id=40665 | topic=Percentages | difficulty=Easy | question=What is 30% of 1634? | option_a=980 | option_b=495 | option_c=490 | option_d=485 | answer=C | explanation= $30\% \text{ of } 1634 = (30/100) \times 1634 = 490$.

id=40666 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=45 | option_c=50 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = $150 \div 3 = 50$ km/h.

id=40667 | topic=Percentages | difficulty=Easy | question=What is 12% of 320? | option_a=76 | option_b=43 | option_c=28 | option_d=38 | answer=D | explanation= $12\% \text{ of } 320 = (12/100) \times 320 = 38$.

id=40668 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 8. | option_a=130 | option_b=208 | option_c=104 | option_d=96 | answer=C | explanation= $LCM \times HCF = 26 \times 8$; $HCF(26, 8) = 2$, so $LCM = 104$.

id=40669 | topic=Averages | difficulty=Easy | question=Find the average of 72, 84, 60. | option_a=72 | option_b=73 | option_c=71 | option_d=74 | answer=A | explanation=Average = sum of values ÷ number of values = $216 \div 3 = 72$.

id=40670 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:20 and the first is 27, what is the second? | option_a=40 | option_b=69 | option_c=87 | option_d=60 | answer=D | explanation=Scale factor = $27/9 = 3$. Therefore second quantity = $20 \times 3 = 60$.

id=40671 | topic=Percentages | difficulty=Easy | question=What is 40% of 991? | option_a=792 | option_b=401 | option_c=396 | option_d=386 | answer=C | explanation= $40\% \text{ of } 991 = (40/100) \times 991 = 396$.

id=40672 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=30 | option_b=29 | option_c=32 | option_d=26 | answer=B | explanation=The common difference is 3. Therefore the next term is $26 + 3 = 29$.

id=40673 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=40674 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=63 | option_b=43 | option_c=53 | option_d=54 | answer=C | explanation=The common difference is 10. Therefore the next term is $43 + 10 = 53$.

id=40675 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=50 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = $150 \div 6 = 25$ km/h.

id=40676 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 44? | option_a=35 | option_b=44 | option_c=28 | option_d=21 | answer=B | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 44 is the odd one out.

id=40677 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2948. If it is sold at a profit of 20%, what is its selling price? | option_a=3537 | option_b=2968 | option_c=3831 | option_d=3243 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2948 \times 120/100 = \text{█}3537$.

id=40678 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=U | option_b=Z | option_c=P | option_d=K | answer=A | explanation=Move 5 positions forward from P; the resulting letter is U.

id=40679 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26141 at 5% per annum for 5 years. | option_a=6535 | option_b=6435 | option_c=6635 | option_d=32676 | answer=A | explanation= $SI = PRT/100 = 26141 \times 5 \times 5/100 = \text{█}6535$.

id=40680 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=C | option_c=Z | option_d=B | answer=D | explanation=Move 1 positions forward from A; the resulting letter is B.

Aptitude Questions — Records 40,681-40,710 of 100,000

id=40681 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22043 at 15% per annum for 1 years. | option_a=3306 | option_b=3206 | option_c=25349 | option_d=3406 | answer=A | explanation=SI = PRT/100 = 22043×15×1/100 = **■**3306.

id=40682 | topic=Percentages | difficulty=Easy | question=What is 20% of 717? | option_a=148 | option_b=133 | option_c=143 | option_d=286 | answer=C | explanation=20% of 717 = (20/100) × 717 = 143.

id=40683 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=H | option_c=Q | option_d=N | answer=D | explanation=Move 3 positions forward from K; the resulting letter is N.

id=40684 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=V | option_b=Y | option_c=P | option_d=S | answer=A | explanation=Move 3 positions forward from S; the resulting letter is V.

id=40685 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 30, 34, 40? | option_a=34 | option_b=40 | option_c=26 | option_d=30 | answer=B | explanation=The first three numbers increase by 4, so the next should be 38. Therefore 40 is the odd one out.

id=40686 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=I | option_c=L | option_d=K | answer=D | explanation=Move 1 positions forward from J; the resulting letter is K.

id=40687 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:16 and the first is 200, what is the second? | option_a=144 | option_b=180 | option_c=160 | option_d=360 | answer=C | explanation=Scale factor = 200/20 = 10. Therefore second quantity = 16×10 = 160.

id=40688 | topic=Percentages | difficulty=Easy | question=What is 12% of 1284? | option_a=164 | option_b=308 | option_c=154 | option_d=144 | answer=C | explanation=12% of 1284 = (12/100) × 1284 = 154.

id=40689 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=N | option_c=O | option_d=M | answer=C | explanation=Move 1 positions forward from N; the resulting letter is O.

id=40690 | topic=Percentages | difficulty=Easy | question=What is 12% of 620? | option_a=74 | option_b=148 | option_c=69 | option_d=84 | answer=A | explanation=12% of 620 = (12/100) × 620 = 74.

id=40691 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:4 and the first is 180, what is the second? | option_a=72 | option_b=240 | option_c=60 | option_d=56 | answer=C | explanation=Scale factor = 180/12 = 15. Therefore second quantity = 4×15 = 60.

id=40692 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=45 | option_c=40 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=40693 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24035 at 8% per annum for 3 years. | option_a=29803 | option_b=5668 | option_c=5768 | option_d=5868 | answer=C | explanation=SI = PRT/100 = 24035×8×3/100 = **■**5768.

id=40694 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=50 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=40695 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=40696 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=40697 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=18 | option_b=19 | option_c=21 | option_d=15 | answer=A | explanation=The common difference is 3. Therefore the next term is 15 + 3 = 18.

id=40698 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 40? | option_a=21 | option_b=13 | option_c=40 | option_d=29 | answer=C | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 40 is the odd one out.

id=40699 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3826. If it is sold at a profit of 5%, what is its selling price? | option_a=3635 | option_b=4017 | option_c=4399 | option_d=3831 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3826 × 105/100 = **■**4017.

id=40700 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=E | option_b=K | option_c=N | option_d=H | answer=B | explanation=Move 3 positions forward from H; the resulting letter is K.

id=40701 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=29 | option_b=39 | option_c=47 | option_d=38 | answer=D | explanation=The common difference is 9. Therefore the next term is 29 + 9 = 38.

id=40702 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23822 at 15% per annum for 2 years. | option_a=30968 | option_b=7046 | option_c=7246 | option_d=7146 | answer=D | explanation=SI = PRT/100 = 23822×15×2/100 = **■**7146.

id=40703 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:10 and the first is 221, what is the second? | option_a=147 | option_b=120 | option_c=351 | option_d=130 | answer=D | explanation=Scale factor = 221/17 = 13. Therefore second quantity = 10×13 = 130.

id=40704 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 18, 28, 41? | option_a=41 | option_b=8 | option_c=18 | option_d=28 | answer=A | explanation=The first three numbers increase by 10, so the next should be 38. Therefore 41 is the odd one out.

id=40705 | topic=Percentages | difficulty=Easy | question=What is 20% of 1565? | option_a=313 | option_b=293 | option_c=626 | option_d=333 | answer=A | explanation=20% of 1565 = (20/100) × 1565 = 313.

id=40706 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=21 | option_b=22 | option_c=23 | option_d=19 | answer=A | explanation=The common difference is 2. Therefore the next term is 19 + 2 = 21.

id=40707 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=120 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=40708 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=50 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=40709 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4832. If it is sold at a profit of 30%, what is its selling price? | option_a=6764 | option_b=6281 | option_c=5798 | option_d=4862 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4832 × 130/100 = **■**6281.

id=40710 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 40,711-40,740 of 100,000

id=40711 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=14 | option_c=9 | option_d=4 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=40712 | topic=Averages | difficulty=Easy | question=Find the average of 50, 90, 39, 74, 93, 45, 100, 21. | option_a=64 | option_b=66 | option_c=65 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 512 ÷ 8 = 64.

id=40713 | topic=Percentages | difficulty=Easy | question=What is 20% of 1900? | option_a=375 | option_b=380 | option_c=760 | option_d=400 | answer=B | explanation=20% of 1900 = (20/100) × 1900 = 380.

id=40714 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:5 and the first is 117, what is the second? | option_a=74 | option_b=182 | option_c=60 | option_d=65 | answer=D | explanation=Scale factor = 117/9 = 13. Therefore second quantity = 5×13 = 65.

id=40715 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=45 | option_b=67 | option_c=56 | option_d=57 | answer=C | explanation=The common difference is 11. Therefore the next term is 45 + 11 = 56.

id=40716 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=M | option_c=Q | option_d=Y | answer=A | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=40717 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=40718 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4227 at 8% per annum for 4 years. | option_a=1452 | option_b=5579 | option_c=1352 | option_d=1252 | answer=C | explanation=SI = PRT/100 = 4227×8×4/100 = **■**1352.

id=40719 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=56 | option_b=57 | option_c=47 | option_d=65 | answer=A | explanation=The common difference is 9. Therefore the next term is 47 + 9 = 56.

id=40720 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=240 | option_c=120 | option_d=125 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=40721 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 16, 23, 31? | option_a=31 | option_b=9 | option_c=16 | option_d=23 | answer=A | explanation=The first three numbers increase by 7, so the next should be 30. Therefore 31 is the odd one out.

id=40722 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31832 at 5% per annum for 1 years. | option_a=1691 | option_b=1491 | option_c=33423 | option_d=1591 | answer=D | explanation=SI = PRT/100 = 31832×5×1/100 = **■**1591.

id=40723 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:10 and the first is 24, what is the second? | option_a=64 | option_b=84 | option_c=60 | option_d=50 | answer=C | explanation=Scale factor = 24/4 = 6. Therefore second quantity = 10×6 = 60.

id=40724 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=K | option_b=M | option_c=O | option_d=Q | answer=C | explanation=Move 2 positions forward from M; the resulting letter is O.

id=40725 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 26. | option_a=78 | option_b=52 | option_c=84 | option_d=156 | answer=A | explanation=LCM × HCF = 6×26; HCF(6,26) = 2, so LCM = 78.

id=40726 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:7 and the first is 34, what is the second? | option_a=121 | option_b=153 | option_c=112 | option_d=119 | answer=D | explanation=Scale factor = 34/2 = 17. Therefore second quantity = 7×17 = 119.

id=40727 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=40 | option_c=35 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=40728 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=52 | option_b=53 | option_c=41 | option_d=63 | answer=A | explanation=The common difference is 11. Therefore the next term is 41 + 11 = 52.

id=40729 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:7 and the first is 65, what is the second? | option_a=35 | option_b=28 | option_c=100 | option_d=48 | answer=A | explanation=Scale factor = 65/13 = 5. Therefore second quantity = 7×5 = 35.

id=40730 | topic=Averages | difficulty=Easy | question=Find the average of 29, 13, 97, 93. | option_a=59 | option_b=60 | option_c=57 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 232 ÷ 4 = 58.

id=40731 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=T | option_c=N | option_d=P | answer=A | explanation=Move 2 positions forward from P; the resulting letter is R.

id=40732 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5903 at 10% per annum for 5 years. | option_a=8854 | option_b=3051 | option_c=2951 | option_d=2851 | answer=C | explanation=SI = PRT/100 = 5903×10×5/100 = **■**2951.

id=40733 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=40734 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=40735 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=40736 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=R | option_b=U | option_c=S | option_d=T | answer=D | explanation=Move 1 positions forward from S; the resulting letter is T.

id=40737 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1316. If it is sold at a profit of 15%, what is its selling price? | option_a=1513 | option_b=1382 | option_c=1331 | option_d=1644 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1316 × 115/100 = **■**1513.

id=40738 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=40739 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=N | option_c=Q | option_d=P | answer=D | explanation=Move 1 positions forward from O; the resulting letter is P.

id=40740 | topic=Averages | difficulty=Easy | question=Find the average of 58, 70, 49, 43, 26, 39, 86. | option_a=55 | option_b=53 | option_c=54 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 371 ÷ 7 = 53.

Aptitude Questions — Records 40,741-40,770 of 100,000

id=40741 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=48 | option_b=40 | option_c=32 | option_d=41 | answer=B | explanation=The common difference is 8. Therefore the next term is 32 + 8 = 40.

id=40742 | topic=Averages | difficulty=Easy | question=Find the average of 53, 88, 63, 86, 92, 32. | option_a=69 | option_b=70 | option_c=68 | option_d=71 | answer=A | explanation=Average = sum of values + number of values = 414 ÷ 6 = 69.

id=40743 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=74 | option_b=63 | option_c=52 | option_d=64 | answer=B | explanation=The common difference is 11. Therefore the next term is 52 + 11 = 63.

id=40744 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=96 | option_c=48 | option_d=53 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=40745 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=40746 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=90 | option_c=85 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=40747 | topic=Averages | difficulty=Easy | question=Find the average of 98, 39, 82, 93, 64, 55, 21, 89, 90. | option_a=68 | option_b=71 | option_c=70 | option_d=69 | answer=D | explanation=Average = sum of values + number of values = 621 ÷ 9 = 69.

id=40748 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=40749 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:4 and the first is 57, what is the second? | option_a=79 | option_b=72 | option_c=76 | option_d=133 | answer=C | explanation=Scale factor = 57/3 = 19. Therefore second quantity = 4×19 = 76.

id=40750 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21018 at 10% per annum for 2 years. | option_a=4103 | option_b=4203 | option_c=4303 | option_d=25221 | answer=B | explanation=SI = PRT/100 = 21018×10×2/100 = **■**4203.

id=40751 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1287. If it is sold at a profit of 30%, what is its selling price? | option_a=1545 | option_b=1801 | option_c=1317 | option_d=1673 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1287 × 130/100 = **■**1673.

id=40752 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=85 | option_c=95 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=40753 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:17 and the first is 20, what is the second? | option_a=68 | option_b=73 | option_c=88 | option_d=51 | answer=A | explanation=Scale factor = 20/5 = 4. Therefore second quantity = 17×4 = 68.

id=40754 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=40755 | topic=Averages | difficulty=Easy | question=Find the average of 99, 26, 91, 16, 17, 87, 89, 39. | option_a=57 | option_b=59 | option_c=60 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 464 ÷ 8 = 58.

id=40756 | topic=Percentages | difficulty=Easy | question=What is 10% of 1745? | option_a=348 | option_b=194 | option_c=164 | option_d=174 | answer=D | explanation=10% of 1745 = (10/100) × 1745 = 174.

id=40757 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=M | option_b=R | option_c=H | option_d=C | answer=A | explanation=Move 5 positions forward from H; the resulting letter is M.

id=40758 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=52 | option_b=43 | option_c=34 | option_d=44 | answer=B | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

id=40759 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=R | option_b=S | option_c=Q | option_d=P | answer=A | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=40760 | topic=Averages | difficulty=Easy | question=Find the average of 54, 73, 11, 30, 55, 31, 21, 39, 55. | option_a=43 | option_b=40 | option_c=42 | option_d=41 | answer=D | explanation=Average = sum of values + number of values = 369 ÷ 9 = 41.

id=40761 | topic=Averages | difficulty=Easy | question=Find the average of 33, 17, 83, 44, 50, 92, 69, 52. | option_a=56 | option_b=54 | option_c=57 | option_d=55 | answer=D | explanation=Average = sum of values + number of values = 440 ÷ 8 = 55.

id=40762 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=25 | option_b=23 | option_c=27 | option_d=26 | answer=A | explanation=The common difference is 2. Therefore the next term is 23 + 2 = 25.

id=40763 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=Q | option_b=T | option_c=K | option_d=N | answer=A | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=40764 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=40765 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=44 | option_b=45 | option_c=54 | option_d=34 | answer=A | explanation=The common difference is 10. Therefore the next term is 34 + 10 = 44.

id=40766 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=51 | option_b=61 | option_c=52 | option_d=41 | answer=A | explanation=The common difference is 10. Therefore the next term is 41 + 10 = 51.

id=40767 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=4 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=40768 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=36 | option_c=72 | option_d=41 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=40769 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 43? | option_a=38 | option_b=34 | option_c=43 | option_d=30 | answer=C | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 43 is the odd one out.

id=40770 | topic=Averages | difficulty=Easy | question=Find the average of 31, 67, 55. | option_a=52 | option_b=50 | option_c=53 | option_d=51 | answer=D | explanation=Average = sum of values + number of values = 153 ÷ 3 = 51.

Aptitude Questions — Records 40,771-40,800 of 100,000

id=40771 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34291 at 6% per annum for 1 years. | option_a=1957 | option_b=36348 | option_c=2157 | option_d=2057 | answer=D | explanation=SI = $PRT/100 = 34291 \times 6 \times 1/100 = \text{■}2057$.

id=40772 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=34 | option_b=39 | option_c=33 | option_d=27 | answer=C | explanation=The common difference is 6. Therefore the next term is $27 + 6 = 33$.

id=40773 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46429 at 8% per annum for 4 years. | option_a=14857 | option_b=14957 | option_c=14757 | option_d=61286 | answer=A | explanation=SI = $PRT/100 = 46429 \times 8 \times 4/100 = \text{■}14857$.

id=40774 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 23, 26, 31? | option_a=23 | option_b=26 | option_c=31 | option_d=20 | answer=C | explanation=The first three numbers increase by 3, so the next should be 29. Therefore 31 is the odd one out.

id=40775 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=6 | option_d=20 | answer=A | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=40776 | topic=Averages | difficulty=Easy | question=Find the average of 86, 25, 47, 31, 36, 31, 10. | option_a=39 | option_b=38 | option_c=40 | option_d=37 | answer=B | explanation=Average = sum of values ÷ number of values = $266 \div 7 = 38$.

id=40777 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=125 | option_c=120 | option_d=115 | answer=C | explanation=Speed = distance ÷ time = $240 \div 2 = 120$ km/h.

id=40778 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**341. If it is sold at a profit of 15%, what is its selling price? | option_a=358 | option_b=392 | option_c=426 | option_d=356 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 341 \times 115/100 = \text{■}392$.

id=40779 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=40780 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=42 | option_b=55 | option_c=54 | option_d=66 | answer=C | explanation=The common difference is 12. Therefore the next term is $42 + 12 = 54$.

id=40781 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1118 at 5% per annum for 3 years. | option_a=267 | option_b=67 | option_c=1285 | option_d=167 | answer=D | explanation=SI = $PRT/100 = 1118 \times 5 \times 3/100 = \text{■}167$.

id=40782 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=40783 | topic=Averages | difficulty=Easy | question=Find the average of 11, 44, 77. | option_a=46 | option_b=45 | option_c=43 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = $132 \div 3 = 44$.

id=40784 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3682. If it is sold at a profit of 20%, what is its selling price? | option_a=4418 | option_b=4050 | option_c=3702 | option_d=4786 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3682 \times 120/100 = \text{■}4418$.

id=40785 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=C | option_b=A | option_c=B | option_d=D | answer=A | explanation=Move 1 positions forward from B; the resulting letter is C.

id=40786 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=N | option_c=O | option_d=M | answer=C | explanation=Move 1 positions forward from N; the resulting letter is O.

id=40787 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3623. If it is sold at a profit of 30%, what is its selling price? | option_a=3653 | option_b=4347 | option_c=4709 | option_d=5071 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3623 \times 130/100 = \text{■}4709$.

id=40788 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3619 at 8% per annum for 2 years. | option_a=479 | option_b=579 | option_c=679 | option_d=4198 | answer=B | explanation=SI = $PRT/100 = 3619 \times 8 \times 2/100 = \text{■}579$.

id=40789 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2876. If it is sold at a profit of 40%, what is its selling price? | option_a=2916 | option_b=3739 | option_c=4313 | option_d=4026 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2876 \times 140/100 = \text{■}4026$.

id=40790 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 8, 11, 14, ? | option_a=17 | option_b=14 | option_c=18 | option_d=20 | answer=A | explanation=The common difference is 3. Therefore the next term is $14 + 3 = 17$.

id=40791 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:12 and the first is 8, what is the second? | option_a=12 | option_b=32 | option_c=24 | option_d=28 | answer=C | explanation=Scale factor = $8/4 = 2$. Therefore second quantity = $12 \times 2 = 24$.

id=40792 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 31, 43, 55, ? | option_a=79 | option_b=68 | option_c=67 | option_d=55 | answer=C | explanation=The common difference is 12. Therefore the next term is $55 + 12 = 67$.

id=40793 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=Q | option_b=N | option_c=K | option_d=T | answer=A | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=40794 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 13, 19, 27? | option_a=13 | option_b=19 | option_c=7 | option_d=27 | answer=D | explanation=The first three numbers increase by 6, so the next should be 25. Therefore 27 is the odd one out.

id=40795 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=35 | option_b=34 | option_c=29 | option_d=39 | answer=B | explanation=The common difference is 5. Therefore the next term is $29 + 5 = 34$.

id=40796 | topic=Percentages | difficulty=Easy | question=What is 25% of 830? | option_a=207 | option_b=212 | option_c=414 | option_d=187 | answer=A | explanation= $25\% \text{ of } 830 = (25/100) \times 830 = 207$.

id=40797 | topic=Percentages | difficulty=Easy | question=What is 5% of 733? | option_a=31 | option_b=72 | option_c=56 | option_d=36 | answer=D | explanation= $5\% \text{ of } 733 = (5/100) \times 733 = 36$.

id=40798 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=40799 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=10 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = $60 \div 4 = 15$ km/h.

id=40800 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

Aptitude Questions — Records 40,801-40,830 of 100,000

id=40801 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 18. | option_a=1 | option_b=36 | option_c=18 | option_d=20 | answer=C | explanation=LCM × HCF = 2×18; HCF(2,18) = 2, so LCM = 18.

id=40802 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■16451 at 15% per annum for 5 years. | option_a=12238 | option_b=12338 | option_c=12438 | option_d=28789 | answer=B | explanation=SI = PRT/100 = 16451×15×5/100 = ■12338.

id=40803 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■626. If it is sold at a profit of 50%, what is its selling price? | option_a=877 | option_b=939 | option_c=1001 | option_d=676 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 626 × 150/100 = ■939.

id=40804 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=40805 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■44892 at 4% per annum for 3 years. | option_a=5487 | option_b=5387 | option_c=5287 | option_d=50279 | answer=B | explanation=SI = PRT/100 = 44892×4×3/100 = ■5387.

id=40806 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 46? | option_a=37 | option_b=30 | option_c=46 | option_d=23 | answer=C | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 46 is the odd one out.

id=40807 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3099. If it is sold at a profit of 10%, what is its selling price? | option_a=3099 | option_b=3109 | option_c=3408 | option_d=3717 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3099 × 110/100 = ■3408.

id=40808 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=11 | option_c=12 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=40809 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:6 and the first is 324, what is the second? | option_a=432 | option_b=126 | option_c=108 | option_d=102 | answer=C | explanation=Scale factor = 324/18 = 18. Therefore second quantity = 6×18 = 108.

id=40810 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=40811 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2645. If it is sold at a profit of 15%, what is its selling price? | option_a=2660 | option_b=3041 | option_c=2777 | option_d=3305 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2645 × 115/100 = ■3041.

id=40812 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4479. If it is sold at a profit of 10%, what is its selling price? | option_a=4489 | option_b=4479 | option_c=5373 | option_d=4926 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4479 × 110/100 = ■4926.

id=40813 | topic=Averages | difficulty=Easy | question=Find the average of 91, 22, 38, 85. | option_a=60 | option_b=59 | option_c=61 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 236 ÷ 4 = 59.

id=40814 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=40815 | topic=Averages | difficulty=Easy | question=Find the average of 77, 21, 97, 28, 50, 75, 71, 101. | option_a=64 | option_b=67 | option_c=65 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = 520 ÷ 8 = 65.

id=40816 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:18 and the first is 320, what is the second? | option_a=376 | option_b=342 | option_c=360 | option_d=680 | answer=C | explanation=Scale factor = 320/16 = 20. Therefore second quantity = 18×20 = 360.

id=40817 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=18 | option_b=16 | option_c=19 | option_d=20 | answer=A | explanation=The common difference is 2. Therefore the next term is 16 + 2 = 18.

id=40818 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1184. If it is sold at a profit of 40%, what is its selling price? | option_a=1224 | option_b=1539 | option_c=1775 | option_d=1657 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1184 × 140/100 = ■1657.

id=40819 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:9 and the first is 96, what is the second? | option_a=54 | option_b=45 | option_c=70 | option_d=150 | answer=A | explanation=Scale factor = 96/16 = 6. Therefore second quantity = 9×6 = 54.

id=40820 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1942. If it is sold at a profit of 5%, what is its selling price? | option_a=1947 | option_b=2039 | option_c=2233 | option_d=1845 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1942 × 105/100 = ■2039.

id=40821 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■17421 at 5% per annum for 4 years. | option_a=20905 | option_b=3584 | option_c=3484 | option_d=3384 | answer=C | explanation=SI = PRT/100 = 17421×5×4/100 = ■3484.

id=40822 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1029. If it is sold at a profit of 5%, what is its selling price? | option_a=1182 | option_b=1034 | option_c=1080 | option_d=978 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1029 × 105/100 = ■1080.

id=40823 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3944. If it is sold at a profit of 20%, what is its selling price? | option_a=5126 | option_b=3964 | option_c=4338 | option_d=4732 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3944 × 120/100 = ■4732.

id=40824 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=40825 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 25? | option_a=18 | option_b=16 | option_c=20 | option_d=25 | answer=D | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 25 is the odd one out.

id=40826 | topic=Averages | difficulty=Easy | question=Find the average of 82, 38, 45. | option_a=55 | option_b=54 | option_c=56 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 165 ÷ 3 = 55.

id=40827 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 26. | option_a=364 | option_b=338 | option_c=728 | option_d=392 | answer=A | explanation=LCM × HCF = 28×26; HCF(28,26) = 2, so LCM = 364.

id=40828 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=40829 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=44 | option_b=40 | option_c=39 | option_d=34 | answer=C | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

id=40830 | topic=Percentages | difficulty=Easy | question=What is 25% of 1958? | option_a=489 | option_b=479 | option_c=494 | option_d=978 | answer=A | explanation=25% of 1958 = (25/100) × 1958 = 489.

Aptitude Questions — Records 40,831-40,860 of 100,000

id=40831 | topic=Averages | difficulty=Easy | question=Find the average of 88, 39, 80. | option_a=68 | option_b=69 | option_c=71 | option_d=70 | answer=B | explanation=Average = sum of values ÷ number of values = 207 ÷ 3 = 69.

id=40832 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=K | option_b=N | option_c=E | option_d=H | answer=A | explanation=Move 3 positions forward from H; the resulting letter is K.

id=40833 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17211 at 8% per annum for 5 years. | option_a=6784 | option_b=6884 | option_c=24095 | option_d=6984 | answer=B | explanation=SI = PRT/100 = 17211×8×5/100 = **■**6884.

id=40834 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 36? | option_a=36 | option_b=29 | option_c=26 | option_d=32 | answer=A | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 36 is the odd one out.

id=40835 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23784 at 8% per annum for 5 years. | option_a=33297 | option_b=9413 | option_c=9513 | option_d=9613 | answer=C | explanation=SI = PRT/100 = 23784×8×5/100 = **■**9513.

id=40836 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:18 and the first is 6, what is the second? | option_a=36 | option_b=60 | option_c=56 | option_d=54 | answer=D | explanation=Scale factor = 6/2 = 3. Therefore second quantity = 18×3 = 54.

id=40837 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=35 | option_c=40 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=40838 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=40839 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1775 at 4% per annum for 5 years. | option_a=355 | option_b=455 | option_c=255 | option_d=2130 | answer=A | explanation=SI = PRT/100 = 1775×4×5/100 = **■**355.

id=40840 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=G | option_b=I | option_c=H | option_d=J | answer=B | explanation=Move 1 positions forward from H; the resulting letter is I.

id=40841 | topic=Percentages | difficulty=Easy | question=What is 12% of 538? | option_a=64 | option_b=128 | option_c=84 | option_d=54 | answer=A | explanation=12% of 538 = (12/100) × 538 = 64.

id=40842 | topic=Averages | difficulty=Easy | question=Find the average of 90, 35, 74, 69, 51, 60, 91, 18. | option_a=63 | option_b=60 | option_c=61 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 488 ÷ 8 = 61.

id=40843 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 36? | option_a=36 | option_b=9 | option_c=17 | option_d=25 | answer=A | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 36 is the odd one out.

id=40844 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17972 at 12% per annum for 4 years. | option_a=8726 | option_b=8526 | option_c=26598 | option_d=8626 | answer=D | explanation=SI = PRT/100 = 17972×12×4/100 = **■**8626.

id=40845 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=150 | option_c=75 | option_d=70 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=40846 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=40847 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44643 at 5% per annum for 5 years. | option_a=11060 | option_b=55803 | option_c=11260 | option_d=11160 | answer=D | explanation=SI = PRT/100 = 44643×5×5/100 = **■**11160.

id=40848 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=33 | option_b=37 | option_c=32 | option_d=27 | answer=C | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

id=40849 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2487. If it is sold at a profit of 30%, what is its selling price? | option_a=3233 | option_b=3481 | option_c=2517 | option_d=2985 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2487 × 130/100 = **■**3233.

id=40850 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20779 at 15% per annum for 5 years. | option_a=15584 | option_b=36363 | option_c=15484 | option_d=15684 | answer=A | explanation=SI = PRT/100 = 20779×15×5/100 = **■**15584.

id=40851 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=55 | option_d=100 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=40852 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2153. If it is sold at a profit of 5%, what is its selling price? | option_a=2475 | option_b=2158 | option_c=2045 | option_d=2260 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2153 × 105/100 = **■**2260.

id=40853 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27453 at 10% per annum for 1 years. | option_a=30198 | option_b=2745 | option_c=2845 | option_d=2645 | answer=B | explanation=SI = PRT/100 = 27453×10×1/100 = **■**2745.

id=40854 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=K | option_b=J | option_c=I | option_d=L | answer=A | explanation=Move 1 positions forward from J; the resulting letter is K.

id=40855 | topic=Percentages | difficulty=Easy | question=What is 50% of 94? | option_a=52 | option_b=94 | option_c=47 | option_d=42 | answer=C | explanation=50% of 94 = (50/100) × 94 = 47.

id=40856 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=40857 | topic=Percentages | difficulty=Easy | question=What is 20% of 1045? | option_a=189 | option_b=209 | option_c=418 | option_d=229 | answer=B | explanation=20% of 1045 = (20/100) × 1045 = 209.

id=40858 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=C | option_b=G | option_c=K | option_d=O | answer=C | explanation=Move 4 positions forward from G; the resulting letter is K.

id=40859 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 33, 39, 48? | option_a=33 | option_b=48 | option_c=39 | option_d=27 | answer=B | explanation=The first three numbers increase by 6, so the next should be 45. Therefore 48 is the odd one out.

id=40860 | topic=Averages | difficulty=Easy | question=Find the average of 61, 94, 91, 46, 48. | option_a=68 | option_b=67 | option_c=69 | option_d=70 | answer=A | explanation=Average = sum of values ÷ number of values = 340 ÷ 5 = 68.

Aptitude Questions — Records 40,861-40,890 of 100,000

id=40861 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■826. If it is sold at a profit of 10%, what is its selling price? | option_a=908 | option_b=836 | option_c=990 | option_d=826 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 826 × 110/100 = ■908.

id=40862 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 53? | option_a=30 | option_b=53 | option_c=20 | option_d=40 | answer=B | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 53 is the odd one out.

id=40863 | topic=Percentages | difficulty=Easy | question=What is 30% of 1796? | option_a=543 | option_b=533 | option_c=1076 | option_d=538 | answer=D | explanation=30% of 1796 = (30/100) × 1796 = 538.

id=40864 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=40865 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 10, 15, 20, ? | option_a=26 | option_b=25 | option_c=20 | option_d=30 | answer=B | explanation=The common difference is 5. Therefore the next term is 20 + 5 = 25.

id=40866 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=38 | option_b=29 | option_c=39 | option_d=47 | answer=A | explanation=The common difference is 9. Therefore the next term is 29 + 9 = 38.

id=40867 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=68 | option_b=80 | option_c=56 | option_d=69 | answer=A | explanation=The common difference is 12. Therefore the next term is 56 + 12 = 68.

id=40868 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:19 and the first is 42, what is the second? | option_a=99 | option_b=57 | option_c=38 | option_d=71 | answer=B | explanation=Scale factor = 42/14 = 3. Therefore second quantity = 19×3 = 57.

id=40869 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=200 | option_c=105 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=40870 | topic=Percentages | difficulty=Easy | question=What is 10% of 741? | option_a=79 | option_b=148 | option_c=74 | option_d=54 | answer=C | explanation=10% of 741 = (10/100) × 741 = 74.

id=40871 | topic=Percentages | difficulty=Easy | question=What is 25% of 1574? | option_a=398 | option_b=786 | option_c=393 | option_d=383 | answer=C | explanation=25% of 1574 = (25/100) × 1574 = 393.

id=40872 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4026. If it is sold at a profit of 25%, what is its selling price? | option_a=4051 | option_b=5434 | option_c=4630 | option_d=5032 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4026 × 125/100 = ■5032.

id=40873 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4274. If it is sold at a profit of 25%, what is its selling price? | option_a=5769 | option_b=5342 | option_c=4915 | option_d=4299 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4274 × 125/100 = ■5342.

id=40874 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■330. If it is sold at a profit of 10%, what is its selling price? | option_a=330 | option_b=340 | option_c=396 | option_d=363 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 330 × 110/100 = ■363.

id=40875 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=59 | option_b=60 | option_c=48 | option_d=70 | answer=A | explanation=The common difference is 11. Therefore the next term is 48 + 11 = 59.

id=40876 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=X | option_b=R | option_c=A | option_d=U | answer=A | explanation=Move 3 positions forward from U; the resulting letter is X.

id=40877 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 29, 38, 48? | option_a=48 | option_b=20 | option_c=29 | option_d=38 | answer=A | explanation=The first three numbers increase by 9, so the next should be 47. Therefore 48 is the odd one out.

id=40878 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4370. If it is sold at a profit of 10%, what is its selling price? | option_a=4807 | option_b=5244 | option_c=4370 | option_d=4380 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4370 × 110/100 = ■4807.

id=40879 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=40880 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:20 and the first is 152, what is the second? | option_a=160 | option_b=312 | option_c=179 | option_d=140 | answer=A | explanation=Scale factor = 152/19 = 8. Therefore second quantity = 20×8 = 160.

id=40881 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■13942 at 5% per annum for 1 years. | option_a=697 | option_b=597 | option_c=14639 | option_d=797 | answer=A | explanation=SI = PRT/100 = 13942×5×1/100 = ■697.

id=40882 | topic=Averages | difficulty=Easy | question=Find the average of 21, 45, 67, 65, 86, 64, 65. | option_a=61 | option_b=60 | option_c=58 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 413 ÷ 7 = 59.

id=40883 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:2 and the first is 221, what is the second? | option_a=247 | option_b=24 | option_c=26 | option_d=43 | answer=C | explanation=Scale factor = 221/17 = 13. Therefore second quantity = 2×13 = 26.

id=40884 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:2 and the first is 55, what is the second? | option_a=65 | option_b=8 | option_c=21 | option_d=10 | answer=D | explanation=Scale factor = 55/11 = 5. Therefore second quantity = 2×5 = 10.

id=40885 | topic=Percentages | difficulty=Easy | question=What is 15% of 246? | option_a=26 | option_b=36 | option_c=41 | option_d=72 | answer=B | explanation=15% of 246 = (15/100) × 246 = 36.

id=40886 | topic=Averages | difficulty=Easy | question=Find the average of 38, 91, 57, 43, 27, 86, 57, 81. | option_a=62 | option_b=61 | option_c=60 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 480 ÷ 8 = 60.

id=40887 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 10. | option_a=140 | option_b=84 | option_c=70 | option_d=60 | answer=C | explanation=LCM × HCF = 14×10; HCF(14,10) = 2, so LCM = 70.

id=40888 | topic=Averages | difficulty=Easy | question=Find the average of 55, 36, 58, 84, 16, 11, 41, 99. | option_a=51 | option_b=49 | option_c=52 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 400 ÷ 8 = 50.

id=40889 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 33, 43, 55? | option_a=33 | option_b=55 | option_c=43 | option_d=23 | answer=B | explanation=The first three numbers increase by 10, so the next should be 53. Therefore 55 is the odd one out.

id=40890 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=100 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

Aptitude Questions — Records 40,891-40,920 of 100,000

id=40891 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=40892 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4278. If it is sold at a profit of 20%, what is its selling price? | option_a=5560 | option_b=5133 | option_c=4298 | option_d=4706 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4278 × 120/100 = █5133.

id=40893 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 27? | option_a=27 | option_b=12 | option_c=6 | option_d=18 | answer=A | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 27 is the odd one out.

id=40894 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4445. If it is sold at a profit of 10%, what is its selling price? | option_a=5333 | option_b=4455 | option_c=4445 | option_d=4889 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4445 × 110/100 = █4889.

id=40895 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 20. | option_a=96 | option_b=60 | option_c=80 | option_d=320 | answer=C | explanation=LCM × HCF = 16×20; HCF(16,20) = 4, so LCM = 80.

id=40896 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=U | option_b=R | option_c=O | option_d=L | answer=B | explanation=Move 3 positions forward from O; the resulting letter is R.

id=40897 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=40898 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=E | option_c=H | option_d=G | answer=D | explanation=Move 1 positions forward from F; the resulting letter is G.

id=40899 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=40900 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27176 at 12% per annum for 3 years. | option_a=9783 | option_b=9683 | option_c=36959 | option_d=9883 | answer=A | explanation=SI = PRT/100 = 27176×12×3/100 = █9783.

id=40901 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=11 | option_b=12 | option_c=8 | option_d=10 | answer=D | explanation=The common difference is 2. Therefore the next term is 8 + 2 = 10.

id=40902 | topic=Percentages | difficulty=Easy | question=What is 10% of 1823? | option_a=177 | option_b=182 | option_c=187 | option_d=364 | answer=B | explanation=10% of 1823 = (10/100) × 1823 = 182.

id=40903 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=144 | option_c=67 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=40904 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:16 and the first is 266, what is the second? | option_a=208 | option_b=490 | option_c=243 | option_d=224 | answer=D | explanation=Scale factor = 266/19 = 14. Therefore second quantity = 16×14 = 224.

id=40905 | topic=Percentages | difficulty=Easy | question=What is 20% of 1696? | option_a=678 | option_b=329 | option_c=349 | option_d=339 | answer=D | explanation=20% of 1696 = (20/100) × 1696 = 339.

id=40906 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14384 at 15% per annum for 2 years. | option_a=4215 | option_b=4415 | option_c=4315 | option_d=18699 | answer=C | explanation=SI = PRT/100 = 14384×15×2/100 = █4315.

id=40907 | topic=Averages | difficulty=Easy | question=Find the average of 67, 59, 66, 73, 14, 81, 22, 50. | option_a=54 | option_b=55 | option_c=56 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 432 ÷ 8 = 54.

id=40908 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38790 at 12% per annum for 4 years. | option_a=18619 | option_b=18519 | option_c=57409 | option_d=18719 | answer=A | explanation=SI = PRT/100 = 38790×12×4/100 = █18619.

id=40909 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=25 | option_b=21 | option_c=24 | option_d=27 | answer=C | explanation=The common difference is 3. Therefore the next term is 21 + 3 = 24.

id=40910 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 24. | option_a=264 | option_b=528 | option_c=240 | option_d=286 | answer=A | explanation=LCM × HCF = 22×24; HCF(22,24) = 2, so LCM = 264.

id=40911 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=H | option_b=N | option_c=K | option_d=Q | answer=B | explanation=Move 3 positions forward from K; the resulting letter is N.

id=40912 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 21. | option_a=126 | option_b=48 | option_c=21 | option_d=42 | answer=D | explanation=LCM × HCF = 6×21; HCF(6,21) = 3, so LCM = 42.

id=40913 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=13 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=40914 | topic=Percentages | difficulty=Easy | question=What is 50% of 904? | option_a=452 | option_b=457 | option_c=904 | option_d=442 | answer=A | explanation=50% of 904 = (50/100) × 904 = 452.

id=40915 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=11 | option_b=8 | option_c=10 | option_d=12 | answer=C | explanation=The common difference is 2. Therefore the next term is 8 + 2 = 10.

id=40916 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=36 | option_b=54 | option_c=45 | option_d=46 | answer=C | explanation=The common difference is 9. Therefore the next term is 36 + 9 = 45.

id=40917 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=100 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=40918 | topic=Percentages | difficulty=Easy | question=What is 10% of 943? | option_a=94 | option_b=84 | option_c=188 | option_d=114 | answer=A | explanation=10% of 943 = (10/100) × 943 = 94.

id=40919 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:13 and the first is 39, what is the second? | option_a=78 | option_b=39 | option_c=26 | option_d=52 | answer=B | explanation=Scale factor = 39/13 = 3. Therefore second quantity = 13×3 = 39.

id=40920 | topic=Profit & Loss | difficulty=Easy | question=An article costs █391. If it is sold at a profit of 50%, what is its selling price? | option_a=625 | option_b=547 | option_c=441 | option_d=586 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 391 × 150/100 = █586.

Aptitude Questions — Records 40,921-40,950 of 100,000

id=40921 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1591. If it is sold at a profit of 10%, what is its selling price? | option_a=1601 | option_b=1591 | option_c=1750 | option_d=1909 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1591 × 110/100 = █1750.

id=40922 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:17 and the first is 96, what is the second? | option_a=119 | option_b=148 | option_c=232 | option_d=136 | answer=D | explanation=Scale factor = 96/12 = 8. Therefore second quantity = 17×8 = 136.

id=40923 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=40924 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 4. | option_a=28 | option_b=24 | option_c=112 | option_d=56 | answer=A | explanation=LCM × HCF = 28×4; HCF(28,4) = 4, so LCM = 28.

id=40925 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2495. If it is sold at a profit of 10%, what is its selling price? | option_a=2993 | option_b=2744 | option_c=2495 | option_d=2505 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2495 × 110/100 = █2744.

id=40926 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=G | option_c=E | option_d=F | answer=B | explanation=Move 1 positions forward from F; the resulting letter is G.

id=40927 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26847 at 4% per annum for 4 years. | option_a=4295 | option_b=4195 | option_c=31142 | option_d=4395 | answer=A | explanation=SI = PRT/100 = 26847×4×4/100 = █4295.

id=40928 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 29? | option_a=19 | option_b=5 | option_c=12 | option_d=29 | answer=D | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 29 is the odd one out.

id=40929 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 28, 36, 45? | option_a=28 | option_b=45 | option_c=20 | option_d=36 | answer=B | explanation=The first three numbers increase by 8, so the next should be 44. Therefore 45 is the odd one out.

id=40930 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:1 and the first is 4, what is the second? | option_a=4 | option_b=3 | option_c=5 | option_d=8 | answer=A | explanation=Scale factor = 4/1 = 4. Therefore second quantity = 1×4 = 4.

id=40931 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 44? | option_a=44 | option_b=35 | option_c=28 | option_d=21 | answer=A | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 44 is the odd one out.

id=40932 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=40933 | topic=Percentages | difficulty=Easy | question=What is 10% of 882? | option_a=98 | option_b=88 | option_c=176 | option_d=68 | answer=B | explanation=10% of 882 = (10/100) × 882 = 88.

id=40934 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:1 and the first is 8, what is the second? | option_a=4 | option_b=12 | option_c=6 | option_d=3 | answer=A | explanation=Scale factor = 8/2 = 4. Therefore second quantity = 1×4 = 4.

id=40935 | topic=Percentages | difficulty=Easy | question=What is 30% of 592? | option_a=354 | option_b=167 | option_c=197 | option_d=177 | answer=D | explanation=30% of 592 = (30/100) × 592 = 177.

id=40936 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=40937 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:1 and the first is 3, what is the second? | option_a=3 | option_b=4 | option_c=2 | option_d=6 | answer=A | explanation=Scale factor = 3/1 = 3. Therefore second quantity = 1×3 = 3.

id=40938 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:6 and the first is 80, what is the second? | option_a=42 | option_b=58 | option_c=48 | option_d=128 | answer=C | explanation=Scale factor = 80/10 = 8. Therefore second quantity = 6×8 = 48.

id=40939 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23674 at 4% per annum for 4 years. | option_a=27461 | option_b=3887 | option_c=3787 | option_d=3687 | answer=C | explanation=SI = PRT/100 = 23674×4×4/100 = █3787.

id=40940 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44050 at 5% per annum for 1 years. | option_a=2302 | option_b=2102 | option_c=2202 | option_d=46252 | answer=C | explanation=SI = PRT/100 = 44050×5×1/100 = █2202.

id=40941 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7864 at 4% per annum for 2 years. | option_a=729 | option_b=629 | option_c=8493 | option_d=529 | answer=B | explanation=SI = PRT/100 = 7864×4×2/100 = █629.

id=40942 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:14 and the first is 84, what is the second? | option_a=280 | option_b=202 | option_c=196 | option_d=182 | answer=C | explanation=Scale factor = 84/6 = 14. Therefore second quantity = 14×14 = 196.

id=40943 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=A | option_b=U | option_c=R | option_d=X | answer=D | explanation=Move 3 positions forward from U; the resulting letter is X.

id=40944 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35670 at 4% per annum for 5 years. | option_a=7034 | option_b=7134 | option_c=42804 | option_d=7234 | answer=B | explanation=SI = PRT/100 = 35670×4×5/100 = █7134.

id=40945 | topic=Averages | difficulty=Easy | question=Find the average of 94, 90, 45, 57, 29. | option_a=65 | option_b=62 | option_c=64 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 315 ÷ 5 = 63.

id=40946 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1444. If it is sold at a profit of 15%, what is its selling price? | option_a=1516 | option_b=1660 | option_c=1804 | option_d=1459 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1444 × 115/100 = █1660.

id=40947 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=G | option_b=M | option_c=I | option_d=K | answer=D | explanation=Move 2 positions forward from I; the resulting letter is K.

id=40948 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=40949 | topic=Averages | difficulty=Easy | question=Find the average of 22, 82, 31, 95, 90, 89, 53. | option_a=65 | option_b=67 | option_c=66 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 462 ÷ 7 = 66.

id=40950 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:10 and the first is 72, what is the second? | option_a=110 | option_b=126 | option_c=192 | option_d=120 | answer=D | explanation=Scale factor = 72/6 = 12. Therefore second quantity = 10×12 = 120.

Aptitude Questions — Records 40,951-40,980 of 100,000

id=40951 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3610. If it is sold at a profit of 15%, what is its selling price? | option_a=3625 | option_b=3790 | option_c=4512 | option_d=4151 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3610 × 115/100 = █4151.

id=40952 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=G | option_c=S | option_d=O | answer=D | explanation=Move 4 positions forward from K; the resulting letter is O.

id=40953 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=U | option_c=Q | option_d=I | answer=C | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=40954 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=4 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=40955 | topic=Percentages | difficulty=Easy | question=What is 50% of 1097? | option_a=553 | option_b=548 | option_c=538 | option_d=1096 | answer=B | explanation=50% of 1097 = (50/100) × 1097 = 548.

id=40956 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 34? | option_a=28 | option_b=34 | option_c=25 | option_d=22 | answer=B | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 34 is the odd one out.

id=40957 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2732. If it is sold at a profit of 20%, what is its selling price? | option_a=2752 | option_b=3551 | option_c=3278 | option_d=3005 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2732 × 120/100 = █3278.

id=40958 | topic=Percentages | difficulty=Easy | question=What is 20% of 910? | option_a=187 | option_b=364 | option_c=177 | option_d=182 | answer=D | explanation=20% of 910 = (20/100) × 910 = 182.

id=40959 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:12 and the first is 220, what is the second? | option_a=120 | option_b=152 | option_c=132 | option_d=352 | answer=C | explanation=Scale factor = 220/20 = 11. Therefore second quantity = 12×11 = 132.

id=40960 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3355. If it is sold at a profit of 50%, what is its selling price? | option_a=3405 | option_b=4697 | option_c=5367 | option_d=5032 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3355 × 150/100 = █5032.

id=40961 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=S | option_c=P | option_d=R | answer=D | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=40962 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 16. | option_a=32 | option_b=16 | option_c=18 | option_d=1 | answer=B | explanation=LCM × HCF = 2×16; HCF(2,16) = 2, so LCM = 16.

id=40963 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25499 at 10% per annum for 3 years. | option_a=7649 | option_b=7749 | option_c=7549 | option_d=33148 | answer=A | explanation=SI = PRT/100 = 25499×10×3/100 = █7649.

id=40964 | topic=Percentages | difficulty=Easy | question=What is 25% of 550? | option_a=274 | option_b=137 | option_c=127 | option_d=142 | answer=B | explanation=25% of 550 = (25/100) × 550 = 137.

id=40965 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=L | option_b=N | option_c=O | option_d=M | answer=B | explanation=Move 1 positions forward from M; the resulting letter is N.

id=40966 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=38 | option_b=26 | option_c=33 | option_d=32 | answer=D | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=40967 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39894 at 15% per annum for 1 years. | option_a=5984 | option_b=5884 | option_c=45878 | option_d=6084 | answer=A | explanation=SI = PRT/100 = 39894×15×1/100 = █5984.

id=40968 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14930 at 12% per annum for 4 years. | option_a=22096 | option_b=7166 | option_c=7266 | option_d=7066 | answer=B | explanation=SI = PRT/100 = 14930×12×4/100 = █7166.

id=40969 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=40970 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2606. If it is sold at a profit of 40%, what is its selling price? | option_a=3388 | option_b=3908 | option_c=3648 | option_d=2646 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2606 × 140/100 = █3648.

id=40971 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 24, 27, 31? | option_a=21 | option_b=27 | option_c=24 | option_d=31 | answer=D | explanation=The first three numbers increase by 3, so the next should be 30. Therefore 31 is the odd one out.

id=40972 | topic=Percentages | difficulty=Easy | question=What is 15% of 447? | option_a=67 | option_b=72 | option_c=134 | option_d=57 | answer=A | explanation=15% of 447 = (15/100) × 447 = 67.

id=40973 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=28 | option_b=22 | option_c=32 | option_d=27 | answer=D | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.

id=40974 | topic=Percentages | difficulty=Easy | question=What is 40% of 908? | option_a=726 | option_b=343 | option_c=363 | option_d=373 | answer=C | explanation=40% of 908 = (40/100) × 908 = 363.

id=40975 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 9. | option_a=63 | option_b=84 | option_c=189 | option_d=54 | answer=A | explanation=LCM × HCF = 21×9; HCF(21,9) = 3, so LCM = 63.

id=40976 | topic=Averages | difficulty=Easy | question=Find the average of 89, 84, 14, 93. | option_a=69 | option_b=70 | option_c=72 | option_d=71 | answer=B | explanation=Average = sum of values ÷ number of values = 280 ÷ 4 = 70.

id=40977 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 16. | option_a=96 | option_b=224 | option_c=112 | option_d=126 | answer=C | explanation=LCM × HCF = 14×16; HCF(14,16) = 2, so LCM = 112.

id=40978 | topic=Averages | difficulty=Easy | question=Find the average of 70, 99, 45, 33, 22, 11, 84. | option_a=54 | option_b=53 | option_c=52 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 364 ÷ 7 = 52.

id=40979 | topic=Profit & Loss | difficulty=Easy | question=An article costs █287. If it is sold at a profit of 20%, what is its selling price? | option_a=307 | option_b=344 | option_c=316 | option_d=372 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 287 × 120/100 = █344.

id=40980 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 42? | option_a=42 | option_b=30 | option_c=25 | option_d=35 | answer=A | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 42 is the odd one out.

Aptitude Questions — Records 40,981-41,010 of 100,000

id=40981 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 9, 13, 19? | option_a=5 | option_b=19 | option_c=13 | option_d=9 | answer=B | explanation=The first three numbers increase by 4, so the next should be 17. Therefore 19 is the odd one out.

id=40982 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4854. If it is sold at a profit of 30%, what is its selling price? | option_a=4884 | option_b=5825 | option_c=6310 | option_d=6795 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4854 × 130/100 = █6310.

id=40983 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=23 | option_b=18 | option_c=22 | option_d=26 | answer=C | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

id=40984 | topic=Averages | difficulty=Easy | question=Find the average of 12, 41, 10, 77, 41, 78, 65, 64, 59, 73. | option_a=53 | option_b=52 | option_c=51 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 520 ÷ 10 = 52.

id=40985 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:10 and the first is 68, what is the second? | option_a=238 | option_b=174 | option_c=170 | option_d=160 | answer=C | explanation=Scale factor = 68/4 = 17. Therefore second quantity = 10×17 = 170.

id=40986 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 18. | option_a=1 | option_b=18 | option_c=27 | option_d=162 | answer=B | explanation=LCM × HCF = 9×18; HCF(9,18) = 9, so LCM = 18.

id=40987 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4393. If it is sold at a profit of 15%, what is its selling price? | option_a=5051 | option_b=5490 | option_c=4408 | option_d=4612 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4393 × 115/100 = █5051.

id=40988 | topic=Percentages | difficulty=Easy | question=What is 25% of 504? | option_a=126 | option_b=252 | option_c=146 | option_d=106 | answer=A | explanation=25% of 504 = (25/100) × 504 = 126.

id=40989 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 51? | option_a=41 | option_b=33 | option_c=25 | option_d=51 | answer=D | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 51 is the odd one out.

id=40990 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 6. | option_a=48 | option_b=64 | option_c=42 | option_d=96 | answer=A | explanation=LCM × HCF = 16×6; HCF(16,6) = 2, so LCM = 48.

id=40991 | topic=Percentages | difficulty=Easy | question=What is 12% of 1036? | option_a=248 | option_b=104 | option_c=134 | option_d=124 | answer=D | explanation=12% of 1036 = (12/100) × 1036 = 124.

id=40992 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=90 | option_c=180 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=40993 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:4 and the first is 45, what is the second? | option_a=65 | option_b=29 | option_c=20 | option_d=16 | answer=C | explanation=Scale factor = 45/9 = 5. Therefore second quantity = 4×5 = 20.

id=40994 | topic=Averages | difficulty=Easy | question=Find the average of 62, 56, 53, 50, 70, 51, 92, 73, 86, 17. | option_a=62 | option_b=61 | option_c=60 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 610 ÷ 10 = 61.

id=40995 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=25 | option_c=40 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=40996 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7728 at 4% per annum for 2 years. | option_a=718 | option_b=618 | option_c=8346 | option_d=518 | answer=B | explanation=SI = PRT/100 = 7728×4×2/100 = █618.

id=40997 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 21. | option_a=144 | option_b=126 | option_c=105 | option_d=378 | answer=B | explanation=LCM × HCF = 18×21; HCF(18,21) = 3, so LCM = 126.

id=40998 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=40999 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=41000 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:4 and the first is 234, what is the second? | option_a=48 | option_b=286 | option_c=70 | option_d=52 | answer=D | explanation=Scale factor = 234/18 = 13. Therefore second quantity = 4×13 = 52.

id=41001 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 26, 34, 42, ? | option_a=42 | option_b=51 | option_c=50 | option_d=58 | answer=C | explanation=The common difference is 8. Therefore the next term is 42 + 8 = 50.

id=41002 | topic=Percentages | difficulty=Easy | question=What is 25% of 1836? | option_a=918 | option_b=479 | option_c=449 | option_d=459 | answer=D | explanation=25% of 1836 = (25/100) × 1836 = 459.

id=41003 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=18 | option_d=13 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=41004 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4212. If it is sold at a profit of 25%, what is its selling price? | option_a=4237 | option_b=5265 | option_c=4844 | option_d=5686 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4212 × 125/100 = █5265.

id=41005 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:19 and the first is 306, what is the second? | option_a=359 | option_b=323 | option_c=342 | option_d=648 | answer=C | explanation=Scale factor = 306/17 = 18. Therefore second quantity = 19×18 = 342.

id=41006 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1739. If it is sold at a profit of 15%, what is its selling price? | option_a=2172 | option_b=1999 | option_c=1826 | option_d=1754 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1739 × 115/100 = █1999.

id=41007 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=70 | option_c=80 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=41008 | topic=Averages | difficulty=Easy | question=Find the average of 11, 79, 25, 44, 19, 80. | option_a=43 | option_b=44 | option_c=45 | option_d=42 | answer=A | explanation=Average = sum of values ÷ number of values = 258 ÷ 6 = 43.

id=41009 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 36? | option_a=30 | option_b=22 | option_c=26 | option_d=36 | answer=D | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 36 is the odd one out.

id=41010 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1578. If it is sold at a profit of 50%, what is its selling price? | option_a=1628 | option_b=2210 | option_c=2367 | option_d=2524 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1578 × 150/100 = █2367.

Aptitude Questions — Records 41,011-41,040 of 100,000

id=41011 | topic=Percentages | difficulty=Easy | question=What is 12% of 300? | option_a=46 | option_b=16 | option_c=72 | option_d=36 | answer=D | explanation=12% of 300 = (12/100) × 300 = 36.

id=41012 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1497. If it is sold at a profit of 50%, what is its selling price? | option_a=2394 | option_b=2096 | option_c=1547 | option_d=2245 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1497 × 150/100 = █2245.

id=41013 | topic=Profit & Loss | difficulty=Easy | question=An article costs █376. If it is sold at a profit of 5%, what is its selling price? | option_a=431 | option_b=357 | option_c=394 | option_d=381 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 376 × 105/100 = █394.

id=41014 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=U | option_b=Q | option_c=I | option_d=M | answer=B | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=41015 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35468 at 6% per annum for 3 years. | option_a=6284 | option_b=6484 | option_c=41852 | option_d=6384 | answer=D | explanation=SI = PRT/100 = 35468×6×3/100 = █6384.

id=41016 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=H | option_c=K | option_d=J | answer=D | explanation=Move 1 positions forward from I; the resulting letter is J.

id=41017 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:15 and the first is 128, what is the second? | option_a=225 | option_b=248 | option_c=368 | option_d=240 | answer=D | explanation=Scale factor = 128/8 = 16. Therefore second quantity = 15×16 = 240.

id=41018 | topic=Averages | difficulty=Easy | question=Find the average of 86, 11, 95, 43, 25, 41, 11, 89, 20, 99. | option_a=54 | option_b=51 | option_c=53 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 520 ÷ 10 = 52.

id=41019 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1337 at 10% per annum for 2 years. | option_a=367 | option_b=1604 | option_c=267 | option_d=167 | answer=C | explanation=SI = PRT/100 = 1337×10×2/100 = █267.

id=41020 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37947 at 4% per annum for 1 years. | option_a=39464 | option_b=1417 | option_c=1517 | option_d=1617 | answer=C | explanation=SI = PRT/100 = 37947×4×1/100 = █1517.

id=41021 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=X | option_b=P | option_c=T | option_d=L | answer=C | explanation=Move 4 positions forward from P; the resulting letter is T.

id=41022 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=61 | option_b=51 | option_c=52 | option_d=41 | answer=B | explanation=The common difference is 10. Therefore the next term is 41 + 10 = 51.

id=41023 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2797. If it is sold at a profit of 25%, what is its selling price? | option_a=3496 | option_b=3217 | option_c=3775 | option_d=2822 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2797 × 125/100 = █3496.

id=41024 | topic=Averages | difficulty=Easy | question=Find the average of 46, 97, 22, 43, 87, 67, 41, 35, 84. | option_a=59 | option_b=57 | option_c=58 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 522 ÷ 9 = 58.

id=41025 | topic=Averages | difficulty=Easy | question=Find the average of 84, 89, 30, 43, 14. | option_a=52 | option_b=54 | option_c=51 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 260 ÷ 5 = 52.

id=41026 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2996. If it is sold at a profit of 15%, what is its selling price? | option_a=3445 | option_b=3744 | option_c=3146 | option_d=3011 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2996 × 115/100 = █3445.

id=41027 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=4 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=41028 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:14 and the first is 238, what is the second? | option_a=252 | option_b=476 | option_c=224 | option_d=238 | answer=D | explanation=Scale factor = 238/14 = 17. Therefore second quantity = 14×17 = 238.

id=41029 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=47 | option_b=40 | option_c=41 | option_d=33 | answer=B | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.

id=41030 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=20 | option_c=30 | option_d=25 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=41031 | topic=Averages | difficulty=Easy | question=Find the average of 77, 57, 74, 92. | option_a=75 | option_b=77 | option_c=74 | option_d=76 | answer=A | explanation=Average = sum of values ÷ number of values = 300 ÷ 4 = 75.

id=41032 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 20, 23, 27? | option_a=20 | option_b=27 | option_c=17 | option_d=23 | answer=B | explanation=The first three numbers increase by 3, so the next should be 26. Therefore 27 is the odd one out.

id=41033 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46843 at 12% per annum for 1 years. | option_a=5521 | option_b=5721 | option_c=5621 | option_d=52464 | answer=C | explanation=SI = PRT/100 = 46843×12×1/100 = █5621.

id=41034 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25390 at 12% per annum for 1 years. | option_a=3046 | option_b=3146 | option_c=2946 | option_d=28436 | answer=A | explanation=SI = PRT/100 = 25390×12×1/100 = █3046.

id=41035 | topic=Percentages | difficulty=Easy | question=What is 25% of 311? | option_a=57 | option_b=154 | option_c=77 | option_d=82 | answer=C | explanation=25% of 311 = (25/100) × 311 = 77.

id=41036 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=41037 | topic=Averages | difficulty=Easy | question=Find the average of 12, 84, 98, 34, 20, 64. | option_a=53 | option_b=54 | option_c=51 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 312 ÷ 6 = 52.

id=41038 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 28, 36, 44, ? | option_a=44 | option_b=53 | option_c=60 | option_d=52 | answer=D | explanation=The common difference is 8. Therefore the next term is 44 + 8 = 52.

id=41039 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=41040 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=X | option_c=G | option_d=D | answer=D | explanation=Move 3 positions forward from A; the resulting letter is D.

Aptitude Questions — Records 41,041-41,070 of 100,000

id=41041 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**503. If it is sold at a profit of 5%, what is its selling price? | option_a=578 | option_b=478 | option_c=508 | option_d=528 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 503 \times 105/100 = \text{■}528$.

id=41042 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=16 | answer=A | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=41043 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=59 | option_b=50 | option_c=51 | option_d=41 | answer=B | explanation=The common difference is 9. Therefore the next term is $41 + 9 = 50$.

id=41044 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17054 at 8% per annum for 1 years. | option_a=1464 | option_b=1264 | option_c=1364 | option_d=18418 | answer=C | explanation= $SI = PRT/100 = 17054 \times 8 \times 1/100 = \text{■}1364$.

id=41045 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does "T" become? | option_a=W | option_b=Z | option_c=T | option_d=Q | answer=A | explanation=Move 3 positions forward from T; the resulting letter is W.

id=41046 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1654. If it is sold at a profit of 5%, what is its selling price? | option_a=1736 | option_b=1901 | option_c=1571 | option_d=1659 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1654 \times 105/100 = \text{■}1736$.

id=41047 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 4. | option_a=96 | option_b=48 | option_c=20 | option_d=24 | answer=D | explanation= $LCM \times HCF = 24 \times 4$; $HCF(24,4) = 4$, so $LCM = 24$.

id=41048 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=41049 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 39? | option_a=13 | option_b=29 | option_c=39 | option_d=21 | answer=C | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 39 is the odd one out.

id=41050 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4856. If it is sold at a profit of 40%, what is its selling price? | option_a=4896 | option_b=6313 | option_c=7283 | option_d=6798 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4856 \times 140/100 = \text{■}6798$.

id=41051 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 240 \div 8 = 30$ km/h.

id=41052 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:4 and the first is 117, what is the second? | option_a=153 | option_b=32 | option_c=36 | option_d=49 | answer=C | explanation=Scale factor = $117/13 = 9$. Therefore second quantity = $4 \times 9 = 36$.

id=41053 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4728. If it is sold at a profit of 10%, what is its selling price? | option_a=5200 | option_b=4738 | option_c=4728 | option_d=5672 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4728 \times 110/100 = \text{■}5200$.

id=41054 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27264 at 5% per annum for 1 years. | option_a=1363 | option_b=1263 | option_c=1463 | option_d=28627 | answer=A | explanation= $SI = PRT/100 = 27264 \times 5 \times 1/100 = \text{■}1363$.

id=41055 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**848. If it is sold at a profit of 50%, what is its selling price? | option_a=1356 | option_b=1272 | option_c=1188 | option_d=898 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 848 \times 150/100 = \text{■}1272$.

id=41056 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36654 at 8% per annum for 1 years. | option_a=2932 | option_b=3032 | option_c=39586 | option_d=2832 | answer=A | explanation= $SI = PRT/100 = 36654 \times 8 \times 1/100 = \text{■}2932$.

id=41057 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 24. | option_a=64 | option_b=24 | option_c=48 | option_d=384 | answer=C | explanation= $LCM \times HCF = 16 \times 24$; $HCF(16,24) = 8$, so $LCM = 48$.

id=41058 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 90 \div 3 = 30$ km/h.

id=41059 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=5 | option_c=15 | option_d=10 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 60 \div 6 = 10$ km/h.

id=41060 | topic=Percentages | difficulty=Easy | question=What is 20% of 1470? | option_a=314 | option_b=294 | option_c=588 | option_d=274 | answer=B | explanation= $20\% \text{ of } 1470 = (20/100) \times 1470 = 294$.

id=41061 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 30. | option_a=270 | option_b=90 | option_c=60 | option_d=99 | answer=B | explanation= $LCM \times HCF = 9 \times 30$; $HCF(9,30) = 3$, so $LCM = 90$.

id=41062 | topic=Percentages | difficulty=Easy | question=What is 10% of 1488? | option_a=158 | option_b=128 | option_c=148 | option_d=296 | answer=C | explanation= $10\% \text{ of } 1488 = (10/100) \times 1488 = 148$.

id=41063 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13266 at 12% per annum for 2 years. | option_a=16449 | option_b=3083 | option_c=3283 | option_d=3183 | answer=D | explanation= $SI = PRT/100 = 13266 \times 12 \times 2/100 = \text{■}3183$.

id=41064 | topic=Averages | difficulty=Easy | question=Find the average of 51, 95, 72, 28, 19, 57, 55, 23, 86. | option_a=54 | option_b=53 | option_c=56 | option_d=55 | answer=A | explanation=Average = $\text{sum of values} \div \text{number of values} = 486 \div 9 = 54$.

id=41065 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2025. If it is sold at a profit of 30%, what is its selling price? | option_a=2834 | option_b=2055 | option_c=2632 | option_d=2430 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2025 \times 130/100 = \text{■}2632$.

id=41066 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:17 and the first is 75, what is the second? | option_a=255 | option_b=330 | option_c=260 | option_d=238 | answer=A | explanation=Scale factor = $75/5 = 15$. Therefore second quantity = $17 \times 15 = 255$.

id=41067 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 43? | option_a=27 | option_b=43 | option_c=20 | option_d=34 | answer=B | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 43 is the odd one out.

id=41068 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=41069 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=41070 | topic=Percentages | difficulty=Easy | question=What is 5% of 1713? | option_a=75 | option_b=85 | option_c=170 | option_d=95 | answer=B | explanation= $5\% \text{ of } 1713 = (5/100) \times 1713 = 85$.

Aptitude Questions — Records 41,071-41,100 of 100,000

id=41071 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=41072 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1702. If it is sold at a profit of 10%, what is its selling price? | option_a=1702 | option_b=1872 | option_c=1712 | option_d=2042 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1702 × 110/100 = █1872.

id=41073 | topic=Percentages | difficulty=Easy | question=What is 30% of 1937? | option_a=586 | option_b=576 | option_c=581 | option_d=1162 | answer=C | explanation=30% of 1937 = (30/100) × 1937 = 581.

id=41074 | topic=Percentages | difficulty=Easy | question=What is 30% of 1576? | option_a=482 | option_b=944 | option_c=472 | option_d=467 | answer=C | explanation=30% of 1576 = (30/100) × 1576 = 472.

id=41075 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 18, 26, 35? | option_a=18 | option_b=10 | option_c=26 | option_d=35 | answer=D | explanation=The first three numbers increase by 8, so the next should be 34. Therefore 35 is the odd one out.

id=41076 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 42? | option_a=25 | option_b=18 | option_c=42 | option_d=32 | answer=C | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 42 is the odd one out.

id=41077 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=41078 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=31 | option_b=32 | option_c=36 | option_d=26 | answer=A | explanation=The common difference is 5. Therefore the next term is 26 + 5 = 31.

id=41079 | topic=Percentages | difficulty=Easy | question=What is 50% of 1564? | option_a=782 | option_b=762 | option_c=1564 | option_d=792 | answer=A | explanation=50% of 1564 = (50/100) × 1564 = 782.

id=41080 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 15. | option_a=30 | option_b=15 | option_c=450 | option_d=60 | answer=A | explanation=LCM × HCF = 30×15; HCF(30,15) = 15, so LCM = 30.

id=41081 | topic=Averages | difficulty=Easy | question=Find the average of 53, 16, 92, 39. | option_a=50 | option_b=49 | option_c=51 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 200 ÷ 4 = 50.

id=41082 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31095 at 6% per annum for 4 years. | option_a=7462 | option_b=7562 | option_c=7362 | option_d=38557 | answer=A | explanation=SI = PRT/100 = 31095×6×4/100 = █7462.

id=41083 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 31, 42, 53, ? | option_a=53 | option_b=65 | option_c=75 | option_d=64 | answer=D | explanation=The common difference is 11. Therefore the next term is 53 + 11 = 64.

id=41084 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=41085 | topic=Percentages | difficulty=Easy | question=What is 5% of 1502? | option_a=75 | option_b=70 | option_c=80 | option_d=150 | answer=A | explanation=5% of 1502 = (5/100) × 1502 = 75.

id=41086 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:19 and the first is 60, what is the second? | option_a=361 | option_b=383 | option_c=440 | option_d=380 | answer=D | explanation=Scale factor = 60/3 = 20. Therefore second quantity = 19×20 = 380.

id=41087 | topic=Percentages | difficulty=Easy | question=What is 5% of 719? | option_a=40 | option_b=35 | option_c=30 | option_d=70 | answer=B | explanation=5% of 719 = (5/100) × 719 = 35.

id=41088 | topic=Percentages | difficulty=Easy | question=What is 15% of 1336? | option_a=400 | option_b=200 | option_c=220 | option_d=195 | answer=B | explanation=15% of 1336 = (15/100) × 1336 = 200.

id=41089 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=30 | option_b=26 | option_c=29 | option_d=28 | answer=D | explanation=The common difference is 2. Therefore the next term is 26 + 2 = 28.

id=41090 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29660 at 5% per annum for 5 years. | option_a=37075 | option_b=7515 | option_c=7415 | option_d=7315 | answer=C | explanation=SI = PRT/100 = 29660×5×5/100 = █7415.

id=41091 | topic=Percentages | difficulty=Easy | question=What is 12% of 1045? | option_a=250 | option_b=145 | option_c=115 | option_d=125 | answer=D | explanation=12% of 1045 = (12/100) × 1045 = 125.

id=41092 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:11 and the first is 57, what is the second? | option_a=198 | option_b=212 | option_c=266 | option_d=209 | answer=D | explanation=Scale factor = 57/3 = 19. Therefore second quantity = 11×19 = 209.

id=41093 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 43? | option_a=31 | option_b=43 | option_c=11 | option_d=21 | answer=B | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 43 is the odd one out.

id=41094 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:13 and the first is 160, what is the second? | option_a=290 | option_b=130 | option_c=146 | option_d=117 | answer=B | explanation=Scale factor = 160/16 = 10. Therefore second quantity = 13×10 = 130.

id=41095 | topic=Percentages | difficulty=Easy | question=What is 25% of 276? | option_a=74 | option_b=69 | option_c=138 | option_d=64 | answer=B | explanation=25% of 276 = (25/100) × 276 = 69.

id=41096 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=24 | option_c=48 | option_d=19 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=41097 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2280. If it is sold at a profit of 20%, what is its selling price? | option_a=2736 | option_b=2300 | option_c=2964 | option_d=2508 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2280 × 120/100 = █2736.

id=41098 | topic=Percentages | difficulty=Easy | question=What is 20% of 1129? | option_a=225 | option_b=215 | option_c=235 | option_d=450 | answer=A | explanation=20% of 1129 = (20/100) × 1129 = 225.

id=41099 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=41100 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:12 and the first is 288, what is the second? | option_a=480 | option_b=210 | option_c=192 | option_d=180 | answer=C | explanation=Scale factor = 288/18 = 16. Therefore second quantity = 12×16 = 192.

Aptitude Questions — Records 41,101-41,130 of 100,000

id=41101 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12413 at 12% per annum for 2 years. | option_a=3079 | option_b=15392 | option_c=2979 | option_d=2879 | answer=C | explanation=SI = $PRT/100 = 12413 \times 12 \times 2/100 = \text{■}2979$.

id=41102 | topic=Percentages | difficulty=Easy | question=What is 12% of 653? | option_a=156 | option_b=78 | option_c=88 | option_d=73 | answer=B | explanation=12% of 653 = $(12/100) \times 653 = 78$.

id=41103 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=55 | option_c=100 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = $150 \div 3 = 50$ km/h.

id=41104 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 8. | option_a=10 | option_b=16 | option_c=1 | option_d=8 | answer=D | explanation=LCM $\times$ HCF = 2×8 ; $HCF(2,8) = 2$, so LCM = 8.

id=41105 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 27. | option_a=108 | option_b=150 | option_c=405 | option_d=135 | answer=D | explanation=LCM $\times$ HCF = 15×27 ; $HCF(15,27) = 3$, so LCM = 135.

id=41106 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12606 at 6% per annum for 1 years. | option_a=656 | option_b=856 | option_c=756 | option_d=13362 | answer=C | explanation=SI = $PRT/100 = 12606 \times 6 \times 1/100 = \text{■}756$.

id=41107 | topic=Averages | difficulty=Easy | question=Find the average of 18, 34, 36, 49, 33, 73, 19, 81, 26. | option_a=42 | option_b=40 | option_c=41 | option_d=43 | answer=C | explanation=Average = sum of values ÷ number of values = $369 \div 9 = 41$.

id=41108 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28876 at 8% per annum for 3 years. | option_a=35806 | option_b=6830 | option_c=7030 | option_d=6930 | answer=D | explanation=SI = $PRT/100 = 28876 \times 8 \times 3/100 = \text{■}6930$.

id=41109 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=A | option_c=M | option_d=E | answer=A | explanation=Move 4 positions forward from E; the resulting letter is I.

id=41110 | topic=Averages | difficulty=Easy | question=Find the average of 71, 55, 84, 19, 23, 48, 13, 18, 47. | option_a=44 | option_b=41 | option_c=43 | option_d=42 | answer=D | explanation=Average = sum of values ÷ number of values = $378 \div 9 = 42$.

id=41111 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=24 | option_d=29 | answer=C | explanation=Speed = distance ÷ time = $120 \div 5 = 24$ km/h.

id=41112 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40482 at 6% per annum for 1 years. | option_a=2528 | option_b=2328 | option_c=42910 | option_d=2428 | answer=D | explanation=SI = $PRT/100 = 40482 \times 6 \times 1/100 = \text{■}2428$.

id=41113 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=40 | option_b=41 | option_c=31 | option_d=49 | answer=A | explanation=The common difference is 9. Therefore the next term is $31 + 9 = 40$.

id=41114 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17698 at 12% per annum for 5 years. | option_a=10518 | option_b=10618 | option_c=28316 | option_d=10718 | answer=B | explanation=SI = $PRT/100 = 17698 \times 12 \times 5/100 = \text{■}10618$.

id=41115 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=85 | option_c=95 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = $360 \div 4 = 90$ km/h.

id=41116 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=15 | option_b=11 | option_c=14 | option_d=13 | answer=D | explanation=The common difference is 2. Therefore the next term is $11 + 2 = 13$.

id=41117 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11430 at 5% per annum for 3 years. | option_a=1614 | option_b=1814 | option_c=1714 | option_d=13144 | answer=C | explanation=SI = $PRT/100 = 11430 \times 5 \times 3/100 = \text{■}1714$.

id=41118 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39553 at 12% per annum for 5 years. | option_a=23831 | option_b=63284 | option_c=23731 | option_d=23631 | answer=C | explanation=SI = $PRT/100 = 39553 \times 12 \times 5/100 = \text{■}23731$.

id=41119 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=7 | option_d=24 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=41120 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:6 and the first is 4, what is the second? | option_a=12 | option_b=16 | option_c=6 | option_d=14 | answer=A | explanation=Scale factor = $4/2 = 2$. Therefore second quantity = $6 \times 2 = 12$.

id=41121 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:10 and the first is 54, what is the second? | option_a=69 | option_b=114 | option_c=60 | option_d=50 | answer=C | explanation=Scale factor = $54/9 = 6$. Therefore second quantity = $10 \times 6 = 60$.

id=41122 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=N | option_c=T | option_d=W | answer=C | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=41123 | topic=Percentages | difficulty=Easy | question=What is 25% of 1274? | option_a=318 | option_b=313 | option_c=323 | option_d=636 | answer=A | explanation=25% of 1274 = $(25/100) \times 1274 = 318$.

id=41124 | topic=Percentages | difficulty=Easy | question=What is 40% of 1483? | option_a=603 | option_b=1186 | option_c=583 | option_d=593 | answer=D | explanation=40% of 1483 = $(40/100) \times 1483 = 593$.

id=41125 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.

id=41126 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 34? | option_a=17 | option_b=34 | option_c=9 | option_d=25 | answer=B | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 34 is the odd one out.

id=41127 | topic=Averages | difficulty=Easy | question=Find the average of 94, 84, 60, 90, 17, 88, 100, 37, 42. | option_a=67 | option_b=68 | option_c=70 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = $612 \div 9 = 68$.

id=41128 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2603. If it is sold at a profit of 10%, what is its selling price? | option_a=2603 | option_b=2863 | option_c=2613 | option_d=3123 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2603 \times 110/100 = \text{■}2863$.

id=41129 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=O | option_c=K | option_d=M | answer=B | explanation=Move 2 positions forward from M; the resulting letter is O.

id=41130 | topic=Percentages | difficulty=Easy | question=What is 15% of 1613? | option_a=261 | option_b=482 | option_c=241 | option_d=231 | answer=C | explanation=15% of 1613 = $(15/100) \times 1613 = 241$.

Aptitude Questions — Records 41,131-41,160 of 100,000

id=41131 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4374. If it is sold at a profit of 30%, what is its selling price? | option_a=5686 | option_b=4404 | option_c=5249 | option_d=6123 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4374 × 130/100 = █5686.

id=41132 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 15, 18, 23? | option_a=12 | option_b=15 | option_c=23 | option_d=18 | answer=C | explanation=The first three numbers increase by 3, so the next should be 21. Therefore 23 is the odd one out.

id=41133 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:19 and the first is 120, what is the second? | option_a=310 | option_b=202 | option_c=190 | option_d=171 | answer=C | explanation=Scale factor = 120/12 = 10. Therefore second quantity = 19×10 = 190.

id=41134 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=O | option_b=M | option_c=N | option_d=P | answer=A | explanation=Move 1 positions forward from N; the resulting letter is O.

id=41135 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 39? | option_a=21 | option_b=26 | option_c=31 | option_d=39 | answer=D | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 39 is the odd one out.

id=41136 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=B | option_c=D | option_d=H | answer=A | explanation=Move 2 positions forward from D; the resulting letter is F.

id=41137 | topic=Averages | difficulty=Easy | question=Find the average of 18, 56, 83, 44, 89, 25, 57, 56, 13. | option_a=51 | option_b=49 | option_c=50 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 441 ÷ 9 = 49.

id=41138 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3211. If it is sold at a profit of 10%, what is its selling price? | option_a=3532 | option_b=3211 | option_c=3853 | option_d=3221 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3211 × 110/100 = █3532.

id=41139 | topic=Percentages | difficulty=Easy | question=What is 10% of 1123? | option_a=92 | option_b=112 | option_c=224 | option_d=132 | answer=B | explanation=10% of 1123 = (10/100) × 1123 = 112.

id=41140 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:13 and the first is 180, what is the second? | option_a=310 | option_b=117 | option_c=130 | option_d=148 | answer=C | explanation=Scale factor = 180/18 = 10. Therefore second quantity = 13×10 = 130.

id=41141 | topic=Percentages | difficulty=Easy | question=What is 15% of 281? | option_a=52 | option_b=42 | option_c=37 | option_d=84 | answer=B | explanation=15% of 281 = (15/100) × 281 = 42.

id=41142 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=56 | option_b=43 | option_c=67 | option_d=55 | answer=D | explanation=The common difference is 12. Therefore the next term is 43 + 12 = 55.

id=41143 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 21. | option_a=168 | option_b=567 | option_c=189 | option_d=216 | answer=C | explanation=LCM × HCF = 27×21; HCF(27,21) = 3, so LCM = 189.

id=41144 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:5 and the first is 75, what is the second? | option_a=70 | option_b=80 | option_c=75 | option_d=150 | answer=C | explanation=Scale factor = 75/5 = 15. Therefore second quantity = 5×15 = 75.

id=41145 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:10 and the first is 224, what is the second? | option_a=174 | option_b=160 | option_c=384 | option_d=150 | answer=B | explanation=Scale factor = 224/14 = 16. Therefore second quantity = 10×16 = 160.

id=41146 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=49 | option_b=59 | option_c=39 | option_d=50 | answer=A | explanation=The common difference is 10. Therefore the next term is 39 + 10 = 49.

id=41147 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=V | option_c=P | option_d=T | answer=D | explanation=Move 2 positions forward from R; the resulting letter is T.

id=41148 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35166 at 12% per annum for 5 years. | option_a=20999 | option_b=21099 | option_c=56265 | option_d=21199 | answer=B | explanation=SI = PRT/100 = 35166×12×5/100 = █21099.

id=41149 | topic=Averages | difficulty=Easy | question=Find the average of 80, 81, 57, 90, 90, 43, 91. | option_a=75 | option_b=77 | option_c=76 | option_d=78 | answer=C | explanation=Average = sum of values ÷ number of values = 532 ÷ 7 = 76.

id=41150 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 32, 42, 53? | option_a=32 | option_b=22 | option_c=53 | option_d=42 | answer=C | explanation=The first three numbers increase by 10, so the next should be 52. Therefore 53 is the odd one out.

id=41151 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=41152 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 25, 35, 47? | option_a=25 | option_b=15 | option_c=35 | option_d=47 | answer=D | explanation=The first three numbers increase by 10, so the next should be 45. Therefore 47 is the odd one out.

id=41153 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3645. If it is sold at a profit of 10%, what is its selling price? | option_a=3645 | option_b=3655 | option_c=4009 | option_d=4373 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3645 × 110/100 = █4009.

id=41154 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=M | option_b=R | option_c=W | option_d=B | answer=C | explanation=Move 5 positions forward from R; the resulting letter is W.

id=41155 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 22. | option_a=24 | option_b=44 | option_c=1 | option_d=22 | answer=D | explanation=LCM × HCF = 2×22; HCF(2,22) = 2, so LCM = 22.

id=41156 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=41157 | topic=Averages | difficulty=Easy | question=Find the average of 91, 56, 50, 63. | option_a=64 | option_b=67 | option_c=65 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = 260 ÷ 4 = 65.

id=41158 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 26. | option_a=1 | option_b=26 | option_c=52 | option_d=676 | answer=B | explanation=LCM × HCF = 26×26; HCF(26,26) = 26, so LCM = 26.

id=41159 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 16. | option_a=32 | option_b=1 | option_c=256 | option_d=16 | answer=D | explanation=LCM × HCF = 16×16; HCF(16,16) = 16, so LCM = 16.

id=41160 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 41,161-41,190 of 100,000

id=411161 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 30. | option_a=840 | option_b=390 | option_c=420 | option_d=448 | answer=C | explanation= $LCM \times HCF = 28 \times 30$; $HCF(28,30) = 2$, so $LCM = 420$.

id=411162 | topic=Profit & Loss | difficulty=Easy | question=An article costs █324. If it is sold at a profit of 15%, what is its selling price? | option_a=339 | option_b=404 | option_c=340 | option_d=372 | answer=D | explanation= $Selling\ price = CP \times (100 + profit\%)/100 = 324 \times 115/100 = \text{█}372$.

id=411163 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:13 and the first is 171, what is the second? | option_a=288 | option_b=104 | option_c=136 | option_d=117 | answer=D | explanation= $Scale\ factor = 171/19 = 9$. Therefore second quantity = $13 \times 9 = 117$.

id=411164 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation= $Combined\ rate = 1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=411165 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1406. If it is sold at a profit of 5%, what is its selling price? | option_a=1616 | option_b=1411 | option_c=1336 | option_d=1476 | answer=D | explanation= $Selling\ price = CP \times (100 + profit\%)/100 = 1406 \times 105/100 = \text{█}1476$.

id=411166 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4647. If it is sold at a profit of 25%, what is its selling price? | option_a=4672 | option_b=5808 | option_c=6272 | option_d=5344 | answer=B | explanation= $Selling\ price = CP \times (100 + profit\%)/100 = 4647 \times 125/100 = \text{█}5808$.

id=411167 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 23, 30, 37, ? | option_a=51 | option_b=45 | option_c=44 | option_d=37 | answer=C | explanation=The common difference is 7. Therefore the next term is $37 + 7 = 44$.

id=411168 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:2 and the first is 60, what is the second? | option_a=6 | option_b=8 | option_c=23 | option_d=68 | answer=B | explanation= $Scale\ factor = 60/15 = 4$. Therefore second quantity = $2 \times 4 = 8$.

id=411169 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=24 | option_d=7 | answer=A | explanation= $Combined\ rate = 1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=411170 | topic=Averages | difficulty=Easy | question=Find the average of 12, 60, 47, 53, 76, 88, 36, 62, 70, 16. | option_a=52 | option_b=53 | option_c=54 | option_d=51 | answer=A | explanation= $Average = sum\ of\ values \div number\ of\ values = 520 \div 10 = 52$.

id=411171 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=63 | option_b=52 | option_c=53 | option_d=41 | answer=B | explanation=The common difference is 11. Therefore the next term is $41 + 11 = 52$.

id=411172 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 31, 35, 42? | option_a=31 | option_b=27 | option_c=42 | option_d=35 | answer=C | explanation=The first three numbers increase by 4, so the next should be 39. Therefore 42 is the odd one out.

id=411173 | topic=Percentages | difficulty=Easy | question=What is 15% of 185? | option_a=7 | option_b=37 | option_c=54 | option_d=27 | answer=D | explanation= $15\% \ of\ 185 = (15/100) \times 185 = 27$.

id=411174 | topic=Percentages | difficulty=Easy | question=What is 40% of 1562? | option_a=629 | option_b=624 | option_c=619 | option_d=1248 | answer=B | explanation= $40\% \ of\ 1562 = (40/100) \times 1562 = 624$.

id=411175 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=60 | option_b=61 | option_c=70 | option_d=50 | answer=A | explanation=The common difference is 10. Therefore the next term is $50 + 10 = 60$.

id=411176 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=G | option_c=A | option_d=E | answer=D | explanation=Move 2 positions forward from C; the resulting letter is E.

id=411177 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=80 | option_d=35 | answer=B | explanation= $Speed = distance \div time = 240 \div 6 = 40\ km/h$.

id=411178 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation= $Combined\ rate = 1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=411179 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=46 | option_b=41 | option_c=40 | option_d=34 | answer=C | explanation=The common difference is 6. Therefore the next term is $34 + 6 = 40$.

id=411180 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=P | option_c=L | option_d=X | answer=A | explanation=Move 4 positions forward from P; the resulting letter is T.

id=411181 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=E | option_b=N | option_c=K | option_d=H | answer=C | explanation=Move 3 positions forward from H; the resulting letter is K.

id=411182 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4418. If it is sold at a profit of 50%, what is its selling price? | option_a=7068 | option_b=4468 | option_c=6627 | option_d=6186 | answer=C | explanation= $Selling\ price = CP \times (100 + profit\%)/100 = 4418 \times 150/100 = \text{█}6627$.

id=411183 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation= $Speed = distance \div time = 120 \div 4 = 30\ km/h$.

id=411184 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:1 and the first is 49, what is the second? | option_a=7 | option_b=14 | option_c=6 | option_d=56 | answer=A | explanation= $Scale\ factor = 49/7 = 7$. Therefore second quantity = $1 \times 7 = 7$.

id=411185 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=50 | option_c=30 | option_d=20 | answer=A | explanation= $Speed = distance \div time = 150 \div 6 = 25\ km/h$.

id=411186 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=46 | option_b=39 | option_c=32 | option_d=40 | answer=B | explanation=The common difference is 7. Therefore the next term is $32 + 7 = 39$.

id=411187 | topic=Percentages | difficulty=Easy | question=What is 15% of 1590? | option_a=476 | option_b=228 | option_c=238 | option_d=258 | answer=C | explanation= $15\% \ of\ 1590 = (15/100) \times 1590 = 238$.

id=411188 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:12 and the first is 304, what is the second? | option_a=244 | option_b=228 | option_c=216 | option_d=532 | answer=B | explanation= $Scale\ factor = 304/16 = 19$. Therefore second quantity = $12 \times 19 = 228$.

id=411189 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation= $Combined\ rate = 1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=411190 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2857. If it is sold at a profit of 10%, what is its selling price? | option_a=3142 | option_b=3427 | option_c=2857 | option_d=2867 | answer=A | explanation= $Selling\ price = CP \times (100 + profit\%)/100 = 2857 \times 110/100 = \text{█}3142$.

Aptitude Questions — Records 41,191-41,220 of 100,000

id=41191 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=36 | option_b=37 | option_c=41 | option_d=31 | answer=A | explanation=The common difference is 5. Therefore the next term is 31 + 5 = 36.

id=41192 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32835 at 15% per annum for 3 years. | option_a=14775 | option_b=47610 | option_c=14875 | option_d=14675 | answer=A | explanation=SI = $PRT/100 = 32835 \times 15 \times 3/100 = \text{■}14775$.

id=41193 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7190 at 10% per annum for 2 years. | option_a=1438 | option_b=8628 | option_c=1538 | option_d=1338 | answer=A | explanation=SI = $PRT/100 = 7190 \times 10 \times 2/100 = \text{■}1438$.

id=41194 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:19 and the first is 168, what is the second? | option_a=278 | option_b=247 | option_c=434 | option_d=266 | answer=D | explanation=Scale factor = $168/12 = 14$. Therefore second quantity = $19 \times 14 = 266$.

id=41195 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 51? | option_a=51 | option_b=41 | option_c=32 | option_d=23 | answer=A | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 51 is the odd one out.

id=41196 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=300 | option_c=155 | option_d=145 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 300 \div 2 = 150 \text{ km/h}$.

id=41197 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:13 and the first is 136, what is the second? | option_a=357 | option_b=229 | option_c=221 | option_d=208 | answer=C | explanation=Scale factor = $136/8 = 17$. Therefore second quantity = $13 \times 17 = 221$.

id=41198 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1547. If it is sold at a profit of 30%, what is its selling price? | option_a=1577 | option_b=1857 | option_c=2165 | option_d=2011 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1547 \times 130/100 = \text{■}2011$.

id=41199 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=41200 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 31? | option_a=16 | option_b=31 | option_c=20 | option_d=24 | answer=B | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 31 is the odd one out.

id=41201 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=T | option_b=J | option_c=E | option_d=O | answer=D | explanation=Move 5 positions forward from J; the resulting letter is O.

id=41202 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 11? | option_a=11 | option_b=6 | option_c=4 | option_d=2 | answer=A | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 11 is the odd one out.

id=41203 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=41204 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4216 at 10% per annum for 3 years. | option_a=1364 | option_b=5480 | option_c=1264 | option_d=1164 | answer=C | explanation=SI = $PRT/100 = 4216 \times 10 \times 3/100 = \text{■}1264$.

id=41205 | topic=Averages | difficulty=Easy | question=Find the average of 84, 97, 24, 53, 61, 99, 65. | option_a=68 | option_b=70 | option_c=69 | option_d=71 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 483 \div 7 = 69$.

id=41206 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:9 and the first is 95, what is the second? | option_a=162 | option_b=266 | option_c=176 | option_d=171 | answer=D | explanation=Scale factor = $95/5 = 19$. Therefore second quantity = $9 \times 19 = 171$.

id=41207 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=45 | option_b=57 | option_c=56 | option_d=67 | answer=C | explanation=The common difference is 11. Therefore the next term is $45 + 11 = 56$.

id=41208 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:9 and the first is 102, what is the second? | option_a=45 | option_b=54 | option_c=156 | option_d=71 | answer=B | explanation=Scale factor = $102/17 = 6$. Therefore second quantity = $9 \times 6 = 54$.

id=41209 | topic=Percentages | difficulty=Easy | question=What is 30% of 1389? | option_a=436 | option_b=832 | option_c=416 | option_d=396 | answer=C | explanation= $30\% \text{ of } 1389 = (30/100) \times 1389 = 416$.

id=41210 | topic=Averages | difficulty=Easy | question=Find the average of 89, 16, 19, 85, 48, 37, 23, 33, 42, 78. | option_a=46 | option_b=49 | option_c=47 | option_d=48 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 470 \div 10 = 47$.

id=41211 | topic=Percentages | difficulty=Easy | question=What is 20% of 374? | option_a=74 | option_b=84 | option_c=69 | option_d=148 | answer=A | explanation= $20\% \text{ of } 374 = (20/100) \times 374 = 74$.

id=41212 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:5 and the first is 320, what is the second? | option_a=400 | option_b=75 | option_c=80 | option_d=100 | answer=C | explanation=Scale factor = $320/20 = 16$. Therefore second quantity = $5 \times 16 = 80$.

id=41213 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=B | option_c=Q | option_d=L | answer=D | explanation=Move 5 positions forward from G; the resulting letter is L.

id=41214 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:5 and the first is 4, what is the second? | option_a=24 | option_b=21 | option_c=15 | option_d=20 | answer=D | explanation=Scale factor = $4/1 = 4$. Therefore second quantity = $5 \times 4 = 20$.

id=41215 | topic=Percentages | difficulty=Easy | question=What is 30% of 1506? | option_a=902 | option_b=441 | option_c=461 | option_d=451 | answer=D | explanation= $30\% \text{ of } 1506 = (30/100) \times 1506 = 451$.

id=41216 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=X | option_b=P | option_c=T | option_d=L | answer=C | explanation=Move 4 positions forward from P; the resulting letter is T.

id=41217 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=41218 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:16 and the first is 27, what is the second? | option_a=128 | option_b=171 | option_c=144 | option_d=147 | answer=C | explanation=Scale factor = $27/3 = 9$. Therefore second quantity = $16 \times 9 = 144$.

id=41219 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2106. If it is sold at a profit of 10%, what is its selling price? | option_a=2316 | option_b=2526 | option_c=2116 | option_d=2106 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2106 \times 110/100 = \text{■}2316$.

id=41220 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 45? | option_a=32 | option_b=45 | option_c=37 | option_d=27 | answer=B | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 45 is the odd one out.

Aptitude Questions — Records 41,221-41,250 of 100,000

id=41221 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=B | option_c=C | option_d=Z | answer=B | explanation=Move 1 positions forward from A; the resulting letter is B.

id=41222 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:8 and the first is 63, what is the second? | option_a=48 | option_b=56 | option_c=65 | option_d=119 | answer=B | explanation=Scale factor = $63/9 = 7$. Therefore second quantity = $8 \times 7 = 56$.

id=41223 | topic=Percentages | difficulty=Easy | question=What is 50% of 735? | option_a=367 | option_b=734 | option_c=357 | option_d=377 | answer=A | explanation= $50\% \text{ of } 735 = (50/100) \times 735 = 367$.

id=41224 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=41225 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:14 and the first is 162, what is the second? | option_a=261 | option_b=238 | option_c=252 | option_d=414 | answer=C | explanation=Scale factor = $162/9 = 18$. Therefore second quantity = $14 \times 18 = 252$.

id=41226 | topic=Percentages | difficulty=Easy | question=What is 40% of 1405? | option_a=567 | option_b=562 | option_c=1124 | option_d=542 | answer=B | explanation= $40\% \text{ of } 1405 = (40/100) \times 1405 = 562$.

id=41227 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=23 | option_b=22 | option_c=21 | option_d=19 | answer=C | explanation=The common difference is 2. Therefore the next term is $19 + 2 = 21$.

id=41228 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2497. If it is sold at a profit of 10%, what is its selling price? | option_a=2995 | option_b=2507 | option_c=2497 | option_d=2746 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2497 \times 110/100 = \text{█}2746$.

id=41229 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37711 at 15% per annum for 2 years. | option_a=11413 | option_b=49024 | option_c=11213 | option_d=11313 | answer=D | explanation= $SI = PRT/100 = 37711 \times 15 \times 2/100 = \text{█}11313$.

id=41230 | topic=Percentages | difficulty=Easy | question=What is 20% of 1994? | option_a=796 | option_b=398 | option_c=388 | option_d=403 | answer=B | explanation= $20\% \text{ of } 1994 = (20/100) \times 1994 = 398$.

id=41231 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1144. If it is sold at a profit of 15%, what is its selling price? | option_a=1201 | option_b=1159 | option_c=1429 | option_d=1315 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1144 \times 115/100 = \text{█}1315$.

id=41232 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=I | option_b=D | option_c=N | option_d=Y | answer=A | explanation=Move 5 positions forward from D; the resulting letter is I.

id=41233 | topic=Percentages | difficulty=Easy | question=What is 20% of 1335? | option_a=534 | option_b=247 | option_c=267 | option_d=272 | answer=C | explanation= $20\% \text{ of } 1335 = (20/100) \times 1335 = 267$.

id=41234 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=N | option_c=E | option_d=K | answer=D | explanation=Move 3 positions forward from H; the resulting letter is K.

id=41235 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=40 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = $90 \div 2 = 45$ km/h.

id=41236 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=W | option_c=Q | option_d=U | answer=D | explanation=Move 2 positions forward from S; the resulting letter is U.

id=41237 | topic=Averages | difficulty=Easy | question=Find the average of 13, 72, 65, 96, 94, 17, 45, 94. | option_a=62 | option_b=64 | option_c=63 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = $496 \div 8 = 62$.

id=41238 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 38? | option_a=25 | option_b=15 | option_c=5 | option_d=38 | answer=D | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 38 is the odd one out.

id=41239 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2702. If it is sold at a profit of 40%, what is its selling price? | option_a=4052 | option_b=3782 | option_c=2742 | option_d=3512 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2702 \times 140/100 = \text{█}3782$.

id=41240 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1223. If it is sold at a profit of 30%, what is its selling price? | option_a=1589 | option_b=1467 | option_c=1253 | option_d=1711 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1223 \times 130/100 = \text{█}1589$.

id=41241 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=9 | option_b=14 | option_c=18 | option_d=4 | answer=A | explanation=Speed = distance ÷ time = $90 \div 10 = 9$ km/h.

id=41242 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=41243 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1591. If it is sold at a profit of 5%, what is its selling price? | option_a=1596 | option_b=1670 | option_c=1829 | option_d=1511 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1591 \times 105/100 = \text{█}1670$.

id=41244 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4320. If it is sold at a profit of 50%, what is its selling price? | option_a=4370 | option_b=6048 | option_c=6912 | option_d=6480 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4320 \times 150/100 = \text{█}6480$.

id=41245 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8258 at 12% per annum for 4 years. | option_a=3863 | option_b=4063 | option_c=12221 | option_d=3963 | answer=D | explanation= $SI = PRT/100 = 8258 \times 12 \times 4/100 = \text{█}3963$.

id=41246 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:17 and the first is 323, what is the second? | option_a=308 | option_b=289 | option_c=612 | option_d=272 | answer=B | explanation=Scale factor = $323/19 = 17$. Therefore second quantity = $17 \times 17 = 289$.

id=41247 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:2 and the first is 3, what is the second? | option_a=7 | option_b=9 | option_c=6 | option_d=4 | answer=C | explanation=Scale factor = $3/1 = 3$. Therefore second quantity = $2 \times 3 = 6$.

id=41248 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10455 at 10% per annum for 4 years. | option_a=4282 | option_b=4082 | option_c=4182 | option_d=14637 | answer=C | explanation= $SI = PRT/100 = 10455 \times 10 \times 4/100 = \text{█}4182$.

id=41249 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12400 at 4% per annum for 1 years. | option_a=496 | option_b=596 | option_c=396 | option_d=12896 | answer=A | explanation= $SI = PRT/100 = 12400 \times 4 \times 1/100 = \text{█}496$.

id=41250 | topic=Percentages | difficulty=Easy | question=What is 50% of 1967? | option_a=983 | option_b=1966 | option_c=963 | option_d=1003 | answer=A | explanation= $50\% \text{ of } 1967 = (50/100) \times 1967 = 983$.

Aptitude Questions — Records 41,251-41,280 of 100,000

id=41251 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■41160 at 5% per annum for 1 years. | option_a=2158 | option_b=43218 | option_c=1958 | option_d=2058 | answer=D | explanation=SI = $PRT/100 = 41160 \times 5 \times 1/100 = \blacksquare 2058$.

id=41252 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 7. | option_a=14 | option_b=147 | option_c=21 | option_d=42 | answer=C | explanation= $LCM \times HCF = 21 \times 7$; $HCF(21,7) = 7$, so $LCM = 21$.

id=41253 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=90 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=41254 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 35? | option_a=26 | option_b=35 | option_c=28 | option_d=30 | answer=B | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 35 is the odd one out.

id=41255 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■19086 at 5% per annum for 2 years. | option_a=1908 | option_b=2008 | option_c=1808 | option_d=20994 | answer=A | explanation=SI = $PRT/100 = 19086 \times 5 \times 2/100 = \blacksquare 1908$.

id=41256 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=41257 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=41258 | topic=Averages | difficulty=Easy | question=Find the average of 70, 65, 82, 44, 82, 53. | option_a=66 | option_b=67 | option_c=68 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = $396 \div 6 = 66$.

id=41259 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=25 | option_b=33 | option_c=30 | option_d=29 | answer=D | explanation=The common difference is 4. Therefore the next term is $25 + 4 = 29$.

id=41260 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=Q | option_c=T | option_d=S | answer=D | explanation=Move 1 positions forward from R; the resulting letter is S.

id=41261 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 9, 11, 15? | option_a=11 | option_b=7 | option_c=15 | option_d=9 | answer=C | explanation=The first three numbers increase by 2, so the next should be 13. Therefore 15 is the odd one out.

id=41262 | topic=Averages | difficulty=Easy | question=Find the average of 55, 69, 59, 58, 70, 13. | option_a=53 | option_b=54 | option_c=56 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = $324 \div 6 = 54$.

id=41263 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=90 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = $180 \div 4 = 45$ km/h.

id=41264 | topic=Averages | difficulty=Easy | question=Find the average of 16, 95, 65, 79, 49, 38, 18, 40. | option_a=51 | option_b=52 | option_c=50 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = $400 \div 8 = 50$.

id=41265 | topic=Averages | difficulty=Easy | question=Find the average of 66, 35, 31, 98, 60, 53, 91. | option_a=64 | option_b=62 | option_c=61 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = $434 \div 7 = 62$.

id=41266 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=41267 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■899. If it is sold at a profit of 25%, what is its selling price? | option_a=924 | option_b=1123 | option_c=1034 | option_d=1212 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 899 \times 125/100 = \blacksquare 1123$.

id=41268 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 45? | option_a=35 | option_b=19 | option_c=45 | option_d=27 | answer=C | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 45 is the odd one out.

id=41269 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2923. If it is sold at a profit of 15%, what is its selling price? | option_a=3361 | option_b=2938 | option_c=3653 | option_d=3069 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2923 \times 115/100 = \blacksquare 3361$.

id=41270 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■1171 at 15% per annum for 3 years. | option_a=526 | option_b=426 | option_c=1697 | option_d=626 | answer=A | explanation=SI = $PRT/100 = 1171 \times 15 \times 3/100 = \blacksquare 526$.

id=41271 | topic=Percentages | difficulty=Easy | question=What is 10% of 670? | option_a=134 | option_b=47 | option_c=67 | option_d=87 | answer=C | explanation=10% of 670 = $(10/100) \times 670 = 67$.

id=41272 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1752. If it is sold at a profit of 20%, what is its selling price? | option_a=2102 | option_b=2277 | option_c=1772 | option_d=1927 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1752 \times 120/100 = \blacksquare 2102$.

id=41273 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■47637 at 10% per annum for 5 years. | option_a=23918 | option_b=23818 | option_c=71455 | option_d=23718 | answer=B | explanation=SI = $PRT/100 = 47637 \times 10 \times 5/100 = \blacksquare 23818$.

id=41274 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=41275 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■37864 at 12% per annum for 3 years. | option_a=51495 | option_b=13531 | option_c=13631 | option_d=13731 | answer=C | explanation=SI = $PRT/100 = 37864 \times 12 \times 3/100 = \blacksquare 13631$.

id=41276 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=40 | option_b=44 | option_c=39 | option_d=34 | answer=C | explanation=The common difference is 5. Therefore the next term is $34 + 5 = 39$.

id=41277 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■473. If it is sold at a profit of 15%, what is its selling price? | option_a=543 | option_b=590 | option_c=488 | option_d=496 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 473 \times 115/100 = \blacksquare 543$.

id=41278 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■199. If it is sold at a profit of 50%, what is its selling price? | option_a=279 | option_b=317 | option_c=249 | option_d=298 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 199 \times 150/100 = \blacksquare 298$.

id=41279 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=300 | option_c=155 | option_d=145 | answer=A | explanation=Speed = distance ÷ time = $300 \div 2 = 150$ km/h.

id=41280 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 8, 10, 13? | option_a=13 | option_b=10 | option_c=8 | option_d=6 | answer=A | explanation=The first three numbers increase by 2, so the next should be 12. Therefore 13 is the odd one out.

Aptitude Questions — Records 41,281-41,310 of 100,000

id=41281 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=57 | option_b=65 | option_c=56 | option_d=47 | answer=C | explanation=The common difference is 9. Therefore the next term is 47 + 9 = 56.

id=41282 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=29 | option_b=22 | option_c=28 | option_d=34 | answer=C | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.

id=41283 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:13 and the first is 18, what is the second? | option_a=57 | option_b=39 | option_c=26 | option_d=45 | answer=B | explanation=Scale factor = 18/6 = 3. Therefore second quantity = 13×3 = 39.

id=41284 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=55 | option_b=66 | option_c=56 | option_d=44 | answer=A | explanation=The common difference is 11. Therefore the next term is 44 + 11 = 55.

id=41285 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1133. If it is sold at a profit of 5%, what is its selling price? | option_a=1138 | option_b=1189 | option_c=1302 | option_d=1076 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1133 × 105/100 = █1189.

id=41286 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 23? | option_a=9 | option_b=23 | option_c=15 | option_d=3 | answer=B | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 23 is the odd one out.

id=41287 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=55 | option_b=48 | option_c=49 | option_d=41 | answer=B | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.

id=41288 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=180 | option_c=175 | option_d=360 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=41289 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32468 at 5% per annum for 3 years. | option_a=4970 | option_b=37338 | option_c=4870 | option_d=4770 | answer=C | explanation=SI = PRT/100 = 32468×5×3/100 = █4870.

id=41290 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 48? | option_a=48 | option_b=19 | option_c=37 | option_d=28 | answer=A | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 48 is the odd one out.

id=41291 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10071 at 6% per annum for 3 years. | option_a=1712 | option_b=1812 | option_c=1912 | option_d=1883 | answer=B | explanation=SI = PRT/100 = 10071×6×3/100 = █1812.

id=41292 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=41293 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:10 and the first is 27, what is the second? | option_a=30 | option_b=39 | option_c=20 | option_d=57 | answer=A | explanation=Scale factor = 27/9 = 3. Therefore second quantity = 10×3 = 30.

id=41294 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=41295 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6521 at 15% per annum for 1 years. | option_a=878 | option_b=7499 | option_c=1078 | option_d=978 | answer=D | explanation=SI = PRT/100 = 6521×15×1/100 = █978.

id=41296 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=Q | option_b=H | option_c=N | option_d=K | answer=C | explanation=Move 3 positions forward from K; the resulting letter is N.

id=41297 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 12. | option_a=24 | option_b=45 | option_c=36 | option_d=108 | answer=C | explanation=LCM × HCF = 9×12; HCF(9,12) = 3, so LCM = 36.

id=41298 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:16 and the first is 39, what is the second? | option_a=208 | option_b=192 | option_c=211 | option_d=247 | answer=A | explanation=Scale factor = 39/3 = 13. Therefore second quantity = 16×13 = 208.

id=41299 | topic=Percentages | difficulty=Easy | question=What is 25% of 365? | option_a=71 | option_b=182 | option_c=96 | option_d=91 | answer=D | explanation=25% of 365 = (25/100) × 365 = 91.

id=41300 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=41301 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 18. | option_a=147 | option_b=126 | option_c=378 | option_d=108 | answer=B | explanation=LCM × HCF = 21×18; HCF(21,18) = 3, so LCM = 126.

id=41302 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:15 and the first is 180, what is the second? | option_a=405 | option_b=210 | option_c=237 | option_d=225 | answer=D | explanation=Scale factor = 180/12 = 15. Therefore second quantity = 15×15 = 225.

id=41303 | topic=Averages | difficulty=Easy | question=Find the average of 72, 95, 21, 34, 24, 38, 28, 55, 70, 73. | option_a=50 | option_b=52 | option_c=51 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

id=41304 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31066 at 12% per annum for 2 years. | option_a=7455 | option_b=7355 | option_c=7555 | option_d=38521 | answer=A | explanation=SI = PRT/100 = 31066×12×2/100 = █7455.

id=41305 | topic=Averages | difficulty=Easy | question=Find the average of 47, 25, 73, 100, 43, 30. | option_a=54 | option_b=53 | option_c=52 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 318 ÷ 6 = 53.

id=41306 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 25, 27, 32? | option_a=27 | option_b=25 | option_c=32 | option_d=23 | answer=C | explanation=The first three numbers increase by 2, so the next should be 29. Therefore 32 is the odd one out.

id=41307 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=W | option_c=M | option_d=B | answer=B | explanation=Move 5 positions forward from R; the resulting letter is W.

id=41308 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 27. | option_a=108 | option_b=120 | option_c=81 | option_d=324 | answer=A | explanation=LCM × HCF = 12×27; HCF(12,27) = 3, so LCM = 108.

id=41309 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=41310 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 17, 23, 31? | option_a=31 | option_b=11 | option_c=17 | option_d=23 | answer=A | explanation=The first three numbers increase by 6, so the next should be 29. Therefore 31 is the odd one out.

Aptitude Questions — Records 41,311-41,340 of 100,000

id=41311 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=40 | option_b=34 | option_c=44 | option_d=39 | answer=D | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

id=41312 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=41313 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 10, 13, 17? | option_a=13 | option_b=17 | option_c=10 | option_d=7 | answer=B | explanation=The first three numbers increase by 3, so the next should be 16. Therefore 17 is the odd one out.

id=41314 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=50 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=41315 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=41316 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47307 at 8% per annum for 3 years. | option_a=11253 | option_b=11453 | option_c=11353 | option_d=58660 | answer=C | explanation=SI = PRT/100 = 47307×8×3/100 = █11353.

id=41317 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3366. If it is sold at a profit of 5%, what is its selling price? | option_a=3371 | option_b=3534 | option_c=3198 | option_d=3870 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3366 × 105/100 = █3534.

id=41318 | topic=Averages | difficulty=Easy | question=Find the average of 32, 70, 24, 55, 15, 68, 67, 25, 49. | option_a=47 | option_b=45 | option_c=46 | option_d=44 | answer=B | explanation=Average = sum of values ÷ number of values = 405 ÷ 9 = 45.

id=41319 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41222 at 15% per annum for 4 years. | option_a=24833 | option_b=24733 | option_c=65955 | option_d=24633 | answer=B | explanation=SI = PRT/100 = 41222×15×4/100 = █24733.

id=41320 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45961 at 5% per annum for 3 years. | option_a=6794 | option_b=52855 | option_c=6994 | option_d=6894 | answer=D | explanation=SI = PRT/100 = 45961×5×3/100 = █6894.

id=41321 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:13 and the first is 48, what is the second? | option_a=52 | option_b=64 | option_c=100 | option_d=39 | answer=A | explanation=Scale factor = 48/12 = 4. Therefore second quantity = 13×4 = 52.

id=41322 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1731. If it is sold at a profit of 5%, what is its selling price? | option_a=1990 | option_b=1817 | option_c=1644 | option_d=1736 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1731 × 105/100 = █1817.

id=41323 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=41324 | topic=Averages | difficulty=Easy | question=Find the average of 28, 84, 100, 36, 83, 86, 14, 57. | option_a=62 | option_b=61 | option_c=60 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 488 ÷ 8 = 61.

id=41325 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=41326 | topic=Percentages | difficulty=Easy | question=What is 25% of 852? | option_a=426 | option_b=208 | option_c=213 | option_d=218 | answer=C | explanation=25% of 852 = (25/100) × 852 = 213.

id=41327 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=60 | option_b=49 | option_c=38 | option_d=50 | answer=B | explanation=The common difference is 11. Therefore the next term is 38 + 11 = 49.

id=41328 | topic=Percentages | difficulty=Easy | question=What is 50% of 785? | option_a=784 | option_b=387 | option_c=397 | option_d=392 | answer=D | explanation=50% of 785 = (50/100) × 785 = 392.

id=41329 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=N | option_b=W | option_c=Q | option_d=T | answer=D | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=41330 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=D | option_c=P | option_d=L | answer=D | explanation=Move 4 positions forward from H; the resulting letter is L.

id=41331 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 35, 44, 55? | option_a=44 | option_b=35 | option_c=26 | option_d=55 | answer=D | explanation=The first three numbers increase by 9, so the next should be 53. Therefore 55 is the odd one out.

id=41332 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 30? | option_a=18 | option_b=13 | option_c=30 | option_d=23 | answer=C | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 30 is the odd one out.

id=41333 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=17 | option_b=21 | option_c=22 | option_d=25 | answer=B | explanation=The common difference is 4. Therefore the next term is 17 + 4 = 21.

id=41334 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 28, 38, 50? | option_a=18 | option_b=50 | option_c=28 | option_d=38 | answer=B | explanation=The first three numbers increase by 10, so the next should be 48. Therefore 50 is the odd one out.

id=41335 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1334. If it is sold at a profit of 10%, what is its selling price? | option_a=1600 | option_b=1467 | option_c=1344 | option_d=1334 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1334 × 110/100 = █1467.

id=41336 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=41337 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=41338 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2821. If it is sold at a profit of 20%, what is its selling price? | option_a=3103 | option_b=3667 | option_c=2841 | option_d=3385 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2821 × 120/100 = █3385.

id=41339 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=41340 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=Y | option_b=S | option_c=V | option_d=P | answer=C | explanation=Move 3 positions forward from S; the resulting letter is V.

Aptitude Questions — Records 41,341-41,370 of 100,000

id=41341 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=41342 | topic=Averages | difficulty=Easy | question=Find the average of 33, 76, 29, 93, 89. | option_a=64 | option_b=63 | option_c=66 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 320 ÷ 5 = 64.

id=41343 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 44? | option_a=29 | option_b=37 | option_c=33 | option_d=44 | answer=D | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 44 is the odd one out.

id=41344 | topic=Percentages | difficulty=Easy | question=What is 30% of 1943? | option_a=582 | option_b=572 | option_c=1164 | option_d=587 | answer=A | explanation=30% of 1943 = (30/100) × 1943 = 582.

id=41345 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=19 | option_d=29 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=41346 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=7 | option_c=17 | option_d=24 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=41347 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹43985 at 15% per annum for 4 years. | option_a=70376 | option_b=26491 | option_c=26391 | option_d=26291 | answer=C | explanation=SI = PRT/100 = 43985×15×4/100 = ₹26391.

id=41348 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=41349 | topic=Percentages | difficulty=Easy | question=What is 10% of 1717? | option_a=342 | option_b=171 | option_c=191 | option_d=166 | answer=B | explanation=10% of 1717 = (10/100) × 1717 = 171.

id=41350 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:20 and the first is 32, what is the second? | option_a=80 | option_b=88 | option_c=60 | option_d=112 | answer=A | explanation=Scale factor = 32/8 = 4. Therefore second quantity = 20×4 = 80.

id=41351 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 34, 43, 53? | option_a=53 | option_b=34 | option_c=25 | option_d=43 | answer=A | explanation=The first three numbers increase by 9, so the next should be 52. Therefore 53 is the odd one out.

id=41352 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=41353 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=I | option_b=H | option_c=J | option_d=G | answer=A | explanation=Move 1 positions forward from H; the resulting letter is I.

id=41354 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=T | option_b=J | option_c=E | option_d=O | answer=D | explanation=Move 5 positions forward from J; the resulting letter is O.

id=41355 | topic=Averages | difficulty=Easy | question=Find the average of 47, 64, 18. | option_a=42 | option_b=44 | option_c=43 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = 129 ÷ 3 = 43.

id=41356 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=30 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=41357 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 30, 38, 47? | option_a=47 | option_b=22 | option_c=38 | option_d=30 | answer=A | explanation=The first three numbers increase by 8, so the next should be 46. Therefore 47 is the odd one out.

id=41358 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=31 | option_c=41 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=41359 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹28128 at 4% per annum for 3 years. | option_a=3375 | option_b=3275 | option_c=31503 | option_d=3475 | answer=A | explanation=SI = PRT/100 = 28128×4×3/100 = ₹3375.

id=41360 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=41361 | topic=Averages | difficulty=Easy | question=Find the average of 85, 48, 94, 18, 20. | option_a=52 | option_b=55 | option_c=54 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 265 ÷ 5 = 53.

id=41362 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 27. | option_a=405 | option_b=150 | option_c=135 | option_d=108 | answer=C | explanation=LCM × HCF = 15×27; HCF(15,27) = 3, so LCM = 135.

id=41363 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1032. If it is sold at a profit of 40%, what is its selling price? | option_a=1072 | option_b=1341 | option_c=1547 | option_d=1444 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1032 × 140/100 = ₹1444.

id=41364 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2913. If it is sold at a profit of 5%, what is its selling price? | option_a=3349 | option_b=3058 | option_c=2918 | option_d=2767 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2913 × 105/100 = ₹3058.

id=41365 | topic=Percentages | difficulty=Easy | question=What is 5% of 1243? | option_a=124 | option_b=67 | option_c=57 | option_d=62 | answer=D | explanation=5% of 1243 = (5/100) × 1243 = 62.

id=41366 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=41 | option_b=52 | option_c=51 | option_d=61 | answer=C | explanation=The common difference is 10. Therefore the next term is 41 + 10 = 51.

id=41367 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=45 | option_b=63 | option_c=54 | option_d=55 | answer=C | explanation=The common difference is 9. Therefore the next term is 45 + 9 = 54.

id=41368 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=90 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=41369 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹615. If it is sold at a profit of 40%, what is its selling price? | option_a=655 | option_b=800 | option_c=922 | option_d=861 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 615 × 140/100 = ₹861.

id=41370 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 32? | option_a=25 | option_b=22 | option_c=32 | option_d=28 | answer=C | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 32 is the odd one out.

Aptitude Questions — Records 41,371-41,400 of 100,000

id=41371 | topic=Averages | difficulty=Easy | question=Find the average of 15, 24, 52, 35, 48, 80, 44, 73, 42, 37. | option_a=47 | option_b=45 | option_c=44 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 450 ÷ 10 = 45.

id=41372 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26411 at 4% per annum for 4 years. | option_a=4125 | option_b=30636 | option_c=4225 | option_d=4325 | answer=C | explanation=SI = PRT/100 = 26411×4×4/100 = **■**4225.

id=41373 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45387 at 15% per annum for 3 years. | option_a=20324 | option_b=65811 | option_c=20524 | option_d=20424 | answer=D | explanation=SI = PRT/100 = 45387×15×3/100 = **■**20424.

id=41374 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6670 at 5% per annum for 1 years. | option_a=333 | option_b=7003 | option_c=433 | option_d=233 | answer=A | explanation=SI = PRT/100 = 6670×5×1/100 = **■**333.

id=41375 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:6 and the first is 260, what is the second? | option_a=72 | option_b=338 | option_c=98 | option_d=78 | answer=D | explanation=Scale factor = 260/20 = 13. Therefore second quantity = 6×13 = 78.

id=41376 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=41377 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 32? | option_a=27 | option_b=32 | option_c=29 | option_d=25 | answer=B | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 32 is the odd one out.

id=41378 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=20 | option_b=24 | option_c=21 | option_d=16 | answer=A | explanation=The common difference is 4. Therefore the next term is 16 + 4 = 20.

id=41379 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=95 | option_c=105 | option_d=200 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=41380 | topic=Percentages | difficulty=Easy | question=What is 30% of 967? | option_a=290 | option_b=580 | option_c=285 | option_d=295 | answer=A | explanation=30% of 967 = (30/100) × 967 = 290.

id=41381 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 48? | option_a=48 | option_b=37 | option_c=19 | option_d=28 | answer=A | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 48 is the odd one out.

id=41382 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=14 | option_b=19 | option_c=18 | option_d=22 | answer=C | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.

id=41383 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=G | option_c=M | option_d=P | answer=C | explanation=Move 3 positions forward from J; the resulting letter is M.

id=41384 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2414. If it is sold at a profit of 50%, what is its selling price? | option_a=3380 | option_b=2464 | option_c=3862 | option_d=3621 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2414 × 150/100 = **■**3621.

id=41385 | topic=Percentages | difficulty=Easy | question=What is 12% of 1126? | option_a=140 | option_b=270 | option_c=130 | option_d=135 | answer=D | explanation=12% of 1126 = (12/100) × 1126 = 135.

id=41386 | topic=Averages | difficulty=Easy | question=Find the average of 48, 23, 25, 96. | option_a=47 | option_b=48 | option_c=49 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 192 ÷ 4 = 48.

id=41387 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:17 and the first is 36, what is the second? | option_a=306 | option_b=289 | option_c=342 | option_d=308 | answer=A | explanation=Scale factor = 36/2 = 18. Therefore second quantity = 17×18 = 306.

id=41388 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49210 at 12% per annum for 3 years. | option_a=17715 | option_b=17815 | option_c=66925 | option_d=17615 | answer=A | explanation=SI = PRT/100 = 49210×12×3/100 = **■**17715.

id=41389 | topic=Averages | difficulty=Easy | question=Find the average of 76, 76, 41, 24, 93. | option_a=63 | option_b=62 | option_c=61 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 310 ÷ 5 = 62.

id=41390 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=35 | option_b=27 | option_c=41 | option_d=34 | answer=D | explanation=The common difference is 7. Therefore the next term is 27 + 7 = 34.

id=41391 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=H | option_c=D | option_d=B | answer=A | explanation=Move 2 positions forward from D; the resulting letter is F.

id=41392 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=41393 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=18 | option_b=22 | option_c=20 | option_d=21 | answer=C | explanation=The common difference is 2. Therefore the next term is 18 + 2 = 20.

id=41394 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=S | option_b=V | option_c=M | option_d=P | answer=A | explanation=Move 3 positions forward from P; the resulting letter is S.

id=41395 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:18 and the first is 272, what is the second? | option_a=305 | option_b=560 | option_c=288 | option_d=270 | answer=C | explanation=Scale factor = 272/17 = 16. Therefore second quantity = 18×16 = 288.

id=41396 | topic=Percentages | difficulty=Easy | question=What is 20% of 52? | option_a=15 | option_b=20 | option_c=5 | option_d=10 | answer=D | explanation=20% of 52 = (20/100) × 52 = 10.

id=41397 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=41398 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=Y | option_c=E | option_d=A | answer=A | explanation=Move 2 positions forward from A; the resulting letter is C.

id=41399 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 43? | option_a=32 | option_b=27 | option_c=43 | option_d=37 | answer=C | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 43 is the odd one out.

id=41400 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:11 and the first is 33, what is the second? | option_a=124 | option_b=110 | option_c=154 | option_d=121 | answer=D | explanation=Scale factor = 33/3 = 11. Therefore second quantity = 11×11 = 121.

Aptitude Questions — Records 41,401-41,430 of 100,000

- id=41401 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=25 | option_b=33 | option_c=29 | option_d=30 | answer=C | explanation=The common difference is 4. Therefore the next term is 25 + 4 = 29.
- id=41402 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3241. If it is sold at a profit of 40%, what is its selling price? | option_a=4537 | option_b=3281 | option_c=4861 | option_d=4213 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3241 × 140/100 = █4537.
- id=41403 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 24, 31, 41? | option_a=17 | option_b=24 | option_c=31 | option_d=41 | answer=D | explanation=The first three numbers increase by 7, so the next should be 38. Therefore 41 is the odd one out.
- id=41404 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=X | option_c=N | option_d=C | answer=B | explanation=Move 5 positions forward from S; the resulting letter is X.
- id=41405 | topic=Percentages | difficulty=Easy | question=What is 25% of 170? | option_a=32 | option_b=84 | option_c=42 | option_d=62 | answer=C | explanation=25% of 170 = (25/100) × 170 = 42.
- id=41406 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 19, 22, 25, ? | option_a=31 | option_b=28 | option_c=25 | option_d=29 | answer=B | explanation=The common difference is 3. Therefore the next term is 25 + 3 = 28.
- id=41407 | topic=Percentages | difficulty=Easy | question=What is 30% of 1061? | option_a=338 | option_b=636 | option_c=298 | option_d=318 | answer=D | explanation=30% of 1061 = (30/100) × 1061 = 318.
- id=41408 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=N | option_b=H | option_c=K | option_d=E | answer=C | explanation=Move 3 positions forward from H; the resulting letter is K.
- id=41409 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 26, 29, 34? | option_a=34 | option_b=26 | option_c=29 | option_d=23 | answer=A | explanation=The first three numbers increase by 3, so the next should be 32. Therefore 34 is the odd one out.
- id=41410 | topic=Averages | difficulty=Easy | question=Find the average of 58, 30, 49, 71, 15, 16, 46, 49, 80. | option_a=45 | option_b=46 | option_c=47 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 414 ÷ 9 = 46.
- id=41411 | topic=Averages | difficulty=Easy | question=Find the average of 76, 91, 41, 79, 50, 53. | option_a=65 | option_b=64 | option_c=67 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 390 ÷ 6 = 65.
- id=41412 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=27 | option_b=33 | option_c=28 | option_d=21 | answer=A | explanation=The common difference is 6. Therefore the next term is 21 + 6 = 27.
- id=41413 | topic=Averages | difficulty=Easy | question=Find the average of 99, 10, 33, 26, 81, 82, 61. | option_a=56 | option_b=57 | option_c=55 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 392 ÷ 7 = 56.
- id=41414 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 27. | option_a=300 | option_b=243 | option_c=270 | option_d=810 | answer=C | explanation=LCM × HCF = 30×27; HCF(30,27) = 3, so LCM = 270.
- id=41415 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=30 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.
- id=41416 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=16 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=41417 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 3. | option_a=9 | option_b=3 | option_c=6 | option_d=1 | answer=B | explanation=LCM × HCF = 3×3; HCF(3,3) = 3, so LCM = 3.
- id=41418 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=42 | option_b=48 | option_c=41 | option_d=34 | answer=C | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.
- id=41419 | topic=Percentages | difficulty=Easy | question=What is 20% of 58? | option_a=22 | option_b=1 | option_c=31 | option_d=11 | answer=D | explanation=20% of 58 = (20/100) × 58 = 11.
- id=41420 | topic=Percentages | difficulty=Easy | question=What is 25% of 542? | option_a=270 | option_b=135 | option_c=125 | option_d=145 | answer=B | explanation=25% of 542 = (25/100) × 542 = 135.
- id=41421 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:12 and the first is 40, what is the second? | option_a=84 | option_b=136 | option_c=101 | option_d=96 | answer=D | explanation=Scale factor = 40/5 = 8. Therefore second quantity = 12×8 = 96.
- id=41422 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=B | option_b=F | option_c=J | option_d=N | answer=C | explanation=Move 4 positions forward from F; the resulting letter is J.
- id=41423 | topic=Percentages | difficulty=Easy | question=What is 15% of 955? | option_a=286 | option_b=143 | option_c=153 | option_d=133 | answer=B | explanation=15% of 955 = (15/100) × 955 = 143.
- id=41424 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=40 | option_b=33 | option_c=26 | option_d=34 | answer=B | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.
- id=41425 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=41426 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1702. If it is sold at a profit of 40%, what is its selling price? | option_a=1742 | option_b=2212 | option_c=2382 | option_d=2552 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1702 × 140/100 = █2382.
- id=41427 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:14 and the first is 49, what is the second? | option_a=84 | option_b=98 | option_c=147 | option_d=105 | answer=B | explanation=Scale factor = 49/7 = 7. Therefore second quantity = 14×7 = 98.
- id=41428 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=Y | option_c=K | option_d=G | answer=D | explanation=Move 4 positions forward from C; the resulting letter is G.
- id=41429 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 21, 27, 36? | option_a=21 | option_b=15 | option_c=27 | option_d=36 | answer=D | explanation=The first three numbers increase by 6, so the next should be 33. Therefore 36 is the odd one out.
- id=41430 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=C | option_b=G | option_c=E | option_d=I | answer=B | explanation=Move 2 positions forward from E; the resulting letter is G.

Aptitude Questions — Records 41,431-41,460 of 100,000

id=41431 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:18 and the first is 200, what is the second? | option_a=360 | option_b=342 | option_c=370 | option_d=560 | answer=A | explanation=Scale factor = 200/10 = 20. Therefore second quantity = 18×20 = 360.

id=41432 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=90 | option_c=180 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=41433 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 26. | option_a=312 | option_b=168 | option_c=156 | option_d=130 | answer=C | explanation=LCM × HCF = 12×26; HCF(12,26) = 2, so LCM = 156.

id=41434 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2669 at 5% per annum for 1 years. | option_a=233 | option_b=133 | option_c=2802 | option_d=33 | answer=B | explanation=SI = PRT/100 = 2669×5×1/100 = **■**133.

id=41435 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=31 | option_b=33 | option_c=27 | option_d=30 | answer=D | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.

id=41436 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 13, 20, 30? | option_a=20 | option_b=6 | option_c=13 | option_d=30 | answer=D | explanation=The first three numbers increase by 7, so the next should be 27. Therefore 30 is the odd one out.

id=41437 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=41438 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=75 | option_c=80 | option_d=70 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=41439 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48115 at 8% per annum for 1 years. | option_a=3949 | option_b=51964 | option_c=3849 | option_d=3749 | answer=C | explanation=SI = PRT/100 = 48115×8×1/100 = **■**3849.

id=41440 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=O | option_b=F | option_c=I | option_d=L | answer=D | explanation=Move 3 positions forward from I; the resulting letter is L.

id=41441 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=41442 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=7 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=41443 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:7 and the first is 15, what is the second? | option_a=106 | option_b=98 | option_c=120 | option_d=105 | answer=D | explanation=Scale factor = 15/1 = 15. Therefore second quantity = 7×15 = 105.

id=41444 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=150 | option_d=70 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=41445 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10034 at 8% per annum for 5 years. | option_a=3913 | option_b=4013 | option_c=14047 | option_d=4113 | answer=B | explanation=SI = PRT/100 = 10034×8×5/100 = **■**4013.

id=41446 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=120 | option_c=115 | option_d=240 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=41447 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1339 at 6% per annum for 4 years. | option_a=421 | option_b=221 | option_c=1660 | option_d=321 | answer=D | explanation=SI = PRT/100 = 1339×6×4/100 = **■**321.

id=41448 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2140 at 10% per annum for 4 years. | option_a=956 | option_b=856 | option_c=2996 | option_d=756 | answer=B | explanation=SI = PRT/100 = 2140×10×4/100 = **■**856.

id=41449 | topic=Averages | difficulty=Easy | question=Find the average of 63, 92, 72, 53, 84, 23, 30, 100, 95. | option_a=70 | option_b=68 | option_c=67 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 612 ÷ 9 = 68.

id=41450 | topic=Percentages | difficulty=Easy | question=What is 25% of 1707? | option_a=852 | option_b=426 | option_c=406 | option_d=431 | answer=B | explanation=25% of 1707 = (25/100) × 1707 = 426.

id=41451 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=32 | option_b=37 | option_c=31 | option_d=25 | answer=C | explanation=The common difference is 6. Therefore the next term is 25 + 6 = 31.

id=41452 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2429. If it is sold at a profit of 15%, what is its selling price? | option_a=2551 | option_b=2444 | option_c=3035 | option_d=2793 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2429 × 115/100 = **■**2793.

id=41453 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12306 at 10% per annum for 4 years. | option_a=4922 | option_b=5022 | option_c=17228 | option_d=4822 | answer=A | explanation=SI = PRT/100 = 12306×10×4/100 = **■**4922.

id=41454 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=8 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=41455 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 33? | option_a=20 | option_b=25 | option_c=33 | option_d=15 | answer=C | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 33 is the odd one out.

id=41456 | topic=Percentages | difficulty=Easy | question=What is 5% of 957? | option_a=52 | option_b=42 | option_c=94 | option_d=47 | answer=D | explanation=5% of 957 = (5/100) × 957 = 47.

id=41457 | topic=Averages | difficulty=Easy | question=Find the average of 78, 90, 16, 69, 82. | option_a=66 | option_b=67 | option_c=69 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = 335 ÷ 5 = 67.

id=41458 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12588 at 8% per annum for 5 years. | option_a=5035 | option_b=17623 | option_c=5135 | option_d=4935 | answer=A | explanation=SI = PRT/100 = 12588×8×5/100 = **■**5035.

id=41459 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=41460 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 59? | option_a=36 | option_b=46 | option_c=59 | option_d=26 | answer=C | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 59 is the odd one out.

Aptitude Questions — Records 41,461-41,490 of 100,000

id=41461 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■227. If it is sold at a profit of 20%, what is its selling price? | option_a=294 | option_b=272 | option_c=247 | option_d=250 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 227 × 120/100 = ■272.

id=41462 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=23 | option_b=26 | option_c=27 | option_d=25 | answer=D | explanation=The common difference is 2. Therefore the next term is 23 + 2 = 25.

id=41463 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 13, 18, 24? | option_a=24 | option_b=13 | option_c=18 | option_d=8 | answer=A | explanation=The first three numbers increase by 5, so the next should be 23. Therefore 24 is the odd one out.

id=41464 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=41465 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■141. If it is sold at a profit of 20%, what is its selling price? | option_a=155 | option_b=169 | option_c=161 | option_d=183 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 141 × 120/100 = ■169.

id=41466 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=41467 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2352. If it is sold at a profit of 15%, what is its selling price? | option_a=2704 | option_b=2367 | option_c=2469 | option_d=2939 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2352 × 115/100 = ■2704.

id=41468 | topic=Percentages | difficulty=Easy | question=What is 25% of 965? | option_a=241 | option_b=251 | option_c=482 | option_d=221 | answer=A | explanation=25% of 965 = (25/100) × 965 = 241.

id=41469 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■33511 at 12% per annum for 2 years. | option_a=7942 | option_b=8042 | option_c=41553 | option_d=8142 | answer=B | explanation=SI = PRT/100 = 33511×12×2/100 = ■8042.

id=41470 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=L | option_c=N | option_d=O | answer=C | explanation=Move 1 positions forward from M; the resulting letter is N.

id=41471 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=41472 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=41473 | topic=Percentages | difficulty=Easy | question=What is 10% of 1154? | option_a=135 | option_b=230 | option_c=115 | option_d=105 | answer=C | explanation=10% of 1154 = (10/100) × 1154 = 115.

id=41474 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1826. If it is sold at a profit of 5%, what is its selling price? | option_a=1831 | option_b=1735 | option_c=1917 | option_d=2099 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1826 × 105/100 = ■1917.

id=41475 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 33? | option_a=33 | option_b=22 | option_c=12 | option_d=2 | answer=A | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 33 is the odd one out.

id=41476 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=60 | option_b=49 | option_c=61 | option_d=71 | answer=A | explanation=The common difference is 11. Therefore the next term is 49 + 11 = 60.

id=41477 | topic=Percentages | difficulty=Easy | question=What is 25% of 1763? | option_a=880 | option_b=430 | option_c=440 | option_d=450 | answer=C | explanation=25% of 1763 = (25/100) × 1763 = 440.

id=41478 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4030. If it is sold at a profit of 30%, what is its selling price? | option_a=5642 | option_b=4836 | option_c=4060 | option_d=5239 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4030 × 130/100 = ■5239.

id=41479 | topic=Percentages | difficulty=Easy | question=What is 40% of 54? | option_a=1 | option_b=21 | option_c=41 | option_d=42 | answer=B | explanation=40% of 54 = (40/100) × 54 = 21.

id=41480 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=44 | option_b=57 | option_c=56 | option_d=68 | answer=C | explanation=The common difference is 12. Therefore the next term is 44 + 12 = 56.

id=41481 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 6. | option_a=9 | option_b=6 | option_c=1 | option_d=18 | answer=B | explanation=LCM × HCF = 3×6; HCF(3,6) = 3, so LCM = 6.

id=41482 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2954. If it is sold at a profit of 25%, what is its selling price? | option_a=3692 | option_b=2979 | option_c=3987 | option_d=3397 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2954 × 125/100 = ■3692.

id=41483 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=D | option_c=F | option_d=B | answer=C | explanation=Move 2 positions forward from D; the resulting letter is F.

id=41484 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=41485 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=34 | option_b=39 | option_c=40 | option_d=44 | answer=B | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

id=41486 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=41487 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=Q | option_b=I | option_c=E | option_d=M | answer=D | explanation=Move 4 positions forward from I; the resulting letter is M.

id=41488 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 35? | option_a=25 | option_b=9 | option_c=17 | option_d=35 | answer=D | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 35 is the odd one out.

id=41489 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■42748 at 15% per annum for 5 years. | option_a=32161 | option_b=32061 | option_c=31961 | option_d=74809 | answer=B | explanation=SI = PRT/100 = 42748×15×5/100 = ■32061.

id=41490 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 41,491-41,520 of 100,000

id=41491 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19639 at 12% per annum for 3 years. | option_a=6970 | option_b=7070 | option_c=26709 | option_d=7170 | answer=B | explanation=SI = PRT/100 = 19639×12×3/100 = **■**7070.

id=41492 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:20 and the first is 52, what is the second? | option_a=260 | option_b=240 | option_c=312 | option_d=264 | answer=A | explanation=Scale factor = 52/4 = 13. Therefore second quantity = 20×13 = 260.

id=41493 | topic=Percentages | difficulty=Easy | question=What is 25% of 163? | option_a=80 | option_b=40 | option_c=45 | option_d=35 | answer=B | explanation=25% of 163 = (25/100) × 163 = 40.

id=41494 | topic=Averages | difficulty=Easy | question=Find the average of 90, 24, 65, 13. | option_a=47 | option_b=48 | option_c=50 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 192 ÷ 4 = 48.

id=41495 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=41496 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27119 at 12% per annum for 2 years. | option_a=6608 | option_b=6408 | option_c=6508 | option_d=33627 | answer=C | explanation=SI = PRT/100 = 27119×12×2/100 = **■**6508.

id=41497 | topic=Averages | difficulty=Easy | question=Find the average of 83, 42, 54, 19, 37, 58, 93, 88, 84. | option_a=64 | option_b=62 | option_c=63 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 558 ÷ 9 = 62.

id=41498 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=85 | option_c=160 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=41499 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11648 at 4% per annum for 1 years. | option_a=12113 | option_b=565 | option_c=365 | option_d=465 | answer=D | explanation=SI = PRT/100 = 11648×4×1/100 = **■**465.

id=41500 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**749. If it is sold at a profit of 40%, what is its selling price? | option_a=1048 | option_b=789 | option_c=974 | option_d=1122 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 749 × 140/100 = **■**1048.

id=41501 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 29, 33, 38? | option_a=33 | option_b=29 | option_c=38 | option_d=25 | answer=C | explanation=The first three numbers increase by 4, so the next should be 37. Therefore 38 is the odd one out.

id=41502 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=41503 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=41504 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3140. If it is sold at a profit of 5%, what is its selling price? | option_a=3611 | option_b=2983 | option_c=3297 | option_d=3145 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3140 × 105/100 = **■**3297.

id=41505 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=24 | option_b=26 | option_c=25 | option_d=22 | answer=A | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.

id=41506 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=I | option_c=H | option_d=G | answer=B | explanation=Move 1 positions forward from H; the resulting letter is I.

id=41507 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=H | option_b=N | option_c=L | option_d=J | answer=C | explanation=Move 2 positions forward from J; the resulting letter is L.

id=41508 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=P | option_c=T | option_d=N | answer=A | explanation=Move 2 positions forward from P; the resulting letter is R.

id=41509 | topic=Averages | difficulty=Easy | question=Find the average of 43, 100, 35, 71, 61, 17, 30, 67. | option_a=53 | option_b=55 | option_c=54 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.

id=41510 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=41511 | topic=Percentages | difficulty=Easy | question=What is 50% of 1401? | option_a=1400 | option_b=695 | option_c=700 | option_d=720 | answer=C | explanation=50% of 1401 = (50/100) × 1401 = 700.

id=41512 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=J | option_b=D | option_c=A | option_d=G | answer=D | explanation=Move 3 positions forward from D; the resulting letter is G.

id=41513 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 26, 33, 43? | option_a=33 | option_b=26 | option_c=43 | option_d=19 | answer=C | explanation=The first three numbers increase by 7, so the next should be 40. Therefore 43 is the odd one out.

id=41514 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35369 at 4% per annum for 4 years. | option_a=5759 | option_b=5559 | option_c=41028 | option_d=5659 | answer=D | explanation=SI = PRT/100 = 35369×4×4/100 = **■**5659.

id=41515 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=41516 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=145 | option_c=155 | option_d=300 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=41517 | topic=Percentages | difficulty=Easy | question=What is 5% of 1159? | option_a=67 | option_b=57 | option_c=37 | option_d=114 | answer=B | explanation=5% of 1159 = (5/100) × 1159 = 57.

id=41518 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5101 at 8% per annum for 2 years. | option_a=716 | option_b=916 | option_c=5917 | option_d=816 | answer=D | explanation=SI = PRT/100 = 5101×8×2/100 = **■**816.

id=41519 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1531. If it is sold at a profit of 30%, what is its selling price? | option_a=2143 | option_b=1561 | option_c=1990 | option_d=1837 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1531 × 130/100 = **■**1990.

id=41520 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 18. | option_a=54 | option_b=21 | option_c=1 | option_d=18 | answer=D | explanation=LCM × HCF = 3×18; HCF(3,18) = 3, so LCM = 18.

Aptitude Questions — Records 41,521-41,550 of 100,000

id=41521 | topic=Averages | difficulty=Easy | question=Find the average of 30, 34, 71, 13. | option_a=36 | option_b=38 | option_c=39 | option_d=37 | answer=D | explanation=Average = sum of values ÷ number of values = 148 ÷ 4 = 37.

id=41522 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=41523 | topic=Averages | difficulty=Easy | question=Find the average of 16, 21, 14, 74, 27, 12, 21, 47. | option_a=29 | option_b=28 | option_c=31 | option_d=30 | answer=A | explanation=Average = sum of values ÷ number of values = 232 ÷ 8 = 29.

id=41524 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16229 at 5% per annum for 1 years. | option_a=711 | option_b=911 | option_c=17040 | option_d=811 | answer=D | explanation=SI = $\text{PRT}/100 = 16229 \times 5 \times 1/100 = \text{■}811$.

id=41525 | topic=Averages | difficulty=Easy | question=Find the average of 94, 11, 25, 26. | option_a=38 | option_b=39 | option_c=40 | option_d=41 | answer=B | explanation=Average = sum of values ÷ number of values = 156 ÷ 4 = 39.

id=41526 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1465. If it is sold at a profit of 20%, what is its selling price? | option_a=1758 | option_b=1904 | option_c=1612 | option_d=1485 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 1465 \times 120/100 = \text{■}1758$.

id=41527 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:17 and the first is 40, what is the second? | option_a=34 | option_b=74 | option_c=17 | option_d=54 | answer=A | explanation=Scale factor = 40/20 = 2. Therefore second quantity = 17×2 = 34.

id=41528 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5039 at 6% per annum for 4 years. | option_a=1109 | option_b=1309 | option_c=6248 | option_d=1209 | answer=D | explanation=SI = $\text{PRT}/100 = 5039 \times 6 \times 4/100 = \text{■}1209$.

id=41529 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5193 at 5% per annum for 3 years. | option_a=678 | option_b=878 | option_c=778 | option_d=5971 | answer=C | explanation=SI = $\text{PRT}/100 = 5193 \times 5 \times 3/100 = \text{■}778$.

id=41530 | topic=Percentages | difficulty=Easy | question=What is 30% of 275? | option_a=72 | option_b=82 | option_c=164 | option_d=102 | answer=B | explanation=30% of 275 = (30/100) × 275 = 82.

id=41531 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=41532 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**911. If it is sold at a profit of 40%, what is its selling price? | option_a=951 | option_b=1184 | option_c=1275 | option_d=1366 | answer=C | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 911 \times 140/100 = \text{■}1275$.

id=41533 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=42 | option_b=52 | option_c=51 | option_d=60 | answer=C | explanation=The common difference is 9. Therefore the next term is 42 + 9 = 51.

id=41534 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 44? | option_a=37 | option_b=44 | option_c=33 | option_d=29 | answer=B | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 44 is the odd one out.

id=41535 | topic=Percentages | difficulty=Easy | question=What is 12% of 449? | option_a=106 | option_b=53 | option_c=58 | option_d=48 | answer=B | explanation=12% of 449 = (12/100) × 449 = 53.

id=41536 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1291 at 6% per annum for 3 years. | option_a=232 | option_b=332 | option_c=1523 | option_d=132 | answer=A | explanation=SI = $\text{PRT}/100 = 1291 \times 6 \times 3/100 = \text{■}232$.

id=41537 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=53 | option_b=66 | option_c=77 | option_d=65 | answer=D | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.

id=41538 | topic=Percentages | difficulty=Easy | question=What is 12% of 1741? | option_a=208 | option_b=188 | option_c=228 | option_d=416 | answer=A | explanation=12% of 1741 = (12/100) × 1741 = 208.

id=41539 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:1 and the first is 320, what is the second? | option_a=336 | option_b=16 | option_c=15 | option_d=36 | answer=B | explanation=Scale factor = 320/20 = 16. Therefore second quantity = 1×16 = 16.

id=41540 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 10, 14, 20? | option_a=10 | option_b=14 | option_c=20 | option_d=6 | answer=C | explanation=The first three numbers increase by 4, so the next should be 18. Therefore 20 is the odd one out.

id=41541 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=41542 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=120 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=41543 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1499. If it is sold at a profit of 10%, what is its selling price? | option_a=1499 | option_b=1797 | option_c=1648 | option_d=1509 | answer=C | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 1499 \times 110/100 = \text{■}1648$.

id=41544 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31948 at 4% per annum for 3 years. | option_a=3933 | option_b=3733 | option_c=3833 | option_d=35781 | answer=C | explanation=SI = $\text{PRT}/100 = 31948 \times 4 \times 3/100 = \text{■}3833$.

id=41545 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9927 at 10% per annum for 2 years. | option_a=11912 | option_b=1885 | option_c=1985 | option_d=2085 | answer=C | explanation=SI = $\text{PRT}/100 = 9927 \times 10 \times 2/100 = \text{■}1985$.

id=41546 | topic=Percentages | difficulty=Easy | question=What is 10% of 167? | option_a=26 | option_b=6 | option_c=32 | option_d=16 | answer=D | explanation=10% of 167 = (10/100) × 167 = 16.

id=41547 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4405. If it is sold at a profit of 20%, what is its selling price? | option_a=5286 | option_b=4425 | option_c=4846 | option_d=5726 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 4405 \times 120/100 = \text{■}5286$.

id=41548 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=41549 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=P | option_b=A | option_c=F | option_d=K | answer=D | explanation=Move 5 positions forward from F; the resulting letter is K.

id=41550 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=95 | option_d=180 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

Aptitude Questions — Records 41,551-41,580 of 100,000

id=41551 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=6 | option_c=1 | option_d=11 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=41552 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=32 | option_b=42 | option_c=41 | option_d=50 | answer=C | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

id=41553 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=41554 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 20. | option_a=60 | option_b=72 | option_c=40 | option_d=240 | answer=A | explanation=LCM × HCF = 12×20; HCF(12,20) = 4, so LCM = 60.

id=41555 | topic=Averages | difficulty=Easy | question=Find the average of 22, 35, 80, 58, 10, 79, 70, 22. | option_a=46 | option_b=49 | option_c=48 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 376 ÷ 8 = 47.

id=41556 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:19 and the first is 21, what is the second? | option_a=38 | option_b=57 | option_c=78 | option_d=64 | answer=B | explanation=Scale factor = 21/7 = 3. Therefore second quantity = 19×3 = 57.

id=41557 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=41558 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 16, 23, 30, ? | option_a=37 | option_b=30 | option_c=44 | option_d=38 | answer=A | explanation=The common difference is 7. Therefore the next term is 30 + 7 = 37.

id=41559 | topic=Averages | difficulty=Easy | question=Find the average of 94, 27, 35, 64, 13, 67, 16, 55, 44, 95. | option_a=52 | option_b=53 | option_c=50 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

id=41560 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=29 | option_b=45 | option_c=37 | option_d=38 | answer=C | explanation=The common difference is 8. Therefore the next term is 29 + 8 = 37.

id=41561 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 18. | option_a=72 | option_b=144 | option_c=54 | option_d=80 | answer=A | explanation=LCM × HCF = 8×18; HCF(8,18) = 2, so LCM = 72.

id=41562 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 25? | option_a=18 | option_b=16 | option_c=25 | option_d=20 | answer=C | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 25 is the odd one out.

id=41563 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:19 and the first is 120, what is the second? | option_a=380 | option_b=361 | option_c=386 | option_d=500 | answer=A | explanation=Scale factor = 120/6 = 20. Therefore second quantity = 19×20 = 380.

id=41564 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32196 at 15% per annum for 4 years. | option_a=19217 | option_b=19417 | option_c=19317 | option_d=51513 | answer=C | explanation=SI = PRT/100 = 32196×15×4/100 = **■**19317.

id=41565 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=E | option_c=T | option_d=O | answer=D | explanation=Move 5 positions forward from J; the resulting letter is O.

id=41566 | topic=Averages | difficulty=Easy | question=Find the average of 87, 90, 27, 44, 82. | option_a=68 | option_b=65 | option_c=66 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 330 ÷ 5 = 66.

id=41567 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 38? | option_a=5 | option_b=38 | option_c=25 | option_d=15 | answer=B | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 38 is the odd one out.

id=41568 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=43 | option_b=35 | option_c=51 | option_d=44 | answer=A | explanation=The common difference is 8. Therefore the next term is 35 + 8 = 43.

id=41569 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=V | option_c=Q | option_d=G | answer=C | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=41570 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=44 | option_b=55 | option_c=66 | option_d=56 | answer=B | explanation=The common difference is 11. Therefore the next term is 44 + 11 = 55.

id=41571 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4995. If it is sold at a profit of 50%, what is its selling price? | option_a=7492 | option_b=7991 | option_c=6993 | option_d=5045 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4995 × 150/100 = **■**7492.

id=41572 | topic=Averages | difficulty=Easy | question=Find the average of 85, 83, 28, 64, 86, 31, 60, 93, 62, 98. | option_a=68 | option_b=70 | option_c=69 | option_d=71 | answer=C | explanation=Average = sum of values ÷ number of values = 690 ÷ 10 = 69.

id=41573 | topic=Averages | difficulty=Easy | question=Find the average of 40, 51, 25, 12, 50, 60, 87, 91. | option_a=52 | option_b=54 | option_c=53 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=41574 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2368. If it is sold at a profit of 5%, what is its selling price? | option_a=2373 | option_b=2486 | option_c=2722 | option_d=2250 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2368 × 105/100 = **■**2486.

id=41575 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16267 at 8% per annum for 1 years. | option_a=1401 | option_b=1201 | option_c=17568 | option_d=1301 | answer=D | explanation=SI = PRT/100 = 16267×8×1/100 = **■**1301.

id=41576 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 18. | option_a=162 | option_b=1 | option_c=27 | option_d=18 | answer=D | explanation=LCM × HCF = 9×18; HCF(9,18) = 9, so LCM = 18.

id=41577 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=45 | option_b=38 | option_c=29 | option_d=37 | answer=D | explanation=The common difference is 8. Therefore the next term is 29 + 8 = 37.

id=41578 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 18. | option_a=72 | option_b=270 | option_c=90 | option_d=105 | answer=C | explanation=LCM × HCF = 15×18; HCF(15,18) = 3, so LCM = 90.

id=41579 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=C | option_c=B | option_d=Z | answer=C | explanation=Move 1 positions forward from A; the resulting letter is B.

id=41580 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=240 | option_c=120 | option_d=115 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

Aptitude Questions — Records 41,581-41,610 of 100,000

id=41581 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 26. | option_a=780 | option_b=390 | option_c=364 | option_d=420 | answer=B | explanation=LCM × HCF = 30×26; HCF(30,26) = 2, so LCM = 390.

id=41582 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13220 at 4% per annum for 2 years. | option_a=1157 | option_b=1057 | option_c=957 | option_d=14277 | answer=B | explanation=SI = PRT/100 = 13220×4×2/100 = **■**1057.

id=41583 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=33 | option_b=43 | option_c=39 | option_d=38 | answer=D | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.

id=41584 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4914. If it is sold at a profit of 40%, what is its selling price? | option_a=7370 | option_b=6388 | option_c=4954 | option_d=6879 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4914 × 140/100 = **■**6879.

id=41585 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4652. If it is sold at a profit of 30%, what is its selling price? | option_a=4682 | option_b=5582 | option_c=6047 | option_d=6512 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4652 × 130/100 = **■**6047.

id=41586 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:10 and the first is 88, what is the second? | option_a=168 | option_b=91 | option_c=70 | option_d=80 | answer=D | explanation=Scale factor = 88/11 = 8. Therefore second quantity = 10×8 = 80.

id=41587 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:2 and the first is 10, what is the second? | option_a=10 | option_b=20 | option_c=8 | option_d=12 | answer=A | explanation=Scale factor = 10/2 = 5. Therefore second quantity = 2×5 = 10.

id=41588 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 15. | option_a=450 | option_b=30 | option_c=60 | option_d=15 | answer=B | explanation=LCM × HCF = 30×15; HCF(30,15) = 15, so LCM = 30.

id=41589 | topic=Averages | difficulty=Easy | question=Find the average of 46, 75, 66, 69. | option_a=64 | option_b=65 | option_c=63 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 256 ÷ 4 = 64.

id=41590 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 45? | option_a=28 | option_b=21 | option_c=45 | option_d=35 | answer=C | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 45 is the odd one out.

id=41591 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=41592 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=41593 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 30, 32, 35? | option_a=35 | option_b=30 | option_c=28 | option_d=32 | answer=A | explanation=The first three numbers increase by 2, so the next should be 34. Therefore 35 is the odd one out.

id=41594 | topic=Averages | difficulty=Easy | question=Find the average of 74, 34, 46, 35, 15, 35, 44, 13. | option_a=37 | option_b=39 | option_c=38 | option_d=36 | answer=A | explanation=Average = sum of values ÷ number of values = 296 ÷ 8 = 37.

id=41595 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:2 and the first is 152, what is the second? | option_a=36 | option_b=190 | option_c=38 | option_d=46 | answer=C | explanation=Scale factor = 152/8 = 19. Therefore second quantity = 2×19 = 38.

id=41596 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=240 | option_c=125 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=41597 | topic=Averages | difficulty=Easy | question=Find the average of 63, 31, 50, 24. | option_a=44 | option_b=43 | option_c=41 | option_d=42 | answer=D | explanation=Average = sum of values ÷ number of values = 168 ÷ 4 = 42.

id=41598 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=20 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=41599 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3286 at 12% per annum for 1 years. | option_a=494 | option_b=294 | option_c=394 | option_d=3680 | answer=C | explanation=SI = PRT/100 = 3286×12×1/100 = **■**394.

id=41600 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 29? | option_a=23 | option_b=18 | option_c=29 | option_d=13 | answer=C | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 29 is the odd one out.

id=41601 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=24 | option_b=34 | option_c=29 | option_d=30 | answer=C | explanation=The common difference is 5. Therefore the next term is 24 + 5 = 29.

id=41602 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:17 and the first is 289, what is the second? | option_a=578 | option_b=306 | option_c=272 | option_d=289 | answer=D | explanation=Scale factor = 289/17 = 17. Therefore second quantity = 17×17 = 289.

id=41603 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1511 at 15% per annum for 1 years. | option_a=1737 | option_b=226 | option_c=126 | option_d=326 | answer=B | explanation=SI = PRT/100 = 1511×15×1/100 = **■**226.

id=41604 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3981 at 12% per annum for 5 years. | option_a=6369 | option_b=2388 | option_c=2488 | option_d=2288 | answer=B | explanation=SI = PRT/100 = 3981×12×5/100 = **■**2388.

id=41605 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=B | option_c=A | option_d=C | answer=D | explanation=Move 1 positions forward from B; the resulting letter is C.

id=41606 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 22, 25, 30? | option_a=25 | option_b=19 | option_c=30 | option_d=22 | answer=C | explanation=The first three numbers increase by 3, so the next should be 28. Therefore 30 is the odd one out.

id=41607 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1288. If it is sold at a profit of 40%, what is its selling price? | option_a=1675 | option_b=1328 | option_c=1803 | option_d=1931 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1288 × 140/100 = **■**1803.

id=41608 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32611 at 15% per annum for 4 years. | option_a=19466 | option_b=52177 | option_c=19666 | option_d=19566 | answer=D | explanation=SI = PRT/100 = 32611×15×4/100 = **■**19566.

id=41609 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=41610 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=32 | option_b=33 | option_c=37 | option_d=27 | answer=A | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

Aptitude Questions — Records 41,611-41,640 of 100,000

id=41611 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=5 | option_d=24 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=41612 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2738. If it is sold at a profit of 30%, what is its selling price? | option_a=3832 | option_b=2768 | option_c=3286 | option_d=3559 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2738 \times 130/100 = \text{█}3559$.

id=41613 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 30. | option_a=1 | option_b=60 | option_c=32 | option_d=30 | answer=D | explanation= $LCM \times HCF = 2 \times 30$; $HCF(2,30) = 2$, so $LCM = 30$.

id=41614 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2023. If it is sold at a profit of 15%, what is its selling price? | option_a=2124 | option_b=2326 | option_c=2528 | option_d=2038 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2023 \times 115/100 = \text{█}2326$.

id=41615 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=24 | option_c=48 | option_d=19 | answer=B | explanation=Speed = distance ÷ time = $120 \div 5 = 24$ km/h.

id=41616 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = $120 \div 4 = 30$ km/h.

id=41617 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33214 at 15% per annum for 5 years. | option_a=25010 | option_b=58124 | option_c=24810 | option_d=24910 | answer=D | explanation= $SI = PRT/100 = 33214 \times 15 \times 5/100 = \text{█}24910$.

id=41618 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=U | option_b=K | option_c=P | option_d=F | answer=C | explanation=Move 5 positions forward from K; the resulting letter is P.

id=41619 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 24. | option_a=32 | option_b=1 | option_c=24 | option_d=192 | answer=C | explanation= $LCM \times HCF = 8 \times 24$; $HCF(8,24) = 8$, so $LCM = 24$.

id=41620 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3196. If it is sold at a profit of 10%, what is its selling price? | option_a=3834 | option_b=3196 | option_c=3206 | option_d=3515 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3196 \times 110/100 = \text{█}3515$.

id=41621 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=100 | option_c=55 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = $300 \div 6 = 50$ km/h.

id=41622 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:9 and the first is 247, what is the second? | option_a=136 | option_b=117 | option_c=364 | option_d=108 | answer=B | explanation=Scale factor = $247/19 = 13$. Therefore second quantity = $9 \times 13 = 117$.

id=41623 | topic=Averages | difficulty=Easy | question=Find the average of 86, 45, 93, 54, 71, 100, 87, 30, 24, 70. | option_a=67 | option_b=66 | option_c=65 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = $660 \div 10 = 66$.

id=41624 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=41625 | topic=Percentages | difficulty=Easy | question=What is 10% of 1378? | option_a=274 | option_b=127 | option_c=147 | option_d=137 | answer=D | explanation= $10\% \text{ of } 1378 = (10/100) \times 1378 = 137$.

id=41626 | topic=Averages | difficulty=Easy | question=Find the average of 22, 39, 87, 52. | option_a=51 | option_b=50 | option_c=49 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = $200 \div 4 = 50$.

id=41627 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 8. | option_a=40 | option_b=32 | option_c=160 | option_d=60 | answer=A | explanation= $LCM \times HCF = 20 \times 8$; $HCF(20,8) = 4$, so $LCM = 40$.

id=41628 | topic=Profit & Loss | difficulty=Easy | question=An article costs █298. If it is sold at a profit of 20%, what is its selling price? | option_a=357 | option_b=328 | option_c=386 | option_d=318 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 298 \times 120/100 = \text{█}357$.

id=41629 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46725 at 10% per annum for 3 years. | option_a=14017 | option_b=60742 | option_c=13917 | option_d=14117 | answer=A | explanation= $SI = PRT/100 = 46725 \times 10 \times 3/100 = \text{█}14017$.

id=41630 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 56? | option_a=56 | option_b=29 | option_c=45 | option_d=37 | answer=A | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 56 is the odd one out.

id=41631 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=5 | option_d=24 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=41632 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 30? | option_a=30 | option_b=19 | option_c=24 | option_d=14 | answer=A | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 30 is the odd one out.

id=41633 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4628. If it is sold at a profit of 25%, what is its selling price? | option_a=5785 | option_b=5323 | option_c=4653 | option_d=6247 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4628 \times 125/100 = \text{█}5785$.

id=41634 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=43 | option_b=55 | option_c=54 | option_d=65 | answer=C | explanation=The common difference is 11. Therefore the next term is $43 + 11 = 54$.

id=41635 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:6 and the first is 18, what is the second? | option_a=36 | option_b=54 | option_c=30 | option_d=39 | answer=A | explanation=Scale factor = $18/3 = 6$. Therefore second quantity = $6 \times 6 = 36$.

id=41636 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 45? | option_a=28 | option_b=45 | option_c=35 | option_d=21 | answer=B | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 45 is the odd one out.

id=41637 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=D | option_b=Y | option_c=T | option_d=O | answer=B | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=41638 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46335 at 15% per annum for 1 years. | option_a=53285 | option_b=7050 | option_c=6850 | option_d=6950 | answer=D | explanation= $SI = PRT/100 = 46335 \times 15 \times 1/100 = \text{█}6950$.

id=41639 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=21 | option_b=15 | option_c=19 | option_d=18 | answer=D | explanation=The common difference is 3. Therefore the next term is $15 + 3 = 18$.

id=41640 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=W | option_c=K | option_d=S | answer=D | explanation=Move 4 positions forward from O; the resulting letter is S.

Aptitude Questions — Records 41,641-41,670 of 100,000

id=41641 | topic=Averages | difficulty=Easy | question=Find the average of 27, 61, 88, 23, 67, 95, 57, 55, 78, 59. | option_a=60 | option_b=63 | option_c=62 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 610 ÷ 10 = 61.

id=41642 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4210. If it is sold at a profit of 50%, what is its selling price? | option_a=6736 | option_b=6315 | option_c=4260 | option_d=5894 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4210 × 150/100 = █6315.

id=41643 | topic=Percentages | difficulty=Easy | question=What is 30% of 126? | option_a=37 | option_b=42 | option_c=74 | option_d=32 | answer=A | explanation=30% of 126 = (30/100) × 126 = 37.

id=41644 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=24 | option_c=29 | option_d=48 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=41645 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 18, 28, 39? | option_a=8 | option_b=39 | option_c=18 | option_d=28 | answer=B | explanation=The first three numbers increase by 10, so the next should be 38. Therefore 39 is the odd one out.

id=41646 | topic=Percentages | difficulty=Easy | question=What is 12% of 279? | option_a=28 | option_b=43 | option_c=66 | option_d=33 | answer=D | explanation=12% of 279 = (12/100) × 279 = 33.

id=41647 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 7. | option_a=28 | option_b=14 | option_c=98 | option_d=7 | answer=B | explanation=LCM × HCF = 14×7, HCF(14,7) = 7, so LCM = 14.

id=41648 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=72 | option_c=36 | option_d=41 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=41649 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=40 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=41650 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 15, 22, 31? | option_a=15 | option_b=22 | option_c=8 | option_d=31 | answer=D | explanation=The first three numbers increase by 7, so the next should be 29. Therefore 31 is the odd one out.

id=41651 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 35, 40, 47? | option_a=30 | option_b=40 | option_c=35 | option_d=47 | answer=D | explanation=The first three numbers increase by 5, so the next should be 45. Therefore 47 is the odd one out.

id=41652 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=N | option_c=R | option_d=L | answer=A | explanation=Move 2 positions forward from N; the resulting letter is P.

id=41653 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48259 at 6% per annum for 1 years. | option_a=2895 | option_b=51154 | option_c=2995 | option_d=2795 | answer=A | explanation=SI = PRT/100 = 48259×6×1/100 = █2895.

id=41654 | topic=Averages | difficulty=Easy | question=Find the average of 54, 19, 12, 51. | option_a=33 | option_b=34 | option_c=35 | option_d=36 | answer=B | explanation=Average = sum of values ÷ number of values = 136 ÷ 4 = 34.

id=41655 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=41656 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=N | option_b=S | option_c=I | option_d=D | answer=A | explanation=Move 5 positions forward from I; the resulting letter is N.

id=41657 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 29? | option_a=18 | option_b=29 | option_c=23 | option_d=13 | answer=B | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 29 is the odd one out.

id=41658 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11863 at 6% per annum for 4 years. | option_a=2747 | option_b=2847 | option_c=2947 | option_d=14710 | answer=B | explanation=SI = PRT/100 = 11863×6×4/100 = █2847.

id=41659 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 4. | option_a=8 | option_b=4 | option_c=16 | option_d=32 | answer=A | explanation=LCM × HCF = 8×4; HCF(8,4) = 4, so LCM = 8.

id=41660 | topic=Averages | difficulty=Easy | question=Find the average of 62, 26, 92, 15, 57, 19, 21, 52. | option_a=43 | option_b=45 | option_c=42 | option_d=44 | answer=A | explanation=Average = sum of values ÷ number of values = 344 ÷ 8 = 43.

id=41661 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=30 | option_b=35 | option_c=29 | option_d=23 | answer=C | explanation=The common difference is 6. Therefore the next term is 23 + 6 = 29.

id=41662 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=10 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=41663 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 56? | option_a=29 | option_b=37 | option_c=45 | option_d=56 | answer=D | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 56 is the odd one out.

id=41664 | topic=Percentages | difficulty=Easy | question=What is 5% of 1654? | option_a=77 | option_b=164 | option_c=82 | option_d=87 | answer=C | explanation=5% of 1654 = (5/100) × 1654 = 82.

id=41665 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 40? | option_a=36 | option_b=33 | option_c=40 | option_d=30 | answer=C | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 40 is the odd one out.

id=41666 | topic=Averages | difficulty=Easy | question=Find the average of 58, 85, 47, 87, 71, 23, 26, 41, 39. | option_a=52 | option_b=54 | option_c=53 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 477 ÷ 9 = 53.

id=41667 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=M | option_b=R | option_c=C | option_d=H | answer=A | explanation=Move 5 positions forward from H; the resulting letter is M.

id=41668 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=41669 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Q | option_b=C | option_c=U | option_d=Y | answer=D | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=41670 | topic=Profit & Loss | difficulty=Easy | question=An article costs █756. If it is sold at a profit of 40%, what is its selling price? | option_a=983 | option_b=1058 | option_c=1133 | option_d=796 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 756 × 140/100 = █1058.

Aptitude Questions — Records 41,671-41,700 of 100,000

id=41671 | topic=Percentages | difficulty=Easy | question=What is 12% of 1907? | option_a=223 | option_b=456 | option_c=228 | option_d=248 | answer=C | explanation=12% of 1907 = (12/100) × 1907 = 228.

id=41672 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=36 | option_b=29 | option_c=41 | option_d=35 | answer=D | explanation=The common difference is 6. Therefore the next term is 29 + 6 = 35.

id=41673 | topic=Percentages | difficulty=Easy | question=What is 50% of 532? | option_a=261 | option_b=286 | option_c=266 | option_d=532 | answer=C | explanation=50% of 532 = (50/100) × 532 = 266.

id=41674 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=P | option_c=L | option_d=N | answer=B | explanation=Move 2 positions forward from N; the resulting letter is P.

id=41675 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=32 | option_b=26 | option_c=33 | option_d=38 | answer=A | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=41676 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 17, 27, 40? | option_a=17 | option_b=7 | option_c=40 | option_d=27 | answer=C | explanation=The first three numbers increase by 10, so the next should be 37. Therefore 40 is the odd one out.

id=41677 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=41678 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20099 at 5% per annum for 4 years. | option_a=3919 | option_b=24118 | option_c=4119 | option_d=4019 | answer=D | explanation=SI = PRT/100 = 20099×5×4/100 = **■**4019.

id=41679 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=55 | option_c=45 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=41680 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=41681 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36284 at 5% per annum for 2 years. | option_a=3628 | option_b=39912 | option_c=3728 | option_d=3528 | answer=A | explanation=SI = PRT/100 = 36284×5×2/100 = **■**3628.

id=41682 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32172 at 6% per annum for 5 years. | option_a=9651 | option_b=9751 | option_c=41823 | option_d=9551 | answer=A | explanation=SI = PRT/100 = 32172×6×5/100 = **■**9651.

id=41683 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=41684 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=41685 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=41686 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=40 | option_c=25 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=41687 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=41688 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48862 at 12% per annum for 4 years. | option_a=72315 | option_b=23353 | option_c=23453 | option_d=23553 | answer=C | explanation=SI = PRT/100 = 48862×12×4/100 = **■**23453.

id=41689 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 8, 12, 19? | option_a=19 | option_b=4 | option_c=8 | option_d=12 | answer=A | explanation=The first three numbers increase by 4, so the next should be 16. Therefore 19 is the odd one out.

id=41690 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=T | option_b=Q | option_c=N | option_d=K | answer=B | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=41691 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 38? | option_a=29 | option_b=38 | option_c=32 | option_d=26 | answer=B | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 38 is the odd one out.

id=41692 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=41693 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2695. If it is sold at a profit of 5%, what is its selling price? | option_a=2560 | option_b=3098 | option_c=2829 | option_d=2700 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2695 × 105/100 = **■**2829.

id=41694 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=W | option_c=S | option_d=Y | answer=B | explanation=Move 2 positions forward from U; the resulting letter is W.

id=41695 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=41696 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=90 | option_c=85 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=41697 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4606. If it is sold at a profit of 5%, what is its selling price? | option_a=4611 | option_b=4836 | option_c=5296 | option_d=4376 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4606 × 105/100 = **■**4836.

id=41698 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 28, 36, 47? | option_a=28 | option_b=20 | option_c=47 | option_d=36 | answer=C | explanation=The first three numbers increase by 8, so the next should be 44. Therefore 47 is the odd one out.

id=41699 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 23, 27, 34? | option_a=19 | option_b=23 | option_c=27 | option_d=34 | answer=D | explanation=The first three numbers increase by 4, so the next should be 31. Therefore 34 is the odd one out.

id=41700 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1694. If it is sold at a profit of 50%, what is its selling price? | option_a=2710 | option_b=1744 | option_c=2541 | option_d=2372 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1694 × 150/100 = **■**2541.

Aptitude Questions — Records 41,701-41,730 of 100,000

id=41701 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=35 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=41702 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 24, 36, 48, ? | option_a=72 | option_b=48 | option_c=60 | option_d=61 | answer=C | explanation=The common difference is 12. Therefore the next term is 48 + 12 = 60.

id=41703 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:7 and the first is 180, what is the second? | option_a=117 | option_b=105 | option_c=285 | option_d=98 | answer=B | explanation=Scale factor = 180/12 = 15. Therefore second quantity = 7×15 = 105.

id=41704 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39422 at 8% per annum for 5 years. | option_a=15668 | option_b=15768 | option_c=15868 | option_d=55190 | answer=B | explanation=SI = PRT/100 = 39422×8×5/100 = **■**15768.

id=41705 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:7 and the first is 272, what is the second? | option_a=391 | option_b=135 | option_c=112 | option_d=119 | answer=D | explanation=Scale factor = 272/16 = 17. Therefore second quantity = 7×17 = 119.

id=41706 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 16? | option_a=9 | option_b=13 | option_c=16 | option_d=11 | answer=C | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 16 is the odd one out.

id=41707 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:15 and the first is 209, what is the second? | option_a=270 | option_b=296 | option_c=494 | option_d=285 | answer=D | explanation=Scale factor = 209/11 = 19. Therefore second quantity = 15×19 = 285.

id=41708 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1755. If it is sold at a profit of 5%, what is its selling price? | option_a=1667 | option_b=1842 | option_c=2017 | option_d=1760 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1755 × 105/100 = **■**1842.

id=41709 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2507 at 10% per annum for 3 years. | option_a=852 | option_b=3259 | option_c=752 | option_d=652 | answer=C | explanation=SI = PRT/100 = 2507×10×3/100 = **■**752.

id=41710 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=L | option_c=G | option_d=W | answer=C | explanation=Move 5 positions forward from B; the resulting letter is G.

id=41711 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=4 | option_c=9 | option_d=18 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=41712 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1320. If it is sold at a profit of 15%, what is its selling price? | option_a=1518 | option_b=1335 | option_c=1650 | option_d=1386 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1320 × 115/100 = **■**1518.

id=41713 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 16, 23, 30, ? | option_a=44 | option_b=37 | option_c=30 | option_d=38 | answer=B | explanation=The common difference is 7. Therefore the next term is 30 + 7 = 37.

id=41714 | topic=Percentages | difficulty=Easy | question=What is 5% of 1404? | option_a=140 | option_b=65 | option_c=70 | option_d=75 | answer=C | explanation=5% of 1404 = (5/100) × 1404 = 70.

id=41715 | topic=Percentages | difficulty=Easy | question=What is 30% of 516? | option_a=164 | option_b=154 | option_c=308 | option_d=134 | answer=B | explanation=30% of 516 = (30/100) × 516 = 154.

id=41716 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=41717 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3764. If it is sold at a profit of 40%, what is its selling price? | option_a=4893 | option_b=3804 | option_c=5645 | option_d=5269 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3764 × 140/100 = **■**5269.

id=41718 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=J | option_b=M | option_c=L | option_d=K | answer=C | explanation=Move 1 positions forward from K; the resulting letter is L.

id=41719 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=41720 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=31 | option_b=39 | option_c=35 | option_d=36 | answer=C | explanation=The common difference is 4. Therefore the next term is 31 + 4 = 35.

id=41721 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 29? | option_a=5 | option_b=29 | option_c=19 | option_d=12 | answer=B | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 29 is the odd one out.

id=41722 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 20. | option_a=100 | option_b=125 | option_c=500 | option_d=80 | answer=A | explanation=LCM × HCF = 25×20; HCF(25,20) = 5, so LCM = 100.

id=41723 | topic=Averages | difficulty=Easy | question=Find the average of 59, 82, 15, 45, 77, 38, 62. | option_a=54 | option_b=56 | option_c=53 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

id=41724 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3421. If it is sold at a profit of 20%, what is its selling price? | option_a=4105 | option_b=4447 | option_c=3441 | option_d=3763 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3421 × 120/100 = **■**4105.

id=41725 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1455. If it is sold at a profit of 20%, what is its selling price? | option_a=1746 | option_b=1601 | option_c=1891 | option_d=1475 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1455 × 120/100 = **■**1746.

id=41726 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=70 | option_b=59 | option_c=46 | option_d=58 | answer=D | explanation=The common difference is 12. Therefore the next term is 46 + 12 = 58.

id=41727 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=Z | option_c=B | option_d=A | answer=C | explanation=Move 1 positions forward from A; the resulting letter is B.

id=41728 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=41729 | topic=Averages | difficulty=Easy | question=Find the average of 30, 74, 53, 98, 33, 93, 88. | option_a=66 | option_b=69 | option_c=67 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 469 ÷ 7 = 67.

id=41730 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33919 at 12% per annum for 4 years. | option_a=16281 | option_b=16181 | option_c=16381 | option_d=50200 | answer=A | explanation=SI = PRT/100 = 33919×12×4/100 = **■**16281.

Aptitude Questions — Records 41,731-41,760 of 100,000

- id=41731 | topic=Averages | difficulty=Easy | question=Find the average of 81, 38, 75, 56, 99, 95. | option_a=73 | option_b=74 | option_c=76 | option_d=75 | answer=B | explanation=Average = sum of values ÷ number of values = 444 ÷ 6 = 74.
- id=41732 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 34, 41, 49? | option_a=27 | option_b=49 | option_c=41 | option_d=34 | answer=B | explanation=The first three numbers increase by 7, so the next should be 48. Therefore 49 is the odd one out.
- id=41733 | topic=Percentages | difficulty=Easy | question=What is 15% of 89? | option_a=3 | option_b=23 | option_c=13 | option_d=26 | answer=C | explanation=15% of 89 = (15/100) × 89 = 13.
- id=41734 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34031 at 10% per annum for 2 years. | option_a=40837 | option_b=6706 | option_c=6806 | option_d=6906 | answer=C | explanation=SI = PRT/100 = 34031×10×2/100 = **■**6806.
- id=41735 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=41736 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=34 | option_b=42 | option_c=43 | option_d=50 | answer=B | explanation=The common difference is 8. Therefore the next term is 34 + 8 = 42.
- id=41737 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 36? | option_a=25 | option_b=5 | option_c=36 | option_d=15 | answer=C | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 36 is the odd one out.
- id=41738 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=12 | option_b=7 | option_c=24 | option_d=17 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.
- id=41739 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 26, 29, 35? | option_a=35 | option_b=29 | option_c=26 | option_d=23 | answer=A | explanation=The first three numbers increase by 3, so the next should be 32. Therefore 35 is the odd one out.
- id=41740 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=S | option_b=M | option_c=P | option_d=V | answer=A | explanation=Move 3 positions forward from P; the resulting letter is S.
- id=41741 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 16, 23, 30, ? | option_a=44 | option_b=37 | option_c=30 | option_d=38 | answer=B | explanation=The common difference is 7. Therefore the next term is 30 + 7 = 37.
- id=41742 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.
- id=41743 | topic=Averages | difficulty=Easy | question=Find the average of 93, 25, 27, 34, 75, 88. | option_a=59 | option_b=56 | option_c=57 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 342 ÷ 6 = 57.
- id=41744 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=21 | option_b=17 | option_c=19 | option_d=20 | answer=C | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.
- id=41745 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=48 | option_b=59 | option_c=37 | option_d=49 | answer=A | explanation=The common difference is 11. Therefore the next term is 37 + 11 = 48.
- id=41746 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14980 at 15% per annum for 5 years. | option_a=11135 | option_b=26215 | option_c=11235 | option_d=11335 | answer=C | explanation=SI = PRT/100 = 14980×15×5/100 = **■**11235.
- id=41747 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=L | option_b=G | option_c=B | option_d=Q | answer=A | explanation=Move 5 positions forward from G; the resulting letter is L.
- id=41748 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:14 and the first is 154, what is the second? | option_a=140 | option_b=154 | option_c=308 | option_d=168 | answer=B | explanation=Scale factor = 154/14 = 11. Therefore second quantity = 14×11 = 154.
- id=41749 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2864. If it is sold at a profit of 15%, what is its selling price? | option_a=3293 | option_b=2879 | option_c=3007 | option_d=3579 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2864 × 115/100 = **■**3293.
- id=41750 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39616 at 5% per annum for 2 years. | option_a=43577 | option_b=4061 | option_c=3961 | option_d=3861 | answer=C | explanation=SI = PRT/100 = 39616×5×2/100 = **■**3961.
- id=41751 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.
- id=41752 | topic=Percentages | difficulty=Easy | question=What is 30% of 1446? | option_a=866 | option_b=433 | option_c=413 | option_d=438 | answer=B | explanation=30% of 1446 = (30/100) × 1446 = 433.
- id=41753 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 17, 22, 28? | option_a=22 | option_b=28 | option_c=12 | option_d=17 | answer=B | explanation=The first three numbers increase by 5, so the next should be 27. Therefore 28 is the odd one out.
- id=41754 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=G | option_b=Q | option_c=V | option_d=L | answer=B | explanation=Move 5 positions forward from L; the resulting letter is Q.
- id=41755 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.
- id=41756 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=41757 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.
- id=41758 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=I | option_c=G | option_d=M | answer=A | explanation=Move 2 positions forward from I; the resulting letter is K.
- id=41759 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 4. | option_a=104 | option_b=78 | option_c=48 | option_d=52 | answer=D | explanation=LCM × HCF = 26×4; HCF(26,4) = 2, so LCM = 52.
- id=41760 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=14 | option_c=18 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

Aptitude Questions — Records 41,761-41,790 of 100,000

id=41761 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■20185 at 10% per annum for 2 years. | option_a=4037 | option_b=24222 | option_c=3937 | option_d=4137 | answer=A | explanation=SI = PRT/100 = 20185×10×2/100 = ■4037.

id=41762 | topic=Percentages | difficulty=Easy | question=What is 25% of 953? | option_a=228 | option_b=238 | option_c=476 | option_d=248 | answer=B | explanation=25% of 953 = (25/100) × 953 = 238.

id=41763 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2622. If it is sold at a profit of 15%, what is its selling price? | option_a=3015 | option_b=2637 | option_c=3277 | option_d=2753 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2622 × 115/100 = ■3015.

id=41764 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■7130 at 10% per annum for 5 years. | option_a=10695 | option_b=3465 | option_c=3665 | option_d=3565 | answer=D | explanation=SI = PRT/100 = 7130×10×5/100 = ■3565.

id=41765 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=41766 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 31, 35, 41? | option_a=35 | option_b=41 | option_c=27 | option_d=31 | answer=B | explanation=The first three numbers increase by 4, so the next should be 39. Therefore 41 is the odd one out.

id=41767 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■8702 at 12% per annum for 5 years. | option_a=13923 | option_b=5221 | option_c=5121 | option_d=5321 | answer=B | explanation=SI = PRT/100 = 8702×12×5/100 = ■5221.

id=41768 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:17 and the first is 4, what is the second? | option_a=36 | option_b=34 | option_c=38 | option_d=17 | answer=B | explanation=Scale factor = 4/2 = 2. Therefore second quantity = 17×2 = 34.

id=41769 | topic=Averages | difficulty=Easy | question=Find the average of 42, 27, 42, 69, 52, 69, 50, 33. | option_a=50 | option_b=47 | option_c=49 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = 384 ÷ 8 = 48.

id=41770 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 22? | option_a=22 | option_b=7 | option_c=15 | option_d=11 | answer=A | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 22 is the odd one out.

id=41771 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=41772 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 30. | option_a=240 | option_b=256 | option_c=480 | option_d=210 | answer=A | explanation=LCM × HCF = 16×30; HCF(16,30) = 2, so LCM = 240.

id=41773 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:11 and the first is 90, what is the second? | option_a=119 | option_b=200 | option_c=99 | option_d=110 | answer=D | explanation=Scale factor = 90/9 = 10. Therefore second quantity = 11×10 = 110.

id=41774 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:16 and the first is 28, what is the second? | option_a=208 | option_b=252 | option_c=226 | option_d=224 | answer=D | explanation=Scale factor = 28/2 = 14. Therefore second quantity = 16×14 = 224.

id=41775 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=S | option_b=V | option_c=U | option_d=T | answer=C | explanation=Move 1 positions forward from T; the resulting letter is U.

id=41776 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 30. | option_a=30 | option_b=32 | option_c=1 | option_d=60 | answer=A | explanation=LCM × HCF = 2×30; HCF(2,30) = 2, so LCM = 30.

id=41777 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=U | option_c=V | option_d=S | answer=B | explanation=Move 1 positions forward from T; the resulting letter is U.

id=41778 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=4 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=41779 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=41780 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=S | option_b=K | option_c=G | option_d=O | answer=D | explanation=Move 4 positions forward from K; the resulting letter is O.

id=41781 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=7 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=41782 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 21? | option_a=11 | option_b=15 | option_c=21 | option_d=7 | answer=C | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 21 is the odd one out.

id=41783 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=Z | option_b=E | option_c=P | option_d=U | answer=A | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=41784 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=41785 | topic=Averages | difficulty=Easy | question=Find the average of 77, 31, 82, 33, 93, 66, 17. | option_a=59 | option_b=57 | option_c=58 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 399 ÷ 7 = 57.

id=41786 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 29, 33, 40? | option_a=29 | option_b=40 | option_c=25 | option_d=33 | answer=B | explanation=The first three numbers increase by 4, so the next should be 37. Therefore 40 is the odd one out.

id=41787 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=71 | option_b=47 | option_c=59 | option_d=60 | answer=C | explanation=The common difference is 12. Therefore the next term is 47 + 12 = 59.

id=41788 | topic=Percentages | difficulty=Easy | question=What is 40% of 1528? | option_a=616 | option_b=606 | option_c=611 | option_d=1222 | answer=C | explanation=40% of 1528 = (40/100) × 1528 = 611.

id=41789 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=180 | option_c=90 | option_d=95 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=41790 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:4 and the first is 60, what is the second? | option_a=56 | option_b=60 | option_c=120 | option_d=64 | answer=B | explanation=Scale factor = 60/4 = 15. Therefore second quantity = 4×15 = 60.

Aptitude Questions — Records 41,791-41,820 of 100,000

id=41791 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=45 | option_c=50 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=41792 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=41793 | topic=Percentages | difficulty=Easy | question=What is 50% of 85? | option_a=84 | option_b=42 | option_c=62 | option_d=32 | answer=B | explanation=50% of 85 = (50/100) × 85 = 42.

id=41794 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 54? | option_a=37 | option_b=54 | option_c=45 | option_d=29 | answer=B | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 54 is the odd one out.

id=41795 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13576 at 15% per annum for 1 years. | option_a=2036 | option_b=15612 | option_c=2136 | option_d=1936 | answer=A | explanation=SI = PRT/100 = 13576×15×1/100 = **■**2036.

id=41796 | topic=Percentages | difficulty=Easy | question=What is 50% of 850? | option_a=850 | option_b=430 | option_c=405 | option_d=425 | answer=D | explanation=50% of 850 = (50/100) × 850 = 425.

id=41797 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40312 at 10% per annum for 1 years. | option_a=4131 | option_b=3931 | option_c=44343 | option_d=4031 | answer=D | explanation=SI = PRT/100 = 40312×10×1/100 = **■**4031.

id=41798 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:19 and the first is 72, what is the second? | option_a=161 | option_b=152 | option_c=224 | option_d=133 | answer=B | explanation=Scale factor = 72/9 = 8. Therefore second quantity = 19×8 = 152.

id=41799 | topic=Averages | difficulty=Easy | question=Find the average of 24, 52, 100, 77, 18, 89. | option_a=62 | option_b=59 | option_c=60 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 360 ÷ 6 = 60.

id=41800 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=95 | option_c=90 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=41801 | topic=Percentages | difficulty=Easy | question=What is 12% of 1600? | option_a=384 | option_b=197 | option_c=187 | option_d=192 | answer=D | explanation=12% of 1600 = (12/100) × 1600 = 192.

id=41802 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15870 at 15% per annum for 3 years. | option_a=23011 | option_b=7241 | option_c=7041 | option_d=7141 | answer=D | explanation=SI = PRT/100 = 15870×15×3/100 = **■**7141.

id=41803 | topic=Percentages | difficulty=Easy | question=What is 12% of 1179? | option_a=141 | option_b=161 | option_c=136 | option_d=282 | answer=A | explanation=12% of 1179 = (12/100) × 1179 = 141.

id=41804 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=Q | option_b=R | option_c=P | option_d=O | answer=A | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=41805 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 33? | option_a=16 | option_b=24 | option_c=8 | option_d=33 | answer=D | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 33 is the odd one out.

id=41806 | topic=Averages | difficulty=Easy | question=Find the average of 67, 12, 88, 32, 100, 31. | option_a=55 | option_b=57 | option_c=56 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 330 ÷ 6 = 55.

id=41807 | topic=Number System | difficulty=Easy | question=Find the LCM of 13 and 26. | option_a=39 | option_b=26 | option_c=338 | option_d=1 | answer=B | explanation=LCM × HCF = 13×26; HCF(13,26) = 13, so LCM = 26.

id=41808 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:18 and the first is 20, what is the second? | option_a=90 | option_b=94 | option_c=110 | option_d=72 | answer=A | explanation=Scale factor = 20/4 = 5. Therefore second quantity = 18×5 = 90.

id=41809 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2645. If it is sold at a profit of 30%, what is its selling price? | option_a=3174 | option_b=2675 | option_c=3438 | option_d=3702 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2645 × 130/100 = **■**3438.

id=41810 | topic=Percentages | difficulty=Easy | question=What is 10% of 1034? | option_a=123 | option_b=103 | option_c=93 | option_d=206 | answer=B | explanation=10% of 1034 = (10/100) × 1034 = 103.

id=41811 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10489 at 5% per annum for 4 years. | option_a=2197 | option_b=12586 | option_c=2097 | option_d=1997 | answer=C | explanation=SI = PRT/100 = 10489×5×4/100 = **■**2097.

id=41812 | topic=Percentages | difficulty=Easy | question=What is 20% of 630? | option_a=126 | option_b=121 | option_c=252 | option_d=146 | answer=A | explanation=20% of 630 = (20/100) × 630 = 126.

id=41813 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3779. If it is sold at a profit of 20%, what is its selling price? | option_a=4534 | option_b=4157 | option_c=3799 | option_d=4911 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3779 × 120/100 = **■**4534.

id=41814 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 28. | option_a=280 | option_b=616 | option_c=330 | option_d=308 | answer=D | explanation=LCM × HCF = 22×28; HCF(22,28) = 2, so LCM = 308.

id=41815 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 13, 21, 31? | option_a=13 | option_b=21 | option_c=5 | option_d=31 | answer=D | explanation=The first three numbers increase by 8, so the next should be 29. Therefore 31 is the odd one out.

id=41816 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=41817 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=200 | option_c=105 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=41818 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=41819 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4295. If it is sold at a profit of 10%, what is its selling price? | option_a=4724 | option_b=5153 | option_c=4295 | option_d=4305 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4295 × 110/100 = **■**4724.

id=41820 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=P | option_c=Z | option_d=E | answer=C | explanation=Move 5 positions forward from U; the resulting letter is Z.

Aptitude Questions — Records 41,821-41,850 of 100,000

id=41821 | topic=Percentages | difficulty=Easy | question=What is 20% of 1380? | option_a=276 | option_b=281 | option_c=271 | option_d=552 | answer=A | explanation=20% of 1380 = (20/100) × 1380 = 276.

id=41822 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=M | option_b=I | option_c=Q | option_d=E | answer=A | explanation=Move 4 positions forward from I; the resulting letter is M.

id=41823 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 10. | option_a=20 | option_b=200 | option_c=40 | option_d=10 | answer=A | explanation=LCM × HCF = 20×10; HCF(20,10) = 10, so LCM = 20.

id=41824 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=S | option_b=N | option_c=X | option_d=I | answer=A | explanation=Move 5 positions forward from N; the resulting letter is S.

id=41825 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 10, 18, 28? | option_a=18 | option_b=2 | option_c=28 | option_d=10 | answer=C | explanation=The first three numbers increase by 8, so the next should be 26. Therefore 28 is the odd one out.

id=41826 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 39? | option_a=14 | option_b=39 | option_c=22 | option_d=30 | answer=B | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 39 is the odd one out.

id=41827 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:5 and the first is 255, what is the second? | option_a=75 | option_b=70 | option_c=330 | option_d=92 | answer=A | explanation=Scale factor = 255/17 = 15. Therefore second quantity = 5×15 = 75.

id=41828 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 19? | option_a=13 | option_b=15 | option_c=11 | option_d=19 | answer=D | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 19 is the odd one out.

id=41829 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 34? | option_a=34 | option_b=15 | option_c=6 | option_d=24 | answer=A | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 34 is the odd one out.

id=41830 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=F | option_b=E | option_c=D | option_d=G | answer=A | explanation=Move 1 positions forward from E; the resulting letter is F.

id=41831 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:9 and the first is 135, what is the second? | option_a=126 | option_b=135 | option_c=270 | option_d=144 | answer=B | explanation=Scale factor = 135/9 = 15. Therefore second quantity = 9×15 = 135.

id=41832 | topic=Percentages | difficulty=Easy | question=What is 10% of 1152? | option_a=110 | option_b=120 | option_c=230 | option_d=115 | answer=D | explanation=10% of 1152 = (10/100) × 1152 = 115.

id=41833 | topic=Averages | difficulty=Easy | question=Find the average of 85, 16, 40, 76, 32, 91, 22, 10, 68, 80. | option_a=51 | option_b=54 | option_c=53 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 520 ÷ 10 = 52.

id=41834 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:3 and the first is 80, what is the second? | option_a=57 | option_b=140 | option_c=60 | option_d=64 | answer=C | explanation=Scale factor = 80/4 = 20. Therefore second quantity = 3×20 = 60.

id=41835 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18137 at 6% per annum for 1 years. | option_a=1088 | option_b=19225 | option_c=1188 | option_d=988 | answer=A | explanation=SI = PRT/100 = 18137×6×1/100 = **■**1088.

id=41836 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=90 | option_c=180 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=41837 | topic=Averages | difficulty=Easy | question=Find the average of 100, 35, 85, 51, 85, 11, 39. | option_a=59 | option_b=60 | option_c=57 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 406 ÷ 7 = 58.

id=41838 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=6 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=41839 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=S | option_b=M | option_c=V | option_d=P | answer=A | explanation=Move 3 positions forward from P; the resulting letter is S.

id=41840 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=7 | option_c=24 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=41841 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:3 and the first is 34, what is the second? | option_a=6 | option_b=3 | option_c=23 | option_d=40 | answer=A | explanation=Scale factor = 34/17 = 2. Therefore second quantity = 3×2 = 6.

id=41842 | topic=Averages | difficulty=Easy | question=Find the average of 51, 70, 70, 89. | option_a=70 | option_b=69 | option_c=71 | option_d=72 | answer=A | explanation=Average = sum of values ÷ number of values = 280 ÷ 4 = 70.

id=41843 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3431. If it is sold at a profit of 40%, what is its selling price? | option_a=4803 | option_b=3471 | option_c=5146 | option_d=4460 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3431 × 140/100 = **■**4803.

id=41844 | topic=Percentages | difficulty=Easy | question=What is 50% of 1860? | option_a=925 | option_b=1860 | option_c=950 | option_d=930 | answer=D | explanation=50% of 1860 = (50/100) × 1860 = 930.

id=41845 | topic=Averages | difficulty=Easy | question=Find the average of 23, 41, 41, 42, 17, 34. | option_a=34 | option_b=35 | option_c=33 | option_d=32 | answer=C | explanation=Average = sum of values ÷ number of values = 198 ÷ 6 = 33.

id=41846 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 20. | option_a=154 | option_b=280 | option_c=140 | option_d=120 | answer=C | explanation=LCM × HCF = 14×20; HCF(14,20) = 2, so LCM = 140.

id=41847 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 14, 19, 26? | option_a=9 | option_b=26 | option_c=19 | option_d=14 | answer=B | explanation=The first three numbers increase by 5, so the next should be 24. Therefore 26 is the odd one out.

id=41848 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=55 | option_b=67 | option_c=56 | option_d=43 | answer=A | explanation=The common difference is 12. Therefore the next term is 43 + 12 = 55.

id=41849 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:12 and the first is 135, what is the second? | option_a=189 | option_b=180 | option_c=315 | option_d=168 | answer=B | explanation=Scale factor = 135/9 = 15. Therefore second quantity = 12×15 = 180.

id=41850 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=19 | option_b=22 | option_c=23 | option_d=21 | answer=D | explanation=The common difference is 2. Therefore the next term is 19 + 2 = 21.

Aptitude Questions — Records 41,851-41,880 of 100,000

id=41851 | topic=Percentages | difficulty=Easy | question=What is 25% of 1714? | option_a=856 | option_b=433 | option_c=428 | option_d=423 | answer=C | explanation=25% of 1714 = (25/100) × 1714 = 428.

id=41852 | topic=Profit & Loss | difficulty=Easy | question=An article costs █532. If it is sold at a profit of 30%, what is its selling price? | option_a=691 | option_b=744 | option_c=638 | option_d=562 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 532 × 130/100 = █691.

id=41853 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 26, 36, 47? | option_a=26 | option_b=47 | option_c=36 | option_d=16 | answer=B | explanation=The first three numbers increase by 10, so the next should be 46. Therefore 47 is the odd one out.

id=41854 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 27? | option_a=27 | option_b=5 | option_c=12 | option_d=19 | answer=A | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 27 is the odd one out.

id=41855 | topic=Averages | difficulty=Easy | question=Find the average of 52, 30, 83, 25, 34, 40, 79. | option_a=48 | option_b=50 | option_c=51 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 343 ÷ 7 = 49.

id=41856 | topic=Averages | difficulty=Easy | question=Find the average of 19, 89, 33, 84, 43, 86. | option_a=59 | option_b=58 | option_c=61 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.

id=41857 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=41858 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48750 at 10% per annum for 1 years. | option_a=53625 | option_b=4775 | option_c=4875 | option_d=4975 | answer=C | explanation=SI = PRT/100 = 48750×10×1/100 = █4875.

id=41859 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=V | option_b=J | option_c=N | option_d=R | answer=D | explanation=Move 4 positions forward from N; the resulting letter is R.

id=41860 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=I | option_b=L | option_c=R | option_d=O | answer=D | explanation=Move 3 positions forward from L; the resulting letter is O.

id=41861 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=23 | option_b=19 | option_c=22 | option_d=25 | answer=C | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.

id=41862 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=41863 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=5 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=41864 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:1 and the first is 240, what is the second? | option_a=14 | option_b=255 | option_c=31 | option_d=15 | answer=D | explanation=Scale factor = 240/16 = 15. Therefore second quantity = 1×15 = 15.

id=41865 | topic=Averages | difficulty=Easy | question=Find the average of 81, 15, 66, 14, 89. | option_a=53 | option_b=52 | option_c=55 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 265 ÷ 5 = 53.

id=41866 | topic=Percentages | difficulty=Easy | question=What is 12% of 1473? | option_a=186 | option_b=176 | option_c=166 | option_d=352 | answer=B | explanation=12% of 1473 = (12/100) × 1473 = 176.

id=41867 | topic=Percentages | difficulty=Easy | question=What is 20% of 1163? | option_a=232 | option_b=212 | option_c=242 | option_d=464 | answer=A | explanation=20% of 1163 = (20/100) × 1163 = 232.

id=41868 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=41 | option_b=50 | option_c=59 | option_d=51 | answer=B | explanation=The common difference is 9. Therefore the next term is 41 + 9 = 50.

id=41869 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=R | option_b=U | option_c=X | option_d=A | answer=C | explanation=Move 3 positions forward from U; the resulting letter is X.

id=41870 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:8 and the first is 68, what is the second? | option_a=140 | option_b=204 | option_c=128 | option_d=136 | answer=D | explanation=Scale factor = 68/4 = 17. Therefore second quantity = 8×17 = 136.

id=41871 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21354 at 6% per annum for 2 years. | option_a=2662 | option_b=23916 | option_c=2462 | option_d=2562 | answer=D | explanation=SI = PRT/100 = 21354×6×2/100 = █2562.

id=41872 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=41873 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=41874 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23375 at 10% per annum for 5 years. | option_a=11687 | option_b=35062 | option_c=11587 | option_d=11787 | answer=A | explanation=SI = PRT/100 = 23375×10×5/100 = █11687.

id=41875 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=27 | option_b=26 | option_c=29 | option_d=23 | answer=B | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.

id=41876 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=67 | option_b=56 | option_c=45 | option_d=57 | answer=B | explanation=The common difference is 11. Therefore the next term is 45 + 11 = 56.

id=41877 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:14 and the first is 306, what is the second? | option_a=238 | option_b=252 | option_c=558 | option_d=269 | answer=B | explanation=Scale factor = 306/17 = 18. Therefore second quantity = 14×18 = 252.

id=41878 | topic=Averages | difficulty=Easy | question=Find the average of 41, 35, 81, 60, 37, 47, 89, 26. | option_a=54 | option_b=52 | option_c=53 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=41879 | topic=Percentages | difficulty=Easy | question=What is 10% of 1507? | option_a=170 | option_b=150 | option_c=300 | option_d=130 | answer=B | explanation=10% of 1507 = (10/100) × 1507 = 150.

id=41880 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=25 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

Aptitude Questions — Records 41,881-41,910 of 100,000

id=41881 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 46? | option_a=37 | option_b=31 | option_c=46 | option_d=25 | answer=C | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 46 is the odd one out.

id=41882 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=41883 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

id=41884 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = $\frac{180}{6} = 30$ km/h.

id=41885 | topic=Percentages | difficulty=Easy | question=What is 40% of 386? | option_a=308 | option_b=154 | option_c=164 | option_d=134 | answer=B | explanation=40% of 386 = $(\frac{40}{100}) \times 386 = 154$.

id=41886 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = $\frac{180}{3} = 60$ km/h.

id=41887 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 62? | option_a=40 | option_b=30 | option_c=62 | option_d=50 | answer=C | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 62 is the odd one out.

id=41888 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=54 | option_b=46 | option_c=38 | option_d=47 | answer=B | explanation=The common difference is 8. Therefore the next term is $38 + 8 = 46$.

id=41889 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10350 at 12% per annum for 4 years. | option_a=4868 | option_b=4968 | option_c=15318 | option_d=5068 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{10350 \times 12 \times 4}{100} = \text{■}4968$.

id=41890 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=16 | option_d=3 | answer=B | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

id=41891 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 55? | option_a=45 | option_b=37 | option_c=29 | option_d=55 | answer=D | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 55 is the odd one out.

id=41892 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=24 | option_c=12 | option_d=17 | answer=C | explanation=Speed = distance ÷ time = $\frac{60}{5} = 12$ km/h.

id=41893 | topic=Averages | difficulty=Easy | question=Find the average of 100, 13, 31. | option_a=49 | option_b=47 | option_c=50 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{144}{3} = 48$.

id=41894 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=20 | option_c=25 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = $\frac{120}{6} = 20$ km/h.

id=41895 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3849. If it is sold at a profit of 15%, what is its selling price? | option_a=4810 | option_b=3864 | option_c=4042 | option_d=4426 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3849 \times \frac{115}{100} = \text{■}4426$.

id=41896 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=95 | option_c=85 | option_d=180 | answer=A | explanation=Speed = distance ÷ time = $\frac{360}{4} = 90$ km/h.

id=41897 | topic=Percentages | difficulty=Easy | question=What is 20% of 980? | option_a=191 | option_b=206 | option_c=196 | option_d=392 | answer=C | explanation=20% of 980 = $(\frac{20}{100}) \times 980 = 196$.

id=41898 | topic=Averages | difficulty=Easy | question=Find the average of 78, 71, 58, 21, 49, 17, 87, 78, 18. | option_a=55 | option_b=52 | option_c=54 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{477}{9} = 53$.

id=41899 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 34? | option_a=17 | option_b=24 | option_c=10 | option_d=34 | answer=D | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 34 is the odd one out.

id=41900 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=80 | option_b=56 | option_c=68 | option_d=69 | answer=C | explanation=The common difference is 12. Therefore the next term is $56 + 12 = 68$.

id=41901 | topic=Averages | difficulty=Easy | question=Find the average of 13, 35, 44, 74, 75, 49, 10, 11, 52, 67. | option_a=45 | option_b=43 | option_c=42 | option_d=44 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{430}{10} = 43$.

id=41902 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1236. If it is sold at a profit of 10%, what is its selling price? | option_a=1482 | option_b=1246 | option_c=1236 | option_d=1359 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1236 \times \frac{110}{100} = \text{■}1359$.

id=41903 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 10. | option_a=280 | option_b=168 | option_c=130 | option_d=140 | answer=D | explanation=LCM $\times$ HCF = 28×10 ; HCF(28,10) = 2, so LCM = 140.

id=41904 | topic=Averages | difficulty=Easy | question=Find the average of 10, 20, 74, 64. | option_a=41 | option_b=43 | option_c=44 | option_d=42 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{168}{4} = 42$.

id=41905 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 9, 12, 18? | option_a=9 | option_b=12 | option_c=18 | option_d=6 | answer=C | explanation=The first three numbers increase by 3, so the next should be 15. Therefore 18 is the odd one out.

id=41906 | topic=Averages | difficulty=Easy | question=Find the average of 71, 44, 92, 47, 86, 98. | option_a=73 | option_b=75 | option_c=72 | option_d=74 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{438}{6} = 73$.

id=41907 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41614 at 8% per annum for 2 years. | option_a=48272 | option_b=6658 | option_c=6758 | option_d=6558 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{41614 \times 8 \times 2}{100} = \text{■}6658$.

id=41908 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=53 | option_c=48 | option_d=43 | answer=C | explanation=Speed = distance ÷ time = $\frac{240}{5} = 48$ km/h.

id=41909 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=51 | option_b=39 | option_c=63 | option_d=52 | answer=A | explanation=The common difference is 12. Therefore the next term is $39 + 12 = 51$.

id=41910 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43918 at 12% per annum for 5 years. | option_a=26450 | option_b=26350 | option_c=26250 | option_d=70268 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{43918 \times 12 \times 5}{100} = \text{■}26350$.

Aptitude Questions — Records 41,911-41,940 of 100,000

id=41911 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■9285 at 12% per annum for 3 years. | option_a=12627 | option_b=3342 | option_c=3242 | option_d=3442 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{9285 \times 12 \times 3}{100} = \blacksquare 3342$.

id=41912 | topic=Percentages | difficulty=Easy | question=What is 50% of 820? | option_a=405 | option_b=410 | option_c=430 | option_d=820 | answer=B | explanation= $50\% \text{ of } 820 = \frac{(50/100) \times 820}{1} = 410$.

id=41913 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■49965 at 6% per annum for 2 years. | option_a=5895 | option_b=55960 | option_c=6095 | option_d=5995 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{49965 \times 6 \times 2}{100} = \blacksquare 5995$.

id=41914 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 25. | option_a=50 | option_b=60 | option_c=25 | option_d=250 | answer=A | explanation= $LCM \times HCF = 10 \times 25$; $HCF(10,25) = 5$, so $LCM = 50$.

id=41915 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■654. If it is sold at a profit of 15%, what is its selling price? | option_a=752 | option_b=669 | option_c=817 | option_d=687 | answer=A | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%)/100 = 654 \times 115/100 = \blacksquare 752$.

id=41916 | topic=Averages | difficulty=Easy | question=Find the average of 33, 55, 13, 75, 64, 87, 30, 84, 99. | option_a=62 | option_b=61 | option_c=60 | option_d=59 | answer=C | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{540}{9} = 60$.

id=41917 | topic=Percentages | difficulty=Easy | question=What is 40% of 1700? | option_a=690 | option_b=1360 | option_c=660 | option_d=680 | answer=D | explanation= $40\% \text{ of } 1700 = \frac{(40/100) \times 1700}{1} = 680$.

id=41918 | topic=Percentages | difficulty=Easy | question=What is 12% of 1753? | option_a=230 | option_b=420 | option_c=200 | option_d=210 | answer=D | explanation= $12\% \text{ of } 1753 = \frac{(12/100) \times 1753}{1} = 210$.

id=41919 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 165, what is the second? | option_a=251 | option_b=405 | option_c=240 | option_d=224 | answer=C | explanation= $\text{Scale factor} = \frac{165}{11} = 15$. Therefore second quantity = $16 \times 15 = 240$.

id=41920 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=4 | option_c=18 | option_d=9 | answer=D | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{90}{10} = 9 \text{ km/h}$.

id=41921 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 24, 32, 41? | option_a=41 | option_b=24 | option_c=16 | option_d=32 | answer=A | explanation=The first three numbers increase by 8, so the next should be 40. Therefore 41 is the odd one out.

id=41922 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:1 and the first is 22, what is the second? | option_a=13 | option_b=1 | option_c=24 | option_d=2 | answer=D | explanation= $\text{Scale factor} = \frac{22}{11} = 2$. Therefore second quantity = $1 \times 2 = 2$.

id=41923 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation= $\text{Combined rate} = \frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $\frac{72}{18} = 4 \text{ days}$.

id=41924 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:18 and the first is 48, what is the second? | option_a=116 | option_b=108 | option_c=90 | option_d=156 | answer=B | explanation= $\text{Scale factor} = \frac{48}{8} = 6$. Therefore second quantity = $18 \times 6 = 108$.

id=41925 | topic=Number System | difficulty=Easy | question=Find the LCM of 13 and 13. | option_a=13 | option_b=169 | option_c=26 | option_d=1 | answer=A | explanation= $LCM \times HCF = 13 \times 13$; $HCF(13,13) = 13$, so $LCM = 13$.

id=41926 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 34, 44, 56? | option_a=34 | option_b=44 | option_c=24 | option_d=56 | answer=D | explanation=The first three numbers increase by 10, so the next should be 54. Therefore 56 is the odd one out.

id=41927 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=30 | option_d=15 | answer=D | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{60}{4} = 15 \text{ km/h}$.

id=41928 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation= $\text{Combined rate} = \frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3 \text{ days}$.

id=41929 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 14? | option_a=14 | option_b=6 | option_c=3 | option_d=9 | answer=A | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 14 is the odd one out.

id=41930 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■38307 at 4% per annum for 5 years. | option_a=7761 | option_b=45968 | option_c=7561 | option_d=7661 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{38307 \times 4 \times 5}{100} = \blacksquare 7661$.

id=41931 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 20. | option_a=160 | option_b=180 | option_c=360 | option_d=198 | answer=B | explanation= $LCM \times HCF = 18 \times 20$; $HCF(18,20) = 2$, so $LCM = 180$.

id=41932 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 30, 38, 49? | option_a=22 | option_b=49 | option_c=38 | option_d=30 | answer=B | explanation=The first three numbers increase by 8, so the next should be 46. Therefore 49 is the odd one out.

id=41933 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 23, 25, 28? | option_a=28 | option_b=23 | option_c=21 | option_d=25 | answer=A | explanation=The first three numbers increase by 2, so the next should be 27. Therefore 28 is the odd one out.

id=41934 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=2 | option_d=3 | answer=D | explanation= $\text{Combined rate} = \frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12} = 3 \text{ days}$.

id=41935 | topic=Averages | difficulty=Easy | question=Find the average of 80, 14, 78, 19, 83, 34, 28. | option_a=49 | option_b=48 | option_c=50 | option_d=47 | answer=B | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{336}{7} = 48$.

id=41936 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:11 and the first is 81, what is the second? | option_a=88 | option_b=99 | option_c=180 | option_d=108 | answer=B | explanation= $\text{Scale factor} = \frac{81}{9} = 9$. Therefore second quantity = $11 \times 9 = 99$.

id=41937 | topic=Percentages | difficulty=Easy | question=What is 40% of 95? | option_a=48 | option_b=33 | option_c=76 | option_d=38 | answer=D | explanation= $40\% \text{ of } 95 = \frac{(40/100) \times 95}{1} = 38$.

id=41938 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1784. If it is sold at a profit of 50%, what is its selling price? | option_a=1834 | option_b=2498 | option_c=2676 | option_d=2854 | answer=C | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%)/100 = 1784 \times 150/100 = \blacksquare 2676$.

id=41939 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=W | option_b=N | option_c=Q | option_d=T | answer=D | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=41940 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 26, 29, 33? | option_a=29 | option_b=33 | option_c=23 | option_d=26 | answer=B | explanation=The first three numbers increase by 3, so the next should be 32. Therefore 33 is the odd one out.

Aptitude Questions — Records 41,941-41,970 of 100,000

id=41941 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=41942 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2281. If it is sold at a profit of 40%, what is its selling price? | option_a=3193 | option_b=2321 | option_c=3421 | option_d=2965 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2281 × 140/100 = █3193.

id=41943 | topic=Averages | difficulty=Easy | question=Find the average of 76, 22, 100, 58. | option_a=63 | option_b=64 | option_c=65 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 256 ÷ 4 = 64.

id=41944 | topic=Percentages | difficulty=Easy | question=What is 12% of 1884? | option_a=231 | option_b=226 | option_c=206 | option_d=452 | answer=B | explanation=12% of 1884 = (12/100) × 1884 = 226.

id=41945 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:9 and the first is 150, what is the second? | option_a=90 | option_b=240 | option_c=81 | option_d=105 | answer=A | explanation=Scale factor = 150/15 = 10. Therefore second quantity = 9×10 = 90.

id=41946 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=41947 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=K | option_c=L | option_d=I | answer=B | explanation=Move 1 positions forward from J; the resulting letter is K.

id=41948 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1957. If it is sold at a profit of 15%, what is its selling price? | option_a=2445 | option_b=2055 | option_c=2250 | option_d=1972 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1957 × 115/100 = █2250.

id=41949 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=J | option_c=B | option_d=N | answer=B | explanation=Move 4 positions forward from F; the resulting letter is J.

id=41950 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=41951 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=41952 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=49 | option_b=50 | option_c=39 | option_d=59 | answer=A | explanation=The common difference is 10. Therefore the next term is 39 + 10 = 49.

id=41953 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=K | option_c=M | option_d=N | answer=C | explanation=Move 1 positions forward from L; the resulting letter is M.

id=41954 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 34? | option_a=22 | option_b=12 | option_c=34 | option_d=2 | answer=C | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 34 is the odd one out.

id=41955 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 28. | option_a=28 | option_b=112 | option_c=1 | option_d=32 | answer=A | explanation=LCM × HCF = 4×28; HCF(4,28) = 4, so LCM = 28.

id=41956 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=8 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=41957 | topic=Averages | difficulty=Easy | question=Find the average of 76, 27, 31, 78, 29, 76, 82. | option_a=58 | option_b=57 | option_c=59 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 399 ÷ 7 = 57.

id=41958 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=43 | option_b=65 | option_c=54 | option_d=55 | answer=C | explanation=The common difference is 11. Therefore the next term is 43 + 11 = 54.

id=41959 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=24 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=41960 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2917. If it is sold at a profit of 15%, what is its selling price? | option_a=2932 | option_b=3645 | option_c=3063 | option_d=3354 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2917 × 115/100 = █3354.

id=41961 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 18, 22, 27? | option_a=18 | option_b=27 | option_c=22 | option_d=14 | answer=B | explanation=The first three numbers increase by 4, so the next should be 26. Therefore 27 is the odd one out.

id=41962 | topic=Averages | difficulty=Easy | question=Find the average of 99, 46, 18, 99, 95, 68, 11, 17, 36, 21. | option_a=51 | option_b=53 | option_c=50 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

id=41963 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=41964 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=40 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=41965 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:17 and the first is 30, what is the second? | option_a=200 | option_b=153 | option_c=170 | option_d=173 | answer=C | explanation=Scale factor = 30/3 = 10. Therefore second quantity = 17×10 = 170.

id=41966 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=40 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=41967 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=41968 | topic=Percentages | difficulty=Easy | question=What is 25% of 999? | option_a=269 | option_b=239 | option_c=498 | option_d=249 | answer=D | explanation=25% of 999 = (25/100) × 999 = 249.

id=41969 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=41970 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=95 | option_c=90 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

Aptitude Questions — Records 41,971-42,000 of 100,000

id=41971 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=41972 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:3 and the first is 20, what is the second? | option_a=32 | option_b=9 | option_c=12 | option_d=17 | answer=C | explanation=Scale factor = 20/5 = 4. Therefore second quantity = 3×4 = 12.

id=41973 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=41974 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■35511 at 6% per annum for 5 years. | option_a=10653 | option_b=10553 | option_c=10753 | option_d=46164 | answer=A | explanation=SI = PRT/100 = 35511×6×5/100 = ■10653.

id=41975 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:8 and the first is 12, what is the second? | option_a=16 | option_b=36 | option_c=28 | option_d=24 | answer=D | explanation=Scale factor = 12/4 = 3. Therefore second quantity = 8×3 = 24.

id=41976 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■23648 at 6% per annum for 2 years. | option_a=2837 | option_b=26485 | option_c=2937 | option_d=2737 | answer=A | explanation=SI = PRT/100 = 23648×6×2/100 = ■2837.

id=41977 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=T | option_c=K | option_d=Q | answer=D | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=41978 | topic=Percentages | difficulty=Easy | question=What is 20% of 734? | option_a=141 | option_b=146 | option_c=151 | option_d=292 | answer=B | explanation=20% of 734 = (20/100) × 734 = 146.

id=41979 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 16. | option_a=144 | option_b=162 | option_c=288 | option_d=128 | answer=A | explanation=LCM × HCF = 18×16; HCF(18,16) = 2, so LCM = 144.

id=41980 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■7407 at 15% per annum for 4 years. | option_a=11851 | option_b=4344 | option_c=4544 | option_d=4444 | answer=D | explanation=SI = PRT/100 = 7407×15×4/100 = ■4444.

id=41981 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=41982 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 26. | option_a=104 | option_b=130 | option_c=260 | option_d=140 | answer=B | explanation=LCM × HCF = 10×26; HCF(10,26) = 2, so LCM = 130.

id=41983 | topic=Percentages | difficulty=Easy | question=What is 10% of 546? | option_a=108 | option_b=34 | option_c=64 | option_d=54 | answer=D | explanation=10% of 546 = (10/100) × 546 = 54.

id=41984 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■28520 at 4% per annum for 1 years. | option_a=1040 | option_b=1240 | option_c=29660 | option_d=1140 | answer=D | explanation=SI = PRT/100 = 28520×4×1/100 = ■1140.

id=41985 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■761. If it is sold at a profit of 10%, what is its selling price? | option_a=761 | option_b=837 | option_c=771 | option_d=913 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 761 × 110/100 = ■837.

id=41986 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=V | option_c=S | option_d=U | answer=D | explanation=Move 1 positions forward from T; the resulting letter is U.

id=41987 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 5. | option_a=10 | option_b=20 | option_c=5 | option_d=50 | answer=A | explanation=LCM × HCF = 10×5; HCF(10,5) = 5, so LCM = 10.

id=41988 | topic=Percentages | difficulty=Easy | question=What is 30% of 912? | option_a=253 | option_b=273 | option_c=546 | option_d=278 | answer=B | explanation=30% of 912 = (30/100) × 912 = 273.

id=41989 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=150 | option_c=300 | option_d=145 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=41990 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 35? | option_a=24 | option_b=35 | option_c=4 | option_d=14 | answer=B | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 35 is the odd one out.

id=41991 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=U | option_b=L | option_c=R | option_d=O | answer=C | explanation=Move 3 positions forward from O; the resulting letter is R.

id=41992 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=B | option_b=T | option_c=P | option_d=X | answer=D | explanation=Move 4 positions forward from T; the resulting letter is X.

id=41993 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■20391 at 12% per annum for 1 years. | option_a=2446 | option_b=22837 | option_c=2346 | option_d=2546 | answer=A | explanation=SI = PRT/100 = 20391×12×1/100 = ■2446.

id=41994 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=41995 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:7 and the first is 342, what is the second? | option_a=145 | option_b=126 | option_c=468 | option_d=119 | answer=B | explanation=Scale factor = 342/19 = 18. Therefore second quantity = 7×18 = 126.

id=41996 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■27637 at 6% per annum for 2 years. | option_a=3216 | option_b=3316 | option_c=3416 | option_d=30953 | answer=B | explanation=SI = PRT/100 = 27637×6×2/100 = ■3316.

id=41997 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2972. If it is sold at a profit of 5%, what is its selling price? | option_a=2977 | option_b=3417 | option_c=3120 | option_d=2823 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2972 × 105/100 = ■3120.

id=41998 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:10 and the first is 228, what is the second? | option_a=418 | option_b=202 | option_c=190 | option_d=180 | answer=C | explanation=Scale factor = 228/12 = 19. Therefore second quantity = 10×19 = 190.

id=41999 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 33, 38, 46? | option_a=33 | option_b=28 | option_c=46 | option_d=38 | answer=C | explanation=The first three numbers increase by 5, so the next should be 43. Therefore 46 is the odd one out.

id=42000 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■36652 at 15% per annum for 5 years. | option_a=27389 | option_b=64141 | option_c=27489 | option_d=27589 | answer=C | explanation=SI = PRT/100 = 36652×15×5/100 = ■27489.

Aptitude Questions — Records 42,001-42,030 of 100,000

id=42001 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9207 at 10% per annum for 4 years. | option_a=3582 | option_b=3682 | option_c=3782 | option_d=12889 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{9207 \times 10 \times 4}{100} = \text{■}3682$.

id=42002 | topic=Averages | difficulty=Easy | question=Find the average of 74, 70, 69. | option_a=73 | option_b=71 | option_c=72 | option_d=70 | answer=B | explanation=Average = sum of values ÷ number of values = $213 \div 3 = 71$.

id=42003 | topic=Averages | difficulty=Easy | question=Find the average of 89, 80, 52, 34, 45, 84, 71. | option_a=66 | option_b=67 | option_c=65 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = $455 \div 7 = 65$.

id=42004 | topic=Percentages | difficulty=Easy | question=What is 50% of 312? | option_a=146 | option_b=312 | option_c=156 | option_d=176 | answer=C | explanation= $50\% \text{ of } 312 = \frac{(50/100) \times 312}{1} = 156$.

id=42005 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = $\frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=42006 | topic=Percentages | difficulty=Easy | question=What is 20% of 170? | option_a=68 | option_b=54 | option_c=24 | option_d=34 | answer=D | explanation= $20\% \text{ of } 170 = \frac{(20/100) \times 170}{1} = 34$.

id=42007 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=O | option_b=K | option_c=C | option_d=G | answer=B | explanation=Move 4 positions forward from G; the resulting letter is K.

id=42008 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=40 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = $60 \div 3 = 20$ km/h.

id=42009 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = $300 \div 10 = 30$ km/h.

id=42010 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

id=42011 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4991 at 15% per annum for 4 years. | option_a=7985 | option_b=2894 | option_c=2994 | option_d=3094 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{4991 \times 15 \times 4}{100} = \text{■}2994$.

id=42012 | topic=Percentages | difficulty=Easy | question=What is 12% of 1190? | option_a=142 | option_b=284 | option_c=137 | option_d=162 | answer=A | explanation= $12\% \text{ of } 1190 = \frac{(12/100) \times 1190}{1} = 142$.

id=42013 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=N | option_c=J | option_d=P | answer=B | explanation=Move 2 positions forward from L; the resulting letter is N.

id=42014 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=O | option_b=T | option_c=Y | option_d=D | answer=C | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=42015 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11034 at 10% per annum for 5 years. | option_a=16551 | option_b=5417 | option_c=5617 | option_d=5517 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{11034 \times 10 \times 5}{100} = \text{■}5517$.

id=42016 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15668 at 5% per annum for 5 years. | option_a=4017 | option_b=3917 | option_c=19585 | option_d=3817 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{15668 \times 5 \times 5}{100} = \text{■}3917$.

id=42017 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3560. If it is sold at a profit of 40%, what is its selling price? | option_a=3600 | option_b=5340 | option_c=4628 | option_d=4984 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3560 \times \frac{140}{100} = \text{■}4984$.

id=42018 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=36 | option_b=58 | option_c=48 | option_d=47 | answer=D | explanation=The common difference is 11. Therefore the next term is $36 + 11 = 47$.

id=42019 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=J | option_b=B | option_c=F | option_d=X | answer=C | explanation=Move 4 positions forward from B; the resulting letter is F.

id=42020 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = $180 \div 6 = 30$ km/h.

id=42021 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**562. If it is sold at a profit of 25%, what is its selling price? | option_a=702 | option_b=758 | option_c=646 | option_d=587 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 562 \times \frac{125}{100} = \text{■}702$.

id=42022 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = $\frac{1}{4} + \frac{1}{4} = \frac{8}{16}$. Time = $\frac{16}{8} = 2$ days.

id=42023 | topic=Percentages | difficulty=Easy | question=What is 12% of 1053? | option_a=121 | option_b=126 | option_c=252 | option_d=146 | answer=B | explanation= $12\% \text{ of } 1053 = \frac{(12/100) \times 1053}{1} = 126$.

id=42024 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2034. If it is sold at a profit of 25%, what is its selling price? | option_a=2542 | option_b=2745 | option_c=2059 | option_d=2339 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2034 \times \frac{125}{100} = \text{■}2542$.

id=42025 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2643. If it is sold at a profit of 30%, what is its selling price? | option_a=2673 | option_b=3435 | option_c=3171 | option_d=3699 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2643 \times \frac{130}{100} = \text{■}3435$.

id=42026 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26762 at 15% per annum for 5 years. | option_a=19971 | option_b=46833 | option_c=20171 | option_d=20071 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{26762 \times 15 \times 5}{100} = \text{■}20071$.

id=42027 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 18, 28, 41? | option_a=18 | option_b=8 | option_c=41 | option_d=28 | answer=C | explanation=The first three numbers increase by 10, so the next should be 38. Therefore 41 is the odd one out.

id=42028 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**401. If it is sold at a profit of 15%, what is its selling price? | option_a=421 | option_b=501 | option_c=461 | option_d=416 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 401 \times \frac{115}{100} = \text{■}461$.

id=42029 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 10, 17, 25? | option_a=10 | option_b=3 | option_c=25 | option_d=17 | answer=C | explanation=The first three numbers increase by 7, so the next should be 24. Therefore 25 is the odd one out.

id=42030 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9276 at 6% per annum for 4 years. | option_a=2226 | option_b=2326 | option_c=11502 | option_d=2126 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{9276 \times 6 \times 4}{100} = \text{■}2226$.

Aptitude Questions — Records 42,031-42,060 of 100,000

id=42031 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=42032 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 16, 23, 32? | option_a=16 | option_b=23 | option_c=9 | option_d=32 | answer=D | explanation=The first three numbers increase by 7, so the next should be 30. Therefore 32 is the odd one out.

id=42033 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 14, 19, 26? | option_a=9 | option_b=26 | option_c=19 | option_d=14 | answer=B | explanation=The first three numbers increase by 5, so the next should be 24. Therefore 26 is the odd one out.

id=42034 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 14. | option_a=1 | option_b=21 | option_c=98 | option_d=14 | answer=D | explanation=LCM × HCF = 7×14; HCF(7,14) = 7, so LCM = 14.

id=42035 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:19 and the first is 104, what is the second? | option_a=152 | option_b=165 | option_c=133 | option_d=256 | answer=A | explanation=Scale factor = 104/13 = 8. Therefore second quantity = 19×8 = 152.

id=42036 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=105 | option_c=200 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=42037 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:14 and the first is 112, what is the second? | option_a=84 | option_b=210 | option_c=114 | option_d=98 | answer=D | explanation=Scale factor = 112/16 = 7. Therefore second quantity = 14×7 = 98.

id=42038 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=41 | option_c=36 | option_d=72 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=42039 | topic=Percentages | difficulty=Easy | question=What is 20% of 56? | option_a=0 | option_b=11 | option_c=22 | option_d=31 | answer=B | explanation=20% of 56 = (20/100) × 56 = 11.

id=42040 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 28, 33, 40? | option_a=28 | option_b=40 | option_c=33 | option_d=23 | answer=B | explanation=The first three numbers increase by 5, so the next should be 38. Therefore 40 is the odd one out.

id=42041 | topic=Percentages | difficulty=Easy | question=What is 40% of 686? | option_a=279 | option_b=264 | option_c=548 | option_d=274 | answer=D | explanation=40% of 686 = (40/100) × 686 = 274.

id=42042 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1223. If it is sold at a profit of 25%, what is its selling price? | option_a=1248 | option_b=1406 | option_c=1650 | option_d=1528 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1223 × 125/100 = █1528.

id=42043 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4777. If it is sold at a profit of 15%, what is its selling price? | option_a=4792 | option_b=5970 | option_c=5016 | option_d=5493 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4777 × 115/100 = █5493.

id=42044 | topic=Averages | difficulty=Easy | question=Find the average of 29, 65, 93, 40, 40, 79, 97, 73, 70, 44. | option_a=63 | option_b=65 | option_c=64 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 630 ÷ 10 = 63.

id=42045 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=42046 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 30. | option_a=90 | option_b=144 | option_c=120 | option_d=720 | answer=C | explanation=LCM × HCF = 24×30; HCF(24,30) = 6, so LCM = 120.

id=42047 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:16 and the first is 260, what is the second? | option_a=333 | option_b=320 | option_c=580 | option_d=304 | answer=B | explanation=Scale factor = 260/13 = 20. Therefore second quantity = 16×20 = 320.

id=42048 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=1 | option_c=11 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=42049 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=27 | option_b=24 | option_c=25 | option_d=21 | answer=B | explanation=The common difference is 3. Therefore the next term is 21 + 3 = 24.

id=42050 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=42051 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9172 at 15% per annum for 3 years. | option_a=4027 | option_b=4127 | option_c=4227 | option_d=13299 | answer=B | explanation=SI = PRT/100 = 9172×15×3/100 = █4127.

id=42052 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=Y | option_c=P | option_d=V | answer=D | explanation=Move 3 positions forward from S; the resulting letter is V.

id=42053 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4498 at 12% per annum for 1 years. | option_a=439 | option_b=639 | option_c=5037 | option_d=539 | answer=D | explanation=SI = PRT/100 = 4498×12×1/100 = █539.

id=42054 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=80 | option_c=35 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=42055 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:18 and the first is 24, what is the second? | option_a=218 | option_b=240 | option_c=216 | option_d=198 | answer=C | explanation=Scale factor = 24/2 = 12. Therefore second quantity = 18×12 = 216.

id=42056 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4188. If it is sold at a profit of 10%, what is its selling price? | option_a=4188 | option_b=5024 | option_c=4198 | option_d=4606 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4188 × 110/100 = █4606.

id=42057 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=42058 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=60 | option_b=49 | option_c=59 | option_d=69 | answer=C | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

id=42059 | topic=Percentages | difficulty=Easy | question=What is 12% of 541? | option_a=64 | option_b=69 | option_c=59 | option_d=128 | answer=A | explanation=12% of 541 = (12/100) × 541 = 64.

id=42060 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

Aptitude Questions — Records 42,061-42,090 of 100,000

id=42061 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=30 | option_b=28 | option_c=26 | option_d=29 | answer=B | explanation=The common difference is 2. Therefore the next term is 26 + 2 = 28.

id=42062 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3614. If it is sold at a profit of 40%, what is its selling price? | option_a=5059 | option_b=5420 | option_c=3654 | option_d=4698 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3614 × 140/100 = █5059.

id=42063 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=90 | option_c=95 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=42064 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=K | option_c=E | option_d=G | answer=A | explanation=Move 2 positions forward from G; the resulting letter is I.

id=42065 | topic=Averages | difficulty=Easy | question=Find the average of 85, 74, 24, 73, 67, 45, 24, 72, 36, 50. | option_a=54 | option_b=55 | option_c=57 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 550 ÷ 10 = 55.

id=42066 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8333 at 15% per annum for 2 years. | option_a=2599 | option_b=2499 | option_c=10832 | option_d=2399 | answer=B | explanation=SI = PRT/100 = 8333×15×2/100 = █2499.

id=42067 | topic=Averages | difficulty=Easy | question=Find the average of 67, 84, 77, 91, 20, 69, 61. | option_a=67 | option_b=66 | option_c=69 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = 469 ÷ 7 = 67.

id=42068 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 11, 19, 30? | option_a=30 | option_b=11 | option_c=19 | option_d=3 | answer=A | explanation=The first three numbers increase by 8, so the next should be 27. Therefore 30 is the odd one out.

id=42069 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 5, 7, 11? | option_a=11 | option_b=3 | option_c=7 | option_d=5 | answer=A | explanation=The first three numbers increase by 2, so the next should be 9. Therefore 11 is the odd one out.

id=42070 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:12 and the first is 56, what is the second? | option_a=104 | option_b=36 | option_c=48 | option_d=62 | answer=C | explanation=Scale factor = 56/14 = 4. Therefore second quantity = 12×4 = 48.

id=42071 | topic=Averages | difficulty=Easy | question=Find the average of 33, 48, 61, 34, 95, 72, 52, 36, 73. | option_a=57 | option_b=58 | option_c=56 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=42072 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 40? | option_a=30 | option_b=33 | option_c=36 | option_d=40 | answer=D | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 40 is the odd one out.

id=42073 | topic=Averages | difficulty=Easy | question=Find the average of 45, 65, 44, 75, 33, 86. | option_a=57 | option_b=59 | option_c=58 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 348 ÷ 6 = 58.

id=42074 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:1 and the first is 91, what is the second? | option_a=104 | option_b=12 | option_c=13 | option_d=20 | answer=C | explanation=Scale factor = 91/7 = 13. Therefore second quantity = 1×13 = 13.

id=42075 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=41 | option_c=36 | option_d=72 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=42076 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=45 | option_b=69 | option_c=57 | option_d=58 | answer=C | explanation=The common difference is 12. Therefore the next term is 45 + 12 = 57.

id=42077 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4937. If it is sold at a profit of 40%, what is its selling price? | option_a=6911 | option_b=7404 | option_c=4977 | option_d=6418 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4937 × 140/100 = █6911.

id=42078 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 39? | option_a=34 | option_b=30 | option_c=32 | option_d=39 | answer=D | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 39 is the odd one out.

id=42079 | topic=Averages | difficulty=Easy | question=Find the average of 85, 34, 86, 15, 60. | option_a=56 | option_b=57 | option_c=55 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 280 ÷ 5 = 56.

id=42080 | topic=Averages | difficulty=Easy | question=Find the average of 12, 63, 33. | option_a=37 | option_b=36 | option_c=35 | option_d=38 | answer=B | explanation=Average = sum of values ÷ number of values = 108 ÷ 3 = 36.

id=42081 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:16 and the first is 198, what is the second? | option_a=374 | option_b=194 | option_c=176 | option_d=160 | answer=C | explanation=Scale factor = 198/18 = 11. Therefore second quantity = 16×11 = 176.

id=42082 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=42083 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=D | option_c=F | option_d=B | answer=C | explanation=Move 2 positions forward from D; the resulting letter is F.

id=42084 | topic=Averages | difficulty=Easy | question=Find the average of 71, 21, 28, 92, 78, 37, 42, 37, 54, 70. | option_a=52 | option_b=55 | option_c=54 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=42085 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40017 at 6% per annum for 3 years. | option_a=7303 | option_b=7103 | option_c=7203 | option_d=47220 | answer=C | explanation=SI = PRT/100 = 40017×6×3/100 = █7203.

id=42086 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 28, 36, 44, ? | option_a=60 | option_b=53 | option_c=44 | option_d=52 | answer=D | explanation=The common difference is 8. Therefore the next term is 44 + 8 = 52.

id=42087 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=52 | option_b=53 | option_c=63 | option_d=41 | answer=A | explanation=The common difference is 11. Therefore the next term is 41 + 11 = 52.

id=42088 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 18, 27, 38? | option_a=9 | option_b=38 | option_c=18 | option_d=27 | answer=B | explanation=The first three numbers increase by 9, so the next should be 36. Therefore 38 is the odd one out.

id=42089 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=42090 | topic=Averages | difficulty=Easy | question=Find the average of 99, 52, 20, 17, 33, 82, 35, 42, 32, 18. | option_a=45 | option_b=44 | option_c=43 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = 430 ÷ 10 = 43.

Aptitude Questions — Records 42,091-42,120 of 100,000

id=42091 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 18, 28, 40? | option_a=28 | option_b=40 | option_c=18 | option_d=8 | answer=B | explanation=The first three numbers increase by 10, so the next should be 38. Therefore 40 is the odd one out.

id=42092 | topic=Averages | difficulty=Easy | question=Find the average of 89, 89, 31, 92, 47, 67, 71, 85, 86. | option_a=74 | option_b=73 | option_c=72 | option_d=75 | answer=B | explanation=Average = sum of values ÷ number of values = 657 ÷ 9 = 73.

id=42093 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=27 | option_b=21 | option_c=28 | option_d=33 | answer=A | explanation=The common difference is 6. Therefore the next term is 21 + 6 = 27.

id=42094 | topic=Percentages | difficulty=Easy | question=What is 10% of 660? | option_a=66 | option_b=132 | option_c=56 | option_d=86 | answer=A | explanation=10% of 660 = (10/100) × 660 = 66.

id=42095 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3809. If it is sold at a profit of 10%, what is its selling price? | option_a=4569 | option_b=3819 | option_c=3809 | option_d=4189 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3809 × 110/100 = █4189.

id=42096 | topic=Averages | difficulty=Easy | question=Find the average of 35, 36, 36, 13. | option_a=30 | option_b=29 | option_c=32 | option_d=31 | answer=A | explanation=Average = sum of values ÷ number of values = 120 ÷ 4 = 30.

id=42097 | topic=Percentages | difficulty=Easy | question=What is 50% of 1687? | option_a=823 | option_b=843 | option_c=863 | option_d=1686 | answer=B | explanation=50% of 1687 = (50/100) × 1687 = 843.

id=42098 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20114 at 5% per annum for 2 years. | option_a=1911 | option_b=2111 | option_c=22125 | option_d=2011 | answer=D | explanation=SI = PRT/100 = 20114×5×2/100 = █2011.

id=42099 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=42100 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=X | option_b=A | option_c=G | option_d=D | answer=D | explanation=Move 3 positions forward from A; the resulting letter is D.

id=42101 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:19 and the first is 49, what is the second? | option_a=133 | option_b=114 | option_c=140 | option_d=182 | answer=A | explanation=Scale factor = 49/7 = 7. Therefore second quantity = 19×7 = 133.

id=42102 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19134 at 8% per annum for 2 years. | option_a=2961 | option_b=3161 | option_c=3061 | option_d=22195 | answer=C | explanation=SI = PRT/100 = 19134×8×2/100 = █3061.

id=42103 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 11, 20, 32? | option_a=11 | option_b=20 | option_c=2 | option_d=32 | answer=D | explanation=The first three numbers increase by 9, so the next should be 29. Therefore 32 is the odd one out.

id=42104 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 44? | option_a=37 | option_b=32 | option_c=27 | option_d=44 | answer=D | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 44 is the odd one out.

id=42105 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2061. If it is sold at a profit of 15%, what is its selling price? | option_a=2576 | option_b=2370 | option_c=2076 | option_d=2164 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2061 × 115/100 = █2370.

id=42106 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 13. | option_a=338 | option_b=52 | option_c=26 | option_d=13 | answer=C | explanation=LCM × HCF = 26×13; HCF(26,13) = 13, so LCM = 26.

id=42107 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=42108 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:3 and the first is 68, what is the second? | option_a=48 | option_b=119 | option_c=51 | option_d=55 | answer=C | explanation=Scale factor = 68/4 = 17. Therefore second quantity = 3×17 = 51.

id=42109 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 37, 46, 58? | option_a=28 | option_b=37 | option_c=58 | option_d=46 | answer=C | explanation=The first three numbers increase by 9, so the next should be 55. Therefore 58 is the odd one out.

id=42110 | topic=Averages | difficulty=Easy | question=Find the average of 75, 23, 55, 30, 17, 44, 93, 78, 62. | option_a=55 | option_b=53 | option_c=54 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 477 ÷ 9 = 53.

id=42111 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 12, 14, 18? | option_a=14 | option_b=18 | option_c=12 | option_d=10 | answer=B | explanation=The first three numbers increase by 2, so the next should be 16. Therefore 18 is the odd one out.

id=42112 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:6 and the first is 72, what is the second? | option_a=54 | option_b=48 | option_c=62 | option_d=126 | answer=A | explanation=Scale factor = 72/8 = 9. Therefore second quantity = 6×9 = 54.

id=42113 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=R | option_c=T | option_d=S | answer=C | explanation=Move 1 positions forward from S; the resulting letter is T.

id=42114 | topic=Percentages | difficulty=Easy | question=What is 50% of 871? | option_a=435 | option_b=425 | option_c=870 | option_d=440 | answer=A | explanation=50% of 871 = (50/100) × 871 = 435.

id=42115 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:2 and the first is 360, what is the second? | option_a=400 | option_b=38 | option_c=58 | option_d=40 | answer=D | explanation=Scale factor = 360/18 = 20. Therefore second quantity = 2×20 = 40.

id=42116 | topic=Percentages | difficulty=Easy | question=What is 20% of 284? | option_a=112 | option_b=66 | option_c=36 | option_d=56 | answer=D | explanation=20% of 284 = (20/100) × 284 = 56.

id=42117 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 35? | option_a=35 | option_b=6 | option_c=15 | option_d=24 | answer=A | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 35 is the odd one out.

id=42118 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2106 at 5% per annum for 5 years. | option_a=626 | option_b=426 | option_c=526 | option_d=2632 | answer=C | explanation=SI = PRT/100 = 2106×5×5/100 = █526.

id=42119 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=43 | option_b=54 | option_c=63 | option_d=53 | answer=D | explanation=The common difference is 10. Therefore the next term is 43 + 10 = 53.

id=42120 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=150 | option_d=70 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

Aptitude Questions — Records 42,121-42,150 of 100,000

id=42121 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=12 | option_b=7 | option_c=17 | option_d=24 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=42122 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=42123 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:1 and the first is 34, what is the second? | option_a=2 | option_b=1 | option_c=19 | option_d=36 | answer=A | explanation=Scale factor = 34/17 = 2. Therefore second quantity = 1×2 = 2.

id=42124 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 13, 21, 30? | option_a=13 | option_b=5 | option_c=30 | option_d=21 | answer=C | explanation=The first three numbers increase by 8, so the next should be 29. Therefore 30 is the odd one out.

id=42125 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1031. If it is sold at a profit of 10%, what is its selling price? | option_a=1134 | option_b=1041 | option_c=1237 | option_d=1031 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1031 × 110/100 = █1134.

id=42126 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=42127 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=42128 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=55 | option_b=44 | option_c=54 | option_d=64 | answer=C | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=42129 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=P | option_b=L | option_c=D | option_d=H | answer=B | explanation=Move 4 positions forward from H; the resulting letter is L.

id=42130 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=41 | option_b=45 | option_c=40 | option_d=35 | answer=C | explanation=The common difference is 5. Therefore the next term is 35 + 5 = 40.

id=42131 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=X | option_b=A | option_c=G | option_d=D | answer=D | explanation=Move 3 positions forward from A; the resulting letter is D.

id=42132 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 10, 14, 21? | option_a=14 | option_b=6 | option_c=10 | option_d=21 | answer=D | explanation=The first three numbers increase by 4, so the next should be 18. Therefore 21 is the odd one out.

id=42133 | topic=Percentages | difficulty=Easy | question=What is 20% of 189? | option_a=37 | option_b=74 | option_c=57 | option_d=27 | answer=A | explanation=20% of 189 = (20/100) × 189 = 37.

id=42134 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10273 at 6% per annum for 3 years. | option_a=1949 | option_b=12122 | option_c=1849 | option_d=1749 | answer=C | explanation=SI = PRT/100 = 10273×6×3/100 = █1849.

id=42135 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=29 | option_c=24 | option_d=19 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=42136 | topic=Profit & Loss | difficulty=Easy | question=An article costs █692. If it is sold at a profit of 10%, what is its selling price? | option_a=702 | option_b=830 | option_c=692 | option_d=761 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 692 × 110/100 = █761.

id=42137 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:16 and the first is 180, what is the second? | option_a=420 | option_b=252 | option_c=224 | option_d=240 | answer=D | explanation=Scale factor = 180/12 = 15. Therefore second quantity = 16×15 = 240.

id=42138 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 18, 28, 38, ? | option_a=38 | option_b=49 | option_c=58 | option_d=48 | answer=D | explanation=The common difference is 10. Therefore the next term is 38 + 10 = 48.

id=42139 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=42140 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:3 and the first is 96, what is the second? | option_a=34 | option_b=18 | option_c=114 | option_d=15 | answer=B | explanation=Scale factor = 96/16 = 6. Therefore second quantity = 3×6 = 18.

id=42141 | topic=Percentages | difficulty=Easy | question=What is 25% of 1370? | option_a=342 | option_b=684 | option_c=347 | option_d=337 | answer=A | explanation=25% of 1370 = (25/100) × 1370 = 342.

id=42142 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39570 at 12% per annum for 1 years. | option_a=4848 | option_b=4648 | option_c=44318 | option_d=4748 | answer=D | explanation=SI = PRT/100 = 39570×12×1/100 = █4748.

id=42143 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=U | option_b=Z | option_c=P | option_d=K | answer=A | explanation=Move 5 positions forward from P; the resulting letter is U.

id=42144 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=77 | option_c=72 | option_d=144 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=42145 | topic=Percentages | difficulty=Easy | question=What is 50% of 207? | option_a=83 | option_b=206 | option_c=103 | option_d=123 | answer=C | explanation=50% of 207 = (50/100) × 207 = 103.

id=42146 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2183 at 5% per annum for 5 years. | option_a=2728 | option_b=645 | option_c=445 | option_d=545 | answer=D | explanation=SI = PRT/100 = 2183×5×5/100 = █545.

id=42147 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=D | option_b=J | option_c=H | option_d=F | answer=C | explanation=Move 2 positions forward from F; the resulting letter is H.

id=42148 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=38 | option_b=39 | option_c=46 | option_d=30 | answer=A | explanation=The common difference is 8. Therefore the next term is 30 + 8 = 38.

id=42149 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:2 and the first is 28, what is the second? | option_a=6 | option_b=15 | option_c=8 | option_d=36 | answer=C | explanation=Scale factor = 28/7 = 4. Therefore second quantity = 2×4 = 8.

id=42150 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

Aptitude Questions — Records 42,151-42,180 of 100,000

id=42151 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31031 at 5% per annum for 2 years. | option_a=34134 | option_b=3103 | option_c=3203 | option_d=3003 | answer=B | explanation=SI = PRT/100 = 31031×5×2/100 = **■**3103.

id=42152 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=P | option_b=R | option_c=S | option_d=Q | answer=B | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=42153 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=60 | option_b=49 | option_c=50 | option_d=38 | answer=B | explanation=The common difference is 11. Therefore the next term is 38 + 11 = 49.

id=42154 | topic=Percentages | difficulty=Easy | question=What is 10% of 1336? | option_a=128 | option_b=266 | option_c=133 | option_d=138 | answer=C | explanation=10% of 1336 = (10/100) × 1336 = 133.

id=42155 | topic=Percentages | difficulty=Easy | question=What is 12% of 1383? | option_a=155 | option_b=165 | option_c=330 | option_d=170 | answer=B | explanation=12% of 1383 = (12/100) × 1383 = 165.

id=42156 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=K | option_c=E | option_d=G | answer=A | explanation=Move 2 positions forward from G; the resulting letter is I.

id=42157 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=42158 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=40 | option_b=41 | option_c=35 | option_d=45 | answer=A | explanation=The common difference is 5. Therefore the next term is 35 + 5 = 40.

id=42159 | topic=Averages | difficulty=Easy | question=Find the average of 83, 10, 14, 41, 51, 65. | option_a=45 | option_b=46 | option_c=44 | option_d=43 | answer=C | explanation=Average = sum of values ÷ number of values = 264 ÷ 6 = 44.

id=42160 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Y | option_b=C | option_c=Q | option_d=U | answer=A | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=42161 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=24 | option_c=48 | option_d=19 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=42162 | topic=Percentages | difficulty=Easy | question=What is 12% of 334? | option_a=45 | option_b=80 | option_c=35 | option_d=40 | answer=D | explanation=12% of 334 = (12/100) × 334 = 40.

id=42163 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=42164 | topic=Percentages | difficulty=Easy | question=What is 20% of 221? | option_a=88 | option_b=39 | option_c=64 | option_d=44 | answer=D | explanation=20% of 221 = (20/100) × 221 = 44.

id=42165 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23989 at 8% per annum for 1 years. | option_a=1819 | option_b=25908 | option_c=1919 | option_d=2019 | answer=C | explanation=SI = PRT/100 = 23989×8×1/100 = **■**1919.

id=42166 | topic=Averages | difficulty=Easy | question=Find the average of 97, 46, 32, 69, 91, 80, 21, 10, 65, 59. | option_a=59 | option_b=57 | option_c=58 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.

id=42167 | topic=Averages | difficulty=Easy | question=Find the average of 26, 22, 48, 78, 61. | option_a=49 | option_b=47 | option_c=46 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 235 ÷ 5 = 47.

id=42168 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4994. If it is sold at a profit of 50%, what is its selling price? | option_a=7491 | option_b=6992 | option_c=7990 | option_d=5044 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4994 × 150/100 = **■**7491.

id=42169 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:6 and the first is 126, what is the second? | option_a=115 | option_b=108 | option_c=234 | option_d=102 | answer=B | explanation=Scale factor = 126/7 = 18. Therefore second quantity = 6×18 = 108.

id=42170 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=66 | option_b=56 | option_c=57 | option_d=46 | answer=B | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=42171 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=11 | option_c=12 | option_d=1 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=42172 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:6 and the first is 114, what is the second? | option_a=228 | option_b=108 | option_c=120 | option_d=114 | answer=D | explanation=Scale factor = 114/6 = 19. Therefore second quantity = 6×19 = 114.

id=42173 | topic=Percentages | difficulty=Easy | question=What is 15% of 231? | option_a=68 | option_b=34 | option_c=54 | option_d=14 | answer=B | explanation=15% of 231 = (15/100) × 231 = 34.

id=42174 | topic=Averages | difficulty=Easy | question=Find the average of 71, 44, 65. | option_a=62 | option_b=59 | option_c=61 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 180 ÷ 3 = 60.

id=42175 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9104 at 10% per annum for 1 years. | option_a=910 | option_b=1010 | option_c=810 | option_d=10014 | answer=A | explanation=SI = PRT/100 = 9104×10×1/100 = **■**910.

id=42176 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=42177 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=42178 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=E | option_c=A | option_d=C | answer=B | explanation=Move 2 positions forward from C; the resulting letter is E.

id=42179 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=50 | option_c=45 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=42180 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=28 | option_b=23 | option_c=24 | option_d=18 | answer=B | explanation=The common difference is 5. Therefore the next term is 18 + 5 = 23.

Aptitude Questions — Records 42,181-42,210 of 100,000

id=42181 | topic=Profit & Loss | difficulty=Easy | question=An article costs █699. If it is sold at a profit of 50%, what is its selling price? | option_a=749 | option_b=1117 | option_c=1048 | option_d=979 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 699 × 150/100 = █1048.

id=42182 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=67 | option_c=144 | option_d=77 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=42183 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1063. If it is sold at a profit of 5%, what is its selling price? | option_a=1222 | option_b=1010 | option_c=1068 | option_d=1116 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1063 × 105/100 = █1116.

id=42184 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2628. If it is sold at a profit of 5%, what is its selling price? | option_a=2633 | option_b=2759 | option_c=2497 | option_d=3021 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2628 × 105/100 = █2759.

id=42185 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:13 and the first is 22, what is the second? | option_a=13 | option_b=48 | option_c=37 | option_d=26 | answer=D | explanation=Scale factor = 22/11 = 2. Therefore second quantity = 13×2 = 26.

id=42186 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11717 at 8% per annum for 4 years. | option_a=3849 | option_b=3649 | option_c=15466 | option_d=3749 | answer=D | explanation=SI = PRT/100 = 11717×8×4/100 = █3749.

id=42187 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:11 and the first is 104, what is the second? | option_a=77 | option_b=88 | option_c=101 | option_d=192 | answer=B | explanation=Scale factor = 104/13 = 8. Therefore second quantity = 11×8 = 88.

id=42188 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39706 at 10% per annum for 2 years. | option_a=8041 | option_b=7941 | option_c=7841 | option_d=47647 | answer=B | explanation=SI = PRT/100 = 39706×10×2/100 = █7941.

id=42189 | topic=Averages | difficulty=Easy | question=Find the average of 41, 84, 10, 18, 102. | option_a=52 | option_b=53 | option_c=51 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 255 ÷ 5 = 51.

id=42190 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=17 | option_c=12 | option_d=24 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=42191 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 18. | option_a=162 | option_b=18 | option_c=27 | option_d=1 | answer=B | explanation=LCM × HCF = 9×18; HCF(9,18) = 9, so LCM = 18.

id=42192 | topic=Percentages | difficulty=Easy | question=What is 40% of 823? | option_a=324 | option_b=658 | option_c=329 | option_d=349 | answer=C | explanation=40% of 823 = (40/100) × 823 = 329.

id=42193 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=45 | option_b=55 | option_c=63 | option_d=54 | answer=D | explanation=The common difference is 9. Therefore the next term is 45 + 9 = 54.

id=42194 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=Q | option_c=I | option_d=U | answer=B | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=42195 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=U | option_b=O | option_c=L | option_d=R | answer=D | explanation=Move 3 positions forward from O; the resulting letter is R.

id=42196 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 26. | option_a=130 | option_b=168 | option_c=312 | option_d=156 | answer=D | explanation=LCM × HCF = 12×26; HCF(12,26) = 2, so LCM = 156.

id=42197 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=160 | option_c=85 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=42198 | topic=Profit & Loss | difficulty=Easy | question=An article costs █869. If it is sold at a profit of 25%, what is its selling price? | option_a=1172 | option_b=1086 | option_c=894 | option_d=1000 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 869 × 125/100 = █1086.

id=42199 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=23 | option_d=13 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=42200 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=P | option_b=Y | option_c=S | option_d=V | answer=D | explanation=Move 3 positions forward from S; the resulting letter is V.

id=42201 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 18. | option_a=105 | option_b=270 | option_c=90 | option_d=72 | answer=C | explanation=LCM × HCF = 15×18; HCF(15,18) = 3, so LCM = 90.

id=42202 | topic=Averages | difficulty=Easy | question=Find the average of 70, 40, 16. | option_a=44 | option_b=42 | option_c=41 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = 126 ÷ 3 = 42.

id=42203 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=42204 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=H | option_b=I | option_c=K | option_d=J | answer=D | explanation=Move 1 positions forward from I; the resulting letter is J.

id=42205 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 22. | option_a=360 | option_b=330 | option_c=308 | option_d=660 | answer=B | explanation=LCM × HCF = 30×22; HCF(30,22) = 2, so LCM = 330.

id=42206 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=T | option_c=K | option_d=Q | answer=D | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=42207 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=B | option_b=N | option_c=F | option_d=J | answer=D | explanation=Move 4 positions forward from F; the resulting letter is J.

id=42208 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:9 and the first is 88, what is the second? | option_a=83 | option_b=160 | option_c=63 | option_d=72 | answer=D | explanation=Scale factor = 88/11 = 8. Therefore second quantity = 9×8 = 72.

id=42209 | topic=Averages | difficulty=Easy | question=Find the average of 93, 12, 69, 86, 97, 45. | option_a=68 | option_b=66 | option_c=67 | option_d=69 | answer=C | explanation=Average = sum of values ÷ number of values = 402 ÷ 6 = 67.

id=42210 | topic=Percentages | difficulty=Easy | question=What is 10% of 720? | option_a=144 | option_b=52 | option_c=72 | option_d=92 | answer=C | explanation=10% of 720 = (10/100) × 720 = 72.

Aptitude Questions — Records 42,211-42,240 of 100,000

id=42211 | topic=Averages | difficulty=Easy | question=Find the average of 24, 11, 72, 94, 88, 72, 57, 78. | option_a=64 | option_b=62 | option_c=63 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 496 ÷ 8 = 62.

id=42212 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■26004 at 10% per annum for 4 years. | option_a=36405 | option_b=10401 | option_c=10301 | option_d=10501 | answer=B | explanation=Si = PRT/100 = 26004×10×4/100 = ■10401.

id=42213 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=H | option_b=B | option_c=E | option_d=K | answer=A | explanation=Move 3 positions forward from E; the resulting letter is H.

id=42214 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=150 | option_c=80 | option_d=70 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=42215 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 15. | option_a=135 | option_b=162 | option_c=120 | option_d=405 | answer=A | explanation=LCM × HCF = 27×15; HCF(27,15) = 3, so LCM = 135.

id=42216 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=42217 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=42218 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2356. If it is sold at a profit of 40%, what is its selling price? | option_a=3298 | option_b=3063 | option_c=2396 | option_d=3533 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2356 × 140/100 = ■3298.

id=42219 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=61 | option_b=71 | option_c=49 | option_d=60 | answer=D | explanation=The common difference is 11. Therefore the next term is 49 + 11 = 60.

id=42220 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1036. If it is sold at a profit of 5%, what is its selling price? | option_a=1041 | option_b=1087 | option_c=984 | option_d=1190 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1036 × 105/100 = ■1087.

id=42221 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=73 | option_b=61 | option_c=62 | option_d=49 | answer=B | explanation=The common difference is 12. Therefore the next term is 49 + 12 = 61.

id=42222 | topic=Averages | difficulty=Easy | question=Find the average of 80, 78, 56, 58, 53. | option_a=67 | option_b=64 | option_c=65 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = 325 ÷ 5 = 65.

id=42223 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 3. | option_a=1 | option_b=9 | option_c=6 | option_d=3 | answer=D | explanation=LCM × HCF = 3×3; HCF(3,3) = 3, so LCM = 3.

id=42224 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=54 | option_b=47 | option_c=38 | option_d=46 | answer=D | explanation=The common difference is 8. Therefore the next term is 38 + 8 = 46.

id=42225 | topic=Percentages | difficulty=Easy | question=What is 12% of 621? | option_a=79 | option_b=74 | option_c=69 | option_d=148 | answer=B | explanation=12% of 621 = (12/100) × 621 = 74.

id=42226 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4650. If it is sold at a profit of 25%, what is its selling price? | option_a=5347 | option_b=4675 | option_c=6277 | option_d=5812 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4650 × 125/100 = ■5812.

id=42227 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=42228 | topic=Averages | difficulty=Easy | question=Find the average of 50, 80, 37, 98, 62, 72, 35. | option_a=63 | option_b=62 | option_c=64 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 434 ÷ 7 = 62.

id=42229 | topic=Percentages | difficulty=Easy | question=What is 5% of 1551? | option_a=154 | option_b=82 | option_c=77 | option_d=67 | answer=C | explanation=5% of 1551 = (5/100) × 1551 = 77.

id=42230 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 18, 27, 37? | option_a=37 | option_b=27 | option_c=9 | option_d=18 | answer=A | explanation=The first three numbers increase by 9, so the next should be 36. Therefore 37 is the odd one out.

id=42231 | topic=Percentages | difficulty=Easy | question=What is 30% of 770? | option_a=251 | option_b=211 | option_c=462 | option_d=231 | answer=D | explanation=30% of 770 = (30/100) × 770 = 231.

id=42232 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 29, 31, 34? | option_a=31 | option_b=29 | option_c=27 | option_d=34 | answer=D | explanation=The first three numbers increase by 2, so the next should be 33. Therefore 34 is the odd one out.

id=42233 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=42234 | topic=Averages | difficulty=Easy | question=Find the average of 26, 98, 14, 78. | option_a=56 | option_b=53 | option_c=55 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 216 ÷ 4 = 54.

id=42235 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:19 and the first is 57, what is the second? | option_a=114 | option_b=76 | option_c=38 | option_d=57 | answer=D | explanation=Scale factor = 57/19 = 3. Therefore second quantity = 19×3 = 57.

id=42236 | topic=Percentages | difficulty=Easy | question=What is 10% of 124? | option_a=24 | option_b=12 | option_c=17 | option_d=0 | answer=B | explanation=10% of 124 = (10/100) × 124 = 12.

id=42237 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2359. If it is sold at a profit of 40%, what is its selling price? | option_a=2399 | option_b=3067 | option_c=3302 | option_d=3537 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2359 × 140/100 = ■3302.

id=42238 | topic=Averages | difficulty=Easy | question=Find the average of 75, 35, 84, 58, 11, 45, 79, 53. | option_a=55 | option_b=56 | option_c=54 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 440 ÷ 8 = 55.

id=42239 | topic=Averages | difficulty=Easy | question=Find the average of 12, 99, 62, 50, 22, 91. | option_a=57 | option_b=58 | option_c=55 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 336 ÷ 6 = 56.

id=42240 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=24 | option_b=18 | option_c=23 | option_d=28 | answer=C | explanation=The common difference is 5. Therefore the next term is 18 + 5 = 23.

Aptitude Questions — Records 42,241-42,270 of 100,000

id=42241 | topic=Percentages | difficulty=Easy | question=What is 5% of 79? | option_a=23 | option_b=0 | option_c=3 | option_d=6 | answer=C | explanation=5% of 79 = (5/100) × 79 = 3.

id=42242 | topic=Averages | difficulty=Easy | question=Find the average of 92, 10, 57, 10, 86, 25, 70. | option_a=52 | option_b=49 | option_c=50 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

id=42243 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=42244 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=34 | option_b=28 | option_c=40 | option_d=35 | answer=A | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.

id=42245 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=42246 | topic=Averages | difficulty=Easy | question=Find the average of 94, 72, 96, 28, 33, 61. | option_a=66 | option_b=64 | option_c=65 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 384 ÷ 6 = 64.

id=42247 | topic=Averages | difficulty=Easy | question=Find the average of 82, 72, 45, 74, 75, 80, 24, 46, 60. | option_a=63 | option_b=62 | option_c=61 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 558 ÷ 9 = 62.

id=42248 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:20 and the first is 65, what is the second? | option_a=240 | option_b=325 | option_c=265 | option_d=260 | answer=D | explanation=Scale factor = 65/5 = 13. Therefore second quantity = 20×13 = 260.

id=42249 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=52 | option_b=42 | option_c=32 | option_d=43 | answer=B | explanation=The common difference is 10. Therefore the next term is 32 + 10 = 42.

id=42250 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=42251 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=66 | option_b=55 | option_c=42 | option_d=54 | answer=D | explanation=The common difference is 12. Therefore the next term is 42 + 12 = 54.

id=42252 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:18 and the first is 10, what is the second? | option_a=46 | option_b=18 | option_c=36 | option_d=41 | answer=C | explanation=Scale factor = 10/5 = 2. Therefore second quantity = 18×2 = 36.

id=42253 | topic=Percentages | difficulty=Easy | question=What is 40% of 626? | option_a=245 | option_b=500 | option_c=255 | option_d=250 | answer=D | explanation=40% of 626 = (40/100) × 626 = 250.

id=42254 | topic=Percentages | difficulty=Easy | question=What is 12% of 1675? | option_a=211 | option_b=402 | option_c=181 | option_d=201 | answer=D | explanation=12% of 1675 = (12/100) × 1675 = 201.

id=42255 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=28 | option_b=26 | option_c=22 | option_d=25 | answer=D | explanation=The common difference is 3. Therefore the next term is 22 + 3 = 25.

id=42256 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11990 at 5% per annum for 3 years. | option_a=1698 | option_b=13788 | option_c=1898 | option_d=1798 | answer=D | explanation=SI = PRT/100 = 11990×5×3/100 = **■**1798.

id=42257 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=42258 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=75 | option_c=70 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=42259 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15540 at 10% per annum for 3 years. | option_a=20202 | option_b=4562 | option_c=4662 | option_d=4762 | answer=C | explanation=SI = PRT/100 = 15540×10×3/100 = **■**4662.

id=42260 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=42261 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=90 | option_c=180 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=42262 | topic=Percentages | difficulty=Easy | question=What is 40% of 1236? | option_a=494 | option_b=988 | option_c=489 | option_d=504 | answer=A | explanation=40% of 1236 = (40/100) × 1236 = 494.

id=42263 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:4 and the first is 204, what is the second? | option_a=48 | option_b=252 | option_c=44 | option_d=65 | answer=A | explanation=Scale factor = 204/17 = 12. Therefore second quantity = 4×12 = 48.

id=42264 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=42265 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=42266 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 57? | option_a=57 | option_b=26 | option_c=46 | option_d=36 | answer=A | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 57 is the odd one out.

id=42267 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=7 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=42268 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:4 and the first is 108, what is the second? | option_a=57 | option_b=44 | option_c=48 | option_d=156 | answer=C | explanation=Scale factor = 108/9 = 12. Therefore second quantity = 4×12 = 48.

id=42269 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=42270 | topic=Averages | difficulty=Easy | question=Find the average of 87, 17, 28, 24. | option_a=38 | option_b=41 | option_c=40 | option_d=39 | answer=D | explanation=Average = sum of values ÷ number of values = 156 ÷ 4 = 39.

Aptitude Questions — Records 42,271-42,300 of 100,000

id=42271 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=39 | option_b=48 | option_c=55 | option_d=47 | answer=D | explanation=The common difference is 8. Therefore the next term is 39 + 8 = 47.

id=42272 | topic=Averages | difficulty=Easy | question=Find the average of 22, 63, 53. | option_a=48 | option_b=45 | option_c=47 | option_d=46 | answer=D | explanation=Average = sum of values + number of values = 138 ÷ 3 = 46.

id=42273 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:4 and the first is 112, what is the second? | option_a=32 | option_b=28 | option_c=144 | option_d=46 | answer=A | explanation=Scale factor = 112/14 = 8. Therefore second quantity = 4×8 = 32.

id=42274 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21287 at 4% per annum for 2 years. | option_a=1702 | option_b=22989 | option_c=1602 | option_d=1802 | answer=A | explanation=SI = PRT/100 = 21287×4×2/100 = **■**1702.

id=42275 | topic=Percentages | difficulty=Easy | question=What is 50% of 1922? | option_a=981 | option_b=1922 | option_c=961 | option_d=951 | answer=C | explanation=50% of 1922 = (50/100) × 1922 = 961.

id=42276 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:14 and the first is 72, what is the second? | option_a=128 | option_b=42 | option_c=74 | option_d=56 | answer=D | explanation=Scale factor = 72/18 = 4. Therefore second quantity = 14×4 = 56.

id=42277 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:18 and the first is 143, what is the second? | option_a=341 | option_b=211 | option_c=198 | option_d=180 | answer=C | explanation=Scale factor = 143/13 = 11. Therefore second quantity = 18×11 = 198.

id=42278 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:13 and the first is 70, what is the second? | option_a=161 | option_b=91 | option_c=78 | option_d=101 | answer=B | explanation=Scale factor = 70/10 = 7. Therefore second quantity = 13×7 = 91.

id=42279 | topic=Percentages | difficulty=Easy | question=What is 5% of 1585? | option_a=79 | option_b=89 | option_c=74 | option_d=158 | answer=A | explanation=5% of 1585 = (5/100) × 1585 = 79.

id=42280 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 18, 26, 35? | option_a=26 | option_b=35 | option_c=18 | option_d=10 | answer=B | explanation=The first three numbers increase by 8, so the next should be 34. Therefore 35 is the odd one out.

id=42281 | topic=Averages | difficulty=Easy | question=Find the average of 34, 28, 43, 97, 13. | option_a=43 | option_b=44 | option_c=42 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 215 ÷ 5 = 43.

id=42282 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=13 | option_b=19 | option_c=16 | option_d=17 | answer=C | explanation=The common difference is 3. Therefore the next term is 13 + 3 = 16.

id=42283 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20839 at 5% per annum for 1 years. | option_a=1141 | option_b=1041 | option_c=21880 | option_d=941 | answer=B | explanation=SI = PRT/100 = 20839×5×1/100 = **■**1041.

id=42284 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=42285 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=E | option_c=G | option_d=A | answer=B | explanation=Move 2 positions forward from C; the resulting letter is E.

id=42286 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=25 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=42287 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:18 and the first is 38, what is the second? | option_a=344 | option_b=380 | option_c=324 | option_d=342 | answer=D | explanation=Scale factor = 38/2 = 19. Therefore second quantity = 18×19 = 342.

id=42288 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:10 and the first is 342, what is the second? | option_a=199 | option_b=522 | option_c=180 | option_d=170 | answer=C | explanation=Scale factor = 342/19 = 18. Therefore second quantity = 10×18 = 180.

id=42289 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=42290 | topic=Averages | difficulty=Easy | question=Find the average of 44, 32, 14, 100, 66, 95, 62. | option_a=59 | option_b=60 | option_c=58 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 413 ÷ 7 = 59.

id=42291 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=42292 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=39 | option_b=61 | option_c=50 | option_d=51 | answer=C | explanation=The common difference is 11. Therefore the next term is 39 + 11 = 50.

id=42293 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=96 | option_c=48 | option_d=43 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=42294 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=37 | option_b=43 | option_c=49 | option_d=44 | answer=B | explanation=The common difference is 6. Therefore the next term is 37 + 6 = 43.

id=42295 | topic=Averages | difficulty=Easy | question=Find the average of 38, 53, 53. | option_a=49 | option_b=50 | option_c=47 | option_d=48 | answer=D | explanation=Average = sum of values + number of values = 144 ÷ 3 = 48.

id=42296 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 24, 36, 48, ? | option_a=60 | option_b=48 | option_c=61 | option_d=72 | answer=A | explanation=The common difference is 12. Therefore the next term is 48 + 12 = 60.

id=42297 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 35, 44, 56? | option_a=56 | option_b=26 | option_c=44 | option_d=35 | answer=A | explanation=The first three numbers increase by 9, so the next should be 53. Therefore 56 is the odd one out.

id=42298 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35782 at 6% per annum for 4 years. | option_a=8487 | option_b=44369 | option_c=8687 | option_d=8587 | answer=D | explanation=SI = PRT/100 = 35782×6×4/100 = **■**8587.

id=42299 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:18 and the first is 18, what is the second? | option_a=18 | option_b=54 | option_c=36 | option_d=45 | answer=C | explanation=Scale factor = 18/9 = 2. Therefore second quantity = 18×2 = 36.

id=42300 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=35 | option_b=27 | option_c=41 | option_d=34 | answer=D | explanation=The common difference is 7. Therefore the next term is 27 + 7 = 34.

Aptitude Questions — Records 42,301-42,330 of 100,000

id=42301 | topic=Percentages | difficulty=Easy | question=What is 10% of 305? | option_a=60 | option_b=30 | option_c=50 | option_d=25 | answer=B | explanation=10% of 305 = (10/100) × 305 = 30.

id=42302 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=72 | option_c=41 | option_d=31 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=42303 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=58 | option_b=69 | option_c=45 | option_d=57 | answer=D | explanation=The common difference is 12. Therefore the next term is 45 + 12 = 57.

id=42304 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=6 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=42305 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 27? | option_a=24 | option_b=22 | option_c=20 | option_d=27 | answer=D | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 27 is the odd one out.

id=42306 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 17, 25, 33, ? | option_a=42 | option_b=41 | option_c=49 | option_d=33 | answer=B | explanation=The common difference is 8. Therefore the next term is 33 + 8 = 41.

id=42307 | topic=Averages | difficulty=Easy | question=Find the average of 39, 35, 67, 31, 44, 97, 93, 74, 95, 75. | option_a=65 | option_b=67 | option_c=64 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 650 ÷ 10 = 65.

id=42308 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:4 and the first is 255, what is the second? | option_a=56 | option_b=315 | option_c=77 | option_d=60 | answer=D | explanation=Scale factor = 255/17 = 15. Therefore second quantity = 4×15 = 60.

id=42309 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1275. If it is sold at a profit of 5%, what is its selling price? | option_a=1280 | option_b=1338 | option_c=1465 | option_d=1211 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1275 × 105/100 = ₹1338.

id=42310 | topic=Averages | difficulty=Easy | question=Find the average of 32, 27, 40. | option_a=34 | option_b=32 | option_c=35 | option_d=33 | answer=D | explanation=Average = sum of values ÷ number of values = 99 ÷ 3 = 33.

id=42311 | topic=Averages | difficulty=Easy | question=Find the average of 57, 23, 19. | option_a=34 | option_b=35 | option_c=32 | option_d=33 | answer=D | explanation=Average = sum of values ÷ number of values = 99 ÷ 3 = 33.

id=42312 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹12362 at 15% per annum for 5 years. | option_a=9371 | option_b=9171 | option_c=21633 | option_d=9271 | answer=D | explanation=SI = PRT/100 = 12362×15×5/100 = ₹9271.

id=42313 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=85 | option_c=95 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=42314 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 42? | option_a=25 | option_b=32 | option_c=42 | option_d=18 | answer=C | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 42 is the odd one out.

id=42315 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=H | option_c=J | option_d=F | answer=C | explanation=Move 2 positions forward from H; the resulting letter is J.

id=42316 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=43 | option_c=48 | option_d=96 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=42317 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹42097 at 6% per annum for 1 years. | option_a=44622 | option_b=2625 | option_c=2425 | option_d=2525 | answer=D | explanation=SI = PRT/100 = 42097×6×1/100 = ₹2525.

id=42318 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹1320 at 8% per annum for 3 years. | option_a=316 | option_b=1636 | option_c=216 | option_d=416 | answer=A | explanation=SI = PRT/100 = 1320×8×3/100 = ₹316.

id=42319 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=7 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=42320 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=O | option_b=T | option_c=E | option_d=J | answer=A | explanation=Move 5 positions forward from J; the resulting letter is O.

id=42321 | topic=Averages | difficulty=Easy | question=Find the average of 16, 53, 31, 23, 11, 81, 99, 86. | option_a=49 | option_b=51 | option_c=50 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 400 ÷ 8 = 50.

id=42322 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:16 and the first is 20, what is the second? | option_a=64 | option_b=84 | option_c=80 | option_d=100 | answer=C | explanation=Scale factor = 20/4 = 5. Therefore second quantity = 16×5 = 80.

id=42323 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹30744 at 15% per annum for 1 years. | option_a=4511 | option_b=35355 | option_c=4711 | option_d=4611 | answer=D | explanation=SI = PRT/100 = 30744×15×1/100 = ₹4611.

id=42324 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=42325 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 27? | option_a=21 | option_b=15 | option_c=18 | option_d=27 | answer=D | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 27 is the odd one out.

id=42326 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 6, 10, 16? | option_a=10 | option_b=16 | option_c=6 | option_d=2 | answer=B | explanation=The first three numbers increase by 4, so the next should be 14. Therefore 16 is the odd one out.

id=42327 | topic=Percentages | difficulty=Easy | question=What is 30% of 685? | option_a=210 | option_b=185 | option_c=410 | option_d=205 | answer=D | explanation=30% of 685 = (30/100) × 685 = 205.

id=42328 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=C | option_b=I | option_c=L | option_d=F | answer=B | explanation=Move 3 positions forward from F; the resulting letter is I.

id=42329 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=54 | option_b=66 | option_c=78 | option_d=67 | answer=B | explanation=The common difference is 12. Therefore the next term is 54 + 12 = 66.

id=42330 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 5, 7, 11? | option_a=11 | option_b=5 | option_c=7 | option_d=3 | answer=A | explanation=The first three numbers increase by 2, so the next should be 9. Therefore 11 is the odd one out.

Aptitude Questions — Records 42,331-42,360 of 100,000

- id=42331 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4960. If it is sold at a profit of 30%, what is its selling price? | option_a=6448 | option_b=5952 | option_c=4990 | option_d=6944 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4960 \times 130/100 = \text{█}6448$.
- id=42332 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 21, 23, 28? | option_a=23 | option_b=19 | option_c=21 | option_d=28 | answer=D | explanation=The first three numbers increase by 2, so the next should be 25. Therefore 28 is the odd one out.
- id=42333 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 24, 30, 36, ? | option_a=42 | option_b=43 | option_c=48 | option_d=36 | answer=A | explanation=The common difference is 6. Therefore the next term is $36 + 6 = 42$.
- id=42334 | topic=Percentages | difficulty=Easy | question=What is 12% of 195? | option_a=3 | option_b=46 | option_c=23 | option_d=28 | answer=C | explanation= $12\% \text{ of } 195 = (12/100) \times 195 = 23$.
- id=42335 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=S | option_b=U | option_c=Y | option_d=W | answer=D | explanation=Move 2 positions forward from U; the resulting letter is W.
- id=42336 | topic=Percentages | difficulty=Easy | question=What is 10% of 653? | option_a=130 | option_b=65 | option_c=75 | option_d=60 | answer=B | explanation= $10\% \text{ of } 653 = (10/100) \times 653 = 65$.
- id=42337 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18105 at 8% per annum for 3 years. | option_a=22450 | option_b=4445 | option_c=4245 | option_d=4345 | answer=D | explanation= $SI = PRT/100 = 18105 \times 8 \times 3/100 = \text{█}4345$.
- id=42338 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=24 | option_d=5 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.
- id=42339 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=56 | option_b=44 | option_c=68 | option_d=57 | answer=A | explanation=The common difference is 12. Therefore the next term is $44 + 12 = 56$.
- id=42340 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1812. If it is sold at a profit of 40%, what is its selling price? | option_a=1852 | option_b=2536 | option_c=2717 | option_d=2355 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1812 \times 140/100 = \text{█}2536$.
- id=42341 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 13, 23, 36? | option_a=13 | option_b=36 | option_c=3 | option_d=23 | answer=B | explanation=The first three numbers increase by 10, so the next should be 33. Therefore 36 is the odd one out.
- id=42342 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=18 | option_d=13 | answer=C | explanation=Speed = distance ÷ time = $90 \div 5 = 18$ km/h.
- id=42343 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14102 at 15% per annum for 4 years. | option_a=22563 | option_b=8461 | option_c=8361 | option_d=8561 | answer=B | explanation= $SI = PRT/100 = 14102 \times 15 \times 4/100 = \text{█}8461$.
- id=42344 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4639. If it is sold at a profit of 25%, what is its selling price? | option_a=4664 | option_b=6261 | option_c=5335 | option_d=5798 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4639 \times 125/100 = \text{█}5798$.
- id=42345 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:6 and the first is 280, what is the second? | option_a=104 | option_b=84 | option_c=364 | option_d=78 | answer=B | explanation=Scale factor = $280/20 = 14$. Therefore second quantity = $6 \times 14 = 84$.
- id=42346 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=H | option_b=J | option_c=L | option_d=N | answer=C | explanation=Move 2 positions forward from J; the resulting letter is L.
- id=42347 | topic=Percentages | difficulty=Easy | question=What is 12% of 470? | option_a=66 | option_b=56 | option_c=112 | option_d=51 | answer=B | explanation= $12\% \text{ of } 470 = (12/100) \times 470 = 56$.
- id=42348 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:8 and the first is 28, what is the second? | option_a=140 | option_b=114 | option_c=104 | option_d=112 | answer=D | explanation=Scale factor = $28/2 = 14$. Therefore second quantity = $8 \times 14 = 112$.
- id=42349 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 16. | option_a=48 | option_b=96 | option_c=54 | option_d=32 | answer=A | explanation= $LCM \times HCF = 6 \times 16$; $HCF(6,16) = 2$, so $LCM = 48$.
- id=42350 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=Z | option_b=R | option_c=V | option_d=N | answer=C | explanation=Move 4 positions forward from R; the resulting letter is V.
- id=42351 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 34, 43, 55? | option_a=25 | option_b=43 | option_c=55 | option_d=34 | answer=C | explanation=The first three numbers increase by 9, so the next should be 52. Therefore 55 is the odd one out.
- id=42352 | topic=Averages | difficulty=Easy | question=Find the average of 69, 35, 29, 90, 67, 28. | option_a=54 | option_b=52 | option_c=55 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = $318 \div 6 = 53$.
- id=42353 | topic=Averages | difficulty=Easy | question=Find the average of 90, 47, 63, 48, 97. | option_a=70 | option_b=71 | option_c=69 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = $345 \div 5 = 69$.
- id=42354 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:16 and the first is 136, what is the second? | option_a=280 | option_b=408 | option_c=256 | option_d=272 | answer=D | explanation=Scale factor = $136/8 = 17$. Therefore second quantity = $16 \times 17 = 272$.
- id=42355 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3669. If it is sold at a profit of 20%, what is its selling price? | option_a=4036 | option_b=4402 | option_c=3689 | option_d=4768 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3669 \times 120/100 = \text{█}4402$.
- id=42356 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=50 | option_d=100 | answer=C | explanation=Speed = distance ÷ time = $150 \div 3 = 50$ km/h.
- id=42357 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=31 | option_b=32 | option_c=25 | option_d=37 | answer=A | explanation=The common difference is 6. Therefore the next term is $25 + 6 = 31$.
- id=42358 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=57 | option_b=37 | option_c=48 | option_d=47 | answer=D | explanation=The common difference is 10. Therefore the next term is $37 + 10 = 47$.
- id=42359 | topic=Averages | difficulty=Easy | question=Find the average of 29, 31, 89, 29, 29, 75. | option_a=49 | option_b=48 | option_c=47 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = $282 \div 6 = 47$.
- id=42360 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20072 at 8% per annum for 5 years. | option_a=28100 | option_b=8128 | option_c=7928 | option_d=8028 | answer=D | explanation= $SI = PRT/100 = 20072 \times 8 \times 5/100 = \text{█}8028$.

Aptitude Questions — Records 42,361-42,390 of 100,000

id=42361 | topic=Profit & Loss | difficulty=Easy | question=An article costs █712. If it is sold at a profit of 50%, what is its selling price? | option_a=762 | option_b=1139 | option_c=1068 | option_d=997 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 712 × 150/100 = █1068.

id=42362 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=42363 | topic=Averages | difficulty=Easy | question=Find the average of 40, 17, 23, 48. | option_a=33 | option_b=31 | option_c=32 | option_d=34 | answer=C | explanation=Average = sum of values ÷ number of values = 128 ÷ 4 = 32.

id=42364 | topic=Percentages | difficulty=Easy | question=What is 50% of 511? | option_a=235 | option_b=255 | option_c=510 | option_d=260 | answer=B | explanation=50% of 511 = (50/100) × 511 = 255.

id=42365 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=42366 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=67 | option_b=78 | option_c=66 | option_d=54 | answer=C | explanation=The common difference is 12. Therefore the next term is 54 + 12 = 66.

id=42367 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 38? | option_a=38 | option_b=29 | option_c=17 | option_d=23 | answer=A | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 38 is the odd one out.

id=42368 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 18, 26, 37? | option_a=18 | option_b=37 | option_c=10 | option_d=26 | answer=B | explanation=The first three numbers increase by 8, so the next should be 34. Therefore 37 is the odd one out.

id=42369 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=42370 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2133. If it is sold at a profit of 20%, what is its selling price? | option_a=2772 | option_b=2559 | option_c=2346 | option_d=2153 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2133 × 120/100 = █2559.

id=42371 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 35? | option_a=27 | option_b=35 | option_c=22 | option_d=17 | answer=B | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 35 is the odd one out.

id=42372 | topic=Percentages | difficulty=Easy | question=What is 50% of 1636? | option_a=1636 | option_b=823 | option_c=818 | option_d=808 | answer=C | explanation=50% of 1636 = (50/100) × 1636 = 818.

id=42373 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 23? | option_a=23 | option_b=14 | option_c=2 | option_d=8 | answer=A | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 23 is the odd one out.

id=42374 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1326. If it is sold at a profit of 15%, what is its selling price? | option_a=1341 | option_b=1392 | option_c=1524 | option_d=1656 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1326 × 115/100 = █1524.

id=42375 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24353 at 12% per annum for 1 years. | option_a=3022 | option_b=27275 | option_c=2822 | option_d=2922 | answer=D | explanation=SI = PRT/100 = 24353×12×1/100 = █2922.

id=42376 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=42377 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48207 at 8% per annum for 1 years. | option_a=52063 | option_b=3856 | option_c=3956 | option_d=3756 | answer=B | explanation=SI = PRT/100 = 48207×8×1/100 = █3856.

id=42378 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27314 at 12% per annum for 3 years. | option_a=37147 | option_b=9733 | option_c=9933 | option_d=9833 | answer=D | explanation=SI = PRT/100 = 27314×12×3/100 = █9833.

id=42379 | topic=Percentages | difficulty=Easy | question=What is 15% of 1416? | option_a=207 | option_b=424 | option_c=212 | option_d=232 | answer=C | explanation=15% of 1416 = (15/100) × 1416 = 212.

id=42380 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=63 | option_b=51 | option_c=62 | option_d=73 | answer=C | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.

id=42381 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 27? | option_a=27 | option_b=18 | option_c=12 | option_d=6 | answer=A | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 27 is the odd one out.

id=42382 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=43 | option_b=54 | option_c=63 | option_d=53 | answer=D | explanation=The common difference is 10. Therefore the next term is 43 + 10 = 53.

id=42383 | topic=Averages | difficulty=Easy | question=Find the average of 67, 22, 63, 99, 33, 16, 60, 56. | option_a=52 | option_b=54 | option_c=51 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=42384 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31598 at 15% per annum for 4 years. | option_a=50556 | option_b=18958 | option_c=19058 | option_d=18858 | answer=B | explanation=SI = PRT/100 = 31598×15×4/100 = █18958.

id=42385 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=X | option_b=U | option_c=R | option_d=O | answer=B | explanation=Move 3 positions forward from R; the resulting letter is U.

id=42386 | topic=Percentages | difficulty=Easy | question=What is 12% of 1159? | option_a=159 | option_b=119 | option_c=278 | option_d=139 | answer=D | explanation=12% of 1159 = (12/100) × 1159 = 139.

id=42387 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22089 at 12% per annum for 2 years. | option_a=5401 | option_b=27390 | option_c=5301 | option_d=5201 | answer=C | explanation=SI = PRT/100 = 22089×12×2/100 = █5301.

id=42388 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1716. If it is sold at a profit of 30%, what is its selling price? | option_a=1746 | option_b=2230 | option_c=2059 | option_d=2401 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1716 × 130/100 = █2230.

id=42389 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=J | option_b=B | option_c=N | option_d=F | answer=A | explanation=Move 4 positions forward from F; the resulting letter is J.

id=42390 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=51 | option_b=52 | option_c=42 | option_d=60 | answer=A | explanation=The common difference is 9. Therefore the next term is 42 + 9 = 51.

Aptitude Questions — Records 42,391-42,420 of 100,000

id=42391 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:4 and the first is 9, what is the second? | option_a=21 | option_b=12 | option_c=15 | option_d=8 | answer=B | explanation=Scale factor = $9/3 = 3$. Therefore second quantity = $4 \times 3 = 12$.

id=42392 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = $300 \div 10 = 30$ km/h.

id=42393 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 31? | option_a=22 | option_b=26 | option_c=31 | option_d=24 | answer=C | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 31 is the odd one out.

id=42394 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=42395 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 27? | option_a=27 | option_b=4 | option_c=11 | option_d=18 | answer=A | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 27 is the odd one out.

id=42396 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 28? | option_a=28 | option_b=11 | option_c=4 | option_d=18 | answer=A | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 28 is the odd one out.

id=42397 | topic=Averages | difficulty=Easy | question=Find the average of 24, 48, 23, 82, 68, 22, 51, 95, 22, 95. | option_a=55 | option_b=53 | option_c=54 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = $530 \div 10 = 53$.

id=42398 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:14 and the first is 176, what is the second? | option_a=400 | option_b=235 | option_c=224 | option_d=210 | answer=C | explanation=Scale factor = $176/11 = 16$. Therefore second quantity = $14 \times 16 = 224$.

id=42399 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=42400 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=53 | option_b=52 | option_c=64 | option_d=40 | answer=B | explanation=The common difference is 12. Therefore the next term is $40 + 12 = 52$.

id=42401 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3681. If it is sold at a profit of 20%, what is its selling price? | option_a=3701 | option_b=4785 | option_c=4049 | option_d=4417 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 3681 \times 120/100 = \text{█}4417$.

id=42402 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25994 at 6% per annum for 3 years. | option_a=4778 | option_b=4578 | option_c=30672 | option_d=4678 | answer=D | explanation=SI = $PRT/100 = 25994 \times 6 \times 3/100 = \text{█}4678$.

id=42403 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=E | option_c=I | option_d=C | answer=A | explanation=Move 2 positions forward from E; the resulting letter is G.

id=42404 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=4 | option_d=6 | answer=B | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=42405 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 12. | option_a=144 | option_b=12 | option_c=1 | option_d=24 | answer=B | explanation=LCM × HCF = 12×12 ; HCF(12,12) = 12, so LCM = 12.

id=42406 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 33, 38, 44? | option_a=44 | option_b=38 | option_c=28 | option_d=33 | answer=A | explanation=The first three numbers increase by 5, so the next should be 43. Therefore 44 is the odd one out.

id=42407 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13078 at 5% per annum for 2 years. | option_a=1407 | option_b=1207 | option_c=14385 | option_d=1307 | answer=D | explanation=SI = $PRT/100 = 13078 \times 5 \times 2/100 = \text{█}1307$.

id=42408 | topic=Profit & Loss | difficulty=Easy | question=An article costs █746. If it is sold at a profit of 20%, what is its selling price? | option_a=766 | option_b=821 | option_c=895 | option_d=969 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 746 \times 120/100 = \text{█}895$.

id=42409 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=42410 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28429 at 10% per annum for 2 years. | option_a=5685 | option_b=34114 | option_c=5585 | option_d=5785 | answer=A | explanation=SI = $PRT/100 = 28429 \times 10 \times 2/100 = \text{█}5685$.

id=42411 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4012. If it is sold at a profit of 30%, what is its selling price? | option_a=4042 | option_b=5215 | option_c=5616 | option_d=4814 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 4012 \times 130/100 = \text{█}5215$.

id=42412 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10638 at 5% per annum for 3 years. | option_a=1595 | option_b=1495 | option_c=12233 | option_d=1695 | answer=A | explanation=SI = $PRT/100 = 10638 \times 5 \times 3/100 = \text{█}1595$.

id=42413 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 32, 42, 55? | option_a=42 | option_b=22 | option_c=55 | option_d=32 | answer=C | explanation=The first three numbers increase by 10, so the next should be 52. Therefore 55 is the odd one out.

id=42414 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:16 and the first is 24, what is the second? | option_a=32 | option_b=44 | option_c=56 | option_d=16 | answer=A | explanation=Scale factor = $24/12 = 2$. Therefore second quantity = $16 \times 2 = 32$.

id=42415 | topic=Averages | difficulty=Easy | question=Find the average of 25, 55, 73. | option_a=51 | option_b=52 | option_c=50 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = $153 \div 3 = 51$.

id=42416 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 48? | option_a=19 | option_b=37 | option_c=48 | option_d=28 | answer=C | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 48 is the odd one out.

id=42417 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 38? | option_a=13 | option_b=29 | option_c=21 | option_d=38 | answer=D | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 38 is the odd one out.

id=42418 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=V | option_c=X | option_d=R | answer=B | explanation=Move 2 positions forward from T; the resulting letter is V.

id=42419 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:14 and the first is 240, what is the second? | option_a=154 | option_b=188 | option_c=408 | option_d=168 | answer=D | explanation=Scale factor = $240/20 = 12$. Therefore second quantity = $14 \times 12 = 168$.

id=42420 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 48? | option_a=28 | option_b=19 | option_c=37 | option_d=48 | answer=D | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 48 is the odd one out.

Aptitude Questions — Records 42,421-42,450 of 100,000

- id=42421 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 12, 17, 24? | option_a=12 | option_b=24 | option_c=7 | option_d=17 | answer=B | explanation=The first three numbers increase by 5, so the next should be 22. Therefore 24 is the odd one out.
- id=42422 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 36? | option_a=29 | option_b=36 | option_c=21 | option_d=25 | answer=B | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 36 is the odd one out.
- id=42423 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12998 at 8% per annum for 3 years. | option_a=3219 | option_b=16117 | option_c=3119 | option_d=3019 | answer=C | explanation=SI = $PRT/100 = 12998 \times 8 \times 3/100 = \text{■}3119$.
- id=42424 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**794. If it is sold at a profit of 50%, what is its selling price? | option_a=1270 | option_b=1112 | option_c=1191 | option_d=844 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 794 \times 150/100 = \text{■}1191$.
- id=42425 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**697. If it is sold at a profit of 30%, what is its selling price? | option_a=975 | option_b=727 | option_c=837 | option_d=906 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 697 \times 130/100 = \text{■}906$.
- id=42426 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3937. If it is sold at a profit of 25%, what is its selling price? | option_a=4921 | option_b=5314 | option_c=4528 | option_d=3962 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3937 \times 125/100 = \text{■}4921$.
- id=42427 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=45 | option_b=69 | option_c=58 | option_d=57 | answer=D | explanation=The common difference is 12. Therefore the next term is $45 + 12 = 57$.
- id=42428 | topic=Averages | difficulty=Easy | question=Find the average of 62, 75, 92, 50, 39, 12, 13. | option_a=51 | option_b=49 | option_c=48 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = $343 \div 7 = 49$.
- id=42429 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=21 | option_b=16 | option_c=24 | option_d=20 | answer=D | explanation=The common difference is 4. Therefore the next term is $16 + 4 = 20$.
- id=42430 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:16 and the first is 234, what is the second? | option_a=522 | option_b=301 | option_c=288 | option_d=272 | answer=C | explanation=Scale factor = $234/13 = 18$. Therefore second quantity = $16 \times 18 = 288$.
- id=42431 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=B | option_b=P | option_c=T | option_d=X | answer=D | explanation=Move 4 positions forward from T; the resulting letter is X.
- id=42432 | topic=Averages | difficulty=Easy | question=Find the average of 82, 82, 41, 83, 49, 52, 35, 25, 64. | option_a=56 | option_b=58 | option_c=59 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = $513 \div 9 = 57$.
- id=42433 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2429. If it is sold at a profit of 10%, what is its selling price? | option_a=2913 | option_b=2429 | option_c=2439 | option_d=2671 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2429 \times 110/100 = \text{■}2671$.
- id=42434 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:18 and the first is 15, what is the second? | option_a=36 | option_b=69 | option_c=54 | option_d=59 | answer=C | explanation=Scale factor = $15/5 = 3$. Therefore second quantity = $18 \times 3 = 54$.
- id=42435 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=12 | option_c=7 | option_d=24 | answer=B | explanation=Speed = distance ÷ time = $120 \div 10 = 12$ km/h.
- id=42436 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30895 at 12% per annum for 1 years. | option_a=3807 | option_b=3607 | option_c=3707 | option_d=34602 | answer=C | explanation=SI = $PRT/100 = 30895 \times 12 \times 1/100 = \text{■}3707$.
- id=42437 | topic=Percentages | difficulty=Easy | question=What is 50% of 911? | option_a=435 | option_b=475 | option_c=910 | option_d=455 | answer=D | explanation=50% of 911 = $(50/100) \times 911 = 455$.
- id=42438 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = $120 \div 4 = 30$ km/h.
- id=42439 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7568 at 10% per annum for 1 years. | option_a=656 | option_b=856 | option_c=756 | option_d=8324 | answer=C | explanation=SI = $PRT/100 = 7568 \times 10 \times 1/100 = \text{■}756$.
- id=42440 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.
- id=42441 | topic=Percentages | difficulty=Easy | question=What is 40% of 1877? | option_a=760 | option_b=745 | option_c=750 | option_d=1500 | answer=C | explanation=40% of 1877 = $(40/100) \times 1877 = 750$.
- id=42442 | topic=Averages | difficulty=Easy | question=Find the average of 82, 68, 24. | option_a=58 | option_b=60 | option_c=57 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = $174 \div 3 = 58$.
- id=42443 | topic=Percentages | difficulty=Easy | question=What is 12% of 1181? | option_a=131 | option_b=282 | option_c=151 | option_d=141 | answer=D | explanation=12% of 1181 = $(12/100) \times 1181 = 141$.
- id=42444 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 25, 31, 40? | option_a=40 | option_b=19 | option_c=31 | option_d=25 | answer=A | explanation=The first three numbers increase by 6, so the next should be 37. Therefore 40 is the odd one out.
- id=42445 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=48 | option_c=96 | option_d=53 | answer=B | explanation=Speed = distance ÷ time = $240 \div 5 = 48$ km/h.
- id=42446 | topic=Percentages | difficulty=Easy | question=What is 30% of 1169? | option_a=345 | option_b=370 | option_c=350 | option_d=700 | answer=C | explanation=30% of 1169 = $(30/100) \times 1169 = 350$.
- id=42447 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.
- id=42448 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=G | option_c=C | option_d=O | answer=A | explanation=Move 4 positions forward from G; the resulting letter is K.
- id=42449 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20677 at 15% per annum for 2 years. | option_a=6203 | option_b=26880 | option_c=6303 | option_d=6103 | answer=A | explanation=SI = $PRT/100 = 20677 \times 15 \times 2/100 = \text{■}6203$.
- id=42450 | topic=Percentages | difficulty=Easy | question=What is 5% of 1602? | option_a=160 | option_b=90 | option_c=70 | option_d=80 | answer=D | explanation=5% of 1602 = $(5/100) \times 1602 = 80$.

Aptitude Questions — Records 42,451-42,480 of 100,000

id=42451 | topic=Percentages | difficulty=Easy | question=What is 50% of 375? | option_a=187 | option_b=192 | option_c=177 | option_d=374 | answer=A | explanation= $50\% \text{ of } 375 = (50/100) \times 375 = 187$.

id=42452 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4951 at 12% per annum for 4 years. | option_a=2276 | option_b=2476 | option_c=7327 | option_d=2376 | answer=D | explanation= $SI = PRT/100 = 4951 \times 12 \times 4 / 100 = \text{■}2376$.

id=42453 | topic=Averages | difficulty=Easy | question=Find the average of 53, 83, 58, 62, 24. | option_a=56 | option_b=55 | option_c=58 | option_d=57 | answer=A | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 280 \div 5 = 56$.

id=42454 | topic=Percentages | difficulty=Easy | question=What is 10% of 1857? | option_a=185 | option_b=370 | option_c=165 | option_d=190 | answer=A | explanation= $10\% \text{ of } 1857 = (10/100) \times 1857 = 185$.

id=42455 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=240 | option_c=120 | option_d=125 | answer=C | explanation= $\text{Speed} = \text{distance} \div \text{time} = 240 \div 2 = 120 \text{ km/h}$.

id=42456 | topic=Averages | difficulty=Easy | question=Find the average of 90, 30, 78, 16, 46, 43, 67, 96, 65. | option_a=61 | option_b=60 | option_c=59 | option_d=58 | answer=C | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 531 \div 9 = 59$.

id=42457 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1989. If it is sold at a profit of 20%, what is its selling price? | option_a=2009 | option_b=2386 | option_c=2188 | option_d=2584 | answer=B | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%) / 100 = 1989 \times 120 / 100 = \text{■}2386$.

id=42458 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=145 | option_c=155 | option_d=300 | answer=A | explanation= $\text{Speed} = \text{distance} \div \text{time} = 300 \div 2 = 150 \text{ km/h}$.

id=42459 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3714. If it is sold at a profit of 30%, what is its selling price? | option_a=4457 | option_b=3744 | option_c=4828 | option_d=5199 | answer=C | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%) / 100 = 3714 \times 130 / 100 = \text{■}4828$.

id=42460 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22151 at 6% per annum for 1 years. | option_a=1329 | option_b=1229 | option_c=1429 | option_d=23480 | answer=A | explanation= $SI = PRT/100 = 22151 \times 6 \times 1 / 100 = \text{■}1329$.

id=42461 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4288. If it is sold at a profit of 15%, what is its selling price? | option_a=5359 | option_b=4303 | option_c=4503 | option_d=4931 | answer=D | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%) / 100 = 4288 \times 115 / 100 = \text{■}4931$.

id=42462 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation= $\text{Combined rate} = 1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=42463 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 26, 36, 49? | option_a=16 | option_b=26 | option_c=49 | option_d=36 | answer=C | explanation=The first three numbers increase by 10, so the next should be 46. Therefore 49 is the odd one out.

id=42464 | topic=Averages | difficulty=Easy | question=Find the average of 37, 13, 70, 28. | option_a=37 | option_b=39 | option_c=38 | option_d=36 | answer=A | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 148 \div 4 = 37$.

id=42465 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 36? | option_a=36 | option_b=25 | option_c=21 | option_d=29 | answer=A | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 36 is the odd one out.

id=42466 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=P | option_c=B | option_d=X | answer=D | explanation=Move 4 positions forward from T; the resulting letter is X.

id=42467 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29550 at 8% per annum for 3 years. | option_a=36642 | option_b=6992 | option_c=7192 | option_d=7092 | answer=D | explanation= $SI = PRT/100 = 29550 \times 8 \times 3 / 100 = \text{■}7092$.

id=42468 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22629 at 5% per annum for 1 years. | option_a=23760 | option_b=1031 | option_c=1231 | option_d=1131 | answer=D | explanation= $SI = PRT/100 = 22629 \times 5 \times 1 / 100 = \text{■}1131$.

id=42469 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24299 at 12% per annum for 5 years. | option_a=14679 | option_b=38878 | option_c=14579 | option_d=14479 | answer=C | explanation= $SI = PRT/100 = 24299 \times 12 \times 5 / 100 = \text{■}14579$.

id=42470 | topic=Percentages | difficulty=Easy | question=What is 40% of 389? | option_a=145 | option_b=155 | option_c=165 | option_d=310 | answer=B | explanation= $40\% \text{ of } 389 = (40/100) \times 389 = 155$.

id=42471 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2694. If it is sold at a profit of 30%, what is its selling price? | option_a=3233 | option_b=2724 | option_c=3771 | option_d=3502 | answer=D | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%) / 100 = 2694 \times 130 / 100 = \text{■}3502$.

id=42472 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3269. If it is sold at a profit of 10%, what is its selling price? | option_a=3269 | option_b=3921 | option_c=3279 | option_d=3595 | answer=D | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%) / 100 = 3269 \times 110 / 100 = \text{■}3595$.

id=42473 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=E | option_b=F | option_c=D | option_d=C | answer=A | explanation=Move 1 positions forward from D; the resulting letter is E.

id=42474 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation= $\text{Combined rate} = 1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=42475 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=13 | option_d=23 | answer=A | explanation= $\text{Speed} = \text{distance} \div \text{time} = 180 \div 10 = 18 \text{ km/h}$.

id=42476 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=100 | option_c=50 | option_d=55 | answer=C | explanation= $\text{Speed} = \text{distance} \div \text{time} = 300 \div 6 = 50 \text{ km/h}$.

id=42477 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7833 at 5% per annum for 2 years. | option_a=783 | option_b=683 | option_c=883 | option_d=8616 | answer=A | explanation= $SI = PRT/100 = 7833 \times 5 \times 2 / 100 = \text{■}783$.

id=42478 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=7 | option_c=12 | option_d=17 | answer=C | explanation= $\text{Speed} = \text{distance} \div \text{time} = 120 \div 10 = 12 \text{ km/h}$.

id=42479 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 35, 40, 48? | option_a=48 | option_b=35 | option_c=40 | option_d=30 | answer=A | explanation=The first three numbers increase by 5, so the next should be 45. Therefore 48 is the odd one out.

id=42480 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=24 | option_d=6 | answer=D | explanation= $\text{Combined rate} = 1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

Aptitude Questions — Records 42,481-42,510 of 100,000

id=42481 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4228. If it is sold at a profit of 5%, what is its selling price? | option_a=4233 | option_b=4017 | option_c=4861 | option_d=4439 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4228 × 105/100 = █4439.

id=42482 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1049. If it is sold at a profit of 25%, what is its selling price? | option_a=1074 | option_b=1415 | option_c=1311 | option_d=1207 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1049 × 125/100 = █1311.

id=42483 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37543 at 12% per annum for 1 years. | option_a=4605 | option_b=4505 | option_c=4405 | option_d=42048 | answer=B | explanation=SI = PRT/100 = 37543×12×1/100 = █4505.

id=42484 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27593 at 4% per annum for 3 years. | option_a=3211 | option_b=30904 | option_c=3311 | option_d=3411 | answer=C | explanation=SI = PRT/100 = 27593×4×3/100 = █3311.

id=42485 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20851 at 15% per annum for 1 years. | option_a=3227 | option_b=23978 | option_c=3027 | option_d=3127 | answer=D | explanation=SI = PRT/100 = 20851×15×1/100 = █3127.

id=42486 | topic=Profit & Loss | difficulty=Easy | question=An article costs █882. If it is sold at a profit of 25%, what is its selling price? | option_a=1190 | option_b=1102 | option_c=1014 | option_d=907 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 882 × 125/100 = █1102.

id=42487 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=65 | option_b=43 | option_c=55 | option_d=54 | answer=D | explanation=The common difference is 11. Therefore the next term is 43 + 11 = 54.

id=42488 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=50 | option_b=70 | option_c=61 | option_d=60 | answer=B | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

id=42489 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=34 | option_b=37 | option_c=33 | option_d=29 | answer=C | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=42490 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3251. If it is sold at a profit of 40%, what is its selling price? | option_a=4551 | option_b=3291 | option_c=4226 | option_d=4876 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3251 × 140/100 = █4551.

id=42491 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37427 at 10% per annum for 5 years. | option_a=18713 | option_b=18813 | option_c=56140 | option_d=18613 | answer=A | explanation=SI = PRT/100 = 37427×10×5/100 = █18713.

id=42492 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=42493 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:1 and the first is 280, what is the second? | option_a=13 | option_b=14 | option_c=34 | option_d=294 | answer=B | explanation=Scale factor = 280/20 = 14. Therefore second quantity = 1×14 = 14.

id=42494 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=37 | option_b=55 | option_c=46 | option_d=47 | answer=C | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=42495 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4577 at 10% per annum for 4 years. | option_a=1930 | option_b=1730 | option_c=6407 | option_d=1830 | answer=D | explanation=SI = PRT/100 = 4577×10×4/100 = █1830.

id=42496 | topic=Percentages | difficulty=Easy | question=What is 50% of 907? | option_a=453 | option_b=906 | option_c=443 | option_d=458 | answer=A | explanation=50% of 907 = (50/100) × 907 = 453.

id=42497 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=43 | option_b=32 | option_c=52 | option_d=42 | answer=D | explanation=The common difference is 10. Therefore the next term is 32 + 10 = 42.

id=42498 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 5. | option_a=30 | option_b=15 | option_c=10 | option_d=75 | answer=B | explanation=LCM × HCF = 15×5; HCF(15,5) = 5, so LCM = 15.

id=42499 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45434 at 15% per annum for 3 years. | option_a=20445 | option_b=20545 | option_c=20345 | option_d=65879 | answer=A | explanation=SI = PRT/100 = 45434×15×3/100 = █20445.

id=42500 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:11 and the first is 90, what is the second? | option_a=189 | option_b=88 | option_c=109 | option_d=99 | answer=D | explanation=Scale factor = 90/10 = 9. Therefore second quantity = 11×9 = 99.

id=42501 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6164 at 15% per annum for 2 years. | option_a=1949 | option_b=1749 | option_c=1849 | option_d=8013 | answer=C | explanation=SI = PRT/100 = 6164×15×2/100 = █1849.

id=42502 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=19 | option_b=23 | option_c=22 | option_d=25 | answer=C | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.

id=42503 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:11 and the first is 195, what is the second? | option_a=154 | option_b=165 | option_c=178 | option_d=360 | answer=B | explanation=Scale factor = 195/13 = 15. Therefore second quantity = 11×15 = 165.

id=42504 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=42505 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 15, 21, 28? | option_a=28 | option_b=15 | option_c=21 | option_d=9 | answer=A | explanation=The first three numbers increase by 6, so the next should be 27. Therefore 28 is the odd one out.

id=42506 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17747 at 10% per annum for 5 years. | option_a=26620 | option_b=8973 | option_c=8773 | option_d=8873 | answer=D | explanation=SI = PRT/100 = 17747×10×5/100 = █8873.

id=42507 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=125 | option_b=120 | option_c=115 | option_d=240 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=42508 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:2 and the first is 136, what is the second? | option_a=152 | option_b=33 | option_c=16 | option_d=14 | answer=C | explanation=Scale factor = 136/17 = 8. Therefore second quantity = 2×8 = 16.

id=42509 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 43? | option_a=25 | option_b=33 | option_c=17 | option_d=43 | answer=D | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 43 is the odd one out.

id=42510 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 12, 14, 19? | option_a=19 | option_b=12 | option_c=10 | option_d=14 | answer=A | explanation=The first three numbers increase by 2, so the next should be 16. Therefore 19 is the odd one out.

Aptitude Questions — Records 42,511-42,540 of 100,000

id=42511 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:16 and the first is 180, what is the second? | option_a=420 | option_b=224 | option_c=252 | option_d=240 | answer=D | explanation=Scale factor = 180/12 = 15. Therefore second quantity = 16×15 = 240.

id=42512 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 24, 27, 32? | option_a=21 | option_b=27 | option_c=24 | option_d=32 | answer=D | explanation=The first three numbers increase by 3, so the next should be 30. Therefore 32 is the odd one out.

id=42513 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=57 | option_b=46 | option_c=56 | option_d=66 | answer=C | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=42514 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32464 at 5% per annum for 3 years. | option_a=4969 | option_b=37333 | option_c=4769 | option_d=4869 | answer=D | explanation=SI = PRT/100 = 32464×5×3/100 = **■**4869.

id=42515 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 48? | option_a=40 | option_b=48 | option_c=34 | option_d=28 | answer=B | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 48 is the odd one out.

id=42516 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 27? | option_a=16 | option_b=27 | option_c=22 | option_d=19 | answer=B | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 27 is the odd one out.

id=42517 | topic=Percentages | difficulty=Easy | question=What is 5% of 1647? | option_a=82 | option_b=72 | option_c=164 | option_d=87 | answer=A | explanation=5% of 1647 = (5/100) × 1647 = 82.

id=42518 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=42519 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 20, 28, 39? | option_a=39 | option_b=12 | option_c=28 | option_d=20 | answer=A | explanation=The first three numbers increase by 8, so the next should be 36. Therefore 39 is the odd one out.

id=42520 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=S | option_c=N | option_d=D | answer=C | explanation=Move 5 positions forward from I; the resulting letter is N.

id=42521 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=42522 | topic=Percentages | difficulty=Easy | question=What is 30% of 1780? | option_a=514 | option_b=1068 | option_c=539 | option_d=534 | answer=D | explanation=30% of 1780 = (30/100) × 1780 = 534.

id=42523 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=23 | option_d=36 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=42524 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 58? | option_a=58 | option_b=29 | option_c=38 | option_d=47 | answer=A | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 58 is the odd one out.

id=42525 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=10 | option_d=5 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=42526 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 47? | option_a=24 | option_b=47 | option_c=38 | option_d=31 | answer=B | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 47 is the odd one out.

id=42527 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49657 at 6% per annum for 1 years. | option_a=52636 | option_b=2979 | option_c=3079 | option_d=2879 | answer=B | explanation=SI = PRT/100 = 49657×6×1/100 = **■**2979.

id=42528 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5670 at 5% per annum for 5 years. | option_a=1417 | option_b=7087 | option_c=1517 | option_d=1317 | answer=A | explanation=SI = PRT/100 = 5670×5×5/100 = **■**1417.

id=42529 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=36 | option_c=18 | option_d=23 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=42530 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4283. If it is sold at a profit of 25%, what is its selling price? | option_a=4925 | option_b=4308 | option_c=5353 | option_d=5781 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4283 × 125/100 = **■**5353.

id=42531 | topic=Averages | difficulty=Easy | question=Find the average of 69, 52, 77, 18, 55, 95. | option_a=62 | option_b=61 | option_c=63 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 366 ÷ 6 = 61.

id=42532 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=60 | option_b=42 | option_c=52 | option_d=51 | answer=D | explanation=The common difference is 9. Therefore the next term is 42 + 9 = 51.

id=42533 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 6. | option_a=56 | option_b=36 | option_c=42 | option_d=84 | answer=C | explanation=LCM × HCF = 14×6; HCF(14,6) = 2, so LCM = 42.

id=42534 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=S | option_c=R | option_d=T | answer=D | explanation=Move 1 positions forward from S; the resulting letter is T.

id=42535 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=R | option_b=Q | option_c=S | option_d=P | answer=A | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=42536 | topic=Averages | difficulty=Easy | question=Find the average of 36, 56, 39, 32, 15, 86, 31, 26, 31, 18. | option_a=39 | option_b=37 | option_c=38 | option_d=36 | answer=B | explanation=Average = sum of values ÷ number of values = 370 ÷ 10 = 37.

id=42537 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=42538 | topic=Percentages | difficulty=Easy | question=What is 12% of 1768? | option_a=232 | option_b=192 | option_c=212 | option_d=424 | answer=C | explanation=12% of 1768 = (12/100) × 1768 = 212.

id=42539 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=W | option_b=M | option_c=R | option_d=B | answer=A | explanation=Move 5 positions forward from R; the resulting letter is W.

id=42540 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

Aptitude Questions — Records 42,541-42,570 of 100,000

id=42541 | topic=Percentages | difficulty=Easy | question=What is 20% of 512? | option_a=102 | option_b=107 | option_c=92 | option_d=204 | answer=A | explanation=20% of 512 = (20/100) × 512 = 102.

id=42542 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=23 | option_b=21 | option_c=19 | option_d=22 | answer=B | explanation=The common difference is 2. Therefore the next term is 19 + 2 = 21.

id=42543 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:12 and the first is 55, what is the second? | option_a=137 | option_b=132 | option_c=187 | option_d=120 | answer=B | explanation=Scale factor = 55/5 = 11. Therefore second quantity = 12×11 = 132.

id=42544 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=42545 | topic=Profit & Loss | difficulty=Easy | question=An article costs █791. If it is sold at a profit of 25%, what is its selling price? | option_a=1067 | option_b=988 | option_c=816 | option_d=909 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 791 × 125/100 = █988.

id=42546 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=K | option_b=N | option_c=H | option_d=E | answer=A | explanation=Move 3 positions forward from H; the resulting letter is K.

id=42547 | topic=Percentages | difficulty=Easy | question=What is 25% of 1937? | option_a=484 | option_b=968 | option_c=494 | option_d=479 | answer=A | explanation=25% of 1937 = (25/100) × 1937 = 484.

id=42548 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 14. | option_a=280 | option_b=140 | option_c=126 | option_d=160 | answer=B | explanation=LCM × HCF = 20×14; HCF(20,14) = 2, so LCM = 140.

id=42549 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40901 at 15% per annum for 5 years. | option_a=30575 | option_b=71576 | option_c=30775 | option_d=30675 | answer=D | explanation=SI = PRT/100 = 40901×15×5/100 = █30675.

id=42550 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 31, 42, 53, ? | option_a=75 | option_b=53 | option_c=65 | option_d=64 | answer=D | explanation=The common difference is 11. Therefore the next term is 53 + 11 = 64.

id=42551 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28998 at 8% per annum for 4 years. | option_a=9279 | option_b=9179 | option_c=9379 | option_d=38277 | answer=A | explanation=SI = PRT/100 = 28998×8×4/100 = █9279.

id=42552 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=23 | option_b=21 | option_c=17 | option_d=20 | answer=D | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=42553 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:9 and the first is 27, what is the second? | option_a=108 | option_b=84 | option_c=81 | option_d=72 | answer=C | explanation=Scale factor = 27/3 = 9. Therefore second quantity = 9×9 = 81.

id=42554 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 5. | option_a=25 | option_b=125 | option_c=20 | option_d=50 | answer=A | explanation=LCM × HCF = 25×5; HCF(25,5) = 5, so LCM = 25.

id=42555 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=35 | option_b=23 | option_c=30 | option_d=29 | answer=D | explanation=The common difference is 6. Therefore the next term is 23 + 6 = 29.

id=42556 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=L | option_b=R | option_c=N | option_d=P | answer=D | explanation=Move 2 positions forward from N; the resulting letter is P.

id=42557 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 40? | option_a=22 | option_b=14 | option_c=40 | option_d=30 | answer=C | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 40 is the odd one out.

id=42558 | topic=Averages | difficulty=Easy | question=Find the average of 99, 40, 62. | option_a=67 | option_b=66 | option_c=68 | option_d=69 | answer=A | explanation=Average = sum of values ÷ number of values = 201 ÷ 3 = 67.

id=42559 | topic=Percentages | difficulty=Easy | question=What is 5% of 143? | option_a=7 | option_b=14 | option_c=17 | option_d=2 | answer=A | explanation=5% of 143 = (5/100) × 143 = 7.

id=42560 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:8 and the first is 126, what is the second? | option_a=270 | option_b=136 | option_c=144 | option_d=151 | answer=C | explanation=Scale factor = 126/7 = 18. Therefore second quantity = 8×18 = 144.

id=42561 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=42562 | topic=Averages | difficulty=Easy | question=Find the average of 35, 61, 98, 79, 42, 69. | option_a=65 | option_b=66 | option_c=63 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 384 ÷ 6 = 64.

id=42563 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=80 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=42564 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 18. | option_a=1 | option_b=108 | option_c=18 | option_d=24 | answer=C | explanation=LCM × HCF = 6×18; HCF(6,18) = 6, so LCM = 18.

id=42565 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=21 | option_b=22 | option_c=19 | option_d=23 | answer=A | explanation=The common difference is 2. Therefore the next term is 19 + 2 = 21.

id=42566 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=80 | option_c=70 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=42567 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8841 at 5% per annum for 1 years. | option_a=542 | option_b=9283 | option_c=442 | option_d=342 | answer=C | explanation=SI = PRT/100 = 8841×5×1/100 = █442.

id=42568 | topic=Percentages | difficulty=Easy | question=What is 20% of 1831? | option_a=386 | option_b=366 | option_c=361 | option_d=732 | answer=B | explanation=20% of 1831 = (20/100) × 1831 = 366.

id=42569 | topic=Averages | difficulty=Easy | question=Find the average of 85, 100, 89, 34. | option_a=76 | option_b=79 | option_c=78 | option_d=77 | answer=D | explanation=Average = sum of values ÷ number of values = 308 ÷ 4 = 77.

id=42570 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33296 at 12% per annum for 4 years. | option_a=49278 | option_b=15982 | option_c=15882 | option_d=16082 | answer=B | explanation=SI = PRT/100 = 33296×12×4/100 = █15982.

Aptitude Questions — Records 42,571-42,600 of 100,000

id=42571 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2235. If it is sold at a profit of 30%, what is its selling price? | option_a=3128 | option_b=2905 | option_c=2265 | option_d=2682 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2235 \times 130/100 = \blacksquare 2905$.

id=42572 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2849. If it is sold at a profit of 20%, what is its selling price? | option_a=3702 | option_b=3418 | option_c=2869 | option_d=3134 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2849 \times 120/100 = \blacksquare 3418$.

id=42573 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3499. If it is sold at a profit of 15%, what is its selling price? | option_a=3674 | option_b=4372 | option_c=3514 | option_d=4023 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3499 \times 115/100 = \blacksquare 4023$.

id=42574 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 12. | option_a=108 | option_b=36 | option_c=24 | option_d=45 | answer=B | explanation= $LCM \times HCF = 9 \times 12$; $HCF(9,12) = 3$, so $LCM = 36$.

id=42575 | topic=Percentages | difficulty=Easy | question=What is 20% of 1340? | option_a=273 | option_b=258 | option_c=536 | option_d=268 | answer=D | explanation=20% of 1340 = $(20/100) \times 1340 = 268$.

id=42576 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 30, 32, 37? | option_a=37 | option_b=28 | option_c=30 | option_d=32 | answer=A | explanation=The first three numbers increase by 2, so the next should be 34. Therefore 37 is the odd one out.

id=42577 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3162. If it is sold at a profit of 25%, what is its selling price? | option_a=3952 | option_b=3636 | option_c=4268 | option_d=3187 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3162 \times 125/100 = \blacksquare 3952$.

id=42578 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=19 | option_c=48 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = $120 \div 5 = 24$ km/h.

id=42579 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3552. If it is sold at a profit of 15%, what is its selling price? | option_a=4439 | option_b=3567 | option_c=3729 | option_d=4084 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3552 \times 115/100 = \blacksquare 4084$.

id=42580 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=72 | option_c=36 | option_d=41 | answer=C | explanation=Speed = distance ÷ time = $180 \div 5 = 36$ km/h.

id=42581 | topic=Averages | difficulty=Easy | question=Find the average of 77, 41, 90, 58, 81, 37. | option_a=65 | option_b=63 | option_c=66 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = $384 \div 6 = 64$.

id=42582 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=12 | option_c=1 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = $60 \div 10 = 6$ km/h.

id=42583 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=Y | option_b=T | option_c=O | option_d=D | answer=A | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=42584 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 15, 22, 29, ? | option_a=43 | option_b=29 | option_c=36 | option_d=37 | answer=C | explanation=The common difference is 7. Therefore the next term is $29 + 7 = 36$.

id=42585 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1852. If it is sold at a profit of 15%, what is its selling price? | option_a=2314 | option_b=1944 | option_c=1867 | option_d=2129 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1852 \times 115/100 = \blacksquare 2129$.

id=42586 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■39402 at 12% per annum for 5 years. | option_a=23741 | option_b=63043 | option_c=23641 | option_d=23541 | answer=C | explanation= $SI = PRT/100 = 39402 \times 12 \times 5/100 = \blacksquare 23641$.

id=42587 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=B | option_c=D | option_d=F | answer=D | explanation=Move 2 positions forward from D; the resulting letter is F.

id=42588 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 13, 20, 29? | option_a=13 | option_b=6 | option_c=29 | option_d=20 | answer=C | explanation=The first three numbers increase by 7, so the next should be 27. Therefore 29 is the odd one out.

id=42589 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=D | option_b=T | option_c=O | option_d=Y | answer=D | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=42590 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=21 | option_b=22 | option_c=19 | option_d=23 | answer=A | explanation=The common difference is 2. Therefore the next term is $19 + 2 = 21$.

id=42591 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4238. If it is sold at a profit of 15%, what is its selling price? | option_a=4873 | option_b=4253 | option_c=4450 | option_d=5296 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4238 \times 115/100 = \blacksquare 4873$.

id=42592 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=50 | option_c=100 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = $150 \div 3 = 50$ km/h.

id=42593 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=57 | option_b=48 | option_c=37 | option_d=47 | answer=D | explanation=The common difference is 10. Therefore the next term is $37 + 10 = 47$.

id=42594 | topic=Percentages | difficulty=Easy | question=What is 5% of 236? | option_a=22 | option_b=21 | option_c=11 | option_d=1 | answer=C | explanation=5% of 236 = $(5/100) \times 236 = 11$.

id=42595 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 26, 28, 33? | option_a=28 | option_b=24 | option_c=26 | option_d=33 | answer=D | explanation=The first three numbers increase by 2, so the next should be 30. Therefore 33 is the odd one out.

id=42596 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 14, 21, 31? | option_a=7 | option_b=31 | option_c=21 | option_d=14 | answer=B | explanation=The first three numbers increase by 7, so the next should be 28. Therefore 31 is the odd one out.

id=42597 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3299. If it is sold at a profit of 15%, what is its selling price? | option_a=3464 | option_b=3314 | option_c=3793 | option_d=4122 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3299 \times 115/100 = \blacksquare 3793$.

id=42598 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1615. If it is sold at a profit of 15%, what is its selling price? | option_a=1857 | option_b=1696 | option_c=2018 | option_d=1630 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1615 \times 115/100 = \blacksquare 1857$.

id=42599 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=O | option_b=R | option_c=P | option_d=Q | answer=D | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=42600 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4233. If it is sold at a profit of 50%, what is its selling price? | option_a=4283 | option_b=5926 | option_c=6772 | option_d=6349 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4233 \times 150/100 = \blacksquare 6349$.

Aptitude Questions — Records 42,601-42,630 of 100,000

id=42601 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=H | option_b=P | option_c=T | option_d=L | answer=B | explanation=Move 4 positions forward from L; the resulting letter is P.

id=42602 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 20. | option_a=200 | option_b=220 | option_c=440 | option_d=242 | answer=B | explanation=LCM × HCF = 22×20; HCF(22,20) = 2, so LCM = 220.

id=42603 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3455. If it is sold at a profit of 15%, what is its selling price? | option_a=3973 | option_b=3470 | option_c=3628 | option_d=4318 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3455 × 115/100 = █3973.

id=42604 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 33, 43, 54? | option_a=43 | option_b=23 | option_c=33 | option_d=54 | answer=D | explanation=The first three numbers increase by 10, so the next should be 53. Therefore 54 is the odd one out.

id=42605 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=42606 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3517. If it is sold at a profit of 5%, what is its selling price? | option_a=3692 | option_b=3341 | option_c=3522 | option_d=4043 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3517 × 105/100 = █3692.

id=42607 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=S | option_b=P | option_c=J | option_d=M | answer=B | explanation=Move 3 positions forward from M; the resulting letter is P.

id=42608 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=34 | option_b=42 | option_c=26 | option_d=35 | answer=A | explanation=The common difference is 8. Therefore the next term is 26 + 8 = 34.

id=42609 | topic=Averages | difficulty=Easy | question=Find the average of 57, 69, 18. | option_a=49 | option_b=47 | option_c=50 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = 144 ÷ 3 = 48.

id=42610 | topic=Averages | difficulty=Easy | question=Find the average of 15, 84, 15. | option_a=40 | option_b=39 | option_c=37 | option_d=38 | answer=D | explanation=Average = sum of values ÷ number of values = 114 ÷ 3 = 38.

id=42611 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=360 | option_c=175 | option_d=180 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=42612 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=42613 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=77 | option_b=66 | option_c=65 | option_d=53 | answer=C | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.

id=42614 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:5 and the first is 76, what is the second? | option_a=20 | option_b=96 | option_c=39 | option_d=15 | answer=A | explanation=Scale factor = 76/19 = 4. Therefore second quantity = 5×4 = 20.

id=42615 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=72 | option_c=31 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=42616 | topic=Percentages | difficulty=Easy | question=What is 50% of 1221? | option_a=1220 | option_b=610 | option_c=630 | option_d=590 | answer=B | explanation=50% of 1221 = (50/100) × 1221 = 610.

id=42617 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:12 and the first is 54, what is the second? | option_a=60 | option_b=126 | option_c=81 | option_d=72 | answer=D | explanation=Scale factor = 54/9 = 6. Therefore second quantity = 12×6 = 72.

id=42618 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=J | option_c=Z | option_d=O | answer=B | explanation=Move 5 positions forward from E; the resulting letter is J.

id=42619 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=20 | option_b=19 | option_c=18 | option_d=16 | answer=C | explanation=The common difference is 2. Therefore the next term is 16 + 2 = 18.

id=42620 | topic=Averages | difficulty=Easy | question=Find the average of 67, 33, 47, 73. | option_a=55 | option_b=56 | option_c=57 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 220 ÷ 4 = 55.

id=42621 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 38? | option_a=19 | option_b=28 | option_c=38 | option_d=10 | answer=C | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 38 is the odd one out.

id=42622 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4567. If it is sold at a profit of 25%, what is its selling price? | option_a=5252 | option_b=4592 | option_c=5708 | option_d=6164 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4567 × 125/100 = █5708.

id=42623 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8591 at 12% per annum for 4 years. | option_a=4223 | option_b=12714 | option_c=4123 | option_d=4023 | answer=C | explanation=SI = PRT/100 = 8591×12×4/100 = █4123.

id=42624 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=80 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=42625 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:20 and the first is 5, what is the second? | option_a=105 | option_b=80 | option_c=100 | option_d=101 | answer=C | explanation=Scale factor = 5/1 = 5. Therefore second quantity = 20×5 = 100.

id=42626 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4250. If it is sold at a profit of 50%, what is its selling price? | option_a=6800 | option_b=6375 | option_c=5950 | option_d=4300 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4250 × 150/100 = █6375.

id=42627 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:6 and the first is 108, what is the second? | option_a=36 | option_b=144 | option_c=54 | option_d=30 | answer=A | explanation=Scale factor = 108/18 = 6. Therefore second quantity = 6×6 = 36.

id=42628 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 44? | option_a=44 | option_b=30 | option_c=24 | option_d=36 | answer=A | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 44 is the odd one out.

id=42629 | topic=Averages | difficulty=Easy | question=Find the average of 14, 39, 41, 75, 44, 48, 46, 25, 55. | option_a=43 | option_b=42 | option_c=44 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 387 ÷ 9 = 43.

id=42630 | topic=Averages | difficulty=Easy | question=Find the average of 18, 21, 11, 11, 100, 12, 35, 16. | option_a=28 | option_b=30 | option_c=27 | option_d=29 | answer=A | explanation=Average = sum of values ÷ number of values = 224 ÷ 8 = 28.

Aptitude Questions — Records 42,631-42,660 of 100,000

id=42631 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 48? | option_a=48 | option_b=37 | option_c=17 | option_d=27 | answer=A | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 48 is the odd one out.

id=42632 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 18, 28, 38, ? | option_a=58 | option_b=38 | option_c=48 | option_d=49 | answer=C | explanation=The common difference is 10. Therefore the next term is 38 + 10 = 48.

id=42633 | topic=Profit & Loss | difficulty=Easy | question=An article costs █709. If it is sold at a profit of 10%, what is its selling price? | option_a=709 | option_b=849 | option_c=719 | option_d=779 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 709 × 110/100 = █779.

id=42634 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=42635 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2530 at 12% per annum for 3 years. | option_a=1010 | option_b=910 | option_c=810 | option_d=3440 | answer=B | explanation=SI = PRT/100 = 2530×12×3/100 = █910.

id=42636 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:18 and the first is 126, what is the second? | option_a=162 | option_b=176 | option_c=144 | option_d=288 | answer=A | explanation=Scale factor = 126/14 = 9. Therefore second quantity = 18×9 = 162.

id=42637 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=37 | option_b=53 | option_c=46 | option_d=45 | answer=D | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=42638 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 62? | option_a=62 | option_b=30 | option_c=40 | option_d=50 | answer=A | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 62 is the odd one out.

id=42639 | topic=Profit & Loss | difficulty=Easy | question=An article costs █990. If it is sold at a profit of 15%, what is its selling price? | option_a=1039 | option_b=1138 | option_c=1005 | option_d=1237 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 990 × 115/100 = █1138.

id=42640 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39924 at 6% per annum for 5 years. | option_a=11877 | option_b=51901 | option_c=11977 | option_d=12077 | answer=C | explanation=SI = PRT/100 = 39924×6×5/100 = █11977.

id=42641 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=M | option_b=P | option_c=G | option_d=J | answer=A | explanation=Move 3 positions forward from J; the resulting letter is M.

id=42642 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 35, 41, 48? | option_a=41 | option_b=29 | option_c=48 | option_d=35 | answer=C | explanation=The first three numbers increase by 6, so the next should be 47. Therefore 48 is the odd one out.

id=42643 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48978 at 8% per annum for 3 years. | option_a=60732 | option_b=11854 | option_c=11754 | option_d=11654 | answer=C | explanation=SI = PRT/100 = 48978×8×3/100 = █11754.

id=42644 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3379. If it is sold at a profit of 40%, what is its selling price? | option_a=4393 | option_b=5067 | option_c=3419 | option_d=4730 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3379 × 140/100 = █4730.

id=42645 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 50? | option_a=50 | option_b=39 | option_c=19 | option_d=29 | answer=A | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 50 is the odd one out.

id=42646 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 34? | option_a=28 | option_b=26 | option_c=30 | option_d=34 | answer=D | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 34 is the odd one out.

id=42647 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=42648 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:17 and the first is 120, what is the second? | option_a=182 | option_b=290 | option_c=170 | option_d=153 | answer=C | explanation=Scale factor = 120/12 = 10. Therefore second quantity = 17×10 = 170.

id=42649 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=31 | option_b=24 | option_c=30 | option_d=36 | answer=C | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.

id=42650 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=41 | option_c=36 | option_d=72 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=42651 | topic=Percentages | difficulty=Easy | question=What is 25% of 263? | option_a=130 | option_b=60 | option_c=85 | option_d=65 | answer=D | explanation=25% of 263 = (25/100) × 263 = 65.

id=42652 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=28 | option_b=29 | option_c=30 | option_d=26 | answer=A | explanation=The common difference is 2. Therefore the next term is 26 + 2 = 28.

id=42653 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=42654 | topic=Percentages | difficulty=Easy | question=What is 30% of 419? | option_a=125 | option_b=120 | option_c=250 | option_d=145 | answer=A | explanation=30% of 419 = (30/100) × 419 = 125.

id=42655 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2705. If it is sold at a profit of 10%, what is its selling price? | option_a=3245 | option_b=2705 | option_c=2975 | option_d=2715 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2705 × 110/100 = █2975.

id=42656 | topic=Percentages | difficulty=Easy | question=What is 40% of 59? | option_a=46 | option_b=18 | option_c=23 | option_d=33 | answer=C | explanation=40% of 59 = (40/100) × 59 = 23.

id=42657 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 4. | option_a=80 | option_b=40 | option_c=16 | option_d=20 | answer=D | explanation=LCM × HCF = 20×4; HCF(20,4) = 4, so LCM = 20.

id=42658 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 20, 26, 33? | option_a=33 | option_b=26 | option_c=20 | option_d=14 | answer=A | explanation=The first three numbers increase by 6, so the next should be 32. Therefore 33 is the odd one out.

id=42659 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=Y | option_b=H | option_c=E | option_d=B | answer=C | explanation=Move 3 positions forward from B; the resulting letter is E.

id=42660 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 14? | option_a=5 | option_b=7 | option_c=9 | option_d=14 | answer=D | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 14 is the odd one out.

Aptitude Questions — Records 42,661-42,690 of 100,000

id=42661 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■41732 at 6% per annum for 3 years. | option_a=7411 | option_b=7611 | option_c=49243 | option_d=7511 | answer=D | explanation=SI = $PRT/100 = 41732 \times 6 \times 3/100 = \blacksquare 7511$.

id=42662 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=O | option_c=T | option_d=E | answer=B | explanation=Move 5 positions forward from J; the resulting letter is O.

id=42663 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=53 | option_b=47 | option_c=39 | option_d=46 | answer=D | explanation=The common difference is 7. Therefore the next term is $39 + 7 = 46$.

id=42664 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■119. If it is sold at a profit of 30%, what is its selling price? | option_a=143 | option_b=154 | option_c=149 | option_d=165 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 119 \times 130/100 = \blacksquare 154$.

id=42665 | topic=Percentages | difficulty=Easy | question=What is 50% of 1425? | option_a=1424 | option_b=702 | option_c=712 | option_d=717 | answer=C | explanation= $50\% \text{ of } 1425 = (50/100) \times 1425 = 712$.

id=42666 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1509. If it is sold at a profit of 15%, what is its selling price? | option_a=1885 | option_b=1585 | option_c=1735 | option_d=1524 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 1509 \times 115/100 = \blacksquare 1735$.

id=42667 | topic=Averages | difficulty=Easy | question=Find the average of 26, 71, 40, 26, 27. | option_a=40 | option_b=38 | option_c=39 | option_d=37 | answer=B | explanation=Average = $\text{sum of values} \div \text{number of values} = 190 \div 5 = 38$.

id=42668 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=45 | option_b=67 | option_c=57 | option_d=56 | answer=D | explanation=The common difference is 11. Therefore the next term is $45 + 11 = 56$.

id=42669 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=40 | option_c=20 | option_d=15 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 120 \div 6 = 20 \text{ km/h}$.

id=42670 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4351. If it is sold at a profit of 40%, what is its selling price? | option_a=4391 | option_b=6526 | option_c=6091 | option_d=5656 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 4351 \times 140/100 = \blacksquare 6091$.

id=42671 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=10 | option_d=15 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 90 \div 6 = 15 \text{ km/h}$.

id=42672 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=42673 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3646. If it is sold at a profit of 40%, what is its selling price? | option_a=5104 | option_b=3686 | option_c=5468 | option_d=4740 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 3646 \times 140/100 = \blacksquare 5104$.

id=42674 | topic=Percentages | difficulty=Easy | question=What is 5% of 1977? | option_a=108 | option_b=78 | option_c=196 | option_d=98 | answer=D | explanation= $5\% \text{ of } 1977 = (5/100) \times 1977 = 98$.

id=42675 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=42676 | topic=Percentages | difficulty=Easy | question=What is 20% of 1432? | option_a=291 | option_b=281 | option_c=286 | option_d=572 | answer=C | explanation= $20\% \text{ of } 1432 = (20/100) \times 1432 = 286$.

id=42677 | topic=Averages | difficulty=Easy | question=Find the average of 95, 74, 26, 18, 24, 60, 81. | option_a=53 | option_b=55 | option_c=56 | option_d=54 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 378 \div 7 = 54$.

id=42678 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 5. | option_a=10 | option_b=1 | option_c=25 | option_d=5 | answer=D | explanation= $\text{LCM} \times \text{HCF} = 5 \times 5$; $\text{HCF}(5,5) = 5$, so $\text{LCM} = 5$.

id=42679 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:4 and the first is 91, what is the second? | option_a=41 | option_b=24 | option_c=28 | option_d=119 | answer=C | explanation=Scale factor = $91/13 = 7$. Therefore second quantity = $4 \times 7 = 28$.

id=42680 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:20 and the first is 360, what is the second? | option_a=380 | option_b=400 | option_c=418 | option_d=760 | answer=B | explanation=Scale factor = $360/18 = 20$. Therefore second quantity = $20 \times 20 = 400$.

id=42681 | topic=Percentages | difficulty=Easy | question=What is 30% of 1595? | option_a=956 | option_b=478 | option_c=473 | option_d=498 | answer=B | explanation= $30\% \text{ of } 1595 = (30/100) \times 1595 = 478$.

id=42682 | topic=Percentages | difficulty=Easy | question=What is 15% of 1744? | option_a=266 | option_b=522 | option_c=251 | option_d=261 | answer=D | explanation= $15\% \text{ of } 1744 = (15/100) \times 1744 = 261$.

id=42683 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=Q | option_b=R | option_c=S | option_d=T | answer=C | explanation=Move 1 positions forward from R; the resulting letter is S.

id=42684 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=12 | option_c=24 | option_d=17 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 120 \div 10 = 12 \text{ km/h}$.

id=42685 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 7, 10, 16? | option_a=7 | option_b=16 | option_c=4 | option_d=10 | answer=B | explanation=The first three numbers increase by 3, so the next should be 13. Therefore 16 is the odd one out.

id=42686 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=G | option_b=L | option_c=Q | option_d=V | answer=C | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=42687 | topic=Averages | difficulty=Easy | question=Find the average of 33, 70, 84, 21, 16, 67, 100, 92, 98, 59. | option_a=64 | option_b=65 | option_c=63 | option_d=66 | answer=A | explanation=Average = $\text{sum of values} \div \text{number of values} = 640 \div 10 = 64$.

id=42688 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 18, 24, 30, ? | option_a=42 | option_b=30 | option_c=37 | option_d=36 | answer=D | explanation=The common difference is 6. Therefore the next term is $30 + 6 = 36$.

id=42689 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=40 | option_c=80 | option_d=45 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 120 \div 3 = 40 \text{ km/h}$.

id=42690 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=U | option_c=X | option_d=O | answer=B | explanation=Move 3 positions forward from R; the resulting letter is U.

Aptitude Questions — Records 42,691-42,720 of 100,000

id=42691 | topic=Percentages | difficulty=Easy | question=What is 25% of 1356? | option_a=329 | option_b=349 | option_c=678 | option_d=339 | answer=D | explanation=25% of 1356 = (25/100) × 1356 = 339.

id=42692 | topic=Percentages | difficulty=Easy | question=What is 50% of 897? | option_a=896 | option_b=448 | option_c=438 | option_d=453 | answer=B | explanation=50% of 897 = (50/100) × 897 = 448.

id=42693 | topic=Percentages | difficulty=Easy | question=What is 20% of 1005? | option_a=206 | option_b=402 | option_c=181 | option_d=201 | answer=D | explanation=20% of 1005 = (20/100) × 1005 = 201.

id=42694 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=30 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=42695 | topic=Averages | difficulty=Easy | question=Find the average of 20, 84, 71, 65, 54, 60. | option_a=58 | option_b=60 | option_c=61 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.

id=42696 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:12 and the first is 15, what is the second? | option_a=75 | option_b=48 | option_c=63 | option_d=60 | answer=D | explanation=Scale factor = 15/3 = 5. Therefore second quantity = 12×5 = 60.

id=42697 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 31, 35, 41? | option_a=41 | option_b=31 | option_c=27 | option_d=35 | answer=A | explanation=The first three numbers increase by 4, so the next should be 39. Therefore 41 is the odd one out.

id=42698 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:3 and the first is 66, what is the second? | option_a=15 | option_b=29 | option_c=84 | option_d=18 | answer=D | explanation=Scale factor = 66/11 = 6. Therefore second quantity = 3×6 = 18.

id=42699 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2596. If it is sold at a profit of 40%, what is its selling price? | option_a=2636 | option_b=3375 | option_c=3634 | option_d=3893 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2596 × 140/100 = █3634.

id=42700 | topic=Averages | difficulty=Easy | question=Find the average of 28, 71, 29, 44, 48. | option_a=45 | option_b=44 | option_c=46 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = 220 ÷ 5 = 44.

id=42701 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:8 and the first is 64, what is the second? | option_a=48 | option_b=32 | option_c=96 | option_d=24 | answer=B | explanation=Scale factor = 64/16 = 4. Therefore second quantity = 8×4 = 32.

id=42702 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4998. If it is sold at a profit of 5%, what is its selling price? | option_a=5003 | option_b=5746 | option_c=4748 | option_d=5247 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4998 × 105/100 = █5247.

id=42703 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:15 and the first is 21, what is the second? | option_a=126 | option_b=105 | option_c=90 | option_d=108 | answer=B | explanation=Scale factor = 21/3 = 7. Therefore second quantity = 15×7 = 105.

id=42704 | topic=Averages | difficulty=Easy | question=Find the average of 31, 56, 43, 92, 62, 61, 50, 90, 18, 107. | option_a=61 | option_b=62 | option_c=63 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 610 ÷ 10 = 61.

id=42705 | topic=Profit & Loss | difficulty=Easy | question=An article costs █914. If it is sold at a profit of 30%, what is its selling price? | option_a=1279 | option_b=1097 | option_c=1188 | option_d=944 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 914 × 130/100 = █1188.

id=42706 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:14 and the first is 76, what is the second? | option_a=42 | option_b=56 | option_c=75 | option_d=132 | answer=B | explanation=Scale factor = 76/19 = 4. Therefore second quantity = 14×4 = 56.

id=42707 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=42708 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22650 at 10% per annum for 1 years. | option_a=2265 | option_b=24915 | option_c=2165 | option_d=2365 | answer=A | explanation=SI = PRT/100 = 22650×10×1/100 = █2265.

id=42709 | topic=Averages | difficulty=Easy | question=Find the average of 18, 72, 32, 60, 53. | option_a=48 | option_b=46 | option_c=47 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 235 ÷ 5 = 47.

id=42710 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=42711 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1072. If it is sold at a profit of 25%, what is its selling price? | option_a=1447 | option_b=1097 | option_c=1340 | option_d=1233 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1072 × 125/100 = █1340.

id=42712 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=115 | option_d=240 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=42713 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=17 | option_b=21 | option_c=22 | option_d=25 | answer=B | explanation=The common difference is 4. Therefore the next term is 17 + 4 = 21.

id=42714 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3628. If it is sold at a profit of 15%, what is its selling price? | option_a=3643 | option_b=3810 | option_c=4172 | option_d=4534 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3628 × 115/100 = █4172.

id=42715 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=42716 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=56 | option_b=36 | option_c=47 | option_d=46 | answer=D | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.

id=42717 | topic=Percentages | difficulty=Easy | question=What is 50% of 929? | option_a=928 | option_b=464 | option_c=484 | option_d=454 | answer=B | explanation=50% of 929 = (50/100) × 929 = 464.

id=42718 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=42719 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3641. If it is sold at a profit of 50%, what is its selling price? | option_a=3691 | option_b=5825 | option_c=5461 | option_d=5097 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3641 × 150/100 = █5461.

id=42720 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 34? | option_a=10 | option_b=24 | option_c=17 | option_d=34 | answer=D | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 34 is the odd one out.

Aptitude Questions — Records 42,721-42,750 of 100,000

id=42721 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■13582 at 10% per annum for 2 years. | option_a=2716 | option_b=2816 | option_c=16298 | option_d=2616 | answer=A | explanation=SI = PRT/100 = 13582×10×2/100 = ■2716.

id=42722 | topic=Averages | difficulty=Easy | question=Find the average of 44, 52, 73, 21, 17, 99. | option_a=51 | option_b=53 | option_c=50 | option_d=52 | answer=A | explanation=Average = sum of values + number of values = 306 ÷ 6 = 51.

id=42723 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1739. If it is sold at a profit of 10%, what is its selling price? | option_a=1912 | option_b=2085 | option_c=1739 | option_d=1749 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1739 × 110/100 = ■1912.

id=42724 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 5, 7, 12? | option_a=12 | option_b=7 | option_c=5 | option_d=3 | answer=A | explanation=The first three numbers increase by 2, so the next should be 9. Therefore 12 is the odd one out.

id=42725 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=42726 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 35, 40, 47? | option_a=35 | option_b=47 | option_c=30 | option_d=40 | answer=B | explanation=The first three numbers increase by 5, so the next should be 45. Therefore 47 is the odd one out.

id=42727 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:19 and the first is 140, what is the second? | option_a=520 | option_b=380 | option_c=361 | option_d=387 | answer=B | explanation=Scale factor = 140/7 = 20. Therefore second quantity = 19×20 = 380.

id=42728 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=42729 | topic=Percentages | difficulty=Easy | question=What is 12% of 1884? | option_a=206 | option_b=246 | option_c=452 | option_d=226 | answer=D | explanation=12% of 1884 = (12/100) × 1884 = 226.

id=42730 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=L | option_c=M | option_d=N | answer=D | explanation=Move 1 positions forward from M; the resulting letter is N.

id=42731 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 13, 18, 25? | option_a=25 | option_b=13 | option_c=18 | option_d=8 | answer=A | explanation=The first three numbers increase by 5, so the next should be 23. Therefore 25 is the odd one out.

id=42732 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4444. If it is sold at a profit of 30%, what is its selling price? | option_a=5333 | option_b=6221 | option_c=4474 | option_d=5777 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4444 × 130/100 = ■5777.

id=42733 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■984. If it is sold at a profit of 10%, what is its selling price? | option_a=994 | option_b=1180 | option_c=1082 | option_d=984 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 984 × 110/100 = ■1082.

id=42734 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■721. If it is sold at a profit of 15%, what is its selling price? | option_a=757 | option_b=829 | option_c=901 | option_d=736 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 721 × 115/100 = ■829.

id=42735 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:16 and the first is 60, what is the second? | option_a=244 | option_b=240 | option_c=300 | option_d=224 | answer=B | explanation=Scale factor = 60/4 = 15. Therefore second quantity = 16×15 = 240.

id=42736 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=42737 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=M | option_b=A | option_c=I | option_d=E | answer=C | explanation=Move 4 positions forward from E; the resulting letter is I.

id=42738 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=80 | option_c=35 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=42739 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 16? | option_a=13 | option_b=11 | option_c=16 | option_d=9 | answer=C | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 16 is the odd one out.

id=42740 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■41230 at 8% per annum for 4 years. | option_a=13193 | option_b=54423 | option_c=13093 | option_d=13293 | answer=A | explanation=SI = PRT/100 = 41230×8×4/100 = ■13193.

id=42741 | topic=Percentages | difficulty=Easy | question=What is 20% of 300? | option_a=40 | option_b=60 | option_c=120 | option_d=80 | answer=B | explanation=20% of 300 = (20/100) × 300 = 60.

id=42742 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=H | option_c=N | option_d=Q | answer=C | explanation=Move 3 positions forward from K; the resulting letter is N.

id=42743 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:2 and the first is 187, what is the second? | option_a=32 | option_b=34 | option_c=221 | option_d=45 | answer=B | explanation=Scale factor = 187/11 = 17. Therefore second quantity = 2×17 = 34.

id=42744 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3868. If it is sold at a profit of 15%, what is its selling price? | option_a=4834 | option_b=4062 | option_c=3883 | option_d=4448 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3868 × 115/100 = ■4448.

id=42745 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 27? | option_a=6 | option_b=12 | option_c=27 | option_d=18 | answer=C | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 27 is the odd one out.

id=42746 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=51 | option_b=52 | option_c=40 | option_d=62 | answer=A | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=42747 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=R | option_c=T | option_d=S | answer=C | explanation=Move 1 positions forward from S; the resulting letter is T.

id=42748 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=M | option_b=U | option_c=Q | option_d=Y | answer=B | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=42749 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:17 and the first is 44, what is the second? | option_a=191 | option_b=187 | option_c=231 | option_d=170 | answer=B | explanation=Scale factor = 44/4 = 11. Therefore second quantity = 17×11 = 187.

id=42750 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=18 | option_c=23 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

Aptitude Questions — Records 42,751-42,780 of 100,000

id=42751 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=22 | option_b=20 | option_c=24 | option_d=23 | answer=A | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=42752 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=H | option_c=E | option_d=Y | answer=C | explanation=Move 3 positions forward from B; the resulting letter is E.

id=42753 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=26 | option_b=34 | option_c=33 | option_d=40 | answer=C | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

id=42754 | topic=Profit & Loss | difficulty=Easy | question=An article costs █934. If it is sold at a profit of 40%, what is its selling price? | option_a=1214 | option_b=1400 | option_c=974 | option_d=1307 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 934 × 140/100 = █1307.

id=42755 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 20, 28, 39? | option_a=20 | option_b=28 | option_c=12 | option_d=39 | answer=D | explanation=The first three numbers increase by 8, so the next should be 36. Therefore 39 is the odd one out.

id=42756 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47899 at 15% per annum for 5 years. | option_a=36024 | option_b=83823 | option_c=35824 | option_d=35924 | answer=D | explanation=SI = PRT/100 = 47899×15×5/100 = █35924.

id=42757 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4143. If it is sold at a profit of 30%, what is its selling price? | option_a=5385 | option_b=5799 | option_c=4173 | option_d=4971 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4143 × 130/100 = █5385.

id=42758 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=E | option_b=I | option_c=G | option_d=K | answer=B | explanation=Move 2 positions forward from G; the resulting letter is I.

id=42759 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39333 at 8% per annum for 5 years. | option_a=55066 | option_b=15633 | option_c=15833 | option_d=15733 | answer=D | explanation=SI = PRT/100 = 39333×8×5/100 = █15733.

id=42760 | topic=Percentages | difficulty=Easy | question=What is 5% of 308? | option_a=15 | option_b=10 | option_c=30 | option_d=35 | answer=A | explanation=5% of 308 = (5/100) × 308 = 15.

id=42761 | topic=Percentages | difficulty=Easy | question=What is 15% of 1945? | option_a=582 | option_b=286 | option_c=311 | option_d=291 | answer=D | explanation=15% of 1945 = (15/100) × 1945 = 291.

id=42762 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1243. If it is sold at a profit of 30%, what is its selling price? | option_a=1739 | option_b=1615 | option_c=1491 | option_d=1273 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1243 × 130/100 = █1615.

id=42763 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=K | option_b=C | option_c=Y | option_d=G | answer=D | explanation=Move 4 positions forward from C; the resulting letter is G.

id=42764 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:17 and the first is 30, what is the second? | option_a=115 | option_b=91 | option_c=85 | option_d=68 | answer=C | explanation=Scale factor = 30/6 = 5. Therefore second quantity = 17×5 = 85.

id=42765 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=N | option_b=P | option_c=R | option_d=T | answer=C | explanation=Move 2 positions forward from P; the resulting letter is R.

id=42766 | topic=Percentages | difficulty=Easy | question=What is 30% of 757? | option_a=227 | option_b=247 | option_c=454 | option_d=222 | answer=A | explanation=30% of 757 = (30/100) × 757 = 227.

id=42767 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:8 and the first is 91, what is the second? | option_a=69 | option_b=56 | option_c=147 | option_d=48 | answer=B | explanation=Scale factor = 91/13 = 7. Therefore second quantity = 8×7 = 56.

id=42768 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 24. | option_a=264 | option_b=286 | option_c=240 | option_d=528 | answer=A | explanation=LCM × HCF = 22×24; HCF(22,24) = 2, so LCM = 264.

id=42769 | topic=Percentages | difficulty=Easy | question=What is 30% of 1764? | option_a=529 | option_b=1058 | option_c=534 | option_d=519 | answer=A | explanation=30% of 1764 = (30/100) × 1764 = 529.

id=42770 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 30? | option_a=30 | option_b=19 | option_c=24 | option_d=14 | answer=A | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 30 is the odd one out.

id=42771 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 45? | option_a=19 | option_b=45 | option_c=35 | option_d=27 | answer=B | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 45 is the odd one out.

id=42772 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=G | option_b=D | option_c=J | option_d=A | answer=A | explanation=Move 3 positions forward from D; the resulting letter is G.

id=42773 | topic=Percentages | difficulty=Easy | question=What is 25% of 1995? | option_a=493 | option_b=498 | option_c=503 | option_d=996 | answer=B | explanation=25% of 1995 = (25/100) × 1995 = 498.

id=42774 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=59 | option_b=60 | option_c=69 | option_d=49 | answer=A | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

id=42775 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=U | option_b=O | option_c=R | option_d=X | answer=A | explanation=Move 3 positions forward from R; the resulting letter is U.

id=42776 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=35 | option_b=47 | option_c=57 | option_d=46 | answer=D | explanation=The common difference is 11. Therefore the next term is 35 + 11 = 46.

id=42777 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 15. | option_a=90 | option_b=270 | option_c=108 | option_d=75 | answer=A | explanation=LCM × HCF = 18×15; HCF(18,15) = 3, so LCM = 90.

id=42778 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=22 | option_b=19 | option_c=23 | option_d=25 | answer=A | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.

id=42779 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4343. If it is sold at a profit of 5%, what is its selling price? | option_a=4560 | option_b=4994 | option_c=4348 | option_d=4126 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4343 × 105/100 = █4560.

id=42780 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 42,781-42,810 of 100,000

id=42781 | topic=Averages | difficulty=Easy | question=Find the average of 75, 14, 90, 17. | option_a=48 | option_b=51 | option_c=50 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = $196 \div 4 = 49$.

id=42782 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:6 and the first is 18, what is the second? | option_a=30 | option_b=36 | option_c=54 | option_d=39 | answer=B | explanation=Scale factor = $18/3 = 6$. Therefore second quantity = $6 \times 6 = 36$.

id=42783 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**293. If it is sold at a profit of 10%, what is its selling price? | option_a=322 | option_b=293 | option_c=351 | option_d=303 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 293 \times 110/100 = \text{₹}322$.

id=42784 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=47 | option_b=42 | option_c=35 | option_d=41 | answer=D | explanation=The common difference is 6. Therefore the next term is $35 + 6 = 41$.

id=42785 | topic=Percentages | difficulty=Easy | question=What is 20% of 943? | option_a=376 | option_b=188 | option_c=168 | option_d=198 | answer=B | explanation=20% of 943 = $(20/100) \times 943 = 188$.

id=42786 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=22 | option_b=21 | option_c=19 | option_d=23 | answer=B | explanation=The common difference is 2. Therefore the next term is $19 + 2 = 21$.

id=42787 | topic=Percentages | difficulty=Easy | question=What is 50% of 1160? | option_a=585 | option_b=580 | option_c=560 | option_d=1160 | answer=B | explanation=50% of 1160 = $(50/100) \times 1160 = 580$.

id=42788 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 12, 21, 31? | option_a=21 | option_b=3 | option_c=31 | option_d=12 | answer=C | explanation=The first three numbers increase by 9, so the next should be 30. Therefore 31 is the odd one out.

id=42789 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.

id=42790 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:14 and the first is 200, what is the second? | option_a=160 | option_b=140 | option_c=126 | option_d=340 | answer=B | explanation=Scale factor = $200/20 = 10$. Therefore second quantity = $14 \times 10 = 140$.

id=42791 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=85 | option_c=95 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = $360 \div 4 = 90$ km/h.

id=42792 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=41 | option_b=51 | option_c=52 | option_d=61 | answer=B | explanation=The common difference is 10. Therefore the next term is $41 + 10 = 51$.

id=42793 | topic=Averages | difficulty=Easy | question=Find the average of 78, 41, 65, 28, 33, 30, 87, 93, 67. | option_a=58 | option_b=60 | option_c=57 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = $522 \div 9 = 58$.

id=42794 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 18. | option_a=1 | option_b=24 | option_c=18 | option_d=108 | answer=C | explanation=LCM $\times$ HCF = 6×18 ; HCF(6,18) = 6, so LCM = 18.

id=42795 | topic=Averages | difficulty=Easy | question=Find the average of 89, 46, 44, 28, 77, 88. | option_a=64 | option_b=63 | option_c=61 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = $372 \div 6 = 62$.

id=42796 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:5 and the first is 340, what is the second? | option_a=425 | option_b=105 | option_c=80 | option_d=85 | answer=D | explanation=Scale factor = $340/20 = 17$. Therefore second quantity = $5 \times 17 = 85$.

id=42797 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**18748 at 15% per annum for 3 years. | option_a=8336 | option_b=8436 | option_c=8536 | option_d=27184 | answer=B | explanation=SI = $PRT/100 = 18748 \times 15 \times 3/100 = \text{₹}8436$.

id=42798 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=47 | option_b=55 | option_c=48 | option_d=39 | answer=A | explanation=The common difference is 8. Therefore the next term is $39 + 8 = 47$.

id=42799 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=37 | option_b=43 | option_c=31 | option_d=38 | answer=A | explanation=The common difference is 6. Therefore the next term is $31 + 6 = 37$.

id=42800 | topic=Averages | difficulty=Easy | question=Find the average of 25, 52, 82, 33. | option_a=50 | option_b=47 | option_c=49 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = $192 \div 4 = 48$.

id=42801 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=125 | option_c=120 | option_d=240 | answer=C | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.

id=42802 | topic=Percentages | difficulty=Easy | question=What is 5% of 668? | option_a=38 | option_b=33 | option_c=66 | option_d=23 | answer=B | explanation=5% of 668 = $(5/100) \times 668 = 33$.

id=42803 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**21043 at 6% per annum for 2 years. | option_a=2625 | option_b=2525 | option_c=23568 | option_d=2425 | answer=B | explanation=SI = $PRT/100 = 21043 \times 6 \times 2/100 = \text{₹}2525$.

id=42804 | topic=Averages | difficulty=Easy | question=Find the average of 46, 72, 70, 89, 64, 41, 12, 100, 47, 59. | option_a=59 | option_b=62 | option_c=61 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = $600 \div 10 = 60$.

id=42805 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 10, 16, 24? | option_a=24 | option_b=16 | option_c=4 | option_d=10 | answer=A | explanation=The first three numbers increase by 6, so the next should be 22. Therefore 24 is the odd one out.

id=42806 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4293. If it is sold at a profit of 50%, what is its selling price? | option_a=4343 | option_b=6439 | option_c=6868 | option_d=6010 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4293 \times 150/100 = \text{₹}6439$.

id=42807 | topic=Percentages | difficulty=Easy | question=What is 25% of 78? | option_a=19 | option_b=38 | option_c=9 | option_d=24 | answer=A | explanation=25% of 78 = $(25/100) \times 78 = 19$.

id=42808 | topic=Averages | difficulty=Easy | question=Find the average of 88, 54, 32, 82, 40, 39, 25, 64. | option_a=55 | option_b=53 | option_c=54 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = $424 \div 8 = 53$.

id=42809 | topic=Percentages | difficulty=Easy | question=What is 30% of 720? | option_a=221 | option_b=196 | option_c=432 | option_d=216 | answer=D | explanation=30% of 720 = $(30/100) \times 720 = 216$.

id=42810 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

Aptitude Questions — Records 42,811-42,840 of 100,000

id=42811 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=42812 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 11? | option_a=6 | option_b=11 | option_c=8 | option_d=4 | answer=B | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 11 is the odd one out.

id=42813 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=T | option_b=U | option_c=S | option_d=R | answer=A | explanation=Move 1 positions forward from S; the resulting letter is T.

id=42814 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:14 and the first is 120, what is the second? | option_a=286 | option_b=266 | option_c=400 | option_d=280 | answer=D | explanation=Scale factor = 120/6 = 20. Therefore second quantity = 14×20 = 280.

id=42815 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 29? | option_a=23 | option_b=18 | option_c=29 | option_d=13 | answer=C | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 29 is the odd one out.

id=42816 | topic=Averages | difficulty=Easy | question=Find the average of 23, 41, 56. | option_a=39 | option_b=40 | option_c=42 | option_d=41 | answer=B | explanation=Average = sum of values ÷ number of values = 120 ÷ 3 = 40.

id=42817 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=42818 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=A | option_b=E | option_c=I | option_d=M | answer=C | explanation=Move 4 positions forward from E; the resulting letter is I.

id=42819 | topic=Percentages | difficulty=Easy | question=What is 15% of 732? | option_a=89 | option_b=129 | option_c=109 | option_d=218 | answer=C | explanation=15% of 732 = (15/100) × 732 = 109.

id=42820 | topic=Percentages | difficulty=Easy | question=What is 20% of 1678? | option_a=335 | option_b=355 | option_c=325 | option_d=670 | answer=A | explanation=20% of 1678 = (20/100) × 1678 = 335.

id=42821 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3341. If it is sold at a profit of 30%, what is its selling price? | option_a=3371 | option_b=4343 | option_c=4009 | option_d=4677 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3341 × 130/100 = █4343.

id=42822 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46305 at 8% per annum for 2 years. | option_a=7508 | option_b=7408 | option_c=53713 | option_d=7308 | answer=B | explanation=SI = PRT/100 = 46305×8×2/100 = █7408.

id=42823 | topic=Profit & Loss | difficulty=Easy | question=An article costs █180. If it is sold at a profit of 50%, what is its selling price? | option_a=270 | option_b=230 | option_c=288 | option_d=252 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 180 × 150/100 = █270.

id=42824 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=28 | option_b=29 | option_c=26 | option_d=30 | answer=A | explanation=The common difference is 2. Therefore the next term is 26 + 2 = 28.

id=42825 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 18, 25, 33? | option_a=33 | option_b=18 | option_c=25 | option_d=11 | answer=A | explanation=The first three numbers increase by 7, so the next should be 32. Therefore 33 is the odd one out.

id=42826 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 42? | option_a=29 | option_b=37 | option_c=33 | option_d=42 | answer=D | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 42 is the odd one out.

id=42827 | topic=Averages | difficulty=Easy | question=Find the average of 74, 10, 69. | option_a=51 | option_b=52 | option_c=50 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 153 ÷ 3 = 51.

id=42828 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32468 at 4% per annum for 4 years. | option_a=5294 | option_b=37662 | option_c=5094 | option_d=5194 | answer=D | explanation=SI = PRT/100 = 32468×4×4/100 = █5194.

id=42829 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=39 | option_b=47 | option_c=38 | option_d=29 | answer=C | explanation=The common difference is 9. Therefore the next term is 29 + 9 = 38.

id=42830 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=I | option_b=F | option_c=C | option_d=Z | answer=B | explanation=Move 3 positions forward from C; the resulting letter is F.

id=42831 | topic=Percentages | difficulty=Easy | question=What is 12% of 799? | option_a=190 | option_b=90 | option_c=95 | option_d=115 | answer=C | explanation=12% of 799 = (12/100) × 799 = 95.

id=42832 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 30, 33, 39? | option_a=27 | option_b=33 | option_c=39 | option_d=30 | answer=C | explanation=The first three numbers increase by 3, so the next should be 36. Therefore 39 is the odd one out.

id=42833 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=42834 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:1 and the first is 24, what is the second? | option_a=4 | option_b=10 | option_c=28 | option_d=3 | answer=A | explanation=Scale factor = 24/6 = 4. Therefore second quantity = 1×4 = 4.

id=42835 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 12. | option_a=14 | option_b=1 | option_c=12 | option_d=24 | answer=C | explanation=LCM × HCF = 2×12; HCF(2,12) = 2, so LCM = 12.

id=42836 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:17 and the first is 126, what is the second? | option_a=432 | option_b=289 | option_c=313 | option_d=306 | answer=D | explanation=Scale factor = 126/7 = 18. Therefore second quantity = 17×18 = 306.

id=42837 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=67 | option_b=56 | option_c=43 | option_d=55 | answer=D | explanation=The common difference is 12. Therefore the next term is 43 + 12 = 55.

id=42838 | topic=Percentages | difficulty=Easy | question=What is 30% of 348? | option_a=94 | option_b=208 | option_c=124 | option_d=104 | answer=D | explanation=30% of 348 = (30/100) × 348 = 104.

id=42839 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 34? | option_a=25 | option_b=27 | option_c=29 | option_d=34 | answer=D | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 34 is the odd one out.

id=42840 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=100 | option_c=50 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

Aptitude Questions — Records 42,841-42,870 of 100,000

id=42841 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:10 and the first is 96, what is the second? | option_a=166 | option_b=160 | option_c=150 | option_d=256 | answer=B | explanation=Scale factor = $96/6 = 16$. Therefore second quantity = $10 \times 16 = 160$.

id=42842 | topic=Percentages | difficulty=Easy | question=What is 15% of 1691? | option_a=243 | option_b=506 | option_c=253 | option_d=263 | answer=C | explanation=15% of 1691 = $(15/100) \times 1691 = 253$.

id=42843 | topic=Percentages | difficulty=Easy | question=What is 10% of 918? | option_a=182 | option_b=101 | option_c=86 | option_d=91 | answer=D | explanation=10% of 918 = $(10/100) \times 918 = 91$.

id=42844 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=19 | option_b=22 | option_c=14 | option_d=18 | answer=D | explanation=The common difference is 4. Therefore the next term is $14 + 4 = 18$.

id=42845 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:15 and the first is 24, what is the second? | option_a=53 | option_b=69 | option_c=45 | option_d=30 | answer=C | explanation=Scale factor = $24/8 = 3$. Therefore second quantity = $15 \times 3 = 45$.

id=42846 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance $\div$ time = $150 \div 5 = 30$ km/h.

id=42847 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=42848 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=Y | option_c=M | option_d=Q | answer=A | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=42849 | topic=Percentages | difficulty=Easy | question=What is 20% of 657? | option_a=151 | option_b=111 | option_c=262 | option_d=131 | answer=D | explanation=20% of 657 = $(20/100) \times 657 = 131$.

id=42850 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on $\text{₹}3859$ at 6% per annum for 3 years. | option_a=594 | option_b=794 | option_c=694 | option_d=4553 | answer=C | explanation=SI = $\text{PRT}/100 = 3859 \times 6 \times 3/100 = \text{₹}694$.

id=42851 | topic=Percentages | difficulty=Easy | question=What is 10% of 1324? | option_a=112 | option_b=152 | option_c=132 | option_d=264 | answer=C | explanation=10% of 1324 = $(10/100) \times 1324 = 132$.

id=42852 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance $\div$ time = $90 \div 3 = 30$ km/h.

id=42853 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=25 | option_c=30 | option_d=20 | answer=B | explanation=Speed = distance $\div$ time = $150 \div 6 = 25$ km/h.

id=42854 | topic=Averages | difficulty=Easy | question=Find the average of 59, 83, 90, 26, 77, 16, 16, 105. | option_a=59 | option_b=58 | option_c=61 | option_d=60 | answer=A | explanation=Average = sum of values $\div$ number of values = $472 \div 8 = 59$.

id=42855 | topic=Averages | difficulty=Easy | question=Find the average of 82, 67, 82. | option_a=79 | option_b=77 | option_c=78 | option_d=76 | answer=B | explanation=Average = sum of values $\div$ number of values = $231 \div 3 = 77$.

id=42856 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance $\div$ time = $120 \div 2 = 60$ km/h.

id=42857 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 23, 27, 33? | option_a=27 | option_b=19 | option_c=23 | option_d=33 | answer=D | explanation=The first three numbers increase by 4, so the next should be 31. Therefore 33 is the odd one out.

id=42858 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=J | option_c=L | option_d=F | answer=B | explanation=Move 2 positions forward from H; the resulting letter is J.

id=42859 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=13 | option_c=36 | option_d=18 | answer=D | explanation=Speed = distance $\div$ time = $180 \div 10 = 18$ km/h.

id=42860 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 27. | option_a=30 | option_b=1 | option_c=81 | option_d=27 | answer=D | explanation=LCM $\times$ HCF = 3×27 ; $\text{HCF}(3, 27) = 3$, so LCM = 27.

id=42861 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=42862 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=42863 | topic=Averages | difficulty=Easy | question=Find the average of 80, 89, 81, 14, 83, 42, 45. | option_a=61 | option_b=63 | option_c=62 | option_d=64 | answer=C | explanation=Average = sum of values $\div$ number of values = $434 \div 7 = 62$.

id=42864 | topic=Profit & Loss | difficulty=Easy | question=An article costs $\text{₹}4291$. If it is sold at a profit of 5%, what is its selling price? | option_a=4296 | option_b=4934 | option_c=4505 | option_d=4076 | answer=C | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 4291 \times 105/100 = \text{₹}4505$.

id=42865 | topic=Averages | difficulty=Easy | question=Find the average of 23, 22, 93, 78, 94, 76, 30, 27, 19, 78. | option_a=54 | option_b=55 | option_c=53 | option_d=56 | answer=A | explanation=Average = sum of values $\div$ number of values = $540 \div 10 = 54$.

id=42866 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=P | option_b=M | option_c=S | option_d=J | answer=A | explanation=Move 3 positions forward from M; the resulting letter is P.

id=42867 | topic=Averages | difficulty=Easy | question=Find the average of 78, 37, 16, 97, 14, 26, 33. | option_a=44 | option_b=43 | option_c=42 | option_d=45 | answer=B | explanation=Average = sum of values $\div$ number of values = $301 \div 7 = 43$.

id=42868 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:10 and the first is 323, what is the second? | option_a=170 | option_b=160 | option_c=189 | option_d=493 | answer=A | explanation=Scale factor = $323/19 = 17$. Therefore second quantity = $10 \times 17 = 170$.

id=42869 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:16 and the first is 135, what is the second? | option_a=224 | option_b=249 | option_c=375 | option_d=240 | answer=D | explanation=Scale factor = $135/9 = 15$. Therefore second quantity = $16 \times 15 = 240$.

id=42870 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance $\div$ time = $120 \div 2 = 60$ km/h.

Aptitude Questions — Records 42,871-42,900 of 100,000

id=42871 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=41 | option_b=51 | option_c=50 | option_d=59 | answer=C | explanation=The common difference is 9. Therefore the next term is 41 + 9 = 50.

id=42872 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=42873 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 49? | option_a=28 | option_b=19 | option_c=49 | option_d=37 | answer=C | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 49 is the odd one out.

id=42874 | topic=Percentages | difficulty=Easy | question=What is 12% of 1114? | option_a=128 | option_b=143 | option_c=133 | option_d=266 | answer=C | explanation=12% of 1114 = (12/100) × 1114 = 133.

id=42875 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=42876 | topic=Averages | difficulty=Easy | question=Find the average of 42, 92, 66, 66, 45, 89, 10, 24, 97. | option_a=58 | option_b=61 | option_c=60 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 531 ÷ 9 = 59.

id=42877 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=42878 | topic=Averages | difficulty=Easy | question=Find the average of 94, 31, 96, 21, 19, 92, 46. | option_a=59 | option_b=56 | option_c=57 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 399 ÷ 7 = 57.

id=42879 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=42880 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:4 and the first is 150, what is the second? | option_a=40 | option_b=55 | option_c=190 | option_d=36 | answer=A | explanation=Scale factor = 150/15 = 10. Therefore second quantity = 4×10 = 40.

id=42881 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 34? | option_a=10 | option_b=24 | option_c=17 | option_d=34 | answer=D | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 34 is the odd one out.

id=42882 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11935 at 15% per annum for 1 years. | option_a=1890 | option_b=1790 | option_c=13725 | option_d=1690 | answer=B | explanation=SI = PRT/100 = 11935×15×1/100 = **■**1790.

id=42883 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 22, 29, 37? | option_a=15 | option_b=37 | option_c=29 | option_d=22 | answer=B | explanation=The first three numbers increase by 7, so the next should be 36. Therefore 37 is the odd one out.

id=42884 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17589 at 10% per annum for 1 years. | option_a=1858 | option_b=1758 | option_c=19347 | option_d=1658 | answer=B | explanation=SI = PRT/100 = 17589×10×1/100 = **■**1758.

id=42885 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=20 | option_c=15 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=42886 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:10 and the first is 90, what is the second? | option_a=180 | option_b=170 | option_c=270 | option_d=185 | answer=A | explanation=Scale factor = 90/5 = 18. Therefore second quantity = 10×18 = 180.

id=42887 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=P | option_c=A | option_d=K | answer=D | explanation=Move 5 positions forward from F; the resulting letter is K.

id=42888 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 28? | option_a=24 | option_b=28 | option_c=18 | option_d=21 | answer=B | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 28 is the odd one out.

id=42889 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 31, 41, 52? | option_a=21 | option_b=31 | option_c=41 | option_d=52 | answer=D | explanation=The first three numbers increase by 10, so the next should be 51. Therefore 52 is the odd one out.

id=42890 | topic=Percentages | difficulty=Easy | question=What is 20% of 1368? | option_a=273 | option_b=253 | option_c=293 | option_d=546 | answer=A | explanation=20% of 1368 = (20/100) × 1368 = 273.

id=42891 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=5 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=42892 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=42893 | topic=Percentages | difficulty=Easy | question=What is 40% of 364? | option_a=290 | option_b=145 | option_c=135 | option_d=155 | answer=B | explanation=40% of 364 = (40/100) × 364 = 145.

id=42894 | topic=Percentages | difficulty=Easy | question=What is 40% of 665? | option_a=266 | option_b=256 | option_c=532 | option_d=276 | answer=A | explanation=40% of 665 = (40/100) × 665 = 266.

id=42895 | topic=Percentages | difficulty=Easy | question=What is 50% of 581? | option_a=280 | option_b=580 | option_c=290 | option_d=295 | answer=C | explanation=50% of 581 = (50/100) × 581 = 290.

id=42896 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=41 | option_b=48 | option_c=42 | option_d=34 | answer=A | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=42897 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1306. If it is sold at a profit of 50%, what is its selling price? | option_a=2089 | option_b=1356 | option_c=1829 | option_d=1959 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1306 × 150/100 = **■**1959.

id=42898 | topic=Averages | difficulty=Easy | question=Find the average of 62, 94, 69. | option_a=74 | option_b=75 | option_c=76 | option_d=77 | answer=B | explanation=Average = sum of values ÷ number of values = 225 ÷ 3 = 75.

id=42899 | topic=Averages | difficulty=Easy | question=Find the average of 17, 81, 16, 44, 23, 89. | option_a=47 | option_b=46 | option_c=44 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 270 ÷ 6 = 45.

id=42900 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=H | option_c=N | option_d=Q | answer=C | explanation=Move 3 positions forward from K; the resulting letter is N.

Aptitude Questions — Records 42,901-42,930 of 100,000

id=42901 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37871 at 10% per annum for 2 years. | option_a=7674 | option_b=7474 | option_c=7574 | option_d=45445 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{37871 \times 10 \times 2}{100} = \text{■}7574$.

id=42902 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=33 | option_b=25 | option_c=32 | option_d=39 | answer=C | explanation=The common difference is 7. Therefore the next term is $25 + 7 = 32$.

id=42903 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=50 | option_c=55 | option_d=45 | answer=B | explanation= $Speed = \frac{distance}{time} = \frac{150}{3} = 50 \text{ km/h}$.

id=42904 | topic=Averages | difficulty=Easy | question=Find the average of 91, 89, 29, 76, 33, 60. | option_a=65 | option_b=63 | option_c=64 | option_d=62 | answer=B | explanation= $Average = \frac{sum\ of\ values}{number\ of\ values} = \frac{378}{6} = 63$.

id=42905 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:4 and the first is 238, what is the second? | option_a=306 | option_b=82 | option_c=68 | option_d=64 | answer=C | explanation= $Scale\ factor = \frac{238}{14} = 17$. Therefore second quantity = $4 \times 17 = 68$.

id=42906 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 27, 33, 40? | option_a=40 | option_b=21 | option_c=27 | option_d=33 | answer=A | explanation=The first three numbers increase by 6, so the next should be 39. Therefore 40 is the odd one out.

id=42907 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 30? | option_a=30 | option_b=14 | option_c=19 | option_d=24 | answer=A | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 30 is the odd one out.

id=42908 | topic=Averages | difficulty=Easy | question=Find the average of 89, 14, 28, 89. | option_a=56 | option_b=57 | option_c=54 | option_d=55 | answer=D | explanation= $Average = \frac{sum\ of\ values}{number\ of\ values} = \frac{220}{4} = 55$.

id=42909 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation= $Speed = \frac{distance}{time} = \frac{60}{2} = 30 \text{ km/h}$.

id=42910 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:20 and the first is 18, what is the second? | option_a=58 | option_b=40 | option_c=49 | option_d=20 | answer=B | explanation= $Scale\ factor = \frac{18}{9} = 2$. Therefore second quantity = $20 \times 2 = 40$.

id=42911 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation= $Combined\ rate = \frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=42912 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 21, 28, 38? | option_a=14 | option_b=21 | option_c=28 | option_d=38 | answer=D | explanation=The first three numbers increase by 7, so the next should be 35. Therefore 38 is the odd one out.

id=42913 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 35? | option_a=24 | option_b=28 | option_c=35 | option_d=20 | answer=C | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 35 is the odd one out.

id=42914 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:13 and the first is 42, what is the second? | option_a=78 | option_b=120 | option_c=65 | option_d=85 | answer=A | explanation= $Scale\ factor = \frac{42}{7} = 6$. Therefore second quantity = $13 \times 6 = 78$.

id=42915 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 35, 43, 54? | option_a=35 | option_b=43 | option_c=27 | option_d=54 | answer=D | explanation=The first three numbers increase by 8, so the next should be 51. Therefore 54 is the odd one out.

id=42916 | topic=Averages | difficulty=Easy | question=Find the average of 76, 67, 17, 10, 72, 68, 33, 81. | option_a=54 | option_b=55 | option_c=52 | option_d=53 | answer=D | explanation= $Average = \frac{sum\ of\ values}{number\ of\ values} = \frac{424}{8} = 53$.

id=42917 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25605 at 4% per annum for 2 years. | option_a=1948 | option_b=2048 | option_c=27653 | option_d=2148 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{25605 \times 4 \times 2}{100} = \text{■}2048$.

id=42918 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=O | option_c=A | option_d=S | answer=A | explanation=Move 4 positions forward from S; the resulting letter is W.

id=42919 | topic=Averages | difficulty=Easy | question=Find the average of 34, 95, 96. | option_a=77 | option_b=76 | option_c=75 | option_d=74 | answer=C | explanation= $Average = \frac{sum\ of\ values}{number\ of\ values} = \frac{225}{3} = 75$.

id=42920 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=52 | option_b=41 | option_c=53 | option_d=63 | answer=A | explanation=The common difference is 11. Therefore the next term is $41 + 11 = 52$.

id=42921 | topic=Averages | difficulty=Easy | question=Find the average of 56, 26, 92, 65, 15, 12, 49. | option_a=46 | option_b=47 | option_c=44 | option_d=45 | answer=D | explanation= $Average = \frac{sum\ of\ values}{number\ of\ values} = \frac{315}{7} = 45$.

id=42922 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19459 at 5% per annum for 2 years. | option_a=21404 | option_b=1845 | option_c=1945 | option_d=2045 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{19459 \times 5 \times 2}{100} = \text{■}1945$.

id=42923 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=J | option_b=O | option_c=E | option_d=Z | answer=A | explanation=Move 5 positions forward from E; the resulting letter is J.

id=42924 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38382 at 12% per annum for 1 years. | option_a=4605 | option_b=4505 | option_c=4705 | option_d=42987 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{38382 \times 12 \times 1}{100} = \text{■}4605$.

id=42925 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:2 and the first is 342, what is the second? | option_a=36 | option_b=34 | option_c=378 | option_d=55 | answer=A | explanation= $Scale\ factor = \frac{342}{19} = 18$. Therefore second quantity = $2 \times 18 = 36$.

id=42926 | topic=Averages | difficulty=Easy | question=Find the average of 53, 81, 12, 72, 49, 36, 25, 91, 94. | option_a=57 | option_b=56 | option_c=58 | option_d=59 | answer=A | explanation= $Average = \frac{sum\ of\ values}{number\ of\ values} = \frac{513}{9} = 57$.

id=42927 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation= $Combined\ rate = \frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=42928 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**884. If it is sold at a profit of 30%, what is its selling price? | option_a=1237 | option_b=1061 | option_c=1149 | option_d=914 | answer=C | explanation= $Selling\ price = CP \times (100 + \text{profit}\%) / 100 = 884 \times \frac{130}{100} = \text{■}1149$.

id=42929 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=28 | option_b=26 | option_c=29 | option_d=30 | answer=A | explanation=The common difference is 2. Therefore the next term is $26 + 2 = 28$.

id=42930 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=A | option_c=Y | option_d=E | answer=A | explanation=Move 2 positions forward from A; the resulting letter is C.

Aptitude Questions — Records 42,931-42,960 of 100,000

id=42931 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:18 and the first is 221, what is the second? | option_a=455 | option_b=234 | option_c=251 | option_d=216 | answer=B | explanation=Scale factor = $221/17 = 13$. Therefore second quantity = $18 \times 13 = 234$.

id=42932 | topic=Averages | difficulty=Easy | question=Find the average of 52, 62, 14, 94, 45, 29, 77, 98, 28, 61. | option_a=57 | option_b=58 | option_c=56 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = $560 \div 10 = 56$.

id=42933 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=360 | option_c=185 | option_d=180 | answer=D | explanation=Speed = distance ÷ time = $360 \div 2 = 180$ km/h.

id=42934 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2081. If it is sold at a profit of 30%, what is its selling price? | option_a=2705 | option_b=2497 | option_c=2913 | option_d=2111 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2081 \times 130/100 = \text{█}2705$.

id=42935 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 26, 28, 32? | option_a=28 | option_b=32 | option_c=24 | option_d=26 | answer=B | explanation=The first three numbers increase by 2, so the next should be 30. Therefore 32 is the odd one out.

id=42936 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:4 and the first is 60, what is the second? | option_a=60 | option_b=56 | option_c=120 | option_d=64 | answer=A | explanation=Scale factor = $60/4 = 15$. Therefore second quantity = $4 \times 15 = 60$.

id=42937 | topic=Percentages | difficulty=Easy | question=What is 20% of 185? | option_a=37 | option_b=17 | option_c=47 | option_d=74 | answer=A | explanation=20% of 185 = $(20/100) \times 185 = 37$.

id=42938 | topic=Averages | difficulty=Easy | question=Find the average of 19, 94, 30, 92, 100. | option_a=68 | option_b=67 | option_c=66 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = $335 \div 5 = 67$.

id=42939 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 36, 43, 52? | option_a=36 | option_b=52 | option_c=43 | option_d=29 | answer=B | explanation=The first three numbers increase by 7, so the next should be 50. Therefore 52 is the odd one out.

id=42940 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=G | option_b=I | option_c=M | option_d=K | answer=D | explanation=Move 2 positions forward from I; the resulting letter is K.

id=42941 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:18 and the first is 247, what is the second? | option_a=481 | option_b=253 | option_c=234 | option_d=216 | answer=C | explanation=Scale factor = $247/19 = 13$. Therefore second quantity = $18 \times 13 = 234$.

id=42942 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=5 | option_c=10 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = $60 \div 6 = 10$ km/h.

id=42943 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:17 and the first is 130, what is the second? | option_a=231 | option_b=351 | option_c=204 | option_d=221 | answer=D | explanation=Scale factor = $130/10 = 13$. Therefore second quantity = $17 \times 13 = 221$.

id=42944 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2927. If it is sold at a profit of 20%, what is its selling price? | option_a=3512 | option_b=3220 | option_c=3804 | option_d=2947 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2927 \times 120/100 = \text{█}3512$.

id=42945 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=90 | option_c=85 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = $360 \div 4 = 90$ km/h.

id=42946 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 32, 36, 41? | option_a=41 | option_b=28 | option_c=32 | option_d=36 | answer=A | explanation=The first three numbers increase by 4, so the next should be 40. Therefore 41 is the odd one out.

id=42947 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=115 | option_c=240 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.

id=42948 | topic=Averages | difficulty=Easy | question=Find the average of 47, 31, 98, 14, 84, 71, 11, 89, 94, 61. | option_a=59 | option_b=60 | option_c=61 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = $600 \div 10 = 60$.

id=42949 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:9 and the first is 45, what is the second? | option_a=81 | option_b=72 | option_c=126 | option_d=86 | answer=A | explanation=Scale factor = $45/5 = 9$. Therefore second quantity = $9 \times 9 = 81$.

id=42950 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=N | option_b=E | option_c=H | option_d=K | answer=D | explanation=Move 3 positions forward from H; the resulting letter is K.

id=42951 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=10 | option_b=13 | option_c=12 | option_d=14 | answer=C | explanation=The common difference is 2. Therefore the next term is $10 + 2 = 12$.

id=42952 | topic=Averages | difficulty=Easy | question=Find the average of 76, 33, 29, 33, 80, 36, 75, 70. | option_a=53 | option_b=55 | option_c=56 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = $432 \div 8 = 54$.

id=42953 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=40 | option_b=30 | option_c=35 | option_d=36 | answer=C | explanation=The common difference is 5. Therefore the next term is $30 + 5 = 35$.

id=42954 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=35 | option_b=47 | option_c=46 | option_d=57 | answer=C | explanation=The common difference is 11. Therefore the next term is $35 + 11 = 46$.

id=42955 | topic=Averages | difficulty=Easy | question=Find the average of 46, 61, 79. | option_a=63 | option_b=61 | option_c=64 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = $186 \div 3 = 62$.

id=42956 | topic=Percentages | difficulty=Easy | question=What is 15% of 1668? | option_a=250 | option_b=240 | option_c=270 | option_d=500 | answer=A | explanation=15% of 1668 = $(15/100) \times 1668 = 250$.

id=42957 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 15. | option_a=1 | option_b=30 | option_c=15 | option_d=225 | answer=C | explanation= $LCM \times HCF = 15 \times 15$; $HCF(15,15) = 15$, so $LCM = 15$.

id=42958 | topic=Percentages | difficulty=Easy | question=What is 15% of 1277? | option_a=382 | option_b=211 | option_c=191 | option_d=171 | answer=C | explanation=15% of 1277 = $(15/100) \times 1277 = 191$.

id=42959 | topic=Averages | difficulty=Easy | question=Find the average of 26, 84, 52, 29, 60, 27, 48, 66. | option_a=48 | option_b=50 | option_c=51 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = $392 \div 8 = 49$.

id=42960 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

Aptitude Questions — Records 42,961-42,990 of 100,000

id=42961 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=V | option_b=P | option_c=M | option_d=S | answer=D | explanation=Move 3 positions forward from P; the resulting letter is S.

id=42962 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=G | option_b=D | option_c=A | option_d=J | answer=A | explanation=Move 3 positions forward from D; the resulting letter is G.

id=42963 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=24 | option_d=29 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=42964 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=G | option_b=K | option_c=M | option_d=I | answer=B | explanation=Move 2 positions forward from I; the resulting letter is K.

id=42965 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:10 and the first is 35, what is the second? | option_a=85 | option_b=57 | option_c=40 | option_d=50 | answer=D | explanation=Scale factor = 35/7 = 5. Therefore second quantity = 10×5 = 50.

id=42966 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=45 | option_c=40 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=42967 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 8, 11, 14, ? | option_a=18 | option_b=20 | option_c=17 | option_d=14 | answer=C | explanation=The common difference is 3. Therefore the next term is 14 + 3 = 17.

id=42968 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=I | option_b=K | option_c=L | option_d=J | answer=B | explanation=Move 1 positions forward from J; the resulting letter is K.

id=42969 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:8 and the first is 80, what is the second? | option_a=240 | option_b=164 | option_c=152 | option_d=160 | answer=D | explanation=Scale factor = 80/4 = 20. Therefore second quantity = 8×20 = 160.

id=42970 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=42971 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=44 | option_b=45 | option_c=36 | option_d=52 | answer=A | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.

id=42972 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=7 | option_c=17 | option_d=24 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=42973 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=J | option_c=I | option_d=H | answer=B | explanation=Move 1 positions forward from I; the resulting letter is J.

id=42974 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 20, 27, 35? | option_a=35 | option_b=20 | option_c=13 | option_d=27 | answer=A | explanation=The first three numbers increase by 7, so the next should be 34. Therefore 35 is the odd one out.

id=42975 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15621 at 12% per annum for 3 years. | option_a=5523 | option_b=5723 | option_c=5623 | option_d=21244 | answer=C | explanation=SI = PRT/100 = 15621×12×3/100 = **■**5623.

id=42976 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=29 | option_b=32 | option_c=24 | option_d=28 | answer=D | explanation=The common difference is 4. Therefore the next term is 24 + 4 = 28.

id=42977 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 60? | option_a=47 | option_b=27 | option_c=60 | option_d=37 | answer=C | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 60 is the odd one out.

id=42978 | topic=Averages | difficulty=Easy | question=Find the average of 24, 77, 25, 87, 74, 67. | option_a=60 | option_b=61 | option_c=59 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.

id=42979 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 29, 34, 41? | option_a=34 | option_b=41 | option_c=24 | option_d=29 | answer=B | explanation=The first three numbers increase by 5, so the next should be 39. Therefore 41 is the odd one out.

id=42980 | topic=Averages | difficulty=Easy | question=Find the average of 99, 94, 17. | option_a=71 | option_b=69 | option_c=70 | option_d=72 | answer=C | explanation=Average = sum of values ÷ number of values = 210 ÷ 3 = 70.

id=42981 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4880. If it is sold at a profit of 25%, what is its selling price? | option_a=6588 | option_b=4905 | option_c=5612 | option_d=6100 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4880 × 125/100 = **■**6100.

id=42982 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8625 at 10% per annum for 5 years. | option_a=4412 | option_b=4312 | option_c=4212 | option_d=12937 | answer=B | explanation=SI = PRT/100 = 8625×10×5/100 = **■**4312.

id=42983 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**612. If it is sold at a profit of 30%, what is its selling price? | option_a=856 | option_b=734 | option_c=795 | option_d=642 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 612 × 130/100 = **■**795.

id=42984 | topic=Averages | difficulty=Easy | question=Find the average of 42, 61, 19, 37, 42, 93, 73, 33, 50, 60. | option_a=50 | option_b=51 | option_c=53 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

id=42985 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 31? | option_a=31 | option_b=20 | option_c=12 | option_d=4 | answer=A | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 31 is the odd one out.

id=42986 | topic=Averages | difficulty=Easy | question=Find the average of 40, 82, 55, 41, 94, 78. | option_a=67 | option_b=64 | option_c=66 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 390 ÷ 6 = 65.

id=42987 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3641. If it is sold at a profit of 15%, what is its selling price? | option_a=4187 | option_b=4551 | option_c=3656 | option_d=3823 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3641 × 115/100 = **■**4187.

id=42988 | topic=Percentages | difficulty=Easy | question=What is 5% of 74? | option_a=23 | option_b=0 | option_c=6 | option_d=3 | answer=D | explanation=5% of 74 = (5/100) × 74 = 3.

id=42989 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=42990 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=74 | option_b=50 | option_c=62 | option_d=63 | answer=C | explanation=The common difference is 12. Therefore the next term is 50 + 12 = 62.

Aptitude Questions — Records 42,991-43,020 of 100,000

id=42991 | topic=Averages | difficulty=Easy | question=Find the average of 26, 82, 51. | option_a=53 | option_b=54 | option_c=55 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 159 ÷ 3 = 53.

id=42992 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=40 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=42993 | topic=Averages | difficulty=Easy | question=Find the average of 89, 52, 75, 35, 100, 80, 31, 75, 66. | option_a=68 | option_b=67 | option_c=66 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 603 ÷ 9 = 67.

id=42994 | topic=Averages | difficulty=Easy | question=Find the average of 46, 50, 24. | option_a=40 | option_b=42 | option_c=39 | option_d=41 | answer=A | explanation=Average = sum of values ÷ number of values = 120 ÷ 3 = 40.

id=42995 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 4. | option_a=20 | option_b=24 | option_c=48 | option_d=96 | answer=B | explanation=LCM × HCF = 24×4; HCF(24,4) = 4, so LCM = 24.

id=42996 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=31 | option_c=41 | option_d=72 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=42997 | topic=Percentages | difficulty=Easy | question=What is 5% of 1413? | option_a=60 | option_b=70 | option_c=140 | option_d=90 | answer=B | explanation=5% of 1413 = (5/100) × 1413 = 70.

id=42998 | topic=Percentages | difficulty=Easy | question=What is 15% of 979? | option_a=292 | option_b=151 | option_c=146 | option_d=136 | answer=C | explanation=15% of 979 = (15/100) × 979 = 146.

id=42999 | topic=Averages | difficulty=Easy | question=Find the average of 33, 43, 66, 83, 100, 57, 13, 21. | option_a=52 | option_b=54 | option_c=51 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=43000 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 22, 32, 45? | option_a=22 | option_b=12 | option_c=32 | option_d=45 | answer=D | explanation=The first three numbers increase by 10, so the next should be 42. Therefore 45 is the odd one out.

id=43001 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:1 and the first is 360, what is the second? | option_a=378 | option_b=18 | option_c=17 | option_d=38 | answer=B | explanation=Scale factor = 360/20 = 18. Therefore second quantity = 1×18 = 18.

id=43002 | topic=Averages | difficulty=Easy | question=Find the average of 89, 67, 59, 49. | option_a=66 | option_b=67 | option_c=65 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = 264 ÷ 4 = 66.

id=43003 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 13, 20, 28? | option_a=13 | option_b=20 | option_c=28 | option_d=6 | answer=C | explanation=The first three numbers increase by 7, so the next should be 27. Therefore 28 is the odd one out.

id=43004 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=53 | option_b=63 | option_c=41 | option_d=52 | answer=D | explanation=The common difference is 11. Therefore the next term is 41 + 11 = 52.

id=43005 | topic=Averages | difficulty=Easy | question=Find the average of 98, 100, 10, 27, 25. | option_a=54 | option_b=53 | option_c=51 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 260 ÷ 5 = 52.

id=43006 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=T | option_b=L | option_c=P | option_d=H | answer=C | explanation=Move 4 positions forward from L; the resulting letter is P.

id=43007 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=12 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=43008 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 10? | option_a=2 | option_b=10 | option_c=4 | option_d=6 | answer=B | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 10 is the odd one out.

id=43009 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=43010 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6765 at 8% per annum for 2 years. | option_a=7847 | option_b=1082 | option_c=982 | option_d=1182 | answer=B | explanation=SI = PRT/100 = 6765×8×2/100 = **■**1082.

id=43011 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38967 at 4% per annum for 4 years. | option_a=6234 | option_b=45201 | option_c=6334 | option_d=6134 | answer=A | explanation=SI = PRT/100 = 38967×4×4/100 = **■**6234.

id=43012 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=43013 | topic=Percentages | difficulty=Easy | question=What is 25% of 1938? | option_a=484 | option_b=474 | option_c=504 | option_d=968 | answer=A | explanation=25% of 1938 = (25/100) × 1938 = 484.

id=43014 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:11 and the first is 156, what is the second? | option_a=145 | option_b=288 | option_c=121 | option_d=132 | answer=D | explanation=Scale factor = 156/13 = 12. Therefore second quantity = 11×12 = 132.

id=43015 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 110, what is the second? | option_a=144 | option_b=160 | option_c=171 | option_d=270 | answer=B | explanation=Scale factor = 110/11 = 10. Therefore second quantity = 16×10 = 160.

id=43016 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=16 | option_b=15 | option_c=12 | option_d=18 | answer=B | explanation=The common difference is 3. Therefore the next term is 12 + 3 = 15.

id=43017 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14915 at 15% per annum for 4 years. | option_a=8949 | option_b=8849 | option_c=23864 | option_d=9049 | answer=A | explanation=SI = PRT/100 = 14915×15×4/100 = **■**8949.

id=43018 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24204 at 5% per annum for 2 years. | option_a=2320 | option_b=2520 | option_c=26624 | option_d=2420 | answer=D | explanation=SI = PRT/100 = 24204×5×2/100 = **■**2420.

id=43019 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=18 | option_c=13 | option_d=23 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=43020 | topic=Averages | difficulty=Easy | question=Find the average of 82, 12, 71, 46, 77, 71, 57, 56. | option_a=59 | option_b=60 | option_c=58 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 472 ÷ 8 = 59.

Aptitude Questions — Records 43,021-43,050 of 100,000

id=43021 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=43022 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:15 and the first is 60, what is the second? | option_a=105 | option_b=45 | option_c=65 | option_d=30 | answer=B | explanation=Scale factor = 60/20 = 3. Therefore second quantity = 15×3 = 45.

id=43023 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24779 at 5% per annum for 2 years. | option_a=2377 | option_b=2477 | option_c=27256 | option_d=2577 | answer=B | explanation=SI = PRT/100 = 24779×5×2/100 = **■**2477.

id=43024 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 24, 36, 48, ? | option_a=72 | option_b=60 | option_c=61 | option_d=48 | answer=B | explanation=The common difference is 12. Therefore the next term is 48 + 12 = 60.

id=43025 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:12 and the first is 104, what is the second? | option_a=200 | option_b=84 | option_c=109 | option_d=96 | answer=D | explanation=Scale factor = 104/13 = 8. Therefore second quantity = 12×8 = 96.

id=43026 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**411. If it is sold at a profit of 50%, what is its selling price? | option_a=575 | option_b=461 | option_c=657 | option_d=616 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 411 × 150/100 = **■**616.

id=43027 | topic=Percentages | difficulty=Easy | question=What is 20% of 1746? | option_a=344 | option_b=698 | option_c=349 | option_d=359 | answer=C | explanation=20% of 1746 = (20/100) × 1746 = 349.

id=43028 | topic=Averages | difficulty=Easy | question=Find the average of 83, 89, 56, 25, 14, 27. | option_a=51 | option_b=48 | option_c=50 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 294 ÷ 6 = 49.

id=43029 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=A | option_b=C | option_c=D | option_d=B | answer=B | explanation=Move 1 positions forward from B; the resulting letter is C.

id=43030 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=43031 | topic=Averages | difficulty=Easy | question=Find the average of 51, 33, 80, 16, 51, 53, 69, 57, 57, 13. | option_a=47 | option_b=49 | option_c=50 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = 480 ÷ 10 = 48.

id=43032 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:9 and the first is 8, what is the second? | option_a=18 | option_b=9 | option_c=22 | option_d=26 | answer=A | explanation=Scale factor = 8/4 = 2. Therefore second quantity = 9×2 = 18.

id=43033 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=49 | option_b=41 | option_c=48 | option_d=55 | answer=C | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.

id=43034 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19982 at 6% per annum for 3 years. | option_a=3596 | option_b=23578 | option_c=3496 | option_d=3696 | answer=A | explanation=SI = PRT/100 = 19982×6×3/100 = **■**3596.

id=43035 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45972 at 4% per annum for 5 years. | option_a=9294 | option_b=55166 | option_c=9094 | option_d=9194 | answer=D | explanation=SI = PRT/100 = 45972×4×5/100 = **■**9194.

id=43036 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=20 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=43037 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 27. | option_a=567 | option_b=189 | option_c=210 | option_d=162 | answer=B | explanation=LCM × HCF = 21×27; HCF(21,27) = 3, so LCM = 189.

id=43038 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=20 | option_b=17 | option_c=21 | option_d=23 | answer=A | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=43039 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 18? | option_a=15 | option_b=11 | option_c=13 | option_d=18 | answer=D | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 18 is the odd one out.

id=43040 | topic=Percentages | difficulty=Easy | question=What is 15% of 994? | option_a=149 | option_b=159 | option_c=298 | option_d=129 | answer=A | explanation=15% of 994 = (15/100) × 994 = 149.

id=43041 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=150 | option_c=70 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=43042 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=U | option_c=I | option_d=M | answer=A | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=43043 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=180 | option_c=95 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=43044 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=W | option_c=Q | option_d=S | answer=A | explanation=Move 2 positions forward from S; the resulting letter is U.

id=43045 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18112 at 15% per annum for 3 years. | option_a=26262 | option_b=8150 | option_c=8050 | option_d=8250 | answer=B | explanation=SI = PRT/100 = 18112×15×3/100 = **■**8150.

id=43046 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=G | option_c=F | option_d=E | answer=B | explanation=Move 1 positions forward from F; the resulting letter is G.

id=43047 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:2 and the first is 266, what is the second? | option_a=304 | option_b=36 | option_c=38 | option_d=52 | answer=C | explanation=Scale factor = 266/14 = 19. Therefore second quantity = 2×19 = 38.

id=43048 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=43049 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 23, 30, 37, ? | option_a=45 | option_b=51 | option_c=37 | option_d=44 | answer=D | explanation=The common difference is 7. Therefore the next term is 37 + 7 = 44.

id=43050 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 45? | option_a=30 | option_b=23 | option_c=45 | option_d=37 | answer=C | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 45 is the odd one out.

Aptitude Questions — Records 43,051-43,080 of 100,000

id=43051 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=4 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=43052 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=L | option_c=G | option_d=W | answer=C | explanation=Move 5 positions forward from B; the resulting letter is G.

id=43053 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 34, 39, 46? | option_a=34 | option_b=29 | option_c=46 | option_d=39 | answer=C | explanation=The first three numbers increase by 5, so the next should be 44. Therefore 46 is the odd one out.

id=43054 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 19, 27, 37? | option_a=19 | option_b=27 | option_c=37 | option_d=11 | answer=C | explanation=The first three numbers increase by 8, so the next should be 35. Therefore 37 is the odd one out.

id=43055 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹3555. If it is sold at a profit of 20%, what is its selling price? | option_a=4266 | option_b=3911 | option_c=3575 | option_d=4621 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3555 × 120/100 = ₹4266.

id=43056 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=Q | option_b=B | option_c=L | option_d=G | answer=C | explanation=Move 5 positions forward from G; the resulting letter is L.

id=43057 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=43058 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹18894 at 15% per annum for 3 years. | option_a=8602 | option_b=8402 | option_c=8502 | option_d=27396 | answer=C | explanation=SI = PRT/100 = 18894×15×3/100 = ₹8502.

id=43059 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹11258 at 15% per annum for 5 years. | option_a=19701 | option_b=8343 | option_c=8443 | option_d=8543 | answer=C | explanation=SI = PRT/100 = 11258×15×5/100 = ₹8443.

id=43060 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 17, 20, 25? | option_a=20 | option_b=25 | option_c=14 | option_d=17 | answer=B | explanation=The first three numbers increase by 3, so the next should be 23. Therefore 25 is the odd one out.

id=43061 | topic=Percentages | difficulty=Easy | question=What is 40% of 1459? | option_a=1166 | option_b=573 | option_c=583 | option_d=603 | answer=C | explanation=40% of 1459 = (40/100) × 1459 = 583.

id=43062 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:5 and the first is 8, what is the second? | option_a=5 | option_b=14 | option_c=18 | option_d=10 | answer=D | explanation=Scale factor = 8/4 = 2. Therefore second quantity = 5×2 = 10.

id=43063 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 21, 23, 25, ? | option_a=27 | option_b=25 | option_c=28 | option_d=29 | answer=A | explanation=The common difference is 2. Therefore the next term is 25 + 2 = 27.

id=43064 | topic=Percentages | difficulty=Easy | question=What is 50% of 331? | option_a=330 | option_b=165 | option_c=175 | option_d=155 | answer=B | explanation=50% of 331 = (50/100) × 331 = 165.

id=43065 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=43066 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=32 | option_b=26 | option_c=29 | option_d=30 | answer=C | explanation=The common difference is 3. Therefore the next term is 26 + 3 = 29.

id=43067 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:5 and the first is 192, what is the second? | option_a=55 | option_b=60 | option_c=252 | option_d=76 | answer=B | explanation=Scale factor = 192/16 = 12. Therefore second quantity = 5×12 = 60.

id=43068 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=21 | option_b=16 | option_c=20 | option_d=24 | answer=C | explanation=The common difference is 4. Therefore the next term is 16 + 4 = 20.

id=43069 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=47 | option_b=39 | option_c=38 | option_d=29 | answer=C | explanation=The common difference is 9. Therefore the next term is 29 + 9 = 38.

id=43070 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 30. | option_a=540 | option_b=60 | option_c=90 | option_d=108 | answer=C | explanation=LCM × HCF = 18×30; HCF(18,30) = 6, so LCM = 90.

id=43071 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:14 and the first is 91, what is the second? | option_a=98 | option_b=84 | option_c=189 | option_d=111 | answer=A | explanation=Scale factor = 91/13 = 7. Therefore second quantity = 14×7 = 98.

id=43072 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=N | option_b=J | option_c=F | option_d=B | answer=B | explanation=Move 4 positions forward from F; the resulting letter is J.

id=43073 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=G | option_c=I | option_d=H | answer=C | explanation=Move 1 positions forward from H; the resulting letter is I.

id=43074 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=43075 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹13481 at 4% per annum for 1 years. | option_a=14020 | option_b=639 | option_c=439 | option_d=539 | answer=D | explanation=SI = PRT/100 = 13481×4×1/100 = ₹539.

id=43076 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=H | option_b=J | option_c=N | option_d=L | answer=D | explanation=Move 2 positions forward from J; the resulting letter is L.

id=43077 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:4 and the first is 171, what is the second? | option_a=247 | option_b=72 | option_c=76 | option_d=85 | answer=C | explanation=Scale factor = 171/9 = 19. Therefore second quantity = 4×19 = 76.

id=43078 | topic=Averages | difficulty=Easy | question=Find the average of 31, 78, 32, 51, 97, 100, 93, 70. | option_a=70 | option_b=71 | option_c=68 | option_d=69 | answer=D | explanation=Average = sum of values ÷ number of values = 552 ÷ 8 = 69.

id=43079 | topic=Percentages | difficulty=Easy | question=What is 5% of 1350? | option_a=134 | option_b=57 | option_c=77 | option_d=67 | answer=D | explanation=5% of 1350 = (5/100) × 1350 = 67.

id=43080 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹8145 at 12% per annum for 1 years. | option_a=1077 | option_b=9122 | option_c=877 | option_d=977 | answer=D | explanation=SI = PRT/100 = 8145×12×1/100 = ₹977.

Aptitude Questions — Records 43,081-43,110 of 100,000

id=43081 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=17 | option_b=18 | option_c=19 | option_d=15 | answer=A | explanation=The common difference is 2. Therefore the next term is 15 + 2 = 17.

id=43082 | topic=Averages | difficulty=Easy | question=Find the average of 90, 24, 60, 92, 98, 88, 101. | option_a=78 | option_b=81 | option_c=80 | option_d=79 | answer=D | explanation=Average = sum of values ÷ number of values = 553 ÷ 7 = 79.

id=43083 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:12 and the first is 8, what is the second? | option_a=56 | option_b=36 | option_c=50 | option_d=48 | answer=D | explanation=Scale factor = 8/2 = 4. Therefore second quantity = 12×4 = 48.

id=43084 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 49? | option_a=34 | option_b=40 | option_c=28 | option_d=49 | answer=D | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 49 is the odd one out.

id=43085 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=E | option_b=C | option_c=F | option_d=D | answer=A | explanation=Move 1 positions forward from D; the resulting letter is E.

id=43086 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12419 at 6% per annum for 1 years. | option_a=745 | option_b=645 | option_c=13164 | option_d=845 | answer=A | explanation=SI = PRT/100 = 12419×6×1/100 = **■**745.

id=43087 | topic=Averages | difficulty=Easy | question=Find the average of 31, 22, 10, 74, 78. | option_a=42 | option_b=45 | option_c=44 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = 215 ÷ 5 = 43.

id=43088 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39618 at 8% per annum for 1 years. | option_a=3169 | option_b=3269 | option_c=42787 | option_d=3069 | answer=A | explanation=SI = PRT/100 = 39618×8×1/100 = **■**3169.

id=43089 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=Q | option_b=M | option_c=I | option_d=E | answer=B | explanation=Move 4 positions forward from I; the resulting letter is M.

id=43090 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 24, 34, 46? | option_a=46 | option_b=34 | option_c=24 | option_d=14 | answer=A | explanation=The first three numbers increase by 10, so the next should be 44. Therefore 46 is the odd one out.

id=43091 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=43092 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10315 at 4% per annum for 5 years. | option_a=12378 | option_b=2063 | option_c=2163 | option_d=1963 | answer=B | explanation=SI = PRT/100 = 10315×4×5/100 = **■**2063.

id=43093 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**401. If it is sold at a profit of 50%, what is its selling price? | option_a=561 | option_b=451 | option_c=641 | option_d=601 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 401 × 150/100 = **■**601.

id=43094 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=100 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=43095 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=43096 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=43097 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=46 | option_b=34 | option_c=41 | option_d=40 | answer=D | explanation=The common difference is 6. Therefore the next term is 34 + 6 = 40.

id=43098 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:11 and the first is 32, what is the second? | option_a=11 | option_b=22 | option_c=38 | option_d=54 | answer=B | explanation=Scale factor = 32/16 = 2. Therefore second quantity = 11×2 = 22.

id=43099 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 47? | option_a=47 | option_b=34 | option_c=40 | option_d=28 | answer=A | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 47 is the odd one out.

id=43100 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=43101 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:14 and the first is 32, what is the second? | option_a=42 | option_b=88 | option_c=56 | option_d=64 | answer=C | explanation=Scale factor = 32/8 = 4. Therefore second quantity = 14×4 = 56.

id=43102 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=L | option_b=F | option_c=I | option_d=O | answer=A | explanation=Move 3 positions forward from I; the resulting letter is L.

id=43103 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 11, 14, 18? | option_a=11 | option_b=8 | option_c=18 | option_d=14 | answer=C | explanation=The first three numbers increase by 3, so the next should be 17. Therefore 18 is the odd one out.

id=43104 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3317. If it is sold at a profit of 5%, what is its selling price? | option_a=3151 | option_b=3322 | option_c=3813 | option_d=3482 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3317 × 105/100 = **■**3482.

id=43105 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:1 and the first is 96, what is the second? | option_a=22 | option_b=15 | option_c=112 | option_d=16 | answer=D | explanation=Scale factor = 96/6 = 16. Therefore second quantity = 1×16 = 16.

id=43106 | topic=Percentages | difficulty=Easy | question=What is 10% of 386? | option_a=38 | option_b=28 | option_c=76 | option_d=58 | answer=A | explanation=10% of 386 = (10/100) × 386 = 38.

id=43107 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:14 and the first is 133, what is the second? | option_a=273 | option_b=252 | option_c=266 | option_d=399 | answer=C | explanation=Scale factor = 133/7 = 19. Therefore second quantity = 14×19 = 266.

id=43108 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=43109 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22589 at 10% per annum for 5 years. | option_a=11294 | option_b=11394 | option_c=11194 | option_d=33883 | answer=A | explanation=SI = PRT/100 = 22589×10×5/100 = **■**11294.

id=43110 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=90 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

Aptitude Questions — Records 43,111-43,140 of 100,000

id=43111 | topic=Averages | difficulty=Easy | question=Find the average of 18, 72, 89, 23, 23. | option_a=47 | option_b=45 | option_c=46 | option_d=44 | answer=B | explanation=Average = sum of values ÷ number of values = 225 ÷ 5 = 45.

id=43112 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=43113 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2490. If it is sold at a profit of 5%, what is its selling price? | option_a=2495 | option_b=2863 | option_c=2614 | option_d=2365 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2490 × 105/100 = █2614.

id=43114 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3986. If it is sold at a profit of 40%, what is its selling price? | option_a=4026 | option_b=5580 | option_c=5182 | option_d=5978 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3986 × 140/100 = █5580.

id=43115 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=43116 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=46 | option_b=39 | option_c=47 | option_d=53 | answer=A | explanation=The common difference is 7. Therefore the next term is 39 + 7 = 46.

id=43117 | topic=Percentages | difficulty=Easy | question=What is 40% of 461? | option_a=368 | option_b=194 | option_c=184 | option_d=164 | answer=C | explanation=40% of 461 = (40/100) × 461 = 184.

id=43118 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:3 and the first is 28, what is the second? | option_a=40 | option_b=9 | option_c=12 | option_d=19 | answer=C | explanation=Scale factor = 28/7 = 4. Therefore second quantity = 3×4 = 12.

id=43119 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=C | option_c=D | option_d=B | answer=C | explanation=Move 1 positions forward from C; the resulting letter is D.

id=43120 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=43121 | topic=Averages | difficulty=Easy | question=Find the average of 23, 71, 32, 74, 65, 66, 28, 10, 18, 23. | option_a=40 | option_b=41 | option_c=42 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = 410 ÷ 10 = 41.

id=43122 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=53 | option_b=77 | option_c=66 | option_d=65 | answer=D | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.

id=43123 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=F | option_b=U | option_c=P | option_d=K | answer=C | explanation=Move 5 positions forward from K; the resulting letter is P.

id=43124 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=120 | option_c=125 | option_d=240 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=43125 | topic=Profit & Loss | difficulty=Easy | question=An article costs █216. If it is sold at a profit of 50%, what is its selling price? | option_a=345 | option_b=303 | option_c=324 | option_d=266 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 216 × 150/100 = █324.

id=43126 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=F | option_b=L | option_c=J | option_d=H | answer=C | explanation=Move 2 positions forward from H; the resulting letter is J.

id=43127 | topic=Percentages | difficulty=Easy | question=What is 50% of 527? | option_a=263 | option_b=268 | option_c=526 | option_d=258 | answer=A | explanation=50% of 527 = (50/100) × 527 = 263.

id=43128 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 17, 27, 39? | option_a=17 | option_b=27 | option_c=39 | option_d=7 | answer=C | explanation=The first three numbers increase by 10, so the next should be 37. Therefore 39 is the odd one out.

id=43129 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34076 at 6% per annum for 1 years. | option_a=2044 | option_b=36120 | option_c=2144 | option_d=1944 | answer=A | explanation=SI = PRT/100 = 34076×6×1/100 = █2044.

id=43130 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48927 at 6% per annum for 3 years. | option_a=57733 | option_b=8906 | option_c=8706 | option_d=8806 | answer=D | explanation=SI = PRT/100 = 48927×6×3/100 = █8806.

id=43131 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=43132 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2680. If it is sold at a profit of 30%, what is its selling price? | option_a=2710 | option_b=3216 | option_c=3752 | option_d=3484 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2680 × 130/100 = █3484.

id=43133 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:6 and the first is 140, what is the second? | option_a=62 | option_b=42 | option_c=182 | option_d=36 | answer=B | explanation=Scale factor = 140/20 = 7. Therefore second quantity = 6×7 = 42.

id=43134 | topic=Percentages | difficulty=Easy | question=What is 20% of 1000? | option_a=180 | option_b=210 | option_c=400 | option_d=200 | answer=D | explanation=20% of 1000 = (20/100) × 1000 = 200.

id=43135 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1128. If it is sold at a profit of 25%, what is its selling price? | option_a=1522 | option_b=1410 | option_c=1298 | option_d=1153 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1128 × 125/100 = █1410.

id=43136 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=43137 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=52 | option_b=64 | option_c=65 | option_d=76 | answer=B | explanation=The common difference is 12. Therefore the next term is 52 + 12 = 64.

id=43138 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=20 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=43139 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1711. If it is sold at a profit of 20%, what is its selling price? | option_a=2224 | option_b=1731 | option_c=1882 | option_d=2053 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1711 × 120/100 = █2053.

id=43140 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=B | option_b=M | option_c=R | option_d=W | answer=D | explanation=Move 5 positions forward from R; the resulting letter is W.

Aptitude Questions — Records 43,141-43,170 of 100,000

id=43141 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=43142 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=43143 | topic=Profit & Loss | difficulty=Easy | question=An article costs █198. If it is sold at a profit of 50%, what is its selling price? | option_a=248 | option_b=316 | option_c=297 | option_d=278 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 198 × 150/100 = █297.

id=43144 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 17, 23, 32? | option_a=11 | option_b=32 | option_c=23 | option_d=17 | answer=B | explanation=The first three numbers increase by 6, so the next should be 29. Therefore 32 is the odd one out.

id=43145 | topic=Averages | difficulty=Easy | question=Find the average of 25, 22, 65, 52, 15, 25, 20. | option_a=33 | option_b=34 | option_c=32 | option_d=31 | answer=C | explanation=Average = sum of values ÷ number of values = 224 ÷ 7 = 32.

id=43146 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:13 and the first is 28, what is the second? | option_a=40 | option_b=54 | option_c=26 | option_d=13 | answer=C | explanation=Scale factor = 28/14 = 2. Therefore second quantity = 13×2 = 26.

id=43147 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=40 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=43148 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=46 | option_b=53 | option_c=47 | option_d=39 | answer=A | explanation=The common difference is 7. Therefore the next term is 39 + 7 = 46.

id=43149 | topic=Percentages | difficulty=Easy | question=What is 15% of 231? | option_a=68 | option_b=34 | option_c=54 | option_d=29 | answer=B | explanation=15% of 231 = (15/100) × 231 = 34.

id=43150 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=27 | option_b=31 | option_c=30 | option_d=33 | answer=C | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.

id=43151 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 16, 19, 25? | option_a=19 | option_b=13 | option_c=25 | option_d=16 | answer=C | explanation=The first three numbers increase by 3, so the next should be 22. Therefore 25 is the odd one out.

id=43152 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=22 | option_b=32 | option_c=27 | option_d=28 | answer=C | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.

id=43153 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=43154 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=43155 | topic=Averages | difficulty=Easy | question=Find the average of 44, 73, 23, 48, 47. | option_a=48 | option_b=49 | option_c=47 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 235 ÷ 5 = 47.

id=43156 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=41 | option_b=40 | option_c=46 | option_d=34 | answer=B | explanation=The common difference is 6. Therefore the next term is 34 + 6 = 40.

id=43157 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=43158 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3971. If it is sold at a profit of 25%, what is its selling price? | option_a=4963 | option_b=4566 | option_c=5360 | option_d=3996 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3971 × 125/100 = █4963.

id=43159 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=36 | option_b=31 | option_c=26 | option_d=32 | answer=B | explanation=The common difference is 5. Therefore the next term is 26 + 5 = 31.

id=43160 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=J | option_b=L | option_c=P | option_d=N | answer=D | explanation=Move 2 positions forward from L; the resulting letter is N.

id=43161 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 6. | option_a=78 | option_b=112 | option_c=168 | option_d=84 | answer=D | explanation=LCM × HCF = 28×6; HCF(28,6) = 2, so LCM = 84.

id=43162 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1646. If it is sold at a profit of 20%, what is its selling price? | option_a=1811 | option_b=2139 | option_c=1666 | option_d=1975 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1646 × 120/100 = █1975.

id=43163 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:13 and the first is 104, what is the second? | option_a=208 | option_b=104 | option_c=91 | option_d=117 | answer=B | explanation=Scale factor = 104/13 = 8. Therefore second quantity = 13×8 = 104.

id=43164 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=23 | option_c=36 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=43165 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=O | option_c=T | option_d=E | answer=B | explanation=Move 5 positions forward from J; the resulting letter is O.

id=43166 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 38? | option_a=31 | option_b=26 | option_c=21 | option_d=38 | answer=D | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 38 is the odd one out.

id=43167 | topic=Averages | difficulty=Easy | question=Find the average of 31, 67, 42, 70, 80. | option_a=58 | option_b=57 | option_c=59 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 290 ÷ 5 = 58.

id=43168 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=26 | option_b=23 | option_c=25 | option_d=27 | answer=C | explanation=The common difference is 2. Therefore the next term is 23 + 2 = 25.

id=43169 | topic=Averages | difficulty=Easy | question=Find the average of 64, 79, 85. | option_a=76 | option_b=78 | option_c=75 | option_d=77 | answer=A | explanation=Average = sum of values ÷ number of values = 228 ÷ 3 = 76.

id=43170 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:4 and the first is 80, what is the second? | option_a=16 | option_b=20 | option_c=36 | option_d=100 | answer=B | explanation=Scale factor = 80/16 = 5. Therefore second quantity = 4×5 = 20.

Aptitude Questions — Records 43,171-43,200 of 100,000

id=43171 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=X | option_b=V | option_c=R | option_d=T | answer=B | explanation=Move 2 positions forward from T; the resulting letter is V.

id=43172 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=43173 | topic=Averages | difficulty=Easy | question=Find the average of 54, 50, 66, 11, 16, 88, 51, 54, 62, 48. | option_a=51 | option_b=52 | option_c=50 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{500}{10} = 50$.

id=43174 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1224. If it is sold at a profit of 25%, what is its selling price? | option_a=1408 | option_b=1530 | option_c=1652 | option_d=1249 | answer=B | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 1224 \times \frac{125}{100} = \text{█}1530$.

id=43175 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 28, 32, 39? | option_a=28 | option_b=32 | option_c=24 | option_d=39 | answer=D | explanation=The first three numbers increase by 4, so the next should be 36. Therefore 39 is the odd one out.

id=43176 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=35 | option_b=28 | option_c=34 | option_d=40 | answer=C | explanation=The common difference is 6. Therefore the next term is $28 + 6 = 34$.

id=43177 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=23 | option_c=36 | option_d=13 | answer=A | explanation=Speed = distance ÷ time = $\frac{90}{5} = 18$ km/h.

id=43178 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:9 and the first is 32, what is the second? | option_a=36 | option_b=68 | option_c=27 | option_d=44 | answer=A | explanation=Scale factor = $\frac{32}{8} = 4$. Therefore second quantity = $9 \times 4 = 36$.

id=43179 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=46 | option_b=54 | option_c=47 | option_d=38 | answer=A | explanation=The common difference is 8. Therefore the next term is $38 + 8 = 46$.

id=43180 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=43181 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48241 at 12% per annum for 3 years. | option_a=17266 | option_b=17366 | option_c=17466 | option_d=65607 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{48241 \times 12 \times 3}{100} = \text{█}17366$.

id=43182 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=43183 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29949 at 6% per annum for 4 years. | option_a=37136 | option_b=7087 | option_c=7187 | option_d=7287 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{29949 \times 6 \times 4}{100} = \text{█}7187$.

id=43184 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=43185 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 19, 29, 40? | option_a=9 | option_b=40 | option_c=29 | option_d=19 | answer=B | explanation=The first three numbers increase by 10, so the next should be 39. Therefore 40 is the odd one out.

id=43186 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 16. | option_a=1 | option_b=256 | option_c=16 | option_d=32 | answer=C | explanation= $LCM \times HCF = 16 \times 16$; $HCF(16,16) = 16$, so $LCM = 16$.

id=43187 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=E | option_c=H | option_d=G | answer=D | explanation=Move 1 positions forward from F; the resulting letter is G.

id=43188 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=B | option_b=N | option_c=F | option_d=J | answer=D | explanation=Move 4 positions forward from F; the resulting letter is J.

id=43189 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22665 at 4% per annum for 3 years. | option_a=2619 | option_b=25384 | option_c=2719 | option_d=2819 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{22665 \times 4 \times 3}{100} = \text{█}2719$.

id=43190 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39540 at 15% per annum for 3 years. | option_a=17893 | option_b=17793 | option_c=57333 | option_d=17693 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{39540 \times 15 \times 3}{100} = \text{█}17793$.

id=43191 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3808. If it is sold at a profit of 50%, what is its selling price? | option_a=5712 | option_b=3858 | option_c=5332 | option_d=6092 | answer=A | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 3808 \times \frac{150}{100} = \text{█}5712$.

id=43192 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 3. | option_a=36 | option_b=15 | option_c=18 | option_d=54 | answer=C | explanation= $LCM \times HCF = 18 \times 3$; $HCF(18,3) = 3$, so $LCM = 18$.

id=43193 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41221 at 12% per annum for 3 years. | option_a=14939 | option_b=14739 | option_c=14839 | option_d=56060 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{41221 \times 12 \times 3}{100} = \text{█}14839$.

id=43194 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=B | option_c=A | option_d=C | answer=D | explanation=Move 1 positions forward from B; the resulting letter is C.

id=43195 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=43196 | topic=Averages | difficulty=Easy | question=Find the average of 66, 40, 28, 44, 41, 27. | option_a=40 | option_b=42 | option_c=41 | option_d=43 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{246}{6} = 41$.

id=43197 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 26. | option_a=168 | option_b=312 | option_c=130 | option_d=156 | answer=D | explanation= $LCM \times HCF = 12 \times 26$; $HCF(12,26) = 2$, so $LCM = 156$.

id=43198 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 24, 34, 47? | option_a=34 | option_b=14 | option_c=47 | option_d=24 | answer=C | explanation=The first three numbers increase by 10, so the next should be 44. Therefore 47 is the odd one out.

id=43199 | topic=Percentages | difficulty=Easy | question=What is 15% of 1730? | option_a=259 | option_b=269 | option_c=254 | option_d=518 | answer=A | explanation= $15\% \text{ of } 1730 = (\frac{15}{100}) \times 1730 = 259$.

id=43200 | topic=Number System | difficulty=Easy | question=Find the LCM of 23 and 23. | option_a=46 | option_b=1 | option_c=529 | option_d=23 | answer=D | explanation= $LCM \times HCF = 23 \times 23$; $HCF(23,23) = 23$, so $LCM = 23$.

Aptitude Questions — Records 43,201-43,230 of 100,000

id=43201 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 15? | option_a=15 | option_b=8 | option_c=5 | option_d=11 | answer=A | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 15 is the odd one out.

id=43202 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 5. | option_a=60 | option_b=150 | option_c=30 | option_d=25 | answer=C | explanation=LCM × HCF = 30×5; HCF(30,5) = 5, so LCM = 30.

id=43203 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2886. If it is sold at a profit of 20%, what is its selling price? | option_a=3751 | option_b=3175 | option_c=3463 | option_d=2906 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2886 × 120/100 = **₹**3463.

id=43204 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:17 and the first is 208, what is the second? | option_a=204 | option_b=237 | option_c=221 | option_d=429 | answer=C | explanation=Scale factor = 208/16 = 13. Therefore second quantity = 17×13 = 221.

id=43205 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 48? | option_a=37 | option_b=27 | option_c=48 | option_d=17 | answer=C | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 48 is the odd one out.

id=43206 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:3 and the first is 112, what is the second? | option_a=50 | option_b=42 | option_c=39 | option_d=154 | answer=B | explanation=Scale factor = 112/8 = 14. Therefore second quantity = 3×14 = 42.

id=43207 | topic=Percentages | difficulty=Easy | question=What is 15% of 972? | option_a=140 | option_b=165 | option_c=145 | option_d=290 | answer=C | explanation=15% of 972 = (15/100) × 972 = 145.

id=43208 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**43310 at 15% per annum for 1 years. | option_a=6396 | option_b=6596 | option_c=49806 | option_d=6496 | answer=D | explanation=SI = PRT/100 = 43310×15×1/100 = **₹**6496.

id=43209 | topic=Averages | difficulty=Easy | question=Find the average of 35, 14, 26, 62, 90, 36, 47, 90, 86. | option_a=54 | option_b=53 | option_c=56 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 486 ÷ 9 = 54.

id=43210 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=50 | option_b=61 | option_c=51 | option_d=39 | answer=A | explanation=The common difference is 11. Therefore the next term is 39 + 11 = 50.

id=43211 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=41 | option_b=36 | option_c=29 | option_d=35 | answer=D | explanation=The common difference is 6. Therefore the next term is 29 + 6 = 35.

id=43212 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=E | option_b=G | option_c=K | option_d=I | answer=D | explanation=Move 2 positions forward from G; the resulting letter is I.

id=43213 | topic=Averages | difficulty=Easy | question=Find the average of 24, 19, 40, 13, 64, 26. | option_a=32 | option_b=30 | option_c=33 | option_d=31 | answer=D | explanation=Average = sum of values ÷ number of values = 186 ÷ 6 = 31.

id=43214 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=24 | option_b=16 | option_c=20 | option_d=21 | answer=C | explanation=The common difference is 4. Therefore the next term is 16 + 4 = 20.

id=43215 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**5686 at 8% per annum for 1 years. | option_a=354 | option_b=454 | option_c=6140 | option_d=554 | answer=B | explanation=SI = PRT/100 = 5686×8×1/100 = **₹**454.

id=43216 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=43217 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 5, 8, 13? | option_a=2 | option_b=5 | option_c=8 | option_d=13 | answer=D | explanation=The first three numbers increase by 3, so the next should be 11. Therefore 13 is the odd one out.

id=43218 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=48 | option_c=96 | option_d=53 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=43219 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 36, 44, 53? | option_a=53 | option_b=36 | option_c=28 | option_d=44 | answer=A | explanation=The first three numbers increase by 8, so the next should be 52. Therefore 53 is the odd one out.

id=43220 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=43221 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=24 | option_c=19 | option_d=29 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=43222 | topic=Averages | difficulty=Easy | question=Find the average of 11, 33, 96, 47, 16, 86, 26. | option_a=44 | option_b=47 | option_c=45 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 315 ÷ 7 = 45.

id=43223 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2927. If it is sold at a profit of 50%, what is its selling price? | option_a=4390 | option_b=4098 | option_c=4682 | option_d=2977 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2927 × 150/100 = **₹**4390.

id=43224 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3187. If it is sold at a profit of 40%, what is its selling price? | option_a=4779 | option_b=4461 | option_c=4143 | option_d=3227 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3187 × 140/100 = **₹**4461.

id=43225 | topic=Averages | difficulty=Easy | question=Find the average of 26, 55, 79, 14, 18, 38, 97, 26, 79. | option_a=48 | option_b=50 | option_c=47 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 432 ÷ 9 = 48.

id=43226 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**25025 at 6% per annum for 4 years. | option_a=5906 | option_b=31031 | option_c=6006 | option_d=6106 | answer=C | explanation=SI = PRT/100 = 25025×6×4/100 = **₹**6006.

id=43227 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=43228 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**41097 at 5% per annum for 4 years. | option_a=8219 | option_b=49316 | option_c=8319 | option_d=8119 | answer=A | explanation=SI = PRT/100 = 41097×5×4/100 = **₹**8219.

id=43229 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 37, 44, 54? | option_a=30 | option_b=44 | option_c=54 | option_d=37 | answer=C | explanation=The first three numbers increase by 7, so the next should be 51. Therefore 54 is the odd one out.

id=43230 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 43,231-43,260 of 100,000

id=43231 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:2 and the first is 204, what is the second? | option_a=34 | option_b=238 | option_c=46 | option_d=32 | answer=A | explanation=Scale factor = 204/12 = 17. Therefore second quantity = 2×17 = 34.

id=43232 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■8895 at 5% per annum for 2 years. | option_a=889 | option_b=989 | option_c=9784 | option_d=789 | answer=A | explanation=SI = PRT/100 = 8895×5×2/100 = ■889.

id=43233 | topic=Averages | difficulty=Easy | question=Find the average of 45, 80, 68, 80, 57. | option_a=68 | option_b=66 | option_c=67 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 330 ÷ 5 = 66.

id=43234 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=29 | option_c=24 | option_d=19 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=43235 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=43236 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2089. If it is sold at a profit of 20%, what is its selling price? | option_a=2506 | option_b=2109 | option_c=2714 | option_d=2298 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2089 × 120/100 = ■2506.

id=43237 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 26, 29, 34? | option_a=23 | option_b=29 | option_c=34 | option_d=26 | answer=C | explanation=The first three numbers increase by 3, so the next should be 32. Therefore 34 is the odd one out.

id=43238 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14512 at 5% per annum for 2 years. | option_a=1451 | option_b=1351 | option_c=1551 | option_d=15963 | answer=A | explanation=SI = PRT/100 = 14512×5×2/100 = ■1451.

id=43239 | topic=Number System | difficulty=Easy | question=Find the LCM of 11 and 22. | option_a=22 | option_b=242 | option_c=1 | option_d=33 | answer=A | explanation=LCM × HCF = 11×22; HCF(11,22) = 11, so LCM = 22.

id=43240 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=35 | option_b=32 | option_c=33 | option_d=29 | answer=B | explanation=The common difference is 3. Therefore the next term is 29 + 3 = 32.

id=43241 | topic=Averages | difficulty=Easy | question=Find the average of 33, 83, 47, 49, 97, 45. | option_a=59 | option_b=58 | option_c=60 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.

id=43242 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 7, 12, 18? | option_a=7 | option_b=12 | option_c=2 | option_d=18 | answer=D | explanation=The first three numbers increase by 5, so the next should be 17. Therefore 18 is the odd one out.

id=43243 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■6108 at 6% per annum for 4 years. | option_a=1565 | option_b=1465 | option_c=7573 | option_d=1365 | answer=B | explanation=SI = PRT/100 = 6108×6×4/100 = ■1465.

id=43244 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=43245 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=J | option_c=P | option_d=S | answer=C | explanation=Move 3 positions forward from M; the resulting letter is P.

id=43246 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3996. If it is sold at a profit of 25%, what is its selling price? | option_a=4995 | option_b=5394 | option_c=4021 | option_d=4596 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3996 × 125/100 = ■4995.

id=43247 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 22. | option_a=120 | option_b=110 | option_c=220 | option_d=88 | answer=B | explanation=LCM × HCF = 10×22; HCF(10,22) = 2, so LCM = 110.

id=43248 | topic=Averages | difficulty=Easy | question=Find the average of 45, 45, 89, 25. | option_a=53 | option_b=52 | option_c=51 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 204 ÷ 4 = 51.

id=43249 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 18, 23, 28, ? | option_a=33 | option_b=34 | option_c=28 | option_d=38 | answer=A | explanation=The common difference is 5. Therefore the next term is 28 + 5 = 33.

id=43250 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:8 and the first is 70, what is the second? | option_a=56 | option_b=66 | option_c=48 | option_d=126 | answer=D | explanation=Scale factor = 70/10 = 7. Therefore second quantity = 8×7 = 56.

id=43251 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:18 and the first is 140, what is the second? | option_a=266 | option_b=108 | option_c=126 | option_d=146 | answer=C | explanation=Scale factor = 140/20 = 7. Therefore second quantity = 18×7 = 126.

id=43252 | topic=Averages | difficulty=Easy | question=Find the average of 93, 31, 63, 13. | option_a=52 | option_b=50 | option_c=51 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 200 ÷ 4 = 50.

id=43253 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=20 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=43254 | topic=Number System | difficulty=Easy | question=Find the LCM of 19 and 19. | option_a=19 | option_b=1 | option_c=361 | option_d=38 | answer=A | explanation=LCM × HCF = 19×19; HCF(19,19) = 19, so LCM = 19.

id=43255 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=38 | option_b=47 | option_c=46 | option_d=54 | answer=C | explanation=The common difference is 8. Therefore the next term is 38 + 8 = 46.

id=43256 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=45 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=43257 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 4. | option_a=112 | option_b=24 | option_c=28 | option_d=56 | answer=C | explanation=LCM × HCF = 28×4; HCF(28,4) = 4, so LCM = 28.

id=43258 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=43259 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:13 and the first is 266, what is the second? | option_a=448 | option_b=169 | option_c=201 | option_d=182 | answer=D | explanation=Scale factor = 266/19 = 14. Therefore second quantity = 13×14 = 182.

id=43260 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2406. If it is sold at a profit of 25%, what is its selling price? | option_a=3247 | option_b=3007 | option_c=2431 | option_d=2767 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2406 × 125/100 = ■3007.

Aptitude Questions — Records 43,261-43,290 of 100,000

id=43261 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**929. If it is sold at a profit of 50%, what is its selling price? | option_a=1301 | option_b=979 | option_c=1485 | option_d=1393 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 929 × 150/100 = **₹**1393.

id=43262 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=50 | option_b=63 | option_c=62 | option_d=74 | answer=C | explanation=The common difference is 12. Therefore the next term is 50 + 12 = 62.

id=43263 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=45 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=43264 | topic=Percentages | difficulty=Easy | question=What is 20% of 1161? | option_a=242 | option_b=464 | option_c=212 | option_d=232 | answer=D | explanation=20% of 1161 = (20/100) × 1161 = 232.

id=43265 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:20 and the first is 12, what is the second? | option_a=241 | option_b=240 | option_c=252 | option_d=220 | answer=B | explanation=Scale factor = 12/1 = 12. Therefore second quantity = 20×12 = 240.

id=43266 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=5 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=43267 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 21. | option_a=378 | option_b=144 | option_c=105 | option_d=126 | answer=D | explanation=LCM × HCF = 18×21; HCF(18,21) = 3, so LCM = 126.

id=43268 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 28, 33, 41? | option_a=23 | option_b=28 | option_c=41 | option_d=33 | answer=C | explanation=The first three numbers increase by 5, so the next should be 38. Therefore 41 is the odd one out.

id=43269 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3991. If it is sold at a profit of 20%, what is its selling price? | option_a=4011 | option_b=5188 | option_c=4390 | option_d=4789 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3991 × 120/100 = **₹**4789.

id=43270 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=7 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=43271 | topic=Averages | difficulty=Easy | question=Find the average of 30, 55, 75, 32, 75, 66, 45. | option_a=53 | option_b=56 | option_c=55 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

id=43272 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**10402 at 4% per annum for 3 years. | option_a=1348 | option_b=1248 | option_c=11650 | option_d=1148 | answer=B | explanation=SI = PRT/100 = 10402×4×3/100 = **₹**1248.

id=43273 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=43274 | topic=Percentages | difficulty=Easy | question=What is 50% of 186? | option_a=186 | option_b=113 | option_c=93 | option_d=73 | answer=C | explanation=50% of 186 = (50/100) × 186 = 93.

id=43275 | topic=Averages | difficulty=Easy | question=Find the average of 83, 48, 63, 46, 67, 95. | option_a=68 | option_b=66 | option_c=67 | option_d=69 | answer=C | explanation=Average = sum of values ÷ number of values = 402 ÷ 6 = 67.

id=43276 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=13 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=43277 | topic=Percentages | difficulty=Easy | question=What is 30% of 164? | option_a=49 | option_b=59 | option_c=39 | option_d=98 | answer=A | explanation=30% of 164 = (30/100) × 164 = 49.

id=43278 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**16079 at 8% per annum for 1 years. | option_a=1386 | option_b=1286 | option_c=17365 | option_d=1186 | answer=B | explanation=SI = PRT/100 = 16079×8×1/100 = **₹**1286.

id=43279 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 15. | option_a=60 | option_b=30 | option_c=450 | option_d=15 | answer=B | explanation=LCM × HCF = 30×15; HCF(30,15) = 15, so LCM = 30.

id=43280 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=43281 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=95 | option_c=90 | option_d=180 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=43282 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 46? | option_a=25 | option_b=46 | option_c=31 | option_d=37 | answer=B | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 46 is the odd one out.

id=43283 | topic=Percentages | difficulty=Easy | question=What is 12% of 607? | option_a=67 | option_b=77 | option_c=72 | option_d=144 | answer=C | explanation=12% of 607 = (12/100) × 607 = 72.

id=43284 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4827. If it is sold at a profit of 30%, what is its selling price? | option_a=4857 | option_b=5793 | option_c=6275 | option_d=6757 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4827 × 130/100 = **₹**6275.

id=43285 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 27, 30, 35? | option_a=27 | option_b=35 | option_c=24 | option_d=30 | answer=B | explanation=The first three numbers increase by 3, so the next should be 33. Therefore 35 is the odd one out.

id=43286 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=43287 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:11 and the first is 20, what is the second? | option_a=99 | option_b=110 | option_c=130 | option_d=112 | answer=B | explanation=Scale factor = 20/2 = 10. Therefore second quantity = 11×10 = 110.

id=43288 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 38? | option_a=26 | option_b=31 | option_c=21 | option_d=38 | answer=D | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 38 is the odd one out.

id=43289 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=77 | option_c=144 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=43290 | topic=Averages | difficulty=Easy | question=Find the average of 29, 38, 58, 44, 81, 34, 71, 101. | option_a=59 | option_b=56 | option_c=58 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

Aptitude Questions — Records 43,291-43,320 of 100,000

id=43291 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30420 at 10% per annum for 2 years. | option_a=5984 | option_b=36504 | option_c=6184 | option_d=6084 | answer=D | explanation=SI = PRT/100 = 30420×10×2/100 = **■**6084.

id=43292 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17665 at 15% per annum for 3 years. | option_a=7949 | option_b=7849 | option_c=8049 | option_d=25614 | answer=A | explanation=SI = PRT/100 = 17665×15×3/100 = **■**7949.

id=43293 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does "T" become? | option_a=U | option_b=V | option_c=T | option_d=S | answer=A | explanation=Move 1 positions forward from T; the resulting letter is U.

id=43294 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33448 at 6% per annum for 5 years. | option_a=43482 | option_b=10034 | option_c=10134 | option_d=9934 | answer=B | explanation=SI = PRT/100 = 33448×6×5/100 = **■**10034.

id=43295 | topic=Averages | difficulty=Easy | question=Find the average of 23, 39, 44, 70, 32, 68. | option_a=46 | option_b=47 | option_c=45 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = 276 ÷ 6 = 46.

id=43296 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1486. If it is sold at a profit of 25%, what is its selling price? | option_a=1857 | option_b=1709 | option_c=1511 | option_d=2005 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1486 × 125/100 = **■**1857.

id=43297 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 18. | option_a=162 | option_b=27 | option_c=18 | option_d=1 | answer=C | explanation=LCM × HCF = 9×18; HCF(9,18) = 9, so LCM = 18.

id=43298 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29841 at 15% per annum for 3 years. | option_a=13328 | option_b=43269 | option_c=13428 | option_d=13528 | answer=C | explanation=SI = PRT/100 = 29841×15×3/100 = **■**13428.

id=43299 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 16, 19, 25? | option_a=25 | option_b=19 | option_c=13 | option_d=16 | answer=A | explanation=The first three numbers increase by 3, so the next should be 22. Therefore 25 is the odd one out.

id=43300 | topic=Percentages | difficulty=Easy | question=What is 10% of 693? | option_a=64 | option_b=69 | option_c=138 | option_d=89 | answer=B | explanation=10% of 693 = (10/100) × 693 = 69.

id=43301 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does "E" become? | option_a=K | option_b=B | option_c=H | option_d=E | answer=C | explanation=Move 3 positions forward from E; the resulting letter is H.

id=43302 | topic=Percentages | difficulty=Easy | question=What is 25% of 596? | option_a=154 | option_b=149 | option_c=298 | option_d=144 | answer=B | explanation=25% of 596 = (25/100) × 596 = 149.

id=43303 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=41 | option_b=40 | option_c=47 | option_d=33 | answer=B | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.

id=43304 | topic=Averages | difficulty=Easy | question=Find the average of 27, 98, 84, 94, 52. | option_a=70 | option_b=73 | option_c=72 | option_d=71 | answer=D | explanation=Average = sum of values ÷ number of values = 355 ÷ 5 = 71.

id=43305 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8832 at 12% per annum for 5 years. | option_a=14131 | option_b=5299 | option_c=5199 | option_d=5399 | answer=B | explanation=SI = PRT/100 = 8832×12×5/100 = **■**5299.

id=43306 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3843. If it is sold at a profit of 20%, what is its selling price? | option_a=4227 | option_b=4611 | option_c=4995 | option_d=3863 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3843 × 120/100 = **■**4611.

id=43307 | topic=Percentages | difficulty=Easy | question=What is 30% of 190? | option_a=114 | option_b=67 | option_c=52 | option_d=57 | answer=D | explanation=30% of 190 = (30/100) × 190 = 57.

id=43308 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=43309 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:9 and the first is 80, what is the second? | option_a=116 | option_b=36 | option_c=56 | option_d=27 | answer=B | explanation=Scale factor = 80/20 = 4. Therefore second quantity = 9×4 = 36.

id=43310 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 56? | option_a=37 | option_b=56 | option_c=45 | option_d=29 | answer=B | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 56 is the odd one out.

id=43311 | topic=Percentages | difficulty=Easy | question=What is 15% of 1690? | option_a=248 | option_b=506 | option_c=273 | option_d=253 | answer=D | explanation=15% of 1690 = (15/100) × 1690 = 253.

id=43312 | topic=Averages | difficulty=Easy | question=Find the average of 10, 88, 38, 88. | option_a=58 | option_b=57 | option_c=56 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 224 ÷ 4 = 56.

id=43313 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27248 at 12% per annum for 5 years. | option_a=43596 | option_b=16348 | option_c=16448 | option_d=16248 | answer=B | explanation=SI = PRT/100 = 27248×12×5/100 = **■**16348.

id=43314 | topic=Percentages | difficulty=Easy | question=What is 40% of 293? | option_a=107 | option_b=234 | option_c=117 | option_d=127 | answer=C | explanation=40% of 293 = (40/100) × 293 = 117.

id=43315 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:7 and the first is 285, what is the second? | option_a=126 | option_b=148 | option_c=133 | option_d=418 | answer=C | explanation=Scale factor = 285/15 = 19. Therefore second quantity = 7×19 = 133.

id=43316 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does "P" become? | option_a=S | option_b=M | option_c=P | option_d=V | answer=A | explanation=Move 3 positions forward from P; the resulting letter is S.

id=43317 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does "E" become? | option_a=J | option_b=E | option_c=O | option_d=Z | answer=A | explanation=Move 5 positions forward from E; the resulting letter is J.

id=43318 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=90 | option_c=95 | option_d=180 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=43319 | topic=Averages | difficulty=Easy | question=Find the average of 46, 41, 95, 69, 20, 28, 30, 46, 85, 100. | option_a=56 | option_b=58 | option_c=55 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 560 ÷ 10 = 56.

id=43320 | topic=Percentages | difficulty=Easy | question=What is 20% of 624? | option_a=119 | option_b=134 | option_c=124 | option_d=248 | answer=C | explanation=20% of 624 = (20/100) × 624 = 124.

Aptitude Questions — Records 43,321-43,350 of 100,000

id=43321 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=45 | option_b=53 | option_c=46 | option_d=37 | answer=A | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=43322 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=43323 | topic=Averages | difficulty=Easy | question=Find the average of 41, 100, 27. | option_a=57 | option_b=55 | option_c=56 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 168 ÷ 3 = 56.

id=43324 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 45? | option_a=38 | option_b=32 | option_c=45 | option_d=26 | answer=C | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 45 is the odd one out.

id=43325 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3750. If it is sold at a profit of 30%, what is its selling price? | option_a=4500 | option_b=5250 | option_c=3780 | option_d=4875 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3750 × 130/100 = █4875.

id=43326 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:15 and the first is 26, what is the second? | option_a=221 | option_b=197 | option_c=180 | option_d=195 | answer=D | explanation=Scale factor = 26/2 = 13. Therefore second quantity = 15×13 = 195.

id=43327 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=43328 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 4. | option_a=6 | option_b=4 | option_c=8 | option_d=1 | answer=B | explanation=LCM × HCF = 2×4; HCF(2,4) = 2, so LCM = 4.

id=43329 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=43330 | topic=Percentages | difficulty=Easy | question=What is 50% of 1380? | option_a=710 | option_b=690 | option_c=1380 | option_d=685 | answer=B | explanation=50% of 1380 = (50/100) × 1380 = 690.

id=43331 | topic=Averages | difficulty=Easy | question=Find the average of 37, 57, 26, 96, 19, 90, 32, 83. | option_a=54 | option_b=55 | option_c=56 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 440 ÷ 8 = 55.

id=43332 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23171 at 12% per annum for 1 years. | option_a=2780 | option_b=25951 | option_c=2880 | option_d=2680 | answer=A | explanation=SI = PRT/100 = 23171×12×1/100 = █2780.

id=43333 | topic=Percentages | difficulty=Easy | question=What is 50% of 972? | option_a=491 | option_b=972 | option_c=486 | option_d=466 | answer=C | explanation=50% of 972 = (50/100) × 972 = 486.

id=43334 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=Q | option_c=S | option_d=T | answer=C | explanation=Move 1 positions forward from R; the resulting letter is S.

id=43335 | topic=Averages | difficulty=Easy | question=Find the average of 28, 68, 93, 30, 73, 37, 13, 74. | option_a=53 | option_b=52 | option_c=54 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=43336 | topic=Percentages | difficulty=Easy | question=What is 25% of 1725? | option_a=436 | option_b=431 | option_c=862 | option_d=426 | answer=B | explanation=25% of 1725 = (25/100) × 1725 = 431.

id=43337 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=43338 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9596 at 10% per annum for 2 years. | option_a=1919 | option_b=2019 | option_c=11515 | option_d=1819 | answer=A | explanation=SI = PRT/100 = 9596×10×2/100 = █1919.

id=43339 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=G | option_c=F | option_d=H | answer=D | explanation=Move 1 positions forward from G; the resulting letter is H.

id=43340 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=43341 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9004 at 8% per annum for 3 years. | option_a=2160 | option_b=2060 | option_c=2260 | option_d=11164 | answer=A | explanation=SI = PRT/100 = 9004×8×3/100 = █2160.

id=43342 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 34? | option_a=27 | option_b=25 | option_c=29 | option_d=34 | answer=D | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 34 is the odd one out.

id=43343 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:19 and the first is 39, what is the second? | option_a=38 | option_b=96 | option_c=70 | option_d=57 | answer=D | explanation=Scale factor = 39/13 = 3. Therefore second quantity = 19×3 = 57.

id=43344 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=43345 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3365. If it is sold at a profit of 15%, what is its selling price? | option_a=4205 | option_b=3380 | option_c=3533 | option_d=3869 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3365 × 115/100 = █3869.

id=43346 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=A | option_b=C | option_c=D | option_d=B | answer=B | explanation=Move 1 positions forward from B; the resulting letter is C.

id=43347 | topic=Averages | difficulty=Easy | question=Find the average of 68, 97, 57. | option_a=75 | option_b=76 | option_c=73 | option_d=74 | answer=D | explanation=Average = sum of values ÷ number of values = 222 ÷ 3 = 74.

id=43348 | topic=Averages | difficulty=Easy | question=Find the average of 26, 39, 49, 46. | option_a=39 | option_b=40 | option_c=42 | option_d=41 | answer=B | explanation=Average = sum of values ÷ number of values = 160 ÷ 4 = 40.

id=43349 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=5 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=43350 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3409. If it is sold at a profit of 5%, what is its selling price? | option_a=3239 | option_b=3919 | option_c=3579 | option_d=3414 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3409 × 105/100 = █3579.

Aptitude Questions — Records 43,351-43,380 of 100,000

id=43351 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44759 at 15% per annum for 1 years. | option_a=51472 | option_b=6613 | option_c=6713 | option_d=6813 | answer=C | explanation=SI = $PRT/100 = 44759 \times 15 \times 1/100 = \text{■}6713$.

id=43352 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4822. If it is sold at a profit of 40%, what is its selling price? | option_a=6268 | option_b=7232 | option_c=6750 | option_d=4862 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4822 \times 140/100 = \text{■}6750$.

id=43353 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=53 | option_b=41 | option_c=52 | option_d=63 | answer=C | explanation=The common difference is 11. Therefore the next term is $41 + 11 = 52$.

id=43354 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=15 | option_c=20 | option_d=10 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 60 \div 6 = 10 \text{ km/h}$.

id=43355 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:11 and the first is 39, what is the second? | option_a=143 | option_b=182 | option_c=132 | option_d=146 | answer=A | explanation=Scale factor = $39/3 = 13$. Therefore second quantity = $11 \times 13 = 143$.

id=43356 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18746 at 10% per annum for 1 years. | option_a=1974 | option_b=1774 | option_c=1874 | option_d=20620 | answer=C | explanation=SI = $PRT/100 = 18746 \times 10 \times 1/100 = \text{■}1874$.

id=43357 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4422 at 6% per annum for 4 years. | option_a=1061 | option_b=5483 | option_c=1161 | option_d=961 | answer=A | explanation=SI = $PRT/100 = 4422 \times 6 \times 4/100 = \text{■}1061$.

id=43358 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=L | option_b=U | option_c=O | option_d=R | answer=D | explanation=Move 3 positions forward from O; the resulting letter is R.

id=43359 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=43360 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 20, 27, 36? | option_a=36 | option_b=20 | option_c=27 | option_d=13 | answer=A | explanation=The first three numbers increase by 7, so the next should be 34. Therefore 36 is the odd one out.

id=43361 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 6, 10, 15? | option_a=2 | option_b=15 | option_c=6 | option_d=10 | answer=B | explanation=The first three numbers increase by 4, so the next should be 14. Therefore 15 is the odd one out.

id=43362 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 12, 16, 22? | option_a=16 | option_b=22 | option_c=8 | option_d=12 | answer=B | explanation=The first three numbers increase by 4, so the next should be 20. Therefore 22 is the odd one out.

id=43363 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32814 at 10% per annum for 5 years. | option_a=49221 | option_b=16507 | option_c=16307 | option_d=16407 | answer=D | explanation=SI = $PRT/100 = 32814 \times 10 \times 5/100 = \text{■}16407$.

id=43364 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=40 | option_b=34 | option_c=26 | option_d=33 | answer=D | explanation=The common difference is 7. Therefore the next term is $26 + 7 = 33$.

id=43365 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 27, 32, 39? | option_a=27 | option_b=22 | option_c=39 | option_d=32 | answer=C | explanation=The first three numbers increase by 5, so the next should be 37. Therefore 39 is the odd one out.

id=43366 | topic=Percentages | difficulty=Easy | question=What is 20% of 741? | option_a=148 | option_b=168 | option_c=128 | option_d=296 | answer=A | explanation=20% of 741 = $(20/100) \times 741 = 148$.

id=43367 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43414 at 10% per annum for 2 years. | option_a=8682 | option_b=8582 | option_c=8782 | option_d=52096 | answer=A | explanation=SI = $PRT/100 = 43414 \times 10 \times 2/100 = \text{■}8682$.

id=43368 | topic=Percentages | difficulty=Easy | question=What is 30% of 450? | option_a=140 | option_b=125 | option_c=135 | option_d=270 | answer=C | explanation=30% of 450 = $(30/100) \times 450 = 135$.

id=43369 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=4 | option_d=20 | answer=B | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=43370 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22980 at 10% per annum for 2 years. | option_a=27576 | option_b=4596 | option_c=4496 | option_d=4696 | answer=B | explanation=SI = $PRT/100 = 22980 \times 10 \times 2/100 = \text{■}4596$.

id=43371 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=N | option_b=B | option_c=J | option_d=F | answer=C | explanation=Move 4 positions forward from F; the resulting letter is J.

id=43372 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=57 | option_b=56 | option_c=45 | option_d=67 | answer=B | explanation=The common difference is 11. Therefore the next term is $45 + 11 = 56$.

id=43373 | topic=Percentages | difficulty=Easy | question=What is 30% of 485? | option_a=150 | option_b=125 | option_c=290 | option_d=145 | answer=D | explanation=30% of 485 = $(30/100) \times 485 = 145$.

id=43374 | topic=Percentages | difficulty=Easy | question=What is 30% of 391? | option_a=107 | option_b=122 | option_c=117 | option_d=234 | answer=C | explanation=30% of 391 = $(30/100) \times 391 = 117$.

id=43375 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28213 at 8% per annum for 4 years. | option_a=37241 | option_b=9128 | option_c=9028 | option_d=8928 | answer=C | explanation=SI = $PRT/100 = 28213 \times 8 \times 4/100 = \text{■}9028$.

id=43376 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1222. If it is sold at a profit of 25%, what is its selling price? | option_a=1649 | option_b=1527 | option_c=1247 | option_d=1405 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1222 \times 125/100 = \text{■}1527$.

id=43377 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=7 | option_c=12 | option_d=17 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 120 \div 10 = 12 \text{ km/h}$.

id=43378 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 31, 34, 40? | option_a=31 | option_b=40 | option_c=34 | option_d=28 | answer=B | explanation=The first three numbers increase by 3, so the next should be 37. Therefore 40 is the odd one out.

id=43379 | topic=Averages | difficulty=Easy | question=Find the average of 51, 37, 77, 61, 29. | option_a=53 | option_b=51 | option_c=52 | option_d=50 | answer=B | explanation=Average = $\text{sum of values} \div \text{number of values} = 255 \div 5 = 51$.

id=43380 | topic=Percentages | difficulty=Easy | question=What is 30% of 937? | option_a=562 | option_b=286 | option_c=276 | option_d=281 | answer=D | explanation=30% of 937 = $(30/100) \times 937 = 281$.

Aptitude Questions — Records 43,381-43,410 of 100,000

id=43381 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14705 at 6% per annum for 4 years. | option_a=18234 | option_b=3629 | option_c=3529 | option_d=3429 | answer=C | explanation=SI = $PRT/100 = 14705 \times 6 \times 4 / 100 =$ ■3529.

id=43382 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 10, 12, 14, ? | option_a=17 | option_b=16 | option_c=18 | option_d=14 | answer=B | explanation=The common difference is 2. Therefore the next term is $14 + 2 = 16$.

id=43383 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=I | option_b=X | option_c=S | option_d=N | answer=C | explanation=Move 5 positions forward from N; the resulting letter is S.

id=43384 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 28? | option_a=19 | option_b=15 | option_c=23 | option_d=28 | answer=D | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 28 is the odd one out.

id=43385 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 49? | option_a=19 | option_b=28 | option_c=37 | option_d=49 | answer=D | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 49 is the odd one out.

id=43386 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2611. If it is sold at a profit of 50%, what is its selling price? | option_a=2661 | option_b=4177 | option_c=3655 | option_d=3916 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2611 \times 150 / 100 =$ ■3916.

id=43387 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4868. If it is sold at a profit of 40%, what is its selling price? | option_a=4908 | option_b=6329 | option_c=6815 | option_d=7301 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4868 \times 140 / 100 =$ ■6815.

id=43388 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=15 | option_b=17 | option_c=18 | option_d=19 | answer=B | explanation=The common difference is 2. Therefore the next term is $15 + 2 = 17$.

id=43389 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 36? | option_a=25 | option_b=9 | option_c=36 | option_d=17 | answer=C | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 36 is the odd one out.

id=43390 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■20823 at 4% per annum for 1 years. | option_a=932 | option_b=732 | option_c=21655 | option_d=832 | answer=D | explanation=SI = $PRT/100 = 20823 \times 4 \times 1 / 100 =$ ■832.

id=43391 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 3. | option_a=9 | option_b=6 | option_c=18 | option_d=27 | answer=A | explanation= $LCM \times HCF = 9 \times 3$; $HCF(9, 3) = 3$, so $LCM = 9$.

id=43392 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=18 | option_b=20 | option_c=19 | option_d=16 | answer=A | explanation=The common difference is 2. Therefore the next term is $16 + 2 = 18$.

id=43393 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Y | option_b=U | option_c=Q | option_d=M | answer=B | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=43394 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 150 \div 5 = 30$ km/h.

id=43395 | topic=Averages | difficulty=Easy | question=Find the average of 79, 68, 35, 71, 53, 33, 69, 91, 32. | option_a=58 | option_b=59 | option_c=60 | option_d=61 | answer=B | explanation=Average = $\text{sum of values} \div \text{number of values} = 531 \div 9 = 59$.

id=43396 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 29, 31, 35? | option_a=35 | option_b=29 | option_c=31 | option_d=27 | answer=A | explanation=The first three numbers increase by 2, so the next should be 33. Therefore 35 is the odd one out.

id=43397 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=13 | option_d=18 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 90 \div 5 = 18$ km/h.

id=43398 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■45948 at 12% per annum for 3 years. | option_a=16441 | option_b=16541 | option_c=62489 | option_d=16641 | answer=B | explanation=SI = $PRT/100 = 45948 \times 12 \times 3 / 100 =$ ■16541.

id=43399 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=180 | option_c=185 | option_d=360 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 360 \div 2 = 180$ km/h.

id=43400 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■21331 at 4% per annum for 2 years. | option_a=1606 | option_b=23037 | option_c=1706 | option_d=1806 | answer=C | explanation=SI = $PRT/100 = 21331 \times 4 \times 2 / 100 =$ ■1706.

id=43401 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:4 and the first is 30, what is the second? | option_a=43 | option_b=70 | option_c=36 | option_d=40 | answer=D | explanation=Scale factor = $30/3 = 10$. Therefore second quantity = $4 \times 10 = 40$.

id=43402 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=B | option_c=X | option_d=P | answer=C | explanation=Move 4 positions forward from T; the resulting letter is X.

id=43403 | topic=Averages | difficulty=Easy | question=Find the average of 53, 72, 58, 68, 64, 72, 95, 87, 25. | option_a=67 | option_b=65 | option_c=68 | option_d=66 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 594 \div 9 = 66$.

id=43404 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 300 \div 10 = 30$ km/h.

id=43405 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=34 | option_b=46 | option_c=40 | option_d=41 | answer=C | explanation=The common difference is 6. Therefore the next term is $34 + 6 = 40$.

id=43406 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:11 and the first is 60, what is the second? | option_a=280 | option_b=220 | option_c=209 | option_d=223 | answer=B | explanation=Scale factor = $60/3 = 20$. Therefore second quantity = $11 \times 20 = 220$.

id=43407 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=125 | option_c=120 | option_d=240 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 360 \div 3 = 120$ km/h.

id=43408 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■716. If it is sold at a profit of 40%, what is its selling price? | option_a=756 | option_b=931 | option_c=1002 | option_d=1073 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 716 \times 140 / 100 =$ ■1002.

id=43409 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=20 | option_d=15 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 60 \div 4 = 15$ km/h.

id=43410 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4643. If it is sold at a profit of 50%, what is its selling price? | option_a=7428 | option_b=6964 | option_c=4693 | option_d=6500 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4643 \times 150 / 100 =$ ■6964.

Aptitude Questions — Records 43,411-43,440 of 100,000

id=43411 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=43412 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=43413 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 37? | option_a=37 | option_b=24 | option_c=14 | option_d=4 | answer=A | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 37 is the odd one out.

id=43414 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=S | option_b=P | option_c=M | option_d=J | answer=B | explanation=Move 3 positions forward from M; the resulting letter is P.

id=43415 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=L | option_c=R | option_d=P | answer=D | explanation=Move 2 positions forward from N; the resulting letter is P.

id=43416 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:7 and the first is 95, what is the second? | option_a=28 | option_b=54 | option_c=35 | option_d=130 | answer=C | explanation=Scale factor = 95/19 = 5. Therefore second quantity = 7×5 = 35.

id=43417 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=V | option_b=P | option_c=S | option_d=M | answer=C | explanation=Move 3 positions forward from P; the resulting letter is S.

id=43418 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4267. If it is sold at a profit of 40%, what is its selling price? | option_a=4307 | option_b=5547 | option_c=5973 | option_d=6399 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4267 × 140/100 = █5973.

id=43419 | topic=Averages | difficulty=Easy | question=Find the average of 81, 78, 41, 92, 54, 77, 80, 89. | option_a=76 | option_b=74 | option_c=73 | option_d=75 | answer=B | explanation=Average = sum of values ÷ number of values = 592 ÷ 8 = 74.

id=43420 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=105 | option_c=95 | option_d=200 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=43421 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1307. If it is sold at a profit of 10%, what is its selling price? | option_a=1307 | option_b=1567 | option_c=1317 | option_d=1437 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1307 × 110/100 = █1437.

id=43422 | topic=Percentages | difficulty=Easy | question=What is 40% of 62? | option_a=48 | option_b=14 | option_c=24 | option_d=34 | answer=C | explanation=40% of 62 = (40/100) × 62 = 24.

id=43423 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=O | option_b=P | option_c=N | option_d=M | answer=A | explanation=Move 1 positions forward from N; the resulting letter is O.

id=43424 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 26? | option_a=26 | option_b=17 | option_c=19 | option_d=21 | answer=A | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 26 is the odd one out.

id=43425 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:16 and the first is 24, what is the second? | option_a=120 | option_b=96 | option_c=80 | option_d=100 | answer=B | explanation=Scale factor = 24/4 = 6. Therefore second quantity = 16×6 = 96.

id=43426 | topic=Averages | difficulty=Easy | question=Find the average of 100, 92, 93. | option_a=95 | option_b=94 | option_c=97 | option_d=96 | answer=A | explanation=Average = sum of values ÷ number of values = 285 ÷ 3 = 95.

id=43427 | topic=Averages | difficulty=Easy | question=Find the average of 90, 45, 90, 38, 15, 21, 72. | option_a=53 | option_b=55 | option_c=52 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 371 ÷ 7 = 53.

id=43428 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:19 and the first is 80, what is the second? | option_a=270 | option_b=190 | option_c=171 | option_d=198 | answer=B | explanation=Scale factor = 80/8 = 10. Therefore second quantity = 19×10 = 190.

id=43429 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=45 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=43430 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25516 at 4% per annum for 3 years. | option_a=3161 | option_b=2961 | option_c=3061 | option_d=28577 | answer=C | explanation=SI = PRT/100 = 25516×4×3/100 = █3061.

id=43431 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:9 and the first is 88, what is the second? | option_a=63 | option_b=72 | option_c=160 | option_d=83 | answer=B | explanation=Scale factor = 88/11 = 8. Therefore second quantity = 9×8 = 72.

id=43432 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48238 at 15% per annum for 2 years. | option_a=62709 | option_b=14471 | option_c=14371 | option_d=14571 | answer=B | explanation=SI = PRT/100 = 48238×15×2/100 = █14471.

id=43433 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 22. | option_a=66 | option_b=176 | option_c=96 | option_d=88 | answer=D | explanation=LCM × HCF = 8×22; HCF(8,22) = 2, so LCM = 88.

id=43434 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1715. If it is sold at a profit of 50%, what is its selling price? | option_a=1765 | option_b=2401 | option_c=2572 | option_d=2743 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1715 × 150/100 = █2572.

id=43435 | topic=Averages | difficulty=Easy | question=Find the average of 73, 96, 78, 55, 16, 24, 90, 32. | option_a=60 | option_b=59 | option_c=57 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 464 ÷ 8 = 58.

id=43436 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1896 at 4% per annum for 1 years. | option_a=0 | option_b=1971 | option_c=175 | option_d=75 | answer=D | explanation=SI = PRT/100 = 1896×4×1/100 = █75.

id=43437 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 16, 23, 31? | option_a=23 | option_b=16 | option_c=31 | option_d=9 | answer=C | explanation=The first three numbers increase by 7, so the next should be 30. Therefore 31 is the odd one out.

id=43438 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1437. If it is sold at a profit of 15%, what is its selling price? | option_a=1795 | option_b=1509 | option_c=1652 | option_d=1452 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1437 × 115/100 = █1652.

id=43439 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=37 | option_b=53 | option_c=45 | option_d=46 | answer=C | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=43440 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 43,441-43,470 of 100,000

id=43441 | topic=Percentages | difficulty=Easy | question=What is 25% of 319? | option_a=59 | option_b=79 | option_c=158 | option_d=84 | answer=B | explanation=25% of 319 = (25/100) × 319 = 79.

id=43442 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:19 and the first is 80, what is the second? | option_a=162 | option_b=152 | option_c=133 | option_d=232 | answer=B | explanation=Scale factor = 80/10 = 8. Therefore second quantity = 19×8 = 152.

id=43443 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=43444 | topic=Averages | difficulty=Easy | question=Find the average of 64, 26, 19, 80, 26. | option_a=44 | option_b=42 | option_c=45 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = 215 ÷ 5 = 43.

id=43445 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=P | option_b=N | option_c=Q | option_d=O | answer=A | explanation=Move 1 positions forward from O; the resulting letter is P.

id=43446 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=X | option_b=J | option_c=B | option_d=F | answer=D | explanation=Move 4 positions forward from B; the resulting letter is F.

id=43447 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=43448 | topic=Profit & Loss | difficulty=Easy | question=An article costs █630. If it is sold at a profit of 15%, what is its selling price? | option_a=661 | option_b=724 | option_c=645 | option_d=787 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 630 × 115/100 = █724.

id=43449 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5034 at 8% per annum for 1 years. | option_a=402 | option_b=302 | option_c=5436 | option_d=502 | answer=A | explanation=SI = PRT/100 = 5034×8×1/100 = █402.

id=43450 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:16 and the first is 180, what is the second? | option_a=192 | option_b=372 | option_c=176 | option_d=207 | answer=A | explanation=Scale factor = 180/15 = 12. Therefore second quantity = 16×12 = 192.

id=43451 | topic=Averages | difficulty=Easy | question=Find the average of 15, 10, 54, 54, 95, 66. | option_a=48 | option_b=49 | option_c=50 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 294 ÷ 6 = 49.

id=43452 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49946 at 8% per annum for 2 years. | option_a=8091 | option_b=57937 | option_c=7891 | option_d=7991 | answer=D | explanation=SI = PRT/100 = 49946×8×2/100 = █7991.

id=43453 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 18, 24, 30, ? | option_a=30 | option_b=36 | option_c=37 | option_d=42 | answer=B | explanation=The common difference is 6. Therefore the next term is 30 + 6 = 36.

id=43454 | topic=Percentages | difficulty=Easy | question=What is 20% of 1747? | option_a=329 | option_b=698 | option_c=359 | option_d=349 | answer=D | explanation=20% of 1747 = (20/100) × 1747 = 349.

id=43455 | topic=Averages | difficulty=Easy | question=Find the average of 91, 90, 21, 34, 18, 64, 49, 45, 38. | option_a=50 | option_b=51 | option_c=52 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 450 ÷ 9 = 50.

id=43456 | topic=Averages | difficulty=Easy | question=Find the average of 45, 27, 100, 76, 47, 39, 36, 21, 58, 41. | option_a=51 | option_b=48 | option_c=49 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 490 ÷ 10 = 49.

id=43457 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:3 and the first is 143, what is the second? | option_a=176 | option_b=33 | option_c=46 | option_d=30 | answer=B | explanation=Scale factor = 143/13 = 11. Therefore second quantity = 3×11 = 33.

id=43458 | topic=Percentages | difficulty=Easy | question=What is 30% of 1097? | option_a=339 | option_b=658 | option_c=319 | option_d=329 | answer=D | explanation=30% of 1097 = (30/100) × 1097 = 329.

id=43459 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=E | option_b=K | option_c=H | option_d=N | answer=B | explanation=Move 3 positions forward from H; the resulting letter is K.

id=43460 | topic=Profit & Loss | difficulty=Easy | question=An article costs █559. If it is sold at a profit of 20%, what is its selling price? | option_a=579 | option_b=670 | option_c=725 | option_d=615 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 559 × 120/100 = █670.

id=43461 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23631 at 4% per annum for 2 years. | option_a=1990 | option_b=25521 | option_c=1790 | option_d=1890 | answer=D | explanation=SI = PRT/100 = 23631×4×2/100 = █1890.

id=43462 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1643. If it is sold at a profit of 20%, what is its selling price? | option_a=1663 | option_b=2135 | option_c=1807 | option_d=1971 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1643 × 120/100 = █1971.

id=43463 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2995. If it is sold at a profit of 10%, what is its selling price? | option_a=3294 | option_b=3005 | option_c=3593 | option_d=2995 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2995 × 110/100 = █3294.

id=43464 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=33 | option_b=39 | option_c=45 | option_d=40 | answer=B | explanation=The common difference is 6. Therefore the next term is 33 + 6 = 39.

id=43465 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=M | option_b=K | option_c=N | option_d=L | answer=A | explanation=Move 1 positions forward from L; the resulting letter is M.

id=43466 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=36 | option_b=26 | option_c=32 | option_d=31 | answer=D | explanation=The common difference is 5. Therefore the next term is 26 + 5 = 31.

id=43467 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=T | option_c=P | option_d=V | answer=B | explanation=Move 2 positions forward from R; the resulting letter is T.

id=43468 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=22 | option_b=19 | option_c=23 | option_d=25 | answer=A | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.

id=43469 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=26 | option_b=34 | option_c=40 | option_d=33 | answer=D | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

id=43470 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:16 and the first is 14, what is the second? | option_a=238 | option_b=224 | option_c=225 | option_d=208 | answer=B | explanation=Scale factor = 14/1 = 14. Therefore second quantity = 16×14 = 224.

Aptitude Questions — Records 43,471-43,500 of 100,000

id=43471 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 6. | option_a=126 | option_b=36 | option_c=42 | option_d=63 | answer=C | explanation=LCM × HCF = 21×6; HCF(21,6) = 3, so LCM = 42.

id=43472 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17525 at 5% per annum for 2 years. | option_a=1852 | option_b=19277 | option_c=1752 | option_d=1652 | answer=C | explanation=SI = $\text{PRT}/100 = 17525 \times 5 \times 2 / 100 = \text{■}$ 1752.

id=43473 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14250 at 5% per annum for 5 years. | option_a=3562 | option_b=3662 | option_c=3462 | option_d=17812 | answer=A | explanation=SI = $\text{PRT}/100 = 14250 \times 5 \times 5 / 100 = \text{■}$ 3562.

id=43474 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2943. If it is sold at a profit of 50%, what is its selling price? | option_a=4120 | option_b=2993 | option_c=4708 | option_d=4414 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 2943 \times 150 / 100 = \text{■}$ 4414.

id=43475 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:16 and the first is 12, what is the second? | option_a=60 | option_b=32 | option_c=48 | option_d=52 | answer=C | explanation=Scale factor = $12/4 = 3$. Therefore second quantity = $16 \times 3 = 48$.

id=43476 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 29, 36, 44? | option_a=44 | option_b=29 | option_c=22 | option_d=36 | answer=A | explanation=The first three numbers increase by 7, so the next should be 43. Therefore 44 is the odd one out.

id=43477 | topic=Averages | difficulty=Easy | question=Find the average of 94, 86, 69. | option_a=84 | option_b=85 | option_c=83 | option_d=82 | answer=C | explanation=Average = sum of values ÷ number of values = $249 \div 3 = 83$.

id=43478 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=O | option_b=G | option_c=C | option_d=K | answer=D | explanation=Move 4 positions forward from G; the resulting letter is K.

id=43479 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42353 at 12% per annum for 2 years. | option_a=10164 | option_b=10264 | option_c=52517 | option_d=10064 | answer=A | explanation=SI = $\text{PRT}/100 = 42353 \times 12 \times 2 / 100 = \text{■}$ 10164.

id=43480 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 39, 48, 59? | option_a=59 | option_b=30 | option_c=39 | option_d=48 | answer=A | explanation=The first three numbers increase by 9, so the next should be 57. Therefore 59 is the odd one out.

id=43481 | topic=Averages | difficulty=Easy | question=Find the average of 91, 85, 67. | option_a=82 | option_b=80 | option_c=83 | option_d=81 | answer=D | explanation=Average = sum of values ÷ number of values = $243 \div 3 = 81$.

id=43482 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 44? | option_a=44 | option_b=24 | option_c=36 | option_d=30 | answer=A | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 44 is the odd one out.

id=43483 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=59 | option_b=48 | option_c=60 | option_d=70 | answer=A | explanation=The common difference is 11. Therefore the next term is $48 + 11 = 59$.

id=43484 | topic=Averages | difficulty=Easy | question=Find the average of 12, 24, 43, 49. | option_a=31 | option_b=32 | option_c=33 | option_d=34 | answer=B | explanation=Average = sum of values ÷ number of values = $128 \div 4 = 32$.

id=43485 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 51? | option_a=51 | option_b=29 | option_c=19 | option_d=39 | answer=A | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 51 is the odd one out.

id=43486 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34076 at 10% per annum for 2 years. | option_a=6815 | option_b=6915 | option_c=6715 | option_d=40891 | answer=A | explanation=SI = $\text{PRT}/100 = 34076 \times 10 \times 2 / 100 = \text{■}$ 6815.

id=43487 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 4. | option_a=64 | option_b=12 | option_c=16 | option_d=32 | answer=C | explanation=LCM × HCF = 16×4 ; HCF(16,4) = 4, so LCM = 16.

id=43488 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:19 and the first is 176, what is the second? | option_a=190 | option_b=209 | option_c=385 | option_d=225 | answer=B | explanation=Scale factor = $176/16 = 11$. Therefore second quantity = $19 \times 11 = 209$.

id=43489 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=4 | option_d=6 | answer=A | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=43490 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=35 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = $120 \div 3 = 40$ km/h.

id=43491 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=40 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = $240 \div 6 = 40$ km/h.

id=43492 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**811. If it is sold at a profit of 50%, what is its selling price? | option_a=1135 | option_b=1297 | option_c=1216 | option_d=861 | answer=C | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 811 \times 150 / 100 = \text{■}$ 1216.

id=43493 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 5. | option_a=30 | option_b=10 | option_c=15 | option_d=75 | answer=C | explanation=LCM × HCF = 15×5 ; HCF(15,5) = 5, so LCM = 15.

id=43494 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=I | option_b=F | option_c=C | option_d=Z | answer=B | explanation=Move 3 positions forward from C; the resulting letter is F.

id=43495 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:12 and the first is 324, what is the second? | option_a=234 | option_b=204 | option_c=540 | option_d=216 | answer=D | explanation=Scale factor = $324/18 = 18$. Therefore second quantity = $12 \times 18 = 216$.

id=43496 | topic=Percentages | difficulty=Easy | question=What is 40% of 1082? | option_a=864 | option_b=432 | option_c=427 | option_d=442 | answer=B | explanation=40% of 1082 = $(40/100) \times 1082 = 432$.

id=43497 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3857. If it is sold at a profit of 10%, what is its selling price? | option_a=3857 | option_b=4242 | option_c=3867 | option_d=4627 | answer=B | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 3857 \times 110 / 100 = \text{■}$ 4242.

id=43498 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=E | option_b=Z | option_c=P | option_d=U | answer=B | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=43499 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:18 and the first is 99, what is the second? | option_a=198 | option_b=207 | option_c=297 | option_d=180 | answer=A | explanation=Scale factor = $99/9 = 11$. Therefore second quantity = $18 \times 11 = 198$.

id=43500 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38690 at 15% per annum for 4 years. | option_a=23314 | option_b=23114 | option_c=23214 | option_d=61904 | answer=C | explanation=SI = $\text{PRT}/100 = 38690 \times 15 \times 4 / 100 = \text{■}$ 23214.

Aptitude Questions — Records 43,501-43,530 of 100,000

id=43501 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=J | option_b=S | option_c=M | option_d=P | answer=D | explanation=Move 3 positions forward from M; the resulting letter is P.

id=43502 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=I | option_c=K | option_d=E | answer=B | explanation=Move 2 positions forward from G; the resulting letter is I.

id=43503 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=80 | option_c=75 | option_d=70 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=43504 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 13, 17, 23? | option_a=17 | option_b=9 | option_c=13 | option_d=23 | answer=D | explanation=The first three numbers increase by 4, so the next should be 21. Therefore 23 is the odd one out.

id=43505 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=43506 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44706 at 15% per annum for 5 years. | option_a=33629 | option_b=33429 | option_c=78235 | option_d=33529 | answer=D | explanation=SI = PRT/100 = 44706×15×5/100 = **■**33529.

id=43507 | topic=Percentages | difficulty=Easy | question=What is 25% of 396? | option_a=198 | option_b=104 | option_c=99 | option_d=89 | answer=C | explanation=25% of 396 = (25/100) × 396 = 99.

id=43508 | topic=Percentages | difficulty=Easy | question=What is 40% of 1959? | option_a=803 | option_b=1566 | option_c=783 | option_d=773 | answer=C | explanation=40% of 1959 = (40/100) × 1959 = 783.

id=43509 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35130 at 15% per annum for 1 years. | option_a=40399 | option_b=5269 | option_c=5369 | option_d=5169 | answer=B | explanation=SI = PRT/100 = 35130×15×1/100 = **■**5269.

id=43510 | topic=Percentages | difficulty=Easy | question=What is 10% of 1819? | option_a=201 | option_b=181 | option_c=161 | option_d=362 | answer=B | explanation=10% of 1819 = (10/100) × 1819 = 181.

id=43511 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=24 | option_d=29 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=43512 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41389 at 6% per annum for 3 years. | option_a=48839 | option_b=7550 | option_c=7450 | option_d=7350 | answer=C | explanation=SI = PRT/100 = 41389×6×3/100 = **■**7450.

id=43513 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=F | option_b=D | option_c=G | option_d=E | answer=A | explanation=Move 1 positions forward from E; the resulting letter is F.

id=43514 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 18. | option_a=252 | option_b=140 | option_c=126 | option_d=108 | answer=C | explanation=LCM × HCF = 14×18; HCF(14,18) = 2, so LCM = 126.

id=43515 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4472. If it is sold at a profit of 5%, what is its selling price? | option_a=4695 | option_b=4477 | option_c=5142 | option_d=4248 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4472 × 105/100 = **■**4695.

id=43516 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2480. If it is sold at a profit of 30%, what is its selling price? | option_a=3224 | option_b=3472 | option_c=2510 | option_d=2976 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2480 × 130/100 = **■**3224.

id=43517 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=24 | option_c=19 | option_d=29 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=43518 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=32 | option_b=35 | option_c=29 | option_d=33 | answer=A | explanation=The common difference is 3. Therefore the next term is 29 + 3 = 32.

id=43519 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=O | option_b=J | option_c=E | option_d=T | answer=A | explanation=Move 5 positions forward from J; the resulting letter is O.

id=43520 | topic=Percentages | difficulty=Easy | question=What is 10% of 1136? | option_a=118 | option_b=108 | option_c=113 | option_d=226 | answer=C | explanation=10% of 1136 = (10/100) × 1136 = 113.

id=43521 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=150 | option_c=145 | option_d=155 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=43522 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4193. If it is sold at a profit of 50%, what is its selling price? | option_a=5870 | option_b=6289 | option_c=6708 | option_d=4243 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4193 × 150/100 = **■**6289.

id=43523 | topic=Averages | difficulty=Easy | question=Find the average of 79, 34, 76. | option_a=64 | option_b=62 | option_c=63 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = 189 ÷ 3 = 63.

id=43524 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 29, 36, 46? | option_a=46 | option_b=22 | option_c=29 | option_d=36 | answer=A | explanation=The first three numbers increase by 7, so the next should be 43. Therefore 46 is the odd one out.

id=43525 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:20 and the first is 85, what is the second? | option_a=185 | option_b=100 | option_c=117 | option_d=80 | answer=B | explanation=Scale factor = 85/17 = 5. Therefore second quantity = 20×5 = 100.

id=43526 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4317. If it is sold at a profit of 5%, what is its selling price? | option_a=4963 | option_b=4532 | option_c=4322 | option_d=4101 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4317 × 105/100 = **■**4532.

id=43527 | topic=Averages | difficulty=Easy | question=Find the average of 31, 56, 98, 14, 20, 57. | option_a=48 | option_b=47 | option_c=45 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 276 ÷ 6 = 46.

id=43528 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 45? | option_a=35 | option_b=27 | option_c=45 | option_d=19 | answer=C | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 45 is the odd one out.

id=43529 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:6 and the first is 171, what is the second? | option_a=114 | option_b=123 | option_c=285 | option_d=108 | answer=A | explanation=Scale factor = 171/9 = 19. Therefore second quantity = 6×19 = 114.

id=43530 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45820 at 10% per annum for 4 years. | option_a=64148 | option_b=18428 | option_c=18228 | option_d=18328 | answer=D | explanation=SI = PRT/100 = 45820×10×4/100 = **■**18328.

Aptitude Questions — Records 43,531-43,560 of 100,000

id=43531 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8921 at 5% per annum for 3 years. | option_a=10259 | option_b=1238 | option_c=1438 | option_d=1338 | answer=D | explanation=SI = PRT/100 = 8921×5×3/100 = **■**1338.

id=43532 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:18 and the first is 108, what is the second? | option_a=324 | option_b=225 | option_c=216 | option_d=198 | answer=C | explanation=Scale factor = 108/9 = 12. Therefore second quantity = 18×12 = 216.

id=43533 | topic=Averages | difficulty=Easy | question=Find the average of 78, 13, 28, 52, 76, 28, 51, 82. | option_a=50 | option_b=53 | option_c=52 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 408 ÷ 8 = 51.

id=43534 | topic=Averages | difficulty=Easy | question=Find the average of 17, 42, 91, 61, 36, 30, 80. | option_a=53 | option_b=51 | option_c=52 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.

id=43535 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=27 | option_b=19 | option_c=23 | option_d=24 | answer=C | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=43536 | topic=Percentages | difficulty=Easy | question=What is 30% of 1885? | option_a=1130 | option_b=565 | option_c=545 | option_d=570 | answer=B | explanation=30% of 1885 = (30/100) × 1885 = 565.

id=43537 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 44? | option_a=33 | option_b=29 | option_c=37 | option_d=44 | answer=D | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 44 is the odd one out.

id=43538 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=41 | option_b=52 | option_c=61 | option_d=51 | answer=D | explanation=The common difference is 10. Therefore the next term is 41 + 10 = 51.

id=43539 | topic=Percentages | difficulty=Easy | question=What is 25% of 1732? | option_a=453 | option_b=866 | option_c=433 | option_d=423 | answer=C | explanation=25% of 1732 = (25/100) × 1732 = 433.

id=43540 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 31? | option_a=20 | option_b=31 | option_c=25 | option_d=15 | answer=B | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 31 is the odd one out.

id=43541 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=31 | option_b=25 | option_c=32 | option_d=37 | answer=A | explanation=The common difference is 6. Therefore the next term is 25 + 6 = 31.

id=43542 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=43543 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:14 and the first is 105, what is the second? | option_a=217 | option_b=315 | option_c=196 | option_d=210 | answer=D | explanation=Scale factor = 105/7 = 15. Therefore second quantity = 14×15 = 210.

id=43544 | topic=Percentages | difficulty=Easy | question=What is 40% of 238? | option_a=90 | option_b=190 | option_c=115 | option_d=95 | answer=D | explanation=40% of 238 = (40/100) × 238 = 95.

id=43545 | topic=Averages | difficulty=Easy | question=Find the average of 18, 66, 92, 100, 67, 91, 91. | option_a=74 | option_b=75 | option_c=76 | option_d=77 | answer=B | explanation=Average = sum of values ÷ number of values = 525 ÷ 7 = 75.

id=43546 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:20 and the first is 76, what is the second? | option_a=156 | option_b=80 | option_c=60 | option_d=99 | answer=B | explanation=Scale factor = 76/19 = 4. Therefore second quantity = 20×4 = 80.

id=43547 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=180 | option_c=95 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=43548 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 57? | option_a=46 | option_b=26 | option_c=36 | option_d=57 | answer=D | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 57 is the odd one out.

id=43549 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:8 and the first is 208, what is the second? | option_a=336 | option_b=120 | option_c=128 | option_d=141 | answer=C | explanation=Scale factor = 208/13 = 16. Therefore second quantity = 8×16 = 128.

id=43550 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=40 | option_c=80 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=43551 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3682. If it is sold at a profit of 5%, what is its selling price? | option_a=4234 | option_b=3687 | option_c=3866 | option_d=3498 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3682 × 105/100 = **■**3866.

id=43552 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**746. If it is sold at a profit of 20%, what is its selling price? | option_a=821 | option_b=766 | option_c=895 | option_d=969 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 746 × 120/100 = **■**895.

id=43553 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15079 at 15% per annum for 2 years. | option_a=4623 | option_b=4523 | option_c=4423 | option_d=19602 | answer=B | explanation=SI = PRT/100 = 15079×15×2/100 = **■**4523.

id=43554 | topic=Percentages | difficulty=Easy | question=What is 20% of 1453? | option_a=290 | option_b=300 | option_c=280 | option_d=580 | answer=A | explanation=20% of 1453 = (20/100) × 1453 = 290.

id=43555 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=26 | option_b=24 | option_c=28 | option_d=27 | answer=A | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.

id=43556 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4928 at 6% per annum for 5 years. | option_a=1578 | option_b=1478 | option_c=6406 | option_d=1378 | answer=B | explanation=SI = PRT/100 = 4928×6×5/100 = **■**1478.

id=43557 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=43558 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:16 and the first is 162, what is the second? | option_a=162 | option_b=306 | option_c=128 | option_d=144 | answer=D | explanation=Scale factor = 162/18 = 9. Therefore second quantity = 16×9 = 144.

id=43559 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**967. If it is sold at a profit of 30%, what is its selling price? | option_a=997 | option_b=1257 | option_c=1161 | option_d=1353 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 967 × 130/100 = **■**1257.

id=43560 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=62 | option_b=49 | option_c=61 | option_d=73 | answer=C | explanation=The common difference is 12. Therefore the next term is 49 + 12 = 61.

Aptitude Questions — Records 43,561-43,590 of 100,000

id=43561 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=26 | option_b=27 | option_c=22 | option_d=30 | answer=A | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.

id=43562 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:6 and the first is 45, what is the second? | option_a=75 | option_b=30 | option_c=24 | option_d=39 | answer=B | explanation=Scale factor = 45/9 = 5. Therefore second quantity = 6×5 = 30.

id=43563 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:8 and the first is 36, what is the second? | option_a=60 | option_b=24 | option_c=16 | option_d=36 | answer=B | explanation=Scale factor = 36/12 = 3. Therefore second quantity = 8×3 = 24.

id=43564 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 31, 40, 50? | option_a=22 | option_b=31 | option_c=40 | option_d=50 | answer=D | explanation=The first three numbers increase by 9, so the next should be 49. Therefore 50 is the odd one out.

id=43565 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=34 | option_b=38 | option_c=35 | option_d=30 | answer=A | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.

id=43566 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 18? | option_a=7 | option_b=18 | option_c=3 | option_d=11 | answer=B | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 18 is the odd one out.

id=43567 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16108 at 6% per annum for 5 years. | option_a=20940 | option_b=4732 | option_c=4932 | option_d=4832 | answer=D | explanation=SI = $\text{PRT}/100 = 16108 \times 6 \times 5 / 100 = \text{■}4832$.

id=43568 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 25, 34, 43, ? | option_a=52 | option_b=61 | option_c=53 | option_d=43 | answer=A | explanation=The common difference is 9. Therefore the next term is 43 + 9 = 52.

id=43569 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=T | option_b=W | option_c=V | option_d=U | answer=C | explanation=Move 1 positions forward from U; the resulting letter is V.

id=43570 | topic=Averages | difficulty=Easy | question=Find the average of 85, 94, 59, 12, 44, 84. | option_a=62 | option_b=64 | option_c=65 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 378 ÷ 6 = 63.

id=43571 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=43572 | topic=Percentages | difficulty=Easy | question=What is 15% of 389? | option_a=116 | option_b=63 | option_c=48 | option_d=58 | answer=D | explanation=15% of 389 = $(15/100) \times 389 = 58$.

id=43573 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 14. | option_a=168 | option_b=192 | option_c=336 | option_d=154 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 24 \times 14$; $\text{HCF}(24,14) = 2$, so LCM = 168.

id=43574 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:2 and the first is 200, what is the second? | option_a=50 | option_b=38 | option_c=40 | option_d=240 | answer=C | explanation=Scale factor = 200/10 = 20. Therefore second quantity = 2×20 = 40.

id=43575 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 13? | option_a=9 | option_b=5 | option_c=13 | option_d=7 | answer=C | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 13 is the odd one out.

id=43576 | topic=Percentages | difficulty=Easy | question=What is 30% of 426? | option_a=122 | option_b=147 | option_c=254 | option_d=127 | answer=D | explanation=30% of 426 = $(30/100) \times 426 = 127$.

id=43577 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=49 | option_b=37 | option_c=43 | option_d=44 | answer=C | explanation=The common difference is 6. Therefore the next term is 37 + 6 = 43.

id=43578 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=37 | option_b=29 | option_c=34 | option_d=33 | answer=D | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=43579 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=43580 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=75 | option_c=80 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=43581 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 24? | option_a=24 | option_b=17 | option_c=19 | option_d=21 | answer=A | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 24 is the odd one out.

id=43582 | topic=Percentages | difficulty=Easy | question=What is 40% of 1547? | option_a=628 | option_b=1236 | option_c=618 | option_d=598 | answer=C | explanation=40% of 1547 = $(40/100) \times 1547 = 618$.

id=43583 | topic=Averages | difficulty=Easy | question=Find the average of 88, 32, 37, 100, 10, 68, 29, 92. | option_a=56 | option_b=59 | option_c=57 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

id=43584 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27646 at 6% per annum for 5 years. | option_a=35939 | option_b=8193 | option_c=8293 | option_d=8393 | answer=C | explanation=SI = $\text{PRT}/100 = 27646 \times 6 \times 5 / 100 = \text{■}8293$.

id=43585 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 22. | option_a=616 | option_b=286 | option_c=308 | option_d=336 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 28 \times 22$; $\text{HCF}(28,22) = 2$, so LCM = 308.

id=43586 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 16, 23, 30, ? | option_a=38 | option_b=37 | option_c=30 | option_d=44 | answer=B | explanation=The common difference is 7. Therefore the next term is 30 + 7 = 37.

id=43587 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=T | option_b=Q | option_c=N | option_d=K | answer=B | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=43588 | topic=Averages | difficulty=Easy | question=Find the average of 44, 36, 13, 93, 15, 87. | option_a=49 | option_b=50 | option_c=48 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 288 ÷ 6 = 48.

id=43589 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=6 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=43590 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15530 at 5% per annum for 3 years. | option_a=2329 | option_b=2229 | option_c=17859 | option_d=2429 | answer=A | explanation=SI = $\text{PRT}/100 = 15530 \times 5 \times 3 / 100 = \text{■}2329$.

Aptitude Questions — Records 43,591-43,620 of 100,000

id=43591 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1750. If it is sold at a profit of 50%, what is its selling price? | option_a=2450 | option_b=1800 | option_c=2625 | option_d=2800 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1750 × 150/100 = █2625.

id=43592 | topic=Percentages | difficulty=Easy | question=What is 20% of 1809? | option_a=361 | option_b=722 | option_c=356 | option_d=371 | answer=A | explanation=20% of 1809 = (20/100) × 1809 = 361.

id=43593 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=27 | option_b=23 | option_c=19 | option_d=24 | answer=B | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=43594 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 12, 21, 30, ? | option_a=48 | option_b=39 | option_c=40 | option_d=30 | answer=B | explanation=The common difference is 9. Therefore the next term is 30 + 9 = 39.

id=43595 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2216 at 8% per annum for 3 years. | option_a=2747 | option_b=431 | option_c=631 | option_d=531 | answer=D | explanation=SI = PRT/100 = 2216×8×3/100 = █531.

id=43596 | topic=Percentages | difficulty=Easy | question=What is 5% of 1895? | option_a=114 | option_b=84 | option_c=94 | option_d=188 | answer=C | explanation=5% of 1895 = (5/100) × 1895 = 94.

id=43597 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=43598 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=19 | option_c=48 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=43599 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 32, 36, 42? | option_a=42 | option_b=32 | option_c=36 | option_d=28 | answer=A | explanation=The first three numbers increase by 4, so the next should be 40. Therefore 42 is the odd one out.

id=43600 | topic=Averages | difficulty=Easy | question=Find the average of 23, 86, 37, 58, 86. | option_a=60 | option_b=59 | option_c=57 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 290 ÷ 5 = 58.

id=43601 | topic=Number System | difficulty=Easy | question=Find the LCM of 11 and 22. | option_a=33 | option_b=22 | option_c=1 | option_d=242 | answer=B | explanation=LCM × HCF = 11×22; HCF(11,22) = 11, so LCM = 22.

id=43602 | topic=Averages | difficulty=Easy | question=Find the average of 74, 34, 47, 37. | option_a=50 | option_b=49 | option_c=47 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = 192 ÷ 4 = 48.

id=43603 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=12 | option_b=24 | option_c=7 | option_d=17 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=43604 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=8 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=43605 | topic=Percentages | difficulty=Easy | question=What is 15% of 87? | option_a=33 | option_b=26 | option_c=13 | option_d=8 | answer=C | explanation=15% of 87 = (15/100) × 87 = 13.

id=43606 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4776. If it is sold at a profit of 20%, what is its selling price? | option_a=5731 | option_b=6208 | option_c=4796 | option_d=5254 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4776 × 120/100 = █5731.

id=43607 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:9 and the first is 306, what is the second? | option_a=162 | option_b=179 | option_c=153 | option_d=468 | answer=A | explanation=Scale factor = 306/17 = 18. Therefore second quantity = 9×18 = 162.

id=43608 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=E | option_c=N | option_d=K | answer=D | explanation=Move 3 positions forward from H; the resulting letter is K.

id=43609 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=43610 | topic=Averages | difficulty=Easy | question=Find the average of 19, 26, 82, 27, 40, 70. | option_a=43 | option_b=45 | option_c=44 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 264 ÷ 6 = 44.

id=43611 | topic=Percentages | difficulty=Easy | question=What is 50% of 1668? | option_a=824 | option_b=834 | option_c=844 | option_d=1668 | answer=B | explanation=50% of 1668 = (50/100) × 1668 = 834.

id=43612 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 16, 26, 39? | option_a=6 | option_b=16 | option_c=26 | option_d=39 | answer=D | explanation=The first three numbers increase by 10, so the next should be 36. Therefore 39 is the odd one out.

id=43613 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2481. If it is sold at a profit of 15%, what is its selling price? | option_a=2853 | option_b=2496 | option_c=2605 | option_d=3101 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2481 × 115/100 = █2853.

id=43614 | topic=Averages | difficulty=Easy | question=Find the average of 49, 93, 61, 75, 11, 18, 43. | option_a=50 | option_b=52 | option_c=49 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

id=43615 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=24 | option_b=27 | option_c=28 | option_d=30 | answer=B | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=43616 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=43617 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=N | option_c=T | option_d=W | answer=C | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=43618 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1860. If it is sold at a profit of 10%, what is its selling price? | option_a=2046 | option_b=1870 | option_c=2232 | option_d=1860 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1860 × 110/100 = █2046.

id=43619 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=19 | option_b=22 | option_c=21 | option_d=23 | answer=C | explanation=The common difference is 2. Therefore the next term is 19 + 2 = 21.

id=43620 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

Aptitude Questions — Records 43,621-43,650 of 100,000

id=43621 | topic=Averages | difficulty=Easy | question=Find the average of 44, 87, 48, 94, 32. | option_a=62 | option_b=63 | option_c=61 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 305 ÷ 5 = 61.

id=43622 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39820 at 10% per annum for 4 years. | option_a=55748 | option_b=15828 | option_c=16028 | option_d=15928 | answer=D | explanation=SI = $\text{PRT}/100 = 39820 \times 10 \times 4 / 100 = \text{■}15928$.

id=43623 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=125 | option_c=115 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=43624 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=31 | option_b=28 | option_c=23 | option_d=27 | answer=D | explanation=The common difference is 4. Therefore the next term is 23 + 4 = 27.

id=43625 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**522. If it is sold at a profit of 40%, what is its selling price? | option_a=562 | option_b=730 | option_c=678 | option_d=782 | answer=B | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 522 \times 140 / 100 = \text{■}730$.

id=43626 | topic=Averages | difficulty=Easy | question=Find the average of 37, 85, 91, 55, 30, 51, 53, 38, 40, 50. | option_a=53 | option_b=52 | option_c=54 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=43627 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 12. | option_a=156 | option_b=144 | option_c=312 | option_d=182 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 26 \times 12$; $\text{HCF}(26, 12) = 2$, so LCM = 156.

id=43628 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 28, 36, 46? | option_a=46 | option_b=20 | option_c=36 | option_d=28 | answer=A | explanation=The first three numbers increase by 8, so the next should be 44. Therefore 46 is the odd one out.

id=43629 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 31, 33, 36? | option_a=33 | option_b=36 | option_c=29 | option_d=31 | answer=B | explanation=The first three numbers increase by 2, so the next should be 35. Therefore 36 is the odd one out.

id=43630 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**264. If it is sold at a profit of 15%, what is its selling price? | option_a=303 | option_b=329 | option_c=279 | option_d=277 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 264 \times 115 / 100 = \text{■}303$.

id=43631 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13803 at 8% per annum for 2 years. | option_a=2208 | option_b=2308 | option_c=16011 | option_d=2108 | answer=A | explanation=SI = $\text{PRT}/100 = 13803 \times 8 \times 2 / 100 = \text{■}2208$.

id=43632 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 12. | option_a=120 | option_b=154 | option_c=264 | option_d=132 | answer=D | explanation= $\text{LCM} \times \text{HCF} = 22 \times 12$; $\text{HCF}(22, 12) = 2$, so LCM = 132.

id=43633 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:18 and the first is 260, what is the second? | option_a=494 | option_b=216 | option_c=234 | option_d=254 | answer=C | explanation=Scale factor = $260 / 20 = 13$. Therefore second quantity = $18 \times 13 = 234$.

id=43634 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=43635 | topic=Percentages | difficulty=Easy | question=What is 30% of 819? | option_a=245 | option_b=240 | option_c=490 | option_d=255 | answer=A | explanation=30% of 819 = $(30/100) \times 819 = 245$.

id=43636 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=43637 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=W | option_b=T | option_c=N | option_d=Q | answer=B | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=43638 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:7 and the first is 272, what is the second? | option_a=391 | option_b=112 | option_c=119 | option_d=135 | answer=C | explanation=Scale factor = $272/16 = 17$. Therefore second quantity = $7 \times 17 = 119$.

id=43639 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:1 and the first is 255, what is the second? | option_a=32 | option_b=14 | option_c=15 | option_d=270 | answer=C | explanation=Scale factor = $255/17 = 15$. Therefore second quantity = $1 \times 15 = 15$.

id=43640 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4823. If it is sold at a profit of 30%, what is its selling price? | option_a=4853 | option_b=5787 | option_c=6269 | option_d=6751 | answer=C | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 4823 \times 130 / 100 = \text{■}6269$.

id=43641 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 25, 34, 43, ? | option_a=61 | option_b=43 | option_c=53 | option_d=52 | answer=D | explanation=The common difference is 9. Therefore the next term is 43 + 9 = 52.

id=43642 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4406. If it is sold at a profit of 50%, what is its selling price? | option_a=6609 | option_b=7049 | option_c=4456 | option_d=6169 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 4406 \times 150 / 100 = \text{■}6609$.

id=43643 | topic=Percentages | difficulty=Easy | question=What is 25% of 1956? | option_a=978 | option_b=479 | option_c=499 | option_d=489 | answer=D | explanation=25% of 1956 = $(25/100) \times 1956 = 489$.

id=43644 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 9, 16, 24? | option_a=24 | option_b=16 | option_c=2 | option_d=9 | answer=A | explanation=The first three numbers increase by 7, so the next should be 23. Therefore 24 is the odd one out.

id=43645 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6736 at 10% per annum for 2 years. | option_a=1447 | option_b=8083 | option_c=1247 | option_d=1347 | answer=D | explanation=SI = $\text{PRT}/100 = 6736 \times 10 \times 2 / 100 = \text{■}1347$.

id=43646 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=47 | option_b=56 | option_c=48 | option_d=38 | answer=A | explanation=The common difference is 9. Therefore the next term is 38 + 9 = 47.

id=43647 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 27. | option_a=54 | option_b=27 | option_c=1 | option_d=729 | answer=B | explanation= $\text{LCM} \times \text{HCF} = 27 \times 27$; $\text{HCF}(27, 27) = 27$, so LCM = 27.

id=43648 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2015. If it is sold at a profit of 15%, what is its selling price? | option_a=2116 | option_b=2317 | option_c=2518 | option_d=2030 | answer=B | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 2015 \times 115 / 100 = \text{■}2317$.

id=43649 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=43650 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 16. | option_a=480 | option_b=270 | option_c=240 | option_d=224 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 30 \times 16$; $\text{HCF}(30, 16) = 2$, so LCM = 240.

Aptitude Questions — Records 43,651-43,680 of 100,000

id=43651 | topic=Percentages | difficulty=Easy | question=What is 15% of 1373? | option_a=210 | option_b=410 | option_c=205 | option_d=200 | answer=C | explanation=15% of 1373 = (15/100) × 1373 = 205.

id=43652 | topic=Percentages | difficulty=Easy | question=What is 10% of 1179? | option_a=117 | option_b=234 | option_c=137 | option_d=112 | answer=A | explanation=10% of 1179 = (10/100) × 1179 = 117.

id=43653 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **17388** at 4% per annum for 1 years. | option_a=795 | option_b=18083 | option_c=595 | option_d=695 | answer=D | explanation=SI = PRT/100 = 17388×4×1/100 = **695**.

id=43654 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=43655 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=24 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=43656 | topic=Averages | difficulty=Easy | question=Find the average of 14, 33, 46, 55, 74, 18, 43, 61. | option_a=45 | option_b=43 | option_c=44 | option_d=42 | answer=B | explanation=Average = sum of values ÷ number of values = 344 ÷ 8 = 43.

id=43657 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **3078** at 8% per annum for 5 years. | option_a=4309 | option_b=1331 | option_c=1231 | option_d=1131 | answer=C | explanation=SI = PRT/100 = 3078×8×5/100 = **1231**.

id=43658 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=43659 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 14, 21, 31? | option_a=21 | option_b=7 | option_c=14 | option_d=31 | answer=D | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 31 is the odd one out.

id=43660 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=19 | option_b=21 | option_c=15 | option_d=18 | answer=D | explanation=The common difference is 3. Therefore the next term is 15 + 3 = 18.

id=43661 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=43662 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=37 | option_b=43 | option_c=44 | option_d=49 | answer=B | explanation=The common difference is 6. Therefore the next term is 37 + 6 = 43.

id=43663 | topic=Profit & Loss | difficulty=Easy | question=An article costs **2218**. If it is sold at a profit of 30%, what is its selling price? | option_a=2883 | option_b=2662 | option_c=2248 | option_d=3104 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2218 × 130/100 = **2883**.

id=43664 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 27. | option_a=135 | option_b=150 | option_c=108 | option_d=405 | answer=A | explanation=LCM × HCF = 15×27; HCF(15,27) = 3, so LCM = 135.

id=43665 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 24. | option_a=1 | option_b=32 | option_c=24 | option_d=192 | answer=C | explanation=LCM × HCF = 8×24; HCF(8,24) = 8, so LCM = 24.

id=43666 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=24 | option_b=16 | option_c=20 | option_d=21 | answer=C | explanation=The common difference is 4. Therefore the next term is 16 + 4 = 20.

id=43667 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 42? | option_a=32 | option_b=42 | option_c=25 | option_d=18 | answer=B | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 42 is the odd one out.

id=43668 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **39265** at 8% per annum for 1 years. | option_a=42406 | option_b=3041 | option_c=3241 | option_d=3141 | answer=D | explanation=SI = PRT/100 = 39265×8×1/100 = **3141**.

id=43669 | topic=Profit & Loss | difficulty=Easy | question=An article costs **4642**. If it is sold at a profit of 40%, what is its selling price? | option_a=6498 | option_b=6034 | option_c=4682 | option_d=6962 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4642 × 140/100 = **6498**.

id=43670 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:20 and the first is 30, what is the second? | option_a=60 | option_b=40 | option_c=70 | option_d=90 | answer=A | explanation=Scale factor = 30/10 = 3. Therefore second quantity = 20×3 = 60.

id=43671 | topic=Averages | difficulty=Easy | question=Find the average of 48, 70, 99, 67. | option_a=70 | option_b=72 | option_c=71 | option_d=73 | answer=C | explanation=Average = sum of values ÷ number of values = 284 ÷ 4 = 71.

id=43672 | topic=Averages | difficulty=Easy | question=Find the average of 86, 18, 49, 82, 64, 67, 71, 83, 74. | option_a=65 | option_b=68 | option_c=67 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = 594 ÷ 9 = 66.

id=43673 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 9, 11, 15? | option_a=9 | option_b=15 | option_c=7 | option_d=11 | answer=B | explanation=The first three numbers increase by 2, so the next should be 13. Therefore 15 is the odd one out.

id=43674 | topic=Averages | difficulty=Easy | question=Find the average of 27, 88, 96, 79, 20, 95, 66, 16, 35. | option_a=59 | option_b=58 | option_c=60 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 522 ÷ 9 = 58.

id=43675 | topic=Profit & Loss | difficulty=Easy | question=An article costs **3764**. If it is sold at a profit of 15%, what is its selling price? | option_a=3779 | option_b=3952 | option_c=4328 | option_d=4704 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3764 × 115/100 = **4328**.

id=43676 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=43677 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=N | option_b=M | option_c=O | option_d=L | answer=A | explanation=Move 1 positions forward from M; the resulting letter is N.

id=43678 | topic=Profit & Loss | difficulty=Easy | question=An article costs **1565**. If it is sold at a profit of 10%, what is its selling price? | option_a=1877 | option_b=1565 | option_c=1575 | option_d=1721 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1565 × 110/100 = **1721**.

id=43679 | topic=Averages | difficulty=Easy | question=Find the average of 46, 63, 90, 85. | option_a=73 | option_b=71 | option_c=72 | option_d=70 | answer=B | explanation=Average = sum of values ÷ number of values = 284 ÷ 4 = 71.

id=43680 | topic=Profit & Loss | difficulty=Easy | question=An article costs **821**. If it is sold at a profit of 25%, what is its selling price? | option_a=1026 | option_b=846 | option_c=944 | option_d=1108 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 821 × 125/100 = **1026**.

Aptitude Questions — Records 43,681-43,710 of 100,000

id=43681 | topic=Percentages | difficulty=Easy | question=What is 40% of 731? | option_a=584 | option_b=287 | option_c=292 | option_d=312 | answer=C | explanation=40% of 731 = (40/100) × 731 = 292.

id=43682 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=J | option_b=I | option_c=K | option_d=H | answer=A | explanation=Move 1 positions forward from I; the resulting letter is J.

id=43683 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=50 | option_d=90 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=43684 | topic=Averages | difficulty=Easy | question=Find the average of 38, 70, 69, 80, 73. | option_a=66 | option_b=68 | option_c=67 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 330 ÷ 5 = 66.

id=43685 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=B | option_b=K | option_c=H | option_d=E | answer=C | explanation=Move 3 positions forward from E; the resulting letter is H.

id=43686 | topic=Profit & Loss | difficulty=Easy | question=An article costs █546. If it is sold at a profit of 15%, what is its selling price? | option_a=681 | option_b=627 | option_c=573 | option_d=561 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 546 × 115/100 = █627.

id=43687 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3385. If it is sold at a profit of 40%, what is its selling price? | option_a=4739 | option_b=4401 | option_c=5077 | option_d=3425 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3385 × 140/100 = █4739.

id=43688 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4414. If it is sold at a profit of 10%, what is its selling price? | option_a=4424 | option_b=5296 | option_c=4855 | option_d=4414 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4414 × 110/100 = █4855.

id=43689 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32214 at 4% per annum for 3 years. | option_a=3965 | option_b=3865 | option_c=36079 | option_d=3765 | answer=B | explanation=SI = PRT/100 = 32214×4×3/100 = █3865.

id=43690 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41186 at 10% per annum for 1 years. | option_a=45304 | option_b=4118 | option_c=4018 | option_d=4218 | answer=B | explanation=SI = PRT/100 = 41186×10×1/100 = █4118.

id=43691 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=43692 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 35, 42, 51? | option_a=42 | option_b=51 | option_c=28 | option_d=35 | answer=B | explanation=The first three numbers increase by 7, so the next should be 49. Therefore 51 is the odd one out.

id=43693 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:10 and the first is 36, what is the second? | option_a=90 | option_b=94 | option_c=80 | option_d=126 | answer=A | explanation=Scale factor = 36/4 = 9. Therefore second quantity = 10×9 = 90.

id=43694 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 22? | option_a=17 | option_b=13 | option_c=15 | option_d=22 | answer=D | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 22 is the odd one out.

id=43695 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=60 | option_b=42 | option_c=52 | option_d=51 | answer=D | explanation=The common difference is 9. Therefore the next term is 42 + 9 = 51.

id=43696 | topic=Percentages | difficulty=Easy | question=What is 25% of 229? | option_a=37 | option_b=57 | option_c=62 | option_d=114 | answer=B | explanation=25% of 229 = (25/100) × 229 = 57.

id=43697 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=29 | option_d=19 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=43698 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=75 | option_c=150 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=43699 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5310 at 12% per annum for 1 years. | option_a=737 | option_b=5947 | option_c=637 | option_d=537 | answer=C | explanation=SI = PRT/100 = 5310×12×1/100 = █637.

id=43700 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 10, 15, 21? | option_a=10 | option_b=5 | option_c=21 | option_d=15 | answer=C | explanation=The first three numbers increase by 5, so the next should be 20. Therefore 21 is the odd one out.

id=43701 | topic=Percentages | difficulty=Easy | question=What is 10% of 1422? | option_a=142 | option_b=284 | option_c=147 | option_d=122 | answer=A | explanation=10% of 1422 = (10/100) × 1422 = 142.

id=43702 | topic=Percentages | difficulty=Easy | question=What is 40% of 1046? | option_a=423 | option_b=418 | option_c=836 | option_d=413 | answer=B | explanation=40% of 1046 = (40/100) × 1046 = 418.

id=43703 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2307. If it is sold at a profit of 25%, what is its selling price? | option_a=2883 | option_b=3113 | option_c=2653 | option_d=2332 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2307 × 125/100 = █2883.

id=43704 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=43705 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=Y | option_b=P | option_c=V | option_d=S | answer=C | explanation=Move 3 positions forward from S; the resulting letter is V.

id=43706 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:6 and the first is 36, what is the second? | option_a=75 | option_b=72 | option_c=108 | option_d=66 | answer=B | explanation=Scale factor = 36/3 = 12. Therefore second quantity = 6×12 = 72.

id=43707 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39019 at 6% per annum for 1 years. | option_a=2341 | option_b=41360 | option_c=2241 | option_d=2441 | answer=A | explanation=SI = PRT/100 = 39019×6×1/100 = █2341.

id=43708 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26224 at 10% per annum for 1 years. | option_a=2522 | option_b=28846 | option_c=2722 | option_d=2622 | answer=D | explanation=SI = PRT/100 = 26224×10×1/100 = █2622.

id=43709 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=41 | option_b=35 | option_c=34 | option_d=27 | answer=C | explanation=The common difference is 7. Therefore the next term is 27 + 7 = 34.

id=43710 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 43,711-43,740 of 100,000

id=43711 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 14, 16, 19? | option_a=12 | option_b=14 | option_c=19 | option_d=16 | answer=C | explanation=The first three numbers increase by 2, so the next should be 18. Therefore 19 is the odd one out.

id=43712 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=32 | option_b=30 | option_c=26 | option_d=29 | answer=D | explanation=The common difference is 3. Therefore the next term is 26 + 3 = 29.

id=43713 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 31, 40, 51? | option_a=22 | option_b=40 | option_c=31 | option_d=51 | answer=D | explanation=The first three numbers increase by 9, so the next should be 49. Therefore 51 is the odd one out.

id=43714 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=26 | option_b=27 | option_c=22 | option_d=30 | answer=A | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.

id=43715 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2506. If it is sold at a profit of 10%, what is its selling price? | option_a=3006 | option_b=2506 | option_c=2756 | option_d=2516 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2506 × 110/100 = **₹**2756.

id=43716 | topic=Averages | difficulty=Easy | question=Find the average of 96, 47, 57, 61, 63, 13, 20. | option_a=53 | option_b=51 | option_c=52 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.

id=43717 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 29? | option_a=22 | option_b=24 | option_c=20 | option_d=29 | answer=D | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 29 is the odd one out.

id=43718 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:13 and the first is 240, what is the second? | option_a=208 | option_b=195 | option_c=448 | option_d=223 | answer=A | explanation=Scale factor = 240/15 = 16. Therefore second quantity = 13×16 = 208.

id=43719 | topic=Averages | difficulty=Easy | question=Find the average of 85, 91, 70, 96, 28. | option_a=76 | option_b=74 | option_c=75 | option_d=73 | answer=B | explanation=Average = sum of values ÷ number of values = 370 ÷ 5 = 74.

id=43720 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=24 | option_c=17 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=43721 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**49651 at 15% per annum for 4 years. | option_a=79441 | option_b=29690 | option_c=29890 | option_d=29790 | answer=D | explanation=SI = PRT/100 = 49651×15×4/100 = **₹**29790.

id=43722 | topic=Percentages | difficulty=Easy | question=What is 10% of 1986? | option_a=396 | option_b=188 | option_c=198 | option_d=203 | answer=C | explanation=10% of 1986 = (10/100) × 1986 = 198.

id=43723 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**44273 at 4% per annum for 5 years. | option_a=8954 | option_b=8854 | option_c=8754 | option_d=53127 | answer=B | explanation=SI = PRT/100 = 44273×4×5/100 = **₹**8854.

id=43724 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=W | option_b=T | option_c=Q | option_d=N | answer=B | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=43725 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Y | option_b=Q | option_c=C | option_d=U | answer=A | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=43726 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 57? | option_a=29 | option_b=47 | option_c=57 | option_d=38 | answer=C | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 57 is the odd one out.

id=43727 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**27042 at 8% per annum for 2 years. | option_a=4226 | option_b=4326 | option_c=4426 | option_d=31368 | answer=B | explanation=SI = PRT/100 = 27042×8×2/100 = **₹**4326.

id=43728 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4610. If it is sold at a profit of 10%, what is its selling price? | option_a=4610 | option_b=5532 | option_c=4620 | option_d=5071 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4610 × 110/100 = **₹**5071.

id=43729 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=43730 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=U | option_b=S | option_c=V | option_d=T | answer=A | explanation=Move 1 positions forward from T; the resulting letter is U.

id=43731 | topic=Percentages | difficulty=Easy | question=What is 10% of 1231? | option_a=123 | option_b=246 | option_c=143 | option_d=118 | answer=A | explanation=10% of 1231 = (10/100) × 1231 = 123.

id=43732 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 44? | option_a=37 | option_b=32 | option_c=44 | option_d=27 | answer=C | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 44 is the odd one out.

id=43733 | topic=Averages | difficulty=Easy | question=Find the average of 14, 94, 48, 16, 16, 94, 47. | option_a=48 | option_b=47 | option_c=46 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 329 ÷ 7 = 47.

id=43734 | topic=Percentages | difficulty=Easy | question=What is 15% of 1977? | option_a=296 | option_b=592 | option_c=306 | option_d=291 | answer=A | explanation=15% of 1977 = (15/100) × 1977 = 296.

id=43735 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 12, 21, 32? | option_a=32 | option_b=21 | option_c=3 | option_d=12 | answer=A | explanation=The first three numbers increase by 9, so the next should be 30. Therefore 32 is the odd one out.

id=43736 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**32330 at 8% per annum for 2 years. | option_a=5272 | option_b=5172 | option_c=5072 | option_d=37502 | answer=B | explanation=SI = PRT/100 = 32330×8×2/100 = **₹**5172.

id=43737 | topic=Percentages | difficulty=Easy | question=What is 20% of 87? | option_a=37 | option_b=12 | option_c=34 | option_d=17 | answer=D | explanation=20% of 87 = (20/100) × 87 = 17.

id=43738 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=V | option_c=T | option_d=W | answer=B | explanation=Move 1 positions forward from U; the resulting letter is V.

id=43739 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**12788 at 10% per annum for 2 years. | option_a=2457 | option_b=15345 | option_c=2657 | option_d=2557 | answer=D | explanation=SI = PRT/100 = 12788×10×2/100 = **₹**2557.

id=43740 | topic=Averages | difficulty=Easy | question=Find the average of 93, 48, 52, 96, 66, 31, 40, 89, 48, 37. | option_a=59 | option_b=62 | option_c=61 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

Aptitude Questions — Records 43,741-43,770 of 100,000

id=43741 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=43742 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=24 | option_c=19 | option_d=48 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=43743 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 51? | option_a=23 | option_b=51 | option_c=41 | option_d=32 | answer=B | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 51 is the odd one out.

id=43744 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 31, 35, 42? | option_a=42 | option_b=35 | option_c=27 | option_d=31 | answer=A | explanation=The first three numbers increase by 4, so the next should be 39. Therefore 42 is the odd one out.

id=43745 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:17 and the first is 88, what is the second? | option_a=275 | option_b=195 | option_c=187 | option_d=170 | answer=C | explanation=Scale factor = 88/8 = 11. Therefore second quantity = 17×11 = 187.

id=43746 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1486. If it is sold at a profit of 20%, what is its selling price? | option_a=1931 | option_b=1506 | option_c=1635 | option_d=1783 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1486 × 120/100 = █1783.

id=43747 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 24? | option_a=5 | option_b=24 | option_c=17 | option_d=11 | answer=B | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 24 is the odd one out.

id=43748 | topic=Averages | difficulty=Easy | question=Find the average of 95, 59, 71, 63. | option_a=71 | option_b=74 | option_c=72 | option_d=73 | answer=C | explanation=Average = sum of values ÷ number of values = 288 ÷ 4 = 72.

id=43749 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=50 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=43750 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=O | option_b=J | option_c=Z | option_d=E | answer=B | explanation=Move 5 positions forward from E; the resulting letter is J.

id=43751 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3011. If it is sold at a profit of 25%, what is its selling price? | option_a=3036 | option_b=3462 | option_c=3763 | option_d=4064 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3011 × 125/100 = █3763.

id=43752 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=43753 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=5 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=43754 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=U | option_b=R | option_c=L | option_d=O | answer=B | explanation=Move 3 positions forward from O; the resulting letter is R.

id=43755 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=40 | option_b=41 | option_c=45 | option_d=35 | answer=A | explanation=The common difference is 5. Therefore the next term is 35 + 5 = 40.

id=43756 | topic=Percentages | difficulty=Easy | question=What is 30% of 1955? | option_a=1172 | option_b=586 | option_c=576 | option_d=591 | answer=B | explanation=30% of 1955 = (30/100) × 1955 = 586.

id=43757 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:13 and the first is 196, what is the second? | option_a=182 | option_b=196 | option_c=169 | option_d=378 | answer=A | explanation=Scale factor = 196/14 = 14. Therefore second quantity = 13×14 = 182.

id=43758 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 33, what is the second? | option_a=81 | option_b=48 | option_c=59 | option_d=32 | answer=B | explanation=Scale factor = 33/11 = 3. Therefore second quantity = 16×3 = 48.

id=43759 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=58 | option_b=40 | option_c=50 | option_d=49 | answer=D | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

id=43760 | topic=Averages | difficulty=Easy | question=Find the average of 81, 40, 70, 33, 32, 32, 69. | option_a=53 | option_b=50 | option_c=52 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.

id=43761 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31970 at 8% per annum for 1 years. | option_a=2557 | option_b=2457 | option_c=34527 | option_d=2657 | answer=A | explanation=SI = PRT/100 = 31970×8×1/100 = █2557.

id=43762 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=24 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=43763 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 62? | option_a=62 | option_b=40 | option_c=30 | option_d=50 | answer=A | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 62 is the odd one out.

id=43764 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=43765 | topic=Averages | difficulty=Easy | question=Find the average of 47, 77, 72, 80, 89. | option_a=73 | option_b=74 | option_c=72 | option_d=75 | answer=A | explanation=Average = sum of values ÷ number of values = 365 ÷ 5 = 73.

id=43766 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23044 at 6% per annum for 1 years. | option_a=1482 | option_b=24426 | option_c=1282 | option_d=1382 | answer=D | explanation=SI = PRT/100 = 23044×6×1/100 = █1382.

id=43767 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 21, 30, 39, ? | option_a=48 | option_b=57 | option_c=39 | option_d=49 | answer=A | explanation=The common difference is 9. Therefore the next term is 39 + 9 = 48.

id=43768 | topic=Averages | difficulty=Easy | question=Find the average of 97, 19, 33, 99. | option_a=62 | option_b=61 | option_c=63 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = 248 ÷ 4 = 62.

id=43769 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27484 at 6% per annum for 5 years. | option_a=35729 | option_b=8145 | option_c=8345 | option_d=8245 | answer=D | explanation=SI = PRT/100 = 27484×6×5/100 = █8245.

id=43770 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 43,771-43,800 of 100,000

id=43771 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 27, 33, 40? | option_a=21 | option_b=40 | option_c=27 | option_d=33 | answer=B | explanation=The first three numbers increase by 6, so the next should be 39. Therefore 40 is the odd one out.

id=43772 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=43773 | topic=Averages | difficulty=Easy | question=Find the average of 99, 21, 96. | option_a=73 | option_b=72 | option_c=74 | option_d=71 | answer=B | explanation=Average = sum of values ÷ number of values = 216 ÷ 3 = 72.

id=43774 | topic=Averages | difficulty=Easy | question=Find the average of 57, 72, 24, 41, 61, 74, 63. | option_a=56 | option_b=57 | option_c=55 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 392 ÷ 7 = 56.

id=43775 | topic=Averages | difficulty=Easy | question=Find the average of 72, 41, 40, 18, 72, 62, 31. | option_a=47 | option_b=50 | option_c=48 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 336 ÷ 7 = 48.

id=43776 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:4 and the first is 102, what is the second? | option_a=41 | option_b=20 | option_c=126 | option_d=24 | answer=D | explanation=Scale factor = 102/17 = 6. Therefore second quantity = 4×6 = 24.

id=43777 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:3 and the first is 60, what is the second? | option_a=6 | option_b=29 | option_c=69 | option_d=9 | answer=D | explanation=Scale factor = 60/20 = 3. Therefore second quantity = 3×3 = 9.

id=43778 | topic=Averages | difficulty=Easy | question=Find the average of 59, 81, 19. | option_a=53 | option_b=52 | option_c=55 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 159 ÷ 3 = 53.

id=43779 | topic=Percentages | difficulty=Easy | question=What is 50% of 1844? | option_a=942 | option_b=922 | option_c=1844 | option_d=912 | answer=B | explanation=50% of 1844 = (50/100) × 1844 = 922.

id=43780 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=B | option_b=Q | option_c=G | option_d=L | answer=D | explanation=Move 5 positions forward from G; the resulting letter is L.

id=43781 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=43782 | topic=Averages | difficulty=Easy | question=Find the average of 65, 67, 18. | option_a=50 | option_b=51 | option_c=52 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 150 ÷ 3 = 50.

id=43783 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:12 and the first is 84, what is the second? | option_a=132 | option_b=144 | option_c=151 | option_d=228 | answer=B | explanation=Scale factor = 84/7 = 12. Therefore second quantity = 12×12 = 144.

id=43784 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=150 | option_c=80 | option_d=70 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=43785 | topic=Averages | difficulty=Easy | question=Find the average of 52, 82, 26, 69, 41. | option_a=54 | option_b=56 | option_c=55 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 270 ÷ 5 = 54.

id=43786 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 18. | option_a=24 | option_b=18 | option_c=1 | option_d=108 | answer=B | explanation=LCM × HCF = 6×18; HCF(6,18) = 6, so LCM = 18.

id=43787 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:9 and the first is 60, what is the second? | option_a=240 | option_b=183 | option_c=171 | option_d=180 | answer=D | explanation=Scale factor = 60/3 = 20. Therefore second quantity = 9×20 = 180.

id=43788 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=41 | option_b=29 | option_c=35 | option_d=36 | answer=C | explanation=The common difference is 6. Therefore the next term is 29 + 6 = 35.

id=43789 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 36? | option_a=17 | option_b=25 | option_c=36 | option_d=9 | answer=C | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 36 is the odd one out.

id=43790 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=43791 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 20, 22, 25? | option_a=18 | option_b=20 | option_c=25 | option_d=22 | answer=C | explanation=The first three numbers increase by 2, so the next should be 24. Therefore 25 is the odd one out.

id=43792 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4981. If it is sold at a profit of 50%, what is its selling price? | option_a=5031 | option_b=7969 | option_c=7471 | option_d=6973 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4981 × 150/100 = █7471.

id=43793 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4862. If it is sold at a profit of 10%, what is its selling price? | option_a=4872 | option_b=4862 | option_c=5348 | option_d=5834 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4862 × 110/100 = █5348.

id=43794 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33528 at 6% per annum for 5 years. | option_a=9958 | option_b=43586 | option_c=10158 | option_d=10058 | answer=D | explanation=SI = PRT/100 = 33528×6×5/100 = █10058.

id=43795 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=J | option_c=R | option_d=F | answer=A | explanation=Move 4 positions forward from J; the resulting letter is N.

id=43796 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:1 and the first is 340, what is the second? | option_a=357 | option_b=37 | option_c=16 | option_d=17 | answer=D | explanation=Scale factor = 340/20 = 17. Therefore second quantity = 1×17 = 17.

id=43797 | topic=Averages | difficulty=Easy | question=Find the average of 42, 35, 60, 73, 22, 22, 82, 100, 41. | option_a=54 | option_b=55 | option_c=53 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 477 ÷ 9 = 53.

id=43798 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=13 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=43799 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 132, what is the second? | option_a=324 | option_b=192 | option_c=203 | option_d=176 | answer=B | explanation=Scale factor = 132/11 = 12. Therefore second quantity = 16×12 = 192.

id=43800 | topic=Profit & Loss | difficulty=Easy | question=An article costs █854. If it is sold at a profit of 30%, what is its selling price? | option_a=1195 | option_b=884 | option_c=1025 | option_d=1110 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 854 × 130/100 = █1110.

Aptitude Questions — Records 43,801-43,830 of 100,000

id=43801 | topic=Averages | difficulty=Easy | question=Find the average of 40, 32, 100, 86, 25, 17, 62, 43, 22, 103. | option_a=53 | option_b=52 | option_c=54 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=43802 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=43803 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=43804 | topic=Averages | difficulty=Easy | question=Find the average of 91, 70, 58, 58, 74, 95, 51. | option_a=72 | option_b=71 | option_c=70 | option_d=73 | answer=B | explanation=Average = sum of values ÷ number of values = 497 ÷ 7 = 71.

id=43805 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=11 | option_c=12 | option_d=1 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=43806 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:5 and the first is 95, what is the second? | option_a=85 | option_b=80 | option_c=170 | option_d=90 | answer=A | explanation=Scale factor = 85/5 = 17. Therefore second quantity = 5×17 = 85.

id=43807 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=80 | option_c=70 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=43808 | topic=Percentages | difficulty=Easy | question=What is 12% of 918? | option_a=220 | option_b=120 | option_c=110 | option_d=105 | answer=C | explanation=12% of 918 = (12/100) × 918 = 110.

id=43809 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:15 and the first is 16, what is the second? | option_a=76 | option_b=64 | option_c=60 | option_d=45 | answer=C | explanation=Scale factor = 16/4 = 4. Therefore second quantity = 15×4 = 60.

id=43810 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=144 | option_c=67 | option_d=77 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=43811 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4484. If it is sold at a profit of 15%, what is its selling price? | option_a=5604 | option_b=4499 | option_c=4708 | option_d=5156 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4484 × 115/100 = █5156.

id=43812 | topic=Averages | difficulty=Easy | question=Find the average of 25, 75, 90, 18, 93, 76, 65, 15, 29. | option_a=53 | option_b=55 | option_c=56 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 486 ÷ 9 = 54.

id=43813 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47300 at 5% per annum for 2 years. | option_a=4630 | option_b=4730 | option_c=52030 | option_d=4830 | answer=B | explanation=SI = PRT/100 = 47300×5×2/100 = █4730.

id=43814 | topic=Percentages | difficulty=Easy | question=What is 30% of 1126? | option_a=332 | option_b=347 | option_c=674 | option_d=337 | answer=D | explanation=30% of 1126 = (30/100) × 1126 = 337.

id=43815 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3055. If it is sold at a profit of 40%, what is its selling price? | option_a=4582 | option_b=3095 | option_c=3972 | option_d=4277 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3055 × 140/100 = █4277.

id=43816 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2793 at 10% per annum for 5 years. | option_a=1296 | option_b=1396 | option_c=4189 | option_d=1496 | answer=B | explanation=SI = PRT/100 = 2793×10×5/100 = █1396.

id=43817 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:19 and the first is 150, what is the second? | option_a=266 | option_b=435 | option_c=295 | option_d=285 | answer=D | explanation=Scale factor = 150/10 = 15. Therefore second quantity = 19×15 = 285.

id=43818 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=O | option_c=T | option_d=E | answer=B | explanation=Move 5 positions forward from J; the resulting letter is O.

id=43819 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 32, 35, 40? | option_a=29 | option_b=40 | option_c=35 | option_d=32 | answer=B | explanation=The first three numbers increase by 3, so the next should be 38. Therefore 40 is the odd one out.

id=43820 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=43821 | topic=Averages | difficulty=Easy | question=Find the average of 82, 61, 28, 57, 72, 72. | option_a=62 | option_b=61 | option_c=64 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 372 ÷ 6 = 62.

id=43822 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=A | option_c=E | option_d=M | answer=A | explanation=Move 4 positions forward from E; the resulting letter is I.

id=43823 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=R | option_c=F | option_d=J | answer=A | explanation=Move 4 positions forward from J; the resulting letter is N.

id=43824 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=C | option_b=I | option_c=L | option_d=F | answer=B | explanation=Move 3 positions forward from F; the resulting letter is I.

id=43825 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 18, 28, 41? | option_a=41 | option_b=18 | option_c=8 | option_d=28 | answer=A | explanation=The first three numbers increase by 10, so the next should be 38. Therefore 41 is the odd one out.

id=43826 | topic=Averages | difficulty=Easy | question=Find the average of 70, 80, 92, 84, 65, 40, 45, 44. | option_a=67 | option_b=64 | option_c=65 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = 520 ÷ 8 = 65.

id=43827 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:8 and the first is 34, what is the second? | option_a=8 | option_b=16 | option_c=33 | option_d=50 | answer=B | explanation=Scale factor = 34/17 = 2. Therefore second quantity = 8×2 = 16.

id=43828 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=13 | option_c=18 | option_d=36 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=43829 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:12 and the first is 320, what is the second? | option_a=240 | option_b=560 | option_c=228 | option_d=256 | answer=A | explanation=Scale factor = 320/16 = 20. Therefore second quantity = 12×20 = 240.

id=43830 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=32 | option_b=27 | option_c=26 | option_d=20 | answer=C | explanation=The common difference is 6. Therefore the next term is 20 + 6 = 26.

Aptitude Questions — Records 43,831-43,860 of 100,000

id=43831 | topic=Profit & Loss | difficulty=Easy | question=An article costs █508. If it is sold at a profit of 5%, what is its selling price? | option_a=483 | option_b=583 | option_c=513 | option_d=533 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 508 \times 105/100 = \text{█}533$.

id=43832 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:17 and the first is 20, what is the second? | option_a=341 | option_b=340 | option_c=360 | option_d=323 | answer=B | explanation=Scale factor = $20/1 = 20$. Therefore second quantity = $17 \times 20 = 340$.

id=43833 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1866. If it is sold at a profit of 40%, what is its selling price? | option_a=1906 | option_b=2612 | option_c=2798 | option_d=2426 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 1866 \times 140/100 = \text{█}2612$.

id=43834 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43377 at 12% per annum for 3 years. | option_a=15515 | option_b=15615 | option_c=58992 | option_d=15715 | answer=B | explanation=SI = $PRT/100 = 43377 \times 12 \times 3/100 = \text{█}15615$.

id=43835 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=43836 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3529. If it is sold at a profit of 25%, what is its selling price? | option_a=4411 | option_b=3554 | option_c=4059 | option_d=4763 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 3529 \times 125/100 = \text{█}4411$.

id=43837 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 52? | option_a=39 | option_b=29 | option_c=52 | option_d=19 | answer=C | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 52 is the odd one out.

id=43838 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=95 | option_d=180 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 360 \div 4 = 90$ km/h.

id=43839 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 23, 25, 29? | option_a=25 | option_b=23 | option_c=21 | option_d=29 | answer=D | explanation=The first three numbers increase by 2, so the next should be 27. Therefore 29 is the odd one out.

id=43840 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=43841 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=H | option_c=B | option_d=F | answer=D | explanation=Move 2 positions forward from D; the resulting letter is F.

id=43842 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=P | option_b=R | option_c=Q | option_d=S | answer=B | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=43843 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39400 at 10% per annum for 3 years. | option_a=11720 | option_b=51220 | option_c=11920 | option_d=11820 | answer=D | explanation=SI = $PRT/100 = 39400 \times 10 \times 3/100 = \text{█}11820$.

id=43844 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=45 | option_d=55 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 150 \div 3 = 50$ km/h.

id=43845 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=43846 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=16 | option_b=19 | option_c=20 | option_d=18 | answer=D | explanation=The common difference is 2. Therefore the next term is $16 + 2 = 18$.

id=43847 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:7 and the first is 105, what is the second? | option_a=154 | option_b=49 | option_c=64 | option_d=42 | answer=B | explanation=Scale factor = $105/15 = 7$. Therefore second quantity = $7 \times 7 = 49$.

id=43848 | topic=Averages | difficulty=Easy | question=Find the average of 52, 97, 23, 79, 84, 37. | option_a=63 | option_b=62 | option_c=61 | option_d=64 | answer=B | explanation=Average = $\text{sum of values} \div \text{number of values} = 372 \div 6 = 62$.

id=43849 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=18 | option_b=21 | option_c=19 | option_d=15 | answer=A | explanation=The common difference is 3. Therefore the next term is $15 + 3 = 18$.

id=43850 | topic=Percentages | difficulty=Easy | question=What is 12% of 954? | option_a=228 | option_b=114 | option_c=119 | option_d=109 | answer=B | explanation=12% of 954 = $(12/100) \times 954 = 114$.

id=43851 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=72 | option_c=31 | option_d=36 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 360 \div 10 = 36$ km/h.

id=43852 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=27 | option_b=34 | option_c=41 | option_d=35 | answer=B | explanation=The common difference is 7. Therefore the next term is $27 + 7 = 34$.

id=43853 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22015 at 15% per annum for 4 years. | option_a=35224 | option_b=13309 | option_c=13109 | option_d=13209 | answer=D | explanation=SI = $PRT/100 = 22015 \times 15 \times 4/100 = \text{█}13209$.

id=43854 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1568. If it is sold at a profit of 50%, what is its selling price? | option_a=2196 | option_b=2352 | option_c=1618 | option_d=2508 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 1568 \times 150/100 = \text{█}2352$.

id=43855 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2928. If it is sold at a profit of 30%, what is its selling price? | option_a=3514 | option_b=3806 | option_c=2958 | option_d=4098 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2928 \times 130/100 = \text{█}3806$.

id=43856 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=43857 | topic=Averages | difficulty=Easy | question=Find the average of 60, 62, 91. | option_a=73 | option_b=71 | option_c=70 | option_d=72 | answer=B | explanation=Average = $\text{sum of values} \div \text{number of values} = 213 \div 3 = 71$.

id=43858 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=24 | option_d=7 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=43859 | topic=Percentages | difficulty=Easy | question=What is 30% of 153? | option_a=45 | option_b=40 | option_c=55 | option_d=90 | answer=A | explanation=30% of 153 = $(30/100) \times 153 = 45$.

id=43860 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:8 and the first is 234, what is the second? | option_a=144 | option_b=136 | option_c=378 | option_d=157 | answer=A | explanation=Scale factor = $234/13 = 18$. Therefore second quantity = $8 \times 18 = 144$.

Aptitude Questions — Records 43,861-43,890 of 100,000

id=43861 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=R | option_c=N | option_d=Z | answer=A | explanation=Move 4 positions forward from R; the resulting letter is V.

id=43862 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:18 and the first is 160, what is the second? | option_a=368 | option_b=360 | option_c=520 | option_d=342 | answer=B | explanation=Scale factor = 160/8 = 20. Therefore second quantity = 18×20 = 360.

id=43863 | topic=Averages | difficulty=Easy | question=Find the average of 80, 70, 22, 35, 80, 61, 35, 49. | option_a=53 | option_b=56 | option_c=54 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 432 ÷ 8 = 54.

id=43864 | topic=Averages | difficulty=Easy | question=Find the average of 31, 55, 58, 85, 95, 96, 76, 87, 38. | option_a=70 | option_b=69 | option_c=71 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = 621 ÷ 9 = 69.

id=43865 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=Q | option_c=H | option_d=N | answer=D | explanation=Move 3 positions forward from K; the resulting letter is N.

id=43866 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=72 | option_c=36 | option_d=41 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=43867 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=43868 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1693. If it is sold at a profit of 5%, what is its selling price? | option_a=1946 | option_b=1698 | option_c=1608 | option_d=1777 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1693 × 105/100 = █1777.

id=43869 | topic=Averages | difficulty=Easy | question=Find the average of 69, 98, 46, 31, 94, 40. | option_a=62 | option_b=64 | option_c=65 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 378 ÷ 6 = 63.

id=43870 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 6. | option_a=48 | option_b=144 | option_c=24 | option_d=18 | answer=C | explanation=LCM × HCF = 24×6; HCF(24,6) = 6, so LCM = 24.

id=43871 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3729. If it is sold at a profit of 25%, what is its selling price? | option_a=4289 | option_b=4661 | option_c=3754 | option_d=5033 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3729 × 125/100 = █4661.

id=43872 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=X | option_c=A | option_d=R | answer=B | explanation=Move 3 positions forward from U; the resulting letter is X.

id=43873 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48707 at 15% per annum for 5 years. | option_a=36630 | option_b=36430 | option_c=36530 | option_d=85237 | answer=C | explanation=SI = PRT/100 = 48707×15×5/100 = █36530.

id=43874 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=43875 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 26. | option_a=416 | option_b=182 | option_c=224 | option_d=208 | answer=D | explanation=LCM × HCF = 16×26; HCF(16,26) = 2, so LCM = 208.

id=43876 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25469 at 4% per annum for 3 years. | option_a=28525 | option_b=2956 | option_c=3056 | option_d=3156 | answer=C | explanation=SI = PRT/100 = 25469×4×3/100 = █3056.

id=43877 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 13? | option_a=13 | option_b=9 | option_c=5 | option_d=7 | answer=A | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 13 is the odd one out.

id=43878 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=S | option_c=V | option_d=U | answer=D | explanation=Move 1 positions forward from T; the resulting letter is U.

id=43879 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=N | option_b=S | option_c=C | option_d=X | answer=D | explanation=Move 5 positions forward from S; the resulting letter is X.

id=43880 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=50 | option_c=55 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=43881 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 33? | option_a=33 | option_b=16 | option_c=24 | option_d=8 | answer=A | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 33 is the odd one out.

id=43882 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=56 | option_b=46 | option_c=47 | option_d=36 | answer=B | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.

id=43883 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1317. If it is sold at a profit of 50%, what is its selling price? | option_a=1975 | option_b=2106 | option_c=1844 | option_d=1367 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1317 × 150/100 = █1975.

id=43884 | topic=Percentages | difficulty=Easy | question=What is 10% of 246? | option_a=24 | option_b=48 | option_c=44 | option_d=4 | answer=A | explanation=10% of 246 = (10/100) × 246 = 24.

id=43885 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26657 at 5% per annum for 4 years. | option_a=5231 | option_b=5431 | option_c=31988 | option_d=5331 | answer=D | explanation=SI = PRT/100 = 26657×5×4/100 = █5331.

id=43886 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=54 | option_b=63 | option_c=55 | option_d=45 | answer=A | explanation=The common difference is 9. Therefore the next term is 45 + 9 = 54.

id=43887 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:5 and the first is 70, what is the second? | option_a=70 | option_b=65 | option_c=75 | option_d=140 | answer=A | explanation=Scale factor = 70/5 = 14. Therefore second quantity = 5×14 = 70.

id=43888 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 10, 14, 20? | option_a=14 | option_b=20 | option_c=6 | option_d=10 | answer=B | explanation=The first three numbers increase by 4, so the next should be 18. Therefore 20 is the odd one out.

id=43889 | topic=Percentages | difficulty=Easy | question=What is 10% of 333? | option_a=33 | option_b=66 | option_c=38 | option_d=23 | answer=A | explanation=10% of 333 = (10/100) × 333 = 33.

id=43890 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=26 | option_b=18 | option_c=22 | option_d=23 | answer=C | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

Aptitude Questions — Records 43,891-43,920 of 100,000

id=43891 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:16 and the first is 42, what is the second? | option_a=90 | option_b=48 | option_c=32 | option_d=62 | answer=B | explanation=Scale factor = 42/14 = 3. Therefore second quantity = 16×3 = 48.

id=43892 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=43893 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 29, 34, 40? | option_a=34 | option_b=40 | option_c=24 | option_d=29 | answer=B | explanation=The first three numbers increase by 5, so the next should be 39. Therefore 40 is the odd one out.

id=43894 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=43895 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■44353 at 15% per annum for 2 years. | option_a=57658 | option_b=13305 | option_c=13405 | option_d=13205 | answer=B | explanation=SI = PRT/100 = 44353×15×2/100 = ■13305.

id=43896 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 24. | option_a=24 | option_b=144 | option_c=30 | option_d=1 | answer=A | explanation=LCM × HCF = 6×24; HCF(6,24) = 6, so LCM = 24.

id=43897 | topic=Averages | difficulty=Easy | question=Find the average of 34, 34, 45, 97, 100, 33, 52, 76, 34, 75. | option_a=58 | option_b=60 | option_c=59 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 580 ÷ 10 = 58.

id=43898 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:15 and the first is 32, what is the second? | option_a=225 | option_b=272 | option_c=240 | option_d=242 | answer=C | explanation=Scale factor = 32/2 = 16. Therefore second quantity = 15×16 = 240.

id=43899 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=44 | option_b=40 | option_c=39 | option_d=34 | answer=C | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

id=43900 | topic=Averages | difficulty=Easy | question=Find the average of 41, 81, 57, 32, 18, 86, 78, 33, 51. | option_a=55 | option_b=53 | option_c=54 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 477 ÷ 9 = 53.

id=43901 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4760. If it is sold at a profit of 25%, what is its selling price? | option_a=5474 | option_b=6426 | option_c=5950 | option_d=4785 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4760 × 125/100 = ■5950.

id=43902 | topic=Averages | difficulty=Easy | question=Find the average of 100, 12, 49, 90, 76, 45. | option_a=63 | option_b=62 | option_c=64 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 372 ÷ 6 = 62.

id=43903 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=E | option_c=B | option_d=D | answer=D | explanation=Move 1 positions forward from C; the resulting letter is D.

id=43904 | topic=Percentages | difficulty=Easy | question=What is 40% of 1282? | option_a=517 | option_b=502 | option_c=512 | option_d=1024 | answer=C | explanation=40% of 1282 = (40/100) × 1282 = 512.

id=43905 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 46? | option_a=46 | option_b=37 | option_c=31 | option_d=25 | answer=A | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 46 is the odd one out.

id=43906 | topic=Percentages | difficulty=Easy | question=What is 40% of 1896? | option_a=758 | option_b=753 | option_c=1516 | option_d=763 | answer=A | explanation=40% of 1896 = (40/100) × 1896 = 758.

id=43907 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=34 | option_b=32 | option_c=31 | option_d=28 | answer=C | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=43908 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■36122 at 4% per annum for 1 years. | option_a=37566 | option_b=1544 | option_c=1344 | option_d=1444 | answer=D | explanation=SI = PRT/100 = 36122×4×1/100 = ■1444.

id=43909 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2366. If it is sold at a profit of 20%, what is its selling price? | option_a=2386 | option_b=3075 | option_c=2839 | option_d=2603 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2366 × 120/100 = ■2839.

id=43910 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:10 and the first is 30, what is the second? | option_a=40 | option_b=56 | option_c=80 | option_d=50 | answer=D | explanation=Scale factor = 30/6 = 5. Therefore second quantity = 10×5 = 50.

id=43911 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=43912 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:5 and the first is 255, what is the second? | option_a=330 | option_b=92 | option_c=70 | option_d=75 | answer=D | explanation=Scale factor = 255/17 = 15. Therefore second quantity = 5×15 = 75.

id=43913 | topic=Averages | difficulty=Easy | question=Find the average of 64, 41, 26, 18, 53, 68. | option_a=45 | option_b=44 | option_c=46 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 270 ÷ 6 = 45.

id=43914 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=8 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=43915 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=U | option_c=F | option_d=P | answer=D | explanation=Move 5 positions forward from K; the resulting letter is P.

id=43916 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:12 and the first is 168, what is the second? | option_a=158 | option_b=132 | option_c=144 | option_d=312 | answer=C | explanation=Scale factor = 168/14 = 12. Therefore second quantity = 12×12 = 144.

id=43917 | topic=Percentages | difficulty=Easy | question=What is 15% of 1559? | option_a=466 | option_b=223 | option_c=253 | option_d=233 | answer=D | explanation=15% of 1559 = (15/100) × 1559 = 233.

id=43918 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:6 and the first is 182, what is the second? | option_a=84 | option_b=97 | option_c=266 | option_d=78 | answer=A | explanation=Scale factor = 182/13 = 14. Therefore second quantity = 6×14 = 84.

id=43919 | topic=Averages | difficulty=Easy | question=Find the average of 86, 48, 82, 69, 18, 87. | option_a=66 | option_b=65 | option_c=67 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 390 ÷ 6 = 65.

id=43920 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=V | option_b=Q | option_c=L | option_d=A | answer=A | explanation=Move 5 positions forward from Q; the resulting letter is V.

Aptitude Questions — Records 43,921-43,950 of 100,000

id=43921 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20160 at 8% per annum for 3 years. | option_a=4838 | option_b=24998 | option_c=4938 | option_d=4738 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{20160 \times 8 \times 3}{100} = \text{■}4838$.

id=43922 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:13 and the first is 342, what is the second? | option_a=234 | option_b=576 | option_c=221 | option_d=253 | answer=A | explanation=Scale factor = $\frac{342}{19} = 18$. Therefore second quantity = $13 \times 18 = 234$.

id=43923 | topic=Percentages | difficulty=Easy | question=What is 25% of 1720? | option_a=860 | option_b=410 | option_c=440 | option_d=430 | answer=D | explanation= $25\% \text{ of } 1720 = \frac{(25}{100}) \times 1720 = 430$.

id=43924 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11934 at 12% per annum for 1 years. | option_a=1332 | option_b=1432 | option_c=13366 | option_d=1532 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{11934 \times 12 \times 1}{100} = \text{■}1432$.

id=43925 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=40 | option_c=25 | option_d=20 | answer=D | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{120}{6} = 20 \text{ km/h}$.

id=43926 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=69 | option_b=49 | option_c=60 | option_d=59 | answer=D | explanation=The common difference is 10. Therefore the next term is $49 + 10 = 59$.

id=43927 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:15 and the first is 247, what is the second? | option_a=285 | option_b=298 | option_c=270 | option_d=532 | answer=A | explanation=Scale factor = $\frac{247}{13} = 19$. Therefore second quantity = $15 \times 19 = 285$.

id=43928 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:10 and the first is 13, what is the second? | option_a=130 | option_b=143 | option_c=131 | option_d=120 | answer=A | explanation=Scale factor = $\frac{13}{1} = 13$. Therefore second quantity = $10 \times 13 = 130$.

id=43929 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=43930 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=D | option_b=P | option_c=L | option_d=H | answer=C | explanation=Move 4 positions forward from H; the resulting letter is L.

id=43931 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=240 | option_c=125 | option_d=120 | answer=D | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{360}{3} = 120 \text{ km/h}$.

id=43932 | topic=Averages | difficulty=Easy | question=Find the average of 50, 36, 96, 46. | option_a=57 | option_b=58 | option_c=59 | option_d=56 | answer=A | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{228}{4} = 57$.

id=43933 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=L | option_b=N | option_c=M | option_d=O | answer=B | explanation=Move 1 positions forward from M; the resulting letter is N.

id=43934 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 12, 17, 24? | option_a=24 | option_b=7 | option_c=17 | option_d=12 | answer=A | explanation=The first three numbers increase by 5, so the next should be 22. Therefore 24 is the odd one out.

id=43935 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 20. | option_a=242 | option_b=220 | option_c=440 | option_d=200 | answer=B | explanation= $LCM \times HCF = 22 \times 20$; $HCF(22,20) = 2$, so $LCM = 220$.

id=43936 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=64 | option_b=56 | option_c=55 | option_d=46 | answer=C | explanation=The common difference is 9. Therefore the next term is $46 + 9 = 55$.

id=43937 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43483 at 4% per annum for 1 years. | option_a=45222 | option_b=1739 | option_c=1839 | option_d=1639 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{43483 \times 4 \times 1}{100} = \text{■}1739$.

id=43938 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3578. If it is sold at a profit of 30%, what is its selling price? | option_a=3608 | option_b=4651 | option_c=5008 | option_d=4294 | answer=B | explanation=Selling price = $CP \times \frac{(100 + \text{profit}\%)}{100} = 3578 \times \frac{130}{100} = \text{■}4651$.

id=43939 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=55 | option_c=100 | option_d=50 | answer=D | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{150}{3} = 50 \text{ km/h}$.

id=43940 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3745. If it is sold at a profit of 40%, what is its selling price? | option_a=5617 | option_b=3785 | option_c=5243 | option_d=4869 | answer=C | explanation=Selling price = $CP \times \frac{(100 + \text{profit}\%)}{100} = 3745 \times \frac{140}{100} = \text{■}5243$.

id=43941 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31830 at 8% per annum for 1 years. | option_a=2446 | option_b=2546 | option_c=34376 | option_d=2646 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{31830 \times 8 \times 1}{100} = \text{■}2546$.

id=43942 | topic=Averages | difficulty=Easy | question=Find the average of 80, 78, 26, 94, 14, 23, 77. | option_a=55 | option_b=57 | option_c=58 | option_d=56 | answer=D | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{392}{7} = 56$.

id=43943 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{120}{2} = 60 \text{ km/h}$.

id=43944 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40209 at 4% per annum for 5 years. | option_a=8041 | option_b=8141 | option_c=7941 | option_d=48250 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{40209 \times 4 \times 5}{100} = \text{■}8041$.

id=43945 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 26. | option_a=234 | option_b=468 | option_c=252 | option_d=208 | answer=A | explanation= $LCM \times HCF = 18 \times 26$; $HCF(18,26) = 2$, so $LCM = 234$.

id=43946 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=58 | option_b=57 | option_c=68 | option_d=46 | answer=B | explanation=The common difference is 11. Therefore the next term is $46 + 11 = 57$.

id=43947 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47630 at 10% per annum for 4 years. | option_a=19152 | option_b=19052 | option_c=18952 | option_d=66682 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{47630 \times 10 \times 4}{100} = \text{■}19052$.

id=43948 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=43949 | topic=Averages | difficulty=Easy | question=Find the average of 67, 85, 40, 15, 65, 47, 80, 57. | option_a=59 | option_b=58 | option_c=57 | option_d=56 | answer=C | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{456}{8} = 57$.

id=43950 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3927 at 4% per annum for 1 years. | option_a=157 | option_b=4084 | option_c=257 | option_d=57 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{3927 \times 4 \times 1}{100} = \text{■}157$.

Aptitude Questions — Records 43,951-43,980 of 100,000

id=43951 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1712. If it is sold at a profit of 20%, what is its selling price? | option_a=2054 | option_b=1883 | option_c=1732 | option_d=2225 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1712 \times 120/100 = \text{█}2054$.

id=43952 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4225. If it is sold at a profit of 10%, what is its selling price? | option_a=5069 | option_b=4235 | option_c=4647 | option_d=4225 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4225 \times 110/100 = \text{█}4647$.

id=43953 | topic=Percentages | difficulty=Easy | question=What is 50% of 1293? | option_a=1292 | option_b=646 | option_c=666 | option_d=636 | answer=B | explanation=50% of 1293 = $(50/100) \times 1293 = 646$.

id=43954 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=180 | option_c=95 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = $180 \div 2 = 90$ km/h.

id=43955 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=43956 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37658 at 12% per annum for 3 years. | option_a=13556 | option_b=51214 | option_c=13656 | option_d=13456 | answer=A | explanation=SI = $PRT/100 = 37658 \times 12 \times 3/100 = \text{█}13556$.

id=43957 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 17, 19, 21, ? | option_a=24 | option_b=21 | option_c=23 | option_d=25 | answer=C | explanation=The common difference is 2. Therefore the next term is $21 + 2 = 23$.

id=43958 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=S | option_b=I | option_c=N | option_d=D | answer=C | explanation=Move 5 positions forward from I; the resulting letter is N.

id=43959 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=43960 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=24 | option_c=12 | option_d=17 | answer=C | explanation=Speed = distance ÷ time = $60 \div 5 = 12$ km/h.

id=43961 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26141 at 5% per annum for 2 years. | option_a=2514 | option_b=2714 | option_c=28755 | option_d=2614 | answer=D | explanation=SI = $PRT/100 = 26141 \times 5 \times 2/100 = \text{█}2614$.

id=43962 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=43963 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=17 | option_c=24 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = $120 \div 10 = 12$ km/h.

id=43964 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=D | option_c=Z | option_d=F | answer=B | explanation=Move 2 positions forward from B; the resulting letter is M.

id=43965 | topic=Percentages | difficulty=Easy | question=What is 25% of 1878? | option_a=469 | option_b=464 | option_c=479 | option_d=938 | answer=A | explanation=25% of 1878 = $(25/100) \times 1878 = 469$.

id=43966 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24411 at 15% per annum for 4 years. | option_a=14646 | option_b=39057 | option_c=14746 | option_d=14546 | answer=A | explanation=SI = $PRT/100 = 24411 \times 15 \times 4/100 = \text{█}14646$.

id=43967 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21421 at 8% per annum for 3 years. | option_a=5041 | option_b=5141 | option_c=26562 | option_d=5241 | answer=B | explanation=SI = $PRT/100 = 21421 \times 8 \times 3/100 = \text{█}5141$.

id=43968 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1112. If it is sold at a profit of 25%, what is its selling price? | option_a=1501 | option_b=1279 | option_c=1137 | option_d=1390 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1112 \times 125/100 = \text{█}1390$.

id=43969 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=13 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = $90 \div 5 = 18$ km/h.

id=43970 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=M | option_c=I | option_d=K | answer=B | explanation=Move 2 positions forward from K; the resulting letter is M.

id=43971 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=D | option_b=X | option_c=G | option_d=A | answer=A | explanation=Move 3 positions forward from A; the resulting letter is D.

id=43972 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=43973 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=43974 | topic=Averages | difficulty=Easy | question=Find the average of 49, 91, 94, 91, 90, 45, 16. | option_a=68 | option_b=70 | option_c=69 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = $476 \div 7 = 68$.

id=43975 | topic=Averages | difficulty=Easy | question=Find the average of 48, 87, 37, 71, 42, 62, 17, 14, 63. | option_a=48 | option_b=51 | option_c=49 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = $441 \div 9 = 49$.

id=43976 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2599. If it is sold at a profit of 50%, what is its selling price? | option_a=2649 | option_b=3639 | option_c=3898 | option_d=4157 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2599 \times 150/100 = \text{█}3898$.

id=43977 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2443. If it is sold at a profit of 15%, what is its selling price? | option_a=2809 | option_b=2458 | option_c=3053 | option_d=2565 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2443 \times 115/100 = \text{█}2809$.

id=43978 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=8 | option_d=3 | answer=B | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=43979 | topic=Percentages | difficulty=Easy | question=What is 30% of 339? | option_a=106 | option_b=101 | option_c=202 | option_d=81 | answer=B | explanation=30% of 339 = $(30/100) \times 339 = 101$.

id=43980 | topic=Percentages | difficulty=Easy | question=What is 12% of 348? | option_a=41 | option_b=82 | option_c=31 | option_d=61 | answer=A | explanation=12% of 348 = $(12/100) \times 348 = 41$.

Aptitude Questions — Records 43,981-44,010 of 100,000

id=43981 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=23 | option_c=18 | option_d=36 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=43982 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 26. | option_a=1 | option_b=676 | option_c=26 | option_d=52 | answer=C | explanation=LCM × HCF = 26×26; HCF(26,26) = 26, so LCM = 26.

id=43983 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 21. | option_a=120 | option_b=105 | option_c=84 | option_d=315 | answer=B | explanation=LCM × HCF = 15×21; HCF(15,21) = 3, so LCM = 105.

id=43984 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=43985 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:12 and the first is 20, what is the second? | option_a=44 | option_b=12 | option_c=24 | option_d=34 | answer=C | explanation=Scale factor = 20/10 = 2. Therefore second quantity = 12×2 = 24.

id=43986 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22923 at 5% per annum for 1 years. | option_a=24069 | option_b=1046 | option_c=1146 | option_d=1246 | answer=C | explanation=SI = PRT/100 = 22923×5×1/100 = **■**1146.

id=43987 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:10 and the first is 60, what is the second? | option_a=90 | option_b=106 | option_c=160 | option_d=100 | answer=D | explanation=Scale factor = 60/6 = 10. Therefore second quantity = 10×10 = 100.

id=43988 | topic=Percentages | difficulty=Easy | question=What is 10% of 1646? | option_a=164 | option_b=328 | option_c=174 | option_d=159 | answer=A | explanation=10% of 1646 = (10/100) × 1646 = 164.

id=43989 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 20. | option_a=40 | option_b=20 | option_c=400 | option_d=1 | answer=B | explanation=LCM × HCF = 20×20; HCF(20,20) = 20, so LCM = 20.

id=43990 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=Q | option_b=L | option_c=G | option_d=B | answer=B | explanation=Move 5 positions forward from G; the resulting letter is L.

id=43991 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=M | option_b=W | option_c=R | option_d=B | answer=B | explanation=Move 5 positions forward from R; the resulting letter is W.

id=43992 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1847. If it is sold at a profit of 10%, what is its selling price? | option_a=2031 | option_b=2215 | option_c=1847 | option_d=1857 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1847 × 110/100 = **■**2031.

id=43993 | topic=Percentages | difficulty=Easy | question=What is 12% of 176? | option_a=41 | option_b=42 | option_c=21 | option_d=1 | answer=C | explanation=12% of 176 = (12/100) × 176 = 21.

id=43994 | topic=Percentages | difficulty=Easy | question=What is 20% of 477? | option_a=85 | option_b=95 | option_c=105 | option_d=190 | answer=B | explanation=20% of 477 = (20/100) × 477 = 95.

id=43995 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**715. If it is sold at a profit of 50%, what is its selling price? | option_a=765 | option_b=1072 | option_c=1001 | option_d=1143 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 715 × 150/100 = **■**1072.

id=43996 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=T | option_b=W | option_c=V | option_d=U | answer=C | explanation=Move 1 positions forward from U; the resulting letter is V.

id=43997 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=43998 | topic=Averages | difficulty=Easy | question=Find the average of 39, 20, 66, 35, 77, 27. | option_a=44 | option_b=43 | option_c=45 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 264 ÷ 6 = 44.

id=43999 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49023 at 8% per annum for 2 years. | option_a=7743 | option_b=7843 | option_c=56866 | option_d=7943 | answer=B | explanation=SI = PRT/100 = 49023×8×2/100 = **■**7843.

id=44000 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=P | option_b=Q | option_c=O | option_d=N | answer=A | explanation=Move 1 positions forward from O; the resulting letter is P.

id=44001 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=44002 | topic=Averages | difficulty=Easy | question=Find the average of 42, 67, 29. | option_a=48 | option_b=46 | option_c=45 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 138 ÷ 3 = 46.

id=44003 | topic=Percentages | difficulty=Easy | question=What is 50% of 1557? | option_a=783 | option_b=758 | option_c=1556 | option_d=778 | answer=D | explanation=50% of 1557 = (50/100) × 1557 = 778.

id=44004 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=44005 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=M | option_c=O | option_d=Q | answer=D | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=44006 | topic=Percentages | difficulty=Easy | question=What is 25% of 1487? | option_a=742 | option_b=371 | option_c=351 | option_d=381 | answer=B | explanation=25% of 1487 = (25/100) × 1487 = 371.

id=44007 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 30? | option_a=13 | option_b=23 | option_c=30 | option_d=18 | answer=C | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 30 is the odd one out.

id=44008 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=44009 | topic=Number System | difficulty=Easy | question=Find the LCM of 17 and 17. | option_a=17 | option_b=34 | option_c=289 | option_d=1 | answer=A | explanation=LCM × HCF = 17×17; HCF(17,17) = 17, so LCM = 17.

id=44010 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=K | option_c=I | option_d=L | answer=B | explanation=Move 1 positions forward from J; the resulting letter is K.

Aptitude Questions — Records 44,011-44,040 of 100,000

id=44011 | topic=Profit & Loss | difficulty=Easy | question=An article costs █494. If it is sold at a profit of 30%, what is its selling price? | option_a=642 | option_b=691 | option_c=524 | option_d=593 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 494 × 130/100 = █642.

id=44012 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17113 at 4% per annum for 4 years. | option_a=2838 | option_b=19851 | option_c=2738 | option_d=2638 | answer=C | explanation=SI = PRT/100 = 17113×4×4/100 = █2738.

id=44013 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=20 | option_c=30 | option_d=25 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=44014 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=65 | option_b=57 | option_c=56 | option_d=47 | answer=C | explanation=The common difference is 9. Therefore the next term is 47 + 9 = 56.

id=44015 | topic=Averages | difficulty=Easy | question=Find the average of 35, 62, 35, 59, 85, 60. | option_a=55 | option_b=57 | option_c=58 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 336 ÷ 6 = 56.

id=44016 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:10 and the first is 128, what is the second? | option_a=288 | option_b=160 | option_c=150 | option_d=168 | answer=B | explanation=Scale factor = 128/8 = 16. Therefore second quantity = 10×16 = 160.

id=44017 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 16. | option_a=64 | option_b=1 | option_c=20 | option_d=16 | answer=D | explanation=LCM × HCF = 4×16; HCF(4,16) = 4, so LCM = 16.

id=44018 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 32? | option_a=32 | option_b=25 | option_c=29 | option_d=27 | answer=A | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 32 is the odd one out.

id=44019 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=180 | option_c=90 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=44020 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 43? | option_a=43 | option_b=23 | option_c=35 | option_d=29 | answer=A | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 43 is the odd one out.

id=44021 | topic=Averages | difficulty=Easy | question=Find the average of 48, 97, 37, 14. | option_a=48 | option_b=49 | option_c=51 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 196 ÷ 4 = 49.

id=44022 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=34 | option_b=38 | option_c=35 | option_d=30 | answer=A | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.

id=44023 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3198. If it is sold at a profit of 50%, what is its selling price? | option_a=4797 | option_b=5116 | option_c=3248 | option_d=4478 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3198 × 150/100 = █4797.

id=44024 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18964 at 8% per annum for 5 years. | option_a=26549 | option_b=7585 | option_c=7485 | option_d=7685 | answer=B | explanation=SI = PRT/100 = 18964×8×5/100 = █7585.

id=44025 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:7 and the first is 30, what is the second? | option_a=14 | option_b=31 | option_c=21 | option_d=51 | answer=C | explanation=Scale factor = 30/10 = 3. Therefore second quantity = 7×3 = 21.

id=44026 | topic=Averages | difficulty=Easy | question=Find the average of 62, 80, 81, 70, 89, 91, 38. | option_a=74 | option_b=75 | option_c=72 | option_d=73 | answer=D | explanation=Average = sum of values ÷ number of values = 511 ÷ 7 = 73.

id=44027 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=44028 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=120 | option_c=115 | option_d=125 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=44029 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=45 | option_c=35 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=44030 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4560. If it is sold at a profit of 15%, what is its selling price? | option_a=5700 | option_b=5244 | option_c=4788 | option_d=4575 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4560 × 115/100 = █5244.

id=44031 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=W | option_c=N | option_d=T | answer=D | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=44032 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 59? | option_a=27 | option_b=59 | option_c=47 | option_d=37 | answer=B | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 59 is the odd one out.

id=44033 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16522 at 15% per annum for 1 years. | option_a=19000 | option_b=2378 | option_c=2578 | option_d=2478 | answer=D | explanation=SI = PRT/100 = 16522×15×1/100 = █2478.

id=44034 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 18. | option_a=24 | option_b=18 | option_c=108 | option_d=1 | answer=B | explanation=LCM × HCF = 6×18; HCF(6,18) = 6, so LCM = 18.

id=44035 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=44036 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:8 and the first is 120, what is the second? | option_a=160 | option_b=280 | option_c=152 | option_d=166 | answer=A | explanation=Scale factor = 120/6 = 20. Therefore second quantity = 8×20 = 160.

id=44037 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=25 | option_b=20 | option_c=28 | option_d=24 | answer=D | explanation=The common difference is 4. Therefore the next term is 20 + 4 = 24.

id=44038 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:2 and the first is 33, what is the second? | option_a=4 | option_b=6 | option_c=17 | option_d=39 | answer=B | explanation=Scale factor = 33/11 = 3. Therefore second quantity = 2×3 = 6.

id=44039 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1808 at 5% per annum for 5 years. | option_a=352 | option_b=452 | option_c=2260 | option_d=552 | answer=B | explanation=SI = PRT/100 = 1808×5×5/100 = █452.

id=44040 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

Aptitude Questions — Records 44,041-44,070 of 100,000

id=44041 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=72 | option_c=144 | option_d=67 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=44042 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35663 at 4% per annum for 3 years. | option_a=4279 | option_b=4379 | option_c=39942 | option_d=4179 | answer=A | explanation=SI = $PRT/100 = 35663 \times 4 \times 3/100 =$ **■**4279.

id=44043 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=4 | option_d=6 | answer=A | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=44044 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=J | option_b=O | option_c=Y | option_d=T | answer=D | explanation=Move 5 positions forward from O; the resulting letter is T.

id=44045 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=23 | option_c=36 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = $180 \div 10 = 18$ km/h.

id=44046 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13025 at 15% per annum for 1 years. | option_a=1953 | option_b=1853 | option_c=14978 | option_d=2053 | answer=A | explanation=SI = $PRT/100 = 13025 \times 15 \times 1/100 =$ **■**1953.

id=44047 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:16 and the first is 195, what is the second? | option_a=253 | option_b=224 | option_c=435 | option_d=240 | answer=D | explanation=Scale factor = $195/13 = 15$. Therefore second quantity = $16 \times 15 = 240$.

id=44048 | topic=Averages | difficulty=Easy | question=Find the average of 81, 15, 93, 40, 21, 71, 43. | option_a=54 | option_b=51 | option_c=53 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = $364 \div 7 = 52$.

id=44049 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=51 | option_b=41 | option_c=59 | option_d=50 | answer=D | explanation=The common difference is 9. Therefore the next term is $41 + 9 = 50$.

id=44050 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 20. | option_a=200 | option_b=30 | option_c=20 | option_d=1 | answer=C | explanation=LCM × HCF = 10×20 ; HCF(10,20) = 10, so LCM = 20.

id=44051 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9425 at 12% per annum for 4 years. | option_a=4624 | option_b=4424 | option_c=4524 | option_d=13949 | answer=C | explanation=SI = $PRT/100 = 9425 \times 12 \times 4/100 =$ **■**4524.

id=44052 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2226. If it is sold at a profit of 25%, what is its selling price? | option_a=2782 | option_b=3004 | option_c=2251 | option_d=2560 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2226 \times 125/100 =$ **■**2782.

id=44053 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=J | option_c=F | option_d=R | answer=A | explanation=Move 4 positions forward from J; the resulting letter is N.

id=44054 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=125 | option_c=115 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = $240 \div 2 = 120$ km/h.

id=44055 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6800 at 4% per annum for 5 years. | option_a=1260 | option_b=8160 | option_c=1360 | option_d=1460 | answer=C | explanation=SI = $PRT/100 = 6800 \times 4 \times 5/100 =$ **■**1360.

id=44056 | topic=Percentages | difficulty=Easy | question=What is 12% of 646? | option_a=97 | option_b=67 | option_c=77 | option_d=154 | answer=C | explanation=12% of 646 = $(12/100) \times 646 = 77$.

id=44057 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:11 and the first is 280, what is the second? | option_a=434 | option_b=143 | option_c=174 | option_d=154 | answer=D | explanation=Scale factor = $280/20 = 14$. Therefore second quantity = $11 \times 14 = 154$.

id=44058 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=K | option_c=L | option_d=I | answer=B | explanation=Move 1 positions forward from J; the resulting letter is K.

id=44059 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:4 and the first is 56, what is the second? | option_a=72 | option_b=12 | option_c=30 | option_d=16 | answer=D | explanation=Scale factor = $56/14 = 4$. Therefore second quantity = $4 \times 4 = 16$.

id=44060 | topic=Percentages | difficulty=Easy | question=What is 5% of 226? | option_a=6 | option_b=21 | option_c=11 | option_d=22 | answer=C | explanation=5% of 226 = $(5/100) \times 226 = 11$.

id=44061 | topic=Percentages | difficulty=Easy | question=What is 5% of 1212? | option_a=60 | option_b=40 | option_c=120 | option_d=65 | answer=A | explanation=5% of 1212 = $(5/100) \times 1212 = 60$.

id=44062 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=54 | option_b=45 | option_c=36 | option_d=46 | answer=B | explanation=The common difference is 9. Therefore the next term is $36 + 9 = 45$.

id=44063 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=44064 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:8 and the first is 171, what is the second? | option_a=161 | option_b=323 | option_c=152 | option_d=144 | answer=C | explanation=Scale factor = $171/9 = 19$. Therefore second quantity = $8 \times 19 = 152$.

id=44065 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29193 at 6% per annum for 1 years. | option_a=30944 | option_b=1651 | option_c=1851 | option_d=1751 | answer=D | explanation=SI = $PRT/100 = 29193 \times 6 \times 1/100 =$ **■**1751.

id=44066 | topic=Averages | difficulty=Easy | question=Find the average of 30, 87, 30, 50, 80, 100, 22, 27, 60. | option_a=54 | option_b=56 | option_c=55 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = $486 \div 9 = 54$.

id=44067 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=32 | option_b=24 | option_c=31 | option_d=38 | answer=C | explanation=The common difference is 7. Therefore the next term is $24 + 7 = 31$.

id=44068 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=44069 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 20. | option_a=220 | option_b=440 | option_c=242 | option_d=200 | answer=A | explanation=LCM × HCF = 22×20 ; HCF(22,20) = 2, so LCM = 220.

id=44070 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3667. If it is sold at a profit of 20%, what is its selling price? | option_a=4400 | option_b=4766 | option_c=3687 | option_d=4034 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3667 \times 120/100 =$ **■**4400.

Aptitude Questions — Records 44,071-44,100 of 100,000

id=44071 | topic=Averages | difficulty=Easy | question=Find the average of 69, 34, 43, 13, 68, 46, 73, 77, 54. | option_a=52 | option_b=55 | option_c=53 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 477 ÷ 9 = 53.

id=44072 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 21. | option_a=1 | option_b=42 | option_c=441 | option_d=21 | answer=D | explanation=LCM × HCF = 21×21; HCF(21,21) = 21, so LCM = 21.

id=44073 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■36078 at 10% per annum for 1 years. | option_a=3607 | option_b=39685 | option_c=3707 | option_d=3507 | answer=A | explanation=SI = PRT/100 = 36078×10×1/100 = ■3607.

id=44074 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=27 | option_b=31 | option_c=26 | option_d=21 | answer=C | explanation=The common difference is 5. Therefore the next term is 21 + 5 = 26.

id=44075 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 18. | option_a=468 | option_b=234 | option_c=216 | option_d=260 | answer=B | explanation=LCM × HCF = 26×18; HCF(26,18) = 2, so LCM = 234.

id=44076 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=44077 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1856. If it is sold at a profit of 15%, what is its selling price? | option_a=2319 | option_b=1949 | option_c=1871 | option_d=2134 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1856 × 115/100 = ■2134.

id=44078 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=Y | option_c=W | option_d=S | answer=C | explanation=Move 2 positions forward from U; the resulting letter is W.

id=44079 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 16? | option_a=16 | option_b=3 | option_c=11 | option_d=7 | answer=A | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 16 is the odd one out.

id=44080 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 9. | option_a=18 | option_b=9 | option_c=24 | option_d=54 | answer=A | explanation=LCM × HCF = 6×9; HCF(6,9) = 3, so LCM = 18.

id=44081 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=20 | option_b=23 | option_c=24 | option_d=26 | answer=B | explanation=The common difference is 3. Therefore the next term is 20 + 3 = 23.

id=44082 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:4 and the first is 80, what is the second? | option_a=64 | option_b=144 | option_c=60 | option_d=69 | answer=A | explanation=Scale factor = 80/5 = 16. Therefore second quantity = 4×16 = 64.

id=44083 | topic=Percentages | difficulty=Easy | question=What is 25% of 64? | option_a=6 | option_b=32 | option_c=36 | option_d=16 | answer=D | explanation=25% of 64 = (25/100) × 64 = 16.

id=44084 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=44085 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=44086 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=44087 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■989. If it is sold at a profit of 25%, what is its selling price? | option_a=1236 | option_b=1014 | option_c=1334 | option_d=1138 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 989 × 125/100 = ■1236.

id=44088 | topic=Averages | difficulty=Easy | question=Find the average of 76, 45, 28, 63. | option_a=55 | option_b=53 | option_c=54 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 212 ÷ 4 = 53.

id=44089 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 27, 32, 40? | option_a=22 | option_b=40 | option_c=27 | option_d=32 | answer=B | explanation=The first three numbers increase by 5, so the next should be 37. Therefore 40 is the odd one out.

id=44090 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=55 | option_b=44 | option_c=54 | option_d=64 | answer=C | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=44091 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 7, 12, 18? | option_a=18 | option_b=2 | option_c=7 | option_d=12 | answer=A | explanation=The first three numbers increase by 5, so the next should be 17. Therefore 18 is the odd one out.

id=44092 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2722. If it is sold at a profit of 15%, what is its selling price? | option_a=2737 | option_b=3402 | option_c=2858 | option_d=3130 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2722 × 115/100 = ■3130.

id=44093 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=150 | option_c=70 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=44094 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■41478 at 10% per annum for 5 years. | option_a=20739 | option_b=20839 | option_c=62217 | option_d=20639 | answer=A | explanation=SI = PRT/100 = 41478×10×5/100 = ■20739.

id=44095 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■28896 at 8% per annum for 4 years. | option_a=38142 | option_b=9246 | option_c=9346 | option_d=9146 | answer=B | explanation=SI = PRT/100 = 28896×8×4/100 = ■9246.

id=44096 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 19, 29, 42? | option_a=42 | option_b=29 | option_c=19 | option_d=9 | answer=A | explanation=The first three numbers increase by 10, so the next should be 39. Therefore 42 is the odd one out.

id=44097 | topic=Percentages | difficulty=Easy | question=What is 20% of 693? | option_a=138 | option_b=148 | option_c=128 | option_d=276 | answer=A | explanation=20% of 693 = (20/100) × 693 = 138.

id=44098 | topic=Percentages | difficulty=Easy | question=What is 30% of 1578? | option_a=946 | option_b=473 | option_c=478 | option_d=463 | answer=B | explanation=30% of 1578 = (30/100) × 1578 = 473.

id=44099 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=36 | option_b=31 | option_c=26 | option_d=32 | answer=B | explanation=The common difference is 5. Therefore the next term is 26 + 5 = 31.

id=44100 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=M | option_b=Q | option_c=I | option_d=E | answer=A | explanation=Move 4 positions forward from I; the resulting letter is M.

Aptitude Questions — Records 44,101-44,130 of 100,000

id=44101 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1657. If it is sold at a profit of 30%, what is its selling price? | option_a=2319 | option_b=1687 | option_c=1989 | option_d=2154 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1657 × 130/100 = █2154.

id=44102 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=Y | option_b=I | option_c=D | option_d=N | answer=B | explanation=Move 5 positions forward from D; the resulting letter is I.

id=44103 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:10 and the first is 32, what is the second? | option_a=160 | option_b=150 | option_c=192 | option_d=162 | answer=A | explanation=Scale factor = 32/2 = 16. Therefore second quantity = 10×16 = 160.

id=44104 | topic=Percentages | difficulty=Easy | question=What is 15% of 1886? | option_a=564 | option_b=277 | option_c=302 | option_d=282 | answer=D | explanation=15% of 1886 = (15/100) × 1886 = 282.

id=44105 | topic=Percentages | difficulty=Easy | question=What is 50% of 1562? | option_a=771 | option_b=1562 | option_c=791 | option_d=781 | answer=D | explanation=50% of 1562 = (50/100) × 1562 = 781.

id=44106 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 22, 25, 31? | option_a=22 | option_b=19 | option_c=31 | option_d=25 | answer=C | explanation=The first three numbers increase by 3, so the next should be 28. Therefore 31 is the odd one out.

id=44107 | topic=Percentages | difficulty=Easy | question=What is 10% of 1418? | option_a=121 | option_b=282 | option_c=141 | option_d=146 | answer=C | explanation=10% of 1418 = (10/100) × 1418 = 141.

id=44108 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=75 | option_c=80 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=44109 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=38 | option_b=30 | option_c=39 | option_d=46 | answer=A | explanation=The common difference is 8. Therefore the next term is 30 + 8 = 38.

id=44110 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=44111 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=14 | option_b=12 | option_c=16 | option_d=15 | answer=A | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=44112 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3273. If it is sold at a profit of 30%, what is its selling price? | option_a=4581 | option_b=3303 | option_c=3927 | option_d=4254 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3273 × 130/100 = █4254.

id=44113 | topic=Averages | difficulty=Easy | question=Find the average of 68, 48, 88, 86, 63, 43, 78, 86. | option_a=71 | option_b=72 | option_c=70 | option_d=69 | answer=C | explanation=Average = sum of values ÷ number of values = 560 ÷ 8 = 70.

id=44114 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3966. If it is sold at a profit of 40%, what is its selling price? | option_a=5552 | option_b=5948 | option_c=5156 | option_d=4006 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3966 × 140/100 = █5552.

id=44115 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:11 and the first is 90, what is the second? | option_a=109 | option_b=88 | option_c=99 | option_d=189 | answer=C | explanation=Scale factor = 90/10 = 9. Therefore second quantity = 11×9 = 99.

id=44116 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:19 and the first is 112, what is the second? | option_a=378 | option_b=247 | option_c=274 | option_d=266 | answer=D | explanation=Scale factor = 112/8 = 14. Therefore second quantity = 19×14 = 266.

id=44117 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10681 at 6% per annum for 1 years. | option_a=640 | option_b=740 | option_c=11321 | option_d=540 | answer=A | explanation=SI = PRT/100 = 10681×6×1/100 = █640.

id=44118 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 30. | option_a=231 | option_b=180 | option_c=630 | option_d=210 | answer=D | explanation=LCM × HCF = 21×30; HCF(21,30) = 3, so LCM = 210.

id=44119 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 4. | option_a=16 | option_b=4 | option_c=8 | option_d=1 | answer=B | explanation=LCM × HCF = 4×4; HCF(4,4) = 4, so LCM = 4.

id=44120 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=44121 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=N | option_b=S | option_c=C | option_d=X | answer=D | explanation=Move 5 positions forward from S; the resulting letter is X.

id=44122 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=C | option_c=Z | option_d=B | answer=D | explanation=Move 1 positions forward from A; the resulting letter is B.

id=44123 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=69 | option_b=68 | option_c=56 | option_d=80 | answer=B | explanation=The common difference is 12. Therefore the next term is 56 + 12 = 68.

id=44124 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:5 and the first is 240, what is the second? | option_a=91 | option_b=315 | option_c=70 | option_d=75 | answer=D | explanation=Scale factor = 240/16 = 15. Therefore second quantity = 5×15 = 75.

id=44125 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=V | option_b=K | option_c=A | option_d=F | answer=D | explanation=Move 5 positions forward from A; the resulting letter is F.

id=44126 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=18 | option_c=36 | option_d=23 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=44127 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=45 | option_c=35 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=44128 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=16 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=44129 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=6 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=44130 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

Aptitude Questions — Records 44,131-44,160 of 100,000

id=44131 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=44132 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4282. If it is sold at a profit of 50%, what is its selling price? | option_a=5995 | option_b=6423 | option_c=6851 | option_d=4332 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4282 × 150/100 = ■6423.

id=44133 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=24 | option_c=48 | option_d=29 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=44134 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■27037 at 4% per annum for 3 years. | option_a=30281 | option_b=3144 | option_c=3244 | option_d=3344 | answer=C | explanation=SI = PRT/100 = 27037×4×3/100 = ■3244.

id=44135 | topic=Averages | difficulty=Easy | question=Find the average of 19, 58, 41, 61, 61, 74, 17. | option_a=45 | option_b=46 | option_c=44 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 270 ÷ 6 = 45.

id=44136 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:12 and the first is 72, what is the second? | option_a=108 | option_b=116 | option_c=180 | option_d=96 | answer=A | explanation=Scale factor = 72/8 = 9. Therefore second quantity = 12×9 = 108.

id=44137 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 25, 34, 43, ? | option_a=43 | option_b=52 | option_c=53 | option_d=61 | answer=B | explanation=The common difference is 9. Therefore the next term is 43 + 9 = 52.

id=44138 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:17 and the first is 48, what is the second? | option_a=142 | option_b=119 | option_c=184 | option_d=136 | answer=D | explanation=Scale factor = 48/6 = 8. Therefore second quantity = 17×8 = 136.

id=44139 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=U | option_b=K | option_c=F | option_d=P | answer=D | explanation=Move 5 positions forward from K; the resulting letter is P.

id=44140 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 9, 13, 19? | option_a=13 | option_b=5 | option_c=9 | option_d=19 | answer=D | explanation=The first three numbers increase by 4, so the next should be 17. Therefore 19 is the odd one out.

id=44141 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 4. | option_a=20 | option_b=24 | option_c=48 | option_d=96 | answer=B | explanation=LCM × HCF = 24×4; HCF(24,4) = 4, so LCM = 24.

id=44142 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=31 | option_b=32 | option_c=36 | option_d=26 | answer=A | explanation=The common difference is 5. Therefore the next term is 26 + 5 = 31.

id=44143 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=44144 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2932. If it is sold at a profit of 25%, what is its selling price? | option_a=3958 | option_b=3665 | option_c=2957 | option_d=3372 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2932 × 125/100 = ■3665.

id=44145 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:14 and the first is 228, what is the second? | option_a=396 | option_b=154 | option_c=168 | option_d=187 | answer=C | explanation=Scale factor = 228/19 = 12. Therefore second quantity = 14×12 = 168.

id=44146 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=80 | option_c=40 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=44147 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=44148 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=44149 | topic=Percentages | difficulty=Easy | question=What is 12% of 995? | option_a=139 | option_b=109 | option_c=238 | option_d=119 | answer=D | explanation=12% of 995 = (12/100) × 995 = 119.

id=44150 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 28. | option_a=64 | option_b=224 | option_c=28 | option_d=56 | answer=D | explanation=LCM × HCF = 8×28; HCF(8,28) = 4, so LCM = 56.

id=44151 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2242. If it is sold at a profit of 5%, what is its selling price? | option_a=2354 | option_b=2578 | option_c=2247 | option_d=2130 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2242 × 105/100 = ■2354.

id=44152 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=I | option_b=A | option_c=W | option_d=E | answer=D | explanation=Move 4 positions forward from A; the resulting letter is E.

id=44153 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 16? | option_a=13 | option_b=16 | option_c=9 | option_d=11 | answer=B | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 16 is the odd one out.

id=44154 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=36 | option_b=29 | option_c=35 | option_d=41 | answer=C | explanation=The common difference is 6. Therefore the next term is 29 + 6 = 35.

id=44155 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4130. If it is sold at a profit of 10%, what is its selling price? | option_a=4956 | option_b=4130 | option_c=4140 | option_d=4543 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4130 × 110/100 = ■4543.

id=44156 | topic=Percentages | difficulty=Easy | question=What is 30% of 401? | option_a=120 | option_b=240 | option_c=115 | option_d=130 | answer=A | explanation=30% of 401 = (30/100) × 401 = 120.

id=44157 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:19 and the first is 170, what is the second? | option_a=333 | option_b=304 | option_c=323 | option_d=493 | answer=C | explanation=Scale factor = 170/10 = 17. Therefore second quantity = 19×17 = 323.

id=44158 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:17 and the first is 168, what is the second? | option_a=250 | option_b=221 | option_c=238 | option_d=406 | answer=C | explanation=Scale factor = 168/12 = 14. Therefore second quantity = 17×14 = 238.

id=44159 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=R | option_b=P | option_c=Q | option_d=S | answer=A | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=44160 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

Aptitude Questions — Records 44,161-44,190 of 100,000

id=441161 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:9 and the first is 32, what is the second? | option_a=76 | option_b=63 | option_c=72 | option_d=104 | answer=C | explanation=Scale factor = $32/4 = 8$. Therefore second quantity = $9 \times 8 = 72$.

id=441162 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=6 | option_d=4 | answer=B | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=441163 | topic=Averages | difficulty=Easy | question=Find the average of 95, 81, 64. | option_a=79 | option_b=81 | option_c=82 | option_d=80 | answer=D | explanation=Average = sum of values ÷ number of values = $240 \div 3 = 80$.

id=441164 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=95 | option_c=105 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = $300 \div 3 = 100$ km/h.

id=441165 | topic=Averages | difficulty=Easy | question=Find the average of 51, 95, 13, 51, 12, 78. | option_a=52 | option_b=51 | option_c=49 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = $300 \div 6 = 50$.

id=441166 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=21 | option_b=17 | option_c=23 | option_d=20 | answer=D | explanation=The common difference is 3. Therefore the next term is $17 + 3 = 20$.

id=441167 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=W | option_c=G | option_d=L | answer=C | explanation=Move 5 positions forward from B; the resulting letter is G.

id=441168 | topic=Profit & Loss | difficulty=Easy | question=An article costs █561. If it is sold at a profit of 20%, what is its selling price? | option_a=729 | option_b=617 | option_c=581 | option_d=673 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 561 \times 120/100 = \text{█}673$.

id=441169 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 52? | option_a=32 | option_b=23 | option_c=41 | option_d=52 | answer=D | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 52 is the odd one out.

id=441170 | topic=Percentages | difficulty=Easy | question=What is 25% of 1428? | option_a=352 | option_b=714 | option_c=377 | option_d=357 | answer=D | explanation=25% of 1428 = $(25/100) \times 1428 = 357$.

id=441171 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2235. If it is sold at a profit of 10%, what is its selling price? | option_a=2235 | option_b=2245 | option_c=2458 | option_d=2681 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2235 \times 110/100 = \text{█}2458$.

id=441172 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=441173 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=441174 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=40 | option_c=25 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = $120 \div 6 = 20$ km/h.

id=441175 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=441176 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32078 at 12% per annum for 3 years. | option_a=11548 | option_b=43626 | option_c=11448 | option_d=11648 | answer=A | explanation=SI = $PRT/100 = 32078 \times 12 \times 3/100 = \text{█}11548$.

id=441177 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:8 and the first is 40, what is the second? | option_a=40 | option_b=80 | option_c=48 | option_d=32 | answer=A | explanation=Scale factor = $40/8 = 5$. Therefore second quantity = $8 \times 5 = 40$.

id=441178 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=441179 | topic=Percentages | difficulty=Easy | question=What is 12% of 1973? | option_a=472 | option_b=246 | option_c=236 | option_d=216 | answer=C | explanation=12% of 1973 = $(12/100) \times 1973 = 236$.

id=441180 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=P | option_b=U | option_c=F | option_d=K | answer=A | explanation=Move 5 positions forward from K; the resulting letter is P.

id=441181 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = $150 \div 10 = 15$ km/h.

id=441182 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:14 and the first is 44, what is the second? | option_a=158 | option_b=154 | option_c=140 | option_d=198 | answer=B | explanation=Scale factor = $44/4 = 11$. Therefore second quantity = $14 \times 11 = 154$.

id=441183 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = $120 \div 4 = 30$ km/h.

id=441184 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $180 \div 6 = 30$ km/h.

id=441185 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3553. If it is sold at a profit of 40%, what is its selling price? | option_a=4974 | option_b=4619 | option_c=5329 | option_d=3593 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 3553 \times 140/100 = \text{█}4974$.

id=441186 | topic=Profit & Loss | difficulty=Easy | question=An article costs █737. If it is sold at a profit of 30%, what is its selling price? | option_a=767 | option_b=958 | option_c=885 | option_d=1031 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 737 \times 130/100 = \text{█}958$.

id=441187 | topic=Averages | difficulty=Easy | question=Find the average of 97, 22, 22, 38, 96, 77, 97, 100, 63. | option_a=70 | option_b=68 | option_c=69 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = $612 \div 9 = 68$.

id=441188 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47745 at 4% per annum for 5 years. | option_a=57294 | option_b=9549 | option_c=9649 | option_d=9449 | answer=B | explanation=SI = $PRT/100 = 47745 \times 4 \times 5/100 = \text{█}9549$.

id=441189 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=B | option_c=H | option_d=D | answer=A | explanation=Move 2 positions forward from D; the resulting letter is F.

id=441190 | topic=Averages | difficulty=Easy | question=Find the average of 69, 81, 94, 63, 103. | option_a=84 | option_b=83 | option_c=82 | option_d=81 | answer=C | explanation=Average = sum of values ÷ number of values = $410 \div 5 = 82$.

Aptitude Questions — Records 44,191-44,220 of 100,000

id=44191 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3219. If it is sold at a profit of 50%, what is its selling price? | option_a=4828 | option_b=5149 | option_c=4507 | option_d=3269 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3219 \times 150/100 = \text{█}4828$.

id=44192 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:17 and the first is 60, what is the second? | option_a=34 | option_b=51 | option_c=111 | option_d=71 | answer=B | explanation=Scale factor = $60/20 = 3$. Therefore second quantity = $17 \times 3 = 51$.

id=44193 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=20 | option_d=6 | answer=B | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=44194 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=O | option_b=N | option_c=M | option_d=P | answer=A | explanation=Move 1 positions forward from N; the resulting letter is O.

id=44195 | topic=Percentages | difficulty=Easy | question=What is 40% of 166? | option_a=76 | option_b=56 | option_c=132 | option_d=66 | answer=D | explanation=40% of 166 = $(40/100) \times 166 = 66$.

id=44196 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 34? | option_a=34 | option_b=24 | option_c=15 | option_d=6 | answer=A | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 34 is the odd one out.

id=44197 | topic=Percentages | difficulty=Easy | question=What is 50% of 1997? | option_a=1996 | option_b=978 | option_c=1003 | option_d=998 | answer=D | explanation=50% of 1997 = $(50/100) \times 1997 = 998$.

id=44198 | topic=Averages | difficulty=Easy | question=Find the average of 91, 15, 74, 87, 61, 88, 39. | option_a=65 | option_b=66 | option_c=64 | option_d=67 | answer=A | explanation=Average = $\text{sum of values} \div \text{number of values} = 455 \div 7 = 65$.

id=44199 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8020 at 6% per annum for 1 years. | option_a=8501 | option_b=381 | option_c=581 | option_d=481 | answer=D | explanation=SI = $PRT/100 = 8020 \times 6 \times 1/100 = \text{█}481$.

id=44200 | topic=Averages | difficulty=Easy | question=Find the average of 94, 87, 59, 72, 91, 61, 17, 19, 40. | option_a=62 | option_b=61 | option_c=59 | option_d=60 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 540 \div 9 = 60$.

id=44201 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6494 at 12% per annum for 1 years. | option_a=679 | option_b=7273 | option_c=879 | option_d=779 | answer=D | explanation=SI = $PRT/100 = 6494 \times 12 \times 1/100 = \text{█}779$.

id=44202 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49286 at 15% per annum for 3 years. | option_a=71464 | option_b=22278 | option_c=22178 | option_d=22078 | answer=C | explanation=SI = $PRT/100 = 49286 \times 15 \times 3/100 = \text{█}22178$.

id=44203 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=44204 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 13, 20, 28? | option_a=28 | option_b=13 | option_c=20 | option_d=6 | answer=A | explanation=The first three numbers increase by 7, so the next should be 27. Therefore 28 is the odd one out.

id=44205 | topic=Percentages | difficulty=Easy | question=What is 50% of 926? | option_a=926 | option_b=453 | option_c=463 | option_d=483 | answer=C | explanation=50% of 926 = $(50/100) \times 926 = 463$.

id=44206 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=K | option_b=H | option_c=N | option_d=E | answer=A | explanation=Move 3 positions forward from H; the resulting letter is K.

id=44207 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=44208 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3059. If it is sold at a profit of 20%, what is its selling price? | option_a=3670 | option_b=3079 | option_c=3975 | option_d=3365 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3059 \times 120/100 = \text{█}3670$.

id=44209 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:20 and the first is 72, what is the second? | option_a=152 | option_b=98 | option_c=60 | option_d=80 | answer=D | explanation=Scale factor = $72/18 = 4$. Therefore second quantity = $20 \times 4 = 80$.

id=44210 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=44211 | topic=Percentages | difficulty=Easy | question=What is 5% of 1513? | option_a=80 | option_b=75 | option_c=150 | option_d=55 | answer=B | explanation=5% of 1513 = $(5/100) \times 1513 = 75$.

id=44212 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 300 \div 5 = 60$ km/h.

id=44213 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=44214 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 30, 34, 41? | option_a=41 | option_b=26 | option_c=34 | option_d=30 | answer=A | explanation=The first three numbers increase by 4, so the next should be 38. Therefore 41 is the odd one out.

id=44215 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 54? | option_a=45 | option_b=54 | option_c=37 | option_d=29 | answer=B | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 54 is the odd one out.

id=44216 | topic=Percentages | difficulty=Easy | question=What is 10% of 555? | option_a=65 | option_b=110 | option_c=55 | option_d=50 | answer=C | explanation=10% of 555 = $(10/100) \times 555 = 55$.

id=44217 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=H | option_b=J | option_c=L | option_d=N | answer=C | explanation=Move 2 positions forward from J; the resulting letter is L.

id=44218 | topic=Percentages | difficulty=Easy | question=What is 25% of 1094? | option_a=546 | option_b=273 | option_c=263 | option_d=283 | answer=B | explanation=25% of 1094 = $(25/100) \times 1094 = 273$.

id=44219 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=44220 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 37, 44, 52? | option_a=52 | option_b=44 | option_c=30 | option_d=37 | answer=A | explanation=The first three numbers increase by 7, so the next should be 51. Therefore 52 is the odd one out.

Aptitude Questions — Records 44,221-44,250 of 100,000

id=44221 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3783. If it is sold at a profit of 5%, what is its selling price? | option_a=4350 | option_b=3972 | option_c=3788 | option_d=3594 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3783 × 105/100 = █3972.

id=44222 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=29 | option_c=19 | option_d=48 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=44223 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=N | option_c=R | option_d=Z | answer=A | explanation=Move 4 positions forward from R; the resulting letter is V.

id=44224 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=44225 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=40 | option_c=15 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=44226 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=44227 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=44228 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=44229 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:13 and the first is 132, what is the second? | option_a=130 | option_b=155 | option_c=143 | option_d=275 | answer=C | explanation=Scale factor = 132/12 = 11. Therefore second quantity = 13×11 = 143.

id=44230 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 45? | option_a=21 | option_b=35 | option_c=28 | option_d=45 | answer=D | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 45 is the odd one out.

id=44231 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:17 and the first is 72, what is the second? | option_a=153 | option_b=161 | option_c=225 | option_d=136 | answer=A | explanation=Scale factor = 72/8 = 9. Therefore second quantity = 17×9 = 153.

id=44232 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 24, 27, 33? | option_a=21 | option_b=24 | option_c=27 | option_d=33 | answer=D | explanation=The first three numbers increase by 3, so the next should be 30. Therefore 33 is the odd one out.

id=44233 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 13, 18, 23, ? | option_a=28 | option_b=23 | option_c=29 | option_d=33 | answer=A | explanation=The common difference is 5. Therefore the next term is 23 + 5 = 28.

id=44234 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11351 at 15% per annum for 2 years. | option_a=3505 | option_b=3305 | option_c=3405 | option_d=14756 | answer=C | explanation=SI = PRT/100 = 11351×15×2/100 = █3405.

id=44235 | topic=Profit & Loss | difficulty=Easy | question=An article costs █756. If it is sold at a profit of 50%, what is its selling price? | option_a=806 | option_b=1209 | option_c=1059 | option_d=1134 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 756 × 150/100 = █1134.

id=44236 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2107 at 5% per annum for 3 years. | option_a=2423 | option_b=416 | option_c=216 | option_d=316 | answer=D | explanation=SI = PRT/100 = 2107×5×3/100 = █316.

id=44237 | topic=Averages | difficulty=Easy | question=Find the average of 45, 62, 99, 47, 94, 31, 17, 42, 49. | option_a=54 | option_b=55 | option_c=56 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 486 ÷ 9 = 54.

id=44238 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=44239 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=27 | option_b=32 | option_c=31 | option_d=35 | answer=C | explanation=The common difference is 4. Therefore the next term is 27 + 4 = 31.

id=44240 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=34 | option_b=39 | option_c=27 | option_d=33 | answer=D | explanation=The common difference is 6. Therefore the next term is 27 + 6 = 33.

id=44241 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=62 | option_b=61 | option_c=72 | option_d=50 | answer=B | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.

id=44242 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=44243 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3013. If it is sold at a profit of 5%, what is its selling price? | option_a=3018 | option_b=3163 | option_c=3464 | option_d=2862 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3013 × 105/100 = █3163.

id=44244 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=25 | option_b=35 | option_c=30 | option_d=31 | answer=C | explanation=The common difference is 5. Therefore the next term is 25 + 5 = 30.

id=44245 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7764 at 12% per annum for 1 years. | option_a=1031 | option_b=931 | option_c=8695 | option_d=831 | answer=B | explanation=SI = PRT/100 = 7764×12×1/100 = █931.

id=44246 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40085 at 4% per annum for 3 years. | option_a=4710 | option_b=44895 | option_c=4910 | option_d=4810 | answer=D | explanation=SI = PRT/100 = 40085×4×3/100 = █4810.

id=44247 | topic=Averages | difficulty=Easy | question=Find the average of 61, 60, 29, 29, 66, 25. | option_a=44 | option_b=46 | option_c=45 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 270 ÷ 6 = 45.

id=44248 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5946 at 15% per annum for 3 years. | option_a=2675 | option_b=2575 | option_c=2775 | option_d=8621 | answer=A | explanation=SI = PRT/100 = 5946×15×3/100 = █2675.

id=44249 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:16 and the first is 26, what is the second? | option_a=208 | option_b=234 | option_c=192 | option_d=210 | answer=A | explanation=Scale factor = 26/2 = 13. Therefore second quantity = 16×13 = 208.

id=44250 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=39 | option_b=40 | option_c=31 | option_d=47 | answer=A | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

Aptitude Questions — Records 44,251-44,280 of 100,000

id=44251 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=44252 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=44253 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=20 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=44254 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=44255 | topic=Averages | difficulty=Easy | question=Find the average of 91, 34, 10, 97, 34, 94, 67. | option_a=61 | option_b=63 | option_c=62 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 427 ÷ 7 = 61.

id=44256 | topic=Averages | difficulty=Easy | question=Find the average of 89, 47, 71, 27, 80, 46. | option_a=61 | option_b=59 | option_c=60 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 360 ÷ 6 = 60.

id=44257 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=E | option_b=D | option_c=C | option_d=F | answer=A | explanation=Move 1 positions forward from D; the resulting letter is E.

id=44258 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 15, 18, 22? | option_a=12 | option_b=22 | option_c=15 | option_d=18 | answer=B | explanation=The first three numbers increase by 3, so the next should be 21. Therefore 22 is the odd one out.

id=44259 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=20 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=44260 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14183 at 5% per annum for 5 years. | option_a=3645 | option_b=17728 | option_c=3545 | option_d=3445 | answer=C | explanation=SI = PRT/100 = 14183×5×5/100 = **■**3545.

id=44261 | topic=Percentages | difficulty=Easy | question=What is 5% of 1825? | option_a=101 | option_b=182 | option_c=71 | option_d=91 | answer=D | explanation=5% of 1825 = (5/100) × 1825 = 91.

id=44262 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 47? | option_a=19 | option_b=28 | option_c=37 | option_d=47 | answer=D | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 47 is the odd one out.

id=44263 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=44264 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=M | option_b=L | option_c=N | option_d=K | answer=A | explanation=Move 1 positions forward from L; the resulting letter is M.

id=44265 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 38? | option_a=38 | option_b=32 | option_c=29 | option_d=26 | answer=A | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 38 is the odd one out.

id=44266 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 21, 23, 25, ? | option_a=25 | option_b=28 | option_c=27 | option_d=29 | answer=C | explanation=The common difference is 2. Therefore the next term is 25 + 2 = 27.

id=44267 | topic=Percentages | difficulty=Easy | question=What is 40% of 602? | option_a=250 | option_b=240 | option_c=220 | option_d=480 | answer=B | explanation=40% of 602 = (40/100) × 602 = 240.

id=44268 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:18 and the first is 63, what is the second? | option_a=162 | option_b=169 | option_c=144 | option_d=225 | answer=A | explanation=Scale factor = 63/7 = 9. Therefore second quantity = 18×9 = 162.

id=44269 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=44270 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=G | option_b=O | option_c=S | option_d=K | answer=B | explanation=Move 4 positions forward from K; the resulting letter is O.

id=44271 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 26? | option_a=26 | option_b=11 | option_c=4 | option_d=18 | answer=A | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 26 is the odd one out.

id=44272 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=S | option_c=T | option_d=U | answer=D | explanation=Move 1 positions forward from T; the resulting letter is U.

id=44273 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=N | option_c=L | option_d=P | answer=D | explanation=Move 2 positions forward from N; the resulting letter is P.

id=44274 | topic=Averages | difficulty=Easy | question=Find the average of 23, 56, 65, 36. | option_a=45 | option_b=46 | option_c=44 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 180 ÷ 4 = 45.

id=44275 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=47 | option_b=42 | option_c=41 | option_d=35 | answer=C | explanation=The common difference is 6. Therefore the next term is 35 + 6 = 41.

id=44276 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=180 | option_c=85 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=44277 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=50 | option_c=30 | option_d=25 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=44278 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=23 | option_d=13 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=44279 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=I | option_b=Z | option_c=C | option_d=F | answer=D | explanation=Move 3 positions forward from C; the resulting letter is F.

id=44280 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23077 at 15% per annum for 4 years. | option_a=13946 | option_b=36923 | option_c=13846 | option_d=13746 | answer=C | explanation=SI = PRT/100 = 23077×15×4/100 = **■**13846.

Aptitude Questions — Records 44,281-44,310 of 100,000

id=44281 | topic=Percentages | difficulty=Easy | question=What is 50% of 647? | option_a=318 | option_b=323 | option_c=646 | option_d=328 | answer=B | explanation=50% of 647 = $(50/100) \times 647 = 323$.

id=44282 | topic=Averages | difficulty=Easy | question=Find the average of 31, 79, 47, 45, 54, 41, 81. | option_a=56 | option_b=55 | option_c=53 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = $378 \div 7 = 54$.

id=44283 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:16 and the first is 182, what is the second? | option_a=208 | option_b=192 | option_c=222 | option_d=390 | answer=A | explanation=Scale factor = $182/14 = 13$. Therefore second quantity = $16 \times 13 = 208$.

id=44284 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47419 at 12% per annum for 1 years. | option_a=5690 | option_b=53109 | option_c=5790 | option_d=5590 | answer=A | explanation=SI = $PRT/100 = 47419 \times 12 \times 1/100 = \text{■}5690$.

id=44285 | topic=Percentages | difficulty=Easy | question=What is 15% of 1502? | option_a=450 | option_b=220 | option_c=225 | option_d=245 | answer=C | explanation=15% of 1502 = $(15/100) \times 1502 = 225$.

id=44286 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=44287 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:20 and the first is 304, what is the second? | option_a=339 | option_b=320 | option_c=624 | option_d=300 | answer=B | explanation=Scale factor = $304/19 = 16$. Therefore second quantity = $20 \times 16 = 320$.

id=44288 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2994. If it is sold at a profit of 10%, what is its selling price? | option_a=3592 | option_b=2994 | option_c=3293 | option_d=3004 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2994 \times 110/100 = \text{■}3293$.

id=44289 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:10 and the first is 12, what is the second? | option_a=20 | option_b=42 | option_c=34 | option_d=30 | answer=D | explanation=Scale factor = $12/4 = 3$. Therefore second quantity = $10 \times 3 = 30$.

id=44290 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=72 | option_c=36 | option_d=31 | answer=C | explanation=Speed = distance ÷ time = $180 \div 5 = 36$ km/h.

id=44291 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37022 at 12% per annum for 2 years. | option_a=8985 | option_b=8785 | option_c=45907 | option_d=8885 | answer=D | explanation=SI = $PRT/100 = 37022 \times 12 \times 2/100 = \text{■}8885$.

id=44292 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=39 | option_b=36 | option_c=31 | option_d=35 | answer=D | explanation=The common difference is 4. Therefore the next term is $31 + 4 = 35$.

id=44293 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=34 | option_b=42 | option_c=43 | option_d=50 | answer=B | explanation=The common difference is 8. Therefore the next term is $34 + 8 = 42$.

id=44294 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=R | option_b=O | option_c=U | option_d=L | answer=A | explanation=Move 3 positions forward from O; the resulting letter is R.

id=44295 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=42 | option_b=34 | option_c=35 | option_d=26 | answer=B | explanation=The common difference is 8. Therefore the next term is $26 + 8 = 34$.

id=44296 | topic=Averages | difficulty=Easy | question=Find the average of 47, 43, 43, 78, 31, 100, 85, 37. | option_a=58 | option_b=57 | option_c=60 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = $464 \div 8 = 58$.

id=44297 | topic=Percentages | difficulty=Easy | question=What is 30% of 1057? | option_a=307 | option_b=634 | option_c=327 | option_d=317 | answer=D | explanation=30% of 1057 = $(30/100) \times 1057 = 317$.

id=44298 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 20, 26, 33? | option_a=26 | option_b=33 | option_c=20 | option_d=14 | answer=B | explanation=The first three numbers increase by 6, so the next should be 32. Therefore 33 is the odd one out.

id=44299 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=34 | option_b=41 | option_c=40 | option_d=46 | answer=C | explanation=The common difference is 6. Therefore the next term is $34 + 6 = 40$.

id=44300 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3316. If it is sold at a profit of 50%, what is its selling price? | option_a=4974 | option_b=5305 | option_c=3366 | option_d=4643 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3316 \times 150/100 = \text{■}4974$.

id=44301 | topic=Averages | difficulty=Easy | question=Find the average of 16, 44, 49, 33, 79, 79. | option_a=51 | option_b=50 | option_c=52 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = $300 \div 6 = 50$.

id=44302 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=55 | option_c=45 | option_d=100 | answer=A | explanation=Speed = distance ÷ time = $300 \div 6 = 50$ km/h.

id=44303 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 42? | option_a=33 | option_b=36 | option_c=30 | option_d=42 | answer=D | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 42 is the odd one out.

id=44304 | topic=Percentages | difficulty=Easy | question=What is 30% of 1016? | option_a=324 | option_b=304 | option_c=608 | option_d=294 | answer=B | explanation=30% of 1016 = $(30/100) \times 1016 = 304$.

id=44305 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37771 at 10% per annum for 1 years. | option_a=41548 | option_b=3677 | option_c=3777 | option_d=3877 | answer=C | explanation=SI = $PRT/100 = 37771 \times 10 \times 1/100 = \text{■}3777$.

id=44306 | topic=Averages | difficulty=Easy | question=Find the average of 14, 56, 48, 32, 47, 50, 74, 31. | option_a=45 | option_b=44 | option_c=43 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = $352 \div 8 = 44$.

id=44307 | topic=Percentages | difficulty=Easy | question=What is 50% of 248? | option_a=114 | option_b=124 | option_c=248 | option_d=129 | answer=B | explanation=50% of 248 = $(50/100) \times 248 = 124$.

id=44308 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1401. If it is sold at a profit of 15%, what is its selling price? | option_a=1471 | option_b=1416 | option_c=1611 | option_d=1751 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1401 \times 115/100 = \text{■}1611$.

id=44309 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=56 | option_b=44 | option_c=55 | option_d=66 | answer=C | explanation=The common difference is 11. Therefore the next term is $44 + 11 = 55$.

id=44310 | topic=Averages | difficulty=Easy | question=Find the average of 93, 34, 74. | option_a=66 | option_b=69 | option_c=67 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = $201 \div 3 = 67$.

Aptitude Questions — Records 44,311-44,340 of 100,000

id=44311 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=O | option_b=T | option_c=J | option_d=E | answer=A | explanation=Move 5 positions forward from J; the resulting letter is O.

id=44312 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=22 | option_b=20 | option_c=23 | option_d=24 | answer=A | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=44313 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=50 | option_c=30 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=44314 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**35528 at 12% per annum for 2 years. | option_a=8626 | option_b=44054 | option_c=8426 | option_d=8526 | answer=D | explanation=SI = PRT/100 = 35528×12×2/100 = **₹**8526.

id=44315 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=78 | option_b=67 | option_c=66 | option_d=54 | answer=C | explanation=The common difference is 12. Therefore the next term is 54 + 12 = 66.

id=44316 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 13, 23, 34? | option_a=23 | option_b=34 | option_c=13 | option_d=3 | answer=B | explanation=The first three numbers increase by 10, so the next should be 33. Therefore 34 is the odd one out.

id=44317 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 39? | option_a=26 | option_b=31 | option_c=21 | option_d=39 | answer=D | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 39 is the odd one out.

id=44318 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=H | option_c=Z | option_d=L | answer=B | explanation=Move 4 positions forward from D; the resulting letter is H.

id=44319 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=J | option_c=P | option_d=L | answer=A | explanation=Move 2 positions forward from L; the resulting letter is N.

id=44320 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=44321 | topic=Percentages | difficulty=Easy | question=What is 10% of 669? | option_a=132 | option_b=86 | option_c=56 | option_d=66 | answer=D | explanation=10% of 669 = (10/100) × 669 = 66.

id=44322 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=44323 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:1 and the first is 56, what is the second? | option_a=8 | option_b=15 | option_c=64 | option_d=7 | answer=A | explanation=Scale factor = 56/7 = 8. Therefore second quantity = 1×8 = 8.

id=44324 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:1 and the first is 143, what is the second? | option_a=13 | option_b=156 | option_c=12 | option_d=24 | answer=A | explanation=Scale factor = 143/11 = 13. Therefore second quantity = 1×13 = 13.

id=44325 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 14, 22, 33? | option_a=14 | option_b=6 | option_c=33 | option_d=22 | answer=C | explanation=The first three numbers increase by 8, so the next should be 30. Therefore 33 is the odd one out.

id=44326 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 31, 42, 53, ? | option_a=75 | option_b=64 | option_c=53 | option_d=65 | answer=B | explanation=The common difference is 11. Therefore the next term is 53 + 11 = 64.

id=44327 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4835. If it is sold at a profit of 5%, what is its selling price? | option_a=4593 | option_b=4840 | option_c=5076 | option_d=5559 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4835 × 105/100 = **₹**5076.

id=44328 | topic=Averages | difficulty=Easy | question=Find the average of 60, 66, 46, 88. | option_a=67 | option_b=66 | option_c=65 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 260 ÷ 4 = 65.

id=44329 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 42? | option_a=34 | option_b=28 | option_c=22 | option_d=42 | answer=D | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 42 is the odd one out.

id=44330 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=8 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=44331 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=J | option_c=F | option_d=D | answer=A | explanation=Move 2 positions forward from F; the resulting letter is H.

id=44332 | topic=Percentages | difficulty=Easy | question=What is 15% of 1360? | option_a=199 | option_b=408 | option_c=204 | option_d=214 | answer=C | explanation=15% of 1360 = (15/100) × 1360 = 204.

id=44333 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=44334 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 24, 30, 36, ? | option_a=43 | option_b=48 | option_c=42 | option_d=36 | answer=C | explanation=The common difference is 6. Therefore the next term is 36 + 6 = 42.

id=44335 | topic=Percentages | difficulty=Easy | question=What is 5% of 873? | option_a=43 | option_b=86 | option_c=38 | option_d=63 | answer=A | explanation=5% of 873 = (5/100) × 873 = 43.

id=44336 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=44337 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=44338 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=44339 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=44340 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 10. | option_a=100 | option_b=20 | option_c=10 | option_d=1 | answer=C | explanation=LCM × HCF = 10×10; HCF(10,10) = 10, so LCM = 10.

Aptitude Questions — Records 44,341-44,370 of 100,000

id=44341 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=35 | option_c=40 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=44342 | topic=Averages | difficulty=Easy | question=Find the average of 11, 68, 51, 63, 68, 45. | option_a=53 | option_b=50 | option_c=51 | option_d=52 | answer=C | explanation=Average = sum of values + number of values = 306 ÷ 6 = 51.

id=44343 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3003. If it is sold at a profit of 30%, what is its selling price? | option_a=3033 | option_b=3603 | option_c=4203 | option_d=3903 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3003 × 130/100 = █3903.

id=44344 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=44345 | topic=Averages | difficulty=Easy | question=Find the average of 86, 23, 63, 26, 94, 58, 31, 61, 60, 88. | option_a=59 | option_b=61 | option_c=58 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 590 ÷ 10 = 59.

id=44346 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20854 at 12% per annum for 4 years. | option_a=30863 | option_b=10009 | option_c=9909 | option_d=10109 | answer=B | explanation=SI = PRT/100 = 20854×12×4/100 = █10009.

id=44347 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4376 at 12% per annum for 5 years. | option_a=2725 | option_b=2525 | option_c=2625 | option_d=7001 | answer=C | explanation=SI = PRT/100 = 4376×12×5/100 = █2625.

id=44348 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:17 and the first is 266, what is the second? | option_a=221 | option_b=238 | option_c=504 | option_d=257 | answer=B | explanation=Scale factor = 266/19 = 14. Therefore second quantity = 17×14 = 238.

id=44349 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:5 and the first is 44, what is the second? | option_a=50 | option_b=55 | option_c=59 | option_d=99 | answer=B | explanation=Scale factor = 44/4 = 11. Therefore second quantity = 5×11 = 55.

id=44350 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=K | option_b=O | option_c=Q | option_d=M | answer=B | explanation=Move 2 positions forward from M; the resulting letter is O.

id=44351 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 22. | option_a=440 | option_b=240 | option_c=198 | option_d=220 | answer=D | explanation=LCM × HCF = 20×22; HCF(20,22) = 2, so LCM = 220.

id=44352 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:5 and the first is 255, what is the second? | option_a=100 | option_b=340 | option_c=85 | option_d=80 | answer=C | explanation=Scale factor = 255/15 = 17. Therefore second quantity = 5×17 = 85.

id=44353 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=49 | option_b=71 | option_c=61 | option_d=60 | answer=D | explanation=The common difference is 11. Therefore the next term is 49 + 11 = 60.

id=44354 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=41 | option_c=31 | option_d=72 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=44355 | topic=Averages | difficulty=Easy | question=Find the average of 58, 86, 55, 14, 21, 48. | option_a=49 | option_b=46 | option_c=47 | option_d=48 | answer=C | explanation=Average = sum of values + number of values = 282 ÷ 6 = 47.

id=44356 | topic=Percentages | difficulty=Easy | question=What is 40% of 82? | option_a=64 | option_b=32 | option_c=27 | option_d=42 | answer=B | explanation=40% of 82 = (40/100) × 82 = 32.

id=44357 | topic=Percentages | difficulty=Easy | question=What is 12% of 766? | option_a=91 | option_b=182 | option_c=101 | option_d=71 | answer=A | explanation=12% of 766 = (12/100) × 766 = 91.

id=44358 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=44359 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 15. | option_a=75 | option_b=100 | option_c=375 | option_d=60 | answer=A | explanation=LCM × HCF = 25×15; HCF(25,15) = 5, so LCM = 75.

id=44360 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=44361 | topic=Percentages | difficulty=Easy | question=What is 25% of 834? | option_a=198 | option_b=208 | option_c=416 | option_d=218 | answer=B | explanation=25% of 834 = (25/100) × 834 = 208.

id=44362 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 8. | option_a=64 | option_b=8 | option_c=1 | option_d=16 | answer=B | explanation=LCM × HCF = 8×8; HCF(8,8) = 8, so LCM = 8.

id=44363 | topic=Averages | difficulty=Easy | question=Find the average of 86, 49, 90, 68, 41, 18, 48, 56. | option_a=58 | option_b=57 | option_c=59 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

id=44364 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=44365 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=L | option_c=V | option_d=A | answer=C | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=44366 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=Y | option_b=J | option_c=T | option_d=O | answer=C | explanation=Move 5 positions forward from O; the resulting letter is T.

id=44367 | topic=Averages | difficulty=Easy | question=Find the average of 34, 88, 77, 60, 27, 37, 25, 96, 42. | option_a=53 | option_b=56 | option_c=54 | option_d=55 | answer=C | explanation=Average = sum of values + number of values = 486 ÷ 9 = 54.

id=44368 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 35, 41, 48? | option_a=41 | option_b=29 | option_c=48 | option_d=35 | answer=C | explanation=The first three numbers increase by 6, so the next should be 47. Therefore 48 is the odd one out.

id=44369 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10420 at 6% per annum for 3 years. | option_a=1875 | option_b=1975 | option_c=1775 | option_d=12295 | answer=A | explanation=SI = PRT/100 = 10420×6×3/100 = █1875.

id=44370 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:19 and the first is 76, what is the second? | option_a=361 | option_b=437 | option_c=365 | option_d=342 | answer=A | explanation=Scale factor = 76/4 = 19. Therefore second quantity = 19×19 = 361.

Aptitude Questions — Records 44,371-44,400 of 100,000

id=44371 | topic=Averages | difficulty=Easy | question=Find the average of 25, 87, 51, 100, 67. | option_a=65 | option_b=67 | option_c=66 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 330 ÷ 5 = 66.

id=44372 | topic=Averages | difficulty=Easy | question=Find the average of 62, 38, 61, 59, 34, 16. | option_a=45 | option_b=44 | option_c=46 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 270 ÷ 6 = 45.

id=44373 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=13 | option_c=36 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=44374 | topic=Percentages | difficulty=Easy | question=What is 50% of 1794? | option_a=892 | option_b=902 | option_c=1794 | option_d=897 | answer=D | explanation=50% of 1794 = (50/100) × 1794 = 897.

id=44375 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=24 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=44376 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23561 at 4% per annum for 5 years. | option_a=28273 | option_b=4812 | option_c=4612 | option_d=4712 | answer=D | explanation=SI = PRT/100 = 23561×4×5/100 = **■**4712.

id=44377 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=8 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=44378 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 12, 16, 22? | option_a=16 | option_b=12 | option_c=8 | option_d=22 | answer=D | explanation=The first three numbers increase by 4, so the next should be 20. Therefore 22 is the odd one out.

id=44379 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34234 at 15% per annum for 4 years. | option_a=20540 | option_b=20640 | option_c=20440 | option_d=54774 | answer=A | explanation=SI = PRT/100 = 34234×15×4/100 = **■**20540.

id=44380 | topic=Percentages | difficulty=Easy | question=What is 40% of 834? | option_a=328 | option_b=353 | option_c=333 | option_d=666 | answer=C | explanation=40% of 834 = (40/100) × 834 = 333.

id=44381 | topic=Percentages | difficulty=Easy | question=What is 15% of 511? | option_a=76 | option_b=152 | option_c=81 | option_d=66 | answer=A | explanation=15% of 511 = (15/100) × 511 = 76.

id=44382 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=E | option_c=C | option_d=G | answer=D | explanation=Move 2 positions forward from E; the resulting letter is G.

id=44383 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:20 and the first is 192, what is the second? | option_a=300 | option_b=320 | option_c=332 | option_d=512 | answer=B | explanation=Scale factor = 192/12 = 16. Therefore second quantity = 20×16 = 320.

id=44384 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:9 and the first is 84, what is the second? | option_a=68 | option_b=138 | option_c=45 | option_d=54 | answer=D | explanation=Scale factor = 84/14 = 6. Therefore second quantity = 9×6 = 54.

id=44385 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 49? | option_a=36 | option_b=30 | option_c=42 | option_d=49 | answer=D | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 49 is the odd one out.

id=44386 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=70 | option_d=150 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=44387 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 22? | option_a=15 | option_b=19 | option_c=17 | option_d=22 | answer=D | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 22 is the odd one out.

id=44388 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 49? | option_a=40 | option_b=49 | option_c=34 | option_d=28 | answer=B | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 49 is the odd one out.

id=44389 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=44390 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 30. | option_a=1 | option_b=30 | option_c=150 | option_d=35 | answer=B | explanation=LCM × HCF = 5×30; HCF(5,30) = 5, so LCM = 30.

id=44391 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:13 and the first is 28, what is the second? | option_a=210 | option_b=169 | option_c=184 | option_d=182 | answer=D | explanation=Scale factor = 28/2 = 14. Therefore second quantity = 13×14 = 182.

id=44392 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**597. If it is sold at a profit of 25%, what is its selling price? | option_a=622 | option_b=805 | option_c=687 | option_d=746 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 597 × 125/100 = **■**746.

id=44393 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**782. If it is sold at a profit of 5%, what is its selling price? | option_a=821 | option_b=899 | option_c=787 | option_d=743 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 782 × 105/100 = **■**821.

id=44394 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=13 | option_b=12 | option_c=14 | option_d=10 | answer=B | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.

id=44395 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 31, 40, 52? | option_a=31 | option_b=40 | option_c=22 | option_d=52 | answer=D | explanation=The first three numbers increase by 9, so the next should be 49. Therefore 52 is the odd one out.

id=44396 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 20. | option_a=96 | option_b=60 | option_c=80 | option_d=320 | answer=C | explanation=LCM × HCF = 16×20; HCF(16,20) = 4, so LCM = 80.

id=44397 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 11, 14, 18? | option_a=11 | option_b=14 | option_c=18 | option_d=8 | answer=C | explanation=The first three numbers increase by 3, so the next should be 17. Therefore 18 is the odd one out.

id=44398 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=47 | option_b=33 | option_c=41 | option_d=40 | answer=D | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.

id=44399 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=150 | option_d=70 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=44400 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2073. If it is sold at a profit of 15%, what is its selling price? | option_a=2590 | option_b=2088 | option_c=2383 | option_d=2176 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2073 × 115/100 = **■**2383.

Aptitude Questions — Records 44,401-44,430 of 100,000

id=44401 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 20, 22, 27? | option_a=27 | option_b=20 | option_c=22 | option_d=18 | answer=A | explanation=The first three numbers increase by 2, so the next should be 24. Therefore 27 is the odd one out.

id=44402 | topic=Averages | difficulty=Easy | question=Find the average of 90, 79, 50, 90, 29, 39, 21, 90. | option_a=60 | option_b=61 | option_c=63 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 488 ÷ 8 = 61.

id=44403 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=50 | option_c=25 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=44404 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=36 | option_c=31 | option_d=72 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=44405 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 22, 31, 42? | option_a=42 | option_b=13 | option_c=22 | option_d=31 | answer=A | explanation=The first three numbers increase by 9, so the next should be 40. Therefore 42 is the odd one out.

id=44406 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=O | option_c=G | option_d=S | answer=B | explanation=Move 4 positions forward from K; the resulting letter is O.

id=44407 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 31, 33, 38? | option_a=38 | option_b=31 | option_c=33 | option_d=29 | answer=A | explanation=The first three numbers increase by 2, so the next should be 35. Therefore 38 is the odd one out.

id=44408 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=K | option_b=S | option_c=W | option_d=O | answer=B | explanation=Move 4 positions forward from O; the resulting letter is S.

id=44409 | topic=Percentages | difficulty=Easy | question=What is 10% of 1720? | option_a=152 | option_b=344 | option_c=172 | option_d=182 | answer=C | explanation=10% of 1720 = (10/100) × 1720 = 172.

id=44410 | topic=Averages | difficulty=Easy | question=Find the average of 91, 46, 31, 83, 50, 80, 11, 80, 10, 88. | option_a=59 | option_b=57 | option_c=56 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.

id=44411 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**25654 at 10% per annum for 2 years. | option_a=5030 | option_b=30784 | option_c=5230 | option_d=5130 | answer=D | explanation=SI = PRT/100 = 25654×10×2/100 = **₹**5130.

id=44412 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 58? | option_a=58 | option_b=47 | option_c=27 | option_d=37 | answer=A | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 58 is the odd one out.

id=44413 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=X | option_b=U | option_c=R | option_d=O | answer=B | explanation=Move 3 positions forward from R; the resulting letter is U.

id=44414 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=44415 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 16, 26, 38? | option_a=6 | option_b=38 | option_c=16 | option_d=26 | answer=B | explanation=The first three numbers increase by 10, so the next should be 36. Therefore 38 is the odd one out.

id=44416 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1683. If it is sold at a profit of 25%, what is its selling price? | option_a=2271 | option_b=1935 | option_c=1708 | option_d=2103 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1683 × 125/100 = **₹**2103.

id=44417 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:19 and the first is 18, what is the second? | option_a=95 | option_b=132 | option_c=114 | option_d=117 | answer=C | explanation=Scale factor = 18/3 = 6. Therefore second quantity = 19×6 = 114.

id=44418 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2114. If it is sold at a profit of 50%, what is its selling price? | option_a=3382 | option_b=3171 | option_c=2164 | option_d=2960 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2114 × 150/100 = **₹**3171.

id=44419 | topic=Averages | difficulty=Easy | question=Find the average of 79, 65, 99, 46, 71. | option_a=74 | option_b=71 | option_c=72 | option_d=73 | answer=C | explanation=Average = sum of values ÷ number of values = 360 ÷ 5 = 72.

id=44420 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=44421 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1419. If it is sold at a profit of 10%, what is its selling price? | option_a=1419 | option_b=1560 | option_c=1701 | option_d=1429 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1419 × 110/100 = **₹**1560.

id=44422 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**44065 at 6% per annum for 4 years. | option_a=10475 | option_b=10675 | option_c=10575 | option_d=54640 | answer=C | explanation=SI = PRT/100 = 44065×6×4/100 = **₹**10575.

id=44423 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=44424 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=44425 | topic=Averages | difficulty=Easy | question=Find the average of 46, 47, 36, 66, 57, 100, 49, 99, 14, 26. | option_a=53 | option_b=54 | option_c=56 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

id=44426 | topic=Percentages | difficulty=Easy | question=What is 50% of 1997? | option_a=988 | option_b=998 | option_c=1996 | option_d=1008 | answer=B | explanation=50% of 1997 = (50/100) × 1997 = 998.

id=44427 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=44428 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=45 | option_b=37 | option_c=53 | option_d=46 | answer=A | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=44429 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1289. If it is sold at a profit of 50%, what is its selling price? | option_a=1805 | option_b=1933 | option_c=2061 | option_d=1339 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1289 × 150/100 = **₹**1933.

id=44430 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:16 and the first is 14, what is the second? | option_a=225 | option_b=224 | option_c=238 | option_d=208 | answer=B | explanation=Scale factor = 14/1 = 14. Therefore second quantity = 16×14 = 224.

Aptitude Questions — Records 44,431-44,460 of 100,000

id=44431 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 26. | option_a=182 | option_b=416 | option_c=224 | option_d=208 | answer=D | explanation=LCM × HCF = 16×26; HCF(16,26) = 2, so LCM = 208.

id=44432 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=44433 | topic=Percentages | difficulty=Easy | question=What is 15% of 872? | option_a=260 | option_b=130 | option_c=150 | option_d=110 | answer=B | explanation=15% of 872 = (15/100) × 872 = 130.

id=44434 | topic=Percentages | difficulty=Easy | question=What is 10% of 218? | option_a=1 | option_b=26 | option_c=42 | option_d=21 | answer=D | explanation=10% of 218 = (10/100) × 218 = 21.

id=44435 | topic=Averages | difficulty=Easy | question=Find the average of 29, 34, 87, 97, 18, 10, 84, 16, 75, 30. | option_a=47 | option_b=48 | option_c=49 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 480 ÷ 10 = 48.

id=44436 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2404. If it is sold at a profit of 10%, what is its selling price? | option_a=2644 | option_b=2404 | option_c=2884 | option_d=2414 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2404 × 110/100 = █2644.

id=44437 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3287. If it is sold at a profit of 30%, what is its selling price? | option_a=4273 | option_b=4601 | option_c=3945 | option_d=3317 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3287 × 130/100 = █4273.

id=44438 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=31 | option_b=27 | option_c=35 | option_d=32 | answer=A | explanation=The common difference is 4. Therefore the next term is 27 + 4 = 31.

id=44439 | topic=Percentages | difficulty=Easy | question=What is 15% of 506? | option_a=75 | option_b=150 | option_c=70 | option_d=80 | answer=A | explanation=15% of 506 = (15/100) × 506 = 75.

id=44440 | topic=Percentages | difficulty=Easy | question=What is 10% of 793? | option_a=69 | option_b=158 | option_c=89 | option_d=79 | answer=D | explanation=10% of 793 = (10/100) × 793 = 79.

id=44441 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=44442 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 17, 26, 38? | option_a=38 | option_b=8 | option_c=26 | option_d=17 | answer=A | explanation=The first three numbers increase by 9, so the next should be 35. Therefore 38 is the odd one out.

id=44443 | topic=Profit & Loss | difficulty=Easy | question=An article costs █724. If it is sold at a profit of 20%, what is its selling price? | option_a=744 | option_b=868 | option_c=796 | option_d=940 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 724 × 120/100 = █868.

id=44444 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=44445 | topic=Averages | difficulty=Easy | question=Find the average of 31, 12, 39, 37, 86, 30, 82, 82, 33. | option_a=50 | option_b=48 | option_c=49 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 432 ÷ 9 = 48.

id=44446 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=12 | option_b=24 | option_c=7 | option_d=17 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=44447 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:9 and the first is 75, what is the second? | option_a=126 | option_b=140 | option_c=210 | option_d=135 | answer=D | explanation=Scale factor = 75/5 = 15. Therefore second quantity = 9×15 = 135.

id=44448 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=36 | option_b=35 | option_c=42 | option_d=28 | answer=B | explanation=The common difference is 7. Therefore the next term is 28 + 7 = 35.

id=44449 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=44450 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 18. | option_a=504 | option_b=252 | option_c=280 | option_d=234 | answer=B | explanation=LCM × HCF = 28×18; HCF(28,18) = 2, so LCM = 252.

id=44451 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:11 and the first is 255, what is the second? | option_a=176 | option_b=202 | option_c=442 | option_d=187 | answer=D | explanation=Scale factor = 255/15 = 17. Therefore second quantity = 11×17 = 187.

id=44452 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=44453 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:14 and the first is 10, what is the second? | option_a=80 | option_b=70 | option_c=72 | option_d=56 | answer=B | explanation=Scale factor = 10/2 = 5. Therefore second quantity = 14×5 = 70.

id=44454 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:8 and the first is 160, what is the second? | option_a=72 | option_b=96 | option_c=80 | option_d=240 | answer=C | explanation=Scale factor = 160/16 = 10. Therefore second quantity = 8×10 = 80.

id=44455 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6874 at 4% per annum for 5 years. | option_a=8248 | option_b=1274 | option_c=1374 | option_d=1474 | answer=C | explanation=SI = PRT/100 = 6874×4×5/100 = █1374.

id=44456 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=44457 | topic=Percentages | difficulty=Easy | question=What is 40% of 1925? | option_a=775 | option_b=765 | option_c=770 | option_d=1540 | answer=C | explanation=40% of 1925 = (40/100) × 1925 = 770.

id=44458 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=E | option_c=G | option_d=F | answer=C | explanation=Move 1 positions forward from F; the resulting letter is G.

id=44459 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=C | option_b=S | option_c=X | option_d=N | answer=C | explanation=Move 5 positions forward from S; the resulting letter is X.

id=44460 | topic=Percentages | difficulty=Easy | question=What is 20% of 1584? | option_a=316 | option_b=632 | option_c=336 | option_d=306 | answer=A | explanation=20% of 1584 = (20/100) × 1584 = 316.

Aptitude Questions — Records 44,461-44,490 of 100,000

id=44461 | topic=Averages | difficulty=Easy | question=Find the average of 62, 86, 65. | option_a=71 | option_b=73 | option_c=70 | option_d=72 | answer=A | explanation=Average = sum of values ÷ number of values = 213 ÷ 3 = 71.

id=44462 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2183. If it is sold at a profit of 5%, what is its selling price? | option_a=2188 | option_b=2074 | option_c=2292 | option_d=2510 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2183 × 105/100 = ₹2292.

id=44463 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=M | option_c=U | option_d=I | answer=A | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=44464 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 28, 33, 40? | option_a=40 | option_b=23 | option_c=28 | option_d=33 | answer=A | explanation=The first three numbers increase by 5, so the next should be 38. Therefore 40 is the odd one out.

id=44465 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=29 | option_b=28 | option_c=32 | option_d=24 | answer=B | explanation=The common difference is 4. Therefore the next term is 24 + 4 = 28.

id=44466 | topic=Percentages | difficulty=Easy | question=What is 50% of 1227? | option_a=608 | option_b=633 | option_c=1226 | option_d=613 | answer=D | explanation=50% of 1227 = (50/100) × 1227 = 613.

id=44467 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=50 | option_b=59 | option_c=51 | option_d=41 | answer=A | explanation=The common difference is 9. Therefore the next term is 41 + 9 = 50.

id=44468 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:16 and the first is 6, what is the second? | option_a=97 | option_b=80 | option_c=102 | option_d=96 | answer=D | explanation=Scale factor = 6/1 = 6. Therefore second quantity = 16×6 = 96.

id=44469 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 16, 23, 30, ? | option_a=30 | option_b=38 | option_c=37 | option_d=44 | answer=C | explanation=The common difference is 7. Therefore the next term is 30 + 7 = 37.

id=44470 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=V | option_c=F | option_d=K | answer=C | explanation=Move 5 positions forward from A; the resulting letter is F.

id=44471 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=29 | option_c=48 | option_d=19 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=44472 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 14? | option_a=7 | option_b=9 | option_c=5 | option_d=14 | answer=D | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 14 is the odd one out.

id=44473 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 29? | option_a=4 | option_b=29 | option_c=12 | option_d=20 | answer=B | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 29 is the odd one out.

id=44474 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=44475 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 14, 18, 25? | option_a=25 | option_b=18 | option_c=10 | option_d=14 | answer=A | explanation=The first three numbers increase by 4, so the next should be 22. Therefore 25 is the odd one out.

id=44476 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:18 and the first is 85, what is the second? | option_a=288 | option_b=391 | option_c=306 | option_d=311 | answer=C | explanation=Scale factor = 85/5 = 17. Therefore second quantity = 18×17 = 306.

id=44477 | topic=Percentages | difficulty=Easy | question=What is 25% of 1325? | option_a=336 | option_b=331 | option_c=662 | option_d=311 | answer=B | explanation=25% of 1325 = (25/100) × 1325 = 331.

id=44478 | topic=Percentages | difficulty=Easy | question=What is 50% of 1325? | option_a=657 | option_b=662 | option_c=682 | option_d=1324 | answer=B | explanation=50% of 1325 = (50/100) × 1325 = 662.

id=44479 | topic=Averages | difficulty=Easy | question=Find the average of 21, 78, 59, 15, 36, 30, 96, 53, 53. | option_a=49 | option_b=51 | option_c=50 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = 441 ÷ 9 = 49.

id=44480 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 26. | option_a=26 | option_b=52 | option_c=1 | option_d=676 | answer=A | explanation=LCM × HCF = 26×26; HCF(26,26) = 26, so LCM = 26.

id=44481 | topic=Percentages | difficulty=Easy | question=What is 12% of 1771? | option_a=222 | option_b=424 | option_c=192 | option_d=212 | answer=D | explanation=12% of 1771 = (12/100) × 1771 = 212.

id=44482 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=S | option_c=N | option_d=D | answer=C | explanation=Move 5 positions forward from I; the resulting letter is N.

id=44483 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:13 and the first is 64, what is the second? | option_a=116 | option_b=39 | option_c=52 | option_d=68 | answer=C | explanation=Scale factor = 64/16 = 4. Therefore second quantity = 13×4 = 52.

id=44484 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=44485 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=E | option_c=Y | option_d=A | answer=A | explanation=Move 2 positions forward from A; the resulting letter is C.

id=44486 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:6 and the first is 255, what is the second? | option_a=107 | option_b=345 | option_c=90 | option_d=84 | answer=C | explanation=Scale factor = 255/17 = 15. Therefore second quantity = 6×15 = 90.

id=44487 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=44488 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=44489 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=41 | option_b=35 | option_c=40 | option_d=45 | answer=C | explanation=The common difference is 5. Therefore the next term is 35 + 5 = 40.

id=44490 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:15 and the first is 39, what is the second? | option_a=234 | option_b=195 | option_c=198 | option_d=180 | answer=B | explanation=Scale factor = 39/3 = 13. Therefore second quantity = 15×13 = 195.

Aptitude Questions — Records 44,491-44,520 of 100,000

id=44491 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37125 at 4% per annum for 1 years. | option_a=38610 | option_b=1385 | option_c=1485 | option_d=1585 | answer=C | explanation=SI = $PRT/100 = 37125 \times 4 \times 1/100 = \text{■}1485$.

id=44492 | topic=Averages | difficulty=Easy | question=Find the average of 79, 51, 29, 56, 45. | option_a=54 | option_b=52 | option_c=53 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 260 ÷ 5 = 52.

id=44493 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=27 | option_b=21 | option_c=28 | option_d=33 | answer=A | explanation=The common difference is 6. Therefore the next term is 21 + 6 = 27.

id=44494 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 18, 22, 29? | option_a=22 | option_b=14 | option_c=18 | option_d=29 | answer=D | explanation=The first three numbers increase by 4, so the next should be 26. Therefore 29 is the odd one out.

id=44495 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3116. If it is sold at a profit of 25%, what is its selling price? | option_a=3584 | option_b=3895 | option_c=4206 | option_d=3141 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3116 \times 125/100 = \text{■}3895$.

id=44496 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=44497 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:9 and the first is 108, what is the second? | option_a=81 | option_b=189 | option_c=72 | option_d=93 | answer=A | explanation=Scale factor = $108/12 = 9$. Therefore second quantity = $9 \times 9 = 81$.

id=44498 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 8, 13, 21? | option_a=21 | option_b=13 | option_c=8 | option_d=3 | answer=A | explanation=The first three numbers increase by 5, so the next should be 18. Therefore 21 is the odd one out.

id=44499 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:9 and the first is 228, what is the second? | option_a=162 | option_b=171 | option_c=183 | option_d=399 | answer=B | explanation=Scale factor = $228/12 = 19$. Therefore second quantity = $9 \times 19 = 171$.

id=44500 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=44501 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3308 at 8% per annum for 1 years. | option_a=364 | option_b=264 | option_c=3572 | option_d=164 | answer=B | explanation=SI = $PRT/100 = 3308 \times 8 \times 1/100 = \text{■}264$.

id=44502 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4754. If it is sold at a profit of 25%, what is its selling price? | option_a=4779 | option_b=6417 | option_c=5467 | option_d=5942 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4754 \times 125/100 = \text{■}5942$.

id=44503 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 35? | option_a=24 | option_b=15 | option_c=6 | option_d=35 | answer=D | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 35 is the odd one out.

id=44504 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=18 | option_b=19 | option_c=17 | option_d=15 | answer=C | explanation=The common difference is 2. Therefore the next term is $15 + 2 = 17$.

id=44505 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1803. If it is sold at a profit of 5%, what is its selling price? | option_a=2073 | option_b=1808 | option_c=1893 | option_d=1713 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1803 \times 105/100 = \text{■}1893$.

id=44506 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23214 at 4% per annum for 3 years. | option_a=25999 | option_b=2885 | option_c=2685 | option_d=2785 | answer=D | explanation=SI = $PRT/100 = 23214 \times 4 \times 3/100 = \text{■}2785$.

id=44507 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 6. | option_a=60 | option_b=120 | option_c=54 | option_d=80 | answer=A | explanation= $LCM \times HCF = 20 \times 6$; $HCF(20,6) = 2$, so $LCM = 60$.

id=44508 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31813 at 4% per annum for 4 years. | option_a=4990 | option_b=5190 | option_c=36903 | option_d=5090 | answer=D | explanation=SI = $PRT/100 = 31813 \times 4 \times 4/100 = \text{■}5090$.

id=44509 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4169 at 6% per annum for 5 years. | option_a=1250 | option_b=1150 | option_c=1350 | option_d=5419 | answer=A | explanation=SI = $PRT/100 = 4169 \times 6 \times 5/100 = \text{■}1250$.

id=44510 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=44511 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=O | option_c=Q | option_d=U | answer=A | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=44512 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.

id=44513 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=44514 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=Z | option_c=B | option_d=F | answer=A | explanation=Move 2 positions forward from B; the resulting letter is D.

id=44515 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 40? | option_a=40 | option_b=18 | option_c=25 | option_d=32 | answer=A | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 40 is the odd one out.

id=44516 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11017 at 8% per annum for 5 years. | option_a=4406 | option_b=4306 | option_c=4506 | option_d=15423 | answer=A | explanation=SI = $PRT/100 = 11017 \times 8 \times 5/100 = \text{■}4406$.

id=44517 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 10, 17, 25? | option_a=3 | option_b=25 | option_c=17 | option_d=10 | answer=B | explanation=The first three numbers increase by 7, so the next should be 24. Therefore 25 is the odd one out.

id=44518 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = $60 \div 2 = 30$ km/h.

id=44519 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=M | option_c=W | option_d=B | answer=C | explanation=Move 5 positions forward from R; the resulting letter is W.

id=44520 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:15 and the first is 35, what is the second? | option_a=60 | option_b=110 | option_c=82 | option_d=75 | answer=D | explanation=Scale factor = $35/7 = 5$. Therefore second quantity = $15 \times 5 = 75$.

Aptitude Questions — Records 44,521-44,550 of 100,000

id=44521 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=100 | option_c=55 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=44522 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=D | option_b=G | option_c=A | option_d=X | answer=A | explanation=Move 3 positions forward from A; the resulting letter is D.

id=44523 | topic=Averages | difficulty=Easy | question=Find the average of 96, 37, 85, 67, 53, 50, 54, 86. | option_a=65 | option_b=67 | option_c=68 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = 528 ÷ 8 = 66.

id=44524 | topic=Averages | difficulty=Easy | question=Find the average of 57, 94, 56, 60, 43, 47, 15, 69, 39, 50. | option_a=53 | option_b=54 | option_c=55 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=44525 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21246 at 5% per annum for 4 years. | option_a=4149 | option_b=4349 | option_c=4249 | option_d=25495 | answer=C | explanation=SI = $\text{PRT}/100 = 21246 \times 5 \times 4 / 100 = \text{■}4249$.

id=44526 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:9 and the first is 40, what is the second? | option_a=90 | option_b=130 | option_c=81 | option_d=94 | answer=A | explanation=Scale factor = $40/4 = 10$. Therefore second quantity = $9 \times 10 = 90$.

id=44527 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:20 and the first is 63, what is the second? | option_a=160 | option_b=187 | option_c=243 | option_d=180 | answer=D | explanation=Scale factor = $63/7 = 9$. Therefore second quantity = $20 \times 9 = 180$.

id=44528 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=44529 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 30, 34, 41? | option_a=41 | option_b=30 | option_c=26 | option_d=34 | answer=A | explanation=The first three numbers increase by 4, so the next should be 38. Therefore 41 is the odd one out.

id=44530 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:6 and the first is 200, what is the second? | option_a=120 | option_b=114 | option_c=130 | option_d=320 | answer=A | explanation=Scale factor = $200/10 = 20$. Therefore second quantity = $6 \times 20 = 120$.

id=44531 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**518. If it is sold at a profit of 25%, what is its selling price? | option_a=543 | option_b=647 | option_c=698 | option_d=596 | answer=B | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 518 \times 125 / 100 = \text{■}647$.

id=44532 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=44533 | topic=Averages | difficulty=Easy | question=Find the average of 71, 43, 88, 27, 31, 91, 28, 87, 26, 68. | option_a=55 | option_b=56 | option_c=57 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = $560 \div 10 = 56$.

id=44534 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20839 at 5% per annum for 4 years. | option_a=25006 | option_b=4167 | option_c=4067 | option_d=4267 | answer=B | explanation=SI = $\text{PRT}/100 = 20839 \times 5 \times 4 / 100 = \text{■}4167$.

id=44535 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=57 | option_b=46 | option_c=47 | option_d=35 | answer=B | explanation=The common difference is 11. Therefore the next term is $35 + 11 = 46$.

id=44536 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4863. If it is sold at a profit of 30%, what is its selling price? | option_a=4893 | option_b=6807 | option_c=5835 | option_d=6321 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 4863 \times 130 / 100 = \text{■}6321$.

id=44537 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45458 at 6% per annum for 2 years. | option_a=50912 | option_b=5554 | option_c=5454 | option_d=5354 | answer=C | explanation=SI = $\text{PRT}/100 = 45458 \times 6 \times 2 / 100 = \text{■}5454$.

id=44538 | topic=Percentages | difficulty=Easy | question=What is 40% of 1524? | option_a=1218 | option_b=629 | option_c=604 | option_d=609 | answer=D | explanation= $40\% \text{ of } 1524 = (40/100) \times 1524 = 609$.

id=44539 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 25, 33, 41, ? | option_a=57 | option_b=41 | option_c=50 | option_d=49 | answer=D | explanation=The common difference is 8. Therefore the next term is $41 + 8 = 49$.

id=44540 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=22 | option_b=21 | option_c=20 | option_d=18 | answer=C | explanation=The common difference is 2. Therefore the next term is $18 + 2 = 20$.

id=44541 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21405 at 15% per annum for 1 years. | option_a=3210 | option_b=24615 | option_c=3310 | option_d=3110 | answer=A | explanation=SI = $\text{PRT}/100 = 21405 \times 15 \times 1 / 100 = \text{■}3210$.

id=44542 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35610 at 5% per annum for 3 years. | option_a=40951 | option_b=5241 | option_c=5341 | option_d=5441 | answer=C | explanation=SI = $\text{PRT}/100 = 35610 \times 5 \times 3 / 100 = \text{■}5341$.

id=44543 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=L | option_c=K | option_d=I | answer=C | explanation=Move 1 positions forward from J; the resulting letter is K.

id=44544 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=70 | option_c=75 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = $300 \div 4 = 75$ km/h.

id=44545 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31393 at 10% per annum for 3 years. | option_a=40810 | option_b=9517 | option_c=9417 | option_d=9317 | answer=C | explanation=SI = $\text{PRT}/100 = 31393 \times 10 \times 3 / 100 = \text{■}9417$.

id=44546 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=44547 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2932 at 6% per annum for 1 years. | option_a=275 | option_b=3107 | option_c=175 | option_d=75 | answer=C | explanation=SI = $\text{PRT}/100 = 2932 \times 6 \times 1 / 100 = \text{■}175$.

id=44548 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=44549 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = $120 \div 4 = 30$ km/h.

id=44550 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=L | option_c=F | option_d=H | answer=A | explanation=Move 2 positions forward from H; the resulting letter is J.

Aptitude Questions — Records 44,551-44,580 of 100,000

id=44551 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4495. If it is sold at a profit of 20%, what is its selling price? | option_a=4515 | option_b=5843 | option_c=5394 | option_d=4945 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4495 × 120/100 = ■5394.

id=44552 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=44553 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 15. | option_a=75 | option_b=20 | option_c=1 | option_d=15 | answer=D | explanation=LCM × HCF = 5×15; HCF(5,15) = 5, so LCM = 15.

id=44554 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3627. If it is sold at a profit of 5%, what is its selling price? | option_a=3446 | option_b=3808 | option_c=4170 | option_d=3632 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3627 × 105/100 = ■3808.

id=44555 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■16302 at 10% per annum for 3 years. | option_a=4990 | option_b=21192 | option_c=4790 | option_d=4890 | answer=D | explanation=SI = PRT/100 = 16302×10×3/100 = ■4890.

id=44556 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=44557 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=X | option_c=B | option_d=J | answer=A | explanation=Move 4 positions forward from B; the resulting letter is F.

id=44558 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:7 and the first is 40, what is the second? | option_a=133 | option_b=140 | option_c=180 | option_d=142 | answer=B | explanation=Scale factor = 40/2 = 20. Therefore second quantity = 7×20 = 140.

id=44559 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:6 and the first is 90, what is the second? | option_a=54 | option_b=69 | option_c=60 | option_d=150 | answer=C | explanation=Scale factor = 90/9 = 10. Therefore second quantity = 6×10 = 60.

id=44560 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4868. If it is sold at a profit of 20%, what is its selling price? | option_a=6327 | option_b=5841 | option_c=4888 | option_d=5355 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4868 × 120/100 = ■5841.

id=44561 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■17704 at 5% per annum for 1 years. | option_a=885 | option_b=785 | option_c=18589 | option_d=985 | answer=A | explanation=SI = PRT/100 = 17704×5×1/100 = ■885.

id=44562 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:3 and the first is 208, what is the second? | option_a=61 | option_b=256 | option_c=45 | option_d=48 | answer=D | explanation=Scale factor = 208/13 = 16. Therefore second quantity = 3×16 = 48.

id=44563 | topic=Averages | difficulty=Easy | question=Find the average of 53, 72, 67. | option_a=66 | option_b=63 | option_c=64 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = 192 ÷ 3 = 64.

id=44564 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=31 | option_c=41 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=44565 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=44566 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 28. | option_a=728 | option_b=390 | option_c=364 | option_d=336 | answer=C | explanation=LCM × HCF = 26×28; HCF(26,28) = 2, so LCM = 364.

id=44567 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3065. If it is sold at a profit of 15%, what is its selling price? | option_a=3524 | option_b=3830 | option_c=3080 | option_d=3218 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3065 × 115/100 = ■3524.

id=44568 | topic=Percentages | difficulty=Easy | question=What is 15% of 1875? | option_a=281 | option_b=301 | option_c=261 | option_d=562 | answer=A | explanation=15% of 1875 = (15/100) × 1875 = 281.

id=44569 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=43 | option_c=96 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=44570 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=45 | option_c=50 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=44571 | topic=Percentages | difficulty=Easy | question=What is 12% of 1482? | option_a=354 | option_b=167 | option_c=177 | option_d=187 | answer=C | explanation=12% of 1482 = (12/100) × 1482 = 177.

id=44572 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:9 and the first is 12, what is the second? | option_a=109 | option_b=99 | option_c=120 | option_d=108 | answer=D | explanation=Scale factor = 12/1 = 12. Therefore second quantity = 9×12 = 108.

id=44573 | topic=Percentages | difficulty=Easy | question=What is 5% of 884? | option_a=44 | option_b=34 | option_c=49 | option_d=88 | answer=A | explanation=5% of 884 = (5/100) × 884 = 44.

id=44574 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 21. | option_a=42 | option_b=21 | option_c=441 | option_d=1 | answer=B | explanation=LCM × HCF = 21×21; HCF(21,21) = 21, so LCM = 21.

id=44575 | topic=Percentages | difficulty=Easy | question=What is 10% of 986? | option_a=98 | option_b=108 | option_c=78 | option_d=196 | answer=A | explanation=10% of 986 = (10/100) × 986 = 98.

id=44576 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=95 | option_d=180 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=44577 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:19 and the first is 10, what is the second? | option_a=191 | option_b=190 | option_c=171 | option_d=200 | answer=B | explanation=Scale factor = 10/1 = 10. Therefore second quantity = 19×10 = 190.

id=44578 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:14 and the first is 112, what is the second? | option_a=98 | option_b=224 | option_c=126 | option_d=112 | answer=D | explanation=Scale factor = 112/14 = 8. Therefore second quantity = 14×8 = 112.

id=44579 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=50 | option_c=25 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=44580 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

Aptitude Questions — Records 44,581-44,610 of 100,000

id=44581 | topic=Percentages | difficulty=Easy | question=What is 12% of 1184? | option_a=132 | option_b=152 | option_c=142 | option_d=284 | answer=C | explanation=12% of 1184 = (12/100) × 1184 = 142.

id=44582 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3748. If it is sold at a profit of 50%, what is its selling price? | option_a=3798 | option_b=5622 | option_c=5996 | option_d=5248 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3748 × 150/100 = █5622.

id=44583 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 22, 27, 32, ? | option_a=42 | option_b=37 | option_c=32 | option_d=38 | answer=B | explanation=The common difference is 5. Therefore the next term is 32 + 5 = 37.

id=44584 | topic=Profit & Loss | difficulty=Easy | question=An article costs █654. If it is sold at a profit of 25%, what is its selling price? | option_a=752 | option_b=882 | option_c=679 | option_d=817 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 654 × 125/100 = █817.

id=44585 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4662. If it is sold at a profit of 20%, what is its selling price? | option_a=4682 | option_b=5128 | option_c=6060 | option_d=5594 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4662 × 120/100 = █5594.

id=44586 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=7 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=44587 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 30, 38, 49? | option_a=22 | option_b=30 | option_c=49 | option_d=38 | answer=C | explanation=The first three numbers increase by 8, so the next should be 46. Therefore 49 is the odd one out.

id=44588 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49440 at 4% per annum for 3 years. | option_a=6032 | option_b=55372 | option_c=5932 | option_d=5832 | answer=C | explanation=SI = PRT/100 = 49440×4×3/100 = █5932.

id=44589 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25359 at 8% per annum for 1 years. | option_a=27387 | option_b=2128 | option_c=1928 | option_d=2028 | answer=D | explanation=SI = PRT/100 = 25359×8×1/100 = █2028.

id=44590 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:5 and the first is 25, what is the second? | option_a=50 | option_b=25 | option_c=30 | option_d=20 | answer=B | explanation=Scale factor = 25/5 = 5. Therefore second quantity = 5×5 = 25.

id=44591 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 33? | option_a=30 | option_b=28 | option_c=26 | option_d=33 | answer=D | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 33 is the odd one out.

id=44592 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 32? | option_a=15 | option_b=20 | option_c=25 | option_d=32 | answer=D | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 32 is the odd one out.

id=44593 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=44594 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 32? | option_a=16 | option_b=26 | option_c=21 | option_d=32 | answer=D | explanation=The first three numbers increase by 5, so the next should be 31. Therefore 32 is the odd one out.

id=44595 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=44596 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34339 at 12% per annum for 1 years. | option_a=4120 | option_b=38459 | option_c=4220 | option_d=4020 | answer=A | explanation=SI = PRT/100 = 34339×12×1/100 = █4120.

id=44597 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:10 and the first is 320, what is the second? | option_a=190 | option_b=200 | option_c=520 | option_d=216 | answer=B | explanation=Scale factor = 320/16 = 20. Therefore second quantity = 10×20 = 200.

id=44598 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 45, what is the second? | option_a=9 | option_b=6 | option_c=54 | option_d=24 | answer=A | explanation=Scale factor = 45/15 = 3. Therefore second quantity = 3×3 = 9.

id=44599 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3545. If it is sold at a profit of 10%, what is its selling price? | option_a=3545 | option_b=3899 | option_c=3555 | option_d=4253 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3545 × 110/100 = █3899.

id=44600 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:7 and the first is 126, what is the second? | option_a=189 | option_b=77 | option_c=56 | option_d=63 | answer=D | explanation=Scale factor = 126/14 = 9. Therefore second quantity = 7×9 = 63.

id=44601 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=R | option_b=L | option_c=O | option_d=U | answer=A | explanation=Move 3 positions forward from O; the resulting letter is R.

id=44602 | topic=Averages | difficulty=Easy | question=Find the average of 79, 45, 42, 20, 55, 63, 59, 12, 47, 98. | option_a=51 | option_b=52 | option_c=54 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 520 ÷ 10 = 52.

id=44603 | topic=Percentages | difficulty=Easy | question=What is 40% of 1048? | option_a=419 | option_b=838 | option_c=439 | option_d=409 | answer=A | explanation=40% of 1048 = (40/100) × 1048 = 419.

id=44604 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:2 and the first is 52, what is the second? | option_a=21 | option_b=60 | option_c=8 | option_d=6 | answer=C | explanation=Scale factor = 52/13 = 4. Therefore second quantity = 2×4 = 8.

id=44605 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=115 | option_c=240 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=44606 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:19 and the first is 68, what is the second? | option_a=144 | option_b=57 | option_c=93 | option_d=76 | answer=D | explanation=Scale factor = 68/17 = 4. Therefore second quantity = 19×4 = 76.

id=44607 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:11 and the first is 323, what is the second? | option_a=206 | option_b=510 | option_c=187 | option_d=176 | answer=C | explanation=Scale factor = 323/19 = 17. Therefore second quantity = 11×17 = 187.

id=44608 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 24, 32, 40, ? | option_a=48 | option_b=56 | option_c=49 | option_d=40 | answer=A | explanation=The common difference is 8. Therefore the next term is 40 + 8 = 48.

id=44609 | topic=Percentages | difficulty=Easy | question=What is 20% of 143? | option_a=28 | option_b=48 | option_c=56 | option_d=18 | answer=A | explanation=20% of 143 = (20/100) × 143 = 28.

id=44610 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

Aptitude Questions — Records 44,611-44,640 of 100,000

- id=44611 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:9 and the first is 4, what is the second? | option_a=36 | option_b=37 | option_c=40 | option_d=27 | answer=A | explanation=Scale factor = 4/1 = 4. Therefore second quantity = 9×4 = 36.
- id=44612 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 35, 40, 46? | option_a=35 | option_b=40 | option_c=46 | option_d=30 | answer=C | explanation=The first three numbers increase by 5, so the next should be 45. Therefore 46 is the odd one out.
- id=44613 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 4. | option_a=52 | option_b=78 | option_c=104 | option_d=48 | answer=A | explanation=LCM × HCF = 26×4; HCF(26,4) = 2, so LCM = 52.
- id=44614 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1015. If it is sold at a profit of 10%, what is its selling price? | option_a=1116 | option_b=1025 | option_c=1015 | option_d=1217 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1015 × 110/100 = █1116.
- id=44615 | topic=Averages | difficulty=Easy | question=Find the average of 25, 65, 59, 39. | option_a=49 | option_b=46 | option_c=47 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 188 ÷ 4 = 47.
- id=44616 | topic=Profit & Loss | difficulty=Easy | question=An article costs █906. If it is sold at a profit of 25%, what is its selling price? | option_a=931 | option_b=1132 | option_c=1042 | option_d=1222 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 906 × 125/100 = █1132.
- id=44617 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=77 | option_c=72 | option_d=67 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.
- id=44618 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=E | option_c=K | option_d=I | answer=D | explanation=Move 2 positions forward from G; the resulting letter is I.
- id=44619 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.
- id=44620 | topic=Averages | difficulty=Easy | question=Find the average of 87, 15, 28, 34. | option_a=43 | option_b=42 | option_c=41 | option_d=40 | answer=C | explanation=Average = sum of values ÷ number of values = 164 ÷ 4 = 41.
- id=44621 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19439 at 6% per annum for 3 years. | option_a=3399 | option_b=22938 | option_c=3599 | option_d=3499 | answer=D | explanation=SI = PRT/100 = 19439×6×3/100 = █3499.
- id=44622 | topic=Averages | difficulty=Easy | question=Find the average of 59, 35, 38, 30, 80, 78, 49, 68, 60, 43. | option_a=53 | option_b=54 | option_c=55 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.
- id=44623 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1030. If it is sold at a profit of 10%, what is its selling price? | option_a=1236 | option_b=1133 | option_c=1040 | option_d=1030 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1030 × 110/100 = █1133.
- id=44624 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 22? | option_a=15 | option_b=22 | option_c=13 | option_d=17 | answer=B | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 22 is the odd one out.
- id=44625 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.
- id=44626 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 55? | option_a=55 | option_b=45 | option_c=29 | option_d=37 | answer=A | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 55 is the odd one out.
- id=44627 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=44628 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 24. | option_a=1 | option_b=576 | option_c=24 | option_d=48 | answer=C | explanation=LCM × HCF = 24×24; HCF(24,24) = 24, so LCM = 24.
- id=44629 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25452 at 8% per annum for 1 years. | option_a=2036 | option_b=2136 | option_c=27488 | option_d=1936 | answer=A | explanation=SI = PRT/100 = 25452×8×1/100 = █2036.
- id=44630 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 34, 43, 53? | option_a=25 | option_b=34 | option_c=43 | option_d=53 | answer=D | explanation=The first three numbers increase by 9, so the next should be 52. Therefore 53 is the odd one out.
- id=44631 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=48 | option_c=24 | option_d=19 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.
- id=44632 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:7 and the first is 70, what is the second? | option_a=28 | option_b=105 | option_c=49 | option_d=35 | answer=D | explanation=Scale factor = 70/14 = 5. Therefore second quantity = 7×5 = 35.
- id=44633 | topic=Profit & Loss | difficulty=Easy | question=An article costs █988. If it is sold at a profit of 5%, what is its selling price? | option_a=939 | option_b=1135 | option_c=993 | option_d=1037 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 988 × 105/100 = █1037.
- id=44634 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=W | option_c=K | option_d=S | answer=D | explanation=Move 4 positions forward from O; the resulting letter is S.
- id=44635 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3119. If it is sold at a profit of 15%, what is its selling price? | option_a=3275 | option_b=3897 | option_c=3134 | option_d=3586 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3119 × 115/100 = █3586.
- id=44636 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=80 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.
- id=44637 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=40 | option_c=25 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.
- id=44638 | topic=Percentages | difficulty=Easy | question=What is 12% of 1218? | option_a=126 | option_b=292 | option_c=156 | option_d=146 | answer=D | explanation=12% of 1218 = (12/100) × 1218 = 146.
- id=44639 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 51? | option_a=21 | option_b=39 | option_c=30 | option_d=51 | answer=D | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 51 is the odd one out.
- id=44640 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 4. | option_a=48 | option_b=8 | option_c=12 | option_d=24 | answer=C | explanation=LCM × HCF = 12×4; HCF(12,4) = 4, so LCM = 12.

Aptitude Questions — Records 44,641-44,670 of 100,000

id=44641 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=P | option_b=Q | option_c=R | option_d=S | answer=C | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=44642 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=D | option_c=Z | option_d=F | answer=B | explanation=Move 2 positions forward from B; the resulting letter is D.

id=44643 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:10 and the first is 42, what is the second? | option_a=130 | option_b=143 | option_c=140 | option_d=182 | answer=C | explanation=Scale factor = $42/3 = 14$. Therefore second quantity = $10 \times 14 = 140$.

id=44644 | topic=Averages | difficulty=Easy | question=Find the average of 84, 43, 28, 76, 16, 23, 91, 30, 76, 43. | option_a=50 | option_b=52 | option_c=51 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = $510 \div 10 = 51$.

id=44645 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=59 | option_b=49 | option_c=37 | option_d=48 | answer=D | explanation=The common difference is 11. Therefore the next term is $37 + 11 = 48$.

id=44646 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=180 | option_c=175 | option_d=360 | answer=B | explanation=Speed = distance ÷ time = $360 \div 2 = 180$ km/h.

id=44647 | topic=Averages | difficulty=Easy | question=Find the average of 53, 63, 40. | option_a=53 | option_b=54 | option_c=51 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = $156 \div 3 = 52$.

id=44648 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:18 and the first is 110, what is the second? | option_a=308 | option_b=208 | option_c=198 | option_d=180 | answer=C | explanation=Scale factor = $110/10 = 11$. Therefore second quantity = $18 \times 11 = 198$.

id=44649 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 30. | option_a=30 | option_b=33 | option_c=90 | option_d=1 | answer=A | explanation=LCM × HCF = 3×30 ; $HCF(3,30) = 3$, so LCM = 30.

id=44650 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=A | option_c=J | option_d=G | answer=D | explanation=Move 3 positions forward from D; the resulting letter is G.

id=44651 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 29? | option_a=21 | option_b=24 | option_c=29 | option_d=18 | answer=C | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 29 is the odd one out.

id=44652 | topic=Percentages | difficulty=Easy | question=What is 10% of 1295? | option_a=119 | option_b=149 | option_c=258 | option_d=129 | answer=D | explanation=10% of 1295 = $(10/100) \times 1295 = 129.5$.

id=44653 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=E | option_c=A | option_d=Y | answer=A | explanation=Move 2 positions forward from A; the resulting letter is C.

id=44654 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.

id=44655 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=35 | option_b=34 | option_c=26 | option_d=42 | answer=B | explanation=The common difference is 8. Therefore the next term is $26 + 8 = 34$.

id=44656 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42363 at 10% per annum for 5 years. | option_a=21081 | option_b=21281 | option_c=21181 | option_d=63544 | answer=C | explanation=SI = $PRT/100 = 42363 \times 10 \times 5/100 = \text{■}21181$.

id=44657 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=21 | option_b=22 | option_c=25 | option_d=17 | answer=A | explanation=The common difference is 4. Therefore the next term is $17 + 4 = 21$.

id=44658 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=G | option_b=I | option_c=K | option_d=M | answer=C | explanation=Move 2 positions forward from I; the resulting letter is K.

id=44659 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=20 | option_b=17 | option_c=21 | option_d=23 | answer=A | explanation=The common difference is 3. Therefore the next term is $17 + 3 = 20$.

id=44660 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=36 | option_c=18 | option_d=13 | answer=C | explanation=Speed = distance ÷ time = $180 \div 10 = 18$ km/h.

id=44661 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 35? | option_a=24 | option_b=19 | option_c=29 | option_d=35 | answer=D | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 35 is the odd one out.

id=44662 | topic=Percentages | difficulty=Easy | question=What is 10% of 1922? | option_a=192 | option_b=172 | option_c=202 | option_d=384 | answer=A | explanation=10% of 1922 = $(10/100) \times 1922 = 192.2$.

id=44663 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**593. If it is sold at a profit of 30%, what is its selling price? | option_a=829 | option_b=711 | option_c=623 | option_d=770 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 593 \times 130/100 = \text{■}770$.

id=44664 | topic=Averages | difficulty=Easy | question=Find the average of 20, 70, 96, 26. | option_a=53 | option_b=52 | option_c=55 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = $212 \div 4 = 53$.

id=44665 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=44666 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29489 at 8% per annum for 5 years. | option_a=11795 | option_b=41284 | option_c=11695 | option_d=11895 | answer=A | explanation=SI = $PRT/100 = 29489 \times 8 \times 5/100 = \text{■}11795$.

id=44667 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**613. If it is sold at a profit of 10%, what is its selling price? | option_a=735 | option_b=623 | option_c=674 | option_d=613 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 613 \times 110/100 = \text{■}674$.

id=44668 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 29, 33, 39? | option_a=39 | option_b=29 | option_c=25 | option_d=33 | answer=A | explanation=The first three numbers increase by 4, so the next should be 37. Therefore 39 is the odd one out.

id=44669 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=96 | option_c=53 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = $240 \div 5 = 48$ km/h.

id=44670 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:9 and the first is 48, what is the second? | option_a=99 | option_b=108 | option_c=112 | option_d=156 | answer=B | explanation=Scale factor = $48/4 = 12$. Therefore second quantity = $9 \times 12 = 108$.

Aptitude Questions — Records 44,671-44,700 of 100,000

id=44671 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=44672 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=19 | option_b=14 | option_c=22 | option_d=18 | answer=D | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.

id=44673 | topic=Averages | difficulty=Easy | question=Find the average of 55, 50, 86, 64, 67, 15, 90. | option_a=61 | option_b=60 | option_c=62 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 427 ÷ 7 = 61.

id=44674 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=44675 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 20? | option_a=15 | option_b=11 | option_c=20 | option_d=13 | answer=C | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 20 is the odd one out.

id=44676 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=1 | option_c=12 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=44677 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=52 | option_b=42 | option_c=62 | option_d=53 | answer=A | explanation=The common difference is 10. Therefore the next term is 42 + 10 = 52.

id=44678 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:10 and the first is 121, what is the second? | option_a=110 | option_b=231 | option_c=121 | option_d=100 | answer=A | explanation=Scale factor = 121/11 = 11. Therefore second quantity = 10×11 = 110.

id=44679 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=44680 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 5. | option_a=25 | option_b=125 | option_c=50 | option_d=20 | answer=A | explanation=LCM × HCF = 25×5; HCF(25,5) = 5, so LCM = 25.

id=44681 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11082 at 6% per annum for 2 years. | option_a=1329 | option_b=1229 | option_c=1429 | option_d=12411 | answer=A | explanation=SI = PRT/100 = 11082×6×2/100 = **■**1329.

id=44682 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10354 at 5% per annum for 4 years. | option_a=1970 | option_b=2170 | option_c=2070 | option_d=12424 | answer=C | explanation=SI = PRT/100 = 10354×5×4/100 = **■**2070.

id=44683 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=44684 | topic=Percentages | difficulty=Easy | question=What is 30% of 1935? | option_a=570 | option_b=600 | option_c=580 | option_d=1160 | answer=C | explanation=30% of 1935 = (30/100) × 1935 = 580.

id=44685 | topic=Percentages | difficulty=Easy | question=What is 5% of 655? | option_a=64 | option_b=32 | option_c=27 | option_d=52 | answer=B | explanation=5% of 655 = (5/100) × 655 = 32.

id=44686 | topic=Percentages | difficulty=Easy | question=What is 20% of 216? | option_a=23 | option_b=48 | option_c=43 | option_d=86 | answer=C | explanation=20% of 216 = (20/100) × 216 = 43.

id=44687 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38811 at 12% per annum for 4 years. | option_a=18729 | option_b=18529 | option_c=57440 | option_d=18629 | answer=D | explanation=SI = PRT/100 = 38811×12×4/100 = **■**18629.

id=44688 | topic=Percentages | difficulty=Easy | question=What is 25% of 61? | option_a=30 | option_b=15 | option_c=35 | option_d=10 | answer=B | explanation=25% of 61 = (25/100) × 61 = 15.

id=44689 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=40 | option_b=26 | option_c=33 | option_d=34 | answer=C | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

id=44690 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=G | option_b=E | option_c=H | option_d=F | answer=A | explanation=Move 1 positions forward from F; the resulting letter is G.

id=44691 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:19 and the first is 60, what is the second? | option_a=76 | option_b=57 | option_c=136 | option_d=91 | answer=A | explanation=Scale factor = 60/15 = 4. Therefore second quantity = 19×4 = 76.

id=44692 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2617. If it is sold at a profit of 20%, what is its selling price? | option_a=3140 | option_b=2637 | option_c=3401 | option_d=2879 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2617 × 120/100 = **■**3140.

id=44693 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 12, 17, 23? | option_a=23 | option_b=7 | option_c=17 | option_d=12 | answer=A | explanation=The first three numbers increase by 5, so the next should be 22. Therefore 23 is the odd one out.

id=44694 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 42? | option_a=25 | option_b=42 | option_c=33 | option_d=17 | answer=B | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 42 is the odd one out.

id=44695 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 26? | option_a=16 | option_b=22 | option_c=19 | option_d=26 | answer=D | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 26 is the odd one out.

id=44696 | topic=Averages | difficulty=Easy | question=Find the average of 90, 21, 62, 92, 30. | option_a=61 | option_b=59 | option_c=60 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 295 ÷ 5 = 59.

id=44697 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1191. If it is sold at a profit of 20%, what is its selling price? | option_a=1429 | option_b=1310 | option_c=1211 | option_d=1548 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1191 × 120/100 = **■**1429.

id=44698 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=38 | option_b=33 | option_c=39 | option_d=43 | answer=A | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.

id=44699 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4820 at 15% per annum for 1 years. | option_a=623 | option_b=723 | option_c=5543 | option_d=823 | answer=B | explanation=SI = PRT/100 = 4820×15×1/100 = **■**723.

id=44700 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

Aptitude Questions — Records 44,701-44,730 of 100,000

id=44701 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 26, 36, 49? | option_a=36 | option_b=16 | option_c=49 | option_d=26 | answer=C | explanation=The first three numbers increase by 10, so the next should be 46. Therefore 49 is the odd one out.

id=44702 | topic=Percentages | difficulty=Easy | question=What is 50% of 1994? | option_a=997 | option_b=992 | option_c=1994 | option_d=1007 | answer=A | explanation=50% of 1994 = (50/100) × 1994 = 997.

id=44703 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=44 | option_b=39 | option_c=32 | option_d=38 | answer=D | explanation=The common difference is 6. Therefore the next term is 32 + 6 = 38.

id=44704 | topic=Percentages | difficulty=Easy | question=What is 5% of 1109? | option_a=55 | option_b=35 | option_c=110 | option_d=65 | answer=A | explanation=5% of 1109 = (5/100) × 1109 = 55.

id=44705 | topic=Profit & Loss | difficulty=Easy | question=An article costs █664. If it is sold at a profit of 30%, what is its selling price? | option_a=694 | option_b=797 | option_c=863 | option_d=929 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 664 × 130/100 = █863.

id=44706 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=9 | option_b=14 | option_c=4 | option_d=18 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=44707 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=36 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=44708 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4880. If it is sold at a profit of 5%, what is its selling price? | option_a=5124 | option_b=4636 | option_c=4885 | option_d=5612 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4880 × 105/100 = █5124.

id=44709 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=44710 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:6 and the first is 48, what is the second? | option_a=36 | option_b=84 | option_c=30 | option_d=44 | answer=A | explanation=Scale factor = 48/8 = 6. Therefore second quantity = 6×6 = 36.

id=44711 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=37 | option_b=31 | option_c=41 | option_d=36 | answer=D | explanation=The common difference is 5. Therefore the next term is 31 + 5 = 36.

id=44712 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=W | option_b=T | option_c=N | option_d=Q | answer=B | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=44713 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 21. | option_a=315 | option_b=120 | option_c=105 | option_d=84 | answer=C | explanation=LCM × HCF = 15×21; HCF(15,21) = 3, so LCM = 105.

id=44714 | topic=Averages | difficulty=Easy | question=Find the average of 84, 67, 29, 26, 34, 17, 65. | option_a=45 | option_b=47 | option_c=46 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 322 ÷ 7 = 46.

id=44715 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 25. | option_a=30 | option_b=1 | option_c=25 | option_d=125 | answer=C | explanation=LCM × HCF = 5×25; HCF(5,25) = 5, so LCM = 25.

id=44716 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=G | option_c=E | option_d=A | answer=C | explanation=Move 2 positions forward from C; the resulting letter is E.

id=44717 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3941. If it is sold at a profit of 10%, what is its selling price? | option_a=3951 | option_b=3941 | option_c=4335 | option_d=4729 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3941 × 110/100 = █4335.

id=44718 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=A | option_c=V | option_d=L | answer=C | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=44719 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=44720 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24294 at 6% per annum for 2 years. | option_a=2815 | option_b=3015 | option_c=27209 | option_d=2915 | answer=D | explanation=SI = PRT/100 = 24294×6×2/100 = █2915.

id=44721 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:12 and the first is 90, what is the second? | option_a=72 | option_b=162 | option_c=87 | option_d=60 | answer=A | explanation=Scale factor = 90/15 = 6. Therefore second quantity = 12×6 = 72.

id=44722 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2794. If it is sold at a profit of 40%, what is its selling price? | option_a=2834 | option_b=4190 | option_c=3911 | option_d=3632 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2794 × 140/100 = █3911.

id=44723 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=L | option_c=H | option_d=T | answer=A | explanation=Move 4 positions forward from L; the resulting letter is P.

id=44724 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44096 at 6% per annum for 4 years. | option_a=10683 | option_b=10483 | option_c=54679 | option_d=10583 | answer=D | explanation=SI = PRT/100 = 44096×6×4/100 = █10583.

id=44725 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=70 | option_c=75 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=44726 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=51 | option_b=61 | option_c=41 | option_d=52 | answer=A | explanation=The common difference is 10. Therefore the next term is 41 + 10 = 51.

id=44727 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2190. If it is sold at a profit of 30%, what is its selling price? | option_a=2628 | option_b=3066 | option_c=2220 | option_d=2847 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2190 × 130/100 = █2847.

id=44728 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:14 and the first is 135, what is the second? | option_a=196 | option_b=345 | option_c=210 | option_d=219 | answer=C | explanation=Scale factor = 135/9 = 15. Therefore second quantity = 14×15 = 210.

id=44729 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:4 and the first is 247, what is the second? | option_a=71 | option_b=48 | option_c=52 | option_d=299 | answer=C | explanation=Scale factor = 247/19 = 13. Therefore second quantity = 4×13 = 52.

id=44730 | topic=Averages | difficulty=Easy | question=Find the average of 57, 30, 50, 13, 15. | option_a=35 | option_b=32 | option_c=33 | option_d=34 | answer=C | explanation=Average = sum of values ÷ number of values = 165 ÷ 5 = 33.

Aptitude Questions — Records 44,731-44,760 of 100,000

id=44731 | topic=Percentages | difficulty=Easy | question=What is 20% of 742? | option_a=148 | option_b=296 | option_c=168 | option_d=128 | answer=A | explanation=20% of 742 = (20/100) × 742 = 148.

id=44732 | topic=Averages | difficulty=Easy | question=Find the average of 60, 12, 36. | option_a=36 | option_b=35 | option_c=37 | option_d=38 | answer=A | explanation=Average = sum of values ÷ number of values = 108 ÷ 3 = 36.

id=44733 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=100 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=44734 | topic=Averages | difficulty=Easy | question=Find the average of 89, 29, 44, 85, 39, 56. | option_a=57 | option_b=59 | option_c=56 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 342 ÷ 6 = 57.

id=44735 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=I | option_b=E | option_c=A | option_d=W | answer=B | explanation=Move 4 positions forward from A; the resulting letter is E.

id=44736 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 14. | option_a=28 | option_b=32 | option_c=14 | option_d=56 | answer=A | explanation=LCM × HCF = 4×14; HCF(4,14) = 2, so LCM = 28.

id=44737 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:12 and the first is 77, what is the second? | option_a=161 | option_b=95 | option_c=72 | option_d=84 | answer=D | explanation=Scale factor = 77/11 = 7. Therefore second quantity = 12×7 = 84.

id=44738 | topic=Percentages | difficulty=Easy | question=What is 20% of 892? | option_a=168 | option_b=183 | option_c=356 | option_d=178 | answer=D | explanation=20% of 892 = (20/100) × 892 = 178.

id=44739 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4107. If it is sold at a profit of 25%, what is its selling price? | option_a=5133 | option_b=4723 | option_c=5543 | option_d=4132 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4107 × 125/100 = █5133.

id=44740 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2001. If it is sold at a profit of 20%, what is its selling price? | option_a=2201 | option_b=2021 | option_c=2601 | option_d=2401 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2001 × 120/100 = █2401.

id=44741 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=C | option_c=Z | option_d=B | answer=D | explanation=Move 1 positions forward from A; the resulting letter is B.

id=44742 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:1 and the first is 112, what is the second? | option_a=22 | option_b=14 | option_c=126 | option_d=13 | answer=B | explanation=Scale factor = 112/8 = 14. Therefore second quantity = 1×14 = 14.

id=44743 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:16 and the first is 51, what is the second? | option_a=323 | option_b=275 | option_c=256 | option_d=272 | answer=D | explanation=Scale factor = 51/3 = 17. Therefore second quantity = 16×17 = 272.

id=44744 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=44745 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33802 at 12% per annum for 3 years. | option_a=45970 | option_b=12068 | option_c=12168 | option_d=12268 | answer=C | explanation=SI = PRT/100 = 33802×12×3/100 = █12168.

id=44746 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:13 and the first is 84, what is the second? | option_a=78 | option_b=103 | option_c=175 | option_d=91 | answer=D | explanation=Scale factor = 84/12 = 7. Therefore second quantity = 13×7 = 91.

id=44747 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12129 at 6% per annum for 3 years. | option_a=2283 | option_b=14312 | option_c=2183 | option_d=2083 | answer=C | explanation=SI = PRT/100 = 12129×6×3/100 = █2183.

id=44748 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 3. | option_a=15 | option_b=18 | option_c=54 | option_d=36 | answer=B | explanation=LCM × HCF = 18×3; HCF(18,3) = 3, so LCM = 18.

id=44749 | topic=Averages | difficulty=Easy | question=Find the average of 45, 78, 28, 48, 18, 47. | option_a=43 | option_b=45 | option_c=44 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 264 ÷ 6 = 44.

id=44750 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16955 at 12% per annum for 2 years. | option_a=4169 | option_b=3969 | option_c=4069 | option_d=21024 | answer=C | explanation=SI = PRT/100 = 16955×12×2/100 = █4069.

id=44751 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=36 | option_b=42 | option_c=28 | option_d=35 | answer=D | explanation=The common difference is 7. Therefore the next term is 28 + 7 = 35.

id=44752 | topic=Averages | difficulty=Easy | question=Find the average of 77, 67, 96, 95, 93, 55, 44, 23, 71. | option_a=69 | option_b=70 | option_c=68 | option_d=71 | answer=A | explanation=Average = sum of values ÷ number of values = 621 ÷ 9 = 69.

id=44753 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 46? | option_a=46 | option_b=31 | option_c=38 | option_d=24 | answer=A | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 46 is the odd one out.

id=44754 | topic=Percentages | difficulty=Easy | question=What is 5% of 732? | option_a=41 | option_b=36 | option_c=31 | option_d=72 | answer=B | explanation=5% of 732 = (5/100) × 732 = 36.

id=44755 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=44 | option_b=45 | option_c=36 | option_d=52 | answer=A | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.

id=44756 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=57 | option_b=48 | option_c=37 | option_d=47 | answer=D | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

id=44757 | topic=Averages | difficulty=Easy | question=Find the average of 32, 14, 99, 50, 22, 87, 38, 36, 27. | option_a=45 | option_b=46 | option_c=44 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 405 ÷ 9 = 45.

id=44758 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4510. If it is sold at a profit of 10%, what is its selling price? | option_a=4520 | option_b=4510 | option_c=5412 | option_d=4961 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4510 × 110/100 = █4961.

id=44759 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=I | option_b=X | option_c=N | option_d=S | answer=D | explanation=Move 5 positions forward from N; the resulting letter is S.

id=44760 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24399 at 8% per annum for 3 years. | option_a=5855 | option_b=5755 | option_c=5955 | option_d=30254 | answer=A | explanation=SI = PRT/100 = 24399×8×3/100 = █5855.

Aptitude Questions — Records 44,761-44,790 of 100,000

id=44761 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=125 | option_b=115 | option_c=240 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=44762 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=44763 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=J | option_b=V | option_c=N | option_d=R | answer=D | explanation=Move 4 positions forward from N; the resulting letter is R.

id=44764 | topic=Percentages | difficulty=Easy | question=What is 30% of 1759? | option_a=527 | option_b=1054 | option_c=532 | option_d=507 | answer=A | explanation=30% of 1759 = (30/100) × 1759 = 527.

id=44765 | topic=Averages | difficulty=Easy | question=Find the average of 47, 60, 55, 87, 98, 93, 57. | option_a=70 | option_b=72 | option_c=73 | option_d=71 | answer=D | explanation=Average = sum of values ÷ number of values = 497 ÷ 7 = 71.

id=44766 | topic=Percentages | difficulty=Easy | question=What is 5% of 583? | option_a=9 | option_b=29 | option_c=39 | option_d=58 | answer=B | explanation=5% of 583 = (5/100) × 583 = 29.

id=44767 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 10. | option_a=75 | option_b=50 | option_c=40 | option_d=250 | answer=B | explanation=LCM × HCF = 25×10; HCF(25,10) = 5, so LCM = 50.

id=44768 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=C | option_c=K | option_d=Y | answer=A | explanation=Move 4 positions forward from C; the resulting letter is G.

id=44769 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=E | option_c=M | option_d=A | answer=A | explanation=Move 4 positions forward from E; the resulting letter is I.

id=44770 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=44771 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=U | option_b=S | option_c=T | option_d=V | answer=A | explanation=Move 1 positions forward from T; the resulting letter is U.

id=44772 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=71 | option_b=59 | option_c=47 | option_d=60 | answer=B | explanation=The common difference is 12. Therefore the next term is 47 + 12 = 59.

id=44773 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=35 | option_b=41 | option_c=47 | option_d=42 | answer=B | explanation=The common difference is 6. Therefore the next term is 35 + 6 = 41.

id=44774 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 39? | option_a=26 | option_b=39 | option_c=31 | option_d=21 | answer=B | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 39 is the odd one out.

id=44775 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=44776 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:3 and the first is 108, what is the second? | option_a=36 | option_b=15 | option_c=126 | option_d=18 | answer=D | explanation=Scale factor = 108/18 = 6. Therefore second quantity = 3×6 = 18.

id=44777 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■23207 at 6% per annum for 4 years. | option_a=5569 | option_b=5669 | option_c=28776 | option_d=5469 | answer=A | explanation=SI = PRT/100 = 23207×6×4/100 = ■5569.

id=44778 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=18 | option_b=15 | option_c=21 | option_d=19 | answer=A | explanation=The common difference is 3. Therefore the next term is 15 + 3 = 18.

id=44779 | topic=Percentages | difficulty=Easy | question=What is 30% of 122? | option_a=36 | option_b=72 | option_c=56 | option_d=31 | answer=A | explanation=30% of 122 = (30/100) × 122 = 36.

id=44780 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 31, 33, 38? | option_a=38 | option_b=31 | option_c=33 | option_d=29 | answer=A | explanation=The first three numbers increase by 2, so the next should be 35. Therefore 38 is the odd one out.

id=44781 | topic=Percentages | difficulty=Easy | question=What is 15% of 941? | option_a=121 | option_b=282 | option_c=141 | option_d=146 | answer=C | explanation=15% of 941 = (15/100) × 941 = 141.

id=44782 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■26693 at 15% per annum for 2 years. | option_a=34700 | option_b=7907 | option_c=8007 | option_d=8107 | answer=C | explanation=SI = PRT/100 = 26693×15×2/100 = ■8007.

id=44783 | topic=Percentages | difficulty=Easy | question=What is 25% of 1186? | option_a=296 | option_b=592 | option_c=276 | option_d=306 | answer=A | explanation=25% of 1186 = (25/100) × 1186 = 296.

id=44784 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=H | option_b=Q | option_c=K | option_d=N | answer=D | explanation=Move 3 positions forward from K; the resulting letter is N.

id=44785 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2628. If it is sold at a profit of 10%, what is its selling price? | option_a=3152 | option_b=2638 | option_c=2890 | option_d=2628 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2628 × 110/100 = ■2890.

id=44786 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■19141 at 10% per annum for 1 years. | option_a=1814 | option_b=21055 | option_c=2014 | option_d=1914 | answer=D | explanation=SI = PRT/100 = 19141×10×1/100 = ■1914.

id=44787 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=44788 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 20, 23, 29? | option_a=23 | option_b=29 | option_c=20 | option_d=17 | answer=B | explanation=The first three numbers increase by 3, so the next should be 26. Therefore 29 is the odd one out.

id=44789 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=37 | option_b=28 | option_c=36 | option_d=44 | answer=C | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=44790 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2201. If it is sold at a profit of 30%, what is its selling price? | option_a=3081 | option_b=2861 | option_c=2231 | option_d=2641 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2201 × 130/100 = ■2861.

Aptitude Questions — Records 44,791-44,820 of 100,000

id=44791 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=44792 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3808. If it is sold at a profit of 30%, what is its selling price? | option_a=4570 | option_b=4950 | option_c=3838 | option_d=5330 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3808 × 130/100 = █4950.

id=44793 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27083 at 12% per annum for 4 years. | option_a=13099 | option_b=12999 | option_c=40082 | option_d=12899 | answer=B | explanation=SI = PRT/100 = 27083×12×4/100 = █12999.

id=44794 | topic=Averages | difficulty=Easy | question=Find the average of 75, 81, 29, 81, 84. | option_a=72 | option_b=69 | option_c=71 | option_d=70 | answer=D | explanation=Average = sum of values ÷ number of values = 350 ÷ 5 = 70.

id=44795 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=45 | option_b=33 | option_c=40 | option_d=39 | answer=D | explanation=The common difference is 6. Therefore the next term is 33 + 6 = 39.

id=44796 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 27, 39, 51, ? | option_a=63 | option_b=64 | option_c=75 | option_d=51 | answer=A | explanation=The common difference is 12. Therefore the next term is 51 + 12 = 63.

id=44797 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 14, 17, 23? | option_a=23 | option_b=11 | option_c=17 | option_d=14 | answer=A | explanation=The first three numbers increase by 3, so the next should be 20. Therefore 23 is the odd one out.

id=44798 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 225, what is the second? | option_a=270 | option_b=45 | option_c=60 | option_d=42 | answer=B | explanation=Scale factor = 225/15 = 15. Therefore second quantity = 3×15 = 45.

id=44799 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=A | option_b=S | option_c=O | option_d=W | answer=D | explanation=Move 4 positions forward from S; the resulting letter is W.

id=44800 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:15 and the first is 165, what is the second? | option_a=150 | option_b=165 | option_c=180 | option_d=330 | answer=B | explanation=Scale factor = 165/15 = 11. Therefore second quantity = 15×11 = 165.

id=44801 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=46 | option_b=45 | option_c=53 | option_d=37 | answer=B | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=44802 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=44803 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44963 at 10% per annum for 1 years. | option_a=4396 | option_b=4496 | option_c=4596 | option_d=49459 | answer=B | explanation=SI = PRT/100 = 44963×10×1/100 = █4496.

id=44804 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=44805 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=Z | option_b=V | option_c=R | option_d=N | answer=B | explanation=Move 4 positions forward from R; the resulting letter is V.

id=44806 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 5, 8, 11, ? | option_a=11 | option_b=17 | option_c=15 | option_d=14 | answer=D | explanation=The common difference is 3. Therefore the next term is 11 + 3 = 14.

id=44807 | topic=Percentages | difficulty=Easy | question=What is 40% of 307? | option_a=132 | option_b=244 | option_c=122 | option_d=117 | answer=C | explanation=40% of 307 = (40/100) × 307 = 122.

id=44808 | topic=Averages | difficulty=Easy | question=Find the average of 45, 13, 58, 43, 56. | option_a=44 | option_b=45 | option_c=43 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = 215 ÷ 5 = 43.

id=44809 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=N | option_b=H | option_c=K | option_d=E | answer=C | explanation=Move 3 positions forward from H; the resulting letter is K.

id=44810 | topic=Averages | difficulty=Easy | question=Find the average of 39, 89, 38, 81, 60, 84, 16, 61, 72. | option_a=62 | option_b=60 | option_c=61 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 540 ÷ 9 = 60.

id=44811 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 9, 16, 24? | option_a=16 | option_b=9 | option_c=2 | option_d=24 | answer=D | explanation=The first three numbers increase by 7, so the next should be 23. Therefore 24 is the odd one out.

id=44812 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=44813 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:15 and the first is 120, what is the second? | option_a=300 | option_b=190 | option_c=165 | option_d=180 | answer=D | explanation=Scale factor = 120/10 = 12. Therefore second quantity = 15×12 = 180.

id=44814 | topic=Averages | difficulty=Easy | question=Find the average of 59, 89, 86. | option_a=79 | option_b=77 | option_c=80 | option_d=78 | answer=D | explanation=Average = sum of values ÷ number of values = 234 ÷ 3 = 78.

id=44815 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 6. | option_a=60 | option_b=88 | option_c=132 | option_d=66 | answer=D | explanation=LCM × HCF = 22×6; HCF(22,6) = 2, so LCM = 66.

id=44816 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28614 at 10% per annum for 1 years. | option_a=2961 | option_b=31475 | option_c=2861 | option_d=2761 | answer=C | explanation=SI = PRT/100 = 28614×10×1/100 = █2861.

id=44817 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=44818 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=G | option_c=K | option_d=S | answer=A | explanation=Move 4 positions forward from K; the resulting letter is O.

id=44819 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=44820 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7457 at 10% per annum for 2 years. | option_a=1491 | option_b=8948 | option_c=1391 | option_d=1591 | answer=A | explanation=SI = PRT/100 = 7457×10×2/100 = █1491.

Aptitude Questions — Records 44,821-44,850 of 100,000

id=44821 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=15 | option_b=17 | option_c=13 | option_d=16 | answer=A | explanation=The common difference is 2. Therefore the next term is 13 + 2 = 15.

id=44822 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:15 and the first is 224, what is the second? | option_a=434 | option_b=226 | option_c=210 | option_d=195 | answer=C | explanation=Scale factor = 224/16 = 14. Therefore second quantity = 15×14 = 210.

id=44823 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 44? | option_a=20 | option_b=44 | option_c=34 | option_d=27 | answer=B | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 44 is the odd one out.

id=44824 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=C | option_b=Y | option_c=Q | option_d=U | answer=B | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=44825 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=36 | option_c=18 | option_d=13 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=44826 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=P | option_c=U | option_d=F | answer=B | explanation=Move 5 positions forward from K; the resulting letter is P.

id=44827 | topic=Averages | difficulty=Easy | question=Find the average of 91, 17, 83, 97. | option_a=72 | option_b=73 | option_c=74 | option_d=71 | answer=A | explanation=Average = sum of values ÷ number of values = 288 ÷ 4 = 72.

id=44828 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=44829 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 22. | option_a=308 | option_b=336 | option_c=286 | option_d=616 | answer=A | explanation=LCM × HCF = 28×22; HCF(28,22) = 2, so LCM = 308.

id=44830 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=8 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=44831 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=8 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=44832 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36477 at 4% per annum for 3 years. | option_a=4277 | option_b=40854 | option_c=4477 | option_d=4377 | answer=D | explanation=SI = PRT/100 = 36477×4×3/100 = **■**4377.

id=44833 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=43 | option_c=96 | option_d=53 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=44834 | topic=Percentages | difficulty=Easy | question=What is 20% of 1661? | option_a=312 | option_b=664 | option_c=337 | option_d=332 | answer=D | explanation=20% of 1661 = (20/100) × 1661 = 332.

id=44835 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=44836 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 6. | option_a=48 | option_b=24 | option_c=18 | option_d=32 | answer=B | explanation=LCM × HCF = 8×6; HCF(8,6) = 2, so LCM = 24.

id=44837 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:11 and the first is 12, what is the second? | option_a=55 | option_b=66 | option_c=78 | option_d=68 | answer=B | explanation=Scale factor = 12/2 = 6. Therefore second quantity = 11×6 = 66.

id=44838 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:8 and the first is 12, what is the second? | option_a=8 | option_b=16 | option_c=28 | option_d=22 | answer=B | explanation=Scale factor = 12/6 = 2. Therefore second quantity = 8×2 = 16.

id=44839 | topic=Percentages | difficulty=Easy | question=What is 25% of 1495? | option_a=353 | option_b=373 | option_c=746 | option_d=393 | answer=B | explanation=25% of 1495 = (25/100) × 1495 = 373.

id=44840 | topic=Percentages | difficulty=Easy | question=What is 20% of 1067? | option_a=208 | option_b=218 | option_c=426 | option_d=213 | answer=D | explanation=20% of 1067 = (20/100) × 1067 = 213.

id=44841 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:5 and the first is 304, what is the second? | option_a=111 | option_b=399 | option_c=95 | option_d=90 | answer=C | explanation=Scale factor = 304/16 = 19. Therefore second quantity = 5×19 = 95.

id=44842 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 19? | option_a=19 | option_b=9 | option_c=15 | option_d=12 | answer=A | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 19 is the odd one out.

id=44843 | topic=Averages | difficulty=Easy | question=Find the average of 58, 30, 83. | option_a=56 | option_b=59 | option_c=58 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 171 ÷ 3 = 57.

id=44844 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 12. | option_a=60 | option_b=75 | option_c=180 | option_d=48 | answer=A | explanation=LCM × HCF = 15×12; HCF(15,12) = 3, so LCM = 60.

id=44845 | topic=Averages | difficulty=Easy | question=Find the average of 46, 32, 57, 95, 19, 84, 17, 94, 24. | option_a=53 | option_b=54 | option_c=52 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 468 ÷ 9 = 52.

id=44846 | topic=Percentages | difficulty=Easy | question=What is 20% of 1703? | option_a=360 | option_b=335 | option_c=340 | option_d=680 | answer=C | explanation=20% of 1703 = (20/100) × 1703 = 340.

id=44847 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 12, 17, 25? | option_a=17 | option_b=7 | option_c=25 | option_d=12 | answer=C | explanation=The first three numbers increase by 5, so the next should be 22. Therefore 25 is the odd one out.

id=44848 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=44849 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36418 at 10% per annum for 5 years. | option_a=18209 | option_b=18309 | option_c=54627 | option_d=18109 | answer=A | explanation=SI = PRT/100 = 36418×10×5/100 = **■**18209.

id=44850 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=23 | option_c=18 | option_d=36 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

Aptitude Questions — Records 44,851-44,880 of 100,000

id=44851 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:6 and the first is 72, what is the second? | option_a=108 | option_b=112 | option_c=102 | option_d=180 | answer=A | explanation=Scale factor = 72/4 = 18. Therefore second quantity = 6×18 = 108.

id=44852 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=44853 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=41 | option_b=27 | option_c=35 | option_d=34 | answer=D | explanation=The common difference is 7. Therefore the next term is 27 + 7 = 34.

id=44854 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1911. If it is sold at a profit of 30%, what is its selling price? | option_a=2484 | option_b=1941 | option_c=2293 | option_d=2675 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1911 × 130/100 = █2484.

id=44855 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13581 at 12% per annum for 5 years. | option_a=8148 | option_b=8048 | option_c=21729 | option_d=8248 | answer=A | explanation=SI = PRT/100 = 13581×12×5/100 = █8148.

id=44856 | topic=Percentages | difficulty=Easy | question=What is 30% of 1759? | option_a=507 | option_b=527 | option_c=1054 | option_d=532 | answer=B | explanation=30% of 1759 = (30/100) × 1759 = 527.

id=44857 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=125 | option_c=120 | option_d=115 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=44858 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41139 at 4% per annum for 3 years. | option_a=4936 | option_b=4836 | option_c=46075 | option_d=5036 | answer=A | explanation=SI = PRT/100 = 41139×4×3/100 = █4936.

id=44859 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 14. | option_a=48 | option_b=84 | option_c=28 | option_d=42 | answer=D | explanation=LCM × HCF = 6×14; HCF(6,14) = 2, so LCM = 42.

id=44860 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=X | option_b=T | option_c=P | option_d=B | answer=A | explanation=Move 4 positions forward from T; the resulting letter is X.

id=44861 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=7 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=44862 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=V | option_b=U | option_c=T | option_d=W | answer=A | explanation=Move 1 positions forward from U; the resulting letter is V.

id=44863 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:11 and the first is 57, what is the second? | option_a=212 | option_b=198 | option_c=209 | option_d=266 | answer=C | explanation=Scale factor = 57/3 = 19. Therefore second quantity = 11×19 = 209.

id=44864 | topic=Percentages | difficulty=Easy | question=What is 12% of 1807? | option_a=216 | option_b=236 | option_c=211 | option_d=432 | answer=A | explanation=12% of 1807 = (12/100) × 1807 = 216.

id=44865 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23097 at 12% per annum for 3 years. | option_a=31411 | option_b=8414 | option_c=8214 | option_d=8314 | answer=D | explanation=SI = PRT/100 = 23097×12×3/100 = █8314.

id=44866 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=44867 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=K | option_c=I | option_d=L | answer=B | explanation=Move 1 positions forward from J; the resulting letter is K.

id=44868 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=150 | option_d=70 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=44869 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 17, 21, 28? | option_a=13 | option_b=17 | option_c=28 | option_d=21 | answer=C | explanation=The first three numbers increase by 4, so the next should be 25. Therefore 28 is the odd one out.

id=44870 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4126. If it is sold at a profit of 15%, what is its selling price? | option_a=5156 | option_b=4744 | option_c=4332 | option_d=4141 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4126 × 115/100 = █4744.

id=44871 | topic=Averages | difficulty=Easy | question=Find the average of 95, 35, 16, 14. | option_a=42 | option_b=40 | option_c=41 | option_d=39 | answer=B | explanation=Average = sum of values ÷ number of values = 160 ÷ 4 = 40.

id=44872 | topic=Percentages | difficulty=Easy | question=What is 10% of 1554? | option_a=160 | option_b=310 | option_c=155 | option_d=135 | answer=C | explanation=10% of 1554 = (10/100) × 1554 = 155.

id=44873 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28076 at 6% per annum for 5 years. | option_a=8422 | option_b=8522 | option_c=8322 | option_d=36498 | answer=A | explanation=SI = PRT/100 = 28076×6×5/100 = █8422.

id=44874 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=44875 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=44876 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=N | option_c=M | option_d=O | answer=D | explanation=Move 1 positions forward from N; the resulting letter is O.

id=44877 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:15 and the first is 60, what is the second? | option_a=120 | option_b=45 | option_c=75 | option_d=60 | answer=D | explanation=Scale factor = 60/15 = 4. Therefore second quantity = 15×4 = 60.

id=44878 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:20 and the first is 32, what is the second? | option_a=192 | option_b=164 | option_c=160 | option_d=140 | answer=C | explanation=Scale factor = 32/4 = 8. Therefore second quantity = 20×8 = 160.

id=44879 | topic=Averages | difficulty=Easy | question=Find the average of 96, 18, 49, 85, 53, 59, 77, 65, 83. | option_a=67 | option_b=64 | option_c=65 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = 585 ÷ 9 = 65.

id=44880 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:8 and the first is 48, what is the second? | option_a=144 | option_b=100 | option_c=88 | option_d=96 | answer=D | explanation=Scale factor = 48/4 = 12. Therefore second quantity = 8×12 = 96.

Aptitude Questions — Records 44,881-44,910 of 100,000

id=44881 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 32? | option_a=18 | option_b=24 | option_c=12 | option_d=32 | answer=D | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 32 is the odd one out.

id=44882 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=D | option_b=G | option_c=J | option_d=M | answer=C | explanation=Move 3 positions forward from G; the resulting letter is J.

id=44883 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=35 | option_b=30 | option_c=29 | option_d=23 | answer=C | explanation=The common difference is 6. Therefore the next term is 23 + 6 = 29.

id=44884 | topic=Averages | difficulty=Easy | question=Find the average of 59, 37, 72, 96, 41, 53, 34. | option_a=58 | option_b=56 | option_c=57 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 392 ÷ 7 = 56.

id=44885 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1181. If it is sold at a profit of 50%, what is its selling price? | option_a=1771 | option_b=1231 | option_c=1889 | option_d=1653 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1181 × 150/100 = █1771.

id=44886 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=V | option_b=T | option_c=W | option_d=U | answer=A | explanation=Move 1 positions forward from U; the resulting letter is V.

id=44887 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=44888 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=44889 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=25 | option_c=15 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=44890 | topic=Averages | difficulty=Easy | question=Find the average of 37, 79, 33, 95, 60, 81, 72, 63. | option_a=64 | option_b=65 | option_c=66 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = 520 ÷ 8 = 65.

id=44891 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 28, 36, 44, ? | option_a=44 | option_b=60 | option_c=53 | option_d=52 | answer=D | explanation=The common difference is 8. Therefore the next term is 44 + 8 = 52.

id=44892 | topic=Averages | difficulty=Easy | question=Find the average of 94, 43, 43, 32. | option_a=52 | option_b=55 | option_c=54 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 212 ÷ 4 = 53.

id=44893 | topic=Profit & Loss | difficulty=Easy | question=An article costs █756. If it is sold at a profit of 40%, what is its selling price? | option_a=796 | option_b=1133 | option_c=983 | option_d=1058 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 756 × 140/100 = █1058.

id=44894 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 18, 24, 30, ? | option_a=37 | option_b=42 | option_c=30 | option_d=36 | answer=D | explanation=The common difference is 6. Therefore the next term is 30 + 6 = 36.

id=44895 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=53 | option_c=43 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=44896 | topic=Averages | difficulty=Easy | question=Find the average of 41, 42, 59, 28, 49, 15. | option_a=40 | option_b=39 | option_c=38 | option_d=41 | answer=B | explanation=Average = sum of values ÷ number of values = 234 ÷ 6 = 39.

id=44897 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 26, 35, 46? | option_a=26 | option_b=35 | option_c=17 | option_d=46 | answer=D | explanation=The first three numbers increase by 9, so the next should be 44. Therefore 46 is the odd one out.

id=44898 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=46 | option_b=68 | option_c=58 | option_d=57 | answer=D | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.

id=44899 | topic=Percentages | difficulty=Easy | question=What is 20% of 1391? | option_a=288 | option_b=258 | option_c=556 | option_d=278 | answer=D | explanation=20% of 1391 = (20/100) × 1391 = 278.

id=44900 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2571. If it is sold at a profit of 25%, what is its selling price? | option_a=3470 | option_b=2596 | option_c=3213 | option_d=2956 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2571 × 125/100 = █3213.

id=44901 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 38? | option_a=30 | option_b=34 | option_c=38 | option_d=32 | answer=C | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 38 is the odd one out.

id=44902 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=44903 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 31, 35, 40? | option_a=40 | option_b=35 | option_c=27 | option_d=31 | answer=A | explanation=The first three numbers increase by 4, so the next should be 39. Therefore 40 is the odd one out.

id=44904 | topic=Averages | difficulty=Easy | question=Find the average of 36, 82, 63, 54, 44, 90, 39, 39, 75, 88. | option_a=60 | option_b=62 | option_c=63 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 610 ÷ 10 = 61.

id=44905 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=50 | option_b=62 | option_c=61 | option_d=72 | answer=C | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.

id=44906 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=200 | option_c=95 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=44907 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=I | option_b=Y | option_c=D | option_d=N | answer=A | explanation=Move 5 positions forward from D; the resulting letter is I.

id=44908 | topic=Averages | difficulty=Easy | question=Find the average of 71, 70, 69, 28, 29, 62, 16, 91, 81, 83. | option_a=59 | option_b=61 | option_c=60 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=44909 | topic=Number System | difficulty=Easy | question=Find the LCM of 11 and 11. | option_a=121 | option_b=22 | option_c=11 | option_d=1 | answer=C | explanation=LCM × HCF = 11×11; HCF(11,11) = 11, so LCM = 11.

id=44910 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=Q | option_b=N | option_c=K | option_d=H | answer=B | explanation=Move 3 positions forward from K; the resulting letter is N.

Aptitude Questions — Records 44,911-44,940 of 100,000

id=44911 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=E | option_c=I | option_d=C | answer=A | explanation=Move 2 positions forward from E; the resulting letter is G.

id=44912 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=15 | option_b=12 | option_c=16 | option_d=14 | answer=D | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=44913 | topic=Averages | difficulty=Easy | question=Find the average of 32, 83, 56, 100, 89, 72. | option_a=71 | option_b=74 | option_c=73 | option_d=72 | answer=D | explanation=Average = sum of values ÷ number of values = 432 ÷ 6 = 72.

id=44914 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=T | option_b=P | option_c=H | option_d=L | answer=B | explanation=Move 4 positions forward from L; the resulting letter is P.

id=44915 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=44916 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**32628 at 15% per annum for 1 years. | option_a=37522 | option_b=4994 | option_c=4794 | option_d=4894 | answer=D | explanation=SI = PRT/100 = 32628×15×1/100 = **₹**4894.

id=44917 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:3 and the first is 72, what is the second? | option_a=84 | option_b=12 | option_c=9 | option_d=30 | answer=B | explanation=Scale factor = 72/18 = 4. Therefore second quantity = 3×4 = 12.

id=44918 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 35, 42, 51? | option_a=51 | option_b=28 | option_c=42 | option_d=35 | answer=A | explanation=The first three numbers increase by 7, so the next should be 49. Therefore 51 is the odd one out.

id=44919 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 19, 25, 32? | option_a=25 | option_b=13 | option_c=19 | option_d=32 | answer=D | explanation=The first three numbers increase by 6, so the next should be 31. Therefore 32 is the odd one out.

id=44920 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 45? | option_a=45 | option_b=37 | option_c=32 | option_d=27 | answer=A | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 45 is the odd one out.

id=44921 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=I | option_b=K | option_c=L | option_d=J | answer=B | explanation=Move 1 positions forward from J; the resulting letter is K.

id=44922 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=38 | option_b=32 | option_c=24 | option_d=31 | answer=D | explanation=The common difference is 7. Therefore the next term is 24 + 7 = 31.

id=44923 | topic=Averages | difficulty=Easy | question=Find the average of 97, 13, 89, 53, 78. | option_a=68 | option_b=67 | option_c=65 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = 330 ÷ 5 = 66.

id=44924 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=4 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=44925 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**12371 at 4% per annum for 5 years. | option_a=2574 | option_b=2374 | option_c=14845 | option_d=2474 | answer=D | explanation=SI = PRT/100 = 12371×4×5/100 = **₹**2474.

id=44926 | topic=Percentages | difficulty=Easy | question=What is 40% of 1904? | option_a=761 | option_b=771 | option_c=1522 | option_d=741 | answer=A | explanation=40% of 1904 = (40/100) × 1904 = 761.

id=44927 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=24 | option_b=28 | option_c=29 | option_d=32 | answer=B | explanation=The common difference is 4. Therefore the next term is 24 + 4 = 28.

id=44928 | topic=Percentages | difficulty=Easy | question=What is 15% of 1056? | option_a=158 | option_b=316 | option_c=168 | option_d=138 | answer=A | explanation=15% of 1056 = (15/100) × 1056 = 158.

id=44929 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 40? | option_a=19 | option_b=40 | option_c=28 | option_d=10 | answer=B | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 40 is the odd one out.

id=44930 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 44? | option_a=36 | option_b=30 | option_c=44 | option_d=24 | answer=C | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 44 is the odd one out.

id=44931 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:14 and the first is 198, what is the second? | option_a=154 | option_b=352 | option_c=140 | option_d=172 | answer=A | explanation=Scale factor = 198/18 = 11. Therefore second quantity = 14×11 = 154.

id=44932 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=40 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=44933 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4174. If it is sold at a profit of 40%, what is its selling price? | option_a=4214 | option_b=5843 | option_c=6260 | option_d=5426 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4174 × 140/100 = **₹**5843.

id=44934 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:14 and the first is 126, what is the second? | option_a=238 | option_b=378 | option_c=259 | option_d=252 | answer=D | explanation=Scale factor = 126/7 = 18. Therefore second quantity = 14×18 = 252.

id=44935 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 22. | option_a=22 | option_b=88 | option_c=44 | option_d=48 | answer=C | explanation=LCM × HCF = 4×22; HCF(4,22) = 2, so LCM = 44.

id=44936 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3935. If it is sold at a profit of 15%, what is its selling price? | option_a=4132 | option_b=3950 | option_c=4918 | option_d=4525 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3935 × 115/100 = **₹**4525.

id=44937 | topic=Averages | difficulty=Easy | question=Find the average of 12, 43, 41. | option_a=33 | option_b=32 | option_c=34 | option_d=31 | answer=B | explanation=Average = sum of values ÷ number of values = 96 ÷ 3 = 32.

id=44938 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=22 | option_b=17 | option_c=23 | option_d=27 | answer=A | explanation=The common difference is 5. Therefore the next term is 17 + 5 = 22.

id=44939 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=27 | option_b=43 | option_c=35 | option_d=36 | answer=C | explanation=The common difference is 8. Therefore the next term is 27 + 8 = 35.

id=44940 | topic=Averages | difficulty=Easy | question=Find the average of 74, 85, 12. | option_a=58 | option_b=59 | option_c=57 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 171 ÷ 3 = 57.

Aptitude Questions — Records 44,941-44,970 of 100,000

id=44941 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=E | option_b=N | option_c=H | option_d=K | answer=D | explanation=Move 3 positions forward from H; the resulting letter is K.

id=44942 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=44943 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:3 and the first is 42, what is the second? | option_a=25 | option_b=15 | option_c=60 | option_d=18 | answer=D | explanation=Scale factor = 42/7 = 6. Therefore second quantity = 3×6 = 18.

id=44944 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=44945 | topic=Percentages | difficulty=Easy | question=What is 15% of 1577? | option_a=256 | option_b=472 | option_c=226 | option_d=236 | answer=D | explanation=15% of 1577 = (15/100) × 1577 = 236.

id=44946 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=34 | option_b=50 | option_c=42 | option_d=43 | answer=C | explanation=The common difference is 8. Therefore the next term is 34 + 8 = 42.

id=44947 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=25 | option_c=20 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=44948 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=J | option_b=B | option_c=F | option_d=N | answer=A | explanation=Move 4 positions forward from F; the resulting letter is J.

id=44949 | topic=Profit & Loss | difficulty=Easy | question=An article costs █253. If it is sold at a profit of 20%, what is its selling price? | option_a=278 | option_b=328 | option_c=303 | option_d=273 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 253 × 120/100 = █303.

id=44950 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 9, 14, 21? | option_a=21 | option_b=14 | option_c=4 | option_d=9 | answer=A | explanation=The first three numbers increase by 5, so the next should be 19. Therefore 21 is the odd one out.

id=44951 | topic=Averages | difficulty=Easy | question=Find the average of 58, 15, 27, 20, 30. | option_a=31 | option_b=29 | option_c=32 | option_d=30 | answer=D | explanation=Average = sum of values ÷ number of values = 150 ÷ 5 = 30.

id=44952 | topic=Percentages | difficulty=Easy | question=What is 50% of 1971? | option_a=995 | option_b=1970 | option_c=975 | option_d=985 | answer=D | explanation=50% of 1971 = (50/100) × 1971 = 985.

id=44953 | topic=Percentages | difficulty=Easy | question=What is 20% of 175? | option_a=35 | option_b=45 | option_c=70 | option_d=30 | answer=A | explanation=20% of 175 = (20/100) × 175 = 35.

id=44954 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=Y | option_c=I | option_d=N | answer=C | explanation=Move 5 positions forward from D; the resulting letter is I.

id=44955 | topic=Profit & Loss | difficulty=Easy | question=An article costs █940. If it is sold at a profit of 15%, what is its selling price? | option_a=1081 | option_b=955 | option_c=987 | option_d=1175 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 940 × 115/100 = █1081.

id=44956 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=44957 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=44958 | topic=Averages | difficulty=Easy | question=Find the average of 46, 69, 38, 89, 40, 67, 19, 88. | option_a=59 | option_b=57 | option_c=56 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

id=44959 | topic=Averages | difficulty=Easy | question=Find the average of 52, 10, 63, 97, 96, 80, 47, 87, 53. | option_a=65 | option_b=66 | option_c=67 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = 585 ÷ 9 = 65.

id=44960 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=29 | option_b=34 | option_c=30 | option_d=24 | answer=A | explanation=The common difference is 5. Therefore the next term is 24 + 5 = 29.

id=44961 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=I | option_c=K | option_d=M | answer=D | explanation=Move 2 positions forward from K; the resulting letter is M.

id=44962 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=Q | option_c=S | option_d=M | answer=B | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=44963 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=44964 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43992 at 6% per annum for 5 years. | option_a=13097 | option_b=13297 | option_c=57189 | option_d=13197 | answer=D | explanation=SI = PRT/100 = 43992×6×5/100 = █13197.

id=44965 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:1 and the first is 6, what is the second? | option_a=9 | option_b=3 | option_c=5 | option_d=2 | answer=B | explanation=Scale factor = 6/2 = 3. Therefore second quantity = 1×3 = 3.

id=44966 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=55 | option_c=50 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=44967 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=52 | option_b=44 | option_c=43 | option_d=34 | answer=C | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

id=44968 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=175 | option_c=180 | option_d=360 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=44969 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3531. If it is sold at a profit of 15%, what is its selling price? | option_a=4060 | option_b=3546 | option_c=4413 | option_d=3707 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3531 × 115/100 = █4060.

id=44970 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

Aptitude Questions — Records 44,971-45,000 of 100,000

id=44971 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1398. If it is sold at a profit of 10%, what is its selling price? | option_a=1408 | option_b=1398 | option_c=1537 | option_d=1676 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1398 \times 110/100 = \text{█}1537$.

id=44972 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27450 at 5% per annum for 3 years. | option_a=4217 | option_b=4017 | option_c=31567 | option_d=4117 | answer=D | explanation=SI = $PRT/100 = 27450 \times 5 \times 3/100 = \text{█}4117$.

id=44973 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=P | option_c=N | option_d=R | answer=D | explanation=Move 2 positions forward from P; the resulting letter is R.

id=44974 | topic=Averages | difficulty=Easy | question=Find the average of 100, 64, 46, 71, 77, 16, 77, 54, 80. | option_a=65 | option_b=64 | option_c=66 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = $585 \div 9 = 65$.

id=44975 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4412 at 15% per annum for 3 years. | option_a=6397 | option_b=1985 | option_c=2085 | option_d=1885 | answer=B | explanation=SI = $PRT/100 = 4412 \times 15 \times 3/100 = \text{█}1985$.

id=44976 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20937 at 12% per annum for 3 years. | option_a=7537 | option_b=28474 | option_c=7437 | option_d=7637 | answer=A | explanation=SI = $PRT/100 = 20937 \times 12 \times 3/100 = \text{█}7537$.

id=44977 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43558 at 15% per annum for 3 years. | option_a=19701 | option_b=19601 | option_c=19501 | option_d=63159 | answer=B | explanation=SI = $PRT/100 = 43558 \times 15 \times 3/100 = \text{█}19601$.

id=44978 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 17, 19, 21, ? | option_a=23 | option_b=24 | option_c=25 | option_d=21 | answer=A | explanation=The common difference is 2. Therefore the next term is $21 + 2 = 23$.

id=44979 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=F | option_b=L | option_c=O | option_d=I | answer=B | explanation=Move 3 positions forward from I; the resulting letter is L.

id=44980 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21349 at 5% per annum for 4 years. | option_a=4169 | option_b=4369 | option_c=25618 | option_d=4269 | answer=D | explanation=SI = $PRT/100 = 21349 \times 5 \times 4/100 = \text{█}4269$.

id=44981 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 29? | option_a=29 | option_b=24 | option_c=20 | option_d=22 | answer=A | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 29 is the odd one out.

id=44982 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=L | option_b=W | option_c=G | option_d=B | answer=C | explanation=Move 5 positions forward from B; the resulting letter is G.

id=44983 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48911 at 6% per annum for 2 years. | option_a=5969 | option_b=54780 | option_c=5869 | option_d=5769 | answer=C | explanation=SI = $PRT/100 = 48911 \times 6 \times 2/100 = \text{█}5869$.

id=44984 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4636 at 15% per annum for 3 years. | option_a=2086 | option_b=6722 | option_c=2186 | option_d=1986 | answer=A | explanation=SI = $PRT/100 = 4636 \times 15 \times 3/100 = \text{█}2086$.

id=44985 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 26, 28, 31? | option_a=26 | option_b=24 | option_c=31 | option_d=28 | answer=C | explanation=The first three numbers increase by 2, so the next should be 30. Therefore 31 is the odd one out.

id=44986 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=44987 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1918. If it is sold at a profit of 20%, what is its selling price? | option_a=2492 | option_b=2110 | option_c=2301 | option_d=1938 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1918 \times 120/100 = \text{█}2301$.

id=44988 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:17 and the first is 84, what is the second? | option_a=102 | option_b=186 | option_c=116 | option_d=85 | answer=A | explanation=Scale factor = $84/14 = 6$. Therefore second quantity = $17 \times 6 = 102$.

id=44989 | topic=Averages | difficulty=Easy | question=Find the average of 24, 30, 26, 81, 16, 93. | option_a=45 | option_b=44 | option_c=46 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = $270 \div 6 = 45$.

id=44990 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=9 | option_b=11 | option_c=13 | option_d=12 | answer=B | explanation=The common difference is 2. Therefore the next term is $9 + 2 = 11$.

id=44991 | topic=Averages | difficulty=Easy | question=Find the average of 82, 18, 68. | option_a=57 | option_b=56 | option_c=55 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = $168 \div 3 = 56$.

id=44992 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=D | option_b=E | option_c=C | option_d=B | answer=A | explanation=Move 1 positions forward from C; the resulting letter is D.

id=44993 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1086. If it is sold at a profit of 5%, what is its selling price? | option_a=1032 | option_b=1248 | option_c=1140 | option_d=1091 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1086 \times 105/100 = \text{█}1140$.

id=44994 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=M | option_b=O | option_c=P | option_d=N | answer=B | explanation=Move 1 positions forward from N; the resulting letter is O.

id=44995 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=44996 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 15, 22, 32? | option_a=22 | option_b=32 | option_c=15 | option_d=8 | answer=B | explanation=The first three numbers increase by 7, so the next should be 29. Therefore 32 is the odd one out.

id=44997 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:17 and the first is 176, what is the second? | option_a=448 | option_b=255 | option_c=283 | option_d=272 | answer=D | explanation=Scale factor = $176/11 = 16$. Therefore second quantity = $17 \times 16 = 272$.

id=44998 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:3 and the first is 270, what is the second? | option_a=42 | option_b=63 | option_c=45 | option_d=315 | answer=C | explanation=Scale factor = $270/18 = 15$. Therefore second quantity = $3 \times 15 = 45$.

id=44999 | topic=Percentages | difficulty=Easy | question=What is 25% of 510? | option_a=147 | option_b=122 | option_c=254 | option_d=127 | answer=D | explanation=25% of 510 = $(25/100) \times 510 = 127$.

id=45000 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=95 | option_c=105 | option_d=200 | answer=A | explanation=Speed = distance ÷ time = $300 \div 3 = 100$ km/h.

Aptitude Questions — Records 45,001-45,030 of 100,000

id=45001 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=1 | option_c=12 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=45002 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:16 and the first is 24, what is the second? | option_a=48 | option_b=72 | option_c=56 | option_d=32 | answer=A | explanation=Scale factor = 24/8 = 3. Therefore second quantity = 16×3 = 48.

id=45003 | topic=Percentages | difficulty=Easy | question=What is 20% of 1556? | option_a=311 | option_b=331 | option_c=291 | option_d=622 | answer=A | explanation=20% of 1556 = (20/100) × 1556 = 311.

id=45004 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=45005 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=A | option_c=E | option_d=Y | answer=A | explanation=Move 2 positions forward from A; the resulting letter is C.

id=45006 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19604 at 10% per annum for 2 years. | option_a=4020 | option_b=3920 | option_c=23524 | option_d=3820 | answer=B | explanation=SI = PRT/100 = 19604×10×2/100 = **■**3920.

id=45007 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**893. If it is sold at a profit of 50%, what is its selling price? | option_a=1428 | option_b=1250 | option_c=943 | option_d=1339 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 893 × 150/100 = **■**1339.

id=45008 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4873. If it is sold at a profit of 30%, what is its selling price? | option_a=4903 | option_b=6334 | option_c=6821 | option_d=5847 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4873 × 130/100 = **■**6334.

id=45009 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 21. | option_a=504 | option_b=147 | option_c=192 | option_d=168 | answer=D | explanation=LCM × HCF = 24×21; HCF(24,21) = 3, so LCM = 168.

id=45010 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=46 | option_b=56 | option_c=47 | option_d=36 | answer=A | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.

id=45011 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=15 | option_b=18 | option_c=21 | option_d=19 | answer=B | explanation=The common difference is 3. Therefore the next term is 15 + 3 = 18.

id=45012 | topic=Averages | difficulty=Easy | question=Find the average of 17, 27, 43, 65. | option_a=38 | option_b=37 | option_c=39 | option_d=40 | answer=A | explanation=Average = sum of values ÷ number of values = 152 ÷ 4 = 38.

id=45013 | topic=Percentages | difficulty=Easy | question=What is 12% of 1880? | option_a=450 | option_b=220 | option_c=245 | option_d=225 | answer=D | explanation=12% of 1880 = (12/100) × 1880 = 225.

id=45014 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=45015 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:6 and the first is 133, what is the second? | option_a=175 | option_b=36 | option_c=61 | option_d=42 | answer=D | explanation=Scale factor = 133/19 = 7. Therefore second quantity = 6×7 = 42.

id=45016 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1822. If it is sold at a profit of 15%, what is its selling price? | option_a=2095 | option_b=1837 | option_c=2277 | option_d=1913 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1822 × 115/100 = **■**2095.

id=45017 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4866. If it is sold at a profit of 40%, what is its selling price? | option_a=7298 | option_b=4906 | option_c=6812 | option_d=6326 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4866 × 140/100 = **■**6812.

id=45018 | topic=Percentages | difficulty=Easy | question=What is 40% of 1312? | option_a=524 | option_b=1048 | option_c=514 | option_d=544 | answer=A | explanation=40% of 1312 = (40/100) × 1312 = 524.

id=45019 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14666 at 10% per annum for 4 years. | option_a=5766 | option_b=5966 | option_c=5866 | option_d=20532 | answer=C | explanation=SI = PRT/100 = 14666×10×4/100 = **■**5866.

id=45020 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=23 | option_b=22 | option_c=18 | option_d=26 | answer=B | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

id=45021 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4581 at 12% per annum for 4 years. | option_a=2098 | option_b=2298 | option_c=2198 | option_d=6779 | answer=C | explanation=SI = PRT/100 = 4581×12×4/100 = **■**2198.

id=45022 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=13 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=45023 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 10, 15, 21? | option_a=10 | option_b=5 | option_c=15 | option_d=21 | answer=D | explanation=The first three numbers increase by 5, so the next should be 20. Therefore 21 is the odd one out.

id=45024 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 30. | option_a=36 | option_b=1 | option_c=180 | option_d=30 | answer=D | explanation=LCM × HCF = 6×30; HCF(6,30) = 6, so LCM = 30.

id=45025 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1213. If it is sold at a profit of 30%, what is its selling price? | option_a=1455 | option_b=1697 | option_c=1243 | option_d=1576 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1213 × 130/100 = **■**1576.

id=45026 | topic=Percentages | difficulty=Easy | question=What is 50% of 55? | option_a=54 | option_b=37 | option_c=27 | option_d=22 | answer=C | explanation=50% of 55 = (50/100) × 55 = 27.

id=45027 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=R | option_b=M | option_c=H | option_d=C | answer=B | explanation=Move 5 positions forward from H; the resulting letter is M.

id=45028 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**308. If it is sold at a profit of 20%, what is its selling price? | option_a=369 | option_b=399 | option_c=339 | option_d=328 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 308 × 120/100 = **■**369.

id=45029 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=45030 | topic=Percentages | difficulty=Easy | question=What is 40% of 575? | option_a=460 | option_b=230 | option_c=240 | option_d=210 | answer=B | explanation=40% of 575 = (40/100) × 575 = 230.

Aptitude Questions — Records 45,031-45,060 of 100,000

id=45031 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=U | option_b=X | option_c=O | option_d=R | answer=A | explanation=Move 3 positions forward from R; the resulting letter is U.

id=45032 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:4 and the first is 36, what is the second? | option_a=4 | option_b=26 | option_c=8 | option_d=44 | answer=C | explanation=Scale factor = $36/18 = 2$. Therefore second quantity = $4 \times 2 = 8$.

id=45033 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 17? | option_a=8 | option_b=12 | option_c=17 | option_d=10 | answer=C | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 17 is the odd one out.

id=45034 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = $150 \div 5 = 30$ km/h.

id=45035 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=90 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = $180 \div 4 = 45$ km/h.

id=45036 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 60? | option_a=60 | option_b=27 | option_c=47 | option_d=37 | answer=A | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 60 is the odd one out.

id=45037 | topic=Percentages | difficulty=Easy | question=What is 25% of 733? | option_a=183 | option_b=193 | option_c=163 | option_d=366 | answer=A | explanation=25% of 733 = $(25/100) \times 733 = 183$.

id=45038 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 5, 7, 10? | option_a=3 | option_b=10 | option_c=7 | option_d=5 | answer=B | explanation=The first three numbers increase by 2, so the next should be 9. Therefore 10 is the odd one out.

id=45039 | topic=Percentages | difficulty=Easy | question=What is 50% of 1920? | option_a=1920 | option_b=960 | option_c=950 | option_d=970 | answer=B | explanation=50% of 1920 = $(50/100) \times 1920 = 960$.

id=45040 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=90 | option_c=40 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = $180 \div 4 = 45$ km/h.

id=45041 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = $180 \div 3 = 60$ km/h.

id=45042 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:18 and the first is 20, what is the second? | option_a=380 | option_b=360 | option_c=342 | option_d=361 | answer=B | explanation=Scale factor = $20/1 = 20$. Therefore second quantity = $18 \times 20 = 360$.

id=45043 | topic=Averages | difficulty=Easy | question=Find the average of 22, 67, 17, 70. | option_a=43 | option_b=44 | option_c=46 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = $176 \div 4 = 44$.

id=45044 | topic=Averages | difficulty=Easy | question=Find the average of 34, 39, 32. | option_a=37 | option_b=35 | option_c=36 | option_d=34 | answer=B | explanation=Average = sum of values ÷ number of values = $105 \div 3 = 35$.

id=45045 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=48 | option_c=19 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = $240 \div 10 = 24$ km/h.

id=45046 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 30. | option_a=360 | option_b=416 | option_c=390 | option_d=780 | answer=C | explanation= $LCM \times HCF = 26 \times 30$; $HCF(26,30) = 2$, so $LCM = 390$.

id=45047 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=M | option_c=K | option_d=Q | answer=A | explanation=Move 2 positions forward from M; the resulting letter is O.

id=45048 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=35 | option_b=57 | option_c=46 | option_d=47 | answer=C | explanation=The common difference is 11. Therefore the next term is $35 + 11 = 46$.

id=45049 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9405 at 8% per annum for 1 years. | option_a=852 | option_b=752 | option_c=10157 | option_d=652 | answer=B | explanation= $SI = PRT/100 = 9405 \times 8 \times 1/100 = \text{■}752$.

id=45050 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7576 at 4% per annum for 3 years. | option_a=8485 | option_b=1009 | option_c=909 | option_d=809 | answer=C | explanation= $SI = PRT/100 = 7576 \times 4 \times 3/100 = \text{■}909$.

id=45051 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=D | option_b=O | option_c=Y | option_d=T | answer=C | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=45052 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:18 and the first is 182, what is the second? | option_a=416 | option_b=216 | option_c=234 | option_d=248 | answer=C | explanation=Scale factor = $182/14 = 13$. Therefore second quantity = $18 \times 13 = 234$.

id=45053 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 20, 30, 41? | option_a=10 | option_b=41 | option_c=20 | option_d=30 | answer=B | explanation=The first three numbers increase by 10, so the next should be 40. Therefore 41 is the odd one out.

id=45054 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=7 | option_d=24 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=45055 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=144 | option_c=77 | option_d=67 | answer=A | explanation=Speed = distance ÷ time = $360 \div 5 = 72$ km/h.

id=45056 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 20, 26, 34? | option_a=20 | option_b=14 | option_c=34 | option_d=26 | answer=C | explanation=The first three numbers increase by 6, so the next should be 32. Therefore 34 is the odd one out.

id=45057 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=72 | option_c=144 | option_d=67 | answer=B | explanation=Speed = distance ÷ time = $360 \div 5 = 72$ km/h.

id=45058 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=M | option_b=I | option_c=E | option_d=Q | answer=A | explanation=Move 4 positions forward from I; the resulting letter is M.

id=45059 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=50 | option_b=58 | option_c=40 | option_d=49 | answer=D | explanation=The common difference is 9. Therefore the next term is $40 + 9 = 49$.

id=45060 | topic=Averages | difficulty=Easy | question=Find the average of 37, 71, 62, 33, 27, 86, 77, 23. | option_a=51 | option_b=53 | option_c=52 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = $416 \div 8 = 52$.

Aptitude Questions — Records 45,061-45,090 of 100,000

id=45061 | topic=Percentages | difficulty=Easy | question=What is 10% of 65? | option_a=12 | option_b=26 | option_c=6 | option_d=1 | answer=C | explanation=10% of 65 = (10/100) × 65 = 6.

id=45062 | topic=Averages | difficulty=Easy | question=Find the average of 70, 85, 58. | option_a=70 | option_b=72 | option_c=71 | option_d=73 | answer=C | explanation=Average = sum of values + number of values = 213 ÷ 3 = 71.

id=45063 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=V | option_b=U | option_c=W | option_d=T | answer=A | explanation=Move 1 positions forward from U; the resulting letter is V.

id=45064 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 29, 31, 35? | option_a=27 | option_b=29 | option_c=35 | option_d=31 | answer=C | explanation=The first three numbers increase by 2, so the next should be 33. Therefore 35 is the odd one out.

id=45065 | topic=Averages | difficulty=Easy | question=Find the average of 99, 74, 46. | option_a=75 | option_b=74 | option_c=73 | option_d=72 | answer=C | explanation=Average = sum of values + number of values = 219 ÷ 3 = 73.

id=45066 | topic=Averages | difficulty=Easy | question=Find the average of 70, 14, 77, 31, 64, 92, 26, 52, 87, 67. | option_a=60 | option_b=59 | option_c=57 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 580 ÷ 10 = 58.

id=45067 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=16 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=45068 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 10. | option_a=20 | option_b=100 | option_c=10 | option_d=1 | answer=C | explanation=LCM × HCF = 10×10; HCF(10,10) = 10, so LCM = 10.

id=45069 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 31, 39, 49? | option_a=39 | option_b=49 | option_c=31 | option_d=23 | answer=B | explanation=The first three numbers increase by 8, so the next should be 47. Therefore 49 is the odd one out.

id=45070 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=45071 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4877. If it is sold at a profit of 50%, what is its selling price? | option_a=6828 | option_b=7802 | option_c=7315 | option_d=4927 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4877 × 150/100 = █7315.

id=45072 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=45073 | topic=Averages | difficulty=Easy | question=Find the average of 33, 73, 82, 21, 93, 92, 82. | option_a=68 | option_b=67 | option_c=69 | option_d=70 | answer=A | explanation=Average = sum of values ÷ number of values = 476 ÷ 7 = 68.

id=45074 | topic=Percentages | difficulty=Easy | question=What is 10% of 872? | option_a=174 | option_b=92 | option_c=87 | option_d=77 | answer=C | explanation=10% of 872 = (10/100) × 872 = 87.

id=45075 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 14. | option_a=196 | option_b=240 | option_c=210 | option_d=420 | answer=C | explanation=LCM × HCF = 30×14; HCF(30,14) = 2, so LCM = 210.

id=45076 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=E | option_b=H | option_c=G | option_d=F | answer=C | explanation=Move 1 positions forward from F; the resulting letter is G.

id=45077 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 26? | option_a=4 | option_b=11 | option_c=18 | option_d=26 | answer=D | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 26 is the odd one out.

id=45078 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 22, 26, 32? | option_a=26 | option_b=18 | option_c=32 | option_d=22 | answer=C | explanation=The first three numbers increase by 4, so the next should be 30. Therefore 32 is the odd one out.

id=45079 | topic=Percentages | difficulty=Easy | question=What is 12% of 1774? | option_a=222 | option_b=207 | option_c=424 | option_d=212 | answer=D | explanation=12% of 1774 = (12/100) × 1774 = 212.

id=45080 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5632 at 15% per annum for 5 years. | option_a=9856 | option_b=4324 | option_c=4124 | option_d=4224 | answer=D | explanation=SI = PRT/100 = 5632×15×5/100 = █4224.

id=45081 | topic=Percentages | difficulty=Easy | question=What is 50% of 1552? | option_a=771 | option_b=776 | option_c=786 | option_d=1552 | answer=B | explanation=50% of 1552 = (50/100) × 1552 = 776.

id=45082 | topic=Averages | difficulty=Easy | question=Find the average of 94, 18, 27, 75, 41, 63. | option_a=55 | option_b=53 | option_c=52 | option_d=54 | answer=B | explanation=Average = sum of values + number of values = 318 ÷ 6 = 53.

id=45083 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=45084 | topic=Profit & Loss | difficulty=Easy | question=An article costs █728. If it is sold at a profit of 40%, what is its selling price? | option_a=947 | option_b=768 | option_c=1091 | option_d=1019 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 728 × 140/100 = █1019.

id=45085 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=45086 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:9 and the first is 247, what is the second? | option_a=136 | option_b=364 | option_c=108 | option_d=117 | answer=D | explanation=Scale factor = 247/19 = 13. Therefore second quantity = 9×13 = 117.

id=45087 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 14, 19, 26? | option_a=26 | option_b=9 | option_c=19 | option_d=14 | answer=A | explanation=The first three numbers increase by 5, so the next should be 24. Therefore 26 is the odd one out.

id=45088 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2954. If it is sold at a profit of 30%, what is its selling price? | option_a=2984 | option_b=4135 | option_c=3840 | option_d=3545 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2954 × 130/100 = █3840.

id=45089 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31015 at 4% per annum for 3 years. | option_a=3621 | option_b=3721 | option_c=34736 | option_d=3821 | answer=B | explanation=SI = PRT/100 = 31015×4×3/100 = █3721.

id=45090 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 45,091-45,120 of 100,000

id=45091 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 9, 13, 20? | option_a=5 | option_b=13 | option_c=20 | option_d=9 | answer=C | explanation=The first three numbers increase by 4, so the next should be 17. Therefore 20 is the odd one out.

id=45092 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:19 and the first is 26, what is the second? | option_a=247 | option_b=228 | option_c=273 | option_d=249 | answer=A | explanation=Scale factor = 26/2 = 13. Therefore second quantity = 19×13 = 247.

id=45093 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 24, 30, 36, ? | option_a=42 | option_b=43 | option_c=48 | option_d=36 | answer=A | explanation=The common difference is 6. Therefore the next term is 36 + 6 = 42.

id=45094 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=28 | option_b=35 | option_c=34 | option_d=40 | answer=C | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.

id=45095 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=74 | option_b=64 | option_c=52 | option_d=63 | answer=D | explanation=The common difference is 11. Therefore the next term is 52 + 11 = 63.

id=45096 | topic=Percentages | difficulty=Easy | question=What is 12% of 1098? | option_a=136 | option_b=262 | option_c=121 | option_d=131 | answer=D | explanation=12% of 1098 = (12/100) × 1098 = 131.

id=45097 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=7 | option_c=12 | option_d=24 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=45098 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6640 at 8% per annum for 5 years. | option_a=9296 | option_b=2656 | option_c=2756 | option_d=2556 | answer=B | explanation=SI = PRT/100 = 6640×8×5/100 = █2656.

id=45099 | topic=Averages | difficulty=Easy | question=Find the average of 99, 97, 37, 32, 65, 24. | option_a=58 | option_b=61 | option_c=59 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.

id=45100 | topic=Percentages | difficulty=Easy | question=What is 10% of 79? | option_a=0 | option_b=14 | option_c=27 | option_d=7 | answer=D | explanation=10% of 79 = (10/100) × 79 = 7.

id=45101 | topic=Percentages | difficulty=Easy | question=What is 40% of 1600? | option_a=660 | option_b=635 | option_c=640 | option_d=1280 | answer=C | explanation=40% of 1600 = (40/100) × 1600 = 640.

id=45102 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=21 | option_b=17 | option_c=25 | option_d=22 | answer=A | explanation=The common difference is 4. Therefore the next term is 17 + 4 = 21.

id=45103 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=32 | option_b=44 | option_c=39 | option_d=38 | answer=D | explanation=The common difference is 6. Therefore the next term is 32 + 6 = 38.

id=45104 | topic=Averages | difficulty=Easy | question=Find the average of 50, 33, 41, 87, 93, 62. | option_a=63 | option_b=60 | option_c=61 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 366 ÷ 6 = 61.

id=45105 | topic=Averages | difficulty=Easy | question=Find the average of 52, 35, 97, 52, 99, 72, 90, 55. | option_a=70 | option_b=68 | option_c=71 | option_d=69 | answer=D | explanation=Average = sum of values ÷ number of values = 552 ÷ 8 = 69.

id=45106 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:12 and the first is 152, what is the second? | option_a=96 | option_b=248 | option_c=84 | option_d=115 | answer=A | explanation=Scale factor = 152/19 = 8. Therefore second quantity = 12×8 = 96.

id=45107 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=D | option_c=P | option_d=L | answer=D | explanation=Move 4 positions forward from H; the resulting letter is L.

id=45108 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=45109 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15069 at 6% per annum for 5 years. | option_a=19589 | option_b=4620 | option_c=4420 | option_d=4520 | answer=D | explanation=SI = PRT/100 = 15069×6×5/100 = █4520.

id=45110 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=45111 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=A | option_c=W | option_d=I | answer=A | explanation=Move 4 positions forward from A; the resulting letter is E.

id=45112 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=45113 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=32 | option_b=37 | option_c=40 | option_d=36 | answer=D | explanation=The common difference is 4. Therefore the next term is 32 + 4 = 36.

id=45114 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3324. If it is sold at a profit of 30%, what is its selling price? | option_a=3989 | option_b=4321 | option_c=3354 | option_d=4653 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3324 × 130/100 = █4321.

id=45115 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 14, 18, 23? | option_a=14 | option_b=23 | option_c=18 | option_d=10 | answer=B | explanation=The first three numbers increase by 4, so the next should be 22. Therefore 23 is the odd one out.

id=45116 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=E | option_c=G | option_d=I | answer=D | explanation=Move 2 positions forward from G; the resulting letter is I.

id=45117 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 6. | option_a=48 | option_b=24 | option_c=144 | option_d=18 | answer=B | explanation=LCM × HCF = 24×6; HCF(24,6) = 6, so LCM = 24.

id=45118 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43935 at 15% per annum for 3 years. | option_a=19870 | option_b=63705 | option_c=19770 | option_d=19670 | answer=C | explanation=SI = PRT/100 = 43935×15×3/100 = █19770.

id=45119 | topic=Averages | difficulty=Easy | question=Find the average of 58, 75, 27, 20. | option_a=44 | option_b=47 | option_c=45 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 180 ÷ 4 = 45.

id=45120 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4961. If it is sold at a profit of 15%, what is its selling price? | option_a=5705 | option_b=4976 | option_c=6201 | option_d=5209 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4961 × 115/100 = █5705.

Aptitude Questions — Records 45,121-45,150 of 100,000

id=45121 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4743 at 5% per annum for 2 years. | option_a=374 | option_b=474 | option_c=5217 | option_d=574 | answer=B | explanation=SI = PRT/100 = 4743×5×2/100 = **■**474.

id=45122 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4589 at 10% per annum for 2 years. | option_a=5506 | option_b=1017 | option_c=917 | option_d=817 | answer=C | explanation=SI = PRT/100 = 4589×10×2/100 = **■**917.

id=45123 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:8 and the first is 289, what is the second? | option_a=128 | option_b=425 | option_c=136 | option_d=153 | answer=C | explanation=Scale factor = 289/17 = 17. Therefore second quantity = 8×17 = 136.

id=45124 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=45125 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**817. If it is sold at a profit of 10%, what is its selling price? | option_a=817 | option_b=898 | option_c=979 | option_d=827 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 817 × 110/100 = **■**898.

id=45126 | topic=Percentages | difficulty=Easy | question=What is 30% of 422? | option_a=126 | option_b=252 | option_c=106 | option_d=146 | answer=A | explanation=30% of 422 = (30/100) × 422 = 126.

id=45127 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=O | option_b=A | option_c=W | option_d=S | answer=C | explanation=Move 4 positions forward from S; the resulting letter is W.

id=45128 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=45129 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=50 | option_b=72 | option_c=61 | option_d=62 | answer=C | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.

id=45130 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2705. If it is sold at a profit of 30%, what is its selling price? | option_a=2735 | option_b=3246 | option_c=3516 | option_d=3786 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2705 × 130/100 = **■**3516.

id=45131 | topic=Averages | difficulty=Easy | question=Find the average of 66, 84, 50, 35, 45, 61, 42, 22, 36. | option_a=48 | option_b=50 | option_c=51 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 441 ÷ 9 = 49.

id=45132 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**590. If it is sold at a profit of 10%, what is its selling price? | option_a=600 | option_b=590 | option_c=708 | option_d=649 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 590 × 110/100 = **■**649.

id=45133 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=Y | option_b=B | option_c=H | option_d=E | answer=D | explanation=Move 3 positions forward from B; the resulting letter is E.

id=45134 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=P | option_c=N | option_d=J | answer=C | explanation=Move 2 positions forward from L; the resulting letter is N.

id=45135 | topic=Averages | difficulty=Easy | question=Find the average of 53, 42, 98, 23, 66, 88, 26, 36. | option_a=54 | option_b=56 | option_c=53 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 432 ÷ 8 = 54.

id=45136 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=41 | option_c=36 | option_d=72 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=45137 | topic=Percentages | difficulty=Easy | question=What is 10% of 796? | option_a=158 | option_b=74 | option_c=99 | option_d=79 | answer=D | explanation=10% of 796 = (10/100) × 796 = 79.

id=45138 | topic=Averages | difficulty=Easy | question=Find the average of 85, 91, 30, 74. | option_a=72 | option_b=70 | option_c=71 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 280 ÷ 4 = 70.

id=45139 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:2 and the first is 208, what is the second? | option_a=26 | option_b=24 | option_c=42 | option_d=234 | answer=A | explanation=Scale factor = 208/16 = 13. Therefore second quantity = 2×13 = 26.

id=45140 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 44? | option_a=18 | option_b=26 | option_c=44 | option_d=34 | answer=C | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 44 is the odd one out.

id=45141 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=65 | option_b=76 | option_c=52 | option_d=64 | answer=D | explanation=The common difference is 12. Therefore the next term is 52 + 12 = 64.

id=45142 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=72 | option_c=31 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=45143 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=28 | option_b=26 | option_c=24 | option_d=27 | answer=B | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.

id=45144 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=13 | option_c=18 | option_d=36 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=45145 | topic=Percentages | difficulty=Easy | question=What is 12% of 496? | option_a=69 | option_b=49 | option_c=118 | option_d=59 | answer=D | explanation=12% of 496 = (12/100) × 496 = 59.

id=45146 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 34, 44, 55? | option_a=44 | option_b=55 | option_c=24 | option_d=34 | answer=B | explanation=The first three numbers increase by 10, so the next should be 54. Therefore 55 is the odd one out.

id=45147 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=G | option_c=E | option_d=K | answer=A | explanation=Move 2 positions forward from G; the resulting letter is I.

id=45148 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1803. If it is sold at a profit of 25%, what is its selling price? | option_a=1828 | option_b=2433 | option_c=2253 | option_d=2073 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1803 × 125/100 = **■**2253.

id=45149 | topic=Percentages | difficulty=Easy | question=What is 40% of 1077? | option_a=440 | option_b=860 | option_c=420 | option_d=430 | answer=D | explanation=40% of 1077 = (40/100) × 1077 = 430.

id=45150 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26732 at 12% per annum for 5 years. | option_a=42771 | option_b=16139 | option_c=16039 | option_d=15939 | answer=C | explanation=SI = PRT/100 = 26732×12×5/100 = **■**16039.

Aptitude Questions — Records 45,151-45,180 of 100,000

id=45151 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 30? | option_a=24 | option_b=16 | option_c=20 | option_d=30 | answer=D | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 30 is the odd one out.

id=45152 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 36? | option_a=36 | option_b=17 | option_c=23 | option_d=29 | answer=A | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 36 is the odd one out.

id=45153 | topic=Percentages | difficulty=Easy | question=What is 25% of 751? | option_a=192 | option_b=167 | option_c=374 | option_d=187 | answer=D | explanation=25% of 751 = (25/100) × 751 = 187.

id=45154 | topic=Averages | difficulty=Easy | question=Find the average of 55, 51, 30, 66, 27, 25, 54. | option_a=46 | option_b=45 | option_c=44 | option_d=43 | answer=C | explanation=Average = sum of values ÷ number of values = 308 ÷ 7 = 44.

id=45155 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1314. If it is sold at a profit of 10%, what is its selling price? | option_a=1324 | option_b=1576 | option_c=1445 | option_d=1314 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1314 × 110/100 = █1445.

id=45156 | topic=Percentages | difficulty=Easy | question=What is 5% of 482? | option_a=48 | option_b=24 | option_c=4 | option_d=44 | answer=B | explanation=5% of 482 = (5/100) × 482 = 24.

id=45157 | topic=Percentages | difficulty=Easy | question=What is 40% of 1898? | option_a=1518 | option_b=739 | option_c=759 | option_d=769 | answer=C | explanation=40% of 1898 = (40/100) × 1898 = 759.

id=45158 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 14. | option_a=80 | option_b=56 | option_c=70 | option_d=140 | answer=C | explanation=LCM × HCF = 10×14; HCF(10,14) = 2, so LCM = 70.

id=45159 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=45160 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 8. | option_a=224 | option_b=48 | option_c=56 | option_d=84 | answer=C | explanation=LCM × HCF = 28×8; HCF(28,8) = 4, so LCM = 56.

id=45161 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=45162 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 16, 20, 25? | option_a=20 | option_b=25 | option_c=16 | option_d=12 | answer=B | explanation=The first three numbers increase by 4, so the next should be 24. Therefore 25 is the odd one out.

id=45163 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23398 at 4% per annum for 1 years. | option_a=835 | option_b=935 | option_c=24333 | option_d=1035 | answer=B | explanation=SI = PRT/100 = 23398×4×1/100 = █935.

id=45164 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 8, 10, 14? | option_a=8 | option_b=6 | option_c=10 | option_d=14 | answer=D | explanation=The first three numbers increase by 2, so the next should be 12. Therefore 14 is the odd one out.

id=45165 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2539. If it is sold at a profit of 50%, what is its selling price? | option_a=2589 | option_b=3808 | option_c=4061 | option_d=3555 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2539 × 150/100 = █3808.

id=45166 | topic=Profit & Loss | difficulty=Easy | question=An article costs █747. If it is sold at a profit of 15%, what is its selling price? | option_a=762 | option_b=859 | option_c=933 | option_d=785 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 747 × 115/100 = █859.

id=45167 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:9 and the first is 256, what is the second? | option_a=400 | option_b=144 | option_c=160 | option_d=135 | answer=B | explanation=Scale factor = 256/16 = 16. Therefore second quantity = 9×16 = 144.

id=45168 | topic=Averages | difficulty=Easy | question=Find the average of 84, 55, 56, 26, 71, 44. | option_a=55 | option_b=56 | option_c=57 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 336 ÷ 6 = 56.

id=45169 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20480 at 10% per annum for 1 years. | option_a=22528 | option_b=1948 | option_c=2048 | option_d=2148 | answer=C | explanation=SI = PRT/100 = 20480×10×1/100 = █2048.

id=45170 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=I | option_b=X | option_c=N | option_d=S | answer=D | explanation=Move 5 positions forward from N; the resulting letter is S.

id=45171 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:13 and the first is 323, what is the second? | option_a=221 | option_b=240 | option_c=208 | option_d=544 | answer=A | explanation=Scale factor = 323/19 = 17. Therefore second quantity = 13×17 = 221.

id=45172 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=D | option_b=B | option_c=C | option_d=E | answer=A | explanation=Move 1 positions forward from C; the resulting letter is D.

id=45173 | topic=Averages | difficulty=Easy | question=Find the average of 75, 55, 96, 41, 13. | option_a=56 | option_b=58 | option_c=55 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 280 ÷ 5 = 56.

id=45174 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:20 and the first is 128, what is the second? | option_a=288 | option_b=176 | option_c=140 | option_d=160 | answer=D | explanation=Scale factor = 128/16 = 8. Therefore second quantity = 20×8 = 160.

id=45175 | topic=Profit & Loss | difficulty=Easy | question=An article costs █377. If it is sold at a profit of 5%, what is its selling price? | option_a=382 | option_b=432 | option_c=395 | option_d=358 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 377 × 105/100 = █395.

id=45176 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39091 at 8% per annum for 3 years. | option_a=9281 | option_b=9381 | option_c=48472 | option_d=9481 | answer=B | explanation=SI = PRT/100 = 39091×8×3/100 = █9381.

id=45177 | topic=Averages | difficulty=Easy | question=Find the average of 81, 99, 13, 24, 71, 92, 56. | option_a=65 | option_b=67 | option_c=68 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = 528 ÷ 8 = 66.

id=45178 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=45179 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=53 | option_b=43 | option_c=63 | option_d=54 | answer=A | explanation=The common difference is 10. Therefore the next term is 43 + 10 = 53.

id=45180 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:18 and the first is 18, what is the second? | option_a=108 | option_b=90 | option_c=111 | option_d=126 | answer=A | explanation=Scale factor = 18/3 = 6. Therefore second quantity = 18×6 = 108.

Aptitude Questions — Records 45,181-45,210 of 100,000

id=45181 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=45182 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1890. If it is sold at a profit of 10%, what is its selling price? | option_a=1900 | option_b=1890 | option_c=2268 | option_d=2079 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1890 \times \frac{110}{100} = \text{█2079}$.

id=45183 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3298. If it is sold at a profit of 20%, what is its selling price? | option_a=3318 | option_b=4286 | option_c=3957 | option_d=3628 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3298 \times \frac{120}{100} = \text{█3957}$.

id=45184 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=Y | option_b=A | option_c=E | option_d=C | answer=D | explanation=Move 2 positions forward from A; the resulting letter is C.

id=45185 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 12. | option_a=24 | option_b=45 | option_c=108 | option_d=36 | answer=D | explanation= $LCM \times HCF = 9 \times 12$; $HCF(9,12) = 3$, so $LCM = 36$.

id=45186 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=13 | option_c=36 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = $90 \div 5 = 18$ km/h.

id=45187 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=25 | option_c=15 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = $60 \div 3 = 20$ km/h.

id=45188 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=62 | option_b=51 | option_c=40 | option_d=52 | answer=B | explanation=The common difference is 11. Therefore the next term is $40 + 11 = 51$.

id=45189 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=28 | option_b=25 | option_c=26 | option_d=22 | answer=B | explanation=The common difference is 3. Therefore the next term is $22 + 3 = 25$.

id=45190 | topic=Percentages | difficulty=Easy | question=What is 15% of 703? | option_a=210 | option_b=105 | option_c=100 | option_d=125 | answer=B | explanation= $15\% \text{ of } 703 = (15/100) \times 703 = 105$.

id=45191 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=23 | option_b=37 | option_c=30 | option_d=31 | answer=C | explanation=The common difference is 7. Therefore the next term is $23 + 7 = 30$.

id=45192 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=45193 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 33, 40, 49? | option_a=40 | option_b=49 | option_c=33 | option_d=26 | answer=B | explanation=The first three numbers increase by 7, so the next should be 47. Therefore 49 is the odd one out.

id=45194 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:15 and the first is 22, what is the second? | option_a=187 | option_b=150 | option_c=167 | option_d=165 | answer=D | explanation=Scale factor = $\frac{22}{2} = 11$. Therefore second quantity = $15 \times 11 = 165$.

id=45195 | topic=Averages | difficulty=Easy | question=Find the average of 65, 70, 92, 72, 66. | option_a=75 | option_b=73 | option_c=74 | option_d=72 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{365}{5} = 73$.

id=45196 | topic=Percentages | difficulty=Easy | question=What is 5% of 82? | option_a=0 | option_b=14 | option_c=4 | option_d=8 | answer=C | explanation= $5\% \text{ of } 82 = (5/100) \times 82 = 4$.

id=45197 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = $240 \div 6 = 40$ km/h.

id=45198 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = $120 \div 8 = 15$ km/h.

id=45199 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:19 and the first is 152, what is the second? | option_a=342 | option_b=361 | option_c=513 | option_d=369 | answer=B | explanation=Scale factor = $\frac{152}{8} = 19$. Therefore second quantity = $19 \times 19 = 361$.

id=45200 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.

id=45201 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 29, 34, 41? | option_a=34 | option_b=41 | option_c=24 | option_d=29 | answer=B | explanation=The first three numbers increase by 5, so the next should be 39. Therefore 41 is the odd one out.

id=45202 | topic=Percentages | difficulty=Easy | question=What is 10% of 136? | option_a=13 | option_b=18 | option_c=8 | option_d=26 | answer=A | explanation= $10\% \text{ of } 136 = (10/100) \times 136 = 13$.

id=45203 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.

id=45204 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=C | option_b=R | option_c=M | option_d=H | answer=C | explanation=Move 5 positions forward from H; the resulting letter is M.

id=45205 | topic=Averages | difficulty=Easy | question=Find the average of 55, 75, 75, 14, 100, 59. | option_a=65 | option_b=64 | option_c=62 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{378}{6} = 63$.

id=45206 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:6 and the first is 20, what is the second? | option_a=114 | option_b=140 | option_c=121 | option_d=120 | answer=D | explanation=Scale factor = $\frac{20}{1} = 20$. Therefore second quantity = $6 \times 20 = 120$.

id=45207 | topic=Percentages | difficulty=Easy | question=What is 50% of 378? | option_a=378 | option_b=199 | option_c=189 | option_d=169 | answer=C | explanation= $50\% \text{ of } 378 = (50/100) \times 378 = 189$.

id=45208 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = $150 \div 10 = 15$ km/h.

id=45209 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1742. If it is sold at a profit of 10%, what is its selling price? | option_a=1742 | option_b=2090 | option_c=1916 | option_d=1752 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1742 \times \frac{110}{100} = \text{█1916}$.

id=45210 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = $\frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

Aptitude Questions — Records 45,211-45,240 of 100,000

id=45211 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=45212 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3444. If it is sold at a profit of 10%, what is its selling price? | option_a=3444 | option_b=3454 | option_c=4132 | option_d=3788 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3444 × 110/100 = █3788.

id=45213 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 31, 42, 53, ? | option_a=64 | option_b=75 | option_c=65 | option_d=53 | answer=A | explanation=The common difference is 11. Therefore the next term is 53 + 11 = 64.

id=45214 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=18 | option_c=23 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=45215 | topic=Percentages | difficulty=Easy | question=What is 50% of 109? | option_a=54 | option_b=34 | option_c=64 | option_d=108 | answer=A | explanation=50% of 109 = (50/100) × 109 = 54.

id=45216 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=45217 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:13 and the first is 270, what is the second? | option_a=213 | option_b=195 | option_c=465 | option_d=182 | answer=B | explanation=Scale factor = 270/18 = 15. Therefore second quantity = 13×15 = 195.

id=45218 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1932 at 12% per annum for 5 years. | option_a=1059 | option_b=1159 | option_c=3091 | option_d=1259 | answer=B | explanation=SI = PRT/100 = 1932×12×5/100 = █1159.

id=45219 | topic=Averages | difficulty=Easy | question=Find the average of 20, 52, 44, 98, 67, 100, 14, 21. | option_a=52 | option_b=53 | option_c=54 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=45220 | topic=Percentages | difficulty=Easy | question=What is 12% of 1100? | option_a=152 | option_b=264 | option_c=132 | option_d=112 | answer=C | explanation=12% of 1100 = (12/100) × 1100 = 132.

id=45221 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:18 and the first is 84, what is the second? | option_a=198 | option_b=300 | option_c=223 | option_d=216 | answer=D | explanation=Scale factor = 84/7 = 12. Therefore second quantity = 18×12 = 216.

id=45222 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:19 and the first is 130, what is the second? | option_a=377 | option_b=228 | option_c=247 | option_d=257 | answer=C | explanation=Scale factor = 130/10 = 13. Therefore second quantity = 19×13 = 247.

id=45223 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=45224 | topic=Averages | difficulty=Easy | question=Find the average of 43, 87, 98, 12. | option_a=59 | option_b=60 | option_c=61 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 240 ÷ 4 = 60.

id=45225 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=9 | option_c=14 | option_d=4 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=45226 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=I | option_c=N | option_d=Y | answer=B | explanation=Move 5 positions forward from D; the resulting letter is I.

id=45227 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6007 at 8% per annum for 5 years. | option_a=2402 | option_b=2302 | option_c=8409 | option_d=2502 | answer=A | explanation=SI = PRT/100 = 6007×8×5/100 = █2402.

id=45228 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45729 at 4% per annum for 3 years. | option_a=5487 | option_b=5387 | option_c=51216 | option_d=5587 | answer=A | explanation=SI = PRT/100 = 45729×4×3/100 = █5487.

id=45229 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=45230 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=14 | option_c=9 | option_d=4 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=45231 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=45232 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=45233 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=45234 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=49 | option_b=40 | option_c=31 | option_d=41 | answer=B | explanation=The common difference is 9. Therefore the next term is 31 + 9 = 40.

id=45235 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4287. If it is sold at a profit of 15%, what is its selling price? | option_a=4930 | option_b=5358 | option_c=4502 | option_d=4302 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4287 × 115/100 = █4930.

id=45236 | topic=Percentages | difficulty=Easy | question=What is 50% of 1488? | option_a=744 | option_b=1488 | option_c=724 | option_d=764 | answer=A | explanation=50% of 1488 = (50/100) × 1488 = 744.

id=45237 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1074. If it is sold at a profit of 15%, what is its selling price? | option_a=1128 | option_b=1342 | option_c=1235 | option_d=1089 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1074 × 115/100 = █1235.

id=45238 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:10 and the first is 66, what is the second? | option_a=116 | option_b=176 | option_c=110 | option_d=100 | answer=C | explanation=Scale factor = 66/6 = 11. Therefore second quantity = 10×11 = 110.

id=45239 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=240 | option_c=115 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=45240 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 45,241-45,270 of 100,000

id=45241 | topic=Averages | difficulty=Easy | question=Find the average of 90, 82, 30, 95, 78. | option_a=75 | option_b=74 | option_c=77 | option_d=76 | answer=A | explanation=Average = sum of values ÷ number of values = 375 ÷ 5 = 75.

id=45242 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 29, 34, 42? | option_a=29 | option_b=24 | option_c=34 | option_d=42 | answer=D | explanation=The first three numbers increase by 5, so the next should be 39. Therefore 42 is the odd one out.

id=45243 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:3 and the first is 4, what is the second? | option_a=16 | option_b=13 | option_c=12 | option_d=9 | answer=C | explanation=Scale factor = 4/1 = 4. Therefore second quantity = 3×4 = 12.

id=45244 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3762. If it is sold at a profit of 10%, what is its selling price? | option_a=3762 | option_b=4138 | option_c=4514 | option_d=3772 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3762 × 110/100 = █4138.

id=45245 | topic=Percentages | difficulty=Easy | question=What is 10% of 320? | option_a=42 | option_b=64 | option_c=32 | option_d=22 | answer=C | explanation=10% of 320 = (10/100) × 320 = 32.

id=45246 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 21? | option_a=18 | option_b=14 | option_c=21 | option_d=16 | answer=C | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 21 is the odd one out.

id=45247 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:12 and the first is 55, what is the second? | option_a=60 | option_b=71 | option_c=48 | option_d=115 | answer=A | explanation=Scale factor = 55/11 = 5. Therefore second quantity = 12×5 = 60.

id=45248 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=22 | option_b=21 | option_c=23 | option_d=19 | answer=B | explanation=The common difference is 2. Therefore the next term is 19 + 2 = 21.

id=45249 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=7 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=45250 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=45251 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=22 | option_b=18 | option_c=20 | option_d=21 | answer=C | explanation=The common difference is 2. Therefore the next term is 18 + 2 = 20.

id=45252 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=38 | option_b=43 | option_c=33 | option_d=39 | answer=A | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.

id=45253 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=H | option_b=M | option_c=R | option_d=W | answer=C | explanation=Move 5 positions forward from M; the resulting letter is R.

id=45254 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=N | option_b=E | option_c=H | option_d=K | answer=D | explanation=Move 3 positions forward from H; the resulting letter is K.

id=45255 | topic=Percentages | difficulty=Easy | question=What is 10% of 928? | option_a=87 | option_b=184 | option_c=92 | option_d=97 | answer=C | explanation=10% of 928 = (10/100) × 928 = 92.

id=45256 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19171 at 15% per annum for 3 years. | option_a=8626 | option_b=8726 | option_c=8526 | option_d=27797 | answer=A | explanation=SI = PRT/100 = 19171×15×3/100 = █8626.

id=45257 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47817 at 12% per annum for 4 years. | option_a=22852 | option_b=70769 | option_c=22952 | option_d=23052 | answer=C | explanation=SI = PRT/100 = 47817×12×4/100 = █22952.

id=45258 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=50 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=45259 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=31 | option_b=36 | option_c=32 | option_d=26 | answer=A | explanation=The common difference is 5. Therefore the next term is 26 + 5 = 31.

id=45260 | topic=Percentages | difficulty=Easy | question=What is 10% of 472? | option_a=27 | option_b=47 | option_c=94 | option_d=52 | answer=B | explanation=10% of 472 = (10/100) × 472 = 47.

id=45261 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31325 at 15% per annum for 5 years. | option_a=23393 | option_b=23593 | option_c=54818 | option_d=23493 | answer=D | explanation=SI = PRT/100 = 31325×15×5/100 = █23493.

id=45262 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=24 | option_c=48 | option_d=19 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=45263 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 31, 36, 42? | option_a=36 | option_b=26 | option_c=42 | option_d=31 | answer=C | explanation=The first three numbers increase by 5, so the next should be 41. Therefore 42 is the odd one out.

id=45264 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 14? | option_a=7 | option_b=9 | option_c=14 | option_d=5 | answer=C | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 14 is the odd one out.

id=45265 | topic=Percentages | difficulty=Easy | question=What is 30% of 623? | option_a=191 | option_b=186 | option_c=166 | option_d=372 | answer=B | explanation=30% of 623 = (30/100) × 623 = 186.

id=45266 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 43? | option_a=43 | option_b=32 | option_c=27 | option_d=37 | answer=A | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 43 is the odd one out.

id=45267 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38558 at 6% per annum for 2 years. | option_a=4626 | option_b=4726 | option_c=43184 | option_d=4526 | answer=A | explanation=SI = PRT/100 = 38558×6×2/100 = █4626.

id=45268 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37566 at 10% per annum for 2 years. | option_a=7513 | option_b=7613 | option_c=45079 | option_d=7413 | answer=A | explanation=SI = PRT/100 = 37566×10×2/100 = █7513.

id=45269 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=D | option_c=L | option_d=Z | answer=A | explanation=Move 4 positions forward from D; the resulting letter is H.

id=45270 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

Aptitude Questions — Records 45,271-45,300 of 100,000

id=45271 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=35 | option_b=41 | option_c=36 | option_d=29 | answer=A | explanation=The common difference is 6. Therefore the next term is 29 + 6 = 35.

id=45272 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=35 | option_b=53 | option_c=45 | option_d=44 | answer=D | explanation=The common difference is 9. Therefore the next term is 35 + 9 = 44.

id=45273 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=60 | option_b=49 | option_c=50 | option_d=38 | answer=B | explanation=The common difference is 11. Therefore the next term is 38 + 11 = 49.

id=45274 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=D | option_c=Z | option_d=L | answer=A | explanation=Move 4 positions forward from D; the resulting letter is H.

id=45275 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=51 | option_b=60 | option_c=52 | option_d=42 | answer=A | explanation=The common difference is 9. Therefore the next term is 42 + 9 = 51.

id=45276 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 25, 31, 38? | option_a=31 | option_b=19 | option_c=38 | option_d=25 | answer=C | explanation=The first three numbers increase by 6, so the next should be 37. Therefore 38 is the odd one out.

id=45277 | topic=Percentages | difficulty=Easy | question=What is 10% of 1441? | option_a=124 | option_b=288 | option_c=154 | option_d=144 | answer=D | explanation=10% of 1441 = (10/100) × 1441 = 144.

id=45278 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=45279 | topic=Averages | difficulty=Easy | question=Find the average of 89, 52, 64, 94, 16. | option_a=62 | option_b=63 | option_c=65 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 315 ÷ 5 = 63.

id=45280 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:11 and the first is 280, what is the second? | option_a=220 | option_b=234 | option_c=500 | option_d=209 | answer=A | explanation=Scale factor = 280/14 = 20. Therefore second quantity = 11×20 = 220.

id=45281 | topic=Percentages | difficulty=Easy | question=What is 50% of 1466? | option_a=713 | option_b=733 | option_c=1466 | option_d=743 | answer=B | explanation=50% of 1466 = (50/100) × 1466 = 733.

id=45282 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=21 | option_b=23 | option_c=19 | option_d=22 | answer=A | explanation=The common difference is 2. Therefore the next term is 19 + 2 = 21.

id=45283 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=P | option_b=S | option_c=Y | option_d=V | answer=D | explanation=Move 3 positions forward from S; the resulting letter is V.

id=45284 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=45285 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4413 at 12% per annum for 3 years. | option_a=1588 | option_b=1488 | option_c=6001 | option_d=1688 | answer=A | explanation=SI = PRT/100 = 4413×12×3/100 = **■**1588.

id=45286 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=31 | option_b=27 | option_c=26 | option_d=21 | answer=C | explanation=The common difference is 5. Therefore the next term is 21 + 5 = 26.

id=45287 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 10, 15, 21? | option_a=15 | option_b=5 | option_c=10 | option_d=21 | answer=D | explanation=The first three numbers increase by 5, so the next should be 20. Therefore 21 is the odd one out.

id=45288 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=I | option_b=O | option_c=K | option_d=M | answer=D | explanation=Move 2 positions forward from K; the resulting letter is M.

id=45289 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:15 and the first is 160, what is the second? | option_a=308 | option_b=300 | option_c=460 | option_d=285 | answer=B | explanation=Scale factor = 160/8 = 20. Therefore second quantity = 15×20 = 300.

id=45290 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1769. If it is sold at a profit of 30%, what is its selling price? | option_a=2475 | option_b=2123 | option_c=2299 | option_d=1799 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1769 × 130/100 = **■**2299.

id=45291 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=Q | option_b=N | option_c=T | option_d=K | answer=A | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=45292 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=45293 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2255. If it is sold at a profit of 30%, what is its selling price? | option_a=2285 | option_b=2706 | option_c=2931 | option_d=3156 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2255 × 130/100 = **■**2931.

id=45294 | topic=Averages | difficulty=Easy | question=Find the average of 92, 46, 12. | option_a=50 | option_b=51 | option_c=52 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 150 ÷ 3 = 50.

id=45295 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 4. | option_a=32 | option_b=8 | option_c=16 | option_d=4 | answer=B | explanation=LCM × HCF = 8×4; HCF(8,4) = 4, so LCM = 8.

id=45296 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 9, 13, 20? | option_a=13 | option_b=9 | option_c=20 | option_d=5 | answer=C | explanation=The first three numbers increase by 4, so the next should be 17. Therefore 20 is the odd one out.

id=45297 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=45298 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45198 at 5% per annum for 5 years. | option_a=11399 | option_b=11199 | option_c=11299 | option_d=56497 | answer=C | explanation=SI = PRT/100 = 45198×5×5/100 = **■**11299.

id=45299 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 5, 7, 11? | option_a=5 | option_b=11 | option_c=7 | option_d=3 | answer=B | explanation=The first three numbers increase by 2, so the next should be 9. Therefore 11 is the odd one out.

id=45300 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

Aptitude Questions — Records 45,301-45,330 of 100,000

id=45301 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=36 | option_c=18 | option_d=23 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=45302 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=8 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=45303 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 22. | option_a=330 | option_b=308 | option_c=360 | option_d=660 | answer=A | explanation=LCM × HCF = 30×22; HCF(30,22) = 2, so LCM = 330.

id=45304 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■44571 at 10% per annum for 5 years. | option_a=22285 | option_b=22385 | option_c=22185 | option_d=66856 | answer=A | explanation=SI = PRT/100 = 44571×10×5/100 = ■22285.

id=45305 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=46 | option_b=53 | option_c=39 | option_d=47 | answer=A | explanation=The common difference is 7. Therefore the next term is 39 + 7 = 46.

id=45306 | topic=Averages | difficulty=Easy | question=Find the average of 80, 31, 88, 56, 32, 24, 45, 44. | option_a=50 | option_b=49 | option_c=51 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 400 ÷ 8 = 50.

id=45307 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4501. If it is sold at a profit of 10%, what is its selling price? | option_a=4501 | option_b=4951 | option_c=5401 | option_d=4511 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4501 × 110/100 = ■4951.

id=45308 | topic=Percentages | difficulty=Easy | question=What is 30% of 174? | option_a=52 | option_b=47 | option_c=104 | option_d=62 | answer=A | explanation=30% of 174 = (30/100) × 174 = 52.

id=45309 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:10 and the first is 221, what is the second? | option_a=183 | option_b=160 | option_c=391 | option_d=170 | answer=D | explanation=Scale factor = 221/13 = 17. Therefore second quantity = 10×17 = 170.

id=45310 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■11877 at 4% per annum for 3 years. | option_a=1325 | option_b=1425 | option_c=13302 | option_d=1525 | answer=B | explanation=SI = PRT/100 = 11877×4×3/100 = ■1425.

id=45311 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 47? | option_a=32 | option_b=38 | option_c=26 | option_d=47 | answer=D | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 47 is the odd one out.

id=45312 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:14 and the first is 104, what is the second? | option_a=98 | option_b=112 | option_c=125 | option_d=216 | answer=B | explanation=Scale factor = 104/13 = 8. Therefore second quantity = 14×8 = 112.

id=45313 | topic=Averages | difficulty=Easy | question=Find the average of 15, 41, 19. | option_a=27 | option_b=26 | option_c=25 | option_d=24 | answer=C | explanation=Average = sum of values ÷ number of values = 75 ÷ 3 = 25.

id=45314 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=43 | option_c=53 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=45315 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=45316 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=45317 | topic=Averages | difficulty=Easy | question=Find the average of 79, 20, 40, 42, 61, 59, 82, 73. | option_a=57 | option_b=59 | option_c=58 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

id=45318 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■7895 at 5% per annum for 1 years. | option_a=8289 | option_b=494 | option_c=294 | option_d=394 | answer=D | explanation=SI = PRT/100 = 7895×5×1/100 = ■394.

id=45319 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 33? | option_a=25 | option_b=22 | option_c=33 | option_d=28 | answer=C | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 33 is the odd one out.

id=45320 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=M | option_c=I | option_d=O | answer=B | explanation=Move 2 positions forward from K; the resulting letter is M.

id=45321 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:7 and the first is 42, what is the second? | option_a=21 | option_b=63 | option_c=14 | option_d=35 | answer=A | explanation=Scale factor = 42/14 = 3. Therefore second quantity = 7×3 = 21.

id=45322 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4811. If it is sold at a profit of 25%, what is its selling price? | option_a=5532 | option_b=6013 | option_c=6494 | option_d=4836 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4811 × 125/100 = ■6013.

id=45323 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=23 | option_b=28 | option_c=24 | option_d=18 | answer=A | explanation=The common difference is 5. Therefore the next term is 18 + 5 = 23.

id=45324 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=19 | option_b=17 | option_c=21 | option_d=20 | answer=A | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=45325 | topic=Percentages | difficulty=Easy | question=What is 20% of 1322? | option_a=269 | option_b=528 | option_c=254 | option_d=264 | answer=D | explanation=20% of 1322 = (20/100) × 1322 = 264.

id=45326 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=45327 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=45328 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=45329 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:11 and the first is 15, what is the second? | option_a=48 | option_b=22 | option_c=38 | option_d=33 | answer=D | explanation=Scale factor = 15/5 = 3. Therefore second quantity = 11×3 = 33.

id=45330 | topic=Averages | difficulty=Easy | question=Find the average of 43, 17, 54, 96, 24, 22, 94. | option_a=52 | option_b=51 | option_c=49 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

Aptitude Questions — Records 45,331-45,360 of 100,000

id=45331 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4040. If it is sold at a profit of 15%, what is its selling price? | option_a=5050 | option_b=4055 | option_c=4646 | option_d=4242 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4040 × 115/100 = ■4646.

id=45332 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=125 | option_c=240 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=45333 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■35392 at 4% per annum for 4 years. | option_a=5562 | option_b=41054 | option_c=5762 | option_d=5662 | answer=D | explanation=SI = PRT/100 = 35392×4×4/100 = ■5662.

id=45334 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2257. If it is sold at a profit of 10%, what is its selling price? | option_a=2482 | option_b=2267 | option_c=2257 | option_d=2707 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2257 × 110/100 = ■2482.

id=45335 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=45336 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 32? | option_a=32 | option_b=25 | option_c=22 | option_d=28 | answer=A | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 32 is the odd one out.

id=45337 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=45338 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■27093 at 12% per annum for 5 years. | option_a=16155 | option_b=16355 | option_c=16255 | option_d=43348 | answer=C | explanation=SI = PRT/100 = 27093×12×5/100 = ■16255.

id=45339 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:11 and the first is 72, what is the second? | option_a=44 | option_b=116 | option_c=62 | option_d=33 | answer=A | explanation=Scale factor = 72/18 = 4. Therefore second quantity = 11×4 = 44.

id=45340 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3317. If it is sold at a profit of 50%, what is its selling price? | option_a=5306 | option_b=4975 | option_c=4644 | option_d=3367 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3317 × 150/100 = ■4975.

id=45341 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=45342 | topic=Percentages | difficulty=Easy | question=What is 25% of 944? | option_a=246 | option_b=236 | option_c=472 | option_d=226 | answer=B | explanation=25% of 944 = (25/100) × 944 = 236.

id=45343 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 34, 44, 57? | option_a=34 | option_b=24 | option_c=57 | option_d=44 | answer=C | explanation=The first three numbers increase by 10, so the next should be 54. Therefore 57 is the odd one out.

id=45344 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=45345 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=8 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=45346 | topic=Averages | difficulty=Easy | question=Find the average of 31, 13, 63, 92, 76. | option_a=57 | option_b=54 | option_c=55 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 275 ÷ 5 = 55.

id=45347 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=43 | option_b=56 | option_c=55 | option_d=67 | answer=C | explanation=The common difference is 12. Therefore the next term is 43 + 12 = 55.

id=45348 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3594. If it is sold at a profit of 30%, what is its selling price? | option_a=4672 | option_b=4313 | option_c=3624 | option_d=5031 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3594 × 130/100 = ■4672.

id=45349 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 34? | option_a=34 | option_b=10 | option_c=17 | option_d=24 | answer=A | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 34 is the odd one out.

id=45350 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:1 and the first is 63, what is the second? | option_a=9 | option_b=72 | option_c=8 | option_d=16 | answer=A | explanation=Scale factor = 63/7 = 9. Therefore second quantity = 1×9 = 9.

id=45351 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=N | option_c=L | option_d=M | answer=B | explanation=Move 1 positions forward from M; the resulting letter is N.

id=45352 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■34920 at 5% per annum for 3 years. | option_a=5138 | option_b=5238 | option_c=5338 | option_d=40158 | answer=B | explanation=SI = PRT/100 = 34920×5×3/100 = ■5238.

id=45353 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=L | option_b=N | option_c=M | option_d=O | answer=B | explanation=Move 1 positions forward from M; the resulting letter is N.

id=45354 | topic=Percentages | difficulty=Easy | question=What is 30% of 1146? | option_a=686 | option_b=343 | option_c=353 | option_d=323 | answer=B | explanation=30% of 1146 = (30/100) × 1146 = 343.

id=45355 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=45356 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=L | option_c=D | option_d=Z | answer=A | explanation=Move 4 positions forward from D; the resulting letter is H.

id=45357 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 29, 34, 40? | option_a=29 | option_b=24 | option_c=34 | option_d=40 | answer=D | explanation=The first three numbers increase by 5, so the next should be 39. Therefore 40 is the odd one out.

id=45358 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=63 | option_b=53 | option_c=43 | option_d=54 | answer=B | explanation=The common difference is 10. Therefore the next term is 43 + 10 = 53.

id=45359 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=36 | option_c=31 | option_d=41 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=45360 | topic=Averages | difficulty=Easy | question=Find the average of 50, 81, 32, 83, 53, 79. | option_a=62 | option_b=63 | option_c=64 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 378 ÷ 6 = 63.

Aptitude Questions — Records 45,361-45,390 of 100,000

id=45361 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■46652 at 10% per annum for 4 years. | option_a=65312 | option_b=18660 | option_c=18560 | option_d=18760 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{46652 \times 10 \times 4}{100} = \blacksquare 18660$.

id=45362 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=45363 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=M | option_c=O | option_d=Q | answer=D | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=45364 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=90 | option_c=85 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = $180 \div 2 = 90$ km/h.

id=45365 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:3 and the first is 42, what is the second? | option_a=18 | option_b=60 | option_c=25 | option_d=15 | answer=A | explanation=Scale factor = $\frac{42}{7} = 6$. Therefore second quantity = $3 \times 6 = 18$.

id=45366 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1837. If it is sold at a profit of 50%, what is its selling price? | option_a=2938 | option_b=1887 | option_c=2572 | option_d=2755 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 1837 \times \frac{150}{100} = \blacksquare 2755$.

id=45367 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12} = 3$ days.

id=45368 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:14 and the first is 204, what is the second? | option_a=372 | option_b=168 | option_c=154 | option_d=185 | answer=B | explanation=Scale factor = $\frac{204}{17} = 12$. Therefore second quantity = $14 \times 12 = 168$.

id=45369 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=T | option_b=U | option_c=W | option_d=V | answer=D | explanation=Move 1 positions forward from U; the resulting letter is V.

id=45370 | topic=Averages | difficulty=Easy | question=Find the average of 55, 21, 25, 30, 45, 91, 16, 10, 58. | option_a=39 | option_b=40 | option_c=38 | option_d=41 | answer=A | explanation=Average = sum of values ÷ number of values = $351 \div 9 = 39$.

id=45371 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=75 | option_c=70 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = $300 \div 4 = 75$ km/h.

id=45372 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 48? | option_a=24 | option_b=38 | option_c=48 | option_d=31 | answer=C | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 48 is the odd one out.

id=45373 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=45 | option_b=90 | option_c=50 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = $360 \div 8 = 45$ km/h.

id=45374 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=66 | option_b=54 | option_c=78 | option_d=67 | answer=A | explanation=The common difference is 12. Therefore the next term is $54 + 12 = 66$.

id=45375 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 25? | option_a=21 | option_b=17 | option_c=19 | option_d=25 | answer=D | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 25 is the odd one out.

id=45376 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4676. If it is sold at a profit of 50%, what is its selling price? | option_a=6547 | option_b=7014 | option_c=7481 | option_d=4726 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 4676 \times \frac{150}{100} = \blacksquare 7014$.

id=45377 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=45378 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 20, 30, 43? | option_a=10 | option_b=43 | option_c=20 | option_d=30 | answer=B | explanation=The first three numbers increase by 10, so the next should be 40. Therefore 43 is the odd one out.

id=45379 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=125 | option_c=120 | option_d=115 | answer=C | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.

id=45380 | topic=Averages | difficulty=Easy | question=Find the average of 72, 78, 54, 62, 84. | option_a=72 | option_b=69 | option_c=71 | option_d=70 | answer=D | explanation=Average = sum of values ÷ number of values = $350 \div 5 = 70$.

id=45381 | topic=Averages | difficulty=Easy | question=Find the average of 86, 67, 65, 82, 65. | option_a=73 | option_b=74 | option_c=72 | option_d=75 | answer=A | explanation=Average = sum of values ÷ number of values = $365 \div 5 = 73$.

id=45382 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = $90 \div 2 = 45$ km/h.

id=45383 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=45384 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1667. If it is sold at a profit of 25%, what is its selling price? | option_a=2249 | option_b=1917 | option_c=1692 | option_d=2083 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 1667 \times \frac{125}{100} = \blacksquare 2083$.

id=45385 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■683. If it is sold at a profit of 10%, what is its selling price? | option_a=693 | option_b=751 | option_c=819 | option_d=683 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 683 \times \frac{110}{100} = \blacksquare 751$.

id=45386 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=H | option_c=I | option_d=F | answer=B | explanation=Move 1 positions forward from G; the resulting letter is H.

id=45387 | topic=Percentages | difficulty=Easy | question=What is 5% of 1487? | option_a=79 | option_b=64 | option_c=148 | option_d=74 | answer=D | explanation=5% of 1487 = $(\frac{5}{100}) \times 1487 = 74$.

id=45388 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:15 and the first is 195, what is the second? | option_a=238 | option_b=225 | option_c=420 | option_d=210 | answer=B | explanation=Scale factor = $\frac{195}{13} = 15$. Therefore second quantity = $15 \times 15 = 225$.

id=45389 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=31 | option_b=21 | option_c=27 | option_d=26 | answer=D | explanation=The common difference is 5. Therefore the next term is $21 + 5 = 26$.

id=45390 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:10 and the first is 24, what is the second? | option_a=144 | option_b=110 | option_c=120 | option_d=122 | answer=C | explanation=Scale factor = $\frac{24}{2} = 12$. Therefore second quantity = $10 \times 12 = 120$.

Aptitude Questions — Records 45,391-45,420 of 100,000

id=45391 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=45392 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 10, 13, 18? | option_a=18 | option_b=13 | option_c=10 | option_d=7 | answer=A | explanation=The first three numbers increase by 3, so the next should be 16. Therefore 18 is the odd one out.

id=45393 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 6, 10, 17? | option_a=10 | option_b=17 | option_c=6 | option_d=2 | answer=B | explanation=The first three numbers increase by 4, so the next should be 14. Therefore 17 is the odd one out.

id=45394 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:1 and the first is 156, what is the second? | option_a=25 | option_b=13 | option_c=169 | option_d=12 | answer=B | explanation=Scale factor = 156/12 = 13. Therefore second quantity = 1×13 = 13.

id=45395 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2632. If it is sold at a profit of 40%, what is its selling price? | option_a=3684 | option_b=3947 | option_c=2672 | option_d=3421 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2632 × 140/100 = █3684.

id=45396 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1054. If it is sold at a profit of 20%, what is its selling price? | option_a=1264 | option_b=1369 | option_c=1159 | option_d=1074 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1054 × 120/100 = █1264.

id=45397 | topic=Percentages | difficulty=Easy | question=What is 25% of 792? | option_a=218 | option_b=396 | option_c=178 | option_d=198 | answer=D | explanation=25% of 792 = (25/100) × 792 = 198.

id=45398 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3687. If it is sold at a profit of 40%, what is its selling price? | option_a=5529 | option_b=5161 | option_c=4793 | option_d=3727 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3687 × 140/100 = █5161.

id=45399 | topic=Percentages | difficulty=Easy | question=What is 10% of 1417? | option_a=161 | option_b=141 | option_c=136 | option_d=282 | answer=B | explanation=10% of 1417 = (10/100) × 1417 = 141.

id=45400 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 29, 38, 49? | option_a=49 | option_b=20 | option_c=38 | option_d=29 | answer=A | explanation=The first three numbers increase by 9, so the next should be 47. Therefore 49 is the odd one out.

id=45401 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=12 | option_b=8 | option_c=11 | option_d=10 | answer=D | explanation=The common difference is 2. Therefore the next term is 8 + 2 = 10.

id=45402 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2650. If it is sold at a profit of 30%, what is its selling price? | option_a=3710 | option_b=3180 | option_c=2680 | option_d=3445 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2650 × 130/100 = █3445.

id=45403 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=32 | option_b=33 | option_c=36 | option_d=28 | answer=A | explanation=The common difference is 4. Therefore the next term is 28 + 4 = 32.

id=45404 | topic=Percentages | difficulty=Easy | question=What is 10% of 1304? | option_a=125 | option_b=130 | option_c=135 | option_d=260 | answer=B | explanation=10% of 1304 = (10/100) × 1304 = 130.

id=45405 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=45406 | topic=Averages | difficulty=Easy | question=Find the average of 64, 84, 15, 48, 99. | option_a=61 | option_b=63 | option_c=64 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 310 ÷ 5 = 62.

id=45407 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3640. If it is sold at a profit of 25%, what is its selling price? | option_a=4186 | option_b=4550 | option_c=3665 | option_d=4914 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3640 × 125/100 = █4550.

id=45408 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4330. If it is sold at a profit of 20%, what is its selling price? | option_a=4763 | option_b=4350 | option_c=5629 | option_d=5196 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4330 × 120/100 = █5196.

id=45409 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36810 at 12% per annum for 4 years. | option_a=54478 | option_b=17568 | option_c=17668 | option_d=17768 | answer=C | explanation=SI = PRT/100 = 36810×12×4/100 = █17668.

id=45410 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31249 at 8% per annum for 5 years. | option_a=12499 | option_b=12399 | option_c=43748 | option_d=12599 | answer=A | explanation=SI = PRT/100 = 31249×8×5/100 = █12499.

id=45411 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1101. If it is sold at a profit of 15%, what is its selling price? | option_a=1156 | option_b=1376 | option_c=1116 | option_d=1266 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1101 × 115/100 = █1266.

id=45412 | topic=Averages | difficulty=Easy | question=Find the average of 77, 83, 86, 94, 50. | option_a=79 | option_b=78 | option_c=77 | option_d=80 | answer=B | explanation=Average = sum of values ÷ number of values = 390 ÷ 5 = 78.

id=45413 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19119 at 5% per annum for 1 years. | option_a=1055 | option_b=955 | option_c=20074 | option_d=855 | answer=B | explanation=SI = PRT/100 = 19119×5×1/100 = █955.

id=45414 | topic=Averages | difficulty=Easy | question=Find the average of 77, 34, 17, 90, 55, 51, 82, 81, 44. | option_a=59 | option_b=58 | option_c=60 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 531 ÷ 9 = 59.

id=45415 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=23 | option_b=25 | option_c=19 | option_d=22 | answer=D | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.

id=45416 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=S | option_c=Y | option_d=W | answer=D | explanation=Move 2 positions forward from U; the resulting letter is W.

id=45417 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43979 at 4% per annum for 3 years. | option_a=5377 | option_b=5177 | option_c=5277 | option_d=49256 | answer=C | explanation=SI = PRT/100 = 43979×4×3/100 = █5277.

id=45418 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2531. If it is sold at a profit of 30%, what is its selling price? | option_a=3290 | option_b=2561 | option_c=3037 | option_d=3543 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2531 × 130/100 = █3290.

id=45419 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:19 and the first is 361, what is the second? | option_a=342 | option_b=722 | option_c=380 | option_d=361 | answer=D | explanation=Scale factor = 361/19 = 19. Therefore second quantity = 19×19 = 361.

id=45420 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 45,421-45,450 of 100,000

id=45421 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 22. | option_a=396 | option_b=198 | option_c=176 | option_d=216 | answer=B | explanation=LCM × HCF = 18×22; HCF(18,22) = 2, so LCM = 198.

id=45422 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 7, 12, 20? | option_a=2 | option_b=12 | option_c=20 | option_d=7 | answer=C | explanation=The first three numbers increase by 5, so the next should be 17. Therefore 20 is the odd one out.

id=45423 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=K | option_b=Q | option_c=T | option_d=N | answer=B | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=45424 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=37 | option_b=41 | option_c=31 | option_d=36 | answer=D | explanation=The common difference is 5. Therefore the next term is 31 + 5 = 36.

id=45425 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■39373 at 10% per annum for 1 years. | option_a=43310 | option_b=3837 | option_c=3937 | option_d=4037 | answer=C | explanation=SI = PRT/100 = 39373×10×1/100 = ■3937.

id=45426 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:18 and the first is 75, what is the second? | option_a=252 | option_b=270 | option_c=275 | option_d=345 | answer=B | explanation=Scale factor = 75/5 = 15. Therefore second quantity = 18×15 = 270.

id=45427 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=C | option_c=E | option_d=F | answer=C | explanation=Move 1 positions forward from D; the resulting letter is E.

id=45428 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=45429 | topic=Percentages | difficulty=Easy | question=What is 10% of 1478? | option_a=294 | option_b=167 | option_c=137 | option_d=147 | answer=D | explanation=10% of 1478 = (10/100) × 1478 = 147.

id=45430 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=45431 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 25. | option_a=90 | option_b=50 | option_c=375 | option_d=75 | answer=D | explanation=LCM × HCF = 15×25; HCF(15,25) = 5, so LCM = 75.

id=45432 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 24, 31, 40? | option_a=40 | option_b=31 | option_c=17 | option_d=24 | answer=A | explanation=The first three numbers increase by 7, so the next should be 38. Therefore 40 is the odd one out.

id=45433 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■10821 at 10% per annum for 3 years. | option_a=14067 | option_b=3146 | option_c=3246 | option_d=3346 | answer=C | explanation=SI = PRT/100 = 10821×10×3/100 = ■3246.

id=45434 | topic=Percentages | difficulty=Easy | question=What is 50% of 1666? | option_a=853 | option_b=833 | option_c=1666 | option_d=823 | answer=B | explanation=50% of 1666 = (50/100) × 1666 = 833.

id=45435 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=38 | option_b=50 | option_c=51 | option_d=62 | answer=B | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=45436 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 29, 34, 41? | option_a=34 | option_b=24 | option_c=41 | option_d=29 | answer=C | explanation=The first three numbers increase by 5, so the next should be 39. Therefore 41 is the odd one out.

id=45437 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=100 | option_c=200 | option_d=105 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=45438 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=45439 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■6857 at 6% per annum for 1 years. | option_a=411 | option_b=511 | option_c=311 | option_d=7268 | answer=A | explanation=SI = PRT/100 = 6857×6×1/100 = ■411.

id=45440 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:19 and the first is 40, what is the second? | option_a=157 | option_b=152 | option_c=192 | option_d=133 | answer=B | explanation=Scale factor = 40/5 = 8. Therefore second quantity = 19×8 = 152.

id=45441 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=45442 | topic=Percentages | difficulty=Easy | question=What is 5% of 789? | option_a=44 | option_b=78 | option_c=19 | option_d=39 | answer=D | explanation=5% of 789 = (5/100) × 789 = 39.

id=45443 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4769. If it is sold at a profit of 10%, what is its selling price? | option_a=5721 | option_b=4769 | option_c=4779 | option_d=5245 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4769 × 110/100 = ■5245.

id=45444 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■37386 at 12% per annum for 4 years. | option_a=17945 | option_b=55331 | option_c=17845 | option_d=18045 | answer=A | explanation=SI = PRT/100 = 37386×12×4/100 = ■17945.

id=45445 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=4 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=45446 | topic=Averages | difficulty=Easy | question=Find the average of 59, 49, 75, 87, 83, 97, 79, 32, 60. | option_a=71 | option_b=69 | option_c=68 | option_d=70 | answer=B | explanation=Average = sum of values ÷ number of values = 621 ÷ 9 = 69.

id=45447 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=7 | option_c=17 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=45448 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=50 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=45449 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 36, 43, 52? | option_a=36 | option_b=29 | option_c=52 | option_d=43 | answer=C | explanation=The first three numbers increase by 7, so the next should be 50. Therefore 52 is the odd one out.

id=45450 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=41 | option_b=32 | option_c=40 | option_d=48 | answer=C | explanation=The common difference is 8. Therefore the next term is 32 + 8 = 40.

Aptitude Questions — Records 45,451-45,480 of 100,000

id=45451 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=45452 | topic=Averages | difficulty=Easy | question=Find the average of 95, 68, 77, 45, 40. | option_a=67 | option_b=65 | option_c=66 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 325 ÷ 5 = 65.

id=45453 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=37 | option_b=31 | option_c=32 | option_d=25 | answer=B | explanation=The common difference is 6. Therefore the next term is 25 + 6 = 31.

id=45454 | topic=Percentages | difficulty=Easy | question=What is 40% of 1900? | option_a=740 | option_b=1520 | option_c=770 | option_d=760 | answer=D | explanation=40% of 1900 = (40/100) × 1900 = 760.

id=45455 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=45456 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=45457 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=360 | option_c=180 | option_d=185 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=45458 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2456. If it is sold at a profit of 15%, what is its selling price? | option_a=2579 | option_b=2824 | option_c=2471 | option_d=3069 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2456 × 115/100 = █2824.

id=45459 | topic=Percentages | difficulty=Easy | question=What is 20% of 138? | option_a=7 | option_b=54 | option_c=27 | option_d=37 | answer=C | explanation=20% of 138 = (20/100) × 138 = 27.

id=45460 | topic=Percentages | difficulty=Easy | question=What is 30% of 1773? | option_a=551 | option_b=526 | option_c=531 | option_d=1062 | answer=C | explanation=30% of 1773 = (30/100) × 1773 = 531.

id=45461 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:6 and the first is 135, what is the second? | option_a=84 | option_b=225 | option_c=99 | option_d=90 | answer=D | explanation=Scale factor = 135/9 = 15. Therefore second quantity = 6×15 = 90.

id=45462 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 35? | option_a=26 | option_b=28 | option_c=30 | option_d=35 | answer=D | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 35 is the odd one out.

id=45463 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=45464 | topic=Averages | difficulty=Easy | question=Find the average of 71, 46, 99, 69, 86, 81, 14, 17, 33, 64. | option_a=60 | option_b=58 | option_c=59 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 580 ÷ 10 = 58.

id=45465 | topic=Percentages | difficulty=Easy | question=What is 50% of 665? | option_a=342 | option_b=312 | option_c=332 | option_d=664 | answer=C | explanation=50% of 665 = (50/100) × 665 = 332.

id=45466 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2443. If it is sold at a profit of 15%, what is its selling price? | option_a=2565 | option_b=2809 | option_c=3053 | option_d=2458 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2443 × 115/100 = █2809.

id=45467 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 34? | option_a=34 | option_b=9 | option_c=17 | option_d=25 | answer=A | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 34 is the odd one out.

id=45468 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=40 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=45469 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=45470 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 24. | option_a=96 | option_b=135 | option_c=120 | option_d=360 | answer=C | explanation=LCM × HCF = 15×24; HCF(15,24) = 3, so LCM = 120.

id=45471 | topic=Averages | difficulty=Easy | question=Find the average of 66, 49, 12, 89. | option_a=56 | option_b=53 | option_c=54 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 216 ÷ 4 = 54.

id=45472 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=T | option_b=S | option_c=Q | option_d=R | answer=B | explanation=Move 1 positions forward from R; the resulting letter is S.

id=45473 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46710 at 5% per annum for 1 years. | option_a=2335 | option_b=2235 | option_c=2435 | option_d=49045 | answer=A | explanation=SI = PRT/100 = 46710×5×1/100 = █2335.

id=45474 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=30 | option_b=29 | option_c=26 | option_d=28 | answer=D | explanation=The common difference is 2. Therefore the next term is 26 + 2 = 28.

id=45475 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=45476 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:14 and the first is 100, what is the second? | option_a=285 | option_b=280 | option_c=266 | option_d=380 | answer=B | explanation=Scale factor = 100/5 = 20. Therefore second quantity = 14×20 = 280.

id=45477 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:13 and the first is 112, what is the second? | option_a=91 | option_b=118 | option_c=216 | option_d=104 | answer=D | explanation=Scale factor = 112/14 = 8. Therefore second quantity = 13×8 = 104.

id=45478 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4620 at 5% per annum for 3 years. | option_a=693 | option_b=593 | option_c=5313 | option_d=793 | answer=A | explanation=SI = PRT/100 = 4620×5×3/100 = █693.

id=45479 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=45480 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:6 and the first is 132, what is the second? | option_a=66 | option_b=72 | option_c=83 | option_d=204 | answer=B | explanation=Scale factor = 132/11 = 12. Therefore second quantity = 6×12 = 72.

Aptitude Questions — Records 45,481-45,510 of 100,000

id=45481 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=45482 | topic=Percentages | difficulty=Easy | question=What is 20% of 1304? | option_a=260 | option_b=265 | option_c=250 | option_d=520 | answer=A | explanation=20% of 1304 = (20/100) × 1304 = 260.

id=45483 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=25 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=45484 | topic=Profit & Loss | difficulty=Easy | question=An article costs █236. If it is sold at a profit of 25%, what is its selling price? | option_a=261 | option_b=295 | option_c=272 | option_d=318 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 236 × 125/100 = █295.

id=45485 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=32 | option_b=36 | option_c=28 | option_d=33 | answer=A | explanation=The common difference is 4. Therefore the next term is 28 + 4 = 32.

id=45486 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=D | option_b=Y | option_c=T | option_d=O | answer=B | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=45487 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=X | option_b=L | option_c=P | option_d=T | answer=D | explanation=Move 4 positions forward from P; the resulting letter is T.

id=45488 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15161 at 8% per annum for 1 years. | option_a=16373 | option_b=1112 | option_c=1312 | option_d=1212 | answer=D | explanation=SI = PRT/100 = 15161×8×1/100 = █1212.

id=45489 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7653 at 12% per annum for 3 years. | option_a=2655 | option_b=2855 | option_c=2755 | option_d=10408 | answer=C | explanation=SI = PRT/100 = 7653×12×3/100 = █2755.

id=45490 | topic=Percentages | difficulty=Easy | question=What is 10% of 1398? | option_a=134 | option_b=278 | option_c=144 | option_d=139 | answer=D | explanation=10% of 1398 = (10/100) × 1398 = 139.

id=45491 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=A | option_b=G | option_c=C | option_d=E | answer=D | explanation=Move 2 positions forward from C; the resulting letter is E.

id=45492 | topic=Averages | difficulty=Easy | question=Find the average of 79, 84, 67, 52, 76, 38. | option_a=65 | option_b=67 | option_c=68 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = 396 ÷ 6 = 66.

id=45493 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=O | option_c=N | option_d=L | answer=C | explanation=Move 1 positions forward from M; the resulting letter is N.

id=45494 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=T | option_c=W | option_d=V | answer=D | explanation=Move 1 positions forward from U; the resulting letter is V.

id=45495 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38209 at 4% per annum for 5 years. | option_a=7741 | option_b=45850 | option_c=7641 | option_d=7541 | answer=C | explanation=SI = PRT/100 = 38209×4×5/100 = █7641.

id=45496 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:9 and the first is 22, what is the second? | option_a=101 | option_b=99 | option_c=121 | option_d=90 | answer=B | explanation=Scale factor = 22/2 = 11. Therefore second quantity = 9×11 = 99.

id=45497 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:8 and the first is 144, what is the second? | option_a=96 | option_b=108 | option_c=88 | option_d=240 | answer=A | explanation=Scale factor = 144/12 = 12. Therefore second quantity = 8×12 = 96.

id=45498 | topic=Percentages | difficulty=Easy | question=What is 50% of 1693? | option_a=841 | option_b=846 | option_c=856 | option_d=1692 | answer=B | explanation=50% of 1693 = (50/100) × 1693 = 846.

id=45499 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3373 at 15% per annum for 4 years. | option_a=2123 | option_b=5396 | option_c=1923 | option_d=2023 | answer=D | explanation=SI = PRT/100 = 3373×15×4/100 = █2023.

id=45500 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2637. If it is sold at a profit of 50%, what is its selling price? | option_a=2687 | option_b=3692 | option_c=4218 | option_d=3955 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2637 × 150/100 = █3955.

id=45501 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 30, 33, 37? | option_a=27 | option_b=30 | option_c=33 | option_d=37 | answer=D | explanation=The first three numbers increase by 3, so the next should be 36. Therefore 37 is the odd one out.

id=45502 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 10, 13, 18? | option_a=18 | option_b=7 | option_c=10 | option_d=13 | answer=A | explanation=The first three numbers increase by 3, so the next should be 16. Therefore 18 is the odd one out.

id=45503 | topic=Percentages | difficulty=Easy | question=What is 15% of 404? | option_a=50 | option_b=60 | option_c=120 | option_d=70 | answer=B | explanation=15% of 404 = (15/100) × 404 = 60.

id=45504 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:12 and the first is 133, what is the second? | option_a=361 | option_b=216 | option_c=228 | option_d=235 | answer=C | explanation=Scale factor = 133/7 = 19. Therefore second quantity = 12×19 = 228.

id=45505 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=54 | option_b=45 | option_c=46 | option_d=36 | answer=B | explanation=The common difference is 9. Therefore the next term is 36 + 9 = 45.

id=45506 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=45507 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 41? | option_a=22 | option_b=14 | option_c=30 | option_d=41 | answer=D | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 41 is the odd one out.

id=45508 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1936. If it is sold at a profit of 40%, what is its selling price? | option_a=1976 | option_b=2517 | option_c=2710 | option_d=2903 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1936 × 140/100 = █2710.

id=45509 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 24, 36, 48, ? | option_a=48 | option_b=60 | option_c=72 | option_d=61 | answer=B | explanation=The common difference is 12. Therefore the next term is 48 + 12 = 60.

id=45510 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:14 and the first is 252, what is the second? | option_a=448 | option_b=182 | option_c=214 | option_d=196 | answer=D | explanation=Scale factor = 252/18 = 14. Therefore second quantity = 14×14 = 196.

Aptitude Questions — Records 45,511-45,540 of 100,000

id=45511 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=45512 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=S | option_c=U | option_d=V | answer=C | explanation=Move 1 positions forward from T; the resulting letter is U.

id=45513 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=5 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=45514 | topic=Percentages | difficulty=Easy | question=What is 20% of 476? | option_a=95 | option_b=100 | option_c=85 | option_d=190 | answer=A | explanation=20% of 476 = (20/100) × 476 = 95.

id=45515 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=125 | option_c=240 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=45516 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=51 | option_b=35 | option_c=44 | option_d=43 | answer=D | explanation=The common difference is 8. Therefore the next term is 35 + 8 = 43.

id=45517 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=150 | option_c=70 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=45518 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1414. If it is sold at a profit of 10%, what is its selling price? | option_a=1414 | option_b=1696 | option_c=1424 | option_d=1555 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1414 × 110/100 = █1555.

id=45519 | topic=Percentages | difficulty=Easy | question=What is 5% of 1690? | option_a=94 | option_b=64 | option_c=168 | option_d=84 | answer=D | explanation=5% of 1690 = (5/100) × 1690 = 84.

id=45520 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 23? | option_a=2 | option_b=8 | option_c=14 | option_d=23 | answer=D | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 23 is the odd one out.

id=45521 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=31 | option_c=41 | option_d=72 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=45522 | topic=Averages | difficulty=Easy | question=Find the average of 10, 17, 48. | option_a=27 | option_b=26 | option_c=25 | option_d=24 | answer=C | explanation=Average = sum of values ÷ number of values = 75 ÷ 3 = 25.

id=45523 | topic=Averages | difficulty=Easy | question=Find the average of 44, 51, 53, 22, 71, 88, 26, 21. | option_a=47 | option_b=46 | option_c=49 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = 376 ÷ 8 = 47.

id=45524 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=45525 | topic=Percentages | difficulty=Easy | question=What is 30% of 1505? | option_a=456 | option_b=431 | option_c=451 | option_d=902 | answer=C | explanation=30% of 1505 = (30/100) × 1505 = 451.

id=45526 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3809. If it is sold at a profit of 30%, what is its selling price? | option_a=4951 | option_b=5331 | option_c=4571 | option_d=3839 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3809 × 130/100 = █4951.

id=45527 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:15 and the first is 135, what is the second? | option_a=225 | option_b=360 | option_c=210 | option_d=234 | answer=A | explanation=Scale factor = 135/9 = 15. Therefore second quantity = 15×15 = 225.

id=45528 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=45529 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 6. | option_a=36 | option_b=6 | option_c=12 | option_d=1 | answer=B | explanation=LCM × HCF = 6×6; HCF(6,6) = 6, so LCM = 6.

id=45530 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4457. If it is sold at a profit of 10%, what is its selling price? | option_a=4902 | option_b=4467 | option_c=5347 | option_d=4457 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4457 × 110/100 = █4902.

id=45531 | topic=Profit & Loss | difficulty=Easy | question=An article costs █855. If it is sold at a profit of 5%, what is its selling price? | option_a=897 | option_b=860 | option_c=812 | option_d=982 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 855 × 105/100 = █897.

id=45532 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 59? | option_a=59 | option_b=36 | option_c=26 | option_d=46 | answer=A | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 59 is the odd one out.

id=45533 | topic=Averages | difficulty=Easy | question=Find the average of 13, 48, 32. | option_a=33 | option_b=32 | option_c=30 | option_d=31 | answer=D | explanation=Average = sum of values ÷ number of values = 93 ÷ 3 = 31.

id=45534 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:9 and the first is 192, what is the second? | option_a=108 | option_b=300 | option_c=99 | option_d=124 | answer=A | explanation=Scale factor = 192/16 = 12. Therefore second quantity = 9×12 = 108.

id=45535 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 14, 21, 31? | option_a=21 | option_b=14 | option_c=7 | option_d=31 | answer=D | explanation=The first three numbers increase by 7, so the next should be 28. Therefore 31 is the odd one out.

id=45536 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14019 at 15% per annum for 1 years. | option_a=2002 | option_b=2102 | option_c=2202 | option_d=16121 | answer=B | explanation=SI = PRT/100 = 14019×15×1/100 = █2102.

id=45537 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44485 at 8% per annum for 5 years. | option_a=17694 | option_b=62279 | option_c=17794 | option_d=17894 | answer=C | explanation=SI = PRT/100 = 44485×8×5/100 = █17794.

id=45538 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 21, 23, 28? | option_a=19 | option_b=23 | option_c=28 | option_d=21 | answer=C | explanation=The first three numbers increase by 2, so the next should be 25. Therefore 28 is the odd one out.

id=45539 | topic=Percentages | difficulty=Easy | question=What is 20% of 848? | option_a=338 | option_b=159 | option_c=169 | option_d=179 | answer=C | explanation=20% of 848 = (20/100) × 848 = 169.

id=45540 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 45,541-45,570 of 100,000

id=45541 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=72 | option_b=50 | option_c=62 | option_d=61 | answer=D | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.

id=45542 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=G | option_c=V | option_d=Q | answer=D | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=45543 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=24 | option_c=17 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=45544 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=B | option_c=J | option_d=X | answer=A | explanation=Move 4 positions forward from B; the resulting letter is F.

id=45545 | topic=Percentages | difficulty=Easy | question=What is 30% of 947? | option_a=568 | option_b=279 | option_c=284 | option_d=289 | answer=C | explanation=30% of 947 = (30/100) × 947 = 284.

id=45546 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■4519 at 5% per annum for 1 years. | option_a=325 | option_b=225 | option_c=125 | option_d=4744 | answer=B | explanation=SI = PRT/100 = 4519×5×1/100 = ■225.

id=45547 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 14, 20, 27? | option_a=27 | option_b=14 | option_c=20 | option_d=8 | answer=A | explanation=The first three numbers increase by 6, so the next should be 26. Therefore 27 is the odd one out.

id=45548 | topic=Percentages | difficulty=Easy | question=What is 15% of 330? | option_a=69 | option_b=49 | option_c=44 | option_d=98 | answer=B | explanation=15% of 330 = (15/100) × 330 = 49.

id=45549 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:15 and the first is 144, what is the second? | option_a=384 | option_b=225 | option_c=240 | option_d=249 | answer=C | explanation=Scale factor = 144/9 = 16. Therefore second quantity = 15×16 = 240.

id=45550 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=100 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=45551 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■44520 at 12% per annum for 1 years. | option_a=5242 | option_b=5442 | option_c=5342 | option_d=49862 | answer=C | explanation=SI = PRT/100 = 44520×12×1/100 = ■5342.

id=45552 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=G | option_b=K | option_c=S | option_d=O | answer=D | explanation=Move 4 positions forward from K; the resulting letter is O.

id=45553 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=K | option_b=F | option_c=V | option_d=A | answer=B | explanation=Move 5 positions forward from A; the resulting letter is F.

id=45554 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■44947 at 15% per annum for 4 years. | option_a=71915 | option_b=26868 | option_c=26968 | option_d=27068 | answer=C | explanation=SI = PRT/100 = 44947×15×4/100 = ■26968.

id=45555 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 17, 22, 30? | option_a=30 | option_b=12 | option_c=17 | option_d=22 | answer=A | explanation=The first three numbers increase by 5, so the next should be 27. Therefore 30 is the odd one out.

id=45556 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4394. If it is sold at a profit of 20%, what is its selling price? | option_a=4414 | option_b=5711 | option_c=4833 | option_d=5272 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4394 × 120/100 = ■5272.

id=45557 | topic=Averages | difficulty=Easy | question=Find the average of 60, 56, 13. | option_a=43 | option_b=42 | option_c=44 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 129 ÷ 3 = 43.

id=45558 | topic=Percentages | difficulty=Easy | question=What is 5% of 1317? | option_a=75 | option_b=45 | option_c=65 | option_d=130 | answer=C | explanation=5% of 1317 = (5/100) × 1317 = 65.

id=45559 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 9, 11, 14? | option_a=9 | option_b=11 | option_c=14 | option_d=7 | answer=C | explanation=The first three numbers increase by 2, so the next should be 13. Therefore 14 is the odd one out.

id=45560 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■182. If it is sold at a profit of 50%, what is its selling price? | option_a=232 | option_b=291 | option_c=255 | option_d=273 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 182 × 150/100 = ■273.

id=45561 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=80 | option_c=75 | option_d=70 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=45562 | topic=Percentages | difficulty=Easy | question=What is 50% of 1919? | option_a=969 | option_b=949 | option_c=1918 | option_d=959 | answer=D | explanation=50% of 1919 = (50/100) × 1919 = 959.

id=45563 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■33114 at 10% per annum for 5 years. | option_a=16457 | option_b=49671 | option_c=16557 | option_d=16657 | answer=C | explanation=SI = PRT/100 = 33114×10×5/100 = ■16557.

id=45564 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■24938 at 6% per annum for 2 years. | option_a=2892 | option_b=3092 | option_c=27930 | option_d=2992 | answer=D | explanation=SI = PRT/100 = 24938×6×2/100 = ■2992.

id=45565 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■23097 at 15% per annum for 5 years. | option_a=17322 | option_b=17422 | option_c=40419 | option_d=17222 | answer=A | explanation=SI = PRT/100 = 23097×15×5/100 = ■17322.

id=45566 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1498. If it is sold at a profit of 50%, what is its selling price? | option_a=2098 | option_b=2247 | option_c=2396 | option_d=1548 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1498 × 150/100 = ■2247.

id=45567 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 5, 8, 13? | option_a=13 | option_b=8 | option_c=2 | option_d=5 | answer=A | explanation=The first three numbers increase by 3, so the next should be 11. Therefore 13 is the odd one out.

id=45568 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=M | option_b=O | option_c=P | option_d=N | answer=B | explanation=Move 1 positions forward from N; the resulting letter is O.

id=45569 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:4 and the first is 140, what is the second? | option_a=54 | option_b=40 | option_c=180 | option_d=36 | answer=B | explanation=Scale factor = 140/14 = 10. Therefore second quantity = 4×10 = 40.

id=45570 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■23488 at 12% per annum for 5 years. | option_a=37580 | option_b=13992 | option_c=14192 | option_d=14092 | answer=D | explanation=SI = PRT/100 = 23488×12×5/100 = ■14092.

Aptitude Questions — Records 45,571-45,600 of 100,000

id=45571 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=H | option_b=N | option_c=Q | option_d=K | answer=B | explanation=Move 3 positions forward from K; the resulting letter is N.

id=45572 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 10, 17, 27? | option_a=10 | option_b=17 | option_c=27 | option_d=3 | answer=C | explanation=The first three numbers increase by 7, so the next should be 24. Therefore 27 is the odd one out.

id=45573 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4298. If it is sold at a profit of 15%, what is its selling price? | option_a=4942 | option_b=4313 | option_c=4513 | option_d=5371 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4298 × 115/100 = █4942.

id=45574 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=45575 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=45576 | topic=Percentages | difficulty=Easy | question=What is 5% of 1789? | option_a=89 | option_b=178 | option_c=79 | option_d=94 | answer=A | explanation=5% of 1789 = (5/100) × 1789 = 89.

id=45577 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 29, 34, 40? | option_a=40 | option_b=34 | option_c=24 | option_d=29 | answer=A | explanation=The first three numbers increase by 5, so the next should be 39. Therefore 40 is the odd one out.

id=45578 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 25, 34, 43, ? | option_a=53 | option_b=61 | option_c=52 | option_d=43 | answer=C | explanation=The common difference is 9. Therefore the next term is 43 + 9 = 52.

id=45579 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=L | option_b=V | option_c=A | option_d=Q | answer=B | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=45580 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=64 | option_b=44 | option_c=55 | option_d=54 | answer=D | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=45581 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 26, 36, 49? | option_a=36 | option_b=26 | option_c=49 | option_d=16 | answer=C | explanation=The first three numbers increase by 10, so the next should be 46. Therefore 49 is the odd one out.

id=45582 | topic=Averages | difficulty=Easy | question=Find the average of 39, 56, 100, 30, 18, 74, 55, 20. | option_a=51 | option_b=48 | option_c=49 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 392 ÷ 8 = 49.

id=45583 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=45 | option_c=40 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=45584 | topic=Percentages | difficulty=Easy | question=What is 50% of 1604? | option_a=1604 | option_b=807 | option_c=782 | option_d=802 | answer=D | explanation=50% of 1604 = (50/100) × 1604 = 802.

id=45585 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 15, 21, 29? | option_a=29 | option_b=9 | option_c=21 | option_d=15 | answer=A | explanation=The first three numbers increase by 6, so the next should be 27. Therefore 29 is the odd one out.

id=45586 | topic=Profit & Loss | difficulty=Easy | question=An article costs █935. If it is sold at a profit of 5%, what is its selling price? | option_a=1074 | option_b=981 | option_c=888 | option_d=940 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 935 × 105/100 = █981.

id=45587 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=45588 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1487. If it is sold at a profit of 50%, what is its selling price? | option_a=2230 | option_b=1537 | option_c=2378 | option_d=2082 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1487 × 150/100 = █2230.

id=45589 | topic=Percentages | difficulty=Easy | question=What is 15% of 535? | option_a=75 | option_b=160 | option_c=80 | option_d=90 | answer=C | explanation=15% of 535 = (15/100) × 535 = 80.

id=45590 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=31 | option_b=40 | option_c=47 | option_d=39 | answer=D | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

id=45591 | topic=Percentages | difficulty=Easy | question=What is 10% of 1992? | option_a=199 | option_b=219 | option_c=398 | option_d=189 | answer=A | explanation=10% of 1992 = (10/100) × 1992 = 199.

id=45592 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 20, 27, 36? | option_a=13 | option_b=36 | option_c=27 | option_d=20 | answer=B | explanation=The first three numbers increase by 7, so the next should be 34. Therefore 36 is the odd one out.

id=45593 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:5 and the first is 84, what is the second? | option_a=114 | option_b=25 | option_c=30 | option_d=44 | answer=C | explanation=Scale factor = 84/14 = 6. Therefore second quantity = 5×6 = 30.

id=45594 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=24 | option_c=29 | option_d=48 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=45595 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:16 and the first is 288, what is the second? | option_a=274 | option_b=256 | option_c=544 | option_d=240 | answer=B | explanation=Scale factor = 288/18 = 16. Therefore second quantity = 16×16 = 256.

id=45596 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=33 | option_b=32 | option_c=35 | option_d=29 | answer=B | explanation=The common difference is 3. Therefore the next term is 29 + 3 = 32.

id=45597 | topic=Averages | difficulty=Easy | question=Find the average of 21, 25, 72, 10, 29, 74, 77. | option_a=45 | option_b=44 | option_c=46 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = 308 ÷ 7 = 44.

id=45598 | topic=Averages | difficulty=Easy | question=Find the average of 70, 11, 95, 59, 64, 51, 29, 91, 78, 62. | option_a=62 | option_b=60 | option_c=61 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = 610 ÷ 10 = 61.

id=45599 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 43? | option_a=26 | option_b=34 | option_c=43 | option_d=18 | answer=C | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 43 is the odd one out.

id=45600 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=58 | option_b=68 | option_c=46 | option_d=57 | answer=D | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.

Aptitude Questions — Records 45,601-45,630 of 100,000

id=45601 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1982 at 12% per annum for 4 years. | option_a=951 | option_b=2933 | option_c=1051 | option_d=851 | answer=A | explanation=SI = PRT/100 = 1982×12×4/100 = **■**951.

id=45602 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=16 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=45603 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=G | option_b=X | option_c=A | option_d=D | answer=D | explanation=Move 3 positions forward from A; the resulting letter is D.

id=45604 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=P | option_c=N | option_d=T | answer=A | explanation=Move 2 positions forward from P; the resulting letter is R.

id=45605 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=80 | option_c=35 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=45606 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 42? | option_a=42 | option_b=11 | option_c=21 | option_d=31 | answer=A | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 42 is the odd one out.

id=45607 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2321. If it is sold at a profit of 50%, what is its selling price? | option_a=3481 | option_b=3713 | option_c=2371 | option_d=3249 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2321 × 150/100 = **■**3481.

id=45608 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:3 and the first is 80, what is the second? | option_a=95 | option_b=15 | option_c=31 | option_d=12 | answer=B | explanation=Scale factor = 80/16 = 5. Therefore second quantity = 3×5 = 15.

id=45609 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=38 | option_b=56 | option_c=47 | option_d=48 | answer=C | explanation=The common difference is 9. Therefore the next term is 38 + 9 = 47.

id=45610 | topic=Averages | difficulty=Easy | question=Find the average of 48, 22, 37, 53, 83, 88, 47. | option_a=53 | option_b=55 | option_c=54 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

id=45611 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 36? | option_a=36 | option_b=29 | option_c=25 | option_d=21 | answer=A | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 36 is the odd one out.

id=45612 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=22 | option_b=26 | option_c=24 | option_d=25 | answer=C | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.

id=45613 | topic=Averages | difficulty=Easy | question=Find the average of 18, 80, 82. | option_a=61 | option_b=59 | option_c=60 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 180 ÷ 3 = 60.

id=45614 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3416. If it is sold at a profit of 30%, what is its selling price? | option_a=3446 | option_b=4440 | option_c=4099 | option_d=4781 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3416 × 130/100 = **■**4440.

id=45615 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:8 and the first is 8, what is the second? | option_a=16 | option_b=24 | option_c=20 | option_d=8 | answer=A | explanation=Scale factor = 8/4 = 2. Therefore second quantity = 8×2 = 16.

id=45616 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 36, 44, 54? | option_a=54 | option_b=44 | option_c=28 | option_d=36 | answer=A | explanation=The first three numbers increase by 8, so the next should be 52. Therefore 54 is the odd one out.

id=45617 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 33? | option_a=33 | option_b=24 | option_c=16 | option_d=8 | answer=A | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 33 is the odd one out.

id=45618 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=40 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=45619 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:7 and the first is 76, what is the second? | option_a=28 | option_b=47 | option_c=104 | option_d=21 | answer=A | explanation=Scale factor = 76/19 = 4. Therefore second quantity = 7×4 = 28.

id=45620 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2604. If it is sold at a profit of 30%, what is its selling price? | option_a=2634 | option_b=3645 | option_c=3385 | option_d=3125 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2604 × 130/100 = **■**3385.

id=45621 | topic=Averages | difficulty=Easy | question=Find the average of 25, 39, 49, 15. | option_a=33 | option_b=31 | option_c=34 | option_d=32 | answer=D | explanation=Average = sum of values ÷ number of values = 128 ÷ 4 = 32.

id=45622 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=M | option_c=B | option_d=W | answer=D | explanation=Move 5 positions forward from R; the resulting letter is W.

id=45623 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:9 and the first is 272, what is the second? | option_a=169 | option_b=153 | option_c=144 | option_d=425 | answer=B | explanation=Scale factor = 272/16 = 17. Therefore second quantity = 9×17 = 153.

id=45624 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=23 | option_c=18 | option_d=36 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=45625 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=45626 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=V | option_b=K | option_c=A | option_d=F | answer=D | explanation=Move 5 positions forward from A; the resulting letter is F.

id=45627 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39846 at 8% per annum for 4 years. | option_a=52596 | option_b=12650 | option_c=12850 | option_d=12750 | answer=D | explanation=SI = PRT/100 = 39846×8×4/100 = **■**12750.

id=45628 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 33? | option_a=8 | option_b=33 | option_c=16 | option_d=24 | answer=B | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 33 is the odd one out.

id=45629 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 37? | option_a=32 | option_b=37 | option_c=34 | option_d=30 | answer=B | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 37 is the odd one out.

id=45630 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 35? | option_a=35 | option_b=24 | option_c=28 | option_d=20 | answer=A | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 35 is the odd one out.

Aptitude Questions — Records 45,631-45,660 of 100,000

id=45631 | topic=Percentages | difficulty=Easy | question=What is 40% of 1322? | option_a=518 | option_b=528 | option_c=1056 | option_d=538 | answer=B | explanation=40% of 1322 = (40/100) × 1322 = 528.

id=45632 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 12, 21, 31? | option_a=3 | option_b=12 | option_c=21 | option_d=31 | answer=D | explanation=The first three numbers increase by 9, so the next should be 30. Therefore 31 is the odd one out.

id=45633 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=45634 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=45635 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 22, 29, 39? | option_a=15 | option_b=29 | option_c=39 | option_d=22 | answer=C | explanation=The first three numbers increase by 7, so the next should be 36. Therefore 39 is the odd one out.

id=45636 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:4 and the first is 10, what is the second? | option_a=50 | option_b=41 | option_c=40 | option_d=36 | answer=C | explanation=Scale factor = 10/1 = 10. Therefore second quantity = 4×10 = 40.

id=45637 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=22 | option_b=27 | option_c=30 | option_d=26 | answer=D | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.

id=45638 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27941 at 8% per annum for 3 years. | option_a=6805 | option_b=34646 | option_c=6705 | option_d=6605 | answer=C | explanation=SI = PRT/100 = 27941×8×3/100 = **■**6705.

id=45639 | topic=Percentages | difficulty=Easy | question=What is 5% of 363? | option_a=38 | option_b=18 | option_c=13 | option_d=36 | answer=B | explanation=5% of 363 = (5/100) × 363 = 18.

id=45640 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=M | option_c=Y | option_d=U | answer=D | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=45641 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=72 | option_c=36 | option_d=31 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=45642 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=45643 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=45644 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=80 | option_c=75 | option_d=70 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=45645 | topic=Percentages | difficulty=Easy | question=What is 20% of 923? | option_a=368 | option_b=184 | option_c=174 | option_d=194 | answer=B | explanation=20% of 923 = (20/100) × 923 = 184.

id=45646 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2088. If it is sold at a profit of 30%, what is its selling price? | option_a=2922 | option_b=2506 | option_c=2714 | option_d=2118 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2088 × 130/100 = **■**2714.

id=45647 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:11 and the first is 196, what is the second? | option_a=350 | option_b=168 | option_c=143 | option_d=154 | answer=D | explanation=Scale factor = 196/14 = 14. Therefore second quantity = 11×14 = 154.

id=45648 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=O | option_b=L | option_c=F | option_d=I | answer=B | explanation=Move 3 positions forward from I; the resulting letter is L.

id=45649 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4614. If it is sold at a profit of 25%, what is its selling price? | option_a=6228 | option_b=5767 | option_c=5306 | option_d=4639 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4614 × 125/100 = **■**5767.

id=45650 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=F | option_c=H | option_d=G | answer=C | explanation=Move 1 positions forward from G; the resulting letter is H.

id=45651 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=5 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=45652 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=40 | option_c=35 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=45653 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:4 and the first is 70, what is the second? | option_a=34 | option_b=90 | option_c=20 | option_d=16 | answer=C | explanation=Scale factor = 70/14 = 5. Therefore second quantity = 4×5 = 20.

id=45654 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12355 at 12% per annum for 5 years. | option_a=7413 | option_b=7513 | option_c=19768 | option_d=7313 | answer=A | explanation=SI = PRT/100 = 12355×12×5/100 = **■**7413.

id=45655 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1608 at 8% per annum for 1 years. | option_a=1736 | option_b=228 | option_c=28 | option_d=128 | answer=D | explanation=SI = PRT/100 = 1608×8×1/100 = **■**128.

id=45656 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41649 at 4% per annum for 1 years. | option_a=1765 | option_b=1665 | option_c=43314 | option_d=1565 | answer=B | explanation=SI = PRT/100 = 41649×4×1/100 = **■**1665.

id=45657 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=W | option_b=M | option_c=H | option_d=R | answer=D | explanation=Move 5 positions forward from M; the resulting letter is R.

id=45658 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 21, 28, 36? | option_a=21 | option_b=36 | option_c=28 | option_d=14 | answer=B | explanation=The first three numbers increase by 7, so the next should be 35. Therefore 36 is the odd one out.

id=45659 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=45660 | topic=Percentages | difficulty=Easy | question=What is 5% of 1843? | option_a=92 | option_b=184 | option_c=112 | option_d=82 | answer=A | explanation=5% of 1843 = (5/100) × 1843 = 92.

Aptitude Questions — Records 45,661-45,690 of 100,000

id=45661 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 40? | option_a=15 | option_b=23 | option_c=40 | option_d=31 | answer=C | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 40 is the odd one out.

id=45662 | topic=Averages | difficulty=Easy | question=Find the average of 42, 49, 10, 27, 60, 60, 15, 51, 25, 81. | option_a=44 | option_b=42 | option_c=43 | option_d=41 | answer=B | explanation=Average = sum of values ÷ number of values = $420 \div 10 = 42$.

id=45663 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=45664 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=K | option_b=L | option_c=J | option_d=I | answer=A | explanation=Move 1 positions forward from J; the resulting letter is K.

id=45665 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 38, 48, 59? | option_a=38 | option_b=59 | option_c=48 | option_d=28 | answer=B | explanation=The first three numbers increase by 10, so the next should be 58. Therefore 59 is the odd one out.

id=45666 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = $120 \div 4 = 30$ km/h.

id=45667 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2270. If it is sold at a profit of 40%, what is its selling price? | option_a=3405 | option_b=3178 | option_c=2310 | option_d=2951 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2270 \times 140/100 = \text{₹}3178$.

id=45668 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 47? | option_a=23 | option_b=30 | option_c=37 | option_d=47 | answer=D | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 47 is the odd one out.

id=45669 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**15829 at 4% per annum for 1 years. | option_a=733 | option_b=533 | option_c=633 | option_d=16462 | answer=C | explanation=SI = $PRT/100 = 15829 \times 4 \times 1/100 = \text{₹}633$.

id=45670 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 10, 15, 20, ? | option_a=30 | option_b=26 | option_c=20 | option_d=25 | answer=D | explanation=The common difference is 5. Therefore the next term is $20 + 5 = 25$.

id=45671 | topic=Averages | difficulty=Easy | question=Find the average of 10, 50, 63. | option_a=41 | option_b=43 | option_c=42 | option_d=40 | answer=A | explanation=Average = sum of values ÷ number of values = $123 \div 3 = 41$.

id=45672 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=28 | option_b=24 | option_c=20 | option_d=25 | answer=B | explanation=The common difference is 4. Therefore the next term is $20 + 4 = 24$.

id=45673 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = $180 \div 3 = 60$ km/h.

id=45674 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=45675 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 14. | option_a=80 | option_b=56 | option_c=140 | option_d=70 | answer=D | explanation= $LCM \times HCF = 10 \times 14$; $HCF(10,14) = 2$, so $LCM = 70$.

id=45676 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2790. If it is sold at a profit of 15%, what is its selling price? | option_a=3208 | option_b=2805 | option_c=2929 | option_d=3487 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2790 \times 115/100 = \text{₹}3208$.

id=45677 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=30 | option_b=34 | option_c=35 | option_d=38 | answer=B | explanation=The common difference is 4. Therefore the next term is $30 + 4 = 34$.

id=45678 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=I | option_c=H | option_d=F | answer=C | explanation=Move 1 positions forward from G; the resulting letter is H.

id=45679 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2378. If it is sold at a profit of 20%, what is its selling price? | option_a=2853 | option_b=3090 | option_c=2616 | option_d=2398 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2378 \times 120/100 = \text{₹}2853$.

id=45680 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 34? | option_a=34 | option_b=12 | option_c=22 | option_d=2 | answer=A | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 34 is the odd one out.

id=45681 | topic=Averages | difficulty=Easy | question=Find the average of 67, 72, 36, 18, 70, 31. | option_a=50 | option_b=49 | option_c=51 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = $294 \div 6 = 49$.

id=45682 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 18. | option_a=24 | option_b=108 | option_c=18 | option_d=1 | answer=C | explanation= $LCM \times HCF = 6 \times 18$; $HCF(6,18) = 6$, so $LCM = 18$.

id=45683 | topic=Percentages | difficulty=Easy | question=What is 15% of 1684? | option_a=257 | option_b=252 | option_c=504 | option_d=242 | answer=B | explanation=15% of 1684 = $(15/100) \times 1684 = 252$.

id=45684 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = $120 \div 8 = 15$ km/h.

id=45685 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**27848 at 4% per annum for 1 years. | option_a=28961 | option_b=1113 | option_c=1013 | option_d=1213 | answer=B | explanation=SI = $PRT/100 = 27848 \times 4 \times 1/100 = \text{₹}1113$.

id=45686 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**17177 at 5% per annum for 1 years. | option_a=958 | option_b=858 | option_c=758 | option_d=18035 | answer=B | explanation=SI = $PRT/100 = 17177 \times 5 \times 1/100 = \text{₹}858$.

id=45687 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:9 and the first is 33, what is the second? | option_a=60 | option_b=27 | option_c=18 | option_d=38 | answer=B | explanation=Scale factor = $33/11 = 3$. Therefore second quantity = $9 \times 3 = 27$.

id=45688 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**12003 at 5% per annum for 2 years. | option_a=1300 | option_b=1100 | option_c=13203 | option_d=1200 | answer=D | explanation=SI = $PRT/100 = 12003 \times 5 \times 2/100 = \text{₹}1200$.

id=45689 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 22, 25, 29? | option_a=29 | option_b=22 | option_c=19 | option_d=25 | answer=A | explanation=The first three numbers increase by 3, so the next should be 28. Therefore 29 is the odd one out.

id=45690 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=P | option_b=Y | option_c=S | option_d=V | answer=D | explanation=Move 3 positions forward from S; the resulting letter is V.

Aptitude Questions — Records 45,691-45,720 of 100,000

id=45691 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 34, 41, 51? | option_a=41 | option_b=51 | option_c=27 | option_d=34 | answer=B | explanation=The first three numbers increase by 7, so the next should be 48. Therefore 51 is the odd one out.

id=45692 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=45693 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=47 | option_b=41 | option_c=33 | option_d=40 | answer=D | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.

id=45694 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 16. | option_a=32 | option_b=48 | option_c=384 | option_d=72 | answer=B | explanation=LCM × HCF = 24×16; HCF(24,16) = 8, so LCM = 48.

id=45695 | topic=Averages | difficulty=Easy | question=Find the average of 71, 27, 51, 10, 25, 75, 49. | option_a=44 | option_b=45 | option_c=46 | option_d=43 | answer=A | explanation=Average = sum of values ÷ number of values = 308 ÷ 7 = 44.

id=45696 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2749. If it is sold at a profit of 20%, what is its selling price? | option_a=3298 | option_b=3024 | option_c=2769 | option_d=3572 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2749 × 120/100 = █3298.

id=45697 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1697. If it is sold at a profit of 15%, what is its selling price? | option_a=1712 | option_b=2120 | option_c=1782 | option_d=1951 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1697 × 115/100 = █1951.

id=45698 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=H | option_c=D | option_d=B | answer=A | explanation=Move 2 positions forward from D; the resulting letter is F.

id=45699 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=G | option_b=L | option_c=Q | option_d=V | answer=C | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=45700 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 32, 36, 41? | option_a=32 | option_b=28 | option_c=36 | option_d=41 | answer=D | explanation=The first three numbers increase by 4, so the next should be 40. Therefore 41 is the odd one out.

id=45701 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=Y | option_b=E | option_c=B | option_d=H | answer=B | explanation=Move 3 positions forward from B; the resulting letter is E.

id=45702 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1178. If it is sold at a profit of 30%, what is its selling price? | option_a=1648 | option_b=1208 | option_c=1531 | option_d=1414 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1178 × 130/100 = █1531.

id=45703 | topic=Percentages | difficulty=Easy | question=What is 5% of 837? | option_a=61 | option_b=41 | option_c=21 | option_d=82 | answer=B | explanation=5% of 837 = (5/100) × 837 = 41.

id=45704 | topic=Profit & Loss | difficulty=Easy | question=An article costs █726. If it is sold at a profit of 20%, what is its selling price? | option_a=943 | option_b=799 | option_c=871 | option_d=746 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 726 × 120/100 = █871.

id=45705 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=45706 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 32, 42, 54? | option_a=54 | option_b=32 | option_c=42 | option_d=22 | answer=A | explanation=The first three numbers increase by 10, so the next should be 52. Therefore 54 is the odd one out.

id=45707 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1212. If it is sold at a profit of 25%, what is its selling price? | option_a=1515 | option_b=1237 | option_c=1394 | option_d=1636 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1212 × 125/100 = █1515.

id=45708 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=8 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=45709 | topic=Percentages | difficulty=Easy | question=What is 5% of 991? | option_a=59 | option_b=44 | option_c=49 | option_d=98 | answer=C | explanation=5% of 991 = (5/100) × 991 = 49.

id=45710 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3185. If it is sold at a profit of 25%, what is its selling price? | option_a=3663 | option_b=3981 | option_c=4299 | option_d=3210 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3185 × 125/100 = █3981.

id=45711 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=R | option_c=V | option_d=J | answer=B | explanation=Move 4 positions forward from N; the resulting letter is R.

id=45712 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=150 | option_c=300 | option_d=145 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=45713 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=45714 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=Y | option_b=K | option_c=C | option_d=G | answer=D | explanation=Move 4 positions forward from C; the resulting letter is G.

id=45715 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:6 and the first is 54, what is the second? | option_a=54 | option_b=60 | option_c=48 | option_d=108 | answer=A | explanation=Scale factor = 54/6 = 9. Therefore second quantity = 6×9 = 54.

id=45716 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 24. | option_a=81 | option_b=72 | option_c=216 | option_d=48 | answer=B | explanation=LCM × HCF = 9×24; HCF(9,24) = 3, so LCM = 72.

id=45717 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:3 and the first is 26, what is the second? | option_a=36 | option_b=39 | option_c=65 | option_d=41 | answer=B | explanation=Scale factor = 26/2 = 13. Therefore second quantity = 3×13 = 39.

id=45718 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=32 | option_b=31 | option_c=24 | option_d=38 | answer=B | explanation=The common difference is 7. Therefore the next term is 24 + 7 = 31.

id=45719 | topic=Averages | difficulty=Easy | question=Find the average of 28, 61, 58, 96, 29, 70. | option_a=58 | option_b=56 | option_c=59 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 342 ÷ 6 = 57.

id=45720 | topic=Averages | difficulty=Easy | question=Find the average of 56, 24, 36, 39, 66, 91. | option_a=53 | option_b=52 | option_c=51 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 312 ÷ 6 = 52.

Aptitude Questions — Records 45,721-45,750 of 100,000

id=45721 | topic=Percentages | difficulty=Easy | question=What is 20% of 1896? | option_a=384 | option_b=379 | option_c=758 | option_d=369 | answer=B | explanation=20% of 1896 = (20/100) × 1896 = 379.

id=45722 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13524 at 15% per annum for 1 years. | option_a=1928 | option_b=15552 | option_c=2028 | option_d=2128 | answer=C | explanation=SI = PRT/100 = 13524×15×1/100 = **■**2028.

id=45723 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=O | option_b=D | option_c=T | option_d=Y | answer=D | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=45724 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=45725 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=360 | option_b=175 | option_c=180 | option_d=185 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=45726 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=Q | option_b=L | option_c=V | option_d=G | answer=A | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=45727 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=45728 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 18. | option_a=21 | option_b=18 | option_c=1 | option_d=54 | answer=B | explanation=LCM × HCF = 3×18; HCF(3,18) = 3, so LCM = 18.

id=45729 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=13 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=45730 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1391. If it is sold at a profit of 15%, what is its selling price? | option_a=1406 | option_b=1599 | option_c=1738 | option_d=1460 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1391 × 115/100 = **■**1599.

id=45731 | topic=Percentages | difficulty=Easy | question=What is 25% of 1814? | option_a=448 | option_b=453 | option_c=906 | option_d=463 | answer=B | explanation=25% of 1814 = (25/100) × 1814 = 453.

id=45732 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=P | option_c=L | option_d=N | answer=B | explanation=Move 2 positions forward from N; the resulting letter is P.

id=45733 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 17? | option_a=11 | option_b=5 | option_c=8 | option_d=17 | answer=D | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 17 is the odd one out.

id=45734 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 12. | option_a=144 | option_b=1 | option_c=24 | option_d=12 | answer=D | explanation=LCM × HCF = 12×12; HCF(12,12) = 12, so LCM = 12.

id=45735 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=40 | option_d=90 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=45736 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=51 | option_b=33 | option_c=43 | option_d=42 | answer=D | explanation=The common difference is 9. Therefore the next term is 33 + 9 = 42.

id=45737 | topic=Percentages | difficulty=Easy | question=What is 25% of 1555? | option_a=378 | option_b=776 | option_c=408 | option_d=388 | answer=D | explanation=25% of 1555 = (25/100) × 1555 = 388.

id=45738 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:9 and the first is 320, what is the second? | option_a=500 | option_b=171 | option_c=196 | option_d=180 | answer=D | explanation=Scale factor = 320/16 = 20. Therefore second quantity = 9×20 = 180.

id=45739 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14034 at 8% per annum for 5 years. | option_a=5513 | option_b=19647 | option_c=5713 | option_d=5613 | answer=D | explanation=SI = PRT/100 = 14034×8×5/100 = **■**5613.

id=45740 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=20 | option_b=17 | option_c=21 | option_d=19 | answer=D | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=45741 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=25 | option_c=15 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=45742 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=29 | option_b=26 | option_c=28 | option_d=30 | answer=C | explanation=The common difference is 2. Therefore the next term is 26 + 2 = 28.

id=45743 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46109 at 10% per annum for 1 years. | option_a=4710 | option_b=4610 | option_c=4510 | option_d=50719 | answer=B | explanation=SI = PRT/100 = 46109×10×1/100 = **■**4610.

id=45744 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3059. If it is sold at a profit of 5%, what is its selling price? | option_a=3211 | option_b=3516 | option_c=3064 | option_d=2906 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3059 × 105/100 = **■**3211.

id=45745 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=36 | option_b=48 | option_c=58 | option_d=47 | answer=D | explanation=The common difference is 11. Therefore the next term is 36 + 11 = 47.

id=45746 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=45747 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:2 and the first is 360, what is the second? | option_a=396 | option_b=36 | option_c=34 | option_d=56 | answer=B | explanation=Scale factor = 360/20 = 18. Therefore second quantity = 2×18 = 36.

id=45748 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 26. | option_a=1 | option_b=26 | option_c=52 | option_d=28 | answer=B | explanation=LCM × HCF = 2×26; HCF(2,26) = 2, so LCM = 26.

id=45749 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36819 at 15% per annum for 1 years. | option_a=5622 | option_b=42341 | option_c=5422 | option_d=5522 | answer=D | explanation=SI = PRT/100 = 36819×15×1/100 = **■**5522.

id=45750 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2934. If it is sold at a profit of 40%, what is its selling price? | option_a=3814 | option_b=2974 | option_c=4400 | option_d=4107 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2934 × 140/100 = **■**4107.

Aptitude Questions — Records 45,751-45,780 of 100,000

id=45751 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=45752 | topic=Averages | difficulty=Easy | question=Find the average of 71, 78, 11, 88. | option_a=62 | option_b=61 | option_c=64 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 248 ÷ 4 = 62.

id=45753 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=45754 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=A | option_c=M | option_d=I | answer=D | explanation=Move 4 positions forward from E; the resulting letter is I.

id=45755 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=45756 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 30, 38, 47? | option_a=38 | option_b=30 | option_c=22 | option_d=47 | answer=D | explanation=The first three numbers increase by 8, so the next should be 46. Therefore 47 is the odd one out.

id=45757 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2903. If it is sold at a profit of 50%, what is its selling price? | option_a=4644 | option_b=4354 | option_c=2953 | option_d=4064 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2903 × 150/100 = █4354.

id=45758 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=O | option_c=G | option_d=C | answer=A | explanation=Move 4 positions forward from G; the resulting letter is K.

id=45759 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=45760 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4485. If it is sold at a profit of 50%, what is its selling price? | option_a=6279 | option_b=7175 | option_c=4535 | option_d=6727 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4485 × 150/100 = █6727.

id=45761 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=U | option_b=K | option_c=P | option_d=F | answer=C | explanation=Move 5 positions forward from K; the resulting letter is P.

id=45762 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 34? | option_a=12 | option_b=2 | option_c=34 | option_d=22 | answer=C | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 34 is the odd one out.

id=45763 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3711. If it is sold at a profit of 25%, what is its selling price? | option_a=5009 | option_b=3736 | option_c=4267 | option_d=4638 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3711 × 125/100 = █4638.

id=45764 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:10 and the first is 84, what is the second? | option_a=146 | option_b=224 | option_c=140 | option_d=130 | answer=C | explanation=Scale factor = 84/6 = 14. Therefore second quantity = 10×14 = 140.

id=45765 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=C | option_c=E | option_d=A | answer=C | explanation=Move 2 positions forward from C; the resulting letter is E.

id=45766 | topic=Averages | difficulty=Easy | question=Find the average of 29, 30, 97. | option_a=53 | option_b=51 | option_c=54 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 156 ÷ 3 = 52.

id=45767 | topic=Percentages | difficulty=Easy | question=What is 12% of 1289? | option_a=149 | option_b=308 | option_c=154 | option_d=164 | answer=C | explanation=12% of 1289 = (12/100) × 1289 = 154.

id=45768 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:17 and the first is 216, what is the second? | option_a=420 | option_b=222 | option_c=187 | option_d=204 | answer=D | explanation=Scale factor = 216/18 = 12. Therefore second quantity = 17×12 = 204.

id=45769 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 30, 32, 35? | option_a=30 | option_b=35 | option_c=28 | option_d=32 | answer=B | explanation=The first three numbers increase by 2, so the next should be 34. Therefore 35 is the odd one out.

id=45770 | topic=Percentages | difficulty=Easy | question=What is 20% of 1173? | option_a=468 | option_b=254 | option_c=224 | option_d=234 | answer=D | explanation=20% of 1173 = (20/100) × 1173 = 234.

id=45771 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 18, 25, 34? | option_a=11 | option_b=25 | option_c=34 | option_d=18 | answer=C | explanation=The first three numbers increase by 7, so the next should be 32. Therefore 34 is the odd one out.

id=45772 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=29 | option_b=30 | option_c=26 | option_d=32 | answer=A | explanation=The common difference is 3. Therefore the next term is 26 + 3 = 29.

id=45773 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3909. If it is sold at a profit of 10%, what is its selling price? | option_a=4299 | option_b=4689 | option_c=3919 | option_d=3909 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3909 × 110/100 = █4299.

id=45774 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=19 | option_b=23 | option_c=25 | option_d=22 | answer=D | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.

id=45775 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3814. If it is sold at a profit of 40%, what is its selling price? | option_a=5339 | option_b=4958 | option_c=3854 | option_d=5720 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3814 × 140/100 = █5339.

id=45776 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2796 at 6% per annum for 3 years. | option_a=3299 | option_b=503 | option_c=603 | option_d=403 | answer=B | explanation=SI = PRT/100 = 2796×6×3/100 = █503.

id=45777 | topic=Profit & Loss | difficulty=Easy | question=An article costs █992. If it is sold at a profit of 5%, what is its selling price? | option_a=942 | option_b=1140 | option_c=1041 | option_d=997 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 992 × 105/100 = █1041.

id=45778 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:7 and the first is 39, what is the second? | option_a=14 | option_b=60 | option_c=21 | option_d=34 | answer=C | explanation=Scale factor = 39/13 = 3. Therefore second quantity = 7×3 = 21.

id=45779 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=R | option_c=X | option_d=T | answer=A | explanation=Move 2 positions forward from T; the resulting letter is V.

id=45780 | topic=Percentages | difficulty=Easy | question=What is 40% of 459? | option_a=183 | option_b=188 | option_c=366 | option_d=163 | answer=A | explanation=40% of 459 = (40/100) × 459 = 183.

Aptitude Questions — Records 45,781-45,810 of 100,000

id=45781 | topic=Averages | difficulty=Easy | question=Find the average of 39, 67, 59, 25, 50, 96, 36, 52. | option_a=54 | option_b=55 | option_c=53 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.

id=45782 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=69 | option_b=47 | option_c=59 | option_d=58 | answer=D | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.

id=45783 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:1 and the first is 228, what is the second? | option_a=31 | option_b=247 | option_c=18 | option_d=19 | answer=D | explanation=Scale factor = 228/12 = 19. Therefore second quantity = 1×19 = 19.

id=45784 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=15 | option_b=14 | option_c=16 | option_d=12 | answer=B | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=45785 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1847. If it is sold at a profit of 20%, what is its selling price? | option_a=2216 | option_b=2400 | option_c=2032 | option_d=1867 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1847 × 120/100 = █2216.

id=45786 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:17 and the first is 34, what is the second? | option_a=51 | option_b=34 | option_c=17 | option_d=68 | answer=B | explanation=Scale factor = 34/17 = 2. Therefore second quantity = 17×2 = 34.

id=45787 | topic=Averages | difficulty=Easy | question=Find the average of 70, 72, 33, 50, 46, 88, 100, 81, 56, 64. | option_a=66 | option_b=68 | option_c=65 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = 660 ÷ 10 = 66.

id=45788 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=Q | option_c=Y | option_d=C | answer=C | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=45789 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2356. If it is sold at a profit of 40%, what is its selling price? | option_a=3063 | option_b=3533 | option_c=2396 | option_d=3298 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2356 × 140/100 = █3298.

id=45790 | topic=Averages | difficulty=Easy | question=Find the average of 39, 42, 87, 32. | option_a=49 | option_b=51 | option_c=50 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 200 ÷ 4 = 50.

id=45791 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 18. | option_a=105 | option_b=72 | option_c=90 | option_d=270 | answer=C | explanation=LCM × HCF = 15×18; HCF(15,18) = 3, so LCM = 90.

id=45792 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=40 | option_c=25 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=45793 | topic=Averages | difficulty=Easy | question=Find the average of 75, 86, 71, 60. | option_a=75 | option_b=74 | option_c=73 | option_d=72 | answer=C | explanation=Average = sum of values ÷ number of values = 292 ÷ 4 = 73.

id=45794 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 32, 39, 47? | option_a=47 | option_b=25 | option_c=39 | option_d=32 | answer=A | explanation=The first three numbers increase by 7, so the next should be 46. Therefore 47 is the odd one out.

id=45795 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=20 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=45796 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:10 and the first is 96, what is the second? | option_a=120 | option_b=216 | option_c=110 | option_d=128 | answer=A | explanation=Scale factor = 96/8 = 12. Therefore second quantity = 10×12 = 120.

id=45797 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=45798 | topic=Averages | difficulty=Easy | question=Find the average of 40, 62, 60, 27, 56. | option_a=50 | option_b=48 | option_c=49 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 245 ÷ 5 = 49.

id=45799 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 24. | option_a=336 | option_b=182 | option_c=168 | option_d=144 | answer=C | explanation=LCM × HCF = 14×24; HCF(14,24) = 2, so LCM = 168.

id=45800 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=L | option_c=T | option_d=H | answer=A | explanation=Move 4 positions forward from L; the resulting letter is P.

id=45801 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 21, 23, 25, ? | option_a=25 | option_b=29 | option_c=28 | option_d=27 | answer=D | explanation=The common difference is 2. Therefore the next term is 25 + 2 = 27.

id=45802 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=45803 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=46 | option_b=37 | option_c=55 | option_d=47 | answer=A | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=45804 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 58? | option_a=58 | option_b=27 | option_c=37 | option_d=47 | answer=A | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 58 is the odd one out.

id=45805 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=6 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=45806 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:19 and the first is 117, what is the second? | option_a=247 | option_b=364 | option_c=228 | option_d=256 | answer=A | explanation=Scale factor = 117/9 = 13. Therefore second quantity = 19×13 = 247.

id=45807 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=35 | option_b=32 | option_c=31 | option_d=27 | answer=C | explanation=The common difference is 4. Therefore the next term is 27 + 4 = 31.

id=45808 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41309 at 4% per annum for 5 years. | option_a=49570 | option_b=8261 | option_c=8161 | option_d=8361 | answer=B | explanation=SI = PRT/100 = 41309×4×5/100 = █8261.

id=45809 | topic=Averages | difficulty=Easy | question=Find the average of 78, 21, 91, 66, 82, 34, 47, 94, 72. | option_a=65 | option_b=66 | option_c=64 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = 585 ÷ 9 = 65.

id=45810 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=11 | option_b=9 | option_c=13 | option_d=12 | answer=A | explanation=The common difference is 2. Therefore the next term is 9 + 2 = 11.

Aptitude Questions — Records 45,811-45,840 of 100,000

id=45811 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 30? | option_a=18 | option_b=13 | option_c=23 | option_d=30 | answer=D | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 30 is the odd one out.

id=45812 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18994 at 5% per annum for 4 years. | option_a=3798 | option_b=3898 | option_c=3698 | option_d=22792 | answer=A | explanation=SI = $\text{PRT}/100 = 18994 \times 5 \times 4 / 100 = \text{■}3798$.

id=45813 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 28. | option_a=224 | option_b=56 | option_c=64 | option_d=28 | answer=B | explanation= $\text{LCM} \times \text{HCF} = 8 \times 28$; $\text{HCF}(8, 28) = 4$, so $\text{LCM} = 56$.

id=45814 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=48 | option_b=49 | option_c=41 | option_d=55 | answer=A | explanation=The common difference is 7. Therefore the next term is $41 + 7 = 48$.

id=45815 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=40 | option_b=47 | option_c=48 | option_d=54 | answer=B | explanation=The common difference is 7. Therefore the next term is $40 + 7 = 47$.

id=45816 | topic=Averages | difficulty=Easy | question=Find the average of 24, 17, 97, 69, 50, 43, 90, 19, 41. | option_a=50 | option_b=52 | option_c=49 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = $450 \div 9 = 50$.

id=45817 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=Z | option_b=K | option_c=U | option_d=P | answer=C | explanation=Move 5 positions forward from P; the resulting letter is U.

id=45818 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49648 at 6% per annum for 3 years. | option_a=58584 | option_b=8936 | option_c=8836 | option_d=9036 | answer=B | explanation=SI = $\text{PRT}/100 = 49648 \times 6 \times 3 / 100 = \text{■}8936$.

id=45819 | topic=Percentages | difficulty=Easy | question=What is 25% of 932? | option_a=253 | option_b=228 | option_c=233 | option_d=466 | answer=C | explanation=25% of 932 = $(25/100) \times 932 = 233$.

id=45820 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 14. | option_a=140 | option_b=280 | option_c=160 | option_d=126 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 20 \times 14$; $\text{HCF}(20, 14) = 2$, so $\text{LCM} = 140$.

id=45821 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3687. If it is sold at a profit of 50%, what is its selling price? | option_a=5162 | option_b=5530 | option_c=5898 | option_d=3737 | answer=B | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 3687 \times 150 / 100 = \text{■}5530$.

id=45822 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:13 and the first is 32, what is the second? | option_a=13 | option_b=42 | option_c=26 | option_d=58 | answer=C | explanation=Scale factor = $32 / 16 = 2$. Therefore second quantity = $13 \times 2 = 26$.

id=45823 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = $360 \div 8 = 45$ km/h.

id=45824 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2276. If it is sold at a profit of 15%, what is its selling price? | option_a=2390 | option_b=2844 | option_c=2291 | option_d=2617 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 2276 \times 115 / 100 = \text{■}2617$.

id=45825 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $150 \div 5 = 30$ km/h.

id=45826 | topic=Averages | difficulty=Easy | question=Find the average of 91, 90, 32, 63, 94. | option_a=73 | option_b=75 | option_c=76 | option_d=74 | answer=D | explanation=Average = sum of values ÷ number of values = $370 \div 5 = 74$.

id=45827 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 14, 22, 32? | option_a=32 | option_b=14 | option_c=6 | option_d=22 | answer=A | explanation=The first three numbers increase by 8, so the next should be 30. Therefore 32 is the odd one out.

id=45828 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 8, 12, 17? | option_a=4 | option_b=8 | option_c=17 | option_d=12 | answer=C | explanation=The first three numbers increase by 4, so the next should be 16. Therefore 17 is the odd one out.

id=45829 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 34, 43, 54? | option_a=43 | option_b=34 | option_c=54 | option_d=25 | answer=C | explanation=The first three numbers increase by 9, so the next should be 52. Therefore 54 is the odd one out.

id=45830 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=39 | option_b=47 | option_c=40 | option_d=31 | answer=A | explanation=The common difference is 8. Therefore the next term is $31 + 8 = 39$.

id=45831 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 19, 27, 37? | option_a=11 | option_b=37 | option_c=27 | option_d=19 | answer=B | explanation=The first three numbers increase by 8, so the next should be 35. Therefore 37 is the odd one out.

id=45832 | topic=Percentages | difficulty=Easy | question=What is 30% of 810? | option_a=223 | option_b=486 | option_c=253 | option_d=243 | answer=D | explanation=30% of 810 = $(30/100) \times 810 = 243$.

id=45833 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 14. | option_a=128 | option_b=112 | option_c=98 | option_d=224 | answer=B | explanation= $\text{LCM} \times \text{HCF} = 16 \times 14$; $\text{HCF}(16, 14) = 2$, so $\text{LCM} = 112$.

id=45834 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1550. If it is sold at a profit of 10%, what is its selling price? | option_a=1560 | option_b=1860 | option_c=1550 | option_d=1705 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 1550 \times 110 / 100 = \text{■}1705$.

id=45835 | topic=Averages | difficulty=Easy | question=Find the average of 73, 16, 30, 32, 83, 97, 68. | option_a=56 | option_b=57 | option_c=59 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = $399 \div 7 = 57$.

id=45836 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=45837 | topic=Percentages | difficulty=Easy | question=What is 10% of 747? | option_a=148 | option_b=79 | option_c=64 | option_d=74 | answer=D | explanation=10% of 747 = $(10/100) \times 747 = 74$.

id=45838 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=O | option_b=S | option_c=W | option_d=A | answer=C | explanation=Move 4 positions forward from S; the resulting letter is W.

id=45839 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=7 | option_d=5 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=45840 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=24 | option_b=28 | option_c=32 | option_d=29 | answer=B | explanation=The common difference is 4. Therefore the next term is $24 + 4 = 28$.

Aptitude Questions — Records 45,841-45,870 of 100,000

id=45841 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=45842 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:20 and the first is 132, what is the second? | option_a=251 | option_b=240 | option_c=220 | option_d=372 | answer=B | explanation=Scale factor = 132/11 = 12. Therefore second quantity = 20×12 = 240.

id=45843 | topic=Averages | difficulty=Easy | question=Find the average of 82, 69, 88, 49, 98, 92, 54. | option_a=75 | option_b=76 | option_c=77 | option_d=78 | answer=B | explanation=Average = sum of values ÷ number of values = 532 ÷ 7 = 76.

id=45844 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35247 at 12% per annum for 3 years. | option_a=12788 | option_b=12688 | option_c=47935 | option_d=12588 | answer=B | explanation=SI = PRT/100 = 35247×12×3/100 = **■**12688.

id=45845 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=W | option_c=S | option_d=Q | answer=A | explanation=Move 2 positions forward from S; the resulting letter is U.

id=45846 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 16, 19, 24? | option_a=19 | option_b=24 | option_c=16 | option_d=13 | answer=B | explanation=The first three numbers increase by 3, so the next should be 22. Therefore 24 is the odd one out.

id=45847 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 43? | option_a=28 | option_b=43 | option_c=21 | option_d=35 | answer=B | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 43 is the odd one out.

id=45848 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=V | option_b=Y | option_c=P | option_d=S | answer=A | explanation=Move 3 positions forward from S; the resulting letter is V.

id=45849 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4791. If it is sold at a profit of 20%, what is its selling price? | option_a=6228 | option_b=5270 | option_c=4811 | option_d=5749 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4791 × 120/100 = **■**5749.

id=45850 | topic=Averages | difficulty=Easy | question=Find the average of 29, 98, 97, 23, 73. | option_a=63 | option_b=65 | option_c=66 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 320 ÷ 5 = 64.

id=45851 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:15 and the first is 60, what is the second? | option_a=285 | option_b=210 | option_c=229 | option_d=225 | answer=D | explanation=Scale factor = 60/4 = 15. Therefore second quantity = 15×15 = 225.

id=45852 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:11 and the first is 340, what is the second? | option_a=237 | option_b=209 | option_c=220 | option_d=560 | answer=C | explanation=Scale factor = 340/17 = 20. Therefore second quantity = 11×20 = 220.

id=45853 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 13? | option_a=13 | option_b=6 | option_c=9 | option_d=3 | answer=A | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 13 is the odd one out.

id=45854 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=48 | option_c=43 | option_d=96 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=45855 | topic=Percentages | difficulty=Easy | question=What is 15% of 1959? | option_a=303 | option_b=288 | option_c=586 | option_d=293 | answer=D | explanation=15% of 1959 = (15/100) × 1959 = 293.

id=45856 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 30, 32, 36? | option_a=30 | option_b=28 | option_c=32 | option_d=36 | answer=D | explanation=The first three numbers increase by 2, so the next should be 34. Therefore 36 is the odd one out.

id=45857 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17699 at 4% per annum for 1 years. | option_a=807 | option_b=707 | option_c=607 | option_d=18406 | answer=B | explanation=SI = PRT/100 = 17699×4×1/100 = **■**707.

id=45858 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3452. If it is sold at a profit of 30%, what is its selling price? | option_a=3482 | option_b=4832 | option_c=4142 | option_d=4487 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3452 × 130/100 = **■**4487.

id=45859 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=45860 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=45861 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34642 at 10% per annum for 5 years. | option_a=51963 | option_b=17421 | option_c=17221 | option_d=17321 | answer=D | explanation=SI = PRT/100 = 34642×10×5/100 = **■**17321.

id=45862 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2136. If it is sold at a profit of 5%, what is its selling price? | option_a=2029 | option_b=2242 | option_c=2455 | option_d=2141 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2136 × 105/100 = **■**2242.

id=45863 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 20. | option_a=480 | option_b=100 | option_c=144 | option_d=120 | answer=D | explanation=LCM × HCF = 24×20; HCF(24,20) = 4, so LCM = 120.

id=45864 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**460. If it is sold at a profit of 40%, what is its selling price? | option_a=500 | option_b=598 | option_c=644 | option_d=690 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 460 × 140/100 = **■**644.

id=45865 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39519 at 6% per annum for 4 years. | option_a=9484 | option_b=49003 | option_c=9584 | option_d=9384 | answer=A | explanation=SI = PRT/100 = 39519×6×4/100 = **■**9484.

id=45866 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=C | option_c=X | option_d=N | answer=C | explanation=Move 5 positions forward from S; the resulting letter is X.

id=45867 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2055. If it is sold at a profit of 50%, what is its selling price? | option_a=3082 | option_b=2105 | option_c=2877 | option_d=3287 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2055 × 150/100 = **■**3082.

id=45868 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=O | option_c=J | option_d=Z | answer=C | explanation=Move 5 positions forward from E; the resulting letter is J.

id=45869 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 18, 23, 28, ? | option_a=28 | option_b=33 | option_c=38 | option_d=34 | answer=B | explanation=The common difference is 5. Therefore the next term is 28 + 5 = 33.

id=45870 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 18, 28, 39? | option_a=8 | option_b=18 | option_c=39 | option_d=28 | answer=C | explanation=The first three numbers increase by 10, so the next should be 38. Therefore 39 is the odd one out.

Aptitude Questions — Records 45,871-45,900 of 100,000

id=45871 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=R | option_c=A | option_d=X | answer=D | explanation=Move 3 positions forward from U; the resulting letter is X.

id=45872 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:20 and the first is 198, what is the second? | option_a=220 | option_b=200 | option_c=238 | option_d=418 | answer=A | explanation=Scale factor = $198/18 = 11$. Therefore second quantity = $20 \times 11 = 220$.

id=45873 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35928 at 8% per annum for 5 years. | option_a=14371 | option_b=14471 | option_c=50299 | option_d=14271 | answer=A | explanation=SI = $PRT/100 = 35928 \times 8 \times 5/100 = \text{■}14371$.

id=45874 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=39 | option_b=40 | option_c=45 | option_d=33 | answer=A | explanation=The common difference is 6. Therefore the next term is $33 + 6 = 39$.

id=45875 | topic=Averages | difficulty=Easy | question=Find the average of 81, 60, 74, 76, 95, 100, 87, 75. | option_a=80 | option_b=82 | option_c=83 | option_d=81 | answer=D | explanation=Average = sum of values ÷ number of values = $648 \div 8 = 81$.

id=45876 | topic=Averages | difficulty=Easy | question=Find the average of 43, 16, 91. | option_a=49 | option_b=51 | option_c=52 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = $150 \div 3 = 50$.

id=45877 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:9 and the first is 26, what is the second? | option_a=117 | option_b=143 | option_c=119 | option_d=108 | answer=A | explanation=Scale factor = $26/2 = 13$. Therefore second quantity = $9 \times 13 = 117$.

id=45878 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:6 and the first is 176, what is the second? | option_a=96 | option_b=107 | option_c=272 | option_d=90 | answer=A | explanation=Scale factor = $176/11 = 16$. Therefore second quantity = $6 \times 16 = 96$.

id=45879 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:18 and the first is 252, what is the second? | option_a=504 | option_b=234 | option_c=252 | option_d=270 | answer=C | explanation=Scale factor = $252/18 = 14$. Therefore second quantity = $18 \times 14 = 252$.

id=45880 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=10 | option_b=8 | option_c=11 | option_d=12 | answer=A | explanation=The common difference is 2. Therefore the next term is $8 + 2 = 10$.

id=45881 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4048. If it is sold at a profit of 30%, what is its selling price? | option_a=5666 | option_b=5262 | option_c=4858 | option_d=4078 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4048 \times 130/100 = \text{■}5262$.

id=45882 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 14. | option_a=28 | option_b=56 | option_c=14 | option_d=32 | answer=A | explanation= $LCM \times HCF = 4 \times 14$; $HCF(4,14) = 2$, so $LCM = 28$.

id=45883 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:12 and the first is 266, what is the second? | option_a=216 | option_b=228 | option_c=494 | option_d=242 | answer=B | explanation=Scale factor = $266/14 = 19$. Therefore second quantity = $12 \times 19 = 228$.

id=45884 | topic=Averages | difficulty=Easy | question=Find the average of 48, 83, 34, 56, 38, 29, 58, 35, 10, 29. | option_a=42 | option_b=44 | option_c=43 | option_d=41 | answer=A | explanation=Average = sum of values ÷ number of values = $420 \div 10 = 42$.

id=45885 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 57? | option_a=38 | option_b=57 | option_c=47 | option_d=29 | answer=B | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 57 is the odd one out.

id=45886 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=46 | option_b=70 | option_c=59 | option_d=58 | answer=D | explanation=The common difference is 12. Therefore the next term is $46 + 12 = 58$.

id=45887 | topic=Percentages | difficulty=Easy | question=What is 20% of 1551? | option_a=330 | option_b=310 | option_c=290 | option_d=620 | answer=B | explanation= $20\% \text{ of } 1551 = (20/100) \times 1551 = 310$.

id=45888 | topic=Percentages | difficulty=Easy | question=What is 12% of 1438? | option_a=177 | option_b=344 | option_c=172 | option_d=167 | answer=C | explanation= $12\% \text{ of } 1438 = (12/100) \times 1438 = 172$.

id=45889 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=58 | option_b=36 | option_c=48 | option_d=47 | answer=D | explanation=The common difference is 11. Therefore the next term is $36 + 11 = 47$.

id=45890 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:13 and the first is 209, what is the second? | option_a=456 | option_b=258 | option_c=247 | option_d=234 | answer=C | explanation=Scale factor = $209/11 = 19$. Therefore second quantity = $13 \times 19 = 247$.

id=45891 | topic=Percentages | difficulty=Easy | question=What is 10% of 1977? | option_a=207 | option_b=192 | option_c=394 | option_d=197 | answer=D | explanation= $10\% \text{ of } 1977 = (10/100) \times 1977 = 197$.

id=45892 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=47 | option_b=40 | option_c=31 | option_d=39 | answer=D | explanation=The common difference is 8. Therefore the next term is $31 + 8 = 39$.

id=45893 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=150 | option_d=70 | answer=B | explanation=Speed = distance ÷ time = $300 \div 4 = 75 \text{ km/h}$.

id=45894 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6 \text{ days}$.

id=45895 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**612. If it is sold at a profit of 30%, what is its selling price? | option_a=734 | option_b=856 | option_c=642 | option_d=795 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 612 \times 130/100 = \text{■}795$.

id=45896 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47167 at 6% per annum for 5 years. | option_a=14050 | option_b=61317 | option_c=14250 | option_d=14150 | answer=D | explanation=SI = $PRT/100 = 47167 \times 6 \times 5/100 = \text{■}14150$.

id=45897 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5 \text{ days}$.

id=45898 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3 \text{ days}$.

id=45899 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 15. | option_a=180 | option_b=72 | option_c=45 | option_d=60 | answer=D | explanation= $LCM \times HCF = 12 \times 15$; $HCF(12,15) = 3$, so $LCM = 60$.

id=45900 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**321. If it is sold at a profit of 15%, what is its selling price? | option_a=401 | option_b=336 | option_c=369 | option_d=337 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 321 \times 115/100 = \text{■}369$.

Aptitude Questions — Records 45,901-45,930 of 100,000

id=45901 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■47482 at 10% per annum for 1 years. | option_a=4848 | option_b=52230 | option_c=4748 | option_d=4648 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{47482 \times 10 \times 1}{100} = \blacksquare 4748$.

id=45902 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=180 | option_c=85 | option_d=95 | answer=A | explanation= $Speed = \frac{distance}{time} = \frac{360}{4} = 90$ km/h.

id=45903 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:10 and the first is 42, what is the second? | option_a=130 | option_b=140 | option_c=143 | option_d=182 | answer=B | explanation= $Scale\ factor = \frac{42}{3} = 14$. Therefore second quantity = $10 \times 14 = 140$.

id=45904 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 57? | option_a=38 | option_b=47 | option_c=29 | option_d=57 | answer=D | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 57 is the odd one out.

id=45905 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation= $Speed = \frac{distance}{time} = \frac{240}{8} = 30$ km/h.

id=45906 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation= $Speed = \frac{distance}{time} = \frac{90}{3} = 30$ km/h.

id=45907 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3477. If it is sold at a profit of 15%, what is its selling price? | option_a=4345 | option_b=3651 | option_c=3998 | option_d=3492 | answer=C | explanation= $Selling\ price = CP \times (100 + \text{profit}\%) / 100 = 3477 \times \frac{115}{100} = \blacksquare 3998$.

id=45908 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 45? | option_a=37 | option_b=31 | option_c=25 | option_d=45 | answer=D | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 45 is the odd one out.

id=45909 | topic=Percentages | difficulty=Easy | question=What is 30% of 1546? | option_a=443 | option_b=468 | option_c=463 | option_d=926 | answer=C | explanation= $30\% \text{ of } 1546 = \frac{30}{100} \times 1546 = 463$.

id=45910 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=Q | option_b=K | option_c=T | option_d=N | answer=A | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=45911 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=O | option_b=F | option_c=L | option_d=I | answer=C | explanation=Move 3 positions forward from I; the resulting letter is L.

id=45912 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=25 | option_b=32 | option_c=37 | option_d=31 | answer=D | explanation=The common difference is 6. Therefore the next term is $25 + 6 = 31$.

id=45913 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation= $Speed = \frac{distance}{time} = \frac{180}{3} = 60$ km/h.

id=45914 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=Z | option_c=W | option_d=Q | answer=C | explanation=Move 3 positions forward from T; the resulting letter is W.

id=45915 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14538 at 8% per annum for 5 years. | option_a=5915 | option_b=5715 | option_c=5815 | option_d=20353 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{14538 \times 8 \times 5}{100} = \blacksquare 5815$.

id=45916 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■24572 at 10% per annum for 2 years. | option_a=29486 | option_b=4914 | option_c=5014 | option_d=4814 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{24572 \times 10 \times 2}{100} = \blacksquare 4914$.

id=45917 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=39 | option_b=32 | option_c=40 | option_d=46 | answer=A | explanation=The common difference is 7. Therefore the next term is $32 + 7 = 39$.

id=45918 | topic=Averages | difficulty=Easy | question=Find the average of 72, 14, 31, 64, 59, 48, 63, 52, 15, 92. | option_a=51 | option_b=53 | option_c=50 | option_d=52 | answer=A | explanation= $Average = \frac{sum\ of\ values}{number\ of\ values} = \frac{510}{10} = 51$.

id=45919 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation= $Combined\ rate = \frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=45920 | topic=Averages | difficulty=Easy | question=Find the average of 17, 44, 69, 97, 83, 32. | option_a=56 | option_b=59 | option_c=57 | option_d=58 | answer=C | explanation= $Average = \frac{sum\ of\ values}{number\ of\ values} = \frac{342}{6} = 57$.

id=45921 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=8 | answer=C | explanation= $Combined\ rate = \frac{1}{4} + \frac{1}{4} = \frac{8}{16}$. Time = $\frac{16}{8} = 2$ days.

id=45922 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:14 and the first is 56, what is the second? | option_a=98 | option_b=84 | option_c=154 | option_d=106 | answer=A | explanation= $Scale\ factor = \frac{56}{8} = 7$. Therefore second quantity = $14 \times 7 = 98$.

id=45923 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1459. If it is sold at a profit of 40%, what is its selling price? | option_a=2042 | option_b=1499 | option_c=1897 | option_d=2187 | answer=A | explanation= $Selling\ price = CP \times (100 + \text{profit}\%) / 100 = 1459 \times \frac{140}{100} = \blacksquare 2042$.

id=45924 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2842. If it is sold at a profit of 10%, what is its selling price? | option_a=2842 | option_b=3126 | option_c=3410 | option_d=2852 | answer=B | explanation= $Selling\ price = CP \times (100 + \text{profit}\%) / 100 = 2842 \times \frac{110}{100} = \blacksquare 3126$.

id=45925 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=95 | option_c=85 | option_d=90 | answer=D | explanation= $Speed = \frac{distance}{time} = \frac{180}{2} = 90$ km/h.

id=45926 | topic=Averages | difficulty=Easy | question=Find the average of 29, 76, 78, 20, 25, 50, 85, 84, 102. | option_a=60 | option_b=62 | option_c=63 | option_d=61 | answer=D | explanation= $Average = \frac{sum\ of\ values}{number\ of\ values} = \frac{549}{9} = 61$.

id=45927 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=26 | option_b=22 | option_c=25 | option_d=24 | answer=D | explanation=The common difference is 2. Therefore the next term is $22 + 2 = 24$.

id=45928 | topic=Percentages | difficulty=Easy | question=What is 20% of 894? | option_a=173 | option_b=178 | option_c=356 | option_d=198 | answer=B | explanation= $20\% \text{ of } 894 = \frac{20}{100} \times 894 = 178$.

id=45929 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■744. If it is sold at a profit of 10%, what is its selling price? | option_a=744 | option_b=754 | option_c=818 | option_d=892 | answer=C | explanation= $Selling\ price = CP \times (100 + \text{profit}\%) / 100 = 744 \times \frac{110}{100} = \blacksquare 818$.

id=45930 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:6 and the first is 240, what is the second? | option_a=72 | option_b=66 | option_c=92 | option_d=312 | answer=A | explanation= $Scale\ factor = \frac{240}{20} = 12$. Therefore second quantity = $6 \times 12 = 72$.

Aptitude Questions — Records 45,931-45,960 of 100,000

id=45931 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=45932 | topic=Percentages | difficulty=Easy | question=What is 25% of 781? | option_a=185 | option_b=205 | option_c=390 | option_d=195 | answer=D | explanation=25% of 781 = (25/100) × 781 = 195.

id=45933 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=40 | option_c=45 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=45934 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 12. | option_a=18 | option_b=12 | option_c=1 | option_d=72 | answer=B | explanation=LCM × HCF = 6×12; HCF(6,12) = 6, so LCM = 12.

id=45935 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2902. If it is sold at a profit of 25%, what is its selling price? | option_a=2927 | option_b=3917 | option_c=3627 | option_d=3337 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2902 × 125/100 = █3627.

id=45936 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:1 and the first is 90, what is the second? | option_a=4 | option_b=95 | option_c=5 | option_d=23 | answer=C | explanation=Scale factor = 90/18 = 5. Therefore second quantity = 1×5 = 5.

id=45937 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 27. | option_a=108 | option_b=135 | option_c=150 | option_d=405 | answer=B | explanation=LCM × HCF = 15×27; HCF(15,27) = 3, so LCM = 135.

id=45938 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3757. If it is sold at a profit of 15%, what is its selling price? | option_a=4695 | option_b=3772 | option_c=3945 | option_d=4320 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3757 × 115/100 = █4320.

id=45939 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=45940 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=V | option_b=G | option_c=L | option_d=Q | answer=D | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=45941 | topic=Averages | difficulty=Easy | question=Find the average of 100, 65, 96. | option_a=86 | option_b=89 | option_c=88 | option_d=87 | answer=D | explanation=Average = sum of values ÷ number of values = 261 ÷ 3 = 87.

id=45942 | topic=Averages | difficulty=Easy | question=Find the average of 96, 41, 59, 67, 26, 59, 76, 96. | option_a=66 | option_b=64 | option_c=65 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 520 ÷ 8 = 65.

id=45943 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:6 and the first is 171, what is the second? | option_a=54 | option_b=73 | option_c=48 | option_d=225 | answer=A | explanation=Scale factor = 171/19 = 9. Therefore second quantity = 6×9 = 54.

id=45944 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=F | option_c=H | option_d=I | answer=C | explanation=Move 1 positions forward from G; the resulting letter is H.

id=45945 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=19 | option_c=29 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=45946 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 28, 31, 37? | option_a=25 | option_b=37 | option_c=31 | option_d=28 | answer=B | explanation=The first three numbers increase by 3, so the next should be 34. Therefore 37 is the odd one out.

id=45947 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26067 at 8% per annum for 3 years. | option_a=6256 | option_b=32323 | option_c=6356 | option_d=6156 | answer=A | explanation=SI = PRT/100 = 26067×8×3/100 = █6256.

id=45948 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=41 | option_b=35 | option_c=40 | option_d=45 | answer=C | explanation=The common difference is 5. Therefore the next term is 35 + 5 = 40.

id=45949 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=53 | option_b=44 | option_c=35 | option_d=45 | answer=B | explanation=The common difference is 9. Therefore the next term is 35 + 9 = 44.

id=45950 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:6 and the first is 238, what is the second? | option_a=96 | option_b=340 | option_c=116 | option_d=102 | answer=D | explanation=Scale factor = 238/14 = 17. Therefore second quantity = 6×17 = 102.

id=45951 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 52? | option_a=25 | option_b=33 | option_c=52 | option_d=41 | answer=C | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 52 is the odd one out.

id=45952 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=45953 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=V | option_c=R | option_d=X | answer=B | explanation=Move 2 positions forward from T; the resulting letter is V.

id=45954 | topic=Percentages | difficulty=Easy | question=What is 30% of 1485? | option_a=445 | option_b=465 | option_c=890 | option_d=425 | answer=A | explanation=30% of 1485 = (30/100) × 1485 = 445.

id=45955 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:11 and the first is 15, what is the second? | option_a=48 | option_b=38 | option_c=33 | option_d=22 | answer=C | explanation=Scale factor = 15/5 = 3. Therefore second quantity = 11×3 = 33.

id=45956 | topic=Percentages | difficulty=Easy | question=What is 10% of 1897? | option_a=199 | option_b=184 | option_c=189 | option_d=378 | answer=C | explanation=10% of 1897 = (10/100) × 1897 = 189.

id=45957 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27463 at 4% per annum for 1 years. | option_a=28561 | option_b=998 | option_c=1198 | option_d=1098 | answer=D | explanation=SI = PRT/100 = 27463×4×1/100 = █1098.

id=45958 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=120 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=45959 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 34, 41, 49? | option_a=49 | option_b=34 | option_c=27 | option_d=41 | answer=A | explanation=The first three numbers increase by 7, so the next should be 48. Therefore 49 is the odd one out.

id=45960 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=15 | option_b=14 | option_c=11 | option_d=13 | answer=D | explanation=The common difference is 2. Therefore the next term is 11 + 2 = 13.

Aptitude Questions — Records 45,961-45,990 of 100,000

id=45961 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=E | option_c=G | option_d=C | answer=C | explanation=Move 2 positions forward from E; the resulting letter is G.

id=45962 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**532. If it is sold at a profit of 5%, what is its selling price? | option_a=537 | option_b=558 | option_c=611 | option_d=505 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 532 \times 105/100 = \text{■}558$.

id=45963 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 30. | option_a=420 | option_b=840 | option_c=390 | option_d=448 | answer=A | explanation= $LCM \times HCF = 28 \times 30$; $HCF(28,30) = 2$, so $LCM = 420$.

id=45964 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=33 | option_b=40 | option_c=45 | option_d=39 | answer=D | explanation=The common difference is 6. Therefore the next term is $33 + 6 = 39$.

id=45965 | topic=Percentages | difficulty=Easy | question=What is 15% of 101? | option_a=0 | option_b=25 | option_c=15 | option_d=30 | answer=C | explanation=15% of 101 = $(15/100) \times 101 = 15$.

id=45966 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=35 | option_b=42 | option_c=34 | option_d=26 | answer=C | explanation=The common difference is 8. Therefore the next term is $26 + 8 = 34$.

id=45967 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=45968 | topic=Percentages | difficulty=Easy | question=What is 30% of 1511? | option_a=453 | option_b=906 | option_c=448 | option_d=463 | answer=A | explanation=30% of 1511 = $(30/100) \times 1511 = 453$.

id=45969 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26124 at 5% per annum for 1 years. | option_a=1206 | option_b=1306 | option_c=1406 | option_d=27430 | answer=B | explanation=SI = $PRT/100 = 26124 \times 5 \times 1/100 = \text{■}1306$.

id=45970 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**320. If it is sold at a profit of 50%, what is its selling price? | option_a=512 | option_b=448 | option_c=370 | option_d=480 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 320 \times 150/100 = \text{■}480$.

id=45971 | topic=Percentages | difficulty=Easy | question=What is 30% of 1474? | option_a=442 | option_b=884 | option_c=422 | option_d=447 | answer=A | explanation=30% of 1474 = $(30/100) \times 1474 = 442$.

id=45972 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=45973 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 300 \div 10 = 30$ km/h.

id=45974 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:12 and the first is 7, what is the second? | option_a=84 | option_b=85 | option_c=72 | option_d=91 | answer=A | explanation=Scale factor = $7/1 = 7$. Therefore second quantity = $12 \times 7 = 84$.

id=45975 | topic=Percentages | difficulty=Easy | question=What is 30% of 337? | option_a=202 | option_b=101 | option_c=111 | option_d=96 | answer=B | explanation=30% of 337 = $(30/100) \times 337 = 101$.

id=45976 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=B | option_b=H | option_c=K | option_d=E | answer=B | explanation=Move 3 positions forward from E; the resulting letter is H.

id=45977 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:11 and the first is 80, what is the second? | option_a=124 | option_b=33 | option_c=44 | option_d=64 | answer=C | explanation=Scale factor = $80/20 = 4$. Therefore second quantity = $11 \times 4 = 44$.

id=45978 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=45979 | topic=Percentages | difficulty=Easy | question=What is 15% of 1629? | option_a=264 | option_b=244 | option_c=239 | option_d=488 | answer=B | explanation=15% of 1629 = $(15/100) \times 1629 = 244$.

id=45980 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3389. If it is sold at a profit of 15%, what is its selling price? | option_a=4235 | option_b=3559 | option_c=3897 | option_d=3404 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 3389 \times 115/100 = \text{■}3897$.

id=45981 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=42 | option_b=35 | option_c=49 | option_d=43 | answer=A | explanation=The common difference is 7. Therefore the next term is $35 + 7 = 42$.

id=45982 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=37 | option_b=48 | option_c=47 | option_d=57 | answer=C | explanation=The common difference is 10. Therefore the next term is $37 + 10 = 47$.

id=45983 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4981. If it is sold at a profit of 50%, what is its selling price? | option_a=7471 | option_b=7969 | option_c=5031 | option_d=6973 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 4981 \times 150/100 = \text{■}7471$.

id=45984 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 120 \div 4 = 30$ km/h.

id=45985 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=U | option_b=K | option_c=Z | option_d=P | answer=A | explanation=Move 5 positions forward from P; the resulting letter is U.

id=45986 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4647. If it is sold at a profit of 30%, what is its selling price? | option_a=6505 | option_b=6041 | option_c=5577 | option_d=4677 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 4647 \times 130/100 = \text{■}6041$.

id=45987 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14708 at 5% per annum for 2 years. | option_a=1470 | option_b=1370 | option_c=1570 | option_d=16178 | answer=A | explanation=SI = $PRT/100 = 14708 \times 5 \times 2/100 = \text{■}1470$.

id=45988 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 12. | option_a=112 | option_b=336 | option_c=84 | option_d=72 | answer=C | explanation= $LCM \times HCF = 28 \times 12$; $HCF(28,12) = 4$, so $LCM = 84$.

id=45989 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=48 | option_b=59 | option_c=70 | option_d=60 | answer=B | explanation=The common difference is 11. Therefore the next term is $48 + 11 = 59$.

id=45990 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38936 at 6% per annum for 2 years. | option_a=4772 | option_b=43608 | option_c=4572 | option_d=4672 | answer=D | explanation=SI = $PRT/100 = 38936 \times 6 \times 2/100 = \text{■}4672$.

Aptitude Questions — Records 45,991-46,020 of 100,000

id=45991 | topic=Profit & Loss | difficulty=Easy | question=An article costs █363. If it is sold at a profit of 15%, what is its selling price? | option_a=381 | option_b=378 | option_c=453 | option_d=417 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 363 × 115/100 = █417.

id=45992 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=90 | option_c=180 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=45993 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38022 at 8% per annum for 4 years. | option_a=12267 | option_b=12167 | option_c=12067 | option_d=50189 | answer=B | explanation=SI = PRT/100 = 38022×8×4/100 = █12167.

id=45994 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=45995 | topic=Percentages | difficulty=Easy | question=What is 12% of 1687? | option_a=207 | option_b=202 | option_c=197 | option_d=404 | answer=B | explanation=12% of 1687 = (12/100) × 1687 = 202.

id=45996 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 25? | option_a=16 | option_b=18 | option_c=20 | option_d=25 | answer=D | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 25 is the odd one out.

id=45997 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 27, 33, 42? | option_a=21 | option_b=33 | option_c=42 | option_d=27 | answer=C | explanation=The first three numbers increase by 6, so the next should be 39. Therefore 42 is the odd one out.

id=45998 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=180 | option_c=90 | option_d=95 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=45999 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 20? | option_a=11 | option_b=20 | option_c=13 | option_d=15 | answer=B | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 20 is the odd one out.

id=46000 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=46001 | topic=Averages | difficulty=Easy | question=Find the average of 79, 92, 45, 97, 23, 76, 98, 43, 14. | option_a=63 | option_b=64 | option_c=62 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 567 ÷ 9 = 63.

id=46002 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 32, 42, 54? | option_a=42 | option_b=32 | option_c=22 | option_d=54 | answer=D | explanation=The first three numbers increase by 10, so the next should be 52. Therefore 54 is the odd one out.

id=46003 | topic=Averages | difficulty=Easy | question=Find the average of 43, 54, 57, 51, 90, 70, 21, 22, 69. | option_a=55 | option_b=54 | option_c=53 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 477 ÷ 9 = 53.

id=46004 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=46005 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=28 | option_b=27 | option_c=30 | option_d=24 | answer=B | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=46006 | topic=Averages | difficulty=Easy | question=Find the average of 46, 73, 98, 71, 98, 74, 86, 92, 82. | option_a=80 | option_b=82 | option_c=81 | option_d=79 | answer=A | explanation=Average = sum of values ÷ number of values = 720 ÷ 9 = 80.

id=46007 | topic=Averages | difficulty=Easy | question=Find the average of 20, 74, 38. | option_a=45 | option_b=43 | option_c=44 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 132 ÷ 3 = 44.

id=46008 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=46009 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4184. If it is sold at a profit of 40%, what is its selling price? | option_a=6275 | option_b=5439 | option_c=5857 | option_d=4224 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4184 × 140/100 = █5857.

id=46010 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46552 at 8% per annum for 3 years. | option_a=11172 | option_b=11072 | option_c=11272 | option_d=57724 | answer=A | explanation=SI = PRT/100 = 46552×8×3/100 = █11172.

id=46011 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:5 and the first is 198, what is the second? | option_a=50 | option_b=55 | option_c=73 | option_d=253 | answer=B | explanation=Scale factor = 198/18 = 11. Therefore second quantity = 5×11 = 55.

id=46012 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=6 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=46013 | topic=Percentages | difficulty=Easy | question=What is 10% of 379? | option_a=17 | option_b=74 | option_c=37 | option_d=57 | answer=C | explanation=10% of 379 = (10/100) × 379 = 37.

id=46014 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 22. | option_a=396 | option_b=198 | option_c=216 | option_d=176 | answer=B | explanation=LCM × HCF = 18×22; HCF(18,22) = 2, so LCM = 198.

id=46015 | topic=Percentages | difficulty=Easy | question=What is 50% of 1410? | option_a=1410 | option_b=705 | option_c=715 | option_d=685 | answer=B | explanation=50% of 1410 = (50/100) × 1410 = 705.

id=46016 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=10 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=46017 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 14, 22, 31? | option_a=22 | option_b=14 | option_c=6 | option_d=31 | answer=D | explanation=The first three numbers increase by 8, so the next should be 30. Therefore 31 is the odd one out.

id=46018 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 53? | option_a=40 | option_b=30 | option_c=20 | option_d=53 | answer=D | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 53 is the odd one out.

id=46019 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 42? | option_a=22 | option_b=28 | option_c=34 | option_d=42 | answer=D | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 42 is the odd one out.

id=46020 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 22, 26, 31? | option_a=22 | option_b=18 | option_c=31 | option_d=26 | answer=C | explanation=The first three numbers increase by 4, so the next should be 30. Therefore 31 is the odd one out.

Aptitude Questions — Records 46,021-46,050 of 100,000

id=46021 | topic=Averages | difficulty=Easy | question=Find the average of 64, 19, 10, 66, 99, 18. | option_a=46 | option_b=45 | option_c=47 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = $276 \div 6 = 46$.

id=46022 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 6, 10, 17? | option_a=17 | option_b=2 | option_c=6 | option_d=10 | answer=A | explanation=The first three numbers increase by 4, so the next should be 14. Therefore 17 is the odd one out.

id=46023 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=23 | option_b=24 | option_c=19 | option_d=27 | answer=A | explanation=The common difference is 4. Therefore the next term is $19 + 4 = 23$.

id=46024 | topic=Averages | difficulty=Easy | question=Find the average of 73, 63, 76, 98, 72, 52, 97, 37. | option_a=71 | option_b=72 | option_c=70 | option_d=73 | answer=A | explanation=Average = sum of values ÷ number of values = $568 \div 8 = 71$.

id=46025 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:5 and the first is 24, what is the second? | option_a=20 | option_b=44 | option_c=26 | option_d=15 | answer=A | explanation=Scale factor = $24/6 = 4$. Therefore second quantity = $5 \times 4 = 20$.

id=46026 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=M | option_b=X | option_c=C | option_d=H | answer=D | explanation=Move 5 positions forward from C; the resulting letter is H.

id=46027 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=46028 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=46029 | topic=Averages | difficulty=Easy | question=Find the average of 83, 32, 74, 32, 47, 86, 94. | option_a=66 | option_b=64 | option_c=63 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = $448 \div 7 = 64$.

id=46030 | topic=Averages | difficulty=Easy | question=Find the average of 30, 44, 77, 17. | option_a=42 | option_b=41 | option_c=44 | option_d=43 | answer=A | explanation=Average = sum of values ÷ number of values = $168 \div 4 = 42$.

id=46031 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:4 and the first is 12, what is the second? | option_a=8 | option_b=20 | option_c=14 | option_d=4 | answer=A | explanation=Scale factor = $12/6 = 2$. Therefore second quantity = $4 \times 2 = 8$.

id=46032 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=52 | option_b=76 | option_c=64 | option_d=65 | answer=C | explanation=The common difference is 12. Therefore the next term is $52 + 12 = 64$.

id=46033 | topic=Percentages | difficulty=Easy | question=What is 10% of 1348? | option_a=154 | option_b=268 | option_c=134 | option_d=114 | answer=C | explanation=10% of 1348 = $(10/100) \times 1348 = 134$.

id=46034 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=12 | answer=B | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=46035 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=46036 | topic=Averages | difficulty=Easy | question=Find the average of 41, 88, 22, 41. | option_a=48 | option_b=50 | option_c=49 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = $192 \div 4 = 48$.

id=46037 | topic=Averages | difficulty=Easy | question=Find the average of 46, 90, 47. | option_a=60 | option_b=62 | option_c=63 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = $183 \div 3 = 61$.

id=46038 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4621 at 12% per annum for 1 years. | option_a=5175 | option_b=554 | option_c=454 | option_d=654 | answer=B | explanation=SI = $PRT/100 = 4621 \times 12 \times 1/100 = \text{█}554$.

id=46039 | topic=Percentages | difficulty=Easy | question=What is 20% of 1867? | option_a=373 | option_b=746 | option_c=368 | option_d=393 | answer=A | explanation=20% of 1867 = $(20/100) \times 1867 = 373$.

id=46040 | topic=Percentages | difficulty=Easy | question=What is 12% of 112? | option_a=3 | option_b=26 | option_c=13 | option_d=23 | answer=C | explanation=12% of 112 = $(12/100) \times 112 = 13$.

id=46041 | topic=Averages | difficulty=Easy | question=Find the average of 53, 54, 70. | option_a=58 | option_b=59 | option_c=60 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = $177 \div 3 = 59$.

id=46042 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=62 | option_b=51 | option_c=73 | option_d=63 | answer=A | explanation=The common difference is 11. Therefore the next term is $51 + 11 = 62$.

id=46043 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:17 and the first is 198, what is the second? | option_a=385 | option_b=205 | option_c=187 | option_d=170 | answer=C | explanation=Scale factor = $198/18 = 11$. Therefore second quantity = $17 \times 11 = 187$.

id=46044 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 23, 26, 30? | option_a=26 | option_b=23 | option_c=30 | option_d=20 | answer=C | explanation=The first three numbers increase by 3, so the next should be 29. Therefore 30 is the odd one out.

id=46045 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=100 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = $150 \div 3 = 50$ km/h.

id=46046 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3079. If it is sold at a profit of 50%, what is its selling price? | option_a=4618 | option_b=4311 | option_c=3129 | option_d=4925 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3079 \times 150/100 = \text{█}4618$.

id=46047 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=Z | option_b=D | option_c=L | option_d=H | answer=D | explanation=Move 4 positions forward from D; the resulting letter is H.

id=46048 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1925. If it is sold at a profit of 20%, what is its selling price? | option_a=2310 | option_b=2118 | option_c=1945 | option_d=2502 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1925 \times 120/100 = \text{█}2310$.

id=46049 | topic=Percentages | difficulty=Easy | question=What is 15% of 1278? | option_a=382 | option_b=211 | option_c=186 | option_d=191 | answer=D | explanation=15% of 1278 = $(15/100) \times 1278 = 191$.

id=46050 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

Aptitude Questions — Records 46,051-46,080 of 100,000

id=46051 | topic=Averages | difficulty=Easy | question=Find the average of 53, 60, 65, 43, 28, 97, 67, 35. | option_a=58 | option_b=55 | option_c=56 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 448 ÷ 8 = 56.

id=46052 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=70 | option_b=75 | option_c=80 | option_d=150 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=46053 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36168 at 4% per annum for 1 years. | option_a=37614 | option_b=1546 | option_c=1446 | option_d=1346 | answer=C | explanation=SI = PRT/100 = 36168×4×1/100 = **■**1446.

id=46054 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**191. If it is sold at a profit of 5%, what is its selling price? | option_a=200 | option_b=219 | option_c=181 | option_d=196 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 191 × 105/100 = **■**200.

id=46055 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4193 at 10% per annum for 3 years. | option_a=1157 | option_b=1257 | option_c=1357 | option_d=5450 | answer=B | explanation=SI = PRT/100 = 4193×10×3/100 = **■**1257.

id=46056 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**893. If it is sold at a profit of 40%, what is its selling price? | option_a=1250 | option_b=1339 | option_c=1161 | option_d=933 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 893 × 140/100 = **■**1250.

id=46057 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 44? | option_a=23 | option_b=13 | option_c=44 | option_d=33 | answer=C | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 44 is the odd one out.

id=46058 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37529 at 8% per annum for 3 years. | option_a=9106 | option_b=46535 | option_c=8906 | option_d=9006 | answer=D | explanation=SI = PRT/100 = 37529×8×3/100 = **■**9006.

id=46059 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 52? | option_a=39 | option_b=52 | option_c=29 | option_d=19 | answer=B | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 52 is the odd one out.

id=46060 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 28. | option_a=56 | option_b=96 | option_c=336 | option_d=84 | answer=D | explanation=LCM × HCF = 12×28; HCF(12,28) = 4, so LCM = 84.

id=46061 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=46062 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=P | option_b=T | option_c=V | option_d=R | answer=B | explanation=Move 2 positions forward from R; the resulting letter is T.

id=46063 | topic=Averages | difficulty=Easy | question=Find the average of 60, 55, 52, 25. | option_a=50 | option_b=48 | option_c=47 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 192 ÷ 4 = 48.

id=46064 | topic=Percentages | difficulty=Easy | question=What is 20% of 978? | option_a=200 | option_b=185 | option_c=390 | option_d=195 | answer=D | explanation=20% of 978 = (20/100) × 978 = 195.

id=46065 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=46066 | topic=Percentages | difficulty=Easy | question=What is 40% of 1165? | option_a=466 | option_b=932 | option_c=471 | option_d=461 | answer=A | explanation=40% of 1165 = (40/100) × 1165 = 466.

id=46067 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 12, 21, 30, ? | option_a=40 | option_b=48 | option_c=30 | option_d=39 | answer=D | explanation=The common difference is 9. Therefore the next term is 30 + 9 = 39.

id=46068 | topic=Averages | difficulty=Easy | question=Find the average of 72, 42, 74, 52. | option_a=61 | option_b=59 | option_c=62 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 240 ÷ 4 = 60.

id=46069 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:14 and the first is 96, what is the second? | option_a=100 | option_b=70 | option_c=84 | option_d=180 | answer=C | explanation=Scale factor = 96/16 = 6. Therefore second quantity = 14×6 = 84.

id=46070 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=5 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=46071 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 26, 33, 42? | option_a=42 | option_b=26 | option_c=19 | option_d=33 | answer=A | explanation=The first three numbers increase by 7, so the next should be 40. Therefore 42 is the odd one out.

id=46072 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=46073 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:18 and the first is 300, what is the second? | option_a=570 | option_b=290 | option_c=252 | option_d=270 | answer=D | explanation=Scale factor = 300/20 = 15. Therefore second quantity = 18×15 = 270.

id=46074 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 28. | option_a=840 | option_b=392 | option_c=420 | option_d=450 | answer=C | explanation=LCM × HCF = 30×28; HCF(30,28) = 2, so LCM = 420.

id=46075 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=J | option_c=S | option_d=P | answer=D | explanation=Move 3 positions forward from M; the resulting letter is P.

id=46076 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=35 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=46077 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3360 at 12% per annum for 4 years. | option_a=4972 | option_b=1612 | option_c=1712 | option_d=1512 | answer=B | explanation=SI = PRT/100 = 3360×12×4/100 = **■**1612.

id=46078 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:6 and the first is 84, what is the second? | option_a=168 | option_b=84 | option_c=78 | option_d=90 | answer=B | explanation=Scale factor = 84/6 = 14. Therefore second quantity = 6×14 = 84.

id=46079 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13415 at 12% per annum for 2 years. | option_a=3319 | option_b=3219 | option_c=16634 | option_d=3119 | answer=B | explanation=SI = PRT/100 = 13415×12×2/100 = **■**3219.

id=46080 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35897 at 12% per annum for 4 years. | option_a=17230 | option_b=17330 | option_c=17130 | option_d=53127 | answer=A | explanation=SI = PRT/100 = 35897×12×4/100 = **■**17230.

Aptitude Questions — Records 46,081-46,110 of 100,000

id=46081 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=K | option_b=Z | option_c=U | option_d=P | answer=C | explanation=Move 5 positions forward from P; the resulting letter is U.

id=46082 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=46083 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 32? | option_a=32 | option_b=13 | option_c=22 | option_d=4 | answer=A | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 32 is the odd one out.

id=46084 | topic=Percentages | difficulty=Easy | question=What is 25% of 1056? | option_a=269 | option_b=264 | option_c=254 | option_d=528 | answer=B | explanation=25% of 1056 = (25/100) × 1056 = 264.

id=46085 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=77 | option_c=67 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=46086 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:13 and the first is 90, what is the second? | option_a=168 | option_b=93 | option_c=78 | option_d=65 | answer=C | explanation=Scale factor = 90/15 = 6. Therefore second quantity = 13×6 = 78.

id=46087 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30499 at 5% per annum for 4 years. | option_a=6099 | option_b=36598 | option_c=6199 | option_d=5999 | answer=A | explanation=SI = PRT/100 = 30499×5×4/100 = **■**6099.

id=46088 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=H | option_b=R | option_c=W | option_d=M | answer=B | explanation=Move 5 positions forward from M; the resulting letter is R.

id=46089 | topic=Averages | difficulty=Easy | question=Find the average of 77, 31, 54. | option_a=56 | option_b=55 | option_c=54 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 162 ÷ 3 = 54.

id=46090 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22864 at 8% per annum for 1 years. | option_a=1829 | option_b=1729 | option_c=1929 | option_d=24693 | answer=A | explanation=SI = PRT/100 = 22864×8×1/100 = **■**1829.

id=46091 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=17 | option_b=13 | option_c=16 | option_d=19 | answer=C | explanation=The common difference is 3. Therefore the next term is 13 + 3 = 16.

id=46092 | topic=Percentages | difficulty=Easy | question=What is 50% of 279? | option_a=278 | option_b=149 | option_c=139 | option_d=119 | answer=C | explanation=50% of 279 = (50/100) × 279 = 139.

id=46093 | topic=Averages | difficulty=Easy | question=Find the average of 72, 35, 23, 70, 13, 81, 41, 89. | option_a=55 | option_b=54 | option_c=52 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.

id=46094 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=Y | option_b=O | option_c=T | option_d=J | answer=C | explanation=Move 5 positions forward from O; the resulting letter is T.

id=46095 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:14 and the first is 63, what is the second? | option_a=126 | option_b=133 | option_c=112 | option_d=189 | answer=A | explanation=Scale factor = 63/7 = 9. Therefore second quantity = 14×9 = 126.

id=46096 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18926 at 15% per annum for 2 years. | option_a=5577 | option_b=24603 | option_c=5677 | option_d=5777 | answer=C | explanation=SI = PRT/100 = 18926×15×2/100 = **■**5677.

id=46097 | topic=Averages | difficulty=Easy | question=Find the average of 70, 75, 37, 81, 82. | option_a=71 | option_b=70 | option_c=69 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 345 ÷ 5 = 69.

id=46098 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20815 at 4% per annum for 2 years. | option_a=1665 | option_b=22480 | option_c=1565 | option_d=1765 | answer=A | explanation=SI = PRT/100 = 20815×4×2/100 = **■**1665.

id=46099 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 29, 31, 34? | option_a=27 | option_b=29 | option_c=34 | option_d=31 | answer=C | explanation=The first three numbers increase by 2, so the next should be 33. Therefore 34 is the odd one out.

id=46100 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:16 and the first is 272, what is the second? | option_a=528 | option_b=240 | option_c=273 | option_d=256 | answer=D | explanation=Scale factor = 272/17 = 16. Therefore second quantity = 16×16 = 256.

id=46101 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2168. If it is sold at a profit of 40%, what is its selling price? | option_a=3251 | option_b=2208 | option_c=3035 | option_d=2819 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2168 × 140/100 = **■**3035.

id=46102 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=180 | option_c=85 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=46103 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 18. | option_a=180 | option_b=198 | option_c=396 | option_d=220 | answer=B | explanation=LCM × HCF = 22×18; HCF(22,18) = 2, so LCM = 198.

id=46104 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=L | option_b=M | option_c=K | option_d=J | answer=A | explanation=Move 1 positions forward from K; the resulting letter is L.

id=46105 | topic=Averages | difficulty=Easy | question=Find the average of 42, 51, 23, 19, 75. | option_a=42 | option_b=41 | option_c=43 | option_d=44 | answer=A | explanation=Average = sum of values ÷ number of values = 210 ÷ 5 = 42.

id=46106 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=G | option_c=L | option_d=W | answer=B | explanation=Move 5 positions forward from B; the resulting letter is G.

id=46107 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38659 at 4% per annum for 3 years. | option_a=4639 | option_b=43298 | option_c=4739 | option_d=4539 | answer=A | explanation=SI = PRT/100 = 38659×4×3/100 = **■**4639.

id=46108 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=44 | option_b=34 | option_c=39 | option_d=40 | answer=C | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

id=46109 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:9 and the first is 216, what is the second? | option_a=378 | option_b=162 | option_c=174 | option_d=153 | answer=B | explanation=Scale factor = 216/12 = 18. Therefore second quantity = 9×18 = 162.

id=46110 | topic=Percentages | difficulty=Easy | question=What is 25% of 1290? | option_a=322 | option_b=327 | option_c=302 | option_d=644 | answer=A | explanation=25% of 1290 = (25/100) × 1290 = 322.

Aptitude Questions — Records 46,111-46,140 of 100,000

- id=46111 | topic=Profit & Loss | difficulty=Easy | question=An article costs █403. If it is sold at a profit of 30%, what is its selling price? | option_a=523 | option_b=433 | option_c=563 | option_d=483 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 403 × 130/100 = █523.
- id=46112 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=V | option_c=R | option_d=X | answer=B | explanation=Move 2 positions forward from T; the resulting letter is V.
- id=46113 | topic=Averages | difficulty=Easy | question=Find the average of 65, 22, 52, 95, 26, 13, 75, 16, 68. | option_a=50 | option_b=48 | option_c=47 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 432 ÷ 9 = 48.
- id=46114 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.
- id=46115 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22095 at 5% per annum for 4 years. | option_a=4419 | option_b=26514 | option_c=4319 | option_d=4519 | answer=A | explanation=SI = PRT/100 = 22095×5×4/100 = █4419.
- id=46116 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=A | option_c=E | option_d=M | answer=A | explanation=Move 4 positions forward from E; the resulting letter is I.
- id=46117 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=23 | option_b=15 | option_c=20 | option_d=19 | answer=D | explanation=The common difference is 4. Therefore the next term is 15 + 4 = 19.
- id=46118 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.
- id=46119 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 28, 31, 35? | option_a=28 | option_b=25 | option_c=35 | option_d=31 | answer=C | explanation=The first three numbers increase by 3, so the next should be 34. Therefore 35 is the odd one out.
- id=46120 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 12, 17, 24? | option_a=17 | option_b=12 | option_c=24 | option_d=7 | answer=C | explanation=The first three numbers increase by 5, so the next should be 22. Therefore 24 is the odd one out.
- id=46121 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 30? | option_a=18 | option_b=30 | option_c=24 | option_d=21 | answer=B | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 30 is the odd one out.
- id=46122 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 22, 32, 44? | option_a=22 | option_b=12 | option_c=44 | option_d=32 | answer=C | explanation=The first three numbers increase by 10, so the next should be 42. Therefore 44 is the odd one out.
- id=46123 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.
- id=46124 | topic=Averages | difficulty=Easy | question=Find the average of 88, 57, 99, 40. | option_a=73 | option_b=70 | option_c=71 | option_d=72 | answer=C | explanation=Average = sum of values ÷ number of values = 284 ÷ 4 = 71.
- id=46125 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:10 and the first is 44, what is the second? | option_a=84 | option_b=51 | option_c=40 | option_d=30 | answer=C | explanation=Scale factor = 44/11 = 4. Therefore second quantity = 10×4 = 40.
- id=46126 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 34? | option_a=25 | option_b=29 | option_c=34 | option_d=27 | answer=C | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 34 is the odd one out.
- id=46127 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3846. If it is sold at a profit of 15%, what is its selling price? | option_a=4806 | option_b=4038 | option_c=3861 | option_d=4422 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3846 × 115/100 = █4422.
- id=46128 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=52 | option_b=42 | option_c=62 | option_d=53 | answer=A | explanation=The common difference is 10. Therefore the next term is 42 + 10 = 52.
- id=46129 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 32? | option_a=32 | option_b=25 | option_c=27 | option_d=29 | answer=A | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 32 is the odd one out.
- id=46130 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:5 and the first is 300, what is the second? | option_a=70 | option_b=375 | option_c=95 | option_d=75 | answer=D | explanation=Scale factor = 300/20 = 15. Therefore second quantity = 5×15 = 75.
- id=46131 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=A | option_b=R | option_c=X | option_d=U | answer=C | explanation=Move 3 positions forward from U; the resulting letter is X.
- id=46132 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 21. | option_a=42 | option_b=21 | option_c=1 | option_d=441 | answer=B | explanation=LCM × HCF = 21×21; HCF(21,21) = 21, so LCM = 21.
- id=46133 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=27 | option_b=32 | option_c=37 | option_d=33 | answer=B | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.
- id=46134 | topic=Percentages | difficulty=Easy | question=What is 10% of 1602? | option_a=155 | option_b=160 | option_c=165 | option_d=320 | answer=B | explanation=10% of 1602 = (10/100) × 1602 = 160.
- id=46135 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 31, 41, 53? | option_a=21 | option_b=31 | option_c=41 | option_d=53 | answer=D | explanation=The first three numbers increase by 10, so the next should be 51. Therefore 53 is the odd one out.
- id=46136 | topic=Averages | difficulty=Easy | question=Find the average of 22, 32, 45. | option_a=32 | option_b=35 | option_c=33 | option_d=34 | answer=C | explanation=Average = sum of values ÷ number of values = 99 ÷ 3 = 33.
- id=46137 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.
- id=46138 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:1 and the first is 234, what is the second? | option_a=17 | option_b=31 | option_c=18 | option_d=252 | answer=C | explanation=Scale factor = 234/13 = 18. Therefore second quantity = 1×18 = 18.
- id=46139 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3907. If it is sold at a profit of 30%, what is its selling price? | option_a=4689 | option_b=5079 | option_c=5469 | option_d=3937 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3907 × 130/100 = █5079.
- id=46140 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=L | option_b=P | option_c=X | option_d=T | answer=D | explanation=Move 4 positions forward from P; the resulting letter is T.

Aptitude Questions — Records 46,141-46,170 of 100,000

id=46141 | topic=Percentages | difficulty=Easy | question=What is 30% of 125? | option_a=74 | option_b=37 | option_c=27 | option_d=57 | answer=B | explanation=30% of 125 = (30/100) × 125 = 37.

id=46142 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44435 at 8% per annum for 3 years. | option_a=10564 | option_b=55099 | option_c=10664 | option_d=10764 | answer=C | explanation=SI = PRT/100 = 44435×8×3/100 = **■**10664.

id=46143 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=46144 | topic=Averages | difficulty=Easy | question=Find the average of 99, 69, 11, 18, 63. | option_a=53 | option_b=51 | option_c=54 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 260 ÷ 5 = 52.

id=46145 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=46146 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=Q | option_b=R | option_c=O | option_d=P | answer=A | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=46147 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=46148 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:18 and the first is 323, what is the second? | option_a=665 | option_b=359 | option_c=342 | option_d=324 | answer=C | explanation=Scale factor = 323/17 = 19. Therefore second quantity = 18×19 = 342.

id=46149 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 12. | option_a=24 | option_b=1 | option_c=12 | option_d=14 | answer=C | explanation=LCM × HCF = 2×12; HCF(2,12) = 2, so LCM = 12.

id=46150 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32741 at 6% per annum for 5 years. | option_a=42563 | option_b=9922 | option_c=9722 | option_d=9822 | answer=D | explanation=SI = PRT/100 = 32741×6×5/100 = **■**9822.

id=46151 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=46152 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7072 at 15% per annum for 3 years. | option_a=3282 | option_b=10254 | option_c=3182 | option_d=3082 | answer=C | explanation=SI = PRT/100 = 7072×15×3/100 = **■**3182.

id=46153 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 25, 34, 44? | option_a=25 | option_b=16 | option_c=34 | option_d=44 | answer=D | explanation=The first three numbers increase by 9, so the next should be 43. Therefore 44 is the odd one out.

id=46154 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=5 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=46155 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2506 at 4% per annum for 4 years. | option_a=400 | option_b=500 | option_c=2906 | option_d=300 | answer=A | explanation=SI = PRT/100 = 2506×4×4/100 = **■**400.

id=46156 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=46157 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 44? | option_a=34 | option_b=26 | option_c=44 | option_d=18 | answer=C | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 44 is the odd one out.

id=46158 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 35? | option_a=30 | option_b=28 | option_c=26 | option_d=35 | answer=D | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 35 is the odd one out.

id=46159 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2033 at 4% per annum for 5 years. | option_a=306 | option_b=406 | option_c=2439 | option_d=506 | answer=B | explanation=SI = PRT/100 = 2033×4×5/100 = **■**406.

id=46160 | topic=Averages | difficulty=Easy | question=Find the average of 60, 81, 46, 47, 77, 39, 15, 86, 79, 80. | option_a=63 | option_b=61 | option_c=62 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 610 ÷ 10 = 61.

id=46161 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 33? | option_a=17 | option_b=24 | option_c=33 | option_d=10 | answer=C | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 33 is the odd one out.

id=46162 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:3 and the first is 68, what is the second? | option_a=119 | option_b=51 | option_c=55 | option_d=48 | answer=B | explanation=Scale factor = 68/4 = 17. Therefore second quantity = 3×17 = 51.

id=46163 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 34? | option_a=26 | option_b=34 | option_c=28 | option_d=30 | answer=B | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 34 is the odd one out.

id=46164 | topic=Percentages | difficulty=Easy | question=What is 12% of 1380? | option_a=330 | option_b=175 | option_c=160 | option_d=165 | answer=D | explanation=12% of 1380 = (12/100) × 1380 = 165.

id=46165 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=Z | option_c=P | option_d=E | answer=B | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=46166 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=85 | option_c=160 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=46167 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44971 at 10% per annum for 4 years. | option_a=18088 | option_b=17888 | option_c=17988 | option_d=62959 | answer=C | explanation=SI = PRT/100 = 44971×10×4/100 = **■**17988.

id=46168 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:17 and the first is 22, what is the second? | option_a=17 | option_b=56 | option_c=34 | option_d=45 | answer=C | explanation=Scale factor = 22/11 = 2. Therefore second quantity = 17×2 = 34.

id=46169 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:10 and the first is 324, what is the second? | option_a=504 | option_b=170 | option_c=198 | option_d=180 | answer=D | explanation=Scale factor = 324/18 = 18. Therefore second quantity = 10×18 = 180.

id=46170 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=80 | option_c=150 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

Aptitude Questions — Records 46,171-46,200 of 100,000

id=46171 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=35 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=46172 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:8 and the first is 36, what is the second? | option_a=40 | option_b=54 | option_c=48 | option_d=84 | answer=C | explanation=Scale factor = 36/6 = 6. Therefore second quantity = 8×6 = 48.

id=46173 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=46174 | topic=Percentages | difficulty=Easy | question=What is 50% of 428? | option_a=214 | option_b=204 | option_c=234 | option_d=428 | answer=A | explanation=50% of 428 = (50/100) × 428 = 214.

id=46175 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=19 | option_c=48 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=46176 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3956. If it is sold at a profit of 20%, what is its selling price? | option_a=4352 | option_b=4747 | option_c=3976 | option_d=5142 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3956 × 120/100 = █4747.

id=46177 | topic=Averages | difficulty=Easy | question=Find the average of 49, 26, 61, 23, 48, 93. | option_a=50 | option_b=52 | option_c=51 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 300 ÷ 6 = 50.

id=46178 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=D | option_b=M | option_c=G | option_d=J | answer=D | explanation=Move 3 positions forward from G; the resulting letter is J.

id=46179 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=12 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=46180 | topic=Percentages | difficulty=Easy | question=What is 20% of 1381? | option_a=552 | option_b=256 | option_c=281 | option_d=276 | answer=D | explanation=20% of 1381 = (20/100) × 1381 = 276.

id=46181 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 18, 27, 39? | option_a=39 | option_b=9 | option_c=18 | option_d=27 | answer=A | explanation=The first three numbers increase by 9, so the next should be 36. Therefore 39 is the odd one out.

id=46182 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=46183 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=H | option_c=L | option_d=T | answer=A | explanation=Move 4 positions forward from L; the resulting letter is P.

id=46184 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Z | option_b=Q | option_c=T | option_d=W | answer=D | explanation=Move 3 positions forward from T; the resulting letter is W.

id=46185 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=64 | option_b=52 | option_c=74 | option_d=63 | answer=D | explanation=The common difference is 11. Therefore the next term is 52 + 11 = 63.

id=46186 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1499. If it is sold at a profit of 20%, what is its selling price? | option_a=1798 | option_b=1947 | option_c=1519 | option_d=1649 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1499 × 120/100 = █1798.

id=46187 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=46188 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=21 | option_b=20 | option_c=18 | option_d=22 | answer=B | explanation=The common difference is 2. Therefore the next term is 18 + 2 = 20.

id=46189 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=X | option_b=J | option_c=F | option_d=B | answer=C | explanation=Move 4 positions forward from B; the resulting letter is F.

id=46190 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=46191 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=66 | option_b=53 | option_c=77 | option_d=65 | answer=D | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.

id=46192 | topic=Profit & Loss | difficulty=Easy | question=An article costs █147. If it is sold at a profit of 5%, what is its selling price? | option_a=168 | option_b=140 | option_c=152 | option_d=154 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 147 × 105/100 = █154.

id=46193 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:17 and the first is 112, what is the second? | option_a=246 | option_b=350 | option_c=221 | option_d=238 | answer=D | explanation=Scale factor = 112/8 = 14. Therefore second quantity = 17×14 = 238.

id=46194 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 9, 11, 16? | option_a=11 | option_b=16 | option_c=7 | option_d=9 | answer=B | explanation=The first three numbers increase by 2, so the next should be 13. Therefore 16 is the odd one out.

id=46195 | topic=Averages | difficulty=Easy | question=Find the average of 86, 81, 63, 44, 16. | option_a=59 | option_b=60 | option_c=57 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 290 ÷ 5 = 58.

id=46196 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 59? | option_a=59 | option_b=47 | option_c=29 | option_d=38 | answer=A | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 59 is the odd one out.

id=46197 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=19 | option_b=27 | option_c=23 | option_d=24 | answer=C | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=46198 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23684 at 6% per annum for 3 years. | option_a=4263 | option_b=4363 | option_c=27947 | option_d=4163 | answer=A | explanation=SI = PRT/100 = 23684×6×3/100 = █4263.

id=46199 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=8 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=46200 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 46,201-46,230 of 100,000

id=46201 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1274 at 12% per annum for 2 years. | option_a=205 | option_b=405 | option_c=1579 | option_d=305 | answer=D | explanation=SI = $PRT/100 = 1274 \times 12 \times 2/100 = \text{■}305$.

id=46202 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15885 at 4% per annum for 4 years. | option_a=2441 | option_b=2541 | option_c=2641 | option_d=18426 | answer=B | explanation=SI = $PRT/100 = 15885 \times 4 \times 4/100 = \text{■}2541$.

id=46203 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=46204 | topic=Averages | difficulty=Easy | question=Find the average of 52, 19, 23, 58, 20, 43, 23. | option_a=34 | option_b=36 | option_c=33 | option_d=35 | answer=A | explanation=Average = sum of values ÷ number of values = $238 \div 7 = 34$.

id=46205 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 25, 33, 41, ? | option_a=50 | option_b=49 | option_c=57 | option_d=41 | answer=B | explanation=The common difference is 8. Therefore the next term is $41 + 8 = 49$.

id=46206 | topic=Averages | difficulty=Easy | question=Find the average of 67, 91, 49, 20, 23. | option_a=49 | option_b=51 | option_c=52 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = $250 \div 5 = 50$.

id=46207 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:16 and the first is 35, what is the second? | option_a=147 | option_b=117 | option_c=112 | option_d=96 | answer=C | explanation=Scale factor = $35/5 = 7$. Therefore second quantity = $16 \times 7 = 112$.

id=46208 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23222 at 5% per annum for 4 years. | option_a=27866 | option_b=4544 | option_c=4744 | option_d=4644 | answer=D | explanation=SI = $PRT/100 = 23222 \times 5 \times 4/100 = \text{■}4644$.

id=46209 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17053 at 10% per annum for 1 years. | option_a=1705 | option_b=18758 | option_c=1605 | option_d=1805 | answer=A | explanation=SI = $PRT/100 = 17053 \times 10 \times 1/100 = \text{■}1705$.

id=46210 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1434. If it is sold at a profit of 20%, what is its selling price? | option_a=1577 | option_b=1720 | option_c=1454 | option_d=1863 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1434 \times 120/100 = \text{■}1720$.

id=46211 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=M | option_b=O | option_c=S | option_d=Q | answer=D | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=46212 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2940. If it is sold at a profit of 20%, what is its selling price? | option_a=2960 | option_b=3528 | option_c=3234 | option_d=3822 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2940 \times 120/100 = \text{■}3528$.

id=46213 | topic=Percentages | difficulty=Easy | question=What is 30% of 699? | option_a=189 | option_b=418 | option_c=219 | option_d=209 | answer=D | explanation=30% of 699 = $(30/100) \times 699 = 209$.

id=46214 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=32 | option_b=40 | option_c=39 | option_d=46 | answer=C | explanation=The common difference is 7. Therefore the next term is $32 + 7 = 39$.

id=46215 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=W | option_b=B | option_c=M | option_d=R | answer=A | explanation=Move 5 positions forward from R; the resulting letter is W.

id=46216 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:4 and the first is 32, what is the second? | option_a=66 | option_b=96 | option_c=64 | option_d=60 | answer=C | explanation=Scale factor = $32/2 = 16$. Therefore second quantity = $4 \times 16 = 64$.

id=46217 | topic=Averages | difficulty=Easy | question=Find the average of 58, 28, 84, 41, 89. | option_a=61 | option_b=62 | option_c=59 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = $300 \div 5 = 60$.

id=46218 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:11 and the first is 45, what is the second? | option_a=55 | option_b=100 | option_c=44 | option_d=64 | answer=A | explanation=Scale factor = $45/9 = 5$. Therefore second quantity = $11 \times 5 = 55$.

id=46219 | topic=Percentages | difficulty=Easy | question=What is 20% of 1766? | option_a=358 | option_b=706 | option_c=348 | option_d=353 | answer=D | explanation=20% of 1766 = $(20/100) \times 1766 = 353$.

id=46220 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1389. If it is sold at a profit of 25%, what is its selling price? | option_a=1736 | option_b=1598 | option_c=1414 | option_d=1874 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1389 \times 125/100 = \text{■}1736$.

id=46221 | topic=Percentages | difficulty=Easy | question=What is 10% of 1259? | option_a=135 | option_b=250 | option_c=125 | option_d=120 | answer=C | explanation=10% of 1259 = $(10/100) \times 1259 = 125$.

id=46222 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 16. | option_a=18 | option_b=16 | option_c=32 | option_d=1 | answer=B | explanation= $LCM \times HCF = 2 \times 16$; $HCF(2,16) = 2$, so $LCM = 16$.

id=46223 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 14, 17, 23? | option_a=17 | option_b=14 | option_c=23 | option_d=11 | answer=C | explanation=The first three numbers increase by 3, so the next should be 20. Therefore 23 is the odd one out.

id=46224 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4882. If it is sold at a profit of 20%, what is its selling price? | option_a=4902 | option_b=5370 | option_c=5858 | option_d=6346 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4882 \times 120/100 = \text{■}5858$.

id=46225 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46239 at 15% per annum for 5 years. | option_a=34579 | option_b=80918 | option_c=34679 | option_d=34779 | answer=C | explanation=SI = $PRT/100 = 46239 \times 15 \times 5/100 = \text{■}34679$.

id=46226 | topic=Percentages | difficulty=Easy | question=What is 50% of 1571? | option_a=785 | option_b=805 | option_c=780 | option_d=1570 | answer=A | explanation=50% of 1571 = $(50/100) \times 1571 = 785$.

id=46227 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=46228 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=41 | option_b=35 | option_c=42 | option_d=47 | answer=A | explanation=The common difference is 6. Therefore the next term is $35 + 6 = 41$.

id=46229 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 6, 10, 16? | option_a=6 | option_b=2 | option_c=16 | option_d=10 | answer=C | explanation=The first three numbers increase by 4, so the next should be 14. Therefore 16 is the odd one out.

id=46230 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42995 at 6% per annum for 4 years. | option_a=10218 | option_b=53313 | option_c=10418 | option_d=10318 | answer=D | explanation=SI = $PRT/100 = 42995 \times 6 \times 4/100 = \text{■}10318$.

Aptitude Questions — Records 46,231-46,260 of 100,000

id=46231 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=115 | option_c=125 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=46232 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37471 at 6% per annum for 4 years. | option_a=8993 | option_b=46464 | option_c=9093 | option_d=8893 | answer=A | explanation=SI = PRT/100 = 37471×6×4/100 = **■**8993.

id=46233 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16664 at 15% per annum for 1 years. | option_a=19163 | option_b=2499 | option_c=2599 | option_d=2399 | answer=B | explanation=SI = PRT/100 = 16664×15×1/100 = **■**2499.

id=46234 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15144 at 4% per annum for 1 years. | option_a=15749 | option_b=505 | option_c=705 | option_d=605 | answer=D | explanation=SI = PRT/100 = 15144×4×1/100 = **■**605.

id=46235 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16135 at 4% per annum for 1 years. | option_a=745 | option_b=645 | option_c=16780 | option_d=545 | answer=B | explanation=SI = PRT/100 = 16135×4×1/100 = **■**645.

id=46236 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=B | option_b=E | option_c=K | option_d=H | answer=D | explanation=Move 3 positions forward from E; the resulting letter is H.

id=46237 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=47 | option_b=39 | option_c=55 | option_d=48 | answer=A | explanation=The common difference is 8. Therefore the next term is 39 + 8 = 47.

id=46238 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:15 and the first is 12, what is the second? | option_a=42 | option_b=15 | option_c=30 | option_d=36 | answer=C | explanation=Scale factor = 12/6 = 2. Therefore second quantity = 15×2 = 30.

id=46239 | topic=Percentages | difficulty=Easy | question=What is 50% of 939? | option_a=469 | option_b=459 | option_c=938 | option_d=479 | answer=A | explanation=50% of 939 = (50/100) × 939 = 469.

id=46240 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 15? | option_a=15 | option_b=10 | option_c=12 | option_d=8 | answer=A | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 15 is the odd one out.

id=46241 | topic=Averages | difficulty=Easy | question=Find the average of 30, 11, 15, 92. | option_a=37 | option_b=39 | option_c=38 | option_d=36 | answer=A | explanation=Average = sum of values ÷ number of values = 148 ÷ 4 = 37.

id=46242 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=46243 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 50? | option_a=39 | option_b=21 | option_c=50 | option_d=30 | answer=C | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 50 is the odd one out.

id=46244 | topic=Percentages | difficulty=Easy | question=What is 15% of 160? | option_a=48 | option_b=24 | option_c=44 | option_d=4 | answer=B | explanation=15% of 160 = (15/100) × 160 = 24.

id=46245 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=72 | option_c=31 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=46246 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=39 | option_b=35 | option_c=36 | option_d=31 | answer=B | explanation=The common difference is 4. Therefore the next term is 31 + 4 = 35.

id=46247 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=46248 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4504. If it is sold at a profit of 20%, what is its selling price? | option_a=5404 | option_b=4954 | option_c=4524 | option_d=5854 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4504 × 120/100 = **■**5404.

id=46249 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=46250 | topic=Averages | difficulty=Easy | question=Find the average of 76, 97, 51, 38, 84, 22, 87. | option_a=66 | option_b=67 | option_c=65 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 455 ÷ 7 = 65.

id=46251 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36896 at 10% per annum for 1 years. | option_a=3689 | option_b=3589 | option_c=40585 | option_d=3789 | answer=A | explanation=SI = PRT/100 = 36896×10×1/100 = **■**3689.

id=46252 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37111 at 8% per annum for 3 years. | option_a=8906 | option_b=9006 | option_c=8806 | option_d=46017 | answer=A | explanation=SI = PRT/100 = 37111×8×3/100 = **■**8906.

id=46253 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**318. If it is sold at a profit of 20%, what is its selling price? | option_a=381 | option_b=412 | option_c=338 | option_d=350 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 318 × 120/100 = **■**381.

id=46254 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=120 | option_c=125 | option_d=240 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=46255 | topic=Averages | difficulty=Easy | question=Find the average of 28, 45, 22, 71, 17, 60, 68, 25, 87. | option_a=47 | option_b=48 | option_c=49 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 423 ÷ 9 = 47.

id=46256 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44054 at 5% per annum for 4 years. | option_a=8710 | option_b=8810 | option_c=52864 | option_d=8910 | answer=B | explanation=SI = PRT/100 = 44054×5×4/100 = **■**8810.

id=46257 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=46258 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=G | option_c=D | option_d=F | answer=D | explanation=Move 1 positions forward from E; the resulting letter is F.

id=46259 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20214 at 10% per annum for 2 years. | option_a=24256 | option_b=3942 | option_c=4042 | option_d=4142 | answer=C | explanation=SI = PRT/100 = 20214×10×2/100 = **■**4042.

id=46260 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47270 at 5% per annum for 3 years. | option_a=7090 | option_b=6990 | option_c=7190 | option_d=54360 | answer=A | explanation=SI = PRT/100 = 47270×5×3/100 = **■**7090.

Aptitude Questions — Records 46,261-46,290 of 100,000

id=46261 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 14. | option_a=168 | option_b=84 | option_c=96 | option_d=70 | answer=B | explanation= $\text{LCM} \times \text{HCF} = 12 \times 14$; $\text{HCF}(12,14) = 2$, so $\text{LCM} = 84$.

id=46262 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 43? | option_a=43 | option_b=33 | option_c=17 | option_d=25 | answer=A | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 43 is the odd one out.

id=46263 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on $\text{₹}7852$ at 10% per annum for 5 years. | option_a=3826 | option_b=3926 | option_c=4026 | option_d=11778 | answer=B | explanation= $\text{SI} = \frac{\text{PRT}}{100} = \frac{7852 \times 10 \times 5}{100} = \text{₹}3926$.

id=46264 | topic=Averages | difficulty=Easy | question=Find the average of 41, 23, 60, 34, 15, 79, 15, 37. | option_a=39 | option_b=38 | option_c=37 | option_d=40 | answer=B | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{304}{8} = 38$.

id=46265 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 32, 42, 54? | option_a=22 | option_b=54 | option_c=42 | option_d=32 | answer=B | explanation=The first three numbers increase by 10, so the next should be 52. Therefore 54 is the odd one out.

id=46266 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 14. | option_a=240 | option_b=196 | option_c=210 | option_d=420 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 30 \times 14$; $\text{HCF}(30,14) = 2$, so $\text{LCM} = 210$.

id=46267 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=T | option_c=Y | option_d=J | answer=B | explanation=Move 5 positions forward from O; the resulting letter is T.

id=46268 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=N | option_c=M | option_d=L | answer=B | explanation=Move 1 positions forward from M; the resulting letter is N.

id=46269 | topic=Percentages | difficulty=Easy | question=What is 10% of 1959? | option_a=390 | option_b=195 | option_c=185 | option_d=215 | answer=B | explanation= $10\% \text{ of } 1959 = \frac{10}{100} \times 1959 = 195$.

id=46270 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=19 | option_b=23 | option_c=27 | option_d=24 | answer=B | explanation=The common difference is 4. Therefore the next term is $19 + 4 = 23$.

id=46271 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation= $\text{Combined rate} = \frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. $\text{Time} = \frac{72}{18} = 4$ days.

id=46272 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=10 | option_d=15 | answer=D | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{60}{4} = 15$ km/h.

id=46273 | topic=Percentages | difficulty=Easy | question=What is 25% of 1201? | option_a=290 | option_b=310 | option_c=600 | option_d=300 | answer=D | explanation= $25\% \text{ of } 1201 = \frac{25}{100} \times 1201 = 300$.

id=46274 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation= $\text{Combined rate} = \frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. $\text{Time} = \frac{18}{9} = 2$ days.

id=46275 | topic=Percentages | difficulty=Easy | question=What is 15% of 422? | option_a=58 | option_b=73 | option_c=63 | option_d=126 | answer=C | explanation= $15\% \text{ of } 422 = \frac{15}{100} \times 422 = 63$.

id=46276 | topic=Averages | difficulty=Easy | question=Find the average of 12, 64, 85, 87. | option_a=64 | option_b=63 | option_c=62 | option_d=61 | answer=C | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{248}{4} = 62$.

id=46277 | topic=Averages | difficulty=Easy | question=Find the average of 90, 38, 72, 81, 57, 52. | option_a=64 | option_b=67 | option_c=66 | option_d=65 | answer=D | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{390}{6} = 65$.

id=46278 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=M | option_b=Y | option_c=U | option_d=Q | answer=C | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=46279 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=95 | option_c=85 | option_d=90 | answer=D | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{360}{4} = 90$ km/h.

id=46280 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:3 and the first is 60, what is the second? | option_a=33 | option_b=41 | option_c=36 | option_d=96 | answer=C | explanation= $\text{Scale factor} = \frac{60}{5} = 12$. Therefore second quantity = $3 \times 12 = 36$.

id=46281 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=50 | option_c=45 | option_d=40 | answer=C | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{360}{8} = 45$ km/h.

id=46282 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=6 | option_d=7 | answer=C | explanation= $\text{Combined rate} = \frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. $\text{Time} = \frac{144}{24} = 6$ days.

id=46283 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 22, 25, 31? | option_a=25 | option_b=19 | option_c=22 | option_d=31 | answer=D | explanation=The first three numbers increase by 3, so the next should be 28. Therefore 31 is the odd one out.

id=46284 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:10 and the first is 133, what is the second? | option_a=70 | option_b=89 | option_c=203 | option_d=60 | answer=A | explanation= $\text{Scale factor} = \frac{133}{19} = 7$. Therefore second quantity = $10 \times 7 = 70$.

id=46285 | topic=Profit & Loss | difficulty=Easy | question=An article costs $\text{₹}3681$. If it is sold at a profit of 15%, what is its selling price? | option_a=3865 | option_b=3696 | option_c=4601 | option_d=4233 | answer=D | explanation= $\text{Selling price} = \text{CP} \times \frac{100 + \text{profit}\%}{100} = 3681 \times \frac{115}{100} = \text{₹}4233$.

id=46286 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=51 | option_b=61 | option_c=39 | option_d=50 | answer=D | explanation=The common difference is 11. Therefore the next term is $39 + 11 = 50$.

id=46287 | topic=Profit & Loss | difficulty=Easy | question=An article costs $\text{₹}2863$. If it is sold at a profit of 20%, what is its selling price? | option_a=2883 | option_b=3721 | option_c=3149 | option_d=3435 | answer=D | explanation= $\text{Selling price} = \text{CP} \times \frac{100 + \text{profit}\%}{100} = 2863 \times \frac{120}{100} = \text{₹}3435$.

id=46288 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on $\text{₹}16165$ at 12% per annum for 1 years. | option_a=1939 | option_b=18104 | option_c=2039 | option_d=1839 | answer=A | explanation= $\text{SI} = \frac{\text{PRT}}{100} = \frac{16165 \times 12 \times 1}{100} = \text{₹}1939$.

id=46289 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation= $\text{Combined rate} = \frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. $\text{Time} = \frac{72}{18} = 4$ days.

id=46290 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 10. | option_a=40 | option_b=50 | option_c=75 | option_d=250 | answer=B | explanation= $\text{LCM} \times \text{HCF} = 25 \times 10$; $\text{HCF}(25,10) = 5$, so $\text{LCM} = 50$.

Aptitude Questions — Records 46,291-46,320 of 100,000

id=46291 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=S | option_c=O | option_d=U | answer=B | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=46292 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=46293 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=150 | option_c=70 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=46294 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=46295 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 40? | option_a=20 | option_b=29 | option_c=11 | option_d=40 | answer=D | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 40 is the odd one out.

id=46296 | topic=Averages | difficulty=Easy | question=Find the average of 55, 58, 67, 27, 37, 74. | option_a=53 | option_b=52 | option_c=54 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 318 ÷ 6 = 53.

id=46297 | topic=Percentages | difficulty=Easy | question=What is 25% of 778? | option_a=388 | option_b=184 | option_c=194 | option_d=204 | answer=C | explanation=25% of 778 = (25/100) × 778 = 194.

id=46298 | topic=Averages | difficulty=Easy | question=Find the average of 53, 53, 90, 77, 87. | option_a=74 | option_b=71 | option_c=72 | option_d=73 | answer=C | explanation=Average = sum of values ÷ number of values = 360 ÷ 5 = 72.

id=46299 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=Y | option_b=J | option_c=T | option_d=O | answer=C | explanation=Move 5 positions forward from O; the resulting letter is T.

id=46300 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=46301 | topic=Percentages | difficulty=Easy | question=What is 25% of 1434? | option_a=358 | option_b=353 | option_c=368 | option_d=716 | answer=A | explanation=25% of 1434 = (25/100) × 1434 = 358.

id=46302 | topic=Averages | difficulty=Easy | question=Find the average of 14, 100, 58, 83, 98, 82, 95, 78. | option_a=77 | option_b=76 | option_c=78 | option_d=75 | answer=B | explanation=Average = sum of values ÷ number of values = 608 ÷ 8 = 76.

id=46303 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:7 and the first is 42, what is the second? | option_a=35 | option_b=42 | option_c=84 | option_d=49 | answer=B | explanation=Scale factor = 42/7 = 6. Therefore second quantity = 7×6 = 42.

id=46304 | topic=Profit & Loss | difficulty=Easy | question=An article costs █917. If it is sold at a profit of 10%, what is its selling price? | option_a=917 | option_b=1099 | option_c=927 | option_d=1008 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 917 × 110/100 = █1008.

id=46305 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 19, 29, 41? | option_a=19 | option_b=29 | option_c=9 | option_d=41 | answer=D | explanation=The first three numbers increase by 10, so the next should be 39. Therefore 41 is the odd one out.

id=46306 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=O | option_b=L | option_c=F | option_d=I | answer=B | explanation=Move 3 positions forward from I; the resulting letter is L.

id=46307 | topic=Averages | difficulty=Easy | question=Find the average of 25, 57, 92, 19, 48, 30, 100. | option_a=53 | option_b=55 | option_c=52 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 371 ÷ 7 = 53.

id=46308 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34390 at 12% per annum for 2 years. | option_a=8253 | option_b=42643 | option_c=8353 | option_d=8153 | answer=A | explanation=SI = PRT/100 = 34390×12×2/100 = █8253.

id=46309 | topic=Averages | difficulty=Easy | question=Find the average of 57, 12, 94, 73, 34, 46, 72, 12, 41. | option_a=49 | option_b=51 | option_c=48 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 441 ÷ 9 = 49.

id=46310 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=A | option_c=G | option_d=C | answer=A | explanation=Move 2 positions forward from C; the resulting letter is E.

id=46311 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 6. | option_a=56 | option_b=36 | option_c=84 | option_d=42 | answer=D | explanation=LCM × HCF = 14×6; HCF(14,6) = 2, so LCM = 42.

id=46312 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=39 | option_b=49 | option_c=50 | option_d=59 | answer=B | explanation=The common difference is 10. Therefore the next term is 39 + 10 = 49.

id=46313 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 30, 34, 40? | option_a=34 | option_b=26 | option_c=30 | option_d=40 | answer=D | explanation=The first three numbers increase by 4, so the next should be 38. Therefore 40 is the odd one out.

id=46314 | topic=Averages | difficulty=Easy | question=Find the average of 66, 26, 64. | option_a=53 | option_b=54 | option_c=52 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 156 ÷ 3 = 52.

id=46315 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4978. If it is sold at a profit of 20%, what is its selling price? | option_a=5973 | option_b=5476 | option_c=4998 | option_d=6470 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4978 × 120/100 = █5973.

id=46316 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42556 at 10% per annum for 5 years. | option_a=63834 | option_b=21278 | option_c=21178 | option_d=21378 | answer=B | explanation=SI = PRT/100 = 42556×10×5/100 = █21278.

id=46317 | topic=Percentages | difficulty=Easy | question=What is 12% of 612? | option_a=73 | option_b=93 | option_c=146 | option_d=63 | answer=A | explanation=12% of 612 = (12/100) × 612 = 73.

id=46318 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=46319 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:17 and the first is 40, what is the second? | option_a=153 | option_b=174 | option_c=170 | option_d=210 | answer=C | explanation=Scale factor = 40/4 = 10. Therefore second quantity = 17×10 = 170.

id=46320 | topic=Percentages | difficulty=Easy | question=What is 25% of 435? | option_a=98 | option_b=216 | option_c=108 | option_d=113 | answer=C | explanation=25% of 435 = (25/100) × 435 = 108.

Aptitude Questions — Records 46,321-46,350 of 100,000

id=46321 | topic=Averages | difficulty=Easy | question=Find the average of 87, 97, 36, 80. | option_a=74 | option_b=75 | option_c=76 | option_d=77 | answer=B | explanation=Average = sum of values ÷ number of values = 300 ÷ 4 = 75.

id=46322 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=145 | option_c=155 | option_d=300 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=46323 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:8 and the first is 36, what is the second? | option_a=54 | option_b=84 | option_c=40 | option_d=48 | answer=D | explanation=Scale factor = 36/6 = 6. Therefore second quantity = 8×6 = 48.

id=46324 | topic=Percentages | difficulty=Easy | question=What is 12% of 1754? | option_a=210 | option_b=200 | option_c=215 | option_d=420 | answer=A | explanation=12% of 1754 = (12/100) × 1754 = 210.

id=46325 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=46326 | topic=Percentages | difficulty=Easy | question=What is 15% of 894? | option_a=268 | option_b=124 | option_c=134 | option_d=139 | answer=C | explanation=15% of 894 = (15/100) × 894 = 134.

id=46327 | topic=Profit & Loss | difficulty=Easy | question=An article costs █856. If it is sold at a profit of 50%, what is its selling price? | option_a=906 | option_b=1369 | option_c=1284 | option_d=1199 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 856 × 150/100 = █1284.

id=46328 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 17? | option_a=17 | option_b=10 | option_c=8 | option_d=12 | answer=A | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 17 is the odd one out.

id=46329 | topic=Percentages | difficulty=Easy | question=What is 5% of 166? | option_a=8 | option_b=16 | option_c=0 | option_d=13 | answer=A | explanation=5% of 166 = (5/100) × 166 = 8.

id=46330 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=I | option_c=O | option_d=R | answer=C | explanation=Move 3 positions forward from L; the resulting letter is O.

id=46331 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27989 at 15% per annum for 2 years. | option_a=8396 | option_b=36385 | option_c=8296 | option_d=8496 | answer=A | explanation=SI = PRT/100 = 27989×15×2/100 = █8396.

id=46332 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 16? | option_a=10 | option_b=8 | option_c=12 | option_d=16 | answer=D | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 16 is the odd one out.

id=46333 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:19 and the first is 20, what is the second? | option_a=58 | option_b=19 | option_c=48 | option_d=38 | answer=D | explanation=Scale factor = 20/10 = 2. Therefore second quantity = 19×2 = 38.

id=46334 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=55 | option_b=48 | option_c=49 | option_d=41 | answer=B | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.

id=46335 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 9, 13, 18? | option_a=13 | option_b=5 | option_c=9 | option_d=18 | answer=D | explanation=The first three numbers increase by 4, so the next should be 17. Therefore 18 is the odd one out.

id=46336 | topic=Profit & Loss | difficulty=Easy | question=An article costs █256. If it is sold at a profit of 40%, what is its selling price? | option_a=383 | option_b=333 | option_c=296 | option_d=358 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 256 × 140/100 = █358.

id=46337 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:14 and the first is 108, what is the second? | option_a=154 | option_b=177 | option_c=276 | option_d=168 | answer=D | explanation=Scale factor = 108/9 = 12. Therefore second quantity = 14×12 = 168.

id=46338 | topic=Averages | difficulty=Easy | question=Find the average of 98, 62, 60, 72. | option_a=74 | option_b=72 | option_c=73 | option_d=75 | answer=C | explanation=Average = sum of values ÷ number of values = 292 ÷ 4 = 73.

id=46339 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=W | option_b=M | option_c=R | option_d=B | answer=A | explanation=Move 5 positions forward from R; the resulting letter is W.

id=46340 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=31 | option_b=23 | option_c=30 | option_d=37 | answer=C | explanation=The common difference is 7. Therefore the next term is 23 + 7 = 30.

id=46341 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1951. If it is sold at a profit of 40%, what is its selling price? | option_a=2926 | option_b=2536 | option_c=1991 | option_d=2731 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1951 × 140/100 = █2731.

id=46342 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=52 | option_b=46 | option_c=45 | option_d=38 | answer=C | explanation=The common difference is 7. Therefore the next term is 38 + 7 = 45.

id=46343 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1133 at 4% per annum for 5 years. | option_a=226 | option_b=326 | option_c=1359 | option_d=126 | answer=A | explanation=SI = PRT/100 = 1133×4×5/100 = █226.

id=46344 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:5 and the first is 221, what is the second? | option_a=85 | option_b=306 | option_c=98 | option_d=80 | answer=A | explanation=Scale factor = 221/13 = 17. Therefore second quantity = 5×17 = 85.

id=46345 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=16 | option_b=12 | option_c=14 | option_d=15 | answer=C | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=46346 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 52? | option_a=23 | option_b=52 | option_c=32 | option_d=41 | answer=B | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 52 is the odd one out.

id=46347 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=22 | option_b=25 | option_c=17 | option_d=21 | answer=D | explanation=The common difference is 4. Therefore the next term is 17 + 4 = 21.

id=46348 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:13 and the first is 63, what is the second? | option_a=91 | option_b=154 | option_c=100 | option_d=78 | answer=A | explanation=Scale factor = 63/9 = 7. Therefore second quantity = 13×7 = 91.

id=46349 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=46350 | topic=Averages | difficulty=Easy | question=Find the average of 13, 81, 19, 90, 42, 95, 10, 42. | option_a=51 | option_b=50 | option_c=49 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 392 ÷ 8 = 49.

Aptitude Questions — Records 46,351-46,380 of 100,000

id=46351 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=L | option_b=G | option_c=B | option_d=W | answer=B | explanation=Move 5 positions forward from B; the resulting letter is G.

id=46352 | topic=Averages | difficulty=Easy | question=Find the average of 53, 24, 46, 31, 53, 73, 27, 77. | option_a=47 | option_b=49 | option_c=50 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = 384 ÷ 8 = 48.

id=46353 | topic=Averages | difficulty=Easy | question=Find the average of 23, 61, 39, 69, 58, 38, 50, 76, 94, 92. | option_a=59 | option_b=60 | option_c=61 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=46354 | topic=Profit & Loss | difficulty=Easy | question=An article costs █223. If it is sold at a profit of 25%, what is its selling price? | option_a=278 | option_b=248 | option_c=256 | option_d=300 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 223 × 125/100 = █278.

id=46355 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=M | option_b=S | option_c=V | option_d=P | answer=B | explanation=Move 3 positions forward from P; the resulting letter is S.

id=46356 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=46357 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7772 at 10% per annum for 1 years. | option_a=8549 | option_b=777 | option_c=677 | option_d=877 | answer=B | explanation=SI = PRT/100 = 7772×10×1/100 = █777.

id=46358 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 10, 17, 26? | option_a=3 | option_b=17 | option_c=26 | option_d=10 | answer=C | explanation=The first three numbers increase by 7, so the next should be 24. Therefore 26 is the odd one out.

id=46359 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:16 and the first is 323, what is the second? | option_a=627 | option_b=321 | option_c=288 | option_d=304 | answer=D | explanation=Scale factor = 323/17 = 19. Therefore second quantity = 16×19 = 304.

id=46360 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:7 and the first is 30, what is the second? | option_a=107 | option_b=135 | option_c=98 | option_d=105 | answer=D | explanation=Scale factor = 30/2 = 15. Therefore second quantity = 7×15 = 105.

id=46361 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=12 | option_c=1 | option_d=11 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=46362 | topic=Percentages | difficulty=Easy | question=What is 5% of 1642? | option_a=87 | option_b=72 | option_c=82 | option_d=164 | answer=C | explanation=5% of 1642 = (5/100) × 1642 = 82.

id=46363 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 34? | option_a=28 | option_b=20 | option_c=34 | option_d=24 | answer=C | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 34 is the odd one out.

id=46364 | topic=Averages | difficulty=Easy | question=Find the average of 12, 11, 40. | option_a=20 | option_b=22 | option_c=21 | option_d=23 | answer=C | explanation=Average = sum of values ÷ number of values = 63 ÷ 3 = 21.

id=46365 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=23 | option_c=36 | option_d=13 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=46366 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3754. If it is sold at a profit of 30%, what is its selling price? | option_a=4880 | option_b=4505 | option_c=3784 | option_d=5255 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3754 × 130/100 = █4880.

id=46367 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=360 | option_c=180 | option_d=185 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=46368 | topic=Profit & Loss | difficulty=Easy | question=An article costs █570. If it is sold at a profit of 10%, what is its selling price? | option_a=580 | option_b=627 | option_c=684 | option_d=570 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 570 × 110/100 = █627.

id=46369 | topic=Percentages | difficulty=Easy | question=What is 30% of 243? | option_a=144 | option_b=77 | option_c=67 | option_d=72 | answer=D | explanation=30% of 243 = (30/100) × 243 = 72.

id=46370 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=X | option_b=S | option_c=N | option_d=C | answer=A | explanation=Move 5 positions forward from S; the resulting letter is X.

id=46371 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=24 | option_b=28 | option_c=23 | option_d=18 | answer=C | explanation=The common difference is 5. Therefore the next term is 18 + 5 = 23.

id=46372 | topic=Profit & Loss | difficulty=Easy | question=An article costs █478. If it is sold at a profit of 25%, what is its selling price? | option_a=503 | option_b=644 | option_c=597 | option_d=550 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 478 × 125/100 = █597.

id=46373 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=46374 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 6. | option_a=63 | option_b=126 | option_c=42 | option_d=36 | answer=C | explanation=LCM × HCF = 21×6; HCF(21,6) = 3, so LCM = 42.

id=46375 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=4 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=46376 | topic=Averages | difficulty=Easy | question=Find the average of 60, 38, 87, 52, 38, 79, 22, 65, 75, 84. | option_a=61 | option_b=62 | option_c=59 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=46377 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 10. | option_a=1 | option_b=20 | option_c=10 | option_d=100 | answer=C | explanation=LCM × HCF = 10×10; HCF(10,10) = 10, so LCM = 10.

id=46378 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=46379 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=T | option_b=V | option_c=R | option_d=P | answer=A | explanation=Move 2 positions forward from R; the resulting letter is T.

id=46380 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 7. | option_a=14 | option_b=147 | option_c=21 | option_d=42 | answer=C | explanation=LCM × HCF = 21×7; HCF(21,7) = 7, so LCM = 21.

Aptitude Questions — Records 46,381-46,410 of 100,000

id=46381 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■7272 at 10% per annum for 5 years. | option_a=10908 | option_b=3736 | option_c=3536 | option_d=3636 | answer=D | explanation=SI = PRT/100 = 7272×10×5/100 = ■3636.

id=46382 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=46383 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1510. If it is sold at a profit of 5%, what is its selling price? | option_a=1736 | option_b=1515 | option_c=1434 | option_d=1585 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1510 × 105/100 = ■1585.

id=46384 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=46385 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=46386 | topic=Averages | difficulty=Easy | question=Find the average of 69, 70, 79, 73, 10, 72, 72, 91. | option_a=68 | option_b=67 | option_c=66 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 536 ÷ 8 = 67.

id=46387 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=46388 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=46389 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=46390 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■46628 at 5% per annum for 3 years. | option_a=6994 | option_b=6894 | option_c=7094 | option_d=53622 | answer=A | explanation=SI = PRT/100 = 46628×5×3/100 = ■6994.

id=46391 | topic=Averages | difficulty=Easy | question=Find the average of 94, 58, 64, 22, 77, 36, 91, 97, 37. | option_a=66 | option_b=65 | option_c=63 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 576 ÷ 9 = 64.

id=46392 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=46393 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 38, 46, 56? | option_a=56 | option_b=38 | option_c=46 | option_d=30 | answer=A | explanation=The first three numbers increase by 8, so the next should be 54. Therefore 56 is the odd one out.

id=46394 | topic=Averages | difficulty=Easy | question=Find the average of 64, 71, 33. | option_a=57 | option_b=56 | option_c=55 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 168 ÷ 3 = 56.

id=46395 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=40 | option_b=62 | option_c=52 | option_d=51 | answer=D | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=46396 | topic=Averages | difficulty=Easy | question=Find the average of 84, 92, 16, 49, 99, 73, 46, 69, 51, 31. | option_a=62 | option_b=61 | option_c=60 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 610 ÷ 10 = 61.

id=46397 | topic=Averages | difficulty=Easy | question=Find the average of 46, 51, 51, 82, 72, 76. | option_a=65 | option_b=62 | option_c=63 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 378 ÷ 6 = 63.

id=46398 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=40 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=46399 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 18? | option_a=11 | option_b=15 | option_c=13 | option_d=18 | answer=D | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 18 is the odd one out.

id=46400 | topic=Averages | difficulty=Easy | question=Find the average of 76, 76, 67, 20, 16, 43, 17, 55, 26. | option_a=43 | option_b=46 | option_c=44 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = 396 ÷ 9 = 44.

id=46401 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1827. If it is sold at a profit of 40%, what is its selling price? | option_a=2375 | option_b=2557 | option_c=1867 | option_d=2739 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1827 × 140/100 = ■2557.

id=46402 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=12 | option_b=11 | option_c=8 | option_d=10 | answer=D | explanation=The common difference is 2. Therefore the next term is 8 + 2 = 10.

id=46403 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 20. | option_a=96 | option_b=60 | option_c=320 | option_d=80 | answer=D | explanation=LCM × HCF = 16×20; HCF(16,20) = 4, so LCM = 80.

id=46404 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■15086 at 10% per annum for 2 years. | option_a=3017 | option_b=18103 | option_c=2917 | option_d=3117 | answer=A | explanation=SI = PRT/100 = 15086×10×2/100 = ■3017.

id=46405 | topic=Averages | difficulty=Easy | question=Find the average of 30, 71, 63, 60. | option_a=56 | option_b=58 | option_c=57 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 224 ÷ 4 = 56.

id=46406 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=46407 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:2 and the first is 24, what is the second? | option_a=36 | option_b=12 | option_c=16 | option_d=10 | answer=B | explanation=Scale factor = 24/4 = 6. Therefore second quantity = 2×6 = 12.

id=46408 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■814. If it is sold at a profit of 30%, what is its selling price? | option_a=1058 | option_b=977 | option_c=1139 | option_d=844 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 814 × 130/100 = ■1058.

id=46409 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 32? | option_a=12 | option_b=18 | option_c=32 | option_d=24 | answer=C | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 32 is the odd one out.

id=46410 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:6 and the first is 52, what is the second? | option_a=37 | option_b=76 | option_c=24 | option_d=18 | answer=C | explanation=Scale factor = 52/13 = 4. Therefore second quantity = 6×4 = 24.

Aptitude Questions — Records 46,411-46,440 of 100,000

id=46411 | topic=Averages | difficulty=Easy | question=Find the average of 18, 34, 26. | option_a=28 | option_b=25 | option_c=26 | option_d=27 | answer=C | explanation=Average = sum of values ÷ number of values = $78 \div 3 = 26$.

id=46412 | topic=Percentages | difficulty=Easy | question=What is 5% of 1378? | option_a=68 | option_b=73 | option_c=58 | option_d=136 | answer=A | explanation=5% of 1378 = $(5/100) \times 1378 = 68$.

id=46413 | topic=Averages | difficulty=Easy | question=Find the average of 79, 80, 33. | option_a=64 | option_b=66 | option_c=63 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = $192 \div 3 = 64$.

id=46414 | topic=Percentages | difficulty=Easy | question=What is 30% of 258? | option_a=154 | option_b=77 | option_c=87 | option_d=57 | answer=B | explanation=30% of 258 = $(30/100) \times 258 = 77$.

id=46415 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=48 | option_b=58 | option_c=36 | option_d=47 | answer=D | explanation=The common difference is 11. Therefore the next term is $36 + 11 = 47$.

id=46416 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=46417 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 35, 44, 56? | option_a=56 | option_b=44 | option_c=35 | option_d=26 | answer=A | explanation=The first three numbers increase by 9, so the next should be 53. Therefore 56 is the odd one out.

id=46418 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=E | option_c=W | option_d=I | answer=B | explanation=Move 4 positions forward from A; the resulting letter is E.

id=46419 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=46420 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=38 | option_b=29 | option_c=37 | option_d=45 | answer=C | explanation=The common difference is 8. Therefore the next term is $29 + 8 = 37$.

id=46421 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4127 at 15% per annum for 5 years. | option_a=3195 | option_b=3095 | option_c=2995 | option_d=7222 | answer=B | explanation=SI = $PRT/100 = 4127 \times 15 \times 5/100 = \text{■}3095$.

id=46422 | topic=Averages | difficulty=Easy | question=Find the average of 71, 57, 76. | option_a=69 | option_b=70 | option_c=68 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = $204 \div 3 = 68$.

id=46423 | topic=Averages | difficulty=Easy | question=Find the average of 56, 82, 39, 41, 50, 62, 46, 75, 89. | option_a=59 | option_b=61 | option_c=60 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = $540 \div 9 = 60$.

id=46424 | topic=Averages | difficulty=Easy | question=Find the average of 95, 87, 63, 82, 83. | option_a=84 | option_b=81 | option_c=83 | option_d=82 | answer=D | explanation=Average = sum of values ÷ number of values = $410 \div 5 = 82$.

id=46425 | topic=Averages | difficulty=Easy | question=Find the average of 100, 59, 52, 15, 19. | option_a=49 | option_b=50 | option_c=48 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = $245 \div 5 = 49$.

id=46426 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29414 at 8% per annum for 1 years. | option_a=2353 | option_b=2253 | option_c=31767 | option_d=2453 | answer=A | explanation=SI = $PRT/100 = 29414 \times 8 \times 1/100 = \text{■}2353$.

id=46427 | topic=Percentages | difficulty=Easy | question=What is 30% of 1047? | option_a=314 | option_b=334 | option_c=304 | option_d=628 | answer=A | explanation=30% of 1047 = $(30/100) \times 1047 = 314$.

id=46428 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=B | option_b=D | option_c=E | option_d=C | answer=B | explanation=Move 1 positions forward from C; the resulting letter is D.

id=46429 | topic=Percentages | difficulty=Easy | question=What is 15% of 1065? | option_a=159 | option_b=318 | option_c=149 | option_d=179 | answer=A | explanation=15% of 1065 = $(15/100) \times 1065 = 159$.

id=46430 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 29? | option_a=16 | option_b=10 | option_c=22 | option_d=29 | answer=D | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 29 is the odd one out.

id=46431 | topic=Averages | difficulty=Easy | question=Find the average of 66, 28, 68. | option_a=54 | option_b=55 | option_c=56 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = $162 \div 3 = 54$.

id=46432 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2615. If it is sold at a profit of 5%, what is its selling price? | option_a=3006 | option_b=2484 | option_c=2745 | option_d=2620 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2615 \times 105/100 = \text{■}2745$.

id=46433 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 16? | option_a=3 | option_b=16 | option_c=7 | option_d=11 | answer=B | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 16 is the odd one out.

id=46434 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=24 | option_b=21 | option_c=20 | option_d=16 | answer=C | explanation=The common difference is 4. Therefore the next term is $16 + 4 = 20$.

id=46435 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = $90 \div 6 = 15$ km/h.

id=46436 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=47 | option_b=71 | option_c=60 | option_d=59 | answer=D | explanation=The common difference is 12. Therefore the next term is $47 + 12 = 59$.

id=46437 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7781 at 10% per annum for 5 years. | option_a=11671 | option_b=3790 | option_c=3990 | option_d=3890 | answer=D | explanation=SI = $PRT/100 = 7781 \times 10 \times 5/100 = \text{■}3890$.

id=46438 | topic=Averages | difficulty=Easy | question=Find the average of 93, 75, 13, 93, 18, 64, 45, 55, 39. | option_a=56 | option_b=57 | option_c=55 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = $495 \div 9 = 55$.

id=46439 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 10, 13, 17? | option_a=7 | option_b=17 | option_c=13 | option_d=10 | answer=B | explanation=The first three numbers increase by 3, so the next should be 16. Therefore 17 is the odd one out.

id=46440 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=49 | option_b=50 | option_c=38 | option_d=60 | answer=A | explanation=The common difference is 11. Therefore the next term is $38 + 11 = 49$.

Aptitude Questions — Records 46,441-46,470 of 100,000

id=46441 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=45 | option_c=55 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=46442 | topic=Profit & Loss | difficulty=Easy | question=An article costs █449. If it is sold at a profit of 40%, what is its selling price? | option_a=584 | option_b=489 | option_c=672 | option_d=628 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 449 × 140/100 = █628.

id=46443 | topic=Profit & Loss | difficulty=Easy | question=An article costs █683. If it is sold at a profit of 40%, what is its selling price? | option_a=956 | option_b=723 | option_c=1024 | option_d=888 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 683 × 140/100 = █956.

id=46444 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=8 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=46445 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:1 and the first is 120, what is the second? | option_a=14 | option_b=23 | option_c=135 | option_d=15 | answer=D | explanation=Scale factor = 120/8 = 15. Therefore second quantity = 1×15 = 15.

id=46446 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=8 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=46447 | topic=Profit & Loss | difficulty=Easy | question=An article costs █822. If it is sold at a profit of 50%, what is its selling price? | option_a=1151 | option_b=872 | option_c=1315 | option_d=1233 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 822 × 150/100 = █1233.

id=46448 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=46449 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:11 and the first is 221, what is the second? | option_a=364 | option_b=132 | option_c=160 | option_d=143 | answer=D | explanation=Scale factor = 221/17 = 13. Therefore second quantity = 11×13 = 143.

id=46450 | topic=Averages | difficulty=Easy | question=Find the average of 59, 40, 93, 72. | option_a=66 | option_b=68 | option_c=67 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 264 ÷ 4 = 66.

id=46451 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2999. If it is sold at a profit of 25%, what is its selling price? | option_a=3449 | option_b=3024 | option_c=4047 | option_d=3748 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2999 × 125/100 = █3748.

id=46452 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=46453 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2715. If it is sold at a profit of 20%, what is its selling price? | option_a=3529 | option_b=3258 | option_c=2735 | option_d=2987 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2715 × 120/100 = █3258.

id=46454 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 8, 10, 15? | option_a=10 | option_b=6 | option_c=15 | option_d=8 | answer=C | explanation=The first three numbers increase by 2, so the next should be 12. Therefore 15 is the odd one out.

id=46455 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 32, 35, 41? | option_a=29 | option_b=35 | option_c=32 | option_d=41 | answer=D | explanation=The first three numbers increase by 3, so the next should be 38. Therefore 41 is the odd one out.

id=46456 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 27, 31, 36? | option_a=23 | option_b=36 | option_c=31 | option_d=27 | answer=B | explanation=The first three numbers increase by 4, so the next should be 35. Therefore 36 is the odd one out.

id=46457 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 12, 15, 18, ? | option_a=18 | option_b=22 | option_c=21 | option_d=24 | answer=C | explanation=The common difference is 3. Therefore the next term is 18 + 3 = 21.

id=46458 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=J | option_c=M | option_d=D | answer=B | explanation=Move 3 positions forward from G; the resulting letter is J.

id=46459 | topic=Averages | difficulty=Easy | question=Find the average of 77, 60, 79. | option_a=72 | option_b=74 | option_c=71 | option_d=73 | answer=A | explanation=Average = sum of values ÷ number of values = 216 ÷ 3 = 72.

id=46460 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=46461 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3610. If it is sold at a profit of 15%, what is its selling price? | option_a=3790 | option_b=4512 | option_c=4151 | option_d=3625 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3610 × 115/100 = █4151.

id=46462 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:9 and the first is 77, what is the second? | option_a=54 | option_b=140 | option_c=74 | option_d=63 | answer=D | explanation=Scale factor = 77/11 = 7. Therefore second quantity = 9×7 = 63.

id=46463 | topic=Percentages | difficulty=Easy | question=What is 30% of 1224? | option_a=367 | option_b=347 | option_c=734 | option_d=377 | answer=A | explanation=30% of 1224 = (30/100) × 1224 = 367.

id=46464 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=72 | option_c=31 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=46465 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 10. | option_a=140 | option_b=60 | option_c=70 | option_d=84 | answer=C | explanation=LCM × HCF = 14×10; HCF(14,10) = 2, so LCM = 70.

id=46466 | topic=Percentages | difficulty=Easy | question=What is 12% of 1092? | option_a=131 | option_b=121 | option_c=262 | option_d=136 | answer=A | explanation=12% of 1092 = (12/100) × 1092 = 131.

id=46467 | topic=Averages | difficulty=Easy | question=Find the average of 60, 56, 56, 31, 52, 51. | option_a=50 | option_b=53 | option_c=52 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 306 ÷ 6 = 51.

id=46468 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=18 | option_b=23 | option_c=28 | option_d=24 | answer=B | explanation=The common difference is 5. Therefore the next term is 18 + 5 = 23.

id=46469 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:11 and the first is 360, what is the second? | option_a=558 | option_b=218 | option_c=198 | option_d=187 | answer=C | explanation=Scale factor = 360/20 = 18. Therefore second quantity = 11×18 = 198.

id=46470 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=59 | option_b=60 | option_c=49 | option_d=69 | answer=A | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

Aptitude Questions — Records 46,471-46,500 of 100,000

id=46471 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=32 | option_b=50 | option_c=41 | option_d=42 | answer=C | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

id=46472 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:11 and the first is 171, what is the second? | option_a=118 | option_b=99 | option_c=88 | option_d=270 | answer=B | explanation=Scale factor = 171/19 = 9. Therefore second quantity = 11×9 = 99.

id=46473 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36002 at 10% per annum for 1 years. | option_a=3700 | option_b=3600 | option_c=39602 | option_d=3500 | answer=B | explanation=SI = PRT/100 = 36002×10×1/100 = **■**3600.

id=46474 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**959. If it is sold at a profit of 30%, what is its selling price? | option_a=1246 | option_b=989 | option_c=1341 | option_d=1151 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 959 × 130/100 = **■**1246.

id=46475 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=46476 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=E | option_b=F | option_c=D | option_d=C | answer=A | explanation=Move 1 positions forward from D; the resulting letter is E.

id=46477 | topic=Percentages | difficulty=Easy | question=What is 30% of 1343? | option_a=412 | option_b=397 | option_c=804 | option_d=402 | answer=D | explanation=30% of 1343 = (30/100) × 1343 = 402.

id=46478 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**783. If it is sold at a profit of 50%, what is its selling price? | option_a=1174 | option_b=1096 | option_c=833 | option_d=1252 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 783 × 150/100 = **■**1174.

id=46479 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=57 | option_b=68 | option_c=58 | option_d=46 | answer=A | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.

id=46480 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 14, 19, 27? | option_a=19 | option_b=9 | option_c=14 | option_d=27 | answer=D | explanation=The first three numbers increase by 5, so the next should be 24. Therefore 27 is the odd one out.

id=46481 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=19 | option_c=29 | option_d=48 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=46482 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=7 | option_c=17 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=46483 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:11 and the first is 252, what is the second? | option_a=198 | option_b=450 | option_c=212 | option_d=187 | answer=A | explanation=Scale factor = 252/14 = 18. Therefore second quantity = 11×18 = 198.

id=46484 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=8 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=46485 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:19 and the first is 12, what is the second? | option_a=240 | option_b=209 | option_c=229 | option_d=228 | answer=D | explanation=Scale factor = 12/1 = 12. Therefore second quantity = 19×12 = 228.

id=46486 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14487 at 12% per annum for 3 years. | option_a=5115 | option_b=5215 | option_c=5315 | option_d=19702 | answer=B | explanation=SI = PRT/100 = 14487×12×3/100 = **■**5215.

id=46487 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 27? | option_a=24 | option_b=22 | option_c=20 | option_d=27 | answer=D | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 27 is the odd one out.

id=46488 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 105, what is the second? | option_a=18 | option_b=126 | option_c=21 | option_d=36 | answer=C | explanation=Scale factor = 105/15 = 7. Therefore second quantity = 3×7 = 21.

id=46489 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 18, 24, 30, ? | option_a=37 | option_b=36 | option_c=42 | option_d=30 | answer=B | explanation=The common difference is 6. Therefore the next term is 30 + 6 = 36.

id=46490 | topic=Averages | difficulty=Easy | question=Find the average of 99, 87, 28, 51, 68, 50, 44. | option_a=62 | option_b=60 | option_c=61 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = 427 ÷ 7 = 61.

id=46491 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 6. | option_a=84 | option_b=112 | option_c=168 | option_d=78 | answer=A | explanation=LCM × HCF = 28×6; HCF(28,6) = 2, so LCM = 84.

id=46492 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 14. | option_a=240 | option_b=196 | option_c=420 | option_d=210 | answer=D | explanation=LCM × HCF = 30×14; HCF(30,14) = 2, so LCM = 210.

id=46493 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3027. If it is sold at a profit of 40%, what is its selling price? | option_a=3067 | option_b=4539 | option_c=3935 | option_d=4237 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3027 × 140/100 = **■**4237.

id=46494 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4280. If it is sold at a profit of 10%, what is its selling price? | option_a=4708 | option_b=5136 | option_c=4280 | option_d=4290 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4280 × 110/100 = **■**4708.

id=46495 | topic=Percentages | difficulty=Easy | question=What is 15% of 123? | option_a=0 | option_b=23 | option_c=36 | option_d=18 | answer=D | explanation=15% of 123 = (15/100) × 123 = 18.

id=46496 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=5 | option_c=20 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=46497 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=I | option_c=L | option_d=K | answer=D | explanation=Move 1 positions forward from J; the resulting letter is K.

id=46498 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 15. | option_a=105 | option_b=126 | option_c=90 | option_d=315 | answer=A | explanation=LCM × HCF = 21×15; HCF(21,15) = 3, so LCM = 105.

id=46499 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=P | option_b=J | option_c=M | option_d=G | answer=C | explanation=Move 3 positions forward from J; the resulting letter is M.

id=46500 | topic=Averages | difficulty=Easy | question=Find the average of 11, 53, 50, 43, 71, 50, 10, 53, 73. | option_a=48 | option_b=47 | option_c=45 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 414 ÷ 9 = 46.

Aptitude Questions — Records 46,501-46,530 of 100,000

id=46501 | topic=Percentages | difficulty=Easy | question=What is 15% of 968? | option_a=145 | option_b=290 | option_c=125 | option_d=165 | answer=A | explanation=15% of 968 = $(15/100) \times 968 = 145$.

id=46502 | topic=Averages | difficulty=Easy | question=Find the average of 96, 52, 64, 57, 84, 67. | option_a=71 | option_b=72 | option_c=69 | option_d=70 | answer=D | explanation=Average = sum of values + number of values = $420 \div 6 = 70$.

id=46503 | topic=Percentages | difficulty=Easy | question=What is 10% of 1249? | option_a=134 | option_b=248 | option_c=104 | option_d=124 | answer=D | explanation=10% of 1249 = $(10/100) \times 1249 = 124$.

id=46504 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=46505 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:18 and the first is 32, what is the second? | option_a=18 | option_b=52 | option_c=68 | option_d=36 | answer=D | explanation=Scale factor = $32/16 = 2$. Therefore second quantity = $18 \times 2 = 36$.

id=46506 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=46 | option_b=53 | option_c=39 | option_d=47 | answer=A | explanation=The common difference is 7. Therefore the next term is $39 + 7 = 46$.

id=46507 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2647 at 10% per annum for 1 years. | option_a=364 | option_b=164 | option_c=2911 | option_d=264 | answer=D | explanation=SI = $PRT/100 = 2647 \times 10 \times 1/100 = \text{■}264$.

id=46508 | topic=Averages | difficulty=Easy | question=Find the average of 47, 97, 51. | option_a=64 | option_b=67 | option_c=66 | option_d=65 | answer=D | explanation=Average = sum of values + number of values = $195 \div 3 = 65$.

id=46509 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=36 | option_d=23 | answer=A | explanation=Speed = distance + time = $180 \div 10 = 18$ km/h.

id=46510 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=S | option_b=Y | option_c=W | option_d=U | answer=C | explanation=Move 2 positions forward from U; the resulting letter is W.

id=46511 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35410 at 8% per annum for 3 years. | option_a=8598 | option_b=8498 | option_c=43908 | option_d=8398 | answer=B | explanation=SI = $PRT/100 = 35410 \times 8 \times 3/100 = \text{■}8498$.

id=46512 | topic=Averages | difficulty=Easy | question=Find the average of 81, 46, 80. | option_a=69 | option_b=71 | option_c=70 | option_d=68 | answer=A | explanation=Average = sum of values + number of values = $207 \div 3 = 69$.

id=46513 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=24 | option_b=29 | option_c=28 | option_d=32 | answer=C | explanation=The common difference is 4. Therefore the next term is $24 + 4 = 28$.

id=46514 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31871 at 10% per annum for 4 years. | option_a=12748 | option_b=44619 | option_c=12848 | option_d=12648 | answer=A | explanation=SI = $PRT/100 = 31871 \times 10 \times 4/100 = \text{■}12748$.

id=46515 | topic=Percentages | difficulty=Easy | question=What is 10% of 1564? | option_a=161 | option_b=136 | option_c=312 | option_d=156 | answer=D | explanation=10% of 1564 = $(10/100) \times 1564 = 156$.

id=46516 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=46517 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=35 | option_b=42 | option_c=36 | option_d=28 | answer=A | explanation=The common difference is 7. Therefore the next term is $28 + 7 = 35$.

id=46518 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12182 at 4% per annum for 2 years. | option_a=1074 | option_b=874 | option_c=974 | option_d=13156 | answer=C | explanation=SI = $PRT/100 = 12182 \times 4 \times 2/100 = \text{■}974$.

id=46519 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1877. If it is sold at a profit of 20%, what is its selling price? | option_a=2439 | option_b=1897 | option_c=2252 | option_d=2065 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1877 \times 120/100 = \text{■}2252$.

id=46520 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=46521 | topic=Averages | difficulty=Easy | question=Find the average of 41, 12, 87, 78, 18, 94, 77, 52, 45. | option_a=57 | option_b=56 | option_c=55 | option_d=58 | answer=B | explanation=Average = sum of values + number of values = $504 \div 9 = 56$.

id=46522 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:3 and the first is 85, what is the second? | option_a=15 | option_b=32 | option_c=100 | option_d=12 | answer=A | explanation=Scale factor = $85/17 = 5$. Therefore second quantity = $3 \times 5 = 15$.

id=46523 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=E | option_b=F | option_c=H | option_d=G | answer=D | explanation=Move 1 positions forward from F; the resulting letter is G.

id=46524 | topic=Averages | difficulty=Easy | question=Find the average of 10, 23, 56, 77, 54. | option_a=46 | option_b=44 | option_c=43 | option_d=45 | answer=B | explanation=Average = sum of values + number of values = $220 \div 5 = 44$.

id=46525 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2698. If it is sold at a profit of 5%, what is its selling price? | option_a=3101 | option_b=2703 | option_c=2832 | option_d=2563 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2698 \times 105/100 = \text{■}2832$.

id=46526 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=95 | option_c=100 | option_d=200 | answer=C | explanation=Speed = distance + time = $300 \div 3 = 100$ km/h.

id=46527 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 33, 38, 46? | option_a=38 | option_b=33 | option_c=28 | option_d=46 | answer=D | explanation=The first three numbers increase by 5, so the next should be 43. Therefore 46 is the odd one out.

id=46528 | topic=Averages | difficulty=Easy | question=Find the average of 46, 47, 77, 51, 10, 43, 100, 34. | option_a=50 | option_b=51 | option_c=52 | option_d=53 | answer=B | explanation=Average = sum of values + number of values = $408 \div 8 = 51$.

id=46529 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=M | option_c=J | option_d=D | answer=C | explanation=Move 3 positions forward from G; the resulting letter is J.

id=46530 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47698 at 5% per annum for 1 years. | option_a=2284 | option_b=2384 | option_c=2484 | option_d=50082 | answer=B | explanation=SI = $PRT/100 = 47698 \times 5 \times 1/100 = \text{■}2384$.

Aptitude Questions — Records 46,531-46,560 of 100,000

id=46531 | topic=Averages | difficulty=Easy | question=Find the average of 47, 24, 77, 95, 34, 42, 68, 26, 91. | option_a=57 | option_b=58 | option_c=56 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=46532 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=46533 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=46534 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 51? | option_a=32 | option_b=41 | option_c=23 | option_d=51 | answer=D | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 51 is the odd one out.

id=46535 | topic=Percentages | difficulty=Easy | question=What is 40% of 306? | option_a=102 | option_b=122 | option_c=142 | option_d=244 | answer=B | explanation=40% of 306 = (40/100) × 306 = 122.

id=46536 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=42 | option_b=52 | option_c=62 | option_d=53 | answer=B | explanation=The common difference is 10. Therefore the next term is 42 + 10 = 52.

id=46537 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49465 at 12% per annum for 3 years. | option_a=67272 | option_b=17807 | option_c=17907 | option_d=17707 | answer=B | explanation=SI = PRT/100 = 49465×12×3/100 = **■**17807.

id=46538 | topic=Percentages | difficulty=Easy | question=What is 15% of 635? | option_a=85 | option_b=95 | option_c=115 | option_d=190 | answer=B | explanation=15% of 635 = (15/100) × 635 = 95.

id=46539 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45574 at 12% per annum for 1 years. | option_a=5368 | option_b=51042 | option_c=5468 | option_d=5568 | answer=C | explanation=SI = PRT/100 = 45574×12×1/100 = **■**5468.

id=46540 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:9 and the first is 180, what is the second? | option_a=99 | option_b=108 | option_c=123 | option_d=288 | answer=B | explanation=Scale factor = 180/15 = 12. Therefore second quantity = 9×12 = 108.

id=46541 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 21, 28, 37? | option_a=21 | option_b=28 | option_c=37 | option_d=14 | answer=C | explanation=The first three numbers increase by 7, so the next should be 35. Therefore 37 is the odd one out.

id=46542 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3026 at 6% per annum for 1 years. | option_a=3207 | option_b=281 | option_c=81 | option_d=181 | answer=D | explanation=SI = PRT/100 = 3026×6×1/100 = **■**181.

id=46543 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 20, 22, 26? | option_a=22 | option_b=20 | option_c=26 | option_d=18 | answer=C | explanation=The first three numbers increase by 2, so the next should be 24. Therefore 26 is the odd one out.

id=46544 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42428 at 8% per annum for 4 years. | option_a=56004 | option_b=13476 | option_c=13576 | option_d=13676 | answer=C | explanation=SI = PRT/100 = 42428×8×4/100 = **■**13576.

id=46545 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 30. | option_a=1 | option_b=30 | option_c=450 | option_d=45 | answer=B | explanation=LCM × HCF = 15×30; HCF(15,30) = 15, so LCM = 30.

id=46546 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:7 and the first is 12, what is the second? | option_a=20 | option_b=7 | option_c=26 | option_d=14 | answer=D | explanation=Scale factor = 12/6 = 2. Therefore second quantity = 7×2 = 14.

id=46547 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 27? | option_a=19 | option_b=27 | option_c=16 | option_d=22 | answer=B | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 27 is the odd one out.

id=46548 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=33 | option_b=26 | option_c=38 | option_d=32 | answer=D | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=46549 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48067 at 10% per annum for 1 years. | option_a=4906 | option_b=52873 | option_c=4706 | option_d=4806 | answer=D | explanation=SI = PRT/100 = 48067×10×1/100 = **■**4806.

id=46550 | topic=Averages | difficulty=Easy | question=Find the average of 34, 80, 46, 47, 40, 18, 95, 37, 58, 45. | option_a=50 | option_b=51 | option_c=49 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 500 ÷ 10 = 50.

id=46551 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=46552 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=7 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=46553 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:10 and the first is 210, what is the second? | option_a=140 | option_b=360 | option_c=150 | option_d=164 | answer=C | explanation=Scale factor = 210/14 = 15. Therefore second quantity = 10×15 = 150.

id=46554 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 17? | option_a=17 | option_b=5 | option_c=11 | option_d=8 | answer=A | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 17 is the odd one out.

id=46555 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14096 at 6% per annum for 4 years. | option_a=3283 | option_b=3383 | option_c=17479 | option_d=3483 | answer=B | explanation=SI = PRT/100 = 14096×6×4/100 = **■**3383.

id=46556 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=46557 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36599 at 5% per annum for 3 years. | option_a=42088 | option_b=5489 | option_c=5389 | option_d=5589 | answer=B | explanation=SI = PRT/100 = 36599×5×3/100 = **■**5489.

id=46558 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3404. If it is sold at a profit of 10%, what is its selling price? | option_a=3744 | option_b=4084 | option_c=3414 | option_d=3404 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3404 × 110/100 = **■**3744.

id=46559 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 8, 11, 14, ? | option_a=18 | option_b=14 | option_c=17 | option_d=20 | answer=C | explanation=The common difference is 3. Therefore the next term is 14 + 3 = 17.

id=46560 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 28, 38, 49? | option_a=28 | option_b=38 | option_c=18 | option_d=49 | answer=D | explanation=The first three numbers increase by 10, so the next should be 48. Therefore 49 is the odd one out.

Aptitude Questions — Records 46,561-46,590 of 100,000

id=46561 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43410 at 8% per annum for 2 years. | option_a=7045 | option_b=6845 | option_c=6945 | option_d=50355 | answer=C | explanation=SI = PRT/100 = 43410×8×2/100 = **■**6945.

id=46562 | topic=Averages | difficulty=Easy | question=Find the average of 17, 59, 84, 78, 12. | option_a=49 | option_b=51 | option_c=52 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 250 ÷ 5 = 50.

id=46563 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 42? | option_a=15 | option_b=42 | option_c=23 | option_d=31 | answer=B | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 42 is the odd one out.

id=46564 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 4. | option_a=16 | option_b=8 | option_c=4 | option_d=1 | answer=C | explanation=LCM × HCF = 4×4; HCF(4,4) = 4, so LCM = 4.

id=46565 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=T | option_b=L | option_c=P | option_d=H | answer=C | explanation=Move 4 positions forward from L; the resulting letter is P.

id=46566 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=26 | option_b=38 | option_c=32 | option_d=33 | answer=C | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=46567 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 15. | option_a=72 | option_b=45 | option_c=60 | option_d=180 | answer=C | explanation=LCM × HCF = 12×15; HCF(12,15) = 3, so LCM = 60.

id=46568 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=59 | option_b=46 | option_c=70 | option_d=58 | answer=B | explanation=The common difference is 12. Therefore the next term is 46 + 12 = 58.

id=46569 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24056 at 5% per annum for 2 years. | option_a=2505 | option_b=26461 | option_c=2405 | option_d=2305 | answer=C | explanation=SI = PRT/100 = 24056×5×2/100 = **■**2405.

id=46570 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=46571 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14754 at 6% per annum for 5 years. | option_a=4526 | option_b=19180 | option_c=4426 | option_d=4326 | answer=C | explanation=SI = PRT/100 = 14754×6×5/100 = **■**4426.

id=46572 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 15, 20, 28? | option_a=15 | option_b=20 | option_c=10 | option_d=28 | answer=D | explanation=The first three numbers increase by 5, so the next should be 25. Therefore 28 is the odd one out.

id=46573 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:16 and the first is 14, what is the second? | option_a=126 | option_b=96 | option_c=114 | option_d=112 | answer=D | explanation=Scale factor = 14/2 = 7. Therefore second quantity = 16×7 = 112.

id=46574 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=54 | option_b=47 | option_c=38 | option_d=46 | answer=D | explanation=The common difference is 8. Therefore the next term is 38 + 8 = 46.

id=46575 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:2 and the first is 36, what is the second? | option_a=8 | option_b=44 | option_c=6 | option_d=17 | answer=A | explanation=Scale factor = 36/9 = 4. Therefore second quantity = 2×4 = 8.

id=46576 | topic=Averages | difficulty=Easy | question=Find the average of 44, 49, 95, 20, 51, 94, 60, 67. | option_a=60 | option_b=61 | option_c=59 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 480 ÷ 8 = 60.

id=46577 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:6 and the first is 132, what is the second? | option_a=72 | option_b=204 | option_c=83 | option_d=66 | answer=A | explanation=Scale factor = 132/11 = 12. Therefore second quantity = 6×12 = 72.

id=46578 | topic=Averages | difficulty=Easy | question=Find the average of 89, 63, 33, 54, 45, 100, 99. | option_a=70 | option_b=71 | option_c=68 | option_d=69 | answer=D | explanation=Average = sum of values ÷ number of values = 483 ÷ 7 = 69.

id=46579 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=B | option_b=D | option_c=E | option_d=C | answer=B | explanation=Move 1 positions forward from C; the resulting letter is D.

id=46580 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=35 | option_b=34 | option_c=28 | option_d=40 | answer=B | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.

id=46581 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=12 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=46582 | topic=Percentages | difficulty=Easy | question=What is 12% of 1059? | option_a=254 | option_b=127 | option_c=107 | option_d=132 | answer=B | explanation=12% of 1059 = (12/100) × 1059 = 127.

id=46583 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 51? | option_a=30 | option_b=36 | option_c=42 | option_d=51 | answer=D | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 51 is the odd one out.

id=46584 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=G | option_c=I | option_d=H | answer=C | explanation=Move 1 positions forward from H; the resulting letter is I.

id=46585 | topic=Averages | difficulty=Easy | question=Find the average of 85, 45, 23, 80, 35, 80. | option_a=59 | option_b=57 | option_c=58 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 348 ÷ 6 = 58.

id=46586 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**725. If it is sold at a profit of 15%, what is its selling price? | option_a=905 | option_b=740 | option_c=833 | option_d=761 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 725 × 115/100 = **■**833.

id=46587 | topic=Averages | difficulty=Easy | question=Find the average of 59, 12, 33, 19, 77, 37, 25, 43, 12, 83. | option_a=41 | option_b=39 | option_c=40 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = 400 ÷ 10 = 40.

id=46588 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:18 and the first is 30, what is the second? | option_a=66 | option_b=18 | option_c=36 | option_d=51 | answer=C | explanation=Scale factor = 30/15 = 2. Therefore second quantity = 18×2 = 36.

id=46589 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=30 | option_b=29 | option_c=34 | option_d=24 | answer=B | explanation=The common difference is 5. Therefore the next term is 24 + 5 = 29.

id=46590 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:11 and the first is 3, what is the second? | option_a=34 | option_b=36 | option_c=33 | option_d=22 | answer=C | explanation=Scale factor = 3/1 = 3. Therefore second quantity = 11×3 = 33.

Aptitude Questions — Records 46,591-46,620 of 100,000

id=46591 | topic=Percentages | difficulty=Easy | question=What is 25% of 1187? | option_a=296 | option_b=592 | option_c=316 | option_d=276 | answer=A | explanation=25% of 1187 = (25/100) × 1187 = 296.

id=46592 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=45 | option_b=39 | option_c=31 | option_d=38 | answer=D | explanation=The common difference is 7. Therefore the next term is 31 + 7 = 38.

id=46593 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=12 | option_c=6 | option_d=1 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=46594 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 22, 25, 30? | option_a=19 | option_b=25 | option_c=22 | option_d=30 | answer=D | explanation=The first three numbers increase by 3, so the next should be 28. Therefore 30 is the odd one out.

id=46595 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4126. If it is sold at a profit of 10%, what is its selling price? | option_a=4538 | option_b=4136 | option_c=4950 | option_d=4126 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4126 × 110/100 = **₹**4538.

id=46596 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=30 | option_b=29 | option_c=26 | option_d=32 | answer=B | explanation=The common difference is 3. Therefore the next term is 26 + 3 = 29.

id=46597 | topic=Averages | difficulty=Easy | question=Find the average of 80, 89, 68. | option_a=81 | option_b=78 | option_c=80 | option_d=79 | answer=D | explanation=Average = sum of values ÷ number of values = 237 ÷ 3 = 79.

id=46598 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:4 and the first is 195, what is the second? | option_a=255 | option_b=56 | option_c=73 | option_d=60 | answer=D | explanation=Scale factor = 195/13 = 15. Therefore second quantity = 4×15 = 60.

id=46599 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 28, 38, 50? | option_a=50 | option_b=28 | option_c=38 | option_d=18 | answer=A | explanation=The first three numbers increase by 10, so the next should be 48. Therefore 50 is the odd one out.

id=46600 | topic=Percentages | difficulty=Easy | question=What is 12% of 1929? | option_a=241 | option_b=231 | option_c=226 | option_d=462 | answer=B | explanation=12% of 1929 = (12/100) × 1929 = 231.

id=46601 | topic=Percentages | difficulty=Easy | question=What is 5% of 1259? | option_a=42 | option_b=124 | option_c=82 | option_d=62 | answer=D | explanation=5% of 1259 = (5/100) × 1259 = 62.

id=46602 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=50 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=46603 | topic=Averages | difficulty=Easy | question=Find the average of 57, 13, 59. | option_a=45 | option_b=43 | option_c=44 | option_d=42 | answer=B | explanation=Average = sum of values ÷ number of values = 129 ÷ 3 = 43.

id=46604 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=46605 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**40443 at 10% per annum for 4 years. | option_a=16077 | option_b=56620 | option_c=16177 | option_d=16277 | answer=C | explanation=SI = PRT/100 = 40443×10×4/100 = **₹**16177.

id=46606 | topic=Percentages | difficulty=Easy | question=What is 40% of 1147? | option_a=463 | option_b=453 | option_c=458 | option_d=916 | answer=C | explanation=40% of 1147 = (40/100) × 1147 = 458.

id=46607 | topic=Averages | difficulty=Easy | question=Find the average of 47, 93, 31. | option_a=57 | option_b=58 | option_c=56 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 171 ÷ 3 = 57.

id=46608 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**40915 at 6% per annum for 5 years. | option_a=12174 | option_b=12274 | option_c=53189 | option_d=12374 | answer=B | explanation=SI = PRT/100 = 40915×6×5/100 = **₹**12274.

id=46609 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**30649 at 4% per annum for 3 years. | option_a=3677 | option_b=3577 | option_c=34326 | option_d=3777 | answer=A | explanation=SI = PRT/100 = 30649×4×3/100 = **₹**3677.

id=46610 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=46611 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=23 | option_b=20 | option_c=15 | option_d=19 | answer=D | explanation=The common difference is 4. Therefore the next term is 15 + 4 = 19.

id=46612 | topic=Percentages | difficulty=Easy | question=What is 12% of 1347? | option_a=156 | option_b=322 | option_c=166 | option_d=161 | answer=D | explanation=12% of 1347 = (12/100) × 1347 = 161.

id=46613 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=80 | option_c=35 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=46614 | topic=Averages | difficulty=Easy | question=Find the average of 63, 16, 90, 37, 84, 94. | option_a=63 | option_b=66 | option_c=65 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 384 ÷ 6 = 64.

id=46615 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2330. If it is sold at a profit of 10%, what is its selling price? | option_a=2330 | option_b=2340 | option_c=2796 | option_d=2563 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2330 × 110/100 = **₹**2563.

id=46616 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:20 and the first is 128, what is the second? | option_a=176 | option_b=288 | option_c=160 | option_d=140 | answer=C | explanation=Scale factor = 128/16 = 8. Therefore second quantity = 20×8 = 160.

id=46617 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:18 and the first is 238, what is the second? | option_a=234 | option_b=269 | option_c=252 | option_d=490 | answer=C | explanation=Scale factor = 238/17 = 14. Therefore second quantity = 18×14 = 252.

id=46618 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4067. If it is sold at a profit of 40%, what is its selling price? | option_a=6099 | option_b=5693 | option_c=5287 | option_d=4107 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4067 × 140/100 = **₹**5693.

id=46619 | topic=Averages | difficulty=Easy | question=Find the average of 22, 20, 45. | option_a=28 | option_b=29 | option_c=30 | option_d=31 | answer=B | explanation=Average = sum of values ÷ number of values = 87 ÷ 3 = 29.

id=46620 | topic=Percentages | difficulty=Easy | question=What is 12% of 1390? | option_a=176 | option_b=166 | option_c=146 | option_d=332 | answer=B | explanation=12% of 1390 = (12/100) × 1390 = 166.

Aptitude Questions — Records 46,621-46,650 of 100,000

id=46621 | topic=Percentages | difficulty=Easy | question=What is 50% of 369? | option_a=189 | option_b=174 | option_c=184 | option_d=368 | answer=C | explanation=50% of 369 = (50/100) × 369 = 184.

id=46622 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=80 | option_d=150 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=46623 | topic=Averages | difficulty=Easy | question=Find the average of 39, 63, 65, 76, 28, 44, 21. | option_a=50 | option_b=48 | option_c=47 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 336 ÷ 7 = 48.

id=46624 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 26. | option_a=420 | option_b=390 | option_c=780 | option_d=364 | answer=B | explanation=LCM × HCF = 30×26; HCF(30,26) = 2, so LCM = 390.

id=46625 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=46626 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=28 | option_b=27 | option_c=30 | option_d=24 | answer=B | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=46627 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=150 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=46628 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2423. If it is sold at a profit of 30%, what is its selling price? | option_a=2907 | option_b=2453 | option_c=3391 | option_d=3149 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2423 × 130/100 = **₹**3149.

id=46629 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 32? | option_a=14 | option_b=32 | option_c=19 | option_d=24 | answer=B | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 32 is the odd one out.

id=46630 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 39, 49, 61? | option_a=61 | option_b=29 | option_c=49 | option_d=39 | answer=A | explanation=The first three numbers increase by 10, so the next should be 59. Therefore 61 is the odd one out.

id=46631 | topic=Percentages | difficulty=Easy | question=What is 20% of 1265? | option_a=506 | option_b=248 | option_c=253 | option_d=273 | answer=C | explanation=20% of 1265 = (20/100) × 1265 = 253.

id=46632 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 26, 33, 43? | option_a=33 | option_b=19 | option_c=26 | option_d=43 | answer=D | explanation=The first three numbers increase by 7, so the next should be 40. Therefore 43 is the odd one out.

id=46633 | topic=Averages | difficulty=Easy | question=Find the average of 15, 72, 48, 21. | option_a=38 | option_b=39 | option_c=40 | option_d=41 | answer=B | explanation=Average = sum of values ÷ number of values = 156 ÷ 4 = 39.

id=46634 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**26998 at 4% per annum for 4 years. | option_a=4219 | option_b=31317 | option_c=4319 | option_d=4419 | answer=C | explanation=SI = PRT/100 = 26998×4×4/100 = **₹**4319.

id=46635 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=58 | option_b=67 | option_c=47 | option_d=57 | answer=D | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

id=46636 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**25618 at 4% per annum for 3 years. | option_a=2974 | option_b=3174 | option_c=28692 | option_d=3074 | answer=D | explanation=SI = PRT/100 = 25618×4×3/100 = **₹**3074.

id=46637 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 18. | option_a=160 | option_b=144 | option_c=288 | option_d=126 | answer=B | explanation=LCM × HCF = 16×18; HCF(16,18) = 2, so LCM = 144.

id=46638 | topic=Percentages | difficulty=Easy | question=What is 50% of 141? | option_a=140 | option_b=60 | option_c=70 | option_d=90 | answer=C | explanation=50% of 141 = (50/100) × 141 = 70.

id=46639 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=46640 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=46641 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=P | option_c=O | option_d=M | answer=C | explanation=Move 1 positions forward from N; the resulting letter is O.

id=46642 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**18770 at 15% per annum for 3 years. | option_a=8346 | option_b=27216 | option_c=8546 | option_d=8446 | answer=D | explanation=SI = PRT/100 = 18770×15×3/100 = **₹**8446.

id=46643 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=12 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=46644 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=21 | option_b=33 | option_c=28 | option_d=27 | answer=D | explanation=The common difference is 6. Therefore the next term is 21 + 6 = 27.

id=46645 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1676. If it is sold at a profit of 50%, what is its selling price? | option_a=1726 | option_b=2514 | option_c=2347 | option_d=2681 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1676 × 150/100 = **₹**2514.

id=46646 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:2 and the first is 88, what is the second? | option_a=14 | option_b=16 | option_c=27 | option_d=104 | answer=B | explanation=Scale factor = 88/11 = 8. Therefore second quantity = 2×8 = 16.

id=46647 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=5 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=46648 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 18. | option_a=220 | option_b=198 | option_c=396 | option_d=180 | answer=B | explanation=LCM × HCF = 22×18; HCF(22,18) = 2, so LCM = 198.

id=46649 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:11 and the first is 190, what is the second? | option_a=399 | option_b=198 | option_c=219 | option_d=209 | answer=D | explanation=Scale factor = 190/10 = 19. Therefore second quantity = 11×19 = 209.

id=46650 | topic=Averages | difficulty=Easy | question=Find the average of 12, 74, 36, 50, 41, 95, 17, 75. | option_a=52 | option_b=49 | option_c=50 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 400 ÷ 8 = 50.

Aptitude Questions — Records 46,651-46,680 of 100,000

id=46651 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 8. | option_a=150 | option_b=240 | option_c=112 | option_d=120 | answer=D | explanation= $LCM \times HCF = 30 \times 8$; $HCF(30,8) = 2$, so $LCM = 120$.

id=46652 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 34, 44, 56? | option_a=34 | option_b=24 | option_c=56 | option_d=44 | answer=C | explanation=The first three numbers increase by 10, so the next should be 54. Therefore 56 is the odd one out.

id=46653 | topic=Averages | difficulty=Easy | question=Find the average of 18, 88, 75, 24, 45. | option_a=52 | option_b=51 | option_c=50 | option_d=49 | answer=C | explanation= $Average = \text{sum of values} \div \text{number of values} = 250 \div 5 = 50$.

id=46654 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=39 | option_b=50 | option_c=59 | option_d=49 | answer=D | explanation=The common difference is 10. Therefore the next term is $39 + 10 = 49$.

id=46655 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34972 at 4% per annum for 2 years. | option_a=2697 | option_b=37769 | option_c=2797 | option_d=2897 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{34972 \times 4 \times 2}{100} = \text{■}2797$.

id=46656 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=46657 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=46658 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37449 at 15% per annum for 3 years. | option_a=16752 | option_b=54301 | option_c=16852 | option_d=16952 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{37449 \times 15 \times 3}{100} = \text{■}16852$.

id=46659 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 18, 28, 38, ? | option_a=48 | option_b=49 | option_c=58 | option_d=38 | answer=A | explanation=The common difference is 10. Therefore the next term is $38 + 10 = 48$.

id=46660 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=52 | option_b=53 | option_c=40 | option_d=64 | answer=A | explanation=The common difference is 12. Therefore the next term is $40 + 12 = 52$.

id=46661 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=46662 | topic=Averages | difficulty=Easy | question=Find the average of 92, 28, 86, 43, 55, 62, 41, 57. | option_a=57 | option_b=58 | option_c=59 | option_d=60 | answer=B | explanation= $Average = \text{sum of values} \div \text{number of values} = 464 \div 8 = 58$.

id=46663 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=46664 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=45 | option_b=46 | option_c=36 | option_d=54 | answer=A | explanation=The common difference is 9. Therefore the next term is $36 + 9 = 45$.

id=46665 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

id=46666 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:14 and the first is 120, what is the second? | option_a=288 | option_b=178 | option_c=168 | option_d=154 | answer=C | explanation=Scale factor = $\frac{120}{10} = 12$. Therefore second quantity = $14 \times 12 = 168$.

id=46667 | topic=Percentages | difficulty=Easy | question=What is 12% of 779? | option_a=93 | option_b=186 | option_c=103 | option_d=83 | answer=A | explanation= $12\% \text{ of } 779 = \frac{12}{100} \times 779 = 93$.

id=46668 | topic=Percentages | difficulty=Easy | question=What is 30% of 1144? | option_a=323 | option_b=343 | option_c=348 | option_d=686 | answer=B | explanation= $30\% \text{ of } 1144 = \frac{30}{100} \times 1144 = 343$.

id=46669 | topic=Averages | difficulty=Easy | question=Find the average of 65, 67, 39, 12, 100, 11, 67, 55, 70. | option_a=53 | option_b=56 | option_c=55 | option_d=54 | answer=D | explanation= $Average = \text{sum of values} \div \text{number of values} = 486 \div 9 = 54$.

id=46670 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=R | option_b=I | option_c=O | option_d=L | answer=C | explanation=Move 3 positions forward from L; the resulting letter is O.

id=46671 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=A | option_c=B | option_d=Z | answer=C | explanation=Move 1 positions forward from A; the resulting letter is B.

id=46672 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=35 | option_b=44 | option_c=51 | option_d=43 | answer=D | explanation=The common difference is 8. Therefore the next term is $35 + 8 = 43$.

id=46673 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**471. If it is sold at a profit of 20%, what is its selling price? | option_a=612 | option_b=518 | option_c=565 | option_d=491 | answer=C | explanation= $Selling\ price = CP \times \frac{(100 + \text{profit}\%)}{100} = 471 \times \frac{120}{100} = \text{■}565$.

id=46674 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:4 and the first is 120, what is the second? | option_a=58 | option_b=48 | option_c=44 | option_d=168 | answer=B | explanation=Scale factor = $\frac{120}{10} = 12$. Therefore second quantity = $4 \times 12 = 48$.

id=46675 | topic=Percentages | difficulty=Easy | question=What is 40% of 115? | option_a=41 | option_b=92 | option_c=46 | option_d=66 | answer=C | explanation= $40\% \text{ of } 115 = \frac{40}{100} \times 115 = 46$.

id=46676 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=5 | option_c=15 | option_d=10 | answer=D | explanation= $Speed = \frac{\text{distance}}{\text{time}} = \frac{60}{6} = 10 \text{ km/h}$.

id=46677 | topic=Percentages | difficulty=Easy | question=What is 30% of 457? | option_a=274 | option_b=137 | option_c=147 | option_d=117 | answer=B | explanation= $30\% \text{ of } 457 = \frac{30}{100} \times 457 = 137$.

id=46678 | topic=Averages | difficulty=Easy | question=Find the average of 44, 88, 76, 71, 56. | option_a=66 | option_b=69 | option_c=67 | option_d=68 | answer=C | explanation= $Average = \text{sum of values} \div \text{number of values} = 335 \div 5 = 67$.

id=46679 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4157. If it is sold at a profit of 50%, what is its selling price? | option_a=6235 | option_b=4207 | option_c=5820 | option_d=6650 | answer=A | explanation= $Selling\ price = CP \times \frac{(100 + \text{profit}\%)}{100} = 4157 \times \frac{150}{100} = \text{■}6235$.

id=46680 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=W | option_c=I | option_d=E | answer=D | explanation=Move 4 positions forward from A; the resulting letter is E.

Aptitude Questions — Records 46,681-46,710 of 100,000

id=46681 | topic=Percentages | difficulty=Easy | question=What is 20% of 965? | option_a=188 | option_b=213 | option_c=193 | option_d=386 | answer=C | explanation=20% of 965 = (20/100) × 965 = 193.

id=46682 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:11 and the first is 90, what is the second? | option_a=255 | option_b=171 | option_c=154 | option_d=165 | answer=D | explanation=Scale factor = 90/6 = 15. Therefore second quantity = 11×15 = 165.

id=46683 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 49? | option_a=19 | option_b=28 | option_c=49 | option_d=37 | answer=C | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 49 is the odd one out.

id=46684 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16391 at 15% per annum for 4 years. | option_a=9934 | option_b=9734 | option_c=9834 | option_d=26225 | answer=C | explanation=SI = PRT/100 = 16391×15×4/100 = **■**9834.

id=46685 | topic=Percentages | difficulty=Easy | question=What is 12% of 1671? | option_a=190 | option_b=400 | option_c=220 | option_d=200 | answer=D | explanation=12% of 1671 = (12/100) × 1671 = 200.

id=46686 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=P | option_c=R | option_d=N | answer=C | explanation=Move 2 positions forward from P; the resulting letter is R.

id=46687 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18888 at 5% per annum for 4 years. | option_a=22665 | option_b=3777 | option_c=3877 | option_d=3677 | answer=B | explanation=SI = PRT/100 = 18888×5×4/100 = **■**3777.

id=46688 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=46689 | topic=Averages | difficulty=Easy | question=Find the average of 43, 65, 18, 45, 90, 37, 14, 89, 40. | option_a=51 | option_b=49 | option_c=48 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 441 ÷ 9 = 49.

id=46690 | topic=Percentages | difficulty=Easy | question=What is 20% of 115? | option_a=23 | option_b=3 | option_c=43 | option_d=46 | answer=A | explanation=20% of 115 = (20/100) × 115 = 23.

id=46691 | topic=Averages | difficulty=Easy | question=Find the average of 99, 37, 48, 52, 19, 31, 96, 92, 31, 55. | option_a=56 | option_b=58 | option_c=55 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 560 ÷ 10 = 56.

id=46692 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17397 at 10% per annum for 5 years. | option_a=8698 | option_b=26095 | option_c=8798 | option_d=8598 | answer=A | explanation=SI = PRT/100 = 17397×10×5/100 = **■**8698.

id=46693 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 35? | option_a=24 | option_b=35 | option_c=29 | option_d=19 | answer=B | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 35 is the odd one out.

id=46694 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1369. If it is sold at a profit of 5%, what is its selling price? | option_a=1437 | option_b=1374 | option_c=1573 | option_d=1301 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1369 × 105/100 = **■**1437.

id=46695 | topic=Percentages | difficulty=Easy | question=What is 12% of 1655? | option_a=178 | option_b=218 | option_c=198 | option_d=396 | answer=C | explanation=12% of 1655 = (12/100) × 1655 = 198.

id=46696 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18592 at 12% per annum for 4 years. | option_a=27516 | option_b=8824 | option_c=9024 | option_d=8924 | answer=D | explanation=SI = PRT/100 = 18592×12×4/100 = **■**8924.

id=46697 | topic=Averages | difficulty=Easy | question=Find the average of 39, 14, 97. | option_a=52 | option_b=51 | option_c=50 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 150 ÷ 3 = 50.

id=46698 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 21? | option_a=9 | option_b=12 | option_c=15 | option_d=21 | answer=D | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 21 is the odd one out.

id=46699 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10971 at 15% per annum for 2 years. | option_a=3391 | option_b=3191 | option_c=3291 | option_d=14262 | answer=C | explanation=SI = PRT/100 = 10971×15×2/100 = **■**3291.

id=46700 | topic=Percentages | difficulty=Easy | question=What is 10% of 1182? | option_a=236 | option_b=108 | option_c=118 | option_d=128 | answer=C | explanation=10% of 1182 = (10/100) × 1182 = 118.

id=46701 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=90 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=46702 | topic=Percentages | difficulty=Easy | question=What is 25% of 714? | option_a=356 | option_b=178 | option_c=198 | option_d=158 | answer=B | explanation=25% of 714 = (25/100) × 714 = 178.

id=46703 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:18 and the first is 200, what is the second? | option_a=162 | option_b=380 | option_c=200 | option_d=180 | answer=D | explanation=Scale factor = 200/20 = 10. Therefore second quantity = 18×10 = 180.

id=46704 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2727. If it is sold at a profit of 10%, what is its selling price? | option_a=3271 | option_b=2999 | option_c=2737 | option_d=2727 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2727 × 110/100 = **■**2999.

id=46705 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=J | option_b=K | option_c=M | option_d=L | answer=D | explanation=Move 1 positions forward from K; the resulting letter is L.

id=46706 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:15 and the first is 35, what is the second? | option_a=105 | option_b=90 | option_c=110 | option_d=140 | answer=A | explanation=Scale factor = 35/5 = 7. Therefore second quantity = 15×7 = 105.

id=46707 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2418. If it is sold at a profit of 40%, what is its selling price? | option_a=3626 | option_b=3144 | option_c=3385 | option_d=2458 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2418 × 140/100 = **■**3385.

id=46708 | topic=Percentages | difficulty=Easy | question=What is 30% of 1330? | option_a=399 | option_b=389 | option_c=798 | option_d=419 | answer=A | explanation=30% of 1330 = (30/100) × 1330 = 399.

id=46709 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3083. If it is sold at a profit of 30%, what is its selling price? | option_a=3699 | option_b=4007 | option_c=4315 | option_d=3113 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3083 × 130/100 = **■**4007.

id=46710 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=61 | option_b=51 | option_c=41 | option_d=52 | answer=B | explanation=The common difference is 10. Therefore the next term is 41 + 10 = 51.

Aptitude Questions — Records 46,711-46,740 of 100,000

id=46711 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=17 | option_d=7 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=46712 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 33, 38, 46? | option_a=46 | option_b=38 | option_c=33 | option_d=28 | answer=A | explanation=The first three numbers increase by 5, so the next should be 43. Therefore 46 is the odd one out.

id=46713 | topic=Percentages | difficulty=Easy | question=What is 10% of 854? | option_a=85 | option_b=80 | option_c=170 | option_d=95 | answer=A | explanation=10% of 854 = (10/100) × 854 = 85.

id=46714 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=P | option_b=U | option_c=K | option_d=F | answer=A | explanation=Move 5 positions forward from K; the resulting letter is P.

id=46715 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**27631 at 10% per annum for 2 years. | option_a=5526 | option_b=5426 | option_c=33157 | option_d=5626 | answer=A | explanation=SI = PRT/100 = 27631×10×2/100 = **₹**5526.

id=46716 | topic=Averages | difficulty=Easy | question=Find the average of 94, 85, 38, 15. | option_a=57 | option_b=60 | option_c=59 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 232 ÷ 4 = 58.

id=46717 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=46718 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 9, 14, 20? | option_a=14 | option_b=9 | option_c=20 | option_d=4 | answer=C | explanation=The first three numbers increase by 5, so the next should be 19. Therefore 20 is the odd one out.

id=46719 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**17860 at 10% per annum for 3 years. | option_a=5358 | option_b=5258 | option_c=5458 | option_d=23218 | answer=A | explanation=SI = PRT/100 = 17860×10×3/100 = **₹**5358.

id=46720 | topic=Percentages | difficulty=Easy | question=What is 12% of 655? | option_a=83 | option_b=156 | option_c=78 | option_d=68 | answer=C | explanation=12% of 655 = (12/100) × 655 = 78.

id=46721 | topic=Percentages | difficulty=Easy | question=What is 12% of 951? | option_a=109 | option_b=228 | option_c=114 | option_d=134 | answer=C | explanation=12% of 951 = (12/100) × 951 = 114.

id=46722 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**29209 at 8% per annum for 4 years. | option_a=9246 | option_b=9446 | option_c=9346 | option_d=38555 | answer=C | explanation=SI = PRT/100 = 29209×8×4/100 = **₹**9346.

id=46723 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=46724 | topic=Averages | difficulty=Easy | question=Find the average of 85, 81, 16, 42. | option_a=56 | option_b=55 | option_c=58 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 224 ÷ 4 = 56.

id=46725 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:5 and the first is 96, what is the second? | option_a=156 | option_b=60 | option_c=68 | option_d=55 | answer=B | explanation=Scale factor = 96/8 = 12. Therefore second quantity = 5×12 = 60.

id=46726 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2500. If it is sold at a profit of 40%, what is its selling price? | option_a=3250 | option_b=3750 | option_c=3500 | option_d=2540 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2500 × 140/100 = **₹**3500.

id=46727 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 28? | option_a=22 | option_b=28 | option_c=19 | option_d=16 | answer=B | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 28 is the odd one out.

id=46728 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=32 | option_b=39 | option_c=38 | option_d=44 | answer=C | explanation=The common difference is 6. Therefore the next term is 32 + 6 = 38.

id=46729 | topic=Averages | difficulty=Easy | question=Find the average of 97, 66, 18, 96, 47, 18. | option_a=59 | option_b=57 | option_c=58 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 342 ÷ 6 = 57.

id=46730 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=H | option_b=Q | option_c=K | option_d=N | answer=D | explanation=Move 3 positions forward from K; the resulting letter is N.

id=46731 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2648. If it is sold at a profit of 15%, what is its selling price? | option_a=2781 | option_b=3309 | option_c=2663 | option_d=3045 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2648 × 115/100 = **₹**3045.

id=46732 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**21236 at 4% per annum for 4 years. | option_a=3397 | option_b=3297 | option_c=24633 | option_d=3497 | answer=A | explanation=SI = PRT/100 = 21236×4×4/100 = **₹**3397.

id=46733 | topic=Percentages | difficulty=Easy | question=What is 25% of 1732? | option_a=443 | option_b=433 | option_c=428 | option_d=866 | answer=B | explanation=25% of 1732 = (25/100) × 1732 = 433.

id=46734 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:10 and the first is 64, what is the second? | option_a=150 | option_b=164 | option_c=224 | option_d=160 | answer=D | explanation=Scale factor = 64/4 = 16. Therefore second quantity = 10×16 = 160.

id=46735 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=29 | option_b=33 | option_c=30 | option_d=25 | answer=A | explanation=The common difference is 4. Therefore the next term is 25 + 4 = 29.

id=46736 | topic=Averages | difficulty=Easy | question=Find the average of 59, 86, 13, 56, 89, 78, 95, 60. | option_a=69 | option_b=66 | option_c=67 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 536 ÷ 8 = 67.

id=46737 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**37198 at 6% per annum for 2 years. | option_a=4363 | option_b=4463 | option_c=4563 | option_d=41661 | answer=B | explanation=SI = PRT/100 = 37198×6×2/100 = **₹**4463.

id=46738 | topic=Percentages | difficulty=Easy | question=What is 12% of 219? | option_a=36 | option_b=6 | option_c=26 | option_d=52 | answer=C | explanation=12% of 219 = (12/100) × 219 = 26.

id=46739 | topic=Percentages | difficulty=Easy | question=What is 40% of 362? | option_a=288 | option_b=154 | option_c=144 | option_d=124 | answer=C | explanation=40% of 362 = (40/100) × 362 = 144.

id=46740 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

Aptitude Questions — Records 46,741-46,770 of 100,000

id=46741 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=4 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=46742 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=21 | option_b=25 | option_c=24 | option_d=27 | answer=C | explanation=The common difference is 3. Therefore the next term is 21 + 3 = 24.

id=46743 | topic=Percentages | difficulty=Easy | question=What is 10% of 1783? | option_a=188 | option_b=158 | option_c=356 | option_d=178 | answer=D | explanation=10% of 1783 = (10/100) × 1783 = 178.

id=46744 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=23 | option_d=36 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=46745 | topic=Averages | difficulty=Easy | question=Find the average of 55, 18, 29, 11, 17, 56. | option_a=31 | option_b=30 | option_c=33 | option_d=32 | answer=A | explanation=Average = sum of values ÷ number of values = 186 ÷ 6 = 31.

id=46746 | topic=Averages | difficulty=Easy | question=Find the average of 16, 60, 25, 32, 77, 86, 89. | option_a=57 | option_b=55 | option_c=54 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 385 ÷ 7 = 55.

id=46747 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**48606 at 12% per annum for 1 years. | option_a=5832 | option_b=5932 | option_c=5732 | option_d=54438 | answer=A | explanation=SI = PRT/100 = 48606×12×1/100 = **₹**5832.

id=46748 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=46749 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=24 | option_c=12 | option_d=17 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=46750 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=46751 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=46752 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:17 and the first is 256, what is the second? | option_a=272 | option_b=288 | option_c=528 | option_d=255 | answer=A | explanation=Scale factor = 256/16 = 16. Therefore second quantity = 17×16 = 272.

id=46753 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**22158 at 5% per annum for 1 years. | option_a=1107 | option_b=1207 | option_c=23265 | option_d=1007 | answer=A | explanation=SI = PRT/100 = 22158×5×1/100 = **₹**1107.

id=46754 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=56 | option_b=64 | option_c=55 | option_d=46 | answer=C | explanation=The common difference is 9. Therefore the next term is 46 + 9 = 55.

id=46755 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:16 and the first is 34, what is the second? | option_a=16 | option_b=49 | option_c=66 | option_d=32 | answer=D | explanation=Scale factor = 34/17 = 2. Therefore second quantity = 16×2 = 32.

id=46756 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=V | option_b=Q | option_c=L | option_d=G | answer=B | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=46757 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=L | option_c=C | option_d=I | answer=D | explanation=Move 3 positions forward from F; the resulting letter is I.

id=46758 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 24, 30, 36, ? | option_a=48 | option_b=42 | option_c=43 | option_d=36 | answer=B | explanation=The common difference is 6. Therefore the next term is 36 + 6 = 42.

id=46759 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=31 | option_b=26 | option_c=21 | option_d=27 | answer=B | explanation=The common difference is 5. Therefore the next term is 21 + 5 = 26.

id=46760 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:6 and the first is 209, what is the second? | option_a=114 | option_b=125 | option_c=323 | option_d=108 | answer=A | explanation=Scale factor = 209/11 = 19. Therefore second quantity = 6×19 = 114.

id=46761 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=27 | option_b=24 | option_c=26 | option_d=28 | answer=C | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.

id=46762 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 28? | option_a=19 | option_b=5 | option_c=28 | option_d=12 | answer=C | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 28 is the odd one out.

id=46763 | topic=Averages | difficulty=Easy | question=Find the average of 23, 74, 69, 70, 24, 61, 46, 82, 73. | option_a=58 | option_b=60 | option_c=57 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 522 ÷ 9 = 58.

id=46764 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=J | option_b=F | option_c=B | option_d=X | answer=B | explanation=Move 4 positions forward from B; the resulting letter is F.

id=46765 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**21626 at 5% per annum for 4 years. | option_a=4225 | option_b=4425 | option_c=25951 | option_d=4325 | answer=D | explanation=SI = PRT/100 = 21626×5×4/100 = **₹**4325.

id=46766 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 13, 17, 21, ? | option_a=21 | option_b=29 | option_c=26 | option_d=25 | answer=D | explanation=The common difference is 4. Therefore the next term is 21 + 4 = 25.

id=46767 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=23 | option_d=13 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=46768 | topic=Averages | difficulty=Easy | question=Find the average of 48, 39, 29, 59, 73, 40, 48, 61, 53. | option_a=52 | option_b=51 | option_c=49 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 450 ÷ 9 = 50.

id=46769 | topic=Averages | difficulty=Easy | question=Find the average of 43, 51, 32, 95, 63, 78, 58, 36. | option_a=58 | option_b=59 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

id=46770 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=X | option_c=B | option_d=P | answer=B | explanation=Move 4 positions forward from T; the resulting letter is X.

Aptitude Questions — Records 46,771-46,800 of 100,000

id=46771 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=T | option_c=R | option_d=X | answer=A | explanation=Move 2 positions forward from T; the resulting letter is V.

id=46772 | topic=Averages | difficulty=Easy | question=Find the average of 79, 17, 57, 12, 46, 52, 93, 29, 74. | option_a=52 | option_b=51 | option_c=53 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 459 ÷ 9 = 51.

id=46773 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1600. If it is sold at a profit of 50%, what is its selling price? | option_a=2240 | option_b=2400 | option_c=1650 | option_d=2560 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1600 × 150/100 = █2400.

id=46774 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37348 at 5% per annum for 4 years. | option_a=7469 | option_b=7569 | option_c=7369 | option_d=44817 | answer=A | explanation=SI = PRT/100 = 37348×5×4/100 = █7469.

id=46775 | topic=Percentages | difficulty=Easy | question=What is 40% of 1184? | option_a=473 | option_b=946 | option_c=493 | option_d=463 | answer=A | explanation=40% of 1184 = (40/100) × 1184 = 473.

id=46776 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22911 at 10% per annum for 3 years. | option_a=6973 | option_b=29784 | option_c=6773 | option_d=6873 | answer=D | explanation=SI = PRT/100 = 22911×10×3/100 = █6873.

id=46777 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 6, 10, 15? | option_a=15 | option_b=10 | option_c=6 | option_d=2 | answer=A | explanation=The first three numbers increase by 4, so the next should be 14. Therefore 15 is the odd one out.

id=46778 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9831 at 4% per annum for 2 years. | option_a=686 | option_b=10617 | option_c=886 | option_d=786 | answer=D | explanation=SI = PRT/100 = 9831×4×2/100 = █786.

id=46779 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40361 at 8% per annum for 2 years. | option_a=6357 | option_b=6557 | option_c=46818 | option_d=6457 | answer=D | explanation=SI = PRT/100 = 40361×8×2/100 = █6457.

id=46780 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 19? | option_a=12 | option_b=19 | option_c=15 | option_d=9 | answer=B | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 19 is the odd one out.

id=46781 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=U | option_c=T | option_d=R | answer=C | explanation=Move 1 positions forward from S; the resulting letter is T.

id=46782 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=40 | option_b=34 | option_c=39 | option_d=44 | answer=C | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

id=46783 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 51? | option_a=25 | option_b=33 | option_c=41 | option_d=51 | answer=D | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 51 is the odd one out.

id=46784 | topic=Averages | difficulty=Easy | question=Find the average of 74, 81, 18, 74, 90, 67, 50, 91, 35, 60. | option_a=65 | option_b=64 | option_c=63 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 640 ÷ 10 = 64.

id=46785 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=33 | option_b=34 | option_c=37 | option_d=29 | answer=A | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=46786 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43467 at 4% per annum for 3 years. | option_a=5216 | option_b=5316 | option_c=48683 | option_d=5116 | answer=A | explanation=SI = PRT/100 = 43467×4×3/100 = █5216.

id=46787 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 40? | option_a=19 | option_b=28 | option_c=10 | option_d=40 | answer=D | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 40 is the odd one out.

id=46788 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:17 and the first is 180, what is the second? | option_a=435 | option_b=255 | option_c=238 | option_d=267 | answer=B | explanation=Scale factor = 180/12 = 15. Therefore second quantity = 17×15 = 255.

id=46789 | topic=Percentages | difficulty=Easy | question=What is 10% of 1702? | option_a=170 | option_b=340 | option_c=160 | option_d=180 | answer=A | explanation=10% of 1702 = (10/100) × 1702 = 170.

id=46790 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=14 | option_b=13 | option_c=12 | option_d=10 | answer=C | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.

id=46791 | topic=Averages | difficulty=Easy | question=Find the average of 94, 63, 45, 92, 77, 100, 30, 69, 44, 86. | option_a=69 | option_b=71 | option_c=72 | option_d=70 | answer=D | explanation=Average = sum of values ÷ number of values = 700 ÷ 10 = 70.

id=46792 | topic=Percentages | difficulty=Easy | question=What is 5% of 1527? | option_a=66 | option_b=76 | option_c=81 | option_d=152 | answer=B | explanation=5% of 1527 = (5/100) × 1527 = 76.

id=46793 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=28 | option_b=23 | option_c=27 | option_d=31 | answer=C | explanation=The common difference is 4. Therefore the next term is 23 + 4 = 27.

id=46794 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 23, 32, 43? | option_a=43 | option_b=14 | option_c=32 | option_d=23 | answer=A | explanation=The first three numbers increase by 9, so the next should be 41. Therefore 43 is the odd one out.

id=46795 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=R | option_b=O | option_c=U | option_d=L | answer=A | explanation=Move 3 positions forward from O; the resulting letter is R.

id=46796 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=23 | option_b=29 | option_c=26 | option_d=27 | answer=C | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.

id=46797 | topic=Percentages | difficulty=Easy | question=What is 20% of 1557? | option_a=622 | option_b=311 | option_c=291 | option_d=331 | answer=B | explanation=20% of 1557 = (20/100) × 1557 = 311.

id=46798 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=Y | option_b=S | option_c=P | option_d=V | answer=D | explanation=Move 3 positions forward from S; the resulting letter is V.

id=46799 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Y | option_b=Q | option_c=U | option_d=M | answer=C | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=46800 | topic=Profit & Loss | difficulty=Easy | question=An article costs █214. If it is sold at a profit of 5%, what is its selling price? | option_a=245 | option_b=224 | option_c=219 | option_d=203 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 214 × 105/100 = █224.

Aptitude Questions — Records 46,801-46,830 of 100,000

id=46801 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=180 | option_c=95 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=46802 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2253. If it is sold at a profit of 40%, what is its selling price? | option_a=3154 | option_b=2293 | option_c=2929 | option_d=3379 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2253 × 140/100 = █3154.

id=46803 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 25. | option_a=125 | option_b=180 | option_c=150 | option_d=750 | answer=C | explanation=LCM × HCF = 30×25; HCF(30,25) = 5, so LCM = 150.

id=46804 | topic=Percentages | difficulty=Easy | question=What is 10% of 1859? | option_a=185 | option_b=205 | option_c=175 | option_d=370 | answer=A | explanation=10% of 1859 = (10/100) × 1859 = 185.

id=46805 | topic=Averages | difficulty=Easy | question=Find the average of 80, 78, 46. | option_a=68 | option_b=69 | option_c=67 | option_d=70 | answer=A | explanation=Average = sum of values ÷ number of values = 204 ÷ 3 = 68.

id=46806 | topic=Profit & Loss | difficulty=Easy | question=An article costs █230. If it is sold at a profit of 40%, what is its selling price? | option_a=322 | option_b=270 | option_c=299 | option_d=345 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 230 × 140/100 = █322.

id=46807 | topic=Averages | difficulty=Easy | question=Find the average of 40, 64, 67, 48, 91. | option_a=61 | option_b=63 | option_c=62 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 310 ÷ 5 = 62.

id=46808 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=29 | option_b=33 | option_c=37 | option_d=34 | answer=B | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=46809 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=52 | option_b=63 | option_c=39 | option_d=51 | answer=D | explanation=The common difference is 12. Therefore the next term is 39 + 12 = 51.

id=46810 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=46811 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=115 | option_c=240 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=46812 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2159. If it is sold at a profit of 10%, what is its selling price? | option_a=2589 | option_b=2159 | option_c=2374 | option_d=2169 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2159 × 110/100 = █2374.

id=46813 | topic=Percentages | difficulty=Easy | question=What is 20% of 230? | option_a=41 | option_b=46 | option_c=51 | option_d=92 | answer=B | explanation=20% of 230 = (20/100) × 230 = 46.

id=46814 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 21, 27, 34? | option_a=27 | option_b=21 | option_c=15 | option_d=34 | answer=D | explanation=The first three numbers increase by 6, so the next should be 33. Therefore 34 is the odd one out.

id=46815 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=41 | option_b=55 | option_c=48 | option_d=49 | answer=C | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.

id=46816 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4331. If it is sold at a profit of 40%, what is its selling price? | option_a=6063 | option_b=4371 | option_c=5630 | option_d=6496 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4331 × 140/100 = █6063.

id=46817 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=24 | option_b=27 | option_c=19 | option_d=23 | answer=D | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=46818 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=O | option_b=D | option_c=Y | option_d=T | answer=C | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=46819 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=D | option_b=E | option_c=G | option_d=F | answer=D | explanation=Move 1 positions forward from E; the resulting letter is F.

id=46820 | topic=Averages | difficulty=Easy | question=Find the average of 58, 77, 27, 92, 54, 17, 43, 56. | option_a=54 | option_b=55 | option_c=53 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.

id=46821 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=46822 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=59 | option_b=50 | option_c=39 | option_d=49 | answer=D | explanation=The common difference is 10. Therefore the next term is 39 + 10 = 49.

id=46823 | topic=Profit & Loss | difficulty=Easy | question=An article costs █831. If it is sold at a profit of 40%, what is its selling price? | option_a=1246 | option_b=871 | option_c=1163 | option_d=1080 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 831 × 140/100 = █1163.

id=46824 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:13 and the first is 27, what is the second? | option_a=104 | option_b=117 | option_c=120 | option_d=144 | answer=B | explanation=Scale factor = 27/3 = 9. Therefore second quantity = 13×9 = 117.

id=46825 | topic=Percentages | difficulty=Easy | question=What is 50% of 110? | option_a=75 | option_b=55 | option_c=110 | option_d=50 | answer=B | explanation=50% of 110 = (50/100) × 110 = 55.

id=46826 | topic=Averages | difficulty=Easy | question=Find the average of 76, 71, 36, 58, 39, 22, 38, 28. | option_a=48 | option_b=47 | option_c=45 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 368 ÷ 8 = 46.

id=46827 | topic=Averages | difficulty=Easy | question=Find the average of 45, 32, 52, 13, 23, 35, 101. | option_a=42 | option_b=45 | option_c=43 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = 301 ÷ 7 = 43.

id=46828 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:1 and the first is 255, what is the second? | option_a=32 | option_b=270 | option_c=15 | option_d=14 | answer=C | explanation=Scale factor = 255/17 = 15. Therefore second quantity = 1×15 = 15.

id=46829 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 41? | option_a=25 | option_b=30 | option_c=35 | option_d=41 | answer=D | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 41 is the odd one out.

id=46830 | topic=Averages | difficulty=Easy | question=Find the average of 99, 39, 95, 35, 100, 46. | option_a=68 | option_b=70 | option_c=69 | option_d=71 | answer=C | explanation=Average = sum of values ÷ number of values = 414 ÷ 6 = 69.

Aptitude Questions — Records 46,831-46,860 of 100,000

id=46831 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 24, 30, 36, ? | option_a=43 | option_b=36 | option_c=48 | option_d=42 | answer=D | explanation=The common difference is 6. Therefore the next term is 36 + 6 = 42.

id=46832 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 13, 18, 23, ? | option_a=28 | option_b=23 | option_c=29 | option_d=33 | answer=A | explanation=The common difference is 5. Therefore the next term is 23 + 5 = 28.

id=46833 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=F | option_c=D | option_d=Z | answer=C | explanation=Move 2 positions forward from B; the resulting letter is D.

id=46834 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=240 | option_c=115 | option_d=125 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=46835 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 26, 33, 42? | option_a=19 | option_b=33 | option_c=42 | option_d=26 | answer=C | explanation=The first three numbers increase by 7, so the next should be 40. Therefore 42 is the odd one out.

id=46836 | topic=Percentages | difficulty=Easy | question=What is 30% of 435? | option_a=130 | option_b=140 | option_c=110 | option_d=260 | answer=A | explanation=30% of 435 = (30/100) × 435 = 130.

id=46837 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹30974 at 15% per annum for 4 years. | option_a=18684 | option_b=49558 | option_c=18584 | option_d=18484 | answer=C | explanation=SI = PRT/100 = 30974×15×4/100 = ₹18584.

id=46838 | topic=Averages | difficulty=Easy | question=Find the average of 32, 80, 61, 75. | option_a=62 | option_b=64 | option_c=63 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 248 ÷ 4 = 62.

id=46839 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=46840 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 19, 29, 40? | option_a=19 | option_b=9 | option_c=29 | option_d=40 | answer=D | explanation=The first three numbers increase by 10, so the next should be 39. Therefore 40 is the odd one out.

id=46841 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹3804. If it is sold at a profit of 10%, what is its selling price? | option_a=4564 | option_b=3804 | option_c=3814 | option_d=4184 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3804 × 110/100 = ₹4184.

id=46842 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 16. | option_a=80 | option_b=160 | option_c=90 | option_d=64 | answer=A | explanation=LCM × HCF = 10×16; HCF(10,16) = 2, so LCM = 80.

id=46843 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=46844 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=46845 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=30 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=46846 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 21, 25, 32? | option_a=32 | option_b=25 | option_c=17 | option_d=21 | answer=A | explanation=The first three numbers increase by 4, so the next should be 29. Therefore 32 is the odd one out.

id=46847 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2373. If it is sold at a profit of 15%, what is its selling price? | option_a=2491 | option_b=2388 | option_c=2728 | option_d=2965 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2373 × 115/100 = ₹2728.

id=46848 | topic=Percentages | difficulty=Easy | question=What is 50% of 955? | option_a=477 | option_b=954 | option_c=497 | option_d=467 | answer=A | explanation=50% of 955 = (50/100) × 955 = 477.

id=46849 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹4217. If it is sold at a profit of 50%, what is its selling price? | option_a=6746 | option_b=6325 | option_c=4267 | option_d=5904 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4217 × 150/100 = ₹6325.

id=46850 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:7 and the first is 80, what is the second? | option_a=192 | option_b=112 | option_c=117 | option_d=105 | answer=B | explanation=Scale factor = 80/5 = 16. Therefore second quantity = 7×16 = 112.

id=46851 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=17 | option_c=24 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=46852 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=40 | option_c=25 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=46853 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=46854 | topic=Percentages | difficulty=Easy | question=What is 30% of 1799? | option_a=519 | option_b=1078 | option_c=539 | option_d=549 | answer=C | explanation=30% of 1799 = (30/100) × 1799 = 539.

id=46855 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=150 | option_c=70 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=46856 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 14. | option_a=140 | option_b=280 | option_c=160 | option_d=126 | answer=A | explanation=LCM × HCF = 20×14; HCF(20,14) = 2, so LCM = 140.

id=46857 | topic=Averages | difficulty=Easy | question=Find the average of 80, 61, 53, 100, 66, 67, 51, 58. | option_a=67 | option_b=69 | option_c=68 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 536 ÷ 8 = 67.

id=46858 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=40 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=46859 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=Y | option_c=C | option_d=K | answer=A | explanation=Move 4 positions forward from C; the resulting letter is G.

id=46860 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

Aptitude Questions — Records 46,861-46,890 of 100,000

id=46861 | topic=Profit & Loss | difficulty=Easy | question=An article costs █224. If it is sold at a profit of 10%, what is its selling price? | option_a=234 | option_b=246 | option_c=268 | option_d=224 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 224 × 110/100 = █246.

id=46862 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=35 | option_b=32 | option_c=31 | option_d=27 | answer=C | explanation=The common difference is 4. Therefore the next term is 27 + 4 = 31.

id=46863 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=100 | option_c=50 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=46864 | topic=Percentages | difficulty=Easy | question=What is 25% of 53? | option_a=13 | option_b=23 | option_c=3 | option_d=26 | answer=A | explanation=25% of 53 = (25/100) × 53 = 13.

id=46865 | topic=Percentages | difficulty=Easy | question=What is 40% of 217? | option_a=172 | option_b=96 | option_c=81 | option_d=86 | answer=D | explanation=40% of 217 = (40/100) × 217 = 86.

id=46866 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4797. If it is sold at a profit of 20%, what is its selling price? | option_a=4817 | option_b=5277 | option_c=6235 | option_d=5756 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4797 × 120/100 = █5756.

id=46867 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=100 | option_c=105 | option_d=200 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=46868 | topic=Percentages | difficulty=Easy | question=What is 15% of 1597? | option_a=478 | option_b=239 | option_c=229 | option_d=244 | answer=B | explanation=15% of 1597 = (15/100) × 1597 = 239.

id=46869 | topic=Percentages | difficulty=Easy | question=What is 50% of 1727? | option_a=863 | option_b=1726 | option_c=853 | option_d=883 | answer=A | explanation=50% of 1727 = (50/100) × 1727 = 863.

id=46870 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13205 at 10% per annum for 4 years. | option_a=18487 | option_b=5182 | option_c=5382 | option_d=5282 | answer=D | explanation=SI = PRT/100 = 13205×10×4/100 = █5282.

id=46871 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35108 at 8% per annum for 4 years. | option_a=11134 | option_b=11234 | option_c=46342 | option_d=11334 | answer=B | explanation=SI = PRT/100 = 35108×8×4/100 = █11234.

id=46872 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=J | option_b=G | option_c=A | option_d=D | answer=B | explanation=Move 3 positions forward from D; the resulting letter is G.

id=46873 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=52 | option_b=62 | option_c=42 | option_d=53 | answer=A | explanation=The common difference is 10. Therefore the next term is 42 + 10 = 52.

id=46874 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26111 at 6% per annum for 5 years. | option_a=7733 | option_b=7833 | option_c=33944 | option_d=7933 | answer=B | explanation=SI = PRT/100 = 26111×6×5/100 = █7833.

id=46875 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=M | option_b=Q | option_c=S | option_d=O | answer=B | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=46876 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 33? | option_a=20 | option_b=24 | option_c=28 | option_d=33 | answer=D | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 33 is the odd one out.

id=46877 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:15 and the first is 19, what is the second? | option_a=270 | option_b=304 | option_c=285 | option_d=286 | answer=C | explanation=Scale factor = 19/1 = 19. Therefore second quantity = 15×19 = 285.

id=46878 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=63 | option_b=62 | option_c=50 | option_d=74 | answer=B | explanation=The common difference is 12. Therefore the next term is 50 + 12 = 62.

id=46879 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=Q | option_c=U | option_d=S | answer=C | explanation=Move 2 positions forward from S; the resulting letter is U.

id=46880 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=Q | option_b=N | option_c=H | option_d=K | answer=B | explanation=Move 3 positions forward from K; the resulting letter is N.

id=46881 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=46882 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=46883 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2239. If it is sold at a profit of 15%, what is its selling price? | option_a=2254 | option_b=2351 | option_c=2797 | option_d=2574 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2239 × 115/100 = █2574.

id=46884 | topic=Averages | difficulty=Easy | question=Find the average of 20, 56, 64, 14, 88, 43, 72, 53, 20, 60. | option_a=50 | option_b=51 | option_c=48 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 490 ÷ 10 = 49.

id=46885 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=12 | option_b=24 | option_c=7 | option_d=17 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=46886 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=29 | option_b=38 | option_c=47 | option_d=39 | answer=B | explanation=The common difference is 9. Therefore the next term is 29 + 9 = 38.

id=46887 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 13, 20, 30? | option_a=13 | option_b=30 | option_c=20 | option_d=6 | answer=B | explanation=The first three numbers increase by 7, so the next should be 27. Therefore 30 is the odd one out.

id=46888 | topic=Percentages | difficulty=Easy | question=What is 40% of 1840? | option_a=1472 | option_b=726 | option_c=756 | option_d=736 | answer=D | explanation=40% of 1840 = (40/100) × 1840 = 736.

id=46889 | topic=Profit & Loss | difficulty=Easy | question=An article costs █935. If it is sold at a profit of 5%, what is its selling price? | option_a=1074 | option_b=888 | option_c=981 | option_d=940 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 935 × 105/100 = █981.

id=46890 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 13, 17, 23? | option_a=9 | option_b=23 | option_c=17 | option_d=13 | answer=B | explanation=The first three numbers increase by 4, so the next should be 21. Therefore 23 is the odd one out.

Aptitude Questions — Records 46,891-46,920 of 100,000

id=46891 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 46? | option_a=46 | option_b=30 | option_c=23 | option_d=37 | answer=A | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 46 is the odd one out.

id=46892 | topic=Percentages | difficulty=Easy | question=What is 25% of 140? | option_a=35 | option_b=70 | option_c=15 | option_d=40 | answer=A | explanation=25% of 140 = (25/100) × 140 = 35.

id=46893 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 37, 44, 53? | option_a=53 | option_b=44 | option_c=37 | option_d=30 | answer=A | explanation=The first three numbers increase by 7, so the next should be 51. Therefore 53 is the odd one out.

id=46894 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=68 | option_b=80 | option_c=56 | option_d=69 | answer=A | explanation=The common difference is 12. Therefore the next term is 56 + 12 = 68.

id=46895 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:14 and the first is 144, what is the second? | option_a=238 | option_b=396 | option_c=260 | option_d=252 | answer=D | explanation=Scale factor = 144/8 = 18. Therefore second quantity = 14×18 = 252.

id=46896 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=16 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=46897 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47826 at 6% per annum for 3 years. | option_a=8508 | option_b=8608 | option_c=8708 | option_d=56434 | answer=B | explanation=SI = PRT/100 = 47826×6×3/100 = █8608.

id=46898 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26489 at 10% per annum for 4 years. | option_a=37084 | option_b=10595 | option_c=10695 | option_d=10495 | answer=B | explanation=SI = PRT/100 = 26489×10×4/100 = █10595.

id=46899 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 12. | option_a=156 | option_b=312 | option_c=182 | option_d=144 | answer=A | explanation=LCM × HCF = 26×12; HCF(26,12) = 2, so LCM = 156.

id=46900 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:5 and the first is 144, what is the second? | option_a=90 | option_b=234 | option_c=98 | option_d=85 | answer=A | explanation=Scale factor = 144/8 = 18. Therefore second quantity = 5×18 = 90.

id=46901 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4082. If it is sold at a profit of 25%, what is its selling price? | option_a=4107 | option_b=5510 | option_c=5102 | option_d=4694 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4082 × 125/100 = █5102.

id=46902 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:14 and the first is 91, what is the second? | option_a=273 | option_b=189 | option_c=168 | option_d=182 | answer=D | explanation=Scale factor = 91/7 = 13. Therefore second quantity = 14×13 = 182.

id=46903 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3096. If it is sold at a profit of 50%, what is its selling price? | option_a=3146 | option_b=4644 | option_c=4953 | option_d=4335 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3096 × 150/100 = █4644.

id=46904 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1895. If it is sold at a profit of 10%, what is its selling price? | option_a=1905 | option_b=1895 | option_c=2273 | option_d=2084 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1895 × 110/100 = █2084.

id=46905 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=46906 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=175 | option_c=360 | option_d=180 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=46907 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=46908 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:12 and the first is 10, what is the second? | option_a=70 | option_b=48 | option_c=60 | option_d=62 | answer=C | explanation=Scale factor = 10/2 = 5. Therefore second quantity = 12×5 = 60.

id=46909 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 19, 27, 37? | option_a=37 | option_b=27 | option_c=19 | option_d=11 | answer=A | explanation=The first three numbers increase by 8, so the next should be 35. Therefore 37 is the odd one out.

id=46910 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=46911 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=29 | option_b=25 | option_c=19 | option_d=24 | answer=D | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.

id=46912 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=115 | option_c=240 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=46913 | topic=Percentages | difficulty=Easy | question=What is 15% of 1498? | option_a=229 | option_b=448 | option_c=224 | option_d=214 | answer=C | explanation=15% of 1498 = (15/100) × 1498 = 224.

id=46914 | topic=Percentages | difficulty=Easy | question=What is 40% of 1420? | option_a=578 | option_b=558 | option_c=568 | option_d=1136 | answer=C | explanation=40% of 1420 = (40/100) × 1420 = 568.

id=46915 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=45 | option_b=36 | option_c=54 | option_d=46 | answer=A | explanation=The common difference is 9. Therefore the next term is 36 + 9 = 45.

id=46916 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 10. | option_a=100 | option_b=20 | option_c=1 | option_d=10 | answer=D | explanation=LCM × HCF = 10×10; HCF(10,10) = 10, so LCM = 10.

id=46917 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1443. If it is sold at a profit of 15%, what is its selling price? | option_a=1515 | option_b=1458 | option_c=1659 | option_d=1803 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1443 × 115/100 = █1659.

id=46918 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2384. If it is sold at a profit of 30%, what is its selling price? | option_a=2861 | option_b=3337 | option_c=2414 | option_d=3099 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2384 × 130/100 = █3099.

id=46919 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=R | option_c=X | option_d=A | answer=C | explanation=Move 3 positions forward from U; the resulting letter is X.

id=46920 | topic=Percentages | difficulty=Easy | question=What is 30% of 656? | option_a=176 | option_b=392 | option_c=206 | option_d=196 | answer=D | explanation=30% of 656 = (30/100) × 656 = 196.

Aptitude Questions — Records 46,921-46,950 of 100,000

id=46921 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:7 and the first is 220, what is the second? | option_a=133 | option_b=140 | option_c=151 | option_d=360 | answer=B | explanation=Scale factor = $220/11 = 20$. Therefore second quantity = $7 \times 20 = 140$.

id=46922 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1067 at 10% per annum for 3 years. | option_a=320 | option_b=420 | option_c=1387 | option_d=220 | answer=A | explanation=SI = $PRT/100 = 1067 \times 10 \times 3/100 = \text{■}320$.

id=46923 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31411 at 10% per annum for 1 years. | option_a=3241 | option_b=3141 | option_c=34552 | option_d=3041 | answer=B | explanation=SI = $PRT/100 = 31411 \times 10 \times 1/100 = \text{■}3141$.

id=46924 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=35 | option_b=23 | option_c=29 | option_d=30 | answer=C | explanation=The common difference is 6. Therefore the next term is $23 + 6 = 29$.

id=46925 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 44? | option_a=44 | option_b=35 | option_c=21 | option_d=28 | answer=A | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 44 is the odd one out.

id=46926 | topic=Percentages | difficulty=Easy | question=What is 20% of 102? | option_a=40 | option_b=0 | option_c=25 | option_d=20 | answer=D | explanation=20% of 102 = $(20/100) \times 102 = 20$.

id=46927 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2126. If it is sold at a profit of 5%, what is its selling price? | option_a=2444 | option_b=2131 | option_c=2232 | option_d=2020 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2126 \times 105/100 = \text{■}2232$.

id=46928 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:3 and the first is 380, what is the second? | option_a=60 | option_b=440 | option_c=57 | option_d=79 | answer=A | explanation=Scale factor = $380/19 = 20$. Therefore second quantity = $3 \times 20 = 60$.

id=46929 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=46930 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 35? | option_a=22 | option_b=2 | option_c=12 | option_d=35 | answer=D | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 35 is the odd one out.

id=46931 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=80 | option_c=35 | option_d=40 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 240 \div 6 = 40$ km/h.

id=46932 | topic=Percentages | difficulty=Easy | question=What is 50% of 681? | option_a=320 | option_b=345 | option_c=340 | option_d=680 | answer=C | explanation=50% of 681 = $(50/100) \times 681 = 340$.

id=46933 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=44 | option_b=36 | option_c=28 | option_d=37 | answer=B | explanation=The common difference is 8. Therefore the next term is $28 + 8 = 36$.

id=46934 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=29 | option_d=24 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 120 \div 5 = 24$ km/h.

id=46935 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43882 at 8% per annum for 4 years. | option_a=14042 | option_b=57924 | option_c=14142 | option_d=13942 | answer=A | explanation=SI = $PRT/100 = 43882 \times 8 \times 4/100 = \text{■}14042$.

id=46936 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 14, 21, 29? | option_a=7 | option_b=29 | option_c=21 | option_d=14 | answer=B | explanation=The first three numbers increase by 7, so the next should be 28. Therefore 29 is the odd one out.

id=46937 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=24 | option_c=12 | option_d=7 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 120 \div 10 = 12$ km/h.

id=46938 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 35? | option_a=35 | option_b=12 | option_c=2 | option_d=22 | answer=A | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 35 is the odd one out.

id=46939 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=66 | option_b=65 | option_c=77 | option_d=53 | answer=B | explanation=The common difference is 12. Therefore the next term is $53 + 12 = 65$.

id=46940 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 4. | option_a=16 | option_b=8 | option_c=32 | option_d=4 | answer=B | explanation= $LCM \times HCF = 8 \times 4$; $HCF(8,4) = 4$, so $LCM = 8$.

id=46941 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=46942 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=48 | option_c=96 | option_d=53 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 240 \div 5 = 48$ km/h.

id=46943 | topic=Averages | difficulty=Easy | question=Find the average of 15, 26, 50, 57, 74, 38, 62, 102. | option_a=54 | option_b=55 | option_c=52 | option_d=53 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 424 \div 8 = 53$.

id=46944 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2431. If it is sold at a profit of 50%, what is its selling price? | option_a=3403 | option_b=3646 | option_c=3889 | option_d=2481 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2431 \times 150/100 = \text{■}3646$.

id=46945 | topic=Percentages | difficulty=Easy | question=What is 12% of 324? | option_a=28 | option_b=38 | option_c=76 | option_d=43 | answer=B | explanation=12% of 324 = $(12/100) \times 324 = 38$.

id=46946 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=100 | option_d=50 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 150 \div 3 = 50$ km/h.

id=46947 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=M | option_c=P | option_d=O | answer=D | explanation=Move 1 positions forward from N; the resulting letter is O.

id=46948 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1289. If it is sold at a profit of 20%, what is its selling price? | option_a=1674 | option_b=1309 | option_c=1418 | option_d=1546 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1289 \times 120/100 = \text{■}1546$.

id=46949 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:13 and the first is 36, what is the second? | option_a=153 | option_b=121 | option_c=104 | option_d=117 | answer=D | explanation=Scale factor = $36/4 = 9$. Therefore second quantity = $13 \times 9 = 117$.

id=46950 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=M | option_b=U | option_c=Y | option_d=Q | answer=B | explanation=Move 4 positions forward from Q; the resulting letter is U.

Aptitude Questions — Records 46,951-46,980 of 100,000

id=46951 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 22. | option_a=44 | option_b=22 | option_c=88 | option_d=48 | answer=A | explanation=LCM × HCF = 4×22; HCF(4,22) = 2, so LCM = 44.

id=46952 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=75 | option_c=160 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=46953 | topic=Profit & Loss | difficulty=Easy | question=An article costs █162. If it is sold at a profit of 30%, what is its selling price? | option_a=210 | option_b=192 | option_c=226 | option_d=194 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 162 × 130/100 = █210.

id=46954 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24915 at 4% per annum for 2 years. | option_a=26908 | option_b=1993 | option_c=2093 | option_d=1893 | answer=B | explanation=SI = PRT/100 = 24915×4×2/100 = █1993.

id=46955 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 27. | option_a=216 | option_b=648 | option_c=189 | option_d=240 | answer=A | explanation=LCM × HCF = 24×27; HCF(24,27) = 3, so LCM = 216.

id=46956 | topic=Averages | difficulty=Easy | question=Find the average of 78, 50, 93, 54, 22, 30, 61, 79, 42, 91. | option_a=59 | option_b=60 | option_c=62 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=46957 | topic=Averages | difficulty=Easy | question=Find the average of 51, 98, 100. | option_a=83 | option_b=82 | option_c=84 | option_d=85 | answer=A | explanation=Average = sum of values ÷ number of values = 249 ÷ 3 = 83.

id=46958 | topic=Profit & Loss | difficulty=Easy | question=An article costs █535. If it is sold at a profit of 30%, what is its selling price? | option_a=695 | option_b=565 | option_c=748 | option_d=642 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 535 × 130/100 = █695.

id=46959 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:2 and the first is 24, what is the second? | option_a=48 | option_b=26 | option_c=22 | option_d=24 | answer=D | explanation=Scale factor = 24/2 = 12. Therefore second quantity = 2×12 = 24.

id=46960 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=80 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=46961 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11811 at 8% per annum for 5 years. | option_a=4824 | option_b=4624 | option_c=16535 | option_d=4724 | answer=D | explanation=SI = PRT/100 = 11811×8×5/100 = █4724.

id=46962 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Z | option_b=Q | option_c=W | option_d=T | answer=C | explanation=Move 3 positions forward from T; the resulting letter is W.

id=46963 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2491. If it is sold at a profit of 10%, what is its selling price? | option_a=2491 | option_b=2501 | option_c=2989 | option_d=2740 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2491 × 110/100 = █2740.

id=46964 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4067. If it is sold at a profit of 30%, what is its selling price? | option_a=5287 | option_b=4881 | option_c=4097 | option_d=5693 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4067 × 130/100 = █5287.

id=46965 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:9 and the first is 96, what is the second? | option_a=45 | option_b=54 | option_c=70 | option_d=150 | answer=B | explanation=Scale factor = 96/16 = 6. Therefore second quantity = 9×6 = 54.

id=46966 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:16 and the first is 90, what is the second? | option_a=96 | option_b=80 | option_c=186 | option_d=111 | answer=A | explanation=Scale factor = 90/15 = 6. Therefore second quantity = 16×6 = 96.

id=46967 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 10, 15, 22? | option_a=10 | option_b=5 | option_c=15 | option_d=22 | answer=D | explanation=The first three numbers increase by 5, so the next should be 20. Therefore 22 is the odd one out.

id=46968 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 14, 16, 21? | option_a=12 | option_b=16 | option_c=21 | option_d=14 | answer=C | explanation=The first three numbers increase by 2, so the next should be 18. Therefore 21 is the odd one out.

id=46969 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=46970 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=40 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=46971 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=46972 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 30, 38, 48? | option_a=22 | option_b=38 | option_c=30 | option_d=48 | answer=D | explanation=The first three numbers increase by 8, so the next should be 46. Therefore 48 is the odd one out.

id=46973 | topic=Percentages | difficulty=Easy | question=What is 12% of 879? | option_a=110 | option_b=100 | option_c=105 | option_d=210 | answer=C | explanation=12% of 879 = (12/100) × 879 = 105.

id=46974 | topic=Averages | difficulty=Easy | question=Find the average of 90, 90, 10, 43, 68, 97, 96, 50. | option_a=67 | option_b=70 | option_c=68 | option_d=69 | answer=C | explanation=Average = sum of values ÷ number of values = 544 ÷ 8 = 68.

id=46975 | topic=Averages | difficulty=Easy | question=Find the average of 98, 57, 35, 32, 20, 31, 57, 78. | option_a=53 | option_b=50 | option_c=52 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 408 ÷ 8 = 51.

id=46976 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 22? | option_a=17 | option_b=13 | option_c=15 | option_d=22 | answer=D | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 22 is the odd one out.

id=46977 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=46978 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=36 | option_b=32 | option_c=26 | option_d=31 | answer=D | explanation=The common difference is 5. Therefore the next term is 26 + 5 = 31.

id=46979 | topic=Percentages | difficulty=Easy | question=What is 40% of 1734? | option_a=703 | option_b=1386 | option_c=683 | option_d=693 | answer=D | explanation=40% of 1734 = (40/100) × 1734 = 693.

id=46980 | topic=Percentages | difficulty=Easy | question=What is 30% of 951? | option_a=290 | option_b=285 | option_c=280 | option_d=570 | answer=B | explanation=30% of 951 = (30/100) × 951 = 285.

Aptitude Questions — Records 46,981-47,010 of 100,000

id=46981 | topic=Profit & Loss | difficulty=Easy | question=An article costs █647. If it is sold at a profit of 20%, what is its selling price? | option_a=840 | option_b=776 | option_c=712 | option_d=667 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 647 × 120/100 = █776.

id=46982 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14621 at 8% per annum for 1 years. | option_a=15790 | option_b=1069 | option_c=1269 | option_d=1169 | answer=D | explanation=SI = PRT/100 = 14621×8×1/100 = █1169.

id=46983 | topic=Percentages | difficulty=Easy | question=What is 5% of 817? | option_a=50 | option_b=40 | option_c=20 | option_d=80 | answer=B | explanation=5% of 817 = (5/100) × 817 = 40.

id=46984 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43498 at 6% per annum for 1 years. | option_a=2609 | option_b=2709 | option_c=46107 | option_d=2509 | answer=A | explanation=SI = PRT/100 = 43498×6×1/100 = █2609.

id=46985 | topic=Averages | difficulty=Easy | question=Find the average of 30, 93, 87. | option_a=70 | option_b=72 | option_c=69 | option_d=71 | answer=A | explanation=Average = sum of values + number of values = 210 ÷ 3 = 70.

id=46986 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 14. | option_a=210 | option_b=196 | option_c=420 | option_d=240 | answer=A | explanation=LCM × HCF = 30×14; HCF(30,14) = 2, so LCM = 210.

id=46987 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 3. | option_a=12 | option_b=18 | option_c=3 | option_d=6 | answer=D | explanation=LCM × HCF = 6×3; HCF(6,3) = 3, so LCM = 6.

id=46988 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=I | option_c=M | option_d=K | answer=C | explanation=Move 2 positions forward from K; the resulting letter is M.

id=46989 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21849 at 15% per annum for 4 years. | option_a=34958 | option_b=13109 | option_c=13009 | option_d=13209 | answer=B | explanation=SI = PRT/100 = 21849×15×4/100 = █13109.

id=46990 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4328. If it is sold at a profit of 5%, what is its selling price? | option_a=4333 | option_b=4976 | option_c=4544 | option_d=4112 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4328 × 105/100 = █4544.

id=46991 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=18 | option_c=14 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=46992 | topic=Percentages | difficulty=Easy | question=What is 10% of 718? | option_a=142 | option_b=51 | option_c=76 | option_d=71 | answer=D | explanation=10% of 718 = (10/100) × 718 = 71.

id=46993 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=46994 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=S | option_b=U | option_c=Y | option_d=W | answer=D | explanation=Move 2 positions forward from U; the resulting letter is W.

id=46995 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 12, 17, 24? | option_a=7 | option_b=17 | option_c=24 | option_d=12 | answer=C | explanation=The first three numbers increase by 5, so the next should be 22. Therefore 24 is the odd one out.

id=46996 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 21. | option_a=63 | option_b=84 | option_c=112 | option_d=588 | answer=B | explanation=LCM × HCF = 28×21; HCF(28,21) = 7, so LCM = 84.

id=46997 | topic=Averages | difficulty=Easy | question=Find the average of 49, 94, 72, 39, 16. | option_a=56 | option_b=53 | option_c=55 | option_d=54 | answer=D | explanation=Average = sum of values + number of values = 270 ÷ 5 = 54.

id=46998 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 16, 26, 38? | option_a=16 | option_b=6 | option_c=26 | option_d=38 | answer=D | explanation=The first three numbers increase by 10, so the next should be 36. Therefore 38 is the odd one out.

id=46999 | topic=Profit & Loss | difficulty=Easy | question=An article costs █710. If it is sold at a profit of 50%, what is its selling price? | option_a=760 | option_b=994 | option_c=1136 | option_d=1065 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 710 × 150/100 = █1065.

id=47000 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 8. | option_a=24 | option_b=96 | option_c=16 | option_d=36 | answer=A | explanation=LCM × HCF = 12×8; HCF(12,8) = 4, so LCM = 24.

id=47001 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 36? | option_a=22 | option_b=30 | option_c=36 | option_d=26 | answer=C | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 36 is the odd one out.

id=47002 | topic=Averages | difficulty=Easy | question=Find the average of 26, 52, 95, 99. | option_a=69 | option_b=67 | option_c=68 | option_d=70 | answer=C | explanation=Average = sum of values + number of values = 272 ÷ 4 = 68.

id=47003 | topic=Percentages | difficulty=Easy | question=What is 10% of 1992? | option_a=199 | option_b=398 | option_c=194 | option_d=209 | answer=A | explanation=10% of 1992 = (10/100) × 1992 = 199.

id=47004 | topic=Averages | difficulty=Easy | question=Find the average of 94, 46, 80, 91, 64, 31, 31, 37, 48. | option_a=60 | option_b=57 | option_c=58 | option_d=59 | answer=C | explanation=Average = sum of values + number of values = 522 ÷ 9 = 58.

id=47005 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:11 and the first is 150, what is the second? | option_a=99 | option_b=260 | option_c=125 | option_d=110 | answer=D | explanation=Scale factor = 150/15 = 10. Therefore second quantity = 11×10 = 110.

id=47006 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 13, 16, 22? | option_a=22 | option_b=16 | option_c=13 | option_d=10 | answer=A | explanation=The first three numbers increase by 3, so the next should be 19. Therefore 22 is the odd one out.

id=47007 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:4 and the first is 342, what is the second? | option_a=414 | option_b=72 | option_c=68 | option_d=91 | answer=B | explanation=Scale factor = 342/19 = 18. Therefore second quantity = 4×18 = 72.

id=47008 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=25 | option_c=20 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=47009 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=47010 | topic=Averages | difficulty=Easy | question=Find the average of 51, 30, 54, 23, 14, 68, 54, 100, 34, 92. | option_a=52 | option_b=53 | option_c=51 | option_d=54 | answer=A | explanation=Average = sum of values + number of values = 520 ÷ 10 = 52.

Aptitude Questions — Records 47,011-47,040 of 100,000

id=47011 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13543 at 15% per annum for 2 years. | option_a=17605 | option_b=3962 | option_c=4062 | option_d=4162 | answer=C | explanation=SI = $PRT/100 = 13543 \times 15 \times 2/100 = \text{■}4062$.

id=47012 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31491 at 10% per annum for 3 years. | option_a=9347 | option_b=40938 | option_c=9547 | option_d=9447 | answer=D | explanation=SI = $PRT/100 = 31491 \times 10 \times 3/100 = \text{■}9447$.

id=47013 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=46 | option_b=32 | option_c=39 | option_d=40 | answer=C | explanation=The common difference is 7. Therefore the next term is $32 + 7 = 39$.

id=47014 | topic=Averages | difficulty=Easy | question=Find the average of 56, 46, 96, 80, 75, 49, 87, 59, 55. | option_a=66 | option_b=69 | option_c=68 | option_d=67 | answer=D | explanation=Average = sum of values ÷ number of values = $603 \div 9 = 67$.

id=47015 | topic=Percentages | difficulty=Easy | question=What is 30% of 1388? | option_a=416 | option_b=396 | option_c=421 | option_d=832 | answer=A | explanation=30% of 1388 = $(30/100) \times 1388 = 416$.

id=47016 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12773 at 15% per annum for 3 years. | option_a=18520 | option_b=5747 | option_c=5647 | option_d=5847 | answer=B | explanation=SI = $PRT/100 = 12773 \times 15 \times 3/100 = \text{■}5747$.

id=47017 | topic=Averages | difficulty=Easy | question=Find the average of 79, 40, 82, 21, 23. | option_a=51 | option_b=48 | option_c=50 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = $245 \div 5 = 49$.

id=47018 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=Q | option_c=I | option_d=U | answer=B | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=47019 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 13? | option_a=13 | option_b=5 | option_c=7 | option_d=9 | answer=A | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 13 is the odd one out.

id=47020 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=V | option_b=A | option_c=F | option_d=K | answer=C | explanation=Move 5 positions forward from A; the resulting letter is F.

id=47021 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=12 | option_b=14 | option_c=15 | option_d=16 | answer=B | explanation=The common difference is 2. Therefore the next term is $12 + 2 = 14$.

id=47022 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 34, 41, 51? | option_a=27 | option_b=51 | option_c=34 | option_d=41 | answer=B | explanation=The first three numbers increase by 7, so the next should be 48. Therefore 51 is the odd one out.

id=47023 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:5 and the first is 90, what is the second? | option_a=140 | option_b=45 | option_c=50 | option_d=59 | answer=C | explanation=Scale factor = $90/9 = 10$. Therefore second quantity = $5 \times 10 = 50$.

id=47024 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2651. If it is sold at a profit of 5%, what is its selling price? | option_a=2518 | option_b=2783 | option_c=2656 | option_d=3048 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2651 \times 105/100 = \text{■}2783$.

id=47025 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=D | option_b=B | option_c=E | option_d=C | answer=A | explanation=Move 1 positions forward from C; the resulting letter is D.

id=47026 | topic=Averages | difficulty=Easy | question=Find the average of 24, 87, 52, 44, 10, 40, 23, 56. | option_a=41 | option_b=44 | option_c=43 | option_d=42 | answer=D | explanation=Average = sum of values ÷ number of values = $336 \div 8 = 42$.

id=47027 | topic=Averages | difficulty=Easy | question=Find the average of 66, 13, 11, 38, 85, 38, 33, 20. | option_a=39 | option_b=40 | option_c=38 | option_d=37 | answer=C | explanation=Average = sum of values ÷ number of values = $304 \div 8 = 38$.

id=47028 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=47029 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46357 at 6% per annum for 3 years. | option_a=8444 | option_b=8344 | option_c=54701 | option_d=8244 | answer=B | explanation=SI = $PRT/100 = 46357 \times 6 \times 3/100 = \text{■}8344$.

id=47030 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=47031 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22505 at 10% per annum for 4 years. | option_a=9002 | option_b=8902 | option_c=31507 | option_d=9102 | answer=A | explanation=SI = $PRT/100 = 22505 \times 10 \times 4/100 = \text{■}9002$.

id=47032 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4667. If it is sold at a profit of 20%, what is its selling price? | option_a=4687 | option_b=6066 | option_c=5134 | option_d=5600 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4667 \times 120/100 = \text{■}5600$.

id=47033 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=20 | option_c=15 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = $60 \div 3 = 20$ km/h.

id=47034 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:7 and the first is 340, what is the second? | option_a=112 | option_b=459 | option_c=119 | option_d=139 | answer=C | explanation=Scale factor = $340/20 = 17$. Therefore second quantity = $7 \times 17 = 119$.

id=47035 | topic=Averages | difficulty=Easy | question=Find the average of 23, 97, 62, 37, 63, 58, 85, 47. | option_a=58 | option_b=61 | option_c=59 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = $472 \div 8 = 59$.

id=47036 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47747 at 5% per annum for 1 years. | option_a=2287 | option_b=2487 | option_c=2387 | option_d=50134 | answer=C | explanation=SI = $PRT/100 = 47747 \times 5 \times 1/100 = \text{■}2387$.

id=47037 | topic=Percentages | difficulty=Easy | question=What is 15% of 1197? | option_a=184 | option_b=179 | option_c=159 | option_d=358 | answer=B | explanation=15% of 1197 = $(15/100) \times 1197 = 179$.

id=47038 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=31 | option_b=41 | option_c=37 | option_d=36 | answer=D | explanation=The common difference is 5. Therefore the next term is $31 + 5 = 36$.

id=47039 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 33, 40, 50? | option_a=50 | option_b=33 | option_c=26 | option_d=40 | answer=A | explanation=The first three numbers increase by 7, so the next should be 47. Therefore 50 is the odd one out.

id=47040 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 30? | option_a=16 | option_b=30 | option_c=20 | option_d=24 | answer=B | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 30 is the odd one out.

Aptitude Questions — Records 47,041-47,070 of 100,000

id=47041 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=46 | option_b=38 | option_c=52 | option_d=45 | answer=D | explanation=The common difference is 7. Therefore the next term is 38 + 7 = 45.

id=47042 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■25296 at 4% per annum for 2 years. | option_a=27319 | option_b=2123 | option_c=1923 | option_d=2023 | answer=D | explanation=SI = PRT/100 = 25296×4×2/100 = ■2023.

id=47043 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 33? | option_a=24 | option_b=33 | option_c=12 | option_d=18 | answer=B | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 33 is the odd one out.

id=47044 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=G | option_c=W | option_d=L | answer=B | explanation=Move 5 positions forward from B; the resulting letter is G.

id=47045 | topic=Averages | difficulty=Easy | question=Find the average of 21, 75, 83, 75, 19, 12, 62, 29. | option_a=46 | option_b=49 | option_c=48 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 376 ÷ 8 = 47.

id=47046 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 25. | option_a=500 | option_b=100 | option_c=120 | option_d=75 | answer=B | explanation=LCM × HCF = 20×25; HCF(20,25) = 5, so LCM = 100.

id=47047 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:11 and the first is 180, what is the second? | option_a=110 | option_b=128 | option_c=290 | option_d=99 | answer=A | explanation=Scale factor = 180/18 = 10. Therefore second quantity = 11×10 = 110.

id=47048 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=53 | option_b=37 | option_c=45 | option_d=46 | answer=C | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=47049 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=47050 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1458. If it is sold at a profit of 40%, what is its selling price? | option_a=1498 | option_b=1896 | option_c=2041 | option_d=2186 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1458 × 140/100 = ■2041.

id=47051 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 10, 12, 14, ? | option_a=18 | option_b=16 | option_c=17 | option_d=14 | answer=B | explanation=The common difference is 2. Therefore the next term is 14 + 2 = 16.

id=47052 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:17 and the first is 85, what is the second? | option_a=85 | option_b=170 | option_c=68 | option_d=102 | answer=A | explanation=Scale factor = 85/17 = 5. Therefore second quantity = 17×5 = 85.

id=47053 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■516. If it is sold at a profit of 25%, what is its selling price? | option_a=696 | option_b=541 | option_c=594 | option_d=645 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 516 × 125/100 = ■645.

id=47054 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=47055 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=U | option_b=T | option_c=S | option_d=V | answer=A | explanation=Move 1 positions forward from T; the resulting letter is U.

id=47056 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=47057 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 45? | option_a=45 | option_b=30 | option_c=36 | option_d=24 | answer=A | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 45 is the odd one out.

id=47058 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 22. | option_a=154 | option_b=132 | option_c=308 | option_d=168 | answer=A | explanation=LCM × HCF = 14×22; HCF(14,22) = 2, so LCM = 154.

id=47059 | topic=Percentages | difficulty=Easy | question=What is 10% of 1657? | option_a=330 | option_b=145 | option_c=165 | option_d=185 | answer=C | explanation=10% of 1657 = (10/100) × 1657 = 165.

id=47060 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=35 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=47061 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 30. | option_a=420 | option_b=390 | option_c=840 | option_d=448 | answer=A | explanation=LCM × HCF = 28×30; HCF(28,30) = 2, so LCM = 420.

id=47062 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=42 | option_b=28 | option_c=35 | option_d=36 | answer=C | explanation=The common difference is 7. Therefore the next term is 28 + 7 = 35.

id=47063 | topic=Percentages | difficulty=Easy | question=What is 30% of 1495? | option_a=468 | option_b=448 | option_c=438 | option_d=896 | answer=B | explanation=30% of 1495 = (30/100) × 1495 = 448.

id=47064 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=45 | option_c=40 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=47065 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=47066 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=47067 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=47068 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=32 | option_b=34 | option_c=28 | option_d=31 | answer=D | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=47069 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:17 and the first is 104, what is the second? | option_a=119 | option_b=136 | option_c=149 | option_d=240 | answer=B | explanation=Scale factor = 104/13 = 8. Therefore second quantity = 17×8 = 136.

id=47070 | topic=Percentages | difficulty=Easy | question=What is 25% of 521? | option_a=150 | option_b=130 | option_c=110 | option_d=260 | answer=B | explanation=25% of 521 = (25/100) × 521 = 130.

Aptitude Questions — Records 47,071-47,100 of 100,000

id=47071 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=F | option_c=G | option_d=E | answer=C | explanation=Move 1 positions forward from F; the resulting letter is G.

id=47072 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=27 | option_b=31 | option_c=23 | option_d=28 | answer=A | explanation=The common difference is 4. Therefore the next term is 23 + 4 = 27.

id=47073 | topic=Profit & Loss | difficulty=Easy | question=An article costs █188. If it is sold at a profit of 20%, what is its selling price? | option_a=207 | option_b=208 | option_c=243 | option_d=225 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 188 × 120/100 = █225.

id=47074 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:11 and the first is 10, what is the second? | option_a=57 | option_b=65 | option_c=55 | option_d=44 | answer=C | explanation=Scale factor = 10/2 = 5. Therefore second quantity = 11×5 = 55.

id=47075 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=40 | option_b=52 | option_c=53 | option_d=64 | answer=B | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.

id=47076 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1329. If it is sold at a profit of 10%, what is its selling price? | option_a=1339 | option_b=1329 | option_c=1593 | option_d=1461 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1329 × 110/100 = █1461.

id=47077 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=47078 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:10 and the first is 76, what is the second? | option_a=180 | option_b=266 | option_c=194 | option_d=190 | answer=D | explanation=Scale factor = 76/4 = 19. Therefore second quantity = 10×19 = 190.

id=47079 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21864 at 6% per annum for 4 years. | option_a=5347 | option_b=27111 | option_c=5247 | option_d=5147 | answer=C | explanation=SI = PRT/100 = 21864×6×4/100 = █5247.

id=47080 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=Q | option_c=W | option_d=S | answer=A | explanation=Move 2 positions forward from S; the resulting letter is U.

id=47081 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 17, 26, 37? | option_a=17 | option_b=37 | option_c=8 | option_d=26 | answer=B | explanation=The first three numbers increase by 9, so the next should be 35. Therefore 37 is the odd one out.

id=47082 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1593. If it is sold at a profit of 5%, what is its selling price? | option_a=1831 | option_b=1598 | option_c=1672 | option_d=1513 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1593 × 105/100 = █1672.

id=47083 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47969 at 8% per annum for 1 years. | option_a=3937 | option_b=3837 | option_c=51806 | option_d=3737 | answer=B | explanation=SI = PRT/100 = 47969×8×1/100 = █3837.

id=47084 | topic=Averages | difficulty=Easy | question=Find the average of 95, 63, 10, 11, 16. | option_a=40 | option_b=41 | option_c=39 | option_d=38 | answer=C | explanation=Average = sum of values ÷ number of values = 195 ÷ 5 = 39.

id=47085 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:13 and the first is 216, what is the second? | option_a=450 | option_b=221 | option_c=246 | option_d=234 | answer=D | explanation=Scale factor = 216/12 = 18. Therefore second quantity = 13×18 = 234.

id=47086 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 24. | option_a=28 | option_b=24 | option_c=96 | option_d=1 | answer=B | explanation=LCM × HCF = 4×24; HCF(4,24) = 4, so LCM = 24.

id=47087 | topic=Averages | difficulty=Easy | question=Find the average of 51, 28, 41. | option_a=41 | option_b=40 | option_c=39 | option_d=42 | answer=B | explanation=Average = sum of values ÷ number of values = 120 ÷ 3 = 40.

id=47088 | topic=Profit & Loss | difficulty=Easy | question=An article costs █941. If it is sold at a profit of 40%, what is its selling price? | option_a=1223 | option_b=1411 | option_c=1317 | option_d=981 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 941 × 140/100 = █1317.

id=47089 | topic=Percentages | difficulty=Easy | question=What is 40% of 778? | option_a=622 | option_b=311 | option_c=316 | option_d=301 | answer=B | explanation=40% of 778 = (40/100) × 778 = 311.

id=47090 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:11 and the first is 56, what is the second? | option_a=88 | option_b=144 | option_c=77 | option_d=95 | answer=A | explanation=Scale factor = 56/7 = 8. Therefore second quantity = 11×8 = 88.

id=47091 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 29, 36, 46? | option_a=29 | option_b=36 | option_c=22 | option_d=46 | answer=D | explanation=The first three numbers increase by 7, so the next should be 43. Therefore 46 is the odd one out.

id=47092 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=35 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=47093 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 26. | option_a=728 | option_b=338 | option_c=364 | option_d=392 | answer=C | explanation=LCM × HCF = 28×26; HCF(28,26) = 2, so LCM = 364.

id=47094 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4771. If it is sold at a profit of 40%, what is its selling price? | option_a=4811 | option_b=6679 | option_c=7156 | option_d=6202 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4771 × 140/100 = █6679.

id=47095 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=47096 | topic=Percentages | difficulty=Easy | question=What is 5% of 1560? | option_a=73 | option_b=156 | option_c=83 | option_d=78 | answer=D | explanation=5% of 1560 = (5/100) × 1560 = 78.

id=47097 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=47098 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=10 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=47099 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=47100 | topic=Profit & Loss | difficulty=Easy | question=An article costs █137. If it is sold at a profit of 5%, what is its selling price? | option_a=156 | option_b=143 | option_c=130 | option_d=142 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 137 × 105/100 = █143.

Aptitude Questions — Records 47,101-47,130 of 100,000

id=47101 | topic=Averages | difficulty=Easy | question=Find the average of 15, 28, 59, 30, 99, 75. | option_a=53 | option_b=52 | option_c=51 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 306 ÷ 6 = 51.

id=47102 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1131. If it is sold at a profit of 20%, what is its selling price? | option_a=1151 | option_b=1470 | option_c=1244 | option_d=1357 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1131 × 120/100 = █1357.

id=47103 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 36, 45, 57? | option_a=36 | option_b=57 | option_c=45 | option_d=27 | answer=B | explanation=The first three numbers increase by 9, so the next should be 54. Therefore 57 is the odd one out.

id=47104 | topic=Percentages | difficulty=Easy | question=What is 12% of 679? | option_a=86 | option_b=81 | option_c=162 | option_d=61 | answer=B | explanation=12% of 679 = (12/100) × 679 = 81.

id=47105 | topic=Averages | difficulty=Easy | question=Find the average of 29, 24, 88, 95. | option_a=61 | option_b=59 | option_c=58 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 236 ÷ 4 = 59.

id=47106 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31660 at 6% per annum for 3 years. | option_a=37358 | option_b=5598 | option_c=5698 | option_d=5798 | answer=C | explanation=SI = PRT/100 = 31660×6×3/100 = █5698.

id=47107 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=P | option_c=R | option_d=T | answer=D | explanation=Move 2 positions forward from R; the resulting letter is T.

id=47108 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10723 at 12% per annum for 1 years. | option_a=1386 | option_b=1186 | option_c=12009 | option_d=1286 | answer=D | explanation=SI = PRT/100 = 10723×12×1/100 = █1286.

id=47109 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 21. | option_a=21 | option_b=126 | option_c=48 | option_d=42 | answer=D | explanation=LCM × HCF = 6×21; HCF(6,21) = 3, so LCM = 42.

id=47110 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:1 and the first is 234, what is the second? | option_a=252 | option_b=31 | option_c=17 | option_d=18 | answer=D | explanation=Scale factor = 234/13 = 18. Therefore second quantity = 1×18 = 18.

id=47111 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3262. If it is sold at a profit of 5%, what is its selling price? | option_a=3425 | option_b=3267 | option_c=3099 | option_d=3751 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3262 × 105/100 = █3425.

id=47112 | topic=Percentages | difficulty=Easy | question=What is 12% of 1507? | option_a=360 | option_b=180 | option_c=170 | option_d=200 | answer=B | explanation=12% of 1507 = (12/100) × 1507 = 180.

id=47113 | topic=Percentages | difficulty=Easy | question=What is 30% of 542? | option_a=162 | option_b=324 | option_c=142 | option_d=182 | answer=A | explanation=30% of 542 = (30/100) × 542 = 162.

id=47114 | topic=Averages | difficulty=Easy | question=Find the average of 84, 62, 43, 21, 75, 24, 17, 17, 77, 90. | option_a=53 | option_b=52 | option_c=50 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

id=47115 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 20, 22, 25? | option_a=18 | option_b=25 | option_c=22 | option_d=20 | answer=B | explanation=The first three numbers increase by 2, so the next should be 24. Therefore 25 is the odd one out.

id=47116 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 16, 26, 37? | option_a=16 | option_b=6 | option_c=37 | option_d=26 | answer=C | explanation=The first three numbers increase by 10, so the next should be 36. Therefore 37 is the odd one out.

id=47117 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=T | option_b=W | option_c=U | option_d=V | answer=D | explanation=Move 1 positions forward from U; the resulting letter is V.

id=47118 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=35 | option_b=40 | option_c=34 | option_d=28 | answer=C | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.

id=47119 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:5 and the first is 49, what is the second? | option_a=84 | option_b=35 | option_c=30 | option_d=42 | answer=B | explanation=Scale factor = 49/7 = 7. Therefore second quantity = 5×7 = 35.

id=47120 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2008. If it is sold at a profit of 30%, what is its selling price? | option_a=2410 | option_b=2810 | option_c=2610 | option_d=2038 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2008 × 130/100 = █2610.

id=47121 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=X | option_b=U | option_c=O | option_d=R | answer=B | explanation=Move 3 positions forward from R; the resulting letter is U.

id=47122 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:8 and the first is 54, what is the second? | option_a=136 | option_b=147 | option_c=198 | option_d=144 | answer=D | explanation=Scale factor = 54/3 = 18. Therefore second quantity = 8×18 = 144.

id=47123 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=47124 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=45 | option_b=63 | option_c=54 | option_d=55 | answer=C | explanation=The common difference is 9. Therefore the next term is 45 + 9 = 54.

id=47125 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:1 and the first is 220, what is the second? | option_a=19 | option_b=20 | option_c=240 | option_d=31 | answer=B | explanation=Scale factor = 220/11 = 20. Therefore second quantity = 1×20 = 20.

id=47126 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=47127 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 37, 46, 56? | option_a=56 | option_b=28 | option_c=37 | option_d=46 | answer=A | explanation=The first three numbers increase by 9, so the next should be 55. Therefore 56 is the odd one out.

id=47128 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23051 at 10% per annum for 4 years. | option_a=9220 | option_b=9320 | option_c=32271 | option_d=9120 | answer=A | explanation=SI = PRT/100 = 23051×10×4/100 = █9220.

id=47129 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=47130 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1730. If it is sold at a profit of 15%, what is its selling price? | option_a=1816 | option_b=1989 | option_c=1745 | option_d=2162 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1730 × 115/100 = █1989.

Aptitude Questions — Records 47,131-47,160 of 100,000

id=47131 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49083 at 10% per annum for 4 years. | option_a=19633 | option_b=19733 | option_c=19533 | option_d=68716 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{49083 \times 10 \times 4}{100} = \text{■}19633$.

id=47132 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=34 | option_b=30 | option_c=35 | option_d=38 | answer=A | explanation=The common difference is 4. Therefore the next term is $30 + 4 = 34$.

id=47133 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35556 at 5% per annum for 3 years. | option_a=5433 | option_b=5333 | option_c=40889 | option_d=5233 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{35556 \times 5 \times 3}{100} = \text{■}5333$.

id=47134 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3326. If it is sold at a profit of 25%, what is its selling price? | option_a=3351 | option_b=4489 | option_c=3825 | option_d=4157 | answer=D | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%) / 100 = 3326 \times 125 / 100 = \text{■}4157$.

id=47135 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=Q | option_b=T | option_c=N | option_d=K | answer=A | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=47136 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=45 | option_b=44 | option_c=54 | option_d=34 | answer=B | explanation=The common difference is 10. Therefore the next term is $34 + 10 = 44$.

id=47137 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35757 at 15% per annum for 4 years. | option_a=21354 | option_b=21554 | option_c=21454 | option_d=57211 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{35757 \times 15 \times 4}{100} = \text{■}21454$.

id=47138 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 16, 23, 30, ? | option_a=37 | option_b=44 | option_c=30 | option_d=38 | answer=A | explanation=The common difference is 7. Therefore the next term is $30 + 7 = 37$.

id=47139 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation= $\text{Combined rate} = \frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $48 / 16 = 3$ days.

id=47140 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2461. If it is sold at a profit of 30%, what is its selling price? | option_a=3445 | option_b=2491 | option_c=3199 | option_d=2953 | answer=C | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%) / 100 = 2461 \times 130 / 100 = \text{■}3199$.

id=47141 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37437 at 6% per annum for 5 years. | option_a=11331 | option_b=11131 | option_c=48668 | option_d=11231 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{37437 \times 6 \times 5}{100} = \text{■}11231$.

id=47142 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=D | option_b=X | option_c=A | option_d=G | answer=A | explanation=Move 3 positions forward from A; the resulting letter is D.

id=47143 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 13, 18, 23, ? | option_a=33 | option_b=28 | option_c=29 | option_d=23 | answer=B | explanation=The common difference is 5. Therefore the next term is $23 + 5 = 28$.

id=47144 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=12 | answer=A | explanation= $\text{Combined rate} = \frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $36 / 12 = 3$ days.

id=47145 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=24 | option_c=48 | option_d=29 | answer=B | explanation= $\text{Speed} = \text{distance} \div \text{time} = 240 \div 10 = 24$ km/h.

id=47146 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation= $\text{Combined rate} = \frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $72 / 18 = 4$ days.

id=47147 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=78 | option_b=54 | option_c=66 | option_d=67 | answer=C | explanation=The common difference is 12. Therefore the next term is $54 + 12 = 66$.

id=47148 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=8 | option_d=3 | answer=B | explanation= $\text{Combined rate} = \frac{1}{4} + \frac{1}{4} = \frac{8}{16}$. Time = $16 / 8 = 2$ days.

id=47149 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3666. If it is sold at a profit of 20%, what is its selling price? | option_a=4765 | option_b=4399 | option_c=4033 | option_d=3686 | answer=B | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%) / 100 = 3666 \times 120 / 100 = \text{■}4399$.

id=47150 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:8 and the first is 34, what is the second? | option_a=50 | option_b=33 | option_c=16 | option_d=8 | answer=C | explanation= $\text{Scale factor} = 34 / 17 = 2$. Therefore second quantity = $8 \times 2 = 16$.

id=47151 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation= $\text{Combined rate} = \frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $48 / 16 = 3$ days.

id=47152 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation= $\text{Combined rate} = \frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $48 / 16 = 3$ days.

id=47153 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29115 at 8% per annum for 2 years. | option_a=4558 | option_b=33773 | option_c=4758 | option_d=4658 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{29115 \times 8 \times 2}{100} = \text{■}4658$.

id=47154 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4578 at 6% per annum for 5 years. | option_a=1373 | option_b=5951 | option_c=1273 | option_d=1473 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{4578 \times 6 \times 5}{100} = \text{■}1373$.

id=47155 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation= $\text{Speed} = \text{distance} \div \text{time} = 360 \div 6 = 60$ km/h.

id=47156 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=40 | option_d=15 | answer=B | explanation= $\text{Speed} = \text{distance} \div \text{time} = 120 \div 6 = 20$ km/h.

id=47157 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation= $\text{Combined rate} = \frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $36 / 12 = 3$ days.

id=47158 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:16 and the first is 126, what is the second? | option_a=158 | option_b=270 | option_c=128 | option_d=144 | answer=D | explanation= $\text{Scale factor} = \frac{126}{14} = 9$. Therefore second quantity = $16 \times 9 = 144$.

id=47159 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 16, 21, 29? | option_a=21 | option_b=11 | option_c=29 | option_d=16 | answer=C | explanation=The first three numbers increase by 5, so the next should be 26. Therefore 29 is the odd one out.

id=47160 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40311 at 4% per annum for 2 years. | option_a=3324 | option_b=43535 | option_c=3124 | option_d=3224 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{40311 \times 4 \times 2}{100} = \text{■}3224$.

Aptitude Questions — Records 47,161-47,190 of 100,000

id=47161 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=40 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=47162 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2615. If it is sold at a profit of 50%, what is its selling price? | option_a=3922 | option_b=2665 | option_c=4183 | option_d=3661 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2615 × 150/100 = **■**3922.

id=47163 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29055 at 12% per annum for 3 years. | option_a=10559 | option_b=10459 | option_c=10359 | option_d=39514 | answer=B | explanation=SI = PRT/100 = 29055×12×3/100 = **■**10459.

id=47164 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3083. If it is sold at a profit of 5%, what is its selling price? | option_a=2929 | option_b=3237 | option_c=3545 | option_d=3088 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3083 × 105/100 = **■**3237.

id=47165 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=23 | option_b=26 | option_c=20 | option_d=24 | answer=A | explanation=The common difference is 3. Therefore the next term is 20 + 3 = 23.

id=47166 | topic=Percentages | difficulty=Easy | question=What is 40% of 697? | option_a=278 | option_b=258 | option_c=556 | option_d=298 | answer=A | explanation=40% of 697 = (40/100) × 697 = 278.

id=47167 | topic=Percentages | difficulty=Easy | question=What is 10% of 543? | option_a=108 | option_b=54 | option_c=64 | option_d=44 | answer=B | explanation=10% of 543 = (10/100) × 543 = 54.

id=47168 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=47169 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=55 | option_c=50 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=47170 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=47171 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1835. If it is sold at a profit of 5%, what is its selling price? | option_a=2109 | option_b=1840 | option_c=1926 | option_d=1743 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1835 × 105/100 = **■**1926.

id=47172 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=Z | option_b=O | option_c=E | option_d=J | answer=D | explanation=Move 5 positions forward from E; the resulting letter is J.

id=47173 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=X | option_b=B | option_c=P | option_d=T | answer=A | explanation=Move 4 positions forward from T; the resulting letter is X.

id=47174 | topic=Percentages | difficulty=Easy | question=What is 20% of 271? | option_a=108 | option_b=54 | option_c=59 | option_d=49 | answer=B | explanation=20% of 271 = (20/100) × 271 = 54.

id=47175 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=47176 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1729. If it is sold at a profit of 5%, what is its selling price? | option_a=1815 | option_b=1734 | option_c=1643 | option_d=1987 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1729 × 105/100 = **■**1815.

id=47177 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14265 at 4% per annum for 1 years. | option_a=670 | option_b=14835 | option_c=570 | option_d=470 | answer=C | explanation=SI = PRT/100 = 14265×4×1/100 = **■**570.

id=47178 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2827. If it is sold at a profit of 15%, what is its selling price? | option_a=3533 | option_b=2842 | option_c=2969 | option_d=3251 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2827 × 115/100 = **■**3251.

id=47179 | topic=Percentages | difficulty=Easy | question=What is 25% of 794? | option_a=178 | option_b=396 | option_c=198 | option_d=208 | answer=C | explanation=25% of 794 = (25/100) × 794 = 198.

id=47180 | topic=Averages | difficulty=Easy | question=Find the average of 89, 72, 26, 36, 42. | option_a=53 | option_b=54 | option_c=52 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 265 ÷ 5 = 53.

id=47181 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=47182 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=24 | option_c=12 | option_d=17 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=47183 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**486. If it is sold at a profit of 15%, what is its selling price? | option_a=510 | option_b=501 | option_c=606 | option_d=558 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 486 × 115/100 = **■**558.

id=47184 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=47185 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18784 at 15% per annum for 3 years. | option_a=8352 | option_b=8552 | option_c=8452 | option_d=27236 | answer=C | explanation=SI = PRT/100 = 18784×15×3/100 = **■**8452.

id=47186 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 16. | option_a=198 | option_b=352 | option_c=176 | option_d=160 | answer=C | explanation=LCM × HCF = 22×16; HCF(22,16) = 2, so LCM = 176.

id=47187 | topic=Percentages | difficulty=Easy | question=What is 15% of 263? | option_a=78 | option_b=34 | option_c=59 | option_d=39 | answer=D | explanation=15% of 263 = (15/100) × 263 = 39.

id=47188 | topic=Averages | difficulty=Easy | question=Find the average of 43, 68, 46, 13, 83, 55, 98, 74. | option_a=60 | option_b=59 | option_c=62 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 480 ÷ 8 = 60.

id=47189 | topic=Percentages | difficulty=Easy | question=What is 15% of 77? | option_a=1 | option_b=11 | option_c=21 | option_d=22 | answer=B | explanation=15% of 77 = (15/100) × 77 = 11.

id=47190 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 47,191-47,220 of 100,000

id=47191 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=47192 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 4. | option_a=96 | option_b=20 | option_c=24 | option_d=48 | answer=C | explanation=LCM × HCF = 24×4; HCF(24,4) = 4, so LCM = 24.

id=47193 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=47194 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 24. | option_a=48 | option_b=26 | option_c=24 | option_d=1 | answer=C | explanation=LCM × HCF = 2×24; HCF(2,24) = 2, so LCM = 24.

id=47195 | topic=Percentages | difficulty=Easy | question=What is 15% of 524? | option_a=98 | option_b=78 | option_c=156 | option_d=73 | answer=B | explanation=15% of 524 = (15/100) × 524 = 78.

id=47196 | topic=Percentages | difficulty=Easy | question=What is 25% of 675? | option_a=158 | option_b=168 | option_c=188 | option_d=336 | answer=B | explanation=25% of 675 = (25/100) × 675 = 168.

id=47197 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1890. If it is sold at a profit of 30%, what is its selling price? | option_a=1920 | option_b=2268 | option_c=2646 | option_d=2457 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1890 × 130/100 = █2457.

id=47198 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 48? | option_a=17 | option_b=27 | option_c=37 | option_d=48 | answer=D | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 48 is the odd one out.

id=47199 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4280. If it is sold at a profit of 25%, what is its selling price? | option_a=4922 | option_b=5350 | option_c=5778 | option_d=4305 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4280 × 125/100 = █5350.

id=47200 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45353 at 10% per annum for 2 years. | option_a=8970 | option_b=9170 | option_c=9070 | option_d=54423 | answer=C | explanation=SI = PRT/100 = 45353×10×2/100 = █9070.

id=47201 | topic=Percentages | difficulty=Easy | question=What is 25% of 134? | option_a=23 | option_b=66 | option_c=38 | option_d=33 | answer=D | explanation=25% of 134 = (25/100) × 134 = 33.

id=47202 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:6 and the first is 180, what is the second? | option_a=54 | option_b=234 | option_c=48 | option_d=74 | answer=A | explanation=Scale factor = 180/20 = 9. Therefore second quantity = 6×9 = 54.

id=47203 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=10 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=47204 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6241 at 15% per annum for 2 years. | option_a=1872 | option_b=1772 | option_c=8113 | option_d=1972 | answer=A | explanation=SI = PRT/100 = 6241×15×2/100 = █1872.

id=47205 | topic=Averages | difficulty=Easy | question=Find the average of 97, 92, 18, 73, 19, 86, 63. | option_a=66 | option_b=64 | option_c=63 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 448 ÷ 7 = 64.

id=47206 | topic=Profit & Loss | difficulty=Easy | question=An article costs █324. If it is sold at a profit of 15%, what is its selling price? | option_a=340 | option_b=372 | option_c=339 | option_d=404 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 324 × 115/100 = █372.

id=47207 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=47 | option_b=57 | option_c=35 | option_d=46 | answer=D | explanation=The common difference is 11. Therefore the next term is 35 + 11 = 46.

id=47208 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=47209 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35163 at 15% per annum for 4 years. | option_a=20997 | option_b=21197 | option_c=56260 | option_d=21097 | answer=D | explanation=SI = PRT/100 = 35163×15×4/100 = █21097.

id=47210 | topic=Percentages | difficulty=Easy | question=What is 20% of 234? | option_a=56 | option_b=36 | option_c=46 | option_d=92 | answer=C | explanation=20% of 234 = (20/100) × 234 = 46.

id=47211 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1106. If it is sold at a profit of 30%, what is its selling price? | option_a=1547 | option_b=1437 | option_c=1327 | option_d=1136 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1106 × 130/100 = █1437.

id=47212 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=47213 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4851. If it is sold at a profit of 30%, what is its selling price? | option_a=5821 | option_b=4881 | option_c=6306 | option_d=6791 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4851 × 130/100 = █6306.

id=47214 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 24. | option_a=81 | option_b=48 | option_c=72 | option_d=216 | answer=C | explanation=LCM × HCF = 9×24; HCF(9,24) = 3, so LCM = 72.

id=47215 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1621. If it is sold at a profit of 40%, what is its selling price? | option_a=1661 | option_b=2107 | option_c=2431 | option_d=2269 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1621 × 140/100 = █2269.

id=47216 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=36 | option_c=72 | option_d=41 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=47217 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=J | option_b=P | option_c=S | option_d=M | answer=B | explanation=Move 3 positions forward from M; the resulting letter is P.

id=47218 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=G | option_b=K | option_c=I | option_d=M | answer=B | explanation=Move 2 positions forward from I; the resulting letter is K.

id=47219 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4629. If it is sold at a profit of 50%, what is its selling price? | option_a=4679 | option_b=6481 | option_c=6943 | option_d=7405 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4629 × 150/100 = █6943.

id=47220 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19512 at 15% per annum for 1 years. | option_a=22438 | option_b=2826 | option_c=2926 | option_d=3026 | answer=C | explanation=SI = PRT/100 = 19512×15×1/100 = █2926.

Aptitude Questions — Records 47,221-47,250 of 100,000

id=47221 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=S | option_b=N | option_c=I | option_d=X | answer=A | explanation=Move 5 positions forward from N; the resulting letter is S.

id=47222 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=20 | option_c=10 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=47223 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=47224 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:6 and the first is 272, what is the second? | option_a=96 | option_b=102 | option_c=374 | option_d=118 | answer=B | explanation=Scale factor = 272/16 = 17. Therefore second quantity = 6×17 = 102.

id=47225 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 34, 43, 53? | option_a=43 | option_b=25 | option_c=53 | option_d=34 | answer=C | explanation=The first three numbers increase by 9, so the next should be 52. Therefore 53 is the odd one out.

id=47226 | topic=Averages | difficulty=Easy | question=Find the average of 77, 10, 102. | option_a=63 | option_b=62 | option_c=65 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = 189 ÷ 3 = 63.

id=47227 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 7, 10, 16? | option_a=7 | option_b=16 | option_c=10 | option_d=4 | answer=B | explanation=The first three numbers increase by 3, so the next should be 13. Therefore 16 is the odd one out.

id=47228 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41706 at 10% per annum for 4 years. | option_a=16782 | option_b=58388 | option_c=16582 | option_d=16682 | answer=D | explanation=SI = PRT/100 = 41706×10×4/100 = **■**16682.

id=47229 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 48? | option_a=28 | option_b=19 | option_c=48 | option_d=37 | answer=C | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 48 is the odd one out.

id=47230 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:14 and the first is 42, what is the second? | option_a=84 | option_b=104 | option_c=98 | option_d=140 | answer=C | explanation=Scale factor = 42/6 = 7. Therefore second quantity = 14×7 = 98.

id=47231 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=48 | option_b=36 | option_c=47 | option_d=58 | answer=C | explanation=The common difference is 11. Therefore the next term is 36 + 11 = 47.

id=47232 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**459. If it is sold at a profit of 50%, what is its selling price? | option_a=509 | option_b=643 | option_c=688 | option_d=733 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 459 × 150/100 = **■**688.

id=47233 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45093 at 10% per annum for 2 years. | option_a=8918 | option_b=9118 | option_c=9018 | option_d=54111 | answer=C | explanation=SI = PRT/100 = 45093×10×2/100 = **■**9018.

id=47234 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=E | option_b=M | option_c=Q | option_d=I | answer=B | explanation=Move 4 positions forward from I; the resulting letter is M.

id=47235 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=E | option_c=N | option_d=K | answer=D | explanation=Move 3 positions forward from H; the resulting letter is K.

id=47236 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48402 at 12% per annum for 3 years. | option_a=17524 | option_b=17324 | option_c=17424 | option_d=65826 | answer=C | explanation=SI = PRT/100 = 48402×12×3/100 = **■**17424.

id=47237 | topic=Averages | difficulty=Easy | question=Find the average of 59, 35, 100, 79, 62. | option_a=68 | option_b=66 | option_c=67 | option_d=69 | answer=C | explanation=Average = sum of values ÷ number of values = 335 ÷ 5 = 67.

id=47238 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=32 | option_b=30 | option_c=29 | option_d=26 | answer=C | explanation=The common difference is 3. Therefore the next term is 26 + 3 = 29.

id=47239 | topic=Averages | difficulty=Easy | question=Find the average of 71, 87, 100, 51, 76, 59. | option_a=73 | option_b=75 | option_c=74 | option_d=76 | answer=C | explanation=Average = sum of values ÷ number of values = 444 ÷ 6 = 74.

id=47240 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=47241 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=47242 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1251. If it is sold at a profit of 25%, what is its selling price? | option_a=1563 | option_b=1438 | option_c=1688 | option_d=1276 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1251 × 125/100 = **■**1563.

id=47243 | topic=Averages | difficulty=Easy | question=Find the average of 57, 83, 44, 88, 68. | option_a=68 | option_b=69 | option_c=67 | option_d=70 | answer=A | explanation=Average = sum of values ÷ number of values = 340 ÷ 5 = 68.

id=47244 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:4 and the first is 25, what is the second? | option_a=45 | option_b=20 | option_c=16 | option_d=25 | answer=B | explanation=Scale factor = 25/5 = 5. Therefore second quantity = 4×5 = 20.

id=47245 | topic=Percentages | difficulty=Easy | question=What is 25% of 829? | option_a=414 | option_b=227 | option_c=207 | option_d=197 | answer=C | explanation=25% of 829 = (25/100) × 829 = 207.

id=47246 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47803 at 5% per annum for 3 years. | option_a=54973 | option_b=7270 | option_c=7070 | option_d=7170 | answer=D | explanation=SI = PRT/100 = 47803×5×3/100 = **■**7170.

id=47247 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=47248 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=A | option_c=C | option_d=E | answer=D | explanation=Move 2 positions forward from C; the resulting letter is E.

id=47249 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=47250 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=10 | option_d=5 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

Aptitude Questions — Records 47,251-47,280 of 100,000

id=47251 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 25, 30, 36? | option_a=36 | option_b=20 | option_c=25 | option_d=30 | answer=A | explanation=The first three numbers increase by 5, so the next should be 35. Therefore 36 is the odd one out.

id=47252 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1958. If it is sold at a profit of 5%, what is its selling price? | option_a=1860 | option_b=1963 | option_c=2250 | option_d=2055 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1958 × 105/100 = █2055.

id=47253 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=115 | option_c=120 | option_d=125 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=47254 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7306 at 4% per annum for 3 years. | option_a=976 | option_b=876 | option_c=8182 | option_d=776 | answer=B | explanation=SI = PRT/100 = 7306×4×3/100 = █876.

id=47255 | topic=Averages | difficulty=Easy | question=Find the average of 31, 90, 70, 39, 22, 77, 24, 71, 71. | option_a=57 | option_b=55 | option_c=56 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.

id=47256 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29490 at 6% per annum for 3 years. | option_a=5308 | option_b=5208 | option_c=34798 | option_d=5408 | answer=A | explanation=SI = PRT/100 = 29490×6×3/100 = █5308.

id=47257 | topic=Averages | difficulty=Easy | question=Find the average of 42, 40, 57, 67, 67, 33. | option_a=53 | option_b=50 | option_c=52 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 306 ÷ 6 = 51.

id=47258 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=44 | option_b=37 | option_c=36 | option_d=28 | answer=C | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=47259 | topic=Averages | difficulty=Easy | question=Find the average of 14, 32, 25, 45, 71, 15, 91, 37, 16, 94. | option_a=43 | option_b=46 | option_c=45 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = 440 ÷ 10 = 44.

id=47260 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=47261 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 24. | option_a=288 | option_b=338 | option_c=624 | option_d=312 | answer=D | explanation=LCM × HCF = 26×24; HCF(26,24) = 2, so LCM = 312.

id=47262 | topic=Profit & Loss | difficulty=Easy | question=An article costs █399. If it is sold at a profit of 5%, what is its selling price? | option_a=418 | option_b=379 | option_c=457 | option_d=404 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 399 × 105/100 = █418.

id=47263 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=47264 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2413. If it is sold at a profit of 50%, what is its selling price? | option_a=3378 | option_b=2463 | option_c=3619 | option_d=3860 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2413 × 150/100 = █3619.

id=47265 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=6 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=47266 | topic=Profit & Loss | difficulty=Easy | question=An article costs █665. If it is sold at a profit of 20%, what is its selling price? | option_a=798 | option_b=732 | option_c=685 | option_d=864 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 665 × 120/100 = █798.

id=47267 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=155 | option_c=150 | option_d=145 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=47268 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=47269 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48784 at 6% per annum for 1 years. | option_a=3027 | option_b=2827 | option_c=2927 | option_d=51711 | answer=C | explanation=SI = PRT/100 = 48784×6×1/100 = █2927.

id=47270 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=G | option_b=X | option_c=D | option_d=A | answer=C | explanation=Move 3 positions forward from A; the resulting letter is D.

id=47271 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=47272 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=12 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=47273 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=13 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=47274 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37244 at 10% per annum for 5 years. | option_a=18522 | option_b=55866 | option_c=18622 | option_d=18722 | answer=C | explanation=SI = PRT/100 = 37244×10×5/100 = █18622.

id=47275 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:18 and the first is 84, what is the second? | option_a=138 | option_b=108 | option_c=126 | option_d=210 | answer=C | explanation=Scale factor = 84/12 = 7. Therefore second quantity = 18×7 = 126.

id=47276 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:19 and the first is 24, what is the second? | option_a=76 | option_b=57 | option_c=82 | option_d=100 | answer=A | explanation=Scale factor = 24/6 = 4. Therefore second quantity = 19×4 = 76.

id=47277 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4899. If it is sold at a profit of 15%, what is its selling price? | option_a=5633 | option_b=5144 | option_c=4914 | option_d=6122 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4899 × 115/100 = █5633.

id=47278 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=5 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=47279 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=B | option_c=W | option_d=M | answer=C | explanation=Move 5 positions forward from R; the resulting letter is W.

id=47280 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 31, 33, 36? | option_a=31 | option_b=36 | option_c=33 | option_d=29 | answer=B | explanation=The first three numbers increase by 2, so the next should be 35. Therefore 36 is the odd one out.

Aptitude Questions — Records 47,281-47,310 of 100,000

id=47281 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:1 and the first is 18, what is the second? | option_a=9 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Scale factor = 18/3 = 6. Therefore second quantity = 1×6 = 6.

id=47282 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4277. If it is sold at a profit of 10%, what is its selling price? | option_a=4277 | option_b=4704 | option_c=4287 | option_d=5131 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4277 × 110/100 = █4704.

id=47283 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=150 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=47284 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 12. | option_a=72 | option_b=98 | option_c=168 | option_d=84 | answer=D | explanation=LCM × HCF = 14×12; HCF(14,12) = 2, so LCM = 84.

id=47285 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:9 and the first is 140, what is the second? | option_a=126 | option_b=136 | option_c=117 | option_d=266 | answer=A | explanation=Scale factor = 140/10 = 14. Therefore second quantity = 9×14 = 126.

id=47286 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49051 at 12% per annum for 3 years. | option_a=17658 | option_b=17558 | option_c=66709 | option_d=17758 | answer=A | explanation=SI = PRT/100 = 49051×12×3/100 = █17658.

id=47287 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 41? | option_a=41 | option_b=28 | option_c=22 | option_d=34 | answer=A | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 41 is the odd one out.

id=47288 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 30. | option_a=30 | option_b=32 | option_c=60 | option_d=1 | answer=A | explanation=LCM × HCF = 2×30; HCF(2,30) = 2, so LCM = 30.

id=47289 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=O | option_c=F | option_d=L | answer=D | explanation=Move 3 positions forward from I; the resulting letter is L.

id=47290 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=47291 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=T | option_b=J | option_c=Y | option_d=O | answer=A | explanation=Move 5 positions forward from O; the resulting letter is T.

id=47292 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4222. If it is sold at a profit of 20%, what is its selling price? | option_a=5484 | option_b=5066 | option_c=4644 | option_d=4242 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4222 × 120/100 = █5066.

id=47293 | topic=Percentages | difficulty=Easy | question=What is 10% of 379? | option_a=37 | option_b=32 | option_c=74 | option_d=42 | answer=A | explanation=10% of 379 = (10/100) × 379 = 37.

id=47294 | topic=Averages | difficulty=Easy | question=Find the average of 82, 92, 83, 86, 75, 86, 98. | option_a=87 | option_b=88 | option_c=85 | option_d=86 | answer=D | explanation=Average = sum of values ÷ number of values = 602 ÷ 7 = 86.

id=47295 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=53 | option_b=33 | option_c=43 | option_d=44 | answer=C | explanation=The common difference is 10. Therefore the next term is 33 + 10 = 43.

id=47296 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=24 | option_c=12 | option_d=7 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=47297 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=47298 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=42 | option_b=51 | option_c=43 | option_d=33 | answer=A | explanation=The common difference is 9. Therefore the next term is 33 + 9 = 42.

id=47299 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 12. | option_a=90 | option_b=360 | option_c=48 | option_d=60 | answer=D | explanation=LCM × HCF = 30×12; HCF(30,12) = 6, so LCM = 60.

id=47300 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3814. If it is sold at a profit of 50%, what is its selling price? | option_a=3864 | option_b=5340 | option_c=5721 | option_d=6102 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3814 × 150/100 = █5721.

id=47301 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:12 and the first is 200, what is the second? | option_a=120 | option_b=108 | option_c=140 | option_d=320 | answer=A | explanation=Scale factor = 200/20 = 10. Therefore second quantity = 12×10 = 120.

id=47302 | topic=Percentages | difficulty=Easy | question=What is 20% of 388? | option_a=77 | option_b=97 | option_c=154 | option_d=72 | answer=A | explanation=20% of 388 = (20/100) × 388 = 77.

id=47303 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 28. | option_a=84 | option_b=168 | option_c=56 | option_d=90 | answer=A | explanation=LCM × HCF = 6×28; HCF(6,28) = 2, so LCM = 84.

id=47304 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=39 | option_b=38 | option_c=43 | option_d=33 | answer=B | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.

id=47305 | topic=Averages | difficulty=Easy | question=Find the average of 17, 94, 17, 79, 89, 68, 49, 68, 41, 98. | option_a=61 | option_b=64 | option_c=63 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 620 ÷ 10 = 62.

id=47306 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2340 at 8% per annum for 2 years. | option_a=374 | option_b=474 | option_c=2714 | option_d=274 | answer=A | explanation=SI = PRT/100 = 2340×8×2/100 = █374.

id=47307 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=53 | option_b=46 | option_c=39 | option_d=47 | answer=B | explanation=The common difference is 7. Therefore the next term is 39 + 7 = 46.

id=47308 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12690 at 10% per annum for 2 years. | option_a=2538 | option_b=2638 | option_c=2438 | option_d=15228 | answer=A | explanation=SI = PRT/100 = 12690×10×2/100 = █2538.

id=47309 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=47310 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3102. If it is sold at a profit of 50%, what is its selling price? | option_a=4653 | option_b=4343 | option_c=3152 | option_d=4963 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3102 × 150/100 = █4653.

Aptitude Questions — Records 47,311-47,340 of 100,000

id=47311 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 18? | option_a=7 | option_b=18 | option_c=3 | option_d=11 | answer=B | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 18 is the odd one out.

id=47312 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4497. If it is sold at a profit of 30%, what is its selling price? | option_a=6295 | option_b=5846 | option_c=4527 | option_d=5397 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4497 × 130/100 = █5846.

id=47313 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2681. If it is sold at a profit of 50%, what is its selling price? | option_a=3753 | option_b=4289 | option_c=2731 | option_d=4021 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2681 × 150/100 = █4021.

id=47314 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:11 and the first is 57, what is the second? | option_a=212 | option_b=209 | option_c=266 | option_d=198 | answer=B | explanation=Scale factor = 57/3 = 19. Therefore second quantity = 11×19 = 209.

id=47315 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=Y | option_b=P | option_c=V | option_d=S | answer=C | explanation=Move 3 positions forward from S; the resulting letter is V.

id=47316 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=Z | option_c=F | option_d=D | answer=D | explanation=Move 2 positions forward from B; the resulting letter is D.

id=47317 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 22. | option_a=288 | option_b=264 | option_c=528 | option_d=242 | answer=B | explanation=LCM × HCF = 24×22; HCF(24,22) = 2, so LCM = 264.

id=47318 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14980 at 15% per annum for 1 years. | option_a=17227 | option_b=2147 | option_c=2347 | option_d=2247 | answer=D | explanation=SI = PRT/100 = 14980×15×1/100 = █2247.

id=47319 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=12 | option_b=13 | option_c=10 | option_d=14 | answer=A | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.

id=47320 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=47321 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=29 | option_c=19 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=47322 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 25? | option_a=20 | option_b=16 | option_c=18 | option_d=25 | answer=D | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 25 is the odd one out.

id=47323 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:12 and the first is 117, what is the second? | option_a=225 | option_b=121 | option_c=108 | option_d=96 | answer=C | explanation=Scale factor = 117/13 = 9. Therefore second quantity = 12×9 = 108.

id=47324 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:16 and the first is 255, what is the second? | option_a=256 | option_b=527 | option_c=287 | option_d=272 | answer=D | explanation=Scale factor = 255/15 = 17. Therefore second quantity = 16×17 = 272.

id=47325 | topic=Profit & Loss | difficulty=Easy | question=An article costs █580. If it is sold at a profit of 40%, what is its selling price? | option_a=620 | option_b=870 | option_c=812 | option_d=754 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 580 × 140/100 = █812.

id=47326 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:12 and the first is 152, what is the second? | option_a=248 | option_b=84 | option_c=96 | option_d=115 | answer=C | explanation=Scale factor = 152/19 = 8. Therefore second quantity = 12×8 = 96.

id=47327 | topic=Averages | difficulty=Easy | question=Find the average of 65, 89, 80, 98, 85, 63, 85, 58, 79, 68. | option_a=77 | option_b=78 | option_c=79 | option_d=76 | answer=A | explanation=Average = sum of values ÷ number of values = 770 ÷ 10 = 77.

id=47328 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28958 at 4% per annum for 3 years. | option_a=3374 | option_b=3474 | option_c=32432 | option_d=3574 | answer=B | explanation=SI = PRT/100 = 28958×4×3/100 = █3474.

id=47329 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:3 and the first is 60, what is the second? | option_a=9 | option_b=29 | option_c=69 | option_d=6 | answer=A | explanation=Scale factor = 60/20 = 3. Therefore second quantity = 3×3 = 9.

id=47330 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=40 | option_c=25 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=47331 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:2 and the first is 160, what is the second? | option_a=38 | option_b=40 | option_c=200 | option_d=48 | answer=B | explanation=Scale factor = 160/8 = 20. Therefore second quantity = 2×20 = 40.

id=47332 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5456 at 12% per annum for 2 years. | option_a=1409 | option_b=6765 | option_c=1309 | option_d=1209 | answer=C | explanation=SI = PRT/100 = 5456×12×2/100 = █1309.

id=47333 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 17, 20, 24? | option_a=20 | option_b=17 | option_c=24 | option_d=14 | answer=C | explanation=The first three numbers increase by 3, so the next should be 23. Therefore 24 is the odd one out.

id=47334 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42975 at 5% per annum for 4 years. | option_a=8595 | option_b=8495 | option_c=51570 | option_d=8695 | answer=A | explanation=SI = PRT/100 = 42975×5×4/100 = █8595.

id=47335 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 22, 27, 32, ? | option_a=42 | option_b=38 | option_c=37 | option_d=32 | answer=C | explanation=The common difference is 5. Therefore the next term is 32 + 5 = 37.

id=47336 | topic=Profit & Loss | difficulty=Easy | question=An article costs █616. If it is sold at a profit of 15%, what is its selling price? | option_a=631 | option_b=769 | option_c=708 | option_d=647 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 616 × 115/100 = █708.

id=47337 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=36 | option_b=42 | option_c=35 | option_d=28 | answer=C | explanation=The common difference is 7. Therefore the next term is 28 + 7 = 35.

id=47338 | topic=Averages | difficulty=Easy | question=Find the average of 55, 74, 38, 77, 10, 22. | option_a=48 | option_b=47 | option_c=45 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 276 ÷ 6 = 46.

id=47339 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=18 | option_d=13 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=47340 | topic=Percentages | difficulty=Easy | question=What is 20% of 714? | option_a=284 | option_b=122 | option_c=152 | option_d=142 | answer=D | explanation=20% of 714 = (20/100) × 714 = 142.

Aptitude Questions — Records 47,341-47,370 of 100,000

id=47341 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23338 at 15% per annum for 2 years. | option_a=6901 | option_b=7101 | option_c=30339 | option_d=7001 | answer=D | explanation=SI = PRT/100 = 23338×15×2/100 = **■**7001.

id=47342 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3290. If it is sold at a profit of 20%, what is its selling price? | option_a=4277 | option_b=3310 | option_c=3948 | option_d=3619 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3290 × 120/100 = **■**3948.

id=47343 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=45 | option_b=35 | option_c=44 | option_d=53 | answer=C | explanation=The common difference is 9. Therefore the next term is 35 + 9 = 44.

id=47344 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 30. | option_a=300 | option_b=330 | option_c=352 | option_d=660 | answer=B | explanation=LCM × HCF = 22×30; HCF(22,30) = 2, so LCM = 330.

id=47345 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 21. | option_a=24 | option_b=63 | option_c=1 | option_d=21 | answer=D | explanation=LCM × HCF = 3×21; HCF(3,21) = 3, so LCM = 21.

id=47346 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=46 | option_b=58 | option_c=57 | option_d=68 | answer=C | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.

id=47347 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=50 | option_b=42 | option_c=41 | option_d=32 | answer=C | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

id=47348 | topic=Percentages | difficulty=Easy | question=What is 30% of 850? | option_a=245 | option_b=265 | option_c=510 | option_d=255 | answer=D | explanation=30% of 850 = (30/100) × 850 = 255.

id=47349 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:15 and the first is 192, what is the second? | option_a=252 | option_b=432 | option_c=225 | option_d=240 | answer=D | explanation=Scale factor = 192/12 = 16. Therefore second quantity = 15×16 = 240.

id=47350 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 22, 29, 37? | option_a=15 | option_b=22 | option_c=29 | option_d=37 | answer=D | explanation=The first three numbers increase by 7, so the next should be 36. Therefore 37 is the odd one out.

id=47351 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=47352 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:6 and the first is 224, what is the second? | option_a=90 | option_b=320 | option_c=96 | option_d=110 | answer=C | explanation=Scale factor = 224/14 = 16. Therefore second quantity = 6×16 = 96.

id=47353 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 8, 12, 17? | option_a=8 | option_b=4 | option_c=17 | option_d=12 | answer=C | explanation=The first three numbers increase by 4, so the next should be 16. Therefore 17 is the odd one out.

id=47354 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:20 and the first is 84, what is the second? | option_a=247 | option_b=240 | option_c=324 | option_d=220 | answer=B | explanation=Scale factor = 84/7 = 12. Therefore second quantity = 20×12 = 240.

id=47355 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 39? | option_a=39 | option_b=10 | option_c=19 | option_d=28 | answer=A | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 39 is the odd one out.

id=47356 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=38 | option_b=47 | option_c=56 | option_d=48 | answer=B | explanation=The common difference is 9. Therefore the next term is 38 + 9 = 47.

id=47357 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 30. | option_a=30 | option_b=1 | option_c=90 | option_d=33 | answer=A | explanation=LCM × HCF = 3×30; HCF(3,30) = 3, so LCM = 30.

id=47358 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42555 at 12% per annum for 2 years. | option_a=10313 | option_b=10213 | option_c=52768 | option_d=10113 | answer=B | explanation=SI = PRT/100 = 42555×12×2/100 = **■**10213.

id=47359 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=47360 | topic=Percentages | difficulty=Easy | question=What is 5% of 1729? | option_a=91 | option_b=172 | option_c=86 | option_d=66 | answer=C | explanation=5% of 1729 = (5/100) × 1729 = 86.

id=47361 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=34 | option_b=39 | option_c=40 | option_d=44 | answer=B | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

id=47362 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14622 at 12% per annum for 4 years. | option_a=21640 | option_b=7118 | option_c=7018 | option_d=6918 | answer=C | explanation=SI = PRT/100 = 14622×12×4/100 = **■**7018.

id=47363 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=47364 | topic=Percentages | difficulty=Easy | question=What is 40% of 459? | option_a=163 | option_b=183 | option_c=366 | option_d=188 | answer=B | explanation=40% of 459 = (40/100) × 459 = 183.

id=47365 | topic=Averages | difficulty=Easy | question=Find the average of 40, 68, 95, 70, 78, 31, 17, 81. | option_a=61 | option_b=60 | option_c=62 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 480 ÷ 8 = 60.

id=47366 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:11 and the first is 60, what is the second? | option_a=66 | option_b=126 | option_c=55 | option_d=76 | answer=A | explanation=Scale factor = 60/10 = 6. Therefore second quantity = 11×6 = 66.

id=47367 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 24, 32, 43? | option_a=43 | option_b=24 | option_c=32 | option_d=16 | answer=A | explanation=The first three numbers increase by 8, so the next should be 40. Therefore 43 is the odd one out.

id=47368 | topic=Averages | difficulty=Easy | question=Find the average of 94, 37, 38, 35, 78, 64, 21, 49, 54, 50. | option_a=51 | option_b=54 | option_c=53 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 520 ÷ 10 = 52.

id=47369 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=47370 | topic=Percentages | difficulty=Easy | question=What is 50% of 791? | option_a=385 | option_b=405 | option_c=395 | option_d=790 | answer=C | explanation=50% of 791 = (50/100) × 791 = 395.

Aptitude Questions — Records 47,371-47,400 of 100,000

id=47371 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=360 | option_c=185 | option_d=175 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=47372 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4953. If it is sold at a profit of 15%, what is its selling price? | option_a=5200 | option_b=5695 | option_c=6190 | option_d=4968 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4953 × 115/100 = █5695.

id=47373 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38634 at 8% per annum for 4 years. | option_a=50996 | option_b=12362 | option_c=12262 | option_d=12462 | answer=B | explanation=SI = PRT/100 = 38634×8×4/100 = █12362.

id=47374 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1347. If it is sold at a profit of 20%, what is its selling price? | option_a=1482 | option_b=1616 | option_c=1367 | option_d=1750 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1347 × 120/100 = █1616.

id=47375 | topic=Averages | difficulty=Easy | question=Find the average of 33, 89, 97, 50, 48, 21, 80, 38. | option_a=59 | option_b=57 | option_c=56 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

id=47376 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 46? | option_a=37 | option_b=25 | option_c=31 | option_d=46 | answer=D | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 46 is the odd one out.

id=47377 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 28, 33, 39? | option_a=23 | option_b=33 | option_c=39 | option_d=28 | answer=C | explanation=The first three numbers increase by 5, so the next should be 38. Therefore 39 is the odd one out.

id=47378 | topic=Profit & Loss | difficulty=Easy | question=An article costs █670. If it is sold at a profit of 30%, what is its selling price? | option_a=804 | option_b=938 | option_c=700 | option_d=871 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 670 × 130/100 = █871.

id=47379 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=47380 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=12 | option_c=6 | option_d=11 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=47381 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=41 | option_b=33 | option_c=40 | option_d=47 | answer=C | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.

id=47382 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:4 and the first is 160, what is the second? | option_a=64 | option_b=60 | option_c=74 | option_d=224 | answer=A | explanation=Scale factor = 160/10 = 16. Therefore second quantity = 4×16 = 64.

id=47383 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=54 | option_b=45 | option_c=63 | option_d=55 | answer=A | explanation=The common difference is 9. Therefore the next term is 45 + 9 = 54.

id=47384 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35348 at 15% per annum for 3 years. | option_a=15906 | option_b=51254 | option_c=15806 | option_d=16006 | answer=A | explanation=SI = PRT/100 = 35348×15×3/100 = █15906.

id=47385 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=F | option_c=G | option_d=D | answer=B | explanation=Move 1 positions forward from E; the resulting letter is F.

id=47386 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=U | option_b=I | option_c=Q | option_d=M | answer=C | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=47387 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:20 and the first is 220, what is the second? | option_a=200 | option_b=240 | option_c=440 | option_d=220 | answer=D | explanation=Scale factor = 220/20 = 11. Therefore second quantity = 20×11 = 220.

id=47388 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=64 | option_b=54 | option_c=42 | option_d=53 | answer=D | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.

id=47389 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 31? | option_a=16 | option_b=10 | option_c=31 | option_d=22 | answer=C | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 31 is the odd one out.

id=47390 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 43? | option_a=35 | option_b=43 | option_c=30 | option_d=25 | answer=B | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 43 is the odd one out.

id=47391 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=44 | option_b=56 | option_c=68 | option_d=57 | answer=B | explanation=The common difference is 12. Therefore the next term is 44 + 12 = 56.

id=47392 | topic=Percentages | difficulty=Easy | question=What is 30% of 1198? | option_a=364 | option_b=359 | option_c=354 | option_d=718 | answer=B | explanation=30% of 1198 = (30/100) × 1198 = 359.

id=47393 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 34, 41, 50? | option_a=50 | option_b=41 | option_c=34 | option_d=27 | answer=A | explanation=The first three numbers increase by 7, so the next should be 48. Therefore 50 is the odd one out.

id=47394 | topic=Averages | difficulty=Easy | question=Find the average of 61, 86, 44, 77, 84, 56, 50, 30. | option_a=63 | option_b=62 | option_c=60 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 488 ÷ 8 = 61.

id=47395 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=50 | option_b=70 | option_c=61 | option_d=60 | answer=D | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

id=47396 | topic=Averages | difficulty=Easy | question=Find the average of 75, 99, 99. | option_a=91 | option_b=93 | option_c=92 | option_d=90 | answer=A | explanation=Average = sum of values ÷ number of values = 273 ÷ 3 = 91.

id=47397 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=44 | option_b=33 | option_c=53 | option_d=43 | answer=D | explanation=The common difference is 10. Therefore the next term is 33 + 10 = 43.

id=47398 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=7 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=47399 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=40 | option_c=20 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=47400 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

Aptitude Questions — Records 47,401-47,430 of 100,000

id=47401 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■15490 at 4% per annum for 5 years. | option_a=18588 | option_b=2998 | option_c=3098 | option_d=3198 | answer=C | explanation=SI = PRT/100 = 15490×4×5/100 = ■3098.

id=47402 | topic=Averages | difficulty=Easy | question=Find the average of 38, 37, 41, 65, 64. | option_a=49 | option_b=51 | option_c=50 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = 245 ÷ 5 = 49.

id=47403 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=26 | option_b=22 | option_c=23 | option_d=18 | answer=B | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

id=47404 | topic=Percentages | difficulty=Easy | question=What is 20% of 609? | option_a=242 | option_b=116 | option_c=121 | option_d=131 | answer=C | explanation=20% of 609 = (20/100) × 609 = 121.

id=47405 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 34? | option_a=19 | option_b=12 | option_c=34 | option_d=26 | answer=C | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 34 is the odd one out.

id=47406 | topic=Averages | difficulty=Easy | question=Find the average of 86, 92, 14, 16. | option_a=54 | option_b=52 | option_c=51 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 208 ÷ 4 = 52.

id=47407 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=73 | option_b=63 | option_c=62 | option_d=51 | answer=C | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.

id=47408 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3646. If it is sold at a profit of 5%, what is its selling price? | option_a=3651 | option_b=4192 | option_c=3464 | option_d=3828 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3646 × 105/100 = ■3828.

id=47409 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:14 and the first is 280, what is the second? | option_a=266 | option_b=560 | option_c=280 | option_d=294 | answer=C | explanation=Scale factor = 280/14 = 20. Therefore second quantity = 14×20 = 280.

id=47410 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14257 at 8% per annum for 5 years. | option_a=19959 | option_b=5702 | option_c=5602 | option_d=5802 | answer=B | explanation=SI = PRT/100 = 14257×8×5/100 = ■5702.

id=47411 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■31309 at 10% per annum for 2 years. | option_a=37570 | option_b=6161 | option_c=6261 | option_d=6361 | answer=C | explanation=SI = PRT/100 = 31309×10×2/100 = ■6261.

id=47412 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=S | option_c=X | option_d=I | answer=B | explanation=Move 5 positions forward from N; the resulting letter is S.

id=47413 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=19 | option_b=17 | option_c=20 | option_d=21 | answer=A | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=47414 | topic=Percentages | difficulty=Easy | question=What is 50% of 1566? | option_a=763 | option_b=1566 | option_c=783 | option_d=803 | answer=C | explanation=50% of 1566 = (50/100) × 1566 = 783.

id=47415 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=Q | option_c=O | option_d=R | answer=B | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=47416 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2907. If it is sold at a profit of 50%, what is its selling price? | option_a=2957 | option_b=4360 | option_c=4070 | option_d=4650 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2907 × 150/100 = ■4360.

id=47417 | topic=Percentages | difficulty=Easy | question=What is 15% of 124? | option_a=18 | option_b=36 | option_c=28 | option_d=13 | answer=A | explanation=15% of 124 = (15/100) × 124 = 18.

id=47418 | topic=Averages | difficulty=Easy | question=Find the average of 53, 47, 75, 78, 60, 16, 59, 38, 69. | option_a=57 | option_b=54 | option_c=56 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.

id=47419 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:8 and the first is 20, what is the second? | option_a=100 | option_b=80 | option_c=72 | option_d=82 | answer=B | explanation=Scale factor = 20/2 = 10. Therefore second quantity = 8×10 = 80.

id=47420 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■19064 at 5% per annum for 2 years. | option_a=20970 | option_b=2006 | option_c=1906 | option_d=1806 | answer=C | explanation=SI = PRT/100 = 19064×5×2/100 = ■1906.

id=47421 | topic=Percentages | difficulty=Easy | question=What is 50% of 1191? | option_a=600 | option_b=1190 | option_c=585 | option_d=595 | answer=D | explanation=50% of 1191 = (50/100) × 1191 = 595.

id=47422 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=160 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=47423 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=125 | option_b=120 | option_c=240 | option_d=115 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=47424 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=T | option_c=S | option_d=Q | answer=C | explanation=Move 1 positions forward from R; the resulting letter is S.

id=47425 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2993. If it is sold at a profit of 5%, what is its selling price? | option_a=2998 | option_b=3142 | option_c=2843 | option_d=3441 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2993 × 105/100 = ■3142.

id=47426 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=Y | option_c=V | option_d=P | answer=C | explanation=Move 3 positions forward from S; the resulting letter is V.

id=47427 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 29, 37, 46? | option_a=37 | option_b=29 | option_c=21 | option_d=46 | answer=D | explanation=The first three numbers increase by 8, so the next should be 45. Therefore 46 is the odd one out.

id=47428 | topic=Averages | difficulty=Easy | question=Find the average of 67, 46, 16. | option_a=44 | option_b=45 | option_c=43 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = 129 ÷ 3 = 43.

id=47429 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=47430 | topic=Percentages | difficulty=Easy | question=What is 50% of 296? | option_a=153 | option_b=296 | option_c=143 | option_d=148 | answer=D | explanation=50% of 296 = (50/100) × 296 = 148.

Aptitude Questions — Records 47,431-47,460 of 100,000

id=47431 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=47432 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=G | option_c=A | option_d=E | answer=D | explanation=Move 2 positions forward from C; the resulting letter is E.

id=47433 | topic=Averages | difficulty=Easy | question=Find the average of 39, 58, 31, 64. | option_a=49 | option_b=48 | option_c=50 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 192 ÷ 4 = 48.

id=47434 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 32, 36, 41? | option_a=28 | option_b=36 | option_c=32 | option_d=41 | answer=D | explanation=The first three numbers increase by 4, so the next should be 40. Therefore 41 is the odd one out.

id=47435 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=47436 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 51? | option_a=51 | option_b=33 | option_c=41 | option_d=25 | answer=A | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 51 is the odd one out.

id=47437 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3101. If it is sold at a profit of 5%, what is its selling price? | option_a=3106 | option_b=3566 | option_c=3256 | option_d=2946 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3101 × 105/100 = █3256.

id=47438 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3781. If it is sold at a profit of 15%, what is its selling price? | option_a=3796 | option_b=4726 | option_c=3970 | option_d=4348 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3781 × 115/100 = █4348.

id=47439 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 17, 23, 32? | option_a=17 | option_b=11 | option_c=23 | option_d=32 | answer=D | explanation=The first three numbers increase by 6, so the next should be 29. Therefore 32 is the odd one out.

id=47440 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:14 and the first is 90, what is the second? | option_a=210 | option_b=216 | option_c=196 | option_d=300 | answer=A | explanation=Scale factor = 90/6 = 15. Therefore second quantity = 14×15 = 210.

id=47441 | topic=Percentages | difficulty=Easy | question=What is 30% of 1017? | option_a=610 | option_b=325 | option_c=305 | option_d=285 | answer=C | explanation=30% of 1017 = (30/100) × 1017 = 305.

id=47442 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 33? | option_a=22 | option_b=4 | option_c=33 | option_d=13 | answer=C | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 33 is the odd one out.

id=47443 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:19 and the first is 168, what is the second? | option_a=396 | option_b=242 | option_c=209 | option_d=228 | answer=D | explanation=Scale factor = 168/14 = 12. Therefore second quantity = 19×12 = 228.

id=47444 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9603 at 4% per annum for 4 years. | option_a=11139 | option_b=1636 | option_c=1436 | option_d=1536 | answer=D | explanation=SI = PRT/100 = 9603×4×4/100 = █1536.

id=47445 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2196. If it is sold at a profit of 40%, what is its selling price? | option_a=2236 | option_b=3293 | option_c=3074 | option_d=2855 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2196 × 140/100 = █3074.

id=47446 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=Z | option_b=J | option_c=E | option_d=O | answer=B | explanation=Move 5 positions forward from E; the resulting letter is J.

id=47447 | topic=Percentages | difficulty=Easy | question=What is 10% of 1712? | option_a=181 | option_b=161 | option_c=342 | option_d=171 | answer=D | explanation=10% of 1712 = (10/100) × 1712 = 171.

id=47448 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=47449 | topic=Percentages | difficulty=Easy | question=What is 40% of 1276? | option_a=490 | option_b=1020 | option_c=510 | option_d=515 | answer=C | explanation=40% of 1276 = (40/100) × 1276 = 510.

id=47450 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 28, 33, 39? | option_a=39 | option_b=28 | option_c=33 | option_d=23 | answer=A | explanation=The first three numbers increase by 5, so the next should be 38. Therefore 39 is the odd one out.

id=47451 | topic=Averages | difficulty=Easy | question=Find the average of 68, 38, 53, 19, 66, 81, 95. | option_a=61 | option_b=62 | option_c=59 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 420 ÷ 7 = 60.

id=47452 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4584. If it is sold at a profit of 40%, what is its selling price? | option_a=4624 | option_b=5959 | option_c=6875 | option_d=6417 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4584 × 140/100 = █6417.

id=47453 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=40 | option_c=35 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=47454 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=36 | option_c=31 | option_d=41 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=47455 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=14 | option_c=9 | option_d=18 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=47456 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=12 | option_b=24 | option_c=7 | option_d=17 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=47457 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=R | option_c=T | option_d=X | answer=A | explanation=Move 2 positions forward from T; the resulting letter is V.

id=47458 | topic=Percentages | difficulty=Easy | question=What is 10% of 1188? | option_a=236 | option_b=108 | option_c=118 | option_d=123 | answer=C | explanation=10% of 1188 = (10/100) × 1188 = 118.

id=47459 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:14 and the first is 105, what is the second? | option_a=315 | option_b=196 | option_c=217 | option_d=210 | answer=D | explanation=Scale factor = 105/7 = 15. Therefore second quantity = 14×15 = 210.

id=47460 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28429 at 15% per annum for 4 years. | option_a=17057 | option_b=17157 | option_c=16957 | option_d=45486 | answer=A | explanation=SI = PRT/100 = 28429×15×4/100 = █17057.

Aptitude Questions — Records 47,461-47,490 of 100,000

id=47461 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 36? | option_a=17 | option_b=25 | option_c=36 | option_d=9 | answer=C | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 36 is the odd one out.

id=47462 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 10. | option_a=80 | option_b=160 | option_c=96 | option_d=70 | answer=A | explanation= $LCM \times HCF = 16 \times 10$; $HCF(16,10) = 2$, so $LCM = 80$.

id=47463 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 23, 26, 32? | option_a=32 | option_b=23 | option_c=20 | option_d=26 | answer=A | explanation=The first three numbers increase by 3, so the next should be 29. Therefore 32 is the odd one out.

id=47464 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

id=47465 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11369 at 12% per annum for 4 years. | option_a=5457 | option_b=16826 | option_c=5357 | option_d=5557 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{11369 \times 12 \times 4}{100} = \text{■}5457$.

id=47466 | topic=Averages | difficulty=Easy | question=Find the average of 56, 92, 65. | option_a=71 | option_b=72 | option_c=73 | option_d=70 | answer=A | explanation=Average = sum of values + number of values = $213 \div 3 = 71$.

id=47467 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=63 | option_b=52 | option_c=64 | option_d=74 | answer=A | explanation=The common difference is 11. Therefore the next term is $52 + 11 = 63$.

id=47468 | topic=Percentages | difficulty=Easy | question=What is 50% of 611? | option_a=325 | option_b=295 | option_c=610 | option_d=305 | answer=D | explanation= $50\% \text{ of } 611 = \frac{(50/100) \times 611}{1} = 305$.

id=47469 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=U | option_c=S | option_d=V | answer=B | explanation=Move 1 positions forward from T; the resulting letter is U.

id=47470 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 28. | option_a=28 | option_b=1 | option_c=196 | option_d=35 | answer=A | explanation= $LCM \times HCF = 7 \times 28$; $HCF(7,28) = 7$, so $LCM = 28$.

id=47471 | topic=Averages | difficulty=Easy | question=Find the average of 81, 20, 63, 63, 67, 37, 85, 64. | option_a=62 | option_b=61 | option_c=60 | option_d=59 | answer=C | explanation=Average = sum of values + number of values = $480 \div 8 = 60$.

id=47472 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46534 at 10% per annum for 2 years. | option_a=9306 | option_b=9206 | option_c=9406 | option_d=55840 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{46534 \times 10 \times 2}{100} = \text{■}9306$.

id=47473 | topic=Percentages | difficulty=Easy | question=What is 20% of 1388? | option_a=267 | option_b=277 | option_c=297 | option_d=554 | answer=B | explanation= $20\% \text{ of } 1388 = \frac{(20/100) \times 1388}{1} = 277$.

id=47474 | topic=Percentages | difficulty=Easy | question=What is 15% of 208? | option_a=62 | option_b=21 | option_c=31 | option_d=41 | answer=C | explanation= $15\% \text{ of } 208 = \frac{(15/100) \times 208}{1} = 31$.

id=47475 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:8 and the first is 57, what is the second? | option_a=209 | option_b=144 | option_c=155 | option_d=152 | answer=D | explanation=Scale factor = $57/3 = 19$. Therefore second quantity = $8 \times 19 = 152$.

id=47476 | topic=Percentages | difficulty=Easy | question=What is 10% of 733? | option_a=83 | option_b=63 | option_c=73 | option_d=146 | answer=C | explanation= $10\% \text{ of } 733 = \frac{(10/100) \times 733}{1} = 73$.

id=47477 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=90 | option_d=50 | answer=B | explanation=Speed = distance $\div$ time = $180 \div 4 = 45$ km/h.

id=47478 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=B | option_b=K | option_c=E | option_d=H | answer=D | explanation=Move 3 positions forward from E; the resulting letter is H.

id=47479 | topic=Averages | difficulty=Easy | question=Find the average of 39, 13, 19, 18, 23, 84, 31, 89, 62. | option_a=42 | option_b=43 | option_c=41 | option_d=44 | answer=A | explanation=Average = sum of values + number of values = $378 \div 9 = 42$.

id=47480 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 4. | option_a=40 | option_b=20 | option_c=30 | option_d=16 | answer=B | explanation= $LCM \times HCF = 10 \times 4$; $HCF(10,4) = 2$, so $LCM = 20$.

id=47481 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 38, 48, 60? | option_a=48 | option_b=38 | option_c=60 | option_d=28 | answer=C | explanation=The first three numbers increase by 10, so the next should be 58. Therefore 60 is the odd one out.

id=47482 | topic=Averages | difficulty=Easy | question=Find the average of 39, 60, 72, 62, 66, 59, 58, 95, 37, 42. | option_a=59 | option_b=60 | option_c=58 | option_d=61 | answer=A | explanation=Average = sum of values + number of values = $590 \div 10 = 59$.

id=47483 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**666. If it is sold at a profit of 50%, what is its selling price? | option_a=1065 | option_b=933 | option_c=999 | option_d=716 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 666 \times \frac{150}{100} = \text{■}999$.

id=47484 | topic=Percentages | difficulty=Easy | question=What is 10% of 1794? | option_a=199 | option_b=179 | option_c=174 | option_d=358 | answer=B | explanation= $10\% \text{ of } 1794 = \frac{(10/100) \times 1794}{1} = 179$.

id=47485 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27733 at 6% per annum for 3 years. | option_a=4891 | option_b=4991 | option_c=32724 | option_d=5091 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{27733 \times 6 \times 3}{100} = \text{■}4991$.

id=47486 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:12 and the first is 144, what is the second? | option_a=132 | option_b=144 | option_c=156 | option_d=288 | answer=B | explanation=Scale factor = $144/12 = 12$. Therefore second quantity = $12 \times 12 = 144$.

id=47487 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=36 | option_b=43 | option_c=35 | option_d=27 | answer=C | explanation=The common difference is 8. Therefore the next term is $27 + 8 = 35$.

id=47488 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12} = 3$ days.

id=47489 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = $\frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=47490 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=35 | option_b=34 | option_c=38 | option_d=30 | answer=B | explanation=The common difference is 4. Therefore the next term is $30 + 4 = 34$.

Aptitude Questions — Records 47,491-47,520 of 100,000

id=47491 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3443. If it is sold at a profit of 50%, what is its selling price? | option_a=4820 | option_b=3493 | option_c=5508 | option_d=5164 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3443 \times 150/100 = \text{█}5164$.

id=47492 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3526. If it is sold at a profit of 15%, what is its selling price? | option_a=3702 | option_b=3541 | option_c=4054 | option_d=4406 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3526 \times 115/100 = \text{█}4054$.

id=47493 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4248. If it is sold at a profit of 30%, what is its selling price? | option_a=4278 | option_b=5098 | option_c=5522 | option_d=5946 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4248 \times 130/100 = \text{█}5522$.

id=47494 | topic=Averages | difficulty=Easy | question=Find the average of 10, 31, 55, 69, 38, 19, 34, 45, 23, 16. | option_a=33 | option_b=34 | option_c=35 | option_d=36 | answer=B | explanation=Average = sum of values ÷ number of values = $340 \div 10 = 34$.

id=47495 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 17? | option_a=11 | option_b=17 | option_c=13 | option_d=9 | answer=B | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 17 is the odd one out.

id=47496 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 30, 32, 35? | option_a=30 | option_b=32 | option_c=28 | option_d=35 | answer=D | explanation=The first three numbers increase by 2, so the next should be 34. Therefore 35 is the odd one out.

id=47497 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=47498 | topic=Profit & Loss | difficulty=Easy | question=An article costs █253. If it is sold at a profit of 5%, what is its selling price? | option_a=265 | option_b=258 | option_c=290 | option_d=240 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 253 \times 105/100 = \text{█}265$.

id=47499 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=L | option_b=Q | option_c=G | option_d=B | answer=A | explanation=Move 5 positions forward from G; the resulting letter is L.

id=47500 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=I | option_b=D | option_c=N | option_d=Y | answer=A | explanation=Move 5 positions forward from D; the resulting letter is I.

id=47501 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 25? | option_a=25 | option_b=18 | option_c=15 | option_d=21 | answer=A | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 25 is the odd one out.

id=47502 | topic=Averages | difficulty=Easy | question=Find the average of 61, 76, 80, 77, 21. | option_a=62 | option_b=63 | option_c=64 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = $315 \div 5 = 63$.

id=47503 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 23, 27, 34? | option_a=27 | option_b=23 | option_c=34 | option_d=19 | answer=C | explanation=The first three numbers increase by 4, so the next should be 31. Therefore 34 is the odd one out.

id=47504 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:17 and the first is 33, what is the second? | option_a=187 | option_b=190 | option_c=170 | option_d=220 | answer=A | explanation=Scale factor = $33/3 = 11$. Therefore second quantity = $17 \times 11 = 187$.

id=47505 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=N | option_c=L | option_d=P | answer=D | explanation=Move 2 positions forward from N; the resulting letter is P.

id=47506 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45548 at 5% per annum for 3 years. | option_a=6732 | option_b=6932 | option_c=6832 | option_d=52380 | answer=C | explanation=SI = $PRT/100 = 45548 \times 5 \times 3/100 = \text{█}6832$.

id=47507 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=11 | option_b=13 | option_c=14 | option_d=15 | answer=B | explanation=The common difference is 2. Therefore the next term is $11 + 2 = 13$.

id=47508 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=61 | option_b=51 | option_c=41 | option_d=52 | answer=B | explanation=The common difference is 10. Therefore the next term is $41 + 10 = 51$.

id=47509 | topic=Percentages | difficulty=Easy | question=What is 50% of 343? | option_a=342 | option_b=166 | option_c=191 | option_d=171 | answer=D | explanation=50% of 343 = $(50/100) \times 343 = 171$.

id=47510 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=12 | option_d=2 | answer=B | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=47511 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 4. | option_a=28 | option_b=24 | option_c=56 | option_d=112 | answer=A | explanation= $LCM \times HCF = 28 \times 4$; $HCF(28, 4) = 4$, so $LCM = 28$.

id=47512 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:5 and the first is 228, what is the second? | option_a=55 | option_b=79 | option_c=288 | option_d=60 | answer=D | explanation=Scale factor = $228/19 = 12$. Therefore second quantity = $5 \times 12 = 60$.

id=47513 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 21. | option_a=21 | option_b=63 | option_c=1 | option_d=24 | answer=A | explanation= $LCM \times HCF = 3 \times 21$; $HCF(3, 21) = 3$, so $LCM = 21$.

id=47514 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=48 | option_c=19 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = $120 \div 5 = 24$ km/h.

id=47515 | topic=Percentages | difficulty=Easy | question=What is 30% of 1255? | option_a=371 | option_b=386 | option_c=752 | option_d=376 | answer=D | explanation=30% of 1255 = $(30/100) \times 1255 = 376$.

id=47516 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4328. If it is sold at a profit of 15%, what is its selling price? | option_a=5409 | option_b=4977 | option_c=4545 | option_d=4343 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4328 \times 115/100 = \text{█}4977$.

id=47517 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=120 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.

id=47518 | topic=Averages | difficulty=Easy | question=Find the average of 65, 32, 69, 83, 61. | option_a=63 | option_b=64 | option_c=61 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = $310 \div 5 = 62$.

id=47519 | topic=Averages | difficulty=Easy | question=Find the average of 98, 84, 36, 21, 55, 41, 37, 75, 12. | option_a=53 | option_b=52 | option_c=51 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = $459 \div 9 = 51$.

id=47520 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 28? | option_a=19 | option_b=28 | option_c=5 | option_d=12 | answer=B | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 28 is the odd one out.

Aptitude Questions — Records 47,521-47,550 of 100,000

id=47521 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 42? | option_a=31 | option_b=42 | option_c=21 | option_d=11 | answer=B | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 42 is the odd one out.

id=47522 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3683. If it is sold at a profit of 40%, what is its selling price? | option_a=4788 | option_b=5524 | option_c=3723 | option_d=5156 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3683 × 140/100 = █5156.

id=47523 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=100 | option_c=95 | option_d=200 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=47524 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:14 and the first is 195, what is the second? | option_a=197 | option_b=168 | option_c=377 | option_d=182 | answer=D | explanation=Scale factor = 195/15 = 13. Therefore second quantity = 14×13 = 182.

id=47525 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=47526 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28330 at 12% per annum for 3 years. | option_a=38528 | option_b=10198 | option_c=10298 | option_d=10098 | answer=B | explanation=SI = PRT/100 = 28330×12×3/100 = █10198.

id=47527 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=47528 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=80 | option_c=75 | option_d=70 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=47529 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=54 | option_b=46 | option_c=36 | option_d=45 | answer=D | explanation=The common difference is 9. Therefore the next term is 36 + 9 = 45.

id=47530 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=40 | option_c=20 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=47531 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=42 | option_b=52 | option_c=51 | option_d=60 | answer=C | explanation=The common difference is 9. Therefore the next term is 42 + 9 = 51.

id=47532 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=55 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=47533 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=47534 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 10, 17, 25? | option_a=3 | option_b=10 | option_c=25 | option_d=17 | answer=C | explanation=The first three numbers increase by 7, so the next should be 24. Therefore 25 is the odd one out.

id=47535 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:10 and the first is 12, what is the second? | option_a=110 | option_b=120 | option_c=121 | option_d=132 | answer=B | explanation=Scale factor = 12/1 = 12. Therefore second quantity = 10×12 = 120.

id=47536 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=115 | option_c=120 | option_d=240 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=47537 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=36 | option_c=18 | option_d=23 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=47538 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 4. | option_a=24 | option_b=12 | option_c=8 | option_d=48 | answer=B | explanation=LCM × HCF = 12×4; HCF(12,4) = 4, so LCM = 12.

id=47539 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10030 at 4% per annum for 4 years. | option_a=1504 | option_b=11634 | option_c=1704 | option_d=1604 | answer=D | explanation=SI = PRT/100 = 10030×4×4/100 = █1604.

id=47540 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14067 at 5% per annum for 3 years. | option_a=2110 | option_b=2210 | option_c=16177 | option_d=2010 | answer=A | explanation=SI = PRT/100 = 14067×5×3/100 = █2110.

id=47541 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=47542 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=47543 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=R | option_c=X | option_d=T | answer=A | explanation=Move 2 positions forward from T; the resulting letter is V.

id=47544 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 17? | option_a=17 | option_b=11 | option_c=13 | option_d=9 | answer=A | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 17 is the odd one out.

id=47545 | topic=Percentages | difficulty=Easy | question=What is 30% of 1734? | option_a=530 | option_b=1040 | option_c=510 | option_d=520 | answer=D | explanation=30% of 1734 = (30/100) × 1734 = 520.

id=47546 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:2 and the first is 114, what is the second? | option_a=152 | option_b=36 | option_c=44 | option_d=38 | answer=D | explanation=Scale factor = 114/6 = 19. Therefore second quantity = 2×19 = 38.

id=47547 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=47548 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 12. | option_a=288 | option_b=48 | option_c=12 | option_d=24 | answer=D | explanation=LCM × HCF = 24×12; HCF(24,12) = 12, so LCM = 24.

id=47549 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:14 and the first is 160, what is the second? | option_a=272 | option_b=132 | option_c=98 | option_d=112 | answer=D | explanation=Scale factor = 160/20 = 8. Therefore second quantity = 14×8 = 112.

id=47550 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

Aptitude Questions — Records 47,551-47,580 of 100,000

id=47551 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 18, 25, 33? | option_a=11 | option_b=25 | option_c=33 | option_d=18 | answer=C | explanation=The first three numbers increase by 7, so the next should be 32. Therefore 33 is the odd one out.

id=47552 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=P | option_b=M | option_c=J | option_d=S | answer=A | explanation=Move 3 positions forward from M; the resulting letter is P.

id=47553 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=O | option_b=Q | option_c=R | option_d=P | answer=B | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=47554 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 44? | option_a=35 | option_b=44 | option_c=23 | option_d=29 | answer=B | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 44 is the odd one out.

id=47555 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 22, 25, 29? | option_a=22 | option_b=25 | option_c=19 | option_d=29 | answer=D | explanation=The first three numbers increase by 3, so the next should be 28. Therefore 29 is the odd one out.

id=47556 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=O | option_b=S | option_c=W | option_d=A | answer=C | explanation=Move 4 positions forward from S; the resulting letter is W.

id=47557 | topic=Percentages | difficulty=Easy | question=What is 40% of 796? | option_a=308 | option_b=318 | option_c=338 | option_d=636 | answer=B | explanation=40% of 796 = $(40/100) \times 796 = 318$.

id=47558 | topic=Percentages | difficulty=Easy | question=What is 25% of 1588? | option_a=377 | option_b=794 | option_c=407 | option_d=397 | answer=D | explanation=25% of 1588 = $(25/100) \times 1588 = 397$.

id=47559 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=O | option_b=C | option_c=G | option_d=K | answer=D | explanation=Move 4 positions forward from G; the resulting letter is K.

id=47560 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1888. If it is sold at a profit of 40%, what is its selling price? | option_a=1928 | option_b=2455 | option_c=2643 | option_d=2831 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 1888 \times 140/100 = \text{█}2643$.

id=47561 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4136. If it is sold at a profit of 5%, what is its selling price? | option_a=3929 | option_b=4755 | option_c=4342 | option_d=4141 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 4136 \times 105/100 = \text{█}4342$.

id=47562 | topic=Averages | difficulty=Easy | question=Find the average of 10, 39, 58, 14, 40, 36, 45, 60, 85. | option_a=44 | option_b=45 | option_c=43 | option_d=42 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 387 \div 9 = 43$.

id=47563 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=25 | option_c=40 | option_d=20 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 60 \div 3 = 20 \text{ km/h}$.

id=47564 | topic=Percentages | difficulty=Easy | question=What is 30% of 588? | option_a=352 | option_b=176 | option_c=156 | option_d=181 | answer=B | explanation=30% of 588 = $(30/100) \times 588 = 176$.

id=47565 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=14 | option_c=9 | option_d=4 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 90 \div 10 = 9 \text{ km/h}$.

id=47566 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=45 | option_d=40 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 120 \div 3 = 40 \text{ km/h}$.

id=47567 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=Q | option_c=M | option_d=K | answer=A | explanation=Move 2 positions forward from M; the resulting letter is O.

id=47568 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=R | option_c=L | option_d=N | answer=A | explanation=Move 2 positions forward from N; the resulting letter is P.

id=47569 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4667. If it is sold at a profit of 25%, what is its selling price? | option_a=4692 | option_b=5367 | option_c=5833 | option_d=6299 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 4667 \times 125/100 = \text{█}5833$.

id=47570 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40267 at 10% per annum for 1 years. | option_a=44293 | option_b=3926 | option_c=4126 | option_d=4026 | answer=D | explanation=SI = $\text{PRT}/100 = 40267 \times 10 \times 1/100 = \text{█}4026$.

id=47571 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 30, 33, 39? | option_a=33 | option_b=39 | option_c=27 | option_d=30 | answer=B | explanation=The first three numbers increase by 3, so the next should be 36. Therefore 39 is the odd one out.

id=47572 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 220, what is the second? | option_a=320 | option_b=540 | option_c=304 | option_d=331 | answer=A | explanation=Scale factor = $220/11 = 20$. Therefore second quantity = $16 \times 20 = 320$.

id=47573 | topic=Percentages | difficulty=Easy | question=What is 30% of 593? | option_a=187 | option_b=177 | option_c=354 | option_d=167 | answer=B | explanation=30% of 593 = $(30/100) \times 593 = 177$.

id=47574 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 150 \div 5 = 30 \text{ km/h}$.

id=47575 | topic=Percentages | difficulty=Easy | question=What is 15% of 1977? | option_a=296 | option_b=592 | option_c=291 | option_d=316 | answer=A | explanation=15% of 1977 = $(15/100) \times 1977 = 296$.

id=47576 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=19 | option_d=29 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 240 \div 10 = 24 \text{ km/h}$.

id=47577 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3 \text{ days}$.

id=47578 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 18. | option_a=486 | option_b=81 | option_c=54 | option_d=36 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 27 \times 18$; $\text{HCF}(27,18) = 9$, so $\text{LCM} = 54$.

id=47579 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2718. If it is sold at a profit of 30%, what is its selling price? | option_a=2748 | option_b=3804 | option_c=3262 | option_d=3533 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2718 \times 130/100 = \text{█}3533$.

id=47580 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:6 and the first is 280, what is the second? | option_a=400 | option_b=120 | option_c=114 | option_d=134 | answer=B | explanation=Scale factor = $280/14 = 20$. Therefore second quantity = $6 \times 20 = 120$.

Aptitude Questions — Records 47,581-47,610 of 100,000

id=47581 | topic=Averages | difficulty=Easy | question=Find the average of 97, 31, 90, 94. | option_a=79 | option_b=80 | option_c=77 | option_d=78 | answer=D | explanation=Average = sum of values ÷ number of values = 312 ÷ 4 = 78.

id=47582 | topic=Averages | difficulty=Easy | question=Find the average of 83, 41, 86. | option_a=69 | option_b=72 | option_c=70 | option_d=71 | answer=C | explanation=Average = sum of values ÷ number of values = 210 ÷ 3 = 70.

id=47583 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=47584 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=69 | option_b=59 | option_c=60 | option_d=49 | answer=B | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

id=47585 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 36, 44, 53? | option_a=28 | option_b=44 | option_c=53 | option_d=36 | answer=C | explanation=The first three numbers increase by 8, so the next should be 52. Therefore 53 is the odd one out.

id=47586 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 25, 27, 31? | option_a=31 | option_b=25 | option_c=23 | option_d=27 | answer=A | explanation=The first three numbers increase by 2, so the next should be 29. Therefore 31 is the odd one out.

id=47587 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹4641. If it is sold at a profit of 50%, what is its selling price? | option_a=6961 | option_b=7425 | option_c=6497 | option_d=4691 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4641 × 150/100 = ₹6961.

id=47588 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=P | option_b=X | option_c=B | option_d=T | answer=B | explanation=Move 4 positions forward from T; the resulting letter is X.

id=47589 | topic=Averages | difficulty=Easy | question=Find the average of 19, 35, 87, 25, 22, 99, 43, 72, 69, 39. | option_a=50 | option_b=52 | option_c=53 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

id=47590 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:20 and the first is 54, what is the second? | option_a=60 | option_b=114 | option_c=78 | option_d=40 | answer=A | explanation=Scale factor = 54/18 = 3. Therefore second quantity = 20×3 = 60.

id=47591 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=44 | option_b=45 | option_c=54 | option_d=34 | answer=A | explanation=The common difference is 10. Therefore the next term is 34 + 10 = 44.

id=47592 | topic=Percentages | difficulty=Easy | question=What is 10% of 1806? | option_a=160 | option_b=180 | option_c=360 | option_d=185 | answer=B | explanation=10% of 1806 = (10/100) × 1806 = 180.

id=47593 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=U | option_c=M | option_d=I | answer=A | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=47594 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹45823 at 15% per annum for 1 years. | option_a=6973 | option_b=6873 | option_c=52696 | option_d=6773 | answer=B | explanation=SI = PRT/100 = 45823×15×1/100 = ₹6873.

id=47595 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 50? | option_a=50 | option_b=41 | option_c=25 | option_d=33 | answer=A | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 50 is the odd one out.

id=47596 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1708. If it is sold at a profit of 30%, what is its selling price? | option_a=2050 | option_b=1738 | option_c=2390 | option_d=2220 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1708 × 130/100 = ₹2220.

id=47597 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:20 and the first is 190, what is the second? | option_a=390 | option_b=200 | option_c=219 | option_d=180 | answer=B | explanation=Scale factor = 190/19 = 10. Therefore second quantity = 20×10 = 200.

id=47598 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=M | option_c=N | option_d=K | answer=B | explanation=Move 1 positions forward from L; the resulting letter is M.

id=47599 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹35534 at 15% per annum for 4 years. | option_a=56854 | option_b=21220 | option_c=21420 | option_d=21320 | answer=D | explanation=SI = PRT/100 = 35534×15×4/100 = ₹21320.

id=47600 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=20 | option_c=15 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=47601 | topic=Averages | difficulty=Easy | question=Find the average of 27, 22, 81, 45, 86, 87. | option_a=59 | option_b=60 | option_c=58 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 348 ÷ 6 = 58.

id=47602 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=47603 | topic=Averages | difficulty=Easy | question=Find the average of 77, 27, 14, 77, 65. | option_a=51 | option_b=52 | option_c=54 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 260 ÷ 5 = 52.

id=47604 | topic=Averages | difficulty=Easy | question=Find the average of 93, 24, 97, 93, 72, 79, 63, 16, 83, 50. | option_a=66 | option_b=68 | option_c=69 | option_d=67 | answer=D | explanation=Average = sum of values ÷ number of values = 670 ÷ 10 = 67.

id=47605 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=4 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=47606 | topic=Averages | difficulty=Easy | question=Find the average of 72, 20, 94. | option_a=62 | option_b=64 | option_c=61 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 186 ÷ 3 = 62.

id=47607 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=47608 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=J | option_c=R | option_d=V | answer=C | explanation=Move 4 positions forward from N; the resulting letter is R.

id=47609 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=47610 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:17 and the first is 289, what is the second? | option_a=272 | option_b=306 | option_c=289 | option_d=578 | answer=C | explanation=Scale factor = 289/17 = 17. Therefore second quantity = 17×17 = 289.

Aptitude Questions — Records 47,611-47,640 of 100,000

id=47611 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 13. | option_a=13 | option_b=338 | option_c=26 | option_d=52 | answer=C | explanation= $LCM \times HCF = 26 \times 13$; $HCF(26,13) = 13$, so $LCM = 26$.

id=47612 | topic=Percentages | difficulty=Easy | question=What is 5% of 280? | option_a=19 | option_b=14 | option_c=0 | option_d=28 | answer=B | explanation= 5% of $280 = (5/100) \times 280 = 14$.

id=47613 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 10. | option_a=1 | option_b=15 | option_c=10 | option_d=50 | answer=C | explanation= $LCM \times HCF = 5 \times 10$; $HCF(5,10) = 5$, so $LCM = 10$.

id=47614 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=C | option_c=D | option_d=B | answer=C | explanation=Move 1 positions forward from C; the resulting letter is D.

id=47615 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=P | option_b=B | option_c=T | option_d=X | answer=D | explanation=Move 4 positions forward from T; the resulting letter is X.

id=47616 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=Q | option_c=S | option_d=T | answer=C | explanation=Move 1 positions forward from R; the resulting letter is S.

id=47617 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:14 and the first is 209, what is the second? | option_a=252 | option_b=266 | option_c=277 | option_d=475 | answer=B | explanation=Scale factor = $209/11 = 19$. Therefore second quantity = $14 \times 19 = 266$.

id=47618 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=12 | answer=B | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=47619 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:5 and the first is 400, what is the second? | option_a=100 | option_b=500 | option_c=95 | option_d=120 | answer=A | explanation=Scale factor = $400/20 = 20$. Therefore second quantity = $5 \times 20 = 100$.

id=47620 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=K | option_b=F | option_c=A | option_d=P | answer=A | explanation=Move 5 positions forward from F; the resulting letter is K.

id=47621 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=50 | option_b=60 | option_c=38 | option_d=49 | answer=D | explanation=The common difference is 11. Therefore the next term is $38 + 11 = 49$.

id=47622 | topic=Percentages | difficulty=Easy | question=What is 50% of 1653? | option_a=816 | option_b=1652 | option_c=831 | option_d=826 | answer=D | explanation= 50% of $1653 = (50/100) \times 1653 = 826$.

id=47623 | topic=Averages | difficulty=Easy | question=Find the average of 16, 28, 65, 28, 93, 81, 64, 36, 93. | option_a=55 | option_b=56 | option_c=58 | option_d=57 | answer=B | explanation=Average = sum of values $\div$ number of values = $504 \div 9 = 56$.

id=47624 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=O | option_b=Y | option_c=D | option_d=T | answer=B | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=47625 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23552 at 5% per annum for 2 years. | option_a=2255 | option_b=25907 | option_c=2355 | option_d=2455 | answer=C | explanation= $SI = PRT/100 = 23552 \times 5 \times 2/100 = \text{■}2355$.

id=47626 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2506 at 10% per annum for 3 years. | option_a=751 | option_b=651 | option_c=3257 | option_d=851 | answer=A | explanation= $SI = PRT/100 = 2506 \times 10 \times 3/100 = \text{■}751$.

id=47627 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39838 at 15% per annum for 3 years. | option_a=17927 | option_b=18027 | option_c=17827 | option_d=57765 | answer=A | explanation= $SI = PRT/100 = 39838 \times 15 \times 3/100 = \text{■}17927$.

id=47628 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=26 | option_b=32 | option_c=33 | option_d=38 | answer=B | explanation=The common difference is 6. Therefore the next term is $26 + 6 = 32$.

id=47629 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance $\div$ time = $180 \div 3 = 60$ km/h.

id=47630 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=47631 | topic=Averages | difficulty=Easy | question=Find the average of 44, 21, 54, 74, 92, 92, 92, 83. | option_a=68 | option_b=69 | option_c=71 | option_d=70 | answer=B | explanation=Average = sum of values $\div$ number of values = $552 \div 8 = 69$.

id=47632 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3663. If it is sold at a profit of 25%, what is its selling price? | option_a=4212 | option_b=3688 | option_c=4944 | option_d=4578 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3663 \times 125/100 = \text{■}4578$.

id=47633 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5765 at 15% per annum for 4 years. | option_a=9224 | option_b=3559 | option_c=3459 | option_d=3359 | answer=C | explanation= $SI = PRT/100 = 5765 \times 15 \times 4/100 = \text{■}3459$.

id=47634 | topic=Averages | difficulty=Easy | question=Find the average of 86, 32, 58, 96. | option_a=70 | option_b=68 | option_c=67 | option_d=69 | answer=B | explanation=Average = sum of values $\div$ number of values = $272 \div 4 = 68$.

id=47635 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=60 | option_b=42 | option_c=52 | option_d=51 | answer=D | explanation=The common difference is 9. Therefore the next term is $42 + 9 = 51$.

id=47636 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=48 | option_b=41 | option_c=55 | option_d=49 | answer=A | explanation=The common difference is 7. Therefore the next term is $41 + 7 = 48$.

id=47637 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26934 at 6% per annum for 1 years. | option_a=1516 | option_b=28550 | option_c=1616 | option_d=1716 | answer=C | explanation= $SI = PRT/100 = 26934 \times 6 \times 1/100 = \text{■}1616$.

id=47638 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32600 at 6% per annum for 2 years. | option_a=3812 | option_b=36512 | option_c=3912 | option_d=4012 | answer=C | explanation= $SI = PRT/100 = 32600 \times 6 \times 2/100 = \text{■}3912$.

id=47639 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=47640 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 32? | option_a=15 | option_b=25 | option_c=20 | option_d=32 | answer=D | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 32 is the odd one out.

Aptitude Questions — Records 47,641-47,670 of 100,000

id=47641 | topic=Percentages | difficulty=Easy | question=What is 15% of 934? | option_a=140 | option_b=280 | option_c=130 | option_d=150 | answer=A | explanation=15% of 934 = (15/100) × 934 = 140.

id=47642 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 30. | option_a=210 | option_b=420 | option_c=224 | option_d=180 | answer=A | explanation=LCM × HCF = 14×30; HCF(14,30) = 2, so LCM = 210.

id=47643 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:6 and the first is 91, what is the second? | option_a=133 | option_b=55 | option_c=42 | option_d=36 | answer=C | explanation=Scale factor = 91/13 = 7. Therefore second quantity = 6×7 = 42.

id=47644 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=I | option_b=G | option_c=J | option_d=H | answer=A | explanation=Move 1 positions forward from H; the resulting letter is I.

id=47645 | topic=Averages | difficulty=Easy | question=Find the average of 22, 18, 58, 88, 80, 19, 39, 21, 38, 97. | option_a=50 | option_b=49 | option_c=47 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = 480 ÷ 10 = 48.

id=47646 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■45857 at 5% per annum for 5 years. | option_a=57321 | option_b=11564 | option_c=11364 | option_d=11464 | answer=D | explanation=SI = PRT/100 = 45857×5×5/100 = ■11464.

id=47647 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:6 and the first is 36, what is the second? | option_a=48 | option_b=90 | option_c=58 | option_d=54 | answer=D | explanation=Scale factor = 36/4 = 9. Therefore second quantity = 6×9 = 54.

id=47648 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=47649 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 16, 21, 28? | option_a=21 | option_b=11 | option_c=28 | option_d=16 | answer=C | explanation=The first three numbers increase by 5, so the next should be 26. Therefore 28 is the odd one out.

id=47650 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=47651 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4553. If it is sold at a profit of 10%, what is its selling price? | option_a=4563 | option_b=5463 | option_c=4553 | option_d=5008 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4553 × 110/100 = ■5008.

id=47652 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=47653 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=47654 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=47 | option_b=48 | option_c=38 | option_d=56 | answer=A | explanation=The common difference is 9. Therefore the next term is 38 + 9 = 47.

id=47655 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=100 | option_c=45 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=47656 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 44? | option_a=25 | option_b=17 | option_c=44 | option_d=33 | answer=C | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 44 is the odd one out.

id=47657 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=H | option_c=I | option_d=G | answer=C | explanation=Move 1 positions forward from H; the resulting letter is I.

id=47658 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■37476 at 10% per annum for 5 years. | option_a=56214 | option_b=18638 | option_c=18738 | option_d=18838 | answer=C | explanation=SI = PRT/100 = 37476×10×5/100 = ■18738.

id=47659 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=12 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=47660 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=J | option_b=S | option_c=M | option_d=P | answer=D | explanation=Move 3 positions forward from M; the resulting letter is P.

id=47661 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=R | option_b=X | option_c=T | option_d=V | answer=D | explanation=Move 2 positions forward from T; the resulting letter is V.

id=47662 | topic=Percentages | difficulty=Easy | question=What is 5% of 1658? | option_a=82 | option_b=72 | option_c=92 | option_d=164 | answer=A | explanation=5% of 1658 = (5/100) × 1658 = 82.

id=47663 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=W | option_c=A | option_d=O | answer=B | explanation=Move 4 positions forward from S; the resulting letter is W.

id=47664 | topic=Percentages | difficulty=Easy | question=What is 20% of 1994? | option_a=378 | option_b=796 | option_c=408 | option_d=398 | answer=D | explanation=20% of 1994 = (20/100) × 1994 = 398.

id=47665 | topic=Percentages | difficulty=Easy | question=What is 5% of 1693? | option_a=64 | option_b=84 | option_c=94 | option_d=168 | answer=B | explanation=5% of 1693 = (5/100) × 1693 = 84.

id=47666 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4136. If it is sold at a profit of 50%, what is its selling price? | option_a=6204 | option_b=5791 | option_c=4186 | option_d=6617 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4136 × 150/100 = ■6204.

id=47667 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=T | option_c=U | option_d=V | answer=D | explanation=Move 1 positions forward from U; the resulting letter is V.

id=47668 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1538. If it is sold at a profit of 15%, what is its selling price? | option_a=1921 | option_b=1615 | option_c=1768 | option_d=1553 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1538 × 115/100 = ■1768.

id=47669 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=50 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=47670 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3378. If it is sold at a profit of 30%, what is its selling price? | option_a=3408 | option_b=4054 | option_c=4391 | option_d=4728 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3378 × 130/100 = ■4391.

Aptitude Questions — Records 47,671-47,700 of 100,000

id=47671 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■38470 at 15% per annum for 3 years. | option_a=17211 | option_b=17411 | option_c=55781 | option_d=17311 | answer=D | explanation=SI = PRT/100 = 38470×15×3/100 = ■17311.

id=47672 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:18 and the first is 153, what is the second? | option_a=179 | option_b=144 | option_c=162 | option_d=315 | answer=C | explanation=Scale factor = 153/17 = 9. Therefore second quantity = 18×9 = 162.

id=47673 | topic=Percentages | difficulty=Easy | question=What is 15% of 1335? | option_a=180 | option_b=200 | option_c=205 | option_d=400 | answer=B | explanation=15% of 1335 = (15/100) × 1335 = 200.

id=47674 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1577. If it is sold at a profit of 15%, what is its selling price? | option_a=1592 | option_b=1970 | option_c=1656 | option_d=1813 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1577 × 115/100 = ■1813.

id=47675 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 14. | option_a=208 | option_b=182 | option_c=168 | option_d=364 | answer=B | explanation=LCM × HCF = 26×14; HCF(26,14) = 2, so LCM = 182.

id=47676 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3031. If it is sold at a profit of 50%, what is its selling price? | option_a=3081 | option_b=4243 | option_c=4849 | option_d=4546 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3031 × 150/100 = ■4546.

id=47677 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 6. | option_a=64 | option_b=96 | option_c=48 | option_d=42 | answer=C | explanation=LCM × HCF = 16×6; HCF(16,6) = 2, so LCM = 48.

id=47678 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 42? | option_a=34 | option_b=42 | option_c=22 | option_d=28 | answer=B | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 42 is the odd one out.

id=47679 | topic=Averages | difficulty=Easy | question=Find the average of 47, 14, 57, 82, 51, 75, 21, 53. | option_a=52 | option_b=49 | option_c=50 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 400 ÷ 8 = 50.

id=47680 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3528. If it is sold at a profit of 50%, what is its selling price? | option_a=5292 | option_b=3578 | option_c=5644 | option_d=4940 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3528 × 150/100 = ■5292.

id=47681 | topic=Percentages | difficulty=Easy | question=What is 5% of 612? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=5% of 612 = (5/100) × 612 = 30.

id=47682 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 22. | option_a=192 | option_b=154 | option_c=352 | option_d=176 | answer=D | explanation=LCM × HCF = 16×22; HCF(16,22) = 2, so LCM = 176.

id=47683 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=30 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=47684 | topic=Averages | difficulty=Easy | question=Find the average of 92, 92, 82, 102. | option_a=91 | option_b=92 | option_c=93 | option_d=94 | answer=B | explanation=Average = sum of values ÷ number of values = 368 ÷ 4 = 92.

id=47685 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■29582 at 8% per annum for 3 years. | option_a=7099 | option_b=7199 | option_c=36681 | option_d=6999 | answer=A | explanation=SI = PRT/100 = 29582×8×3/100 = ■7099.

id=47686 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:17 and the first is 26, what is the second? | option_a=247 | option_b=204 | option_c=223 | option_d=221 | answer=D | explanation=Scale factor = 26/2 = 13. Therefore second quantity = 17×13 = 221.

id=47687 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=M | option_b=Q | option_c=S | option_d=O | answer=B | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=47688 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=47689 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=145 | option_c=150 | option_d=300 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=47690 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:17 and the first is 324, what is the second? | option_a=630 | option_b=324 | option_c=289 | option_d=306 | answer=D | explanation=Scale factor = 324/18 = 18. Therefore second quantity = 17×18 = 306.

id=47691 | topic=Averages | difficulty=Easy | question=Find the average of 80, 25, 63, 47, 30. | option_a=50 | option_b=49 | option_c=51 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 245 ÷ 5 = 49.

id=47692 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:19 and the first is 182, what is the second? | option_a=261 | option_b=429 | option_c=247 | option_d=228 | answer=C | explanation=Scale factor = 182/14 = 13. Therefore second quantity = 19×13 = 247.

id=47693 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=80 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=47694 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=49 | option_b=59 | option_c=50 | option_d=39 | answer=A | explanation=The common difference is 10. Therefore the next term is 39 + 10 = 49.

id=47695 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=34 | option_b=29 | option_c=22 | option_d=28 | answer=D | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.

id=47696 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=47697 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=47698 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1906. If it is sold at a profit of 5%, what is its selling price? | option_a=2191 | option_b=2001 | option_c=1811 | option_d=1911 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1906 × 105/100 = ■2001.

id=47699 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 33? | option_a=33 | option_b=10 | option_c=24 | option_d=17 | answer=A | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 33 is the odd one out.

id=47700 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:12 and the first is 256, what is the second? | option_a=192 | option_b=180 | option_c=208 | option_d=448 | answer=A | explanation=Scale factor = 256/16 = 16. Therefore second quantity = 12×16 = 192.

Aptitude Questions — Records 47,701-47,730 of 100,000

id=47701 | topic=Averages | difficulty=Easy | question=Find the average of 23, 89, 59. | option_a=57 | option_b=58 | option_c=59 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 171 ÷ 3 = 57.

id=47702 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=180 | option_c=95 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=47703 | topic=Percentages | difficulty=Easy | question=What is 15% of 978? | option_a=292 | option_b=146 | option_c=151 | option_d=136 | answer=B | explanation=15% of 978 = (15/100) × 978 = 146.

id=47704 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:4 and the first is 133, what is the second? | option_a=72 | option_b=76 | option_c=209 | option_d=83 | answer=B | explanation=Scale factor = 133/7 = 19. Therefore second quantity = 4×19 = 76.

id=47705 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3136. If it is sold at a profit of 5%, what is its selling price? | option_a=3605 | option_b=3292 | option_c=2979 | option_d=3141 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3136 × 105/100 = █3292.

id=47706 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18070 at 5% per annum for 2 years. | option_a=19877 | option_b=1807 | option_c=1707 | option_d=1907 | answer=B | explanation=SI = PRT/100 = 18070×5×2/100 = █1807.

id=47707 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=47708 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=47709 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 26. | option_a=780 | option_b=364 | option_c=420 | option_d=390 | answer=D | explanation=LCM × HCF = 30×26; HCF(30,26) = 2, so LCM = 390.

id=47710 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=47711 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 17, 21, 28? | option_a=21 | option_b=28 | option_c=13 | option_d=17 | answer=B | explanation=The first three numbers increase by 4, so the next should be 25. Therefore 28 is the odd one out.

id=47712 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=Y | option_b=V | option_c=S | option_d=P | answer=B | explanation=Move 3 positions forward from S; the resulting letter is V.

id=47713 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=32 | option_b=42 | option_c=50 | option_d=41 | answer=D | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

id=47714 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:9 and the first is 77, what is the second? | option_a=99 | option_b=90 | option_c=106 | option_d=176 | answer=A | explanation=Scale factor = 77/7 = 11. Therefore second quantity = 9×11 = 99.

id=47715 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42467 at 4% per annum for 4 years. | option_a=6894 | option_b=6694 | option_c=6794 | option_d=49261 | answer=C | explanation=SI = PRT/100 = 42467×4×4/100 = █6794.

id=47716 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=47717 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20936 at 6% per annum for 5 years. | option_a=6180 | option_b=27216 | option_c=6380 | option_d=6280 | answer=D | explanation=SI = PRT/100 = 20936×6×5/100 = █6280.

id=47718 | topic=Profit & Loss | difficulty=Easy | question=An article costs █545. If it is sold at a profit of 30%, what is its selling price? | option_a=762 | option_b=575 | option_c=708 | option_d=654 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 545 × 130/100 = █708.

id=47719 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=30 | option_b=27 | option_c=22 | option_d=26 | answer=D | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.

id=47720 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44342 at 15% per annum for 5 years. | option_a=33356 | option_b=33156 | option_c=33256 | option_d=77598 | answer=C | explanation=SI = PRT/100 = 44342×15×5/100 = █33256.

id=47721 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35818 at 8% per annum for 1 years. | option_a=2765 | option_b=2965 | option_c=38683 | option_d=2865 | answer=D | explanation=SI = PRT/100 = 35818×8×1/100 = █2865.

id=47722 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 28, 38, 48, ? | option_a=58 | option_b=48 | option_c=59 | option_d=68 | answer=A | explanation=The common difference is 10. Therefore the next term is 48 + 10 = 58.

id=47723 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=J | option_c=P | option_d=S | answer=C | explanation=Move 3 positions forward from M; the resulting letter is P.

id=47724 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:2 and the first is 182, what is the second? | option_a=41 | option_b=28 | option_c=210 | option_d=26 | answer=B | explanation=Scale factor = 182/13 = 14. Therefore second quantity = 2×14 = 28.

id=47725 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=N | option_b=I | option_c=D | option_d=S | answer=A | explanation=Move 5 positions forward from I; the resulting letter is N.

id=47726 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20539 at 5% per annum for 2 years. | option_a=2053 | option_b=2153 | option_c=1953 | option_d=22592 | answer=A | explanation=SI = PRT/100 = 20539×5×2/100 = █2053.

id=47727 | topic=Percentages | difficulty=Easy | question=What is 50% of 1138? | option_a=1138 | option_b=589 | option_c=559 | option_d=569 | answer=D | explanation=50% of 1138 = (50/100) × 1138 = 569.

id=47728 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 18. | option_a=126 | option_b=108 | option_c=378 | option_d=147 | answer=A | explanation=LCM × HCF = 21×18; HCF(21,18) = 3, so LCM = 126.

id=47729 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=28 | option_b=30 | option_c=27 | option_d=24 | answer=C | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=47730 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=45 | option_b=38 | option_c=52 | option_d=46 | answer=A | explanation=The common difference is 7. Therefore the next term is 38 + 7 = 45.

Aptitude Questions — Records 47,731-47,760 of 100,000

id=47731 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29473 at 12% per annum for 3 years. | option_a=10610 | option_b=10710 | option_c=40083 | option_d=10510 | answer=A | explanation=SI = $PRT/100 = 29473 \times 12 \times 3/100 = \blacksquare 10610$.

id=47732 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49955 at 8% per annum for 1 years. | option_a=3996 | option_b=4096 | option_c=53951 | option_d=3896 | answer=A | explanation=SI = $PRT/100 = 49955 \times 8 \times 1/100 = \blacksquare 3996$.

id=47733 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 31, 39, 50? | option_a=39 | option_b=50 | option_c=23 | option_d=31 | answer=B | explanation=The first three numbers increase by 8, so the next should be 47. Therefore 50 is the odd one out.

id=47734 | topic=Percentages | difficulty=Easy | question=What is 5% of 1078? | option_a=53 | option_b=106 | option_c=58 | option_d=48 | answer=A | explanation=5% of 1078 = $(5/100) \times 1078 = 53$.

id=47735 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 33? | option_a=28 | option_b=33 | option_c=22 | option_d=25 | answer=B | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 33 is the odd one out.

id=47736 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = $150 \div 5 = 30$ km/h.

id=47737 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 9. | option_a=135 | option_b=45 | option_c=60 | option_d=36 | answer=B | explanation=LCM × HCF = 15×9 ; HCF(15,9) = 3, so LCM = 45.

id=47738 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=9 | option_b=18 | option_c=4 | option_d=14 | answer=A | explanation=Speed = distance ÷ time = $90 \div 10 = 9$ km/h.

id=47739 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=41 | option_c=36 | option_d=72 | answer=C | explanation=Speed = distance ÷ time = $180 \div 5 = 36$ km/h.

id=47740 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17739 at 4% per annum for 1 years. | option_a=18448 | option_b=709 | option_c=809 | option_d=609 | answer=B | explanation=SI = $PRT/100 = 17739 \times 4 \times 1/100 = \blacksquare 709$.

id=47741 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=47742 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2575 at 10% per annum for 1 years. | option_a=157 | option_b=2832 | option_c=357 | option_d=257 | answer=D | explanation=SI = $PRT/100 = 2575 \times 10 \times 1/100 = \blacksquare 257$.

id=47743 | topic=Percentages | difficulty=Easy | question=What is 15% of 442? | option_a=61 | option_b=132 | option_c=76 | option_d=66 | answer=D | explanation=15% of 442 = $(15/100) \times 442 = 66$.

id=47744 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4816. If it is sold at a profit of 30%, what is its selling price? | option_a=4846 | option_b=5779 | option_c=6260 | option_d=6741 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4816 \times 130/100 = \blacksquare 6260$.

id=47745 | topic=Averages | difficulty=Easy | question=Find the average of 36, 99, 93. | option_a=76 | option_b=75 | option_c=78 | option_d=77 | answer=A | explanation=Average = sum of values ÷ number of values = $228 \div 3 = 76$.

id=47746 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24455 at 15% per annum for 5 years. | option_a=18241 | option_b=42796 | option_c=18441 | option_d=18341 | answer=D | explanation=SI = $PRT/100 = 24455 \times 15 \times 5/100 = \blacksquare 18341$.

id=47747 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 3. | option_a=18 | option_b=6 | option_c=12 | option_d=3 | answer=B | explanation=LCM × HCF = 6×3 ; HCF(6,3) = 3, so LCM = 6.

id=47748 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=47749 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = $360 \div 6 = 60$ km/h.

id=47750 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=9 | option_b=12 | option_c=11 | option_d=13 | answer=C | explanation=The common difference is 2. Therefore the next term is $9 + 2 = 11$.

id=47751 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:8 and the first is 12, what is the second? | option_a=36 | option_b=16 | option_c=28 | option_d=24 | answer=D | explanation=Scale factor = $12/4 = 3$. Therefore second quantity = $8 \times 3 = 24$.

id=47752 | topic=Averages | difficulty=Easy | question=Find the average of 66, 25, 66, 86, 56, 22, 43. | option_a=51 | option_b=53 | option_c=52 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = $364 \div 7 = 52$.

id=47753 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=34 | option_b=39 | option_c=27 | option_d=33 | answer=D | explanation=The common difference is 6. Therefore the next term is $27 + 6 = 33$.

id=47754 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=16 | option_b=20 | option_c=19 | option_d=18 | answer=D | explanation=The common difference is 2. Therefore the next term is $16 + 2 = 18$.

id=47755 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3226. If it is sold at a profit of 15%, what is its selling price? | option_a=3387 | option_b=3709 | option_c=3241 | option_d=4031 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3226 \times 115/100 = \blacksquare 3709$.

id=47756 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=47757 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2266. If it is sold at a profit of 50%, what is its selling price? | option_a=3625 | option_b=2316 | option_c=3399 | option_d=3173 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2266 \times 150/100 = \blacksquare 3399$.

id=47758 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 18. | option_a=126 | option_b=144 | option_c=160 | option_d=288 | answer=B | explanation=LCM × HCF = 16×18 ; HCF(16,18) = 2, so LCM = 144.

id=47759 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=47760 | topic=Percentages | difficulty=Easy | question=What is 25% of 267? | option_a=56 | option_b=76 | option_c=66 | option_d=132 | answer=C | explanation=25% of 267 = $(25/100) \times 267 = 66$.

Aptitude Questions — Records 47,761-47,790 of 100,000

id=47761 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=74 | option_b=50 | option_c=63 | option_d=62 | answer=D | explanation=The common difference is 12. Therefore the next term is $50 + 12 = 62$.

id=47762 | topic=Averages | difficulty=Easy | question=Find the average of 22, 98, 18. | option_a=46 | option_b=48 | option_c=47 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = $138 \div 3 = 46$.

id=47763 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=17 | option_c=7 | option_d=24 | answer=A | explanation=Speed = distance ÷ time = $60 \div 5 = 12$ km/h.

id=47764 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=60 | option_b=48 | option_c=70 | option_d=59 | answer=D | explanation=The common difference is 11. Therefore the next term is $48 + 11 = 59$.

id=47765 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $240 \div 8 = 30$ km/h.

id=47766 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=J | option_b=G | option_c=D | option_d=M | answer=A | explanation=Move 3 positions forward from G; the resulting letter is J.

id=47767 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹214. If it is sold at a profit of 10%, what is its selling price? | option_a=256 | option_b=214 | option_c=224 | option_d=235 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 214 \times 110 / 100 = ₹235$.

id=47768 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=49 | option_b=42 | option_c=35 | option_d=43 | answer=B | explanation=The common difference is 7. Therefore the next term is $35 + 7 = 42$.

id=47769 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1507. If it is sold at a profit of 30%, what is its selling price? | option_a=1537 | option_b=1809 | option_c=2109 | option_d=1959 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1507 \times 130 / 100 = ₹1959$.

id=47770 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 14, 16, 21? | option_a=21 | option_b=14 | option_c=16 | option_d=12 | answer=A | explanation=The first three numbers increase by 2, so the next should be 18. Therefore 21 is the odd one out.

id=47771 | topic=Averages | difficulty=Easy | question=Find the average of 48, 30, 18. | option_a=32 | option_b=31 | option_c=34 | option_d=33 | answer=A | explanation=Average = sum of values ÷ number of values = $96 \div 3 = 32$.

id=47772 | topic=Percentages | difficulty=Easy | question=What is 20% of 885? | option_a=177 | option_b=354 | option_c=197 | option_d=157 | answer=A | explanation=20% of 885 = $(20/100) \times 885 = 177$.

id=47773 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 21. | option_a=48 | option_b=21 | option_c=42 | option_d=126 | answer=C | explanation= $LCM \times HCF = 6 \times 21$; $HCF(6, 21) = 3$, so $LCM = 42$.

id=47774 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=30 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = $60 \div 4 = 15$ km/h.

id=47775 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=100 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = $300 \div 6 = 50$ km/h.

id=47776 | topic=Averages | difficulty=Easy | question=Find the average of 71, 51, 23, 66, 35, 68, 96, 25, 105. | option_a=60 | option_b=59 | option_c=62 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = $540 \div 9 = 60$.

id=47777 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=27 | option_b=30 | option_c=24 | option_d=28 | answer=A | explanation=The common difference is 3. Therefore the next term is $24 + 3 = 27$.

id=47778 | topic=Percentages | difficulty=Easy | question=What is 10% of 1689? | option_a=336 | option_b=168 | option_c=148 | option_d=173 | answer=B | explanation=10% of 1689 = $(10/100) \times 1689 = 168.9$.

id=47779 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=M | option_b=H | option_c=X | option_d=C | answer=B | explanation=Move 5 positions forward from C; the resulting letter is H.

id=47780 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=180 | option_c=185 | option_d=360 | answer=B | explanation=Speed = distance ÷ time = $360 \div 2 = 180$ km/h.

id=47781 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 24. | option_a=720 | option_b=120 | option_c=150 | option_d=96 | answer=B | explanation= $LCM \times HCF = 30 \times 24$; $HCF(30, 24) = 6$, so $LCM = 120$.

id=47782 | topic=Averages | difficulty=Easy | question=Find the average of 15, 39, 34, 92, 36, 75, 12, 74, 45, 58. | option_a=47 | option_b=48 | option_c=49 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = $480 \div 10 = 48$.

id=47783 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=B | option_c=H | option_d=F | answer=D | explanation=Move 2 positions forward from D; the resulting letter is F.

id=47784 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:4 and the first is 21, what is the second? | option_a=19 | option_b=33 | option_c=12 | option_d=8 | answer=C | explanation=Scale factor = $21 / 7 = 3$. Therefore second quantity = $4 \times 3 = 12$.

id=47785 | topic=Percentages | difficulty=Easy | question=What is 20% of 816? | option_a=158 | option_b=326 | option_c=173 | option_d=163 | answer=D | explanation=20% of 816 = $(20/100) \times 816 = 163.2$.

id=47786 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 9, 16, 24? | option_a=16 | option_b=24 | option_c=2 | option_d=9 | answer=B | explanation=The first three numbers increase by 7, so the next should be 23. Therefore 24 is the odd one out.

id=47787 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹9715 at 5% per annum for 1 years. | option_a=585 | option_b=10200 | option_c=485 | option_d=385 | answer=C | explanation= $SI = PRT / 100 = 9715 \times 5 \times 1 / 100 = ₹485.875$.

id=47788 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹28158 at 15% per annum for 5 years. | option_a=21018 | option_b=21118 | option_c=49276 | option_d=21218 | answer=B | explanation= $SI = PRT / 100 = 28158 \times 15 \times 5 / 100 = ₹21118.05$.

id=47789 | topic=Averages | difficulty=Easy | question=Find the average of 11, 70, 66. | option_a=51 | option_b=49 | option_c=48 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = $147 \div 3 = 49$.

id=47790 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹11138 at 8% per annum for 2 years. | option_a=1682 | option_b=12920 | option_c=1782 | option_d=1882 | answer=C | explanation= $SI = PRT / 100 = 11138 \times 8 \times 2 / 100 = ₹1782.16$.

Aptitude Questions — Records 47,791-47,820 of 100,000

id=47791 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=26 | option_b=20 | option_c=27 | option_d=32 | answer=A | explanation=The common difference is 6. Therefore the next term is 20 + 6 = 26.

id=47792 | topic=Profit & Loss | difficulty=Easy | question=An article costs █750. If it is sold at a profit of 25%, what is its selling price? | option_a=937 | option_b=775 | option_c=1012 | option_d=862 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 750 × 125/100 = █937.

id=47793 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=20 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=47794 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13045 at 4% per annum for 3 years. | option_a=1665 | option_b=1465 | option_c=1565 | option_d=14610 | answer=C | explanation=SI = PRT/100 = 13045×4×3/100 = █1565.

id=47795 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=47796 | topic=Percentages | difficulty=Easy | question=What is 15% of 903? | option_a=270 | option_b=130 | option_c=145 | option_d=135 | answer=D | explanation=15% of 903 = (15/100) × 903 = 135.

id=47797 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=47798 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=Q | option_b=T | option_c=S | option_d=R | answer=C | explanation=Move 1 positions forward from R; the resulting letter is S.

id=47799 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=80 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=47800 | topic=Percentages | difficulty=Easy | question=What is 25% of 675? | option_a=336 | option_b=178 | option_c=168 | option_d=148 | answer=C | explanation=25% of 675 = (25/100) × 675 = 168.

id=47801 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15351 at 8% per annum for 1 years. | option_a=1228 | option_b=1328 | option_c=1128 | option_d=16579 | answer=A | explanation=SI = PRT/100 = 15351×8×1/100 = █1228.

id=47802 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=47803 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=26 | option_b=35 | option_c=42 | option_d=34 | answer=D | explanation=The common difference is 8. Therefore the next term is 26 + 8 = 34.

id=47804 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 18, 28, 41? | option_a=18 | option_b=28 | option_c=8 | option_d=41 | answer=D | explanation=The first three numbers increase by 10, so the next should be 38. Therefore 41 is the odd one out.

id=47805 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 45? | option_a=13 | option_b=23 | option_c=45 | option_d=33 | answer=C | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 45 is the odd one out.

id=47806 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=47807 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=34 | option_b=42 | option_c=50 | option_d=43 | answer=B | explanation=The common difference is 8. Therefore the next term is 34 + 8 = 42.

id=47808 | topic=Averages | difficulty=Easy | question=Find the average of 85, 14, 20, 50, 49, 43, 28, 32, 44, 35. | option_a=41 | option_b=40 | option_c=39 | option_d=42 | answer=B | explanation=Average = sum of values ÷ number of values = 400 ÷ 10 = 40.

id=47809 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=47810 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4172. If it is sold at a profit of 40%, what is its selling price? | option_a=6257 | option_b=5423 | option_c=4212 | option_d=5840 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4172 × 140/100 = █5840.

id=47811 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=24 | option_c=7 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=47812 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2995. If it is sold at a profit of 25%, what is its selling price? | option_a=3020 | option_b=3743 | option_c=4042 | option_d=3444 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2995 × 125/100 = █3743.

id=47813 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:18 and the first is 50, what is the second? | option_a=90 | option_b=140 | option_c=72 | option_d=100 | answer=A | explanation=Scale factor = 50/10 = 5. Therefore second quantity = 18×5 = 90.

id=47814 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2591. If it is sold at a profit of 50%, what is its selling price? | option_a=3627 | option_b=3886 | option_c=2641 | option_d=4145 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2591 × 150/100 = █3886.

id=47815 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=47816 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=24 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=47817 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 51? | option_a=19 | option_b=51 | option_c=39 | option_d=29 | answer=B | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 51 is the odd one out.

id=47818 | topic=Percentages | difficulty=Easy | question=What is 30% of 1843? | option_a=552 | option_b=1104 | option_c=532 | option_d=557 | answer=A | explanation=30% of 1843 = (30/100) × 1843 = 552.

id=47819 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2995. If it is sold at a profit of 20%, what is its selling price? | option_a=3015 | option_b=3594 | option_c=3893 | option_d=3295 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2995 × 120/100 = █3594.

id=47820 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=13 | option_b=19 | option_c=17 | option_d=16 | answer=D | explanation=The common difference is 3. Therefore the next term is 13 + 3 = 16.

Aptitude Questions — Records 47,821-47,850 of 100,000

id=47821 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=F | option_c=L | option_d=J | answer=D | explanation=Move 2 positions forward from H; the resulting letter is J.

id=47822 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30925 at 5% per annum for 5 years. | option_a=38656 | option_b=7731 | option_c=7831 | option_d=7631 | answer=B | explanation=SI = PRT/100 = 30925×5×5/100 = **■**7731.

id=47823 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23428 at 12% per annum for 3 years. | option_a=8534 | option_b=31862 | option_c=8334 | option_d=8434 | answer=D | explanation=SI = PRT/100 = 23428×12×3/100 = **■**8434.

id=47824 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=F | option_c=L | option_d=H | answer=A | explanation=Move 2 positions forward from H; the resulting letter is J.

id=47825 | topic=Percentages | difficulty=Easy | question=What is 50% of 1145? | option_a=567 | option_b=1144 | option_c=592 | option_d=572 | answer=D | explanation=50% of 1145 = (50/100) × 1145 = 572.

id=47826 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=22 | option_b=28 | option_c=25 | option_d=26 | answer=C | explanation=The common difference is 3. Therefore the next term is 22 + 3 = 25.

id=47827 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1361. If it is sold at a profit of 20%, what is its selling price? | option_a=1633 | option_b=1769 | option_c=1381 | option_d=1497 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1361 × 120/100 = **■**1633.

id=47828 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=53 | option_b=52 | option_c=41 | option_d=63 | answer=B | explanation=The common difference is 11. Therefore the next term is 41 + 11 = 52.

id=47829 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=33 | option_b=30 | option_c=27 | option_d=31 | answer=B | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.

id=47830 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=49 | option_b=61 | option_c=71 | option_d=60 | answer=D | explanation=The common difference is 11. Therefore the next term is 49 + 11 = 60.

id=47831 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4690. If it is sold at a profit of 15%, what is its selling price? | option_a=4924 | option_b=5393 | option_c=4705 | option_d=5862 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4690 × 115/100 = **■**5393.

id=47832 | topic=Averages | difficulty=Easy | question=Find the average of 67, 59, 51, | option_a=58 | option_b=59 | option_c=61 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 177 ÷ 3 = 59.

id=47833 | topic=Averages | difficulty=Easy | question=Find the average of 43, 34, 34, 25, | option_a=35 | option_b=33 | option_c=36 | option_d=34 | answer=D | explanation=Average = sum of values ÷ number of values = 136 ÷ 4 = 34.

id=47834 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3605. If it is sold at a profit of 5%, what is its selling price? | option_a=3610 | option_b=3425 | option_c=4145 | option_d=3785 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3605 × 105/100 = **■**3785.

id=47835 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8705 at 5% per annum for 2 years. | option_a=870 | option_b=9575 | option_c=770 | option_d=970 | answer=A | explanation=SI = PRT/100 = 8705×5×2/100 = **■**870.

id=47836 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**239. If it is sold at a profit of 20%, what is its selling price? | option_a=259 | option_b=309 | option_c=286 | option_d=263 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 239 × 120/100 = **■**286.

id=47837 | topic=Percentages | difficulty=Easy | question=What is 50% of 868? | option_a=444 | option_b=429 | option_c=868 | option_d=434 | answer=D | explanation=50% of 868 = (50/100) × 868 = 434.

id=47838 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 40? | option_a=22 | option_b=30 | option_c=40 | option_d=14 | answer=C | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 40 is the odd one out.

id=47839 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 4. | option_a=28 | option_b=56 | option_c=42 | option_d=24 | answer=A | explanation=LCM × HCF = 14×4; HCF(14,4) = 2, so LCM = 28.

id=47840 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 43? | option_a=34 | option_b=28 | option_c=43 | option_d=22 | answer=C | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 43 is the odd one out.

id=47841 | topic=Percentages | difficulty=Easy | question=What is 15% of 1547? | option_a=232 | option_b=464 | option_c=212 | option_d=252 | answer=A | explanation=15% of 1547 = (15/100) × 1547 = 232.

id=47842 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2442. If it is sold at a profit of 10%, what is its selling price? | option_a=2442 | option_b=2686 | option_c=2930 | option_d=2452 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2442 × 110/100 = **■**2686.

id=47843 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=K | option_c=O | option_d=I | answer=A | explanation=Move 2 positions forward from K; the resulting letter is M.

id=47844 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2778. If it is sold at a profit of 15%, what is its selling price? | option_a=2793 | option_b=3471 | option_c=3194 | option_d=2917 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2778 × 115/100 = **■**3194.

id=47845 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4224. If it is sold at a profit of 30%, what is its selling price? | option_a=5491 | option_b=5913 | option_c=5069 | option_d=4254 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4224 × 130/100 = **■**5491.

id=47846 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=47847 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=47848 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1510. If it is sold at a profit of 50%, what is its selling price? | option_a=2416 | option_b=2265 | option_c=1560 | option_d=2114 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1510 × 150/100 = **■**2265.

id=47849 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=360 | option_b=180 | option_c=185 | option_d=175 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=47850 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=24 | option_d=29 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

Aptitude Questions — Records 47,851-47,880 of 100,000

id=47851 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=45 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=47852 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=41 | option_b=42 | option_c=34 | option_d=48 | answer=A | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=47853 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 30. | option_a=180 | option_b=231 | option_c=630 | option_d=210 | answer=D | explanation=LCM × HCF = 21×30; HCF(21,30) = 3, so LCM = 210.

id=47854 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 12. | option_a=72 | option_b=105 | option_c=252 | option_d=84 | answer=D | explanation=LCM × HCF = 21×12; HCF(21,12) = 3, so LCM = 84.

id=47855 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=P | option_c=V | option_d=T | answer=D | explanation=Move 2 positions forward from R; the resulting letter is T.

id=47856 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=47 | option_b=46 | option_c=35 | option_d=57 | answer=B | explanation=The common difference is 11. Therefore the next term is 35 + 11 = 46.

id=47857 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4749. If it is sold at a profit of 15%, what is its selling price? | option_a=4764 | option_b=5935 | option_c=5461 | option_d=4987 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4749 × 115/100 = █5461.

id=47858 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=16 | option_b=17 | option_c=15 | option_d=13 | answer=C | explanation=The common difference is 2. Therefore the next term is 13 + 2 = 15.

id=47859 | topic=Percentages | difficulty=Easy | question=What is 40% of 542? | option_a=211 | option_b=432 | option_c=236 | option_d=216 | answer=D | explanation=40% of 542 = (40/100) × 542 = 216.

id=47860 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15863 at 8% per annum for 4 years. | option_a=4976 | option_b=5176 | option_c=5076 | option_d=20939 | answer=C | explanation=SI = PRT/100 = 15863×8×4/100 = █5076.

id=47861 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=47862 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2203. If it is sold at a profit of 25%, what is its selling price? | option_a=2973 | option_b=2753 | option_c=2533 | option_d=2228 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2203 × 125/100 = █2753.

id=47863 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19402 at 12% per annum for 1 years. | option_a=21730 | option_b=2328 | option_c=2228 | option_d=2428 | answer=B | explanation=SI = PRT/100 = 19402×12×1/100 = █2328.

id=47864 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=25 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=47865 | topic=Averages | difficulty=Easy | question=Find the average of 82, 72, 79, 22, 32, 85, 76, 83, 63. | option_a=66 | option_b=68 | option_c=67 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 594 ÷ 9 = 66.

id=47866 | topic=Percentages | difficulty=Easy | question=What is 20% of 1986? | option_a=417 | option_b=377 | option_c=794 | option_d=397 | answer=D | explanation=20% of 1986 = (20/100) × 1986 = 397.

id=47867 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 35, 43, 52? | option_a=52 | option_b=27 | option_c=35 | option_d=43 | answer=A | explanation=The first three numbers increase by 8, so the next should be 51. Therefore 52 is the odd one out.

id=47868 | topic=Percentages | difficulty=Easy | question=What is 5% of 1357? | option_a=67 | option_b=47 | option_c=72 | option_d=134 | answer=A | explanation=5% of 1357 = (5/100) × 1357 = 67.

id=47869 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 27, 31, 37? | option_a=31 | option_b=37 | option_c=23 | option_d=27 | answer=B | explanation=The first three numbers increase by 4, so the next should be 35. Therefore 37 is the odd one out.

id=47870 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=L | option_c=X | option_d=P | answer=A | explanation=Move 4 positions forward from P; the resulting letter is T.

id=47871 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=8 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=47872 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=X | option_b=V | option_c=R | option_d=T | answer=B | explanation=Move 2 positions forward from T; the resulting letter is V.

id=47873 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:18 and the first is 144, what is the second? | option_a=178 | option_b=306 | option_c=162 | option_d=144 | answer=C | explanation=Scale factor = 144/16 = 9. Therefore second quantity = 18×9 = 162.

id=47874 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 34, 41, 51? | option_a=51 | option_b=41 | option_c=34 | option_d=27 | answer=A | explanation=The first three numbers increase by 7, so the next should be 48. Therefore 51 is the odd one out.

id=47875 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=F | option_b=L | option_c=I | option_d=O | answer=B | explanation=Move 3 positions forward from I; the resulting letter is L.

id=47876 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=47877 | topic=Profit & Loss | difficulty=Easy | question=An article costs █458. If it is sold at a profit of 30%, what is its selling price? | option_a=550 | option_b=595 | option_c=640 | option_d=488 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 458 × 130/100 = █595.

id=47878 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2899. If it is sold at a profit of 25%, what is its selling price? | option_a=3912 | option_b=2924 | option_c=3334 | option_d=3623 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2899 × 125/100 = █3623.

id=47879 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=24 | option_b=23 | option_c=28 | option_d=18 | answer=B | explanation=The common difference is 5. Therefore the next term is 18 + 5 = 23.

id=47880 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1153. If it is sold at a profit of 30%, what is its selling price? | option_a=1183 | option_b=1613 | option_c=1498 | option_d=1383 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1153 × 130/100 = █1498.

Aptitude Questions — Records 47,881-47,910 of 100,000

id=47881 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■1904 at 12% per annum for 2 years. | option_a=556 | option_b=456 | option_c=2360 | option_d=356 | answer=B | explanation=SI = $PRT/100 = 1904 \times 12 \times 2/100 = \blacksquare 456$.

id=47882 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■38777 at 5% per annum for 4 years. | option_a=7655 | option_b=7855 | option_c=7755 | option_d=46532 | answer=C | explanation=SI = $PRT/100 = 38777 \times 5 \times 4/100 = \blacksquare 7755$.

id=47883 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 5. | option_a=1 | option_b=10 | option_c=5 | option_d=25 | answer=C | explanation= $LCM \times HCF = 5 \times 5$; $HCF(5,5) = 5$, so $LCM = 5$.

id=47884 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 30, 34, 39? | option_a=39 | option_b=34 | option_c=26 | option_d=30 | answer=A | explanation=The first three numbers increase by 4, so the next should be 38. Therefore 39 is the odd one out.

id=47885 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■859. If it is sold at a profit of 5%, what is its selling price? | option_a=816 | option_b=901 | option_c=986 | option_d=864 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 859 \times 105/100 = \blacksquare 901$.

id=47886 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 18, 27, 37? | option_a=27 | option_b=37 | option_c=9 | option_d=18 | answer=B | explanation=The first three numbers increase by 9, so the next should be 36. Therefore 37 is the odd one out.

id=47887 | topic=Averages | difficulty=Easy | question=Find the average of 50, 82, 35, 67, 17, 45, 64, 93, 42, 25. | option_a=54 | option_b=53 | option_c=52 | option_d=51 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 520 \div 10 = 52$.

id=47888 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:8 and the first is 45, what is the second? | option_a=165 | option_b=120 | option_c=123 | option_d=112 | answer=B | explanation=Scale factor = $45/3 = 15$. Therefore second quantity = $8 \times 15 = 120$.

id=47889 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=47890 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=47891 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:11 and the first is 176, what is the second? | option_a=187 | option_b=352 | option_c=176 | option_d=165 | answer=C | explanation=Scale factor = $176/11 = 16$. Therefore second quantity = $11 \times 16 = 176$.

id=47892 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 30? | option_a=20 | option_b=24 | option_c=16 | option_d=30 | answer=D | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 30 is the odd one out.

id=47893 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:6 and the first is 208, what is the second? | option_a=72 | option_b=286 | option_c=94 | option_d=78 | answer=D | explanation=Scale factor = $208/16 = 13$. Therefore second quantity = $6 \times 13 = 78$.

id=47894 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=E | option_c=C | option_d=D | answer=B | explanation=Move 1 positions forward from D; the resulting letter is E.

id=47895 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 5, 8, 12? | option_a=5 | option_b=8 | option_c=2 | option_d=12 | answer=D | explanation=The first three numbers increase by 3, so the next should be 11. Therefore 12 is the odd one out.

id=47896 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=32 | option_b=39 | option_c=25 | option_d=33 | answer=A | explanation=The common difference is 7. Therefore the next term is $25 + 7 = 32$.

id=47897 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:1 and the first is 247, what is the second? | option_a=260 | option_b=32 | option_c=13 | option_d=12 | answer=C | explanation=Scale factor = $247/19 = 13$. Therefore second quantity = $1 \times 13 = 13$.

id=47898 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=44 | option_b=53 | option_c=62 | option_d=54 | answer=B | explanation=The common difference is 9. Therefore the next term is $44 + 9 = 53$.

id=47899 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=120 | option_c=115 | option_d=125 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 360 \div 3 = 120$ km/h.

id=47900 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=Q | option_b=G | option_c=V | option_d=L | answer=A | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=47901 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=38 | option_b=48 | option_c=56 | option_d=47 | answer=D | explanation=The common difference is 9. Therefore the next term is $38 + 9 = 47$.

id=47902 | topic=Averages | difficulty=Easy | question=Find the average of 67, 12, 47, 70. | option_a=49 | option_b=48 | option_c=51 | option_d=50 | answer=A | explanation=Average = $\text{sum of values} \div \text{number of values} = 196 \div 4 = 49$.

id=47903 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 22. | option_a=132 | option_b=66 | option_c=44 | option_d=72 | answer=B | explanation= $LCM \times HCF = 6 \times 22$; $HCF(6,22) = 2$, so $LCM = 66$.

id=47904 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:12 and the first is 30, what is the second? | option_a=182 | option_b=180 | option_c=210 | option_d=168 | answer=B | explanation=Scale factor = $30/2 = 15$. Therefore second quantity = $12 \times 15 = 180$.

id=47905 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=G | option_b=E | option_c=F | option_d=H | answer=A | explanation=Move 1 positions forward from F; the resulting letter is G.

id=47906 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=49 | option_b=48 | option_c=41 | option_d=55 | answer=B | explanation=The common difference is 7. Therefore the next term is $41 + 7 = 48$.

id=47907 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:16 and the first is 15, what is the second? | option_a=241 | option_b=255 | option_c=240 | option_d=224 | answer=C | explanation=Scale factor = $15/1 = 15$. Therefore second quantity = $16 \times 15 = 240$.

id=47908 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4240. If it is sold at a profit of 40%, what is its selling price? | option_a=5512 | option_b=4280 | option_c=5936 | option_d=6360 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4240 \times 140/100 = \blacksquare 5936$.

id=47909 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 15, 22, 31? | option_a=15 | option_b=22 | option_c=8 | option_d=31 | answer=D | explanation=The first three numbers increase by 7, so the next should be 29. Therefore 31 is the odd one out.

id=47910 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=30 | option_b=23 | option_c=35 | option_d=29 | answer=D | explanation=The common difference is 6. Therefore the next term is $23 + 6 = 29$.

Aptitude Questions — Records 47,911-47,940 of 100,000

id=47911 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=80 | option_c=75 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=47912 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=S | option_b=I | option_c=X | option_d=N | answer=A | explanation=Move 5 positions forward from N; the resulting letter is S.

id=47913 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=P | option_b=N | option_c=O | option_d=Q | answer=A | explanation=Move 1 positions forward from O; the resulting letter is P.

id=47914 | topic=Averages | difficulty=Easy | question=Find the average of 30, 89, 88, 48, 15. | option_a=54 | option_b=55 | option_c=53 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 270 ÷ 5 = 54.

id=47915 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=47916 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=47917 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=47918 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=U | option_b=X | option_c=R | option_d=O | answer=A | explanation=Move 3 positions forward from R; the resulting letter is U.

id=47919 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 26, 29, 35? | option_a=29 | option_b=23 | option_c=35 | option_d=26 | answer=C | explanation=The first three numbers increase by 3, so the next should be 32. Therefore 35 is the odd one out.

id=47920 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:5 and the first is 209, what is the second? | option_a=95 | option_b=106 | option_c=304 | option_d=90 | answer=A | explanation=Scale factor = 209/11 = 19. Therefore second quantity = 5×19 = 95.

id=47921 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 37? | option_a=14 | option_b=37 | option_c=24 | option_d=4 | answer=B | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 37 is the odd one out.

id=47922 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=47923 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=150 | option_c=155 | option_d=300 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=47924 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=47925 | topic=Percentages | difficulty=Easy | question=What is 10% of 1495? | option_a=139 | option_b=159 | option_c=298 | option_d=149 | answer=D | explanation=10% of 1495 = (10/100) × 1495 = 149.

id=47926 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 21, 23, 25, ? | option_a=25 | option_b=27 | option_c=29 | option_d=28 | answer=B | explanation=The common difference is 2. Therefore the next term is 25 + 2 = 27.

id=47927 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 24. | option_a=96 | option_b=28 | option_c=24 | option_d=1 | answer=C | explanation=LCM × HCF = 4×24; HCF(4,24) = 4, so LCM = 24.

id=47928 | topic=Percentages | difficulty=Easy | question=What is 10% of 485? | option_a=96 | option_b=38 | option_c=58 | option_d=48 | answer=D | explanation=10% of 485 = (10/100) × 485 = 48.

id=47929 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=47930 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=S | option_b=P | option_c=M | option_d=J | answer=B | explanation=Move 3 positions forward from M; the resulting letter is P.

id=47931 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=S | option_c=U | option_d=Y | answer=A | explanation=Move 2 positions forward from U; the resulting letter is W.

id=47932 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=80 | option_c=45 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=47933 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=47934 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=1 | option_c=6 | option_d=12 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=47935 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 10. | option_a=10 | option_b=1 | option_c=20 | option_d=12 | answer=A | explanation=LCM × HCF = 2×10; HCF(2,10) = 2, so LCM = 10.

id=47936 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 41? | option_a=23 | option_b=31 | option_c=41 | option_d=15 | answer=C | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 41 is the odd one out.

id=47937 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■44386 at 6% per annum for 5 years. | option_a=13415 | option_b=13215 | option_c=57701 | option_d=13315 | answer=D | explanation=SI = PRT/100 = 44386×6×5/100 = ■13315.

id=47938 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 22. | option_a=110 | option_b=120 | option_c=220 | option_d=88 | answer=A | explanation=LCM × HCF = 10×22; HCF(10,22) = 2, so LCM = 110.

id=47939 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=47940 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 47,941-47,970 of 100,000

id=47941 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=G | option_b=I | option_c=H | option_d=J | answer=B | explanation=Move 1 positions forward from H; the resulting letter is I.

id=47942 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:18 and the first is 70, what is the second? | option_a=322 | option_b=252 | option_c=234 | option_d=257 | answer=B | explanation=Scale factor = 70/5 = 14. Therefore second quantity = 18×14 = 252.

id=47943 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 5, 7, 12? | option_a=7 | option_b=12 | option_c=3 | option_d=5 | answer=B | explanation=The first three numbers increase by 2, so the next should be 9. Therefore 12 is the odd one out.

id=47944 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=F | option_b=A | option_c=V | option_d=K | answer=A | explanation=Move 5 positions forward from A; the resulting letter is F.

id=47945 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:16 and the first is 225, what is the second? | option_a=224 | option_b=255 | option_c=240 | option_d=465 | answer=C | explanation=Scale factor = 225/15 = 15. Therefore second quantity = 16×15 = 240.

id=47946 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4958. If it is sold at a profit of 40%, what is its selling price? | option_a=4998 | option_b=6941 | option_c=6446 | option_d=7436 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4958 × 140/100 = █6941.

id=47947 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=360 | option_b=175 | option_c=180 | option_d=185 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=47948 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2702 at 5% per annum for 2 years. | option_a=170 | option_b=2972 | option_c=270 | option_d=370 | answer=C | explanation=SI = PRT/100 = 2702×5×2/100 = █270.

id=47949 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=47950 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:2 and the first is 40, what is the second? | option_a=20 | option_b=60 | option_c=18 | option_d=24 | answer=A | explanation=Scale factor = 40/4 = 10. Therefore second quantity = 2×10 = 20.

id=47951 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=B | option_b=R | option_c=W | option_d=M | answer=C | explanation=Move 5 positions forward from R; the resulting letter is W.

id=47952 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:16 and the first is 130, what is the second? | option_a=173 | option_b=290 | option_c=144 | option_d=160 | answer=D | explanation=Scale factor = 130/13 = 10. Therefore second quantity = 16×10 = 160.

id=47953 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2726. If it is sold at a profit of 25%, what is its selling price? | option_a=3407 | option_b=3135 | option_c=2751 | option_d=3679 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2726 × 125/100 = █3407.

id=47954 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=36 | option_b=40 | option_c=32 | option_d=37 | answer=A | explanation=The common difference is 4. Therefore the next term is 32 + 4 = 36.

id=47955 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18253 at 15% per annum for 4 years. | option_a=11051 | option_b=10951 | option_c=29204 | option_d=10851 | answer=B | explanation=SI = PRT/100 = 18253×15×4/100 = █10951.

id=47956 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=40 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=47957 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=47958 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=47959 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12161 at 15% per annum for 3 years. | option_a=5572 | option_b=5372 | option_c=5472 | option_d=17633 | answer=C | explanation=SI = PRT/100 = 12161×15×3/100 = █5472.

id=47960 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4625 at 15% per annum for 3 years. | option_a=2081 | option_b=2181 | option_c=1981 | option_d=6706 | answer=A | explanation=SI = PRT/100 = 4625×15×3/100 = █2081.

id=47961 | topic=Percentages | difficulty=Easy | question=What is 20% of 557? | option_a=111 | option_b=101 | option_c=116 | option_d=222 | answer=A | explanation=20% of 557 = (20/100) × 557 = 111.

id=47962 | topic=Averages | difficulty=Easy | question=Find the average of 20, 69, 24, 44, 63, 68. | option_a=48 | option_b=49 | option_c=47 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 288 ÷ 6 = 48.

id=47963 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=T | option_c=S | option_d=Q | answer=C | explanation=Move 1 positions forward from R; the resulting letter is S.

id=47964 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=26 | option_b=23 | option_c=27 | option_d=29 | answer=A | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.

id=47965 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1750. If it is sold at a profit of 30%, what is its selling price? | option_a=2450 | option_b=2275 | option_c=1780 | option_d=2100 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1750 × 130/100 = █2275.

id=47966 | topic=Averages | difficulty=Easy | question=Find the average of 62, 39, 100, 10, 84. | option_a=60 | option_b=58 | option_c=61 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 295 ÷ 5 = 59.

id=47967 | topic=Percentages | difficulty=Easy | question=What is 20% of 1406? | option_a=562 | option_b=281 | option_c=261 | option_d=301 | answer=B | explanation=20% of 1406 = (20/100) × 1406 = 281.

id=47968 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 37? | option_a=31 | option_b=26 | option_c=21 | option_d=37 | answer=D | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 37 is the odd one out.

id=47969 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13006 at 10% per annum for 5 years. | option_a=19509 | option_b=6503 | option_c=6603 | option_d=6403 | answer=B | explanation=SI = PRT/100 = 13006×10×5/100 = █6503.

id=47970 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=L | option_c=N | option_d=O | answer=C | explanation=Move 1 positions forward from M; the resulting letter is N.

Aptitude Questions — Records 47,971-48,000 of 100,000

id=47971 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=47972 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=F | option_b=P | option_c=K | option_d=U | answer=B | explanation=Move 5 positions forward from K; the resulting letter is P.

id=47973 | topic=Percentages | difficulty=Easy | question=What is 50% of 636? | option_a=313 | option_b=318 | option_c=328 | option_d=636 | answer=B | explanation=50% of 636 = (50/100) × 636 = 318.

id=47974 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 16. | option_a=64 | option_b=320 | option_c=100 | option_d=80 | answer=D | explanation=LCM × HCF = 20×16; HCF(20,16) = 4, so LCM = 80.

id=47975 | topic=Averages | difficulty=Easy | question=Find the average of 56, 97, 75, 26, 86, 86, 70, 15, 77, 82. | option_a=68 | option_b=67 | option_c=66 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 670 ÷ 10 = 67.

id=47976 | topic=Averages | difficulty=Easy | question=Find the average of 23, 13, 25, 33, 65, 89, 95. | option_a=48 | option_b=49 | option_c=50 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 343 ÷ 7 = 49.

id=47977 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=39 | option_b=38 | option_c=30 | option_d=46 | answer=B | explanation=The common difference is 8. Therefore the next term is 30 + 8 = 38.

id=47978 | topic=Percentages | difficulty=Easy | question=What is 15% of 979? | option_a=292 | option_b=146 | option_c=136 | option_d=156 | answer=B | explanation=15% of 979 = (15/100) × 979 = 146.

id=47979 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=L | option_b=J | option_c=K | option_d=M | answer=A | explanation=Move 1 positions forward from K; the resulting letter is L.

id=47980 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=J | option_b=G | option_c=A | option_d=D | answer=B | explanation=Move 3 positions forward from D; the resulting letter is G.

id=47981 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=50 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=47982 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3326. If it is sold at a profit of 40%, what is its selling price? | option_a=4988 | option_b=3366 | option_c=4656 | option_d=4324 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3326 × 140/100 = █4656.

id=47983 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:20 and the first is 24, what is the second? | option_a=20 | option_b=52 | option_c=64 | option_d=40 | answer=D | explanation=Scale factor = 24/12 = 2. Therefore second quantity = 20×2 = 40.

id=47984 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1800. If it is sold at a profit of 50%, what is its selling price? | option_a=2700 | option_b=2520 | option_c=2880 | option_d=1850 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1800 × 150/100 = █2700.

id=47985 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 10? | option_a=6 | option_b=10 | option_c=2 | option_d=4 | answer=B | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 10 is the odd one out.

id=47986 | topic=Profit & Loss | difficulty=Easy | question=An article costs █533. If it is sold at a profit of 25%, what is its selling price? | option_a=666 | option_b=719 | option_c=613 | option_d=558 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 533 × 125/100 = █666.

id=47987 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=70 | option_d=150 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=47988 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=56 | option_b=55 | option_c=66 | option_d=44 | answer=B | explanation=The common difference is 11. Therefore the next term is 44 + 11 = 55.

id=47989 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22395 at 12% per annum for 5 years. | option_a=13437 | option_b=13537 | option_c=13337 | option_d=35832 | answer=A | explanation=SI = PRT/100 = 22395×12×5/100 = █13437.

id=47990 | topic=Percentages | difficulty=Easy | question=What is 20% of 1470? | option_a=294 | option_b=588 | option_c=299 | option_d=274 | answer=A | explanation=20% of 1470 = (20/100) × 1470 = 294.

id=47991 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39252 at 5% per annum for 1 years. | option_a=1862 | option_b=1962 | option_c=2062 | option_d=41214 | answer=B | explanation=SI = PRT/100 = 39252×5×1/100 = █1962.

id=47992 | topic=Profit & Loss | difficulty=Easy | question=An article costs █791. If it is sold at a profit of 40%, what is its selling price? | option_a=831 | option_b=1186 | option_c=1107 | option_d=1028 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 791 × 140/100 = █1107.

id=47993 | topic=Percentages | difficulty=Easy | question=What is 30% of 305? | option_a=111 | option_b=91 | option_c=81 | option_d=182 | answer=B | explanation=30% of 305 = (30/100) × 305 = 91.

id=47994 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=47995 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21734 at 4% per annum for 4 years. | option_a=3577 | option_b=3377 | option_c=25211 | option_d=3477 | answer=D | explanation=SI = PRT/100 = 21734×4×4/100 = █3477.

id=47996 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 10, 15, 20, ? | option_a=25 | option_b=26 | option_c=20 | option_d=30 | answer=A | explanation=The common difference is 5. Therefore the next term is 20 + 5 = 25.

id=47997 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 22, 27, 32, ? | option_a=37 | option_b=32 | option_c=38 | option_d=42 | answer=A | explanation=The common difference is 5. Therefore the next term is 32 + 5 = 37.

id=47998 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3242. If it is sold at a profit of 25%, what is its selling price? | option_a=4052 | option_b=3728 | option_c=4376 | option_d=3267 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3242 × 125/100 = █4052.

id=47999 | topic=Percentages | difficulty=Easy | question=What is 12% of 372? | option_a=88 | option_b=54 | option_c=39 | option_d=44 | answer=D | explanation=12% of 372 = (12/100) × 372 = 44.

id=48000 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 13, 21, 30? | option_a=21 | option_b=13 | option_c=30 | option_d=5 | answer=C | explanation=The first three numbers increase by 8, so the next should be 29. Therefore 30 is the odd one out.

Aptitude Questions — Records 48,001-48,030 of 100,000

id=48001 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=48002 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=W | option_b=I | option_c=E | option_d=A | answer=C | explanation=Move 4 positions forward from A; the resulting letter is E.

id=48003 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=48004 | topic=Percentages | difficulty=Easy | question=What is 15% of 746? | option_a=111 | option_b=222 | option_c=101 | option_d=116 | answer=A | explanation=15% of 746 = (15/100) × 746 = 111.

id=48005 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=40 | option_b=58 | option_c=50 | option_d=49 | answer=D | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

id=48006 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1909. If it is sold at a profit of 50%, what is its selling price? | option_a=3053 | option_b=1959 | option_c=2673 | option_d=2863 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1909 × 150/100 = █2863.

id=48007 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=48008 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 30. | option_a=240 | option_b=297 | option_c=810 | option_d=270 | answer=D | explanation=LCM × HCF = 27×30; HCF(27,30) = 3, so LCM = 270.

id=48009 | topic=Percentages | difficulty=Easy | question=What is 40% of 1377? | option_a=540 | option_b=570 | option_c=550 | option_d=1100 | answer=C | explanation=40% of 1377 = (40/100) × 1377 = 550.

id=48010 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2770. If it is sold at a profit of 30%, what is its selling price? | option_a=3324 | option_b=2800 | option_c=3601 | option_d=3878 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2770 × 130/100 = █3601.

id=48011 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=180 | option_c=360 | option_d=175 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=48012 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4180. If it is sold at a profit of 20%, what is its selling price? | option_a=5016 | option_b=4598 | option_c=4200 | option_d=5434 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4180 × 120/100 = █5016.

id=48013 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=R | option_b=P | option_c=S | option_d=Q | answer=A | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=48014 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:1 and the first is 220, what is the second? | option_a=11 | option_b=231 | option_c=31 | option_d=10 | answer=A | explanation=Scale factor = 220/20 = 11. Therefore second quantity = 1×11 = 11.

id=48015 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:1 and the first is 126, what is the second? | option_a=7 | option_b=25 | option_c=133 | option_d=6 | answer=A | explanation=Scale factor = 126/18 = 7. Therefore second quantity = 1×7 = 7.

id=48016 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 32? | option_a=4 | option_b=13 | option_c=22 | option_d=32 | answer=D | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 32 is the odd one out.

id=48017 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=48018 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=A | option_c=S | option_d=O | answer=A | explanation=Move 4 positions forward from S; the resulting letter is W.

id=48019 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=48020 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=27 | option_b=31 | option_c=26 | option_d=21 | answer=C | explanation=The common difference is 5. Therefore the next term is 21 + 5 = 26.

id=48021 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23827 at 5% per annum for 2 years. | option_a=2282 | option_b=2382 | option_c=26209 | option_d=2482 | answer=B | explanation=SI = PRT/100 = 23827×5×2/100 = █2382.

id=48022 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=48023 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 10, 17, 25? | option_a=17 | option_b=25 | option_c=10 | option_d=3 | answer=B | explanation=The first three numbers increase by 7, so the next should be 24. Therefore 25 is the odd one out.

id=48024 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=48025 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4543. If it is sold at a profit of 25%, what is its selling price? | option_a=5678 | option_b=6132 | option_c=4568 | option_d=5224 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4543 × 125/100 = █5678.

id=48026 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43291 at 5% per annum for 2 years. | option_a=4329 | option_b=4229 | option_c=47620 | option_d=4429 | answer=A | explanation=SI = PRT/100 = 43291×5×2/100 = █4329.

id=48027 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 17, 23, 32? | option_a=23 | option_b=11 | option_c=17 | option_d=32 | answer=D | explanation=The first three numbers increase by 6, so the next should be 29. Therefore 32 is the odd one out.

id=48028 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 14, 22, 32? | option_a=14 | option_b=6 | option_c=22 | option_d=32 | answer=D | explanation=The first three numbers increase by 8, so the next should be 30. Therefore 32 is the odd one out.

id=48029 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=45 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=48030 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 18, 25, 33? | option_a=11 | option_b=33 | option_c=25 | option_d=18 | answer=B | explanation=The first three numbers increase by 7, so the next should be 32. Therefore 33 is the odd one out.

Aptitude Questions — Records 48,031-48,060 of 100,000

id=48031 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=28 | option_b=36 | option_c=32 | option_d=33 | answer=C | explanation=The common difference is 4. Therefore the next term is 28 + 4 = 32.

id=48032 | topic=Averages | difficulty=Easy | question=Find the average of 61, 65, 81, 42, 85, 92. | option_a=71 | option_b=73 | option_c=72 | option_d=70 | answer=A | explanation=Average = sum of values ÷ number of values = 426 ÷ 6 = 71.

id=48033 | topic=Percentages | difficulty=Easy | question=What is 5% of 1678? | option_a=83 | option_b=166 | option_c=78 | option_d=93 | answer=A | explanation=5% of 1678 = (5/100) × 1678 = 83.

id=48034 | topic=Percentages | difficulty=Easy | question=What is 25% of 503? | option_a=120 | option_b=250 | option_c=135 | option_d=125 | answer=D | explanation=25% of 503 = (25/100) × 503 = 125.

id=48035 | topic=Averages | difficulty=Easy | question=Find the average of 12, 69, 63, 56, 62, 42, 68, 68. | option_a=56 | option_b=54 | option_c=55 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 440 ÷ 8 = 55.

id=48036 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=19 | option_c=24 | option_d=48 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=48037 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33827 at 15% per annum for 1 years. | option_a=38901 | option_b=5074 | option_c=5174 | option_d=4974 | answer=B | explanation=SI = PRT/100 = 33827×15×1/100 = **■**5074.

id=48038 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 12. | option_a=48 | option_b=180 | option_c=75 | option_d=60 | answer=D | explanation=LCM × HCF = 15×12; HCF(15,12) = 3, so LCM = 60.

id=48039 | topic=Averages | difficulty=Easy | question=Find the average of 87, 27, 13, 34, 89. | option_a=52 | option_b=50 | option_c=51 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 250 ÷ 5 = 50.

id=48040 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=48041 | topic=Averages | difficulty=Easy | question=Find the average of 29, 16, 98, 88, 64. | option_a=61 | option_b=60 | option_c=59 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 295 ÷ 5 = 59.

id=48042 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=X | option_c=R | option_d=V | answer=D | explanation=Move 2 positions forward from T; the resulting letter is V.

id=48043 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=95 | option_c=90 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=48044 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 31, 41, 52? | option_a=52 | option_b=21 | option_c=31 | option_d=41 | answer=A | explanation=The first three numbers increase by 10, so the next should be 51. Therefore 52 is the odd one out.

id=48045 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 20, 22, 26? | option_a=18 | option_b=20 | option_c=22 | option_d=26 | answer=D | explanation=The first three numbers increase by 2, so the next should be 24. Therefore 26 is the odd one out.

id=48046 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=26 | option_b=22 | option_c=23 | option_d=18 | answer=B | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

id=48047 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=48048 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:1 and the first is 80, what is the second? | option_a=10 | option_b=18 | option_c=9 | option_d=90 | answer=A | explanation=Scale factor = 80/8 = 10. Therefore second quantity = 1×10 = 10.

id=48049 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28245 at 5% per annum for 3 years. | option_a=4136 | option_b=4236 | option_c=32481 | option_d=4336 | answer=B | explanation=SI = PRT/100 = 28245×5×3/100 = **■**4236.

id=48050 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=N | option_c=K | option_d=M | answer=D | explanation=Move 1 positions forward from L; the resulting letter is M.

id=48051 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**995. If it is sold at a profit of 20%, what is its selling price? | option_a=1194 | option_b=1015 | option_c=1293 | option_d=1095 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 995 × 120/100 = **■**1194.

id=48052 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21210 at 10% per annum for 5 years. | option_a=31815 | option_b=10705 | option_c=10505 | option_d=10605 | answer=D | explanation=SI = PRT/100 = 21210×10×5/100 = **■**10605.

id=48053 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=80 | option_c=75 | option_d=70 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=48054 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=40 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=48055 | topic=Averages | difficulty=Easy | question=Find the average of 31, 92, 61, 82, 83, 82, 72, 57, 34, 106. | option_a=70 | option_b=72 | option_c=71 | option_d=69 | answer=A | explanation=Average = sum of values ÷ number of values = 700 ÷ 10 = 70.

id=48056 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 17, 29, 41, ? | option_a=41 | option_b=65 | option_c=54 | option_d=53 | answer=D | explanation=The common difference is 12. Therefore the next term is 41 + 12 = 53.

id=48057 | topic=Averages | difficulty=Easy | question=Find the average of 82, 42, 18, 45, 36, 39, 88. | option_a=49 | option_b=52 | option_c=50 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

id=48058 | topic=Percentages | difficulty=Easy | question=What is 20% of 897? | option_a=179 | option_b=169 | option_c=184 | option_d=358 | answer=A | explanation=20% of 897 = (20/100) × 897 = 179.

id=48059 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=J | option_c=V | option_d=R | answer=D | explanation=Move 4 positions forward from N; the resulting letter is R.

id=48060 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 48,061-48,090 of 100,000

id=48061 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=48062 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=S | option_c=Q | option_d=O | answer=B | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=48063 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=80 | option_c=75 | option_d=70 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=48064 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=Y | option_c=D | option_d=O | answer=B | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=48065 | topic=Averages | difficulty=Easy | question=Find the average of 19, 51, 79, 37, 78, 43, 61, 88, 77, 17. | option_a=54 | option_b=56 | option_c=55 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 550 ÷ 10 = 55.

id=48066 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=O | option_b=Z | option_c=E | option_d=J | answer=D | explanation=Move 5 positions forward from E; the resulting letter is J.

id=48067 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=48068 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28410 at 8% per annum for 1 years. | option_a=2272 | option_b=30682 | option_c=2372 | option_d=2172 | answer=A | explanation=SI = PRT/100 = 28410×8×1/100 = **■**2272.

id=48069 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:4 and the first is 168, what is the second? | option_a=68 | option_b=56 | option_c=224 | option_d=52 | answer=B | explanation=Scale factor = 168/12 = 14. Therefore second quantity = 4×14 = 56.

id=48070 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 14, 20, 27? | option_a=14 | option_b=8 | option_c=27 | option_d=20 | answer=C | explanation=The first three numbers increase by 6, so the next should be 26. Therefore 27 is the odd one out.

id=48071 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=44 | option_b=53 | option_c=62 | option_d=54 | answer=B | explanation=The common difference is 9. Therefore the next term is 44 + 9 = 53.

id=48072 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=24 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=48073 | topic=Percentages | difficulty=Easy | question=What is 10% of 1933? | option_a=386 | option_b=193 | option_c=203 | option_d=188 | answer=B | explanation=10% of 1933 = (10/100) × 1933 = 193.

id=48074 | topic=Percentages | difficulty=Easy | question=What is 10% of 67? | option_a=0 | option_b=6 | option_c=12 | option_d=11 | answer=B | explanation=10% of 67 = (10/100) × 67 = 6.

id=48075 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=48076 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=48077 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:1 and the first is 12, what is the second? | option_a=8 | option_b=18 | option_c=6 | option_d=5 | answer=C | explanation=Scale factor = 12/2 = 6. Therefore second quantity = 1×6 = 6.

id=48078 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**843. If it is sold at a profit of 25%, what is its selling price? | option_a=868 | option_b=1137 | option_c=969 | option_d=1053 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 843 × 125/100 = **■**1053.

id=48079 | topic=Averages | difficulty=Easy | question=Find the average of 98, 57, 67. | option_a=74 | option_b=76 | option_c=75 | option_d=73 | answer=A | explanation=Average = sum of values ÷ number of values = 222 ÷ 3 = 74.

id=48080 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=180 | option_c=95 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=48081 | topic=Averages | difficulty=Easy | question=Find the average of 47, 83, 77, 38, 67, 90, 53. | option_a=65 | option_b=64 | option_c=67 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 455 ÷ 7 = 65.

id=48082 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**982. If it is sold at a profit of 10%, what is its selling price? | option_a=992 | option_b=982 | option_c=1178 | option_d=1080 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 982 × 110/100 = **■**1080.

id=48083 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2763. If it is sold at a profit of 40%, what is its selling price? | option_a=2803 | option_b=3868 | option_c=3592 | option_d=4144 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2763 × 140/100 = **■**3868.

id=48084 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3254. If it is sold at a profit of 10%, what is its selling price? | option_a=3254 | option_b=3579 | option_c=3904 | option_d=3264 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3254 × 110/100 = **■**3579.

id=48085 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=T | option_c=V | option_d=W | answer=C | explanation=Move 1 positions forward from U; the resulting letter is V.

id=48086 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=48087 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16914 at 15% per annum for 5 years. | option_a=12785 | option_b=29599 | option_c=12585 | option_d=12685 | answer=D | explanation=SI = PRT/100 = 16914×15×5/100 = **■**12685.

id=48088 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=48089 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4958. If it is sold at a profit of 20%, what is its selling price? | option_a=5949 | option_b=5454 | option_c=6444 | option_d=4978 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4958 × 120/100 = **■**5949.

id=48090 | topic=Percentages | difficulty=Easy | question=What is 15% of 1175? | option_a=352 | option_b=176 | option_c=186 | option_d=156 | answer=B | explanation=15% of 1175 = (15/100) × 1175 = 176.

Aptitude Questions — Records 48,091-48,120 of 100,000

id=48091 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:2 and the first is 30, what is the second? | option_a=16 | option_b=6 | option_c=4 | option_d=36 | answer=B | explanation=Scale factor = 30/10 = 3. Therefore second quantity = 2×3 = 6.

id=48092 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=144 | option_c=77 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=48093 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 28, 31, 35? | option_a=35 | option_b=31 | option_c=25 | option_d=28 | answer=A | explanation=The first three numbers increase by 3, so the next should be 34. Therefore 35 is the odd one out.

id=48094 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=J | option_b=A | option_c=D | option_d=G | answer=D | explanation=Move 3 positions forward from D; the resulting letter is G.

id=48095 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=48096 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=150 | option_c=70 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=48097 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 9, 14, 22? | option_a=9 | option_b=14 | option_c=22 | option_d=4 | answer=C | explanation=The first three numbers increase by 5, so the next should be 19. Therefore 22 is the odd one out.

id=48098 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=I | option_c=H | option_d=F | answer=C | explanation=Move 1 positions forward from G; the resulting letter is H.

id=48099 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4216. If it is sold at a profit of 10%, what is its selling price? | option_a=4637 | option_b=4216 | option_c=5058 | option_d=4226 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4216 × 110/100 = █4637.

id=48100 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=Z | option_c=A | option_d=B | answer=D | explanation=Move 1 positions forward from A; the resulting letter is B.

id=48101 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=48102 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=34 | option_b=43 | option_c=50 | option_d=42 | answer=D | explanation=The common difference is 8. Therefore the next term is 34 + 8 = 42.

id=48103 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 24? | option_a=17 | option_b=19 | option_c=24 | option_d=21 | answer=C | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 24 is the odd one out.

id=48104 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 3. | option_a=12 | option_b=24 | option_c=36 | option_d=9 | answer=A | explanation=LCM × HCF = 12×3; HCF(12,3) = 3, so LCM = 12.

id=48105 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=48106 | topic=Percentages | difficulty=Easy | question=What is 30% of 622? | option_a=191 | option_b=176 | option_c=372 | option_d=186 | answer=D | explanation=30% of 622 = (30/100) × 622 = 186.

id=48107 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1351. If it is sold at a profit of 50%, what is its selling price? | option_a=2161 | option_b=1891 | option_c=2026 | option_d=1401 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1351 × 150/100 = █2026.

id=48108 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=48109 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=50 | option_b=38 | option_c=60 | option_d=49 | answer=D | explanation=The common difference is 11. Therefore the next term is 38 + 11 = 49.

id=48110 | topic=Averages | difficulty=Easy | question=Find the average of 49, 15, 62, 68, 13, 100, 29. | option_a=47 | option_b=50 | option_c=49 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = 336 ÷ 7 = 48.

id=48111 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Q | option_b=C | option_c=Y | option_d=U | answer=C | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=48112 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=48113 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=96 | option_c=48 | option_d=43 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=48114 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8922 at 6% per annum for 2 years. | option_a=1070 | option_b=9992 | option_c=970 | option_d=1170 | answer=A | explanation=SI = PRT/100 = 8922×6×2/100 = █1070.

id=48115 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8702 at 15% per annum for 2 years. | option_a=11312 | option_b=2710 | option_c=2510 | option_d=2610 | answer=D | explanation=SI = PRT/100 = 8702×15×2/100 = █2610.

id=48116 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 14, 18, 24? | option_a=14 | option_b=10 | option_c=18 | option_d=24 | answer=D | explanation=The first three numbers increase by 4, so the next should be 22. Therefore 24 is the odd one out.

id=48117 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=67 | option_b=43 | option_c=55 | option_d=56 | answer=C | explanation=The common difference is 12. Therefore the next term is 43 + 12 = 55.

id=48118 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=17 | option_c=24 | option_d=7 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=48119 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=L | option_c=W | option_d=G | answer=D | explanation=Move 5 positions forward from B; the resulting letter is G.

id=48120 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:4 and the first is 120, what is the second? | option_a=36 | option_b=52 | option_c=160 | option_d=40 | answer=D | explanation=Scale factor = 120/12 = 10. Therefore second quantity = 4×10 = 40.

Aptitude Questions — Records 48,121-48,150 of 100,000

id=48121 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=J | option_c=Z | option_d=O | answer=B | explanation=Move 5 positions forward from E; the resulting letter is J.

id=48122 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**885. If it is sold at a profit of 25%, what is its selling price? | option_a=910 | option_b=1018 | option_c=1194 | option_d=1106 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 885 × 125/100 = **■**1106.

id=48123 | topic=Averages | difficulty=Easy | question=Find the average of 71, 14, 69, 58, 67, 55, 45, 82, 16. | option_a=55 | option_b=54 | option_c=53 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 477 ÷ 9 = 53.

id=48124 | topic=Averages | difficulty=Easy | question=Find the average of 29, 64, 62, 29, 20, 62, 63. | option_a=48 | option_b=49 | option_c=47 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 329 ÷ 7 = 47.

id=48125 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 57? | option_a=26 | option_b=57 | option_c=36 | option_d=46 | answer=B | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 57 is the odd one out.

id=48126 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=48127 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5036 at 12% per annum for 1 years. | option_a=504 | option_b=5640 | option_c=604 | option_d=704 | answer=C | explanation=SI = PRT/100 = 5036×12×1/100 = **■**604.

id=48128 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=5 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=48129 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=48130 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 9, 14, 22? | option_a=4 | option_b=14 | option_c=9 | option_d=22 | answer=D | explanation=The first three numbers increase by 5, so the next should be 19. Therefore 22 is the odd one out.

id=48131 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:12 and the first is 9, what is the second? | option_a=24 | option_b=45 | option_c=39 | option_d=36 | answer=D | explanation=Scale factor = 9/3 = 3. Therefore second quantity = 12×3 = 36.

id=48132 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=19 | option_b=23 | option_c=20 | option_d=15 | answer=A | explanation=The common difference is 4. Therefore the next term is 15 + 4 = 19.

id=48133 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1696. If it is sold at a profit of 40%, what is its selling price? | option_a=2205 | option_b=2374 | option_c=1736 | option_d=2543 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1696 × 140/100 = **■**2374.

id=48134 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=50 | option_d=100 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=48135 | topic=Percentages | difficulty=Easy | question=What is 40% of 164? | option_a=85 | option_b=65 | option_c=130 | option_d=55 | answer=B | explanation=40% of 164 = (40/100) × 164 = 65.

id=48136 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:2 and the first is 288, what is the second? | option_a=324 | option_b=34 | option_c=52 | option_d=36 | answer=D | explanation=Scale factor = 288/16 = 18. Therefore second quantity = 2×18 = 36.

id=48137 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:15 and the first is 128, what is the second? | option_a=240 | option_b=248 | option_c=225 | option_d=368 | answer=A | explanation=Scale factor = 128/8 = 16. Therefore second quantity = 15×16 = 240.

id=48138 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 22. | option_a=242 | option_b=528 | option_c=288 | option_d=264 | answer=D | explanation=LCM × HCF = 24×22; HCF(24,22) = 2, so LCM = 264.

id=48139 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=W | option_b=I | option_c=E | option_d=A | answer=C | explanation=Move 4 positions forward from A; the resulting letter is E.

id=48140 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:9 and the first is 304, what is the second? | option_a=144 | option_b=135 | option_c=448 | option_d=163 | answer=A | explanation=Scale factor = 304/19 = 16. Therefore second quantity = 9×16 = 144.

id=48141 | topic=Percentages | difficulty=Easy | question=What is 50% of 1981? | option_a=990 | option_b=1000 | option_c=1980 | option_d=970 | answer=A | explanation=50% of 1981 = (50/100) × 1981 = 990.

id=48142 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48387 at 10% per annum for 2 years. | option_a=9677 | option_b=58064 | option_c=9577 | option_d=9777 | answer=A | explanation=SI = PRT/100 = 48387×10×2/100 = **■**9677.

id=48143 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 19, 22, 25, ? | option_a=25 | option_b=29 | option_c=28 | option_d=31 | answer=C | explanation=The common difference is 3. Therefore the next term is 25 + 3 = 28.

id=48144 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:5 and the first is 360, what is the second? | option_a=85 | option_b=110 | option_c=450 | option_d=90 | answer=D | explanation=Scale factor = 360/20 = 18. Therefore second quantity = 5×18 = 90.

id=48145 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 16, 19, 24? | option_a=16 | option_b=24 | option_c=13 | option_d=19 | answer=B | explanation=The first three numbers increase by 3, so the next should be 22. Therefore 24 is the odd one out.

id=48146 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=46 | option_b=57 | option_c=35 | option_d=47 | answer=A | explanation=The common difference is 11. Therefore the next term is 35 + 11 = 46.

id=48147 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=36 | option_b=41 | option_c=72 | option_d=31 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=48148 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 18. | option_a=180 | option_b=100 | option_c=72 | option_d=90 | answer=D | explanation=LCM × HCF = 10×18; HCF(10,18) = 2, so LCM = 90.

id=48149 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 28, 32, 39? | option_a=28 | option_b=32 | option_c=24 | option_d=39 | answer=D | explanation=The first three numbers increase by 4, so the next should be 36. Therefore 39 is the odd one out.

id=48150 | topic=Percentages | difficulty=Easy | question=What is 40% of 1255? | option_a=502 | option_b=1004 | option_c=482 | option_d=512 | answer=A | explanation=40% of 1255 = (40/100) × 1255 = 502.

Aptitude Questions — Records 48,151-48,180 of 100,000

id=48151 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:1 and the first is 90, what is the second? | option_a=8 | option_b=19 | option_c=9 | option_d=99 | answer=C | explanation=Scale factor = 90/10 = 9. Therefore second quantity = 1×9 = 9.

id=48152 | topic=Percentages | difficulty=Easy | question=What is 50% of 1445? | option_a=702 | option_b=1444 | option_c=722 | option_d=742 | answer=C | explanation=50% of 1445 = (50/100) × 1445 = 722.

id=48153 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'i' become? | option_a=I | option_b=M | option_c=Q | option_d=E | answer=B | explanation=Move 4 positions forward from i; the resulting letter is M.

id=48154 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 29? | option_a=26 | option_b=22 | option_c=24 | option_d=29 | answer=D | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 29 is the odd one out.

id=48155 | topic=Percentages | difficulty=Easy | question=What is 20% of 1494? | option_a=298 | option_b=278 | option_c=303 | option_d=596 | answer=A | explanation=20% of 1494 = (20/100) × 1494 = 298.

id=48156 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=M | option_b=E | option_c=I | option_d=A | answer=C | explanation=Move 4 positions forward from E; the resulting letter is I.

id=48157 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=48158 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:16 and the first is 88, what is the second? | option_a=160 | option_b=184 | option_c=176 | option_d=264 | answer=C | explanation=Scale factor = 88/8 = 11. Therefore second quantity = 16×11 = 176.

id=48159 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=48160 | topic=Percentages | difficulty=Easy | question=What is 5% of 271? | option_a=13 | option_b=3 | option_c=26 | option_d=33 | answer=A | explanation=5% of 271 = (5/100) × 271 = 13.

id=48161 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=5 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=48162 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=150 | option_c=300 | option_d=145 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=48163 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=11 | option_b=12 | option_c=13 | option_d=9 | answer=A | explanation=The common difference is 2. Therefore the next term is 9 + 2 = 11.

id=48164 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 34? | option_a=26 | option_b=12 | option_c=34 | option_d=19 | answer=C | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 34 is the odd one out.

id=48165 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 34? | option_a=34 | option_b=25 | option_c=21 | option_d=29 | answer=A | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 34 is the odd one out.

id=48166 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=23 | option_b=28 | option_c=24 | option_d=18 | answer=A | explanation=The common difference is 5. Therefore the next term is 18 + 5 = 23.

id=48167 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=55 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=48168 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=48169 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■35307 at 6% per annum for 2 years. | option_a=4136 | option_b=4336 | option_c=39543 | option_d=4236 | answer=D | explanation=SI = PRT/100 = 35307×6×2/100 = ■4236.

id=48170 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=48171 | topic=Averages | difficulty=Easy | question=Find the average of 80, 39, 31, 18. | option_a=44 | option_b=42 | option_c=41 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = 168 ÷ 4 = 42.

id=48172 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4934. If it is sold at a profit of 25%, what is its selling price? | option_a=6660 | option_b=5674 | option_c=4959 | option_d=6167 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4934 × 125/100 = ■6167.

id=48173 | topic=Percentages | difficulty=Easy | question=What is 20% of 1750? | option_a=700 | option_b=350 | option_c=355 | option_d=330 | answer=B | explanation=20% of 1750 = (20/100) × 1750 = 350.

id=48174 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:4 and the first is 32, what is the second? | option_a=64 | option_b=28 | option_c=32 | option_d=36 | answer=C | explanation=Scale factor = 32/4 = 8. Therefore second quantity = 4×8 = 32.

id=48175 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=26 | option_b=27 | option_c=23 | option_d=29 | answer=A | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.

id=48176 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 38, 46, 57? | option_a=30 | option_b=57 | option_c=46 | option_d=38 | answer=B | explanation=The first three numbers increase by 8, so the next should be 54. Therefore 57 is the odd one out.

id=48177 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=48178 | topic=Percentages | difficulty=Easy | question=What is 50% of 225? | option_a=224 | option_b=112 | option_c=122 | option_d=102 | answer=B | explanation=50% of 225 = (50/100) × 225 = 112.

id=48179 | topic=Percentages | difficulty=Easy | question=What is 5% of 979? | option_a=48 | option_b=68 | option_c=96 | option_d=28 | answer=A | explanation=5% of 979 = (5/100) × 979 = 48.

id=48180 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

Aptitude Questions — Records 48,181-48,210 of 100,000

id=48181 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:1 and the first is 130, what is the second? | option_a=9 | option_b=10 | option_c=140 | option_d=23 | answer=B | explanation=Scale factor = 130/13 = 10. Therefore second quantity = 1×10 = 10.

id=48182 | topic=Averages | difficulty=Easy | question=Find the average of 77, 90, 79. | option_a=84 | option_b=81 | option_c=82 | option_d=83 | answer=C | explanation=Average = sum of values ÷ number of values = 246 ÷ 3 = 82.

id=48183 | topic=Percentages | difficulty=Easy | question=What is 5% of 997? | option_a=39 | option_b=49 | option_c=98 | option_d=59 | answer=B | explanation=5% of 997 = (5/100) × 997 = 49.

id=48184 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:4 and the first is 72, what is the second? | option_a=104 | option_b=41 | option_c=28 | option_d=32 | answer=D | explanation=Scale factor = 72/9 = 8. Therefore second quantity = 4×8 = 32.

id=48185 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:15 and the first is 77, what is the second? | option_a=242 | option_b=150 | option_c=165 | option_d=172 | answer=C | explanation=Scale factor = 77/7 = 11. Therefore second quantity = 15×11 = 165.

id=48186 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:11 and the first is 72, what is the second? | option_a=77 | option_b=160 | option_c=88 | option_d=97 | answer=C | explanation=Scale factor = 72/9 = 8. Therefore second quantity = 11×8 = 88.

id=48187 | topic=Percentages | difficulty=Easy | question=What is 50% of 1238? | option_a=614 | option_b=639 | option_c=1238 | option_d=619 | answer=D | explanation=50% of 1238 = (50/100) × 1238 = 619.

id=48188 | topic=Averages | difficulty=Easy | question=Find the average of 15, 31, 59. | option_a=35 | option_b=36 | option_c=37 | option_d=34 | answer=A | explanation=Average = sum of values ÷ number of values = 105 ÷ 3 = 35.

id=48189 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=18 | option_c=9 | option_d=4 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=48190 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26007 at 5% per annum for 4 years. | option_a=5101 | option_b=5201 | option_c=5301 | option_d=31208 | answer=B | explanation=SI = PRT/100 = 26007×5×4/100 = **■**5201.

id=48191 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=29 | option_b=27 | option_c=23 | option_d=26 | answer=D | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.

id=48192 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=I | option_b=C | option_c=F | option_d=L | answer=A | explanation=Move 3 positions forward from F; the resulting letter is I.

id=48193 | topic=Averages | difficulty=Easy | question=Find the average of 22, 50, 47, 35, 13, 52, 47. | option_a=40 | option_b=39 | option_c=38 | option_d=37 | answer=C | explanation=Average = sum of values ÷ number of values = 266 ÷ 7 = 38.

id=48194 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=G | option_c=M | option_d=K | answer=D | explanation=Move 2 positions forward from I; the resulting letter is K.

id=48195 | topic=Averages | difficulty=Easy | question=Find the average of 18, 89, 87, 85, 73, 27, 71, 24, 39, 77. | option_a=60 | option_b=61 | option_c=59 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 590 ÷ 10 = 59.

id=48196 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:13 and the first is 30, what is the second? | option_a=130 | option_b=133 | option_c=160 | option_d=117 | answer=A | explanation=Scale factor = 30/3 = 10. Therefore second quantity = 13×10 = 130.

id=48197 | topic=Percentages | difficulty=Easy | question=What is 10% of 293? | option_a=19 | option_b=39 | option_c=29 | option_d=58 | answer=C | explanation=10% of 293 = (10/100) × 293 = 29.

id=48198 | topic=Averages | difficulty=Easy | question=Find the average of 25, 99, 28, 40, 98. | option_a=60 | option_b=59 | option_c=58 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 290 ÷ 5 = 58.

id=48199 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**504. If it is sold at a profit of 30%, what is its selling price? | option_a=534 | option_b=605 | option_c=655 | option_d=705 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 504 × 130/100 = **■**655.

id=48200 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3829. If it is sold at a profit of 15%, what is its selling price? | option_a=4785 | option_b=4021 | option_c=4403 | option_d=3844 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3829 × 115/100 = **■**4403.

id=48201 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 33? | option_a=33 | option_b=24 | option_c=10 | option_d=17 | answer=A | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 33 is the odd one out.

id=48202 | topic=Percentages | difficulty=Easy | question=What is 25% of 929? | option_a=464 | option_b=232 | option_c=222 | option_d=237 | answer=B | explanation=25% of 929 = (25/100) × 929 = 232.

id=48203 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2879. If it is sold at a profit of 40%, what is its selling price? | option_a=4317 | option_b=4030 | option_c=2919 | option_d=3743 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2879 × 140/100 = **■**4030.

id=48204 | topic=Averages | difficulty=Easy | question=Find the average of 41, 34, 94, 67, 41, 19, 68. | option_a=53 | option_b=52 | option_c=51 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 364 ÷ 7 = 52.

id=48205 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 31, 40, 52? | option_a=22 | option_b=31 | option_c=52 | option_d=40 | answer=C | explanation=The first three numbers increase by 9, so the next should be 49. Therefore 52 is the odd one out.

id=48206 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=P | option_b=B | option_c=X | option_d=T | answer=C | explanation=Move 4 positions forward from T; the resulting letter is X.

id=48207 | topic=Averages | difficulty=Easy | question=Find the average of 69, 11, 47, 57. | option_a=47 | option_b=45 | option_c=48 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 184 ÷ 4 = 46.

id=48208 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=48209 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:4 and the first is 208, what is the second? | option_a=272 | option_b=60 | option_c=77 | option_d=64 | answer=D | explanation=Scale factor = 208/13 = 16. Therefore second quantity = 4×16 = 64.

id=48210 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=X | option_b=R | option_c=A | option_d=U | answer=A | explanation=Move 3 positions forward from U; the resulting letter is X.

Aptitude Questions — Records 48,211-48,240 of 100,000

id=48211 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■9000 at 6% per annum for 2 years. | option_a=1180 | option_b=1080 | option_c=980 | option_d=10080 | answer=B | explanation= $Si = \frac{PRT}{100} = \frac{9000 \times 6 \times 2}{100} = \blacksquare 1080$.

id=48212 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=46 | option_b=57 | option_c=35 | option_d=47 | answer=A | explanation=The common difference is 11. Therefore the next term is $35 + 11 = 46$.

id=48213 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=155 | option_c=145 | option_d=300 | answer=A | explanation= $Speed = \frac{distance}{time} = \frac{300}{2} = 150$ km/h.

id=48214 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 44? | option_a=23 | option_b=44 | option_c=35 | option_d=29 | answer=B | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 44 is the odd one out.

id=48215 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=49 | option_b=59 | option_c=39 | option_d=50 | answer=A | explanation=The common difference is 10. Therefore the next term is $39 + 10 = 49$.

id=48216 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=38 | option_b=43 | option_c=37 | option_d=31 | answer=C | explanation=The common difference is 6. Therefore the next term is $31 + 6 = 37$.

id=48217 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=J | option_b=A | option_c=G | option_d=D | answer=C | explanation=Move 3 positions forward from D; the resulting letter is G.

id=48218 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:4 and the first is 56, what is the second? | option_a=88 | option_b=32 | option_c=28 | option_d=39 | answer=B | explanation= $Scale\ factor = \frac{56}{7} = 8$. Therefore second quantity = $4 \times 8 = 32$.

id=48219 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 28? | option_a=28 | option_b=23 | option_c=15 | option_d=19 | answer=A | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 28 is the odd one out.

id=48220 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:15 and the first is 6, what is the second? | option_a=45 | option_b=47 | option_c=30 | option_d=51 | answer=A | explanation= $Scale\ factor = \frac{6}{2} = 3$. Therefore second quantity = $15 \times 3 = 45$.

id=48221 | topic=Number System | difficulty=Easy | question=Find the LCM of 13 and 13. | option_a=26 | option_b=169 | option_c=1 | option_d=13 | answer=D | explanation= $LCM \times HCF = 13 \times 13$; $HCF(13,13) = 13$, so $LCM = 13$.

id=48222 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■17088 at 15% per annum for 5 years. | option_a=12716 | option_b=12916 | option_c=12816 | option_d=29904 | answer=C | explanation= $Si = \frac{PRT}{100} = \frac{17088 \times 15 \times 5}{100} = \blacksquare 12816$.

id=48223 | topic=Percentages | difficulty=Easy | question=What is 15% of 1542? | option_a=241 | option_b=226 | option_c=462 | option_d=231 | answer=D | explanation= $15\% \text{ of } 1542 = \frac{15}{100} \times 1542 = 231$.

id=48224 | topic=Percentages | difficulty=Easy | question=What is 12% of 1989? | option_a=238 | option_b=476 | option_c=243 | option_d=233 | answer=A | explanation= $12\% \text{ of } 1989 = \frac{12}{100} \times 1989 = 238$.

id=48225 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2726. If it is sold at a profit of 10%, what is its selling price? | option_a=2736 | option_b=2726 | option_c=2998 | option_d=3270 | answer=C | explanation= $Selling\ price = CP \times (100 + \text{profit}\%) / 100 = 2726 \times \frac{110}{100} = \blacksquare 2998$.

id=48226 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■41771 at 6% per annum for 4 years. | option_a=10025 | option_b=9925 | option_c=10125 | option_d=51796 | answer=A | explanation= $Si = \frac{PRT}{100} = \frac{41771 \times 6 \times 4}{100} = \blacksquare 10025$.

id=48227 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=200 | option_c=95 | option_d=105 | answer=A | explanation= $Speed = \frac{distance}{time} = \frac{300}{3} = 100$ km/h.

id=48228 | topic=Percentages | difficulty=Easy | question=What is 12% of 1613? | option_a=198 | option_b=173 | option_c=193 | option_d=386 | answer=C | explanation= $12\% \text{ of } 1613 = \frac{12}{100} \times 1613 = 193$.

id=48229 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=14 | option_b=12 | option_c=15 | option_d=16 | answer=A | explanation=The common difference is 2. Therefore the next term is $12 + 2 = 14$.

id=48230 | topic=Percentages | difficulty=Easy | question=What is 15% of 977? | option_a=146 | option_b=166 | option_c=292 | option_d=141 | answer=A | explanation= $15\% \text{ of } 977 = \frac{15}{100} \times 977 = 146$.

id=48231 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:1 and the first is 171, what is the second? | option_a=8 | option_b=180 | option_c=9 | option_d=28 | answer=C | explanation= $Scale\ factor = \frac{171}{19} = 9$. Therefore second quantity = $1 \times 9 = 9$.

id=48232 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 30, 34, 40? | option_a=26 | option_b=34 | option_c=30 | option_d=40 | answer=D | explanation=The first three numbers increase by 4, so the next should be 38. Therefore 40 is the odd one out.

id=48233 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation= $Combined\ rate = \frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. $Time = \frac{72}{18} = 4$ days.

id=48234 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1433. If it is sold at a profit of 15%, what is its selling price? | option_a=1504 | option_b=1647 | option_c=1448 | option_d=1790 | answer=B | explanation= $Selling\ price = CP \times (100 + \text{profit}\%) / 100 = 1433 \times \frac{115}{100} = \blacksquare 1647$.

id=48235 | topic=Averages | difficulty=Easy | question=Find the average of 23, 73, 15, 51, 58. | option_a=44 | option_b=43 | option_c=45 | option_d=46 | answer=A | explanation= $Average = \frac{sum\ of\ values}{number\ of\ values} = \frac{220}{5} = 44$.

id=48236 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=C | option_b=D | option_c=F | option_d=E | answer=D | explanation=Move 1 positions forward from D; the resulting letter is E.

id=48237 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 4. | option_a=16 | option_b=12 | option_c=32 | option_d=64 | answer=A | explanation= $LCM \times HCF = 16 \times 4$; $HCF(16,4) = 4$, so $LCM = 16$.

id=48238 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 24. | option_a=189 | option_b=144 | option_c=504 | option_d=168 | answer=D | explanation= $LCM \times HCF = 21 \times 24$; $HCF(21,24) = 3$, so $LCM = 168$.

id=48239 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation= $Combined\ rate = \frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. $Time = \frac{72}{18} = 4$ days.

id=48240 | topic=Percentages | difficulty=Easy | question=What is 40% of 1086? | option_a=439 | option_b=434 | option_c=868 | option_d=429 | answer=B | explanation= $40\% \text{ of } 1086 = \frac{40}{100} \times 1086 = 434$.

Aptitude Questions — Records 48,241-48,270 of 100,000

id=48241 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 10. | option_a=144 | option_b=120 | option_c=110 | option_d=240 | answer=B | explanation=LCM × HCF = 24×10; HCF(24,10) = 2, so LCM = 120.

id=48242 | topic=Averages | difficulty=Easy | question=Find the average of 96, 65, 81, 19, 42, 98, 32, 74, 42. | option_a=63 | option_b=62 | option_c=60 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 549 ÷ 9 = 61.

id=48243 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=15 | option_d=5 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=48244 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:3 and the first is 48, what is the second? | option_a=6 | option_b=25 | option_c=57 | option_d=9 | answer=D | explanation=Scale factor = 48/16 = 3. Therefore second quantity = 3×3 = 9.

id=48245 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=36 | option_b=41 | option_c=72 | option_d=31 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=48246 | topic=Percentages | difficulty=Easy | question=What is 12% of 1535? | option_a=179 | option_b=204 | option_c=368 | option_d=184 | answer=D | explanation=12% of 1535 = (12/100) × 1535 = 184.

id=48247 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=6 | option_c=11 | option_d=12 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=48248 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:15 and the first is 228, what is the second? | option_a=513 | option_b=270 | option_c=297 | option_d=285 | answer=D | explanation=Scale factor = 228/12 = 19. Therefore second quantity = 15×19 = 285.

id=48249 | topic=Averages | difficulty=Easy | question=Find the average of 43, 38, 28, 52, 41, 19, 57, 81, 82. | option_a=50 | option_b=51 | option_c=49 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 441 ÷ 9 = 49.

id=48250 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15133 at 12% per annum for 1 years. | option_a=1915 | option_b=16948 | option_c=1815 | option_d=1715 | answer=C | explanation=SI = PRT/100 = 15133×12×1/100 = **■**1815.

id=48251 | topic=Averages | difficulty=Easy | question=Find the average of 20, 41, 35, 86, 53, 77. | option_a=52 | option_b=54 | option_c=51 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 312 ÷ 6 = 52.

id=48252 | topic=Percentages | difficulty=Easy | question=What is 20% of 1931? | option_a=386 | option_b=391 | option_c=772 | option_d=376 | answer=A | explanation=20% of 1931 = (20/100) × 1931 = 386.

id=48253 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25554 at 8% per annum for 2 years. | option_a=4188 | option_b=4088 | option_c=3988 | option_d=29642 | answer=B | explanation=SI = PRT/100 = 25554×8×2/100 = **■**4088.

id=48254 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49406 at 12% per annum for 1 years. | option_a=55334 | option_b=5828 | option_c=6028 | option_d=5928 | answer=D | explanation=SI = PRT/100 = 49406×12×1/100 = **■**5928.

id=48255 | topic=Averages | difficulty=Easy | question=Find the average of 66, 12, 39, 43, 42, 50. | option_a=42 | option_b=41 | option_c=43 | option_d=44 | answer=A | explanation=Average = sum of values ÷ number of values = 252 ÷ 6 = 42.

id=48256 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=48257 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=48258 | topic=Percentages | difficulty=Easy | question=What is 40% of 734? | option_a=313 | option_b=293 | option_c=586 | option_d=288 | answer=B | explanation=40% of 734 = (40/100) × 734 = 293.

id=48259 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:10 and the first is 45, what is the second? | option_a=95 | option_b=135 | option_c=80 | option_d=90 | answer=D | explanation=Scale factor = 45/5 = 9. Therefore second quantity = 10×9 = 90.

id=48260 | topic=Averages | difficulty=Easy | question=Find the average of 32, 76, 47, 57, 23, 47, 28, 66, 11. | option_a=42 | option_b=43 | option_c=44 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = 387 ÷ 9 = 43.

id=48261 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=240 | option_c=115 | option_d=125 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=48262 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 17, 29, 41, ? | option_a=53 | option_b=54 | option_c=65 | option_d=41 | answer=A | explanation=The common difference is 12. Therefore the next term is 41 + 12 = 53.

id=48263 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2542. If it is sold at a profit of 30%, what is its selling price? | option_a=2572 | option_b=3050 | option_c=3304 | option_d=3558 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2542 × 130/100 = **■**3304.

id=48264 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=T | option_c=U | option_d=R | answer=B | explanation=Move 1 positions forward from S; the resulting letter is T.

id=48265 | topic=Averages | difficulty=Easy | question=Find the average of 57, 81, 57, 54, 36. | option_a=58 | option_b=59 | option_c=57 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.

id=48266 | topic=Averages | difficulty=Easy | question=Find the average of 36, 91, 48, 96, 34. | option_a=60 | option_b=61 | option_c=62 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 305 ÷ 5 = 61.

id=48267 | topic=Percentages | difficulty=Easy | question=What is 10% of 1039? | option_a=123 | option_b=206 | option_c=103 | option_d=98 | answer=C | explanation=10% of 1039 = (10/100) × 1039 = 103.

id=48268 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 28, 36, 44, ? | option_a=60 | option_b=52 | option_c=44 | option_d=53 | answer=B | explanation=The common difference is 8. Therefore the next term is 44 + 8 = 52.

id=48269 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 31, 35, 42? | option_a=42 | option_b=35 | option_c=31 | option_d=27 | answer=A | explanation=The first three numbers increase by 4, so the next should be 39. Therefore 42 is the odd one out.

id=48270 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=20 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

Aptitude Questions — Records 48,271-48,300 of 100,000

id=48271 | topic=Averages | difficulty=Easy | question=Find the average of 88, 69, 27, 98, 86, 51, 57. | option_a=70 | option_b=68 | option_c=67 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = $476 \div 7 = 68$.

id=48272 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20692 at 4% per annum for 4 years. | option_a=3210 | option_b=3310 | option_c=24002 | option_d=3410 | answer=B | explanation=SI = $\text{PRT}/100 = 20692 \times 4 \times 4 / 100 = \text{■}3310$.

id=48273 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=46 | option_b=45 | option_c=35 | option_d=55 | answer=B | explanation=The common difference is 10. Therefore the next term is $35 + 10 = 45$.

id=48274 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 28. | option_a=28 | option_b=392 | option_c=1 | option_d=42 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 14 \times 28$; $\text{HCF}(14, 28) = 14$, so $\text{LCM} = 28$.

id=48275 | topic=Averages | difficulty=Easy | question=Find the average of 58, 99, 51, 59, 28. | option_a=59 | option_b=58 | option_c=61 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = $295 \div 5 = 59$.

id=48276 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=48277 | topic=Averages | difficulty=Easy | question=Find the average of 37, 86, 22, 29, 92, 12, 77, 44, 28, 73. | option_a=50 | option_b=51 | option_c=52 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = $500 \div 10 = 50$.

id=48278 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=45 | option_b=56 | option_c=55 | option_d=65 | answer=C | explanation=The common difference is 10. Therefore the next term is $45 + 10 = 55$.

id=48279 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1314. If it is sold at a profit of 20%, what is its selling price? | option_a=1576 | option_b=1445 | option_c=1334 | option_d=1707 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 1314 \times 120 / 100 = \text{■}1576$.

id=48280 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=48281 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=49 | option_b=50 | option_c=38 | option_d=60 | answer=A | explanation=The common difference is 11. Therefore the next term is $38 + 11 = 49$.

id=48282 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=240 | option_c=120 | option_d=115 | answer=C | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.

id=48283 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=48284 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=Z | option_b=C | option_c=B | option_d=A | answer=C | explanation=Move 1 positions forward from A; the resulting letter is B.

id=48285 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4043. If it is sold at a profit of 20%, what is its selling price? | option_a=4447 | option_b=4063 | option_c=4851 | option_d=5255 | answer=C | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 4043 \times 120 / 100 = \text{■}4851$.

id=48286 | topic=Percentages | difficulty=Easy | question=What is 5% of 568? | option_a=48 | option_b=8 | option_c=28 | option_d=56 | answer=C | explanation= $5\% \text{ of } 568 = (5/100) \times 568 = 28$.

id=48287 | topic=Averages | difficulty=Easy | question=Find the average of 96, 18, 96, 34, 37, 38, 34, 17. | option_a=45 | option_b=47 | option_c=46 | option_d=44 | answer=A | explanation=Average = sum of values ÷ number of values = $360 \div 8 = 45$.

id=48288 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:14 and the first is 288, what is the second? | option_a=512 | option_b=224 | option_c=210 | option_d=242 | answer=B | explanation=Scale factor = $288/18 = 16$. Therefore second quantity = $14 \times 16 = 224$.

id=48289 | topic=Percentages | difficulty=Easy | question=What is 50% of 1984? | option_a=972 | option_b=992 | option_c=1002 | option_d=1984 | answer=B | explanation= $50\% \text{ of } 1984 = (50/100) \times 1984 = 992$.

id=48290 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 22. | option_a=308 | option_b=336 | option_c=616 | option_d=286 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 28 \times 22$; $\text{HCF}(28, 22) = 2$, so $\text{LCM} = 308$.

id=48291 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 10, 18, 28? | option_a=10 | option_b=18 | option_c=28 | option_d=2 | answer=C | explanation=The first three numbers increase by 8, so the next should be 26. Therefore 28 is the odd one out.

id=48292 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:1 and the first is 180, what is the second? | option_a=15 | option_b=14 | option_c=195 | option_d=27 | answer=A | explanation=Scale factor = $180/12 = 15$. Therefore second quantity = $1 \times 15 = 15$.

id=48293 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**917. If it is sold at a profit of 25%, what is its selling price? | option_a=942 | option_b=1146 | option_c=1055 | option_d=1237 | answer=B | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 917 \times 125 / 100 = \text{■}1146$.

id=48294 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=G | option_c=E | option_d=F | answer=B | explanation=Move 1 positions forward from F; the resulting letter is G.

id=48295 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=18 | option_c=23 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = $90 \div 5 = 18$ km/h.

id=48296 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 16. | option_a=96 | option_b=54 | option_c=48 | option_d=32 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 6 \times 16$; $\text{HCF}(6, 16) = 2$, so $\text{LCM} = 48$.

id=48297 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1164. If it is sold at a profit of 15%, what is its selling price? | option_a=1222 | option_b=1338 | option_c=1454 | option_d=1179 | answer=B | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 1164 \times 115 / 100 = \text{■}1338$.

id=48298 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=4 | option_d=20 | answer=A | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=48299 | topic=Averages | difficulty=Easy | question=Find the average of 26, 73, 37, 21, 69, 65, 40, 61. | option_a=51 | option_b=49 | option_c=48 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = $392 \div 8 = 49$.

id=48300 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=L | option_c=N | option_d=J | answer=C | explanation=Move 2 positions forward from L; the resulting letter is N.

Aptitude Questions — Records 48,301-48,330 of 100,000

id=48301 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=P | option_b=S | option_c=Q | option_d=R | answer=D | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=48302 | topic=Averages | difficulty=Easy | question=Find the average of 25, 38, 12. | option_a=24 | option_b=26 | option_c=27 | option_d=25 | answer=D | explanation=Average = sum of values + number of values = 75 ÷ 3 = 25.

id=48303 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2597. If it is sold at a profit of 25%, what is its selling price? | option_a=3505 | option_b=3246 | option_c=2622 | option_d=2987 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2597 × 125/100 = █3246.

id=48304 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=50 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=48305 | topic=Averages | difficulty=Easy | question=Find the average of 59, 17, 74, 26, 20, 15, 76. | option_a=40 | option_b=41 | option_c=43 | option_d=42 | answer=B | explanation=Average = sum of values ÷ number of values = 287 ÷ 7 = 41.

id=48306 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38112 at 6% per annum for 5 years. | option_a=11533 | option_b=49545 | option_c=11333 | option_d=11433 | answer=D | explanation=SI = PRT/100 = 38112×6×5/100 = █11433.

id=48307 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=48308 | topic=Percentages | difficulty=Easy | question=What is 10% of 663? | option_a=132 | option_b=56 | option_c=66 | option_d=86 | answer=C | explanation=10% of 663 = (10/100) × 663 = 66.

id=48309 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20866 at 6% per annum for 5 years. | option_a=6159 | option_b=6359 | option_c=27125 | option_d=6259 | answer=D | explanation=SI = PRT/100 = 20866×6×5/100 = █6259.

id=48310 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16016 at 15% per annum for 5 years. | option_a=11912 | option_b=12012 | option_c=12112 | option_d=28028 | answer=B | explanation=SI = PRT/100 = 16016×15×5/100 = █12012.

id=48311 | topic=Averages | difficulty=Easy | question=Find the average of 68, 17, 66, 51, 28. | option_a=48 | option_b=47 | option_c=45 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 230 ÷ 5 = 46.

id=48312 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7220 at 4% per annum for 2 years. | option_a=577 | option_b=677 | option_c=477 | option_d=7797 | answer=A | explanation=SI = PRT/100 = 7220×4×2/100 = █577.

id=48313 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=48314 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=24 | option_b=26 | option_c=22 | option_d=25 | answer=A | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.

id=48315 | topic=Percentages | difficulty=Easy | question=What is 10% of 1783? | option_a=173 | option_b=178 | option_c=183 | option_d=356 | answer=B | explanation=10% of 1783 = (10/100) × 1783 = 178.

id=48316 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 18, 22, 28? | option_a=28 | option_b=18 | option_c=22 | option_d=14 | answer=A | explanation=The first three numbers increase by 4, so the next should be 26. Therefore 28 is the odd one out.

id=48317 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 20, 22, 25? | option_a=22 | option_b=20 | option_c=25 | option_d=18 | answer=C | explanation=The first three numbers increase by 2, so the next should be 24. Therefore 25 is the odd one out.

id=48318 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 29, 33, 38? | option_a=33 | option_b=38 | option_c=25 | option_d=29 | answer=B | explanation=The first three numbers increase by 4, so the next should be 37. Therefore 38 is the odd one out.

id=48319 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=43 | option_b=49 | option_c=42 | option_d=35 | answer=C | explanation=The common difference is 7. Therefore the next term is 35 + 7 = 42.

id=48320 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:15 and the first is 260, what is the second? | option_a=300 | option_b=560 | option_c=313 | option_d=285 | answer=A | explanation=Scale factor = 260/13 = 20. Therefore second quantity = 15×20 = 300.

id=48321 | topic=Averages | difficulty=Easy | question=Find the average of 81, 15, 96. | option_a=64 | option_b=65 | option_c=66 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 192 ÷ 3 = 64.

id=48322 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3916. If it is sold at a profit of 50%, what is its selling price? | option_a=5874 | option_b=6265 | option_c=3966 | option_d=5483 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3916 × 150/100 = █5874.

id=48323 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=31 | option_b=37 | option_c=36 | option_d=41 | answer=C | explanation=The common difference is 5. Therefore the next term is 31 + 5 = 36.

id=48324 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 16. | option_a=128 | option_b=16 | option_c=24 | option_d=1 | answer=B | explanation=LCM × HCF = 8×16; HCF(8,16) = 8, so LCM = 16.

id=48325 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=20 | option_b=16 | option_c=21 | option_d=24 | answer=A | explanation=The common difference is 4. Therefore the next term is 16 + 4 = 20.

id=48326 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4802. If it is sold at a profit of 5%, what is its selling price? | option_a=4562 | option_b=5042 | option_c=5522 | option_d=4807 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4802 × 105/100 = █5042.

id=48327 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 33, 38, 46? | option_a=46 | option_b=28 | option_c=33 | option_d=38 | answer=A | explanation=The first three numbers increase by 5, so the next should be 43. Therefore 46 is the odd one out.

id=48328 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=N | option_b=B | option_c=J | option_d=F | answer=C | explanation=Move 4 positions forward from F; the resulting letter is J.

id=48329 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3369. If it is sold at a profit of 5%, what is its selling price? | option_a=3873 | option_b=3201 | option_c=3374 | option_d=3537 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3369 × 105/100 = █3537.

id=48330 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=I | option_b=C | option_c=F | option_d=L | answer=A | explanation=Move 3 positions forward from F; the resulting letter is I.

Aptitude Questions — Records 48,331-48,360 of 100,000

id=48331 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=P | option_b=D | option_c=L | option_d=H | answer=C | explanation=Move 4 positions forward from H; the resulting letter is L.

id=48332 | topic=Percentages | difficulty=Easy | question=What is 5% of 1413? | option_a=140 | option_b=90 | option_c=65 | option_d=70 | answer=D | explanation=5% of 1413 = (5/100) × 1413 = 70.

id=48333 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=19 | option_c=48 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=48334 | topic=Profit & Loss | difficulty=Easy | question=An article costs █964. If it is sold at a profit of 5%, what is its selling price? | option_a=1012 | option_b=1108 | option_c=916 | option_d=969 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 964 × 105/100 = █1012.

id=48335 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=6 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=48336 | topic=Averages | difficulty=Easy | question=Find the average of 99, 88, 93, 19, 41. | option_a=70 | option_b=68 | option_c=67 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 340 ÷ 5 = 68.

id=48337 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1650 at 6% per annum for 2 years. | option_a=298 | option_b=1848 | option_c=198 | option_d=98 | answer=C | explanation=SI = PRT/100 = 1650×6×2/100 = █198.

id=48338 | topic=Percentages | difficulty=Easy | question=What is 50% of 1742? | option_a=876 | option_b=851 | option_c=1742 | option_d=871 | answer=D | explanation=50% of 1742 = (50/100) × 1742 = 871.

id=48339 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=N | option_c=R | option_d=L | answer=A | explanation=Move 2 positions forward from N; the resulting letter is P.

id=48340 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:14 and the first is 216, what is the second? | option_a=468 | option_b=238 | option_c=252 | option_d=264 | answer=C | explanation=Scale factor = 216/12 = 18. Therefore second quantity = 14×18 = 252.

id=48341 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=70 | option_b=75 | option_c=150 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=48342 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=31 | option_b=23 | option_c=28 | option_d=27 | answer=D | explanation=The common difference is 4. Therefore the next term is 23 + 4 = 27.

id=48343 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1205. If it is sold at a profit of 5%, what is its selling price? | option_a=1265 | option_b=1210 | option_c=1385 | option_d=1145 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1205 × 105/100 = █1265.

id=48344 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=E | option_c=D | option_d=C | answer=B | explanation=Move 1 positions forward from D; the resulting letter is E.

id=48345 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=51 | option_b=42 | option_c=43 | option_d=33 | answer=B | explanation=The common difference is 9. Therefore the next term is 33 + 9 = 42.

id=48346 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3483. If it is sold at a profit of 30%, what is its selling price? | option_a=4527 | option_b=4875 | option_c=4179 | option_d=3513 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3483 × 130/100 = █4527.

id=48347 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=V | option_b=A | option_c=Q | option_d=L | answer=A | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=48348 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 21, 25, 31? | option_a=21 | option_b=17 | option_c=31 | option_d=25 | answer=C | explanation=The first three numbers increase by 4, so the next should be 29. Therefore 31 is the odd one out.

id=48349 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3624. If it is sold at a profit of 50%, what is its selling price? | option_a=5436 | option_b=5798 | option_c=5074 | option_d=3674 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3624 × 150/100 = █5436.

id=48350 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 13, 19, 27? | option_a=7 | option_b=13 | option_c=19 | option_d=27 | answer=D | explanation=The first three numbers increase by 6, so the next should be 25. Therefore 27 is the odd one out.

id=48351 | topic=Percentages | difficulty=Easy | question=What is 25% of 717? | option_a=358 | option_b=159 | option_c=189 | option_d=179 | answer=D | explanation=25% of 717 = (25/100) × 717 = 179.

id=48352 | topic=Averages | difficulty=Easy | question=Find the average of 45, 50, 19, 30. | option_a=37 | option_b=35 | option_c=38 | option_d=36 | answer=D | explanation=Average = sum of values ÷ number of values = 144 ÷ 4 = 36.

id=48353 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:10 and the first is 54, what is the second? | option_a=144 | option_b=80 | option_c=96 | option_d=90 | answer=D | explanation=Scale factor = 54/6 = 9. Therefore second quantity = 10×9 = 90.

id=48354 | topic=Averages | difficulty=Easy | question=Find the average of 36, 60, 99, 13. | option_a=54 | option_b=52 | option_c=53 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 208 ÷ 4 = 52.

id=48355 | topic=Percentages | difficulty=Easy | question=What is 50% of 805? | option_a=804 | option_b=422 | option_c=402 | option_d=397 | answer=C | explanation=50% of 805 = (50/100) × 805 = 402.

id=48356 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=A | option_c=S | option_d=O | answer=A | explanation=Move 4 positions forward from S; the resulting letter is W.

id=48357 | topic=Percentages | difficulty=Easy | question=What is 15% of 1371? | option_a=210 | option_b=410 | option_c=185 | option_d=205 | answer=D | explanation=15% of 1371 = (15/100) × 1371 = 205.

id=48358 | topic=Percentages | difficulty=Easy | question=What is 10% of 1740? | option_a=348 | option_b=174 | option_c=169 | option_d=194 | answer=B | explanation=10% of 1740 = (10/100) × 1740 = 174.

id=48359 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=S | option_b=I | option_c=D | option_d=N | answer=D | explanation=Move 5 positions forward from I; the resulting letter is N.

id=48360 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=B | option_b=E | option_c=D | option_d=C | answer=C | explanation=Move 1 positions forward from C; the resulting letter is D.

Aptitude Questions — Records 48,361-48,390 of 100,000

id=48361 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 31? | option_a=31 | option_b=12 | option_c=20 | option_d=4 | answer=A | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 31 is the odd one out.

id=48362 | topic=Averages | difficulty=Easy | question=Find the average of 79, 51, 79, 80, 72, 62, 69, 60, 73, 45. | option_a=67 | option_b=69 | option_c=66 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = 670 ÷ 10 = 67.

id=48363 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 32, 35, 40? | option_a=29 | option_b=35 | option_c=40 | option_d=32 | answer=C | explanation=The first three numbers increase by 3, so the next should be 38. Therefore 40 is the odd one out.

id=48364 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47848 at 4% per annum for 2 years. | option_a=51675 | option_b=3727 | option_c=3927 | option_d=3827 | answer=D | explanation=SI = PRT/100 = 47848×4×2/100 = █3827.

id=48365 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:19 and the first is 342, what is the second? | option_a=342 | option_b=703 | option_c=379 | option_d=361 | answer=D | explanation=Scale factor = 342/18 = 19. Therefore second quantity = 19×19 = 361.

id=48366 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=48367 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4658 at 5% per annum for 3 years. | option_a=798 | option_b=698 | option_c=598 | option_d=5356 | answer=B | explanation=SI = PRT/100 = 4658×5×3/100 = █698.

id=48368 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2142. If it is sold at a profit of 40%, what is its selling price? | option_a=2182 | option_b=2998 | option_c=2784 | option_d=3212 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2142 × 140/100 = █2998.

id=48369 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=40 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=48370 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 22. | option_a=66 | option_b=72 | option_c=44 | option_d=132 | answer=A | explanation=LCM × HCF = 6×22; HCF(6,22) = 2, so LCM = 66.

id=48371 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3095. If it is sold at a profit of 20%, what is its selling price? | option_a=4023 | option_b=3405 | option_c=3714 | option_d=3115 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3095 × 120/100 = █3714.

id=48372 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3301. If it is sold at a profit of 40%, what is its selling price? | option_a=4291 | option_b=3341 | option_c=4951 | option_d=4621 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3301 × 140/100 = █4621.

id=48373 | topic=Percentages | difficulty=Easy | question=What is 50% of 191? | option_a=100 | option_b=90 | option_c=190 | option_d=95 | answer=D | explanation=50% of 191 = (50/100) × 191 = 95.

id=48374 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=H | option_c=D | option_d=J | answer=B | explanation=Move 2 positions forward from F; the resulting letter is H.

id=48375 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 13, 20, 30? | option_a=6 | option_b=30 | option_c=13 | option_d=20 | answer=B | explanation=The first three numbers increase by 7, so the next should be 27. Therefore 30 is the odd one out.

id=48376 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:19 and the first is 72, what is the second? | option_a=323 | option_b=414 | option_c=346 | option_d=342 | answer=D | explanation=Scale factor = 72/4 = 18. Therefore second quantity = 19×18 = 342.

id=48377 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:15 and the first is 144, what is the second? | option_a=278 | option_b=414 | option_c=270 | option_d=255 | answer=C | explanation=Scale factor = 144/8 = 18. Therefore second quantity = 15×18 = 270.

id=48378 | topic=Percentages | difficulty=Easy | question=What is 15% of 358? | option_a=63 | option_b=106 | option_c=53 | option_d=48 | answer=C | explanation=15% of 358 = (15/100) × 358 = 53.

id=48379 | topic=Averages | difficulty=Easy | question=Find the average of 37, 65, 99, 89, 73, 61, 97, 36, 28. | option_a=64 | option_b=67 | option_c=66 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 585 ÷ 9 = 65.

id=48380 | topic=Percentages | difficulty=Easy | question=What is 15% of 1287? | option_a=188 | option_b=203 | option_c=193 | option_d=386 | answer=C | explanation=15% of 1287 = (15/100) × 1287 = 193.

id=48381 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:11 and the first is 220, what is the second? | option_a=341 | option_b=141 | option_c=110 | option_d=121 | answer=D | explanation=Scale factor = 220/20 = 11. Therefore second quantity = 11×11 = 121.

id=48382 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 18, 28, 38, ? | option_a=58 | option_b=38 | option_c=49 | option_d=48 | answer=D | explanation=The common difference is 10. Therefore the next term is 38 + 10 = 48.

id=48383 | topic=Percentages | difficulty=Easy | question=What is 15% of 273? | option_a=20 | option_b=80 | option_c=40 | option_d=50 | answer=C | explanation=15% of 273 = (15/100) × 273 = 40.

id=48384 | topic=Averages | difficulty=Easy | question=Find the average of 73, 71, 67, 56, 43. | option_a=62 | option_b=63 | option_c=64 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 310 ÷ 5 = 62.

id=48385 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=N | option_b=E | option_c=K | option_d=H | answer=C | explanation=Move 3 positions forward from H; the resulting letter is K.

id=48386 | topic=Profit & Loss | difficulty=Easy | question=An article costs █382. If it is sold at a profit of 25%, what is its selling price? | option_a=407 | option_b=477 | option_c=515 | option_d=439 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 382 × 125/100 = █477.

id=48387 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 32, 40, 50? | option_a=50 | option_b=32 | option_c=24 | option_d=40 | answer=A | explanation=The first three numbers increase by 8, so the next should be 48. Therefore 50 is the odd one out.

id=48388 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=150 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=48389 | topic=Profit & Loss | difficulty=Easy | question=An article costs █222. If it is sold at a profit of 10%, what is its selling price? | option_a=266 | option_b=222 | option_c=244 | option_d=232 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 222 × 110/100 = █244.

id=48390 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38617 at 8% per annum for 1 years. | option_a=41706 | option_b=3189 | option_c=3089 | option_d=2989 | answer=C | explanation=SI = PRT/100 = 38617×8×1/100 = █3089.

Aptitude Questions — Records 48,391-48,420 of 100,000

id=48391 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:13 and the first is 64, what is the second? | option_a=39 | option_b=52 | option_c=116 | option_d=68 | answer=B | explanation=Scale factor = $64/16 = 4$. Therefore second quantity = $13 \times 4 = 52$.

id=48392 | topic=Percentages | difficulty=Easy | question=What is 40% of 526? | option_a=230 | option_b=200 | option_c=420 | option_d=210 | answer=D | explanation= 40% of 526 = $(40/100) \times 526 = 210$.

id=48393 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:8 and the first is 132, what is the second? | option_a=88 | option_b=100 | option_c=220 | option_d=80 | answer=A | explanation=Scale factor = $132/12 = 11$. Therefore second quantity = $8 \times 11 = 88$.

id=48394 | topic=Averages | difficulty=Easy | question=Find the average of 88, 19, 15, 38, 19, 75, 68, 67, 69, 62. | option_a=53 | option_b=54 | option_c=51 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = $520 \div 10 = 52$.

id=48395 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3871. If it is sold at a profit of 20%, what is its selling price? | option_a=4258 | option_b=5032 | option_c=3891 | option_d=4645 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3871 \times 120/100 = \text{█}4645$.

id=48396 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:15 and the first is 240, what is the second? | option_a=200 | option_b=165 | option_c=180 | option_d=420 | answer=C | explanation=Scale factor = $240/20 = 12$. Therefore second quantity = $15 \times 12 = 180$.

id=48397 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=75 | option_c=70 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = $150 \div 2 = 75$ km/h.

id=48398 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:3 and the first is 51, what is the second? | option_a=102 | option_b=51 | option_c=48 | option_d=54 | answer=B | explanation=Scale factor = $51/3 = 17$. Therefore second quantity = $3 \times 17 = 51$.

id=48399 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 34? | option_a=22 | option_b=34 | option_c=13 | option_d=4 | answer=B | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 34 is the odd one out.

id=48400 | topic=Averages | difficulty=Easy | question=Find the average of 22, 41, 28, 29, 53, 46, 24, 37. | option_a=36 | option_b=35 | option_c=37 | option_d=34 | answer=B | explanation=Average = sum of values ÷ number of values = $280 \div 8 = 35$.

id=48401 | topic=Averages | difficulty=Easy | question=Find the average of 11, 54, 13, 14, 44, 100, 28, 13, 58, 95. | option_a=44 | option_b=42 | option_c=45 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = $430 \div 10 = 43$.

id=48402 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=16 | option_d=3 | answer=A | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=48403 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40714 at 6% per annum for 1 years. | option_a=2442 | option_b=2342 | option_c=43156 | option_d=2542 | answer=A | explanation=SI = $PRT/100 = 40714 \times 6 \times 1/100 = \text{█}2442$.

id=48404 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=30 | option_b=35 | option_c=25 | option_d=31 | answer=A | explanation=The common difference is 5. Therefore the next term is $25 + 5 = 30$.

id=48405 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 25, 35, 48? | option_a=48 | option_b=35 | option_c=15 | option_d=25 | answer=A | explanation=The first three numbers increase by 10, so the next should be 45. Therefore 48 is the odd one out.

id=48406 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 36? | option_a=26 | option_b=32 | option_c=36 | option_d=29 | answer=C | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 36 is the odd one out.

id=48407 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=48408 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3231. If it is sold at a profit of 10%, what is its selling price? | option_a=3877 | option_b=3554 | option_c=3231 | option_d=3241 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3231 \times 110/100 = \text{█}3554$.

id=48409 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 58? | option_a=46 | option_b=36 | option_c=58 | option_d=26 | answer=C | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 58 is the odd one out.

id=48410 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=12 | option_b=24 | option_c=17 | option_d=7 | answer=A | explanation=Speed = distance ÷ time = $120 \div 10 = 12$ km/h.

id=48411 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=D | option_b=X | option_c=G | option_d=A | answer=A | explanation=Move 3 positions forward from A; the resulting letter is D.

id=48412 | topic=Averages | difficulty=Easy | question=Find the average of 59, 37, 20, 64. | option_a=47 | option_b=44 | option_c=45 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = $180 \div 4 = 45$.

id=48413 | topic=Percentages | difficulty=Easy | question=What is 5% of 1164? | option_a=58 | option_b=78 | option_c=116 | option_d=53 | answer=A | explanation= 5% of 1164 = $(5/100) \times 1164 = 58$.

id=48414 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:1 and the first is 171, what is the second? | option_a=28 | option_b=18 | option_c=190 | option_d=19 | answer=D | explanation=Scale factor = $171/9 = 19$. Therefore second quantity = $1 \times 19 = 19$.

id=48415 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=48416 | topic=Percentages | difficulty=Easy | question=What is 5% of 1996? | option_a=198 | option_b=99 | option_c=109 | option_d=94 | answer=B | explanation= 5% of 1996 = $(5/100) \times 1996 = 99$.

id=48417 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4272. If it is sold at a profit of 5%, what is its selling price? | option_a=4277 | option_b=4058 | option_c=4485 | option_d=4912 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4272 \times 105/100 = \text{█}4485$.

id=48418 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1729. If it is sold at a profit of 40%, what is its selling price? | option_a=2248 | option_b=1769 | option_c=2420 | option_d=2592 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1729 \times 140/100 = \text{█}2420$.

id=48419 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28818 at 6% per annum for 5 years. | option_a=8645 | option_b=8745 | option_c=37463 | option_d=8545 | answer=A | explanation=SI = $PRT/100 = 28818 \times 6 \times 5/100 = \text{█}8645$.

id=48420 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13965 at 10% per annum for 1 years. | option_a=1296 | option_b=1496 | option_c=1396 | option_d=15361 | answer=C | explanation=SI = $PRT/100 = 13965 \times 10 \times 1/100 = \text{█}1396$.

Aptitude Questions — Records 48,421-48,450 of 100,000

id=48421 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:11 and the first is 10, what is the second? | option_a=44 | option_b=65 | option_c=55 | option_d=57 | answer=C | explanation=Scale factor = 10/2 = 5. Therefore second quantity = 11×5 = 55.

id=48422 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=80 | option_c=75 | option_d=160 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=48423 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 10. | option_a=30 | option_b=20 | option_c=60 | option_d=300 | answer=A | explanation=LCM × HCF = 30×10; HCF(30,10) = 10, so LCM = 30.

id=48424 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 12. | option_a=312 | option_b=156 | option_c=144 | option_d=182 | answer=B | explanation=LCM × HCF = 26×12; HCF(26,12) = 2, so LCM = 156.

id=48425 | topic=Percentages | difficulty=Easy | question=What is 20% of 1202? | option_a=480 | option_b=230 | option_c=240 | option_d=245 | answer=C | explanation=20% of 1202 = (20/100) × 1202 = 240.

id=48426 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=10 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=48427 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2461. If it is sold at a profit of 50%, what is its selling price? | option_a=2511 | option_b=3445 | option_c=3937 | option_d=3691 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2461 × 150/100 = █3691.

id=48428 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3513. If it is sold at a profit of 15%, what is its selling price? | option_a=3528 | option_b=3688 | option_c=4039 | option_d=4390 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3513 × 115/100 = █4039.

id=48429 | topic=Averages | difficulty=Easy | question=Find the average of 60, 10, 50. | option_a=39 | option_b=40 | option_c=41 | option_d=42 | answer=B | explanation=Average = sum of values + number of values = 120 ÷ 3 = 40.

id=48430 | topic=Averages | difficulty=Easy | question=Find the average of 29, 47, 81, 95. | option_a=65 | option_b=63 | option_c=64 | option_d=62 | answer=B | explanation=Average = sum of values + number of values = 252 ÷ 4 = 63.

id=48431 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 21, 28, 37? | option_a=28 | option_b=21 | option_c=37 | option_d=14 | answer=C | explanation=The first three numbers increase by 7, so the next should be 35. Therefore 37 is the odd one out.

id=48432 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=W | option_b=T | option_c=Q | option_d=N | answer=B | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=48433 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2854. If it is sold at a profit of 30%, what is its selling price? | option_a=3995 | option_b=2884 | option_c=3710 | option_d=3425 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2854 × 130/100 = █3710.

id=48434 | topic=Percentages | difficulty=Easy | question=What is 15% of 1117? | option_a=167 | option_b=172 | option_c=334 | option_d=162 | answer=A | explanation=15% of 1117 = (15/100) × 1117 = 167.

id=48435 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=67 | option_c=144 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=48436 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:16 and the first is 108, what is the second? | option_a=252 | option_b=144 | option_c=128 | option_d=156 | answer=B | explanation=Scale factor = 108/12 = 9. Therefore second quantity = 16×9 = 144.

id=48437 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38588 at 8% per annum for 3 years. | option_a=9261 | option_b=9161 | option_c=47849 | option_d=9361 | answer=A | explanation=SI = PRT/100 = 38588×8×3/100 = █9261.

id=48438 | topic=Averages | difficulty=Easy | question=Find the average of 15, 82, 67, 37, 89, 16. | option_a=50 | option_b=52 | option_c=51 | option_d=53 | answer=C | explanation=Average = sum of values + number of values = 306 ÷ 6 = 51.

id=48439 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:13 and the first is 40, what is the second? | option_a=262 | option_b=300 | option_c=260 | option_d=247 | answer=C | explanation=Scale factor = 40/2 = 20. Therefore second quantity = 13×20 = 260.

id=48440 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=57 | option_b=56 | option_c=68 | option_d=44 | answer=B | explanation=The common difference is 12. Therefore the next term is 44 + 12 = 56.

id=48441 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=50 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=48442 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=Q | option_c=O | option_d=M | answer=B | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=48443 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=A | option_c=D | option_d=C | answer=D | explanation=Move 1 positions forward from B; the resulting letter is C.

id=48444 | topic=Percentages | difficulty=Easy | question=What is 30% of 292? | option_a=174 | option_b=107 | option_c=87 | option_d=67 | answer=C | explanation=30% of 292 = (30/100) × 292 = 87.

id=48445 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49095 at 4% per annum for 2 years. | option_a=3927 | option_b=3827 | option_c=4027 | option_d=53022 | answer=A | explanation=SI = PRT/100 = 49095×4×2/100 = █3927.

id=48446 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47464 at 4% per annum for 4 years. | option_a=7694 | option_b=7494 | option_c=7594 | option_d=55058 | answer=C | explanation=SI = PRT/100 = 47464×4×4/100 = █7594.

id=48447 | topic=Averages | difficulty=Easy | question=Find the average of 80, 24, 81, 23, 83, 27. | option_a=52 | option_b=53 | option_c=55 | option_d=54 | answer=B | explanation=Average = sum of values + number of values = 318 ÷ 6 = 53.

id=48448 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=48449 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 30. | option_a=36 | option_b=1 | option_c=180 | option_d=30 | answer=D | explanation=LCM × HCF = 6×30; HCF(6,30) = 6, so LCM = 30.

id=48450 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 20, 22, 27? | option_a=22 | option_b=20 | option_c=27 | option_d=18 | answer=C | explanation=The first three numbers increase by 2, so the next should be 24. Therefore 27 is the odd one out.

Aptitude Questions — Records 48,451-48,480 of 100,000

id=48451 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1509. If it is sold at a profit of 30%, what is its selling price? | option_a=2111 | option_b=1539 | option_c=1961 | option_d=1811 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1509 × 130/100 = █1961.

id=48452 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 105, what is the second? | option_a=126 | option_b=36 | option_c=18 | option_d=21 | answer=D | explanation=Scale factor = 105/15 = 7. Therefore second quantity = 3×7 = 21.

id=48453 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:3 and the first is 10, what is the second? | option_a=11 | option_b=16 | option_c=6 | option_d=3 | answer=C | explanation=Scale factor = 10/5 = 2. Therefore second quantity = 3×2 = 6.

id=48454 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 25. | option_a=75 | option_b=50 | option_c=90 | option_d=375 | answer=A | explanation=LCM × HCF = 15×25; HCF(15,25) = 5, so LCM = 75.

id=48455 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 34? | option_a=22 | option_b=13 | option_c=4 | option_d=34 | answer=D | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 34 is the odd one out.

id=48456 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27196 at 5% per annum for 4 years. | option_a=5339 | option_b=32635 | option_c=5539 | option_d=5439 | answer=D | explanation=SI = PRT/100 = 27196×5×4/100 = █5439.

id=48457 | topic=Profit & Loss | difficulty=Easy | question=An article costs █843. If it is sold at a profit of 30%, what is its selling price? | option_a=1095 | option_b=1011 | option_c=873 | option_d=1179 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 843 × 130/100 = █1095.

id=48458 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:20 and the first is 40, what is the second? | option_a=165 | option_b=160 | option_c=140 | option_d=200 | answer=B | explanation=Scale factor = 40/5 = 8. Therefore second quantity = 20×8 = 160.

id=48459 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:4 and the first is 6, what is the second? | option_a=4 | option_b=14 | option_c=11 | option_d=8 | answer=D | explanation=Scale factor = 6/3 = 2. Therefore second quantity = 4×2 = 8.

id=48460 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:16 and the first is 38, what is the second? | option_a=70 | option_b=16 | option_c=32 | option_d=51 | answer=C | explanation=Scale factor = 38/19 = 2. Therefore second quantity = 16×2 = 32.

id=48461 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3155. If it is sold at a profit of 5%, what is its selling price? | option_a=3627 | option_b=3312 | option_c=3160 | option_d=2997 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3155 × 105/100 = █3312.

id=48462 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=12 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=48463 | topic=Profit & Loss | difficulty=Easy | question=An article costs █922. If it is sold at a profit of 20%, what is its selling price? | option_a=1106 | option_b=1014 | option_c=942 | option_d=1198 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 922 × 120/100 = █1106.

id=48464 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2439. If it is sold at a profit of 50%, what is its selling price? | option_a=3901 | option_b=2489 | option_c=3658 | option_d=3415 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2439 × 150/100 = █3658.

id=48465 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:1 and the first is 221, what is the second? | option_a=13 | option_b=234 | option_c=30 | option_d=12 | answer=A | explanation=Scale factor = 221/17 = 13. Therefore second quantity = 1×13 = 13.

id=48466 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 35? | option_a=19 | option_b=26 | option_c=35 | option_d=12 | answer=C | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 35 is the odd one out.

id=48467 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=48468 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=19 | option_b=21 | option_c=22 | option_d=23 | answer=B | explanation=The common difference is 2. Therefore the next term is 19 + 2 = 21.

id=48469 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 12. | option_a=60 | option_b=90 | option_c=48 | option_d=360 | answer=A | explanation=LCM × HCF = 30×12; HCF(30,12) = 6, so LCM = 60.

id=48470 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=30 | option_b=33 | option_c=31 | option_d=27 | answer=A | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.

id=48471 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 58? | option_a=47 | option_b=58 | option_c=37 | option_d=27 | answer=B | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 58 is the odd one out.

id=48472 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=48473 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 16. | option_a=64 | option_b=1 | option_c=16 | option_d=20 | answer=C | explanation=LCM × HCF = 4×16; HCF(4,16) = 4, so LCM = 16.

id=48474 | topic=Averages | difficulty=Easy | question=Find the average of 35, 86, 38. | option_a=55 | option_b=54 | option_c=52 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 159 ÷ 3 = 53.

id=48475 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:14 and the first is 306, what is the second? | option_a=224 | option_b=238 | option_c=544 | option_d=256 | answer=B | explanation=Scale factor = 306/18 = 17. Therefore second quantity = 14×17 = 238.

id=48476 | topic=Percentages | difficulty=Easy | question=What is 40% of 412? | option_a=154 | option_b=164 | option_c=169 | option_d=328 | answer=B | explanation=40% of 412 = (40/100) × 412 = 164.

id=48477 | topic=Averages | difficulty=Easy | question=Find the average of 18, 47, 15, 87, 62, 33, 46, 14, 38. | option_a=39 | option_b=41 | option_c=42 | option_d=40 | answer=D | explanation=Average = sum of values ÷ number of values = 360 ÷ 9 = 40.

id=48478 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 11. | option_a=11 | option_b=44 | option_c=242 | option_d=22 | answer=D | explanation=LCM × HCF = 22×11; HCF(22,11) = 11, so LCM = 22.

id=48479 | topic=Averages | difficulty=Easy | question=Find the average of 20, 70, 20, 72, 68. | option_a=52 | option_b=49 | option_c=50 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 250 ÷ 5 = 50.

id=48480 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=J | option_b=K | option_c=I | option_d=H | answer=A | explanation=Move 1 positions forward from I; the resulting letter is J.

Aptitude Questions — Records 48,481-48,510 of 100,000

id=48481 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43659 at 15% per annum for 4 years. | option_a=26295 | option_b=26195 | option_c=69854 | option_d=26095 | answer=B | explanation=SI = PRT/100 = 43659×15×4/100 = **■**26195.

id=48482 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34607 at 8% per annum for 4 years. | option_a=11174 | option_b=11074 | option_c=45681 | option_d=10974 | answer=B | explanation=SI = PRT/100 = 34607×8×4/100 = **■**11074.

id=48483 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:8 and the first is 160, what is the second? | option_a=56 | option_b=64 | option_c=224 | option_d=84 | answer=B | explanation=Scale factor = 160/20 = 8. Therefore second quantity = 8×8 = 64.

id=48484 | topic=Percentages | difficulty=Easy | question=What is 20% of 1309? | option_a=522 | option_b=251 | option_c=261 | option_d=266 | answer=C | explanation=20% of 1309 = (20/100) × 1309 = 261.

id=48485 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=67 | option_b=57 | option_c=45 | option_d=56 | answer=D | explanation=The common difference is 11. Therefore the next term is 45 + 11 = 56.

id=48486 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=48487 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=95 | option_c=100 | option_d=105 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=48488 | topic=Averages | difficulty=Easy | question=Find the average of 82, 26, 48, 68, 54, 64. | option_a=56 | option_b=58 | option_c=59 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 342 ÷ 6 = 57.

id=48489 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 22, 31, 43? | option_a=31 | option_b=43 | option_c=22 | option_d=13 | answer=B | explanation=The first three numbers increase by 9, so the next should be 40. Therefore 43 is the odd one out.

id=48490 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:1 and the first is 270, what is the second? | option_a=15 | option_b=14 | option_c=33 | option_d=285 | answer=A | explanation=Scale factor = 270/18 = 15. Therefore second quantity = 1×15 = 15.

id=48491 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=N | option_c=L | option_d=R | answer=A | explanation=Move 2 positions forward from N; the resulting letter is P.

id=48492 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=11 | option_b=13 | option_c=15 | option_d=14 | answer=B | explanation=The common difference is 2. Therefore the next term is 11 + 2 = 13.

id=48493 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=17 | option_b=19 | option_c=15 | option_d=18 | answer=A | explanation=The common difference is 2. Therefore the next term is 15 + 2 = 17.

id=48494 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 21. | option_a=72 | option_b=189 | option_c=63 | option_d=42 | answer=C | explanation=LCM × HCF = 9×21; HCF(9,21) = 3, so LCM = 63.

id=48495 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=48496 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=48497 | topic=Averages | difficulty=Easy | question=Find the average of 39, 59, 33, 63, 94, 99, 68. | option_a=65 | option_b=67 | option_c=64 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 455 ÷ 7 = 65.

id=48498 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:10 and the first is 56, what is the second? | option_a=126 | option_b=70 | option_c=78 | option_d=60 | answer=B | explanation=Scale factor = 56/8 = 7. Therefore second quantity = 10×7 = 70.

id=48499 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:5 and the first is 220, what is the second? | option_a=75 | option_b=275 | option_c=55 | option_d=50 | answer=C | explanation=Scale factor = 220/20 = 11. Therefore second quantity = 5×11 = 55.

id=48500 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7841 at 4% per annum for 4 years. | option_a=1354 | option_b=9095 | option_c=1154 | option_d=1254 | answer=D | explanation=SI = PRT/100 = 7841×4×4/100 = **■**1254.

id=48501 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:13 and the first is 28, what is the second? | option_a=169 | option_b=182 | option_c=184 | option_d=210 | answer=B | explanation=Scale factor = 28/2 = 14. Therefore second quantity = 13×14 = 182.

id=48502 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:8 and the first is 33, what is the second? | option_a=35 | option_b=57 | option_c=16 | option_d=24 | answer=D | explanation=Scale factor = 33/11 = 3. Therefore second quantity = 8×3 = 24.

id=48503 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2294. If it is sold at a profit of 40%, what is its selling price? | option_a=3211 | option_b=2334 | option_c=3440 | option_d=2982 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2294 × 140/100 = **■**3211.

id=48504 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=48505 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16758 at 15% per annum for 4 years. | option_a=26812 | option_b=10154 | option_c=9954 | option_d=10054 | answer=D | explanation=SI = PRT/100 = 16758×15×4/100 = **■**10054.

id=48506 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49275 at 12% per annum for 2 years. | option_a=11826 | option_b=11726 | option_c=11926 | option_d=61101 | answer=A | explanation=SI = PRT/100 = 49275×12×2/100 = **■**11826.

id=48507 | topic=Percentages | difficulty=Easy | question=What is 12% of 1900? | option_a=228 | option_b=238 | option_c=218 | option_d=456 | answer=A | explanation=12% of 1900 = (12/100) × 1900 = 228.

id=48508 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41825 at 8% per annum for 4 years. | option_a=55209 | option_b=13484 | option_c=13284 | option_d=13384 | answer=D | explanation=SI = PRT/100 = 41825×8×4/100 = **■**13384.

id=48509 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=100 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=48510 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2385. If it is sold at a profit of 25%, what is its selling price? | option_a=3219 | option_b=2981 | option_c=2743 | option_d=2410 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2385 × 125/100 = **■**2981.

Aptitude Questions — Records 48,511-48,540 of 100,000

id=48511 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■269. If it is sold at a profit of 5%, what is its selling price? | option_a=308 | option_b=256 | option_c=282 | option_d=274 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 269 × 105/100 = ■282.

id=48512 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=47 | option_b=48 | option_c=40 | option_d=54 | answer=A | explanation=The common difference is 7. Therefore the next term is 40 + 7 = 47.

id=48513 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:5 and the first is 256, what is the second? | option_a=336 | option_b=80 | option_c=75 | option_d=96 | answer=B | explanation=Scale factor = 256/16 = 16. Therefore second quantity = 5×16 = 80.

id=48514 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=23 | option_d=36 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=48515 | topic=Percentages | difficulty=Easy | question=What is 50% of 124? | option_a=57 | option_b=72 | option_c=62 | option_d=124 | answer=C | explanation=50% of 124 = (50/100) × 124 = 62.

id=48516 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■16363 at 12% per annum for 5 years. | option_a=9917 | option_b=9817 | option_c=26180 | option_d=9717 | answer=B | explanation=SI = PRT/100 = 16363×12×5/100 = ■9817.

id=48517 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4051. If it is sold at a profit of 30%, what is its selling price? | option_a=4861 | option_b=4081 | option_c=5266 | option_d=5671 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4051 × 130/100 = ■5266.

id=48518 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 14, 18, 25? | option_a=10 | option_b=18 | option_c=14 | option_d=25 | answer=D | explanation=The first three numbers increase by 4, so the next should be 22. Therefore 25 is the odd one out.

id=48519 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=X | option_b=T | option_c=B | option_d=P | answer=A | explanation=Move 4 positions forward from T; the resulting letter is X.

id=48520 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=42 | option_b=33 | option_c=51 | option_d=43 | answer=A | explanation=The common difference is 9. Therefore the next term is 33 + 9 = 42.

id=48521 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=48522 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3552. If it is sold at a profit of 30%, what is its selling price? | option_a=4262 | option_b=4972 | option_c=4617 | option_d=3582 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3552 × 130/100 = ■4617.

id=48523 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 13, 17, 21, ? | option_a=25 | option_b=26 | option_c=21 | option_d=29 | answer=A | explanation=The common difference is 4. Therefore the next term is 21 + 4 = 25.

id=48524 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4194. If it is sold at a profit of 20%, what is its selling price? | option_a=4613 | option_b=5451 | option_c=4214 | option_d=5032 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4194 × 120/100 = ■5032.

id=48525 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■32358 at 12% per annum for 2 years. | option_a=7765 | option_b=7665 | option_c=7865 | option_d=40123 | answer=A | explanation=SI = PRT/100 = 32358×12×2/100 = ■7765.

id=48526 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■49188 at 12% per annum for 5 years. | option_a=29512 | option_b=78700 | option_c=29412 | option_d=29612 | answer=A | explanation=SI = PRT/100 = 49188×12×5/100 = ■29512.

id=48527 | topic=Percentages | difficulty=Easy | question=What is 5% of 1073? | option_a=33 | option_b=73 | option_c=53 | option_d=106 | answer=C | explanation=5% of 1073 = (5/100) × 1073 = 53.

id=48528 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=Z | option_c=H | option_d=L | answer=C | explanation=Move 4 positions forward from D; the resulting letter is H.

id=48529 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 12, 21, 33? | option_a=33 | option_b=12 | option_c=21 | option_d=3 | answer=A | explanation=The first three numbers increase by 9, so the next should be 30. Therefore 33 is the odd one out.

id=48530 | topic=Percentages | difficulty=Easy | question=What is 5% of 664? | option_a=53 | option_b=28 | option_c=33 | option_d=66 | answer=C | explanation=5% of 664 = (5/100) × 664 = 33.

id=48531 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=27 | option_b=33 | option_c=39 | option_d=34 | answer=B | explanation=The common difference is 6. Therefore the next term is 27 + 6 = 33.

id=48532 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=D | option_c=P | option_d=H | answer=A | explanation=Move 4 positions forward from H; the resulting letter is L.

id=48533 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:12 and the first is 192, what is the second? | option_a=204 | option_b=192 | option_c=180 | option_d=384 | answer=B | explanation=Scale factor = 192/12 = 16. Therefore second quantity = 12×16 = 192.

id=48534 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4287. If it is sold at a profit of 40%, what is its selling price? | option_a=6429 | option_b=4327 | option_c=5573 | option_d=6001 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4287 × 140/100 = ■6001.

id=48535 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=95 | option_c=100 | option_d=200 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=48536 | topic=Percentages | difficulty=Easy | question=What is 50% of 1108? | option_a=574 | option_b=549 | option_c=554 | option_d=1108 | answer=C | explanation=50% of 1108 = (50/100) × 1108 = 554.

id=48537 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■3752 at 12% per annum for 5 years. | option_a=2151 | option_b=6003 | option_c=2351 | option_d=2251 | answer=D | explanation=SI = PRT/100 = 3752×12×5/100 = ■2251.

id=48538 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=48539 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 15, 22, 29, ? | option_a=36 | option_b=37 | option_c=43 | option_d=29 | answer=A | explanation=The common difference is 7. Therefore the next term is 29 + 7 = 36.

id=48540 | topic=Averages | difficulty=Easy | question=Find the average of 80, 49, 58, 17, 29, 46, 60, 98, 96, 47. | option_a=59 | option_b=57 | option_c=58 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 580 ÷ 10 = 58.

Aptitude Questions — Records 48,541-48,570 of 100,000

id=48541 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:12 and the first is 26, what is the second? | option_a=182 | option_b=156 | option_c=144 | option_d=158 | answer=B | explanation=Scale factor = 26/2 = 13. Therefore second quantity = 12×13 = 156.

id=48542 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=19 | option_b=15 | option_c=23 | option_d=20 | answer=A | explanation=The common difference is 4. Therefore the next term is 15 + 4 = 19.

id=48543 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:11 and the first is 288, what is the second? | option_a=486 | option_b=198 | option_c=214 | option_d=187 | answer=B | explanation=Scale factor = 288/16 = 18. Therefore second quantity = 11×18 = 198.

id=48544 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 12? | option_a=4 | option_b=8 | option_c=12 | option_d=6 | answer=C | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 12 is the odd one out.

id=48545 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=21 | option_b=15 | option_c=19 | option_d=18 | answer=D | explanation=The common difference is 3. Therefore the next term is 15 + 3 = 18.

id=48546 | topic=Averages | difficulty=Easy | question=Find the average of 61, 90, 56, 49, 89. | option_a=69 | option_b=70 | option_c=68 | option_d=71 | answer=A | explanation=Average = sum of values ÷ number of values = 345 ÷ 5 = 69.

id=48547 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=12 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=48548 | topic=Percentages | difficulty=Easy | question=What is 40% of 965? | option_a=366 | option_b=391 | option_c=386 | option_d=772 | answer=C | explanation=40% of 965 = (40/100) × 965 = 386.

id=48549 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 16, 19, 25? | option_a=13 | option_b=19 | option_c=16 | option_d=25 | answer=D | explanation=The first three numbers increase by 3, so the next should be 22. Therefore 25 is the odd one out.

id=48550 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44398 at 6% per annum for 3 years. | option_a=7891 | option_b=8091 | option_c=52389 | option_d=7991 | answer=D | explanation=SI = PRT/100 = 44398×6×3/100 = **■**7991.

id=48551 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=48552 | topic=Percentages | difficulty=Easy | question=What is 30% of 1541? | option_a=482 | option_b=457 | option_c=462 | option_d=924 | answer=C | explanation=30% of 1541 = (30/100) × 1541 = 462.

id=48553 | topic=Averages | difficulty=Easy | question=Find the average of 36, 27, 48, 70, 74, 88, 42. | option_a=57 | option_b=55 | option_c=56 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 385 ÷ 7 = 55.

id=48554 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 13. | option_a=52 | option_b=26 | option_c=13 | option_d=338 | answer=B | explanation=LCM × HCF = 26×13; HCF(26,13) = 13, so LCM = 26.

id=48555 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:5 and the first is 78, what is the second? | option_a=60 | option_b=143 | option_c=71 | option_d=65 | answer=D | explanation=Scale factor = 78/6 = 13. Therefore second quantity = 5×13 = 65.

id=48556 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4311. If it is sold at a profit of 15%, what is its selling price? | option_a=4526 | option_b=4326 | option_c=4957 | option_d=5388 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4311 × 115/100 = **■**4957.

id=48557 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**384. If it is sold at a profit of 10%, what is its selling price? | option_a=460 | option_b=422 | option_c=384 | option_d=394 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 384 × 110/100 = **■**422.

id=48558 | topic=Averages | difficulty=Easy | question=Find the average of 40, 16, 79, 95, 45, 43. | option_a=55 | option_b=53 | option_c=54 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 318 ÷ 6 = 53.

id=48559 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13774 at 5% per annum for 1 years. | option_a=588 | option_b=14462 | option_c=788 | option_d=688 | answer=D | explanation=SI = PRT/100 = 13774×5×1/100 = **■**688.

id=48560 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 27? | option_a=11 | option_b=27 | option_c=4 | option_d=18 | answer=B | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 27 is the odd one out.

id=48561 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 16, 25, 37? | option_a=7 | option_b=37 | option_c=25 | option_d=16 | answer=B | explanation=The first three numbers increase by 9, so the next should be 34. Therefore 37 is the odd one out.

id=48562 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=19 | option_b=23 | option_c=15 | option_d=20 | answer=A | explanation=The common difference is 4. Therefore the next term is 15 + 4 = 19.

id=48563 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=C | option_c=I | option_d=G | answer=D | explanation=Move 2 positions forward from E; the resulting letter is G.

id=48564 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=48565 | topic=Percentages | difficulty=Easy | question=What is 40% of 72? | option_a=56 | option_b=38 | option_c=8 | option_d=28 | answer=D | explanation=40% of 72 = (40/100) × 72 = 28.

id=48566 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41490 at 12% per annum for 1 years. | option_a=4878 | option_b=46468 | option_c=5078 | option_d=4978 | answer=D | explanation=SI = PRT/100 = 41490×12×1/100 = **■**4978.

id=48567 | topic=Percentages | difficulty=Easy | question=What is 40% of 672? | option_a=273 | option_b=258 | option_c=536 | option_d=268 | answer=D | explanation=40% of 672 = (40/100) × 672 = 268.

id=48568 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 12. | option_a=135 | option_b=108 | option_c=324 | option_d=96 | answer=B | explanation=LCM × HCF = 27×12; HCF(27,12) = 3, so LCM = 108.

id=48569 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4368. If it is sold at a profit of 5%, what is its selling price? | option_a=4586 | option_b=5022 | option_c=4373 | option_d=4150 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4368 × 105/100 = **■**4586.

id=48570 | topic=Percentages | difficulty=Easy | question=What is 40% of 995? | option_a=388 | option_b=796 | option_c=418 | option_d=398 | answer=D | explanation=40% of 995 = (40/100) × 995 = 398.

Aptitude Questions — Records 48,571-48,600 of 100,000

id=48571 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 32, 39, 48? | option_a=25 | option_b=39 | option_c=32 | option_d=48 | answer=D | explanation=The first three numbers increase by 7, so the next should be 46. Therefore 48 is the odd one out.

id=48572 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=48573 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11418 at 10% per annum for 2 years. | option_a=2183 | option_b=2283 | option_c=2383 | option_d=13701 | answer=B | explanation=SI = PRT/100 = 11418×10×2/100 = **■**2283.

id=48574 | topic=Percentages | difficulty=Easy | question=What is 25% of 321? | option_a=75 | option_b=100 | option_c=80 | option_d=160 | answer=C | explanation=25% of 321 = (25/100) × 321 = 80.

id=48575 | topic=Averages | difficulty=Easy | question=Find the average of 37, 98, 95, 34, 56, 35, 51. | option_a=59 | option_b=60 | option_c=58 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 406 ÷ 7 = 58.

id=48576 | topic=Percentages | difficulty=Easy | question=What is 5% of 924? | option_a=92 | option_b=26 | option_c=46 | option_d=66 | answer=C | explanation=5% of 924 = (5/100) × 924 = 46.

id=48577 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1119. If it is sold at a profit of 10%, what is its selling price? | option_a=1129 | option_b=1341 | option_c=1230 | option_d=1119 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1119 × 110/100 = **■**1230.

id=48578 | topic=Averages | difficulty=Easy | question=Find the average of 95, 97, 54, 26. | option_a=69 | option_b=70 | option_c=67 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = 272 ÷ 4 = 68.

id=48579 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=48580 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:6 and the first is 18, what is the second? | option_a=12 | option_b=24 | option_c=36 | option_d=18 | answer=D | explanation=Scale factor = 18/6 = 3. Therefore second quantity = 6×3 = 18.

id=48581 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=J | option_b=K | option_c=M | option_d=L | answer=D | explanation=Move 1 positions forward from K; the resulting letter is L.

id=48582 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=48583 | topic=Percentages | difficulty=Easy | question=What is 40% of 878? | option_a=351 | option_b=346 | option_c=371 | option_d=702 | answer=A | explanation=40% of 878 = (40/100) × 878 = 351.

id=48584 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:6 and the first is 304, what is the second? | option_a=130 | option_b=418 | option_c=108 | option_d=114 | answer=D | explanation=Scale factor = 304/16 = 19. Therefore second quantity = 6×19 = 114.

id=48585 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=85 | option_d=160 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=48586 | topic=Averages | difficulty=Easy | question=Find the average of 59, 82, 24. | option_a=56 | option_b=55 | option_c=54 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 165 ÷ 3 = 55.

id=48587 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:4 and the first is 180, what is the second? | option_a=260 | option_b=89 | option_c=76 | option_d=80 | answer=D | explanation=Scale factor = 180/9 = 20. Therefore second quantity = 4×20 = 80.

id=48588 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 11, 14, 20? | option_a=8 | option_b=20 | option_c=14 | option_d=11 | answer=B | explanation=The first three numbers increase by 3, so the next should be 17. Therefore 20 is the odd one out.

id=48589 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 32? | option_a=13 | option_b=32 | option_c=4 | option_d=22 | answer=B | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 32 is the odd one out.

id=48590 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 15. | option_a=75 | option_b=60 | option_c=100 | option_d=375 | answer=A | explanation=LCM × HCF = 25×15; HCF(25,15) = 5, so LCM = 75.

id=48591 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=48592 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 8, 10, 14? | option_a=14 | option_b=6 | option_c=8 | option_d=10 | answer=A | explanation=The first three numbers increase by 2, so the next should be 12. Therefore 14 is the odd one out.

id=48593 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18910 at 10% per annum for 5 years. | option_a=9455 | option_b=9555 | option_c=28365 | option_d=9355 | answer=A | explanation=SI = PRT/100 = 18910×10×5/100 = **■**9455.

id=48594 | topic=Averages | difficulty=Easy | question=Find the average of 33, 61, 16, 18, 41, 89, 49, 12, 26, 25. | option_a=36 | option_b=38 | option_c=37 | option_d=39 | answer=C | explanation=Average = sum of values ÷ number of values = 370 ÷ 10 = 37.

id=48595 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=X | option_b=T | option_c=R | option_d=V | answer=D | explanation=Move 2 positions forward from T; the resulting letter is V.

id=48596 | topic=Percentages | difficulty=Easy | question=What is 5% of 1177? | option_a=48 | option_b=116 | option_c=58 | option_d=68 | answer=C | explanation=5% of 1177 = (5/100) × 1177 = 58.

id=48597 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=48598 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3392 at 5% per annum for 1 years. | option_a=269 | option_b=169 | option_c=69 | option_d=3561 | answer=B | explanation=SI = PRT/100 = 3392×5×1/100 = **■**169.

id=48599 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 22? | option_a=22 | option_b=15 | option_c=19 | option_d=17 | answer=A | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 22 is the odd one out.

id=48600 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=4 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

Aptitude Questions — Records 48,601-48,630 of 100,000

id=48601 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=48602 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=20 | option_c=25 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=48603 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 13, 18, 24? | option_a=13 | option_b=24 | option_c=18 | option_d=8 | answer=B | explanation=The first three numbers increase by 5, so the next should be 23. Therefore 24 is the odd one out.

id=48604 | topic=Percentages | difficulty=Easy | question=What is 40% of 1712? | option_a=694 | option_b=1368 | option_c=684 | option_d=674 | answer=C | explanation=40% of 1712 = (40/100) × 1712 = 684.

id=48605 | topic=Percentages | difficulty=Easy | question=What is 40% of 1541? | option_a=1232 | option_b=616 | option_c=606 | option_d=626 | answer=B | explanation=40% of 1541 = (40/100) × 1541 = 616.

id=48606 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 21. | option_a=126 | option_b=21 | option_c=42 | option_d=48 | answer=C | explanation=LCM × HCF = 6×21; HCF(6,21) = 3, so LCM = 42.

id=48607 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 30. | option_a=120 | option_b=240 | option_c=90 | option_d=128 | answer=A | explanation=LCM × HCF = 8×30; HCF(8,30) = 2, so LCM = 120.

id=48608 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=G | option_c=C | option_d=A | answer=A | explanation=Move 2 positions forward from C; the resulting letter is E.

id=48609 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15183 at 4% per annum for 5 years. | option_a=3136 | option_b=3036 | option_c=2936 | option_d=18219 | answer=B | explanation=SI = PRT/100 = 15183×4×5/100 = **■**3036.

id=48610 | topic=Percentages | difficulty=Easy | question=What is 15% of 1257? | option_a=208 | option_b=376 | option_c=178 | option_d=188 | answer=D | explanation=15% of 1257 = (15/100) × 1257 = 188.

id=48611 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=F | option_b=L | option_c=I | option_d=O | answer=B | explanation=Move 3 positions forward from I; the resulting letter is L.

id=48612 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:14 and the first is 289, what is the second? | option_a=255 | option_b=238 | option_c=224 | option_d=527 | answer=B | explanation=Scale factor = 289/17 = 17. Therefore second quantity = 14×17 = 238.

id=48613 | topic=Percentages | difficulty=Easy | question=What is 50% of 723? | option_a=371 | option_b=722 | option_c=361 | option_d=356 | answer=C | explanation=50% of 723 = (50/100) × 723 = 361.

id=48614 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=O | option_b=E | option_c=T | option_d=J | answer=A | explanation=Move 5 positions forward from J; the resulting letter is O.

id=48615 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21430 at 15% per annum for 3 years. | option_a=31073 | option_b=9543 | option_c=9643 | option_d=9743 | answer=C | explanation=SI = PRT/100 = 21430×15×3/100 = **■**9643.

id=48616 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33943 at 5% per annum for 3 years. | option_a=5091 | option_b=5191 | option_c=4991 | option_d=39034 | answer=A | explanation=SI = PRT/100 = 33943×5×3/100 = **■**5091.

id=48617 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14388 at 10% per annum for 5 years. | option_a=21582 | option_b=7194 | option_c=7294 | option_d=7094 | answer=B | explanation=SI = PRT/100 = 14388×10×5/100 = **■**7194.

id=48618 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=F | option_b=L | option_c=O | option_d=I | answer=B | explanation=Move 3 positions forward from I; the resulting letter is L.

id=48619 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 7, 12, 18? | option_a=2 | option_b=12 | option_c=7 | option_d=18 | answer=D | explanation=The first three numbers increase by 5, so the next should be 17. Therefore 18 is the odd one out.

id=48620 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=H | option_c=J | option_d=L | answer=D | explanation=Move 2 positions forward from J; the resulting letter is L.

id=48621 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=150 | option_c=80 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=48622 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 8. | option_a=8 | option_b=10 | option_c=1 | option_d=16 | answer=A | explanation=LCM × HCF = 2×8; HCF(2,8) = 2, so LCM = 8.

id=48623 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=Y | option_b=H | option_c=E | option_d=B | answer=C | explanation=Move 3 positions forward from B; the resulting letter is E.

id=48624 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=C | option_b=G | option_c=O | option_d=K | answer=D | explanation=Move 4 positions forward from G; the resulting letter is K.

id=48625 | topic=Averages | difficulty=Easy | question=Find the average of 44, 50, 72, 80, 65, 43, 46, 70, 21, 79. | option_a=56 | option_b=58 | option_c=57 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.

id=48626 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3958. If it is sold at a profit of 30%, what is its selling price? | option_a=3988 | option_b=5145 | option_c=5540 | option_d=4750 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3958 × 130/100 = **■**5145.

id=48627 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1227 at 5% per annum for 4 years. | option_a=245 | option_b=345 | option_c=145 | option_d=1472 | answer=A | explanation=SI = PRT/100 = 1227×5×4/100 = **■**245.

id=48628 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=C | option_c=O | option_d=G | answer=A | explanation=Move 4 positions forward from G; the resulting letter is K.

id=48629 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:7 and the first is 133, what is the second? | option_a=126 | option_b=140 | option_c=133 | option_d=266 | answer=C | explanation=Scale factor = 133/7 = 19. Therefore second quantity = 7×19 = 133.

id=48630 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34509 at 6% per annum for 2 years. | option_a=4241 | option_b=4141 | option_c=38650 | option_d=4041 | answer=B | explanation=SI = PRT/100 = 34509×6×2/100 = **■**4141.

Aptitude Questions — Records 48,631-48,660 of 100,000

id=48631 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=L | option_b=W | option_c=B | option_d=G | answer=D | explanation=Move 5 positions forward from B; the resulting letter is G.

id=48632 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19541 at 4% per annum for 3 years. | option_a=21885 | option_b=2444 | option_c=2344 | option_d=2244 | answer=C | explanation=SI = $PRT/100 = 19541 \times 4 \times 3/100 = \text{■}2344$.

id=48633 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 26. | option_a=156 | option_b=196 | option_c=364 | option_d=182 | answer=D | explanation= $LCM \times HCF = 14 \times 26$; $HCF(14,26) = 2$, so $LCM = 182$.

id=48634 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22575 at 10% per annum for 3 years. | option_a=6872 | option_b=6672 | option_c=29347 | option_d=6772 | answer=D | explanation=SI = $PRT/100 = 22575 \times 10 \times 3/100 = \text{■}6772$.

id=48635 | topic=Averages | difficulty=Easy | question=Find the average of 56, 91, 75, 22, 14, 48. | option_a=51 | option_b=50 | option_c=52 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = $306 \div 6 = 51$.

id=48636 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=H | option_b=R | option_c=M | option_d=W | answer=B | explanation=Move 5 positions forward from M; the resulting letter is R.

id=48637 | topic=Percentages | difficulty=Easy | question=What is 40% of 1536? | option_a=634 | option_b=614 | option_c=1228 | option_d=594 | answer=B | explanation= $40\% \text{ of } 1536 = (40/100) \times 1536 = 614$.

id=48638 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=67 | option_b=43 | option_c=55 | option_d=56 | answer=C | explanation=The common difference is 12. Therefore the next term is $43 + 12 = 55$.

id=48639 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = $90 \div 3 = 30$ km/h.

id=48640 | topic=Percentages | difficulty=Easy | question=What is 40% of 337? | option_a=268 | option_b=134 | option_c=124 | option_d=139 | answer=B | explanation= $40\% \text{ of } 337 = (40/100) \times 337 = 134$.

id=48641 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28491 at 8% per annum for 1 years. | option_a=2179 | option_b=2379 | option_c=30770 | option_d=2279 | answer=D | explanation=SI = $PRT/100 = 28491 \times 8 \times 1/100 = \text{■}2279$.

id=48642 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 17, 22, 28? | option_a=12 | option_b=17 | option_c=28 | option_d=22 | answer=C | explanation=The first three numbers increase by 5, so the next should be 27. Therefore 28 is the odd one out.

id=48643 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=23 | option_b=25 | option_c=26 | option_d=27 | answer=B | explanation=The common difference is 2. Therefore the next term is $23 + 2 = 25$.

id=48644 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3857. If it is sold at a profit of 5%, what is its selling price? | option_a=4434 | option_b=4049 | option_c=3862 | option_d=3664 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3857 \times 105/100 = \text{■}4049$.

id=48645 | topic=Percentages | difficulty=Easy | question=What is 15% of 142? | option_a=42 | option_b=21 | option_c=41 | option_d=11 | answer=B | explanation= $15\% \text{ of } 142 = (15/100) \times 142 = 21$.

id=48646 | topic=Averages | difficulty=Easy | question=Find the average of 20, 78, 69, 91, 97. | option_a=70 | option_b=71 | option_c=72 | option_d=73 | answer=B | explanation=Average = sum of values ÷ number of values = $355 \div 5 = 71$.

id=48647 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = $180 \div 4 = 45$ km/h.

id=48648 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 99, what is the second? | option_a=243 | option_b=155 | option_c=128 | option_d=144 | answer=D | explanation=Scale factor = $99/11 = 9$. Therefore second quantity = $16 \times 9 = 144$.

id=48649 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=70 | option_c=80 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = $300 \div 4 = 75$ km/h.

id=48650 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=48651 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46109 at 10% per annum for 1 years. | option_a=4510 | option_b=4610 | option_c=4710 | option_d=50719 | answer=B | explanation=SI = $PRT/100 = 46109 \times 10 \times 1/100 = \text{■}4610$.

id=48652 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40094 at 8% per annum for 2 years. | option_a=6515 | option_b=6315 | option_c=46509 | option_d=6415 | answer=D | explanation=SI = $PRT/100 = 40094 \times 8 \times 2/100 = \text{■}6415$.

id=48653 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=18 | option_d=13 | answer=C | explanation=Speed = distance ÷ time = $90 \div 5 = 18$ km/h.

id=48654 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $150 \div 5 = 30$ km/h.

id=48655 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9254 at 15% per annum for 5 years. | option_a=6840 | option_b=16194 | option_c=6940 | option_d=7040 | answer=C | explanation=SI = $PRT/100 = 9254 \times 15 \times 5/100 = \text{■}6940$.

id=48656 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1487 at 15% per annum for 3 years. | option_a=569 | option_b=669 | option_c=769 | option_d=2156 | answer=B | explanation=SI = $PRT/100 = 1487 \times 15 \times 3/100 = \text{■}669$.

id=48657 | topic=Averages | difficulty=Easy | question=Find the average of 51, 51, 93, 62, 62, 53. | option_a=64 | option_b=63 | option_c=62 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = $372 \div 6 = 62$.

id=48658 | topic=Averages | difficulty=Easy | question=Find the average of 63, 74, 98, 54, 37, 90, 53, 48, 50. | option_a=64 | option_b=65 | option_c=63 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = $567 \div 9 = 63$.

id=48659 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:17 and the first is 100, what is the second? | option_a=105 | option_b=85 | option_c=68 | option_d=185 | answer=B | explanation=Scale factor = $100/20 = 5$. Therefore second quantity = $17 \times 5 = 85$.

id=48660 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28107 at 5% per annum for 4 years. | option_a=5721 | option_b=33728 | option_c=5521 | option_d=5621 | answer=D | explanation=SI = $PRT/100 = 28107 \times 5 \times 4/100 = \text{■}5621$.

Aptitude Questions — Records 48,661-48,690 of 100,000

id=48661 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■31484 at 5% per annum for 3 years. | option_a=4622 | option_b=4822 | option_c=36206 | option_d=4722 | answer=D | explanation=SI = $PRT/100 = 31484 \times 5 \times 3/100 = \blacksquare 4722$.

id=48662 | topic=Averages | difficulty=Easy | question=Find the average of 58, 20, 33. | option_a=37 | option_b=36 | option_c=38 | option_d=39 | answer=A | explanation=Average = sum of values ÷ number of values = $111 \div 3 = 37$.

id=48663 | topic=Percentages | difficulty=Easy | question=What is 12% of 1282? | option_a=143 | option_b=306 | option_c=153 | option_d=163 | answer=C | explanation=12% of 1282 = $(12/100) \times 1282 = 153$.

id=48664 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 33, 42, 52? | option_a=42 | option_b=24 | option_c=33 | option_d=52 | answer=D | explanation=The first three numbers increase by 9, so the next should be 51. Therefore 52 is the odd one out.

id=48665 | topic=Averages | difficulty=Easy | question=Find the average of 46, 87, 95, 38, 17, 77. | option_a=62 | option_b=59 | option_c=60 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = $360 \div 6 = 60$.

id=48666 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=25 | option_b=17 | option_c=21 | option_d=22 | answer=C | explanation=The common difference is 4. Therefore the next term is $17 + 4 = 21$.

id=48667 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=5 | option_d=7 | answer=A | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=48668 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=22 | option_b=29 | option_c=28 | option_d=34 | answer=C | explanation=The common difference is 6. Therefore the next term is $22 + 6 = 28$.

id=48669 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:5 and the first is 72, what is the second? | option_a=92 | option_b=20 | option_c=15 | option_d=38 | answer=B | explanation=Scale factor = $72/18 = 4$. Therefore second quantity = $5 \times 4 = 20$.

id=48670 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1750. If it is sold at a profit of 25%, what is its selling price? | option_a=2362 | option_b=1775 | option_c=2012 | option_d=2187 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1750 \times 125/100 = \blacksquare 2187$.

id=48671 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:9 and the first is 72, what is the second? | option_a=45 | option_b=66 | option_c=126 | option_d=54 | answer=D | explanation=Scale factor = $72/12 = 6$. Therefore second quantity = $9 \times 6 = 54$.

id=48672 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:16 and the first is 20, what is the second? | option_a=180 | option_b=162 | option_c=160 | option_d=144 | answer=C | explanation=Scale factor = $20/2 = 10$. Therefore second quantity = $16 \times 10 = 160$.

id=48673 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=48674 | topic=Percentages | difficulty=Easy | question=What is 25% of 1070? | option_a=247 | option_b=267 | option_c=534 | option_d=287 | answer=B | explanation=25% of 1070 = $(25/100) \times 1070 = 267$.

id=48675 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=M | option_c=B | option_d=W | answer=D | explanation=Move 5 positions forward from R; the resulting letter is W.

id=48676 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:13 and the first is 196, what is the second? | option_a=182 | option_b=378 | option_c=169 | option_d=196 | answer=A | explanation=Scale factor = $196/14 = 14$. Therefore second quantity = $13 \times 14 = 182$.

id=48677 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=S | option_c=I | option_d=X | answer=B | explanation=Move 5 positions forward from N; the resulting letter is S.

id=48678 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4701. If it is sold at a profit of 5%, what is its selling price? | option_a=4936 | option_b=4706 | option_c=4466 | option_d=5406 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4701 \times 105/100 = \blacksquare 4936$.

id=48679 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = $360 \div 8 = 45$ km/h.

id=48680 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:2 and the first is 19, what is the second? | option_a=57 | option_b=39 | option_c=36 | option_d=38 | answer=D | explanation=Scale factor = $19/1 = 19$. Therefore second quantity = $2 \times 19 = 38$.

id=48681 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:9 and the first is 84, what is the second? | option_a=108 | option_b=115 | option_c=192 | option_d=99 | answer=A | explanation=Scale factor = $84/7 = 12$. Therefore second quantity = $9 \times 12 = 108$.

id=48682 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=D | option_b=L | option_c=P | option_d=H | answer=B | explanation=Move 4 positions forward from H; the resulting letter is L.

id=48683 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=7 | option_d=5 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=48684 | topic=Percentages | difficulty=Easy | question=What is 25% of 860? | option_a=215 | option_b=210 | option_c=235 | option_d=430 | answer=A | explanation=25% of 860 = $(25/100) \times 860 = 215$.

id=48685 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=46 | option_b=45 | option_c=38 | option_d=52 | answer=B | explanation=The common difference is 7. Therefore the next term is $38 + 7 = 45$.

id=48686 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=24 | option_c=48 | option_d=19 | answer=B | explanation=Speed = distance ÷ time = $240 \div 10 = 24$ km/h.

id=48687 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=48688 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:20 and the first is 19, what is the second? | option_a=399 | option_b=381 | option_c=360 | option_d=380 | answer=D | explanation=Scale factor = $19/1 = 19$. Therefore second quantity = $20 \times 19 = 380$.

id=48689 | topic=Percentages | difficulty=Easy | question=What is 40% of 655? | option_a=524 | option_b=242 | option_c=262 | option_d=272 | answer=C | explanation=40% of 655 = $(40/100) \times 655 = 262$.

id=48690 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

Aptitude Questions — Records 48,691-48,720 of 100,000

id=48691 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=D | option_b=S | option_c=N | option_d=I | answer=C | explanation=Move 5 positions forward from I; the resulting letter is N.

id=48692 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=W | option_c=L | option_d=G | answer=D | explanation=Move 5 positions forward from B; the resulting letter is G.

id=48693 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1081. If it is sold at a profit of 20%, what is its selling price? | option_a=1405 | option_b=1101 | option_c=1189 | option_d=1297 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1081 × 120/100 = █1297.

id=48694 | topic=Percentages | difficulty=Easy | question=What is 40% of 941? | option_a=371 | option_b=381 | option_c=376 | option_d=752 | answer=C | explanation=40% of 941 = (40/100) × 941 = 376.

id=48695 | topic=Averages | difficulty=Easy | question=Find the average of 16, 16, 92, 69, 67. | option_a=52 | option_b=54 | option_c=53 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 260 ÷ 5 = 52.

id=48696 | topic=Profit & Loss | difficulty=Easy | question=An article costs █809. If it is sold at a profit of 10%, what is its selling price? | option_a=889 | option_b=969 | option_c=819 | option_d=809 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 809 × 110/100 = █889.

id=48697 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28133 at 12% per annum for 3 years. | option_a=10127 | option_b=38260 | option_c=10227 | option_d=10027 | answer=A | explanation=SI = PRT/100 = 28133×12×3/100 = █10127.

id=48698 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 11, 16, 23? | option_a=6 | option_b=16 | option_c=11 | option_d=23 | answer=D | explanation=The first three numbers increase by 5, so the next should be 21. Therefore 23 is the odd one out.

id=48699 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:11 and the first is 64, what is the second? | option_a=96 | option_b=77 | option_c=88 | option_d=152 | answer=C | explanation=Scale factor = 64/8 = 8. Therefore second quantity = 11×8 = 88.

id=48700 | topic=Averages | difficulty=Easy | question=Find the average of 22, 67, 36, 33, 43, 78, 58, 88, 43. | option_a=54 | option_b=53 | option_c=51 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 468 ÷ 9 = 52.

id=48701 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=48702 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27973 at 6% per annum for 5 years. | option_a=8291 | option_b=8391 | option_c=36364 | option_d=8491 | answer=B | explanation=SI = PRT/100 = 27973×6×5/100 = █8391.

id=48703 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=48704 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:8 and the first is 121, what is the second? | option_a=99 | option_b=80 | option_c=88 | option_d=209 | answer=C | explanation=Scale factor = 121/11 = 11. Therefore second quantity = 8×11 = 88.

id=48705 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:5 and the first is 256, what is the second? | option_a=96 | option_b=336 | option_c=80 | option_d=75 | answer=C | explanation=Scale factor = 256/16 = 16. Therefore second quantity = 5×16 = 80.

id=48706 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 62? | option_a=30 | option_b=50 | option_c=62 | option_d=40 | answer=C | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 62 is the odd one out.

id=48707 | topic=Profit & Loss | difficulty=Easy | question=An article costs █564. If it is sold at a profit of 20%, what is its selling price? | option_a=584 | option_b=732 | option_c=620 | option_d=676 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 564 × 120/100 = █676.

id=48708 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=T | option_b=P | option_c=V | option_d=R | answer=A | explanation=Move 2 positions forward from R; the resulting letter is T.

id=48709 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3372. If it is sold at a profit of 5%, what is its selling price? | option_a=3540 | option_b=3203 | option_c=3877 | option_d=3377 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3372 × 105/100 = █3540.

id=48710 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=29 | option_c=48 | option_d=19 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=48711 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41261 at 10% per annum for 5 years. | option_a=61891 | option_b=20730 | option_c=20630 | option_d=20530 | answer=C | explanation=SI = PRT/100 = 41261×10×5/100 = █20630.

id=48712 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=24 | option_b=19 | option_c=27 | option_d=23 | answer=D | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=48713 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 15? | option_a=15 | option_b=12 | option_c=10 | option_d=8 | answer=A | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 15 is the odd one out.

id=48714 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2713. If it is sold at a profit of 40%, what is its selling price? | option_a=3798 | option_b=2753 | option_c=4069 | option_d=3527 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2713 × 140/100 = █3798.

id=48715 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=S | option_c=W | option_d=Q | answer=A | explanation=Move 2 positions forward from S; the resulting letter is U.

id=48716 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=48717 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 26. | option_a=140 | option_b=104 | option_c=260 | option_d=130 | answer=D | explanation=LCM × HCF = 10×26; HCF(10,26) = 2, so LCM = 130.

id=48718 | topic=Averages | difficulty=Easy | question=Find the average of 16, 82, 37, 87, 35, 34, 60, 97. | option_a=57 | option_b=55 | option_c=56 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 448 ÷ 8 = 56.

id=48719 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=55 | option_c=50 | option_d=100 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=48720 | topic=Profit & Loss | difficulty=Easy | question=An article costs █516. If it is sold at a profit of 5%, what is its selling price? | option_a=592 | option_b=490 | option_c=521 | option_d=541 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 516 × 105/100 = █541.

Aptitude Questions — Records 48,721-48,750 of 100,000

id=48721 | topic=Averages | difficulty=Easy | question=Find the average of 38, 48, 25. | option_a=38 | option_b=39 | option_c=36 | option_d=37 | answer=D | explanation=Average = sum of values ÷ number of values = 111 ÷ 3 = 37.

id=48722 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 40? | option_a=18 | option_b=40 | option_c=32 | option_d=25 | answer=B | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 40 is the odd one out.

id=48723 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43320 at 15% per annum for 4 years. | option_a=25892 | option_b=25992 | option_c=26092 | option_d=69312 | answer=B | explanation=SI = $PRT/100 = 43320 \times 15 \times 4 / 100 = \text{█}25992$.

id=48724 | topic=Percentages | difficulty=Easy | question=What is 10% of 1884? | option_a=183 | option_b=208 | option_c=376 | option_d=188 | answer=D | explanation=10% of 1884 = $(10/100) \times 1884 = 188$.

id=48725 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=48726 | topic=Averages | difficulty=Easy | question=Find the average of 20, 41, 36, 28, 32, 45, 34, 29, 95. | option_a=41 | option_b=42 | option_c=40 | option_d=39 | answer=C | explanation=Average = sum of values ÷ number of values = $360 \div 9 = 40$.

id=48727 | topic=Percentages | difficulty=Easy | question=What is 12% of 1453? | option_a=194 | option_b=174 | option_c=154 | option_d=348 | answer=B | explanation=12% of 1453 = $(12/100) \times 1453 = 174$.

id=48728 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=T | option_b=V | option_c=R | option_d=P | answer=A | explanation=Move 2 positions forward from R; the resulting letter is T.

id=48729 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=48730 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 21, 23, 28? | option_a=23 | option_b=21 | option_c=19 | option_d=28 | answer=D | explanation=The first three numbers increase by 2, so the next should be 25. Therefore 28 is the odd one out.

id=48731 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=S | option_b=Y | option_c=W | option_d=U | answer=C | explanation=Move 2 positions forward from U; the resulting letter is W.

id=48732 | topic=Profit & Loss | difficulty=Easy | question=An article costs █649. If it is sold at a profit of 50%, what is its selling price? | option_a=973 | option_b=699 | option_c=909 | option_d=1037 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 649 \times 150 / 100 = \text{█}973$.

id=48733 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2022. If it is sold at a profit of 30%, what is its selling price? | option_a=2426 | option_b=2830 | option_c=2628 | option_d=2052 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2022 \times 130 / 100 = \text{█}2628$.

id=48734 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=48735 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38800 at 8% per annum for 3 years. | option_a=9212 | option_b=9412 | option_c=48112 | option_d=9312 | answer=D | explanation=SI = $PRT/100 = 38800 \times 8 \times 3 / 100 = \text{█}9312$.

id=48736 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=48737 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=50 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = $360 \div 8 = 45$ km/h.

id=48738 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=25 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = $60 \div 3 = 20$ km/h.

id=48739 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = $90 \div 6 = 15$ km/h.

id=48740 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=R | option_b=M | option_c=C | option_d=H | answer=B | explanation=Move 5 positions forward from H; the resulting letter is M.

id=48741 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=J | option_b=G | option_c=A | option_d=D | answer=B | explanation=Move 3 positions forward from D; the resulting letter is G.

id=48742 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=L | option_c=V | option_d=A | answer=C | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=48743 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=41 | option_c=72 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = $180 \div 5 = 36$ km/h.

id=48744 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4823 at 8% per annum for 4 years. | option_a=1443 | option_b=6366 | option_c=1543 | option_d=1643 | answer=C | explanation=SI = $PRT/100 = 4823 \times 8 \times 4 / 100 = \text{█}1543$.

id=48745 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.

id=48746 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:7 and the first is 220, what is the second? | option_a=360 | option_b=151 | option_c=140 | option_d=133 | answer=C | explanation=Scale factor = $220/11 = 20$. Therefore second quantity = $7 \times 20 = 140$.

id=48747 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=48748 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=48749 | topic=Averages | difficulty=Easy | question=Find the average of 14, 99, 95, 49, 76, 94, 38, 71. | option_a=66 | option_b=68 | option_c=69 | option_d=67 | answer=D | explanation=Average = sum of values ÷ number of values = $536 \div 8 = 67$.

id=48750 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

Aptitude Questions — Records 48,751-48,780 of 100,000

id=48751 | topic=Percentages | difficulty=Easy | question=What is 50% of 748? | option_a=374 | option_b=364 | option_c=748 | option_d=384 | answer=A | explanation=50% of 748 = (50/100) × 748 = 374.

id=48752 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 24, 32, 41? | option_a=24 | option_b=41 | option_c=32 | option_d=16 | answer=B | explanation=The first three numbers increase by 8, so the next should be 40. Therefore 41 is the odd one out.

id=48753 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43143 at 15% per annum for 5 years. | option_a=32357 | option_b=32257 | option_c=32457 | option_d=75500 | answer=A | explanation=SI = PRT/100 = 43143×15×5/100 = **■**32357.

id=48754 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=48755 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=48 | option_c=96 | option_d=43 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=48756 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 10. | option_a=60 | option_b=140 | option_c=84 | option_d=70 | answer=D | explanation=LCM × HCF = 14×10; HCF(14,10) = 2, so LCM = 70.

id=48757 | topic=Averages | difficulty=Easy | question=Find the average of 64, 70, 52, 94. | option_a=72 | option_b=69 | option_c=70 | option_d=71 | answer=C | explanation=Average = sum of values ÷ number of values = 280 ÷ 4 = 70.

id=48758 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44121 at 10% per annum for 4 years. | option_a=17648 | option_b=61769 | option_c=17748 | option_d=17548 | answer=A | explanation=SI = PRT/100 = 44121×10×4/100 = **■**17648.

id=48759 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=4 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=48760 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:19 and the first is 104, what is the second? | option_a=152 | option_b=133 | option_c=165 | option_d=256 | answer=A | explanation=Scale factor = 104/13 = 8. Therefore second quantity = 19×8 = 152.

id=48761 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=48762 | topic=Averages | difficulty=Easy | question=Find the average of 11, 26, 65, 82. | option_a=48 | option_b=45 | option_c=47 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 184 ÷ 4 = 46.

id=48763 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=B | option_c=F | option_d=Z | answer=A | explanation=Move 2 positions forward from B; the resulting letter is D.

id=48764 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=48765 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34955 at 6% per annum for 5 years. | option_a=45441 | option_b=10386 | option_c=10586 | option_d=10486 | answer=D | explanation=SI = PRT/100 = 34955×6×5/100 = **■**10486.

id=48766 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3952. If it is sold at a profit of 30%, what is its selling price? | option_a=4742 | option_b=5532 | option_c=3982 | option_d=5137 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3952 × 130/100 = **■**5137.

id=48767 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=25 | option_c=30 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=48768 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:1 and the first is 280, what is the second? | option_a=294 | option_b=13 | option_c=34 | option_d=14 | answer=D | explanation=Scale factor = 280/20 = 14. Therefore second quantity = 1×14 = 14.

id=48769 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18650 at 8% per annum for 3 years. | option_a=4376 | option_b=4576 | option_c=23126 | option_d=4476 | answer=D | explanation=SI = PRT/100 = 18650×8×3/100 = **■**4476.

id=48770 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 18, 23, 28, ? | option_a=33 | option_b=34 | option_c=28 | option_d=38 | answer=A | explanation=The common difference is 5. Therefore the next term is 28 + 5 = 33.

id=48771 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**234. If it is sold at a profit of 15%, what is its selling price? | option_a=246 | option_b=249 | option_c=269 | option_d=292 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 234 × 115/100 = **■**269.

id=48772 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=23 | option_d=13 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=48773 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=6 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=48774 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 3. | option_a=63 | option_b=21 | option_c=18 | option_d=42 | answer=B | explanation=LCM × HCF = 21×3; HCF(21,3) = 3, so LCM = 21.

id=48775 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=48776 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:12 and the first is 260, what is the second? | option_a=500 | option_b=240 | option_c=253 | option_d=228 | answer=B | explanation=Scale factor = 260/13 = 20. Therefore second quantity = 12×20 = 240.

id=48777 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:5 and the first is 80, what is the second? | option_a=104 | option_b=100 | option_c=180 | option_d=95 | answer=B | explanation=Scale factor = 80/4 = 20. Therefore second quantity = 5×20 = 100.

id=48778 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:10 and the first is 156, what is the second? | option_a=142 | option_b=130 | option_c=120 | option_d=286 | answer=B | explanation=Scale factor = 156/12 = 13. Therefore second quantity = 10×13 = 130.

id=48779 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=50 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=48780 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

Aptitude Questions — Records 48,781-48,810 of 100,000

id=48781 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=36 | option_b=41 | option_c=72 | option_d=31 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=48782 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=24 | option_b=21 | option_c=20 | option_d=16 | answer=C | explanation=The common difference is 4. Therefore the next term is 16 + 4 = 20.

id=48783 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4338. If it is sold at a profit of 20%, what is its selling price? | option_a=5205 | option_b=4358 | option_c=5638 | option_d=4772 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4338 × 120/100 = █5205.

id=48784 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:5 and the first is 220, what is the second? | option_a=55 | option_b=50 | option_c=275 | option_d=75 | answer=A | explanation=Scale factor = 220/20 = 11. Therefore second quantity = 5×11 = 55.

id=48785 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 28. | option_a=90 | option_b=84 | option_c=168 | option_d=56 | answer=B | explanation=LCM × HCF = 6×28; HCF(6,28) = 2, so LCM = 84.

id=48786 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 10, 14, 21? | option_a=21 | option_b=10 | option_c=14 | option_d=6 | answer=A | explanation=The first three numbers increase by 4, so the next should be 18. Therefore 21 is the odd one out.

id=48787 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=8 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=48788 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4504. If it is sold at a profit of 30%, what is its selling price? | option_a=4534 | option_b=5405 | option_c=5855 | option_d=6305 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4504 × 130/100 = █5855.

id=48789 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:5 and the first is 247, what is the second? | option_a=65 | option_b=60 | option_c=312 | option_d=84 | answer=A | explanation=Scale factor = 247/19 = 13. Therefore second quantity = 5×13 = 65.

id=48790 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=47 | option_b=38 | option_c=54 | option_d=46 | answer=D | explanation=The common difference is 8. Therefore the next term is 38 + 8 = 46.

id=48791 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=61 | option_b=51 | option_c=52 | option_d=41 | answer=B | explanation=The common difference is 10. Therefore the next term is 41 + 10 = 51.

id=48792 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2779. If it is sold at a profit of 5%, what is its selling price? | option_a=2784 | option_b=2917 | option_c=2640 | option_d=3194 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2779 × 105/100 = █2917.

id=48793 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=53 | option_c=43 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=48794 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=48795 | topic=Averages | difficulty=Easy | question=Find the average of 53, 33, 18, 96. | option_a=52 | option_b=50 | option_c=51 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 200 ÷ 4 = 50.

id=48796 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:20 and the first is 126, what is the second? | option_a=266 | option_b=120 | option_c=158 | option_d=140 | answer=D | explanation=Scale factor = 126/18 = 7. Therefore second quantity = 20×7 = 140.

id=48797 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=44 | option_b=49 | option_c=37 | option_d=43 | answer=D | explanation=The common difference is 6. Therefore the next term is 37 + 6 = 43.

id=48798 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17888 at 8% per annum for 2 years. | option_a=2862 | option_b=20750 | option_c=2762 | option_d=2962 | answer=A | explanation=SI = PRT/100 = 17888×8×2/100 = █2862.

id=48799 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33440 at 10% per annum for 2 years. | option_a=6688 | option_b=40128 | option_c=6788 | option_d=6588 | answer=A | explanation=SI = PRT/100 = 33440×10×2/100 = █6688.

id=48800 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=48801 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=48802 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=18 | option_c=14 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=48803 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30271 at 8% per annum for 3 years. | option_a=7365 | option_b=37536 | option_c=7265 | option_d=7165 | answer=C | explanation=SI = PRT/100 = 30271×8×3/100 = █7265.

id=48804 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:19 and the first is 12, what is the second? | option_a=88 | option_b=76 | option_c=79 | option_d=57 | answer=B | explanation=Scale factor = 12/3 = 4. Therefore second quantity = 19×4 = 76.

id=48805 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 24. | option_a=189 | option_b=504 | option_c=168 | option_d=144 | answer=C | explanation=LCM × HCF = 21×24; HCF(21,24) = 3, so LCM = 168.

id=48806 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:7 and the first is 266, what is the second? | option_a=91 | option_b=117 | option_c=98 | option_d=364 | answer=C | explanation=Scale factor = 266/19 = 14. Therefore second quantity = 7×14 = 98.

id=48807 | topic=Percentages | difficulty=Easy | question=What is 40% of 284? | option_a=123 | option_b=226 | option_c=93 | option_d=113 | answer=D | explanation=40% of 284 = (40/100) × 284 = 113.

id=48808 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 18, 28, 38, ? | option_a=38 | option_b=58 | option_c=49 | option_d=48 | answer=D | explanation=The common difference is 10. Therefore the next term is 38 + 10 = 48.

id=48809 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=9 | option_b=14 | option_c=18 | option_d=4 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=48810 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=C | option_b=D | option_c=B | option_d=A | answer=A | explanation=Move 1 positions forward from B; the resulting letter is C.

Aptitude Questions — Records 48,811-48,840 of 100,000

id=48811 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=29 | option_b=19 | option_c=25 | option_d=24 | answer=D | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.

id=48812 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3351. If it is sold at a profit of 30%, what is its selling price? | option_a=4021 | option_b=4691 | option_c=3381 | option_d=4356 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3351 × 130/100 = █4356.

id=48813 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=48814 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=48815 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=35 | option_b=36 | option_c=41 | option_d=29 | answer=A | explanation=The common difference is 6. Therefore the next term is 29 + 6 = 35.

id=48816 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:18 and the first is 15, what is the second? | option_a=93 | option_b=90 | option_c=72 | option_d=105 | answer=B | explanation=Scale factor = 15/3 = 5. Therefore second quantity = 18×5 = 90.

id=48817 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 16, 21, 27? | option_a=21 | option_b=27 | option_c=16 | option_d=11 | answer=B | explanation=The first three numbers increase by 5, so the next should be 26. Therefore 27 is the odd one out.

id=48818 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=I | option_b=A | option_c=W | option_d=E | answer=D | explanation=Move 4 positions forward from A; the resulting letter is E.

id=48819 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 21. | option_a=630 | option_b=210 | option_c=240 | option_d=189 | answer=B | explanation=LCM × HCF = 30×21; HCF(30,21) = 3, so LCM = 210.

id=48820 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=24 | option_c=7 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=48821 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10127 at 5% per annum for 1 years. | option_a=10633 | option_b=606 | option_c=406 | option_d=506 | answer=D | explanation=SI = PRT/100 = 10127×5×1/100 = █506.

id=48822 | topic=Percentages | difficulty=Easy | question=What is 10% of 198? | option_a=29 | option_b=0 | option_c=19 | option_d=38 | answer=C | explanation=10% of 198 = (10/100) × 198 = 19.

id=48823 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 34? | option_a=15 | option_b=34 | option_c=6 | option_d=24 | answer=B | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 34 is the odd one out.

id=48824 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:2 and the first is 84, what is the second? | option_a=112 | option_b=34 | option_c=26 | option_d=28 | answer=D | explanation=Scale factor = 84/6 = 14. Therefore second quantity = 2×14 = 28.

id=48825 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42747 at 8% per annum for 3 years. | option_a=10359 | option_b=53006 | option_c=10259 | option_d=10159 | answer=C | explanation=SI = PRT/100 = 42747×8×3/100 = █10259.

id=48826 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=48 | option_b=40 | option_c=54 | option_d=47 | answer=D | explanation=The common difference is 7. Therefore the next term is 40 + 7 = 47.

id=48827 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=53 | option_c=48 | option_d=43 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=48828 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=N | option_b=K | option_c=E | option_d=H | answer=B | explanation=Move 3 positions forward from H; the resulting letter is K.

id=48829 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=48830 | topic=Percentages | difficulty=Easy | question=What is 25% of 1644? | option_a=822 | option_b=406 | option_c=411 | option_d=416 | answer=C | explanation=25% of 1644 = (25/100) × 1644 = 411.

id=48831 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4445. If it is sold at a profit of 10%, what is its selling price? | option_a=4455 | option_b=4889 | option_c=5333 | option_d=4445 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4445 × 110/100 = █4889.

id=48832 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=80 | option_c=45 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=48833 | topic=Averages | difficulty=Easy | question=Find the average of 85, 24, 20. | option_a=42 | option_b=43 | option_c=44 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = 129 ÷ 3 = 43.

id=48834 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 29? | option_a=22 | option_b=29 | option_c=26 | option_d=24 | answer=B | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 29 is the odd one out.

id=48835 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2580. If it is sold at a profit of 5%, what is its selling price? | option_a=2709 | option_b=2585 | option_c=2451 | option_d=2967 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2580 × 105/100 = █2709.

id=48836 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:13 and the first is 228, what is the second? | option_a=384 | option_b=175 | option_c=143 | option_d=156 | answer=D | explanation=Scale factor = 228/19 = 12. Therefore second quantity = 13×12 = 156.

id=48837 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2360. If it is sold at a profit of 30%, what is its selling price? | option_a=2832 | option_b=3304 | option_c=3068 | option_d=2390 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2360 × 130/100 = █3068.

id=48838 | topic=Averages | difficulty=Easy | question=Find the average of 56, 26, 34, 22, 55, 65. | option_a=43 | option_b=42 | option_c=44 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 258 ÷ 6 = 43.

id=48839 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 18. | option_a=252 | option_b=280 | option_c=504 | option_d=234 | answer=A | explanation=LCM × HCF = 28×18; HCF(28,18) = 2, so LCM = 252.

id=48840 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 32, 40, 49? | option_a=24 | option_b=40 | option_c=32 | option_d=49 | answer=D | explanation=The first three numbers increase by 8, so the next should be 48. Therefore 49 is the odd one out.

Aptitude Questions — Records 48,841-48,870 of 100,000

id=48841 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 38? | option_a=23 | option_b=29 | option_c=38 | option_d=17 | answer=C | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 38 is the odd one out.

id=48842 | topic=Percentages | difficulty=Easy | question=What is 40% of 55? | option_a=22 | option_b=17 | option_c=42 | option_d=44 | answer=A | explanation=40% of 55 = (40/100) × 55 = 22.

id=48843 | topic=Averages | difficulty=Easy | question=Find the average of 43, 39, 55, 15. | option_a=38 | option_b=37 | option_c=39 | option_d=40 | answer=A | explanation=Average = sum of values ÷ number of values = 152 ÷ 4 = 38.

id=48844 | topic=Averages | difficulty=Easy | question=Find the average of 19, 13, 58, 29, 35, 48, 99. | option_a=42 | option_b=44 | option_c=45 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = 301 ÷ 7 = 43.

id=48845 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41733 at 10% per annum for 5 years. | option_a=62599 | option_b=20766 | option_c=20966 | option_d=20866 | answer=D | explanation=SI = PRT/100 = 41733×10×5/100 = █20866.

id=48846 | topic=Percentages | difficulty=Easy | question=What is 12% of 826? | option_a=79 | option_b=109 | option_c=198 | option_d=99 | answer=D | explanation=12% of 826 = (12/100) × 826 = 99.

id=48847 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4991. If it is sold at a profit of 50%, what is its selling price? | option_a=6987 | option_b=7486 | option_c=7985 | option_d=5041 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4991 × 150/100 = █7486.

id=48848 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2658. If it is sold at a profit of 20%, what is its selling price? | option_a=2924 | option_b=3189 | option_c=3454 | option_d=2678 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2658 × 120/100 = █3189.

id=48849 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 27, 31, 38? | option_a=31 | option_b=23 | option_c=38 | option_d=27 | answer=C | explanation=The first three numbers increase by 4, so the next should be 35. Therefore 38 is the odd one out.

id=48850 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=20 | option_b=18 | option_c=19 | option_d=16 | answer=B | explanation=The common difference is 2. Therefore the next term is 16 + 2 = 18.

id=48851 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=P | option_c=L | option_d=J | answer=A | explanation=Move 2 positions forward from L; the resulting letter is N.

id=48852 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:14 and the first is 285, what is the second? | option_a=495 | option_b=229 | option_c=196 | option_d=210 | answer=D | explanation=Scale factor = 285/19 = 15. Therefore second quantity = 14×15 = 210.

id=48853 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=61 | option_b=62 | option_c=50 | option_d=72 | answer=A | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.

id=48854 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=48855 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:1 and the first is 200, what is the second? | option_a=10 | option_b=210 | option_c=9 | option_d=30 | answer=A | explanation=Scale factor = 200/20 = 10. Therefore second quantity = 1×10 = 10.

id=48856 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 22. | option_a=484 | option_b=44 | option_c=1 | option_d=22 | answer=D | explanation=LCM × HCF = 22×22; HCF(22,22) = 22, so LCM = 22.

id=48857 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=80 | option_c=160 | option_d=75 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=48858 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=8 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=48859 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:14 and the first is 8, what is the second? | option_a=42 | option_b=64 | option_c=56 | option_d=58 | answer=C | explanation=Scale factor = 8/2 = 4. Therefore second quantity = 14×4 = 56.

id=48860 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=70 | option_b=80 | option_c=75 | option_d=150 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=48861 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=20 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=48862 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=48863 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:13 and the first is 132, what is the second? | option_a=130 | option_b=275 | option_c=155 | option_d=143 | answer=D | explanation=Scale factor = 132/12 = 11. Therefore second quantity = 13×11 = 143.

id=48864 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=73 | option_b=49 | option_c=62 | option_d=61 | answer=D | explanation=The common difference is 12. Therefore the next term is 49 + 12 = 61.

id=48865 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 19, 22, 25, ? | option_a=29 | option_b=25 | option_c=31 | option_d=28 | answer=D | explanation=The common difference is 3. Therefore the next term is 25 + 3 = 28.

id=48866 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=9 | option_b=18 | option_c=4 | option_d=14 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=48867 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=50 | option_b=74 | option_c=62 | option_d=63 | answer=C | explanation=The common difference is 12. Therefore the next term is 50 + 12 = 62.

id=48868 | topic=Percentages | difficulty=Easy | question=What is 40% of 1932? | option_a=762 | option_b=777 | option_c=1544 | option_d=772 | answer=D | explanation=40% of 1932 = (40/100) × 1932 = 772.

id=48869 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45884 at 12% per annum for 3 years. | option_a=62402 | option_b=16518 | option_c=16618 | option_d=16418 | answer=B | explanation=SI = PRT/100 = 45884×12×3/100 = █16518.

id=48870 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=37 | option_b=36 | option_c=44 | option_d=28 | answer=B | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

Aptitude Questions — Records 48,871-48,900 of 100,000

id=48871 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:18 and the first is 12, what is the second? | option_a=42 | option_b=48 | option_c=36 | option_d=18 | answer=C | explanation=Scale factor = 12/6 = 2. Therefore second quantity = 18×2 = 36.

id=48872 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=43 | option_b=42 | option_c=51 | option_d=33 | answer=B | explanation=The common difference is 9. Therefore the next term is 33 + 9 = 42.

id=48873 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9953 at 10% per annum for 2 years. | option_a=1890 | option_b=2090 | option_c=11943 | option_d=1990 | answer=D | explanation=SI = PRT/100 = 9953×10×2/100 = **■**1990.

id=48874 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=150 | option_d=70 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=48875 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30184 at 4% per annum for 4 years. | option_a=4829 | option_b=4729 | option_c=35013 | option_d=4929 | answer=A | explanation=SI = PRT/100 = 30184×4×4/100 = **■**4829.

id=48876 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41709 at 12% per annum for 1 years. | option_a=4905 | option_b=5105 | option_c=46714 | option_d=5005 | answer=D | explanation=SI = PRT/100 = 41709×12×1/100 = **■**5005.

id=48877 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 16, 23, 33? | option_a=23 | option_b=33 | option_c=9 | option_d=16 | answer=B | explanation=The first three numbers increase by 7, so the next should be 30. Therefore 33 is the odd one out.

id=48878 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**838. If it is sold at a profit of 15%, what is its selling price? | option_a=1046 | option_b=853 | option_c=880 | option_d=963 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 838 × 115/100 = **■**963.

id=48879 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=Q | option_b=H | option_c=N | option_d=K | answer=C | explanation=Move 3 positions forward from K; the resulting letter is N.

id=48880 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=N | option_c=L | option_d=M | answer=B | explanation=Move 1 positions forward from M; the resulting letter is N.

id=48881 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 22? | option_a=22 | option_b=15 | option_c=19 | option_d=17 | answer=A | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 22 is the odd one out.

id=48882 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 54? | option_a=45 | option_b=54 | option_c=37 | option_d=29 | answer=B | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 54 is the odd one out.

id=48883 | topic=Averages | difficulty=Easy | question=Find the average of 12, 23, 52. | option_a=30 | option_b=31 | option_c=29 | option_d=28 | answer=C | explanation=Average = sum of values ÷ number of values = 87 ÷ 3 = 29.

id=48884 | topic=Percentages | difficulty=Easy | question=What is 30% of 881? | option_a=274 | option_b=528 | option_c=264 | option_d=244 | answer=C | explanation=30% of 881 = (30/100) × 881 = 264.

id=48885 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:17 and the first is 285, what is the second? | option_a=274 | option_b=540 | option_c=255 | option_d=238 | answer=C | explanation=Scale factor = 285/19 = 15. Therefore second quantity = 17×15 = 255.

id=48886 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=48887 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 14. | option_a=112 | option_b=144 | option_c=252 | option_d=126 | answer=D | explanation=LCM × HCF = 18×14; HCF(18,14) = 2, so LCM = 126.

id=48888 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35317 at 6% per annum for 4 years. | option_a=8476 | option_b=8376 | option_c=43793 | option_d=8576 | answer=A | explanation=SI = PRT/100 = 35317×6×4/100 = **■**8476.

id=48889 | topic=Averages | difficulty=Easy | question=Find the average of 18, 88, 84, 50, 63, 62, 52, 47. | option_a=60 | option_b=58 | option_c=59 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 464 ÷ 8 = 58.

id=48890 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**968. If it is sold at a profit of 5%, what is its selling price? | option_a=1016 | option_b=973 | option_c=1112 | option_d=920 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 968 × 105/100 = **■**1016.

id=48891 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=48892 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20929 at 10% per annum for 2 years. | option_a=4185 | option_b=4285 | option_c=25114 | option_d=4085 | answer=A | explanation=SI = PRT/100 = 20929×10×2/100 = **■**4185.

id=48893 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39150 at 8% per annum for 1 years. | option_a=3232 | option_b=42282 | option_c=3132 | option_d=3032 | answer=C | explanation=SI = PRT/100 = 39150×8×1/100 = **■**3132.

id=48894 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:17 and the first is 100, what is the second? | option_a=340 | option_b=323 | option_c=440 | option_d=345 | answer=A | explanation=Scale factor = 100/5 = 20. Therefore second quantity = 17×20 = 340.

id=48895 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=48896 | topic=Percentages | difficulty=Easy | question=What is 40% of 1984? | option_a=793 | option_b=773 | option_c=813 | option_d=1586 | answer=A | explanation=40% of 1984 = (40/100) × 1984 = 793.

id=48897 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44516 at 8% per annum for 1 years. | option_a=3661 | option_b=3561 | option_c=48077 | option_d=3461 | answer=B | explanation=SI = PRT/100 = 44516×8×1/100 = **■**3561.

id=48898 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=24 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=48899 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=48900 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 41? | option_a=32 | option_b=41 | option_c=18 | option_d=25 | answer=B | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 41 is the odd one out.

Aptitude Questions — Records 48,901-48,930 of 100,000

id=48901 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 24, 30, 39? | option_a=24 | option_b=39 | option_c=30 | option_d=18 | answer=B | explanation=The first three numbers increase by 6, so the next should be 36. Therefore 39 is the odd one out.

id=48902 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 44? | option_a=30 | option_b=34 | option_c=38 | option_d=44 | answer=D | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 44 is the odd one out.

id=48903 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12} = 3$ days.

id=48904 | topic=Averages | difficulty=Easy | question=Find the average of 68, 55, 45, 32, 29, 96, 95. | option_a=60 | option_b=62 | option_c=59 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{420}{7} = 60$.

id=48905 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=48906 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 43? | option_a=43 | option_b=33 | option_c=25 | option_d=17 | answer=A | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 43 is the odd one out.

id=48907 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = $\frac{240}{8} = 30$ km/h.

id=48908 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=N | option_b=C | option_c=S | option_d=X | answer=D | explanation=Move 5 positions forward from S; the resulting letter is X.

id=48909 | topic=Averages | difficulty=Easy | question=Find the average of 26, 75, 93, 17, 59. | option_a=56 | option_b=54 | option_c=55 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{270}{5} = 54$.

id=48910 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=48911 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹3992. If it is sold at a profit of 30%, what is its selling price? | option_a=4790 | option_b=5189 | option_c=4022 | option_d=5588 | answer=B | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 3992 \times \frac{130}{100} = \text{₹}5189$.

id=48912 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = $\frac{300}{10} = 30$ km/h.

id=48913 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=N | option_b=Q | option_c=P | option_d=O | answer=C | explanation=Move 1 positions forward from O; the resulting letter is P.

id=48914 | topic=Averages | difficulty=Easy | question=Find the average of 58, 73, 23, 51, 24, 52, 99, 41, 92. | option_a=58 | option_b=56 | option_c=59 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{513}{9} = 57$.

id=48915 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=J | option_c=V | option_d=R | answer=D | explanation=Move 4 positions forward from N; the resulting letter is R.

id=48916 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = $\frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=48917 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 27, 39, 51, ? | option_a=64 | option_b=75 | option_c=51 | option_d=63 | answer=D | explanation=The common difference is 12. Therefore the next term is $51 + 12 = 63$.

id=48918 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 12. | option_a=24 | option_b=48 | option_c=288 | option_d=12 | answer=A | explanation= $LCM \times HCF = 24 \times 12$; $HCF(24, 12) = 12$, so $LCM = 24$.

id=48919 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 16, 20, 27? | option_a=16 | option_b=27 | option_c=12 | option_d=20 | answer=B | explanation=The first three numbers increase by 4, so the next should be 24. Therefore 27 is the odd one out.

id=48920 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:6 and the first is 360, what is the second? | option_a=468 | option_b=102 | option_c=108 | option_d=128 | answer=C | explanation=Scale factor = $\frac{360}{20} = 18$. Therefore second quantity = $6 \times 18 = 108$.

id=48921 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = $\frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=48922 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=40 | option_c=25 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = $\frac{120}{6} = 20$ km/h.

id=48923 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 8. | option_a=120 | option_b=240 | option_c=112 | option_d=150 | answer=A | explanation= $LCM \times HCF = 30 \times 8$; $HCF(30, 8) = 2$, so $LCM = 120$.

id=48924 | topic=Averages | difficulty=Easy | question=Find the average of 45, 49, 66, 91, 25, 78. | option_a=58 | option_b=61 | option_c=60 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{354}{6} = 59$.

id=48925 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = $\frac{240}{4} = 60$ km/h.

id=48926 | topic=Percentages | difficulty=Easy | question=What is 30% of 813? | option_a=243 | option_b=486 | option_c=263 | option_d=233 | answer=A | explanation= $30\% \text{ of } 813 = (\frac{30}{100}) \times 813 = 243$.

id=48927 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=85 | option_c=160 | option_d=75 | answer=A | explanation=Speed = distance ÷ time = $\frac{240}{3} = 80$ km/h.

id=48928 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=48929 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹42497 at 12% per annum for 4 years. | option_a=62895 | option_b=20298 | option_c=20498 | option_d=20398 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{42497 \times 12 \times 4}{100} = \text{₹}20398$.

id=48930 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 25, 31, 40? | option_a=19 | option_b=25 | option_c=31 | option_d=40 | answer=D | explanation=The first three numbers increase by 6, so the next should be 37. Therefore 40 is the odd one out.

Aptitude Questions — Records 48,931-48,960 of 100,000

id=48931 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14436 at 8% per annum for 4 years. | option_a=4719 | option_b=4519 | option_c=4619 | option_d=19055 | answer=C | explanation=SI = $PRT/100 = 14436 \times 8 \times 4 / 100 = \text{■}4619$.

id=48932 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:1 and the first is 80, what is the second? | option_a=16 | option_b=15 | option_c=21 | option_d=96 | answer=A | explanation=Scale factor = $80/5 = 16$. Therefore second quantity = $1 \times 16 = 16$.

id=48933 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29830 at 15% per annum for 2 years. | option_a=8849 | option_b=9049 | option_c=38779 | option_d=8949 | answer=D | explanation=SI = $PRT/100 = 29830 \times 15 \times 2 / 100 = \text{■}8949$.

id=48934 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=23 | option_b=24 | option_c=19 | option_d=27 | answer=A | explanation=The common difference is 4. Therefore the next term is $19 + 4 = 23$.

id=48935 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=48936 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:7 and the first is 152, what is the second? | option_a=133 | option_b=126 | option_c=141 | option_d=285 | answer=A | explanation=Scale factor = $152/8 = 19$. Therefore second quantity = $7 \times 19 = 133$.

id=48937 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 27. | option_a=27 | option_b=243 | option_c=36 | option_d=1 | answer=A | explanation= $LCM \times HCF = 9 \times 27$; $HCF(9,27) = 9$, so $LCM = 27$.

id=48938 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=9 | option_c=4 | option_d=18 | answer=B | explanation=Speed = distance ÷ time = $90 \div 10 = 9$ km/h.

id=48939 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=5 | option_c=20 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = $60 \div 6 = 10$ km/h.

id=48940 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=48941 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=50 | option_b=32 | option_c=41 | option_d=42 | answer=C | explanation=The common difference is 9. Therefore the next term is $32 + 9 = 41$.

id=48942 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4719. If it is sold at a profit of 5%, what is its selling price? | option_a=4483 | option_b=4954 | option_c=5425 | option_d=4724 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4719 \times 105 / 100 = \text{■}4954$.

id=48943 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:20 and the first is 70, what is the second? | option_a=210 | option_b=150 | option_c=140 | option_d=120 | answer=C | explanation=Scale factor = $70/10 = 7$. Therefore second quantity = $20 \times 7 = 140$.

id=48944 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 25, 35, 46? | option_a=46 | option_b=35 | option_c=25 | option_d=15 | answer=A | explanation=The first three numbers increase by 10, so the next should be 45. Therefore 46 is the odd one out.

id=48945 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = $90 \div 2 = 45$ km/h.

id=48946 | topic=Averages | difficulty=Easy | question=Find the average of 12, 84, 43, 52, 91, 17, 72. | option_a=55 | option_b=53 | option_c=54 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = $371 \div 7 = 53$.

id=48947 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=80 | option_c=40 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = $120 \div 3 = 40$ km/h.

id=48948 | topic=Percentages | difficulty=Easy | question=What is 25% of 708? | option_a=177 | option_b=167 | option_c=354 | option_d=197 | answer=A | explanation=25% of 708 = $(25/100) \times 708 = 177$.

id=48949 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:19 and the first is 150, what is the second? | option_a=435 | option_b=266 | option_c=285 | option_d=295 | answer=C | explanation=Scale factor = $150/10 = 15$. Therefore second quantity = $19 \times 15 = 285$.

id=48950 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6776 at 10% per annum for 5 years. | option_a=3288 | option_b=3488 | option_c=10164 | option_d=3388 | answer=D | explanation=SI = $PRT/100 = 6776 \times 10 \times 5 / 100 = \text{■}3388$.

id=48951 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4698. If it is sold at a profit of 40%, what is its selling price? | option_a=6577 | option_b=7046 | option_c=4738 | option_d=6108 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4698 \times 140 / 100 = \text{■}6577$.

id=48952 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 22. | option_a=440 | option_b=198 | option_c=220 | option_d=240 | answer=C | explanation= $LCM \times HCF = 20 \times 22$; $HCF(20,22) = 2$, so $LCM = 220$.

id=48953 | topic=Percentages | difficulty=Easy | question=What is 50% of 687? | option_a=343 | option_b=686 | option_c=353 | option_d=338 | answer=A | explanation=50% of 687 = $(50/100) \times 687 = 343$.

id=48954 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=7 | option_d=24 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=48955 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=V | option_b=S | option_c=P | option_d=M | answer=B | explanation=Move 3 positions forward from P; the resulting letter is S.

id=48956 | topic=Percentages | difficulty=Easy | question=What is 5% of 880? | option_a=34 | option_b=44 | option_c=54 | option_d=88 | answer=B | explanation=5% of 880 = $(5/100) \times 880 = 44$.

id=48957 | topic=Averages | difficulty=Easy | question=Find the average of 40, 37, 92, 91. | option_a=64 | option_b=65 | option_c=67 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = $260 \div 4 = 65$.

id=48958 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:15 and the first is 96, what is the second? | option_a=90 | option_b=186 | option_c=75 | option_d=106 | answer=A | explanation=Scale factor = $96/16 = 6$. Therefore second quantity = $15 \times 6 = 90$.

id=48959 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=44 | option_b=45 | option_c=35 | option_d=53 | answer=A | explanation=The common difference is 9. Therefore the next term is $35 + 9 = 44$.

id=48960 | topic=Averages | difficulty=Easy | question=Find the average of 97, 38, 71, 26, 18. | option_a=49 | option_b=52 | option_c=51 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = $250 \div 5 = 50$.

Aptitude Questions — Records 48,961-48,990 of 100,000

id=48961 | topic=Percentages | difficulty=Easy | question=What is 10% of 319? | option_a=31 | option_b=21 | option_c=36 | option_d=62 | answer=A | explanation=10% of 319 = (10/100) × 319 = 31.

id=48962 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:2 and the first is 162, what is the second? | option_a=180 | option_b=16 | option_c=36 | option_d=18 | answer=D | explanation=Scale factor = 162/18 = 9. Therefore second quantity = 2×9 = 18.

id=48963 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=4 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=48964 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=34 | option_b=39 | option_c=44 | option_d=40 | answer=B | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

id=48965 | topic=Averages | difficulty=Easy | question=Find the average of 89, 83, 98, 73, 41, 92, 47, 62, 27. | option_a=68 | option_b=69 | option_c=70 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = 612 ÷ 9 = 68.

id=48966 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=35 | option_b=31 | option_c=25 | option_d=30 | answer=D | explanation=The common difference is 5. Therefore the next term is 25 + 5 = 30.

id=48967 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=48968 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=24 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=48969 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=O | option_b=Y | option_c=T | option_d=D | answer=B | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=48970 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=53 | option_b=33 | option_c=44 | option_d=43 | answer=D | explanation=The common difference is 10. Therefore the next term is 33 + 10 = 43.

id=48971 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 24. | option_a=624 | option_b=312 | option_c=338 | option_d=288 | answer=B | explanation=LCM × HCF = 26×24; HCF(26,24) = 2, so LCM = 312.

id=48972 | topic=Percentages | difficulty=Easy | question=What is 50% of 1312? | option_a=676 | option_b=656 | option_c=1312 | option_d=651 | answer=B | explanation=50% of 1312 = (50/100) × 1312 = 656.

id=48973 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=48974 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42547 at 6% per annum for 5 years. | option_a=12664 | option_b=12764 | option_c=12864 | option_d=55311 | answer=B | explanation=SI = PRT/100 = 42547×6×5/100 = █12764.

id=48975 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=48976 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 20. | option_a=20 | option_b=48 | option_c=40 | option_d=160 | answer=C | explanation=LCM × HCF = 8×20; HCF(8,20) = 4, so LCM = 40.

id=48977 | topic=Percentages | difficulty=Easy | question=What is 30% of 1725? | option_a=517 | option_b=507 | option_c=1034 | option_d=537 | answer=A | explanation=30% of 1725 = (30/100) × 1725 = 517.

id=48978 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=Z | option_b=K | option_c=P | option_d=U | answer=D | explanation=Move 5 positions forward from P; the resulting letter is U.

id=48979 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 52? | option_a=41 | option_b=32 | option_c=23 | option_d=52 | answer=D | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 52 is the odd one out.

id=48980 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37246 at 5% per annum for 5 years. | option_a=46557 | option_b=9411 | option_c=9311 | option_d=9211 | answer=C | explanation=SI = PRT/100 = 37246×5×5/100 = █9311.

id=48981 | topic=Averages | difficulty=Easy | question=Find the average of 30, 50, 72, 67, 86. | option_a=61 | option_b=60 | option_c=63 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 305 ÷ 5 = 61.

id=48982 | topic=Percentages | difficulty=Easy | question=What is 25% of 914? | option_a=233 | option_b=228 | option_c=223 | option_d=456 | answer=B | explanation=25% of 914 = (25/100) × 914 = 228.

id=48983 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=48 | option_b=36 | option_c=58 | option_d=47 | answer=D | explanation=The common difference is 11. Therefore the next term is 36 + 11 = 47.

id=48984 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3072. If it is sold at a profit of 30%, what is its selling price? | option_a=3686 | option_b=3993 | option_c=3102 | option_d=4300 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3072 × 130/100 = █3993.

id=48985 | topic=Percentages | difficulty=Easy | question=What is 40% of 718? | option_a=297 | option_b=277 | option_c=287 | option_d=574 | answer=C | explanation=40% of 718 = (40/100) × 718 = 287.

id=48986 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=39 | option_b=34 | option_c=44 | option_d=40 | answer=A | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

id=48987 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=S | option_c=D | option_d=N | answer=D | explanation=Move 5 positions forward from I; the resulting letter is N.

id=48988 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=20 | option_b=22 | option_c=24 | option_d=23 | answer=B | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=48989 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 28, 31, 37? | option_a=25 | option_b=28 | option_c=37 | option_d=31 | answer=C | explanation=The first three numbers increase by 3, so the next should be 34. Therefore 37 is the odd one out.

id=48990 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 48,991-49,020 of 100,000

id=48991 | topic=Averages | difficulty=Easy | question=Find the average of 45, 89, 53, 26, 23, 46, 39, 32, 97. | option_a=52 | option_b=50 | option_c=51 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 450 ÷ 9 = 50.

id=48992 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=39 | option_b=46 | option_c=53 | option_d=47 | answer=B | explanation=The common difference is 7. Therefore the next term is 39 + 7 = 46.

id=48993 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37565 at 8% per annum for 2 years. | option_a=6110 | option_b=6010 | option_c=43575 | option_d=5910 | answer=B | explanation=SI = PRT/100 = 37565×8×2/100 = **■**6010.

id=48994 | topic=Averages | difficulty=Easy | question=Find the average of 55, 85, 97, 74, 59. | option_a=73 | option_b=74 | option_c=75 | option_d=76 | answer=B | explanation=Average = sum of values ÷ number of values = 370 ÷ 5 = 74.

id=48995 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3200. If it is sold at a profit of 50%, what is its selling price? | option_a=4800 | option_b=3250 | option_c=5120 | option_d=4480 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3200 × 150/100 = **■**4800.

id=48996 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=E | option_b=Q | option_c=M | option_d=I | answer=C | explanation=Move 4 positions forward from I; the resulting letter is M.

id=48997 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=37 | option_b=36 | option_c=32 | option_d=40 | answer=B | explanation=The common difference is 4. Therefore the next term is 32 + 4 = 36.

id=48998 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 43? | option_a=43 | option_b=26 | option_c=18 | option_d=34 | answer=A | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 43 is the odd one out.

id=48999 | topic=Percentages | difficulty=Easy | question=What is 25% of 981? | option_a=245 | option_b=490 | option_c=255 | option_d=240 | answer=A | explanation=25% of 981 = (25/100) × 981 = 245.

id=49000 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16182 at 15% per annum for 2 years. | option_a=4954 | option_b=4754 | option_c=21036 | option_d=4854 | answer=D | explanation=SI = PRT/100 = 16182×15×2/100 = **■**4854.

id=49001 | topic=Averages | difficulty=Easy | question=Find the average of 29, 29, 10, 96, 91, 53, 90, 14, 77, 101. | option_a=61 | option_b=60 | option_c=59 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 590 ÷ 10 = 59.

id=49002 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=28 | option_b=24 | option_c=29 | option_d=32 | answer=A | explanation=The common difference is 4. Therefore the next term is 24 + 4 = 28.

id=49003 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=49004 | topic=Percentages | difficulty=Easy | question=What is 20% of 427? | option_a=85 | option_b=170 | option_c=105 | option_d=75 | answer=A | explanation=20% of 427 = (20/100) × 427 = 85.

id=49005 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 10. | option_a=110 | option_b=220 | option_c=100 | option_d=132 | answer=A | explanation=LCM × HCF = 22×10; HCF(22,10) = 2, so LCM = 110.

id=49006 | topic=Percentages | difficulty=Easy | question=What is 10% of 1165? | option_a=126 | option_b=232 | option_c=116 | option_d=106 | answer=C | explanation=10% of 1165 = (10/100) × 1165 = 116.

id=49007 | topic=Averages | difficulty=Easy | question=Find the average of 69, 56, 40. | option_a=54 | option_b=55 | option_c=57 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 165 ÷ 3 = 55.

id=49008 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 43? | option_a=24 | option_b=36 | option_c=43 | option_d=30 | answer=C | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 43 is the odd one out.

id=49009 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 14, 17, 22? | option_a=14 | option_b=11 | option_c=17 | option_d=22 | answer=D | explanation=The first three numbers increase by 3, so the next should be 20. Therefore 22 is the odd one out.

id=49010 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:11 and the first is 152, what is the second? | option_a=361 | option_b=217 | option_c=198 | option_d=209 | answer=D | explanation=Scale factor = 152/8 = 19. Therefore second quantity = 11×19 = 209.

id=49011 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=49012 | topic=Averages | difficulty=Easy | question=Find the average of 100, 10, 20, 28, 23, 101. | option_a=46 | option_b=49 | option_c=48 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 282 ÷ 6 = 47.

id=49013 | topic=Averages | difficulty=Easy | question=Find the average of 96, 26, 42, 22, 18, 55, 88, 81, 54, 98. | option_a=58 | option_b=60 | option_c=59 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 580 ÷ 10 = 58.

id=49014 | topic=Percentages | difficulty=Easy | question=What is 30% of 199? | option_a=79 | option_b=49 | option_c=118 | option_d=59 | answer=D | explanation=30% of 199 = (30/100) × 199 = 59.

id=49015 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:12 and the first is 160, what is the second? | option_a=180 | option_b=192 | option_c=352 | option_d=202 | answer=B | explanation=Scale factor = 160/10 = 16. Therefore second quantity = 12×16 = 192.

id=49016 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=49017 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=Y | option_b=D | option_c=I | option_d=N | answer=C | explanation=Move 5 positions forward from D; the resulting letter is I.

id=49018 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24309 at 12% per annum for 2 years. | option_a=5734 | option_b=5934 | option_c=30143 | option_d=5834 | answer=D | explanation=SI = PRT/100 = 24309×12×2/100 = **■**5834.

id=49019 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=49020 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=50 | option_b=43 | option_c=34 | option_d=42 | answer=D | explanation=The common difference is 8. Therefore the next term is 34 + 8 = 42.

Aptitude Questions — Records 49,021-49,050 of 100,000

id=49021 | topic=Percentages | difficulty=Easy | question=What is 5% of 580? | option_a=29 | option_b=58 | option_c=39 | option_d=19 | answer=A | explanation=5% of 580 = (5/100) × 580 = 29.

id=49022 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=50 | option_b=40 | option_c=49 | option_d=58 | answer=C | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

id=49023 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:11 and the first is 18, what is the second? | option_a=39 | option_b=33 | option_c=22 | option_d=51 | answer=B | explanation=Scale factor = 18/6 = 3. Therefore second quantity = 11×3 = 33.

id=49024 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=49025 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=49026 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=59 | option_b=60 | option_c=49 | option_d=69 | answer=A | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

id=49027 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:10 and the first is 48, what is the second? | option_a=108 | option_b=68 | option_c=60 | option_d=50 | answer=C | explanation=Scale factor = 48/8 = 6. Therefore second quantity = 10×6 = 60.

id=49028 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=125 | option_c=240 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=49029 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13194 at 15% per annum for 4 years. | option_a=7916 | option_b=8016 | option_c=7816 | option_d=21110 | answer=A | explanation=SI = PRT/100 = 13194×15×4/100 = **■**7916.

id=49030 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1342. If it is sold at a profit of 50%, what is its selling price? | option_a=2147 | option_b=1879 | option_c=2013 | option_d=1392 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1342 × 150/100 = **■**2013.

id=49031 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:18 and the first is 39, what is the second? | option_a=67 | option_b=54 | option_c=36 | option_d=93 | answer=B | explanation=Scale factor = 39/13 = 3. Therefore second quantity = 18×3 = 54.

id=49032 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=49033 | topic=Averages | difficulty=Easy | question=Find the average of 85, 28, 62, 84, 95, 17, 45, 35, 17. | option_a=52 | option_b=54 | option_c=53 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 468 ÷ 9 = 52.

id=49034 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=49035 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=49036 | topic=Percentages | difficulty=Easy | question=What is 30% of 971? | option_a=271 | option_b=582 | option_c=291 | option_d=301 | answer=C | explanation=30% of 971 = (30/100) × 971 = 291.

id=49037 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**949. If it is sold at a profit of 40%, what is its selling price? | option_a=1328 | option_b=1234 | option_c=989 | option_d=1422 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 949 × 140/100 = **■**1328.

id=49038 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=D | option_c=H | option_d=B | answer=A | explanation=Move 2 positions forward from D; the resulting letter is F.

id=49039 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=90 | option_c=85 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=49040 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=49041 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34358 at 10% per annum for 4 years. | option_a=13643 | option_b=13743 | option_c=48101 | option_d=13843 | answer=B | explanation=SI = PRT/100 = 34358×10×4/100 = **■**13743.

id=49042 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=40 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=49043 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4153. If it is sold at a profit of 20%, what is its selling price? | option_a=4568 | option_b=4173 | option_c=4983 | option_d=5398 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4153 × 120/100 = **■**4983.

id=49044 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19237 at 15% per annum for 4 years. | option_a=11642 | option_b=30779 | option_c=11442 | option_d=11542 | answer=D | explanation=SI = PRT/100 = 19237×15×4/100 = **■**11542.

id=49045 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17433 at 15% per annum for 5 years. | option_a=12974 | option_b=30507 | option_c=13174 | option_d=13074 | answer=D | explanation=SI = PRT/100 = 17433×15×5/100 = **■**13074.

id=49046 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=Q | option_c=W | option_d=S | answer=A | explanation=Move 2 positions forward from S; the resulting letter is U.

id=49047 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3051. If it is sold at a profit of 30%, what is its selling price? | option_a=3081 | option_b=3966 | option_c=4271 | option_d=3661 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3051 × 130/100 = **■**3966.

id=49048 | topic=Averages | difficulty=Easy | question=Find the average of 19, 63, 77, 90, 27, 30, 35, 41, 95. | option_a=53 | option_b=52 | option_c=55 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 477 ÷ 9 = 53.

id=49049 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=24 | option_b=32 | option_c=31 | option_d=38 | answer=C | explanation=The common difference is 7. Therefore the next term is 24 + 7 = 31.

id=49050 | topic=Percentages | difficulty=Easy | question=What is 50% of 264? | option_a=127 | option_b=132 | option_c=264 | option_d=137 | answer=B | explanation=50% of 264 = (50/100) × 264 = 132.

Aptitude Questions — Records 49,051-49,080 of 100,000

id=49051 | topic=Percentages | difficulty=Easy | question=What is 20% of 1895? | option_a=379 | option_b=758 | option_c=399 | option_d=359 | answer=A | explanation=20% of 1895 = (20/100) × 1895 = 379.

id=49052 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=43 | option_b=37 | option_c=38 | option_d=31 | answer=B | explanation=The common difference is 6. Therefore the next term is 31 + 6 = 37.

id=49053 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2249. If it is sold at a profit of 30%, what is its selling price? | option_a=2279 | option_b=2699 | option_c=2923 | option_d=3147 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2249 × 130/100 = █2923.

id=49054 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:18 and the first is 22, what is the second? | option_a=47 | option_b=18 | option_c=58 | option_d=36 | answer=D | explanation=Scale factor = 22/11 = 2. Therefore second quantity = 18×2 = 36.

id=49055 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=49056 | topic=Averages | difficulty=Easy | question=Find the average of 11, 91, 12, 87, 48, 16, 64. | option_a=49 | option_b=48 | option_c=47 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 329 ÷ 7 = 47.

id=49057 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4756. If it is sold at a profit of 20%, what is its selling price? | option_a=4776 | option_b=5707 | option_c=5232 | option_d=6182 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4756 × 120/100 = █5707.

id=49058 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=100 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=49059 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=125 | option_c=240 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=49060 | topic=Percentages | difficulty=Easy | question=What is 40% of 949? | option_a=374 | option_b=379 | option_c=758 | option_d=384 | answer=B | explanation=40% of 949 = (40/100) × 949 = 379.

id=49061 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=49062 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 10, 14, 19? | option_a=14 | option_b=10 | option_c=6 | option_d=19 | answer=D | explanation=The first three numbers increase by 4, so the next should be 18. Therefore 19 is the odd one out.

id=49063 | topic=Percentages | difficulty=Easy | question=What is 20% of 478? | option_a=95 | option_b=190 | option_c=90 | option_d=105 | answer=A | explanation=20% of 478 = (20/100) × 478 = 95.

id=49064 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5375 at 12% per annum for 5 years. | option_a=3325 | option_b=3125 | option_c=8600 | option_d=3225 | answer=D | explanation=SI = PRT/100 = 5375×12×5/100 = █3225.

id=49065 | topic=Averages | difficulty=Easy | question=Find the average of 77, 78, 44, 69, 37. | option_a=61 | option_b=62 | option_c=63 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 305 ÷ 5 = 61.

id=49066 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 19, 22, 25, ? | option_a=25 | option_b=31 | option_c=28 | option_d=29 | answer=C | explanation=The common difference is 3. Therefore the next term is 25 + 3 = 28.

id=49067 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:19 and the first is 24, what is the second? | option_a=95 | option_b=114 | option_c=118 | option_d=138 | answer=B | explanation=Scale factor = 24/4 = 6. Therefore second quantity = 19×6 = 114.

id=49068 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=49069 | topic=Percentages | difficulty=Easy | question=What is 5% of 1230? | option_a=61 | option_b=122 | option_c=81 | option_d=41 | answer=A | explanation=5% of 1230 = (5/100) × 1230 = 61.

id=49070 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=Z | option_b=E | option_c=U | option_d=P | answer=A | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=49071 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 10, 12, 14, ? | option_a=17 | option_b=16 | option_c=14 | option_d=18 | answer=B | explanation=The common difference is 2. Therefore the next term is 14 + 2 = 16.

id=49072 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43859 at 4% per annum for 4 years. | option_a=7117 | option_b=50876 | option_c=7017 | option_d=6917 | answer=C | explanation=SI = PRT/100 = 43859×4×4/100 = █7017.

id=49073 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=T | option_c=P | option_d=R | answer=B | explanation=Move 2 positions forward from R; the resulting letter is T.

id=49074 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=49075 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=75 | option_d=150 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=49076 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1304. If it is sold at a profit of 40%, what is its selling price? | option_a=1695 | option_b=1344 | option_c=1955 | option_d=1825 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1304 × 140/100 = █1825.

id=49077 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=49078 | topic=Percentages | difficulty=Easy | question=What is 15% of 373? | option_a=60 | option_b=35 | option_c=110 | option_d=55 | answer=D | explanation=15% of 373 = (15/100) × 373 = 55.

id=49079 | topic=Percentages | difficulty=Easy | question=What is 50% of 1615? | option_a=1614 | option_b=802 | option_c=807 | option_d=817 | answer=C | explanation=50% of 1615 = (50/100) × 1615 = 807.

id=49080 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:16 and the first is 252, what is the second? | option_a=208 | option_b=476 | option_c=242 | option_d=224 | answer=D | explanation=Scale factor = 252/18 = 14. Therefore second quantity = 16×14 = 224.

Aptitude Questions — Records 49,081-49,110 of 100,000

- id=49081 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 21. | option_a=120 | option_b=105 | option_c=315 | option_d=84 | answer=B | explanation= $LCM \times HCF = 15 \times 21$; $HCF(15,21) = 3$, so $LCM = 105$.
- id=49082 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=14 | option_c=4 | option_d=9 | answer=D | explanation= $Speed = distance \div time = 90 \div 10 = 9$ km/h.
- id=49083 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**11515 at 15% per annum for 2 years. | option_a=3454 | option_b=3354 | option_c=14969 | option_d=3554 | answer=A | explanation= $SI = PRT/100 = 11515 \times 15 \times 2/100 = \text{₹}3454$.
- id=49084 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 17, 23, 32? | option_a=32 | option_b=17 | option_c=11 | option_d=23 | answer=A | explanation=The first three numbers increase by 6, so the next should be 29. Therefore 32 is the odd one out.
- id=49085 | topic=Number System | difficulty=Easy | question=Find the LCM of 13 and 13. | option_a=13 | option_b=169 | option_c=26 | option_d=1 | answer=A | explanation= $LCM \times HCF = 13 \times 13$; $HCF(13,13) = 13$, so $LCM = 13$.
- id=49086 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=77 | option_c=72 | option_d=67 | answer=C | explanation= $Speed = distance \div time = 360 \div 5 = 72$ km/h.
- id=49087 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=43 | option_b=31 | option_c=38 | option_d=37 | answer=D | explanation=The common difference is 6. Therefore the next term is $31 + 6 = 37$.
- id=49088 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:5 and the first is 14, what is the second? | option_a=65 | option_b=84 | option_c=70 | option_d=71 | answer=C | explanation=Scale factor = $14/1 = 14$. Therefore second quantity = $5 \times 14 = 70$.
- id=49089 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 25? | option_a=25 | option_b=6 | option_c=18 | option_d=12 | answer=A | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 25 is the odd one out.
- id=49090 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=C | option_b=L | option_c=F | option_d=I | answer=D | explanation=Move 3 positions forward from F; the resulting letter is I.
- id=49091 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 43? | option_a=27 | option_b=34 | option_c=20 | option_d=43 | answer=D | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 43 is the odd one out.
- id=49092 | topic=Averages | difficulty=Easy | question=Find the average of 19, 51, 75, 91. | option_a=61 | option_b=58 | option_c=60 | option_d=59 | answer=D | explanation= $Average = sum\ of\ values \div number\ of\ values = 236 \div 4 = 59$.
- id=49093 | topic=Averages | difficulty=Easy | question=Find the average of 61, 39, 74. | option_a=58 | option_b=60 | option_c=59 | option_d=57 | answer=A | explanation= $Average = sum\ of\ values \div number\ of\ values = 174 \div 3 = 58$.
- id=49094 | topic=Averages | difficulty=Easy | question=Find the average of 73, 11, 92, 39, 92, 47. | option_a=58 | option_b=59 | option_c=60 | option_d=61 | answer=B | explanation= $Average = sum\ of\ values \div number\ of\ values = 354 \div 6 = 59$.
- id=49095 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:5 and the first is 96, what is the second? | option_a=126 | option_b=25 | option_c=46 | option_d=30 | answer=D | explanation=Scale factor = $96/16 = 6$. Therefore second quantity = $5 \times 6 = 30$.
- id=49096 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 7, 10, 15? | option_a=10 | option_b=7 | option_c=15 | option_d=4 | answer=C | explanation=The first three numbers increase by 3, so the next should be 13. Therefore 15 is the odd one out.
- id=49097 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation= $Combined\ rate = 1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.
- id=49098 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 11? | option_a=11 | option_b=8 | option_c=4 | option_d=6 | answer=A | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 11 is the odd one out.
- id=49099 | topic=Number System | difficulty=Easy | question=Find the LCM of 29 and 29. | option_a=29 | option_b=841 | option_c=1 | option_d=58 | answer=A | explanation= $LCM \times HCF = 29 \times 29$; $HCF(29,29) = 29$, so $LCM = 29$.
- id=49100 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation= $Speed = distance \div time = 300 \div 5 = 60$ km/h.
- id=49101 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=X | option_b=N | option_c=S | option_d=I | answer=C | explanation=Move 5 positions forward from N; the resulting letter is S.
- id=49102 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 24. | option_a=24 | option_b=48 | option_c=1 | option_d=26 | answer=A | explanation= $LCM \times HCF = 2 \times 24$; $HCF(2,24) = 2$, so $LCM = 24$.
- id=49103 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=30 | option_b=27 | option_c=33 | option_d=31 | answer=A | explanation=The common difference is 3. Therefore the next term is $27 + 3 = 30$.
- id=49104 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=33 | option_b=39 | option_c=32 | option_d=25 | answer=C | explanation=The common difference is 7. Therefore the next term is $25 + 7 = 32$.
- id=49105 | topic=Averages | difficulty=Easy | question=Find the average of 62, 11, 94, 20, 25, 76. | option_a=47 | option_b=50 | option_c=48 | option_d=49 | answer=C | explanation= $Average = sum\ of\ values \div number\ of\ values = 288 \div 6 = 48$.
- id=49106 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=45 | option_d=80 | answer=A | explanation= $Speed = distance \div time = 120 \div 3 = 40$ km/h.
- id=49107 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=53 | option_b=47 | option_c=46 | option_d=39 | answer=C | explanation=The common difference is 7. Therefore the next term is $39 + 7 = 46$.
- id=49108 | topic=Averages | difficulty=Easy | question=Find the average of 64, 62, 15. | option_a=47 | option_b=49 | option_c=46 | option_d=48 | answer=A | explanation= $Average = sum\ of\ values \div number\ of\ values = 141 \div 3 = 47$.
- id=49109 | topic=Percentages | difficulty=Easy | question=What is 15% of 873? | option_a=110 | option_b=260 | option_c=140 | option_d=130 | answer=D | explanation= $15\% \ of\ 873 = (15/100) \times 873 = 130$.
- id=49110 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:1 and the first is 36, what is the second? | option_a=45 | option_b=8 | option_c=13 | option_d=9 | answer=D | explanation=Scale factor = $36/4 = 9$. Therefore second quantity = $1 \times 9 = 9$.

Aptitude Questions — Records 49,111-49,140 of 100,000

id=49111 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 32, 42, 54? | option_a=54 | option_b=32 | option_c=42 | option_d=22 | answer=A | explanation=The first three numbers increase by 10, so the next should be 52. Therefore 54 is the odd one out.

id=49112 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 29, 31, 36? | option_a=36 | option_b=31 | option_c=29 | option_d=27 | answer=A | explanation=The first three numbers increase by 2, so the next should be 33. Therefore 36 is the odd one out.

id=49113 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1367. If it is sold at a profit of 5%, what is its selling price? | option_a=1571 | option_b=1372 | option_c=1435 | option_d=1299 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1367 \times 105/100 = \text{█}1435$.

id=49114 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=C | option_c=E | option_d=I | answer=A | explanation=Move 2 positions forward from E; the resulting letter is G.

id=49115 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=49116 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=49117 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=49118 | topic=Averages | difficulty=Easy | question=Find the average of 51, 39, 99, 64, 52. | option_a=62 | option_b=60 | option_c=61 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = $305 \div 5 = 61$.

id=49119 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=36 | option_c=31 | option_d=72 | answer=B | explanation=Speed = distance ÷ time = $360 \div 10 = 36$ km/h.

id=49120 | topic=Averages | difficulty=Easy | question=Find the average of 21, 89, 90, 38, 27. | option_a=52 | option_b=53 | option_c=55 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = $265 \div 5 = 53$.

id=49121 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=48 | option_c=53 | option_d=96 | answer=B | explanation=Speed = distance ÷ time = $240 \div 5 = 48$ km/h.

id=49122 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:5 and the first is 176, what is the second? | option_a=256 | option_b=91 | option_c=75 | option_d=80 | answer=D | explanation=Scale factor = $176/11 = 16$. Therefore second quantity = $5 \times 16 = 80$.

id=49123 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21449 at 12% per annum for 3 years. | option_a=29170 | option_b=7821 | option_c=7721 | option_d=7621 | answer=C | explanation=SI = $PRT/100 = 21449 \times 12 \times 3/100 = \text{█}7721$.

id=49124 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=59 | option_b=41 | option_c=50 | option_d=51 | answer=C | explanation=The common difference is 9. Therefore the next term is $41 + 9 = 50$.

id=49125 | topic=Averages | difficulty=Easy | question=Find the average of 76, 73, 49, 56, 71, 47, 26, 67, 84. | option_a=60 | option_b=63 | option_c=61 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = $549 \div 9 = 61$.

id=49126 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:1 and the first is 126, what is the second? | option_a=23 | option_b=8 | option_c=135 | option_d=9 | answer=D | explanation=Scale factor = $126/14 = 9$. Therefore second quantity = $1 \times 9 = 9$.

id=49127 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=49128 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=Q | option_c=S | option_d=O | answer=C | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=49129 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=49130 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=49131 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=55 | option_c=100 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = $300 \div 6 = 50$ km/h.

id=49132 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=41 | option_c=72 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = $360 \div 10 = 36$ km/h.

id=49133 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=25 | option_b=39 | option_c=33 | option_d=32 | answer=D | explanation=The common difference is 7. Therefore the next term is $25 + 7 = 32$.

id=49134 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=49135 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 16. | option_a=352 | option_b=176 | option_c=160 | option_d=198 | answer=B | explanation= $LCM \times HCF = 22 \times 16$; $HCF(22,16) = 2$, so $LCM = 176$.

id=49136 | topic=Percentages | difficulty=Easy | question=What is 12% of 352? | option_a=37 | option_b=84 | option_c=42 | option_d=62 | answer=C | explanation= $12\% \text{ of } 352 = (12/100) \times 352 = 42$.

id=49137 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28860 at 10% per annum for 3 years. | option_a=8658 | option_b=8558 | option_c=8758 | option_d=37518 | answer=A | explanation=SI = $PRT/100 = 28860 \times 10 \times 3/100 = \text{█}8658$.

id=49138 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=19 | option_c=48 | option_d=29 | answer=A | explanation=Speed = distance ÷ time = $120 \div 5 = 24$ km/h.

id=49139 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=58 | option_b=69 | option_c=57 | option_d=45 | answer=C | explanation=The common difference is 12. Therefore the next term is $45 + 12 = 57$.

id=49140 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=36 | option_b=47 | option_c=58 | option_d=48 | answer=B | explanation=The common difference is 11. Therefore the next term is $36 + 11 = 47$.

Aptitude Questions — Records 49,141-49,170 of 100,000

id=49141 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1014. If it is sold at a profit of 20%, what is its selling price? | option_a=1034 | option_b=1317 | option_c=1115 | option_d=1216 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1014 × 120/100 = ■1216.

id=49142 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=49143 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 27. | option_a=162 | option_b=567 | option_c=189 | option_d=210 | answer=C | explanation=LCM × HCF = 21×27; HCF(21,27) = 3, so LCM = 189.

id=49144 | topic=Averages | difficulty=Easy | question=Find the average of 82, 42, 99, 34, 59, 32, 94, 28, 97. | option_a=64 | option_b=62 | option_c=63 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = 567 ÷ 9 = 63.

id=49145 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:9 and the first is 238, what is the second? | option_a=167 | option_b=391 | option_c=153 | option_d=144 | answer=C | explanation=Scale factor = 238/14 = 17. Therefore second quantity = 9×17 = 153.

id=49146 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■37694 at 6% per annum for 1 years. | option_a=39955 | option_b=2161 | option_c=2261 | option_d=2361 | answer=C | explanation=SI = PRT/100 = 37694×6×1/100 = ■2261.

id=49147 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=24 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=49148 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=49149 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■38041 at 12% per annum for 2 years. | option_a=9129 | option_b=9029 | option_c=47170 | option_d=9229 | answer=A | explanation=SI = PRT/100 = 38041×12×2/100 = ■9129.

id=49150 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 11, 16, 22? | option_a=6 | option_b=16 | option_c=11 | option_d=22 | answer=D | explanation=The first three numbers increase by 5, so the next should be 21. Therefore 22 is the odd one out.

id=49151 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 14. | option_a=63 | option_b=28 | option_c=42 | option_d=294 | answer=C | explanation=LCM × HCF = 21×14; HCF(21,14) = 7, so LCM = 42.

id=49152 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■20841 at 4% per annum for 5 years. | option_a=4068 | option_b=4268 | option_c=25009 | option_d=4168 | answer=D | explanation=SI = PRT/100 = 20841×4×5/100 = ■4168.

id=49153 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=49154 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=49155 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=44 | option_b=43 | option_c=50 | option_d=36 | answer=B | explanation=The common difference is 7. Therefore the next term is 36 + 7 = 43.

id=49156 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=I | option_b=N | option_c=S | option_d=X | answer=C | explanation=Move 5 positions forward from N; the resulting letter is S.

id=49157 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:14 and the first is 60, what is the second? | option_a=200 | option_b=146 | option_c=140 | option_d=126 | answer=C | explanation=Scale factor = 60/6 = 10. Therefore second quantity = 14×10 = 140.

id=49158 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:12 and the first is 280, what is the second? | option_a=188 | option_b=448 | option_c=156 | option_d=168 | answer=D | explanation=Scale factor = 280/20 = 14. Therefore second quantity = 12×14 = 168.

id=49159 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=69 | option_b=57 | option_c=45 | option_d=58 | answer=B | explanation=The common difference is 12. Therefore the next term is 45 + 12 = 57.

id=49160 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 3. | option_a=3 | option_b=9 | option_c=6 | option_d=1 | answer=A | explanation=LCM × HCF = 3×3; HCF(3,3) = 3, so LCM = 3.

id=49161 | topic=Percentages | difficulty=Easy | question=What is 20% of 110? | option_a=44 | option_b=22 | option_c=32 | option_d=17 | answer=B | explanation=20% of 110 = (20/100) × 110 = 22.

id=49162 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■2642 at 15% per annum for 3 years. | option_a=3830 | option_b=1188 | option_c=1288 | option_d=1088 | answer=B | explanation=SI = PRT/100 = 2642×15×3/100 = ■1188.

id=49163 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2607. If it is sold at a profit of 20%, what is its selling price? | option_a=3388 | option_b=2868 | option_c=3128 | option_d=2627 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2607 × 120/100 = ■3128.

id=49164 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 35? | option_a=19 | option_b=35 | option_c=12 | option_d=26 | answer=B | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 35 is the odd one out.

id=49165 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1345. If it is sold at a profit of 10%, what is its selling price? | option_a=1355 | option_b=1479 | option_c=1345 | option_d=1613 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1345 × 110/100 = ■1479.

id=49166 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=40 | option_b=33 | option_c=47 | option_d=41 | answer=A | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.

id=49167 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=24 | option_b=30 | option_c=27 | option_d=28 | answer=C | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=49168 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=T | option_b=U | option_c=S | option_d=R | answer=A | explanation=Move 1 positions forward from S; the resulting letter is T.

id=49169 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=31 | option_c=36 | option_d=41 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=49170 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=T | option_b=R | option_c=S | option_d=Q | answer=C | explanation=Move 1 positions forward from R; the resulting letter is S.

Aptitude Questions — Records 49,171-49,200 of 100,000

id=49171 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=49172 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=30 | option_c=20 | option_d=25 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=49173 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=49174 | topic=Averages | difficulty=Easy | question=Find the average of 58, 38, 88, 77, 84, 90, 34, 59. | option_a=68 | option_b=66 | option_c=65 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = 528 ÷ 8 = 66.

id=49175 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=49176 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=D | option_b=F | option_c=E | option_d=G | answer=B | explanation=Move 1 positions forward from E; the resulting letter is F.

id=49177 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=80 | option_c=45 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=49178 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=155 | option_c=300 | option_d=145 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=49179 | topic=Percentages | difficulty=Easy | question=What is 20% of 115? | option_a=33 | option_b=23 | option_c=46 | option_d=18 | answer=B | explanation=20% of 115 = (20/100) × 115 = 23.

id=49180 | topic=Percentages | difficulty=Easy | question=What is 40% of 1940? | option_a=781 | option_b=756 | option_c=1552 | option_d=776 | answer=D | explanation=40% of 1940 = (40/100) × 1940 = 776.

id=49181 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:10 and the first is 306, what is the second? | option_a=188 | option_b=476 | option_c=170 | option_d=160 | answer=C | explanation=Scale factor = 306/18 = 17. Therefore second quantity = 10×17 = 170.

id=49182 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=20 | option_b=17 | option_c=19 | option_d=21 | answer=C | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=49183 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31493 at 4% per annum for 1 years. | option_a=1259 | option_b=1359 | option_c=1159 | option_d=32752 | answer=A | explanation=SI = PRT/100 = 31493×4×1/100 = **■**1259.

id=49184 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:15 and the first is 220, what is the second? | option_a=150 | option_b=165 | option_c=185 | option_d=385 | answer=B | explanation=Scale factor = 220/20 = 11. Therefore second quantity = 15×11 = 165.

id=49185 | topic=Averages | difficulty=Easy | question=Find the average of 73, 59, 63, 74, 20, 64, 36, 44, 35. | option_a=51 | option_b=52 | option_c=54 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 468 ÷ 9 = 52.

id=49186 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 42? | option_a=35 | option_b=29 | option_c=42 | option_d=23 | answer=C | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 42 is the odd one out.

id=49187 | topic=Averages | difficulty=Easy | question=Find the average of 41, 81, 57, 41. | option_a=57 | option_b=55 | option_c=54 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 220 ÷ 4 = 55.

id=49188 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43391 at 4% per annum for 1 years. | option_a=1635 | option_b=1735 | option_c=1835 | option_d=45126 | answer=B | explanation=SI = PRT/100 = 43391×4×1/100 = **■**1735.

id=49189 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 17, 29, 41, ? | option_a=65 | option_b=53 | option_c=54 | option_d=41 | answer=B | explanation=The common difference is 12. Therefore the next term is 41 + 12 = 53.

id=49190 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=49191 | topic=Percentages | difficulty=Easy | question=What is 40% of 793? | option_a=337 | option_b=634 | option_c=317 | option_d=312 | answer=C | explanation=40% of 793 = (40/100) × 793 = 317.

id=49192 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:16 and the first is 91, what is the second? | option_a=203 | option_b=112 | option_c=125 | option_d=96 | answer=B | explanation=Scale factor = 91/13 = 7. Therefore second quantity = 16×7 = 112.

id=49193 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**237. If it is sold at a profit of 5%, what is its selling price? | option_a=248 | option_b=271 | option_c=242 | option_d=225 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 237 × 105/100 = **■**248.

id=49194 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 12? | option_a=6 | option_b=4 | option_c=8 | option_d=12 | answer=D | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 12 is the odd one out.

id=49195 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4358. If it is sold at a profit of 20%, what is its selling price? | option_a=5664 | option_b=5229 | option_c=4794 | option_d=4378 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4358 × 120/100 = **■**5229.

id=49196 | topic=Percentages | difficulty=Easy | question=What is 40% of 193? | option_a=97 | option_b=77 | option_c=154 | option_d=57 | answer=B | explanation=40% of 193 = (40/100) × 193 = 77.

id=49197 | topic=Percentages | difficulty=Easy | question=What is 12% of 1566? | option_a=167 | option_b=187 | option_c=374 | option_d=207 | answer=B | explanation=12% of 1566 = (12/100) × 1566 = 187.

id=49198 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 24. | option_a=196 | option_b=144 | option_c=672 | option_d=168 | answer=D | explanation=LCM × HCF = 28×24; HCF(28,24) = 4, so LCM = 168.

id=49199 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=X | option_c=B | option_d=J | answer=A | explanation=Move 4 positions forward from B; the resulting letter is F.

id=49200 | topic=Percentages | difficulty=Easy | question=What is 5% of 1431? | option_a=71 | option_b=91 | option_c=142 | option_d=66 | answer=A | explanation=5% of 1431 = (5/100) × 1431 = 71.

Aptitude Questions — Records 49,201-49,230 of 100,000

id=49201 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=25 | option_b=21 | option_c=27 | option_d=24 | answer=D | explanation=The common difference is 3. Therefore the next term is 21 + 3 = 24.

id=49202 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=49203 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 51? | option_a=42 | option_b=30 | option_c=36 | option_d=51 | answer=D | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 51 is the odd one out.

id=49204 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13268 at 8% per annum for 1 years. | option_a=14329 | option_b=1061 | option_c=961 | option_d=1161 | answer=B | explanation=SI = PRT/100 = 13268×8×1/100 = **■**1061.

id=49205 | topic=Averages | difficulty=Easy | question=Find the average of 15, 36, 38, 88, 87, 24. | option_a=47 | option_b=48 | option_c=50 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 288 ÷ 6 = 48.

id=49206 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=49207 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42187 at 5% per annum for 1 years. | option_a=44296 | option_b=2009 | option_c=2109 | option_d=2209 | answer=C | explanation=SI = PRT/100 = 42187×5×1/100 = **■**2109.

id=49208 | topic=Percentages | difficulty=Easy | question=What is 12% of 1131? | option_a=270 | option_b=145 | option_c=135 | option_d=115 | answer=C | explanation=12% of 1131 = (12/100) × 1131 = 135.

id=49209 | topic=Percentages | difficulty=Easy | question=What is 20% of 1480? | option_a=592 | option_b=296 | option_c=316 | option_d=291 | answer=B | explanation=20% of 1480 = (20/100) × 1480 = 296.

id=49210 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=S | option_b=K | option_c=G | option_d=O | answer=D | explanation=Move 4 positions forward from K; the resulting letter is O.

id=49211 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=E | option_c=D | option_d=B | answer=C | explanation=Move 1 positions forward from C; the resulting letter is D.

id=49212 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2965. If it is sold at a profit of 5%, what is its selling price? | option_a=3113 | option_b=2970 | option_c=2817 | option_d=3409 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2965 × 105/100 = **■**3113.

id=49213 | topic=Averages | difficulty=Easy | question=Find the average of 60, 52, 37, 28, 36, 12, 73, 26, 63, 43. | option_a=45 | option_b=42 | option_c=44 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = 430 ÷ 10 = 43.

id=49214 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 4. | option_a=16 | option_b=4 | option_c=32 | option_d=8 | answer=D | explanation=LCM × HCF = 8×4; HCF(8,4) = 4, so LCM = 8.

id=49215 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 43? | option_a=43 | option_b=29 | option_c=37 | option_d=33 | answer=A | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 43 is the odd one out.

id=49216 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:12 and the first is 72, what is the second? | option_a=108 | option_b=180 | option_c=96 | option_d=116 | answer=A | explanation=Scale factor = 72/8 = 9. Therefore second quantity = 12×9 = 108.

id=49217 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=49218 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 22. | option_a=44 | option_b=1 | option_c=484 | option_d=22 | answer=D | explanation=LCM × HCF = 22×22; HCF(22,22) = 22, so LCM = 22.

id=49219 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5268 at 6% per annum for 1 years. | option_a=216 | option_b=5584 | option_c=316 | option_d=416 | answer=C | explanation=SI = PRT/100 = 5268×6×1/100 = **■**316.

id=49220 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:1 and the first is 108, what is the second? | option_a=17 | option_b=18 | option_c=126 | option_d=24 | answer=B | explanation=Scale factor = 108/6 = 18. Therefore second quantity = 1×18 = 18.

id=49221 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 15, 19, 24? | option_a=24 | option_b=15 | option_c=11 | option_d=19 | answer=A | explanation=The first three numbers increase by 4, so the next should be 23. Therefore 24 is the odd one out.

id=49222 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=49223 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2106. If it is sold at a profit of 5%, what is its selling price? | option_a=2001 | option_b=2111 | option_c=2211 | option_d=2421 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2106 × 105/100 = **■**2211.

id=49224 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=G | option_c=H | option_d=E | answer=B | explanation=Move 1 positions forward from F; the resulting letter is G.

id=49225 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:9 and the first is 52, what is the second? | option_a=117 | option_b=108 | option_c=169 | option_d=121 | answer=A | explanation=Scale factor = 52/4 = 13. Therefore second quantity = 9×13 = 117.

id=49226 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:16 and the first is 98, what is the second? | option_a=231 | option_b=208 | option_c=224 | option_d=322 | answer=C | explanation=Scale factor = 98/7 = 14. Therefore second quantity = 16×14 = 224.

id=49227 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=X | option_b=A | option_c=D | option_d=G | answer=C | explanation=Move 3 positions forward from A; the resulting letter is D.

id=49228 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41854 at 10% per annum for 1 years. | option_a=46039 | option_b=4085 | option_c=4185 | option_d=4285 | answer=C | explanation=SI = PRT/100 = 41854×10×1/100 = **■**4185.

id=49229 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 32? | option_a=24 | option_b=12 | option_c=18 | option_d=32 | answer=D | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 32 is the odd one out.

id=49230 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

Aptitude Questions — Records 49,231-49,260 of 100,000

id=49231 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 9, 13, 19? | option_a=19 | option_b=13 | option_c=5 | option_d=9 | answer=A | explanation=The first three numbers increase by 4, so the next should be 17. Therefore 19 is the odd one out.

id=49232 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24185 at 4% per annum for 5 years. | option_a=29022 | option_b=4937 | option_c=4837 | option_d=4737 | answer=C | explanation=SI = $PRT/100 = 24185 \times 4 \times 5/100 = \blacksquare 4837$.

id=49233 | topic=Percentages | difficulty=Easy | question=What is 10% of 370? | option_a=74 | option_b=37 | option_c=17 | option_d=47 | answer=B | explanation=10% of 370 = $(10/100) \times 370 = 37$.

id=49234 | topic=Averages | difficulty=Easy | question=Find the average of 96, 49, 76, 83, 78, 39, 88, 75. | option_a=75 | option_b=73 | option_c=74 | option_d=72 | answer=B | explanation=Average = sum of values ÷ number of values = $584 \div 8 = 73$.

id=49235 | topic=Averages | difficulty=Easy | question=Find the average of 67, 47, 91, 13, 43, 80, 60, 15. | option_a=53 | option_b=52 | option_c=54 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = $416 \div 8 = 52$.

id=49236 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=51 | option_b=63 | option_c=62 | option_d=73 | answer=C | explanation=The common difference is 11. Therefore the next term is $51 + 11 = 62$.

id=49237 | topic=Averages | difficulty=Easy | question=Find the average of 84, 59, 96, 92, 81, 90, 44. | option_a=78 | option_b=77 | option_c=79 | option_d=80 | answer=A | explanation=Average = sum of values ÷ number of values = $546 \div 7 = 78$.

id=49238 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2654. If it is sold at a profit of 25%, what is its selling price? | option_a=3582 | option_b=2679 | option_c=3317 | option_d=3052 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2654 \times 125/100 = \blacksquare 3317$.

id=49239 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 30. | option_a=180 | option_b=420 | option_c=210 | option_d=224 | answer=C | explanation= $LCM \times HCF = 14 \times 30$; $HCF(14,30) = 2$, so $LCM = 210$.

id=49240 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4800. If it is sold at a profit of 40%, what is its selling price? | option_a=4840 | option_b=6240 | option_c=7200 | option_d=6720 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4800 \times 140/100 = \blacksquare 6720$.

id=49241 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 20. | option_a=60 | option_b=72 | option_c=240 | option_d=40 | answer=A | explanation= $LCM \times HCF = 12 \times 20$; $HCF(12,20) = 4$, so $LCM = 60$.

id=49242 | topic=Averages | difficulty=Easy | question=Find the average of 72, 64, 93, 27. | option_a=64 | option_b=63 | option_c=65 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = $256 \div 4 = 64$.

id=49243 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=85 | option_c=90 | option_d=180 | answer=C | explanation=Speed = distance ÷ time = $360 \div 4 = 90$ km/h.

id=49244 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=13 | option_b=15 | option_c=14 | option_d=11 | answer=A | explanation=The common difference is 2. Therefore the next term is $11 + 2 = 13$.

id=49245 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=24 | option_b=29 | option_c=32 | option_d=28 | answer=D | explanation=The common difference is 4. Therefore the next term is $24 + 4 = 28$.

id=49246 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.

id=49247 | topic=Averages | difficulty=Easy | question=Find the average of 22, 42, 61, 99. | option_a=58 | option_b=55 | option_c=57 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = $224 \div 4 = 56$.

id=49248 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=59 | option_b=46 | option_c=58 | option_d=70 | answer=C | explanation=The common difference is 12. Therefore the next term is $46 + 12 = 58$.

id=49249 | topic=Percentages | difficulty=Easy | question=What is 12% of 1410? | option_a=169 | option_b=338 | option_c=164 | option_d=189 | answer=A | explanation=12% of 1410 = $(12/100) \times 1410 = 169$.

id=49250 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=24 | option_c=29 | option_d=19 | answer=B | explanation=Speed = distance ÷ time = $240 \div 10 = 24$ km/h.

id=49251 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39555 at 4% per annum for 4 years. | option_a=6228 | option_b=6428 | option_c=45883 | option_d=6328 | answer=D | explanation=SI = $PRT/100 = 39555 \times 4 \times 4/100 = \blacksquare 6328$.

id=49252 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1749. If it is sold at a profit of 30%, what is its selling price? | option_a=2099 | option_b=2447 | option_c=1779 | option_d=2273 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1749 \times 130/100 = \blacksquare 2273$.

id=49253 | topic=Averages | difficulty=Easy | question=Find the average of 94, 47, 75. | option_a=72 | option_b=74 | option_c=71 | option_d=73 | answer=A | explanation=Average = sum of values ÷ number of values = $216 \div 3 = 72$.

id=49254 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=F | option_b=R | option_c=N | option_d=J | answer=C | explanation=Move 4 positions forward from J; the resulting letter is N.

id=49255 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=18 | option_c=36 | option_d=23 | answer=B | explanation=Speed = distance ÷ time = $90 \div 5 = 18$ km/h.

id=49256 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2064. If it is sold at a profit of 30%, what is its selling price? | option_a=2094 | option_b=2683 | option_c=2477 | option_d=2889 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2064 \times 130/100 = \blacksquare 2683$.

id=49257 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:14 and the first is 140, what is the second? | option_a=206 | option_b=196 | option_c=336 | option_d=182 | answer=B | explanation=Scale factor = $140/10 = 14$. Therefore second quantity = $14 \times 14 = 196$.

id=49258 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=S | option_c=V | option_d=M | answer=B | explanation=Move 3 positions forward from P; the resulting letter is S.

id=49259 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=36 | option_b=39 | option_c=35 | option_d=31 | answer=C | explanation=The common difference is 4. Therefore the next term is $31 + 4 = 35$.

id=49260 | topic=Averages | difficulty=Easy | question=Find the average of 14, 18, 43, 47, 70, 32, 49, 70, 54, 83. | option_a=50 | option_b=47 | option_c=49 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = $480 \div 10 = 48$.

Aptitude Questions — Records 49,261-49,290 of 100,000

id=49261 | topic=Averages | difficulty=Easy | question=Find the average of 72, 55, 92, 95, 26. | option_a=69 | option_b=67 | option_c=70 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = 340 ÷ 5 = 68.

id=49262 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2794. If it is sold at a profit of 30%, what is its selling price? | option_a=3911 | option_b=3353 | option_c=3632 | option_d=2824 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2794 × 130/100 = █3632.

id=49263 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=49264 | topic=Percentages | difficulty=Easy | question=What is 20% of 1485? | option_a=297 | option_b=594 | option_c=277 | option_d=317 | answer=A | explanation=20% of 1485 = (20/100) × 1485 = 297.

id=49265 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=O | option_c=K | option_d=Q | answer=B | explanation=Move 2 positions forward from M; the resulting letter is O.

id=49266 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=49267 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=35 | option_c=40 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=49268 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=10 | option_b=8 | option_c=12 | option_d=11 | answer=A | explanation=The common difference is 2. Therefore the next term is 8 + 2 = 10.

id=49269 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2494. If it is sold at a profit of 40%, what is its selling price? | option_a=3491 | option_b=2534 | option_c=3242 | option_d=3740 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2494 × 140/100 = █3491.

id=49270 | topic=Percentages | difficulty=Easy | question=What is 12% of 1710? | option_a=195 | option_b=225 | option_c=410 | option_d=205 | answer=D | explanation=12% of 1710 = (12/100) × 1710 = 205.

id=49271 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4789. If it is sold at a profit of 40%, what is its selling price? | option_a=6704 | option_b=7182 | option_c=4829 | option_d=6226 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4789 × 140/100 = █6704.

id=49272 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25220 at 8% per annum for 1 years. | option_a=1917 | option_b=2117 | option_c=2017 | option_d=27237 | answer=C | explanation=SI = PRT/100 = 25220×8×1/100 = █2017.

id=49273 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=49274 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:2 and the first is 12, what is the second? | option_a=8 | option_b=11 | option_c=20 | option_d=6 | answer=A | explanation=Scale factor = 12/3 = 4. Therefore second quantity = 2×4 = 8.

id=49275 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=75 | option_c=70 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=49276 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=49277 | topic=Percentages | difficulty=Easy | question=What is 20% of 268? | option_a=53 | option_b=106 | option_c=43 | option_d=73 | answer=A | explanation=20% of 268 = (20/100) × 268 = 53.

id=49278 | topic=Profit & Loss | difficulty=Easy | question=An article costs █815. If it is sold at a profit of 40%, what is its selling price? | option_a=1141 | option_b=1060 | option_c=855 | option_d=1222 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 815 × 140/100 = █1141.

id=49279 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 33, 38, 44? | option_a=44 | option_b=28 | option_c=38 | option_d=33 | answer=A | explanation=The first three numbers increase by 5, so the next should be 43. Therefore 44 is the odd one out.

id=49280 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:4 and the first is 42, what is the second? | option_a=20 | option_b=66 | option_c=31 | option_d=24 | answer=D | explanation=Scale factor = 42/7 = 6. Therefore second quantity = 4×6 = 24.

id=49281 | topic=Percentages | difficulty=Easy | question=What is 5% of 1088? | option_a=64 | option_b=108 | option_c=54 | option_d=44 | answer=C | explanation=5% of 1088 = (5/100) × 1088 = 54.

id=49282 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:8 and the first is 169, what is the second? | option_a=96 | option_b=273 | option_c=104 | option_d=117 | answer=C | explanation=Scale factor = 169/13 = 13. Therefore second quantity = 8×13 = 104.

id=49283 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3866. If it is sold at a profit of 15%, what is its selling price? | option_a=4831 | option_b=4445 | option_c=4059 | option_d=3881 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3866 × 115/100 = █4445.

id=49284 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=33 | option_b=39 | option_c=45 | option_d=40 | answer=B | explanation=The common difference is 6. Therefore the next term is 33 + 6 = 39.

id=49285 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 4. | option_a=24 | option_b=42 | option_c=56 | option_d=28 | answer=D | explanation=LCM × HCF = 14×4; HCF(14,4) = 2, so LCM = 28.

id=49286 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=57 | option_b=68 | option_c=44 | option_d=56 | answer=D | explanation=The common difference is 12. Therefore the next term is 44 + 12 = 56.

id=49287 | topic=Percentages | difficulty=Easy | question=What is 20% of 1476? | option_a=590 | option_b=300 | option_c=295 | option_d=285 | answer=C | explanation=20% of 1476 = (20/100) × 1476 = 295.

id=49288 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=I | option_b=K | option_c=L | option_d=J | answer=B | explanation=Move 1 positions forward from J; the resulting letter is K.

id=49289 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 6. | option_a=18 | option_b=9 | option_c=6 | option_d=1 | answer=C | explanation=LCM × HCF = 3×6; HCF(3,6) = 3, so LCM = 6.

id=49290 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:2 and the first is 24, what is the second? | option_a=24 | option_b=22 | option_c=48 | option_d=26 | answer=A | explanation=Scale factor = 24/2 = 12. Therefore second quantity = 2×12 = 24.

Aptitude Questions — Records 49,291-49,320 of 100,000

id=49291 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=25 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=49292 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=49293 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 22? | option_a=17 | option_b=19 | option_c=15 | option_d=22 | answer=D | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 22 is the odd one out.

id=49294 | topic=Averages | difficulty=Easy | question=Find the average of 36, 49, 59, 72, 85, 86, 47. | option_a=63 | option_b=61 | option_c=64 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 434 ÷ 7 = 62.

id=49295 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■4496 at 6% per annum for 3 years. | option_a=809 | option_b=5305 | option_c=909 | option_d=709 | answer=A | explanation=SI = PRT/100 = 4496×6×3/100 = ■809.

id=49296 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■48006 at 15% per annum for 4 years. | option_a=76809 | option_b=28803 | option_c=28703 | option_d=28903 | answer=B | explanation=SI = PRT/100 = 48006×15×4/100 = ■28803.

id=49297 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4191. If it is sold at a profit of 40%, what is its selling price? | option_a=5867 | option_b=6286 | option_c=4231 | option_d=5448 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4191 × 140/100 = ■5867.

id=49298 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=39 | option_b=40 | option_c=31 | option_d=47 | answer=A | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

id=49299 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 32? | option_a=16 | option_b=32 | option_c=21 | option_d=26 | answer=B | explanation=The first three numbers increase by 5, so the next should be 31. Therefore 32 is the odd one out.

id=49300 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=31 | option_b=38 | option_c=37 | option_d=43 | answer=C | explanation=The common difference is 6. Therefore the next term is 31 + 6 = 37.

id=49301 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 38, 48, 59? | option_a=48 | option_b=59 | option_c=38 | option_d=28 | answer=B | explanation=The first three numbers increase by 10, so the next should be 58. Therefore 59 is the odd one out.

id=49302 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=52 | option_b=65 | option_c=76 | option_d=64 | answer=D | explanation=The common difference is 12. Therefore the next term is 52 + 12 = 64.

id=49303 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 34, 44, 55? | option_a=34 | option_b=55 | option_c=44 | option_d=24 | answer=B | explanation=The first three numbers increase by 10, so the next should be 54. Therefore 55 is the odd one out.

id=49304 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:11 and the first is 190, what is the second? | option_a=129 | option_b=99 | option_c=110 | option_d=300 | answer=C | explanation=Scale factor = 190/19 = 10. Therefore second quantity = 11×10 = 110.

id=49305 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=100 | option_c=45 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=49306 | topic=Percentages | difficulty=Easy | question=What is 50% of 1727? | option_a=858 | option_b=863 | option_c=1726 | option_d=868 | answer=B | explanation=50% of 1727 = (50/100) × 1727 = 863.

id=49307 | topic=Averages | difficulty=Easy | question=Find the average of 61, 31, 34, 53, 70, 98, 11, 23, 96. | option_a=52 | option_b=53 | option_c=54 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 477 ÷ 9 = 53.

id=49308 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=49309 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■11346 at 8% per annum for 2 years. | option_a=13161 | option_b=1715 | option_c=1915 | option_d=1815 | answer=D | explanation=SI = PRT/100 = 11346×8×2/100 = ■1815.

id=49310 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=U | option_c=I | option_d=M | answer=A | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=49311 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=J | option_c=X | option_d=F | answer=D | explanation=Move 4 positions forward from B; the resulting letter is F.

id=49312 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=34 | option_b=40 | option_c=26 | option_d=33 | answer=D | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

id=49313 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4121. If it is sold at a profit of 40%, what is its selling price? | option_a=5769 | option_b=5357 | option_c=6181 | option_d=4161 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4121 × 140/100 = ■5769.

id=49314 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:3 and the first is 153, what is the second? | option_a=51 | option_b=60 | option_c=204 | option_d=48 | answer=A | explanation=Scale factor = 153/9 = 17. Therefore second quantity = 3×17 = 51.

id=49315 | topic=Averages | difficulty=Easy | question=Find the average of 26, 24, 16, 46, 35, 41, 87, 77. | option_a=43 | option_b=45 | option_c=44 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 352 ÷ 8 = 44.

id=49316 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:5 and the first is 160, what is the second? | option_a=95 | option_b=100 | option_c=260 | option_d=108 | answer=B | explanation=Scale factor = 160/8 = 20. Therefore second quantity = 5×20 = 100.

id=49317 | topic=Averages | difficulty=Easy | question=Find the average of 17, 41, 10, 25, 48, 99. | option_a=40 | option_b=39 | option_c=41 | option_d=42 | answer=A | explanation=Average = sum of values ÷ number of values = 240 ÷ 6 = 40.

id=49318 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=I | option_b=F | option_c=C | option_d=L | answer=A | explanation=Move 3 positions forward from F; the resulting letter is I.

id=49319 | topic=Averages | difficulty=Easy | question=Find the average of 74, 80, 77, 76, 18. | option_a=66 | option_b=64 | option_c=67 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 325 ÷ 5 = 65.

id=49320 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=24 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

Aptitude Questions — Records 49,321-49,350 of 100,000

id=49321 | topic=Averages | difficulty=Easy | question=Find the average of 84, 55, 71, 88, 86, 59, 53, 48. | option_a=69 | option_b=70 | option_c=68 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 544 ÷ 8 = 68.

id=49322 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■23932 at 15% per annum for 4 years. | option_a=14359 | option_b=38291 | option_c=14459 | option_d=14259 | answer=A | explanation=SI = $PRT/100 = 23932 \times 15 \times 4/100 = \blacksquare 14359$.

id=49323 | topic=Averages | difficulty=Easy | question=Find the average of 64, 19, 30, 63. | option_a=45 | option_b=44 | option_c=46 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = 176 ÷ 4 = 44.

id=49324 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■11507 at 15% per annum for 4 years. | option_a=7004 | option_b=6804 | option_c=18411 | option_d=6904 | answer=D | explanation=SI = $PRT/100 = 11507 \times 15 \times 4/100 = \blacksquare 6904$.

id=49325 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=50 | option_d=100 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=49326 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=20 | option_b=17 | option_c=19 | option_d=21 | answer=C | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=49327 | topic=Averages | difficulty=Easy | question=Find the average of 41, 12, 12, 75, 45. | option_a=37 | option_b=38 | option_c=36 | option_d=39 | answer=A | explanation=Average = sum of values ÷ number of values = 185 ÷ 5 = 37.

id=49328 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=75 | option_c=80 | option_d=70 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=49329 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 31, 41, 54? | option_a=31 | option_b=41 | option_c=21 | option_d=54 | answer=D | explanation=The first three numbers increase by 10, so the next should be 51. Therefore 54 is the odd one out.

id=49330 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 29? | option_a=23 | option_b=15 | option_c=29 | option_d=19 | answer=C | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 29 is the odd one out.

id=49331 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 14, 22, 32? | option_a=14 | option_b=32 | option_c=22 | option_d=6 | answer=B | explanation=The first three numbers increase by 8, so the next should be 30. Therefore 32 is the odd one out.

id=49332 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=P | option_b=T | option_c=V | option_d=R | answer=B | explanation=Move 2 positions forward from R; the resulting letter is T.

id=49333 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■35345 at 15% per annum for 4 years. | option_a=21107 | option_b=56552 | option_c=21307 | option_d=21207 | answer=D | explanation=SI = $PRT/100 = 35345 \times 15 \times 4/100 = \blacksquare 21207$.

id=49334 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3372. If it is sold at a profit of 50%, what is its selling price? | option_a=3422 | option_b=5395 | option_c=4721 | option_d=5058 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3372 \times 150/100 = \blacksquare 5058$.

id=49335 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■42083 at 15% per annum for 3 years. | option_a=18837 | option_b=19037 | option_c=61020 | option_d=18937 | answer=D | explanation=SI = $PRT/100 = 42083 \times 15 \times 3/100 = \blacksquare 18937$.

id=49336 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=49337 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=38 | option_b=39 | option_c=33 | option_d=43 | answer=A | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.

id=49338 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■43381 at 5% per annum for 4 years. | option_a=8776 | option_b=8576 | option_c=8676 | option_d=52057 | answer=C | explanation=SI = $PRT/100 = 43381 \times 5 \times 4/100 = \blacksquare 8676$.

id=49339 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4614. If it is sold at a profit of 40%, what is its selling price? | option_a=4654 | option_b=5998 | option_c=6459 | option_d=6920 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4614 \times 140/100 = \blacksquare 6459$.

id=49340 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:17 and the first is 360, what is the second? | option_a=358 | option_b=340 | option_c=700 | option_d=323 | answer=B | explanation=Scale factor = 360/18 = 20. Therefore second quantity = 17×20 = 340.

id=49341 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=H | option_b=E | option_c=B | option_d=K | answer=A | explanation=Move 3 positions forward from E; the resulting letter is H.

id=49342 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 17, 25, 33, ? | option_a=33 | option_b=42 | option_c=41 | option_d=49 | answer=C | explanation=The common difference is 8. Therefore the next term is 33 + 8 = 41.

id=49343 | topic=Percentages | difficulty=Easy | question=What is 10% of 258? | option_a=15 | option_b=35 | option_c=50 | option_d=25 | answer=D | explanation=10% of 258 = (10/100) × 258 = 25.

id=49344 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:17 and the first is 289, what is the second? | option_a=578 | option_b=306 | option_c=272 | option_d=289 | answer=D | explanation=Scale factor = 289/17 = 17. Therefore second quantity = 17×17 = 289.

id=49345 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 17, 25, 33, ? | option_a=41 | option_b=42 | option_c=49 | option_d=33 | answer=A | explanation=The common difference is 8. Therefore the next term is 33 + 8 = 41.

id=49346 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=38 | option_b=46 | option_c=30 | option_d=39 | answer=A | explanation=The common difference is 8. Therefore the next term is 30 + 8 = 38.

id=49347 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■36633 at 12% per annum for 2 years. | option_a=8691 | option_b=8891 | option_c=45424 | option_d=8791 | answer=D | explanation=SI = $PRT/100 = 36633 \times 12 \times 2/100 = \blacksquare 8791$.

id=49348 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■21876 at 10% per annum for 1 years. | option_a=2287 | option_b=2187 | option_c=2087 | option_d=24063 | answer=B | explanation=SI = $PRT/100 = 21876 \times 10 \times 1/100 = \blacksquare 2187$.

id=49349 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 25, 34, 43, ? | option_a=43 | option_b=52 | option_c=61 | option_d=53 | answer=B | explanation=The common difference is 9. Therefore the next term is 43 + 9 = 52.

id=49350 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:15 and the first is 3, what is the second? | option_a=45 | option_b=30 | option_c=46 | option_d=48 | answer=A | explanation=Scale factor = 3/1 = 3. Therefore second quantity = 15×3 = 45.

Aptitude Questions — Records 49,351-49,380 of 100,000

id=49351 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=144 | option_c=67 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=49352 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:19 and the first is 88, what is the second? | option_a=163 | option_b=152 | option_c=133 | option_d=240 | answer=B | explanation=Scale factor = 88/11 = 8. Therefore second quantity = 19×8 = 152.

id=49353 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=K | option_c=H | option_d=B | answer=C | explanation=Move 3 positions forward from E; the resulting letter is H.

id=49354 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:7 and the first is 128, what is the second? | option_a=112 | option_b=105 | option_c=120 | option_d=240 | answer=A | explanation=Scale factor = 128/8 = 16. Therefore second quantity = 7×16 = 112.

id=49355 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 10, 13, 18? | option_a=18 | option_b=10 | option_c=7 | option_d=13 | answer=A | explanation=The first three numbers increase by 3, so the next should be 16. Therefore 18 is the odd one out.

id=49356 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 18, 26, 36? | option_a=10 | option_b=18 | option_c=36 | option_d=26 | answer=C | explanation=The first three numbers increase by 8, so the next should be 34. Therefore 36 is the odd one out.

id=49357 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 39? | option_a=29 | option_b=39 | option_c=11 | option_d=20 | answer=B | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 39 is the odd one out.

id=49358 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=7 | option_d=17 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=49359 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:8 and the first is 140, what is the second? | option_a=220 | option_b=94 | option_c=80 | option_d=72 | answer=C | explanation=Scale factor = 140/14 = 10. Therefore second quantity = 8×10 = 80.

id=49360 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=17 | option_d=7 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=49361 | topic=Averages | difficulty=Easy | question=Find the average of 82, 36, 99, 38, 58, 100, 96, 48, 90, 23. | option_a=67 | option_b=66 | option_c=68 | option_d=69 | answer=A | explanation=Average = sum of values ÷ number of values = 670 ÷ 10 = 67.

id=49362 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3651. If it is sold at a profit of 30%, what is its selling price? | option_a=5111 | option_b=4381 | option_c=3681 | option_d=4746 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3651 × 130/100 = █4746.

id=49363 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=55 | option_d=100 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=49364 | topic=Percentages | difficulty=Easy | question=What is 15% of 1986? | option_a=292 | option_b=594 | option_c=297 | option_d=317 | answer=C | explanation=15% of 1986 = (15/100) × 1986 = 297.

id=49365 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 13, 16, 20? | option_a=10 | option_b=13 | option_c=20 | option_d=16 | answer=C | explanation=The first three numbers increase by 3, so the next should be 19. Therefore 20 is the odd one out.

id=49366 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4659. If it is sold at a profit of 15%, what is its selling price? | option_a=4892 | option_b=4674 | option_c=5822 | option_d=5357 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4659 × 115/100 = █5357.

id=49367 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=49368 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=55 | option_b=66 | option_c=42 | option_d=54 | answer=D | explanation=The common difference is 12. Therefore the next term is 42 + 12 = 54.

id=49369 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=R | option_c=F | option_d=N | answer=D | explanation=Move 4 positions forward from J; the resulting letter is N.

id=49370 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 27. | option_a=27 | option_b=243 | option_c=36 | option_d=1 | answer=A | explanation=LCM × HCF = 9×27; HCF(9,27) = 9, so LCM = 27.

id=49371 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=49372 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41357 at 12% per annum for 5 years. | option_a=66171 | option_b=24914 | option_c=24714 | option_d=24814 | answer=D | explanation=SI = PRT/100 = 41357×12×5/100 = █24814.

id=49373 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=I | option_c=E | option_d=C | answer=A | explanation=Move 2 positions forward from E; the resulting letter is G.

id=49374 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:10 and the first is 120, what is the second? | option_a=100 | option_b=220 | option_c=90 | option_d=112 | answer=A | explanation=Scale factor = 120/12 = 10. Therefore second quantity = 10×10 = 100.

id=49375 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=49376 | topic=Percentages | difficulty=Easy | question=What is 30% of 1936? | option_a=575 | option_b=590 | option_c=1160 | option_d=580 | answer=D | explanation=30% of 1936 = (30/100) × 1936 = 580.

id=49377 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=J | option_b=X | option_c=B | option_d=F | answer=D | explanation=Move 4 positions forward from B; the resulting letter is F.

id=49378 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=B | option_c=H | option_d=D | answer=A | explanation=Move 2 positions forward from D; the resulting letter is F.

id=49379 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:11 and the first is 22, what is the second? | option_a=121 | option_b=110 | option_c=123 | option_d=143 | answer=A | explanation=Scale factor = 22/2 = 11. Therefore second quantity = 11×11 = 121.

id=49380 | topic=Averages | difficulty=Easy | question=Find the average of 61, 100, 45, 62. | option_a=66 | option_b=67 | option_c=68 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 268 ÷ 4 = 67.

Aptitude Questions — Records 49,381-49,410 of 100,000

id=49381 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=J | option_c=P | option_d=S | answer=C | explanation=Move 3 positions forward from M; the resulting letter is P.

id=49382 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 26, 32, 39? | option_a=20 | option_b=39 | option_c=26 | option_d=32 | answer=B | explanation=The first three numbers increase by 6, so the next should be 38. Therefore 39 is the odd one out.

id=49383 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29741 at 5% per annum for 4 years. | option_a=6048 | option_b=5948 | option_c=35689 | option_d=5848 | answer=B | explanation=SI = $PRT/100 = 29741 \times 5 \times 4 / 100 = \text{■}5948$.

id=49384 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2579. If it is sold at a profit of 15%, what is its selling price? | option_a=2594 | option_b=2965 | option_c=3222 | option_d=2708 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2579 \times 115 / 100 = \text{■}2965$.

id=49385 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=A | option_c=O | option_d=W | answer=D | explanation=Move 4 positions forward from S; the resulting letter is W.

id=49386 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 23? | option_a=23 | option_b=14 | option_c=16 | option_d=18 | answer=A | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 23 is the odd one out.

id=49387 | topic=Percentages | difficulty=Easy | question=What is 10% of 1372? | option_a=157 | option_b=137 | option_c=132 | option_d=274 | answer=B | explanation=10% of 1372 = $(10/100) \times 1372 = 137$.

id=49388 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2915. If it is sold at a profit of 50%, what is its selling price? | option_a=2965 | option_b=4081 | option_c=4663 | option_d=4372 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2915 \times 150 / 100 = \text{■}4372$.

id=49389 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 61? | option_a=40 | option_b=30 | option_c=61 | option_d=50 | answer=C | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 61 is the odd one out.

id=49390 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:6 and the first is 35, what is the second? | option_a=30 | option_b=24 | option_c=37 | option_d=65 | answer=A | explanation=Scale factor = $35/7 = 5$. Therefore second quantity = $6 \times 5 = 30$.

id=49391 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=49392 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:11 and the first is 12, what is the second? | option_a=78 | option_b=68 | option_c=66 | option_d=55 | answer=C | explanation=Scale factor = $12/2 = 6$. Therefore second quantity = $11 \times 6 = 66$.

id=49393 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=30 | option_b=28 | option_c=27 | option_d=24 | answer=C | explanation=The common difference is 3. Therefore the next term is $24 + 3 = 27$.

id=49394 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16752 at 12% per annum for 1 years. | option_a=2010 | option_b=1910 | option_c=18762 | option_d=2110 | answer=A | explanation=SI = $PRT/100 = 16752 \times 12 \times 1 / 100 = \text{■}2010$.

id=49395 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=49396 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=44 | option_b=36 | option_c=37 | option_d=28 | answer=B | explanation=The common difference is 8. Therefore the next term is $28 + 8 = 36$.

id=49397 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 4. | option_a=66 | option_b=40 | option_c=44 | option_d=88 | answer=C | explanation= $LCM \times HCF = 22 \times 4$; $HCF(22, 4) = 2$, so $LCM = 44$.

id=49398 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=47 | option_b=48 | option_c=39 | option_d=55 | answer=A | explanation=The common difference is 8. Therefore the next term is $39 + 8 = 47$.

id=49399 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**391. If it is sold at a profit of 25%, what is its selling price? | option_a=488 | option_b=449 | option_c=527 | option_d=416 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 391 \times 125 / 100 = \text{■}488$.

id=49400 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=100 | option_c=50 | option_d=55 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 150 \div 3 = 50$ km/h.

id=49401 | topic=Percentages | difficulty=Easy | question=What is 10% of 1632? | option_a=173 | option_b=326 | option_c=153 | option_d=163 | answer=D | explanation=10% of 1632 = $(10/100) \times 1632 = 163$.

id=49402 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 31? | option_a=22 | option_b=10 | option_c=31 | option_d=16 | answer=C | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 31 is the odd one out.

id=49403 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=4 | option_d=20 | answer=A | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=49404 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 15, 22, 29, ? | option_a=43 | option_b=29 | option_c=36 | option_d=37 | answer=C | explanation=The common difference is 7. Therefore the next term is $29 + 7 = 36$.

id=49405 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1244. If it is sold at a profit of 25%, what is its selling price? | option_a=1679 | option_b=1431 | option_c=1269 | option_d=1555 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1244 \times 125 / 100 = \text{■}1555$.

id=49406 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=49407 | topic=Percentages | difficulty=Easy | question=What is 50% of 719? | option_a=364 | option_b=718 | option_c=354 | option_d=359 | answer=D | explanation=50% of 719 = $(50/100) \times 719 = 359$.

id=49408 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 13, 20, 30? | option_a=6 | option_b=30 | option_c=20 | option_d=13 | answer=B | explanation=The first three numbers increase by 7, so the next should be 27. Therefore 30 is the odd one out.

id=49409 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=4 | option_d=20 | answer=A | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=49410 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 13, 16, 20? | option_a=10 | option_b=16 | option_c=20 | option_d=13 | answer=C | explanation=The first three numbers increase by 3, so the next should be 19. Therefore 20 is the odd one out.

Aptitude Questions — Records 49,411-49,440 of 100,000

id=49411 | topic=Averages | difficulty=Easy | question=Find the average of 68, 81, 78, 13, 10, 75, 45, 94. | option_a=59 | option_b=60 | option_c=58 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = $464 \div 8 = 58$.

id=49412 | topic=Percentages | difficulty=Easy | question=What is 40% of 389? | option_a=150 | option_b=310 | option_c=165 | option_d=155 | answer=D | explanation= 40% of 389 = $(40/100) \times 389 = 155$.

id=49413 | topic=Averages | difficulty=Easy | question=Find the average of 14, 90, 28, 73, 55, 62, 44, 36, 34, 44. | option_a=48 | option_b=50 | option_c=49 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = $480 \div 10 = 48$.

id=49414 | topic=Averages | difficulty=Easy | question=Find the average of 37, 97, 79, 51. | option_a=65 | option_b=67 | option_c=66 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = $264 \div 4 = 66$.

id=49415 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 22? | option_a=22 | option_b=15 | option_c=11 | option_d=7 | answer=A | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 22 is the odd one out.

id=49416 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 43? | option_a=37 | option_b=43 | option_c=33 | option_d=29 | answer=B | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 43 is the odd one out.

id=49417 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 58? | option_a=29 | option_b=58 | option_c=47 | option_d=38 | answer=B | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 58 is the odd one out.

id=49418 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 20. | option_a=1 | option_b=22 | option_c=20 | option_d=40 | answer=C | explanation= $LCM \times HCF = 2 \times 20$; $HCF(2,20) = 2$, so $LCM = 20$.

id=49419 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 18. | option_a=486 | option_b=81 | option_c=54 | option_d=36 | answer=C | explanation= $LCM \times HCF = 27 \times 18$; $HCF(27,18) = 9$, so $LCM = 54$.

id=49420 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 13, 16, 20? | option_a=10 | option_b=13 | option_c=16 | option_d=20 | answer=D | explanation=The first three numbers increase by 3, so the next should be 19. Therefore 20 is the odd one out.

id=49421 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29864 at 10% per annum for 1 years. | option_a=2986 | option_b=32850 | option_c=3086 | option_d=2886 | answer=A | explanation= $SI = PRT/100 = 29864 \times 10 \times 1/100 = \text{■}2986$.

id=49422 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27030 at 15% per annum for 2 years. | option_a=8109 | option_b=35139 | option_c=8209 | option_d=8009 | answer=A | explanation= $SI = PRT/100 = 27030 \times 15 \times 2/100 = \text{■}8109$.

id=49423 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=R | option_c=S | option_d=P | answer=B | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=49424 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=34 | option_b=40 | option_c=33 | option_d=26 | answer=C | explanation=The common difference is 7. Therefore the next term is $26 + 7 = 33$.

id=49425 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2357. If it is sold at a profit of 15%, what is its selling price? | option_a=2475 | option_b=2710 | option_c=2372 | option_d=2945 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2357 \times 115/100 = \text{■}2710$.

id=49426 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4026. If it is sold at a profit of 25%, what is its selling price? | option_a=4630 | option_b=5032 | option_c=5434 | option_d=4051 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4026 \times 125/100 = \text{■}5032$.

id=49427 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=D | option_c=P | option_d=H | answer=A | explanation=Move 4 positions forward from H; the resulting letter is L.

id=49428 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Q | option_b=W | option_c=T | option_d=Z | answer=B | explanation=Move 3 positions forward from T; the resulting letter is W.

id=49429 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=49430 | topic=Averages | difficulty=Easy | question=Find the average of 12, 87, 54, 97, 36, 21, 33, 36. | option_a=49 | option_b=46 | option_c=48 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = $376 \div 8 = 47$.

id=49431 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=50 | option_b=38 | option_c=49 | option_d=60 | answer=C | explanation=The common difference is 11. Therefore the next term is $38 + 11 = 49$.

id=49432 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=C | option_c=D | option_d=E | answer=D | explanation=Move 1 positions forward from D; the resulting letter is E.

id=49433 | topic=Averages | difficulty=Easy | question=Find the average of 80, 46, 57, 81. | option_a=65 | option_b=66 | option_c=68 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = $264 \div 4 = 66$.

id=49434 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=16 | answer=A | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=49435 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:2 and the first is 285, what is the second? | option_a=315 | option_b=28 | option_c=49 | option_d=30 | answer=D | explanation=Scale factor = $285/19 = 15$. Therefore second quantity = $2 \times 15 = 30$.

id=49436 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 9, 13, 19? | option_a=5 | option_b=9 | option_c=19 | option_d=13 | answer=C | explanation=The first three numbers increase by 4, so the next should be 17. Therefore 19 is the odd one out.

id=49437 | topic=Percentages | difficulty=Easy | question=What is 5% of 1341? | option_a=62 | option_b=72 | option_c=134 | option_d=67 | answer=D | explanation= 5% of 1341 = $(5/100) \times 1341 = 67$.

id=49438 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2319. If it is sold at a profit of 5%, what is its selling price? | option_a=2203 | option_b=2665 | option_c=2434 | option_d=2324 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2319 \times 105/100 = \text{■}2434$.

id=49439 | topic=Averages | difficulty=Easy | question=Find the average of 88, 45, 93, 68, 35, 36, 41, 95, 39. | option_a=59 | option_b=62 | option_c=61 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = $540 \div 9 = 60$.

id=49440 | topic=Percentages | difficulty=Easy | question=What is 50% of 1186? | option_a=1186 | option_b=593 | option_c=613 | option_d=588 | answer=B | explanation= 50% of 1186 = $(50/100) \times 1186 = 593$.

Aptitude Questions — Records 49,441-49,470 of 100,000

id=49441 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2129. If it is sold at a profit of 25%, what is its selling price? | option_a=2449 | option_b=2873 | option_c=2661 | option_d=2154 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2129 \times 125/100 = \text{█}2661$.

id=49442 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=V | option_b=S | option_c=P | option_d=Y | answer=A | explanation=Move 3 positions forward from S; the resulting letter is V.

id=49443 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 6, 10, 17? | option_a=6 | option_b=17 | option_c=2 | option_d=10 | answer=B | explanation=The first three numbers increase by 4, so the next should be 14. Therefore 17 is the odd one out.

id=49444 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18355 at 5% per annum for 4 years. | option_a=3671 | option_b=3571 | option_c=3771 | option_d=22026 | answer=A | explanation=SI = $PRT/100 = 18355 \times 5 \times 4/100 = \text{█}3671$.

id=49445 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=15 | option_d=30 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 120 \div 8 = 15 \text{ km/h}$.

id=49446 | topic=Averages | difficulty=Easy | question=Find the average of 91, 45, 39, 54, 92, 89, 87, 70, 33, 20. | option_a=61 | option_b=63 | option_c=64 | option_d=62 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 620 \div 10 = 62$.

id=49447 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=49448 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=H | option_b=T | option_c=L | option_d=P | answer=D | explanation=Move 4 positions forward from L; the resulting letter is P.

id=49449 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=V | option_b=L | option_c=Q | option_d=G | answer=C | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=49450 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 31? | option_a=22 | option_b=31 | option_c=16 | option_d=10 | answer=B | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 31 is the odd one out.

id=49451 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=J | option_c=M | option_d=L | answer=D | explanation=Move 1 positions forward from K; the resulting letter is L.

id=49452 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:9 and the first is 16, what is the second? | option_a=26 | option_b=9 | option_c=34 | option_d=18 | answer=D | explanation=Scale factor = $16/8 = 2$. Therefore second quantity = $9 \times 2 = 18$.

id=49453 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11952 at 12% per annum for 1 years. | option_a=1534 | option_b=1434 | option_c=13386 | option_d=1334 | answer=B | explanation=SI = $PRT/100 = 11952 \times 12 \times 1/100 = \text{█}1434$.

id=49454 | topic=Averages | difficulty=Easy | question=Find the average of 96, 63, 44, 19, 27, 69, 81. | option_a=56 | option_b=59 | option_c=58 | option_d=57 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 399 \div 7 = 57$.

id=49455 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=30 | option_d=15 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 120 \div 8 = 15 \text{ km/h}$.

id=49456 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=45 | option_d=55 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 150 \div 3 = 50 \text{ km/h}$.

id=49457 | topic=Averages | difficulty=Easy | question=Find the average of 46, 77, 59, 10, 18, 90. | option_a=49 | option_b=51 | option_c=50 | option_d=52 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 300 \div 6 = 50$.

id=49458 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=17 | option_b=19 | option_c=21 | option_d=20 | answer=B | explanation=The common difference is 2. Therefore the next term is $17 + 2 = 19$.

id=49459 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=38 | option_b=26 | option_c=32 | option_d=33 | answer=C | explanation=The common difference is 6. Therefore the next term is $26 + 6 = 32$.

id=49460 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 300 \div 10 = 30 \text{ km/h}$.

id=49461 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=29 | option_c=19 | option_d=24 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 240 \div 10 = 24 \text{ km/h}$.

id=49462 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=K | option_c=G | option_d=Y | answer=C | explanation=Move 4 positions forward from C; the resulting letter is G.

id=49463 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15236 at 5% per annum for 3 years. | option_a=2385 | option_b=2285 | option_c=17521 | option_d=2185 | answer=B | explanation=SI = $PRT/100 = 15236 \times 5 \times 3/100 = \text{█}2285$.

id=49464 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 29, 36, 45? | option_a=22 | option_b=29 | option_c=45 | option_d=36 | answer=C | explanation=The first three numbers increase by 7, so the next should be 43. Therefore 45 is the odd one out.

id=49465 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=T | option_b=O | option_c=J | option_d=E | answer=B | explanation=Move 5 positions forward from J; the resulting letter is O.

id=49466 | topic=Percentages | difficulty=Easy | question=What is 10% of 905? | option_a=95 | option_b=80 | option_c=90 | option_d=180 | answer=C | explanation=10% of 905 = $(10/100) \times 905 = 90$.

id=49467 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 10. | option_a=20 | option_b=10 | option_c=100 | option_d=1 | answer=B | explanation=LCM $\times$ HCF = 10×10 ; HCF(10,10) = 10, so LCM = 10.

id=49468 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4716. If it is sold at a profit of 50%, what is its selling price? | option_a=7074 | option_b=6603 | option_c=7545 | option_d=4766 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4716 \times 150/100 = \text{█}7074$.

id=49469 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=63 | option_b=53 | option_c=52 | option_d=41 | answer=C | explanation=The common difference is 11. Therefore the next term is $41 + 11 = 52$.

id=49470 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=50 | option_d=45 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 180 \div 4 = 45 \text{ km/h}$.

Aptitude Questions — Records 49,471-49,500 of 100,000

id=49471 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:13 and the first is 24, what is the second? | option_a=91 | option_b=128 | option_c=104 | option_d=107 | answer=C | explanation=Scale factor = 24/3 = 8. Therefore second quantity = 13×8 = 104.

id=49472 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:6 and the first is 280, what is the second? | option_a=104 | option_b=364 | option_c=78 | option_d=84 | answer=D | explanation=Scale factor = 280/20 = 14. Therefore second quantity = 6×14 = 84.

id=49473 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=J | option_b=L | option_c=N | option_d=P | answer=C | explanation=Move 2 positions forward from L; the resulting letter is N.

id=49474 | topic=Averages | difficulty=Easy | question=Find the average of 99, 82, 58, 69, 52. | option_a=71 | option_b=73 | option_c=74 | option_d=72 | answer=D | explanation=Average = sum of values ÷ number of values = 360 ÷ 5 = 72.

id=49475 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:16 and the first is 171, what is the second? | option_a=475 | option_b=304 | option_c=288 | option_d=313 | answer=B | explanation=Scale factor = 171/9 = 19. Therefore second quantity = 16×19 = 304.

id=49476 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40816 at 10% per annum for 3 years. | option_a=53060 | option_b=12144 | option_c=12344 | option_d=12244 | answer=D | explanation=SI = $PRT/100$ = 40816×10×3/100 = **■**12244.

id=49477 | topic=Averages | difficulty=Easy | question=Find the average of 77, 98, 81, 93, 95, 48, 64, 60. | option_a=79 | option_b=78 | option_c=76 | option_d=77 | answer=D | explanation=Average = sum of values ÷ number of values = 616 ÷ 8 = 77.

id=49478 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=49479 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46628 at 5% per annum for 5 years. | option_a=11557 | option_b=58285 | option_c=11757 | option_d=11657 | answer=D | explanation=SI = $PRT/100$ = 46628×5×5/100 = **■**11657.

id=49480 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=23 | option_d=13 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=49481 | topic=Averages | difficulty=Easy | question=Find the average of 59, 98, 95, 43, 92, 90, 28, 79, 24, 82. | option_a=68 | option_b=69 | option_c=71 | option_d=70 | answer=B | explanation=Average = sum of values ÷ number of values = 690 ÷ 10 = 69.

id=49482 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 10, 13, 16, ? | option_a=16 | option_b=20 | option_c=19 | option_d=22 | answer=C | explanation=The common difference is 3. Therefore the next term is 16 + 3 = 19.

id=49483 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=19 | option_c=29 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=49484 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=H | option_c=T | option_d=L | answer=A | explanation=Move 4 positions forward from L; the resulting letter is P.

id=49485 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=49486 | topic=Averages | difficulty=Easy | question=Find the average of 84, 91, 45, 52, 83. | option_a=73 | option_b=71 | option_c=70 | option_d=72 | answer=B | explanation=Average = sum of values ÷ number of values = 355 ÷ 5 = 71.

id=49487 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=20 | option_b=26 | option_c=32 | option_d=27 | answer=B | explanation=The common difference is 6. Therefore the next term is 20 + 6 = 26.

id=49488 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=29 | option_b=35 | option_c=23 | option_d=30 | answer=A | explanation=The common difference is 6. Therefore the next term is 23 + 6 = 29.

id=49489 | topic=Averages | difficulty=Easy | question=Find the average of 10, 27, 26, 17, 42, 15, 12, 84, 79, 38. | option_a=37 | option_b=34 | option_c=36 | option_d=35 | answer=D | explanation=Average = sum of values ÷ number of values = 350 ÷ 10 = 35.

id=49490 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4287. If it is sold at a profit of 20%, what is its selling price? | option_a=4307 | option_b=5572 | option_c=5144 | option_d=4716 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4287 × 120/100 = **■**5144.

id=49491 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=29 | option_b=26 | option_c=32 | option_d=30 | answer=A | explanation=The common difference is 3. Therefore the next term is 26 + 3 = 29.

id=49492 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=49493 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:19 and the first is 84, what is the second? | option_a=114 | option_b=133 | option_c=145 | option_d=217 | answer=B | explanation=Scale factor = 84/12 = 7. Therefore second quantity = 19×7 = 133.

id=49494 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=E | option_b=N | option_c=K | option_d=H | answer=C | explanation=Move 3 positions forward from H; the resulting letter is K.

id=49495 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=49496 | topic=Averages | difficulty=Easy | question=Find the average of 47, 89, 38, 97, 74. | option_a=69 | option_b=68 | option_c=70 | option_d=71 | answer=A | explanation=Average = sum of values ÷ number of values = 345 ÷ 5 = 69.

id=49497 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3756. If it is sold at a profit of 30%, what is its selling price? | option_a=5257 | option_b=4882 | option_c=3786 | option_d=4507 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3756 × 130/100 = **■**4882.

id=49498 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 44? | option_a=27 | option_b=20 | option_c=34 | option_d=44 | answer=D | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 44 is the odd one out.

id=49499 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 20. | option_a=320 | option_b=96 | option_c=60 | option_d=80 | answer=D | explanation=LCM × HCF = 16×20; HCF(16,20) = 4, so LCM = 80.

id=49500 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41403 at 5% per annum for 3 years. | option_a=6110 | option_b=6210 | option_c=6310 | option_d=47613 | answer=B | explanation=SI = $PRT/100$ = 41403×5×3/100 = **■**6210.

Aptitude Questions — Records 49,501-49,530 of 100,000

id=49501 | topic=Percentages | difficulty=Easy | question=What is 5% of 1078? | option_a=63 | option_b=106 | option_c=53 | option_d=33 | answer=C | explanation=5% of 1078 = (5/100) × 1078 = 53.

id=49502 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=23 | option_c=13 | option_d=36 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=49503 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:8 and the first is 8, what is the second? | option_a=32 | option_b=34 | option_c=24 | option_d=40 | answer=A | explanation=Scale factor = 8/2 = 4. Therefore second quantity = 8×4 = 32.

id=49504 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=42 | option_b=35 | option_c=47 | option_d=41 | answer=D | explanation=The common difference is 6. Therefore the next term is 35 + 6 = 41.

id=49505 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:19 and the first is 10, what is the second? | option_a=97 | option_b=76 | option_c=95 | option_d=105 | answer=C | explanation=Scale factor = 10/2 = 5. Therefore second quantity = 19×5 = 95.

id=49506 | topic=Averages | difficulty=Easy | question=Find the average of 11, 68, 41, 92. | option_a=52 | option_b=53 | option_c=54 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 212 ÷ 4 = 53.

id=49507 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=K | option_b=Q | option_c=M | option_d=O | answer=D | explanation=Move 2 positions forward from M; the resulting letter is O.

id=49508 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹253. If it is sold at a profit of 20%, what is its selling price? | option_a=273 | option_b=278 | option_c=328 | option_d=303 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 253 × 120/100 = ₹303.

id=49509 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:3 and the first is 76, what is the second? | option_a=61 | option_b=54 | option_c=57 | option_d=133 | answer=C | explanation=Scale factor = 76/4 = 19. Therefore second quantity = 3×19 = 57.

id=49510 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:6 and the first is 30, what is the second? | option_a=120 | option_b=92 | option_c=90 | option_d=84 | answer=C | explanation=Scale factor = 30/2 = 15. Therefore second quantity = 6×15 = 90.

id=49511 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=L | option_b=K | option_c=M | option_d=J | answer=A | explanation=Move 1 positions forward from K; the resulting letter is L.

id=49512 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 24, 27, 32? | option_a=21 | option_b=24 | option_c=32 | option_d=27 | answer=C | explanation=The first three numbers increase by 3, so the next should be 30. Therefore 32 is the odd one out.

id=49513 | topic=Percentages | difficulty=Easy | question=What is 5% of 599? | option_a=58 | option_b=29 | option_c=19 | option_d=39 | answer=B | explanation=5% of 599 = (5/100) × 599 = 29.

id=49514 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:19 and the first is 42, what is the second? | option_a=139 | option_b=133 | option_c=175 | option_d=114 | answer=B | explanation=Scale factor = 42/6 = 7. Therefore second quantity = 19×7 = 133.

id=49515 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹217. If it is sold at a profit of 20%, what is its selling price? | option_a=239 | option_b=260 | option_c=281 | option_d=237 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 217 × 120/100 = ₹260.

id=49516 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=49517 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=49518 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=49519 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹44138 at 4% per annum for 3 years. | option_a=5296 | option_b=49434 | option_c=5396 | option_d=5196 | answer=A | explanation=SI = PRT/100 = 44138×4×3/100 = ₹5296.

id=49520 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹49234 at 4% per annum for 4 years. | option_a=7877 | option_b=57111 | option_c=7977 | option_d=7777 | answer=A | explanation=SI = PRT/100 = 49234×4×4/100 = ₹7877.

id=49521 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=45 | option_b=38 | option_c=31 | option_d=39 | answer=B | explanation=The common difference is 7. Therefore the next term is 31 + 7 = 38.

id=49522 | topic=Averages | difficulty=Easy | question=Find the average of 30, 32, 67, 19. | option_a=36 | option_b=38 | option_c=39 | option_d=37 | answer=D | explanation=Average = sum of values ÷ number of values = 148 ÷ 4 = 37.

id=49523 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹4816. If it is sold at a profit of 30%, what is its selling price? | option_a=6741 | option_b=6260 | option_c=5779 | option_d=4846 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4816 × 130/100 = ₹6260.

id=49524 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹37980 at 4% per annum for 5 years. | option_a=7696 | option_b=45576 | option_c=7496 | option_d=7596 | answer=D | explanation=SI = PRT/100 = 37980×4×5/100 = ₹7596.

id=49525 | topic=Averages | difficulty=Easy | question=Find the average of 13, 61, 52, 70. | option_a=51 | option_b=48 | option_c=49 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 196 ÷ 4 = 49.

id=49526 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=36 | option_b=35 | option_c=30 | option_d=40 | answer=B | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=49527 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=X | option_c=U | option_d=O | answer=C | explanation=Move 3 positions forward from R; the resulting letter is U.

id=49528 | topic=Averages | difficulty=Easy | question=Find the average of 33, 29, 16, 19, 17, 32, 93, 82, 94, 15. | option_a=43 | option_b=45 | option_c=44 | option_d=42 | answer=A | explanation=Average = sum of values ÷ number of values = 430 ÷ 10 = 43.

id=49529 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=49530 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=L | option_c=K | option_d=J | answer=B | explanation=Move 1 positions forward from K; the resulting letter is L.

Aptitude Questions — Records 49,531-49,560 of 100,000

id=49531 | topic=Averages | difficulty=Easy | question=Find the average of 78, 43, 54, 25, 40. | option_a=49 | option_b=48 | option_c=50 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 240 ÷ 5 = 48.

id=49532 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=37 | option_b=30 | option_c=31 | option_d=23 | answer=B | explanation=The common difference is 7. Therefore the next term is 23 + 7 = 30.

id=49533 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30577 at 10% per annum for 1 years. | option_a=33634 | option_b=3057 | option_c=3157 | option_d=2957 | answer=B | explanation=SI = PRT/100 = 30577×10×1/100 = **■**3057.

id=49534 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 24, 31, 40? | option_a=24 | option_b=31 | option_c=17 | option_d=40 | answer=D | explanation=The first three numbers increase by 7, so the next should be 38. Therefore 40 is the odd one out.

id=49535 | topic=Averages | difficulty=Easy | question=Find the average of 45, 26, 18, 96, 100. | option_a=59 | option_b=57 | option_c=58 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.

id=49536 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=23 | option_b=31 | option_c=27 | option_d=28 | answer=C | explanation=The common difference is 4. Therefore the next term is 23 + 4 = 27.

id=49537 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=42 | option_b=54 | option_c=53 | option_d=64 | answer=C | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.

id=49538 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 9, 16, 26? | option_a=26 | option_b=2 | option_c=9 | option_d=16 | answer=A | explanation=The first three numbers increase by 7, so the next should be 23. Therefore 26 is the odd one out.

id=49539 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 27? | option_a=12 | option_b=27 | option_c=6 | option_d=18 | answer=B | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 27 is the odd one out.

id=49540 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=49541 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:4 and the first is 57, what is the second? | option_a=8 | option_b=12 | option_c=31 | option_d=69 | answer=B | explanation=Scale factor = 57/19 = 3. Therefore second quantity = 4×3 = 12.

id=49542 | topic=Percentages | difficulty=Easy | question=What is 5% of 988? | option_a=98 | option_b=69 | option_c=49 | option_d=44 | answer=C | explanation=5% of 988 = (5/100) × 988 = 49.

id=49543 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 23? | option_a=23 | option_b=14 | option_c=2 | option_d=8 | answer=A | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 23 is the odd one out.

id=49544 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44692 at 6% per annum for 1 years. | option_a=2581 | option_b=2681 | option_c=47373 | option_d=2781 | answer=B | explanation=SI = PRT/100 = 44692×6×1/100 = **■**2681.

id=49545 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 32, 40, 49? | option_a=40 | option_b=32 | option_c=49 | option_d=24 | answer=C | explanation=The first three numbers increase by 8, so the next should be 48. Therefore 49 is the odd one out.

id=49546 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=26 | option_b=33 | option_c=40 | option_d=34 | answer=B | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

id=49547 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:17 and the first is 120, what is the second? | option_a=151 | option_b=136 | option_c=256 | option_d=119 | answer=B | explanation=Scale factor = 120/15 = 8. Therefore second quantity = 17×8 = 136.

id=49548 | topic=Percentages | difficulty=Easy | question=What is 40% of 966? | option_a=396 | option_b=772 | option_c=386 | option_d=381 | answer=C | explanation=40% of 966 = (40/100) × 966 = 386.

id=49549 | topic=Averages | difficulty=Easy | question=Find the average of 81, 23, 50, 28, 93. | option_a=56 | option_b=57 | option_c=55 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 275 ÷ 5 = 55.

id=49550 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=I | option_b=O | option_c=M | option_d=K | answer=C | explanation=Move 2 positions forward from K; the resulting letter is M.

id=49551 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=E | option_c=A | option_d=C | answer=B | explanation=Move 2 positions forward from C; the resulting letter is E.

id=49552 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=49553 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**797. If it is sold at a profit of 25%, what is its selling price? | option_a=1075 | option_b=917 | option_c=822 | option_d=996 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 797 × 125/100 = **■**996.

id=49554 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=7 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=49555 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3803. If it is sold at a profit of 40%, what is its selling price? | option_a=5704 | option_b=4944 | option_c=3843 | option_d=5324 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3803 × 140/100 = **■**5324.

id=49556 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=50 | option_d=25 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=49557 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48251 at 15% per annum for 3 years. | option_a=21612 | option_b=21712 | option_c=21812 | option_d=69963 | answer=B | explanation=SI = PRT/100 = 48251×15×3/100 = **■**21712.

id=49558 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**881. If it is sold at a profit of 30%, what is its selling price? | option_a=1057 | option_b=911 | option_c=1145 | option_d=1233 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 881 × 130/100 = **■**1145.

id=49559 | topic=Percentages | difficulty=Easy | question=What is 30% of 1685? | option_a=1010 | option_b=525 | option_c=505 | option_d=500 | answer=C | explanation=30% of 1685 = (30/100) × 1685 = 505.

id=49560 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

Aptitude Questions — Records 49,561-49,590 of 100,000

id=49561 | topic=Averages | difficulty=Easy | question=Find the average of 13, 82, 73, 28, 57, 96, 36. | option_a=57 | option_b=56 | option_c=55 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = $385 \div 7 = 55$.

id=49562 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:17 and the first is 187, what is the second? | option_a=476 | option_b=289 | option_c=272 | option_d=300 | answer=B | explanation=Scale factor = $187/11 = 17$. Therefore second quantity = $17 \times 17 = 289$.

id=49563 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=48 | option_b=54 | option_c=47 | option_d=40 | answer=C | explanation=The common difference is 7. Therefore the next term is $40 + 7 = 47$.

id=49564 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4750. If it is sold at a profit of 25%, what is its selling price? | option_a=4775 | option_b=5937 | option_c=5462 | option_d=6412 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4750 \times 125/100 = \text{█}5937$.

id=49565 | topic=Averages | difficulty=Easy | question=Find the average of 30, 38, 98, 60, 35, 78, 88. | option_a=61 | option_b=62 | option_c=63 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = $427 \div 7 = 61$.

id=49566 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:11 and the first is 11, what is the second? | option_a=110 | option_b=121 | option_c=132 | option_d=122 | answer=B | explanation=Scale factor = $11/1 = 11$. Therefore second quantity = $11 \times 11 = 121$.

id=49567 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 18. | option_a=54 | option_b=21 | option_c=18 | option_d=1 | answer=C | explanation=LCM $\times$ HCF = 3×18 ; HCF(3,18) = 3, so LCM = 18.

id=49568 | topic=Profit & Loss | difficulty=Easy | question=An article costs █794. If it is sold at a profit of 40%, what is its selling price? | option_a=834 | option_b=1190 | option_c=1032 | option_d=1111 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 794 \times 140/100 = \text{█}1111$.

id=49569 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:16 and the first is 20, what is the second? | option_a=304 | option_b=321 | option_c=340 | option_d=320 | answer=D | explanation=Scale factor = $20/1 = 20$. Therefore second quantity = $16 \times 20 = 320$.

id=49570 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=56 | option_b=65 | option_c=47 | option_d=57 | answer=A | explanation=The common difference is 9. Therefore the next term is $47 + 9 = 56$.

id=49571 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:6 and the first is 78, what is the second? | option_a=36 | option_b=114 | option_c=49 | option_d=30 | answer=A | explanation=Scale factor = $78/13 = 6$. Therefore second quantity = $6 \times 6 = 36$.

id=49572 | topic=Profit & Loss | difficulty=Easy | question=An article costs █461. If it is sold at a profit of 15%, what is its selling price? | option_a=484 | option_b=530 | option_c=476 | option_d=576 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 461 \times 115/100 = \text{█}530$.

id=49573 | topic=Averages | difficulty=Easy | question=Find the average of 27, 35, 68, 95, 45, 90. | option_a=62 | option_b=60 | option_c=59 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = $360 \div 6 = 60$.

id=49574 | topic=Percentages | difficulty=Easy | question=What is 40% of 737? | option_a=294 | option_b=588 | option_c=274 | option_d=299 | answer=A | explanation=40% of 737 = $(40/100) \times 737 = 294$.

id=49575 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3249. If it is sold at a profit of 50%, what is its selling price? | option_a=3299 | option_b=4549 | option_c=4873 | option_d=5197 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3249 \times 150/100 = \text{█}4873$.

id=49576 | topic=Percentages | difficulty=Easy | question=What is 10% of 1588? | option_a=316 | option_b=153 | option_c=163 | option_d=158 | answer=D | explanation=10% of 1588 = $(10/100) \times 1588 = 158$.

id=49577 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 14, 23, 34? | option_a=34 | option_b=14 | option_c=23 | option_d=5 | answer=A | explanation=The first three numbers increase by 9, so the next should be 32. Therefore 34 is the odd one out.

id=49578 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 25, 30, 37? | option_a=37 | option_b=20 | option_c=25 | option_d=30 | answer=A | explanation=The first three numbers increase by 5, so the next should be 35. Therefore 37 is the odd one out.

id=49579 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=N | option_c=Y | option_d=I | answer=D | explanation=Move 5 positions forward from D; the resulting letter is I.

id=49580 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=28 | option_b=30 | option_c=29 | option_d=26 | answer=A | explanation=The common difference is 2. Therefore the next term is $26 + 2 = 28$.

id=49581 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 18, 27, 37? | option_a=9 | option_b=27 | option_c=37 | option_d=18 | answer=C | explanation=The first three numbers increase by 9, so the next should be 36. Therefore 37 is the odd one out.

id=49582 | topic=Percentages | difficulty=Easy | question=What is 10% of 1257? | option_a=125 | option_b=115 | option_c=250 | option_d=135 | answer=A | explanation=10% of 1257 = $(10/100) \times 1257 = 125$.

id=49583 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 18, 27, 38? | option_a=18 | option_b=38 | option_c=27 | option_d=9 | answer=B | explanation=The first three numbers increase by 9, so the next should be 36. Therefore 38 is the odd one out.

id=49584 | topic=Percentages | difficulty=Easy | question=What is 30% of 1286? | option_a=385 | option_b=375 | option_c=405 | option_d=770 | answer=A | explanation=30% of 1286 = $(30/100) \times 1286 = 385$.

id=49585 | topic=Profit & Loss | difficulty=Easy | question=An article costs █957. If it is sold at a profit of 25%, what is its selling price? | option_a=1101 | option_b=1291 | option_c=1196 | option_d=982 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 957 \times 125/100 = \text{█}1196$.

id=49586 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42671 at 5% per annum for 5 years. | option_a=10767 | option_b=10667 | option_c=10567 | option_d=53338 | answer=B | explanation=SI = $PRT/100 = 42671 \times 5 \times 5/100 = \text{█}10667$.

id=49587 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = $360 \div 8 = 45$ km/h.

id=49588 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3575. If it is sold at a profit of 20%, what is its selling price? | option_a=3933 | option_b=4647 | option_c=3595 | option_d=4290 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3575 \times 120/100 = \text{█}4290$.

id=49589 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=120 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.

id=49590 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=38 | option_b=43 | option_c=31 | option_d=37 | answer=D | explanation=The common difference is 6. Therefore the next term is $31 + 6 = 37$.

Aptitude Questions — Records 49,591-49,620 of 100,000

id=49591 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21530 at 6% per annum for 4 years. | option_a=5067 | option_b=26697 | option_c=5167 | option_d=5267 | answer=C | explanation=SI = $PRT/100 = 21530 \times 6 \times 4/100 =$ **■**5167.

id=49592 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=49593 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 36? | option_a=4 | option_b=14 | option_c=36 | option_d=24 | answer=C | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 36 is the odd one out.

id=49594 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=J | option_b=M | option_c=P | option_d=S | answer=C | explanation=Move 3 positions forward from M; the resulting letter is P.

id=49595 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 22, 26, 32? | option_a=22 | option_b=32 | option_c=26 | option_d=18 | answer=B | explanation=The first three numbers increase by 4, so the next should be 30. Therefore 32 is the odd one out.

id=49596 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:4 and the first is 133, what is the second? | option_a=209 | option_b=83 | option_c=72 | option_d=76 | answer=D | explanation=Scale factor = $133/7 = 19$. Therefore second quantity = $4 \times 19 = 76$.

id=49597 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=11 | option_c=1 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = $60 \div 10 = 6$ km/h.

id=49598 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4792. If it is sold at a profit of 50%, what is its selling price? | option_a=6709 | option_b=4842 | option_c=7188 | option_d=7667 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4792 \times 150/100 =$ **■**7188.

id=49599 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = $180 \div 6 = 30$ km/h.

id=49600 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=36 | option_b=32 | option_c=37 | option_d=40 | answer=A | explanation=The common difference is 4. Therefore the next term is $32 + 4 = 36$.

id=49601 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=K | option_c=C | option_d=O | answer=B | explanation=Move 4 positions forward from G; the resulting letter is K.

id=49602 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=42 | option_b=41 | option_c=35 | option_d=47 | answer=B | explanation=The common difference is 6. Therefore the next term is $35 + 6 = 41$.

id=49603 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3220. If it is sold at a profit of 10%, what is its selling price? | option_a=3864 | option_b=3220 | option_c=3230 | option_d=3542 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3220 \times 110/100 =$ **■**3542.

id=49604 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=35 | option_b=51 | option_c=43 | option_d=44 | answer=C | explanation=The common difference is 8. Therefore the next term is $35 + 8 = 43$.

id=49605 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18330 at 10% per annum for 2 years. | option_a=3766 | option_b=21996 | option_c=3666 | option_d=3566 | answer=C | explanation=SI = $PRT/100 = 18330 \times 10 \times 2/100 =$ **■**3666.

id=49606 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 20. | option_a=140 | option_b=120 | option_c=280 | option_d=154 | answer=A | explanation= $LCM \times HCF = 14 \times 20$; $HCF(14, 20) = 2$, so $LCM = 140$.

id=49607 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=16 | option_b=15 | option_c=14 | option_d=12 | answer=C | explanation=The common difference is 2. Therefore the next term is $12 + 2 = 14$.

id=49608 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=R | option_c=N | option_d=Z | answer=A | explanation=Move 4 positions forward from R; the resulting letter is V.

id=49609 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34995 at 4% per annum for 5 years. | option_a=6999 | option_b=7099 | option_c=41994 | option_d=6899 | answer=A | explanation=SI = $PRT/100 = 34995 \times 4 \times 5/100 =$ **■**6999.

id=49610 | topic=Percentages | difficulty=Easy | question=What is 5% of 830? | option_a=36 | option_b=41 | option_c=46 | option_d=82 | answer=B | explanation= $5\% \text{ of } 830 = (5/100) \times 830 = 41$.

id=49611 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:9 and the first is 128, what is the second? | option_a=88 | option_b=63 | option_c=72 | option_d=200 | answer=C | explanation=Scale factor = $128/16 = 8$. Therefore second quantity = $9 \times 8 = 72$.

id=49612 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=49613 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=49614 | topic=Percentages | difficulty=Easy | question=What is 20% of 1082? | option_a=216 | option_b=211 | option_c=432 | option_d=221 | answer=A | explanation= $20\% \text{ of } 1082 = (20/100) \times 1082 = 216$.

id=49615 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=49616 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19536 at 4% per annum for 4 years. | option_a=3025 | option_b=22661 | option_c=3125 | option_d=3225 | answer=C | explanation=SI = $PRT/100 = 19536 \times 4 \times 4/100 =$ **■**3125.

id=49617 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:14 and the first is 160, what is the second? | option_a=98 | option_b=112 | option_c=272 | option_d=132 | answer=B | explanation=Scale factor = $160/20 = 8$. Therefore second quantity = $14 \times 8 = 112$.

id=49618 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1398. If it is sold at a profit of 15%, what is its selling price? | option_a=1468 | option_b=1413 | option_c=1746 | option_d=1607 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1398 \times 115/100 =$ **■**1607.

id=49619 | topic=Averages | difficulty=Easy | question=Find the average of 18, 83, 61. | option_a=53 | option_b=55 | option_c=56 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = $162 \div 3 = 54$.

id=49620 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 33, 42, 54? | option_a=54 | option_b=42 | option_c=33 | option_d=24 | answer=A | explanation=The first three numbers increase by 9, so the next should be 51. Therefore 54 is the odd one out.

Aptitude Questions — Records 49,621-49,650 of 100,000

id=49621 | topic=Averages | difficulty=Easy | question=Find the average of 70, 30, 49, 98, 61, 17, 39. | option_a=54 | option_b=52 | option_c=53 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 364 ÷ 7 = 52.

id=49622 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=90 | option_b=50 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=49623 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 13, 18, 26? | option_a=8 | option_b=18 | option_c=13 | option_d=26 | answer=D | explanation=The first three numbers increase by 5, so the next should be 23. Therefore 26 is the odd one out.

id=49624 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:9 and the first is 84, what is the second? | option_a=68 | option_b=45 | option_c=54 | option_d=138 | answer=C | explanation=Scale factor = 84/14 = 6. Therefore second quantity = 9×6 = 54.

id=49625 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1759. If it is sold at a profit of 20%, what is its selling price? | option_a=1779 | option_b=2285 | option_c=2110 | option_d=1935 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1759 × 120/100 = █2110.

id=49626 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4837. If it is sold at a profit of 20%, what is its selling price? | option_a=5804 | option_b=4857 | option_c=5321 | option_d=6287 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4837 × 120/100 = █5804.

id=49627 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=V | option_b=S | option_c=M | option_d=P | answer=B | explanation=Move 3 positions forward from P; the resulting letter is S.

id=49628 | topic=Percentages | difficulty=Easy | question=What is 12% of 953? | option_a=119 | option_b=104 | option_c=228 | option_d=114 | answer=D | explanation=12% of 953 = (12/100) × 953 = 114.

id=49629 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2057. If it is sold at a profit of 30%, what is its selling price? | option_a=2674 | option_b=2879 | option_c=2469 | option_d=2087 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2057 × 130/100 = █2674.

id=49630 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1270. If it is sold at a profit of 30%, what is its selling price? | option_a=1300 | option_b=1651 | option_c=1524 | option_d=1778 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1270 × 130/100 = █1651.

id=49631 | topic=Percentages | difficulty=Easy | question=What is 40% of 1413? | option_a=555 | option_b=1130 | option_c=565 | option_d=575 | answer=C | explanation=40% of 1413 = (40/100) × 1413 = 565.

id=49632 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=12 | option_b=7 | option_c=24 | option_d=17 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=49633 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22693 at 6% per annum for 5 years. | option_a=29500 | option_b=6807 | option_c=6707 | option_d=6907 | answer=B | explanation=SI = PRT/100 = 22693×6×5/100 = █6807.

id=49634 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 22. | option_a=48 | option_b=22 | option_c=88 | option_d=44 | answer=D | explanation=LCM × HCF = 4×22; HCF(4,22) = 2, so LCM = 44.

id=49635 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3634 at 12% per annum for 4 years. | option_a=1844 | option_b=5378 | option_c=1644 | option_d=1744 | answer=D | explanation=SI = PRT/100 = 3634×12×4/100 = █1744.

id=49636 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=K | option_b=N | option_c=T | option_d=Q | answer=D | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=49637 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=R | option_b=N | option_c=J | option_d=F | answer=B | explanation=Move 4 positions forward from J; the resulting letter is N.

id=49638 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3122. If it is sold at a profit of 5%, what is its selling price? | option_a=3590 | option_b=3278 | option_c=3127 | option_d=2966 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3122 × 105/100 = █3278.

id=49639 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=22 | option_b=24 | option_c=20 | option_d=23 | answer=A | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=49640 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:6 and the first is 140, what is the second? | option_a=74 | option_b=54 | option_c=200 | option_d=60 | answer=D | explanation=Scale factor = 140/14 = 10. Therefore second quantity = 6×10 = 60.

id=49641 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=50 | option_c=20 | option_d=25 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=49642 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=49643 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=20 | option_c=25 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=49644 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 16. | option_a=16 | option_b=1 | option_c=32 | option_d=18 | answer=A | explanation=LCM × HCF = 2×16; HCF(2,16) = 2, so LCM = 16.

id=49645 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=31 | option_b=35 | option_c=36 | option_d=39 | answer=B | explanation=The common difference is 4. Therefore the next term is 31 + 4 = 35.

id=49646 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=24 | option_b=30 | option_c=28 | option_d=27 | answer=D | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=49647 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 25, 31, 38? | option_a=25 | option_b=31 | option_c=38 | option_d=19 | answer=C | explanation=The first three numbers increase by 6, so the next should be 37. Therefore 38 is the odd one out.

id=49648 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 24, 36, 48, ? | option_a=61 | option_b=48 | option_c=60 | option_d=72 | answer=C | explanation=The common difference is 12. Therefore the next term is 48 + 12 = 60.

id=49649 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:8 and the first is 90, what is the second? | option_a=130 | option_b=32 | option_c=58 | option_d=40 | answer=D | explanation=Scale factor = 90/18 = 5. Therefore second quantity = 8×5 = 40.

id=49650 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:1 and the first is 70, what is the second? | option_a=6 | option_b=77 | option_c=17 | option_d=7 | answer=D | explanation=Scale factor = 70/10 = 7. Therefore second quantity = 1×7 = 7.

Aptitude Questions — Records 49,651-49,680 of 100,000

id=49651 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8144 at 8% per annum for 4 years. | option_a=2706 | option_b=10750 | option_c=2506 | option_d=2606 | answer=D | explanation=SI = PRT/100 = 8144×8×4/100 = **■**2606.

id=49652 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=56 | option_b=48 | option_c=47 | option_d=38 | answer=C | explanation=The common difference is 9. Therefore the next term is 38 + 9 = 47.

id=49653 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=H | option_b=L | option_c=N | option_d=J | answer=B | explanation=Move 2 positions forward from J; the resulting letter is L.

id=49654 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 10, 13, 16, ? | option_a=16 | option_b=22 | option_c=20 | option_d=19 | answer=D | explanation=The common difference is 3. Therefore the next term is 16 + 3 = 19.

id=49655 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=49656 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=49657 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=120 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=49658 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=P | option_b=O | option_c=Q | option_d=N | answer=A | explanation=Move 1 positions forward from O; the resulting letter is P.

id=49659 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3204. If it is sold at a profit of 15%, what is its selling price? | option_a=3364 | option_b=3219 | option_c=3684 | option_d=4004 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3204 × 115/100 = **■**3684.

id=49660 | topic=Percentages | difficulty=Easy | question=What is 50% of 885? | option_a=432 | option_b=442 | option_c=447 | option_d=884 | answer=B | explanation=50% of 885 = (50/100) × 885 = 442.

id=49661 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=49662 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=49663 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=49664 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:7 and the first is 204, what is the second? | option_a=112 | option_b=131 | option_c=323 | option_d=119 | answer=D | explanation=Scale factor = 204/12 = 17. Therefore second quantity = 7×17 = 119.

id=49665 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 11, 20, 31? | option_a=20 | option_b=11 | option_c=31 | option_d=2 | answer=C | explanation=The first three numbers increase by 9, so the next should be 29. Therefore 31 is the odd one out.

id=49666 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=49667 | topic=Averages | difficulty=Easy | question=Find the average of 87, 62, 10, 14, 43, 15, 35. | option_a=38 | option_b=40 | option_c=37 | option_d=39 | answer=A | explanation=Average = sum of values ÷ number of values = 266 ÷ 7 = 38.

id=49668 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2017 at 5% per annum for 5 years. | option_a=404 | option_b=604 | option_c=2521 | option_d=504 | answer=D | explanation=SI = PRT/100 = 2017×5×5/100 = **■**504.

id=49669 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:8 and the first is 288, what is the second? | option_a=160 | option_b=144 | option_c=432 | option_d=136 | answer=B | explanation=Scale factor = 288/16 = 18. Therefore second quantity = 8×18 = 144.

id=49670 | topic=Averages | difficulty=Easy | question=Find the average of 92, 88, 92, 93, 45, 100. | option_a=85 | option_b=86 | option_c=87 | option_d=84 | answer=A | explanation=Average = sum of values ÷ number of values = 510 ÷ 6 = 85.

id=49671 | topic=Percentages | difficulty=Easy | question=What is 25% of 781? | option_a=390 | option_b=215 | option_c=190 | option_d=195 | answer=D | explanation=25% of 781 = (25/100) × 781 = 195.

id=49672 | topic=Averages | difficulty=Easy | question=Find the average of 11, 69, 96, 46, 34, 19, 68, 33. | option_a=49 | option_b=48 | option_c=47 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 376 ÷ 8 = 47.

id=49673 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=49674 | topic=Percentages | difficulty=Easy | question=What is 25% of 471? | option_a=117 | option_b=127 | option_c=97 | option_d=234 | answer=A | explanation=25% of 471 = (25/100) × 471 = 117.

id=49675 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3352. If it is sold at a profit of 30%, what is its selling price? | option_a=3382 | option_b=4692 | option_c=4022 | option_d=4357 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3352 × 130/100 = **■**4357.

id=49676 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:10 and the first is 165, what is the second? | option_a=100 | option_b=110 | option_c=125 | option_d=275 | answer=B | explanation=Scale factor = 165/15 = 11. Therefore second quantity = 10×11 = 110.

id=49677 | topic=Percentages | difficulty=Easy | question=What is 25% of 811? | option_a=202 | option_b=404 | option_c=197 | option_d=212 | answer=A | explanation=25% of 811 = (25/100) × 811 = 202.

id=49678 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41236 at 8% per annum for 3 years. | option_a=9796 | option_b=9896 | option_c=51132 | option_d=9996 | answer=B | explanation=SI = PRT/100 = 41236×8×3/100 = **■**9896.

id=49679 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=49680 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

Aptitude Questions — Records 49,681-49,710 of 100,000

id=49681 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:18 and the first is 13, what is the second? | option_a=234 | option_b=216 | option_c=235 | option_d=247 | answer=A | explanation=Scale factor = 13/1 = 13. Therefore second quantity = 18×13 = 234.

id=49682 | topic=Percentages | difficulty=Easy | question=What is 30% of 1547? | option_a=464 | option_b=474 | option_c=928 | option_d=454 | answer=A | explanation=30% of 1547 = (30/100) × 1547 = 464.

id=49683 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=49684 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4825. If it is sold at a profit of 10%, what is its selling price? | option_a=5307 | option_b=4835 | option_c=5789 | option_d=4825 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4825 × 110/100 = █5307.

id=49685 | topic=Percentages | difficulty=Easy | question=What is 30% of 437? | option_a=131 | option_b=262 | option_c=141 | option_d=111 | answer=A | explanation=30% of 437 = (30/100) × 437 = 131.

id=49686 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 25. | option_a=90 | option_b=75 | option_c=50 | option_d=375 | answer=B | explanation=LCM × HCF = 15×25; HCF(15,25) = 5, so LCM = 75.

id=49687 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2298 at 12% per annum for 3 years. | option_a=727 | option_b=827 | option_c=927 | option_d=3125 | answer=B | explanation=SI = PRT/100 = 2298×12×3/100 = █827.

id=49688 | topic=Averages | difficulty=Easy | question=Find the average of 99, 78, 42. | option_a=74 | option_b=72 | option_c=73 | option_d=75 | answer=C | explanation=Average = sum of values ÷ number of values = 219 ÷ 3 = 73.

id=49689 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4775. If it is sold at a profit of 15%, what is its selling price? | option_a=5491 | option_b=5968 | option_c=5014 | option_d=4790 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4775 × 115/100 = █5491.

id=49690 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=49691 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2011. If it is sold at a profit of 30%, what is its selling price? | option_a=2614 | option_b=2413 | option_c=2041 | option_d=2815 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2011 × 130/100 = █2614.

id=49692 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4312. If it is sold at a profit of 15%, what is its selling price? | option_a=4527 | option_b=4958 | option_c=4327 | option_d=5389 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4312 × 115/100 = █4958.

id=49693 | topic=Percentages | difficulty=Easy | question=What is 25% of 1932? | option_a=488 | option_b=966 | option_c=463 | option_d=483 | answer=D | explanation=25% of 1932 = (25/100) × 1932 = 483.

id=49694 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=49695 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 18? | option_a=9 | option_b=13 | option_c=11 | option_d=18 | answer=D | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 18 is the odd one out.

id=49696 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=35 | option_b=36 | option_c=43 | option_d=27 | answer=A | explanation=The common difference is 8. Therefore the next term is 27 + 8 = 35.

id=49697 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4542. If it is sold at a profit of 15%, what is its selling price? | option_a=5677 | option_b=4769 | option_c=4557 | option_d=5223 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4542 × 115/100 = █5223.

id=49698 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=Q | option_b=S | option_c=O | option_d=M | answer=A | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=49699 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=F | option_b=A | option_c=K | option_d=V | answer=A | explanation=Move 5 positions forward from A; the resulting letter is F.

id=49700 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=56 | option_b=43 | option_c=55 | option_d=67 | answer=C | explanation=The common difference is 12. Therefore the next term is 43 + 12 = 55.

id=49701 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=49702 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3397. If it is sold at a profit of 10%, what is its selling price? | option_a=4075 | option_b=3736 | option_c=3407 | option_d=3397 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3397 × 110/100 = █3736.

id=49703 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47549 at 12% per annum for 1 years. | option_a=53254 | option_b=5805 | option_c=5705 | option_d=5605 | answer=C | explanation=SI = PRT/100 = 47549×12×1/100 = █5705.

id=49704 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:6 and the first is 380, what is the second? | option_a=114 | option_b=500 | option_c=139 | option_d=120 | answer=D | explanation=Scale factor = 380/19 = 20. Therefore second quantity = 6×20 = 120.

id=49705 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=40 | option_c=15 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=49706 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=N | option_b=F | option_c=J | option_d=B | answer=C | explanation=Move 4 positions forward from F; the resulting letter is J.

id=49707 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4904. If it is sold at a profit of 40%, what is its selling price? | option_a=4944 | option_b=6865 | option_c=7355 | option_d=6375 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4904 × 140/100 = █6865.

id=49708 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=V | option_b=J | option_c=R | option_d=N | answer=C | explanation=Move 4 positions forward from N; the resulting letter is R.

id=49709 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=51 | option_b=39 | option_c=61 | option_d=50 | answer=D | explanation=The common difference is 11. Therefore the next term is 39 + 11 = 50.

id=49710 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

Aptitude Questions — Records 49,711-49,740 of 100,000

id=49711 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3472. If it is sold at a profit of 5%, what is its selling price? | option_a=3992 | option_b=3645 | option_c=3298 | option_d=3477 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3472 × 105/100 = █3645.

id=49712 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1562. If it is sold at a profit of 40%, what is its selling price? | option_a=2342 | option_b=2186 | option_c=2030 | option_d=1602 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1562 × 140/100 = █2186.

id=49713 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=O | option_c=K | option_d=W | answer=A | explanation=Move 4 positions forward from O; the resulting letter is S.

id=49714 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 32? | option_a=25 | option_b=32 | option_c=27 | option_d=29 | answer=B | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 32 is the odd one out.

id=49715 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 13, 20, 29? | option_a=6 | option_b=29 | option_c=20 | option_d=13 | answer=B | explanation=The first three numbers increase by 7, so the next should be 27. Therefore 29 is the odd one out.

id=49716 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=49717 | topic=Percentages | difficulty=Easy | question=Find the simple interest on █27436 at 5% per annum for 5 years. | option_a=34295 | option_b=6859 | option_c=6759 | option_d=6959 | answer=B | explanation=SI = PRT/100 = 27436×5×5/100 = █6859.

id=49718 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=Q | option_c=O | option_d=S | answer=D | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=49719 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:7 and the first is 48, what is the second? | option_a=84 | option_b=132 | option_c=88 | option_d=77 | answer=A | explanation=Scale factor = 48/4 = 12. Therefore second quantity = 7×12 = 84.

id=49720 | topic=Percentages | difficulty=Easy | question=What is 20% of 1215? | option_a=243 | option_b=253 | option_c=233 | option_d=486 | answer=A | explanation=20% of 1215 = (20/100) × 1215 = 243.

id=49721 | topic=Percentages | difficulty=Easy | question=What is 20% of 119? | option_a=43 | option_b=23 | option_c=13 | option_d=46 | answer=B | explanation=20% of 119 = (20/100) × 119 = 23.

id=49722 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=55 | option_b=48 | option_c=47 | option_d=39 | answer=C | explanation=The common difference is 8. Therefore the next term is 39 + 8 = 47.

id=49723 | topic=Percentages | difficulty=Easy | question=What is 20% of 398? | option_a=59 | option_b=158 | option_c=79 | option_d=89 | answer=C | explanation=20% of 398 = (20/100) × 398 = 79.

id=49724 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=49725 | topic=Averages | difficulty=Easy | question=Find the average of 24, 95, 87, 85, 12, 99. | option_a=67 | option_b=68 | option_c=69 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 402 ÷ 6 = 67.

id=49726 | topic=Averages | difficulty=Easy | question=Find the average of 81, 26, 42, 54, 54, 40, 88, 51, 30, 54. | option_a=54 | option_b=53 | option_c=52 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 520 ÷ 10 = 52.

id=49727 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 36? | option_a=19 | option_b=29 | option_c=36 | option_d=24 | answer=C | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 36 is the odd one out.

id=49728 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:15 and the first is 21, what is the second? | option_a=90 | option_b=108 | option_c=126 | option_d=105 | answer=D | explanation=Scale factor = 21/3 = 7. Therefore second quantity = 15×7 = 105.

id=49729 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11239 at 12% per annum for 1 years. | option_a=12587 | option_b=1248 | option_c=1348 | option_d=1448 | answer=C | explanation=SI = PRT/100 = 11239×12×1/100 = █1348.

id=49730 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34894 at 5% per annum for 1 years. | option_a=1644 | option_b=36638 | option_c=1744 | option_d=1844 | answer=C | explanation=SI = PRT/100 = 34894×5×1/100 = █1744.

id=49731 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:13 and the first is 24, what is the second? | option_a=50 | option_b=13 | option_c=26 | option_d=38 | answer=C | explanation=Scale factor = 24/12 = 2. Therefore second quantity = 13×2 = 26.

id=49732 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 34, 42, 52? | option_a=42 | option_b=34 | option_c=52 | option_d=26 | answer=C | explanation=The first three numbers increase by 8, so the next should be 50. Therefore 52 is the odd one out.

id=49733 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=45 | option_b=40 | option_c=33 | option_d=39 | answer=D | explanation=The common difference is 6. Therefore the next term is 33 + 6 = 39.

id=49734 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=T | option_c=S | option_d=R | answer=B | explanation=Move 1 positions forward from S; the resulting letter is T.

id=49735 | topic=Percentages | difficulty=Easy | question=What is 10% of 858? | option_a=85 | option_b=170 | option_c=105 | option_d=75 | answer=A | explanation=10% of 858 = (10/100) × 858 = 85.

id=49736 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=63 | option_b=51 | option_c=73 | option_d=62 | answer=D | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.

id=49737 | topic=Percentages | difficulty=Easy | question=What is 40% of 631? | option_a=262 | option_b=242 | option_c=504 | option_d=252 | answer=D | explanation=40% of 631 = (40/100) × 631 = 252.

id=49738 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29832 at 10% per annum for 4 years. | option_a=41764 | option_b=12032 | option_c=11832 | option_d=11932 | answer=D | explanation=SI = PRT/100 = 29832×10×4/100 = █11932.

id=49739 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=Y | option_c=K | option_d=C | answer=A | explanation=Move 4 positions forward from C; the resulting letter is G.

id=49740 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:8 and the first is 190, what is the second? | option_a=99 | option_b=270 | option_c=80 | option_d=72 | answer=C | explanation=Scale factor = 190/19 = 10. Therefore second quantity = 8×10 = 80.

Aptitude Questions — Records 49,741-49,770 of 100,000

id=49741 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4136. If it is sold at a profit of 30%, what is its selling price? | option_a=4963 | option_b=4166 | option_c=5376 | option_d=5789 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4136 \times 130/100 = \text{█}5376$.

id=49742 | topic=Averages | difficulty=Easy | question=Find the average of 73, 57, 58, 76, 40, 74, 35, 23, 58, 86. | option_a=59 | option_b=58 | option_c=60 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = $580 \div 10 = 58$.

id=49743 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=46 | option_b=40 | option_c=32 | option_d=39 | answer=D | explanation=The common difference is 7. Therefore the next term is $32 + 7 = 39$.

id=49744 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=M | option_b=Q | option_c=I | option_d=E | answer=A | explanation=Move 4 positions forward from I; the resulting letter is M.

id=49745 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=14 | option_b=13 | option_c=12 | option_d=10 | answer=C | explanation=The common difference is 2. Therefore the next term is $10 + 2 = 12$.

id=49746 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3872. If it is sold at a profit of 20%, what is its selling price? | option_a=5033 | option_b=3892 | option_c=4259 | option_d=4646 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3872 \times 120/100 = \text{█}4646$.

id=49747 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 40? | option_a=19 | option_b=28 | option_c=40 | option_d=10 | answer=C | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 40 is the odd one out.

id=49748 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=B | option_c=H | option_d=D | answer=A | explanation=Move 2 positions forward from D; the resulting letter is F.

id=49749 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49676 at 8% per annum for 1 years. | option_a=53650 | option_b=3874 | option_c=3974 | option_d=4074 | answer=C | explanation=SI = $PRT/100 = 49676 \times 8 \times 1/100 = \text{█}3974$.

id=49750 | topic=Percentages | difficulty=Easy | question=What is 50% of 621? | option_a=620 | option_b=310 | option_c=315 | option_d=290 | answer=B | explanation=50% of 621 = $(50/100) \times 621 = 310$.

id=49751 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3540. If it is sold at a profit of 20%, what is its selling price? | option_a=4248 | option_b=4602 | option_c=3560 | option_d=3894 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3540 \times 120/100 = \text{█}4248$.

id=49752 | topic=Percentages | difficulty=Easy | question=What is 10% of 316? | option_a=31 | option_b=11 | option_c=36 | option_d=62 | answer=A | explanation=10% of 316 = $(10/100) \times 316 = 31$.

id=49753 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 16, 26, 38? | option_a=6 | option_b=26 | option_c=16 | option_d=38 | answer=D | explanation=The first three numbers increase by 10, so the next should be 36. Therefore 38 is the odd one out.

id=49754 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:12 and the first is 20, what is the second? | option_a=228 | option_b=240 | option_c=241 | option_d=260 | answer=B | explanation=Scale factor = $20/1 = 20$. Therefore second quantity = $12 \times 20 = 240$.

id=49755 | topic=Averages | difficulty=Easy | question=Find the average of 73, 96, 44, 86, 71. | option_a=76 | option_b=73 | option_c=74 | option_d=75 | answer=C | explanation=Average = sum of values ÷ number of values = $370 \div 5 = 74$.

id=49756 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 16. | option_a=64 | option_b=90 | option_c=160 | option_d=80 | answer=D | explanation= $LCM \times HCF = 10 \times 16$; $HCF(10,16) = 2$, so $LCM = 80$.

id=49757 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48607 at 5% per annum for 3 years. | option_a=7191 | option_b=7391 | option_c=55898 | option_d=7291 | answer=D | explanation=SI = $PRT/100 = 48607 \times 5 \times 3/100 = \text{█}7291$.

id=49758 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 35? | option_a=17 | option_b=27 | option_c=22 | option_d=35 | answer=D | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 35 is the odd one out.

id=49759 | topic=Averages | difficulty=Easy | question=Find the average of 71, 33, 27, 93. | option_a=55 | option_b=57 | option_c=56 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = $224 \div 4 = 56$.

id=49760 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 10, 17, 27? | option_a=17 | option_b=10 | option_c=27 | option_d=3 | answer=C | explanation=The first three numbers increase by 7, so the next should be 24. Therefore 27 is the odd one out.

id=49761 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8656 at 5% per annum for 4 years. | option_a=1831 | option_b=1731 | option_c=1631 | option_d=10387 | answer=B | explanation=SI = $PRT/100 = 8656 \times 5 \times 4/100 = \text{█}1731$.

id=49762 | topic=Percentages | difficulty=Easy | question=What is 40% of 1518? | option_a=1214 | option_b=607 | option_c=617 | option_d=602 | answer=B | explanation=40% of 1518 = $(40/100) \times 1518 = 607$.

id=49763 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4509. If it is sold at a profit of 25%, what is its selling price? | option_a=4534 | option_b=5186 | option_c=6086 | option_d=5636 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4509 \times 125/100 = \text{█}5636$.

id=49764 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = $300 \div 10 = 30$ km/h.

id=49765 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1468. If it is sold at a profit of 10%, what is its selling price? | option_a=1468 | option_b=1478 | option_c=1614 | option_d=1760 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1468 \times 110/100 = \text{█}1614$.

id=49766 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 14, 16, 19? | option_a=14 | option_b=19 | option_c=16 | option_d=12 | answer=B | explanation=The first three numbers increase by 2, so the next should be 18. Therefore 19 is the odd one out.

id=49767 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=50 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = $360 \div 8 = 45$ km/h.

id=49768 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 14. | option_a=14 | option_b=1 | option_c=196 | option_d=28 | answer=A | explanation= $LCM \times HCF = 14 \times 14$; $HCF(14,14) = 14$, so $LCM = 14$.

id=49769 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = $240 \div 8 = 30$ km/h.

id=49770 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2139. If it is sold at a profit of 50%, what is its selling price? | option_a=2189 | option_b=3208 | option_c=3421 | option_d=2995 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2139 \times 150/100 = \text{█}3208$.

Aptitude Questions — Records 49,771-49,800 of 100,000

id=49771 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=P | option_b=D | option_c=H | option_d=L | answer=D | explanation=Move 4 positions forward from H; the resulting letter is L.

id=49772 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2947. If it is sold at a profit of 30%, what is its selling price? | option_a=4125 | option_b=3537 | option_c=2977 | option_d=3831 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2947 × 130/100 = **₹**3831.

id=49773 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=49774 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=49775 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=95 | option_c=105 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=49776 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=9 | option_b=14 | option_c=4 | option_d=18 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=49777 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=80 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=49778 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=R | option_b=O | option_c=L | option_d=I | answer=B | explanation=Move 3 positions forward from L; the resulting letter is O.

id=49779 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=W | option_c=U | option_d=G | answer=C | explanation=Move 2 positions forward from S; the resulting letter is U.

id=49780 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=E | option_b=K | option_c=I | option_d=G | answer=C | explanation=Move 2 positions forward from G; the resulting letter is I.

id=49781 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=T | option_b=W | option_c=Q | option_d=N | answer=A | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=49782 | topic=Averages | difficulty=Easy | question=Find the average of 76, 89, 91, 19, 40. | option_a=64 | option_b=63 | option_c=65 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 315 ÷ 5 = 63.

id=49783 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3019. If it is sold at a profit of 20%, what is its selling price? | option_a=3923 | option_b=3622 | option_c=3039 | option_d=3321 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3019 × 120/100 = **₹**3622.

id=49784 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**27732 at 12% per annum for 2 years. | option_a=8755 | option_b=8655 | option_c=6555 | option_d=34387 | answer=B | explanation=SI = PRT/100 = 27732×12×2/100 = **₹**6655.

id=49785 | topic=Percentages | difficulty=Easy | question=What is 20% of 1789? | option_a=367 | option_b=347 | option_c=714 | option_d=357 | answer=D | explanation=20% of 1789 = (20/100) × 1789 = 357.

id=49786 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=49787 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 9. | option_a=24 | option_b=54 | option_c=18 | option_d=9 | answer=C | explanation=LCM × HCF = 6×9; HCF(6,9) = 3, so LCM = 18.

id=49788 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:3 and the first is 280, what is the second? | option_a=340 | option_b=74 | option_c=57 | option_d=60 | answer=D | explanation=Scale factor = 280/14 = 20. Therefore second quantity = 3×20 = 60.

id=49789 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 33? | option_a=27 | option_b=29 | option_c=33 | option_d=25 | answer=C | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 33 is the odd one out.

id=49790 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=47 | option_b=39 | option_c=53 | option_d=46 | answer=D | explanation=The common difference is 7. Therefore the next term is 39 + 7 = 46.

id=49791 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:19 and the first is 80, what is the second? | option_a=270 | option_b=171 | option_c=190 | option_d=198 | answer=C | explanation=Scale factor = 80/8 = 10. Therefore second quantity = 19×10 = 190.

id=49792 | topic=Averages | difficulty=Easy | question=Find the average of 95, 35, 91, 36, 18, 79. | option_a=61 | option_b=60 | option_c=58 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.

id=49793 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=19 | option_b=16 | option_c=18 | option_d=20 | answer=C | explanation=The common difference is 2. Therefore the next term is 16 + 2 = 18.

id=49794 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 8. | option_a=8 | option_b=32 | option_c=12 | option_d=1 | answer=A | explanation=LCM × HCF = 4×8; HCF(4,8) = 4, so LCM = 8.

id=49795 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**19354 at 5% per annum for 1 years. | option_a=967 | option_b=867 | option_c=20321 | option_d=1067 | answer=A | explanation=SI = PRT/100 = 19354×5×1/100 = **₹**967.

id=49796 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3627. If it is sold at a profit of 40%, what is its selling price? | option_a=5077 | option_b=3667 | option_c=5439 | option_d=4715 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3627 × 140/100 = **₹**5077.

id=49797 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**14340 at 4% per annum for 1 years. | option_a=473 | option_b=14913 | option_c=673 | option_d=573 | answer=D | explanation=SI = PRT/100 = 14340×4×1/100 = **₹**573.

id=49798 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**29908 at 10% per annum for 1 years. | option_a=2890 | option_b=32898 | option_c=3090 | option_d=2990 | answer=D | explanation=SI = PRT/100 = 29908×10×1/100 = **₹**2990.

id=49799 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2599. If it is sold at a profit of 10%, what is its selling price? | option_a=2599 | option_b=2858 | option_c=3117 | option_d=2609 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2599 × 110/100 = **₹**2858.

id=49800 | topic=Averages | difficulty=Easy | question=Find the average of 78, 22, 43, 32, 43, 27, 73, 10, 77. | option_a=44 | option_b=46 | option_c=47 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 405 ÷ 9 = 45.

Aptitude Questions — Records 49,801-49,830 of 100,000

id=49801 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 28, 38, 50? | option_a=50 | option_b=38 | option_c=18 | option_d=28 | answer=A | explanation=The first three numbers increase by 10, so the next should be 48. Therefore 50 is the odd one out.

id=49802 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:12 and the first is 60, what is the second? | option_a=56 | option_b=24 | option_c=96 | option_d=36 | answer=D | explanation=Scale factor = 60/20 = 3. Therefore second quantity = 12×3 = 36.

id=49803 | topic=Percentages | difficulty=Easy | question=What is 10% of 886? | option_a=68 | option_b=88 | option_c=98 | option_d=176 | answer=B | explanation=10% of 886 = (10/100) × 886 = 88.

id=49804 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■514. If it is sold at a profit of 25%, what is its selling price? | option_a=693 | option_b=539 | option_c=642 | option_d=591 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 514 × 125/100 = ■642.

id=49805 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=Q | option_c=P | option_d=N | answer=C | explanation=Move 1 positions forward from O; the resulting letter is P.

id=49806 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■16105 at 10% per annum for 1 years. | option_a=1710 | option_b=1510 | option_c=17715 | option_d=1610 | answer=D | explanation=SI = PRT/100 = 16105×10×1/100 = ■1610.

id=49807 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 17, 19, 21, ? | option_a=23 | option_b=25 | option_c=21 | option_d=24 | answer=A | explanation=The common difference is 2. Therefore the next term is 21 + 2 = 23.

id=49808 | topic=Averages | difficulty=Easy | question=Find the average of 43, 53, 84, 52, 54, 50. | option_a=57 | option_b=58 | option_c=55 | option_d=56 | answer=D | explanation=Average = sum of values + number of values = 336 ÷ 6 = 56.

id=49809 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■411. If it is sold at a profit of 15%, what is its selling price? | option_a=431 | option_b=472 | option_c=426 | option_d=513 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 411 × 115/100 = ■472.

id=49810 | topic=Percentages | difficulty=Easy | question=What is 10% of 1639? | option_a=143 | option_b=326 | option_c=173 | option_d=163 | answer=D | explanation=10% of 1639 = (10/100) × 1639 = 163.

id=49811 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=85 | option_c=80 | option_d=75 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=49812 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=155 | option_c=150 | option_d=145 | answer=C | explanation=Speed = distance + time = 300 ÷ 2 = 150 km/h.

id=49813 | topic=Percentages | difficulty=Easy | question=What is 15% of 1852? | option_a=277 | option_b=554 | option_c=297 | option_d=267 | answer=A | explanation=15% of 1852 = (15/100) × 1852 = 277.

id=49814 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■932. If it is sold at a profit of 5%, what is its selling price? | option_a=885 | option_b=978 | option_c=937 | option_d=1071 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 932 × 105/100 = ■978.

id=49815 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=B | option_b=L | option_c=Q | option_d=G | answer=B | explanation=Move 5 positions forward from G; the resulting letter is L.

id=49816 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=49817 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=95 | option_c=180 | option_d=90 | answer=D | explanation=Speed = distance + time = 360 ÷ 4 = 90 km/h.

id=49818 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=J | option_b=K | option_c=I | option_d=H | answer=A | explanation=Move 1 positions forward from I; the resulting letter is J.

id=49819 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2617. If it is sold at a profit of 15%, what is its selling price? | option_a=3270 | option_b=2748 | option_c=2632 | option_d=3009 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2617 × 115/100 = ■3009.

id=49820 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■712. If it is sold at a profit of 5%, what is its selling price? | option_a=676 | option_b=747 | option_c=717 | option_d=818 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 712 × 105/100 = ■747.

id=49821 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■2231 at 4% per annum for 1 years. | option_a=2320 | option_b=189 | option_c=89 | option_d=0 | answer=C | explanation=SI = PRT/100 = 2231×4×1/100 = ■89.

id=49822 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:18 and the first is 27, what is the second? | option_a=189 | option_b=162 | option_c=165 | option_d=144 | answer=B | explanation=Scale factor = 27/3 = 9. Therefore second quantity = 18×9 = 162.

id=49823 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1475. If it is sold at a profit of 20%, what is its selling price? | option_a=1917 | option_b=1495 | option_c=1770 | option_d=1623 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1475 × 120/100 = ■1770.

id=49824 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 16. | option_a=208 | option_b=192 | option_c=416 | option_d=234 | answer=A | explanation=LCM × HCF = 26×16; HCF(26,16) = 2, so LCM = 208.

id=49825 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:14 and the first is 342, what is the second? | option_a=594 | option_b=271 | option_c=252 | option_d=238 | answer=C | explanation=Scale factor = 342/19 = 18. Therefore second quantity = 14×18 = 252.

id=49826 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2258. If it is sold at a profit of 20%, what is its selling price? | option_a=2709 | option_b=2278 | option_c=2484 | option_d=2934 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2258 × 120/100 = ■2709.

id=49827 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 27? | option_a=24 | option_b=22 | option_c=27 | option_d=20 | answer=C | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 27 is the odd one out.

id=49828 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 51? | option_a=51 | option_b=39 | option_c=29 | option_d=19 | answer=A | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 51 is the odd one out.

id=49829 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■30237 at 6% per annum for 3 years. | option_a=5342 | option_b=5442 | option_c=5542 | option_d=35679 | answer=B | explanation=SI = PRT/100 = 30237×6×3/100 = ■5442.

id=49830 | topic=Averages | difficulty=Easy | question=Find the average of 68, 22, 92, 69, 29. | option_a=55 | option_b=57 | option_c=56 | option_d=58 | answer=C | explanation=Average = sum of values + number of values = 280 ÷ 5 = 56.

Aptitude Questions — Records 49,831-49,860 of 100,000

id=49831 | topic=Averages | difficulty=Easy | question=Find the average of 72, 50, 58, 80. | option_a=66 | option_b=64 | option_c=67 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = $260 \div 4 = 65$.

id=49832 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**926. If it is sold at a profit of 15%, what is its selling price? | option_a=1064 | option_b=941 | option_c=972 | option_d=1156 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 926 \times 115/100 = \text{■}1064$.

id=49833 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21. ? | option_a=24 | option_b=21 | option_c=27 | option_d=25 | answer=A | explanation=The common difference is 3. Therefore the next term is $21 + 3 = 24$.

id=49834 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=41 | option_c=36 | option_d=72 | answer=C | explanation=Speed = distance ÷ time = $360 \div 10 = 36$ km/h.

id=49835 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32755 at 15% per annum for 5 years. | option_a=24666 | option_b=24566 | option_c=24466 | option_d=57321 | answer=B | explanation=SI = $PRT/100 = 32755 \times 15 \times 5/100 = \text{■}24566$.

id=49836 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = $360 \div 8 = 45$ km/h.

id=49837 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:7 and the first is 49, what is the second? | option_a=49 | option_b=56 | option_c=98 | option_d=42 | answer=A | explanation=Scale factor = $49/7 = 7$. Therefore second quantity = $7 \times 7 = 49$.

id=49838 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=12 | option_c=7 | option_d=24 | answer=B | explanation=Speed = distance ÷ time = $120 \div 10 = 12$ km/h.

id=49839 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=I | option_b=H | option_c=J | option_d=G | answer=A | explanation=Move 1 positions forward from H; the resulting letter is I.

id=49840 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=90 | option_c=85 | option_d=180 | answer=B | explanation=Speed = distance ÷ time = $180 \div 2 = 90$ km/h.

id=49841 | topic=Averages | difficulty=Easy | question=Find the average of 100, 48, 41. | option_a=63 | option_b=62 | option_c=65 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = $189 \div 3 = 63$.

id=49842 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = $60 \div 2 = 30$ km/h.

id=49843 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=35 | option_b=47 | option_c=57 | option_d=46 | answer=D | explanation=The common difference is 11. Therefore the next term is $35 + 11 = 46$.

id=49844 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=144 | option_c=72 | option_d=67 | answer=C | explanation=Speed = distance ÷ time = $360 \div 5 = 72$ km/h.

id=49845 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 16. | option_a=1 | option_b=128 | option_c=16 | option_d=24 | answer=C | explanation=LCM $\times$ HCF = 8×16 ; HCF(8,16) = 8, so LCM = 16.

id=49846 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3470. If it is sold at a profit of 10%, what is its selling price? | option_a=3470 | option_b=3480 | option_c=3817 | option_d=4164 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 3470 \times 110/100 = \text{■}3817$.

id=49847 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27111 at 5% per annum for 1 years. | option_a=1355 | option_b=1255 | option_c=28466 | option_d=1455 | answer=A | explanation=SI = $PRT/100 = 27111 \times 5 \times 1/100 = \text{■}1355$.

id=49848 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=C | option_c=K | option_d=Y | answer=A | explanation=Move 4 positions forward from C; the resulting letter is G.

id=49849 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=120 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = $180 \div 3 = 60$ km/h.

id=49850 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=36 | option_c=31 | option_d=41 | answer=B | explanation=Speed = distance ÷ time = $360 \div 10 = 36$ km/h.

id=49851 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 10, 15, 22? | option_a=5 | option_b=10 | option_c=22 | option_d=15 | answer=C | explanation=The first three numbers increase by 5, so the next should be 20. Therefore 22 is the odd one out.

id=49852 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=49853 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2122 at 6% per annum for 5 years. | option_a=636 | option_b=2758 | option_c=536 | option_d=736 | answer=A | explanation=SI = $PRT/100 = 2122 \times 6 \times 5/100 = \text{■}636$.

id=49854 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 33, 42, 52? | option_a=52 | option_b=42 | option_c=33 | option_d=24 | answer=A | explanation=The first three numbers increase by 9, so the next should be 51. Therefore 52 is the odd one out.

id=49855 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=49856 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2151. If it is sold at a profit of 20%, what is its selling price? | option_a=2366 | option_b=2796 | option_c=2171 | option_d=2581 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2151 \times 120/100 = \text{■}2581$.

id=49857 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**477. If it is sold at a profit of 50%, what is its selling price? | option_a=668 | option_b=527 | option_c=715 | option_d=762 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 477 \times 150/100 = \text{■}715$.

id=49858 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5727 at 15% per annum for 4 years. | option_a=3436 | option_b=9163 | option_c=3336 | option_d=3536 | answer=A | explanation=SI = $PRT/100 = 5727 \times 15 \times 4/100 = \text{■}3436$.

id=49859 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=49860 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:15 and the first is 96, what is the second? | option_a=240 | option_b=246 | option_c=225 | option_d=336 | answer=A | explanation=Scale factor = $96/6 = 16$. Therefore second quantity = $15 \times 16 = 240$.

Aptitude Questions — Records 49,861-49,890 of 100,000

id=49861 | topic=Averages | difficulty=Easy | question=Find the average of 90, 59, 15, 24, 40, 78. | option_a=51 | option_b=52 | option_c=50 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 306 ÷ 6 = 51.

id=49862 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=105 | option_c=200 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=49863 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=32 | option_b=31 | option_c=34 | option_d=28 | answer=B | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=49864 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=80 | option_c=75 | option_d=150 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=49865 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=T | option_c=J | option_d=Y | answer=B | explanation=Move 5 positions forward from O; the resulting letter is T.

id=49866 | topic=Averages | difficulty=Easy | question=Find the average of 58, 88, 62, 39, 75, 23, 72, 70, 55, 28. | option_a=56 | option_b=57 | option_c=58 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.

id=49867 | topic=Percentages | difficulty=Easy | question=What is 40% of 1718? | option_a=1374 | option_b=682 | option_c=692 | option_d=687 | answer=D | explanation=40% of 1718 = (40/100) × 1718 = 687.

id=49868 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4933. If it is sold at a profit of 40%, what is its selling price? | option_a=7399 | option_b=6413 | option_c=6906 | option_d=4973 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4933 × 140/100 = █6906.

id=49869 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 9. | option_a=27 | option_b=36 | option_c=48 | option_d=108 | answer=B | explanation=LCM × HCF = 12×9; HCF(12,9) = 3, so LCM = 36.

id=49870 | topic=Averages | difficulty=Easy | question=Find the average of 45, 20, 20, 79, 81, 19. | option_a=44 | option_b=46 | option_c=43 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 264 ÷ 6 = 44.

id=49871 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 28? | option_a=22 | option_b=16 | option_c=19 | option_d=28 | answer=D | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 28 is the odd one out.

id=49872 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 17, 23, 30? | option_a=17 | option_b=30 | option_c=23 | option_d=11 | answer=B | explanation=The first three numbers increase by 6, so the next should be 29. Therefore 30 is the odd one out.

id=49873 | topic=Averages | difficulty=Easy | question=Find the average of 71, 36, 66, 50, 46, 75, 34, 78. | option_a=58 | option_b=56 | option_c=59 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

id=49874 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=24 | option_b=29 | option_c=30 | option_d=34 | answer=B | explanation=The common difference is 5. Therefore the next term is 24 + 5 = 29.

id=49875 | topic=Profit & Loss | difficulty=Easy | question=An article costs █449. If it is sold at a profit of 20%, what is its selling price? | option_a=494 | option_b=582 | option_c=538 | option_d=469 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 449 × 120/100 = █538.

id=49876 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=49877 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=39 | option_b=35 | option_c=36 | option_d=31 | answer=B | explanation=The common difference is 4. Therefore the next term is 31 + 4 = 35.

id=49878 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1270. If it is sold at a profit of 15%, what is its selling price? | option_a=1460 | option_b=1333 | option_c=1587 | option_d=1285 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1270 × 115/100 = █1460.

id=49879 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=12 | option_b=7 | option_c=24 | option_d=17 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=49880 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=49 | option_b=71 | option_c=61 | option_d=60 | answer=D | explanation=The common difference is 11. Therefore the next term is 49 + 11 = 60.

id=49881 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20694 at 8% per annum for 5 years. | option_a=8377 | option_b=28971 | option_c=8177 | option_d=8277 | answer=D | explanation=SI = PRT/100 = 20694×8×5/100 = █8277.

id=49882 | topic=Percentages | difficulty=Easy | question=What is 30% of 580? | option_a=174 | option_b=348 | option_c=169 | option_d=179 | answer=A | explanation=30% of 580 = (30/100) × 580 = 174.

id=49883 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 9, 13, 20? | option_a=20 | option_b=13 | option_c=9 | option_d=5 | answer=A | explanation=The first three numbers increase by 4, so the next should be 17. Therefore 20 is the odd one out.

id=49884 | topic=Averages | difficulty=Easy | question=Find the average of 52, 71, 87. | option_a=70 | option_b=69 | option_c=72 | option_d=71 | answer=A | explanation=Average = sum of values ÷ number of values = 210 ÷ 3 = 70.

id=49885 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=X | option_b=S | option_c=C | option_d=N | answer=A | explanation=Move 5 positions forward from S; the resulting letter is X.

id=49886 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:14 and the first is 57, what is the second? | option_a=42 | option_b=61 | option_c=99 | option_d=28 | answer=A | explanation=Scale factor = 57/19 = 3. Therefore second quantity = 14×3 = 42.

id=49887 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:17 and the first is 204, what is the second? | option_a=221 | option_b=187 | option_c=408 | option_d=204 | answer=D | explanation=Scale factor = 204/17 = 12. Therefore second quantity = 17×12 = 204.

id=49888 | topic=Averages | difficulty=Easy | question=Find the average of 42, 64, 80, 61, 98, 24, 65. | option_a=62 | option_b=64 | option_c=61 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 434 ÷ 7 = 62.

id=49889 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47732 at 6% per annum for 5 years. | option_a=14319 | option_b=14419 | option_c=14219 | option_d=62051 | answer=A | explanation=SI = PRT/100 = 47732×6×5/100 = █14319.

id=49890 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 21, 30, 40? | option_a=21 | option_b=12 | option_c=30 | option_d=40 | answer=D | explanation=The first three numbers increase by 9, so the next should be 39. Therefore 40 is the odd one out.

Aptitude Questions — Records 49,891-49,920 of 100,000

id=49891 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=38 | option_b=46 | option_c=39 | option_d=30 | answer=A | explanation=The common difference is 8. Therefore the next term is 30 + 8 = 38.

id=49892 | topic=Averages | difficulty=Easy | question=Find the average of 80, 92, 64, 80, 85, 14, 40, 96, 38, 61. | option_a=64 | option_b=66 | option_c=65 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 650 ÷ 10 = 65.

id=49893 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 28? | option_a=28 | option_b=12 | option_c=19 | option_d=5 | answer=A | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 28 is the odd one out.

id=49894 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=49895 | topic=Averages | difficulty=Easy | question=Find the average of 42, 16, 43, 27. | option_a=34 | option_b=32 | option_c=33 | option_d=31 | answer=B | explanation=Average = sum of values ÷ number of values = 128 ÷ 4 = 32.

id=49896 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:12 and the first is 260, what is the second? | option_a=500 | option_b=228 | option_c=240 | option_d=253 | answer=C | explanation=Scale factor = 260/13 = 20. Therefore second quantity = 12×20 = 240.

id=49897 | topic=Averages | difficulty=Easy | question=Find the average of 46, 56, 60, 54, 34. | option_a=49 | option_b=51 | option_c=50 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 250 ÷ 5 = 50.

id=49898 | topic=Averages | difficulty=Easy | question=Find the average of 67, 76, 61, 87, 88, 87, 45. | option_a=72 | option_b=73 | option_c=75 | option_d=74 | answer=B | explanation=Average = sum of values ÷ number of values = 511 ÷ 7 = 73.

id=49899 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=24 | option_c=29 | option_d=19 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=49900 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=22 | option_b=23 | option_c=25 | option_d=19 | answer=A | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.

id=49901 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 21. | option_a=567 | option_b=189 | option_c=216 | option_d=168 | answer=B | explanation=LCM × HCF = 27×21; HCF(27,21) = 3, so LCM = 189.

id=49902 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:20 and the first is 306, what is the second? | option_a=340 | option_b=646 | option_c=320 | option_d=358 | answer=A | explanation=Scale factor = 306/18 = 17. Therefore second quantity = 20×17 = 340.

id=49903 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=34 | option_b=41 | option_c=48 | option_d=42 | answer=B | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=49904 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=22 | option_b=28 | option_c=27 | option_d=32 | answer=C | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.

id=49905 | topic=Averages | difficulty=Easy | question=Find the average of 75, 77, 91, 72, 11, 68, 82. | option_a=68 | option_b=70 | option_c=69 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = 476 ÷ 7 = 68.

id=49906 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=49907 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30485 at 4% per annum for 1 years. | option_a=1319 | option_b=1119 | option_c=31704 | option_d=1219 | answer=D | explanation=SI = PRT/100 = 30485×4×1/100 = █1219.

id=49908 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=100 | option_c=50 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=49909 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4287. If it is sold at a profit of 50%, what is its selling price? | option_a=4337 | option_b=6858 | option_c=6002 | option_d=6430 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4287 × 150/100 = █6430.

id=49910 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=Q | option_c=M | option_d=Y | answer=A | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=49911 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=12 | option_b=10 | option_c=13 | option_d=14 | answer=A | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.

id=49912 | topic=Percentages | difficulty=Easy | question=What is 20% of 971? | option_a=194 | option_b=189 | option_c=204 | option_d=388 | answer=A | explanation=20% of 971 = (20/100) × 971 = 194.

id=49913 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=49914 | topic=Percentages | difficulty=Easy | question=What is 20% of 1331? | option_a=266 | option_b=256 | option_c=286 | option_d=532 | answer=A | explanation=20% of 1331 = (20/100) × 1331 = 266.

id=49915 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=49916 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=22 | option_b=27 | option_c=28 | option_d=32 | answer=B | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.

id=49917 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=X | option_c=H | option_d=M | answer=C | explanation=Move 5 positions forward from C; the resulting letter is H.

id=49918 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 59? | option_a=29 | option_b=38 | option_c=47 | option_d=59 | answer=D | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 59 is the odd one out.

id=49919 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=80 | option_c=75 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=49920 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 25? | option_a=25 | option_b=18 | option_c=21 | option_d=15 | answer=A | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 25 is the odd one out.

Aptitude Questions — Records 49,921-49,950 of 100,000

id=49921 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=49922 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=37 | option_b=36 | option_c=31 | option_d=41 | answer=B | explanation=The common difference is 5. Therefore the next term is $31 + 5 = 36$.

id=49923 | topic=Percentages | difficulty=Easy | question=What is 40% of 506? | option_a=404 | option_b=222 | option_c=197 | option_d=202 | answer=D | explanation=40% of 506 = $(\frac{40}{100}) \times 506 = 202$.

id=49924 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 43? | option_a=26 | option_b=43 | option_c=34 | option_d=18 | answer=B | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 43 is the odd one out.

id=49925 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=N | option_c=L | option_d=H | answer=C | explanation=Move 2 positions forward from J; the resulting letter is L.

id=49926 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49926 at 8% per annum for 1 years. | option_a=53920 | option_b=3894 | option_c=3994 | option_d=4094 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{49926 \times 8 \times 1}{100} = \text{█}3994$.

id=49927 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26038 at 15% per annum for 2 years. | option_a=33849 | option_b=7811 | option_c=7911 | option_d=7711 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{26038 \times 15 \times 2}{100} = \text{█}7811$.

id=49928 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 32? | option_a=32 | option_b=21 | option_c=16 | option_d=26 | answer=A | explanation=The first three numbers increase by 5, so the next should be 31. Therefore 32 is the odd one out.

id=49929 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=29 | option_c=19 | option_d=24 | answer=D | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{120}{5} = 24$ km/h.

id=49930 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=63 | option_b=51 | option_c=62 | option_d=73 | answer=C | explanation=The common difference is 11. Therefore the next term is $51 + 11 = 62$.

id=49931 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=75 | option_d=150 | answer=C | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{150}{2} = 75$ km/h.

id=49932 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11940 at 4% per annum for 1 years. | option_a=377 | option_b=577 | option_c=477 | option_d=12417 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{11940 \times 4 \times 1}{100} = \text{█}477$.

id=49933 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=50 | option_b=44 | option_c=43 | option_d=36 | answer=C | explanation=The common difference is 7. Therefore the next term is $36 + 7 = 43$.

id=49934 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=N | option_c=R | option_d=Z | answer=A | explanation=Move 4 positions forward from R; the resulting letter is V.

id=49935 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:10 and the first is 20, what is the second? | option_a=220 | option_b=190 | option_c=201 | option_d=200 | answer=D | explanation=Scale factor = $\frac{20}{1} = 20$. Therefore second quantity = $10 \times 20 = 200$.

id=49936 | topic=Averages | difficulty=Easy | question=Find the average of 25, 58, 59, 34, 27, 63, 76, 82. | option_a=55 | option_b=53 | option_c=52 | option_d=54 | answer=B | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{424}{8} = 53$.

id=49937 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=19 | option_b=21 | option_c=15 | option_d=18 | answer=D | explanation=The common difference is 3. Therefore the next term is $15 + 3 = 18$.

id=49938 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=I | option_c=K | option_d=M | answer=D | explanation=Move 2 positions forward from K; the resulting letter is M.

id=49939 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3572. If it is sold at a profit of 30%, what is its selling price? | option_a=4286 | option_b=4643 | option_c=3602 | option_d=5000 | answer=B | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 3572 \times \frac{130}{100} = \text{█}4643$.

id=49940 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=53 | option_b=54 | option_c=44 | option_d=62 | answer=A | explanation=The common difference is 9. Therefore the next term is $44 + 9 = 53$.

id=49941 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=120 | option_d=60 | answer=D | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{120}{2} = 60$ km/h.

id=49942 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=90 | option_d=50 | answer=B | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{360}{8} = 45$ km/h.

id=49943 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=10 | option_b=12 | option_c=8 | option_d=11 | answer=A | explanation=The common difference is 2. Therefore the next term is $8 + 2 = 10$.

id=49944 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=120 | option_c=125 | option_d=115 | answer=B | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{240}{2} = 120$ km/h.

id=49945 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=49946 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37322 at 6% per annum for 3 years. | option_a=6717 | option_b=6817 | option_c=44039 | option_d=6617 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{37322 \times 6 \times 3}{100} = \text{█}6717$.

id=49947 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{300}{10} = 30$ km/h.

id=49948 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=65 | option_b=76 | option_c=64 | option_d=52 | answer=C | explanation=The common difference is 12. Therefore the next term is $52 + 12 = 64$.

id=49949 | topic=Percentages | difficulty=Easy | question=What is 30% of 1965? | option_a=569 | option_b=1178 | option_c=599 | option_d=589 | answer=D | explanation=30% of 1965 = $(\frac{30}{100}) \times 1965 = 589$.

id=49950 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

Aptitude Questions — Records 49,951-49,980 of 100,000

id=49951 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=90 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=49952 | topic=Averages | difficulty=Easy | question=Find the average of 48, 26, 22, 41, 82, 69, 86, 18. | option_a=48 | option_b=51 | option_c=49 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 392 ÷ 8 = 49.

id=49953 | topic=Averages | difficulty=Easy | question=Find the average of 13, 22, 47, 90, 98, 51, 62, 45, 29, 23. | option_a=47 | option_b=48 | option_c=50 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 480 ÷ 10 = 48.

id=49954 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:6 and the first is 300, what is the second? | option_a=420 | option_b=120 | option_c=135 | option_d=114 | answer=B | explanation=Scale factor = 300/15 = 20. Therefore second quantity = 6×20 = 120.

id=49955 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:11 and the first is 144, what is the second? | option_a=198 | option_b=206 | option_c=187 | option_d=342 | answer=A | explanation=Scale factor = 144/8 = 18. Therefore second quantity = 11×18 = 198.

id=49956 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=H | option_b=Q | option_c=K | option_d=N | answer=D | explanation=Move 3 positions forward from K; the resulting letter is N.

id=49957 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹4721. If it is sold at a profit of 10%, what is its selling price? | option_a=4731 | option_b=5665 | option_c=4721 | option_d=5193 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4721 × 110/100 = ₹5193.

id=49958 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 35, 43, 52? | option_a=35 | option_b=43 | option_c=52 | option_d=27 | answer=C | explanation=The first three numbers increase by 8, so the next should be 51. Therefore 52 is the odd one out.

id=49959 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 45? | option_a=30 | option_b=37 | option_c=23 | option_d=45 | answer=D | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 45 is the odd one out.

id=49960 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹18411 at 12% per annum for 5 years. | option_a=10946 | option_b=11046 | option_c=29457 | option_d=11146 | answer=B | explanation=SI = PRT/100 = 18411×12×5/100 = ₹11046.

id=49961 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:2 and the first is 96, what is the second? | option_a=10 | option_b=108 | option_c=12 | option_d=28 | answer=C | explanation=Scale factor = 96/16 = 6. Therefore second quantity = 2×6 = 12.

id=49962 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:15 and the first is 10, what is the second? | option_a=35 | option_b=15 | option_c=40 | option_d=30 | answer=D | explanation=Scale factor = 10/5 = 2. Therefore second quantity = 15×2 = 30.

id=49963 | topic=Percentages | difficulty=Easy | question=What is 30% of 854? | option_a=251 | option_b=261 | option_c=256 | option_d=512 | answer=C | explanation=30% of 854 = (30/100) × 854 = 256.

id=49964 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=U | option_b=R | option_c=O | option_d=X | answer=A | explanation=Move 3 positions forward from R; the resulting letter is U.

id=49965 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=49966 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=49967 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=49 | option_b=62 | option_c=61 | option_d=73 | answer=C | explanation=The common difference is 12. Therefore the next term is 49 + 12 = 61.

id=49968 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=49969 | topic=Averages | difficulty=Easy | question=Find the average of 10, 33, 53, 19, 42, 86, 95, 65, 46, 61. | option_a=50 | option_b=51 | option_c=53 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

id=49970 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=49971 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:1 and the first is 34, what is the second? | option_a=36 | option_b=2 | option_c=19 | option_d=1 | answer=B | explanation=Scale factor = 34/17 = 2. Therefore second quantity = 1×2 = 2.

id=49972 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=90 | option_c=50 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=49973 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=34 | option_b=35 | option_c=26 | option_d=42 | answer=A | explanation=The common difference is 8. Therefore the next term is 26 + 8 = 34.

id=49974 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 13, 18, 25? | option_a=18 | option_b=13 | option_c=25 | option_d=8 | answer=C | explanation=The first three numbers increase by 5, so the next should be 23. Therefore 25 is the odd one out.

id=49975 | topic=Percentages | difficulty=Easy | question=What is 15% of 1171? | option_a=155 | option_b=350 | option_c=175 | option_d=195 | answer=C | explanation=15% of 1171 = (15/100) × 1171 = 175.

id=49976 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 14, 20, 27? | option_a=27 | option_b=8 | option_c=14 | option_d=20 | answer=A | explanation=The first three numbers increase by 6, so the next should be 26. Therefore 27 is the odd one out.

id=49977 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=V | option_b=G | option_c=L | option_d=Q | answer=D | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=49978 | topic=Averages | difficulty=Easy | question=Find the average of 14, 42, 26, 62, 81. | option_a=44 | option_b=45 | option_c=46 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 225 ÷ 5 = 45.

id=49979 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹3473 at 10% per annum for 1 years. | option_a=347 | option_b=447 | option_c=247 | option_d=3820 | answer=A | explanation=SI = PRT/100 = 3473×10×1/100 = ₹347.

id=49980 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=L | option_b=O | option_c=R | option_d=U | answer=C | explanation=Move 3 positions forward from O; the resulting letter is R.

Aptitude Questions — Records 49,981-50,010 of 100,000

id=49981 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3313. If it is sold at a profit of 25%, what is its selling price? | option_a=3338 | option_b=4472 | option_c=3810 | option_d=4141 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3313 × 125/100 = █4141.

id=49982 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 14, 16, 19? | option_a=19 | option_b=16 | option_c=14 | option_d=12 | answer=A | explanation=The first three numbers increase by 2, so the next should be 18. Therefore 19 is the odd one out.

id=49983 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 20, 27, 36? | option_a=13 | option_b=36 | option_c=20 | option_d=27 | answer=B | explanation=The first three numbers increase by 7, so the next should be 34. Therefore 36 is the odd one out.

id=49984 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:16 and the first is 24, what is the second? | option_a=194 | option_b=216 | option_c=192 | option_d=176 | answer=C | explanation=Scale factor = 24/2 = 12. Therefore second quantity = 16×12 = 192.

id=49985 | topic=Percentages | difficulty=Easy | question=What is 40% of 457? | option_a=182 | option_b=364 | option_c=187 | option_d=177 | answer=A | explanation=40% of 457 = (40/100) × 457 = 182.

id=49986 | topic=Averages | difficulty=Easy | question=Find the average of 70, 97, 100. | option_a=91 | option_b=88 | option_c=89 | option_d=90 | answer=C | explanation=Average = sum of values + number of values = 267 ÷ 3 = 89.

id=49987 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=X | option_c=B | option_d=J | answer=A | explanation=Move 4 positions forward from B; the resulting letter is F.

id=49988 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=49989 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35228 at 10% per annum for 1 years. | option_a=3422 | option_b=3622 | option_c=38750 | option_d=3522 | answer=D | explanation=SI = PRT/100 = 35228×10×1/100 = █3522.

id=49990 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=180 | option_c=185 | option_d=360 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=49991 | topic=Percentages | difficulty=Easy | question=What is 25% of 1700? | option_a=425 | option_b=415 | option_c=435 | option_d=850 | answer=A | explanation=25% of 1700 = (25/100) × 1700 = 425.

id=49992 | topic=Percentages | difficulty=Easy | question=What is 15% of 1700? | option_a=265 | option_b=235 | option_c=255 | option_d=510 | answer=C | explanation=15% of 1700 = (15/100) × 1700 = 255.

id=49993 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=49994 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 8, 13, 21? | option_a=21 | option_b=13 | option_c=3 | option_d=8 | answer=A | explanation=The first three numbers increase by 5, so the next should be 18. Therefore 21 is the odd one out.

id=49995 | topic=Averages | difficulty=Easy | question=Find the average of 75, 30, 19, 36, 87, 71. | option_a=54 | option_b=55 | option_c=53 | option_d=52 | answer=C | explanation=Average = sum of values + number of values = 318 ÷ 6 = 53.

id=49996 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=34 | option_b=33 | option_c=39 | option_d=27 | answer=B | explanation=The common difference is 6. Therefore the next term is 27 + 6 = 33.

id=49997 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1833. If it is sold at a profit of 50%, what is its selling price? | option_a=2932 | option_b=2749 | option_c=1883 | option_d=2566 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1833 × 150/100 = █2749.

id=49998 | topic=Percentages | difficulty=Easy | question=What is 15% of 1592? | option_a=248 | option_b=218 | option_c=476 | option_d=238 | answer=D | explanation=15% of 1592 = (15/100) × 1592 = 238.

id=49999 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:7 and the first is 98, what is the second? | option_a=63 | option_b=147 | option_c=42 | option_d=49 | answer=D | explanation=Scale factor = 98/14 = 7. Therefore second quantity = 7×7 = 49.

id=50000 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 31? | option_a=31 | option_b=19 | option_c=14 | option_d=24 | answer=A | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 31 is the odd one out.

id=50001 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 4. | option_a=12 | option_b=8 | option_c=24 | option_d=18 | answer=A | explanation=LCM × HCF = 6×4; HCF(6,4) = 2, so LCM = 12.

id=50002 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=65 | option_b=56 | option_c=45 | option_d=55 | answer=D | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.

id=50003 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=50004 | topic=Percentages | difficulty=Easy | question=What is 40% of 705? | option_a=292 | option_b=564 | option_c=272 | option_d=282 | answer=D | explanation=40% of 705 = (40/100) × 705 = 282.

id=50005 | topic=Averages | difficulty=Easy | question=Find the average of 72, 88, 64, 14, 15, 59. | option_a=52 | option_b=54 | option_c=51 | option_d=53 | answer=A | explanation=Average = sum of values + number of values = 312 ÷ 6 = 52.

id=50006 | topic=Percentages | difficulty=Easy | question=What is 50% of 1211? | option_a=585 | option_b=625 | option_c=605 | option_d=1210 | answer=C | explanation=50% of 1211 = (50/100) × 1211 = 605.

id=50007 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14371 at 15% per annum for 4 years. | option_a=8722 | option_b=8622 | option_c=22993 | option_d=8522 | answer=B | explanation=SI = PRT/100 = 14371×15×4/100 = █8622.

id=50008 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 24? | option_a=24 | option_b=17 | option_c=5 | option_d=11 | answer=A | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 24 is the odd one out.

id=50009 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=R | option_b=J | option_c=N | option_d=F | answer=C | explanation=Move 4 positions forward from J; the resulting letter is N.

id=50010 | topic=Percentages | difficulty=Easy | question=What is 15% of 1179? | option_a=196 | option_b=352 | option_c=171 | option_d=176 | answer=D | explanation=15% of 1179 = (15/100) × 1179 = 176.

Aptitude Questions — Records 50,011-50,040 of 100,000

id=50011 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 10, 15, 21? | option_a=5 | option_b=15 | option_c=21 | option_d=10 | answer=C | explanation=The first three numbers increase by 5, so the next should be 20. Therefore 21 is the odd one out.

id=50012 | topic=Averages | difficulty=Easy | question=Find the average of 92, 70, 73, 28, 23, 25, 32. | option_a=48 | option_b=51 | option_c=49 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = $343 \div 7 = 49$.

id=50013 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:20 and the first is 128, what is the second? | option_a=176 | option_b=140 | option_c=160 | option_d=288 | answer=C | explanation=Scale factor = $128/16 = 8$. Therefore second quantity = $20 \times 8 = 160$.

id=50014 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=50015 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 6, 10, 15? | option_a=6 | option_b=10 | option_c=15 | option_d=2 | answer=C | explanation=The first three numbers increase by 4, so the next should be 14. Therefore 15 is the odd one out.

id=50016 | topic=Averages | difficulty=Easy | question=Find the average of 60, 67, 84, 16, 73. | option_a=61 | option_b=60 | option_c=59 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = $300 \div 5 = 60$.

id=50017 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 3. | option_a=21 | option_b=63 | option_c=18 | option_d=42 | answer=A | explanation= $LCM \times HCF = 21 \times 3$; $HCF(21,3) = 3$, so $LCM = 21$.

id=50018 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=R | option_b=Q | option_c=S | option_d=P | answer=A | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=50019 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=50 | option_d=100 | answer=C | explanation=Speed = distance ÷ time = $300 \div 6 = 50$ km/h.

id=50020 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:18 and the first is 28, what is the second? | option_a=108 | option_b=154 | option_c=130 | option_d=126 | answer=D | explanation=Scale factor = $28/4 = 7$. Therefore second quantity = $18 \times 7 = 126$.

id=50021 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=47 | option_b=48 | option_c=37 | option_d=57 | answer=A | explanation=The common difference is 10. Therefore the next term is $37 + 10 = 47$.

id=50022 | topic=Averages | difficulty=Easy | question=Find the average of 36, 49, 50, 63, 35, 13. | option_a=42 | option_b=41 | option_c=40 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = $246 \div 6 = 41$.

id=50023 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49501 at 5% per annum for 2 years. | option_a=54451 | option_b=4950 | option_c=4850 | option_d=5050 | answer=B | explanation= $SI = PRT/100 = 49501 \times 5 \times 2/100 = \text{█}4950$.

id=50024 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=50025 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 21. | option_a=63 | option_b=588 | option_c=112 | option_d=84 | answer=D | explanation= $LCM \times HCF = 28 \times 21$; $HCF(28,21) = 7$, so $LCM = 84$.

id=50026 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=96 | option_c=43 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = $240 \div 5 = 48$ km/h.

id=50027 | topic=Averages | difficulty=Easy | question=Find the average of 80, 20, 53, 72, 85. | option_a=64 | option_b=62 | option_c=63 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = $310 \div 5 = 62$.

id=50028 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=50029 | topic=Percentages | difficulty=Easy | question=What is 25% of 841? | option_a=420 | option_b=215 | option_c=210 | option_d=205 | answer=C | explanation= $25\% \text{ of } 841 = (25/100) \times 841 = 210$.

id=50030 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 18, 28, 39? | option_a=39 | option_b=28 | option_c=8 | option_d=18 | answer=A | explanation=The first three numbers increase by 10, so the next should be 38. Therefore 39 is the odd one out.

id=50031 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=50032 | topic=Averages | difficulty=Easy | question=Find the average of 97, 36, 12, 33, 72, 87, 15, 104. | option_a=58 | option_b=57 | option_c=56 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = $456 \div 8 = 57$.

id=50033 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=59 | option_b=46 | option_c=58 | option_d=70 | answer=C | explanation=The common difference is 12. Therefore the next term is $46 + 12 = 58$.

id=50034 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=50035 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 29? | option_a=10 | option_b=22 | option_c=16 | option_d=29 | answer=D | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 29 is the odd one out.

id=50036 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:20 and the first is 252, what is the second? | option_a=360 | option_b=374 | option_c=340 | option_d=612 | answer=A | explanation=Scale factor = $252/14 = 18$. Therefore second quantity = $20 \times 18 = 360$.

id=50037 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2685. If it is sold at a profit of 5%, what is its selling price? | option_a=2551 | option_b=2690 | option_c=2819 | option_d=3087 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2685 \times 105/100 = \text{█}2819$.

id=50038 | topic=Percentages | difficulty=Easy | question=What is 12% of 987? | option_a=118 | option_b=236 | option_c=138 | option_d=113 | answer=A | explanation= $12\% \text{ of } 987 = (12/100) \times 987 = 118$.

id=50039 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17845 at 5% per annum for 4 years. | option_a=3469 | option_b=3669 | option_c=21414 | option_d=3569 | answer=D | explanation= $SI = PRT/100 = 17845 \times 5 \times 4/100 = \text{█}3569$.

id=50040 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 16. | option_a=320 | option_b=100 | option_c=80 | option_d=64 | answer=C | explanation= $LCM \times HCF = 20 \times 16$; $HCF(20,16) = 4$, so $LCM = 80$.

Aptitude Questions — Records 50,041-50,070 of 100,000

id=50041 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=50042 | topic=Percentages | difficulty=Easy | question=What is 50% of 426? | option_a=426 | option_b=213 | option_c=193 | option_d=218 | answer=B | explanation=50% of 426 = (50/100) × 426 = 213.

id=50043 | topic=Percentages | difficulty=Easy | question=What is 12% of 639? | option_a=152 | option_b=76 | option_c=86 | option_d=56 | answer=B | explanation=12% of 639 = (12/100) × 639 = 76.

id=50044 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=80 | option_c=45 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=50045 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=L | option_c=C | option_d=I | answer=D | explanation=Move 3 positions forward from F; the resulting letter is I.

id=50046 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=F | option_b=G | option_c=D | option_d=E | answer=A | explanation=Move 1 positions forward from E; the resulting letter is F.

id=50047 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45595 at 15% per annum for 1 years. | option_a=6939 | option_b=52434 | option_c=6739 | option_d=6839 | answer=D | explanation=SI = $PRT/100 = 45595 \times 15 \times 1/100 = \text{■}6839$.

id=50048 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:10 and the first is 380, what is the second? | option_a=200 | option_b=219 | option_c=580 | option_d=190 | answer=A | explanation=Scale factor = 380/19 = 20. Therefore second quantity = 10×20 = 200.

id=50049 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=50050 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=50051 | topic=Averages | difficulty=Easy | question=Find the average of 59, 80, 92. | option_a=78 | option_b=77 | option_c=76 | option_d=79 | answer=B | explanation=Average = sum of values ÷ number of values = 231 ÷ 3 = 77.

id=50052 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16060 at 15% per annum for 5 years. | option_a=12145 | option_b=12045 | option_c=11945 | option_d=28105 | answer=B | explanation=SI = $PRT/100 = 16060 \times 15 \times 5/100 = \text{■}12045$.

id=50053 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=35 | option_b=29 | option_c=39 | option_d=34 | answer=D | explanation=The common difference is 5. Therefore the next term is 29 + 5 = 34.

id=50054 | topic=Averages | difficulty=Easy | question=Find the average of 57, 71, 63, 45. | option_a=60 | option_b=61 | option_c=58 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 236 ÷ 4 = 59.

id=50055 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 31, 34, 40? | option_a=28 | option_b=31 | option_c=34 | option_d=40 | answer=D | explanation=The first three numbers increase by 3, so the next should be 37. Therefore 40 is the odd one out.

id=50056 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=31 | option_c=72 | option_d=41 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=50057 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 12. | option_a=72 | option_b=336 | option_c=112 | option_d=84 | answer=D | explanation=LCM × HCF = 28×12; HCF(28,12) = 4, so LCM = 84.

id=50058 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:13 and the first is 216, what is the second? | option_a=372 | option_b=143 | option_c=156 | option_d=174 | answer=C | explanation=Scale factor = 216/18 = 12. Therefore second quantity = 13×12 = 156.

id=50059 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=18 | option_b=14 | option_c=19 | option_d=22 | answer=A | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.

id=50060 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6233 at 8% per annum for 4 years. | option_a=2094 | option_b=1894 | option_c=1994 | option_d=8227 | answer=C | explanation=SI = $PRT/100 = 6233 \times 8 \times 4/100 = \text{■}1994$.

id=50061 | topic=Percentages | difficulty=Easy | question=What is 50% of 156? | option_a=156 | option_b=73 | option_c=83 | option_d=78 | answer=D | explanation=50% of 156 = (50/100) × 156 = 78.

id=50062 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2313. If it is sold at a profit of 5%, what is its selling price? | option_a=2428 | option_b=2318 | option_c=2659 | option_d=2197 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2313 × 105/100 = **■**2428.

id=50063 | topic=Percentages | difficulty=Easy | question=What is 15% of 1247? | option_a=187 | option_b=177 | option_c=374 | option_d=197 | answer=A | explanation=15% of 1247 = (15/100) × 1247 = 187.

id=50064 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=I | option_b=F | option_c=Z | option_d=C | answer=B | explanation=Move 3 positions forward from C; the resulting letter is F.

id=50065 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 18, 23, 28, ? | option_a=33 | option_b=38 | option_c=34 | option_d=28 | answer=A | explanation=The common difference is 5. Therefore the next term is 28 + 5 = 33.

id=50066 | topic=Averages | difficulty=Easy | question=Find the average of 22, 46, 71, 75, 63, 32, 99, 44, 74, 54. | option_a=60 | option_b=59 | option_c=57 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 580 ÷ 10 = 58.

id=50067 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=G | option_c=S | option_d=O | answer=D | explanation=Move 4 positions forward from K; the resulting letter is O.

id=50068 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=50069 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=105 | option_c=100 | option_d=95 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=50070 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36580 at 4% per annum for 3 years. | option_a=40969 | option_b=4489 | option_c=4389 | option_d=4289 | answer=C | explanation=SI = $PRT/100 = 36580 \times 4 \times 3/100 = \text{■}4389$.

Aptitude Questions — Records 50,071-50,100 of 100,000

- id=50071 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:6 and the first is 192, what is the second? | option_a=288 | option_b=108 | option_c=90 | option_d=96 | answer=D | explanation=Scale factor = $192/12 = 16$. Therefore second quantity = $6 \times 16 = 96$.
- id=50072 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 22, 31, 43? | option_a=22 | option_b=31 | option_c=13 | option_d=43 | answer=D | explanation=The first three numbers increase by 9, so the next should be 40. Therefore 43 is the odd one out.
- id=50073 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 4. | option_a=8 | option_b=18 | option_c=24 | option_d=12 | answer=D | explanation= $LCM \times HCF = 6 \times 4$; $HCF(6,4) = 2$, so $LCM = 12$.
- id=50074 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:3 and the first is 110, what is the second? | option_a=30 | option_b=140 | option_c=41 | option_d=27 | answer=A | explanation=Scale factor = $110/11 = 10$. Therefore second quantity = $3 \times 10 = 30$.
- id=50075 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5561 at 12% per annum for 5 years. | option_a=3336 | option_b=3236 | option_c=3436 | option_d=8897 | answer=A | explanation= $SI = PRT/100 = 5561 \times 12 \times 5/100 =$ **■**3336.
- id=50076 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=I | option_b=R | option_c=O | option_d=L | answer=C | explanation=Move 3 positions forward from L; the resulting letter is O.
- id=50077 | topic=Averages | difficulty=Easy | question=Find the average of 96, 45, 99, 18, 24, 66. | option_a=57 | option_b=58 | option_c=60 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = $348 \div 6 = 58$.
- id=50078 | topic=Averages | difficulty=Easy | question=Find the average of 85, 83, 39, 100, 78, 83, 59, 65, 83. | option_a=76 | option_b=74 | option_c=77 | option_d=75 | answer=D | explanation=Average = sum of values ÷ number of values = $675 \div 9 = 75$.
- id=50079 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=S | option_c=U | option_d=O | answer=B | explanation=Move 2 positions forward from Q; the resulting letter is S.
- id=50080 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 18, 24, 30, ? | option_a=42 | option_b=30 | option_c=37 | option_d=36 | answer=D | explanation=The common difference is 6. Therefore the next term is $30 + 6 = 36$.
- id=50081 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.
- id=50082 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=24 | option_d=7 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.
- id=50083 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=240 | option_c=115 | option_d=125 | answer=A | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.
- id=50084 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4512. If it is sold at a profit of 10%, what is its selling price? | option_a=4512 | option_b=4522 | option_c=4963 | option_d=5414 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4512 \times 110/100 =$ **■**4963.
- id=50085 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47481 at 6% per annum for 3 years. | option_a=8646 | option_b=8446 | option_c=8546 | option_d=56027 | answer=C | explanation= $SI = PRT/100 = 47481 \times 6 \times 3/100 =$ **■**8546.
- id=50086 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 18, 22, 28? | option_a=22 | option_b=14 | option_c=28 | option_d=18 | answer=C | explanation=The first three numbers increase by 4, so the next should be 26. Therefore 28 is the odd one out.
- id=50087 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 29? | option_a=13 | option_b=23 | option_c=29 | option_d=18 | answer=C | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 29 is the odd one out.
- id=50088 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=40 | option_b=45 | option_c=35 | option_d=41 | answer=A | explanation=The common difference is 5. Therefore the next term is $35 + 5 = 40$.
- id=50089 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 25? | option_a=11 | option_b=25 | option_c=5 | option_d=17 | answer=B | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 25 is the odd one out.
- id=50090 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2224. If it is sold at a profit of 30%, what is its selling price? | option_a=2254 | option_b=2669 | option_c=2891 | option_d=3113 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2224 \times 130/100 =$ **■**2891.
- id=50091 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 30. | option_a=210 | option_b=480 | option_c=240 | option_d=256 | answer=C | explanation= $LCM \times HCF = 16 \times 30$; $HCF(16,30) = 2$, so $LCM = 240$.
- id=50092 | topic=Averages | difficulty=Easy | question=Find the average of 83, 97, 57. | option_a=80 | option_b=81 | option_c=79 | option_d=78 | answer=C | explanation=Average = sum of values ÷ number of values = $237 \div 3 = 79$.
- id=50093 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=39 | option_b=32 | option_c=25 | option_d=33 | answer=B | explanation=The common difference is 7. Therefore the next term is $25 + 7 = 32$.
- id=50094 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=180 | option_c=85 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = $360 \div 4 = 90$ km/h.
- id=50095 | topic=Percentages | difficulty=Easy | question=What is 20% of 1542? | option_a=616 | option_b=318 | option_c=298 | option_d=308 | answer=D | explanation=20% of 1542 = $(20/100) \times 1542 = 308$.
- id=50096 | topic=Percentages | difficulty=Easy | question=What is 20% of 1271? | option_a=264 | option_b=254 | option_c=508 | option_d=234 | answer=B | explanation=20% of 1271 = $(20/100) \times 1271 = 254$.
- id=50097 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=E | option_b=H | option_c=G | option_d=F | answer=C | explanation=Move 1 positions forward from F; the resulting letter is G.
- id=50098 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28563 at 8% per annum for 4 years. | option_a=37703 | option_b=9240 | option_c=9040 | option_d=9140 | answer=D | explanation= $SI = PRT/100 = 28563 \times 8 \times 4/100 =$ **■**9140.
- id=50099 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3349. If it is sold at a profit of 15%, what is its selling price? | option_a=3364 | option_b=4185 | option_c=3851 | option_d=3517 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3349 \times 115/100 =$ **■**3851.
- id=50100 | topic=Averages | difficulty=Easy | question=Find the average of 61, 72, 61, 66, 19, 94, 92, 65, 100. | option_a=70 | option_b=71 | option_c=69 | option_d=72 | answer=A | explanation=Average = sum of values ÷ number of values = $630 \div 9 = 70$.

Aptitude Questions — Records 50,101-50,130 of 100,000

id=50101 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:6 and the first is 63, what is the second? | option_a=42 | option_b=36 | option_c=51 | option_d=105 | answer=A | explanation=Scale factor = 63/9 = 7. Therefore second quantity = 6×7 = 42.

id=50102 | topic=Percentages | difficulty=Easy | question=What is 10% of 565? | option_a=66 | option_b=36 | option_c=56 | option_d=112 | answer=C | explanation=10% of 565 = (10/100) × 565 = 56.

id=50103 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 8. | option_a=48 | option_b=224 | option_c=84 | option_d=56 | answer=D | explanation=LCM × HCF = 28×8; HCF(28,8) = 4, so LCM = 56.

id=50104 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=50105 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=T | option_b=N | option_c=Q | option_d=K | answer=C | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=50106 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=11 | option_c=6 | option_d=12 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=50107 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 23, 30, 40? | option_a=23 | option_b=30 | option_c=40 | option_d=16 | answer=C | explanation=The first three numbers increase by 7, so the next should be 37. Therefore 40 is the odd one out.

id=50108 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=50109 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36022 at 10% per annum for 5 years. | option_a=54033 | option_b=18011 | option_c=18111 | option_d=17911 | answer=B | explanation=SI = PRT/100 = 36022×10×5/100 = **■**18011.

id=50110 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=50111 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1261. If it is sold at a profit of 40%, what is its selling price? | option_a=1765 | option_b=1301 | option_c=1891 | option_d=1639 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1261 × 140/100 = **■**1765.

id=50112 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=46 | option_b=39 | option_c=30 | option_d=38 | answer=D | explanation=The common difference is 8. Therefore the next term is 30 + 8 = 38.

id=50113 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=22 | option_b=18 | option_c=19 | option_d=14 | answer=B | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.

id=50114 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=P | option_b=M | option_c=G | option_d=J | answer=B | explanation=Move 3 positions forward from J; the resulting letter is M.

id=50115 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 17, 25, 33, ? | option_a=33 | option_b=49 | option_c=42 | option_d=41 | answer=D | explanation=The common difference is 8. Therefore the next term is 33 + 8 = 41.

id=50116 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:1 and the first is 108, what is the second? | option_a=5 | option_b=24 | option_c=6 | option_d=114 | answer=C | explanation=Scale factor = 108/18 = 6. Therefore second quantity = 1×6 = 6.

id=50117 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=50118 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=50119 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:12 and the first is 270, what is the second? | option_a=204 | option_b=216 | option_c=231 | option_d=486 | answer=B | explanation=Scale factor = 270/15 = 18. Therefore second quantity = 12×18 = 216.

id=50120 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 18. | option_a=80 | option_b=144 | option_c=54 | option_d=72 | answer=D | explanation=LCM × HCF = 8×18; HCF(8,18) = 2, so LCM = 72.

id=50121 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 24. | option_a=27 | option_b=24 | option_c=72 | option_d=1 | answer=B | explanation=LCM × HCF = 3×24; HCF(3,24) = 3, so LCM = 24.

id=50122 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=47 | option_b=56 | option_c=48 | option_d=38 | answer=A | explanation=The common difference is 9. Therefore the next term is 38 + 9 = 47.

id=50123 | topic=Percentages | difficulty=Easy | question=What is 12% of 1361? | option_a=153 | option_b=326 | option_c=163 | option_d=168 | answer=C | explanation=12% of 1361 = (12/100) × 1361 = 163.

id=50124 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=50125 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:15 and the first is 210, what is the second? | option_a=239 | option_b=225 | option_c=210 | option_d=435 | answer=B | explanation=Scale factor = 210/14 = 15. Therefore second quantity = 15×15 = 225.

id=50126 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=46 | option_b=55 | option_c=37 | option_d=47 | answer=A | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=50127 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 3. | option_a=81 | option_b=24 | option_c=54 | option_d=27 | answer=D | explanation=LCM × HCF = 27×3; HCF(27,3) = 3, so LCM = 27.

id=50128 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=O | option_b=A | option_c=S | option_d=W | answer=D | explanation=Move 4 positions forward from S; the resulting letter is W.

id=50129 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=50130 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 24, 31, 39? | option_a=17 | option_b=24 | option_c=31 | option_d=39 | answer=D | explanation=The first three numbers increase by 7, so the next should be 38. Therefore 39 is the odd one out.

Aptitude Questions — Records 50,131-50,160 of 100,000

id=50131 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1703. If it is sold at a profit of 30%, what is its selling price? | option_a=2043 | option_b=1733 | option_c=2213 | option_d=2383 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1703 × 130/100 = █2213.

id=50132 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:10 and the first is 240, what is the second? | option_a=150 | option_b=140 | option_c=166 | option_d=390 | answer=A | explanation=Scale factor = 240/16 = 15. Therefore second quantity = 10×15 = 150.

id=50133 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:16 and the first is 63, what is the second? | option_a=128 | option_b=207 | option_c=151 | option_d=144 | answer=D | explanation=Scale factor = 63/7 = 9. Therefore second quantity = 16×9 = 144.

id=50134 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=29 | option_b=27 | option_c=23 | option_d=26 | answer=D | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.

id=50135 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4555. If it is sold at a profit of 20%, what is its selling price? | option_a=5466 | option_b=4575 | option_c=5011 | option_d=5921 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4555 × 120/100 = █5466.

id=50136 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:19 and the first is 9, what is the second? | option_a=60 | option_b=66 | option_c=57 | option_d=38 | answer=C | explanation=Scale factor = 9/3 = 3. Therefore second quantity = 19×3 = 57.

id=50137 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=T | option_c=V | option_d=U | answer=C | explanation=Move 1 positions forward from U; the resulting letter is V.

id=50138 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 28? | option_a=19 | option_b=28 | option_c=5 | option_d=12 | answer=B | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 28 is the odd one out.

id=50139 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 20. | option_a=60 | option_b=320 | option_c=80 | option_d=96 | answer=C | explanation=LCM × HCF = 16×20; HCF(16,20) = 4, so LCM = 80.

id=50140 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=36 | option_b=40 | option_c=30 | option_d=35 | answer=D | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=50141 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=32 | option_b=29 | option_c=26 | option_d=30 | answer=B | explanation=The common difference is 3. Therefore the next term is 26 + 3 = 29.

id=50142 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=68 | option_b=44 | option_c=56 | option_d=57 | answer=C | explanation=The common difference is 12. Therefore the next term is 44 + 12 = 56.

id=50143 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:9 and the first is 30, what is the second? | option_a=48 | option_b=9 | option_c=18 | option_d=33 | answer=C | explanation=Scale factor = 30/15 = 2. Therefore second quantity = 9×2 = 18.

id=50144 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=16 | option_b=17 | option_c=13 | option_d=15 | answer=D | explanation=The common difference is 2. Therefore the next term is 13 + 2 = 15.

id=50145 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2414. If it is sold at a profit of 25%, what is its selling price? | option_a=3258 | option_b=2439 | option_c=3017 | option_d=2776 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2414 × 125/100 = █3017.

id=50146 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=24 | option_c=19 | option_d=29 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=50147 | topic=Percentages | difficulty=Easy | question=What is 40% of 1018? | option_a=397 | option_b=407 | option_c=814 | option_d=412 | answer=B | explanation=40% of 1018 = (40/100) × 1018 = 407.

id=50148 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38243 at 6% per annum for 4 years. | option_a=9078 | option_b=9278 | option_c=9178 | option_d=47421 | answer=C | explanation=SI = PRT/100 = 38243×6×4/100 = █9178.

id=50149 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=49 | option_b=38 | option_c=60 | option_d=50 | answer=A | explanation=The common difference is 11. Therefore the next term is 38 + 11 = 49.

id=50150 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=50151 | topic=Profit & Loss | difficulty=Easy | question=An article costs █304. If it is sold at a profit of 5%, what is its selling price? | option_a=319 | option_b=309 | option_c=289 | option_d=349 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 304 × 105/100 = █319.

id=50152 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35356 at 6% per annum for 5 years. | option_a=10606 | option_b=10506 | option_c=45962 | option_d=10706 | answer=A | explanation=SI = PRT/100 = 35356×6×5/100 = █10606.

id=50153 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=50154 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=50155 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:19 and the first is 8, what is the second? | option_a=42 | option_b=19 | option_c=46 | option_d=38 | answer=D | explanation=Scale factor = 8/4 = 2. Therefore second quantity = 19×2 = 38.

id=50156 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=68 | option_b=46 | option_c=57 | option_d=58 | answer=C | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.

id=50157 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 26, 34, 42, ? | option_a=51 | option_b=42 | option_c=50 | option_d=58 | answer=C | explanation=The common difference is 8. Therefore the next term is 42 + 8 = 50.

id=50158 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=53 | option_b=52 | option_c=41 | option_d=63 | answer=B | explanation=The common difference is 11. Therefore the next term is 41 + 11 = 52.

id=50159 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 8. | option_a=16 | option_b=24 | option_c=30 | option_d=48 | answer=B | explanation=LCM × HCF = 6×8; HCF(6,8) = 2, so LCM = 24.

id=50160 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 15? | option_a=12 | option_b=15 | option_c=10 | option_d=8 | answer=B | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 15 is the odd one out.

Aptitude Questions — Records 50,161-50,190 of 100,000

id=50161 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■43566 at 12% per annum for 3 years. | option_a=59249 | option_b=15583 | option_c=15783 | option_d=15683 | answer=D | explanation=SI = PRT/100 = 43566×12×3/100 = ■15683.

id=50162 | topic=Percentages | difficulty=Easy | question=What is 50% of 1979? | option_a=984 | option_b=989 | option_c=999 | option_d=1978 | answer=B | explanation=50% of 1979 = (50/100) × 1979 = 989.

id=50163 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4746. If it is sold at a profit of 25%, what is its selling price? | option_a=4771 | option_b=5458 | option_c=5932 | option_d=6406 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4746 × 125/100 = ■5932.

id=50164 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:4 and the first is 320, what is the second? | option_a=84 | option_b=64 | option_c=60 | option_d=384 | answer=B | explanation=Scale factor = 320/20 = 16. Therefore second quantity = 4×16 = 64.

id=50165 | topic=Averages | difficulty=Easy | question=Find the average of 26, 31, 23, 14, 11, 26, 49, 92. | option_a=34 | option_b=36 | option_c=33 | option_d=35 | answer=A | explanation=Average = sum of values ÷ number of values = 272 ÷ 8 = 34.

id=50166 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=55 | option_b=47 | option_c=37 | option_d=46 | answer=D | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=50167 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=96 | option_c=53 | option_d=43 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=50168 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1321. If it is sold at a profit of 10%, what is its selling price? | option_a=1331 | option_b=1453 | option_c=1585 | option_d=1321 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1321 × 110/100 = ■1453.

id=50169 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=19 | option_d=29 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=50170 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=18 | option_c=9 | option_d=4 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=50171 | topic=Averages | difficulty=Easy | question=Find the average of 95, 76, 91, 95, 58. | option_a=84 | option_b=82 | option_c=85 | option_d=83 | answer=D | explanation=Average = sum of values ÷ number of values = 415 ÷ 5 = 83.

id=50172 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=115 | option_c=120 | option_d=125 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=50173 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3313. If it is sold at a profit of 30%, what is its selling price? | option_a=3343 | option_b=3975 | option_c=4306 | option_d=4637 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3313 × 130/100 = ■4306.

id=50174 | topic=Averages | difficulty=Easy | question=Find the average of 59, 19, 53, 76, 18, 45, 57, 25, 17. | option_a=41 | option_b=43 | option_c=42 | option_d=40 | answer=A | explanation=Average = sum of values ÷ number of values = 369 ÷ 9 = 41.

id=50175 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=E | option_c=I | option_d=C | answer=A | explanation=Move 2 positions forward from E; the resulting letter is G.

id=50176 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■1074 at 4% per annum for 2 years. | option_a=85 | option_b=0 | option_c=185 | option_d=1159 | answer=A | explanation=SI = PRT/100 = 1074×4×2/100 = ■85.

id=50177 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 14, 21, 29? | option_a=29 | option_b=7 | option_c=14 | option_d=21 | answer=A | explanation=The first three numbers increase by 7, so the next should be 28. Therefore 29 is the odd one out.

id=50178 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=18 | option_b=22 | option_c=23 | option_d=26 | answer=B | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

id=50179 | topic=Averages | difficulty=Easy | question=Find the average of 88, 23, 15, 31, 74, 27. | option_a=42 | option_b=43 | option_c=45 | option_d=44 | answer=B | explanation=Average = sum of values ÷ number of values = 258 ÷ 6 = 43.

id=50180 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■30448 at 8% per annum for 2 years. | option_a=4971 | option_b=4871 | option_c=35319 | option_d=4771 | answer=B | explanation=SI = PRT/100 = 30448×8×2/100 = ■4871.

id=50181 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=40 | option_b=35 | option_c=36 | option_d=30 | answer=B | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=50182 | topic=Percentages | difficulty=Easy | question=What is 15% of 1020? | option_a=306 | option_b=148 | option_c=153 | option_d=163 | answer=C | explanation=15% of 1020 = (15/100) × 1020 = 153.

id=50183 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3223. If it is sold at a profit of 5%, what is its selling price? | option_a=3384 | option_b=3062 | option_c=3706 | option_d=3228 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3223 × 105/100 = ■3384.

id=50184 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:3 and the first is 8, what is the second? | option_a=6 | option_b=3 | option_c=14 | option_d=10 | answer=A | explanation=Scale factor = 8/4 = 2. Therefore second quantity = 3×2 = 6.

id=50185 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=R | option_b=M | option_c=H | option_d=C | answer=B | explanation=Move 5 positions forward from H; the resulting letter is M.

id=50186 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 28. | option_a=1 | option_b=56 | option_c=28 | option_d=30 | answer=C | explanation=LCM × HCF = 2×28; HCF(2,28) = 2, so LCM = 28.

id=50187 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 17, 21, 26? | option_a=26 | option_b=21 | option_c=13 | option_d=17 | answer=A | explanation=The first three numbers increase by 4, so the next should be 25. Therefore 26 is the odd one out.

id=50188 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 8. | option_a=32 | option_b=16 | option_c=128 | option_d=8 | answer=B | explanation=LCM × HCF = 16×8; HCF(16,8) = 8, so LCM = 16.

id=50189 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■250. If it is sold at a profit of 5%, what is its selling price? | option_a=262 | option_b=287 | option_c=237 | option_d=255 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 250 × 105/100 = ■262.

id=50190 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=80 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

Aptitude Questions — Records 50,191-50,220 of 100,000

id=50191 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:19 and the first is 340, what is the second? | option_a=397 | option_b=720 | option_c=361 | option_d=380 | answer=D | explanation=Scale factor = $340/17 = 20$. Therefore second quantity = $19 \times 20 = 380$.

id=50192 | topic=Profit & Loss | difficulty=Easy | question=An article costs $\text{₹}3185$. If it is sold at a profit of 25%, what is its selling price? | option_a=3663 | option_b=3210 | option_c=4299 | option_d=3981 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3185 \times 125/100 = \text{₹}3981$.

id=50193 | topic=Percentages | difficulty=Easy | question=What is 15% of 227? | option_a=14 | option_b=68 | option_c=34 | option_d=39 | answer=C | explanation= 15% of $227 = (15/100) \times 227 = 34$.

id=50194 | topic=Averages | difficulty=Easy | question=Find the average of 41, 16, 47, 17, 71, 65, 86. | option_a=48 | option_b=50 | option_c=49 | option_d=51 | answer=C | explanation=Average = sum of values $\div$ number of values = $343 \div 7 = 49$.

id=50195 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:12 and the first is 33, what is the second? | option_a=36 | option_b=47 | option_c=69 | option_d=24 | answer=A | explanation=Scale factor = $33/11 = 3$. Therefore second quantity = $12 \times 3 = 36$.

id=50196 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:6 and the first is 13, what is the second? | option_a=72 | option_b=79 | option_c=78 | option_d=91 | answer=C | explanation=Scale factor = $13/1 = 13$. Therefore second quantity = $6 \times 13 = 78$.

id=50197 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=50198 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:15 and the first is 304, what is the second? | option_a=240 | option_b=544 | option_c=225 | option_d=259 | answer=A | explanation=Scale factor = $304/19 = 16$. Therefore second quantity = $15 \times 16 = 240$.

id=50199 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:17 and the first is 6, what is the second? | option_a=108 | option_b=103 | option_c=102 | option_d=85 | answer=C | explanation=Scale factor = $6/1 = 6$. Therefore second quantity = $17 \times 6 = 102$.

id=50200 | topic=Averages | difficulty=Easy | question=Find the average of 10, 84, 86, 17, 28, 63, 97. | option_a=57 | option_b=56 | option_c=55 | option_d=54 | answer=C | explanation=Average = sum of values $\div$ number of values = $385 \div 7 = 55$.

id=50201 | topic=Averages | difficulty=Easy | question=Find the average of 12, 84, 17, 29, 27, 100, 67. | option_a=50 | option_b=49 | option_c=47 | option_d=48 | answer=D | explanation=Average = sum of values $\div$ number of values = $336 \div 7 = 48$.

id=50202 | topic=Percentages | difficulty=Easy | question=What is 50% of 1361? | option_a=670 | option_b=1360 | option_c=680 | option_d=690 | answer=C | explanation= 50% of $1361 = (50/100) \times 1361 = 680$.

id=50203 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=K | option_b=U | option_c=Z | option_d=P | answer=B | explanation=Move 5 positions forward from P; the resulting letter is U.

id=50204 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=6 | option_d=20 | answer=A | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=50205 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=35 | option_b=53 | option_c=44 | option_d=45 | answer=C | explanation=The common difference is 9. Therefore the next term is $35 + 9 = 44$.

id=50206 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=65 | option_b=56 | option_c=47 | option_d=57 | answer=B | explanation=The common difference is 9. Therefore the next term is $47 + 9 = 56$.

id=50207 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=38 | option_b=33 | option_c=39 | option_d=43 | answer=A | explanation=The common difference is 5. Therefore the next term is $33 + 5 = 38$.

id=50208 | topic=Percentages | difficulty=Easy | question=What is 50% of 1656? | option_a=828 | option_b=848 | option_c=1656 | option_d=818 | answer=A | explanation= 50% of $1656 = (50/100) \times 1656 = 828$.

id=50209 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=X | option_b=N | option_c=I | option_d=S | answer=D | explanation=Move 5 positions forward from N; the resulting letter is S.

id=50210 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on $\text{₹}47728$ at 15% per annum for 4 years. | option_a=28636 | option_b=76364 | option_c=28736 | option_d=28536 | answer=A | explanation=SI = $PRT/100 = 47728 \times 15 \times 4/100 = \text{₹}28636$.

id=50211 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=24 | option_d=5 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=50212 | topic=Profit & Loss | difficulty=Easy | question=An article costs $\text{₹}1191$. If it is sold at a profit of 20%, what is its selling price? | option_a=1429 | option_b=1310 | option_c=1211 | option_d=1548 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1191 \times 120/100 = \text{₹}1429$.

id=50213 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=40 | option_d=15 | answer=B | explanation=Speed = distance $\div$ time = $120 \div 6 = 20$ km/h.

id=50214 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:3 and the first is 24, what is the second? | option_a=22 | option_b=18 | option_c=15 | option_d=42 | answer=B | explanation=Scale factor = $24/4 = 6$. Therefore second quantity = $3 \times 6 = 18$.

id=50215 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=N | option_c=T | option_d=W | answer=C | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=50216 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on $\text{₹}38423$ at 8% per annum for 1 years. | option_a=3073 | option_b=3173 | option_c=2973 | option_d=41496 | answer=A | explanation=SI = $PRT/100 = 38423 \times 8 \times 1/100 = \text{₹}3073$.

id=50217 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:19 and the first is 63, what is the second? | option_a=152 | option_b=178 | option_c=234 | option_d=171 | answer=D | explanation=Scale factor = $63/7 = 9$. Therefore second quantity = $19 \times 9 = 171$.

id=50218 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=23 | option_b=22 | option_c=21 | option_d=19 | answer=C | explanation=The common difference is 2. Therefore the next term is $19 + 2 = 21$.

id=50219 | topic=Profit & Loss | difficulty=Easy | question=An article costs $\text{₹}1954$. If it is sold at a profit of 10%, what is its selling price? | option_a=1964 | option_b=2149 | option_c=1954 | option_d=2344 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1954 \times 110/100 = \text{₹}2149$.

id=50220 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

Aptitude Questions — Records 50,221-50,250 of 100,000

id=50221 | topic=Profit & Loss | difficulty=Easy | question=An article costs █452. If it is sold at a profit of 25%, what is its selling price? | option_a=520 | option_b=610 | option_c=477 | option_d=565 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 452 × 125/100 = █565.

id=50222 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=7 | option_c=17 | option_d=24 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=50223 | topic=Averages | difficulty=Easy | question=Find the average of 10, 75, 55, 67, 88, 92, 89. | option_a=70 | option_b=68 | option_c=67 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 476 ÷ 7 = 68.

id=50224 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46113 at 6% per annum for 3 years. | option_a=8400 | option_b=54413 | option_c=8200 | option_d=8300 | answer=D | explanation=SI = PRT/100 = 46113×6×3/100 = █8300.

id=50225 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=50226 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=50227 | topic=Averages | difficulty=Easy | question=Find the average of 54, 88, 35, 64, 59. | option_a=60 | option_b=61 | option_c=62 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 300 ÷ 5 = 60.

id=50228 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=X | option_b=P | option_c=L | option_d=T | answer=D | explanation=Move 4 positions forward from P; the resulting letter is T.

id=50229 | topic=Profit & Loss | difficulty=Easy | question=An article costs █314. If it is sold at a profit of 40%, what is its selling price? | option_a=470 | option_b=354 | option_c=439 | option_d=408 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 314 × 140/100 = █439.

id=50230 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=W | option_b=G | option_c=B | option_d=L | answer=B | explanation=Move 5 positions forward from B; the resulting letter is G.

id=50231 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:5 and the first is 361, what is the second? | option_a=456 | option_b=90 | option_c=114 | option_d=95 | answer=D | explanation=Scale factor = 361/19 = 19. Therefore second quantity = 5×19 = 95.

id=50232 | topic=Averages | difficulty=Easy | question=Find the average of 100, 81, 61, 13, 76, 71, 88. | option_a=71 | option_b=69 | option_c=72 | option_d=70 | answer=D | explanation=Average = sum of values ÷ number of values = 490 ÷ 7 = 70.

id=50233 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=50234 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:8 and the first is 104, what is the second? | option_a=168 | option_b=64 | option_c=77 | option_d=56 | answer=B | explanation=Scale factor = 104/13 = 8. Therefore second quantity = 8×8 = 64.

id=50235 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 14. | option_a=392 | option_b=28 | option_c=56 | option_d=14 | answer=B | explanation=LCM × HCF = 28×14; HCF(28,14) = 14, so LCM = 28.

id=50236 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=16 | option_b=18 | option_c=15 | option_d=12 | answer=C | explanation=The common difference is 3. Therefore the next term is 12 + 3 = 15.

id=50237 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=60 | option_b=70 | option_c=61 | option_d=50 | answer=A | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

id=50238 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 28, 32, 38? | option_a=24 | option_b=28 | option_c=38 | option_d=32 | answer=C | explanation=The first three numbers increase by 4, so the next should be 36. Therefore 38 is the odd one out.

id=50239 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4988. If it is sold at a profit of 30%, what is its selling price? | option_a=6484 | option_b=6982 | option_c=5986 | option_d=5018 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4988 × 130/100 = █6484.

id=50240 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15459 at 6% per annum for 1 years. | option_a=827 | option_b=927 | option_c=16386 | option_d=1027 | answer=B | explanation=SI = PRT/100 = 15459×6×1/100 = █927.

id=50241 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1832. If it is sold at a profit of 30%, what is its selling price? | option_a=1862 | option_b=2564 | option_c=2381 | option_d=2198 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1832 × 130/100 = █2381.

id=50242 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26581 at 8% per annum for 1 years. | option_a=2026 | option_b=2226 | option_c=2126 | option_d=28707 | answer=C | explanation=SI = PRT/100 = 26581×8×1/100 = █2126.

id=50243 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4718. If it is sold at a profit of 50%, what is its selling price? | option_a=7077 | option_b=7548 | option_c=6606 | option_d=4768 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4718 × 150/100 = █7077.

id=50244 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=N | option_c=L | option_d=M | answer=B | explanation=Move 1 positions forward from M; the resulting letter is N.

id=50245 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:18 and the first is 52, what is the second? | option_a=54 | option_b=124 | option_c=72 | option_d=85 | answer=C | explanation=Scale factor = 52/13 = 4. Therefore second quantity = 18×4 = 72.

id=50246 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4987. If it is sold at a profit of 40%, what is its selling price? | option_a=7479 | option_b=5027 | option_c=6483 | option_d=6981 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4987 × 140/100 = █6981.

id=50247 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:19 and the first is 247, what is the second? | option_a=228 | option_b=494 | option_c=266 | option_d=247 | answer=D | explanation=Scale factor = 247/19 = 13. Therefore second quantity = 19×13 = 247.

id=50248 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=E | option_b=T | option_c=J | option_d=O | answer=D | explanation=Move 5 positions forward from J; the resulting letter is O.

id=50249 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43, ? | option_a=51 | option_b=59 | option_c=52 | option_d=43 | answer=A | explanation=The common difference is 8. Therefore the next term is 43 + 8 = 51.

id=50250 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23623 at 10% per annum for 3 years. | option_a=7186 | option_b=6986 | option_c=30709 | option_d=7086 | answer=D | explanation=SI = PRT/100 = 23623×10×3/100 = █7086.

Aptitude Questions — Records 50,251-50,280 of 100,000

id=50251 | topic=Averages | difficulty=Easy | question=Find the average of 30, 32, 62, 65, 84, 67, 63, 41, 69. | option_a=58 | option_b=56 | option_c=57 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 513 ÷ 9 = 57.

id=50252 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30543 at 8% per annum for 2 years. | option_a=4786 | option_b=35429 | option_c=4886 | option_d=4986 | answer=C | explanation=SI = PRT/100 = 30543×8×2/100 = **■**4886.

id=50253 | topic=Percentages | difficulty=Easy | question=What is 12% of 917? | option_a=220 | option_b=110 | option_c=100 | option_d=115 | answer=B | explanation=12% of 917 = (12/100) × 917 = 110.

id=50254 | topic=Averages | difficulty=Easy | question=Find the average of 69, 84, 14, 11, 78, 89, 75. | option_a=59 | option_b=60 | option_c=62 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 420 ÷ 7 = 60.

id=50255 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:14 and the first is 48, what is the second? | option_a=84 | option_b=70 | option_c=92 | option_d=132 | answer=A | explanation=Scale factor = 48/8 = 6. Therefore second quantity = 14×6 = 84.

id=50256 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=50257 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 29, 31, 36? | option_a=31 | option_b=27 | option_c=29 | option_d=36 | answer=D | explanation=The first three numbers increase by 2, so the next should be 33. Therefore 36 is the odd one out.

id=50258 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42869 at 8% per annum for 1 years. | option_a=3329 | option_b=46298 | option_c=3429 | option_d=3529 | answer=C | explanation=SI = PRT/100 = 42869×8×1/100 = **■**3429.

id=50259 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1191. If it is sold at a profit of 50%, what is its selling price? | option_a=1667 | option_b=1241 | option_c=1786 | option_d=1905 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1191 × 150/100 = **■**1786.

id=50260 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1169. If it is sold at a profit of 5%, what is its selling price? | option_a=1343 | option_b=1111 | option_c=1227 | option_d=1174 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1169 × 105/100 = **■**1227.

id=50261 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=72 | option_c=31 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=50262 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 14, 22, 33? | option_a=6 | option_b=33 | option_c=22 | option_d=14 | answer=B | explanation=The first three numbers increase by 8, so the next should be 30. Therefore 33 is the odd one out.

id=50263 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**884. If it is sold at a profit of 15%, what is its selling price? | option_a=899 | option_b=1104 | option_c=1016 | option_d=928 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 884 × 115/100 = **■**1016.

id=50264 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:5 and the first is 304, what is the second? | option_a=80 | option_b=384 | option_c=75 | option_d=99 | answer=A | explanation=Scale factor = 304/19 = 16. Therefore second quantity = 5×16 = 80.

id=50265 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=K | option_b=V | option_c=F | option_d=A | answer=C | explanation=Move 5 positions forward from A; the resulting letter is F.

id=50266 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 23? | option_a=18 | option_b=16 | option_c=23 | option_d=14 | answer=C | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 23 is the odd one out.

id=50267 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=24 | option_b=25 | option_c=26 | option_d=22 | answer=A | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.

id=50268 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=Y | option_b=E | option_c=A | option_d=C | answer=D | explanation=Move 2 positions forward from A; the resulting letter is C.

id=50269 | topic=Percentages | difficulty=Easy | question=What is 5% of 1999? | option_a=104 | option_b=94 | option_c=99 | option_d=198 | answer=C | explanation=5% of 1999 = (5/100) × 1999 = 99.

id=50270 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3621. If it is sold at a profit of 30%, what is its selling price? | option_a=4707 | option_b=5069 | option_c=4345 | option_d=3651 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3621 × 130/100 = **■**4707.

id=50271 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33856 at 6% per annum for 3 years. | option_a=39950 | option_b=6194 | option_c=5994 | option_d=6094 | answer=D | explanation=SI = PRT/100 = 33856×6×3/100 = **■**6094.

id=50272 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 16, 20, 25? | option_a=12 | option_b=20 | option_c=25 | option_d=16 | answer=C | explanation=The first three numbers increase by 4, so the next should be 24. Therefore 25 is the odd one out.

id=50273 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=37 | option_b=36 | option_c=31 | option_d=41 | answer=B | explanation=The common difference is 5. Therefore the next term is 31 + 5 = 36.

id=50274 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 46? | option_a=46 | option_b=13 | option_c=33 | option_d=23 | answer=A | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 46 is the odd one out.

id=50275 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=12 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=50276 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=50277 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11451 at 12% per annum for 2 years. | option_a=14199 | option_b=2648 | option_c=2748 | option_d=2848 | answer=C | explanation=SI = PRT/100 = 11451×12×2/100 = **■**2748.

id=50278 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:15 and the first is 110, what is the second? | option_a=165 | option_b=175 | option_c=275 | option_d=150 | answer=A | explanation=Scale factor = 110/10 = 11. Therefore second quantity = 15×11 = 165.

id=50279 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 21, 25, 32? | option_a=21 | option_b=17 | option_c=32 | option_d=25 | answer=C | explanation=The first three numbers increase by 4, so the next should be 29. Therefore 32 is the odd one out.

id=50280 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=Y | option_b=N | option_c=I | option_d=D | answer=C | explanation=Move 5 positions forward from D; the resulting letter is I.

Aptitude Questions — Records 50,281-50,310 of 100,000

id=50281 | topic=Averages | difficulty=Easy | question=Find the average of 27, 40, 71, 74, 95, 17, 96. | option_a=62 | option_b=61 | option_c=60 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = $420 \div 7 = 60$.

id=50282 | topic=Averages | difficulty=Easy | question=Find the average of 10, 12, 89, 52, 97, 94, 31. | option_a=54 | option_b=57 | option_c=55 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = $385 \div 7 = 55$.

id=50283 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $18/9 = 2$ days.

id=50284 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 36? | option_a=36 | option_b=26 | option_c=19 | option_d=12 | answer=A | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 36 is the odd one out.

id=50285 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 26, 35, 45? | option_a=35 | option_b=17 | option_c=45 | option_d=26 | answer=C | explanation=The first three numbers increase by 9, so the next should be 44. Therefore 45 is the odd one out.

id=50286 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32807 at 15% per annum for 2 years. | option_a=9942 | option_b=42649 | option_c=9742 | option_d=9842 | answer=D | explanation=SI = $PRT/100 = 32807 \times 15 \times 2/100 = \text{■}9842$.

id=50287 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2541. If it is sold at a profit of 40%, what is its selling price? | option_a=3303 | option_b=3557 | option_c=3811 | option_d=2581 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2541 \times 140/100 = \text{■}3557$.

id=50288 | topic=Averages | difficulty=Easy | question=Find the average of 64, 57, 38, 78, 21, 35, 29, 86. | option_a=53 | option_b=50 | option_c=52 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = $408 \div 8 = 51$.

id=50289 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 31, 43, 55, ? | option_a=79 | option_b=55 | option_c=68 | option_d=67 | answer=D | explanation=The common difference is 12. Therefore the next term is $55 + 12 = 67$.

id=50290 | topic=Percentages | difficulty=Easy | question=What is 50% of 1887? | option_a=943 | option_b=1886 | option_c=923 | option_d=953 | answer=A | explanation=50% of 1887 = $(50/100) \times 1887 = 943$.

id=50291 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2995. If it is sold at a profit of 50%, what is its selling price? | option_a=4791 | option_b=4492 | option_c=3045 | option_d=4193 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2995 \times 150/100 = \text{■}4492$.

id=50292 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $100/20 = 5$ days.

id=50293 | topic=Averages | difficulty=Easy | question=Find the average of 82, 55, 51, 27, 59, 20. | option_a=50 | option_b=49 | option_c=51 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = $294 \div 6 = 49$.

id=50294 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1547. If it is sold at a profit of 20%, what is its selling price? | option_a=1567 | option_b=2010 | option_c=1856 | option_d=1702 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1547 \times 120/100 = \text{■}1856$.

id=50295 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=16 | answer=A | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $64/16 = 4$ days.

id=50296 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $48/16 = 3$ days.

id=50297 | topic=Averages | difficulty=Easy | question=Find the average of 28, 10, 45, 16, 81, 75, 35, 78. | option_a=47 | option_b=48 | option_c=45 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = $368 \div 8 = 46$.

id=50298 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $240 \div 8 = 30$ km/h.

id=50299 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:18 and the first is 156, what is the second? | option_a=216 | option_b=198 | option_c=229 | option_d=372 | answer=A | explanation=Scale factor = $156/13 = 12$. Therefore second quantity = $18 \times 12 = 216$.

id=50300 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=G | option_c=I | option_d=C | answer=B | explanation=Move 2 positions forward from E; the resulting letter is G.

id=50301 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40681 at 4% per annum for 2 years. | option_a=3254 | option_b=3154 | option_c=3354 | option_d=43935 | answer=A | explanation=SI = $PRT/100 = 40681 \times 4 \times 2/100 = \text{■}3254$.

id=50302 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=46 | option_b=30 | option_c=38 | option_d=39 | answer=C | explanation=The common difference is 8. Therefore the next term is $30 + 8 = 38$.

id=50303 | topic=Percentages | difficulty=Easy | question=What is 50% of 1376? | option_a=688 | option_b=1376 | option_c=693 | option_d=688 | answer=D | explanation=50% of 1376 = $(50/100) \times 1376 = 688$.

id=50304 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $36/12 = 3$ days.

id=50305 | topic=Averages | difficulty=Easy | question=Find the average of 95, 31, 59, 61, 76, 46, 66. | option_a=63 | option_b=62 | option_c=64 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = $434 \div 7 = 62$.

id=50306 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=37 | option_b=59 | option_c=48 | option_d=49 | answer=C | explanation=The common difference is 11. Therefore the next term is $37 + 11 = 48$.

id=50307 | topic=Percentages | difficulty=Easy | question=What is 12% of 1919? | option_a=250 | option_b=220 | option_c=230 | option_d=460 | answer=C | explanation=12% of 1919 = $(12/100) \times 1919 = 230$.

id=50308 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=T | option_b=J | option_c=E | option_d=O | answer=D | explanation=Move 5 positions forward from J; the resulting letter is O.

id=50309 | topic=Percentages | difficulty=Easy | question=What is 15% of 925? | option_a=138 | option_b=276 | option_c=128 | option_d=158 | answer=A | explanation=15% of 925 = $(15/100) \times 925 = 138$.

id=50310 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = $\frac{1}{4} + \frac{1}{4} = \frac{8}{16}$. Time = $16/8 = 2$ days.

Aptitude Questions — Records 50,311-50,340 of 100,000

id=50311 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 22. | option_a=44 | option_b=66 | option_c=72 | option_d=132 | answer=B | explanation= $LCM \times HCF = 6 \times 22$; $HCF(6,22) = 2$, so $LCM = 66$.

id=50312 | topic=Percentages | difficulty=Easy | question=What is 30% of 962? | option_a=293 | option_b=576 | option_c=288 | option_d=268 | answer=C | explanation= 30% of $962 = (30/100) \times 962 = 288$.

id=50313 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 29? | option_a=24 | option_b=16 | option_c=29 | option_d=20 | answer=C | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 29 is the odd one out.

id=50314 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 18. | option_a=72 | option_b=90 | option_c=120 | option_d=540 | answer=B | explanation= $LCM \times HCF = 30 \times 18$; $HCF(30,18) = 6$, so $LCM = 90$.

id=50315 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1824. If it is sold at a profit of 15%, what is its selling price? | option_a=1915 | option_b=2097 | option_c=1839 | option_d=2279 | answer=B | explanation= $Selling\ price = CP \times (100 + profit\%)/100 = 1824 \times 115/100 = \text{█}2097$.

id=50316 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 20. | option_a=24 | option_b=20 | option_c=1 | option_d=80 | answer=B | explanation= $LCM \times HCF = 4 \times 20$; $HCF(4,20) = 4$, so $LCM = 20$.

id=50317 | topic=Profit & Loss | difficulty=Easy | question=An article costs █431. If it is sold at a profit of 5%, what is its selling price? | option_a=409 | option_b=452 | option_c=495 | option_d=436 | answer=B | explanation= $Selling\ price = CP \times (100 + profit\%)/100 = 431 \times 105/100 = \text{█}452$.

id=50318 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:14 and the first is 13, what is the second? | option_a=195 | option_b=183 | option_c=168 | option_d=182 | answer=D | explanation= $Scale\ factor = 13/1 = 13$. Therefore second quantity = $14 \times 13 = 182$.

id=50319 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=20 | option_d=5 | answer=D | explanation= $Combined\ rate = 1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=50320 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33701 at 4% per annum for 1 years. | option_a=1248 | option_b=1348 | option_c=35049 | option_d=1448 | answer=B | explanation= $SI = PRT/100 = 33701 \times 4 \times 1/100 = \text{█}1348$.

id=50321 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 18? | option_a=11 | option_b=7 | option_c=18 | option_d=3 | answer=C | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 18 is the odd one out.

id=50322 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=5 | option_d=6 | answer=C | explanation= $Combined\ rate = 1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=50323 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:12 and the first is 52, what is the second? | option_a=100 | option_b=61 | option_c=36 | option_d=48 | answer=D | explanation= $Scale\ factor = 52/13 = 4$. Therefore second quantity = $12 \times 4 = 48$.

id=50324 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 9, 13, 20? | option_a=9 | option_b=5 | option_c=20 | option_d=13 | answer=C | explanation=The first three numbers increase by 4, so the next should be 17. Therefore 20 is the odd one out.

id=50325 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=H | option_c=D | option_d=B | answer=A | explanation=Move 2 positions forward from D; the resulting letter is F.

id=50326 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=29 | option_b=30 | option_c=32 | option_d=26 | answer=A | explanation=The common difference is 3. Therefore the next term is $26 + 3 = 29$.

id=50327 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=144 | option_c=77 | option_d=67 | answer=A | explanation= $Speed = distance \div time = 360 \div 5 = 72\ km/h$.

id=50328 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=12 | answer=A | explanation= $Combined\ rate = 1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=50329 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:2 and the first is 160, what is the second? | option_a=30 | option_b=42 | option_c=192 | option_d=32 | answer=D | explanation= $Scale\ factor = 160/10 = 16$. Therefore second quantity = $2 \times 16 = 32$.

id=50330 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=Q | option_c=P | option_d=N | answer=C | explanation=Move 1 positions forward from O; the resulting letter is P.

id=50331 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation= $Combined\ rate = 1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=50332 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=15 | option_c=20 | option_d=40 | answer=C | explanation= $Speed = distance \div time = 60 \div 3 = 20\ km/h$.

id=50333 | topic=Averages | difficulty=Easy | question=Find the average of 39, 11, 80, 89, 79, 32, 16, 102. | option_a=56 | option_b=55 | option_c=58 | option_d=57 | answer=A | explanation= $Average = sum\ of\ values \div number\ of\ values = 448 \div 8 = 56$.

id=50334 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 10. | option_a=10 | option_b=24 | option_c=40 | option_d=20 | answer=D | explanation= $LCM \times HCF = 4 \times 10$; $HCF(4,10) = 2$, so $LCM = 20$.

id=50335 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=F | option_c=H | option_d=I | answer=C | explanation=Move 1 positions forward from G; the resulting letter is H.

id=50336 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation= $Combined\ rate = 1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=50337 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=29 | option_c=24 | option_d=19 | answer=C | explanation= $Speed = distance \div time = 120 \div 5 = 24\ km/h$.

id=50338 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:2 and the first is 28, what is the second? | option_a=56 | option_b=26 | option_c=28 | option_d=30 | answer=C | explanation= $Scale\ factor = 28/2 = 14$. Therefore second quantity = $2 \times 14 = 28$.

id=50339 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=6 | option_d=20 | answer=B | explanation= $Combined\ rate = 1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=50340 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 11, 14, 19? | option_a=8 | option_b=19 | option_c=14 | option_d=11 | answer=B | explanation=The first three numbers increase by 3, so the next should be 17. Therefore 19 is the odd one out.

Aptitude Questions — Records 50,341-50,370 of 100,000

id=50341 | topic=Averages | difficulty=Easy | question=Find the average of 62, 86, 72, 91, 89, 80, 62, 84, 22. | option_a=74 | option_b=73 | option_c=71 | option_d=72 | answer=D | explanation=Average = sum of values ÷ number of values = 648 ÷ 9 = 72.

id=50342 | topic=Percentages | difficulty=Easy | question=What is 15% of 138? | option_a=30 | option_b=40 | option_c=0 | option_d=20 | answer=D | explanation=15% of 138 = (15/100) × 138 = 20.

id=50343 | topic=Percentages | difficulty=Easy | question=What is 10% of 843? | option_a=89 | option_b=64 | option_c=168 | option_d=84 | answer=D | explanation=10% of 843 = (10/100) × 843 = 84.

id=50344 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=42 | option_b=52 | option_c=43 | option_d=32 | answer=A | explanation=The common difference is 10. Therefore the next term is 32 + 10 = 42.

id=50345 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=L | option_b=R | option_c=N | option_d=P | answer=D | explanation=Move 2 positions forward from N; the resulting letter is P.

id=50346 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:19 and the first is 60, what is the second? | option_a=95 | option_b=76 | option_c=107 | option_d=155 | answer=A | explanation=Scale factor = 60/12 = 5. Therefore second quantity = 19×5 = 95.

id=50347 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19350 at 6% per annum for 4 years. | option_a=23994 | option_b=4644 | option_c=4544 | option_d=4744 | answer=B | explanation=SI = PRT/100 = 19350×6×4/100 = **■**4644.

id=50348 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28660 at 8% per annum for 5 years. | option_a=40124 | option_b=11564 | option_c=11464 | option_d=11364 | answer=C | explanation=SI = PRT/100 = 28660×8×5/100 = **■**11464.

id=50349 | topic=Averages | difficulty=Easy | question=Find the average of 89, 68, 17. | option_a=58 | option_b=57 | option_c=59 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 174 ÷ 3 = 58.

id=50350 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 45? | option_a=45 | option_b=34 | option_c=18 | option_d=26 | answer=A | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 45 is the odd one out.

id=50351 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=Q | option_c=U | option_d=W | answer=C | explanation=Move 2 positions forward from S; the resulting letter is U.

id=50352 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=I | option_c=M | option_d=A | answer=B | explanation=Move 4 positions forward from E; the resulting letter is I.

id=50353 | topic=Percentages | difficulty=Easy | question=What is 40% of 1753? | option_a=701 | option_b=721 | option_c=1402 | option_d=681 | answer=A | explanation=40% of 1753 = (40/100) × 1753 = 701.

id=50354 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=C | option_c=O | option_d=K | answer=D | explanation=Move 4 positions forward from G; the resulting letter is K.

id=50355 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:20 and the first is 190, what is the second? | option_a=200 | option_b=390 | option_c=219 | option_d=180 | answer=A | explanation=Scale factor = 190/19 = 10. Therefore second quantity = 20×10 = 200.

id=50356 | topic=Percentages | difficulty=Easy | question=What is 20% of 893? | option_a=178 | option_b=168 | option_c=183 | option_d=356 | answer=A | explanation=20% of 893 = (20/100) × 893 = 178.

id=50357 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=C | option_b=Y | option_c=Q | option_d=U | answer=B | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=50358 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=K | option_c=L | option_d=J | answer=C | explanation=Move 1 positions forward from K; the resulting letter is L.

id=50359 | topic=Averages | difficulty=Easy | question=Find the average of 22, 89, 10, 94, 65, 85, 25, 91, 79, 40. | option_a=60 | option_b=59 | option_c=61 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=50360 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:5 and the first is 306, what is the second? | option_a=107 | option_b=396 | option_c=90 | option_d=85 | answer=C | explanation=Scale factor = 306/17 = 18. Therefore second quantity = 5×18 = 90.

id=50361 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2738. If it is sold at a profit of 50%, what is its selling price? | option_a=4107 | option_b=4380 | option_c=3834 | option_d=2788 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2738 × 150/100 = **■**4107.

id=50362 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=32 | option_b=26 | option_c=36 | option_d=31 | answer=D | explanation=The common difference is 5. Therefore the next term is 26 + 5 = 31.

id=50363 | topic=Percentages | difficulty=Easy | question=What is 40% of 70? | option_a=8 | option_b=28 | option_c=56 | option_d=48 | answer=B | explanation=40% of 70 = (40/100) × 70 = 28.

id=50364 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=Y | option_c=M | option_d=U | answer=D | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=50365 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:14 and the first is 48, what is the second? | option_a=118 | option_b=112 | option_c=98 | option_d=160 | answer=B | explanation=Scale factor = 48/6 = 8. Therefore second quantity = 14×8 = 112.

id=50366 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49320 at 12% per annum for 3 years. | option_a=17655 | option_b=67075 | option_c=17855 | option_d=17755 | answer=D | explanation=SI = PRT/100 = 49320×12×3/100 = **■**17755.

id=50367 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=50368 | topic=Percentages | difficulty=Easy | question=What is 20% of 404? | option_a=70 | option_b=90 | option_c=80 | option_d=160 | answer=C | explanation=20% of 404 = (20/100) × 404 = 80.

id=50369 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=35 | option_b=53 | option_c=45 | option_d=44 | answer=D | explanation=The common difference is 9. Therefore the next term is 35 + 9 = 44.

id=50370 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 26, 32, 41? | option_a=32 | option_b=20 | option_c=41 | option_d=26 | answer=C | explanation=The first three numbers increase by 6, so the next should be 38. Therefore 41 is the odd one out.

Aptitude Questions — Records 50,371-50,400 of 100,000

id=50371 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:4 and the first is 8, what is the second? | option_a=12 | option_b=18 | option_c=24 | option_d=16 | answer=D | explanation=Scale factor = $\frac{8}{2} = 4$. Therefore second quantity = $4 \times 4 = 16$.

id=50372 | topic=Averages | difficulty=Easy | question=Find the average of 76, 54, 11, 86, 72, 99, 82, 53, 14, 93. | option_a=66 | option_b=64 | option_c=65 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{640}{10} = 64$.

id=50373 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:14 and the first is 306, what is the second? | option_a=224 | option_b=238 | option_c=256 | option_d=544 | answer=B | explanation=Scale factor = $\frac{306}{18} = 17$. Therefore second quantity = $14 \times 17 = 238$.

id=50374 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=70 | option_b=75 | option_c=150 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = $\frac{300}{4} = 75$ km/h.

id=50375 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=50376 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 8, 12, 19? | option_a=8 | option_b=4 | option_c=12 | option_d=19 | answer=D | explanation=The first three numbers increase by 4, so the next should be 16. Therefore 19 is the odd one out.

id=50377 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4551. If it is sold at a profit of 15%, what is its selling price? | option_a=4566 | option_b=4778 | option_c=5688 | option_d=5233 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4551 \times \frac{115}{100} = \text{█}5233$.

id=50378 | topic=Averages | difficulty=Easy | question=Find the average of 87, 67, 23, 14, 43, 60. | option_a=49 | option_b=50 | option_c=48 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{294}{6} = 49$.

id=50379 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

id=50380 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38541 at 10% per annum for 4 years. | option_a=53957 | option_b=15416 | option_c=15316 | option_d=15516 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{38541 \times 10 \times 4}{100} = \text{█}15416$.

id=50381 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 30. | option_a=1 | option_b=30 | option_c=300 | option_d=40 | answer=B | explanation= $LCM \times HCF = 10 \times 30$; $HCF(10, 30) = 10$, so $LCM = 30$.

id=50382 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=20 | option_c=30 | option_d=25 | answer=D | explanation=Speed = distance ÷ time = $\frac{150}{6} = 25$ km/h.

id=50383 | topic=Averages | difficulty=Easy | question=Find the average of 76, 24, 81, 31, 81, 55, 92, 47, 57, 56. | option_a=60 | option_b=61 | option_c=59 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{600}{10} = 60$.

id=50384 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=55 | option_b=67 | option_c=43 | option_d=56 | answer=A | explanation=The common difference is 12. Therefore the next term is $43 + 12 = 55$.

id=50385 | topic=Percentages | difficulty=Easy | question=What is 5% of 676? | option_a=43 | option_b=23 | option_c=33 | option_d=66 | answer=C | explanation= $5\% \text{ of } 676 = \frac{5}{100} \times 676 = 33$.

id=50386 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:9 and the first is 171, what is the second? | option_a=72 | option_b=100 | option_c=252 | option_d=81 | answer=D | explanation=Scale factor = $\frac{171}{19} = 9$. Therefore second quantity = $9 \times 9 = 81$.

id=50387 | topic=Averages | difficulty=Easy | question=Find the average of 15, 70, 21, 41, 65, 17, 21, 79, 28, 103. | option_a=46 | option_b=48 | option_c=47 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{460}{10} = 46$.

id=50388 | topic=Profit & Loss | difficulty=Easy | question=An article costs █797. If it is sold at a profit of 40%, what is its selling price? | option_a=1036 | option_b=837 | option_c=1115 | option_d=1194 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 797 \times \frac{140}{100} = \text{█}1115$.

id=50389 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 10, 15, 21? | option_a=21 | option_b=5 | option_c=10 | option_d=15 | answer=A | explanation=The first three numbers increase by 5, so the next should be 20. Therefore 21 is the odd one out.

id=50390 | topic=Averages | difficulty=Easy | question=Find the average of 70, 30, 68, 13, 39, 62, 40. | option_a=45 | option_b=48 | option_c=46 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{322}{7} = 46$.

id=50391 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=41 | option_b=35 | option_c=45 | option_d=40 | answer=D | explanation=The common difference is 5. Therefore the next term is $35 + 5 = 40$.

id=50392 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=43 | option_b=44 | option_c=52 | option_d=34 | answer=A | explanation=The common difference is 9. Therefore the next term is $34 + 9 = 43$.

id=50393 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=160 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = $\frac{240}{3} = 80$ km/h.

id=50394 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=E | option_c=K | option_d=N | answer=C | explanation=Move 3 positions forward from H; the resulting letter is K.

id=50395 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48668 at 5% per annum for 3 years. | option_a=55968 | option_b=7200 | option_c=7400 | option_d=7300 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{48668 \times 5 \times 3}{100} = \text{█}7300$.

id=50396 | topic=Percentages | difficulty=Easy | question=What is 30% of 538? | option_a=156 | option_b=161 | option_c=322 | option_d=166 | answer=B | explanation= $30\% \text{ of } 538 = \frac{30}{100} \times 538 = 161$.

id=50397 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=E | option_c=Y | option_d=A | answer=A | explanation=Move 2 positions forward from A; the resulting letter is C.

id=50398 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=25 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = $\frac{150}{6} = 25$ km/h.

id=50399 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35883 at 15% per annum for 2 years. | option_a=46647 | option_b=10764 | option_c=10864 | option_d=10664 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{35883 \times 15 \times 2}{100} = \text{█}10764$.

id=50400 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=47 | option_b=54 | option_c=38 | option_d=46 | answer=D | explanation=The common difference is 8. Therefore the next term is $38 + 8 = 46$.

Aptitude Questions — Records 50,401-50,430 of 100,000

id=50401 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24489 at 10% per annum for 4 years. | option_a=9795 | option_b=9895 | option_c=9695 | option_d=34284 | answer=A | explanation=SI = PRT/100 = 24489×10×4/100 = **■**9795.

id=50402 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=29 | option_c=24 | option_d=19 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=50403 | topic=Percentages | difficulty=Easy | question=What is 10% of 683? | option_a=68 | option_b=88 | option_c=58 | option_d=136 | answer=A | explanation=10% of 683 = (10/100) × 683 = 68.

id=50404 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=50405 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=50 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=50406 | topic=Averages | difficulty=Easy | question=Find the average of 72, 96, 76, 75, 12, 29, 46, 18. | option_a=52 | option_b=54 | option_c=53 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.

id=50407 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:2 and the first is 60, what is the second? | option_a=22 | option_b=72 | option_c=10 | option_d=12 | answer=D | explanation=Scale factor = 60/10 = 6. Therefore second quantity = 2×6 = 12.

id=50408 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:20 and the first is 165, what is the second? | option_a=385 | option_b=220 | option_c=200 | option_d=235 | answer=B | explanation=Scale factor = 165/15 = 11. Therefore second quantity = 20×11 = 220.

id=50409 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2129. If it is sold at a profit of 10%, what is its selling price? | option_a=2129 | option_b=2139 | option_c=2341 | option_d=2553 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2129 × 110/100 = **■**2341.

id=50410 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=23 | option_c=18 | option_d=36 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=50411 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 33? | option_a=16 | option_b=26 | option_c=21 | option_d=33 | answer=D | explanation=The first three numbers increase by 5, so the next should be 31. Therefore 33 is the odd one out.

id=50412 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 13, 16, 21? | option_a=21 | option_b=13 | option_c=16 | option_d=10 | answer=A | explanation=The first three numbers increase by 3, so the next should be 19. Therefore 21 is the odd one out.

id=50413 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5796 at 6% per annum for 2 years. | option_a=795 | option_b=6491 | option_c=695 | option_d=595 | answer=C | explanation=SI = PRT/100 = 5796×6×2/100 = **■**695.

id=50414 | topic=Percentages | difficulty=Easy | question=What is 15% of 62? | option_a=0 | option_b=9 | option_c=18 | option_d=19 | answer=B | explanation=15% of 62 = (15/100) × 62 = 9.

id=50415 | topic=Percentages | difficulty=Easy | question=What is 12% of 685? | option_a=72 | option_b=102 | option_c=82 | option_d=164 | answer=C | explanation=12% of 685 = (12/100) × 685 = 82.

id=50416 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1030. If it is sold at a profit of 40%, what is its selling price? | option_a=1339 | option_b=1070 | option_c=1545 | option_d=1442 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1030 × 140/100 = **■**1442.

id=50417 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=90 | option_c=85 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=50418 | topic=Averages | difficulty=Easy | question=Find the average of 48, 88, 13, 94, 57, 42. | option_a=58 | option_b=59 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 342 ÷ 6 = 57.

id=50419 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4515. If it is sold at a profit of 5%, what is its selling price? | option_a=5191 | option_b=4289 | option_c=4740 | option_d=4520 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4515 × 105/100 = **■**4740.

id=50420 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1189. If it is sold at a profit of 40%, what is its selling price? | option_a=1664 | option_b=1229 | option_c=1782 | option_d=1546 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1189 × 140/100 = **■**1664.

id=50421 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=35 | option_b=39 | option_c=34 | option_d=29 | answer=C | explanation=The common difference is 5. Therefore the next term is 29 + 5 = 34.

id=50422 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:19 and the first is 176, what is the second? | option_a=285 | option_b=480 | option_c=304 | option_d=315 | answer=C | explanation=Scale factor = 176/11 = 16. Therefore second quantity = 19×16 = 304.

id=50423 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=50424 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9487 at 15% per annum for 3 years. | option_a=13756 | option_b=4369 | option_c=4169 | option_d=4269 | answer=D | explanation=SI = PRT/100 = 9487×15×3/100 = **■**4269.

id=50425 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42018 at 12% per annum for 2 years. | option_a=52102 | option_b=9984 | option_c=10184 | option_d=10084 | answer=D | explanation=SI = PRT/100 = 42018×12×2/100 = **■**10084.

id=50426 | topic=Percentages | difficulty=Easy | question=What is 10% of 1187? | option_a=113 | option_b=138 | option_c=118 | option_d=236 | answer=C | explanation=10% of 1187 = (10/100) × 1187 = 118.

id=50427 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=77 | option_b=66 | option_c=65 | option_d=53 | answer=C | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.

id=50428 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=Z | option_c=N | option_d=R | answer=A | explanation=Move 4 positions forward from R; the resulting letter is V.

id=50429 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=21 | option_b=18 | option_c=15 | option_d=19 | answer=B | explanation=The common difference is 3. Therefore the next term is 15 + 3 = 18.

id=50430 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=125 | option_c=120 | option_d=115 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

Aptitude Questions — Records 50,431-50,460 of 100,000

id=50431 | topic=Averages | difficulty=Easy | question=Find the average of 78, 23, 85, 19, 23, 12. | option_a=42 | option_b=39 | option_c=40 | option_d=41 | answer=C | explanation=Average = sum of values ÷ number of values = 240 ÷ 6 = 40.

id=50432 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:2 and the first is 99, what is the second? | option_a=31 | option_b=121 | option_c=20 | option_d=22 | answer=D | explanation=Scale factor = 99/9 = 11. Therefore second quantity = 2×11 = 22.

id=50433 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=43 | option_b=53 | option_c=63 | option_d=54 | answer=B | explanation=The common difference is 10. Therefore the next term is 43 + 10 = 53.

id=50434 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=70 | option_c=75 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=50435 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1327. If it is sold at a profit of 10%, what is its selling price? | option_a=1337 | option_b=1459 | option_c=1591 | option_d=1327 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1327 × 110/100 = █1459.

id=50436 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=63 | option_b=53 | option_c=43 | option_d=54 | answer=B | explanation=The common difference is 10. Therefore the next term is 43 + 10 = 53.

id=50437 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=10 | option_b=12 | option_c=14 | option_d=13 | answer=B | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.

id=50438 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 9. | option_a=18 | option_b=1 | option_c=81 | option_d=9 | answer=D | explanation=LCM × HCF = 9×9; HCF(9,9) = 9, so LCM = 9.

id=50439 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=50440 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=39 | option_b=38 | option_c=32 | option_d=44 | answer=B | explanation=The common difference is 6. Therefore the next term is 32 + 6 = 38.

id=50441 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=P | option_b=U | option_c=Z | option_d=E | answer=C | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=50442 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3311. If it is sold at a profit of 50%, what is its selling price? | option_a=5297 | option_b=3361 | option_c=4966 | option_d=4635 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3311 × 150/100 = █4966.

id=50443 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1207. If it is sold at a profit of 30%, what is its selling price? | option_a=1449 | option_b=1689 | option_c=1569 | option_d=1237 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1207 × 130/100 = █1569.

id=50444 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26026 at 6% per annum for 2 years. | option_a=3123 | option_b=3023 | option_c=3223 | option_d=29149 | answer=A | explanation=SI = PRT/100 = 26026×6×2/100 = █3123.

id=50445 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:1 and the first is 39, what is the second? | option_a=42 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Scale factor = 39/13 = 3. Therefore second quantity = 1×3 = 3.

id=50446 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=50447 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 15? | option_a=8 | option_b=15 | option_c=12 | option_d=10 | answer=B | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 15 is the odd one out.

id=50448 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=L | option_b=B | option_c=G | option_d=W | answer=C | explanation=Move 5 positions forward from B; the resulting letter is G.

id=50449 | topic=Percentages | difficulty=Easy | question=What is 30% of 1106? | option_a=662 | option_b=331 | option_c=341 | option_d=326 | answer=B | explanation=30% of 1106 = (30/100) × 1106 = 331.

id=50450 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 26. | option_a=260 | option_b=520 | option_c=234 | option_d=280 | answer=A | explanation=LCM × HCF = 20×26; HCF(20,26) = 2, so LCM = 260.

id=50451 | topic=Percentages | difficulty=Easy | question=What is 20% of 556? | option_a=91 | option_b=111 | option_c=131 | option_d=222 | answer=B | explanation=20% of 556 = (20/100) × 556 = 111.

id=50452 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=50453 | topic=Percentages | difficulty=Easy | question=What is 40% of 1117? | option_a=426 | option_b=892 | option_c=446 | option_d=456 | answer=C | explanation=40% of 1117 = (40/100) × 1117 = 446.

id=50454 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=35 | option_b=29 | option_c=36 | option_d=41 | answer=A | explanation=The common difference is 6. Therefore the next term is 29 + 6 = 35.

id=50455 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44672 at 10% per annum for 5 years. | option_a=22436 | option_b=67008 | option_c=22336 | option_d=22236 | answer=C | explanation=SI = PRT/100 = 44672×10×5/100 = █22336.

id=50456 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=29 | option_b=45 | option_c=37 | option_d=38 | answer=C | explanation=The common difference is 8. Therefore the next term is 29 + 8 = 37.

id=50457 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42138 at 15% per annum for 4 years. | option_a=25382 | option_b=25182 | option_c=67420 | option_d=25282 | answer=D | explanation=SI = PRT/100 = 42138×15×4/100 = █25282.

id=50458 | topic=Percentages | difficulty=Easy | question=What is 25% of 834? | option_a=416 | option_b=208 | option_c=198 | option_d=218 | answer=B | explanation=25% of 834 = (25/100) × 834 = 208.

id=50459 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=D | option_c=B | option_d=E | answer=B | explanation=Move 1 positions forward from C; the resulting letter is D.

id=50460 | topic=Averages | difficulty=Easy | question=Find the average of 34, 84, 93, 79, 34, 27, 32, 17, 68. | option_a=54 | option_b=53 | option_c=51 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 468 ÷ 9 = 52.

Aptitude Questions — Records 50,461-50,490 of 100,000

id=50461 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 26. | option_a=140 | option_b=130 | option_c=260 | option_d=104 | answer=B | explanation=LCM × HCF = 10×26; HCF(10,26) = 2, so LCM = 130.

id=50462 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:4 and the first is 323, what is the second? | option_a=64 | option_b=68 | option_c=87 | option_d=391 | answer=B | explanation=Scale factor = 323/19 = 17. Therefore second quantity = 4×17 = 68.

id=50463 | topic=Averages | difficulty=Easy | question=Find the average of 35, 46, 33, 12, 55, 77, 29. | option_a=43 | option_b=40 | option_c=41 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = 287 ÷ 7 = 41.

id=50464 | topic=Percentages | difficulty=Easy | question=What is 5% of 968? | option_a=96 | option_b=38 | option_c=48 | option_d=58 | answer=C | explanation=5% of 968 = (5/100) × 968 = 48.

id=50465 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31567 at 5% per annum for 3 years. | option_a=36302 | option_b=4835 | option_c=4635 | option_d=4735 | answer=D | explanation=SI = PRT/100 = 31567×5×3/100 = **■**4735.

id=50466 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14828 at 15% per annum for 4 years. | option_a=8896 | option_b=8996 | option_c=23724 | option_d=8796 | answer=A | explanation=SI = PRT/100 = 14828×15×4/100 = **■**8896.

id=50467 | topic=Percentages | difficulty=Easy | question=What is 12% of 396? | option_a=57 | option_b=47 | option_c=94 | option_d=37 | answer=B | explanation=12% of 396 = (12/100) × 396 = 47.

id=50468 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24250 at 15% per annum for 4 years. | option_a=14650 | option_b=38800 | option_c=14550 | option_d=14450 | answer=C | explanation=SI = PRT/100 = 24250×15×4/100 = **■**14550.

id=50469 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45419 at 6% per annum for 4 years. | option_a=56319 | option_b=10900 | option_c=10800 | option_d=11000 | answer=B | explanation=SI = PRT/100 = 45419×6×4/100 = **■**10900.

id=50470 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=85 | option_c=75 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=50471 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=180 | option_c=85 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=50472 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=29 | option_b=36 | option_c=35 | option_d=41 | answer=C | explanation=The common difference is 6. Therefore the next term is 29 + 6 = 35.

id=50473 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:6 and the first is 132, what is the second? | option_a=198 | option_b=66 | option_c=78 | option_d=60 | answer=B | explanation=Scale factor = 132/12 = 11. Therefore second quantity = 6×11 = 66.

id=50474 | topic=Averages | difficulty=Easy | question=Find the average of 56, 41, 49, 34. | option_a=46 | option_b=45 | option_c=44 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 180 ÷ 4 = 45.

id=50475 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2886. If it is sold at a profit of 30%, what is its selling price? | option_a=3463 | option_b=2916 | option_c=4039 | option_d=3751 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2886 × 130/100 = **■**3751.

id=50476 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=50477 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=V | option_c=W | option_d=T | answer=B | explanation=Move 1 positions forward from U; the resulting letter is V.

id=50478 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:9 and the first is 36, what is the second? | option_a=164 | option_b=198 | option_c=153 | option_d=162 | answer=D | explanation=Scale factor = 36/2 = 18. Therefore second quantity = 9×18 = 162.

id=50479 | topic=Percentages | difficulty=Easy | question=What is 15% of 1777? | option_a=532 | option_b=256 | option_c=266 | option_d=271 | answer=C | explanation=15% of 1777 = (15/100) × 1777 = 266.

id=50480 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=4 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=50481 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 30. | option_a=1 | option_b=30 | option_c=45 | option_d=450 | answer=B | explanation=LCM × HCF = 15×30; HCF(15,30) = 15, so LCM = 30.

id=50482 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=27 | option_b=24 | option_c=25 | option_d=21 | answer=B | explanation=The common difference is 3. Therefore the next term is 21 + 3 = 24.

id=50483 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=24 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=50484 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38472 at 4% per annum for 1 years. | option_a=40010 | option_b=1638 | option_c=1538 | option_d=1438 | answer=C | explanation=SI = PRT/100 = 38472×4×1/100 = **■**1538.

id=50485 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=L | option_c=W | option_d=G | answer=D | explanation=Move 5 positions forward from B; the resulting letter is G.

id=50486 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19859 at 6% per annum for 3 years. | option_a=3474 | option_b=3574 | option_c=3674 | option_d=23433 | answer=B | explanation=SI = PRT/100 = 19859×6×3/100 = **■**3574.

id=50487 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=K | option_c=G | option_d=Y | answer=C | explanation=Move 4 positions forward from C; the resulting letter is G.

id=50488 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 25, 31, 38? | option_a=19 | option_b=31 | option_c=38 | option_d=25 | answer=C | explanation=The first three numbers increase by 6, so the next should be 37. Therefore 38 is the odd one out.

id=50489 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 21, 30, 39, ? | option_a=39 | option_b=48 | option_c=49 | option_d=57 | answer=B | explanation=The common difference is 9. Therefore the next term is 39 + 9 = 48.

id=50490 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3986. If it is sold at a profit of 40%, what is its selling price? | option_a=5182 | option_b=4026 | option_c=5580 | option_d=5978 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3986 × 140/100 = **■**5580.

Aptitude Questions — Records 50,491-50,520 of 100,000

id=50491 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1111. If it is sold at a profit of 5%, what is its selling price? | option_a=1166 | option_b=1277 | option_c=1055 | option_d=1116 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1111 × 105/100 = █1166.

id=50492 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=57 | option_b=67 | option_c=47 | option_d=58 | answer=A | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

id=50493 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=42 | option_b=52 | option_c=43 | option_d=32 | answer=A | explanation=The common difference is 10. Therefore the next term is 32 + 10 = 42.

id=50494 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45131 at 12% per annum for 1 years. | option_a=50546 | option_b=5315 | option_c=5415 | option_d=5515 | answer=C | explanation=SI = PRT/100 = 45131×12×1/100 = █5415.

id=50495 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=50496 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=B | option_b=R | option_c=M | option_d=W | answer=D | explanation=Move 5 positions forward from R; the resulting letter is W.

id=50497 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:5 and the first is 52, what is the second? | option_a=65 | option_b=117 | option_c=60 | option_d=69 | answer=A | explanation=Scale factor = 52/4 = 13. Therefore second quantity = 5×13 = 65.

id=50498 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 34, ? | option_a=15 | option_b=24 | option_c=34 | option_d=6 | answer=C | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 34 is the odd one out.

id=50499 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 10, 15, 20, ? | option_a=25 | option_b=26 | option_c=20 | option_d=30 | answer=A | explanation=The common difference is 5. Therefore the next term is 20 + 5 = 25.

id=50500 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=13 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=50501 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2761. If it is sold at a profit of 30%, what is its selling price? | option_a=3865 | option_b=3589 | option_c=2791 | option_d=3313 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2761 × 130/100 = █3589.

id=50502 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=31 | option_c=36 | option_d=72 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=50503 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 31, 43, 55, ? | option_a=68 | option_b=67 | option_c=79 | option_d=55 | answer=B | explanation=The common difference is 12. Therefore the next term is 55 + 12 = 67.

id=50504 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=31 | option_b=34 | option_c=30 | option_d=26 | answer=C | explanation=The common difference is 4. Therefore the next term is 26 + 4 = 30.

id=50505 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=50506 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=50507 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=50508 | topic=Percentages | difficulty=Easy | question=What is 30% of 294? | option_a=176 | option_b=98 | option_c=68 | option_d=88 | answer=D | explanation=30% of 294 = (30/100) × 294 = 88.

id=50509 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=50510 | topic=Averages | difficulty=Easy | question=Find the average of 26, 56, 51, 24, 46, 72, 72, 41, 58, 74. | option_a=53 | option_b=51 | option_c=54 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 520 ÷ 10 = 52.

id=50511 | topic=Averages | difficulty=Easy | question=Find the average of 65, 20, 37, 97, 57, 37, 53, 90. | option_a=59 | option_b=57 | option_c=58 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

id=50512 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=50513 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3087. If it is sold at a profit of 25%, what is its selling price? | option_a=4166 | option_b=3550 | option_c=3858 | option_d=3112 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3087 × 125/100 = █3858.

id=50514 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=50515 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=G | option_b=V | option_c=Q | option_d=L | answer=C | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=50516 | topic=Averages | difficulty=Easy | question=Find the average of 81, 77, 99, 86, 69, 57, 78, 91, 55. | option_a=79 | option_b=78 | option_c=77 | option_d=76 | answer=C | explanation=Average = sum of values ÷ number of values = 693 ÷ 9 = 77.

id=50517 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=50518 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 26. | option_a=260 | option_b=234 | option_c=520 | option_d=280 | answer=A | explanation=LCM × HCF = 20×26; HCF(20,26) = 2, so LCM = 260.

id=50519 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=50520 | topic=Averages | difficulty=Easy | question=Find the average of 24, 94, 96, 18. | option_a=58 | option_b=57 | option_c=60 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 232 ÷ 4 = 58.

Aptitude Questions — Records 50,521-50,550 of 100,000

id=50521 | topic=Averages | difficulty=Easy | question=Find the average of 92, 96, 18, 19, 28, 11, 37. | option_a=43 | option_b=42 | option_c=45 | option_d=44 | answer=A | explanation=Average = sum of values ÷ number of values = 301 ÷ 7 = 43.

id=50522 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=X | option_b=T | option_c=R | option_d=V | answer=D | explanation=Move 2 positions forward from T; the resulting letter is V.

id=50523 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=50 | option_c=30 | option_d=25 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=50524 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 12, 21, 30, ? | option_a=40 | option_b=39 | option_c=30 | option_d=48 | answer=B | explanation=The common difference is 9. Therefore the next term is 30 + 9 = 39.

id=50525 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:13 and the first is 361, what is the second? | option_a=234 | option_b=266 | option_c=608 | option_d=247 | answer=D | explanation=Scale factor = 361/19 = 19. Therefore second quantity = 13×19 = 247.

id=50526 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:14 and the first is 88, what is the second? | option_a=98 | option_b=200 | option_c=123 | option_d=112 | answer=D | explanation=Scale factor = 88/11 = 8. Therefore second quantity = 14×8 = 112.

id=50527 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 15, 22, 29, ? | option_a=36 | option_b=29 | option_c=43 | option_d=37 | answer=A | explanation=The common difference is 7. Therefore the next term is 29 + 7 = 36.

id=50528 | topic=Averages | difficulty=Easy | question=Find the average of 100, 20, 10, 47, 92, 33, 13. | option_a=47 | option_b=46 | option_c=44 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 315 ÷ 7 = 45.

id=50529 | topic=Percentages | difficulty=Easy | question=What is 10% of 1650? | option_a=330 | option_b=165 | option_c=185 | option_d=160 | answer=B | explanation=10% of 1650 = (10/100) × 1650 = 165.

id=50530 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12599 at 15% per annum for 1 years. | option_a=1889 | option_b=1989 | option_c=14488 | option_d=1789 | answer=A | explanation=SI = PRT/100 = 12599×15×1/100 = **■**1889.

id=50531 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=B | option_c=H | option_d=K | answer=C | explanation=Move 3 positions forward from E; the resulting letter is H.

id=50532 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3406 at 5% per annum for 5 years. | option_a=951 | option_b=751 | option_c=851 | option_d=4257 | answer=C | explanation=SI = PRT/100 = 3406×5×5/100 = **■**851.

id=50533 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 19, 22, 25, ? | option_a=28 | option_b=25 | option_c=29 | option_d=31 | answer=A | explanation=The common difference is 3. Therefore the next term is 25 + 3 = 28.

id=50534 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42130 at 15% per annum for 2 years. | option_a=12539 | option_b=12739 | option_c=54769 | option_d=12639 | answer=D | explanation=SI = PRT/100 = 42130×15×2/100 = **■**12639.

id=50535 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31695 at 8% per annum for 3 years. | option_a=7506 | option_b=7606 | option_c=39301 | option_d=7706 | answer=B | explanation=SI = PRT/100 = 31695×8×3/100 = **■**7606.

id=50536 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=55 | option_b=48 | option_c=41 | option_d=49 | answer=B | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.

id=50537 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=31 | option_b=34 | option_c=30 | option_d=26 | answer=C | explanation=The common difference is 4. Therefore the next term is 26 + 4 = 30.

id=50538 | topic=Averages | difficulty=Easy | question=Find the average of 76, 46, 67, 47, 48, 22, 65. | option_a=54 | option_b=52 | option_c=55 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 371 ÷ 7 = 53.

id=50539 | topic=Averages | difficulty=Easy | question=Find the average of 13, 14, 18. | option_a=17 | option_b=14 | option_c=16 | option_d=15 | answer=D | explanation=Average = sum of values ÷ number of values = 45 ÷ 3 = 15.

id=50540 | topic=Averages | difficulty=Easy | question=Find the average of 27, 48, 70, 50, 94, 71. | option_a=59 | option_b=61 | option_c=62 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 360 ÷ 6 = 60.

id=50541 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=50542 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=38 | option_b=30 | option_c=34 | option_d=35 | answer=C | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.

id=50543 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=K | option_c=O | option_d=M | answer=C | explanation=Move 2 positions forward from M; the resulting letter is O.

id=50544 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=50 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=50545 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=A | option_b=E | option_c=I | option_d=M | answer=C | explanation=Move 4 positions forward from E; the resulting letter is I.

id=50546 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=49 | option_b=41 | option_c=31 | option_d=40 | answer=D | explanation=The common difference is 9. Therefore the next term is 31 + 9 = 40.

id=50547 | topic=Averages | difficulty=Easy | question=Find the average of 23, 45, 10, 76, 18, 15, 63, 67, 56, 77. | option_a=47 | option_b=45 | option_c=44 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 450 ÷ 10 = 45.

id=50548 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=50549 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=Y | option_c=D | option_d=O | answer=B | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=50550 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 30, 33, 38? | option_a=27 | option_b=30 | option_c=33 | option_d=38 | answer=D | explanation=The first three numbers increase by 3, so the next should be 36. Therefore 38 is the odd one out.

Aptitude Questions — Records 50,551-50,580 of 100,000

id=50551 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1736. If it is sold at a profit of 40%, what is its selling price? | option_a=1776 | option_b=2257 | option_c=2603 | option_d=2430 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1736 \times 140/100 = \text{■}2430$.

id=50552 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=67 | option_c=144 | option_d=77 | answer=A | explanation=Speed = distance ÷ time = $360 \div 5 = 72$ km/h.

id=50553 | topic=Averages | difficulty=Easy | question=Find the average of 26, 66, 67. | option_a=55 | option_b=54 | option_c=53 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = $159 \div 3 = 53$.

id=50554 | topic=Averages | difficulty=Easy | question=Find the average of 99, 20, 71, 78. | option_a=68 | option_b=67 | option_c=66 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = $268 \div 4 = 67$.

id=50555 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=47 | option_b=46 | option_c=37 | option_d=55 | answer=B | explanation=The common difference is 9. Therefore the next term is $37 + 9 = 46$.

id=50556 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=150 | option_c=300 | option_d=145 | answer=B | explanation=Speed = distance ÷ time = $300 \div 2 = 150$ km/h.

id=50557 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 34? | option_a=34 | option_b=26 | option_c=19 | option_d=12 | answer=A | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 34 is the odd one out.

id=50558 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21142 at 10% per annum for 5 years. | option_a=10471 | option_b=10671 | option_c=31713 | option_d=10571 | answer=D | explanation=SI = $PRT/100 = 21142 \times 10 \times 5/100 = \text{■}10571$.

id=50559 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28814 at 5% per annum for 1 years. | option_a=1540 | option_b=1340 | option_c=30254 | option_d=1440 | answer=D | explanation=SI = $PRT/100 = 28814 \times 5 \times 1/100 = \text{■}1440$.

id=50560 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 17, 23, 32? | option_a=23 | option_b=11 | option_c=32 | option_d=17 | answer=C | explanation=The first three numbers increase by 6, so the next should be 29. Therefore 32 is the odd one out.

id=50561 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 14. | option_a=14 | option_b=98 | option_c=21 | option_d=1 | answer=A | explanation=LCM × HCF = 7×14 ; $HCF(7,14) = 7$, so LCM = 14.

id=50562 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=50563 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=1 | option_c=11 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = $60 \div 10 = 6$ km/h.

id=50564 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**245. If it is sold at a profit of 40%, what is its selling price? | option_a=367 | option_b=319 | option_c=285 | option_d=343 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 245 \times 140/100 = \text{■}343$.

id=50565 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 198, what is the second? | option_a=486 | option_b=288 | option_c=299 | option_d=272 | answer=B | explanation=Scale factor = $198/11 = 18$. Therefore second quantity = $16 \times 18 = 288$.

id=50566 | topic=Averages | difficulty=Easy | question=Find the average of 55, 52, 98, 31. | option_a=61 | option_b=59 | option_c=60 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = $236 \div 4 = 59$.

id=50567 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3704. If it is sold at a profit of 10%, what is its selling price? | option_a=4074 | option_b=4444 | option_c=3704 | option_d=3714 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3704 \times 110/100 = \text{■}4074$.

id=50568 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=23 | option_b=20 | option_c=26 | option_d=24 | answer=A | explanation=The common difference is 3. Therefore the next term is $20 + 3 = 23$.

id=50569 | topic=Averages | difficulty=Easy | question=Find the average of 49, 43, 14, 46, 99, 42, 36. | option_a=47 | option_b=46 | option_c=49 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = $329 \div 7 = 47$.

id=50570 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 50? | option_a=30 | option_b=50 | option_c=39 | option_d=21 | answer=B | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 50 is the odd one out.

id=50571 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16193 at 12% per annum for 5 years. | option_a=9715 | option_b=9815 | option_c=25908 | option_d=9615 | answer=A | explanation=SI = $PRT/100 = 16193 \times 12 \times 5/100 = \text{■}9715$.

id=50572 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=50573 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=12 | option_b=13 | option_c=9 | option_d=11 | answer=D | explanation=The common difference is 2. Therefore the next term is $9 + 2 = 11$.

id=50574 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 4. | option_a=48 | option_b=52 | option_c=104 | option_d=78 | answer=B | explanation=LCM × HCF = 26×4 ; $HCF(26,4) = 2$, so LCM = 52.

id=50575 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:14 and the first is 26, what is the second? | option_a=14 | option_b=54 | option_c=28 | option_d=41 | answer=C | explanation=Scale factor = $26/13 = 2$. Therefore second quantity = $14 \times 2 = 28$.

id=50576 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 37, 46, 57? | option_a=46 | option_b=57 | option_c=37 | option_d=28 | answer=B | explanation=The first three numbers increase by 9, so the next should be 55. Therefore 57 is the odd one out.

id=50577 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 34? | option_a=34 | option_b=21 | option_c=26 | option_d=16 | answer=A | explanation=The first three numbers increase by 5, so the next should be 31. Therefore 34 is the odd one out.

id=50578 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=80 | option_b=69 | option_c=68 | option_d=56 | answer=C | explanation=The common difference is 12. Therefore the next term is $56 + 12 = 68$.

id=50579 | topic=Averages | difficulty=Easy | question=Find the average of 99, 60, 35, 50, 46, 94. | option_a=66 | option_b=64 | option_c=63 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = $384 \div 6 = 64$.

id=50580 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22504 at 8% per annum for 1 years. | option_a=1700 | option_b=1900 | option_c=1800 | option_d=24304 | answer=C | explanation=SI = $PRT/100 = 22504 \times 8 \times 1/100 = \text{■}1800$.

Aptitude Questions — Records 50,581-50,610 of 100,000

id=50581 | topic=Percentages | difficulty=Easy | question=What is 30% of 1260? | option_a=756 | option_b=378 | option_c=398 | option_d=358 | answer=B | explanation=30% of 1260 = (30/100) × 1260 = 378.

id=50582 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4690. If it is sold at a profit of 5%, what is its selling price? | option_a=4924 | option_b=4695 | option_c=5393 | option_d=4455 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4690 × 105/100 = █4924.

id=50583 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=50584 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:4 and the first is 42, what is the second? | option_a=52 | option_b=59 | option_c=98 | option_d=56 | answer=D | explanation=Scale factor = 42/3 = 14. Therefore second quantity = 4×14 = 56.

id=50585 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=50586 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23555 at 15% per annum for 4 years. | option_a=14033 | option_b=14233 | option_c=37688 | option_d=14133 | answer=D | explanation=SI = PRT/100 = 23555×15×4/100 = █14133.

id=50587 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27694 at 10% per annum for 2 years. | option_a=33232 | option_b=5438 | option_c=5538 | option_d=5638 | answer=C | explanation=SI = PRT/100 = 27694×10×2/100 = █5538.

id=50588 | topic=Percentages | difficulty=Easy | question=What is 40% of 1342? | option_a=1072 | option_b=516 | option_c=541 | option_d=536 | answer=D | explanation=40% of 1342 = (40/100) × 1342 = 536.

id=50589 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 33? | option_a=25 | option_b=33 | option_c=15 | option_d=20 | answer=B | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 33 is the odd one out.

id=50590 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1793. If it is sold at a profit of 30%, what is its selling price? | option_a=2151 | option_b=2509 | option_c=1823 | option_d=2330 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1793 × 130/100 = █2330.

id=50591 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=F | option_b=J | option_c=N | option_d=R | answer=C | explanation=Move 4 positions forward from J; the resulting letter is N.

id=50592 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=40 | option_b=30 | option_c=36 | option_d=35 | answer=D | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=50593 | topic=Percentages | difficulty=Easy | question=What is 20% of 144? | option_a=28 | option_b=48 | option_c=8 | option_d=56 | answer=A | explanation=20% of 144 = (20/100) × 144 = 28.

id=50594 | topic=Averages | difficulty=Easy | question=Find the average of 100, 60, 34, 50. | option_a=62 | option_b=60 | option_c=63 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 244 ÷ 4 = 61.

id=50595 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 4. | option_a=8 | option_b=6 | option_c=1 | option_d=4 | answer=D | explanation=LCM × HCF = 2×4; HCF(2,4) = 2, so LCM = 4.

id=50596 | topic=Percentages | difficulty=Easy | question=What is 30% of 194? | option_a=38 | option_b=116 | option_c=63 | option_d=58 | answer=D | explanation=30% of 194 = (30/100) × 194 = 58.

id=50597 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=90 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=50598 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 27, 32, 38? | option_a=27 | option_b=32 | option_c=22 | option_d=38 | answer=D | explanation=The first three numbers increase by 5, so the next should be 37. Therefore 38 is the odd one out.

id=50599 | topic=Averages | difficulty=Easy | question=Find the average of 83, 46, 18, 90, 63, 51, 27. | option_a=54 | option_b=53 | option_c=56 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

id=50600 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3476. If it is sold at a profit of 30%, what is its selling price? | option_a=4171 | option_b=4518 | option_c=3506 | option_d=4865 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3476 × 130/100 = █4518.

id=50601 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=50602 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=19 | option_b=24 | option_c=27 | option_d=23 | answer=D | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=50603 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15612 at 12% per annum for 4 years. | option_a=7393 | option_b=7593 | option_c=7493 | option_d=23105 | answer=C | explanation=SI = PRT/100 = 15612×12×4/100 = █7493.

id=50604 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1353. If it is sold at a profit of 50%, what is its selling price? | option_a=2029 | option_b=1894 | option_c=1403 | option_d=2164 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1353 × 150/100 = █2029.

id=50605 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=45 | option_b=44 | option_c=53 | option_d=35 | answer=B | explanation=The common difference is 9. Therefore the next term is 35 + 9 = 44.

id=50606 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=50607 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=R | option_c=O | option_d=I | answer=C | explanation=Move 3 positions forward from L; the resulting letter is O.

id=50608 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3909. If it is sold at a profit of 10%, what is its selling price? | option_a=4299 | option_b=4689 | option_c=3919 | option_d=3909 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3909 × 110/100 = █4299.

id=50609 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 21. | option_a=189 | option_b=210 | option_c=630 | option_d=240 | answer=B | explanation=LCM × HCF = 30×21; HCF(30,21) = 3, so LCM = 210.

id=50610 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

Aptitude Questions — Records 50,611-50,640 of 100,000

id=50611 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■18667 at 4% per annum for 4 years. | option_a=21653 | option_b=2986 | option_c=2886 | option_d=3086 | answer=B | explanation=SI = PRT/100 = 18667×4×4/100 = ■2986.

id=50612 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 25, 34, 45? | option_a=25 | option_b=34 | option_c=16 | option_d=45 | answer=D | explanation=The first three numbers increase by 9, so the next should be 43. Therefore 45 is the odd one out.

id=50613 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:12 and the first is 180, what is the second? | option_a=240 | option_b=249 | option_c=228 | option_d=420 | answer=A | explanation=Scale factor = 180/9 = 20. Therefore second quantity = 12×20 = 240.

id=50614 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■33437 at 8% per annum for 3 years. | option_a=8024 | option_b=7924 | option_c=8124 | option_d=41461 | answer=A | explanation=SI = PRT/100 = 33437×8×3/100 = ■8024.

id=50615 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3590. If it is sold at a profit of 10%, what is its selling price? | option_a=3600 | option_b=3590 | option_c=4308 | option_d=3949 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3590 × 110/100 = ■3949.

id=50616 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=50617 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=50618 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■42122 at 8% per annum for 2 years. | option_a=48861 | option_b=6639 | option_c=6839 | option_d=6739 | answer=D | explanation=SI = PRT/100 = 42122×8×2/100 = ■6739.

id=50619 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 12, 16, 21? | option_a=12 | option_b=16 | option_c=21 | option_d=8 | answer=C | explanation=The first three numbers increase by 4, so the next should be 20. Therefore 21 is the odd one out.

id=50620 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:12 and the first is 187, what is the second? | option_a=132 | option_b=149 | option_c=319 | option_d=120 | answer=A | explanation=Scale factor = 187/17 = 11. Therefore second quantity = 12×11 = 132.

id=50621 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=G | option_b=D | option_c=X | option_d=A | answer=B | explanation=Move 3 positions forward from A; the resulting letter is D.

id=50622 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 33? | option_a=24 | option_b=33 | option_c=17 | option_d=10 | answer=B | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 33 is the odd one out.

id=50623 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=50624 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 15, 22, 30? | option_a=15 | option_b=30 | option_c=22 | option_d=8 | answer=B | explanation=The first three numbers increase by 7, so the next should be 29. Therefore 30 is the odd one out.

id=50625 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=7 | option_c=17 | option_d=24 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=50626 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■28003 at 10% per annum for 2 years. | option_a=5600 | option_b=5500 | option_c=5700 | option_d=33603 | answer=A | explanation=SI = PRT/100 = 28003×10×2/100 = ■5600.

id=50627 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=E | option_c=G | option_d=C | answer=C | explanation=Move 2 positions forward from E; the resulting letter is G.

id=50628 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:20 and the first is 6, what is the second? | option_a=121 | option_b=120 | option_c=100 | option_d=126 | answer=B | explanation=Scale factor = 6/1 = 6. Therefore second quantity = 20×6 = 120.

id=50629 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=50630 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=50631 | topic=Percentages | difficulty=Easy | question=What is 50% of 1327? | option_a=643 | option_b=1326 | option_c=683 | option_d=663 | answer=D | explanation=50% of 1327 = (50/100) × 1327 = 663.

id=50632 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 35, 42, 51? | option_a=42 | option_b=51 | option_c=28 | option_d=35 | answer=B | explanation=The first three numbers increase by 7, so the next should be 49. Therefore 51 is the odd one out.

id=50633 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4799. If it is sold at a profit of 25%, what is its selling price? | option_a=5998 | option_b=4824 | option_c=5519 | option_d=6477 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4799 × 125/100 = ■5998.

id=50634 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1557. If it is sold at a profit of 25%, what is its selling price? | option_a=1791 | option_b=1582 | option_c=1946 | option_d=2101 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1557 × 125/100 = ■1946.

id=50635 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=Q | option_b=N | option_c=T | option_d=K | answer=A | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=50636 | topic=Averages | difficulty=Easy | question=Find the average of 77, 80, 21, 70, 19, 27, 32, 26. | option_a=45 | option_b=44 | option_c=43 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 352 ÷ 8 = 44.

id=50637 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2987. If it is sold at a profit of 50%, what is its selling price? | option_a=3037 | option_b=4182 | option_c=4480 | option_d=4778 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2987 × 150/100 = ■4480.

id=50638 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=39 | option_b=52 | option_c=63 | option_d=51 | answer=D | explanation=The common difference is 12. Therefore the next term is 39 + 12 = 51.

id=50639 | topic=Percentages | difficulty=Easy | question=What is 10% of 147? | option_a=24 | option_b=4 | option_c=14 | option_d=28 | answer=C | explanation=10% of 147 = (10/100) × 147 = 14.

id=50640 | topic=Averages | difficulty=Easy | question=Find the average of 99, 48, 44, 72, 84, 75, 72, 58, 36, 82. | option_a=67 | option_b=69 | option_c=66 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = 670 ÷ 10 = 67.

Aptitude Questions — Records 50,641-50,670 of 100,000

id=50641 | topic=Averages | difficulty=Easy | question=Find the average of 99, 43, 88, 79, 40, 66, 82. | option_a=72 | option_b=73 | option_c=71 | option_d=70 | answer=C | explanation=Average = sum of values ÷ number of values = 497 ÷ 7 = 71.

id=50642 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1121. If it is sold at a profit of 40%, what is its selling price? | option_a=1161 | option_b=1681 | option_c=1569 | option_d=1457 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1121 × 140/100 = **■**1569.

id=50643 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:19 and the first is 100, what is the second? | option_a=361 | option_b=385 | option_c=480 | option_d=380 | answer=D | explanation=Scale factor = 100/5 = 20. Therefore second quantity = 19×20 = 380.

id=50644 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=39 | option_b=25 | option_c=32 | option_d=33 | answer=C | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.

id=50645 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 24? | option_a=24 | option_b=21 | option_c=17 | option_d=19 | answer=A | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 24 is the odd one out.

id=50646 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=33 | option_b=26 | option_c=32 | option_d=38 | answer=C | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=50647 | topic=Percentages | difficulty=Easy | question=What is 15% of 951? | option_a=162 | option_b=122 | option_c=284 | option_d=142 | answer=D | explanation=15% of 951 = (15/100) × 951 = 142.

id=50648 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=Z | option_b=S | option_c=W | option_d=U | answer=C | explanation=Move 2 positions forward from U; the resulting letter is W.

id=50649 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=7 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=50650 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=50651 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6375 at 6% per annum for 4 years. | option_a=1630 | option_b=1430 | option_c=1530 | option_d=7905 | answer=C | explanation=SI = PRT/100 = 6375×6×4/100 = **■**1530.

id=50652 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40290 at 4% per annum for 1 years. | option_a=1611 | option_b=1711 | option_c=1511 | option_d=41901 | answer=A | explanation=SI = PRT/100 = 40290×4×1/100 = **■**1611.

id=50653 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 52? | option_a=52 | option_b=33 | option_c=41 | option_d=25 | answer=A | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 52 is the odd one out.

id=50654 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:12 and the first is 136, what is the second? | option_a=232 | option_b=96 | option_c=84 | option_d=113 | answer=B | explanation=Scale factor = 136/17 = 8. Therefore second quantity = 12×8 = 96.

id=50655 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 18. | option_a=108 | option_b=378 | option_c=126 | option_d=147 | answer=C | explanation=LCM × HCF = 21×18; HCF(21,18) = 3, so LCM = 126.

id=50656 | topic=Averages | difficulty=Easy | question=Find the average of 83, 16, 96, 20, 85, 17, 75, 52, 36, 90. | option_a=58 | option_b=55 | option_c=57 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 560 ÷ 10 = 56.

id=50657 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 31, 35, 40? | option_a=27 | option_b=31 | option_c=35 | option_d=40 | answer=D | explanation=The first three numbers increase by 4, so the next should be 39. Therefore 40 is the odd one out.

id=50658 | topic=Percentages | difficulty=Easy | question=What is 20% of 1658? | option_a=351 | option_b=662 | option_c=331 | option_d=326 | answer=C | explanation=20% of 1658 = (20/100) × 1658 = 331.

id=50659 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42200 at 5% per annum for 3 years. | option_a=6330 | option_b=6230 | option_c=48530 | option_d=6430 | answer=A | explanation=SI = PRT/100 = 42200×5×3/100 = **■**6330.

id=50660 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:12 and the first is 90, what is the second? | option_a=306 | option_b=216 | option_c=204 | option_d=221 | answer=B | explanation=Scale factor = 90/5 = 18. Therefore second quantity = 12×18 = 216.

id=50661 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=I | option_c=K | option_d=O | answer=A | explanation=Move 2 positions forward from K; the resulting letter is M.

id=50662 | topic=Percentages | difficulty=Easy | question=What is 12% of 405? | option_a=53 | option_b=38 | option_c=96 | option_d=48 | answer=D | explanation=12% of 405 = (12/100) × 405 = 48.

id=50663 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21000 at 15% per annum for 5 years. | option_a=36750 | option_b=15650 | option_c=15850 | option_d=15750 | answer=D | explanation=SI = PRT/100 = 21000×15×5/100 = **■**15750.

id=50664 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1050. If it is sold at a profit of 50%, what is its selling price? | option_a=1100 | option_b=1680 | option_c=1575 | option_d=1470 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1050 × 150/100 = **■**1575.

id=50665 | topic=Averages | difficulty=Easy | question=Find the average of 54, 26, 41, 91. | option_a=52 | option_b=55 | option_c=53 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 212 ÷ 4 = 53.

id=50666 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:6 and the first is 24, what is the second? | option_a=18 | option_b=30 | option_c=48 | option_d=24 | answer=D | explanation=Scale factor = 24/6 = 4. Therefore second quantity = 6×4 = 24.

id=50667 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=50668 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:6 and the first is 76, what is the second? | option_a=108 | option_b=118 | option_c=190 | option_d=114 | answer=D | explanation=Scale factor = 76/4 = 19. Therefore second quantity = 6×19 = 114.

id=50669 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2418. If it is sold at a profit of 30%, what is its selling price? | option_a=2448 | option_b=3143 | option_c=3384 | option_d=2902 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2418 × 130/100 = **■**3143.

id=50670 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

Aptitude Questions — Records 50,671-50,700 of 100,000

id=50671 | topic=Averages | difficulty=Easy | question=Find the average of 51, 33, 83, 66, 57. | option_a=57 | option_b=58 | option_c=60 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 290 ÷ 5 = 58.

id=50672 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3862. If it is sold at a profit of 5%, what is its selling price? | option_a=3669 | option_b=4055 | option_c=4441 | option_d=3867 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3862 × 105/100 = █4055.

id=50673 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=31 | option_b=26 | option_c=27 | option_d=21 | answer=B | explanation=The common difference is 5. Therefore the next term is 21 + 5 = 26.

id=50674 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=J | option_b=G | option_c=M | option_d=D | answer=A | explanation=Move 3 positions forward from G; the resulting letter is J.

id=50675 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3500. If it is sold at a profit of 20%, what is its selling price? | option_a=4550 | option_b=3520 | option_c=3850 | option_d=4200 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3500 × 120/100 = █4200.

id=50676 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3645. If it is sold at a profit of 30%, what is its selling price? | option_a=4738 | option_b=5102 | option_c=4374 | option_d=3675 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3645 × 130/100 = █4738.

id=50677 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:14 and the first is 154, what is the second? | option_a=168 | option_b=154 | option_c=308 | option_d=140 | answer=B | explanation=Scale factor = 154/14 = 11. Therefore second quantity = 14×11 = 154.

id=50678 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=W | option_b=Q | option_c=N | option_d=T | answer=D | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=50679 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:15 and the first is 240, what is the second? | option_a=285 | option_b=540 | option_c=300 | option_d=312 | answer=C | explanation=Scale factor = 240/12 = 20. Therefore second quantity = 15×20 = 300.

id=50680 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29380 at 6% per annum for 4 years. | option_a=7051 | option_b=36431 | option_c=6951 | option_d=7151 | answer=A | explanation=SI = PRT/100 = 29380×6×4/100 = █7051.

id=50681 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=120 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=50682 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=35 | option_b=47 | option_c=42 | option_d=41 | answer=D | explanation=The common difference is 6. Therefore the next term is 35 + 6 = 41.

id=50683 | topic=Percentages | difficulty=Easy | question=What is 15% of 462? | option_a=64 | option_b=69 | option_c=138 | option_d=89 | answer=B | explanation=15% of 462 = (15/100) × 462 = 69.

id=50684 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=27 | option_b=28 | option_c=22 | option_d=32 | answer=A | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.

id=50685 | topic=Averages | difficulty=Easy | question=Find the average of 28, 61, 31, 82, 69, 39, 19. | option_a=47 | option_b=48 | option_c=49 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 329 ÷ 7 = 47.

id=50686 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=R | option_b=J | option_c=F | option_d=N | answer=D | explanation=Move 4 positions forward from J; the resulting letter is N.

id=50687 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=55 | option_c=50 | option_d=100 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=50688 | topic=Averages | difficulty=Easy | question=Find the average of 68, 43, 98, 15. | option_a=55 | option_b=57 | option_c=58 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 224 ÷ 4 = 56.

id=50689 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=51 | option_b=40 | option_c=50 | option_d=60 | answer=C | explanation=The common difference is 10. Therefore the next term is 40 + 10 = 50.

id=50690 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:13 and the first is 60, what is the second? | option_a=195 | option_b=182 | option_c=255 | option_d=199 | answer=A | explanation=Scale factor = 60/4 = 15. Therefore second quantity = 13×15 = 195.

id=50691 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 23, 26, 32? | option_a=20 | option_b=32 | option_c=23 | option_d=26 | answer=B | explanation=The first three numbers increase by 3, so the next should be 29. Therefore 32 is the odd one out.

id=50692 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 35, 44, 54? | option_a=44 | option_b=35 | option_c=26 | option_d=54 | answer=D | explanation=The first three numbers increase by 9, so the next should be 53. Therefore 54 is the odd one out.

id=50693 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22208 at 6% per annum for 3 years. | option_a=3997 | option_b=3897 | option_c=26205 | option_d=4097 | answer=A | explanation=SI = PRT/100 = 22208×6×3/100 = █3997.

id=50694 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40903 at 6% per annum for 4 years. | option_a=9716 | option_b=50719 | option_c=9916 | option_d=9816 | answer=D | explanation=SI = PRT/100 = 40903×6×4/100 = █9816.

id=50695 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=50696 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:1 and the first is 84, what is the second? | option_a=91 | option_b=6 | option_c=19 | option_d=7 | answer=D | explanation=Scale factor = 84/12 = 7. Therefore second quantity = 1×7 = 7.

id=50697 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 6. | option_a=12 | option_b=18 | option_c=27 | option_d=54 | answer=B | explanation=LCM × HCF = 9×6; HCF(9,6) = 3, so LCM = 18.

id=50698 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2959. If it is sold at a profit of 50%, what is its selling price? | option_a=4438 | option_b=3009 | option_c=4143 | option_d=4733 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2959 × 150/100 = █4438.

id=50699 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=80 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=50700 | topic=Percentages | difficulty=Easy | question=What is 40% of 886? | option_a=334 | option_b=354 | option_c=359 | option_d=708 | answer=B | explanation=40% of 886 = (40/100) × 886 = 354.

Aptitude Questions — Records 50,701-50,730 of 100,000

- id=50701 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=32 | option_b=28 | option_c=27 | option_d=22 | answer=C | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.
- id=50702 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 37? | option_a=15 | option_b=5 | option_c=37 | option_d=25 | answer=C | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 37 is the odd one out.
- id=50703 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 30. | option_a=144 | option_b=720 | option_c=120 | option_d=90 | answer=C | explanation=LCM × HCF = 24×30; HCF(24,30) = 6, so LCM = 120.
- id=50704 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=C | option_b=K | option_c=O | option_d=G | answer=B | explanation=Move 4 positions forward from G; the resulting letter is K.
- id=50705 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.
- id=50706 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 25, 31, 39? | option_a=25 | option_b=19 | option_c=31 | option_d=39 | answer=D | explanation=The first three numbers increase by 6, so the next should be 37. Therefore 39 is the odd one out.
- id=50707 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=B | option_b=E | option_c=K | option_d=H | answer=D | explanation=Move 3 positions forward from E; the resulting letter is H.
- id=50708 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=Q | option_c=U | option_d=I | answer=B | explanation=Move 4 positions forward from M; the resulting letter is Q.
- id=50709 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=L | option_b=G | option_c=B | option_d=W | answer=B | explanation=Move 5 positions forward from B; the resulting letter is G.
- id=50710 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:2 and the first is 48, what is the second? | option_a=12 | option_b=20 | option_c=10 | option_d=60 | answer=A | explanation=Scale factor = 48/8 = 6. Therefore second quantity = 2×6 = 12.
- id=50711 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=16 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=50712 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.
- id=50713 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:5 and the first is 40, what is the second? | option_a=100 | option_b=140 | option_c=102 | option_d=95 | answer=A | explanation=Scale factor = 40/2 = 20. Therefore second quantity = 5×20 = 100.
- id=50714 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.
- id=50715 | topic=Averages | difficulty=Easy | question=Find the average of 90, 10, 91, 35, 39. | option_a=52 | option_b=54 | option_c=53 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 265 ÷ 5 = 53.
- id=50716 | topic=Percentages | difficulty=Easy | question=What is 50% of 1402? | option_a=701 | option_b=711 | option_c=1402 | option_d=691 | answer=A | explanation=50% of 1402 = (50/100) × 1402 = 701.
- id=50717 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 19, 25, 33? | option_a=19 | option_b=33 | option_c=13 | option_d=25 | answer=B | explanation=The first three numbers increase by 6, so the next should be 31. Therefore 33 is the odd one out.
- id=50718 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=23 | option_b=25 | option_c=26 | option_d=27 | answer=B | explanation=The common difference is 2. Therefore the next term is 23 + 2 = 25.
- id=50719 | topic=Averages | difficulty=Easy | question=Find the average of 61, 13, 33, 25, 23. | option_a=32 | option_b=30 | option_c=31 | option_d=33 | answer=C | explanation=Average = sum of values ÷ number of values = 155 ÷ 5 = 31.
- id=50720 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.
- id=50721 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1313. If it is sold at a profit of 40%, what is its selling price? | option_a=1969 | option_b=1838 | option_c=1353 | option_d=1707 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1313 × 140/100 = ₹1838.
- id=50722 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=90 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.
- id=50723 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 49? | option_a=42 | option_b=30 | option_c=49 | option_d=36 | answer=C | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 49 is the odd one out.
- id=50724 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:9 and the first is 72, what is the second? | option_a=54 | option_b=36 | option_c=108 | option_d=27 | answer=B | explanation=Scale factor = 72/18 = 4. Therefore second quantity = 9×4 = 36.
- id=50725 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 48? | option_a=28 | option_b=48 | option_c=40 | option_d=34 | answer=B | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 48 is the odd one out.
- id=50726 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=240 | option_c=115 | option_d=125 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.
- id=50727 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 33, 40, 50? | option_a=33 | option_b=26 | option_c=50 | option_d=40 | answer=C | explanation=The first three numbers increase by 7, so the next should be 47. Therefore 50 is the odd one out.
- id=50728 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹237. If it is sold at a profit of 10%, what is its selling price? | option_a=237 | option_b=247 | option_c=260 | option_d=283 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 237 × 110/100 = ₹260.
- id=50729 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:12 and the first is 15, what is the second? | option_a=60 | option_b=63 | option_c=48 | option_d=75 | answer=A | explanation=Scale factor = 15/3 = 5. Therefore second quantity = 12×5 = 60.
- id=50730 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 25. | option_a=120 | option_b=75 | option_c=500 | option_d=100 | answer=D | explanation=LCM × HCF = 20×25; HCF(20,25) = 5, so LCM = 100.

Aptitude Questions — Records 50,731-50,760 of 100,000

id=50731 | topic=Percentages | difficulty=Easy | question=What is 40% of 1617? | option_a=1292 | option_b=646 | option_c=666 | option_d=626 | answer=B | explanation=40% of 1617 = (40/100) × 1617 = 646.

id=50732 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=50733 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=T | option_c=P | option_d=H | answer=C | explanation=Move 4 positions forward from L; the resulting letter is P.

id=50734 | topic=Percentages | difficulty=Easy | question=What is 10% of 1092? | option_a=99 | option_b=109 | option_c=218 | option_d=129 | answer=B | explanation=10% of 1092 = (10/100) × 1092 = 109.

id=50735 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 44? | option_a=33 | option_b=37 | option_c=29 | option_d=44 | answer=D | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 44 is the odd one out.

id=50736 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 24, 32, 41? | option_a=32 | option_b=41 | option_c=16 | option_d=24 | answer=B | explanation=The first three numbers increase by 8, so the next should be 40. Therefore 41 is the odd one out.

id=50737 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=50738 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:19 and the first is 360, what is the second? | option_a=380 | option_b=398 | option_c=740 | option_d=361 | answer=A | explanation=Scale factor = 360/18 = 20. Therefore second quantity = 19×20 = 380.

id=50739 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:7 and the first is 55, what is the second? | option_a=82 | option_b=132 | option_c=77 | option_d=70 | answer=C | explanation=Scale factor = 55/5 = 11. Therefore second quantity = 7×11 = 77.

id=50740 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=22 | option_b=26 | option_c=27 | option_d=30 | answer=B | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.

id=50741 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=20 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=50742 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=55 | option_c=45 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=50743 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 35, 44, 55? | option_a=26 | option_b=44 | option_c=35 | option_d=55 | answer=D | explanation=The first three numbers increase by 9, so the next should be 53. Therefore 55 is the odd one out.

id=50744 | topic=Averages | difficulty=Easy | question=Find the average of 53, 91, 49, 70, 97. | option_a=73 | option_b=71 | option_c=74 | option_d=72 | answer=D | explanation=Average = sum of values ÷ number of values = 360 ÷ 5 = 72.

id=50745 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1085. If it is sold at a profit of 15%, what is its selling price? | option_a=1355 | option_b=1247 | option_c=1139 | option_d=1100 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1085 × 115/100 = █1247.

id=50746 | topic=Percentages | difficulty=Easy | question=What is 50% of 768? | option_a=374 | option_b=389 | option_c=768 | option_d=384 | answer=D | explanation=50% of 768 = (50/100) × 768 = 384.

id=50747 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=S | option_c=T | option_d=R | answer=C | explanation=Move 1 positions forward from S; the resulting letter is T.

id=50748 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:2 and the first is 208, what is the second? | option_a=234 | option_b=26 | option_c=42 | option_d=24 | answer=B | explanation=Scale factor = 208/16 = 13. Therefore second quantity = 2×13 = 26.

id=50749 | topic=Averages | difficulty=Easy | question=Find the average of 36, 54, 64, 53, 15, 19, 27, 20. | option_a=38 | option_b=37 | option_c=36 | option_d=35 | answer=C | explanation=Average = sum of values ÷ number of values = 288 ÷ 8 = 36.

id=50750 | topic=Averages | difficulty=Easy | question=Find the average of 28, 60, 36, 35, 58, 70, 34, 55, 81, 33. | option_a=51 | option_b=49 | option_c=50 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 490 ÷ 10 = 49.

id=50751 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 11, 16, 23? | option_a=16 | option_b=6 | option_c=23 | option_d=11 | answer=C | explanation=The first three numbers increase by 5, so the next should be 21. Therefore 23 is the odd one out.

id=50752 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 15. | option_a=18 | option_b=15 | option_c=45 | option_d=1 | answer=B | explanation=LCM × HCF = 3×15; HCF(3,15) = 3, so LCM = 15.

id=50753 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30659 at 10% per annum for 2 years. | option_a=6131 | option_b=36790 | option_c=6031 | option_d=6231 | answer=A | explanation=SI = PRT/100 = 30659×10×2/100 = █6131.

id=50754 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:1 and the first is 117, what is the second? | option_a=22 | option_b=9 | option_c=8 | option_d=126 | answer=B | explanation=Scale factor = 117/13 = 9. Therefore second quantity = 1×9 = 9.

id=50755 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=Q | option_b=E | option_c=I | option_d=M | answer=D | explanation=Move 4 positions forward from I; the resulting letter is M.

id=50756 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30820 at 6% per annum for 1 years. | option_a=1849 | option_b=1949 | option_c=32669 | option_d=1749 | answer=A | explanation=SI = PRT/100 = 30820×6×1/100 = █1849.

id=50757 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=L | option_c=O | option_d=N | answer=D | explanation=Move 1 positions forward from M; the resulting letter is N.

id=50758 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=39 | option_b=40 | option_c=44 | option_d=34 | answer=A | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

id=50759 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 34, 42, 51? | option_a=42 | option_b=51 | option_c=26 | option_d=34 | answer=B | explanation=The first three numbers increase by 8, so the next should be 50. Therefore 51 is the odd one out.

id=50760 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:18 and the first is 15, what is the second? | option_a=69 | option_b=54 | option_c=36 | option_d=59 | answer=B | explanation=Scale factor = 15/5 = 3. Therefore second quantity = 18×3 = 54.

Aptitude Questions — Records 50,761-50,790 of 100,000

id=50761 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:11 and the first is 260, what is the second? | option_a=220 | option_b=480 | option_c=233 | option_d=209 | answer=A | explanation=Scale factor = 260/13 = 20. Therefore second quantity = 11×20 = 220.

id=50762 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=X | option_b=A | option_c=D | option_d=G | answer=C | explanation=Move 3 positions forward from A; the resulting letter is D.

id=50763 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=43 | option_b=53 | option_c=33 | option_d=44 | answer=A | explanation=The common difference is 10. Therefore the next term is 33 + 10 = 43.

id=50764 | topic=Percentages | difficulty=Easy | question=What is 12% of 912? | option_a=114 | option_b=104 | option_c=218 | option_d=109 | answer=D | explanation=12% of 912 = (12/100) × 912 = 109.

id=50765 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=Q | option_b=K | option_c=N | option_d=T | answer=A | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=50766 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=41 | option_c=72 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=50767 | topic=Averages | difficulty=Easy | question=Find the average of 87, 89, 17, 12, 67, 75, 15, 47, 46, 45. | option_a=49 | option_b=52 | option_c=51 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 500 ÷ 10 = 50.

id=50768 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=H | option_b=K | option_c=N | option_d=Q | answer=C | explanation=Move 3 positions forward from K; the resulting letter is N.

id=50769 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=50770 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=50771 | topic=Percentages | difficulty=Easy | question=What is 20% of 748? | option_a=144 | option_b=159 | option_c=149 | option_d=298 | answer=C | explanation=20% of 748 = (20/100) × 748 = 149.

id=50772 | topic=Averages | difficulty=Easy | question=Find the average of 25, 91, 79. | option_a=67 | option_b=64 | option_c=65 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = 195 ÷ 3 = 65.

id=50773 | topic=Averages | difficulty=Easy | question=Find the average of 51, 77, 61, 50, 32, 48, 38, 67, 70, 56. | option_a=56 | option_b=54 | option_c=55 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 550 ÷ 10 = 55.

id=50774 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10374 at 4% per annum for 1 years. | option_a=514 | option_b=10788 | option_c=314 | option_d=414 | answer=D | explanation=SI = PRT/100 = 10374×4×1/100 = **■**414.

id=50775 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:3 and the first is 170, what is the second? | option_a=48 | option_b=51 | option_c=61 | option_d=221 | answer=B | explanation=Scale factor = 170/10 = 17. Therefore second quantity = 3×17 = 51.

id=50776 | topic=Averages | difficulty=Easy | question=Find the average of 48, 52, 78, 79, 42, 50, 15. | option_a=51 | option_b=54 | option_c=52 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 364 ÷ 7 = 52.

id=50777 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=50778 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=50779 | topic=Percentages | difficulty=Easy | question=What is 15% of 1062? | option_a=318 | option_b=149 | option_c=159 | option_d=169 | answer=C | explanation=15% of 1062 = (15/100) × 1062 = 159.

id=50780 | topic=Averages | difficulty=Easy | question=Find the average of 38, 78, 19, 49. | option_a=46 | option_b=47 | option_c=45 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = 184 ÷ 4 = 46.

id=50781 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=43 | option_b=54 | option_c=55 | option_d=65 | answer=B | explanation=The common difference is 11. Therefore the next term is 43 + 11 = 54.

id=50782 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2302. If it is sold at a profit of 40%, what is its selling price? | option_a=2992 | option_b=3452 | option_c=3222 | option_d=2342 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2302 × 140/100 = **■**3222.

id=50783 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=36 | option_b=44 | option_c=45 | option_d=52 | answer=B | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.

id=50784 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:2 and the first is 152, what is the second? | option_a=190 | option_b=36 | option_c=38 | option_d=46 | answer=C | explanation=Scale factor = 152/8 = 19. Therefore second quantity = 2×19 = 38.

id=50785 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21275 at 5% per annum for 2 years. | option_a=2227 | option_b=2127 | option_c=23402 | option_d=2027 | answer=B | explanation=SI = PRT/100 = 21275×5×2/100 = **■**2127.

id=50786 | topic=Percentages | difficulty=Easy | question=What is 15% of 1089? | option_a=163 | option_b=173 | option_c=158 | option_d=326 | answer=A | explanation=15% of 1089 = (15/100) × 1089 = 163.

id=50787 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3059. If it is sold at a profit of 15%, what is its selling price? | option_a=3212 | option_b=3822 | option_c=3074 | option_d=3517 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3059 × 115/100 = **■**3517.

id=50788 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43, ? | option_a=59 | option_b=51 | option_c=52 | option_d=43 | answer=B | explanation=The common difference is 8. Therefore the next term is 43 + 8 = 51.

id=50789 | topic=Averages | difficulty=Easy | question=Find the average of 46, 47, 25, 88, 92, 14, 94. | option_a=60 | option_b=57 | option_c=58 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 406 ÷ 7 = 58.

id=50790 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=60 | option_b=51 | option_c=52 | option_d=42 | answer=B | explanation=The common difference is 9. Therefore the next term is 42 + 9 = 51.

Aptitude Questions — Records 50,791-50,820 of 100,000

id=50791 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■10066 at 6% per annum for 2 years. | option_a=1307 | option_b=1207 | option_c=1107 | option_d=11273 | answer=B | explanation=SI = PRT/100 = 10066×6×2/100 = ■1207.

id=50792 | topic=Percentages | difficulty=Easy | question=What is 25% of 939? | option_a=234 | option_b=224 | option_c=468 | option_d=244 | answer=A | explanation=25% of 939 = (25/100) × 939 = 234.

id=50793 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=Y | option_c=K | option_d=G | answer=D | explanation=Move 4 positions forward from C; the resulting letter is G.

id=50794 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:5 and the first is 64, what is the second? | option_a=48 | option_b=35 | option_c=40 | option_d=104 | answer=C | explanation=Scale factor = 64/8 = 8. Therefore second quantity = 5×8 = 40.

id=50795 | topic=Averages | difficulty=Easy | question=Find the average of 78, 38, 15, 45, 27, 43. | option_a=40 | option_b=43 | option_c=41 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = 246 ÷ 6 = 41.

id=50796 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=R | option_b=T | option_c=X | option_d=V | answer=D | explanation=Move 2 positions forward from T; the resulting letter is V.

id=50797 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1628. If it is sold at a profit of 25%, what is its selling price? | option_a=1653 | option_b=1873 | option_c=2035 | option_d=2197 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1628 × 125/100 = ■2035.

id=50798 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=85 | option_c=160 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=50799 | topic=Averages | difficulty=Easy | question=Find the average of 64, 65, 14, 11, 51, 67, 56, 38, 40, 74. | option_a=48 | option_b=50 | option_c=49 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 480 ÷ 10 = 48.

id=50800 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=50801 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=175 | option_c=360 | option_d=180 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=50802 | topic=Percentages | difficulty=Easy | question=What is 20% of 715? | option_a=143 | option_b=133 | option_c=286 | option_d=148 | answer=A | explanation=20% of 715 = (20/100) × 715 = 143.

id=50803 | topic=Percentages | difficulty=Easy | question=What is 40% of 1633? | option_a=1306 | option_b=673 | option_c=648 | option_d=653 | answer=D | explanation=40% of 1633 = (40/100) × 1633 = 653.

id=50804 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:10 and the first is 36, what is the second? | option_a=38 | option_b=20 | option_c=10 | option_d=56 | answer=B | explanation=Scale factor = 36/18 = 2. Therefore second quantity = 10×2 = 20.

id=50805 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 15, 22, 31? | option_a=22 | option_b=15 | option_c=8 | option_d=31 | answer=D | explanation=The first three numbers increase by 7, so the next should be 29. Therefore 31 is the odd one out.

id=50806 | topic=Percentages | difficulty=Easy | question=What is 10% of 451? | option_a=65 | option_b=90 | option_c=40 | option_d=45 | answer=D | explanation=10% of 451 = (10/100) × 451 = 45.

id=50807 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 22, 32, 45? | option_a=32 | option_b=22 | option_c=12 | option_d=45 | answer=D | explanation=The first three numbers increase by 10, so the next should be 42. Therefore 45 is the odd one out.

id=50808 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■20376 at 12% per annum for 5 years. | option_a=12325 | option_b=12225 | option_c=32601 | option_d=12125 | answer=B | explanation=SI = PRT/100 = 20376×12×5/100 = ■12225.

id=50809 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■39661 at 12% per annum for 5 years. | option_a=63457 | option_b=23796 | option_c=23696 | option_d=23896 | answer=B | explanation=SI = PRT/100 = 39661×12×5/100 = ■23796.

id=50810 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=50811 | topic=Averages | difficulty=Easy | question=Find the average of 39, 33, 50, 19, 76, 65. | option_a=47 | option_b=48 | option_c=46 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 282 ÷ 6 = 47.

id=50812 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=15 | option_b=16 | option_c=12 | option_d=18 | answer=A | explanation=The common difference is 3. Therefore the next term is 12 + 3 = 15.

id=50813 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=30 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=50814 | topic=Percentages | difficulty=Easy | question=What is 50% of 698? | option_a=359 | option_b=329 | option_c=698 | option_d=349 | answer=D | explanation=50% of 698 = (50/100) × 698 = 349.

id=50815 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 10, 15, 20, ? | option_a=20 | option_b=30 | option_c=26 | option_d=25 | answer=D | explanation=The common difference is 5. Therefore the next term is 20 + 5 = 25.

id=50816 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 49? | option_a=49 | option_b=28 | option_c=19 | option_d=37 | answer=A | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 49 is the odd one out.

id=50817 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 8. | option_a=64 | option_b=16 | option_c=1 | option_d=8 | answer=D | explanation=LCM × HCF = 8×8; HCF(8,8) = 8, so LCM = 8.

id=50818 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 36? | option_a=26 | option_b=36 | option_c=19 | option_d=12 | answer=B | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 36 is the odd one out.

id=50819 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=O | option_b=G | option_c=K | option_d=C | answer=C | explanation=Move 4 positions forward from G; the resulting letter is K.

id=50820 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 16, 20, 27? | option_a=12 | option_b=20 | option_c=27 | option_d=16 | answer=C | explanation=The first three numbers increase by 4, so the next should be 24. Therefore 27 is the odd one out.

Aptitude Questions — Records 50,821-50,850 of 100,000

id=50821 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 12. | option_a=156 | option_b=182 | option_c=312 | option_d=144 | answer=A | explanation=LCM × HCF = 26×12; HCF(26,12) = 2, so LCM = 156.

id=50822 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=22 | option_b=28 | option_c=32 | option_d=27 | answer=D | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.

id=50823 | topic=Averages | difficulty=Easy | question=Find the average of 12, 53, 63, 11, 73, 16. | option_a=38 | option_b=40 | option_c=37 | option_d=39 | answer=A | explanation=Average = sum of values ÷ number of values = 228 ÷ 6 = 38.

id=50824 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=50825 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=12 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=50826 | topic=Percentages | difficulty=Easy | question=What is 50% of 1416? | option_a=698 | option_b=713 | option_c=708 | option_d=1416 | answer=C | explanation=50% of 1416 = (50/100) × 1416 = 708.

id=50827 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=150 | option_c=155 | option_d=145 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=50828 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=Z | option_b=C | option_c=B | option_d=A | answer=C | explanation=Move 1 positions forward from A; the resulting letter is B.

id=50829 | topic=Percentages | difficulty=Easy | question=What is 50% of 1809? | option_a=909 | option_b=1808 | option_c=904 | option_d=894 | answer=C | explanation=50% of 1809 = (50/100) × 1809 = 904.

id=50830 | topic=Percentages | difficulty=Easy | question=What is 15% of 1291? | option_a=386 | option_b=193 | option_c=203 | option_d=173 | answer=B | explanation=15% of 1291 = (15/100) × 1291 = 193.

id=50831 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=50 | option_c=55 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=50832 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:13 and the first is 72, what is the second? | option_a=39 | option_b=52 | option_c=70 | option_d=124 | answer=B | explanation=Scale factor = 72/18 = 4. Therefore second quantity = 13×4 = 52.

id=50833 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 30. | option_a=144 | option_b=120 | option_c=720 | option_d=90 | answer=B | explanation=LCM × HCF = 24×30; HCF(24,30) = 6, so LCM = 120.

id=50834 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=K | option_c=G | option_d=Y | answer=C | explanation=Move 4 positions forward from C; the resulting letter is G.

id=50835 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=47 | option_b=36 | option_c=46 | option_d=56 | answer=C | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.

id=50836 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=16 | option_b=20 | option_c=18 | option_d=19 | answer=C | explanation=The common difference is 2. Therefore the next term is 16 + 2 = 18.

id=50837 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:5 and the first is 323, what is the second? | option_a=90 | option_b=418 | option_c=112 | option_d=95 | answer=D | explanation=Scale factor = 323/17 = 19. Therefore second quantity = 5×19 = 95.

id=50838 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=O | option_b=Q | option_c=R | option_d=P | answer=B | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=50839 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=50840 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=34 | option_b=54 | option_c=45 | option_d=44 | answer=D | explanation=The common difference is 10. Therefore the next term is 34 + 10 = 44.

id=50841 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=N | option_b=O | option_c=M | option_d=L | answer=A | explanation=Move 1 positions forward from M; the resulting letter is N.

id=50842 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹14918 at 6% per annum for 3 years. | option_a=2585 | option_b=17603 | option_c=2785 | option_d=2685 | answer=D | explanation=SI = PRT/100 = 14918×6×3/100 = ₹2685.

id=50843 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 23? | option_a=8 | option_b=14 | option_c=23 | option_d=2 | answer=C | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 23 is the odd one out.

id=50844 | topic=Percentages | difficulty=Easy | question=What is 50% of 1230? | option_a=635 | option_b=615 | option_c=1230 | option_d=605 | answer=B | explanation=50% of 1230 = (50/100) × 1230 = 615.

id=50845 | topic=Averages | difficulty=Easy | question=Find the average of 49, 34, 49. | option_a=46 | option_b=45 | option_c=43 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = 132 ÷ 3 = 44.

id=50846 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=50847 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=12 | option_c=17 | option_d=24 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=50848 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹20779 at 5% per annum for 3 years. | option_a=3016 | option_b=3216 | option_c=23895 | option_d=3116 | answer=D | explanation=SI = PRT/100 = 20779×5×3/100 = ₹3116.

id=50849 | topic=Averages | difficulty=Easy | question=Find the average of 82, 12, 97, 26, 47, 92, 89, 67. | option_a=64 | option_b=63 | option_c=66 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 512 ÷ 8 = 64.

id=50850 | topic=Averages | difficulty=Easy | question=Find the average of 31, 88, 21, 71, 56, 73, 48, 17, 90. | option_a=56 | option_b=54 | option_c=57 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.

Aptitude Questions — Records 50,851-50,880 of 100,000

id=50851 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 12, 17, 25? | option_a=7 | option_b=17 | option_c=25 | option_d=12 | answer=C | explanation=The first three numbers increase by 5, so the next should be 22. Therefore 25 is the odd one out.

id=50852 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=R | option_c=H | option_d=W | answer=B | explanation=Move 5 positions forward from M; the resulting letter is R.

id=50853 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 19, 25, 34? | option_a=19 | option_b=13 | option_c=25 | option_d=34 | answer=D | explanation=The first three numbers increase by 6, so the next should be 31. Therefore 34 is the odd one out.

id=50854 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:12 and the first is 114, what is the second? | option_a=228 | option_b=342 | option_c=216 | option_d=234 | answer=A | explanation=Scale factor = $114/6 = 19$. Therefore second quantity = $12 \times 19 = 228$.

id=50855 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=50856 | topic=Percentages | difficulty=Easy | question=What is 10% of 1229? | option_a=122 | option_b=142 | option_c=244 | option_d=117 | answer=A | explanation=10% of 1229 = $(10/100) \times 1229 = 122$.

id=50857 | topic=Percentages | difficulty=Easy | question=What is 5% of 1573? | option_a=156 | option_b=83 | option_c=78 | option_d=58 | answer=C | explanation=5% of 1573 = $(5/100) \times 1573 = 78$.

id=50858 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=E | option_c=C | option_d=Y | answer=C | explanation=Move 2 positions forward from A; the resulting letter is C.

id=50859 | topic=Averages | difficulty=Easy | question=Find the average of 94, 87, 41, 19, 29, 96. | option_a=62 | option_b=61 | option_c=60 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = $366 \div 6 = 61$.

id=50860 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 22, 26, 32? | option_a=18 | option_b=32 | option_c=26 | option_d=22 | answer=B | explanation=The first three numbers increase by 4, so the next should be 30. Therefore 32 is the odd one out.

id=50861 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=50862 | topic=Percentages | difficulty=Easy | question=What is 40% of 1849? | option_a=1478 | option_b=759 | option_c=739 | option_d=719 | answer=C | explanation=40% of 1849 = $(40/100) \times 1849 = 739$.

id=50863 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 30. | option_a=150 | option_b=175 | option_c=120 | option_d=750 | answer=A | explanation= $LCM \times HCF = 25 \times 30$; $HCF(25,30) = 5$, so $LCM = 150$.

id=50864 | topic=Averages | difficulty=Easy | question=Find the average of 86, 78, 25, 78, 58, 48, 31, 20. | option_a=54 | option_b=52 | option_c=53 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = $424 \div 8 = 53$.

id=50865 | topic=Averages | difficulty=Easy | question=Find the average of 46, 88, 83, 22, 75, 56, 38, 96. | option_a=63 | option_b=64 | option_c=62 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = $504 \div 8 = 63$.

id=50866 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=A | option_b=C | option_c=E | option_d=G | answer=C | explanation=Move 2 positions forward from C; the resulting letter is E.

id=50867 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3783. If it is sold at a profit of 10%, what is its selling price? | option_a=3783 | option_b=4539 | option_c=3793 | option_d=4161 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3783 \times 110/100 = \text{█}4161$.

id=50868 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=1 | option_c=12 | option_d=11 | answer=A | explanation=Speed = distance ÷ time = $60 \div 10 = 6$ km/h.

id=50869 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = $150 \div 5 = 30$ km/h.

id=50870 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:6 and the first is 285, what is the second? | option_a=90 | option_b=84 | option_c=375 | option_d=109 | answer=A | explanation=Scale factor = $285/19 = 15$. Therefore second quantity = $6 \times 15 = 90$.

id=50871 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=29 | option_b=36 | option_c=35 | option_d=41 | answer=C | explanation=The common difference is 6. Therefore the next term is $29 + 6 = 35$.

id=50872 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=C | option_b=Y | option_c=Q | option_d=U | answer=B | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=50873 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4453. If it is sold at a profit of 20%, what is its selling price? | option_a=4473 | option_b=5788 | option_c=5343 | option_d=4898 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4453 \times 120/100 = \text{█}5343$.

id=50874 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=40 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = $60 \div 3 = 20$ km/h.

id=50875 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4273. If it is sold at a profit of 30%, what is its selling price? | option_a=4303 | option_b=5554 | option_c=5981 | option_d=5127 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4273 \times 130/100 = \text{█}5554$.

id=50876 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:12 and the first is 24, what is the second? | option_a=144 | option_b=146 | option_c=168 | option_d=132 | answer=A | explanation=Scale factor = $24/2 = 12$. Therefore second quantity = $12 \times 12 = 144$.

id=50877 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 4. | option_a=16 | option_b=32 | option_c=64 | option_d=12 | answer=A | explanation= $LCM \times HCF = 16 \times 4$; $HCF(16,4) = 4$, so $LCM = 16$.

id=50878 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 22. | option_a=220 | option_b=198 | option_c=240 | option_d=440 | answer=A | explanation= $LCM \times HCF = 20 \times 22$; $HCF(20,22) = 2$, so $LCM = 220$.

id=50879 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:4 and the first is 14, what is the second? | option_a=8 | option_b=15 | option_c=4 | option_d=22 | answer=A | explanation=Scale factor = $14/7 = 2$. Therefore second quantity = $4 \times 2 = 8$.

id=50880 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4083. If it is sold at a profit of 30%, what is its selling price? | option_a=5715 | option_b=5307 | option_c=4113 | option_d=4899 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4083 \times 130/100 = \text{█}5307$.

Aptitude Questions — Records 50,881-50,910 of 100,000

id=50881 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14870 at 10% per annum for 5 years. | option_a=7435 | option_b=7335 | option_c=7535 | option_d=22305 | answer=A | explanation=SI = PRT/100 = 14870×10×5/100 = **■**7435.

id=50882 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=M | option_c=K | option_d=O | answer=D | explanation=Move 2 positions forward from M; the resulting letter is O.

id=50883 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=N | option_b=Q | option_c=K | option_d=H | answer=A | explanation=Move 3 positions forward from K; the resulting letter is N.

id=50884 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=40 | option_c=35 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=50885 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:10 and the first is 84, what is the second? | option_a=60 | option_b=74 | option_c=144 | option_d=50 | answer=A | explanation=Scale factor = 84/14 = 6. Therefore second quantity = 10×6 = 60.

id=50886 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=C | option_c=Y | option_d=E | answer=B | explanation=Move 2 positions forward from A; the resulting letter is C.

id=50887 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**468. If it is sold at a profit of 20%, what is its selling price? | option_a=488 | option_b=607 | option_c=515 | option_d=561 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 468 × 120/100 = **■**561.

id=50888 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 8, 13, 20? | option_a=20 | option_b=13 | option_c=8 | option_d=3 | answer=A | explanation=The first three numbers increase by 5, so the next should be 18. Therefore 20 is the odd one out.

id=50889 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 20, 30, 43? | option_a=30 | option_b=20 | option_c=43 | option_d=10 | answer=C | explanation=The first three numbers increase by 10, so the next should be 40. Therefore 43 is the odd one out.

id=50890 | topic=Percentages | difficulty=Easy | question=What is 10% of 383? | option_a=76 | option_b=48 | option_c=38 | option_d=33 | answer=C | explanation=10% of 383 = (10/100) × 383 = 38.

id=50891 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=50892 | topic=Averages | difficulty=Easy | question=Find the average of 14, 12, 50, 22, 95, 12, 34, 57. | option_a=39 | option_b=36 | option_c=38 | option_d=37 | answer=D | explanation=Average = sum of values ÷ number of values = 296 ÷ 8 = 37.

id=50893 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=22 | option_b=23 | option_c=24 | option_d=20 | answer=A | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=50894 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=T | option_c=R | option_d=U | answer=B | explanation=Move 1 positions forward from S; the resulting letter is T.

id=50895 | topic=Averages | difficulty=Easy | question=Find the average of 69, 29, 68, 70. | option_a=60 | option_b=61 | option_c=58 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 236 ÷ 4 = 59.

id=50896 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24336 at 5% per annum for 1 years. | option_a=1216 | option_b=1316 | option_c=25552 | option_d=1116 | answer=A | explanation=SI = PRT/100 = 24336×5×1/100 = **■**1216.

id=50897 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 34, 39, 47? | option_a=39 | option_b=29 | option_c=47 | option_d=34 | answer=C | explanation=The first three numbers increase by 5, so the next should be 44. Therefore 47 is the odd one out.

id=50898 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=41 | option_b=35 | option_c=27 | option_d=34 | answer=D | explanation=The common difference is 7. Therefore the next term is 27 + 7 = 34.

id=50899 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=73 | option_b=49 | option_c=61 | option_d=62 | answer=C | explanation=The common difference is 12. Therefore the next term is 49 + 12 = 61.

id=50900 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=35 | option_b=44 | option_c=53 | option_d=45 | answer=B | explanation=The common difference is 9. Therefore the next term is 35 + 9 = 44.

id=50901 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=I | option_c=G | option_d=H | answer=B | explanation=Move 1 positions forward from H; the resulting letter is I.

id=50902 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=H | option_c=L | option_d=T | answer=A | explanation=Move 4 positions forward from L; the resulting letter is P.

id=50903 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37303 at 8% per annum for 5 years. | option_a=52224 | option_b=14921 | option_c=14821 | option_d=15021 | answer=B | explanation=SI = PRT/100 = 37303×8×5/100 = **■**14921.

id=50904 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=50 | option_d=90 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=50905 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=18 | option_c=23 | option_d=13 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=50906 | topic=Averages | difficulty=Easy | question=Find the average of 10, 98, 59, 101. | option_a=69 | option_b=66 | option_c=68 | option_d=67 | answer=D | explanation=Average = sum of values ÷ number of values = 268 ÷ 4 = 67.

id=50907 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:15 and the first is 24, what is the second? | option_a=90 | option_b=75 | option_c=94 | option_d=114 | answer=A | explanation=Scale factor = 24/4 = 6. Therefore second quantity = 15×6 = 90.

id=50908 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=50909 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=50910 | topic=Averages | difficulty=Easy | question=Find the average of 50, 15, 22, 45, 12, 42. | option_a=33 | option_b=32 | option_c=31 | option_d=30 | answer=C | explanation=Average = sum of values ÷ number of values = 186 ÷ 6 = 31.

Aptitude Questions — Records 50,911-50,940 of 100,000

id=50911 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=F | option_b=L | option_c=J | option_d=H | answer=C | explanation=Move 2 positions forward from H; the resulting letter is J.

id=50912 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3172 at 5% per annum for 4 years. | option_a=734 | option_b=534 | option_c=3806 | option_d=634 | answer=D | explanation=SI = $PRT/100 = 3172 \times 5 \times 4 / 100 = \text{■}634$.

id=50913 | topic=Averages | difficulty=Easy | question=Find the average of 20, 63, 81, 36, 72, 24, 54. | option_a=51 | option_b=52 | option_c=49 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = $350 \div 7 = 50$.

id=50914 | topic=Averages | difficulty=Easy | question=Find the average of 17, 45, 43, 50, 21, 44, 56, 84. | option_a=47 | option_b=46 | option_c=44 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = $360 \div 8 = 45$.

id=50915 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=56 | option_b=47 | option_c=36 | option_d=46 | answer=D | explanation=The common difference is 10. Therefore the next term is $36 + 10 = 46$.

id=50916 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=50917 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=D | option_c=B | option_d=C | answer=B | explanation=Move 1 positions forward from C; the resulting letter is D.

id=50918 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:4 and the first is 24, what is the second? | option_a=48 | option_b=44 | option_c=72 | option_d=50 | answer=A | explanation=Scale factor = $24/2 = 12$. Therefore second quantity = $4 \times 12 = 48$.

id=50919 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=66 | option_b=46 | option_c=56 | option_d=57 | answer=C | explanation=The common difference is 10. Therefore the next term is $46 + 10 = 56$.

id=50920 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3141 at 6% per annum for 4 years. | option_a=853 | option_b=3894 | option_c=753 | option_d=653 | answer=C | explanation=SI = $PRT/100 = 3141 \times 6 \times 4 / 100 = \text{■}753$.

id=50921 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 9, 11, 16? | option_a=9 | option_b=16 | option_c=11 | option_d=7 | answer=B | explanation=The first three numbers increase by 2, so the next should be 13. Therefore 16 is the odd one out.

id=50922 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28341 at 15% per annum for 5 years. | option_a=21155 | option_b=21355 | option_c=21255 | option_d=49596 | answer=C | explanation=SI = $PRT/100 = 28341 \times 15 \times 5 / 100 = \text{■}21255$.

id=50923 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=4 | option_d=6 | answer=B | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=50924 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = $90 \div 6 = 15$ km/h.

id=50925 | topic=Averages | difficulty=Easy | question=Find the average of 82, 56, 60, 10, 72, 79, 96, 90, 28, 77. | option_a=65 | option_b=64 | option_c=66 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = $650 \div 10 = 65$.

id=50926 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:4 and the first is 266, what is the second? | option_a=52 | option_b=322 | option_c=75 | option_d=56 | answer=D | explanation=Scale factor = $266/19 = 14$. Therefore second quantity = $4 \times 14 = 56$.

id=50927 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3211. If it is sold at a profit of 5%, what is its selling price? | option_a=3371 | option_b=3692 | option_c=3216 | option_d=3050 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3211 \times 105 / 100 = \text{■}3371$.

id=50928 | topic=Percentages | difficulty=Easy | question=What is 30% of 315? | option_a=188 | option_b=94 | option_c=89 | option_d=114 | answer=B | explanation=30% of 315 = $(30/100) \times 315 = 94$.

id=50929 | topic=Percentages | difficulty=Easy | question=What is 20% of 866? | option_a=346 | option_b=183 | option_c=153 | option_d=173 | answer=D | explanation=20% of 866 = $(20/100) \times 866 = 173$.

id=50930 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=C | option_c=G | option_d=O | answer=A | explanation=Move 4 positions forward from G; the resulting letter is K.

id=50931 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=24 | option_c=12 | option_d=7 | answer=C | explanation=Speed = distance ÷ time = $120 \div 10 = 12$ km/h.

id=50932 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3017. If it is sold at a profit of 20%, what is its selling price? | option_a=3620 | option_b=3921 | option_c=3037 | option_d=3319 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3017 \times 120 / 100 = \text{■}3620$.

id=50933 | topic=Percentages | difficulty=Easy | question=What is 50% of 1911? | option_a=1910 | option_b=960 | option_c=955 | option_d=945 | answer=C | explanation=50% of 1911 = $(50/100) \times 1911 = 955$.

id=50934 | topic=Averages | difficulty=Easy | question=Find the average of 41, 53, 92, 91, 18, 16, 79, 26. | option_a=51 | option_b=52 | option_c=54 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = $416 \div 8 = 52$.

id=50935 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 44? | option_a=44 | option_b=34 | option_c=18 | option_d=26 | answer=A | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 44 is the odd one out.

id=50936 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3147. If it is sold at a profit of 10%, what is its selling price? | option_a=3775 | option_b=3157 | option_c=3461 | option_d=3147 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3147 \times 110 / 100 = \text{■}3461$.

id=50937 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5119 at 5% per annum for 1 years. | option_a=155 | option_b=5374 | option_c=255 | option_d=355 | answer=C | explanation=SI = $PRT/100 = 5119 \times 5 \times 1 / 100 = \text{■}255$.

id=50938 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47715 at 5% per annum for 5 years. | option_a=59643 | option_b=11928 | option_c=12028 | option_d=11828 | answer=B | explanation=SI = $PRT/100 = 47715 \times 5 \times 5 / 100 = \text{■}11928$.

id=50939 | topic=Averages | difficulty=Easy | question=Find the average of 85, 16, 38, 63, 44, 42, 55. | option_a=51 | option_b=49 | option_c=50 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = $343 \div 7 = 49$.

id=50940 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=L | option_b=M | option_c=N | option_d=O | answer=C | explanation=Move 1 positions forward from M; the resulting letter is N.

Aptitude Questions — Records 50,941-50,970 of 100,000

id=50941 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=X | option_c=D | option_d=G | answer=C | explanation=Move 3 positions forward from A; the resulting letter is D.

id=50942 | topic=Percentages | difficulty=Easy | question=What is 40% of 829? | option_a=321 | option_b=662 | option_c=331 | option_d=336 | answer=C | explanation=40% of 829 = (40/100) × 829 = 331.

id=50943 | topic=Averages | difficulty=Easy | question=Find the average of 19, 23, 82, 97, 19. | option_a=47 | option_b=48 | option_c=49 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 240 ÷ 5 = 48.

id=50944 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 16. | option_a=234 | option_b=208 | option_c=192 | option_d=416 | answer=B | explanation=LCM × HCF = 26×16; HCF(26,16) = 2, so LCM = 208.

id=50945 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 31, 39, 50? | option_a=50 | option_b=31 | option_c=39 | option_d=23 | answer=A | explanation=The first three numbers increase by 8, so the next should be 47. Therefore 50 is the odd one out.

id=50946 | topic=Averages | difficulty=Easy | question=Find the average of 31, 11, 48, 36, 88, 96, 58, 88. | option_a=59 | option_b=57 | option_c=56 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

id=50947 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:1 and the first is 136, what is the second? | option_a=17 | option_b=16 | option_c=153 | option_d=25 | answer=A | explanation=Scale factor = 136/8 = 17. Therefore second quantity = 1×17 = 17.

id=50948 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=50949 | topic=Percentages | difficulty=Easy | question=What is 10% of 751? | option_a=75 | option_b=150 | option_c=70 | option_d=80 | answer=A | explanation=10% of 751 = (10/100) × 751 = 75.

id=50950 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=95 | option_c=90 | option_d=180 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=50951 | topic=Averages | difficulty=Easy | question=Find the average of 86, 30, 85. | option_a=67 | option_b=69 | option_c=68 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 201 ÷ 3 = 67.

id=50952 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=X | option_b=T | option_c=P | option_d=L | answer=B | explanation=Move 4 positions forward from P; the resulting letter is T.

id=50953 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:2 and the first is 38, what is the second? | option_a=36 | option_b=76 | option_c=38 | option_d=40 | answer=C | explanation=Scale factor = 38/2 = 19. Therefore second quantity = 2×19 = 38.

id=50954 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3663 at 5% per annum for 1 years. | option_a=83 | option_b=283 | option_c=183 | option_d=3846 | answer=C | explanation=SI = PRT/100 = 3663×5×1/100 = **■**183.

id=50955 | topic=Percentages | difficulty=Easy | question=What is 50% of 1081? | option_a=1080 | option_b=520 | option_c=550 | option_d=540 | answer=D | explanation=50% of 1081 = (50/100) × 1081 = 540.

id=50956 | topic=Averages | difficulty=Easy | question=Find the average of 39, 36, 58, 13, 75, 63, 22, 68, 35, 51. | option_a=45 | option_b=46 | option_c=48 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 460 ÷ 10 = 46.

id=50957 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=11 | option_c=12 | option_d=1 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=50958 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 25? | option_a=19 | option_b=25 | option_c=21 | option_d=17 | answer=B | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 25 is the odd one out.

id=50959 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=50960 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=43 | option_c=48 | option_d=53 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=50961 | topic=Percentages | difficulty=Easy | question=What is 10% of 652? | option_a=55 | option_b=70 | option_c=130 | option_d=65 | answer=D | explanation=10% of 652 = (10/100) × 652 = 65.

id=50962 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=21 | option_b=20 | option_c=23 | option_d=17 | answer=B | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=50963 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:4 and the first is 198, what is the second? | option_a=242 | option_b=40 | option_c=62 | option_d=44 | answer=D | explanation=Scale factor = 198/18 = 11. Therefore second quantity = 4×11 = 44.

id=50964 | topic=Percentages | difficulty=Easy | question=What is 25% of 480? | option_a=240 | option_b=100 | option_c=120 | option_d=140 | answer=C | explanation=25% of 480 = (25/100) × 480 = 120.

id=50965 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 6, 10, 17? | option_a=6 | option_b=2 | option_c=17 | option_d=10 | answer=C | explanation=The first three numbers increase by 4, so the next should be 14. Therefore 17 is the odd one out.

id=50966 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=50967 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=M | option_b=E | option_c=I | option_d=Q | answer=A | explanation=Move 4 positions forward from I; the resulting letter is M.

id=50968 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=50969 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30703 at 8% per annum for 3 years. | option_a=7268 | option_b=7368 | option_c=7468 | option_d=38071 | answer=B | explanation=SI = PRT/100 = 30703×8×3/100 = **■**7368.

id=50970 | topic=Percentages | difficulty=Easy | question=What is 12% of 731? | option_a=107 | option_b=87 | option_c=174 | option_d=77 | answer=B | explanation=12% of 731 = (12/100) × 731 = 87.

Aptitude Questions — Records 50,971-51,000 of 100,000

id=50971 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 36? | option_a=9 | option_b=25 | option_c=17 | option_d=36 | answer=D | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 36 is the odd one out.

id=50972 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 31, 36, 43? | option_a=36 | option_b=43 | option_c=26 | option_d=31 | answer=B | explanation=The first three numbers increase by 5, so the next should be 41. Therefore 43 is the odd one out.

id=50973 | topic=Profit & Loss | difficulty=Easy | question=An article costs █903. If it is sold at a profit of 40%, what is its selling price? | option_a=943 | option_b=1174 | option_c=1264 | option_d=1354 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 903 \times 140/100 = \text{█}1264$.

id=50974 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10715 at 8% per annum for 1 years. | option_a=757 | option_b=857 | option_c=11572 | option_d=957 | answer=B | explanation=SI = $PRT/100 = 10715 \times 8 \times 1/100 = \text{█}857$.

id=50975 | topic=Averages | difficulty=Easy | question=Find the average of 26, 46, 24, 100. | option_a=51 | option_b=49 | option_c=50 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = $196 \div 4 = 49$.

id=50976 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=36 | option_b=52 | option_c=45 | option_d=44 | answer=D | explanation=The common difference is 8. Therefore the next term is $36 + 8 = 44$.

id=50977 | topic=Averages | difficulty=Easy | question=Find the average of 36, 41, 33, 18, 67. | option_a=39 | option_b=41 | option_c=40 | option_d=38 | answer=A | explanation=Average = sum of values ÷ number of values = $195 \div 5 = 39$.

id=50978 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 53? | option_a=20 | option_b=30 | option_c=40 | option_d=53 | answer=D | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 53 is the odd one out.

id=50979 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4299 at 15% per annum for 3 years. | option_a=6233 | option_b=1834 | option_c=1934 | option_d=2034 | answer=C | explanation=SI = $PRT/100 = 4299 \times 15 \times 3/100 = \text{█}1934$.

id=50980 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8426 at 6% per annum for 4 years. | option_a=2022 | option_b=10448 | option_c=1922 | option_d=2122 | answer=A | explanation=SI = $PRT/100 = 8426 \times 6 \times 4/100 = \text{█}2022$.

id=50981 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=R | option_b=S | option_c=P | option_d=Q | answer=A | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=50982 | topic=Percentages | difficulty=Easy | question=What is 10% of 1907? | option_a=170 | option_b=380 | option_c=200 | option_d=190 | answer=D | explanation=10% of 1907 = $(10/100) \times 1907 = 190$.

id=50983 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=E | option_c=D | option_d=B | answer=C | explanation=Move 1 positions forward from C; the resulting letter is D.

id=50984 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23387 at 10% per annum for 2 years. | option_a=28064 | option_b=4677 | option_c=4577 | option_d=4777 | answer=B | explanation=SI = $PRT/100 = 23387 \times 10 \times 2/100 = \text{█}4677$.

id=50985 | topic=Averages | difficulty=Easy | question=Find the average of 67, 64, 100. | option_a=77 | option_b=76 | option_c=79 | option_d=78 | answer=A | explanation=Average = sum of values ÷ number of values = $231 \div 3 = 77$.

id=50986 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4183. If it is sold at a profit of 10%, what is its selling price? | option_a=4183 | option_b=4193 | option_c=5019 | option_d=4601 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4183 \times 110/100 = \text{█}4601$.

id=50987 | topic=Averages | difficulty=Easy | question=Find the average of 28, 32, 66, 68, 75, 89, 11, 87. | option_a=57 | option_b=56 | option_c=59 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = $456 \div 8 = 57$.

id=50988 | topic=Averages | difficulty=Easy | question=Find the average of 67, 48, 29, 68. | option_a=52 | option_b=53 | option_c=55 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = $212 \div 4 = 53$.

id=50989 | topic=Percentages | difficulty=Easy | question=What is 20% of 260? | option_a=52 | option_b=47 | option_c=104 | option_d=57 | answer=A | explanation=20% of 260 = $(20/100) \times 260 = 52$.

id=50990 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 47? | option_a=23 | option_b=37 | option_c=47 | option_d=30 | answer=C | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 47 is the odd one out.

id=50991 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 25, 31, 38? | option_a=31 | option_b=38 | option_c=19 | option_d=25 | answer=B | explanation=The first three numbers increase by 6, so the next should be 37. Therefore 38 is the odd one out.

id=50992 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 15. | option_a=75 | option_b=100 | option_c=375 | option_d=60 | answer=A | explanation= $LCM \times HCF = 25 \times 15$; $HCF(25,15) = 5$, so $LCM = 75$.

id=50993 | topic=Percentages | difficulty=Easy | question=What is 40% of 1889? | option_a=760 | option_b=755 | option_c=1510 | option_d=745 | answer=B | explanation=40% of 1889 = $(40/100) \times 1889 = 755$.

id=50994 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:19 and the first is 42, what is the second? | option_a=95 | option_b=114 | option_c=121 | option_d=156 | answer=B | explanation=Scale factor = $42/7 = 6$. Therefore second quantity = $19 \times 6 = 114$.

id=50995 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 12. | option_a=1 | option_b=72 | option_c=18 | option_d=12 | answer=D | explanation= $LCM \times HCF = 6 \times 12$; $HCF(6,12) = 6$, so $LCM = 12$.

id=50996 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:14 and the first is 90, what is the second? | option_a=160 | option_b=56 | option_c=70 | option_d=88 | answer=C | explanation=Scale factor = $90/18 = 5$. Therefore second quantity = $14 \times 5 = 70$.

id=50997 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=65 | option_b=56 | option_c=57 | option_d=47 | answer=B | explanation=The common difference is 9. Therefore the next term is $47 + 9 = 56$.

id=50998 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1332. If it is sold at a profit of 30%, what is its selling price? | option_a=1362 | option_b=1598 | option_c=1731 | option_d=1864 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1332 \times 130/100 = \text{█}1731$.

id=50999 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=V | option_b=P | option_c=S | option_d=Y | answer=A | explanation=Move 3 positions forward from S; the resulting letter is V.

id=51000 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13450 at 12% per annum for 4 years. | option_a=6556 | option_b=6356 | option_c=6456 | option_d=19906 | answer=C | explanation=SI = $PRT/100 = 13450 \times 12 \times 4/100 = \text{█}6456$.

Aptitude Questions — Records 51,001-51,030 of 100,000

- id=51001 | topic=Percentages | difficulty=Easy | question=What is 10% of 972? | option_a=194 | option_b=77 | option_c=97 | option_d=107 | answer=C | explanation=10% of 972 = (10/100) × 972 = 97.
- id=51002 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=150 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.
- id=51003 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 31, 36, 43? | option_a=26 | option_b=31 | option_c=36 | option_d=43 | answer=D | explanation=The first three numbers increase by 5, so the next should be 41. Therefore 43 is the odd one out.
- id=51004 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=30 | option_b=31 | option_c=33 | option_d=27 | answer=A | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.
- id=51005 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=54 | option_b=46 | option_c=38 | option_d=47 | answer=B | explanation=The common difference is 8. Therefore the next term is 38 + 8 = 46.
- id=51006 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=14 | option_b=16 | option_c=12 | option_d=15 | answer=A | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.
- id=51007 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2380. If it is sold at a profit of 50%, what is its selling price? | option_a=3570 | option_b=2430 | option_c=3808 | option_d=3332 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2380 × 150/100 = █3570.
- id=51008 | topic=Averages | difficulty=Easy | question=Find the average of 29, 75, 80, 88, 17, 42, 26, 21, 15, 87. | option_a=47 | option_b=48 | option_c=49 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 480 ÷ 10 = 48.
- id=51009 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=X | option_b=N | option_c=C | option_d=S | answer=A | explanation=Move 5 positions forward from S; the resulting letter is X.
- id=51010 | topic=Averages | difficulty=Easy | question=Find the average of 32, 22, 96, 100, 80, 78, 84, 33, 95, 50. | option_a=67 | option_b=69 | option_c=66 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = 670 ÷ 10 = 67.
- id=51011 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=12 | option_c=6 | option_d=11 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.
- id=51012 | topic=Percentages | difficulty=Easy | question=What is 10% of 882? | option_a=88 | option_b=98 | option_c=176 | option_d=78 | answer=A | explanation=10% of 882 = (10/100) × 882 = 88.
- id=51013 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:16 and the first is 255, what is the second? | option_a=287 | option_b=272 | option_c=527 | option_d=256 | answer=B | explanation=Scale factor = 255/15 = 17. Therefore second quantity = 16×17 = 272.
- id=51014 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=K | option_b=S | option_c=O | option_d=W | answer=B | explanation=Move 4 positions forward from O; the resulting letter is S.
- id=51015 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=22 | option_b=27 | option_c=32 | option_d=28 | answer=B | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.
- id=51016 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 23, 32, 43? | option_a=43 | option_b=32 | option_c=14 | option_d=23 | answer=A | explanation=The first three numbers increase by 9, so the next should be 41. Therefore 43 is the odd one out.
- id=51017 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=E | option_c=K | option_d=N | answer=C | explanation=Move 3 positions forward from H; the resulting letter is K.
- id=51018 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=M | option_b=I | option_c=G | option_d=K | answer=D | explanation=Move 2 positions forward from I; the resulting letter is K.
- id=51019 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.
- id=51020 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=70 | option_d=150 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.
- id=51021 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=80 | option_c=35 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.
- id=51022 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=35 | option_b=41 | option_c=40 | option_d=45 | answer=C | explanation=The common difference is 5. Therefore the next term is 35 + 5 = 40.
- id=51023 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 38? | option_a=32 | option_b=34 | option_c=30 | option_d=38 | answer=D | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 38 is the odd one out.
- id=51024 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2884. If it is sold at a profit of 5%, what is its selling price? | option_a=2740 | option_b=3028 | option_c=2889 | option_d=3316 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2884 × 105/100 = █3028.
- id=51025 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 33, 39, 47? | option_a=27 | option_b=47 | option_c=39 | option_d=33 | answer=B | explanation=The first three numbers increase by 6, so the next should be 45. Therefore 47 is the odd one out.
- id=51026 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 16, 20, 26? | option_a=16 | option_b=26 | option_c=12 | option_d=20 | answer=B | explanation=The first three numbers increase by 4, so the next should be 24. Therefore 26 is the odd one out.
- id=51027 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=45 | option_b=46 | option_c=37 | option_d=53 | answer=A | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.
- id=51028 | topic=Percentages | difficulty=Easy | question=What is 5% of 666? | option_a=28 | option_b=53 | option_c=33 | option_d=66 | answer=C | explanation=5% of 666 = (5/100) × 666 = 33.
- id=51029 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.
- id=51030 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 21? | option_a=8 | option_b=14 | option_c=2 | option_d=21 | answer=D | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 21 is the odd one out.

Aptitude Questions — Records 51,031-51,060 of 100,000

id=51031 | topic=Percentages | difficulty=Easy | question=What is 50% of 727? | option_a=363 | option_b=353 | option_c=726 | option_d=383 | answer=A | explanation=50% of 727 = (50/100) × 727 = 363.

id=51032 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=38 | option_b=39 | option_c=46 | option_d=30 | answer=A | explanation=The common difference is 8. Therefore the next term is 30 + 8 = 38.

id=51033 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=51034 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=10 | option_b=12 | option_c=8 | option_d=11 | answer=A | explanation=The common difference is 2. Therefore the next term is 8 + 2 = 10.

id=51035 | topic=Percentages | difficulty=Easy | question=What is 12% of 426? | option_a=102 | option_b=51 | option_c=71 | option_d=31 | answer=B | explanation=12% of 426 = (12/100) × 426 = 51.

id=51036 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=51037 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=51038 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:4 and the first is 18, what is the second? | option_a=24 | option_b=20 | option_c=42 | option_d=27 | answer=A | explanation=Scale factor = 18/3 = 6. Therefore second quantity = 4×6 = 24.

id=51039 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=23 | option_b=27 | option_c=26 | option_d=25 | answer=D | explanation=The common difference is 2. Therefore the next term is 23 + 2 = 25.

id=51040 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:18 and the first is 108, what is the second? | option_a=306 | option_b=432 | option_c=330 | option_d=324 | answer=D | explanation=Scale factor = 108/6 = 18. Therefore second quantity = 18×18 = 324.

id=51041 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 23, 26, 30? | option_a=26 | option_b=20 | option_c=30 | option_d=23 | answer=C | explanation=The first three numbers increase by 3, so the next should be 29. Therefore 30 is the odd one out.

id=51042 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24095 at 10% per annum for 3 years. | option_a=7328 | option_b=7228 | option_c=31323 | option_d=7128 | answer=B | explanation=SI = PRT/100 = 24095×10×3/100 = **■**7228.

id=51043 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=51044 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5209 at 4% per annum for 1 years. | option_a=208 | option_b=308 | option_c=108 | option_d=5417 | answer=A | explanation=SI = PRT/100 = 5209×4×1/100 = **■**208.

id=51045 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10730 at 15% per annum for 2 years. | option_a=3319 | option_b=13949 | option_c=3119 | option_d=3219 | answer=D | explanation=SI = PRT/100 = 10730×15×2/100 = **■**3219.

id=51046 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=I | option_b=E | option_c=W | option_d=A | answer=B | explanation=Move 4 positions forward from A; the resulting letter is E.

id=51047 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4005. If it is sold at a profit of 50%, what is its selling price? | option_a=6407 | option_b=5607 | option_c=6007 | option_d=4055 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4005 × 150/100 = **■**6007.

id=51048 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=48 | option_c=19 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=51049 | topic=Averages | difficulty=Easy | question=Find the average of 79, 17, 40, 14, 15. | option_a=35 | option_b=32 | option_c=34 | option_d=33 | answer=D | explanation=Average = sum of values ÷ number of values = 165 ÷ 5 = 33.

id=51050 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 30. | option_a=600 | option_b=80 | option_c=60 | option_d=30 | answer=C | explanation=LCM × HCF = 20×30; HCF(20,30) = 10, so LCM = 60.

id=51051 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=G | option_b=Q | option_c=V | option_d=L | answer=B | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=51052 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 21, 25, 32? | option_a=32 | option_b=21 | option_c=25 | option_d=17 | answer=A | explanation=The first three numbers increase by 4, so the next should be 29. Therefore 32 is the odd one out.

id=51053 | topic=Percentages | difficulty=Easy | question=What is 40% of 1757? | option_a=697 | option_b=702 | option_c=1404 | option_d=722 | answer=B | explanation=40% of 1757 = (40/100) × 1757 = 702.

id=51054 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 17, 20, 26? | option_a=26 | option_b=20 | option_c=17 | option_d=14 | answer=A | explanation=The first three numbers increase by 3, so the next should be 23. Therefore 26 is the odd one out.

id=51055 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=D | option_c=Z | option_d=L | answer=A | explanation=Move 4 positions forward from D; the resulting letter is H.

id=51056 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=F | option_c=J | option_d=R | answer=A | explanation=Move 4 positions forward from J; the resulting letter is N.

id=51057 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:16 and the first is 340, what is the second? | option_a=256 | option_b=612 | option_c=272 | option_d=292 | answer=C | explanation=Scale factor = 340/20 = 17. Therefore second quantity = 16×17 = 272.

id=51058 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=17 | option_b=16 | option_c=13 | option_d=15 | answer=D | explanation=The common difference is 2. Therefore the next term is 13 + 2 = 15.

id=51059 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1085. If it is sold at a profit of 10%, what is its selling price? | option_a=1193 | option_b=1085 | option_c=1095 | option_d=1301 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1085 × 110/100 = **■**1193.

id=51060 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 5. | option_a=15 | option_b=20 | option_c=100 | option_d=40 | answer=B | explanation=LCM × HCF = 20×5; HCF(20,5) = 5, so LCM = 20.

Aptitude Questions — Records 51,061-51,090 of 100,000

id=51061 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 45? | option_a=45 | option_b=34 | option_c=38 | option_d=30 | answer=A | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 45 is the odd one out.

id=51062 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4419. If it is sold at a profit of 5%, what is its selling price? | option_a=5080 | option_b=4198 | option_c=4424 | option_d=4639 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4419 × 105/100 = █4639.

id=51063 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=55 | option_c=50 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=51064 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 12, 15, 18, ? | option_a=18 | option_b=22 | option_c=24 | option_d=21 | answer=D | explanation=The common difference is 3. Therefore the next term is 18 + 3 = 21.

id=51065 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39462 at 5% per annum for 5 years. | option_a=9865 | option_b=9965 | option_c=9765 | option_d=49327 | answer=A | explanation=SI = PRT/100 = 39462×5×5/100 = █9865.

id=51066 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 18, 24, 30, ? | option_a=42 | option_b=37 | option_c=30 | option_d=36 | answer=D | explanation=The common difference is 6. Therefore the next term is 30 + 6 = 36.

id=51067 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:16 and the first is 45, what is the second? | option_a=189 | option_b=144 | option_c=128 | option_d=149 | answer=B | explanation=Scale factor = 45/5 = 9. Therefore second quantity = 16×9 = 144.

id=51068 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3186. If it is sold at a profit of 25%, what is its selling price? | option_a=4300 | option_b=3664 | option_c=3211 | option_d=3982 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3186 × 125/100 = █3982.

id=51069 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 31? | option_a=13 | option_b=31 | option_c=18 | option_d=23 | answer=B | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 31 is the odd one out.

id=51070 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=53 | option_b=54 | option_c=63 | option_d=43 | answer=A | explanation=The common difference is 10. Therefore the next term is 43 + 10 = 53.

id=51071 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=51072 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3883. If it is sold at a profit of 20%, what is its selling price? | option_a=4271 | option_b=5047 | option_c=4659 | option_d=3903 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3883 × 120/100 = █4659.

id=51073 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=P | option_c=N | option_d=Q | answer=B | explanation=Move 1 positions forward from O; the resulting letter is P.

id=51074 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=38 | option_b=33 | option_c=26 | option_d=32 | answer=D | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=51075 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=51076 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 43? | option_a=43 | option_b=29 | option_c=33 | option_d=37 | answer=A | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 43 is the odd one out.

id=51077 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=P | option_b=T | option_c=B | option_d=X | answer=D | explanation=Move 4 positions forward from T; the resulting letter is X.

id=51078 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=51079 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=51080 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=10 | option_c=20 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=51081 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:19 and the first is 60, what is the second? | option_a=38 | option_b=117 | option_c=57 | option_d=77 | answer=C | explanation=Scale factor = 60/20 = 3. Therefore second quantity = 19×3 = 57.

id=51082 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4651. If it is sold at a profit of 20%, what is its selling price? | option_a=5581 | option_b=4671 | option_c=5116 | option_d=6046 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4651 × 120/100 = █5581.

id=51083 | topic=Percentages | difficulty=Easy | question=What is 15% of 582? | option_a=97 | option_b=174 | option_c=87 | option_d=67 | answer=C | explanation=15% of 582 = (15/100) × 582 = 87.

id=51084 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=W | option_c=Y | option_d=S | answer=B | explanation=Move 2 positions forward from U; the resulting letter is W.

id=51085 | topic=Averages | difficulty=Easy | question=Find the average of 18, 54, 67, 63, 85, 13. | option_a=50 | option_b=49 | option_c=52 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 300 ÷ 6 = 50.

id=51086 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=51087 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 28? | option_a=22 | option_b=16 | option_c=19 | option_d=28 | answer=D | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 28 is the odd one out.

id=51088 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=51089 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Z | option_b=W | option_c=Q | option_d=T | answer=B | explanation=Move 3 positions forward from T; the resulting letter is W.

id=51090 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42659 at 15% per annum for 5 years. | option_a=32094 | option_b=74653 | option_c=31994 | option_d=31894 | answer=C | explanation=SI = PRT/100 = 42659×15×5/100 = █31994.

Aptitude Questions — Records 51,091-51,120 of 100,000

- id=51091 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19894 at 15% per annum for 1 years. | option_a=2884 | option_b=2984 | option_c=3084 | option_d=22878 | answer=B | explanation=SI = PRT/100 = 19894×15×1/100 = **■**2984.
- id=51092 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 22? | option_a=16 | option_b=18 | option_c=22 | option_d=14 | answer=C | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 22 is the odd one out.
- id=51093 | topic=Averages | difficulty=Easy | question=Find the average of 83, 69, 24, 56. | option_a=60 | option_b=57 | option_c=59 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 232 ÷ 4 = 58.
- id=51094 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 18? | option_a=11 | option_b=7 | option_c=18 | option_d=3 | answer=C | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 18 is the odd one out.
- id=51095 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=44 | option_b=56 | option_c=55 | option_d=66 | answer=C | explanation=The common difference is 11. Therefore the next term is 44 + 11 = 55.
- id=51096 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:14 and the first is 152, what is the second? | option_a=274 | option_b=418 | option_c=252 | option_d=266 | answer=D | explanation=Scale factor = 152/8 = 19. Therefore second quantity = 14×19 = 266.
- id=51097 | topic=Percentages | difficulty=Easy | question=What is 20% of 922? | option_a=189 | option_b=184 | option_c=368 | option_d=174 | answer=B | explanation=20% of 922 = (20/100) × 922 = 184.
- id=51098 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 39? | option_a=30 | option_b=22 | option_c=14 | option_d=39 | answer=D | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 39 is the odd one out.
- id=51099 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=31 | option_c=72 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.
- id=51100 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=26 | option_b=20 | option_c=24 | option_d=23 | answer=D | explanation=The common difference is 3. Therefore the next term is 20 + 3 = 23.
- id=51101 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=90 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.
- id=51102 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1751. If it is sold at a profit of 30%, what is its selling price? | option_a=1781 | option_b=2276 | option_c=2101 | option_d=2451 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1751 × 130/100 = **■**2276.
- id=51103 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:19 and the first is 84, what is the second? | option_a=228 | option_b=312 | option_c=235 | option_d=209 | answer=A | explanation=Scale factor = 84/7 = 12. Therefore second quantity = 19×12 = 228.
- id=51104 | topic=Percentages | difficulty=Easy | question=What is 12% of 108? | option_a=12 | option_b=32 | option_c=24 | option_d=0 | answer=A | explanation=12% of 108 = (12/100) × 108 = 12.
- id=51105 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 33, 43, 56? | option_a=56 | option_b=43 | option_c=23 | option_d=33 | answer=A | explanation=The first three numbers increase by 10, so the next should be 53. Therefore 56 is the odd one out.
- id=51106 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=40 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.
- id=51107 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1912. If it is sold at a profit of 30%, what is its selling price? | option_a=2294 | option_b=2676 | option_c=2485 | option_d=1942 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1912 × 130/100 = **■**2485.
- id=51108 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=69 | option_b=58 | option_c=57 | option_d=45 | answer=C | explanation=The common difference is 12. Therefore the next term is 45 + 12 = 57.
- id=51109 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42371 at 15% per annum for 2 years. | option_a=12811 | option_b=12711 | option_c=55082 | option_d=12611 | answer=B | explanation=SI = PRT/100 = 42371×15×2/100 = **■**12711.
- id=51110 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=E | option_c=I | option_d=G | answer=C | explanation=Move 2 positions forward from G; the resulting letter is I.
- id=51111 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 34? | option_a=30 | option_b=26 | option_c=28 | option_d=34 | answer=D | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 34 is the odd one out.
- id=51112 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 45? | option_a=25 | option_b=31 | option_c=37 | option_d=45 | answer=D | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 45 is the odd one out.
- id=51113 | topic=Averages | difficulty=Easy | question=Find the average of 99, 23, 73, 96, 45, 12. | option_a=58 | option_b=60 | option_c=57 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 348 ÷ 6 = 58.
- id=51114 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4611. If it is sold at a profit of 50%, what is its selling price? | option_a=7377 | option_b=6916 | option_c=6455 | option_d=4661 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4611 × 150/100 = **■**6916.
- id=51115 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=D | option_b=C | option_c=B | option_d=E | answer=A | explanation=Move 1 positions forward from C; the resulting letter is D.
- id=51116 | topic=Averages | difficulty=Easy | question=Find the average of 83, 96, 60, 34, 11, 34, 75, 55. | option_a=58 | option_b=55 | option_c=56 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 448 ÷ 8 = 56.
- id=51117 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13396 at 15% per annum for 4 years. | option_a=8037 | option_b=7937 | option_c=8137 | option_d=21433 | answer=A | explanation=SI = PRT/100 = 13396×15×4/100 = **■**8037.
- id=51118 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.
- id=51119 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 17, 21, 28? | option_a=21 | option_b=13 | option_c=17 | option_d=28 | answer=D | explanation=The first three numbers increase by 4, so the next should be 25. Therefore 28 is the odd one out.
- id=51120 | topic=Averages | difficulty=Easy | question=Find the average of 10, 36, 28, 83, 63, 57, 73. | option_a=49 | option_b=52 | option_c=50 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

Aptitude Questions — Records 51,121-51,150 of 100,000

id=51121 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=E | option_b=M | option_c=Q | option_d=I | answer=B | explanation=Move 4 positions forward from I; the resulting letter is M.

id=51122 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=51123 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 53? | option_a=53 | option_b=40 | option_c=20 | option_d=30 | answer=A | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 53 is the odd one out.

id=51124 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=W | option_c=Q | option_d=Z | answer=B | explanation=Move 3 positions forward from T; the resulting letter is W.

id=51125 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 29, 31, 34? | option_a=27 | option_b=31 | option_c=29 | option_d=34 | answer=D | explanation=The first three numbers increase by 2, so the next should be 33. Therefore 34 is the odd one out.

id=51126 | topic=Percentages | difficulty=Easy | question=What is 10% of 1355? | option_a=130 | option_b=270 | option_c=140 | option_d=135 | answer=D | explanation=10% of 1355 = (10/100) × 1355 = 135.

id=51127 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35227 at 5% per annum for 2 years. | option_a=3622 | option_b=3522 | option_c=3422 | option_d=38749 | answer=B | explanation=SI = PRT/100 = 35227×5×2/100 = **■**3522.

id=51128 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:3 and the first is 20, what is the second? | option_a=9 | option_b=12 | option_c=32 | option_d=17 | answer=B | explanation=Scale factor = 20/5 = 4. Therefore second quantity = 3×4 = 12.

id=51129 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=24 | option_c=29 | option_d=19 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=51130 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=12 | option_c=24 | option_d=7 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=51131 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32651 at 10% per annum for 2 years. | option_a=6530 | option_b=39181 | option_c=6430 | option_d=6630 | answer=A | explanation=SI = PRT/100 = 32651×10×2/100 = **■**6530.

id=51132 | topic=Percentages | difficulty=Easy | question=What is 40% of 200? | option_a=85 | option_b=60 | option_c=160 | option_d=80 | answer=D | explanation=40% of 200 = (40/100) × 200 = 80.

id=51133 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=X | option_b=U | option_c=R | option_d=O | answer=B | explanation=Move 3 positions forward from R; the resulting letter is U.

id=51134 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Q | option_b=W | option_c=T | option_d=Z | answer=B | explanation=Move 3 positions forward from T; the resulting letter is W.

id=51135 | topic=Percentages | difficulty=Easy | question=What is 5% of 1055? | option_a=72 | option_b=104 | option_c=47 | option_d=52 | answer=D | explanation=5% of 1055 = (5/100) × 1055 = 52.

id=51136 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:3 and the first is 24, what is the second? | option_a=18 | option_b=3 | option_c=6 | option_d=30 | answer=C | explanation=Scale factor = 24/12 = 2. Therefore second quantity = 3×2 = 6.

id=51137 | topic=Averages | difficulty=Easy | question=Find the average of 66, 57, 83, 22, 63, 16, 67, 34, 24. | option_a=49 | option_b=47 | option_c=48 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 432 ÷ 9 = 48.

id=51138 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=51139 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=18 | option_b=22 | option_c=23 | option_d=26 | answer=B | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

id=51140 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=51141 | topic=Percentages | difficulty=Easy | question=What is 5% of 1104? | option_a=55 | option_b=110 | option_c=45 | option_d=60 | answer=A | explanation=5% of 1104 = (5/100) × 1104 = 55.

id=51142 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 14, 17, 23? | option_a=14 | option_b=11 | option_c=23 | option_d=17 | answer=C | explanation=The first three numbers increase by 3, so the next should be 20. Therefore 23 is the odd one out.

id=51143 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 29, 33, 39? | option_a=25 | option_b=39 | option_c=33 | option_d=29 | answer=B | explanation=The first three numbers increase by 4, so the next should be 37. Therefore 39 is the odd one out.

id=51144 | topic=Percentages | difficulty=Easy | question=What is 25% of 616? | option_a=154 | option_b=308 | option_c=159 | option_d=149 | answer=A | explanation=25% of 616 = (25/100) × 616 = 154.

id=51145 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1483. If it is sold at a profit of 40%, what is its selling price? | option_a=1928 | option_b=2076 | option_c=1523 | option_d=2224 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1483 × 140/100 = **■**2076.

id=51146 | topic=Percentages | difficulty=Easy | question=What is 15% of 530? | option_a=89 | option_b=79 | option_c=74 | option_d=158 | answer=B | explanation=15% of 530 = (15/100) × 530 = 79.

id=51147 | topic=Averages | difficulty=Easy | question=Find the average of 76, 33, 94, 72, 46, 13, 100, 70. | option_a=65 | option_b=64 | option_c=63 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 504 ÷ 8 = 63.

id=51148 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:5 and the first is 64, what is the second? | option_a=48 | option_b=35 | option_c=40 | option_d=104 | answer=C | explanation=Scale factor = 64/8 = 8. Therefore second quantity = 5×8 = 40.

id=51149 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:7 and the first is 80, what is the second? | option_a=48 | option_b=108 | option_c=21 | option_d=28 | answer=D | explanation=Scale factor = 80/20 = 4. Therefore second quantity = 7×4 = 28.

id=51150 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 35? | option_a=19 | option_b=29 | option_c=24 | option_d=35 | answer=D | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 35 is the odd one out.

Aptitude Questions — Records 51,151-51,180 of 100,000

id=51151 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=C | option_c=E | option_d=D | answer=C | explanation=Move 1 positions forward from D; the resulting letter is E.

id=51152 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=30 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=51153 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:5 and the first is 64, what is the second? | option_a=80 | option_b=144 | option_c=84 | option_d=75 | answer=A | explanation=Scale factor = 64/4 = 16. Therefore second quantity = 5×16 = 80.

id=51154 | topic=Profit & Loss | difficulty=Easy | question=An article costs █836. If it is sold at a profit of 10%, what is its selling price? | option_a=1002 | option_b=919 | option_c=846 | option_d=836 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 836 × 110/100 = █919.

id=51155 | topic=Averages | difficulty=Easy | question=Find the average of 63, 75, 54, 64, | option_a=66 | option_b=63 | option_c=64 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = 256 ÷ 4 = 64.

id=51156 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13853 at 5% per annum for 1 years. | option_a=792 | option_b=592 | option_c=14545 | option_d=692 | answer=D | explanation=SI = PRT/100 = 13853×5×1/100 = █692.

id=51157 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=51158 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=51159 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=51160 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 16. | option_a=18 | option_b=16 | option_c=32 | option_d=1 | answer=B | explanation=LCM × HCF = 2×16; HCF(2,16) = 2, so LCM = 16.

id=51161 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=25 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=51162 | topic=Averages | difficulty=Easy | question=Find the average of 16, 37, 95, 78, 17, 32, 103. | option_a=54 | option_b=53 | option_c=55 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

id=51163 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=27 | option_b=26 | option_c=24 | option_d=28 | answer=B | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.

id=51164 | topic=Profit & Loss | difficulty=Easy | question=An article costs █642. If it is sold at a profit of 50%, what is its selling price? | option_a=899 | option_b=963 | option_c=1027 | option_d=692 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 642 × 150/100 = █963.

id=51165 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=51166 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=H | option_b=K | option_c=E | option_d=B | answer=A | explanation=Move 3 positions forward from E; the resulting letter is H.

id=51167 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:14 and the first is 168, what is the second? | option_a=154 | option_b=168 | option_c=336 | option_d=182 | answer=B | explanation=Scale factor = 168/14 = 12. Therefore second quantity = 14×12 = 168.

id=51168 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=51169 | topic=Averages | difficulty=Easy | question=Find the average of 82, 81, 53, 92, 70, 42. | option_a=70 | option_b=69 | option_c=71 | option_d=72 | answer=A | explanation=Average = sum of values ÷ number of values = 420 ÷ 6 = 70.

id=51170 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4564. If it is sold at a profit of 30%, what is its selling price? | option_a=5477 | option_b=5933 | option_c=4594 | option_d=6389 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4564 × 130/100 = █5933.

id=51171 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=51172 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:19 and the first is 133, what is the second? | option_a=114 | option_b=152 | option_c=266 | option_d=133 | answer=D | explanation=Scale factor = 133/19 = 7. Therefore second quantity = 19×7 = 133.

id=51173 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=51174 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 14, 20, 27? | option_a=20 | option_b=14 | option_c=8 | option_d=27 | answer=D | explanation=The first three numbers increase by 6, so the next should be 26. Therefore 27 is the odd one out.

id=51175 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=O | option_b=L | option_c=R | option_d=I | answer=A | explanation=Move 3 positions forward from L; the resulting letter is O.

id=51176 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 29, 36, 44? | option_a=29 | option_b=44 | option_c=36 | option_d=22 | answer=B | explanation=The first three numbers increase by 7, so the next should be 43. Therefore 44 is the odd one out.

id=51177 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=51178 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=150 | option_d=70 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=51179 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 32, 36, 41? | option_a=41 | option_b=36 | option_c=28 | option_d=32 | answer=A | explanation=The first three numbers increase by 4, so the next should be 40. Therefore 41 is the odd one out.

id=51180 | topic=Averages | difficulty=Easy | question=Find the average of 25, 89, 63, 28, 85. | option_a=57 | option_b=58 | option_c=60 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 290 ÷ 5 = 58.

Aptitude Questions — Records 51,181-51,210 of 100,000

id=51181 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=U | option_c=P | option_d=F | answer=C | explanation=Move 5 positions forward from K; the resulting letter is P.

id=51182 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 30, 33, 38? | option_a=30 | option_b=38 | option_c=27 | option_d=33 | answer=B | explanation=The first three numbers increase by 3, so the next should be 36. Therefore 38 is the odd one out.

id=51183 | topic=Percentages | difficulty=Easy | question=What is 12% of 1794? | option_a=210 | option_b=235 | option_c=430 | option_d=215 | answer=D | explanation=12% of 1794 = (12/100) × 1794 = 215.

id=51184 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3029. If it is sold at a profit of 30%, what is its selling price? | option_a=3059 | option_b=4239 | option_c=3937 | option_d=3635 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3029 × 130/100 = █3937.

id=51185 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=Z | option_b=H | option_c=L | option_d=D | answer=B | explanation=Move 4 positions forward from D; the resulting letter is H.

id=51186 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46930 at 10% per annum for 1 years. | option_a=4793 | option_b=4593 | option_c=4693 | option_d=51623 | answer=C | explanation=SI = PRT/100 = 46930×10×1/100 = █4693.

id=51187 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35381 at 10% per annum for 4 years. | option_a=14052 | option_b=14252 | option_c=49533 | option_d=14152 | answer=D | explanation=SI = PRT/100 = 35381×10×4/100 = █14152.

id=51188 | topic=Averages | difficulty=Easy | question=Find the average of 72, 59, 94, 25, 20. | option_a=56 | option_b=55 | option_c=53 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 270 ÷ 5 = 54.

id=51189 | topic=Averages | difficulty=Easy | question=Find the average of 33, 83, 80, 30, 99, 53. | option_a=63 | option_b=62 | option_c=65 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = 378 ÷ 6 = 63.

id=51190 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 38, 46, 56? | option_a=56 | option_b=30 | option_c=46 | option_d=38 | answer=A | explanation=The first three numbers increase by 8, so the next should be 54. Therefore 56 is the odd one out.

id=51191 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=51192 | topic=Averages | difficulty=Easy | question=Find the average of 65, 71, 48, 63, 36, 84, 11. | option_a=55 | option_b=54 | option_c=53 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

id=51193 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=51194 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9098 at 12% per annum for 4 years. | option_a=4467 | option_b=13465 | option_c=4367 | option_d=4267 | answer=C | explanation=SI = PRT/100 = 9098×12×4/100 = █4367.

id=51195 | topic=Averages | difficulty=Easy | question=Find the average of 98, 62, 91, 29. | option_a=69 | option_b=72 | option_c=70 | option_d=71 | answer=C | explanation=Average = sum of values ÷ number of values = 280 ÷ 4 = 70.

id=51196 | topic=Percentages | difficulty=Easy | question=What is 5% of 377? | option_a=38 | option_b=13 | option_c=18 | option_d=36 | answer=C | explanation=5% of 377 = (5/100) × 377 = 18.

id=51197 | topic=Averages | difficulty=Easy | question=Find the average of 77, 48, 61, 10, 55, 76, 79. | option_a=60 | option_b=58 | option_c=57 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 406 ÷ 7 = 58.

id=51198 | topic=Percentages | difficulty=Easy | question=What is 15% of 874? | option_a=111 | option_b=262 | option_c=141 | option_d=131 | answer=D | explanation=15% of 874 = (15/100) × 874 = 131.

id=51199 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:9 and the first is 14, what is the second? | option_a=18 | option_b=9 | option_c=32 | option_d=25 | answer=A | explanation=Scale factor = 14/7 = 2. Therefore second quantity = 9×2 = 18.

id=51200 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=95 | option_c=90 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=51201 | topic=Averages | difficulty=Easy | question=Find the average of 72, 29, 83, 75, 71. | option_a=66 | option_b=68 | option_c=65 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = 330 ÷ 5 = 66.

id=51202 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=51203 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:12 and the first is 36, what is the second? | option_a=84 | option_b=57 | option_c=36 | option_d=48 | answer=D | explanation=Scale factor = 36/9 = 4. Therefore second quantity = 12×4 = 48.

id=51204 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4977. If it is sold at a profit of 50%, what is its selling price? | option_a=5027 | option_b=7465 | option_c=7962 | option_d=6968 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4977 × 150/100 = █7465.

id=51205 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=53 | option_b=52 | option_c=62 | option_d=42 | answer=B | explanation=The common difference is 10. Therefore the next term is 42 + 10 = 52.

id=51206 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36360 at 6% per annum for 3 years. | option_a=42904 | option_b=6444 | option_c=6644 | option_d=6544 | answer=D | explanation=SI = PRT/100 = 36360×6×3/100 = █6544.

id=51207 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17556 at 8% per annum for 3 years. | option_a=4113 | option_b=4213 | option_c=4313 | option_d=21769 | answer=B | explanation=SI = PRT/100 = 17556×8×3/100 = █4213.

id=51208 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=N | option_c=R | option_d=T | answer=C | explanation=Move 2 positions forward from P; the resulting letter is R.

id=51209 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=20 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=51210 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2090. If it is sold at a profit of 30%, what is its selling price? | option_a=2120 | option_b=2717 | option_c=2508 | option_d=2926 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2090 × 130/100 = █2717.

Aptitude Questions — Records 51,211-51,240 of 100,000

id=51211 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:4 and the first is 210, what is the second? | option_a=56 | option_b=266 | option_c=52 | option_d=71 | answer=A | explanation=Scale factor = 210/15 = 14. Therefore second quantity = 4×14 = 56.

id=51212 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=51213 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=K | option_c=O | option_d=M | answer=C | explanation=Move 2 positions forward from M; the resulting letter is O.

id=51214 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=51215 | topic=Percentages | difficulty=Easy | question=What is 5% of 1580? | option_a=89 | option_b=74 | option_c=158 | option_d=79 | answer=D | explanation=5% of 1580 = (5/100) × 1580 = 79.

id=51216 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:12 and the first is 152, what is the second? | option_a=248 | option_b=96 | option_c=84 | option_d=115 | answer=B | explanation=Scale factor = 152/19 = 8. Therefore second quantity = 12×8 = 96.

id=51217 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16058 at 5% per annum for 5 years. | option_a=3914 | option_b=4014 | option_c=4114 | option_d=20072 | answer=B | explanation=SI = PRT/100 = 16058×5×5/100 = **■**4014.

id=51218 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=D | option_c=A | option_d=C | answer=D | explanation=Move 1 positions forward from B; the resulting letter is C.

id=51219 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=34 | option_b=43 | option_c=52 | option_d=44 | answer=B | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

id=51220 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 18, 24, 30, ? | option_a=30 | option_b=42 | option_c=36 | option_d=37 | answer=C | explanation=The common difference is 6. Therefore the next term is 30 + 6 = 36.

id=51221 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 16. | option_a=32 | option_b=18 | option_c=16 | option_d=1 | answer=C | explanation=LCM × HCF = 2×16; HCF(2,16) = 2, so LCM = 16.

id=51222 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=51223 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=V | option_b=S | option_c=P | option_d=Y | answer=A | explanation=Move 3 positions forward from S; the resulting letter is V.

id=51224 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23035 at 4% per annum for 5 years. | option_a=4507 | option_b=4607 | option_c=4707 | option_d=27642 | answer=B | explanation=SI = PRT/100 = 23035×4×5/100 = **■**4607.

id=51225 | topic=Averages | difficulty=Easy | question=Find the average of 82, 71, 89, 98, 79, 27, 53, 69. | option_a=72 | option_b=73 | option_c=70 | option_d=71 | answer=D | explanation=Average = sum of values ÷ number of values = 568 ÷ 8 = 71.

id=51226 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=16 | option_b=15 | option_c=12 | option_d=14 | answer=D | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=51227 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=A | option_b=F | option_c=K | option_d=P | answer=C | explanation=Move 5 positions forward from F; the resulting letter is K.

id=51228 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 32, 35, 40? | option_a=35 | option_b=32 | option_c=29 | option_d=40 | answer=D | explanation=The first three numbers increase by 3, so the next should be 38. Therefore 40 is the odd one out.

id=51229 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=145 | option_c=150 | option_d=300 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=51230 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=40 | option_c=15 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=51231 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=51232 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 20? | option_a=20 | option_b=12 | option_c=9 | option_d=15 | answer=A | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 20 is the odd one out.

id=51233 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4109. If it is sold at a profit of 50%, what is its selling price? | option_a=4159 | option_b=5753 | option_c=6163 | option_d=6573 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4109 × 150/100 = **■**6163.

id=51234 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25292 at 6% per annum for 4 years. | option_a=6070 | option_b=5970 | option_c=6170 | option_d=31362 | answer=A | explanation=SI = PRT/100 = 25292×6×4/100 = **■**6070.

id=51235 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=11 | option_c=12 | option_d=1 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=51236 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=35 | option_c=80 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=51237 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:11 and the first is 198, what is the second? | option_a=319 | option_b=110 | option_c=121 | option_d=139 | answer=C | explanation=Scale factor = 198/18 = 11. Therefore second quantity = 11×11 = 121.

id=51238 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=51239 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=G | option_b=P | option_c=J | option_d=M | answer=D | explanation=Move 3 positions forward from J; the resulting letter is M.

id=51240 | topic=Averages | difficulty=Easy | question=Find the average of 23, 59, 28, 55, 55. | option_a=46 | option_b=44 | option_c=43 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = 220 ÷ 5 = 44.

Aptitude Questions — Records 51,241-51,270 of 100,000

id=51241 | topic=Percentages | difficulty=Easy | question=What is 12% of 843? | option_a=202 | option_b=81 | option_c=121 | option_d=101 | answer=D | explanation=12% of 843 = (12/100) × 843 = 101.

id=51242 | topic=Averages | difficulty=Easy | question=Find the average of 51, 45, 15, 36, 73. | option_a=43 | option_b=46 | option_c=45 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = 220 ÷ 5 = 44.

id=51243 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■13142 at 4% per annum for 2 years. | option_a=951 | option_b=1151 | option_c=14193 | option_d=1051 | answer=D | explanation=SI = PRT/100 = 13142×4×2/100 = ■1051.

id=51244 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=51245 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■31795 at 6% per annum for 1 years. | option_a=33702 | option_b=1807 | option_c=2007 | option_d=1907 | answer=D | explanation=SI = PRT/100 = 31795×6×1/100 = ■1907.

id=51246 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=N | option_c=W | option_d=T | answer=D | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=51247 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:16 and the first is 10, what is the second? | option_a=144 | option_b=160 | option_c=170 | option_d=161 | answer=B | explanation=Scale factor = 10/1 = 10. Therefore second quantity = 16×10 = 160.

id=51248 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=K | option_b=G | option_c=C | option_d=Y | answer=B | explanation=Move 4 positions forward from C; the resulting letter is G.

id=51249 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:11 and the first is 120, what is the second? | option_a=209 | option_b=226 | option_c=220 | option_d=340 | answer=C | explanation=Scale factor = 120/6 = 20. Therefore second quantity = 11×20 = 220.

id=51250 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■23126 at 8% per annum for 2 years. | option_a=3700 | option_b=26826 | option_c=3600 | option_d=3800 | answer=A | explanation=SI = PRT/100 = 23126×8×2/100 = ■3700.

id=51251 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 18. | option_a=198 | option_b=220 | option_c=180 | option_d=396 | answer=A | explanation=LCM × HCF = 22×18; HCF(22,18) = 2, so LCM = 198.

id=51252 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=25 | option_c=15 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=51253 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 23, 28, 36? | option_a=36 | option_b=28 | option_c=18 | option_d=23 | answer=A | explanation=The first three numbers increase by 5, so the next should be 33. Therefore 36 is the odd one out.

id=51254 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■613. If it is sold at a profit of 30%, what is its selling price? | option_a=857 | option_b=643 | option_c=735 | option_d=796 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 613 × 130/100 = ■796.

id=51255 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 24, 30, 36, ? | option_a=48 | option_b=36 | option_c=43 | option_d=42 | answer=D | explanation=The common difference is 6. Therefore the next term is 36 + 6 = 42.

id=51256 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:1 and the first is 28, what is the second? | option_a=16 | option_b=30 | option_c=2 | option_d=1 | answer=C | explanation=Scale factor = 28/14 = 2. Therefore second quantity = 1×2 = 2.

id=51257 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■26734 at 4% per annum for 1 years. | option_a=1169 | option_b=1069 | option_c=969 | option_d=27803 | answer=B | explanation=SI = PRT/100 = 26734×4×1/100 = ■1069.

id=51258 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=51259 | topic=Percentages | difficulty=Easy | question=What is 15% of 842? | option_a=252 | option_b=146 | option_c=121 | option_d=126 | answer=D | explanation=15% of 842 = (15/100) × 842 = 126.

id=51260 | topic=Averages | difficulty=Easy | question=Find the average of 55, 100, 75, 64, 81. | option_a=75 | option_b=74 | option_c=77 | option_d=76 | answer=A | explanation=Average = sum of values ÷ number of values = 375 ÷ 5 = 75.

id=51261 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■24643 at 6% per annum for 5 years. | option_a=7392 | option_b=7292 | option_c=32035 | option_d=7492 | answer=A | explanation=SI = PRT/100 = 24643×6×5/100 = ■7392.

id=51262 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 44? | option_a=35 | option_b=23 | option_c=44 | option_d=29 | answer=C | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 44 is the odd one out.

id=51263 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■23463 at 15% per annum for 4 years. | option_a=37540 | option_b=13977 | option_c=14077 | option_d=14177 | answer=C | explanation=SI = PRT/100 = 23463×15×4/100 = ■14077.

id=51264 | topic=Percentages | difficulty=Easy | question=What is 30% of 1833? | option_a=559 | option_b=549 | option_c=539 | option_d=1098 | answer=B | explanation=30% of 1833 = (30/100) × 1833 = 549.

id=51265 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=F | option_b=L | option_c=J | option_d=H | answer=C | explanation=Move 2 positions forward from H; the resulting letter is J.

id=51266 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 4. | option_a=40 | option_b=20 | option_c=30 | option_d=16 | answer=B | explanation=LCM × HCF = 10×4; HCF(10,4) = 2, so LCM = 20.

id=51267 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=71 | option_b=60 | option_c=49 | option_d=61 | answer=B | explanation=The common difference is 11. Therefore the next term is 49 + 11 = 60.

id=51268 | topic=Averages | difficulty=Easy | question=Find the average of 49, 80, 31, 73, 12, 43. | option_a=49 | option_b=48 | option_c=50 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 288 ÷ 6 = 48.

id=51269 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:9 and the first is 14, what is the second? | option_a=127 | option_b=117 | option_c=140 | option_d=126 | answer=D | explanation=Scale factor = 14/1 = 14. Therefore second quantity = 9×14 = 126.

id=51270 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 44? | option_a=30 | option_b=36 | option_c=24 | option_d=44 | answer=D | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 44 is the odd one out.

Aptitude Questions — Records 51,271-51,300 of 100,000

id=51271 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=39 | option_b=55 | option_c=47 | option_d=48 | answer=C | explanation=The common difference is 8. Therefore the next term is 39 + 8 = 47.

id=51272 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=51273 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2164. If it is sold at a profit of 30%, what is its selling price? | option_a=2194 | option_b=3029 | option_c=2813 | option_d=2597 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2164 × 130/100 = █2813.

id=51274 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=21 | option_b=25 | option_c=27 | option_d=24 | answer=D | explanation=The common difference is 3. Therefore the next term is 21 + 3 = 24.

id=51275 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9321 at 12% per annum for 5 years. | option_a=5692 | option_b=5492 | option_c=14913 | option_d=5592 | answer=D | explanation=SI = PRT/100 = 9321×12×5/100 = █5592.

id=51276 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 18, 28, 40? | option_a=28 | option_b=18 | option_c=40 | option_d=8 | answer=C | explanation=The first three numbers increase by 10, so the next should be 38. Therefore 40 is the odd one out.

id=51277 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 34, 44, 56? | option_a=44 | option_b=56 | option_c=24 | option_d=34 | answer=B | explanation=The first three numbers increase by 10, so the next should be 54. Therefore 56 is the odd one out.

id=51278 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:16 and the first is 180, what is the second? | option_a=272 | option_b=298 | option_c=288 | option_d=468 | answer=C | explanation=Scale factor = 180/10 = 18. Therefore second quantity = 16×18 = 288.

id=51279 | topic=Averages | difficulty=Easy | question=Find the average of 59, 79, 75, 66, 44, 38, 87, 94, 46, 32. | option_a=63 | option_b=61 | option_c=64 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 620 ÷ 10 = 62.

id=51280 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:17 and the first is 168, what is the second? | option_a=204 | option_b=372 | option_c=187 | option_d=218 | answer=A | explanation=Scale factor = 168/14 = 12. Therefore second quantity = 17×12 = 204.

id=51281 | topic=Percentages | difficulty=Easy | question=What is 30% of 1768? | option_a=530 | option_b=1060 | option_c=525 | option_d=540 | answer=A | explanation=30% of 1768 = (30/100) × 1768 = 530.

id=51282 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=W | option_c=R | option_d=H | answer=C | explanation=Move 5 positions forward from M; the resulting letter is R.

id=51283 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=51284 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=17 | option_d=7 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=51285 | topic=Profit & Loss | difficulty=Easy | question=An article costs █961. If it is sold at a profit of 20%, what is its selling price? | option_a=981 | option_b=1249 | option_c=1057 | option_d=1153 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 961 × 120/100 = █1153.

id=51286 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=51287 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=P | option_b=X | option_c=B | option_d=T | answer=B | explanation=Move 4 positions forward from T; the resulting letter is X.

id=51288 | topic=Percentages | difficulty=Easy | question=What is 20% of 1077? | option_a=235 | option_b=215 | option_c=205 | option_d=430 | answer=B | explanation=20% of 1077 = (20/100) × 1077 = 215.

id=51289 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2718. If it is sold at a profit of 10%, what is its selling price? | option_a=2989 | option_b=2728 | option_c=2718 | option_d=3260 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2718 × 110/100 = █2989.

id=51290 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=G | option_b=H | option_c=E | option_d=F | answer=A | explanation=Move 1 positions forward from F; the resulting letter is G.

id=51291 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:12 and the first is 60, what is the second? | option_a=240 | option_b=180 | option_c=184 | option_d=168 | answer=B | explanation=Scale factor = 60/4 = 15. Therefore second quantity = 12×15 = 180.

id=51292 | topic=Percentages | difficulty=Easy | question=What is 30% of 710? | option_a=208 | option_b=223 | option_c=213 | option_d=426 | answer=C | explanation=30% of 710 = (30/100) × 710 = 213.

id=51293 | topic=Percentages | difficulty=Easy | question=What is 5% of 855? | option_a=42 | option_b=84 | option_c=62 | option_d=37 | answer=A | explanation=5% of 855 = (5/100) × 855 = 42.

id=51294 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=J | option_b=F | option_c=H | option_d=D | answer=C | explanation=Move 2 positions forward from F; the resulting letter is H.

id=51295 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=48 | option_b=38 | option_c=56 | option_d=47 | answer=D | explanation=The common difference is 9. Therefore the next term is 38 + 9 = 47.

id=51296 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=51297 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=23 | option_d=36 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=51298 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:14 and the first is 90, what is the second? | option_a=70 | option_b=88 | option_c=160 | option_d=56 | answer=A | explanation=Scale factor = 90/18 = 5. Therefore second quantity = 14×5 = 70.

id=51299 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:12 and the first is 28, what is the second? | option_a=84 | option_b=72 | option_c=112 | option_d=88 | answer=A | explanation=Scale factor = 28/4 = 7. Therefore second quantity = 12×7 = 84.

id=51300 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 16. | option_a=140 | option_b=96 | option_c=448 | option_d=112 | answer=D | explanation=LCM × HCF = 28×16; HCF(28,16) = 4, so LCM = 112.

Aptitude Questions — Records 51,301-51,330 of 100,000

id=51301 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 49? | option_a=49 | option_b=28 | option_c=19 | option_d=37 | answer=A | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 49 is the odd one out.

id=51302 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2402. If it is sold at a profit of 25%, what is its selling price? | option_a=2762 | option_b=3002 | option_c=3242 | option_d=2427 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2402 \times 125/100 = \text{█}3002$.

id=51303 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1884. If it is sold at a profit of 5%, what is its selling price? | option_a=1790 | option_b=1978 | option_c=2166 | option_d=1889 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1884 \times 105/100 = \text{█}1978$.

id=51304 | topic=Percentages | difficulty=Easy | question=What is 40% of 759? | option_a=606 | option_b=293 | option_c=308 | option_d=303 | answer=D | explanation=40% of 759 = $(40/100) \times 759 = 303$.

id=51305 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 8, 11, 14, ? | option_a=14 | option_b=18 | option_c=17 | option_d=20 | answer=C | explanation=The common difference is 3. Therefore the next term is $14 + 3 = 17$.

id=51306 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 6. | option_a=48 | option_b=64 | option_c=42 | option_d=96 | answer=A | explanation= $LCM \times HCF = 16 \times 6$; $HCF(16,6) = 2$, so $LCM = 48$.

id=51307 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=S | option_b=X | option_c=N | option_d=I | answer=A | explanation=Move 5 positions forward from N; the resulting letter is S.

id=51308 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=I | option_c=L | option_d=K | answer=D | explanation=Move 1 positions forward from J; the resulting letter is K.

id=51309 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3205 at 15% per annum for 1 years. | option_a=380 | option_b=3685 | option_c=580 | option_d=480 | answer=D | explanation= $SI = PRT/100 = 3205 \times 15 \times 1/100 = \text{█}480$.

id=51310 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1438. If it is sold at a profit of 50%, what is its selling price? | option_a=2300 | option_b=1488 | option_c=2014 | option_d=2157 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1438 \times 150/100 = \text{█}2157$.

id=51311 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=55 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = $300 \div 6 = 50$ km/h.

id=51312 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26541 at 5% per annum for 3 years. | option_a=3881 | option_b=3981 | option_c=30522 | option_d=4081 | answer=B | explanation= $SI = PRT/100 = 26541 \times 5 \times 3/100 = \text{█}3981$.

id=51313 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $180 \div 3 = 60$ km/h.

id=51314 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 32? | option_a=4 | option_b=32 | option_c=13 | option_d=22 | answer=B | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 32 is the odd one out.

id=51315 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=144 | option_c=72 | option_d=77 | answer=C | explanation=Speed = distance ÷ time = $360 \div 5 = 72$ km/h.

id=51316 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3043. If it is sold at a profit of 40%, what is its selling price? | option_a=3083 | option_b=4564 | option_c=3956 | option_d=4260 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3043 \times 140/100 = \text{█}4260$.

id=51317 | topic=Percentages | difficulty=Easy | question=What is 5% of 1127? | option_a=56 | option_b=46 | option_c=61 | option_d=112 | answer=A | explanation=5% of 1127 = $(5/100) \times 1127 = 56$.

id=51318 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=O | option_c=G | option_d=S | answer=B | explanation=Move 4 positions forward from K; the resulting letter is O.

id=51319 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 16, 25, 37? | option_a=7 | option_b=25 | option_c=37 | option_d=16 | answer=C | explanation=The first three numbers increase by 9, so the next should be 34. Therefore 37 is the odd one out.

id=51320 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=36 | option_b=31 | option_c=30 | option_d=24 | answer=C | explanation=The common difference is 6. Therefore the next term is $24 + 6 = 30$.

id=51321 | topic=Averages | difficulty=Easy | question=Find the average of 66, 54, 98, 83, 17, 77, 102. | option_a=72 | option_b=70 | option_c=73 | option_d=71 | answer=D | explanation=Average = sum of values ÷ number of values = $497 \div 7 = 71$.

id=51322 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=15 | option_c=20 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = $60 \div 3 = 20$ km/h.

id=51323 | topic=Percentages | difficulty=Easy | question=What is 10% of 1154? | option_a=230 | option_b=125 | option_c=115 | option_d=105 | answer=C | explanation=10% of 1154 = $(10/100) \times 1154 = 115$.

id=51324 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:11 and the first is 360, what is the second? | option_a=209 | option_b=238 | option_c=580 | option_d=220 | answer=D | explanation=Scale factor = $360/18 = 20$. Therefore second quantity = $11 \times 20 = 220$.

id=51325 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2851. If it is sold at a profit of 40%, what is its selling price? | option_a=3706 | option_b=3991 | option_c=4276 | option_d=2891 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2851 \times 140/100 = \text{█}3991$.

id=51326 | topic=Averages | difficulty=Easy | question=Find the average of 85, 63, 26, 35, 100, 14, 48, 77. | option_a=56 | option_b=55 | option_c=57 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = $448 \div 8 = 56$.

id=51327 | topic=Averages | difficulty=Easy | question=Find the average of 58, 76, 44, 57, 25. | option_a=52 | option_b=53 | option_c=54 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = $260 \div 5 = 52$.

id=51328 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=100 | option_c=95 | option_d=105 | answer=B | explanation=Speed = distance ÷ time = $300 \div 3 = 100$ km/h.

id=51329 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=70 | option_d=150 | answer=A | explanation=Speed = distance ÷ time = $150 \div 2 = 75$ km/h.

id=51330 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:13 and the first is 24, what is the second? | option_a=39 | option_b=76 | option_c=58 | option_d=52 | answer=D | explanation=Scale factor = $24/6 = 4$. Therefore second quantity = $13 \times 4 = 52$.

Aptitude Questions — Records 51,331-51,360 of 100,000

id=51331 | topic=Averages | difficulty=Easy | question=Find the average of 73, 73, 58. | option_a=68 | option_b=70 | option_c=69 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = 204 ÷ 3 = 68.

id=51332 | topic=Averages | difficulty=Easy | question=Find the average of 48, 58, 84, 44, 98, 29, 38, 52, 15, 14. | option_a=47 | option_b=48 | option_c=50 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 480 ÷ 10 = 48.

id=51333 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1329. If it is sold at a profit of 50%, what is its selling price? | option_a=2125 | option_b=1993 | option_c=1861 | option_d=1379 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1329 × 150/100 = █1993.

id=51334 | topic=Averages | difficulty=Easy | question=Find the average of 51, 47, 53, 24, 41, 66. | option_a=49 | option_b=47 | option_c=48 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 282 ÷ 6 = 47.

id=51335 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=6 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=51336 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=29 | option_d=19 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=51337 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42399 at 4% per annum for 4 years. | option_a=6883 | option_b=6783 | option_c=6683 | option_d=49182 | answer=B | explanation=SI = PRT/100 = 42399×4×4/100 = █6783.

id=51338 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 22. | option_a=220 | option_b=110 | option_c=88 | option_d=120 | answer=B | explanation=LCM × HCF = 10×22; HCF(10,22) = 2, so LCM = 110.

id=51339 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 22, 29, 38? | option_a=22 | option_b=29 | option_c=15 | option_d=38 | answer=D | explanation=The first three numbers increase by 7, so the next should be 36. Therefore 38 is the odd one out.

id=51340 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=51341 | topic=Percentages | difficulty=Easy | question=What is 15% of 202? | option_a=30 | option_b=20 | option_c=50 | option_d=60 | answer=A | explanation=15% of 202 = (15/100) × 202 = 30.

id=51342 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=95 | option_c=100 | option_d=200 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=51343 | topic=Averages | difficulty=Easy | question=Find the average of 43, 26, 24, 72, 23, 33, 94. | option_a=47 | option_b=45 | option_c=44 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 315 ÷ 7 = 45.

id=51344 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 17, 23, 32? | option_a=11 | option_b=17 | option_c=23 | option_d=32 | answer=D | explanation=The first three numbers increase by 6, so the next should be 29. Therefore 32 is the odd one out.

id=51345 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=51346 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 22. | option_a=264 | option_b=288 | option_c=242 | option_d=528 | answer=A | explanation=LCM × HCF = 24×22; HCF(24,22) = 2, so LCM = 264.

id=51347 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 25, 27, 31? | option_a=23 | option_b=25 | option_c=31 | option_d=27 | answer=C | explanation=The first three numbers increase by 2, so the next should be 29. Therefore 31 is the odd one out.

id=51348 | topic=Averages | difficulty=Easy | question=Find the average of 39, 92, 56, 24, 69, 40, 37. | option_a=51 | option_b=52 | option_c=53 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.

id=51349 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=T | option_c=P | option_d=H | answer=C | explanation=Move 4 positions forward from L; the resulting letter is P.

id=51350 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4234. If it is sold at a profit of 50%, what is its selling price? | option_a=6774 | option_b=5928 | option_c=6351 | option_d=4284 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4234 × 150/100 = █6351.

id=51351 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24030 at 10% per annum for 1 years. | option_a=2303 | option_b=2403 | option_c=26433 | option_d=2503 | answer=B | explanation=SI = PRT/100 = 24030×10×1/100 = █2403.

id=51352 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42086 at 15% per annum for 5 years. | option_a=31664 | option_b=31464 | option_c=73650 | option_d=31564 | answer=D | explanation=SI = PRT/100 = 42086×15×5/100 = █31564.

id=51353 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 11? | option_a=2 | option_b=11 | option_c=4 | option_d=6 | answer=B | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 11 is the odd one out.

id=51354 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 18, 26, 36? | option_a=36 | option_b=26 | option_c=18 | option_d=10 | answer=A | explanation=The first three numbers increase by 8, so the next should be 34. Therefore 36 is the odd one out.

id=51355 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 21. | option_a=216 | option_b=168 | option_c=567 | option_d=189 | answer=D | explanation=LCM × HCF = 27×21; HCF(27,21) = 3, so LCM = 189.

id=51356 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 8, 11, 14, ? | option_a=14 | option_b=20 | option_c=18 | option_d=17 | answer=D | explanation=The common difference is 3. Therefore the next term is 14 + 3 = 17.

id=51357 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=5 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=51358 | topic=Number System | difficulty=Easy | question=Find the LCM of 11 and 22. | option_a=1 | option_b=33 | option_c=242 | option_d=22 | answer=D | explanation=LCM × HCF = 11×22; HCF(11,22) = 11, so LCM = 22.

id=51359 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:17 and the first is 234, what is the second? | option_a=239 | option_b=221 | option_c=455 | option_d=204 | answer=B | explanation=Scale factor = 234/18 = 13. Therefore second quantity = 17×13 = 221.

id=51360 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:19 and the first is 140, what is the second? | option_a=204 | option_b=330 | option_c=171 | option_d=190 | answer=D | explanation=Scale factor = 140/14 = 10. Therefore second quantity = 19×10 = 190.

Aptitude Questions — Records 51,361-51,390 of 100,000

id=51361 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:3 and the first is 68, what is the second? | option_a=55 | option_b=48 | option_c=51 | option_d=119 | answer=C | explanation=Scale factor = 68/4 = 17. Therefore second quantity = 3×17 = 51.

id=51362 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=150 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=51363 | topic=Percentages | difficulty=Easy | question=What is 15% of 1351? | option_a=222 | option_b=202 | option_c=197 | option_d=404 | answer=B | explanation=15% of 1351 = (15/100) × 1351 = 202.

id=51364 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=13 | option_c=36 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=51365 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=51366 | topic=Profit & Loss | difficulty=Easy | question=An article costs █262. If it is sold at a profit of 30%, what is its selling price? | option_a=292 | option_b=366 | option_c=340 | option_d=314 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 262 × 130/100 = █340.

id=51367 | topic=Averages | difficulty=Easy | question=Find the average of 23, 17, 34, 30. | option_a=27 | option_b=28 | option_c=26 | option_d=25 | answer=C | explanation=Average = sum of values ÷ number of values = 104 ÷ 4 = 26.

id=51368 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44754 at 15% per annum for 2 years. | option_a=13426 | option_b=58180 | option_c=13526 | option_d=13326 | answer=A | explanation=SI = PRT/100 = 44754×15×2/100 = █13426.

id=51369 | topic=Percentages | difficulty=Easy | question=What is 25% of 1007? | option_a=251 | option_b=502 | option_c=241 | option_d=271 | answer=A | explanation=25% of 1007 = (25/100) × 1007 = 251.

id=51370 | topic=Averages | difficulty=Easy | question=Find the average of 78, 81, 55, 28, 11, 21, 26, 20. | option_a=39 | option_b=42 | option_c=41 | option_d=40 | answer=D | explanation=Average = sum of values ÷ number of values = 320 ÷ 8 = 40.

id=51371 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=36 | option_c=18 | option_d=13 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=51372 | topic=Averages | difficulty=Easy | question=Find the average of 93, 55, 74, 33, 65, 16, 95, 73, 45. | option_a=60 | option_b=63 | option_c=62 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 549 ÷ 9 = 61.

id=51373 | topic=Percentages | difficulty=Easy | question=What is 50% of 349? | option_a=348 | option_b=164 | option_c=174 | option_d=179 | answer=C | explanation=50% of 349 = (50/100) × 349 = 174.

id=51374 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:20 and the first is 24, what is the second? | option_a=124 | option_b=144 | option_c=120 | option_d=100 | answer=C | explanation=Scale factor = 24/4 = 6. Therefore second quantity = 20×6 = 120.

id=51375 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 43? | option_a=43 | option_b=35 | option_c=28 | option_d=21 | answer=A | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 43 is the odd one out.

id=51376 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=V | option_b=R | option_c=N | option_d=J | answer=B | explanation=Move 4 positions forward from N; the resulting letter is R.

id=51377 | topic=Averages | difficulty=Easy | question=Find the average of 56, 22, 23, 79. | option_a=45 | option_b=46 | option_c=44 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 180 ÷ 4 = 45.

id=51378 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=125 | option_c=120 | option_d=115 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=51379 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=34 | option_b=54 | option_c=45 | option_d=44 | answer=D | explanation=The common difference is 10. Therefore the next term is 34 + 10 = 44.

id=51380 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39930 at 6% per annum for 3 years. | option_a=7087 | option_b=47117 | option_c=7287 | option_d=7187 | answer=D | explanation=SI = PRT/100 = 39930×6×3/100 = █7187.

id=51381 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5523 at 10% per annum for 4 years. | option_a=2309 | option_b=2209 | option_c=7732 | option_d=2109 | answer=B | explanation=SI = PRT/100 = 5523×10×4/100 = █2209.

id=51382 | topic=Averages | difficulty=Easy | question=Find the average of 55, 24, 95. | option_a=60 | option_b=58 | option_c=57 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 174 ÷ 3 = 58.

id=51383 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=125 | option_b=240 | option_c=120 | option_d=115 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=51384 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44333 at 6% per annum for 2 years. | option_a=5419 | option_b=49652 | option_c=5319 | option_d=5219 | answer=C | explanation=SI = PRT/100 = 44333×6×2/100 = █5319.

id=51385 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4668. If it is sold at a profit of 30%, what is its selling price? | option_a=5602 | option_b=4698 | option_c=6068 | option_d=6534 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4668 × 130/100 = █6068.

id=51386 | topic=Percentages | difficulty=Easy | question=What is 30% of 1403? | option_a=420 | option_b=415 | option_c=440 | option_d=840 | answer=A | explanation=30% of 1403 = (30/100) × 1403 = 420.

id=51387 | topic=Profit & Loss | difficulty=Easy | question=An article costs █858. If it is sold at a profit of 30%, what is its selling price? | option_a=1115 | option_b=888 | option_c=1030 | option_d=1200 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 858 × 130/100 = █1115.

id=51388 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4871. If it is sold at a profit of 10%, what is its selling price? | option_a=5845 | option_b=4881 | option_c=4871 | option_d=5358 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4871 × 110/100 = █5358.

id=51389 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=60 | option_b=61 | option_c=71 | option_d=49 | answer=A | explanation=The common difference is 11. Therefore the next term is 49 + 11 = 60.

id=51390 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=12 | option_b=13 | option_c=14 | option_d=10 | answer=A | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.

Aptitude Questions — Records 51,391-51,420 of 100,000

id=51391 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:11 and the first is 84, what is the second? | option_a=143 | option_b=238 | option_c=154 | option_d=160 | answer=C | explanation=Scale factor = 84/6 = 14. Therefore second quantity = 11×14 = 154.

id=51392 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=15 | option_b=12 | option_c=14 | option_d=16 | answer=C | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=51393 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 23, 30, 39? | option_a=16 | option_b=23 | option_c=39 | option_d=30 | answer=C | explanation=The first three numbers increase by 7, so the next should be 37. Therefore 39 is the odd one out.

id=51394 | topic=Averages | difficulty=Easy | question=Find the average of 19, 93, 80, 20. | option_a=52 | option_b=53 | option_c=54 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 212 ÷ 4 = 53.

id=51395 | topic=Averages | difficulty=Easy | question=Find the average of 47, 41, 19, 65, 61, 55. | option_a=48 | option_b=50 | option_c=49 | option_d=47 | answer=A | explanation=Average = sum of values + number of values = 288 ÷ 6 = 48.

id=51396 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=39 | option_b=51 | option_c=61 | option_d=50 | answer=D | explanation=The common difference is 11. Therefore the next term is 39 + 11 = 50.

id=51397 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=V | option_b=T | option_c=U | option_d=W | answer=A | explanation=Move 1 positions forward from U; the resulting letter is V.

id=51398 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=51399 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=37 | option_b=49 | option_c=59 | option_d=48 | answer=D | explanation=The common difference is 11. Therefore the next term is 37 + 11 = 48.

id=51400 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:17 and the first is 238, what is the second? | option_a=221 | option_b=476 | option_c=255 | option_d=238 | answer=D | explanation=Scale factor = 238/17 = 14. Therefore second quantity = 17×14 = 238.

id=51401 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:10 and the first is 57, what is the second? | option_a=49 | option_b=87 | option_c=20 | option_d=30 | answer=D | explanation=Scale factor = 57/19 = 3. Therefore second quantity = 10×3 = 30.

id=51402 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=200 | option_c=95 | option_d=105 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=51403 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:4 and the first is 95, what is the second? | option_a=39 | option_b=16 | option_c=20 | option_d=115 | answer=C | explanation=Scale factor = 95/19 = 5. Therefore second quantity = 4×5 = 20.

id=51404 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=24 | option_b=22 | option_c=23 | option_d=20 | answer=B | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=51405 | topic=Averages | difficulty=Easy | question=Find the average of 59, 91, 72, 20, 43, 75. | option_a=59 | option_b=61 | option_c=60 | option_d=62 | answer=C | explanation=Average = sum of values + number of values = 360 ÷ 6 = 60.

id=51406 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 21? | option_a=21 | option_b=12 | option_c=9 | option_d=15 | answer=A | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 21 is the odd one out.

id=51407 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=51408 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=O | option_c=U | option_d=Q | answer=A | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=51409 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=G | option_c=A | option_d=C | answer=A | explanation=Move 2 positions forward from C; the resulting letter is E.

id=51410 | topic=Averages | difficulty=Easy | question=Find the average of 37, 61, 72, 30. | option_a=52 | option_b=51 | option_c=49 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 200 ÷ 4 = 50.

id=51411 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2155. If it is sold at a profit of 30%, what is its selling price? | option_a=2586 | option_b=3016 | option_c=2801 | option_d=2185 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2155 × 130/100 = █2801.

id=51412 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:7 and the first is 288, what is the second? | option_a=112 | option_b=400 | option_c=105 | option_d=130 | answer=A | explanation=Scale factor = 288/18 = 16. Therefore second quantity = 7×16 = 112.

id=51413 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=51414 | topic=Averages | difficulty=Easy | question=Find the average of 96, 37, 61, 32, 45, 10, 20. | option_a=43 | option_b=44 | option_c=45 | option_d=42 | answer=A | explanation=Average = sum of values ÷ number of values = 301 ÷ 7 = 43.

id=51415 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:1 and the first is 288, what is the second? | option_a=17 | option_b=18 | option_c=306 | option_d=34 | answer=B | explanation=Scale factor = 288/16 = 18. Therefore second quantity = 1×18 = 18.

id=51416 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=U | option_b=R | option_c=O | option_d=X | answer=A | explanation=Move 3 positions forward from R; the resulting letter is U.

id=51417 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1887. If it is sold at a profit of 40%, what is its selling price? | option_a=1927 | option_b=2829 | option_c=2641 | option_d=2453 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1887 × 140/100 = █2641.

id=51418 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24533 at 12% per annum for 5 years. | option_a=14819 | option_b=14619 | option_c=39252 | option_d=14719 | answer=D | explanation=SI = PRT/100 = 24533×12×5/100 = █14719.

id=51419 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 21. | option_a=294 | option_b=56 | option_c=42 | option_d=21 | answer=C | explanation=LCM × HCF = 14×21; HCF(14,21) = 7, so LCM = 42.

id=51420 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=26 | option_b=33 | option_c=32 | option_d=38 | answer=C | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

Aptitude Questions — Records 51,421-51,450 of 100,000

id=51421 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=51422 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4097. If it is sold at a profit of 40%, what is its selling price? | option_a=5735 | option_b=6144 | option_c=5326 | option_d=4137 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4097 × 140/100 = █5735.

id=51423 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=41 | option_b=61 | option_c=52 | option_d=51 | answer=D | explanation=The common difference is 10. Therefore the next term is 41 + 10 = 51.

id=51424 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 38, 46, 55? | option_a=30 | option_b=46 | option_c=38 | option_d=55 | answer=D | explanation=The first three numbers increase by 8, so the next should be 54. Therefore 55 is the odd one out.

id=51425 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=51426 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3916. If it is sold at a profit of 15%, what is its selling price? | option_a=4894 | option_b=4503 | option_c=4112 | option_d=3931 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3916 × 115/100 = █4503.

id=51427 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 9? | option_a=2 | option_b=4 | option_c=9 | option_d=6 | answer=C | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 9 is the odd one out.

id=51428 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:6 and the first is 360, what is the second? | option_a=120 | option_b=480 | option_c=114 | option_d=138 | answer=A | explanation=Scale factor = 360/18 = 20. Therefore second quantity = 6×20 = 120.

id=51429 | topic=Percentages | difficulty=Easy | question=What is 10% of 124? | option_a=12 | option_b=32 | option_c=0 | option_d=24 | answer=A | explanation=10% of 124 = (10/100) × 124 = 12.

id=51430 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 20, 30, 41? | option_a=10 | option_b=20 | option_c=41 | option_d=30 | answer=C | explanation=The first three numbers increase by 10, so the next should be 40. Therefore 41 is the odd one out.

id=51431 | topic=Percentages | difficulty=Easy | question=What is 15% of 253? | option_a=17 | option_b=37 | option_c=74 | option_d=47 | answer=B | explanation=15% of 253 = (15/100) × 253 = 37.

id=51432 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=J | option_c=R | option_d=F | answer=A | explanation=Move 4 positions forward from J; the resulting letter is N.

id=51433 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=51434 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2222. If it is sold at a profit of 30%, what is its selling price? | option_a=3110 | option_b=2666 | option_c=2252 | option_d=2888 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2222 × 130/100 = █2888.

id=51435 | topic=Profit & Loss | difficulty=Easy | question=An article costs █918. If it is sold at a profit of 10%, what is its selling price? | option_a=1100 | option_b=1009 | option_c=918 | option_d=928 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 918 × 110/100 = █1009.

id=51436 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 3. | option_a=9 | option_b=18 | option_c=27 | option_d=6 | answer=A | explanation=LCM × HCF = 9×3; HCF(9,3) = 3, so LCM = 9.

id=51437 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=51438 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4178. If it is sold at a profit of 30%, what is its selling price? | option_a=5848 | option_b=5014 | option_c=4208 | option_d=5431 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4178 × 130/100 = █5431.

id=51439 | topic=Averages | difficulty=Easy | question=Find the average of 89, 82, 58, 25, 74, 38. | option_a=62 | option_b=61 | option_c=60 | option_d=63 | answer=B | explanation=Average = sum of values + number of values = 366 ÷ 6 = 61.

id=51440 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 27, 30, 36? | option_a=30 | option_b=24 | option_c=36 | option_d=27 | answer=C | explanation=The first three numbers increase by 3, so the next should be 33. Therefore 36 is the odd one out.

id=51441 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 12. | option_a=112 | option_b=84 | option_c=72 | option_d=336 | answer=B | explanation=LCM × HCF = 28×12; HCF(28,12) = 4, so LCM = 84.

id=51442 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=A | option_b=S | option_c=W | option_d=O | answer=C | explanation=Move 4 positions forward from S; the resulting letter is W.

id=51443 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=J | option_b=D | option_c=A | option_d=G | answer=D | explanation=Move 3 positions forward from D; the resulting letter is G.

id=51444 | topic=Averages | difficulty=Easy | question=Find the average of 78, 63, 22, 72, 69, 23, 63, 97, 53. | option_a=61 | option_b=59 | option_c=60 | option_d=62 | answer=C | explanation=Average = sum of values + number of values = 540 ÷ 9 = 60.

id=51445 | topic=Averages | difficulty=Easy | question=Find the average of 26, 36, 56, 10, 52. | option_a=36 | option_b=35 | option_c=38 | option_d=37 | answer=A | explanation=Average = sum of values ÷ number of values = 180 ÷ 5 = 36.

id=51446 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 28. | option_a=364 | option_b=390 | option_c=728 | option_d=336 | answer=A | explanation=LCM × HCF = 26×28; HCF(26,28) = 2, so LCM = 364.

id=51447 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=Q | option_b=R | option_c=S | option_d=T | answer=C | explanation=Move 1 positions forward from R; the resulting letter is S.

id=51448 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:14 and the first is 56, what is the second? | option_a=106 | option_b=98 | option_c=84 | option_d=154 | answer=B | explanation=Scale factor = 56/8 = 7. Therefore second quantity = 14×7 = 98.

id=51449 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3284. If it is sold at a profit of 25%, what is its selling price? | option_a=3777 | option_b=4433 | option_c=3309 | option_d=4105 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3284 × 125/100 = █4105.

id=51450 | topic=Averages | difficulty=Easy | question=Find the average of 40, 52, 94. | option_a=62 | option_b=64 | option_c=63 | option_d=61 | answer=A | explanation=Average = sum of values + number of values = 186 ÷ 3 = 62.

Aptitude Questions — Records 51,451-51,480 of 100,000

id=51451 | topic=Averages | difficulty=Easy | question=Find the average of 66, 68, 37, 47, 27, 38, 20, 50, 16. | option_a=42 | option_b=40 | option_c=41 | option_d=43 | answer=C | explanation=Average = sum of values ÷ number of values = 369 ÷ 9 = 41.

id=51452 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 21. | option_a=1 | option_b=63 | option_c=21 | option_d=24 | answer=C | explanation=LCM × HCF = 3×21; HCF(3,21) = 3, so LCM = 21.

id=51453 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=12 | option_c=17 | option_d=24 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=51454 | topic=Percentages | difficulty=Easy | question=What is 30% of 558? | option_a=167 | option_b=334 | option_c=177 | option_d=157 | answer=A | explanation=30% of 558 = (30/100) × 558 = 167.

id=51455 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 25. | option_a=750 | option_b=150 | option_c=180 | option_d=125 | answer=B | explanation=LCM × HCF = 30×25; HCF(30,25) = 5, so LCM = 150.

id=51456 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 27. | option_a=189 | option_b=210 | option_c=567 | option_d=162 | answer=A | explanation=LCM × HCF = 21×27; HCF(21,27) = 3, so LCM = 189.

id=51457 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=18 | option_b=16 | option_c=19 | option_d=20 | answer=A | explanation=The common difference is 2. Therefore the next term is 16 + 2 = 18.

id=51458 | topic=Percentages | difficulty=Easy | question=What is 12% of 143? | option_a=37 | option_b=34 | option_c=0 | option_d=17 | answer=D | explanation=12% of 143 = (12/100) × 143 = 17.

id=51459 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:9 and the first is 120, what is the second? | option_a=135 | option_b=126 | option_c=143 | option_d=255 | answer=A | explanation=Scale factor = 120/8 = 15. Therefore second quantity = 9×15 = 135.

id=51460 | topic=Percentages | difficulty=Easy | question=What is 50% of 1776? | option_a=898 | option_b=888 | option_c=1776 | option_d=868 | answer=B | explanation=50% of 1776 = (50/100) × 1776 = 888.

id=51461 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=51462 | topic=Percentages | difficulty=Easy | question=What is 40% of 1038? | option_a=405 | option_b=415 | option_c=830 | option_d=435 | answer=B | explanation=40% of 1038 = (40/100) × 1038 = 415.

id=51463 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=51464 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=51465 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:11 and the first is 42, what is the second? | option_a=108 | option_b=55 | option_c=66 | option_d=73 | answer=C | explanation=Scale factor = 42/7 = 6. Therefore second quantity = 11×6 = 66.

id=51466 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=L | option_c=X | option_d=T | answer=D | explanation=Move 4 positions forward from P; the resulting letter is T.

id=51467 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=J | option_b=L | option_c=M | option_d=K | answer=B | explanation=Move 1 positions forward from K; the resulting letter is L.

id=51468 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=51469 | topic=Percentages | difficulty=Easy | question=What is 25% of 1028? | option_a=277 | option_b=252 | option_c=257 | option_d=514 | answer=C | explanation=25% of 1028 = (25/100) × 1028 = 257.

id=51470 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3836. If it is sold at a profit of 30%, what is its selling price? | option_a=3866 | option_b=4603 | option_c=5369 | option_d=4986 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3836 × 130/100 = █4986.

id=51471 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:6 and the first is 80, what is the second? | option_a=140 | option_b=54 | option_c=60 | option_d=68 | answer=C | explanation=Scale factor = 80/8 = 10. Therefore second quantity = 6×10 = 60.

id=51472 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3302. If it is sold at a profit of 30%, what is its selling price? | option_a=4622 | option_b=4292 | option_c=3332 | option_d=3962 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3302 × 130/100 = █4292.

id=51473 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=51474 | topic=Averages | difficulty=Easy | question=Find the average of 43, 33, 63, 39, 35, 57, 95, 99. | option_a=58 | option_b=59 | option_c=60 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 464 ÷ 8 = 58.

id=51475 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:8 and the first is 152, what is the second? | option_a=152 | option_b=160 | option_c=144 | option_d=304 | answer=A | explanation=Scale factor = 152/8 = 19. Therefore second quantity = 8×19 = 152.

id=51476 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1857. If it is sold at a profit of 20%, what is its selling price? | option_a=2228 | option_b=2413 | option_c=1877 | option_d=2043 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1857 × 120/100 = █2228.

id=51477 | topic=Profit & Loss | difficulty=Easy | question=An article costs █218. If it is sold at a profit of 25%, what is its selling price? | option_a=272 | option_b=251 | option_c=293 | option_d=243 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 218 × 125/100 = █272.

id=51478 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=15 | option_c=10 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=51479 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 24. | option_a=216 | option_b=48 | option_c=72 | option_d=81 | answer=C | explanation=LCM × HCF = 9×24; HCF(9,24) = 3, so LCM = 72.

id=51480 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3333. If it is sold at a profit of 30%, what is its selling price? | option_a=4332 | option_b=3363 | option_c=3999 | option_d=4665 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3333 × 130/100 = █4332.

Aptitude Questions — Records 51,481-51,510 of 100,000

id=51481 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=54 | option_b=67 | option_c=66 | option_d=78 | answer=C | explanation=The common difference is 12. Therefore the next term is 54 + 12 = 66.

id=51482 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=51483 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=51484 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 6. | option_a=12 | option_b=18 | option_c=54 | option_d=27 | answer=B | explanation=LCM × HCF = 9×6; HCF(9,6) = 3, so LCM = 18.

id=51485 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:14 and the first is 150, what is the second? | option_a=155 | option_b=290 | option_c=126 | option_d=140 | answer=D | explanation=Scale factor = 150/15 = 10. Therefore second quantity = 14×10 = 140.

id=51486 | topic=Averages | difficulty=Easy | question=Find the average of 32, 69, 77, 97, 61, 47, 100. | option_a=69 | option_b=70 | option_c=71 | option_d=68 | answer=A | explanation=Average = sum of values + number of values = 483 ÷ 7 = 69.

id=51487 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3958. If it is sold at a profit of 30%, what is its selling price? | option_a=5540 | option_b=3988 | option_c=4750 | option_d=5145 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3958 × 130/100 = █5145.

id=51488 | topic=Averages | difficulty=Easy | question=Find the average of 68, 14, 66, 62, 98, 58. | option_a=63 | option_b=62 | option_c=61 | option_d=60 | answer=C | explanation=Average = sum of values + number of values = 366 ÷ 6 = 61.

id=51489 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=53 | option_b=52 | option_c=40 | option_d=64 | answer=B | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.

id=51490 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8063 at 8% per annum for 2 years. | option_a=1390 | option_b=1190 | option_c=9353 | option_d=1290 | answer=D | explanation=SI = PRT/100 = 8063×8×2/100 = █1290.

id=51491 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6510 at 12% per annum for 4 years. | option_a=3024 | option_b=3224 | option_c=3124 | option_d=9634 | answer=C | explanation=SI = PRT/100 = 6510×12×4/100 = █3124.

id=51492 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3924. If it is sold at a profit of 15%, what is its selling price? | option_a=4512 | option_b=4904 | option_c=3939 | option_d=4120 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3924 × 115/100 = █4512.

id=51493 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=N | option_b=W | option_c=Q | option_d=T | answer=D | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=51494 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3437. If it is sold at a profit of 30%, what is its selling price? | option_a=3467 | option_b=4468 | option_c=4811 | option_d=4125 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3437 × 130/100 = █4468.

id=51495 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=51496 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=51497 | topic=Averages | difficulty=Easy | question=Find the average of 13, 29, 96, 47, 51, 28. | option_a=44 | option_b=45 | option_c=46 | option_d=43 | answer=A | explanation=Average = sum of values + number of values = 264 ÷ 6 = 44.

id=51498 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=51499 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4302. If it is sold at a profit of 20%, what is its selling price? | option_a=4732 | option_b=4322 | option_c=5162 | option_d=5592 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4302 × 120/100 = █5162.

id=51500 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 5, 7, 11? | option_a=5 | option_b=3 | option_c=11 | option_d=7 | answer=C | explanation=The first three numbers increase by 2, so the next should be 9. Therefore 11 is the odd one out.

id=51501 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:12 and the first is 88, what is the second? | option_a=140 | option_b=132 | option_c=120 | option_d=220 | answer=B | explanation=Scale factor = 88/8 = 11. Therefore second quantity = 12×11 = 132.

id=51502 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:18 and the first is 108, what is the second? | option_a=162 | option_b=270 | option_c=144 | option_d=174 | answer=A | explanation=Scale factor = 108/12 = 9. Therefore second quantity = 18×9 = 162.

id=51503 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:4 and the first is 285, what is the second? | option_a=361 | option_b=72 | option_c=91 | option_d=76 | answer=D | explanation=Scale factor = 285/15 = 19. Therefore second quantity = 4×19 = 76.

id=51504 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 20. | option_a=500 | option_b=80 | option_c=125 | option_d=100 | answer=D | explanation=LCM × HCF = 25×20; HCF(25,20) = 5, so LCM = 100.

id=51505 | topic=Percentages | difficulty=Easy | question=What is 12% of 409? | option_a=98 | option_b=39 | option_c=59 | option_d=49 | answer=D | explanation=12% of 409 = (12/100) × 409 = 49.

id=51506 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12056 at 5% per annum for 3 years. | option_a=1808 | option_b=13864 | option_c=1708 | option_d=1908 | answer=A | explanation=SI = PRT/100 = 12056×5×3/100 = █1808.

id=51507 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 18. | option_a=90 | option_b=180 | option_c=100 | option_d=72 | answer=A | explanation=LCM × HCF = 10×18; HCF(10,18) = 2, so LCM = 90.

id=51508 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14704 at 10% per annum for 3 years. | option_a=4311 | option_b=4511 | option_c=19115 | option_d=4411 | answer=D | explanation=SI = PRT/100 = 14704×10×3/100 = █4411.

id=51509 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=150 | option_c=145 | option_d=300 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=51510 | topic=Percentages | difficulty=Easy | question=What is 5% of 744? | option_a=47 | option_b=37 | option_c=74 | option_d=32 | answer=B | explanation=5% of 744 = (5/100) × 744 = 37.

Aptitude Questions — Records 51,511-51,540 of 100,000

id=51511 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=Z | option_b=I | option_c=C | option_d=F | answer=D | explanation=Move 3 positions forward from C; the resulting letter is F.

id=51512 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=51513 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=P | option_c=T | option_d=R | answer=C | explanation=Move 2 positions forward from R; the resulting letter is T.

id=51514 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=19 | option_b=18 | option_c=22 | option_d=14 | answer=B | explanation=The common difference is 4. Therefore the next term is $14 + 4 = 18$.

id=51515 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 132, what is the second? | option_a=176 | option_b=203 | option_c=192 | option_d=324 | answer=C | explanation=Scale factor = $\frac{132}{11} = 12$. Therefore second quantity = $16 \times 12 = 192$.

id=51516 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $90 \div 3 = 30$ km/h.

id=51517 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=W | option_c=S | option_d=Q | answer=A | explanation=Move 2 positions forward from S; the resulting letter is U.

id=51518 | topic=Percentages | difficulty=Easy | question=What is 20% of 1370? | option_a=279 | option_b=274 | option_c=548 | option_d=269 | answer=B | explanation=20% of 1370 = $(\frac{20}{100}) \times 1370 = 274$.

id=51519 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=180 | option_c=90 | option_d=95 | answer=C | explanation=Speed = distance ÷ time = $180 \div 2 = 90$ km/h.

id=51520 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 33, what is the second? | option_a=32 | option_b=48 | option_c=81 | option_d=59 | answer=B | explanation=Scale factor = $\frac{33}{11} = 3$. Therefore second quantity = $16 \times 3 = 48$.

id=51521 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22254 at 10% per annum for 4 years. | option_a=8901 | option_b=9001 | option_c=31155 | option_d=8801 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{22254 \times 10 \times 4}{100} = \text{■}8901$.

id=51522 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:4 and the first is 132, what is the second? | option_a=40 | option_b=176 | option_c=44 | option_d=56 | answer=C | explanation=Scale factor = $\frac{132}{12} = 11$. Therefore second quantity = $4 \times 11 = 44$.

id=51523 | topic=Averages | difficulty=Easy | question=Find the average of 22, 54, 23, 39, 22, 40, 10, 41, 49, 50. | option_a=34 | option_b=35 | option_c=36 | option_d=37 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{350}{10} = 35$.

id=51524 | topic=Averages | difficulty=Easy | question=Find the average of 88, 47, 41, 93, 24, 17, 38, 52. | option_a=50 | option_b=49 | option_c=51 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{400}{8} = 50$.

id=51525 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=4 | option_d=6 | answer=A | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.

id=51526 | topic=Percentages | difficulty=Easy | question=What is 10% of 308? | option_a=25 | option_b=30 | option_c=60 | option_d=40 | answer=B | explanation=10% of 308 = $(\frac{10}{100}) \times 308 = 30$.

id=51527 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = $\frac{120}{4} = 30$ km/h.

id=51528 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=51529 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=51530 | topic=Averages | difficulty=Easy | question=Find the average of 99, 51, 69, 68, 44, 61, 42. | option_a=61 | option_b=62 | option_c=64 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{434}{7} = 62$.

id=51531 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=52 | option_b=41 | option_c=53 | option_d=63 | answer=A | explanation=The common difference is 11. Therefore the next term is $41 + 11 = 52$.

id=51532 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=27 | option_b=26 | option_c=23 | option_d=25 | answer=D | explanation=The common difference is 2. Therefore the next term is $23 + 2 = 25$.

id=51533 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:9 and the first is 190, what is the second? | option_a=81 | option_b=90 | option_c=280 | option_d=109 | answer=B | explanation=Scale factor = $\frac{190}{19} = 10$. Therefore second quantity = $9 \times 10 = 90$.

id=51534 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15502 at 8% per annum for 2 years. | option_a=2480 | option_b=17982 | option_c=2380 | option_d=2580 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{15502 \times 8 \times 2}{100} = \text{■}2480$.

id=51535 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=11 | option_b=8 | option_c=10 | option_d=12 | answer=C | explanation=The common difference is 2. Therefore the next term is $8 + 2 = 10$.

id=51536 | topic=Percentages | difficulty=Easy | question=What is 50% of 1961? | option_a=990 | option_b=970 | option_c=980 | option_d=1960 | answer=C | explanation=50% of 1961 = $(\frac{50}{100}) \times 1961 = 980$.

id=51537 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1533 at 8% per annum for 4 years. | option_a=590 | option_b=2023 | option_c=490 | option_d=390 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{1533 \times 8 \times 4}{100} = \text{■}490$.

id=51538 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20179 at 6% per annum for 2 years. | option_a=22600 | option_b=2521 | option_c=2421 | option_d=2321 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{20179 \times 6 \times 2}{100} = \text{■}2421$.

id=51539 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 14. | option_a=28 | option_b=14 | option_c=56 | option_d=32 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 4 \times 14$; $\text{HCF}(4, 14) = 2$, so $\text{LCM} = 28$.

id=51540 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=50 | option_b=51 | option_c=60 | option_d=40 | answer=A | explanation=The common difference is 10. Therefore the next term is $40 + 10 = 50$.

Aptitude Questions — Records 51,541-51,570 of 100,000

id=51541 | topic=Percentages | difficulty=Easy | question=What is 5% of 1916? | option_a=190 | option_b=115 | option_c=85 | option_d=95 | answer=D | explanation=5% of 1916 = (5/100) × 1916 = 95.

id=51542 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=28 | option_b=37 | option_c=36 | option_d=44 | answer=C | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=51543 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 16. | option_a=32 | option_b=16 | option_c=1 | option_d=256 | answer=B | explanation=LCM × HCF = 16×16; HCF(16,16) = 16, so LCM = 16.

id=51544 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44400 at 12% per annum for 4 years. | option_a=21312 | option_b=21412 | option_c=21212 | option_d=65712 | answer=A | explanation=SI = PRT/100 = 44400×12×4/100 = █21312.

id=51545 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 36, 45, 57? | option_a=57 | option_b=36 | option_c=45 | option_d=27 | answer=A | explanation=The first three numbers increase by 9, so the next should be 54. Therefore 57 is the odd one out.

id=51546 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=C | option_c=M | option_d=R | answer=C | explanation=Move 5 positions forward from H; the resulting letter is M.

id=51547 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=N | option_c=J | option_d=B | answer=C | explanation=Move 4 positions forward from F; the resulting letter is J.

id=51548 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 34, 42, 51? | option_a=33 | option_b=26 | option_c=34 | option_d=28 | answer=C | explanation=The first three numbers increase by 8, so the next should be 50. Therefore 51 is the odd one out.

id=51549 | topic=Averages | difficulty=Easy | question=Find the average of 74, 65, 49, 28, 99, 39. | option_a=59 | option_b=58 | option_c=60 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.

id=51550 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=11 | option_b=14 | option_c=13 | option_d=15 | answer=C | explanation=The common difference is 2. Therefore the next term is 11 + 2 = 13.

id=51551 | topic=Averages | difficulty=Easy | question=Find the average of 91, 78, 74. | option_a=80 | option_b=81 | option_c=83 | option_d=82 | answer=B | explanation=Average = sum of values ÷ number of values = 243 ÷ 3 = 81.

id=51552 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 28, 33, 41? | option_a=33 | option_b=23 | option_c=41 | option_d=28 | answer=C | explanation=The first three numbers increase by 5, so the next should be 38. Therefore 41 is the odd one out.

id=51553 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=25 | option_b=27 | option_c=23 | option_d=26 | answer=A | explanation=The common difference is 2. Therefore the next term is 23 + 2 = 25.

id=51554 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=51555 | topic=Profit & Loss | difficulty=Easy | question=An article costs █674. If it is sold at a profit of 5%, what is its selling price? | option_a=679 | option_b=640 | option_c=707 | option_d=774 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 674 × 105/100 = █707.

id=51556 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=H | option_b=Y | option_c=B | option_d=E | answer=D | explanation=Move 3 positions forward from B; the resulting letter is E.

id=51557 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=51558 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 44? | option_a=18 | option_b=26 | option_c=44 | option_d=34 | answer=C | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 44 is the odd one out.

id=51559 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=30 | option_b=27 | option_c=22 | option_d=26 | answer=D | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.

id=51560 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:1 and the first is 304, what is the second? | option_a=19 | option_b=35 | option_c=323 | option_d=18 | answer=A | explanation=Scale factor = 304/16 = 19. Therefore second quantity = 1×19 = 19.

id=51561 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=51562 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 29? | option_a=29 | option_b=12 | option_c=20 | option_d=4 | answer=A | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 29 is the odd one out.

id=51563 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=1 | option_c=12 | option_d=11 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=51564 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=49 | option_b=35 | option_c=43 | option_d=42 | answer=D | explanation=The common difference is 7. Therefore the next term is 35 + 7 = 42.

id=51565 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=30 | option_b=26 | option_c=31 | option_d=34 | answer=A | explanation=The common difference is 4. Therefore the next term is 26 + 4 = 30.

id=51566 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=46 | option_b=37 | option_c=55 | option_d=47 | answer=A | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=51567 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=51 | option_b=62 | option_c=50 | option_d=38 | answer=C | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=51568 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=44 | option_b=34 | option_c=43 | option_d=52 | answer=C | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

id=51569 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=72 | option_c=31 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=51570 | topic=Averages | difficulty=Easy | question=Find the average of 29, 20, 26. | option_a=25 | option_b=24 | option_c=26 | option_d=27 | answer=A | explanation=Average = sum of values ÷ number of values = 75 ÷ 3 = 25.

Aptitude Questions — Records 51,571-51,600 of 100,000

id=51571 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=90 | option_c=95 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=51572 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:20 and the first is 182, what is the second? | option_a=293 | option_b=280 | option_c=260 | option_d=462 | answer=B | explanation=Scale factor = 182/13 = 14. Therefore second quantity = 20×14 = 280.

id=51573 | topic=Percentages | difficulty=Easy | question=What is 25% of 1554? | option_a=388 | option_b=776 | option_c=368 | option_d=393 | answer=A | explanation=25% of 1554 = (25/100) × 1554 = 388.

id=51574 | topic=Percentages | difficulty=Easy | question=What is 30% of 222? | option_a=46 | option_b=66 | option_c=71 | option_d=132 | answer=B | explanation=30% of 222 = (30/100) × 222 = 66.

id=51575 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=51576 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3838. If it is sold at a profit of 10%, what is its selling price? | option_a=3838 | option_b=4604 | option_c=3848 | option_d=4221 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3838 × 110/100 = █4221.

id=51577 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 22. | option_a=616 | option_b=286 | option_c=336 | option_d=308 | answer=D | explanation=LCM × HCF = 28×22; HCF(28,22) = 2, so LCM = 308.

id=51578 | topic=Averages | difficulty=Easy | question=Find the average of 96, 44, 28. | option_a=56 | option_b=55 | option_c=58 | option_d=57 | answer=A | explanation=Average = sum of values + number of values = 168 ÷ 3 = 56.

id=51579 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:18 and the first is 36, what is the second? | option_a=66 | option_b=90 | option_c=54 | option_d=36 | answer=C | explanation=Scale factor = 36/12 = 3. Therefore second quantity = 18×3 = 54.

id=51580 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=12 | option_c=6 | option_d=11 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=51581 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=60 | option_b=42 | option_c=52 | option_d=51 | answer=D | explanation=The common difference is 9. Therefore the next term is 42 + 9 = 51.

id=51582 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43, ? | option_a=52 | option_b=59 | option_c=43 | option_d=51 | answer=D | explanation=The common difference is 8. Therefore the next term is 43 + 8 = 51.

id=51583 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=32 | option_b=28 | option_c=27 | option_d=22 | answer=C | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.

id=51584 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=G | option_b=P | option_c=J | option_d=M | answer=D | explanation=Move 3 positions forward from J; the resulting letter is M.

id=51585 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=54 | option_b=53 | option_c=64 | option_d=42 | answer=B | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.

id=51586 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4102. If it is sold at a profit of 25%, what is its selling price? | option_a=4127 | option_b=4717 | option_c=5127 | option_d=5537 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4102 × 125/100 = █5127.

id=51587 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=51588 | topic=Percentages | difficulty=Easy | question=What is 40% of 1135? | option_a=908 | option_b=454 | option_c=449 | option_d=474 | answer=B | explanation=40% of 1135 = (40/100) × 1135 = 454.

id=51589 | topic=Percentages | difficulty=Easy | question=What is 50% of 931? | option_a=930 | option_b=465 | option_c=460 | option_d=485 | answer=B | explanation=50% of 931 = (50/100) × 931 = 465.

id=51590 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35914 at 5% per annum for 4 years. | option_a=7182 | option_b=43096 | option_c=7082 | option_d=7282 | answer=A | explanation=SI = PRT/100 = 35914×5×4/100 = █7182.

id=51591 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=51592 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=Z | option_b=R | option_c=V | option_d=N | answer=C | explanation=Move 4 positions forward from R; the resulting letter is V.

id=51593 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 4. | option_a=56 | option_b=120 | option_c=60 | option_d=90 | answer=C | explanation=LCM × HCF = 30×4; HCF(30,4) = 2, so LCM = 60.

id=51594 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4318. If it is sold at a profit of 50%, what is its selling price? | option_a=6908 | option_b=4368 | option_c=6046 | option_d=6477 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4318 × 150/100 = █6477.

id=51595 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=S | option_b=D | option_c=I | option_d=N | answer=D | explanation=Move 5 positions forward from I; the resulting letter is N.

id=51596 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:11 and the first is 136, what is the second? | option_a=195 | option_b=176 | option_c=323 | option_d=187 | answer=D | explanation=Scale factor = 136/8 = 17. Therefore second quantity = 11×17 = 187.

id=51597 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=51598 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=36 | option_b=46 | option_c=47 | option_d=56 | answer=B | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.

id=51599 | topic=Percentages | difficulty=Easy | question=What is 50% of 1921? | option_a=1920 | option_b=950 | option_c=965 | option_d=960 | answer=D | explanation=50% of 1921 = (50/100) × 1921 = 960.

id=51600 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=75 | option_c=70 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

Aptitude Questions — Records 51,601-51,630 of 100,000

id=51601 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=11 | option_c=12 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=51602 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=51603 | topic=Percentages | difficulty=Easy | question=What is 10% of 1656? | option_a=165 | option_b=145 | option_c=330 | option_d=175 | answer=A | explanation=10% of 1656 = (10/100) × 1656 = 165.

id=51604 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=22 | option_b=28 | option_c=27 | option_d=32 | answer=C | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.

id=51605 | topic=Percentages | difficulty=Easy | question=What is 25% of 819? | option_a=408 | option_b=209 | option_c=204 | option_d=199 | answer=C | explanation=25% of 819 = (25/100) × 819 = 204.

id=51606 | topic=Profit & Loss | difficulty=Easy | question=An article costs █787. If it is sold at a profit of 40%, what is its selling price? | option_a=1023 | option_b=827 | option_c=1101 | option_d=1179 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 787 × 140/100 = █1101.

id=51607 | topic=Percentages | difficulty=Easy | question=What is 40% of 1609? | option_a=643 | option_b=663 | option_c=623 | option_d=1286 | answer=A | explanation=40% of 1609 = (40/100) × 1609 = 643.

id=51608 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39043 at 6% per annum for 4 years. | option_a=48413 | option_b=9370 | option_c=9470 | option_d=9270 | answer=B | explanation=SI = PRT/100 = 39043×6×4/100 = █9370.

id=51609 | topic=Averages | difficulty=Easy | question=Find the average of 58, 19, 54, 34, 16, 96, 28, 99, 82. | option_a=56 | option_b=53 | option_c=54 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 486 ÷ 9 = 54.

id=51610 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 10, 13, 19? | option_a=7 | option_b=10 | option_c=13 | option_d=19 | answer=D | explanation=The first three numbers increase by 3, so the next should be 16. Therefore 19 is the odd one out.

id=51611 | topic=Profit & Loss | difficulty=Easy | question=An article costs █382. If it is sold at a profit of 40%, what is its selling price? | option_a=422 | option_b=572 | option_c=534 | option_d=496 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 382 × 140/100 = █534.

id=51612 | topic=Percentages | difficulty=Easy | question=What is 15% of 406? | option_a=120 | option_b=60 | option_c=40 | option_d=70 | answer=B | explanation=15% of 406 = (15/100) × 406 = 60.

id=51613 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:17 and the first is 190, what is the second? | option_a=513 | option_b=306 | option_c=333 | option_d=323 | answer=D | explanation=Scale factor = 190/10 = 19. Therefore second quantity = 17×19 = 323.

id=51614 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 30. | option_a=450 | option_b=30 | option_c=1 | option_d=45 | answer=B | explanation=LCM × HCF = 15×30; HCF(15,30) = 15, so LCM = 30.

id=51615 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3835. If it is sold at a profit of 40%, what is its selling price? | option_a=3875 | option_b=5369 | option_c=4986 | option_d=5752 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3835 × 140/100 = █5369.

id=51616 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 14. | option_a=14 | option_b=28 | option_c=32 | option_d=56 | answer=B | explanation=LCM × HCF = 4×14; HCF(4,14) = 2, so LCM = 28.

id=51617 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 24, 31, 41? | option_a=31 | option_b=41 | option_c=24 | option_d=17 | answer=B | explanation=The first three numbers increase by 7, so the next should be 38. Therefore 41 is the odd one out.

id=51618 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=5 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=51619 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=K | option_c=L | option_d=I | answer=B | explanation=Move 1 positions forward from J; the resulting letter is K.

id=51620 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=51621 | topic=Averages | difficulty=Easy | question=Find the average of 41, 87, 19, 25, 63. | option_a=46 | option_b=48 | option_c=49 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 235 ÷ 5 = 47.

id=51622 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15660 at 15% per annum for 4 years. | option_a=9396 | option_b=25056 | option_c=9496 | option_d=9296 | answer=A | explanation=SI = PRT/100 = 15660×15×4/100 = █9396.

id=51623 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 35? | option_a=27 | option_b=17 | option_c=22 | option_d=35 | answer=D | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 35 is the odd one out.

id=51624 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4796 at 12% per annum for 3 years. | option_a=1626 | option_b=6522 | option_c=1826 | option_d=1726 | answer=D | explanation=SI = PRT/100 = 4796×12×3/100 = █1726.

id=51625 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=C | option_c=E | option_d=A | answer=C | explanation=Move 2 positions forward from C; the resulting letter is E.

id=51626 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=53 | option_b=40 | option_c=52 | option_d=64 | answer=C | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.

id=51627 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=51628 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1821. If it is sold at a profit of 5%, what is its selling price? | option_a=1912 | option_b=2094 | option_c=1826 | option_d=1730 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1821 × 105/100 = █1912.

id=51629 | topic=Percentages | difficulty=Easy | question=What is 30% of 859? | option_a=252 | option_b=267 | option_c=514 | option_d=257 | answer=D | explanation=30% of 859 = (30/100) × 859 = 257.

id=51630 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=25 | option_c=20 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

Aptitude Questions — Records 51,631-51,660 of 100,000

id=51631 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 22, 31, 42? | option_a=22 | option_b=13 | option_c=42 | option_d=31 | answer=C | explanation=The first three numbers increase by 9, so the next should be 40. Therefore 42 is the odd one out.

id=51632 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=44 | option_b=37 | option_c=43 | option_d=49 | answer=C | explanation=The common difference is 6. Therefore the next term is 37 + 6 = 43.

id=51633 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=51634 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=40 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=51635 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:14 and the first is 49, what is the second? | option_a=84 | option_b=147 | option_c=98 | option_d=105 | answer=C | explanation=Scale factor = 49/7 = 7. Therefore second quantity = 14×7 = 98.

id=51636 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 18. | option_a=252 | option_b=504 | option_c=234 | option_d=280 | answer=A | explanation=LCM × HCF = 28×18; HCF(28,18) = 2, so LCM = 252.

id=51637 | topic=Percentages | difficulty=Easy | question=What is 12% of 106? | option_a=2 | option_b=24 | option_c=22 | option_d=12 | answer=D | explanation=12% of 106 = (12/100) × 106 = 12.

id=51638 | topic=Averages | difficulty=Easy | question=Find the average of 77, 74, 74, 85, 87, 44, 40, 95, 100, 94. | option_a=77 | option_b=79 | option_c=76 | option_d=78 | answer=A | explanation=Average = sum of values ÷ number of values = 770 ÷ 10 = 77.

id=51639 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=J | option_c=K | option_d=H | answer=B | explanation=Move 1 positions forward from I; the resulting letter is J.

id=51640 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:7 and the first is 144, what is the second? | option_a=112 | option_b=256 | option_c=105 | option_d=121 | answer=A | explanation=Scale factor = 144/9 = 16. Therefore second quantity = 7×16 = 112.

id=51641 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=W | option_b=M | option_c=R | option_d=B | answer=A | explanation=Move 5 positions forward from R; the resulting letter is W.

id=51642 | topic=Percentages | difficulty=Easy | question=What is 10% of 347? | option_a=14 | option_b=34 | option_c=44 | option_d=68 | answer=B | explanation=10% of 347 = (10/100) × 347 = 34.

id=51643 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=L | option_b=Z | option_c=D | option_d=H | answer=D | explanation=Move 4 positions forward from D; the resulting letter is H.

id=51644 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38465 at 4% per annum for 4 years. | option_a=44619 | option_b=6154 | option_c=6054 | option_d=6254 | answer=B | explanation=SI = PRT/100 = 38465×4×4/100 = **■**6154.

id=51645 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3594. If it is sold at a profit of 15%, what is its selling price? | option_a=3609 | option_b=4133 | option_c=3774 | option_d=4492 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3594 × 115/100 = **■**4133.

id=51646 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=51647 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=51648 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=150 | option_c=80 | option_d=70 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=51649 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=F | option_c=H | option_d=I | answer=C | explanation=Move 1 positions forward from G; the resulting letter is H.

id=51650 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42054 at 5% per annum for 1 years. | option_a=2102 | option_b=2202 | option_c=44156 | option_d=2002 | answer=A | explanation=SI = PRT/100 = 42054×5×1/100 = **■**2102.

id=51651 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:14 and the first is 56, what is the second? | option_a=112 | option_b=70 | option_c=42 | option_d=56 | answer=D | explanation=Scale factor = 56/14 = 4. Therefore second quantity = 14×4 = 56.

id=51652 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 14. | option_a=28 | option_b=42 | option_c=84 | option_d=48 | answer=B | explanation=LCM × HCF = 6×14; HCF(6,14) = 2, so LCM = 42.

id=51653 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36592 at 5% per annum for 5 years. | option_a=9148 | option_b=9048 | option_c=45740 | option_d=9248 | answer=A | explanation=SI = PRT/100 = 36592×5×5/100 = **■**9148.

id=51654 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45218 at 8% per annum for 1 years. | option_a=48835 | option_b=3617 | option_c=3717 | option_d=3517 | answer=B | explanation=SI = PRT/100 = 45218×8×1/100 = **■**3617.

id=51655 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 14, 23, 33? | option_a=14 | option_b=33 | option_c=23 | option_d=5 | answer=B | explanation=The first three numbers increase by 9, so the next should be 32. Therefore 33 is the odd one out.

id=51656 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35915 at 8% per annum for 2 years. | option_a=5846 | option_b=5646 | option_c=5746 | option_d=41661 | answer=C | explanation=SI = PRT/100 = 35915×8×2/100 = **■**5746.

id=51657 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:3 and the first is 98, what is the second? | option_a=119 | option_b=18 | option_c=21 | option_d=35 | answer=C | explanation=Scale factor = 98/14 = 7. Therefore second quantity = 3×7 = 21.

id=51658 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 24. | option_a=216 | option_b=72 | option_c=48 | option_d=81 | answer=B | explanation=LCM × HCF = 9×24; HCF(9,24) = 3, so LCM = 72.

id=51659 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 26. | option_a=1 | option_b=26 | option_c=28 | option_d=52 | answer=B | explanation=LCM × HCF = 2×26; HCF(2,26) = 2, so LCM = 26.

id=51660 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 51,661-51,690 of 100,000

id=51661 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=19 | option_b=15 | option_c=20 | option_d=23 | answer=A | explanation=The common difference is 4. Therefore the next term is 15 + 4 = 19.

id=51662 | topic=Percentages | difficulty=Easy | question=What is 25% of 1941? | option_a=485 | option_b=475 | option_c=495 | option_d=970 | answer=A | explanation=25% of 1941 = (25/100) × 1941 = 485.

id=51663 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 10, 14, 19? | option_a=19 | option_b=14 | option_c=6 | option_d=10 | answer=A | explanation=The first three numbers increase by 4, so the next should be 18. Therefore 19 is the odd one out.

id=51664 | topic=Averages | difficulty=Easy | question=Find the average of 87, 55, 88, 94, 32, 27, 37. | option_a=62 | option_b=61 | option_c=60 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 420 ÷ 7 = 60.

id=51665 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=S | option_c=U | option_d=V | answer=C | explanation=Move 1 positions forward from T; the resulting letter is U.

id=51666 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=95 | option_c=90 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=51667 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=12 | option_b=10 | option_c=8 | option_d=11 | answer=B | explanation=The common difference is 2. Therefore the next term is 8 + 2 = 10.

id=51668 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=J | option_b=E | option_c=Z | option_d=O | answer=A | explanation=Move 5 positions forward from E; the resulting letter is J.

id=51669 | topic=Averages | difficulty=Easy | question=Find the average of 99, 45, 51, 57, 58, 96, 70, 20. | option_a=62 | option_b=64 | option_c=61 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 496 ÷ 8 = 62.

id=51670 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:1 and the first is 5, what is the second? | option_a=10 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Scale factor = 5/1 = 5. Therefore second quantity = 1×5 = 5.

id=51671 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=51672 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31652 at 4% per annum for 1 years. | option_a=1366 | option_b=32918 | option_c=1166 | option_d=1266 | answer=D | explanation=SI = PRT/100 = 31652×4×1/100 = **■**1266.

id=51673 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38263 at 6% per annum for 1 years. | option_a=2195 | option_b=2295 | option_c=2395 | option_d=40558 | answer=B | explanation=SI = PRT/100 = 38263×6×1/100 = **■**2295.

id=51674 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 10, 13, 16, ? | option_a=19 | option_b=20 | option_c=16 | option_d=22 | answer=A | explanation=The common difference is 3. Therefore the next term is 16 + 3 = 19.

id=51675 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 32? | option_a=27 | option_b=32 | option_c=25 | option_d=29 | answer=B | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 32 is the odd one out.

id=51676 | topic=Averages | difficulty=Easy | question=Find the average of 17, 50, 47. | option_a=38 | option_b=37 | option_c=40 | option_d=39 | answer=A | explanation=Average = sum of values ÷ number of values = 114 ÷ 3 = 38.

id=51677 | topic=Averages | difficulty=Easy | question=Find the average of 52, 87, 71. | option_a=72 | option_b=70 | option_c=71 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 210 ÷ 3 = 70.

id=51678 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=100 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=51679 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3309. If it is sold at a profit of 15%, what is its selling price? | option_a=3805 | option_b=4135 | option_c=3324 | option_d=3475 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3309 × 115/100 = **■**3805.

id=51680 | topic=Percentages | difficulty=Easy | question=What is 5% of 938? | option_a=46 | option_b=41 | option_c=92 | option_d=66 | answer=A | explanation=5% of 938 = (5/100) × 938 = 46.

id=51681 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=40 | option_b=64 | option_c=52 | option_d=53 | answer=C | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.

id=51682 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=34 | option_b=26 | option_c=35 | option_d=42 | answer=A | explanation=The common difference is 8. Therefore the next term is 26 + 8 = 34.

id=51683 | topic=Averages | difficulty=Easy | question=Find the average of 81, 73, 38, 36, 34, 14, 28, 16, 93, 27. | option_a=43 | option_b=44 | option_c=45 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 440 ÷ 10 = 44.

id=51684 | topic=Averages | difficulty=Easy | question=Find the average of 14, 50, 93, 23. | option_a=45 | option_b=44 | option_c=46 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 180 ÷ 4 = 45.

id=51685 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4682. If it is sold at a profit of 20%, what is its selling price? | option_a=5150 | option_b=4702 | option_c=5618 | option_d=6086 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4682 × 120/100 = **■**5618.

id=51686 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 24. | option_a=192 | option_b=32 | option_c=1 | option_d=24 | answer=D | explanation=LCM × HCF = 8×24; HCF(8,24) = 8, so LCM = 24.

id=51687 | topic=Percentages | difficulty=Easy | question=What is 30% of 936? | option_a=270 | option_b=560 | option_c=290 | option_d=280 | answer=D | explanation=30% of 936 = (30/100) × 936 = 280.

id=51688 | topic=Averages | difficulty=Easy | question=Find the average of 47, 14, 69, 98, 82, 38, 61, 76, 28. | option_a=56 | option_b=57 | option_c=59 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 513 ÷ 9 = 57.

id=51689 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:12 and the first is 26, what is the second? | option_a=50 | option_b=37 | option_c=24 | option_d=12 | answer=C | explanation=Scale factor = 26/13 = 2. Therefore second quantity = 12×2 = 24.

id=51690 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:15 and the first is 105, what is the second? | option_a=120 | option_b=210 | option_c=90 | option_d=105 | answer=D | explanation=Scale factor = 105/15 = 7. Therefore second quantity = 15×7 = 105.

Aptitude Questions — Records 51,691-51,720 of 100,000

id=51691 | topic=Averages | difficulty=Easy | question=Find the average of 87, 25, 72, 75, 17, 22, 64, 46. | option_a=53 | option_b=52 | option_c=51 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 408 ÷ 8 = 51.

id=51692 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=51693 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=54 | option_b=64 | option_c=55 | option_d=44 | answer=A | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=51694 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=K | option_c=I | option_d=E | answer=C | explanation=Move 2 positions forward from G; the resulting letter is I.

id=51695 | topic=Percentages | difficulty=Easy | question=What is 50% of 416? | option_a=228 | option_b=416 | option_c=198 | option_d=208 | answer=D | explanation=50% of 416 = (50/100) × 416 = 208.

id=51696 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:13 and the first is 42, what is the second? | option_a=65 | option_b=85 | option_c=120 | option_d=78 | answer=D | explanation=Scale factor = 42/7 = 6. Therefore second quantity = 13×6 = 78.

id=51697 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:12 and the first is 288, what is the second? | option_a=210 | option_b=192 | option_c=180 | option_d=480 | answer=B | explanation=Scale factor = 288/18 = 16. Therefore second quantity = 12×16 = 192.

id=51698 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2690. If it is sold at a profit of 10%, what is its selling price? | option_a=3228 | option_b=2690 | option_c=2959 | option_d=2700 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2690 × 110/100 = **₹**2959.

id=51699 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=51700 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**13604 at 15% per annum for 2 years. | option_a=17685 | option_b=3981 | option_c=4181 | option_d=4081 | answer=D | explanation=SI = PRT/100 = 13604×15×2/100 = **₹**4081.

id=51701 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=51702 | topic=Averages | difficulty=Easy | question=Find the average of 78, 81, 89, 56. | option_a=76 | option_b=78 | option_c=75 | option_d=77 | answer=A | explanation=Average = sum of values ÷ number of values = 304 ÷ 4 = 76.

id=51703 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**29568 at 5% per annum for 4 years. | option_a=35481 | option_b=6013 | option_c=5813 | option_d=5913 | answer=D | explanation=SI = PRT/100 = 29568×5×4/100 = **₹**5913.

id=51704 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=31 | option_b=34 | option_c=32 | option_d=28 | answer=A | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=51705 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1539. If it is sold at a profit of 10%, what is its selling price? | option_a=1549 | option_b=1692 | option_c=1845 | option_d=1539 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1539 × 110/100 = **₹**1692.

id=51706 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1547. If it is sold at a profit of 25%, what is its selling price? | option_a=1779 | option_b=1933 | option_c=2087 | option_d=1572 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1547 × 125/100 = **₹**1933.

id=51707 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=16 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=51708 | topic=Percentages | difficulty=Easy | question=What is 25% of 331? | option_a=82 | option_b=164 | option_c=72 | option_d=102 | answer=A | explanation=25% of 331 = (25/100) × 331 = 82.

id=51709 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=34 | option_b=43 | option_c=42 | option_d=50 | answer=C | explanation=The common difference is 8. Therefore the next term is 34 + 8 = 42.

id=51710 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4185. If it is sold at a profit of 40%, what is its selling price? | option_a=4225 | option_b=5441 | option_c=6277 | option_d=5859 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4185 × 140/100 = **₹**5859.

id=51711 | topic=Percentages | difficulty=Easy | question=What is 40% of 1216? | option_a=972 | option_b=486 | option_c=491 | option_d=466 | answer=B | explanation=40% of 1216 = (40/100) × 1216 = 486.

id=51712 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=22 | option_b=28 | option_c=34 | option_d=29 | answer=B | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.

id=51713 | topic=Averages | difficulty=Easy | question=Find the average of 69, 81, 39, 59. | option_a=61 | option_b=64 | option_c=63 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 248 ÷ 4 = 62.

id=51714 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=31 | option_b=27 | option_c=21 | option_d=26 | answer=D | explanation=The common difference is 5. Therefore the next term is 21 + 5 = 26.

id=51715 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=T | option_c=V | option_d=U | answer=C | explanation=Move 1 positions forward from U; the resulting letter is V.

id=51716 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=22 | option_b=32 | option_c=28 | option_d=27 | answer=D | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.

id=51717 | topic=Averages | difficulty=Easy | question=Find the average of 88, 87, 76, 13, 84, 43, 14, 51. | option_a=57 | option_b=58 | option_c=59 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

id=51718 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4661. If it is sold at a profit of 20%, what is its selling price? | option_a=5593 | option_b=4681 | option_c=5127 | option_d=6059 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4661 × 120/100 = **₹**5593.

id=51719 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4356. If it is sold at a profit of 20%, what is its selling price? | option_a=5662 | option_b=5227 | option_c=4376 | option_d=4792 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4356 × 120/100 = **₹**5227.

id=51720 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=28 | option_b=23 | option_c=18 | option_d=24 | answer=B | explanation=The common difference is 5. Therefore the next term is 18 + 5 = 23.

Aptitude Questions — Records 51,721-51,750 of 100,000

id=51721 | topic=Averages | difficulty=Easy | question=Find the average of 10, 24, 11, 20, 39, 18, 55, 84, 58, 11. | option_a=32 | option_b=33 | option_c=35 | option_d=34 | answer=B | explanation=Average = sum of values ÷ number of values = 330 ÷ 10 = 33.

id=51722 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 52? | option_a=41 | option_b=25 | option_c=52 | option_d=33 | answer=C | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 52 is the odd one out.

id=51723 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=15 | option_c=10 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=51724 | topic=Percentages | difficulty=Easy | question=What is 10% of 1590? | option_a=318 | option_b=154 | option_c=169 | option_d=159 | answer=D | explanation=10% of 1590 = (10/100) × 1590 = 159.

id=51725 | topic=Averages | difficulty=Easy | question=Find the average of 11, 88, 55, 58, 82, 17, 80, 33. | option_a=54 | option_b=52 | option_c=55 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.

id=51726 | topic=Averages | difficulty=Easy | question=Find the average of 62, 94, 18. | option_a=60 | option_b=57 | option_c=59 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 174 ÷ 3 = 58.

id=51727 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:7 and the first is 52, what is the second? | option_a=95 | option_b=91 | option_c=84 | option_d=143 | answer=B | explanation=Scale factor = 52/4 = 13. Therefore second quantity = 7×13 = 91.

id=51728 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:19 and the first is 204, what is the second? | option_a=323 | option_b=335 | option_c=304 | option_d=527 | answer=A | explanation=Scale factor = 204/12 = 17. Therefore second quantity = 19×17 = 323.

id=51729 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=V | option_b=S | option_c=M | option_d=P | answer=B | explanation=Move 3 positions forward from P; the resulting letter is S.

id=51730 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=51731 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=51732 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=63 | option_b=52 | option_c=41 | option_d=53 | answer=B | explanation=The common difference is 11. Therefore the next term is 41 + 11 = 52.

id=51733 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 10. | option_a=45 | option_b=30 | option_c=20 | option_d=150 | answer=B | explanation=LCM × HCF = 15×10; HCF(15,10) = 5, so LCM = 30.

id=51734 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=51735 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4373. If it is sold at a profit of 20%, what is its selling price? | option_a=5247 | option_b=4810 | option_c=5684 | option_d=4393 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4373 × 120/100 = █5247.

id=51736 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=6 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=51737 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=16 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=51738 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7593 at 5% per annum for 3 years. | option_a=1138 | option_b=1238 | option_c=1038 | option_d=8731 | answer=A | explanation=SI = PRT/100 = 7593×5×3/100 = █1138.

id=51739 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=S | option_b=Y | option_c=W | option_d=U | answer=C | explanation=Move 2 positions forward from U; the resulting letter is W.

id=51740 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=49 | option_b=73 | option_c=61 | option_d=62 | answer=C | explanation=The common difference is 12. Therefore the next term is 49 + 12 = 61.

id=51741 | topic=Percentages | difficulty=Easy | question=What is 12% of 1548? | option_a=165 | option_b=370 | option_c=185 | option_d=195 | answer=C | explanation=12% of 1548 = (12/100) × 1548 = 185.

id=51742 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:15 and the first is 126, what is the second? | option_a=120 | option_b=135 | option_c=149 | option_d=261 | answer=B | explanation=Scale factor = 126/14 = 9. Therefore second quantity = 15×9 = 135.

id=51743 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2982. If it is sold at a profit of 20%, what is its selling price? | option_a=3876 | option_b=3002 | option_c=3578 | option_d=3280 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2982 × 120/100 = █3578.

id=51744 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=36 | option_b=33 | option_c=28 | option_d=32 | answer=D | explanation=The common difference is 4. Therefore the next term is 28 + 4 = 32.

id=51745 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=59 | option_b=37 | option_c=48 | option_d=49 | answer=C | explanation=The common difference is 11. Therefore the next term is 37 + 11 = 48.

id=51746 | topic=Number System | difficulty=Easy | question=Find the LCM of 11 and 11. | option_a=1 | option_b=22 | option_c=11 | option_d=121 | answer=C | explanation=LCM × HCF = 11×11; HCF(11,11) = 11, so LCM = 11.

id=51747 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=12 | option_b=24 | option_c=17 | option_d=7 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=51748 | topic=Averages | difficulty=Easy | question=Find the average of 41, 65, 70, 94, 15. | option_a=59 | option_b=58 | option_c=57 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.

id=51749 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 23, 30, 37, ? | option_a=44 | option_b=45 | option_c=51 | option_d=37 | answer=A | explanation=The common difference is 7. Therefore the next term is 37 + 7 = 44.

id=51750 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=20 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

Aptitude Questions — Records 51,751-51,780 of 100,000

id=51751 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=L | option_b=F | option_c=I | option_d=C | answer=C | explanation=Move 3 positions forward from F; the resulting letter is I.

id=51752 | topic=Averages | difficulty=Easy | question=Find the average of 40, 33, 32, 35. | option_a=36 | option_b=37 | option_c=35 | option_d=34 | answer=C | explanation=Average = sum of values ÷ number of values = 140 ÷ 4 = 35.

id=51753 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 195, what is the second? | option_a=36 | option_b=39 | option_c=234 | option_d=54 | answer=B | explanation=Scale factor = 195/15 = 13. Therefore second quantity = 3×13 = 39.

id=51754 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 14, 21, 31? | option_a=14 | option_b=21 | option_c=7 | option_d=31 | answer=D | explanation=The first three numbers increase by 7, so the next should be 28. Therefore 31 is the odd one out.

id=51755 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=105 | option_c=100 | option_d=95 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=51756 | topic=Percentages | difficulty=Easy | question=What is 15% of 1378? | option_a=196 | option_b=216 | option_c=206 | option_d=412 | answer=C | explanation=15% of 1378 = (15/100) × 1378 = 206.

id=51757 | topic=Averages | difficulty=Easy | question=Find the average of 80, 96, 73, 35. | option_a=70 | option_b=71 | option_c=73 | option_d=72 | answer=B | explanation=Average = sum of values ÷ number of values = 284 ÷ 4 = 71.

id=51758 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=29 | option_c=24 | option_d=19 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=51759 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 39? | option_a=21 | option_b=13 | option_c=39 | option_d=29 | answer=C | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 39 is the odd one out.

id=51760 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 13? | option_a=6 | option_b=13 | option_c=3 | option_d=9 | answer=B | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 13 is the odd one out.

id=51761 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:6 and the first is 24, what is the second? | option_a=96 | option_b=74 | option_c=72 | option_d=66 | answer=C | explanation=Scale factor = 24/2 = 12. Therefore second quantity = 6×12 = 72.

id=51762 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:4 and the first is 255, what is the second? | option_a=56 | option_b=77 | option_c=60 | option_d=315 | answer=C | explanation=Scale factor = 255/17 = 15. Therefore second quantity = 4×15 = 60.

id=51763 | topic=Profit & Loss | difficulty=Easy | question=An article costs █657. If it is sold at a profit of 25%, what is its selling price? | option_a=682 | option_b=886 | option_c=821 | option_d=756 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 657 × 125/100 = █821.

id=51764 | topic=Percentages | difficulty=Easy | question=What is 20% of 1213? | option_a=262 | option_b=484 | option_c=242 | option_d=232 | answer=C | explanation=20% of 1213 = (20/100) × 1213 = 242.

id=51765 | topic=Averages | difficulty=Easy | question=Find the average of 50, 52, 97, 46, 71, 44. | option_a=60 | option_b=62 | option_c=59 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 360 ÷ 6 = 60.

id=51766 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=32 | option_b=28 | option_c=33 | option_d=36 | answer=A | explanation=The common difference is 4. Therefore the next term is 28 + 4 = 32.

id=51767 | topic=Percentages | difficulty=Easy | question=What is 5% of 234? | option_a=22 | option_b=1 | option_c=11 | option_d=16 | answer=C | explanation=5% of 234 = (5/100) × 234 = 11.

id=51768 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=50 | option_c=20 | option_d=25 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=51769 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:17 and the first is 70, what is the second? | option_a=177 | option_b=153 | option_c=170 | option_d=240 | answer=C | explanation=Scale factor = 70/7 = 10. Therefore second quantity = 17×10 = 170.

id=51770 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=M | option_b=P | option_c=S | option_d=V | answer=C | explanation=Move 3 positions forward from P; the resulting letter is S.

id=51771 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 41? | option_a=18 | option_b=25 | option_c=41 | option_d=32 | answer=C | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 41 is the odd one out.

id=51772 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=50 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=51773 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16189 at 10% per annum for 3 years. | option_a=4956 | option_b=4756 | option_c=4856 | option_d=21045 | answer=C | explanation=SI = PRT/100 = 16189×10×3/100 = █4856.

id=51774 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=G | option_c=H | option_d=E | answer=B | explanation=Move 1 positions forward from F; the resulting letter is G.

id=51775 | topic=Percentages | difficulty=Easy | question=What is 10% of 802? | option_a=80 | option_b=75 | option_c=90 | option_d=160 | answer=A | explanation=10% of 802 = (10/100) × 802 = 80.

id=51776 | topic=Averages | difficulty=Easy | question=Find the average of 13, 73, 40, 62, 59, 72, 17. | option_a=47 | option_b=49 | option_c=48 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 336 ÷ 7 = 48.

id=51777 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:5 and the first is 30, what is the second? | option_a=77 | option_b=70 | option_c=75 | option_d=105 | answer=C | explanation=Scale factor = 30/2 = 15. Therefore second quantity = 5×15 = 75.

id=51778 | topic=Averages | difficulty=Easy | question=Find the average of 92, 29, 60, 94, 52, 21, 63, 65, 82. | option_a=61 | option_b=62 | option_c=63 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 558 ÷ 9 = 62.

id=51779 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:4 and the first is 33, what is the second? | option_a=8 | option_b=23 | option_c=12 | option_d=45 | answer=C | explanation=Scale factor = 33/11 = 3. Therefore second quantity = 4×3 = 12.

id=51780 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 51,781-51,810 of 100,000

id=51781 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31399 at 10% per annum for 1 years. | option_a=3039 | option_b=3239 | option_c=34538 | option_d=3139 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{31399 \times 10 \times 1}{100} = \text{■}3139$.

id=51782 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1832. If it is sold at a profit of 5%, what is its selling price? | option_a=1923 | option_b=1837 | option_c=2106 | option_d=1740 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1832 \times 105/100 = \text{■}1923$.

id=51783 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 21. | option_a=21 | option_b=28 | option_c=147 | option_d=1 | answer=A | explanation= $LCM \times HCF = 7 \times 21$; $HCF(7,21) = 7$, so $LCM = 21$.

id=51784 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=25 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = $60 \div 3 = 20$ km/h.

id=51785 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 26, 34, 42, ? | option_a=58 | option_b=51 | option_c=50 | option_d=42 | answer=C | explanation=The common difference is 8. Therefore the next term is $42 + 8 = 50$.

id=51786 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=51787 | topic=Averages | difficulty=Easy | question=Find the average of 57, 84, 41, 87, 66, 13, 30, 29, 23, 70. | option_a=49 | option_b=50 | option_c=51 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = $500 \div 10 = 50$.

id=51788 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=Z | option_b=P | option_c=K | option_d=U | answer=D | explanation=Move 5 positions forward from P; the resulting letter is U.

id=51789 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1666. If it is sold at a profit of 25%, what is its selling price? | option_a=1691 | option_b=2082 | option_c=2248 | option_d=1916 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1666 \times 125/100 = \text{■}2082$.

id=51790 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 21. | option_a=84 | option_b=96 | option_c=63 | option_d=252 | answer=A | explanation= $LCM \times HCF = 12 \times 21$; $HCF(12,21) = 3$, so $LCM = 84$.

id=51791 | topic=Averages | difficulty=Easy | question=Find the average of 81, 98, 83, 45, 53, 54. | option_a=69 | option_b=68 | option_c=71 | option_d=70 | answer=A | explanation=Average = sum of values ÷ number of values = $414 \div 6 = 69$.

id=51792 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=58 | option_b=68 | option_c=57 | option_d=46 | answer=C | explanation=The common difference is 11. Therefore the next term is $46 + 11 = 57$.

id=51793 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=27 | option_b=31 | option_c=33 | option_d=30 | answer=D | explanation=The common difference is 3. Therefore the next term is $27 + 3 = 30$.

id=51794 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=18 | option_b=19 | option_c=14 | option_d=22 | answer=A | explanation=The common difference is 4. Therefore the next term is $14 + 4 = 18$.

id=51795 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 13, 17, 22? | option_a=13 | option_b=9 | option_c=22 | option_d=17 | answer=C | explanation=The first three numbers increase by 4, so the next should be 21. Therefore 22 is the odd one out.

id=51796 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=51797 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=H | option_b=B | option_c=K | option_d=E | answer=A | explanation=Move 3 positions forward from E; the resulting letter is H.

id=51798 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=51799 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 18. | option_a=18 | option_b=27 | option_c=162 | option_d=1 | answer=A | explanation= $LCM \times HCF = 9 \times 18$; $HCF(9,18) = 9$, so $LCM = 18$.

id=51800 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 42? | option_a=42 | option_b=34 | option_c=27 | option_d=20 | answer=A | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 42 is the odd one out.

id=51801 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=41 | option_b=46 | option_c=34 | option_d=40 | answer=D | explanation=The common difference is 6. Therefore the next term is $34 + 6 = 40$.

id=51802 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=44 | option_b=62 | option_c=54 | option_d=53 | answer=D | explanation=The common difference is 9. Therefore the next term is $44 + 9 = 53$.

id=51803 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 9. | option_a=18 | option_b=36 | option_c=9 | option_d=162 | answer=A | explanation= $LCM \times HCF = 18 \times 9$; $HCF(18,9) = 9$, so $LCM = 18$.

id=51804 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 3. | option_a=24 | option_b=21 | option_c=48 | option_d=72 | answer=A | explanation= $LCM \times HCF = 24 \times 3$; $HCF(24,3) = 3$, so $LCM = 24$.

id=51805 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 54? | option_a=54 | option_b=45 | option_c=37 | option_d=29 | answer=A | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 54 is the odd one out.

id=51806 | topic=Percentages | difficulty=Easy | question=What is 30% of 574? | option_a=182 | option_b=172 | option_c=344 | option_d=152 | answer=B | explanation= $30\% \text{ of } 574 = (30/100) \times 574 = 172$.

id=51807 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44815 at 5% per annum for 5 years. | option_a=11203 | option_b=56018 | option_c=11103 | option_d=11303 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{44815 \times 5 \times 5}{100} = \text{■}11203$.

id=51808 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = $60 \div 4 = 15$ km/h.

id=51809 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3858. If it is sold at a profit of 40%, what is its selling price? | option_a=5786 | option_b=5016 | option_c=3898 | option_d=5401 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3858 \times 140/100 = \text{■}5401$.

id=51810 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=13 | option_c=18 | option_d=36 | answer=C | explanation=Speed = distance ÷ time = $180 \div 10 = 18$ km/h.

Aptitude Questions — Records 51,811-51,840 of 100,000

id=51811 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=D | option_c=H | option_d=P | answer=A | explanation=Move 4 positions forward from H; the resulting letter is L.

id=51812 | topic=Profit & Loss | difficulty=Easy | question=An article costs █604. If it is sold at a profit of 20%, what is its selling price? | option_a=664 | option_b=724 | option_c=784 | option_d=624 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 604 × 120/100 = █724.

id=51813 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:17 and the first is 88, what is the second? | option_a=147 | option_b=136 | option_c=224 | option_d=119 | answer=B | explanation=Scale factor = 88/11 = 8. Therefore second quantity = 17×8 = 136.

id=51814 | topic=Averages | difficulty=Easy | question=Find the average of 85, 67, 99, 28, 17, 21, 80, 27. | option_a=55 | option_b=54 | option_c=52 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.

id=51815 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43029 at 10% per annum for 1 years. | option_a=47331 | option_b=4302 | option_c=4402 | option_d=4202 | answer=B | explanation=SI = PRT/100 = 43029×10×1/100 = █4302.

id=51816 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 21, 28, 36? | option_a=14 | option_b=36 | option_c=21 | option_d=28 | answer=B | explanation=The first three numbers increase by 7, so the next should be 35. Therefore 36 is the odd one out.

id=51817 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 48? | option_a=48 | option_b=34 | option_c=28 | option_d=40 | answer=A | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 48 is the odd one out.

id=51818 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 8. | option_a=56 | option_b=70 | option_c=48 | option_d=112 | answer=A | explanation=LCM × HCF = 14×8; HCF(14,8) = 2, so LCM = 56.

id=51819 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=J | option_b=G | option_c=A | option_d=D | answer=B | explanation=Move 3 positions forward from D; the resulting letter is G.

id=51820 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3990. If it is sold at a profit of 15%, what is its selling price? | option_a=4189 | option_b=4588 | option_c=4987 | option_d=4005 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3990 × 115/100 = █4588.

id=51821 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=25 | option_c=20 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=51822 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=17 | option_d=7 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=51823 | topic=Averages | difficulty=Easy | question=Find the average of 25, 35, 68, 52, 60. | option_a=50 | option_b=49 | option_c=48 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 240 ÷ 5 = 48.

id=51824 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=56 | option_b=57 | option_c=46 | option_d=66 | answer=A | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=51825 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=36 | option_d=13 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=51826 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=45 | option_b=65 | option_c=55 | option_d=56 | answer=C | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.

id=51827 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:6 and the first is 12, what is the second? | option_a=66 | option_b=73 | option_c=72 | option_d=84 | answer=C | explanation=Scale factor = 12/1 = 12. Therefore second quantity = 6×12 = 72.

id=51828 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38409 at 6% per annum for 5 years. | option_a=49931 | option_b=11522 | option_c=11622 | option_d=11422 | answer=B | explanation=SI = PRT/100 = 38409×6×5/100 = █11522.

id=51829 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 15, 19, 25? | option_a=11 | option_b=19 | option_c=15 | option_d=25 | answer=D | explanation=The first three numbers increase by 4, so the next should be 23. Therefore 25 is the odd one out.

id=51830 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:20 and the first is 24, what is the second? | option_a=64 | option_b=20 | option_c=52 | option_d=40 | answer=D | explanation=Scale factor = 24/12 = 2. Therefore second quantity = 20×2 = 40.

id=51831 | topic=Percentages | difficulty=Easy | question=What is 40% of 52? | option_a=25 | option_b=20 | option_c=0 | option_d=40 | answer=B | explanation=40% of 52 = (40/100) × 52 = 20.

id=51832 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=Q | option_b=V | option_c=G | option_d=L | answer=A | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=51833 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=51834 | topic=Averages | difficulty=Easy | question=Find the average of 15, 86, 10, 95, 10, 86, 42, 64. | option_a=53 | option_b=51 | option_c=50 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 408 ÷ 8 = 51.

id=51835 | topic=Percentages | difficulty=Easy | question=What is 40% of 678? | option_a=271 | option_b=266 | option_c=542 | option_d=281 | answer=A | explanation=40% of 678 = (40/100) × 678 = 271.

id=51836 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=53 | option_c=96 | option_d=43 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=51837 | topic=Averages | difficulty=Easy | question=Find the average of 61, 30, 84, 69. | option_a=60 | option_b=61 | option_c=62 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 244 ÷ 4 = 61.

id=51838 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 31, 42, 53, ? | option_a=65 | option_b=53 | option_c=64 | option_d=75 | answer=C | explanation=The common difference is 11. Therefore the next term is 53 + 11 = 64.

id=51839 | topic=Percentages | difficulty=Easy | question=What is 10% of 337? | option_a=66 | option_b=33 | option_c=28 | option_d=43 | answer=B | explanation=10% of 337 = (10/100) × 337 = 33.

id=51840 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=13 | option_b=15 | option_c=11 | option_d=14 | answer=A | explanation=The common difference is 2. Therefore the next term is 11 + 2 = 13.

Aptitude Questions — Records 51,841-51,870 of 100,000

id=51841 | topic=Averages | difficulty=Easy | question=Find the average of 98, 52, 70, 96, 11, 55, 60, 11, 42. | option_a=56 | option_b=57 | option_c=55 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.

id=51842 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 12, 17, 23? | option_a=23 | option_b=7 | option_c=17 | option_d=12 | answer=A | explanation=The first three numbers increase by 5, so the next should be 22. Therefore 23 is the odd one out.

id=51843 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:13 and the first is 256, what is the second? | option_a=224 | option_b=195 | option_c=208 | option_d=464 | answer=C | explanation=Scale factor = 256/16 = 16. Therefore second quantity = 13×16 = 208.

id=51844 | topic=Averages | difficulty=Easy | question=Find the average of 26, 66, 33, 71, 44, 55, 83. | option_a=54 | option_b=55 | option_c=56 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

id=51845 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:17 and the first is 144, what is the second? | option_a=281 | option_b=272 | option_c=416 | option_d=255 | answer=B | explanation=Scale factor = 144/9 = 16. Therefore second quantity = 17×16 = 272.

id=51846 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=27 | option_b=21 | option_c=33 | option_d=28 | answer=A | explanation=The common difference is 6. Therefore the next term is 21 + 6 = 27.

id=51847 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=J | option_c=L | option_d=K | answer=C | explanation=Move 1 positions forward from K; the resulting letter is L.

id=51848 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=125 | option_b=240 | option_c=115 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=51849 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19746 at 12% per annum for 4 years. | option_a=9478 | option_b=29224 | option_c=9378 | option_d=9578 | answer=A | explanation=SI = PRT/100 = 19746×12×4/100 = **■**9478.

id=51850 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:12 and the first is 171, what is the second? | option_a=108 | option_b=127 | option_c=96 | option_d=279 | answer=A | explanation=Scale factor = 171/19 = 9. Therefore second quantity = 12×9 = 108.

id=51851 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 20. | option_a=320 | option_b=60 | option_c=80 | option_d=96 | answer=C | explanation=LCM × HCF = 16×20; HCF(16,20) = 4, so LCM = 80.

id=51852 | topic=Percentages | difficulty=Easy | question=What is 15% of 1892? | option_a=566 | option_b=263 | option_c=303 | option_d=283 | answer=D | explanation=15% of 1892 = (15/100) × 1892 = 283.

id=51853 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31460 at 6% per annum for 3 years. | option_a=5662 | option_b=5562 | option_c=5762 | option_d=37122 | answer=A | explanation=SI = PRT/100 = 31460×6×3/100 = **■**5662.

id=51854 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=51855 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=31 | option_b=41 | option_c=37 | option_d=36 | answer=D | explanation=The common difference is 5. Therefore the next term is 31 + 5 = 36.

id=51856 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=27 | option_b=23 | option_c=17 | option_d=22 | answer=D | explanation=The common difference is 5. Therefore the next term is 17 + 5 = 22.

id=51857 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:11 and the first is 54, what is the second? | option_a=201 | option_b=198 | option_c=252 | option_d=187 | answer=B | explanation=Scale factor = 54/3 = 18. Therefore second quantity = 11×18 = 198.

id=51858 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=51859 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 4. | option_a=120 | option_b=60 | option_c=90 | option_d=56 | answer=B | explanation=LCM × HCF = 30×4; HCF(30,4) = 2, so LCM = 60.

id=51860 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=29 | option_c=24 | option_d=48 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=51861 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=10 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=51862 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=28 | option_b=32 | option_c=34 | option_d=31 | answer=D | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=51863 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2042 at 4% per annum for 4 years. | option_a=2368 | option_b=326 | option_c=426 | option_d=226 | answer=B | explanation=SI = PRT/100 = 2042×4×4/100 = **■**326.

id=51864 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 22. | option_a=396 | option_b=198 | option_c=176 | option_d=216 | answer=B | explanation=LCM × HCF = 18×22; HCF(18,22) = 2, so LCM = 198.

id=51865 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=51 | option_b=62 | option_c=50 | option_d=38 | answer=C | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=51866 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:13 and the first is 200, what is the second? | option_a=130 | option_b=330 | option_c=117 | option_d=150 | answer=A | explanation=Scale factor = 200/20 = 10. Therefore second quantity = 13×10 = 130.

id=51867 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=70 | option_b=60 | option_c=50 | option_d=61 | answer=B | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

id=51868 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=51869 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=R | option_c=L | option_d=U | answer=B | explanation=Move 3 positions forward from O; the resulting letter is R.

id=51870 | topic=Percentages | difficulty=Easy | question=What is 15% of 439? | option_a=85 | option_b=45 | option_c=130 | option_d=65 | answer=D | explanation=15% of 439 = (15/100) × 439 = 65.

Aptitude Questions — Records 51,871-51,900 of 100,000

id=51871 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=51872 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=18 | option_b=15 | option_c=16 | option_d=12 | answer=B | explanation=The common difference is 3. Therefore the next term is 12 + 3 = 15.

id=51873 | topic=Percentages | difficulty=Easy | question=What is 40% of 196? | option_a=78 | option_b=98 | option_c=156 | option_d=73 | answer=A | explanation=40% of 196 = (40/100) × 196 = 78.

id=51874 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1389. If it is sold at a profit of 20%, what is its selling price? | option_a=1666 | option_b=1409 | option_c=1804 | option_d=1528 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1389 × 120/100 = █1666.

id=51875 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=P | option_b=U | option_c=F | option_d=K | answer=A | explanation=Move 5 positions forward from K; the resulting letter is P.

id=51876 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 13, 23, 34? | option_a=34 | option_b=23 | option_c=13 | option_d=3 | answer=A | explanation=The first three numbers increase by 10, so the next should be 33. Therefore 34 is the odd one out.

id=51877 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2379 at 8% per annum for 1 years. | option_a=190 | option_b=290 | option_c=90 | option_d=2569 | answer=A | explanation=SI = PRT/100 = 2379×8×1/100 = █190.

id=51878 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Q | option_b=C | option_c=Y | option_d=U | answer=C | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=51879 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:4 and the first is 380, what is the second? | option_a=99 | option_b=460 | option_c=76 | option_d=80 | answer=D | explanation=Scale factor = 380/19 = 20. Therefore second quantity = 4×20 = 80.

id=51880 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:5 and the first is 56, what is the second? | option_a=70 | option_b=74 | option_c=65 | option_d=126 | answer=A | explanation=Scale factor = 56/4 = 14. Therefore second quantity = 5×14 = 70.

id=51881 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4982. If it is sold at a profit of 25%, what is its selling price? | option_a=5007 | option_b=6725 | option_c=6227 | option_d=5729 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4982 × 125/100 = █6227.

id=51882 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=H | option_b=X | option_c=M | option_d=C | answer=A | explanation=Move 5 positions forward from C; the resulting letter is H.

id=51883 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=56 | option_b=65 | option_c=55 | option_d=45 | answer=C | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.

id=51884 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 16, 23, 30, ? | option_a=38 | option_b=37 | option_c=30 | option_d=44 | answer=B | explanation=The common difference is 7. Therefore the next term is 30 + 7 = 37.

id=51885 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27087 at 4% per annum for 1 years. | option_a=1183 | option_b=1083 | option_c=983 | option_d=28170 | answer=B | explanation=SI = PRT/100 = 27087×4×1/100 = █1083.

id=51886 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 16. | option_a=96 | option_b=224 | option_c=112 | option_d=126 | answer=C | explanation=LCM × HCF = 14×16; HCF(14,16) = 2, so LCM = 112.

id=51887 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 31, 41, 52? | option_a=41 | option_b=21 | option_c=52 | option_d=31 | answer=C | explanation=The first three numbers increase by 10, so the next should be 51. Therefore 52 is the odd one out.

id=51888 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 14? | option_a=14 | option_b=5 | option_c=9 | option_d=7 | answer=A | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 14 is the odd one out.

id=51889 | topic=Percentages | difficulty=Easy | question=What is 15% of 1568? | option_a=230 | option_b=235 | option_c=255 | option_d=470 | answer=B | explanation=15% of 1568 = (15/100) × 1568 = 235.

id=51890 | topic=Profit & Loss | difficulty=Easy | question=An article costs █685. If it is sold at a profit of 25%, what is its selling price? | option_a=924 | option_b=788 | option_c=856 | option_d=710 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 685 × 125/100 = █856.

id=51891 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4251. If it is sold at a profit of 50%, what is its selling price? | option_a=4301 | option_b=6376 | option_c=5951 | option_d=6801 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4251 × 150/100 = █6376.

id=51892 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2966. If it is sold at a profit of 25%, what is its selling price? | option_a=3707 | option_b=3411 | option_c=4003 | option_d=2991 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2966 × 125/100 = █3707.

id=51893 | topic=Averages | difficulty=Easy | question=Find the average of 17, 17, 62. | option_a=32 | option_b=34 | option_c=31 | option_d=33 | answer=A | explanation=Average = sum of values ÷ number of values = 96 ÷ 3 = 32.

id=51894 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=51895 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 27? | option_a=22 | option_b=20 | option_c=27 | option_d=24 | answer=C | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 27 is the odd one out.

id=51896 | topic=Percentages | difficulty=Easy | question=What is 5% of 1130? | option_a=56 | option_b=36 | option_c=112 | option_d=66 | answer=A | explanation=5% of 1130 = (5/100) × 1130 = 56.

id=51897 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=57 | option_b=47 | option_c=67 | option_d=58 | answer=A | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

id=51898 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=51899 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=C | option_b=B | option_c=A | option_d=D | answer=A | explanation=Move 1 positions forward from B; the resulting letter is C.

id=51900 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 3. | option_a=27 | option_b=81 | option_c=54 | option_d=24 | answer=A | explanation=LCM × HCF = 27×3; HCF(27,3) = 3, so LCM = 27.

Aptitude Questions — Records 51,901-51,930 of 100,000

id=51901 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:11 and the first is 77, what is the second? | option_a=66 | option_b=154 | option_c=88 | option_d=77 | answer=D | explanation=Scale factor = 77/11 = 7. Therefore second quantity = 11×7 = 77.

id=51902 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28555 at 5% per annum for 3 years. | option_a=4383 | option_b=4183 | option_c=32838 | option_d=4283 | answer=D | explanation=SI = PRT/100 = 28555×5×3/100 = **■**4283.

id=51903 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=45 | option_b=38 | option_c=31 | option_d=39 | answer=B | explanation=The common difference is 7. Therefore the next term is 31 + 7 = 38.

id=51904 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3948. If it is sold at a profit of 25%, what is its selling price? | option_a=4541 | option_b=5329 | option_c=3973 | option_d=4935 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3948 × 125/100 = **■**4935.

id=51905 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=15 | option_b=16 | option_c=13 | option_d=17 | answer=A | explanation=The common difference is 2. Therefore the next term is 13 + 2 = 15.

id=51906 | topic=Percentages | difficulty=Easy | question=What is 15% of 719? | option_a=117 | option_b=97 | option_c=214 | option_d=107 | answer=D | explanation=15% of 719 = (15/100) × 719 = 107.

id=51907 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=51908 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:1 and the first is 66, what is the second? | option_a=17 | option_b=11 | option_c=77 | option_d=10 | answer=B | explanation=Scale factor = 66/6 = 11. Therefore second quantity = 1×11 = 11.

id=51909 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2707. If it is sold at a profit of 40%, what is its selling price? | option_a=4059 | option_b=3519 | option_c=3789 | option_d=2747 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2707 × 140/100 = **■**3789.

id=51910 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=13 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=51911 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=9 | option_c=14 | option_d=4 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=51912 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 17, 26, 36? | option_a=36 | option_b=8 | option_c=17 | option_d=26 | answer=A | explanation=The first three numbers increase by 9, so the next should be 35. Therefore 36 is the odd one out.

id=51913 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=51914 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=29 | option_c=19 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=51915 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12964 at 15% per annum for 1 years. | option_a=14908 | option_b=2044 | option_c=1944 | option_d=1844 | answer=C | explanation=SI = PRT/100 = 12964×15×1/100 = **■**1944.

id=51916 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41631 at 8% per annum for 2 years. | option_a=6660 | option_b=48291 | option_c=6560 | option_d=6760 | answer=A | explanation=SI = PRT/100 = 41631×8×2/100 = **■**6660.

id=51917 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 15, 22, 30? | option_a=30 | option_b=8 | option_c=22 | option_d=15 | answer=A | explanation=The first three numbers increase by 7, so the next should be 29. Therefore 30 is the odd one out.

id=51918 | topic=Averages | difficulty=Easy | question=Find the average of 46, 39, 83, 46, 16. | option_a=45 | option_b=46 | option_c=47 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 230 ÷ 5 = 46.

id=51919 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:15 and the first is 130, what is the second? | option_a=135 | option_b=163 | option_c=150 | option_d=280 | answer=C | explanation=Scale factor = 130/13 = 10. Therefore second quantity = 15×10 = 150.

id=51920 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25751 at 5% per annum for 2 years. | option_a=2475 | option_b=2575 | option_c=2675 | option_d=28326 | answer=B | explanation=SI = PRT/100 = 25751×5×2/100 = **■**2575.

id=51921 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=Q | option_b=M | option_c=O | option_d=S | answer=A | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=51922 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=G | option_b=V | option_c=L | option_d=Q | answer=D | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=51923 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:18 and the first is 18, what is the second? | option_a=54 | option_b=36 | option_c=72 | option_d=60 | answer=A | explanation=Scale factor = 18/6 = 3. Therefore second quantity = 18×3 = 54.

id=51924 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=70 | option_d=150 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=51925 | topic=Percentages | difficulty=Easy | question=What is 12% of 1236? | option_a=153 | option_b=148 | option_c=143 | option_d=296 | answer=B | explanation=12% of 1236 = (12/100) × 1236 = 148.

id=51926 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 6. | option_a=24 | option_b=40 | option_c=60 | option_d=30 | answer=D | explanation=LCM × HCF = 10×6; HCF(10,6) = 2, so LCM = 30.

id=51927 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 58? | option_a=47 | option_b=37 | option_c=58 | option_d=27 | answer=C | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 58 is the odd one out.

id=51928 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4518. If it is sold at a profit of 10%, what is its selling price? | option_a=4528 | option_b=4969 | option_c=5420 | option_d=4518 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4518 × 110/100 = **■**4969.

id=51929 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=100 | option_c=95 | option_d=200 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=51930 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2297. If it is sold at a profit of 50%, what is its selling price? | option_a=2347 | option_b=3445 | option_c=3216 | option_d=3674 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2297 × 150/100 = **■**3445.

Aptitude Questions — Records 51,931-51,960 of 100,000

id=51931 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2572. If it is sold at a profit of 40%, what is its selling price? | option_a=2612 | option_b=3600 | option_c=3343 | option_d=3857 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2572 × 140/100 = **■**3600.

id=51932 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34564 at 10% per annum for 2 years. | option_a=6912 | option_b=6812 | option_c=41476 | option_d=7012 | answer=A | explanation=SI = PRT/100 = 34564×10×2/100 = **■**6912.

id=51933 | topic=Averages | difficulty=Easy | question=Find the average of 36, 74, 19, 88, 21, 92. | option_a=54 | option_b=57 | option_c=56 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 330 ÷ 6 = 55.

id=51934 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3213. If it is sold at a profit of 40%, what is its selling price? | option_a=3253 | option_b=4819 | option_c=4498 | option_d=4177 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3213 × 140/100 = **■**4498.

id=51935 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6439 at 5% per annum for 3 years. | option_a=7404 | option_b=965 | option_c=1065 | option_d=865 | answer=B | explanation=SI = PRT/100 = 6439×5×3/100 = **■**965.

id=51936 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=80 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=51937 | topic=Averages | difficulty=Easy | question=Find the average of 69, 47, 79, 64, 69, 44. | option_a=61 | option_b=63 | option_c=62 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 372 ÷ 6 = 62.

id=51938 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 24. | option_a=480 | option_b=120 | option_c=96 | option_d=140 | answer=B | explanation=LCM × HCF = 20×24; HCF(20,24) = 4, so LCM = 120.

id=51939 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=59 | option_b=58 | option_c=47 | option_d=69 | answer=B | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.

id=51940 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4304. If it is sold at a profit of 30%, what is its selling price? | option_a=6025 | option_b=5595 | option_c=5165 | option_d=4334 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4304 × 130/100 = **■**5595.

id=51941 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1229. If it is sold at a profit of 5%, what is its selling price? | option_a=1168 | option_b=1412 | option_c=1234 | option_d=1290 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1229 × 105/100 = **■**1290.

id=51942 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=34 | option_b=40 | option_c=26 | option_d=33 | answer=D | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

id=51943 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4652. If it is sold at a profit of 15%, what is its selling price? | option_a=4884 | option_b=5349 | option_c=4667 | option_d=5814 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4652 × 115/100 = **■**5349.

id=51944 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=S | option_b=N | option_c=X | option_d=I | answer=A | explanation=Move 5 positions forward from N; the resulting letter is S.

id=51945 | topic=Percentages | difficulty=Easy | question=What is 30% of 944? | option_a=566 | option_b=288 | option_c=283 | option_d=263 | answer=C | explanation=30% of 944 = (30/100) × 944 = 283.

id=51946 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4138. If it is sold at a profit of 40%, what is its selling price? | option_a=5793 | option_b=4178 | option_c=5380 | option_d=6206 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4138 × 140/100 = **■**5793.

id=51947 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24627 at 8% per annum for 3 years. | option_a=5810 | option_b=6010 | option_c=5910 | option_d=30537 | answer=C | explanation=SI = PRT/100 = 24627×8×3/100 = **■**5910.

id=51948 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=51949 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**857. If it is sold at a profit of 40%, what is its selling price? | option_a=1199 | option_b=1114 | option_c=1284 | option_d=897 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 857 × 140/100 = **■**1199.

id=51950 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=29 | option_b=28 | option_c=24 | option_d=32 | answer=B | explanation=The common difference is 4. Therefore the next term is 24 + 4 = 28.

id=51951 | topic=Averages | difficulty=Easy | question=Find the average of 13, 10, 78, 53, 11, 22, 44, 33, 69. | option_a=36 | option_b=37 | option_c=38 | option_d=39 | answer=B | explanation=Average = sum of values ÷ number of values = 333 ÷ 9 = 37.

id=51952 | topic=Percentages | difficulty=Easy | question=What is 40% of 968? | option_a=774 | option_b=407 | option_c=387 | option_d=377 | answer=C | explanation=40% of 968 = (40/100) × 968 = 387.

id=51953 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=51954 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=U | option_c=S | option_d=V | answer=B | explanation=Move 1 positions forward from T; the resulting letter is U.

id=51955 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12805 at 6% per annum for 3 years. | option_a=2204 | option_b=2404 | option_c=15109 | option_d=2304 | answer=D | explanation=SI = PRT/100 = 12805×6×3/100 = **■**2304.

id=51956 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=51957 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45762 at 10% per annum for 1 years. | option_a=4576 | option_b=4476 | option_c=4676 | option_d=50338 | answer=A | explanation=SI = PRT/100 = 45762×10×1/100 = **■**4576.

id=51958 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=51959 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44147 at 5% per annum for 5 years. | option_a=11136 | option_b=10936 | option_c=11036 | option_d=55183 | answer=C | explanation=SI = PRT/100 = 44147×5×5/100 = **■**11036.

id=51960 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14446 at 12% per annum for 5 years. | option_a=23113 | option_b=8667 | option_c=8767 | option_d=8567 | answer=B | explanation=SI = PRT/100 = 14446×12×5/100 = **■**8667.

Aptitude Questions — Records 51,961-51,990 of 100,000

id=51961 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 10, 15, 21? | option_a=10 | option_b=21 | option_c=15 | option_d=5 | answer=B | explanation=The first three numbers increase by 5, so the next should be 20. Therefore 21 is the odd one out.

id=51962 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2347. If it is sold at a profit of 20%, what is its selling price? | option_a=2816 | option_b=2367 | option_c=3050 | option_d=2582 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2347 × 120/100 = █2816.

id=51963 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=D | option_c=E | option_d=F | answer=D | explanation=Move 1 positions forward from E; the resulting letter is F.

id=51964 | topic=Percentages | difficulty=Easy | question=What is 12% of 1918? | option_a=230 | option_b=460 | option_c=240 | option_d=225 | answer=A | explanation=12% of 1918 = (12/100) × 1918 = 230.

id=51965 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 4. | option_a=52 | option_b=78 | option_c=48 | option_d=104 | answer=A | explanation=LCM × HCF = 26×4; HCF(26,4) = 2, so LCM = 52.

id=51966 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4902. If it is sold at a profit of 25%, what is its selling price? | option_a=4927 | option_b=6127 | option_c=6617 | option_d=5637 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4902 × 125/100 = █6127.

id=51967 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 9, 12, 16? | option_a=9 | option_b=12 | option_c=6 | option_d=16 | answer=D | explanation=The first three numbers increase by 3, so the next should be 15. Therefore 16 is the odd one out.

id=51968 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=34 | option_b=44 | option_c=54 | option_d=45 | answer=B | explanation=The common difference is 10. Therefore the next term is 34 + 10 = 44.

id=51969 | topic=Percentages | difficulty=Easy | question=What is 30% of 1717? | option_a=495 | option_b=515 | option_c=1030 | option_d=525 | answer=B | explanation=30% of 1717 = (30/100) × 1717 = 515.

id=51970 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=T | option_c=X | option_d=L | answer=B | explanation=Move 4 positions forward from P; the resulting letter is T.

id=51971 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 13, 21, 30? | option_a=5 | option_b=30 | option_c=21 | option_d=13 | answer=B | explanation=The first three numbers increase by 8, so the next should be 29. Therefore 30 is the odd one out.

id=51972 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=S | option_b=T | option_c=Q | option_d=R | answer=A | explanation=Move 1 positions forward from R; the resulting letter is S.

id=51973 | topic=Percentages | difficulty=Easy | question=What is 5% of 1592? | option_a=79 | option_b=84 | option_c=69 | option_d=158 | answer=A | explanation=5% of 1592 = (5/100) × 1592 = 79.

id=51974 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=35 | option_b=27 | option_c=31 | option_d=32 | answer=C | explanation=The common difference is 4. Therefore the next term is 27 + 4 = 31.

id=51975 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:18 and the first is 121, what is the second? | option_a=180 | option_b=209 | option_c=198 | option_d=319 | answer=C | explanation=Scale factor = 121/11 = 11. Therefore second quantity = 18×11 = 198.

id=51976 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=36 | option_b=31 | option_c=37 | option_d=41 | answer=A | explanation=The common difference is 5. Therefore the next term is 31 + 5 = 36.

id=51977 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=M | option_b=L | option_c=K | option_d=N | answer=A | explanation=Move 1 positions forward from L; the resulting letter is M.

id=51978 | topic=Percentages | difficulty=Easy | question=What is 50% of 454? | option_a=217 | option_b=227 | option_c=247 | option_d=454 | answer=B | explanation=50% of 454 = (50/100) × 454 = 227.

id=51979 | topic=Averages | difficulty=Easy | question=Find the average of 89, 45, 23, 16, 81, 93, 66. | option_a=61 | option_b=58 | option_c=60 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 413 ÷ 7 = 59.

id=51980 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=L | option_b=X | option_c=T | option_d=P | answer=C | explanation=Move 4 positions forward from P; the resulting letter is T.

id=51981 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=51982 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4433. If it is sold at a profit of 20%, what is its selling price? | option_a=4453 | option_b=5762 | option_c=5319 | option_d=4876 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4433 × 120/100 = █5319.

id=51983 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4864. If it is sold at a profit of 50%, what is its selling price? | option_a=7296 | option_b=6810 | option_c=7782 | option_d=4914 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4864 × 150/100 = █7296.

id=51984 | topic=Percentages | difficulty=Easy | question=What is 10% of 1433? | option_a=286 | option_b=123 | option_c=143 | option_d=163 | answer=C | explanation=10% of 1433 = (10/100) × 1433 = 143.

id=51985 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=51986 | topic=Profit & Loss | difficulty=Easy | question=An article costs █208. If it is sold at a profit of 25%, what is its selling price? | option_a=240 | option_b=280 | option_c=233 | option_d=260 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 208 × 125/100 = █260.

id=51987 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34393 at 4% per annum for 5 years. | option_a=6978 | option_b=6878 | option_c=41271 | option_d=6778 | answer=B | explanation=SI = PRT/100 = 34393×4×5/100 = █6878.

id=51988 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=51989 | topic=Averages | difficulty=Easy | question=Find the average of 90, 12, 53, 46, 49. | option_a=52 | option_b=49 | option_c=50 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 250 ÷ 5 = 50.

id=51990 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=90 | option_c=180 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

Aptitude Questions — Records 51,991-52,020 of 100,000

id=51991 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=51992 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2147 at 8% per annum for 3 years. | option_a=615 | option_b=415 | option_c=2662 | option_d=515 | answer=D | explanation=SI = PRT/100 = 2147×8×3/100 = **■**515.

id=51993 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49273 at 4% per annum for 2 years. | option_a=3941 | option_b=3841 | option_c=4041 | option_d=53214 | answer=A | explanation=SI = PRT/100 = 49273×4×2/100 = **■**3941.

id=51994 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 54? | option_a=45 | option_b=54 | option_c=37 | option_d=29 | answer=B | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 54 is the odd one out.

id=51995 | topic=Averages | difficulty=Easy | question=Find the average of 49, 70, 31, 86, 51, 72, 64, 97. | option_a=67 | option_b=64 | option_c=66 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 520 ÷ 8 = 65.

id=51996 | topic=Averages | difficulty=Easy | question=Find the average of 61, 74, 87, 10, 30, 86. | option_a=58 | option_b=57 | option_c=59 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 348 ÷ 6 = 58.

id=51997 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4737. If it is sold at a profit of 15%, what is its selling price? | option_a=4752 | option_b=5920 | option_c=4974 | option_d=5447 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4737 × 115/100 = **■**5447.

id=51998 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=15 | option_c=20 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=51999 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38347 at 15% per annum for 4 years. | option_a=23108 | option_b=22908 | option_c=23008 | option_d=61355 | answer=C | explanation=SI = PRT/100 = 38347×15×4/100 = **■**23008.

id=52000 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 30. | option_a=33 | option_b=90 | option_c=1 | option_d=30 | answer=D | explanation=LCM × HCF = 3×30; HCF(3,30) = 3, so LCM = 30.

id=52001 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=44 | option_b=55 | option_c=66 | option_d=56 | answer=B | explanation=The common difference is 11. Therefore the next term is 44 + 11 = 55.

id=52002 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=P | option_b=T | option_c=B | option_d=X | answer=D | explanation=Move 4 positions forward from T; the resulting letter is X.

id=52003 | topic=Averages | difficulty=Easy | question=Find the average of 92, 31, 45, 24. | option_a=48 | option_b=50 | option_c=49 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 192 ÷ 4 = 48.

id=52004 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=52005 | topic=Averages | difficulty=Easy | question=Find the average of 38, 89, 45, 98, 77, 100, 92, 56, 44. | option_a=70 | option_b=72 | option_c=73 | option_d=71 | answer=D | explanation=Average = sum of values ÷ number of values = 639 ÷ 9 = 71.

id=52006 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=K | option_b=S | option_c=O | option_d=W | answer=B | explanation=Move 4 positions forward from O; the resulting letter is S.

id=52007 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=52008 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27983 at 5% per annum for 2 years. | option_a=30781 | option_b=2798 | option_c=2698 | option_d=2898 | answer=B | explanation=SI = PRT/100 = 27983×5×2/100 = **■**2798.

id=52009 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=P | option_b=F | option_c=K | option_d=U | answer=A | explanation=Move 5 positions forward from K; the resulting letter is P.

id=52010 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 9. | option_a=162 | option_b=9 | option_c=36 | option_d=18 | answer=D | explanation=LCM × HCF = 18×9; HCF(18,9) = 9, so LCM = 18.

id=52011 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=50 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=52012 | topic=Percentages | difficulty=Easy | question=What is 20% of 1942? | option_a=776 | option_b=378 | option_c=398 | option_d=388 | answer=D | explanation=20% of 1942 = (20/100) × 1942 = 388.

id=52013 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39502 at 5% per annum for 1 years. | option_a=2075 | option_b=1975 | option_c=41477 | option_d=1875 | answer=B | explanation=SI = PRT/100 = 39502×5×1/100 = **■**1975.

id=52014 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28345 at 5% per annum for 2 years. | option_a=2934 | option_b=31179 | option_c=2834 | option_d=2734 | answer=C | explanation=SI = PRT/100 = 28345×5×2/100 = **■**2834.

id=52015 | topic=Averages | difficulty=Easy | question=Find the average of 87, 100, 95. | option_a=94 | option_b=95 | option_c=96 | option_d=93 | answer=A | explanation=Average = sum of values ÷ number of values = 282 ÷ 3 = 94.

id=52016 | topic=Averages | difficulty=Easy | question=Find the average of 46, 71, 83, 57, 43. | option_a=59 | option_b=60 | option_c=62 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 300 ÷ 5 = 60.

id=52017 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=200 | option_c=95 | option_d=105 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=52018 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=52019 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=Q | option_b=L | option_c=G | option_d=B | answer=B | explanation=Move 5 positions forward from G; the resulting letter is L.

id=52020 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 28? | option_a=5 | option_b=19 | option_c=12 | option_d=28 | answer=D | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 28 is the odd one out.

Aptitude Questions — Records 52,021-52,050 of 100,000

id=52021 | topic=Averages | difficulty=Easy | question=Find the average of 92, 93, 81, 60, 16, 72. | option_a=70 | option_b=71 | option_c=68 | option_d=69 | answer=D | explanation=Average = sum of values ÷ number of values = 414 ÷ 6 = 69.

id=52022 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 34? | option_a=34 | option_b=28 | option_c=24 | option_d=20 | answer=A | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 34 is the odd one out.

id=52023 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=W | option_b=G | option_c=L | option_d=B | answer=B | explanation=Move 5 positions forward from B; the resulting letter is G.

id=52024 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 29? | option_a=29 | option_b=20 | option_c=4 | option_d=12 | answer=A | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 29 is the odd one out.

id=52025 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=16 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=52026 | topic=Percentages | difficulty=Easy | question=What is 40% of 1068? | option_a=432 | option_b=427 | option_c=854 | option_d=422 | answer=B | explanation=40% of 1068 = (40/100) × 1068 = 427.

id=52027 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 23, 27, 33? | option_a=19 | option_b=27 | option_c=23 | option_d=33 | answer=D | explanation=The first three numbers increase by 4, so the next should be 31. Therefore 33 is the odd one out.

id=52028 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=30 | option_b=46 | option_c=39 | option_d=38 | answer=D | explanation=The common difference is 8. Therefore the next term is 30 + 8 = 38.

id=52029 | topic=Profit & Loss | difficulty=Easy | question=An article costs █188. If it is sold at a profit of 20%, what is its selling price? | option_a=208 | option_b=243 | option_c=225 | option_d=207 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 188 × 120/100 = █225.

id=52030 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25666 at 8% per annum for 4 years. | option_a=8213 | option_b=33879 | option_c=8113 | option_d=8313 | answer=A | explanation=SI = PRT/100 = 25666×8×4/100 = █8213.

id=52031 | topic=Averages | difficulty=Easy | question=Find the average of 15, 15, 74, 43, 61, 38, 83. | option_a=48 | option_b=49 | option_c=46 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 329 ÷ 7 = 47.

id=52032 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 26. | option_a=780 | option_b=420 | option_c=390 | option_d=364 | answer=C | explanation=LCM × HCF = 30×26; HCF(30,26) = 2, so LCM = 390.

id=52033 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=O | option_c=C | option_d=K | answer=D | explanation=Move 4 positions forward from G; the resulting letter is K.

id=52034 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7881 at 4% per annum for 3 years. | option_a=8826 | option_b=845 | option_c=945 | option_d=1045 | answer=C | explanation=SI = PRT/100 = 7881×4×3/100 = █945.

id=52035 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1348. If it is sold at a profit of 5%, what is its selling price? | option_a=1281 | option_b=1353 | option_c=1549 | option_d=1415 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1348 × 105/100 = █1415.

id=52036 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:20 and the first is 48, what is the second? | option_a=76 | option_b=40 | option_c=60 | option_d=108 | answer=C | explanation=Scale factor = 48/16 = 3. Therefore second quantity = 20×3 = 60.

id=52037 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=5 | option_c=20 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=52038 | topic=Averages | difficulty=Easy | question=Find the average of 65, 83, 39, 75, 83. | option_a=71 | option_b=70 | option_c=69 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 345 ÷ 5 = 69.

id=52039 | topic=Averages | difficulty=Easy | question=Find the average of 54, 17, 99, 21, 54. | option_a=49 | option_b=51 | option_c=48 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 245 ÷ 5 = 49.

id=52040 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=P | option_b=V | option_c=R | option_d=T | answer=D | explanation=Move 2 positions forward from R; the resulting letter is T.

id=52041 | topic=Averages | difficulty=Easy | question=Find the average of 93, 97, 54, 33, 24, 77. | option_a=65 | option_b=62 | option_c=64 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 378 ÷ 6 = 63.

id=52042 | topic=Percentages | difficulty=Easy | question=What is 40% of 526? | option_a=420 | option_b=210 | option_c=200 | option_d=230 | answer=B | explanation=40% of 526 = (40/100) × 526 = 210.

id=52043 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=100 | option_c=50 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=52044 | topic=Percentages | difficulty=Easy | question=What is 5% of 642? | option_a=27 | option_b=37 | option_c=64 | option_d=32 | answer=D | explanation=5% of 642 = (5/100) × 642 = 32.

id=52045 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=52046 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=65 | option_b=66 | option_c=53 | option_d=77 | answer=A | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.

id=52047 | topic=Percentages | difficulty=Easy | question=What is 20% of 1337? | option_a=267 | option_b=257 | option_c=287 | option_d=534 | answer=A | explanation=20% of 1337 = (20/100) × 1337 = 267.

id=52048 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=180 | option_c=95 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=52049 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=90 | option_c=180 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=52050 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=43 | option_c=96 | option_d=53 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

Aptitude Questions — Records 52,051-52,080 of 100,000

id=52051 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 23? | option_a=18 | option_b=23 | option_c=14 | option_d=16 | answer=B | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 23 is the odd one out.

id=52052 | topic=Percentages | difficulty=Easy | question=What is 40% of 468? | option_a=177 | option_b=192 | option_c=374 | option_d=187 | answer=D | explanation=40% of 468 = $(40/100) \times 468 = 187$.

id=52053 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=N | option_b=Q | option_c=O | option_d=P | answer=D | explanation=Move 1 positions forward from O; the resulting letter is P.

id=52054 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = $300 \div 10 = 30$ km/h.

id=52055 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=52056 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 3. | option_a=24 | option_b=48 | option_c=21 | option_d=72 | answer=A | explanation=LCM $\times$ HCF = 24×3 ; $HCF(24,3) = 3$, so LCM = 24.

id=52057 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43760 at 15% per annum for 2 years. | option_a=56888 | option_b=13128 | option_c=13028 | option_d=13228 | answer=B | explanation=SI = $PRT/100 = 43760 \times 15 \times 2/100 = \text{■}13128$.

id=52058 | topic=Averages | difficulty=Easy | question=Find the average of 38, 26, 35, 41. | option_a=34 | option_b=35 | option_c=36 | option_d=37 | answer=B | explanation=Average = sum of values ÷ number of values = $140 \div 4 = 35$.

id=52059 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 13, 20, 28? | option_a=20 | option_b=13 | option_c=28 | option_d=6 | answer=C | explanation=The first three numbers increase by 7, so the next should be 27. Therefore 28 is the odd one out.

id=52060 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=28 | option_b=26 | option_c=30 | option_d=29 | answer=A | explanation=The common difference is 2. Therefore the next term is $26 + 2 = 28$.

id=52061 | topic=Averages | difficulty=Easy | question=Find the average of 53, 28, 96, 47. | option_a=57 | option_b=55 | option_c=56 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = $224 \div 4 = 56$.

id=52062 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=52063 | topic=Averages | difficulty=Easy | question=Find the average of 61, 24, 28, 24, 78, 37. | option_a=43 | option_b=42 | option_c=44 | option_d=41 | answer=B | explanation=Average = sum of values ÷ number of values = $252 \div 6 = 42$.

id=52064 | topic=Averages | difficulty=Easy | question=Find the average of 71, 85, 79, 41, 91, 28, 55, 62. | option_a=63 | option_b=66 | option_c=65 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = $512 \div 8 = 64$.

id=52065 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2363. If it is sold at a profit of 20%, what is its selling price? | option_a=2835 | option_b=2383 | option_c=3071 | option_d=2599 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2363 \times 120/100 = \text{■}2835$.

id=52066 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:10 and the first is 54, what is the second? | option_a=144 | option_b=80 | option_c=90 | option_d=96 | answer=C | explanation=Scale factor = $54/6 = 9$. Therefore second quantity = $10 \times 9 = 90$.

id=52067 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=52068 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 18. | option_a=144 | option_b=288 | option_c=126 | option_d=160 | answer=A | explanation=LCM $\times$ HCF = 16×18 ; $HCF(16,18) = 2$, so LCM = 144.

id=52069 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 26. | option_a=182 | option_b=196 | option_c=156 | option_d=364 | answer=A | explanation=LCM $\times$ HCF = 14×26 ; $HCF(14,26) = 2$, so LCM = 182.

id=52070 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4957. If it is sold at a profit of 15%, what is its selling price? | option_a=4972 | option_b=5700 | option_c=5205 | option_d=6195 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4957 \times 115/100 = \text{■}5700$.

id=52071 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:4 and the first is 55, what is the second? | option_a=44 | option_b=40 | option_c=99 | option_d=49 | answer=A | explanation=Scale factor = $55/5 = 11$. Therefore second quantity = $4 \times 11 = 44$.

id=52072 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2397. If it is sold at a profit of 50%, what is its selling price? | option_a=3356 | option_b=3595 | option_c=3834 | option_d=2447 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2397 \times 150/100 = \text{■}3595$.

id=52073 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=70 | option_c=80 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = $150 \div 2 = 75$ km/h.

id=52074 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=A | option_b=L | option_c=Q | option_d=V | answer=D | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=52075 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=22 | option_b=24 | option_c=23 | option_d=20 | answer=A | explanation=The common difference is 2. Therefore the next term is $20 + 2 = 22$.

id=52076 | topic=Averages | difficulty=Easy | question=Find the average of 46, 61, 93, 82, 65, 77, 61, 59. | option_a=67 | option_b=70 | option_c=69 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = $544 \div 8 = 68$.

id=52077 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = $90 \div 2 = 45$ km/h.

id=52078 | topic=Percentages | difficulty=Easy | question=What is 40% of 1362? | option_a=544 | option_b=1088 | option_c=549 | option_d=524 | answer=A | explanation=40% of 1362 = $(40/100) \times 1362 = 544$.

id=52079 | topic=Percentages | difficulty=Easy | question=What is 25% of 1906? | option_a=476 | option_b=496 | option_c=952 | option_d=471 | answer=A | explanation=25% of 1906 = $(25/100) \times 1906 = 476$.

id=52080 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46605 at 4% per annum for 1 years. | option_a=1864 | option_b=1764 | option_c=1964 | option_d=48469 | answer=A | explanation=SI = $PRT/100 = 46605 \times 4 \times 1/100 = \text{■}1864$.

Aptitude Questions — Records 52,081-52,110 of 100,000

id=52081 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=40 | option_b=46 | option_c=41 | option_d=34 | answer=A | explanation=The common difference is 6. Therefore the next term is 34 + 6 = 40.

id=52082 | topic=Averages | difficulty=Easy | question=Find the average of 39, 79, 57, 81. | option_a=66 | option_b=63 | option_c=65 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 256 ÷ 4 = 64.

id=52083 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=S | option_c=R | option_d=P | answer=C | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=52084 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=54 | option_b=47 | option_c=48 | option_d=40 | answer=B | explanation=The common difference is 7. Therefore the next term is 40 + 7 = 47.

id=52085 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2482. If it is sold at a profit of 5%, what is its selling price? | option_a=2358 | option_b=2854 | option_c=2606 | option_d=2487 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2482 × 105/100 = █2606.

id=52086 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:6 and the first is 19, what is the second? | option_a=108 | option_b=133 | option_c=114 | option_d=115 | answer=C | explanation=Scale factor = 19/1 = 19. Therefore second quantity = 6×19 = 114.

id=52087 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14849 at 6% per annum for 1 years. | option_a=990 | option_b=890 | option_c=15739 | option_d=790 | answer=B | explanation=SI = PRT/100 = 14849×6×1/100 = █890.

id=52088 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 33, 39, 47? | option_a=39 | option_b=47 | option_c=27 | option_d=33 | answer=B | explanation=The first three numbers increase by 6, so the next should be 45. Therefore 47 is the odd one out.

id=52089 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2844. If it is sold at a profit of 25%, what is its selling price? | option_a=3271 | option_b=3839 | option_c=2869 | option_d=3555 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2844 × 125/100 = █3555.

id=52090 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14733 at 10% per annum for 2 years. | option_a=3046 | option_b=17679 | option_c=2846 | option_d=2946 | answer=D | explanation=SI = PRT/100 = 14733×10×2/100 = █2946.

id=52091 | topic=Averages | difficulty=Easy | question=Find the average of 84, 61, 11, 100, 16, 94. | option_a=61 | option_b=63 | option_c=62 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 366 ÷ 6 = 61.

id=52092 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=52093 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16756 at 4% per annum for 2 years. | option_a=18096 | option_b=1440 | option_c=1240 | option_d=1340 | answer=D | explanation=SI = PRT/100 = 16756×4×2/100 = █1340.

id=52094 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=31 | option_b=30 | option_c=23 | option_d=37 | answer=B | explanation=The common difference is 7. Therefore the next term is 23 + 7 = 30.

id=52095 | topic=Percentages | difficulty=Easy | question=What is 5% of 732? | option_a=72 | option_b=36 | option_c=46 | option_d=31 | answer=B | explanation=5% of 732 = (5/100) × 732 = 36.

id=52096 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:12 and the first is 50, what is the second? | option_a=125 | option_b=170 | option_c=108 | option_d=120 | answer=D | explanation=Scale factor = 50/5 = 10. Therefore second quantity = 12×10 = 120.

id=52097 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48399 at 10% per annum for 5 years. | option_a=24299 | option_b=72598 | option_c=24199 | option_d=24099 | answer=C | explanation=SI = PRT/100 = 48399×10×5/100 = █24199.

id=52098 | topic=Profit & Loss | difficulty=Easy | question=An article costs █146. If it is sold at a profit of 40%, what is its selling price? | option_a=186 | option_b=218 | option_c=204 | option_d=190 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 146 × 140/100 = █204.

id=52099 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=52100 | topic=Profit & Loss | difficulty=Easy | question=An article costs █303. If it is sold at a profit of 5%, what is its selling price? | option_a=308 | option_b=318 | option_c=288 | option_d=348 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 303 × 105/100 = █318.

id=52101 | topic=Averages | difficulty=Easy | question=Find the average of 44, 60, 58, 87, 11. | option_a=52 | option_b=51 | option_c=54 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 260 ÷ 5 = 52.

id=52102 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14491 at 4% per annum for 5 years. | option_a=17389 | option_b=2898 | option_c=2798 | option_d=2998 | answer=B | explanation=SI = PRT/100 = 14491×4×5/100 = █2898.

id=52103 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3110. If it is sold at a profit of 20%, what is its selling price? | option_a=4043 | option_b=3130 | option_c=3732 | option_d=3421 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3110 × 120/100 = █3732.

id=52104 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=13 | option_c=18 | option_d=23 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=52105 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=F | option_c=Z | option_d=B | answer=A | explanation=Move 2 positions forward from B; the resulting letter is D.

id=52106 | topic=Averages | difficulty=Easy | question=Find the average of 74, 11, 50, 94, 58, 37. | option_a=55 | option_b=54 | option_c=56 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 324 ÷ 6 = 54.

id=52107 | topic=Profit & Loss | difficulty=Easy | question=An article costs █988. If it is sold at a profit of 10%, what is its selling price? | option_a=1184 | option_b=988 | option_c=1086 | option_d=998 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 988 × 110/100 = █1086.

id=52108 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=52109 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 30, 32, 36? | option_a=28 | option_b=30 | option_c=36 | option_d=32 | answer=C | explanation=The first three numbers increase by 2, so the next should be 34. Therefore 36 is the odd one out.

id=52110 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:13 and the first is 48, what is the second? | option_a=208 | option_b=195 | option_c=256 | option_d=211 | answer=A | explanation=Scale factor = 48/3 = 16. Therefore second quantity = 13×16 = 208.

Aptitude Questions — Records 52,111-52,140 of 100,000

id=52111 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:1 and the first is 289, what is the second? | option_a=34 | option_b=17 | option_c=16 | option_d=306 | answer=B | explanation=Scale factor = $289/17 = 17$. Therefore second quantity = $1 \times 17 = 17$.

id=52112 | topic=Averages | difficulty=Easy | question=Find the average of 56, 20, 83, 19, 17. | option_a=38 | option_b=41 | option_c=40 | option_d=39 | answer=D | explanation=Average = sum of values ÷ number of values = $195 \div 5 = 39$.

id=52113 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=Y | option_b=C | option_c=G | option_d=K | answer=C | explanation=Move 4 positions forward from C; the resulting letter is G.

id=52114 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**267. If it is sold at a profit of 25%, what is its selling price? | option_a=359 | option_b=307 | option_c=333 | option_d=292 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 267 \times 125/100 = \text{₹}333$.

id=52115 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=O | option_b=Y | option_c=D | option_d=T | answer=B | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=52116 | topic=Percentages | difficulty=Easy | question=What is 40% of 2000? | option_a=790 | option_b=800 | option_c=1600 | option_d=820 | answer=B | explanation= $40\% \text{ of } 2000 = (40/100) \times 2000 = 800$.

id=52117 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=36 | option_c=18 | option_d=13 | answer=C | explanation=Speed = distance ÷ time = $90 \div 5 = 18 \text{ km/h}$.

id=52118 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**31993 at 8% per annum for 4 years. | option_a=10237 | option_b=10137 | option_c=10337 | option_d=42230 | answer=A | explanation=SI = $PRT/100 = 31993 \times 8 \times 4/100 = \text{₹}10237$.

id=52119 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:5 and the first is 204, what is the second? | option_a=80 | option_b=289 | option_c=97 | option_d=85 | answer=D | explanation=Scale factor = $204/12 = 17$. Therefore second quantity = $5 \times 17 = 85$.

id=52120 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=36 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = $180 \div 10 = 18 \text{ km/h}$.

id=52121 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 26. | option_a=130 | option_b=260 | option_c=140 | option_d=104 | answer=A | explanation= $LCM \times HCF = 10 \times 26$; $HCF(10, 26) = 2$, so $LCM = 130$.

id=52122 | topic=Percentages | difficulty=Easy | question=What is 20% of 1547? | option_a=299 | option_b=319 | option_c=618 | option_d=309 | answer=D | explanation= $20\% \text{ of } 1547 = (20/100) \times 1547 = 309$.

id=52123 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3 \text{ days}$.

id=52124 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=120 | option_c=240 | option_d=125 | answer=B | explanation=Speed = distance ÷ time = $240 \div 2 = 120 \text{ km/h}$.

id=52125 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:9 and the first is 90, what is the second? | option_a=45 | option_b=135 | option_c=36 | option_d=63 | answer=A | explanation=Scale factor = $90/18 = 5$. Therefore second quantity = $9 \times 5 = 45$.

id=52126 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=64 | option_b=52 | option_c=63 | option_d=74 | answer=C | explanation=The common difference is 11. Therefore the next term is $52 + 11 = 63$.

id=52127 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**495. If it is sold at a profit of 50%, what is its selling price? | option_a=545 | option_b=791 | option_c=693 | option_d=742 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 495 \times 150/100 = \text{₹}742$.

id=52128 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**26806 at 4% per annum for 2 years. | option_a=2244 | option_b=2144 | option_c=28950 | option_d=2044 | answer=B | explanation=SI = $PRT/100 = 26806 \times 4 \times 2/100 = \text{₹}2144$.

id=52129 | topic=Percentages | difficulty=Easy | question=What is 5% of 821? | option_a=82 | option_b=41 | option_c=46 | option_d=21 | answer=B | explanation= $5\% \text{ of } 821 = (5/100) \times 821 = 41$.

id=52130 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 35, 44, 54? | option_a=44 | option_b=35 | option_c=26 | option_d=54 | answer=D | explanation=The first three numbers increase by 9, so the next should be 53. Therefore 54 is the odd one out.

id=52131 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:4 and the first is 42, what is the second? | option_a=8 | option_b=54 | option_c=26 | option_d=12 | answer=D | explanation=Scale factor = $42/14 = 3$. Therefore second quantity = $4 \times 3 = 12$.

id=52132 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = $240 \div 4 = 60 \text{ km/h}$.

id=52133 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:6 and the first is 400, what is the second? | option_a=140 | option_b=520 | option_c=120 | option_d=114 | answer=C | explanation=Scale factor = $400/20 = 20$. Therefore second quantity = $6 \times 20 = 120$.

id=52134 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:9 and the first is 272, what is the second? | option_a=161 | option_b=144 | option_c=416 | option_d=135 | answer=B | explanation=Scale factor = $272/17 = 16$. Therefore second quantity = $9 \times 16 = 144$.

id=52135 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2148. If it is sold at a profit of 25%, what is its selling price? | option_a=2899 | option_b=2471 | option_c=2685 | option_d=2173 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2148 \times 125/100 = \text{₹}2685$.

id=52136 | topic=Percentages | difficulty=Easy | question=What is 12% of 1124? | option_a=268 | option_b=124 | option_c=134 | option_d=139 | answer=C | explanation= $12\% \text{ of } 1124 = (12/100) \times 1124 = 134$.

id=52137 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 40? | option_a=28 | option_b=40 | option_c=19 | option_d=10 | answer=B | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 40 is the odd one out.

id=52138 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=67 | option_c=144 | option_d=77 | answer=A | explanation=Speed = distance ÷ time = $360 \div 5 = 72 \text{ km/h}$.

id=52139 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=96 | option_c=48 | option_d=53 | answer=C | explanation=Speed = distance ÷ time = $240 \div 5 = 48 \text{ km/h}$.

id=52140 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 31, 40, 52? | option_a=52 | option_b=31 | option_c=22 | option_d=40 | answer=A | explanation=The first three numbers increase by 9, so the next should be 49. Therefore 52 is the odd one out.

Aptitude Questions — Records 52,141-52,170 of 100,000

id=52141 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 24. | option_a=1 | option_b=27 | option_c=72 | option_d=24 | answer=D | explanation=LCM × HCF = 3×24; HCF(3,24) = 3, so LCM = 24.

id=52142 | topic=Averages | difficulty=Easy | question=Find the average of 80, 79, 39. | option_a=66 | option_b=68 | option_c=65 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = 198 ÷ 3 = 66.

id=52143 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=V | option_b=Q | option_c=A | option_d=L | answer=A | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=52144 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=19 | option_c=24 | option_d=48 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=52145 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 36, 45, 56? | option_a=36 | option_b=27 | option_c=45 | option_d=56 | answer=D | explanation=The first three numbers increase by 9, so the next should be 54. Therefore 56 is the odd one out.

id=52146 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3209. If it is sold at a profit of 40%, what is its selling price? | option_a=3249 | option_b=4172 | option_c=4492 | option_d=4812 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3209 × 140/100 = █4492.

id=52147 | topic=Percentages | difficulty=Easy | question=What is 25% of 1176? | option_a=304 | option_b=588 | option_c=289 | option_d=294 | answer=D | explanation=25% of 1176 = (25/100) × 1176 = 294.

id=52148 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34256 at 5% per annum for 2 years. | option_a=3325 | option_b=3525 | option_c=3425 | option_d=37681 | answer=C | explanation=SI = PRT/100 = 34256×5×2/100 = █3425.

id=52149 | topic=Percentages | difficulty=Easy | question=What is 30% of 1763? | option_a=528 | option_b=1056 | option_c=548 | option_d=508 | answer=A | explanation=30% of 1763 = (30/100) × 1763 = 528.

id=52150 | topic=Percentages | difficulty=Easy | question=What is 15% of 1765? | option_a=528 | option_b=264 | option_c=269 | option_d=254 | answer=B | explanation=15% of 1765 = (15/100) × 1765 = 264.

id=52151 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=70 | option_b=58 | option_c=59 | option_d=46 | answer=B | explanation=The common difference is 12. Therefore the next term is 46 + 12 = 58.

id=52152 | topic=Averages | difficulty=Easy | question=Find the average of 57, 24, 87, 17, 48, 13, 55. | option_a=45 | option_b=44 | option_c=43 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = 301 ÷ 7 = 43.

id=52153 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=73 | option_b=51 | option_c=62 | option_d=63 | answer=C | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.

id=52154 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:5 and the first is 119, what is the second? | option_a=204 | option_b=80 | option_c=85 | option_d=92 | answer=C | explanation=Scale factor = 119/7 = 17. Therefore second quantity = 5×17 = 85.

id=52155 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:10 and the first is 60, what is the second? | option_a=55 | option_b=100 | option_c=30 | option_d=40 | answer=D | explanation=Scale factor = 60/15 = 4. Therefore second quantity = 10×4 = 40.

id=52156 | topic=Averages | difficulty=Easy | question=Find the average of 96, 25, 90, 65, 33, 89, 64. | option_a=66 | option_b=65 | option_c=67 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = 462 ÷ 7 = 66.

id=52157 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 24? | option_a=24 | option_b=18 | option_c=20 | option_d=16 | answer=A | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 24 is the odd one out.

id=52158 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=74 | option_b=52 | option_c=64 | option_d=63 | answer=D | explanation=The common difference is 11. Therefore the next term is 52 + 11 = 63.

id=52159 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=37 | option_b=57 | option_c=47 | option_d=48 | answer=C | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

id=52160 | topic=Averages | difficulty=Easy | question=Find the average of 65, 69, 63, 70, 13, 30, 61, 37. | option_a=52 | option_b=53 | option_c=50 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 408 ÷ 8 = 51.

id=52161 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 27. | option_a=1 | option_b=729 | option_c=27 | option_d=54 | answer=C | explanation=LCM × HCF = 27×27; HCF(27,27) = 27, so LCM = 27.

id=52162 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 34, 42, 51? | option_a=34 | option_b=42 | option_c=26 | option_d=51 | answer=D | explanation=The first three numbers increase by 8, so the next should be 50. Therefore 51 is the odd one out.

id=52163 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 12. | option_a=45 | option_b=36 | option_c=24 | option_d=108 | answer=B | explanation=LCM × HCF = 9×12; HCF(9,12) = 3, so LCM = 36.

id=52164 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 21, 30, 39, ? | option_a=49 | option_b=48 | option_c=39 | option_d=57 | answer=B | explanation=The common difference is 9. Therefore the next term is 39 + 9 = 48.

id=52165 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=23 | option_b=28 | option_c=27 | option_d=31 | answer=C | explanation=The common difference is 4. Therefore the next term is 23 + 4 = 27.

id=52166 | topic=Averages | difficulty=Easy | question=Find the average of 84, 79, 33, 73, 82, 89, 57, 26, 87, 30. | option_a=64 | option_b=66 | option_c=63 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 640 ÷ 10 = 64.

id=52167 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=32 | option_b=24 | option_c=31 | option_d=38 | answer=C | explanation=The common difference is 7. Therefore the next term is 24 + 7 = 31.

id=52168 | topic=Percentages | difficulty=Easy | question=What is 5% of 406? | option_a=30 | option_b=20 | option_c=0 | option_d=40 | answer=B | explanation=5% of 406 = (5/100) × 406 = 20.

id=52169 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:5 and the first is 90, what is the second? | option_a=135 | option_b=40 | option_c=45 | option_d=55 | answer=C | explanation=Scale factor = 90/10 = 9. Therefore second quantity = 5×9 = 45.

id=52170 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41272 at 12% per annum for 3 years. | option_a=14857 | option_b=14957 | option_c=14757 | option_d=56129 | answer=A | explanation=SI = PRT/100 = 41272×12×3/100 = █14857.

Aptitude Questions — Records 52,171-52,200 of 100,000

id=52171 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48498 at 15% per annum for 3 years. | option_a=21724 | option_b=21924 | option_c=21824 | option_d=70322 | answer=C | explanation=SI = PRT/100 = 48498×15×3/100 = **■**21824.

id=52172 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49041 at 5% per annum for 3 years. | option_a=7456 | option_b=7356 | option_c=7256 | option_d=56397 | answer=B | explanation=SI = PRT/100 = 49041×5×3/100 = **■**7356.

id=52173 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 27, 31, 37? | option_a=37 | option_b=27 | option_c=31 | option_d=23 | answer=A | explanation=The first three numbers increase by 4, so the next should be 35. Therefore 37 is the odd one out.

id=52174 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=O | option_c=D | option_d=Y | answer=D | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=52175 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 24. | option_a=1 | option_b=144 | option_c=30 | option_d=24 | answer=D | explanation=LCM × HCF = 6×24; HCF(6,24) = 6, so LCM = 24.

id=52176 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=42 | option_b=60 | option_c=52 | option_d=51 | answer=D | explanation=The common difference is 9. Therefore the next term is 42 + 9 = 51.

id=52177 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5816 at 4% per annum for 5 years. | option_a=1263 | option_b=1063 | option_c=6979 | option_d=1163 | answer=D | explanation=SI = PRT/100 = 5816×4×5/100 = **■**1163.

id=52178 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1785. If it is sold at a profit of 50%, what is its selling price? | option_a=2855 | option_b=2499 | option_c=1835 | option_d=2677 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1785 × 150/100 = **■**2677.

id=52179 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1173. If it is sold at a profit of 40%, what is its selling price? | option_a=1759 | option_b=1525 | option_c=1642 | option_d=1213 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1173 × 140/100 = **■**1642.

id=52180 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4111. If it is sold at a profit of 20%, what is its selling price? | option_a=4131 | option_b=5344 | option_c=4933 | option_d=4522 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4111 × 120/100 = **■**4933.

id=52181 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 14, 19, 26? | option_a=14 | option_b=19 | option_c=26 | option_d=9 | answer=C | explanation=The first three numbers increase by 5, so the next should be 24. Therefore 26 is the odd one out.

id=52182 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=52183 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=40 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=52184 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 18. | option_a=324 | option_b=36 | option_c=1 | option_d=18 | answer=D | explanation=LCM × HCF = 18×18; HCF(18,18) = 18, so LCM = 18.

id=52185 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=J | option_c=S | option_d=P | answer=D | explanation=Move 3 positions forward from M; the resulting letter is P.

id=52186 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=52187 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=53 | option_b=65 | option_c=77 | option_d=66 | answer=B | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.

id=52188 | topic=Percentages | difficulty=Easy | question=What is 5% of 1011? | option_a=55 | option_b=45 | option_c=50 | option_d=100 | answer=C | explanation=5% of 1011 = (5/100) × 1011 = 50.

id=52189 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3375 at 12% per annum for 3 years. | option_a=1215 | option_b=1315 | option_c=1115 | option_d=4590 | answer=A | explanation=SI = PRT/100 = 3375×12×3/100 = **■**1215.

id=52190 | topic=Averages | difficulty=Easy | question=Find the average of 11, 82, 61, 77, 37, 61, 85, 60, 46, 100. | option_a=62 | option_b=61 | option_c=64 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 620 ÷ 10 = 62.

id=52191 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:11 and the first is 204, what is the second? | option_a=391 | option_b=199 | option_c=187 | option_d=176 | answer=C | explanation=Scale factor = 204/12 = 17. Therefore second quantity = 11×17 = 187.

id=52192 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=52193 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11403 at 5% per annum for 3 years. | option_a=1710 | option_b=1610 | option_c=13113 | option_d=1810 | answer=A | explanation=SI = PRT/100 = 11403×5×3/100 = **■**1710.

id=52194 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**453. If it is sold at a profit of 20%, what is its selling price? | option_a=498 | option_b=473 | option_c=543 | option_d=588 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 453 × 120/100 = **■**543.

id=52195 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4017 at 12% per annum for 3 years. | option_a=1546 | option_b=5463 | option_c=1346 | option_d=1446 | answer=D | explanation=SI = PRT/100 = 4017×12×3/100 = **■**1446.

id=52196 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=13 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=52197 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 22. | option_a=336 | option_b=616 | option_c=286 | option_d=308 | answer=D | explanation=LCM × HCF = 28×22; HCF(28,22) = 2, so LCM = 308.

id=52198 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 17, 21, 27? | option_a=21 | option_b=13 | option_c=27 | option_d=17 | answer=C | explanation=The first three numbers increase by 4, so the next should be 25. Therefore 27 is the odd one out.

id=52199 | topic=Averages | difficulty=Easy | question=Find the average of 48, 26, 25, 51, 69, 39. | option_a=44 | option_b=43 | option_c=42 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = 258 ÷ 6 = 43.

id=52200 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:15 and the first is 60, what is the second? | option_a=60 | option_b=120 | option_c=75 | option_d=45 | answer=A | explanation=Scale factor = 60/15 = 4. Therefore second quantity = 15×4 = 60.

Aptitude Questions — Records 52,201-52,230 of 100,000

id=52201 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 29, 31, 34? | option_a=34 | option_b=29 | option_c=31 | option_d=27 | answer=A | explanation=The first three numbers increase by 2, so the next should be 33. Therefore 34 is the odd one out.

id=52202 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

id=52203 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=23 | option_c=36 | option_d=13 | answer=A | explanation=Speed = distance ÷ time = $\frac{180}{10} = 18$ km/h.

id=52204 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2961. If it is sold at a profit of 25%, what is its selling price? | option_a=3405 | option_b=3997 | option_c=2986 | option_d=3701 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2961 \times \frac{125}{100} = \text{₹}3701$.

id=52205 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=57 | option_b=45 | option_c=58 | option_d=69 | answer=A | explanation=The common difference is 12. Therefore the next term is $45 + 12 = 57$.

id=52206 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**10714 at 8% per annum for 2 years. | option_a=12428 | option_b=1814 | option_c=1714 | option_d=1614 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{10714 \times 8 \times 2}{100} = \text{₹}1714$.

id=52207 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=50 | option_b=44 | option_c=45 | option_d=38 | answer=B | explanation=The common difference is 6. Therefore the next term is $38 + 6 = 44$.

id=52208 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:16 and the first is 266, what is the second? | option_a=570 | option_b=288 | option_c=304 | option_d=318 | answer=C | explanation=Scale factor = $\frac{266}{14} = 19$. Therefore second quantity = $16 \times 19 = 304$.

id=52209 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=57 | option_b=35 | option_c=47 | option_d=46 | answer=D | explanation=The common difference is 11. Therefore the next term is $35 + 11 = 46$.

id=52210 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**6313 at 8% per annum for 5 years. | option_a=2525 | option_b=8838 | option_c=2625 | option_d=2425 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{6313 \times 8 \times 5}{100} = \text{₹}2525$.

id=52211 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:9 and the first is 162, what is the second? | option_a=81 | option_b=99 | option_c=243 | option_d=72 | answer=A | explanation=Scale factor = $\frac{162}{18} = 9$. Therefore second quantity = $9 \times 9 = 81$.

id=52212 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:16 and the first is 168, what is the second? | option_a=208 | option_b=236 | option_c=392 | option_d=224 | answer=D | explanation=Scale factor = $\frac{168}{12} = 14$. Therefore second quantity = $16 \times 14 = 224$.

id=52213 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12} = 3$ days.

id=52214 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 18. | option_a=162 | option_b=200 | option_c=180 | option_d=360 | answer=C | explanation= $LCM \times HCF = 20 \times 18$; $HCF(20, 18) = 2$, so $LCM = \frac{180}{2} = 180$.

id=52215 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=43 | option_c=96 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = $\frac{240}{5} = 48$ km/h.

id=52216 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 29? | option_a=24 | option_b=20 | option_c=22 | option_d=29 | answer=D | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 29 is the odd one out.

id=52217 | topic=Averages | difficulty=Easy | question=Find the average of 68, 60, 20, 27, 59, 72, 65. | option_a=52 | option_b=54 | option_c=55 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{371}{7} = 53$.

id=52218 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:3 and the first is 12, what is the second? | option_a=37 | option_b=33 | option_c=48 | option_d=36 | answer=D | explanation=Scale factor = $\frac{12}{1} = 12$. Therefore second quantity = $3 \times 12 = 36$.

id=52219 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 21? | option_a=14 | option_b=16 | option_c=18 | option_d=21 | answer=D | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 21 is the odd one out.

id=52220 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=52221 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**35902 at 4% per annum for 4 years. | option_a=5744 | option_b=5644 | option_c=5844 | option_d=41646 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{35902 \times 4 \times 4}{100} = \text{₹}5744$.

id=52222 | topic=Averages | difficulty=Easy | question=Find the average of 65, 55, 75, 77, 50, 84, 91. | option_a=71 | option_b=70 | option_c=72 | option_d=73 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{497}{7} = 71$.

id=52223 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 23, 27, 32? | option_a=27 | option_b=19 | option_c=32 | option_d=23 | answer=C | explanation=The first three numbers increase by 4, so the next should be 31. Therefore 32 is the odd one out.

id=52224 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=X | option_c=A | option_d=R | answer=B | explanation=Move 3 positions forward from U; the resulting letter is X.

id=52225 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 29, 36, 46? | option_a=22 | option_b=46 | option_c=29 | option_d=36 | answer=B | explanation=The first three numbers increase by 7, so the next should be 43. Therefore 46 is the odd one out.

id=52226 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 37? | option_a=37 | option_b=15 | option_c=25 | option_d=5 | answer=A | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 37 is the odd one out.

id=52227 | topic=Percentages | difficulty=Easy | question=What is 12% of 129? | option_a=25 | option_b=5 | option_c=15 | option_d=30 | answer=C | explanation= $12\% \text{ of } 129 = \frac{12}{100} \times 129 = 15$.

id=52228 | topic=Percentages | difficulty=Easy | question=What is 10% of 1411? | option_a=136 | option_b=141 | option_c=282 | option_d=146 | answer=B | explanation= $10\% \text{ of } 1411 = \frac{10}{100} \times 1411 = 141$.

id=52229 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=Y | option_b=O | option_c=T | option_d=D | answer=A | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=52230 | topic=Averages | difficulty=Easy | question=Find the average of 89, 63, 94, 37, 71, 62, 64, 42, 45. | option_a=62 | option_b=65 | option_c=64 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{567}{9} = 63$.

Aptitude Questions — Records 52,231-52,260 of 100,000

id=52231 | topic=Percentages | difficulty=Easy | question=What is 10% of 1948? | option_a=184 | option_b=214 | option_c=194 | option_d=388 | answer=C | explanation=10% of 1948 = (10/100) × 1948 = 194.

id=52232 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=W | option_b=N | option_c=Q | option_d=T | answer=D | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=52233 | topic=Averages | difficulty=Easy | question=Find the average of 22, 93, 58, 56, 68, 80, 38, 56, 75, 24. | option_a=58 | option_b=56 | option_c=59 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.

id=52234 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=D | option_b=X | option_c=G | option_d=A | answer=A | explanation=Move 3 positions forward from A; the resulting letter is D.

id=52235 | topic=Averages | difficulty=Easy | question=Find the average of 71, 41, 52, 18, 34, 69, 78, 97, 77, 103. | option_a=65 | option_b=66 | option_c=63 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 640 ÷ 10 = 64.

id=52236 | topic=Averages | difficulty=Easy | question=Find the average of 97, 19, 37. | option_a=51 | option_b=52 | option_c=53 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 153 ÷ 3 = 51.

id=52237 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 18. | option_a=324 | option_b=1 | option_c=18 | option_d=36 | answer=C | explanation=LCM × HCF = 18×18; HCF(18,18) = 18, so LCM = 18.

id=52238 | topic=Percentages | difficulty=Easy | question=What is 12% of 1305? | option_a=151 | option_b=176 | option_c=312 | option_d=156 | answer=D | explanation=12% of 1305 = (12/100) × 1305 = 156.

id=52239 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3146. If it is sold at a profit of 20%, what is its selling price? | option_a=3775 | option_b=3461 | option_c=3166 | option_d=4089 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3146 × 120/100 = █3775.

id=52240 | topic=Profit & Loss | difficulty=Easy | question=An article costs █696. If it is sold at a profit of 15%, what is its selling price? | option_a=800 | option_b=869 | option_c=731 | option_d=711 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 696 × 115/100 = █800.

id=52241 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14699 at 6% per annum for 4 years. | option_a=18226 | option_b=3627 | option_c=3427 | option_d=3527 | answer=D | explanation=SI = PRT/100 = 14699×6×4/100 = █3527.

id=52242 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=D | option_b=B | option_c=E | option_d=C | answer=A | explanation=Move 1 positions forward from C; the resulting letter is D.

id=52243 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4762. If it is sold at a profit of 30%, what is its selling price? | option_a=5714 | option_b=4792 | option_c=6190 | option_d=6666 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4762 × 130/100 = █6190.

id=52244 | topic=Percentages | difficulty=Easy | question=What is 50% of 1263? | option_a=631 | option_b=1262 | option_c=641 | option_d=621 | answer=A | explanation=50% of 1263 = (50/100) × 1263 = 631.

id=52245 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3785. If it is sold at a profit of 25%, what is its selling price? | option_a=5109 | option_b=3810 | option_c=4353 | option_d=4731 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3785 × 125/100 = █4731.

id=52246 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=52247 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 42? | option_a=32 | option_b=25 | option_c=42 | option_d=18 | answer=C | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 42 is the odd one out.

id=52248 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 6. | option_a=108 | option_b=18 | option_c=12 | option_d=36 | answer=B | explanation=LCM × HCF = 18×6; HCF(18,6) = 6, so LCM = 18.

id=52249 | topic=Averages | difficulty=Easy | question=Find the average of 63, 56, 93, 20, 58. | option_a=60 | option_b=58 | option_c=57 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 290 ÷ 5 = 58.

id=52250 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18615 at 8% per annum for 1 years. | option_a=1589 | option_b=20104 | option_c=1489 | option_d=1389 | answer=C | explanation=SI = PRT/100 = 18615×8×1/100 = █1489.

id=52251 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=52252 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=52253 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4039. If it is sold at a profit of 20%, what is its selling price? | option_a=4443 | option_b=5249 | option_c=4059 | option_d=4846 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4039 × 120/100 = █4846.

id=52254 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 18, 25, 35? | option_a=18 | option_b=25 | option_c=11 | option_d=35 | answer=D | explanation=The first three numbers increase by 7, so the next should be 32. Therefore 35 is the odd one out.

id=52255 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=A | option_b=K | option_c=P | option_d=F | answer=B | explanation=Move 5 positions forward from F; the resulting letter is K.

id=52256 | topic=Averages | difficulty=Easy | question=Find the average of 65, 58, 33, 36. | option_a=48 | option_b=50 | option_c=49 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 192 ÷ 4 = 48.

id=52257 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=23 | option_b=26 | option_c=18 | option_d=22 | answer=D | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

id=52258 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=42 | option_b=53 | option_c=52 | option_d=62 | answer=C | explanation=The common difference is 10. Therefore the next term is 42 + 10 = 52.

id=52259 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:6 and the first is 9, what is the second? | option_a=12 | option_b=21 | option_c=27 | option_d=18 | answer=D | explanation=Scale factor = 9/3 = 3. Therefore second quantity = 6×3 = 18.

id=52260 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=27 | option_b=22 | option_c=32 | option_d=28 | answer=A | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.

Aptitude Questions — Records 52,261-52,290 of 100,000

id=52261 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=H | option_b=K | option_c=J | option_d=I | answer=C | explanation=Move 1 positions forward from I; the resulting letter is J.

id=52262 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9504 at 12% per annum for 1 years. | option_a=10644 | option_b=1040 | option_c=1140 | option_d=1240 | answer=C | explanation=SI = $PRT/100 = 9504 \times 12 \times 1/100 = \text{■}1140$.

id=52263 | topic=Averages | difficulty=Easy | question=Find the average of 49, 36, 68, 44, 44, 77. | option_a=54 | option_b=53 | option_c=55 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = $318 \div 6 = 53$.

id=52264 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 13, 17, 23? | option_a=13 | option_b=23 | option_c=9 | option_d=17 | answer=B | explanation=The first three numbers increase by 4, so the next should be 21. Therefore 23 is the odd one out.

id=52265 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=33 | option_b=32 | option_c=37 | option_d=27 | answer=B | explanation=The common difference is 5. Therefore the next term is $27 + 5 = 32$.

id=52266 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 16, 25, 37? | option_a=7 | option_b=37 | option_c=25 | option_d=16 | answer=B | explanation=The first three numbers increase by 9, so the next should be 34. Therefore 37 is the odd one out.

id=52267 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=72 | option_c=36 | option_d=41 | answer=C | explanation=Speed = distance ÷ time = $360 \div 10 = 36$ km/h.

id=52268 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49129 at 6% per annum for 1 years. | option_a=2847 | option_b=2947 | option_c=3047 | option_d=52076 | answer=B | explanation=SI = $PRT/100 = 49129 \times 6 \times 1/100 = \text{■}2947$.

id=52269 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1100. If it is sold at a profit of 20%, what is its selling price? | option_a=1320 | option_b=1120 | option_c=1430 | option_d=1210 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1100 \times 120/100 = \text{■}1320$.

id=52270 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:4 and the first is 38, what is the second? | option_a=46 | option_b=27 | option_c=8 | option_d=4 | answer=C | explanation=Scale factor = $38/19 = 2$. Therefore second quantity = $4 \times 2 = 8$.

id=52271 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2861. If it is sold at a profit of 5%, what is its selling price? | option_a=3004 | option_b=2866 | option_c=2718 | option_d=3290 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2861 \times 105/100 = \text{■}3004$.

id=52272 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**581. If it is sold at a profit of 50%, what is its selling price? | option_a=631 | option_b=813 | option_c=871 | option_d=929 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 581 \times 150/100 = \text{■}871$.

id=52273 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7912 at 5% per annum for 2 years. | option_a=691 | option_b=8703 | option_c=791 | option_d=891 | answer=C | explanation=SI = $PRT/100 = 7912 \times 5 \times 2/100 = \text{■}791$.

id=52274 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 13, 20, 29? | option_a=20 | option_b=13 | option_c=29 | option_d=6 | answer=C | explanation=The first three numbers increase by 7, so the next should be 27. Therefore 29 is the odd one out.

id=52275 | topic=Percentages | difficulty=Easy | question=What is 30% of 290? | option_a=174 | option_b=67 | option_c=107 | option_d=87 | answer=D | explanation=30% of 290 = $(30/100) \times 290 = 87$.

id=52276 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=96 | option_c=53 | option_d=43 | answer=A | explanation=Speed = distance ÷ time = $240 \div 5 = 48$ km/h.

id=52277 | topic=Percentages | difficulty=Easy | question=What is 12% of 1365? | option_a=326 | option_b=163 | option_c=153 | option_d=168 | answer=B | explanation=12% of 1365 = $(12/100) \times 1365 = 163$.

id=52278 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:20 and the first is 60, what is the second? | option_a=260 | option_b=200 | option_c=180 | option_d=206 | answer=B | explanation=Scale factor = $60/6 = 10$. Therefore second quantity = $20 \times 10 = 200$.

id=52279 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=51 | option_b=44 | option_c=43 | option_d=35 | answer=C | explanation=The common difference is 8. Therefore the next term is $35 + 8 = 43$.

id=52280 | topic=Percentages | difficulty=Easy | question=What is 10% of 868? | option_a=76 | option_b=172 | option_c=86 | option_d=96 | answer=C | explanation=10% of 868 = $(10/100) \times 868 = 86$.

id=52281 | topic=Averages | difficulty=Easy | question=Find the average of 29, 60, 50, 35, 82, 38, 77. | option_a=53 | option_b=52 | option_c=55 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = $371 \div 7 = 53$.

id=52282 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=29 | option_b=24 | option_c=30 | option_d=34 | answer=A | explanation=The common difference is 5. Therefore the next term is $24 + 5 = 29$.

id=52283 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**904. If it is sold at a profit of 40%, what is its selling price? | option_a=944 | option_b=1265 | option_c=1355 | option_d=1175 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 904 \times 140/100 = \text{■}1265$.

id=52284 | topic=Averages | difficulty=Easy | question=Find the average of 22, 26, 91, 50, 100, 45, 21, 76, 77, 32. | option_a=56 | option_b=55 | option_c=54 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = $540 \div 10 = 54$.

id=52285 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=52286 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=38 | option_b=34 | option_c=35 | option_d=30 | answer=B | explanation=The common difference is 4. Therefore the next term is $30 + 4 = 34$.

id=52287 | topic=Averages | difficulty=Easy | question=Find the average of 82, 42, 77, 69, 89, 80, 72. | option_a=72 | option_b=73 | option_c=74 | option_d=75 | answer=B | explanation=Average = sum of values ÷ number of values = $511 \div 7 = 73$.

id=52288 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 52? | option_a=19 | option_b=52 | option_c=39 | option_d=29 | answer=B | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 52 is the odd one out.

id=52289 | topic=Percentages | difficulty=Easy | question=What is 50% of 952? | option_a=952 | option_b=476 | option_c=486 | option_d=471 | answer=B | explanation=50% of 952 = $(50/100) \times 952 = 476$.

id=52290 | topic=Percentages | difficulty=Easy | question=What is 10% of 1114? | option_a=222 | option_b=131 | option_c=111 | option_d=91 | answer=C | explanation=10% of 1114 = $(10/100) \times 1114 = 111$.

Aptitude Questions — Records 52,291-52,320 of 100,000

id=52291 | topic=Averages | difficulty=Easy | question=Find the average of 36, 92, 23, 87, 12. | option_a=52 | option_b=49 | option_c=51 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 250 ÷ 5 = 50.

id=52292 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 28, 38, 51? | option_a=51 | option_b=18 | option_c=28 | option_d=38 | answer=A | explanation=The first three numbers increase by 10, so the next should be 48. Therefore 51 is the odd one out.

id=52293 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:1 and the first is 96, what is the second? | option_a=102 | option_b=5 | option_c=6 | option_d=22 | answer=C | explanation=Scale factor = 96/16 = 6. Therefore second quantity = 1×6 = 6.

id=52294 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:13 and the first is 30, what is the second? | option_a=26 | option_b=56 | option_c=41 | option_d=13 | answer=A | explanation=Scale factor = 30/15 = 2. Therefore second quantity = 13×2 = 26.

id=52295 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**28706 at 12% per annum for 1 years. | option_a=32150 | option_b=3544 | option_c=3344 | option_d=3444 | answer=D | explanation=SI = PRT/100 = 28706×12×1/100 = **₹**3444.

id=52296 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=52297 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=52298 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=52299 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=29 | option_b=34 | option_c=22 | option_d=28 | answer=D | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.

id=52300 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=G | option_b=H | option_c=E | option_d=F | answer=A | explanation=Move 1 positions forward from F; the resulting letter is G.

id=52301 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=52302 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 51? | option_a=20 | option_b=51 | option_c=30 | option_d=40 | answer=B | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 51 is the odd one out.

id=52303 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1609. If it is sold at a profit of 5%, what is its selling price? | option_a=1529 | option_b=1614 | option_c=1689 | option_d=1849 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1609 × 105/100 = **₹**1689.

id=52304 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=52305 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=105 | option_c=200 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=52306 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**827. If it is sold at a profit of 25%, what is its selling price? | option_a=951 | option_b=1115 | option_c=852 | option_d=1033 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 827 × 125/100 = **₹**1033.

id=52307 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2213. If it is sold at a profit of 30%, what is its selling price? | option_a=2876 | option_b=2243 | option_c=3097 | option_d=2655 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2213 × 130/100 = **₹**2876.

id=52308 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=S | option_c=O | option_d=A | answer=A | explanation=Move 4 positions forward from S; the resulting letter is W.

id=52309 | topic=Percentages | difficulty=Easy | question=What is 5% of 1078? | option_a=73 | option_b=43 | option_c=53 | option_d=106 | answer=C | explanation=5% of 1078 = (5/100) × 1078 = 53.

id=52310 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 28? | option_a=21 | option_b=24 | option_c=18 | option_d=28 | answer=D | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 28 is the odd one out.

id=52311 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 18. | option_a=108 | option_b=1 | option_c=18 | option_d=24 | answer=C | explanation=LCM × HCF = 6×18; HCF(6,18) = 6, so LCM = 18.

id=52312 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=M | option_c=K | option_d=I | answer=B | explanation=Move 2 positions forward from K; the resulting letter is M.

id=52313 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=D | option_c=J | option_d=M | answer=C | explanation=Move 3 positions forward from G; the resulting letter is J.

id=52314 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 17, 25, 33, ? | option_a=41 | option_b=42 | option_c=33 | option_d=49 | answer=A | explanation=The common difference is 8. Therefore the next term is 33 + 8 = 41.

id=52315 | topic=Percentages | difficulty=Easy | question=What is 50% of 1883? | option_a=951 | option_b=1882 | option_c=941 | option_d=931 | answer=C | explanation=50% of 1883 = (50/100) × 1883 = 941.

id=52316 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**21393 at 8% per annum for 3 years. | option_a=5134 | option_b=26527 | option_c=5234 | option_d=5034 | answer=A | explanation=SI = PRT/100 = 21393×8×3/100 = **₹**5134.

id=52317 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:20 and the first is 88, what is the second? | option_a=248 | option_b=140 | option_c=160 | option_d=171 | answer=C | explanation=Scale factor = 88/11 = 8. Therefore second quantity = 20×8 = 160.

id=52318 | topic=Averages | difficulty=Easy | question=Find the average of 59, 57, 78, 48, 63, 90, 18. | option_a=58 | option_b=61 | option_c=59 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 413 ÷ 7 = 59.

id=52319 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=E | option_c=C | option_d=A | answer=B | explanation=Move 2 positions forward from C; the resulting letter is E.

id=52320 | topic=Averages | difficulty=Easy | question=Find the average of 63, 71, 37, 65, 95, 51, 11, 20, 11, 86. | option_a=52 | option_b=53 | option_c=51 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

Aptitude Questions — Records 52,321-52,350 of 100,000

id=52321 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=A | option_b=F | option_c=P | option_d=K | answer=D | explanation=Move 5 positions forward from F; the resulting letter is K.

id=52322 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=39 | option_b=31 | option_c=40 | option_d=47 | answer=A | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

id=52323 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**14969 at 8% per annum for 1 years. | option_a=16166 | option_b=1197 | option_c=1097 | option_d=1297 | answer=B | explanation=SI = PRT/100 = 14969×8×1/100 = **₹**1197.

id=52324 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**44263 at 12% per annum for 5 years. | option_a=26457 | option_b=26657 | option_c=26557 | option_d=70820 | answer=C | explanation=SI = PRT/100 = 44263×12×5/100 = **₹**26557.

id=52325 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=52326 | topic=Percentages | difficulty=Easy | question=What is 40% of 1410? | option_a=564 | option_b=1128 | option_c=584 | option_d=559 | answer=A | explanation=40% of 1410 = (40/100) × 1410 = 564.

id=52327 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=1 | option_c=6 | option_d=11 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=52328 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=25 | option_b=39 | option_c=32 | option_d=33 | answer=C | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.

id=52329 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:6 and the first is 12, what is the second? | option_a=6 | option_b=18 | option_c=24 | option_d=12 | answer=D | explanation=Scale factor = 12/6 = 2. Therefore second quantity = 6×2 = 12.

id=52330 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=S | option_c=G | option_d=K | answer=A | explanation=Move 4 positions forward from K; the resulting letter is O.

id=52331 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=24 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=52332 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=43 | option_b=50 | option_c=34 | option_d=42 | answer=D | explanation=The common difference is 8. Therefore the next term is 34 + 8 = 42.

id=52333 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 17, 27, 39? | option_a=7 | option_b=39 | option_c=17 | option_d=27 | answer=B | explanation=The first three numbers increase by 10, so the next should be 37. Therefore 39 is the odd one out.

id=52334 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=52335 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:10 and the first is 140, what is the second? | option_a=114 | option_b=100 | option_c=240 | option_d=90 | answer=B | explanation=Scale factor = 140/14 = 10. Therefore second quantity = 10×10 = 100.

id=52336 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=S | option_c=U | option_d=Q | answer=C | explanation=Move 2 positions forward from S; the resulting letter is U.

id=52337 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=10 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=52338 | topic=Percentages | difficulty=Easy | question=What is 20% of 1137? | option_a=222 | option_b=454 | option_c=227 | option_d=237 | answer=C | explanation=20% of 1137 = (20/100) × 1137 = 227.

id=52339 | topic=Averages | difficulty=Easy | question=Find the average of 94, 54, 59, 29. | option_a=59 | option_b=58 | option_c=61 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 236 ÷ 4 = 59.

id=52340 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=V | option_b=T | option_c=U | option_d=W | answer=A | explanation=Move 1 positions forward from U; the resulting letter is V.

id=52341 | topic=Percentages | difficulty=Easy | question=What is 15% of 319? | option_a=94 | option_b=42 | option_c=47 | option_d=52 | answer=C | explanation=15% of 319 = (15/100) × 319 = 47.

id=52342 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=46 | option_b=66 | option_c=56 | option_d=57 | answer=C | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=52343 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=52344 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3240. If it is sold at a profit of 5%, what is its selling price? | option_a=3245 | option_b=3726 | option_c=3078 | option_d=3402 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3240 × 105/100 = **₹**3402.

id=52345 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=52346 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=25 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=52347 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**718. If it is sold at a profit of 30%, what is its selling price? | option_a=862 | option_b=1004 | option_c=933 | option_d=748 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 718 × 130/100 = **₹**933.

id=52348 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=D | option_c=C | option_d=B | answer=B | explanation=Move 1 positions forward from C; the resulting letter is D.

id=52349 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:3 and the first is 121, what is the second? | option_a=33 | option_b=44 | option_c=30 | option_d=154 | answer=A | explanation=Scale factor = 121/11 = 11. Therefore second quantity = 3×11 = 33.

id=52350 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2881. If it is sold at a profit of 20%, what is its selling price? | option_a=3457 | option_b=3745 | option_c=3169 | option_d=2901 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2881 × 120/100 = **₹**3457.

Aptitude Questions — Records 52,351-52,380 of 100,000

id=52351 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=52352 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1289. If it is sold at a profit of 15%, what is its selling price? | option_a=1354 | option_b=1610 | option_c=1304 | option_d=1482 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1289 \times \frac{115}{100} = \text{█}1482$.

id=52353 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:20 and the first is 30, what is the second? | option_a=106 | option_b=100 | option_c=80 | option_d=130 | answer=B | explanation=Scale factor = $30/6 = 5$. Therefore second quantity = $20 \times 5 = 100$.

id=52354 | topic=Percentages | difficulty=Easy | question=What is 15% of 1693? | option_a=506 | option_b=273 | option_c=253 | option_d=248 | answer=C | explanation= $15\% \text{ of } 1693 = (15/100) \times 1693 = 253$.

id=52355 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=66 | option_b=77 | option_c=53 | option_d=65 | answer=D | explanation=The common difference is 12. Therefore the next term is $53 + 12 = 65$.

id=52356 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 33? | option_a=20 | option_b=33 | option_c=25 | option_d=15 | answer=B | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 33 is the odd one out.

id=52357 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=52358 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:7 and the first is 60, what is the second? | option_a=102 | option_b=35 | option_c=42 | option_d=52 | answer=C | explanation=Scale factor = $60/10 = 6$. Therefore second quantity = $7 \times 6 = 42$.

id=52359 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 12. | option_a=1 | option_b=48 | option_c=16 | option_d=12 | answer=D | explanation= $LCM \times HCF = 4 \times 12$; $HCF(4,12) = 4$, so $LCM = 12$.

id=52360 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

id=52361 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=52362 | topic=Averages | difficulty=Easy | question=Find the average of 100, 16, 81, 54, 15, 20, 13, 59, 20. | option_a=43 | option_b=41 | option_c=44 | option_d=42 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = \frac{378}{9} = 42$.

id=52363 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 46? | option_a=38 | option_b=26 | option_c=46 | option_d=32 | answer=C | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 46 is the odd one out.

id=52364 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=52365 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27636 at 15% per annum for 3 years. | option_a=40072 | option_b=12336 | option_c=12536 | option_d=12436 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{27636 \times 15 \times 3}{100} = \text{█}12436$.

id=52366 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 40? | option_a=40 | option_b=30 | option_c=36 | option_d=33 | answer=A | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 40 is the odd one out.

id=52367 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=90 | option_d=45 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = \frac{90}{2} = 45$ km/h.

id=52368 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=160 | option_d=85 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = \frac{240}{3} = 80$ km/h.

id=52369 | topic=Percentages | difficulty=Easy | question=What is 20% of 1822? | option_a=359 | option_b=364 | option_c=374 | option_d=728 | answer=B | explanation= $20\% \text{ of } 1822 = (20/100) \times 1822 = 364$.

id=52370 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=52371 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=46 | option_b=55 | option_c=64 | option_d=56 | answer=B | explanation=The common difference is 9. Therefore the next term is $46 + 9 = 55$.

id=52372 | topic=Averages | difficulty=Easy | question=Find the average of 65, 60, 61, 99, 55. | option_a=67 | option_b=70 | option_c=69 | option_d=68 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = \frac{340}{5} = 68$.

id=52373 | topic=Profit & Loss | difficulty=Easy | question=An article costs █799. If it is sold at a profit of 20%, what is its selling price? | option_a=819 | option_b=1037 | option_c=958 | option_d=879 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 799 \times \frac{120}{100} = \text{█}958$.

id=52374 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 18. | option_a=90 | option_b=100 | option_c=72 | option_d=180 | answer=A | explanation= $LCM \times HCF = 10 \times 18$; $HCF(10,18) = 2$, so $LCM = 90$.

id=52375 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=P | option_b=K | option_c=F | option_d=U | answer=A | explanation=Move 5 positions forward from K; the resulting letter is P.

id=52376 | topic=Percentages | difficulty=Easy | question=What is 20% of 1506? | option_a=602 | option_b=301 | option_c=306 | option_d=291 | answer=B | explanation= $20\% \text{ of } 1506 = (20/100) \times 1506 = 301$.

id=52377 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=I | option_c=U | option_d=M | answer=A | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=52378 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=J | option_c=H | option_d=F | answer=B | explanation=Move 2 positions forward from H; the resulting letter is J.

id=52379 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=20 | option_c=15 | option_d=25 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = \frac{60}{3} = 20$ km/h.

id=52380 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=O | option_b=R | option_c=P | option_d=Q | answer=D | explanation=Move 1 positions forward from P; the resulting letter is Q.

Aptitude Questions — Records 52,381-52,410 of 100,000

id=52381 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=72 | option_c=67 | option_d=77 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=52382 | topic=Averages | difficulty=Easy | question=Find the average of 82, 68, 26, 31, 76, 17. | option_a=51 | option_b=49 | option_c=52 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 300 ÷ 6 = 50.

id=52383 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=O | option_b=X | option_c=R | option_d=U | answer=D | explanation=Move 3 positions forward from R; the resulting letter is U.

id=52384 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43423 at 12% per annum for 5 years. | option_a=25953 | option_b=69476 | option_c=26153 | option_d=26053 | answer=D | explanation=SI = PRT/100 = 43423×12×5/100 = **■**26053.

id=52385 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=52386 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7790 at 6% per annum for 3 years. | option_a=1402 | option_b=1502 | option_c=9192 | option_d=1302 | answer=A | explanation=SI = PRT/100 = 7790×6×3/100 = **■**1402.

id=52387 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1281. If it is sold at a profit of 40%, what is its selling price? | option_a=1921 | option_b=1793 | option_c=1321 | option_d=1665 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1281 × 140/100 = **■**1793.

id=52388 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 45? | option_a=30 | option_b=37 | option_c=23 | option_d=45 | answer=D | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 45 is the odd one out.

id=52389 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=16 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=52390 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12029 at 4% per annum for 4 years. | option_a=13953 | option_b=1924 | option_c=2024 | option_d=1824 | answer=B | explanation=SI = PRT/100 = 12029×4×4/100 = **■**1924.

id=52391 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=52392 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=52393 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43177 at 10% per annum for 2 years. | option_a=8535 | option_b=51812 | option_c=8635 | option_d=8735 | answer=C | explanation=SI = PRT/100 = 43177×10×2/100 = **■**8635.

id=52394 | topic=Percentages | difficulty=Easy | question=What is 25% of 294? | option_a=73 | option_b=83 | option_c=63 | option_d=146 | answer=A | explanation=25% of 294 = (25/100) × 294 = 73.

id=52395 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=E | option_c=P | option_d=Z | answer=D | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=52396 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:15 and the first is 76, what is the second? | option_a=285 | option_b=270 | option_c=289 | option_d=361 | answer=A | explanation=Scale factor = 76/4 = 19. Therefore second quantity = 15×19 = 285.

id=52397 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=52398 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=U | option_b=Q | option_c=M | option_d=I | answer=B | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=52399 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 61? | option_a=30 | option_b=40 | option_c=50 | option_d=61 | answer=D | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 61 is the odd one out.

id=52400 | topic=Averages | difficulty=Easy | question=Find the average of 75, 52, 26, 37, 27, 50, 83. | option_a=50 | option_b=49 | option_c=51 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

id=52401 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 28? | option_a=21 | option_b=24 | option_c=28 | option_d=18 | answer=C | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 28 is the odd one out.

id=52402 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 18, 28, 38, ? | option_a=49 | option_b=58 | option_c=48 | option_d=38 | answer=C | explanation=The common difference is 10. Therefore the next term is 38 + 10 = 48.

id=52403 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=27 | option_b=17 | option_c=22 | option_d=23 | answer=C | explanation=The common difference is 5. Therefore the next term is 17 + 5 = 22.

id=52404 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1809. If it is sold at a profit of 5%, what is its selling price? | option_a=1719 | option_b=2079 | option_c=1814 | option_d=1899 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1809 × 105/100 = **■**1899.

id=52405 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:2 and the first is 84, what is the second? | option_a=24 | option_b=31 | option_c=22 | option_d=108 | answer=A | explanation=Scale factor = 84/7 = 12. Therefore second quantity = 2×12 = 24.

id=52406 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1136. If it is sold at a profit of 5%, what is its selling price? | option_a=1079 | option_b=1305 | option_c=1192 | option_d=1141 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1136 × 105/100 = **■**1192.

id=52407 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=16 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=52408 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=52409 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:8 and the first is 20, what is the second? | option_a=161 | option_b=180 | option_c=160 | option_d=152 | answer=C | explanation=Scale factor = 20/1 = 20. Therefore second quantity = 8×20 = 160.

id=52410 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 52,411-52,440 of 100,000

id=52411 | topic=Percentages | difficulty=Easy | question=What is 25% of 1064? | option_a=532 | option_b=266 | option_c=261 | option_d=276 | answer=B | explanation=25% of 1064 = (25/100) × 1064 = 266.

id=52412 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=R | option_b=T | option_c=U | option_d=S | answer=B | explanation=Move 1 positions forward from S; the resulting letter is T.

id=52413 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4735. If it is sold at a profit of 50%, what is its selling price? | option_a=4785 | option_b=7102 | option_c=7575 | option_d=6629 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4735 × 150/100 = █7102.

id=52414 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:4 and the first is 30, what is the second? | option_a=8 | option_b=38 | option_c=4 | option_d=23 | answer=A | explanation=Scale factor = 30/15 = 2. Therefore second quantity = 4×2 = 8.

id=52415 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 14. | option_a=240 | option_b=420 | option_c=210 | option_d=196 | answer=C | explanation=LCM × HCF = 30×14; HCF(30,14) = 2, so LCM = 210.

id=52416 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:18 and the first is 4, what is the second? | option_a=40 | option_b=36 | option_c=38 | option_d=18 | answer=B | explanation=Scale factor = 4/2 = 2. Therefore second quantity = 18×2 = 36.

id=52417 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=29 | option_b=35 | option_c=34 | option_d=39 | answer=C | explanation=The common difference is 5. Therefore the next term is 29 + 5 = 34.

id=52418 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=40 | option_b=34 | option_c=26 | option_d=33 | answer=D | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

id=52419 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38173 at 4% per annum for 4 years. | option_a=6107 | option_b=6207 | option_c=44280 | option_d=6007 | answer=A | explanation=SI = PRT/100 = 38173×4×4/100 = █6107.

id=52420 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=52421 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21504 at 6% per annum for 4 years. | option_a=26664 | option_b=5160 | option_c=5060 | option_d=5260 | answer=B | explanation=SI = PRT/100 = 21504×6×4/100 = █5160.

id=52422 | topic=Averages | difficulty=Easy | question=Find the average of 83, 28, 27. | option_a=46 | option_b=45 | option_c=47 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = 138 ÷ 3 = 46.

id=52423 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=100 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=52424 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=53 | option_c=43 | option_d=96 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=52425 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17750 at 12% per annum for 3 years. | option_a=6490 | option_b=6390 | option_c=6290 | option_d=24140 | answer=B | explanation=SI = PRT/100 = 17750×12×3/100 = █6390.

id=52426 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1229. If it is sold at a profit of 15%, what is its selling price? | option_a=1535 | option_b=1291 | option_c=1413 | option_d=1244 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1229 × 115/100 = █1413.

id=52427 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=22 | option_b=24 | option_c=25 | option_d=26 | answer=B | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.

id=52428 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48511 at 10% per annum for 5 years. | option_a=24155 | option_b=24355 | option_c=72766 | option_d=24255 | answer=D | explanation=SI = PRT/100 = 48511×10×5/100 = █24255.

id=52429 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18110 at 15% per annum for 3 years. | option_a=8049 | option_b=26259 | option_c=8249 | option_d=8149 | answer=D | explanation=SI = PRT/100 = 18110×15×3/100 = █8149.

id=52430 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=115 | option_d=240 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=52431 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 8, 10, 14? | option_a=8 | option_b=14 | option_c=6 | option_d=10 | answer=B | explanation=The first three numbers increase by 2, so the next should be 12. Therefore 14 is the odd one out.

id=52432 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 25? | option_a=25 | option_b=19 | option_c=17 | option_d=21 | answer=A | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 25 is the odd one out.

id=52433 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=52434 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:6 and the first is 42, what is the second? | option_a=18 | option_b=12 | option_c=32 | option_d=60 | answer=A | explanation=Scale factor = 42/14 = 3. Therefore second quantity = 6×3 = 18.

id=52435 | topic=Percentages | difficulty=Easy | question=What is 20% of 986? | option_a=394 | option_b=217 | option_c=197 | option_d=177 | answer=C | explanation=20% of 986 = (20/100) × 986 = 197.

id=52436 | topic=Averages | difficulty=Easy | question=Find the average of 18, 35, 85. | option_a=47 | option_b=48 | option_c=45 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 138 ÷ 3 = 46.

id=52437 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40022 at 15% per annum for 4 years. | option_a=24013 | option_b=23913 | option_c=64035 | option_d=24113 | answer=A | explanation=SI = PRT/100 = 40022×15×4/100 = █24013.

id=52438 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=44 | option_b=53 | option_c=43 | option_d=33 | answer=C | explanation=The common difference is 10. Therefore the next term is 33 + 10 = 43.

id=52439 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=18 | option_b=14 | option_c=22 | option_d=19 | answer=A | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.

id=52440 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47745 at 10% per annum for 5 years. | option_a=23772 | option_b=23872 | option_c=71617 | option_d=23972 | answer=B | explanation=SI = PRT/100 = 47745×10×5/100 = █23872.

Aptitude Questions — Records 52,441-52,470 of 100,000

id=52441 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31625 at 8% per annum for 5 years. | option_a=12750 | option_b=12550 | option_c=12650 | option_d=44275 | answer=C | explanation=SI = PRT/100 = 31625×8×5/100 = **■**12650.

id=52442 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=T | option_b=P | option_c=R | option_d=V | answer=A | explanation=Move 2 positions forward from R; the resulting letter is T.

id=52443 | topic=Percentages | difficulty=Easy | question=What is 40% of 547? | option_a=436 | option_b=213 | option_c=238 | option_d=218 | answer=D | explanation=40% of 547 = (40/100) × 547 = 218.

id=52444 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=52445 | topic=Percentages | difficulty=Easy | question=What is 5% of 829? | option_a=41 | option_b=82 | option_c=51 | option_d=36 | answer=A | explanation=5% of 829 = (5/100) × 829 = 41.

id=52446 | topic=Averages | difficulty=Easy | question=Find the average of 32, 46, 63, 26, 36, 19. | option_a=36 | option_b=37 | option_c=38 | option_d=39 | answer=B | explanation=Average = sum of values ÷ number of values = 222 ÷ 6 = 37.

id=52447 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=34 | option_b=26 | option_c=30 | option_d=31 | answer=C | explanation=The common difference is 4. Therefore the next term is 26 + 4 = 30.

id=52448 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=29 | option_c=19 | option_d=48 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=52449 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2954. If it is sold at a profit of 20%, what is its selling price? | option_a=3544 | option_b=3839 | option_c=2974 | option_d=3249 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2954 × 120/100 = **■**3544.

id=52450 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=I | option_b=A | option_c=E | option_d=W | answer=C | explanation=Move 4 positions forward from A; the resulting letter is E.

id=52451 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33911 at 6% per annum for 1 years. | option_a=35945 | option_b=2034 | option_c=2134 | option_d=1934 | answer=B | explanation=SI = PRT/100 = 33911×6×1/100 = **■**2034.

id=52452 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27510 at 6% per annum for 5 years. | option_a=35763 | option_b=8353 | option_c=8253 | option_d=8153 | answer=C | explanation=SI = PRT/100 = 27510×6×5/100 = **■**8253.

id=52453 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=95 | option_c=180 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=52454 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1388. If it is sold at a profit of 10%, what is its selling price? | option_a=1664 | option_b=1398 | option_c=1526 | option_d=1388 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1388 × 110/100 = **■**1526.

id=52455 | topic=Averages | difficulty=Easy | question=Find the average of 39, 30, 70, 65. | option_a=51 | option_b=52 | option_c=53 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 204 ÷ 4 = 51.

id=52456 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=52457 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=52458 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=52459 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30262 at 10% per annum for 2 years. | option_a=6052 | option_b=36314 | option_c=6152 | option_d=5952 | answer=A | explanation=SI = PRT/100 = 30262×10×2/100 = **■**6052.

id=52460 | topic=Percentages | difficulty=Easy | question=What is 50% of 1235? | option_a=617 | option_b=597 | option_c=637 | option_d=1234 | answer=A | explanation=50% of 1235 = (50/100) × 1235 = 617.

id=52461 | topic=Averages | difficulty=Easy | question=Find the average of 67, 77, 61, 10, 60. | option_a=55 | option_b=56 | option_c=54 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 275 ÷ 5 = 55.

id=52462 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10484 at 8% per annum for 4 years. | option_a=3254 | option_b=3454 | option_c=3354 | option_d=13838 | answer=C | explanation=SI = PRT/100 = 10484×8×4/100 = **■**3354.

id=52463 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34602 at 4% per annum for 4 years. | option_a=40138 | option_b=5636 | option_c=5436 | option_d=5536 | answer=D | explanation=SI = PRT/100 = 34602×4×4/100 = **■**5536.

id=52464 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 15. | option_a=54 | option_b=135 | option_c=30 | option_d=45 | answer=D | explanation=LCM × HCF = 9×15; HCF(9,15) = 3, so LCM = 45.

id=52465 | topic=Averages | difficulty=Easy | question=Find the average of 73, 20, 99, 93, 34, 46, 32, 27. | option_a=55 | option_b=54 | option_c=53 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.

id=52466 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=24 | option_b=28 | option_c=32 | option_d=29 | answer=B | explanation=The common difference is 4. Therefore the next term is 24 + 4 = 28.

id=52467 | topic=Percentages | difficulty=Easy | question=What is 40% of 1538? | option_a=615 | option_b=620 | option_c=595 | option_d=1230 | answer=A | explanation=40% of 1538 = (40/100) × 1538 = 615.

id=52468 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=5 | option_c=20 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=52469 | topic=Averages | difficulty=Easy | question=Find the average of 72, 71, 33, 50, 81, 77. | option_a=64 | option_b=63 | option_c=66 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 384 ÷ 6 = 64.

id=52470 | topic=Percentages | difficulty=Easy | question=What is 25% of 1899? | option_a=474 | option_b=464 | option_c=948 | option_d=484 | answer=A | explanation=25% of 1899 = (25/100) × 1899 = 474.

Aptitude Questions — Records 52,471-52,500 of 100,000

id=52471 | topic=Averages | difficulty=Easy | question=Find the average of 39, 71, 70. | option_a=59 | option_b=60 | option_c=62 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 180 ÷ 3 = 60.

id=52472 | topic=Averages | difficulty=Easy | question=Find the average of 11, 36, 64, 62, 39, 98, 18, 72. | option_a=50 | option_b=51 | option_c=52 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 400 ÷ 8 = 50.

id=52473 | topic=Profit & Loss | difficulty=Easy | question=An article costs █889. If it is sold at a profit of 25%, what is its selling price? | option_a=1023 | option_b=914 | option_c=1111 | option_d=1199 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 889 × 125/100 = █1111.

id=52474 | topic=Averages | difficulty=Easy | question=Find the average of 70, 95, 91, 21, 78, 11, 33. | option_a=56 | option_b=58 | option_c=59 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 399 ÷ 7 = 57.

id=52475 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=56 | option_b=57 | option_c=46 | option_d=66 | answer=A | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=52476 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 14, 19, 26? | option_a=14 | option_b=19 | option_c=26 | option_d=9 | answer=C | explanation=The first three numbers increase by 5, so the next should be 24. Therefore 26 is the odd one out.

id=52477 | topic=Averages | difficulty=Easy | question=Find the average of 28, 75, 25, 48. | option_a=45 | option_b=46 | option_c=44 | option_d=43 | answer=C | explanation=Average = sum of values ÷ number of values = 176 ÷ 4 = 44.

id=52478 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=25 | option_c=20 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=52479 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37717 at 8% per annum for 4 years. | option_a=12069 | option_b=11969 | option_c=49786 | option_d=12169 | answer=A | explanation=SI = PRT/100 = 37717×8×4/100 = █12069.

id=52480 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 6. | option_a=60 | option_b=24 | option_c=180 | option_d=30 | answer=D | explanation=LCM × HCF = 30×6; HCF(30,6) = 6, so LCM = 30.

id=52481 | topic=Percentages | difficulty=Easy | question=What is 5% of 1270? | option_a=126 | option_b=43 | option_c=63 | option_d=68 | answer=C | explanation=5% of 1270 = (5/100) × 1270 = 63.

id=52482 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4219 at 12% per annum for 3 years. | option_a=1518 | option_b=5737 | option_c=1618 | option_d=1418 | answer=A | explanation=SI = PRT/100 = 4219×12×3/100 = █1518.

id=52483 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=I | option_b=L | option_c=F | option_d=C | answer=A | explanation=Move 3 positions forward from F; the resulting letter is I.

id=52484 | topic=Percentages | difficulty=Easy | question=What is 40% of 882? | option_a=362 | option_b=352 | option_c=704 | option_d=342 | answer=B | explanation=40% of 882 = (40/100) × 882 = 352.

id=52485 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3157. If it is sold at a profit of 10%, what is its selling price? | option_a=3472 | option_b=3787 | option_c=3157 | option_d=3167 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3157 × 110/100 = █3472.

id=52486 | topic=Averages | difficulty=Easy | question=Find the average of 76, 84, 71. | option_a=78 | option_b=77 | option_c=76 | option_d=79 | answer=B | explanation=Average = sum of values ÷ number of values = 231 ÷ 3 = 77.

id=52487 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=7 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=52488 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2738. If it is sold at a profit of 5%, what is its selling price? | option_a=2601 | option_b=3147 | option_c=2743 | option_d=2874 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2738 × 105/100 = █2874.

id=52489 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=52490 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 37? | option_a=14 | option_b=4 | option_c=37 | option_d=24 | answer=C | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 37 is the odd one out.

id=52491 | topic=Averages | difficulty=Easy | question=Find the average of 96, 41, 90, 81, 64, 29, 75, 36. | option_a=66 | option_b=64 | option_c=65 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 512 ÷ 8 = 64.

id=52492 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=W | option_c=V | option_d=T | answer=C | explanation=Move 1 positions forward from U; the resulting letter is V.

id=52493 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=80 | option_d=150 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=52494 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=52495 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:11 and the first is 112, what is the second? | option_a=88 | option_b=77 | option_c=200 | option_d=102 | answer=A | explanation=Scale factor = 112/14 = 8. Therefore second quantity = 11×8 = 88.

id=52496 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:2 and the first is 88, what is the second? | option_a=30 | option_b=22 | option_c=110 | option_d=20 | answer=B | explanation=Scale factor = 88/8 = 11. Therefore second quantity = 2×11 = 22.

id=52497 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14924 at 6% per annum for 4 years. | option_a=3581 | option_b=3481 | option_c=3681 | option_d=18505 | answer=A | explanation=SI = PRT/100 = 14924×6×4/100 = █3581.

id=52498 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:12 and the first is 32, what is the second? | option_a=194 | option_b=224 | option_c=180 | option_d=192 | answer=D | explanation=Scale factor = 32/2 = 16. Therefore second quantity = 12×16 = 192.

id=52499 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=45 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=52500 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=26 | option_b=20 | option_c=24 | option_d=23 | answer=D | explanation=The common difference is 3. Therefore the next term is 20 + 3 = 23.

Aptitude Questions — Records 52,501-52,530 of 100,000

id=52501 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 10, 17, 25? | option_a=3 | option_b=10 | option_c=17 | option_d=25 | answer=D | explanation=The first three numbers increase by 7, so the next should be 24. Therefore 25 is the odd one out.

id=52502 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=L | option_c=M | option_d=K | answer=C | explanation=Move 1 positions forward from L; the resulting letter is M.

id=52503 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=52504 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:18 and the first is 84, what is the second? | option_a=234 | option_b=258 | option_c=336 | option_d=252 | answer=D | explanation=Scale factor = 84/6 = 14. Therefore second quantity = 18×14 = 252.

id=52505 | topic=Averages | difficulty=Easy | question=Find the average of 27, 84, 60. | option_a=58 | option_b=59 | option_c=57 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 171 ÷ 3 = 57.

id=52506 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=Z | option_b=E | option_c=O | option_d=J | answer=D | explanation=Move 5 positions forward from E; the resulting letter is J.

id=52507 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■17528 at 10% per annum for 3 years. | option_a=22786 | option_b=5258 | option_c=5358 | option_d=5158 | answer=B | explanation=SI = PRT/100 = 17528×10×3/100 = ■5258.

id=52508 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=64 | option_b=52 | option_c=76 | option_d=65 | answer=A | explanation=The common difference is 12. Therefore the next term is 52 + 12 = 64.

id=52509 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=52510 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■18702 at 15% per annum for 5 years. | option_a=14026 | option_b=13926 | option_c=14126 | option_d=32728 | answer=A | explanation=SI = PRT/100 = 18702×15×5/100 = ■14026.

id=52511 | topic=Percentages | difficulty=Easy | question=What is 10% of 1142? | option_a=114 | option_b=109 | option_c=124 | option_d=228 | answer=A | explanation=10% of 1142 = (10/100) × 1142 = 114.

id=52512 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=Q | option_c=K | option_d=M | answer=A | explanation=Move 2 positions forward from M; the resulting letter is O.

id=52513 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 10, 15, 21? | option_a=15 | option_b=21 | option_c=10 | option_d=5 | answer=B | explanation=The first three numbers increase by 5, so the next should be 20. Therefore 21 is the odd one out.

id=52514 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=90 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=52515 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 30. | option_a=360 | option_b=416 | option_c=780 | option_d=390 | answer=D | explanation=LCM × HCF = 26×30; HCF(26,30) = 2, so LCM = 390.

id=52516 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=55 | option_b=47 | option_c=39 | option_d=48 | answer=B | explanation=The common difference is 8. Therefore the next term is 39 + 8 = 47.

id=52517 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 27, 36, 47? | option_a=36 | option_b=47 | option_c=27 | option_d=18 | answer=B | explanation=The first three numbers increase by 9, so the next should be 45. Therefore 47 is the odd one out.

id=52518 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 15, 21, 28? | option_a=15 | option_b=28 | option_c=21 | option_d=9 | answer=B | explanation=The first three numbers increase by 6, so the next should be 27. Therefore 28 is the odd one out.

id=52519 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=36 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=52520 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=52521 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=37 | option_b=47 | option_c=46 | option_d=55 | answer=C | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=52522 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=M | option_c=O | option_d=Q | answer=D | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=52523 | topic=Percentages | difficulty=Easy | question=What is 30% of 148? | option_a=44 | option_b=24 | option_c=54 | option_d=88 | answer=A | explanation=30% of 148 = (30/100) × 148 = 44.

id=52524 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=H | option_b=K | option_c=E | option_d=B | answer=A | explanation=Move 3 positions forward from E; the resulting letter is H.

id=52525 | topic=Percentages | difficulty=Easy | question=What is 25% of 1294? | option_a=333 | option_b=646 | option_c=323 | option_d=313 | answer=C | explanation=25% of 1294 = (25/100) × 1294 = 323.

id=52526 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 6. | option_a=12 | option_b=72 | option_c=6 | option_d=24 | answer=A | explanation=LCM × HCF = 12×6; HCF(12,6) = 6, so LCM = 12.

id=52527 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 22, 25, 30? | option_a=19 | option_b=25 | option_c=30 | option_d=22 | answer=C | explanation=The first three numbers increase by 3, so the next should be 28. Therefore 30 is the odd one out.

id=52528 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=38 | option_b=33 | option_c=32 | option_d=26 | answer=C | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=52529 | topic=Averages | difficulty=Easy | question=Find the average of 40, 85, 14, 55, 19, 75. | option_a=47 | option_b=48 | option_c=49 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 288 ÷ 6 = 48.

id=52530 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:13 and the first is 76, what is the second? | option_a=39 | option_b=128 | option_c=52 | option_d=71 | answer=C | explanation=Scale factor = 76/19 = 4. Therefore second quantity = 13×4 = 52.

Aptitude Questions — Records 52,531-52,560 of 100,000

id=52531 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=75 | option_c=85 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=52532 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=Z | option_b=O | option_c=J | option_d=E | answer=C | explanation=Move 5 positions forward from E; the resulting letter is J.

id=52533 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=52534 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=L | option_b=M | option_c=N | option_d=O | answer=C | explanation=Move 1 positions forward from M; the resulting letter is N.

id=52535 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1144. If it is sold at a profit of 30%, what is its selling price? | option_a=1373 | option_b=1601 | option_c=1174 | option_d=1487 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1144 × 130/100 = █1487.

id=52536 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=10 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=52537 | topic=Percentages | difficulty=Easy | question=What is 12% of 1783? | option_a=223 | option_b=426 | option_c=193 | option_d=213 | answer=D | explanation=12% of 1783 = (12/100) × 1783 = 213.

id=52538 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=52539 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 30. | option_a=99 | option_b=270 | option_c=60 | option_d=90 | answer=D | explanation=LCM × HCF = 9×30; HCF(9,30) = 3, so LCM = 90.

id=52540 | topic=Percentages | difficulty=Easy | question=What is 12% of 1794? | option_a=215 | option_b=195 | option_c=220 | option_d=430 | answer=A | explanation=12% of 1794 = (12/100) × 1794 = 215.

id=52541 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41976 at 8% per annum for 5 years. | option_a=16890 | option_b=16790 | option_c=16690 | option_d=58766 | answer=B | explanation=SI = PRT/100 = 41976×8×5/100 = █16790.

id=52542 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4399. If it is sold at a profit of 30%, what is its selling price? | option_a=6157 | option_b=5718 | option_c=4429 | option_d=5279 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4399 × 130/100 = █5718.

id=52543 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=52544 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=52545 | topic=Profit & Loss | difficulty=Easy | question=An article costs █370. If it is sold at a profit of 25%, what is its selling price? | option_a=462 | option_b=395 | option_c=425 | option_d=499 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 370 × 125/100 = █462.

id=52546 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 28. | option_a=616 | option_b=330 | option_c=308 | option_d=280 | answer=C | explanation=LCM × HCF = 22×28; HCF(22,28) = 2, so LCM = 308.

id=52547 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:10 and the first is 32, what is the second? | option_a=36 | option_b=52 | option_c=20 | option_d=10 | answer=C | explanation=Scale factor = 32/16 = 2. Therefore second quantity = 10×2 = 20.

id=52548 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 39? | option_a=11 | option_b=39 | option_c=29 | option_d=20 | answer=B | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 39 is the odd one out.

id=52549 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 43? | option_a=28 | option_b=35 | option_c=21 | option_d=43 | answer=D | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 43 is the odd one out.

id=52550 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 44? | option_a=37 | option_b=27 | option_c=32 | option_d=44 | answer=D | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 44 is the odd one out.

id=52551 | topic=Averages | difficulty=Easy | question=Find the average of 57, 10, 99, 21, 39, 37, 58, 21, 36. | option_a=43 | option_b=41 | option_c=44 | option_d=42 | answer=D | explanation=Average = sum of values ÷ number of values = 378 ÷ 9 = 42.

id=52552 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=36 | option_c=18 | option_d=13 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=52553 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:18 and the first is 100, what is the second? | option_a=90 | option_b=110 | option_c=72 | option_d=190 | answer=A | explanation=Scale factor = 100/20 = 5. Therefore second quantity = 18×5 = 90.

id=52554 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2050. If it is sold at a profit of 40%, what is its selling price? | option_a=2090 | option_b=2870 | option_c=3075 | option_d=2665 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2050 × 140/100 = █2870.

id=52555 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:19 and the first is 72, what is the second? | option_a=152 | option_b=171 | option_c=243 | option_d=179 | answer=B | explanation=Scale factor = 72/8 = 9. Therefore second quantity = 19×9 = 171.

id=52556 | topic=Percentages | difficulty=Easy | question=What is 30% of 1451? | option_a=435 | option_b=415 | option_c=870 | option_d=455 | answer=A | explanation=30% of 1451 = (30/100) × 1451 = 435.

id=52557 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=24 | option_b=20 | option_c=26 | option_d=23 | answer=D | explanation=The common difference is 3. Therefore the next term is 20 + 3 = 23.

id=52558 | topic=Percentages | difficulty=Easy | question=What is 15% of 1128? | option_a=169 | option_b=338 | option_c=159 | option_d=174 | answer=A | explanation=15% of 1128 = (15/100) × 1128 = 169.

id=52559 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 23, 30, 38? | option_a=16 | option_b=30 | option_c=23 | option_d=38 | answer=D | explanation=The first three numbers increase by 7, so the next should be 37. Therefore 38 is the odd one out.

id=52560 | topic=Averages | difficulty=Easy | question=Find the average of 54, 95, 15, 31, 99, 36, 92, 98. | option_a=65 | option_b=66 | option_c=64 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = 520 ÷ 8 = 65.

Aptitude Questions — Records 52,561-52,590 of 100,000

id=52561 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=29 | option_b=35 | option_c=39 | option_d=34 | answer=D | explanation=The common difference is 5. Therefore the next term is 29 + 5 = 34.

id=52562 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 10. | option_a=80 | option_b=48 | option_c=30 | option_d=40 | answer=D | explanation=LCM × HCF = 8×10; HCF(8,10) = 2, so LCM = 40.

id=52563 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 39? | option_a=39 | option_b=34 | option_c=30 | option_d=32 | answer=A | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 39 is the odd one out.

id=52564 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:6 and the first is 88, what is the second? | option_a=60 | option_b=74 | option_c=154 | option_d=66 | answer=D | explanation=Scale factor = 88/8 = 11. Therefore second quantity = 6×11 = 66.

id=52565 | topic=Averages | difficulty=Easy | question=Find the average of 69, 79, 26. | option_a=58 | option_b=57 | option_c=60 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 174 ÷ 3 = 58.

id=52566 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=35 | option_b=29 | option_c=32 | option_d=33 | answer=C | explanation=The common difference is 3. Therefore the next term is 29 + 3 = 32.

id=52567 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=240 | option_c=115 | option_d=125 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=52568 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=W | option_c=A | option_d=O | answer=B | explanation=Move 4 positions forward from S; the resulting letter is W.

id=52569 | topic=Percentages | difficulty=Easy | question=What is 12% of 1833? | option_a=438 | option_b=229 | option_c=219 | option_d=199 | answer=C | explanation=12% of 1833 = (12/100) × 1833 = 219.

id=52570 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=O | option_b=R | option_c=U | option_d=X | answer=C | explanation=Move 3 positions forward from R; the resulting letter is U.

id=52571 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=52572 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=31 | option_b=47 | option_c=40 | option_d=39 | answer=D | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

id=52573 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=52574 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 10, 13, 16, ? | option_a=16 | option_b=22 | option_c=20 | option_d=19 | answer=D | explanation=The common difference is 3. Therefore the next term is 16 + 3 = 19.

id=52575 | topic=Averages | difficulty=Easy | question=Find the average of 67, 33, 91, 78, 40, 77, 97. | option_a=68 | option_b=69 | option_c=70 | option_d=71 | answer=B | explanation=Average = sum of values ÷ number of values = 483 ÷ 7 = 69.

id=52576 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:15 and the first is 342, what is the second? | option_a=303 | option_b=627 | option_c=270 | option_d=285 | answer=D | explanation=Scale factor = 342/18 = 19. Therefore second quantity = 15×19 = 285.

id=52577 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18088 at 4% per annum for 4 years. | option_a=2994 | option_b=2794 | option_c=20982 | option_d=2894 | answer=D | explanation=SI = PRT/100 = 18088×4×4/100 = **■**2894.

id=52578 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48665 at 6% per annum for 4 years. | option_a=11779 | option_b=11679 | option_c=60344 | option_d=11579 | answer=B | explanation=SI = PRT/100 = 48665×6×4/100 = **■**11679.

id=52579 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4134. If it is sold at a profit of 30%, what is its selling price? | option_a=5787 | option_b=4961 | option_c=4164 | option_d=5374 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4134 × 130/100 = **■**5374.

id=52580 | topic=Percentages | difficulty=Easy | question=What is 20% of 1733? | option_a=692 | option_b=336 | option_c=366 | option_d=346 | answer=D | explanation=20% of 1733 = (20/100) × 1733 = 346.

id=52581 | topic=Percentages | difficulty=Easy | question=What is 12% of 1642? | option_a=177 | option_b=217 | option_c=394 | option_d=197 | answer=D | explanation=12% of 1642 = (12/100) × 1642 = 197.

id=52582 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=52583 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=N | option_c=X | option_d=C | answer=C | explanation=Move 5 positions forward from S; the resulting letter is X.

id=52584 | topic=Averages | difficulty=Easy | question=Find the average of 70, 32, 77, 81. | option_a=64 | option_b=67 | option_c=65 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = 260 ÷ 4 = 65.

id=52585 | topic=Averages | difficulty=Easy | question=Find the average of 50, 95, 11, 88, 16, 17, 98, 105. | option_a=62 | option_b=59 | option_c=60 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 480 ÷ 8 = 60.

id=52586 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:11 and the first is 104, what is the second? | option_a=88 | option_b=77 | option_c=192 | option_d=101 | answer=A | explanation=Scale factor = 104/13 = 8. Therefore second quantity = 11×8 = 88.

id=52587 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=C | option_b=M | option_c=R | option_d=H | answer=B | explanation=Move 5 positions forward from H; the resulting letter is M.

id=52588 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=52589 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=52590 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38164 at 4% per annum for 5 years. | option_a=7532 | option_b=7632 | option_c=7732 | option_d=45796 | answer=B | explanation=SI = PRT/100 = 38164×4×5/100 = **■**7632.

Aptitude Questions — Records 52,591-52,620 of 100,000

id=52591 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=H | option_b=C | option_c=M | option_d=X | answer=A | explanation=Move 5 positions forward from C; the resulting letter is H.

id=52592 | topic=Averages | difficulty=Easy | question=Find the average of 60, 16, 52, 91, 36. | option_a=52 | option_b=51 | option_c=50 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 255 ÷ 5 = 51.

id=52593 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:14 and the first is 6, what is the second? | option_a=34 | option_b=28 | option_c=14 | option_d=31 | answer=B | explanation=Scale factor = 6/3 = 2. Therefore second quantity = 14×2 = 28.

id=52594 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 36? | option_a=26 | option_b=29 | option_c=32 | option_d=36 | answer=D | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 36 is the odd one out.

id=52595 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 12, 16, 23? | option_a=12 | option_b=16 | option_c=23 | option_d=8 | answer=C | explanation=The first three numbers increase by 4, so the next should be 20. Therefore 23 is the odd one out.

id=52596 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=100 | option_c=50 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=52597 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32552 at 4% per annum for 2 years. | option_a=2604 | option_b=2504 | option_c=2704 | option_d=35156 | answer=A | explanation=SI = PRT/100 = 32552×4×2/100 = **■**2604.

id=52598 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4948. If it is sold at a profit of 40%, what is its selling price? | option_a=4988 | option_b=6927 | option_c=7421 | option_d=6433 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4948 × 140/100 = **■**6927.

id=52599 | topic=Averages | difficulty=Easy | question=Find the average of 47, 65, 74, 92, 43, 98, 29, 27, 60, 45. | option_a=59 | option_b=57 | option_c=58 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 580 ÷ 10 = 58.

id=52600 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=Q | option_b=M | option_c=I | option_d=E | answer=B | explanation=Move 4 positions forward from I; the resulting letter is M.

id=52601 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=28 | option_b=33 | option_c=21 | option_d=27 | answer=D | explanation=The common difference is 6. Therefore the next term is 21 + 6 = 27.

id=52602 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=56 | option_b=45 | option_c=65 | option_d=55 | answer=D | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.

id=52603 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:3 and the first is 12, what is the second? | option_a=48 | option_b=33 | option_c=37 | option_d=36 | answer=D | explanation=Scale factor = 12/1 = 12. Therefore second quantity = 3×12 = 36.

id=52604 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=S | option_b=D | option_c=N | option_d=I | answer=C | explanation=Move 5 positions forward from I; the resulting letter is N.

id=52605 | topic=Averages | difficulty=Easy | question=Find the average of 93, 48, 18, 17, 98, 86. | option_a=59 | option_b=60 | option_c=61 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 360 ÷ 6 = 60.

id=52606 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4053. If it is sold at a profit of 50%, what is its selling price? | option_a=5674 | option_b=6079 | option_c=4103 | option_d=6484 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4053 × 150/100 = **■**6079.

id=52607 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=66 | option_b=78 | option_c=67 | option_d=54 | answer=A | explanation=The common difference is 12. Therefore the next term is 54 + 12 = 66.

id=52608 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1302. If it is sold at a profit of 30%, what is its selling price? | option_a=1332 | option_b=1692 | option_c=1562 | option_d=1822 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1302 × 130/100 = **■**1692.

id=52609 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43018 at 12% per annum for 3 years. | option_a=58504 | option_b=15386 | option_c=15486 | option_d=15586 | answer=C | explanation=SI = PRT/100 = 43018×12×3/100 = **■**15486.

id=52610 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14727 at 5% per annum for 2 years. | option_a=1372 | option_b=16199 | option_c=1572 | option_d=1472 | answer=D | explanation=SI = PRT/100 = 14727×5×2/100 = **■**1472.

id=52611 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=28 | option_b=29 | option_c=26 | option_d=30 | answer=A | explanation=The common difference is 2. Therefore the next term is 26 + 2 = 28.

id=52612 | topic=Percentages | difficulty=Easy | question=What is 50% of 510? | option_a=245 | option_b=510 | option_c=260 | option_d=255 | answer=D | explanation=50% of 510 = (50/100) × 510 = 255.

id=52613 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=31 | option_b=37 | option_c=30 | option_d=23 | answer=C | explanation=The common difference is 7. Therefore the next term is 23 + 7 = 30.

id=52614 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=125 | option_c=120 | option_d=115 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=52615 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=15 | option_c=10 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=52616 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=X | option_b=I | option_c=N | option_d=S | answer=D | explanation=Move 5 positions forward from N; the resulting letter is S.

id=52617 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1313. If it is sold at a profit of 40%, what is its selling price? | option_a=1838 | option_b=1353 | option_c=1969 | option_d=1707 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1313 × 140/100 = **■**1838.

id=52618 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1206. If it is sold at a profit of 20%, what is its selling price? | option_a=1327 | option_b=1567 | option_c=1226 | option_d=1447 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1206 × 120/100 = **■**1447.

id=52619 | topic=Averages | difficulty=Easy | question=Find the average of 67, 94, 54, 23, 97, 20, 100. | option_a=64 | option_b=65 | option_c=67 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 455 ÷ 7 = 65.

id=52620 | topic=Percentages | difficulty=Easy | question=What is 40% of 347? | option_a=276 | option_b=138 | option_c=148 | option_d=133 | answer=B | explanation=40% of 347 = (40/100) × 347 = 138.

Aptitude Questions — Records 52,621-52,650 of 100,000

id=52621 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:8 and the first is 88, what is the second? | option_a=152 | option_b=64 | option_c=56 | option_d=75 | answer=B | explanation=Scale factor = 88/11 = 8. Therefore second quantity = 8×8 = 64.

id=52622 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=52623 | topic=Percentages | difficulty=Easy | question=What is 10% of 538? | option_a=106 | option_b=48 | option_c=53 | option_d=63 | answer=C | explanation=10% of 538 = (10/100) × 538 = 53.

id=52624 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 57? | option_a=38 | option_b=29 | option_c=57 | option_d=47 | answer=C | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 57 is the odd one out.

id=52625 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2928. If it is sold at a profit of 5%, what is its selling price? | option_a=2782 | option_b=3366 | option_c=3074 | option_d=2933 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2928 × 105/100 = █3074.

id=52626 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=52627 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 43? | option_a=27 | option_b=43 | option_c=32 | option_d=37 | answer=B | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 43 is the odd one out.

id=52628 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 15, 20, 27? | option_a=20 | option_b=15 | option_c=27 | option_d=10 | answer=C | explanation=The first three numbers increase by 5, so the next should be 25. Therefore 27 is the odd one out.

id=52629 | topic=Percentages | difficulty=Easy | question=What is 25% of 231? | option_a=114 | option_b=47 | option_c=77 | option_d=57 | answer=D | explanation=25% of 231 = (25/100) × 231 = 57.

id=52630 | topic=Averages | difficulty=Easy | question=Find the average of 82, 87, 89. | option_a=86 | option_b=87 | option_c=85 | option_d=88 | answer=A | explanation=Average = sum of values ÷ number of values = 258 ÷ 3 = 86.

id=52631 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=22 | option_b=24 | option_c=23 | option_d=20 | answer=A | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=52632 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4639. If it is sold at a profit of 25%, what is its selling price? | option_a=4664 | option_b=5798 | option_c=5335 | option_d=6261 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4639 × 125/100 = █5798.

id=52633 | topic=Percentages | difficulty=Easy | question=What is 20% of 515? | option_a=93 | option_b=103 | option_c=206 | option_d=113 | answer=B | explanation=20% of 515 = (20/100) × 515 = 103.

id=52634 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36019 at 8% per annum for 5 years. | option_a=14407 | option_b=14307 | option_c=14507 | option_d=50426 | answer=A | explanation=SI = PRT/100 = 36019×8×5/100 = █14407.

id=52635 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:6 and the first is 120, what is the second? | option_a=72 | option_b=180 | option_c=54 | option_d=60 | answer=D | explanation=Scale factor = 120/12 = 10. Therefore second quantity = 6×10 = 60.

id=52636 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:15 and the first is 17, what is the second? | option_a=272 | option_b=255 | option_c=240 | option_d=256 | answer=B | explanation=Scale factor = 17/1 = 17. Therefore second quantity = 15×17 = 255.

id=52637 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=52638 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=W | option_c=K | option_d=S | answer=D | explanation=Move 4 positions forward from O; the resulting letter is S.

id=52639 | topic=Averages | difficulty=Easy | question=Find the average of 31, 41, 33. | option_a=34 | option_b=36 | option_c=35 | option_d=37 | answer=C | explanation=Average = sum of values ÷ number of values = 105 ÷ 3 = 35.

id=52640 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=D | option_b=T | option_c=O | option_d=Y | answer=D | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=52641 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:6 and the first is 54, what is the second? | option_a=45 | option_b=30 | option_c=36 | option_d=90 | answer=C | explanation=Scale factor = 54/9 = 6. Therefore second quantity = 6×6 = 36.

id=52642 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:1 and the first is 98, what is the second? | option_a=21 | option_b=13 | option_c=14 | option_d=112 | answer=C | explanation=Scale factor = 98/7 = 14. Therefore second quantity = 1×14 = 14.

id=52643 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:16 and the first is 320, what is the second? | option_a=304 | option_b=320 | option_c=640 | option_d=336 | answer=B | explanation=Scale factor = 320/16 = 20. Therefore second quantity = 16×20 = 320.

id=52644 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=72 | option_c=67 | option_d=144 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=52645 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:20 and the first is 88, what is the second? | option_a=220 | option_b=200 | option_c=228 | option_d=308 | answer=A | explanation=Scale factor = 88/8 = 11. Therefore second quantity = 20×11 = 220.

id=52646 | topic=Percentages | difficulty=Easy | question=What is 40% of 1861? | option_a=754 | option_b=744 | option_c=739 | option_d=1488 | answer=B | explanation=40% of 1861 = (40/100) × 1861 = 744.

id=52647 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=52648 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 5. | option_a=1 | option_b=25 | option_c=10 | option_d=5 | answer=D | explanation=LCM × HCF = 5×5; HCF(5,5) = 5, so LCM = 5.

id=52649 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=23 | option_b=26 | option_c=27 | option_d=29 | answer=B | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.

id=52650 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=Q | option_c=S | option_d=M | answer=B | explanation=Move 2 positions forward from O; the resulting letter is Q.

Aptitude Questions — Records 52,651-52,680 of 100,000

id=52651 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22693 at 8% per annum for 5 years. | option_a=8977 | option_b=9177 | option_c=9077 | option_d=31770 | answer=C | explanation=SI = $PRT/100 = 22693 \times 8 \times 5/100 = \text{■}9077$.

id=52652 | topic=Percentages | difficulty=Easy | question=What is 50% of 1296? | option_a=628 | option_b=668 | option_c=1296 | option_d=648 | answer=D | explanation=50% of 1296 = $(50/100) \times 1296 = 648$.

id=52653 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3756. If it is sold at a profit of 30%, what is its selling price? | option_a=4507 | option_b=4882 | option_c=3786 | option_d=5257 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3756 \times 130/100 = \text{■}4882$.

id=52654 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1328. If it is sold at a profit of 50%, what is its selling price? | option_a=1992 | option_b=1378 | option_c=1860 | option_d=2124 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1328 \times 150/100 = \text{■}1992$.

id=52655 | topic=Averages | difficulty=Easy | question=Find the average of 36, 66, 32, 76, 22, 93, 48, 20, 75. | option_a=51 | option_b=52 | option_c=54 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = $468 \div 9 = 52$.

id=52656 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:12 and the first is 54, what is the second? | option_a=219 | option_b=204 | option_c=216 | option_d=270 | answer=C | explanation=Scale factor = $54/3 = 18$. Therefore second quantity = $12 \times 18 = 216$.

id=52657 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 34, 39, 46? | option_a=46 | option_b=34 | option_c=39 | option_d=29 | answer=A | explanation=The first three numbers increase by 5, so the next should be 44. Therefore 46 is the odd one out.

id=52658 | topic=Averages | difficulty=Easy | question=Find the average of 72, 47, 64, 100, 72. | option_a=71 | option_b=72 | option_c=70 | option_d=73 | answer=A | explanation=Average = sum of values ÷ number of values = $355 \div 5 = 71$.

id=52659 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=27 | option_b=28 | option_c=30 | option_d=24 | answer=A | explanation=The common difference is 3. Therefore the next term is $24 + 3 = 27$.

id=52660 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30717 at 12% per annum for 1 years. | option_a=3686 | option_b=3586 | option_c=3786 | option_d=34403 | answer=A | explanation=SI = $PRT/100 = 30717 \times 12 \times 1/100 = \text{■}3686$.

id=52661 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4564. If it is sold at a profit of 40%, what is its selling price? | option_a=4604 | option_b=5933 | option_c=6389 | option_d=6845 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4564 \times 140/100 = \text{■}6389$.

id=52662 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13159 at 8% per annum for 2 years. | option_a=15264 | option_b=2105 | option_c=2205 | option_d=2005 | answer=B | explanation=SI = $PRT/100 = 13159 \times 8 \times 2/100 = \text{■}2105$.

id=52663 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=U | option_b=M | option_c=Q | option_d=I | answer=C | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=52664 | topic=Percentages | difficulty=Easy | question=What is 20% of 1963? | option_a=412 | option_b=784 | option_c=392 | option_d=382 | answer=C | explanation=20% of 1963 = $(20/100) \times 1963 = 392$.

id=52665 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29016 at 8% per annum for 2 years. | option_a=33658 | option_b=4642 | option_c=4542 | option_d=4742 | answer=B | explanation=SI = $PRT/100 = 29016 \times 8 \times 2/100 = \text{■}4642$.

id=52666 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=6 | option_c=12 | option_d=1 | answer=B | explanation=Speed = distance ÷ time = $60 \div 10 = 6$ km/h.

id=52667 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4613. If it is sold at a profit of 15%, what is its selling price? | option_a=4628 | option_b=5765 | option_c=5304 | option_d=4843 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4613 \times 115/100 = \text{■}5304$.

id=52668 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:15 and the first is 7, what is the second? | option_a=106 | option_b=105 | option_c=90 | option_d=112 | answer=B | explanation=Scale factor = $7/1 = 7$. Therefore second quantity = $15 \times 7 = 105$.

id=52669 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=52670 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:11 and the first is 80, what is the second? | option_a=77 | option_b=98 | option_c=168 | option_d=88 | answer=D | explanation=Scale factor = $80/10 = 8$. Therefore second quantity = $11 \times 8 = 88$.

id=52671 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 29? | option_a=29 | option_b=16 | option_c=24 | option_d=20 | answer=A | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 29 is the odd one out.

id=52672 | topic=Percentages | difficulty=Easy | question=What is 40% of 532? | option_a=232 | option_b=424 | option_c=192 | option_d=212 | answer=D | explanation=40% of 532 = $(40/100) \times 532 = 212$.

id=52673 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $150 \div 5 = 30$ km/h.

id=52674 | topic=Averages | difficulty=Easy | question=Find the average of 53, 37, 69, 48, 62, 11, 53, 70, 83. | option_a=53 | option_b=56 | option_c=54 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = $486 \div 9 = 54$.

id=52675 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28147 at 15% per annum for 4 years. | option_a=16788 | option_b=16988 | option_c=16888 | option_d=45035 | answer=C | explanation=SI = $PRT/100 = 28147 \times 15 \times 4/100 = \text{■}16888$.

id=52676 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:2 and the first is 60, what is the second? | option_a=8 | option_b=23 | option_c=68 | option_d=6 | answer=A | explanation=Scale factor = $60/15 = 4$. Therefore second quantity = $2 \times 4 = 8$.

id=52677 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=52678 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3962. If it is sold at a profit of 10%, what is its selling price? | option_a=4754 | option_b=3972 | option_c=4358 | option_d=3962 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3962 \times 110/100 = \text{■}4358$.

id=52679 | topic=Averages | difficulty=Easy | question=Find the average of 13, 73, 51, 69, 71, 18, 48. | option_a=50 | option_b=49 | option_c=51 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = $343 \div 7 = 49$.

id=52680 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=Q | option_c=U | option_d=I | answer=B | explanation=Move 4 positions forward from M; the resulting letter is Q.

Aptitude Questions — Records 52,681-52,710 of 100,000

id=52681 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■24921 at 4% per annum for 5 years. | option_a=4984 | option_b=4884 | option_c=29905 | option_d=5084 | answer=A | explanation= $Si = \frac{PRT}{100} = \frac{24921 \times 4 \times 5}{100} = \blacksquare 4984$.

id=52682 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=D | option_b=E | option_c=B | option_d=C | answer=A | explanation=Move 1 positions forward from C; the resulting letter is D.

id=52683 | topic=Percentages | difficulty=Easy | question=What is 12% of 689? | option_a=164 | option_b=82 | option_c=87 | option_d=62 | answer=B | explanation= $12\% \text{ of } 689 = \frac{(12/100) \times 689}{1} = 82$.

id=52684 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:17 and the first is 72, what is the second? | option_a=225 | option_b=153 | option_c=136 | option_d=161 | answer=B | explanation=Scale factor = $\frac{72}{8} = 9$. Therefore second quantity = $17 \times 9 = 153$.

id=52685 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=M | option_b=S | option_c=Q | option_d=O | answer=C | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=52686 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 40? | option_a=18 | option_b=32 | option_c=40 | option_d=25 | answer=C | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 40 is the odd one out.

id=52687 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:19 and the first is 72, what is the second? | option_a=171 | option_b=179 | option_c=152 | option_d=243 | answer=A | explanation=Scale factor = $\frac{72}{8} = 9$. Therefore second quantity = $19 \times 9 = 171$.

id=52688 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=59 | option_b=70 | option_c=60 | option_d=48 | answer=A | explanation=The common difference is 11. Therefore the next term is $48 + 11 = 59$.

id=52689 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:13 and the first is 72, what is the second? | option_a=189 | option_b=125 | option_c=104 | option_d=117 | answer=D | explanation=Scale factor = $\frac{72}{8} = 9$. Therefore second quantity = $13 \times 9 = 117$.

id=52690 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=48 | option_c=43 | option_d=53 | answer=B | explanation=Speed = distance ÷ time = $\frac{240}{5} = 48$ km/h.

id=52691 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:6 and the first is 90, what is the second? | option_a=198 | option_b=113 | option_c=108 | option_d=102 | answer=C | explanation=Scale factor = $\frac{90}{5} = 18$. Therefore second quantity = $6 \times 18 = 108$.

id=52692 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:8 and the first is 121, what is the second? | option_a=99 | option_b=80 | option_c=88 | option_d=209 | answer=C | explanation=Scale factor = $\frac{121}{11} = 11$. Therefore second quantity = $8 \times 11 = 88$.

id=52693 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■440. If it is sold at a profit of 40%, what is its selling price? | option_a=480 | option_b=660 | option_c=572 | option_d=616 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 440 \times \frac{140}{100} = \blacksquare 616$.

id=52694 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3500. If it is sold at a profit of 15%, what is its selling price? | option_a=3675 | option_b=4025 | option_c=4375 | option_d=3515 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3500 \times \frac{115}{100} = \blacksquare 4025$.

id=52695 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:1 and the first is 14, what is the second? | option_a=13 | option_b=14 | option_c=15 | option_d=28 | answer=B | explanation=Scale factor = $\frac{14}{1} = 14$. Therefore second quantity = $1 \times 14 = 14$.

id=52696 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = $\frac{360}{6} = 60$ km/h.

id=52697 | topic=Percentages | difficulty=Easy | question=What is 15% of 1894? | option_a=279 | option_b=568 | option_c=284 | option_d=289 | answer=C | explanation= $15\% \text{ of } 1894 = \frac{(15/100) \times 1894}{1} = 284$.

id=52698 | topic=Percentages | difficulty=Easy | question=What is 25% of 1640? | option_a=410 | option_b=820 | option_c=415 | option_d=390 | answer=A | explanation= $25\% \text{ of } 1640 = \frac{(25/100) \times 1640}{1} = 410$.

id=52699 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=Z | option_b=P | option_c=E | option_d=U | answer=A | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=52700 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:2 and the first is 19, what is the second? | option_a=36 | option_b=57 | option_c=39 | option_d=38 | answer=D | explanation=Scale factor = $\frac{19}{1} = 19$. Therefore second quantity = $2 \times 19 = 38$.

id=52701 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 32, 42, 55? | option_a=42 | option_b=22 | option_c=32 | option_d=55 | answer=D | explanation=The first three numbers increase by 10, so the next should be 52. Therefore 55 is the odd one out.

id=52702 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=90 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = $\frac{90}{2} = 45$ km/h.

id=52703 | topic=Averages | difficulty=Easy | question=Find the average of 44, 74, 48, 62. | option_a=56 | option_b=59 | option_c=57 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{228}{4} = 57$.

id=52704 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■792. If it is sold at a profit of 40%, what is its selling price? | option_a=832 | option_b=1108 | option_c=1187 | option_d=1029 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 792 \times \frac{140}{100} = \blacksquare 1108$.

id=52705 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=A | option_b=X | option_c=R | option_d=U | answer=B | explanation=Move 3 positions forward from U; the resulting letter is X.

id=52706 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=19 | option_c=29 | option_d=48 | answer=A | explanation=Speed = distance ÷ time = $\frac{240}{10} = 24$ km/h.

id=52707 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=145 | option_c=300 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = $\frac{300}{2} = 150$ km/h.

id=52708 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=96 | option_c=43 | option_d=53 | answer=A | explanation=Speed = distance ÷ time = $\frac{240}{5} = 48$ km/h.

id=52709 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1241. If it is sold at a profit of 10%, what is its selling price? | option_a=1489 | option_b=1251 | option_c=1365 | option_d=1241 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1241 \times \frac{110}{100} = \blacksquare 1365$.

id=52710 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:14 and the first is 20, what is the second? | option_a=56 | option_b=42 | option_c=61 | option_d=76 | answer=A | explanation=Scale factor = $\frac{20}{5} = 4$. Therefore second quantity = $14 \times 4 = 56$.

Aptitude Questions — Records 52,711-52,740 of 100,000

id=52711 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=53 | option_b=42 | option_c=54 | option_d=64 | answer=A | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.

id=52712 | topic=Averages | difficulty=Easy | question=Find the average of 61, 83, 62, 21, 39, 14, 38, 82. | option_a=50 | option_b=52 | option_c=51 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 400 ÷ 8 = 50.

id=52713 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=42 | option_b=36 | option_c=28 | option_d=35 | answer=D | explanation=The common difference is 7. Therefore the next term is 28 + 7 = 35.

id=52714 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=27 | option_b=24 | option_c=21 | option_d=25 | answer=B | explanation=The common difference is 3. Therefore the next term is 21 + 3 = 24.

id=52715 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=33 | option_b=38 | option_c=43 | option_d=39 | answer=B | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.

id=52716 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=27 | option_b=17 | option_c=23 | option_d=22 | answer=D | explanation=The common difference is 5. Therefore the next term is 17 + 5 = 22.

id=52717 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3634. If it is sold at a profit of 40%, what is its selling price? | option_a=5087 | option_b=3674 | option_c=4724 | option_d=5450 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3634 × 140/100 = █5087.

id=52718 | topic=Percentages | difficulty=Easy | question=What is 15% of 1490? | option_a=223 | option_b=243 | option_c=446 | option_d=218 | answer=A | explanation=15% of 1490 = (15/100) × 1490 = 223.

id=52719 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=42 | option_b=34 | option_c=48 | option_d=41 | answer=D | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=52720 | topic=Averages | difficulty=Easy | question=Find the average of 68, 23, 41, 88, 35, 35, 34, 82, 53. | option_a=51 | option_b=50 | option_c=52 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 459 ÷ 9 = 51.

id=52721 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=5 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=52722 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=52723 | topic=Averages | difficulty=Easy | question=Find the average of 16, 87, 65. | option_a=58 | option_b=57 | option_c=56 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 168 ÷ 3 = 56.

id=52724 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=I | option_b=O | option_c=R | option_d=L | answer=B | explanation=Move 3 positions forward from L; the resulting letter is O.

id=52725 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:11 and the first is 70, what is the second? | option_a=66 | option_b=147 | option_c=87 | option_d=77 | answer=D | explanation=Scale factor = 70/10 = 7. Therefore second quantity = 11×7 = 77.

id=52726 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:3 and the first is 20, what is the second? | option_a=80 | option_b=61 | option_c=60 | option_d=57 | answer=C | explanation=Scale factor = 20/1 = 20. Therefore second quantity = 3×20 = 60.

id=52727 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=50 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=52728 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=20 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=52729 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4586. If it is sold at a profit of 40%, what is its selling price? | option_a=6878 | option_b=6420 | option_c=5962 | option_d=4626 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4586 × 140/100 = █6420.

id=52730 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3814. If it is sold at a profit of 5%, what is its selling price? | option_a=4385 | option_b=3623 | option_c=4004 | option_d=3819 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3814 × 105/100 = █4004.

id=52731 | topic=Averages | difficulty=Easy | question=Find the average of 21, 46, 67, 52, 41, 51, 69, 69. | option_a=52 | option_b=51 | option_c=53 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=52732 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1199. If it is sold at a profit of 50%, what is its selling price? | option_a=1798 | option_b=1249 | option_c=1917 | option_d=1679 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1199 × 150/100 = █1798.

id=52733 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 22. | option_a=48 | option_b=44 | option_c=22 | option_d=88 | answer=B | explanation=LCM × HCF = 4×22; HCF(4,22) = 2, so LCM = 44.

id=52734 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=28 | option_b=29 | option_c=30 | option_d=26 | answer=A | explanation=The common difference is 2. Therefore the next term is 26 + 2 = 28.

id=52735 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33613 at 15% per annum for 1 years. | option_a=4941 | option_b=5041 | option_c=5141 | option_d=38654 | answer=B | explanation=SI = PRT/100 = 33613×15×1/100 = █5041.

id=52736 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=T | option_b=W | option_c=N | option_d=Q | answer=A | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=52737 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=52738 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13982 at 6% per annum for 5 years. | option_a=18176 | option_b=4294 | option_c=4094 | option_d=4194 | answer=D | explanation=SI = PRT/100 = 13982×6×5/100 = █4194.

id=52739 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=L | option_b=G | option_c=B | option_d=Q | answer=A | explanation=Move 5 positions forward from G; the resulting letter is L.

id=52740 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 52,741-52,770 of 100,000

id=52741 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=50 | option_d=25 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=52742 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 28, 31, 35? | option_a=35 | option_b=25 | option_c=31 | option_d=28 | answer=A | explanation=The first three numbers increase by 3, so the next should be 34. Therefore 35 is the odd one out.

id=52743 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=125 | option_c=115 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=52744 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 8, 10, 14? | option_a=6 | option_b=14 | option_c=10 | option_d=8 | answer=B | explanation=The first three numbers increase by 2, so the next should be 12. Therefore 14 is the odd one out.

id=52745 | topic=Percentages | difficulty=Easy | question=What is 5% of 1207? | option_a=120 | option_b=50 | option_c=60 | option_d=65 | answer=C | explanation=5% of 1207 = (5/100) × 1207 = 60.

id=52746 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:10 and the first is 288, what is the second? | option_a=196 | option_b=180 | option_c=170 | option_d=468 | answer=B | explanation=Scale factor = 288/16 = 18. Therefore second quantity = 10×18 = 180.

id=52747 | topic=Percentages | difficulty=Easy | question=What is 5% of 994? | option_a=98 | option_b=49 | option_c=29 | option_d=54 | answer=B | explanation=5% of 994 = (5/100) × 994 = 49.

id=52748 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=36 | option_b=31 | option_c=41 | option_d=72 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=52749 | topic=Percentages | difficulty=Easy | question=What is 12% of 899? | option_a=214 | option_b=117 | option_c=107 | option_d=87 | answer=C | explanation=12% of 899 = (12/100) × 899 = 107.

id=52750 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 18. | option_a=96 | option_b=72 | option_c=54 | option_d=432 | answer=B | explanation=LCM × HCF = 24×18; HCF(24,18) = 6, so LCM = 72.

id=52751 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:2 and the first is 216, what is the second? | option_a=36 | option_b=34 | option_c=48 | option_d=252 | answer=A | explanation=Scale factor = 216/12 = 18. Therefore second quantity = 2×18 = 36.

id=52752 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24274 at 6% per annum for 5 years. | option_a=7382 | option_b=31556 | option_c=7182 | option_d=7282 | answer=D | explanation=SI = PRT/100 = 24274×6×5/100 = **■**7282.

id=52753 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:3 and the first is 140, what is the second? | option_a=52 | option_b=39 | option_c=42 | option_d=182 | answer=C | explanation=Scale factor = 140/10 = 14. Therefore second quantity = 3×14 = 42.

id=52754 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 49? | option_a=34 | option_b=28 | option_c=40 | option_d=49 | answer=D | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 49 is the odd one out.

id=52755 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 30, 38, 47? | option_a=47 | option_b=22 | option_c=30 | option_d=38 | answer=A | explanation=The first three numbers increase by 8, so the next should be 46. Therefore 47 is the odd one out.

id=52756 | topic=Percentages | difficulty=Easy | question=What is 30% of 1040? | option_a=624 | option_b=292 | option_c=317 | option_d=312 | answer=D | explanation=30% of 1040 = (30/100) × 1040 = 312.

id=52757 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:2 and the first is 57, what is the second? | option_a=38 | option_b=95 | option_c=36 | option_d=41 | answer=A | explanation=Scale factor = 57/3 = 19. Therefore second quantity = 2×19 = 38.

id=52758 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=52759 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:12 and the first is 198, what is the second? | option_a=330 | option_b=132 | option_c=120 | option_d=150 | answer=B | explanation=Scale factor = 198/18 = 11. Therefore second quantity = 12×11 = 132.

id=52760 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=6 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=52761 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9644 at 8% per annum for 1 years. | option_a=671 | option_b=10415 | option_c=871 | option_d=771 | answer=D | explanation=SI = PRT/100 = 9644×8×1/100 = **■**771.

id=52762 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 52? | option_a=30 | option_b=40 | option_c=20 | option_d=52 | answer=D | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 52 is the odd one out.

id=52763 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1084. If it is sold at a profit of 20%, what is its selling price? | option_a=1104 | option_b=1192 | option_c=1408 | option_d=1300 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1084 × 120/100 = **■**1300.

id=52764 | topic=Percentages | difficulty=Easy | question=What is 15% of 1455? | option_a=223 | option_b=436 | option_c=198 | option_d=218 | answer=D | explanation=15% of 1455 = (15/100) × 1455 = 218.

id=52765 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=26 | option_b=33 | option_c=34 | option_d=40 | answer=B | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

id=52766 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=D | option_b=L | option_c=H | option_d=P | answer=B | explanation=Move 4 positions forward from H; the resulting letter is L.

id=52767 | topic=Averages | difficulty=Easy | question=Find the average of 85, 23, 45, 51. | option_a=51 | option_b=50 | option_c=52 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 204 ÷ 4 = 51.

id=52768 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=G | option_c=K | option_d=M | answer=C | explanation=Move 2 positions forward from I; the resulting letter is K.

id=52769 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:1 and the first is 12, what is the second? | option_a=15 | option_b=7 | option_c=2 | option_d=3 | answer=D | explanation=Scale factor = 12/4 = 3. Therefore second quantity = 1×3 = 3.

id=52770 | topic=Percentages | difficulty=Easy | question=What is 10% of 1790? | option_a=184 | option_b=358 | option_c=179 | option_d=174 | answer=C | explanation=10% of 1790 = (10/100) × 1790 = 179.

Aptitude Questions — Records 52,771-52,800 of 100,000

id=52771 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1216. If it is sold at a profit of 30%, what is its selling price? | option_a=1701 | option_b=1459 | option_c=1580 | option_d=1246 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1216 × 130/100 = █1580.

id=52772 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=31 | option_b=28 | option_c=23 | option_d=27 | answer=D | explanation=The common difference is 4. Therefore the next term is 23 + 4 = 27.

id=52773 | topic=Percentages | difficulty=Easy | question=What is 50% of 1271? | option_a=1270 | option_b=635 | option_c=655 | option_d=615 | answer=B | explanation=50% of 1271 = (50/100) × 1271 = 635.

id=52774 | topic=Percentages | difficulty=Easy | question=What is 5% of 952? | option_a=94 | option_b=47 | option_c=67 | option_d=27 | answer=B | explanation=5% of 952 = (5/100) × 952 = 47.

id=52775 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:16 and the first is 60, what is the second? | option_a=300 | option_b=244 | option_c=240 | option_d=224 | answer=C | explanation=Scale factor = 60/4 = 15. Therefore second quantity = 16×15 = 240.

id=52776 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3579. If it is sold at a profit of 50%, what is its selling price? | option_a=5011 | option_b=5368 | option_c=5725 | option_d=3629 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3579 × 150/100 = █5368.

id=52777 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7944 at 8% per annum for 2 years. | option_a=1371 | option_b=1171 | option_c=1271 | option_d=9215 | answer=C | explanation=SI = PRT/100 = 7944×8×2/100 = █1271.

id=52778 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=52779 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34967 at 4% per annum for 2 years. | option_a=2797 | option_b=2697 | option_c=37764 | option_d=2897 | answer=A | explanation=SI = PRT/100 = 34967×4×2/100 = █2797.

id=52780 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=B | option_b=D | option_c=C | option_d=E | answer=B | explanation=Move 1 positions forward from C; the resulting letter is D.

id=52781 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=50 | option_d=100 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=52782 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=31 | option_c=36 | option_d=41 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=52783 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 39, 48, 58? | option_a=48 | option_b=58 | option_c=30 | option_d=39 | answer=B | explanation=The first three numbers increase by 9, so the next should be 57. Therefore 58 is the odd one out.

id=52784 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:8 and the first is 170, what is the second? | option_a=306 | option_b=128 | option_c=136 | option_d=146 | answer=C | explanation=Scale factor = 170/10 = 17. Therefore second quantity = 8×17 = 136.

id=52785 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 5. | option_a=25 | option_b=30 | option_c=60 | option_d=150 | answer=B | explanation=LCM × HCF = 30×5; HCF(30,5) = 5, so LCM = 30.

id=52786 | topic=Profit & Loss | difficulty=Easy | question=An article costs █302. If it is sold at a profit of 40%, what is its selling price? | option_a=422 | option_b=452 | option_c=342 | option_d=392 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 302 × 140/100 = █422.

id=52787 | topic=Percentages | difficulty=Easy | question=What is 20% of 903? | option_a=200 | option_b=180 | option_c=360 | option_d=160 | answer=B | explanation=20% of 903 = (20/100) × 903 = 180.

id=52788 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 33, 40, 49? | option_a=33 | option_b=49 | option_c=26 | option_d=40 | answer=B | explanation=The first three numbers increase by 7, so the next should be 47. Therefore 49 is the odd one out.

id=52789 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=85 | option_c=75 | option_d=160 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=52790 | topic=Percentages | difficulty=Easy | question=What is 30% of 175? | option_a=52 | option_b=104 | option_c=72 | option_d=42 | answer=A | explanation=30% of 175 = (30/100) × 175 = 52.

id=52791 | topic=Percentages | difficulty=Easy | question=What is 25% of 271? | option_a=57 | option_b=67 | option_c=134 | option_d=72 | answer=B | explanation=25% of 271 = (25/100) × 271 = 67.

id=52792 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 12? | option_a=12 | option_b=8 | option_c=6 | option_d=4 | answer=A | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 12 is the odd one out.

id=52793 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 4. | option_a=18 | option_b=24 | option_c=8 | option_d=12 | answer=D | explanation=LCM × HCF = 6×4; HCF(6,4) = 2, so LCM = 12.

id=52794 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27004 at 15% per annum for 3 years. | option_a=12051 | option_b=12151 | option_c=12251 | option_d=39155 | answer=B | explanation=SI = PRT/100 = 27004×15×3/100 = █12151.

id=52795 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1147. If it is sold at a profit of 25%, what is its selling price? | option_a=1433 | option_b=1319 | option_c=1172 | option_d=1547 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1147 × 125/100 = █1433.

id=52796 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=M | option_b=B | option_c=R | option_d=W | answer=D | explanation=Move 5 positions forward from R; the resulting letter is W.

id=52797 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41339 at 8% per annum for 2 years. | option_a=47953 | option_b=6614 | option_c=6514 | option_d=6714 | answer=B | explanation=SI = PRT/100 = 41339×8×2/100 = █6614.

id=52798 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 15, 18, 22? | option_a=12 | option_b=22 | option_c=15 | option_d=18 | answer=B | explanation=The first three numbers increase by 3, so the next should be 21. Therefore 22 is the odd one out.

id=52799 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 26. | option_a=28 | option_b=52 | option_c=1 | option_d=26 | answer=D | explanation=LCM × HCF = 2×26; HCF(2,26) = 2, so LCM = 26.

id=52800 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=J | option_b=M | option_c=L | option_d=K | answer=C | explanation=Move 1 positions forward from K; the resulting letter is L.

Aptitude Questions — Records 52,801-52,830 of 100,000

id=52801 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:4 and the first is 272, what is the second? | option_a=60 | option_b=336 | option_c=81 | option_d=64 | answer=D | explanation=Scale factor = $272/17 = 16$. Therefore second quantity = $4 \times 16 = 64$.

id=52802 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:13 and the first is 272, what is the second? | option_a=195 | option_b=480 | option_c=225 | option_d=208 | answer=D | explanation=Scale factor = $272/17 = 16$. Therefore second quantity = $13 \times 16 = 208$.

id=52803 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 38? | option_a=10 | option_b=19 | option_c=28 | option_d=38 | answer=D | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 38 is the odd one out.

id=52804 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=K | option_b=A | option_c=V | option_d=F | answer=D | explanation=Move 5 positions forward from A; the resulting letter is F.

id=52805 | topic=Averages | difficulty=Easy | question=Find the average of 93, 56, 25, 48, 61, 61, 38, 49, 89, 90. | option_a=61 | option_b=62 | option_c=60 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = $610 \div 10 = 61$.

id=52806 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36118 at 12% per annum for 3 years. | option_a=49120 | option_b=13102 | option_c=13002 | option_d=12902 | answer=C | explanation=SI = $PRT/100 = 36118 \times 12 \times 3/100 = \text{■}13002$.

id=52807 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=52808 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 24, 36, 48, ? | option_a=60 | option_b=61 | option_c=72 | option_d=48 | answer=A | explanation=The common difference is 12. Therefore the next term is $48 + 12 = 60$.

id=52809 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14318 at 15% per annum for 3 years. | option_a=6343 | option_b=6443 | option_c=6543 | option_d=20761 | answer=B | explanation=SI = $PRT/100 = 14318 \times 15 \times 3/100 = \text{■}6443$.

id=52810 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:18 and the first is 171, what is the second? | option_a=162 | option_b=333 | option_c=181 | option_d=144 | answer=A | explanation=Scale factor = $171/19 = 9$. Therefore second quantity = $18 \times 9 = 162$.

id=52811 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=52812 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=52813 | topic=Averages | difficulty=Easy | question=Find the average of 60, 27, 89, 76. | option_a=63 | option_b=64 | option_c=65 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = $252 \div 4 = 63$.

id=52814 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1265. If it is sold at a profit of 50%, what is its selling price? | option_a=2023 | option_b=1897 | option_c=1771 | option_d=1315 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1265 \times 150/100 = \text{■}1897$.

id=52815 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=19 | option_b=16 | option_c=20 | option_d=18 | answer=D | explanation=The common difference is 2. Therefore the next term is $16 + 2 = 18$.

id=52816 | topic=Averages | difficulty=Easy | question=Find the average of 51, 26, 43, 81, 38, 39, 71, 39, 74, 58. | option_a=53 | option_b=51 | option_c=54 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = $520 \div 10 = 52$.

id=52817 | topic=Averages | difficulty=Easy | question=Find the average of 18, 100, 22, 67, 14, 16, 50. | option_a=41 | option_b=40 | option_c=42 | option_d=43 | answer=A | explanation=Average = sum of values ÷ number of values = $287 \div 7 = 41$.

id=52818 | topic=Percentages | difficulty=Easy | question=What is 30% of 131? | option_a=39 | option_b=29 | option_c=49 | option_d=78 | answer=A | explanation=30% of 131 = $(30/100) \times 131 = 39$.

id=52819 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 38? | option_a=34 | option_b=38 | option_c=32 | option_d=30 | answer=B | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 38 is the odd one out.

id=52820 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=31 | option_b=40 | option_c=39 | option_d=47 | answer=C | explanation=The common difference is 8. Therefore the next term is $31 + 8 = 39$.

id=52821 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=44 | option_b=36 | option_c=50 | option_d=43 | answer=D | explanation=The common difference is 7. Therefore the next term is $36 + 7 = 43$.

id=52822 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=52823 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 22. | option_a=396 | option_b=198 | option_c=216 | option_d=176 | answer=B | explanation= $LCM \times HCF = 18 \times 22$; $HCF(18,22) = 2$, so $LCM = 198$.

id=52824 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2428. If it is sold at a profit of 20%, what is its selling price? | option_a=2671 | option_b=3155 | option_c=2448 | option_d=2913 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2428 \times 120/100 = \text{■}2913$.

id=52825 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 4. | option_a=16 | option_b=32 | option_c=8 | option_d=4 | answer=C | explanation= $LCM \times HCF = 8 \times 4$; $HCF(8,4) = 4$, so $LCM = 8$.

id=52826 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:12 and the first is 80, what is the second? | option_a=140 | option_b=48 | option_c=60 | option_d=76 | answer=C | explanation=Scale factor = $80/16 = 5$. Therefore second quantity = $12 \times 5 = 60$.

id=52827 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:3 and the first is 18, what is the second? | option_a=9 | option_b=6 | option_c=27 | option_d=15 | answer=A | explanation=Scale factor = $18/6 = 3$. Therefore second quantity = $3 \times 3 = 9$.

id=52828 | topic=Percentages | difficulty=Easy | question=What is 25% of 365? | option_a=96 | option_b=91 | option_c=182 | option_d=71 | answer=B | explanation=25% of 365 = $(25/100) \times 365 = 91$.

id=52829 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26161 at 6% per annum for 4 years. | option_a=32439 | option_b=6378 | option_c=6278 | option_d=6178 | answer=C | explanation=SI = $PRT/100 = 26161 \times 6 \times 4/100 = \text{■}6278$.

id=52830 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**420. If it is sold at a profit of 10%, what is its selling price? | option_a=430 | option_b=420 | option_c=462 | option_d=504 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 420 \times 110/100 = \text{■}462$.

Aptitude Questions — Records 52,831-52,860 of 100,000

id=52831 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10271 at 15% per annum for 3 years. | option_a=4521 | option_b=4721 | option_c=4621 | option_d=14892 | answer=C | explanation=SI = PRT/100 = 10271×15×3/100 = **■**4621.

id=52832 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2957. If it is sold at a profit of 30%, what is its selling price? | option_a=2987 | option_b=4139 | option_c=3549 | option_d=3844 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2957 × 130/100 = **■**3844.

id=52833 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2980 at 10% per annum for 3 years. | option_a=794 | option_b=3874 | option_c=994 | option_d=894 | answer=D | explanation=SI = PRT/100 = 2980×10×3/100 = **■**894.

id=52834 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=52835 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 20, 26, 34? | option_a=34 | option_b=20 | option_c=26 | option_d=14 | answer=A | explanation=The first three numbers increase by 6, so the next should be 32. Therefore 34 is the odd one out.

id=52836 | topic=Averages | difficulty=Easy | question=Find the average of 72, 75, 15, 48, 72, 62, 67, 32, 34. | option_a=53 | option_b=55 | option_c=52 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 477 ÷ 9 = 53.

id=52837 | topic=Averages | difficulty=Easy | question=Find the average of 35, 12, 48, 14, 39, 32, 64, 34, 45, 37. | option_a=37 | option_b=38 | option_c=35 | option_d=36 | answer=D | explanation=Average = sum of values ÷ number of values = 360 ÷ 10 = 36.

id=52838 | topic=Percentages | difficulty=Easy | question=What is 30% of 754? | option_a=452 | option_b=231 | option_c=226 | option_d=216 | answer=C | explanation=30% of 754 = (30/100) × 754 = 226.

id=52839 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=A | option_b=C | option_c=G | option_d=E | answer=D | explanation=Move 2 positions forward from C; the resulting letter is E.

id=52840 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15608 at 15% per annum for 3 years. | option_a=7123 | option_b=6923 | option_c=22631 | option_d=7023 | answer=D | explanation=SI = PRT/100 = 15608×15×3/100 = **■**7023.

id=52841 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 57? | option_a=38 | option_b=29 | option_c=57 | option_d=47 | answer=C | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 57 is the odd one out.

id=52842 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:7 and the first is 55, what is the second? | option_a=77 | option_b=70 | option_c=82 | option_d=132 | answer=A | explanation=Scale factor = 55/5 = 11. Therefore second quantity = 7×11 = 77.

id=52843 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 35? | option_a=24 | option_b=35 | option_c=14 | option_d=4 | answer=B | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 35 is the odd one out.

id=52844 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=52845 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:11 and the first is 54, what is the second? | option_a=198 | option_b=252 | option_c=187 | option_d=201 | answer=A | explanation=Scale factor = 54/3 = 18. Therefore second quantity = 11×18 = 198.

id=52846 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3012. If it is sold at a profit of 5%, what is its selling price? | option_a=2861 | option_b=3017 | option_c=3463 | option_d=3162 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3012 × 105/100 = **■**3162.

id=52847 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2442. If it is sold at a profit of 30%, what is its selling price? | option_a=2472 | option_b=3174 | option_c=2930 | option_d=3418 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2442 × 130/100 = **■**3174.

id=52848 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=52849 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=35 | option_b=27 | option_c=32 | option_d=31 | answer=D | explanation=The common difference is 4. Therefore the next term is 27 + 4 = 31.

id=52850 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32780 at 5% per annum for 3 years. | option_a=5017 | option_b=4817 | option_c=4917 | option_d=37697 | answer=C | explanation=SI = PRT/100 = 32780×5×3/100 = **■**4917.

id=52851 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24482 at 5% per annum for 5 years. | option_a=30602 | option_b=6020 | option_c=6220 | option_d=6120 | answer=D | explanation=SI = PRT/100 = 24482×5×5/100 = **■**6120.

id=52852 | topic=Percentages | difficulty=Easy | question=What is 40% of 1988? | option_a=815 | option_b=795 | option_c=785 | option_d=1590 | answer=B | explanation=40% of 1988 = (40/100) × 1988 = 795.

id=52853 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 32, 36, 43? | option_a=28 | option_b=32 | option_c=36 | option_d=43 | answer=D | explanation=The first three numbers increase by 4, so the next should be 40. Therefore 43 is the odd one out.

id=52854 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=52855 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 31, 39, 50? | option_a=23 | option_b=50 | option_c=31 | option_d=39 | answer=B | explanation=The first three numbers increase by 8, so the next should be 47. Therefore 50 is the odd one out.

id=52856 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:15 and the first is 54, what is the second? | option_a=141 | option_b=135 | option_c=189 | option_d=120 | answer=B | explanation=Scale factor = 54/6 = 9. Therefore second quantity = 15×9 = 135.

id=52857 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=19 | option_c=29 | option_d=48 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=52858 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:11 and the first is 180, what is the second? | option_a=121 | option_b=132 | option_c=147 | option_d=312 | answer=B | explanation=Scale factor = 180/15 = 12. Therefore second quantity = 11×12 = 132.

id=52859 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=52860 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4007. If it is sold at a profit of 40%, what is its selling price? | option_a=4047 | option_b=5209 | option_c=5609 | option_d=6009 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4007 × 140/100 = **■**5609.

Aptitude Questions — Records 52,861-52,890 of 100,000

id=52861 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=52862 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=D | option_b=C | option_c=B | option_d=E | answer=A | explanation=Move 1 positions forward from C; the resulting letter is D.

id=52863 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=144 | option_c=67 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=52864 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 29, 34, 40? | option_a=24 | option_b=40 | option_c=34 | option_d=29 | answer=B | explanation=The first three numbers increase by 5, so the next should be 39. Therefore 40 is the odd one out.

id=52865 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=12 | option_b=15 | option_c=16 | option_d=14 | answer=D | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=52866 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 22, 28, 36? | option_a=36 | option_b=16 | option_c=28 | option_d=22 | answer=A | explanation=The first three numbers increase by 6, so the next should be 34. Therefore 36 is the odd one out.

id=52867 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=30 | option_b=34 | option_c=35 | option_d=38 | answer=B | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.

id=52868 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2313. If it is sold at a profit of 30%, what is its selling price? | option_a=3237 | option_b=2343 | option_c=2775 | option_d=3006 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2313 × 130/100 = █3006.

id=52869 | topic=Percentages | difficulty=Easy | question=What is 15% of 495? | option_a=148 | option_b=94 | option_c=69 | option_d=74 | answer=D | explanation=15% of 495 = (15/100) × 495 = 74.

id=52870 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=X | option_c=N | option_d=C | answer=B | explanation=Move 5 positions forward from S; the resulting letter is X.

id=52871 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2490 at 15% per annum for 5 years. | option_a=1767 | option_b=1967 | option_c=4357 | option_d=1867 | answer=D | explanation=SI = PRT/100 = 2490×15×5/100 = █1867.

id=52872 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=52873 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 48? | option_a=48 | option_b=37 | option_c=19 | option_d=28 | answer=A | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 48 is the odd one out.

id=52874 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:8 and the first is 75, what is the second? | option_a=120 | option_b=195 | option_c=112 | option_d=125 | answer=A | explanation=Scale factor = 75/5 = 15. Therefore second quantity = 8×15 = 120.

id=52875 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=A | option_c=J | option_d=G | answer=D | explanation=Move 3 positions forward from D; the resulting letter is G.

id=52876 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 24, 33, 44? | option_a=15 | option_b=33 | option_c=44 | option_d=24 | answer=C | explanation=The first three numbers increase by 9, so the next should be 42. Therefore 44 is the odd one out.

id=52877 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 41? | option_a=41 | option_b=29 | option_c=20 | option_d=11 | answer=A | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 41 is the odd one out.

id=52878 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=80 | option_c=70 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=52879 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 15, 21, 30? | option_a=9 | option_b=30 | option_c=21 | option_d=15 | answer=B | explanation=The first three numbers increase by 6, so the next should be 27. Therefore 30 is the odd one out.

id=52880 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 45? | option_a=30 | option_b=45 | option_c=24 | option_d=36 | answer=B | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 45 is the odd one out.

id=52881 | topic=Percentages | difficulty=Easy | question=What is 12% of 78? | option_a=18 | option_b=9 | option_c=29 | option_d=0 | answer=B | explanation=12% of 78 = (12/100) × 78 = 9.

id=52882 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=V | option_b=A | option_c=L | option_d=Q | answer=A | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=52883 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4130. If it is sold at a profit of 25%, what is its selling price? | option_a=4155 | option_b=4749 | option_c=5575 | option_d=5162 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4130 × 125/100 = █5162.

id=52884 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=T | option_b=K | option_c=Q | option_d=N | answer=C | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=52885 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=O | option_b=A | option_c=S | option_d=W | answer=D | explanation=Move 4 positions forward from S; the resulting letter is W.

id=52886 | topic=Averages | difficulty=Easy | question=Find the average of 15, 80, 61, 100, 29. | option_a=59 | option_b=58 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.

id=52887 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=30 | option_b=35 | option_c=25 | option_d=31 | answer=A | explanation=The common difference is 5. Therefore the next term is 25 + 5 = 30.

id=52888 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 24, 36, 48, ? | option_a=72 | option_b=60 | option_c=61 | option_d=48 | answer=B | explanation=The common difference is 12. Therefore the next term is 48 + 12 = 60.

id=52889 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=52890 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:16 and the first is 16, what is the second? | option_a=64 | option_b=68 | option_c=48 | option_d=80 | answer=A | explanation=Scale factor = 16/4 = 4. Therefore second quantity = 16×4 = 64.

Aptitude Questions — Records 52,891-52,920 of 100,000

id=52891 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8319 at 6% per annum for 5 years. | option_a=2595 | option_b=10814 | option_c=2395 | option_d=2495 | answer=D | explanation=SI = PRT/100 = 8319×6×5/100 = **■**2495.

id=52892 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3276. If it is sold at a profit of 25%, what is its selling price? | option_a=4095 | option_b=3768 | option_c=3301 | option_d=4422 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3276 × 125/100 = **■**4095.

id=52893 | topic=Percentages | difficulty=Easy | question=What is 25% of 1023? | option_a=255 | option_b=250 | option_c=510 | option_d=275 | answer=A | explanation=25% of 1023 = (25/100) × 1023 = 255.

id=52894 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27396 at 15% per annum for 2 years. | option_a=8318 | option_b=8218 | option_c=35614 | option_d=8118 | answer=B | explanation=SI = PRT/100 = 27396×15×2/100 = **■**8218.

id=52895 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 20? | option_a=20 | option_b=11 | option_c=15 | option_d=7 | answer=A | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 20 is the odd one out.

id=52896 | topic=Averages | difficulty=Easy | question=Find the average of 38, 48, 45, 85, 65, 60, 44. | option_a=57 | option_b=54 | option_c=56 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 385 ÷ 7 = 55.

id=52897 | topic=Averages | difficulty=Easy | question=Find the average of 68, 60, 40, 44. | option_a=54 | option_b=52 | option_c=55 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 212 ÷ 4 = 53.

id=52898 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=1 | option_c=11 | option_d=12 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=52899 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=52900 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1441. If it is sold at a profit of 30%, what is its selling price? | option_a=1471 | option_b=1873 | option_c=1729 | option_d=2017 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1441 × 130/100 = **■**1873.

id=52901 | topic=Averages | difficulty=Easy | question=Find the average of 81, 99, 10, 79, 29, 28, 39, 72, 17, 66. | option_a=51 | option_b=52 | option_c=53 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 520 ÷ 10 = 52.

id=52902 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12858 at 4% per annum for 5 years. | option_a=2571 | option_b=2471 | option_c=15429 | option_d=2671 | answer=A | explanation=SI = PRT/100 = 12858×4×5/100 = **■**2571.

id=52903 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:10 and the first is 36, what is the second? | option_a=170 | option_b=182 | option_c=216 | option_d=180 | answer=D | explanation=Scale factor = 36/2 = 18. Therefore second quantity = 10×18 = 180.

id=52904 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 40? | option_a=36 | option_b=30 | option_c=40 | option_d=33 | answer=C | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 40 is the odd one out.

id=52905 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:11 and the first is 180, what is the second? | option_a=154 | option_b=345 | option_c=165 | option_d=177 | answer=C | explanation=Scale factor = 180/12 = 15. Therefore second quantity = 11×15 = 165.

id=52906 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**791. If it is sold at a profit of 25%, what is its selling price? | option_a=1067 | option_b=988 | option_c=909 | option_d=816 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 791 × 125/100 = **■**988.

id=52907 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35224 at 4% per annum for 1 years. | option_a=1508 | option_b=36632 | option_c=1408 | option_d=1308 | answer=C | explanation=SI = PRT/100 = 35224×4×1/100 = **■**1408.

id=52908 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=E | option_b=J | option_c=O | option_d=T | answer=C | explanation=Move 5 positions forward from J; the resulting letter is O.

id=52909 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=52910 | topic=Averages | difficulty=Easy | question=Find the average of 14, 63, 55, 61, 93, 32, 25, 65, 38, 74. | option_a=53 | option_b=52 | option_c=54 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 520 ÷ 10 = 52.

id=52911 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=70 | option_b=75 | option_c=80 | option_d=150 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=52912 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:4 and the first is 38, what is the second? | option_a=27 | option_b=4 | option_c=8 | option_d=46 | answer=C | explanation=Scale factor = 38/19 = 2. Therefore second quantity = 4×2 = 8.

id=52913 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=34 | option_b=35 | option_c=41 | option_d=27 | answer=A | explanation=The common difference is 7. Therefore the next term is 27 + 7 = 34.

id=52914 | topic=Percentages | difficulty=Easy | question=What is 40% of 1931? | option_a=1544 | option_b=792 | option_c=772 | option_d=762 | answer=C | explanation=40% of 1931 = (40/100) × 1931 = 772.

id=52915 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40568 at 12% per annum for 3 years. | option_a=14704 | option_b=14604 | option_c=55172 | option_d=14504 | answer=B | explanation=SI = PRT/100 = 40568×12×3/100 = **■**14604.

id=52916 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35491 at 10% per annum for 2 years. | option_a=7098 | option_b=42589 | option_c=7198 | option_d=6998 | answer=A | explanation=SI = PRT/100 = 35491×10×2/100 = **■**7098.

id=52917 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4963. If it is sold at a profit of 10%, what is its selling price? | option_a=4973 | option_b=5459 | option_c=5955 | option_d=4963 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4963 × 110/100 = **■**5459.

id=52918 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=52919 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=12 | option_b=10 | option_c=13 | option_d=14 | answer=A | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.

id=52920 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 10, 16, 23? | option_a=4 | option_b=10 | option_c=23 | option_d=16 | answer=C | explanation=The first three numbers increase by 6, so the next should be 22. Therefore 23 is the odd one out.

Aptitude Questions — Records 52,921-52,950 of 100,000

id=52921 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 31, 39, 48? | option_a=48 | option_b=23 | option_c=31 | option_d=39 | answer=A | explanation=The first three numbers increase by 8, so the next should be 47. Therefore 48 is the odd one out.

id=52922 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=10 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=52923 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=52924 | topic=Averages | difficulty=Easy | question=Find the average of 45, 22, 51, 69, 78, 84, 17, 55, 74. | option_a=54 | option_b=57 | option_c=55 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.

id=52925 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17441 at 6% per annum for 2 years. | option_a=2192 | option_b=19533 | option_c=2092 | option_d=1992 | answer=C | explanation=SI = $\text{PRT}/100 = 17441 \times 6 \times 2 / 100 = \text{■}2092$.

id=52926 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:8 and the first is 60, what is the second? | option_a=80 | option_b=140 | option_c=86 | option_d=72 | answer=A | explanation=Scale factor = 60/6 = 10. Therefore second quantity = 8×10 = 80.

id=52927 | topic=Averages | difficulty=Easy | question=Find the average of 96, 87, 15, 42, 16, 14, 66. | option_a=50 | option_b=48 | option_c=49 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 336 ÷ 7 = 48.

id=52928 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:3 and the first is 247, what is the second? | option_a=70 | option_b=57 | option_c=54 | option_d=304 | answer=B | explanation=Scale factor = 247/13 = 19. Therefore second quantity = 3×19 = 57.

id=52929 | topic=Percentages | difficulty=Easy | question=What is 30% of 1110? | option_a=343 | option_b=333 | option_c=323 | option_d=666 | answer=B | explanation=30% of 1110 = $(30/100) \times 1110 = 333$.

id=52930 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 20. | option_a=1 | option_b=25 | option_c=100 | option_d=20 | answer=D | explanation=LCM × HCF = 5×20; HCF(5,20) = 5, so LCM = 20.

id=52931 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1657. If it is sold at a profit of 30%, what is its selling price? | option_a=1687 | option_b=2154 | option_c=2319 | option_d=1989 | answer=B | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 1657 \times 130 / 100 = \text{■}2154$.

id=52932 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 27, 33, 42? | option_a=21 | option_b=42 | option_c=33 | option_d=27 | answer=B | explanation=The first three numbers increase by 6, so the next should be 39. Therefore 42 is the odd one out.

id=52933 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**980. If it is sold at a profit of 5%, what is its selling price? | option_a=985 | option_b=1029 | option_c=931 | option_d=1127 | answer=B | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 980 \times 105 / 100 = \text{■}1029$.

id=52934 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:14 and the first is 133, what is the second? | option_a=252 | option_b=399 | option_c=266 | option_d=273 | answer=C | explanation=Scale factor = 133/7 = 19. Therefore second quantity = 14×19 = 266.

id=52935 | topic=Averages | difficulty=Easy | question=Find the average of 73, 87, 56, 95, 17, 90, 76, 34, 75. | option_a=66 | option_b=68 | option_c=67 | option_d=69 | answer=C | explanation=Average = sum of values ÷ number of values = 603 ÷ 9 = 67.

id=52936 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4573. If it is sold at a profit of 30%, what is its selling price? | option_a=4603 | option_b=5487 | option_c=6401 | option_d=5944 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 4573 \times 130 / 100 = \text{■}5944$.

id=52937 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=52938 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:11 and the first is 112, what is the second? | option_a=266 | option_b=143 | option_c=162 | option_d=154 | answer=D | explanation=Scale factor = 112/8 = 14. Therefore second quantity = 11×14 = 154.

id=52939 | topic=Percentages | difficulty=Easy | question=What is 25% of 374? | option_a=73 | option_b=186 | option_c=103 | option_d=93 | answer=D | explanation=25% of 374 = $(25/100) \times 374 = 93$.

id=52940 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=46 | option_b=40 | option_c=34 | option_d=41 | answer=B | explanation=The common difference is 6. Therefore the next term is 34 + 6 = 40.

id=52941 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 15. | option_a=60 | option_b=45 | option_c=180 | option_d=72 | answer=A | explanation=LCM × HCF = 12×15; HCF(12,15) = 3, so LCM = 60.

id=52942 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 26. | option_a=52 | option_b=676 | option_c=1 | option_d=26 | answer=D | explanation=LCM × HCF = 26×26; HCF(26,26) = 26, so LCM = 26.

id=52943 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=160 | option_c=85 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=52944 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46311 at 10% per annum for 5 years. | option_a=23155 | option_b=23055 | option_c=23255 | option_d=69466 | answer=A | explanation=SI = $\text{PRT}/100 = 46311 \times 10 \times 5 / 100 = \text{■}23155$.

id=52945 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=41 | option_b=59 | option_c=50 | option_d=51 | answer=C | explanation=The common difference is 9. Therefore the next term is 41 + 9 = 50.

id=52946 | topic=Percentages | difficulty=Easy | question=What is 15% of 172? | option_a=30 | option_b=15 | option_c=25 | option_d=50 | answer=C | explanation=15% of 172 = $(15/100) \times 172 = 25$.

id=52947 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=52948 | topic=Percentages | difficulty=Easy | question=What is 5% of 68? | option_a=6 | option_b=0 | option_c=23 | option_d=3 | answer=D | explanation=5% of 68 = $(5/100) \times 68 = 3$.

id=52949 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 14, 22, 33? | option_a=6 | option_b=33 | option_c=14 | option_d=22 | answer=B | explanation=The first three numbers increase by 8, so the next should be 30. Therefore 33 is the odd one out.

id=52950 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7645 at 12% per annum for 3 years. | option_a=2852 | option_b=10397 | option_c=2752 | option_d=2652 | answer=C | explanation=SI = $\text{PRT}/100 = 7645 \times 12 \times 3 / 100 = \text{■}2752$.

Aptitude Questions — Records 52,951-52,980 of 100,000

id=52951 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4676. If it is sold at a profit of 5%, what is its selling price? | option_a=4442 | option_b=4681 | option_c=5376 | option_d=4909 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4676 × 105/100 = ■4909.

id=52952 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=G | option_c=C | option_d=E | answer=B | explanation=Move 2 positions forward from E; the resulting letter is G.

id=52953 | topic=Percentages | difficulty=Easy | question=What is 25% of 1513? | option_a=383 | option_b=756 | option_c=378 | option_d=358 | answer=C | explanation=25% of 1513 = (25/100) × 1513 = 378.

id=52954 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=52955 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3060. If it is sold at a profit of 30%, what is its selling price? | option_a=3978 | option_b=3090 | option_c=4284 | option_d=3672 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3060 × 130/100 = ■3978.

id=52956 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:12 and the first is 156, what is the second? | option_a=144 | option_b=156 | option_c=312 | option_d=168 | answer=B | explanation=Scale factor = 156/12 = 13. Therefore second quantity = 12×13 = 156.

id=52957 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:5 and the first is 136, what is the second? | option_a=221 | option_b=93 | option_c=85 | option_d=80 | answer=C | explanation=Scale factor = 136/8 = 17. Therefore second quantity = 5×17 = 85.

id=52958 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 49? | option_a=49 | option_b=28 | option_c=37 | option_d=19 | answer=A | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 49 is the odd one out.

id=52959 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=52960 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=J | option_b=T | option_c=O | option_d=Y | answer=B | explanation=Move 5 positions forward from O; the resulting letter is T.

id=52961 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=52962 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=52963 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=29 | option_b=47 | option_c=39 | option_d=38 | answer=D | explanation=The common difference is 9. Therefore the next term is 29 + 9 = 38.

id=52964 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3092. If it is sold at a profit of 25%, what is its selling price? | option_a=3865 | option_b=3556 | option_c=4174 | option_d=3117 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3092 × 125/100 = ■3865.

id=52965 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=42 | option_b=41 | option_c=47 | option_d=35 | answer=B | explanation=The common difference is 6. Therefore the next term is 35 + 6 = 41.

id=52966 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=37 | option_b=36 | option_c=40 | option_d=32 | answer=B | explanation=The common difference is 4. Therefore the next term is 32 + 4 = 36.

id=52967 | topic=Percentages | difficulty=Easy | question=What is 5% of 808? | option_a=30 | option_b=80 | option_c=40 | option_d=60 | answer=C | explanation=5% of 808 = (5/100) × 808 = 40.

id=52968 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■638. If it is sold at a profit of 20%, what is its selling price? | option_a=765 | option_b=658 | option_c=828 | option_d=702 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 638 × 120/100 = ■765.

id=52969 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■44063 at 10% per annum for 4 years. | option_a=17525 | option_b=61688 | option_c=17625 | option_d=17725 | answer=C | explanation=SI = PRT/100 = 44063×10×4/100 = ■17625.

id=52970 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 22, 27, 32, ? | option_a=38 | option_b=42 | option_c=37 | option_d=32 | answer=C | explanation=The common difference is 5. Therefore the next term is 32 + 5 = 37.

id=52971 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 32, 39, 49? | option_a=25 | option_b=32 | option_c=49 | option_d=39 | answer=C | explanation=The first three numbers increase by 7, so the next should be 46. Therefore 49 is the odd one out.

id=52972 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 21, 28, 38? | option_a=28 | option_b=21 | option_c=14 | option_d=38 | answer=D | explanation=The first three numbers increase by 7, so the next should be 35. Therefore 38 is the odd one out.

id=52973 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=155 | option_c=150 | option_d=300 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=52974 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=J | option_c=F | option_d=X | answer=C | explanation=Move 4 positions forward from B; the resulting letter is F.

id=52975 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■42112 at 10% per annum for 3 years. | option_a=12733 | option_b=54745 | option_c=12533 | option_d=12633 | answer=D | explanation=SI = PRT/100 = 42112×10×3/100 = ■12633.

id=52976 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=Z | option_c=F | option_d=I | answer=C | explanation=Move 3 positions forward from C; the resulting letter is F.

id=52977 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4837. If it is sold at a profit of 25%, what is its selling price? | option_a=4862 | option_b=5563 | option_c=6046 | option_d=6529 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4837 × 125/100 = ■6046.

id=52978 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=50 | option_b=34 | option_c=43 | option_d=42 | answer=D | explanation=The common difference is 8. Therefore the next term is 34 + 8 = 42.

id=52979 | topic=Averages | difficulty=Easy | question=Find the average of 14, 68, 80, 82, 72, 16, 81. | option_a=58 | option_b=61 | option_c=59 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 413 ÷ 7 = 59.

id=52980 | topic=Percentages | difficulty=Easy | question=What is 40% of 994? | option_a=397 | option_b=794 | option_c=387 | option_d=417 | answer=A | explanation=40% of 994 = (40/100) × 994 = 397.

Aptitude Questions — Records 52,981-53,010 of 100,000

id=52981 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:15 and the first is 306, what is the second? | option_a=240 | option_b=561 | option_c=255 | option_d=273 | answer=C | explanation=Scale factor = $306/18 = 17$. Therefore second quantity = $15 \times 17 = 255$.

id=52982 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2114. If it is sold at a profit of 40%, what is its selling price? | option_a=2154 | option_b=2748 | option_c=3170 | option_d=2959 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2114 \times 140/100 = \text{█}2959$.

id=52983 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:13 and the first is 85, what is the second? | option_a=82 | option_b=52 | option_c=65 | option_d=150 | answer=C | explanation=Scale factor = $85/17 = 5$. Therefore second quantity = $13 \times 5 = 65$.

id=52984 | topic=Percentages | difficulty=Easy | question=What is 20% of 386? | option_a=87 | option_b=77 | option_c=57 | option_d=154 | answer=B | explanation= 20% of $386 = (20/100) \times 386 = 77$.

id=52985 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=32 | option_b=40 | option_c=37 | option_d=36 | answer=D | explanation=The common difference is 4. Therefore the next term is $32 + 4 = 36$.

id=52986 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=28 | option_b=33 | option_c=27 | option_d=21 | answer=C | explanation=The common difference is 6. Therefore the next term is $21 + 6 = 27$.

id=52987 | topic=Profit & Loss | difficulty=Easy | question=An article costs █966. If it is sold at a profit of 5%, what is its selling price? | option_a=971 | option_b=918 | option_c=1110 | option_d=1014 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 966 \times 105/100 = \text{█}1014$.

id=52988 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=52989 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=64 | option_b=53 | option_c=54 | option_d=42 | answer=B | explanation=The common difference is 11. Therefore the next term is $42 + 11 = 53$.

id=52990 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5530 at 4% per annum for 5 years. | option_a=1106 | option_b=6636 | option_c=1006 | option_d=1206 | answer=A | explanation=SI = $PRT/100 = 5530 \times 4 \times 5/100 = \text{█}1106$.

id=52991 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=N | option_b=R | option_c=T | option_d=P | answer=B | explanation=Move 2 positions forward from P; the resulting letter is R.

id=52992 | topic=Percentages | difficulty=Easy | question=What is 50% of 1551? | option_a=785 | option_b=775 | option_c=755 | option_d=1550 | answer=B | explanation= 50% of $1551 = (50/100) \times 1551 = 775$.

id=52993 | topic=Averages | difficulty=Easy | question=Find the average of 30, 10, 94, 67, 63, 49, 100, 38, 58, 81. | option_a=59 | option_b=60 | option_c=61 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = $590 \div 10 = 59$.

id=52994 | topic=Averages | difficulty=Easy | question=Find the average of 97, 34, 15, 49, 35, 76, 44. | option_a=50 | option_b=49 | option_c=51 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = $350 \div 7 = 50$.

id=52995 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = $300 \div 10 = 30$ km/h.

id=52996 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 42? | option_a=23 | option_b=42 | option_c=29 | option_d=35 | answer=B | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 42 is the odd one out.

id=52997 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4186. If it is sold at a profit of 40%, what is its selling price? | option_a=4226 | option_b=5442 | option_c=5860 | option_d=6278 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4186 \times 140/100 = \text{█}5860$.

id=52998 | topic=Percentages | difficulty=Easy | question=What is 20% of 1554? | option_a=300 | option_b=620 | option_c=315 | option_d=310 | answer=D | explanation= 20% of $1554 = (20/100) \times 1554 = 310$.

id=52999 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=51 | option_b=33 | option_c=43 | option_d=42 | answer=D | explanation=The common difference is 9. Therefore the next term is $33 + 9 = 42$.

id=53000 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 28. | option_a=112 | option_b=280 | option_c=140 | option_d=150 | answer=C | explanation= $LCM \times HCF = 10 \times 28$; $HCF(10,28) = 2$, so $LCM = 140$.

id=53001 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1890. If it is sold at a profit of 15%, what is its selling price? | option_a=1905 | option_b=1984 | option_c=2362 | option_d=2173 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1890 \times 115/100 = \text{█}2173$.

id=53002 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:10 and the first is 8, what is the second? | option_a=20 | option_b=28 | option_c=24 | option_d=10 | answer=A | explanation=Scale factor = $8/4 = 2$. Therefore second quantity = $10 \times 2 = 20$.

id=53003 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=53004 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=H | option_b=I | option_c=J | option_d=K | answer=C | explanation=Move 1 positions forward from I; the resulting letter is J.

id=53005 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 30, 32, 36? | option_a=30 | option_b=36 | option_c=32 | option_d=28 | answer=B | explanation=The first three numbers increase by 2, so the next should be 34. Therefore 36 is the odd one out.

id=53006 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 24, 30, 36, ? | option_a=36 | option_b=42 | option_c=43 | option_d=48 | answer=B | explanation=The common difference is 6. Therefore the next term is $36 + 6 = 42$.

id=53007 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 21, 27, 36? | option_a=21 | option_b=27 | option_c=36 | option_d=15 | answer=C | explanation=The first three numbers increase by 6, so the next should be 33. Therefore 36 is the odd one out.

id=53008 | topic=Averages | difficulty=Easy | question=Find the average of 96, 87, 65, 21, 97, 87, 86. | option_a=78 | option_b=79 | option_c=77 | option_d=76 | answer=C | explanation=Average = sum of values ÷ number of values = $539 \div 7 = 77$.

id=53009 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=53010 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = $150 \div 10 = 15$ km/h.

Aptitude Questions — Records 53,011-53,040 of 100,000

id=53011 | topic=Percentages | difficulty=Easy | question=What is 25% of 961? | option_a=230 | option_b=245 | option_c=240 | option_d=480 | answer=C | explanation=25% of 961 = (25/100) × 961 = 240.

id=53012 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2903. If it is sold at a profit of 20%, what is its selling price? | option_a=3483 | option_b=3193 | option_c=2923 | option_d=3773 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2903 × 120/100 = █3483.

id=53013 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=26 | option_b=22 | option_c=30 | option_d=27 | answer=A | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.

id=53014 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 15. | option_a=45 | option_b=18 | option_c=1 | option_d=15 | answer=D | explanation=LCM × HCF = 3×15; HCF(3,15) = 3, so LCM = 15.

id=53015 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=52 | option_b=42 | option_c=51 | option_d=60 | answer=C | explanation=The common difference is 9. Therefore the next term is 42 + 9 = 51.

id=53016 | topic=Averages | difficulty=Easy | question=Find the average of 60, 90, 80, 50. | option_a=72 | option_b=70 | option_c=71 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 280 ÷ 4 = 70.

id=53017 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=35 | option_b=43 | option_c=49 | option_d=42 | answer=D | explanation=The common difference is 7. Therefore the next term is 35 + 7 = 42.

id=53018 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 24. | option_a=72 | option_b=216 | option_c=81 | option_d=48 | answer=A | explanation=LCM × HCF = 9×24; HCF(9,24) = 3, so LCM = 72.

id=53019 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=53020 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 12. | option_a=84 | option_b=105 | option_c=72 | option_d=252 | answer=A | explanation=LCM × HCF = 21×12; HCF(21,12) = 3, so LCM = 84.

id=53021 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 60? | option_a=27 | option_b=47 | option_c=60 | option_d=37 | answer=C | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 60 is the odd one out.

id=53022 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36937 at 15% per annum for 4 years. | option_a=59099 | option_b=22262 | option_c=22162 | option_d=22062 | answer=C | explanation=SI = PRT/100 = 36937×15×4/100 = █22162.

id=53023 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1477. If it is sold at a profit of 5%, what is its selling price? | option_a=1697 | option_b=1482 | option_c=1403 | option_d=1550 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1477 × 105/100 = █1550.

id=53024 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=H | option_b=C | option_c=M | option_d=X | answer=A | explanation=Move 5 positions forward from C; the resulting letter is H.

id=53025 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:6 and the first is 3, what is the second? | option_a=12 | option_b=21 | option_c=19 | option_d=18 | answer=D | explanation=Scale factor = 3/1 = 3. Therefore second quantity = 6×3 = 18.

id=53026 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=53 | option_b=47 | option_c=39 | option_d=46 | answer=D | explanation=The common difference is 7. Therefore the next term is 39 + 7 = 46.

id=53027 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=64 | option_b=46 | option_c=55 | option_d=56 | answer=C | explanation=The common difference is 9. Therefore the next term is 46 + 9 = 55.

id=53028 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 25, 30, 36? | option_a=36 | option_b=20 | option_c=30 | option_d=25 | answer=A | explanation=The first three numbers increase by 5, so the next should be 35. Therefore 36 is the odd one out.

id=53029 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10035 at 10% per annum for 5 years. | option_a=15052 | option_b=5017 | option_c=4917 | option_d=5117 | answer=B | explanation=SI = PRT/100 = 10035×10×5/100 = █5017.

id=53030 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31675 at 15% per annum for 2 years. | option_a=9602 | option_b=9402 | option_c=41177 | option_d=9502 | answer=D | explanation=SI = PRT/100 = 31675×15×2/100 = █9502.

id=53031 | topic=Percentages | difficulty=Easy | question=What is 40% of 1064? | option_a=435 | option_b=420 | option_c=850 | option_d=425 | answer=D | explanation=40% of 1064 = (40/100) × 1064 = 425.

id=53032 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=31 | option_b=49 | option_c=40 | option_d=41 | answer=C | explanation=The common difference is 9. Therefore the next term is 31 + 9 = 40.

id=53033 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:9 and the first is 220, what is the second? | option_a=319 | option_b=90 | option_c=119 | option_d=99 | answer=D | explanation=Scale factor = 220/20 = 11. Therefore second quantity = 9×11 = 99.

id=53034 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=53035 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=48 | option_c=53 | option_d=96 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=53036 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=50 | option_c=25 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=53037 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9503 at 8% per annum for 5 years. | option_a=13304 | option_b=3801 | option_c=3901 | option_d=3701 | answer=B | explanation=SI = PRT/100 = 9503×8×5/100 = █3801.

id=53038 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:2 and the first is 48, what is the second? | option_a=4 | option_b=6 | option_c=54 | option_d=22 | answer=B | explanation=Scale factor = 48/16 = 3. Therefore second quantity = 2×3 = 6.

id=53039 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 44? | option_a=20 | option_b=34 | option_c=27 | option_d=44 | answer=D | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 44 is the odd one out.

id=53040 | topic=Percentages | difficulty=Easy | question=What is 20% of 835? | option_a=167 | option_b=172 | option_c=334 | option_d=157 | answer=A | explanation=20% of 835 = (20/100) × 835 = 167.

Aptitude Questions — Records 53,041-53,070 of 100,000

id=53041 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=W | option_b=R | option_c=H | option_d=M | answer=B | explanation=Move 5 positions forward from M; the resulting letter is R.

id=53042 | topic=Profit & Loss | difficulty=Easy | question=An article costs █166. If it is sold at a profit of 40%, what is its selling price? | option_a=232 | option_b=248 | option_c=206 | option_d=216 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 166 \times 140/100 = \text{█}232$.

id=53043 | topic=Averages | difficulty=Easy | question=Find the average of 17, 49, 86, 28, 35. | option_a=45 | option_b=42 | option_c=44 | option_d=43 | answer=D | explanation=Average = sum of values + number of values = $215 \div 5 = 43$.

id=53044 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:12 and the first is 104, what is the second? | option_a=260 | option_b=144 | option_c=156 | option_d=164 | answer=C | explanation=Scale factor = $104/8 = 13$. Therefore second quantity = $12 \times 13 = 156$.

id=53045 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=60 | option_b=59 | option_c=48 | option_d=70 | answer=B | explanation=The common difference is 11. Therefore the next term is $48 + 11 = 59$.

id=53046 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45353 at 5% per annum for 5 years. | option_a=11438 | option_b=56691 | option_c=11238 | option_d=11338 | answer=D | explanation=SI = $PRT/100 = 45353 \times 5 \times 5/100 = \text{█}11338$.

id=53047 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:11 and the first is 60, what is the second? | option_a=126 | option_b=55 | option_c=76 | option_d=66 | answer=D | explanation=Scale factor = $60/10 = 6$. Therefore second quantity = $11 \times 6 = 66$.

id=53048 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:18 and the first is 72, what is the second? | option_a=144 | option_b=126 | option_c=153 | option_d=216 | answer=A | explanation=Scale factor = $72/9 = 8$. Therefore second quantity = $18 \times 8 = 144$.

id=53049 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=53050 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2637. If it is sold at a profit of 40%, what is its selling price? | option_a=3691 | option_b=2677 | option_c=3428 | option_d=3954 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2637 \times 140/100 = \text{█}3691$.

id=53051 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:16 and the first is 120, what is the second? | option_a=160 | option_b=172 | option_c=280 | option_d=144 | answer=A | explanation=Scale factor = $120/12 = 10$. Therefore second quantity = $16 \times 10 = 160$.

id=53052 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23321 at 5% per annum for 1 years. | option_a=1166 | option_b=24487 | option_c=1266 | option_d=1066 | answer=A | explanation=SI = $PRT/100 = 23321 \times 5 \times 1/100 = \text{█}1166$.

id=53053 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=53054 | topic=Percentages | difficulty=Easy | question=What is 50% of 194? | option_a=194 | option_b=77 | option_c=107 | option_d=97 | answer=D | explanation=50% of 194 = $(50/100) \times 194 = 97$.

id=53055 | topic=Percentages | difficulty=Easy | question=What is 20% of 1195? | option_a=229 | option_b=478 | option_c=259 | option_d=239 | answer=D | explanation=20% of 1195 = $(20/100) \times 1195 = 239$.

id=53056 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3431. If it is sold at a profit of 15%, what is its selling price? | option_a=3945 | option_b=4288 | option_c=3602 | option_d=3446 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 3431 \times 115/100 = \text{█}3945$.

id=53057 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23101 at 12% per annum for 1 years. | option_a=2672 | option_b=25873 | option_c=2772 | option_d=2872 | answer=C | explanation=SI = $PRT/100 = 23101 \times 12 \times 1/100 = \text{█}2772$.

id=53058 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:20 and the first is 160, what is the second? | option_a=330 | option_b=480 | option_c=300 | option_d=320 | answer=D | explanation=Scale factor = $160/10 = 16$. Therefore second quantity = $20 \times 16 = 320$.

id=53059 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=34 | option_b=26 | option_c=40 | option_d=33 | answer=D | explanation=The common difference is 7. Therefore the next term is $26 + 7 = 33$.

id=53060 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 22, 26, 32? | option_a=32 | option_b=18 | option_c=22 | option_d=26 | answer=A | explanation=The first three numbers increase by 4, so the next should be 30. Therefore 32 is the odd one out.

id=53061 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:13 and the first is 98, what is the second? | option_a=189 | option_b=105 | option_c=91 | option_d=78 | answer=C | explanation=Scale factor = $98/14 = 7$. Therefore second quantity = $13 \times 7 = 91$.

id=53062 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:8 and the first is 99, what is the second? | option_a=97 | option_b=88 | option_c=187 | option_d=80 | answer=B | explanation=Scale factor = $99/9 = 11$. Therefore second quantity = $8 \times 11 = 88$.

id=53063 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=51 | option_b=38 | option_c=50 | option_d=62 | answer=C | explanation=The common difference is 12. Therefore the next term is $38 + 12 = 50$.

id=53064 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $300 \div 10 = 30$ km/h.

id=53065 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=N | option_c=O | option_d=M | answer=C | explanation=Move 1 positions forward from N; the resulting letter is O.

id=53066 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:10 and the first is 66, what is the second? | option_a=50 | option_b=126 | option_c=60 | option_d=71 | answer=C | explanation=Scale factor = $66/11 = 6$. Therefore second quantity = $10 \times 6 = 60$.

id=53067 | topic=Percentages | difficulty=Easy | question=What is 12% of 205? | option_a=24 | option_b=48 | option_c=34 | option_d=4 | answer=A | explanation=12% of 205 = $(12/100) \times 205 = 24$.

id=53068 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=22 | option_b=32 | option_c=27 | option_d=28 | answer=C | explanation=The common difference is 5. Therefore the next term is $22 + 5 = 27$.

id=53069 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:13 and the first is 70, what is the second? | option_a=252 | option_b=182 | option_c=169 | option_d=187 | answer=B | explanation=Scale factor = $70/5 = 14$. Therefore second quantity = $13 \times 14 = 182$.

id=53070 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

Aptitude Questions — Records 53,071-53,100 of 100,000

id=53071 | topic=Averages | difficulty=Easy | question=Find the average of 80, 47, 42, 57, 24, 98, 30. | option_a=53 | option_b=56 | option_c=54 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = $378 \div 7 = 54$.

id=53072 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=70 | option_c=80 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = $300 \div 4 = 75$ km/h.

id=53073 | topic=Averages | difficulty=Easy | question=Find the average of 12, 67, 59, 97, 14, 12, 62, 45. | option_a=47 | option_b=45 | option_c=48 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = $368 \div 8 = 46$.

id=53074 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=95 | option_d=180 | answer=A | explanation=Speed = distance ÷ time = $360 \div 4 = 90$ km/h.

id=53075 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=47 | option_b=58 | option_c=59 | option_d=69 | answer=B | explanation=The common difference is 11. Therefore the next term is $47 + 11 = 58$.

id=53076 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:5 and the first is 247, what is the second? | option_a=342 | option_b=90 | option_c=108 | option_d=95 | answer=D | explanation=Scale factor = $247/13 = 19$. Therefore second quantity = $5 \times 19 = 95$.

id=53077 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3145 at 8% per annum for 4 years. | option_a=1106 | option_b=4151 | option_c=906 | option_d=1006 | answer=D | explanation=SI = $PRT/100 = 3145 \times 8 \times 4/100 = \text{■}1006$.

id=53078 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=53079 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=W | option_b=T | option_c=Q | option_d=Z | answer=A | explanation=Move 3 positions forward from T; the resulting letter is W.

id=53080 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4610. If it is sold at a profit of 50%, what is its selling price? | option_a=6915 | option_b=4660 | option_c=7376 | option_d=6454 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4610 \times 150/100 = \text{■}6915$.

id=53081 | topic=Percentages | difficulty=Easy | question=What is 25% of 349? | option_a=87 | option_b=174 | option_c=92 | option_d=82 | answer=A | explanation=25% of 349 = $(25/100) \times 349 = 87$.

id=53082 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:7 and the first is 144, what is the second? | option_a=207 | option_b=56 | option_c=79 | option_d=63 | answer=D | explanation=Scale factor = $144/16 = 9$. Therefore second quantity = $7 \times 9 = 63$.

id=53083 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4316. If it is sold at a profit of 25%, what is its selling price? | option_a=5395 | option_b=4964 | option_c=4341 | option_d=5826 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4316 \times 125/100 = \text{■}5395$.

id=53084 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 28? | option_a=20 | option_b=28 | option_c=24 | option_d=22 | answer=B | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 28 is the odd one out.

id=53085 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:9 and the first is 99, what is the second? | option_a=108 | option_b=90 | option_c=99 | option_d=198 | answer=C | explanation=Scale factor = $99/9 = 11$. Therefore second quantity = $9 \times 11 = 99$.

id=53086 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=54 | option_b=45 | option_c=34 | option_d=44 | answer=D | explanation=The common difference is 10. Therefore the next term is $34 + 10 = 44$.

id=53087 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:13 and the first is 40, what is the second? | option_a=117 | option_b=134 | option_c=130 | option_d=170 | answer=C | explanation=Scale factor = $40/4 = 10$. Therefore second quantity = $13 \times 10 = 130$.

id=53088 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=53089 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2429. If it is sold at a profit of 15%, what is its selling price? | option_a=2551 | option_b=2793 | option_c=2444 | option_d=3035 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2429 \times 115/100 = \text{■}2793$.

id=53090 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:15 and the first is 15, what is the second? | option_a=90 | option_b=60 | option_c=78 | option_d=75 | answer=D | explanation=Scale factor = $15/3 = 5$. Therefore second quantity = $15 \times 5 = 75$.

id=53091 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=T | option_b=W | option_c=V | option_d=U | answer=C | explanation=Move 1 positions forward from U; the resulting letter is V.

id=53092 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=E | option_b=B | option_c=H | option_d=Y | answer=A | explanation=Move 3 positions forward from B; the resulting letter is E.

id=53093 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=P | option_b=K | option_c=A | option_d=F | answer=B | explanation=Move 5 positions forward from F; the resulting letter is K.

id=53094 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 31, 39, 50? | option_a=23 | option_b=50 | option_c=31 | option_d=39 | answer=B | explanation=The first three numbers increase by 8, so the next should be 47. Therefore 50 is the odd one out.

id=53095 | topic=Percentages | difficulty=Easy | question=What is 40% of 501? | option_a=205 | option_b=190 | option_c=400 | option_d=200 | answer=D | explanation=40% of 501 = $(40/100) \times 501 = 200$.

id=53096 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:17 and the first is 162, what is the second? | option_a=306 | option_b=289 | option_c=468 | option_d=315 | answer=A | explanation=Scale factor = $162/9 = 18$. Therefore second quantity = $17 \times 18 = 306$.

id=53097 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2355. If it is sold at a profit of 30%, what is its selling price? | option_a=3296 | option_b=3061 | option_c=2385 | option_d=2826 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2355 \times 130/100 = \text{■}3061$.

id=53098 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=300 | option_c=145 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = $300 \div 2 = 150$ km/h.

id=53099 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35502 at 8% per annum for 4 years. | option_a=11460 | option_b=11260 | option_c=46862 | option_d=11360 | answer=D | explanation=SI = $PRT/100 = 35502 \times 8 \times 4/100 = \text{■}11360$.

id=53100 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

Aptitude Questions — Records 53,101-53,130 of 100,000

id=53101 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 24, 30, 36, ? | option_a=48 | option_b=42 | option_c=43 | option_d=36 | answer=B | explanation=The common difference is 6. Therefore the next term is 36 + 6 = 42.

id=53102 | topic=Percentages | difficulty=Easy | question=What is 30% of 1159? | option_a=357 | option_b=327 | option_c=347 | option_d=694 | answer=C | explanation=30% of 1159 = (30/100) × 1159 = 347.

id=53103 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=53104 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:9 and the first is 40, what is the second? | option_a=38 | option_b=18 | option_c=58 | option_d=9 | answer=B | explanation=Scale factor = 40/20 = 2. Therefore second quantity = 9×2 = 18.

id=53105 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=41 | option_b=42 | option_c=48 | option_d=34 | answer=A | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=53106 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 17, 20, 25? | option_a=25 | option_b=14 | option_c=20 | option_d=17 | answer=A | explanation=The first three numbers increase by 3, so the next should be 23. Therefore 25 is the odd one out.

id=53107 | topic=Profit & Loss | difficulty=Easy | question=An article costs █622. If it is sold at a profit of 25%, what is its selling price? | option_a=647 | option_b=715 | option_c=839 | option_d=777 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 622 × 125/100 = █777.

id=53108 | topic=Averages | difficulty=Easy | question=Find the average of 29, 39, 31, 27, 26, 30, 35, 35, 15, 33. | option_a=30 | option_b=31 | option_c=32 | option_d=29 | answer=A | explanation=Average = sum of values ÷ number of values = 300 ÷ 10 = 30.

id=53109 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 35, 43, 53? | option_a=53 | option_b=35 | option_c=43 | option_d=27 | answer=A | explanation=The first three numbers increase by 8, so the next should be 51. Therefore 53 is the odd one out.

id=53110 | topic=Averages | difficulty=Easy | question=Find the average of 89, 41, 43, 25, 100, 75, 64, 91. | option_a=67 | option_b=66 | option_c=68 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 528 ÷ 8 = 66.

id=53111 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:14 and the first is 252, what is the second? | option_a=214 | option_b=182 | option_c=196 | option_d=448 | answer=C | explanation=Scale factor = 252/18 = 14. Therefore second quantity = 14×14 = 196.

id=53112 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=42 | option_b=43 | option_c=32 | option_d=52 | answer=A | explanation=The common difference is 10. Therefore the next term is 32 + 10 = 42.

id=53113 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=53114 | topic=Profit & Loss | difficulty=Easy | question=An article costs █801. If it is sold at a profit of 5%, what is its selling price? | option_a=841 | option_b=761 | option_c=806 | option_d=921 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 801 × 105/100 = █841.

id=53115 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:5 and the first is 180, what is the second? | option_a=60 | option_b=75 | option_c=55 | option_d=240 | answer=A | explanation=Scale factor = 180/15 = 12. Therefore second quantity = 5×12 = 60.

id=53116 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=40 | option_b=64 | option_c=52 | option_d=53 | answer=C | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.

id=53117 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 26? | option_a=22 | option_b=16 | option_c=19 | option_d=26 | answer=D | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 26 is the odd one out.

id=53118 | topic=Percentages | difficulty=Easy | question=What is 50% of 590? | option_a=590 | option_b=275 | option_c=300 | option_d=295 | answer=D | explanation=50% of 590 = (50/100) × 590 = 295.

id=53119 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=55 | option_b=54 | option_c=64 | option_d=44 | answer=B | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=53120 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 24, 30, 36, ? | option_a=43 | option_b=48 | option_c=42 | option_d=36 | answer=C | explanation=The common difference is 6. Therefore the next term is 36 + 6 = 42.

id=53121 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 41? | option_a=22 | option_b=34 | option_c=28 | option_d=41 | answer=D | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 41 is the odd one out.

id=53122 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35846 at 5% per annum for 2 years. | option_a=3684 | option_b=3584 | option_c=3484 | option_d=39430 | answer=B | explanation=SI = PRT/100 = 35846×5×2/100 = █3584.

id=53123 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19604 at 15% per annum for 3 years. | option_a=28425 | option_b=8721 | option_c=8821 | option_d=8921 | answer=C | explanation=SI = PRT/100 = 19604×15×3/100 = █8821.

id=53124 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=53125 | topic=Averages | difficulty=Easy | question=Find the average of 18, 100, 69, 28, 25. | option_a=47 | option_b=50 | option_c=49 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = 240 ÷ 5 = 48.

id=53126 | topic=Averages | difficulty=Easy | question=Find the average of 94, 21, 14. | option_a=45 | option_b=42 | option_c=43 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = 129 ÷ 3 = 43.

id=53127 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=X | option_b=C | option_c=N | option_d=S | answer=A | explanation=Move 5 positions forward from S; the resulting letter is X.

id=53128 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 8. | option_a=176 | option_b=88 | option_c=110 | option_d=80 | answer=B | explanation=LCM × HCF = 22×8; HCF(22,8) = 2, so LCM = 88.

id=53129 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 30? | option_a=22 | option_b=26 | option_c=24 | option_d=30 | answer=D | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 30 is the odd one out.

id=53130 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1531. If it is sold at a profit of 25%, what is its selling price? | option_a=1760 | option_b=1556 | option_c=2066 | option_d=1913 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1531 × 125/100 = █1913.

Aptitude Questions — Records 53,131-53,160 of 100,000

id=53131 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 36? | option_a=29 | option_b=36 | option_c=25 | option_d=21 | answer=B | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 36 is the odd one out.

id=53132 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2631 at 8% per annum for 3 years. | option_a=631 | option_b=3262 | option_c=731 | option_d=531 | answer=A | explanation=SI = $\text{PRT}/100 = 2631 \times 8 \times 3 / 100 = \text{■}631$.

id=53133 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 25, 33, 41, ? | option_a=50 | option_b=41 | option_c=57 | option_d=49 | answer=D | explanation=The common difference is 8. Therefore the next term is $41 + 8 = 49$.

id=53134 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=80 | option_d=150 | answer=A | explanation=Speed = distance ÷ time = $150 \div 2 = 75$ km/h.

id=53135 | topic=Averages | difficulty=Easy | question=Find the average of 60, 40, 33, 74, 98, 43, 68, 42, 30, 12. | option_a=50 | option_b=51 | option_c=52 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = $500 \div 10 = 50$.

id=53136 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15866 at 10% per annum for 1 years. | option_a=1586 | option_b=1686 | option_c=1486 | option_d=17452 | answer=A | explanation=SI = $\text{PRT}/100 = 15866 \times 10 \times 1 / 100 = \text{■}1586$.

id=53137 | topic=Percentages | difficulty=Easy | question=What is 10% of 572? | option_a=114 | option_b=77 | option_c=47 | option_d=57 | answer=D | explanation=10% of 572 = $(10/100) \times 572 = 57$.

id=53138 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:5 and the first is 195, what is the second? | option_a=270 | option_b=88 | option_c=70 | option_d=75 | answer=D | explanation=Scale factor = $195/13 = 15$. Therefore second quantity = $5 \times 15 = 75$.

id=53139 | topic=Percentages | difficulty=Easy | question=What is 15% of 1612? | option_a=236 | option_b=241 | option_c=261 | option_d=482 | answer=B | explanation=15% of 1612 = $(15/100) \times 1612 = 241$.

id=53140 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4052. If it is sold at a profit of 50%, what is its selling price? | option_a=6078 | option_b=4102 | option_c=5673 | option_d=6483 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 4052 \times 150 / 100 = \text{■}6078$.

id=53141 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=53142 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5224 at 6% per annum for 1 years. | option_a=213 | option_b=313 | option_c=413 | option_d=5537 | answer=B | explanation=SI = $\text{PRT}/100 = 5224 \times 6 \times 1 / 100 = \text{■}313$.

id=53143 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:10 and the first is 260, what is the second? | option_a=200 | option_b=460 | option_c=213 | option_d=190 | answer=A | explanation=Scale factor = $260/13 = 20$. Therefore second quantity = $10 \times 20 = 200$.

id=53144 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 23, 30, 39? | option_a=23 | option_b=39 | option_c=30 | option_d=16 | answer=B | explanation=The first three numbers increase by 7, so the next should be 37. Therefore 39 is the odd one out.

id=53145 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:18 and the first is 21, what is the second? | option_a=147 | option_b=126 | option_c=108 | option_d=129 | answer=B | explanation=Scale factor = $21/3 = 7$. Therefore second quantity = $18 \times 7 = 126$.

id=53146 | topic=Percentages | difficulty=Easy | question=What is 30% of 1987? | option_a=616 | option_b=596 | option_c=1192 | option_d=591 | answer=B | explanation=30% of 1987 = $(30/100) \times 1987 = 596$.

id=53147 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=24 | option_c=19 | option_d=48 | answer=B | explanation=Speed = distance ÷ time = $240 \div 10 = 24$ km/h.

id=53148 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 35? | option_a=15 | option_b=6 | option_c=35 | option_d=24 | answer=C | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 35 is the odd one out.

id=53149 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 22, 26, 32? | option_a=26 | option_b=22 | option_c=18 | option_d=32 | answer=D | explanation=The first three numbers increase by 4, so the next should be 30. Therefore 32 is the odd one out.

id=53150 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:6 and the first is 66, what is the second? | option_a=30 | option_b=47 | option_c=36 | option_d=102 | answer=C | explanation=Scale factor = $66/11 = 6$. Therefore second quantity = $6 \times 6 = 36$.

id=53151 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=26 | option_b=23 | option_c=24 | option_d=20 | answer=B | explanation=The common difference is 3. Therefore the next term is $20 + 3 = 23$.

id=53152 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:13 and the first is 84, what is the second? | option_a=188 | option_b=266 | option_c=182 | option_d=169 | answer=C | explanation=Scale factor = $84/6 = 14$. Therefore second quantity = $13 \times 14 = 182$.

id=53153 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=47 | option_b=54 | option_c=38 | option_d=46 | answer=D | explanation=The common difference is 8. Therefore the next term is $38 + 8 = 46$.

id=53154 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=53155 | topic=Averages | difficulty=Easy | question=Find the average of 83, 94, 99, 90, 38, 96, 26, 26. | option_a=70 | option_b=68 | option_c=69 | option_d=71 | answer=C | explanation=Average = sum of values ÷ number of values = $552 \div 8 = 69$.

id=53156 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=W | option_b=I | option_c=A | option_d=E | answer=D | explanation=Move 4 positions forward from A; the resulting letter is E.

id=53157 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=16 | answer=A | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=53158 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**923. If it is sold at a profit of 25%, what is its selling price? | option_a=948 | option_b=1061 | option_c=1245 | option_d=1153 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 923 \times 125 / 100 = \text{■}1153$.

id=53159 | topic=Percentages | difficulty=Easy | question=What is 12% of 304? | option_a=31 | option_b=36 | option_c=72 | option_d=41 | answer=B | explanation=12% of 304 = $(12/100) \times 304 = 36$.

id=53160 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = $150 \div 5 = 30$ km/h.

Aptitude Questions — Records 53,161-53,190 of 100,000

id=53161 | topic=Averages | difficulty=Easy | question=Find the average of 51, 90, 29, 72, 46, 40, 42, 14. | option_a=47 | option_b=50 | option_c=49 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = 384 ÷ 8 = 48.

id=53162 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=40 | option_b=64 | option_c=53 | option_d=52 | answer=D | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.

id=53163 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 12. | option_a=1 | option_b=12 | option_c=24 | option_d=14 | answer=B | explanation= $\text{LCM} \times \text{HCF} = 2 \times 12$; $\text{HCF}(2,12) = 2$, so $\text{LCM} = 12$.

id=53164 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:12 and the first is 27, what is the second? | option_a=135 | option_b=111 | option_c=96 | option_d=108 | answer=D | explanation=Scale factor = $27/3 = 9$. Therefore second quantity = $12 \times 9 = 108$.

id=53165 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17924 at 5% per annum for 5 years. | option_a=22405 | option_b=4381 | option_c=4581 | option_d=4481 | answer=D | explanation= $\text{SI} = \text{PRT}/100 = 17924 \times 5 \times 5/100 = \text{■}4481$.

id=53166 | topic=Percentages | difficulty=Easy | question=What is 20% of 398? | option_a=89 | option_b=59 | option_c=79 | option_d=158 | answer=C | explanation=20% of 398 = $(20/100) \times 398 = 79$.

id=53167 | topic=Averages | difficulty=Easy | question=Find the average of 30, 61, 77, 67, 20. | option_a=52 | option_b=50 | option_c=53 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = $255 \div 5 = 51$.

id=53168 | topic=Percentages | difficulty=Easy | question=What is 12% of 72? | option_a=0 | option_b=13 | option_c=8 | option_d=16 | answer=C | explanation=12% of 72 = $(12/100) \times 72 = 8$.

id=53169 | topic=Averages | difficulty=Easy | question=Find the average of 59, 80, 37, 56. | option_a=58 | option_b=60 | option_c=59 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = $232 \div 4 = 58$.

id=53170 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=35 | option_b=43 | option_c=51 | option_d=44 | answer=B | explanation=The common difference is 8. Therefore the next term is 35 + 8 = 43.

id=53171 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=60 | option_b=40 | option_c=50 | option_d=51 | answer=C | explanation=The common difference is 10. Therefore the next term is 40 + 10 = 50.

id=53172 | topic=Percentages | difficulty=Easy | question=What is 25% of 505? | option_a=146 | option_b=106 | option_c=126 | option_d=252 | answer=C | explanation=25% of 505 = $(25/100) \times 505 = 126$.

id=53173 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12051 at 8% per annum for 4 years. | option_a=3956 | option_b=3856 | option_c=3756 | option_d=15907 | answer=B | explanation= $\text{SI} = \text{PRT}/100 = 12051 \times 8 \times 4/100 = \text{■}3856$.

id=53174 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=41 | option_b=49 | option_c=31 | option_d=40 | answer=D | explanation=The common difference is 9. Therefore the next term is 31 + 9 = 40.

id=53175 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 57? | option_a=57 | option_b=38 | option_c=29 | option_d=47 | answer=A | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 57 is the odd one out.

id=53176 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = $60 \div 2 = 30$ km/h.

id=53177 | topic=Averages | difficulty=Easy | question=Find the average of 30, 43, 31, 45, 99, 35, 97, 38, 10, 32. | option_a=48 | option_b=47 | option_c=45 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = $460 \div 10 = 46$.

id=53178 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=50 | option_b=51 | option_c=59 | option_d=41 | answer=A | explanation=The common difference is 9. Therefore the next term is 41 + 9 = 50.

id=53179 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 9, 16, 25? | option_a=25 | option_b=2 | option_c=16 | option_d=9 | answer=A | explanation=The first three numbers increase by 7, so the next should be 23. Therefore 25 is the odd one out.

id=53180 | topic=Averages | difficulty=Easy | question=Find the average of 93, 49, 95. | option_a=79 | option_b=78 | option_c=80 | option_d=81 | answer=A | explanation=Average = sum of values ÷ number of values = $237 \div 3 = 79$.

id=53181 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44571 at 5% per annum for 5 years. | option_a=11042 | option_b=11142 | option_c=11242 | option_d=55713 | answer=B | explanation= $\text{SI} = \text{PRT}/100 = 44571 \times 5 \times 5/100 = \text{■}11142$.

id=53182 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:5 and the first is 18, what is the second? | option_a=33 | option_b=21 | option_c=15 | option_d=10 | answer=C | explanation=Scale factor = $18/6 = 3$. Therefore second quantity = $5 \times 3 = 15$.

id=53183 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=53184 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=20 | option_d=6 | answer=B | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=53185 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $180 \div 3 = 60$ km/h.

id=53186 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=180 | option_c=85 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = $180 \div 2 = 90$ km/h.

id=53187 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20448 at 4% per annum for 5 years. | option_a=4089 | option_b=4189 | option_c=24537 | option_d=3989 | answer=A | explanation= $\text{SI} = \text{PRT}/100 = 20448 \times 4 \times 5/100 = \text{■}4089$.

id=53188 | topic=Percentages | difficulty=Easy | question=What is 20% of 1408? | option_a=281 | option_b=276 | option_c=291 | option_d=562 | answer=A | explanation=20% of 1408 = $(20/100) \times 1408 = 281$.

id=53189 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 20, 26, 33? | option_a=20 | option_b=26 | option_c=33 | option_d=14 | answer=C | explanation=The first three numbers increase by 6, so the next should be 32. Therefore 33 is the odd one out.

id=53190 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=35 | option_b=32 | option_c=33 | option_d=29 | answer=B | explanation=The common difference is 3. Therefore the next term is 29 + 3 = 32.

Aptitude Questions — Records 53,191-53,220 of 100,000

- id=53191 | topic=Percentages | difficulty=Easy | question=What is 50% of 944? | option_a=472 | option_b=944 | option_c=452 | option_d=492 | answer=A | explanation=50% of 944 = $(50/100) \times 944 = 472$.
- id=53192 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 15, 21, 28? | option_a=15 | option_b=9 | option_c=28 | option_d=21 | answer=C | explanation=The first three numbers increase by 6, so the next should be 27. Therefore 28 is the odd one out.
- id=53193 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23761 at 6% per annum for 1 years. | option_a=1425 | option_b=1525 | option_c=1325 | option_d=25186 | answer=A | explanation=SI = $PRT/100 = 23761 \times 6 \times 1/100 = \text{■}1425$.
- id=53194 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 25, 35, 47? | option_a=35 | option_b=15 | option_c=47 | option_d=25 | answer=C | explanation=The first three numbers increase by 10, so the next should be 45. Therefore 47 is the odd one out.
- id=53195 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2596 at 15% per annum for 3 years. | option_a=1168 | option_b=3764 | option_c=1268 | option_d=1068 | answer=A | explanation=SI = $PRT/100 = 2596 \times 15 \times 3/100 = \text{■}1168$.
- id=53196 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=B | option_b=C | option_c=D | option_d=E | answer=C | explanation=Move 1 positions forward from C; the resulting letter is D.
- id=53197 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=24 | option_d=5 | answer=A | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.
- id=53198 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3000. If it is sold at a profit of 40%, what is its selling price? | option_a=4200 | option_b=4500 | option_c=3040 | option_d=3900 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3000 \times 140/100 = \text{■}4200$.
- id=53199 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=95 | option_c=90 | option_d=180 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 360 \div 4 = 90$ km/h.
- id=53200 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=A | option_b=J | option_c=G | option_d=D | answer=C | explanation=Move 3 positions forward from D; the resulting letter is G.
- id=53201 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29901 at 5% per annum for 4 years. | option_a=6080 | option_b=35881 | option_c=5980 | option_d=5880 | answer=C | explanation=SI = $PRT/100 = 29901 \times 5 \times 4/100 = \text{■}5980$.
- id=53202 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=18 | option_c=4 | option_d=9 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 90 \div 10 = 9$ km/h.
- id=53203 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=K | option_b=I | option_c=J | option_d=L | answer=A | explanation=Move 1 positions forward from J; the resulting letter is K.
- id=53204 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3318 at 10% per annum for 3 years. | option_a=1095 | option_b=995 | option_c=4313 | option_d=895 | answer=B | explanation=SI = $PRT/100 = 3318 \times 10 \times 3/100 = \text{■}995$.
- id=53205 | topic=Averages | difficulty=Easy | question=Find the average of 62, 18, 47, 61, 53, 100, 32, 75. | option_a=57 | option_b=58 | option_c=56 | option_d=55 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 448 \div 8 = 56$.
- id=53206 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 22. | option_a=96 | option_b=88 | option_c=66 | option_d=176 | answer=B | explanation=LCM $\times$ HCF = 8×22 ; $\text{HCF}(8,22) = 2$, so LCM = 88.
- id=53207 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 21. | option_a=84 | option_b=96 | option_c=63 | option_d=252 | answer=A | explanation=LCM $\times$ HCF = 12×21 ; $\text{HCF}(12,21) = 3$, so LCM = 84.
- id=53208 | topic=Averages | difficulty=Easy | question=Find the average of 54, 29, 28, 37. | option_a=36 | option_b=38 | option_c=39 | option_d=37 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 148 \div 4 = 37$.
- id=53209 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=27 | option_b=23 | option_c=26 | option_d=25 | answer=D | explanation=The common difference is 2. Therefore the next term is $23 + 2 = 25$.
- id=53210 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:20 and the first is 12, what is the second? | option_a=52 | option_b=40 | option_c=46 | option_d=20 | answer=B | explanation=Scale factor = $12/6 = 2$. Therefore second quantity = $20 \times 2 = 40$.
- id=53211 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**859. If it is sold at a profit of 5%, what is its selling price? | option_a=816 | option_b=901 | option_c=864 | option_d=986 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 859 \times 105/100 = \text{■}901$.
- id=53212 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 13, 19, 27? | option_a=7 | option_b=19 | option_c=13 | option_d=27 | answer=D | explanation=The first three numbers increase by 6, so the next should be 25. Therefore 27 is the odd one out.
- id=53213 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=22 | option_b=21 | option_c=17 | option_d=25 | answer=B | explanation=The common difference is 4. Therefore the next term is $17 + 4 = 21$.
- id=53214 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.
- id=53215 | topic=Averages | difficulty=Easy | question=Find the average of 39, 51, 92, 17, 66. | option_a=53 | option_b=55 | option_c=54 | option_d=52 | answer=A | explanation=Average = $\text{sum of values} \div \text{number of values} = 265 \div 5 = 53$.
- id=53216 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1359. If it is sold at a profit of 25%, what is its selling price? | option_a=1833 | option_b=1698 | option_c=1384 | option_d=1563 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1359 \times 125/100 = \text{■}1698$.
- id=53217 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:5 and the first is 39, what is the second? | option_a=60 | option_b=65 | option_c=104 | option_d=68 | answer=B | explanation=Scale factor = $39/3 = 13$. Therefore second quantity = $5 \times 13 = 65$.
- id=53218 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48971 at 5% per annum for 3 years. | option_a=56316 | option_b=7345 | option_c=7245 | option_d=7445 | answer=B | explanation=SI = $PRT/100 = 48971 \times 5 \times 3/100 = \text{■}7345$.
- id=53219 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=Y | option_c=E | option_d=C | answer=D | explanation=Move 2 positions forward from A; the resulting letter is C.
- id=53220 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

Aptitude Questions — Records 53,221-53,250 of 100,000

id=53221 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3055. If it is sold at a profit of 5%, what is its selling price? | option_a=3512 | option_b=2902 | option_c=3060 | option_d=3207 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3055 × 105/100 = █3207.

id=53222 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49283 at 4% per annum for 1 years. | option_a=2071 | option_b=51254 | option_c=1971 | option_d=1871 | answer=C | explanation=SI = PRT/100 = 49283×4×1/100 = █1971.

id=53223 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 18, 22, 27? | option_a=27 | option_b=22 | option_c=18 | option_d=14 | answer=A | explanation=The first three numbers increase by 4, so the next should be 26. Therefore 27 is the odd one out.

id=53224 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=53225 | topic=Percentages | difficulty=Easy | question=What is 5% of 1511? | option_a=150 | option_b=55 | option_c=75 | option_d=95 | answer=C | explanation=5% of 1511 = (5/100) × 1511 = 75.

id=53226 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=53227 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:9 and the first is 48, what is the second? | option_a=84 | option_b=27 | option_c=48 | option_d=36 | answer=D | explanation=Scale factor = 48/12 = 4. Therefore second quantity = 9×4 = 36.

id=53228 | topic=Percentages | difficulty=Easy | question=What is 25% of 588? | option_a=157 | option_b=147 | option_c=294 | option_d=142 | answer=B | explanation=25% of 588 = (25/100) × 588 = 147.

id=53229 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:9 and the first is 198, what is the second? | option_a=99 | option_b=90 | option_c=297 | option_d=117 | answer=A | explanation=Scale factor = 198/18 = 11. Therefore second quantity = 9×11 = 99.

id=53230 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=35 | option_b=47 | option_c=46 | option_d=57 | answer=C | explanation=The common difference is 11. Therefore the next term is 35 + 11 = 46.

id=53231 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=21 | option_b=15 | option_c=18 | option_d=19 | answer=C | explanation=The common difference is 3. Therefore the next term is 15 + 3 = 18.

id=53232 | topic=Percentages | difficulty=Easy | question=What is 15% of 949? | option_a=162 | option_b=284 | option_c=132 | option_d=142 | answer=D | explanation=15% of 949 = (15/100) × 949 = 142.

id=53233 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:15 and the first is 65, what is the second? | option_a=75 | option_b=140 | option_c=88 | option_d=60 | answer=A | explanation=Scale factor = 65/13 = 5. Therefore second quantity = 15×5 = 75.

id=53234 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2169. If it is sold at a profit of 30%, what is its selling price? | option_a=2603 | option_b=2199 | option_c=3035 | option_d=2819 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2169 × 130/100 = █2819.

id=53235 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=L | option_b=I | option_c=J | option_d=K | answer=D | explanation=Move 1 positions forward from J; the resulting letter is K.

id=53236 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=M | option_b=Q | option_c=O | option_d=S | answer=B | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=53237 | topic=Averages | difficulty=Easy | question=Find the average of 16, 51, 70, 13, 100. | option_a=52 | option_b=50 | option_c=51 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 250 ÷ 5 = 50.

id=53238 | topic=Percentages | difficulty=Easy | question=What is 12% of 584? | option_a=50 | option_b=90 | option_c=140 | option_d=70 | answer=D | explanation=12% of 584 = (12/100) × 584 = 70.

id=53239 | topic=Profit & Loss | difficulty=Easy | question=An article costs █658. If it is sold at a profit of 20%, what is its selling price? | option_a=724 | option_b=854 | option_c=678 | option_d=789 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 658 × 120/100 = █789.

id=53240 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=53241 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=32 | option_b=46 | option_c=39 | option_d=40 | answer=C | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.

id=53242 | topic=Averages | difficulty=Easy | question=Find the average of 17, 18, 91. | option_a=41 | option_b=42 | option_c=44 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = 126 ÷ 3 = 42.

id=53243 | topic=Percentages | difficulty=Easy | question=What is 15% of 533? | option_a=158 | option_b=74 | option_c=99 | option_d=79 | answer=D | explanation=15% of 533 = (15/100) × 533 = 79.

id=53244 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36779 at 4% per annum for 3 years. | option_a=4413 | option_b=41192 | option_c=4513 | option_d=4313 | answer=A | explanation=SI = PRT/100 = 36779×4×3/100 = █4413.

id=53245 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 34? | option_a=34 | option_b=24 | option_c=17 | option_d=10 | answer=A | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 34 is the odd one out.

id=53246 | topic=Percentages | difficulty=Easy | question=What is 40% of 835? | option_a=339 | option_b=329 | option_c=668 | option_d=334 | answer=D | explanation=40% of 835 = (40/100) × 835 = 334.

id=53247 | topic=Percentages | difficulty=Easy | question=What is 30% of 814? | option_a=244 | option_b=488 | option_c=264 | option_d=234 | answer=A | explanation=30% of 814 = (30/100) × 814 = 244.

id=53248 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 33, 39, 47? | option_a=27 | option_b=33 | option_c=47 | option_d=39 | answer=C | explanation=The first three numbers increase by 6, so the next should be 45. Therefore 47 is the odd one out.

id=53249 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:5 and the first is 75, what is the second? | option_a=80 | option_b=70 | option_c=75 | option_d=150 | answer=C | explanation=Scale factor = 75/5 = 15. Therefore second quantity = 5×15 = 75.

id=53250 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:11 and the first is 96, what is the second? | option_a=88 | option_b=100 | option_c=184 | option_d=77 | answer=A | explanation=Scale factor = 96/12 = 8. Therefore second quantity = 11×8 = 88.

Aptitude Questions — Records 53,251-53,280 of 100,000

id=53251 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=20 | option_c=15 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=53252 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 32, 35, 41? | option_a=29 | option_b=41 | option_c=35 | option_d=32 | answer=B | explanation=The first three numbers increase by 3, so the next should be 38. Therefore 41 is the odd one out.

id=53253 | topic=Percentages | difficulty=Easy | question=What is 25% of 386? | option_a=101 | option_b=192 | option_c=76 | option_d=96 | answer=D | explanation=25% of 386 = (25/100) × 386 = 96.

id=53254 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=20 | option_b=17 | option_c=19 | option_d=21 | answer=C | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=53255 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 9, 12, 17? | option_a=6 | option_b=9 | option_c=17 | option_d=12 | answer=C | explanation=The first three numbers increase by 3, so the next should be 15. Therefore 17 is the odd one out.

id=53256 | topic=Averages | difficulty=Easy | question=Find the average of 16, 93, 98. | option_a=69 | option_b=71 | option_c=70 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = 207 ÷ 3 = 69.

id=53257 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:16 and the first is 35, what is the second? | option_a=87 | option_b=80 | option_c=64 | option_d=115 | answer=B | explanation=Scale factor = 35/7 = 5. Therefore second quantity = 16×5 = 80.

id=53258 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 23, 27, 33? | option_a=19 | option_b=27 | option_c=23 | option_d=33 | answer=D | explanation=The first three numbers increase by 4, so the next should be 31. Therefore 33 is the odd one out.

id=53259 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2314. If it is sold at a profit of 15%, what is its selling price? | option_a=2892 | option_b=2661 | option_c=2329 | option_d=2430 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2314 × 115/100 = █2661.

id=53260 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:5 and the first is 8, what is the second? | option_a=40 | option_b=48 | option_c=35 | option_d=41 | answer=A | explanation=Scale factor = 8/1 = 8. Therefore second quantity = 5×8 = 40.

id=53261 | topic=Profit & Loss | difficulty=Easy | question=An article costs █457. If it is sold at a profit of 40%, what is its selling price? | option_a=639 | option_b=594 | option_c=497 | option_d=684 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 457 × 140/100 = █639.

id=53262 | topic=Percentages | difficulty=Easy | question=What is 25% of 1312? | option_a=328 | option_b=656 | option_c=318 | option_d=333 | answer=A | explanation=25% of 1312 = (25/100) × 1312 = 328.

id=53263 | topic=Percentages | difficulty=Easy | question=What is 12% of 640? | option_a=66 | option_b=76 | option_c=96 | option_d=152 | answer=B | explanation=12% of 640 = (12/100) × 640 = 76.

id=53264 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4383. If it is sold at a profit of 40%, what is its selling price? | option_a=6574 | option_b=6136 | option_c=5698 | option_d=4423 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4383 × 140/100 = █6136.

id=53265 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1592. If it is sold at a profit of 20%, what is its selling price? | option_a=1910 | option_b=2069 | option_c=1751 | option_d=1612 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1592 × 120/100 = █1910.

id=53266 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2075. If it is sold at a profit of 25%, what is its selling price? | option_a=2386 | option_b=2800 | option_c=2100 | option_d=2593 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2075 × 125/100 = █2593.

id=53267 | topic=Percentages | difficulty=Easy | question=What is 25% of 577? | option_a=144 | option_b=149 | option_c=134 | option_d=288 | answer=A | explanation=25% of 577 = (25/100) × 577 = 144.

id=53268 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 18, 22, 27? | option_a=18 | option_b=27 | option_c=14 | option_d=22 | answer=B | explanation=The first three numbers increase by 4, so the next should be 26. Therefore 27 is the odd one out.

id=53269 | topic=Averages | difficulty=Easy | question=Find the average of 22, 76, 65, 53. | option_a=54 | option_b=55 | option_c=53 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 216 ÷ 4 = 54.

id=53270 | topic=Percentages | difficulty=Easy | question=What is 10% of 1764? | option_a=196 | option_b=352 | option_c=176 | option_d=171 | answer=C | explanation=10% of 1764 = (10/100) × 1764 = 176.

id=53271 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=23 | option_b=20 | option_c=24 | option_d=22 | answer=D | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=53272 | topic=Averages | difficulty=Easy | question=Find the average of 73, 37, 53, 36, 16, 41, 40, 21, 98, 35. | option_a=47 | option_b=45 | option_c=44 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 450 ÷ 10 = 45.

id=53273 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=53274 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3717. If it is sold at a profit of 5%, what is its selling price? | option_a=3531 | option_b=3902 | option_c=3722 | option_d=4273 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3717 × 105/100 = █3902.

id=53275 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=53276 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=H | option_b=F | option_c=I | option_d=G | answer=A | explanation=Move 1 positions forward from G; the resulting letter is H.

id=53277 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 32? | option_a=20 | option_b=25 | option_c=32 | option_d=15 | answer=C | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 32 is the odd one out.

id=53278 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 20. | option_a=24 | option_b=80 | option_c=20 | option_d=1 | answer=C | explanation=LCM × HCF = 4×20; HCF(4,20) = 4, so LCM = 20.

id=53279 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 7, 10, 16? | option_a=7 | option_b=10 | option_c=4 | option_d=16 | answer=D | explanation=The first three numbers increase by 3, so the next should be 13. Therefore 16 is the odd one out.

id=53280 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=125 | option_c=115 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

Aptitude Questions — Records 53,281-53,310 of 100,000

id=53281 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=S | option_c=D | option_d=N | answer=D | explanation=Move 5 positions forward from I; the resulting letter is N.

id=53282 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=12 | option_c=24 | option_d=7 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=53283 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=53284 | topic=Averages | difficulty=Easy | question=Find the average of 29, 38, 71, 80, 67. | option_a=58 | option_b=57 | option_c=59 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.

id=53285 | topic=Percentages | difficulty=Easy | question=What is 15% of 402? | option_a=120 | option_b=50 | option_c=65 | option_d=60 | answer=D | explanation=15% of 402 = (15/100) × 402 = 60.

id=53286 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14129 at 4% per annum for 5 years. | option_a=16954 | option_b=2725 | option_c=2925 | option_d=2825 | answer=D | explanation=SI = PRT/100 = 14129×4×5/100 = **■**2825.

id=53287 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=I | option_c=K | option_d=M | answer=D | explanation=Move 2 positions forward from K; the resulting letter is M.

id=53288 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 4. | option_a=72 | option_b=54 | option_c=32 | option_d=36 | answer=D | explanation=LCM × HCF = 18×4; HCF(18,4) = 2, so LCM = 36.

id=53289 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:2 and the first is 224, what is the second? | option_a=28 | option_b=26 | option_c=44 | option_d=252 | answer=A | explanation=Scale factor = 224/16 = 14. Therefore second quantity = 2×14 = 28.

id=53290 | topic=Averages | difficulty=Easy | question=Find the average of 83, 35, 20, 80, 87, 27, 97, 60, 12, 59. | option_a=56 | option_b=57 | option_c=55 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 560 ÷ 10 = 56.

id=53291 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 37, 46, 58? | option_a=28 | option_b=37 | option_c=58 | option_d=46 | answer=C | explanation=The first three numbers increase by 9, so the next should be 55. Therefore 58 is the odd one out.

id=53292 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=12 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=53293 | topic=Percentages | difficulty=Easy | question=What is 25% of 354? | option_a=176 | option_b=78 | option_c=93 | option_d=88 | answer=D | explanation=25% of 354 = (25/100) × 354 = 88.

id=53294 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=R | option_b=O | option_c=L | option_d=U | answer=A | explanation=Move 3 positions forward from O; the resulting letter is R.

id=53295 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25229 at 6% per annum for 2 years. | option_a=2927 | option_b=3027 | option_c=28256 | option_d=3127 | answer=B | explanation=SI = PRT/100 = 25229×6×2/100 = **■**3027.

id=53296 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**838. If it is sold at a profit of 40%, what is its selling price? | option_a=1256 | option_b=1173 | option_c=1090 | option_d=878 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 838 × 140/100 = **■**1173.

id=53297 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 24? | option_a=24 | option_b=11 | option_c=17 | option_d=5 | answer=A | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 24 is the odd one out.

id=53298 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35861 at 12% per annum for 2 years. | option_a=44467 | option_b=8706 | option_c=8506 | option_d=8606 | answer=D | explanation=SI = PRT/100 = 35861×12×2/100 = **■**8606.

id=53299 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:4 and the first is 20, what is the second? | option_a=28 | option_b=8 | option_c=18 | option_d=4 | answer=B | explanation=Scale factor = 20/10 = 2. Therefore second quantity = 4×2 = 8.

id=53300 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:4 and the first is 170, what is the second? | option_a=210 | option_b=36 | option_c=57 | option_d=40 | answer=D | explanation=Scale factor = 170/17 = 10. Therefore second quantity = 4×10 = 40.

id=53301 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47044 at 12% per annum for 3 years. | option_a=16835 | option_b=16935 | option_c=63979 | option_d=17035 | answer=B | explanation=SI = PRT/100 = 47044×12×3/100 = **■**16935.

id=53302 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=E | option_b=N | option_c=K | option_d=H | answer=C | explanation=Move 3 positions forward from H; the resulting letter is K.

id=53303 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=63 | option_b=74 | option_c=52 | option_d=64 | answer=A | explanation=The common difference is 11. Therefore the next term is 52 + 11 = 63.

id=53304 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3350. If it is sold at a profit of 5%, what is its selling price? | option_a=3355 | option_b=3182 | option_c=3852 | option_d=3517 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3350 × 105/100 = **■**3517.

id=53305 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 15, 23, 34? | option_a=15 | option_b=34 | option_c=7 | option_d=23 | answer=B | explanation=The first three numbers increase by 8, so the next should be 31. Therefore 34 is the odd one out.

id=53306 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=240 | option_c=115 | option_d=125 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=53307 | topic=Averages | difficulty=Easy | question=Find the average of 60, 92, 18, 89, 62, 69, 72. | option_a=66 | option_b=67 | option_c=68 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 462 ÷ 7 = 66.

id=53308 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4232. If it is sold at a profit of 10%, what is its selling price? | option_a=5078 | option_b=4242 | option_c=4232 | option_d=4655 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4232 × 110/100 = **■**4655.

id=53309 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 34? | option_a=9 | option_b=25 | option_c=17 | option_d=34 | answer=D | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 34 is the odd one out.

id=53310 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=E | option_b=K | option_c=H | option_d=N | answer=B | explanation=Move 3 positions forward from H; the resulting letter is K.

Aptitude Questions — Records 53,311-53,340 of 100,000

- id=53311 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12682 at 12% per annum for 5 years. | option_a=7609 | option_b=7509 | option_c=7709 | option_d=20291 | answer=A | explanation=SI = $PRT/100 = 12682 \times 12 \times 5/100 = \text{■}7609$.
- id=53312 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1846. If it is sold at a profit of 25%, what is its selling price? | option_a=2123 | option_b=2307 | option_c=1871 | option_d=2491 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1846 \times 125/100 = \text{■}2307$.
- id=53313 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=58 | option_b=47 | option_c=36 | option_d=48 | answer=B | explanation=The common difference is 11. Therefore the next term is $36 + 11 = 47$.
- id=53314 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=29 | option_b=26 | option_c=30 | option_d=32 | answer=A | explanation=The common difference is 3. Therefore the next term is $26 + 3 = 29$.
- id=53315 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:16 and the first is 54, what is the second? | option_a=96 | option_b=105 | option_c=150 | option_d=80 | answer=A | explanation=Scale factor = $54/9 = 6$. Therefore second quantity = $16 \times 6 = 96$.
- id=53316 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:15 and the first is 120, what is the second? | option_a=110 | option_b=210 | option_c=75 | option_d=90 | answer=D | explanation=Scale factor = $120/20 = 6$. Therefore second quantity = $15 \times 6 = 90$.
- id=53317 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11225 at 6% per annum for 5 years. | option_a=3267 | option_b=3367 | option_c=14592 | option_d=3467 | answer=B | explanation=SI = $PRT/100 = 11225 \times 6 \times 5/100 = \text{■}3367$.
- id=53318 | topic=Percentages | difficulty=Easy | question=What is 10% of 345? | option_a=34 | option_b=39 | option_c=24 | option_d=68 | answer=A | explanation=10% of 345 = $(10/100) \times 345 = 34$.
- id=53319 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 34? | option_a=22 | option_b=25 | option_c=28 | option_d=34 | answer=D | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 34 is the odd one out.
- id=53320 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 3. | option_a=18 | option_b=21 | option_c=42 | option_d=63 | answer=B | explanation= $LCM \times HCF = 21 \times 3$; $HCF(21,3) = 3$, so $LCM = 21$.
- id=53321 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 20. | option_a=242 | option_b=220 | option_c=200 | option_d=440 | answer=B | explanation= $LCM \times HCF = 22 \times 20$; $HCF(22,20) = 2$, so $LCM = 220$.
- id=53322 | topic=Averages | difficulty=Easy | question=Find the average of 18, 44, 81, 21. | option_a=40 | option_b=42 | option_c=43 | option_d=41 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 164 \div 4 = 41$.
- id=53323 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:19 and the first is 85, what is the second? | option_a=112 | option_b=95 | option_c=76 | option_d=180 | answer=B | explanation=Scale factor = $85/17 = 5$. Therefore second quantity = $19 \times 5 = 95$.
- id=53324 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26916 at 12% per annum for 3 years. | option_a=9589 | option_b=9789 | option_c=36605 | option_d=9689 | answer=D | explanation=SI = $PRT/100 = 26916 \times 12 \times 3/100 = \text{■}9689$.
- id=53325 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:19 and the first is 40, what is the second? | option_a=19 | option_b=78 | option_c=38 | option_d=58 | answer=C | explanation=Scale factor = $40/20 = 2$. Therefore second quantity = $19 \times 2 = 38$.
- id=53326 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18118 at 12% per annum for 1 years. | option_a=2174 | option_b=2074 | option_c=2274 | option_d=20292 | answer=A | explanation=SI = $PRT/100 = 18118 \times 12 \times 1/100 = \text{■}2174$.
- id=53327 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**537. If it is sold at a profit of 15%, what is its selling price? | option_a=617 | option_b=552 | option_c=564 | option_d=670 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 537 \times 115/100 = \text{■}617$.
- id=53328 | topic=Percentages | difficulty=Easy | question=What is 10% of 626? | option_a=62 | option_b=42 | option_c=82 | option_d=124 | answer=A | explanation=10% of 626 = $(10/100) \times 626 = 62$.
- id=53329 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=36 | option_b=33 | option_c=32 | option_d=28 | answer=C | explanation=The common difference is 4. Therefore the next term is $28 + 4 = 32$.
- id=53330 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 60 \div 2 = 30 \text{ km/h}$.
- id=53331 | topic=Averages | difficulty=Easy | question=Find the average of 18, 42, 21, 71, 13, 37, 65, 86, 16. | option_a=41 | option_b=40 | option_c=42 | option_d=43 | answer=A | explanation=Average = $\text{sum of values} \div \text{number of values} = 369 \div 9 = 41$.
- id=53332 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=G | option_c=D | option_d=X | answer=C | explanation=Move 3 positions forward from A; the resulting letter is D.
- id=53333 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=X | option_b=T | option_c=R | option_d=V | answer=D | explanation=Move 2 positions forward from T; the resulting letter is V.
- id=53334 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49951 at 4% per annum for 5 years. | option_a=9990 | option_b=9890 | option_c=59941 | option_d=10090 | answer=A | explanation=SI = $PRT/100 = 49951 \times 4 \times 5/100 = \text{■}9990$.
- id=53335 | topic=Averages | difficulty=Easy | question=Find the average of 72, 15, 96, 24, 74, 17, 17. | option_a=44 | option_b=46 | option_c=47 | option_d=45 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 315 \div 7 = 45$.
- id=53336 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.
- id=53337 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=64 | option_b=42 | option_c=54 | option_d=53 | answer=D | explanation=The common difference is 11. Therefore the next term is $42 + 11 = 53$.
- id=53338 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.
- id=53339 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=X | option_b=C | option_c=S | option_d=N | answer=A | explanation=Move 5 positions forward from S; the resulting letter is X.
- id=53340 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19066 at 8% per annum for 3 years. | option_a=4475 | option_b=4675 | option_c=23641 | option_d=4575 | answer=D | explanation=SI = $PRT/100 = 19066 \times 8 \times 3/100 = \text{■}4575$.

Aptitude Questions — Records 53,341-53,370 of 100,000

id=53341 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■47713 at 10% per annum for 5 years. | option_a=23856 | option_b=71569 | option_c=23756 | option_d=23956 | answer=A | explanation=SI = PRT/100 = 47713×10×5/100 = ■23856.

id=53342 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 8, 12, 17? | option_a=8 | option_b=4 | option_c=17 | option_d=12 | answer=C | explanation=The first three numbers increase by 4, so the next should be 16. Therefore 17 is the odd one out.

id=53343 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=53344 | topic=Averages | difficulty=Easy | question=Find the average of 18, 12, 49, 85, 101. | option_a=53 | option_b=55 | option_c=52 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 265 ÷ 5 = 53.

id=53345 | topic=Percentages | difficulty=Easy | question=What is 50% of 545? | option_a=272 | option_b=252 | option_c=544 | option_d=277 | answer=A | explanation=50% of 545 = (50/100) × 545 = 272.

id=53346 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1326. If it is sold at a profit of 25%, what is its selling price? | option_a=1525 | option_b=1789 | option_c=1657 | option_d=1351 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1326 × 125/100 = ■1657.

id=53347 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=24 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=53348 | topic=Percentages | difficulty=Easy | question=What is 12% of 1221? | option_a=151 | option_b=146 | option_c=292 | option_d=141 | answer=B | explanation=12% of 1221 = (12/100) × 1221 = 146.

id=53349 | topic=Percentages | difficulty=Easy | question=What is 10% of 1181? | option_a=128 | option_b=236 | option_c=118 | option_d=98 | answer=C | explanation=10% of 1181 = (10/100) × 1181 = 118.

id=53350 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 23, 32, 44? | option_a=23 | option_b=14 | option_c=32 | option_d=44 | answer=D | explanation=The first three numbers increase by 9, so the next should be 41. Therefore 44 is the odd one out.

id=53351 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 36? | option_a=12 | option_b=26 | option_c=19 | option_d=36 | answer=D | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 36 is the odd one out.

id=53352 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:4 and the first is 99, what is the second? | option_a=143 | option_b=40 | option_c=44 | option_d=53 | answer=C | explanation=Scale factor = 99/9 = 11. Therefore second quantity = 4×11 = 44.

id=53353 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=35 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=53354 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:2 and the first is 35, what is the second? | option_a=12 | option_b=14 | option_c=49 | option_d=19 | answer=B | explanation=Scale factor = 35/5 = 7. Therefore second quantity = 2×7 = 14.

id=53355 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=53356 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=39 | option_b=32 | option_c=40 | option_d=46 | answer=A | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.

id=53357 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 30. | option_a=30 | option_b=1 | option_c=35 | option_d=150 | answer=A | explanation=LCM × HCF = 5×30; HCF(5,30) = 5, so LCM = 30.

id=53358 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=53359 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■994. If it is sold at a profit of 50%, what is its selling price? | option_a=1491 | option_b=1590 | option_c=1044 | option_d=1392 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 994 × 150/100 = ■1491.

id=53360 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=28 | option_b=24 | option_c=20 | option_d=25 | answer=B | explanation=The common difference is 4. Therefore the next term is 20 + 4 = 24.

id=53361 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:7 and the first is 160, what is the second? | option_a=300 | option_b=133 | option_c=140 | option_d=148 | answer=C | explanation=Scale factor = 160/8 = 20. Therefore second quantity = 7×20 = 140.

id=53362 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=53363 | topic=Percentages | difficulty=Easy | question=What is 12% of 1238? | option_a=143 | option_b=168 | option_c=296 | option_d=148 | answer=D | explanation=12% of 1238 = (12/100) × 1238 = 148.

id=53364 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=J | option_b=M | option_c=L | option_d=K | answer=C | explanation=Move 1 positions forward from K; the resulting letter is L.

id=53365 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=J | option_b=Z | option_c=E | option_d=O | answer=A | explanation=Move 5 positions forward from E; the resulting letter is J.

id=53366 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4104. If it is sold at a profit of 20%, what is its selling price? | option_a=4514 | option_b=5334 | option_c=4124 | option_d=4924 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4104 × 120/100 = ■4924.

id=53367 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=N | option_b=Q | option_c=W | option_d=T | answer=D | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=53368 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=45 | option_c=50 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=53369 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=53370 | topic=Averages | difficulty=Easy | question=Find the average of 62, 63, 59, 13, 65, 42, 48, 64. | option_a=53 | option_b=54 | option_c=52 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

Aptitude Questions — Records 53,371-53,400 of 100,000

id=53371 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=53372 | topic=Percentages | difficulty=Easy | question=What is 50% of 1603? | option_a=1602 | option_b=801 | option_c=796 | option_d=811 | answer=B | explanation=50% of 1603 = (50/100) × 1603 = 801.

id=53373 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=20 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=53374 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3484. If it is sold at a profit of 20%, what is its selling price? | option_a=3504 | option_b=3832 | option_c=4528 | option_d=4180 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3484 × 120/100 = █4180.

id=53375 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:20 and the first is 361, what is the second? | option_a=399 | option_b=360 | option_c=380 | option_d=741 | answer=C | explanation=Scale factor = 361/19 = 19. Therefore second quantity = 20×19 = 380.

id=53376 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=53377 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=D | option_c=E | option_d=F | answer=D | explanation=Move 1 positions forward from E; the resulting letter is F.

id=53378 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25399 at 4% per annum for 4 years. | option_a=3963 | option_b=29462 | option_c=4063 | option_d=4163 | answer=C | explanation=SI = PRT/100 = 25399×4×4/100 = █4063.

id=53379 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20777 at 10% per annum for 2 years. | option_a=4155 | option_b=24932 | option_c=4255 | option_d=4055 | answer=A | explanation=SI = PRT/100 = 20777×10×2/100 = █4155.

id=53380 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48054 at 5% per annum for 4 years. | option_a=9510 | option_b=57664 | option_c=9710 | option_d=9610 | answer=D | explanation=SI = PRT/100 = 48054×5×4/100 = █9610.

id=53381 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=N | option_b=D | option_c=S | option_d=I | answer=A | explanation=Move 5 positions forward from I; the resulting letter is N.

id=53382 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37545 at 15% per annum for 3 years. | option_a=16895 | option_b=16995 | option_c=54440 | option_d=16795 | answer=A | explanation=SI = PRT/100 = 37545×15×3/100 = █16895.

id=53383 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 10. | option_a=40 | option_b=24 | option_c=20 | option_d=10 | answer=C | explanation=LCM × HCF = 4×10; HCF(4,10) = 2, so LCM = 20.

id=53384 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 10, 13, 18? | option_a=18 | option_b=7 | option_c=13 | option_d=10 | answer=A | explanation=The first three numbers increase by 3, so the next should be 16. Therefore 18 is the odd one out.

id=53385 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=28 | option_b=24 | option_c=25 | option_d=20 | answer=B | explanation=The common difference is 4. Therefore the next term is 20 + 4 = 24.

id=53386 | topic=Percentages | difficulty=Easy | question=What is 30% of 1198? | option_a=718 | option_b=364 | option_c=359 | option_d=349 | answer=C | explanation=30% of 1198 = (30/100) × 1198 = 359.

id=53387 | topic=Averages | difficulty=Easy | question=Find the average of 22, 56, 32, 73, 56, 53, 23. | option_a=47 | option_b=44 | option_c=45 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 315 ÷ 7 = 45.

id=53388 | topic=Profit & Loss | difficulty=Easy | question=An article costs █856. If it is sold at a profit of 40%, what is its selling price? | option_a=1283 | option_b=1113 | option_c=896 | option_d=1198 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 856 × 140/100 = █1198.

id=53389 | topic=Percentages | difficulty=Easy | question=What is 15% of 169? | option_a=45 | option_b=25 | option_c=50 | option_d=5 | answer=B | explanation=15% of 169 = (15/100) × 169 = 25.

id=53390 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23451 at 15% per annum for 5 years. | option_a=41039 | option_b=17688 | option_c=17488 | option_d=17588 | answer=D | explanation=SI = PRT/100 = 23451×15×5/100 = █17588.

id=53391 | topic=Averages | difficulty=Easy | question=Find the average of 84, 31, 96, 58, 59, 27, 12, 81. | option_a=57 | option_b=56 | option_c=55 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 448 ÷ 8 = 56.

id=53392 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=53393 | topic=Percentages | difficulty=Easy | question=What is 50% of 1536? | option_a=758 | option_b=788 | option_c=1536 | option_d=768 | answer=D | explanation=50% of 1536 = (50/100) × 1536 = 768.

id=53394 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 29? | option_a=29 | option_b=20 | option_c=24 | option_d=16 | answer=A | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 29 is the odd one out.

id=53395 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=53396 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21419 at 6% per annum for 5 years. | option_a=6425 | option_b=27844 | option_c=6325 | option_d=6525 | answer=A | explanation=SI = PRT/100 = 21419×6×5/100 = █6425.

id=53397 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6309 at 4% per annum for 1 years. | option_a=6561 | option_b=352 | option_c=152 | option_d=252 | answer=D | explanation=SI = PRT/100 = 6309×4×1/100 = █252.

id=53398 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=54 | option_b=44 | option_c=62 | option_d=53 | answer=D | explanation=The common difference is 9. Therefore the next term is 44 + 9 = 53.

id=53399 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=23 | option_b=28 | option_c=27 | option_d=31 | answer=C | explanation=The common difference is 4. Therefore the next term is 23 + 4 = 27.

id=53400 | topic=Percentages | difficulty=Easy | question=What is 10% of 1846? | option_a=368 | option_b=164 | option_c=204 | option_d=184 | answer=D | explanation=10% of 1846 = (10/100) × 1846 = 184.

Aptitude Questions — Records 53,401-53,430 of 100,000

id=53401 | topic=Percentages | difficulty=Easy | question=What is 50% of 1737? | option_a=873 | option_b=868 | option_c=1736 | option_d=858 | answer=B | explanation=50% of 1737 = (50/100) × 1737 = 868.

id=53402 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=75 | option_c=80 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=53403 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1719. If it is sold at a profit of 50%, what is its selling price? | option_a=2578 | option_b=2407 | option_c=2749 | option_d=1769 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1719 × 150/100 = █2578.

id=53404 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=33 | option_b=28 | option_c=36 | option_d=32 | answer=D | explanation=The common difference is 4. Therefore the next term is 28 + 4 = 32.

id=53405 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=Q | option_b=O | option_c=M | option_d=S | answer=A | explanation=Move 2 positions forward from O, the resulting letter is Q.

id=53406 | topic=Profit & Loss | difficulty=Easy | question=An article costs █750. If it is sold at a profit of 50%, what is its selling price? | option_a=800 | option_b=1050 | option_c=1200 | option_d=1125 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 750 × 150/100 = █1125.

id=53407 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46241 at 4% per annum for 1 years. | option_a=1949 | option_b=48090 | option_c=1749 | option_d=1849 | answer=D | explanation=SI = PRT/100 = 46241×4×1/100 = █1849.

id=53408 | topic=Profit & Loss | difficulty=Easy | question=An article costs █197. If it is sold at a profit of 10%, what is its selling price? | option_a=197 | option_b=216 | option_c=235 | option_d=207 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 197 × 110/100 = █216.

id=53409 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 50? | option_a=19 | option_b=29 | option_c=39 | option_d=50 | answer=D | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 50 is the odd one out.

id=53410 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=E | option_c=Y | option_d=A | answer=A | explanation=Move 2 positions forward from A, the resulting letter is C.

id=53411 | topic=Averages | difficulty=Easy | question=Find the average of 47, 98, 17, 83, 36, 97. | option_a=62 | option_b=64 | option_c=63 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = 378 ÷ 6 = 63.

id=53412 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4128. If it is sold at a profit of 10%, what is its selling price? | option_a=4138 | option_b=4540 | option_c=4952 | option_d=4128 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4128 × 110/100 = █4540.

id=53413 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=L | option_b=J | option_c=K | option_d=I | answer=C | explanation=Move 1 positions forward from J, the resulting letter is K.

id=53414 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3161. If it is sold at a profit of 20%, what is its selling price? | option_a=3811 | option_b=3793 | option_c=3477 | option_d=4109 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3161 × 120/100 = █3793.

id=53415 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=240 | option_d=115 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=53416 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=34 | option_b=48 | option_c=42 | option_d=41 | answer=D | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=53417 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:12 and the first is 16, what is the second? | option_a=98 | option_b=112 | option_c=84 | option_d=96 | answer=D | explanation=Scale factor = 16/2 = 8. Therefore second quantity = 12×8 = 96.

id=53418 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12951 at 10% per annum for 1 years. | option_a=1195 | option_b=14246 | option_c=1395 | option_d=1295 | answer=D | explanation=SI = PRT/100 = 12951×10×1/100 = █1295.

id=53419 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=53420 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3359. If it is sold at a profit of 15%, what is its selling price? | option_a=3374 | option_b=3862 | option_c=4197 | option_d=3527 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3359 × 115/100 = █3862.

id=53421 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:3 and the first is 238, what is the second? | option_a=65 | option_b=51 | option_c=289 | option_d=48 | answer=B | explanation=Scale factor = 238/14 = 17. Therefore second quantity = 3×17 = 51.

id=53422 | topic=Percentages | difficulty=Easy | question=What is 25% of 1055? | option_a=268 | option_b=253 | option_c=263 | option_d=526 | answer=C | explanation=25% of 1055 = (25/100) × 1055 = 263.

id=53423 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=Q | option_c=T | option_d=K | answer=B | explanation=Move 3 positions forward from N, the resulting letter is Q.

id=53424 | topic=Percentages | difficulty=Easy | question=What is 15% of 110? | option_a=6 | option_b=16 | option_c=32 | option_d=21 | answer=B | explanation=15% of 110 = (15/100) × 110 = 16.

id=53425 | topic=Profit & Loss | difficulty=Easy | question=An article costs █243. If it is sold at a profit of 20%, what is its selling price? | option_a=267 | option_b=315 | option_c=291 | option_d=263 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 243 × 120/100 = █291.

id=53426 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1393. If it is sold at a profit of 10%, what is its selling price? | option_a=1403 | option_b=1671 | option_c=1532 | option_d=1393 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1393 × 110/100 = █1532.

id=53427 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:4 and the first is 342, what is the second? | option_a=94 | option_b=418 | option_c=72 | option_d=76 | answer=D | explanation=Scale factor = 342/18 = 19. Therefore second quantity = 4×19 = 76.

id=53428 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:7 and the first is 300, what is the second? | option_a=405 | option_b=98 | option_c=105 | option_d=125 | answer=C | explanation=Scale factor = 300/20 = 15. Therefore second quantity = 7×15 = 105.

id=53429 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=J | option_c=P | option_d=S | answer=C | explanation=Move 3 positions forward from M, the resulting letter is P.

id=53430 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 20, 23, 28? | option_a=23 | option_b=17 | option_c=28 | option_d=20 | answer=C | explanation=The first three numbers increase by 3, so the next should be 26. Therefore 28 is the odd one out.

Aptitude Questions — Records 53,431-53,460 of 100,000

id=53431 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:9 and the first is 18, what is the second? | option_a=36 | option_b=9 | option_c=27 | option_d=18 | answer=D | explanation=Scale factor = 18/9 = 2. Therefore second quantity = 9×2 = 18.

id=53432 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 26? | option_a=5 | option_b=11 | option_c=26 | option_d=17 | answer=C | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 26 is the odd one out.

id=53433 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 37, 46, 56? | option_a=56 | option_b=28 | option_c=37 | option_d=46 | answer=A | explanation=The first three numbers increase by 9, so the next should be 55. Therefore 56 is the odd one out.

id=53434 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3581. If it is sold at a profit of 25%, what is its selling price? | option_a=4834 | option_b=3606 | option_c=4476 | option_d=4118 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3581 × 125/100 = █4476.

id=53435 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:14 and the first is 108, what is the second? | option_a=102 | option_b=192 | option_c=84 | option_d=70 | answer=C | explanation=Scale factor = 108/18 = 6. Therefore second quantity = 14×6 = 84.

id=53436 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18598 at 5% per annum for 2 years. | option_a=1759 | option_b=1959 | option_c=20457 | option_d=1859 | answer=D | explanation=SI = PRT/100 = 18598×5×2/100 = █1859.

id=53437 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2026. If it is sold at a profit of 20%, what is its selling price? | option_a=2046 | option_b=2431 | option_c=2229 | option_d=2633 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2026 × 120/100 = █2431.

id=53438 | topic=Averages | difficulty=Easy | question=Find the average of 88, 24, 94, 70. | option_a=69 | option_b=70 | option_c=68 | option_d=71 | answer=A | explanation=Average = sum of values ÷ number of values = 276 ÷ 4 = 69.

id=53439 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 47? | option_a=37 | option_b=28 | option_c=47 | option_d=19 | answer=C | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 47 is the odd one out.

id=53440 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=L | option_b=N | option_c=P | option_d=R | answer=C | explanation=Move 2 positions forward from N; the resulting letter is P.

id=53441 | topic=Percentages | difficulty=Easy | question=What is 25% of 1789? | option_a=427 | option_b=894 | option_c=447 | option_d=452 | answer=C | explanation=25% of 1789 = (25/100) × 1789 = 447.

id=53442 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:11 and the first is 220, what is the second? | option_a=440 | option_b=209 | option_c=220 | option_d=231 | answer=C | explanation=Scale factor = 220/11 = 20. Therefore second quantity = 11×20 = 220.

id=53443 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=45 | option_c=50 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=53444 | topic=Averages | difficulty=Easy | question=Find the average of 17, 76, 75. | option_a=55 | option_b=58 | option_c=57 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 168 ÷ 3 = 56.

id=53445 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4522. If it is sold at a profit of 25%, what is its selling price? | option_a=5652 | option_b=6104 | option_c=5200 | option_d=4547 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4522 × 125/100 = █5652.

id=53446 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=40 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=53447 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=B | option_c=A | option_d=C | answer=D | explanation=Move 1 positions forward from B; the resulting letter is C.

id=53448 | topic=Averages | difficulty=Easy | question=Find the average of 38, 79, 100, 45, 71, 66, 49. | option_a=65 | option_b=63 | option_c=64 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = 448 ÷ 7 = 64.

id=53449 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 14. | option_a=56 | option_b=112 | option_c=64 | option_d=42 | answer=A | explanation=LCM × HCF = 8×14; HCF(8,14) = 2, so LCM = 56.

id=53450 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2956. If it is sold at a profit of 10%, what is its selling price? | option_a=3251 | option_b=2956 | option_c=3546 | option_d=2966 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2956 × 110/100 = █3251.

id=53451 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 33? | option_a=33 | option_b=22 | option_c=28 | option_d=25 | answer=A | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 33 is the odd one out.

id=53452 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 28, 32, 39? | option_a=32 | option_b=24 | option_c=28 | option_d=39 | answer=D | explanation=The first three numbers increase by 4, so the next should be 36. Therefore 39 is the odd one out.

id=53453 | topic=Averages | difficulty=Easy | question=Find the average of 88, 60, 56, 60. | option_a=65 | option_b=67 | option_c=66 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 264 ÷ 4 = 66.

id=53454 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=K | option_c=I | option_d=L | answer=B | explanation=Move 1 positions forward from J; the resulting letter is K.

id=53455 | topic=Percentages | difficulty=Easy | question=What is 30% of 530? | option_a=149 | option_b=318 | option_c=159 | option_d=179 | answer=C | explanation=30% of 530 = (30/100) × 530 = 159.

id=53456 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=53457 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:14 and the first is 112, what is the second? | option_a=210 | option_b=98 | option_c=114 | option_d=84 | answer=B | explanation=Scale factor = 112/16 = 7. Therefore second quantity = 14×7 = 98.

id=53458 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 22. | option_a=286 | option_b=336 | option_c=616 | option_d=308 | answer=D | explanation=LCM × HCF = 28×22; HCF(28,22) = 2, so LCM = 308.

id=53459 | topic=Profit & Loss | difficulty=Easy | question=An article costs █912. If it is sold at a profit of 15%, what is its selling price? | option_a=1139 | option_b=927 | option_c=1048 | option_d=957 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 912 × 115/100 = █1048.

id=53460 | topic=Averages | difficulty=Easy | question=Find the average of 70, 15, 46, 74, 35, 21, 90, 31, 65, 93. | option_a=55 | option_b=53 | option_c=54 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

Aptitude Questions — Records 53,461-53,490 of 100,000

id=53461 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■38557 at 5% per annum for 2 years. | option_a=3755 | option_b=3855 | option_c=42412 | option_d=3955 | answer=B | explanation=SI = PRT/100 = 38557×5×2/100 = ■3855.

id=53462 | topic=Averages | difficulty=Easy | question=Find the average of 22, 35, 98, 93, 12. | option_a=52 | option_b=51 | option_c=54 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 260 ÷ 5 = 52.

id=53463 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=Q | option_b=T | option_c=K | option_d=N | answer=A | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=53464 | topic=Percentages | difficulty=Easy | question=What is 50% of 1005? | option_a=1004 | option_b=502 | option_c=522 | option_d=497 | answer=B | explanation=50% of 1005 = (50/100) × 1005 = 502.

id=53465 | topic=Percentages | difficulty=Easy | question=What is 12% of 1075? | option_a=149 | option_b=129 | option_c=258 | option_d=109 | answer=B | explanation=12% of 1075 = (12/100) × 1075 = 129.

id=53466 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3165. If it is sold at a profit of 20%, what is its selling price? | option_a=3482 | option_b=4114 | option_c=3798 | option_d=3185 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3165 × 120/100 = ■3798.

id=53467 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=59 | option_b=60 | option_c=70 | option_d=48 | answer=A | explanation=The common difference is 11. Therefore the next term is 48 + 11 = 59.

id=53468 | topic=Percentages | difficulty=Easy | question=What is 25% of 1726? | option_a=862 | option_b=451 | option_c=421 | option_d=431 | answer=D | explanation=25% of 1726 = (25/100) × 1726 = 431.

id=53469 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■6432 at 8% per annum for 2 years. | option_a=1029 | option_b=1129 | option_c=7461 | option_d=929 | answer=A | explanation=SI = PRT/100 = 6432×8×2/100 = ■1029.

id=53470 | topic=Percentages | difficulty=Easy | question=What is 15% of 1924? | option_a=576 | option_b=278 | option_c=308 | option_d=288 | answer=D | explanation=15% of 1924 = (15/100) × 1924 = 288.

id=53471 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=53472 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=53473 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=34 | option_b=31 | option_c=28 | option_d=32 | answer=B | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=53474 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1789. If it is sold at a profit of 5%, what is its selling price? | option_a=1794 | option_b=1700 | option_c=2056 | option_d=1878 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1789 × 105/100 = ■1878.

id=53475 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=53476 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 42? | option_a=42 | option_b=11 | option_c=31 | option_d=21 | answer=A | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 42 is the odd one out.

id=53477 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3665. If it is sold at a profit of 25%, what is its selling price? | option_a=4215 | option_b=4581 | option_c=4947 | option_d=3690 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3665 × 125/100 = ■4581.

id=53478 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 9, 12, 16? | option_a=16 | option_b=12 | option_c=9 | option_d=6 | answer=A | explanation=The first three numbers increase by 3, so the next should be 15. Therefore 16 is the odd one out.

id=53479 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=53480 | topic=Averages | difficulty=Easy | question=Find the average of 85, 55, 73, 33, 36, 32, 44, 42. | option_a=50 | option_b=52 | option_c=51 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 400 ÷ 8 = 50.

id=53481 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■198. If it is sold at a profit of 5%, what is its selling price? | option_a=226 | option_b=207 | option_c=203 | option_d=188 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 198 × 105/100 = ■207.

id=53482 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 19, 27, 36? | option_a=11 | option_b=36 | option_c=19 | option_d=27 | answer=B | explanation=The first three numbers increase by 8, so the next should be 35. Therefore 36 is the odd one out.

id=53483 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:7 and the first is 40, what is the second? | option_a=75 | option_b=28 | option_c=43 | option_d=35 | answer=D | explanation=Scale factor = 40/8 = 5. Therefore second quantity = 7×5 = 35.

id=53484 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=B | option_b=C | option_c=E | option_d=D | answer=D | explanation=Move 1 positions forward from C; the resulting letter is D.

id=53485 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 11, 19, 30? | option_a=30 | option_b=11 | option_c=3 | option_d=19 | answer=A | explanation=The first three numbers increase by 8, so the next should be 27. Therefore 30 is the odd one out.

id=53486 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=53487 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=53488 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=V | option_c=W | option_d=T | answer=B | explanation=Move 1 positions forward from U; the resulting letter is V.

id=53489 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 8, 10, 14? | option_a=14 | option_b=6 | option_c=10 | option_d=8 | answer=A | explanation=The first three numbers increase by 2, so the next should be 12. Therefore 14 is the odd one out.

id=53490 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

Aptitude Questions — Records 53,491-53,520 of 100,000

id=53491 | topic=Percentages | difficulty=Easy | question=What is 50% of 1873? | option_a=936 | option_b=946 | option_c=1872 | option_d=916 | answer=A | explanation=50% of 1873 = (50/100) × 1873 = 936.

id=53492 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=S | option_c=Q | option_d=M | answer=C | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=53493 | topic=Averages | difficulty=Easy | question=Find the average of 54, 39, 32, 72, 28. | option_a=44 | option_b=47 | option_c=45 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 225 ÷ 5 = 45.

id=53494 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=6 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=53495 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=7 | option_c=12 | option_d=17 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=53496 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49689 at 10% per annum for 2 years. | option_a=10037 | option_b=9837 | option_c=59626 | option_d=9937 | answer=D | explanation=SI = PRT/100 = 49689×10×2/100 = **■**9937.

id=53497 | topic=Averages | difficulty=Easy | question=Find the average of 48, 96, 43, 74, 83, 41, 53, 45, 83, 74. | option_a=64 | option_b=66 | option_c=65 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 640 ÷ 10 = 64.

id=53498 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 28, 38, 48, ? | option_a=58 | option_b=48 | option_c=59 | option_d=68 | answer=A | explanation=The common difference is 10. Therefore the next term is 48 + 10 = 58.

id=53499 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=53500 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=53501 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=24 | option_b=36 | option_c=30 | option_d=31 | answer=C | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.

id=53502 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=100 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=53503 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29997 at 5% per annum for 3 years. | option_a=4599 | option_b=4399 | option_c=4499 | option_d=34496 | answer=C | explanation=SI = PRT/100 = 29997×5×3/100 = **■**4499.

id=53504 | topic=Averages | difficulty=Easy | question=Find the average of 21, 41, 50, 83, 81, 18. | option_a=50 | option_b=48 | option_c=51 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 294 ÷ 6 = 49.

id=53505 | topic=Percentages | difficulty=Easy | question=What is 5% of 645? | option_a=32 | option_b=37 | option_c=64 | option_d=12 | answer=A | explanation=5% of 645 = (5/100) × 645 = 32.

id=53506 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:11 and the first is 8, what is the second? | option_a=22 | option_b=30 | option_c=11 | option_d=26 | answer=A | explanation=Scale factor = 8/4 = 2. Therefore second quantity = 11×2 = 22.

id=53507 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=53508 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=8 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=53509 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14965 at 8% per annum for 5 years. | option_a=6086 | option_b=5886 | option_c=5986 | option_d=20951 | answer=C | explanation=SI = PRT/100 = 14965×8×5/100 = **■**5986.

id=53510 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=24 | option_c=29 | option_d=19 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=53511 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=45 | option_b=55 | option_c=56 | option_d=65 | answer=B | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.

id=53512 | topic=Percentages | difficulty=Easy | question=What is 50% of 1174? | option_a=592 | option_b=567 | option_c=587 | option_d=1174 | answer=C | explanation=50% of 1174 = (50/100) × 1174 = 587.

id=53513 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28883 at 4% per annum for 5 years. | option_a=5876 | option_b=5676 | option_c=34659 | option_d=5776 | answer=D | explanation=SI = PRT/100 = 28883×4×5/100 = **■**5776.

id=53514 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 23, 28, 34? | option_a=28 | option_b=18 | option_c=34 | option_d=23 | answer=C | explanation=The first three numbers increase by 5, so the next should be 33. Therefore 34 is the odd one out.

id=53515 | topic=Percentages | difficulty=Easy | question=What is 25% of 1771? | option_a=437 | option_b=462 | option_c=442 | option_d=884 | answer=C | explanation=25% of 1771 = (25/100) × 1771 = 442.

id=53516 | topic=Averages | difficulty=Easy | question=Find the average of 35, 14, 47. | option_a=31 | option_b=32 | option_c=33 | option_d=34 | answer=B | explanation=Average = sum of values ÷ number of values = 96 ÷ 3 = 32.

id=53517 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:17 and the first is 56, what is the second? | option_a=124 | option_b=82 | option_c=68 | option_d=51 | answer=C | explanation=Scale factor = 56/14 = 4. Therefore second quantity = 17×4 = 68.

id=53518 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=53519 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3348 at 10% per annum for 5 years. | option_a=1774 | option_b=1574 | option_c=5022 | option_d=1674 | answer=D | explanation=SI = PRT/100 = 3348×10×5/100 = **■**1674.

id=53520 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:8 and the first is 120, what is the second? | option_a=68 | option_b=40 | option_c=168 | option_d=48 | answer=D | explanation=Scale factor = 120/20 = 6. Therefore second quantity = 8×6 = 48.

Aptitude Questions — Records 53,521-53,550 of 100,000

id=53521 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:13 and the first is 228, what is the second? | option_a=143 | option_b=156 | option_c=384 | option_d=175 | answer=B | explanation=Scale factor = 228/19 = 12. Therefore second quantity = 13×12 = 156.

id=53522 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24034 at 10% per annum for 5 years. | option_a=11917 | option_b=36051 | option_c=12017 | option_d=12117 | answer=C | explanation=SI = PRT/100 = 24034×10×5/100 = **■**12017.

id=53523 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 32, 36, 42? | option_a=32 | option_b=28 | option_c=36 | option_d=42 | answer=D | explanation=The first three numbers increase by 4, so the next should be 40. Therefore 42 is the odd one out.

id=53524 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=53525 | topic=Percentages | difficulty=Easy | question=What is 50% of 251? | option_a=130 | option_b=250 | option_c=125 | option_d=105 | answer=C | explanation=50% of 251 = (50/100) × 251 = 125.

id=53526 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=E | option_c=A | option_d=Y | answer=A | explanation=Move 2 positions forward from A; the resulting letter is C.

id=53527 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**187. If it is sold at a profit of 10%, what is its selling price? | option_a=187 | option_b=223 | option_c=205 | option_d=197 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 187 × 110/100 = **■**205.

id=53528 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=R | option_c=O | option_d=I | answer=C | explanation=Move 3 positions forward from L; the resulting letter is O.

id=53529 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=41 | option_b=34 | option_c=40 | option_d=46 | answer=C | explanation=The common difference is 6. Therefore the next term is 34 + 6 = 40.

id=53530 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=27 | option_b=31 | option_c=21 | option_d=26 | answer=D | explanation=The common difference is 5. Therefore the next term is 21 + 5 = 26.

id=53531 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45025 at 12% per annum for 5 years. | option_a=27115 | option_b=26915 | option_c=27015 | option_d=72040 | answer=C | explanation=SI = PRT/100 = 45025×12×5/100 = **■**27015.

id=53532 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34779 at 5% per annum for 1 years. | option_a=1838 | option_b=1638 | option_c=36517 | option_d=1738 | answer=D | explanation=SI = PRT/100 = 34779×5×1/100 = **■**1738.

id=53533 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2792. If it is sold at a profit of 30%, what is its selling price? | option_a=3908 | option_b=2822 | option_c=3350 | option_d=3629 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2792 × 130/100 = **■**3629.

id=53534 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 10. | option_a=132 | option_b=220 | option_c=100 | option_d=110 | answer=D | explanation=LCM × HCF = 22×10; HCF(22,10) = 2, so LCM = 110.

id=53535 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42960 at 5% per annum for 4 years. | option_a=8592 | option_b=8692 | option_c=8492 | option_d=51552 | answer=A | explanation=SI = PRT/100 = 42960×5×4/100 = **■**8592.

id=53536 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=53537 | topic=Percentages | difficulty=Easy | question=What is 20% of 1830? | option_a=356 | option_b=366 | option_c=386 | option_d=732 | answer=B | explanation=20% of 1830 = (20/100) × 1830 = 366.

id=53538 | topic=Averages | difficulty=Easy | question=Find the average of 20, 69, 88, 63, 88, 59, 98, 40, 12, 63. | option_a=59 | option_b=60 | option_c=61 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=53539 | topic=Percentages | difficulty=Easy | question=What is 20% of 51? | option_a=10 | option_b=20 | option_c=30 | option_d=5 | answer=A | explanation=20% of 51 = (20/100) × 51 = 10.

id=53540 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=31 | option_c=72 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=53541 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**983. If it is sold at a profit of 10%, what is its selling price? | option_a=1179 | option_b=1081 | option_c=993 | option_d=983 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 983 × 110/100 = **■**1081.

id=53542 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=48 | option_b=41 | option_c=40 | option_d=32 | answer=C | explanation=The common difference is 8. Therefore the next term is 32 + 8 = 40.

id=53543 | topic=Averages | difficulty=Easy | question=Find the average of 90, 23, 93, 81, 37, 66. | option_a=66 | option_b=65 | option_c=67 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 390 ÷ 6 = 65.

id=53544 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=19 | option_c=24 | option_d=29 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=53545 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 8, 12, 18? | option_a=8 | option_b=18 | option_c=4 | option_d=12 | answer=B | explanation=The first three numbers increase by 4, so the next should be 16. Therefore 18 is the odd one out.

id=53546 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**229. If it is sold at a profit of 15%, what is its selling price? | option_a=263 | option_b=285 | option_c=241 | option_d=244 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 229 × 115/100 = **■**263.

id=53547 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1484. If it is sold at a profit of 30%, what is its selling price? | option_a=2077 | option_b=1781 | option_c=1929 | option_d=1514 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1484 × 130/100 = **■**1929.

id=53548 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3464. If it is sold at a profit of 30%, what is its selling price? | option_a=4503 | option_b=4849 | option_c=3494 | option_d=4157 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3464 × 130/100 = **■**4503.

id=53549 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 25? | option_a=6 | option_b=12 | option_c=25 | option_d=18 | answer=C | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 25 is the odd one out.

id=53550 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

Aptitude Questions — Records 53,551-53,580 of 100,000

id=53551 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=24 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=53552 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 44? | option_a=20 | option_b=34 | option_c=44 | option_d=27 | answer=C | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 44 is the odd one out.

id=53553 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=16 | option_b=20 | option_c=21 | option_d=24 | answer=B | explanation=The common difference is 4. Therefore the next term is 16 + 4 = 20.

id=53554 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:13 and the first is 40, what is the second? | option_a=104 | option_b=91 | option_c=109 | option_d=144 | answer=A | explanation=Scale factor = 40/5 = 8. Therefore second quantity = 13×8 = 104.

id=53555 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=L | option_b=H | option_c=D | option_d=Z | answer=B | explanation=Move 4 positions forward from D; the resulting letter is H.

id=53556 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:9 and the first is 96, what is the second? | option_a=204 | option_b=99 | option_c=108 | option_d=116 | answer=C | explanation=Scale factor = 96/8 = 12. Therefore second quantity = 9×12 = 108.

id=53557 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=B | option_c=K | option_d=H | answer=D | explanation=Move 3 positions forward from E; the resulting letter is H.

id=53558 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=D | option_b=O | option_c=Y | option_d=T | answer=C | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=53559 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3380. If it is sold at a profit of 15%, what is its selling price? | option_a=3887 | option_b=3549 | option_c=3395 | option_d=4225 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3380 × 115/100 = █3887.

id=53560 | topic=Profit & Loss | difficulty=Easy | question=An article costs █747. If it is sold at a profit of 25%, what is its selling price? | option_a=933 | option_b=1007 | option_c=859 | option_d=772 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 747 × 125/100 = █933.

id=53561 | topic=Percentages | difficulty=Easy | question=What is 50% of 155? | option_a=77 | option_b=72 | option_c=154 | option_d=82 | answer=A | explanation=50% of 155 = (50/100) × 155 = 77.

id=53562 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=R | option_b=M | option_c=H | option_d=C | answer=B | explanation=Move 5 positions forward from H; the resulting letter is M.

id=53563 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1403. If it is sold at a profit of 20%, what is its selling price? | option_a=1823 | option_b=1423 | option_c=1543 | option_d=1683 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1403 × 120/100 = █1683.

id=53564 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33179 at 10% per annum for 4 years. | option_a=13171 | option_b=13371 | option_c=46450 | option_d=13271 | answer=D | explanation=SI = PRT/100 = 33179×10×4/100 = █13271.

id=53565 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=K | option_c=M | option_d=I | answer=C | explanation=Move 2 positions forward from K; the resulting letter is M.

id=53566 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20919 at 15% per annum for 5 years. | option_a=15589 | option_b=15789 | option_c=36608 | option_d=15689 | answer=D | explanation=SI = PRT/100 = 20919×15×5/100 = █15689.

id=53567 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 34, 39, 46? | option_a=39 | option_b=34 | option_c=29 | option_d=46 | answer=D | explanation=The first three numbers increase by 5, so the next should be 44. Therefore 46 is the odd one out.

id=53568 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 41? | option_a=20 | option_b=29 | option_c=41 | option_d=11 | answer=C | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 41 is the odd one out.

id=53569 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=25 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=53570 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=M | option_b=R | option_c=W | option_d=B | answer=C | explanation=Move 5 positions forward from R; the resulting letter is W.

id=53571 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17958 at 5% per annum for 3 years. | option_a=2793 | option_b=2593 | option_c=20651 | option_d=2693 | answer=D | explanation=SI = PRT/100 = 17958×5×3/100 = █2693.

id=53572 | topic=Percentages | difficulty=Easy | question=What is 25% of 1401? | option_a=350 | option_b=345 | option_c=700 | option_d=370 | answer=A | explanation=25% of 1401 = (25/100) × 1401 = 350.

id=53573 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=53574 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:6 and the first is 18, what is the second? | option_a=36 | option_b=24 | option_c=12 | option_d=18 | answer=D | explanation=Scale factor = 18/6 = 3. Therefore second quantity = 6×3 = 18.

id=53575 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:16 and the first is 9, what is the second? | option_a=32 | option_b=48 | option_c=57 | option_d=51 | answer=B | explanation=Scale factor = 9/3 = 3. Therefore second quantity = 16×3 = 48.

id=53576 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23708 at 6% per annum for 3 years. | option_a=4367 | option_b=27975 | option_c=4267 | option_d=4167 | answer=C | explanation=SI = PRT/100 = 23708×6×3/100 = █4267.

id=53577 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:7 and the first is 34, what is the second? | option_a=121 | option_b=119 | option_c=112 | option_d=153 | answer=B | explanation=Scale factor = 34/2 = 17. Therefore second quantity = 7×17 = 119.

id=53578 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=42 | option_b=50 | option_c=32 | option_d=41 | answer=D | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

id=53579 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=B | option_b=A | option_c=Z | option_d=C | answer=A | explanation=Move 1 positions forward from A; the resulting letter is B.

id=53580 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=19 | option_c=29 | option_d=48 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

Aptitude Questions — Records 53,581-53,610 of 100,000

id=53581 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=100 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=53582 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 23, 28, 36? | option_a=23 | option_b=18 | option_c=28 | option_d=36 | answer=D | explanation=The first three numbers increase by 5, so the next should be 33. Therefore 36 is the odd one out.

id=53583 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=23 | option_b=24 | option_c=18 | option_d=28 | answer=A | explanation=The common difference is 5. Therefore the next term is 18 + 5 = 23.

id=53584 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=5 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=53585 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=24 | option_b=27 | option_c=30 | option_d=28 | answer=B | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=53586 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 45? | option_a=45 | option_b=19 | option_c=27 | option_d=35 | answer=A | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 45 is the odd one out.

id=53587 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 3. | option_a=18 | option_b=63 | option_c=42 | option_d=21 | answer=D | explanation=LCM × HCF = 21×3; HCF(21,3) = 3, so LCM = 21.

id=53588 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42636 at 5% per annum for 3 years. | option_a=6395 | option_b=6295 | option_c=49031 | option_d=6495 | answer=A | explanation=SI = PRT/100 = 42636×5×3/100 = **■**6395.

id=53589 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 240, what is the second? | option_a=288 | option_b=45 | option_c=63 | option_d=48 | answer=D | explanation=Scale factor = 240/15 = 16. Therefore second quantity = 3×16 = 48.

id=53590 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=32 | option_b=40 | option_c=46 | option_d=39 | answer=D | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.

id=53591 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41508 at 15% per annum for 2 years. | option_a=12452 | option_b=53960 | option_c=12552 | option_d=12352 | answer=A | explanation=SI = PRT/100 = 41508×15×2/100 = **■**12452.

id=53592 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=J | option_b=P | option_c=L | option_d=N | answer=D | explanation=Move 2 positions forward from L; the resulting letter is N.

id=53593 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 41? | option_a=41 | option_b=22 | option_c=28 | option_d=34 | answer=A | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 41 is the odd one out.

id=53594 | topic=Percentages | difficulty=Easy | question=What is 15% of 1977? | option_a=296 | option_b=592 | option_c=301 | option_d=276 | answer=A | explanation=15% of 1977 = (15/100) × 1977 = 296.

id=53595 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=53596 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=M | option_b=J | option_c=G | option_d=D | answer=B | explanation=Move 3 positions forward from G; the resulting letter is J.

id=53597 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 34? | option_a=34 | option_b=25 | option_c=29 | option_d=21 | answer=A | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 34 is the odd one out.

id=53598 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24642 at 12% per annum for 2 years. | option_a=30556 | option_b=6014 | option_c=5914 | option_d=5814 | answer=C | explanation=SI = PRT/100 = 24642×12×2/100 = **■**5914.

id=53599 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=29 | option_b=35 | option_c=36 | option_d=41 | answer=B | explanation=The common difference is 6. Therefore the next term is 29 + 6 = 35.

id=53600 | topic=Averages | difficulty=Easy | question=Find the average of 95, 10, 99, 75, 24, 51. | option_a=61 | option_b=58 | option_c=59 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.

id=53601 | topic=Averages | difficulty=Easy | question=Find the average of 95, 98, 69, 94, 26, 20. | option_a=69 | option_b=67 | option_c=66 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = 402 ÷ 6 = 67.

id=53602 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=45 | option_b=56 | option_c=67 | option_d=57 | answer=B | explanation=The common difference is 11. Therefore the next term is 45 + 11 = 56.

id=53603 | topic=Percentages | difficulty=Easy | question=What is 50% of 271? | option_a=270 | option_b=140 | option_c=135 | option_d=125 | answer=C | explanation=50% of 271 = (50/100) × 271 = 135.

id=53604 | topic=Percentages | difficulty=Easy | question=What is 30% of 372? | option_a=101 | option_b=111 | option_c=222 | option_d=131 | answer=B | explanation=30% of 372 = (30/100) × 372 = 111.

id=53605 | topic=Averages | difficulty=Easy | question=Find the average of 81, 13, 85, 21, 52, 54. | option_a=51 | option_b=52 | option_c=53 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 306 ÷ 6 = 51.

id=53606 | topic=Percentages | difficulty=Easy | question=What is 5% of 831? | option_a=82 | option_b=61 | option_c=41 | option_d=31 | answer=C | explanation=5% of 831 = (5/100) × 831 = 41.

id=53607 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=19 | option_b=24 | option_c=25 | option_d=29 | answer=B | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.

id=53608 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 12. | option_a=80 | option_b=240 | option_c=48 | option_d=60 | answer=D | explanation=LCM × HCF = 20×12; HCF(20,12) = 4, so LCM = 60.

id=53609 | topic=Averages | difficulty=Easy | question=Find the average of 86, 14, 10, 16, 74. | option_a=40 | option_b=42 | option_c=39 | option_d=41 | answer=A | explanation=Average = sum of values ÷ number of values = 200 ÷ 5 = 40.

id=53610 | topic=Percentages | difficulty=Easy | question=What is 20% of 1754? | option_a=350 | option_b=360 | option_c=345 | option_d=700 | answer=A | explanation=20% of 1754 = (20/100) × 1754 = 350.

Aptitude Questions — Records 53,611-53,640 of 100,000

id=53611 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=53612 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=95 | option_d=180 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=53613 | topic=Averages | difficulty=Easy | question=Find the average of 71, 49, 90, 92, 53, 37, 26, 22. | option_a=56 | option_b=54 | option_c=55 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 440 ÷ 8 = 55.

id=53614 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47012 at 10% per annum for 1 years. | option_a=4801 | option_b=51713 | option_c=4601 | option_d=4701 | answer=D | explanation=SI = PRT/100 = 47012×10×1/100 = **■**4701.

id=53615 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39259 at 5% per annum for 2 years. | option_a=3825 | option_b=43184 | option_c=4025 | option_d=3925 | answer=D | explanation=SI = PRT/100 = 39259×5×2/100 = **■**3925.

id=53616 | topic=Percentages | difficulty=Easy | question=What is 10% of 778? | option_a=154 | option_b=67 | option_c=77 | option_d=97 | answer=C | explanation=10% of 778 = (10/100) × 778 = 77.

id=53617 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9957 at 5% per annum for 3 years. | option_a=1593 | option_b=11450 | option_c=1493 | option_d=1393 | answer=C | explanation=SI = PRT/100 = 9957×5×3/100 = **■**1493.

id=53618 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=K | option_c=J | option_d=L | answer=D | explanation=Move 1 positions forward from K; the resulting letter is L.

id=53619 | topic=Percentages | difficulty=Easy | question=What is 20% of 712? | option_a=142 | option_b=122 | option_c=162 | option_d=284 | answer=A | explanation=20% of 712 = (20/100) × 712 = 142.

id=53620 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=S | option_c=V | option_d=U | answer=D | explanation=Move 1 positions forward from T; the resulting letter is U.

id=53621 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=40 | option_c=25 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=53622 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33123 at 5% per annum for 3 years. | option_a=5068 | option_b=4868 | option_c=38091 | option_d=4968 | answer=D | explanation=SI = PRT/100 = 33123×5×3/100 = **■**4968.

id=53623 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24829 at 4% per annum for 1 years. | option_a=25822 | option_b=1093 | option_c=893 | option_d=993 | answer=D | explanation=SI = PRT/100 = 24829×4×1/100 = **■**993.

id=53624 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=53625 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=25 | option_b=33 | option_c=29 | option_d=30 | answer=C | explanation=The common difference is 4. Therefore the next term is 25 + 4 = 29.

id=53626 | topic=Percentages | difficulty=Easy | question=What is 10% of 786? | option_a=58 | option_b=78 | option_c=156 | option_d=88 | answer=B | explanation=10% of 786 = (10/100) × 786 = 78.

id=53627 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3432. If it is sold at a profit of 10%, what is its selling price? | option_a=3442 | option_b=3432 | option_c=4118 | option_d=3775 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3432 × 110/100 = **■**3775.

id=53628 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 34, 42, 52? | option_a=42 | option_b=52 | option_c=26 | option_d=34 | answer=B | explanation=The first three numbers increase by 8, so the next should be 50. Therefore 52 is the odd one out.

id=53629 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 14. | option_a=84 | option_b=48 | option_c=42 | option_d=28 | answer=C | explanation=LCM × HCF = 6×14; HCF(6,14) = 2, so LCM = 42.

id=53630 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:4 and the first is 120, what is the second? | option_a=48 | option_b=168 | option_c=44 | option_d=58 | answer=A | explanation=Scale factor = 120/10 = 12. Therefore second quantity = 4×12 = 48.

id=53631 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=53632 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=38 | option_b=29 | option_c=39 | option_d=47 | answer=A | explanation=The common difference is 9. Therefore the next term is 29 + 9 = 38.

id=53633 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=34 | option_b=29 | option_c=35 | option_d=39 | answer=A | explanation=The common difference is 5. Therefore the next term is 29 + 5 = 34.

id=53634 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=53635 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=10 | option_c=15 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=53636 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 18. | option_a=504 | option_b=234 | option_c=252 | option_d=280 | answer=C | explanation=LCM × HCF = 28×18; HCF(28,18) = 2, so LCM = 252.

id=53637 | topic=Percentages | difficulty=Easy | question=What is 5% of 122? | option_a=12 | option_b=26 | option_c=0 | option_d=6 | answer=D | explanation=5% of 122 = (5/100) × 122 = 6.

id=53638 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 36? | option_a=29 | option_b=32 | option_c=26 | option_d=36 | answer=D | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 36 is the odd one out.

id=53639 | topic=Averages | difficulty=Easy | question=Find the average of 48, 41, 28. | option_a=38 | option_b=40 | option_c=41 | option_d=39 | answer=D | explanation=Average = sum of values ÷ number of values = 117 ÷ 3 = 39.

id=53640 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=40 | option_b=33 | option_c=47 | option_d=41 | answer=A | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.

Aptitude Questions — Records 53,641-53,670 of 100,000

id=53641 | topic=Percentages | difficulty=Easy | question=What is 20% of 960? | option_a=384 | option_b=202 | option_c=187 | option_d=192 | answer=D | explanation=20% of 960 = (20/100) × 960 = 192.

id=53642 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 16. | option_a=20 | option_b=16 | option_c=64 | option_d=1 | answer=B | explanation=LCM × HCF = 4×16; HCF(4,16) = 4, so LCM = 16.

id=53643 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 15. | option_a=108 | option_b=75 | option_c=270 | option_d=90 | answer=D | explanation=LCM × HCF = 18×15; HCF(18,15) = 3, so LCM = 90.

id=53644 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=62 | option_b=44 | option_c=54 | option_d=53 | answer=D | explanation=The common difference is 9. Therefore the next term is 44 + 9 = 53.

id=53645 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=13 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=53646 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 53? | option_a=53 | option_b=23 | option_c=32 | option_d=41 | answer=A | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 53 is the odd one out.

id=53647 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=27 | option_b=29 | option_c=23 | option_d=26 | answer=D | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.

id=53648 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=I | option_c=K | option_d=M | answer=D | explanation=Move 2 positions forward from K; the resulting letter is M.

id=53649 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=29 | option_b=28 | option_c=22 | option_d=34 | answer=B | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.

id=53650 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1331. If it is sold at a profit of 25%, what is its selling price? | option_a=1663 | option_b=1530 | option_c=1796 | option_d=1356 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1331 × 125/100 = █1663.

id=53651 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:17 and the first is 18, what is the second? | option_a=52 | option_b=17 | option_c=34 | option_d=43 | answer=C | explanation=Scale factor = 18/9 = 2. Therefore second quantity = 17×2 = 34.

id=53652 | topic=Averages | difficulty=Easy | question=Find the average of 22, 69, 43, 13, 27, 23, 20. | option_a=31 | option_b=30 | option_c=33 | option_d=32 | answer=A | explanation=Average = sum of values ÷ number of values = 217 ÷ 7 = 31.

id=53653 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 21, 30, 40? | option_a=21 | option_b=40 | option_c=12 | option_d=30 | answer=B | explanation=The first three numbers increase by 9, so the next should be 39. Therefore 40 is the odd one out.

id=53654 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3587. If it is sold at a profit of 25%, what is its selling price? | option_a=3612 | option_b=4483 | option_c=4841 | option_d=4125 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3587 × 125/100 = █4483.

id=53655 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=80 | option_c=35 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=53656 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 4. | option_a=16 | option_b=32 | option_c=8 | option_d=4 | answer=C | explanation=LCM × HCF = 8×4; HCF(8,4) = 4, so LCM = 8.

id=53657 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=53658 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=53659 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:1 and the first is 88, what is the second? | option_a=11 | option_b=10 | option_c=19 | option_d=99 | answer=A | explanation=Scale factor = 88/8 = 11. Therefore second quantity = 1×11 = 11.

id=53660 | topic=Percentages | difficulty=Easy | question=What is 25% of 1666? | option_a=416 | option_b=832 | option_c=436 | option_d=406 | answer=A | explanation=25% of 1666 = (25/100) × 1666 = 416.

id=53661 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 20. | option_a=120 | option_b=168 | option_c=140 | option_d=560 | answer=C | explanation=LCM × HCF = 28×20; HCF(28,20) = 4, so LCM = 140.

id=53662 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=53663 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 47? | option_a=47 | option_b=37 | option_c=23 | option_d=30 | answer=A | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 47 is the odd one out.

id=53664 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=100 | option_c=45 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=53665 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=6 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=53666 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=C | option_b=S | option_c=X | option_d=N | answer=C | explanation=Move 5 positions forward from S; the resulting letter is X.

id=53667 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Q | option_b=U | option_c=C | option_d=Y | answer=D | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=53668 | topic=Percentages | difficulty=Easy | question=What is 5% of 470? | option_a=18 | option_b=28 | option_c=23 | option_d=46 | answer=C | explanation=5% of 470 = (5/100) × 470 = 23.

id=53669 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=22 | option_b=18 | option_c=23 | option_d=26 | answer=A | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

id=53670 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:19 and the first is 120, what is the second? | option_a=348 | option_b=238 | option_c=228 | option_d=209 | answer=C | explanation=Scale factor = 120/10 = 12. Therefore second quantity = 19×12 = 228.

Aptitude Questions — Records 53,671-53,700 of 100,000

id=53671 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 10, 13, 16, ? | option_a=16 | option_b=22 | option_c=19 | option_d=20 | answer=C | explanation=The common difference is 3. Therefore the next term is 16 + 3 = 19.

id=53672 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=300 | option_c=155 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=53673 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2033. If it is sold at a profit of 20%, what is its selling price? | option_a=2642 | option_b=2439 | option_c=2053 | option_d=2236 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2033 × 120/100 = █2439.

id=53674 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:16 and the first is 42, what is the second? | option_a=208 | option_b=227 | option_c=224 | option_d=266 | answer=C | explanation=Scale factor = 42/3 = 14. Therefore second quantity = 16×14 = 224.

id=53675 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=40 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=53676 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=53677 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 10, 16, 25? | option_a=4 | option_b=25 | option_c=10 | option_d=16 | answer=B | explanation=The first three numbers increase by 6, so the next should be 22. Therefore 25 is the odd one out.

id=53678 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=R | option_c=N | option_d=L | answer=A | explanation=Move 2 positions forward from N; the resulting letter is P.

id=53679 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:5 and the first is 144, what is the second? | option_a=55 | option_b=72 | option_c=60 | option_d=204 | answer=C | explanation=Scale factor = 144/12 = 12. Therefore second quantity = 5×12 = 60.

id=53680 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=53681 | topic=Percentages | difficulty=Easy | question=What is 20% of 127? | option_a=50 | option_b=20 | option_c=25 | option_d=30 | answer=C | explanation=20% of 127 = (20/100) × 127 = 25.

id=53682 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=47 | option_b=48 | option_c=57 | option_d=37 | answer=A | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

id=53683 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=Q | option_c=T | option_d=S | answer=D | explanation=Move 1 positions forward from R; the resulting letter is S.

id=53684 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 33? | option_a=22 | option_b=33 | option_c=2 | option_d=12 | answer=B | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 33 is the odd one out.

id=53685 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=P | option_b=T | option_c=R | option_d=V | answer=B | explanation=Move 2 positions forward from R; the resulting letter is T.

id=53686 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35061 at 12% per annum for 5 years. | option_a=20936 | option_b=56097 | option_c=21036 | option_d=21136 | answer=C | explanation=SI = PRT/100 = 35061×12×5/100 = █21036.

id=53687 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=F | option_c=R | option_d=J | answer=A | explanation=Move 4 positions forward from J; the resulting letter is N.

id=53688 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=31 | option_b=41 | option_c=36 | option_d=37 | answer=C | explanation=The common difference is 5. Therefore the next term is 31 + 5 = 36.

id=53689 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3239. If it is sold at a profit of 50%, what is its selling price? | option_a=4535 | option_b=4858 | option_c=5181 | option_d=3289 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3239 × 150/100 = █4858.

id=53690 | topic=Averages | difficulty=Easy | question=Find the average of 21, 37, 22, 96, 26, 62, 39, 39, 63. | option_a=44 | option_b=46 | option_c=47 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 405 ÷ 9 = 45.

id=53691 | topic=Percentages | difficulty=Easy | question=What is 30% of 1945? | option_a=588 | option_b=583 | option_c=1166 | option_d=573 | answer=B | explanation=30% of 1945 = (30/100) × 1945 = 583.

id=53692 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:14 and the first is 78, what is the second? | option_a=97 | option_b=84 | option_c=162 | option_d=70 | answer=B | explanation=Scale factor = 78/13 = 6. Therefore second quantity = 14×6 = 84.

id=53693 | topic=Percentages | difficulty=Easy | question=What is 25% of 299? | option_a=74 | option_b=94 | option_c=148 | option_d=54 | answer=A | explanation=25% of 299 = (25/100) × 299 = 74.

id=53694 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:15 and the first is 35, what is the second? | option_a=82 | option_b=75 | option_c=60 | option_d=110 | answer=B | explanation=Scale factor = 35/7 = 5. Therefore second quantity = 15×5 = 75.

id=53695 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=16 | option_b=15 | option_c=12 | option_d=14 | answer=D | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=53696 | topic=Averages | difficulty=Easy | question=Find the average of 71, 55, 94, 16, 67, 30, 61, 62. | option_a=58 | option_b=56 | option_c=57 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

id=53697 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=19 | option_d=29 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=53698 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=53699 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:20 and the first is 306, what is the second? | option_a=666 | option_b=340 | option_c=377 | option_d=360 | answer=D | explanation=Scale factor = 306/17 = 18. Therefore second quantity = 20×18 = 360.

id=53700 | topic=Percentages | difficulty=Easy | question=What is 15% of 708? | option_a=101 | option_b=212 | option_c=106 | option_d=126 | answer=C | explanation=15% of 708 = (15/100) × 708 = 106.

Aptitude Questions — Records 53,701-53,730 of 100,000

id=53701 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:19 and the first is 85, what is the second? | option_a=323 | option_b=304 | option_c=328 | option_d=408 | answer=A | explanation=Scale factor = 85/5 = 17. Therefore second quantity = 19×17 = 323.

id=53702 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=N | option_c=D | option_d=S | answer=B | explanation=Move 5 positions forward from I; the resulting letter is N.

id=53703 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=53704 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 12. | option_a=24 | option_b=12 | option_c=48 | option_d=288 | answer=A | explanation=LCM × HCF = 24×12; HCF(24,12) = 12, so LCM = 24.

id=53705 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 36? | option_a=19 | option_b=12 | option_c=36 | option_d=26 | answer=C | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 36 is the odd one out.

id=53706 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 42? | option_a=20 | option_b=27 | option_c=34 | option_d=42 | answer=D | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 42 is the odd one out.

id=53707 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4860. If it is sold at a profit of 50%, what is its selling price? | option_a=7290 | option_b=6804 | option_c=4910 | option_d=7776 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4860 × 150/100 = █7290.

id=53708 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=21 | option_b=20 | option_c=17 | option_d=23 | answer=B | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=53709 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:10 and the first is 63, what is the second? | option_a=60 | option_b=79 | option_c=70 | option_d=133 | answer=C | explanation=Scale factor = 63/9 = 7. Therefore second quantity = 10×7 = 70.

id=53710 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:6 and the first is 48, what is the second? | option_a=48 | option_b=54 | option_c=96 | option_d=42 | answer=A | explanation=Scale factor = 48/6 = 8. Therefore second quantity = 6×8 = 48.

id=53711 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:13 and the first is 180, what is the second? | option_a=440 | option_b=269 | option_c=260 | option_d=247 | answer=C | explanation=Scale factor = 180/9 = 20. Therefore second quantity = 13×20 = 260.

id=53712 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 28. | option_a=364 | option_b=336 | option_c=390 | option_d=728 | answer=A | explanation=LCM × HCF = 26×28; HCF(26,28) = 2, so LCM = 364.

id=53713 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4430. If it is sold at a profit of 20%, what is its selling price? | option_a=5316 | option_b=4450 | option_c=4873 | option_d=5759 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4430 × 120/100 = █5316.

id=53714 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25355 at 15% per annum for 1 years. | option_a=3803 | option_b=3903 | option_c=3703 | option_d=29158 | answer=A | explanation=SI = PRT/100 = 25355×15×1/100 = █3803.

id=53715 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4766. If it is sold at a profit of 50%, what is its selling price? | option_a=7149 | option_b=4816 | option_c=6673 | option_d=7625 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4766 × 150/100 = █7149.

id=53716 | topic=Averages | difficulty=Easy | question=Find the average of 38, 70, 78, 18. | option_a=53 | option_b=50 | option_c=52 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 204 ÷ 4 = 51.

id=53717 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1604. If it is sold at a profit of 25%, what is its selling price? | option_a=2005 | option_b=2165 | option_c=1629 | option_d=1845 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1604 × 125/100 = █2005.

id=53718 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=D | option_b=M | option_c=J | option_d=G | answer=C | explanation=Move 3 positions forward from G; the resulting letter is J.

id=53719 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=80 | option_c=75 | option_d=70 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=53720 | topic=Profit & Loss | difficulty=Easy | question=An article costs █420. If it is sold at a profit of 30%, what is its selling price? | option_a=504 | option_b=450 | option_c=588 | option_d=546 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 420 × 130/100 = █546.

id=53721 | topic=Averages | difficulty=Easy | question=Find the average of 58, 39, 31, 74, 88. | option_a=59 | option_b=57 | option_c=60 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 290 ÷ 5 = 58.

id=53722 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=12 | option_c=7 | option_d=24 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=53723 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=53724 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=50 | option_b=39 | option_c=61 | option_d=51 | answer=A | explanation=The common difference is 11. Therefore the next term is 39 + 11 = 50.

id=53725 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19231 at 8% per annum for 2 years. | option_a=3176 | option_b=2976 | option_c=22307 | option_d=3076 | answer=D | explanation=SI = PRT/100 = 19231×8×2/100 = █3076.

id=53726 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=28 | option_b=36 | option_c=42 | option_d=35 | answer=D | explanation=The common difference is 7. Therefore the next term is 28 + 7 = 35.

id=53727 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 13, 16, 21? | option_a=16 | option_b=21 | option_c=10 | option_d=13 | answer=B | explanation=The first three numbers increase by 3, so the next should be 19. Therefore 21 is the odd one out.

id=53728 | topic=Averages | difficulty=Easy | question=Find the average of 93, 99, 46, 22. | option_a=64 | option_b=67 | option_c=65 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = 260 ÷ 4 = 65.

id=53729 | topic=Averages | difficulty=Easy | question=Find the average of 58, 30, 70, 90. | option_a=61 | option_b=63 | option_c=62 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 248 ÷ 4 = 62.

id=53730 | topic=Percentages | difficulty=Easy | question=What is 40% of 183? | option_a=146 | option_b=53 | option_c=93 | option_d=73 | answer=D | explanation=40% of 183 = (40/100) × 183 = 73.

Aptitude Questions — Records 53,731-53,760 of 100,000

id=53731 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■25207 at 10% per annum for 4 years. | option_a=10082 | option_b=9982 | option_c=35289 | option_d=10182 | answer=A | explanation=SI = PRT/100 = 25207×10×4/100 = ■10082.

id=53732 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=80 | option_c=75 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=53733 | topic=Percentages | difficulty=Easy | question=What is 5% of 1685? | option_a=168 | option_b=74 | option_c=89 | option_d=84 | answer=D | explanation=5% of 1685 = (5/100) × 1685 = 84.

id=53734 | topic=Averages | difficulty=Easy | question=Find the average of 31, 23, 42, 48. | option_a=36 | option_b=38 | option_c=37 | option_d=35 | answer=A | explanation=Average = sum of values ÷ number of values = 144 ÷ 4 = 36.

id=53735 | topic=Percentages | difficulty=Easy | question=What is 12% of 461? | option_a=55 | option_b=110 | option_c=35 | option_d=65 | answer=A | explanation=12% of 461 = (12/100) × 461 = 55.

id=53736 | topic=Averages | difficulty=Easy | question=Find the average of 53, 27, 98, 11, 26, 76, 101. | option_a=58 | option_b=57 | option_c=55 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 392 ÷ 7 = 56.

id=53737 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=53738 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=53739 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=38 | option_b=52 | option_c=46 | option_d=45 | answer=D | explanation=The common difference is 7. Therefore the next term is 38 + 7 = 45.

id=53740 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3204. If it is sold at a profit of 40%, what is its selling price? | option_a=4805 | option_b=4165 | option_c=4485 | option_d=3244 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3204 × 140/100 = ■4485.

id=53741 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'i' become? | option_a=I | option_b=D | option_c=S | option_d=N | answer=D | explanation=Move 5 positions forward from i; the resulting letter is N.

id=53742 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 58? | option_a=58 | option_b=38 | option_c=47 | option_d=29 | answer=A | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 58 is the odd one out.

id=53743 | topic=Percentages | difficulty=Easy | question=What is 50% of 901? | option_a=470 | option_b=430 | option_c=900 | option_d=450 | answer=D | explanation=50% of 901 = (50/100) × 901 = 450.

id=53744 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=50 | option_c=45 | option_d=100 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=53745 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=36 | option_d=13 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=53746 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=43 | option_b=38 | option_c=39 | option_d=33 | answer=B | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.

id=53747 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=41 | option_c=72 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=53748 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=150 | option_c=155 | option_d=300 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=53749 | topic=Percentages | difficulty=Easy | question=What is 20% of 1755? | option_a=341 | option_b=361 | option_c=351 | option_d=702 | answer=C | explanation=20% of 1755 = (20/100) × 1755 = 351.

id=53750 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=41 | option_b=29 | option_c=36 | option_d=35 | answer=D | explanation=The common difference is 6. Therefore the next term is 29 + 6 = 35.

id=53751 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 18, 24, 30, ? | option_a=36 | option_b=42 | option_c=37 | option_d=30 | answer=A | explanation=The common difference is 6. Therefore the next term is 30 + 6 = 36.

id=53752 | topic=Averages | difficulty=Easy | question=Find the average of 44, 17, 71, 98, 61, 99, 43, 36, 18, 73. | option_a=55 | option_b=57 | option_c=58 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 560 ÷ 10 = 56.

id=53753 | topic=Averages | difficulty=Easy | question=Find the average of 80, 61, 80, 75, 93, 72, 11, 24. | option_a=63 | option_b=64 | option_c=62 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 496 ÷ 8 = 62.

id=53754 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 5, 8, 11, ? | option_a=17 | option_b=14 | option_c=15 | option_d=11 | answer=B | explanation=The common difference is 3. Therefore the next term is 11 + 3 = 14.

id=53755 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=53756 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:6 and the first is 304, what is the second? | option_a=114 | option_b=130 | option_c=108 | option_d=418 | answer=A | explanation=Scale factor = 304/16 = 19. Therefore second quantity = 6×19 = 114.

id=53757 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=K | option_b=L | option_c=M | option_d=N | answer=C | explanation=Move 1 positions forward from L; the resulting letter is M.

id=53758 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 19, 27, 38? | option_a=27 | option_b=11 | option_c=19 | option_d=38 | answer=D | explanation=The first three numbers increase by 8, so the next should be 35. Therefore 38 is the odd one out.

id=53759 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■15500 at 12% per annum for 4 years. | option_a=22940 | option_b=7340 | option_c=7540 | option_d=7440 | answer=D | explanation=SI = PRT/100 = 15500×12×4/100 = ■7440.

id=53760 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4244. If it is sold at a profit of 25%, what is its selling price? | option_a=5729 | option_b=4881 | option_c=5305 | option_d=4269 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4244 × 125/100 = ■5305.

Aptitude Questions — Records 53,761-53,790 of 100,000

id=53761 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=G | option_c=A | option_d=C | answer=A | explanation=Move 2 positions forward from C; the resulting letter is E.

id=53762 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=16 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=53763 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=29 | option_b=37 | option_c=34 | option_d=33 | answer=D | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=53764 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=53765 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 22, 32, 43? | option_a=32 | option_b=22 | option_c=12 | option_d=43 | answer=D | explanation=The first three numbers increase by 10, so the next should be 42. Therefore 43 is the odd one out.

id=53766 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 8. | option_a=40 | option_b=60 | option_c=160 | option_d=32 | answer=A | explanation=LCM × HCF = 20×8; HCF(20,8) = 4, so LCM = 40.

id=53767 | topic=Averages | difficulty=Easy | question=Find the average of 43, 94, 53, 10, 60, 85, 64, 86, 15, 50. | option_a=56 | option_b=57 | option_c=58 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 560 ÷ 10 = 56.

id=53768 | topic=Profit & Loss | difficulty=Easy | question=An article costs █650. If it is sold at a profit of 50%, what is its selling price? | option_a=1040 | option_b=910 | option_c=975 | option_d=700 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 650 × 150/100 = █975.

id=53769 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:19 and the first is 95, what is the second? | option_a=361 | option_b=342 | option_c=456 | option_d=366 | answer=A | explanation=Scale factor = 95/5 = 19. Therefore second quantity = 19×19 = 361.

id=53770 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3803. If it is sold at a profit of 50%, what is its selling price? | option_a=5324 | option_b=3853 | option_c=6084 | option_d=5704 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3803 × 150/100 = █5704.

id=53771 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=46 | option_b=66 | option_c=57 | option_d=56 | answer=D | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=53772 | topic=Percentages | difficulty=Easy | question=What is 12% of 455? | option_a=59 | option_b=34 | option_c=54 | option_d=108 | answer=C | explanation=12% of 455 = (12/100) × 455 = 54.

id=53773 | topic=Averages | difficulty=Easy | question=Find the average of 10, 74, 50, 29, 39, 36, 63, 63, 25, 51. | option_a=43 | option_b=45 | option_c=46 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = 440 ÷ 10 = 44.

id=53774 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=D | option_b=E | option_c=B | option_d=C | answer=A | explanation=Move 1 positions forward from C; the resulting letter is D.

id=53775 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38916 at 8% per annum for 2 years. | option_a=6226 | option_b=45142 | option_c=6126 | option_d=6326 | answer=A | explanation=SI = PRT/100 = 38916×8×2/100 = █6226.

id=53776 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=96 | option_c=48 | option_d=53 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=53777 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=29 | option_c=48 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=53778 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=31 | option_b=32 | option_c=24 | option_d=38 | answer=A | explanation=The common difference is 7. Therefore the next term is 24 + 7 = 31.

id=53779 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4894. If it is sold at a profit of 20%, what is its selling price? | option_a=5383 | option_b=6361 | option_c=5872 | option_d=4914 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4894 × 120/100 = █5872.

id=53780 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=41 | option_b=32 | option_c=50 | option_d=42 | answer=A | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

id=53781 | topic=Averages | difficulty=Easy | question=Find the average of 10, 13, 13, 68, 51. | option_a=31 | option_b=32 | option_c=33 | option_d=30 | answer=A | explanation=Average = sum of values ÷ number of values = 155 ÷ 5 = 31.

id=53782 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3426. If it is sold at a profit of 50%, what is its selling price? | option_a=3476 | option_b=5139 | option_c=5481 | option_d=4797 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3426 × 150/100 = █5139.

id=53783 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:3 and the first is 180, what is the second? | option_a=51 | option_b=234 | option_c=64 | option_d=54 | answer=D | explanation=Scale factor = 180/10 = 18. Therefore second quantity = 3×18 = 54.

id=53784 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1959. If it is sold at a profit of 5%, what is its selling price? | option_a=1861 | option_b=1964 | option_c=2056 | option_d=2251 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1959 × 105/100 = █2056.

id=53785 | topic=Averages | difficulty=Easy | question=Find the average of 67, 18, 34, 23, 23, 38, 84. | option_a=41 | option_b=42 | option_c=40 | option_d=43 | answer=A | explanation=Average = sum of values ÷ number of values = 287 ÷ 7 = 41.

id=53786 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16232 at 6% per annum for 1 years. | option_a=873 | option_b=17205 | option_c=1073 | option_d=973 | answer=D | explanation=SI = PRT/100 = 16232×6×1/100 = █973.

id=53787 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39097 at 10% per annum for 3 years. | option_a=50826 | option_b=11829 | option_c=11629 | option_d=11729 | answer=D | explanation=SI = PRT/100 = 39097×10×3/100 = █11729.

id=53788 | topic=Averages | difficulty=Easy | question=Find the average of 67, 38, 17, 15, 93. | option_a=48 | option_b=45 | option_c=46 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 230 ÷ 5 = 46.

id=53789 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48583 at 15% per annum for 1 years. | option_a=7387 | option_b=55870 | option_c=7187 | option_d=7287 | answer=D | explanation=SI = PRT/100 = 48583×15×1/100 = █7287.

id=53790 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=M | option_b=I | option_c=A | option_d=E | answer=B | explanation=Move 4 positions forward from E; the resulting letter is I.

Aptitude Questions — Records 53,791-53,820 of 100,000

id=53791 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 15, 21, 28? | option_a=9 | option_b=15 | option_c=28 | option_d=21 | answer=C | explanation=The first three numbers increase by 6, so the next should be 27. Therefore 28 is the odd one out.

id=53792 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=8 | answer=A | explanation=Combined rate = $\frac{1}{4} + \frac{1}{4} = \frac{8}{16}$. Time = $\frac{16}{8} = 2$ days.

id=53793 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=P | option_c=N | option_d=R | answer=D | explanation=Move 2 positions forward from P; the resulting letter is R.

id=53794 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 6. | option_a=162 | option_b=48 | option_c=81 | option_d=54 | answer=D | explanation= $\text{LCM} \times \text{HCF} = 27 \times 6$; $\text{HCF}(27,6) = 3$, so $\text{LCM} = 54$.

id=53795 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 21. | option_a=189 | option_b=630 | option_c=210 | option_d=240 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 30 \times 21$; $\text{HCF}(30,21) = 3$, so $\text{LCM} = 210$.

id=53796 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:13 and the first is 54, what is the second? | option_a=93 | option_b=39 | option_c=26 | option_d=57 | answer=B | explanation=Scale factor = $\frac{54}{18} = 3$. Therefore second quantity = $13 \times 3 = 39$.

id=53797 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=45 | option_b=41 | option_c=35 | option_d=40 | answer=D | explanation=The common difference is 5. Therefore the next term is $35 + 5 = 40$.

id=53798 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=44 | option_b=54 | option_c=45 | option_d=34 | answer=A | explanation=The common difference is 10. Therefore the next term is $34 + 10 = 44$.

id=53799 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20586 at 5% per annum for 2 years. | option_a=22644 | option_b=1958 | option_c=2158 | option_d=2058 | answer=D | explanation= $\text{SI} = \frac{\text{PRT}}{100} = \frac{20586 \times 5 \times 2}{100} = \text{■}2058$.

id=53800 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = $\frac{180}{6} = 30$ km/h.

id=53801 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 25? | option_a=11 | option_b=25 | option_c=17 | option_d=5 | answer=B | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 25 is the odd one out.

id=53802 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = $\frac{120}{6} = 20$ km/h.

id=53803 | topic=Averages | difficulty=Easy | question=Find the average of 38, 49, 91, 31, 67, 57, 52. | option_a=56 | option_b=57 | option_c=55 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{385}{7} = 55$.

id=53804 | topic=Percentages | difficulty=Easy | question=What is 20% of 847? | option_a=174 | option_b=149 | option_c=169 | option_d=338 | answer=C | explanation=20% of 847 = $(\frac{20}{100}) \times 847 = 169$.

id=53805 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=5 | option_d=24 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=53806 | topic=Percentages | difficulty=Easy | question=What is 40% of 1022? | option_a=403 | option_b=408 | option_c=816 | option_d=413 | answer=B | explanation=40% of 1022 = $(\frac{40}{100}) \times 1022 = 408$.

id=53807 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=44 | option_b=34 | option_c=45 | option_d=54 | answer=A | explanation=The common difference is 10. Therefore the next term is $34 + 10 = 44$.

id=53808 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=53809 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=16 | option_b=19 | option_c=17 | option_d=13 | answer=A | explanation=The common difference is 3. Therefore the next term is $13 + 3 = 16$.

id=53810 | topic=Percentages | difficulty=Easy | question=What is 30% of 1721? | option_a=516 | option_b=1032 | option_c=526 | option_d=511 | answer=A | explanation=30% of 1721 = $(\frac{30}{100}) \times 1721 = 516$.

id=53811 | topic=Percentages | difficulty=Easy | question=What is 50% of 702? | option_a=351 | option_b=341 | option_c=702 | option_d=356 | answer=A | explanation=50% of 702 = $(\frac{50}{100}) \times 702 = 351$.

id=53812 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 32? | option_a=22 | option_b=13 | option_c=32 | option_d=4 | answer=C | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 32 is the odd one out.

id=53813 | topic=Percentages | difficulty=Easy | question=What is 25% of 71? | option_a=37 | option_b=17 | option_c=12 | option_d=34 | answer=B | explanation=25% of 71 = $(\frac{25}{100}) \times 71 = 17$.

id=53814 | topic=Percentages | difficulty=Easy | question=What is 30% of 1968? | option_a=590 | option_b=1180 | option_c=610 | option_d=570 | answer=A | explanation=30% of 1968 = $(\frac{30}{100}) \times 1968 = 590$.

id=53815 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=53816 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30317 at 15% per annum for 4 years. | option_a=18190 | option_b=18290 | option_c=48507 | option_d=18090 | answer=A | explanation= $\text{SI} = \frac{\text{PRT}}{100} = \frac{30317 \times 15 \times 4}{100} = \text{■}18190$.

id=53817 | topic=Averages | difficulty=Easy | question=Find the average of 54, 29, 55, 43, 73, 45, 87, 23, 30, 51. | option_a=50 | option_b=49 | option_c=48 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{490}{10} = 49$.

id=53818 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32225 at 15% per annum for 4 years. | option_a=19335 | option_b=19435 | option_c=51560 | option_d=19235 | answer=A | explanation= $\text{SI} = \frac{\text{PRT}}{100} = \frac{32225 \times 15 \times 4}{100} = \text{■}19335$.

id=53819 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 20, 26, 33? | option_a=14 | option_b=33 | option_c=20 | option_d=26 | answer=B | explanation=The first three numbers increase by 6, so the next should be 32. Therefore 33 is the odd one out.

id=53820 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=31 | option_b=28 | option_c=27 | option_d=23 | answer=C | explanation=The common difference is 4. Therefore the next term is $23 + 4 = 27$.

Aptitude Questions — Records 53,821-53,850 of 100,000

id=53821 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1737. If it is sold at a profit of 40%, what is its selling price? | option_a=1777 | option_b=2258 | option_c=2431 | option_d=2604 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1737 × 140/100 = █2431.

id=53822 | topic=Averages | difficulty=Easy | question=Find the average of 34, 25, 40, 100, 84, 95, 83, 39, 49. | option_a=62 | option_b=60 | option_c=63 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 549 ÷ 9 = 61.

id=53823 | topic=Percentages | difficulty=Easy | question=What is 40% of 700? | option_a=290 | option_b=280 | option_c=270 | option_d=560 | answer=B | explanation=40% of 700 = (40/100) × 700 = 280.

id=53824 | topic=Percentages | difficulty=Easy | question=What is 15% of 246? | option_a=56 | option_b=31 | option_c=72 | option_d=36 | answer=D | explanation=15% of 246 = (15/100) × 246 = 36.

id=53825 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=53826 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=53827 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 28. | option_a=448 | option_b=84 | option_c=112 | option_d=128 | answer=C | explanation=LCM × HCF = 16×28; HCF(16,28) = 4, so LCM = 112.

id=53828 | topic=Percentages | difficulty=Easy | question=What is 50% of 1758? | option_a=1758 | option_b=874 | option_c=879 | option_d=899 | answer=C | explanation=50% of 1758 = (50/100) × 1758 = 879.

id=53829 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=53830 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 38? | option_a=38 | option_b=34 | option_c=32 | option_d=30 | answer=A | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 38 is the odd one out.

id=53831 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=53832 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=12 | option_c=24 | option_d=7 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=53833 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=O | option_b=J | option_c=E | option_d=T | answer=A | explanation=Move 5 positions forward from J; the resulting letter is O.

id=53834 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3474. If it is sold at a profit of 50%, what is its selling price? | option_a=3524 | option_b=5211 | option_c=4864 | option_d=5558 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3474 × 150/100 = █5211.

id=53835 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=90 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=53836 | topic=Percentages | difficulty=Easy | question=What is 30% of 537? | option_a=141 | option_b=161 | option_c=171 | option_d=322 | answer=B | explanation=30% of 537 = (30/100) × 537 = 161.

id=53837 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:7 and the first is 289, what is the second? | option_a=119 | option_b=112 | option_c=136 | option_d=408 | answer=A | explanation=Scale factor = 289/17 = 17. Therefore second quantity = 7×17 = 119.

id=53838 | topic=Averages | difficulty=Easy | question=Find the average of 75, 94, 75, 75, 49, 64, 46, 35, 32, 45. | option_a=59 | option_b=61 | option_c=60 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 590 ÷ 10 = 59.

id=53839 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=53840 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3743. If it is sold at a profit of 25%, what is its selling price? | option_a=5052 | option_b=4304 | option_c=4678 | option_d=3768 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3743 × 125/100 = █4678.

id=53841 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7069 at 6% per annum for 5 years. | option_a=2120 | option_b=9189 | option_c=2220 | option_d=2020 | answer=A | explanation=SI = PRT/100 = 7069×6×5/100 = █2120.

id=53842 | topic=Averages | difficulty=Easy | question=Find the average of 68, 56, 83. | option_a=70 | option_b=71 | option_c=69 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 207 ÷ 3 = 69.

id=53843 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 29, 33, 40? | option_a=25 | option_b=29 | option_c=40 | option_d=33 | answer=C | explanation=The first three numbers increase by 4, so the next should be 37. Therefore 40 is the odd one out.

id=53844 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=54 | option_b=67 | option_c=78 | option_d=66 | answer=D | explanation=The common difference is 12. Therefore the next term is 54 + 12 = 66.

id=53845 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=53846 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=45 | option_c=40 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=53847 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 58? | option_a=58 | option_b=38 | option_c=47 | option_d=29 | answer=A | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 58 is the odd one out.

id=53848 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=T | option_b=Q | option_c=S | option_d=R | answer=C | explanation=Move 1 positions forward from R; the resulting letter is S.

id=53849 | topic=Percentages | difficulty=Easy | question=What is 10% of 203? | option_a=15 | option_b=20 | option_c=30 | option_d=40 | answer=B | explanation=10% of 203 = (10/100) × 203 = 20.

id=53850 | topic=Averages | difficulty=Easy | question=Find the average of 90, 77, 43, 46, 65, 87. | option_a=67 | option_b=69 | option_c=70 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = 408 ÷ 6 = 68.

Aptitude Questions — Records 53,851-53,880 of 100,000

id=53851 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 16, 23, 32? | option_a=32 | option_b=9 | option_c=23 | option_d=16 | answer=A | explanation=The first three numbers increase by 7, so the next should be 30. Therefore 32 is the odd one out.

id=53852 | topic=Averages | difficulty=Easy | question=Find the average of 85, 48, 44, 83. | option_a=67 | option_b=65 | option_c=66 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 260 ÷ 4 = 65.

id=53853 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=Z | option_b=I | option_c=F | option_d=C | answer=C | explanation=Move 3 positions forward from C; the resulting letter is F.

id=53854 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:11 and the first is 280, what is the second? | option_a=500 | option_b=209 | option_c=220 | option_d=234 | answer=C | explanation=Scale factor = 280/14 = 20. Therefore second quantity = 11×20 = 220.

id=53855 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=10 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=53856 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=53857 | topic=Averages | difficulty=Easy | question=Find the average of 54, 62, 34, 12, 57, 45, 79. | option_a=50 | option_b=49 | option_c=48 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 343 ÷ 7 = 49.

id=53858 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=48 | option_b=59 | option_c=49 | option_d=37 | answer=A | explanation=The common difference is 11. Therefore the next term is 37 + 11 = 48.

id=53859 | topic=Percentages | difficulty=Easy | question=What is 20% of 1718? | option_a=323 | option_b=348 | option_c=343 | option_d=686 | answer=C | explanation=20% of 1718 = (20/100) × 1718 = 343.

id=53860 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 35, 41, 49? | option_a=29 | option_b=35 | option_c=41 | option_d=49 | answer=D | explanation=The first three numbers increase by 6, so the next should be 47. Therefore 49 is the odd one out.

id=53861 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4527. If it is sold at a profit of 30%, what is its selling price? | option_a=6337 | option_b=5885 | option_c=4557 | option_d=5433 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4527 × 130/100 = █5885.

id=53862 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40180 at 8% per annum for 1 years. | option_a=3114 | option_b=3314 | option_c=3214 | option_d=43394 | answer=C | explanation=SI = PRT/100 = 40180×8×1/100 = █3214.

id=53863 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21189 at 10% per annum for 3 years. | option_a=27545 | option_b=6356 | option_c=6456 | option_d=6256 | answer=B | explanation=SI = PRT/100 = 21189×10×3/100 = █6356.

id=53864 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=77 | option_c=144 | option_d=67 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=53865 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=53866 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=36 | option_c=31 | option_d=72 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=53867 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2787. If it is sold at a profit of 25%, what is its selling price? | option_a=3205 | option_b=3761 | option_c=2812 | option_d=3483 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2787 × 125/100 = █3483.

id=53868 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29348 at 10% per annum for 1 years. | option_a=32282 | option_b=3034 | option_c=2834 | option_d=2934 | answer=D | explanation=SI = PRT/100 = 29348×10×1/100 = █2934.

id=53869 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=40 | option_b=50 | option_c=51 | option_d=60 | answer=B | explanation=The common difference is 10. Therefore the next term is 40 + 10 = 50.

id=53870 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=53871 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=32 | option_b=44 | option_c=39 | option_d=38 | answer=D | explanation=The common difference is 6. Therefore the next term is 32 + 6 = 38.

id=53872 | topic=Averages | difficulty=Easy | question=Find the average of 37, 79, 28, 18, 74, 68, 88. | option_a=58 | option_b=57 | option_c=56 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 392 ÷ 7 = 56.

id=53873 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=53874 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 18. | option_a=36 | option_b=18 | option_c=1 | option_d=324 | answer=B | explanation=LCM × HCF = 18×18; HCF(18,18) = 18, so LCM = 18.

id=53875 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 38, 46, 55? | option_a=38 | option_b=55 | option_c=30 | option_d=46 | answer=B | explanation=The first three numbers increase by 8, so the next should be 54. Therefore 55 is the odd one out.

id=53876 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=53877 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=180 | option_c=85 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=53878 | topic=Averages | difficulty=Easy | question=Find the average of 46, 99, 49, 44, 77. | option_a=64 | option_b=63 | option_c=62 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 315 ÷ 5 = 63.

id=53879 | topic=Percentages | difficulty=Easy | question=What is 5% of 1124? | option_a=56 | option_b=66 | option_c=112 | option_d=36 | answer=A | explanation=5% of 1124 = (5/100) × 1124 = 56.

id=53880 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 53,881-53,910 of 100,000

id=53881 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=45 | option_c=40 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=53882 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=53883 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=53884 | topic=Percentages | difficulty=Easy | question=What is 50% of 306? | option_a=153 | option_b=163 | option_c=306 | option_d=133 | answer=A | explanation=50% of 306 = (50/100) × 306 = 153.

id=53885 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3871. If it is sold at a profit of 40%, what is its selling price? | option_a=5806 | option_b=5419 | option_c=3911 | option_d=5032 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3871 × 140/100 = █5419.

id=53886 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1896. If it is sold at a profit of 10%, what is its selling price? | option_a=1896 | option_b=2085 | option_c=2274 | option_d=1906 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1896 × 110/100 = █2085.

id=53887 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10024 at 12% per annum for 4 years. | option_a=4811 | option_b=4711 | option_c=14835 | option_d=4911 | answer=A | explanation=SI = PRT/100 = 10024×12×4/100 = █4811.

id=53888 | topic=Percentages | difficulty=Easy | question=What is 50% of 112? | option_a=112 | option_b=46 | option_c=56 | option_d=66 | answer=C | explanation=50% of 112 = (50/100) × 112 = 56.

id=53889 | topic=Averages | difficulty=Easy | question=Find the average of 17, 78, 15, 50, 37, 88, 51. | option_a=48 | option_b=49 | option_c=47 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 336 ÷ 7 = 48.

id=53890 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40891 at 15% per annum for 4 years. | option_a=24534 | option_b=24634 | option_c=24434 | option_d=65425 | answer=A | explanation=SI = PRT/100 = 40891×15×4/100 = █24534.

id=53891 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 17, 23, 31? | option_a=11 | option_b=31 | option_c=23 | option_d=17 | answer=B | explanation=The first three numbers increase by 6, so the next should be 29. Therefore 31 is the odd one out.

id=53892 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=36 | option_c=72 | option_d=41 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=53893 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=53894 | topic=Averages | difficulty=Easy | question=Find the average of 41, 39, 99, 64, 10, 10, 92, 81, 32. | option_a=53 | option_b=52 | option_c=54 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 468 ÷ 9 = 52.

id=53895 | topic=Percentages | difficulty=Easy | question=What is 40% of 670? | option_a=268 | option_b=536 | option_c=258 | option_d=288 | answer=A | explanation=40% of 670 = (40/100) × 670 = 268.

id=53896 | topic=Averages | difficulty=Easy | question=Find the average of 46, 73, 88, 45. | option_a=64 | option_b=65 | option_c=62 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 252 ÷ 4 = 63.

id=53897 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 13, 21, 30? | option_a=21 | option_b=13 | option_c=5 | option_d=30 | answer=D | explanation=The first three numbers increase by 8, so the next should be 29. Therefore 30 is the odd one out.

id=53898 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1875. If it is sold at a profit of 15%, what is its selling price? | option_a=1969 | option_b=1890 | option_c=2156 | option_d=2343 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1875 × 115/100 = █2156.

id=53899 | topic=Averages | difficulty=Easy | question=Find the average of 44, 83, 53, 52. | option_a=59 | option_b=58 | option_c=60 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 232 ÷ 4 = 58.

id=53900 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 25, 30, 36? | option_a=20 | option_b=25 | option_c=30 | option_d=36 | answer=D | explanation=The first three numbers increase by 5, so the next should be 35. Therefore 36 is the odd one out.

id=53901 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 3. | option_a=90 | option_b=30 | option_c=60 | option_d=27 | answer=B | explanation=LCM × HCF = 30×3; HCF(30,3) = 3, so LCM = 30.

id=53902 | topic=Averages | difficulty=Easy | question=Find the average of 64, 90, 22, 32. | option_a=52 | option_b=53 | option_c=54 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 208 ÷ 4 = 52.

id=53903 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 35, 40, 46? | option_a=46 | option_b=40 | option_c=35 | option_d=30 | answer=A | explanation=The first three numbers increase by 5, so the next should be 45. Therefore 46 is the odd one out.

id=53904 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=53905 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 35, 45, 57? | option_a=57 | option_b=25 | option_c=45 | option_d=35 | answer=A | explanation=The first three numbers increase by 10, so the next should be 55. Therefore 57 is the odd one out.

id=53906 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:1 and the first is 19, what is the second? | option_a=20 | option_b=38 | option_c=18 | option_d=19 | answer=D | explanation=Scale factor = 19/1 = 19. Therefore second quantity = 1×19 = 19.

id=53907 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44795 at 8% per annum for 1 years. | option_a=3683 | option_b=3583 | option_c=3483 | option_d=48378 | answer=B | explanation=SI = PRT/100 = 44795×8×1/100 = █3583.

id=53908 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=Q | option_c=P | option_d=N | answer=C | explanation=Move 1 positions forward from O, the resulting letter is P.

id=53909 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31609 at 10% per annum for 1 years. | option_a=3160 | option_b=3060 | option_c=34769 | option_d=3260 | answer=A | explanation=SI = PRT/100 = 31609×10×1/100 = █3160.

id=53910 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1974. If it is sold at a profit of 25%, what is its selling price? | option_a=2270 | option_b=1999 | option_c=2664 | option_d=2467 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1974 × 125/100 = █2467.

Aptitude Questions — Records 53,911-53,940 of 100,000

id=53911 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1931. If it is sold at a profit of 25%, what is its selling price? | option_a=1956 | option_b=2220 | option_c=2413 | option_d=2606 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1931 × 125/100 = ■2413.

id=53912 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=6 | option_c=11 | option_d=12 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=53913 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=53914 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■43711 at 10% per annum for 3 years. | option_a=13113 | option_b=13013 | option_c=13213 | option_d=56824 | answer=A | explanation=SI = PRT/100 = 43711×10×3/100 = ■13113.

id=53915 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 11, 16, 23? | option_a=16 | option_b=6 | option_c=11 | option_d=23 | answer=D | explanation=The first three numbers increase by 5, so the next should be 21. Therefore 23 is the odd one out.

id=53916 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:2 and the first is 140, what is the second? | option_a=168 | option_b=26 | option_c=38 | option_d=28 | answer=D | explanation=Scale factor = 140/10 = 14. Therefore second quantity = 2×14 = 28.

id=53917 | topic=Percentages | difficulty=Easy | question=What is 25% of 1655? | option_a=408 | option_b=418 | option_c=826 | option_d=413 | answer=D | explanation=25% of 1655 = (25/100) × 1655 = 413.

id=53918 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■27780 at 12% per annum for 5 years. | option_a=16768 | option_b=16568 | option_c=44448 | option_d=16668 | answer=D | explanation=SI = PRT/100 = 27780×12×5/100 = ■16668.

id=53919 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1778. If it is sold at a profit of 25%, what is its selling price? | option_a=2222 | option_b=1803 | option_c=2399 | option_d=2045 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1778 × 125/100 = ■2222.

id=53920 | topic=Percentages | difficulty=Easy | question=What is 15% of 1978? | option_a=296 | option_b=592 | option_c=306 | option_d=286 | answer=A | explanation=15% of 1978 = (15/100) × 1978 = 296.

id=53921 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1037. If it is sold at a profit of 40%, what is its selling price? | option_a=1348 | option_b=1451 | option_c=1077 | option_d=1554 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1037 × 140/100 = ■1451.

id=53922 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=53923 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=360 | option_b=180 | option_c=175 | option_d=185 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=53924 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=53925 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=53926 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:5 and the first is 252, what is the second? | option_a=322 | option_b=88 | option_c=65 | option_d=70 | answer=D | explanation=Scale factor = 252/18 = 14. Therefore second quantity = 5×14 = 70.

id=53927 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:16 and the first is 84, what is the second? | option_a=112 | option_b=96 | option_c=196 | option_d=124 | answer=A | explanation=Scale factor = 84/12 = 7. Therefore second quantity = 16×7 = 112.

id=53928 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=53929 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 26? | option_a=17 | option_b=11 | option_c=26 | option_d=5 | answer=C | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 26 is the odd one out.

id=53930 | topic=Percentages | difficulty=Easy | question=What is 25% of 1416? | option_a=364 | option_b=354 | option_c=708 | option_d=344 | answer=B | explanation=25% of 1416 = (25/100) × 1416 = 354.

id=53931 | topic=Percentages | difficulty=Easy | question=What is 10% of 574? | option_a=67 | option_b=47 | option_c=57 | option_d=114 | answer=C | explanation=10% of 574 = (10/100) × 574 = 57.

id=53932 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=53933 | topic=Averages | difficulty=Easy | question=Find the average of 94, 10, 32, 36, 18. | option_a=40 | option_b=37 | option_c=38 | option_d=39 | answer=C | explanation=Average = sum of values ÷ number of values = 190 ÷ 5 = 38.

id=53934 | topic=Averages | difficulty=Easy | question=Find the average of 91, 30, 95. | option_a=72 | option_b=74 | option_c=73 | option_d=71 | answer=A | explanation=Average = sum of values ÷ number of values = 216 ÷ 3 = 72.

id=53935 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=64 | option_b=44 | option_c=55 | option_d=54 | answer=D | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=53936 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=13 | option_b=17 | option_c=15 | option_d=16 | answer=C | explanation=The common difference is 2. Therefore the next term is 13 + 2 = 15.

id=53937 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=W | option_c=I | option_d=A | answer=A | explanation=Move 4 positions forward from A; the resulting letter is E.

id=53938 | topic=Percentages | difficulty=Easy | question=What is 40% of 231? | option_a=102 | option_b=184 | option_c=87 | option_d=92 | answer=D | explanation=40% of 231 = (40/100) × 231 = 92.

id=53939 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 32? | option_a=25 | option_b=15 | option_c=20 | option_d=32 | answer=D | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 32 is the odd one out.

id=53940 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=G | option_b=M | option_c=P | option_d=J | answer=B | explanation=Move 3 positions forward from J; the resulting letter is M.

Aptitude Questions — Records 53,941-53,970 of 100,000

id=53941 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=53942 | topic=Averages | difficulty=Easy | question=Find the average of 44, 70, 97, 73, 93, 69, 84, 70. | option_a=77 | option_b=74 | option_c=75 | option_d=76 | answer=C | explanation=Average = sum of values ÷ number of values = 600 ÷ 8 = 75.

id=53943 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 29? | option_a=16 | option_b=10 | option_c=22 | option_d=29 | answer=D | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 29 is the odd one out.

id=53944 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=53945 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹771. If it is sold at a profit of 40%, what is its selling price? | option_a=1079 | option_b=1156 | option_c=811 | option_d=1002 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 771 × 140/100 = ₹1079.

id=53946 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:19 and the first is 20, what is the second? | option_a=76 | option_b=115 | option_c=99 | option_d=95 | answer=D | explanation=Scale factor = 20/4 = 5. Therefore second quantity = 19×5 = 95.

id=53947 | topic=Percentages | difficulty=Easy | question=What is 40% of 138? | option_a=50 | option_b=55 | option_c=60 | option_d=110 | answer=B | explanation=40% of 138 = (40/100) × 138 = 55.

id=53948 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=53949 | topic=Averages | difficulty=Easy | question=Find the average of 65, 59, 28, 68, 46, 93, 94, 64, 77. | option_a=65 | option_b=67 | option_c=68 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = 594 ÷ 9 = 66.

id=53950 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=53951 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=H | option_c=G | option_d=I | answer=D | explanation=Move 1 positions forward from H; the resulting letter is I.

id=53952 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 6. | option_a=54 | option_b=80 | option_c=120 | option_d=60 | answer=D | explanation=LCM × HCF = 20×6; HCF(20,6) = 2, so LCM = 60.

id=53953 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:18 and the first is 70, what is the second? | option_a=108 | option_b=136 | option_c=126 | option_d=196 | answer=C | explanation=Scale factor = 70/10 = 7. Therefore second quantity = 18×7 = 126.

id=53954 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:13 and the first is 72, what is the second? | option_a=143 | option_b=156 | option_c=228 | option_d=162 | answer=B | explanation=Scale factor = 72/6 = 12. Therefore second quantity = 13×12 = 156.

id=53955 | topic=Percentages | difficulty=Easy | question=What is 15% of 640? | option_a=91 | option_b=192 | option_c=106 | option_d=96 | answer=D | explanation=15% of 640 = (15/100) × 640 = 96.

id=53956 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:20 and the first is 65, what is the second? | option_a=80 | option_b=165 | option_c=113 | option_d=100 | answer=D | explanation=Scale factor = 65/13 = 5. Therefore second quantity = 20×5 = 100.

id=53957 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:3 and the first is 342, what is the second? | option_a=396 | option_b=73 | option_c=51 | option_d=54 | answer=D | explanation=Scale factor = 342/19 = 18. Therefore second quantity = 3×18 = 54.

id=53958 | topic=Averages | difficulty=Easy | question=Find the average of 93, 87, 52, 19, 91, 102. | option_a=76 | option_b=74 | option_c=75 | option_d=73 | answer=B | explanation=Average = sum of values ÷ number of values = 444 ÷ 6 = 74.

id=53959 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=47 | option_b=57 | option_c=48 | option_d=37 | answer=A | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

id=53960 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=20 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=53961 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 30, 34, 41? | option_a=26 | option_b=34 | option_c=41 | option_d=30 | answer=C | explanation=The first three numbers increase by 4, so the next should be 38. Therefore 41 is the odd one out.

id=53962 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹229. If it is sold at a profit of 50%, what is its selling price? | option_a=321 | option_b=343 | option_c=365 | option_d=279 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 229 × 150/100 = ₹343.

id=53963 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=80 | option_c=70 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=53964 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=53965 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=33 | option_b=32 | option_c=37 | option_d=27 | answer=B | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

id=53966 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 32? | option_a=18 | option_b=32 | option_c=24 | option_d=12 | answer=B | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 32 is the odd one out.

id=53967 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=B | option_c=J | option_d=X | answer=A | explanation=Move 4 positions forward from B; the resulting letter is F.

id=53968 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 18, 23, 28, ? | option_a=33 | option_b=34 | option_c=28 | option_d=38 | answer=A | explanation=The common difference is 5. Therefore the next term is 28 + 5 = 33.

id=53969 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 3. | option_a=3 | option_b=6 | option_c=18 | option_d=12 | answer=B | explanation=LCM × HCF = 6×3; HCF(6,3) = 3, so LCM = 6.

id=53970 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:20 and the first is 90, what is the second? | option_a=290 | option_b=180 | option_c=209 | option_d=200 | answer=D | explanation=Scale factor = 90/9 = 10. Therefore second quantity = 20×10 = 200.

Aptitude Questions — Records 53,971-54,000 of 100,000

id=53971 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 42? | option_a=31 | option_b=42 | option_c=15 | option_d=23 | answer=B | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 42 is the odd one out.

id=53972 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=53973 | topic=Averages | difficulty=Easy | question=Find the average of 78, 38, 70, 39, 51, 42, 55, 91, 19, 67. | option_a=57 | option_b=55 | option_c=56 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 550 ÷ 10 = 55.

id=53974 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=A | option_c=C | option_d=G | answer=A | explanation=Move 2 positions forward from C; the resulting letter is E.

id=53975 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40915 at 8% per annum for 1 years. | option_a=3173 | option_b=44188 | option_c=3373 | option_d=3273 | answer=D | explanation=SI = PRT/100 = 40915×8×1/100 = **■**3273.

id=53976 | topic=Percentages | difficulty=Easy | question=What is 50% of 334? | option_a=162 | option_b=167 | option_c=172 | option_d=334 | answer=B | explanation=50% of 334 = (50/100) × 334 = 167.

id=53977 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=L | option_c=G | option_d=W | answer=C | explanation=Move 5 positions forward from B; the resulting letter is G.

id=53978 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=A | option_b=V | option_c=L | option_d=Q | answer=B | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=53979 | topic=Averages | difficulty=Easy | question=Find the average of 52, 34, 91, 99, 90, 12, 98. | option_a=67 | option_b=69 | option_c=70 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = 476 ÷ 7 = 68.

id=53980 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 10. | option_a=10 | option_b=1 | option_c=12 | option_d=20 | answer=A | explanation=LCM × HCF = 2×10; HCF(2,10) = 2, so LCM = 10.

id=53981 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:5 and the first is 78, what is the second? | option_a=43 | option_b=30 | option_c=25 | option_d=108 | answer=B | explanation=Scale factor = 78/13 = 6. Therefore second quantity = 5×6 = 30.

id=53982 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1858. If it is sold at a profit of 30%, what is its selling price? | option_a=2600 | option_b=2415 | option_c=2230 | option_d=1888 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1858 × 130/100 = **■**2415.

id=53983 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 28. | option_a=150 | option_b=140 | option_c=280 | option_d=112 | answer=B | explanation=LCM × HCF = 10×28; HCF(10,28) = 2, so LCM = 140.

id=53984 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=L | option_b=I | option_c=C | option_d=F | answer=B | explanation=Move 3 positions forward from F; the resulting letter is I.

id=53985 | topic=Percentages | difficulty=Easy | question=What is 25% of 344? | option_a=66 | option_b=86 | option_c=172 | option_d=96 | answer=B | explanation=25% of 344 = (25/100) × 344 = 86.

id=53986 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20266 at 15% per annum for 3 years. | option_a=9119 | option_b=9219 | option_c=29385 | option_d=9019 | answer=A | explanation=SI = PRT/100 = 20266×15×3/100 = **■**9119.

id=53987 | topic=Percentages | difficulty=Easy | question=What is 10% of 810? | option_a=81 | option_b=61 | option_c=101 | option_d=162 | answer=A | explanation=10% of 810 = (10/100) × 810 = 81.

id=53988 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=53989 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=53990 | topic=Averages | difficulty=Easy | question=Find the average of 72, 36, 37, 33, 35, 20, 45, 66. | option_a=42 | option_b=45 | option_c=44 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = 344 ÷ 8 = 43.

id=53991 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=Y | option_b=D | option_c=N | option_d=I | answer=D | explanation=Move 5 positions forward from D; the resulting letter is I.

id=53992 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 31, 35, 41? | option_a=41 | option_b=27 | option_c=35 | option_d=31 | answer=A | explanation=The first three numbers increase by 4, so the next should be 39. Therefore 41 is the odd one out.

id=53993 | topic=Averages | difficulty=Easy | question=Find the average of 14, 71, 76, 15, 29, 77. | option_a=49 | option_b=47 | option_c=46 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 282 ÷ 6 = 47.

id=53994 | topic=Percentages | difficulty=Easy | question=What is 15% of 150? | option_a=27 | option_b=22 | option_c=17 | option_d=44 | answer=B | explanation=15% of 150 = (15/100) × 150 = 22.

id=53995 | topic=Averages | difficulty=Easy | question=Find the average of 82, 68, 51, 50, 38, 34, 45, 27, 20, 85. | option_a=49 | option_b=51 | option_c=50 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 500 ÷ 10 = 50.

id=53996 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=50 | option_b=70 | option_c=60 | option_d=61 | answer=C | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

id=53997 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 10. | option_a=15 | option_b=10 | option_c=1 | option_d=50 | answer=B | explanation=LCM × HCF = 5×10; HCF(5,10) = 5, so LCM = 10.

id=53998 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=53999 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20858 at 4% per annum for 1 years. | option_a=934 | option_b=734 | option_c=834 | option_d=21692 | answer=C | explanation=SI = PRT/100 = 20858×4×1/100 = **■**834.

id=54000 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 14. | option_a=392 | option_b=14 | option_c=56 | option_d=28 | answer=D | explanation=LCM × HCF = 28×14; HCF(28,14) = 14, so LCM = 28.

Aptitude Questions — Records 54,001-54,030 of 100,000

id=54001 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34604 at 15% per annum for 2 years. | option_a=10381 | option_b=10481 | option_c=10281 | option_d=44985 | answer=A | explanation=SI = PRT/100 = 34604×15×2/100 = **■**10381.

id=54002 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5071 at 4% per annum for 3 years. | option_a=608 | option_b=508 | option_c=708 | option_d=5679 | answer=A | explanation=SI = PRT/100 = 5071×4×3/100 = **■**608.

id=54003 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=85 | option_c=160 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=54004 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:1 and the first is 98, what is the second? | option_a=13 | option_b=21 | option_c=112 | option_d=14 | answer=D | explanation=Scale factor = 98/7 = 14. Therefore second quantity = 1×14 = 14.

id=54005 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**940. If it is sold at a profit of 30%, what is its selling price? | option_a=1128 | option_b=1316 | option_c=970 | option_d=1222 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 940 × 130/100 = **■**1222.

id=54006 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 13, 20, 30? | option_a=20 | option_b=30 | option_c=6 | option_d=13 | answer=B | explanation=The first three numbers increase by 7, so the next should be 27. Therefore 30 is the odd one out.

id=54007 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 28. | option_a=448 | option_b=112 | option_c=84 | option_d=128 | answer=B | explanation=LCM × HCF = 16×28; HCF(16,28) = 4, so LCM = 112.

id=54008 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=M | option_c=K | option_d=L | answer=B | explanation=Move 1 positions forward from L; the resulting letter is M.

id=54009 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3295. If it is sold at a profit of 25%, what is its selling price? | option_a=3320 | option_b=4447 | option_c=4118 | option_d=3789 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3295 × 125/100 = **■**4118.

id=54010 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=48 | option_b=54 | option_c=47 | option_d=40 | answer=C | explanation=The common difference is 7. Therefore the next term is 40 + 7 = 47.

id=54011 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=54012 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=54013 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=54014 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=54015 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=180 | option_c=185 | option_d=360 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=54016 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=A | option_c=M | option_d=E | answer=A | explanation=Move 4 positions forward from E; the resulting letter is I.

id=54017 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 17? | option_a=17 | option_b=12 | option_c=10 | option_d=8 | answer=A | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 17 is the odd one out.

id=54018 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 25, 34, 43, ? | option_a=61 | option_b=43 | option_c=53 | option_d=52 | answer=D | explanation=The common difference is 9. Therefore the next term is 43 + 9 = 52.

id=54019 | topic=Percentages | difficulty=Easy | question=What is 10% of 1051? | option_a=210 | option_b=105 | option_c=100 | option_d=115 | answer=B | explanation=10% of 1051 = (10/100) × 1051 = 105.

id=54020 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=54021 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2670. If it is sold at a profit of 15%, what is its selling price? | option_a=3337 | option_b=2685 | option_c=3070 | option_d=2803 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2670 × 115/100 = **■**3070.

id=54022 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=P | option_b=F | option_c=K | option_d=A | answer=C | explanation=Move 5 positions forward from F; the resulting letter is K.

id=54023 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 20. | option_a=168 | option_b=560 | option_c=140 | option_d=120 | answer=C | explanation=LCM × HCF = 28×20; HCF(28,20) = 4, so LCM = 140.

id=54024 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10948 at 6% per annum for 2 years. | option_a=1213 | option_b=1313 | option_c=1413 | option_d=12261 | answer=B | explanation=SI = PRT/100 = 10948×6×2/100 = **■**1313.

id=54025 | topic=Percentages | difficulty=Easy | question=What is 50% of 179? | option_a=109 | option_b=89 | option_c=84 | option_d=178 | answer=B | explanation=50% of 179 = (50/100) × 179 = 89.

id=54026 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=12 | option_b=18 | option_c=16 | option_d=15 | answer=D | explanation=The common difference is 3. Therefore the next term is 12 + 3 = 15.

id=54027 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2788. If it is sold at a profit of 10%, what is its selling price? | option_a=3344 | option_b=3066 | option_c=2788 | option_d=2798 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2788 × 110/100 = **■**3066.

id=54028 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=38 | option_b=39 | option_c=32 | option_d=44 | answer=A | explanation=The common difference is 6. Therefore the next term is 32 + 6 = 38.

id=54029 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3852. If it is sold at a profit of 10%, what is its selling price? | option_a=4622 | option_b=3852 | option_c=3862 | option_d=4237 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3852 × 110/100 = **■**4237.

id=54030 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 54,031-54,060 of 100,000

id=54031 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=54032 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=54033 | topic=Percentages | difficulty=Easy | question=What is 50% of 1709? | option_a=854 | option_b=834 | option_c=874 | option_d=1708 | answer=A | explanation=50% of 1709 = (50/100) × 1709 = 854.

id=54034 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 25? | option_a=25 | option_b=6 | option_c=12 | option_d=18 | answer=A | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 25 is the odd one out.

id=54035 | topic=Percentages | difficulty=Easy | question=What is 40% of 1784? | option_a=713 | option_b=718 | option_c=703 | option_d=1426 | answer=A | explanation=40% of 1784 = (40/100) × 1784 = 713.

id=54036 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 26, 32, 40? | option_a=32 | option_b=26 | option_c=20 | option_d=40 | answer=D | explanation=The first three numbers increase by 6, so the next should be 38. Therefore 40 is the odd one out.

id=54037 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2353. If it is sold at a profit of 10%, what is its selling price? | option_a=2363 | option_b=2353 | option_c=2823 | option_d=2588 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2353 × 110/100 = █2588.

id=54038 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=54039 | topic=Percentages | difficulty=Easy | question=What is 12% of 1668? | option_a=200 | option_b=220 | option_c=400 | option_d=195 | answer=A | explanation=12% of 1668 = (12/100) × 1668 = 200.

id=54040 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=L | option_c=P | option_d=J | answer=A | explanation=Move 2 positions forward from L; the resulting letter is N.

id=54041 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=45 | option_b=50 | option_c=38 | option_d=44 | answer=D | explanation=The common difference is 6. Therefore the next term is 38 + 6 = 44.

id=54042 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=54043 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3500. If it is sold at a profit of 20%, what is its selling price? | option_a=3850 | option_b=4200 | option_c=4550 | option_d=3520 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3500 × 120/100 = █4200.

id=54044 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=M | option_b=O | option_c=P | option_d=N | answer=B | explanation=Move 1 positions forward from N; the resulting letter is O.

id=54045 | topic=Percentages | difficulty=Easy | question=What is 40% of 256? | option_a=204 | option_b=112 | option_c=102 | option_d=97 | answer=C | explanation=40% of 256 = (40/100) × 256 = 102.

id=54046 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 42? | option_a=23 | option_b=42 | option_c=29 | option_d=35 | answer=B | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 42 is the odd one out.

id=54047 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 38? | option_a=10 | option_b=19 | option_c=28 | option_d=38 | answer=D | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 38 is the odd one out.

id=54048 | topic=Averages | difficulty=Easy | question=Find the average of 82, 94, 32, 49, 82, 81, 84. | option_a=73 | option_b=74 | option_c=71 | option_d=72 | answer=D | explanation=Average = sum of values ÷ number of values = 504 ÷ 7 = 72.

id=54049 | topic=Profit & Loss | difficulty=Easy | question=An article costs █803. If it is sold at a profit of 5%, what is its selling price? | option_a=843 | option_b=808 | option_c=923 | option_d=763 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 803 × 105/100 = █843.

id=54050 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2445. If it is sold at a profit of 5%, what is its selling price? | option_a=2450 | option_b=2323 | option_c=2567 | option_d=2811 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2445 × 105/100 = █2567.

id=54051 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13057 at 8% per annum for 2 years. | option_a=15146 | option_b=1989 | option_c=2089 | option_d=2189 | answer=C | explanation=SI = PRT/100 = 13057×8×2/100 = █2089.

id=54052 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 41? | option_a=30 | option_b=41 | option_c=25 | option_d=35 | answer=B | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 41 is the odd one out.

id=54053 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:10 and the first is 3, what is the second? | option_a=30 | option_b=33 | option_c=31 | option_d=20 | answer=A | explanation=Scale factor = 3/1 = 3. Therefore second quantity = 10×3 = 30.

id=54054 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=50 | option_c=55 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=54055 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:10 and the first is 30, what is the second? | option_a=130 | option_b=90 | option_c=103 | option_d=100 | answer=D | explanation=Scale factor = 30/3 = 10. Therefore second quantity = 10×10 = 100.

id=54056 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=39 | option_b=43 | option_c=33 | option_d=38 | answer=D | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.

id=54057 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2141. If it is sold at a profit of 5%, what is its selling price? | option_a=2146 | option_b=2034 | option_c=2248 | option_d=2462 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2141 × 105/100 = █2248.

id=54058 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=77 | option_c=72 | option_d=67 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=54059 | topic=Profit & Loss | difficulty=Easy | question=An article costs █556. If it is sold at a profit of 25%, what is its selling price? | option_a=695 | option_b=581 | option_c=640 | option_d=750 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 556 × 125/100 = █695.

id=54060 | topic=Averages | difficulty=Easy | question=Find the average of 89, 60, 96, 24, 68, 67, 81, 52, 57. | option_a=68 | option_b=65 | option_c=66 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 594 ÷ 9 = 66.

Aptitude Questions — Records 54,061-54,090 of 100,000

id=54061 | topic=Averages | difficulty=Easy | question=Find the average of 42, 36, 76, 94, 89, 57, 86, 35, 93, 12. | option_a=61 | option_b=62 | option_c=63 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 620 ÷ 10 = 62.

id=54062 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=54063 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=73 | option_b=62 | option_c=63 | option_d=51 | answer=B | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.

id=54064 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:7 and the first is 88, what is the second? | option_a=70 | option_b=77 | option_c=85 | option_d=165 | answer=B | explanation=Scale factor = 88/8 = 11. Therefore second quantity = 7×11 = 77.

id=54065 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=J | option_b=I | option_c=H | option_d=K | answer=A | explanation=Move 1 positions forward from I; the resulting letter is J.

id=54066 | topic=Profit & Loss | difficulty=Easy | question=An article costs █609. If it is sold at a profit of 20%, what is its selling price? | option_a=730 | option_b=670 | option_c=790 | option_d=629 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 609 × 120/100 = █730.

id=54067 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=29 | option_b=30 | option_c=33 | option_d=25 | answer=A | explanation=The common difference is 4. Therefore the next term is 25 + 4 = 29.

id=54068 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:5 and the first is 180, what is the second? | option_a=85 | option_b=100 | option_c=90 | option_d=270 | answer=C | explanation=Scale factor = 180/10 = 18. Therefore second quantity = 5×18 = 90.

id=54069 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=54070 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 4. | option_a=16 | option_b=30 | option_c=40 | option_d=20 | answer=D | explanation=LCM × HCF = 10×4; HCF(10,4) = 2, so LCM = 20.

id=54071 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 32? | option_a=21 | option_b=26 | option_c=16 | option_d=32 | answer=D | explanation=The first three numbers increase by 5, so the next should be 31. Therefore 32 is the odd one out.

id=54072 | topic=Percentages | difficulty=Easy | question=What is 5% of 290? | option_a=9 | option_b=28 | option_c=14 | option_d=19 | answer=C | explanation=5% of 290 = (5/100) × 290 = 14.

id=54073 | topic=Percentages | difficulty=Easy | question=What is 30% of 650? | option_a=195 | option_b=390 | option_c=175 | option_d=215 | answer=A | explanation=30% of 650 = (30/100) × 650 = 195.

id=54074 | topic=Percentages | difficulty=Easy | question=What is 12% of 1662? | option_a=219 | option_b=398 | option_c=194 | option_d=199 | answer=D | explanation=12% of 1662 = (12/100) × 1662 = 199.

id=54075 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=54076 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:16 and the first is 323, what is the second? | option_a=291 | option_b=256 | option_c=272 | option_d=595 | answer=C | explanation=Scale factor = 323/19 = 17. Therefore second quantity = 16×17 = 272.

id=54077 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40259 at 4% per annum for 1 years. | option_a=1510 | option_b=1610 | option_c=1710 | option_d=41869 | answer=B | explanation=SI = PRT/100 = 40259×4×1/100 = █1610.

id=54078 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:11 and the first is 15, what is the second? | option_a=38 | option_b=22 | option_c=33 | option_d=48 | answer=C | explanation=Scale factor = 15/5 = 3. Therefore second quantity = 11×3 = 33.

id=54079 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4452. If it is sold at a profit of 50%, what is its selling price? | option_a=6678 | option_b=7123 | option_c=4502 | option_d=6233 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4452 × 150/100 = █6678.

id=54080 | topic=Percentages | difficulty=Easy | question=What is 5% of 1640? | option_a=164 | option_b=82 | option_c=62 | option_d=92 | answer=B | explanation=5% of 1640 = (5/100) × 1640 = 82.

id=54081 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20852 at 5% per annum for 4 years. | option_a=4070 | option_b=4170 | option_c=4270 | option_d=25022 | answer=B | explanation=SI = PRT/100 = 20852×5×4/100 = █4170.

id=54082 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1604. If it is sold at a profit of 20%, what is its selling price? | option_a=1924 | option_b=1764 | option_c=1624 | option_d=2084 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1604 × 120/100 = █1924.

id=54083 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=25 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=54084 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16698 at 10% per annum for 1 years. | option_a=1569 | option_b=1769 | option_c=1669 | option_d=18367 | answer=C | explanation=SI = PRT/100 = 16698×10×1/100 = █1669.

id=54085 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 18, 24, 30, ? | option_a=42 | option_b=37 | option_c=36 | option_d=30 | answer=C | explanation=The common difference is 6. Therefore the next term is 30 + 6 = 36.

id=54086 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 28. | option_a=35 | option_b=1 | option_c=196 | option_d=28 | answer=D | explanation=LCM × HCF = 7×28; HCF(7,28) = 7, so LCM = 28.

id=54087 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 8, 10, 13? | option_a=6 | option_b=8 | option_c=13 | option_d=10 | answer=C | explanation=The first three numbers increase by 2, so the next should be 12. Therefore 13 is the odd one out.

id=54088 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 6. | option_a=64 | option_b=48 | option_c=96 | option_d=42 | answer=B | explanation=LCM × HCF = 16×6; HCF(16,6) = 2, so LCM = 48.

id=54089 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=56 | option_b=65 | option_c=47 | option_d=57 | answer=A | explanation=The common difference is 9. Therefore the next term is 47 + 9 = 56.

id=54090 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=34 | option_b=35 | option_c=40 | option_d=28 | answer=A | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.

Aptitude Questions — Records 54,091-54,120 of 100,000

id=54091 | topic=Percentages | difficulty=Easy | question=What is 5% of 1081? | option_a=49 | option_b=108 | option_c=54 | option_d=64 | answer=C | explanation=5% of 1081 = (5/100) × 1081 = 54.

id=54092 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=U | option_c=T | option_d=R | answer=C | explanation=Move 1 positions forward from S; the resulting letter is T.

id=54093 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=80 | option_d=150 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=54094 | topic=Averages | difficulty=Easy | question=Find the average of 10, 37, 48, 46, 69, 56, 79, 57, 46, 92. | option_a=56 | option_b=53 | option_c=55 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

id=54095 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 30, 32, 35? | option_a=30 | option_b=35 | option_c=32 | option_d=28 | answer=B | explanation=The first three numbers increase by 2, so the next should be 34. Therefore 35 is the odd one out.

id=54096 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 43? | option_a=43 | option_b=35 | option_c=23 | option_d=29 | answer=A | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 43 is the odd one out.

id=54097 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=L | option_b=F | option_c=C | option_d=I | answer=D | explanation=Move 3 positions forward from F; the resulting letter is I.

id=54098 | topic=Averages | difficulty=Easy | question=Find the average of 37, 12, 81, 26, 97, 99, 72, 71, 50, 95. | option_a=63 | option_b=65 | option_c=64 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = 640 ÷ 10 = 64.

id=54099 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28781 at 12% per annum for 2 years. | option_a=6807 | option_b=35688 | option_c=7007 | option_d=6907 | answer=D | explanation=SI = PRT/100 = 28781×12×2/100 = **■**6907.

id=54100 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=54101 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3846. If it is sold at a profit of 50%, what is its selling price? | option_a=6153 | option_b=5385 | option_c=5769 | option_d=3896 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3846 × 150/100 = **■**5769.

id=54102 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=29 | option_c=24 | option_d=19 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=54103 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=54 | option_b=62 | option_c=44 | option_d=53 | answer=D | explanation=The common difference is 9. Therefore the next term is 44 + 9 = 53.

id=54104 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=D | option_b=J | option_c=H | option_d=F | answer=C | explanation=Move 2 positions forward from F; the resulting letter is H.

id=54105 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=54106 | topic=Averages | difficulty=Easy | question=Find the average of 73, 29, 18, 12. | option_a=33 | option_b=32 | option_c=35 | option_d=34 | answer=A | explanation=Average = sum of values ÷ number of values = 132 ÷ 4 = 33.

id=54107 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3319 at 15% per annum for 1 years. | option_a=597 | option_b=397 | option_c=3816 | option_d=497 | answer=D | explanation=SI = PRT/100 = 3319×15×1/100 = **■**497.

id=54108 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=125 | option_c=240 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=54109 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 6. | option_a=6 | option_b=72 | option_c=24 | option_d=12 | answer=D | explanation=LCM × HCF = 12×6; HCF(12,6) = 6, so LCM = 12.

id=54110 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=48 | option_b=41 | option_c=49 | option_d=55 | answer=A | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.

id=54111 | topic=Averages | difficulty=Easy | question=Find the average of 50, 57, 77, 32, 89, 43, 26, 94, 33, 79. | option_a=57 | option_b=60 | option_c=58 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 580 ÷ 10 = 58.

id=54112 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=75 | option_c=80 | option_d=70 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=54113 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=14 | option_b=22 | option_c=18 | option_d=19 | answer=C | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.

id=54114 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:15 and the first is 36, what is the second? | option_a=90 | option_b=75 | option_c=126 | option_d=96 | answer=A | explanation=Scale factor = 36/6 = 6. Therefore second quantity = 15×6 = 90.

id=54115 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39306 at 10% per annum for 2 years. | option_a=7861 | option_b=7761 | option_c=47167 | option_d=7961 | answer=A | explanation=SI = PRT/100 = 39306×10×2/100 = **■**7861.

id=54116 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21288 at 8% per annum for 1 years. | option_a=1803 | option_b=1703 | option_c=22991 | option_d=1603 | answer=B | explanation=SI = PRT/100 = 21288×8×1/100 = **■**1703.

id=54117 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=54118 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1515. If it is sold at a profit of 15%, what is its selling price? | option_a=1893 | option_b=1591 | option_c=1742 | option_d=1530 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1515 × 115/100 = **■**1742.

id=54119 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=125 | option_c=115 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=54120 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=67 | option_c=144 | option_d=77 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

Aptitude Questions — Records 54,121-54,150 of 100,000

id=54121 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=54122 | topic=Averages | difficulty=Easy | question=Find the average of 81, 36, 24, 93, 15, 35, 62, 38. | option_a=47 | option_b=48 | option_c=49 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 384 ÷ 8 = 48.

id=54123 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:1 and the first is 288, what is the second? | option_a=34 | option_b=306 | option_c=17 | option_d=18 | answer=D | explanation=Scale factor = 288/16 = 18. Therefore second quantity = 1×18 = 18.

id=54124 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=41 | option_b=32 | option_c=40 | option_d=48 | answer=C | explanation=The common difference is 8. Therefore the next term is 32 + 8 = 40.

id=54125 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35516 at 10% per annum for 3 years. | option_a=10754 | option_b=10554 | option_c=10654 | option_d=46170 | answer=C | explanation=SI = PRT/100 = 35516×10×3/100 = **■**10654.

id=54126 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Z | option_b=W | option_c=Q | option_d=T | answer=B | explanation=Move 3 positions forward from T; the resulting letter is W.

id=54127 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=Y | option_b=P | option_c=V | option_d=S | answer=C | explanation=Move 3 positions forward from S; the resulting letter is V.

id=54128 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:12 and the first is 90, what is the second? | option_a=168 | option_b=186 | option_c=180 | option_d=270 | answer=C | explanation=Scale factor = 90/6 = 15. Therefore second quantity = 12×15 = 180.

id=54129 | topic=Averages | difficulty=Easy | question=Find the average of 58, 69, 19, 78. | option_a=56 | option_b=58 | option_c=57 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 224 ÷ 4 = 56.

id=54130 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5452 at 10% per annum for 4 years. | option_a=7632 | option_b=2280 | option_c=2080 | option_d=2180 | answer=D | explanation=SI = PRT/100 = 5452×10×4/100 = **■**2180.

id=54131 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=32 | option_b=29 | option_c=28 | option_d=24 | answer=C | explanation=The common difference is 4. Therefore the next term is 24 + 4 = 28.

id=54132 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38918 at 12% per annum for 4 years. | option_a=18580 | option_b=18780 | option_c=57598 | option_d=18680 | answer=D | explanation=SI = PRT/100 = 38918×12×4/100 = **■**18680.

id=54133 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=49 | option_b=62 | option_c=73 | option_d=61 | answer=D | explanation=The common difference is 12. Therefore the next term is 49 + 12 = 61.

id=54134 | topic=Averages | difficulty=Easy | question=Find the average of 13, 95, 20, 39, 78, 77, 54, 48. | option_a=52 | option_b=55 | option_c=54 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.

id=54135 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:10 and the first is 117, what is the second? | option_a=80 | option_b=103 | option_c=90 | option_d=207 | answer=C | explanation=Scale factor = 117/13 = 9. Therefore second quantity = 10×9 = 90.

id=54136 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=33 | option_b=27 | option_c=31 | option_d=30 | answer=D | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.

id=54137 | topic=Averages | difficulty=Easy | question=Find the average of 87, 36, 64, 66, 57. | option_a=63 | option_b=61 | option_c=62 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 310 ÷ 5 = 62.

id=54138 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=H | option_b=N | option_c=L | option_d=J | answer=C | explanation=Move 2 positions forward from J; the resulting letter is L.

id=54139 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2498. If it is sold at a profit of 20%, what is its selling price? | option_a=2748 | option_b=3246 | option_c=2518 | option_d=2997 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2498 × 120/100 = **■**2997.

id=54140 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=59 | option_b=69 | option_c=58 | option_d=47 | answer=C | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.

id=54141 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3921. If it is sold at a profit of 10%, what is its selling price? | option_a=4313 | option_b=4705 | option_c=3931 | option_d=3921 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3921 × 110/100 = **■**4313.

id=54142 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29751 at 12% per annum for 1 years. | option_a=33321 | option_b=3470 | option_c=3570 | option_d=3670 | answer=C | explanation=SI = PRT/100 = 29751×12×1/100 = **■**3570.

id=54143 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:16 and the first is 112, what is the second? | option_a=240 | option_b=128 | option_c=112 | option_d=142 | answer=B | explanation=Scale factor = 112/14 = 8. Therefore second quantity = 16×8 = 128.

id=54144 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3622 at 6% per annum for 5 years. | option_a=1086 | option_b=4708 | option_c=1186 | option_d=986 | answer=A | explanation=SI = PRT/100 = 3622×6×5/100 = **■**1086.

id=54145 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:17 and the first is 140, what is the second? | option_a=184 | option_b=170 | option_c=153 | option_d=310 | answer=B | explanation=Scale factor = 140/14 = 10. Therefore second quantity = 17×10 = 170.

id=54146 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:15 and the first is 260, what is the second? | option_a=180 | option_b=215 | option_c=195 | option_d=455 | answer=C | explanation=Scale factor = 260/20 = 13. Therefore second quantity = 15×13 = 195.

id=54147 | topic=Averages | difficulty=Easy | question=Find the average of 28, 57, 26, 35, 77, 47, 16, 19, 80, 75. | option_a=46 | option_b=48 | option_c=45 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 460 ÷ 10 = 46.

id=54148 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:6 and the first is 15, what is the second? | option_a=105 | option_b=84 | option_c=90 | option_d=91 | answer=C | explanation=Scale factor = 15/1 = 15. Therefore second quantity = 6×15 = 90.

id=54149 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 26. | option_a=104 | option_b=112 | option_c=208 | option_d=78 | answer=A | explanation=LCM × HCF = 8×26; HCF(8,26) = 2, so LCM = 104.

id=54150 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 6. | option_a=96 | option_b=48 | option_c=42 | option_d=64 | answer=B | explanation=LCM × HCF = 16×6; HCF(16,6) = 2, so LCM = 48.

Aptitude Questions — Records 54,151-54,180 of 100,000

id=54151 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=F | option_b=H | option_c=I | option_d=G | answer=B | explanation=Move 1 positions forward from G; the resulting letter is H.

id=54152 | topic=Averages | difficulty=Easy | question=Find the average of 40, 46, 73, 35, 19, 86, 73, 60. | option_a=54 | option_b=53 | option_c=55 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 432 ÷ 8 = 54.

id=54153 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3861. If it is sold at a profit of 15%, what is its selling price? | option_a=4826 | option_b=4440 | option_c=4054 | option_d=3876 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3861 × 115/100 = █4440.

id=54154 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2949. If it is sold at a profit of 20%, what is its selling price? | option_a=3538 | option_b=3244 | option_c=3832 | option_d=2969 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2949 × 120/100 = █3538.

id=54155 | topic=Percentages | difficulty=Easy | question=What is 10% of 1547? | option_a=144 | option_b=154 | option_c=308 | option_d=159 | answer=B | explanation=10% of 1547 = (10/100) × 1547 = 154.

id=54156 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1402. If it is sold at a profit of 30%, what is its selling price? | option_a=1432 | option_b=1822 | option_c=1682 | option_d=1962 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1402 × 130/100 = █1822.

id=54157 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:10 and the first is 6, what is the second? | option_a=20 | option_b=32 | option_c=30 | option_d=36 | answer=C | explanation=Scale factor = 6/2 = 3. Therefore second quantity = 10×3 = 30.

id=54158 | topic=Percentages | difficulty=Easy | question=What is 25% of 255? | option_a=63 | option_b=83 | option_c=43 | option_d=126 | answer=A | explanation=25% of 255 = (25/100) × 255 = 63.

id=54159 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 11, 19, 30? | option_a=30 | option_b=3 | option_c=11 | option_d=19 | answer=A | explanation=The first three numbers increase by 8, so the next should be 27. Therefore 30 is the odd one out.

id=54160 | topic=Percentages | difficulty=Easy | question=What is 50% of 794? | option_a=397 | option_b=794 | option_c=417 | option_d=392 | answer=A | explanation=50% of 794 = (50/100) × 794 = 397.

id=54161 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=54162 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=24 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=54163 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3660. If it is sold at a profit of 10%, what is its selling price? | option_a=3670 | option_b=4026 | option_c=3660 | option_d=4392 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3660 × 110/100 = █4026.

id=54164 | topic=Averages | difficulty=Easy | question=Find the average of 70, 85, 42, 49, 62, 64. | option_a=62 | option_b=64 | option_c=61 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 372 ÷ 6 = 62.

id=54165 | topic=Averages | difficulty=Easy | question=Find the average of 16, 50, 21, 34, 96, 86, 78, 19. | option_a=52 | option_b=49 | option_c=50 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 400 ÷ 8 = 50.

id=54166 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=54167 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=V | option_b=P | option_c=Y | option_d=S | answer=A | explanation=Move 3 positions forward from S; the resulting letter is V.

id=54168 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4663. If it is sold at a profit of 15%, what is its selling price? | option_a=5828 | option_b=4896 | option_c=4678 | option_d=5362 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4663 × 115/100 = █5362.

id=54169 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=44 | option_b=43 | option_c=50 | option_d=36 | answer=B | explanation=The common difference is 7. Therefore the next term is 36 + 7 = 43.

id=54170 | topic=Percentages | difficulty=Easy | question=What is 10% of 109? | option_a=0 | option_b=20 | option_c=30 | option_d=10 | answer=D | explanation=10% of 109 = (10/100) × 109 = 10.

id=54171 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=45 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=54172 | topic=Percentages | difficulty=Easy | question=What is 15% of 1339? | option_a=400 | option_b=205 | option_c=195 | option_d=200 | answer=D | explanation=15% of 1339 = (15/100) × 1339 = 200.

id=54173 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=54174 | topic=Percentages | difficulty=Easy | question=What is 10% of 1058? | option_a=105 | option_b=95 | option_c=210 | option_d=125 | answer=A | explanation=10% of 1058 = (10/100) × 1058 = 105.

id=54175 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=54176 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27650 at 6% per annum for 4 years. | option_a=6736 | option_b=34286 | option_c=6536 | option_d=6636 | answer=D | explanation=SI = PRT/100 = 27650×6×4/100 = █6636.

id=54177 | topic=Profit & Loss | difficulty=Easy | question=An article costs █612. If it is sold at a profit of 50%, what is its selling price? | option_a=857 | option_b=662 | option_c=918 | option_d=979 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 612 × 150/100 = █918.

id=54178 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42616 at 8% per annum for 4 years. | option_a=13537 | option_b=13737 | option_c=56253 | option_d=13637 | answer=D | explanation=SI = PRT/100 = 42616×8×4/100 = █13637.

id=54179 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 31, 39, 50? | option_a=39 | option_b=31 | option_c=23 | option_d=50 | answer=D | explanation=The first three numbers increase by 8, so the next should be 47. Therefore 50 is the odd one out.

id=54180 | topic=Percentages | difficulty=Easy | question=What is 12% of 1875? | option_a=215 | option_b=225 | option_c=230 | option_d=450 | answer=B | explanation=12% of 1875 = (12/100) × 1875 = 225.

Aptitude Questions — Records 54,181-54,210 of 100,000

id=54181 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1351. If it is sold at a profit of 30%, what is its selling price? | option_a=1381 | option_b=1891 | option_c=1756 | option_d=1621 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1351 × 130/100 = ■1756.

id=54182 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:15 and the first is 66, what is the second? | option_a=101 | option_b=156 | option_c=75 | option_d=90 | answer=D | explanation=Scale factor = 66/11 = 6. Therefore second quantity = 15×6 = 90.

id=54183 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=54184 | topic=Averages | difficulty=Easy | question=Find the average of 94, 82, 84, 99, 38, 90, 35, 26, 40, 22. | option_a=60 | option_b=62 | option_c=63 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 610 ÷ 10 = 61.

id=54185 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=4 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=54186 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2901. If it is sold at a profit of 5%, what is its selling price? | option_a=3046 | option_b=2756 | option_c=3336 | option_d=2906 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2901 × 105/100 = ■3046.

id=54187 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=54188 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=54189 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=54190 | topic=Averages | difficulty=Easy | question=Find the average of 74, 65, 13, 38, 93, 44, 70, 17, 18. | option_a=50 | option_b=47 | option_c=48 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 432 ÷ 9 = 48.

id=54191 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:17 and the first is 210, what is the second? | option_a=253 | option_b=221 | option_c=448 | option_d=238 | answer=D | explanation=Scale factor = 210/15 = 14. Therefore second quantity = 17×14 = 238.

id=54192 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=144 | option_c=67 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=54193 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=54194 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=N | option_b=Z | option_c=R | option_d=V | answer=D | explanation=Move 4 positions forward from R; the resulting letter is V.

id=54195 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:2 and the first is 7, what is the second? | option_a=14 | option_b=12 | option_c=21 | option_d=15 | answer=A | explanation=Scale factor = 7/1 = 7. Therefore second quantity = 2×7 = 14.

id=54196 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 8, 12, 19? | option_a=12 | option_b=8 | option_c=4 | option_d=19 | answer=D | explanation=The first three numbers increase by 4, so the next should be 16. Therefore 19 is the odd one out.

id=54197 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:11 and the first is 48, what is the second? | option_a=165 | option_b=224 | option_c=179 | option_d=176 | answer=D | explanation=Scale factor = 48/3 = 16. Therefore second quantity = 11×16 = 176.

id=54198 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=72 | option_c=31 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=54199 | topic=Averages | difficulty=Easy | question=Find the average of 18, 100, 83, 19, 10, 33, 91, 36, 52, 48. | option_a=51 | option_b=49 | option_c=48 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 490 ÷ 10 = 49.

id=54200 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4342. If it is sold at a profit of 20%, what is its selling price? | option_a=5644 | option_b=4362 | option_c=5210 | option_d=4776 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4342 × 120/100 = ■5210.

id=54201 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=H | option_b=C | option_c=M | option_d=X | answer=A | explanation=Move 5 positions forward from C; the resulting letter is H.

id=54202 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=64 | option_b=54 | option_c=53 | option_d=42 | answer=C | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.

id=54203 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4334. If it is sold at a profit of 25%, what is its selling price? | option_a=5850 | option_b=4359 | option_c=5417 | option_d=4984 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4334 × 125/100 = ■5417.

id=54204 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=54205 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=54206 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:12 and the first is 126, what is the second? | option_a=168 | option_b=177 | option_c=156 | option_d=294 | answer=A | explanation=Scale factor = 126/9 = 14. Therefore second quantity = 12×14 = 168.

id=54207 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1271. If it is sold at a profit of 5%, what is its selling price? | option_a=1334 | option_b=1276 | option_c=1207 | option_d=1461 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1271 × 105/100 = ■1334.

id=54208 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2391. If it is sold at a profit of 30%, what is its selling price? | option_a=3108 | option_b=2869 | option_c=3347 | option_d=2421 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2391 × 130/100 = ■3108.

id=54209 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 3. | option_a=90 | option_b=27 | option_c=30 | option_d=60 | answer=C | explanation=LCM × HCF = 30×3; HCF(30,3) = 3, so LCM = 30.

id=54210 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:2 and the first is 143, what is the second? | option_a=20 | option_b=35 | option_c=22 | option_d=165 | answer=C | explanation=Scale factor = 143/13 = 11. Therefore second quantity = 2×11 = 22.

Aptitude Questions — Records 54,211-54,240 of 100,000

id=54211 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=E | option_c=M | option_d=A | answer=A | explanation=Move 4 positions forward from E; the resulting letter is I.

id=54212 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 52? | option_a=52 | option_b=29 | option_c=19 | option_d=39 | answer=A | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 52 is the odd one out.

id=54213 | topic=Averages | difficulty=Easy | question=Find the average of 57, 84, 76, 35. | option_a=65 | option_b=63 | option_c=64 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 252 ÷ 4 = 63.

id=54214 | topic=Percentages | difficulty=Easy | question=What is 5% of 1225? | option_a=122 | option_b=61 | option_c=71 | option_d=56 | answer=B | explanation=5% of 1225 = (5/100) × 1225 = 61.

id=54215 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=50 | option_b=61 | option_c=39 | option_d=51 | answer=A | explanation=The common difference is 11. Therefore the next term is 39 + 11 = 50.

id=54216 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=14 | option_b=16 | option_c=12 | option_d=15 | answer=A | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=54217 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=54218 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**47136 at 15% per annum for 2 years. | option_a=14140 | option_b=14040 | option_c=61276 | option_d=14240 | answer=A | explanation=SI = PRT/100 = 47136×15×2/100 = **₹**14140.

id=54219 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:9 and the first is 180, what is the second? | option_a=261 | option_b=81 | option_c=72 | option_d=101 | answer=B | explanation=Scale factor = 180/20 = 9. Therefore second quantity = 9×9 = 81.

id=54220 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**2716 at 6% per annum for 1 years. | option_a=2878 | option_b=162 | option_c=62 | option_d=262 | answer=B | explanation=SI = PRT/100 = 2716×6×1/100 = **₹**162.

id=54221 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=200 | option_c=105 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=54222 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:9 and the first is 80, what is the second? | option_a=27 | option_b=56 | option_c=36 | option_d=116 | answer=C | explanation=Scale factor = 80/20 = 4. Therefore second quantity = 9×4 = 36.

id=54223 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 14. | option_a=16 | option_b=14 | option_c=28 | option_d=1 | answer=B | explanation=LCM × HCF = 2×14; HCF(2,14) = 2, so LCM = 14.

id=54224 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=54225 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=22 | option_b=32 | option_c=27 | option_d=28 | answer=C | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.

id=54226 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=69 | option_b=59 | option_c=60 | option_d=49 | answer=B | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

id=54227 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4877. If it is sold at a profit of 10%, what is its selling price? | option_a=5851 | option_b=4877 | option_c=4887 | option_d=5364 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4877 × 110/100 = **₹**5364.

id=54228 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=20 | option_b=17 | option_c=21 | option_d=19 | answer=D | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=54229 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:20 and the first is 108, what is the second? | option_a=228 | option_b=100 | option_c=120 | option_d=138 | answer=C | explanation=Scale factor = 108/18 = 6. Therefore second quantity = 20×6 = 120.

id=54230 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=M | option_c=L | option_d=J | answer=C | explanation=Move 1 positions forward from K; the resulting letter is L.

id=54231 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3962. If it is sold at a profit of 10%, what is its selling price? | option_a=4754 | option_b=3972 | option_c=4358 | option_d=3962 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3962 × 110/100 = **₹**4358.

id=54232 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**35374 at 8% per annum for 3 years. | option_a=8489 | option_b=43863 | option_c=8389 | option_d=8589 | answer=A | explanation=SI = PRT/100 = 35374×8×3/100 = **₹**8489.

id=54233 | topic=Percentages | difficulty=Easy | question=What is 25% of 345? | option_a=172 | option_b=81 | option_c=106 | option_d=86 | answer=D | explanation=25% of 345 = (25/100) × 345 = 86.

id=54234 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**17818 at 12% per annum for 1 years. | option_a=2138 | option_b=19956 | option_c=2038 | option_d=2238 | answer=A | explanation=SI = PRT/100 = 17818×12×1/100 = **₹**2138.

id=54235 | topic=Percentages | difficulty=Easy | question=What is 30% of 861? | option_a=248 | option_b=278 | option_c=258 | option_d=516 | answer=C | explanation=30% of 861 = (30/100) × 861 = 258.

id=54236 | topic=Percentages | difficulty=Easy | question=What is 15% of 1230? | option_a=184 | option_b=179 | option_c=194 | option_d=368 | answer=A | explanation=15% of 1230 = (15/100) × 1230 = 184.

id=54237 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=38 | option_b=50 | option_c=45 | option_d=44 | answer=D | explanation=The common difference is 6. Therefore the next term is 38 + 6 = 44.

id=54238 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=16 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=54239 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=I | option_b=J | option_c=H | option_d=G | answer=A | explanation=Move 1 positions forward from H; the resulting letter is I.

id=54240 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=P | option_c=R | option_d=T | answer=D | explanation=Move 2 positions forward from R; the resulting letter is T.

Aptitude Questions — Records 54,241-54,270 of 100,000

id=54241 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 16. | option_a=192 | option_b=32 | option_c=60 | option_d=48 | answer=D | explanation=LCM × HCF = 12×16; HCF(12,16) = 4, so LCM = 48.

id=54242 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=54243 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28315 at 8% per annum for 5 years. | option_a=11226 | option_b=11326 | option_c=11426 | option_d=39641 | answer=B | explanation=SI = PRT/100 = 28315×8×5/100 = █11326.

id=54244 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:8 and the first is 60, what is the second? | option_a=92 | option_b=32 | option_c=24 | option_d=47 | answer=B | explanation=Scale factor = 60/15 = 4. Therefore second quantity = 8×4 = 32.

id=54245 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 58? | option_a=37 | option_b=47 | option_c=27 | option_d=58 | answer=D | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 58 is the odd one out.

id=54246 | topic=Profit & Loss | difficulty=Easy | question=An article costs █384. If it is sold at a profit of 10%, what is its selling price? | option_a=384 | option_b=422 | option_c=394 | option_d=460 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 384 × 110/100 = █422.

id=54247 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=29 | option_b=23 | option_c=27 | option_d=26 | answer=D | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.

id=54248 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 45? | option_a=45 | option_b=32 | option_c=27 | option_d=37 | answer=A | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 45 is the odd one out.

id=54249 | topic=Percentages | difficulty=Easy | question=What is 12% of 198? | option_a=23 | option_b=13 | option_c=46 | option_d=43 | answer=A | explanation=12% of 198 = (12/100) × 198 = 23.

id=54250 | topic=Averages | difficulty=Easy | question=Find the average of 82, 52, 58, 96, 96, 72, 90, 63, 84. | option_a=78 | option_b=77 | option_c=76 | option_d=79 | answer=B | explanation=Average = sum of values ÷ number of values = 693 ÷ 9 = 77.

id=54251 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=54252 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4296. If it is sold at a profit of 20%, what is its selling price? | option_a=4316 | option_b=5155 | option_c=4726 | option_d=5584 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4296 × 120/100 = █5155.

id=54253 | topic=Percentages | difficulty=Easy | question=What is 5% of 1644? | option_a=72 | option_b=164 | option_c=82 | option_d=102 | answer=C | explanation=5% of 1644 = (5/100) × 1644 = 82.

id=54254 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=2 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=54255 | topic=Percentages | difficulty=Easy | question=What is 25% of 1821? | option_a=455 | option_b=465 | option_c=910 | option_d=445 | answer=A | explanation=25% of 1821 = (25/100) × 1821 = 455.

id=54256 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 33, 40, 50? | option_a=33 | option_b=50 | option_c=26 | option_d=40 | answer=B | explanation=The first three numbers increase by 7, so the next should be 47. Therefore 50 is the odd one out.

id=54257 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 28. | option_a=140 | option_b=150 | option_c=280 | option_d=112 | answer=A | explanation=LCM × HCF = 10×28; HCF(10,28) = 2, so LCM = 140.

id=54258 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43834 at 8% per annum for 1 years. | option_a=3606 | option_b=3406 | option_c=3506 | option_d=47340 | answer=C | explanation=SI = PRT/100 = 43834×8×1/100 = █3506.

id=54259 | topic=Profit & Loss | difficulty=Easy | question=An article costs █624. If it is sold at a profit of 50%, what is its selling price? | option_a=874 | option_b=998 | option_c=936 | option_d=674 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 624 × 150/100 = █936.

id=54260 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 20? | option_a=12 | option_b=20 | option_c=15 | option_d=9 | answer=B | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 20 is the odd one out.

id=54261 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:17 and the first is 360, what is the second? | option_a=700 | option_b=340 | option_c=358 | option_d=323 | answer=B | explanation=Scale factor = 360/18 = 20. Therefore second quantity = 17×20 = 340.

id=54262 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=59 | option_b=37 | option_c=49 | option_d=48 | answer=D | explanation=The common difference is 11. Therefore the next term is 37 + 11 = 48.

id=54263 | topic=Averages | difficulty=Easy | question=Find the average of 30, 91, 11. | option_a=45 | option_b=44 | option_c=46 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = 132 ÷ 3 = 44.

id=54264 | topic=Averages | difficulty=Easy | question=Find the average of 96, 44, 26, 53, 56, 80, 82, 54, 29, 20. | option_a=53 | option_b=56 | option_c=54 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

id=54265 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=54266 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:6 and the first is 81, what is the second? | option_a=48 | option_b=54 | option_c=63 | option_d=135 | answer=B | explanation=Scale factor = 81/9 = 9. Therefore second quantity = 6×9 = 54.

id=54267 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:17 and the first is 192, what is the second? | option_a=272 | option_b=284 | option_c=255 | option_d=464 | answer=A | explanation=Scale factor = 192/12 = 16. Therefore second quantity = 17×16 = 272.

id=54268 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=40 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=54269 | topic=Averages | difficulty=Easy | question=Find the average of 55, 26, 24, 59, 56. | option_a=46 | option_b=43 | option_c=45 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = 220 ÷ 5 = 44.

id=54270 | topic=Averages | difficulty=Easy | question=Find the average of 31, 66, 66, 49. | option_a=53 | option_b=54 | option_c=55 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 212 ÷ 4 = 53.

Aptitude Questions — Records 54,271-54,300 of 100,000

id=54271 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6402 at 8% per annum for 5 years. | option_a=2560 | option_b=2460 | option_c=2660 | option_d=8962 | answer=A | explanation=SI = $PRT/100 = 6402 \times 8 \times 5/100 = \text{■}2560$.

id=54272 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3849 at 6% per annum for 5 years. | option_a=1254 | option_b=5003 | option_c=1054 | option_d=1154 | answer=D | explanation=SI = $PRT/100 = 3849 \times 6 \times 5/100 = \text{■}1154$.

id=54273 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35134 at 8% per annum for 4 years. | option_a=11242 | option_b=11142 | option_c=11342 | option_d=46376 | answer=A | explanation=SI = $PRT/100 = 35134 \times 8 \times 4/100 = \text{■}11242$.

id=54274 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=54275 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=65 | option_b=56 | option_c=55 | option_d=45 | answer=C | explanation=The common difference is 10. Therefore the next term is $45 + 10 = 55$.

id=54276 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 25. | option_a=75 | option_b=500 | option_c=120 | option_d=100 | answer=D | explanation= $LCM \times HCF = 20 \times 25$; $HCF(20,25) = 5$, so $LCM = 100$.

id=54277 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 33, 39, 48? | option_a=27 | option_b=39 | option_c=48 | option_d=33 | answer=C | explanation=The first three numbers increase by 6, so the next should be 45. Therefore 48 is the odd one out.

id=54278 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=H | option_c=P | option_d=T | answer=C | explanation=Move 4 positions forward from L; the resulting letter is P.

id=54279 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3063 at 10% per annum for 2 years. | option_a=3675 | option_b=512 | option_c=712 | option_d=612 | answer=D | explanation=SI = $PRT/100 = 3063 \times 10 \times 2/100 = \text{■}612$.

id=54280 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**392. If it is sold at a profit of 40%, what is its selling price? | option_a=509 | option_b=548 | option_c=432 | option_d=587 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 392 \times 140/100 = \text{■}548$.

id=54281 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 25, 34, 43, ? | option_a=52 | option_b=53 | option_c=61 | option_d=43 | answer=A | explanation=The common difference is 9. Therefore the next term is $43 + 9 = 52$.

id=54282 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=54283 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 12, 21, 30, ? | option_a=30 | option_b=48 | option_c=40 | option_d=39 | answer=D | explanation=The common difference is 9. Therefore the next term is $30 + 9 = 39$.

id=54284 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 10. | option_a=180 | option_b=108 | option_c=90 | option_d=80 | answer=C | explanation= $LCM \times HCF = 18 \times 10$; $HCF(18,10) = 2$, so $LCM = 90$.

id=54285 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:9 and the first is 45, what is the second? | option_a=138 | option_b=135 | option_c=180 | option_d=126 | answer=B | explanation=Scale factor = $45/3 = 15$. Therefore second quantity = $9 \times 15 = 135$.

id=54286 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3934. If it is sold at a profit of 20%, what is its selling price? | option_a=4720 | option_b=3954 | option_c=4327 | option_d=5113 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3934 \times 120/100 = \text{■}4720$.

id=54287 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 22, 31, 41? | option_a=41 | option_b=31 | option_c=22 | option_d=13 | answer=A | explanation=The first three numbers increase by 9, so the next should be 40. Therefore 41 is the odd one out.

id=54288 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**918. If it is sold at a profit of 40%, what is its selling price? | option_a=958 | option_b=1194 | option_c=1285 | option_d=1376 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 918 \times 140/100 = \text{■}1285$.

id=54289 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:9 and the first is 144, what is the second? | option_a=90 | option_b=216 | option_c=63 | option_d=72 | answer=D | explanation=Scale factor = $144/18 = 8$. Therefore second quantity = $9 \times 8 = 72$.

id=54290 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:2 and the first is 55, what is the second? | option_a=27 | option_b=77 | option_c=20 | option_d=22 | answer=D | explanation=Scale factor = $55/5 = 11$. Therefore second quantity = $2 \times 11 = 22$.

id=54291 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1301 at 5% per annum for 5 years. | option_a=225 | option_b=325 | option_c=425 | option_d=1626 | answer=B | explanation=SI = $PRT/100 = 1301 \times 5 \times 5/100 = \text{■}325$.

id=54292 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:4 and the first is 6, what is the second? | option_a=18 | option_b=12 | option_c=14 | option_d=8 | answer=B | explanation=Scale factor = $6/2 = 3$. Therefore second quantity = $4 \times 3 = 12$.

id=54293 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=54294 | topic=Percentages | difficulty=Easy | question=What is 5% of 591? | option_a=24 | option_b=49 | option_c=58 | option_d=29 | answer=D | explanation= $5\% \text{ of } 591 = (5/100) \times 591 = 29$.

id=54295 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46428 at 15% per annum for 5 years. | option_a=34921 | option_b=34821 | option_c=34721 | option_d=81249 | answer=B | explanation=SI = $PRT/100 = 46428 \times 15 \times 5/100 = \text{■}34821$.

id=54296 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=54297 | topic=Percentages | difficulty=Easy | question=What is 5% of 1962? | option_a=196 | option_b=103 | option_c=78 | option_d=98 | answer=D | explanation= $5\% \text{ of } 1962 = (5/100) \times 1962 = 98$.

id=54298 | topic=Averages | difficulty=Easy | question=Find the average of 82, 55, 78, 89. | option_a=77 | option_b=78 | option_c=75 | option_d=76 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 304 \div 4 = 76$.

id=54299 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=24 | option_d=5 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=54300 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1456. If it is sold at a profit of 15%, what is its selling price? | option_a=1674 | option_b=1819 | option_c=1471 | option_d=1529 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1456 \times 115/100 = \text{■}1674$.

Aptitude Questions — Records 54,301-54,330 of 100,000

id=54301 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 19? | option_a=9 | option_b=15 | option_c=19 | option_d=12 | answer=C | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 19 is the odd one out.

id=54302 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:16 and the first is 210, what is the second? | option_a=239 | option_b=434 | option_c=224 | option_d=208 | answer=C | explanation=Scale factor = 210/15 = 14. Therefore second quantity = 16×14 = 224.

id=54303 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=54304 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**7416 at 8% per annum for 2 years. | option_a=8602 | option_b=1186 | option_c=1286 | option_d=1086 | answer=B | explanation=SI = PRT/100 = 7416×8×2/100 = **₹**1186.

id=54305 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:13 and the first is 11, what is the second? | option_a=130 | option_b=143 | option_c=144 | option_d=154 | answer=B | explanation=Scale factor = 11/1 = 11. Therefore second quantity = 13×11 = 143.

id=54306 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 21, 30, 40? | option_a=40 | option_b=30 | option_c=21 | option_d=12 | answer=A | explanation=The first three numbers increase by 9, so the next should be 39. Therefore 40 is the odd one out.

id=54307 | topic=Percentages | difficulty=Easy | question=What is 5% of 1071? | option_a=58 | option_b=53 | option_c=33 | option_d=106 | answer=B | explanation=5% of 1071 = (5/100) × 1071 = 53.

id=54308 | topic=Averages | difficulty=Easy | question=Find the average of 91, 36, 11, 73, 82, 86, 62. | option_a=65 | option_b=62 | option_c=63 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 441 ÷ 7 = 63.

id=54309 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**37235 at 8% per annum for 4 years. | option_a=12015 | option_b=11815 | option_c=49150 | option_d=11915 | answer=D | explanation=SI = PRT/100 = 37235×8×4/100 = **₹**11915.

id=54310 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 3. | option_a=6 | option_b=1 | option_c=9 | option_d=3 | answer=D | explanation=LCM × HCF = 3×3; HCF(3,3) = 3, so LCM = 3.

id=54311 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=H | option_c=R | option_d=W | answer=C | explanation=Move 5 positions forward from M; the resulting letter is R.

id=54312 | topic=Averages | difficulty=Easy | question=Find the average of 58, 96, 86, 63, 23, 34. | option_a=59 | option_b=62 | option_c=60 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 360 ÷ 6 = 60.

id=54313 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=T | option_c=S | option_d=U | answer=D | explanation=Move 1 positions forward from T; the resulting letter is U.

id=54314 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**4704 at 12% per annum for 3 years. | option_a=6397 | option_b=1593 | option_c=1693 | option_d=1793 | answer=C | explanation=SI = PRT/100 = 4704×12×3/100 = **₹**1693.

id=54315 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=54316 | topic=Percentages | difficulty=Easy | question=What is 10% of 1989? | option_a=203 | option_b=198 | option_c=396 | option_d=193 | answer=B | explanation=10% of 1989 = (10/100) × 1989 = 198.

id=54317 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3717. If it is sold at a profit of 20%, what is its selling price? | option_a=4089 | option_b=4831 | option_c=4460 | option_d=3737 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3717 × 120/100 = **₹**4460.

id=54318 | topic=Averages | difficulty=Easy | question=Find the average of 32, 96, 19, 36, 27, 85, 53, 92. | option_a=54 | option_b=56 | option_c=57 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 440 ÷ 8 = 55.

id=54319 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=37 | option_b=47 | option_c=46 | option_d=55 | answer=C | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=54320 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:16 and the first is 38, what is the second? | option_a=306 | option_b=288 | option_c=342 | option_d=304 | answer=D | explanation=Scale factor = 38/2 = 19. Therefore second quantity = 16×19 = 304.

id=54321 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=Y | option_b=W | option_c=U | option_d=S | answer=B | explanation=Move 2 positions forward from U; the resulting letter is W.

id=54322 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 12, 14, 18? | option_a=18 | option_b=14 | option_c=12 | option_d=10 | answer=A | explanation=The first three numbers increase by 2, so the next should be 16. Therefore 18 is the odd one out.

id=54323 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=120 | option_c=125 | option_d=115 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=54324 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:15 and the first is 128, what is the second? | option_a=248 | option_b=136 | option_c=105 | option_d=120 | answer=D | explanation=Scale factor = 128/16 = 8. Therefore second quantity = 15×8 = 120.

id=54325 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=54326 | topic=Percentages | difficulty=Easy | question=What is 10% of 571? | option_a=52 | option_b=62 | option_c=114 | option_d=57 | answer=D | explanation=10% of 571 = (10/100) × 571 = 57.

id=54327 | topic=Averages | difficulty=Easy | question=Find the average of 48, 57, 12, 31, 59, 72, 44, 33, 51, 53. | option_a=47 | option_b=46 | option_c=45 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 460 ÷ 10 = 46.

id=54328 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1866. If it is sold at a profit of 15%, what is its selling price? | option_a=1959 | option_b=2331 | option_c=1881 | option_d=2145 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1866 × 115/100 = **₹**2145.

id=54329 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=D | option_c=F | option_d=E | answer=C | explanation=Move 1 positions forward from E; the resulting letter is F.

id=54330 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=6 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

Aptitude Questions — Records 54,331-54,360 of 100,000

id=54331 | topic=Percentages | difficulty=Easy | question=What is 25% of 1881? | option_a=480 | option_b=465 | option_c=470 | option_d=940 | answer=C | explanation=25% of 1881 = (25/100) × 1881 = 470.

id=54332 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=54333 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=115 | option_d=240 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=54334 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:10 and the first is 150, what is the second? | option_a=250 | option_b=115 | option_c=90 | option_d=100 | answer=D | explanation=Scale factor = 150/15 = 10. Therefore second quantity = 10×10 = 100.

id=54335 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:16 and the first is 187, what is the second? | option_a=160 | option_b=363 | option_c=193 | option_d=176 | answer=D | explanation=Scale factor = 187/17 = 11. Therefore second quantity = 16×11 = 176.

id=54336 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=54337 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 25, 27, 30? | option_a=27 | option_b=25 | option_c=23 | option_d=30 | answer=D | explanation=The first three numbers increase by 2, so the next should be 29. Therefore 30 is the odd one out.

id=54338 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=23 | option_b=21 | option_c=19 | option_d=22 | answer=B | explanation=The common difference is 2. Therefore the next term is 19 + 2 = 21.

id=54339 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=54340 | topic=Percentages | difficulty=Easy | question=What is 10% of 247? | option_a=44 | option_b=24 | option_c=4 | option_d=48 | answer=B | explanation=10% of 247 = (10/100) × 247 = 24.

id=54341 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13428 at 5% per annum for 2 years. | option_a=1242 | option_b=1342 | option_c=14770 | option_d=1442 | answer=B | explanation=SI = PRT/100 = 13428×5×2/100 = **■**1342.

id=54342 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=54343 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 16? | option_a=16 | option_b=13 | option_c=9 | option_d=11 | answer=A | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 16 is the odd one out.

id=54344 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 31, 40, 51? | option_a=40 | option_b=31 | option_c=22 | option_d=51 | answer=D | explanation=The first three numbers increase by 9, so the next should be 49. Therefore 51 is the odd one out.

id=54345 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=19 | option_c=24 | option_d=29 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=54346 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46701 at 15% per annum for 2 years. | option_a=14110 | option_b=60711 | option_c=14010 | option_d=13910 | answer=C | explanation=SI = PRT/100 = 46701×15×2/100 = **■**14010.

id=54347 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=54348 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 14, 18, 25? | option_a=10 | option_b=18 | option_c=25 | option_d=14 | answer=C | explanation=The first three numbers increase by 4, so the next should be 22. Therefore 25 is the odd one out.

id=54349 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 31? | option_a=12 | option_b=18 | option_c=31 | option_d=24 | answer=C | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 31 is the odd one out.

id=54350 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=Q | option_b=E | option_c=M | option_d=I | answer=C | explanation=Move 4 positions forward from I; the resulting letter is M.

id=54351 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=54352 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2642. If it is sold at a profit of 20%, what is its selling price? | option_a=2662 | option_b=3170 | option_c=2906 | option_d=3434 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2642 × 120/100 = **■**3170.

id=54353 | topic=Averages | difficulty=Easy | question=Find the average of 65, 54, 85. | option_a=67 | option_b=68 | option_c=70 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 204 ÷ 3 = 68.

id=54354 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:13 and the first is 30, what is the second? | option_a=39 | option_b=69 | option_c=26 | option_d=49 | answer=A | explanation=Scale factor = 30/10 = 3. Therefore second quantity = 13×3 = 39.

id=54355 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1421. If it is sold at a profit of 30%, what is its selling price? | option_a=1989 | option_b=1451 | option_c=1847 | option_d=1705 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1421 × 130/100 = **■**1847.

id=54356 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39907 at 6% per annum for 2 Years. | option_a=4688 | option_b=44695 | option_c=4888 | option_d=4788 | answer=D | explanation=SI = PRT/100 = 39907×6×2/100 = **■**4788.

id=54357 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4623. If it is sold at a profit of 30%, what is its selling price? | option_a=6009 | option_b=6471 | option_c=4653 | option_d=5547 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4623 × 130/100 = **■**6009.

id=54358 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=54359 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=A | option_c=C | option_d=E | answer=D | explanation=Move 2 positions forward from C; the resulting letter is E.

id=54360 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 4. | option_a=90 | option_b=120 | option_c=60 | option_d=56 | answer=C | explanation=LCM × HCF = 30×4; HCF(30,4) = 2, so LCM = 60.

Aptitude Questions — Records 54,361-54,390 of 100,000

id=54361 | topic=Averages | difficulty=Easy | question=Find the average of 45, 84, 82, 32, 67. | option_a=64 | option_b=62 | option_c=63 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 310 ÷ 5 = 62.

id=54362 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=19 | option_b=16 | option_c=18 | option_d=20 | answer=C | explanation=The common difference is 2. Therefore the next term is 16 + 2 = 18.

id=54363 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=J | option_c=H | option_d=F | answer=B | explanation=Move 2 positions forward from H; the resulting letter is J.

id=54364 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=P | option_b=V | option_c=S | option_d=Y | answer=B | explanation=Move 3 positions forward from S; the resulting letter is V.

id=54365 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:11 and the first is 144, what is the second? | option_a=121 | option_b=132 | option_c=276 | option_d=144 | answer=B | explanation=Scale factor = 144/12 = 12. Therefore second quantity = 11×12 = 132.

id=54366 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3061. If it is sold at a profit of 50%, what is its selling price? | option_a=4897 | option_b=3111 | option_c=4285 | option_d=4591 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3061 × 150/100 = █4591.

id=54367 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 32, 42, 54? | option_a=32 | option_b=54 | option_c=22 | option_d=42 | answer=B | explanation=The first three numbers increase by 10, so the next should be 52. Therefore 54 is the odd one out.

id=54368 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 38, 48, 59? | option_a=48 | option_b=38 | option_c=59 | option_d=28 | answer=C | explanation=The first three numbers increase by 10, so the next should be 58. Therefore 59 is the odd one out.

id=54369 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 24. | option_a=120 | option_b=96 | option_c=720 | option_d=150 | answer=A | explanation=LCM × HCF = 30×24; HCF(30,24) = 6, so LCM = 120.

id=54370 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Y | option_b=Q | option_c=U | option_d=C | answer=A | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=54371 | topic=Averages | difficulty=Easy | question=Find the average of 43, 55, 41, 97, 26, 98, 40, 16. | option_a=51 | option_b=53 | option_c=52 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=54372 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4873. If it is sold at a profit of 5%, what is its selling price? | option_a=5116 | option_b=4878 | option_c=5603 | option_d=4629 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4873 × 105/100 = █5116.

id=54373 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=22 | option_b=25 | option_c=24 | option_d=26 | answer=C | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.

id=54374 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=24 | option_c=29 | option_d=19 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=54375 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:10 and the first is 72, what is the second? | option_a=89 | option_b=70 | option_c=152 | option_d=80 | answer=D | explanation=Scale factor = 72/9 = 8. Therefore second quantity = 10×8 = 80.

id=54376 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:8 and the first is 70, what is the second? | option_a=104 | option_b=112 | option_c=117 | option_d=182 | answer=B | explanation=Scale factor = 70/5 = 14. Therefore second quantity = 8×14 = 112.

id=54377 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=27 | option_b=29 | option_c=26 | option_d=23 | answer=C | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.

id=54378 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:14 and the first is 119, what is the second? | option_a=238 | option_b=245 | option_c=224 | option_d=357 | answer=A | explanation=Scale factor = 119/7 = 17. Therefore second quantity = 14×17 = 238.

id=54379 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:9 and the first is 140, what is the second? | option_a=126 | option_b=266 | option_c=136 | option_d=117 | answer=A | explanation=Scale factor = 140/10 = 14. Therefore second quantity = 9×14 = 126.

id=54380 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 43? | option_a=28 | option_b=43 | option_c=22 | option_d=34 | answer=B | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 43 is the odd one out.

id=54381 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11622 at 12% per annum for 1 years. | option_a=1394 | option_b=13016 | option_c=1294 | option_d=1494 | answer=A | explanation=SI = PRT/100 = 11622×12×1/100 = █1394.

id=54382 | topic=Percentages | difficulty=Easy | question=What is 5% of 679? | option_a=66 | option_b=53 | option_c=33 | option_d=13 | answer=C | explanation=5% of 679 = (5/100) × 679 = 33.

id=54383 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=40 | option_c=15 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=54384 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 15. | option_a=135 | option_b=120 | option_c=405 | option_d=162 | answer=A | explanation=LCM × HCF = 27×15; HCF(27,15) = 3, so LCM = 135.

id=54385 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=54386 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10303 at 15% per annum for 4 years. | option_a=6281 | option_b=16484 | option_c=6181 | option_d=6081 | answer=C | explanation=SI = PRT/100 = 10303×15×4/100 = █6181.

id=54387 | topic=Percentages | difficulty=Easy | question=What is 10% of 547? | option_a=108 | option_b=64 | option_c=54 | option_d=44 | answer=C | explanation=10% of 547 = (10/100) × 547 = 54.

id=54388 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 18? | option_a=18 | option_b=7 | option_c=3 | option_d=11 | answer=A | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 18 is the odd one out.

id=54389 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 23, 30, 39? | option_a=23 | option_b=16 | option_c=39 | option_d=30 | answer=C | explanation=The first three numbers increase by 7, so the next should be 37. Therefore 39 is the odd one out.

id=54390 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1851. If it is sold at a profit of 25%, what is its selling price? | option_a=2313 | option_b=1876 | option_c=2498 | option_d=2128 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1851 × 125/100 = █2313.

Aptitude Questions — Records 54,391-54,420 of 100,000

id=54391 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:8 and the first is 120, what is the second? | option_a=88 | option_b=216 | option_c=96 | option_d=106 | answer=C | explanation=Scale factor = 120/10 = 12. Therefore second quantity = 8×12 = 96.

id=54392 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=H | option_c=L | option_d=F | answer=A | explanation=Move 2 positions forward from H; the resulting letter is J.

id=54393 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=54394 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=54395 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=180 | option_c=90 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=54396 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 27, 30, 34? | option_a=30 | option_b=34 | option_c=24 | option_d=27 | answer=B | explanation=The first three numbers increase by 3, so the next should be 33. Therefore 34 is the odd one out.

id=54397 | topic=Percentages | difficulty=Easy | question=What is 50% of 555? | option_a=277 | option_b=282 | option_c=554 | option_d=272 | answer=A | explanation=50% of 555 = (50/100) × 555 = 277.

id=54398 | topic=Percentages | difficulty=Easy | question=What is 15% of 1501? | option_a=235 | option_b=225 | option_c=450 | option_d=215 | answer=B | explanation=15% of 1501 = (15/100) × 1501 = 225.

id=54399 | topic=Percentages | difficulty=Easy | question=What is 5% of 202? | option_a=0 | option_b=20 | option_c=10 | option_d=15 | answer=C | explanation=5% of 202 = (5/100) × 202 = 10.

id=54400 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=53 | option_b=46 | option_c=47 | option_d=39 | answer=B | explanation=The common difference is 7. Therefore the next term is 39 + 7 = 46.

id=54401 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=54402 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4002. If it is sold at a profit of 30%, what is its selling price? | option_a=4032 | option_b=5202 | option_c=5602 | option_d=4802 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4002 × 130/100 = █5202.

id=54403 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=30 | option_b=35 | option_c=34 | option_d=38 | answer=C | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.

id=54404 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22058 at 4% per annum for 1 years. | option_a=22940 | option_b=882 | option_c=982 | option_d=782 | answer=B | explanation=SI = PRT/100 = 22058×4×1/100 = █882.

id=54405 | topic=Averages | difficulty=Easy | question=Find the average of 56, 14, 32, 44, 25, 44, 64, 85, 50. | option_a=48 | option_b=46 | option_c=45 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 414 ÷ 9 = 46.

id=54406 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11661 at 5% per annum for 3 years. | option_a=1749 | option_b=1649 | option_c=1849 | option_d=13410 | answer=A | explanation=SI = PRT/100 = 11661×5×3/100 = █1749.

id=54407 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=125 | option_d=240 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=54408 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 22? | option_a=15 | option_b=11 | option_c=7 | option_d=22 | answer=D | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 22 is the odd one out.

id=54409 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=14 | option_c=9 | option_d=4 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=54410 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1514. If it is sold at a profit of 10%, what is its selling price? | option_a=1816 | option_b=1524 | option_c=1665 | option_d=1514 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1514 × 110/100 = █1665.

id=54411 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=L | option_c=N | option_d=M | answer=C | explanation=Move 1 positions forward from M; the resulting letter is N.

id=54412 | topic=Profit & Loss | difficulty=Easy | question=An article costs █383. If it is sold at a profit of 15%, what is its selling price? | option_a=440 | option_b=478 | option_c=402 | option_d=398 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 383 × 115/100 = █440.

id=54413 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32819 at 15% per annum for 5 years. | option_a=57433 | option_b=24614 | option_c=24514 | option_d=24714 | answer=B | explanation=SI = PRT/100 = 32819×15×5/100 = █24614.

id=54414 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1713. If it is sold at a profit of 20%, what is its selling price? | option_a=1884 | option_b=2226 | option_c=1733 | option_d=2055 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1713 × 120/100 = █2055.

id=54415 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3667. If it is sold at a profit of 15%, what is its selling price? | option_a=3682 | option_b=4217 | option_c=3851 | option_d=4583 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3667 × 115/100 = █4217.

id=54416 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=56 | option_b=65 | option_c=47 | option_d=57 | answer=A | explanation=The common difference is 9. Therefore the next term is 47 + 9 = 56.

id=54417 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=54418 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 51? | option_a=33 | option_b=51 | option_c=41 | option_d=25 | answer=B | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 51 is the odd one out.

id=54419 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 60? | option_a=60 | option_b=37 | option_c=27 | option_d=47 | answer=A | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 60 is the odd one out.

id=54420 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 54,421-54,450 of 100,000

id=54421 | topic=Percentages | difficulty=Easy | question=What is 5% of 254? | option_a=7 | option_b=12 | option_c=24 | option_d=22 | answer=B | explanation=5% of 254 = (5/100) × 254 = 12.

id=54422 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=54423 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=35 | option_b=46 | option_c=55 | option_d=45 | answer=D | explanation=The common difference is 10. Therefore the next term is 35 + 10 = 45.

id=54424 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 29, 38, 49? | option_a=29 | option_b=38 | option_c=20 | option_d=49 | answer=D | explanation=The first three numbers increase by 9, so the next should be 47. Therefore 49 is the odd one out.

id=54425 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:9 and the first is 99, what is the second? | option_a=99 | option_b=108 | option_c=198 | option_d=90 | answer=A | explanation=Scale factor = 99/9 = 11. Therefore second quantity = 9×11 = 99.

id=54426 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=W | option_c=H | option_d=R | answer=D | explanation=Move 5 positions forward from M; the resulting letter is R.

id=54427 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3301. If it is sold at a profit of 40%, what is its selling price? | option_a=4291 | option_b=3341 | option_c=4951 | option_d=4621 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3301 × 140/100 = █4621.

id=54428 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=52 | option_b=63 | option_c=53 | option_d=41 | answer=A | explanation=The common difference is 11. Therefore the next term is 41 + 11 = 52.

id=54429 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:11 and the first is 160, what is the second? | option_a=220 | option_b=380 | option_c=228 | option_d=209 | answer=A | explanation=Scale factor = 160/8 = 20. Therefore second quantity = 11×20 = 220.

id=54430 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 11, 16, 24? | option_a=6 | option_b=11 | option_c=24 | option_d=16 | answer=C | explanation=The first three numbers increase by 5, so the next should be 21. Therefore 24 is the odd one out.

id=54431 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=30 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=54432 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:1 and the first is 55, what is the second? | option_a=4 | option_b=16 | option_c=5 | option_d=60 | answer=C | explanation=Scale factor = 55/11 = 5. Therefore second quantity = 1×5 = 5.

id=54433 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=I | option_b=G | option_c=J | option_d=H | answer=A | explanation=Move 1 positions forward from H; the resulting letter is I.

id=54434 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 36? | option_a=12 | option_b=36 | option_c=26 | option_d=19 | answer=B | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 36 is the odd one out.

id=54435 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:16 and the first is 70, what is the second? | option_a=150 | option_b=64 | option_c=94 | option_d=80 | answer=D | explanation=Scale factor = 70/14 = 5. Therefore second quantity = 16×5 = 80.

id=54436 | topic=Profit & Loss | difficulty=Easy | question=An article costs █654. If it is sold at a profit of 40%, what is its selling price? | option_a=980 | option_b=694 | option_c=850 | option_d=915 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 654 × 140/100 = █915.

id=54437 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=54438 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=X | option_b=J | option_c=B | option_d=F | answer=D | explanation=Move 4 positions forward from B; the resulting letter is F.

id=54439 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=55 | option_b=54 | option_c=65 | option_d=43 | answer=B | explanation=The common difference is 11. Therefore the next term is 43 + 11 = 54.

id=54440 | topic=Profit & Loss | difficulty=Easy | question=An article costs █550. If it is sold at a profit of 10%, what is its selling price? | option_a=550 | option_b=660 | option_c=605 | option_d=560 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 550 × 110/100 = █605.

id=54441 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6945 at 12% per annum for 4 years. | option_a=3233 | option_b=10278 | option_c=3333 | option_d=3433 | answer=C | explanation=SI = PRT/100 = 6945×12×4/100 = █3333.

id=54442 | topic=Percentages | difficulty=Easy | question=What is 5% of 996? | option_a=49 | option_b=98 | option_c=54 | option_d=44 | answer=A | explanation=5% of 996 = (5/100) × 996 = 49.

id=54443 | topic=Percentages | difficulty=Easy | question=What is 5% of 376? | option_a=28 | option_b=18 | option_c=0 | option_d=36 | answer=B | explanation=5% of 376 = (5/100) × 376 = 18.

id=54444 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:20 and the first is 18, what is the second? | option_a=198 | option_b=182 | option_c=180 | option_d=160 | answer=C | explanation=Scale factor = 18/2 = 9. Therefore second quantity = 20×9 = 180.

id=54445 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=54446 | topic=Percentages | difficulty=Easy | question=What is 20% of 1639? | option_a=347 | option_b=654 | option_c=327 | option_d=322 | answer=C | explanation=20% of 1639 = (20/100) × 1639 = 327.

id=54447 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=S | option_b=N | option_c=I | option_d=X | answer=A | explanation=Move 5 positions forward from N; the resulting letter is S.

id=54448 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:3 and the first is 187, what is the second? | option_a=50 | option_b=30 | option_c=220 | option_d=33 | answer=D | explanation=Scale factor = 187/17 = 11. Therefore second quantity = 3×11 = 33.

id=54449 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1622. If it is sold at a profit of 5%, what is its selling price? | option_a=1541 | option_b=1627 | option_c=1865 | option_d=1703 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1622 × 105/100 = █1703.

id=54450 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24548 at 4% per annum for 4 years. | option_a=3927 | option_b=28475 | option_c=3827 | option_d=4027 | answer=A | explanation=SI = PRT/100 = 24548×4×4/100 = █3927.

Aptitude Questions — Records 54,451-54,480 of 100,000

id=54451 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 33, 38, 45? | option_a=33 | option_b=45 | option_c=38 | option_d=28 | answer=B | explanation=The first three numbers increase by 5, so the next should be 43. Therefore 45 is the odd one out.

id=54452 | topic=Averages | difficulty=Easy | question=Find the average of 27, 88, 56, 32, 56, 86, 58, 44, 48. | option_a=56 | option_b=55 | option_c=57 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = $495 \div 9 = 55$.

id=54453 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4746 at 5% per annum for 3 years. | option_a=5457 | option_b=811 | option_c=611 | option_d=711 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{4746 \times 5 \times 3}{100} = \text{■}711$.

id=54454 | topic=Percentages | difficulty=Easy | question=What is 10% of 1727? | option_a=177 | option_b=344 | option_c=172 | option_d=167 | answer=C | explanation=10% of 1727 = $(\frac{10}{100}) \times 1727 = 172$.

id=54455 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2550. If it is sold at a profit of 25%, what is its selling price? | option_a=3442 | option_b=3187 | option_c=2932 | option_d=2575 | answer=B | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 2550 \times \frac{125}{100} = \text{■}3187$.

id=54456 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=J | option_c=K | option_d=H | answer=B | explanation=Move 1 positions forward from I; the resulting letter is J.

id=54457 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=58 | option_b=40 | option_c=49 | option_d=50 | answer=C | explanation=The common difference is 9. Therefore the next term is $40 + 9 = 49$.

id=54458 | topic=Percentages | difficulty=Easy | question=What is 12% of 769? | option_a=87 | option_b=112 | option_c=92 | option_d=184 | answer=C | explanation=12% of 769 = $(\frac{12}{100}) \times 769 = 92$.

id=54459 | topic=Percentages | difficulty=Easy | question=What is 12% of 136? | option_a=16 | option_b=36 | option_c=11 | option_d=32 | answer=A | explanation=12% of 136 = $(\frac{12}{100}) \times 136 = 16$.

id=54460 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 14. | option_a=48 | option_b=42 | option_c=84 | option_d=28 | answer=B | explanation=LCM $\times$ HCF = 6×14 ; $\text{HCF}(6, 14) = 2$, so LCM = 42.

id=54461 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=50 | option_b=60 | option_c=38 | option_d=49 | answer=D | explanation=The common difference is 11. Therefore the next term is $38 + 11 = 49$.

id=54462 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:6 and the first is 200, what is the second? | option_a=54 | option_b=60 | option_c=260 | option_d=80 | answer=B | explanation=Scale factor = $\frac{200}{20} = 10$. Therefore second quantity = $6 \times 10 = 60$.

id=54463 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10776 at 12% per annum for 5 years. | option_a=6365 | option_b=17241 | option_c=6465 | option_d=6565 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{10776 \times 12 \times 5}{100} = \text{■}6465$.

id=54464 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=54465 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 8, 11, 14, ? | option_a=14 | option_b=17 | option_c=20 | option_d=18 | answer=B | explanation=The common difference is 3. Therefore the next term is $14 + 3 = 17$.

id=54466 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=16 | option_d=3 | answer=A | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

id=54467 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=30 | option_d=15 | answer=D | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{150}{10} = 15$ km/h.

id=54468 | topic=Averages | difficulty=Easy | question=Find the average of 39, 14, 16. | option_a=22 | option_b=23 | option_c=24 | option_d=25 | answer=B | explanation=Average = sum of values ÷ number of values = $69 \div 3 = 23$.

id=54469 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3497. If it is sold at a profit of 40%, what is its selling price? | option_a=3537 | option_b=4546 | option_c=4895 | option_d=5244 | answer=C | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 3497 \times \frac{140}{100} = \text{■}4895$.

id=54470 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4659. If it is sold at a profit of 50%, what is its selling price? | option_a=7453 | option_b=6523 | option_c=6988 | option_d=4709 | answer=C | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 4659 \times \frac{150}{100} = \text{■}6988$.

id=54471 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4844 at 6% per annum for 2 years. | option_a=481 | option_b=5425 | option_c=681 | option_d=581 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{4844 \times 6 \times 2}{100} = \text{■}581$.

id=54472 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=125 | option_b=240 | option_c=120 | option_d=115 | answer=C | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{240}{2} = 120$ km/h.

id=54473 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{240}{4} = 60$ km/h.

id=54474 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=Y | option_c=C | option_d=K | answer=A | explanation=Move 4 positions forward from C; the resulting letter is G.

id=54475 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44756 at 10% per annum for 5 years. | option_a=22378 | option_b=22278 | option_c=22478 | option_d=67134 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{44756 \times 10 \times 5}{100} = \text{■}22378$.

id=54476 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4081. If it is sold at a profit of 50%, what is its selling price? | option_a=4131 | option_b=5713 | option_c=6529 | option_d=6121 | answer=D | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 4081 \times \frac{150}{100} = \text{■}6121$.

id=54477 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=15 | option_d=40 | answer=B | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{60}{3} = 20$ km/h.

id=54478 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=90 | option_c=50 | option_d=40 | answer=A | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{90}{2} = 45$ km/h.

id=54479 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:5 and the first is 323, what is the second? | option_a=90 | option_b=418 | option_c=112 | option_d=95 | answer=D | explanation=Scale factor = $\frac{323}{17} = 19$. Therefore second quantity = $5 \times 19 = 95$.

id=54480 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=53 | option_b=46 | option_c=39 | option_d=47 | answer=B | explanation=The common difference is 7. Therefore the next term is $39 + 7 = 46$.

Aptitude Questions — Records 54,481-54,510 of 100,000

id=54481 | topic=Averages | difficulty=Easy | question=Find the average of 75, 67, 94, 58, 28, 28, 98. | option_a=65 | option_b=63 | option_c=64 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = 448 ÷ 7 = 64.

id=54482 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=I | option_c=L | option_d=K | answer=D | explanation=Move 1 positions forward from J; the resulting letter is K.

id=54483 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 5, 7, 12? | option_a=12 | option_b=7 | option_c=3 | option_d=5 | answer=A | explanation=The first three numbers increase by 2, so the next should be 9. Therefore 12 is the odd one out.

id=54484 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 33, 39, 47? | option_a=47 | option_b=27 | option_c=33 | option_d=39 | answer=A | explanation=The first three numbers increase by 6, so the next should be 45. Therefore 47 is the odd one out.

id=54485 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 25, 34, 43, ? | option_a=53 | option_b=61 | option_c=52 | option_d=43 | answer=C | explanation=The common difference is 9. Therefore the next term is 43 + 9 = 52.

id=54486 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=51 | option_b=73 | option_c=63 | option_d=62 | answer=D | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.

id=54487 | topic=Averages | difficulty=Easy | question=Find the average of 75, 92, 69, 60, 89. | option_a=78 | option_b=77 | option_c=79 | option_d=76 | answer=B | explanation=Average = sum of values ÷ number of values = 385 ÷ 5 = 77.

id=54488 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=54489 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=50 | option_b=61 | option_c=72 | option_d=62 | answer=B | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.

id=54490 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 49? | option_a=27 | option_b=37 | option_c=17 | option_d=49 | answer=D | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 49 is the odd one out.

id=54491 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 55? | option_a=55 | option_b=45 | option_c=37 | option_d=29 | answer=A | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 55 is the odd one out.

id=54492 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 33? | option_a=33 | option_b=15 | option_c=25 | option_d=20 | answer=A | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 33 is the odd one out.

id=54493 | topic=Averages | difficulty=Easy | question=Find the average of 61, 38, 94, 31. | option_a=58 | option_b=57 | option_c=56 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 224 ÷ 4 = 56.

id=54494 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=73 | option_b=63 | option_c=51 | option_d=62 | answer=D | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.

id=54495 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 31? | option_a=20 | option_b=25 | option_c=31 | option_d=15 | answer=C | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 31 is the odd one out.

id=54496 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=54497 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=30 | option_c=25 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=54498 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 17, 26, 38? | option_a=26 | option_b=8 | option_c=17 | option_d=38 | answer=D | explanation=The first three numbers increase by 9, so the next should be 35. Therefore 38 is the odd one out.

id=54499 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 37? | option_a=19 | option_b=37 | option_c=24 | option_d=29 | answer=B | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 37 is the odd one out.

id=54500 | topic=Profit & Loss | difficulty=Easy | question=An article costs █877. If it is sold at a profit of 50%, what is its selling price? | option_a=1315 | option_b=1402 | option_c=927 | option_d=1228 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 877 × 150/100 = █1315.

id=54501 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:9 and the first is 60, what is the second? | option_a=87 | option_b=27 | option_c=18 | option_d=47 | answer=B | explanation=Scale factor = 60/20 = 3. Therefore second quantity = 9×3 = 27.

id=54502 | topic=Percentages | difficulty=Easy | question=What is 50% of 67? | option_a=38 | option_b=33 | option_c=66 | option_d=13 | answer=B | explanation=50% of 67 = (50/100) × 67 = 33.

id=54503 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:15 and the first is 361, what is the second? | option_a=646 | option_b=285 | option_c=304 | option_d=270 | answer=B | explanation=Scale factor = 361/19 = 19. Therefore second quantity = 15×19 = 285.

id=54504 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 35? | option_a=22 | option_b=30 | option_c=35 | option_d=26 | answer=C | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 35 is the odd one out.

id=54505 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=36 | option_c=18 | option_d=23 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=54506 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=54507 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 44? | option_a=44 | option_b=17 | option_c=33 | option_d=25 | answer=A | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 44 is the odd one out.

id=54508 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1356. If it is sold at a profit of 40%, what is its selling price? | option_a=1763 | option_b=1898 | option_c=1396 | option_d=2033 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1356 × 140/100 = █1898.

id=54509 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=39 | option_b=50 | option_c=51 | option_d=61 | answer=B | explanation=The common difference is 11. Therefore the next term is 39 + 11 = 50.

id=54510 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=57 | option_b=56 | option_c=47 | option_d=65 | answer=B | explanation=The common difference is 9. Therefore the next term is 47 + 9 = 56.

Aptitude Questions — Records 54,511-54,540 of 100,000

id=54511 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 51? | option_a=30 | option_b=51 | option_c=39 | option_d=21 | answer=B | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 51 is the odd one out.

id=54512 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:3 and the first is 380, what is the second? | option_a=54 | option_b=77 | option_c=437 | option_d=57 | answer=D | explanation=Scale factor = 380/20 = 19. Therefore second quantity = 3×19 = 57.

id=54513 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30447 at 5% per annum for 2 years. | option_a=33491 | option_b=3144 | option_c=3044 | option_d=2944 | answer=C | explanation=SI = PRT/100 = 30447×5×2/100 = **■**3044.

id=54514 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12245 at 8% per annum for 1 years. | option_a=13224 | option_b=879 | option_c=1079 | option_d=979 | answer=D | explanation=SI = PRT/100 = 12245×8×1/100 = **■**979.

id=54515 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=54516 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 12? | option_a=5 | option_b=9 | option_c=12 | option_d=7 | answer=C | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 12 is the odd one out.

id=54517 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=G | option_b=A | option_c=D | option_d=X | answer=C | explanation=Move 3 positions forward from A; the resulting letter is D.

id=54518 | topic=Percentages | difficulty=Easy | question=What is 30% of 995? | option_a=303 | option_b=278 | option_c=298 | option_d=596 | answer=C | explanation=30% of 995 = (30/100) × 995 = 298.

id=54519 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=J | option_c=L | option_d=F | answer=B | explanation=Move 2 positions forward from H; the resulting letter is J.

id=54520 | topic=Percentages | difficulty=Easy | question=What is 10% of 1950? | option_a=390 | option_b=195 | option_c=185 | option_d=205 | answer=B | explanation=10% of 1950 = (10/100) × 1950 = 195.

id=54521 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 35? | option_a=22 | option_b=35 | option_c=30 | option_d=26 | answer=B | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 35 is the odd one out.

id=54522 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3607. If it is sold at a profit of 15%, what is its selling price? | option_a=3622 | option_b=4508 | option_c=4148 | option_d=3788 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3607 × 115/100 = **■**4148.

id=54523 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=54524 | topic=Percentages | difficulty=Easy | question=What is 50% of 619? | option_a=319 | option_b=299 | option_c=309 | option_d=618 | answer=C | explanation=50% of 619 = (50/100) × 619 = 309.

id=54525 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=54526 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:10 and the first is 27, what is the second? | option_a=117 | option_b=90 | option_c=80 | option_d=93 | answer=B | explanation=Scale factor = 27/3 = 9. Therefore second quantity = 10×9 = 90.

id=54527 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2168. If it is sold at a profit of 50%, what is its selling price? | option_a=3036 | option_b=3468 | option_c=2218 | option_d=3252 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2168 × 150/100 = **■**3252.

id=54528 | topic=Averages | difficulty=Easy | question=Find the average of 76, 27, 63, 18. | option_a=47 | option_b=45 | option_c=46 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 184 ÷ 4 = 46.

id=54529 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:1 and the first is 32, what is the second? | option_a=12 | option_b=7 | option_c=40 | option_d=8 | answer=D | explanation=Scale factor = 32/4 = 8. Therefore second quantity = 1×8 = 8.

id=54530 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=N | option_b=E | option_c=H | option_d=K | answer=D | explanation=Move 3 positions forward from H; the resulting letter is K.

id=54531 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 5, 8, 11, ? | option_a=11 | option_b=15 | option_c=14 | option_d=17 | answer=C | explanation=The common difference is 3. Therefore the next term is 11 + 3 = 14.

id=54532 | topic=Percentages | difficulty=Easy | question=What is 25% of 1894? | option_a=493 | option_b=453 | option_c=946 | option_d=473 | answer=D | explanation=25% of 1894 = (25/100) × 1894 = 473.

id=54533 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16595 at 10% per annum for 1 years. | option_a=18254 | option_b=1659 | option_c=1759 | option_d=1559 | answer=B | explanation=SI = PRT/100 = 16595×10×1/100 = **■**1659.

id=54534 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**194. If it is sold at a profit of 50%, what is its selling price? | option_a=310 | option_b=244 | option_c=291 | option_d=272 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 194 × 150/100 = **■**291.

id=54535 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**984. If it is sold at a profit of 30%, what is its selling price? | option_a=1279 | option_b=1014 | option_c=1181 | option_d=1377 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 984 × 130/100 = **■**1279.

id=54536 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2922. If it is sold at a profit of 15%, what is its selling price? | option_a=2937 | option_b=3360 | option_c=3652 | option_d=3068 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2922 × 115/100 = **■**3360.

id=54537 | topic=Averages | difficulty=Easy | question=Find the average of 49, 87, 41, 48, 76, 63, 56. | option_a=62 | option_b=60 | option_c=61 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 420 ÷ 7 = 60.

id=54538 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 36, 45, 56? | option_a=36 | option_b=27 | option_c=56 | option_d=45 | answer=C | explanation=The first three numbers increase by 9, so the next should be 54. Therefore 56 is the odd one out.

id=54539 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=54540 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=K | option_c=E | option_d=G | answer=A | explanation=Move 2 positions forward from G; the resulting letter is I.

Aptitude Questions — Records 54,541-54,570 of 100,000

id=54541 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=54542 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=H | option_b=I | option_c=G | option_d=F | answer=A | explanation=Move 1 positions forward from G; the resulting letter is H.

id=54543 | topic=Averages | difficulty=Easy | question=Find the average of 77, 10, 69, 66, 17, 43, 69, 93, 51. | option_a=57 | option_b=54 | option_c=55 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.

id=54544 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2247. If it is sold at a profit of 10%, what is its selling price? | option_a=2695 | option_b=2257 | option_c=2471 | option_d=2247 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2247 × 110/100 = █2471.

id=54545 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4969. If it is sold at a profit of 50%, what is its selling price? | option_a=5019 | option_b=7453 | option_c=6957 | option_d=7949 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4969 × 150/100 = █7453.

id=54546 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:6 and the first is 28, what is the second? | option_a=112 | option_b=84 | option_c=86 | option_d=78 | answer=B | explanation=Scale factor = 28/2 = 14. Therefore second quantity = 6×14 = 84.

id=54547 | topic=Profit & Loss | difficulty=Easy | question=An article costs █972. If it is sold at a profit of 20%, what is its selling price? | option_a=1263 | option_b=1069 | option_c=1166 | option_d=992 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 972 × 120/100 = █1166.

id=54548 | topic=Averages | difficulty=Easy | question=Find the average of 49, 42, 41, 10, 26, 22, 27. | option_a=33 | option_b=30 | option_c=31 | option_d=32 | answer=C | explanation=Average = sum of values ÷ number of values = 217 ÷ 7 = 31.

id=54549 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 23, 26, 32? | option_a=32 | option_b=20 | option_c=26 | option_d=23 | answer=A | explanation=The first three numbers increase by 3, so the next should be 29. Therefore 32 is the odd one out.

id=54550 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:11 and the first is 120, what is the second? | option_a=122 | option_b=230 | option_c=99 | option_d=110 | answer=D | explanation=Scale factor = 120/12 = 10. Therefore second quantity = 11×10 = 110.

id=54551 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21329 at 4% per annum for 1 years. | option_a=853 | option_b=953 | option_c=22182 | option_d=753 | answer=A | explanation=SI = PRT/100 = 21329×4×1/100 = █853.

id=54552 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=90 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=54553 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=160 | option_c=80 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=54554 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=39 | option_b=44 | option_c=34 | option_d=40 | answer=A | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

id=54555 | topic=Percentages | difficulty=Easy | question=What is 40% of 634? | option_a=258 | option_b=243 | option_c=253 | option_d=506 | answer=C | explanation=40% of 634 = (40/100) × 634 = 253.

id=54556 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=47 | option_b=38 | option_c=54 | option_d=46 | answer=D | explanation=The common difference is 8. Therefore the next term is 38 + 8 = 46.

id=54557 | topic=Profit & Loss | difficulty=Easy | question=An article costs █162. If it is sold at a profit of 25%, what is its selling price? | option_a=186 | option_b=187 | option_c=218 | option_d=202 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 162 × 125/100 = █202.

id=54558 | topic=Averages | difficulty=Easy | question=Find the average of 82, 96, 42, 65, 44, 77, 79, 62, 83, 20. | option_a=64 | option_b=66 | option_c=65 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 650 ÷ 10 = 65.

id=54559 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:20 and the first is 16, what is the second? | option_a=80 | option_b=60 | option_c=96 | option_d=84 | answer=A | explanation=Scale factor = 16/4 = 4. Therefore second quantity = 20×4 = 80.

id=54560 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43717 at 6% per annum for 5 years. | option_a=13015 | option_b=13215 | option_c=13115 | option_d=56832 | answer=C | explanation=SI = PRT/100 = 43717×6×5/100 = █13115.

id=54561 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 11, 19, 28? | option_a=19 | option_b=3 | option_c=11 | option_d=28 | answer=D | explanation=The first three numbers increase by 8, so the next should be 27. Therefore 28 is the odd one out.

id=54562 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3428. If it is sold at a profit of 15%, what is its selling price? | option_a=3600 | option_b=3443 | option_c=3942 | option_d=4284 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3428 × 115/100 = █3942.

id=54563 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=69 | option_b=57 | option_c=45 | option_d=58 | answer=B | explanation=The common difference is 12. Therefore the next term is 45 + 12 = 57.

id=54564 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=19 | option_c=24 | option_d=48 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=54565 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=M | option_c=K | option_d=O | answer=D | explanation=Move 2 positions forward from M; the resulting letter is O.

id=54566 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=M | option_c=S | option_d=Q | answer=D | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=54567 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=90 | option_c=85 | option_d=180 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=54568 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:9 and the first is 154, what is the second? | option_a=280 | option_b=117 | option_c=126 | option_d=137 | answer=C | explanation=Scale factor = 154/11 = 14. Therefore second quantity = 9×14 = 126.

id=54569 | topic=Percentages | difficulty=Easy | question=What is 5% of 402? | option_a=0 | option_b=20 | option_c=40 | option_d=25 | answer=B | explanation=5% of 402 = (5/100) × 402 = 20.

id=54570 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=W | option_b=M | option_c=H | option_d=R | answer=D | explanation=Move 5 positions forward from M; the resulting letter is R.

Aptitude Questions — Records 54,571-54,600 of 100,000

id=54571 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=B | option_c=D | option_d=Z | answer=C | explanation=Move 2 positions forward from B; the resulting letter is D.

id=54572 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:3 and the first is 48, what is the second? | option_a=24 | option_b=12 | option_c=9 | option_d=60 | answer=B | explanation=Scale factor = $48/12 = 4$. Therefore second quantity = $3 \times 4 = 12$.

id=54573 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 26. | option_a=280 | option_b=260 | option_c=520 | option_d=234 | answer=B | explanation= $LCM \times HCF = 20 \times 26$; $HCF(20,26) = 2$, so $LCM = 260$.

id=54574 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=33 | option_b=32 | option_c=29 | option_d=35 | answer=B | explanation=The common difference is 3. Therefore the next term is $29 + 3 = 32$.

id=54575 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=54576 | topic=Percentages | difficulty=Easy | question=What is 25% of 1422? | option_a=365 | option_b=355 | option_c=345 | option_d=710 | answer=B | explanation= $25\% \text{ of } 1422 = (25/100) \times 1422 = 355$.

id=54577 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1122. If it is sold at a profit of 20%, what is its selling price? | option_a=1234 | option_b=1458 | option_c=1346 | option_d=1142 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1122 \times 120/100 = \text{■}1346$.

id=54578 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2864. If it is sold at a profit of 25%, what is its selling price? | option_a=2889 | option_b=3866 | option_c=3580 | option_d=3294 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2864 \times 125/100 = \text{■}3580$.

id=54579 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 46? | option_a=35 | option_b=27 | option_c=19 | option_d=46 | answer=D | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 46 is the odd one out.

id=54580 | topic=Percentages | difficulty=Easy | question=What is 40% of 1972? | option_a=778 | option_b=793 | option_c=788 | option_d=1576 | answer=C | explanation= $40\% \text{ of } 1972 = (40/100) \times 1972 = 788$.

id=54581 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 7. | option_a=196 | option_b=28 | option_c=21 | option_d=56 | answer=B | explanation= $LCM \times HCF = 28 \times 7$; $HCF(28,7) = 7$, so $LCM = 28$.

id=54582 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:1 and the first is 128, what is the second? | option_a=16 | option_b=15 | option_c=144 | option_d=24 | answer=A | explanation=Scale factor = $128/8 = 16$. Therefore second quantity = $1 \times 16 = 16$.

id=54583 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2797. If it is sold at a profit of 10%, what is its selling price? | option_a=2807 | option_b=3355 | option_c=3076 | option_d=2797 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2797 \times 110/100 = \text{■}3076$.

id=54584 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=54585 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 31, 36, 42? | option_a=36 | option_b=42 | option_c=31 | option_d=26 | answer=B | explanation=The first three numbers increase by 5, so the next should be 41. Therefore 42 is the odd one out.

id=54586 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=33 | option_b=34 | option_c=37 | option_d=29 | answer=A | explanation=The common difference is 4. Therefore the next term is $29 + 4 = 33$.

id=54587 | topic=Averages | difficulty=Easy | question=Find the average of 44, 80, 77, 31, 47, 10, 10, 69, 19. | option_a=42 | option_b=45 | option_c=43 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = $387 \div 9 = 43$.

id=54588 | topic=Percentages | difficulty=Easy | question=What is 25% of 1123? | option_a=285 | option_b=260 | option_c=280 | option_d=560 | answer=C | explanation= $25\% \text{ of } 1123 = (25/100) \times 1123 = 280$.

id=54589 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 4. | option_a=4 | option_b=32 | option_c=16 | option_d=8 | answer=D | explanation= $LCM \times HCF = 8 \times 4$; $HCF(8,4) = 4$, so $LCM = 8$.

id=54590 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=40 | option_b=62 | option_c=52 | option_d=51 | answer=D | explanation=The common difference is 11. Therefore the next term is $40 + 11 = 51$.

id=54591 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39853 at 5% per annum for 5 years. | option_a=49816 | option_b=9863 | option_c=10063 | option_d=9963 | answer=D | explanation= $SI = PRT/100 = 39853 \times 5 \times 5/100 = \text{■}9963$.

id=54592 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=54593 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:2 and the first is 42, what is the second? | option_a=12 | option_b=19 | option_c=10 | option_d=54 | answer=A | explanation=Scale factor = $42/7 = 6$. Therefore second quantity = $2 \times 6 = 12$.

id=54594 | topic=Percentages | difficulty=Easy | question=What is 10% of 1358? | option_a=270 | option_b=135 | option_c=140 | option_d=125 | answer=B | explanation= $10\% \text{ of } 1358 = (10/100) \times 1358 = 135$.

id=54595 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 7, 10, 15? | option_a=4 | option_b=10 | option_c=7 | option_d=15 | answer=D | explanation=The first three numbers increase by 3, so the next should be 13. Therefore 15 is the odd one out.

id=54596 | topic=Averages | difficulty=Easy | question=Find the average of 89, 14, 77. | option_a=61 | option_b=60 | option_c=59 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = $180 \div 3 = 60$.

id=54597 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=100 | option_c=200 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = $300 \div 3 = 100$ km/h.

id=54598 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 35, 44, 55? | option_a=44 | option_b=26 | option_c=55 | option_d=35 | answer=C | explanation=The first three numbers increase by 9, so the next should be 53. Therefore 55 is the odd one out.

id=54599 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=54600 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=Z | option_c=V | option_d=N | answer=C | explanation=Move 4 positions forward from R; the resulting letter is V.

Aptitude Questions — Records 54,601-54,630 of 100,000

id=54601 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=G | option_b=A | option_c=D | option_d=J | answer=A | explanation=Move 3 positions forward from D; the resulting letter is G.

id=54602 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=29 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=54603 | topic=Averages | difficulty=Easy | question=Find the average of 86, 48, 54, 55, 53, 90, 41. | option_a=62 | option_b=63 | option_c=61 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 427 ÷ 7 = 61.

id=54604 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2599. If it is sold at a profit of 15%, what is its selling price? | option_a=3247 | option_b=2614 | option_c=2729 | option_d=2988 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2599 × 115/100 = **₹**2988.

id=54605 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=45 | option_c=50 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=54606 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:16 and the first is 20, what is the second? | option_a=64 | option_b=48 | option_c=69 | option_d=84 | answer=A | explanation=Scale factor = 20/5 = 4. Therefore second quantity = 16×4 = 64.

id=54607 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=26 | option_b=30 | option_c=28 | option_d=29 | answer=C | explanation=The common difference is 2. Therefore the next term is 26 + 2 = 28.

id=54608 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:7 and the first is 171, what is the second? | option_a=304 | option_b=126 | option_c=133 | option_d=142 | answer=C | explanation=Scale factor = 171/9 = 19. Therefore second quantity = 7×19 = 133.

id=54609 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=39 | option_b=31 | option_c=36 | option_d=35 | answer=D | explanation=The common difference is 4. Therefore the next term is 31 + 4 = 35.

id=54610 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 30, 32, 35? | option_a=30 | option_b=28 | option_c=35 | option_d=32 | answer=C | explanation=The first three numbers increase by 2, so the next should be 34. Therefore 35 is the odd one out.

id=54611 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1169. If it is sold at a profit of 50%, what is its selling price? | option_a=1219 | option_b=1869 | option_c=1753 | option_d=1637 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1169 × 150/100 = **₹**1753.

id=54612 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=P | option_b=F | option_c=U | option_d=K | answer=A | explanation=Move 5 positions forward from K; the resulting letter is P.

id=54613 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 24, 31, 40? | option_a=17 | option_b=31 | option_c=24 | option_d=40 | answer=D | explanation=The first three numbers increase by 7, so the next should be 38. Therefore 40 is the odd one out.

id=54614 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**11130 at 6% per annum for 4 years. | option_a=2671 | option_b=2771 | option_c=2571 | option_d=13801 | answer=A | explanation=SI = PRT/100 = 11130×6×4/100 = **₹**2671.

id=54615 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**46679 at 5% per annum for 2 years. | option_a=4767 | option_b=51346 | option_c=4567 | option_d=4667 | answer=D | explanation=SI = PRT/100 = 46679×5×2/100 = **₹**4667.

id=54616 | topic=Percentages | difficulty=Easy | question=What is 50% of 1733? | option_a=866 | option_b=856 | option_c=876 | option_d=1732 | answer=A | explanation=50% of 1733 = (50/100) × 1733 = 866.

id=54617 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=80 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=54618 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=100 | option_c=50 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=54619 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=54620 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 52? | option_a=52 | option_b=39 | option_c=19 | option_d=29 | answer=A | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 52 is the odd one out.

id=54621 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=54622 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 46? | option_a=13 | option_b=23 | option_c=46 | option_d=33 | answer=C | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 46 is the odd one out.

id=54623 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**38693 at 6% per annum for 1 years. | option_a=2421 | option_b=2321 | option_c=2221 | option_d=41014 | answer=B | explanation=SI = PRT/100 = 38693×6×1/100 = **₹**2321.

id=54624 | topic=Percentages | difficulty=Easy | question=What is 10% of 844? | option_a=84 | option_b=79 | option_c=104 | option_d=168 | answer=A | explanation=10% of 844 = (10/100) × 844 = 84.

id=54625 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**869. If it is sold at a profit of 15%, what is its selling price? | option_a=884 | option_b=913 | option_c=1085 | option_d=999 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 869 × 115/100 = **₹**999.

id=54626 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2383. If it is sold at a profit of 50%, what is its selling price? | option_a=3574 | option_b=3812 | option_c=3336 | option_d=2433 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2383 × 150/100 = **₹**3574.

id=54627 | topic=Averages | difficulty=Easy | question=Find the average of 28, 41, 93, 95, 21, 59, 13. | option_a=51 | option_b=49 | option_c=50 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

id=54628 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2247. If it is sold at a profit of 20%, what is its selling price? | option_a=2267 | option_b=2472 | option_c=2696 | option_d=2920 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2247 × 120/100 = **₹**2696.

id=54629 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 62? | option_a=62 | option_b=40 | option_c=30 | option_d=50 | answer=A | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 62 is the odd one out.

id=54630 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=22 | option_b=25 | option_c=26 | option_d=28 | answer=B | explanation=The common difference is 3. Therefore the next term is 22 + 3 = 25.

Aptitude Questions — Records 54,631-54,660 of 100,000

id=54631 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■49450 at 6% per annum for 4 years. | option_a=61318 | option_b=11968 | option_c=11868 | option_d=11768 | answer=C | explanation=SI = PRT/100 = 49450×6×4/100 = ■11868.

id=54632 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:7 and the first is 22, what is the second? | option_a=36 | option_b=25 | option_c=14 | option_d=7 | answer=C | explanation=Scale factor = 22/11 = 2. Therefore second quantity = 7×2 = 14.

id=54633 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 9, 11, 16? | option_a=9 | option_b=7 | option_c=11 | option_d=16 | answer=D | explanation=The first three numbers increase by 2, so the next should be 13. Therefore 16 is the odd one out.

id=54634 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:16 and the first is 136, what is the second? | option_a=256 | option_b=272 | option_c=280 | option_d=408 | answer=B | explanation=Scale factor = 136/8 = 17. Therefore second quantity = 16×17 = 272.

id=54635 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=P | option_b=Y | option_c=V | option_d=S | answer=C | explanation=Move 3 positions forward from S; the resulting letter is V.

id=54636 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=44 | option_b=50 | option_c=45 | option_d=38 | answer=A | explanation=The common difference is 6. Therefore the next term is 38 + 6 = 44.

id=54637 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 22? | option_a=14 | option_b=22 | option_c=8 | option_d=2 | answer=B | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 22 is the odd one out.

id=54638 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:13 and the first is 270, what is the second? | option_a=182 | option_b=213 | option_c=195 | option_d=465 | answer=C | explanation=Scale factor = 270/18 = 15. Therefore second quantity = 13×15 = 195.

id=54639 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=27 | option_b=31 | option_c=32 | option_d=35 | answer=B | explanation=The common difference is 4. Therefore the next term is 27 + 4 = 31.

id=54640 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 17, 26, 37? | option_a=17 | option_b=26 | option_c=37 | option_d=8 | answer=C | explanation=The first three numbers increase by 9, so the next should be 35. Therefore 37 is the odd one out.

id=54641 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 37? | option_a=30 | option_b=37 | option_c=22 | option_d=26 | answer=B | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 37 is the odd one out.

id=54642 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=A | option_c=I | option_d=W | answer=A | explanation=Move 4 positions forward from A; the resulting letter is E.

id=54643 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=54644 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 14, 16, 21? | option_a=14 | option_b=16 | option_c=21 | option_d=12 | answer=C | explanation=The first three numbers increase by 2, so the next should be 18. Therefore 21 is the odd one out.

id=54645 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=M | option_c=E | option_d=A | answer=A | explanation=Move 4 positions forward from E; the resulting letter is I.

id=54646 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2401. If it is sold at a profit of 25%, what is its selling price? | option_a=2426 | option_b=2761 | option_c=3241 | option_d=3001 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2401 × 125/100 = ■3001.

id=54647 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=B | option_b=R | option_c=M | option_d=W | answer=D | explanation=Move 5 positions forward from R; the resulting letter is W.

id=54648 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=80 | option_c=75 | option_d=70 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=54649 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■27082 at 10% per annum for 1 years. | option_a=2708 | option_b=2808 | option_c=29790 | option_d=2608 | answer=A | explanation=SI = PRT/100 = 27082×10×1/100 = ■2708.

id=54650 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=54651 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=54652 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=51 | option_b=59 | option_c=41 | option_d=50 | answer=D | explanation=The common difference is 9. Therefore the next term is 41 + 9 = 50.

id=54653 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■2973 at 8% per annum for 3 years. | option_a=713 | option_b=813 | option_c=3686 | option_d=613 | answer=A | explanation=SI = PRT/100 = 2973×8×3/100 = ■713.

id=54654 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1742. If it is sold at a profit of 5%, what is its selling price? | option_a=2003 | option_b=1829 | option_c=1747 | option_d=1655 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1742 × 105/100 = ■1829.

id=54655 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 30? | option_a=30 | option_b=20 | option_c=4 | option_d=12 | answer=A | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 30 is the odd one out.

id=54656 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=U | option_b=X | option_c=O | option_d=R | answer=A | explanation=Move 3 positions forward from R; the resulting letter is U.

id=54657 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=54658 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14212 at 15% per annum for 4 years. | option_a=8427 | option_b=22739 | option_c=8527 | option_d=8627 | answer=C | explanation=SI = PRT/100 = 14212×15×4/100 = ■8527.

id=54659 | topic=Percentages | difficulty=Easy | question=What is 30% of 1621? | option_a=486 | option_b=972 | option_c=476 | option_d=491 | answer=A | explanation=30% of 1621 = (30/100) × 1621 = 486.

id=54660 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2475. If it is sold at a profit of 5%, what is its selling price? | option_a=2598 | option_b=2351 | option_c=2480 | option_d=2845 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2475 × 105/100 = ■2598.

Aptitude Questions — Records 54,661-54,690 of 100,000

id=54661 | topic=Percentages | difficulty=Easy | question=What is 50% of 1445? | option_a=722 | option_b=1444 | option_c=727 | option_d=702 | answer=A | explanation=50% of 1445 = (50/100) × 1445 = 722.

id=54662 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=54663 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22042 at 5% per annum for 2 years. | option_a=24246 | option_b=2304 | option_c=2104 | option_d=2204 | answer=D | explanation=SI = PRT/100 = 22042×5×2/100 = █2204.

id=54664 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:10 and the first is 36, what is the second? | option_a=126 | option_b=80 | option_c=90 | option_d=94 | answer=C | explanation=Scale factor = 36/4 = 9. Therefore second quantity = 10×9 = 90.

id=54665 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=N | option_b=S | option_c=C | option_d=X | answer=D | explanation=Move 5 positions forward from S; the resulting letter is X.

id=54666 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=R | option_b=F | option_c=J | option_d=N | answer=D | explanation=Move 4 positions forward from J; the resulting letter is N.

id=54667 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=4 | option_c=18 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=54668 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=50 | option_b=49 | option_c=58 | option_d=40 | answer=B | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

id=54669 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=54670 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 31, 43, 55, ? | option_a=55 | option_b=79 | option_c=67 | option_d=68 | answer=C | explanation=The common difference is 12. Therefore the next term is 55 + 12 = 67.

id=54671 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=54672 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=51 | option_b=62 | option_c=50 | option_d=38 | answer=C | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=54673 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=8 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=54674 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=54675 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=Q | option_b=R | option_c=P | option_d=O | answer=A | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=54676 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1954. If it is sold at a profit of 30%, what is its selling price? | option_a=1984 | option_b=2735 | option_c=2345 | option_d=2540 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1954 × 130/100 = █2540.

id=54677 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 12. | option_a=24 | option_b=12 | option_c=1 | option_d=14 | answer=B | explanation=LCM × HCF = 2×12; HCF(2,12) = 2, so LCM = 12.

id=54678 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=54679 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4967. If it is sold at a profit of 50%, what is its selling price? | option_a=5017 | option_b=7946 | option_c=7450 | option_d=6954 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4967 × 150/100 = █7450.

id=54680 | topic=Percentages | difficulty=Easy | question=What is 30% of 1329? | option_a=398 | option_b=796 | option_c=393 | option_d=418 | answer=A | explanation=30% of 1329 = (30/100) × 1329 = 398.

id=54681 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 8. | option_a=72 | option_b=64 | option_c=144 | option_d=90 | answer=A | explanation=LCM × HCF = 18×8; HCF(18,8) = 2, so LCM = 72.

id=54682 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=54683 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9078 at 15% per annum for 5 years. | option_a=15886 | option_b=6708 | option_c=6808 | option_d=6908 | answer=C | explanation=SI = PRT/100 = 9078×15×5/100 = █6808.

id=54684 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=24 | option_b=25 | option_c=19 | option_d=29 | answer=A | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.

id=54685 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1540. If it is sold at a profit of 20%, what is its selling price? | option_a=1560 | option_b=2002 | option_c=1848 | option_d=1694 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1540 × 120/100 = █1848.

id=54686 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=54687 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=54688 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=46 | option_b=56 | option_c=36 | option_d=47 | answer=A | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.

id=54689 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:1 and the first is 11, what is the second? | option_a=10 | option_b=22 | option_c=12 | option_d=11 | answer=D | explanation=Scale factor = 11/1 = 11. Therefore second quantity = 1×11 = 11.

id=54690 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=23 | option_c=36 | option_d=13 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

Aptitude Questions — Records 54,691-54,720 of 100,000

id=54691 | topic=Averages | difficulty=Easy | question=Find the average of 100, 76, 12, 96, 36. | option_a=65 | option_b=64 | option_c=63 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 320 ÷ 5 = 64.

id=54692 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2026. If it is sold at a profit of 50%, what is its selling price? | option_a=2076 | option_b=2837 | option_c=3241 | option_d=3039 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2026 × 150/100 = █3039.

id=54693 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=54694 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 8. | option_a=192 | option_b=48 | option_c=24 | option_d=16 | answer=C | explanation=LCM × HCF = 24×8; HCF(24,8) = 8, so LCM = 24.

id=54695 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:10 and the first is 48, what is the second? | option_a=20 | option_b=30 | option_c=46 | option_d=78 | answer=B | explanation=Scale factor = 48/16 = 3. Therefore second quantity = 10×3 = 30.

id=54696 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=96 | option_c=53 | option_d=43 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=54697 | topic=Averages | difficulty=Easy | question=Find the average of 31, 81, 10, 42, 30, 16. | option_a=36 | option_b=35 | option_c=34 | option_d=37 | answer=B | explanation=Average = sum of values ÷ number of values = 210 ÷ 6 = 35.

id=54698 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=31 | option_b=36 | option_c=32 | option_d=26 | answer=A | explanation=The common difference is 5. Therefore the next term is 26 + 5 = 31.

id=54699 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=Y | option_b=J | option_c=O | option_d=T | answer=D | explanation=Move 5 positions forward from O; the resulting letter is T.

id=54700 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:5 and the first is 160, what is the second? | option_a=50 | option_b=45 | option_c=210 | option_d=66 | answer=A | explanation=Scale factor = 160/16 = 10. Therefore second quantity = 5×10 = 50.

id=54701 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=31 | option_b=37 | option_c=43 | option_d=38 | answer=B | explanation=The common difference is 6. Therefore the next term is 31 + 6 = 37.

id=54702 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=54703 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 24. | option_a=24 | option_b=27 | option_c=1 | option_d=72 | answer=A | explanation=LCM × HCF = 3×24; HCF(3,24) = 3, so LCM = 24.

id=54704 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 10, 13, 16, ? | option_a=22 | option_b=19 | option_c=20 | option_d=16 | answer=B | explanation=The common difference is 3. Therefore the next term is 16 + 3 = 19.

id=54705 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=39 | option_b=47 | option_c=46 | option_d=53 | answer=C | explanation=The common difference is 7. Therefore the next term is 39 + 7 = 46.

id=54706 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 24, 36, 48, ? | option_a=61 | option_b=48 | option_c=72 | option_d=60 | answer=D | explanation=The common difference is 12. Therefore the next term is 48 + 12 = 60.

id=54707 | topic=Averages | difficulty=Easy | question=Find the average of 71, 90, 87, 95, 56, 45. | option_a=76 | option_b=74 | option_c=75 | option_d=73 | answer=B | explanation=Average = sum of values ÷ number of values = 444 ÷ 6 = 74.

id=54708 | topic=Percentages | difficulty=Easy | question=What is 50% of 879? | option_a=878 | option_b=429 | option_c=459 | option_d=439 | answer=D | explanation=50% of 879 = (50/100) × 879 = 439.

id=54709 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 45? | option_a=31 | option_b=45 | option_c=37 | option_d=25 | answer=B | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 45 is the odd one out.

id=54710 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=240 | option_c=125 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=54711 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10132 at 8% per annum for 4 years. | option_a=13374 | option_b=3242 | option_c=3342 | option_d=3142 | answer=B | explanation=SI = PRT/100 = 10132×8×4/100 = █3242.

id=54712 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4485. If it is sold at a profit of 5%, what is its selling price? | option_a=4261 | option_b=4490 | option_c=4709 | option_d=5157 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4485 × 105/100 = █4709.

id=54713 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=62 | option_b=53 | option_c=42 | option_d=52 | answer=D | explanation=The common difference is 10. Therefore the next term is 42 + 10 = 52.

id=54714 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=B | option_b=Z | option_c=A | option_d=C | answer=A | explanation=Move 1 positions forward from A; the resulting letter is B.

id=54715 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=29 | option_c=48 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=54716 | topic=Percentages | difficulty=Easy | question=What is 40% of 799? | option_a=319 | option_b=329 | option_c=638 | option_d=309 | answer=A | explanation=40% of 799 = (40/100) × 799 = 319.

id=54717 | topic=Percentages | difficulty=Easy | question=What is 25% of 1410? | option_a=704 | option_b=352 | option_c=342 | option_d=362 | answer=B | explanation=25% of 1410 = (25/100) × 1410 = 352.

id=54718 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=54719 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 12. | option_a=12 | option_b=96 | option_c=24 | option_d=32 | answer=C | explanation=LCM × HCF = 8×12; HCF(8,12) = 4, so LCM = 24.

id=54720 | topic=Percentages | difficulty=Easy | question=What is 5% of 1197? | option_a=59 | option_b=54 | option_c=79 | option_d=118 | answer=A | explanation=5% of 1197 = (5/100) × 1197 = 59.

Aptitude Questions — Records 54,721-54,750 of 100,000

id=54721 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 28. | option_a=308 | option_b=330 | option_c=616 | option_d=280 | answer=A | explanation=LCM × HCF = 22×28; HCF(22,28) = 2, so LCM = 308.

id=54722 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=48 | option_c=43 | option_d=53 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=54723 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=W | option_c=I | option_d=E | answer=D | explanation=Move 4 positions forward from A; the resulting letter is E.

id=54724 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3167. If it is sold at a profit of 50%, what is its selling price? | option_a=3217 | option_b=4434 | option_c=5066 | option_d=4750 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3167 × 150/100 = **■**4750.

id=54725 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 22. | option_a=1 | option_b=484 | option_c=22 | option_d=44 | answer=C | explanation=LCM × HCF = 22×22; HCF(22,22) = 22, so LCM = 22.

id=54726 | topic=Averages | difficulty=Easy | question=Find the average of 45, 52, 47, 50, 84, 59, 83. | option_a=59 | option_b=60 | option_c=61 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 420 ÷ 7 = 60.

id=54727 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=54728 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8232 at 4% per annum for 2 years. | option_a=558 | option_b=658 | option_c=758 | option_d=8890 | answer=B | explanation=SI = PRT/100 = 8232×4×2/100 = **■**658.

id=54729 | topic=Averages | difficulty=Easy | question=Find the average of 51, 85, 22, 85, 81, 66. | option_a=66 | option_b=64 | option_c=65 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 390 ÷ 6 = 65.

id=54730 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=1 | option_c=6 | option_d=11 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=54731 | topic=Averages | difficulty=Easy | question=Find the average of 11, 56, 88, 73, 68, 99, 54, 45, 54, 72. | option_a=64 | option_b=62 | option_c=61 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 620 ÷ 10 = 62.

id=54732 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1158. If it is sold at a profit of 15%, what is its selling price? | option_a=1446 | option_b=1216 | option_c=1173 | option_d=1331 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1158 × 115/100 = **■**1331.

id=54733 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=X | option_b=S | option_c=N | option_d=C | answer=A | explanation=Move 5 positions forward from S; the resulting letter is X.

id=54734 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5690 at 8% per annum for 2 years. | option_a=810 | option_b=1010 | option_c=910 | option_d=6600 | answer=C | explanation=SI = PRT/100 = 5690×8×2/100 = **■**910.

id=54735 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:15 and the first is 90, what is the second? | option_a=75 | option_b=105 | option_c=180 | option_d=90 | answer=D | explanation=Scale factor = 90/15 = 6. Therefore second quantity = 15×6 = 90.

id=54736 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1936. If it is sold at a profit of 50%, what is its selling price? | option_a=2904 | option_b=3097 | option_c=1986 | option_d=2711 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1936 × 150/100 = **■**2904.

id=54737 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 46? | option_a=46 | option_b=37 | option_c=30 | option_d=23 | answer=A | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 46 is the odd one out.

id=54738 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=43 | option_b=65 | option_c=55 | option_d=54 | answer=D | explanation=The common difference is 11. Therefore the next term is 43 + 11 = 54.

id=54739 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=T | option_b=J | option_c=E | option_d=O | answer=D | explanation=Move 5 positions forward from J; the resulting letter is O.

id=54740 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=54741 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:13 and the first is 88, what is the second? | option_a=192 | option_b=104 | option_c=91 | option_d=115 | answer=B | explanation=Scale factor = 88/11 = 8. Therefore second quantity = 13×8 = 104.

id=54742 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 14. | option_a=140 | option_b=160 | option_c=126 | option_d=280 | answer=A | explanation=LCM × HCF = 20×14; HCF(20,14) = 2, so LCM = 140.

id=54743 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=B | option_b=W | option_c=M | option_d=R | answer=B | explanation=Move 5 positions forward from R; the resulting letter is W.

id=54744 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=S | option_c=O | option_d=Q | answer=B | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=54745 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=M | option_b=C | option_c=H | option_d=X | answer=C | explanation=Move 5 positions forward from C; the resulting letter is H.

id=54746 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 10. | option_a=72 | option_b=50 | option_c=60 | option_d=120 | answer=C | explanation=LCM × HCF = 12×10; HCF(12,10) = 2, so LCM = 60.

id=54747 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=80 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=54748 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36329 at 15% per annum for 5 years. | option_a=27246 | option_b=27346 | option_c=27146 | option_d=63575 | answer=A | explanation=SI = PRT/100 = 36329×15×5/100 = **■**27246.

id=54749 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 31, 39, 48? | option_a=23 | option_b=39 | option_c=48 | option_d=31 | answer=C | explanation=The first three numbers increase by 8, so the next should be 47. Therefore 48 is the odd one out.

id=54750 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=41 | option_b=35 | option_c=27 | option_d=34 | answer=D | explanation=The common difference is 7. Therefore the next term is 27 + 7 = 34.

Aptitude Questions — Records 54,751-54,780 of 100,000

id=54751 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:20 and the first is 42, what is the second? | option_a=283 | option_b=322 | option_c=260 | option_d=280 | answer=D | explanation=Scale factor = $42/3 = 14$. Therefore second quantity = $20 \times 14 = 280$.

id=54752 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=54753 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:20 and the first is 39, what is the second? | option_a=263 | option_b=299 | option_c=240 | option_d=260 | answer=D | explanation=Scale factor = $39/3 = 13$. Therefore second quantity = $20 \times 13 = 260$.

id=54754 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=54755 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4154. If it is sold at a profit of 15%, what is its selling price? | option_a=4777 | option_b=4362 | option_c=5192 | option_d=4169 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4154 \times 115/100 = \text{█}4777$.

id=54756 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=54757 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12894 at 15% per annum for 4 years. | option_a=7736 | option_b=20630 | option_c=7636 | option_d=7836 | answer=A | explanation=SI = $PRT/100 = 12894 \times 15 \times 4/100 = \text{█}7736$.

id=54758 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1856. If it is sold at a profit of 25%, what is its selling price? | option_a=2135 | option_b=2505 | option_c=2320 | option_d=1881 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1856 \times 125/100 = \text{█}2320$.

id=54759 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=P | option_c=V | option_d=Y | answer=C | explanation=Move 3 positions forward from S; the resulting letter is V.

id=54760 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=54761 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=44 | option_b=55 | option_c=66 | option_d=56 | answer=B | explanation=The common difference is 11. Therefore the next term is $44 + 11 = 55$.

id=54762 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4997. If it is sold at a profit of 30%, what is its selling price? | option_a=6496 | option_b=6995 | option_c=5997 | option_d=5027 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4997 \times 130/100 = \text{█}6496$.

id=54763 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=Q | option_b=B | option_c=L | option_d=G | answer=C | explanation=Move 5 positions forward from G; the resulting letter is L.

id=54764 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=8 | answer=B | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=54765 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29712 at 10% per annum for 1 years. | option_a=3071 | option_b=2871 | option_c=2971 | option_d=32683 | answer=C | explanation=SI = $PRT/100 = 29712 \times 10 \times 1/100 = \text{█}2971$.

id=54766 | topic=Averages | difficulty=Easy | question=Find the average of 10, 41, 77, 35, 74, 13, 92, 96, 48. | option_a=54 | option_b=56 | option_c=53 | option_d=55 | answer=A | explanation=Average = sum of values + number of values = $486 \div 9 = 54$.

id=54767 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance + time = $180 \div 4 = 45$ km/h.

id=54768 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16574 at 4% per annum for 1 years. | option_a=762 | option_b=17236 | option_c=662 | option_d=562 | answer=C | explanation=SI = $PRT/100 = 16574 \times 4 \times 1/100 = \text{█}662$.

id=54769 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=59 | option_b=49 | option_c=69 | option_d=60 | answer=A | explanation=The common difference is 10. Therefore the next term is $49 + 10 = 59$.

id=54770 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=54771 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3665. If it is sold at a profit of 10%, what is its selling price? | option_a=3665 | option_b=4031 | option_c=4397 | option_d=3675 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3665 \times 110/100 = \text{█}4031$.

id=54772 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance + time = $180 \div 3 = 60$ km/h.

id=54773 | topic=Averages | difficulty=Easy | question=Find the average of 75, 20, 64, 15, 41, 91, 20, 98. | option_a=55 | option_b=54 | option_c=52 | option_d=53 | answer=D | explanation=Average = sum of values + number of values = $424 \div 8 = 53$.

id=54774 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:20 and the first is 154, what is the second? | option_a=220 | option_b=234 | option_c=200 | option_d=374 | answer=A | explanation=Scale factor = $154/14 = 11$. Therefore second quantity = $20 \times 11 = 220$.

id=54775 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 18. | option_a=396 | option_b=180 | option_c=198 | option_d=220 | answer=C | explanation= $LCM \times HCF = 22 \times 18$; $HCF(22,18) = 2$, so LCM = 198.

id=54776 | topic=Averages | difficulty=Easy | question=Find the average of 18, 71, 36, 57, 92, 48, 96, 62. | option_a=60 | option_b=59 | option_c=62 | option_d=61 | answer=A | explanation=Average = sum of values + number of values = $480 \div 8 = 60$.

id=54777 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 14, 21, 31? | option_a=7 | option_b=14 | option_c=31 | option_d=21 | answer=C | explanation=The first three numbers increase by 7, so the next should be 28. Therefore 31 is the odd one out.

id=54778 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=54779 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance + time = $150 \div 5 = 30$ km/h.

id=54780 | topic=Percentages | difficulty=Easy | question=What is 25% of 719? | option_a=189 | option_b=358 | option_c=159 | option_d=179 | answer=D | explanation= $25\% \text{ of } 719 = (25/100) \times 719 = 179$.

Aptitude Questions — Records 54,781-54,810 of 100,000

id=54781 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:20 and the first is 176, what is the second? | option_a=236 | option_b=220 | option_c=200 | option_d=396 | answer=B | explanation=Scale factor = 176/16 = 11. Therefore second quantity = 20×11 = 220.

id=54782 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=I | option_b=Y | option_c=D | option_d=N | answer=A | explanation=Move 5 positions forward from D; the resulting letter is I.

id=54783 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 27. | option_a=81 | option_b=108 | option_c=120 | option_d=324 | answer=B | explanation=LCM × HCF = 12×27; HCF(12,27) = 3, so LCM = 108.

id=54784 | topic=Percentages | difficulty=Easy | question=What is 12% of 1059? | option_a=127 | option_b=132 | option_c=117 | option_d=254 | answer=A | explanation=12% of 1059 = (12/100) × 1059 = 127.

id=54785 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=17 | option_b=13 | option_c=19 | option_d=16 | answer=D | explanation=The common difference is 3. Therefore the next term is 13 + 3 = 16.

id=54786 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=50 | option_b=62 | option_c=51 | option_d=38 | answer=A | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=54787 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=54788 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 35? | option_a=26 | option_b=30 | option_c=28 | option_d=35 | answer=D | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 35 is the odd one out.

id=54789 | topic=Percentages | difficulty=Easy | question=What is 25% of 1750? | option_a=437 | option_b=417 | option_c=874 | option_d=457 | answer=A | explanation=25% of 1750 = (25/100) × 1750 = 437.

id=54790 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹3579. If it is sold at a profit of 10%, what is its selling price? | option_a=3579 | option_b=4293 | option_c=3936 | option_d=3589 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3579 × 110/100 = ₹3936.

id=54791 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=54792 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=X | option_c=L | option_d=P | answer=A | explanation=Move 4 positions forward from P; the resulting letter is T.

id=54793 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=W | option_b=T | option_c=N | option_d=Q | answer=B | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=54794 | topic=Percentages | difficulty=Easy | question=What is 5% of 1874? | option_a=93 | option_b=186 | option_c=83 | option_d=113 | answer=A | explanation=5% of 1874 = (5/100) × 1874 = 93.

id=54795 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 20, 28, 37? | option_a=12 | option_b=28 | option_c=20 | option_d=37 | answer=D | explanation=The first three numbers increase by 8, so the next should be 36. Therefore 37 is the odd one out.

id=54796 | topic=Averages | difficulty=Easy | question=Find the average of 50, 69, 86, 50, 23, 68, 46, 63, 10, 65. | option_a=52 | option_b=55 | option_c=54 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=54797 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 23, 30, 39? | option_a=16 | option_b=23 | option_c=39 | option_d=30 | answer=C | explanation=The first three numbers increase by 7, so the next should be 37. Therefore 39 is the odd one out.

id=54798 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2143. If it is sold at a profit of 10%, what is its selling price? | option_a=2571 | option_b=2143 | option_c=2153 | option_d=2357 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2143 × 110/100 = ₹2357.

id=54799 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=L | option_b=R | option_c=P | option_d=N | answer=C | explanation=Move 2 positions forward from N; the resulting letter is P.

id=54800 | topic=Percentages | difficulty=Easy | question=What is 40% of 1631? | option_a=642 | option_b=652 | option_c=657 | option_d=1304 | answer=B | explanation=40% of 1631 = (40/100) × 1631 = 652.

id=54801 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=54802 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 26? | option_a=19 | option_b=26 | option_c=22 | option_d=16 | answer=B | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 26 is the odd one out.

id=54803 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:16 and the first is 117, what is the second? | option_a=325 | option_b=217 | option_c=208 | option_d=192 | answer=C | explanation=Scale factor = 117/9 = 13. Therefore second quantity = 16×13 = 208.

id=54804 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=54805 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=28 | option_b=23 | option_c=31 | option_d=27 | answer=D | explanation=The common difference is 4. Therefore the next term is 23 + 4 = 27.

id=54806 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹25894 at 15% per annum for 3 years. | option_a=11552 | option_b=37546 | option_c=11652 | option_d=11752 | answer=C | explanation=SI = PRT/100 = 25894×15×3/100 = ₹11652.

id=54807 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=54808 | topic=Percentages | difficulty=Easy | question=What is 50% of 618? | option_a=618 | option_b=309 | option_c=299 | option_d=319 | answer=B | explanation=50% of 618 = (50/100) × 618 = 309.

id=54809 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹612. If it is sold at a profit of 15%, what is its selling price? | option_a=627 | option_b=703 | option_c=642 | option_d=764 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 612 × 115/100 = ₹703.

id=54810 | topic=Percentages | difficulty=Easy | question=What is 25% of 1625? | option_a=812 | option_b=406 | option_c=411 | option_d=386 | answer=B | explanation=25% of 1625 = (25/100) × 1625 = 406.

Aptitude Questions — Records 54,811-54,840 of 100,000

id=54811 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4514. If it is sold at a profit of 30%, what is its selling price? | option_a=5417 | option_b=6319 | option_c=5868 | option_d=4544 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4514 × 130/100 = ■5868.

id=54812 | topic=Averages | difficulty=Easy | question=Find the average of 76, 52, 98, 94, 50. | option_a=74 | option_b=73 | option_c=75 | option_d=76 | answer=A | explanation=Average = sum of values ÷ number of values = 370 ÷ 5 = 74.

id=54813 | topic=Percentages | difficulty=Easy | question=What is 12% of 1258? | option_a=300 | option_b=155 | option_c=150 | option_d=130 | answer=C | explanation=12% of 1258 = (12/100) × 1258 = 150.

id=54814 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=C | option_b=H | option_c=R | option_d=M | answer=D | explanation=Move 5 positions forward from H; the resulting letter is M.

id=54815 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:2 and the first is 16, what is the second? | option_a=12 | option_b=2 | option_c=4 | option_d=20 | answer=C | explanation=Scale factor = 16/8 = 2. Therefore second quantity = 2×2 = 4.

id=54816 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=80 | option_c=45 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=54817 | topic=Averages | difficulty=Easy | question=Find the average of 24, 16, 42, 43, 95, 23, 37. | option_a=39 | option_b=42 | option_c=41 | option_d=40 | answer=D | explanation=Average = sum of values ÷ number of values = 280 ÷ 7 = 40.

id=54818 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:5 and the first is 85, what is the second? | option_a=170 | option_b=80 | option_c=85 | option_d=90 | answer=C | explanation=Scale factor = 85/5 = 17. Therefore second quantity = 5×17 = 85.

id=54819 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4787. If it is sold at a profit of 10%, what is its selling price? | option_a=5265 | option_b=4787 | option_c=4797 | option_d=5743 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4787 × 110/100 = ■5265.

id=54820 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=56 | option_b=66 | option_c=46 | option_d=57 | answer=A | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=54821 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 37? | option_a=37 | option_b=23 | option_c=29 | option_d=17 | answer=A | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 37 is the odd one out.

id=54822 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=M | option_c=N | option_d=O | answer=D | explanation=Move 1 positions forward from N; the resulting letter is O.

id=54823 | topic=Percentages | difficulty=Easy | question=What is 30% of 1872? | option_a=551 | option_b=1122 | option_c=571 | option_d=561 | answer=D | explanation=30% of 1872 = (30/100) × 1872 = 561.

id=54824 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=44 | option_b=45 | option_c=38 | option_d=50 | answer=A | explanation=The common difference is 6. Therefore the next term is 38 + 6 = 44.

id=54825 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■5935 at 10% per annum for 1 years. | option_a=593 | option_b=493 | option_c=693 | option_d=6528 | answer=A | explanation=SI = PRT/100 = 5935×10×1/100 = ■593.

id=54826 | topic=Percentages | difficulty=Easy | question=What is 20% of 666? | option_a=113 | option_b=138 | option_c=133 | option_d=266 | answer=C | explanation=20% of 666 = (20/100) × 666 = 133.

id=54827 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=155 | option_c=150 | option_d=300 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=54828 | topic=Averages | difficulty=Easy | question=Find the average of 35, 43, 81, 86, 69, 27, 30. | option_a=53 | option_b=55 | option_c=54 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 371 ÷ 7 = 53.

id=54829 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=H | option_b=E | option_c=K | option_d=B | answer=A | explanation=Move 3 positions forward from E; the resulting letter is H.

id=54830 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=18 | option_b=23 | option_c=26 | option_d=22 | answer=D | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

id=54831 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 27. | option_a=243 | option_b=1 | option_c=36 | option_d=27 | answer=D | explanation=LCM × HCF = 9×27; HCF(9,27) = 9, so LCM = 27.

id=54832 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:11 and the first is 300, what is the second? | option_a=209 | option_b=520 | option_c=235 | option_d=220 | answer=D | explanation=Scale factor = 300/15 = 20. Therefore second quantity = 11×20 = 220.

id=54833 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■44522 at 8% per annum for 5 years. | option_a=17708 | option_b=17808 | option_c=62330 | option_d=17908 | answer=B | explanation=SI = PRT/100 = 44522×8×5/100 = ■17808.

id=54834 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=K | option_b=O | option_c=W | option_d=S | answer=D | explanation=Move 4 positions forward from O; the resulting letter is S.

id=54835 | topic=Averages | difficulty=Easy | question=Find the average of 27, 61, 98, 83, 18, 71, 89, 49, 94, 30. | option_a=61 | option_b=63 | option_c=62 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 620 ÷ 10 = 62.

id=54836 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=L | option_c=J | option_d=M | answer=B | explanation=Move 1 positions forward from K; the resulting letter is L.

id=54837 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=54838 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=20 | option_b=18 | option_c=16 | option_d=19 | answer=B | explanation=The common difference is 2. Therefore the next term is 16 + 2 = 18.

id=54839 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 17? | option_a=3 | option_b=17 | option_c=11 | option_d=7 | answer=B | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 17 is the odd one out.

id=54840 | topic=Percentages | difficulty=Easy | question=What is 25% of 1840? | option_a=450 | option_b=470 | option_c=460 | option_d=920 | answer=C | explanation=25% of 1840 = (25/100) × 1840 = 460.

Aptitude Questions — Records 54,841-54,870 of 100,000

id=54841 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 25, 31, 38? | option_a=25 | option_b=19 | option_c=31 | option_d=38 | answer=D | explanation=The first three numbers increase by 6, so the next should be 37. Therefore 38 is the odd one out.

id=54842 | topic=Averages | difficulty=Easy | question=Find the average of 85, 34, 34. | option_a=53 | option_b=50 | option_c=51 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = $153 \div 3 = 51$.

id=54843 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=41 | option_b=34 | option_c=35 | option_d=27 | answer=B | explanation=The common difference is 7. Therefore the next term is $27 + 7 = 34$.

id=54844 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:5 and the first is 272, what is the second? | option_a=97 | option_b=80 | option_c=352 | option_d=75 | answer=B | explanation=Scale factor = $272/17 = 16$. Therefore second quantity = $5 \times 16 = 80$.

id=54845 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 18, 24, 30, ? | option_a=37 | option_b=30 | option_c=42 | option_d=36 | answer=D | explanation=The common difference is 6. Therefore the next term is $30 + 6 = 36$.

id=54846 | topic=Percentages | difficulty=Easy | question=What is 30% of 551? | option_a=330 | option_b=145 | option_c=165 | option_d=185 | answer=C | explanation=30% of 551 = $(30/100) \times 551 = 165$.

id=54847 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:7 and the first is 114, what is the second? | option_a=35 | option_b=156 | option_c=42 | option_d=61 | answer=C | explanation=Scale factor = $114/19 = 6$. Therefore second quantity = $7 \times 6 = 42$.

id=54848 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 33? | option_a=33 | option_b=12 | option_c=18 | option_d=24 | answer=A | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 33 is the odd one out.

id=54849 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4501. If it is sold at a profit of 5%, what is its selling price? | option_a=4726 | option_b=4276 | option_c=4506 | option_d=5176 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4501 \times 105/100 = \text{█}4726$.

id=54850 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 46? | option_a=35 | option_b=46 | option_c=27 | option_d=19 | answer=B | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 46 is the odd one out.

id=54851 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2155. If it is sold at a profit of 25%, what is its selling price? | option_a=2478 | option_b=2693 | option_c=2908 | option_d=2180 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2155 \times 125/100 = \text{█}2693$.

id=54852 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 15. | option_a=126 | option_b=90 | option_c=315 | option_d=105 | answer=D | explanation=LCM $\times$ HCF = 21×15 ; HCF(21,15) = 3, so LCM = 105.

id=54853 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:17 and the first is 110, what is the second? | option_a=153 | option_b=170 | option_c=181 | option_d=280 | answer=B | explanation=Scale factor = $110/11 = 10$. Therefore second quantity = $17 \times 10 = 170$.

id=54854 | topic=Averages | difficulty=Easy | question=Find the average of 61, 84, 37, 94, 66, 32, 62, 22, 83, 89. | option_a=63 | option_b=62 | option_c=65 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = $630 \div 10 = 63$.

id=54855 | topic=Percentages | difficulty=Easy | question=What is 15% of 1158? | option_a=173 | option_b=346 | option_c=168 | option_d=193 | answer=A | explanation=15% of 1158 = $(15/100) \times 1158 = 173$.

id=54856 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:13 and the first is 180, what is the second? | option_a=310 | option_b=117 | option_c=148 | option_d=130 | answer=D | explanation=Scale factor = $180/18 = 10$. Therefore second quantity = $13 \times 10 = 130$.

id=54857 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42831 at 5% per annum for 3 years. | option_a=49255 | option_b=6424 | option_c=6524 | option_d=6324 | answer=B | explanation=SI = $PRT/100 = 42831 \times 5 \times 3/100 = \text{█}6424$.

id=54858 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46102 at 5% per annum for 3 years. | option_a=6815 | option_b=6915 | option_c=7015 | option_d=53017 | answer=B | explanation=SI = $PRT/100 = 46102 \times 5 \times 3/100 = \text{█}6915$.

id=54859 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2240. If it is sold at a profit of 10%, what is its selling price? | option_a=2464 | option_b=2688 | option_c=2240 | option_d=2250 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2240 \times 110/100 = \text{█}2464$.

id=54860 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=51 | option_b=38 | option_c=62 | option_d=50 | answer=D | explanation=The common difference is 12. Therefore the next term is $38 + 12 = 50$.

id=54861 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34307 at 6% per annum for 5 years. | option_a=10392 | option_b=10292 | option_c=10192 | option_d=44599 | answer=B | explanation=SI = $PRT/100 = 34307 \times 6 \times 5/100 = \text{█}10292$.

id=54862 | topic=Profit & Loss | difficulty=Easy | question=An article costs █951. If it is sold at a profit of 25%, what is its selling price? | option_a=976 | option_b=1093 | option_c=1188 | option_d=1283 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 951 \times 125/100 = \text{█}1188$.

id=54863 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=O | option_c=K | option_d=W | answer=A | explanation=Move 4 positions forward from O; the resulting letter is S.

id=54864 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=54865 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:16 and the first is 60, what is the second? | option_a=32 | option_b=108 | option_c=48 | option_d=68 | answer=C | explanation=Scale factor = $60/20 = 3$. Therefore second quantity = $16 \times 3 = 48$.

id=54866 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=54867 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 37? | option_a=21 | option_b=37 | option_c=31 | option_d=26 | answer=B | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 37 is the odd one out.

id=54868 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=Y | option_b=D | option_c=O | option_d=T | answer=A | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=54869 | topic=Averages | difficulty=Easy | question=Find the average of 19, 48, 15, 22, 87, 50, 74. | option_a=45 | option_b=46 | option_c=44 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = $315 \div 7 = 45$.

id=54870 | topic=Averages | difficulty=Easy | question=Find the average of 47, 20, 87, 68, 73. | option_a=59 | option_b=61 | option_c=58 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = $295 \div 5 = 59$.

Aptitude Questions — Records 54,871-54,900 of 100,000

id=54871 | topic=Percentages | difficulty=Easy | question=What is 40% of 824? | option_a=329 | option_b=349 | option_c=319 | option_d=658 | answer=A | explanation=40% of 824 = (40/100) × 824 = 329.

id=54872 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 45? | option_a=26 | option_b=38 | option_c=32 | option_d=45 | answer=D | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 45 is the odd one out.

id=54873 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=O | option_c=L | option_d=F | answer=C | explanation=Move 3 positions forward from I; the resulting letter is L.

id=54874 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=F | option_c=B | option_d=H | answer=B | explanation=Move 2 positions forward from D; the resulting letter is F.

id=54875 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=C | option_c=L | option_d=I | answer=D | explanation=Move 3 positions forward from F; the resulting letter is I.

id=54876 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=54877 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=54878 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 31, 34, 39? | option_a=34 | option_b=39 | option_c=28 | option_d=31 | answer=B | explanation=The first three numbers increase by 3, so the next should be 37. Therefore 39 is the odd one out.

id=54879 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=S | option_c=K | option_d=W | answer=B | explanation=Move 4 positions forward from O; the resulting letter is S.

id=54880 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=13 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=54881 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:14 and the first is 360, what is the second? | option_a=252 | option_b=612 | option_c=238 | option_d=272 | answer=A | explanation=Scale factor = 360/20 = 18. Therefore second quantity = 14×18 = 252.

id=54882 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1834. If it is sold at a profit of 50%, what is its selling price? | option_a=2934 | option_b=1884 | option_c=2751 | option_d=2568 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1834 × 150/100 = █2751.

id=54883 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:20 and the first is 16, what is the second? | option_a=20 | option_b=40 | option_c=48 | option_d=56 | answer=B | explanation=Scale factor = 16/8 = 2. Therefore second quantity = 20×2 = 40.

id=54884 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:18 and the first is 272, what is the second? | option_a=560 | option_b=288 | option_c=305 | option_d=270 | answer=B | explanation=Scale factor = 272/17 = 16. Therefore second quantity = 18×16 = 288.

id=54885 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=D | option_c=L | option_d=Z | answer=A | explanation=Move 4 positions forward from D; the resulting letter is H.

id=54886 | topic=Averages | difficulty=Easy | question=Find the average of 86, 83, 47, 27, 66, 83, 100, 90, 66. | option_a=74 | option_b=71 | option_c=72 | option_d=73 | answer=C | explanation=Average = sum of values ÷ number of values = 648 ÷ 9 = 72.

id=54887 | topic=Profit & Loss | difficulty=Easy | question=An article costs █376. If it is sold at a profit of 10%, what is its selling price? | option_a=376 | option_b=386 | option_c=413 | option_d=450 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 376 × 110/100 = █413.

id=54888 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2769. If it is sold at a profit of 30%, what is its selling price? | option_a=2799 | option_b=3875 | option_c=3323 | option_d=3599 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2769 × 130/100 = █3599.

id=54889 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12685 at 10% per annum for 1 years. | option_a=1168 | option_b=13953 | option_c=1268 | option_d=1368 | answer=C | explanation=SI = PRT/100 = 12685×10×1/100 = █1268.

id=54890 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=13 | option_c=23 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=54891 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=54892 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 28? | option_a=19 | option_b=12 | option_c=5 | option_d=28 | answer=D | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 28 is the odd one out.

id=54893 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:5 and the first is 56, what is the second? | option_a=70 | option_b=65 | option_c=74 | option_d=126 | answer=A | explanation=Scale factor = 56/4 = 14. Therefore second quantity = 5×14 = 70.

id=54894 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=K | option_b=O | option_c=W | option_d=S | answer=D | explanation=Move 4 positions forward from O; the resulting letter is S.

id=54895 | topic=Averages | difficulty=Easy | question=Find the average of 82, 25, 23, 23, 26, 87, 50, 28, 70. | option_a=47 | option_b=48 | option_c=46 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = 414 ÷ 9 = 46.

id=54896 | topic=Averages | difficulty=Easy | question=Find the average of 70, 98, 41, 79, 24, 42. | option_a=59 | option_b=58 | option_c=61 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.

id=54897 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=54898 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2606. If it is sold at a profit of 30%, what is its selling price? | option_a=3127 | option_b=3387 | option_c=2636 | option_d=3647 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2606 × 130/100 = █3387.

id=54899 | topic=Averages | difficulty=Easy | question=Find the average of 42, 67, 65. | option_a=57 | option_b=60 | option_c=59 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 174 ÷ 3 = 58.

id=54900 | topic=Averages | difficulty=Easy | question=Find the average of 91, 44, 82, 90, 78, 29. | option_a=70 | option_b=69 | option_c=71 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = 414 ÷ 6 = 69.

Aptitude Questions — Records 54,901-54,930 of 100,000

id=54901 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:16 and the first is 342, what is the second? | option_a=304 | option_b=646 | option_c=288 | option_d=322 | answer=A | explanation=Scale factor = $342/18 = 19$. Therefore second quantity = $16 \times 19 = 304$.

id=54902 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=J | option_c=D | option_d=F | answer=A | explanation=Move 2 positions forward from F; the resulting letter is H.

id=54903 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=54904 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1568. If it is sold at a profit of 50%, what is its selling price? | option_a=1618 | option_b=2508 | option_c=2196 | option_d=2352 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1568 \times 150/100 = \text{█}2352$.

id=54905 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=H | option_b=G | option_c=F | option_d=I | answer=A | explanation=Move 1 positions forward from G; the resulting letter is H.

id=54906 | topic=Percentages | difficulty=Easy | question=What is 10% of 642? | option_a=128 | option_b=54 | option_c=64 | option_d=84 | answer=C | explanation= 10% of $642 = (10/100) \times 642 = 64$.

id=54907 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=O | option_b=I | option_c=L | option_d=F | answer=C | explanation=Move 3 positions forward from I; the resulting letter is L.

id=54908 | topic=Averages | difficulty=Easy | question=Find the average of 28, 32, 77, 26, 43, 54, 20. | option_a=39 | option_b=40 | option_c=42 | option_d=41 | answer=B | explanation=Average = sum of values ÷ number of values = $280 \div 7 = 40$.

id=54909 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1852. If it is sold at a profit of 25%, what is its selling price? | option_a=2500 | option_b=2315 | option_c=2130 | option_d=1877 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1852 \times 125/100 = \text{█}2315$.

id=54910 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=O | option_b=N | option_c=P | option_d=M | answer=A | explanation=Move 1 positions forward from N; the resulting letter is O.

id=54911 | topic=Percentages | difficulty=Easy | question=What is 15% of 1209? | option_a=191 | option_b=171 | option_c=362 | option_d=181 | answer=D | explanation= 15% of $1209 = (15/100) \times 1209 = 181$.

id=54912 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3565 at 4% per annum for 2 years. | option_a=385 | option_b=3850 | option_c=185 | option_d=285 | answer=D | explanation=SI = $PRT/100 = 3565 \times 4 \times 2/100 = \text{█}285$.

id=54913 | topic=Percentages | difficulty=Easy | question=What is 30% of 1646? | option_a=498 | option_b=986 | option_c=473 | option_d=493 | answer=D | explanation= 30% of $1646 = (30/100) \times 1646 = 493$.

id=54914 | topic=Percentages | difficulty=Easy | question=What is 25% of 964? | option_a=482 | option_b=236 | option_c=246 | option_d=241 | answer=D | explanation= 25% of $964 = (25/100) \times 964 = 241$.

id=54915 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = $180 \div 3 = 60$ km/h.

id=54916 | topic=Averages | difficulty=Easy | question=Find the average of 42, 11, 53, 67, 36, 91, 29. | option_a=49 | option_b=46 | option_c=47 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = $329 \div 7 = 47$.

id=54917 | topic=Averages | difficulty=Easy | question=Find the average of 97, 19, 92, 30, 78, 75, 93, 17, 12. | option_a=58 | option_b=57 | option_c=59 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = $513 \div 9 = 57$.

id=54918 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $300 \div 10 = 30$ km/h.

id=54919 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=54920 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=29 | option_b=32 | option_c=26 | option_d=30 | answer=A | explanation=The common difference is 3. Therefore the next term is $26 + 3 = 29$.

id=54921 | topic=Averages | difficulty=Easy | question=Find the average of 59, 39, 73, 41. | option_a=52 | option_b=55 | option_c=53 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = $212 \div 4 = 53$.

id=54922 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:18 and the first is 108, what is the second? | option_a=90 | option_b=216 | option_c=108 | option_d=126 | answer=C | explanation=Scale factor = $108/18 = 6$. Therefore second quantity = $18 \times 6 = 108$.

id=54923 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 34, 43, 55? | option_a=43 | option_b=34 | option_c=55 | option_d=25 | answer=C | explanation=The first three numbers increase by 9, so the next should be 52. Therefore 55 is the odd one out.

id=54924 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2477. If it is sold at a profit of 15%, what is its selling price? | option_a=2848 | option_b=2601 | option_c=2492 | option_d=3095 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2477 \times 115/100 = \text{█}2848$.

id=54925 | topic=Averages | difficulty=Easy | question=Find the average of 92, 50, 16, 41, 40, 65, 18. | option_a=47 | option_b=48 | option_c=45 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = $322 \div 7 = 46$.

id=54926 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = $180 \div 6 = 30$ km/h.

id=54927 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=54928 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 165, what is the second? | option_a=33 | option_b=198 | option_c=48 | option_d=30 | answer=A | explanation=Scale factor = $165/15 = 11$. Therefore second quantity = $3 \times 11 = 33$.

id=54929 | topic=Averages | difficulty=Easy | question=Find the average of 23, 35, 21, 66, 70. | option_a=44 | option_b=45 | option_c=43 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = $215 \div 5 = 43$.

id=54930 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=8 | option_d=1 | answer=B | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

Aptitude Questions — Records 54,931-54,960 of 100,000

id=54931 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=Q | option_b=N | option_c=P | option_d=O | answer=C | explanation=Move 1 positions forward from O; the resulting letter is P.

id=54932 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:9 and the first is 288, what is the second? | option_a=162 | option_b=144 | option_c=135 | option_d=432 | answer=B | explanation=Scale factor = 288/18 = 16. Therefore second quantity = 9×16 = 144.

id=54933 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:10 and the first is 91, what is the second? | option_a=60 | option_b=161 | option_c=83 | option_d=70 | answer=D | explanation=Scale factor = 91/13 = 7. Therefore second quantity = 10×7 = 70.

id=54934 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=L | option_b=B | option_c=Q | option_d=G | answer=A | explanation=Move 5 positions forward from G; the resulting letter is L.

id=54935 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 27, 32, 40? | option_a=27 | option_b=22 | option_c=32 | option_d=40 | answer=D | explanation=The first three numbers increase by 5, so the next should be 37. Therefore 40 is the odd one out.

id=54936 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 22. | option_a=396 | option_b=216 | option_c=198 | option_d=176 | answer=C | explanation=LCM × HCF = 18×22; HCF(18,22) = 2, so LCM = 198.

id=54937 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:11 and the first is 168, what is the second? | option_a=121 | option_b=300 | option_c=146 | option_d=132 | answer=D | explanation=Scale factor = 168/14 = 12. Therefore second quantity = 11×12 = 132.

id=54938 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=54939 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 30, 33, 38? | option_a=30 | option_b=33 | option_c=27 | option_d=38 | answer=D | explanation=The first three numbers increase by 3, so the next should be 36. Therefore 38 is the odd one out.

id=54940 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=58 | option_b=50 | option_c=40 | option_d=49 | answer=D | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

id=54941 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:15 and the first is 80, what is the second? | option_a=225 | option_b=240 | option_c=245 | option_d=320 | answer=B | explanation=Scale factor = 80/5 = 16. Therefore second quantity = 15×16 = 240.

id=54942 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=54943 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=54944 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■20282 at 6% per annum for 2 years. | option_a=2533 | option_b=22715 | option_c=2333 | option_d=2433 | answer=D | explanation=SI = PRT/100 = 20282×6×2/100 = ■2433.

id=54945 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:18 and the first is 57, what is the second? | option_a=73 | option_b=111 | option_c=36 | option_d=54 | answer=D | explanation=Scale factor = 57/19 = 3. Therefore second quantity = 18×3 = 54.

id=54946 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:12 and the first is 16, what is the second? | option_a=96 | option_b=112 | option_c=98 | option_d=84 | answer=A | explanation=Scale factor = 16/2 = 8. Therefore second quantity = 12×8 = 96.

id=54947 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=35 | option_b=43 | option_c=42 | option_d=49 | answer=C | explanation=The common difference is 7. Therefore the next term is 35 + 7 = 42.

id=54948 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=I | option_c=O | option_d=M | answer=D | explanation=Move 2 positions forward from K; the resulting letter is M.

id=54949 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:15 and the first is 190, what is the second? | option_a=270 | option_b=285 | option_c=475 | option_d=295 | answer=B | explanation=Scale factor = 190/10 = 19. Therefore second quantity = 15×19 = 285.

id=54950 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■455. If it is sold at a profit of 10%, what is its selling price? | option_a=500 | option_b=465 | option_c=455 | option_d=545 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 455 × 110/100 = ■500.

id=54951 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■10789 at 15% per annum for 1 years. | option_a=1718 | option_b=1618 | option_c=12407 | option_d=1518 | answer=B | explanation=SI = PRT/100 = 10789×15×1/100 = ■1618.

id=54952 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=54953 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 18. | option_a=18 | option_b=40 | option_c=36 | option_d=72 | answer=C | explanation=LCM × HCF = 4×18; HCF(4,18) = 2, so LCM = 36.

id=54954 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=W | option_b=B | option_c=G | option_d=L | answer=C | explanation=Move 5 positions forward from B; the resulting letter is G.

id=54955 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 58? | option_a=26 | option_b=46 | option_c=36 | option_d=58 | answer=D | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 58 is the odd one out.

id=54956 | topic=Averages | difficulty=Easy | question=Find the average of 72, 88, 95, 75, 36, 88, 67, 24, 94. | option_a=71 | option_b=73 | option_c=70 | option_d=72 | answer=A | explanation=Average = sum of values ÷ number of values = 639 ÷ 9 = 71.

id=54957 | topic=Percentages | difficulty=Easy | question=What is 10% of 202? | option_a=20 | option_b=40 | option_c=25 | option_d=10 | answer=A | explanation=10% of 202 = (10/100) × 202 = 20.

id=54958 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■821. If it is sold at a profit of 20%, what is its selling price? | option_a=1067 | option_b=985 | option_c=903 | option_d=841 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 821 × 120/100 = ■985.

id=54959 | topic=Percentages | difficulty=Easy | question=What is 10% of 1145? | option_a=134 | option_b=228 | option_c=109 | option_d=114 | answer=D | explanation=10% of 1145 = (10/100) × 1145 = 114.

id=54960 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2519. If it is sold at a profit of 20%, what is its selling price? | option_a=3273 | option_b=2771 | option_c=3022 | option_d=2539 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2519 × 120/100 = ■3022.

Aptitude Questions — Records 54,961-54,990 of 100,000

id=54961 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■41002 at 12% per annum for 2 years. | option_a=9940 | option_b=9840 | option_c=9740 | option_d=50842 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{41002 \times 12 \times 2}{100} = \blacksquare 9840$.

id=54962 | topic=Averages | difficulty=Easy | question=Find the average of 36, 31, 100, 95, 61, 24, 45. | option_a=55 | option_b=56 | option_c=58 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = $392 \div 7 = 56$.

id=54963 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:5 and the first is 18, what is the second? | option_a=47 | option_b=40 | option_c=45 | option_d=63 | answer=C | explanation=Scale factor = $18/2 = 9$. Therefore second quantity = $5 \times 9 = 45$.

id=54964 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 12? | option_a=9 | option_b=7 | option_c=5 | option_d=12 | answer=D | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 12 is the odd one out.

id=54965 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=5 | answer=A | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=54966 | topic=Averages | difficulty=Easy | question=Find the average of 82, 96, 36, 55, 38, 96, 52. | option_a=64 | option_b=66 | option_c=65 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = $455 \div 7 = 65$.

id=54967 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4426. If it is sold at a profit of 40%, what is its selling price? | option_a=4466 | option_b=5754 | option_c=6638 | option_d=6196 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4426 \times 140/100 = \blacksquare 6196$.

id=54968 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 26. | option_a=1 | option_b=26 | option_c=52 | option_d=28 | answer=B | explanation= $LCM \times HCF = 2 \times 26$; $HCF(2, 26) = 2$, so $LCM = 26$.

id=54969 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=63 | option_b=54 | option_c=55 | option_d=45 | answer=B | explanation=The common difference is 9. Therefore the next term is $45 + 9 = 54$.

id=54970 | topic=Averages | difficulty=Easy | question=Find the average of 94, 31, 67, 27, 21, 48. | option_a=50 | option_b=48 | option_c=49 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = $288 \div 6 = 48$.

id=54971 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=X | option_b=N | option_c=I | option_d=S | answer=D | explanation=Move 5 positions forward from N; the resulting letter is S.

id=54972 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3287. If it is sold at a profit of 20%, what is its selling price? | option_a=3616 | option_b=3307 | option_c=3944 | option_d=4272 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3287 \times 120/100 = \blacksquare 3944$.

id=54973 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4034. If it is sold at a profit of 40%, what is its selling price? | option_a=6050 | option_b=4074 | option_c=5244 | option_d=5647 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4034 \times 140/100 = \blacksquare 5647$.

id=54974 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=20 | option_d=4 | answer=A | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=54975 | topic=Percentages | difficulty=Easy | question=What is 20% of 904? | option_a=360 | option_b=190 | option_c=180 | option_d=160 | answer=C | explanation= $20\% \text{ of } 904 = (20/100) \times 904 = 180$.

id=54976 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=K | option_c=I | option_d=E | answer=C | explanation=Move 2 positions forward from G; the resulting letter is I.

id=54977 | topic=Percentages | difficulty=Easy | question=What is 20% of 1842? | option_a=388 | option_b=363 | option_c=368 | option_d=736 | answer=C | explanation= $20\% \text{ of } 1842 = (20/100) \times 1842 = 368$.

id=54978 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 5. | option_a=100 | option_b=20 | option_c=40 | option_d=15 | answer=B | explanation= $LCM \times HCF = 20 \times 5$; $HCF(20, 5) = 5$, so $LCM = 20$.

id=54979 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 13, 18, 23, ? | option_a=28 | option_b=33 | option_c=23 | option_d=29 | answer=A | explanation=The common difference is 5. Therefore the next term is $23 + 5 = 28$.

id=54980 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=K | option_b=B | option_c=H | option_d=E | answer=C | explanation=Move 3 positions forward from E; the resulting letter is H.

id=54981 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=42 | option_b=35 | option_c=49 | option_d=43 | answer=A | explanation=The common difference is 7. Therefore the next term is $35 + 7 = 42$.

id=54982 | topic=Percentages | difficulty=Easy | question=What is 10% of 445? | option_a=24 | option_b=88 | option_c=44 | option_d=64 | answer=C | explanation= $10\% \text{ of } 445 = (10/100) \times 445 = 44$.

id=54983 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=24 | option_c=12 | option_d=7 | answer=C | explanation=Speed = distance ÷ time = $60 \div 5 = 12 \text{ km/h}$.

id=54984 | topic=Percentages | difficulty=Easy | question=What is 10% of 1086? | option_a=216 | option_b=113 | option_c=108 | option_d=103 | answer=C | explanation= $10\% \text{ of } 1086 = (10/100) \times 1086 = 108$.

id=54985 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■47778 at 5% per annum for 4 years. | option_a=57333 | option_b=9555 | option_c=9455 | option_d=9655 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{47778 \times 5 \times 4}{100} = \blacksquare 9555$.

id=54986 | topic=Percentages | difficulty=Easy | question=What is 10% of 747? | option_a=69 | option_b=94 | option_c=148 | option_d=74 | answer=D | explanation= $10\% \text{ of } 747 = (10/100) \times 747 = 74$.

id=54987 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=49 | option_b=41 | option_c=40 | option_d=31 | answer=C | explanation=The common difference is 9. Therefore the next term is $31 + 9 = 40$.

id=54988 | topic=Averages | difficulty=Easy | question=Find the average of 60, 31, 70, 31. | option_a=50 | option_b=48 | option_c=49 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = $192 \div 4 = 48$.

id=54989 | topic=Averages | difficulty=Easy | question=Find the average of 29, 19, 84. | option_a=46 | option_b=45 | option_c=43 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = $132 \div 3 = 44$.

id=54990 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 21, 30, 40? | option_a=12 | option_b=30 | option_c=21 | option_d=40 | answer=D | explanation=The first three numbers increase by 9, so the next should be 39. Therefore 40 is the odd one out.

Aptitude Questions — Records 54,991-55,020 of 100,000

id=54991 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:9 and the first is 24, what is the second? | option_a=42 | option_b=18 | option_c=9 | option_d=30 | answer=B | explanation=Scale factor = $24/12 = 2$. Therefore second quantity = $9 \times 2 = 18$.

id=54992 | topic=Percentages | difficulty=Easy | question=What is 15% of 774? | option_a=116 | option_b=232 | option_c=111 | option_d=126 | answer=A | explanation=15% of 774 = $(15/100) \times 774 = 116$.

id=54993 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=K | option_c=J | option_d=L | answer=D | explanation=Move 1 positions forward from K; the resulting letter is L.

id=54994 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=35 | option_b=31 | option_c=32 | option_d=27 | answer=B | explanation=The common difference is 4. Therefore the next term is $27 + 4 = 31$.

id=54995 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=62 | option_b=61 | option_c=49 | option_d=73 | answer=B | explanation=The common difference is 12. Therefore the next term is $49 + 12 = 61$.

id=54996 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = $90 \div 3 = 30$ km/h.

id=54997 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 24? | option_a=24 | option_b=19 | option_c=17 | option_d=21 | answer=A | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 24 is the odd one out.

id=54998 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2335. If it is sold at a profit of 50%, what is its selling price? | option_a=2385 | option_b=3269 | option_c=3502 | option_d=3735 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2335 \times 150/100 = \text{█}3502$.

id=54999 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=76 | option_b=65 | option_c=52 | option_d=64 | answer=D | explanation=The common difference is 12. Therefore the next term is $52 + 12 = 64$.

id=55000 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 43? | option_a=34 | option_b=26 | option_c=43 | option_d=18 | answer=C | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 43 is the odd one out.

id=55001 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24515 at 10% per annum for 1 years. | option_a=2551 | option_b=26966 | option_c=2351 | option_d=2451 | answer=D | explanation=SI = $PRT/100 = 24515 \times 10 \times 1/100 = \text{█}2451$.

id=55002 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34337 at 6% per annum for 5 years. | option_a=44638 | option_b=10301 | option_c=10201 | option_d=10401 | answer=B | explanation=SI = $PRT/100 = 34337 \times 6 \times 5/100 = \text{█}10301$.

id=55003 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=7 | option_c=12 | option_d=24 | answer=C | explanation=Speed = distance ÷ time = $120 \div 10 = 12$ km/h.

id=55004 | topic=Percentages | difficulty=Easy | question=What is 10% of 825? | option_a=87 | option_b=82 | option_c=72 | option_d=164 | answer=B | explanation=10% of 825 = $(10/100) \times 825 = 82$.

id=55005 | topic=Percentages | difficulty=Easy | question=What is 40% of 1317? | option_a=516 | option_b=1052 | option_c=536 | option_d=526 | answer=D | explanation=40% of 1317 = $(40/100) \times 1317 = 526$.

id=55006 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 29, 34, 42? | option_a=29 | option_b=42 | option_c=24 | option_d=34 | answer=B | explanation=The first three numbers increase by 5, so the next should be 39. Therefore 42 is the odd one out.

id=55007 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=J | option_c=N | option_d=L | answer=C | explanation=Move 2 positions forward from L; the resulting letter is N.

id=55008 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:8 and the first is 22, what is the second? | option_a=38 | option_b=8 | option_c=16 | option_d=27 | answer=C | explanation=Scale factor = $22/11 = 2$. Therefore second quantity = $8 \times 2 = 16$.

id=55009 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 48? | option_a=31 | option_b=48 | option_c=24 | option_d=38 | answer=B | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 48 is the odd one out.

id=55010 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:14 and the first is 208, what is the second? | option_a=224 | option_b=432 | option_c=210 | option_d=237 | answer=A | explanation=Scale factor = $208/13 = 16$. Therefore second quantity = $14 \times 16 = 224$.

id=55011 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:1 and the first is 36, what is the second? | option_a=1 | option_b=38 | option_c=2 | option_d=20 | answer=C | explanation=Scale factor = $36/18 = 2$. Therefore second quantity = $1 \times 2 = 2$.

id=55012 | topic=Percentages | difficulty=Easy | question=What is 10% of 389? | option_a=33 | option_b=58 | option_c=38 | option_d=76 | answer=C | explanation=10% of 389 = $(10/100) \times 389 = 38$.

id=55013 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=20 | option_c=25 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = $60 \div 3 = 20$ km/h.

id=55014 | topic=Percentages | difficulty=Easy | question=What is 40% of 1467? | option_a=606 | option_b=1172 | option_c=586 | option_d=566 | answer=C | explanation=40% of 1467 = $(40/100) \times 1467 = 586$.

id=55015 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=40 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = $240 \div 6 = 40$ km/h.

id=55016 | topic=Averages | difficulty=Easy | question=Find the average of 23, 77, 59, 48, 88. | option_a=61 | option_b=60 | option_c=59 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = $295 \div 5 = 59$.

id=55017 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43836 at 6% per annum for 5 years. | option_a=13250 | option_b=13150 | option_c=56986 | option_d=13050 | answer=B | explanation=SI = $PRT/100 = 43836 \times 6 \times 5/100 = \text{█}13150$.

id=55018 | topic=Averages | difficulty=Easy | question=Find the average of 64, 87, 68, 79, 12, 94, 66, 19, 78. | option_a=65 | option_b=62 | option_c=63 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = $567 \div 9 = 63$.

id=55019 | topic=Percentages | difficulty=Easy | question=What is 12% of 850? | option_a=102 | option_b=92 | option_c=204 | option_d=112 | answer=A | explanation=12% of 850 = $(12/100) \times 850 = 102$.

id=55020 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4574. If it is sold at a profit of 20%, what is its selling price? | option_a=5031 | option_b=5488 | option_c=5945 | option_d=4594 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4574 \times 120/100 = \text{█}5488$.

Aptitude Questions — Records 55,021-55,050 of 100,000

id=55021 | topic=Averages | difficulty=Easy | question=Find the average of 34, 45, 31, 31, 82, 89. | option_a=54 | option_b=53 | option_c=51 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 312 ÷ 6 = 52.

id=55022 | topic=Percentages | difficulty=Easy | question=What is 30% of 364? | option_a=218 | option_b=109 | option_c=89 | option_d=114 | answer=B | explanation=30% of 364 = (30/100) × 364 = 109.

id=55023 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 46? | option_a=46 | option_b=37 | option_c=25 | option_d=31 | answer=A | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 46 is the odd one out.

id=55024 | topic=Averages | difficulty=Easy | question=Find the average of 82, 78, 88, 33, 63, 28, 91, 79, 87, 81. | option_a=73 | option_b=70 | option_c=71 | option_d=72 | answer=C | explanation=Average = sum of values ÷ number of values = 710 ÷ 10 = 71.

id=55025 | topic=Averages | difficulty=Easy | question=Find the average of 10, 14, 50, 24, 57, 11, 51. | option_a=32 | option_b=31 | option_c=30 | option_d=33 | answer=B | explanation=Average = sum of values ÷ number of values = 217 ÷ 7 = 31.

id=55026 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**27837 at 6% per annum for 4 years. | option_a=6580 | option_b=6780 | option_c=6680 | option_d=34517 | answer=C | explanation=SI = PRT/100 = 27837×6×4/100 = **₹**6680.

id=55027 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:2 and the first is 266, what is the second? | option_a=28 | option_b=47 | option_c=294 | option_d=26 | answer=A | explanation=Scale factor = 266/19 = 14. Therefore second quantity = 2×14 = 28.

id=55028 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=40 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=55029 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**22708 at 4% per annum for 4 years. | option_a=3733 | option_b=3533 | option_c=3633 | option_d=26341 | answer=C | explanation=SI = PRT/100 = 22708×4×4/100 = **₹**3633.

id=55030 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 17, 25, 33, ? | option_a=42 | option_b=33 | option_c=41 | option_d=49 | answer=C | explanation=The common difference is 8. Therefore the next term is 33 + 8 = 41.

id=55031 | topic=Averages | difficulty=Easy | question=Find the average of 70, 87, 41. | option_a=65 | option_b=67 | option_c=66 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 198 ÷ 3 = 66.

id=55032 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=9 | option_c=4 | option_d=14 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=55033 | topic=Averages | difficulty=Easy | question=Find the average of 73, 48, 22, 97, 82, 74. | option_a=65 | option_b=66 | option_c=67 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = 396 ÷ 6 = 66.

id=55034 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=36 | option_b=41 | option_c=31 | option_d=72 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=55035 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=6 | option_c=1 | option_d=12 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=55036 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**36614 at 12% per annum for 1 years. | option_a=4293 | option_b=4393 | option_c=41007 | option_d=4493 | answer=B | explanation=SI = PRT/100 = 36614×12×1/100 = **₹**4393.

id=55037 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=55 | option_b=43 | option_c=65 | option_d=54 | answer=D | explanation=The common difference is 11. Therefore the next term is 43 + 11 = 54.

id=55038 | topic=Percentages | difficulty=Easy | question=What is 15% of 1060? | option_a=318 | option_b=149 | option_c=169 | option_d=159 | answer=D | explanation=15% of 1060 = (15/100) × 1060 = 159.

id=55039 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 143, what is the second? | option_a=192 | option_b=351 | option_c=219 | option_d=208 | answer=D | explanation=Scale factor = 143/11 = 13. Therefore second quantity = 16×13 = 208.

id=55040 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 39, 48, 58? | option_a=39 | option_b=58 | option_c=48 | option_d=30 | answer=B | explanation=The first three numbers increase by 9, so the next should be 57. Therefore 58 is the odd one out.

id=55041 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4101. If it is sold at a profit of 20%, what is its selling price? | option_a=4511 | option_b=4921 | option_c=4121 | option_d=5331 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4101 × 120/100 = **₹**4921.

id=55042 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=37 | option_b=38 | option_c=45 | option_d=29 | answer=A | explanation=The common difference is 8. Therefore the next term is 29 + 8 = 37.

id=55043 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**2376 at 4% per annum for 4 years. | option_a=480 | option_b=380 | option_c=2756 | option_d=280 | answer=B | explanation=SI = PRT/100 = 2376×4×4/100 = **₹**380.

id=55044 | topic=Percentages | difficulty=Easy | question=What is 20% of 1459? | option_a=582 | option_b=311 | option_c=286 | option_d=291 | answer=D | explanation=20% of 1459 = (20/100) × 1459 = 291.

id=55045 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=24 | option_b=23 | option_c=19 | option_d=27 | answer=B | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=55046 | topic=Averages | difficulty=Easy | question=Find the average of 98, 80, 19, 31. | option_a=59 | option_b=57 | option_c=58 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 228 ÷ 4 = 57.

id=55047 | topic=Averages | difficulty=Easy | question=Find the average of 57, 29, 15, 35, 77, 92, 85, 90. | option_a=59 | option_b=61 | option_c=62 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 480 ÷ 8 = 60.

id=55048 | topic=Percentages | difficulty=Easy | question=What is 30% of 904? | option_a=271 | option_b=261 | option_c=281 | option_d=542 | answer=A | explanation=30% of 904 = (30/100) × 904 = 271.

id=55049 | topic=Percentages | difficulty=Easy | question=What is 20% of 618? | option_a=113 | option_b=143 | option_c=123 | option_d=246 | answer=C | explanation=20% of 618 = (20/100) × 618 = 123.

id=55050 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**2331 at 5% per annum for 5 years. | option_a=482 | option_b=682 | option_c=582 | option_d=2913 | answer=C | explanation=SI = PRT/100 = 2331×5×5/100 = **₹**582.

Aptitude Questions — Records 55,051-55,080 of 100,000

id=55051 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=B | option_b=P | option_c=T | option_d=X | answer=D | explanation=Move 4 positions forward from T; the resulting letter is X.

id=55052 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39078 at 6% per annum for 2 years. | option_a=4689 | option_b=4589 | option_c=43767 | option_d=4789 | answer=A | explanation=SI = PRT/100 = 39078×6×2/100 = **■**4689.

id=55053 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 34, 41, 51? | option_a=41 | option_b=34 | option_c=51 | option_d=27 | answer=C | explanation=The first three numbers increase by 7, so the next should be 48. Therefore 51 is the odd one out.

id=55054 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=55055 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:17 and the first is 135, what is the second? | option_a=255 | option_b=238 | option_c=264 | option_d=390 | answer=A | explanation=Scale factor = 135/9 = 15. Therefore second quantity = 17×15 = 255.

id=55056 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=Q | option_c=S | option_d=M | answer=B | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=55057 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=55058 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**748. If it is sold at a profit of 10%, what is its selling price? | option_a=758 | option_b=748 | option_c=822 | option_d=896 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 748 × 110/100 = **■**822.

id=55059 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:18 and the first is 120, what is the second? | option_a=360 | option_b=366 | option_c=342 | option_d=480 | answer=A | explanation=Scale factor = 120/6 = 20. Therefore second quantity = 18×20 = 360.

id=55060 | topic=Percentages | difficulty=Easy | question=What is 10% of 1043? | option_a=104 | option_b=208 | option_c=99 | option_d=124 | answer=A | explanation=10% of 1043 = (10/100) × 1043 = 104.

id=55061 | topic=Percentages | difficulty=Easy | question=What is 10% of 1650? | option_a=165 | option_b=170 | option_c=330 | option_d=145 | answer=A | explanation=10% of 1650 = (10/100) × 1650 = 165.

id=55062 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=I | option_b=S | option_c=N | option_d=X | answer=B | explanation=Move 5 positions forward from N; the resulting letter is S.

id=55063 | topic=Percentages | difficulty=Easy | question=What is 10% of 777? | option_a=67 | option_b=97 | option_c=77 | option_d=154 | answer=C | explanation=10% of 777 = (10/100) × 777 = 77.

id=55064 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=55065 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=55066 | topic=Percentages | difficulty=Easy | question=What is 30% of 147? | option_a=44 | option_b=54 | option_c=34 | option_d=88 | answer=A | explanation=30% of 147 = (30/100) × 147 = 44.

id=55067 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1977. If it is sold at a profit of 40%, what is its selling price? | option_a=2767 | option_b=2964 | option_c=2017 | option_d=2570 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1977 × 140/100 = **■**2767.

id=55068 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=41 | option_b=47 | option_c=33 | option_d=40 | answer=D | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.

id=55069 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 22, 27, 32, ? | option_a=32 | option_b=37 | option_c=38 | option_d=42 | answer=B | explanation=The common difference is 5. Therefore the next term is 32 + 5 = 37.

id=55070 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=17 | option_b=23 | option_c=20 | option_d=21 | answer=C | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=55071 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 26? | option_a=17 | option_b=11 | option_c=26 | option_d=5 | answer=C | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 26 is the odd one out.

id=55072 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=80 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=55073 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39142 at 5% per annum for 4 years. | option_a=46970 | option_b=7828 | option_c=7728 | option_d=7928 | answer=B | explanation=SI = PRT/100 = 39142×5×4/100 = **■**7828.

id=55074 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 22. | option_a=44 | option_b=22 | option_c=484 | option_d=1 | answer=B | explanation=LCM × HCF = 22×22; HCF(22,22) = 22, so LCM = 22.

id=55075 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 16. | option_a=384 | option_b=32 | option_c=72 | option_d=48 | answer=D | explanation=LCM × HCF = 24×16; HCF(24,16) = 8, so LCM = 48.

id=55076 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1151. If it is sold at a profit of 15%, what is its selling price? | option_a=1208 | option_b=1323 | option_c=1166 | option_d=1438 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1151 × 115/100 = **■**1323.

id=55077 | topic=Averages | difficulty=Easy | question=Find the average of 74, 40, 48, 78, 19, 91, 77. | option_a=61 | option_b=62 | option_c=60 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 427 ÷ 7 = 61.

id=55078 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=55079 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=K | option_c=C | option_d=Y | answer=A | explanation=Move 4 positions forward from C; the resulting letter is G.

id=55080 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=Q | option_c=S | option_d=O | answer=C | explanation=Move 2 positions forward from Q; the resulting letter is S.

Aptitude Questions — Records 55,081-55,110 of 100,000

id=55081 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 37? | option_a=32 | option_b=37 | option_c=34 | option_d=30 | answer=B | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 37 is the odd one out.

id=55082 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:15 and the first is 104, what is the second? | option_a=133 | option_b=105 | option_c=120 | option_d=224 | answer=C | explanation=Scale factor = $104/13 = 8$. Therefore second quantity = $15 \times 8 = 120$.

id=55083 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=X | option_c=N | option_d=C | answer=B | explanation=Move 5 positions forward from S; the resulting letter is X.

id=55084 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=7 | option_c=24 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = $120 \div 10 = 12$ km/h.

id=55085 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=36 | option_c=23 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = $90 \div 5 = 18$ km/h.

id=55086 | topic=Profit & Loss | difficulty=Easy | question=An article costs █661. If it is sold at a profit of 30%, what is its selling price? | option_a=691 | option_b=925 | option_c=793 | option_d=859 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 661 \times 130/100 = \text{█859}$.

id=55087 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:11 and the first is 19, what is the second? | option_a=228 | option_b=198 | option_c=210 | option_d=209 | answer=D | explanation=Scale factor = $19/1 = 19$. Therefore second quantity = $11 \times 19 = 209$.

id=55088 | topic=Averages | difficulty=Easy | question=Find the average of 60, 100, 69, 37, 64. | option_a=65 | option_b=68 | option_c=67 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = $330 \div 5 = 66$.

id=55089 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4629. If it is sold at a profit of 30%, what is its selling price? | option_a=6017 | option_b=5555 | option_c=6479 | option_d=4659 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 4629 \times 130/100 = \text{█6017}$.

id=55090 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=39 | option_b=40 | option_c=34 | option_d=44 | answer=A | explanation=The common difference is 5. Therefore the next term is $34 + 5 = 39$.

id=55091 | topic=Percentages | difficulty=Easy | question=What is 15% of 1325? | option_a=198 | option_b=203 | option_c=396 | option_d=178 | answer=A | explanation=15% of 1325 = $(15/100) \times 1325 = 198$.

id=55092 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43311 at 8% per annum for 2 years. | option_a=7029 | option_b=6829 | option_c=50240 | option_d=6929 | answer=D | explanation=SI = $PRT/100 = 43311 \times 8 \times 2/100 = \text{█6929}$.

id=55093 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=41 | option_b=40 | option_c=31 | option_d=49 | answer=B | explanation=The common difference is 9. Therefore the next term is $31 + 9 = 40$.

id=55094 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=C | option_c=Y | option_d=Q | answer=C | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=55095 | topic=Percentages | difficulty=Easy | question=What is 5% of 1324? | option_a=66 | option_b=46 | option_c=132 | option_d=76 | answer=A | explanation=5% of 1324 = $(5/100) \times 1324 = 66$.

id=55096 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49442 at 10% per annum for 3 years. | option_a=14832 | option_b=14732 | option_c=14932 | option_d=64274 | answer=A | explanation=SI = $PRT/100 = 49442 \times 10 \times 3/100 = \text{█14832}$.

id=55097 | topic=Profit & Loss | difficulty=Easy | question=An article costs █344. If it is sold at a profit of 30%, what is its selling price? | option_a=481 | option_b=413 | option_c=447 | option_d=374 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 344 \times 130/100 = \text{█447}$.

id=55098 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1439. If it is sold at a profit of 10%, what is its selling price? | option_a=1449 | option_b=1725 | option_c=1582 | option_d=1439 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 1439 \times 110/100 = \text{█1582}$.

id=55099 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=55100 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20171 at 6% per annum for 1 years. | option_a=1110 | option_b=1310 | option_c=21381 | option_d=1210 | answer=D | explanation=SI = $PRT/100 = 20171 \times 6 \times 1/100 = \text{█1210}$.

id=55101 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:14 and the first is 135, what is the second? | option_a=141 | option_b=112 | option_c=126 | option_d=261 | answer=C | explanation=Scale factor = $135/15 = 9$. Therefore second quantity = $14 \times 9 = 126$.

id=55102 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = $150 \div 5 = 30$ km/h.

id=55103 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:20 and the first is 28, what is the second? | option_a=20 | option_b=54 | option_c=68 | option_d=40 | answer=D | explanation=Scale factor = $28/14 = 2$. Therefore second quantity = $20 \times 2 = 40$.

id=55104 | topic=Percentages | difficulty=Easy | question=What is 5% of 1690? | option_a=84 | option_b=74 | option_c=94 | option_d=168 | answer=A | explanation=5% of 1690 = $(5/100) \times 1690 = 84$.

id=55105 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=P | option_c=V | option_d=T | answer=D | explanation=Move 2 positions forward from R; the resulting letter is T.

id=55106 | topic=Averages | difficulty=Easy | question=Find the average of 77, 90, 34. | option_a=67 | option_b=66 | option_c=69 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = $201 \div 3 = 67$.

id=55107 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=20 | option_b=21 | option_c=16 | option_d=24 | answer=A | explanation=The common difference is 4. Therefore the next term is $16 + 4 = 20$.

id=55108 | topic=Percentages | difficulty=Easy | question=What is 5% of 1239? | option_a=61 | option_b=51 | option_c=122 | option_d=71 | answer=A | explanation=5% of 1239 = $(5/100) \times 1239 = 61$.

id=55109 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=53 | option_c=48 | option_d=96 | answer=C | explanation=Speed = distance ÷ time = $240 \div 5 = 48$ km/h.

id=55110 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

Aptitude Questions — Records 55,111-55,140 of 100,000

id=55111 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 24, 30, 36, ? | option_a=43 | option_b=48 | option_c=42 | option_d=36 | answer=C | explanation=The common difference is 6. Therefore the next term is 36 + 6 = 42.

id=55112 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:1 and the first is 9, what is the second? | option_a=8 | option_b=18 | option_c=9 | option_d=10 | answer=C | explanation=Scale factor = 9/1 = 9. Therefore second quantity = 1×9 = 9.

id=55113 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:20 and the first is 128, what is the second? | option_a=176 | option_b=140 | option_c=288 | option_d=160 | answer=D | explanation=Scale factor = 128/16 = 8. Therefore second quantity = 20×8 = 160.

id=55114 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2629. If it is sold at a profit of 50%, what is its selling price? | option_a=3943 | option_b=4205 | option_c=3681 | option_d=2679 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2629 × 150/100 = █3943.

id=55115 | topic=Percentages | difficulty=Easy | question=What is 15% of 596? | option_a=69 | option_b=89 | option_c=94 | option_d=178 | answer=B | explanation=15% of 596 = (15/100) × 596 = 89.

id=55116 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 25, 33, 41, ? | option_a=49 | option_b=57 | option_c=50 | option_d=41 | answer=A | explanation=The common difference is 8. Therefore the next term is 41 + 8 = 49.

id=55117 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:18 and the first is 72, what is the second? | option_a=216 | option_b=288 | option_c=198 | option_d=222 | answer=A | explanation=Scale factor = 72/6 = 12. Therefore second quantity = 18×12 = 216.

id=55118 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7910 at 10% per annum for 5 years. | option_a=3955 | option_b=3855 | option_c=11865 | option_d=4055 | answer=A | explanation=SI = PRT/100 = 7910×10×5/100 = █3955.

id=55119 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=R | option_c=X | option_d=A | answer=C | explanation=Move 3 positions forward from U; the resulting letter is X.

id=55120 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 5, 8, 11, ? | option_a=14 | option_b=17 | option_c=11 | option_d=15 | answer=A | explanation=The common difference is 3. Therefore the next term is 11 + 3 = 14.

id=55121 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:16 and the first is 160, what is the second? | option_a=320 | option_b=160 | option_c=176 | option_d=144 | answer=B | explanation=Scale factor = 160/16 = 10. Therefore second quantity = 16×10 = 160.

id=55122 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 24. | option_a=648 | option_b=243 | option_c=192 | option_d=216 | answer=D | explanation=LCM × HCF = 27×24; HCF(27,24) = 3, so LCM = 216.

id=55123 | topic=Averages | difficulty=Easy | question=Find the average of 10, 100, 25. | option_a=44 | option_b=46 | option_c=47 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 135 ÷ 3 = 45.

id=55124 | topic=Percentages | difficulty=Easy | question=What is 50% of 1632? | option_a=1632 | option_b=826 | option_c=816 | option_d=806 | answer=C | explanation=50% of 1632 = (50/100) × 1632 = 816.

id=55125 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=17 | option_b=16 | option_c=13 | option_d=15 | answer=D | explanation=The common difference is 2. Therefore the next term is 13 + 2 = 15.

id=55126 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=N | option_b=F | option_c=J | option_d=B | answer=C | explanation=Move 4 positions forward from F; the resulting letter is J.

id=55127 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 38, 48, 60? | option_a=48 | option_b=28 | option_c=38 | option_d=60 | answer=D | explanation=The first three numbers increase by 10, so the next should be 58. Therefore 60 is the odd one out.

id=55128 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=J | option_c=H | option_d=L | answer=D | explanation=Move 2 positions forward from J; the resulting letter is L.

id=55129 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=N | option_b=X | option_c=C | option_d=S | answer=B | explanation=Move 5 positions forward from S; the resulting letter is X.

id=55130 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43653 at 5% per annum for 1 years. | option_a=2282 | option_b=2082 | option_c=45835 | option_d=2182 | answer=D | explanation=SI = PRT/100 = 43653×5×1/100 = █2182.

id=55131 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=27 | option_b=30 | option_c=26 | option_d=22 | answer=C | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.

id=55132 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=L | option_b=X | option_c=T | option_d=P | answer=C | explanation=Move 4 positions forward from P; the resulting letter is T.

id=55133 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=55134 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=39 | option_b=33 | option_c=34 | option_d=27 | answer=B | explanation=The common difference is 6. Therefore the next term is 27 + 6 = 33.

id=55135 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 34? | option_a=26 | option_b=34 | option_c=30 | option_d=28 | answer=B | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 34 is the odd one out.

id=55136 | topic=Averages | difficulty=Easy | question=Find the average of 13, 80, 54. | option_a=50 | option_b=49 | option_c=48 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 147 ÷ 3 = 49.

id=55137 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:9 and the first is 80, what is the second? | option_a=149 | option_b=224 | option_c=135 | option_d=144 | answer=D | explanation=Scale factor = 80/5 = 16. Therefore second quantity = 9×16 = 144.

id=55138 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1828. If it is sold at a profit of 20%, what is its selling price? | option_a=2011 | option_b=1848 | option_c=2193 | option_d=2375 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1828 × 120/100 = █2193.

id=55139 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=55140 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 55,141-55,170 of 100,000

id=55141 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4077. If it is sold at a profit of 25%, what is its selling price? | option_a=4689 | option_b=5096 | option_c=4102 | option_d=5503 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4077 × 125/100 = █5096.

id=55142 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:8 and the first is 7, what is the second? | option_a=56 | option_b=57 | option_c=48 | option_d=63 | answer=A | explanation=Scale factor = 7/1 = 7. Therefore second quantity = 8×7 = 56.

id=55143 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=45 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=55144 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22623 at 8% per annum for 5 years. | option_a=31672 | option_b=9149 | option_c=9049 | option_d=8949 | answer=C | explanation=SI = PRT/100 = 22623×8×5/100 = █9049.

id=55145 | topic=Percentages | difficulty=Easy | question=What is 30% of 1552? | option_a=475 | option_b=930 | option_c=465 | option_d=460 | answer=C | explanation=30% of 1552 = (30/100) × 1552 = 465.

id=55146 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=8 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=55147 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=J | option_c=L | option_d=P | answer=A | explanation=Move 2 positions forward from L; the resulting letter is N.

id=55148 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 33? | option_a=24 | option_b=8 | option_c=16 | option_d=33 | answer=D | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 33 is the odd one out.

id=55149 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=30 | option_b=24 | option_c=27 | option_d=28 | answer=C | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=55150 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=144 | option_c=72 | option_d=67 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=55151 | topic=Percentages | difficulty=Easy | question=What is 40% of 923? | option_a=369 | option_b=389 | option_c=349 | option_d=738 | answer=A | explanation=40% of 923 = (40/100) × 923 = 369.

id=55152 | topic=Averages | difficulty=Easy | question=Find the average of 17, 94, 19, 61, 94. | option_a=59 | option_b=57 | option_c=56 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.

id=55153 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2996. If it is sold at a profit of 20%, what is its selling price? | option_a=3296 | option_b=3595 | option_c=3894 | option_d=3016 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2996 × 120/100 = █3595.

id=55154 | topic=Averages | difficulty=Easy | question=Find the average of 56, 25, 79, 81, 51, 72, 91. | option_a=65 | option_b=64 | option_c=67 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 455 ÷ 7 = 65.

id=55155 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=55156 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 33, 38, 46? | option_a=38 | option_b=28 | option_c=33 | option_d=46 | answer=D | explanation=The first three numbers increase by 5, so the next should be 43. Therefore 46 is the odd one out.

id=55157 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 30? | option_a=19 | option_b=23 | option_c=15 | option_d=30 | answer=D | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 30 is the odd one out.

id=55158 | topic=Averages | difficulty=Easy | question=Find the average of 51, 27, 95, 29, 92, 57, 13. | option_a=51 | option_b=53 | option_c=54 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 364 ÷ 7 = 52.

id=55159 | topic=Averages | difficulty=Easy | question=Find the average of 12, 75, 73, 51, 12, 47, 87. | option_a=50 | option_b=52 | option_c=53 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.

id=55160 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=40 | option_b=31 | option_c=39 | option_d=47 | answer=C | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

id=55161 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7638 at 15% per annum for 4 years. | option_a=12220 | option_b=4582 | option_c=4482 | option_d=4682 | answer=B | explanation=SI = PRT/100 = 7638×15×4/100 = █4582.

id=55162 | topic=Averages | difficulty=Easy | question=Find the average of 90, 13, 45, 48, 27, 25, 52, 45, 42, 103. | option_a=51 | option_b=49 | option_c=48 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 490 ÷ 10 = 49.

id=55163 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:5 and the first is 260, what is the second? | option_a=113 | option_b=100 | option_c=95 | option_d=360 | answer=B | explanation=Scale factor = 260/13 = 20. Therefore second quantity = 5×20 = 100.

id=55164 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=J | option_c=N | option_d=V | answer=A | explanation=Move 4 positions forward from N; the resulting letter is R.

id=55165 | topic=Averages | difficulty=Easy | question=Find the average of 80, 52, 65, 25, 93. | option_a=63 | option_b=64 | option_c=65 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 315 ÷ 5 = 63.

id=55166 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 22, 29, 39? | option_a=22 | option_b=15 | option_c=29 | option_d=39 | answer=D | explanation=The first three numbers increase by 7, so the next should be 36. Therefore 39 is the odd one out.

id=55167 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:16 and the first is 6, what is the second? | option_a=32 | option_b=50 | option_c=54 | option_d=48 | answer=D | explanation=Scale factor = 6/2 = 3. Therefore second quantity = 16×3 = 48.

id=55168 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37433 at 15% per annum for 1 years. | option_a=5514 | option_b=43047 | option_c=5714 | option_d=5614 | answer=D | explanation=SI = PRT/100 = 37433×15×1/100 = █5614.

id=55169 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 26, 28, 31? | option_a=26 | option_b=31 | option_c=28 | option_d=24 | answer=B | explanation=The first three numbers increase by 2, so the next should be 30. Therefore 31 is the odd one out.

id=55170 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26210 at 5% per annum for 5 years. | option_a=32762 | option_b=6552 | option_c=6652 | option_d=6452 | answer=B | explanation=SI = PRT/100 = 26210×5×5/100 = █6552.

Aptitude Questions — Records 55,171-55,200 of 100,000

id=55171 | topic=Percentages | difficulty=Easy | question=What is 10% of 1361? | option_a=156 | option_b=126 | option_c=272 | option_d=136 | answer=D | explanation=10% of 1361 = (10/100) × 1361 = 136.

id=55172 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:1 and the first is 30, what is the second? | option_a=5 | option_b=36 | option_c=6 | option_d=11 | answer=C | explanation=Scale factor = 30/5 = 6. Therefore second quantity = 1×6 = 6.

id=55173 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=55174 | topic=Profit & Loss | difficulty=Easy | question=An article costs █128. If it is sold at a profit of 40%, what is its selling price? | option_a=179 | option_b=191 | option_c=167 | option_d=168 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 128 × 140/100 = █179.

id=55175 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 35, 41, 48? | option_a=29 | option_b=41 | option_c=35 | option_d=48 | answer=D | explanation=The first three numbers increase by 6, so the next should be 47. Therefore 48 is the odd one out.

id=55176 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=55177 | topic=Averages | difficulty=Easy | question=Find the average of 47, 99, 52, 57, 40, 95. | option_a=66 | option_b=64 | option_c=65 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 390 ÷ 6 = 65.

id=55178 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=55179 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 19, 29, 41? | option_a=29 | option_b=19 | option_c=9 | option_d=41 | answer=D | explanation=The first three numbers increase by 10, so the next should be 39. Therefore 41 is the odd one out.

id=55180 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=J | option_c=H | option_d=K | answer=B | explanation=Move 1 positions forward from I; the resulting letter is J.

id=55181 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=28 | option_b=31 | option_c=27 | option_d=23 | answer=C | explanation=The common difference is 4. Therefore the next term is 23 + 4 = 27.

id=55182 | topic=Percentages | difficulty=Easy | question=What is 10% of 452? | option_a=50 | option_b=25 | option_c=90 | option_d=45 | answer=D | explanation=10% of 452 = (10/100) × 452 = 45.

id=55183 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=55184 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=90 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=55185 | topic=Percentages | difficulty=Easy | question=What is 5% of 700? | option_a=70 | option_b=25 | option_c=40 | option_d=35 | answer=D | explanation=5% of 700 = (5/100) × 700 = 35.

id=55186 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2736. If it is sold at a profit of 30%, what is its selling price? | option_a=3283 | option_b=3829 | option_c=3556 | option_d=2766 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2736 × 130/100 = █3556.

id=55187 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=360 | option_b=175 | option_c=185 | option_d=180 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=55188 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2499. If it is sold at a profit of 30%, what is its selling price? | option_a=2529 | option_b=2999 | option_c=3248 | option_d=3497 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2499 × 130/100 = █3248.

id=55189 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=160 | option_c=80 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=55190 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=R | option_c=P | option_d=N | answer=B | explanation=Move 2 positions forward from P; the resulting letter is R.

id=55191 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=24 | option_c=19 | option_d=48 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=55192 | topic=Percentages | difficulty=Easy | question=What is 30% of 1163? | option_a=348 | option_b=696 | option_c=353 | option_d=328 | answer=A | explanation=30% of 1163 = (30/100) × 1163 = 348.

id=55193 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1926. If it is sold at a profit of 15%, what is its selling price? | option_a=1941 | option_b=2214 | option_c=2406 | option_d=2022 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1926 × 115/100 = █2214.

id=55194 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=K | option_c=G | option_d=M | answer=B | explanation=Move 2 positions forward from I; the resulting letter is K.

id=55195 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 13, 23, 34? | option_a=23 | option_b=13 | option_c=3 | option_d=34 | answer=D | explanation=The first three numbers increase by 10, so the next should be 33. Therefore 34 is the odd one out.

id=55196 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=55197 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16716 at 5% per annum for 2 years. | option_a=1571 | option_b=1671 | option_c=18387 | option_d=1771 | answer=B | explanation=SI = PRT/100 = 16716×5×2/100 = █1671.

id=55198 | topic=Profit & Loss | difficulty=Easy | question=An article costs █472. If it is sold at a profit of 40%, what is its selling price? | option_a=613 | option_b=707 | option_c=512 | option_d=660 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 472 × 140/100 = █660.

id=55199 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=22 | option_b=25 | option_c=26 | option_d=28 | answer=B | explanation=The common difference is 3. Therefore the next term is 22 + 3 = 25.

id=55200 | topic=Averages | difficulty=Easy | question=Find the average of 24, 59, 30, 99. | option_a=55 | option_b=53 | option_c=54 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 212 ÷ 4 = 53.

Aptitude Questions — Records 55,201-55,230 of 100,000

id=55201 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 59? | option_a=37 | option_b=59 | option_c=27 | option_d=47 | answer=B | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 59 is the odd one out.

id=55202 | topic=Averages | difficulty=Easy | question=Find the average of 45, 78, 44, 40, 13, 92. | option_a=51 | option_b=53 | option_c=54 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 312 ÷ 6 = 52.

id=55203 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 16, 23, 31? | option_a=23 | option_b=16 | option_c=9 | option_d=31 | answer=D | explanation=The first three numbers increase by 7, so the next should be 30. Therefore 31 is the odd one out.

id=55204 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:19 and the first is 56, what is the second? | option_a=90 | option_b=57 | option_c=76 | option_d=132 | answer=C | explanation=Scale factor = 56/14 = 4. Therefore second quantity = 19×4 = 76.

id=55205 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21131 at 6% per annum for 3 years. | option_a=24934 | option_b=3903 | option_c=3703 | option_d=3803 | answer=D | explanation=SI = PRT/100 = 21131×6×3/100 = **■**3803.

id=55206 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2448. If it is sold at a profit of 30%, what is its selling price? | option_a=3426 | option_b=2938 | option_c=2478 | option_d=3182 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2448 × 130/100 = **■**3182.

id=55207 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=O | option_b=N | option_c=P | option_d=M | answer=A | explanation=Move 1 positions forward from N; the resulting letter is O.

id=55208 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:3 and the first is 306, what is the second? | option_a=51 | option_b=357 | option_c=69 | option_d=48 | answer=A | explanation=Scale factor = 306/18 = 17. Therefore second quantity = 3×17 = 51.

id=55209 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=U | option_c=T | option_d=V | answer=D | explanation=Move 1 positions forward from U; the resulting letter is V.

id=55210 | topic=Percentages | difficulty=Easy | question=What is 15% of 1043? | option_a=161 | option_b=312 | option_c=151 | option_d=156 | answer=D | explanation=15% of 1043 = (15/100) × 1043 = 156.

id=55211 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30206 at 10% per annum for 2 years. | option_a=6141 | option_b=36247 | option_c=6041 | option_d=5941 | answer=C | explanation=SI = PRT/100 = 30206×10×2/100 = **■**6041.

id=55212 | topic=Averages | difficulty=Easy | question=Find the average of 99, 19, 74, 59, 10, 57. | option_a=52 | option_b=55 | option_c=54 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 318 ÷ 6 = 53.

id=55213 | topic=Percentages | difficulty=Easy | question=What is 25% of 580? | option_a=290 | option_b=135 | option_c=145 | option_d=150 | answer=C | explanation=25% of 580 = (25/100) × 580 = 145.

id=55214 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 24, 36, 48, ? | option_a=72 | option_b=48 | option_c=61 | option_d=60 | answer=D | explanation=The common difference is 12. Therefore the next term is 48 + 12 = 60.

id=55215 | topic=Averages | difficulty=Easy | question=Find the average of 42, 51, 36, 75. | option_a=50 | option_b=52 | option_c=53 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 204 ÷ 4 = 51.

id=55216 | topic=Averages | difficulty=Easy | question=Find the average of 72, 55, 23, 99, 93, 19, 61, 72, 82. | option_a=63 | option_b=64 | option_c=65 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 576 ÷ 9 = 64.

id=55217 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**253. If it is sold at a profit of 30%, what is its selling price? | option_a=303 | option_b=283 | option_c=353 | option_d=328 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 253 × 130/100 = **■**328.

id=55218 | topic=Percentages | difficulty=Easy | question=What is 10% of 1011? | option_a=91 | option_b=202 | option_c=101 | option_d=111 | answer=C | explanation=10% of 1011 = (10/100) × 1011 = 101.

id=55219 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2970. If it is sold at a profit of 20%, what is its selling price? | option_a=2990 | option_b=3861 | option_c=3564 | option_d=3267 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2970 × 120/100 = **■**3564.

id=55220 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=55221 | topic=Percentages | difficulty=Easy | question=What is 50% of 1236? | option_a=1236 | option_b=613 | option_c=618 | option_d=628 | answer=C | explanation=50% of 1236 = (50/100) × 1236 = 618.

id=55222 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:13 and the first is 24, what is the second? | option_a=13 | option_b=26 | option_c=50 | option_d=38 | answer=B | explanation=Scale factor = 24/12 = 2. Therefore second quantity = 13×2 = 26.

id=55223 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**511. If it is sold at a profit of 40%, what is its selling price? | option_a=664 | option_b=715 | option_c=766 | option_d=551 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 511 × 140/100 = **■**715.

id=55224 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=33 | option_b=39 | option_c=40 | option_d=45 | answer=B | explanation=The common difference is 6. Therefore the next term is 33 + 6 = 39.

id=55225 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 9, 13, 18? | option_a=18 | option_b=9 | option_c=5 | option_d=13 | answer=A | explanation=The first three numbers increase by 4, so the next should be 17. Therefore 18 is the odd one out.

id=55226 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=26 | option_b=27 | option_c=23 | option_d=29 | answer=A | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.

id=55227 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=55228 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=60 | option_b=70 | option_c=50 | option_d=61 | answer=A | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

id=55229 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25690 at 5% per annum for 4 years. | option_a=5138 | option_b=30828 | option_c=5038 | option_d=5238 | answer=A | explanation=SI = PRT/100 = 25690×5×4/100 = **■**5138.

id=55230 | topic=Averages | difficulty=Easy | question=Find the average of 44, 78, 16, 51, 57, 20, 34. | option_a=39 | option_b=41 | option_c=40 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = 320 ÷ 8 = 40.

Aptitude Questions — Records 55,231-55,260 of 100,000

id=55231 | topic=Averages | difficulty=Easy | question=Find the average of 14, 75, 56, 99, 18, 87, 24, 91. | option_a=57 | option_b=58 | option_c=59 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 464 ÷ 8 = 58.

id=55232 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=40 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=55233 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=55234 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■16454 at 5% per annum for 5 years. | option_a=20567 | option_b=4213 | option_c=4013 | option_d=4113 | answer=D | explanation=SI = PRT/100 = 16454×5×5/100 = ■4113.

id=55235 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:1 and the first is 60, what is the second? | option_a=3 | option_b=19 | option_c=64 | option_d=4 | answer=D | explanation=Scale factor = 60/15 = 4. Therefore second quantity = 1×4 = 4.

id=55236 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3562. If it is sold at a profit of 25%, what is its selling price? | option_a=4452 | option_b=4808 | option_c=4096 | option_d=3587 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3562 × 125/100 = ■4452.

id=55237 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■10520 at 10% per annum for 3 years. | option_a=3156 | option_b=3256 | option_c=3056 | option_d=13676 | answer=A | explanation=SI = PRT/100 = 10520×10×3/100 = ■3156.

id=55238 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:2 and the first is 85, what is the second? | option_a=8 | option_b=95 | option_c=10 | option_d=27 | answer=C | explanation=Scale factor = 85/17 = 5. Therefore second quantity = 2×5 = 10.

id=55239 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=23 | option_b=19 | option_c=24 | option_d=27 | answer=A | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=55240 | topic=Averages | difficulty=Easy | question=Find the average of 73, 73, 47, 56, 64, 34, 81, 84. | option_a=65 | option_b=64 | option_c=63 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 512 ÷ 8 = 64.

id=55241 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=55242 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=55243 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:2 and the first is 99, what is the second? | option_a=31 | option_b=22 | option_c=121 | option_d=20 | answer=B | explanation=Scale factor = 99/9 = 11. Therefore second quantity = 2×11 = 22.

id=55244 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 14. | option_a=14 | option_b=196 | option_c=1 | option_d=28 | answer=A | explanation=LCM × HCF = 14×14; HCF(14,14) = 14, so LCM = 14.

id=55245 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 24, 33, 44? | option_a=33 | option_b=24 | option_c=15 | option_d=44 | answer=D | explanation=The first three numbers increase by 9, so the next should be 42. Therefore 44 is the odd one out.

id=55246 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 13, 17, 21, ? | option_a=21 | option_b=25 | option_c=29 | option_d=26 | answer=B | explanation=The common difference is 4. Therefore the next term is 21 + 4 = 25.

id=55247 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 6, 10, 16? | option_a=16 | option_b=6 | option_c=2 | option_d=10 | answer=A | explanation=The first three numbers increase by 4, so the next should be 14. Therefore 16 is the odd one out.

id=55248 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=55249 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=40 | option_b=64 | option_c=52 | option_d=53 | answer=C | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.

id=55250 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2233. If it is sold at a profit of 50%, what is its selling price? | option_a=2283 | option_b=3349 | option_c=3126 | option_d=3572 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2233 × 150/100 = ■3349.

id=55251 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=41 | option_c=36 | option_d=72 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=55252 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=U | option_c=Q | option_d=S | answer=B | explanation=Move 2 positions forward from S; the resulting letter is U.

id=55253 | topic=Percentages | difficulty=Easy | question=What is 50% of 837? | option_a=408 | option_b=418 | option_c=438 | option_d=836 | answer=B | explanation=50% of 837 = (50/100) × 837 = 418.

id=55254 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3639. If it is sold at a profit of 50%, what is its selling price? | option_a=5458 | option_b=5821 | option_c=5095 | option_d=3689 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3639 × 150/100 = ■5458.

id=55255 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=U | option_b=K | option_c=Z | option_d=P | answer=A | explanation=Move 5 positions forward from P; the resulting letter is U.

id=55256 | topic=Percentages | difficulty=Easy | question=What is 30% of 1779? | option_a=533 | option_b=543 | option_c=523 | option_d=1066 | answer=A | explanation=30% of 1779 = (30/100) × 1779 = 533.

id=55257 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 22. | option_a=1 | option_b=22 | option_c=484 | option_d=44 | answer=B | explanation=LCM × HCF = 22×22; HCF(22,22) = 22, so LCM = 22.

id=55258 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=55259 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:14 and the first is 182, what is the second? | option_a=209 | option_b=196 | option_c=378 | option_d=182 | answer=B | explanation=Scale factor = 182/13 = 14. Therefore second quantity = 14×14 = 196.

id=55260 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 27? | option_a=27 | option_b=6 | option_c=12 | option_d=18 | answer=A | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 27 is the odd one out.

Aptitude Questions — Records 55,261-55,290 of 100,000

id=55261 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=R | option_c=P | option_d=S | answer=B | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=55262 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 27, 33, 41? | option_a=27 | option_b=33 | option_c=41 | option_d=21 | answer=C | explanation=The first three numbers increase by 6, so the next should be 39. Therefore 41 is the odd one out.

id=55263 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1840. If it is sold at a profit of 10%, what is its selling price? | option_a=2024 | option_b=1850 | option_c=2208 | option_d=1840 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1840 × 110/100 = █2024.

id=55264 | topic=Percentages | difficulty=Easy | question=What is 5% of 1105? | option_a=55 | option_b=110 | option_c=60 | option_d=35 | answer=A | explanation=5% of 1105 = (5/100) × 1105 = 55.

id=55265 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4974. If it is sold at a profit of 30%, what is its selling price? | option_a=5969 | option_b=6963 | option_c=6466 | option_d=5004 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4974 × 130/100 = █6466.

id=55266 | topic=Percentages | difficulty=Easy | question=What is 30% of 1336? | option_a=395 | option_b=405 | option_c=800 | option_d=400 | answer=D | explanation=30% of 1336 = (30/100) × 1336 = 400.

id=55267 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=C | option_b=M | option_c=H | option_d=R | answer=B | explanation=Move 5 positions forward from H; the resulting letter is M.

id=55268 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=18 | option_b=19 | option_c=20 | option_d=16 | answer=A | explanation=The common difference is 2. Therefore the next term is 16 + 2 = 18.

id=55269 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=Z | option_b=D | option_c=F | option_d=B | answer=B | explanation=Move 2 positions forward from B; the resulting letter is D.

id=55270 | topic=Averages | difficulty=Easy | question=Find the average of 61, 84, 81, 90, 73, 24, 20, 47. | option_a=59 | option_b=61 | option_c=62 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 480 ÷ 8 = 60.

id=55271 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=64 | option_b=46 | option_c=55 | option_d=56 | answer=C | explanation=The common difference is 9. Therefore the next term is 46 + 9 = 55.

id=55272 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=38 | option_b=34 | option_c=30 | option_d=35 | answer=B | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.

id=55273 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=55274 | topic=Percentages | difficulty=Easy | question=What is 50% of 304? | option_a=157 | option_b=304 | option_c=152 | option_d=132 | answer=C | explanation=50% of 304 = (50/100) × 304 = 152.

id=55275 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4946. If it is sold at a profit of 15%, what is its selling price? | option_a=5687 | option_b=6181 | option_c=4961 | option_d=5193 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4946 × 115/100 = █5687.

id=55276 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3626. If it is sold at a profit of 30%, what is its selling price? | option_a=4713 | option_b=4351 | option_c=5075 | option_d=3656 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3626 × 130/100 = █4713.

id=55277 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=35 | option_b=47 | option_c=42 | option_d=41 | answer=D | explanation=The common difference is 6. Therefore the next term is 35 + 6 = 41.

id=55278 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=41 | option_c=36 | option_d=31 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=55279 | topic=Averages | difficulty=Easy | question=Find the average of 68, 46, 44, 82, 26, 76. | option_a=58 | option_b=59 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 342 ÷ 6 = 57.

id=55280 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=M | option_b=G | option_c=K | option_d=I | answer=C | explanation=Move 2 positions forward from I; the resulting letter is K.

id=55281 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:2 and the first is 144, what is the second? | option_a=34 | option_b=44 | option_c=36 | option_d=180 | answer=C | explanation=Scale factor = 144/8 = 18. Therefore second quantity = 2×18 = 36.

id=55282 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 58? | option_a=58 | option_b=47 | option_c=38 | option_d=29 | answer=A | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 58 is the odd one out.

id=55283 | topic=Percentages | difficulty=Easy | question=What is 40% of 1280? | option_a=502 | option_b=517 | option_c=1024 | option_d=512 | answer=D | explanation=40% of 1280 = (40/100) × 1280 = 512.

id=55284 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=55285 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=55286 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=18 | option_c=9 | option_d=4 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=55287 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=1 | option_c=6 | option_d=11 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=55288 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4605. If it is sold at a profit of 30%, what is its selling price? | option_a=6446 | option_b=5526 | option_c=4635 | option_d=5986 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4605 × 130/100 = █5986.

id=55289 | topic=Averages | difficulty=Easy | question=Find the average of 75, 70, 76, 83, 74, 47, 40, 55, 74. | option_a=65 | option_b=66 | option_c=67 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = 594 ÷ 9 = 66.

id=55290 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=V | option_c=A | option_d=L | answer=B | explanation=Move 5 positions forward from Q; the resulting letter is V.

Aptitude Questions — Records 55,291-55,320 of 100,000

id=55291 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:10 and the first is 64, what is the second? | option_a=56 | option_b=30 | option_c=40 | option_d=104 | answer=C | explanation=Scale factor = $64/16 = 4$. Therefore second quantity = $10 \times 4 = 40$.

id=55292 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=K | option_b=E | option_c=N | option_d=H | answer=A | explanation=Move 3 positions forward from H; the resulting letter is K.

id=55293 | topic=Averages | difficulty=Easy | question=Find the average of 52, 30, 44. | option_a=43 | option_b=44 | option_c=42 | option_d=41 | answer=C | explanation=Average = sum of values ÷ number of values = $126 \div 3 = 42$.

id=55294 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34668 at 12% per annum for 1 years. | option_a=4060 | option_b=4260 | option_c=38828 | option_d=4160 | answer=D | explanation=SI = $PRT/100 = 34668 \times 12 \times 1/100 = \text{■}4160$.

id=55295 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=20 | option_d=6 | answer=B | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=55296 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=51 | option_b=52 | option_c=40 | option_d=62 | answer=A | explanation=The common difference is 11. Therefore the next term is $40 + 11 = 51$.

id=55297 | topic=Percentages | difficulty=Easy | question=What is 15% of 1152? | option_a=182 | option_b=344 | option_c=172 | option_d=152 | answer=C | explanation=15% of 1152 = $(15/100) \times 1152 = 172$.

id=55298 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=21 | option_b=22 | option_c=19 | option_d=23 | answer=A | explanation=The common difference is 2. Therefore the next term is $19 + 2 = 21$.

id=55299 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4581 at 10% per annum for 3 years. | option_a=1374 | option_b=5955 | option_c=1274 | option_d=1474 | answer=A | explanation=SI = $PRT/100 = 4581 \times 10 \times 3/100 = \text{■}1374$.

id=55300 | topic=Averages | difficulty=Easy | question=Find the average of 22, 21, 72, 73, 21, 21, 12, 80, 92. | option_a=45 | option_b=46 | option_c=48 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = $414 \div 9 = 46$.

id=55301 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:6 and the first is 40, what is the second? | option_a=34 | option_b=24 | option_c=18 | option_d=64 | answer=B | explanation=Scale factor = $40/10 = 4$. Therefore second quantity = $6 \times 4 = 24$.

id=55302 | topic=Percentages | difficulty=Easy | question=What is 25% of 885? | option_a=442 | option_b=216 | option_c=241 | option_d=221 | answer=D | explanation=25% of 885 = $(25/100) \times 885 = 221$.

id=55303 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=125 | option_c=115 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.

id=55304 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=40 | option_b=33 | option_c=39 | option_d=45 | answer=C | explanation=The common difference is 6. Therefore the next term is $33 + 6 = 39$.

id=55305 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**534. If it is sold at a profit of 30%, what is its selling price? | option_a=564 | option_b=641 | option_c=747 | option_d=694 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 534 \times 130/100 = \text{■}694$.

id=55306 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=6 | option_d=20 | answer=A | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=55307 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 29, 37, 46? | option_a=21 | option_b=46 | option_c=37 | option_d=29 | answer=B | explanation=The first three numbers increase by 8, so the next should be 45. Therefore 46 is the odd one out.

id=55308 | topic=Percentages | difficulty=Easy | question=What is 15% of 1757? | option_a=263 | option_b=526 | option_c=268 | option_d=243 | answer=A | explanation=15% of 1757 = $(15/100) \times 1757 = 263$.

id=55309 | topic=Percentages | difficulty=Easy | question=What is 40% of 948? | option_a=359 | option_b=379 | option_c=758 | option_d=399 | answer=B | explanation=40% of 948 = $(40/100) \times 948 = 379$.

id=55310 | topic=Percentages | difficulty=Easy | question=What is 25% of 407? | option_a=81 | option_b=202 | option_c=111 | option_d=101 | answer=D | explanation=25% of 407 = $(25/100) \times 407 = 101$.

id=55311 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33814 at 5% per annum for 3 years. | option_a=38886 | option_b=5172 | option_c=5072 | option_d=4972 | answer=C | explanation=SI = $PRT/100 = 33814 \times 5 \times 3/100 = \text{■}5072$.

id=55312 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=55313 | topic=Percentages | difficulty=Easy | question=What is 25% of 1500? | option_a=375 | option_b=370 | option_c=385 | option_d=750 | answer=A | explanation=25% of 1500 = $(25/100) \times 1500 = 375$.

id=55314 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=16 | option_d=3 | answer=A | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=55315 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43, ? | option_a=59 | option_b=52 | option_c=51 | option_d=43 | answer=C | explanation=The common difference is 8. Therefore the next term is $43 + 8 = 51$.

id=55316 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=36 | option_c=41 | option_d=31 | answer=B | explanation=Speed = distance ÷ time = $360 \div 10 = 36$ km/h.

id=55317 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**998. If it is sold at a profit of 40%, what is its selling price? | option_a=1298 | option_b=1397 | option_c=1496 | option_d=1038 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 998 \times 140/100 = \text{■}1397$.

id=55318 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=150 | option_c=75 | option_d=70 | answer=C | explanation=Speed = distance ÷ time = $300 \div 4 = 75$ km/h.

id=55319 | topic=Averages | difficulty=Easy | question=Find the average of 85, 87, 48, 29, 21. | option_a=55 | option_b=56 | option_c=53 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = $270 \div 5 = 54$.

id=55320 | topic=Averages | difficulty=Easy | question=Find the average of 18, 61, 76, 52, 23, 51, 62. | option_a=49 | option_b=50 | option_c=51 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = $343 \div 7 = 49$.

Aptitude Questions — Records 55,321-55,350 of 100,000

- id=55321 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=21 | option_b=27 | option_c=33 | option_d=28 | answer=B | explanation=The common difference is 6. Therefore the next term is 21 + 6 = 27.
- id=55322 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 22? | option_a=9 | option_b=15 | option_c=3 | option_d=22 | answer=D | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 22 is the odd one out.
- id=55323 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=T | option_b=S | option_c=Q | option_d=R | answer=B | explanation=Move 1 positions forward from R; the resulting letter is S.
- id=55324 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**25597 at 15% per annum for 2 years. | option_a=7779 | option_b=7679 | option_c=7579 | option_d=33276 | answer=B | explanation=SI = $PRT/100 = 25597 \times 15 \times 2/100 = \text{₹}7679$.
- id=55325 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1613. If it is sold at a profit of 15%, what is its selling price? | option_a=2015 | option_b=1854 | option_c=1628 | option_d=1693 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1613 \times 115/100 = \text{₹}1854$.
- id=55326 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 31, 40, 51? | option_a=40 | option_b=51 | option_c=31 | option_d=22 | answer=B | explanation=The first three numbers increase by 9, so the next should be 49. Therefore 51 is the odd one out.
- id=55327 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=31 | option_b=30 | option_c=36 | option_d=24 | answer=B | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.
- id=55328 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=I | option_c=H | option_d=F | answer=C | explanation=Move 1 positions forward from G; the resulting letter is H.
- id=55329 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=L | option_c=N | option_d=O | answer=C | explanation=Move 1 positions forward from M; the resulting letter is N.
- id=55330 | topic=Averages | difficulty=Easy | question=Find the average of 97, 84, 53, 94, 34, 20, 60, 54. | option_a=64 | option_b=62 | option_c=63 | option_d=61 | answer=B | explanation=Average = $\text{sum of values} \div \text{number of values} = 496 \div 8 = 62$.
- id=55331 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2445. If it is sold at a profit of 20%, what is its selling price? | option_a=2465 | option_b=3178 | option_c=2934 | option_d=2690 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2445 \times 120/100 = \text{₹}2934$.
- id=55332 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.
- id=55333 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 180 \div 6 = 30$ km/h.
- id=55334 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.
- id=55335 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 20. | option_a=20 | option_b=100 | option_c=25 | option_d=1 | answer=A | explanation= $LCM \times HCF = 5 \times 20$; $HCF(5,20) = 5$, so $LCM = 20$.
- id=55336 | topic=Averages | difficulty=Easy | question=Find the average of 48, 57, 36. | option_a=49 | option_b=46 | option_c=48 | option_d=47 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 141 \div 3 = 47$.
- id=55337 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 35, 44, 54? | option_a=54 | option_b=35 | option_c=44 | option_d=26 | answer=A | explanation=The first three numbers increase by 9, so the next should be 53. Therefore 54 is the odd one out.
- id=55338 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 5. | option_a=20 | option_b=50 | option_c=125 | option_d=25 | answer=D | explanation= $LCM \times HCF = 25 \times 5$; $HCF(25,5) = 5$, so $LCM = 25$.
- id=55339 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 10, 15, 20, ? | option_a=20 | option_b=30 | option_c=25 | option_d=26 | answer=C | explanation=The common difference is 5. Therefore the next term is 20 + 5 = 25.
- id=55340 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 18, 22, 27? | option_a=14 | option_b=27 | option_c=18 | option_d=22 | answer=B | explanation=The first three numbers increase by 4, so the next should be 26. Therefore 27 is the odd one out.
- id=55341 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=P | option_c=Z | option_d=E | answer=C | explanation=Move 5 positions forward from U; the resulting letter is Z.
- id=55342 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=J | option_c=H | option_d=D | answer=C | explanation=Move 2 positions forward from F; the resulting letter is H.
- id=55343 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:6 and the first is 30, what is the second? | option_a=41 | option_b=66 | option_c=30 | option_d=36 | answer=D | explanation=Scale factor = $30/5 = 6$. Therefore second quantity = $6 \times 6 = 36$.
- id=55344 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:7 and the first is 84, what is the second? | option_a=91 | option_b=104 | option_c=182 | option_d=98 | answer=D | explanation=Scale factor = $84/6 = 14$. Therefore second quantity = $7 \times 14 = 98$.
- id=55345 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=B | option_c=N | option_d=J | answer=D | explanation=Move 4 positions forward from F; the resulting letter is J.
- id=55346 | topic=Percentages | difficulty=Easy | question=What is 40% of 1200? | option_a=480 | option_b=960 | option_c=475 | option_d=490 | answer=A | explanation= $40\% \text{ of } 1200 = (40/100) \times 1200 = 480$.
- id=55347 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:10 and the first is 18, what is the second? | option_a=180 | option_b=170 | option_c=181 | option_d=198 | answer=A | explanation=Scale factor = $18/1 = 18$. Therefore second quantity = $10 \times 18 = 180$.
- id=55348 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4160. If it is sold at a profit of 10%, what is its selling price? | option_a=4992 | option_b=4160 | option_c=4170 | option_d=4576 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4160 \times 110/100 = \text{₹}4576$.
- id=55349 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3711. If it is sold at a profit of 15%, what is its selling price? | option_a=4267 | option_b=3726 | option_c=3896 | option_d=4638 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3711 \times 115/100 = \text{₹}4267$.
- id=55350 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=125 | option_d=240 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 240 \div 2 = 120$ km/h.

Aptitude Questions — Records 55,351-55,380 of 100,000

id=55351 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 17, 20, 25? | option_a=14 | option_b=25 | option_c=17 | option_d=20 | answer=B | explanation=The first three numbers increase by 3, so the next should be 23. Therefore 25 is the odd one out.

id=55352 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 30. | option_a=30 | option_b=450 | option_c=1 | option_d=45 | answer=A | explanation=LCM × HCF = 15×30; HCF(15,30) = 15, so LCM = 30.

id=55353 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 25, 34, 44? | option_a=16 | option_b=34 | option_c=44 | option_d=25 | answer=C | explanation=The first three numbers increase by 9, so the next should be 43. Therefore 44 is the odd one out.

id=55354 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:11 and the first is 56, what is the second? | option_a=88 | option_b=95 | option_c=77 | option_d=144 | answer=A | explanation=Scale factor = 56/7 = 8. Therefore second quantity = 11×8 = 88.

id=55355 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41550 at 5% per annum for 4 years. | option_a=8410 | option_b=8310 | option_c=8210 | option_d=49860 | answer=B | explanation=SI = $\frac{PRT}{100}$ = $\frac{41550 \times 5 \times 4}{100}$ = **■**8310.

id=55356 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 20. | option_a=120 | option_b=140 | option_c=154 | option_d=280 | answer=B | explanation=LCM × HCF = 14×20; HCF(14,20) = 2, so LCM = 140.

id=55357 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=S | option_b=T | option_c=R | option_d=Q | answer=A | explanation=Move 1 positions forward from R; the resulting letter is S.

id=55358 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 22? | option_a=16 | option_b=22 | option_c=14 | option_d=18 | answer=B | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 22 is the odd one out.

id=55359 | topic=Averages | difficulty=Easy | question=Find the average of 38, 20, 11. | option_a=22 | option_b=24 | option_c=25 | option_d=23 | answer=D | explanation=Average = sum of values ÷ number of values = 69 ÷ 3 = 23.

id=55360 | topic=Percentages | difficulty=Easy | question=What is 12% of 1212? | option_a=290 | option_b=145 | option_c=125 | option_d=155 | answer=B | explanation=12% of 1212 = $(\frac{12}{100}) \times 1212$ = 145.

id=55361 | topic=Percentages | difficulty=Easy | question=What is 10% of 1091? | option_a=104 | option_b=109 | option_c=119 | option_d=218 | answer=B | explanation=10% of 1091 = $(\frac{10}{100}) \times 1091$ = 109.

id=55362 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:14 and the first is 42, what is the second? | option_a=238 | option_b=199 | option_c=182 | option_d=196 | answer=D | explanation=Scale factor = 42/3 = 14. Therefore second quantity = 14×14 = 196.

id=55363 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=I | option_b=M | option_c=K | option_d=O | answer=B | explanation=Move 2 positions forward from K; the resulting letter is M.

id=55364 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11425 at 5% per annum for 2 years. | option_a=1142 | option_b=1042 | option_c=12567 | option_d=1242 | answer=A | explanation=SI = $\frac{PRT}{100}$ = $\frac{11425 \times 5 \times 2}{100}$ = **■**1142.

id=55365 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=55366 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=M | option_c=C | option_d=R | answer=B | explanation=Move 5 positions forward from H; the resulting letter is M.

id=55367 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=55368 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 26. | option_a=468 | option_b=208 | option_c=234 | option_d=252 | answer=C | explanation=LCM × HCF = 18×26; HCF(18,26) = 2, so LCM = 234.

id=55369 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**167. If it is sold at a profit of 20%, what is its selling price? | option_a=216 | option_b=200 | option_c=187 | option_d=184 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 167 × 120/100 = **■**200.

id=55370 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Q | option_b=W | option_c=Z | option_d=T | answer=B | explanation=Move 3 positions forward from T; the resulting letter is W.

id=55371 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:16 and the first is 195, what is the second? | option_a=240 | option_b=253 | option_c=435 | option_d=224 | answer=A | explanation=Scale factor = 195/13 = 15. Therefore second quantity = 16×15 = 240.

id=55372 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44457 at 6% per annum for 2 years. | option_a=49791 | option_b=5434 | option_c=5334 | option_d=5234 | answer=C | explanation=SI = $\frac{PRT}{100}$ = $\frac{44457 \times 6 \times 2}{100}$ = **■**5334.

id=55373 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=42 | option_b=50 | option_c=32 | option_d=41 | answer=D | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

id=55374 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31018 at 12% per annum for 3 years. | option_a=11266 | option_b=11166 | option_c=11066 | option_d=42184 | answer=B | explanation=SI = $\frac{PRT}{100}$ = $\frac{31018 \times 12 \times 3}{100}$ = **■**11166.

id=55375 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Z | option_b=W | option_c=T | option_d=Q | answer=B | explanation=Move 3 positions forward from T; the resulting letter is W.

id=55376 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=5 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=55377 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 14, 23, 33? | option_a=5 | option_b=14 | option_c=23 | option_d=33 | answer=D | explanation=The first three numbers increase by 9, so the next should be 32. Therefore 33 is the odd one out.

id=55378 | topic=Percentages | difficulty=Easy | question=What is 40% of 1210? | option_a=968 | option_b=479 | option_c=484 | option_d=489 | answer=C | explanation=40% of 1210 = $(\frac{40}{100}) \times 1210$ = 484.

id=55379 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 34? | option_a=8 | option_b=24 | option_c=34 | option_d=16 | answer=C | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 34 is the odd one out.

id=55380 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=W | option_b=N | option_c=T | option_d=Q | answer=C | explanation=Move 3 positions forward from Q; the resulting letter is T.

Aptitude Questions — Records 55,381-55,410 of 100,000

id=55381 | topic=Percentages | difficulty=Easy | question=What is 15% of 1470? | option_a=440 | option_b=220 | option_c=240 | option_d=200 | answer=B | explanation=15% of 1470 = (15/100) × 1470 = 220.

id=55382 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=55383 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 9. | option_a=9 | option_b=1 | option_c=18 | option_d=81 | answer=A | explanation=LCM × HCF = 9×9; HCF(9,9) = 9, so LCM = 9.

id=55384 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:18 and the first is 140, what is the second? | option_a=266 | option_b=146 | option_c=108 | option_d=126 | answer=D | explanation=Scale factor = 140/20 = 7. Therefore second quantity = 18×7 = 126.

id=55385 | topic=Averages | difficulty=Easy | question=Find the average of 78, 99, 77, 84, 56, 50. | option_a=74 | option_b=73 | option_c=75 | option_d=76 | answer=A | explanation=Average = sum of values ÷ number of values = 444 ÷ 6 = 74.

id=55386 | topic=Profit & Loss | difficulty=Easy | question=An article costs █441. If it is sold at a profit of 50%, what is its selling price? | option_a=491 | option_b=705 | option_c=661 | option_d=617 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 441 × 150/100 = █661.

id=55387 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4692. If it is sold at a profit of 15%, what is its selling price? | option_a=5395 | option_b=4926 | option_c=5864 | option_d=4707 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4692 × 115/100 = █5395.

id=55388 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:10 and the first is 42, what is the second? | option_a=30 | option_b=44 | option_c=20 | option_d=72 | answer=A | explanation=Scale factor = 42/14 = 3. Therefore second quantity = 10×3 = 30.

id=55389 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=E | option_b=H | option_c=K | option_d=N | answer=C | explanation=Move 3 positions forward from H; the resulting letter is K.

id=55390 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 17, 29, 41, ? | option_a=41 | option_b=54 | option_c=53 | option_d=65 | answer=C | explanation=The common difference is 12. Therefore the next term is 41 + 12 = 53.

id=55391 | topic=Percentages | difficulty=Easy | question=What is 5% of 541? | option_a=7 | option_b=27 | option_c=47 | option_d=54 | answer=B | explanation=5% of 541 = (5/100) × 541 = 27.

id=55392 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25203 at 8% per annum for 2 years. | option_a=4032 | option_b=29235 | option_c=3932 | option_d=4132 | answer=A | explanation=SI = PRT/100 = 25203×8×2/100 = █4032.

id=55393 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=53 | option_b=41 | option_c=52 | option_d=63 | answer=C | explanation=The common difference is 11. Therefore the next term is 41 + 11 = 52.

id=55394 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:8 and the first is 171, what is the second? | option_a=243 | option_b=72 | option_c=64 | option_d=91 | answer=B | explanation=Scale factor = 171/19 = 9. Therefore second quantity = 8×9 = 72.

id=55395 | topic=Percentages | difficulty=Easy | question=What is 20% of 1113? | option_a=222 | option_b=212 | option_c=227 | option_d=444 | answer=A | explanation=20% of 1113 = (20/100) × 1113 = 222.

id=55396 | topic=Averages | difficulty=Easy | question=Find the average of 85, 64, 38, 64, 26, 32, 16, 86, 44, 85. | option_a=53 | option_b=55 | option_c=56 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

id=55397 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=55398 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=R | option_c=T | option_d=U | answer=C | explanation=Move 1 positions forward from S; the resulting letter is T.

id=55399 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 46? | option_a=23 | option_b=46 | option_c=13 | option_d=33 | answer=B | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 46 is the odd one out.

id=55400 | topic=Averages | difficulty=Easy | question=Find the average of 26, 25, 17, 73, 56, 49. | option_a=43 | option_b=40 | option_c=41 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = 246 ÷ 6 = 41.

id=55401 | topic=Averages | difficulty=Easy | question=Find the average of 19, 89, 84. | option_a=66 | option_b=64 | option_c=63 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 192 ÷ 3 = 64.

id=55402 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3244. If it is sold at a profit of 50%, what is its selling price? | option_a=5190 | option_b=4542 | option_c=3294 | option_d=4866 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3244 × 150/100 = █4866.

id=55403 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14184 at 5% per annum for 5 years. | option_a=3546 | option_b=17730 | option_c=3646 | option_d=3446 | answer=A | explanation=SI = PRT/100 = 14184×5×5/100 = █3546.

id=55404 | topic=Averages | difficulty=Easy | question=Find the average of 68, 43, 26, 29, 89, 30, 44. | option_a=46 | option_b=48 | option_c=47 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 329 ÷ 7 = 47.

id=55405 | topic=Profit & Loss | difficulty=Easy | question=An article costs █679. If it is sold at a profit of 50%, what is its selling price? | option_a=1018 | option_b=951 | option_c=1085 | option_d=729 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 679 × 150/100 = █1018.

id=55406 | topic=Percentages | difficulty=Easy | question=What is 25% of 1353? | option_a=343 | option_b=676 | option_c=328 | option_d=338 | answer=D | explanation=25% of 1353 = (25/100) × 1353 = 338.

id=55407 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:13 and the first is 24, what is the second? | option_a=82 | option_b=65 | option_c=78 | option_d=102 | answer=C | explanation=Scale factor = 24/4 = 6. Therefore second quantity = 13×6 = 78.

id=55408 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=25 | option_c=20 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=55409 | topic=Percentages | difficulty=Easy | question=What is 20% of 645? | option_a=134 | option_b=129 | option_c=124 | option_d=258 | answer=B | explanation=20% of 645 = (20/100) × 645 = 129.

id=55410 | topic=Percentages | difficulty=Easy | question=What is 12% of 1256? | option_a=150 | option_b=300 | option_c=140 | option_d=170 | answer=A | explanation=12% of 1256 = (12/100) × 1256 = 150.

Aptitude Questions — Records 55,411-55,440 of 100,000

id=55411 | topic=Percentages | difficulty=Easy | question=What is 20% of 1867? | option_a=353 | option_b=373 | option_c=746 | option_d=378 | answer=B | explanation=20% of 1867 = (20/100) × 1867 = 373.

id=55412 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:9 and the first is 30, what is the second? | option_a=54 | option_b=59 | option_c=84 | option_d=45 | answer=A | explanation=Scale factor = 30/5 = 6. Therefore second quantity = 9×6 = 54.

id=55413 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=100 | option_c=50 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=55414 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 44? | option_a=33 | option_b=23 | option_c=13 | option_d=44 | answer=D | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 44 is the odd one out.

id=55415 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:3 and the first is 323, what is the second? | option_a=380 | option_b=54 | option_c=74 | option_d=57 | answer=D | explanation=Scale factor = 323/17 = 19. Therefore second quantity = 3×19 = 57.

id=55416 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36030 at 4% per annum for 5 years. | option_a=7306 | option_b=43236 | option_c=7106 | option_d=7206 | answer=D | explanation=SI = PRT/100 = 36030×4×5/100 = **■**7206.

id=55417 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16287 at 10% per annum for 3 years. | option_a=21173 | option_b=4786 | option_c=4986 | option_d=4886 | answer=D | explanation=SI = PRT/100 = 16287×10×3/100 = **■**4886.

id=55418 | topic=Percentages | difficulty=Easy | question=What is 25% of 1828? | option_a=462 | option_b=914 | option_c=437 | option_d=457 | answer=D | explanation=25% of 1828 = (25/100) × 1828 = 457.

id=55419 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=50 | option_b=38 | option_c=44 | option_d=45 | answer=C | explanation=The common difference is 6. Therefore the next term is 38 + 6 = 44.

id=55420 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 6. | option_a=42 | option_b=36 | option_c=63 | option_d=126 | answer=A | explanation=LCM × HCF = 21×6; HCF(21,6) = 3, so LCM = 42.

id=55421 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1119. If it is sold at a profit of 20%, what is its selling price? | option_a=1453 | option_b=1231 | option_c=1139 | option_d=1342 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1119 × 120/100 = **■**1342.

id=55422 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49517 at 12% per annum for 1 years. | option_a=6042 | option_b=55459 | option_c=5942 | option_d=5842 | answer=C | explanation=SI = PRT/100 = 49517×12×1/100 = **■**5942.

id=55423 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44809 at 10% per annum for 5 years. | option_a=67213 | option_b=22504 | option_c=22404 | option_d=22304 | answer=C | explanation=SI = PRT/100 = 44809×10×5/100 = **■**22404.

id=55424 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=23 | option_c=18 | option_d=36 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=55425 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=55426 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35795 at 6% per annum for 2 years. | option_a=4195 | option_b=4395 | option_c=40090 | option_d=4295 | answer=D | explanation=SI = PRT/100 = 35795×6×2/100 = **■**4295.

id=55427 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=36 | option_d=13 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=55428 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=80 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=55429 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=19 | option_b=22 | option_c=18 | option_d=14 | answer=C | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.

id=55430 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=24 | option_b=23 | option_c=26 | option_d=20 | answer=B | explanation=The common difference is 3. Therefore the next term is 20 + 3 = 23.

id=55431 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 15. | option_a=60 | option_b=180 | option_c=45 | option_d=72 | answer=A | explanation=LCM × HCF = 12×15; HCF(12,15) = 3, so LCM = 60.

id=55432 | topic=Percentages | difficulty=Easy | question=What is 25% of 1193? | option_a=303 | option_b=288 | option_c=298 | option_d=596 | answer=C | explanation=25% of 1193 = (25/100) × 1193 = 298.

id=55433 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=32 | option_b=29 | option_c=35 | option_d=33 | answer=A | explanation=The common difference is 3. Therefore the next term is 29 + 3 = 32.

id=55434 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1095. If it is sold at a profit of 30%, what is its selling price? | option_a=1423 | option_b=1125 | option_c=1314 | option_d=1532 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1095 × 130/100 = **■**1423.

id=55435 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=55436 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=R | option_c=L | option_d=U | answer=B | explanation=Move 3 positions forward from O; the resulting letter is R.

id=55437 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=55438 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:19 and the first is 256, what is the second? | option_a=320 | option_b=285 | option_c=560 | option_d=304 | answer=D | explanation=Scale factor = 256/16 = 16. Therefore second quantity = 19×16 = 304.

id=55439 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=55440 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

Aptitude Questions — Records 55,441-55,470 of 100,000

id=55441 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=55442 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on $\blacksquare34222$ at 4% per annum for 5 years. | option_a=6744 | option_b=6844 | option_c=41066 | option_d=6944 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{34222 \times 4 \times 5}{100} = \blacksquare6844$.

id=55443 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 6, 10, 17? | option_a=2 | option_b=6 | option_c=17 | option_d=10 | answer=C | explanation=The first three numbers increase by 4, so the next should be 14. Therefore 17 is the odd one out.

id=55444 | topic=Averages | difficulty=Easy | question=Find the average of 55, 30, 68, 14, 75, 38, 34, 23, 96, 47. | option_a=49 | option_b=47 | option_c=50 | option_d=48 | answer=D | explanation=Average = sum of values $\div$ number of values = $\frac{480}{10} = 48$.

id=55445 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = $\frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=55446 | topic=Percentages | difficulty=Easy | question=What is 10% of 1429? | option_a=137 | option_b=284 | option_c=142 | option_d=162 | answer=C | explanation=10% of 1429 = $(\frac{10}{100}) \times 1429 = 142$.

id=55447 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance $\div$ time = $\frac{180}{3} = 60$ km/h.

id=55448 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 39? | option_a=29 | option_b=11 | option_c=39 | option_d=20 | answer=C | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 39 is the odd one out.

id=55449 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 20. | option_a=1 | option_b=20 | option_c=40 | option_d=400 | answer=B | explanation=LCM $\times$ HCF = 20×20 ; HCF(20,20) = 20, so LCM = 20.

id=55450 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=H | option_b=P | option_c=T | option_d=L | answer=B | explanation=Move 4 positions forward from L; the resulting letter is P.

id=55451 | topic=Number System | difficulty=Easy | question=Find the LCM of 13 and 26. | option_a=1 | option_b=39 | option_c=26 | option_d=338 | answer=C | explanation=LCM $\times$ HCF = 13×26 ; HCF(13,26) = 13, so LCM = 26.

id=55452 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance $\div$ time = $\frac{150}{5} = 30$ km/h.

id=55453 | topic=Averages | difficulty=Easy | question=Find the average of 33, 41, 35, 71. | option_a=47 | option_b=45 | option_c=44 | option_d=46 | answer=B | explanation=Average = sum of values $\div$ number of values = $\frac{180}{4} = 45$.

id=55454 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=Y | option_b=S | option_c=V | option_d=P | answer=C | explanation=Move 3 positions forward from S; the resulting letter is V.

id=55455 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:11 and the first is 162, what is the second? | option_a=99 | option_b=117 | option_c=88 | option_d=261 | answer=A | explanation=Scale factor = $\frac{162}{18} = 9$. Therefore second quantity = $11 \times 9 = 99$.

id=55456 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=40 | option_b=39 | option_c=45 | option_d=33 | answer=B | explanation=The common difference is 6. Therefore the next term is $33 + 6 = 39$.

id=55457 | topic=Percentages | difficulty=Easy | question=What is 12% of 404? | option_a=53 | option_b=48 | option_c=96 | option_d=43 | answer=B | explanation=12% of 404 = $(\frac{12}{100}) \times 404 = 48$.

id=55458 | topic=Averages | difficulty=Easy | question=Find the average of 97, 52, 57, 79, 33, 70, 87, 70, 76. | option_a=68 | option_b=70 | option_c=71 | option_d=69 | answer=D | explanation=Average = sum of values $\div$ number of values = $\frac{621}{9} = 69$.

id=55459 | topic=Averages | difficulty=Easy | question=Find the average of 23, 67, 53, 45, 88, 76, 47. | option_a=58 | option_b=57 | option_c=56 | option_d=59 | answer=B | explanation=Average = sum of values $\div$ number of values = $\frac{399}{7} = 57$.

id=55460 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:18 and the first is 108, what is the second? | option_a=198 | option_b=225 | option_c=216 | option_d=324 | answer=C | explanation=Scale factor = $\frac{108}{9} = 12$. Therefore second quantity = $18 \times 12 = 216$.

id=55461 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 24, 30, 37? | option_a=18 | option_b=37 | option_c=30 | option_d=24 | answer=B | explanation=The first three numbers increase by 6, so the next should be 36. Therefore 37 is the odd one out.

id=55462 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12} = 3$ days.

id=55463 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:6 and the first is 8, what is the second? | option_a=26 | option_b=32 | option_c=18 | option_d=24 | answer=D | explanation=Scale factor = $\frac{8}{2} = 4$. Therefore second quantity = $6 \times 4 = 24$.

id=55464 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=50 | option_d=40 | answer=B | explanation=Speed = distance $\div$ time = $\frac{90}{2} = 45$ km/h.

id=55465 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=33 | option_b=25 | option_c=30 | option_d=29 | answer=D | explanation=The common difference is 4. Therefore the next term is $25 + 4 = 29$.

id=55466 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=21 | option_b=27 | option_c=25 | option_d=24 | answer=D | explanation=The common difference is 3. Therefore the next term is $21 + 3 = 24$.

id=55467 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 11? | option_a=6 | option_b=2 | option_c=11 | option_d=4 | answer=C | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 11 is the odd one out.

id=55468 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=Z | option_c=F | option_d=B | answer=A | explanation=Move 2 positions forward from B; the resulting letter is D.

id=55469 | topic=Profit & Loss | difficulty=Easy | question=An article costs $\blacksquare214$. If it is sold at a profit of 15%, what is its selling price? | option_a=246 | option_b=229 | option_c=267 | option_d=225 | answer=A | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 214 \times \frac{115}{100} = \blacksquare246$.

id=55470 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=Y | option_b=V | option_c=S | option_d=P | answer=B | explanation=Move 3 positions forward from S; the resulting letter is V.

Aptitude Questions — Records 55,471-55,500 of 100,000

id=55471 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:12 and the first is 16, what is the second? | option_a=180 | option_b=193 | option_c=192 | option_d=208 | answer=C | explanation=Scale factor = 16/1 = 16. Therefore second quantity = 12×16 = 192.

id=55472 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 21. | option_a=189 | option_b=63 | option_c=72 | option_d=42 | answer=B | explanation=LCM × HCF = 9×21; HCF(9,21) = 3, so LCM = 63.

id=55473 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=W | option_b=B | option_c=M | option_d=R | answer=A | explanation=Move 5 positions forward from R; the resulting letter is W.

id=55474 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=Y | option_c=K | option_d=C | answer=A | explanation=Move 4 positions forward from C; the resulting letter is G.

id=55475 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 8, 12, 18? | option_a=8 | option_b=12 | option_c=4 | option_d=18 | answer=D | explanation=The first three numbers increase by 4, so the next should be 16. Therefore 18 is the odd one out.

id=55476 | topic=Percentages | difficulty=Easy | question=What is 30% of 433? | option_a=129 | option_b=258 | option_c=124 | option_d=139 | answer=A | explanation=30% of 433 = (30/100) × 433 = 129.

id=55477 | topic=Averages | difficulty=Easy | question=Find the average of 41, 49, 84, 32, 14. | option_a=43 | option_b=45 | option_c=46 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = 220 ÷ 5 = 44.

id=55478 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4239. If it is sold at a profit of 20%, what is its selling price? | option_a=5086 | option_b=5509 | option_c=4663 | option_d=4259 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4239 × 120/100 = █5086.

id=55479 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=55480 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 21, 30, 39, ? | option_a=48 | option_b=39 | option_c=57 | option_d=49 | answer=A | explanation=The common difference is 9. Therefore the next term is 39 + 9 = 48.

id=55481 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=C | option_b=B | option_c=D | option_d=A | answer=A | explanation=Move 1 positions forward from B; the resulting letter is C.

id=55482 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:7 and the first is 24, what is the second? | option_a=66 | option_b=42 | option_c=46 | option_d=35 | answer=B | explanation=Scale factor = 24/4 = 6. Therefore second quantity = 7×6 = 42.

id=55483 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=K | option_b=B | option_c=E | option_d=H | answer=D | explanation=Move 3 positions forward from E; the resulting letter is H.

id=55484 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4383. If it is sold at a profit of 15%, what is its selling price? | option_a=5040 | option_b=4398 | option_c=4602 | option_d=5478 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4383 × 115/100 = █5040.

id=55485 | topic=Percentages | difficulty=Easy | question=What is 50% of 1548? | option_a=1548 | option_b=754 | option_c=774 | option_d=794 | answer=C | explanation=50% of 1548 = (50/100) × 1548 = 774.

id=55486 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=55487 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 18. | option_a=18 | option_b=1 | option_c=54 | option_d=21 | answer=A | explanation=LCM × HCF = 3×18; HCF(3,18) = 3, so LCM = 18.

id=55488 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=56 | option_b=55 | option_c=64 | option_d=46 | answer=B | explanation=The common difference is 9. Therefore the next term is 46 + 9 = 55.

id=55489 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:5 and the first is 72, what is the second? | option_a=55 | option_b=66 | option_c=60 | option_d=132 | answer=C | explanation=Scale factor = 72/6 = 12. Therefore second quantity = 5×12 = 60.

id=55490 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=55491 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15096 at 8% per annum for 3 years. | option_a=3623 | option_b=3723 | option_c=3523 | option_d=18719 | answer=A | explanation=SI = PRT/100 = 15096×8×3/100 = █3623.

id=55492 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=N | option_b=P | option_c=T | option_d=R | answer=D | explanation=Move 2 positions forward from P; the resulting letter is R.

id=55493 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:4 and the first is 156, what is the second? | option_a=48 | option_b=44 | option_c=204 | option_d=61 | answer=A | explanation=Scale factor = 156/13 = 12. Therefore second quantity = 4×12 = 48.

id=55494 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 28, 38, 48, ? | option_a=59 | option_b=58 | option_c=48 | option_d=68 | answer=B | explanation=The common difference is 10. Therefore the next term is 48 + 10 = 58.

id=55495 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 26, 34, 42, ? | option_a=51 | option_b=58 | option_c=50 | option_d=42 | answer=C | explanation=The common difference is 8. Therefore the next term is 42 + 8 = 50.

id=55496 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=55497 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 17, 22, 28? | option_a=22 | option_b=17 | option_c=12 | option_d=28 | answer=D | explanation=The first three numbers increase by 5, so the next should be 27. Therefore 28 is the odd one out.

id=55498 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1107. If it is sold at a profit of 40%, what is its selling price? | option_a=1549 | option_b=1659 | option_c=1147 | option_d=1439 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1107 × 140/100 = █1549.

id=55499 | topic=Percentages | difficulty=Easy | question=What is 5% of 1321? | option_a=66 | option_b=76 | option_c=132 | option_d=61 | answer=A | explanation=5% of 1321 = (5/100) × 1321 = 66.

id=55500 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:6 and the first is 153, what is the second? | option_a=54 | option_b=71 | option_c=48 | option_d=207 | answer=A | explanation=Scale factor = 153/17 = 9. Therefore second quantity = 6×9 = 54.

Aptitude Questions — Records 55,501-55,530 of 100,000

id=55501 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=55502 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=55503 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 18, 27, 39? | option_a=18 | option_b=27 | option_c=39 | option_d=9 | answer=C | explanation=The first three numbers increase by 9, so the next should be 36. Therefore 39 is the odd one out.

id=55504 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=55505 | topic=Percentages | difficulty=Easy | question=What is 50% of 1815? | option_a=917 | option_b=887 | option_c=907 | option_d=1814 | answer=C | explanation=50% of 1815 = (50/100) × 1815 = 907.

id=55506 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21802 at 4% per annum for 1 years. | option_a=972 | option_b=772 | option_c=872 | option_d=22674 | answer=C | explanation=SI = PRT/100 = 21802×4×1/100 = **■**872.

id=55507 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=H | option_c=L | option_d=T | answer=A | explanation=Move 4 positions forward from L; the resulting letter is P.

id=55508 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 6. | option_a=24 | option_b=45 | option_c=30 | option_d=90 | answer=C | explanation=LCM × HCF = 15×6; HCF(15,6) = 3, so LCM = 30.

id=55509 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4918. If it is sold at a profit of 40%, what is its selling price? | option_a=6885 | option_b=7376 | option_c=6394 | option_d=4958 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4918 × 140/100 = **■**6885.

id=55510 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=55511 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 14, 16, 21? | option_a=12 | option_b=14 | option_c=21 | option_d=16 | answer=C | explanation=The first three numbers increase by 2, so the next should be 18. Therefore 21 is the odd one out.

id=55512 | topic=Averages | difficulty=Easy | question=Find the average of 33, 51, 18, 75, 54, 47, 100. | option_a=56 | option_b=53 | option_c=55 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

id=55513 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=55514 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=55515 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=55516 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45719 at 15% per annum for 5 years. | option_a=80008 | option_b=34389 | option_c=34189 | option_d=34289 | answer=D | explanation=SI = PRT/100 = 45719×15×5/100 = **■**34289.

id=55517 | topic=Percentages | difficulty=Easy | question=What is 25% of 1537? | option_a=384 | option_b=364 | option_c=394 | option_d=768 | answer=A | explanation=25% of 1537 = (25/100) × 1537 = 384.

id=55518 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=42 | option_b=62 | option_c=53 | option_d=52 | answer=D | explanation=The common difference is 10. Therefore the next term is 42 + 10 = 52.

id=55519 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:17 and the first is 270, what is the second? | option_a=525 | option_b=238 | option_c=273 | option_d=255 | answer=D | explanation=Scale factor = 270/18 = 15. Therefore second quantity = 17×15 = 255.

id=55520 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=D | option_b=I | option_c=S | option_d=N | answer=D | explanation=Move 5 positions forward from I; the resulting letter is N.

id=55521 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:18 and the first is 54, what is the second? | option_a=306 | option_b=327 | option_c=378 | option_d=324 | answer=D | explanation=Scale factor = 54/3 = 18. Therefore second quantity = 18×18 = 324.

id=55522 | topic=Percentages | difficulty=Easy | question=What is 20% of 1336? | option_a=277 | option_b=267 | option_c=534 | option_d=257 | answer=B | explanation=20% of 1336 = (20/100) × 1336 = 267.

id=55523 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=O | option_c=P | option_d=M | answer=B | explanation=Move 1 positions forward from N; the resulting letter is O.

id=55524 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=10 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=55525 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=J | option_b=H | option_c=I | option_d=K | answer=A | explanation=Move 1 positions forward from I; the resulting letter is J.

id=55526 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=55527 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=O | option_c=Q | option_d=R | answer=C | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=55528 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 11, 16, 24? | option_a=24 | option_b=16 | option_c=11 | option_d=6 | answer=A | explanation=The first three numbers increase by 5, so the next should be 21. Therefore 24 is the odd one out.

id=55529 | topic=Percentages | difficulty=Easy | question=What is 15% of 833? | option_a=129 | option_b=114 | option_c=124 | option_d=248 | answer=C | explanation=15% of 833 = (15/100) × 833 = 124.

id=55530 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 55,531-55,560 of 100,000

id=55531 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=39 | option_b=38 | option_c=46 | option_d=30 | answer=B | explanation=The common difference is 8. Therefore the next term is 30 + 8 = 38.

id=55532 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1707. If it is sold at a profit of 10%, what is its selling price? | option_a=1717 | option_b=2047 | option_c=1707 | option_d=1877 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1707 × 110/100 = █1877.

id=55533 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=180 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=55534 | topic=Averages | difficulty=Easy | question=Find the average of 78, 98, 24, 27, 77, 95, 95, 39, 88. | option_a=71 | option_b=68 | option_c=70 | option_d=69 | answer=D | explanation=Average = sum of values ÷ number of values = 621 ÷ 9 = 69.

id=55535 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29959 at 6% per annum for 5 years. | option_a=8987 | option_b=9087 | option_c=38946 | option_d=8887 | answer=A | explanation=SI = PRT/100 = 29959×6×5/100 = █8987.

id=55536 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19190 at 10% per annum for 4 years. | option_a=7776 | option_b=26866 | option_c=7576 | option_d=7676 | answer=D | explanation=SI = PRT/100 = 19190×10×4/100 = █7676.

id=55537 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 49? | option_a=49 | option_b=27 | option_c=37 | option_d=17 | answer=A | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 49 is the odd one out.

id=55538 | topic=Percentages | difficulty=Easy | question=What is 10% of 70? | option_a=7 | option_b=14 | option_c=0 | option_d=17 | answer=A | explanation=10% of 70 = (10/100) × 70 = 7.

id=55539 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 10, 16, 23? | option_a=4 | option_b=10 | option_c=23 | option_d=16 | answer=C | explanation=The first three numbers increase by 6, so the next should be 22. Therefore 23 is the odd one out.

id=55540 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3962. If it is sold at a profit of 50%, what is its selling price? | option_a=6339 | option_b=5547 | option_c=4012 | option_d=5943 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3962 × 150/100 = █5943.

id=55541 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=26 | option_b=30 | option_c=32 | option_d=29 | answer=D | explanation=The common difference is 3. Therefore the next term is 26 + 3 = 29.

id=55542 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:12 and the first is 60, what is the second? | option_a=180 | option_b=240 | option_c=184 | option_d=168 | answer=A | explanation=Scale factor = 60/4 = 15. Therefore second quantity = 12×15 = 180.

id=55543 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=55544 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 24. | option_a=120 | option_b=130 | option_c=240 | option_d=96 | answer=A | explanation=LCM × HCF = 10×24; HCF(10,24) = 2, so LCM = 120.

id=55545 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 8. | option_a=144 | option_b=64 | option_c=72 | option_d=90 | answer=C | explanation=LCM × HCF = 18×8; HCF(18,8) = 2, so LCM = 72.

id=55546 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:18 and the first is 99, what is the second? | option_a=198 | option_b=180 | option_c=207 | option_d=297 | answer=A | explanation=Scale factor = 99/9 = 11. Therefore second quantity = 18×11 = 198.

id=55547 | topic=Averages | difficulty=Easy | question=Find the average of 40, 66, 91, 61, 21, 13, 10, 66. | option_a=46 | option_b=47 | option_c=45 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = 368 ÷ 8 = 46.

id=55548 | topic=Averages | difficulty=Easy | question=Find the average of 63, 51, 20, 41, 50, 94, 52. | option_a=54 | option_b=55 | option_c=52 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 371 ÷ 7 = 53.

id=55549 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1413. If it is sold at a profit of 20%, what is its selling price? | option_a=1836 | option_b=1695 | option_c=1554 | option_d=1433 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1413 × 120/100 = █1695.

id=55550 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 33, 39, 46? | option_a=46 | option_b=39 | option_c=33 | option_d=27 | answer=A | explanation=The first three numbers increase by 6, so the next should be 45. Therefore 46 is the odd one out.

id=55551 | topic=Percentages | difficulty=Easy | question=What is 12% of 1120? | option_a=129 | option_b=268 | option_c=134 | option_d=139 | answer=C | explanation=12% of 1120 = (12/100) × 1120 = 134.

id=55552 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40768 at 4% per annum for 4 years. | option_a=6522 | option_b=6622 | option_c=47290 | option_d=6422 | answer=A | explanation=SI = PRT/100 = 40768×4×4/100 = █6522.

id=55553 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1709. If it is sold at a profit of 20%, what is its selling price? | option_a=1880 | option_b=2050 | option_c=2220 | option_d=1729 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1709 × 120/100 = █2050.

id=55554 | topic=Percentages | difficulty=Easy | question=What is 5% of 285? | option_a=9 | option_b=28 | option_c=14 | option_d=24 | answer=C | explanation=5% of 285 = (5/100) × 285 = 14.

id=55555 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2517. If it is sold at a profit of 10%, what is its selling price? | option_a=2527 | option_b=2517 | option_c=2768 | option_d=3019 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2517 × 110/100 = █2768.

id=55556 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=63 | option_b=52 | option_c=64 | option_d=74 | answer=A | explanation=The common difference is 11. Therefore the next term is 52 + 11 = 63.

id=55557 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:10 and the first is 91, what is the second? | option_a=83 | option_b=161 | option_c=60 | option_d=70 | answer=D | explanation=Scale factor = 91/13 = 7. Therefore second quantity = 10×7 = 70.

id=55558 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=N | option_b=T | option_c=R | option_d=P | answer=C | explanation=Move 2 positions forward from P; the resulting letter is R.

id=55559 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=O | option_c=N | option_d=M | answer=B | explanation=Move 1 positions forward from N; the resulting letter is O.

id=55560 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=44 | option_b=36 | option_c=50 | option_d=43 | answer=D | explanation=The common difference is 7. Therefore the next term is 36 + 7 = 43.

Aptitude Questions — Records 55,561-55,590 of 100,000

id=55561 | topic=Averages | difficulty=Easy | question=Find the average of 77, 40, 28, 86, 88, 47. | option_a=61 | option_b=63 | option_c=62 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 366 ÷ 6 = 61.

id=55562 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 13, 18, 23, ? | option_a=23 | option_b=28 | option_c=33 | option_d=29 | answer=B | explanation=The common difference is 5. Therefore the next term is 23 + 5 = 28.

id=55563 | topic=Averages | difficulty=Easy | question=Find the average of 62, 11, 32, 95. | option_a=51 | option_b=50 | option_c=49 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 200 ÷ 4 = 50.

id=55564 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=55565 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=31 | option_c=72 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=55566 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=33 | option_b=26 | option_c=38 | option_d=32 | answer=D | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=55567 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22058 at 10% per annum for 1 years. | option_a=24263 | option_b=2305 | option_c=2105 | option_d=2205 | answer=D | explanation=SI = PRT/100 = 22058×10×1/100 = █2205.

id=55568 | topic=Percentages | difficulty=Easy | question=What is 20% of 987? | option_a=394 | option_b=207 | option_c=197 | option_d=177 | answer=C | explanation=20% of 987 = (20/100) × 987 = 197.

id=55569 | topic=Averages | difficulty=Easy | question=Find the average of 88, 100, 60, 52, 68, 34, 14, 94, 21. | option_a=61 | option_b=58 | option_c=60 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 531 ÷ 9 = 59.

id=55570 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=V | option_b=K | option_c=F | option_d=A | answer=C | explanation=Move 5 positions forward from A; the resulting letter is F.

id=55571 | topic=Averages | difficulty=Easy | question=Find the average of 21, 29, 42, 57, 92, 63, 70, 34, 87. | option_a=54 | option_b=55 | option_c=57 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.

id=55572 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=52 | option_b=44 | option_c=36 | option_d=45 | answer=B | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.

id=55573 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=55574 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=144 | option_c=67 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=55575 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 26, 36, 48? | option_a=48 | option_b=36 | option_c=16 | option_d=26 | answer=A | explanation=The first three numbers increase by 10, so the next should be 46. Therefore 48 is the odd one out.

id=55576 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 9, 13, 20? | option_a=13 | option_b=20 | option_c=5 | option_d=9 | answer=B | explanation=The first three numbers increase by 4, so the next should be 17. Therefore 20 is the odd one out.

id=55577 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 4. | option_a=12 | option_b=48 | option_c=24 | option_d=8 | answer=A | explanation=LCM × HCF = 12×4; HCF(12,4) = 4, so LCM = 12.

id=55578 | topic=Profit & Loss | difficulty=Easy | question=An article costs █435. If it is sold at a profit of 15%, what is its selling price? | option_a=500 | option_b=543 | option_c=457 | option_d=450 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 435 × 115/100 = █500.

id=55579 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3782. If it is sold at a profit of 40%, what is its selling price? | option_a=5672 | option_b=4916 | option_c=5294 | option_d=3822 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3782 × 140/100 = █5294.

id=55580 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42577 at 15% per annum for 1 years. | option_a=6386 | option_b=48963 | option_c=6286 | option_d=6486 | answer=A | explanation=SI = PRT/100 = 42577×15×1/100 = █6386.

id=55581 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=55582 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=150 | option_c=80 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=55583 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 12. | option_a=48 | option_b=60 | option_c=75 | option_d=180 | answer=B | explanation=LCM × HCF = 15×12; HCF(15,12) = 3, so LCM = 60.

id=55584 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3910. If it is sold at a profit of 25%, what is its selling price? | option_a=4496 | option_b=5278 | option_c=3935 | option_d=4887 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3910 × 125/100 = █4887.

id=55585 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 18? | option_a=18 | option_b=11 | option_c=13 | option_d=9 | answer=A | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 18 is the odd one out.

id=55586 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=55587 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 43? | option_a=37 | option_b=27 | option_c=43 | option_d=32 | answer=C | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 43 is the odd one out.

id=55588 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=55589 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=X | option_b=G | option_c=A | option_d=D | answer=D | explanation=Move 3 positions forward from A; the resulting letter is D.

id=55590 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 27. | option_a=81 | option_b=27 | option_c=30 | option_d=1 | answer=B | explanation=LCM × HCF = 3×27; HCF(3,27) = 3, so LCM = 27.

Aptitude Questions — Records 55,591-55,620 of 100,000

id=55591 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3335. If it is sold at a profit of 10%, what is its selling price? | option_a=3345 | option_b=3335 | option_c=3668 | option_d=4001 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3335 \times 110/100 = \text{█}3668$.

id=55592 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 9. | option_a=18 | option_b=54 | option_c=9 | option_d=24 | answer=A | explanation= $LCM \times HCF = 6 \times 9$; $HCF(6,9) = 3$, so $LCM = 18$.

id=55593 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 12, 15, 18, ? | option_a=21 | option_b=18 | option_c=24 | option_d=22 | answer=A | explanation=The common difference is 3. Therefore the next term is $18 + 3 = 21$.

id=55594 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=L | option_b=I | option_c=F | option_d=O | answer=A | explanation=Move 3 positions forward from I; the resulting letter is L.

id=55595 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1335. If it is sold at a profit of 25%, what is its selling price? | option_a=1535 | option_b=1801 | option_c=1360 | option_d=1668 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1335 \times 125/100 = \text{█}1668$.

id=55596 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=55597 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=M | option_b=A | option_c=E | option_d=I | answer=D | explanation=Move 4 positions forward from E; the resulting letter is I.

id=55598 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=Y | option_b=C | option_c=K | option_d=G | answer=D | explanation=Move 4 positions forward from C; the resulting letter is G.

id=55599 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=5 | option_d=7 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=55600 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=24 | option_b=27 | option_c=25 | option_d=21 | answer=A | explanation=The common difference is 3. Therefore the next term is $21 + 3 = 24$.

id=55601 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=R | option_b=U | option_c=X | option_d=A | answer=C | explanation=Move 3 positions forward from U; the resulting letter is X.

id=55602 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10360 at 8% per annum for 4 years. | option_a=13675 | option_b=3415 | option_c=3315 | option_d=3215 | answer=C | explanation= $SI = PRT/100 = 10360 \times 8 \times 4/100 = \text{█}3315$.

id=55603 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4591. If it is sold at a profit of 40%, what is its selling price? | option_a=4631 | option_b=6427 | option_c=5968 | option_d=6886 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4591 \times 140/100 = \text{█}6427$.

id=55604 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28719 at 5% per annum for 3 years. | option_a=4307 | option_b=4407 | option_c=4207 | option_d=33026 | answer=A | explanation= $SI = PRT/100 = 28719 \times 5 \times 3/100 = \text{█}4307$.

id=55605 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 10, 16, 23? | option_a=16 | option_b=4 | option_c=10 | option_d=23 | answer=D | explanation=The first three numbers increase by 6, so the next should be 22. Therefore 23 is the odd one out.

id=55606 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.

id=55607 | topic=Averages | difficulty=Easy | question=Find the average of 63, 13, 67, 12, 88, 21. | option_a=43 | option_b=46 | option_c=45 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = $264 \div 6 = 44$.

id=55608 | topic=Percentages | difficulty=Easy | question=What is 10% of 1216? | option_a=242 | option_b=131 | option_c=101 | option_d=121 | answer=D | explanation=10% of 1216 = $(10/100) \times 1216 = 121$.

id=55609 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=H | option_b=K | option_c=B | option_d=E | answer=A | explanation=Move 3 positions forward from E; the resulting letter is H.

id=55610 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 24, 32, 42? | option_a=24 | option_b=42 | option_c=32 | option_d=16 | answer=B | explanation=The first three numbers increase by 8, so the next should be 40. Therefore 42 is the odd one out.

id=55611 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=55612 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=E | option_b=I | option_c=Q | option_d=M | answer=D | explanation=Move 4 positions forward from I; the resulting letter is M.

id=55613 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=T | option_c=R | option_d=X | answer=A | explanation=Move 2 positions forward from T; the resulting letter is V.

id=55614 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=A | option_b=M | option_c=E | option_d=I | answer=D | explanation=Move 4 positions forward from E; the resulting letter is I.

id=55615 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=55616 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3907. If it is sold at a profit of 50%, what is its selling price? | option_a=5470 | option_b=3957 | option_c=5860 | option_d=6250 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3907 \times 150/100 = \text{█}5860$.

id=55617 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 26, 29, 33? | option_a=29 | option_b=33 | option_c=26 | option_d=23 | answer=B | explanation=The first three numbers increase by 3, so the next should be 32. Therefore 33 is the odd one out.

id=55618 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 14? | option_a=14 | option_b=7 | option_c=5 | option_d=9 | answer=A | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 14 is the odd one out.

id=55619 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 25. | option_a=25 | option_b=1 | option_c=125 | option_d=30 | answer=A | explanation= $LCM \times HCF = 5 \times 25$; $HCF(5,25) = 5$, so $LCM = 25$.

id=55620 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45722 at 10% per annum for 2 years. | option_a=54866 | option_b=9244 | option_c=9144 | option_d=9044 | answer=C | explanation= $SI = PRT/100 = 45722 \times 10 \times 2/100 = \text{█}9144$.

Aptitude Questions — Records 55,621-55,650 of 100,000

id=55621 | topic=Percentages | difficulty=Easy | question=What is 10% of 1070? | option_a=107 | option_b=87 | option_c=127 | option_d=214 | answer=A | explanation=10% of 1070 = (10/100) × 1070 = 107.

id=55622 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=55623 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:3 and the first is 16, what is the second? | option_a=22 | option_b=6 | option_c=3 | option_d=14 | answer=B | explanation=Scale factor = 16/8 = 2. Therefore second quantity = 3×2 = 6.

id=55624 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=55625 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=55626 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=37 | option_b=28 | option_c=36 | option_d=44 | answer=C | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=55627 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 23, 30, 37, ? | option_a=37 | option_b=51 | option_c=45 | option_d=44 | answer=D | explanation=The common difference is 7. Therefore the next term is 37 + 7 = 44.

id=55628 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=40 | option_b=48 | option_c=54 | option_d=47 | answer=D | explanation=The common difference is 7. Therefore the next term is 40 + 7 = 47.

id=55629 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:2 and the first is 98, what is the second? | option_a=126 | option_b=26 | option_c=35 | option_d=28 | answer=D | explanation=Scale factor = 98/7 = 14. Therefore second quantity = 2×14 = 28.

id=55630 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=I | option_c=C | option_d=L | answer=B | explanation=Move 3 positions forward from F; the resulting letter is I.

id=55631 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 33, 42, 52? | option_a=52 | option_b=33 | option_c=42 | option_d=24 | answer=A | explanation=The first three numbers increase by 9, so the next should be 51. Therefore 52 is the odd one out.

id=55632 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 33, 42, 53? | option_a=53 | option_b=33 | option_c=42 | option_d=24 | answer=A | explanation=The first three numbers increase by 9, so the next should be 51. Therefore 53 is the odd one out.

id=55633 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=32 | option_b=27 | option_c=26 | option_d=20 | answer=C | explanation=The common difference is 6. Therefore the next term is 20 + 6 = 26.

id=55634 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=12 | option_b=15 | option_c=16 | option_d=14 | answer=D | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=55635 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=55636 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1275. If it is sold at a profit of 40%, what is its selling price? | option_a=1315 | option_b=1785 | option_c=1912 | option_d=1658 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1275 × 140/100 = █1785.

id=55637 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=Y | option_b=K | option_c=G | option_d=C | answer=C | explanation=Move 4 positions forward from C; the resulting letter is G.

id=55638 | topic=Percentages | difficulty=Easy | question=What is 10% of 817? | option_a=81 | option_b=76 | option_c=162 | option_d=86 | answer=A | explanation=10% of 817 = (10/100) × 817 = 81.

id=55639 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=G | option_b=X | option_c=D | option_d=A | answer=C | explanation=Move 3 positions forward from A; the resulting letter is D.

id=55640 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1243. If it is sold at a profit of 20%, what is its selling price? | option_a=1615 | option_b=1263 | option_c=1491 | option_d=1367 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1243 × 120/100 = █1491.

id=55641 | topic=Averages | difficulty=Easy | question=Find the average of 54, 75, 52, 60, 93, 60, 97, 83, 91, 85. | option_a=75 | option_b=77 | option_c=74 | option_d=76 | answer=A | explanation=Average = sum of values ÷ number of values = 750 ÷ 10 = 75.

id=55642 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=33 | option_b=39 | option_c=34 | option_d=27 | answer=A | explanation=The common difference is 6. Therefore the next term is 27 + 6 = 33.

id=55643 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1583. If it is sold at a profit of 20%, what is its selling price? | option_a=1741 | option_b=1899 | option_c=1603 | option_d=2057 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1583 × 120/100 = █1899.

id=55644 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 49? | option_a=49 | option_b=28 | option_c=34 | option_d=40 | answer=A | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 49 is the odd one out.

id=55645 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=J | option_b=A | option_c=G | option_d=D | answer=C | explanation=Move 3 positions forward from D; the resulting letter is G.

id=55646 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=55647 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=144 | option_c=67 | option_d=77 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=55648 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:1 and the first is 60, what is the second? | option_a=2 | option_b=23 | option_c=3 | option_d=63 | answer=C | explanation=Scale factor = 60/20 = 3. Therefore second quantity = 1×3 = 3.

id=55649 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:20 and the first is 88, what is the second? | option_a=308 | option_b=220 | option_c=200 | option_d=228 | answer=B | explanation=Scale factor = 88/8 = 11. Therefore second quantity = 20×11 = 220.

id=55650 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 15, 21, 29? | option_a=29 | option_b=9 | option_c=15 | option_d=21 | answer=A | explanation=The first three numbers increase by 6, so the next should be 27. Therefore 29 is the odd one out.

Aptitude Questions — Records 55,651-55,680 of 100,000

id=55651 | topic=Averages | difficulty=Easy | question=Find the average of 21, 78, 60, 101. | option_a=64 | option_b=67 | option_c=65 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = $260 \div 4 = 65$.

id=55652 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $18/9 = 2$ days.

id=55653 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=125 | option_c=240 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = $240 \div 2 = 120$ km/h.

id=55654 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = $360 \div 6 = 60$ km/h.

id=55655 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:19 and the first is 30, what is the second? | option_a=190 | option_b=171 | option_c=220 | option_d=193 | answer=A | explanation=Scale factor = $30/3 = 10$. Therefore second quantity = $19 \times 10 = 190$.

id=55656 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $18/9 = 2$ days.

id=55657 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = $\frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $72/18 = 4$ days.

id=55658 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4302. If it is sold at a profit of 5%, what is its selling price? | option_a=4517 | option_b=4947 | option_c=4087 | option_d=4307 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4302 \times 105/100 = \text{█}4517$.

id=55659 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=32 | option_b=27 | option_c=22 | option_d=28 | answer=B | explanation=The common difference is 5. Therefore the next term is $22 + 5 = 27$.

id=55660 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39186 at 10% per annum for 3 years. | option_a=50941 | option_b=11855 | option_c=11655 | option_d=11755 | answer=D | explanation=SI = $PRT/100 = 39186 \times 10 \times 3/100 = \text{█}11755$.

id=55661 | topic=Percentages | difficulty=Easy | question=What is 10% of 242? | option_a=29 | option_b=24 | option_c=19 | option_d=48 | answer=B | explanation=10% of 242 = $(10/100) \times 242 = 24$.

id=55662 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3030. If it is sold at a profit of 50%, what is its selling price? | option_a=3080 | option_b=4848 | option_c=4545 | option_d=4242 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3030 \times 150/100 = \text{█}4545$.

id=55663 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=36 | option_b=28 | option_c=44 | option_d=37 | answer=A | explanation=The common difference is 8. Therefore the next term is $28 + 8 = 36$.

id=55664 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=33 | option_b=25 | option_c=39 | option_d=32 | answer=D | explanation=The common difference is 7. Therefore the next term is $25 + 7 = 32$.

id=55665 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 33? | option_a=20 | option_b=25 | option_c=33 | option_d=15 | answer=C | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 33 is the odd one out.

id=55666 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3392. If it is sold at a profit of 25%, what is its selling price? | option_a=4579 | option_b=3901 | option_c=3417 | option_d=4240 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3392 \times 125/100 = \text{█}4240$.

id=55667 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2258. If it is sold at a profit of 5%, what is its selling price? | option_a=2263 | option_b=2595 | option_c=2145 | option_d=2370 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2258 \times 105/100 = \text{█}2370$.

id=55668 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=120 | option_c=240 | option_d=115 | answer=B | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.

id=55669 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=S | option_b=W | option_c=Y | option_d=U | answer=B | explanation=Move 2 positions forward from U; the resulting letter is W.

id=55670 | topic=Averages | difficulty=Easy | question=Find the average of 16, 51, 45, 92, 18, 14, 31, 21. | option_a=35 | option_b=37 | option_c=38 | option_d=36 | answer=D | explanation=Average = sum of values ÷ number of values = $288 \div 8 = 36$.

id=55671 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2905. If it is sold at a profit of 30%, what is its selling price? | option_a=4066 | option_b=3776 | option_c=3486 | option_d=2935 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2905 \times 130/100 = \text{█}3776$.

id=55672 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $72/18 = 4$ days.

id=55673 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:6 and the first is 162, what is the second? | option_a=216 | option_b=72 | option_c=48 | option_d=54 | answer=D | explanation=Scale factor = $162/18 = 9$. Therefore second quantity = $6 \times 9 = 54$.

id=55674 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:2 and the first is 16, what is the second? | option_a=16 | option_b=32 | option_c=18 | option_d=14 | answer=A | explanation=Scale factor = $16/2 = 8$. Therefore second quantity = $2 \times 8 = 16$.

id=55675 | topic=Averages | difficulty=Easy | question=Find the average of 37, 79, 47, 60, 78, 30, 68. | option_a=58 | option_b=59 | option_c=57 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = $399 \div 7 = 57$.

id=55676 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=23 | option_b=37 | option_c=30 | option_d=31 | answer=C | explanation=The common difference is 7. Therefore the next term is $23 + 7 = 30$.

id=55677 | topic=Averages | difficulty=Easy | question=Find the average of 81, 53, 83, 45, 13. | option_a=56 | option_b=55 | option_c=54 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = $275 \div 5 = 55$.

id=55678 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Z | option_b=T | option_c=W | option_d=Q | answer=C | explanation=Move 3 positions forward from T; the resulting letter is W.

id=55679 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = $\frac{1}{4} + \frac{1}{4} = \frac{8}{16}$. Time = $16/8 = 2$ days.

id=55680 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=R | option_c=F | option_d=J | answer=A | explanation=Move 4 positions forward from J; the resulting letter is N.

Aptitude Questions — Records 55,681-55,710 of 100,000

id=55681 | topic=Percentages | difficulty=Easy | question=What is 50% of 276? | option_a=138 | option_b=133 | option_c=158 | option_d=276 | answer=A | explanation=50% of 276 = (50/100) × 276 = 138.

id=55682 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 10, 12, 14, ? | option_a=14 | option_b=18 | option_c=16 | option_d=17 | answer=C | explanation=The common difference is 2. Therefore the next term is 14 + 2 = 16.

id=55683 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1740. If it is sold at a profit of 15%, what is its selling price? | option_a=2001 | option_b=1755 | option_c=1827 | option_d=2175 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1740 × 115/100 = █2001.

id=55684 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=55685 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:16 and the first is 72, what is the second? | option_a=128 | option_b=144 | option_c=216 | option_d=152 | answer=B | explanation=Scale factor = 72/8 = 9. Therefore second quantity = 16×9 = 144.

id=55686 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=48 | option_b=41 | option_c=49 | option_d=55 | answer=A | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.

id=55687 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=240 | option_c=125 | option_d=115 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=55688 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36901 at 5% per annum for 1 years. | option_a=1845 | option_b=38746 | option_c=1945 | option_d=1745 | answer=A | explanation=SI = PRT/100 = 36901×5×1/100 = █1845.

id=55689 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:7 and the first is 285, what is the second? | option_a=126 | option_b=133 | option_c=148 | option_d=418 | answer=B | explanation=Scale factor = 285/15 = 19. Therefore second quantity = 7×19 = 133.

id=55690 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1525. If it is sold at a profit of 25%, what is its selling price? | option_a=2058 | option_b=1754 | option_c=1550 | option_d=1906 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1525 × 125/100 = █1906.

id=55691 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47197 at 12% per annum for 5 years. | option_a=28318 | option_b=28218 | option_c=75515 | option_d=28418 | answer=A | explanation=SI = PRT/100 = 47197×12×5/100 = █28318.

id=55692 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=Q | option_c=M | option_d=O | answer=B | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=55693 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=I | option_c=M | option_d=K | answer=C | explanation=Move 2 positions forward from K; the resulting letter is M.

id=55694 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3639. If it is sold at a profit of 25%, what is its selling price? | option_a=4185 | option_b=4548 | option_c=3664 | option_d=4911 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3639 × 125/100 = █4548.

id=55695 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 34, 41, 49? | option_a=27 | option_b=41 | option_c=34 | option_d=49 | answer=D | explanation=The first three numbers increase by 7, so the next should be 48. Therefore 49 is the odd one out.

id=55696 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:4 and the first is 38, what is the second? | option_a=27 | option_b=46 | option_c=4 | option_d=8 | answer=D | explanation=Scale factor = 38/19 = 2. Therefore second quantity = 4×2 = 8.

id=55697 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 18. | option_a=36 | option_b=486 | option_c=54 | option_d=81 | answer=C | explanation=LCM × HCF = 27×18; HCF(27,18) = 9, so LCM = 54.

id=55698 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=55699 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 36, 43, 51? | option_a=29 | option_b=51 | option_c=36 | option_d=43 | answer=B | explanation=The first three numbers increase by 7, so the next should be 50. Therefore 51 is the odd one out.

id=55700 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 28, 36, 44, ? | option_a=52 | option_b=53 | option_c=60 | option_d=44 | answer=A | explanation=The common difference is 8. Therefore the next term is 44 + 8 = 52.

id=55701 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=24 | option_b=20 | option_c=21 | option_d=16 | answer=B | explanation=The common difference is 4. Therefore the next term is 16 + 4 = 20.

id=55702 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17686 at 6% per annum for 1 years. | option_a=18747 | option_b=1061 | option_c=961 | option_d=1161 | answer=B | explanation=SI = PRT/100 = 17686×6×1/100 = █1061.

id=55703 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=55704 | topic=Averages | difficulty=Easy | question=Find the average of 62, 61, 63. | option_a=63 | option_b=64 | option_c=61 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 186 ÷ 3 = 62.

id=55705 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=Q | option_b=S | option_c=T | option_d=R | answer=B | explanation=Move 1 positions forward from R; the resulting letter is S.

id=55706 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=55707 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=55708 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 32, 39, 49? | option_a=25 | option_b=32 | option_c=39 | option_d=49 | answer=D | explanation=The first three numbers increase by 7, so the next should be 46. Therefore 49 is the odd one out.

id=55709 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=U | option_c=M | option_d=I | answer=A | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=55710 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=W | option_c=G | option_d=L | answer=C | explanation=Move 5 positions forward from B; the resulting letter is G.

Aptitude Questions — Records 55,711-55,740 of 100,000

id=55711 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2107. If it is sold at a profit of 5%, what is its selling price? | option_a=2002 | option_b=2422 | option_c=2112 | option_d=2212 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2107 × 105/100 = **■**2212.

id=55712 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 33? | option_a=22 | option_b=2 | option_c=12 | option_d=33 | answer=D | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 33 is the odd one out.

id=55713 | topic=Averages | difficulty=Easy | question=Find the average of 64, 15, 16, 11, 30, 26, 55. | option_a=32 | option_b=31 | option_c=30 | option_d=33 | answer=B | explanation=Average = sum of values ÷ number of values = 217 ÷ 7 = 31.

id=55714 | topic=Percentages | difficulty=Easy | question=What is 40% of 1964? | option_a=785 | option_b=790 | option_c=775 | option_d=1570 | answer=A | explanation=40% of 1964 = (40/100) × 1964 = 785.

id=55715 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:12 and the first is 60, what is the second? | option_a=108 | option_b=48 | option_c=36 | option_d=63 | answer=B | explanation=Scale factor = 60/15 = 4. Therefore second quantity = 12×4 = 48.

id=55716 | topic=Percentages | difficulty=Easy | question=What is 30% of 1097? | option_a=658 | option_b=309 | option_c=334 | option_d=329 | answer=D | explanation=30% of 1097 = (30/100) × 1097 = 329.

id=55717 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=55718 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=55719 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=41 | option_b=42 | option_c=35 | option_d=47 | answer=A | explanation=The common difference is 6. Therefore the next term is 35 + 6 = 41.

id=55720 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1722. If it is sold at a profit of 30%, what is its selling price? | option_a=2410 | option_b=2066 | option_c=1752 | option_d=2238 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1722 × 130/100 = **■**2238.

id=55721 | topic=Percentages | difficulty=Easy | question=What is 40% of 1971? | option_a=1576 | option_b=793 | option_c=783 | option_d=788 | answer=D | explanation=40% of 1971 = (40/100) × 1971 = 788.

id=55722 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8120 at 12% per annum for 3 years. | option_a=3023 | option_b=11043 | option_c=2823 | option_d=2923 | answer=D | explanation=SI = PRT/100 = 8120×12×3/100 = **■**2923.

id=55723 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34260 at 5% per annum for 2 years. | option_a=3526 | option_b=37686 | option_c=3426 | option_d=3326 | answer=C | explanation=SI = PRT/100 = 34260×5×2/100 = **■**3426.

id=55724 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2645. If it is sold at a profit of 25%, what is its selling price? | option_a=3306 | option_b=2670 | option_c=3042 | option_d=3570 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2645 × 125/100 = **■**3306.

id=55725 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:19 and the first is 42, what is the second? | option_a=266 | option_b=308 | option_c=247 | option_d=269 | answer=A | explanation=Scale factor = 42/3 = 14. Therefore second quantity = 19×14 = 266.

id=55726 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14898 at 10% per annum for 5 years. | option_a=7349 | option_b=7549 | option_c=7449 | option_d=22347 | answer=C | explanation=SI = PRT/100 = 14898×10×5/100 = **■**7449.

id=55727 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39123 at 12% per annum for 4 years. | option_a=18879 | option_b=18679 | option_c=57902 | option_d=18779 | answer=D | explanation=SI = PRT/100 = 39123×12×4/100 = **■**18779.

id=55728 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=19 | option_b=23 | option_c=21 | option_d=22 | answer=C | explanation=The common difference is 2. Therefore the next term is 19 + 2 = 21.

id=55729 | topic=Percentages | difficulty=Easy | question=What is 25% of 921? | option_a=230 | option_b=460 | option_c=240 | option_d=210 | answer=A | explanation=25% of 921 = (25/100) × 921 = 230.

id=55730 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 23, 30, 38? | option_a=23 | option_b=38 | option_c=16 | option_d=30 | answer=B | explanation=The first three numbers increase by 7, so the next should be 37. Therefore 38 is the odd one out.

id=55731 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 41? | option_a=41 | option_b=11 | option_c=29 | option_d=20 | answer=A | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 41 is the odd one out.

id=55732 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:9 and the first is 224, what is the second? | option_a=142 | option_b=350 | option_c=126 | option_d=117 | answer=C | explanation=Scale factor = 224/16 = 14. Therefore second quantity = 9×14 = 126.

id=55733 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=W | option_b=R | option_c=B | option_d=M | answer=A | explanation=Move 5 positions forward from R; the resulting letter is W.

id=55734 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=55735 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48541 at 4% per annum for 3 years. | option_a=5724 | option_b=5924 | option_c=5824 | option_d=54365 | answer=C | explanation=SI = PRT/100 = 48541×4×3/100 = **■**5824.

id=55736 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3697. If it is sold at a profit of 5%, what is its selling price? | option_a=3702 | option_b=3512 | option_c=3881 | option_d=4250 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3697 × 105/100 = **■**3881.

id=55737 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=C | option_b=G | option_c=I | option_d=E | answer=B | explanation=Move 2 positions forward from E; the resulting letter is G.

id=55738 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17177 at 15% per annum for 5 years. | option_a=12982 | option_b=30059 | option_c=12882 | option_d=12782 | answer=C | explanation=SI = PRT/100 = 17177×15×5/100 = **■**12882.

id=55739 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26703 at 5% per annum for 3 years. | option_a=4005 | option_b=4105 | option_c=30708 | option_d=3905 | answer=A | explanation=SI = PRT/100 = 26703×5×3/100 = **■**4005.

id=55740 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

Aptitude Questions — Records 55,741-55,770 of 100,000

id=55741 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=E | option_c=Z | option_d=P | answer=C | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=55742 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2229. If it is sold at a profit of 15%, what is its selling price? | option_a=2341 | option_b=2563 | option_c=2785 | option_d=2244 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2229 × 115/100 = █2563.

id=55743 | topic=Percentages | difficulty=Easy | question=What is 30% of 154? | option_a=46 | option_b=56 | option_c=92 | option_d=36 | answer=A | explanation=30% of 154 = (30/100) × 154 = 46.

id=55744 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=Q | option_c=U | option_d=O | answer=A | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=55745 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3443. If it is sold at a profit of 30%, what is its selling price? | option_a=4819 | option_b=3473 | option_c=4475 | option_d=4131 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3443 × 130/100 = █4475.

id=55746 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=55747 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=34 | option_b=39 | option_c=40 | option_d=44 | answer=B | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

id=55748 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 31, 34, 40? | option_a=34 | option_b=31 | option_c=28 | option_d=40 | answer=D | explanation=The first three numbers increase by 3, so the next should be 37. Therefore 40 is the odd one out.

id=55749 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 31, 42, 53, ? | option_a=75 | option_b=64 | option_c=65 | option_d=53 | answer=B | explanation=The common difference is 11. Therefore the next term is 53 + 11 = 64.

id=55750 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=55751 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 26? | option_a=22 | option_b=16 | option_c=26 | option_d=19 | answer=C | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 26 is the odd one out.

id=55752 | topic=Averages | difficulty=Easy | question=Find the average of 90, 65, 99, 74. | option_a=83 | option_b=81 | option_c=82 | option_d=84 | answer=C | explanation=Average = sum of values ÷ number of values = 328 ÷ 4 = 82.

id=55753 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=72 | option_c=77 | option_d=67 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=55754 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 22. | option_a=176 | option_b=88 | option_c=66 | option_d=96 | answer=B | explanation=LCM × HCF = 8×22; HCF(8,22) = 2, so LCM = 88.

id=55755 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=55756 | topic=Percentages | difficulty=Easy | question=What is 15% of 1389? | option_a=188 | option_b=208 | option_c=218 | option_d=416 | answer=B | explanation=15% of 1389 = (15/100) × 1389 = 208.

id=55757 | topic=Profit & Loss | difficulty=Easy | question=An article costs █742. If it is sold at a profit of 10%, what is its selling price? | option_a=816 | option_b=752 | option_c=742 | option_d=890 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 742 × 110/100 = █816.

id=55758 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=M | option_b=S | option_c=Q | option_d=O | answer=C | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=55759 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=55760 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14133 at 15% per annum for 3 years. | option_a=6459 | option_b=20492 | option_c=6359 | option_d=6259 | answer=C | explanation=SI = PRT/100 = 14133×15×3/100 = █6359.

id=55761 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 18, 28, 38, ? | option_a=49 | option_b=48 | option_c=58 | option_d=38 | answer=B | explanation=The common difference is 10. Therefore the next term is 38 + 10 = 48.

id=55762 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=X | option_b=B | option_c=J | option_d=F | answer=D | explanation=Move 4 positions forward from B; the resulting letter is F.

id=55763 | topic=Averages | difficulty=Easy | question=Find the average of 25, 51, 42, 43, 63, 64, 74, 93, 54, 91. | option_a=60 | option_b=62 | option_c=61 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=55764 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10231 at 4% per annum for 3 years. | option_a=1327 | option_b=1127 | option_c=1227 | option_d=11458 | answer=C | explanation=SI = PRT/100 = 10231×4×3/100 = █1227.

id=55765 | topic=Averages | difficulty=Easy | question=Find the average of 52, 58, 22, 80, 70, 76, 27. | option_a=57 | option_b=55 | option_c=56 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 385 ÷ 7 = 55.

id=55766 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=55767 | topic=Averages | difficulty=Easy | question=Find the average of 80, 37, 64, 76, 86, 44, 99, 59, 49. | option_a=67 | option_b=65 | option_c=66 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 594 ÷ 9 = 66.

id=55768 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=23 | option_b=30 | option_c=31 | option_d=37 | answer=B | explanation=The common difference is 7. Therefore the next term is 23 + 7 = 30.

id=55769 | topic=Percentages | difficulty=Easy | question=What is 30% of 1280? | option_a=384 | option_b=389 | option_c=768 | option_d=374 | answer=A | explanation=30% of 1280 = (30/100) × 1280 = 384.

id=55770 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=Q | option_c=W | option_d=Z | answer=C | explanation=Move 3 positions forward from T; the resulting letter is W.

Aptitude Questions — Records 55,771-55,800 of 100,000

id=55771 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:15 and the first is 192, what is the second? | option_a=252 | option_b=432 | option_c=240 | option_d=225 | answer=C | explanation=Scale factor = $192/12 = 16$. Therefore second quantity = $15 \times 16 = 240$.

id=55772 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=24 | option_c=19 | option_d=29 | answer=B | explanation=Speed = distance ÷ time = $120 \div 5 = 24$ km/h.

id=55773 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=41 | option_b=35 | option_c=42 | option_d=47 | answer=A | explanation=The common difference is 6. Therefore the next term is $35 + 6 = 41$.

id=55774 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=O | option_b=A | option_c=S | option_d=W | answer=D | explanation=Move 4 positions forward from S; the resulting letter is W.

id=55775 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.

id=55776 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26581 at 10% per annum for 5 years. | option_a=39871 | option_b=13190 | option_c=13390 | option_d=13290 | answer=D | explanation=SI = $PRT/100 = 26581 \times 10 \times 5/100 = \text{■}13290$.

id=55777 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34178 at 8% per annum for 2 years. | option_a=39646 | option_b=5368 | option_c=5568 | option_d=5468 | answer=D | explanation=SI = $PRT/100 = 34178 \times 8 \times 2/100 = \text{■}5468$.

id=55778 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=55779 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=46 | option_b=36 | option_c=45 | option_d=54 | answer=C | explanation=The common difference is 9. Therefore the next term is $36 + 9 = 45$.

id=55780 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=K | option_b=C | option_c=Y | option_d=G | answer=D | explanation=Move 4 positions forward from C; the resulting letter is G.

id=55781 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:2 and the first is 126, what is the second? | option_a=12 | option_b=140 | option_c=14 | option_d=32 | answer=C | explanation=Scale factor = $126/18 = 7$. Therefore second quantity = $2 \times 7 = 14$.

id=55782 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=H | option_c=B | option_d=F | answer=D | explanation=Move 2 positions forward from D; the resulting letter is F.

id=55783 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=55784 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=53 | option_b=33 | option_c=43 | option_d=44 | answer=C | explanation=The common difference is 10. Therefore the next term is $33 + 10 = 43$.

id=55785 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9178 at 6% per annum for 3 years. | option_a=1652 | option_b=1752 | option_c=10830 | option_d=1552 | answer=A | explanation=SI = $PRT/100 = 9178 \times 6 \times 3/100 = \text{■}1652$.

id=55786 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 25? | option_a=18 | option_b=25 | option_c=16 | option_d=20 | answer=B | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 25 is the odd one out.

id=55787 | topic=Averages | difficulty=Easy | question=Find the average of 53, 50, 37, 72, 44, 70, 28, 62. | option_a=54 | option_b=51 | option_c=53 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = $416 \div 8 = 52$.

id=55788 | topic=Averages | difficulty=Easy | question=Find the average of 20, 49, 10, 86, 29, 56, 72, 78. | option_a=50 | option_b=51 | option_c=49 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = $400 \div 8 = 50$.

id=55789 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 50? | option_a=42 | option_b=36 | option_c=50 | option_d=30 | answer=C | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 50 is the odd one out.

id=55790 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 17, 26, 38? | option_a=8 | option_b=26 | option_c=17 | option_d=38 | answer=D | explanation=The first three numbers increase by 9, so the next should be 35. Therefore 38 is the odd one out.

id=55791 | topic=Percentages | difficulty=Easy | question=What is 15% of 229? | option_a=44 | option_b=68 | option_c=34 | option_d=29 | answer=C | explanation=15% of 229 = $(15/100) \times 229 = 34$.

id=55792 | topic=Averages | difficulty=Easy | question=Find the average of 65, 58, 84, 81. | option_a=74 | option_b=73 | option_c=72 | option_d=71 | answer=C | explanation=Average = sum of values ÷ number of values = $288 \div 4 = 72$.

id=55793 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23434 at 8% per annum for 3 years. | option_a=5524 | option_b=5724 | option_c=5624 | option_d=29058 | answer=C | explanation=SI = $PRT/100 = 23434 \times 8 \times 3/100 = \text{■}5624$.

id=55794 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=35 | option_b=44 | option_c=43 | option_d=51 | answer=C | explanation=The common difference is 8. Therefore the next term is $35 + 8 = 43$.

id=55795 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=21 | option_b=24 | option_c=16 | option_d=20 | answer=D | explanation=The common difference is 4. Therefore the next term is $16 + 4 = 20$.

id=55796 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=36 | option_b=39 | option_c=31 | option_d=35 | answer=D | explanation=The common difference is 4. Therefore the next term is $31 + 4 = 35$.

id=55797 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4991. If it is sold at a profit of 25%, what is its selling price? | option_a=5016 | option_b=6238 | option_c=5739 | option_d=6737 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4991 \times 125/100 = \text{■}6238$.

id=55798 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = $150 \div 10 = 15$ km/h.

id=55799 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2913 at 5% per annum for 2 years. | option_a=291 | option_b=191 | option_c=391 | option_d=3204 | answer=A | explanation=SI = $PRT/100 = 2913 \times 5 \times 2/100 = \text{■}291$.

id=55800 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=19 | option_d=29 | answer=A | explanation=Speed = distance ÷ time = $240 \div 10 = 24$ km/h.

Aptitude Questions — Records 55,801-55,830 of 100,000

id=55801 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=E | option_b=I | option_c=Q | option_d=M | answer=D | explanation=Move 4 positions forward from I; the resulting letter is M.

id=55802 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**27402 at 15% per annum for 1 years. | option_a=4210 | option_b=4110 | option_c=4010 | option_d=31512 | answer=B | explanation=SI = $PRT/100 = 27402 \times 15 \times 1/100 =$ **₹**4110.

id=55803 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=55804 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=36 | option_b=31 | option_c=39 | option_d=35 | answer=D | explanation=The common difference is 4. Therefore the next term is 31 + 4 = 35.

id=55805 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=24 | option_b=31 | option_c=38 | option_d=32 | answer=B | explanation=The common difference is 7. Therefore the next term is 24 + 7 = 31.

id=55806 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=44 | option_b=45 | option_c=35 | option_d=53 | answer=A | explanation=The common difference is 9. Therefore the next term is 35 + 9 = 44.

id=55807 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 18. | option_a=108 | option_b=252 | option_c=140 | option_d=126 | answer=D | explanation=LCM × HCF = 14×18; HCF(14,18) = 2, so LCM = 126.

id=55808 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**25205 at 15% per annum for 2 years. | option_a=32766 | option_b=7561 | option_c=7461 | option_d=7661 | answer=B | explanation=SI = $PRT/100 = 25205 \times 15 \times 2/100 =$ **₹**7561.

id=55809 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**4091 at 12% per annum for 5 years. | option_a=2454 | option_b=2354 | option_c=2554 | option_d=6545 | answer=A | explanation=SI = $PRT/100 = 4091 \times 12 \times 5/100 =$ **₹**2454.

id=55810 | topic=Percentages | difficulty=Easy | question=What is 12% of 1381? | option_a=165 | option_b=145 | option_c=330 | option_d=170 | answer=A | explanation=12% of 1381 = $(12/100) \times 1381 = 165$.

id=55811 | topic=Percentages | difficulty=Easy | question=What is 40% of 117? | option_a=46 | option_b=92 | option_c=41 | option_d=51 | answer=A | explanation=40% of 117 = $(40/100) \times 117 = 46$.

id=55812 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=15 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=55813 | topic=Averages | difficulty=Easy | question=Find the average of 32, 51, 64. | option_a=49 | option_b=51 | option_c=48 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 147 ÷ 3 = 49.

id=55814 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**46475 at 4% per annum for 5 years. | option_a=55770 | option_b=9195 | option_c=9395 | option_d=9295 | answer=D | explanation=SI = $PRT/100 = 46475 \times 4 \times 5/100 =$ **₹**9295.

id=55815 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2036. If it is sold at a profit of 25%, what is its selling price? | option_a=2545 | option_b=2061 | option_c=2748 | option_d=2342 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2036 \times 125/100 =$ **₹**2545.

id=55816 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 20, 28, 38? | option_a=38 | option_b=28 | option_c=20 | option_d=12 | answer=A | explanation=The first three numbers increase by 8, so the next should be 36. Therefore 38 is the odd one out.

id=55817 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**21985 at 4% per annum for 3 years. | option_a=2738 | option_b=24623 | option_c=2538 | option_d=2638 | answer=D | explanation=SI = $PRT/100 = 21985 \times 4 \times 3/100 =$ **₹**2638.

id=55818 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 36? | option_a=26 | option_b=32 | option_c=29 | option_d=36 | answer=D | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 36 is the odd one out.

id=55819 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=31 | option_b=43 | option_c=38 | option_d=37 | answer=D | explanation=The common difference is 6. Therefore the next term is 31 + 6 = 37.

id=55820 | topic=Percentages | difficulty=Easy | question=What is 30% of 1435? | option_a=450 | option_b=430 | option_c=860 | option_d=420 | answer=B | explanation=30% of 1435 = $(30/100) \times 1435 = 430$.

id=55821 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=55822 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:6 and the first is 51, what is the second? | option_a=105 | option_b=102 | option_c=153 | option_d=96 | answer=B | explanation=Scale factor = $51/3 = 17$. Therefore second quantity = $6 \times 17 = 102$.

id=55823 | topic=Averages | difficulty=Easy | question=Find the average of 52, 43, 34. | option_a=43 | option_b=42 | option_c=44 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = $129 \div 3 = 43$.

id=55824 | topic=Averages | difficulty=Easy | question=Find the average of 34, 46, 34, 54. | option_a=43 | option_b=44 | option_c=42 | option_d=41 | answer=C | explanation=Average = sum of values ÷ number of values = $168 \div 4 = 42$.

id=55825 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:20 and the first is 20, what is the second? | option_a=60 | option_b=20 | option_c=50 | option_d=40 | answer=D | explanation=Scale factor = $20/10 = 2$. Therefore second quantity = $20 \times 2 = 40$.

id=55826 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4998. If it is sold at a profit of 10%, what is its selling price? | option_a=4998 | option_b=5008 | option_c=5996 | option_d=5497 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4998 \times 110/100 =$ **₹**5497.

id=55827 | topic=Averages | difficulty=Easy | question=Find the average of 41, 53, 44, 17, 55, 94, 11, 29. | option_a=43 | option_b=42 | option_c=44 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = $344 \div 8 = 43$.

id=55828 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3784. If it is sold at a profit of 20%, what is its selling price? | option_a=3804 | option_b=4918 | option_c=4540 | option_d=4162 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3784 \times 120/100 =$ **₹**4540.

id=55829 | topic=Percentages | difficulty=Easy | question=What is 40% of 1357? | option_a=532 | option_b=542 | option_c=552 | option_d=1084 | answer=B | explanation=40% of 1357 = $(40/100) \times 1357 = 542$.

id=55830 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

Aptitude Questions — Records 55,831-55,860 of 100,000

id=55831 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=47 | option_b=54 | option_c=38 | option_d=46 | answer=D | explanation=The common difference is 8. Therefore the next term is 38 + 8 = 46.

id=55832 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=85 | option_c=80 | option_d=75 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=55833 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=55834 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 18, 23, 28, ? | option_a=33 | option_b=34 | option_c=28 | option_d=38 | answer=A | explanation=The common difference is 5. Therefore the next term is 28 + 5 = 33.

id=55835 | topic=Percentages | difficulty=Easy | question=What is 5% of 1746? | option_a=87 | option_b=174 | option_c=82 | option_d=92 | answer=A | explanation=5% of 1746 = (5/100) × 1746 = 87.

id=55836 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=55837 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 45? | option_a=32 | option_b=27 | option_c=45 | option_d=37 | answer=C | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 45 is the odd one out.

id=55838 | topic=Averages | difficulty=Easy | question=Find the average of 18, 100, 71. | option_a=64 | option_b=65 | option_c=63 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 189 ÷ 3 = 63.

id=55839 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:11 and the first is 84, what is the second? | option_a=132 | option_b=139 | option_c=121 | option_d=216 | answer=A | explanation=Scale factor = 84/7 = 12. Therefore second quantity = 11×12 = 132.

id=55840 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 50? | option_a=17 | option_b=37 | option_c=27 | option_d=50 | answer=D | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 50 is the odd one out.

id=55841 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=12 | option_c=6 | option_d=1 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=55842 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 28. | option_a=336 | option_b=390 | option_c=728 | option_d=364 | answer=D | explanation=LCM × HCF = 26×28; HCF(26,28) = 2, so LCM = 364.

id=55843 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 21. | option_a=63 | option_b=72 | option_c=189 | option_d=42 | answer=A | explanation=LCM × HCF = 9×21; HCF(9,21) = 3, so LCM = 63.

id=55844 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 12. | option_a=18 | option_b=72 | option_c=1 | option_d=12 | answer=D | explanation=LCM × HCF = 6×12; HCF(6,12) = 6, so LCM = 12.

id=55845 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:17 and the first is 11, what is the second? | option_a=198 | option_b=170 | option_c=187 | option_d=188 | answer=C | explanation=Scale factor = 11/1 = 11. Therefore second quantity = 17×11 = 187.

id=55846 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3244. If it is sold at a profit of 50%, what is its selling price? | option_a=4866 | option_b=3294 | option_c=5190 | option_d=4542 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3244 × 150/100 = █4866.

id=55847 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39995 at 10% per annum for 2 years. | option_a=7899 | option_b=47994 | option_c=7999 | option_d=8099 | answer=C | explanation=SI = PRT/100 = 39995×10×2/100 = █7999.

id=55848 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 35? | option_a=19 | option_b=12 | option_c=35 | option_d=26 | answer=C | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 35 is the odd one out.

id=55849 | topic=Averages | difficulty=Easy | question=Find the average of 28, 83, 45, 85, 48, 95. | option_a=64 | option_b=63 | option_c=65 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 384 ÷ 6 = 64.

id=55850 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:19 and the first is 38, what is the second? | option_a=361 | option_b=399 | option_c=363 | option_d=342 | answer=A | explanation=Scale factor = 38/2 = 19. Therefore second quantity = 19×19 = 361.

id=55851 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=58 | option_b=47 | option_c=69 | option_d=59 | answer=A | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.

id=55852 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=55853 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=13 | option_b=11 | option_c=14 | option_d=15 | answer=A | explanation=The common difference is 2. Therefore the next term is 11 + 2 = 13.

id=55854 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 31? | option_a=22 | option_b=26 | option_c=24 | option_d=31 | answer=D | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 31 is the odd one out.

id=55855 | topic=Percentages | difficulty=Easy | question=What is 40% of 1191? | option_a=952 | option_b=476 | option_c=456 | option_d=486 | answer=B | explanation=40% of 1191 = (40/100) × 1191 = 476.

id=55856 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=44 | option_b=53 | option_c=33 | option_d=43 | answer=D | explanation=The common difference is 10. Therefore the next term is 33 + 10 = 43.

id=55857 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3408. If it is sold at a profit of 20%, what is its selling price? | option_a=3428 | option_b=4429 | option_c=4089 | option_d=3749 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3408 × 120/100 = █4089.

id=55858 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=61 | option_b=62 | option_c=72 | option_d=50 | answer=A | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.

id=55859 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 9, 12, 16? | option_a=12 | option_b=16 | option_c=9 | option_d=6 | answer=B | explanation=The first three numbers increase by 3, so the next should be 15. Therefore 16 is the odd one out.

id=55860 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:20 and the first is 156, what is the second? | option_a=240 | option_b=220 | option_c=396 | option_d=253 | answer=A | explanation=Scale factor = 156/13 = 12. Therefore second quantity = 20×12 = 240.

Aptitude Questions — Records 55,861-55,890 of 100,000

id=55861 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■40180 at 8% per annum for 5 years. | option_a=15972 | option_b=16072 | option_c=16172 | option_d=56252 | answer=B | explanation=SI = PRT/100 = 40180×8×5/100 = ■16072.

id=55862 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:19 and the first is 380, what is the second? | option_a=741 | option_b=361 | option_c=381 | option_d=342 | answer=B | explanation=Scale factor = 380/20 = 19. Therefore second quantity = 19×19 = 361.

id=55863 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:1 and the first is 60, what is the second? | option_a=64 | option_b=4 | option_c=3 | option_d=19 | answer=B | explanation=Scale factor = 60/15 = 4. Therefore second quantity = 1×4 = 4.

id=55864 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=45 | option_b=31 | option_c=38 | option_d=39 | answer=C | explanation=The common difference is 7. Therefore the next term is 31 + 7 = 38.

id=55865 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=55866 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1324. If it is sold at a profit of 15%, what is its selling price? | option_a=1390 | option_b=1522 | option_c=1654 | option_d=1339 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1324 × 115/100 = ■1522.

id=55867 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 43? | option_a=23 | option_b=29 | option_c=43 | option_d=35 | answer=C | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 43 is the odd one out.

id=55868 | topic=Averages | difficulty=Easy | question=Find the average of 74, 14, 95, 42, 85. | option_a=62 | option_b=63 | option_c=64 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 310 ÷ 5 = 62.

id=55869 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=36 | option_b=28 | option_c=37 | option_d=44 | answer=A | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=55870 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:7 and the first is 57, what is the second? | option_a=14 | option_b=40 | option_c=21 | option_d=78 | answer=C | explanation=Scale factor = 57/19 = 3. Therefore second quantity = 7×3 = 21.

id=55871 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4178. If it is sold at a profit of 25%, what is its selling price? | option_a=4203 | option_b=5639 | option_c=5222 | option_d=4805 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4178 × 125/100 = ■5222.

id=55872 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3596. If it is sold at a profit of 5%, what is its selling price? | option_a=3416 | option_b=4134 | option_c=3775 | option_d=3601 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3596 × 105/100 = ■3775.

id=55873 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2980. If it is sold at a profit of 40%, what is its selling price? | option_a=4470 | option_b=4172 | option_c=3874 | option_d=3020 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2980 × 140/100 = ■4172.

id=55874 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:7 and the first is 266, what is the second? | option_a=133 | option_b=147 | option_c=126 | option_d=399 | answer=A | explanation=Scale factor = 266/14 = 19. Therefore second quantity = 7×19 = 133.

id=55875 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=55876 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=55877 | topic=Percentages | difficulty=Easy | question=What is 10% of 1662? | option_a=166 | option_b=332 | option_c=161 | option_d=186 | answer=A | explanation=10% of 1662 = (10/100) × 1662 = 166.

id=55878 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■32869 at 4% per annum for 4 years. | option_a=5259 | option_b=38128 | option_c=5359 | option_d=5159 | answer=A | explanation=SI = PRT/100 = 32869×4×4/100 = ■5259.

id=55879 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 10, 18, 29? | option_a=2 | option_b=18 | option_c=29 | option_d=10 | answer=C | explanation=The first three numbers increase by 8, so the next should be 26. Therefore 29 is the odd one out.

id=55880 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:8 and the first is 50, what is the second? | option_a=85 | option_b=130 | option_c=80 | option_d=72 | answer=C | explanation=Scale factor = 50/5 = 10. Therefore second quantity = 8×10 = 80.

id=55881 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=U | option_b=Q | option_c=I | option_d=M | answer=B | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=55882 | topic=Averages | difficulty=Easy | question=Find the average of 38, 35, 97, 46, 49. | option_a=53 | option_b=55 | option_c=52 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 265 ÷ 5 = 53.

id=55883 | topic=Averages | difficulty=Easy | question=Find the average of 60, 63, 56, 19, 50, 47, 77, 35, 85, 58. | option_a=54 | option_b=57 | option_c=55 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 550 ÷ 10 = 55.

id=55884 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■9687 at 15% per annum for 4 years. | option_a=5812 | option_b=5712 | option_c=15499 | option_d=5912 | answer=A | explanation=SI = PRT/100 = 9687×15×4/100 = ■5812.

id=55885 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=55886 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 27. | option_a=135 | option_b=108 | option_c=150 | option_d=405 | answer=A | explanation=LCM × HCF = 15×27; HCF(15,27) = 3, so LCM = 135.

id=55887 | topic=Averages | difficulty=Easy | question=Find the average of 39, 75, 70, 40, 66. | option_a=60 | option_b=59 | option_c=57 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 290 ÷ 5 = 58.

id=55888 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■1873 at 12% per annum for 4 years. | option_a=899 | option_b=2772 | option_c=799 | option_d=999 | answer=A | explanation=SI = PRT/100 = 1873×12×4/100 = ■899.

id=55889 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 29, 33, 38? | option_a=33 | option_b=25 | option_c=38 | option_d=29 | answer=C | explanation=The first three numbers increase by 4, so the next should be 37. Therefore 38 is the odd one out.

id=55890 | topic=Averages | difficulty=Easy | question=Find the average of 96, 73, 39, 35, 87, 64, 43, 94, 25, 44. | option_a=62 | option_b=60 | option_c=61 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

Aptitude Questions — Records 55,891-55,920 of 100,000

id=55891 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:14 and the first is 110, what is the second? | option_a=140 | option_b=126 | option_c=250 | option_d=151 | answer=A | explanation=Scale factor = 110/11 = 10. Therefore second quantity = 14×10 = 140.

id=55892 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33237 at 6% per annum for 4 years. | option_a=8076 | option_b=7876 | option_c=41213 | option_d=7976 | answer=D | explanation=SI = $PRT/100 = 33237 \times 6 \times 4/100 = \text{■}7976$.

id=55893 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=90 | option_c=40 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=55894 | topic=Averages | difficulty=Easy | question=Find the average of 16, 96, 53, 59. | option_a=56 | option_b=58 | option_c=57 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 224 ÷ 4 = 56.

id=55895 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 18, 24, 30, ? | option_a=36 | option_b=37 | option_c=30 | option_d=42 | answer=A | explanation=The common difference is 6. Therefore the next term is 30 + 6 = 36.

id=55896 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=80 | option_c=75 | option_d=70 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=55897 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 29, 36, 44? | option_a=36 | option_b=29 | option_c=44 | option_d=22 | answer=C | explanation=The first three numbers increase by 7, so the next should be 43. Therefore 44 is the odd one out.

id=55898 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37981 at 15% per annum for 2 years. | option_a=49375 | option_b=11394 | option_c=11294 | option_d=11494 | answer=B | explanation=SI = $PRT/100 = 37981 \times 15 \times 2/100 = \text{■}11394$.

id=55899 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=R | option_c=Z | option_d=N | answer=A | explanation=Move 4 positions forward from R; the resulting letter is V.

id=55900 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33106 at 4% per annum for 2 years. | option_a=2748 | option_b=2648 | option_c=35754 | option_d=2548 | answer=B | explanation=SI = $PRT/100 = 33106 \times 4 \times 2/100 = \text{■}2648$.

id=55901 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=55902 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=22 | option_b=23 | option_c=21 | option_d=19 | answer=C | explanation=The common difference is 2. Therefore the next term is 19 + 2 = 21.

id=55903 | topic=Percentages | difficulty=Easy | question=What is 15% of 539? | option_a=160 | option_b=80 | option_c=90 | option_d=60 | answer=B | explanation=15% of 539 = $(15/100) \times 539 = 80$.

id=55904 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=17 | option_c=24 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=55905 | topic=Averages | difficulty=Easy | question=Find the average of 92, 39, 83, 83, 45, 90. | option_a=73 | option_b=72 | option_c=74 | option_d=71 | answer=B | explanation=Average = sum of values ÷ number of values = 432 ÷ 6 = 72.

id=55906 | topic=Percentages | difficulty=Easy | question=What is 12% of 252? | option_a=30 | option_b=35 | option_c=60 | option_d=10 | answer=A | explanation=12% of 252 = $(12/100) \times 252 = 30$.

id=55907 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=55908 | topic=Averages | difficulty=Easy | question=Find the average of 51, 27, 32, 82. | option_a=49 | option_b=48 | option_c=50 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 192 ÷ 4 = 48.

id=55909 | topic=Percentages | difficulty=Easy | question=What is 50% of 1126? | option_a=543 | option_b=568 | option_c=563 | option_d=1126 | answer=C | explanation=50% of 1126 = $(50/100) \times 1126 = 563$.

id=55910 | topic=Percentages | difficulty=Easy | question=What is 15% of 1681? | option_a=252 | option_b=242 | option_c=262 | option_d=504 | answer=A | explanation=15% of 1681 = $(15/100) \times 1681 = 252$.

id=55911 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = 18/9 = 2 days.

id=55912 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 33? | option_a=22 | option_b=33 | option_c=12 | option_d=2 | answer=B | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 33 is the odd one out.

id=55913 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20640 at 6% per annum for 1 years. | option_a=21878 | option_b=1238 | option_c=1338 | option_d=1138 | answer=B | explanation=SI = $PRT/100 = 20640 \times 6 \times 1/100 = \text{■}1238$.

id=55914 | topic=Percentages | difficulty=Easy | question=What is 25% of 1140? | option_a=280 | option_b=570 | option_c=285 | option_d=290 | answer=C | explanation=25% of 1140 = $(25/100) \times 1140 = 285$.

id=55915 | topic=Percentages | difficulty=Easy | question=What is 25% of 350? | option_a=67 | option_b=87 | option_c=107 | option_d=174 | answer=B | explanation=25% of 350 = $(25/100) \times 350 = 87$.

id=55916 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 16. | option_a=448 | option_b=112 | option_c=140 | option_d=96 | answer=B | explanation=LCM × HCF = 28×16; HCF(28,16) = 4, so LCM = 112.

id=55917 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1981. If it is sold at a profit of 20%, what is its selling price? | option_a=2377 | option_b=2179 | option_c=2575 | option_d=2001 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1981 \times 120/100 = \text{■}2377$.

id=55918 | topic=Percentages | difficulty=Easy | question=What is 10% of 1203? | option_a=130 | option_b=240 | option_c=120 | option_d=110 | answer=C | explanation=10% of 1203 = $(10/100) \times 1203 = 120$.

id=55919 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=11 | option_b=15 | option_c=14 | option_d=13 | answer=D | explanation=The common difference is 2. Therefore the next term is 11 + 2 = 13.

id=55920 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:2 and the first is 182, what is the second? | option_a=24 | option_b=40 | option_c=208 | option_d=26 | answer=D | explanation=Scale factor = 182/14 = 13. Therefore second quantity = 2×13 = 26.

Aptitude Questions — Records 55,921-55,950 of 100,000

id=55921 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3636. If it is sold at a profit of 20%, what is its selling price? | option_a=3656 | option_b=4000 | option_c=4726 | option_d=4363 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3636 × 120/100 = ■4363.

id=55922 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 29, 36, 46? | option_a=22 | option_b=46 | option_c=36 | option_d=29 | answer=B | explanation=The first three numbers increase by 7, so the next should be 43. Therefore 46 is the odd one out.

id=55923 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3558. If it is sold at a profit of 40%, what is its selling price? | option_a=4981 | option_b=5336 | option_c=4626 | option_d=3598 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3558 × 140/100 = ■4981.

id=55924 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:14 and the first is 25, what is the second? | option_a=70 | option_b=56 | option_c=95 | option_d=75 | answer=A | explanation=Scale factor = 25/5 = 5. Therefore second quantity = 14×5 = 70.

id=55925 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:5 and the first is 110, what is the second? | option_a=50 | option_b=165 | option_c=55 | option_d=65 | answer=C | explanation=Scale factor = 110/10 = 11. Therefore second quantity = 5×11 = 55.

id=55926 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■1729 at 6% per annum for 3 years. | option_a=211 | option_b=2040 | option_c=411 | option_d=311 | answer=D | explanation=SI = PRT/100 = 1729×6×3/100 = ■311.

id=55927 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:17 and the first is 40, what is the second? | option_a=176 | option_b=119 | option_c=136 | option_d=141 | answer=C | explanation=Scale factor = 40/5 = 8. Therefore second quantity = 17×8 = 136.

id=55928 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=L | option_b=K | option_c=M | option_d=J | answer=A | explanation=Move 1 positions forward from K; the resulting letter is L.

id=55929 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=44 | option_b=43 | option_c=53 | option_d=33 | answer=B | explanation=The common difference is 10. Therefore the next term is 33 + 10 = 43.

id=55930 | topic=Averages | difficulty=Easy | question=Find the average of 47, 51, 99, 87, 71. | option_a=70 | option_b=73 | option_c=71 | option_d=72 | answer=C | explanation=Average = sum of values ÷ number of values = 355 ÷ 5 = 71.

id=55931 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=55932 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3187. If it is sold at a profit of 10%, what is its selling price? | option_a=3197 | option_b=3505 | option_c=3823 | option_d=3187 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3187 × 110/100 = ■3505.

id=55933 | topic=Averages | difficulty=Easy | question=Find the average of 52, 20, 91, 28, 74. | option_a=55 | option_b=52 | option_c=54 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 265 ÷ 5 = 53.

id=55934 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■2682 at 10% per annum for 2 years. | option_a=3218 | option_b=536 | option_c=636 | option_d=436 | answer=B | explanation=SI = PRT/100 = 2682×10×2/100 = ■536.

id=55935 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=14 | option_b=11 | option_c=15 | option_d=13 | answer=D | explanation=The common difference is 2. Therefore the next term is 11 + 2 = 13.

id=55936 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3345. If it is sold at a profit of 25%, what is its selling price? | option_a=4181 | option_b=3370 | option_c=3847 | option_d=4515 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3345 × 125/100 = ■4181.

id=55937 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:2 and the first is 16, what is the second? | option_a=12 | option_b=4 | option_c=20 | option_d=2 | answer=B | explanation=Scale factor = 16/8 = 2. Therefore second quantity = 2×2 = 4.

id=55938 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1838. If it is sold at a profit of 10%, what is its selling price? | option_a=1838 | option_b=2204 | option_c=1848 | option_d=2021 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1838 × 110/100 = ■2021.

id=55939 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=55940 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=55941 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■1566 at 15% per annum for 3 years. | option_a=704 | option_b=2270 | option_c=604 | option_d=804 | answer=A | explanation=SI = PRT/100 = 1566×15×3/100 = ■704.

id=55942 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=55943 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=55944 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 8, 10, 15? | option_a=6 | option_b=8 | option_c=10 | option_d=15 | answer=D | explanation=The first three numbers increase by 2, so the next should be 12. Therefore 15 is the odd one out.

id=55945 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■17525 at 6% per annum for 5 years. | option_a=5157 | option_b=5357 | option_c=22782 | option_d=5257 | answer=D | explanation=SI = PRT/100 = 17525×6×5/100 = ■5257.

id=55946 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:17 and the first is 45, what is the second? | option_a=255 | option_b=238 | option_c=258 | option_d=300 | answer=A | explanation=Scale factor = 45/3 = 15. Therefore second quantity = 17×15 = 255.

id=55947 | topic=Percentages | difficulty=Easy | question=What is 20% of 1511? | option_a=307 | option_b=604 | option_c=292 | option_d=302 | answer=D | explanation=20% of 1511 = (20/100) × 1511 = 302.

id=55948 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:9 and the first is 306, what is the second? | option_a=179 | option_b=468 | option_c=162 | option_d=153 | answer=C | explanation=Scale factor = 306/17 = 18. Therefore second quantity = 9×18 = 162.

id=55949 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 24, 36, 48, ? | option_a=72 | option_b=61 | option_c=48 | option_d=60 | answer=D | explanation=The common difference is 12. Therefore the next term is 48 + 12 = 60.

id=55950 | topic=Averages | difficulty=Easy | question=Find the average of 55, 68, 99, 10, 94, 11, 23, 78, 75. | option_a=58 | option_b=57 | option_c=59 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 513 ÷ 9 = 57.

Aptitude Questions — Records 55,951-55,980 of 100,000

id=55951 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=E | option_b=K | option_c=G | option_d=I | answer=D | explanation=Move 2 positions forward from G; the resulting letter is I.

id=55952 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33335 at 15% per annum for 2 years. | option_a=10100 | option_b=10000 | option_c=43335 | option_d=9900 | answer=B | explanation=SI = $PRT/100 = 33335 \times 15 \times 2/100 = \text{■}10000$.

id=55953 | topic=Percentages | difficulty=Easy | question=What is 10% of 908? | option_a=70 | option_b=90 | option_c=110 | option_d=180 | answer=B | explanation=10% of 908 = $(10/100) \times 908 = 90$.

id=55954 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=7 | option_d=17 | answer=B | explanation=Speed = distance ÷ time = $120 \div 10 = 12$ km/h.

id=55955 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=S | option_c=P | option_d=R | answer=D | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=55956 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11986 at 6% per annum for 3 years. | option_a=2057 | option_b=14143 | option_c=2257 | option_d=2157 | answer=D | explanation=SI = $PRT/100 = 11986 \times 6 \times 3/100 = \text{■}2157$.

id=55957 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=55958 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 25? | option_a=25 | option_b=16 | option_c=18 | option_d=20 | answer=A | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 25 is the odd one out.

id=55959 | topic=Averages | difficulty=Easy | question=Find the average of 71, 69, 86, 34, 56, 24, 52. | option_a=57 | option_b=56 | option_c=55 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = $392 \div 7 = 56$.

id=55960 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=55961 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=44 | option_b=40 | option_c=34 | option_d=39 | answer=D | explanation=The common difference is 5. Therefore the next term is $34 + 5 = 39$.

id=55962 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=E | option_c=G | option_d=K | answer=A | explanation=Move 2 positions forward from G; the resulting letter is I.

id=55963 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 25, 35, 48? | option_a=35 | option_b=15 | option_c=48 | option_d=25 | answer=C | explanation=The first three numbers increase by 10, so the next should be 45. Therefore 48 is the odd one out.

id=55964 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 25, 30, 38? | option_a=20 | option_b=38 | option_c=30 | option_d=25 | answer=B | explanation=The first three numbers increase by 5, so the next should be 35. Therefore 38 is the odd one out.

id=55965 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=77 | option_c=144 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = $360 \div 5 = 72$ km/h.

id=55966 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=55967 | topic=Averages | difficulty=Easy | question=Find the average of 97, 67, 16. | option_a=60 | option_b=62 | option_c=61 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = $180 \div 3 = 60$.

id=55968 | topic=Averages | difficulty=Easy | question=Find the average of 55, 21, 97, 63. | option_a=61 | option_b=59 | option_c=58 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = $236 \div 4 = 59$.

id=55969 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:12 and the first is 135, what is the second? | option_a=180 | option_b=189 | option_c=168 | option_d=315 | answer=A | explanation=Scale factor = $135/9 = 15$. Therefore second quantity = $12 \times 15 = 180$.

id=55970 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 14. | option_a=168 | option_b=84 | option_c=70 | option_d=96 | answer=B | explanation= $LCM \times HCF = 12 \times 14$; $HCF(12,14) = 2$, so $LCM = 84$.

id=55971 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:3 and the first is 342, what is the second? | option_a=399 | option_b=57 | option_c=54 | option_d=75 | answer=B | explanation=Scale factor = $342/18 = 19$. Therefore second quantity = $3 \times 19 = 57$.

id=55972 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37953 at 15% per annum for 1 years. | option_a=5792 | option_b=43645 | option_c=5592 | option_d=5692 | answer=D | explanation=SI = $PRT/100 = 37953 \times 15 \times 1/100 = \text{■}5692$.

id=55973 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 35? | option_a=16 | option_b=35 | option_c=8 | option_d=24 | answer=B | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 35 is the odd one out.

id=55974 | topic=Percentages | difficulty=Easy | question=What is 15% of 604? | option_a=110 | option_b=80 | option_c=90 | option_d=180 | answer=C | explanation=15% of 604 = $(15/100) \times 604 = 90$.

id=55975 | topic=Percentages | difficulty=Easy | question=What is 40% of 1717? | option_a=1372 | option_b=686 | option_c=676 | option_d=696 | answer=B | explanation=40% of 1717 = $(40/100) \times 1717 = 686$.

id=55976 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=24 | option_c=29 | option_d=48 | answer=B | explanation=Speed = distance ÷ time = $120 \div 5 = 24$ km/h.

id=55977 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=49 | option_b=59 | option_c=50 | option_d=39 | answer=A | explanation=The common difference is 10. Therefore the next term is $39 + 10 = 49$.

id=55978 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=55 | option_c=45 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = $300 \div 6 = 50$ km/h.

id=55979 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**413. If it is sold at a profit of 10%, what is its selling price? | option_a=423 | option_b=413 | option_c=495 | option_d=454 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 413 \times 110/100 = \text{■}454$.

id=55980 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 16, 26, 39? | option_a=16 | option_b=26 | option_c=39 | option_d=6 | answer=C | explanation=The first three numbers increase by 10, so the next should be 36. Therefore 39 is the odd one out.

Aptitude Questions — Records 55,981-56,010 of 100,000

id=55981 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=55982 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=38 | option_b=43 | option_c=39 | option_d=33 | answer=A | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.

id=55983 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=55984 | topic=Percentages | difficulty=Easy | question=What is 30% of 1472? | option_a=882 | option_b=451 | option_c=421 | option_d=441 | answer=D | explanation=30% of 1472 = (30/100) × 1472 = 441.

id=55985 | topic=Percentages | difficulty=Easy | question=What is 12% of 432? | option_a=41 | option_b=61 | option_c=51 | option_d=102 | answer=C | explanation=12% of 432 = (12/100) × 432 = 51.

id=55986 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 15, 21, 30? | option_a=21 | option_b=15 | option_c=30 | option_d=9 | answer=C | explanation=The first three numbers increase by 6, so the next should be 27. Therefore 30 is the odd one out.

id=55989 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**22781 at 5% per annum for 1 years. | option_a=23920 | option_b=1239 | option_c=1139 | option_d=1039 | answer=C | explanation=SI = PRT/100 = 22781×5×1/100 = **₹**1139.

id=55988 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 17, 27, 39? | option_a=7 | option_b=17 | option_c=27 | option_d=39 | answer=D | explanation=The first three numbers increase by 10, so the next should be 37. Therefore 39 is the odd one out.

id=55989 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 10. | option_a=75 | option_b=50 | option_c=250 | option_d=40 | answer=B | explanation=LCM × HCF = 25×10; HCF(25,10) = 5, so LCM = 50.

id=55990 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 37, 44, 53? | option_a=44 | option_b=30 | option_c=37 | option_d=53 | answer=D | explanation=The first three numbers increase by 7, so the next should be 51. Therefore 53 is the odd one out.

id=55991 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2648. If it is sold at a profit of 40%, what is its selling price? | option_a=2688 | option_b=3971 | option_c=3707 | option_d=3443 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2648 × 140/100 = **₹**3707.

id=55992 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:17 and the first is 8, what is the second? | option_a=17 | option_b=38 | option_c=42 | option_d=34 | answer=D | explanation=Scale factor = 8/4 = 2. Therefore second quantity = 17×2 = 34.

id=55993 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 18. | option_a=72 | option_b=120 | option_c=540 | option_d=90 | answer=D | explanation=LCM × HCF = 30×18; HCF(30,18) = 6, so LCM = 90.

id=55994 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=N | option_b=I | option_c=S | option_d=D | answer=A | explanation=Move 5 positions forward from I; the resulting letter is N.

id=55995 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1594. If it is sold at a profit of 30%, what is its selling price? | option_a=1913 | option_b=2072 | option_c=2231 | option_d=1624 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1594 × 130/100 = **₹**2072.

id=55996 | topic=Averages | difficulty=Easy | question=Find the average of 11, 85, 27, 44, 25, 67, 14. | option_a=41 | option_b=38 | option_c=40 | option_d=39 | answer=D | explanation=Average = sum of values ÷ number of values = 273 ÷ 7 = 39.

id=55997 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**32980 at 10% per annum for 5 years. | option_a=16590 | option_b=16390 | option_c=49470 | option_d=16490 | answer=D | explanation=SI = PRT/100 = 32980×10×5/100 = **₹**16490.

id=55998 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=P | option_b=O | option_c=Q | option_d=N | answer=A | explanation=Move 1 positions forward from O; the resulting letter is P.

id=55999 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 32, 35, 39? | option_a=35 | option_b=39 | option_c=32 | option_d=29 | answer=B | explanation=The first three numbers increase by 3, so the next should be 38. Therefore 39 is the odd one out.

id=56000 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=46 | option_b=57 | option_c=56 | option_d=66 | answer=C | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=56001 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**45369 at 6% per annum for 3 years. | option_a=8166 | option_b=8066 | option_c=8266 | option_d=53535 | answer=A | explanation=SI = PRT/100 = 45369×6×3/100 = **₹**8166.

id=56002 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=35 | option_b=47 | option_c=42 | option_d=41 | answer=D | explanation=The common difference is 6. Therefore the next term is 35 + 6 = 41.

id=56003 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3433. If it is sold at a profit of 25%, what is its selling price? | option_a=3948 | option_b=4634 | option_c=4291 | option_d=3458 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3433 × 125/100 = **₹**4291.

id=56004 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:18 and the first is 70, what is the second? | option_a=72 | option_b=90 | option_c=104 | option_d=160 | answer=B | explanation=Scale factor = 70/14 = 5. Therefore second quantity = 18×5 = 90.

id=56005 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=56006 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:18 and the first is 160, what is the second? | option_a=162 | option_b=340 | option_c=196 | option_d=180 | answer=D | explanation=Scale factor = 160/16 = 10. Therefore second quantity = 18×10 = 180.

id=56007 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=6 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=56008 | topic=Averages | difficulty=Easy | question=Find the average of 37, 78, 69, 93, 44, 51, 83, 33. | option_a=63 | option_b=61 | option_c=62 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 488 ÷ 8 = 61.

id=56009 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 20, 22, 27? | option_a=20 | option_b=27 | option_c=22 | option_d=18 | answer=B | explanation=The first three numbers increase by 2, so the next should be 24. Therefore 27 is the odd one out.

id=56010 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3539. If it is sold at a profit of 15%, what is its selling price? | option_a=4069 | option_b=4422 | option_c=3716 | option_d=3554 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3539 × 115/100 = **₹**4069.

Aptitude Questions — Records 56,011-56,040 of 100,000

id=56011 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 32, 42, 53? | option_a=42 | option_b=32 | option_c=53 | option_d=22 | answer=C | explanation=The first three numbers increase by 10, so the next should be 52. Therefore 53 is the odd one out.

id=56012 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:19 and the first is 252, what is the second? | option_a=342 | option_b=323 | option_c=356 | option_d=594 | answer=A | explanation=Scale factor = $252/14 = 18$. Therefore second quantity = $19 \times 18 = 342$.

id=56013 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=E | option_b=I | option_c=Q | option_d=M | answer=D | explanation=Move 4 positions forward from I; the resulting letter is M.

id=56014 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=56015 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44748 at 5% per annum for 2 years. | option_a=4474 | option_b=4374 | option_c=4574 | option_d=49222 | answer=A | explanation=SI = $PRT/100 = 44748 \times 5 \times 2/100 = \text{■}4474$.

id=56016 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49827 at 15% per annum for 2 years. | option_a=14848 | option_b=15048 | option_c=14948 | option_d=64775 | answer=C | explanation=SI = $PRT/100 = 49827 \times 15 \times 2/100 = \text{■}14948$.

id=56017 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:6 and the first is 56, what is the second? | option_a=48 | option_b=55 | option_c=104 | option_d=42 | answer=A | explanation=Scale factor = $56/7 = 8$. Therefore second quantity = $6 \times 8 = 48$.

id=56018 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2853. If it is sold at a profit of 30%, what is its selling price? | option_a=3708 | option_b=3993 | option_c=2883 | option_d=3423 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2853 \times 130/100 = \text{■}3708$.

id=56019 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 10. | option_a=20 | option_b=10 | option_c=100 | option_d=1 | answer=B | explanation= $LCM \times HCF = 10 \times 10$; $HCF(10,10) = 10$, so $LCM = 10$.

id=56020 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:5 and the first is 180, what is the second? | option_a=68 | option_b=45 | option_c=230 | option_d=50 | answer=D | explanation=Scale factor = $180/18 = 10$. Therefore second quantity = $5 \times 10 = 50$.

id=56021 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance $\div$ time = $180 \div 6 = 30$ km/h.

id=56022 | topic=Percentages | difficulty=Easy | question=What is 50% of 1170? | option_a=565 | option_b=1170 | option_c=585 | option_d=590 | answer=C | explanation=50% of 1170 = $(50/100) \times 1170 = 585$.

id=56023 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=56024 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=39 | option_b=34 | option_c=33 | option_d=27 | answer=C | explanation=The common difference is 6. Therefore the next term is $27 + 6 = 33$.

id=56025 | topic=Percentages | difficulty=Easy | question=What is 50% of 757? | option_a=378 | option_b=373 | option_c=388 | option_d=756 | answer=A | explanation=50% of 757 = $(50/100) \times 757 = 378$.

id=56026 | topic=Percentages | difficulty=Easy | question=What is 15% of 674? | option_a=96 | option_b=101 | option_c=202 | option_d=121 | answer=B | explanation=15% of 674 = $(15/100) \times 674 = 101$.

id=56027 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=56028 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 25. | option_a=625 | option_b=1 | option_c=50 | option_d=25 | answer=D | explanation= $LCM \times HCF = 25 \times 25$; $HCF(25,25) = 25$, so $LCM = 25$.

id=56029 | topic=Averages | difficulty=Easy | question=Find the average of 10, 95, 72, 17, 52, 93, 77, 48, 54, 52. | option_a=56 | option_b=59 | option_c=58 | option_d=57 | answer=D | explanation=Average = sum of values $\div$ number of values = $570 \div 10 = 57$.

id=56030 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=90 | option_c=50 | option_d=40 | answer=A | explanation=Speed = distance $\div$ time = $90 \div 2 = 45$ km/h.

id=56031 | topic=Percentages | difficulty=Easy | question=What is 25% of 623? | option_a=155 | option_b=310 | option_c=160 | option_d=145 | answer=A | explanation=25% of 623 = $(25/100) \times 623 = 155$.

id=56032 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=125 | option_d=240 | answer=A | explanation=Speed = distance $\div$ time = $240 \div 2 = 120$ km/h.

id=56033 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26809 at 8% per annum for 4 years. | option_a=8478 | option_b=8678 | option_c=8578 | option_d=35387 | answer=C | explanation=SI = $PRT/100 = 26809 \times 8 \times 4/100 = \text{■}8578$.

id=56034 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance $\div$ time = $180 \div 6 = 30$ km/h.

id=56035 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:4 and the first is 140, what is the second? | option_a=54 | option_b=180 | option_c=40 | option_d=36 | answer=C | explanation=Scale factor = $140/14 = 10$. Therefore second quantity = $4 \times 10 = 40$.

id=56036 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5668 at 4% per annum for 1 years. | option_a=326 | option_b=126 | option_c=5894 | option_d=226 | answer=D | explanation=SI = $PRT/100 = 5668 \times 4 \times 1/100 = \text{■}226$.

id=56037 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4269. If it is sold at a profit of 40%, what is its selling price? | option_a=5976 | option_b=6402 | option_c=4309 | option_d=5550 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4269 \times 140/100 = \text{■}5976$.

id=56038 | topic=Percentages | difficulty=Easy | question=What is 10% of 1775? | option_a=354 | option_b=197 | option_c=177 | option_d=167 | answer=C | explanation=10% of 1775 = $(10/100) \times 1775 = 177$.

id=56039 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 11? | option_a=6 | option_b=4 | option_c=11 | option_d=8 | answer=C | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 11 is the odd one out.

id=56040 | topic=Averages | difficulty=Easy | question=Find the average of 70, 83, 57, 38, 51, 13, 17, 92, 56. | option_a=55 | option_b=53 | option_c=52 | option_d=54 | answer=B | explanation=Average = sum of values $\div$ number of values = $477 \div 9 = 53$.

Aptitude Questions — Records 56,041-56,070 of 100,000

id=56041 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 21. | option_a=84 | option_b=112 | option_c=63 | option_d=588 | answer=A | explanation=LCM × HCF = 28×21; HCF(28,21) = 7, so LCM = 84.

id=56042 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=12 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=56043 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:19 and the first is 204, what is the second? | option_a=335 | option_b=527 | option_c=304 | option_d=323 | answer=D | explanation=Scale factor = 204/12 = 17. Therefore second quantity = 19×17 = 323.

id=56044 | topic=Percentages | difficulty=Easy | question=What is 40% of 781? | option_a=624 | option_b=307 | option_c=312 | option_d=332 | answer=C | explanation=40% of 781 = (40/100) × 781 = 312.

id=56045 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3480. If it is sold at a profit of 15%, what is its selling price? | option_a=3495 | option_b=3654 | option_c=4002 | option_d=4350 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3480 × 115/100 = █4002.

id=56046 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=56047 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 43? | option_a=33 | option_b=37 | option_c=29 | option_d=43 | answer=D | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 43 is the odd one out.

id=56048 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 14. | option_a=294 | option_b=63 | option_c=28 | option_d=42 | answer=D | explanation=LCM × HCF = 21×14; HCF(21,14) = 7, so LCM = 42.

id=56049 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 14, 20, 29? | option_a=20 | option_b=29 | option_c=14 | option_d=8 | answer=B | explanation=The first three numbers increase by 6, so the next should be 26. Therefore 29 is the odd one out.

id=56050 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:5 and the first is 99, what is the second? | option_a=144 | option_b=56 | option_c=45 | option_d=40 | answer=C | explanation=Scale factor = 99/11 = 9. Therefore second quantity = 5×9 = 45.

id=56051 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:19 and the first is 54, what is the second? | option_a=225 | option_b=177 | option_c=152 | option_d=171 | answer=D | explanation=Scale factor = 54/6 = 9. Therefore second quantity = 19×9 = 171.

id=56052 | topic=Averages | difficulty=Easy | question=Find the average of 24, 40, 10, 22, 49. | option_a=29 | option_b=30 | option_c=28 | option_d=31 | answer=A | explanation=Average = sum of values ÷ number of values = 145 ÷ 5 = 29.

id=56053 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16789 at 8% per annum for 2 years. | option_a=19475 | option_b=2686 | option_c=2586 | option_d=2786 | answer=B | explanation=SI = PRT/100 = 16789×8×2/100 = █2686.

id=56054 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46684 at 10% per annum for 3 years. | option_a=13905 | option_b=14005 | option_c=60689 | option_d=14105 | answer=B | explanation=SI = PRT/100 = 46684×10×3/100 = █14005.

id=56055 | topic=Percentages | difficulty=Easy | question=What is 10% of 314? | option_a=11 | option_b=62 | option_c=41 | option_d=31 | answer=D | explanation=10% of 314 = (10/100) × 314 = 31.

id=56056 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21558 at 10% per annum for 5 years. | option_a=32337 | option_b=10879 | option_c=10679 | option_d=10779 | answer=D | explanation=SI = PRT/100 = 21558×10×5/100 = █10779.

id=56057 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=51 | option_b=42 | option_c=43 | option_d=33 | answer=B | explanation=The common difference is 9. Therefore the next term is 33 + 9 = 42.

id=56058 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=O | option_b=L | option_c=F | option_d=I | answer=B | explanation=Move 3 positions forward from I; the resulting letter is L.

id=56059 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11221 at 8% per annum for 2 years. | option_a=1695 | option_b=1795 | option_c=1895 | option_d=13016 | answer=B | explanation=SI = PRT/100 = 11221×8×2/100 = █1795.

id=56060 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=56061 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=56062 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=K | option_b=U | option_c=Z | option_d=P | answer=B | explanation=Move 5 positions forward from P; the resulting letter is U.

id=56063 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4689. If it is sold at a profit of 10%, what is its selling price? | option_a=5625 | option_b=4689 | option_c=4699 | option_d=5157 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4689 × 110/100 = █5157.

id=56064 | topic=Profit & Loss | difficulty=Easy | question=An article costs █550. If it is sold at a profit of 15%, what is its selling price? | option_a=632 | option_b=577 | option_c=565 | option_d=687 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 550 × 115/100 = █632.

id=56065 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=C | option_c=G | option_d=O | answer=A | explanation=Move 4 positions forward from G; the resulting letter is K.

id=56066 | topic=Percentages | difficulty=Easy | question=What is 5% of 555? | option_a=7 | option_b=37 | option_c=27 | option_d=54 | answer=C | explanation=5% of 555 = (5/100) × 555 = 27.

id=56067 | topic=Percentages | difficulty=Easy | question=What is 20% of 281? | option_a=61 | option_b=112 | option_c=46 | option_d=56 | answer=D | explanation=20% of 281 = (20/100) × 281 = 56.

id=56068 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33078 at 8% per annum for 3 years. | option_a=7838 | option_b=7938 | option_c=41016 | option_d=8038 | answer=B | explanation=SI = PRT/100 = 33078×8×3/100 = █7938.

id=56069 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:17 and the first is 100, what is the second? | option_a=105 | option_b=68 | option_c=185 | option_d=85 | answer=D | explanation=Scale factor = 100/20 = 5. Therefore second quantity = 17×5 = 85.

id=56070 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=56 | option_b=57 | option_c=44 | option_d=68 | answer=A | explanation=The common difference is 12. Therefore the next term is 44 + 12 = 56.

Aptitude Questions — Records 56,071-56,100 of 100,000

id=56071 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4692. If it is sold at a profit of 20%, what is its selling price? | option_a=6099 | option_b=5630 | option_c=5161 | option_d=4712 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4692 × 120/100 = ■5630.

id=56072 | topic=Averages | difficulty=Easy | question=Find the average of 16, 86, 46, 91, 76, 12, 98, 15. | option_a=54 | option_b=57 | option_c=56 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 440 ÷ 8 = 55.

id=56073 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 34, 42, 51? | option_a=42 | option_b=51 | option_c=26 | option_d=34 | answer=B | explanation=The first three numbers increase by 8, so the next should be 50. Therefore 51 is the odd one out.

id=56074 | topic=Percentages | difficulty=Easy | question=What is 40% of 854? | option_a=351 | option_b=682 | option_c=321 | option_d=341 | answer=D | explanation=40% of 854 = (40/100) × 854 = 341.

id=56075 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=25 | option_b=27 | option_c=21 | option_d=24 | answer=D | explanation=The common difference is 3. Therefore the next term is 21 + 3 = 24.

id=56076 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■5232 at 12% per annum for 2 years. | option_a=1355 | option_b=6487 | option_c=1255 | option_d=1155 | answer=C | explanation=SI = PRT/100 = 5232×12×2/100 = ■1255.

id=56077 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=23 | option_c=36 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=56078 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=Z | option_b=F | option_c=C | option_d=I | answer=B | explanation=Move 3 positions forward from C; the resulting letter is F.

id=56079 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=S | option_b=P | option_c=V | option_d=M | answer=A | explanation=Move 3 positions forward from P; the resulting letter is S.

id=56080 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:4 and the first is 65, what is the second? | option_a=48 | option_b=57 | option_c=52 | option_d=117 | answer=C | explanation=Scale factor = 65/5 = 13. Therefore second quantity = 4×13 = 52.

id=56081 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1075. If it is sold at a profit of 5%, what is its selling price? | option_a=1021 | option_b=1235 | option_c=1080 | option_d=1128 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1075 × 105/100 = ■1128.

id=56082 | topic=Percentages | difficulty=Easy | question=What is 5% of 542? | option_a=54 | option_b=17 | option_c=47 | option_d=27 | answer=D | explanation=5% of 542 = (5/100) × 542 = 27.

id=56083 | topic=Averages | difficulty=Easy | question=Find the average of 88, 73, 53, 49, 70, 82, 55, 19, 87. | option_a=65 | option_b=64 | option_c=66 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 576 ÷ 9 = 64.

id=56084 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=27 | option_b=28 | option_c=21 | option_d=33 | answer=A | explanation=The common difference is 6. Therefore the next term is 21 + 6 = 27.

id=56085 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2809. If it is sold at a profit of 15%, what is its selling price? | option_a=3510 | option_b=3230 | option_c=2950 | option_d=2824 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2809 × 115/100 = ■3230.

id=56086 | topic=Percentages | difficulty=Easy | question=What is 20% of 1385? | option_a=272 | option_b=277 | option_c=297 | option_d=554 | answer=B | explanation=20% of 1385 = (20/100) × 1385 = 277.

id=56087 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 6. | option_a=24 | option_b=60 | option_c=40 | option_d=30 | answer=D | explanation=LCM × HCF = 10×6; HCF(10,6) = 2, so LCM = 30.

id=56088 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:14 and the first is 22, what is the second? | option_a=156 | option_b=176 | option_c=140 | option_d=154 | answer=D | explanation=Scale factor = 22/2 = 11. Therefore second quantity = 14×11 = 154.

id=56089 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=56090 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=23 | option_b=21 | option_c=22 | option_d=19 | answer=B | explanation=The common difference is 2. Therefore the next term is 19 + 2 = 21.

id=56091 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=V | option_c=K | option_d=F | answer=D | explanation=Move 5 positions forward from A; the resulting letter is F.

id=56092 | topic=Averages | difficulty=Easy | question=Find the average of 63, 33, 88, 56. | option_a=62 | option_b=59 | option_c=61 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 240 ÷ 4 = 60.

id=56093 | topic=Percentages | difficulty=Easy | question=What is 5% of 1448? | option_a=77 | option_b=144 | option_c=72 | option_d=62 | answer=C | explanation=5% of 1448 = (5/100) × 1448 = 72.

id=56094 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=56095 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■38362 at 5% per annum for 3 years. | option_a=5654 | option_b=5854 | option_c=5754 | option_d=44116 | answer=C | explanation=SI = PRT/100 = 38362×5×3/100 = ■5754.

id=56096 | topic=Averages | difficulty=Easy | question=Find the average of 38, 24, 58, 20. | option_a=34 | option_b=37 | option_c=35 | option_d=36 | answer=C | explanation=Average = sum of values ÷ number of values = 140 ÷ 4 = 35.

id=56097 | topic=Averages | difficulty=Easy | question=Find the average of 17, 91, 68, 33, 97, 85, 50, 15. | option_a=57 | option_b=58 | option_c=59 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

id=56098 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 22? | option_a=22 | option_b=18 | option_c=16 | option_d=14 | answer=A | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 22 is the odd one out.

id=56099 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=56100 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4245. If it is sold at a profit of 5%, what is its selling price? | option_a=4250 | option_b=4033 | option_c=4881 | option_d=4457 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4245 × 105/100 = ■4457.

Aptitude Questions — Records 56,101-56,130 of 100,000

id=56101 | topic=Averages | difficulty=Easy | question=Find the average of 45, 38, 34. | option_a=39 | option_b=38 | option_c=40 | option_d=41 | answer=A | explanation=Average = sum of values ÷ number of values = 117 ÷ 3 = 39.

id=56102 | topic=Percentages | difficulty=Easy | question=What is 50% of 621? | option_a=620 | option_b=330 | option_c=305 | option_d=310 | answer=D | explanation=50% of 621 = (50/100) × 621 = 310.

id=56103 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=56104 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=56105 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:11 and the first is 98, what is the second? | option_a=77 | option_b=66 | option_c=175 | option_d=91 | answer=A | explanation=Scale factor = 98/14 = 7. Therefore second quantity = 11×7 = 77.

id=56106 | topic=Averages | difficulty=Easy | question=Find the average of 55, 15, 18, 15, 13, 88, 52, 99, 104. | option_a=50 | option_b=51 | option_c=52 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 459 ÷ 9 = 51.

id=56107 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=29 | option_c=19 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=56108 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=56109 | topic=Percentages | difficulty=Easy | question=What is 5% of 91? | option_a=8 | option_b=0 | option_c=4 | option_d=9 | answer=C | explanation=5% of 91 = (5/100) × 91 = 4.

id=56110 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=24 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=56111 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1074 at 4% per annum for 5 years. | option_a=214 | option_b=114 | option_c=1288 | option_d=314 | answer=A | explanation=SI = PRT/100 = 1074×4×5/100 = **■**214.

id=56112 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**961. If it is sold at a profit of 40%, what is its selling price? | option_a=1001 | option_b=1441 | option_c=1345 | option_d=1249 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 961 × 140/100 = **■**1345.

id=56113 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 14. | option_a=1 | option_b=28 | option_c=16 | option_d=14 | answer=D | explanation=LCM × HCF = 2×14; HCF(2,14) = 2, so LCM = 14.

id=56114 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4518. If it is sold at a profit of 10%, what is its selling price? | option_a=5420 | option_b=4528 | option_c=4969 | option_d=4518 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4518 × 110/100 = **■**4969.

id=56115 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=90 | option_c=95 | option_d=180 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=56116 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=12 | option_c=7 | option_d=24 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=56117 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21490 at 5% per annum for 5 years. | option_a=5272 | option_b=5472 | option_c=5372 | option_d=26862 | answer=C | explanation=SI = PRT/100 = 21490×5×5/100 = **■**5372.

id=56118 | topic=Averages | difficulty=Easy | question=Find the average of 92, 60, 63, 42, 63. | option_a=63 | option_b=64 | option_c=65 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 320 ÷ 5 = 64.

id=56119 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=56120 | topic=Averages | difficulty=Easy | question=Find the average of 58, 88, 58, 77, 57, 25, 51, 42, 102. | option_a=63 | option_b=64 | option_c=61 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 558 ÷ 9 = 62.

id=56121 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:11 and the first is 6, what is the second? | option_a=22 | option_b=25 | option_c=11 | option_d=28 | answer=A | explanation=Scale factor = 6/3 = 2. Therefore second quantity = 11×2 = 22.

id=56122 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=56123 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=48 | option_c=96 | option_d=53 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=56124 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:4 and the first is 91, what is the second? | option_a=119 | option_b=28 | option_c=41 | option_d=24 | answer=B | explanation=Scale factor = 91/13 = 7. Therefore second quantity = 4×7 = 28.

id=56125 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 28? | option_a=22 | option_b=16 | option_c=19 | option_d=28 | answer=D | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 28 is the odd one out.

id=56126 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 57? | option_a=57 | option_b=29 | option_c=38 | option_d=47 | answer=A | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 57 is the odd one out.

id=56127 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 28. | option_a=28 | option_b=64 | option_c=224 | option_d=56 | answer=D | explanation=LCM × HCF = 8×28; HCF(8,28) = 4, so LCM = 56.

id=56128 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=P | option_b=G | option_c=J | option_d=M | answer=D | explanation=Move 3 positions forward from J; the resulting letter is M.

id=56129 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 8. | option_a=64 | option_b=8 | option_c=1 | option_d=16 | answer=B | explanation=LCM × HCF = 8×8; HCF(8,8) = 8, so LCM = 8.

id=56130 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 47? | option_a=32 | option_b=47 | option_c=38 | option_d=26 | answer=B | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 47 is the odd one out.

Aptitude Questions — Records 56,131-56,160 of 100,000

id=56131 | topic=Percentages | difficulty=Easy | question=What is 25% of 185? | option_a=36 | option_b=46 | option_c=51 | option_d=92 | answer=B | explanation=25% of 185 = (25/100) × 185 = 46.

id=56132 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 28, 32, 38? | option_a=32 | option_b=38 | option_c=28 | option_d=24 | answer=B | explanation=The first three numbers increase by 4, so the next should be 36. Therefore 38 is the odd one out.

id=56133 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3867. If it is sold at a profit of 50%, what is its selling price? | option_a=5800 | option_b=5414 | option_c=6186 | option_d=3917 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3867 × 150/100 = █5800.

id=56134 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=56135 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 6. | option_a=90 | option_b=120 | option_c=54 | option_d=60 | answer=D | explanation=LCM × HCF = 20×6; HCF(20,6) = 2, so LCM = 60.

id=56136 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45166 at 6% per annum for 1 years. | option_a=2709 | option_b=47875 | option_c=2609 | option_d=2809 | answer=A | explanation=SI = PRT/100 = 45166×6×1/100 = █2709.

id=56137 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=P | option_b=J | option_c=G | option_d=M | answer=D | explanation=Move 3 positions forward from J; the resulting letter is M.

id=56138 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1540. If it is sold at a profit of 40%, what is its selling price? | option_a=2156 | option_b=2002 | option_c=2310 | option_d=1580 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1540 × 140/100 = █2156.

id=56139 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=56140 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=H | option_c=L | option_d=T | answer=A | explanation=Move 4 positions forward from L; the resulting letter is P.

id=56141 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 24. | option_a=288 | option_b=624 | option_c=312 | option_d=338 | answer=C | explanation=LCM × HCF = 26×24; HCF(26,24) = 2, so LCM = 312.

id=56142 | topic=Percentages | difficulty=Easy | question=What is 30% of 627? | option_a=188 | option_b=168 | option_c=193 | option_d=376 | answer=A | explanation=30% of 627 = (30/100) × 627 = 188.

id=56143 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44958 at 12% per annum for 5 years. | option_a=26974 | option_b=27074 | option_c=71932 | option_d=26874 | answer=A | explanation=SI = PRT/100 = 44958×12×5/100 = █26974.

id=56144 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=56145 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 6. | option_a=18 | option_b=24 | option_c=48 | option_d=144 | answer=B | explanation=LCM × HCF = 24×6; HCF(24,6) = 6, so LCM = 24.

id=56146 | topic=Percentages | difficulty=Easy | question=What is 50% of 1844? | option_a=902 | option_b=942 | option_c=922 | option_d=1844 | answer=C | explanation=50% of 1844 = (50/100) × 1844 = 922.

id=56147 | topic=Percentages | difficulty=Easy | question=What is 40% of 1545? | option_a=628 | option_b=1236 | option_c=613 | option_d=618 | answer=D | explanation=40% of 1545 = (40/100) × 1545 = 618.

id=56148 | topic=Percentages | difficulty=Easy | question=What is 5% of 1030? | option_a=31 | option_b=56 | option_c=51 | option_d=102 | answer=C | explanation=5% of 1030 = (5/100) × 1030 = 51.

id=56149 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=56150 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 42? | option_a=20 | option_b=27 | option_c=42 | option_d=34 | answer=C | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 42 is the odd one out.

id=56151 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=56152 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 33, 42, 54? | option_a=54 | option_b=42 | option_c=24 | option_d=33 | answer=A | explanation=The first three numbers increase by 9, so the next should be 51. Therefore 54 is the odd one out.

id=56153 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25892 at 6% per annum for 4 years. | option_a=6214 | option_b=6314 | option_c=32106 | option_d=6114 | answer=A | explanation=SI = PRT/100 = 25892×6×4/100 = █6214.

id=56154 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47802 at 12% per annum for 2 years. | option_a=11372 | option_b=11572 | option_c=11472 | option_d=59274 | answer=C | explanation=SI = PRT/100 = 47802×12×2/100 = █11472.

id=56155 | topic=Percentages | difficulty=Easy | question=What is 5% of 1287? | option_a=69 | option_b=128 | option_c=59 | option_d=64 | answer=D | explanation=5% of 1287 = (5/100) × 1287 = 64.

id=56156 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:11 and the first is 27, what is the second? | option_a=99 | option_b=102 | option_c=88 | option_d=126 | answer=A | explanation=Scale factor = 27/3 = 9. Therefore second quantity = 11×9 = 99.

id=56157 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 33, 40, 48? | option_a=48 | option_b=33 | option_c=26 | option_d=40 | answer=A | explanation=The first three numbers increase by 7, so the next should be 47. Therefore 48 is the odd one out.

id=56158 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=37 | option_b=38 | option_c=43 | option_d=31 | answer=A | explanation=The common difference is 6. Therefore the next term is 31 + 6 = 37.

id=56159 | topic=Percentages | difficulty=Easy | question=What is 25% of 1059? | option_a=264 | option_b=244 | option_c=269 | option_d=528 | answer=A | explanation=25% of 1059 = (25/100) × 1059 = 264.

id=56160 | topic=Percentages | difficulty=Easy | question=What is 5% of 1755? | option_a=107 | option_b=174 | option_c=87 | option_d=82 | answer=C | explanation=5% of 1755 = (5/100) × 1755 = 87.

Aptitude Questions — Records 56,161-56,190 of 100,000

id=56161 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=56162 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:1 and the first is 126, what is the second? | option_a=9 | option_b=8 | option_c=23 | option_d=135 | answer=A | explanation=Scale factor = 126/14 = 9. Therefore second quantity = 1×9 = 9.

id=56163 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:11 and the first is 30, what is the second? | option_a=154 | option_b=165 | option_c=195 | option_d=167 | answer=B | explanation=Scale factor = 30/2 = 15. Therefore second quantity = 11×15 = 165.

id=56164 | topic=Percentages | difficulty=Easy | question=What is 50% of 826? | option_a=826 | option_b=413 | option_c=418 | option_d=393 | answer=B | explanation=50% of 826 = (50/100) × 826 = 413.

id=56165 | topic=Averages | difficulty=Easy | question=Find the average of 21, 28, 91, 55, 68, 46, 80, 91. | option_a=62 | option_b=61 | option_c=60 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 480 ÷ 8 = 60.

id=56166 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=56167 | topic=Profit & Loss | difficulty=Easy | question=An article costs █134. If it is sold at a profit of 25%, what is its selling price? | option_a=154 | option_b=167 | option_c=159 | option_d=180 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 134 × 125/100 = █167.

id=56168 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 31, 43, 55, ? | option_a=55 | option_b=79 | option_c=67 | option_d=68 | answer=C | explanation=The common difference is 12. Therefore the next term is 55 + 12 = 67.

id=56169 | topic=Averages | difficulty=Easy | question=Find the average of 95, 88, 75, 79, 15, 51, 100, 50, 87, 60. | option_a=71 | option_b=70 | option_c=72 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 700 ÷ 10 = 70.

id=56170 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=C | option_c=I | option_d=E | answer=A | explanation=Move 2 positions forward from E; the resulting letter is G.

id=56171 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=160 | option_c=80 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=56172 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20531 at 4% per annum for 5 years. | option_a=4206 | option_b=24637 | option_c=4106 | option_d=4006 | answer=C | explanation=SI = PRT/100 = 20531×4×5/100 = █4106.

id=56173 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=38 | option_b=39 | option_c=33 | option_d=43 | answer=A | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.

id=56174 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13175 at 12% per annum for 2 years. | option_a=3262 | option_b=16337 | option_c=3062 | option_d=3162 | answer=D | explanation=SI = PRT/100 = 13175×12×2/100 = █3162.

id=56175 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=35 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=56176 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=56177 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=I | option_b=M | option_c=O | option_d=K | answer=B | explanation=Move 2 positions forward from K; the resulting letter is M.

id=56178 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=40 | option_b=51 | option_c=50 | option_d=60 | answer=C | explanation=The common difference is 10. Therefore the next term is 40 + 10 = 50.

id=56179 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=O | option_c=P | option_d=M | answer=B | explanation=Move 1 positions forward from N; the resulting letter is O.

id=56180 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 39, 49, 62? | option_a=39 | option_b=49 | option_c=29 | option_d=62 | answer=D | explanation=The first three numbers increase by 10, so the next should be 59. Therefore 62 is the odd one out.

id=56181 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=56182 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=G | option_b=F | option_c=E | option_d=H | answer=A | explanation=Move 1 positions forward from F; the resulting letter is G.

id=56183 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=E | option_c=D | option_d=F | answer=D | explanation=Move 1 positions forward from E; the resulting letter is F.

id=56184 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 16, 23, 30, ? | option_a=30 | option_b=38 | option_c=44 | option_d=37 | answer=D | explanation=The common difference is 7. Therefore the next term is 30 + 7 = 37.

id=56185 | topic=Averages | difficulty=Easy | question=Find the average of 81, 82, 78, 16, 52, 27. | option_a=57 | option_b=58 | option_c=56 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 336 ÷ 6 = 56.

id=56186 | topic=Averages | difficulty=Easy | question=Find the average of 90, 29, 34, 88, 55, 12, 62, 94. | option_a=57 | option_b=60 | option_c=59 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 464 ÷ 8 = 58.

id=56187 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 44? | option_a=28 | option_b=44 | option_c=21 | option_d=35 | answer=B | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 44 is the odd one out.

id=56188 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:10 and the first is 12, what is the second? | option_a=10 | option_b=32 | option_c=26 | option_d=20 | answer=D | explanation=Scale factor = 12/6 = 2. Therefore second quantity = 10×2 = 20.

id=56189 | topic=Percentages | difficulty=Easy | question=What is 10% of 232? | option_a=18 | option_b=23 | option_c=46 | option_d=43 | answer=B | explanation=10% of 232 = (10/100) × 232 = 23.

id=56190 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

Aptitude Questions — Records 56,191-56,220 of 100,000

id=56191 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 30, 32, 37? | option_a=28 | option_b=32 | option_c=37 | option_d=30 | answer=C | explanation=The first three numbers increase by 2, so the next should be 34. Therefore 37 is the odd one out.

id=56192 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44729 at 6% per annum for 2 years. | option_a=5367 | option_b=50096 | option_c=5267 | option_d=5467 | answer=A | explanation=SI = $PRT/100 = 44729 \times 6 \times 2/100 = \text{■}5367$.

id=56193 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22869 at 10% per annum for 4 years. | option_a=9047 | option_b=9147 | option_c=9247 | option_d=32016 | answer=B | explanation=SI = $PRT/100 = 22869 \times 10 \times 4/100 = \text{■}9147$.

id=56194 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:9 and the first is 40, what is the second? | option_a=76 | option_b=46 | option_c=27 | option_d=36 | answer=D | explanation=Scale factor = $40/10 = 4$. Therefore second quantity = $9 \times 4 = 36$.

id=56195 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1334. If it is sold at a profit of 40%, what is its selling price? | option_a=1867 | option_b=2000 | option_c=1374 | option_d=1734 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1334 \times 140/100 = \text{■}1867$.

id=56196 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.

id=56197 | topic=Percentages | difficulty=Easy | question=What is 15% of 1076? | option_a=322 | option_b=156 | option_c=161 | option_d=166 | answer=C | explanation=15% of 1076 = $(15/100) \times 1076 = 161$.

id=56198 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=56 | option_b=47 | option_c=38 | option_d=48 | answer=B | explanation=The common difference is 9. Therefore the next term is $38 + 9 = 47$.

id=56199 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 18, 28, 38, ? | option_a=48 | option_b=58 | option_c=38 | option_d=49 | answer=A | explanation=The common difference is 10. Therefore the next term is $38 + 10 = 48$.

id=56200 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2152. If it is sold at a profit of 5%, what is its selling price? | option_a=2474 | option_b=2044 | option_c=2259 | option_d=2157 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2152 \times 105/100 = \text{■}2259$.

id=56201 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21134 at 5% per annum for 3 years. | option_a=24304 | option_b=3170 | option_c=3070 | option_d=3270 | answer=B | explanation=SI = $PRT/100 = 21134 \times 5 \times 3/100 = \text{■}3170$.

id=56202 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=N | option_c=R | option_d=F | answer=B | explanation=Move 4 positions forward from J; the resulting letter is N.

id=56203 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=300 | option_c=145 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = $300 \div 2 = 150$ km/h.

id=56204 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=Z | option_b=F | option_c=I | option_d=C | answer=B | explanation=Move 3 positions forward from C; the resulting letter is F.

id=56205 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15408 at 10% per annum for 1 years. | option_a=1440 | option_b=1540 | option_c=16948 | option_d=1640 | answer=B | explanation=SI = $PRT/100 = 15408 \times 10 \times 1/100 = \text{■}1540$.

id=56206 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=20 | option_d=6 | answer=B | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=56207 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=56208 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26359 at 6% per annum for 3 years. | option_a=4744 | option_b=4844 | option_c=4644 | option_d=31103 | answer=A | explanation=SI = $PRT/100 = 26359 \times 6 \times 3/100 = \text{■}4744$.

id=56209 | topic=Percentages | difficulty=Easy | question=What is 30% of 265? | option_a=99 | option_b=158 | option_c=59 | option_d=79 | answer=D | explanation=30% of 265 = $(30/100) \times 265 = 79$.

id=56210 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=56211 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4932. If it is sold at a profit of 20%, what is its selling price? | option_a=4952 | option_b=5425 | option_c=5918 | option_d=6411 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4932 \times 120/100 = \text{■}5918$.

id=56212 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=56213 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=56214 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = $90 \div 3 = 30$ km/h.

id=56215 | topic=Averages | difficulty=Easy | question=Find the average of 50, 89, 77, 12, 12, 96. | option_a=56 | option_b=58 | option_c=57 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = $336 \div 6 = 56$.

id=56216 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=56217 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=56218 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = $120 \div 8 = 15$ km/h.

id=56219 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=56220 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3242. If it is sold at a profit of 10%, what is its selling price? | option_a=3242 | option_b=3252 | option_c=3890 | option_d=3566 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3242 \times 110/100 = \text{■}3566$.

Aptitude Questions — Records 56,221-56,250 of 100,000

id=56221 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=56222 | topic=Averages | difficulty=Easy | question=Find the average of 82, 39, 53, 77, 36, 59, 93, 65. | option_a=64 | option_b=62 | option_c=63 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = 504 ÷ 8 = 63.

id=56223 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:7 and the first is 192, what is the second? | option_a=77 | option_b=100 | option_c=276 | option_d=84 | answer=D | explanation=Scale factor = 192/16 = 12. Therefore second quantity = 7×12 = 84.

id=56224 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=41 | option_c=36 | option_d=31 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=56225 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=56226 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=56227 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 33, 42, 54? | option_a=54 | option_b=24 | option_c=42 | option_d=33 | answer=A | explanation=The first three numbers increase by 9, so the next should be 51. Therefore 54 is the odd one out.

id=56228 | topic=Averages | difficulty=Easy | question=Find the average of 14, 66, 68, 61, 87, 23, 38. | option_a=50 | option_b=53 | option_c=51 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.

id=56229 | topic=Percentages | difficulty=Easy | question=What is 40% of 301? | option_a=115 | option_b=120 | option_c=240 | option_d=140 | answer=B | explanation=40% of 301 = (40/100) × 301 = 120.

id=56230 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Y | option_b=C | option_c=Q | option_d=U | answer=A | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=56231 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:6 and the first is 36, what is the second? | option_a=72 | option_b=66 | option_c=75 | option_d=108 | answer=A | explanation=Scale factor = 36/3 = 12. Therefore second quantity = 6×12 = 72.

id=56232 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=56233 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:2 and the first is 90, what is the second? | option_a=108 | option_b=18 | option_c=28 | option_d=16 | answer=B | explanation=Scale factor = 90/10 = 9. Therefore second quantity = 2×9 = 18.

id=56234 | topic=Percentages | difficulty=Easy | question=What is 50% of 143? | option_a=91 | option_b=71 | option_c=66 | option_d=142 | answer=B | explanation=50% of 143 = (50/100) × 143 = 71.

id=56235 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=T | option_b=H | option_c=L | option_d=P | answer=D | explanation=Move 4 positions forward from L; the resulting letter is P.

id=56236 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=J | option_b=H | option_c=K | option_d=I | answer=A | explanation=Move 1 positions forward from I; the resulting letter is J.

id=56237 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:6 and the first is 50, what is the second? | option_a=54 | option_b=65 | option_c=110 | option_d=60 | answer=D | explanation=Scale factor = 50/5 = 10. Therefore second quantity = 6×10 = 60.

id=56238 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=E | option_b=H | option_c=B | option_d=Y | answer=A | explanation=Move 3 positions forward from B; the resulting letter is E.

id=56239 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 36, 43, 53? | option_a=53 | option_b=29 | option_c=43 | option_d=36 | answer=A | explanation=The first three numbers increase by 7, so the next should be 50. Therefore 53 is the odd one out.

id=56240 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 10. | option_a=60 | option_b=30 | option_c=300 | option_d=20 | answer=B | explanation=LCM × HCF = 30×10; HCF(30,10) = 10, so LCM = 30.

id=56241 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4479. If it is sold at a profit of 5%, what is its selling price? | option_a=4702 | option_b=5149 | option_c=4484 | option_d=4255 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4479 × 105/100 = █4702.

id=56242 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=V | option_b=F | option_c=A | option_d=K | answer=B | explanation=Move 5 positions forward from A; the resulting letter is F.

id=56243 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=G | option_b=L | option_c=Q | option_d=V | answer=C | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=56244 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=56245 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=J | option_c=F | option_d=R | answer=A | explanation=Move 4 positions forward from J; the resulting letter is N.

id=56246 | topic=Averages | difficulty=Easy | question=Find the average of 68, 92, 39, 65, 37, 32, 80. | option_a=61 | option_b=58 | option_c=60 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 413 ÷ 7 = 59.

id=56247 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=56248 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4337. If it is sold at a profit of 15%, what is its selling price? | option_a=4554 | option_b=4352 | option_c=5420 | option_d=4987 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4337 × 115/100 = █4987.

id=56249 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=19 | option_c=24 | option_d=29 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=56250 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 22, 31, 41? | option_a=41 | option_b=22 | option_c=31 | option_d=13 | answer=A | explanation=The first three numbers increase by 9, so the next should be 40. Therefore 41 is the odd one out.

Aptitude Questions — Records 56,251-56,280 of 100,000

id=56251 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3891. If it is sold at a profit of 40%, what is its selling price? | option_a=3931 | option_b=5447 | option_c=5058 | option_d=5836 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3891 \times 140/100 = \text{█}5447$.

id=56252 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 26, 36, 48? | option_a=36 | option_b=16 | option_c=48 | option_d=26 | answer=C | explanation=The first three numbers increase by 10, so the next should be 46. Therefore 48 is the odd one out.

id=56253 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1050. If it is sold at a profit of 30%, what is its selling price? | option_a=1365 | option_b=1080 | option_c=1470 | option_d=1260 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1050 \times 130/100 = \text{█}1365$.

id=56254 | topic=Profit & Loss | difficulty=Easy | question=An article costs █240. If it is sold at a profit of 10%, what is its selling price? | option_a=288 | option_b=240 | option_c=250 | option_d=264 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 240 \times 110/100 = \text{█}264$.

id=56255 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42805 at 6% per annum for 4 years. | option_a=53078 | option_b=10173 | option_c=10373 | option_d=10273 | answer=D | explanation=SI = $PRT/100 = 42805 \times 6 \times 4/100 = \text{█}10273$.

id=56256 | topic=Percentages | difficulty=Easy | question=What is 10% of 674? | option_a=87 | option_b=67 | option_c=134 | option_d=62 | answer=B | explanation=10% of 674 = $(10/100) \times 674 = 67$.

id=56257 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36950 at 15% per annum for 2 years. | option_a=11185 | option_b=10985 | option_c=48035 | option_d=11085 | answer=D | explanation=SI = $PRT/100 = 36950 \times 15 \times 2/100 = \text{█}11085$.

id=56258 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:13 and the first is 99, what is the second? | option_a=130 | option_b=143 | option_c=152 | option_d=242 | answer=B | explanation=Scale factor = $99/9 = 11$. Therefore second quantity = $13 \times 11 = 143$.

id=56259 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=E | option_b=B | option_c=Y | option_d=H | answer=A | explanation=Move 3 positions forward from B; the resulting letter is E.

id=56260 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = $60 \div 2 = 30$ km/h.

id=56261 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:15 and the first is 126, what is the second? | option_a=231 | option_b=90 | option_c=105 | option_d=123 | answer=C | explanation=Scale factor = $126/18 = 7$. Therefore second quantity = $15 \times 7 = 105$.

id=56262 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 51? | option_a=32 | option_b=41 | option_c=23 | option_d=51 | answer=D | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 51 is the odd one out.

id=56263 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43024 at 12% per annum for 1 years. | option_a=5062 | option_b=48186 | option_c=5262 | option_d=5162 | answer=D | explanation=SI = $PRT/100 = 43024 \times 12 \times 1/100 = \text{█}5162$.

id=56264 | topic=Percentages | difficulty=Easy | question=What is 15% of 1272? | option_a=190 | option_b=380 | option_c=185 | option_d=200 | answer=A | explanation=15% of 1272 = $(15/100) \times 1272 = 190$.

id=56265 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=Q | option_b=O | option_c=N | option_d=P | answer=D | explanation=Move 1 positions forward from O; the resulting letter is P.

id=56266 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 10. | option_a=40 | option_b=50 | option_c=75 | option_d=250 | answer=B | explanation=LCM $\times$ HCF = 25×10 ; HCF(25,10) = 5, so LCM = 50.

id=56267 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 24, 30, 38? | option_a=24 | option_b=38 | option_c=18 | option_d=30 | answer=B | explanation=The first three numbers increase by 6, so the next should be 36. Therefore 38 is the odd one out.

id=56268 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:8 and the first is 4, what is the second? | option_a=36 | option_b=32 | option_c=33 | option_d=24 | answer=B | explanation=Scale factor = $4/1 = 4$. Therefore second quantity = $8 \times 4 = 32$.

id=56269 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=25 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = $60 \div 3 = 20$ km/h.

id=56270 | topic=Averages | difficulty=Easy | question=Find the average of 91, 48, 57, 88, 55, 34, 21, 46. | option_a=54 | option_b=57 | option_c=55 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = $440 \div 8 = 55$.

id=56271 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 37? | option_a=37 | option_b=30 | option_c=32 | option_d=34 | answer=A | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 37 is the odd one out.

id=56272 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=30 | option_b=34 | option_c=38 | option_d=35 | answer=B | explanation=The common difference is 4. Therefore the next term is $30 + 4 = 34$.

id=56273 | topic=Averages | difficulty=Easy | question=Find the average of 64, 35, 79, 53, 45, 12, 90. | option_a=55 | option_b=56 | option_c=53 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = $378 \div 7 = 54$.

id=56274 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 42? | option_a=33 | option_b=30 | option_c=36 | option_d=42 | answer=D | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 42 is the odd one out.

id=56275 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=32 | option_b=38 | option_c=24 | option_d=31 | answer=D | explanation=The common difference is 7. Therefore the next term is $24 + 7 = 31$.

id=56276 | topic=Averages | difficulty=Easy | question=Find the average of 14, 38, 25, 55. | option_a=34 | option_b=33 | option_c=32 | option_d=35 | answer=B | explanation=Average = sum of values ÷ number of values = $132 \div 4 = 33$.

id=56277 | topic=Averages | difficulty=Easy | question=Find the average of 17, 89, 95, 19, 52, 63, 57. | option_a=57 | option_b=55 | option_c=56 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = $392 \div 7 = 56$.

id=56278 | topic=Averages | difficulty=Easy | question=Find the average of 89, 69, 52, 54, 26. | option_a=59 | option_b=58 | option_c=57 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = $290 \div 5 = 58$.

id=56279 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=60 | option_b=50 | option_c=70 | option_d=61 | answer=A | explanation=The common difference is 10. Therefore the next term is $50 + 10 = 60$.

id=56280 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 24. | option_a=144 | option_b=182 | option_c=336 | option_d=168 | answer=D | explanation=LCM $\times$ HCF = 14×24 ; HCF(14,24) = 2, so LCM = 168.

Aptitude Questions — Records 56,281-56,310 of 100,000

id=56281 | topic=Averages | difficulty=Easy | question=Find the average of 89, 38, 98. | option_a=77 | option_b=75 | option_c=76 | option_d=74 | answer=B | explanation=Average = sum of values ÷ number of values = 225 ÷ 3 = 75.

id=56282 | topic=Percentages | difficulty=Easy | question=What is 25% of 320? | option_a=80 | option_b=160 | option_c=75 | option_d=100 | answer=A | explanation=25% of 320 = (25/100) × 320 = 80.

id=56283 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:1 and the first is 224, what is the second? | option_a=14 | option_b=13 | option_c=238 | option_d=30 | answer=A | explanation=Scale factor = 224/16 = 14. Therefore second quantity = 1×14 = 14.

id=56284 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:2 and the first is 361, what is the second? | option_a=57 | option_b=36 | option_c=38 | option_d=399 | answer=C | explanation=Scale factor = 361/19 = 19. Therefore second quantity = 2×19 = 38.

id=56285 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=C | option_c=B | option_d=A | answer=B | explanation=Move 1 positions forward from B; the resulting letter is C.

id=56286 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3700. If it is sold at a profit of 40%, what is its selling price? | option_a=5550 | option_b=4810 | option_c=5180 | option_d=3740 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3700 × 140/100 = █5180.

id=56287 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=17 | option_b=13 | option_c=16 | option_d=15 | answer=D | explanation=The common difference is 2. Therefore the next term is 13 + 2 = 15.

id=56288 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=56289 | topic=Averages | difficulty=Easy | question=Find the average of 44, 21, 76, 12, 70, 16, 21, 68. | option_a=41 | option_b=43 | option_c=40 | option_d=42 | answer=A | explanation=Average = sum of values ÷ number of values = 328 ÷ 8 = 41.

id=56290 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=Z | option_b=P | option_c=U | option_d=E | answer=A | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=56291 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27435 at 6% per annum for 4 years. | option_a=6584 | option_b=6484 | option_c=6684 | option_d=34019 | answer=A | explanation=SI = PRT/100 = 27435×6×4/100 = █6584.

id=56292 | topic=Averages | difficulty=Easy | question=Find the average of 44, 51, 89, 86, 53, 10, 73. | option_a=58 | option_b=57 | option_c=59 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 406 ÷ 7 = 58.

id=56293 | topic=Averages | difficulty=Easy | question=Find the average of 37, 45, 18, 43, 24, 58, 20. | option_a=37 | option_b=35 | option_c=34 | option_d=36 | answer=B | explanation=Average = sum of values ÷ number of values = 245 ÷ 7 = 35.

id=56294 | topic=Averages | difficulty=Easy | question=Find the average of 94, 58, 21, 57, 19, 37, 42, 55, 97, 30. | option_a=51 | option_b=50 | option_c=52 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

id=56295 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3771. If it is sold at a profit of 25%, what is its selling price? | option_a=4336 | option_b=4713 | option_c=3796 | option_d=5090 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3771 × 125/100 = █4713.

id=56296 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=7 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=56297 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 16, 19, 24? | option_a=13 | option_b=24 | option_c=16 | option_d=19 | answer=B | explanation=The first three numbers increase by 3, so the next should be 22. Therefore 24 is the odd one out.

id=56298 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=10 | option_d=5 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=56299 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=56300 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:1 and the first is 18, what is the second? | option_a=20 | option_b=2 | option_c=1 | option_d=11 | answer=B | explanation=Scale factor = 18/9 = 2. Therefore second quantity = 1×2 = 2.

id=56301 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=56302 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=66 | option_b=56 | option_c=57 | option_d=46 | answer=B | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=56303 | topic=Averages | difficulty=Easy | question=Find the average of 87, 29, 62, 80, 17. | option_a=55 | option_b=56 | option_c=54 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 275 ÷ 5 = 55.

id=56304 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49912 at 8% per annum for 1 years. | option_a=3892 | option_b=53904 | option_c=4092 | option_d=3992 | answer=D | explanation=SI = PRT/100 = 49912×8×1/100 = █3992.

id=56305 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=80 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=56306 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 23, 27, 32? | option_a=19 | option_b=23 | option_c=27 | option_d=32 | answer=D | explanation=The first three numbers increase by 4, so the next should be 31. Therefore 32 is the odd one out.

id=56307 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27735 at 6% per annum for 1 years. | option_a=1764 | option_b=1564 | option_c=1664 | option_d=29399 | answer=C | explanation=SI = PRT/100 = 27735×6×1/100 = █1664.

id=56308 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 31, 42, 53, ? | option_a=65 | option_b=64 | option_c=53 | option_d=75 | answer=B | explanation=The common difference is 11. Therefore the next term is 53 + 11 = 64.

id=56309 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 24, 30, 36, ? | option_a=48 | option_b=43 | option_c=36 | option_d=42 | answer=D | explanation=The common difference is 6. Therefore the next term is 36 + 6 = 42.

id=56310 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 6, 10, 16? | option_a=6 | option_b=2 | option_c=16 | option_d=10 | answer=C | explanation=The first three numbers increase by 4, so the next should be 14. Therefore 16 is the odd one out.

Aptitude Questions — Records 56,311-56,340 of 100,000

id=56311 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=23 | option_d=36 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=56312 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=R | option_b=U | option_c=A | option_d=X | answer=D | explanation=Move 3 positions forward from U; the resulting letter is X.

id=56313 | topic=Averages | difficulty=Easy | question=Find the average of 88, 85, 78, 42, 31, 38, 43, 73, 14, 18. | option_a=53 | option_b=51 | option_c=52 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

id=56314 | topic=Averages | difficulty=Easy | question=Find the average of 26, 22, 69, 42, 15, 74, 53. | option_a=45 | option_b=44 | option_c=42 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = 301 ÷ 7 = 43.

id=56315 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:1 and the first is 240, what is the second? | option_a=32 | option_b=12 | option_c=11 | option_d=252 | answer=B | explanation=Scale factor = 240/20 = 12. Therefore second quantity = 1×12 = 12.

id=56316 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=I | option_b=F | option_c=C | option_d=L | answer=A | explanation=Move 3 positions forward from F; the resulting letter is I.

id=56317 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=B | option_b=H | option_c=F | option_d=D | answer=C | explanation=Move 2 positions forward from D; the resulting letter is F.

id=56318 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:4 and the first is 18, what is the second? | option_a=72 | option_b=90 | option_c=68 | option_d=73 | answer=A | explanation=Scale factor = 18/1 = 18. Therefore second quantity = 4×18 = 72.

id=56319 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=56320 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:4 and the first is 380, what is the second? | option_a=456 | option_b=76 | option_c=72 | option_d=96 | answer=B | explanation=Scale factor = 380/20 = 19. Therefore second quantity = 4×19 = 76.

id=56321 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 34? | option_a=24 | option_b=6 | option_c=15 | option_d=34 | answer=D | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 34 is the odd one out.

id=56322 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=D | option_b=G | option_c=M | option_d=J | answer=D | explanation=Move 3 positions forward from G; the resulting letter is J.

id=56323 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:17 and the first is 190, what is the second? | option_a=170 | option_b=189 | option_c=360 | option_d=153 | answer=A | explanation=Scale factor = 190/19 = 10. Therefore second quantity = 17×10 = 170.

id=56324 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=E | option_b=B | option_c=Y | option_d=H | answer=A | explanation=Move 3 positions forward from B; the resulting letter is E.

id=56325 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 36? | option_a=15 | option_b=36 | option_c=25 | option_d=5 | answer=B | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 36 is the odd one out.

id=56326 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:4 and the first is 16, what is the second? | option_a=64 | option_b=60 | option_c=80 | option_d=65 | answer=A | explanation=Scale factor = 16/1 = 16. Therefore second quantity = 4×16 = 64.

id=56327 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=T | option_c=R | option_d=S | answer=B | explanation=Move 1 positions forward from S; the resulting letter is T.

id=56328 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 47? | option_a=47 | option_b=28 | option_c=34 | option_d=40 | answer=A | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 47 is the odd one out.

id=56329 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 26, 28, 32? | option_a=26 | option_b=32 | option_c=28 | option_d=24 | answer=B | explanation=The first three numbers increase by 2, so the next should be 30. Therefore 32 is the odd one out.

id=56330 | topic=Percentages | difficulty=Easy | question=What is 10% of 1784? | option_a=178 | option_b=198 | option_c=356 | option_d=158 | answer=A | explanation=10% of 1784 = (10/100) × 1784 = 178.

id=56331 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:13 and the first is 90, what is the second? | option_a=127 | option_b=117 | option_c=104 | option_d=207 | answer=B | explanation=Scale factor = 90/10 = 9. Therefore second quantity = 13×9 = 117.

id=56332 | topic=Averages | difficulty=Easy | question=Find the average of 20, 84, 58, 23, 16, 78, 99, 70. | option_a=58 | option_b=57 | option_c=55 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 448 ÷ 8 = 56.

id=56333 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:7 and the first is 28, what is the second? | option_a=35 | option_b=56 | option_c=28 | option_d=21 | answer=C | explanation=Scale factor = 28/7 = 4. Therefore second quantity = 7×4 = 28.

id=56334 | topic=Percentages | difficulty=Easy | question=What is 12% of 273? | option_a=32 | option_b=64 | option_c=52 | option_d=27 | answer=A | explanation=12% of 273 = (12/100) × 273 = 32.

id=56335 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:8 and the first is 266, what is the second? | option_a=166 | option_b=152 | option_c=144 | option_d=418 | answer=B | explanation=Scale factor = 266/14 = 19. Therefore second quantity = 8×19 = 152.

id=56336 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=56337 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=P | option_b=F | option_c=A | option_d=K | answer=D | explanation=Move 5 positions forward from F; the resulting letter is K.

id=56338 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=50 | option_c=25 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=56339 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=39 | option_b=32 | option_c=40 | option_d=46 | answer=A | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.

id=56340 | topic=Averages | difficulty=Easy | question=Find the average of 66, 100, 58, 86, 85. | option_a=79 | option_b=80 | option_c=81 | option_d=78 | answer=A | explanation=Average = sum of values ÷ number of values = 395 ÷ 5 = 79.

Aptitude Questions — Records 56,341-56,370 of 100,000

id=56341 | topic=Percentages | difficulty=Easy | question=What is 15% of 1541? | option_a=221 | option_b=462 | option_c=231 | option_d=251 | answer=C | explanation=15% of 1541 = (15/100) × 1541 = 231.

id=56342 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 23, 27, 32? | option_a=27 | option_b=32 | option_c=19 | option_d=23 | answer=B | explanation=The first three numbers increase by 4, so the next should be 31. Therefore 32 is the odd one out.

id=56343 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 18? | option_a=3 | option_b=7 | option_c=11 | option_d=18 | answer=D | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 18 is the odd one out.

id=56344 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=43 | option_b=50 | option_c=34 | option_d=42 | answer=D | explanation=The common difference is 8. Therefore the next term is 34 + 8 = 42.

id=56345 | topic=Averages | difficulty=Easy | question=Find the average of 22, 39, 71, 15, 88, 83. | option_a=52 | option_b=54 | option_c=55 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 318 ÷ 6 = 53.

id=56346 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=15 | option_d=5 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=56347 | topic=Percentages | difficulty=Easy | question=What is 25% of 479? | option_a=139 | option_b=238 | option_c=119 | option_d=114 | answer=C | explanation=25% of 479 = (25/100) × 479 = 119.

id=56348 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=13 | option_b=14 | option_c=11 | option_d=15 | answer=A | explanation=The common difference is 2. Therefore the next term is 11 + 2 = 13.

id=56349 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22504 at 8% per annum for 1 years. | option_a=1900 | option_b=24304 | option_c=1700 | option_d=1800 | answer=D | explanation=SI = PRT/100 = 22504×8×1/100 = **■**1800.

id=56350 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 28, 36, 47? | option_a=28 | option_b=36 | option_c=20 | option_d=47 | answer=D | explanation=The first three numbers increase by 8, so the next should be 44. Therefore 47 is the odd one out.

id=56351 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1871. If it is sold at a profit of 10%, what is its selling price? | option_a=2058 | option_b=1871 | option_c=2245 | option_d=1881 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1871 × 110/100 = **■**2058.

id=56352 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=56353 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:10 and the first is 42, what is the second? | option_a=60 | option_b=112 | option_c=70 | option_d=76 | answer=C | explanation=Scale factor = 42/6 = 7. Therefore second quantity = 10×7 = 70.

id=56354 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48973 at 8% per annum for 5 years. | option_a=19489 | option_b=19689 | option_c=19589 | option_d=68562 | answer=C | explanation=SI = PRT/100 = 48973×8×5/100 = **■**19589.

id=56355 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=56356 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33534 at 6% per annum for 2 years. | option_a=3924 | option_b=4124 | option_c=4024 | option_d=37558 | answer=C | explanation=SI = PRT/100 = 33534×6×2/100 = **■**4024.

id=56357 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:17 and the first is 204, what is the second? | option_a=408 | option_b=187 | option_c=204 | option_d=221 | answer=C | explanation=Scale factor = 204/17 = 12. Therefore second quantity = 17×12 = 204.

id=56358 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4618. If it is sold at a profit of 10%, what is its selling price? | option_a=5540 | option_b=4618 | option_c=5079 | option_d=4628 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4618 × 110/100 = **■**5079.

id=56359 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 13, 19, 27? | option_a=7 | option_b=19 | option_c=13 | option_d=27 | answer=D | explanation=The first three numbers increase by 6, so the next should be 25. Therefore 27 is the odd one out.

id=56360 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=19 | option_c=48 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=56361 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=L | option_b=O | option_c=N | option_d=M | answer=C | explanation=Move 1 positions forward from M; the resulting letter is N.

id=56362 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=E | option_b=F | option_c=H | option_d=G | answer=D | explanation=Move 1 positions forward from F; the resulting letter is G.

id=56363 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=44 | option_b=45 | option_c=50 | option_d=38 | answer=A | explanation=The common difference is 6. Therefore the next term is 38 + 6 = 44.

id=56364 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24555 at 15% per annum for 4 years. | option_a=14633 | option_b=39288 | option_c=14733 | option_d=14833 | answer=C | explanation=SI = PRT/100 = 24555×15×4/100 = **■**14733.

id=56365 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=56366 | topic=Averages | difficulty=Easy | question=Find the average of 71, 65, 63, 25. | option_a=58 | option_b=57 | option_c=56 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 224 ÷ 4 = 56.

id=56367 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1618. If it is sold at a profit of 15%, what is its selling price? | option_a=2021 | option_b=1633 | option_c=1699 | option_d=1860 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1618 × 115/100 = **■**1860.

id=56368 | topic=Averages | difficulty=Easy | question=Find the average of 36, 23, 30, 62, 20, 39, 35. | option_a=34 | option_b=37 | option_c=35 | option_d=36 | answer=C | explanation=Average = sum of values ÷ number of values = 245 ÷ 7 = 35.

id=56369 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=Q | option_b=M | option_c=I | option_d=E | answer=B | explanation=Move 4 positions forward from I; the resulting letter is M.

id=56370 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 5. | option_a=75 | option_b=30 | option_c=10 | option_d=15 | answer=D | explanation=LCM × HCF = 15×5; HCF(15,5) = 5, so LCM = 15.

Aptitude Questions — Records 56,371-56,400 of 100,000

id=56371 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=56372 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1590. If it is sold at a profit of 20%, what is its selling price? | option_a=1749 | option_b=1908 | option_c=2067 | option_d=1610 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1590 × 120/100 = █1908.

id=56373 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4191. If it is sold at a profit of 30%, what is its selling price? | option_a=5448 | option_b=5867 | option_c=4221 | option_d=5029 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4191 × 130/100 = █5448.

id=56374 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=5 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=56375 | topic=Averages | difficulty=Easy | question=Find the average of 19, 50, 56, 24, 57, 51, 79, 81, 40, 103. | option_a=55 | option_b=57 | option_c=58 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 560 ÷ 10 = 56.

id=56376 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:6 and the first is 152, what is the second? | option_a=266 | option_b=114 | option_c=122 | option_d=108 | answer=B | explanation=Scale factor = 152/8 = 19. Therefore second quantity = 6×19 = 114.

id=56377 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3832. If it is sold at a profit of 30%, what is its selling price? | option_a=5364 | option_b=4598 | option_c=3862 | option_d=4981 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3832 × 130/100 = █4981.

id=56378 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=Y | option_c=Q | option_d=M | answer=A | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=56379 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:11 and the first is 36, what is the second? | option_a=234 | option_b=187 | option_c=200 | option_d=198 | answer=D | explanation=Scale factor = 36/2 = 18. Therefore second quantity = 11×18 = 198.

id=56380 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:19 and the first is 168, what is the second? | option_a=278 | option_b=434 | option_c=247 | option_d=266 | answer=D | explanation=Scale factor = 168/12 = 14. Therefore second quantity = 19×14 = 266.

id=56381 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3299. If it is sold at a profit of 10%, what is its selling price? | option_a=3299 | option_b=3309 | option_c=3628 | option_d=3957 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3299 × 110/100 = █3628.

id=56382 | topic=Averages | difficulty=Easy | question=Find the average of 51, 26, 46, 14, 53, 14. | option_a=36 | option_b=35 | option_c=33 | option_d=34 | answer=D | explanation=Average = sum of values ÷ number of values = 204 ÷ 6 = 34.

id=56383 | topic=Averages | difficulty=Easy | question=Find the average of 47, 29, 82, 99, 19, 60. | option_a=56 | option_b=55 | option_c=57 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 336 ÷ 6 = 56.

id=56384 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=56385 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=56386 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=M | option_c=Q | option_d=Y | answer=A | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=56387 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=C | option_b=B | option_c=D | option_d=A | answer=A | explanation=Move 1 positions forward from B; the resulting letter is C.

id=56388 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 27? | option_a=22 | option_b=27 | option_c=19 | option_d=16 | answer=B | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 27 is the odd one out.

id=56389 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=E | option_c=C | option_d=F | answer=B | explanation=Move 1 positions forward from D; the resulting letter is E.

id=56390 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=I | option_b=D | option_c=N | option_d=Y | answer=A | explanation=Move 5 positions forward from D; the resulting letter is I.

id=56391 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=56392 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=56393 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 35, 42, 51? | option_a=51 | option_b=42 | option_c=35 | option_d=28 | answer=A | explanation=The first three numbers increase by 7, so the next should be 49. Therefore 51 is the odd one out.

id=56394 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=M | option_b=G | option_c=K | option_d=I | answer=C | explanation=Move 2 positions forward from I; the resulting letter is K.

id=56395 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3315. If it is sold at a profit of 20%, what is its selling price? | option_a=3978 | option_b=3335 | option_c=3647 | option_d=4309 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3315 × 120/100 = █3978.

id=56396 | topic=Averages | difficulty=Easy | question=Find the average of 69, 94, 29, 11, 55, 46, 87, 67, 27, 25. | option_a=53 | option_b=50 | option_c=52 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

id=56397 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46945 at 6% per annum for 3 years. | option_a=8350 | option_b=8550 | option_c=55395 | option_d=8450 | answer=D | explanation=SI = PRT/100 = 46945×6×3/100 = █8450.

id=56398 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:16 and the first is 8, what is the second? | option_a=36 | option_b=16 | option_c=32 | option_d=40 | answer=C | explanation=Scale factor = 8/4 = 2. Therefore second quantity = 16×2 = 32.

id=56399 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 28? | option_a=5 | option_b=19 | option_c=12 | option_d=28 | answer=D | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 28 is the odd one out.

id=56400 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

Aptitude Questions — Records 56,401-56,430 of 100,000

id=56401 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10546 at 12% per annum for 3 years. | option_a=3696 | option_b=3796 | option_c=3896 | option_d=14342 | answer=B | explanation=SI = PRT/100 = 10546×12×3/100 = **■**3796.

id=56402 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16183 at 6% per annum for 3 years. | option_a=2812 | option_b=19095 | option_c=3012 | option_d=2912 | answer=D | explanation=SI = PRT/100 = 16183×6×3/100 = **■**2912.

id=56403 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=56404 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=40 | option_c=25 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=56405 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=72 | option_c=41 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=56406 | topic=Percentages | difficulty=Easy | question=What is 20% of 1929? | option_a=395 | option_b=385 | option_c=770 | option_d=375 | answer=B | explanation=20% of 1929 = (20/100) × 1929 = 385.

id=56407 | topic=Averages | difficulty=Easy | question=Find the average of 77, 41, 44, 96, 37, 23. | option_a=52 | option_b=55 | option_c=54 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 318 ÷ 6 = 53.

id=56408 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 27, 36, 48? | option_a=27 | option_b=36 | option_c=48 | option_d=18 | answer=C | explanation=The first three numbers increase by 9, so the next should be 45. Therefore 48 is the odd one out.

id=56409 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22552 at 15% per annum for 4 years. | option_a=13431 | option_b=13631 | option_c=36083 | option_d=13531 | answer=D | explanation=SI = PRT/100 = 22552×15×4/100 = **■**13531.

id=56410 | topic=Percentages | difficulty=Easy | question=What is 15% of 184? | option_a=22 | option_b=37 | option_c=54 | option_d=27 | answer=D | explanation=15% of 184 = (15/100) × 184 = 27.

id=56411 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=56412 | topic=Averages | difficulty=Easy | question=Find the average of 45, 27, 70, 78. | option_a=55 | option_b=56 | option_c=54 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 220 ÷ 4 = 55.

id=56413 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=56414 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22. ? | option_a=22 | option_b=27 | option_c=30 | option_d=26 | answer=D | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.

id=56415 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:10 and the first is 198, what is the second? | option_a=100 | option_b=110 | option_c=128 | option_d=308 | answer=B | explanation=Scale factor = 198/18 = 11. Therefore second quantity = 10×11 = 110.

id=56416 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40. ? | option_a=50 | option_b=58 | option_c=49 | option_d=40 | answer=C | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

id=56417 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 19? | option_a=13 | option_b=19 | option_c=15 | option_d=11 | answer=B | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 19 is the odd one out.

id=56418 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:12 and the first is 84, what is the second? | option_a=96 | option_b=84 | option_c=168 | option_d=72 | answer=B | explanation=Scale factor = 84/12 = 7. Therefore second quantity = 12×7 = 84.

id=56419 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=23 | option_c=13 | option_d=36 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=56420 | topic=Averages | difficulty=Easy | question=Find the average of 28, 43, 77, 26, 25, 77. | option_a=46 | option_b=47 | option_c=45 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = 276 ÷ 6 = 46.

id=56421 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 12, 21, 30. ? | option_a=48 | option_b=39 | option_c=30 | option_d=40 | answer=B | explanation=The common difference is 9. Therefore the next term is 30 + 9 = 39.

id=56422 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34652 at 15% per annum for 5 years. | option_a=60641 | option_b=25889 | option_c=25989 | option_d=26089 | answer=C | explanation=SI = PRT/100 = 34652×15×5/100 = **■**25989.

id=56423 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=56424 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=H | option_c=D | option_d=B | answer=A | explanation=Move 2 positions forward from D; the resulting letter is F.

id=56425 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=K | option_b=N | option_c=Q | option_d=T | answer=C | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=56426 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3116. If it is sold at a profit of 40%, what is its selling price? | option_a=4051 | option_b=4362 | option_c=4673 | option_d=3156 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3116 × 140/100 = **■**4362.

id=56427 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37. ? | option_a=47 | option_b=37 | option_c=57 | option_d=48 | answer=A | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

id=56428 | topic=Averages | difficulty=Easy | question=Find the average of 94, 39, 17, 62. | option_a=53 | option_b=52 | option_c=55 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 212 ÷ 4 = 53.

id=56429 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=56430 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13742 at 6% per annum for 2 years. | option_a=15391 | option_b=1749 | option_c=1649 | option_d=1549 | answer=C | explanation=SI = PRT/100 = 13742×6×2/100 = **■**1649.

Aptitude Questions — Records 56,431-56,460 of 100,000

id=56431 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=69 | option_b=60 | option_c=49 | option_d=59 | answer=D | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

id=56432 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45090 at 4% per annum for 4 years. | option_a=7214 | option_b=7314 | option_c=52304 | option_d=7114 | answer=A | explanation=SI = $\text{PRT}/100 = 45090 \times 4 \times 4 / 100 = \text{■}7214$.

id=56433 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47985 at 12% per annum for 5 years. | option_a=76776 | option_b=28691 | option_c=28891 | option_d=28791 | answer=D | explanation=SI = $\text{PRT}/100 = 47985 \times 12 \times 5 / 100 = \text{■}28791$.

id=56434 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:12 and the first is 80, what is the second? | option_a=106 | option_b=176 | option_c=96 | option_d=84 | answer=C | explanation=Scale factor = $80/10 = 8$. Therefore second quantity = $12 \times 8 = 96$.

id=56435 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=150 | option_c=80 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = $150 \div 2 = 75$ km/h.

id=56436 | topic=Averages | difficulty=Easy | question=Find the average of 42, 93, 83, 51, 78, 31, 28. | option_a=58 | option_b=60 | option_c=59 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = $406 \div 7 = 58$.

id=56437 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 26, 28, 33? | option_a=24 | option_b=33 | option_c=28 | option_d=26 | answer=B | explanation=The first three numbers increase by 2, so the next should be 30. Therefore 33 is the odd one out.

id=56438 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2549 at 15% per annum for 2 years. | option_a=764 | option_b=3313 | option_c=864 | option_d=664 | answer=A | explanation=SI = $\text{PRT}/100 = 2549 \times 15 \times 2 / 100 = \text{■}764$.

id=56439 | topic=Averages | difficulty=Easy | question=Find the average of 30, 99, 72, 71, 18, 60, 15, 75. | option_a=54 | option_b=57 | option_c=56 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = $440 \div 8 = 55$.

id=56440 | topic=Averages | difficulty=Easy | question=Find the average of 19, 67, 52, 66, 67, 91, 76, 98. | option_a=68 | option_b=67 | option_c=69 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = $536 \div 8 = 67$.

id=56441 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23308 at 10% per annum for 3 years. | option_a=30300 | option_b=6992 | option_c=7092 | option_d=6892 | answer=B | explanation=SI = $\text{PRT}/100 = 23308 \times 10 \times 3 / 100 = \text{■}6992$.

id=56442 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=J | option_c=M | option_d=D | answer=B | explanation=Move 3 positions forward from G; the resulting letter is J.

id=56443 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=5 | answer=C | explanation=Speed = distance ÷ time = $60 \div 6 = 10$ km/h.

id=56444 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21535 at 5% per annum for 2 years. | option_a=2253 | option_b=2153 | option_c=2053 | option_d=23688 | answer=B | explanation=SI = $\text{PRT}/100 = 21535 \times 5 \times 2 / 100 = \text{■}2153$.

id=56445 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=47 | option_b=31 | option_c=39 | option_d=40 | answer=C | explanation=The common difference is 8. Therefore the next term is $31 + 8 = 39$.

id=56446 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**769. If it is sold at a profit of 25%, what is its selling price? | option_a=1037 | option_b=794 | option_c=885 | option_d=961 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 769 \times 125 / 100 = \text{■}961$.

id=56447 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:15 and the first is 144, what is the second? | option_a=414 | option_b=278 | option_c=255 | option_d=270 | answer=D | explanation=Scale factor = $144/8 = 18$. Therefore second quantity = $15 \times 18 = 270$.

id=56448 | topic=Percentages | difficulty=Easy | question=What is 50% of 829? | option_a=419 | option_b=414 | option_c=828 | option_d=404 | answer=B | explanation=50% of 829 = $(50/100) \times 829 = 414$.

id=56449 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=35 | option_b=27 | option_c=41 | option_d=34 | answer=D | explanation=The common difference is 7. Therefore the next term is $27 + 7 = 34$.

id=56450 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=B | option_c=F | option_d=Z | answer=A | explanation=Move 2 positions forward from B; the resulting letter is D.

id=56451 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=55 | option_b=67 | option_c=56 | option_d=43 | answer=A | explanation=The common difference is 12. Therefore the next term is $43 + 12 = 55$.

id=56452 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=27 | option_b=35 | option_c=31 | option_d=32 | answer=C | explanation=The common difference is 4. Therefore the next term is $27 + 4 = 31$.

id=56453 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:4 and the first is 150, what is the second? | option_a=55 | option_b=190 | option_c=36 | option_d=40 | answer=D | explanation=Scale factor = $150/15 = 10$. Therefore second quantity = $4 \times 10 = 40$.

id=56454 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=30 | option_b=34 | option_c=29 | option_d=24 | answer=C | explanation=The common difference is 5. Therefore the next term is $24 + 5 = 29$.

id=56455 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 36? | option_a=30 | option_b=26 | option_c=22 | option_d=36 | answer=D | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 36 is the odd one out.

id=56456 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3995. If it is sold at a profit of 25%, what is its selling price? | option_a=4020 | option_b=5392 | option_c=4993 | option_d=4594 | answer=C | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 3995 \times 125 / 100 = \text{■}4993$.

id=56457 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2591. If it is sold at a profit of 50%, what is its selling price? | option_a=2641 | option_b=4145 | option_c=3627 | option_d=3886 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 2591 \times 150 / 100 = \text{■}3886$.

id=56458 | topic=Percentages | difficulty=Easy | question=What is 30% of 479? | option_a=133 | option_b=148 | option_c=286 | option_d=143 | answer=D | explanation=30% of 479 = $(30/100) \times 479 = 143$.

id=56459 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3860. If it is sold at a profit of 50%, what is its selling price? | option_a=5790 | option_b=5404 | option_c=6176 | option_d=3910 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 3860 \times 150 / 100 = \text{■}5790$.

id=56460 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 18, 24, 30, ? | option_a=37 | option_b=42 | option_c=30 | option_d=36 | answer=D | explanation=The common difference is 6. Therefore the next term is $30 + 6 = 36$.

Aptitude Questions — Records 56,461-56,490 of 100,000

id=56461 | topic=Averages | difficulty=Easy | question=Find the average of 100, 85, 53, 54, 52, 86, 67. | option_a=70 | option_b=72 | option_c=71 | option_d=73 | answer=C | explanation=Average = sum of values ÷ number of values = 497 ÷ 7 = 71.

id=56462 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:18 and the first is 192, what is the second? | option_a=480 | option_b=288 | option_c=300 | option_d=270 | answer=B | explanation=Scale factor = 192/12 = 16. Therefore second quantity = 18×16 = 288.

id=56463 | topic=Percentages | difficulty=Easy | question=What is 12% of 561? | option_a=62 | option_b=77 | option_c=67 | option_d=134 | answer=C | explanation=12% of 561 = (12/100) × 561 = 67.

id=56464 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=G | option_c=V | option_d=Q | answer=D | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=56465 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=F | option_b=A | option_c=K | option_d=V | answer=A | explanation=Move 5 positions forward from A; the resulting letter is F.

id=56466 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=12 | option_c=1 | option_d=11 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=56467 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:2 and the first is 98, what is the second? | option_a=35 | option_b=126 | option_c=28 | option_d=26 | answer=C | explanation=Scale factor = 98/7 = 14. Therefore second quantity = 2×14 = 28.

id=56468 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=20 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=56469 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=56470 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=5 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=56471 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:12 and the first is 36, what is the second? | option_a=60 | option_b=78 | option_c=72 | option_d=108 | answer=C | explanation=Scale factor = 36/6 = 6. Therefore second quantity = 12×6 = 72.

id=56472 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=49 | option_b=48 | option_c=41 | option_d=55 | answer=B | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.

id=56473 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=19 | option_b=27 | option_c=23 | option_d=24 | answer=C | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=56474 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:4 and the first is 112, what is the second? | option_a=60 | option_b=64 | option_c=176 | option_d=71 | answer=B | explanation=Scale factor = 112/7 = 16. Therefore second quantity = 4×16 = 64.

id=56475 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=T | option_b=O | option_c=J | option_d=E | answer=B | explanation=Move 5 positions forward from J; the resulting letter is O.

id=56476 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:8 and the first is 98, what is the second? | option_a=210 | option_b=104 | option_c=119 | option_d=112 | answer=D | explanation=Scale factor = 98/7 = 14. Therefore second quantity = 8×14 = 112.

id=56477 | topic=Percentages | difficulty=Easy | question=What is 10% of 918? | option_a=91 | option_b=182 | option_c=86 | option_d=101 | answer=A | explanation=10% of 918 = (10/100) × 918 = 91.

id=56478 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=L | option_b=W | option_c=B | option_d=G | answer=D | explanation=Move 5 positions forward from B; the resulting letter is G.

id=56479 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=56480 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=95 | option_c=90 | option_d=180 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=56481 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 26, 34, 42, ? | option_a=51 | option_b=50 | option_c=42 | option_d=58 | answer=B | explanation=The common difference is 8. Therefore the next term is 42 + 8 = 50.

id=56482 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4599 at 12% per annum for 5 years. | option_a=7358 | option_b=2759 | option_c=2859 | option_d=2659 | answer=B | explanation=SI = PRT/100 = 4599×12×5/100 = █2759.

id=56483 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=100 | option_c=50 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=56484 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=N | option_b=M | option_c=O | option_d=L | answer=A | explanation=Move 1 positions forward from M; the resulting letter is N.

id=56485 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 30, 32, 35? | option_a=32 | option_b=30 | option_c=28 | option_d=35 | answer=D | explanation=The first three numbers increase by 2, so the next should be 34. Therefore 35 is the odd one out.

id=56486 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:12 and the first is 24, what is the second? | option_a=24 | option_b=36 | option_c=12 | option_d=48 | answer=A | explanation=Scale factor = 24/12 = 2. Therefore second quantity = 12×2 = 24.

id=56487 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=56488 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34374 at 12% per annum for 3 years. | option_a=12474 | option_b=12374 | option_c=46748 | option_d=12274 | answer=B | explanation=SI = PRT/100 = 34374×12×3/100 = █12374.

id=56489 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=1 | option_c=11 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=56490 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3882. If it is sold at a profit of 30%, what is its selling price? | option_a=4658 | option_b=5434 | option_c=3912 | option_d=5046 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3882 × 130/100 = █5046.

Aptitude Questions — Records 56,491-56,520 of 100,000

id=56491 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 14. | option_a=1 | option_b=21 | option_c=98 | option_d=14 | answer=D | explanation=LCM × HCF = 7×14; HCF(7,14) = 7, so LCM = 14.

id=56492 | topic=Averages | difficulty=Easy | question=Find the average of 43, 93, 79, 10, 20. | option_a=50 | option_b=51 | option_c=49 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 245 ÷ 5 = 49.

id=56493 | topic=Averages | difficulty=Easy | question=Find the average of 47, 62, 73, 27, 51, 37, 67. | option_a=54 | option_b=53 | option_c=52 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 364 ÷ 7 = 52.

id=56494 | topic=Averages | difficulty=Easy | question=Find the average of 57, 50, 52, 19, 17, 54, 52, 33, 80. | option_a=47 | option_b=46 | option_c=45 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 414 ÷ 9 = 46.

id=56495 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8089 at 6% per annum for 3 years. | option_a=9545 | option_b=1356 | option_c=1556 | option_d=1456 | answer=D | explanation=SI = PRT/100 = 8089×6×3/100 = **■**1456.

id=56496 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3262 at 8% per annum for 4 years. | option_a=4305 | option_b=1043 | option_c=1143 | option_d=943 | answer=B | explanation=SI = PRT/100 = 3262×8×4/100 = **■**1043.

id=56497 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=56498 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2316. If it is sold at a profit of 10%, what is its selling price? | option_a=2778 | option_b=2547 | option_c=2316 | option_d=2326 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2316 × 110/100 = **■**2547.

id=56499 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1510. If it is sold at a profit of 25%, what is its selling price? | option_a=1887 | option_b=1535 | option_c=1736 | option_d=2038 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1510 × 125/100 = **■**1887.

id=56500 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 10, 13, 16, ? | option_a=20 | option_b=16 | option_c=19 | option_d=22 | answer=C | explanation=The common difference is 3. Therefore the next term is 16 + 3 = 19.

id=56501 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**761. If it is sold at a profit of 25%, what is its selling price? | option_a=786 | option_b=951 | option_c=1027 | option_d=875 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 761 × 125/100 = **■**951.

id=56502 | topic=Percentages | difficulty=Easy | question=What is 50% of 527? | option_a=263 | option_b=283 | option_c=253 | option_d=526 | answer=A | explanation=50% of 527 = (50/100) × 527 = 263.

id=56503 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:13 and the first is 120, what is the second? | option_a=91 | option_b=119 | option_c=104 | option_d=224 | answer=C | explanation=Scale factor = 120/15 = 8. Therefore second quantity = 13×8 = 104.

id=56504 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:4 and the first is 75, what is the second? | option_a=20 | option_b=95 | option_c=35 | option_d=16 | answer=A | explanation=Scale factor = 75/15 = 5. Therefore second quantity = 4×5 = 20.

id=56505 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2404. If it is sold at a profit of 20%, what is its selling price? | option_a=2884 | option_b=3124 | option_c=2424 | option_d=2644 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2404 × 120/100 = **■**2884.

id=56506 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2115. If it is sold at a profit of 40%, what is its selling price? | option_a=3172 | option_b=2961 | option_c=2750 | option_d=2155 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2115 × 140/100 = **■**2961.

id=56507 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:17 and the first is 40, what is the second? | option_a=174 | option_b=170 | option_c=210 | option_d=153 | answer=B | explanation=Scale factor = 40/4 = 10. Therefore second quantity = 17×10 = 170.

id=56508 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=56509 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1280. If it is sold at a profit of 20%, what is its selling price? | option_a=1664 | option_b=1408 | option_c=1300 | option_d=1536 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1280 × 120/100 = **■**1536.

id=56510 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16021 at 8% per annum for 3 years. | option_a=3945 | option_b=19866 | option_c=3845 | option_d=3745 | answer=C | explanation=SI = PRT/100 = 16021×8×3/100 = **■**3845.

id=56511 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=52 | option_b=43 | option_c=34 | option_d=44 | answer=B | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

id=56512 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3009. If it is sold at a profit of 25%, what is its selling price? | option_a=3761 | option_b=4061 | option_c=3034 | option_d=3461 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3009 × 125/100 = **■**3761.

id=56513 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=Q | option_c=C | option_d=Y | answer=D | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=56514 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:14 and the first is 135, what is the second? | option_a=126 | option_b=261 | option_c=112 | option_d=141 | answer=A | explanation=Scale factor = 135/15 = 9. Therefore second quantity = 14×9 = 126.

id=56515 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6188 at 10% per annum for 3 years. | option_a=1756 | option_b=1956 | option_c=8044 | option_d=1856 | answer=D | explanation=SI = PRT/100 = 6188×10×3/100 = **■**1856.

id=56516 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=M | option_b=K | option_c=I | option_d=G | answer=B | explanation=Move 2 positions forward from I; the resulting letter is K.

id=56517 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 31? | option_a=24 | option_b=22 | option_c=26 | option_d=31 | answer=D | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 31 is the odd one out.

id=56518 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=56519 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=24 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=56520 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=71 | option_b=60 | option_c=59 | option_d=47 | answer=C | explanation=The common difference is 12. Therefore the next term is 47 + 12 = 59.

Aptitude Questions — Records 56,521-56,550 of 100,000

id=56521 | topic=Percentages | difficulty=Easy | question=What is 12% of 1157? | option_a=138 | option_b=143 | option_c=128 | option_d=276 | answer=A | explanation=12% of 1157 = (12/100) × 1157 = 138.

id=56522 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=56523 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4448. If it is sold at a profit of 30%, what is its selling price? | option_a=5782 | option_b=4478 | option_c=5338 | option_d=6226 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4448 × 130/100 = █5782.

id=56524 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=56525 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3564. If it is sold at a profit of 5%, what is its selling price? | option_a=3386 | option_b=4098 | option_c=3569 | option_d=3742 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3564 × 105/100 = █3742.

id=56526 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 31, 41, 54? | option_a=41 | option_b=21 | option_c=54 | option_d=31 | answer=C | explanation=The first three numbers increase by 10, so the next should be 51. Therefore 54 is the odd one out.

id=56527 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=P | option_b=V | option_c=R | option_d=T | answer=D | explanation=Move 2 positions forward from R; the resulting letter is T.

id=56528 | topic=Percentages | difficulty=Easy | question=What is 10% of 1485? | option_a=143 | option_b=148 | option_c=296 | option_d=168 | answer=B | explanation=10% of 1485 = (10/100) × 1485 = 148.

id=56529 | topic=Percentages | difficulty=Easy | question=What is 12% of 481? | option_a=57 | option_b=62 | option_c=114 | option_d=47 | answer=A | explanation=12% of 481 = (12/100) × 481 = 57.

id=56530 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=56531 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 44? | option_a=30 | option_b=38 | option_c=34 | option_d=44 | answer=D | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 44 is the odd one out.

id=56532 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 12. | option_a=72 | option_b=18 | option_c=12 | option_d=1 | answer=C | explanation=LCM × HCF = 6×12; HCF(6,12) = 6, so LCM = 12.

id=56533 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=175 | option_c=185 | option_d=360 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=56534 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1744. If it is sold at a profit of 20%, what is its selling price? | option_a=1764 | option_b=2092 | option_c=1918 | option_d=2266 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1744 × 120/100 = █2092.

id=56535 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 6. | option_a=84 | option_b=168 | option_c=112 | option_d=78 | answer=A | explanation=LCM × HCF = 28×6; HCF(28,6) = 2, so LCM = 84.

id=56536 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13456 at 6% per annum for 3 years. | option_a=2422 | option_b=2322 | option_c=2522 | option_d=15878 | answer=A | explanation=SI = PRT/100 = 13456×6×3/100 = █2422.

id=56537 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=F | option_c=Z | option_d=B | answer=A | explanation=Move 2 positions forward from B; the resulting letter is D.

id=56538 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=56539 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=L | option_c=H | option_d=T | answer=A | explanation=Move 4 positions forward from L; the resulting letter is P.

id=56540 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 59? | option_a=27 | option_b=37 | option_c=47 | option_d=59 | answer=D | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 59 is the odd one out.

id=56541 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 34? | option_a=34 | option_b=29 | option_c=21 | option_d=25 | answer=A | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 34 is the odd one out.

id=56542 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=72 | option_c=67 | option_d=77 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=56543 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 50? | option_a=36 | option_b=30 | option_c=50 | option_d=42 | answer=C | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 50 is the odd one out.

id=56544 | topic=Percentages | difficulty=Easy | question=What is 15% of 1565? | option_a=234 | option_b=468 | option_c=239 | option_d=214 | answer=A | explanation=15% of 1565 = (15/100) × 1565 = 234.

id=56545 | topic=Averages | difficulty=Easy | question=Find the average of 27, 25, 65, 42, 85, 36, 31, 41. | option_a=43 | option_b=46 | option_c=45 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = 352 ÷ 8 = 44.

id=56546 | topic=Averages | difficulty=Easy | question=Find the average of 15, 53, 69, 79, 104. | option_a=64 | option_b=66 | option_c=63 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 320 ÷ 5 = 64.

id=56547 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=56548 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=55 | option_d=100 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=56549 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=16 | option_b=19 | option_c=18 | option_d=20 | answer=C | explanation=The common difference is 2. Therefore the next term is 16 + 2 = 18.

id=56550 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=K | option_b=P | option_c=Z | option_d=U | answer=D | explanation=Move 5 positions forward from P; the resulting letter is U.

Aptitude Questions — Records 56,551-56,580 of 100,000

- id=56551 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=56552 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 39? | option_a=19 | option_b=28 | option_c=10 | option_d=39 | answer=D | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 39 is the odd one out.
- id=56553 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35376 at 5% per annum for 3 years. | option_a=5306 | option_b=40682 | option_c=5206 | option_d=5406 | answer=A | explanation=SI = $PRT/100 = 35376 \times 5 \times 3/100 = \blacksquare 5306$.
- id=56554 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.
- id=56555 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=O | option_b=I | option_c=L | option_d=F | answer=C | explanation=Move 3 positions forward from I; the resulting letter is L.
- id=56556 | topic=Averages | difficulty=Easy | question=Find the average of 72, 54, 88, 91, 78, 81, 43, 69, 60, 34. | option_a=67 | option_b=66 | option_c=68 | option_d=69 | answer=A | explanation=Average = sum of values ÷ number of values = $670 \div 10 = 67$.
- id=56557 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=46 | option_b=56 | option_c=55 | option_d=64 | answer=C | explanation=The common difference is 9. Therefore the next term is $46 + 9 = 55$.
- id=56558 | topic=Percentages | difficulty=Easy | question=What is 15% of 978? | option_a=136 | option_b=156 | option_c=146 | option_d=292 | answer=C | explanation=15% of 978 = $(15/100) \times 978 = 146$.
- id=56559 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.
- id=56560 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 35, 41, 48? | option_a=35 | option_b=29 | option_c=48 | option_d=41 | answer=C | explanation=The first three numbers increase by 6, so the next should be 47. Therefore 48 is the odd one out.
- id=56561 | topic=Averages | difficulty=Easy | question=Find the average of 77, 11, 59, 92, 44, 99, 27, 63. | option_a=58 | option_b=59 | option_c=61 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = $472 \div 8 = 59$.
- id=56562 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=36 | option_b=47 | option_c=58 | option_d=48 | answer=B | explanation=The common difference is 11. Therefore the next term is $36 + 11 = 47$.
- id=56563 | topic=Averages | difficulty=Easy | question=Find the average of 50, 10, 36. | option_a=34 | option_b=31 | option_c=32 | option_d=33 | answer=C | explanation=Average = sum of values ÷ number of values = $96 \div 3 = 32$.
- id=56564 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=20 | option_b=32 | option_c=27 | option_d=26 | answer=D | explanation=The common difference is 6. Therefore the next term is $20 + 6 = 26$.
- id=56565 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42908 at 6% per annum for 4 years. | option_a=10197 | option_b=10397 | option_c=10297 | option_d=53205 | answer=C | explanation=SI = $PRT/100 = 42908 \times 6 \times 4/100 = \blacksquare 10297$.
- id=56566 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3472. If it is sold at a profit of 30%, what is its selling price? | option_a=4860 | option_b=3502 | option_c=4166 | option_d=4513 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3472 \times 130/100 = \blacksquare 4513$.
- id=56567 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 26, 35, 47? | option_a=17 | option_b=35 | option_c=26 | option_d=47 | answer=D | explanation=The first three numbers increase by 9, so the next should be 44. Therefore 47 is the odd one out.
- id=56568 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=25 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = $60 \div 3 = 20$ km/h.
- id=56569 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=77 | option_c=144 | option_d=67 | answer=A | explanation=Speed = distance ÷ time = $360 \div 5 = 72$ km/h.
- id=56570 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2667. If it is sold at a profit of 30%, what is its selling price? | option_a=3733 | option_b=3201 | option_c=3467 | option_d=2697 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2667 \times 130/100 = \blacksquare 3467$.
- id=56571 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=52 | option_b=43 | option_c=34 | option_d=44 | answer=B | explanation=The common difference is 9. Therefore the next term is $34 + 9 = 43$.
- id=56572 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**380. If it is sold at a profit of 15%, what is its selling price? | option_a=395 | option_b=399 | option_c=475 | option_d=437 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 380 \times 115/100 = \blacksquare 437$.
- id=56573 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 15, 21, 30? | option_a=9 | option_b=21 | option_c=15 | option_d=30 | answer=D | explanation=The first three numbers increase by 6, so the next should be 27. Therefore 30 is the odd one out.
- id=56574 | topic=Percentages | difficulty=Easy | question=What is 15% of 1484? | option_a=202 | option_b=222 | option_c=444 | option_d=232 | answer=B | explanation=15% of 1484 = $(15/100) \times 1484 = 222$.
- id=56575 | topic=Averages | difficulty=Easy | question=Find the average of 80, 80, 34, 40, 84, 62, 37, 71. | option_a=60 | option_b=63 | option_c=62 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = $488 \div 8 = 61$.
- id=56576 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = $60 \div 4 = 15$ km/h.
- id=56577 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:15 and the first is 85, what is the second? | option_a=60 | option_b=92 | option_c=160 | option_d=75 | answer=D | explanation=Scale factor = $85/17 = 5$. Therefore second quantity = $15 \times 5 = 75$.
- id=56578 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:14 and the first is 99, what is the second? | option_a=225 | option_b=126 | option_c=112 | option_d=137 | answer=B | explanation=Scale factor = $99/11 = 9$. Therefore second quantity = $14 \times 9 = 126$.
- id=56579 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=47 | option_b=57 | option_c=65 | option_d=56 | answer=D | explanation=The common difference is 9. Therefore the next term is $47 + 9 = 56$.
- id=56580 | topic=Percentages | difficulty=Easy | question=What is 50% of 777? | option_a=776 | option_b=398 | option_c=388 | option_d=383 | answer=C | explanation=50% of 777 = $(50/100) \times 777 = 388$.

Aptitude Questions — Records 56,581-56,610 of 100,000

- id=56581 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=11 | option_b=13 | option_c=9 | option_d=12 | answer=A | explanation=The common difference is 2. Therefore the next term is 9 + 2 = 11.
- id=56582 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=56583 | topic=Averages | difficulty=Easy | question=Find the average of 78, 51, 12, 49, 27, 53. | option_a=44 | option_b=45 | option_c=47 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 270 ÷ 6 = 45.
- id=56584 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49302 at 10% per annum for 3 years. | option_a=14790 | option_b=14890 | option_c=64092 | option_d=14690 | answer=A | explanation=SI = PRT/100 = 49302×10×3/100 = **■**14790.
- id=56585 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:10 and the first is 192, what is the second? | option_a=160 | option_b=172 | option_c=352 | option_d=150 | answer=A | explanation=Scale factor = 192/12 = 16. Therefore second quantity = 10×16 = 160.
- id=56586 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=A | option_b=W | option_c=S | option_d=O | answer=B | explanation=Move 4 positions forward from S; the resulting letter is W.
- id=56587 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1580. If it is sold at a profit of 20%, what is its selling price? | option_a=1896 | option_b=1600 | option_c=1738 | option_d=2054 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1580 × 120/100 = **■**1896.
- id=56588 | topic=Averages | difficulty=Easy | question=Find the average of 11, 99, 64, 32, 42, 40, 41. | option_a=48 | option_b=47 | option_c=46 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 329 ÷ 7 = 47.
- id=56589 | topic=Averages | difficulty=Easy | question=Find the average of 26, 54, 53, 70, 86, 89. | option_a=65 | option_b=63 | option_c=64 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 378 ÷ 6 = 63.
- id=56590 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3528. If it is sold at a profit of 50%, what is its selling price? | option_a=4940 | option_b=5292 | option_c=5644 | option_d=3578 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3528 × 150/100 = **■**5292.
- id=56591 | topic=Averages | difficulty=Easy | question=Find the average of 90, 96, 76, 35, 87, 69, 41, 58. | option_a=68 | option_b=70 | option_c=69 | option_d=71 | answer=C | explanation=Average = sum of values ÷ number of values = 552 ÷ 8 = 69.
- id=56592 | topic=Percentages | difficulty=Easy | question=What is 20% of 1385? | option_a=554 | option_b=277 | option_c=287 | option_d=267 | answer=B | explanation=20% of 1385 = (20/100) × 1385 = 277.
- id=56593 | topic=Percentages | difficulty=Easy | question=What is 20% of 660? | option_a=152 | option_b=122 | option_c=132 | option_d=264 | answer=C | explanation=20% of 660 = (20/100) × 660 = 132.
- id=56594 | topic=Percentages | difficulty=Easy | question=What is 12% of 504? | option_a=120 | option_b=65 | option_c=60 | option_d=40 | answer=C | explanation=12% of 504 = (12/100) × 504 = 60.
- id=56595 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=19 | option_b=18 | option_c=21 | option_d=15 | answer=B | explanation=The common difference is 3. Therefore the next term is 15 + 3 = 18.
- id=56596 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:18 and the first is 170, what is the second? | option_a=476 | option_b=316 | option_c=306 | option_d=288 | answer=C | explanation=Scale factor = 170/10 = 17. Therefore second quantity = 18×17 = 306.
- id=56597 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.
- id=56598 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:9 and the first is 55, what is the second? | option_a=154 | option_b=99 | option_c=90 | option_d=104 | answer=B | explanation=Scale factor = 55/5 = 11. Therefore second quantity = 9×11 = 99.
- id=56599 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 9, 11, 14? | option_a=7 | option_b=11 | option_c=14 | option_d=9 | answer=C | explanation=The first three numbers increase by 2, so the next should be 13. Therefore 14 is the odd one out.
- id=56600 | topic=Averages | difficulty=Easy | question=Find the average of 20, 37, 66. | option_a=43 | option_b=40 | option_c=41 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = 123 ÷ 3 = 41.
- id=56601 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 6. | option_a=60 | option_b=30 | option_c=24 | option_d=180 | answer=B | explanation=LCM × HCF = 30×6; HCF(30,6) = 6, so LCM = 30.
- id=56602 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47260 at 8% per annum for 1 years. | option_a=3780 | option_b=3680 | option_c=51040 | option_d=3880 | answer=A | explanation=SI = PRT/100 = 47260×8×1/100 = **■**3780.
- id=56603 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=A | option_b=W | option_c=O | option_d=S | answer=B | explanation=Move 4 positions forward from S; the resulting letter is W.
- id=56604 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=28 | option_b=29 | option_c=22 | option_d=34 | answer=A | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.
- id=56605 | topic=Percentages | difficulty=Easy | question=What is 50% of 1904? | option_a=932 | option_b=952 | option_c=1904 | option_d=972 | answer=B | explanation=50% of 1904 = (50/100) × 1904 = 952.
- id=56606 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=26 | option_b=22 | option_c=23 | option_d=18 | answer=B | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.
- id=56607 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8055 at 5% per annum for 1 years. | option_a=8457 | option_b=502 | option_c=402 | option_d=302 | answer=C | explanation=SI = PRT/100 = 8055×5×1/100 = **■**402.
- id=56608 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 13? | option_a=9 | option_b=7 | option_c=5 | option_d=13 | answer=D | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 13 is the odd one out.
- id=56609 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2911. If it is sold at a profit of 5%, what is its selling price? | option_a=2916 | option_b=3056 | option_c=3347 | option_d=2765 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2911 × 105/100 = **■**3056.
- id=56610 | topic=Averages | difficulty=Easy | question=Find the average of 86, 34, 37, 44, 69, 51, 73, 77, 78. | option_a=63 | option_b=61 | option_c=60 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 549 ÷ 9 = 61.

Aptitude Questions — Records 56,611-56,640 of 100,000

id=56611 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 18. | option_a=252 | option_b=504 | option_c=234 | option_d=280 | answer=A | explanation=LCM × HCF = 28×18; HCF(28,18) = 2, so LCM = 252.

id=56612 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:9 and the first is 156, what is the second? | option_a=264 | option_b=121 | option_c=108 | option_d=99 | answer=C | explanation=Scale factor = 156/13 = 12. Therefore second quantity = 9×12 = 108.

id=56613 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33779 at 6% per annum for 2 years. | option_a=4153 | option_b=3953 | option_c=37832 | option_d=4053 | answer=D | explanation=SI = PRT/100 = 33779×6×2/100 = **■**4053.

id=56614 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=J | option_b=D | option_c=A | option_d=G | answer=D | explanation=Move 3 positions forward from D; the resulting letter is G.

id=56615 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=56616 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 10. | option_a=200 | option_b=20 | option_c=10 | option_d=40 | answer=B | explanation=LCM × HCF = 20×10; HCF(20,10) = 10, so LCM = 20.

id=56617 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 14, 21, 31? | option_a=7 | option_b=31 | option_c=14 | option_d=21 | answer=B | explanation=The first three numbers increase by 7, so the next should be 28. Therefore 31 is the odd one out.

id=56618 | topic=Averages | difficulty=Easy | question=Find the average of 15, 27, 82, 80. | option_a=50 | option_b=53 | option_c=52 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 204 ÷ 4 = 51.

id=56619 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=46 | option_b=45 | option_c=55 | option_d=35 | answer=B | explanation=The common difference is 10. Therefore the next term is 35 + 10 = 45.

id=56620 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2071. If it is sold at a profit of 25%, what is its selling price? | option_a=2588 | option_b=2381 | option_c=2096 | option_d=2795 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2071 × 125/100 = **■**2588.

id=56621 | topic=Percentages | difficulty=Easy | question=What is 40% of 1780? | option_a=732 | option_b=707 | option_c=712 | option_d=1424 | answer=C | explanation=40% of 1780 = (40/100) × 1780 = 712.

id=56622 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=M | option_b=G | option_c=P | option_d=J | answer=A | explanation=Move 3 positions forward from J; the resulting letter is M.

id=56623 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35067 at 10% per annum for 5 years. | option_a=17533 | option_b=52600 | option_c=17433 | option_d=17633 | answer=A | explanation=SI = PRT/100 = 35067×10×5/100 = **■**17533.

id=56624 | topic=Averages | difficulty=Easy | question=Find the average of 27, 39, 69. | option_a=47 | option_b=45 | option_c=46 | option_d=44 | answer=B | explanation=Average = sum of values ÷ number of values = 135 ÷ 3 = 45.

id=56625 | topic=Averages | difficulty=Easy | question=Find the average of 24, 45, 89, 70, 49, 99, 70, 36, 86, 72. | option_a=65 | option_b=63 | option_c=66 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 640 ÷ 10 = 64.

id=56626 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=12 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=56627 | topic=Averages | difficulty=Easy | question=Find the average of 62, 34, 79, 52, 56, 53. | option_a=55 | option_b=58 | option_c=57 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 336 ÷ 6 = 56.

id=56628 | topic=Averages | difficulty=Easy | question=Find the average of 55, 75, 60, 10, 58, 91, 84, 56, 27, 84. | option_a=61 | option_b=59 | option_c=62 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=56629 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:8 and the first is 266, what is the second? | option_a=104 | option_b=378 | option_c=112 | option_d=131 | answer=C | explanation=Scale factor = 266/19 = 14. Therefore second quantity = 8×14 = 112.

id=56630 | topic=Percentages | difficulty=Easy | question=What is 50% of 811? | option_a=810 | option_b=405 | option_c=385 | option_d=415 | answer=B | explanation=50% of 811 = (50/100) × 811 = 405.

id=56631 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=56632 | topic=Percentages | difficulty=Easy | question=What is 25% of 1650? | option_a=412 | option_b=402 | option_c=824 | option_d=422 | answer=A | explanation=25% of 1650 = (25/100) × 1650 = 412.

id=56633 | topic=Averages | difficulty=Easy | question=Find the average of 91, 60, 24, 63, 67, 42, 42, 96, 91. | option_a=63 | option_b=65 | option_c=66 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 576 ÷ 9 = 64.

id=56634 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=39 | option_b=53 | option_c=47 | option_d=46 | answer=D | explanation=The common difference is 7. Therefore the next term is 39 + 7 = 46.

id=56635 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27536 at 8% per annum for 4 years. | option_a=8811 | option_b=8711 | option_c=36347 | option_d=8911 | answer=A | explanation=SI = PRT/100 = 27536×8×4/100 = **■**8811.

id=56636 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=20 | option_b=17 | option_c=23 | option_d=21 | answer=A | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=56637 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 29? | option_a=29 | option_b=4 | option_c=20 | option_d=12 | answer=A | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 29 is the odd one out.

id=56638 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:9 and the first is 28, what is the second? | option_a=27 | option_b=64 | option_c=36 | option_d=43 | answer=C | explanation=Scale factor = 28/7 = 4. Therefore second quantity = 9×4 = 36.

id=56639 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1724. If it is sold at a profit of 5%, what is its selling price? | option_a=1638 | option_b=1810 | option_c=1729 | option_d=1982 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1724 × 105/100 = **■**1810.

id=56640 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=K | option_c=G | option_d=E | answer=A | explanation=Move 2 positions forward from G; the resulting letter is I.

Aptitude Questions — Records 56,641-56,670 of 100,000

id=56641 | topic=Percentages | difficulty=Easy | question=What is 12% of 1117? | option_a=154 | option_b=124 | option_c=268 | option_d=134 | answer=D | explanation=12% of 1117 = (12/100) × 1117 = 134.

id=56642 | topic=Percentages | difficulty=Easy | question=What is 20% of 549? | option_a=109 | option_b=114 | option_c=218 | option_d=89 | answer=A | explanation=20% of 549 = (20/100) × 549 = 109.

id=56643 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■25914 at 6% per annum for 5 years. | option_a=33688 | option_b=7874 | option_c=7774 | option_d=7674 | answer=C | explanation=SI = PRT/100 = 25914×6×5/100 = ■7774.

id=56644 | topic=Percentages | difficulty=Easy | question=What is 5% of 1731? | option_a=91 | option_b=66 | option_c=172 | option_d=86 | answer=D | explanation=5% of 1731 = (5/100) × 1731 = 86.

id=56645 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 36, 44, 53? | option_a=28 | option_b=53 | option_c=44 | option_d=36 | answer=B | explanation=The first three numbers increase by 8, so the next should be 52. Therefore 53 is the odd one out.

id=56646 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 31? | option_a=24 | option_b=31 | option_c=12 | option_d=18 | answer=B | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 31 is the odd one out.

id=56647 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■49147 at 6% per annum for 3 years. | option_a=57993 | option_b=8746 | option_c=8946 | option_d=8846 | answer=D | explanation=SI = PRT/100 = 49147×6×3/100 = ■8846.

id=56648 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=90 | option_b=50 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=56649 | topic=Percentages | difficulty=Easy | question=What is 50% of 79? | option_a=29 | option_b=39 | option_c=59 | option_d=78 | answer=B | explanation=50% of 79 = (50/100) × 79 = 39.

id=56650 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■803. If it is sold at a profit of 40%, what is its selling price? | option_a=1124 | option_b=843 | option_c=1044 | option_d=1204 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 803 × 140/100 = ■1124.

id=56651 | topic=Averages | difficulty=Easy | question=Find the average of 14, 53, 44, 56, 32, 78, 59. | option_a=49 | option_b=50 | option_c=48 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 336 ÷ 7 = 48.

id=56652 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=61 | option_b=71 | option_c=60 | option_d=49 | answer=C | explanation=The common difference is 11. Therefore the next term is 49 + 11 = 60.

id=56653 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=L | option_c=G | option_d=W | answer=C | explanation=Move 5 positions forward from B; the resulting letter is G.

id=56654 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=85 | option_c=90 | option_d=180 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=56655 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2987. If it is sold at a profit of 25%, what is its selling price? | option_a=3435 | option_b=3733 | option_c=4031 | option_d=3012 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2987 × 125/100 = ■3733.

id=56656 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2585. If it is sold at a profit of 40%, what is its selling price? | option_a=3361 | option_b=2625 | option_c=3619 | option_d=3877 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2585 × 140/100 = ■3619.

id=56657 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3268. If it is sold at a profit of 30%, what is its selling price? | option_a=4248 | option_b=4574 | option_c=3298 | option_d=3922 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3268 × 130/100 = ■4248.

id=56658 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:15 and the first is 192, what is the second? | option_a=372 | option_b=196 | option_c=180 | option_d=165 | answer=C | explanation=Scale factor = 192/16 = 12. Therefore second quantity = 15×12 = 180.

id=56659 | topic=Percentages | difficulty=Easy | question=What is 5% of 1375? | option_a=78 | option_b=136 | option_c=68 | option_d=48 | answer=C | explanation=5% of 1375 = (5/100) × 1375 = 68.

id=56660 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=33 | option_b=32 | option_c=37 | option_d=27 | answer=B | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

id=56661 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 6. | option_a=48 | option_b=24 | option_c=144 | option_d=18 | answer=B | explanation=LCM × HCF = 24×6; HCF(24,6) = 6, so LCM = 24.

id=56662 | topic=Averages | difficulty=Easy | question=Find the average of 56, 12, 92, 32, 97, 45, 81, 12, 59. | option_a=56 | option_b=54 | option_c=55 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 486 ÷ 9 = 54.

id=56663 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:4 and the first is 221, what is the second? | option_a=68 | option_b=81 | option_c=289 | option_d=64 | answer=A | explanation=Scale factor = 221/13 = 17. Therefore second quantity = 4×17 = 68.

id=56664 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=56665 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 5, 7, 12? | option_a=5 | option_b=3 | option_c=12 | option_d=7 | answer=C | explanation=The first three numbers increase by 2, so the next should be 9. Therefore 12 is the odd one out.

id=56666 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■3052 at 5% per annum for 3 years. | option_a=357 | option_b=3509 | option_c=557 | option_d=457 | answer=D | explanation=SI = PRT/100 = 3052×5×3/100 = ■457.

id=56667 | topic=Percentages | difficulty=Easy | question=What is 20% of 1563? | option_a=317 | option_b=307 | option_c=624 | option_d=312 | answer=D | explanation=20% of 1563 = (20/100) × 1563 = 312.

id=56668 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4062. If it is sold at a profit of 20%, what is its selling price? | option_a=4082 | option_b=4468 | option_c=4874 | option_d=5280 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4062 × 120/100 = ■4874.

id=56669 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 29, 37, 46? | option_a=21 | option_b=46 | option_c=29 | option_d=37 | answer=B | explanation=The first three numbers increase by 8, so the next should be 45. Therefore 46 is the odd one out.

id=56670 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:10 and the first is 70, what is the second? | option_a=64 | option_b=120 | option_c=40 | option_d=50 | answer=D | explanation=Scale factor = 70/14 = 5. Therefore second quantity = 10×5 = 50.

Aptitude Questions — Records 56,671-56,700 of 100,000

id=56671 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■47764 at 8% per annum for 4 years. | option_a=15284 | option_b=63048 | option_c=15384 | option_d=15184 | answer=A | explanation=SI = PRT/100 = 47764×8×4/100 = ■15284.

id=56672 | topic=Percentages | difficulty=Easy | question=What is 40% of 1622? | option_a=1296 | option_b=648 | option_c=643 | option_d=653 | answer=B | explanation=40% of 1622 = (40/100) × 1622 = 648.

id=56673 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=56674 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=56675 | topic=Percentages | difficulty=Easy | question=What is 20% of 295? | option_a=69 | option_b=118 | option_c=39 | option_d=59 | answer=D | explanation=20% of 295 = (20/100) × 295 = 59.

id=56676 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2308. If it is sold at a profit of 5%, what is its selling price? | option_a=2193 | option_b=2423 | option_c=2313 | option_d=2653 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2308 × 105/100 = ■2423.

id=56677 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 52? | option_a=19 | option_b=29 | option_c=39 | option_d=52 | answer=D | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 52 is the odd one out.

id=56678 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 10, 15, 21? | option_a=15 | option_b=10 | option_c=21 | option_d=5 | answer=C | explanation=The first three numbers increase by 5, so the next should be 20. Therefore 21 is the odd one out.

id=56679 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2108. If it is sold at a profit of 20%, what is its selling price? | option_a=2739 | option_b=2128 | option_c=2319 | option_d=2529 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2108 × 120/100 = ■2529.

id=56680 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=M | option_c=G | option_d=K | answer=D | explanation=Move 2 positions forward from I; the resulting letter is K.

id=56681 | topic=Percentages | difficulty=Easy | question=What is 25% of 753? | option_a=183 | option_b=188 | option_c=376 | option_d=208 | answer=B | explanation=25% of 753 = (25/100) × 753 = 188.

id=56682 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=G | option_b=X | option_c=A | option_d=D | answer=D | explanation=Move 3 positions forward from A; the resulting letter is D.

id=56683 | topic=Percentages | difficulty=Easy | question=What is 10% of 789? | option_a=156 | option_b=98 | option_c=73 | option_d=78 | answer=D | explanation=10% of 789 = (10/100) × 789 = 78.

id=56684 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=N | option_b=O | option_c=L | option_d=M | answer=A | explanation=Move 1 positions forward from M; the resulting letter is N.

id=56685 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=90 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=56686 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=I | option_c=W | option_d=A | answer=A | explanation=Move 4 positions forward from A; the resulting letter is E.

id=56687 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=G | option_b=D | option_c=A | option_d=J | answer=A | explanation=Move 3 positions forward from D; the resulting letter is G.

id=56688 | topic=Percentages | difficulty=Easy | question=What is 25% of 1579? | option_a=414 | option_b=384 | option_c=394 | option_d=788 | answer=C | explanation=25% of 1579 = (25/100) × 1579 = 394.

id=56689 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4305. If it is sold at a profit of 5%, what is its selling price? | option_a=4950 | option_b=4310 | option_c=4090 | option_d=4520 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4305 × 105/100 = ■4520.

id=56690 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:17 and the first is 234, what is the second? | option_a=221 | option_b=455 | option_c=239 | option_d=204 | answer=A | explanation=Scale factor = 234/18 = 13. Therefore second quantity = 17×13 = 221.

id=56691 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 16. | option_a=96 | option_b=126 | option_c=224 | option_d=112 | answer=D | explanation=LCM × HCF = 14×16; HCF(14,16) = 2, so LCM = 112.

id=56692 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=56693 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=56694 | topic=Averages | difficulty=Easy | question=Find the average of 55, 10, 48, 17, 91, 73. | option_a=48 | option_b=50 | option_c=51 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 294 ÷ 6 = 49.

id=56695 | topic=Averages | difficulty=Easy | question=Find the average of 41, 27, 26, 97, 96, 67, 22, 73, 28. | option_a=53 | option_b=55 | option_c=54 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 477 ÷ 9 = 53.

id=56696 | topic=Percentages | difficulty=Easy | question=What is 40% of 1523? | option_a=589 | option_b=1218 | option_c=609 | option_d=619 | answer=C | explanation=40% of 1523 = (40/100) × 1523 = 609.

id=56697 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=H | option_b=Q | option_c=K | option_d=N | answer=D | explanation=Move 3 positions forward from K; the resulting letter is N.

id=56698 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=Y | option_b=T | option_c=O | option_d=D | answer=A | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=56699 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■718. If it is sold at a profit of 5%, what is its selling price? | option_a=682 | option_b=723 | option_c=753 | option_d=824 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 718 × 105/100 = ■753.

id=56700 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 12, 16, 23? | option_a=16 | option_b=12 | option_c=8 | option_d=23 | answer=D | explanation=The first three numbers increase by 4, so the next should be 20. Therefore 23 is the odd one out.

Aptitude Questions — Records 56,701-56,730 of 100,000

id=56701 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 17, 26, 38? | option_a=26 | option_b=17 | option_c=38 | option_d=8 | answer=C | explanation=The first three numbers increase by 9, so the next should be 35. Therefore 38 is the odd one out.

id=56702 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=W | option_b=M | option_c=H | option_d=R | answer=D | explanation=Move 5 positions forward from M; the resulting letter is R.

id=56703 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 38, 46, 57? | option_a=57 | option_b=46 | option_c=30 | option_d=38 | answer=A | explanation=The first three numbers increase by 8, so the next should be 54. Therefore 57 is the odd one out.

id=56704 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=56705 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 10, 18, 28? | option_a=10 | option_b=18 | option_c=28 | option_d=2 | answer=C | explanation=The first three numbers increase by 8, so the next should be 26. Therefore 28 is the odd one out.

id=56706 | topic=Percentages | difficulty=Easy | question=What is 20% of 598? | option_a=129 | option_b=99 | option_c=119 | option_d=238 | answer=C | explanation=20% of 598 = (20/100) × 598 = 119.

id=56707 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=54 | option_b=44 | option_c=62 | option_d=53 | answer=D | explanation=The common difference is 9. Therefore the next term is 44 + 9 = 53.

id=56708 | topic=Averages | difficulty=Easy | question=Find the average of 78, 17, 91. | option_a=64 | option_b=62 | option_c=61 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 186 ÷ 3 = 62.

id=56709 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=56710 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 35, 42, 50? | option_a=35 | option_b=50 | option_c=28 | option_d=42 | answer=B | explanation=The first three numbers increase by 7, so the next should be 49. Therefore 50 is the odd one out.

id=56711 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=33 | option_b=38 | option_c=43 | option_d=39 | answer=B | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.

id=56712 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:8 and the first is 90, what is the second? | option_a=126 | option_b=210 | option_c=120 | option_d=112 | answer=C | explanation=Scale factor = 90/6 = 15. Therefore second quantity = 8×15 = 120.

id=56713 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=T | option_c=R | option_d=N | answer=C | explanation=Move 2 positions forward from P; the resulting letter is R.

id=56714 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 28? | option_a=5 | option_b=19 | option_c=28 | option_d=12 | answer=C | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 28 is the odd one out.

id=56715 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹26430 at 6% per annum for 1 years. | option_a=28015 | option_b=1585 | option_c=1485 | option_d=1685 | answer=B | explanation=SI = PRT/100 = 26430×6×1/100 = ₹1585.

id=56716 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:10 and the first is 228, what is the second? | option_a=139 | option_b=348 | option_c=120 | option_d=110 | answer=C | explanation=Scale factor = 228/19 = 12. Therefore second quantity = 10×12 = 120.

id=56717 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 23? | option_a=15 | option_b=23 | option_c=17 | option_d=19 | answer=B | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 23 is the odd one out.

id=56718 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 29? | option_a=20 | option_b=4 | option_c=12 | option_d=29 | answer=D | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 29 is the odd one out.

id=56719 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=30 | option_b=35 | option_c=23 | option_d=29 | answer=D | explanation=The common difference is 6. Therefore the next term is 23 + 6 = 29.

id=56720 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=56721 | topic=Averages | difficulty=Easy | question=Find the average of 40, 40, 79. | option_a=55 | option_b=52 | option_c=53 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 159 ÷ 3 = 53.

id=56722 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=33 | option_b=36 | option_c=28 | option_d=32 | answer=D | explanation=The common difference is 4. Therefore the next term is 28 + 4 = 32.

id=56723 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=56724 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 20. | option_a=140 | option_b=168 | option_c=560 | option_d=120 | answer=A | explanation=LCM × HCF = 28×20; HCF(28,20) = 4, so LCM = 140.

id=56725 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=24 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=56726 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 12, 21, 32? | option_a=12 | option_b=32 | option_c=3 | option_d=21 | answer=B | explanation=The first three numbers increase by 9, so the next should be 30. Therefore 32 is the odd one out.

id=56727 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹3771. If it is sold at a profit of 50%, what is its selling price? | option_a=3821 | option_b=6033 | option_c=5656 | option_d=5279 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3771 × 150/100 = ₹5656.

id=56728 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=B | option_b=E | option_c=H | option_d=K | answer=C | explanation=Move 3 positions forward from E; the resulting letter is H.

id=56729 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=B | option_b=L | option_c=G | option_d=Q | answer=B | explanation=Move 5 positions forward from G; the resulting letter is L.

id=56730 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 5, 8, 13? | option_a=8 | option_b=2 | option_c=5 | option_d=13 | answer=D | explanation=The first three numbers increase by 3, so the next should be 11. Therefore 13 is the odd one out.

Aptitude Questions — Records 56,731-56,760 of 100,000

id=56731 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=36 | option_c=31 | option_d=72 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=56732 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=90 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=56733 | topic=Averages | difficulty=Easy | question=Find the average of 39, 68, 72, 78, 94, 87, 59, 87. | option_a=74 | option_b=75 | option_c=73 | option_d=72 | answer=C | explanation=Average = sum of values ÷ number of values = 584 ÷ 8 = 73.

id=56734 | topic=Percentages | difficulty=Easy | question=What is 10% of 1190? | option_a=238 | option_b=119 | option_c=129 | option_d=114 | answer=B | explanation=10% of 1190 = (10/100) × 1190 = 119.

id=56735 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■13675 at 15% per annum for 3 years. | option_a=19828 | option_b=6053 | option_c=6153 | option_d=6253 | answer=C | explanation=SI = PRT/100 = 13675×15×3/100 = ■6153.

id=56736 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 24, 32, 42? | option_a=32 | option_b=42 | option_c=24 | option_d=16 | answer=B | explanation=The first three numbers increase by 8, so the next should be 40. Therefore 42 is the odd one out.

id=56737 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 22. | option_a=312 | option_b=572 | option_c=264 | option_d=286 | answer=D | explanation=LCM × HCF = 26×22; HCF(26,22) = 2, so LCM = 286.

id=56738 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:6 and the first is 255, what is the second? | option_a=84 | option_b=90 | option_c=107 | option_d=345 | answer=B | explanation=Scale factor = 255/17 = 15. Therefore second quantity = 6×15 = 90.

id=56739 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■9567 at 15% per annum for 2 years. | option_a=12437 | option_b=2770 | option_c=2870 | option_d=2970 | answer=C | explanation=SI = PRT/100 = 9567×15×2/100 = ■2870.

id=56740 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=70 | option_d=150 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=56741 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3680. If it is sold at a profit of 10%, what is its selling price? | option_a=4048 | option_b=3680 | option_c=4416 | option_d=3690 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3680 × 110/100 = ■4048.

id=56742 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:14 and the first is 80, what is the second? | option_a=266 | option_b=360 | option_c=280 | option_d=284 | answer=C | explanation=Scale factor = 80/4 = 20. Therefore second quantity = 14×20 = 280.

id=56743 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1949. If it is sold at a profit of 40%, what is its selling price? | option_a=2534 | option_b=2922 | option_c=1989 | option_d=2728 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1949 × 140/100 = ■2728.

id=56744 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4696. If it is sold at a profit of 25%, what is its selling price? | option_a=6339 | option_b=4721 | option_c=5401 | option_d=5870 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4696 × 125/100 = ■5870.

id=56745 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2869. If it is sold at a profit of 15%, what is its selling price? | option_a=3013 | option_b=3299 | option_c=3585 | option_d=2884 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2869 × 115/100 = ■3299.

id=56746 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■31667 at 8% per annum for 1 years. | option_a=34200 | option_b=2533 | option_c=2433 | option_d=2633 | answer=B | explanation=SI = PRT/100 = 31667×8×1/100 = ■2533.

id=56747 | topic=Averages | difficulty=Easy | question=Find the average of 36, 48, 91, 50, 55, 81, 94. | option_a=66 | option_b=67 | option_c=65 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 455 ÷ 7 = 65.

id=56748 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=56749 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=51 | option_b=40 | option_c=62 | option_d=52 | answer=A | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=56750 | topic=Percentages | difficulty=Easy | question=What is 50% of 181? | option_a=85 | option_b=90 | option_c=180 | option_d=95 | answer=B | explanation=50% of 181 = (50/100) × 181 = 90.

id=56751 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:18 and the first is 70, what is the second? | option_a=72 | option_b=90 | option_c=160 | option_d=104 | answer=B | explanation=Scale factor = 70/14 = 5. Therefore second quantity = 18×5 = 90.

id=56752 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=A | option_c=K | option_d=P | answer=C | explanation=Move 5 positions forward from F; the resulting letter is K.

id=56753 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■3959 at 5% per annum for 2 years. | option_a=495 | option_b=395 | option_c=295 | option_d=4354 | answer=B | explanation=SI = PRT/100 = 3959×5×2/100 = ■395.

id=56754 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=M | option_b=H | option_c=C | option_d=R | answer=A | explanation=Move 5 positions forward from H; the resulting letter is M.

id=56755 | topic=Averages | difficulty=Easy | question=Find the average of 36, 16, 10, 14, 79. | option_a=33 | option_b=30 | option_c=32 | option_d=31 | answer=D | explanation=Average = sum of values ÷ number of values = 155 ÷ 5 = 31.

id=56756 | topic=Percentages | difficulty=Easy | question=What is 20% of 1306? | option_a=522 | option_b=261 | option_c=251 | option_d=266 | answer=B | explanation=20% of 1306 = (20/100) × 1306 = 261.

id=56757 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=56758 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 52? | option_a=52 | option_b=25 | option_c=41 | option_d=33 | answer=A | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 52 is the odd one out.

id=56759 | topic=Percentages | difficulty=Easy | question=What is 10% of 1087? | option_a=216 | option_b=88 | option_c=118 | option_d=108 | answer=D | explanation=10% of 1087 = (10/100) × 1087 = 108.

id=56760 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 26. | option_a=182 | option_b=208 | option_c=224 | option_d=416 | answer=B | explanation=LCM × HCF = 16×26; HCF(16,26) = 2, so LCM = 208.

Aptitude Questions — Records 56,761-56,790 of 100,000

id=56761 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2144. If it is sold at a profit of 25%, what is its selling price? | option_a=2894 | option_b=2169 | option_c=2680 | option_d=2466 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2144 × 125/100 = █2680.

id=56762 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3191 at 6% per annum for 1 years. | option_a=3382 | option_b=191 | option_c=91 | option_d=291 | answer=B | explanation=SI = PRT/100 = 3191×6×1/100 = █191.

id=56763 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 35? | option_a=8 | option_b=16 | option_c=35 | option_d=24 | answer=C | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 35 is the odd one out.

id=56764 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=36 | option_b=56 | option_c=47 | option_d=46 | answer=D | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.

id=56765 | topic=Percentages | difficulty=Easy | question=What is 12% of 298? | option_a=30 | option_b=35 | option_c=70 | option_d=45 | answer=B | explanation=12% of 298 = (12/100) × 298 = 35.

id=56766 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=25 | option_b=27 | option_c=26 | option_d=23 | answer=A | explanation=The common difference is 2. Therefore the next term is 23 + 2 = 25.

id=56767 | topic=Averages | difficulty=Easy | question=Find the average of 81, 65, 94, 100. | option_a=84 | option_b=85 | option_c=86 | option_d=87 | answer=B | explanation=Average = sum of values ÷ number of values = 340 ÷ 4 = 85.

id=56768 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 14? | option_a=7 | option_b=14 | option_c=5 | option_d=9 | answer=B | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 14 is the odd one out.

id=56769 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 25? | option_a=11 | option_b=17 | option_c=25 | option_d=5 | answer=C | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 25 is the odd one out.

id=56770 | topic=Averages | difficulty=Easy | question=Find the average of 19, 41, 74, 66, 62, 12, 16, 86, 11. | option_a=42 | option_b=45 | option_c=44 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = 387 ÷ 9 = 43.

id=56771 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=69 | option_b=58 | option_c=59 | option_d=47 | answer=B | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.

id=56772 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11430 at 8% per annum for 3 years. | option_a=14173 | option_b=2743 | option_c=2643 | option_d=2843 | answer=B | explanation=SI = PRT/100 = 11430×8×3/100 = █2743.

id=56773 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=56774 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:16 and the first is 340, what is the second? | option_a=660 | option_b=320 | option_c=304 | option_d=337 | answer=B | explanation=Scale factor = 340/17 = 20. Therefore second quantity = 16×20 = 320.

id=56775 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=90 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=56776 | topic=Percentages | difficulty=Easy | question=What is 15% of 1834? | option_a=550 | option_b=275 | option_c=280 | option_d=255 | answer=B | explanation=15% of 1834 = (15/100) × 1834 = 275.

id=56777 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:15 and the first is 210, what is the second? | option_a=210 | option_b=225 | option_c=195 | option_d=420 | answer=A | explanation=Scale factor = 210/15 = 14. Therefore second quantity = 15×14 = 210.

id=56778 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48174 at 15% per annum for 5 years. | option_a=84304 | option_b=36130 | option_c=36030 | option_d=36230 | answer=B | explanation=SI = PRT/100 = 48174×15×5/100 = █36130.

id=56779 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 26, 36, 47? | option_a=47 | option_b=36 | option_c=26 | option_d=16 | answer=A | explanation=The first three numbers increase by 10, so the next should be 46. Therefore 47 is the odd one out.

id=56780 | topic=Averages | difficulty=Easy | question=Find the average of 32, 66, 57, 16, 57, 37, 15. | option_a=40 | option_b=41 | option_c=39 | option_d=42 | answer=A | explanation=Average = sum of values ÷ number of values = 280 ÷ 7 = 40.

id=56781 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:12 and the first is 91, what is the second? | option_a=84 | option_b=72 | option_c=175 | option_d=97 | answer=A | explanation=Scale factor = 91/13 = 7. Therefore second quantity = 12×7 = 84.

id=56782 | topic=Percentages | difficulty=Easy | question=What is 5% of 1873? | option_a=83 | option_b=93 | option_c=103 | option_d=186 | answer=B | explanation=5% of 1873 = (5/100) × 1873 = 93.

id=56783 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:7 and the first is 27, what is the second? | option_a=48 | option_b=14 | option_c=21 | option_d=30 | answer=C | explanation=Scale factor = 27/9 = 3. Therefore second quantity = 7×3 = 21.

id=56784 | topic=Averages | difficulty=Easy | question=Find the average of 88, 57, 91, 68, 25, 32, 14, 32, 70. | option_a=53 | option_b=54 | option_c=55 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 477 ÷ 9 = 53.

id=56785 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=56786 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4491. If it is sold at a profit of 10%, what is its selling price? | option_a=5389 | option_b=4491 | option_c=4940 | option_d=4501 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4491 × 110/100 = █4940.

id=56787 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 32? | option_a=32 | option_b=12 | option_c=18 | option_d=24 | answer=A | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 32 is the odd one out.

id=56788 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:14 and the first is 6, what is the second? | option_a=85 | option_b=90 | option_c=70 | option_d=84 | answer=D | explanation=Scale factor = 6/1 = 6. Therefore second quantity = 14×6 = 84.

id=56789 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=37 | option_b=32 | option_c=27 | option_d=33 | answer=B | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

id=56790 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

Aptitude Questions — Records 56,791-56,820 of 100,000

id=56791 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=M | option_b=I | option_c=K | option_d=G | answer=C | explanation=Move 2 positions forward from I; the resulting letter is K.

id=56792 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 47? | option_a=34 | option_b=47 | option_c=28 | option_d=40 | answer=B | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 47 is the odd one out.

id=56793 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:12 and the first is 64, what is the second? | option_a=160 | option_b=104 | option_c=96 | option_d=84 | answer=C | explanation=Scale factor = 64/8 = 8. Therefore second quantity = 12×8 = 96.

id=56794 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42941 at 8% per annum for 2 years. | option_a=6770 | option_b=6870 | option_c=49811 | option_d=6970 | answer=B | explanation=SI = $\text{PRT}/100 = 42941 \times 8 \times 2 / 100 = \text{■}6870$.

id=56795 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=J | option_b=M | option_c=S | option_d=P | answer=D | explanation=Move 3 positions forward from M; the resulting letter is P.

id=56796 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=360 | option_c=180 | option_d=185 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=56797 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37977 at 8% per annum for 1 years. | option_a=41015 | option_b=2938 | option_c=3038 | option_d=3138 | answer=C | explanation=SI = $\text{PRT}/100 = 37977 \times 8 \times 1 / 100 = \text{■}3038$.

id=56798 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 27? | option_a=22 | option_b=24 | option_c=20 | option_d=27 | answer=D | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 27 is the odd one out.

id=56799 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:12 and the first is 48, what is the second? | option_a=84 | option_b=24 | option_c=36 | option_d=52 | answer=C | explanation=Scale factor = 48/16 = 3. Therefore second quantity = 12×3 = 36.

id=56800 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=G | option_c=E | option_d=C | answer=B | explanation=Move 2 positions forward from E; the resulting letter is G.

id=56801 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 38, 48, 59? | option_a=48 | option_b=59 | option_c=38 | option_d=28 | answer=B | explanation=The first three numbers increase by 10, so the next should be 58. Therefore 59 is the odd one out.

id=56802 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 21, 23, 26? | option_a=26 | option_b=19 | option_c=23 | option_d=21 | answer=A | explanation=The first three numbers increase by 2, so the next should be 25. Therefore 26 is the odd one out.

id=56803 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=43 | option_c=48 | option_d=96 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=56804 | topic=Percentages | difficulty=Easy | question=What is 15% of 1502? | option_a=245 | option_b=450 | option_c=225 | option_d=205 | answer=C | explanation=15% of 1502 = $(15/100) \times 1502 = 225$.

id=56805 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=J | option_c=R | option_d=F | answer=A | explanation=Move 4 positions forward from J; the resulting letter is N.

id=56806 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=C | option_b=K | option_c=O | option_d=G | answer=B | explanation=Move 4 positions forward from G; the resulting letter is K.

id=56807 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2543. If it is sold at a profit of 40%, what is its selling price? | option_a=3560 | option_b=2583 | option_c=3306 | option_d=3814 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 2543 \times 140 / 100 = \text{■}3560$.

id=56808 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3465. If it is sold at a profit of 15%, what is its selling price? | option_a=3984 | option_b=3638 | option_c=4330 | option_d=3480 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 3465 \times 115 / 100 = \text{■}3984$.

id=56809 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:2 and the first is 34, what is the second? | option_a=68 | option_b=34 | option_c=32 | option_d=36 | answer=B | explanation=Scale factor = 34/2 = 17. Therefore second quantity = 2×17 = 34.

id=56810 | topic=Percentages | difficulty=Easy | question=What is 15% of 76? | option_a=31 | option_b=0 | option_c=11 | option_d=22 | answer=C | explanation=15% of 76 = $(15/100) \times 76 = 11$.

id=56811 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=40 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=56812 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31714 at 6% per annum for 4 years. | option_a=7711 | option_b=39325 | option_c=7511 | option_d=7611 | answer=D | explanation=SI = $\text{PRT}/100 = 31714 \times 6 \times 4 / 100 = \text{■}7611$.

id=56813 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3601. If it is sold at a profit of 5%, what is its selling price? | option_a=4141 | option_b=3781 | option_c=3606 | option_d=3421 | answer=B | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 3601 \times 105 / 100 = \text{■}3781$.

id=56814 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=43 | option_b=50 | option_c=34 | option_d=42 | answer=D | explanation=The common difference is 8. Therefore the next term is 34 + 8 = 42.

id=56815 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**758. If it is sold at a profit of 5%, what is its selling price? | option_a=795 | option_b=720 | option_c=763 | option_d=870 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 758 \times 105 / 100 = \text{■}795$.

id=56816 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=56817 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=T | option_b=Y | option_c=J | option_d=O | answer=A | explanation=Move 5 positions forward from O; the resulting letter is T.

id=56818 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 9. | option_a=27 | option_b=243 | option_c=18 | option_d=54 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 27 \times 9$; $\text{HCF}(27, 9) = 9$, so $\text{LCM} = 27$.

id=56819 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:15 and the first is 80, what is the second? | option_a=300 | option_b=304 | option_c=285 | option_d=380 | answer=A | explanation=Scale factor = 80/4 = 20. Therefore second quantity = 15×20 = 300.

id=56820 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**140. If it is sold at a profit of 40%, what is its selling price? | option_a=182 | option_b=196 | option_c=210 | option_d=180 | answer=B | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 140 \times 140 / 100 = \text{■}196$.

Aptitude Questions — Records 56,821-56,850 of 100,000

id=56821 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:10 and the first is 42, what is the second? | option_a=140 | option_b=143 | option_c=130 | option_d=182 | answer=A | explanation=Scale factor = $42/3 = 14$. Therefore second quantity = $10 \times 14 = 140$.

id=56822 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 31, 35, 40? | option_a=40 | option_b=27 | option_c=35 | option_d=31 | answer=A | explanation=The first three numbers increase by 4, so the next should be 39. Therefore 40 is the odd one out.

id=56823 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3163. If it is sold at a profit of 30%, what is its selling price? | option_a=4111 | option_b=4427 | option_c=3193 | option_d=3795 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3163 \times 130/100 = \text{█}4111$.

id=56824 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4324. If it is sold at a profit of 40%, what is its selling price? | option_a=6485 | option_b=4364 | option_c=6053 | option_d=5621 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4324 \times 140/100 = \text{█}6053$.

id=56825 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=105 | option_c=200 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = $300 \div 3 = 100$ km/h.

id=56826 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1817. If it is sold at a profit of 30%, what is its selling price? | option_a=1847 | option_b=2543 | option_c=2362 | option_d=2181 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1817 \times 130/100 = \text{█}2362$.

id=56827 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=56828 | topic=Percentages | difficulty=Easy | question=What is 20% of 1754? | option_a=370 | option_b=350 | option_c=330 | option_d=700 | answer=B | explanation=20% of 1754 = $(20/100) \times 1754 = 350$.

id=56829 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:8 and the first is 56, what is the second? | option_a=112 | option_b=116 | option_c=104 | option_d=168 | answer=A | explanation=Scale factor = $56/4 = 14$. Therefore second quantity = $8 \times 14 = 112$.

id=56830 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=47 | option_b=48 | option_c=39 | option_d=55 | answer=A | explanation=The common difference is 8. Therefore the next term is $39 + 8 = 47$.

id=56831 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1838. If it is sold at a profit of 10%, what is its selling price? | option_a=1848 | option_b=2021 | option_c=1838 | option_d=2204 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1838 \times 110/100 = \text{█}2021$.

id=56832 | topic=Averages | difficulty=Easy | question=Find the average of 62, 42, 87, 64, 64, 46, 52, 36, 51. | option_a=56 | option_b=58 | option_c=55 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = $504 \div 9 = 56$.

id=56833 | topic=Percentages | difficulty=Easy | question=What is 20% of 614? | option_a=122 | option_b=112 | option_c=132 | option_d=244 | answer=A | explanation=20% of 614 = $(20/100) \times 614 = 122$.

id=56834 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31674 at 10% per annum for 3 years. | option_a=41176 | option_b=9502 | option_c=9402 | option_d=9602 | answer=B | explanation=SI = $PRT/100 = 31674 \times 10 \times 3/100 = \text{█}9502$.

id=56835 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:2 and the first is 108, what is the second? | option_a=33 | option_b=24 | option_c=132 | option_d=22 | answer=B | explanation=Scale factor = $108/9 = 12$. Therefore second quantity = $2 \times 12 = 24$.

id=56836 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = $180 \div 6 = 30$ km/h.

id=56837 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=7 | option_c=12 | option_d=17 | answer=C | explanation=Speed = distance ÷ time = $60 \div 5 = 12$ km/h.

id=56838 | topic=Averages | difficulty=Easy | question=Find the average of 17, 49, 12, 63, 55, 67, 87, 26. | option_a=46 | option_b=47 | option_c=48 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = $376 \div 8 = 47$.

id=56839 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4251. If it is sold at a profit of 30%, what is its selling price? | option_a=4281 | option_b=5526 | option_c=5951 | option_d=5101 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4251 \times 130/100 = \text{█}5526$.

id=56840 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14231 at 5% per annum for 5 years. | option_a=3657 | option_b=3557 | option_c=3457 | option_d=17788 | answer=B | explanation=SI = $PRT/100 = 14231 \times 5 \times 5/100 = \text{█}3557$.

id=56841 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=56842 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 28, 32, 39? | option_a=32 | option_b=28 | option_c=24 | option_d=39 | answer=D | explanation=The first three numbers increase by 4, so the next should be 36. Therefore 39 is the odd one out.

id=56843 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 44? | option_a=34 | option_b=26 | option_c=18 | option_d=44 | answer=D | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 44 is the odd one out.

id=56844 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:5 and the first is 52, what is the second? | option_a=117 | option_b=60 | option_c=65 | option_d=69 | answer=C | explanation=Scale factor = $52/4 = 13$. Therefore second quantity = $5 \times 13 = 65$.

id=56845 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=32 | option_b=31 | option_c=38 | option_d=24 | answer=B | explanation=The common difference is 7. Therefore the next term is $24 + 7 = 31$.

id=56846 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14429 at 15% per annum for 3 years. | option_a=6493 | option_b=6593 | option_c=20922 | option_d=6393 | answer=A | explanation=SI = $PRT/100 = 14429 \times 15 \times 3/100 = \text{█}6493$.

id=56847 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2301. If it is sold at a profit of 15%, what is its selling price? | option_a=2646 | option_b=2876 | option_c=2416 | option_d=2316 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2301 \times 115/100 = \text{█}2646$.

id=56848 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38293 at 8% per annum for 4 years. | option_a=12353 | option_b=50546 | option_c=12253 | option_d=12153 | answer=C | explanation=SI = $PRT/100 = 38293 \times 8 \times 4/100 = \text{█}12253$.

id=56849 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=F | option_b=L | option_c=J | option_d=H | answer=C | explanation=Move 2 positions forward from H; the resulting letter is J.

id=56850 | topic=Percentages | difficulty=Easy | question=What is 30% of 966? | option_a=289 | option_b=309 | option_c=269 | option_d=578 | answer=A | explanation=30% of 966 = $(30/100) \times 966 = 289$.

Aptitude Questions — Records 56,851-56,880 of 100,000

id=56851 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7231 at 5% per annum for 2 years. | option_a=823 | option_b=623 | option_c=723 | option_d=7954 | answer=C | explanation=SI = PRT/100 = 7231×5×2/100 = **■**723.

id=56852 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3419. If it is sold at a profit of 30%, what is its selling price? | option_a=4103 | option_b=4785 | option_c=3449 | option_d=4444 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3419 × 130/100 = **■**4444.

id=56853 | topic=Averages | difficulty=Easy | question=Find the average of 87, 65, 40. | option_a=64 | option_b=65 | option_c=63 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 192 ÷ 3 = 64.

id=56854 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=155 | option_c=300 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=56855 | topic=Percentages | difficulty=Easy | question=What is 25% of 432? | option_a=108 | option_b=118 | option_c=88 | option_d=216 | answer=A | explanation=25% of 432 = (25/100) × 432 = 108.

id=56856 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 29, 31, 35? | option_a=35 | option_b=29 | option_c=27 | option_d=31 | answer=A | explanation=The first three numbers increase by 2, so the next should be 33. Therefore 35 is the odd one out.

id=56857 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=56858 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 33? | option_a=17 | option_b=33 | option_c=27 | option_d=22 | answer=B | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 33 is the odd one out.

id=56859 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 51? | option_a=36 | option_b=42 | option_c=30 | option_d=51 | answer=D | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 51 is the odd one out.

id=56860 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=36 | option_c=72 | option_d=41 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=56861 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 17, 23, 31? | option_a=23 | option_b=17 | option_c=31 | option_d=11 | answer=C | explanation=The first three numbers increase by 6, so the next should be 29. Therefore 31 is the odd one out.

id=56862 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 5. | option_a=30 | option_b=60 | option_c=25 | option_d=150 | answer=A | explanation=LCM × HCF = 30×5; HCF(30,5) = 5, so LCM = 30.

id=56863 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21633 at 12% per annum for 2 years. | option_a=26824 | option_b=5191 | option_c=5291 | option_d=5091 | answer=B | explanation=SI = PRT/100 = 21633×12×2/100 = **■**5191.

id=56864 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=155 | option_c=300 | option_d=145 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=56865 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=31 | option_c=36 | option_d=41 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=56866 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=56867 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:19 and the first is 11, what is the second? | option_a=209 | option_b=190 | option_c=220 | option_d=210 | answer=A | explanation=Scale factor = 11/1 = 11. Therefore second quantity = 19×11 = 209.

id=56868 | topic=Averages | difficulty=Easy | question=Find the average of 88, 34, 20, 43, 19, 30, 11, 89, 53. | option_a=44 | option_b=45 | option_c=42 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = 387 ÷ 9 = 43.

id=56869 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=A | option_c=C | option_d=D | answer=C | explanation=Move 1 positions forward from B; the resulting letter is C.

id=56870 | topic=Averages | difficulty=Easy | question=Find the average of 31, 20, 79, 43, 12. | option_a=39 | option_b=37 | option_c=38 | option_d=36 | answer=B | explanation=Average = sum of values ÷ number of values = 185 ÷ 5 = 37.

id=56871 | topic=Percentages | difficulty=Easy | question=What is 20% of 819? | option_a=326 | option_b=168 | option_c=153 | option_d=163 | answer=D | explanation=20% of 819 = (20/100) × 819 = 163.

id=56872 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 29, 34, 40? | option_a=34 | option_b=29 | option_c=24 | option_d=40 | answer=D | explanation=The first three numbers increase by 5, so the next should be 39. Therefore 40 is the odd one out.

id=56873 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19017 at 6% per annum for 3 years. | option_a=22440 | option_b=3523 | option_c=3423 | option_d=3323 | answer=C | explanation=SI = PRT/100 = 19017×6×3/100 = **■**3423.

id=56874 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 29, 37, 48? | option_a=21 | option_b=29 | option_c=37 | option_d=48 | answer=D | explanation=The first three numbers increase by 8, so the next should be 45. Therefore 48 is the odd one out.

id=56875 | topic=Percentages | difficulty=Easy | question=What is 5% of 1777? | option_a=83 | option_b=93 | option_c=88 | option_d=176 | answer=C | explanation=5% of 1777 = (5/100) × 1777 = 88.

id=56876 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=56877 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=33 | option_b=34 | option_c=29 | option_d=37 | answer=A | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=56878 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 16. | option_a=32 | option_b=384 | option_c=72 | option_d=48 | answer=D | explanation=LCM × HCF = 24×16; HCF(24,16) = 8, so LCM = 48.

id=56879 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=S | option_b=K | option_c=O | option_d=G | answer=C | explanation=Move 4 positions forward from K; the resulting letter is O.

id=56880 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=24 | option_b=20 | option_c=21 | option_d=16 | answer=B | explanation=The common difference is 4. Therefore the next term is 16 + 4 = 20.

Aptitude Questions — Records 56,881-56,910 of 100,000

id=56881 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:11 and the first is 85, what is the second? | option_a=72 | option_b=44 | option_c=55 | option_d=140 | answer=C | explanation=Scale factor = $85/17 = 5$. Therefore second quantity = $11 \times 5 = 55$.

id=56882 | topic=Averages | difficulty=Easy | question=Find the average of 97, 47, 88, 46, 100, 31, 82, 27, 85. | option_a=66 | option_b=67 | option_c=68 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = $603 \div 9 = 67$.

id=56883 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■4998 at 4% per annum for 4 years. | option_a=799 | option_b=5797 | option_c=899 | option_d=699 | answer=A | explanation=SI = $PRT/100 = 4998 \times 4 \times 4/100 = \blacksquare 799$.

id=56884 | topic=Averages | difficulty=Easy | question=Find the average of 46, 15, 35, 75, 98, 49. | option_a=54 | option_b=52 | option_c=55 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = $318 \div 6 = 53$.

id=56885 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2554. If it is sold at a profit of 5%, what is its selling price? | option_a=2426 | option_b=2936 | option_c=2559 | option_d=2681 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2554 \times 105/100 = \blacksquare 2681$.

id=56886 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=35 | option_b=40 | option_c=41 | option_d=45 | answer=B | explanation=The common difference is 5. Therefore the next term is $35 + 5 = 40$.

id=56887 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=95 | option_c=180 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = $180 \div 2 = 90$ km/h.

id=56888 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:13 and the first is 108, what is the second? | option_a=78 | option_b=65 | option_c=96 | option_d=186 | answer=A | explanation=Scale factor = $108/18 = 6$. Therefore second quantity = $13 \times 6 = 78$.

id=56889 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=90 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = $360 \div 8 = 45$ km/h.

id=56890 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■37904 at 4% per annum for 3 years. | option_a=4448 | option_b=4648 | option_c=4548 | option_d=42452 | answer=C | explanation=SI = $PRT/100 = 37904 \times 4 \times 3/100 = \blacksquare 4548$.

id=56891 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=56892 | topic=Percentages | difficulty=Easy | question=What is 40% of 1973? | option_a=789 | option_b=1578 | option_c=809 | option_d=779 | answer=A | explanation=40% of 1973 = $(40/100) \times 1973 = 789$.

id=56893 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=P | option_c=N | option_d=Q | answer=B | explanation=Move 1 positions forward from O; the resulting letter is P.

id=56894 | topic=Percentages | difficulty=Easy | question=What is 30% of 1324? | option_a=377 | option_b=397 | option_c=794 | option_d=417 | answer=B | explanation=30% of 1324 = $(30/100) \times 1324 = 397$.

id=56895 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:15 and the first is 45, what is the second? | option_a=210 | option_b=270 | option_c=228 | option_d=225 | answer=D | explanation=Scale factor = $45/3 = 15$. Therefore second quantity = $15 \times 15 = 225$.

id=56896 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=J | option_c=K | option_d=L | answer=D | explanation=Move 1 positions forward from K; the resulting letter is L.

id=56897 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:5 and the first is 100, what is the second? | option_a=50 | option_b=45 | option_c=60 | option_d=150 | answer=A | explanation=Scale factor = $100/10 = 10$. Therefore second quantity = $5 \times 10 = 50$.

id=56898 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 24? | option_a=24 | option_b=21 | option_c=17 | option_d=19 | answer=A | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 24 is the odd one out.

id=56899 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=77 | option_c=67 | option_d=144 | answer=A | explanation=Speed = distance ÷ time = $360 \div 5 = 72$ km/h.

id=56900 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=A | option_c=G | option_d=E | answer=D | explanation=Move 2 positions forward from C; the resulting letter is E.

id=56901 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:15 and the first is 234, what is the second? | option_a=213 | option_b=429 | option_c=195 | option_d=180 | answer=C | explanation=Scale factor = $234/18 = 13$. Therefore second quantity = $15 \times 13 = 195$.

id=56902 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1123. If it is sold at a profit of 40%, what is its selling price? | option_a=1572 | option_b=1460 | option_c=1163 | option_d=1684 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1123 \times 140/100 = \blacksquare 1572$.

id=56903 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=90 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = $180 \div 4 = 45$ km/h.

id=56904 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=57 | option_b=68 | option_c=46 | option_d=58 | answer=A | explanation=The common difference is 11. Therefore the next term is $46 + 11 = 57$.

id=56905 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:15 and the first is 42, what is the second? | option_a=45 | option_b=59 | option_c=30 | option_d=87 | answer=A | explanation=Scale factor = $42/14 = 3$. Therefore second quantity = $15 \times 3 = 45$.

id=56906 | topic=Averages | difficulty=Easy | question=Find the average of 46, 40, 88. | option_a=60 | option_b=57 | option_c=58 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = $174 \div 3 = 58$.

id=56907 | topic=Averages | difficulty=Easy | question=Find the average of 36, 56, 93, 36, 64, 34, 86, 31, 36, 88. | option_a=55 | option_b=56 | option_c=58 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = $560 \div 10 = 56$.

id=56908 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:13 and the first is 247, what is the second? | option_a=260 | option_b=234 | option_c=247 | option_d=494 | answer=C | explanation=Scale factor = $247/13 = 19$. Therefore second quantity = $13 \times 19 = 247$.

id=56909 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=62 | option_b=54 | option_c=44 | option_d=53 | answer=D | explanation=The common difference is 9. Therefore the next term is $44 + 9 = 53$.

id=56910 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14058 at 4% per annum for 4 years. | option_a=2349 | option_b=16307 | option_c=2149 | option_d=2249 | answer=D | explanation=SI = $PRT/100 = 14058 \times 4 \times 4/100 = \blacksquare 2249$.

Aptitude Questions — Records 56,911-56,940 of 100,000

id=56911 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=56912 | topic=Averages | difficulty=Easy | question=Find the average of 29, 29, 83, 82, 23, 85, 19. | option_a=51 | option_b=50 | option_c=52 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

id=56913 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=B | option_b=D | option_c=F | option_d=H | answer=C | explanation=Move 2 positions forward from D; the resulting letter is F.

id=56914 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=W | option_c=T | option_d=V | answer=D | explanation=Move 1 positions forward from U; the resulting letter is V.

id=56915 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 12. | option_a=1 | option_b=144 | option_c=24 | option_d=12 | answer=D | explanation=LCM × HCF = 12×12; HCF(12,12) = 12, so LCM = 12.

id=56916 | topic=Averages | difficulty=Easy | question=Find the average of 56, 97, 99, 48, 72, 29, 62, 54, 77. | option_a=66 | option_b=67 | option_c=65 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = 594 ÷ 9 = 66.

id=56917 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=56918 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=43 | option_b=32 | option_c=42 | option_d=52 | answer=C | explanation=The common difference is 10. Therefore the next term is 32 + 10 = 42.

id=56919 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=53 | option_b=43 | option_c=54 | option_d=63 | answer=A | explanation=The common difference is 10. Therefore the next term is 43 + 10 = 53.

id=56920 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=W | option_c=L | option_d=G | answer=D | explanation=Move 5 positions forward from B; the resulting letter is G.

id=56921 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=56922 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 28, 36, 44, ? | option_a=53 | option_b=52 | option_c=60 | option_d=44 | answer=B | explanation=The common difference is 8. Therefore the next term is 44 + 8 = 52.

id=56923 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=20 | option_b=26 | option_c=27 | option_d=32 | answer=B | explanation=The common difference is 6. Therefore the next term is 20 + 6 = 26.

id=56924 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32174 at 5% per annum for 4 years. | option_a=6334 | option_b=38608 | option_c=6434 | option_d=6534 | answer=C | explanation=SI = PRT/100 = 32174×5×4/100 = **■**6434.

id=56925 | topic=Averages | difficulty=Easy | question=Find the average of 88, 90, 32, 89, 59, 11, 72. | option_a=64 | option_b=63 | option_c=62 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 441 ÷ 7 = 63.

id=56926 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1408. If it is sold at a profit of 25%, what is its selling price? | option_a=1900 | option_b=1433 | option_c=1760 | option_d=1620 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1408 × 125/100 = **■**1760.

id=56927 | topic=Percentages | difficulty=Easy | question=What is 5% of 1046? | option_a=104 | option_b=42 | option_c=72 | option_d=52 | answer=D | explanation=5% of 1046 = (5/100) × 1046 = 52.

id=56928 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=60 | option_b=48 | option_c=59 | option_d=70 | answer=C | explanation=The common difference is 11. Therefore the next term is 48 + 11 = 59.

id=56929 | topic=Averages | difficulty=Easy | question=Find the average of 34, 40, 79. | option_a=53 | option_b=51 | option_c=52 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 153 ÷ 3 = 51.

id=56930 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=56931 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=62 | option_b=61 | option_c=72 | option_d=50 | answer=B | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.

id=56932 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=F | option_b=K | option_c=U | option_d=P | answer=D | explanation=Move 5 positions forward from K; the resulting letter is P.

id=56933 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:6 and the first is 3, what is the second? | option_a=12 | option_b=19 | option_c=18 | option_d=21 | answer=C | explanation=Scale factor = 3/1 = 3. Therefore second quantity = 6×3 = 18.

id=56934 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 28? | option_a=4 | option_b=28 | option_c=11 | option_d=18 | answer=B | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 28 is the odd one out.

id=56935 | topic=Averages | difficulty=Easy | question=Find the average of 21, 68, 22. | option_a=38 | option_b=39 | option_c=37 | option_d=36 | answer=C | explanation=Average = sum of values ÷ number of values = 111 ÷ 3 = 37.

id=56936 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 10. | option_a=1 | option_b=50 | option_c=10 | option_d=15 | answer=C | explanation=LCM × HCF = 5×10; HCF(5,10) = 5, so LCM = 10.

id=56937 | topic=Percentages | difficulty=Easy | question=What is 15% of 969? | option_a=155 | option_b=140 | option_c=145 | option_d=290 | answer=C | explanation=15% of 969 = (15/100) × 969 = 145.

id=56938 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=68 | option_b=56 | option_c=69 | option_d=80 | answer=A | explanation=The common difference is 12. Therefore the next term is 56 + 12 = 68.

id=56939 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:18 and the first is 100, what is the second? | option_a=72 | option_b=90 | option_c=190 | option_d=110 | answer=B | explanation=Scale factor = 100/20 = 5. Therefore second quantity = 18×5 = 90.

id=56940 | topic=Averages | difficulty=Easy | question=Find the average of 55, 90, 101. | option_a=84 | option_b=82 | option_c=81 | option_d=83 | answer=B | explanation=Average = sum of values ÷ number of values = 246 ÷ 3 = 82.

Aptitude Questions — Records 56,941-56,970 of 100,000

id=56941 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=24 | option_c=48 | option_d=19 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=56942 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=J | option_b=D | option_c=H | option_d=F | answer=C | explanation=Move 2 positions forward from F; the resulting letter is H.

id=56943 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=13 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=56944 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:15 and the first is 7, what is the second? | option_a=112 | option_b=90 | option_c=105 | option_d=106 | answer=C | explanation=Scale factor = 7/1 = 7. Therefore second quantity = 15×7 = 105.

id=56945 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=Y | option_c=D | option_d=O | answer=B | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=56946 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**9418 at 12% per annum for 2 years. | option_a=11678 | option_b=2360 | option_c=2160 | option_d=2260 | answer=D | explanation=SI = PRT/100 = 9418×12×2/100 = **₹**2260.

id=56947 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=56948 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=36 | option_b=50 | option_c=44 | option_d=43 | answer=D | explanation=The common difference is 7. Therefore the next term is 36 + 7 = 43.

id=56949 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=50 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=56950 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**13181 at 6% per annum for 1 years. | option_a=890 | option_b=790 | option_c=13971 | option_d=690 | answer=B | explanation=SI = PRT/100 = 13181×6×1/100 = **₹**790.

id=56951 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=56 | option_b=38 | option_c=48 | option_d=47 | answer=D | explanation=The common difference is 9. Therefore the next term is 38 + 9 = 47.

id=56952 | topic=Averages | difficulty=Easy | question=Find the average of 14, 97, 12, 93, 20, 46. | option_a=47 | option_b=49 | option_c=46 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = 282 ÷ 6 = 47.

id=56953 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:17 and the first is 132, what is the second? | option_a=187 | option_b=204 | option_c=336 | option_d=215 | answer=B | explanation=Scale factor = 132/11 = 12. Therefore second quantity = 17×12 = 204.

id=56954 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=35 | option_b=42 | option_c=49 | option_d=43 | answer=B | explanation=The common difference is 7. Therefore the next term is 35 + 7 = 42.

id=56955 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**18226 at 10% per annum for 2 years. | option_a=3545 | option_b=21871 | option_c=3645 | option_d=3745 | answer=C | explanation=SI = PRT/100 = 18226×10×2/100 = **₹**3645.

id=56956 | topic=Percentages | difficulty=Easy | question=What is 10% of 1616? | option_a=156 | option_b=171 | option_c=161 | option_d=322 | answer=C | explanation=10% of 1616 = (10/100) × 1616 = 161.

id=56957 | topic=Averages | difficulty=Easy | question=Find the average of 94, 83, 34, 93, 95, 11, 94, 69, 48. | option_a=68 | option_b=70 | option_c=71 | option_d=69 | answer=D | explanation=Average = sum of values ÷ number of values = 621 ÷ 9 = 69.

id=56958 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=V | option_c=W | option_d=T | answer=B | explanation=Move 1 positions forward from U; the resulting letter is V.

id=56959 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**9403 at 12% per annum for 5 years. | option_a=5541 | option_b=5641 | option_c=15044 | option_d=5741 | answer=B | explanation=SI = PRT/100 = 9403×12×5/100 = **₹**5641.

id=56960 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1909. If it is sold at a profit of 30%, what is its selling price? | option_a=2291 | option_b=2481 | option_c=1939 | option_d=2671 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1909 × 130/100 = **₹**2481.

id=56961 | topic=Averages | difficulty=Easy | question=Find the average of 84, 51, 38, 45, 92. | option_a=64 | option_b=61 | option_c=62 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = 310 ÷ 5 = 62.

id=56962 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=6 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=56963 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=56964 | topic=Averages | difficulty=Easy | question=Find the average of 92, 28, 11, 21, 37, 98, 87, 98, 14. | option_a=55 | option_b=56 | option_c=53 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 486 ÷ 9 = 54.

id=56965 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:3 and the first is 80, what is the second? | option_a=27 | option_b=30 | option_c=110 | option_d=38 | answer=B | explanation=Scale factor = 80/8 = 10. Therefore second quantity = 3×10 = 30.

id=56966 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**48214 at 5% per annum for 4 years. | option_a=9742 | option_b=9642 | option_c=57856 | option_d=9542 | answer=B | explanation=SI = PRT/100 = 48214×5×4/100 = **₹**9642.

id=56967 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=S | option_c=K | option_d=W | answer=B | explanation=Move 4 positions forward from O; the resulting letter is S.

id=56968 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**42829 at 4% per annum for 1 years. | option_a=1813 | option_b=1613 | option_c=1713 | option_d=44542 | answer=C | explanation=SI = PRT/100 = 42829×4×1/100 = **₹**1713.

id=56969 | topic=Percentages | difficulty=Easy | question=What is 50% of 503? | option_a=241 | option_b=256 | option_c=502 | option_d=251 | answer=D | explanation=50% of 503 = (50/100) × 503 = 251.

id=56970 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=23 | option_b=30 | option_c=29 | option_d=35 | answer=C | explanation=The common difference is 6. Therefore the next term is 23 + 6 = 29.

Aptitude Questions — Records 56,971-57,000 of 100,000

id=56971 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=56972 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=69 | option_b=56 | option_c=68 | option_d=80 | answer=C | explanation=The common difference is 12. Therefore the next term is 56 + 12 = 68.

id=56973 | topic=Averages | difficulty=Easy | question=Find the average of 85, 33, 91, 52, 82, 91, 98. | option_a=78 | option_b=77 | option_c=76 | option_d=75 | answer=C | explanation=Average = sum of values ÷ number of values = 532 ÷ 7 = 76.

id=56974 | topic=Averages | difficulty=Easy | question=Find the average of 26, 37, 76, 50, 99, 60. | option_a=60 | option_b=59 | option_c=58 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 348 ÷ 6 = 58.

id=56975 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1847 at 4% per annum for 5 years. | option_a=269 | option_b=2216 | option_c=369 | option_d=469 | answer=C | explanation=SI = $PRT/100 = 1847 \times 4 \times 5/100 = \blacksquare 369$.

id=56976 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1133. If it is sold at a profit of 5%, what is its selling price? | option_a=1189 | option_b=1302 | option_c=1138 | option_d=1076 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1133 \times 105/100 = \blacksquare 1189$.

id=56977 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=29 | option_b=37 | option_c=38 | option_d=45 | answer=B | explanation=The common difference is 8. Therefore the next term is 29 + 8 = 37.

id=56978 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10201 at 4% per annum for 1 years. | option_a=10609 | option_b=408 | option_c=508 | option_d=308 | answer=B | explanation=SI = $PRT/100 = 10201 \times 4 \times 1/100 = \blacksquare 408$.

id=56979 | topic=Averages | difficulty=Easy | question=Find the average of 88, 80, 55, 20, 27, 79, 78, 38, 100, 75. | option_a=66 | option_b=63 | option_c=64 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = 640 ÷ 10 = 64.

id=56980 | topic=Averages | difficulty=Easy | question=Find the average of 27, 68, 88, 34, 58. | option_a=54 | option_b=55 | option_c=57 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 275 ÷ 5 = 55.

id=56981 | topic=Averages | difficulty=Easy | question=Find the average of 60, 75, 24. | option_a=54 | option_b=53 | option_c=55 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 159 ÷ 3 = 53.

id=56982 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46144 at 10% per annum for 5 years. | option_a=22972 | option_b=23072 | option_c=69216 | option_d=23172 | answer=B | explanation=SI = $PRT/100 = 46144 \times 10 \times 5/100 = \blacksquare 23072$.

id=56983 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=M | option_c=A | option_d=I | answer=D | explanation=Move 4 positions forward from E; the resulting letter is I.

id=56984 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 26, 34, 42, ? | option_a=58 | option_b=50 | option_c=51 | option_d=42 | answer=B | explanation=The common difference is 8. Therefore the next term is 42 + 8 = 50.

id=56985 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41575 at 8% per annum for 2 years. | option_a=48227 | option_b=6552 | option_c=6752 | option_d=6652 | answer=D | explanation=SI = $PRT/100 = 41575 \times 8 \times 2/100 = \blacksquare 6652$.

id=56986 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 4. | option_a=56 | option_b=24 | option_c=42 | option_d=28 | answer=D | explanation= $LCM \times HCF = 14 \times 4$; $HCF(14,4) = 2$, so $LCM = 28$.

id=56987 | topic=Averages | difficulty=Easy | question=Find the average of 36, 64, 20. | option_a=42 | option_b=40 | option_c=41 | option_d=39 | answer=B | explanation=Average = sum of values ÷ number of values = 120 ÷ 3 = 40.

id=56988 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14433 at 6% per annum for 4 years. | option_a=3463 | option_b=17896 | option_c=3363 | option_d=3563 | answer=A | explanation=SI = $PRT/100 = 14433 \times 6 \times 4/100 = \blacksquare 3463$.

id=56989 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=115 | option_c=125 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=56990 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=H | option_b=J | option_c=N | option_d=L | answer=D | explanation=Move 2 positions forward from J; the resulting letter is L.

id=56991 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=240 | option_c=115 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=56992 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 16? | option_a=11 | option_b=8 | option_c=16 | option_d=5 | answer=C | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 16 is the odd one out.

id=56993 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 15, 19, 24? | option_a=19 | option_b=24 | option_c=15 | option_d=11 | answer=B | explanation=The first three numbers increase by 4, so the next should be 23. Therefore 24 is the odd one out.

id=56994 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=P | option_b=V | option_c=R | option_d=T | answer=D | explanation=Move 2 positions forward from R; the resulting letter is T.

id=56995 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=25 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=56996 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=W | option_b=E | option_c=A | option_d=I | answer=B | explanation=Move 4 positions forward from A; the resulting letter is E.

id=56997 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:8 and the first is 81, what is the second? | option_a=64 | option_b=81 | option_c=72 | option_d=153 | answer=C | explanation=Scale factor = $81/9 = 9$. Therefore second quantity = $8 \times 9 = 72$.

id=56998 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:9 and the first is 17, what is the second? | option_a=144 | option_b=154 | option_c=153 | option_d=170 | answer=C | explanation=Scale factor = $17/1 = 17$. Therefore second quantity = $9 \times 17 = 153$.

id=56999 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13927 at 12% per annum for 3 years. | option_a=5013 | option_b=18940 | option_c=5113 | option_d=4913 | answer=A | explanation=SI = $PRT/100 = 13927 \times 12 \times 3/100 = \blacksquare 5013$.

id=57000 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

Aptitude Questions — Records 57,001-57,030 of 100,000

id=57001 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=57002 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■16897 at 8% per annum for 3 years. | option_a=4155 | option_b=20952 | option_c=3955 | option_d=4055 | answer=D | explanation=SI = PRT/100 = 16897×8×3/100 = ■4055.

id=57003 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 30. | option_a=480 | option_b=210 | option_c=256 | option_d=240 | answer=D | explanation=LCM × HCF = 16×30; HCF(16,30) = 2, so LCM = 240.

id=57004 | topic=Percentages | difficulty=Easy | question=What is 5% of 801? | option_a=50 | option_b=80 | option_c=30 | option_d=40 | answer=D | explanation=5% of 801 = (5/100) × 801 = 40.

id=57005 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:17 and the first is 270, what is the second? | option_a=273 | option_b=525 | option_c=238 | option_d=255 | answer=D | explanation=Scale factor = 270/18 = 15. Therefore second quantity = 17×15 = 255.

id=57006 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=50 | option_b=34 | option_c=43 | option_d=42 | answer=D | explanation=The common difference is 8. Therefore the next term is 34 + 8 = 42.

id=57007 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=90 | option_c=180 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=57008 | topic=Percentages | difficulty=Easy | question=What is 10% of 1958? | option_a=195 | option_b=215 | option_c=185 | option_d=390 | answer=A | explanation=10% of 1958 = (10/100) × 1958 = 195.

id=57009 | topic=Averages | difficulty=Easy | question=Find the average of 36, 61, 68. | option_a=55 | option_b=56 | option_c=54 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 165 ÷ 3 = 55.

id=57010 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=80 | option_c=85 | option_d=75 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=57011 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=R | option_c=V | option_d=J | answer=B | explanation=Move 4 positions forward from N; the resulting letter is R.

id=57012 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 14. | option_a=56 | option_b=112 | option_c=42 | option_d=64 | answer=A | explanation=LCM × HCF = 8×14; HCF(8,14) = 2, so LCM = 56.

id=57013 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:5 and the first is 24, what is the second? | option_a=15 | option_b=23 | option_c=10 | option_d=39 | answer=A | explanation=Scale factor = 24/8 = 3. Therefore second quantity = 5×3 = 15.

id=57014 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3247. If it is sold at a profit of 30%, what is its selling price? | option_a=3897 | option_b=3277 | option_c=4545 | option_d=4221 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3247 × 130/100 = ■4221.

id=57015 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■8006 at 4% per annum for 5 years. | option_a=9607 | option_b=1501 | option_c=1701 | option_d=1601 | answer=D | explanation=SI = PRT/100 = 8006×4×5/100 = ■1601.

id=57016 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=37 | option_b=28 | option_c=44 | option_d=36 | answer=D | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=57017 | topic=Percentages | difficulty=Easy | question=What is 5% of 116? | option_a=5 | option_b=15 | option_c=0 | option_d=10 | answer=A | explanation=5% of 116 = (5/100) × 116 = 5.

id=57018 | topic=Percentages | difficulty=Easy | question=What is 50% of 1887? | option_a=923 | option_b=1886 | option_c=943 | option_d=948 | answer=C | explanation=50% of 1887 = (50/100) × 1887 = 943.

id=57019 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=20 | option_b=24 | option_c=22 | option_d=23 | answer=C | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=57020 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 46? | option_a=46 | option_b=26 | option_c=32 | option_d=38 | answer=A | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 46 is the odd one out.

id=57021 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=G | option_c=H | option_d=F | answer=C | explanation=Move 1 positions forward from G; the resulting letter is H.

id=57022 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=D | option_b=E | option_c=B | option_d=C | answer=A | explanation=Move 1 positions forward from C; the resulting letter is D.

id=57023 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=57024 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 27, 33, 41? | option_a=21 | option_b=41 | option_c=33 | option_d=27 | answer=B | explanation=The first three numbers increase by 6, so the next should be 39. Therefore 41 is the odd one out.

id=57025 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=40 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=57026 | topic=Averages | difficulty=Easy | question=Find the average of 36, 19, 80, 73. | option_a=51 | option_b=54 | option_c=53 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 208 ÷ 4 = 52.

id=57027 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 5, 7, 12? | option_a=3 | option_b=5 | option_c=7 | option_d=12 | answer=D | explanation=The first three numbers increase by 2, so the next should be 9. Therefore 12 is the odd one out.

id=57028 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=57029 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:19 and the first is 21, what is the second? | option_a=154 | option_b=133 | option_c=136 | option_d=114 | answer=B | explanation=Scale factor = 21/3 = 7. Therefore second quantity = 19×7 = 133.

id=57030 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■744. If it is sold at a profit of 40%, what is its selling price? | option_a=967 | option_b=1041 | option_c=784 | option_d=1115 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 744 × 140/100 = ■1041.

Aptitude Questions — Records 57,031-57,060 of 100,000

id=57031 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=W | option_b=R | option_c=B | option_d=M | answer=A | explanation=Move 5 positions forward from R; the resulting letter is W.

id=57032 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30480 at 15% per annum for 5 years. | option_a=53340 | option_b=22760 | option_c=22960 | option_d=22860 | answer=D | explanation=SI = $PRT/100 = 30480 \times 15 \times 5/100 = \text{█}22860$.

id=57033 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4138. If it is sold at a profit of 5%, what is its selling price? | option_a=4344 | option_b=4757 | option_c=3931 | option_d=4143 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4138 \times 105/100 = \text{█}4344$.

id=57034 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:20 and the first is 44, what is the second? | option_a=60 | option_b=91 | option_c=80 | option_d=124 | answer=C | explanation=Scale factor = $44/11 = 4$. Therefore second quantity = $20 \times 4 = 80$.

id=57035 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22300 at 12% per annum for 1 years. | option_a=2676 | option_b=2576 | option_c=2776 | option_d=24976 | answer=A | explanation=SI = $PRT/100 = 22300 \times 12 \times 1/100 = \text{█}2676$.

id=57036 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:18 and the first is 77, what is the second? | option_a=126 | option_b=108 | option_c=203 | option_d=137 | answer=A | explanation=Scale factor = $77/11 = 7$. Therefore second quantity = $18 \times 7 = 126$.

id=57037 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=57038 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=15 | option_b=23 | option_c=20 | option_d=19 | answer=D | explanation=The common difference is 4. Therefore the next term is $15 + 4 = 19$.

id=57039 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=57040 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 22, 28, 37? | option_a=22 | option_b=28 | option_c=16 | option_d=37 | answer=D | explanation=The first three numbers increase by 6, so the next should be 34. Therefore 37 is the odd one out.

id=57041 | topic=Averages | difficulty=Easy | question=Find the average of 86, 31, 82, 93. | option_a=72 | option_b=74 | option_c=73 | option_d=75 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 292 \div 4 = 73$.

id=57042 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=G | option_c=V | option_d=Q | answer=D | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=57043 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=L | option_c=I | option_d=C | answer=C | explanation=Move 3 positions forward from F; the resulting letter is I.

id=57044 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 150 \div 5 = 30 \text{ km/h}$.

id=57045 | topic=Percentages | difficulty=Easy | question=What is 5% of 450? | option_a=22 | option_b=27 | option_c=17 | option_d=44 | answer=A | explanation= $5\% \text{ of } 450 = (5/100) \times 450 = 22$.

id=57046 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=Q | option_b=G | option_c=B | option_d=L | answer=D | explanation=Move 5 positions forward from G; the resulting letter is L.

id=57047 | topic=Percentages | difficulty=Easy | question=What is 10% of 1321? | option_a=264 | option_b=142 | option_c=132 | option_d=122 | answer=C | explanation= $10\% \text{ of } 1321 = (10/100) \times 1321 = 132$.

id=57048 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2705. If it is sold at a profit of 25%, what is its selling price? | option_a=3381 | option_b=3111 | option_c=2730 | option_d=3651 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2705 \times 125/100 = \text{█}3381$.

id=57049 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=19 | option_b=20 | option_c=15 | option_d=23 | answer=A | explanation=The common difference is 4. Therefore the next term is $15 + 4 = 19$.

id=57050 | topic=Percentages | difficulty=Easy | question=What is 25% of 466? | option_a=116 | option_b=96 | option_c=232 | option_d=136 | answer=A | explanation= $25\% \text{ of } 466 = (25/100) \times 466 = 116$.

id=57051 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 29, 37, 47? | option_a=29 | option_b=21 | option_c=37 | option_d=47 | answer=D | explanation=The first three numbers increase by 8, so the next should be 45. Therefore 47 is the odd one out.

id=57052 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 18, 23, 28, ? | option_a=33 | option_b=38 | option_c=34 | option_d=28 | answer=A | explanation=The common difference is 5. Therefore the next term is $28 + 5 = 33$.

id=57053 | topic=Percentages | difficulty=Easy | question=What is 40% of 709? | option_a=566 | option_b=283 | option_c=263 | option_d=293 | answer=B | explanation= $40\% \text{ of } 709 = (40/100) \times 709 = 283$.

id=57054 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=X | option_b=T | option_c=B | option_d=P | answer=A | explanation=Move 4 positions forward from T; the resulting letter is X.

id=57055 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=36 | option_b=37 | option_c=32 | option_d=40 | answer=A | explanation=The common difference is 4. Therefore the next term is $32 + 4 = 36$.

id=57056 | topic=Percentages | difficulty=Easy | question=What is 25% of 1970? | option_a=497 | option_b=984 | option_c=482 | option_d=492 | answer=D | explanation= $25\% \text{ of } 1970 = (25/100) \times 1970 = 492$.

id=57057 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 23? | option_a=17 | option_b=19 | option_c=23 | option_d=15 | answer=C | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 23 is the odd one out.

id=57058 | topic=Percentages | difficulty=Easy | question=What is 40% of 625? | option_a=240 | option_b=500 | option_c=250 | option_d=260 | answer=C | explanation= $40\% \text{ of } 625 = (40/100) \times 625 = 250$.

id=57059 | topic=Percentages | difficulty=Easy | question=What is 12% of 427? | option_a=51 | option_b=56 | option_c=102 | option_d=31 | answer=A | explanation= $12\% \text{ of } 427 = (12/100) \times 427 = 51$.

id=57060 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

Aptitude Questions — Records 57,061-57,090 of 100,000

id=57061 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:16 and the first is 112, what is the second? | option_a=256 | option_b=240 | option_c=368 | option_d=263 | answer=A | explanation=Scale factor = $112/7 = 16$. Therefore second quantity = $16 \times 16 = 256$.

id=57062 | topic=Averages | difficulty=Easy | question=Find the average of 14, 93, 13, 88, 49, 49. | option_a=50 | option_b=53 | option_c=51 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = $306 \div 6 = 51$.

id=57063 | topic=Percentages | difficulty=Easy | question=What is 20% of 1794? | option_a=358 | option_b=353 | option_c=363 | option_d=716 | answer=B | explanation=20% of 1794 = $(20/100) \times 1794 = 358$.

id=57064 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=80 | option_d=150 | answer=A | explanation=Speed = distance ÷ time = $300 \div 4 = 75$ km/h.

id=57065 | topic=Averages | difficulty=Easy | question=Find the average of 87, 95, 96, 93, 61, 93, 38, 57, 81, 99. | option_a=80 | option_b=79 | option_c=82 | option_d=81 | answer=A | explanation=Average = sum of values ÷ number of values = $800 \div 10 = 80$.

id=57066 | topic=Averages | difficulty=Easy | question=Find the average of 17, 69, 25, 16, 85, 71, 51, 82. | option_a=54 | option_b=52 | option_c=53 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = $416 \div 8 = 52$.

id=57067 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=8 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=57068 | topic=Percentages | difficulty=Easy | question=What is 10% of 1425? | option_a=147 | option_b=284 | option_c=142 | option_d=122 | answer=C | explanation=10% of 1425 = $(10/100) \times 1425 = 142$.

id=57069 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=57070 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 49? | option_a=36 | option_b=49 | option_c=30 | option_d=42 | answer=B | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 49 is the odd one out.

id=57071 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=57072 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=125 | option_c=240 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = $240 \div 2 = 120$ km/h.

id=57073 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:5 and the first is 270, what is the second? | option_a=105 | option_b=85 | option_c=360 | option_d=90 | answer=D | explanation=Scale factor = $270/15 = 18$. Therefore second quantity = $5 \times 18 = 90$.

id=57074 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=L | option_b=A | option_c=V | option_d=Q | answer=C | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=57075 | topic=Percentages | difficulty=Easy | question=What is 30% of 1434? | option_a=430 | option_b=860 | option_c=435 | option_d=425 | answer=A | explanation=30% of 1434 = $(30/100) \times 1434 = 430$.

id=57076 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:5 and the first is 256, what is the second? | option_a=75 | option_b=96 | option_c=80 | option_d=336 | answer=C | explanation=Scale factor = $256/16 = 16$. Therefore second quantity = $5 \times 16 = 80$.

id=57077 | topic=Averages | difficulty=Easy | question=Find the average of 28, 95, 86, 77, 96, 42, 69, 33, 90, 14. | option_a=62 | option_b=64 | option_c=65 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = $630 \div 10 = 63$.

id=57078 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=10 | option_b=12 | option_c=8 | option_d=11 | answer=A | explanation=The common difference is 2. Therefore the next term is $8 + 2 = 10$.

id=57079 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=16 | answer=B | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=57080 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:2 and the first is 64, what is the second? | option_a=30 | option_b=96 | option_c=32 | option_d=36 | answer=C | explanation=Scale factor = $64/4 = 16$. Therefore second quantity = $2 \times 16 = 32$.

id=57081 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=57082 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1992. If it is sold at a profit of 5%, what is its selling price? | option_a=2091 | option_b=1997 | option_c=2290 | option_d=1892 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 1992 \times 105/100 = \text{█}2091$.

id=57083 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=10 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = $60 \div 4 = 15$ km/h.

id=57084 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=57085 | topic=Percentages | difficulty=Easy | question=What is 12% of 1402? | option_a=336 | option_b=168 | option_c=188 | option_d=148 | answer=B | explanation=12% of 1402 = $(12/100) \times 1402 = 168$.

id=57086 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=57087 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=L | option_c=Z | option_d=D | answer=A | explanation=Move 4 positions forward from D; the resulting letter is H.

id=57088 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2976. If it is sold at a profit of 30%, what is its selling price? | option_a=3571 | option_b=3868 | option_c=3006 | option_d=4165 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2976 \times 130/100 = \text{█}3868$.

id=57089 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2656. If it is sold at a profit of 40%, what is its selling price? | option_a=3718 | option_b=2696 | option_c=3453 | option_d=3983 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2656 \times 140/100 = \text{█}3718$.

id=57090 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2701. If it is sold at a profit of 20%, what is its selling price? | option_a=3511 | option_b=2721 | option_c=2971 | option_d=3241 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2701 \times 120/100 = \text{█}3241$.

Aptitude Questions — Records 57,091-57,120 of 100,000

id=57091 | topic=Averages | difficulty=Easy | question=Find the average of 50, 47, 46, 22, 34, 91, 102. | option_a=55 | option_b=56 | option_c=57 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 392 ÷ 7 = 56.

id=57092 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23581 at 8% per annum for 2 years. | option_a=3872 | option_b=3772 | option_c=27353 | option_d=3672 | answer=B | explanation=SI = $PRT/100 = 23581 \times 8 \times 2/100 = \text{■}3772$.

id=57093 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=36 | option_b=56 | option_c=47 | option_d=46 | answer=D | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.

id=57094 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=S | option_c=N | option_d=D | answer=C | explanation=Move 5 positions forward from I; the resulting letter is N.

id=57095 | topic=Averages | difficulty=Easy | question=Find the average of 52, 95, 13, 82, 16, 70, 77, 20, 34. | option_a=52 | option_b=51 | option_c=50 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 459 ÷ 9 = 51.

id=57096 | topic=Percentages | difficulty=Easy | question=What is 20% of 1774? | option_a=354 | option_b=708 | option_c=334 | option_d=364 | answer=A | explanation=20% of 1774 = $(20/100) \times 1774 = 354$.

id=57097 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 29? | option_a=19 | option_b=29 | option_c=23 | option_d=15 | answer=B | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 29 is the odd one out.

id=57098 | topic=Percentages | difficulty=Easy | question=What is 20% of 55? | option_a=16 | option_b=6 | option_c=11 | option_d=22 | answer=C | explanation=20% of 55 = $(20/100) \times 55 = 11$.

id=57099 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 22. | option_a=308 | option_b=330 | option_c=360 | option_d=660 | answer=B | explanation=LCM × HCF = 30×22; HCF(30,22) = 2, so LCM = 330.

id=57100 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=57101 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:18 and the first is 154, what is the second? | option_a=263 | option_b=234 | option_c=252 | option_d=406 | answer=C | explanation=Scale factor = $154/11 = 14$. Therefore second quantity = $18 \times 14 = 252$.

id=57102 | topic=Averages | difficulty=Easy | question=Find the average of 88, 20, 88, 73, 55, 55, 61, 85, 69. | option_a=66 | option_b=65 | option_c=67 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = 594 ÷ 9 = 66.

id=57103 | topic=Averages | difficulty=Easy | question=Find the average of 49, 50, 84, 57. | option_a=61 | option_b=60 | option_c=62 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = $240 \div 4 = 60$.

id=57104 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20900 at 10% per annum for 2 years. | option_a=4080 | option_b=4180 | option_c=4280 | option_d=25080 | answer=B | explanation=SI = $PRT/100 = 20900 \times 10 \times 2/100 = \text{■}4180$.

id=57105 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25318 at 6% per annum for 2 years. | option_a=3038 | option_b=2938 | option_c=28356 | option_d=3138 | answer=A | explanation=SI = $PRT/100 = 25318 \times 6 \times 2/100 = \text{■}3038$.

id=57106 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:6 and the first is 288, what is the second? | option_a=124 | option_b=102 | option_c=108 | option_d=396 | answer=C | explanation=Scale factor = $288/16 = 18$. Therefore second quantity = $6 \times 18 = 108$.

id=57107 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 22, 25, 29? | option_a=29 | option_b=22 | option_c=19 | option_d=25 | answer=A | explanation=The first three numbers increase by 3, so the next should be 28. Therefore 29 is the odd one out.

id=57108 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40399 at 4% per annum for 3 years. | option_a=4847 | option_b=45246 | option_c=4747 | option_d=4947 | answer=A | explanation=SI = $PRT/100 = 40399 \times 4 \times 3/100 = \text{■}4847$.

id=57109 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=36 | option_c=41 | option_d=72 | answer=B | explanation=Speed = distance ÷ time = $360 \div 10 = 36$ km/h.

id=57110 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:17 and the first is 144, what is the second? | option_a=289 | option_b=314 | option_c=450 | option_d=306 | answer=D | explanation=Scale factor = $144/8 = 18$. Therefore second quantity = $17 \times 18 = 306$.

id=57111 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:3 and the first is 16, what is the second? | option_a=9 | option_b=16 | option_c=28 | option_d=12 | answer=D | explanation=Scale factor = $16/4 = 4$. Therefore second quantity = $3 \times 4 = 12$.

id=57112 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=J | option_c=V | option_d=N | answer=A | explanation=Move 4 positions forward from N; the resulting letter is R.

id=57113 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 8, 11, 14, ? | option_a=20 | option_b=17 | option_c=14 | option_d=18 | answer=B | explanation=The common difference is 3. Therefore the next term is 14 + 3 = 17.

id=57114 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=50 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = $360 \div 8 = 45$ km/h.

id=57115 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9692 at 10% per annum for 3 years. | option_a=12599 | option_b=2907 | option_c=3007 | option_d=2807 | answer=B | explanation=SI = $PRT/100 = 9692 \times 10 \times 3/100 = \text{■}2907$.

id=57116 | topic=Averages | difficulty=Easy | question=Find the average of 49, 18, 89, 52, 46, 76. | option_a=57 | option_b=56 | option_c=54 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = $330 \div 6 = 55$.

id=57117 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2774. If it is sold at a profit of 25%, what is its selling price? | option_a=3467 | option_b=3744 | option_c=3190 | option_d=2799 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2774 \times 125/100 = \text{■}3467$.

id=57118 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:18 and the first is 48, what is the second? | option_a=192 | option_b=144 | option_c=150 | option_d=126 | answer=B | explanation=Scale factor = $48/6 = 8$. Therefore second quantity = $18 \times 8 = 144$.

id=57119 | topic=Percentages | difficulty=Easy | question=What is 12% of 1486? | option_a=158 | option_b=356 | option_c=183 | option_d=178 | answer=D | explanation=12% of 1486 = $(12/100) \times 1486 = 178$.

id=57120 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

Aptitude Questions — Records 57,121-57,150 of 100,000

id=57121 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 34? | option_a=34 | option_b=19 | option_c=12 | option_d=26 | answer=A | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 34 is the odd one out.

id=57122 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40384 at 8% per annum for 3 years. | option_a=9692 | option_b=9792 | option_c=9592 | option_d=50076 | answer=A | explanation=SI = $PRT/100 = 40384 \times 8 \times 3/100 = \text{■}9692$.

id=57123 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=8 | option_d=1 | answer=B | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=57124 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=21 | option_b=15 | option_c=18 | option_d=19 | answer=C | explanation=The common difference is 3. Therefore the next term is $15 + 3 = 18$.

id=57125 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 13, 19, 28? | option_a=13 | option_b=7 | option_c=19 | option_d=28 | answer=D | explanation=The first three numbers increase by 6, so the next should be 25. Therefore 28 is the odd one out.

id=57126 | topic=Percentages | difficulty=Easy | question=What is 15% of 893? | option_a=133 | option_b=113 | option_c=138 | option_d=266 | answer=A | explanation=15% of 893 = $(15/100) \times 893 = 133$.

id=57127 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26980 at 10% per annum for 3 years. | option_a=8194 | option_b=8094 | option_c=7994 | option_d=35074 | answer=B | explanation=SI = $PRT/100 = 26980 \times 10 \times 3/100 = \text{■}8094$.

id=57128 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=M | option_c=J | option_d=L | answer=D | explanation=Move 1 positions forward from K; the resulting letter is L.

id=57129 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 20. | option_a=480 | option_b=120 | option_c=144 | option_d=100 | answer=B | explanation=LCM $\times$ HCF = 24×20 ; HCF(24,20) = 4, so LCM = 120.

id=57130 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=57131 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance $\div$ time = $150 \div 10 = 15$ km/h.

id=57132 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=57133 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 31, 40, 52? | option_a=31 | option_b=52 | option_c=40 | option_d=22 | answer=B | explanation=The first three numbers increase by 9, so the next should be 49. Therefore 52 is the odd one out.

id=57134 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:13 and the first is 16, what is the second? | option_a=195 | option_b=209 | option_c=208 | option_d=224 | answer=C | explanation=Scale factor = $16/1 = 16$. Therefore second quantity = $13 \times 16 = 208$.

id=57135 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=57136 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=P | option_c=J | option_d=N | answer=D | explanation=Move 2 positions forward from L; the resulting letter is N.

id=57137 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**422. If it is sold at a profit of 30%, what is its selling price? | option_a=548 | option_b=452 | option_c=590 | option_d=506 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 422 \times 130/100 = \text{■}548$.

id=57138 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:1 and the first is 18, what is the second? | option_a=5 | option_b=9 | option_c=24 | option_d=6 | answer=D | explanation=Scale factor = $18/3 = 6$. Therefore second quantity = $1 \times 6 = 6$.

id=57139 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=125 | option_b=120 | option_c=240 | option_d=115 | answer=B | explanation=Speed = distance $\div$ time = $240 \div 2 = 120$ km/h.

id=57140 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:9 and the first is 260, what is the second? | option_a=117 | option_b=377 | option_c=137 | option_d=108 | answer=A | explanation=Scale factor = $260/20 = 13$. Therefore second quantity = $9 \times 13 = 117$.

id=57141 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12755 at 6% per annum for 5 years. | option_a=3726 | option_b=3826 | option_c=16581 | option_d=3926 | answer=B | explanation=SI = $PRT/100 = 12755 \times 6 \times 5/100 = \text{■}3826$.

id=57142 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=39 | option_b=40 | option_c=44 | option_d=34 | answer=A | explanation=The common difference is 5. Therefore the next term is $34 + 5 = 39$.

id=57143 | topic=Percentages | difficulty=Easy | question=What is 25% of 1598? | option_a=404 | option_b=798 | option_c=394 | option_d=399 | answer=D | explanation=25% of 1598 = $(25/100) \times 1598 = 399$.

id=57144 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=31 | option_c=36 | option_d=41 | answer=C | explanation=Speed = distance $\div$ time = $180 \div 5 = 36$ km/h.

id=57145 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8648 at 5% per annum for 2 years. | option_a=764 | option_b=9512 | option_c=964 | option_d=864 | answer=D | explanation=SI = $PRT/100 = 8648 \times 5 \times 2/100 = \text{■}864$.

id=57146 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance $\div$ time = $150 \div 5 = 30$ km/h.

id=57147 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=M | option_b=I | option_c=K | option_d=G | answer=C | explanation=Move 2 positions forward from I; the resulting letter is K.

id=57148 | topic=Percentages | difficulty=Easy | question=What is 15% of 1957? | option_a=293 | option_b=288 | option_c=586 | option_d=303 | answer=A | explanation=15% of 1957 = $(15/100) \times 1957 = 293$.

id=57149 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:8 and the first is 380, what is the second? | option_a=179 | option_b=540 | option_c=152 | option_d=160 | answer=D | explanation=Scale factor = $380/19 = 20$. Therefore second quantity = $8 \times 20 = 160$.

id=57150 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=L | option_b=M | option_c=K | option_d=J | answer=A | explanation=Move 1 positions forward from K; the resulting letter is L.

Aptitude Questions — Records 57,151-57,180 of 100,000

id=57151 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=57152 | topic=Averages | difficulty=Easy | question=Find the average of 82, 19, 56, 59. | option_a=55 | option_b=54 | option_c=56 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{216}{4} = 54$.

id=57153 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3571. If it is sold at a profit of 25%, what is its selling price? | option_a=4820 | option_b=3596 | option_c=4106 | option_d=4463 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3571 \times 125 / 100 = \text{█}4463$.

id=57154 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=O | option_c=M | option_d=I | answer=C | explanation=Move 2 positions forward from K; the resulting letter is M.

id=57155 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 30? | option_a=19 | option_b=14 | option_c=24 | option_d=30 | answer=D | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 30 is the odd one out.

id=57156 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=57157 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 25. | option_a=1 | option_b=25 | option_c=625 | option_d=50 | answer=B | explanation= $LCM \times HCF = 25 \times 25$; $HCF(25, 25) = 25$, so $LCM = 25$.

id=57158 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 33, 42, 53? | option_a=42 | option_b=53 | option_c=24 | option_d=33 | answer=B | explanation=The first three numbers increase by 9, so the next should be 51. Therefore 53 is the odd one out.

id=57159 | topic=Averages | difficulty=Easy | question=Find the average of 91, 45, 86. | option_a=74 | option_b=73 | option_c=76 | option_d=75 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{222}{3} = 74$.

id=57160 | topic=Percentages | difficulty=Easy | question=What is 20% of 1590? | option_a=318 | option_b=298 | option_c=338 | option_d=636 | answer=A | explanation= $20\% \text{ of } 1590 = (\frac{20}{100}) \times 1590 = 318$.

id=57161 | topic=Percentages | difficulty=Easy | question=What is 30% of 527? | option_a=148 | option_b=158 | option_c=168 | option_d=316 | answer=B | explanation= $30\% \text{ of } 527 = (\frac{30}{100}) \times 527 = 158$.

id=57162 | topic=Percentages | difficulty=Easy | question=What is 12% of 1794? | option_a=430 | option_b=235 | option_c=205 | option_d=215 | answer=D | explanation= $12\% \text{ of } 1794 = (\frac{12}{100}) \times 1794 = 215$.

id=57163 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 23, 32, 42? | option_a=23 | option_b=42 | option_c=32 | option_d=14 | answer=B | explanation=The first three numbers increase by 9, so the next should be 41. Therefore 42 is the odd one out.

id=57164 | topic=Profit & Loss | difficulty=Easy | question=An article costs █945. If it is sold at a profit of 25%, what is its selling price? | option_a=970 | option_b=1181 | option_c=1087 | option_d=1275 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 945 \times 125 / 100 = \text{█}1181$.

id=57165 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3219. If it is sold at a profit of 50%, what is its selling price? | option_a=5149 | option_b=3269 | option_c=4828 | option_d=4507 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3219 \times 150 / 100 = \text{█}4828$.

id=57166 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=57167 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 10, 15, 20, ? | option_a=20 | option_b=25 | option_c=26 | option_d=30 | answer=B | explanation=The common difference is 5. Therefore the next term is $20 + 5 = 25$.

id=57168 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27642 at 6% per annum for 5 years. | option_a=8392 | option_b=35934 | option_c=8292 | option_d=8192 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{27642 \times 6 \times 5}{100} = \text{█}8292$.

id=57169 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22829 at 6% per annum for 3 years. | option_a=4109 | option_b=4009 | option_c=4209 | option_d=26938 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{22829 \times 6 \times 3}{100} = \text{█}4109$.

id=57170 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 13, 19, 28? | option_a=13 | option_b=28 | option_c=7 | option_d=19 | answer=B | explanation=The first three numbers increase by 6, so the next should be 25. Therefore 28 is the odd one out.

id=57171 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 8. | option_a=1 | option_b=8 | option_c=12 | option_d=32 | answer=B | explanation= $LCM \times HCF = 4 \times 8$; $HCF(4, 8) = 4$, so $LCM = 8$.

id=57172 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=57173 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=36 | option_b=35 | option_c=41 | option_d=29 | answer=B | explanation=The common difference is 6. Therefore the next term is $29 + 6 = 35$.

id=57174 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:11 and the first is 306, what is the second? | option_a=198 | option_b=504 | option_c=187 | option_d=215 | answer=A | explanation=Scale factor = $\frac{306}{17} = 18$. Therefore second quantity = $11 \times 18 = 198$.

id=57175 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=11 | option_b=12 | option_c=13 | option_d=9 | answer=A | explanation=The common difference is 2. Therefore the next term is $9 + 2 = 11$.

id=57176 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=120 | option_c=240 | option_d=125 | answer=B | explanation=Speed = distance ÷ time = $\frac{360}{3} = 120$ km/h.

id=57177 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=35 | option_b=42 | option_c=49 | option_d=43 | answer=B | explanation=The common difference is 7. Therefore the next term is $35 + 7 = 42$.

id=57178 | topic=Averages | difficulty=Easy | question=Find the average of 75, 77, 50, 15, 91, 16. | option_a=56 | option_b=53 | option_c=55 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{324}{6} = 54$.

id=57179 | topic=Averages | difficulty=Easy | question=Find the average of 77, 72, 22, 13, 88, 80, 27, 79, 97, 25. | option_a=57 | option_b=60 | option_c=58 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{580}{10} = 58$.

id=57180 | topic=Averages | difficulty=Easy | question=Find the average of 30, 63, 93. | option_a=63 | option_b=62 | option_c=64 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{186}{3} = 62$.

Aptitude Questions — Records 57,181-57,210 of 100,000

id=57181 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=36 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=57182 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 26. | option_a=52 | option_b=104 | option_c=26 | option_d=56 | answer=A | explanation=LCM × HCF = 4×26; HCF(4,26) = 2, so LCM = 52.

id=57183 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:17 and the first is 240, what is the second? | option_a=255 | option_b=272 | option_c=287 | option_d=512 | answer=B | explanation=Scale factor = 240/15 = 16. Therefore second quantity = 17×16 = 272.

id=57184 | topic=Averages | difficulty=Easy | question=Find the average of 85, 77, 79, 26, 33. | option_a=61 | option_b=60 | option_c=59 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 300 ÷ 5 = 60.

id=57185 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 25, 33, 41, ? | option_a=57 | option_b=41 | option_c=49 | option_d=50 | answer=C | explanation=The common difference is 8. Therefore the next term is 41 + 8 = 49.

id=57186 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=57187 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 33? | option_a=16 | option_b=26 | option_c=33 | option_d=21 | answer=C | explanation=The first three numbers increase by 5, so the next should be 31. Therefore 33 is the odd one out.

id=57188 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹207. If it is sold at a profit of 15%, what is its selling price? | option_a=238 | option_b=218 | option_c=222 | option_d=258 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 207 × 115/100 = ₹238.

id=57189 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=J | option_c=H | option_d=I | answer=B | explanation=Move 1 positions forward from I; the resulting letter is J.

id=57190 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=57191 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=K | option_b=Q | option_c=M | option_d=O | answer=D | explanation=Move 2 positions forward from M; the resulting letter is O.

id=57192 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=19 | option_b=22 | option_c=25 | option_d=23 | answer=B | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.

id=57193 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=65 | option_b=66 | option_c=77 | option_d=53 | answer=A | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.

id=57194 | topic=Averages | difficulty=Easy | question=Find the average of 100, 100, 83, 50, 47. | option_a=77 | option_b=75 | option_c=76 | option_d=78 | answer=C | explanation=Average = sum of values ÷ number of values = 380 ÷ 5 = 76.

id=57195 | topic=Averages | difficulty=Easy | question=Find the average of 71, 89, 12, 71, 67, 88, 23, 43. | option_a=58 | option_b=57 | option_c=59 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 464 ÷ 8 = 58.

id=57196 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 32? | option_a=32 | option_b=4 | option_c=22 | option_d=13 | answer=A | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 32 is the odd one out.

id=57197 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=35 | option_b=30 | option_c=34 | option_d=38 | answer=C | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.

id=57198 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=50 | option_b=51 | option_c=59 | option_d=41 | answer=A | explanation=The common difference is 9. Therefore the next term is 41 + 9 = 50.

id=57199 | topic=Percentages | difficulty=Easy | question=What is 25% of 1689? | option_a=844 | option_b=417 | option_c=442 | option_d=422 | answer=D | explanation=25% of 1689 = (25/100) × 1689 = 422.

id=57200 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹4560 at 8% per annum for 2 years. | option_a=729 | option_b=5289 | option_c=629 | option_d=829 | answer=A | explanation=SI = PRT/100 = 4560×8×2/100 = ₹729.

id=57201 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹3323. If it is sold at a profit of 50%, what is its selling price? | option_a=4984 | option_b=5316 | option_c=3373 | option_d=4652 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3323 × 150/100 = ₹4984.

id=57202 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=M | option_b=N | option_c=P | option_d=O | answer=D | explanation=Move 1 positions forward from N; the resulting letter is O.

id=57203 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=57204 | topic=Percentages | difficulty=Easy | question=What is 12% of 1527? | option_a=366 | option_b=183 | option_c=178 | option_d=193 | answer=B | explanation=12% of 1527 = (12/100) × 1527 = 183.

id=57205 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹15870 at 8% per annum for 4 years. | option_a=20948 | option_b=5078 | option_c=4978 | option_d=5178 | answer=B | explanation=SI = PRT/100 = 15870×8×4/100 = ₹5078.

id=57206 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 30. | option_a=30 | option_b=1 | option_c=300 | option_d=40 | answer=A | explanation=LCM × HCF = 10×30; HCF(10,30) = 10, so LCM = 30.

id=57207 | topic=Averages | difficulty=Easy | question=Find the average of 100, 65, 98, 42, 70. | option_a=77 | option_b=74 | option_c=75 | option_d=76 | answer=C | explanation=Average = sum of values ÷ number of values = 375 ÷ 5 = 75.

id=57208 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹3586. If it is sold at a profit of 50%, what is its selling price? | option_a=5379 | option_b=3636 | option_c=5021 | option_d=5737 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3586 × 150/100 = ₹5379.

id=57209 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=57210 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=125 | option_c=115 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

Aptitude Questions — Records 57,211-57,240 of 100,000

id=57211 | topic=Percentages | difficulty=Easy | question=What is 25% of 961? | option_a=260 | option_b=480 | option_c=240 | option_d=220 | answer=C | explanation=25% of 961 = (25/100) × 961 = 240.

id=57212 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4345. If it is sold at a profit of 25%, what is its selling price? | option_a=4997 | option_b=5431 | option_c=4370 | option_d=5865 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4345 × 125/100 = █5431.

id=57213 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38385 at 4% per annum for 1 years. | option_a=39920 | option_b=1635 | option_c=1435 | option_d=1535 | answer=D | explanation=SI = PRT/100 = 38385×4×1/100 = █1535.

id=57214 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3621 at 4% per annum for 1 years. | option_a=44 | option_b=144 | option_c=244 | option_d=3765 | answer=B | explanation=SI = PRT/100 = 3621×4×1/100 = █144.

id=57215 | topic=Percentages | difficulty=Easy | question=What is 10% of 775? | option_a=77 | option_b=57 | option_c=97 | option_d=154 | answer=A | explanation=10% of 775 = (10/100) × 775 = 77.

id=57216 | topic=Averages | difficulty=Easy | question=Find the average of 34, 72, 28, 77, 59, 38, 73, 61, 26. | option_a=51 | option_b=54 | option_c=52 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 468 ÷ 9 = 52.

id=57217 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=G | option_c=O | option_d=C | answer=A | explanation=Move 4 positions forward from G; the resulting letter is K.

id=57218 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2527. If it is sold at a profit of 50%, what is its selling price? | option_a=4042 | option_b=2577 | option_c=3538 | option_d=3790 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2527 × 150/100 = █3790.

id=57219 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=57220 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25905 at 8% per annum for 4 years. | option_a=8389 | option_b=8189 | option_c=34194 | option_d=8289 | answer=D | explanation=SI = PRT/100 = 25905×8×4/100 = █8289.

id=57221 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=57222 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=57223 | topic=Averages | difficulty=Easy | question=Find the average of 82, 13, 38, 40, 49, 35, 34, 66, 102. | option_a=53 | option_b=51 | option_c=52 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 459 ÷ 9 = 51.

id=57224 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:11 and the first is 120, what is the second? | option_a=220 | option_b=226 | option_c=209 | option_d=340 | answer=A | explanation=Scale factor = 120/6 = 20. Therefore second quantity = 11×20 = 220.

id=57225 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24022 at 10% per annum for 5 years. | option_a=36033 | option_b=11911 | option_c=12111 | option_d=12011 | answer=D | explanation=SI = PRT/100 = 24022×10×5/100 = █12011.

id=57226 | topic=Percentages | difficulty=Easy | question=What is 10% of 858? | option_a=170 | option_b=95 | option_c=65 | option_d=85 | answer=D | explanation=10% of 858 = (10/100) × 858 = 85.

id=57227 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3362. If it is sold at a profit of 5%, what is its selling price? | option_a=3866 | option_b=3530 | option_c=3194 | option_d=3367 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3362 × 105/100 = █3530.

id=57228 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 13? | option_a=9 | option_b=5 | option_c=13 | option_d=7 | answer=C | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 13 is the odd one out.

id=57229 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=67 | option_b=47 | option_c=57 | option_d=58 | answer=C | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

id=57230 | topic=Percentages | difficulty=Easy | question=What is 5% of 264? | option_a=0 | option_b=26 | option_c=13 | option_d=23 | answer=C | explanation=5% of 264 = (5/100) × 264 = 13.

id=57231 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17832 at 12% per annum for 3 years. | option_a=6519 | option_b=6319 | option_c=24251 | option_d=6419 | answer=D | explanation=SI = PRT/100 = 17832×12×3/100 = █6419.

id=57232 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=57233 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=G | option_b=Q | option_c=V | option_d=L | answer=B | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=57234 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18331 at 10% per annum for 1 years. | option_a=1733 | option_b=1833 | option_c=1933 | option_d=20164 | answer=B | explanation=SI = PRT/100 = 18331×10×1/100 = █1833.

id=57235 | topic=Averages | difficulty=Easy | question=Find the average of 65, 43, 95, 30, 57, 70. | option_a=61 | option_b=59 | option_c=62 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 360 ÷ 6 = 60.

id=57236 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 16. | option_a=198 | option_b=160 | option_c=176 | option_d=352 | answer=C | explanation=LCM × HCF = 22×16; HCF(22,16) = 2, so LCM = 176.

id=57237 | topic=Averages | difficulty=Easy | question=Find the average of 43, 59, 51, 88, 78, 70, 59. | option_a=66 | option_b=65 | option_c=63 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 448 ÷ 7 = 64.

id=57238 | topic=Percentages | difficulty=Easy | question=What is 30% of 1559? | option_a=462 | option_b=467 | option_c=472 | option_d=934 | answer=B | explanation=30% of 1559 = (30/100) × 1559 = 467.

id=57239 | topic=Percentages | difficulty=Easy | question=What is 25% of 73? | option_a=0 | option_b=18 | option_c=36 | option_d=23 | answer=B | explanation=25% of 73 = (25/100) × 73 = 18.

id=57240 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=19 | option_b=20 | option_c=23 | option_d=15 | answer=A | explanation=The common difference is 4. Therefore the next term is 15 + 4 = 19.

Aptitude Questions — Records 57,241-57,270 of 100,000

id=57241 | topic=Percentages | difficulty=Easy | question=What is 15% of 878? | option_a=126 | option_b=262 | option_c=151 | option_d=131 | answer=D | explanation=15% of 878 = (15/100) × 878 = 131.

id=57242 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=68 | option_b=46 | option_c=57 | option_d=58 | answer=C | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.

id=57243 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36500 at 10% per annum for 5 years. | option_a=54750 | option_b=18150 | option_c=18250 | option_d=18350 | answer=C | explanation=SI = PRT/100 = 36500×10×5/100 = **■**18250.

id=57244 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**670. If it is sold at a profit of 10%, what is its selling price? | option_a=804 | option_b=670 | option_c=680 | option_d=737 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 670 × 110/100 = **■**737.

id=57245 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=180 | option_c=185 | option_d=360 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=57246 | topic=Percentages | difficulty=Easy | question=What is 40% of 848? | option_a=678 | option_b=339 | option_c=319 | option_d=359 | answer=B | explanation=40% of 848 = (40/100) × 848 = 339.

id=57247 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8730 at 12% per annum for 2 years. | option_a=2195 | option_b=1995 | option_c=2095 | option_d=10825 | answer=C | explanation=SI = PRT/100 = 8730×12×2/100 = **■**2095.

id=57248 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1475. If it is sold at a profit of 40%, what is its selling price? | option_a=2212 | option_b=2065 | option_c=1918 | option_d=1515 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1475 × 140/100 = **■**2065.

id=57249 | topic=Percentages | difficulty=Easy | question=What is 10% of 1375? | option_a=157 | option_b=274 | option_c=132 | option_d=137 | answer=D | explanation=10% of 1375 = (10/100) × 1375 = 137.

id=57250 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=57251 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2540. If it is sold at a profit of 20%, what is its selling price? | option_a=2794 | option_b=3048 | option_c=2560 | option_d=3302 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2540 × 120/100 = **■**3048.

id=57252 | topic=Averages | difficulty=Easy | question=Find the average of 17, 89, 69, 66, 35, 30. | option_a=51 | option_b=52 | option_c=50 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 306 ÷ 6 = 51.

id=57253 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 33? | option_a=10 | option_b=24 | option_c=33 | option_d=17 | answer=C | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 33 is the odd one out.

id=57254 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=L | option_c=R | option_d=N | answer=A | explanation=Move 2 positions forward from N; the resulting letter is P.

id=57255 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=W | option_b=B | option_c=G | option_d=L | answer=C | explanation=Move 5 positions forward from B; the resulting letter is G.

id=57256 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=57257 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 20, 27, 35? | option_a=20 | option_b=13 | option_c=35 | option_d=27 | answer=C | explanation=The first three numbers increase by 7, so the next should be 34. Therefore 35 is the odd one out.

id=57258 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=57259 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:12 and the first is 133, what is the second? | option_a=217 | option_b=103 | option_c=72 | option_d=84 | answer=D | explanation=Scale factor = 133/19 = 7. Therefore second quantity = 12×7 = 84.

id=57260 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16908 at 6% per annum for 3 years. | option_a=19951 | option_b=3043 | option_c=3143 | option_d=2943 | answer=B | explanation=SI = PRT/100 = 16908×6×3/100 = **■**3043.

id=57261 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 8. | option_a=32 | option_b=80 | option_c=40 | option_d=50 | answer=C | explanation=LCM × HCF = 10×8; HCF(10,8) = 2, so LCM = 40.

id=57262 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4353. If it is sold at a profit of 40%, what is its selling price? | option_a=6094 | option_b=6529 | option_c=5659 | option_d=4393 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4353 × 140/100 = **■**6094.

id=57263 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42471 at 5% per annum for 4 years. | option_a=8494 | option_b=50965 | option_c=8594 | option_d=8394 | answer=A | explanation=SI = PRT/100 = 42471×5×4/100 = **■**8494.

id=57264 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=52 | option_b=42 | option_c=60 | option_d=51 | answer=D | explanation=The common difference is 9. Therefore the next term is 42 + 9 = 51.

id=57265 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=43 | option_b=42 | option_c=50 | option_d=34 | answer=B | explanation=The common difference is 8. Therefore the next term is 34 + 8 = 42.

id=57266 | topic=Averages | difficulty=Easy | question=Find the average of 72, 94, 33, 50, 46, 72, 95. | option_a=66 | option_b=67 | option_c=68 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 462 ÷ 7 = 66.

id=57267 | topic=Percentages | difficulty=Easy | question=What is 50% of 1799? | option_a=904 | option_b=1798 | option_c=899 | option_d=879 | answer=C | explanation=50% of 1799 = (50/100) × 1799 = 899.

id=57268 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=29 | option_c=24 | option_d=48 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=57269 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=X | option_b=C | option_c=S | option_d=N | answer=A | explanation=Move 5 positions forward from S; the resulting letter is X.

id=57270 | topic=Percentages | difficulty=Easy | question=What is 20% of 548? | option_a=114 | option_b=109 | option_c=218 | option_d=89 | answer=B | explanation=20% of 548 = (20/100) × 548 = 109.

Aptitude Questions — Records 57,271-57,300 of 100,000

id=57271 | topic=Percentages | difficulty=Easy | question=What is 5% of 920? | option_a=92 | option_b=46 | option_c=51 | option_d=26 | answer=B | explanation=5% of 920 = (5/100) × 920 = 46.

id=57272 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:12 and the first is 3, what is the second? | option_a=39 | option_b=36 | option_c=24 | option_d=37 | answer=B | explanation=Scale factor = 3/1 = 3. Therefore second quantity = 12×3 = 36.

id=57273 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=20 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=57274 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=V | option_b=T | option_c=U | option_d=W | answer=A | explanation=Move 1 positions forward from U; the resulting letter is V.

id=57275 | topic=Averages | difficulty=Easy | question=Find the average of 74, 100, 96, 61, 27, 93, 90, 19. | option_a=71 | option_b=69 | option_c=70 | option_d=72 | answer=C | explanation=Average = sum of values ÷ number of values = 560 ÷ 8 = 70.

id=57276 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 57? | option_a=46 | option_b=36 | option_c=26 | option_d=57 | answer=D | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 57 is the odd one out.

id=57277 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=J | option_b=P | option_c=S | option_d=M | answer=B | explanation=Move 3 positions forward from M; the resulting letter is P.

id=57278 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1802. If it is sold at a profit of 20%, what is its selling price? | option_a=1982 | option_b=2342 | option_c=1822 | option_d=2162 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1802 × 120/100 = ₹2162.

id=57279 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=57280 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=77 | option_c=144 | option_d=67 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=57281 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=50 | option_b=42 | option_c=32 | option_d=41 | answer=D | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

id=57282 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=V | option_c=K | option_d=F | answer=D | explanation=Move 5 positions forward from A; the resulting letter is F.

id=57283 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 21. | option_a=63 | option_b=72 | option_c=42 | option_d=189 | answer=A | explanation=LCM × HCF = 9×21; HCF(9,21) = 3, so LCM = 63.

id=57284 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹30093 at 4% per annum for 1 years. | option_a=1303 | option_b=1203 | option_c=31296 | option_d=1103 | answer=B | explanation=SI = PRT/100 = 30093×4×1/100 = ₹1203.

id=57285 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=77 | option_c=144 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=57286 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=23 | option_c=36 | option_d=13 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=57287 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=57288 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹33649 at 12% per annum for 4 years. | option_a=16251 | option_b=16051 | option_c=16151 | option_d=49800 | answer=C | explanation=SI = PRT/100 = 33649×12×4/100 = ₹16151.

id=57289 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=29 | option_b=35 | option_c=33 | option_d=32 | answer=D | explanation=The common difference is 3. Therefore the next term is 29 + 3 = 32.

id=57290 | topic=Percentages | difficulty=Easy | question=What is 20% of 304? | option_a=60 | option_b=70 | option_c=40 | option_d=120 | answer=A | explanation=20% of 304 = (20/100) × 304 = 60.

id=57291 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:4 and the first is 33, what is the second? | option_a=45 | option_b=12 | option_c=23 | option_d=8 | answer=B | explanation=Scale factor = 33/11 = 3. Therefore second quantity = 4×3 = 12.

id=57292 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=34 | option_b=46 | option_c=41 | option_d=40 | answer=D | explanation=The common difference is 6. Therefore the next term is 34 + 6 = 40.

id=57293 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 27, 32, 38? | option_a=22 | option_b=27 | option_c=38 | option_d=32 | answer=C | explanation=The first three numbers increase by 5, so the next should be 37. Therefore 38 is the odd one out.

id=57294 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=23 | option_b=20 | option_c=15 | option_d=19 | answer=D | explanation=The common difference is 4. Therefore the next term is 15 + 4 = 19.

id=57295 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 32, 39, 48? | option_a=39 | option_b=32 | option_c=48 | option_d=25 | answer=C | explanation=The first three numbers increase by 7, so the next should be 46. Therefore 48 is the odd one out.

id=57296 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=21 | option_b=20 | option_c=17 | option_d=19 | answer=D | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=57297 | topic=Averages | difficulty=Easy | question=Find the average of 30, 88, 53, 47, 61, 27. | option_a=51 | option_b=52 | option_c=53 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 306 ÷ 6 = 51.

id=57298 | topic=Averages | difficulty=Easy | question=Find the average of 58, 76, 55, 54, 38, 25. | option_a=53 | option_b=50 | option_c=51 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 306 ÷ 6 = 51.

id=57299 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:13 and the first is 63, what is the second? | option_a=154 | option_b=91 | option_c=100 | option_d=78 | answer=B | explanation=Scale factor = 63/9 = 7. Therefore second quantity = 13×7 = 91.

id=57300 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

Aptitude Questions — Records 57,301-57,330 of 100,000

- id=57301 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 6. | option_a=66 | option_b=132 | option_c=60 | option_d=88 | answer=A | explanation=LCM × HCF = 22×6; HCF(22,6) = 2, so LCM = 66.
- id=57302 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=26 | option_b=27 | option_c=24 | option_d=28 | answer=A | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.
- id=57303 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 8, 10, 15? | option_a=6 | option_b=10 | option_c=15 | option_d=8 | answer=C | explanation=The first three numbers increase by 2, so the next should be 12. Therefore 15 is the odd one out.
- id=57304 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=24 | option_b=19 | option_c=23 | option_d=27 | answer=C | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.
- id=57305 | topic=Profit & Loss | difficulty=Easy | question=An article costs █215. If it is sold at a profit of 10%, what is its selling price? | option_a=215 | option_b=236 | option_c=225 | option_d=257 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 215 × 110/100 = █236.
- id=57306 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.
- id=57307 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34705 at 4% per annum for 1 years. | option_a=1288 | option_b=1488 | option_c=1388 | option_d=36093 | answer=C | explanation=SI = PRT/100 = 34705×4×1/100 = █1388.
- id=57308 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.
- id=57309 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=7 | option_c=17 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.
- id=57310 | topic=Percentages | difficulty=Easy | question=What is 25% of 939? | option_a=468 | option_b=254 | option_c=234 | option_d=214 | answer=C | explanation=25% of 939 = (25/100) × 939 = 234.
- id=57311 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 8. | option_a=160 | option_b=32 | option_c=40 | option_d=60 | answer=C | explanation=LCM × HCF = 20×8; HCF(20,8) = 4, so LCM = 40.
- id=57312 | topic=Averages | difficulty=Easy | question=Find the average of 48, 36, 99, 87, 70, 14. | option_a=59 | option_b=58 | option_c=60 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.
- id=57313 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=B | option_b=R | option_c=M | option_d=W | answer=D | explanation=Move 5 positions forward from R; the resulting letter is W.
- id=57314 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=C | option_b=S | option_c=X | option_d=N | answer=C | explanation=Move 5 positions forward from S; the resulting letter is X.
- id=57315 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=19 | option_c=29 | option_d=48 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.
- id=57316 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 4. | option_a=8 | option_b=1 | option_c=16 | option_d=4 | answer=D | explanation=LCM × HCF = 4×4; HCF(4,4) = 4, so LCM = 4.
- id=57317 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 14. | option_a=28 | option_b=392 | option_c=56 | option_d=14 | answer=A | explanation=LCM × HCF = 28×14; HCF(28,14) = 14, so LCM = 28.
- id=57318 | topic=Averages | difficulty=Easy | question=Find the average of 26, 19, 44, 21, 55. | option_a=35 | option_b=34 | option_c=33 | option_d=32 | answer=C | explanation=Average = sum of values ÷ number of values = 165 ÷ 5 = 33.
- id=57319 | topic=Averages | difficulty=Easy | question=Find the average of 22, 33, 82, 94, 59. | option_a=57 | option_b=59 | option_c=60 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 290 ÷ 5 = 58.
- id=57320 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=57321 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=64 | option_b=54 | option_c=44 | option_d=55 | answer=B | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.
- id=57322 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 44? | option_a=21 | option_b=44 | option_c=35 | option_d=28 | answer=B | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 44 is the odd one out.
- id=57323 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34479 at 12% per annum for 1 years. | option_a=4137 | option_b=4037 | option_c=4237 | option_d=38616 | answer=A | explanation=SI = PRT/100 = 34479×12×1/100 = █4137.
- id=57324 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 16, 20, 25? | option_a=16 | option_b=12 | option_c=25 | option_d=20 | answer=C | explanation=The first three numbers increase by 4, so the next should be 24. Therefore 25 is the odd one out.
- id=57325 | topic=Percentages | difficulty=Easy | question=What is 5% of 1010? | option_a=45 | option_b=70 | option_c=100 | option_d=50 | answer=D | explanation=5% of 1010 = (5/100) × 1010 = 50.
- id=57326 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 27, 31, 37? | option_a=23 | option_b=31 | option_c=27 | option_d=37 | answer=D | explanation=The first three numbers increase by 4, so the next should be 35. Therefore 37 is the odd one out.
- id=57327 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.
- id=57328 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:4 and the first is 224, what is the second? | option_a=64 | option_b=60 | option_c=288 | option_d=78 | answer=A | explanation=Scale factor = 224/14 = 16. Therefore second quantity = 4×16 = 64.
- id=57329 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=17 | option_c=7 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.
- id=57330 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=72 | option_c=41 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

Aptitude Questions — Records 57,331-57,360 of 100,000

- id=57331 | topic=Averages | difficulty=Easy | question=Find the average of 25, 76, 36, 92, 70, 43. | option_a=56 | option_b=59 | option_c=57 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 342 ÷ 6 = 57.
- id=57332 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 59? | option_a=59 | option_b=27 | option_c=47 | option_d=37 | answer=A | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 59 is the odd one out.
- id=57333 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31625 at 6% per annum for 1 years. | option_a=1897 | option_b=1997 | option_c=1797 | option_d=33522 | answer=A | explanation=SI = PRT/100 = 31625×6×1/100 = **■**1897.
- id=57334 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=20 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=57335 | topic=Percentages | difficulty=Easy | question=What is 15% of 1990? | option_a=298 | option_b=318 | option_c=596 | option_d=288 | answer=A | explanation=15% of 1990 = (15/100) × 1990 = 298.
- id=57336 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.
- id=57337 | topic=Percentages | difficulty=Easy | question=What is 50% of 621? | option_a=320 | option_b=620 | option_c=310 | option_d=290 | answer=C | explanation=50% of 621 = (50/100) × 621 = 310.
- id=57338 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=47 | option_b=57 | option_c=46 | option_d=35 | answer=C | explanation=The common difference is 11. Therefore the next term is 35 + 11 = 46.
- id=57339 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1146. If it is sold at a profit of 40%, what is its selling price? | option_a=1718 | option_b=1604 | option_c=1186 | option_d=1490 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1146 × 140/100 = **■**1604.
- id=57340 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1952 at 12% per annum for 1 years. | option_a=234 | option_b=334 | option_c=134 | option_d=2186 | answer=A | explanation=SI = PRT/100 = 1952×12×1/100 = **■**234.
- id=57341 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33653 at 10% per annum for 5 years. | option_a=50479 | option_b=16726 | option_c=16926 | option_d=16826 | answer=D | explanation=SI = PRT/100 = 33653×10×5/100 = **■**16826.
- id=57342 | topic=Averages | difficulty=Easy | question=Find the average of 49, 44, 90, 10, 48, 92, 22, 56, 37, 42. | option_a=49 | option_b=51 | option_c=48 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 490 ÷ 10 = 49.
- id=57343 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=90 | option_c=50 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.
- id=57344 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=57345 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 23, 25, 29? | option_a=29 | option_b=21 | option_c=25 | option_d=23 | answer=A | explanation=The first three numbers increase by 2, so the next should be 27. Therefore 29 is the odd one out.
- id=57346 | topic=Number System | difficulty=Easy | question=Find the LCM of 11 and 22. | option_a=22 | option_b=33 | option_c=242 | option_d=1 | answer=A | explanation=LCM × HCF = 11×22; HCF(11,22) = 11, so LCM = 22.
- id=57347 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34481 at 12% per annum for 4 years. | option_a=16450 | option_b=16650 | option_c=51031 | option_d=16550 | answer=D | explanation=SI = PRT/100 = 34481×12×4/100 = **■**16550.
- id=57348 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4504. If it is sold at a profit of 50%, what is its selling price? | option_a=6306 | option_b=6756 | option_c=4554 | option_d=7206 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4504 × 150/100 = **■**6756.
- id=57349 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 24, 32, 40, ? | option_a=40 | option_b=49 | option_c=48 | option_d=56 | answer=C | explanation=The common difference is 8. Therefore the next term is 40 + 8 = 48.
- id=57350 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=I | option_c=E | option_d=W | answer=C | explanation=Move 4 positions forward from A; the resulting letter is E.
- id=57351 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=O | option_b=T | option_c=J | option_d=E | answer=A | explanation=Move 5 positions forward from J; the resulting letter is O.
- id=57352 | topic=Percentages | difficulty=Easy | question=What is 30% of 97? | option_a=29 | option_b=19 | option_c=39 | option_d=58 | answer=A | explanation=30% of 97 = (30/100) × 97 = 29.
- id=57353 | topic=Averages | difficulty=Easy | question=Find the average of 55, 28, 18, 63. | option_a=43 | option_b=42 | option_c=41 | option_d=40 | answer=C | explanation=Average = sum of values ÷ number of values = 164 ÷ 4 = 41.
- id=57354 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:15 and the first is 16, what is the second? | option_a=120 | option_b=136 | option_c=122 | option_d=105 | answer=A | explanation=Scale factor = 16/2 = 8. Therefore second quantity = 15×8 = 120.
- id=57355 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.
- id=57356 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42693 at 10% per annum for 1 years. | option_a=4269 | option_b=4369 | option_c=46962 | option_d=4169 | answer=A | explanation=SI = PRT/100 = 42693×10×1/100 = **■**4269.
- id=57357 | topic=Averages | difficulty=Easy | question=Find the average of 14, 57, 73, 26, 98, 62, 39, 40, 46, 25. | option_a=49 | option_b=50 | option_c=48 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 480 ÷ 10 = 48.
- id=57358 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=39 | option_b=55 | option_c=48 | option_d=47 | answer=D | explanation=The common difference is 8. Therefore the next term is 39 + 8 = 47.
- id=57359 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 30. | option_a=450 | option_b=1 | option_c=30 | option_d=45 | answer=C | explanation=LCM × HCF = 15×30; HCF(15,30) = 15, so LCM = 30.
- id=57360 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1899 at 8% per annum for 1 years. | option_a=51 | option_b=151 | option_c=2050 | option_d=251 | answer=B | explanation=SI = PRT/100 = 1899×8×1/100 = **■**151.

Aptitude Questions — Records 57,361-57,390 of 100,000

id=57361 | topic=Percentages | difficulty=Easy | question=What is 15% of 651? | option_a=92 | option_b=97 | option_c=107 | option_d=194 | answer=B | explanation=15% of 651 = (15/100) × 651 = 97.

id=57362 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=X | option_c=T | option_d=L | answer=C | explanation=Move 4 positions forward from P; the resulting letter is T.

id=57363 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 36? | option_a=29 | option_b=23 | option_c=36 | option_d=17 | answer=C | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 36 is the odd one out.

id=57364 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=57365 | topic=Percentages | difficulty=Easy | question=What is 15% of 1430? | option_a=214 | option_b=194 | option_c=428 | option_d=234 | answer=A | explanation=15% of 1430 = (15/100) × 1430 = 214.

id=57366 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=57367 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=57368 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹479. If it is sold at a profit of 20%, what is its selling price? | option_a=499 | option_b=621 | option_c=527 | option_d=574 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 479 × 120/100 = ₹574.

id=57369 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=63 | option_b=53 | option_c=43 | option_d=54 | answer=B | explanation=The common difference is 10. Therefore the next term is 43 + 10 = 53.

id=57370 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=10 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=57371 | topic=Percentages | difficulty=Easy | question=What is 25% of 1972? | option_a=986 | option_b=493 | option_c=498 | option_d=473 | answer=B | explanation=25% of 1972 = (25/100) × 1972 = 493.

id=57372 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=O | option_b=K | option_c=G | option_d=C | answer=B | explanation=Move 4 positions forward from G; the resulting letter is K.

id=57373 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=57374 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹763. If it is sold at a profit of 40%, what is its selling price? | option_a=1068 | option_b=803 | option_c=992 | option_d=1144 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 763 × 140/100 = ₹1068.

id=57375 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=38 | option_b=44 | option_c=39 | option_d=32 | answer=A | explanation=The common difference is 6. Therefore the next term is 32 + 6 = 38.

id=57376 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 14, 21, 30? | option_a=7 | option_b=14 | option_c=21 | option_d=30 | answer=D | explanation=The first three numbers increase by 7, so the next should be 28. Therefore 30 is the odd one out.

id=57377 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:6 and the first is 289, what is the second? | option_a=102 | option_b=96 | option_c=391 | option_d=119 | answer=A | explanation=Scale factor = 289/17 = 17. Therefore second quantity = 6×17 = 102.

id=57378 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:17 and the first is 14, what is the second? | option_a=17 | option_b=34 | option_c=48 | option_d=41 | answer=B | explanation=Scale factor = 14/7 = 2. Therefore second quantity = 17×2 = 34.

id=57379 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:13 and the first is 40, what is the second? | option_a=65 | option_b=52 | option_c=105 | option_d=73 | answer=A | explanation=Scale factor = 40/8 = 5. Therefore second quantity = 13×5 = 65.

id=57380 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:20 and the first is 190, what is the second? | option_a=200 | option_b=180 | option_c=390 | option_d=219 | answer=A | explanation=Scale factor = 190/19 = 10. Therefore second quantity = 20×10 = 200.

id=57381 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=W | option_b=N | option_c=Q | option_d=T | answer=D | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=57382 | topic=Percentages | difficulty=Easy | question=What is 25% of 1441? | option_a=380 | option_b=350 | option_c=720 | option_d=360 | answer=D | explanation=25% of 1441 = (25/100) × 1441 = 360.

id=57383 | topic=Percentages | difficulty=Easy | question=What is 10% of 150? | option_a=25 | option_b=30 | option_c=5 | option_d=15 | answer=D | explanation=10% of 150 = (10/100) × 150 = 15.

id=57384 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=120 | option_c=125 | option_d=115 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=57385 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 12. | option_a=36 | option_b=24 | option_c=108 | option_d=45 | answer=A | explanation=LCM × HCF = 9×12; HCF(9,12) = 3, so LCM = 36.

id=57386 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:6 and the first is 234, what is the second? | option_a=342 | option_b=121 | option_c=108 | option_d=102 | answer=C | explanation=Scale factor = 234/13 = 18. Therefore second quantity = 6×18 = 108.

id=57387 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 5. | option_a=10 | option_b=5 | option_c=50 | option_d=20 | answer=A | explanation=LCM × HCF = 10×5; HCF(10,5) = 5, so LCM = 10.

id=57388 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=41 | option_c=31 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=57389 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=45 | option_c=40 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=57390 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=P | option_b=Y | option_c=S | option_d=V | answer=D | explanation=Move 3 positions forward from S; the resulting letter is V.

Aptitude Questions — Records 57,391-57,420 of 100,000

id=57391 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 10, 13, 16, ? | option_a=16 | option_b=22 | option_c=19 | option_d=20 | answer=C | explanation=The common difference is 3. Therefore the next term is 16 + 3 = 19.

id=57392 | topic=Averages | difficulty=Easy | question=Find the average of 97, 65, 15, 24, 30, 87, 70, 84. | option_a=59 | option_b=61 | option_c=58 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 472 ÷ 8 = 59.

id=57393 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=31 | option_b=24 | option_c=38 | option_d=32 | answer=A | explanation=The common difference is 7. Therefore the next term is 24 + 7 = 31.

id=57394 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 26, 29, 34? | option_a=23 | option_b=29 | option_c=34 | option_d=26 | answer=C | explanation=The first three numbers increase by 3, so the next should be 32. Therefore 34 is the odd one out.

id=57395 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 21, 23, 25, ? | option_a=27 | option_b=29 | option_c=28 | option_d=25 | answer=A | explanation=The common difference is 2. Therefore the next term is 25 + 2 = 27.

id=57396 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=37 | option_b=34 | option_c=29 | option_d=33 | answer=D | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=57397 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 26. | option_a=468 | option_b=208 | option_c=252 | option_d=234 | answer=D | explanation=LCM × HCF = 18×26; HCF(18,26) = 2, so LCM = 234.

id=57398 | topic=Averages | difficulty=Easy | question=Find the average of 96, 55, 68, 10, 84, 81, 94, 98, 35. | option_a=70 | option_b=69 | option_c=68 | option_d=71 | answer=B | explanation=Average = sum of values ÷ number of values = 621 ÷ 9 = 69.

id=57399 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 24, 32, 40, ? | option_a=48 | option_b=56 | option_c=49 | option_d=40 | answer=A | explanation=The common difference is 8. Therefore the next term is 40 + 8 = 48.

id=57400 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 15. | option_a=18 | option_b=45 | option_c=1 | option_d=15 | answer=D | explanation=LCM × HCF = 3×15; HCF(3,15) = 3, so LCM = 15.

id=57401 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25840 at 6% per annum for 2 years. | option_a=3200 | option_b=3000 | option_c=3100 | option_d=28940 | answer=C | explanation=SI = PRT/100 = 25840×6×2/100 = **■**3100.

id=57402 | topic=Percentages | difficulty=Easy | question=What is 40% of 1586? | option_a=624 | option_b=644 | option_c=1268 | option_d=634 | answer=D | explanation=40% of 1586 = (40/100) × 1586 = 634.

id=57403 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=100 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=57404 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43474 at 5% per annum for 1 years. | option_a=2073 | option_b=45647 | option_c=2273 | option_d=2173 | answer=D | explanation=SI = PRT/100 = 43474×5×1/100 = **■**2173.

id=57405 | topic=Averages | difficulty=Easy | question=Find the average of 30, 55, 15, 38, 95, 62, 83, 38, 75, 19. | option_a=52 | option_b=53 | option_c=51 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

id=57406 | topic=Averages | difficulty=Easy | question=Find the average of 63, 36, 30, 55, 46, 92, 105. | option_a=60 | option_b=61 | option_c=63 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 427 ÷ 7 = 61.

id=57407 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12101 at 15% per annum for 3 years. | option_a=5445 | option_b=5345 | option_c=5545 | option_d=17546 | answer=A | explanation=SI = PRT/100 = 12101×15×3/100 = **■**5445.

id=57408 | topic=Averages | difficulty=Easy | question=Find the average of 26, 50, 49, 57, 25, 14, 17. | option_a=33 | option_b=35 | option_c=34 | option_d=36 | answer=C | explanation=Average = sum of values ÷ number of values = 238 ÷ 7 = 34.

id=57409 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4574. If it is sold at a profit of 20%, what is its selling price? | option_a=5945 | option_b=5488 | option_c=4594 | option_d=5031 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4574 × 120/100 = **■**5488.

id=57410 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30506 at 6% per annum for 3 years. | option_a=35997 | option_b=5591 | option_c=5491 | option_d=5391 | answer=C | explanation=SI = PRT/100 = 30506×6×3/100 = **■**5491.

id=57411 | topic=Averages | difficulty=Easy | question=Find the average of 84, 27, 32, 76, 81, 54. | option_a=60 | option_b=58 | option_c=61 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.

id=57412 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4945. If it is sold at a profit of 10%, what is its selling price? | option_a=5933 | option_b=4955 | option_c=4945 | option_d=5439 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4945 × 110/100 = **■**5439.

id=57413 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=95 | option_c=85 | option_d=180 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=57414 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=M | option_c=O | option_d=K | answer=C | explanation=Move 2 positions forward from M; the resulting letter is O.

id=57415 | topic=Averages | difficulty=Easy | question=Find the average of 20, 52, 77, 86, 77, 33, 29, 98, 11, 97. | option_a=58 | option_b=57 | option_c=60 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 580 ÷ 10 = 58.

id=57416 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47892 at 5% per annum for 4 years. | option_a=9478 | option_b=57470 | option_c=9578 | option_d=9678 | answer=C | explanation=SI = PRT/100 = 47892×5×4/100 = **■**9578.

id=57417 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 35, 45, 57? | option_a=35 | option_b=45 | option_c=57 | option_d=25 | answer=C | explanation=The first three numbers increase by 10, so the next should be 55. Therefore 57 is the odd one out.

id=57418 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1878. If it is sold at a profit of 20%, what is its selling price? | option_a=2066 | option_b=2440 | option_c=2253 | option_d=1898 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1878 × 120/100 = **■**2253.

id=57419 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 26. | option_a=234 | option_b=252 | option_c=468 | option_d=208 | answer=A | explanation=LCM × HCF = 18×26; HCF(18,26) = 2, so LCM = 234.

id=57420 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10661 at 12% per annum for 1 years. | option_a=11940 | option_b=1179 | option_c=1379 | option_d=1279 | answer=D | explanation=SI = PRT/100 = 10661×12×1/100 = **■**1279.

Aptitude Questions — Records 57,421-57,450 of 100,000

id=57421 | topic=Averages | difficulty=Easy | question=Find the average of 60, 46, 53, 58, 31, 82. | option_a=57 | option_b=55 | option_c=54 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 330 ÷ 6 = 55.

id=57422 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=57423 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14254 at 5% per annum for 4 years. | option_a=2950 | option_b=17104 | option_c=2750 | option_d=2850 | answer=D | explanation=SI = PRT/100 = 14254×5×4/100 = ■2850.

id=57424 | topic=Percentages | difficulty=Easy | question=What is 12% of 961? | option_a=125 | option_b=230 | option_c=115 | option_d=105 | answer=C | explanation=12% of 961 = (12/100) × 961 = 115.

id=57425 | topic=Percentages | difficulty=Easy | question=What is 15% of 282? | option_a=42 | option_b=37 | option_c=84 | option_d=52 | answer=A | explanation=15% of 282 = (15/100) × 282 = 42.

id=57426 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 11? | option_a=11 | option_b=4 | option_c=8 | option_d=6 | answer=A | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 11 is the odd one out.

id=57427 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■23358 at 8% per annum for 4 years. | option_a=30832 | option_b=7574 | option_c=7374 | option_d=7474 | answer=D | explanation=SI = PRT/100 = 23358×8×4/100 = ■7474.

id=57428 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:20 and the first is 304, what is the second? | option_a=396 | option_b=684 | option_c=380 | option_d=360 | answer=C | explanation=Scale factor = 304/16 = 19. Therefore second quantity = 20×19 = 380.

id=57429 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:16 and the first is 26, what is the second? | option_a=208 | option_b=210 | option_c=192 | option_d=234 | answer=A | explanation=Scale factor = 26/2 = 13. Therefore second quantity = 16×13 = 208.

id=57430 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1038. If it is sold at a profit of 5%, what is its selling price? | option_a=1192 | option_b=986 | option_c=1043 | option_d=1089 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1038 × 105/100 = ■1089.

id=57431 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=W | option_b=T | option_c=Z | option_d=Q | answer=A | explanation=Move 3 positions forward from T; the resulting letter is W.

id=57432 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=57433 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 44? | option_a=30 | option_b=38 | option_c=34 | option_d=44 | answer=D | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 44 is the odd one out.

id=57434 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 46? | option_a=23 | option_b=30 | option_c=37 | option_d=46 | answer=D | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 46 is the odd one out.

id=57435 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=33 | option_b=25 | option_c=32 | option_d=39 | answer=C | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.

id=57436 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=26 | option_b=34 | option_c=35 | option_d=42 | answer=B | explanation=The common difference is 8. Therefore the next term is 26 + 8 = 34.

id=57437 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 19, 22, 25, ? | option_a=28 | option_b=31 | option_c=25 | option_d=29 | answer=A | explanation=The common difference is 3. Therefore the next term is 25 + 3 = 28.

id=57438 | topic=Averages | difficulty=Easy | question=Find the average of 65, 41, 29, 46, 58, 38, 90, 16, 31. | option_a=45 | option_b=47 | option_c=46 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 414 ÷ 9 = 46.

id=57439 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■16210 at 15% per annum for 5 years. | option_a=12157 | option_b=12257 | option_c=28367 | option_d=12057 | answer=A | explanation=SI = PRT/100 = 16210×15×5/100 = ■12157.

id=57440 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 27, 33, 40? | option_a=40 | option_b=27 | option_c=33 | option_d=21 | answer=A | explanation=The first three numbers increase by 6, so the next should be 39. Therefore 40 is the odd one out.

id=57441 | topic=Averages | difficulty=Easy | question=Find the average of 40, 60, 86, 77, 38, 91, 91, 101. | option_a=75 | option_b=74 | option_c=72 | option_d=73 | answer=D | explanation=Average = sum of values ÷ number of values = 584 ÷ 8 = 73.

id=57442 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=H | option_c=E | option_d=Y | answer=C | explanation=Move 3 positions forward from B; the resulting letter is E.

id=57443 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=57444 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1827. If it is sold at a profit of 5%, what is its selling price? | option_a=2100 | option_b=1918 | option_c=1832 | option_d=1736 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1827 × 105/100 = ■1918.

id=57445 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■456. If it is sold at a profit of 5%, what is its selling price? | option_a=478 | option_b=523 | option_c=461 | option_d=433 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 456 × 105/100 = ■478.

id=57446 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=K | option_c=Y | option_d=C | answer=A | explanation=Move 4 positions forward from C; the resulting letter is G.

id=57447 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:3 and the first is 40, what is the second? | option_a=12 | option_b=52 | option_c=22 | option_d=9 | answer=A | explanation=Scale factor = 40/10 = 4. Therefore second quantity = 3×4 = 12.

id=57448 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=R | option_b=U | option_c=T | option_d=S | answer=C | explanation=Move 1 positions forward from S; the resulting letter is T.

id=57449 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=R | option_b=I | option_c=L | option_d=O | answer=D | explanation=Move 3 positions forward from L; the resulting letter is O.

id=57450 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■28029 at 8% per annum for 2 years. | option_a=32513 | option_b=4484 | option_c=4384 | option_d=4584 | answer=B | explanation=SI = PRT/100 = 28029×8×2/100 = ■4484.

Aptitude Questions — Records 57,451-57,480 of 100,000

id=57451 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=57452 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 27, 39, 51, ? | option_a=51 | option_b=63 | option_c=75 | option_d=64 | answer=B | explanation=The common difference is 12. Therefore the next term is 51 + 12 = 63.

id=57453 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 13, 18, 26? | option_a=8 | option_b=13 | option_c=26 | option_d=18 | answer=C | explanation=The first three numbers increase by 5, so the next should be 23. Therefore 26 is the odd one out.

id=57454 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=57455 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=57456 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:9 and the first is 176, what is the second? | option_a=155 | option_b=320 | option_c=144 | option_d=135 | answer=C | explanation=Scale factor = 176/11 = 16. Therefore second quantity = 9×16 = 144.

id=57457 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 9, 16, 24? | option_a=24 | option_b=16 | option_c=2 | option_d=9 | answer=A | explanation=The first three numbers increase by 7, so the next should be 23. Therefore 24 is the odd one out.

id=57458 | topic=Averages | difficulty=Easy | question=Find the average of 45, 51, 46, 26, 53, 22, 21, 71, 16. | option_a=39 | option_b=40 | option_c=41 | option_d=38 | answer=A | explanation=Average = sum of values ÷ number of values = 351 ÷ 9 = 39.

id=57459 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:2 and the first is 84, what is the second? | option_a=14 | option_b=26 | option_c=98 | option_d=12 | answer=A | explanation=Scale factor = 84/12 = 7. Therefore second quantity = 2×7 = 14.

id=57460 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=57461 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:19 and the first is 12, what is the second? | option_a=209 | option_b=228 | option_c=229 | option_d=240 | answer=B | explanation=Scale factor = 12/1 = 12. Therefore second quantity = 19×12 = 228.

id=57462 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=N | option_b=T | option_c=Q | option_d=W | answer=B | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=57463 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13736 at 6% per annum for 3 years. | option_a=2572 | option_b=2372 | option_c=2472 | option_d=16208 | answer=C | explanation=SI = PRT/100 = 13736×6×3/100 = **■**2472.

id=57464 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 36, 43, 52? | option_a=36 | option_b=43 | option_c=29 | option_d=52 | answer=D | explanation=The first three numbers increase by 7, so the next should be 50. Therefore 52 is the odd one out.

id=57465 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=22 | option_b=20 | option_c=23 | option_d=24 | answer=A | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=57466 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24882 at 15% per annum for 4 years. | option_a=14929 | option_b=39811 | option_c=15029 | option_d=14829 | answer=A | explanation=SI = PRT/100 = 24882×15×4/100 = **■**14929.

id=57467 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15067 at 12% per annum for 5 years. | option_a=8940 | option_b=9140 | option_c=24107 | option_d=9040 | answer=D | explanation=SI = PRT/100 = 15067×12×5/100 = **■**9040.

id=57468 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 24. | option_a=264 | option_b=528 | option_c=240 | option_d=286 | answer=A | explanation=LCM × HCF = 22×24; HCF(22,24) = 2, so LCM = 264.

id=57469 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=F | option_b=L | option_c=O | option_d=I | answer=B | explanation=Move 3 positions forward from I; the resulting letter is L.

id=57470 | topic=Averages | difficulty=Easy | question=Find the average of 25, 62, 63. | option_a=52 | option_b=49 | option_c=51 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 150 ÷ 3 = 50.

id=57471 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=80 | option_c=45 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=57472 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4303. If it is sold at a profit of 40%, what is its selling price? | option_a=5594 | option_b=4343 | option_c=6454 | option_d=6024 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4303 × 140/100 = **■**6024.

id=57473 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3172. If it is sold at a profit of 40%, what is its selling price? | option_a=4440 | option_b=3212 | option_c=4757 | option_d=4123 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3172 × 140/100 = **■**4440.

id=57474 | topic=Percentages | difficulty=Easy | question=What is 30% of 1322? | option_a=396 | option_b=401 | option_c=376 | option_d=792 | answer=A | explanation=30% of 1322 = (30/100) × 1322 = 396.

id=57475 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=57476 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=46 | option_b=58 | option_c=59 | option_d=70 | answer=B | explanation=The common difference is 12. Therefore the next term is 46 + 12 = 58.

id=57477 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32208 at 8% per annum for 4 years. | option_a=10206 | option_b=10306 | option_c=42514 | option_d=10406 | answer=B | explanation=SI = PRT/100 = 32208×8×4/100 = **■**10306.

id=57478 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2516 at 4% per annum for 1 years. | option_a=2616 | option_b=100 | option_c=200 | option_d=0 | answer=B | explanation=SI = PRT/100 = 2516×4×1/100 = **■**100.

id=57479 | topic=Averages | difficulty=Easy | question=Find the average of 37, 72, 68, 60, 97, 71, 70, 69, 74, 42. | option_a=67 | option_b=68 | option_c=65 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = 660 ÷ 10 = 66.

id=57480 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

Aptitude Questions — Records 57,481-57,510 of 100,000

id=57481 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 44, what is the second? | option_a=75 | option_b=108 | option_c=64 | option_d=48 | answer=C | explanation=Scale factor = $44/11 = 4$. Therefore second quantity = $16 \times 4 = 64$.

id=57482 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=15 | option_c=40 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = $60 \div 3 = 20$ km/h.

id=57483 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 22. | option_a=44 | option_b=1 | option_c=22 | option_d=484 | answer=C | explanation=LCM $\times$ HCF = 22×22 ; HCF(22,22) = 22, so LCM = 22.

id=57484 | topic=Averages | difficulty=Easy | question=Find the average of 14, 85, 33, 100. | option_a=57 | option_b=58 | option_c=60 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = $232 \div 4 = 58$.

id=57485 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33062 at 5% per annum for 1 years. | option_a=34715 | option_b=1553 | option_c=1653 | option_d=1753 | answer=C | explanation=SI = $PRT/100 = 33062 \times 5 \times 1/100 =$ **■**1653.

id=57486 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=57487 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38442 at 10% per annum for 4 years. | option_a=15476 | option_b=53818 | option_c=15376 | option_d=15276 | answer=C | explanation=SI = $PRT/100 = 38442 \times 10 \times 4/100 =$ **■**15376.

id=57488 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 21. | option_a=315 | option_b=84 | option_c=105 | option_d=120 | answer=C | explanation=LCM $\times$ HCF = 15×21 ; HCF(15,21) = 3, so LCM = 105.

id=57489 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2951. If it is sold at a profit of 20%, what is its selling price? | option_a=3246 | option_b=3836 | option_c=2971 | option_d=3541 | answer=D | explanation=Selling price = CP $\times$ (100 + profit%)/100 = $2951 \times 120/100 =$ **■**3541.

id=57490 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4515. If it is sold at a profit of 5%, what is its selling price? | option_a=4289 | option_b=4740 | option_c=4520 | option_d=5191 | answer=B | explanation=Selling price = CP $\times$ (100 + profit%)/100 = $4515 \times 105/100 =$ **■**4740.

id=57491 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**596. If it is sold at a profit of 20%, what is its selling price? | option_a=774 | option_b=656 | option_c=616 | option_d=715 | answer=D | explanation=Selling price = CP $\times$ (100 + profit%)/100 = $596 \times 120/100 =$ **■**715.

id=57492 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 10. | option_a=20 | option_b=30 | option_c=300 | option_d=60 | answer=B | explanation=LCM $\times$ HCF = 30×10 ; HCF(30,10) = 10, so LCM = 30.

id=57493 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4315 at 6% per annum for 2 years. | option_a=517 | option_b=4832 | option_c=417 | option_d=617 | answer=A | explanation=SI = $PRT/100 = 4315 \times 6 \times 2/100 =$ **■**517.

id=57494 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=57495 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:7 and the first is 100, what is the second? | option_a=28 | option_b=55 | option_c=135 | option_d=35 | answer=D | explanation=Scale factor = $100/20 = 5$. Therefore second quantity = $7 \times 5 = 35$.

id=57496 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3889. If it is sold at a profit of 30%, what is its selling price? | option_a=3919 | option_b=4667 | option_c=5055 | option_d=5443 | answer=C | explanation=Selling price = CP $\times$ (100 + profit%)/100 = $3889 \times 130/100 =$ **■**5055.

id=57497 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4243. If it is sold at a profit of 50%, what is its selling price? | option_a=6788 | option_b=4293 | option_c=6364 | option_d=5940 | answer=C | explanation=Selling price = CP $\times$ (100 + profit%)/100 = $4243 \times 150/100 =$ **■**6364.

id=57498 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = $150 \div 5 = 30$ km/h.

id=57499 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:1 and the first is 136, what is the second? | option_a=17 | option_b=25 | option_c=16 | option_d=153 | answer=A | explanation=Scale factor = $136/8 = 17$. Therefore second quantity = $1 \times 17 = 17$.

id=57500 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=50 | option_d=90 | answer=B | explanation=Speed = distance ÷ time = $180 \div 4 = 45$ km/h.

id=57501 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 12. | option_a=12 | option_b=144 | option_c=24 | option_d=1 | answer=A | explanation=LCM $\times$ HCF = 12×12 ; HCF(12,12) = 12, so LCM = 12.

id=57502 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 49? | option_a=30 | option_b=36 | option_c=49 | option_d=42 | answer=C | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 49 is the odd one out.

id=57503 | topic=Percentages | difficulty=Easy | question=What is 5% of 1044? | option_a=32 | option_b=104 | option_c=72 | option_d=52 | answer=D | explanation=5% of 1044 = $(5/100) \times 1044 = 52$.

id=57504 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18994 at 8% per annum for 1 years. | option_a=1419 | option_b=20513 | option_c=1519 | option_d=1619 | answer=C | explanation=SI = $PRT/100 = 18994 \times 8 \times 1/100 =$ **■**1519.

id=57505 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 35, 40, 46? | option_a=35 | option_b=46 | option_c=30 | option_d=40 | answer=B | explanation=The first three numbers increase by 5, so the next should be 45. Therefore 46 is the odd one out.

id=57506 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 24, 32, 43? | option_a=43 | option_b=24 | option_c=32 | option_d=16 | answer=A | explanation=The first three numbers increase by 8, so the next should be 40. Therefore 43 is the odd one out.

id=57507 | topic=Percentages | difficulty=Easy | question=What is 25% of 1283? | option_a=320 | option_b=300 | option_c=340 | option_d=640 | answer=A | explanation=25% of 1283 = $(25/100) \times 1283 = 320$.

id=57508 | topic=Averages | difficulty=Easy | question=Find the average of 29, 45, 60, 98. | option_a=59 | option_b=60 | option_c=58 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = $232 \div 4 = 58$.

id=57509 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=43 | option_b=55 | option_c=54 | option_d=65 | answer=C | explanation=The common difference is 11. Therefore the next term is $43 + 11 = 54$.

id=57510 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43422 at 12% per annum for 3 years. | option_a=15631 | option_b=59053 | option_c=15531 | option_d=15731 | answer=A | explanation=SI = $PRT/100 = 43422 \times 12 \times 3/100 =$ **■**15631.

Aptitude Questions — Records 57,511-57,540 of 100,000

id=57511 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=57512 | topic=Averages | difficulty=Easy | question=Find the average of 17, 74, 40, 28, 54, 80, 15, 20. | option_a=41 | option_b=43 | option_c=40 | option_d=42 | answer=A | explanation=Average = sum of values ÷ number of values = 328 ÷ 8 = 41.

id=57513 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17660 at 6% per annum for 5 years. | option_a=5398 | option_b=5298 | option_c=22958 | option_d=5198 | answer=B | explanation=SI = PRT/100 = 17660×6×5/100 = **■**5298.

id=57514 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=26 | option_b=23 | option_c=27 | option_d=29 | answer=A | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.

id=57515 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**315. If it is sold at a profit of 5%, what is its selling price? | option_a=299 | option_b=320 | option_c=361 | option_d=330 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 315 × 105/100 = **■**330.

id=57516 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=155 | option_c=145 | option_d=300 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=57517 | topic=Percentages | difficulty=Easy | question=What is 12% of 395? | option_a=37 | option_b=52 | option_c=94 | option_d=47 | answer=D | explanation=12% of 395 = (12/100) × 395 = 47.

id=57518 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2599. If it is sold at a profit of 15%, what is its selling price? | option_a=2729 | option_b=3247 | option_c=2988 | option_d=2614 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2599 × 115/100 = **■**2988.

id=57519 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=90 | option_c=85 | option_d=180 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=57520 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 9, 11, 15? | option_a=11 | option_b=15 | option_c=7 | option_d=9 | answer=B | explanation=The first three numbers increase by 2, so the next should be 13. Therefore 15 is the odd one out.

id=57521 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:15 and the first is 120, what is the second? | option_a=420 | option_b=285 | option_c=300 | option_d=306 | answer=C | explanation=Scale factor = 120/6 = 20. Therefore second quantity = 15×20 = 300.

id=57522 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:7 and the first is 60, what is the second? | option_a=109 | option_b=98 | option_c=105 | option_d=165 | answer=C | explanation=Scale factor = 60/4 = 15. Therefore second quantity = 7×15 = 105.

id=57523 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:2 and the first is 96, what is the second? | option_a=22 | option_b=32 | option_c=24 | option_d=120 | answer=C | explanation=Scale factor = 96/8 = 12. Therefore second quantity = 2×12 = 24.

id=57524 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=5 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=57525 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4368. If it is sold at a profit of 50%, what is its selling price? | option_a=6552 | option_b=6988 | option_c=4418 | option_d=6116 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4368 × 150/100 = **■**6552.

id=57526 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=50 | option_d=100 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=57527 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2804. If it is sold at a profit of 40%, what is its selling price? | option_a=2844 | option_b=4205 | option_c=3645 | option_d=3925 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2804 × 140/100 = **■**3925.

id=57528 | topic=Percentages | difficulty=Easy | question=What is 12% of 1800? | option_a=216 | option_b=432 | option_c=211 | option_d=226 | answer=A | explanation=12% of 1800 = (12/100) × 1800 = 216.

id=57529 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=Z | option_c=F | option_d=D | answer=D | explanation=Move 2 positions forward from B; the resulting letter is D.

id=57530 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:16 and the first is 90, what is the second? | option_a=160 | option_b=250 | option_c=144 | option_d=169 | answer=A | explanation=Scale factor = 90/9 = 10. Therefore second quantity = 16×10 = 160.

id=57531 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=57532 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49944 at 6% per annum for 4 years. | option_a=12086 | option_b=11986 | option_c=11886 | option_d=61930 | answer=B | explanation=SI = PRT/100 = 49944×6×4/100 = **■**11986.

id=57533 | topic=Averages | difficulty=Easy | question=Find the average of 86, 64, 29, 88, 78, 76, 65, 58. | option_a=69 | option_b=67 | option_c=68 | option_d=70 | answer=C | explanation=Average = sum of values ÷ number of values = 544 ÷ 8 = 68.

id=57534 | topic=Percentages | difficulty=Easy | question=What is 50% of 642? | option_a=311 | option_b=642 | option_c=321 | option_d=341 | answer=C | explanation=50% of 642 = (50/100) × 642 = 321.

id=57535 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34841 at 15% per annum for 1 years. | option_a=5326 | option_b=5126 | option_c=40067 | option_d=5226 | answer=D | explanation=SI = PRT/100 = 34841×15×1/100 = **■**5226.

id=57536 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3117. If it is sold at a profit of 40%, what is its selling price? | option_a=3157 | option_b=4674 | option_c=4363 | option_d=4052 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3117 × 140/100 = **■**4363.

id=57537 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=57538 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=37 | option_b=48 | option_c=49 | option_d=59 | answer=B | explanation=The common difference is 11. Therefore the next term is 37 + 11 = 48.

id=57539 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=K | option_b=M | option_c=L | option_d=N | answer=B | explanation=Move 1 positions forward from L; the resulting letter is M.

id=57540 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=M | option_b=R | option_c=C | option_d=H | answer=A | explanation=Move 5 positions forward from H; the resulting letter is M.

Aptitude Questions — Records 57,541-57,570 of 100,000

id=57541 | topic=Percentages | difficulty=Easy | question=What is 25% of 130? | option_a=12 | option_b=42 | option_c=64 | option_d=32 | answer=D | explanation=25% of 130 = (25/100) × 130 = 32.

id=57542 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=57543 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=44 | option_b=43 | option_c=33 | option_d=53 | answer=B | explanation=The common difference is 10. Therefore the next term is 33 + 10 = 43.

id=57544 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:18 and the first is 81, what is the second? | option_a=162 | option_b=243 | option_c=171 | option_d=144 | answer=A | explanation=Scale factor = 81/9 = 9. Therefore second quantity = 18×9 = 162.

id=57545 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=57546 | topic=Averages | difficulty=Easy | question=Find the average of 84, 66, 98, 46, 18, 83, 85, 90, 78. | option_a=73 | option_b=71 | option_c=72 | option_d=74 | answer=C | explanation=Average = sum of values ÷ number of values = 648 ÷ 9 = 72.

id=57547 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=19 | option_c=24 | option_d=29 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=57548 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 10. | option_a=20 | option_b=36 | option_c=30 | option_d=60 | answer=C | explanation=LCM × HCF = 6×10; HCF(6,10) = 2, so LCM = 30.

id=57549 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39125 at 8% per annum for 2 years. | option_a=6260 | option_b=6160 | option_c=45385 | option_d=6360 | answer=A | explanation=SI = PRT/100 = 39125×8×2/100 = **■**6260.

id=57550 | topic=Averages | difficulty=Easy | question=Find the average of 49, 79, 65, 12, 17, 72, 93, 37. | option_a=55 | option_b=53 | option_c=52 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.

id=57551 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:11 and the first is 14, what is the second? | option_a=143 | option_b=154 | option_c=155 | option_d=168 | answer=B | explanation=Scale factor = 14/1 = 14. Therefore second quantity = 11×14 = 154.

id=57552 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 25? | option_a=17 | option_b=19 | option_c=25 | option_d=21 | answer=C | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 25 is the odd one out.

id=57553 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2323. If it is sold at a profit of 25%, what is its selling price? | option_a=2348 | option_b=3135 | option_c=2903 | option_d=2671 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2323 × 125/100 = **■**2903.

id=57554 | topic=Percentages | difficulty=Easy | question=What is 12% of 1319? | option_a=168 | option_b=316 | option_c=153 | option_d=158 | answer=D | explanation=12% of 1319 = (12/100) × 1319 = 158.

id=57555 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=43 | option_b=51 | option_c=44 | option_d=35 | answer=A | explanation=The common difference is 8. Therefore the next term is 35 + 8 = 43.

id=57556 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:4 and the first is 40, what is the second? | option_a=26 | option_b=56 | option_c=12 | option_d=16 | answer=D | explanation=Scale factor = 40/10 = 4. Therefore second quantity = 4×4 = 16.

id=57557 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=185 | option_c=360 | option_d=175 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=57558 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:8 and the first is 192, what is the second? | option_a=288 | option_b=112 | option_c=96 | option_d=88 | answer=C | explanation=Scale factor = 192/16 = 12. Therefore second quantity = 8×12 = 96.

id=57559 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=57560 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36450 at 10% per annum for 4 years. | option_a=51030 | option_b=14480 | option_c=14580 | option_d=14680 | answer=C | explanation=SI = PRT/100 = 36450×10×4/100 = **■**14580.

id=57561 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 18. | option_a=1 | option_b=21 | option_c=54 | option_d=18 | answer=D | explanation=LCM × HCF = 3×18; HCF(3,18) = 3, so LCM = 18.

id=57562 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=33 | option_b=27 | option_c=21 | option_d=28 | answer=B | explanation=The common difference is 6. Therefore the next term is 21 + 6 = 27.

id=57563 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2865. If it is sold at a profit of 30%, what is its selling price? | option_a=3438 | option_b=4010 | option_c=2895 | option_d=3724 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2865 × 130/100 = **■**3724.

id=57564 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 22, 29, 39? | option_a=29 | option_b=22 | option_c=15 | option_d=39 | answer=D | explanation=The first three numbers increase by 7, so the next should be 36. Therefore 39 is the odd one out.

id=57565 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1791. If it is sold at a profit of 40%, what is its selling price? | option_a=2328 | option_b=1831 | option_c=2507 | option_d=2686 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1791 × 140/100 = **■**2507.

id=57566 | topic=Averages | difficulty=Easy | question=Find the average of 33, 72, 90, 53. | option_a=62 | option_b=63 | option_c=64 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 248 ÷ 4 = 62.

id=57567 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=54 | option_b=47 | option_c=38 | option_d=46 | answer=D | explanation=The common difference is 8. Therefore the next term is 38 + 8 = 46.

id=57568 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:8 and the first is 104, what is the second? | option_a=96 | option_b=112 | option_c=208 | option_d=104 | answer=D | explanation=Scale factor = 104/8 = 13. Therefore second quantity = 8×13 = 104.

id=57569 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=57570 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

Aptitude Questions — Records 57,571-57,600 of 100,000

id=57571 | topic=Averages | difficulty=Easy | question=Find the average of 21, 58, 32. | option_a=39 | option_b=36 | option_c=38 | option_d=37 | answer=D | explanation=Average = sum of values + number of values = 111 ÷ 3 = 37.

id=57572 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1751. If it is sold at a profit of 50%, what is its selling price? | option_a=2451 | option_b=2801 | option_c=1801 | option_d=2626 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1751 × 150/100 = █2626.

id=57573 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2003 at 6% per annum for 3 years. | option_a=460 | option_b=2363 | option_c=360 | option_d=260 | answer=C | explanation=SI = PRT/100 = 2003×6×3/100 = █360.

id=57574 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16423 at 12% per annum for 2 years. | option_a=4041 | option_b=20364 | option_c=3941 | option_d=3841 | answer=C | explanation=SI = PRT/100 = 16423×12×2/100 = █3941.

id=57575 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 35, 41, 50? | option_a=50 | option_b=41 | option_c=29 | option_d=35 | answer=A | explanation=The first three numbers increase by 6, so the next should be 47. Therefore 50 is the odd one out.

id=57576 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1400. If it is sold at a profit of 25%, what is its selling price? | option_a=1890 | option_b=1610 | option_c=1425 | option_d=1750 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1400 × 125/100 = █1750.

id=57577 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=J | option_c=N | option_d=P | answer=C | explanation=Move 2 positions forward from L; the resulting letter is N.

id=57578 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:14 and the first is 252, what is the second? | option_a=504 | option_b=266 | option_c=252 | option_d=238 | answer=C | explanation=Scale factor = 252/14 = 18. Therefore second quantity = 14×18 = 252.

id=57579 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 16, 23, 33? | option_a=33 | option_b=9 | option_c=23 | option_d=16 | answer=A | explanation=The first three numbers increase by 7, so the next should be 30. Therefore 33 is the odd one out.

id=57580 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3848. If it is sold at a profit of 10%, what is its selling price? | option_a=4616 | option_b=3848 | option_c=3858 | option_d=4232 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3848 × 110/100 = █4232.

id=57581 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=30 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=57582 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:5 and the first is 144, what is the second? | option_a=40 | option_b=189 | option_c=61 | option_d=45 | answer=D | explanation=Scale factor = 144/16 = 9. Therefore second quantity = 5×9 = 45.

id=57583 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=X | option_c=B | option_d=P | answer=B | explanation=Move 4 positions forward from T; the resulting letter is X.

id=57584 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=57585 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:17 and the first is 234, what is the second? | option_a=204 | option_b=455 | option_c=239 | option_d=221 | answer=D | explanation=Scale factor = 234/18 = 13. Therefore second quantity = 17×13 = 221.

id=57586 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=D | option_b=B | option_c=C | option_d=E | answer=A | explanation=Move 1 positions forward from C; the resulting letter is D.

id=57587 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:13 and the first is 320, what is the second? | option_a=260 | option_b=580 | option_c=247 | option_d=276 | answer=A | explanation=Scale factor = 320/16 = 20. Therefore second quantity = 13×20 = 260.

id=57588 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34683 at 5% per annum for 4 years. | option_a=6936 | option_b=41619 | option_c=6836 | option_d=7036 | answer=A | explanation=SI = PRT/100 = 34683×5×4/100 = █6936.

id=57589 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=22 | option_b=25 | option_c=19 | option_d=23 | answer=A | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.

id=57590 | topic=Averages | difficulty=Easy | question=Find the average of 85, 22, 45, 90, 96, 31, 32, 27, 58. | option_a=56 | option_b=54 | option_c=53 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 486 ÷ 9 = 54.

id=57591 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 27, 39, 51, ? | option_a=75 | option_b=63 | option_c=51 | option_d=64 | answer=B | explanation=The common difference is 12. Therefore the next term is 51 + 12 = 63.

id=57592 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 21. | option_a=28 | option_b=1 | option_c=147 | option_d=21 | answer=D | explanation=LCM × HCF = 7×21; HCF(7,21) = 7, so LCM = 21.

id=57593 | topic=Averages | difficulty=Easy | question=Find the average of 69, 96, 23, 63, 24, 21, 47, 22, 31. | option_a=45 | option_b=43 | option_c=46 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = 396 ÷ 9 = 44.

id=57594 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=23 | option_b=22 | option_c=19 | option_d=25 | answer=B | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.

id=57595 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=47 | option_b=71 | option_c=59 | option_d=60 | answer=C | explanation=The common difference is 12. Therefore the next term is 47 + 12 = 59.

id=57596 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4456. If it is sold at a profit of 15%, what is its selling price? | option_a=5124 | option_b=4471 | option_c=5569 | option_d=4679 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4456 × 115/100 = █5124.

id=57597 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7537 at 10% per annum for 1 years. | option_a=753 | option_b=653 | option_c=8290 | option_d=853 | answer=A | explanation=SI = PRT/100 = 7537×10×1/100 = █753.

id=57598 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 7. | option_a=7 | option_b=14 | option_c=28 | option_d=98 | answer=B | explanation=LCM × HCF = 14×7; HCF(14,7) = 7, so LCM = 14.

id=57599 | topic=Profit & Loss | difficulty=Easy | question=An article costs █720. If it is sold at a profit of 30%, what is its selling price? | option_a=936 | option_b=1008 | option_c=864 | option_d=750 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 720 × 130/100 = █936.

id=57600 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=Z | option_b=H | option_c=D | option_d=L | answer=B | explanation=Move 4 positions forward from D; the resulting letter is H.

Aptitude Questions — Records 57,601-57,630 of 100,000

id=57601 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=57602 | topic=Percentages | difficulty=Easy | question=What is 40% of 353? | option_a=151 | option_b=131 | option_c=141 | option_d=282 | answer=C | explanation=40% of 353 = $(\frac{40}{100}) \times 353 = 141$.

id=57603 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44247 at 12% per annum for 4 years. | option_a=65485 | option_b=21338 | option_c=21238 | option_d=21138 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{44247 \times 12 \times 4}{100} = \text{■}21238$.

id=57604 | topic=Averages | difficulty=Easy | question=Find the average of 10, 64, 21, 57, 33, 103. | option_a=49 | option_b=48 | option_c=47 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{288}{6} = 48$.

id=57605 | topic=Percentages | difficulty=Easy | question=What is 40% of 486? | option_a=204 | option_b=194 | option_c=388 | option_d=184 | answer=B | explanation=40% of 486 = $(\frac{40}{100}) \times 486 = 194$.

id=57606 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=50 | option_d=90 | answer=B | explanation=Speed = distance ÷ time = $\frac{360}{8} = 45$ km/h.

id=57607 | topic=Percentages | difficulty=Easy | question=What is 50% of 754? | option_a=754 | option_b=372 | option_c=387 | option_d=377 | answer=D | explanation=50% of 754 = $(\frac{50}{100}) \times 754 = 377$.

id=57608 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:13 and the first is 204, what is the second? | option_a=143 | option_b=156 | option_c=173 | option_d=360 | answer=B | explanation=Scale factor = $\frac{204}{17} = 12$. Therefore second quantity = $13 \times 12 = 156$.

id=57609 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=L | option_b=H | option_c=Z | option_d=D | answer=B | explanation=Move 4 positions forward from D; the resulting letter is H.

id=57610 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=57611 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=28 | option_b=21 | option_c=33 | option_d=27 | answer=D | explanation=The common difference is 6. Therefore the next term is $21 + 6 = 27$.

id=57612 | topic=Percentages | difficulty=Easy | question=What is 15% of 1687? | option_a=258 | option_b=253 | option_c=233 | option_d=506 | answer=B | explanation=15% of 1687 = $(\frac{15}{100}) \times 1687 = 253$.

id=57613 | topic=Percentages | difficulty=Easy | question=What is 25% of 959? | option_a=259 | option_b=478 | option_c=239 | option_d=219 | answer=C | explanation=25% of 959 = $(\frac{25}{100}) \times 959 = 239$.

id=57614 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=M | option_b=J | option_c=P | option_d=G | answer=A | explanation=Move 3 positions forward from J; the resulting letter is M.

id=57615 | topic=Averages | difficulty=Easy | question=Find the average of 82, 16, 63, 13, 88, 37, 57, 38, 12, 94. | option_a=50 | option_b=52 | option_c=51 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{500}{10} = 50$.

id=57616 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 21, 28, 36? | option_a=14 | option_b=21 | option_c=36 | option_d=28 | answer=C | explanation=The first three numbers increase by 7, so the next should be 35. Therefore 36 is the odd one out.

id=57617 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**258. If it is sold at a profit of 40%, what is its selling price? | option_a=336 | option_b=298 | option_c=386 | option_d=361 | answer=D | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 258 \times \frac{140}{100} = \text{■}361$.

id=57618 | topic=Averages | difficulty=Easy | question=Find the average of 10, 62, 68, 76. | option_a=54 | option_b=55 | option_c=53 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{216}{4} = 54$.

id=57619 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 33? | option_a=17 | option_b=10 | option_c=33 | option_d=24 | answer=C | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 33 is the odd one out.

id=57620 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:13 and the first is 247, what is the second? | option_a=169 | option_b=188 | option_c=156 | option_d=416 | answer=A | explanation=Scale factor = $\frac{247}{19} = 13$. Therefore second quantity = $13 \times 13 = 169$.

id=57621 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=32 | option_b=26 | option_c=38 | option_d=33 | answer=A | explanation=The common difference is 6. Therefore the next term is $26 + 6 = 32$.

id=57622 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=57623 | topic=Percentages | difficulty=Easy | question=What is 40% of 836? | option_a=334 | option_b=344 | option_c=329 | option_d=668 | answer=A | explanation=40% of 836 = $(\frac{40}{100}) \times 836 = 334$.

id=57624 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 25. | option_a=120 | option_b=500 | option_c=75 | option_d=100 | answer=D | explanation=LCM $\times$ HCF = 20×25 ; $\text{HCF}(\frac{20}{20}, \frac{25}{25}) = 5$, so LCM = 100.

id=57625 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=57626 | topic=Averages | difficulty=Easy | question=Find the average of 72, 50, 13, 17. | option_a=38 | option_b=37 | option_c=40 | option_d=39 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{152}{4} = 38$.

id=57627 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 10, 15, 21? | option_a=5 | option_b=21 | option_c=10 | option_d=15 | answer=B | explanation=The first three numbers increase by 5, so the next should be 20. Therefore 21 is the odd one out.

id=57628 | topic=Averages | difficulty=Easy | question=Find the average of 73, 55, 22. | option_a=50 | option_b=51 | option_c=52 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{150}{3} = 50$.

id=57629 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20314 at 5% per annum for 4 years. | option_a=3962 | option_b=4062 | option_c=24376 | option_d=4162 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{20314 \times 5 \times 4}{100} = \text{■}4062$.

id=57630 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=43 | option_b=51 | option_c=33 | option_d=42 | answer=D | explanation=The common difference is 9. Therefore the next term is $33 + 9 = 42$.

Aptitude Questions — Records 57,631-57,660 of 100,000

id=57631 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:15 and the first is 36, what is the second? | option_a=272 | option_b=255 | option_c=270 | option_d=306 | answer=C | explanation=Scale factor = 36/2 = 18. Therefore second quantity = 15×18 = 270.

id=57632 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=1 | option_c=11 | option_d=12 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=57633 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=57634 | topic=Averages | difficulty=Easy | question=Find the average of 15, 32, 36, 47, 44, 33, 38. | option_a=35 | option_b=36 | option_c=34 | option_d=37 | answer=A | explanation=Average = sum of values ÷ number of values = 245 ÷ 7 = 35.

id=57635 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=160 | option_c=85 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=57636 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 25. | option_a=25 | option_b=125 | option_c=30 | option_d=1 | answer=A | explanation=LCM × HCF = 5×25; HCF(5,25) = 5, so LCM = 25.

id=57637 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■48967 at 5% per annum for 4 years. | option_a=58760 | option_b=9793 | option_c=9893 | option_d=9693 | answer=B | explanation=SI = PRT/100 = 48967×5×4/100 = ■9793.

id=57638 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:14 and the first is 75, what is the second? | option_a=56 | option_b=70 | option_c=145 | option_d=85 | answer=B | explanation=Scale factor = 75/15 = 5. Therefore second quantity = 14×5 = 70.

id=57639 | topic=Percentages | difficulty=Easy | question=What is 15% of 486? | option_a=92 | option_b=72 | option_c=67 | option_d=144 | answer=B | explanation=15% of 486 = (15/100) × 486 = 72.

id=57640 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:4 and the first is 72, what is the second? | option_a=20 | option_b=24 | option_c=36 | option_d=96 | answer=B | explanation=Scale factor = 72/12 = 6. Therefore second quantity = 4×6 = 24.

id=57641 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=V | option_b=Q | option_c=L | option_d=G | answer=B | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=57642 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 30. | option_a=630 | option_b=180 | option_c=231 | option_d=210 | answer=D | explanation=LCM × HCF = 21×30; HCF(21,30) = 3, so LCM = 210.

id=57643 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=160 | option_c=75 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=57644 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=57645 | topic=Percentages | difficulty=Easy | question=What is 50% of 730? | option_a=375 | option_b=365 | option_c=360 | option_d=730 | answer=B | explanation=50% of 730 = (50/100) × 730 = 365.

id=57646 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=4 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=57647 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:2 and the first is 50, what is the second? | option_a=25 | option_b=18 | option_c=70 | option_d=20 | answer=D | explanation=Scale factor = 50/5 = 10. Therefore second quantity = 2×10 = 20.

id=57648 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=30 | option_b=37 | option_c=31 | option_d=23 | answer=A | explanation=The common difference is 7. Therefore the next term is 23 + 7 = 30.

id=57649 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:16 and the first is 70, what is the second? | option_a=150 | option_b=64 | option_c=80 | option_d=94 | answer=C | explanation=Scale factor = 70/14 = 5. Therefore second quantity = 16×5 = 80.

id=57650 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=I | option_c=K | option_d=L | answer=C | explanation=Move 1 positions forward from J; the resulting letter is K.

id=57651 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■776. If it is sold at a profit of 10%, what is its selling price? | option_a=930 | option_b=853 | option_c=786 | option_d=776 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 776 × 110/100 = ■853.

id=57652 | topic=Averages | difficulty=Easy | question=Find the average of 74, 85, 87, 59, 13, 11, 77. | option_a=59 | option_b=58 | option_c=60 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 406 ÷ 7 = 58.

id=57653 | topic=Averages | difficulty=Easy | question=Find the average of 85, 45, 38, 16. | option_a=47 | option_b=48 | option_c=46 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = 184 ÷ 4 = 46.

id=57654 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=15 | option_b=12 | option_c=16 | option_d=14 | answer=D | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=57655 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■28702 at 10% per annum for 2 years. | option_a=5740 | option_b=5840 | option_c=34442 | option_d=5640 | answer=A | explanation=SI = PRT/100 = 28702×10×2/100 = ■5740.

id=57656 | topic=Averages | difficulty=Easy | question=Find the average of 29, 69, 93, 31, 96, 82, 48. | option_a=66 | option_b=64 | option_c=65 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 448 ÷ 7 = 64.

id=57657 | topic=Averages | difficulty=Easy | question=Find the average of 93, 95, 40, 54, 28, 89, 89, 64. | option_a=69 | option_b=71 | option_c=70 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = 552 ÷ 8 = 69.

id=57658 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=28 | option_b=27 | option_c=30 | option_d=24 | answer=B | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=57659 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1523. If it is sold at a profit of 40%, what is its selling price? | option_a=1980 | option_b=2132 | option_c=2284 | option_d=1563 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1523 × 140/100 = ■2132.

id=57660 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=24 | option_c=7 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

Aptitude Questions — Records 57,661-57,690 of 100,000

id=57661 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=63 | option_b=41 | option_c=52 | option_d=53 | answer=C | explanation=The common difference is 11. Therefore the next term is 41 + 11 = 52.

id=57662 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=40 | option_b=41 | option_c=49 | option_d=31 | answer=A | explanation=The common difference is 9. Therefore the next term is 31 + 9 = 40.

id=57663 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=M | option_b=Y | option_c=U | option_d=Q | answer=C | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=57664 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 38? | option_a=21 | option_b=38 | option_c=29 | option_d=13 | answer=B | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 38 is the odd one out.

id=57665 | topic=Percentages | difficulty=Easy | question=What is 20% of 1331? | option_a=246 | option_b=286 | option_c=266 | option_d=532 | answer=C | explanation=20% of 1331 = (20/100) × 1331 = 266.

id=57666 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12858 at 15% per annum for 1 years. | option_a=2028 | option_b=1928 | option_c=14786 | option_d=1828 | answer=B | explanation=SI = PRT/100 = 12858×15×1/100 = **■**1928.

id=57667 | topic=Averages | difficulty=Easy | question=Find the average of 39, 12, 70, 93, 10, 100. | option_a=54 | option_b=56 | option_c=55 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 324 ÷ 6 = 54.

id=57668 | topic=Averages | difficulty=Easy | question=Find the average of 42, 32, 32, 58, 53, 55, 33, 23. | option_a=42 | option_b=41 | option_c=40 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = 328 ÷ 8 = 41.

id=57669 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33265 at 6% per annum for 3 years. | option_a=39252 | option_b=5987 | option_c=6087 | option_d=5887 | answer=B | explanation=SI = PRT/100 = 33265×6×3/100 = **■**5987.

id=57670 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 22. | option_a=336 | option_b=286 | option_c=308 | option_d=616 | answer=C | explanation=LCM × HCF = 28×22; HCF(28,22) = 2, so LCM = 308.

id=57671 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=57672 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1506. If it is sold at a profit of 30%, what is its selling price? | option_a=1536 | option_b=1807 | option_c=2107 | option_d=1957 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1506 × 130/100 = **■**1957.

id=57673 | topic=Percentages | difficulty=Easy | question=What is 40% of 668? | option_a=267 | option_b=534 | option_c=272 | option_d=262 | answer=A | explanation=40% of 668 = (40/100) × 668 = 267.

id=57674 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=57675 | topic=Averages | difficulty=Easy | question=Find the average of 63, 42, 52, 69, 26, 63, 44, 97, 80, 14. | option_a=55 | option_b=56 | option_c=54 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 550 ÷ 10 = 55.

id=57676 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4719. If it is sold at a profit of 40%, what is its selling price? | option_a=7077 | option_b=6135 | option_c=6606 | option_d=4759 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4719 × 140/100 = **■**6606.

id=57677 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3925. If it is sold at a profit of 25%, what is its selling price? | option_a=3950 | option_b=4514 | option_c=4906 | option_d=5298 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3925 × 125/100 = **■**4906.

id=57678 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=30 | option_b=25 | option_c=33 | option_d=29 | answer=D | explanation=The common difference is 4. Therefore the next term is 25 + 4 = 29.

id=57679 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23311 at 4% per annum for 1 years. | option_a=1032 | option_b=832 | option_c=24243 | option_d=932 | answer=D | explanation=SI = PRT/100 = 23311×4×1/100 = **■**932.

id=57680 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 14, 16, 21? | option_a=12 | option_b=21 | option_c=14 | option_d=16 | answer=B | explanation=The first three numbers increase by 2, so the next should be 18. Therefore 21 is the odd one out.

id=57681 | topic=Percentages | difficulty=Easy | question=What is 25% of 1885? | option_a=451 | option_b=942 | option_c=481 | option_d=471 | answer=D | explanation=25% of 1885 = (25/100) × 1885 = 471.

id=57682 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16226 at 4% per annum for 4 years. | option_a=18822 | option_b=2596 | option_c=2496 | option_d=2696 | answer=B | explanation=SI = PRT/100 = 16226×4×4/100 = **■**2596.

id=57683 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=52 | option_b=40 | option_c=51 | option_d=62 | answer=C | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=57684 | topic=Percentages | difficulty=Easy | question=What is 40% of 1001? | option_a=400 | option_b=420 | option_c=380 | option_d=800 | answer=A | explanation=40% of 1001 = (40/100) × 1001 = 400.

id=57685 | topic=Averages | difficulty=Easy | question=Find the average of 35, 63, 29, 23, 41, 95, 47, 27, 54. | option_a=48 | option_b=47 | option_c=45 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 414 ÷ 9 = 46.

id=57686 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:9 and the first is 144, what is the second? | option_a=97 | option_b=72 | option_c=225 | option_d=81 | answer=D | explanation=Scale factor = 144/16 = 9. Therefore second quantity = 9×9 = 81.

id=57687 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4719. If it is sold at a profit of 5%, what is its selling price? | option_a=4483 | option_b=5425 | option_c=4954 | option_d=4724 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4719 × 105/100 = **■**4954.

id=57688 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=30 | option_b=40 | option_c=36 | option_d=35 | answer=D | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=57689 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:16 and the first is 180, what is the second? | option_a=298 | option_b=468 | option_c=288 | option_d=272 | answer=C | explanation=Scale factor = 180/10 = 18. Therefore second quantity = 16×18 = 288.

id=57690 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=49 | option_b=37 | option_c=59 | option_d=48 | answer=D | explanation=The common difference is 11. Therefore the next term is 37 + 11 = 48.

Aptitude Questions — Records 57,691-57,720 of 100,000

- id=57691 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:11 and the first is 85, what is the second? | option_a=72 | option_b=140 | option_c=55 | option_d=44 | answer=C | explanation=Scale factor = 85/17 = 5. Therefore second quantity = 11×5 = 55.
- id=57692 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28984 at 6% per annum for 5 years. | option_a=8695 | option_b=8595 | option_c=8795 | option_d=37679 | answer=A | explanation=SI = PRT/100 = 28984×6×5/100 = **■**8695.
- id=57693 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**332. If it is sold at a profit of 10%, what is its selling price? | option_a=398 | option_b=365 | option_c=332 | option_d=342 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 332 × 110/100 = **■**365.
- id=57694 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 27, 31, 37? | option_a=37 | option_b=23 | option_c=31 | option_d=27 | answer=A | explanation=The first three numbers increase by 4, so the next should be 35. Therefore 37 is the odd one out.
- id=57695 | topic=Percentages | difficulty=Easy | question=What is 50% of 1218? | option_a=609 | option_b=1218 | option_c=614 | option_d=604 | answer=A | explanation=50% of 1218 = (50/100) × 1218 = 609.
- id=57696 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=F | option_c=J | option_d=R | answer=A | explanation=Move 4 positions forward from J; the resulting letter is N.
- id=57697 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 10. | option_a=60 | option_b=84 | option_c=70 | option_d=140 | answer=C | explanation=LCM × HCF = 14×10; HCF(14,10) = 2, so LCM = 70.
- id=57698 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=G | option_c=E | option_d=C | answer=B | explanation=Move 2 positions forward from E; the resulting letter is G.
- id=57699 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=37 | option_b=32 | option_c=33 | option_d=27 | answer=B | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.
- id=57700 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=95 | option_c=100 | option_d=200 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.
- id=57701 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:17 and the first is 200, what is the second? | option_a=190 | option_b=153 | option_c=170 | option_d=370 | answer=C | explanation=Scale factor = 200/20 = 10. Therefore second quantity = 17×10 = 170.
- id=57702 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=V | option_c=N | option_d=Z | answer=B | explanation=Move 4 positions forward from R; the resulting letter is V.
- id=57703 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 31, 43, 55, ? | option_a=79 | option_b=55 | option_c=68 | option_d=67 | answer=D | explanation=The common difference is 12. Therefore the next term is 55 + 12 = 67.
- id=57704 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=18 | option_c=4 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.
- id=57705 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=O | option_b=G | option_c=K | option_d=C | answer=C | explanation=Move 4 positions forward from G; the resulting letter is K.
- id=57706 | topic=Averages | difficulty=Easy | question=Find the average of 75, 56, 85, 62, 42, 22, 50. | option_a=57 | option_b=56 | option_c=55 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 392 ÷ 7 = 56.
- id=57707 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23155 at 8% per annum for 3 years. | option_a=28712 | option_b=5657 | option_c=5457 | option_d=5557 | answer=D | explanation=SI = PRT/100 = 23155×8×3/100 = **■**5557.
- id=57708 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23694 at 15% per annum for 3 years. | option_a=34356 | option_b=10662 | option_c=10762 | option_d=10562 | answer=B | explanation=SI = PRT/100 = 23694×15×3/100 = **■**10662.
- id=57709 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.
- id=57710 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 8, 12, 17? | option_a=12 | option_b=17 | option_c=8 | option_d=4 | answer=B | explanation=The first three numbers increase by 4, so the next should be 16. Therefore 17 is the odd one out.
- id=57711 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=95 | option_c=85 | option_d=180 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.
- id=57712 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=L | option_c=K | option_d=I | answer=C | explanation=Move 1 positions forward from J; the resulting letter is K.
- id=57713 | topic=Averages | difficulty=Easy | question=Find the average of 74, 69, 22, 57, 98, 64, 99. | option_a=70 | option_b=69 | option_c=68 | option_d=71 | answer=B | explanation=Average = sum of values ÷ number of values = 483 ÷ 7 = 69.
- id=57714 | topic=Percentages | difficulty=Easy | question=What is 10% of 1278? | option_a=117 | option_b=254 | option_c=137 | option_d=127 | answer=D | explanation=10% of 1278 = (10/100) × 1278 = 127.
- id=57715 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2037. If it is sold at a profit of 20%, what is its selling price? | option_a=2057 | option_b=2241 | option_c=2647 | option_d=2444 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2037 × 120/100 = **■**2444.
- id=57716 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.
- id=57717 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:18 and the first is 6, what is the second? | option_a=42 | option_b=18 | option_c=39 | option_d=36 | answer=D | explanation=Scale factor = 6/3 = 2. Therefore second quantity = 18×2 = 36.
- id=57718 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 18, 28, 38, ? | option_a=38 | option_b=58 | option_c=48 | option_d=49 | answer=C | explanation=The common difference is 10. Therefore the next term is 38 + 10 = 48.
- id=57719 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=27 | option_b=33 | option_c=37 | option_d=32 | answer=D | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.
- id=57720 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=51 | option_b=52 | option_c=63 | option_d=39 | answer=A | explanation=The common difference is 12. Therefore the next term is 39 + 12 = 51.

Aptitude Questions — Records 57,721-57,750 of 100,000

id=57721 | topic=Averages | difficulty=Easy | question=Find the average of 10, 50, 50, 32, 84, 13, 80, 81. | option_a=51 | option_b=49 | option_c=52 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 400 ÷ 8 = 50.

id=57722 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 10, 14, 20? | option_a=14 | option_b=20 | option_c=10 | option_d=6 | answer=B | explanation=The first three numbers increase by 4, so the next should be 18. Therefore 20 is the odd one out.

id=57723 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=57724 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=38 | option_b=45 | option_c=52 | option_d=46 | answer=B | explanation=The common difference is 7. Therefore the next term is 38 + 7 = 45.

id=57725 | topic=Percentages | difficulty=Easy | question=What is 15% of 1062? | option_a=154 | option_b=159 | option_c=169 | option_d=318 | answer=B | explanation=15% of 1062 = (15/100) × 1062 = 159.

id=57726 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=9 | option_b=18 | option_c=14 | option_d=4 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=57727 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 30? | option_a=20 | option_b=30 | option_c=24 | option_d=16 | answer=B | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 30 is the odd one out.

id=57728 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:17 and the first is 323, what is the second? | option_a=272 | option_b=612 | option_c=308 | option_d=289 | answer=D | explanation=Scale factor = 323/19 = 17. Therefore second quantity = 17×17 = 289.

id=57729 | topic=Percentages | difficulty=Easy | question=What is 5% of 1290? | option_a=64 | option_b=128 | option_c=74 | option_d=59 | answer=A | explanation=5% of 1290 = (5/100) × 1290 = 64.

id=57730 | topic=Averages | difficulty=Easy | question=Find the average of 55, 54, 16, 95, 86, 61, 72, 12, 47, 22. | option_a=54 | option_b=53 | option_c=51 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 520 ÷ 10 = 52.

id=57731 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24761 at 6% per annum for 5 years. | option_a=7428 | option_b=7528 | option_c=7328 | option_d=32189 | answer=A | explanation=SI = PRT/100 = 24761×6×5/100 = **■**7428.

id=57732 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=20 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=57733 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:15 and the first is 48, what is the second? | option_a=45 | option_b=72 | option_c=108 | option_d=60 | answer=D | explanation=Scale factor = 48/12 = 4. Therefore second quantity = 15×4 = 60.

id=57734 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3055. If it is sold at a profit of 40%, what is its selling price? | option_a=3095 | option_b=4277 | option_c=4582 | option_d=3972 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3055 × 140/100 = **■**4277.

id=57735 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=57736 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45666 at 12% per annum for 3 years. | option_a=16439 | option_b=16539 | option_c=62105 | option_d=16339 | answer=A | explanation=SI = PRT/100 = 45666×12×3/100 = **■**16439.

id=57737 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13001 at 4% per annum for 1 years. | option_a=13521 | option_b=620 | option_c=420 | option_d=520 | answer=D | explanation=SI = PRT/100 = 13001×4×1/100 = **■**520.

id=57738 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:8 and the first is 24, what is the second? | option_a=52 | option_b=40 | option_c=72 | option_d=48 | answer=D | explanation=Scale factor = 24/4 = 6. Therefore second quantity = 8×6 = 48.

id=57739 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=57740 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=57741 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=41 | option_b=40 | option_c=47 | option_d=33 | answer=B | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.

id=57742 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3424. If it is sold at a profit of 15%, what is its selling price? | option_a=3439 | option_b=3595 | option_c=3937 | option_d=4279 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3424 × 115/100 = **■**3937.

id=57743 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=57744 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 40? | option_a=28 | option_b=19 | option_c=40 | option_d=10 | answer=C | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 40 is the odd one out.

id=57745 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 24. | option_a=286 | option_b=264 | option_c=528 | option_d=240 | answer=B | explanation=LCM × HCF = 22×24; HCF(22,24) = 2, so LCM = 264.

id=57746 | topic=Percentages | difficulty=Easy | question=What is 15% of 325? | option_a=96 | option_b=38 | option_c=48 | option_d=58 | answer=C | explanation=15% of 325 = (15/100) × 325 = 48.

id=57747 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=9 | option_c=4 | option_d=18 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=57748 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3232. If it is sold at a profit of 15%, what is its selling price? | option_a=3393 | option_b=3247 | option_c=4039 | option_d=3716 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3232 × 115/100 = **■**3716.

id=57749 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=29 | option_d=19 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=57750 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=40 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

Aptitude Questions — Records 57,751-57,780 of 100,000

id=57751 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=24 | option_b=28 | option_c=18 | option_d=23 | answer=D | explanation=The common difference is 5. Therefore the next term is 18 + 5 = 23.

id=57752 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=S | option_b=N | option_c=X | option_d=I | answer=A | explanation=Move 5 positions forward from N; the resulting letter is S.

id=57753 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**25709 at 10% per annum for 4 years. | option_a=10183 | option_b=35992 | option_c=10383 | option_d=10283 | answer=D | explanation=SI = $PRT/100 = 25709 \times 10 \times 4 / 100 = \text{₹}10283$.

id=57754 | topic=Averages | difficulty=Easy | question=Find the average of 72, 73, 10, 41, 89. | option_a=57 | option_b=58 | option_c=59 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.

id=57755 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=57756 | topic=Averages | difficulty=Easy | question=Find the average of 93, 93, 40, 78. | option_a=78 | option_b=76 | option_c=75 | option_d=77 | answer=B | explanation=Average = sum of values ÷ number of values = $304 \div 4 = 76$.

id=57757 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=L | option_b=B | option_c=G | option_d=Q | answer=A | explanation=Move 5 positions forward from G; the resulting letter is L.

id=57758 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = $120 \div 4 = 30$ km/h.

id=57759 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:17 and the first is 204, what is the second? | option_a=301 | option_b=493 | option_c=272 | option_d=289 | answer=D | explanation=Scale factor = $204/12 = 17$. Therefore second quantity = $17 \times 17 = 289$.

id=57760 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**249. If it is sold at a profit of 30%, what is its selling price? | option_a=299 | option_b=347 | option_c=323 | option_d=279 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 249 \times 130 / 100 = \text{₹}323$.

id=57761 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.

id=57762 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=W | option_b=O | option_c=S | option_d=K | answer=C | explanation=Move 4 positions forward from O; the resulting letter is S.

id=57763 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=56 | option_b=57 | option_c=46 | option_d=66 | answer=A | explanation=The common difference is 10. Therefore the next term is $46 + 10 = 56$.

id=57764 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**30588 at 12% per annum for 3 years. | option_a=41599 | option_b=11011 | option_c=10911 | option_d=11111 | answer=B | explanation=SI = $PRT/100 = 30588 \times 12 \times 3 / 100 = \text{₹}11011$.

id=57765 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 59? | option_a=38 | option_b=29 | option_c=47 | option_d=59 | answer=D | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 59 is the odd one out.

id=57766 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=160 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = $240 \div 3 = 80$ km/h.

id=57767 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=31 | option_b=34 | option_c=26 | option_d=30 | answer=D | explanation=The common difference is 4. Therefore the next term is $26 + 4 = 30$.

id=57768 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**5936 at 12% per annum for 1 years. | option_a=6648 | option_b=812 | option_c=612 | option_d=712 | answer=D | explanation=SI = $PRT/100 = 5936 \times 12 \times 1 / 100 = \text{₹}712$.

id=57769 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=57770 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=44 | option_b=45 | option_c=53 | option_d=35 | answer=A | explanation=The common difference is 9. Therefore the next term is $35 + 9 = 44$.

id=57771 | topic=Percentages | difficulty=Easy | question=What is 20% of 839? | option_a=334 | option_b=187 | option_c=162 | option_d=167 | answer=D | explanation=20% of 839 = $(20/100) \times 839 = 167$.

id=57772 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=7 | option_d=17 | answer=B | explanation=Speed = distance ÷ time = $60 \div 5 = 12$ km/h.

id=57773 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2164. If it is sold at a profit of 15%, what is its selling price? | option_a=2488 | option_b=2179 | option_c=2272 | option_d=2704 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2164 \times 115 / 100 = \text{₹}2488$.

id=57774 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=23 | option_b=35 | option_c=30 | option_d=29 | answer=D | explanation=The common difference is 6. Therefore the next term is $23 + 6 = 29$.

id=57775 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=36 | option_b=32 | option_c=40 | option_d=37 | answer=A | explanation=The common difference is 4. Therefore the next term is $32 + 4 = 36$.

id=57776 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 22. | option_a=22 | option_b=44 | option_c=484 | option_d=1 | answer=A | explanation= $LCM \times HCF = 22 \times 22$; $HCF(22, 22) = 22$, so $LCM = 22$.

id=57777 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=150 | option_c=145 | option_d=300 | answer=B | explanation=Speed = distance ÷ time = $300 \div 2 = 150$ km/h.

id=57778 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**25325 at 10% per annum for 3 years. | option_a=7697 | option_b=7497 | option_c=32922 | option_d=7597 | answer=D | explanation=SI = $PRT/100 = 25325 \times 10 \times 3 / 100 = \text{₹}7597$.

id=57779 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=K | option_b=Y | option_c=C | option_d=G | answer=D | explanation=Move 4 positions forward from C; the resulting letter is G.

id=57780 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=40 | option_b=36 | option_c=35 | option_d=30 | answer=C | explanation=The common difference is 5. Therefore the next term is $30 + 5 = 35$.

Aptitude Questions — Records 57,781-57,810 of 100,000

id=57781 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 25? | option_a=20 | option_b=18 | option_c=25 | option_d=16 | answer=C | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 25 is the odd one out.

id=57782 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40872 at 15% per annum for 1 years. | option_a=6030 | option_b=47002 | option_c=6230 | option_d=6130 | answer=D | explanation=SI = $PRT/100 = 40872 \times 15 \times 1/100 = \text{■}6130$.

id=57783 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=57784 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=23 | option_d=13 | answer=A | explanation=Speed = distance ÷ time = $90 \div 5 = 18$ km/h.

id=57785 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**515. If it is sold at a profit of 50%, what is its selling price? | option_a=721 | option_b=565 | option_c=823 | option_d=772 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 515 \times 150/100 = \text{■}772$.

id=57786 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7748 at 4% per annum for 5 years. | option_a=1649 | option_b=1449 | option_c=9297 | option_d=1549 | answer=D | explanation=SI = $PRT/100 = 7748 \times 4 \times 5/100 = \text{■}1549$.

id=57787 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=24 | option_b=26 | option_c=23 | option_d=20 | answer=C | explanation=The common difference is 3. Therefore the next term is $20 + 3 = 23$.

id=57788 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6616 at 4% per annum for 5 years. | option_a=7939 | option_b=1323 | option_c=1423 | option_d=1223 | answer=B | explanation=SI = $PRT/100 = 6616 \times 4 \times 5/100 = \text{■}1323$.

id=57789 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=57790 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=57791 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2674. If it is sold at a profit of 50%, what is its selling price? | option_a=2724 | option_b=4278 | option_c=4011 | option_d=3744 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2674 \times 150/100 = \text{■}4011$.

id=57792 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=29 | option_d=19 | answer=A | explanation=Speed = distance ÷ time = $120 \div 5 = 24$ km/h.

id=57793 | topic=Percentages | difficulty=Easy | question=What is 12% of 1442? | option_a=173 | option_b=193 | option_c=163 | option_d=346 | answer=A | explanation=12% of 1442 = $(12/100) \times 1442 = 173$.

id=57794 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 52? | option_a=19 | option_b=29 | option_c=39 | option_d=52 | answer=D | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 52 is the odd one out.

id=57795 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48632 at 12% per annum for 1 years. | option_a=5835 | option_b=5735 | option_c=54467 | option_d=5935 | answer=A | explanation=SI = $PRT/100 = 48632 \times 12 \times 1/100 = \text{■}5835$.

id=57796 | topic=Averages | difficulty=Easy | question=Find the average of 64, 40, 69, 30, 65, 75, 12, 100, 31. | option_a=55 | option_b=54 | option_c=53 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = $486 \div 9 = 54$.

id=57797 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=X | option_b=A | option_c=U | option_d=R | answer=A | explanation=Move 3 positions forward from U; the resulting letter is X.

id=57798 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=29 | option_c=19 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = $120 \div 5 = 24$ km/h.

id=57799 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=57800 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=125 | option_c=240 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = $240 \div 2 = 120$ km/h.

id=57801 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=J | option_c=B | option_d=X | answer=A | explanation=Move 4 positions forward from B; the resulting letter is F.

id=57802 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 39, 48, 60? | option_a=48 | option_b=39 | option_c=60 | option_d=30 | answer=C | explanation=The first three numbers increase by 9, so the next should be 57. Therefore 60 is the odd one out.

id=57803 | topic=Percentages | difficulty=Easy | question=What is 15% of 1871? | option_a=275 | option_b=560 | option_c=285 | option_d=280 | answer=D | explanation=15% of 1871 = $(15/100) \times 1871 = 280$.

id=57804 | topic=Percentages | difficulty=Easy | question=What is 20% of 871? | option_a=169 | option_b=174 | option_c=348 | option_d=179 | answer=B | explanation=20% of 871 = $(20/100) \times 871 = 174$.

id=57805 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2237. If it is sold at a profit of 25%, what is its selling price? | option_a=2573 | option_b=2796 | option_c=2262 | option_d=3019 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2237 \times 125/100 = \text{■}2796$.

id=57806 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=57807 | topic=Percentages | difficulty=Easy | question=What is 12% of 141? | option_a=21 | option_b=16 | option_c=6 | option_d=32 | answer=B | explanation=12% of 141 = $(12/100) \times 141 = 16$.

id=57808 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=78 | option_b=54 | option_c=67 | option_d=66 | answer=D | explanation=The common difference is 12. Therefore the next term is $54 + 12 = 66$.

id=57809 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=W | option_b=Q | option_c=Z | option_d=T | answer=A | explanation=Move 3 positions forward from T; the resulting letter is W.

id=57810 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3552. If it is sold at a profit of 25%, what is its selling price? | option_a=3577 | option_b=4795 | option_c=4440 | option_d=4085 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3552 \times 125/100 = \text{■}4440$.

Aptitude Questions — Records 57,811-57,840 of 100,000

id=57811 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1574. If it is sold at a profit of 15%, what is its selling price? | option_a=1967 | option_b=1810 | option_c=1589 | option_d=1653 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1574 × 115/100 = █1810.

id=57812 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 12, 15, 18, ? | option_a=22 | option_b=24 | option_c=21 | option_d=18 | answer=C | explanation=The common difference is 3. Therefore the next term is 18 + 3 = 21.

id=57813 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1681 at 15% per annum for 1 years. | option_a=1933 | option_b=352 | option_c=152 | option_d=252 | answer=D | explanation=SI = PRT/100 = 1681×15×1/100 = █252.

id=57814 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1415. If it is sold at a profit of 40%, what is its selling price? | option_a=1840 | option_b=2122 | option_c=1981 | option_d=1455 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1415 × 140/100 = █1981.

id=57815 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 28, 31, 36? | option_a=25 | option_b=31 | option_c=36 | option_d=28 | answer=C | explanation=The first three numbers increase by 3, so the next should be 34. Therefore 36 is the odd one out.

id=57816 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=57817 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49879 at 5% per annum for 4 years. | option_a=59854 | option_b=10075 | option_c=9875 | option_d=9975 | answer=D | explanation=SI = PRT/100 = 49879×5×4/100 = █9975.

id=57818 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=24 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=57819 | topic=Profit & Loss | difficulty=Easy | question=An article costs █807. If it is sold at a profit of 25%, what is its selling price? | option_a=1088 | option_b=1008 | option_c=832 | option_d=928 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 807 × 125/100 = █1008.

id=57820 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 28. | option_a=168 | option_b=90 | option_c=84 | option_d=56 | answer=C | explanation=LCM × HCF = 6×28; HCF(6,28) = 2, so LCM = 84.

id=57821 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=O | option_c=M | option_d=Q | answer=D | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=57822 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=57823 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=Y | option_c=E | option_d=H | answer=C | explanation=Move 3 positions forward from B; the resulting letter is E.

id=57824 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=57825 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40887 at 12% per annum for 2 years. | option_a=9712 | option_b=50699 | option_c=9812 | option_d=9912 | answer=C | explanation=SI = PRT/100 = 40887×12×2/100 = █9812.

id=57826 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=5 | option_c=10 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=57827 | topic=Percentages | difficulty=Easy | question=What is 30% of 1748? | option_a=1048 | option_b=524 | option_c=519 | option_d=544 | answer=B | explanation=30% of 1748 = (30/100) × 1748 = 524.

id=57828 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:15 and the first is 102, what is the second? | option_a=90 | option_b=192 | option_c=107 | option_d=75 | answer=A | explanation=Scale factor = 102/17 = 6. Therefore second quantity = 15×6 = 90.

id=57829 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=30 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=57830 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 50? | option_a=36 | option_b=50 | option_c=42 | option_d=30 | answer=B | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 50 is the odd one out.

id=57831 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=57832 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 17, 26, 37? | option_a=37 | option_b=26 | option_c=8 | option_d=17 | answer=A | explanation=The first three numbers increase by 9, so the next should be 35. Therefore 37 is the odd one out.

id=57833 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=Z | option_c=J | option_d=O | answer=C | explanation=Move 5 positions forward from E; the resulting letter is J.

id=57834 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 30? | option_a=13 | option_b=23 | option_c=30 | option_d=18 | answer=C | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 30 is the odd one out.

id=57835 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=44 | option_b=35 | option_c=43 | option_d=51 | answer=C | explanation=The common difference is 8. Therefore the next term is 35 + 8 = 43.

id=57836 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:14 and the first is 30, what is the second? | option_a=14 | option_b=28 | option_c=43 | option_d=58 | answer=B | explanation=Scale factor = 30/15 = 2. Therefore second quantity = 14×2 = 28.

id=57837 | topic=Averages | difficulty=Easy | question=Find the average of 68, 34, 12, 41, 37, 85, 73. | option_a=49 | option_b=50 | option_c=51 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

id=57838 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:1 and the first is 126, what is the second? | option_a=13 | option_b=23 | option_c=14 | option_d=140 | answer=C | explanation=Scale factor = 126/9 = 14. Therefore second quantity = 1×14 = 14.

id=57839 | topic=Percentages | difficulty=Easy | question=What is 15% of 1718? | option_a=252 | option_b=514 | option_c=277 | option_d=257 | answer=D | explanation=15% of 1718 = (15/100) × 1718 = 257.

id=57840 | topic=Percentages | difficulty=Easy | question=What is 20% of 413? | option_a=72 | option_b=82 | option_c=102 | option_d=164 | answer=B | explanation=20% of 413 = (20/100) × 413 = 82.

Aptitude Questions — Records 57,841-57,870 of 100,000

id=57841 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 33, 39, 46? | option_a=39 | option_b=27 | option_c=46 | option_d=33 | answer=C | explanation=The first three numbers increase by 6, so the next should be 45. Therefore 46 is the odd one out.

id=57842 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:1 and the first is 55, what is the second? | option_a=60 | option_b=4 | option_c=5 | option_d=16 | answer=C | explanation=Scale factor = 55/11 = 5. Therefore second quantity = 1×5 = 5.

id=57843 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2649. If it is sold at a profit of 15%, what is its selling price? | option_a=3046 | option_b=2782 | option_c=3310 | option_d=2664 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2649 × 115/100 = █3046.

id=57844 | topic=Percentages | difficulty=Easy | question=What is 50% of 1827? | option_a=1826 | option_b=913 | option_c=933 | option_d=903 | answer=B | explanation=50% of 1827 = (50/100) × 1827 = 913.

id=57845 | topic=Averages | difficulty=Easy | question=Find the average of 43, 87, 57, 68, 75, 58, 46. | option_a=61 | option_b=62 | option_c=63 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 434 ÷ 7 = 62.

id=57846 | topic=Percentages | difficulty=Easy | question=What is 25% of 1201? | option_a=300 | option_b=600 | option_c=320 | option_d=280 | answer=A | explanation=25% of 1201 = (25/100) × 1201 = 300.

id=57847 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1964. If it is sold at a profit of 20%, what is its selling price? | option_a=2552 | option_b=2356 | option_c=1984 | option_d=2160 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1964 × 120/100 = █2356.

id=57848 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=H | option_b=P | option_c=L | option_d=T | answer=B | explanation=Move 4 positions forward from L; the resulting letter is P.

id=57849 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=160 | option_c=85 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=57850 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 27, 36, 47? | option_a=18 | option_b=36 | option_c=47 | option_d=27 | answer=C | explanation=The first three numbers increase by 9, so the next should be 45. Therefore 47 is the odd one out.

id=57851 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=35 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=57852 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=Z | option_c=H | option_d=L | answer=C | explanation=Move 4 positions forward from D; the resulting letter is H.

id=57853 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=180 | option_c=90 | option_d=95 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=57854 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 37? | option_a=19 | option_b=29 | option_c=37 | option_d=24 | answer=C | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 37 is the odd one out.

id=57855 | topic=Percentages | difficulty=Easy | question=What is 12% of 1718? | option_a=211 | option_b=196 | option_c=412 | option_d=206 | answer=D | explanation=12% of 1718 = (12/100) × 1718 = 206.

id=57856 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23192 at 12% per annum for 4 years. | option_a=11032 | option_b=11132 | option_c=11232 | option_d=34324 | answer=B | explanation=SI = PRT/100 = 23192×12×4/100 = █11132.

id=57857 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:16 and the first is 10, what is the second? | option_a=80 | option_b=82 | option_c=64 | option_d=90 | answer=A | explanation=Scale factor = 10/2 = 5. Therefore second quantity = 16×5 = 80.

id=57858 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:18 and the first is 12, what is the second? | option_a=110 | option_b=108 | option_c=120 | option_d=90 | answer=B | explanation=Scale factor = 12/2 = 6. Therefore second quantity = 18×6 = 108.

id=57859 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45229 at 4% per annum for 4 years. | option_a=7136 | option_b=52465 | option_c=7236 | option_d=7336 | answer=C | explanation=SI = PRT/100 = 45229×4×4/100 = █7236.

id=57860 | topic=Percentages | difficulty=Easy | question=What is 25% of 358? | option_a=89 | option_b=109 | option_c=178 | option_d=84 | answer=A | explanation=25% of 358 = (25/100) × 358 = 89.

id=57861 | topic=Percentages | difficulty=Easy | question=What is 5% of 1424? | option_a=81 | option_b=71 | option_c=61 | option_d=142 | answer=B | explanation=5% of 1424 = (5/100) × 1424 = 71.

id=57862 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=57863 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:16 and the first is 8, what is the second? | option_a=129 | option_b=128 | option_c=112 | option_d=136 | answer=B | explanation=Scale factor = 8/1 = 8. Therefore second quantity = 16×8 = 128.

id=57864 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:4 and the first is 60, what is the second? | option_a=80 | option_b=16 | option_c=20 | option_d=32 | answer=C | explanation=Scale factor = 60/12 = 5. Therefore second quantity = 4×5 = 20.

id=57865 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=57 | option_b=67 | option_c=58 | option_d=47 | answer=A | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

id=57866 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39941 at 4% per annum for 1 years. | option_a=1697 | option_b=1597 | option_c=1497 | option_d=41538 | answer=B | explanation=SI = PRT/100 = 39941×4×1/100 = █1597.

id=57867 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=57868 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 8. | option_a=8 | option_b=1 | option_c=12 | option_d=32 | answer=A | explanation=LCM × HCF = 4×8; HCF(4,8) = 4, so LCM = 8.

id=57869 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 18. | option_a=220 | option_b=198 | option_c=396 | option_d=180 | answer=B | explanation=LCM × HCF = 22×18; HCF(22,18) = 2, so LCM = 198.

id=57870 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=4 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

Aptitude Questions — Records 57,871-57,900 of 100,000

id=57871 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 34, 44, 57? | option_a=44 | option_b=57 | option_c=24 | option_d=34 | answer=B | explanation=The first three numbers increase by 10, so the next should be 54. Therefore 57 is the odd one out.

id=57872 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:17 and the first is 225, what is the second? | option_a=480 | option_b=255 | option_c=270 | option_d=238 | answer=B | explanation=Scale factor = 225/15 = 15. Therefore second quantity = 17×15 = 255.

id=57873 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 14, 17, 22? | option_a=22 | option_b=14 | option_c=17 | option_d=11 | answer=A | explanation=The first three numbers increase by 3, so the next should be 20. Therefore 22 is the odd one out.

id=57874 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3285. If it is sold at a profit of 10%, what is its selling price? | option_a=3295 | option_b=3941 | option_c=3613 | option_d=3285 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3285 × 110/100 = █3613.

id=57875 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=57876 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:11 and the first is 48, what is the second? | option_a=180 | option_b=136 | option_c=121 | option_d=132 | answer=D | explanation=Scale factor = 48/4 = 12. Therefore second quantity = 11×12 = 132.

id=57877 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4982. If it is sold at a profit of 15%, what is its selling price? | option_a=5231 | option_b=6227 | option_c=5729 | option_d=4997 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4982 × 115/100 = █5729.

id=57878 | topic=Averages | difficulty=Easy | question=Find the average of 69, 53, 43, 54, 91. | option_a=62 | option_b=63 | option_c=64 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 310 ÷ 5 = 62.

id=57879 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=20 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=57880 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48222 at 4% per annum for 5 years. | option_a=57866 | option_b=9544 | option_c=9644 | option_d=9744 | answer=C | explanation=SI = PRT/100 = 48222×4×5/100 = █9644.

id=57881 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:4 and the first is 5, what is the second? | option_a=16 | option_b=21 | option_c=20 | option_d=25 | answer=C | explanation=Scale factor = 5/1 = 5. Therefore second quantity = 4×5 = 20.

id=57882 | topic=Percentages | difficulty=Easy | question=What is 50% of 1300? | option_a=670 | option_b=650 | option_c=1300 | option_d=645 | answer=B | explanation=50% of 1300 = (50/100) × 1300 = 650.

id=57883 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:2 and the first is 120, what is the second? | option_a=28 | option_b=38 | option_c=150 | option_d=30 | answer=D | explanation=Scale factor = 120/8 = 15. Therefore second quantity = 2×15 = 30.

id=57884 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=57885 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:1 and the first is 320, what is the second? | option_a=16 | option_b=336 | option_c=15 | option_d=36 | answer=A | explanation=Scale factor = 320/20 = 16. Therefore second quantity = 1×16 = 16.

id=57886 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 57? | option_a=26 | option_b=57 | option_c=46 | option_d=36 | answer=B | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 57 is the odd one out.

id=57887 | topic=Profit & Loss | difficulty=Easy | question=An article costs █725. If it is sold at a profit of 50%, what is its selling price? | option_a=775 | option_b=1159 | option_c=1015 | option_d=1087 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 725 × 150/100 = █1087.

id=57888 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=19 | option_b=25 | option_c=22 | option_d=23 | answer=C | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.

id=57889 | topic=Percentages | difficulty=Easy | question=What is 5% of 1823? | option_a=96 | option_b=91 | option_c=182 | option_d=86 | answer=B | explanation=5% of 1823 = (5/100) × 1823 = 91.

id=57890 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1135. If it is sold at a profit of 5%, what is its selling price? | option_a=1140 | option_b=1304 | option_c=1078 | option_d=1191 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1135 × 105/100 = █1191.

id=57891 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 21, 23, 25, ? | option_a=25 | option_b=27 | option_c=28 | option_d=29 | answer=B | explanation=The common difference is 2. Therefore the next term is 25 + 2 = 27.

id=57892 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=69 | option_b=68 | option_c=56 | option_d=80 | answer=B | explanation=The common difference is 12. Therefore the next term is 56 + 12 = 68.

id=57893 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:12 and the first is 18, what is the second? | option_a=60 | option_b=90 | option_c=75 | option_d=72 | answer=D | explanation=Scale factor = 18/3 = 6. Therefore second quantity = 12×6 = 72.

id=57894 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 10, 13, 16, ? | option_a=16 | option_b=22 | option_c=20 | option_d=19 | answer=D | explanation=The common difference is 3. Therefore the next term is 16 + 3 = 19.

id=57895 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46578 at 12% per annum for 3 years. | option_a=16868 | option_b=16768 | option_c=63346 | option_d=16668 | answer=B | explanation=SI = PRT/100 = 46578×12×3/100 = █16768.

id=57896 | topic=Percentages | difficulty=Easy | question=What is 30% of 1964? | option_a=1178 | option_b=589 | option_c=599 | option_d=579 | answer=B | explanation=30% of 1964 = (30/100) × 1964 = 589.

id=57897 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=W | option_b=M | option_c=H | option_d=R | answer=D | explanation=Move 5 positions forward from M; the resulting letter is R.

id=57898 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4169. If it is sold at a profit of 25%, what is its selling price? | option_a=4194 | option_b=5211 | option_c=4795 | option_d=5627 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4169 × 125/100 = █5211.

id=57899 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=K | option_b=P | option_c=A | option_d=F | answer=A | explanation=Move 5 positions forward from F; the resulting letter is K.

id=57900 | topic=Profit & Loss | difficulty=Easy | question=An article costs █584. If it is sold at a profit of 5%, what is its selling price? | option_a=555 | option_b=589 | option_c=613 | option_d=671 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 584 × 105/100 = █613.

Aptitude Questions — Records 57,901-57,930 of 100,000

id=57901 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 13, 17, 21, ? | option_a=21 | option_b=26 | option_c=25 | option_d=29 | answer=C | explanation=The common difference is 4. Therefore the next term is 21 + 4 = 25.

id=57902 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=N | option_c=M | option_d=O | answer=D | explanation=Move 1 positions forward from N; the resulting letter is O.

id=57903 | topic=Averages | difficulty=Easy | question=Find the average of 98, 34, 69, 17, 32. | option_a=49 | option_b=52 | option_c=50 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 250 ÷ 5 = 50.

id=57904 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=70 | option_b=50 | option_c=60 | option_d=61 | answer=C | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

id=57905 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4014. If it is sold at a profit of 40%, what is its selling price? | option_a=6020 | option_b=5218 | option_c=4054 | option_d=5619 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4014 × 140/100 = █5619.

id=57906 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4451. If it is sold at a profit of 50%, what is its selling price? | option_a=6676 | option_b=7121 | option_c=4501 | option_d=6231 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4451 × 150/100 = █6676.

id=57907 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=57908 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=17 | option_c=7 | option_d=24 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=57909 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46234 at 15% per annum for 5 years. | option_a=34575 | option_b=34675 | option_c=80909 | option_d=34775 | answer=B | explanation=SI = PRT/100 = 46234×15×5/100 = █34675.

id=57910 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=34 | option_b=33 | option_c=26 | option_d=40 | answer=B | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

id=57911 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=57912 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 17, 27, 40? | option_a=40 | option_b=27 | option_c=17 | option_d=7 | answer=A | explanation=The first three numbers increase by 10, so the next should be 37. Therefore 40 is the odd one out.

id=57913 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 32? | option_a=32 | option_b=12 | option_c=24 | option_d=18 | answer=A | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 32 is the odd one out.

id=57914 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=8 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=57915 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=150 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=57916 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 31? | option_a=19 | option_b=14 | option_c=24 | option_d=31 | answer=D | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 31 is the odd one out.

id=57917 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44782 at 5% per annum for 4 years. | option_a=9056 | option_b=8856 | option_c=8956 | option_d=53738 | answer=C | explanation=SI = PRT/100 = 44782×5×4/100 = █8956.

id=57918 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=52 | option_b=53 | option_c=42 | option_d=62 | answer=A | explanation=The common difference is 10. Therefore the next term is 42 + 10 = 52.

id=57919 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=P | option_b=B | option_c=X | option_d=T | answer=C | explanation=Move 4 positions forward from T; the resulting letter is X.

id=57920 | topic=Percentages | difficulty=Easy | question=What is 12% of 1378? | option_a=165 | option_b=155 | option_c=170 | option_d=330 | answer=A | explanation=12% of 1378 = (12/100) × 1378 = 165.

id=57921 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 43? | option_a=43 | option_b=37 | option_c=27 | option_d=32 | answer=A | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 43 is the odd one out.

id=57922 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 35, 44, 56? | option_a=26 | option_b=35 | option_c=56 | option_d=44 | answer=C | explanation=The first three numbers increase by 9, so the next should be 53. Therefore 56 is the odd one out.

id=57923 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=57924 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=57925 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 16, 23, 31? | option_a=9 | option_b=31 | option_c=23 | option_d=16 | answer=B | explanation=The first three numbers increase by 7, so the next should be 30. Therefore 31 is the odd one out.

id=57926 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:16 and the first is 40, what is the second? | option_a=120 | option_b=64 | option_c=88 | option_d=80 | answer=D | explanation=Scale factor = 40/8 = 5. Therefore second quantity = 16×5 = 80.

id=57927 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=57928 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 59? | option_a=29 | option_b=47 | option_c=59 | option_d=38 | answer=C | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 59 is the odd one out.

id=57929 | topic=Percentages | difficulty=Easy | question=What is 25% of 680? | option_a=150 | option_b=340 | option_c=170 | option_d=175 | answer=C | explanation=25% of 680 = (25/100) × 680 = 170.

id=57930 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=T | option_b=W | option_c=V | option_d=U | answer=C | explanation=Move 1 positions forward from U; the resulting letter is V.

Aptitude Questions — Records 57,931-57,960 of 100,000

id=57931 | topic=Averages | difficulty=Easy | question=Find the average of 29, 80, 87, 56, 41, 87, 100, 61, 17. | option_a=62 | option_b=64 | option_c=63 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = $558 \div 9 = 62$.

id=57932 | topic=Number System | difficulty=Easy | question=Find the LCM of 11 and 22. | option_a=22 | option_b=33 | option_c=242 | option_d=1 | answer=A | explanation=LCM $\times$ HCF = 11×22 ; HCF(11,22) = 11, so LCM = 22.

id=57933 | topic=Number System | difficulty=Easy | question=Find the LCM of 29 and 29. | option_a=841 | option_b=1 | option_c=58 | option_d=29 | answer=D | explanation=LCM $\times$ HCF = 29×29 ; HCF(29,29) = 29, so LCM = 29.

id=57934 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 34, 43, 55? | option_a=55 | option_b=25 | option_c=43 | option_d=34 | answer=A | explanation=The first three numbers increase by 9, so the next should be 52. Therefore 55 is the odd one out.

id=57935 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=57936 | topic=Averages | difficulty=Easy | question=Find the average of 65, 92, 44, 68, 46. | option_a=63 | option_b=62 | option_c=64 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = $315 \div 5 = 63$.

id=57937 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1350. If it is sold at a profit of 10%, what is its selling price? | option_a=1350 | option_b=1620 | option_c=1485 | option_d=1360 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1350 \times \frac{110}{100} = \text{■}1485$.

id=57938 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:4 and the first is 324, what is the second? | option_a=90 | option_b=72 | option_c=396 | option_d=68 | answer=B | explanation=Scale factor = $324/18 = 18$. Therefore second quantity = $4 \times 18 = 72$.

id=57939 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 12, 15, 18, ? | option_a=18 | option_b=24 | option_c=21 | option_d=22 | answer=C | explanation=The common difference is 3. Therefore the next term is $18 + 3 = 21$.

id=57940 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=55 | option_b=47 | option_c=46 | option_d=37 | answer=C | explanation=The common difference is 9. Therefore the next term is $37 + 9 = 46$.

id=57941 | topic=Percentages | difficulty=Easy | question=What is 40% of 115? | option_a=46 | option_b=92 | option_c=56 | option_d=36 | answer=A | explanation=40% of 115 = $(40/100) \times 115 = 46$.

id=57942 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3470. If it is sold at a profit of 25%, what is its selling price? | option_a=3495 | option_b=4337 | option_c=3990 | option_d=4684 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3470 \times \frac{125}{100} = \text{■}4337$.

id=57943 | topic=Averages | difficulty=Easy | question=Find the average of 73, 78, 11, 40, 86, 36, 63, 27, 85, 51. | option_a=54 | option_b=57 | option_c=56 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = $550 \div 10 = 55$.

id=57944 | topic=Percentages | difficulty=Easy | question=What is 50% of 1122? | option_a=556 | option_b=561 | option_c=1122 | option_d=571 | answer=B | explanation=50% of 1122 = $(50/100) \times 1122 = 561$.

id=57945 | topic=Percentages | difficulty=Easy | question=What is 10% of 418? | option_a=61 | option_b=36 | option_c=82 | option_d=41 | answer=D | explanation=10% of 418 = $(10/100) \times 418 = 41$.

id=57946 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3861. If it is sold at a profit of 40%, what is its selling price? | option_a=5019 | option_b=3901 | option_c=5405 | option_d=5791 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3861 \times \frac{140}{100} = \text{■}5405$.

id=57947 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 28, 38, 51? | option_a=38 | option_b=28 | option_c=51 | option_d=18 | answer=C | explanation=The first three numbers increase by 10, so the next should be 48. Therefore 51 is the odd one out.

id=57948 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11539 at 6% per annum for 1 years. | option_a=12231 | option_b=592 | option_c=792 | option_d=692 | answer=D | explanation=SI = $PRT/100 = 11539 \times 6 \times 1/100 = \text{■}692$.

id=57949 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=150 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = $150 \div 2 = 75$ km/h.

id=57950 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=55 | option_b=65 | option_c=56 | option_d=45 | answer=A | explanation=The common difference is 10. Therefore the next term is $45 + 10 = 55$.

id=57951 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=E | option_c=T | option_d=O | answer=D | explanation=Move 5 positions forward from J; the resulting letter is O.

id=57952 | topic=Percentages | difficulty=Easy | question=What is 12% of 187? | option_a=22 | option_b=44 | option_c=32 | option_d=17 | answer=A | explanation=12% of 187 = $(12/100) \times 187 = 22$.

id=57953 | topic=Averages | difficulty=Easy | question=Find the average of 44, 32, 23, 49, 74, 10, 48, 92, 49, 99. | option_a=51 | option_b=54 | option_c=52 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = $520 \div 10 = 52$.

id=57954 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:13 and the first is 4, what is the second? | option_a=52 | option_b=39 | option_c=53 | option_d=56 | answer=A | explanation=Scale factor = $4/1 = 4$. Therefore second quantity = $13 \times 4 = 52$.

id=57955 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:10 and the first is 285, what is the second? | option_a=475 | option_b=205 | option_c=190 | option_d=180 | answer=C | explanation=Scale factor = $285/15 = 19$. Therefore second quantity = $10 \times 19 = 190$.

id=57956 | topic=Percentages | difficulty=Easy | question=What is 25% of 1422? | option_a=710 | option_b=335 | option_c=375 | option_d=355 | answer=D | explanation=25% of 1422 = $(25/100) \times 1422 = 355$.

id=57957 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4324. If it is sold at a profit of 5%, what is its selling price? | option_a=4108 | option_b=4540 | option_c=4329 | option_d=4972 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4324 \times \frac{105}{100} = \text{■}4540$.

id=57958 | topic=Averages | difficulty=Easy | question=Find the average of 61, 37, 94, 97, 21, 17, 50, 39, 99, 95. | option_a=61 | option_b=62 | option_c=63 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = $610 \div 10 = 61$.

id=57959 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=I | option_b=S | option_c=X | option_d=N | answer=B | explanation=Move 5 positions forward from N; the resulting letter is S.

id=57960 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=V | option_c=K | option_d=F | answer=D | explanation=Move 5 positions forward from A; the resulting letter is F.

Aptitude Questions — Records 57,961-57,990 of 100,000

id=57961 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=V | option_c=W | option_d=T | answer=B | explanation=Move 1 positions forward from U; the resulting letter is V.

id=57962 | topic=Averages | difficulty=Easy | question=Find the average of 76, 57, 33, 56, 78, 39, 39. | option_a=56 | option_b=54 | option_c=53 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

id=57963 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 10. | option_a=1 | option_b=20 | option_c=10 | option_d=12 | answer=C | explanation=LCM × HCF = 2×10; HCF(2,10) = 2, so LCM = 10.

id=57964 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4858. If it is sold at a profit of 25%, what is its selling price? | option_a=6557 | option_b=4883 | option_c=5587 | option_d=6072 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4858 × 125/100 = █6072.

id=57965 | topic=Averages | difficulty=Easy | question=Find the average of 99, 27, 70, 48, 58, 53, 93. | option_a=66 | option_b=65 | option_c=63 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 448 ÷ 7 = 64.

id=57966 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:18 and the first is 25, what is the second? | option_a=95 | option_b=115 | option_c=72 | option_d=90 | answer=D | explanation=Scale factor = 25/5 = 5. Therefore second quantity = 18×5 = 90.

id=57967 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:6 and the first is 30, what is the second? | option_a=120 | option_b=84 | option_c=92 | option_d=90 | answer=D | explanation=Scale factor = 30/2 = 15. Therefore second quantity = 6×15 = 90.

id=57968 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 26, 35, 45? | option_a=17 | option_b=45 | option_c=35 | option_d=26 | answer=B | explanation=The first three numbers increase by 9, so the next should be 44. Therefore 45 is the odd one out.

id=57969 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4177. If it is sold at a profit of 15%, what is its selling price? | option_a=4386 | option_b=4803 | option_c=5220 | option_d=4192 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4177 × 115/100 = █4803.

id=57970 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1492. If it is sold at a profit of 10%, what is its selling price? | option_a=1790 | option_b=1641 | option_c=1492 | option_d=1502 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1492 × 110/100 = █1641.

id=57971 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=Q | option_b=I | option_c=E | option_d=M | answer=D | explanation=Move 4 positions forward from I; the resulting letter is M.

id=57972 | topic=Averages | difficulty=Easy | question=Find the average of 97, 42, 59, 74. | option_a=70 | option_b=69 | option_c=67 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = 272 ÷ 4 = 68.

id=57973 | topic=Profit & Loss | difficulty=Easy | question=An article costs █512. If it is sold at a profit of 50%, what is its selling price? | option_a=717 | option_b=819 | option_c=562 | option_d=768 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 512 × 150/100 = █768.

id=57974 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2460. If it is sold at a profit of 15%, what is its selling price? | option_a=2829 | option_b=2583 | option_c=2475 | option_d=3075 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2460 × 115/100 = █2829.

id=57975 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 15, 19, 25? | option_a=15 | option_b=25 | option_c=11 | option_d=19 | answer=B | explanation=The first three numbers increase by 4, so the next should be 23. Therefore 25 is the odd one out.

id=57976 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 33, 43, 54? | option_a=33 | option_b=54 | option_c=43 | option_d=23 | answer=B | explanation=The first three numbers increase by 10, so the next should be 53. Therefore 54 is the odd one out.

id=57977 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:15 and the first is 28, what is the second? | option_a=133 | option_b=90 | option_c=109 | option_d=105 | answer=D | explanation=Scale factor = 28/4 = 7. Therefore second quantity = 15×7 = 105.

id=57978 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 18? | option_a=15 | option_b=18 | option_c=11 | option_d=13 | answer=B | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 18 is the odd one out.

id=57979 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 10, 14, 21? | option_a=14 | option_b=6 | option_c=21 | option_d=10 | answer=C | explanation=The first three numbers increase by 4, so the next should be 18. Therefore 21 is the odd one out.

id=57980 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41339 at 4% per annum for 1 years. | option_a=1753 | option_b=1553 | option_c=1653 | option_d=42992 | answer=C | explanation=SI = PRT/100 = 41339×4×1/100 = █1653.

id=57981 | topic=Averages | difficulty=Easy | question=Find the average of 10, 44, 29, 76, 76, 35, 47, 12, 67. | option_a=44 | option_b=46 | option_c=43 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 396 ÷ 9 = 44.

id=57982 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=35 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=57983 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 14, 16, 19? | option_a=19 | option_b=16 | option_c=14 | option_d=12 | answer=A | explanation=The first three numbers increase by 2, so the next should be 18. Therefore 19 is the odd one out.

id=57984 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4536. If it is sold at a profit of 20%, what is its selling price? | option_a=5443 | option_b=4990 | option_c=4556 | option_d=5896 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4536 × 120/100 = █5443.

id=57985 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 25? | option_a=25 | option_b=15 | option_c=18 | option_d=21 | answer=A | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 25 is the odd one out.

id=57986 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 13, 16, 20? | option_a=13 | option_b=20 | option_c=10 | option_d=16 | answer=B | explanation=The first three numbers increase by 3, so the next should be 19. Therefore 20 is the odd one out.

id=57987 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=I | option_b=C | option_c=F | option_d=Z | answer=C | explanation=Move 3 positions forward from C; the resulting letter is F.

id=57988 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=57989 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=53 | option_b=45 | option_c=46 | option_d=37 | answer=B | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=57990 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=X | option_b=V | option_c=T | option_d=R | answer=B | explanation=Move 2 positions forward from T; the resulting letter is V.

Aptitude Questions — Records 57,991-58,020 of 100,000

id=57991 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=28 | option_b=22 | option_c=25 | option_d=26 | answer=C | explanation=The common difference is 3. Therefore the next term is 22 + 3 = 25.

id=57992 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 18, 27, 38? | option_a=9 | option_b=27 | option_c=18 | option_d=38 | answer=D | explanation=The first three numbers increase by 9, so the next should be 36. Therefore 38 is the odd one out.

id=57993 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:20 and the first is 108, what is the second? | option_a=360 | option_b=468 | option_c=366 | option_d=340 | answer=A | explanation=Scale factor = 108/6 = 18. Therefore second quantity = 20×18 = 360.

id=57994 | topic=Percentages | difficulty=Easy | question=What is 12% of 762? | option_a=111 | option_b=182 | option_c=81 | option_d=91 | answer=D | explanation=12% of 762 = (12/100) × 762 = 91.

id=57995 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 41? | option_a=15 | option_b=23 | option_c=41 | option_d=31 | answer=C | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 41 is the odd one out.

id=57996 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=50 | option_d=100 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=57997 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=13 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=57998 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=80 | option_c=35 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=57999 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 61? | option_a=40 | option_b=61 | option_c=50 | option_d=30 | answer=B | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 61 is the odd one out.

id=58000 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=M | option_c=H | option_d=X | answer=C | explanation=Move 5 positions forward from C; the resulting letter is H.

id=58001 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=45 | option_b=40 | option_c=41 | option_d=35 | answer=B | explanation=The common difference is 5. Therefore the next term is 35 + 5 = 40.

id=58002 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 26? | option_a=26 | option_b=21 | option_c=17 | option_d=19 | answer=A | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 26 is the odd one out.

id=58003 | topic=Averages | difficulty=Easy | question=Find the average of 59, 10, 41, 37, 26, 44, 68, 51. | option_a=44 | option_b=41 | option_c=43 | option_d=42 | answer=D | explanation=Average = sum of values ÷ number of values = 336 ÷ 8 = 42.

id=58004 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:2 and the first is 105, what is the second? | option_a=12 | option_b=119 | option_c=14 | option_d=29 | answer=C | explanation=Scale factor = 105/15 = 7. Therefore second quantity = 2×7 = 14.

id=58005 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:16 and the first is 108, what is the second? | option_a=80 | option_b=114 | option_c=96 | option_d=204 | answer=C | explanation=Scale factor = 108/18 = 6. Therefore second quantity = 16×6 = 96.

id=58006 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=32 | option_b=28 | option_c=27 | option_d=22 | answer=C | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.

id=58007 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10768 at 8% per annum for 1 years. | option_a=961 | option_b=861 | option_c=761 | option_d=11629 | answer=B | explanation=SI = PRT/100 = 10768×8×1/100 = **■**861.

id=58008 | topic=Percentages | difficulty=Easy | question=What is 15% of 700? | option_a=210 | option_b=115 | option_c=105 | option_d=85 | answer=C | explanation=15% of 700 = (15/100) × 700 = 105.

id=58009 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=39 | option_b=38 | option_c=30 | option_d=46 | answer=B | explanation=The common difference is 8. Therefore the next term is 30 + 8 = 38.

id=58010 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:18 and the first is 24, what is the second? | option_a=96 | option_b=72 | option_c=78 | option_d=54 | answer=B | explanation=Scale factor = 24/6 = 4. Therefore second quantity = 18×4 = 72.

id=58011 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3487. If it is sold at a profit of 10%, what is its selling price? | option_a=3835 | option_b=4183 | option_c=3487 | option_d=3497 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3487 × 110/100 = **■**3835.

id=58012 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 24, 30, 36, ? | option_a=42 | option_b=36 | option_c=43 | option_d=48 | answer=A | explanation=The common difference is 6. Therefore the next term is 36 + 6 = 42.

id=58013 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=63 | option_b=50 | option_c=62 | option_d=74 | answer=C | explanation=The common difference is 12. Therefore the next term is 50 + 12 = 62.

id=58014 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=43 | option_b=35 | option_c=42 | option_d=49 | answer=C | explanation=The common difference is 7. Therefore the next term is 35 + 7 = 42.

id=58015 | topic=Percentages | difficulty=Easy | question=What is 25% of 1213? | option_a=606 | option_b=323 | option_c=303 | option_d=293 | answer=C | explanation=25% of 1213 = (25/100) × 1213 = 303.

id=58016 | topic=Averages | difficulty=Easy | question=Find the average of 88, 80, 45. | option_a=72 | option_b=70 | option_c=73 | option_d=71 | answer=D | explanation=Average = sum of values ÷ number of values = 213 ÷ 3 = 71.

id=58017 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:8 and the first is 288, what is the second? | option_a=160 | option_b=432 | option_c=144 | option_d=136 | answer=C | explanation=Scale factor = 288/16 = 18. Therefore second quantity = 8×18 = 144.

id=58018 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=45 | option_b=57 | option_c=56 | option_d=67 | answer=C | explanation=The common difference is 11. Therefore the next term is 45 + 11 = 56.

id=58019 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=Z | option_b=U | option_c=P | option_d=K | answer=B | explanation=Move 5 positions forward from P; the resulting letter is U.

id=58020 | topic=Percentages | difficulty=Easy | question=What is 20% of 1060? | option_a=217 | option_b=202 | option_c=212 | option_d=424 | answer=C | explanation=20% of 1060 = (20/100) × 1060 = 212.

Aptitude Questions — Records 58,021-58,050 of 100,000

id=58021 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:14 and the first is 160, what is the second? | option_a=440 | option_b=288 | option_c=266 | option_d=280 | answer=D | explanation=Scale factor = 160/8 = 20. Therefore second quantity = 14×20 = 280.

id=58022 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=S | option_c=W | option_d=Y | answer=C | explanation=Move 2 positions forward from U; the resulting letter is W.

id=58023 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=27 | option_b=23 | option_c=25 | option_d=26 | answer=C | explanation=The common difference is 2. Therefore the next term is 23 + 2 = 25.

id=58024 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=I | option_c=E | option_d=W | answer=C | explanation=Move 4 positions forward from A; the resulting letter is E.

id=58025 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 43? | option_a=35 | option_b=43 | option_c=23 | option_d=29 | answer=B | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 43 is the odd one out.

id=58026 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=M | option_c=K | option_d=Q | answer=A | explanation=Move 2 positions forward from M; the resulting letter is O.

id=58027 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 30? | option_a=22 | option_b=16 | option_c=10 | option_d=30 | answer=D | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 30 is the odd one out.

id=58028 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 10, 16, 23? | option_a=16 | option_b=4 | option_c=10 | option_d=23 | answer=D | explanation=The first three numbers increase by 6, so the next should be 22. Therefore 23 is the odd one out.

id=58029 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:18 and the first is 256, what is the second? | option_a=544 | option_b=270 | option_c=288 | option_d=304 | answer=C | explanation=Scale factor = 256/16 = 16. Therefore second quantity = 18×16 = 288.

id=58030 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:18 and the first is 48, what is the second? | option_a=270 | option_b=336 | option_c=291 | option_d=288 | answer=D | explanation=Scale factor = 48/3 = 16. Therefore second quantity = 18×16 = 288.

id=58031 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**43426 at 6% per annum for 3 years. | option_a=51242 | option_b=7716 | option_c=7916 | option_d=7816 | answer=D | explanation=SI = $PRT/100 = 43426 \times 6 \times 3/100 = \text{₹}7816$.

id=58032 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=58033 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 20. | option_a=240 | option_b=60 | option_c=40 | option_d=72 | answer=B | explanation= $LCM \times HCF = 12 \times 20$; $HCF(12,20) = 4$, so $LCM = 60$.

id=58034 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**35105 at 12% per annum for 4 years. | option_a=51955 | option_b=16750 | option_c=16950 | option_d=16850 | answer=D | explanation=SI = $PRT/100 = 35105 \times 12 \times 4/100 = \text{₹}16850$.

id=58035 | topic=Averages | difficulty=Easy | question=Find the average of 27, 99, 33, 58, 58, 27, 48. | option_a=51 | option_b=52 | option_c=49 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = $350 \div 7 = 50$.

id=58036 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=56 | option_b=64 | option_c=55 | option_d=46 | answer=C | explanation=The common difference is 9. Therefore the next term is $46 + 9 = 55$.

id=58037 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = $60 \div 4 = 15$ km/h.

id=58038 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:4 and the first is 14, what is the second? | option_a=42 | option_b=24 | option_c=28 | option_d=30 | answer=C | explanation=Scale factor = $14/2 = 7$. Therefore second quantity = $4 \times 7 = 28$.

id=58039 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 31? | option_a=24 | option_b=22 | option_c=31 | option_d=26 | answer=C | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 31 is the odd one out.

id=58040 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.

id=58041 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:1 and the first is 270, what is the second? | option_a=33 | option_b=18 | option_c=17 | option_d=288 | answer=B | explanation=Scale factor = $270/15 = 18$. Therefore second quantity = $1 \times 18 = 18$.

id=58042 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**14139 at 15% per annum for 1 years. | option_a=16259 | option_b=2120 | option_c=2220 | option_d=2020 | answer=B | explanation=SI = $PRT/100 = 14139 \times 15 \times 1/100 = \text{₹}2120$.

id=58043 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=M | option_b=P | option_c=J | option_d=G | answer=A | explanation=Move 3 positions forward from J; the resulting letter is M.

id=58044 | topic=Percentages | difficulty=Easy | question=What is 40% of 675? | option_a=275 | option_b=270 | option_c=250 | option_d=540 | answer=B | explanation= $40\% \text{ of } 675 = (40/100) \times 675 = 270$.

id=58045 | topic=Percentages | difficulty=Easy | question=What is 30% of 178? | option_a=33 | option_b=53 | option_c=58 | option_d=106 | answer=B | explanation= $30\% \text{ of } 178 = (30/100) \times 178 = 53$.

id=58046 | topic=Percentages | difficulty=Easy | question=What is 50% of 513? | option_a=236 | option_b=266 | option_c=512 | option_d=256 | answer=D | explanation= $50\% \text{ of } 513 = (50/100) \times 513 = 256$.

id=58047 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:10 and the first is 57, what is the second? | option_a=49 | option_b=87 | option_c=20 | option_d=30 | answer=D | explanation=Scale factor = $57/19 = 3$. Therefore second quantity = $10 \times 3 = 30$.

id=58048 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=20 | option_d=6 | answer=A | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=58049 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=58050 | topic=Percentages | difficulty=Easy | question=What is 5% of 1774? | option_a=88 | option_b=98 | option_c=68 | option_d=176 | answer=A | explanation= $5\% \text{ of } 1774 = (5/100) \times 1774 = 88$.

Aptitude Questions — Records 58,051-58,080 of 100,000

id=58051 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=43 | option_c=96 | option_d=53 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=58052 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does "I" become? | option_a=K | option_b=I | option_c=J | option_d=H | answer=C | explanation=Move 1 positions forward from I; the resulting letter is J.

id=58053 | topic=Averages | difficulty=Easy | question=Find the average of 43, 33, 100, 48. | option_a=56 | option_b=57 | option_c=58 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 224 ÷ 4 = 56.

id=58054 | topic=Percentages | difficulty=Easy | question=What is 40% of 342? | option_a=126 | option_b=136 | option_c=272 | option_d=141 | answer=B | explanation=40% of 342 = (40/100) × 342 = 136.

id=58055 | topic=Averages | difficulty=Easy | question=Find the average of 80, 90, 65, 73. | option_a=76 | option_b=78 | option_c=77 | option_d=79 | answer=C | explanation=Average = sum of values ÷ number of values = 308 ÷ 4 = 77.

id=58056 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=20 | option_b=23 | option_c=15 | option_d=19 | answer=D | explanation=The common difference is 4. Therefore the next term is 15 + 4 = 19.

id=58057 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40943 at 5% per annum for 4 years. | option_a=8188 | option_b=8088 | option_c=8288 | option_d=49131 | answer=A | explanation=SI = PRT/100 = 40943×5×4/100 = **■**8188.

id=58058 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5721 at 10% per annum for 1 years. | option_a=672 | option_b=472 | option_c=6293 | option_d=572 | answer=D | explanation=SI = PRT/100 = 5721×10×1/100 = **■**572.

id=58059 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 8, 12, 17? | option_a=12 | option_b=8 | option_c=17 | option_d=4 | answer=C | explanation=The first three numbers increase by 4, so the next should be 16. Therefore 17 is the odd one out.

id=58060 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 20, 27, 37? | option_a=27 | option_b=13 | option_c=20 | option_d=37 | answer=D | explanation=The first three numbers increase by 7, so the next should be 34. Therefore 37 is the odd one out.

id=58061 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 51? | option_a=30 | option_b=39 | option_c=51 | option_d=21 | answer=C | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 51 is the odd one out.

id=58062 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1304. If it is sold at a profit of 25%, what is its selling price? | option_a=1329 | option_b=1500 | option_c=1760 | option_d=1630 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1304 × 125/100 = **■**1630.

id=58063 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 51? | option_a=36 | option_b=42 | option_c=30 | option_d=51 | answer=D | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 51 is the odd one out.

id=58064 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does "K" become? | option_a=K | option_b=O | option_c=M | option_d=I | answer=C | explanation=Move 2 positions forward from K; the resulting letter is M.

id=58065 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=58066 | topic=Averages | difficulty=Easy | question=Find the average of 36, 90, 95, 69, 39, 20, 71. | option_a=59 | option_b=61 | option_c=60 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 420 ÷ 7 = 60.

id=58067 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:17 and the first is 200, what is the second? | option_a=323 | option_b=350 | option_c=340 | option_d=540 | answer=C | explanation=Scale factor = 200/10 = 20. Therefore second quantity = 17×20 = 340.

id=58068 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 36? | option_a=29 | option_b=32 | option_c=36 | option_d=26 | answer=C | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 36 is the odd one out.

id=58069 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:13 and the first is 80, what is the second? | option_a=104 | option_b=184 | option_c=114 | option_d=91 | answer=A | explanation=Scale factor = 80/10 = 8. Therefore second quantity = 13×8 = 104.

id=58070 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3280 at 6% per annum for 1 years. | option_a=196 | option_b=3476 | option_c=296 | option_d=96 | answer=A | explanation=SI = PRT/100 = 3280×6×1/100 = **■**196.

id=58071 | topic=Averages | difficulty=Easy | question=Find the average of 64, 20, 99, 83, 18, 28, 65, 56, 37, 20. | option_a=49 | option_b=48 | option_c=50 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 490 ÷ 10 = 49.

id=58072 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=30 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=58073 | topic=Percentages | difficulty=Easy | question=What is 15% of 1651? | option_a=494 | option_b=247 | option_c=242 | option_d=267 | answer=B | explanation=15% of 1651 = (15/100) × 1651 = 247.

id=58074 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 33, 39, 48? | option_a=27 | option_b=33 | option_c=48 | option_d=39 | answer=C | explanation=The first three numbers increase by 6, so the next should be 45. Therefore 48 is the odd one out.

id=58075 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=58076 | topic=Averages | difficulty=Easy | question=Find the average of 17, 86, 73, 84. | option_a=65 | option_b=67 | option_c=64 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 260 ÷ 4 = 65.

id=58077 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 25, 31, 38? | option_a=38 | option_b=25 | option_c=19 | option_d=31 | answer=A | explanation=The first three numbers increase by 6, so the next should be 37. Therefore 38 is the odd one out.

id=58078 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**488. If it is sold at a profit of 50%, what is its selling price? | option_a=780 | option_b=538 | option_c=684 | option_d=732 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 488 × 150/100 = **■**732.

id=58079 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:5 and the first is 12, what is the second? | option_a=61 | option_b=60 | option_c=72 | option_d=55 | answer=B | explanation=Scale factor = 12/1 = 12. Therefore second quantity = 5×12 = 60.

id=58080 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=29 | option_b=33 | option_c=37 | option_d=34 | answer=B | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

Aptitude Questions — Records 58,081-58,110 of 100,000

id=58081 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=15 | option_d=5 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=58082 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=J | option_b=L | option_c=K | option_d=M | answer=B | explanation=Move 1 positions forward from K; the resulting letter is L.

id=58083 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 18, 25, 35? | option_a=18 | option_b=25 | option_c=11 | option_d=35 | answer=D | explanation=The first three numbers increase by 7, so the next should be 32. Therefore 35 is the odd one out.

id=58084 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=58085 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=P | option_b=K | option_c=F | option_d=U | answer=A | explanation=Move 5 positions forward from K; the resulting letter is P.

id=58086 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3751. If it is sold at a profit of 30%, what is its selling price? | option_a=4876 | option_b=5251 | option_c=4501 | option_d=3781 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3751 × 130/100 = █4876.

id=58087 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 34? | option_a=34 | option_b=27 | option_c=29 | option_d=25 | answer=A | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 34 is the odd one out.

id=58088 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 16. | option_a=90 | option_b=80 | option_c=160 | option_d=64 | answer=B | explanation=LCM × HCF = 10×16; HCF(10,16) = 2, so LCM = 80.

id=58089 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4216. If it is sold at a profit of 40%, what is its selling price? | option_a=6323 | option_b=4256 | option_c=5902 | option_d=5481 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4216 × 140/100 = █5902.

id=58090 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 5, 7, 10? | option_a=7 | option_b=5 | option_c=10 | option_d=3 | answer=C | explanation=The first three numbers increase by 2, so the next should be 9. Therefore 10 is the odd one out.

id=58091 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=H | option_c=K | option_d=J | answer=D | explanation=Move 1 positions forward from I; the resulting letter is J.

id=58092 | topic=Averages | difficulty=Easy | question=Find the average of 28, 64, 71, 64, 56, 25, 96, 28. | option_a=54 | option_b=55 | option_c=53 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 432 ÷ 8 = 54.

id=58093 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 6. | option_a=24 | option_b=60 | option_c=30 | option_d=40 | answer=C | explanation=LCM × HCF = 10×6; HCF(10,6) = 2, so LCM = 30.

id=58094 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 12, 14, 19? | option_a=12 | option_b=10 | option_c=14 | option_d=19 | answer=D | explanation=The first three numbers increase by 2, so the next should be 16. Therefore 19 is the odd one out.

id=58095 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 39, 49, 60? | option_a=29 | option_b=49 | option_c=39 | option_d=60 | answer=D | explanation=The first three numbers increase by 10, so the next should be 59. Therefore 60 is the odd one out.

id=58096 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20484 at 6% per annum for 1 years. | option_a=1329 | option_b=21713 | option_c=1129 | option_d=1229 | answer=D | explanation=SI = PRT/100 = 20484×6×1/100 = █1229.

id=58097 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4686. If it is sold at a profit of 10%, what is its selling price? | option_a=5154 | option_b=5622 | option_c=4686 | option_d=4696 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4686 × 110/100 = █5154.

id=58098 | topic=Percentages | difficulty=Easy | question=What is 5% of 1831? | option_a=86 | option_b=91 | option_c=96 | option_d=182 | answer=B | explanation=5% of 1831 = (5/100) × 1831 = 91.

id=58099 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:12 and the first is 25, what is the second? | option_a=65 | option_b=48 | option_c=60 | option_d=85 | answer=C | explanation=Scale factor = 25/5 = 5. Therefore second quantity = 12×5 = 60.

id=58100 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=90 | option_b=50 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=58101 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=19 | option_c=24 | option_d=48 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=58102 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=O | option_c=Y | option_d=D | answer=C | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=58103 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 18. | option_a=396 | option_b=220 | option_c=198 | option_d=180 | answer=C | explanation=LCM × HCF = 22×18; HCF(22,18) = 2, so LCM = 198.

id=58104 | topic=Averages | difficulty=Easy | question=Find the average of 38, 24, 27, 77, 22, 18, 72, 90, 19. | option_a=44 | option_b=43 | option_c=45 | option_d=42 | answer=B | explanation=Average = sum of values ÷ number of values = 387 ÷ 9 = 43.

id=58105 | topic=Averages | difficulty=Easy | question=Find the average of 60, 66, 72, 41, 46, 46, 20, 53, 100. | option_a=57 | option_b=58 | option_c=56 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=58106 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=A | option_b=V | option_c=L | option_d=Q | answer=B | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=58107 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=80 | option_c=160 | option_d=75 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=58108 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=62 | option_b=53 | option_c=54 | option_d=44 | answer=B | explanation=The common difference is 9. Therefore the next term is 44 + 9 = 53.

id=58109 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4151. If it is sold at a profit of 10%, what is its selling price? | option_a=4981 | option_b=4566 | option_c=4151 | option_d=4161 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4151 × 110/100 = █4566.

id=58110 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=50 | option_d=25 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

Aptitude Questions — Records 58,111-58,140 of 100,000

id=58111 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=Y | option_c=U | option_d=S | answer=A | explanation=Move 2 positions forward from U; the resulting letter is W.

id=58112 | topic=Averages | difficulty=Easy | question=Find the average of 42, 61, 54, 26, 13, 70, 18, 12, 72, 82. | option_a=44 | option_b=47 | option_c=46 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 450 ÷ 10 = 45.

id=58113 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 27, 36, 46? | option_a=46 | option_b=18 | option_c=27 | option_d=36 | answer=A | explanation=The first three numbers increase by 9, so the next should be 45. Therefore 46 is the odd one out.

id=58114 | topic=Percentages | difficulty=Easy | question=What is 10% of 1394? | option_a=149 | option_b=129 | option_c=278 | option_d=139 | answer=D | explanation=10% of 1394 = (10/100) × 1394 = 139.

id=58115 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=28 | option_b=33 | option_c=32 | option_d=36 | answer=C | explanation=The common difference is 4. Therefore the next term is 28 + 4 = 32.

id=58116 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:11 and the first is 80, what is the second? | option_a=55 | option_b=135 | option_c=44 | option_d=71 | answer=A | explanation=Scale factor = 80/16 = 5. Therefore second quantity = 11×5 = 55.

id=58117 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=58118 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10509 at 10% per annum for 2 years. | option_a=2201 | option_b=2001 | option_c=12610 | option_d=2101 | answer=D | explanation=SI = PRT/100 = 10509×10×2/100 = **■**2101.

id=58119 | topic=Percentages | difficulty=Easy | question=What is 5% of 718? | option_a=45 | option_b=70 | option_c=35 | option_d=15 | answer=C | explanation=5% of 718 = (5/100) × 718 = 35.

id=58120 | topic=Percentages | difficulty=Easy | question=What is 50% of 1476? | option_a=738 | option_b=758 | option_c=1476 | option_d=718 | answer=A | explanation=50% of 1476 = (50/100) × 1476 = 738.

id=58121 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 28. | option_a=112 | option_b=448 | option_c=84 | option_d=128 | answer=A | explanation=LCM × HCF = 16×28; HCF(16,28) = 4, so LCM = 112.

id=58122 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 24, 32, 40, ? | option_a=40 | option_b=49 | option_c=56 | option_d=48 | answer=D | explanation=The common difference is 8. Therefore the next term is 40 + 8 = 48.

id=58123 | topic=Percentages | difficulty=Easy | question=What is 10% of 571? | option_a=52 | option_b=67 | option_c=57 | option_d=114 | answer=C | explanation=10% of 571 = (10/100) × 571 = 57.

id=58124 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4825. If it is sold at a profit of 50%, what is its selling price? | option_a=4875 | option_b=7237 | option_c=7719 | option_d=6755 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4825 × 150/100 = **■**7237.

id=58125 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 13, 20, 30? | option_a=13 | option_b=6 | option_c=30 | option_d=20 | answer=C | explanation=The first three numbers increase by 7, so the next should be 27. Therefore 30 is the odd one out.

id=58126 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3022. If it is sold at a profit of 50%, what is its selling price? | option_a=4231 | option_b=4835 | option_c=4533 | option_d=3072 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3022 × 150/100 = **■**4533.

id=58127 | topic=Percentages | difficulty=Easy | question=What is 10% of 1189? | option_a=236 | option_b=118 | option_c=128 | option_d=113 | answer=B | explanation=10% of 1189 = (10/100) × 1189 = 118.

id=58128 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31556 at 12% per annum for 3 years. | option_a=11360 | option_b=42916 | option_c=11260 | option_d=11460 | answer=A | explanation=SI = PRT/100 = 31556×12×3/100 = **■**11360.

id=58129 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=80 | option_c=70 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=58130 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=58131 | topic=Averages | difficulty=Easy | question=Find the average of 53, 73, 70, 89, 52, 33, 56, 30. | option_a=57 | option_b=56 | option_c=59 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

id=58132 | topic=Averages | difficulty=Easy | question=Find the average of 81, 99, 86, 51, 61, 44, 47, 15, 68, 68. | option_a=61 | option_b=64 | option_c=63 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 620 ÷ 10 = 62.

id=58133 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1824. If it is sold at a profit of 30%, what is its selling price? | option_a=2371 | option_b=2189 | option_c=1854 | option_d=2553 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1824 × 130/100 = **■**2371.

id=58134 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=O | option_b=N | option_c=P | option_d=M | answer=A | explanation=Move 1 positions forward from N; the resulting letter is O.

id=58135 | topic=Averages | difficulty=Easy | question=Find the average of 38, 29, 48, 43, 27. | option_a=39 | option_b=36 | option_c=38 | option_d=37 | answer=D | explanation=Average = sum of values ÷ number of values = 185 ÷ 5 = 37.

id=58136 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:2 and the first is 176, what is the second? | option_a=20 | option_b=38 | option_c=22 | option_d=198 | answer=C | explanation=Scale factor = 176/16 = 11. Therefore second quantity = 2×11 = 22.

id=58137 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:13 and the first is 27, what is the second? | option_a=26 | option_b=48 | option_c=66 | option_d=39 | answer=D | explanation=Scale factor = 27/9 = 3. Therefore second quantity = 13×3 = 39.

id=58138 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:14 and the first is 77, what is the second? | option_a=175 | option_b=84 | option_c=109 | option_d=98 | answer=D | explanation=Scale factor = 77/11 = 7. Therefore second quantity = 14×7 = 98.

id=58139 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:15 and the first is 132, what is the second? | option_a=165 | option_b=312 | option_c=180 | option_d=191 | answer=C | explanation=Scale factor = 132/11 = 12. Therefore second quantity = 15×12 = 180.

id=58140 | topic=Percentages | difficulty=Easy | question=What is 5% of 1092? | option_a=108 | option_b=54 | option_c=49 | option_d=74 | answer=B | explanation=5% of 1092 = (5/100) × 1092 = 54.

Aptitude Questions — Records 58,141-58,170 of 100,000

id=58141 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 30, 38, 48? | option_a=30 | option_b=22 | option_c=38 | option_d=48 | answer=D | explanation=The first three numbers increase by 8, so the next should be 46. Therefore 48 is the odd one out.

id=58142 | topic=Averages | difficulty=Easy | question=Find the average of 13, 37, 27, 32, 94, 51, 87, 80, 28, 51. | option_a=52 | option_b=49 | option_c=50 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 500 ÷ 10 = 50.

id=58143 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=V | option_b=U | option_c=W | option_d=T | answer=A | explanation=Move 1 positions forward from U; the resulting letter is V.

id=58144 | topic=Averages | difficulty=Easy | question=Find the average of 27, 30, 79, 88, 59, 79, 51. | option_a=59 | option_b=61 | option_c=60 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 413 ÷ 7 = 59.

id=58145 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=66 | option_b=57 | option_c=56 | option_d=46 | answer=C | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=58146 | topic=Percentages | difficulty=Easy | question=What is 15% of 601? | option_a=70 | option_b=180 | option_c=90 | option_d=95 | answer=C | explanation=15% of 601 = (15/100) × 601 = 90.

id=58147 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=F | option_c=D | option_d=B | answer=B | explanation=Move 2 positions forward from D; the resulting letter is F.

id=58148 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 39? | option_a=39 | option_b=14 | option_c=22 | option_d=30 | answer=A | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 39 is the odd one out.

id=58149 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:2 and the first is 228, what is the second? | option_a=38 | option_b=50 | option_c=266 | option_d=36 | answer=A | explanation=Scale factor = 228/12 = 19. Therefore second quantity = 2×19 = 38.

id=58150 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 14, 17, 22? | option_a=17 | option_b=14 | option_c=11 | option_d=22 | answer=D | explanation=The first three numbers increase by 3, so the next should be 20. Therefore 22 is the odd one out.

id=58151 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=D | option_c=E | option_d=B | answer=B | explanation=Move 1 positions forward from C; the resulting letter is D.

id=58152 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2728. If it is sold at a profit of 50%, what is its selling price? | option_a=3820 | option_b=2778 | option_c=4364 | option_d=4092 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2728 × 150/100 = █4092.

id=58153 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:15 and the first is 24, what is the second? | option_a=45 | option_b=60 | option_c=84 | option_d=66 | answer=B | explanation=Scale factor = 24/6 = 4. Therefore second quantity = 15×4 = 60.

id=58154 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46740 at 15% per annum for 5 years. | option_a=81795 | option_b=34955 | option_c=35055 | option_d=35155 | answer=C | explanation=SI = PRT/100 = 46740×15×5/100 = █35055.

id=58155 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 21, 27, 36? | option_a=27 | option_b=36 | option_c=21 | option_d=15 | answer=B | explanation=The first three numbers increase by 6, so the next should be 33. Therefore 36 is the odd one out.

id=58156 | topic=Percentages | difficulty=Easy | question=What is 15% of 1290? | option_a=173 | option_b=193 | option_c=386 | option_d=203 | answer=B | explanation=15% of 1290 = (15/100) × 1290 = 193.

id=58157 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 6. | option_a=48 | option_b=24 | option_c=144 | option_d=18 | answer=B | explanation=LCM × HCF = 24×6; HCF(24,6) = 6, so LCM = 24.

id=58158 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:12 and the first is 34, what is the second? | option_a=41 | option_b=12 | option_c=24 | option_d=58 | answer=C | explanation=Scale factor = 34/17 = 2. Therefore second quantity = 12×2 = 24.

id=58159 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=58160 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=W | option_b=Z | option_c=T | option_d=Q | answer=A | explanation=Move 3 positions forward from T; the resulting letter is W.

id=58161 | topic=Averages | difficulty=Easy | question=Find the average of 41, 85, 51. | option_a=60 | option_b=61 | option_c=58 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 177 ÷ 3 = 59.

id=58162 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26042 at 12% per annum for 4 years. | option_a=12600 | option_b=12400 | option_c=12500 | option_d=38542 | answer=C | explanation=SI = PRT/100 = 26042×12×4/100 = █12500.

id=58163 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=58164 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 31? | option_a=22 | option_b=10 | option_c=16 | option_d=31 | answer=D | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 31 is the odd one out.

id=58165 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 4. | option_a=6 | option_b=1 | option_c=8 | option_d=4 | answer=D | explanation=LCM × HCF = 2×4; HCF(2,4) = 2, so LCM = 4.

id=58166 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=R | option_c=F | option_d=J | answer=A | explanation=Move 4 positions forward from J; the resulting letter is N.

id=58167 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=58168 | topic=Averages | difficulty=Easy | question=Find the average of 79, 91, 46, 100. | option_a=81 | option_b=79 | option_c=80 | option_d=78 | answer=B | explanation=Average = sum of values ÷ number of values = 316 ÷ 4 = 79.

id=58169 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=58170 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=G | option_c=E | option_d=I | answer=D | explanation=Move 2 positions forward from G; the resulting letter is I.

Aptitude Questions — Records 58,171-58,200 of 100,000

id=58171 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=78 | option_b=67 | option_c=66 | option_d=54 | answer=C | explanation=The common difference is 12. Therefore the next term is $54 + 12 = 66$.

id=58172 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5724 at 12% per annum for 1 years. | option_a=686 | option_b=786 | option_c=6410 | option_d=586 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{5724 \times 12 \times 1}{100} = \text{■}686$.

id=58173 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=175 | option_c=360 | option_d=180 | answer=D | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{360}{2} = 180 \text{ km/h}$.

id=58174 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation= $\text{Combined rate} = \frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=58175 | topic=Number System | difficulty=Easy | question=Find the LCM of 11 and 11. | option_a=22 | option_b=1 | option_c=11 | option_d=121 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 11 \times 11$; $\text{HCF}(11,11) = 11$, so $\text{LCM} = 11$.

id=58176 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation= $\text{Combined rate} = \frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=58177 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation= $\text{Combined rate} = \frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12} = 3$ days.

id=58178 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26665 at 5% per annum for 3 years. | option_a=3899 | option_b=4099 | option_c=30664 | option_d=3999 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{26665 \times 5 \times 3}{100} = \text{■}3999$.

id=58179 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=71 | option_b=59 | option_c=60 | option_d=47 | answer=B | explanation=The common difference is 12. Therefore the next term is $47 + 12 = 59$.

id=58180 | topic=Percentages | difficulty=Easy | question=What is 40% of 991? | option_a=792 | option_b=386 | option_c=396 | option_d=416 | answer=C | explanation= $40\% \text{ of } 991 = \frac{40}{100} \times 991 = 396$.

id=58181 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{240}{4} = 60 \text{ km/h}$.

id=58182 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:16 and the first is 84, what is the second? | option_a=176 | option_b=192 | option_c=199 | option_d=276 | answer=B | explanation= $\text{Scale factor} = \frac{84}{7} = 12$. Therefore second quantity = $16 \times 12 = 192$.

id=58183 | topic=Percentages | difficulty=Easy | question=What is 10% of 1659? | option_a=330 | option_b=175 | option_c=165 | option_d=145 | answer=C | explanation= $10\% \text{ of } 1659 = \frac{10}{100} \times 1659 = 165.9$.

id=58184 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=G | option_b=L | option_c=Q | option_d=V | answer=C | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=58185 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=A | option_b=O | option_c=W | option_d=S | answer=C | explanation=Move 4 positions forward from S; the resulting letter is W.

id=58186 | topic=Averages | difficulty=Easy | question=Find the average of 11, 67, 12, 43, 97. | option_a=46 | option_b=48 | option_c=47 | option_d=45 | answer=A | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{230}{5} = 46$.

id=58187 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 14. | option_a=140 | option_b=126 | option_c=280 | option_d=160 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 20 \times 14$; $\text{HCF}(20,14) = 2$, so $\text{LCM} = 140$.

id=58188 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{300}{10} = 30 \text{ km/h}$.

id=58189 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=D | option_b=L | option_c=H | option_d=P | answer=B | explanation=Move 4 positions forward from H; the resulting letter is L.

id=58190 | topic=Averages | difficulty=Easy | question=Find the average of 99, 44, 39, 39, 14, 53, 76, 39, 32, 25. | option_a=47 | option_b=46 | option_c=48 | option_d=45 | answer=B | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{460}{10} = 46$.

id=58191 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 36, 43, 53? | option_a=53 | option_b=43 | option_c=36 | option_d=29 | answer=A | explanation=The first three numbers increase by 7, so the next should be 50. Therefore 53 is the odd one out.

id=58192 | topic=Percentages | difficulty=Easy | question=What is 12% of 976? | option_a=234 | option_b=137 | option_c=107 | option_d=117 | answer=D | explanation= $12\% \text{ of } 976 = \frac{12}{100} \times 976 = 117.12$.

id=58193 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15503 at 4% per annum for 2 years. | option_a=16743 | option_b=1140 | option_c=1340 | option_d=1240 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{15503 \times 4 \times 2}{100} = \text{■}1240.48$.

id=58194 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=12 | option_d=2 | answer=A | explanation= $\text{Combined rate} = \frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12} = 3$ days.

id=58195 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=B | option_c=F | option_d=H | answer=C | explanation=Move 2 positions forward from D; the resulting letter is F.

id=58196 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=39 | option_b=51 | option_c=50 | option_d=61 | answer=C | explanation=The common difference is 11. Therefore the next term is $39 + 11 = 50$.

id=58197 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:20 and the first is 30, what is the second? | option_a=280 | option_b=300 | option_c=330 | option_d=302 | answer=B | explanation= $\text{Scale factor} = \frac{30}{2} = 15$. Therefore second quantity = $20 \times 15 = 300$.

id=58198 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4373. If it is sold at a profit of 40%, what is its selling price? | option_a=6122 | option_b=5685 | option_c=6559 | option_d=4413 | answer=A | explanation= $\text{Selling price} = \text{CP} \times \frac{100 + \text{profit}\%}{100} = 4373 \times \frac{140}{100} = \text{■}6122.2$.

id=58199 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27541 at 6% per annum for 3 years. | option_a=4957 | option_b=5057 | option_c=32498 | option_d=4857 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{27541 \times 6 \times 3}{100} = \text{■}4957.38$.

id=58200 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=67 | option_b=58 | option_c=57 | option_d=47 | answer=C | explanation=The common difference is 10. Therefore the next term is $47 + 10 = 57$.

Aptitude Questions — Records 58,201-58,230 of 100,000

id=58201 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4340. If it is sold at a profit of 5%, what is its selling price? | option_a=4123 | option_b=4345 | option_c=4557 | option_d=4991 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4340 × 105/100 = █4557.

id=58202 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=58203 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=58204 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 21. | option_a=84 | option_b=63 | option_c=96 | option_d=252 | answer=A | explanation=LCM × HCF = 12×21; HCF(12,21) = 3, so LCM = 84.

id=58205 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=80 | option_c=150 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=58206 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=85 | option_c=90 | option_d=95 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=58207 | topic=Percentages | difficulty=Easy | question=What is 30% of 1203? | option_a=355 | option_b=720 | option_c=365 | option_d=360 | answer=D | explanation=30% of 1203 = (30/100) × 1203 = 360.

id=58208 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 14, 17, 21? | option_a=14 | option_b=17 | option_c=11 | option_d=21 | answer=D | explanation=The first three numbers increase by 3, so the next should be 20. Therefore 21 is the odd one out.

id=58209 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=E | option_c=T | option_d=O | answer=D | explanation=Move 5 positions forward from J; the resulting letter is O.

id=58210 | topic=Percentages | difficulty=Easy | question=What is 40% of 820? | option_a=348 | option_b=308 | option_c=656 | option_d=328 | answer=D | explanation=40% of 820 = (40/100) × 820 = 328.

id=58211 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=35 | option_b=39 | option_c=36 | option_d=31 | answer=A | explanation=The common difference is 4. Therefore the next term is 31 + 4 = 35.

id=58212 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=23 | option_c=18 | option_d=36 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=58213 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=58214 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:19 and the first is 132, what is the second? | option_a=239 | option_b=209 | option_c=228 | option_d=360 | answer=C | explanation=Scale factor = 132/11 = 12. Therefore second quantity = 19×12 = 228.

id=58215 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=58216 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=58217 | topic=Percentages | difficulty=Easy | question=What is 12% of 89? | option_a=10 | option_b=15 | option_c=5 | option_d=20 | answer=A | explanation=12% of 89 = (12/100) × 89 = 10.

id=58218 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=T | option_c=U | option_d=V | answer=D | explanation=Move 1 positions forward from U; the resulting letter is V.

id=58219 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=58220 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=26 | option_b=25 | option_c=27 | option_d=23 | answer=B | explanation=The common difference is 2. Therefore the next term is 23 + 2 = 25.

id=58221 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=58222 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=58223 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 18. | option_a=18 | option_b=108 | option_c=1 | option_d=24 | answer=A | explanation=LCM × HCF = 6×18; HCF(6,18) = 6, so LCM = 18.

id=58224 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=18 | option_b=14 | option_c=19 | option_d=22 | answer=A | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.

id=58225 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=40 | option_b=33 | option_c=39 | option_d=45 | answer=C | explanation=The common difference is 6. Therefore the next term is 33 + 6 = 39.

id=58226 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=48 | option_c=24 | option_d=19 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=58227 | topic=Percentages | difficulty=Easy | question=What is 20% of 1886? | option_a=754 | option_b=382 | option_c=372 | option_d=377 | answer=D | explanation=20% of 1886 = (20/100) × 1886 = 377.

id=58228 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=52 | option_b=40 | option_c=53 | option_d=64 | answer=A | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.

id=58229 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3937. If it is sold at a profit of 5%, what is its selling price? | option_a=4526 | option_b=3740 | option_c=4133 | option_d=3942 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3937 × 105/100 = █4133.

id=58230 | topic=Averages | difficulty=Easy | question=Find the average of 39, 18, 68, 29, 92, 72. | option_a=53 | option_b=55 | option_c=54 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 318 ÷ 6 = 53.

Aptitude Questions — Records 58,231-58,260 of 100,000

id=58231 | topic=Percentages | difficulty=Easy | question=What is 40% of 1684? | option_a=693 | option_b=1346 | option_c=673 | option_d=653 | answer=C | explanation=40% of 1684 = (40/100) × 1684 = 673.

id=58232 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=I | option_b=O | option_c=R | option_d=L | answer=B | explanation=Move 3 positions forward from L; the resulting letter is O.

id=58233 | topic=Percentages | difficulty=Easy | question=What is 10% of 1531? | option_a=153 | option_b=306 | option_c=158 | option_d=133 | answer=A | explanation=10% of 1531 = (10/100) × 1531 = 153.

id=58234 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4308. If it is sold at a profit of 25%, what is its selling price? | option_a=5815 | option_b=4955 | option_c=4333 | option_d=5385 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4308 × 125/100 = █5385.

id=58235 | topic=Averages | difficulty=Easy | question=Find the average of 23, 33, 80, 76, 98, 80, 16, 26. | option_a=53 | option_b=56 | option_c=55 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 432 ÷ 8 = 54.

id=58236 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3967. If it is sold at a profit of 30%, what is its selling price? | option_a=3997 | option_b=5553 | option_c=5157 | option_d=4761 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3967 × 130/100 = █5157.

id=58237 | topic=Percentages | difficulty=Easy | question=What is 20% of 1409? | option_a=271 | option_b=281 | option_c=562 | option_d=301 | answer=B | explanation=20% of 1409 = (20/100) × 1409 = 281.

id=58238 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=47 | option_b=36 | option_c=46 | option_d=56 | answer=C | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.

id=58239 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7238 at 10% per annum for 4 years. | option_a=2995 | option_b=2895 | option_c=2795 | option_d=10133 | answer=B | explanation=SI = PRT/100 = 7238×10×4/100 = █2895.

id=58240 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=20 | option_b=24 | option_c=26 | option_d=23 | answer=D | explanation=The common difference is 3. Therefore the next term is 20 + 3 = 23.

id=58241 | topic=Percentages | difficulty=Easy | question=What is 40% of 1004? | option_a=396 | option_b=401 | option_c=406 | option_d=802 | answer=B | explanation=40% of 1004 = (40/100) × 1004 = 401.

id=58242 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 33? | option_a=25 | option_b=33 | option_c=22 | option_d=28 | answer=B | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 33 is the odd one out.

id=58243 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=O | option_c=Q | option_d=P | answer=C | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=58244 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2989. If it is sold at a profit of 10%, what is its selling price? | option_a=3585 | option_b=2999 | option_c=2989 | option_d=3287 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2989 × 110/100 = █3287.

id=58245 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40580 at 8% per annum for 1 years. | option_a=3246 | option_b=43826 | option_c=3146 | option_d=3346 | answer=A | explanation=SI = PRT/100 = 40580×8×1/100 = █3246.

id=58246 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:20 and the first is 36, what is the second? | option_a=243 | option_b=220 | option_c=240 | option_d=276 | answer=C | explanation=Scale factor = 36/3 = 12. Therefore second quantity = 20×12 = 240.

id=58247 | topic=Averages | difficulty=Easy | question=Find the average of 31, 93, 46, 82, 85, 63, 90. | option_a=70 | option_b=69 | option_c=71 | option_d=72 | answer=A | explanation=Average = sum of values ÷ number of values = 490 ÷ 7 = 70.

id=58248 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=V | option_b=J | option_c=N | option_d=R | answer=D | explanation=Move 4 positions forward from N; the resulting letter is R.

id=58249 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=58250 | topic=Percentages | difficulty=Easy | question=What is 10% of 732? | option_a=146 | option_b=73 | option_c=83 | option_d=68 | answer=B | explanation=10% of 732 = (10/100) × 732 = 73.

id=58251 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=M | option_c=V | option_d=S | answer=D | explanation=Move 3 positions forward from P; the resulting letter is S.

id=58252 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 24, 30, 37? | option_a=18 | option_b=37 | option_c=30 | option_d=24 | answer=B | explanation=The first three numbers increase by 6, so the next should be 36. Therefore 37 is the odd one out.

id=58253 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=58254 | topic=Averages | difficulty=Easy | question=Find the average of 44, 82, 68, 18, 14, 51, 81, 89, 39. | option_a=56 | option_b=55 | option_c=53 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 486 ÷ 9 = 54.

id=58255 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=58256 | topic=Percentages | difficulty=Easy | question=What is 40% of 331? | option_a=137 | option_b=264 | option_c=132 | option_d=112 | answer=C | explanation=40% of 331 = (40/100) × 331 = 132.

id=58257 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 30. | option_a=90 | option_b=99 | option_c=60 | option_d=270 | answer=A | explanation=LCM × HCF = 9×30; HCF(9,30) = 3, so LCM = 90.

id=58258 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 30? | option_a=24 | option_b=30 | option_c=14 | option_d=19 | answer=B | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 30 is the odd one out.

id=58259 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:3 and the first is 180, what is the second? | option_a=207 | option_b=27 | option_c=47 | option_d=24 | answer=B | explanation=Scale factor = 180/20 = 9. Therefore second quantity = 3×9 = 27.

id=58260 | topic=Averages | difficulty=Easy | question=Find the average of 19, 74, 39, 32. | option_a=43 | option_b=40 | option_c=41 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = 164 ÷ 4 = 41.

Aptitude Questions — Records 58,261-58,290 of 100,000

id=58261 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2470. If it is sold at a profit of 30%, what is its selling price? | option_a=2500 | option_b=2964 | option_c=3211 | option_d=3458 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2470 \times 130/100 = \text{█}3211$.

id=58262 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 31, 41, 53? | option_a=41 | option_b=53 | option_c=21 | option_d=31 | answer=B | explanation=The first three numbers increase by 10, so the next should be 51. Therefore 53 is the odd one out.

id=58263 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3066. If it is sold at a profit of 30%, what is its selling price? | option_a=4291 | option_b=3985 | option_c=3096 | option_d=3679 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3066 \times 130/100 = \text{█}3985$.

id=58264 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 28. | option_a=28 | option_b=64 | option_c=56 | option_d=224 | answer=C | explanation= $LCM \times HCF = 8 \times 28$; $HCF(8,28) = 4$, so $LCM = 56$.

id=58265 | topic=Averages | difficulty=Easy | question=Find the average of 72, 100, 59, 83, 71, 72, 87, 71, 82, 43. | option_a=73 | option_b=74 | option_c=76 | option_d=75 | answer=B | explanation=Average = sum of values ÷ number of values = $740 \div 10 = 74$.

id=58266 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = $120 \div 4 = 30$ km/h.

id=58267 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19465 at 15% per annum for 3 years. | option_a=8759 | option_b=8859 | option_c=28224 | option_d=8659 | answer=A | explanation= $SI = \text{PRT}/100 = 19465 \times 15 \times 3/100 = \text{█}8759$.

id=58268 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 26. | option_a=286 | option_b=260 | option_c=572 | option_d=308 | answer=A | explanation= $LCM \times HCF = 22 \times 26$; $HCF(22,26) = 2$, so $LCM = 286$.

id=58269 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=P | option_b=Y | option_c=S | option_d=V | answer=D | explanation=Move 3 positions forward from S; the resulting letter is V.

id=58270 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=T | option_c=X | option_d=R | answer=A | explanation=Move 2 positions forward from T; the resulting letter is V.

id=58271 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 58? | option_a=47 | option_b=58 | option_c=27 | option_d=37 | answer=B | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 58 is the odd one out.

id=58272 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=58273 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=58274 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=42 | option_b=41 | option_c=35 | option_d=47 | answer=B | explanation=The common difference is 6. Therefore the next term is $35 + 6 = 41$.

id=58275 | topic=Averages | difficulty=Easy | question=Find the average of 21, 19, 20, 12, 24, 75, 29, 42, 69, 29. | option_a=35 | option_b=36 | option_c=34 | option_d=33 | answer=C | explanation=Average = sum of values ÷ number of values = $340 \div 10 = 34$.

id=58276 | topic=Percentages | difficulty=Easy | question=What is 40% of 78? | option_a=31 | option_b=62 | option_c=36 | option_d=26 | answer=A | explanation= 40% of $78 = (40/100) \times 78 = 31$.

id=58277 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:14 and the first is 144, what is the second? | option_a=312 | option_b=168 | option_c=180 | option_d=154 | answer=B | explanation=Scale factor = $144/12 = 12$. Therefore second quantity = $14 \times 12 = 168$.

id=58278 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=52 | option_b=64 | option_c=74 | option_d=63 | answer=D | explanation=The common difference is 11. Therefore the next term is $52 + 11 = 63$.

id=58279 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2324. If it is sold at a profit of 25%, what is its selling price? | option_a=2349 | option_b=2905 | option_c=2673 | option_d=3137 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2324 \times 125/100 = \text{█}2905$.

id=58280 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=40 | option_c=25 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = $60 \div 3 = 20$ km/h.

id=58281 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=38 | option_b=31 | option_c=39 | option_d=45 | answer=A | explanation=The common difference is 7. Therefore the next term is $31 + 7 = 38$.

id=58282 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 30. | option_a=360 | option_b=416 | option_c=780 | option_d=390 | answer=D | explanation= $LCM \times HCF = 26 \times 30$; $HCF(26,30) = 2$, so $LCM = 390$.

id=58283 | topic=Percentages | difficulty=Easy | question=What is 12% of 1374? | option_a=328 | option_b=169 | option_c=154 | option_d=164 | answer=D | explanation= 12% of $1374 = (12/100) \times 1374 = 164$.

id=58284 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=58285 | topic=Averages | difficulty=Easy | question=Find the average of 42, 75, 65, 51, 30, 33, 76, 84. | option_a=57 | option_b=59 | option_c=58 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = $456 \div 8 = 57$.

id=58286 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=26 | option_b=21 | option_c=31 | option_d=27 | answer=A | explanation=The common difference is 5. Therefore the next term is $21 + 5 = 26$.

id=58287 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:11 and the first is 27, what is the second? | option_a=126 | option_b=99 | option_c=102 | option_d=88 | answer=B | explanation=Scale factor = $27/3 = 9$. Therefore second quantity = $11 \times 9 = 99$.

id=58288 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=120 | option_c=125 | option_d=240 | answer=B | explanation=Speed = distance ÷ time = $240 \div 2 = 120$ km/h.

id=58289 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6824 at 10% per annum for 1 years. | option_a=782 | option_b=7506 | option_c=582 | option_d=682 | answer=D | explanation= $SI = \text{PRT}/100 = 6824 \times 10 \times 1/100 = \text{█}682$.

id=58290 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=28 | option_b=27 | option_c=22 | option_d=32 | answer=B | explanation=The common difference is 5. Therefore the next term is $22 + 5 = 27$.

Aptitude Questions — Records 58,291-58,320 of 100,000

id=58291 | topic=Percentages | difficulty=Easy | question=What is 40% of 128? | option_a=31 | option_b=102 | option_c=61 | option_d=51 | answer=D | explanation=40% of 128 = (40/100) × 128 = 51.

id=58292 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=55 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=58293 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:13 and the first is 84, what is the second? | option_a=91 | option_b=175 | option_c=103 | option_d=78 | answer=A | explanation=Scale factor = 84/12 = 7. Therefore second quantity = 13×7 = 91.

id=58294 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=47 | option_b=46 | option_c=36 | option_d=56 | answer=B | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.

id=58295 | topic=Percentages | difficulty=Easy | question=What is 5% of 1304? | option_a=75 | option_b=65 | option_c=60 | option_d=130 | answer=B | explanation=5% of 1304 = (5/100) × 1304 = 65.

id=58296 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 36, 44, 55? | option_a=28 | option_b=44 | option_c=36 | option_d=55 | answer=D | explanation=The first three numbers increase by 8, so the next should be 52. Therefore 55 is the odd one out.

id=58297 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=20 | option_d=5 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=58298 | topic=Percentages | difficulty=Easy | question=What is 12% of 307? | option_a=16 | option_b=72 | option_c=56 | option_d=36 | answer=D | explanation=12% of 307 = (12/100) × 307 = 36.

id=58299 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1896. If it is sold at a profit of 5%, what is its selling price? | option_a=1801 | option_b=1901 | option_c=1990 | option_d=2179 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1896 × 105/100 = █1990.

id=58300 | topic=Profit & Loss | difficulty=Easy | question=An article costs █381. If it is sold at a profit of 30%, what is its selling price? | option_a=533 | option_b=411 | option_c=495 | option_d=457 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 381 × 130/100 = █495.

id=58301 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=40 | option_c=25 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=58302 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9860 at 8% per annum for 3 years. | option_a=2366 | option_b=2466 | option_c=2266 | option_d=12226 | answer=A | explanation=SI = PRT/100 = 9860×8×3/100 = █2366.

id=58303 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=58304 | topic=Percentages | difficulty=Easy | question=What is 30% of 1737? | option_a=521 | option_b=1042 | option_c=501 | option_d=526 | answer=A | explanation=30% of 1737 = (30/100) × 1737 = 521.

id=58305 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:2 and the first is 117, what is the second? | option_a=31 | option_b=16 | option_c=135 | option_d=18 | answer=D | explanation=Scale factor = 117/13 = 9. Therefore second quantity = 2×9 = 18.

id=58306 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=58307 | topic=Averages | difficulty=Easy | question=Find the average of 56, 37, 67, 77, 71, 85, 44, 40, 36. | option_a=56 | option_b=59 | option_c=58 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 513 ÷ 9 = 57.

id=58308 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=M | option_b=P | option_c=N | option_d=O | answer=D | explanation=Move 1 positions forward from N; the resulting letter is O.

id=58309 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=33 | option_b=30 | option_c=31 | option_d=27 | answer=B | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.

id=58310 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 61? | option_a=61 | option_b=50 | option_c=30 | option_d=40 | answer=A | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 61 is the odd one out.

id=58311 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:15 and the first is 52, what is the second? | option_a=195 | option_b=247 | option_c=199 | option_d=180 | answer=A | explanation=Scale factor = 52/4 = 13. Therefore second quantity = 15×13 = 195.

id=58312 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=64 | option_b=65 | option_c=52 | option_d=76 | answer=A | explanation=The common difference is 12. Therefore the next term is 52 + 12 = 64.

id=58313 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32738 at 4% per annum for 4 years. | option_a=5338 | option_b=5138 | option_c=37976 | option_d=5238 | answer=D | explanation=SI = PRT/100 = 32738×4×4/100 = █5238.

id=58314 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=66 | option_b=55 | option_c=42 | option_d=54 | answer=D | explanation=The common difference is 12. Therefore the next term is 42 + 12 = 54.

id=58315 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:14 and the first is 216, what is the second? | option_a=384 | option_b=154 | option_c=186 | option_d=168 | answer=D | explanation=Scale factor = 216/18 = 12. Therefore second quantity = 14×12 = 168.

id=58316 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:5 and the first is 154, what is the second? | option_a=70 | option_b=81 | option_c=224 | option_d=65 | answer=A | explanation=Scale factor = 154/11 = 14. Therefore second quantity = 5×14 = 70.

id=58317 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=58318 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=64 | option_b=56 | option_c=46 | option_d=55 | answer=D | explanation=The common difference is 9. Therefore the next term is 46 + 9 = 55.

id=58319 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23340 at 10% per annum for 2 years. | option_a=4768 | option_b=28008 | option_c=4668 | option_d=4568 | answer=C | explanation=SI = PRT/100 = 23340×10×2/100 = █4668.

id=58320 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 27, 36, 48? | option_a=27 | option_b=18 | option_c=36 | option_d=48 | answer=D | explanation=The first three numbers increase by 9, so the next should be 45. Therefore 48 is the odd one out.

Aptitude Questions — Records 58,321-58,350 of 100,000

id=58321 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4187. If it is sold at a profit of 30%, what is its selling price? | option_a=5861 | option_b=5025 | option_c=5443 | option_d=4217 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4187 × 130/100 = █5443.

id=58322 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=58323 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=U | option_b=P | option_c=F | option_d=K | answer=B | explanation=Move 5 positions forward from K; the resulting letter is P.

id=58324 | topic=Averages | difficulty=Easy | question=Find the average of 93, 68, 96, 83. | option_a=86 | option_b=84 | option_c=85 | option_d=87 | answer=C | explanation=Average = sum of values ÷ number of values = 340 ÷ 4 = 85.

id=58325 | topic=Profit & Loss | difficulty=Easy | question=An article costs █924. If it is sold at a profit of 30%, what is its selling price? | option_a=954 | option_b=1109 | option_c=1201 | option_d=1293 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 924 × 130/100 = █1201.

id=58326 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 21, 30, 39, ? | option_a=48 | option_b=49 | option_c=57 | option_d=39 | answer=A | explanation=The common difference is 9. Therefore the next term is 39 + 9 = 48.

id=58327 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=B | option_b=K | option_c=E | option_d=H | answer=D | explanation=Move 3 positions forward from E; the resulting letter is H.

id=58328 | topic=Percentages | difficulty=Easy | question=What is 15% of 245? | option_a=26 | option_b=56 | option_c=36 | option_d=72 | answer=C | explanation=15% of 245 = (15/100) × 245 = 36.

id=58329 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:15 and the first is 66, what is the second? | option_a=171 | option_b=165 | option_c=231 | option_d=150 | answer=B | explanation=Scale factor = 66/6 = 11. Therefore second quantity = 15×11 = 165.

id=58330 | topic=Averages | difficulty=Easy | question=Find the average of 70, 15, 82, 82, 48, 56, 77, 80, 89, 31. | option_a=62 | option_b=63 | option_c=64 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 630 ÷ 10 = 63.

id=58331 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=P | option_b=B | option_c=X | option_d=T | answer=C | explanation=Move 4 positions forward from T; the resulting letter is X.

id=58332 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1994 at 5% per annum for 5 years. | option_a=2492 | option_b=598 | option_c=398 | option_d=498 | answer=D | explanation=SI = PRT/100 = 1994×5×5/100 = █498.

id=58333 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=50 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=58334 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2997. If it is sold at a profit of 5%, what is its selling price? | option_a=3002 | option_b=3445 | option_c=3146 | option_d=2847 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2997 × 105/100 = █3146.

id=58335 | topic=Percentages | difficulty=Easy | question=What is 40% of 1018? | option_a=387 | option_b=814 | option_c=407 | option_d=412 | answer=C | explanation=40% of 1018 = (40/100) × 1018 = 407.

id=58336 | topic=Averages | difficulty=Easy | question=Find the average of 41, 19, 76, 22, 47. | option_a=40 | option_b=42 | option_c=41 | option_d=43 | answer=C | explanation=Average = sum of values ÷ number of values = 205 ÷ 5 = 41.

id=58337 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=58338 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=12 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=58339 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=300 | option_c=150 | option_d=155 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=58340 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:10 and the first is 91, what is the second? | option_a=83 | option_b=60 | option_c=70 | option_d=161 | answer=C | explanation=Scale factor = 91/13 = 7. Therefore second quantity = 10×7 = 70.

id=58341 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=N | option_b=H | option_c=K | option_d=Q | answer=A | explanation=Move 3 positions forward from K; the resulting letter is N.

id=58342 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=58343 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=77 | option_c=144 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=58344 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=120 | option_c=240 | option_d=125 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=58345 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=V | option_c=J | option_d=N | answer=A | explanation=Move 4 positions forward from N; the resulting letter is R.

id=58346 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:16 and the first is 2, what is the second? | option_a=16 | option_b=34 | option_c=32 | option_d=33 | answer=C | explanation=Scale factor = 2/1 = 2. Therefore second quantity = 16×2 = 32.

id=58347 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=58348 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=O | option_b=X | option_c=U | option_d=R | answer=C | explanation=Move 3 positions forward from R; the resulting letter is U.

id=58349 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1235. If it is sold at a profit of 25%, what is its selling price? | option_a=1260 | option_b=1420 | option_c=1543 | option_d=1666 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1235 × 125/100 = █1543.

id=58350 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 40? | option_a=30 | option_b=22 | option_c=40 | option_d=14 | answer=C | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 40 is the odd one out.

Aptitude Questions — Records 58,351-58,380 of 100,000

id=58351 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=58352 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:6 and the first is 30, what is the second? | option_a=54 | option_b=90 | option_c=60 | option_d=63 | answer=C | explanation=Scale factor = 30/3 = 10. Therefore second quantity = 6×10 = 60.

id=58353 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=35 | option_b=46 | option_c=57 | option_d=47 | answer=B | explanation=The common difference is 11. Therefore the next term is 35 + 11 = 46.

id=58354 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=L | option_b=X | option_c=P | option_d=T | answer=D | explanation=Move 4 positions forward from P; the resulting letter is T.

id=58355 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1244. If it is sold at a profit of 5%, what is its selling price? | option_a=1430 | option_b=1182 | option_c=1249 | option_d=1306 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1244 × 105/100 = █1306.

id=58356 | topic=Averages | difficulty=Easy | question=Find the average of 92, 68, 77. | option_a=79 | option_b=80 | option_c=81 | option_d=78 | answer=A | explanation=Average = sum of values ÷ number of values = 237 ÷ 3 = 79.

id=58357 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25588 at 6% per annum for 4 years. | option_a=6041 | option_b=31729 | option_c=6141 | option_d=6241 | answer=C | explanation=SI = PRT/100 = 25588×6×4/100 = █6141.

id=58358 | topic=Averages | difficulty=Easy | question=Find the average of 13, 28, 64, 64, 88, 58, 82, 98, 90. | option_a=66 | option_b=67 | option_c=65 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 585 ÷ 9 = 65.

id=58359 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:13 and the first is 10, what is the second? | option_a=75 | option_b=65 | option_c=67 | option_d=52 | answer=B | explanation=Scale factor = 10/2 = 5. Therefore second quantity = 13×5 = 65.

id=58360 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=Q | option_c=M | option_d=K | answer=A | explanation=Move 2 positions forward from M; the resulting letter is O.

id=58361 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=15 | option_b=18 | option_c=17 | option_d=19 | answer=C | explanation=The common difference is 2. Therefore the next term is 15 + 2 = 17.

id=58362 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=I | option_b=J | option_c=L | option_d=K | answer=D | explanation=Move 1 positions forward from J; the resulting letter is K.

id=58363 | topic=Averages | difficulty=Easy | question=Find the average of 35, 65, 55, 26, 57, 70, 91, 89, 16. | option_a=57 | option_b=56 | option_c=58 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=58364 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 32, 42, 54? | option_a=32 | option_b=42 | option_c=54 | option_d=22 | answer=C | explanation=The first three numbers increase by 10, so the next should be 52. Therefore 54 is the odd one out.

id=58365 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 35, 44, 55? | option_a=26 | option_b=35 | option_c=44 | option_d=55 | answer=D | explanation=The first three numbers increase by 9, so the next should be 53. Therefore 55 is the odd one out.

id=58366 | topic=Averages | difficulty=Easy | question=Find the average of 59, 90, 59, 22, 72, 17, 12, 26, 39. | option_a=44 | option_b=43 | option_c=45 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 396 ÷ 9 = 44.

id=58367 | topic=Percentages | difficulty=Easy | question=What is 20% of 513? | option_a=102 | option_b=107 | option_c=204 | option_d=82 | answer=A | explanation=20% of 513 = (20/100) × 513 = 102.

id=58368 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=58369 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4441. If it is sold at a profit of 5%, what is its selling price? | option_a=4663 | option_b=4446 | option_c=4219 | option_d=5107 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4441 × 105/100 = █4663.

id=58370 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:20 and the first is 50, what is the second? | option_a=205 | option_b=200 | option_c=180 | option_d=250 | answer=B | explanation=Scale factor = 50/5 = 10. Therefore second quantity = 20×10 = 200.

id=58371 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=17 | option_b=13 | option_c=16 | option_d=15 | answer=D | explanation=The common difference is 2. Therefore the next term is 13 + 2 = 15.

id=58372 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=N | option_c=F | option_d=R | answer=B | explanation=Move 4 positions forward from J; the resulting letter is N.

id=58373 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=20 | option_b=32 | option_c=26 | option_d=27 | answer=C | explanation=The common difference is 6. Therefore the next term is 20 + 6 = 26.

id=58374 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5990 at 4% per annum for 1 years. | option_a=239 | option_b=339 | option_c=6229 | option_d=139 | answer=A | explanation=SI = PRT/100 = 5990×4×1/100 = █239.

id=58375 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 30? | option_a=30 | option_b=16 | option_c=10 | option_d=22 | answer=A | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 30 is the odd one out.

id=58376 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:16 and the first is 140, what is the second? | option_a=160 | option_b=144 | option_c=174 | option_d=300 | answer=A | explanation=Scale factor = 140/14 = 10. Therefore second quantity = 16×10 = 160.

id=58377 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1832. If it is sold at a profit of 25%, what is its selling price? | option_a=2107 | option_b=2290 | option_c=1857 | option_d=2473 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1832 × 125/100 = █2290.

id=58378 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9880 at 15% per annum for 3 years. | option_a=4346 | option_b=4546 | option_c=14326 | option_d=4446 | answer=D | explanation=SI = PRT/100 = 9880×15×3/100 = █4446.

id=58379 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=58380 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4482. If it is sold at a profit of 5%, what is its selling price? | option_a=4487 | option_b=4706 | option_c=5154 | option_d=4258 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4482 × 105/100 = █4706.

Aptitude Questions — Records 58,381-58,410 of 100,000

id=58381 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2543. If it is sold at a profit of 30%, what is its selling price? | option_a=3559 | option_b=3051 | option_c=3305 | option_d=2573 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2543 × 130/100 = ■3305.

id=58382 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■33779 at 6% per annum for 2 years. | option_a=37832 | option_b=4053 | option_c=3953 | option_d=4153 | answer=B | explanation=SI = PRT/100 = 33779×6×2/100 = ■4053.

id=58383 | topic=Averages | difficulty=Easy | question=Find the average of 41, 96, 89, 66, 20, 40, 103. | option_a=66 | option_b=67 | option_c=64 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 455 ÷ 7 = 65.

id=58384 | topic=Percentages | difficulty=Easy | question=What is 25% of 1698? | option_a=404 | option_b=444 | option_c=424 | option_d=848 | answer=C | explanation=25% of 1698 = (25/100) × 1698 = 424.

id=58385 | topic=Averages | difficulty=Easy | question=Find the average of 92, 45, 98, 87, 87, 34, 74, 64, 22. | option_a=68 | option_b=67 | option_c=66 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 603 ÷ 9 = 67.

id=58386 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 24, 30, 36, ? | option_a=42 | option_b=48 | option_c=43 | option_d=36 | answer=A | explanation=The common difference is 6. Therefore the next term is 36 + 6 = 42.

id=58387 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 20, 28, 38? | option_a=12 | option_b=28 | option_c=20 | option_d=38 | answer=D | explanation=The first three numbers increase by 8, so the next should be 36. Therefore 38 is the odd one out.

id=58388 | topic=Averages | difficulty=Easy | question=Find the average of 59, 37, 66. | option_a=54 | option_b=53 | option_c=55 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 162 ÷ 3 = 54.

id=58389 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 46? | option_a=46 | option_b=38 | option_c=31 | option_d=24 | answer=A | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 46 is the odd one out.

id=58390 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:12 and the first is 16, what is the second? | option_a=192 | option_b=180 | option_c=208 | option_d=193 | answer=A | explanation=Scale factor = 16/1 = 16. Therefore second quantity = 12×16 = 192.

id=58391 | topic=Percentages | difficulty=Easy | question=What is 5% of 1136? | option_a=51 | option_b=66 | option_c=112 | option_d=56 | answer=D | explanation=5% of 1136 = (5/100) × 1136 = 56.

id=58392 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 20. | option_a=200 | option_b=440 | option_c=220 | option_d=242 | answer=C | explanation=LCM × HCF = 22×20; HCF(22,20) = 2, so LCM = 220.

id=58393 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1281. If it is sold at a profit of 20%, what is its selling price? | option_a=1409 | option_b=1665 | option_c=1537 | option_d=1301 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1281 × 120/100 = ■1537.

id=58394 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 37? | option_a=31 | option_b=21 | option_c=37 | option_d=26 | answer=C | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 37 is the odd one out.

id=58395 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2760. If it is sold at a profit of 20%, what is its selling price? | option_a=3036 | option_b=2780 | option_c=3588 | option_d=3312 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2760 × 120/100 = ■3312.

id=58396 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:1 and the first is 221, what is the second? | option_a=30 | option_b=238 | option_c=16 | option_d=17 | answer=D | explanation=Scale factor = 221/13 = 17. Therefore second quantity = 1×17 = 17.

id=58397 | topic=Percentages | difficulty=Easy | question=What is 15% of 1585? | option_a=474 | option_b=247 | option_c=237 | option_d=232 | answer=C | explanation=15% of 1585 = (15/100) × 1585 = 237.

id=58398 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=23 | option_b=26 | option_c=27 | option_d=29 | answer=B | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.

id=58399 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1828. If it is sold at a profit of 50%, what is its selling price? | option_a=2742 | option_b=2924 | option_c=1878 | option_d=2560 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1828 × 150/100 = ■2742.

id=58400 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=58401 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:2 and the first is 90, what is the second? | option_a=18 | option_b=108 | option_c=28 | option_d=16 | answer=A | explanation=Scale factor = 90/10 = 9. Therefore second quantity = 2×9 = 18.

id=58402 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=58403 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=58404 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■536. If it is sold at a profit of 10%, what is its selling price? | option_a=589 | option_b=546 | option_c=536 | option_d=642 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 536 × 110/100 = ■589.

id=58405 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 44? | option_a=44 | option_b=25 | option_c=33 | option_d=17 | answer=A | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 44 is the odd one out.

id=58406 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 12, 14, 19? | option_a=19 | option_b=12 | option_c=10 | option_d=14 | answer=A | explanation=The first three numbers increase by 2, so the next should be 16. Therefore 19 is the odd one out.

id=58407 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=58408 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 27, 33, 42? | option_a=42 | option_b=21 | option_c=33 | option_d=27 | answer=A | explanation=The first three numbers increase by 6, so the next should be 39. Therefore 42 is the odd one out.

id=58409 | topic=Averages | difficulty=Easy | question=Find the average of 96, 88, 75, 28, 96, 73. | option_a=78 | option_b=75 | option_c=77 | option_d=76 | answer=D | explanation=Average = sum of values ÷ number of values = 456 ÷ 6 = 76.

id=58410 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=42 | option_b=60 | option_c=51 | option_d=52 | answer=C | explanation=The common difference is 9. Therefore the next term is 42 + 9 = 51.

Aptitude Questions — Records 58,411-58,440 of 100,000

id=58411 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:2 and the first is 54, what is the second? | option_a=36 | option_b=39 | option_c=34 | option_d=90 | answer=A | explanation=Scale factor = $54/3 = 18$. Therefore second quantity = $2 \times 18 = 36$.

id=58412 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4367. If it is sold at a profit of 20%, what is its selling price? | option_a=4387 | option_b=5676 | option_c=4804 | option_d=5240 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4367 \times 120/100 = \text{█}5240$.

id=58413 | topic=Averages | difficulty=Easy | question=Find the average of 15, 53, 100, 68. | option_a=59 | option_b=58 | option_c=60 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = $236 \div 4 = 59$.

id=58414 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 14. | option_a=126 | option_b=252 | option_c=112 | option_d=144 | answer=A | explanation= $LCM \times HCF = 18 \times 14$; $HCF(18,14) = 2$, so $LCM = 126$.

id=58415 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:12 and the first is 180, what is the second? | option_a=216 | option_b=396 | option_c=204 | option_d=226 | answer=A | explanation=Scale factor = $180/10 = 18$. Therefore second quantity = $12 \times 18 = 216$.

id=58416 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1490. If it is sold at a profit of 50%, what is its selling price? | option_a=2235 | option_b=2384 | option_c=1540 | option_d=2086 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1490 \times 150/100 = \text{█}2235$.

id=58417 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44911 at 6% per annum for 2 years. | option_a=5289 | option_b=5389 | option_c=50300 | option_d=5489 | answer=B | explanation= $SI = PRT/100 = 44911 \times 6 \times 2/100 = \text{█}5389$.

id=58418 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 45? | option_a=32 | option_b=37 | option_c=45 | option_d=27 | answer=C | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 45 is the odd one out.

id=58419 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:15 and the first is 60, what is the second? | option_a=135 | option_b=150 | option_c=210 | option_d=156 | answer=B | explanation=Scale factor = $60/6 = 10$. Therefore second quantity = $15 \times 10 = 150$.

id=58420 | topic=Averages | difficulty=Easy | question=Find the average of 22, 74, 18. | option_a=38 | option_b=39 | option_c=40 | option_d=37 | answer=A | explanation=Average = sum of values ÷ number of values = $114 \div 3 = 38$.

id=58421 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=Y | option_b=K | option_c=G | option_d=C | answer=C | explanation=Move 4 positions forward from C; the resulting letter is G.

id=58422 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:14 and the first is 272, what is the second? | option_a=254 | option_b=238 | option_c=510 | option_d=224 | answer=B | explanation=Scale factor = $272/16 = 17$. Therefore second quantity = $14 \times 17 = 238$.

id=58423 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:15 and the first is 18, what is the second? | option_a=45 | option_b=63 | option_c=30 | option_d=51 | answer=A | explanation=Scale factor = $18/6 = 3$. Therefore second quantity = $15 \times 3 = 45$.

id=58424 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 44? | option_a=23 | option_b=29 | option_c=44 | option_d=35 | answer=C | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 44 is the odd one out.

id=58425 | topic=Averages | difficulty=Easy | question=Find the average of 46, 10, 18, 50, 85, 65, 79, 88, 18. | option_a=50 | option_b=51 | option_c=52 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = $459 \div 9 = 51$.

id=58426 | topic=Percentages | difficulty=Easy | question=What is 40% of 1226? | option_a=490 | option_b=980 | option_c=500 | option_d=485 | answer=A | explanation= $40\% \text{ of } 1226 = (40/100) \times 1226 = 490$.

id=58427 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:14 and the first is 154, what is the second? | option_a=154 | option_b=308 | option_c=168 | option_d=140 | answer=A | explanation=Scale factor = $154/14 = 11$. Therefore second quantity = $14 \times 11 = 154$.

id=58428 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=S | option_b=X | option_c=N | option_d=I | answer=A | explanation=Move 5 positions forward from N; the resulting letter is S.

id=58429 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=58430 | topic=Percentages | difficulty=Easy | question=What is 10% of 1634? | option_a=173 | option_b=143 | option_c=163 | option_d=326 | answer=C | explanation= $10\% \text{ of } 1634 = (10/100) \times 1634 = 163$.

id=58431 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 36, 45, 57? | option_a=36 | option_b=57 | option_c=27 | option_d=45 | answer=B | explanation=The first three numbers increase by 9, so the next should be 54. Therefore 57 is the odd one out.

id=58432 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=100 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = $150 \div 3 = 50$ km/h.

id=58433 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 39, 49, 60? | option_a=29 | option_b=60 | option_c=39 | option_d=49 | answer=B | explanation=The first three numbers increase by 10, so the next should be 59. Therefore 60 is the odd one out.

id=58434 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=L | option_b=R | option_c=O | option_d=U | answer=B | explanation=Move 3 positions forward from O; the resulting letter is R.

id=58435 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:17 and the first is 60, what is the second? | option_a=323 | option_b=340 | option_c=343 | option_d=400 | answer=B | explanation=Scale factor = $60/3 = 20$. Therefore second quantity = $17 \times 20 = 340$.

id=58436 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=58437 | topic=Percentages | difficulty=Easy | question=What is 15% of 587? | option_a=88 | option_b=176 | option_c=98 | option_d=78 | answer=A | explanation= $15\% \text{ of } 587 = (15/100) \times 587 = 88$.

id=58438 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:5 and the first is 80, what is the second? | option_a=41 | option_b=105 | option_c=20 | option_d=25 | answer=D | explanation=Scale factor = $80/16 = 5$. Therefore second quantity = $5 \times 5 = 25$.

id=58439 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=24 | option_b=30 | option_c=28 | option_d=27 | answer=D | explanation=The common difference is 3. Therefore the next term is $24 + 3 = 27$.

id=58440 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=F | option_c=H | option_d=G | answer=C | explanation=Move 1 positions forward from G; the resulting letter is H.

Aptitude Questions — Records 58,441-58,470 of 100,000

id=58441 | topic=Averages | difficulty=Easy | question=Find the average of 13, 29, 84, 19, 55, 13, 67. | option_a=40 | option_b=41 | option_c=42 | option_d=39 | answer=A | explanation=Average = sum of values ÷ number of values = 280 ÷ 7 = 40.

id=58442 | topic=Percentages | difficulty=Easy | question=What is 15% of 1810? | option_a=251 | option_b=542 | option_c=281 | option_d=271 | answer=D | explanation=15% of 1810 = (15/100) × 1810 = 271.

id=58443 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=58444 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:6 and the first is 176, what is the second? | option_a=272 | option_b=96 | option_c=107 | option_d=90 | answer=B | explanation=Scale factor = 176/11 = 16. Therefore second quantity = 6×16 = 96.

id=58445 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=66 | option_b=67 | option_c=78 | option_d=54 | answer=A | explanation=The common difference is 12. Therefore the next term is 54 + 12 = 66.

id=58446 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■46429 at 5% per annum for 2 years. | option_a=4542 | option_b=51071 | option_c=4742 | option_d=4642 | answer=D | explanation=SI = PRT/100 = 46429×5×2/100 = ■4642.

id=58447 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=58448 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=58449 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=64 | option_b=65 | option_c=52 | option_d=76 | answer=A | explanation=The common difference is 12. Therefore the next term is 52 + 12 = 64.

id=58450 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=21 | option_b=15 | option_c=18 | option_d=19 | answer=C | explanation=The common difference is 3. Therefore the next term is 15 + 3 = 18.

id=58451 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 30. | option_a=30 | option_b=60 | option_c=72 | option_d=360 | answer=B | explanation=LCM × HCF = 12×30; HCF(12,30) = 6, so LCM = 60.

id=58452 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=P | option_c=H | option_d=T | answer=B | explanation=Move 4 positions forward from L; the resulting letter is P.

id=58453 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 11, 20, 31? | option_a=2 | option_b=11 | option_c=20 | option_d=31 | answer=D | explanation=The first three numbers increase by 9, so the next should be 29. Therefore 31 is the odd one out.

id=58454 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=41 | option_b=46 | option_c=40 | option_d=34 | answer=C | explanation=The common difference is 6. Therefore the next term is 34 + 6 = 40.

id=58455 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=W | option_b=Z | option_c=Q | option_d=T | answer=A | explanation=Move 3 positions forward from T; the resulting letter is W.

id=58456 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 26, 28, 31? | option_a=31 | option_b=24 | option_c=28 | option_d=26 | answer=A | explanation=The first three numbers increase by 2, so the next should be 30. Therefore 31 is the odd one out.

id=58457 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=125 | option_b=115 | option_c=120 | option_d=240 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=58458 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:4 and the first is 255, what is the second? | option_a=323 | option_b=68 | option_c=64 | option_d=83 | answer=B | explanation=Scale factor = 255/15 = 17. Therefore second quantity = 4×17 = 68.

id=58459 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2942. If it is sold at a profit of 15%, what is its selling price? | option_a=3089 | option_b=3383 | option_c=3677 | option_d=2957 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2942 × 115/100 = ■3383.

id=58460 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 16. | option_a=126 | option_b=96 | option_c=224 | option_d=112 | answer=D | explanation=LCM × HCF = 14×16; HCF(14,16) = 2, so LCM = 112.

id=58461 | topic=Percentages | difficulty=Easy | question=What is 12% of 1434? | option_a=172 | option_b=344 | option_c=152 | option_d=192 | answer=A | explanation=12% of 1434 = (12/100) × 1434 = 172.

id=58462 | topic=Averages | difficulty=Easy | question=Find the average of 39, 51, 43, 74, 72, 21, 85, 63, 81, 71. | option_a=61 | option_b=60 | option_c=62 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=58463 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=60 | option_b=49 | option_c=59 | option_d=69 | answer=C | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

id=58464 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=58465 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=O | option_c=K | option_d=M | answer=B | explanation=Move 2 positions forward from M; the resulting letter is O.

id=58466 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=O | option_c=Q | option_d=U | answer=A | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=58467 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■321. If it is sold at a profit of 30%, what is its selling price? | option_a=351 | option_b=449 | option_c=385 | option_d=417 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 321 × 130/100 = ■417.

id=58468 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=D | option_c=Y | option_d=O | answer=C | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=58469 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■42184 at 10% per annum for 4 years. | option_a=16773 | option_b=59057 | option_c=16873 | option_d=16973 | answer=C | explanation=SI = PRT/100 = 42184×10×4/100 = ■16873.

id=58470 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:19 and the first is 76, what is the second? | option_a=342 | option_b=365 | option_c=361 | option_d=437 | answer=C | explanation=Scale factor = 76/4 = 19. Therefore second quantity = 19×19 = 361.

Aptitude Questions — Records 58,471-58,500 of 100,000

- id=58471 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=8 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=58472 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=58473 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.
- id=58474 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:4 and the first is 270, what is the second? | option_a=72 | option_b=87 | option_c=342 | option_d=68 | answer=A | explanation=Scale factor = 270/15 = 18. Therefore second quantity = 4×18 = 72.
- id=58475 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 50? | option_a=39 | option_b=50 | option_c=29 | option_d=19 | answer=B | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 50 is the odd one out.
- id=58476 | topic=Percentages | difficulty=Easy | question=What is 50% of 1913? | option_a=936 | option_b=956 | option_c=966 | option_d=1912 | answer=B | explanation=50% of 1913 = (50/100) × 1913 = 956.
- id=58477 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 26. | option_a=182 | option_b=364 | option_c=196 | option_d=156 | answer=A | explanation=LCM × HCF = 14×26; HCF(14,26) = 2, so LCM = 182.
- id=58478 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2928. If it is sold at a profit of 20%, what is its selling price? | option_a=2948 | option_b=3221 | option_c=3805 | option_d=3513 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2928 × 120/100 = █3513.
- id=58479 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1240 at 12% per annum for 2 years. | option_a=397 | option_b=1537 | option_c=197 | option_d=297 | answer=D | explanation=SI = PRT/100 = 1240×12×2/100 = █297.
- id=58480 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=80 | option_c=40 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.
- id=58481 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.
- id=58482 | topic=Averages | difficulty=Easy | question=Find the average of 42, 35, 94. | option_a=56 | option_b=59 | option_c=58 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 171 ÷ 3 = 57.
- id=58483 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 21, 23, 25, ? | option_a=29 | option_b=27 | option_c=25 | option_d=28 | answer=B | explanation=The common difference is 2. Therefore the next term is 25 + 2 = 27.
- id=58484 | topic=Percentages | difficulty=Easy | question=What is 10% of 74? | option_a=7 | option_b=17 | option_c=0 | option_d=14 | answer=A | explanation=10% of 74 = (10/100) × 74 = 7.
- id=58485 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 4. | option_a=16 | option_b=8 | option_c=1 | option_d=4 | answer=D | explanation=LCM × HCF = 4×4; HCF(4,4) = 4, so LCM = 4.
- id=58486 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=O | option_c=P | option_d=Q | answer=D | explanation=Move 1 positions forward from P; the resulting letter is Q.
- id=58487 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4161. If it is sold at a profit of 20%, what is its selling price? | option_a=4181 | option_b=4993 | option_c=5409 | option_d=4577 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4161 × 120/100 = █4993.
- id=58488 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 25, 31, 40? | option_a=19 | option_b=31 | option_c=25 | option_d=40 | answer=D | explanation=The first three numbers increase by 6, so the next should be 37. Therefore 40 is the odd one out.
- id=58489 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=58490 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 17, 27, 40? | option_a=40 | option_b=27 | option_c=17 | option_d=7 | answer=A | explanation=The first three numbers increase by 10, so the next should be 37. Therefore 40 is the odd one out.
- id=58491 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2592. If it is sold at a profit of 30%, what is its selling price? | option_a=2622 | option_b=3369 | option_c=3628 | option_d=3110 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2592 × 130/100 = █3369.
- id=58492 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:10 and the first is 170, what is the second? | option_a=160 | option_b=180 | option_c=170 | option_d=340 | answer=C | explanation=Scale factor = 170/10 = 17. Therefore second quantity = 10×17 = 170.
- id=58493 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.
- id=58494 | topic=Percentages | difficulty=Easy | question=What is 5% of 563? | option_a=8 | option_b=28 | option_c=48 | option_d=56 | answer=B | explanation=5% of 563 = (5/100) × 563 = 28.
- id=58495 | topic=Averages | difficulty=Easy | question=Find the average of 43, 34, 28. | option_a=34 | option_b=35 | option_c=37 | option_d=36 | answer=B | explanation=Average = sum of values ÷ number of values = 105 ÷ 3 = 35.
- id=58496 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1310. If it is sold at a profit of 40%, what is its selling price? | option_a=1350 | option_b=1834 | option_c=1703 | option_d=1965 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1310 × 140/100 = █1834.
- id=58497 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31035 at 6% per annum for 1 years. | option_a=1762 | option_b=1962 | option_c=32897 | option_d=1862 | answer=D | explanation=SI = PRT/100 = 31035×6×1/100 = █1862.
- id=58498 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:11 and the first is 36, what is the second? | option_a=40 | option_b=11 | option_c=58 | option_d=22 | answer=D | explanation=Scale factor = 36/18 = 2. Therefore second quantity = 11×2 = 22.
- id=58499 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 28? | option_a=28 | option_b=15 | option_c=19 | option_d=23 | answer=A | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 28 is the odd one out.
- id=58500 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30006 at 12% per annum for 4 years. | option_a=14402 | option_b=14302 | option_c=14502 | option_d=44408 | answer=A | explanation=SI = PRT/100 = 30006×12×4/100 = █14402.

Aptitude Questions — Records 58,501-58,530 of 100,000

id=58501 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=20 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=58502 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 29? | option_a=26 | option_b=29 | option_c=22 | option_d=24 | answer=B | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 29 is the odd one out.

id=58503 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=56 | option_b=67 | option_c=45 | option_d=57 | answer=A | explanation=The common difference is 11. Therefore the next term is 45 + 11 = 56.

id=58504 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=58505 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=58506 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3589. If it is sold at a profit of 5%, what is its selling price? | option_a=3768 | option_b=4126 | option_c=3594 | option_d=3410 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3589 × 105/100 = █3768.

id=58507 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:7 and the first is 66, what is the second? | option_a=70 | option_b=77 | option_c=143 | option_d=83 | answer=B | explanation=Scale factor = 66/6 = 11. Therefore second quantity = 7×11 = 77.

id=58508 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=P | option_b=V | option_c=R | option_d=T | answer=D | explanation=Move 2 positions forward from R; the resulting letter is T.

id=58509 | topic=Averages | difficulty=Easy | question=Find the average of 23, 50, 81, 99, 91, 78, 60, 22. | option_a=64 | option_b=65 | option_c=63 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 504 ÷ 8 = 63.

id=58510 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45140 at 4% per annum for 5 years. | option_a=9028 | option_b=9128 | option_c=8928 | option_d=54168 | answer=A | explanation=SI = PRT/100 = 45140×4×5/100 = █9028.

id=58511 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=V | option_b=Q | option_c=L | option_d=A | answer=A | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=58512 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:1 and the first is 225, what is the second? | option_a=30 | option_b=14 | option_c=15 | option_d=240 | answer=C | explanation=Scale factor = 225/15 = 15. Therefore second quantity = 1×15 = 15.

id=58513 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=58514 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:2 and the first is 72, what is the second? | option_a=36 | option_b=34 | option_c=40 | option_d=108 | answer=A | explanation=Scale factor = 72/4 = 18. Therefore second quantity = 2×18 = 36.

id=58515 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 37? | option_a=24 | option_b=19 | option_c=29 | option_d=37 | answer=D | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 37 is the odd one out.

id=58516 | topic=Percentages | difficulty=Easy | question=What is 30% of 1233? | option_a=364 | option_b=738 | option_c=379 | option_d=369 | answer=D | explanation=30% of 1233 = (30/100) × 1233 = 369.

id=58517 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 28, 36, 44, ? | option_a=60 | option_b=53 | option_c=44 | option_d=52 | answer=D | explanation=The common difference is 8. Therefore the next term is 44 + 8 = 52.

id=58518 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:3 and the first is 216, what is the second? | option_a=36 | option_b=252 | option_c=54 | option_d=33 | answer=A | explanation=Scale factor = 216/18 = 12. Therefore second quantity = 3×12 = 36.

id=58519 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=50 | option_b=42 | option_c=41 | option_d=32 | answer=C | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

id=58520 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:20 and the first is 26, what is the second? | option_a=260 | option_b=286 | option_c=240 | option_d=262 | answer=A | explanation=Scale factor = 26/2 = 13. Therefore second quantity = 20×13 = 260.

id=58521 | topic=Averages | difficulty=Easy | question=Find the average of 42, 93, 84, 17, 76, 95, 48. | option_a=65 | option_b=64 | option_c=67 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 455 ÷ 7 = 65.

id=58522 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43573 at 15% per annum for 3 years. | option_a=19507 | option_b=19707 | option_c=63180 | option_d=19607 | answer=D | explanation=SI = PRT/100 = 43573×15×3/100 = █19607.

id=58523 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:13 and the first is 153, what is the second? | option_a=208 | option_b=221 | option_c=230 | option_d=374 | answer=B | explanation=Scale factor = 153/9 = 17. Therefore second quantity = 13×17 = 221.

id=58524 | topic=Profit & Loss | difficulty=Easy | question=An article costs █582. If it is sold at a profit of 20%, what is its selling price? | option_a=698 | option_b=602 | option_c=756 | option_d=640 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 582 × 120/100 = █698.

id=58525 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=12 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=58526 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=58527 | topic=Profit & Loss | difficulty=Easy | question=An article costs █131. If it is sold at a profit of 15%, what is its selling price? | option_a=150 | option_b=137 | option_c=163 | option_d=146 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 131 × 115/100 = █150.

id=58528 | topic=Averages | difficulty=Easy | question=Find the average of 19, 86, 78, 34, 83, 38, 59, 99. | option_a=63 | option_b=64 | option_c=62 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 496 ÷ 8 = 62.

id=58529 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=58530 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:9 and the first is 28, what is the second? | option_a=46 | option_b=18 | option_c=9 | option_d=32 | answer=B | explanation=Scale factor = 28/14 = 2. Therefore second quantity = 9×2 = 18.

Aptitude Questions — Records 58,531-58,560 of 100,000

id=58531 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=P | option_c=R | option_d=S | answer=C | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=58532 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=58533 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=58534 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 34? | option_a=22 | option_b=13 | option_c=34 | option_d=4 | answer=C | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 34 is the odd one out.

id=58535 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=58536 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3908. If it is sold at a profit of 15%, what is its selling price? | option_a=3923 | option_b=4104 | option_c=4494 | option_d=4884 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3908 × 115/100 = █4494.

id=58537 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 43? | option_a=29 | option_b=43 | option_c=33 | option_d=37 | answer=B | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 43 is the odd one out.

id=58538 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42639 at 6% per annum for 5 years. | option_a=12791 | option_b=12891 | option_c=12691 | option_d=55430 | answer=A | explanation=SI = PRT/100 = 42639×6×5/100 = █12791.

id=58539 | topic=Averages | difficulty=Easy | question=Find the average of 83, 67, 48. | option_a=68 | option_b=67 | option_c=66 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = 198 ÷ 3 = 66.

id=58540 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13888 at 12% per annum for 1 years. | option_a=1666 | option_b=1566 | option_c=1766 | option_d=15554 | answer=A | explanation=SI = PRT/100 = 13888×12×1/100 = █1666.

id=58541 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 4. | option_a=12 | option_b=8 | option_c=48 | option_d=24 | answer=A | explanation=LCM × HCF = 12×4; HCF(12,4) = 4, so LCM = 12.

id=58542 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=70 | option_d=150 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=58543 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=58544 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1421. If it is sold at a profit of 40%, what is its selling price? | option_a=1989 | option_b=1461 | option_c=2131 | option_d=1847 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1421 × 140/100 = █1989.

id=58545 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47706 at 15% per annum for 1 years. | option_a=7055 | option_b=7255 | option_c=7155 | option_d=54861 | answer=C | explanation=SI = PRT/100 = 47706×15×1/100 = █7155.

id=58546 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1102. If it is sold at a profit of 10%, what is its selling price? | option_a=1102 | option_b=1322 | option_c=1112 | option_d=1212 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1102 × 110/100 = █1212.

id=58547 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=58548 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=15 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=58549 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=58550 | topic=Averages | difficulty=Easy | question=Find the average of 50, 25, 65, 60. | option_a=52 | option_b=51 | option_c=49 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 200 ÷ 4 = 50.

id=58551 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=31 | option_b=39 | option_c=40 | option_d=47 | answer=B | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

id=58552 | topic=Percentages | difficulty=Easy | question=What is 15% of 1064? | option_a=179 | option_b=318 | option_c=149 | option_d=159 | answer=D | explanation=15% of 1064 = (15/100) × 1064 = 159.

id=58553 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48991 at 10% per annum for 4 years. | option_a=19596 | option_b=19696 | option_c=19496 | option_d=68587 | answer=A | explanation=SI = PRT/100 = 48991×10×4/100 = █19596.

id=58554 | topic=Averages | difficulty=Easy | question=Find the average of 37, 86, 37, 30, 42, 32, 91, 85. | option_a=56 | option_b=54 | option_c=57 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 440 ÷ 8 = 55.

id=58555 | topic=Percentages | difficulty=Easy | question=What is 20% of 1321? | option_a=264 | option_b=528 | option_c=244 | option_d=274 | answer=A | explanation=20% of 1321 = (20/100) × 1321 = 264.

id=58556 | topic=Percentages | difficulty=Easy | question=What is 5% of 481? | option_a=19 | option_b=24 | option_c=48 | option_d=44 | answer=B | explanation=5% of 481 = (5/100) × 481 = 24.

id=58557 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 26? | option_a=17 | option_b=19 | option_c=21 | option_d=26 | answer=D | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 26 is the odd one out.

id=58558 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2589. If it is sold at a profit of 5%, what is its selling price? | option_a=2594 | option_b=2718 | option_c=2460 | option_d=2976 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2589 × 105/100 = █2718.

id=58559 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=43 | option_b=36 | option_c=44 | option_d=50 | answer=A | explanation=The common difference is 7. Therefore the next term is 36 + 7 = 43.

id=58560 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

Aptitude Questions — Records 58,561-58,590 of 100,000

id=58561 | topic=Averages | difficulty=Easy | question=Find the average of 70, 71, 19, 84. | option_a=63 | option_b=61 | option_c=62 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 244 ÷ 4 = 61.

id=58562 | topic=Averages | difficulty=Easy | question=Find the average of 79, 12, 33, 80, 53, 43. | option_a=52 | option_b=49 | option_c=50 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 300 ÷ 6 = 50.

id=58563 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 17? | option_a=17 | option_b=13 | option_c=9 | option_d=11 | answer=A | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 17 is the odd one out.

id=58564 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2071. If it is sold at a profit of 25%, what is its selling price? | option_a=2096 | option_b=2588 | option_c=2795 | option_d=2381 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2071 × 125/100 = █2588.

id=58565 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 20, 30, 42? | option_a=20 | option_b=30 | option_c=10 | option_d=42 | answer=D | explanation=The first three numbers increase by 10, so the next should be 40. Therefore 42 is the odd one out.

id=58566 | topic=Profit & Loss | difficulty=Easy | question=An article costs █811. If it is sold at a profit of 10%, what is its selling price? | option_a=973 | option_b=811 | option_c=892 | option_d=821 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 811 × 110/100 = █892.

id=58567 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=55 | option_c=50 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=58568 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:20 and the first is 135, what is the second? | option_a=309 | option_b=435 | option_c=300 | option_d=280 | answer=C | explanation=Scale factor = 135/9 = 15. Therefore second quantity = 20×15 = 300.

id=58569 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 53? | option_a=40 | option_b=53 | option_c=20 | option_d=30 | answer=B | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 53 is the odd one out.

id=58570 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:8 and the first is 132, what is the second? | option_a=96 | option_b=228 | option_c=107 | option_d=88 | answer=A | explanation=Scale factor = 132/11 = 12. Therefore second quantity = 8×12 = 96.

id=58571 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=F | option_b=J | option_c=H | option_d=L | answer=B | explanation=Move 2 positions forward from H; the resulting letter is J.

id=58572 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=24 | option_d=29 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=58573 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=58574 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=10 | option_b=13 | option_c=14 | option_d=12 | answer=D | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.

id=58575 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36389 at 10% per annum for 3 years. | option_a=47305 | option_b=10816 | option_c=10916 | option_d=11016 | answer=C | explanation=SI = PRT/100 = 36389×10×3/100 = █10916.

id=58576 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=J | option_b=B | option_c=X | option_d=F | answer=D | explanation=Move 4 positions forward from B; the resulting letter is F.

id=58577 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=58578 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=50 | option_b=40 | option_c=49 | option_d=58 | answer=C | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

id=58579 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=7 | option_c=24 | option_d=17 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=58580 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=34 | option_b=22 | option_c=29 | option_d=28 | answer=D | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.

id=58581 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=58582 | topic=Percentages | difficulty=Easy | question=What is 50% of 160? | option_a=100 | option_b=160 | option_c=60 | option_d=80 | answer=D | explanation=50% of 160 = (50/100) × 160 = 80.

id=58583 | topic=Averages | difficulty=Easy | question=Find the average of 34, 47, 28, 11, 10, 78, 73, 63. | option_a=44 | option_b=42 | option_c=45 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = 344 ÷ 8 = 43.

id=58584 | topic=Averages | difficulty=Easy | question=Find the average of 59, 57, 31, 11, 36, 68, 32. | option_a=41 | option_b=42 | option_c=44 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = 294 ÷ 7 = 42.

id=58585 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21218 at 4% per annum for 5 years. | option_a=25461 | option_b=4243 | option_c=4343 | option_d=4143 | answer=B | explanation=SI = PRT/100 = 21218×4×5/100 = █4243.

id=58586 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45684 at 12% per annum for 3 years. | option_a=16346 | option_b=16546 | option_c=16446 | option_d=62130 | answer=C | explanation=SI = PRT/100 = 45684×12×3/100 = █16446.

id=58587 | topic=Averages | difficulty=Easy | question=Find the average of 47, 62, 41, 72, 90, 13, 95. | option_a=61 | option_b=59 | option_c=60 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 420 ÷ 7 = 60.

id=58588 | topic=Percentages | difficulty=Easy | question=What is 20% of 1912? | option_a=377 | option_b=392 | option_c=382 | option_d=764 | answer=C | explanation=20% of 1912 = (20/100) × 1912 = 382.

id=58589 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=7 | option_d=17 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=58590 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=Z | option_b=A | option_c=C | option_d=B | answer=D | explanation=Move 1 positions forward from A; the resulting letter is B.

Aptitude Questions — Records 58,591-58,620 of 100,000

id=58591 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4682. If it is sold at a profit of 40%, what is its selling price? | option_a=7022 | option_b=6554 | option_c=6086 | option_d=4722 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4682 × 140/100 = ■6554.

id=58592 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 17, 21, 27? | option_a=21 | option_b=13 | option_c=17 | option_d=27 | answer=D | explanation=The first three numbers increase by 4, so the next should be 25. Therefore 27 is the odd one out.

id=58593 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:9 and the first is 210, what is the second? | option_a=117 | option_b=141 | option_c=126 | option_d=336 | answer=C | explanation=Scale factor = 210/15 = 14. Therefore second quantity = 9×14 = 126.

id=58594 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=L | option_c=P | option_d=R | answer=C | explanation=Move 2 positions forward from N; the resulting letter is P.

id=58595 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:9 and the first is 36, what is the second? | option_a=36 | option_b=18 | option_c=54 | option_d=9 | answer=B | explanation=Scale factor = 36/18 = 2. Therefore second quantity = 9×2 = 18.

id=58596 | topic=Averages | difficulty=Easy | question=Find the average of 85, 85, 36, 22. | option_a=59 | option_b=56 | option_c=58 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 228 ÷ 4 = 57.

id=58597 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=H | option_c=J | option_d=F | answer=C | explanation=Move 2 positions forward from H; the resulting letter is J.

id=58598 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=58599 | topic=Percentages | difficulty=Easy | question=What is 10% of 927? | option_a=92 | option_b=184 | option_c=87 | option_d=112 | answer=A | explanation=10% of 927 = (10/100) × 927 = 92.

id=58600 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=M | option_c=G | option_d=K | answer=D | explanation=Move 2 positions forward from I; the resulting letter is K.

id=58601 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:4 and the first is 200, what is the second? | option_a=40 | option_b=240 | option_c=60 | option_d=36 | answer=A | explanation=Scale factor = 200/20 = 10. Therefore second quantity = 4×10 = 40.

id=58602 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 25, 35, 47? | option_a=35 | option_b=15 | option_c=47 | option_d=25 | answer=C | explanation=The first three numbers increase by 10, so the next should be 45. Therefore 47 is the odd one out.

id=58603 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■17017 at 15% per annum for 4 years. | option_a=27227 | option_b=10110 | option_c=10310 | option_d=10210 | answer=D | explanation=SI = PRT/100 = 17017×15×4/100 = ■10210.

id=58604 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2658. If it is sold at a profit of 10%, what is its selling price? | option_a=2923 | option_b=2658 | option_c=2668 | option_d=3188 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2658 × 110/100 = ■2923.

id=58605 | topic=Percentages | difficulty=Easy | question=What is 10% of 1660? | option_a=171 | option_b=161 | option_c=332 | option_d=166 | answer=D | explanation=10% of 1660 = (10/100) × 1660 = 166.

id=58606 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=6 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=58607 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2650. If it is sold at a profit of 5%, what is its selling price? | option_a=2517 | option_b=3047 | option_c=2782 | option_d=2655 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2650 × 105/100 = ■2782.

id=58608 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■6184 at 10% per annum for 3 years. | option_a=1755 | option_b=8039 | option_c=1855 | option_d=1955 | answer=C | explanation=SI = PRT/100 = 6184×10×3/100 = ■1855.

id=58609 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=58610 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=40 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=58611 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 29, 33, 40? | option_a=25 | option_b=33 | option_c=40 | option_d=29 | answer=C | explanation=The first three numbers increase by 4, so the next should be 37. Therefore 40 is the odd one out.

id=58612 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1144. If it is sold at a profit of 10%, what is its selling price? | option_a=1258 | option_b=1154 | option_c=1372 | option_d=1144 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1144 × 110/100 = ■1258.

id=58613 | topic=Percentages | difficulty=Easy | question=What is 30% of 598? | option_a=358 | option_b=179 | option_c=199 | option_d=159 | answer=B | explanation=30% of 598 = (30/100) × 598 = 179.

id=58614 | topic=Averages | difficulty=Easy | question=Find the average of 36, 82, 82, 41, 94. | option_a=62 | option_b=64 | option_c=63 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = 315 ÷ 5 = 63.

id=58615 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 26. | option_a=104 | option_b=208 | option_c=78 | option_d=112 | answer=A | explanation=LCM × HCF = 8×26; HCF(8,26) = 2, so LCM = 104.

id=58616 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 35? | option_a=28 | option_b=35 | option_c=30 | option_d=26 | answer=B | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 35 is the odd one out.

id=58617 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 29? | option_a=24 | option_b=16 | option_c=20 | option_d=29 | answer=D | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 29 is the odd one out.

id=58618 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=120 | option_c=240 | option_d=115 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=58619 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:1 and the first is 30, what is the second? | option_a=32 | option_b=1 | option_c=17 | option_d=2 | answer=D | explanation=Scale factor = 30/15 = 2. Therefore second quantity = 1×2 = 2.

id=58620 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

Aptitude Questions — Records 58,621-58,650 of 100,000

id=58621 | topic=Percentages | difficulty=Easy | question=What is 40% of 250? | option_a=200 | option_b=95 | option_c=100 | option_d=105 | answer=C | explanation=40% of 250 = (40/100) × 250 = 100.

id=58622 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=M | option_b=L | option_c=N | option_d=K | answer=A | explanation=Move 1 positions forward from L; the resulting letter is M.

id=58623 | topic=Percentages | difficulty=Easy | question=What is 12% of 397? | option_a=37 | option_b=94 | option_c=47 | option_d=57 | answer=C | explanation=12% of 397 = (12/100) × 397 = 47.

id=58624 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25775 at 6% per annum for 1 years. | option_a=1646 | option_b=1446 | option_c=27321 | option_d=1546 | answer=D | explanation=SI = PRT/100 = 25775×6×1/100 = **■**1546.

id=58625 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:3 and the first is 45, what is the second? | option_a=27 | option_b=24 | option_c=72 | option_d=32 | answer=A | explanation=Scale factor = 45/5 = 9. Therefore second quantity = 3×9 = 27.

id=58626 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:5 and the first is 65, what is the second? | option_a=60 | option_b=130 | option_c=70 | option_d=65 | answer=D | explanation=Scale factor = 65/5 = 13. Therefore second quantity = 5×13 = 65.

id=58627 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18336 at 8% per annum for 1 years. | option_a=1566 | option_b=1366 | option_c=1466 | option_d=19802 | answer=C | explanation=SI = PRT/100 = 18336×8×1/100 = **■**1466.

id=58628 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5984 at 8% per annum for 2 years. | option_a=1057 | option_b=857 | option_c=957 | option_d=6941 | answer=C | explanation=SI = PRT/100 = 5984×8×2/100 = **■**957.

id=58629 | topic=Averages | difficulty=Easy | question=Find the average of 45, 56, 72, 45, 48, 46, 46, 26. | option_a=48 | option_b=47 | option_c=49 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 384 ÷ 8 = 48.

id=58630 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=56 | option_b=55 | option_c=67 | option_d=43 | answer=B | explanation=The common difference is 12. Therefore the next term is 43 + 12 = 55.

id=58631 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 13, 21, 32? | option_a=32 | option_b=5 | option_c=13 | option_d=21 | answer=A | explanation=The first three numbers increase by 8, so the next should be 29. Therefore 32 is the odd one out.

id=58632 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=25 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=58633 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 26? | option_a=26 | option_b=11 | option_c=17 | option_d=5 | answer=A | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 26 is the odd one out.

id=58634 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8417 at 6% per annum for 2 years. | option_a=910 | option_b=9427 | option_c=1110 | option_d=1010 | answer=D | explanation=SI = PRT/100 = 8417×6×2/100 = **■**1010.

id=58635 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 195, what is the second? | option_a=54 | option_b=234 | option_c=39 | option_d=36 | answer=C | explanation=Scale factor = 195/15 = 13. Therefore second quantity = 3×13 = 39.

id=58636 | topic=Averages | difficulty=Easy | question=Find the average of 15, 68, 11, 85, 64, 32, 69, 96, 27, 93. | option_a=58 | option_b=56 | option_c=57 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 560 ÷ 10 = 56.

id=58637 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42955 at 6% per annum for 1 years. | option_a=45532 | option_b=2477 | option_c=2677 | option_d=2577 | answer=D | explanation=SI = PRT/100 = 42955×6×1/100 = **■**2577.

id=58638 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=59 | option_b=51 | option_c=41 | option_d=50 | answer=D | explanation=The common difference is 9. Therefore the next term is 41 + 9 = 50.

id=58639 | topic=Percentages | difficulty=Easy | question=What is 50% of 956? | option_a=458 | option_b=498 | option_c=478 | option_d=956 | answer=C | explanation=50% of 956 = (50/100) × 956 = 478.

id=58640 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=7 | option_c=17 | option_d=24 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=58641 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=G | option_c=P | option_d=M | answer=D | explanation=Move 3 positions forward from J; the resulting letter is M.

id=58642 | topic=Averages | difficulty=Easy | question=Find the average of 99, 100, 88, 55, 77, 81, 45, 38, 47. | option_a=71 | option_b=69 | option_c=70 | option_d=72 | answer=C | explanation=Average = sum of values ÷ number of values = 630 ÷ 9 = 70.

id=58643 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:6 and the first is 170, what is the second? | option_a=230 | option_b=54 | option_c=77 | option_d=60 | answer=D | explanation=Scale factor = 170/17 = 10. Therefore second quantity = 6×10 = 60.

id=58644 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 27. | option_a=648 | option_b=189 | option_c=216 | option_d=240 | answer=C | explanation=LCM × HCF = 24×27; HCF(24,27) = 3, so LCM = 216.

id=58645 | topic=Percentages | difficulty=Easy | question=What is 12% of 1468? | option_a=196 | option_b=352 | option_c=176 | option_d=166 | answer=C | explanation=12% of 1468 = (12/100) × 1468 = 176.

id=58646 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=58647 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32874 at 12% per annum for 1 years. | option_a=3944 | option_b=36818 | option_c=3844 | option_d=4044 | answer=A | explanation=SI = PRT/100 = 32874×12×1/100 = **■**3944.

id=58648 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 27, 32, 40? | option_a=22 | option_b=32 | option_c=27 | option_d=40 | answer=D | explanation=The first three numbers increase by 5, so the next should be 37. Therefore 40 is the odd one out.

id=58649 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28921 at 8% per annum for 4 years. | option_a=9354 | option_b=9154 | option_c=9254 | option_d=38175 | answer=C | explanation=SI = PRT/100 = 28921×8×4/100 = **■**9254.

id=58650 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=54 | option_b=44 | option_c=53 | option_d=62 | answer=C | explanation=The common difference is 9. Therefore the next term is 44 + 9 = 53.

Aptitude Questions — Records 58,651-58,680 of 100,000

id=58651 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4472. If it is sold at a profit of 5%, what is its selling price? | option_a=4477 | option_b=4695 | option_c=5142 | option_d=4248 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4472 × 105/100 = █4695.

id=58652 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 17, 29, 41, ? | option_a=53 | option_b=41 | option_c=65 | option_d=54 | answer=A | explanation=The common difference is 12. Therefore the next term is 41 + 12 = 53.

id=58653 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=58654 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=21 | option_b=22 | option_c=20 | option_d=18 | answer=C | explanation=The common difference is 2. Therefore the next term is 18 + 2 = 20.

id=58655 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 10, 13, 16, ? | option_a=19 | option_b=22 | option_c=16 | option_d=20 | answer=A | explanation=The common difference is 3. Therefore the next term is 16 + 3 = 19.

id=58656 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=58657 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 3. | option_a=21 | option_b=42 | option_c=18 | option_d=63 | answer=A | explanation=LCM × HCF = 21×3; HCF(21,3) = 3, so LCM = 21.

id=58658 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=40 | option_b=28 | option_c=34 | option_d=35 | answer=C | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.

id=58659 | topic=Averages | difficulty=Easy | question=Find the average of 30, 45, 30. | option_a=34 | option_b=35 | option_c=36 | option_d=37 | answer=B | explanation=Average = sum of values ÷ number of values = 105 ÷ 3 = 35.

id=58660 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45452 at 10% per annum for 1 years. | option_a=49997 | option_b=4545 | option_c=4445 | option_d=4645 | answer=B | explanation=SI = PRT/100 = 45452×10×1/100 = █4545.

id=58661 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 27, 33, 42? | option_a=33 | option_b=27 | option_c=21 | option_d=42 | answer=D | explanation=The first three numbers increase by 6, so the next should be 39. Therefore 42 is the odd one out.

id=58662 | topic=Averages | difficulty=Easy | question=Find the average of 79, 34, 31. | option_a=47 | option_b=50 | option_c=49 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = 144 ÷ 3 = 48.

id=58663 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:14 and the first is 77, what is the second? | option_a=98 | option_b=84 | option_c=175 | option_d=109 | answer=A | explanation=Scale factor = 77/11 = 7. Therefore second quantity = 14×7 = 98.

id=58664 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39853 at 4% per annum for 2 years. | option_a=43041 | option_b=3188 | option_c=3088 | option_d=3288 | answer=B | explanation=SI = PRT/100 = 39853×4×2/100 = █3188.

id=58665 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 20? | option_a=7 | option_b=11 | option_c=20 | option_d=15 | answer=C | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 20 is the odd one out.

id=58666 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=P | option_c=D | option_d=H | answer=A | explanation=Move 4 positions forward from H; the resulting letter is L.

id=58667 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=58668 | topic=Percentages | difficulty=Easy | question=What is 15% of 1736? | option_a=265 | option_b=520 | option_c=240 | option_d=260 | answer=D | explanation=15% of 1736 = (15/100) × 1736 = 260.

id=58669 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=Q | option_b=N | option_c=P | option_d=O | answer=C | explanation=Move 1 positions forward from O; the resulting letter is P.

id=58670 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=30 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=58671 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11696 at 5% per annum for 2 years. | option_a=1169 | option_b=1269 | option_c=1069 | option_d=12865 | answer=A | explanation=SI = PRT/100 = 11696×5×2/100 = █1169.

id=58672 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=31 | option_c=41 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=58673 | topic=Profit & Loss | difficulty=Easy | question=An article costs █830. If it is sold at a profit of 40%, what is its selling price? | option_a=1245 | option_b=870 | option_c=1162 | option_d=1079 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 830 × 140/100 = █1162.

id=58674 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=U | option_c=T | option_d=V | answer=D | explanation=Move 1 positions forward from U; the resulting letter is V.

id=58675 | topic=Profit & Loss | difficulty=Easy | question=An article costs █886. If it is sold at a profit of 5%, what is its selling price? | option_a=842 | option_b=930 | option_c=891 | option_d=1018 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 886 × 105/100 = █930.

id=58676 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25337 at 8% per annum for 3 years. | option_a=6080 | option_b=6180 | option_c=31417 | option_d=5980 | answer=A | explanation=SI = PRT/100 = 25337×8×3/100 = █6080.

id=58677 | topic=Percentages | difficulty=Easy | question=What is 12% of 1922? | option_a=230 | option_b=240 | option_c=225 | option_d=460 | answer=A | explanation=12% of 1922 = (12/100) × 1922 = 230.

id=58678 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=K | option_c=C | option_d=O | answer=B | explanation=Move 4 positions forward from G; the resulting letter is K.

id=58679 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32162 at 8% per annum for 5 years. | option_a=12864 | option_b=12964 | option_c=12764 | option_d=45026 | answer=A | explanation=SI = PRT/100 = 32162×8×5/100 = █12864.

id=58680 | topic=Averages | difficulty=Easy | question=Find the average of 74, 38, 34, 74. | option_a=54 | option_b=56 | option_c=57 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 220 ÷ 4 = 55.

Aptitude Questions — Records 58,681-58,710 of 100,000

id=58681 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=59 | option_b=58 | option_c=47 | option_d=69 | answer=B | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.

id=58682 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 22. | option_a=660 | option_b=308 | option_c=330 | option_d=360 | answer=C | explanation=LCM × HCF = 30×22; HCF(30,22) = 2, so LCM = 330.

id=58683 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46339 at 8% per annum for 3 years. | option_a=11021 | option_b=11121 | option_c=57460 | option_d=11221 | answer=B | explanation=SI = PRT/100 = 46339×8×3/100 = **■**11121.

id=58684 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=40 | option_b=41 | option_c=48 | option_d=32 | answer=A | explanation=The common difference is 8. Therefore the next term is 32 + 8 = 40.

id=58685 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:1 and the first is 34, what is the second? | option_a=2 | option_b=36 | option_c=1 | option_d=19 | answer=A | explanation=Scale factor = 34/17 = 2. Therefore second quantity = 1×2 = 2.

id=58686 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:20 and the first is 234, what is the second? | option_a=494 | option_b=278 | option_c=260 | option_d=240 | answer=C | explanation=Scale factor = 234/18 = 13. Therefore second quantity = 20×13 = 260.

id=58687 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13474 at 10% per annum for 4 years. | option_a=5289 | option_b=5389 | option_c=18863 | option_d=5489 | answer=B | explanation=SI = PRT/100 = 13474×10×4/100 = **■**5389.

id=58688 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=58689 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:18 and the first is 361, what is the second? | option_a=324 | option_b=361 | option_c=703 | option_d=342 | answer=D | explanation=Scale factor = 361/19 = 19. Therefore second quantity = 18×19 = 342.

id=58690 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=35 | option_b=39 | option_c=34 | option_d=29 | answer=C | explanation=The common difference is 5. Therefore the next term is 29 + 5 = 34.

id=58691 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35100 at 5% per annum for 3 years. | option_a=40365 | option_b=5165 | option_c=5365 | option_d=5265 | answer=D | explanation=SI = PRT/100 = 35100×5×3/100 = **■**5265.

id=58692 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=58693 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:16 and the first is 192, what is the second? | option_a=448 | option_b=268 | option_c=256 | option_d=240 | answer=C | explanation=Scale factor = 192/12 = 16. Therefore second quantity = 16×16 = 256.

id=58694 | topic=Averages | difficulty=Easy | question=Find the average of 36, 28, 35. | option_a=34 | option_b=32 | option_c=33 | option_d=35 | answer=C | explanation=Average = sum of values ÷ number of values = 99 ÷ 3 = 33.

id=58695 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:13 and the first is 95, what is the second? | option_a=160 | option_b=52 | option_c=65 | option_d=84 | answer=C | explanation=Scale factor = 95/19 = 5. Therefore second quantity = 13×5 = 65.

id=58696 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=58697 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12813 at 6% per annum for 1 years. | option_a=13581 | option_b=768 | option_c=668 | option_d=868 | answer=B | explanation=SI = PRT/100 = 12813×6×1/100 = **■**768.

id=58698 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=360 | option_b=185 | option_c=180 | option_d=175 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=58699 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29978 at 5% per annum for 3 years. | option_a=4496 | option_b=4596 | option_c=4396 | option_d=34474 | answer=A | explanation=SI = PRT/100 = 29978×5×3/100 = **■**4496.

id=58700 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:3 and the first is 39, what is the second? | option_a=36 | option_b=42 | option_c=39 | option_d=78 | answer=C | explanation=Scale factor = 39/3 = 13. Therefore second quantity = 3×13 = 39.

id=58701 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=26 | option_b=27 | option_c=23 | option_d=25 | answer=D | explanation=The common difference is 2. Therefore the next term is 23 + 2 = 25.

id=58702 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4846. If it is sold at a profit of 50%, what is its selling price? | option_a=7753 | option_b=6785 | option_c=4896 | option_d=7269 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4846 × 150/100 = **■**7269.

id=58703 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=100 | option_c=200 | option_d=105 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=58704 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 16. | option_a=162 | option_b=128 | option_c=144 | option_d=288 | answer=C | explanation=LCM × HCF = 18×16; HCF(18,16) = 2, so LCM = 144.

id=58705 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45078 at 4% per annum for 4 years. | option_a=7212 | option_b=7312 | option_c=52290 | option_d=7112 | answer=A | explanation=SI = PRT/100 = 45078×4×4/100 = **■**7212.

id=58706 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 24, 30, 37? | option_a=18 | option_b=30 | option_c=24 | option_d=37 | answer=D | explanation=The first three numbers increase by 6, so the next should be 36. Therefore 37 is the odd one out.

id=58707 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3434. If it is sold at a profit of 15%, what is its selling price? | option_a=4292 | option_b=3449 | option_c=3949 | option_d=3606 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3434 × 115/100 = **■**3949.

id=58708 | topic=Averages | difficulty=Easy | question=Find the average of 81, 70, 10, 75, 80, 27, 45, 77, 70, 75. | option_a=60 | option_b=62 | option_c=61 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = 610 ÷ 10 = 61.

id=58709 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36034 at 15% per annum for 5 years. | option_a=26925 | option_b=27125 | option_c=63059 | option_d=27025 | answer=D | explanation=SI = PRT/100 = 36034×15×5/100 = **■**27025.

id=58710 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28814 at 12% per annum for 4 years. | option_a=13830 | option_b=42644 | option_c=13930 | option_d=13730 | answer=A | explanation=SI = PRT/100 = 28814×12×4/100 = **■**13830.

Aptitude Questions — Records 58,711-58,740 of 100,000

id=58711 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3081. If it is sold at a profit of 20%, what is its selling price? | option_a=4005 | option_b=3389 | option_c=3697 | option_d=3101 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3081 \times 120/100 = \text{█}3697$.

id=58712 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=58713 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1904. If it is sold at a profit of 40%, what is its selling price? | option_a=2475 | option_b=2855 | option_c=1944 | option_d=2665 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1904 \times 140/100 = \text{█}2665$.

id=58714 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=51 | option_b=44 | option_c=43 | option_d=35 | answer=C | explanation=The common difference is 8. Therefore the next term is $35 + 8 = 43$.

id=58715 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2908. If it is sold at a profit of 15%, what is its selling price? | option_a=2923 | option_b=3634 | option_c=3344 | option_d=3054 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2908 \times 115/100 = \text{█}3344$.

id=58716 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 6. | option_a=126 | option_b=36 | option_c=42 | option_d=63 | answer=C | explanation= $LCM \times HCF = 21 \times 6$; $HCF(21,6) = 3$, so $LCM = 42$.

id=58717 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:4 and the first is 64, what is the second? | option_a=16 | option_b=32 | option_c=12 | option_d=80 | answer=A | explanation=Scale factor = $64/16 = 4$. Therefore second quantity = $4 \times 4 = 16$.

id=58718 | topic=Profit & Loss | difficulty=Easy | question=An article costs █672. If it is sold at a profit of 20%, what is its selling price? | option_a=873 | option_b=692 | option_c=806 | option_d=739 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 672 \times 120/100 = \text{█}806$.

id=58719 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=T | option_b=J | option_c=O | option_d=E | answer=C | explanation=Move 5 positions forward from J; the resulting letter is O.

id=58720 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=G | option_b=I | option_c=H | option_d=J | answer=B | explanation=Move 1 positions forward from H; the resulting letter is I.

id=58721 | topic=Percentages | difficulty=Easy | question=What is 50% of 869? | option_a=434 | option_b=444 | option_c=424 | option_d=868 | answer=A | explanation=50% of 869 = $(50/100) \times 869 = 434$.

id=58722 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:4 and the first is 132, what is the second? | option_a=40 | option_b=44 | option_c=56 | option_d=176 | answer=B | explanation=Scale factor = $132/12 = 11$. Therefore second quantity = $4 \times 11 = 44$.

id=58723 | topic=Percentages | difficulty=Easy | question=What is 20% of 1149? | option_a=249 | option_b=219 | option_c=229 | option_d=458 | answer=C | explanation=20% of 1149 = $(20/100) \times 1149 = 229$.

id=58724 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:1 and the first is 120, what is the second? | option_a=14 | option_b=23 | option_c=135 | option_d=15 | answer=D | explanation=Scale factor = $120/8 = 15$. Therefore second quantity = $1 \times 15 = 15$.

id=58725 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=20 | option_d=6 | answer=B | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=58726 | topic=Profit & Loss | difficulty=Easy | question=An article costs █573. If it is sold at a profit of 20%, what is its selling price? | option_a=630 | option_b=744 | option_c=593 | option_d=687 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 573 \times 120/100 = \text{█}687$.

id=58727 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 16, 23, 32? | option_a=9 | option_b=23 | option_c=16 | option_d=32 | answer=D | explanation=The first three numbers increase by 7, so the next should be 30. Therefore 32 is the odd one out.

id=58728 | topic=Profit & Loss | difficulty=Easy | question=An article costs █556. If it is sold at a profit of 50%, what is its selling price? | option_a=889 | option_b=606 | option_c=779 | option_d=834 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 556 \times 150/100 = \text{█}834$.

id=58729 | topic=Averages | difficulty=Easy | question=Find the average of 82, 11, 92, 38, 57. | option_a=55 | option_b=57 | option_c=58 | option_d=56 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 280 \div 5 = 56$.

id=58730 | topic=Percentages | difficulty=Easy | question=What is 50% of 1352? | option_a=666 | option_b=696 | option_c=676 | option_d=1352 | answer=C | explanation=50% of 1352 = $(50/100) \times 1352 = 676$.

id=58731 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 22? | option_a=15 | option_b=22 | option_c=3 | option_d=9 | answer=B | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 22 is the odd one out.

id=58732 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=48 | option_c=19 | option_d=24 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 240 \div 10 = 24$ km/h.

id=58733 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=29 | option_b=30 | option_c=35 | option_d=23 | answer=A | explanation=The common difference is 6. Therefore the next term is $23 + 6 = 29$.

id=58734 | topic=Percentages | difficulty=Easy | question=What is 20% of 773? | option_a=154 | option_b=134 | option_c=159 | option_d=308 | answer=A | explanation=20% of 773 = $(20/100) \times 773 = 154$.

id=58735 | topic=Averages | difficulty=Easy | question=Find the average of 84, 29, 68, 65, 76, 92. | option_a=70 | option_b=71 | option_c=68 | option_d=69 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 414 \div 6 = 69$.

id=58736 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=58737 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:16 and the first is 187, what is the second? | option_a=193 | option_b=363 | option_c=176 | option_d=160 | answer=C | explanation=Scale factor = $187/17 = 11$. Therefore second quantity = $16 \times 11 = 176$.

id=58738 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=45 | option_b=52 | option_c=44 | option_d=36 | answer=C | explanation=The common difference is 8. Therefore the next term is $36 + 8 = 44$.

id=58739 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=45 | option_b=36 | option_c=46 | option_d=54 | answer=A | explanation=The common difference is 9. Therefore the next term is $36 + 9 = 45$.

id=58740 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 35? | option_a=24 | option_b=35 | option_c=19 | option_d=29 | answer=B | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 35 is the odd one out.

Aptitude Questions — Records 58,741-58,770 of 100,000

id=58741 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=55 | option_b=65 | option_c=56 | option_d=45 | answer=A | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.

id=58742 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41981 at 4% per annum for 3 years. | option_a=4937 | option_b=5137 | option_c=47018 | option_d=5037 | answer=D | explanation=SI = PRT/100 = 41981×4×3/100 = **■**5037.

id=58743 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2774. If it is sold at a profit of 25%, what is its selling price? | option_a=3190 | option_b=3467 | option_c=2799 | option_d=3744 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2774 × 125/100 = **■**3467.

id=58744 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:8 and the first is 209, what is the second? | option_a=152 | option_b=163 | option_c=361 | option_d=144 | answer=A | explanation=Scale factor = 209/11 = 19. Therefore second quantity = 8×19 = 152.

id=58745 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23894 at 4% per annum for 3 years. | option_a=26761 | option_b=2867 | option_c=2767 | option_d=2967 | answer=B | explanation=SI = PRT/100 = 23894×4×3/100 = **■**2867.

id=58746 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=58747 | topic=Averages | difficulty=Easy | question=Find the average of 18, 67, 12, 67. | option_a=42 | option_b=43 | option_c=40 | option_d=41 | answer=D | explanation=Average = sum of values ÷ number of values = 164 ÷ 4 = 41.

id=58748 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=10 | option_d=5 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=58749 | topic=Percentages | difficulty=Easy | question=What is 50% of 1935? | option_a=967 | option_b=977 | option_c=962 | option_d=1934 | answer=A | explanation=50% of 1935 = (50/100) × 1935 = 967.

id=58750 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:18 and the first is 6, what is the second? | option_a=36 | option_b=39 | option_c=18 | option_d=42 | answer=A | explanation=Scale factor = 6/3 = 2. Therefore second quantity = 18×2 = 36.

id=58751 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=C | option_c=E | option_d=G | answer=D | explanation=Move 2 positions forward from E; the resulting letter is G.

id=58752 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=25 | option_b=19 | option_c=22 | option_d=23 | answer=C | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.

id=58753 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 6, 10, 17? | option_a=6 | option_b=17 | option_c=10 | option_d=2 | answer=B | explanation=The first three numbers increase by 4, so the next should be 14. Therefore 17 is the odd one out.

id=58754 | topic=Percentages | difficulty=Easy | question=What is 25% of 514? | option_a=128 | option_b=108 | option_c=148 | option_d=256 | answer=A | explanation=25% of 514 = (25/100) × 514 = 128.

id=58755 | topic=Percentages | difficulty=Easy | question=What is 20% of 1075? | option_a=235 | option_b=215 | option_c=210 | option_d=430 | answer=B | explanation=20% of 1075 = (20/100) × 1075 = 215.

id=58756 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=M | option_b=Q | option_c=Y | option_d=U | answer=D | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=58757 | topic=Percentages | difficulty=Easy | question=What is 5% of 1731? | option_a=172 | option_b=91 | option_c=66 | option_d=86 | answer=D | explanation=5% of 1731 = (5/100) × 1731 = 86.

id=58758 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15052 at 6% per annum for 1 years. | option_a=15955 | option_b=1003 | option_c=803 | option_d=903 | answer=D | explanation=SI = PRT/100 = 15052×6×1/100 = **■**903.

id=58759 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18071 at 8% per annum for 1 years. | option_a=19516 | option_b=1345 | option_c=1545 | option_d=1445 | answer=D | explanation=SI = PRT/100 = 18071×8×1/100 = **■**1445.

id=58760 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 11? | option_a=6 | option_b=11 | option_c=4 | option_d=8 | answer=B | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 11 is the odd one out.

id=58761 | topic=Percentages | difficulty=Easy | question=What is 50% of 1477? | option_a=748 | option_b=1476 | option_c=738 | option_d=718 | answer=C | explanation=50% of 1477 = (50/100) × 1477 = 738.

id=58762 | topic=Averages | difficulty=Easy | question=Find the average of 59, 44, 12, 91, 69, 79. | option_a=60 | option_b=58 | option_c=59 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.

id=58763 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49956 at 4% per annum for 1 years. | option_a=2098 | option_b=1898 | option_c=51954 | option_d=1998 | answer=D | explanation=SI = PRT/100 = 49956×4×1/100 = **■**1998.

id=58764 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 14. | option_a=210 | option_b=196 | option_c=420 | option_d=240 | answer=A | explanation=LCM × HCF = 30×14; HCF(30,14) = 2, so LCM = 210.

id=58765 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3891. If it is sold at a profit of 30%, what is its selling price? | option_a=5058 | option_b=5447 | option_c=4669 | option_d=3921 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3891 × 130/100 = **■**5058.

id=58766 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26052 at 12% per annum for 5 years. | option_a=15531 | option_b=15731 | option_c=41683 | option_d=15631 | answer=D | explanation=SI = PRT/100 = 26052×12×5/100 = **■**15631.

id=58767 | topic=Percentages | difficulty=Easy | question=What is 12% of 1066? | option_a=147 | option_b=127 | option_c=254 | option_d=107 | answer=B | explanation=12% of 1066 = (12/100) × 1066 = 127.

id=58768 | topic=Percentages | difficulty=Easy | question=What is 25% of 1902? | option_a=475 | option_b=495 | option_c=455 | option_d=950 | answer=A | explanation=25% of 1902 = (25/100) × 1902 = 475.

id=58769 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=M | option_b=W | option_c=R | option_d=B | answer=B | explanation=Move 5 positions forward from R; the resulting letter is W.

id=58770 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=J | option_c=K | option_d=L | answer=D | explanation=Move 1 positions forward from K; the resulting letter is L.

Aptitude Questions — Records 58,771-58,800 of 100,000

id=58771 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■46373 at 12% per annum for 1 years. | option_a=51937 | option_b=5664 | option_c=5564 | option_d=5464 | answer=C | explanation=SI = PRT/100 = 46373×12×1/100 = ■5564.

id=58772 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3239. If it is sold at a profit of 30%, what is its selling price? | option_a=4533 | option_b=3887 | option_c=3269 | option_d=4210 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3239 × 130/100 = ■4210.

id=58773 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=57 | option_b=67 | option_c=58 | option_d=47 | answer=A | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

id=58774 | topic=Averages | difficulty=Easy | question=Find the average of 21, 11, 32, 21, 45. | option_a=25 | option_b=26 | option_c=28 | option_d=27 | answer=B | explanation=Average = sum of values ÷ number of values = 130 ÷ 5 = 26.

id=58775 | topic=Averages | difficulty=Easy | question=Find the average of 74, 17, 10, 33, 65, 65. | option_a=46 | option_b=44 | option_c=45 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = 264 ÷ 6 = 44.

id=58776 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=39 | option_b=46 | option_c=32 | option_d=40 | answer=A | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.

id=58777 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=28 | option_b=26 | option_c=24 | option_d=27 | answer=B | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.

id=58778 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 17, 21, 28? | option_a=28 | option_b=13 | option_c=21 | option_d=17 | answer=A | explanation=The first three numbers increase by 4, so the next should be 25. Therefore 28 is the odd one out.

id=58779 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■38121 at 8% per annum for 1 years. | option_a=3149 | option_b=3049 | option_c=41170 | option_d=2949 | answer=B | explanation=SI = PRT/100 = 38121×8×1/100 = ■3049.

id=58780 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 13, 18, 25? | option_a=8 | option_b=18 | option_c=13 | option_d=25 | answer=D | explanation=The first three numbers increase by 5, so the next should be 23. Therefore 25 is the odd one out.

id=58781 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=150 | option_c=155 | option_d=145 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=58782 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=12 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=58783 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■507. If it is sold at a profit of 25%, what is its selling price? | option_a=633 | option_b=532 | option_c=683 | option_d=583 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 507 × 125/100 = ■633.

id=58784 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=45 | option_b=53 | option_c=44 | option_d=35 | answer=C | explanation=The common difference is 9. Therefore the next term is 35 + 9 = 44.

id=58785 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=30 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=58786 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■44613 at 8% per annum for 5 years. | option_a=17745 | option_b=62458 | option_c=17845 | option_d=17945 | answer=C | explanation=SI = PRT/100 = 44613×8×5/100 = ■17845.

id=58787 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■15181 at 8% per annum for 4 years. | option_a=4757 | option_b=4857 | option_c=4957 | option_d=20038 | answer=B | explanation=SI = PRT/100 = 15181×8×4/100 = ■4857.

id=58788 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=V | option_b=S | option_c=P | option_d=Y | answer=A | explanation=Move 3 positions forward from S, the resulting letter is V.

id=58789 | topic=Percentages | difficulty=Easy | question=What is 10% of 1240? | option_a=119 | option_b=134 | option_c=248 | option_d=124 | answer=D | explanation=10% of 1240 = (10/100) × 1240 = 124.

id=58790 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■6611 at 5% per annum for 5 years. | option_a=1652 | option_b=8263 | option_c=1752 | option_d=1552 | answer=A | explanation=SI = PRT/100 = 6611×5×5/100 = ■1652.

id=58791 | topic=Percentages | difficulty=Easy | question=What is 12% of 215? | option_a=25 | option_b=20 | option_c=45 | option_d=50 | answer=A | explanation=12% of 215 = (12/100) × 215 = 25.

id=58792 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■599. If it is sold at a profit of 40%, what is its selling price? | option_a=897 | option_b=779 | option_c=838 | option_d=639 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 599 × 140/100 = ■838.

id=58793 | topic=Percentages | difficulty=Easy | question=What is 12% of 472? | option_a=51 | option_b=112 | option_c=66 | option_d=56 | answer=D | explanation=12% of 472 = (12/100) × 472 = 56.

id=58794 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:12 and the first is 126, what is the second? | option_a=204 | option_b=216 | option_c=223 | option_d=342 | answer=B | explanation=Scale factor = 126/7 = 18. Therefore second quantity = 12×18 = 216.

id=58795 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4409. If it is sold at a profit of 50%, what is its selling price? | option_a=7053 | option_b=6613 | option_c=6173 | option_d=4459 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4409 × 150/100 = ■6613.

id=58796 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14262 at 5% per annum for 4 years. | option_a=2952 | option_b=17114 | option_c=2752 | option_d=2852 | answer=D | explanation=SI = PRT/100 = 14262×5×4/100 = ■2852.

id=58797 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 24, 32, 40, ? | option_a=56 | option_b=49 | option_c=48 | option_d=40 | answer=C | explanation=The common difference is 8. Therefore the next term is 40 + 8 = 48.

id=58798 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=85 | option_c=180 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=58799 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=43 | option_b=49 | option_c=35 | option_d=42 | answer=D | explanation=The common difference is 7. Therefore the next term is 35 + 7 = 42.

id=58800 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:11 and the first is 52, what is the second? | option_a=143 | option_b=147 | option_c=195 | option_d=132 | answer=A | explanation=Scale factor = 52/4 = 13. Therefore second quantity = 11×13 = 143.

Aptitude Questions — Records 58,801-58,830 of 100,000

id=58801 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2385. If it is sold at a profit of 50%, what is its selling price? | option_a=3339 | option_b=3815 | option_c=2435 | option_d=3577 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2385 × 150/100 = **■**3577.

id=58802 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2367. If it is sold at a profit of 20%, what is its selling price? | option_a=2387 | option_b=2840 | option_c=2604 | option_d=3076 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2367 × 120/100 = **■**2840.

id=58803 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=125 | option_c=120 | option_d=115 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=58804 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11191 at 6% per annum for 4 years. | option_a=2685 | option_b=13876 | option_c=2585 | option_d=2785 | answer=A | explanation=SI = PRT/100 = 11191×6×4/100 = **■**2685.

id=58805 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=49 | option_b=39 | option_c=59 | option_d=50 | answer=A | explanation=The common difference is 10. Therefore the next term is 39 + 10 = 49.

id=58806 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 22. | option_a=286 | option_b=616 | option_c=308 | option_d=336 | answer=C | explanation=LCM × HCF = 28×22; HCF(28,22) = 2, so LCM = 308.

id=58807 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30142 at 6% per annum for 3 years. | option_a=5425 | option_b=35567 | option_c=5525 | option_d=5325 | answer=A | explanation=SI = PRT/100 = 30142×6×3/100 = **■**5425.

id=58808 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:14 and the first is 18, what is the second? | option_a=252 | option_b=253 | option_c=238 | option_d=270 | answer=A | explanation=Scale factor = 18/1 = 18. Therefore second quantity = 14×18 = 252.

id=58809 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:20 and the first is 70, what is the second? | option_a=210 | option_b=150 | option_c=140 | option_d=120 | answer=C | explanation=Scale factor = 70/10 = 7. Therefore second quantity = 20×7 = 140.

id=58810 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=58811 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28424 at 8% per annum for 4 years. | option_a=9095 | option_b=9195 | option_c=37519 | option_d=8995 | answer=A | explanation=SI = PRT/100 = 28424×8×4/100 = **■**9095.

id=58812 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=58813 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 14, 18, 24? | option_a=14 | option_b=10 | option_c=18 | option_d=24 | answer=D | explanation=The first three numbers increase by 4, so the next should be 22. Therefore 24 is the odd one out.

id=58814 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2383. If it is sold at a profit of 20%, what is its selling price? | option_a=2403 | option_b=3097 | option_c=2621 | option_d=2859 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2383 × 120/100 = **■**2859.

id=58815 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**854. If it is sold at a profit of 30%, what is its selling price? | option_a=1110 | option_b=884 | option_c=1195 | option_d=1025 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 854 × 130/100 = **■**1110.

id=58816 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2877. If it is sold at a profit of 5%, what is its selling price? | option_a=2882 | option_b=3020 | option_c=2733 | option_d=3307 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2877 × 105/100 = **■**3020.

id=58817 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 15. | option_a=1 | option_b=45 | option_c=15 | option_d=18 | answer=C | explanation=LCM × HCF = 3×15; HCF(3,15) = 3, so LCM = 15.

id=58818 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 6, 10, 17? | option_a=17 | option_b=10 | option_c=6 | option_d=2 | answer=A | explanation=The first three numbers increase by 4, so the next should be 14. Therefore 17 is the odd one out.

id=58819 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 26? | option_a=22 | option_b=16 | option_c=19 | option_d=26 | answer=D | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 26 is the odd one out.

id=58820 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44094 at 8% per annum for 5 years. | option_a=17737 | option_b=17537 | option_c=61731 | option_d=17637 | answer=D | explanation=SI = PRT/100 = 44094×8×5/100 = **■**17637.

id=58821 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**148. If it is sold at a profit of 15%, what is its selling price? | option_a=163 | option_b=156 | option_c=170 | option_d=184 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 148 × 115/100 = **■**170.

id=58822 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23882 at 6% per annum for 1 years. | option_a=25314 | option_b=1532 | option_c=1432 | option_d=1332 | answer=C | explanation=SI = PRT/100 = 23882×6×1/100 = **■**1432.

id=58823 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3465. If it is sold at a profit of 30%, what is its selling price? | option_a=4158 | option_b=4504 | option_c=4850 | option_d=3495 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3465 × 130/100 = **■**4504.

id=58824 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 13, 19, 26? | option_a=7 | option_b=13 | option_c=26 | option_d=19 | answer=C | explanation=The first three numbers increase by 6, so the next should be 25. Therefore 26 is the odd one out.

id=58825 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36267 at 15% per annum for 4 years. | option_a=21660 | option_b=58027 | option_c=21860 | option_d=21760 | answer=D | explanation=SI = PRT/100 = 36267×15×4/100 = **■**21760.

id=58826 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=58827 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:11 and the first is 54, what is the second? | option_a=55 | option_b=66 | option_c=75 | option_d=120 | answer=B | explanation=Scale factor = 54/9 = 6. Therefore second quantity = 11×6 = 66.

id=58828 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 35, 43, 54? | option_a=35 | option_b=54 | option_c=27 | option_d=43 | answer=B | explanation=The first three numbers increase by 8, so the next should be 51. Therefore 54 is the odd one out.

id=58829 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2034 at 10% per annum for 1 years. | option_a=303 | option_b=2237 | option_c=203 | option_d=103 | answer=C | explanation=SI = PRT/100 = 2034×10×1/100 = **■**203.

id=58830 | topic=Percentages | difficulty=Easy | question=What is 15% of 1004? | option_a=300 | option_b=145 | option_c=160 | option_d=150 | answer=D | explanation=15% of 1004 = (15/100) × 1004 = 150.

Aptitude Questions — Records 58,831-58,860 of 100,000

id=58831 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:14 and the first is 48, what is the second? | option_a=104 | option_b=42 | option_c=68 | option_d=56 | answer=D | explanation=Scale factor = $48/12 = 4$. Therefore second quantity = $14 \times 4 = 56$.

id=58832 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.

id=58833 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=M | option_b=J | option_c=G | option_d=P | answer=A | explanation=Move 3 positions forward from J; the resulting letter is M.

id=58834 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2189. If it is sold at a profit of 10%, what is its selling price? | option_a=2199 | option_b=2625 | option_c=2407 | option_d=2189 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2189 \times 110/100 = \text{₹}2407$.

id=58835 | topic=Percentages | difficulty=Easy | question=What is 30% of 775? | option_a=464 | option_b=252 | option_c=232 | option_d=212 | answer=C | explanation=30% of 775 = $(30/100) \times 775 = 232$.

id=58836 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=34 | option_b=35 | option_c=28 | option_d=40 | answer=A | explanation=The common difference is 6. Therefore the next term is $28 + 6 = 34$.

id=58837 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**15055 at 4% per annum for 1 years. | option_a=502 | option_b=702 | option_c=15657 | option_d=602 | answer=D | explanation=SI = $PRT/100 = 15055 \times 4 \times 1/100 = \text{₹}602$.

id=58838 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 17, 19, 21, ? | option_a=24 | option_b=25 | option_c=21 | option_d=23 | answer=D | explanation=The common difference is 2. Therefore the next term is $21 + 2 = 23$.

id=58839 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=47 | option_b=48 | option_c=36 | option_d=58 | answer=A | explanation=The common difference is 11. Therefore the next term is $36 + 11 = 47$.

id=58840 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=W | option_c=L | option_d=G | answer=D | explanation=Move 5 positions forward from B; the resulting letter is G.

id=58841 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**13665 at 15% per annum for 1 years. | option_a=2049 | option_b=1949 | option_c=15714 | option_d=2149 | answer=A | explanation=SI = $PRT/100 = 13665 \times 15 \times 1/100 = \text{₹}2049$.

id=58842 | topic=Averages | difficulty=Easy | question=Find the average of 70, 51, 51, 49, 60, 13. | option_a=49 | option_b=48 | option_c=50 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = $294 \div 6 = 49$.

id=58843 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=14 | option_c=18 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = $90 \div 10 = 9$ km/h.

id=58844 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 13, 18, 26? | option_a=8 | option_b=26 | option_c=13 | option_d=18 | answer=B | explanation=The first three numbers increase by 5, so the next should be 23. Therefore 26 is the odd one out.

id=58845 | topic=Percentages | difficulty=Easy | question=What is 5% of 1658? | option_a=82 | option_b=62 | option_c=164 | option_d=87 | answer=A | explanation=5% of 1658 = $(5/100) \times 1658 = 82$.

id=58846 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=58847 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 8. | option_a=240 | option_b=112 | option_c=120 | option_d=150 | answer=C | explanation= $LCM \times HCF = 30 \times 8$; $HCF(30,8) = 2$, so $LCM = 120$.

id=58848 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=33 | option_b=43 | option_c=44 | option_d=53 | answer=B | explanation=The common difference is 10. Therefore the next term is $33 + 10 = 43$.

id=58849 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=L | option_c=T | option_d=X | answer=C | explanation=Move 4 positions forward from P; the resulting letter is T.

id=58850 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4417. If it is sold at a profit of 15%, what is its selling price? | option_a=5079 | option_b=4638 | option_c=4432 | option_d=5520 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 4417 \times 115/100 = \text{₹}5079$.

id=58851 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:20 and the first is 220, what is the second? | option_a=400 | option_b=380 | option_c=620 | option_d=411 | answer=A | explanation=Scale factor = $220/11 = 20$. Therefore second quantity = $20 \times 20 = 400$.

id=58852 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 5. | option_a=125 | option_b=20 | option_c=25 | option_d=50 | answer=C | explanation= $LCM \times HCF = 25 \times 5$; $HCF(25,5) = 5$, so $LCM = 25$.

id=58853 | topic=Averages | difficulty=Easy | question=Find the average of 26, 65, 13, 14, 26, 88, 35, 48, 66, 99. | option_a=49 | option_b=48 | option_c=50 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = $480 \div 10 = 48$.

id=58854 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**279. If it is sold at a profit of 40%, what is its selling price? | option_a=319 | option_b=363 | option_c=390 | option_d=417 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 279 \times 140/100 = \text{₹}390$.

id=58855 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=7 | option_d=24 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=58856 | topic=Averages | difficulty=Easy | question=Find the average of 18, 83, 55, 68, 68, 36, 20, 100. | option_a=57 | option_b=55 | option_c=56 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = $448 \div 8 = 56$.

id=58857 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=58858 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3921. If it is sold at a profit of 5%, what is its selling price? | option_a=3926 | option_b=4509 | option_c=3725 | option_d=4117 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 3921 \times 105/100 = \text{₹}4117$.

id=58859 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**6446 at 5% per annum for 4 years. | option_a=1189 | option_b=1289 | option_c=1389 | option_d=7735 | answer=B | explanation=SI = $PRT/100 = 6446 \times 5 \times 4/100 = \text{₹}1289$.

id=58860 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:12 and the first is 324, what is the second? | option_a=234 | option_b=216 | option_c=540 | option_d=204 | answer=B | explanation=Scale factor = $324/18 = 18$. Therefore second quantity = $12 \times 18 = 216$.

Aptitude Questions — Records 58,861-58,890 of 100,000

id=58861 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=G | option_c=A | option_d=C | answer=A | explanation=Move 2 positions forward from C; the resulting letter is E.

id=58862 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=27 | option_b=28 | option_c=31 | option_d=23 | answer=A | explanation=The common difference is 4. Therefore the next term is 23 + 4 = 27.

id=58863 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=58864 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=58865 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=58866 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=13 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=58867 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 26, 32, 39? | option_a=20 | option_b=39 | option_c=32 | option_d=26 | answer=B | explanation=The first three numbers increase by 6, so the next should be 38. Therefore 39 is the odd one out.

id=58868 | topic=Averages | difficulty=Easy | question=Find the average of 68, 42, 24, 75, 92, 11. | option_a=52 | option_b=53 | option_c=51 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 312 ÷ 6 = 52.

id=58869 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=58870 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 12, 15, 18, ? | option_a=18 | option_b=24 | option_c=21 | option_d=22 | answer=C | explanation=The common difference is 3. Therefore the next term is 18 + 3 = 21.

id=58871 | topic=Averages | difficulty=Easy | question=Find the average of 59, 75, 89, 63, 68, 34, 46, 46. | option_a=59 | option_b=61 | option_c=62 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 480 ÷ 8 = 60.

id=58872 | topic=Averages | difficulty=Easy | question=Find the average of 89, 51, 13, 61, 76. | option_a=60 | option_b=57 | option_c=58 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 290 ÷ 5 = 58.

id=58873 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=58874 | topic=Percentages | difficulty=Easy | question=What is 15% of 657? | option_a=103 | option_b=78 | option_c=196 | option_d=98 | answer=D | explanation=15% of 657 = (15/100) × 657 = 98.

id=58875 | topic=Averages | difficulty=Easy | question=Find the average of 88, 21, 18, 10, 51, 55, 100, 65. | option_a=51 | option_b=52 | option_c=53 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 408 ÷ 8 = 51.

id=58876 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24093 at 10% per annum for 3 years. | option_a=7127 | option_b=31320 | option_c=7327 | option_d=7227 | answer=D | explanation=SI = PRT/100 = 24093×10×3/100 = █7227.

id=58877 | topic=Averages | difficulty=Easy | question=Find the average of 29, 17, 58, 67, 54, 27, 70. | option_a=48 | option_b=45 | option_c=46 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 322 ÷ 7 = 46.

id=58878 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3204. If it is sold at a profit of 15%, what is its selling price? | option_a=3684 | option_b=3219 | option_c=4004 | option_d=3364 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3204 × 115/100 = █3684.

id=58879 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24093 at 10% per annum for 3 years. | option_a=7127 | option_b=31320 | option_c=7327 | option_d=7227 | answer=D | explanation=SI = PRT/100 = 24093×10×3/100 = █7227.

id=58880 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=50 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=58881 | topic=Averages | difficulty=Easy | question=Find the average of 65, 81, 97, 96, 56, 15, 45. | option_a=65 | option_b=64 | option_c=66 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = 455 ÷ 7 = 65.

id=58882 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 17, 21, 28? | option_a=28 | option_b=21 | option_c=13 | option_d=17 | answer=A | explanation=The first three numbers increase by 4, so the next should be 25. Therefore 28 is the odd one out.

id=58883 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:20 and the first is 168, what is the second? | option_a=220 | option_b=240 | option_c=254 | option_d=408 | answer=B | explanation=Scale factor = 168/14 = 12. Therefore second quantity = 20×12 = 240.

id=58884 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:16 and the first is 78, what is the second? | option_a=192 | option_b=286 | option_c=214 | option_d=208 | answer=D | explanation=Scale factor = 78/6 = 13. Therefore second quantity = 16×13 = 208.

id=58885 | topic=Percentages | difficulty=Easy | question=What is 20% of 406? | option_a=162 | option_b=101 | option_c=81 | option_d=61 | answer=C | explanation=20% of 406 = (20/100) × 406 = 81.

id=58886 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32746 at 6% per annum for 4 years. | option_a=7759 | option_b=7859 | option_c=40605 | option_d=7959 | answer=B | explanation=SI = PRT/100 = 32746×6×4/100 = █7859.

id=58887 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=26 | option_b=30 | option_c=22 | option_d=27 | answer=A | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.

id=58888 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1290. If it is sold at a profit of 50%, what is its selling price? | option_a=1935 | option_b=1806 | option_c=2064 | option_d=1340 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1290 × 150/100 = █1935.

id=58889 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:15 and the first is 234, what is the second? | option_a=283 | option_b=255 | option_c=270 | option_d=504 | answer=C | explanation=Scale factor = 234/13 = 18. Therefore second quantity = 15×18 = 270.

id=58890 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27715 at 12% per annum for 1 years. | option_a=3325 | option_b=3225 | option_c=3425 | option_d=31040 | answer=A | explanation=SI = PRT/100 = 27715×12×1/100 = █3325.

Aptitude Questions — Records 58,891-58,920 of 100,000

id=58891 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:14 and the first is 105, what is the second? | option_a=210 | option_b=217 | option_c=315 | option_d=196 | answer=A | explanation=Scale factor = 105/7 = 15. Therefore second quantity = 14×15 = 210.

id=58892 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 25, 34, 43, ? | option_a=43 | option_b=52 | option_c=53 | option_d=61 | answer=B | explanation=The common difference is 9. Therefore the next term is 43 + 9 = 52.

id=58893 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=31 | option_c=72 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=58894 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=6 | option_c=12 | option_d=11 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=58895 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=80 | option_c=45 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=58896 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 17, 20, 24? | option_a=14 | option_b=20 | option_c=17 | option_d=24 | answer=D | explanation=The first three numbers increase by 3, so the next should be 23. Therefore 24 is the odd one out.

id=58897 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30887 at 12% per annum for 4 years. | option_a=45712 | option_b=14725 | option_c=14925 | option_d=14825 | answer=D | explanation=SI = PRT/100 = 30887×12×4/100 = **■**14825.

id=58898 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:3 and the first is 323, what is the second? | option_a=70 | option_b=51 | option_c=374 | option_d=48 | answer=B | explanation=Scale factor = 323/19 = 17. Therefore second quantity = 3×17 = 51.

id=58899 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14828 at 8% per annum for 5 years. | option_a=5831 | option_b=6031 | option_c=20759 | option_d=5931 | answer=D | explanation=SI = PRT/100 = 14828×8×5/100 = **■**5931.

id=58900 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=24 | option_c=19 | option_d=48 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=58901 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=9 | option_c=14 | option_d=4 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=58902 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=58903 | topic=Percentages | difficulty=Easy | question=What is 25% of 553? | option_a=138 | option_b=276 | option_c=133 | option_d=143 | answer=A | explanation=25% of 553 = (25/100) × 553 = 138.

id=58904 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3490. If it is sold at a profit of 5%, what is its selling price? | option_a=3664 | option_b=3495 | option_c=3315 | option_d=4013 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3490 × 105/100 = **■**3664.

id=58905 | topic=Percentages | difficulty=Easy | question=What is 12% of 1358? | option_a=167 | option_b=162 | option_c=324 | option_d=157 | answer=B | explanation=12% of 1358 = (12/100) × 1358 = 162.

id=58906 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=20 | option_b=23 | option_c=22 | option_d=24 | answer=C | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=58907 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=L | option_b=J | option_c=H | option_d=N | answer=A | explanation=Move 2 positions forward from J; the resulting letter is L.

id=58908 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=23 | option_b=27 | option_c=24 | option_d=19 | answer=A | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=58909 | topic=Averages | difficulty=Easy | question=Find the average of 24, 95, 85, 26, 28, 90. | option_a=57 | option_b=58 | option_c=60 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 348 ÷ 6 = 58.

id=58910 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 22, 25, 29? | option_a=29 | option_b=22 | option_c=19 | option_d=25 | answer=A | explanation=The first three numbers increase by 3, so the next should be 28. Therefore 29 is the odd one out.

id=58911 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:8 and the first is 104, what is the second? | option_a=168 | option_b=56 | option_c=64 | option_d=77 | answer=C | explanation=Scale factor = 104/13 = 8. Therefore second quantity = 8×8 = 64.

id=58912 | topic=Percentages | difficulty=Easy | question=What is 40% of 1378? | option_a=1102 | option_b=561 | option_c=551 | option_d=541 | answer=C | explanation=40% of 1378 = (40/100) × 1378 = 551.

id=58913 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=39 | option_b=33 | option_c=45 | option_d=40 | answer=A | explanation=The common difference is 6. Therefore the next term is 33 + 6 = 39.

id=58914 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=29 | option_b=35 | option_c=36 | option_d=41 | answer=B | explanation=The common difference is 6. Therefore the next term is 29 + 6 = 35.

id=58915 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=56 | option_b=80 | option_c=69 | option_d=68 | answer=D | explanation=The common difference is 12. Therefore the next term is 56 + 12 = 68.

id=58916 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=20 | option_b=21 | option_c=18 | option_d=22 | answer=A | explanation=The common difference is 2. Therefore the next term is 18 + 2 = 20.

id=58917 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24401 at 15% per annum for 5 years. | option_a=18400 | option_b=18300 | option_c=42701 | option_d=18200 | answer=B | explanation=SI = PRT/100 = 24401×15×5/100 = **■**18300.

id=58918 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**779. If it is sold at a profit of 5%, what is its selling price? | option_a=740 | option_b=784 | option_c=894 | option_d=817 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 779 × 105/100 = **■**817.

id=58919 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1173. If it is sold at a profit of 20%, what is its selling price? | option_a=1407 | option_b=1524 | option_c=1193 | option_d=1290 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1173 × 120/100 = **■**1407.

id=58920 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23090 at 12% per annum for 3 years. | option_a=8212 | option_b=31402 | option_c=8312 | option_d=8412 | answer=C | explanation=SI = PRT/100 = 23090×12×3/100 = **■**8312.

Aptitude Questions — Records 58,921-58,950 of 100,000

id=58921 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:6 and the first is 143, what is the second? | option_a=221 | option_b=89 | option_c=72 | option_d=78 | answer=D | explanation=Scale factor = $143/11 = 13$. Therefore second quantity = $6 \times 13 = 78$.

id=58922 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=49 | option_b=31 | option_c=40 | option_d=41 | answer=C | explanation=The common difference is 9. Therefore the next term is $31 + 9 = 40$.

id=58923 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=58924 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=E | option_c=G | option_d=C | answer=C | explanation=Move 2 positions forward from E; the resulting letter is G.

id=58925 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 9, 12, 17? | option_a=17 | option_b=6 | option_c=9 | option_d=12 | answer=A | explanation=The first three numbers increase by 3, so the next should be 15. Therefore 17 is the odd one out.

id=58926 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=42 | option_b=52 | option_c=62 | option_d=53 | answer=B | explanation=The common difference is 10. Therefore the next term is $42 + 10 = 52$.

id=58927 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 17, 21, 26? | option_a=17 | option_b=21 | option_c=13 | option_d=26 | answer=D | explanation=The first three numbers increase by 4, so the next should be 25. Therefore 26 is the odd one out.

id=58928 | topic=Averages | difficulty=Easy | question=Find the average of 28, 92, 97, 87, 16. | option_a=65 | option_b=64 | option_c=63 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = $320 \div 5 = 64$.

id=58929 | topic=Percentages | difficulty=Easy | question=What is 50% of 581? | option_a=280 | option_b=580 | option_c=290 | option_d=295 | answer=C | explanation=50% of 581 = $(50/100) \times 581 = 290$.

id=58930 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=E | option_b=U | option_c=P | option_d=Z | answer=D | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=58931 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 28. | option_a=308 | option_b=280 | option_c=330 | option_d=616 | answer=A | explanation= $LCM \times HCF = 22 \times 28$; $HCF(22,28) = 2$, so $LCM = 308$.

id=58932 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=40 | option_c=20 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = $120 \div 6 = 20$ km/h.

id=58933 | topic=Percentages | difficulty=Easy | question=What is 50% of 1367? | option_a=663 | option_b=693 | option_c=1366 | option_d=683 | answer=D | explanation=50% of 1367 = $(50/100) \times 1367 = 683$.

id=58934 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹23909 at 10% per annum for 4 years. | option_a=9663 | option_b=33472 | option_c=9563 | option_d=9463 | answer=C | explanation= $SI = PRT/100 = 23909 \times 10 \times 4/100 = ₹9563$.

id=58935 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1776. If it is sold at a profit of 40%, what is its selling price? | option_a=2309 | option_b=1816 | option_c=2486 | option_d=2663 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1776 \times 140/100 = ₹2486$.

id=58936 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=13 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = $90 \div 5 = 18$ km/h.

id=58937 | topic=Averages | difficulty=Easy | question=Find the average of 80, 71, 38. | option_a=63 | option_b=65 | option_c=64 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = $189 \div 3 = 63$.

id=58938 | topic=Averages | difficulty=Easy | question=Find the average of 24, 82, 92, 84, 21, 21. | option_a=54 | option_b=56 | option_c=55 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = $324 \div 6 = 54$.

id=58939 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=58940 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=T | option_b=S | option_c=Q | option_d=R | answer=B | explanation=Move 1 positions forward from R; the resulting letter is S.

id=58941 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 19, 25, 33? | option_a=13 | option_b=33 | option_c=25 | option_d=19 | answer=B | explanation=The first three numbers increase by 6, so the next should be 31. Therefore 33 is the odd one out.

id=58942 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=58943 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=33 | option_b=21 | option_c=28 | option_d=27 | answer=D | explanation=The common difference is 6. Therefore the next term is $21 + 6 = 27$.

id=58944 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=28 | option_b=20 | option_c=25 | option_d=24 | answer=D | explanation=The common difference is 4. Therefore the next term is $20 + 4 = 24$.

id=58945 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=50 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = $90 \div 2 = 45$ km/h.

id=58946 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=14 | option_b=11 | option_c=13 | option_d=15 | answer=C | explanation=The common difference is 2. Therefore the next term is $11 + 2 = 13$.

id=58947 | topic=Percentages | difficulty=Easy | question=What is 15% of 1882? | option_a=564 | option_b=282 | option_c=302 | option_d=272 | answer=B | explanation=15% of 1882 = $(15/100) \times 1882 = 282$.

id=58948 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2042. If it is sold at a profit of 10%, what is its selling price? | option_a=2042 | option_b=2450 | option_c=2052 | option_d=2246 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2042 \times 110/100 = ₹2246$.

id=58949 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=27 | option_b=32 | option_c=28 | option_d=22 | answer=A | explanation=The common difference is 5. Therefore the next term is $22 + 5 = 27$.

id=58950 | topic=Averages | difficulty=Easy | question=Find the average of 48, 67, 69, 82, 79. | option_a=70 | option_b=71 | option_c=68 | option_d=69 | answer=D | explanation=Average = sum of values ÷ number of values = $345 \div 5 = 69$.

Aptitude Questions — Records 58,951-58,980 of 100,000

id=58951 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=58952 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=58953 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3181. If it is sold at a profit of 20%, what is its selling price? | option_a=4135 | option_b=3817 | option_c=3201 | option_d=3499 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3181 × 120/100 = █3817.

id=58954 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:8 and the first is 342, what is the second? | option_a=163 | option_b=144 | option_c=486 | option_d=136 | answer=B | explanation=Scale factor = 342/19 = 18. Therefore second quantity = 8×18 = 144.

id=58955 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:8 and the first is 80, what is the second? | option_a=152 | option_b=240 | option_c=160 | option_d=164 | answer=C | explanation=Scale factor = 80/4 = 20. Therefore second quantity = 8×20 = 160.

id=58956 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=58957 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40866 at 6% per annum for 2 years. | option_a=45769 | option_b=5003 | option_c=4903 | option_d=4803 | answer=C | explanation=SI = PRT/100 = 40866×6×2/100 = █4903.

id=58958 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 9, 11, 16? | option_a=16 | option_b=7 | option_c=9 | option_d=11 | answer=A | explanation=The first three numbers increase by 2, so the next should be 13. Therefore 16 is the odd one out.

id=58959 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 5. | option_a=20 | option_b=100 | option_c=40 | option_d=15 | answer=A | explanation=LCM × HCF = 20×5; HCF(20,5) = 5, so LCM = 20.

id=58960 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=X | option_c=O | option_d=U | answer=D | explanation=Move 3 positions forward from R; the resulting letter is U.

id=58961 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:11 and the first is 28, what is the second? | option_a=50 | option_b=36 | option_c=22 | option_d=11 | answer=C | explanation=Scale factor = 28/14 = 2. Therefore second quantity = 11×2 = 22.

id=58962 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 37? | option_a=37 | option_b=15 | option_c=5 | option_d=25 | answer=A | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 37 is the odd one out.

id=58963 | topic=Averages | difficulty=Easy | question=Find the average of 66, 84, 46, 29, 47, 41, 100, 27, 20, 30. | option_a=50 | option_b=48 | option_c=51 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 490 ÷ 10 = 49.

id=58964 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41077 at 5% per annum for 3 years. | option_a=6261 | option_b=47238 | option_c=6161 | option_d=6061 | answer=C | explanation=SI = PRT/100 = 41077×5×3/100 = █6161.

id=58965 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 27, 33, 42? | option_a=27 | option_b=42 | option_c=21 | option_d=33 | answer=B | explanation=The first three numbers increase by 6, so the next should be 39. Therefore 42 is the odd one out.

id=58966 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:17 and the first is 252, what is the second? | option_a=490 | option_b=221 | option_c=238 | option_d=256 | answer=C | explanation=Scale factor = 252/18 = 14. Therefore second quantity = 17×14 = 238.

id=58967 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2426. If it is sold at a profit of 20%, what is its selling price? | option_a=2911 | option_b=2446 | option_c=3153 | option_d=2669 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2426 × 120/100 = █2911.

id=58968 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=72 | option_c=67 | option_d=77 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=58969 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2507. If it is sold at a profit of 50%, what is its selling price? | option_a=2557 | option_b=3510 | option_c=4010 | option_d=3760 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2507 × 150/100 = █3760.

id=58970 | topic=Profit & Loss | difficulty=Easy | question=An article costs █282. If it is sold at a profit of 5%, what is its selling price? | option_a=287 | option_b=324 | option_c=268 | option_d=296 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 282 × 105/100 = █296.

id=58971 | topic=Percentages | difficulty=Easy | question=What is 10% of 1540? | option_a=308 | option_b=144 | option_c=154 | option_d=164 | answer=C | explanation=10% of 1540 = (10/100) × 1540 = 154.

id=58972 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:7 and the first is 154, what is the second? | option_a=91 | option_b=231 | option_c=70 | option_d=77 | answer=D | explanation=Scale factor = 154/14 = 11. Therefore second quantity = 7×11 = 77.

id=58973 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:20 and the first is 80, what is the second? | option_a=400 | option_b=480 | option_c=380 | option_d=404 | answer=A | explanation=Scale factor = 80/4 = 20. Therefore second quantity = 20×20 = 400.

id=58974 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 34? | option_a=34 | option_b=29 | option_c=27 | option_d=25 | answer=A | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 34 is the odd one out.

id=58975 | topic=Percentages | difficulty=Easy | question=What is 40% of 1227? | option_a=980 | option_b=510 | option_c=470 | option_d=490 | answer=D | explanation=40% of 1227 = (40/100) × 1227 = 490.

id=58976 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 14. | option_a=240 | option_b=210 | option_c=420 | option_d=196 | answer=B | explanation=LCM × HCF = 30×14; HCF(30,14) = 2, so LCM = 210.

id=58977 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1405. If it is sold at a profit of 15%, what is its selling price? | option_a=1475 | option_b=1420 | option_c=1755 | option_d=1615 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1405 × 115/100 = █1615.

id=58978 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=58979 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=58980 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 26, 29, 35? | option_a=29 | option_b=23 | option_c=35 | option_d=26 | answer=C | explanation=The first three numbers increase by 3, so the next should be 32. Therefore 35 is the odd one out.

Aptitude Questions — Records 58,981-59,010 of 100,000

id=58981 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■149. If it is sold at a profit of 25%, what is its selling price? | option_a=186 | option_b=174 | option_c=172 | option_d=200 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 149 × 125/100 = ■186.

id=58982 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■4653 at 12% per annum for 4 years. | option_a=2133 | option_b=2233 | option_c=2333 | option_d=6886 | answer=B | explanation=SI = PRT/100 = 4653×12×4/100 = ■2233.

id=58983 | topic=Percentages | difficulty=Easy | question=What is 20% of 1565? | option_a=626 | option_b=333 | option_c=308 | option_d=313 | answer=D | explanation=20% of 1565 = (20/100) × 1565 = 313.

id=58984 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■207. If it is sold at a profit of 10%, what is its selling price? | option_a=247 | option_b=217 | option_c=207 | option_d=227 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 207 × 110/100 = ■227.

id=58985 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 13, 18, 24? | option_a=13 | option_b=18 | option_c=24 | option_d=8 | answer=C | explanation=The first three numbers increase by 5, so the next should be 23. Therefore 24 is the odd one out.

id=58986 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=44 | option_b=36 | option_c=28 | option_d=37 | answer=B | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=58987 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 42? | option_a=29 | option_b=23 | option_c=42 | option_d=35 | answer=C | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 42 is the odd one out.

id=58988 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=R | option_c=U | option_d=T | answer=D | explanation=Move 1 positions forward from S; the resulting letter is T.

id=58989 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 21? | option_a=18 | option_b=16 | option_c=14 | option_d=21 | answer=D | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 21 is the odd one out.

id=58990 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■905. If it is sold at a profit of 10%, what is its selling price? | option_a=905 | option_b=1085 | option_c=995 | option_d=915 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 905 × 110/100 = ■995.

id=58991 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=G | option_b=H | option_c=J | option_d=I | answer=D | explanation=Move 1 positions forward from H; the resulting letter is I.

id=58992 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=T | option_c=U | option_d=R | answer=B | explanation=Move 1 positions forward from S; the resulting letter is T.

id=58993 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=Y | option_b=B | option_c=E | option_d=H | answer=C | explanation=Move 3 positions forward from B; the resulting letter is E.

id=58994 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 15, 21, 28? | option_a=9 | option_b=21 | option_c=15 | option_d=28 | answer=D | explanation=The first three numbers increase by 6, so the next should be 27. Therefore 28 is the odd one out.

id=58995 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:5 and the first is 84, what is the second? | option_a=60 | option_b=55 | option_c=67 | option_d=144 | answer=A | explanation=Scale factor = 84/7 = 12. Therefore second quantity = 5×12 = 60.

id=58996 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=N | option_b=P | option_c=R | option_d=T | answer=C | explanation=Move 2 positions forward from P; the resulting letter is R.

id=58997 | topic=Averages | difficulty=Easy | question=Find the average of 29, 91, 63, 27, 59, 93, 65. | option_a=61 | option_b=63 | option_c=60 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 427 ÷ 7 = 61.

id=58998 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=180 | option_c=95 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=58999 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 40? | option_a=28 | option_b=10 | option_c=40 | option_d=19 | answer=C | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 40 is the odd one out.

id=59000 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■41671 at 8% per annum for 3 years. | option_a=10101 | option_b=10001 | option_c=9901 | option_d=51672 | answer=B | explanation=SI = PRT/100 = 41671×8×3/100 = ■10001.

id=59001 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=50 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=59002 | topic=Averages | difficulty=Easy | question=Find the average of 98, 62, 30, 82. | option_a=69 | option_b=70 | option_c=67 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = 272 ÷ 4 = 68.

id=59003 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2637. If it is sold at a profit of 50%, what is its selling price? | option_a=3955 | option_b=3692 | option_c=4218 | option_d=2687 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2637 × 150/100 = ■3955.

id=59004 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4048. If it is sold at a profit of 30%, what is its selling price? | option_a=5262 | option_b=5666 | option_c=4078 | option_d=4858 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4048 × 130/100 = ■5262.

id=59005 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:9 and the first is 77, what is the second? | option_a=140 | option_b=54 | option_c=74 | option_d=63 | answer=D | explanation=Scale factor = 77/11 = 7. Therefore second quantity = 9×7 = 63.

id=59006 | topic=Averages | difficulty=Easy | question=Find the average of 34, 93, 74, 31, 59, 13, 89, 37, 45, 45. | option_a=52 | option_b=51 | option_c=54 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 520 ÷ 10 = 52.

id=59007 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 28, 38, 48, ? | option_a=48 | option_b=59 | option_c=68 | option_d=58 | answer=D | explanation=The common difference is 10. Therefore the next term is 48 + 10 = 58.

id=59008 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=G | option_b=A | option_c=J | option_d=D | answer=A | explanation=Move 3 positions forward from D; the resulting letter is G.

id=59009 | topic=Percentages | difficulty=Easy | question=What is 25% of 828? | option_a=212 | option_b=414 | option_c=207 | option_d=187 | answer=C | explanation=25% of 828 = (25/100) × 828 = 207.

id=59010 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 59,011-59,040 of 100,000

id=59011 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■10672 at 15% per annum for 3 years. | option_a=4802 | option_b=4702 | option_c=15474 | option_d=4902 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{10672 \times 15 \times 3}{100} = \blacksquare 4802$.

id=59012 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=59013 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=77 | option_c=72 | option_d=67 | answer=C | explanation=Speed = distance ÷ time = $360 \div 5 = 72$ km/h.

id=59014 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=59015 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:10 and the first is 342, what is the second? | option_a=199 | option_b=522 | option_c=170 | option_d=180 | answer=D | explanation=Scale factor = $\frac{342}{19} = 18$. Therefore second quantity = $10 \times 18 = 180$.

id=59016 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■40569 at 12% per annum for 5 years. | option_a=24441 | option_b=24341 | option_c=24241 | option_d=64910 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{40569 \times 12 \times 5}{100} = \blacksquare 24341$.

id=59017 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=59018 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 26, 35, 45? | option_a=17 | option_b=35 | option_c=26 | option_d=45 | answer=D | explanation=The first three numbers increase by 9, so the next should be 44. Therefore 45 is the odd one out.

id=59019 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=42 | option_b=35 | option_c=47 | option_d=41 | answer=D | explanation=The common difference is 6. Therefore the next term is $35 + 6 = 41$.

id=59020 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

id=59021 | topic=Percentages | difficulty=Easy | question=What is 15% of 1616? | option_a=242 | option_b=247 | option_c=237 | option_d=484 | answer=A | explanation= $15\% \text{ of } 1616 = \frac{(15)}{100} \times 1616 = 242$.

id=59022 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=85 | option_c=75 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = $240 \div 3 = 80$ km/h.

id=59023 | topic=Averages | difficulty=Easy | question=Find the average of 85, 87, 77, 65, 99, 31, 54, 62. | option_a=69 | option_b=72 | option_c=71 | option_d=70 | answer=D | explanation=Average = sum of values ÷ number of values = $560 \div 8 = 70$.

id=59024 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1158. If it is sold at a profit of 10%, what is its selling price? | option_a=1273 | option_b=1168 | option_c=1158 | option_d=1388 | answer=A | explanation=Selling price = $CP \times \frac{(100 + \text{profit}\%)}{100} = 1158 \times \frac{110}{100} = \blacksquare 1273$.

id=59025 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4417. If it is sold at a profit of 10%, what is its selling price? | option_a=4427 | option_b=4858 | option_c=4417 | option_d=5299 | answer=B | explanation=Selling price = $CP \times \frac{(100 + \text{profit}\%)}{100} = 4417 \times \frac{110}{100} = \blacksquare 4858$.

id=59026 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1516. If it is sold at a profit of 15%, what is its selling price? | option_a=1531 | option_b=1592 | option_c=1894 | option_d=1743 | answer=D | explanation=Selling price = $CP \times \frac{(100 + \text{profit}\%)}{100} = 1516 \times \frac{115}{100} = \blacksquare 1743$.

id=59027 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■756. If it is sold at a profit of 30%, what is its selling price? | option_a=1057 | option_b=907 | option_c=786 | option_d=982 | answer=D | explanation=Selling price = $CP \times \frac{(100 + \text{profit}\%)}{100} = 756 \times \frac{130}{100} = \blacksquare 982$.

id=59028 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=18 | option_c=36 | option_d=23 | answer=B | explanation=Speed = distance ÷ time = $180 \div 10 = 18$ km/h.

id=59029 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=59030 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■704. If it is sold at a profit of 40%, what is its selling price? | option_a=744 | option_b=1055 | option_c=915 | option_d=985 | answer=D | explanation=Selling price = $CP \times \frac{(100 + \text{profit}\%)}{100} = 704 \times \frac{140}{100} = \blacksquare 985$.

id=59031 | topic=Percentages | difficulty=Easy | question=What is 20% of 2000? | option_a=405 | option_b=400 | option_c=800 | option_d=395 | answer=B | explanation= $20\% \text{ of } 2000 = \frac{(20)}{100} \times 2000 = 400$.

id=59032 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3739. If it is sold at a profit of 10%, what is its selling price? | option_a=3749 | option_b=4485 | option_c=4112 | option_d=3739 | answer=C | explanation=Selling price = $CP \times \frac{(100 + \text{profit}\%)}{100} = 3739 \times \frac{110}{100} = \blacksquare 4112$.

id=59033 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 27, 33, 40? | option_a=21 | option_b=40 | option_c=27 | option_d=33 | answer=B | explanation=The first three numbers increase by 6, so the next should be 39. Therefore 40 is the odd one out.

id=59034 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=G | option_c=H | option_d=F | answer=C | explanation=Move 1 positions forward from G; the resulting letter is H.

id=59035 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4278. If it is sold at a profit of 20%, what is its selling price? | option_a=4706 | option_b=5560 | option_c=4298 | option_d=5133 | answer=D | explanation=Selling price = $CP \times \frac{(100 + \text{profit}\%)}{100} = 4278 \times \frac{120}{100} = \blacksquare 5133$.

id=59036 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=20 | option_b=18 | option_c=21 | option_d=22 | answer=A | explanation=The common difference is 2. Therefore the next term is $18 + 2 = 20$.

id=59037 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=175 | option_c=360 | option_d=185 | answer=A | explanation=Speed = distance ÷ time = $360 \div 2 = 180$ km/h.

id=59038 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 33, 38, 46? | option_a=33 | option_b=38 | option_c=46 | option_d=28 | answer=C | explanation=The first three numbers increase by 5, so the next should be 43. Therefore 46 is the odd one out.

id=59039 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■301. If it is sold at a profit of 40%, what is its selling price? | option_a=451 | option_b=341 | option_c=421 | option_d=391 | answer=C | explanation=Selling price = $CP \times \frac{(100 + \text{profit}\%)}{100} = 301 \times \frac{140}{100} = \blacksquare 421$.

id=59040 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■33752 at 15% per annum for 5 years. | option_a=25214 | option_b=25414 | option_c=59066 | option_d=25314 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{33752 \times 15 \times 5}{100} = \blacksquare 25314$.

Aptitude Questions — Records 59,041-59,070 of 100,000

id=59041 | topic=Averages | difficulty=Easy | question=Find the average of 55, 31, 96, 25, 86, 61. | option_a=60 | option_b=59 | option_c=61 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.

id=59042 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32336 at 15% per annum for 5 years. | option_a=24252 | option_b=24352 | option_c=24152 | option_d=56588 | answer=A | explanation=SI = PRT/100 = 32336×15×5/100 = **■**24252.

id=59043 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=59044 | topic=Percentages | difficulty=Easy | question=What is 25% of 656? | option_a=164 | option_b=144 | option_c=169 | option_d=328 | answer=A | explanation=25% of 656 = (25/100) × 656 = 164.

id=59045 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=59046 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 18. | option_a=504 | option_b=280 | option_c=234 | option_d=252 | answer=D | explanation=LCM × HCF = 28×18; HCF(28,18) = 2, so LCM = 252.

id=59047 | topic=Averages | difficulty=Easy | question=Find the average of 90, 14, 29, 62, 76, 57, 34, 86. | option_a=56 | option_b=58 | option_c=57 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 448 ÷ 8 = 56.

id=59048 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=50 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=59049 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=59050 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2134. If it is sold at a profit of 20%, what is its selling price? | option_a=2773 | option_b=2347 | option_c=2560 | option_d=2154 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2134 × 120/100 = **■**2560.

id=59051 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=59052 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4467 at 4% per annum for 2 years. | option_a=4824 | option_b=457 | option_c=357 | option_d=257 | answer=C | explanation=SI = PRT/100 = 4467×4×2/100 = **■**357.

id=59053 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1919. If it is sold at a profit of 15%, what is its selling price? | option_a=2015 | option_b=2397 | option_c=2206 | option_d=1934 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1919 × 115/100 = **■**2206.

id=59054 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1537. If it is sold at a profit of 15%, what is its selling price? | option_a=1552 | option_b=1767 | option_c=1614 | option_d=1920 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1537 × 115/100 = **■**1767.

id=59055 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=T | option_b=O | option_c=Y | option_d=J | answer=A | explanation=Move 5 positions forward from O; the resulting letter is T.

id=59056 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11207 at 12% per annum for 5 years. | option_a=17931 | option_b=6624 | option_c=6824 | option_d=6724 | answer=D | explanation=SI = PRT/100 = 11207×12×5/100 = **■**6724.

id=59057 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=40 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=59058 | topic=Averages | difficulty=Easy | question=Find the average of 15, 70, 32. | option_a=40 | option_b=39 | option_c=38 | option_d=41 | answer=B | explanation=Average = sum of values ÷ number of values = 117 ÷ 3 = 39.

id=59059 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=59060 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4806. If it is sold at a profit of 50%, what is its selling price? | option_a=7689 | option_b=4856 | option_c=6729 | option_d=7209 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4806 × 150/100 = **■**7209.

id=59061 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=35 | option_b=42 | option_c=49 | option_d=43 | answer=B | explanation=The common difference is 7. Therefore the next term is 35 + 7 = 42.

id=59062 | topic=Averages | difficulty=Easy | question=Find the average of 100, 70, 68, 58. | option_a=74 | option_b=76 | option_c=75 | option_d=73 | answer=A | explanation=Average = sum of values ÷ number of values = 296 ÷ 4 = 74.

id=59063 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7915 at 8% per annum for 4 years. | option_a=10447 | option_b=2532 | option_c=2432 | option_d=2632 | answer=B | explanation=SI = PRT/100 = 7915×8×4/100 = **■**2532.

id=59064 | topic=Averages | difficulty=Easy | question=Find the average of 82, 99, 66, 26, 66, 77, 90, 47, 41. | option_a=65 | option_b=67 | option_c=68 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = 594 ÷ 9 = 66.

id=59065 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=360 | option_b=175 | option_c=185 | option_d=180 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=59066 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 9. | option_a=18 | option_b=1 | option_c=81 | option_d=9 | answer=D | explanation=LCM × HCF = 9×9; HCF(9,9) = 9, so LCM = 9.

id=59067 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=59068 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=43 | option_b=67 | option_c=56 | option_d=55 | answer=D | explanation=The common difference is 12. Therefore the next term is 43 + 12 = 55.

id=59069 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=15 | option_c=20 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=59070 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2631. If it is sold at a profit of 25%, what is its selling price? | option_a=3288 | option_b=3025 | option_c=2656 | option_d=3551 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2631 × 125/100 = **■**3288.

Aptitude Questions — Records 59,071-59,100 of 100,000

id=59071 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=100 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=59072 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 27. | option_a=210 | option_b=162 | option_c=189 | option_d=567 | answer=C | explanation=LCM × HCF = 21×27; HCF(21,27) = 3, so LCM = 189.

id=59073 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=180 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=59074 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=59075 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 35? | option_a=27 | option_b=17 | option_c=22 | option_d=35 | answer=D | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 35 is the odd one out.

id=59076 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:17 and the first is 40, what is the second? | option_a=74 | option_b=34 | option_c=54 | option_d=17 | answer=B | explanation=Scale factor = 40/20 = 2. Therefore second quantity = 17×2 = 34.

id=59077 | topic=Averages | difficulty=Easy | question=Find the average of 49, 51, 54, 84, 24, 88, 67, 63. | option_a=61 | option_b=59 | option_c=60 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 480 ÷ 8 = 60.

id=59078 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=59079 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 16, 23, 31? | option_a=31 | option_b=23 | option_c=16 | option_d=9 | answer=A | explanation=The first three numbers increase by 7, so the next should be 30. Therefore 31 is the odd one out.

id=59080 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:6 and the first is 36, what is the second? | option_a=12 | option_b=6 | option_c=30 | option_d=48 | answer=A | explanation=Scale factor = 36/18 = 2. Therefore second quantity = 6×2 = 12.

id=59081 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=59082 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=59083 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=K | option_b=F | option_c=V | option_d=A | answer=B | explanation=Move 5 positions forward from A; the resulting letter is F.

id=59084 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 27, 31, 36? | option_a=36 | option_b=27 | option_c=31 | option_d=23 | answer=A | explanation=The first three numbers increase by 4, so the next should be 35. Therefore 36 is the odd one out.

id=59085 | topic=Percentages | difficulty=Easy | question=What is 50% of 1752? | option_a=876 | option_b=896 | option_c=866 | option_d=1752 | answer=A | explanation=50% of 1752 = (50/100) × 1752 = 876.

id=59086 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 34? | option_a=22 | option_b=4 | option_c=34 | option_d=13 | answer=C | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 34 is the odd one out.

id=59087 | topic=Percentages | difficulty=Easy | question=What is 20% of 1286? | option_a=257 | option_b=252 | option_c=514 | option_d=262 | answer=A | explanation=20% of 1286 = (20/100) × 1286 = 257.

id=59088 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:15 and the first is 40, what is the second? | option_a=150 | option_b=135 | option_c=154 | option_d=190 | answer=A | explanation=Scale factor = 40/4 = 10. Therefore second quantity = 15×10 = 150.

id=59089 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30518 at 6% per annum for 2 years. | option_a=3662 | option_b=3762 | option_c=3562 | option_d=34180 | answer=A | explanation=SI = PRT/100 = 30518×6×2/100 = **■**3662.

id=59090 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:7 and the first is 156, what is the second? | option_a=84 | option_b=103 | option_c=91 | option_d=247 | answer=C | explanation=Scale factor = 156/12 = 13. Therefore second quantity = 7×13 = 91.

id=59091 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=W | option_c=S | option_d=K | answer=C | explanation=Move 4 positions forward from O; the resulting letter is S.

id=59092 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25830 at 12% per annum for 5 years. | option_a=15398 | option_b=41328 | option_c=15498 | option_d=15598 | answer=C | explanation=SI = PRT/100 = 25830×12×5/100 = **■**15498.

id=59093 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2735. If it is sold at a profit of 20%, what is its selling price? | option_a=3555 | option_b=2755 | option_c=3282 | option_d=3009 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2735 × 120/100 = **■**3282.

id=59094 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 53? | option_a=23 | option_b=41 | option_c=53 | option_d=32 | answer=C | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 53 is the odd one out.

id=59095 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 33, 40, 49? | option_a=40 | option_b=26 | option_c=49 | option_d=33 | answer=C | explanation=The first three numbers increase by 7, so the next should be 47. Therefore 49 is the odd one out.

id=59096 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**998. If it is sold at a profit of 5%, what is its selling price? | option_a=1146 | option_b=1003 | option_c=948 | option_d=1047 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 998 × 105/100 = **■**1047.

id=59097 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 20. | option_a=48 | option_b=40 | option_c=160 | option_d=20 | answer=B | explanation=LCM × HCF = 8×20; HCF(8,20) = 4, so LCM = 40.

id=59098 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12226 at 10% per annum for 3 years. | option_a=3667 | option_b=15893 | option_c=3767 | option_d=3567 | answer=A | explanation=SI = PRT/100 = 12226×10×3/100 = **■**3667.

id=59099 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18157 at 12% per annum for 5 years. | option_a=10794 | option_b=10994 | option_c=10894 | option_d=29051 | answer=C | explanation=SI = PRT/100 = 18157×12×5/100 = **■**10894.

id=59100 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27320 at 12% per annum for 2 years. | option_a=33876 | option_b=6456 | option_c=6556 | option_d=6656 | answer=C | explanation=SI = PRT/100 = 27320×12×2/100 = **■**6556.

Aptitude Questions — Records 59,101-59,130 of 100,000

id=59101 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 33, 39, 48? | option_a=33 | option_b=27 | option_c=39 | option_d=48 | answer=D | explanation=The first three numbers increase by 6, so the next should be 45. Therefore 48 is the odd one out.

id=59102 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=240 | option_d=125 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=59103 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=59104 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:4 and the first is 36, what is the second? | option_a=24 | option_b=12 | option_c=48 | option_d=8 | answer=B | explanation=Scale factor = 36/12 = 3. Therefore second quantity = 4×3 = 12.

id=59105 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=Q | option_c=R | option_d=P | answer=C | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=59106 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:4 and the first is 160, what is the second? | option_a=240 | option_b=76 | option_c=88 | option_d=80 | answer=D | explanation=Scale factor = 160/8 = 20. Therefore second quantity = 4×20 = 80.

id=59107 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=J | option_c=M | option_d=L | answer=D | explanation=Move 1 positions forward from K; the resulting letter is L.

id=59108 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=59109 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=59110 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=T | option_c=V | option_d=W | answer=C | explanation=Move 1 positions forward from U; the resulting letter is V.

id=59111 | topic=Percentages | difficulty=Easy | question=What is 10% of 890? | option_a=89 | option_b=79 | option_c=94 | option_d=178 | answer=A | explanation=10% of 890 = (10/100) × 890 = 89.

id=59112 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=K | option_b=E | option_c=B | option_d=H | answer=D | explanation=Move 3 positions forward from E; the resulting letter is H.

id=59113 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 22, 27, 32, ? | option_a=37 | option_b=32 | option_c=42 | option_d=38 | answer=A | explanation=The common difference is 5. Therefore the next term is 32 + 5 = 37.

id=59114 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:13 and the first is 72, what is the second? | option_a=150 | option_b=90 | option_c=65 | option_d=78 | answer=D | explanation=Scale factor = 72/12 = 6. Therefore second quantity = 13×6 = 78.

id=59115 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=59116 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10359 at 12% per annum for 2 years. | option_a=12845 | option_b=2586 | option_c=2486 | option_d=2386 | answer=C | explanation=SI = PRT/100 = 10359×12×2/100 = **■**2486.

id=59117 | topic=Percentages | difficulty=Easy | question=What is 12% of 675? | option_a=61 | option_b=86 | option_c=162 | option_d=81 | answer=D | explanation=12% of 675 = (12/100) × 675 = 81.

id=59118 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37438 at 10% per annum for 5 years. | option_a=18619 | option_b=56157 | option_c=18819 | option_d=18719 | answer=D | explanation=SI = PRT/100 = 37438×10×5/100 = **■**18719.

id=59119 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:11 and the first is 30, what is the second? | option_a=37 | option_b=11 | option_c=22 | option_d=52 | answer=C | explanation=Scale factor = 30/15 = 2. Therefore second quantity = 11×2 = 22.

id=59120 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=65 | option_b=56 | option_c=55 | option_d=45 | answer=C | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.

id=59121 | topic=Percentages | difficulty=Easy | question=What is 25% of 1186? | option_a=296 | option_b=316 | option_c=592 | option_d=286 | answer=A | explanation=25% of 1186 = (25/100) × 1186 = 296.

id=59122 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3445. If it is sold at a profit of 40%, what is its selling price? | option_a=3485 | option_b=5167 | option_c=4479 | option_d=4823 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3445 × 140/100 = **■**4823.

id=59123 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=59124 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**619. If it is sold at a profit of 30%, what is its selling price? | option_a=649 | option_b=743 | option_c=804 | option_d=865 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 619 × 130/100 = **■**804.

id=59125 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=28 | option_b=32 | option_c=24 | option_d=29 | answer=A | explanation=The common difference is 4. Therefore the next term is 24 + 4 = 28.

id=59126 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=5 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=59127 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 12, 21, 33? | option_a=33 | option_b=12 | option_c=3 | option_d=21 | answer=A | explanation=The first three numbers increase by 9, so the next should be 30. Therefore 33 is the odd one out.

id=59128 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 19, 27, 36? | option_a=11 | option_b=19 | option_c=27 | option_d=36 | answer=D | explanation=The first three numbers increase by 8, so the next should be 35. Therefore 36 is the odd one out.

id=59129 | topic=Percentages | difficulty=Easy | question=What is 25% of 1545? | option_a=376 | option_b=772 | option_c=386 | option_d=396 | answer=C | explanation=25% of 1545 = (25/100) × 1545 = 386.

id=59130 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29951 at 6% per annum for 2 years. | option_a=3494 | option_b=33545 | option_c=3694 | option_d=3594 | answer=D | explanation=SI = PRT/100 = 29951×6×2/100 = **■**3594.

Aptitude Questions — Records 59,131-59,160 of 100,000

id=59131 | topic=Number System | difficulty=Easy | question=Find the LCM of 13 and 26. | option_a=338 | option_b=39 | option_c=26 | option_d=1 | answer=C | explanation=LCM × HCF = 13×26; HCF(13,26) = 13, so LCM = 26.

id=59132 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=35 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=59133 | topic=Percentages | difficulty=Easy | question=What is 10% of 1176? | option_a=127 | option_b=234 | option_c=117 | option_d=107 | answer=C | explanation=10% of 1176 = (10/100) × 1176 = 117.

id=59134 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=36 | option_c=41 | option_d=31 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=59135 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=Y | option_b=A | option_c=C | option_d=E | answer=C | explanation=Move 2 positions forward from A; the resulting letter is C.

id=59136 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3890. If it is sold at a profit of 50%, what is its selling price? | option_a=6224 | option_b=3940 | option_c=5446 | option_d=5835 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3890 × 150/100 = █5835.

id=59137 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=24 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=59138 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:3 and the first is 36, what is the second? | option_a=54 | option_b=51 | option_c=56 | option_d=90 | answer=A | explanation=Scale factor = 36/2 = 18. Therefore second quantity = 3×18 = 54.

id=59139 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=N | option_b=S | option_c=C | option_d=X | answer=D | explanation=Move 5 positions forward from S; the resulting letter is X.

id=59140 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=59141 | topic=Averages | difficulty=Easy | question=Find the average of 47, 60, 99, 66, 61, 76, 62, 90, 23, 26. | option_a=61 | option_b=60 | option_c=62 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 610 ÷ 10 = 61.

id=59142 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=35 | option_b=34 | option_c=38 | option_d=30 | answer=B | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.

id=59143 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 26, 36, 49? | option_a=49 | option_b=16 | option_c=36 | option_d=26 | answer=A | explanation=The first three numbers increase by 10, so the next should be 46. Therefore 49 is the odd one out.

id=59144 | topic=Percentages | difficulty=Easy | question=What is 30% of 1187? | option_a=376 | option_b=356 | option_c=336 | option_d=712 | answer=B | explanation=30% of 1187 = (30/100) × 1187 = 356.

id=59145 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 30. | option_a=90 | option_b=128 | option_c=240 | option_d=120 | answer=D | explanation=LCM × HCF = 8×30; HCF(8,30) = 2, so LCM = 120.

id=59146 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 22, 28, 37? | option_a=16 | option_b=37 | option_c=22 | option_d=28 | answer=B | explanation=The first three numbers increase by 6, so the next should be 34. Therefore 37 is the odd one out.

id=59147 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 14. | option_a=364 | option_b=168 | option_c=208 | option_d=182 | answer=D | explanation=LCM × HCF = 26×14; HCF(26,14) = 2, so LCM = 182.

id=59148 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=34 | option_b=30 | option_c=29 | option_d=24 | answer=C | explanation=The common difference is 5. Therefore the next term is 24 + 5 = 29.

id=59149 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 13, 19, 27? | option_a=27 | option_b=19 | option_c=7 | option_d=13 | answer=A | explanation=The first three numbers increase by 6, so the next should be 25. Therefore 27 is the odd one out.

id=59150 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=K | option_b=V | option_c=A | option_d=F | answer=D | explanation=Move 5 positions forward from A; the resulting letter is F.

id=59151 | topic=Percentages | difficulty=Easy | question=What is 40% of 1762? | option_a=694 | option_b=704 | option_c=724 | option_d=1408 | answer=B | explanation=40% of 1762 = (40/100) × 1762 = 704.

id=59152 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:10 and the first is 247, what is the second? | option_a=377 | option_b=130 | option_c=120 | option_d=149 | answer=B | explanation=Scale factor = 247/19 = 13. Therefore second quantity = 10×13 = 130.

id=59153 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=O | option_c=R | option_d=I | answer=B | explanation=Move 3 positions forward from L; the resulting letter is O.

id=59154 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=A | option_b=D | option_c=B | option_d=C | answer=D | explanation=Move 1 positions forward from B; the resulting letter is C.

id=59155 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:18 and the first is 228, what is the second? | option_a=216 | option_b=444 | option_c=235 | option_d=198 | answer=A | explanation=Scale factor = 228/19 = 12. Therefore second quantity = 18×12 = 216.

id=59156 | topic=Averages | difficulty=Easy | question=Find the average of 45, 48, 29, 77, 82, 27, 18, 54, 34, 36. | option_a=44 | option_b=45 | option_c=46 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 450 ÷ 10 = 45.

id=59157 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3446. If it is sold at a profit of 15%, what is its selling price? | option_a=3962 | option_b=3618 | option_c=4306 | option_d=3461 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3446 × 115/100 = █3962.

id=59158 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45119 at 12% per annum for 3 years. | option_a=61361 | option_b=16242 | option_c=16142 | option_d=16342 | answer=B | explanation=SI = PRT/100 = 45119×12×3/100 = █16242.

id=59159 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:12 and the first is 76, what is the second? | option_a=216 | option_b=304 | option_c=228 | option_d=232 | answer=C | explanation=Scale factor = 76/4 = 19. Therefore second quantity = 12×19 = 228.

id=59160 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:3 and the first is 54, what is the second? | option_a=81 | option_b=33 | option_c=24 | option_d=27 | answer=D | explanation=Scale factor = 54/6 = 9. Therefore second quantity = 3×9 = 27.

Aptitude Questions — Records 59,161-59,190 of 100,000

id=59161 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:17 and the first is 16, what is the second? | option_a=84 | option_b=51 | option_c=72 | option_d=68 | answer=D | explanation=Scale factor = 16/4 = 4. Therefore second quantity = 17×4 = 68.

id=59162 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=32 | option_b=31 | option_c=24 | option_d=38 | answer=B | explanation=The common difference is 7. Therefore the next term is 24 + 7 = 31.

id=59163 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=78 | option_b=67 | option_c=54 | option_d=66 | answer=D | explanation=The common difference is 12. Therefore the next term is 54 + 12 = 66.

id=59164 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=59165 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=T | option_b=U | option_c=W | option_d=V | answer=D | explanation=Move 1 positions forward from U; the resulting letter is V.

id=59166 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=58 | option_b=46 | option_c=70 | option_d=59 | answer=A | explanation=The common difference is 12. Therefore the next term is 46 + 12 = 58.

id=59167 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 39, 49, 61? | option_a=49 | option_b=61 | option_c=39 | option_d=29 | answer=B | explanation=The first three numbers increase by 10, so the next should be 59. Therefore 61 is the odd one out.

id=59168 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:11 and the first is 180, what is the second? | option_a=198 | option_b=208 | option_c=378 | option_d=187 | answer=A | explanation=Scale factor = 180/10 = 18. Therefore second quantity = 11×18 = 198.

id=59169 | topic=Percentages | difficulty=Easy | question=What is 40% of 1001? | option_a=800 | option_b=420 | option_c=395 | option_d=400 | answer=D | explanation=40% of 1001 = (40/100) × 1001 = 400.

id=59170 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=A | option_b=X | option_c=U | option_d=R | answer=B | explanation=Move 3 positions forward from U; the resulting letter is X.

id=59171 | topic=Averages | difficulty=Easy | question=Find the average of 87, 79, 96, 55, 73, 96. | option_a=80 | option_b=83 | option_c=81 | option_d=82 | answer=C | explanation=Average = sum of values ÷ number of values = 486 ÷ 6 = 81.

id=59172 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 30. | option_a=30 | option_b=90 | option_c=1 | option_d=33 | answer=A | explanation=LCM × HCF = 3×30; HCF(3,30) = 3, so LCM = 30.

id=59173 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=24 | option_c=19 | option_d=48 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=59174 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=66 | option_b=56 | option_c=44 | option_d=55 | answer=D | explanation=The common difference is 11. Therefore the next term is 44 + 11 = 55.

id=59175 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=38 | option_b=29 | option_c=37 | option_d=45 | answer=C | explanation=The common difference is 8. Therefore the next term is 29 + 8 = 37.

id=59176 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=59177 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=59178 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=T | option_b=W | option_c=N | option_d=Q | answer=A | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=59179 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=24 | option_b=27 | option_c=19 | option_d=23 | answer=D | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=59180 | topic=Averages | difficulty=Easy | question=Find the average of 26, 78, 100, 64, 58, 23, 52, 95. | option_a=61 | option_b=62 | option_c=64 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 496 ÷ 8 = 62.

id=59181 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:3 and the first is 90, what is the second? | option_a=39 | option_b=120 | option_c=27 | option_d=30 | answer=D | explanation=Scale factor = 90/9 = 10. Therefore second quantity = 3×10 = 30.

id=59182 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=V | option_b=A | option_c=K | option_d=F | answer=D | explanation=Move 5 positions forward from A; the resulting letter is F.

id=59183 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44517 at 6% per annum for 4 years. | option_a=10784 | option_b=10684 | option_c=55201 | option_d=10584 | answer=B | explanation=SI = PRT/100 = 44517×6×4/100 = **■**10684.

id=59184 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=115 | option_c=125 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=59185 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:16 and the first is 210, what is the second? | option_a=434 | option_b=224 | option_c=239 | option_d=208 | answer=B | explanation=Scale factor = 210/15 = 14. Therefore second quantity = 16×14 = 224.

id=59186 | topic=Percentages | difficulty=Easy | question=What is 5% of 1330? | option_a=132 | option_b=76 | option_c=66 | option_d=46 | answer=C | explanation=5% of 1330 = (5/100) × 1330 = 66.

id=59187 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=18 | option_c=14 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=59188 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=24 | option_b=25 | option_c=20 | option_d=28 | answer=A | explanation=The common difference is 4. Therefore the next term is 20 + 4 = 24.

id=59189 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=59190 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

Aptitude Questions — Records 59,191-59,220 of 100,000

id=59191 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15000 at 6% per annum for 3 years. | option_a=2600 | option_b=17700 | option_c=2800 | option_d=2700 | answer=D | explanation=SI = $PRT/100 = 15000 \times 6 \times 3/100 = \text{■}2700$.

id=59192 | topic=Percentages | difficulty=Easy | question=What is 40% of 1658? | option_a=663 | option_b=658 | option_c=1326 | option_d=668 | answer=A | explanation=40% of 1658 = $(40/100) \times 1658 = 663$.

id=59193 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:8 and the first is 288, what is the second? | option_a=144 | option_b=136 | option_c=432 | option_d=160 | answer=A | explanation=Scale factor = $288/16 = 18$. Therefore second quantity = $8 \times 18 = 144$.

id=59194 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35610 at 4% per annum for 4 years. | option_a=5697 | option_b=41307 | option_c=5597 | option_d=5797 | answer=A | explanation=SI = $PRT/100 = 35610 \times 4 \times 4/100 = \text{■}5697$.

id=59195 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 39, 48, 59? | option_a=59 | option_b=39 | option_c=30 | option_d=48 | answer=A | explanation=The first three numbers increase by 9, so the next should be 57. Therefore 59 is the odd one out.

id=59196 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 25? | option_a=20 | option_b=16 | option_c=25 | option_d=18 | answer=C | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 25 is the odd one out.

id=59197 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=61 | option_b=73 | option_c=49 | option_d=62 | answer=A | explanation=The common difference is 12. Therefore the next term is $49 + 12 = 61$.

id=59198 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=5 | answer=B | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=59199 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29487 at 4% per annum for 1 years. | option_a=1279 | option_b=1179 | option_c=1079 | option_d=30666 | answer=B | explanation=SI = $PRT/100 = 29487 \times 4 \times 1/100 = \text{■}1179$.

id=59200 | topic=Percentages | difficulty=Easy | question=What is 12% of 177? | option_a=42 | option_b=16 | option_c=21 | option_d=26 | answer=C | explanation=12% of 177 = $(12/100) \times 177 = 21$.

id=59201 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38932 at 5% per annum for 2 years. | option_a=3793 | option_b=3893 | option_c=3993 | option_d=42825 | answer=B | explanation=SI = $PRT/100 = 38932 \times 5 \times 2/100 = \text{■}3893$.

id=59202 | topic=Averages | difficulty=Easy | question=Find the average of 31, 36, 62, 87. | option_a=55 | option_b=54 | option_c=56 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = $216 \div 4 = 54$.

id=59203 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43331 at 6% per annum for 1 years. | option_a=2699 | option_b=2499 | option_c=2599 | option_d=45930 | answer=C | explanation=SI = $PRT/100 = 43331 \times 6 \times 1/100 = \text{■}2599$.

id=59204 | topic=Percentages | difficulty=Easy | question=What is 30% of 1008? | option_a=604 | option_b=297 | option_c=302 | option_d=307 | answer=C | explanation=30% of 1008 = $(30/100) \times 1008 = 302$.

id=59205 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=59206 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:18 and the first is 34, what is the second? | option_a=340 | option_b=308 | option_c=288 | option_d=306 | answer=D | explanation=Scale factor = $34/2 = 17$. Therefore second quantity = $18 \times 17 = 306$.

id=59207 | topic=Percentages | difficulty=Easy | question=What is 25% of 177? | option_a=44 | option_b=54 | option_c=88 | option_d=34 | answer=A | explanation=25% of 177 = $(25/100) \times 177 = 44$.

id=59208 | topic=Averages | difficulty=Easy | question=Find the average of 37, 98, 54, 51. | option_a=60 | option_b=59 | option_c=61 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = $240 \div 4 = 60$.

id=59209 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=M | option_b=G | option_c=J | option_d=D | answer=C | explanation=Move 3 positions forward from G; the resulting letter is J.

id=59210 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:6 and the first is 32, what is the second? | option_a=128 | option_b=98 | option_c=96 | option_d=90 | answer=C | explanation=Scale factor = $32/2 = 16$. Therefore second quantity = $6 \times 16 = 96$.

id=59211 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=S | option_b=U | option_c=T | option_d=V | answer=B | explanation=Move 1 positions forward from T; the resulting letter is U.

id=59212 | topic=Percentages | difficulty=Easy | question=What is 15% of 954? | option_a=148 | option_b=138 | option_c=286 | option_d=143 | answer=D | explanation=15% of 954 = $(15/100) \times 954 = 143$.

id=59213 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=58 | option_b=69 | option_c=59 | option_d=47 | answer=A | explanation=The common difference is 11. Therefore the next term is $47 + 11 = 58$.

id=59214 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 15, 20, 27? | option_a=15 | option_b=20 | option_c=27 | option_d=10 | answer=C | explanation=The first three numbers increase by 5, so the next should be 25. Therefore 27 is the odd one out.

id=59215 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45394 at 4% per annum for 4 years. | option_a=7363 | option_b=52657 | option_c=7163 | option_d=7263 | answer=D | explanation=SI = $PRT/100 = 45394 \times 4 \times 4/100 = \text{■}7263$.

id=59216 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=25 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = $120 \div 6 = 20$ km/h.

id=59217 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=85 | option_c=80 | option_d=160 | answer=C | explanation=Speed = distance ÷ time = $240 \div 3 = 80$ km/h.

id=59218 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=125 | option_d=240 | answer=A | explanation=Speed = distance ÷ time = $240 \div 2 = 120$ km/h.

id=59219 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17539 at 15% per annum for 5 years. | option_a=13054 | option_b=30693 | option_c=13154 | option_d=13254 | answer=C | explanation=SI = $PRT/100 = 17539 \times 15 \times 5/100 = \text{■}13154$.

id=59220 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 31? | option_a=24 | option_b=31 | option_c=18 | option_d=12 | answer=B | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 31 is the odd one out.

Aptitude Questions — Records 59,221-59,250 of 100,000

id=59221 | topic=Averages | difficulty=Easy | question=Find the average of 54, 62, 69, 42, 13, 36. | option_a=47 | option_b=48 | option_c=45 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 276 ÷ 6 = 46.

id=59222 | topic=Profit & Loss | difficulty=Easy | question=An article costs █513. If it is sold at a profit of 25%, what is its selling price? | option_a=692 | option_b=538 | option_c=641 | option_d=590 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 513 × 125/100 = █641.

id=59223 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=22 | option_b=21 | option_c=20 | option_d=18 | answer=C | explanation=The common difference is 2. Therefore the next term is 18 + 2 = 20.

id=59224 | topic=Percentages | difficulty=Easy | question=What is 25% of 929? | option_a=252 | option_b=464 | option_c=232 | option_d=222 | answer=C | explanation=25% of 929 = (25/100) × 929 = 232.

id=59225 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4879. If it is sold at a profit of 30%, what is its selling price? | option_a=5855 | option_b=4909 | option_c=6829 | option_d=6342 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4879 × 130/100 = █6342.

id=59226 | topic=Percentages | difficulty=Easy | question=What is 5% of 1162? | option_a=58 | option_b=116 | option_c=53 | option_d=63 | answer=A | explanation=5% of 1162 = (5/100) × 1162 = 58.

id=59227 | topic=Percentages | difficulty=Easy | question=What is 30% of 1299? | option_a=409 | option_b=778 | option_c=389 | option_d=369 | answer=C | explanation=30% of 1299 = (30/100) × 1299 = 389.

id=59228 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 20, 27, 35? | option_a=20 | option_b=13 | option_c=35 | option_d=27 | answer=C | explanation=The first three numbers increase by 7, so the next should be 34. Therefore 35 is the odd one out.

id=59229 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:1 and the first is 54, what is the second? | option_a=21 | option_b=3 | option_c=2 | option_d=57 | answer=B | explanation=Scale factor = 54/18 = 3. Therefore second quantity = 1×3 = 3.

id=59230 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24958 at 8% per annum for 1 years. | option_a=1896 | option_b=2096 | option_c=26954 | option_d=1996 | answer=D | explanation=SI = PRT/100 = 24958×8×1/100 = █1996.

id=59231 | topic=Percentages | difficulty=Easy | question=What is 5% of 457? | option_a=44 | option_b=42 | option_c=2 | option_d=22 | answer=D | explanation=5% of 457 = (5/100) × 457 = 22.

id=59232 | topic=Averages | difficulty=Easy | question=Find the average of 50, 16, 89, 77. | option_a=59 | option_b=60 | option_c=57 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 232 ÷ 4 = 58.

id=59233 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=59234 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=65 | option_b=53 | option_c=66 | option_d=77 | answer=A | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.

id=59235 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=I | option_b=E | option_c=A | option_d=W | answer=B | explanation=Move 4 positions forward from A; the resulting letter is E.

id=59236 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16006 at 8% per annum for 4 years. | option_a=5021 | option_b=21127 | option_c=5121 | option_d=5221 | answer=C | explanation=SI = PRT/100 = 16006×8×4/100 = █5121.

id=59237 | topic=Averages | difficulty=Easy | question=Find the average of 23, 68, 61, 24, 44, 80, 93, 27, 84. | option_a=55 | option_b=57 | option_c=56 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=59238 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17684 at 10% per annum for 1 years. | option_a=1768 | option_b=19452 | option_c=1668 | option_d=1868 | answer=A | explanation=SI = PRT/100 = 17684×10×1/100 = █1768.

id=59239 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Q | option_b=C | option_c=Y | option_d=U | answer=C | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=59240 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=E | option_c=C | option_d=Y | answer=C | explanation=Move 2 positions forward from A; the resulting letter is C.

id=59241 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=26 | option_b=32 | option_c=31 | option_d=36 | answer=C | explanation=The common difference is 5. Therefore the next term is 26 + 5 = 31.

id=59242 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:19 and the first is 24, what is the second? | option_a=19 | option_b=38 | option_c=62 | option_d=50 | answer=B | explanation=Scale factor = 24/12 = 2. Therefore second quantity = 19×2 = 38.

id=59243 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=L | option_b=N | option_c=R | option_d=P | answer=D | explanation=Move 2 positions forward from N; the resulting letter is P.

id=59244 | topic=Percentages | difficulty=Easy | question=What is 20% of 1137? | option_a=247 | option_b=227 | option_c=207 | option_d=454 | answer=B | explanation=20% of 1137 = (20/100) × 1137 = 227.

id=59245 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=H | option_c=I | option_d=G | answer=C | explanation=Move 1 positions forward from H; the resulting letter is I.

id=59246 | topic=Averages | difficulty=Easy | question=Find the average of 44, 17, 61, 67, 35, 62, 14, 25, 62. | option_a=45 | option_b=44 | option_c=42 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = 387 ÷ 9 = 43.

id=59247 | topic=Percentages | difficulty=Easy | question=What is 50% of 426? | option_a=193 | option_b=218 | option_c=426 | option_d=213 | answer=D | explanation=50% of 426 = (50/100) × 426 = 213.

id=59248 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=42 | option_b=54 | option_c=64 | option_d=53 | answer=D | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.

id=59249 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 14, 20, 29? | option_a=14 | option_b=20 | option_c=8 | option_d=29 | answer=D | explanation=The first three numbers increase by 6, so the next should be 26. Therefore 29 is the odd one out.

id=59250 | topic=Percentages | difficulty=Easy | question=What is 10% of 1090? | option_a=109 | option_b=218 | option_c=114 | option_d=89 | answer=A | explanation=10% of 1090 = (10/100) × 1090 = 109.

Aptitude Questions — Records 59,251-59,280 of 100,000

id=59251 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1498. If it is sold at a profit of 20%, what is its selling price? | option_a=1648 | option_b=1518 | option_c=1946 | option_d=1797 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1498 × 120/100 = █1797.

id=59252 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=4 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=59253 | topic=Percentages | difficulty=Easy | question=What is 40% of 410? | option_a=328 | option_b=174 | option_c=164 | option_d=144 | answer=C | explanation=40% of 410 = (40/100) × 410 = 164.

id=59254 | topic=Percentages | difficulty=Easy | question=What is 30% of 1377? | option_a=418 | option_b=413 | option_c=826 | option_d=408 | answer=B | explanation=30% of 1377 = (30/100) × 1377 = 413.

id=59255 | topic=Averages | difficulty=Easy | question=Find the average of 97, 49, 73. | option_a=75 | option_b=72 | option_c=74 | option_d=73 | answer=D | explanation=Average = sum of values ÷ number of values = 219 ÷ 3 = 73.

id=59256 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46598 at 4% per annum for 1 years. | option_a=1863 | option_b=1763 | option_c=1963 | option_d=48461 | answer=A | explanation=SI = PRT/100 = 46598×4×1/100 = █1863.

id=59257 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=53 | option_b=52 | option_c=64 | option_d=40 | answer=B | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.

id=59258 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=7 | option_d=17 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=59259 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=59260 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 27, 39, 51, ? | option_a=64 | option_b=51 | option_c=75 | option_d=63 | answer=D | explanation=The common difference is 12. Therefore the next term is 51 + 12 = 63.

id=59261 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:9 and the first is 228, what is the second? | option_a=171 | option_b=162 | option_c=399 | option_d=183 | answer=A | explanation=Scale factor = 228/12 = 19. Therefore second quantity = 9×19 = 171.

id=59262 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=46 | option_b=45 | option_c=36 | option_d=54 | answer=B | explanation=The common difference is 9. Therefore the next term is 36 + 9 = 45.

id=59263 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4252. If it is sold at a profit of 15%, what is its selling price? | option_a=5314 | option_b=4267 | option_c=4464 | option_d=4889 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4252 × 115/100 = █4889.

id=59264 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 10. | option_a=40 | option_b=75 | option_c=50 | option_d=250 | answer=C | explanation=LCM × HCF = 25×10; HCF(25,10) = 5, so LCM = 50.

id=59265 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:16 and the first is 266, what is the second? | option_a=304 | option_b=570 | option_c=288 | option_d=318 | answer=A | explanation=Scale factor = 266/14 = 19. Therefore second quantity = 16×19 = 304.

id=59266 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=59267 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=59268 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=I | option_b=K | option_c=L | option_d=J | answer=B | explanation=Move 1 positions forward from J; the resulting letter is K.

id=59269 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=43 | option_c=48 | option_d=53 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=59270 | topic=Averages | difficulty=Easy | question=Find the average of 36, 66, 81, 47, 54, 17, 17, 68, 55. | option_a=51 | option_b=49 | option_c=48 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 441 ÷ 9 = 49.

id=59271 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 8. | option_a=84 | option_b=48 | option_c=224 | option_d=56 | answer=D | explanation=LCM × HCF = 28×8; HCF(28,8) = 4, so LCM = 56.

id=59272 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2894. If it is sold at a profit of 50%, what is its selling price? | option_a=4630 | option_b=4052 | option_c=4341 | option_d=2944 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2894 × 150/100 = █4341.

id=59273 | topic=Percentages | difficulty=Easy | question=What is 40% of 895? | option_a=358 | option_b=363 | option_c=348 | option_d=716 | answer=A | explanation=40% of 895 = (40/100) × 895 = 358.

id=59274 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=59275 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=59276 | topic=Percentages | difficulty=Easy | question=What is 10% of 184? | option_a=36 | option_b=18 | option_c=28 | option_d=13 | answer=B | explanation=10% of 184 = (10/100) × 184 = 18.

id=59277 | topic=Percentages | difficulty=Easy | question=What is 12% of 1233? | option_a=127 | option_b=152 | option_c=294 | option_d=147 | answer=D | explanation=12% of 1233 = (12/100) × 1233 = 147.

id=59278 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=18 | option_d=13 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=59279 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=Y | option_b=S | option_c=W | option_d=U | answer=C | explanation=Move 2 positions forward from U; the resulting letter is W.

id=59280 | topic=Profit & Loss | difficulty=Easy | question=An article costs █822. If it is sold at a profit of 5%, what is its selling price? | option_a=945 | option_b=781 | option_c=863 | option_d=827 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 822 × 105/100 = █863.

Aptitude Questions — Records 59,281-59,310 of 100,000

id=59281 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3728. If it is sold at a profit of 15%, what is its selling price? | option_a=3915 | option_b=4659 | option_c=4287 | option_d=3743 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3728 × 115/100 = █4287.

id=59282 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=59 | option_b=48 | option_c=60 | option_d=70 | answer=A | explanation=The common difference is 11. Therefore the next term is 48 + 11 = 59.

id=59283 | topic=Profit & Loss | difficulty=Easy | question=An article costs █873. If it is sold at a profit of 40%, what is its selling price? | option_a=1309 | option_b=913 | option_c=1135 | option_d=1222 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 873 × 140/100 = █1222.

id=59284 | topic=Percentages | difficulty=Easy | question=What is 12% of 1437? | option_a=344 | option_b=152 | option_c=172 | option_d=182 | answer=C | explanation=12% of 1437 = (12/100) × 1437 = 172.

id=59285 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2689. If it is sold at a profit of 10%, what is its selling price? | option_a=3225 | option_b=2689 | option_c=2957 | option_d=2699 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2689 × 110/100 = █2957.

id=59286 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=59287 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 29, 34, 42? | option_a=42 | option_b=24 | option_c=29 | option_d=34 | answer=A | explanation=The first three numbers increase by 5, so the next should be 39. Therefore 42 is the odd one out.

id=59288 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 34? | option_a=17 | option_b=34 | option_c=10 | option_d=24 | answer=B | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 34 is the odd one out.

id=59289 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=O | option_c=M | option_d=K | answer=B | explanation=Move 2 positions forward from M; the resulting letter is O.

id=59290 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24010 at 6% per annum for 5 years. | option_a=7303 | option_b=7203 | option_c=7103 | option_d=31213 | answer=B | explanation=SI = PRT/100 = 24010×6×5/100 = █7203.

id=59291 | topic=Percentages | difficulty=Easy | question=What is 30% of 1786? | option_a=525 | option_b=535 | option_c=1070 | option_d=545 | answer=B | explanation=30% of 1786 = (30/100) × 1786 = 535.

id=59292 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=19 | option_b=23 | option_c=27 | option_d=24 | answer=B | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=59293 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 27? | option_a=27 | option_b=12 | option_c=19 | option_d=5 | answer=A | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 27 is the odd one out.

id=59294 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=59295 | topic=Profit & Loss | difficulty=Easy | question=An article costs █719. If it is sold at a profit of 5%, what is its selling price? | option_a=754 | option_b=683 | option_c=724 | option_d=825 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 719 × 105/100 = █754.

id=59296 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=W | option_b=E | option_c=A | option_d=I | answer=B | explanation=Move 4 positions forward from A; the resulting letter is E.

id=59297 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=59298 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=49 | option_b=50 | option_c=59 | option_d=39 | answer=A | explanation=The common difference is 10. Therefore the next term is 39 + 10 = 49.

id=59299 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=59300 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=23 | option_b=20 | option_c=22 | option_d=24 | answer=C | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=59301 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=59302 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=58 | option_b=47 | option_c=57 | option_d=67 | answer=C | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

id=59303 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=59304 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=Q | option_c=V | option_d=G | answer=B | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=59305 | topic=Percentages | difficulty=Easy | question=What is 25% of 499? | option_a=248 | option_b=104 | option_c=124 | option_d=134 | answer=C | explanation=25% of 499 = (25/100) × 499 = 124.

id=59306 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:16 and the first is 135, what is the second? | option_a=128 | option_b=279 | option_c=144 | option_d=159 | answer=C | explanation=Scale factor = 135/15 = 9. Therefore second quantity = 16×9 = 144.

id=59307 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39321 at 8% per annum for 4 years. | option_a=12582 | option_b=12682 | option_c=51903 | option_d=12482 | answer=A | explanation=SI = PRT/100 = 39321×8×4/100 = █12582.

id=59308 | topic=Percentages | difficulty=Easy | question=What is 10% of 1606? | option_a=165 | option_b=160 | option_c=320 | option_d=140 | answer=B | explanation=10% of 1606 = (10/100) × 1606 = 160.

id=59309 | topic=Averages | difficulty=Easy | question=Find the average of 18, 49, 95, 93, 70. | option_a=67 | option_b=66 | option_c=64 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 325 ÷ 5 = 65.

id=59310 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=41 | option_b=50 | option_c=32 | option_d=42 | answer=A | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

Aptitude Questions — Records 59,311-59,340 of 100,000

id=59311 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:4 and the first is 108, what is the second? | option_a=156 | option_b=44 | option_c=57 | option_d=48 | answer=D | explanation=Scale factor = 108/9 = 12. Therefore second quantity = 4×12 = 48.

id=59312 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=59313 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=59314 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 17? | option_a=11 | option_b=9 | option_c=13 | option_d=17 | answer=D | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 17 is the odd one out.

id=59315 | topic=Percentages | difficulty=Easy | question=What is 40% of 1804? | option_a=1442 | option_b=721 | option_c=741 | option_d=711 | answer=B | explanation=40% of 1804 = (40/100) × 1804 = 721.

id=59316 | topic=Percentages | difficulty=Easy | question=What is 10% of 438? | option_a=23 | option_b=86 | option_c=63 | option_d=43 | answer=D | explanation=10% of 438 = (10/100) × 438 = 43.

id=59317 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 32? | option_a=32 | option_b=25 | option_c=22 | option_d=28 | answer=A | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 32 is the odd one out.

id=59318 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 25, 33, 41, ? | option_a=57 | option_b=41 | option_c=49 | option_d=50 | answer=C | explanation=The common difference is 8. Therefore the next term is 41 + 8 = 49.

id=59319 | topic=Percentages | difficulty=Easy | question=What is 20% of 1627? | option_a=650 | option_b=315 | option_c=325 | option_d=335 | answer=C | explanation=20% of 1627 = (20/100) × 1627 = 325.

id=59320 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 17? | option_a=11 | option_b=17 | option_c=3 | option_d=7 | answer=B | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 17 is the odd one out.

id=59321 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:5 and the first is 80, what is the second? | option_a=95 | option_b=100 | option_c=104 | option_d=180 | answer=B | explanation=Scale factor = 80/4 = 20. Therefore second quantity = 5×20 = 100.

id=59322 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=F | option_c=O | option_d=L | answer=D | explanation=Move 3 positions forward from I; the resulting letter is L.

id=59323 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=U | option_c=Q | option_d=I | answer=C | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=59324 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47122 at 4% per annum for 5 years. | option_a=56546 | option_b=9324 | option_c=9424 | option_d=9524 | answer=C | explanation=SI = PRT/100 = 47122×4×5/100 = **■**9424.

id=59325 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**376. If it is sold at a profit of 5%, what is its selling price? | option_a=431 | option_b=381 | option_c=394 | option_d=357 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 376 × 105/100 = **■**394.

id=59326 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=M | option_c=Q | option_d=O | answer=C | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=59327 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:7 and the first is 160, what is the second? | option_a=76 | option_b=216 | option_c=56 | option_d=49 | answer=C | explanation=Scale factor = 160/20 = 8. Therefore second quantity = 7×8 = 56.

id=59328 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=8 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=59329 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=P | option_c=M | option_d=G | answer=C | explanation=Move 3 positions forward from J; the resulting letter is M.

id=59330 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28185 at 5% per annum for 5 years. | option_a=7146 | option_b=35231 | option_c=6946 | option_d=7046 | answer=D | explanation=SI = PRT/100 = 28185×5×5/100 = **■**7046.

id=59331 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=59332 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13715 at 15% per annum for 5 years. | option_a=24001 | option_b=10186 | option_c=10286 | option_d=10386 | answer=C | explanation=SI = PRT/100 = 13715×15×5/100 = **■**10286.

id=59333 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 15, 18, 23? | option_a=18 | option_b=12 | option_c=23 | option_d=15 | answer=C | explanation=The first three numbers increase by 3, so the next should be 21. Therefore 23 is the odd one out.

id=59334 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=59335 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31708 at 5% per annum for 4 years. | option_a=6341 | option_b=6441 | option_c=38049 | option_d=6241 | answer=A | explanation=SI = PRT/100 = 31708×5×4/100 = **■**6341.

id=59336 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 31, 40, 51? | option_a=40 | option_b=31 | option_c=51 | option_d=22 | answer=C | explanation=The first three numbers increase by 9, so the next should be 49. Therefore 51 is the odd one out.

id=59337 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 29? | option_a=24 | option_b=26 | option_c=22 | option_d=29 | answer=D | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 29 is the odd one out.

id=59338 | topic=Averages | difficulty=Easy | question=Find the average of 96, 52, 83, 10, 93, 55, 71, 28. | option_a=62 | option_b=63 | option_c=61 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 488 ÷ 8 = 61.

id=59339 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=50 | option_c=100 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=59340 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1217. If it is sold at a profit of 5%, what is its selling price? | option_a=1277 | option_b=1222 | option_c=1398 | option_d=1156 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1217 × 105/100 = **■**1277.

Aptitude Questions — Records 59,341-59,370 of 100,000

id=59341 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=16 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=59342 | topic=Percentages | difficulty=Easy | question=What is 50% of 1847? | option_a=913 | option_b=943 | option_c=1846 | option_d=923 | answer=D | explanation=50% of 1847 = (50/100) × 1847 = 923.

id=59343 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=59344 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:19 and the first is 26, what is the second? | option_a=249 | option_b=247 | option_c=273 | option_d=228 | answer=B | explanation=Scale factor = 26/2 = 13. Therefore second quantity = 19×13 = 247.

id=59345 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 10. | option_a=30 | option_b=150 | option_c=20 | option_d=45 | answer=A | explanation=LCM × HCF = 15×10; HCF(15,10) = 5, so LCM = 30.

id=59346 | topic=Percentages | difficulty=Easy | question=What is 12% of 848? | option_a=121 | option_b=96 | option_c=101 | option_d=202 | answer=C | explanation=12% of 848 = (12/100) × 848 = 101.

id=59347 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 22, 25, 31? | option_a=25 | option_b=31 | option_c=22 | option_d=19 | answer=B | explanation=The first three numbers increase by 3, so the next should be 28. Therefore 31 is the odd one out.

id=59348 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 18, 24, 30, ? | option_a=37 | option_b=30 | option_c=42 | option_d=36 | answer=D | explanation=The common difference is 6. Therefore the next term is 30 + 6 = 36.

id=59349 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 39, 49, 60? | option_a=29 | option_b=49 | option_c=39 | option_d=60 | answer=D | explanation=The first three numbers increase by 10, so the next should be 59. Therefore 60 is the odd one out.

id=59350 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 29, 33, 38? | option_a=33 | option_b=29 | option_c=38 | option_d=25 | answer=C | explanation=The first three numbers increase by 4, so the next should be 37. Therefore 38 is the odd one out.

id=59351 | topic=Profit & Loss | difficulty=Easy | question=An article costs █810. If it is sold at a profit of 15%, what is its selling price? | option_a=931 | option_b=825 | option_c=1012 | option_d=850 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 810 × 115/100 = █931.

id=59352 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=59353 | topic=Percentages | difficulty=Easy | question=What is 25% of 1665? | option_a=396 | option_b=832 | option_c=416 | option_d=421 | answer=C | explanation=25% of 1665 = (25/100) × 1665 = 416.

id=59354 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=59355 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 27, 33, 40? | option_a=33 | option_b=40 | option_c=21 | option_d=27 | answer=B | explanation=The first three numbers increase by 6, so the next should be 39. Therefore 40 is the odd one out.

id=59356 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1883. If it is sold at a profit of 5%, what is its selling price? | option_a=1888 | option_b=2165 | option_c=1977 | option_d=1789 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1883 × 105/100 = █1977.

id=59357 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=M | option_c=X | option_d=H | answer=D | explanation=Move 5 positions forward from C; the resulting letter is H.

id=59358 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 18, 24, 30, ? | option_a=30 | option_b=42 | option_c=37 | option_d=36 | answer=D | explanation=The common difference is 6. Therefore the next term is 30 + 6 = 36.

id=59359 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=59360 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:14 and the first is 272, what is the second? | option_a=224 | option_b=510 | option_c=238 | option_d=254 | answer=C | explanation=Scale factor = 272/16 = 17. Therefore second quantity = 14×17 = 238.

id=59361 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:7 and the first is 20, what is the second? | option_a=24 | option_b=34 | option_c=14 | option_d=7 | answer=C | explanation=Scale factor = 20/10 = 2. Therefore second quantity = 7×2 = 14.

id=59362 | topic=Averages | difficulty=Easy | question=Find the average of 67, 99, 93, 40, 28, 63. | option_a=64 | option_b=66 | option_c=67 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 390 ÷ 6 = 65.

id=59363 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=10 | option_b=12 | option_c=11 | option_d=8 | answer=A | explanation=The common difference is 2. Therefore the next term is 8 + 2 = 10.

id=59364 | topic=Averages | difficulty=Easy | question=Find the average of 20, 30, 100, 79, 80, 31, 47, 77. | option_a=60 | option_b=58 | option_c=57 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 464 ÷ 8 = 58.

id=59365 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=71 | option_b=59 | option_c=60 | option_d=47 | answer=B | explanation=The common difference is 12. Therefore the next term is 47 + 12 = 59.

id=59366 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2105. If it is sold at a profit of 20%, what is its selling price? | option_a=2736 | option_b=2526 | option_c=2316 | option_d=2125 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2105 × 120/100 = █2526.

id=59367 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=B | option_c=X | option_d=J | answer=A | explanation=Move 4 positions forward from B; the resulting letter is F.

id=59368 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:20 and the first is 66, what is the second? | option_a=120 | option_b=100 | option_c=131 | option_d=186 | answer=A | explanation=Scale factor = 66/11 = 6. Therefore second quantity = 20×6 = 120.

id=59369 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:7 and the first is 400, what is the second? | option_a=160 | option_b=140 | option_c=540 | option_d=133 | answer=B | explanation=Scale factor = 400/20 = 20. Therefore second quantity = 7×20 = 140.

id=59370 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2919. If it is sold at a profit of 20%, what is its selling price? | option_a=2939 | option_b=3211 | option_c=3502 | option_d=3793 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2919 × 120/100 = █3502.

Aptitude Questions — Records 59,371-59,400 of 100,000

id=59371 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=59372 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=59373 | topic=Averages | difficulty=Easy | question=Find the average of 81, 89, 84, 94, 26, 73, 92. | option_a=76 | option_b=77 | option_c=78 | option_d=79 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{539}{7} = 77$.

id=59374 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=I | option_b=Z | option_c=F | option_d=C | answer=C | explanation=Move 3 positions forward from C; the resulting letter is F.

id=59375 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=H | option_b=G | option_c=F | option_d=I | answer=A | explanation=Move 1 positions forward from G; the resulting letter is H.

id=59376 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4270. If it is sold at a profit of 10%, what is its selling price? | option_a=4280 | option_b=4697 | option_c=4270 | option_d=5124 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4270 \times \frac{110}{100} = \text{█}4697$.

id=59377 | topic=Percentages | difficulty=Easy | question=What is 40% of 793? | option_a=312 | option_b=634 | option_c=317 | option_d=337 | answer=C | explanation=40% of 793 = $(40/100) \times 793 = 317$.

id=59378 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:16 and the first is 171, what is the second? | option_a=128 | option_b=144 | option_c=315 | option_d=163 | answer=B | explanation=Scale factor = $\frac{171}{19} = 9$. Therefore second quantity = $16 \times 9 = 144$.

id=59379 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4952. If it is sold at a profit of 50%, what is its selling price? | option_a=7428 | option_b=7923 | option_c=5002 | option_d=6933 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4952 \times \frac{150}{100} = \text{█}7428$.

id=59380 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=59381 | topic=Averages | difficulty=Easy | question=Find the average of 44, 70, 33, 93, 39, 37, 69. | option_a=54 | option_b=55 | option_c=56 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{385}{7} = 55$.

id=59382 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26228 at 6% per annum for 2 years. | option_a=3247 | option_b=29375 | option_c=3147 | option_d=3047 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{26228 \times 6 \times 2}{100} = \text{█}3147$.

id=59383 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=N | option_b=T | option_c=W | option_d=Q | answer=B | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=59384 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=41 | option_b=34 | option_c=48 | option_d=42 | answer=A | explanation=The common difference is 7. Therefore the next term is $34 + 7 = 41$.

id=59385 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 20. | option_a=40 | option_b=22 | option_c=20 | option_d=1 | answer=C | explanation= $LCM \times HCF = 2 \times 20$; $HCF(2,20) = 2$, so $LCM = 20$.

id=59386 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:2 and the first is 320, what is the second? | option_a=352 | option_b=52 | option_c=32 | option_d=30 | answer=C | explanation=Scale factor = $\frac{320}{20} = 16$. Therefore second quantity = $2 \times 16 = 32$.

id=59387 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:15 and the first is 33, what is the second? | option_a=78 | option_b=30 | option_c=45 | option_d=56 | answer=C | explanation=Scale factor = $\frac{33}{11} = 3$. Therefore second quantity = $15 \times 3 = 45$.

id=59388 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17608 at 5% per annum for 3 years. | option_a=20249 | option_b=2641 | option_c=2741 | option_d=2541 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{17608 \times 5 \times 3}{100} = \text{█}2641$.

id=59389 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=68 | option_b=46 | option_c=57 | option_d=58 | answer=C | explanation=The common difference is 11. Therefore the next term is $46 + 11 = 57$.

id=59390 | topic=Averages | difficulty=Easy | question=Find the average of 36, 43, 51, 76, 33, 49. | option_a=48 | option_b=49 | option_c=50 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{288}{6} = 48$.

id=59391 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=59392 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 16, 20, 25? | option_a=12 | option_b=20 | option_c=25 | option_d=16 | answer=C | explanation=The first three numbers increase by 4, so the next should be 24. Therefore 25 is the odd one out.

id=59393 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=G | option_b=S | option_c=K | option_d=O | answer=D | explanation=Move 4 positions forward from K; the resulting letter is O.

id=59394 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=G | option_b=P | option_c=J | option_d=M | answer=D | explanation=Move 3 positions forward from J; the resulting letter is M.

id=59395 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:9 and the first is 85, what is the second? | option_a=36 | option_b=62 | option_c=45 | option_d=130 | answer=C | explanation=Scale factor = $\frac{85}{17} = 5$. Therefore second quantity = $9 \times 5 = 45$.

id=59396 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:3 and the first is 102, what is the second? | option_a=51 | option_b=153 | option_c=57 | option_d=48 | answer=A | explanation=Scale factor = $\frac{102}{6} = 17$. Therefore second quantity = $3 \times 17 = 51$.

id=59397 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 22. | option_a=44 | option_b=22 | option_c=1 | option_d=484 | answer=B | explanation= $LCM \times HCF = 22 \times 22$; $HCF(22,22) = 22$, so $LCM = 22$.

id=59398 | topic=Percentages | difficulty=Easy | question=What is 25% of 134? | option_a=23 | option_b=33 | option_c=53 | option_d=66 | answer=B | explanation=25% of 134 = $(\frac{25}{100}) \times 134 = 33$.

id=59399 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=52 | option_b=51 | option_c=63 | option_d=39 | answer=B | explanation=The common difference is 12. Therefore the next term is $39 + 12 = 51$.

id=59400 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{60}{2} = 30$ km/h.

Aptitude Questions — Records 59,401-59,430 of 100,000

id=59401 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=59402 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3005. If it is sold at a profit of 30%, what is its selling price? | option_a=3906 | option_b=3035 | option_c=4206 | option_d=3606 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3005 × 130/100 = █3906.

id=59403 | topic=Percentages | difficulty=Easy | question=What is 15% of 1493? | option_a=223 | option_b=243 | option_c=446 | option_d=213 | answer=A | explanation=15% of 1493 = (15/100) × 1493 = 223.

id=59404 | topic=Averages | difficulty=Easy | question=Find the average of 11, 87, 57, 76, 76, 59. | option_a=63 | option_b=62 | option_c=61 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 366 ÷ 6 = 61.

id=59405 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=P | option_c=B | option_d=X | answer=D | explanation=Move 4 positions forward from T; the resulting letter is X.

id=59406 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3954. If it is sold at a profit of 5%, what is its selling price? | option_a=4546 | option_b=3756 | option_c=3959 | option_d=4151 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3954 × 105/100 = █4151.

id=59407 | topic=Averages | difficulty=Easy | question=Find the average of 51, 63, 68, 85, 95, 70, 19, 56, 33. | option_a=61 | option_b=62 | option_c=60 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 540 ÷ 9 = 60.

id=59408 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=E | option_b=G | option_c=I | option_d=K | answer=C | explanation=Move 2 positions forward from G; the resulting letter is I.

id=59409 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 23? | option_a=18 | option_b=14 | option_c=16 | option_d=23 | answer=D | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 23 is the odd one out.

id=59410 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2402. If it is sold at a profit of 25%, what is its selling price? | option_a=2762 | option_b=3242 | option_c=3002 | option_d=2427 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2402 × 125/100 = █3002.

id=59411 | topic=Percentages | difficulty=Easy | question=What is 5% of 661? | option_a=53 | option_b=66 | option_c=23 | option_d=33 | answer=D | explanation=5% of 661 = (5/100) × 661 = 33.

id=59412 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 36? | option_a=25 | option_b=36 | option_c=15 | option_d=5 | answer=B | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 36 is the odd one out.

id=59413 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 18, 25, 34? | option_a=18 | option_b=25 | option_c=34 | option_d=11 | answer=C | explanation=The first three numbers increase by 7, so the next should be 32. Therefore 34 is the odd one out.

id=59414 | topic=Averages | difficulty=Easy | question=Find the average of 62, 70, 42, 57, 64. | option_a=61 | option_b=60 | option_c=59 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 295 ÷ 5 = 59.

id=59415 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=73 | option_b=51 | option_c=62 | option_d=63 | answer=C | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.

id=59416 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=50 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=59417 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=44 | option_b=55 | option_c=66 | option_d=56 | answer=B | explanation=The common difference is 11. Therefore the next term is 44 + 11 = 55.

id=59418 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1280. If it is sold at a profit of 40%, what is its selling price? | option_a=1920 | option_b=1792 | option_c=1664 | option_d=1320 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1280 × 140/100 = █1792.

id=59419 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 33? | option_a=15 | option_b=33 | option_c=25 | option_d=20 | answer=B | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 33 is the odd one out.

id=59420 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=59421 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=36 | option_c=72 | option_d=31 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=59422 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 20? | option_a=11 | option_b=7 | option_c=20 | option_d=15 | answer=C | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 20 is the odd one out.

id=59423 | topic=Averages | difficulty=Easy | question=Find the average of 28, 61, 100. | option_a=62 | option_b=63 | option_c=65 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 189 ÷ 3 = 63.

id=59424 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=56 | option_b=68 | option_c=80 | option_d=69 | answer=B | explanation=The common difference is 12. Therefore the next term is 56 + 12 = 68.

id=59425 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 32? | option_a=22 | option_b=25 | option_c=28 | option_d=32 | answer=D | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 32 is the odd one out.

id=59426 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=13 | option_c=36 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=59427 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20839 at 12% per annum for 5 years. | option_a=12603 | option_b=12403 | option_c=12503 | option_d=33342 | answer=C | explanation=SI = PRT/100 = 20839×12×5/100 = █12503.

id=59428 | topic=Averages | difficulty=Easy | question=Find the average of 72, 46, 50, 66, 71, 31. | option_a=56 | option_b=57 | option_c=58 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 336 ÷ 6 = 56.

id=59429 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=O | option_c=F | option_d=L | answer=D | explanation=Move 3 positions forward from I; the resulting letter is L.

id=59430 | topic=Percentages | difficulty=Easy | question=What is 30% of 1090? | option_a=332 | option_b=327 | option_c=654 | option_d=307 | answer=B | explanation=30% of 1090 = (30/100) × 1090 = 327.

Aptitude Questions — Records 59,431-59,460 of 100,000

id=59431 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=E | option_b=G | option_c=K | option_d=I | answer=D | explanation=Move 2 positions forward from G; the resulting letter is I.

id=59432 | topic=Averages | difficulty=Easy | question=Find the average of 44, 90, 68, 32, 97, 91, 49, 36, 72, 81. | option_a=65 | option_b=67 | option_c=68 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = 660 ÷ 10 = 66.

id=59433 | topic=Percentages | difficulty=Easy | question=What is 12% of 125? | option_a=20 | option_b=15 | option_c=30 | option_d=0 | answer=B | explanation=12% of 125 = (12/100) × 125 = 15.

id=59434 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=59435 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=B | option_c=D | option_d=F | answer=D | explanation=Move 2 positions forward from D; the resulting letter is F.

id=59436 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**27690 at 10% per annum for 3 years. | option_a=8407 | option_b=8307 | option_c=35997 | option_d=8207 | answer=B | explanation=SI = PRT/100 = 27690×10×3/100 = **₹**8307.

id=59437 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=27 | option_b=23 | option_c=22 | option_d=17 | answer=C | explanation=The common difference is 5. Therefore the next term is 17 + 5 = 22.

id=59438 | topic=Percentages | difficulty=Easy | question=What is 40% of 1293? | option_a=522 | option_b=517 | option_c=1034 | option_d=507 | answer=B | explanation=40% of 1293 = (40/100) × 1293 = 517.

id=59439 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:19 and the first is 200, what is the second? | option_a=390 | option_b=171 | option_c=210 | option_d=190 | answer=D | explanation=Scale factor = 200/20 = 10. Therefore second quantity = 19×10 = 190.

id=59440 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:19 and the first is 170, what is the second? | option_a=333 | option_b=304 | option_c=493 | option_d=323 | answer=D | explanation=Scale factor = 170/10 = 17. Therefore second quantity = 19×17 = 323.

id=59441 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4454. If it is sold at a profit of 40%, what is its selling price? | option_a=5790 | option_b=6680 | option_c=4494 | option_d=6235 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4454 × 140/100 = **₹**6235.

id=59442 | topic=Percentages | difficulty=Easy | question=What is 15% of 231? | option_a=24 | option_b=68 | option_c=34 | option_d=44 | answer=C | explanation=15% of 231 = (15/100) × 231 = 34.

id=59443 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2419. If it is sold at a profit of 5%, what is its selling price? | option_a=2780 | option_b=2424 | option_c=2298 | option_d=2539 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2419 × 105/100 = **₹**2539.

id=59444 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=59445 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:15 and the first is 162, what is the second? | option_a=297 | option_b=135 | option_c=120 | option_d=153 | answer=B | explanation=Scale factor = 162/18 = 9. Therefore second quantity = 15×9 = 135.

id=59446 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**18263 at 10% per annum for 3 years. | option_a=5478 | option_b=5578 | option_c=5378 | option_d=23741 | answer=A | explanation=SI = PRT/100 = 18263×10×3/100 = **₹**5478.

id=59447 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 12. | option_a=108 | option_b=96 | option_c=135 | option_d=324 | answer=A | explanation=LCM × HCF = 27×12; HCF(27,12) = 3, so LCM = 108.

id=59448 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=7 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=59449 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 20, 26, 35? | option_a=35 | option_b=14 | option_c=20 | option_d=26 | answer=A | explanation=The first three numbers increase by 6, so the next should be 32. Therefore 35 is the odd one out.

id=59450 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4951. If it is sold at a profit of 30%, what is its selling price? | option_a=6931 | option_b=5941 | option_c=6436 | option_d=4981 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4951 × 130/100 = **₹**6436.

id=59451 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=Z | option_b=F | option_c=D | option_d=B | answer=C | explanation=Move 2 positions forward from B; the resulting letter is D.

id=59452 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:14 and the first is 64, what is the second? | option_a=228 | option_b=288 | option_c=210 | option_d=224 | answer=D | explanation=Scale factor = 64/4 = 16. Therefore second quantity = 14×16 = 224.

id=59453 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**16449 at 5% per annum for 1 years. | option_a=722 | option_b=922 | option_c=822 | option_d=17271 | answer=C | explanation=SI = PRT/100 = 16449×5×1/100 = **₹**822.

id=59454 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=56 | option_b=45 | option_c=55 | option_d=65 | answer=C | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.

id=59455 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=L | option_c=I | option_d=C | answer=C | explanation=Move 3 positions forward from F; the resulting letter is I.

id=59456 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**252. If it is sold at a profit of 50%, what is its selling price? | option_a=353 | option_b=302 | option_c=378 | option_d=403 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 252 × 150/100 = **₹**378.

id=59457 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1084. If it is sold at a profit of 40%, what is its selling price? | option_a=1409 | option_b=1625 | option_c=1124 | option_d=1517 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1084 × 140/100 = **₹**1517.

id=59458 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1886. If it is sold at a profit of 40%, what is its selling price? | option_a=2640 | option_b=2828 | option_c=2452 | option_d=1926 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1886 × 140/100 = **₹**2640.

id=59459 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=59460 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 59,461-59,490 of 100,000

id=59461 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=85 | option_c=80 | option_d=160 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=59462 | topic=Percentages | difficulty=Easy | question=What is 15% of 1977? | option_a=301 | option_b=592 | option_c=296 | option_d=291 | answer=C | explanation=15% of 1977 = (15/100) × 1977 = 296.

id=59463 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:7 and the first is 198, what is the second? | option_a=275 | option_b=77 | option_c=70 | option_d=95 | answer=B | explanation=Scale factor = 198/18 = 11. Therefore second quantity = 7×11 = 77.

id=59464 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=59465 | topic=Percentages | difficulty=Easy | question=What is 10% of 211? | option_a=42 | option_b=31 | option_c=1 | option_d=21 | answer=D | explanation=10% of 211 = (10/100) × 211 = 21.

id=59466 | topic=Profit & Loss | difficulty=Easy | question=An article costs █629. If it is sold at a profit of 25%, what is its selling price? | option_a=786 | option_b=848 | option_c=654 | option_d=724 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 629 × 125/100 = █786.

id=59467 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 18. | option_a=234 | option_b=260 | option_c=216 | option_d=468 | answer=A | explanation=LCM × HCF = 26×18; HCF(26,18) = 2, so LCM = 234.

id=59468 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 35? | option_a=20 | option_b=28 | option_c=24 | option_d=35 | answer=D | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 35 is the odd one out.

id=59469 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 26. | option_a=280 | option_b=260 | option_c=520 | option_d=234 | answer=B | explanation=LCM × HCF = 20×26; HCF(20,26) = 2, so LCM = 260.

id=59470 | topic=Percentages | difficulty=Easy | question=What is 12% of 322? | option_a=38 | option_b=76 | option_c=33 | option_d=58 | answer=A | explanation=12% of 322 = (12/100) × 322 = 38.

id=59471 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 6. | option_a=6 | option_b=36 | option_c=12 | option_d=1 | answer=A | explanation=LCM × HCF = 6×6; HCF(6,6) = 6, so LCM = 6.

id=59472 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8610 at 10% per annum for 3 years. | option_a=2683 | option_b=11193 | option_c=2583 | option_d=2483 | answer=C | explanation=SI = PRT/100 = 8610×10×3/100 = █2583.

id=59473 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 43? | option_a=35 | option_b=43 | option_c=29 | option_d=23 | answer=B | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 43 is the odd one out.

id=59474 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:12 and the first is 285, what is the second? | option_a=228 | option_b=216 | option_c=243 | option_d=513 | answer=A | explanation=Scale factor = 285/15 = 19. Therefore second quantity = 12×19 = 228.

id=59475 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=59476 | topic=Percentages | difficulty=Easy | question=What is 5% of 1973? | option_a=88 | option_b=118 | option_c=98 | option_d=196 | answer=C | explanation=5% of 1973 = (5/100) × 1973 = 98.

id=59477 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1899. If it is sold at a profit of 25%, what is its selling price? | option_a=2184 | option_b=2373 | option_c=2562 | option_d=1924 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1899 × 125/100 = █2373.

id=59478 | topic=Percentages | difficulty=Easy | question=What is 5% of 1125? | option_a=112 | option_b=56 | option_c=76 | option_d=36 | answer=B | explanation=5% of 1125 = (5/100) × 1125 = 56.

id=59479 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3246. If it is sold at a profit of 40%, what is its selling price? | option_a=4544 | option_b=4868 | option_c=4220 | option_d=3286 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3246 × 140/100 = █4544.

id=59480 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=M | option_b=A | option_c=E | option_d=I | answer=D | explanation=Move 4 positions forward from E; the resulting letter is I.

id=59481 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=54 | option_b=43 | option_c=63 | option_d=53 | answer=D | explanation=The common difference is 10. Therefore the next term is 43 + 10 = 53.

id=59482 | topic=Percentages | difficulty=Easy | question=What is 5% of 932? | option_a=41 | option_b=92 | option_c=46 | option_d=56 | answer=C | explanation=5% of 932 = (5/100) × 932 = 46.

id=59483 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 10. | option_a=60 | option_b=36 | option_c=20 | option_d=30 | answer=D | explanation=LCM × HCF = 6×10; HCF(6,10) = 2, so LCM = 30.

id=59484 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16332 at 4% per annum for 1 years. | option_a=16985 | option_b=653 | option_c=553 | option_d=753 | answer=B | explanation=SI = PRT/100 = 16332×4×1/100 = █653.

id=59485 | topic=Percentages | difficulty=Easy | question=What is 15% of 1203? | option_a=190 | option_b=180 | option_c=360 | option_d=160 | answer=B | explanation=15% of 1203 = (15/100) × 1203 = 180.

id=59486 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 27, 32, 39? | option_a=39 | option_b=27 | option_c=32 | option_d=22 | answer=A | explanation=The first three numbers increase by 5, so the next should be 37. Therefore 39 is the odd one out.

id=59487 | topic=Percentages | difficulty=Easy | question=What is 10% of 1036? | option_a=123 | option_b=206 | option_c=83 | option_d=103 | answer=D | explanation=10% of 1036 = (10/100) × 1036 = 103.

id=59488 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21967 at 15% per annum for 4 years. | option_a=13280 | option_b=13180 | option_c=13080 | option_d=35147 | answer=B | explanation=SI = PRT/100 = 21967×15×4/100 = █13180.

id=59489 | topic=Profit & Loss | difficulty=Easy | question=An article costs █968. If it is sold at a profit of 50%, what is its selling price? | option_a=1452 | option_b=1018 | option_c=1356 | option_d=1548 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 968 × 150/100 = █1452.

id=59490 | topic=Averages | difficulty=Easy | question=Find the average of 72, 97, 62, 72, 68, 70, 82, 101. | option_a=79 | option_b=78 | option_c=77 | option_d=80 | answer=B | explanation=Average = sum of values ÷ number of values = 624 ÷ 8 = 78.

Aptitude Questions — Records 59,491-59,520 of 100,000

id=59491 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1846 at 6% per annum for 5 years. | option_a=2399 | option_b=553 | option_c=453 | option_d=653 | answer=B | explanation=SI = $PRT/100 = 1846 \times 6 \times 5/100 = \text{■}553$.

id=59492 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=59493 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46135 at 6% per annum for 1 years. | option_a=2668 | option_b=48903 | option_c=2768 | option_d=2868 | answer=C | explanation=SI = $PRT/100 = 46135 \times 6 \times 1/100 = \text{■}2768$.

id=59494 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=59495 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=Z | option_c=P | option_d=E | answer=B | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=59496 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21952 at 6% per annum for 5 years. | option_a=6685 | option_b=6485 | option_c=6585 | option_d=28537 | answer=C | explanation=SI = $PRT/100 = 21952 \times 6 \times 5/100 = \text{■}6585$.

id=59497 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=J | option_b=V | option_c=R | option_d=N | answer=C | explanation=Move 4 positions forward from N; the resulting letter is R.

id=59498 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49802 at 8% per annum for 5 years. | option_a=69722 | option_b=19820 | option_c=20020 | option_d=19920 | answer=D | explanation=SI = $PRT/100 = 49802 \times 8 \times 5/100 = \text{■}19920$.

id=59499 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:4 and the first is 8, what is the second? | option_a=4 | option_b=8 | option_c=16 | option_d=12 | answer=B | explanation=Scale factor = $8/4 = 2$. Therefore second quantity = $4 \times 2 = 8$.

id=59500 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=D | option_b=S | option_c=I | option_d=N | answer=D | explanation=Move 5 positions forward from I; the resulting letter is N.

id=59501 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=64 | option_b=52 | option_c=65 | option_d=76 | answer=A | explanation=The common difference is 12. Therefore the next term is $52 + 12 = 64$.

id=59502 | topic=Percentages | difficulty=Easy | question=What is 25% of 1317? | option_a=339 | option_b=329 | option_c=319 | option_d=658 | answer=B | explanation=25% of 1317 = $(25/100) \times 1317 = 329$.

id=59503 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12282 at 5% per annum for 5 years. | option_a=3170 | option_b=15352 | option_c=2970 | option_d=3070 | answer=D | explanation=SI = $PRT/100 = 12282 \times 5 \times 5/100 = \text{■}3070$.

id=59504 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:18 and the first is 12, what is the second? | option_a=72 | option_b=84 | option_c=75 | option_d=54 | answer=A | explanation=Scale factor = $12/3 = 4$. Therefore second quantity = $18 \times 4 = 72$.

id=59505 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 15. | option_a=360 | option_b=144 | option_c=120 | option_d=105 | answer=C | explanation= $LCM \times HCF = 24 \times 15$; $HCF(24,15) = 3$, so $LCM = 120$.

id=59506 | topic=Averages | difficulty=Easy | question=Find the average of 86, 87, 44, 43. | option_a=66 | option_b=64 | option_c=65 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = $260 \div 4 = 65$.

id=59507 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=62 | option_b=49 | option_c=73 | option_d=61 | answer=D | explanation=The common difference is 12. Therefore the next term is $49 + 12 = 61$.

id=59508 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17645 at 10% per annum for 3 years. | option_a=5293 | option_b=5193 | option_c=22938 | option_d=5393 | answer=A | explanation=SI = $PRT/100 = 17645 \times 10 \times 3/100 = \text{■}5293$.

id=59509 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=59510 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=59511 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32110 at 10% per annum for 2 years. | option_a=6322 | option_b=6522 | option_c=6422 | option_d=38532 | answer=C | explanation=SI = $PRT/100 = 32110 \times 10 \times 2/100 = \text{■}6422$.

id=59512 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 33? | option_a=29 | option_b=33 | option_c=25 | option_d=27 | answer=B | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 33 is the odd one out.

id=59513 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=T | option_c=X | option_d=R | answer=A | explanation=Move 2 positions forward from T; the resulting letter is V.

id=59514 | topic=Percentages | difficulty=Easy | question=What is 50% of 971? | option_a=485 | option_b=970 | option_c=495 | option_d=465 | answer=A | explanation=50% of 971 = $(50/100) \times 971 = 485$.

id=59515 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=36 | option_c=18 | option_d=13 | answer=C | explanation=Speed = distance ÷ time = $180 \div 10 = 18$ km/h.

id=59516 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=W | option_b=T | option_c=N | option_d=Q | answer=B | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=59517 | topic=Averages | difficulty=Easy | question=Find the average of 94, 85, 61, 25, 53, 98, 30, 24, 36, 34. | option_a=54 | option_b=53 | option_c=55 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = $540 \div 10 = 54$.

id=59518 | topic=Percentages | difficulty=Easy | question=What is 40% of 844? | option_a=317 | option_b=337 | option_c=674 | option_d=347 | answer=B | explanation=40% of 844 = $(40/100) \times 844 = 337$.

id=59519 | topic=Percentages | difficulty=Easy | question=What is 40% of 1852? | option_a=740 | option_b=750 | option_c=1480 | option_d=730 | answer=A | explanation=40% of 1852 = $(40/100) \times 1852 = 740$.

id=59520 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=P | option_b=V | option_c=T | option_d=R | answer=C | explanation=Move 2 positions forward from R; the resulting letter is T.

Aptitude Questions — Records 59,521-59,550 of 100,000

id=59521 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■23710 at 8% per annum for 1 years. | option_a=25606 | option_b=1996 | option_c=1896 | option_d=1796 | answer=C | explanation=SI = PRT/100 = 23710×8×1/100 = ■1896.

id=59522 | topic=Percentages | difficulty=Easy | question=What is 30% of 843? | option_a=252 | option_b=257 | option_c=504 | option_d=247 | answer=A | explanation=30% of 843 = (30/100) × 843 = 252.

id=59523 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=150 | option_c=70 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=59524 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=59525 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=17 | option_c=12 | option_d=7 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=59526 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:16 and the first is 306, what is the second? | option_a=305 | option_b=288 | option_c=594 | option_d=272 | answer=B | explanation=Scale factor = 306/17 = 18. Therefore second quantity = 16×18 = 288.

id=59527 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2572. If it is sold at a profit of 30%, what is its selling price? | option_a=2602 | option_b=3086 | option_c=3343 | option_d=3600 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2572 × 130/100 = ■3343.

id=59528 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■12588 at 6% per annum for 2 years. | option_a=14098 | option_b=1510 | option_c=1410 | option_d=1610 | answer=B | explanation=SI = PRT/100 = 12588×6×2/100 = ■1510.

id=59529 | topic=Averages | difficulty=Easy | question=Find the average of 78, 88, 68, 94, 90, 79, 46, 54, 96, 67. | option_a=75 | option_b=77 | option_c=78 | option_d=76 | answer=D | explanation=Average = sum of values ÷ number of values = 760 ÷ 10 = 76.

id=59530 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=60 | option_b=71 | option_c=49 | option_d=61 | answer=A | explanation=The common difference is 11. Therefore the next term is 49 + 11 = 60.

id=59531 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 30, 38, 47? | option_a=38 | option_b=30 | option_c=47 | option_d=22 | answer=C | explanation=The first three numbers increase by 8, so the next should be 46. Therefore 47 is the odd one out.

id=59532 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14318 at 8% per annum for 1 years. | option_a=1245 | option_b=15463 | option_c=1145 | option_d=1045 | answer=C | explanation=SI = PRT/100 = 14318×8×1/100 = ■1145.

id=59533 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=59534 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3304. If it is sold at a profit of 50%, what is its selling price? | option_a=3354 | option_b=4626 | option_c=4956 | option_d=5286 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3304 × 150/100 = ■4956.

id=59535 | topic=Averages | difficulty=Easy | question=Find the average of 20, 41, 90, 41, 80, 64. | option_a=58 | option_b=56 | option_c=55 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 336 ÷ 6 = 56.

id=59536 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=59537 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 28? | option_a=28 | option_b=5 | option_c=19 | option_d=12 | answer=A | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 28 is the odd one out.

id=59538 | topic=Percentages | difficulty=Easy | question=What is 20% of 252? | option_a=55 | option_b=100 | option_c=40 | option_d=50 | answer=D | explanation=20% of 252 = (20/100) × 252 = 50.

id=59539 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=59540 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=35 | option_b=36 | option_c=30 | option_d=40 | answer=A | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=59541 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2392. If it is sold at a profit of 5%, what is its selling price? | option_a=2272 | option_b=2511 | option_c=2750 | option_d=2397 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2392 × 105/100 = ■2511.

id=59542 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=20 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=59543 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=11 | option_c=12 | option_d=1 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=59544 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:8 and the first is 20, what is the second? | option_a=26 | option_b=36 | option_c=8 | option_d=16 | answer=D | explanation=Scale factor = 20/10 = 2. Therefore second quantity = 8×2 = 16.

id=59545 | topic=Percentages | difficulty=Easy | question=What is 10% of 1011? | option_a=96 | option_b=111 | option_c=202 | option_d=101 | answer=D | explanation=10% of 1011 = (10/100) × 1011 = 101.

id=59546 | topic=Averages | difficulty=Easy | question=Find the average of 31, 73, 94, 74, 29, 34, 51, 100, 36. | option_a=57 | option_b=60 | option_c=59 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 522 ÷ 9 = 58.

id=59547 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2036. If it is sold at a profit of 25%, what is its selling price? | option_a=2545 | option_b=2061 | option_c=2748 | option_d=2342 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2036 × 125/100 = ■2545.

id=59548 | topic=Percentages | difficulty=Easy | question=What is 10% of 1168? | option_a=96 | option_b=232 | option_c=136 | option_d=116 | answer=D | explanation=10% of 1168 = (10/100) × 1168 = 116.

id=59549 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=X | option_b=C | option_c=H | option_d=M | answer=C | explanation=Move 5 positions forward from C; the resulting letter is H.

id=59550 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■19445 at 6% per annum for 1 years. | option_a=1166 | option_b=1266 | option_c=20611 | option_d=1066 | answer=A | explanation=SI = PRT/100 = 19445×6×1/100 = ■1166.

Aptitude Questions — Records 59,551-59,580 of 100,000

id=59551 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=32 | option_b=42 | option_c=43 | option_d=52 | answer=B | explanation=The common difference is 10. Therefore the next term is 32 + 10 = 42.

id=59552 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=59553 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 27, 36, 48? | option_a=36 | option_b=48 | option_c=18 | option_d=27 | answer=B | explanation=The first three numbers increase by 9, so the next should be 45. Therefore 48 is the odd one out.

id=59554 | topic=Averages | difficulty=Easy | question=Find the average of 99, 99, 62, 73, 102. | option_a=88 | option_b=87 | option_c=89 | option_d=86 | answer=B | explanation=Average = sum of values ÷ number of values = 435 ÷ 5 = 87.

id=59555 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:12 and the first is 9, what is the second? | option_a=108 | option_b=96 | option_c=117 | option_d=109 | answer=A | explanation=Scale factor = 9/1 = 9. Therefore second quantity = 12×9 = 108.

id=59556 | topic=Percentages | difficulty=Easy | question=What is 50% of 452? | option_a=452 | option_b=246 | option_c=226 | option_d=221 | answer=C | explanation=50% of 452 = (50/100) × 452 = 226.

id=59557 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=59558 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=29 | option_b=37 | option_c=45 | option_d=38 | answer=B | explanation=The common difference is 8. Therefore the next term is 29 + 8 = 37.

id=59559 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=59560 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4659. If it is sold at a profit of 25%, what is its selling price? | option_a=6288 | option_b=5358 | option_c=5823 | option_d=4684 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4659 × 125/100 = █5823.

id=59561 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=11 | option_c=1 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=59562 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:15 and the first is 195, what is the second? | option_a=238 | option_b=210 | option_c=225 | option_d=420 | answer=C | explanation=Scale factor = 195/13 = 15. Therefore second quantity = 15×15 = 225.

id=59563 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27365 at 10% per annum for 1 years. | option_a=2636 | option_b=2736 | option_c=30101 | option_d=2836 | answer=B | explanation=SI = PRT/100 = 27365×10×1/100 = █2736.

id=59564 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:16 and the first is 90, what is the second? | option_a=224 | option_b=240 | option_c=330 | option_d=246 | answer=B | explanation=Scale factor = 90/6 = 15. Therefore second quantity = 16×15 = 240.

id=59565 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=M | option_b=H | option_c=X | option_d=C | answer=B | explanation=Move 5 positions forward from C; the resulting letter is H.

id=59566 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=8 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=59567 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 51? | option_a=33 | option_b=25 | option_c=41 | option_d=51 | answer=D | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 51 is the odd one out.

id=59568 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=59569 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4941. If it is sold at a profit of 20%, what is its selling price? | option_a=4961 | option_b=6423 | option_c=5929 | option_d=5435 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4941 × 120/100 = █5929.

id=59570 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=24 | option_d=29 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=59571 | topic=Percentages | difficulty=Easy | question=What is 25% of 1637? | option_a=409 | option_b=414 | option_c=818 | option_d=399 | answer=A | explanation=25% of 1637 = (25/100) × 1637 = 409.

id=59572 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 46? | option_a=30 | option_b=37 | option_c=23 | option_d=46 | answer=D | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 46 is the odd one out.

id=59573 | topic=Percentages | difficulty=Easy | question=What is 25% of 1154? | option_a=293 | option_b=288 | option_c=576 | option_d=283 | answer=B | explanation=25% of 1154 = (25/100) × 1154 = 288.

id=59574 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40633 at 6% per annum for 3 years. | option_a=7213 | option_b=7313 | option_c=7413 | option_d=47946 | answer=B | explanation=SI = PRT/100 = 40633×6×3/100 = █7313.

id=59575 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 12. | option_a=12 | option_b=1 | option_c=24 | option_d=14 | answer=A | explanation=LCM × HCF = 2×12; HCF(2,12) = 2, so LCM = 12.

id=59576 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=80 | option_c=75 | option_d=160 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=59577 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47349 at 8% per annum for 5 years. | option_a=66288 | option_b=18939 | option_c=18839 | option_d=19039 | answer=B | explanation=SI = PRT/100 = 47349×8×5/100 = █18939.

id=59578 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=59579 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:5 and the first is 24, what is the second? | option_a=34 | option_b=5 | option_c=22 | option_d=10 | answer=D | explanation=Scale factor = 24/12 = 2. Therefore second quantity = 5×2 = 10.

id=59580 | topic=Averages | difficulty=Easy | question=Find the average of 27, 19, 27, 24, 63. | option_a=34 | option_b=32 | option_c=31 | option_d=33 | answer=B | explanation=Average = sum of values ÷ number of values = 160 ÷ 5 = 32.

Aptitude Questions — Records 59,581-59,610 of 100,000

id=59581 | topic=Averages | difficulty=Easy | question=Find the average of 85, 72, 35, 80. | option_a=69 | option_b=67 | option_c=70 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = 272 ÷ 4 = 68.

id=59582 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=J | option_b=L | option_c=N | option_d=P | answer=C | explanation=Move 2 positions forward from L; the resulting letter is N.

id=59583 | topic=Averages | difficulty=Easy | question=Find the average of 39, 80, 15, 52, 21, 70, 11, 72. | option_a=47 | option_b=46 | option_c=45 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = 360 ÷ 8 = 45.

id=59584 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 14, 20, 27? | option_a=8 | option_b=20 | option_c=14 | option_d=27 | answer=D | explanation=The first three numbers increase by 6, so the next should be 26. Therefore 27 is the odd one out.

id=59585 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=59586 | topic=Percentages | difficulty=Easy | question=What is 50% of 996? | option_a=996 | option_b=493 | option_c=518 | option_d=498 | answer=D | explanation=50% of 996 = (50/100) × 996 = 498.

id=59587 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:7 and the first is 39, what is the second? | option_a=21 | option_b=60 | option_c=14 | option_d=34 | answer=A | explanation=Scale factor = 39/13 = 3. Therefore second quantity = 7×3 = 21.

id=59588 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=59589 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 17, 27, 38? | option_a=17 | option_b=38 | option_c=7 | option_d=27 | answer=B | explanation=The first three numbers increase by 10, so the next should be 37. Therefore 38 is the odd one out.

id=59590 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 35, 44, 55? | option_a=55 | option_b=26 | option_c=44 | option_d=35 | answer=A | explanation=The first three numbers increase by 9, so the next should be 53. Therefore 55 is the odd one out.

id=59591 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:6 and the first is 162, what is the second? | option_a=54 | option_b=216 | option_c=72 | option_d=48 | answer=A | explanation=Scale factor = 162/18 = 9. Therefore second quantity = 6×9 = 54.

id=59592 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=X | option_c=L | option_d=T | answer=D | explanation=Move 4 positions forward from P; the resulting letter is T.

id=59593 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=59594 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:8 and the first is 380, what is the second? | option_a=540 | option_b=152 | option_c=160 | option_d=179 | answer=C | explanation=Scale factor = 380/19 = 20. Therefore second quantity = 8×20 = 160.

id=59595 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 43? | option_a=35 | option_b=29 | option_c=43 | option_d=23 | answer=C | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 43 is the odd one out.

id=59596 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:15 and the first is 140, what is the second? | option_a=220 | option_b=350 | option_c=210 | option_d=195 | answer=C | explanation=Scale factor = 140/10 = 14. Therefore second quantity = 15×14 = 210.

id=59597 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1569. If it is sold at a profit of 50%, what is its selling price? | option_a=2509 | option_b=2353 | option_c=1619 | option_d=2197 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1569 × 150/100 = █2353.

id=59598 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=39 | option_b=51 | option_c=63 | option_d=52 | answer=B | explanation=The common difference is 12. Therefore the next term is 39 + 12 = 51.

id=59599 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:4 and the first is 209, what is the second? | option_a=253 | option_b=40 | option_c=44 | option_d=63 | answer=C | explanation=Scale factor = 209/19 = 11. Therefore second quantity = 4×11 = 44.

id=59600 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=J | option_b=B | option_c=F | option_d=X | answer=C | explanation=Move 4 positions forward from B; the resulting letter is F.

id=59601 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 15? | option_a=11 | option_b=8 | option_c=5 | option_d=15 | answer=D | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 15 is the odd one out.

id=59602 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 34, 41, 50? | option_a=50 | option_b=27 | option_c=34 | option_d=41 | answer=A | explanation=The first three numbers increase by 7, so the next should be 48. Therefore 50 is the odd one out.

id=59603 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=59604 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15184 at 10% per annum for 5 years. | option_a=22776 | option_b=7692 | option_c=7592 | option_d=7492 | answer=C | explanation=SI = PRT/100 = 15184×10×5/100 = █7592.

id=59605 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:9 and the first is 152, what is the second? | option_a=72 | option_b=224 | option_c=63 | option_d=91 | answer=A | explanation=Scale factor = 152/19 = 8. Therefore second quantity = 9×8 = 72.

id=59606 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=U | option_c=Q | option_d=W | answer=B | explanation=Move 2 positions forward from S; the resulting letter is U.

id=59607 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=59608 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=59609 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=59610 | topic=Averages | difficulty=Easy | question=Find the average of 25, 63, 17, 16, 100, 94, 74, 41, 29. | option_a=50 | option_b=53 | option_c=52 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 459 ÷ 9 = 51.

Aptitude Questions — Records 59,611-59,640 of 100,000

id=59611 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 13, 21, 31? | option_a=21 | option_b=13 | option_c=5 | option_d=31 | answer=D | explanation=The first three numbers increase by 8, so the next should be 29. Therefore 31 is the odd one out.

id=59612 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:2 and the first is 24, what is the second? | option_a=4 | option_b=30 | option_c=14 | option_d=6 | answer=D | explanation=Scale factor = $24/8 = 3$. Therefore second quantity = $2 \times 3 = 6$.

id=59613 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:2 and the first is 126, what is the second? | option_a=32 | option_b=14 | option_c=12 | option_d=140 | answer=B | explanation=Scale factor = $126/18 = 7$. Therefore second quantity = $2 \times 7 = 14$.

id=59614 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:19 and the first is 39, what is the second? | option_a=57 | option_b=70 | option_c=96 | option_d=38 | answer=A | explanation=Scale factor = $39/13 = 3$. Therefore second quantity = $19 \times 3 = 57$.

id=59615 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 18, 28, 41? | option_a=18 | option_b=8 | option_c=28 | option_d=41 | answer=D | explanation=The first three numbers increase by 10, so the next should be 38. Therefore 41 is the odd one out.

id=59616 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=40 | option_b=32 | option_c=36 | option_d=37 | answer=C | explanation=The common difference is 4. Therefore the next term is $32 + 4 = 36$.

id=59617 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=54 | option_b=44 | option_c=55 | option_d=64 | answer=A | explanation=The common difference is 10. Therefore the next term is $44 + 10 = 54$.

id=59618 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=180 | option_c=95 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = $180 \div 2 = 90$ km/h.

id=59619 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:19 and the first is 35, what is the second? | option_a=102 | option_b=130 | option_c=76 | option_d=95 | answer=D | explanation=Scale factor = $35/7 = 5$. Therefore second quantity = $19 \times 5 = 95$.

id=59620 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=U | option_c=L | option_d=R | answer=D | explanation=Move 3 positions forward from O; the resulting letter is R.

id=59621 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27366 at 12% per annum for 2 years. | option_a=6467 | option_b=33933 | option_c=6567 | option_d=6667 | answer=C | explanation=SI = $PRT/100 = 27366 \times 12 \times 2/100 = \text{■}6567$.

id=59622 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:15 and the first is 121, what is the second? | option_a=150 | option_b=286 | option_c=176 | option_d=165 | answer=D | explanation=Scale factor = $121/11 = 11$. Therefore second quantity = $15 \times 11 = 165$.

id=59623 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=26 | option_b=34 | option_c=30 | option_d=31 | answer=C | explanation=The common difference is 4. Therefore the next term is $26 + 4 = 30$.

id=59624 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3698. If it is sold at a profit of 40%, what is its selling price? | option_a=5546 | option_b=3738 | option_c=4808 | option_d=5177 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3698 \times 140/100 = \text{■}5177$.

id=59625 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 33? | option_a=33 | option_b=2 | option_c=12 | option_d=22 | answer=A | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 33 is the odd one out.

id=59626 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=59627 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16233 at 5% per annum for 3 years. | option_a=18667 | option_b=2534 | option_c=2434 | option_d=2334 | answer=C | explanation=SI = $PRT/100 = 16233 \times 5 \times 3/100 = \text{■}2434$.

id=59628 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4204. If it is sold at a profit of 25%, what is its selling price? | option_a=5675 | option_b=4835 | option_c=5255 | option_d=4229 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4204 \times 125/100 = \text{■}5255$.

id=59629 | topic=Averages | difficulty=Easy | question=Find the average of 66, 21, 26, 100, 57, 36. | option_a=52 | option_b=53 | option_c=51 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = $306 \div 6 = 51$.

id=59630 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19458 at 12% per annum for 2 years. | option_a=24127 | option_b=4669 | option_c=4569 | option_d=4769 | answer=B | explanation=SI = $PRT/100 = 19458 \times 12 \times 2/100 = \text{■}4669$.

id=59631 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=37 | option_b=36 | option_c=28 | option_d=44 | answer=B | explanation=The common difference is 8. Therefore the next term is $28 + 8 = 36$.

id=59632 | topic=Percentages | difficulty=Easy | question=What is 12% of 748? | option_a=178 | option_b=89 | option_c=69 | option_d=99 | answer=B | explanation= $12\% \text{ of } 748 = (12/100) \times 748 = 89$.

id=59633 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:18 and the first is 30, what is the second? | option_a=66 | option_b=36 | option_c=18 | option_d=51 | answer=B | explanation=Scale factor = $30/15 = 2$. Therefore second quantity = $18 \times 2 = 36$.

id=59634 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1019. If it is sold at a profit of 25%, what is its selling price? | option_a=1273 | option_b=1172 | option_c=1044 | option_d=1374 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1019 \times 125/100 = \text{■}1273$.

id=59635 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=45 | option_b=46 | option_c=35 | option_d=55 | answer=A | explanation=The common difference is 10. Therefore the next term is $35 + 10 = 45$.

id=59636 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:4 and the first is 126, what is the second? | option_a=52 | option_b=56 | option_c=65 | option_d=182 | answer=B | explanation=Scale factor = $126/9 = 14$. Therefore second quantity = $4 \times 14 = 56$.

id=59637 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=X | option_b=U | option_c=R | option_d=A | answer=A | explanation=Move 3 positions forward from U; the resulting letter is X.

id=59638 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=E | option_b=I | option_c=K | option_d=G | answer=B | explanation=Move 2 positions forward from G; the resulting letter is I.

id=59639 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=59640 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 8. | option_a=72 | option_b=144 | option_c=90 | option_d=64 | answer=A | explanation= $LCM \times HCF = 18 \times 8$; $HCF(18,8) = 2$, so $LCM = 72$.

Aptitude Questions — Records 59,641-59,670 of 100,000

id=59641 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35522 at 15% per annum for 4 years. | option_a=21413 | option_b=21213 | option_c=56835 | option_d=21313 | answer=D | explanation=SI = $PRT/100 = 35522 \times 15 \times 4/100 = \text{■}21313$.

id=59642 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=V | option_b=P | option_c=S | option_d=Y | answer=A | explanation=Move 3 positions forward from S; the resulting letter is V.

id=59643 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=P | option_b=R | option_c=Q | option_d=S | answer=B | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=59644 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=N | option_c=R | option_d=P | answer=C | explanation=Move 2 positions forward from P; the resulting letter is R.

id=59645 | topic=Percentages | difficulty=Easy | question=What is 5% of 250? | option_a=12 | option_b=24 | option_c=17 | option_d=0 | answer=A | explanation=5% of 250 = $(5/100) \times 250 = 12$.

id=59646 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=38 | option_b=37 | option_c=29 | option_d=45 | answer=B | explanation=The common difference is 8. Therefore the next term is $29 + 8 = 37$.

id=59647 | topic=Percentages | difficulty=Easy | question=What is 5% of 1532? | option_a=76 | option_b=152 | option_c=86 | option_d=56 | answer=A | explanation=5% of 1532 = $(5/100) \times 1532 = 76$.

id=59648 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:18 and the first is 30, what is the second? | option_a=84 | option_b=36 | option_c=54 | option_d=64 | answer=C | explanation=Scale factor = $30/10 = 3$. Therefore second quantity = $18 \times 3 = 54$.

id=59649 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39790 at 5% per annum for 3 years. | option_a=45758 | option_b=6068 | option_c=5968 | option_d=5868 | answer=C | explanation=SI = $PRT/100 = 39790 \times 5 \times 3/100 = \text{■}5968$.

id=59650 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=59651 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 26. | option_a=28 | option_b=1 | option_c=52 | option_d=26 | answer=D | explanation=LCM $\times$ HCF = 2×26 ; HCF(2,26) = 2, so LCM = 26.

id=59652 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=22 | option_b=34 | option_c=28 | option_d=29 | answer=C | explanation=The common difference is 6. Therefore the next term is $22 + 6 = 28$.

id=59653 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=85 | option_c=180 | option_d=90 | answer=D | explanation=Speed = distance $\div$ time = $360 \div 4 = 90$ km/h.

id=59654 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=39 | option_b=46 | option_c=40 | option_d=32 | answer=A | explanation=The common difference is 7. Therefore the next term is $32 + 7 = 39$.

id=59655 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1693 at 12% per annum for 5 years. | option_a=1015 | option_b=1115 | option_c=2708 | option_d=915 | answer=A | explanation=SI = $PRT/100 = 1693 \times 12 \times 5/100 = \text{■}1015$.

id=59656 | topic=Percentages | difficulty=Easy | question=What is 50% of 1408? | option_a=704 | option_b=684 | option_c=1408 | option_d=724 | answer=A | explanation=50% of 1408 = $(50/100) \times 1408 = 704$.

id=59657 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=24 | option_d=5 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=59658 | topic=Averages | difficulty=Easy | question=Find the average of 24, 69, 92, 67, 73. | option_a=67 | option_b=64 | option_c=66 | option_d=65 | answer=D | explanation=Average = sum of values $\div$ number of values = $325 \div 5 = 65$.

id=59659 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:14 and the first is 18, what is the second? | option_a=84 | option_b=102 | option_c=70 | option_d=87 | answer=A | explanation=Scale factor = $18/3 = 6$. Therefore second quantity = $14 \times 6 = 84$.

id=59660 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43, ? | option_a=59 | option_b=51 | option_c=52 | option_d=43 | answer=B | explanation=The common difference is 8. Therefore the next term is $43 + 8 = 51$.

id=59661 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance $\div$ time = $120 \div 4 = 30$ km/h.

id=59662 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 24, 30, 36, ? | option_a=43 | option_b=42 | option_c=36 | option_d=48 | answer=B | explanation=The common difference is 6. Therefore the next term is $36 + 6 = 42$.

id=59663 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 8, 12, 19? | option_a=12 | option_b=8 | option_c=19 | option_d=4 | answer=C | explanation=The first three numbers increase by 4, so the next should be 16. Therefore 19 is the odd one out.

id=59664 | topic=Percentages | difficulty=Easy | question=What is 50% of 1058? | option_a=529 | option_b=1058 | option_c=519 | option_d=534 | answer=A | explanation=50% of 1058 = $(50/100) \times 1058 = 529$.

id=59665 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:16 and the first is 10, what is the second? | option_a=64 | option_b=82 | option_c=90 | option_d=80 | answer=D | explanation=Scale factor = $10/2 = 5$. Therefore second quantity = $16 \times 5 = 80$.

id=59666 | topic=Averages | difficulty=Easy | question=Find the average of 96, 99, 91, 30, 53, 57. | option_a=72 | option_b=70 | option_c=71 | option_d=73 | answer=C | explanation=Average = sum of values $\div$ number of values = $426 \div 6 = 71$.

id=59667 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30869 at 12% per annum for 4 years. | option_a=14817 | option_b=45686 | option_c=14717 | option_d=14917 | answer=A | explanation=SI = $PRT/100 = 30869 \times 12 \times 4/100 = \text{■}14817$.

id=59668 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:12 and the first is 6, what is the second? | option_a=42 | option_b=38 | option_c=36 | option_d=24 | answer=C | explanation=Scale factor = $6/2 = 3$. Therefore second quantity = $12 \times 3 = 36$.

id=59669 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 28, 36, 44, ? | option_a=52 | option_b=44 | option_c=60 | option_d=53 | answer=A | explanation=The common difference is 8. Therefore the next term is $44 + 8 = 52$.

id=59670 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

Aptitude Questions — Records 59,671-59,700 of 100,000

id=59671 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=72 | option_c=41 | option_d=31 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=59672 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=100 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=59673 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2286. If it is sold at a profit of 25%, what is its selling price? | option_a=2857 | option_b=2629 | option_c=3085 | option_d=2311 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2286 × 125/100 = █2857.

id=59674 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:17 and the first is 10, what is the second? | option_a=153 | option_b=170 | option_c=171 | option_d=180 | answer=B | explanation=Scale factor = 10/1 = 10. Therefore second quantity = 17×10 = 170.

id=59675 | topic=Percentages | difficulty=Easy | question=What is 20% of 894? | option_a=178 | option_b=173 | option_c=356 | option_d=188 | answer=A | explanation=20% of 894 = (20/100) × 894 = 178.

id=59676 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:16 and the first is 96, what is the second? | option_a=192 | option_b=96 | option_c=80 | option_d=112 | answer=B | explanation=Scale factor = 96/16 = 6. Therefore second quantity = 16×6 = 96.

id=59677 | topic=Profit & Loss | difficulty=Easy | question=An article costs █140. If it is sold at a profit of 15%, what is its selling price? | option_a=147 | option_b=175 | option_c=161 | option_d=155 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 140 × 115/100 = █161.

id=59678 | topic=Averages | difficulty=Easy | question=Find the average of 23, 69, 76, 62, 50. | option_a=58 | option_b=55 | option_c=57 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 280 ÷ 5 = 56.

id=59679 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=120 | option_c=125 | option_d=240 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=59680 | topic=Percentages | difficulty=Easy | question=What is 15% of 288? | option_a=43 | option_b=48 | option_c=86 | option_d=33 | answer=A | explanation=15% of 288 = (15/100) × 288 = 43.

id=59681 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=59682 | topic=Percentages | difficulty=Easy | question=What is 15% of 990? | option_a=138 | option_b=148 | option_c=168 | option_d=296 | answer=B | explanation=15% of 990 = (15/100) × 990 = 148.

id=59683 | topic=Averages | difficulty=Easy | question=Find the average of 92, 40, 88, 20. | option_a=61 | option_b=60 | option_c=62 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 240 ÷ 4 = 60.

id=59684 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=40 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=59685 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3848. If it is sold at a profit of 20%, what is its selling price? | option_a=3868 | option_b=4617 | option_c=4233 | option_d=5001 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3848 × 120/100 = █4617.

id=59686 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:7 and the first is 22, what is the second? | option_a=36 | option_b=14 | option_c=25 | option_d=7 | answer=B | explanation=Scale factor = 22/11 = 2. Therefore second quantity = 7×2 = 14.

id=59687 | topic=Percentages | difficulty=Easy | question=What is 12% of 1575? | option_a=184 | option_b=189 | option_c=378 | option_d=194 | answer=B | explanation=12% of 1575 = (12/100) × 1575 = 189.

id=59688 | topic=Percentages | difficulty=Easy | question=What is 40% of 720? | option_a=283 | option_b=288 | option_c=576 | option_d=308 | answer=B | explanation=40% of 720 = (40/100) × 720 = 288.

id=59689 | topic=Averages | difficulty=Easy | question=Find the average of 45, 93, 66. | option_a=69 | option_b=68 | option_c=67 | option_d=70 | answer=B | explanation=Average = sum of values ÷ number of values = 204 ÷ 3 = 68.

id=59690 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:8 and the first is 64, what is the second? | option_a=72 | option_b=56 | option_c=128 | option_d=64 | answer=D | explanation=Scale factor = 64/8 = 8. Therefore second quantity = 8×8 = 64.

id=59691 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=59692 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17164 at 8% per annum for 5 years. | option_a=6865 | option_b=6965 | option_c=24029 | option_d=6765 | answer=A | explanation=SI = PRT/100 = 17164×8×5/100 = █6865.

id=59693 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1814. If it is sold at a profit of 10%, what is its selling price? | option_a=2176 | option_b=1814 | option_c=1824 | option_d=1995 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1814 × 110/100 = █1995.

id=59694 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=59695 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29238 at 12% per annum for 5 years. | option_a=17542 | option_b=17442 | option_c=46780 | option_d=17642 | answer=A | explanation=SI = PRT/100 = 29238×12×5/100 = █17542.

id=59696 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=5 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=59697 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 31, 35, 41? | option_a=41 | option_b=31 | option_c=35 | option_d=27 | answer=A | explanation=The first three numbers increase by 4, so the next should be 39. Therefore 41 is the odd one out.

id=59698 | topic=Percentages | difficulty=Easy | question=What is 10% of 1134? | option_a=123 | option_b=113 | option_c=103 | option_d=226 | answer=B | explanation=10% of 1134 = (10/100) × 1134 = 113.

id=59699 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5825 at 8% per annum for 5 years. | option_a=2430 | option_b=8155 | option_c=2230 | option_d=2330 | answer=D | explanation=SI = PRT/100 = 5825×8×5/100 = █2330.

id=59700 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

Aptitude Questions — Records 59,701-59,730 of 100,000

id=59701 | topic=Percentages | difficulty=Easy | question=What is 12% of 1682? | option_a=201 | option_b=196 | option_c=211 | option_d=402 | answer=A | explanation=12% of 1682 = (12/100) × 1682 = 201.

id=59702 | topic=Averages | difficulty=Easy | question=Find the average of 92, 36, 44, 29, 19. | option_a=46 | option_b=43 | option_c=44 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = 220 ÷ 5 = 44.

id=59703 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 11, 14, 18? | option_a=8 | option_b=18 | option_c=11 | option_d=14 | answer=B | explanation=The first three numbers increase by 3, so the next should be 17. Therefore 18 is the odd one out.

id=59704 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 8, 10, 15? | option_a=6 | option_b=8 | option_c=10 | option_d=15 | answer=D | explanation=The first three numbers increase by 2, so the next should be 12. Therefore 15 is the odd one out.

id=59705 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=P | option_b=O | option_c=N | option_d=Q | answer=A | explanation=Move 1 positions forward from O; the resulting letter is P.

id=59706 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=54 | option_b=63 | option_c=45 | option_d=55 | answer=A | explanation=The common difference is 9. Therefore the next term is 45 + 9 = 54.

id=59707 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=30 | option_b=22 | option_c=27 | option_d=26 | answer=D | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.

id=59708 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1692. If it is sold at a profit of 25%, what is its selling price? | option_a=1946 | option_b=2284 | option_c=1717 | option_d=2115 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1692 × 125/100 = █2115.

id=59709 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:10 and the first is 12, what is the second? | option_a=26 | option_b=32 | option_c=10 | option_d=20 | answer=D | explanation=Scale factor = 12/6 = 2. Therefore second quantity = 10×2 = 20.

id=59710 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=59711 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:11 and the first is 15, what is the second? | option_a=180 | option_b=154 | option_c=166 | option_d=165 | answer=D | explanation=Scale factor = 15/1 = 15. Therefore second quantity = 11×15 = 165.

id=59712 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33115 at 12% per annum for 1 years. | option_a=37088 | option_b=3873 | option_c=3973 | option_d=4073 | answer=C | explanation=SI = PRT/100 = 33115×12×1/100 = █3973.

id=59713 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=67 | option_b=57 | option_c=45 | option_d=56 | answer=D | explanation=The common difference is 11. Therefore the next term is 45 + 11 = 56.

id=59714 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 16? | option_a=5 | option_b=16 | option_c=11 | option_d=8 | answer=B | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 16 is the odd one out.

id=59715 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=10 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=59716 | topic=Percentages | difficulty=Easy | question=What is 30% of 932? | option_a=558 | option_b=274 | option_c=284 | option_d=279 | answer=D | explanation=30% of 932 = (30/100) × 932 = 279.

id=59717 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19188 at 8% per annum for 3 years. | option_a=23793 | option_b=4505 | option_c=4605 | option_d=4705 | answer=C | explanation=SI = PRT/100 = 19188×8×3/100 = █4605.

id=59718 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:20 and the first is 133, what is the second? | option_a=140 | option_b=159 | option_c=273 | option_d=120 | answer=A | explanation=Scale factor = 133/19 = 7. Therefore second quantity = 20×7 = 140.

id=59719 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=70 | option_c=80 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=59720 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=P | option_b=Z | option_c=U | option_d=E | answer=B | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=59721 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2997. If it is sold at a profit of 40%, what is its selling price? | option_a=4195 | option_b=4494 | option_c=3037 | option_d=3896 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2997 × 140/100 = █4195.

id=59722 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:10 and the first is 40, what is the second? | option_a=80 | option_b=30 | option_c=40 | option_d=50 | answer=C | explanation=Scale factor = 40/10 = 4. Therefore second quantity = 10×4 = 40.

id=59723 | topic=Profit & Loss | difficulty=Easy | question=An article costs █457. If it is sold at a profit of 10%, what is its selling price? | option_a=547 | option_b=467 | option_c=502 | option_d=457 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 457 × 110/100 = █502.

id=59724 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=59725 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 33? | option_a=33 | option_b=24 | option_c=10 | option_d=17 | answer=A | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 33 is the odd one out.

id=59726 | topic=Averages | difficulty=Easy | question=Find the average of 19, 40, 93, 95, 20, 93. | option_a=62 | option_b=60 | option_c=61 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 360 ÷ 6 = 60.

id=59727 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=59728 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=C | option_c=E | option_d=F | answer=C | explanation=Move 1 positions forward from D; the resulting letter is E.

id=59729 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=L | option_b=Q | option_c=G | option_d=B | answer=A | explanation=Move 5 positions forward from G; the resulting letter is L.

id=59730 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2959. If it is sold at a profit of 30%, what is its selling price? | option_a=2989 | option_b=3846 | option_c=3551 | option_d=4141 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2959 × 130/100 = █3846.

Aptitude Questions — Records 59,731-59,760 of 100,000

id=59731 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=34 | option_b=48 | option_c=41 | option_d=42 | answer=C | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=59732 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45584 at 15% per annum for 1 years. | option_a=6937 | option_b=52421 | option_c=6737 | option_d=6837 | answer=D | explanation=SI = $PRT/100 = 45584 \times 15 \times 1/100 = \text{■}6837$.

id=59733 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**826. If it is sold at a profit of 50%, what is its selling price? | option_a=1239 | option_b=1157 | option_c=1321 | option_d=876 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 826 \times 150/100 = \text{■}1239$.

id=59734 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44558 at 15% per annum for 5 years. | option_a=33318 | option_b=33418 | option_c=77976 | option_d=33518 | answer=B | explanation=SI = $PRT/100 = 44558 \times 15 \times 5/100 = \text{■}33418$.

id=59735 | topic=Percentages | difficulty=Easy | question=What is 25% of 1955? | option_a=468 | option_b=488 | option_c=976 | option_d=493 | answer=B | explanation=25% of 1955 = $(25/100) \times 1955 = 488$.

id=59736 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=23 | option_b=17 | option_c=27 | option_d=22 | answer=D | explanation=The common difference is 5. Therefore the next term is 17 + 5 = 22.

id=59737 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 26. | option_a=1 | option_b=52 | option_c=28 | option_d=26 | answer=D | explanation=LCM $\times$ HCF = 2×26 ; $HCF(2,26) = 2$, so LCM = 26.

id=59738 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=90 | option_c=180 | option_d=85 | answer=B | explanation=Speed = distance $\div$ time = $180 \div 2 = 90$ km/h.

id=59739 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:8 and the first is 105, what is the second? | option_a=48 | option_b=161 | option_c=56 | option_d=71 | answer=C | explanation=Scale factor = $105/15 = 7$. Therefore second quantity = $8 \times 7 = 56$.

id=59740 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1458. If it is sold at a profit of 10%, what is its selling price? | option_a=1458 | option_b=1468 | option_c=1748 | option_d=1603 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1458 \times 110/100 = \text{■}1603$.

id=59741 | topic=Averages | difficulty=Easy | question=Find the average of 89, 31, 49, 43. | option_a=52 | option_b=54 | option_c=53 | option_d=55 | answer=C | explanation=Average = sum of values $\div$ number of values = $212 \div 4 = 53$.

id=59742 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=37 | option_b=31 | option_c=32 | option_d=25 | answer=B | explanation=The common difference is 6. Therefore the next term is 25 + 6 = 31.

id=59743 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 44? | option_a=25 | option_b=33 | option_c=44 | option_d=17 | answer=C | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 44 is the odd one out.

id=59744 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2220. If it is sold at a profit of 5%, what is its selling price? | option_a=2331 | option_b=2225 | option_c=2553 | option_d=2109 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2220 \times 105/100 = \text{■}2331$.

id=59745 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 13, 20, 30? | option_a=6 | option_b=13 | option_c=20 | option_d=30 | answer=D | explanation=The first three numbers increase by 7, so the next should be 27. Therefore 30 is the odd one out.

id=59746 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=D | option_b=J | option_c=G | option_d=M | answer=B | explanation=Move 3 positions forward from G; the resulting letter is J.

id=59747 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=44 | option_b=37 | option_c=28 | option_d=36 | answer=D | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=59748 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:13 and the first is 190, what is the second? | option_a=234 | option_b=257 | option_c=247 | option_d=437 | answer=C | explanation=Scale factor = $190/10 = 19$. Therefore second quantity = $13 \times 19 = 247$.

id=59749 | topic=Averages | difficulty=Easy | question=Find the average of 76, 95, 45, 87, 80, 13. | option_a=68 | option_b=65 | option_c=67 | option_d=66 | answer=D | explanation=Average = sum of values $\div$ number of values = $396 \div 6 = 66$.

id=59750 | topic=Averages | difficulty=Easy | question=Find the average of 99, 44, 39, 45, 60, 15, 16, 18. | option_a=44 | option_b=42 | option_c=43 | option_d=41 | answer=B | explanation=Average = sum of values $\div$ number of values = $336 \div 8 = 42$.

id=59751 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**569. If it is sold at a profit of 10%, what is its selling price? | option_a=579 | option_b=681 | option_c=569 | option_d=625 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 569 \times 110/100 = \text{■}625$.

id=59752 | topic=Percentages | difficulty=Easy | question=What is 5% of 1009? | option_a=70 | option_b=45 | option_c=50 | option_d=100 | answer=C | explanation=5% of 1009 = $(5/100) \times 1009 = 50$.

id=59753 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=I | option_b=F | option_c=C | option_d=L | answer=A | explanation=Move 3 positions forward from F; the resulting letter is I.

id=59754 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=L | option_b=V | option_c=A | option_d=Q | answer=B | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=59755 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23211 at 4% per annum for 1 years. | option_a=24139 | option_b=1028 | option_c=928 | option_d=828 | answer=C | explanation=SI = $PRT/100 = 23211 \times 4 \times 1/100 = \text{■}928$.

id=59756 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1980. If it is sold at a profit of 25%, what is its selling price? | option_a=2277 | option_b=2673 | option_c=2475 | option_d=2005 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1980 \times 125/100 = \text{■}2475$.

id=59757 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=59758 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40216 at 5% per annum for 1 years. | option_a=2010 | option_b=2110 | option_c=42226 | option_d=1910 | answer=A | explanation=SI = $PRT/100 = 40216 \times 5 \times 1/100 = \text{■}2010$.

id=59759 | topic=Percentages | difficulty=Easy | question=What is 20% of 220? | option_a=54 | option_b=88 | option_c=44 | option_d=39 | answer=C | explanation=20% of 220 = $(20/100) \times 220 = 44$.

id=59760 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1768. If it is sold at a profit of 15%, what is its selling price? | option_a=2209 | option_b=1783 | option_c=2033 | option_d=1857 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1768 \times 115/100 = \text{■}2033$.

Aptitude Questions — Records 59,761-59,790 of 100,000

id=59761 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33267 at 10% per annum for 2 years. | option_a=6553 | option_b=39920 | option_c=6653 | option_d=6753 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{33267 \times 10 \times 2}{100} = \text{■}6653$.

id=59762 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3986. If it is sold at a profit of 20%, what is its selling price? | option_a=4385 | option_b=4783 | option_c=4006 | option_d=5181 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3986 \times 120 / 100 = \text{■}4783$.

id=59763 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33139 at 8% per annum for 3 years. | option_a=7953 | option_b=8053 | option_c=7853 | option_d=41092 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{33139 \times 8 \times 3}{100} = \text{■}7953$.

id=59764 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = $120 \div 6 = 20$ km/h.

id=59765 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:12 and the first is 224, what is the second? | option_a=184 | option_b=168 | option_c=392 | option_d=156 | answer=B | explanation=Scale factor = $224 / 16 = 14$. Therefore second quantity = $12 \times 14 = 168$.

id=59766 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:1 and the first is 35, what is the second? | option_a=40 | option_b=12 | option_c=5 | option_d=4 | answer=C | explanation=Scale factor = $35 / 7 = 5$. Therefore second quantity = $1 \times 5 = 5$.

id=59767 | topic=Percentages | difficulty=Easy | question=What is 20% of 1969? | option_a=388 | option_b=403 | option_c=786 | option_d=393 | answer=D | explanation= $20\% \text{ of } 1969 = (20 / 100) \times 1969 = 393$.

id=59768 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = $1 / 10 + 1 / 10 = 20 / 100$. Time = $100 / 20 = 5$ days.

id=59769 | topic=Averages | difficulty=Easy | question=Find the average of 46, 12, 28, 20, 68, 60. | option_a=41 | option_b=40 | option_c=39 | option_d=38 | answer=C | explanation=Average = sum of values ÷ number of values = $234 \div 6 = 39$.

id=59770 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Q | option_b=U | option_c=Y | option_d=C | answer=C | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=59771 | topic=Percentages | difficulty=Easy | question=What is 40% of 1787? | option_a=1428 | option_b=704 | option_c=714 | option_d=734 | answer=C | explanation= $40\% \text{ of } 1787 = (40 / 100) \times 1787 = 714$.

id=59772 | topic=Percentages | difficulty=Easy | question=What is 30% of 1498? | option_a=449 | option_b=439 | option_c=898 | option_d=459 | answer=A | explanation= $30\% \text{ of } 1498 = (30 / 100) \times 1498 = 449$.

id=59773 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=25 | option_b=26 | option_c=24 | option_d=22 | answer=C | explanation=The common difference is 2. Therefore the next term is $22 + 2 = 24$.

id=59774 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:16 and the first is 54, what is the second? | option_a=144 | option_b=128 | option_c=198 | option_d=150 | answer=A | explanation=Scale factor = $54 / 6 = 9$. Therefore second quantity = $16 \times 9 = 144$.

id=59775 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 12. | option_a=144 | option_b=156 | option_c=182 | option_d=312 | answer=B | explanation= $LCM \times HCF = 26 \times 12$; $HCF(26, 12) = 2$, so $LCM = 156$.

id=59776 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**928. If it is sold at a profit of 20%, what is its selling price? | option_a=1205 | option_b=1021 | option_c=948 | option_d=1113 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 928 \times 120 / 100 = \text{■}1113$.

id=59777 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=I | option_b=H | option_c=G | option_d=J | answer=A | explanation=Move 1 positions forward from H; the resulting letter is I.

id=59778 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3945. If it is sold at a profit of 30%, what is its selling price? | option_a=5522 | option_b=5128 | option_c=4734 | option_d=3975 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3945 \times 130 / 100 = \text{■}5128$.

id=59779 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:19 and the first is 136, what is the second? | option_a=152 | option_b=288 | option_c=169 | option_d=133 | answer=A | explanation=Scale factor = $136 / 17 = 8$. Therefore second quantity = $19 \times 8 = 152$.

id=59780 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=T | option_c=Q | option_d=S | answer=D | explanation=Move 1 positions forward from R; the resulting letter is S.

id=59781 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=41 | option_b=32 | option_c=40 | option_d=48 | answer=C | explanation=The common difference is 8. Therefore the next term is $32 + 8 = 40$.

id=59782 | topic=Averages | difficulty=Easy | question=Find the average of 68, 10, 62, 68. | option_a=53 | option_b=54 | option_c=51 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = $208 \div 4 = 52$.

id=59783 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2331 at 15% per annum for 5 years. | option_a=1748 | option_b=4079 | option_c=1648 | option_d=1848 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{2331 \times 15 \times 5}{100} = \text{■}1748$.

id=59784 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = $1 / 3 + 1 / 6 = 9 / 18$. Time = $18 / 9 = 2$ days.

id=59785 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24018 at 4% per annum for 2 years. | option_a=1921 | option_b=25939 | option_c=1821 | option_d=2021 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{24018 \times 4 \times 2}{100} = \text{■}1921$.

id=59786 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3024 at 10% per annum for 5 years. | option_a=1612 | option_b=4536 | option_c=1412 | option_d=1512 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{3024 \times 10 \times 5}{100} = \text{■}1512$.

id=59787 | topic=Percentages | difficulty=Easy | question=What is 10% of 970? | option_a=92 | option_b=102 | option_c=194 | option_d=97 | answer=D | explanation= $10\% \text{ of } 970 = (10 / 100) \times 970 = 97$.

id=59788 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1186. If it is sold at a profit of 10%, what is its selling price? | option_a=1422 | option_b=1304 | option_c=1196 | option_d=1186 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1186 \times 110 / 100 = \text{■}1304$.

id=59789 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=50 | option_b=44 | option_c=43 | option_d=36 | answer=C | explanation=The common difference is 7. Therefore the next term is $36 + 7 = 43$.

id=59790 | topic=Averages | difficulty=Easy | question=Find the average of 79, 59, 92, 22. | option_a=65 | option_b=63 | option_c=62 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = $252 \div 4 = 63$.

Aptitude Questions — Records 59,791-59,820 of 100,000

id=59791 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=40 | option_b=39 | option_c=46 | option_d=32 | answer=B | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.

id=59792 | topic=Averages | difficulty=Easy | question=Find the average of 11, 64, 54, 11. | option_a=36 | option_b=35 | option_c=34 | option_d=37 | answer=B | explanation=Average = sum of values ÷ number of values = 140 ÷ 4 = 35.

id=59793 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=105 | option_c=200 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=59794 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=59795 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3237. If it is sold at a profit of 10%, what is its selling price? | option_a=3237 | option_b=3560 | option_c=3883 | option_d=3247 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3237 × 110/100 = █3560.

id=59796 | topic=Averages | difficulty=Easy | question=Find the average of 28, 77, 83, 32, 48, 98, 68. | option_a=64 | option_b=63 | option_c=61 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 434 ÷ 7 = 62.

id=59797 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 22? | option_a=13 | option_b=15 | option_c=17 | option_d=22 | answer=D | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 22 is the odd one out.

id=59798 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=59799 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=50 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=59800 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8876 at 8% per annum for 3 years. | option_a=2130 | option_b=11006 | option_c=2030 | option_d=2230 | answer=A | explanation=SI = PRT/100 = 8876×8×3/100 = █2130.

id=59801 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10864 at 8% per annum for 5 years. | option_a=4345 | option_b=4445 | option_c=15209 | option_d=4245 | answer=A | explanation=SI = PRT/100 = 10864×8×5/100 = █4345.

id=59802 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=5 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=59803 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 26, 28, 32? | option_a=26 | option_b=32 | option_c=24 | option_d=28 | answer=B | explanation=The first three numbers increase by 2, so the next should be 30. Therefore 32 is the odd one out.

id=59804 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=34 | option_b=37 | option_c=29 | option_d=33 | answer=D | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=59805 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=R | option_c=S | option_d=T | answer=D | explanation=Move 1 positions forward from S; the resulting letter is T.

id=59806 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1463. If it is sold at a profit of 5%, what is its selling price? | option_a=1468 | option_b=1682 | option_c=1390 | option_d=1536 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1463 × 105/100 = █1536.

id=59807 | topic=Percentages | difficulty=Easy | question=What is 40% of 910? | option_a=374 | option_b=728 | option_c=359 | option_d=364 | answer=D | explanation=40% of 910 = (40/100) × 910 = 364.

id=59808 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=A | option_c=O | option_d=W | answer=D | explanation=Move 4 positions forward from S; the resulting letter is W.

id=59809 | topic=Averages | difficulty=Easy | question=Find the average of 66, 15, 79, 41, 14. | option_a=42 | option_b=45 | option_c=43 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = 215 ÷ 5 = 43.

id=59810 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 39, 49, 61? | option_a=61 | option_b=49 | option_c=29 | option_d=39 | answer=A | explanation=The first three numbers increase by 10, so the next should be 59. Therefore 61 is the odd one out.

id=59811 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:20 and the first is 162, what is the second? | option_a=522 | option_b=369 | option_c=360 | option_d=340 | answer=C | explanation=Scale factor = 162/9 = 18. Therefore second quantity = 20×18 = 360.

id=59812 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=52 | option_b=62 | option_c=40 | option_d=51 | answer=D | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=59813 | topic=Profit & Loss | difficulty=Easy | question=An article costs █760. If it is sold at a profit of 5%, what is its selling price? | option_a=765 | option_b=798 | option_c=722 | option_d=874 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 760 × 105/100 = █798.

id=59814 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=46 | option_b=30 | option_c=38 | option_d=39 | answer=C | explanation=The common difference is 8. Therefore the next term is 30 + 8 = 38.

id=59815 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=X | option_c=P | option_d=B | answer=B | explanation=Move 4 positions forward from T; the resulting letter is X.

id=59816 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=150 | option_c=300 | option_d=155 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=59817 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 24, 33, 43? | option_a=24 | option_b=15 | option_c=43 | option_d=33 | answer=C | explanation=The first three numbers increase by 9, so the next should be 42. Therefore 43 is the odd one out.

id=59818 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 45? | option_a=37 | option_b=27 | option_c=32 | option_d=45 | answer=D | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 45 is the odd one out.

id=59819 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 9. | option_a=36 | option_b=48 | option_c=27 | option_d=108 | answer=A | explanation=LCM × HCF = 12×9; HCF(12,9) = 3, so LCM = 36.

id=59820 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=34 | option_b=26 | option_c=42 | option_d=35 | answer=A | explanation=The common difference is 8. Therefore the next term is 26 + 8 = 34.

Aptitude Questions — Records 59,821-59,850 of 100,000

id=59821 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=59822 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=50 | option_c=45 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = $150 \div 3 = 50$ km/h.

id=59823 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 5, 7, 10? | option_a=10 | option_b=5 | option_c=3 | option_d=7 | answer=A | explanation=The first three numbers increase by 2, so the next should be 9. Therefore 10 is the odd one out.

id=59824 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=24 | option_b=18 | option_c=23 | option_d=28 | answer=C | explanation=The common difference is 5. Therefore the next term is $18 + 5 = 23$.

id=59825 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = $90 \div 6 = 15$ km/h.

id=59826 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 41? | option_a=33 | option_b=30 | option_c=41 | option_d=36 | answer=C | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 41 is the odd one out.

id=59827 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:9 and the first is 304, what is the second? | option_a=171 | option_b=187 | option_c=162 | option_d=475 | answer=A | explanation=Scale factor = $\frac{304}{16} = 19$. Therefore second quantity = $9 \times 19 = 171$.

id=59828 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3956. If it is sold at a profit of 30%, what is its selling price? | option_a=4747 | option_b=5142 | option_c=5537 | option_d=3986 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3956 \times \frac{130}{100} = \text{█}5142$.

id=59829 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 25? | option_a=20 | option_b=16 | option_c=18 | option_d=25 | answer=D | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 25 is the odd one out.

id=59830 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=Z | option_b=N | option_c=R | option_d=V | answer=D | explanation=Move 4 positions forward from R; the resulting letter is V.

id=59831 | topic=Averages | difficulty=Easy | question=Find the average of 73, 38, 60. | option_a=57 | option_b=58 | option_c=56 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{171}{3} = 57$.

id=59832 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=80 | option_c=70 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = $300 \div 4 = 75$ km/h.

id=59833 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4064. If it is sold at a profit of 20%, what is its selling price? | option_a=4084 | option_b=5282 | option_c=4876 | option_d=4470 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4064 \times \frac{120}{100} = \text{█}4876$.

id=59834 | topic=Averages | difficulty=Easy | question=Find the average of 83, 44, 92, 42, 100, 89. | option_a=77 | option_b=76 | option_c=74 | option_d=75 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{450}{6} = 75$.

id=59835 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=5 | option_d=24 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=59836 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2337. If it is sold at a profit of 50%, what is its selling price? | option_a=3505 | option_b=3738 | option_c=2387 | option_d=3272 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2337 \times \frac{150}{100} = \text{█}3505$.

id=59837 | topic=Percentages | difficulty=Easy | question=What is 12% of 505? | option_a=80 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=12% of 505 = $(\frac{12}{100}) \times 505 = 60$.

id=59838 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=T | option_c=U | option_d=S | answer=C | explanation=Move 1 positions forward from T; the resulting letter is U.

id=59839 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1032. If it is sold at a profit of 30%, what is its selling price? | option_a=1062 | option_b=1341 | option_c=1238 | option_d=1444 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1032 \times \frac{130}{100} = \text{█}1341$.

id=59840 | topic=Averages | difficulty=Easy | question=Find the average of 83, 37, 84, 88, 30, 56. | option_a=65 | option_b=63 | option_c=62 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{378}{6} = 63$.

id=59841 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=10 | option_b=12 | option_c=14 | option_d=13 | answer=B | explanation=The common difference is 2. Therefore the next term is $10 + 2 = 12$.

id=59842 | topic=Percentages | difficulty=Easy | question=What is 12% of 654? | option_a=68 | option_b=98 | option_c=78 | option_d=156 | answer=C | explanation=12% of 654 = $(\frac{12}{100}) \times 654 = 78$.

id=59843 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:4 and the first is 96, what is the second? | option_a=40 | option_b=24 | option_c=120 | option_d=20 | answer=B | explanation=Scale factor = $\frac{96}{16} = 6$. Therefore second quantity = $4 \times 6 = 24$.

id=59844 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=27 | option_b=17 | option_c=22 | option_d=23 | answer=C | explanation=The common difference is 5. Therefore the next term is $17 + 5 = 22$.

id=59845 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=59846 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=29 | option_b=35 | option_c=33 | option_d=32 | answer=D | explanation=The common difference is 3. Therefore the next term is $29 + 3 = 32$.

id=59847 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 44? | option_a=25 | option_b=31 | option_c=37 | option_d=44 | answer=D | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 44 is the odd one out.

id=59848 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17277 at 5% per annum for 5 years. | option_a=4319 | option_b=21596 | option_c=4219 | option_d=4419 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{17277 \times 5 \times 5}{100} = \text{█}4319$.

id=59849 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:18 and the first is 50, what is the second? | option_a=162 | option_b=230 | option_c=185 | option_d=180 | answer=D | explanation=Scale factor = $\frac{50}{5} = 10$. Therefore second quantity = $18 \times 10 = 180$.

id=59850 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40657 at 4% per annum for 4 years. | option_a=6405 | option_b=47162 | option_c=6605 | option_d=6505 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{40657 \times 4 \times 4}{100} = \text{█}6505$.

Aptitude Questions — Records 59,851-59,880 of 100,000

id=59851 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■7383 at 12% per annum for 2 years. | option_a=1771 | option_b=9154 | option_c=1871 | option_d=1671 | answer=A | explanation=SI = $PRT/100 = 7383 \times 12 \times 2/100 =$ ■1771.

id=59852 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.

id=59853 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=59854 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■26001 at 8% per annum for 3 years. | option_a=6340 | option_b=32241 | option_c=6240 | option_d=6140 | answer=C | explanation=SI = $PRT/100 = 26001 \times 8 \times 3/100 =$ ■6240.

id=59855 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2039. If it is sold at a profit of 30%, what is its selling price? | option_a=2447 | option_b=2069 | option_c=2650 | option_d=2853 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2039 \times 130/100 =$ ■2650.

id=59856 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.

id=59857 | topic=Percentages | difficulty=Easy | question=What is 40% of 388? | option_a=135 | option_b=160 | option_c=155 | option_d=310 | answer=C | explanation=40% of 388 = $(40/100) \times 388 = 155$.

id=59858 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=29 | option_c=19 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = $240 \div 10 = 24$ km/h.

id=59859 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=T | option_b=P | option_c=R | option_d=V | answer=A | explanation=Move 2 positions forward from R; the resulting letter is T.

id=59860 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■983. If it is sold at a profit of 25%, what is its selling price? | option_a=1008 | option_b=1130 | option_c=1228 | option_d=1326 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 983 \times 125/100 =$ ■1228.

id=59861 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:16 and the first is 28, what is the second? | option_a=96 | option_b=112 | option_c=116 | option_d=140 | answer=B | explanation=Scale factor = $28/4 = 7$. Therefore second quantity = $16 \times 7 = 112$.

id=59862 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = $240 \div 8 = 30$ km/h.

id=59863 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=59864 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=59865 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=E | option_c=K | option_d=I | answer=D | explanation=Move 2 positions forward from G; the resulting letter is I.

id=59866 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 9, 13, 18? | option_a=9 | option_b=18 | option_c=13 | option_d=5 | answer=B | explanation=The first three numbers increase by 4, so the next should be 17. Therefore 18 is the odd one out.

id=59867 | topic=Averages | difficulty=Easy | question=Find the average of 10, 93, 46, 61, 38, 23, 61, 44. | option_a=46 | option_b=47 | option_c=49 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = $376 \div 8 = 47$.

id=59868 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=I | option_b=L | option_c=O | option_d=R | answer=C | explanation=Move 3 positions forward from L; the resulting letter is O.

id=59869 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=44 | option_b=52 | option_c=36 | option_d=45 | answer=A | explanation=The common difference is 8. Therefore the next term is $36 + 8 = 44$.

id=59870 | topic=Averages | difficulty=Easy | question=Find the average of 92, 74, 22, 68. | option_a=66 | option_b=63 | option_c=64 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = $256 \div 4 = 64$.

id=59871 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 17, 25, 33, ? | option_a=41 | option_b=33 | option_c=49 | option_d=42 | answer=A | explanation=The common difference is 8. Therefore the next term is $33 + 8 = 41$.

id=59872 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■2854 at 8% per annum for 4 years. | option_a=913 | option_b=1013 | option_c=3767 | option_d=813 | answer=A | explanation=SI = $PRT/100 = 2854 \times 8 \times 4/100 =$ ■913.

id=59873 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = $90 \div 6 = 15$ km/h.

id=59874 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4992. If it is sold at a profit of 20%, what is its selling price? | option_a=5491 | option_b=5012 | option_c=5990 | option_d=6489 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4992 \times 120/100 =$ ■5990.

id=59875 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=75 | option_c=80 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = $240 \div 3 = 80$ km/h.

id=59876 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■5919 at 6% per annum for 4 years. | option_a=1420 | option_b=7339 | option_c=1320 | option_d=1520 | answer=A | explanation=SI = $PRT/100 = 5919 \times 6 \times 4/100 =$ ■1420.

id=59877 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:5 and the first is 20, what is the second? | option_a=30 | option_b=20 | option_c=5 | option_d=10 | answer=D | explanation=Scale factor = $20/10 = 2$. Therefore second quantity = $5 \times 2 = 10$.

id=59878 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■16317 at 6% per annum for 2 years. | option_a=2058 | option_b=18275 | option_c=1958 | option_d=1858 | answer=C | explanation=SI = $PRT/100 = 16317 \times 6 \times 2/100 =$ ■1958.

id=59879 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=59880 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=Q | option_c=S | option_d=U | answer=D | explanation=Move 2 positions forward from S; the resulting letter is U.

Aptitude Questions — Records 59,881-59,910 of 100,000

id=59881 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=Z | option_b=K | option_c=P | option_d=U | answer=D | explanation=Move 5 positions forward from P; the resulting letter is U.

id=59882 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=38 | option_b=47 | option_c=56 | option_d=48 | answer=B | explanation=The common difference is 9. Therefore the next term is 38 + 9 = 47.

id=59883 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:13 and the first is 45, what is the second? | option_a=110 | option_b=65 | option_c=74 | option_d=52 | answer=B | explanation=Scale factor = 45/9 = 5. Therefore second quantity = 13×5 = 65.

id=59884 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2129. If it is sold at a profit of 15%, what is its selling price? | option_a=2660 | option_b=2448 | option_c=2236 | option_d=2144 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2129 × 115/100 = █2448.

id=59885 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=59886 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=F | option_b=K | option_c=V | option_d=A | answer=A | explanation=Move 5 positions forward from A; the resulting letter is F.

id=59887 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3166. If it is sold at a profit of 30%, what is its selling price? | option_a=4115 | option_b=3196 | option_c=4431 | option_d=3799 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3166 × 130/100 = █4115.

id=59888 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2355. If it is sold at a profit of 15%, what is its selling price? | option_a=2370 | option_b=2473 | option_c=2708 | option_d=2943 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2355 × 115/100 = █2708.

id=59889 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=50 | option_b=32 | option_c=41 | option_d=42 | answer=C | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

id=59890 | topic=Averages | difficulty=Easy | question=Find the average of 77, 24, 21, 76, 51, 75, 80, 94, 96. | option_a=66 | option_b=65 | option_c=68 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = 594 ÷ 9 = 66.

id=59891 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=T | option_b=W | option_c=Q | option_d=N | answer=A | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=59892 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24381 at 6% per annum for 5 years. | option_a=7414 | option_b=31695 | option_c=7314 | option_d=7214 | answer=C | explanation=SI = PRT/100 = 24381×6×5/100 = █7314.

id=59893 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3991. If it is sold at a profit of 30%, what is its selling price? | option_a=5587 | option_b=4021 | option_c=4789 | option_d=5188 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3991 × 130/100 = █5188.

id=59894 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4598. If it is sold at a profit of 40%, what is its selling price? | option_a=6437 | option_b=6896 | option_c=4638 | option_d=5978 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4598 × 140/100 = █6437.

id=59895 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 35, 44, 54? | option_a=35 | option_b=54 | option_c=44 | option_d=26 | answer=B | explanation=The first three numbers increase by 9, so the next should be 53. Therefore 54 is the odd one out.

id=59896 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 11, 19, 29? | option_a=29 | option_b=19 | option_c=11 | option_d=3 | answer=A | explanation=The first three numbers increase by 8, so the next should be 27. Therefore 29 is the odd one out.

id=59897 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=P | option_c=T | option_d=V | answer=C | explanation=Move 2 positions forward from R; the resulting letter is T.

id=59898 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=Z | option_c=A | option_d=B | answer=D | explanation=Move 1 positions forward from A; the resulting letter is B.

id=59899 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3625. If it is sold at a profit of 20%, what is its selling price? | option_a=3988 | option_b=3645 | option_c=4712 | option_d=4350 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3625 × 120/100 = █4350.

id=59900 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1217. If it is sold at a profit of 10%, what is its selling price? | option_a=1217 | option_b=1227 | option_c=1338 | option_d=1459 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1217 × 110/100 = █1338.

id=59901 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34819 at 4% per annum for 3 years. | option_a=4178 | option_b=38997 | option_c=4078 | option_d=4278 | answer=A | explanation=SI = PRT/100 = 34819×4×3/100 = █4178.

id=59902 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4630. If it is sold at a profit of 50%, what is its selling price? | option_a=4680 | option_b=6945 | option_c=6482 | option_d=7408 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4630 × 150/100 = █6945.

id=59903 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=72 | option_c=36 | option_d=41 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=59904 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 5, 7, 12? | option_a=3 | option_b=12 | option_c=7 | option_d=5 | answer=B | explanation=The first three numbers increase by 2, so the next should be 9. Therefore 12 is the odd one out.

id=59905 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=59906 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=22 | option_b=26 | option_c=18 | option_d=23 | answer=A | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

id=59907 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:14 and the first is 190, what is the second? | option_a=266 | option_b=252 | option_c=276 | option_d=456 | answer=A | explanation=Scale factor = 190/10 = 19. Therefore second quantity = 14×19 = 266.

id=59908 | topic=Profit & Loss | difficulty=Easy | question=An article costs █534. If it is sold at a profit of 50%, what is its selling price? | option_a=854 | option_b=801 | option_c=748 | option_d=584 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 534 × 150/100 = █801.

id=59909 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=25 | option_b=32 | option_c=39 | option_d=33 | answer=B | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.

id=59910 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:7 and the first is 48, what is the second? | option_a=104 | option_b=49 | option_c=56 | option_d=62 | answer=C | explanation=Scale factor = 48/6 = 8. Therefore second quantity = 7×8 = 56.

Aptitude Questions — Records 59,911-59,940 of 100,000

id=59911 | topic=Percentages | difficulty=Easy | question=What is 12% of 1605? | option_a=182 | option_b=192 | option_c=202 | option_d=384 | answer=B | explanation=12% of 1605 = (12/100) × 1605 = 192.

id=59912 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=P | option_b=K | option_c=F | option_d=A | answer=B | explanation=Move 5 positions forward from F; the resulting letter is K.

id=59913 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=L | option_b=O | option_c=F | option_d=I | answer=A | explanation=Move 3 positions forward from I; the resulting letter is L.

id=59914 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 22. | option_a=286 | option_b=616 | option_c=308 | option_d=336 | answer=C | explanation=LCM × HCF = 28×22; HCF(28,22) = 2, so LCM = 308.

id=59915 | topic=Percentages | difficulty=Easy | question=What is 5% of 635? | option_a=31 | option_b=41 | option_c=21 | option_d=62 | answer=A | explanation=5% of 635 = (5/100) × 635 = 31.

id=59916 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:10 and the first is 112, what is the second? | option_a=80 | option_b=94 | option_c=70 | option_d=192 | answer=A | explanation=Scale factor = 112/14 = 8. Therefore second quantity = 10×8 = 80.

id=59917 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=47 | option_b=33 | option_c=41 | option_d=40 | answer=D | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.

id=59918 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3415. If it is sold at a profit of 50%, what is its selling price? | option_a=5122 | option_b=3465 | option_c=5463 | option_d=4781 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3415 × 150/100 = █5122.

id=59919 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 30, 34, 41? | option_a=26 | option_b=41 | option_c=34 | option_d=30 | answer=B | explanation=The first three numbers increase by 4, so the next should be 38. Therefore 41 is the odd one out.

id=59920 | topic=Averages | difficulty=Easy | question=Find the average of 20, 63, 22, 71, 66, 74, 44, 40, 68. | option_a=53 | option_b=52 | option_c=54 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 468 ÷ 9 = 52.

id=59921 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39425 at 15% per annum for 3 years. | option_a=17841 | option_b=17641 | option_c=17741 | option_d=57166 | answer=C | explanation=SI = PRT/100 = 39425×15×3/100 = █17741.

id=59922 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4797. If it is sold at a profit of 30%, what is its selling price? | option_a=6715 | option_b=5757 | option_c=4827 | option_d=6236 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4797 × 130/100 = █6236.

id=59923 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:13 and the first is 80, what is the second? | option_a=213 | option_b=195 | option_c=208 | option_d=288 | answer=C | explanation=Scale factor = 80/5 = 16. Therefore second quantity = 13×16 = 208.

id=59924 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 34? | option_a=34 | option_b=21 | option_c=16 | option_d=26 | answer=A | explanation=The first three numbers increase by 5, so the next should be 31. Therefore 34 is the odd one out.

id=59925 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 32, 36, 41? | option_a=36 | option_b=32 | option_c=28 | option_d=41 | answer=D | explanation=The first three numbers increase by 4, so the next should be 40. Therefore 41 is the odd one out.

id=59926 | topic=Profit & Loss | difficulty=Easy | question=An article costs █659. If it is sold at a profit of 25%, what is its selling price? | option_a=888 | option_b=758 | option_c=684 | option_d=823 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 659 × 125/100 = █823.

id=59927 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4426. If it is sold at a profit of 25%, what is its selling price? | option_a=5974 | option_b=4451 | option_c=5090 | option_d=5532 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4426 × 125/100 = █5532.

id=59928 | topic=Averages | difficulty=Easy | question=Find the average of 69, 41, 35, 52, 72, 71, 20, 16, 65. | option_a=49 | option_b=48 | option_c=51 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 441 ÷ 9 = 49.

id=59929 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=9 | option_b=14 | option_c=18 | option_d=4 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=59930 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46295 at 5% per annum for 1 years. | option_a=2314 | option_b=2214 | option_c=48609 | option_d=2414 | answer=A | explanation=SI = PRT/100 = 46295×5×1/100 = █2314.

id=59931 | topic=Percentages | difficulty=Easy | question=What is 15% of 686? | option_a=112 | option_b=92 | option_c=102 | option_d=204 | answer=C | explanation=15% of 686 = (15/100) × 686 = 102.

id=59932 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=22 | option_b=30 | option_c=26 | option_d=27 | answer=C | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.

id=59933 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=150 | option_c=70 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=59934 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 22, 32, 44? | option_a=32 | option_b=12 | option_c=22 | option_d=44 | answer=D | explanation=The first three numbers increase by 10, so the next should be 42. Therefore 44 is the odd one out.

id=59935 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=24 | option_b=26 | option_c=28 | option_d=27 | answer=B | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.

id=59936 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=155 | option_c=150 | option_d=300 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=59937 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39317 at 10% per annum for 2 years. | option_a=7963 | option_b=7763 | option_c=47180 | option_d=7863 | answer=D | explanation=SI = PRT/100 = 39317×10×2/100 = █7863.

id=59938 | topic=Averages | difficulty=Easy | question=Find the average of 75, 85, 51, 74, 21, 28, 77, 17, 76. | option_a=57 | option_b=58 | option_c=56 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=59939 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43343 at 6% per annum for 5 years. | option_a=13102 | option_b=56345 | option_c=13002 | option_d=12902 | answer=C | explanation=SI = PRT/100 = 43343×6×5/100 = █13002.

id=59940 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

Aptitude Questions — Records 59,941-59,970 of 100,000

id=59941 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=K | option_b=F | option_c=A | option_d=V | answer=B | explanation=Move 5 positions forward from A; the resulting letter is F.

id=59942 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=59943 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=31 | option_b=37 | option_c=25 | option_d=32 | answer=A | explanation=The common difference is 6. Therefore the next term is 25 + 6 = 31.

id=59944 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=67 | option_b=45 | option_c=56 | option_d=57 | answer=C | explanation=The common difference is 11. Therefore the next term is 45 + 11 = 56.

id=59945 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=M | option_b=H | option_c=C | option_d=R | answer=A | explanation=Move 5 positions forward from H; the resulting letter is M.

id=59946 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**38046 at 4% per annum for 1 years. | option_a=1421 | option_b=1521 | option_c=1621 | option_d=39567 | answer=B | explanation=SI = $\frac{\text{PRT}}{100} = \frac{38046 \times 4 \times 1}{100} = \text{₹}1521$.

id=59947 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=59948 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:20 and the first is 132, what is the second? | option_a=220 | option_b=232 | option_c=352 | option_d=200 | answer=A | explanation=Scale factor = $\frac{132}{12} = 11$. Therefore second quantity = $20 \times 11 = 220$.

id=59949 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=H | option_b=E | option_c=Y | option_d=B | answer=B | explanation=Move 3 positions forward from B; the resulting letter is E.

id=59950 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=59951 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:13 and the first is 150, what is the second? | option_a=345 | option_b=182 | option_c=205 | option_d=195 | answer=D | explanation=Scale factor = $\frac{150}{10} = 15$. Therefore second quantity = $13 \times 15 = 195$.

id=59952 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3682. If it is sold at a profit of 10%, what is its selling price? | option_a=3692 | option_b=4050 | option_c=4418 | option_d=3682 | answer=B | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 3682 \times \frac{110}{100} = \text{₹}4050$.

id=59953 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=48 | option_b=59 | option_c=60 | option_d=70 | answer=B | explanation=The common difference is 11. Therefore the next term is 48 + 11 = 59.

id=59954 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 22. | option_a=198 | option_b=220 | option_c=440 | option_d=240 | answer=B | explanation= $\text{LCM} \times \text{HCF} = 20 \times 22$; $\text{HCF}(20, 22) = 2$, so $\text{LCM} = 220$.

id=59955 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=100 | option_c=55 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = $150 \div 3 = 50$ km/h.

id=59956 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 24. | option_a=26 | option_b=48 | option_c=1 | option_d=24 | answer=D | explanation= $\text{LCM} \times \text{HCF} = 2 \times 24$; $\text{HCF}(2, 24) = 2$, so $\text{LCM} = 24$.

id=59957 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=63 | option_b=74 | option_c=52 | option_d=64 | answer=A | explanation=The common difference is 11. Therefore the next term is 52 + 11 = 63.

id=59958 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=72 | option_c=41 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = $360 \div 10 = 36$ km/h.

id=59959 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=59960 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 35? | option_a=22 | option_b=2 | option_c=35 | option_d=12 | answer=C | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 35 is the odd one out.

id=59961 | topic=Percentages | difficulty=Easy | question=What is 5% of 373? | option_a=8 | option_b=18 | option_c=36 | option_d=28 | answer=B | explanation=5% of 373 = $(5/100) \times 373 = 18$.

id=59962 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $\frac{1}{4} + \frac{1}{4} = \frac{8}{16}$. Time = $\frac{16}{8} = 2$ days.

id=59963 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=K | option_b=Q | option_c=T | option_d=N | answer=B | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=59964 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 27. | option_a=27 | option_b=1 | option_c=81 | option_d=30 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 3 \times 27$; $\text{HCF}(3, 27) = 3$, so $\text{LCM} = 27$.

id=59965 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1012. If it is sold at a profit of 40%, what is its selling price? | option_a=1517 | option_b=1315 | option_c=1416 | option_d=1052 | answer=C | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 1012 \times \frac{140}{100} = \text{₹}1416$.

id=59966 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 14, 20, 27? | option_a=20 | option_b=8 | option_c=14 | option_d=27 | answer=D | explanation=The first three numbers increase by 6, so the next should be 26. Therefore 27 is the odd one out.

id=59967 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=40 | option_b=35 | option_c=36 | option_d=30 | answer=B | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=59968 | topic=Averages | difficulty=Easy | question=Find the average of 92, 26, 92, 77, 70, 76, 15. | option_a=65 | option_b=64 | option_c=63 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = $448 \div 7 = 64$.

id=59969 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=41 | option_b=42 | option_c=34 | option_d=48 | answer=A | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=59970 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3334. If it is sold at a profit of 50%, what is its selling price? | option_a=5001 | option_b=4668 | option_c=3384 | option_d=5334 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 3334 \times \frac{150}{100} = \text{₹}5001$.

Aptitude Questions — Records 59,971-60,000 of 100,000

id=59971 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=59972 | topic=Profit & Loss | difficulty=Easy | question=An article costs █427. If it is sold at a profit of 50%, what is its selling price? | option_a=640 | option_b=477 | option_c=682 | option_d=598 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 427 × 150/100 = █640.

id=59973 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1366. If it is sold at a profit of 50%, what is its selling price? | option_a=2049 | option_b=2185 | option_c=1913 | option_d=1416 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1366 × 150/100 = █2049.

id=59974 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7861 at 8% per annum for 5 years. | option_a=3244 | option_b=11005 | option_c=3044 | option_d=3144 | answer=D | explanation=SI = PRT/100 = 7861×8×5/100 = █3144.

id=59975 | topic=Averages | difficulty=Easy | question=Find the average of 98, 54, 33, 46, 81, 67, 14, 23. | option_a=52 | option_b=54 | option_c=51 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=59976 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 6. | option_a=30 | option_b=90 | option_c=24 | option_d=45 | answer=A | explanation=LCM × HCF = 15×6; HCF(15,6) = 3, so LCM = 30.

id=59977 | topic=Profit & Loss | difficulty=Easy | question=An article costs █606. If it is sold at a profit of 30%, what is its selling price? | option_a=727 | option_b=787 | option_c=847 | option_d=636 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 606 × 130/100 = █787.

id=59978 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4980. If it is sold at a profit of 10%, what is its selling price? | option_a=5976 | option_b=5478 | option_c=4980 | option_d=4990 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4980 × 110/100 = █5478.

id=59979 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24563 at 4% per annum for 1 years. | option_a=982 | option_b=882 | option_c=25545 | option_d=1082 | answer=A | explanation=SI = PRT/100 = 24563×4×1/100 = █982.

id=59980 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 14, 17, 21? | option_a=21 | option_b=14 | option_c=17 | option_d=11 | answer=A | explanation=The first three numbers increase by 3, so the next should be 20. Therefore 21 is the odd one out.

id=59981 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=O | option_b=S | option_c=Q | option_d=U | answer=B | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=59982 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29599 at 15% per annum for 3 years. | option_a=42918 | option_b=13219 | option_c=13319 | option_d=13419 | answer=C | explanation=SI = PRT/100 = 29599×15×3/100 = █13319.

id=59983 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:2 and the first is 80, what is the second? | option_a=18 | option_b=28 | option_c=100 | option_d=20 | answer=D | explanation=Scale factor = 80/8 = 10. Therefore second quantity = 2×10 = 20.

id=59984 | topic=Averages | difficulty=Easy | question=Find the average of 14, 46, 99, 22, 89, 10, 96, 68, 68, 18. | option_a=53 | option_b=52 | option_c=55 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=59985 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=55 | option_c=50 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=59986 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 27, 33, 40? | option_a=21 | option_b=33 | option_c=27 | option_d=40 | answer=D | explanation=The first three numbers increase by 6, so the next should be 39. Therefore 40 is the odd one out.

id=59987 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 6. | option_a=168 | option_b=78 | option_c=84 | option_d=112 | answer=C | explanation=LCM × HCF = 28×6; HCF(28,6) = 2, so LCM = 84.

id=59988 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:2 and the first is 54, what is the second? | option_a=21 | option_b=66 | option_c=10 | option_d=12 | answer=D | explanation=Scale factor = 54/9 = 6. Therefore second quantity = 2×6 = 12.

id=59989 | topic=Averages | difficulty=Easy | question=Find the average of 53, 80, 60, 21, 65, 73, 47, 73. | option_a=61 | option_b=58 | option_c=60 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 472 ÷ 8 = 59.

id=59990 | topic=Percentages | difficulty=Easy | question=What is 12% of 1144? | option_a=274 | option_b=137 | option_c=147 | option_d=117 | answer=B | explanation=12% of 1144 = (12/100) × 1144 = 137.

id=59991 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=D | option_c=Z | option_d=B | answer=B | explanation=Move 2 positions forward from B; the resulting letter is D.

id=59992 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3384. If it is sold at a profit of 5%, what is its selling price? | option_a=3215 | option_b=3891 | option_c=3553 | option_d=3389 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3384 × 105/100 = █3553.

id=59993 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2045. If it is sold at a profit of 15%, what is its selling price? | option_a=2060 | option_b=2351 | option_c=2555 | option_d=2147 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2045 × 115/100 = █2351.

id=59994 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3412. If it is sold at a profit of 25%, what is its selling price? | option_a=3437 | option_b=3924 | option_c=4265 | option_d=4606 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3412 × 125/100 = █4265.

id=59995 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:17 and the first is 80, what is the second? | option_a=277 | option_b=272 | option_c=255 | option_d=352 | answer=B | explanation=Scale factor = 80/5 = 16. Therefore second quantity = 17×16 = 272.

id=59996 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=55 | option_c=50 | option_d=100 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=59997 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=30 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=59998 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:10 and the first is 60, what is the second? | option_a=100 | option_b=40 | option_c=55 | option_d=30 | answer=B | explanation=Scale factor = 60/15 = 4. Therefore second quantity = 10×4 = 40.

id=59999 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=60000 | topic=Averages | difficulty=Easy | question=Find the average of 82, 19, 54, 81. | option_a=59 | option_b=58 | option_c=61 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 236 ÷ 4 = 59.

Aptitude Questions — Records 60,001-60,030 of 100,000

- id=60001 | topic=Averages | difficulty=Easy | question=Find the average of 100, 95, 39, 51, 50. | option_a=67 | option_b=68 | option_c=69 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 335 ÷ 5 = 67.
- id=60002 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=6 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=60003 | topic=Averages | difficulty=Easy | question=Find the average of 37, 58, 64, 67, 45, 23, 11, 12, 52. | option_a=40 | option_b=43 | option_c=42 | option_d=41 | answer=D | explanation=Average = sum of values ÷ number of values = 369 ÷ 9 = 41.
- id=60004 | topic=Percentages | difficulty=Easy | question=What is 30% of 1281? | option_a=374 | option_b=404 | option_c=768 | option_d=384 | answer=D | explanation=30% of 1281 = (30/100) × 1281 = 384.
- id=60005 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46494 at 15% per annum for 1 years. | option_a=6974 | option_b=53468 | option_c=7074 | option_d=6874 | answer=A | explanation=SI = PRT/100 = 46494×15×1/100 = **■**6974.
- id=60006 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=T | option_c=Q | option_d=S | answer=D | explanation=Move 1 positions forward from R; the resulting letter is S.
- id=60007 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=24 | option_b=27 | option_c=28 | option_d=26 | answer=D | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.
- id=60008 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 17, 27, 40? | option_a=40 | option_b=17 | option_c=27 | option_d=7 | answer=A | explanation=The first three numbers increase by 10, so the next should be 37. Therefore 40 is the odd one out.
- id=60009 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=60010 | topic=Percentages | difficulty=Easy | question=What is 40% of 364? | option_a=290 | option_b=145 | option_c=135 | option_d=165 | answer=B | explanation=40% of 364 = (40/100) × 364 = 145.
- id=60011 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=D | option_c=F | option_d=J | answer=A | explanation=Move 2 positions forward from F; the resulting letter is H.
- id=60012 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.
- id=60013 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=L | option_c=N | option_d=O | answer=C | explanation=Move 1 positions forward from M; the resulting letter is N.
- id=60014 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=63 | option_b=54 | option_c=53 | option_d=43 | answer=C | explanation=The common difference is 10. Therefore the next term is 43 + 10 = 53.
- id=60015 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=O | option_b=S | option_c=Q | option_d=U | answer=B | explanation=Move 2 positions forward from Q; the resulting letter is S.
- id=60016 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=60017 | topic=Averages | difficulty=Easy | question=Find the average of 63, 68, 78, 27. | option_a=58 | option_b=61 | option_c=59 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 236 ÷ 4 = 59.
- id=60018 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=22 | option_b=24 | option_c=23 | option_d=20 | answer=A | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.
- id=60019 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 6. | option_a=88 | option_b=60 | option_c=66 | option_d=132 | answer=C | explanation=LCM × HCF = 22×6; HCF(22,6) = 2, so LCM = 66.
- id=60020 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44429 at 8% per annum for 4 years. | option_a=58646 | option_b=14317 | option_c=14117 | option_d=14217 | answer=D | explanation=SI = PRT/100 = 44429×8×4/100 = **■**14217.
- id=60021 | topic=Averages | difficulty=Easy | question=Find the average of 97, 80, 48, 30, 50. | option_a=62 | option_b=60 | option_c=63 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 305 ÷ 5 = 61.
- id=60022 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=60023 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:8 and the first is 60, what is the second? | option_a=220 | option_b=163 | option_c=160 | option_d=152 | answer=C | explanation=Scale factor = 60/3 = 20. Therefore second quantity = 8×20 = 160.
- id=60024 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 13, 17, 21, ? | option_a=26 | option_b=25 | option_c=21 | option_d=29 | answer=B | explanation=The common difference is 4. Therefore the next term is 21 + 4 = 25.
- id=60025 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.
- id=60026 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=9 | option_b=11 | option_c=13 | option_d=12 | answer=B | explanation=The common difference is 2. Therefore the next term is 9 + 2 = 11.
- id=60027 | topic=Percentages | difficulty=Easy | question=What is 25% of 1116? | option_a=558 | option_b=289 | option_c=269 | option_d=279 | answer=D | explanation=25% of 1116 = (25/100) × 1116 = 279.
- id=60028 | topic=Percentages | difficulty=Easy | question=What is 20% of 1417? | option_a=303 | option_b=283 | option_c=566 | option_d=278 | answer=B | explanation=20% of 1417 = (20/100) × 1417 = 283.
- id=60029 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=U | option_c=R | option_d=L | answer=C | explanation=Move 3 positions forward from O; the resulting letter is R.
- id=60030 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=G | option_b=L | option_c=V | option_d=Q | answer=D | explanation=Move 5 positions forward from L; the resulting letter is Q.

Aptitude Questions — Records 60,031-60,060 of 100,000

id=60031 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■15366 at 8% per annum for 5 years. | option_a=6046 | option_b=6246 | option_c=21512 | option_d=6146 | answer=D | explanation=SI = $PRT/100 = 15366 \times 8 \times 5/100 = \blacksquare 6146$.

id=60032 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=12 | option_b=17 | option_c=7 | option_d=24 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=60033 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=54 | option_b=66 | option_c=42 | option_d=55 | answer=A | explanation=The common difference is 12. Therefore the next term is 42 + 12 = 54.

id=60034 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=T | option_b=V | option_c=W | option_d=U | answer=B | explanation=Move 1 positions forward from U; the resulting letter is V.

id=60035 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:16 and the first is 70, what is the second? | option_a=150 | option_b=94 | option_c=80 | option_d=64 | answer=C | explanation=Scale factor = $70/14 = 5$. Therefore second quantity = $16 \times 5 = 80$.

id=60036 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:15 and the first is 180, what is the second? | option_a=480 | option_b=309 | option_c=300 | option_d=285 | answer=C | explanation=Scale factor = $180/9 = 20$. Therefore second quantity = $15 \times 20 = 300$.

id=60037 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1587. If it is sold at a profit of 15%, what is its selling price? | option_a=1983 | option_b=1602 | option_c=1667 | option_d=1825 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1587 \times 115/100 = \blacksquare 1825$.

id=60038 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=34 | option_b=31 | option_c=26 | option_d=30 | answer=D | explanation=The common difference is 4. Therefore the next term is 26 + 4 = 30.

id=60039 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 24. | option_a=24 | option_b=30 | option_c=1 | option_d=144 | answer=A | explanation=LCM $\times$ HCF = 6×24 ; HCF(6,24) = 6, so LCM = 24.

id=60040 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 16, 25, 36? | option_a=16 | option_b=25 | option_c=7 | option_d=36 | answer=D | explanation=The first three numbers increase by 9, so the next should be 34. Therefore 36 is the odd one out.

id=60041 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=53 | option_b=37 | option_c=45 | option_d=46 | answer=C | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=60042 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4478. If it is sold at a profit of 25%, what is its selling price? | option_a=4503 | option_b=5150 | option_c=5597 | option_d=6044 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4478 \times 125/100 = \blacksquare 5597$.

id=60043 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = $60 \div 2 = 30$ km/h.

id=60044 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=120 | option_c=240 | option_d=125 | answer=B | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.

id=60045 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 29, 38, 49? | option_a=49 | option_b=29 | option_c=38 | option_d=20 | answer=A | explanation=The first three numbers increase by 9, so the next should be 47. Therefore 49 is the odd one out.

id=60046 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=31 | option_b=23 | option_c=37 | option_d=30 | answer=D | explanation=The common difference is 7. Therefore the next term is 23 + 7 = 30.

id=60047 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3424. If it is sold at a profit of 5%, what is its selling price? | option_a=3429 | option_b=3253 | option_c=3937 | option_d=3595 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3424 \times 105/100 = \blacksquare 3595$.

id=60048 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:18 and the first is 55, what is the second? | option_a=90 | option_b=72 | option_c=145 | option_d=101 | answer=A | explanation=Scale factor = $55/11 = 5$. Therefore second quantity = $18 \times 5 = 90$.

id=60049 | topic=Percentages | difficulty=Easy | question=What is 30% of 1331? | option_a=399 | option_b=394 | option_c=409 | option_d=798 | answer=A | explanation=30% of 1331 = $(30/100) \times 1331 = 399$.

id=60050 | topic=Percentages | difficulty=Easy | question=What is 50% of 1236? | option_a=618 | option_b=628 | option_c=1236 | option_d=608 | answer=A | explanation=50% of 1236 = $(50/100) \times 1236 = 618$.

id=60051 | topic=Averages | difficulty=Easy | question=Find the average of 82, 36, 58, 61, 43, 39, 72, 45, 83, 71. | option_a=60 | option_b=58 | option_c=59 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = $590 \div 10 = 59$.

id=60052 | topic=Averages | difficulty=Easy | question=Find the average of 43, 55, 35, 50, 82. | option_a=53 | option_b=54 | option_c=55 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = $265 \div 5 = 53$.

id=60053 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=G | option_b=D | option_c=X | option_d=A | answer=B | explanation=Move 3 positions forward from A; the resulting letter is D.

id=60054 | topic=Averages | difficulty=Easy | question=Find the average of 42, 88, 27, 67, 19, 34, 31. | option_a=43 | option_b=44 | option_c=46 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = $308 \div 7 = 44$.

id=60055 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=40 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = $120 \div 6 = 20$ km/h.

id=60056 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=61 | option_b=49 | option_c=73 | option_d=62 | answer=A | explanation=The common difference is 12. Therefore the next term is 49 + 12 = 61.

id=60057 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Z | option_b=Q | option_c=T | option_d=W | answer=D | explanation=Move 3 positions forward from T; the resulting letter is W.

id=60058 | topic=Averages | difficulty=Easy | question=Find the average of 98, 78, 61, 20, 90, 37, 88, 86, 16, 56. | option_a=65 | option_b=63 | option_c=64 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = $630 \div 10 = 63$.

id=60059 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=20 | option_d=6 | answer=B | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=60060 | topic=Percentages | difficulty=Easy | question=What is 30% of 1141? | option_a=322 | option_b=684 | option_c=352 | option_d=342 | answer=D | explanation=30% of 1141 = $(30/100) \times 1141 = 342$.

Aptitude Questions — Records 60,061-60,090 of 100,000

id=60061 | topic=Percentages | difficulty=Easy | question=What is 50% of 1064? | option_a=532 | option_b=512 | option_c=1064 | option_d=552 | answer=A | explanation=50% of 1064 = (50/100) × 1064 = 532.

id=60062 | topic=Percentages | difficulty=Easy | question=What is 40% of 1103? | option_a=431 | option_b=441 | option_c=446 | option_d=882 | answer=B | explanation=40% of 1103 = (40/100) × 1103 = 441.

id=60063 | topic=Percentages | difficulty=Easy | question=What is 50% of 268? | option_a=134 | option_b=129 | option_c=268 | option_d=139 | answer=A | explanation=50% of 268 = (50/100) × 268 = 134.

id=60064 | topic=Percentages | difficulty=Easy | question=What is 15% of 111? | option_a=16 | option_b=32 | option_c=21 | option_d=11 | answer=A | explanation=15% of 111 = (15/100) × 111 = 16.

id=60065 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=60066 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=40 | option_b=51 | option_c=60 | option_d=50 | answer=D | explanation=The common difference is 10. Therefore the next term is 40 + 10 = 50.

id=60067 | topic=Percentages | difficulty=Easy | question=What is 50% of 98? | option_a=39 | option_b=49 | option_c=59 | option_d=98 | answer=B | explanation=50% of 98 = (50/100) × 98 = 49.

id=60068 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 23, 25, 30? | option_a=25 | option_b=21 | option_c=30 | option_d=23 | answer=C | explanation=The first three numbers increase by 2, so the next should be 27. Therefore 30 is the odd one out.

id=60069 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12686 at 10% per annum for 1 years. | option_a=13954 | option_b=1368 | option_c=1268 | option_d=1168 | answer=C | explanation=SI = PRT/100 = 12686×10×1/100 = **■**1268.

id=60070 | topic=Percentages | difficulty=Easy | question=What is 5% of 938? | option_a=92 | option_b=51 | option_c=46 | option_d=26 | answer=C | explanation=5% of 938 = (5/100) × 938 = 46.

id=60071 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 14. | option_a=210 | option_b=420 | option_c=196 | option_d=240 | answer=A | explanation=LCM × HCF = 30×14; HCF(30,14) = 2, so LCM = 210.

id=60072 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=21 | option_b=17 | option_c=22 | option_d=25 | answer=A | explanation=The common difference is 4. Therefore the next term is 17 + 4 = 21.

id=60073 | topic=Percentages | difficulty=Easy | question=What is 25% of 1038? | option_a=254 | option_b=264 | option_c=518 | option_d=259 | answer=D | explanation=25% of 1038 = (25/100) × 1038 = 259.

id=60074 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:3 and the first is 18, what is the second? | option_a=51 | option_b=72 | option_c=55 | option_d=54 | answer=D | explanation=Scale factor = 18/1 = 18. Therefore second quantity = 3×18 = 54.

id=60075 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40866 at 12% per annum for 1 years. | option_a=4803 | option_b=45769 | option_c=4903 | option_d=5003 | answer=C | explanation=SI = PRT/100 = 40866×12×1/100 = **■**4903.

id=60076 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25865 at 12% per annum for 4 years. | option_a=12515 | option_b=12315 | option_c=38280 | option_d=12415 | answer=D | explanation=SI = PRT/100 = 25865×12×4/100 = **■**12415.

id=60077 | topic=Averages | difficulty=Easy | question=Find the average of 43, 13, 70. | option_a=41 | option_b=44 | option_c=43 | option_d=42 | answer=D | explanation=Average = sum of values + number of values = 126 ÷ 3 = 42.

id=60078 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=32 | option_b=25 | option_c=31 | option_d=37 | answer=C | explanation=The common difference is 6. Therefore the next term is 25 + 6 = 31.

id=60079 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27532 at 6% per annum for 5 years. | option_a=8259 | option_b=8359 | option_c=35791 | option_d=8159 | answer=A | explanation=SI = PRT/100 = 27532×6×5/100 = **■**8259.

id=60080 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 34, 41, 49? | option_a=27 | option_b=34 | option_c=41 | option_d=49 | answer=D | explanation=The first three numbers increase by 7, so the next should be 48. Therefore 49 is the odd one out.

id=60081 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=60082 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13903 at 6% per annum for 2 years. | option_a=15571 | option_b=1668 | option_c=1568 | option_d=1768 | answer=B | explanation=SI = PRT/100 = 13903×6×2/100 = **■**1668.

id=60083 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=60084 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 47? | option_a=37 | option_b=28 | option_c=19 | option_d=47 | answer=D | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 47 is the odd one out.

id=60085 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8391 at 4% per annum for 4 years. | option_a=1242 | option_b=1342 | option_c=9733 | option_d=1442 | answer=B | explanation=SI = PRT/100 = 8391×4×4/100 = **■**1342.

id=60086 | topic=Averages | difficulty=Easy | question=Find the average of 10, 89, 55, 76, 31, 57. | option_a=53 | option_b=52 | option_c=55 | option_d=54 | answer=A | explanation=Average = sum of values + number of values = 318 ÷ 6 = 53.

id=60087 | topic=Averages | difficulty=Easy | question=Find the average of 10, 96, 43, 98, 93. | option_a=67 | option_b=69 | option_c=68 | option_d=70 | answer=C | explanation=Average = sum of values + number of values = 340 ÷ 5 = 68.

id=60088 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=60089 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=56 | option_b=47 | option_c=48 | option_d=38 | answer=B | explanation=The common difference is 9. Therefore the next term is 38 + 9 = 47.

id=60090 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 60,091-60,120 of 100,000

id=60091 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=27 | option_b=24 | option_c=28 | option_d=30 | answer=A | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=60092 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 24, 27, 31? | option_a=21 | option_b=31 | option_c=27 | option_d=24 | answer=B | explanation=The first three numbers increase by 3, so the next should be 30. Therefore 31 is the odd one out.

id=60093 | topic=Averages | difficulty=Easy | question=Find the average of 26, 61, 66, 16, 44, 69. | option_a=46 | option_b=47 | option_c=48 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 282 ÷ 6 = 47.

id=60094 | topic=Averages | difficulty=Easy | question=Find the average of 17, 21, 61, 64, 63, 61, 80, 17. | option_a=49 | option_b=50 | option_c=47 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = 384 ÷ 8 = 48.

id=60095 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38532 at 5% per annum for 5 years. | option_a=9633 | option_b=9733 | option_c=9533 | option_d=48165 | answer=A | explanation=SI = $\text{PRT}/100 = 38532 \times 5 \times 5 / 100 = \text{■}9633$.

id=60096 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13229 at 8% per annum for 3 years. | option_a=3074 | option_b=3274 | option_c=16403 | option_d=3174 | answer=D | explanation=SI = $\text{PRT}/100 = 13229 \times 8 \times 3 / 100 = \text{■}3174$.

id=60097 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 28? | option_a=19 | option_b=15 | option_c=23 | option_d=28 | answer=D | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 28 is the odd one out.

id=60098 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5665 at 4% per annum for 4 years. | option_a=1006 | option_b=6571 | option_c=806 | option_d=906 | answer=D | explanation=SI = $\text{PRT}/100 = 5665 \times 4 \times 4 / 100 = \text{■}906$.

id=60099 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 35, 40, 47? | option_a=47 | option_b=40 | option_c=30 | option_d=35 | answer=A | explanation=The first three numbers increase by 5, so the next should be 45. Therefore 47 is the odd one out.

id=60100 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=300 | option_c=145 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=60101 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33931 at 10% per annum for 1 years. | option_a=3393 | option_b=3493 | option_c=37324 | option_d=3293 | answer=A | explanation=SI = $\text{PRT}/100 = 33931 \times 10 \times 1 / 100 = \text{■}3393$.

id=60102 | topic=Averages | difficulty=Easy | question=Find the average of 60, 60, 48, 46, 41, 40, 40, 33. | option_a=48 | option_b=46 | option_c=47 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = 368 ÷ 8 = 46.

id=60103 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2723. If it is sold at a profit of 30%, what is its selling price? | option_a=3811 | option_b=2753 | option_c=3267 | option_d=3539 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 2723 \times 130 / 100 = \text{■}3539$.

id=60104 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 30. | option_a=450 | option_b=1 | option_c=30 | option_d=45 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 15 \times 30$; $\text{HCF}(15, 30) = 15$, so $\text{LCM} = 30$.

id=60105 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 47? | option_a=47 | option_b=34 | option_c=28 | option_d=40 | answer=A | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 47 is the odd one out.

id=60106 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3963. If it is sold at a profit of 5%, what is its selling price? | option_a=4557 | option_b=3968 | option_c=4161 | option_d=3765 | answer=C | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 3963 \times 105 / 100 = \text{■}4161$.

id=60107 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=60108 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40077 at 4% per annum for 5 years. | option_a=8115 | option_b=7915 | option_c=8015 | option_d=48092 | answer=C | explanation=SI = $\text{PRT}/100 = 40077 \times 4 \times 5 / 100 = \text{■}8015$.

id=60109 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=T | option_c=L | option_d=H | answer=A | explanation=Move 4 positions forward from L; the resulting letter is P.

id=60110 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=60111 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6691 at 12% per annum for 2 years. | option_a=1705 | option_b=1505 | option_c=8296 | option_d=1605 | answer=D | explanation=SI = $\text{PRT}/100 = 6691 \times 12 \times 2 / 100 = \text{■}1605$.

id=60112 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=78 | option_b=66 | option_c=54 | option_d=67 | answer=B | explanation=The common difference is 12. Therefore the next term is 54 + 12 = 66.

id=60113 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3968. If it is sold at a profit of 5%, what is its selling price? | option_a=4562 | option_b=3973 | option_c=4166 | option_d=3770 | answer=C | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 3968 \times 105 / 100 = \text{■}4166$.

id=60114 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=60115 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=60116 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=80 | option_c=40 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=60117 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:11 and the first is 187, what is the second? | option_a=138 | option_b=110 | option_c=308 | option_d=121 | answer=D | explanation=Scale factor = $187/17 = 11$. Therefore second quantity = $11 \times 11 = 121$.

id=60118 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=47 | option_b=65 | option_c=57 | option_d=56 | answer=D | explanation=The common difference is 9. Therefore the next term is 47 + 9 = 56.

id=60119 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 13, 23, 36? | option_a=23 | option_b=13 | option_c=3 | option_d=36 | answer=D | explanation=The first three numbers increase by 10, so the next should be 33. Therefore 36 is the odd one out.

id=60120 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:13 and the first is 192, what is the second? | option_a=156 | option_b=143 | option_c=348 | option_d=172 | answer=A | explanation=Scale factor = $192/16 = 12$. Therefore second quantity = $13 \times 12 = 156$.

Aptitude Questions — Records 60,121-60,150 of 100,000

id=60121 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=160 | option_c=85 | option_d=75 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=60122 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36722 at 10% per annum for 2 years. | option_a=7344 | option_b=44066 | option_c=7444 | option_d=7244 | answer=A | explanation=SI = $PRT/100 = 36722 \times 10 \times 2/100 = \text{■}7344$.

id=60123 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 32, 40, 50? | option_a=32 | option_b=40 | option_c=50 | option_d=24 | answer=C | explanation=The first three numbers increase by 8, so the next should be 48. Therefore 50 is the odd one out.

id=60124 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=E | option_b=F | option_c=G | option_d=H | answer=C | explanation=Move 1 positions forward from F; the resulting letter is G.

id=60125 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=30 | option_b=31 | option_c=33 | option_d=27 | answer=A | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.

id=60126 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48797 at 8% per annum for 4 years. | option_a=15715 | option_b=64412 | option_c=15615 | option_d=15515 | answer=C | explanation=SI = $PRT/100 = 48797 \times 8 \times 4/100 = \text{■}15615$.

id=60127 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27247 at 10% per annum for 1 years. | option_a=2624 | option_b=2824 | option_c=2724 | option_d=29971 | answer=C | explanation=SI = $PRT/100 = 27247 \times 10 \times 1/100 = \text{■}2724$.

id=60128 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 33, 40, 48? | option_a=26 | option_b=48 | option_c=40 | option_d=33 | answer=B | explanation=The first three numbers increase by 7, so the next should be 47. Therefore 48 is the odd one out.

id=60129 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 14, 17, 22? | option_a=17 | option_b=22 | option_c=14 | option_d=11 | answer=B | explanation=The first three numbers increase by 3, so the next should be 20. Therefore 22 is the odd one out.

id=60130 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=Y | option_b=O | option_c=T | option_d=D | answer=A | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=60131 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=P | option_b=H | option_c=D | option_d=L | answer=D | explanation=Move 4 positions forward from H; the resulting letter is L.

id=60132 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=18 | option_d=13 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=60133 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:4 and the first is 15, what is the second? | option_a=75 | option_b=60 | option_c=61 | option_d=56 | answer=B | explanation=Scale factor = 15/1 = 15. Therefore second quantity = 4×15 = 60.

id=60134 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1145. If it is sold at a profit of 25%, what is its selling price? | option_a=1545 | option_b=1431 | option_c=1317 | option_d=1170 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1145 × 125/100 = **■**1431.

id=60135 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22813 at 10% per annum for 4 years. | option_a=9225 | option_b=31938 | option_c=9125 | option_d=9025 | answer=C | explanation=SI = $PRT/100 = 22813 \times 10 \times 4/100 = \text{■}9125$.

id=60136 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8980 at 6% per annum for 2 years. | option_a=1077 | option_b=1177 | option_c=977 | option_d=10057 | answer=A | explanation=SI = $PRT/100 = 8980 \times 6 \times 2/100 = \text{■}1077$.

id=60137 | topic=Averages | difficulty=Easy | question=Find the average of 37, 58, 45, 13, 52, 23, 30, 19, 47. | option_a=38 | option_b=37 | option_c=36 | option_d=35 | answer=C | explanation=Average = sum of values ÷ number of values = 324 ÷ 9 = 36.

id=60138 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=40 | option_c=45 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=60139 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=60140 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2840. If it is sold at a profit of 50%, what is its selling price? | option_a=4260 | option_b=3976 | option_c=2890 | option_d=4544 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2840 × 150/100 = **■**4260.

id=60141 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=35 | option_b=45 | option_c=55 | option_d=46 | answer=B | explanation=The common difference is 10. Therefore the next term is 35 + 10 = 45.

id=60142 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=45 | option_b=65 | option_c=56 | option_d=55 | answer=D | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.

id=60143 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 24, 30, 39? | option_a=39 | option_b=30 | option_c=18 | option_d=24 | answer=A | explanation=The first three numbers increase by 6, so the next should be 36. Therefore 39 is the odd one out.

id=60144 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=40 | option_b=34 | option_c=28 | option_d=35 | answer=B | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.

id=60145 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=60146 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45932 at 6% per annum for 5 years. | option_a=13679 | option_b=13879 | option_c=59711 | option_d=13779 | answer=D | explanation=SI = $PRT/100 = 45932 \times 6 \times 5/100 = \text{■}13779$.

id=60147 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=60148 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=60149 | topic=Percentages | difficulty=Easy | question=What is 30% of 1372? | option_a=822 | option_b=431 | option_c=411 | option_d=391 | answer=C | explanation=30% of 1372 = (30/100) × 1372 = 411.

id=60150 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=9 | option_b=14 | option_c=18 | option_d=4 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

Aptitude Questions — Records 60,151-60,180 of 100,000

id=60151 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 49? | option_a=49 | option_b=42 | option_c=36 | option_d=30 | answer=A | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 49 is the odd one out.

id=60152 | topic=Percentages | difficulty=Easy | question=What is 30% of 1803? | option_a=550 | option_b=540 | option_c=520 | option_d=1080 | answer=B | explanation=30% of 1803 = $(30/100) \times 1803 = 540$.

id=60153 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21009 at 6% per annum for 2 years. | option_a=23530 | option_b=2521 | option_c=2421 | option_d=2621 | answer=B | explanation=SI = $PRT/100 = 21009 \times 6 \times 2/100 = \text{■}2521$.

id=60154 | topic=Percentages | difficulty=Easy | question=What is 5% of 697? | option_a=14 | option_b=68 | option_c=39 | option_d=34 | answer=D | explanation=5% of 697 = $(5/100) \times 697 = 34$.

id=60155 | topic=Averages | difficulty=Easy | question=Find the average of 99, 49, 29. | option_a=60 | option_b=61 | option_c=59 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = $177 \div 3 = 59$.

id=60156 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:3 and the first is 48, what is the second? | option_a=26 | option_b=66 | option_c=15 | option_d=18 | answer=D | explanation=Scale factor = $48/8 = 6$. Therefore second quantity = $3 \times 6 = 18$.

id=60157 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=60158 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 30? | option_a=24 | option_b=26 | option_c=30 | option_d=22 | answer=C | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 30 is the odd one out.

id=60159 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 19, 27, 38? | option_a=38 | option_b=19 | option_c=11 | option_d=27 | answer=A | explanation=The first three numbers increase by 8, so the next should be 35. Therefore 38 is the odd one out.

id=60160 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=W | option_b=Q | option_c=T | option_d=Z | answer=A | explanation=Move 3 positions forward from T; the resulting letter is W.

id=60161 | topic=Averages | difficulty=Easy | question=Find the average of 74, 48, 86, 22, 100. | option_a=68 | option_b=67 | option_c=65 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = $330 \div 5 = 66$.

id=60162 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10234 at 5% per annum for 2 years. | option_a=1123 | option_b=923 | option_c=11257 | option_d=1023 | answer=D | explanation=SI = $PRT/100 = 10234 \times 5 \times 2/100 = \text{■}1023$.

id=60163 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:19 and the first is 15, what is the second? | option_a=72 | option_b=57 | option_c=38 | option_d=62 | answer=B | explanation=Scale factor = $15/5 = 3$. Therefore second quantity = $19 \times 3 = 57$.

id=60164 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2645. If it is sold at a profit of 10%, what is its selling price? | option_a=2909 | option_b=2645 | option_c=2655 | option_d=3173 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2645 \times 110/100 = \text{■}2909$.

id=60165 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:9 and the first is 24, what is the second? | option_a=132 | option_b=99 | option_c=110 | option_d=108 | answer=D | explanation=Scale factor = $24/2 = 12$. Therefore second quantity = $9 \times 12 = 108$.

id=60166 | topic=Averages | difficulty=Easy | question=Find the average of 91, 68, 61, 55, 74, 29. | option_a=63 | option_b=62 | option_c=65 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = $378 \div 6 = 63$.

id=60167 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=13 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = $90 \div 5 = 18$ km/h.

id=60168 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=J | option_b=H | option_c=I | option_d=K | answer=A | explanation=Move 1 positions forward from I; the resulting letter is J.

id=60169 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:13 and the first is 39, what is the second? | option_a=52 | option_b=26 | option_c=39 | option_d=78 | answer=C | explanation=Scale factor = $39/13 = 3$. Therefore second quantity = $13 \times 3 = 39$.

id=60170 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=60171 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=67 | option_c=72 | option_d=144 | answer=C | explanation=Speed = distance ÷ time = $360 \div 5 = 72$ km/h.

id=60172 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=45 | option_b=58 | option_c=69 | option_d=57 | answer=D | explanation=The common difference is 12. Therefore the next term is $45 + 12 = 57$.

id=60173 | topic=Averages | difficulty=Easy | question=Find the average of 12, 53, 10, 81. | option_a=39 | option_b=38 | option_c=40 | option_d=41 | answer=A | explanation=Average = sum of values ÷ number of values = $156 \div 4 = 39$.

id=60174 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1271. If it is sold at a profit of 20%, what is its selling price? | option_a=1398 | option_b=1291 | option_c=1525 | option_d=1652 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1271 \times 120/100 = \text{■}1525$.

id=60175 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42228 at 8% per annum for 1 years. | option_a=3278 | option_b=45606 | option_c=3378 | option_d=3478 | answer=C | explanation=SI = $PRT/100 = 42228 \times 8 \times 1/100 = \text{■}3378$.

id=60176 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**914. If it is sold at a profit of 40%, what is its selling price? | option_a=1279 | option_b=1188 | option_c=1370 | option_d=954 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 914 \times 140/100 = \text{■}1279$.

id=60177 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=77 | option_c=67 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = $360 \div 5 = 72$ km/h.

id=60178 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:18 and the first is 240, what is the second? | option_a=286 | option_b=252 | option_c=510 | option_d=270 | answer=D | explanation=Scale factor = $240/16 = 15$. Therefore second quantity = $18 \times 15 = 270$.

id=60179 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=60180 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14915 at 4% per annum for 1 years. | option_a=596 | option_b=15511 | option_c=496 | option_d=696 | answer=A | explanation=SI = $PRT/100 = 14915 \times 4 \times 1/100 = \text{■}596$.

Aptitude Questions — Records 60,181-60,210 of 100,000

id=60181 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=1 | option_c=6 | option_d=12 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=60182 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=40 | option_c=25 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=60183 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 195, what is the second? | option_a=234 | option_b=36 | option_c=54 | option_d=39 | answer=D | explanation=Scale factor = 195/15 = 13. Therefore second quantity = 3×13 = 39.

id=60184 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=27 | option_b=22 | option_c=32 | option_d=28 | answer=A | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.

id=60185 | topic=Averages | difficulty=Easy | question=Find the average of 17, 50, 62. | option_a=43 | option_b=44 | option_c=45 | option_d=42 | answer=A | explanation=Average = sum of values ÷ number of values = 129 ÷ 3 = 43.

id=60186 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=41 | option_b=29 | option_c=35 | option_d=36 | answer=C | explanation=The common difference is 6. Therefore the next term is 29 + 6 = 35.

id=60187 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2902. If it is sold at a profit of 40%, what is its selling price? | option_a=4352 | option_b=4062 | option_c=2942 | option_d=3772 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2902 × 140/100 = █4062.

id=60188 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 24. | option_a=504 | option_b=168 | option_c=189 | option_d=144 | answer=B | explanation=LCM × HCF = 21×24; HCF(21,24) = 3, so LCM = 168.

id=60189 | topic=Averages | difficulty=Easy | question=Find the average of 78, 48, 80, 83, 12, 31, 39, 95, 70, 94. | option_a=62 | option_b=65 | option_c=63 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 630 ÷ 10 = 63.

id=60190 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:8 and the first is 52, what is the second? | option_a=108 | option_b=96 | option_c=104 | option_d=156 | answer=C | explanation=Scale factor = 52/4 = 13. Therefore second quantity = 8×13 = 104.

id=60191 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=60192 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=13 | option_b=14 | option_c=12 | option_d=10 | answer=C | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.

id=60193 | topic=Averages | difficulty=Easy | question=Find the average of 32, 96, 71, 70, 31, 42, 15. | option_a=53 | option_b=51 | option_c=52 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.

id=60194 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 28. | option_a=140 | option_b=192 | option_c=168 | option_d=672 | answer=C | explanation=LCM × HCF = 24×28; HCF(24,28) = 4, so LCM = 168.

id=60195 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=B | option_b=Z | option_c=A | option_d=C | answer=A | explanation=Move 1 positions forward from A; the resulting letter is B.

id=60196 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:5 and the first is 40, what is the second? | option_a=40 | option_b=45 | option_c=35 | option_d=80 | answer=A | explanation=Scale factor = 40/5 = 8. Therefore second quantity = 5×8 = 40.

id=60197 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=60198 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4613. If it is sold at a profit of 25%, what is its selling price? | option_a=5766 | option_b=4638 | option_c=6227 | option_d=5305 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4613 × 125/100 = █5766.

id=60199 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=80 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=60200 | topic=Percentages | difficulty=Easy | question=What is 50% of 1717? | option_a=858 | option_b=863 | option_c=1716 | option_d=838 | answer=A | explanation=50% of 1717 = (50/100) × 1717 = 858.

id=60201 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9592 at 15% per annum for 1 years. | option_a=1538 | option_b=1438 | option_c=11030 | option_d=1338 | answer=B | explanation=SI = PRT/100 = 9592×15×1/100 = █1438.

id=60202 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 39? | option_a=39 | option_b=19 | option_c=28 | option_d=10 | answer=A | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 39 is the odd one out.

id=60203 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=P | option_b=Q | option_c=N | option_d=O | answer=A | explanation=Move 1 positions forward from O; the resulting letter is P.

id=60204 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:8 and the first is 121, what is the second? | option_a=209 | option_b=99 | option_c=88 | option_d=80 | answer=C | explanation=Scale factor = 121/11 = 11. Therefore second quantity = 8×11 = 88.

id=60205 | topic=Profit & Loss | difficulty=Easy | question=An article costs █647. If it is sold at a profit of 5%, what is its selling price? | option_a=615 | option_b=743 | option_c=679 | option_d=652 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 647 × 105/100 = █679.

id=60206 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=42 | option_b=32 | option_c=41 | option_d=50 | answer=C | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

id=60207 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 4. | option_a=1 | option_b=8 | option_c=4 | option_d=16 | answer=C | explanation=LCM × HCF = 4×4; HCF(4,4) = 4, so LCM = 4.

id=60208 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:16 and the first is 36, what is the second? | option_a=288 | option_b=324 | option_c=290 | option_d=272 | answer=A | explanation=Scale factor = 36/2 = 18. Therefore second quantity = 16×18 = 288.

id=60209 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 23, 25, 29? | option_a=25 | option_b=29 | option_c=21 | option_d=23 | answer=B | explanation=The first three numbers increase by 2, so the next should be 27. Therefore 29 is the odd one out.

id=60210 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=31 | option_b=23 | option_c=28 | option_d=27 | answer=D | explanation=The common difference is 4. Therefore the next term is 23 + 4 = 27.

Aptitude Questions — Records 60,211-60,240 of 100,000

id=60211 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=60212 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=60213 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:9 and the first is 42, what is the second? | option_a=41 | option_b=18 | option_c=69 | option_d=27 | answer=D | explanation=Scale factor = 42/14 = 3. Therefore second quantity = 9×3 = 27.

id=60214 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1945. If it is sold at a profit of 40%, what is its selling price? | option_a=2723 | option_b=1985 | option_c=2529 | option_d=2917 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1945 × 140/100 = █2723.

id=60215 | topic=Averages | difficulty=Easy | question=Find the average of 41, 62, 80, 81, 21. | option_a=58 | option_b=59 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.

id=60216 | topic=Percentages | difficulty=Easy | question=What is 50% of 1171? | option_a=565 | option_b=590 | option_c=1170 | option_d=585 | answer=D | explanation=50% of 1171 = (50/100) × 1171 = 585.

id=60217 | topic=Averages | difficulty=Easy | question=Find the average of 30, 89, 13, 83, 60, 86, 82, 53, 24, 40. | option_a=56 | option_b=58 | option_c=57 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 560 ÷ 10 = 56.

id=60218 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39244 at 12% per annum for 2 years. | option_a=9518 | option_b=48662 | option_c=9418 | option_d=9318 | answer=C | explanation=SI = PRT/100 = 39244×12×2/100 = █9418.

id=60219 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1955. If it is sold at a profit of 25%, what is its selling price? | option_a=1980 | option_b=2248 | option_c=2443 | option_d=2638 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1955 × 125/100 = █2443.

id=60220 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49810 at 5% per annum for 5 years. | option_a=12352 | option_b=62262 | option_c=12452 | option_d=12552 | answer=C | explanation=SI = PRT/100 = 49810×5×5/100 = █12452.

id=60221 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 35, 43, 52? | option_a=27 | option_b=43 | option_c=52 | option_d=35 | answer=C | explanation=The first three numbers increase by 8, so the next should be 51. Therefore 52 is the odd one out.

id=60222 | topic=Percentages | difficulty=Easy | question=What is 5% of 1116? | option_a=75 | option_b=110 | option_c=55 | option_d=35 | answer=C | explanation=5% of 1116 = (5/100) × 1116 = 55.

id=60223 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:18 and the first is 33, what is the second? | option_a=36 | option_b=65 | option_c=54 | option_d=87 | answer=C | explanation=Scale factor = 33/11 = 3. Therefore second quantity = 18×3 = 54.

id=60224 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31678 at 12% per annum for 2 years. | option_a=7602 | option_b=39280 | option_c=7502 | option_d=7702 | answer=A | explanation=SI = PRT/100 = 31678×12×2/100 = █7602.

id=60225 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 43? | option_a=26 | option_b=18 | option_c=34 | option_d=43 | answer=D | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 43 is the odd one out.

id=60226 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=36 | option_b=28 | option_c=44 | option_d=37 | answer=A | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=60227 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4759. If it is sold at a profit of 10%, what is its selling price? | option_a=4759 | option_b=4769 | option_c=5234 | option_d=5709 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4759 × 110/100 = █5234.

id=60228 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=29 | option_b=32 | option_c=24 | option_d=28 | answer=D | explanation=The common difference is 4. Therefore the next term is 24 + 4 = 28.

id=60229 | topic=Averages | difficulty=Easy | question=Find the average of 48, 60, 40, 22, 26, 27, 29. | option_a=36 | option_b=38 | option_c=35 | option_d=37 | answer=A | explanation=Average = sum of values ÷ number of values = 252 ÷ 7 = 36.

id=60230 | topic=Percentages | difficulty=Easy | question=What is 25% of 1780? | option_a=425 | option_b=445 | option_c=890 | option_d=455 | answer=B | explanation=25% of 1780 = (25/100) × 1780 = 445.

id=60231 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 41? | option_a=22 | option_b=41 | option_c=34 | option_d=28 | answer=B | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 41 is the odd one out.

id=60232 | topic=Percentages | difficulty=Easy | question=What is 5% of 373? | option_a=0 | option_b=28 | option_c=36 | option_d=18 | answer=D | explanation=5% of 373 = (5/100) × 373 = 18.

id=60233 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=60234 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37182 at 6% per annum for 3 years. | option_a=6792 | option_b=6592 | option_c=6692 | option_d=43874 | answer=C | explanation=SI = PRT/100 = 37182×6×3/100 = █6692.

id=60235 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 31? | option_a=12 | option_b=31 | option_c=20 | option_d=4 | answer=B | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 31 is the odd one out.

id=60236 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28106 at 15% per annum for 2 years. | option_a=8531 | option_b=36537 | option_c=8331 | option_d=8431 | answer=D | explanation=SI = PRT/100 = 28106×15×2/100 = █8431.

id=60237 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 26. | option_a=26 | option_b=1 | option_c=676 | option_d=52 | answer=A | explanation=LCM × HCF = 26×26; HCF(26,26) = 26, so LCM = 26.

id=60238 | topic=Percentages | difficulty=Easy | question=What is 40% of 1911? | option_a=744 | option_b=1528 | option_c=764 | option_d=769 | answer=C | explanation=40% of 1911 = (40/100) × 1911 = 764.

id=60239 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 17, 19, 21, ? | option_a=21 | option_b=24 | option_c=23 | option_d=25 | answer=C | explanation=The common difference is 2. Therefore the next term is 21 + 2 = 23.

id=60240 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=150 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

Aptitude Questions — Records 60,241-60,270 of 100,000

id=60241 | topic=Percentages | difficulty=Easy | question=What is 20% of 1689? | option_a=347 | option_b=674 | option_c=337 | option_d=332 | answer=C | explanation=20% of 1689 = (20/100) × 1689 = 337.

id=60242 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 22, 32, 43? | option_a=32 | option_b=22 | option_c=43 | option_d=12 | answer=C | explanation=The first three numbers increase by 10, so the next should be 42. Therefore 43 is the odd one out.

id=60243 | topic=Percentages | difficulty=Easy | question=What is 25% of 1865? | option_a=471 | option_b=461 | option_c=466 | option_d=932 | answer=C | explanation=25% of 1865 = (25/100) × 1865 = 466.

id=60244 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=47 | option_b=31 | option_c=39 | option_d=40 | answer=C | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

id=60245 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=60246 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■34663 at 12% per annum for 3 years. | option_a=12578 | option_b=12478 | option_c=12378 | option_d=47141 | answer=B | explanation=SI = PRT/100 = 34663×12×3/100 = ■12478.

id=60247 | topic=Averages | difficulty=Easy | question=Find the average of 20, 44, 76, 40. | option_a=46 | option_b=44 | option_c=45 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 180 ÷ 4 = 45.

id=60248 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=A | option_c=I | option_d=M | answer=C | explanation=Move 4 positions forward from E; the resulting letter is I.

id=60249 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3663. If it is sold at a profit of 10%, what is its selling price? | option_a=3663 | option_b=4395 | option_c=4029 | option_d=3673 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3663 × 110/100 = ■4029.

id=60250 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=60251 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 25? | option_a=25 | option_b=15 | option_c=21 | option_d=18 | answer=A | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 25 is the odd one out.

id=60252 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=Z | option_b=C | option_c=A | option_d=B | answer=D | explanation=Move 1 positions forward from A; the resulting letter is B.

id=60253 | topic=Percentages | difficulty=Easy | question=What is 10% of 945? | option_a=89 | option_b=94 | option_c=188 | option_d=99 | answer=B | explanation=10% of 945 = (10/100) × 945 = 94.

id=60254 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■2595 at 8% per annum for 5 years. | option_a=3633 | option_b=1038 | option_c=938 | option_d=1138 | answer=B | explanation=SI = PRT/100 = 2595×8×5/100 = ■1038.

id=60255 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=42 | option_b=54 | option_c=64 | option_d=53 | answer=D | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.

id=60256 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=37 | option_b=43 | option_c=44 | option_d=49 | answer=B | explanation=The common difference is 6. Therefore the next term is 37 + 6 = 43.

id=60257 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=60258 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■48358 at 5% per annum for 2 years. | option_a=4935 | option_b=4735 | option_c=53193 | option_d=4835 | answer=D | explanation=SI = PRT/100 = 48358×5×2/100 = ■4835.

id=60259 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:9 and the first is 324, what is the second? | option_a=180 | option_b=162 | option_c=153 | option_d=486 | answer=B | explanation=Scale factor = 324/18 = 18. Therefore second quantity = 9×18 = 162.

id=60260 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=24 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=60261 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:17 and the first is 72, what is the second? | option_a=174 | option_b=85 | option_c=102 | option_d=114 | answer=C | explanation=Scale factor = 72/12 = 6. Therefore second quantity = 17×6 = 102.

id=60262 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1895. If it is sold at a profit of 30%, what is its selling price? | option_a=2652 | option_b=1925 | option_c=2463 | option_d=2274 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1895 × 130/100 = ■2463.

id=60263 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 12. | option_a=240 | option_b=60 | option_c=48 | option_d=80 | answer=B | explanation=LCM × HCF = 20×12; HCF(20,12) = 4, so LCM = 60.

id=60264 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 27, 30, 35? | option_a=27 | option_b=30 | option_c=35 | option_d=24 | answer=C | explanation=The first three numbers increase by 3, so the next should be 33. Therefore 35 is the odd one out.

id=60265 | topic=Averages | difficulty=Easy | question=Find the average of 97, 68, 28, 53, 74, 40. | option_a=61 | option_b=59 | option_c=62 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 360 ÷ 6 = 60.

id=60266 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■149. If it is sold at a profit of 20%, what is its selling price? | option_a=192 | option_b=164 | option_c=169 | option_d=178 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 149 × 120/100 = ■178.

id=60267 | topic=Averages | difficulty=Easy | question=Find the average of 24, 42, 38, 40, 66. | option_a=44 | option_b=41 | option_c=42 | option_d=43 | answer=C | explanation=Average = sum of values ÷ number of values = 210 ÷ 5 = 42.

id=60268 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:8 and the first is 80, what is the second? | option_a=160 | option_b=80 | option_c=72 | option_d=88 | answer=B | explanation=Scale factor = 80/8 = 10. Therefore second quantity = 8×10 = 80.

id=60269 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=100 | option_c=45 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=60270 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:4 and the first is 90, what is the second? | option_a=130 | option_b=49 | option_c=36 | option_d=40 | answer=D | explanation=Scale factor = 90/9 = 10. Therefore second quantity = 4×10 = 40.

Aptitude Questions — Records 60,271-60,300 of 100,000

id=60271 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:20 and the first is 60, what is the second? | option_a=120 | option_b=80 | option_c=40 | option_d=60 | answer=D | explanation=Scale factor = 60/20 = 3. Therefore second quantity = 20×3 = 60.

id=60272 | topic=Averages | difficulty=Easy | question=Find the average of 61, 73, 78, 34, 41, 11, 55, 92, 86. | option_a=58 | option_b=61 | option_c=60 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 531 ÷ 9 = 59.

id=60273 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=M | option_c=L | option_d=K | answer=B | explanation=Move 1 positions forward from L; the resulting letter is M.

id=60274 | topic=Percentages | difficulty=Easy | question=What is 30% of 1994? | option_a=598 | option_b=1196 | option_c=588 | option_d=608 | answer=A | explanation=30% of 1994 = (30/100) × 1994 = 598.

id=60275 | topic=Averages | difficulty=Easy | question=Find the average of 95, 32, 23. | option_a=49 | option_b=51 | option_c=50 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 150 ÷ 3 = 50.

id=60276 | topic=Percentages | difficulty=Easy | question=What is 5% of 1473? | option_a=83 | option_b=53 | option_c=146 | option_d=73 | answer=D | explanation=5% of 1473 = (5/100) × 1473 = 73.

id=60277 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■12630 at 4% per annum for 3 years. | option_a=14145 | option_b=1615 | option_c=1415 | option_d=1515 | answer=D | explanation=SI = PRT/100 = 12630×4×3/100 = ■1515.

id=60278 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=70 | option_c=80 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=60279 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=60280 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=P | option_b=V | option_c=S | option_d=Y | answer=B | explanation=Move 3 positions forward from S; the resulting letter is V.

id=60281 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=24 | option_c=29 | option_d=19 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=60282 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 10, 17, 27? | option_a=3 | option_b=27 | option_c=10 | option_d=17 | answer=B | explanation=The first three numbers increase by 7, so the next should be 24. Therefore 27 is the odd one out.

id=60283 | topic=Averages | difficulty=Easy | question=Find the average of 31, 88, 96, 53, 47, 40, 23. | option_a=56 | option_b=55 | option_c=54 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

id=60284 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=60285 | topic=Averages | difficulty=Easy | question=Find the average of 61, 60, 18, 88, 72, 17, 89, 66, 91, 38. | option_a=62 | option_b=60 | option_c=61 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=60286 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=60287 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 9, 12, 17? | option_a=17 | option_b=6 | option_c=9 | option_d=12 | answer=A | explanation=The first three numbers increase by 3, so the next should be 15. Therefore 17 is the odd one out.

id=60288 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 35, 42, 51? | option_a=51 | option_b=42 | option_c=35 | option_d=28 | answer=A | explanation=The first three numbers increase by 7, so the next should be 49. Therefore 51 is the odd one out.

id=60289 | topic=Percentages | difficulty=Easy | question=What is 25% of 507? | option_a=252 | option_b=126 | option_c=116 | option_d=146 | answer=B | explanation=25% of 507 = (25/100) × 507 = 126.

id=60290 | topic=Averages | difficulty=Easy | question=Find the average of 42, 84, 29, 77, 88. | option_a=64 | option_b=66 | option_c=63 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 320 ÷ 5 = 64.

id=60291 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=60292 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=P | option_c=U | option_d=F | answer=B | explanation=Move 5 positions forward from K; the resulting letter is P.

id=60293 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 31, 42, 53, ? | option_a=75 | option_b=64 | option_c=65 | option_d=53 | answer=B | explanation=The common difference is 11. Therefore the next term is 53 + 11 = 64.

id=60294 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=120 | option_c=240 | option_d=125 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=60295 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■120. If it is sold at a profit of 20%, what is its selling price? | option_a=140 | option_b=132 | option_c=156 | option_d=144 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 120 × 120/100 = ■144.

id=60296 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■48966 at 15% per annum for 2 years. | option_a=63655 | option_b=14589 | option_c=14689 | option_d=14789 | answer=C | explanation=SI = PRT/100 = 48966×15×2/100 = ■14689.

id=60297 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■25807 at 15% per annum for 2 years. | option_a=7742 | option_b=7642 | option_c=33549 | option_d=7842 | answer=A | explanation=SI = PRT/100 = 25807×15×2/100 = ■7742.

id=60298 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3773. If it is sold at a profit of 20%, what is its selling price? | option_a=4904 | option_b=3793 | option_c=4527 | option_d=4150 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3773 × 120/100 = ■4527.

id=60299 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=60300 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■10336 at 10% per annum for 3 years. | option_a=13436 | option_b=3000 | option_c=3200 | option_d=3100 | answer=D | explanation=SI = PRT/100 = 10336×10×3/100 = ■3100.

Aptitude Questions — Records 60,301-60,330 of 100,000

id=60301 | topic=Percentages | difficulty=Easy | question=What is 25% of 463? | option_a=120 | option_b=95 | option_c=230 | option_d=115 | answer=D | explanation=25% of 463 = (25/100) × 463 = 115.

id=60302 | topic=Percentages | difficulty=Easy | question=What is 12% of 781? | option_a=186 | option_b=113 | option_c=93 | option_d=88 | answer=C | explanation=12% of 781 = (12/100) × 781 = 93.

id=60303 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=R | option_c=I | option_d=O | answer=D | explanation=Move 3 positions forward from L; the resulting letter is O.

id=60304 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=60305 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=55 | option_c=45 | option_d=100 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=60306 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 28, 36, 46? | option_a=28 | option_b=46 | option_c=20 | option_d=36 | answer=B | explanation=The first three numbers increase by 8, so the next should be 44. Therefore 46 is the odd one out.

id=60307 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 11, 19, 30? | option_a=3 | option_b=19 | option_c=11 | option_d=30 | answer=D | explanation=The first three numbers increase by 8, so the next should be 27. Therefore 30 is the odd one out.

id=60308 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=36 | option_b=31 | option_c=41 | option_d=72 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=60309 | topic=Averages | difficulty=Easy | question=Find the average of 48, 96, 66, 17, 39, 22. | option_a=47 | option_b=48 | option_c=49 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 288 ÷ 6 = 48.

id=60310 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:6 and the first is 76, what is the second? | option_a=18 | option_b=100 | option_c=43 | option_d=24 | answer=D | explanation=Scale factor = 76/19 = 4. Therefore second quantity = 6×4 = 24.

id=60311 | topic=Percentages | difficulty=Easy | question=What is 15% of 1905? | option_a=285 | option_b=275 | option_c=295 | option_d=570 | answer=A | explanation=15% of 1905 = (15/100) × 1905 = 285.

id=60312 | topic=Profit & Loss | difficulty=Easy | question=An article costs █524. If it is sold at a profit of 40%, what is its selling price? | option_a=785 | option_b=733 | option_c=564 | option_d=681 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 524 × 140/100 = █733.

id=60313 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=60314 | topic=Averages | difficulty=Easy | question=Find the average of 21, 44, 23, 24, 78. | option_a=37 | option_b=38 | option_c=40 | option_d=39 | answer=B | explanation=Average = sum of values ÷ number of values = 190 ÷ 5 = 38.

id=60315 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40525 at 15% per annum for 5 years. | option_a=30493 | option_b=30293 | option_c=70918 | option_d=30393 | answer=D | explanation=SI = PRT/100 = 40525×15×5/100 = █30393.

id=60316 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 18. | option_a=160 | option_b=144 | option_c=288 | option_d=126 | answer=B | explanation=LCM × HCF = 16×18; HCF(16,18) = 2, so LCM = 144.

id=60317 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=61 | option_b=49 | option_c=73 | option_d=62 | answer=A | explanation=The common difference is 12. Therefore the next term is 49 + 12 = 61.

id=60318 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:5 and the first is 40, what is the second? | option_a=10 | option_b=30 | option_c=50 | option_d=5 | answer=A | explanation=Scale factor = 40/20 = 2. Therefore second quantity = 5×2 = 10.

id=60319 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1798. If it is sold at a profit of 20%, what is its selling price? | option_a=2157 | option_b=1978 | option_c=2336 | option_d=1818 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1798 × 120/100 = █2157.

id=60320 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=45 | option_b=56 | option_c=57 | option_d=67 | answer=B | explanation=The common difference is 11. Therefore the next term is 45 + 11 = 56.

id=60321 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=60322 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2379. If it is sold at a profit of 20%, what is its selling price? | option_a=3091 | option_b=2399 | option_c=2854 | option_d=2617 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2379 × 120/100 = █2854.

id=60323 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:7 and the first is 30, what is the second? | option_a=72 | option_b=35 | option_c=42 | option_d=47 | answer=C | explanation=Scale factor = 30/5 = 6. Therefore second quantity = 7×6 = 42.

id=60324 | topic=Averages | difficulty=Easy | question=Find the average of 82, 67, 44, 67, 21, 17, 31. | option_a=46 | option_b=49 | option_c=48 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 329 ÷ 7 = 47.

id=60325 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=S | option_c=R | option_d=T | answer=D | explanation=Move 1 positions forward from S; the resulting letter is T.

id=60326 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=19 | option_d=29 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=60327 | topic=Percentages | difficulty=Easy | question=What is 5% of 1383? | option_a=69 | option_b=79 | option_c=138 | option_d=64 | answer=A | explanation=5% of 1383 = (5/100) × 1383 = 69.

id=60328 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=37 | option_b=33 | option_c=32 | option_d=27 | answer=C | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

id=60329 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:14 and the first is 22, what is the second? | option_a=176 | option_b=154 | option_c=140 | option_d=156 | answer=B | explanation=Scale factor = 22/2 = 11. Therefore second quantity = 14×11 = 154.

id=60330 | topic=Averages | difficulty=Easy | question=Find the average of 74, 45, 13. | option_a=43 | option_b=45 | option_c=44 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 132 ÷ 3 = 44.

Aptitude Questions — Records 60,331-60,360 of 100,000

id=60331 | topic=Averages | difficulty=Easy | question=Find the average of 57, 18, 57, 53, 79, 72, 100, 77, 90. | option_a=67 | option_b=66 | option_c=68 | option_d=69 | answer=A | explanation=Average = sum of values ÷ number of values = 603 ÷ 9 = 67.

id=60332 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=36 | option_b=30 | option_c=24 | option_d=31 | answer=B | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.

id=60333 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 14? | option_a=14 | option_b=3 | option_c=6 | option_d=9 | answer=A | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 14 is the odd one out.

id=60334 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=G | option_b=J | option_c=A | option_d=D | answer=A | explanation=Move 3 positions forward from D; the resulting letter is G.

id=60335 | topic=Percentages | difficulty=Easy | question=What is 25% of 524? | option_a=141 | option_b=111 | option_c=131 | option_d=262 | answer=C | explanation=25% of 524 = (25/100) × 524 = 131.

id=60336 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=67 | option_c=72 | option_d=77 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=60337 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 34? | option_a=30 | option_b=28 | option_c=26 | option_d=34 | answer=D | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 34 is the odd one out.

id=60338 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=60339 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32426 at 5% per annum for 2 years. | option_a=3142 | option_b=35668 | option_c=3342 | option_d=3242 | answer=D | explanation=SI = PRT/100 = 32426×5×2/100 = **■**3242.

id=60340 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=Y | option_c=Q | option_d=M | answer=A | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=60341 | topic=Averages | difficulty=Easy | question=Find the average of 75, 86, 94, 96, 96, 69. | option_a=87 | option_b=85 | option_c=88 | option_d=86 | answer=D | explanation=Average = sum of values ÷ number of values = 516 ÷ 6 = 86.

id=60342 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=40 | option_c=25 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=60343 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=60344 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 13, 16, 22? | option_a=13 | option_b=22 | option_c=16 | option_d=10 | answer=B | explanation=The first three numbers increase by 3, so the next should be 19. Therefore 22 is the odd one out.

id=60345 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=29 | option_b=19 | option_c=25 | option_d=24 | answer=D | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.

id=60346 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=42 | option_b=35 | option_c=43 | option_d=49 | answer=A | explanation=The common difference is 7. Therefore the next term is 35 + 7 = 42.

id=60347 | topic=Averages | difficulty=Easy | question=Find the average of 92, 24, 95, 15, 29. | option_a=53 | option_b=51 | option_c=50 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 255 ÷ 5 = 51.

id=60348 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=J | option_c=P | option_d=N | answer=D | explanation=Move 2 positions forward from L; the resulting letter is N.

id=60349 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:8 and the first is 80, what is the second? | option_a=240 | option_b=160 | option_c=152 | option_d=164 | answer=B | explanation=Scale factor = 80/4 = 20. Therefore second quantity = 8×20 = 160.

id=60350 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 9. | option_a=54 | option_b=9 | option_c=24 | option_d=18 | answer=D | explanation=LCM × HCF = 6×9; HCF(6,9) = 3, so LCM = 18.

id=60351 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:6 and the first is 105, what is the second? | option_a=195 | option_b=97 | option_c=84 | option_d=90 | answer=D | explanation=Scale factor = 105/7 = 15. Therefore second quantity = 6×15 = 90.

id=60352 | topic=Percentages | difficulty=Easy | question=What is 25% of 1222? | option_a=295 | option_b=610 | option_c=305 | option_d=325 | answer=C | explanation=25% of 1222 = (25/100) × 1222 = 305.

id=60353 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=51 | option_b=50 | option_c=59 | option_d=41 | answer=B | explanation=The common difference is 9. Therefore the next term is 41 + 9 = 50.

id=60354 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:12 and the first is 36, what is the second? | option_a=112 | option_b=144 | option_c=96 | option_d=108 | answer=D | explanation=Scale factor = 36/4 = 9. Therefore second quantity = 12×9 = 108.

id=60355 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:3 and the first is 84, what is the second? | option_a=15 | option_b=18 | option_c=32 | option_d=102 | answer=B | explanation=Scale factor = 84/14 = 6. Therefore second quantity = 3×6 = 18.

id=60356 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 16? | option_a=8 | option_b=11 | option_c=5 | option_d=16 | answer=D | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 16 is the odd one out.

id=60357 | topic=Percentages | difficulty=Easy | question=What is 10% of 1205? | option_a=130 | option_b=240 | option_c=120 | option_d=110 | answer=C | explanation=10% of 1205 = (10/100) × 1205 = 120.

id=60358 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=X | option_b=N | option_c=C | option_d=S | answer=A | explanation=Move 5 positions forward from S; the resulting letter is X.

id=60359 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=I | option_c=H | option_d=G | answer=B | explanation=Move 1 positions forward from H; the resulting letter is I.

id=60360 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=12 | option_b=14 | option_c=13 | option_d=10 | answer=A | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.

Aptitude Questions — Records 60,361-60,390 of 100,000

id=60361 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 16. | option_a=48 | option_b=384 | option_c=72 | option_d=32 | answer=A | explanation=LCM × HCF = 24×16; HCF(24,16) = 8, so LCM = 48.

id=60362 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=150 | option_c=145 | option_d=155 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=60363 | topic=Averages | difficulty=Easy | question=Find the average of 38, 61, 100, 56, 55, 27, 24, 70, 55. | option_a=54 | option_b=55 | option_c=53 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 486 ÷ 9 = 54.

id=60364 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6935 at 8% per annum for 5 years. | option_a=9709 | option_b=2674 | option_c=2874 | option_d=2774 | answer=D | explanation=SI = PRT/100 = 6935×8×5/100 = **■**2774.

id=60365 | topic=Percentages | difficulty=Easy | question=What is 50% of 142? | option_a=142 | option_b=71 | option_c=91 | option_d=51 | answer=B | explanation=50% of 142 = (50/100) × 142 = 71.

id=60366 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=M | option_b=J | option_c=P | option_d=G | answer=A | explanation=Move 3 positions forward from J; the resulting letter is M.

id=60367 | topic=Percentages | difficulty=Easy | question=What is 30% of 295? | option_a=93 | option_b=88 | option_c=78 | option_d=176 | answer=B | explanation=30% of 295 = (30/100) × 295 = 88.

id=60368 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:18 and the first is 126, what is the second? | option_a=324 | option_b=306 | option_c=331 | option_d=450 | answer=A | explanation=Scale factor = 126/7 = 18. Therefore second quantity = 18×18 = 324.

id=60369 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 10? | option_a=2 | option_b=10 | option_c=6 | option_d=4 | answer=B | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 10 is the odd one out.

id=60370 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1965. If it is sold at a profit of 50%, what is its selling price? | option_a=2015 | option_b=2751 | option_c=2947 | option_d=3143 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1965 × 150/100 = **■**2947.

id=60371 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=6 | option_c=1 | option_d=12 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=60372 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=39 | option_b=31 | option_c=35 | option_d=36 | answer=C | explanation=The common difference is 4. Therefore the next term is 31 + 4 = 35.

id=60373 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=60374 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:8 and the first is 152, what is the second? | option_a=144 | option_b=152 | option_c=160 | option_d=304 | answer=B | explanation=Scale factor = 152/8 = 19. Therefore second quantity = 8×19 = 152.

id=60375 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=W | option_b=T | option_c=N | option_d=Q | answer=B | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=60376 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41025 at 12% per annum for 3 years. | option_a=55794 | option_b=14769 | option_c=14869 | option_d=14669 | answer=B | explanation=SI = PRT/100 = 41025×12×3/100 = **■**14769.

id=60377 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=60378 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 9, 12, 18? | option_a=12 | option_b=9 | option_c=6 | option_d=18 | answer=D | explanation=The first three numbers increase by 3, so the next should be 15. Therefore 18 is the odd one out.

id=60379 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=5 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=60380 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=60381 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 14, 23, 33? | option_a=33 | option_b=23 | option_c=14 | option_d=5 | answer=A | explanation=The first three numbers increase by 9, so the next should be 32. Therefore 33 is the odd one out.

id=60382 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42673 at 5% per annum for 4 years. | option_a=8434 | option_b=8534 | option_c=51207 | option_d=8634 | answer=B | explanation=SI = PRT/100 = 42673×5×4/100 = **■**8534.

id=60383 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17699 at 5% per annum for 4 years. | option_a=3539 | option_b=3639 | option_c=21238 | option_d=3439 | answer=A | explanation=SI = PRT/100 = 17699×5×4/100 = **■**3539.

id=60384 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**716. If it is sold at a profit of 5%, what is its selling price? | option_a=721 | option_b=751 | option_c=680 | option_d=822 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 716 × 105/100 = **■**751.

id=60385 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=17 | option_c=24 | option_d=7 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=60386 | topic=Averages | difficulty=Easy | question=Find the average of 99, 37, 28, 87, 80, 82, 35. | option_a=64 | option_b=66 | option_c=63 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 448 ÷ 7 = 64.

id=60387 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 30, 34, 39? | option_a=34 | option_b=30 | option_c=26 | option_d=39 | answer=D | explanation=The first three numbers increase by 4, so the next should be 38. Therefore 39 is the odd one out.

id=60388 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:17 and the first is 14, what is the second? | option_a=252 | option_b=221 | option_c=239 | option_d=238 | answer=D | explanation=Scale factor = 14/1 = 14. Therefore second quantity = 17×14 = 238.

id=60389 | topic=Averages | difficulty=Easy | question=Find the average of 43, 100, 39, 69, 98, 58, 20. | option_a=63 | option_b=60 | option_c=61 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 427 ÷ 7 = 61.

id=60390 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 25, 27, 31? | option_a=23 | option_b=31 | option_c=25 | option_d=27 | answer=B | explanation=The first three numbers increase by 2, so the next should be 29. Therefore 31 is the odd one out.

Aptitude Questions — Records 60,391-60,420 of 100,000

id=60391 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=60392 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=60393 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31166 at 6% per annum for 3 years. | option_a=5609 | option_b=5709 | option_c=5509 | option_d=36775 | answer=A | explanation=SI = PRT/100 = 31166×6×3/100 = **■**5609.

id=60394 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=11 | option_c=1 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=60395 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:1 and the first is 114, what is the second? | option_a=133 | option_b=19 | option_c=25 | option_d=18 | answer=B | explanation=Scale factor = 114/6 = 19. Therefore second quantity = 1×19 = 19.

id=60396 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=B | option_b=F | option_c=J | option_d=N | answer=C | explanation=Move 4 positions forward from F; the resulting letter is J.

id=60397 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=60398 | topic=Percentages | difficulty=Easy | question=What is 5% of 1928? | option_a=96 | option_b=91 | option_c=192 | option_d=116 | answer=A | explanation=5% of 1928 = (5/100) × 1928 = 96.

id=60399 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 9, 13, 18? | option_a=13 | option_b=5 | option_c=18 | option_d=9 | answer=C | explanation=The first three numbers increase by 4, so the next should be 17. Therefore 18 is the odd one out.

id=60400 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=S | option_c=O | option_d=U | answer=B | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=60401 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 20, 22, 26? | option_a=26 | option_b=18 | option_c=20 | option_d=22 | answer=A | explanation=The first three numbers increase by 2, so the next should be 24. Therefore 26 is the odd one out.

id=60402 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 36? | option_a=5 | option_b=25 | option_c=15 | option_d=36 | answer=D | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 36 is the odd one out.

id=60403 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=29 | option_b=30 | option_c=26 | option_d=28 | answer=D | explanation=The common difference is 2. Therefore the next term is 26 + 2 = 28.

id=60404 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=60405 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48256 at 4% per annum for 1 years. | option_a=1930 | option_b=50186 | option_c=2030 | option_d=1830 | answer=A | explanation=SI = PRT/100 = 48256×4×1/100 = **■**1930.

id=60406 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:7 and the first is 260, what is the second? | option_a=133 | option_b=153 | option_c=400 | option_d=140 | answer=D | explanation=Scale factor = 260/13 = 20. Therefore second quantity = 7×20 = 140.

id=60407 | topic=Percentages | difficulty=Easy | question=What is 30% of 1815? | option_a=544 | option_b=1088 | option_c=524 | option_d=554 | answer=A | explanation=30% of 1815 = (30/100) × 1815 = 544.

id=60408 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=43 | option_b=38 | option_c=33 | option_d=39 | answer=B | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.

id=60409 | topic=Averages | difficulty=Easy | question=Find the average of 67, 56, 20, 42, 84, 69, 94, 37, 62. | option_a=61 | option_b=60 | option_c=59 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 531 ÷ 9 = 59.

id=60410 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 32? | option_a=13 | option_b=22 | option_c=32 | option_d=4 | answer=C | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 32 is the odd one out.

id=60411 | topic=Percentages | difficulty=Easy | question=What is 10% of 815? | option_a=76 | option_b=81 | option_c=101 | option_d=162 | answer=B | explanation=10% of 815 = (10/100) × 815 = 81.

id=60412 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=60413 | topic=Averages | difficulty=Easy | question=Find the average of 91, 80, 78, 70, 20, 53, 32, 24. | option_a=55 | option_b=57 | option_c=58 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 448 ÷ 8 = 56.

id=60414 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=64 | option_b=53 | option_c=54 | option_d=42 | answer=B | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.

id=60415 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=60416 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3644 at 8% per annum for 2 years. | option_a=583 | option_b=4227 | option_c=683 | option_d=483 | answer=A | explanation=SI = PRT/100 = 3644×8×2/100 = **■**583.

id=60417 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48507 at 12% per annum for 5 years. | option_a=29004 | option_b=29204 | option_c=77611 | option_d=29104 | answer=D | explanation=SI = PRT/100 = 48507×12×5/100 = **■**29104.

id=60418 | topic=Percentages | difficulty=Easy | question=What is 30% of 1940? | option_a=1164 | option_b=602 | option_c=577 | option_d=582 | answer=D | explanation=30% of 1940 = (30/100) × 1940 = 582.

id=60419 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 30. | option_a=30 | option_b=1 | option_c=36 | option_d=180 | answer=A | explanation=LCM × HCF = 6×30; HCF(6,30) = 6, so LCM = 30.

id=60420 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3822. If it is sold at a profit of 25%, what is its selling price? | option_a=4395 | option_b=4777 | option_c=3847 | option_d=5159 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3822 × 125/100 = **■**4777.

Aptitude Questions — Records 60,421-60,450 of 100,000

id=60421 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=W | option_c=N | option_d=T | answer=D | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=60422 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1973. If it is sold at a profit of 40%, what is its selling price? | option_a=2762 | option_b=2565 | option_c=2013 | option_d=2959 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1973 \times 140/100 = \text{█}2762$.

id=60423 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1726. If it is sold at a profit of 25%, what is its selling price? | option_a=1751 | option_b=1985 | option_c=2157 | option_d=2329 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1726 \times 125/100 = \text{█}2157$.

id=60424 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=27 | option_b=24 | option_c=28 | option_d=30 | answer=A | explanation=The common difference is 3. Therefore the next term is $24 + 3 = 27$.

id=60425 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 31, 34, 40? | option_a=34 | option_b=40 | option_c=31 | option_d=28 | answer=B | explanation=The first three numbers increase by 3, so the next should be 37. Therefore 40 is the odd one out.

id=60426 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1192. If it is sold at a profit of 50%, what is its selling price? | option_a=1907 | option_b=1669 | option_c=1242 | option_d=1788 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1192 \times 150/100 = \text{█}1788$.

id=60427 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 39, 48, 58? | option_a=30 | option_b=39 | option_c=48 | option_d=58 | answer=D | explanation=The first three numbers increase by 9, so the next should be 57. Therefore 58 is the odd one out.

id=60428 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=21 | option_b=19 | option_c=23 | option_d=22 | answer=A | explanation=The common difference is 2. Therefore the next term is $19 + 2 = 21$.

id=60429 | topic=Percentages | difficulty=Easy | question=What is 40% of 1516? | option_a=596 | option_b=606 | option_c=1212 | option_d=616 | answer=B | explanation=40% of $1516 = (40/100) \times 1516 = 606$.

id=60430 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 21, 28, 38? | option_a=28 | option_b=38 | option_c=14 | option_d=21 | answer=B | explanation=The first three numbers increase by 7, so the next should be 35. Therefore 38 is the odd one out.

id=60431 | topic=Averages | difficulty=Easy | question=Find the average of 46, 48, 85, 86, 15. | option_a=57 | option_b=55 | option_c=58 | option_d=56 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 280 \div 5 = 56$.

id=60432 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=72 | option_c=36 | option_d=41 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 360 \div 10 = 36 \text{ km/h}$.

id=60433 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=39 | option_b=29 | option_c=47 | option_d=38 | answer=D | explanation=The common difference is 9. Therefore the next term is $29 + 9 = 38$.

id=60434 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 60 \div 2 = 30 \text{ km/h}$.

id=60435 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4580. If it is sold at a profit of 20%, what is its selling price? | option_a=5038 | option_b=5496 | option_c=5954 | option_d=4600 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4580 \times 120/100 = \text{█}5496$.

id=60436 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Z | option_b=Q | option_c=W | option_d=T | answer=C | explanation=Move 3 positions forward from T; the resulting letter is W.

id=60437 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3 \text{ days}$.

id=60438 | topic=Percentages | difficulty=Easy | question=What is 50% of 169? | option_a=168 | option_b=84 | option_c=64 | option_d=89 | answer=B | explanation=50% of $169 = (50/100) \times 169 = 84$.

id=60439 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 28? | option_a=19 | option_b=16 | option_c=28 | option_d=22 | answer=C | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 28 is the odd one out.

id=60440 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:18 and the first is 36, what is the second? | option_a=54 | option_b=72 | option_c=36 | option_d=18 | answer=C | explanation=Scale factor = $36/18 = 2$. Therefore second quantity = $18 \times 2 = 36$.

id=60441 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43296 at 8% per annum for 4 years. | option_a=57150 | option_b=13754 | option_c=13854 | option_d=13954 | answer=C | explanation=SI = $PRT/100 = 43296 \times 8 \times 4/100 = \text{█}13854$.

id=60442 | topic=Averages | difficulty=Easy | question=Find the average of 90, 100, 11, 39. | option_a=60 | option_b=59 | option_c=61 | option_d=62 | answer=A | explanation=Average = $\text{sum of values} \div \text{number of values} = 240 \div 4 = 60$.

id=60443 | topic=Averages | difficulty=Easy | question=Find the average of 60, 32, 51, 32, 18, 42, 24. | option_a=37 | option_b=36 | option_c=39 | option_d=38 | answer=A | explanation=Average = $\text{sum of values} \div \text{number of values} = 259 \div 7 = 37$.

id=60444 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 300 \div 5 = 60 \text{ km/h}$.

id=60445 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=A | option_b=F | option_c=K | option_d=P | answer=C | explanation=Move 5 positions forward from F; the resulting letter is K.

id=60446 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=150 | option_d=80 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 150 \div 2 = 75 \text{ km/h}$.

id=60447 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30269 at 10% per annum for 3 years. | option_a=8980 | option_b=39349 | option_c=9180 | option_d=9080 | answer=D | explanation=SI = $PRT/100 = 30269 \times 10 \times 3/100 = \text{█}9080$.

id=60448 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3196. If it is sold at a profit of 20%, what is its selling price? | option_a=3835 | option_b=3516 | option_c=4154 | option_d=3216 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3196 \times 120/100 = \text{█}3835$.

id=60449 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 41? | option_a=36 | option_b=30 | option_c=41 | option_d=33 | answer=C | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 41 is the odd one out.

id=60450 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=O | option_c=S | option_d=U | answer=C | explanation=Move 2 positions forward from Q; the resulting letter is S.

Aptitude Questions — Records 60,451-60,480 of 100,000

id=60451 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=B | option_c=P | option_d=X | answer=D | explanation=Move 4 positions forward from T; the resulting letter is X.

id=60452 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=60453 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4563. If it is sold at a profit of 50%, what is its selling price? | option_a=6388 | option_b=4613 | option_c=7300 | option_d=6844 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4563 × 150/100 = █6844.

id=60454 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=75 | option_c=85 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=60455 | topic=Percentages | difficulty=Easy | question=What is 50% of 1862? | option_a=921 | option_b=1862 | option_c=936 | option_d=931 | answer=D | explanation=50% of 1862 = (50/100) × 1862 = 931.

id=60456 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 30, 33, 39? | option_a=30 | option_b=39 | option_c=27 | option_d=33 | answer=B | explanation=The first three numbers increase by 3, so the next should be 36. Therefore 39 is the odd one out.

id=60457 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=P | option_c=T | option_d=V | answer=C | explanation=Move 2 positions forward from R; the resulting letter is T.

id=60458 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30704 at 15% per annum for 2 years. | option_a=9211 | option_b=9111 | option_c=9311 | option_d=39915 | answer=A | explanation=SI = PRT/100 = 30704×15×2/100 = █9211.

id=60459 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:12 and the first is 98, what is the second? | option_a=98 | option_b=182 | option_c=84 | option_d=72 | answer=C | explanation=Scale factor = 98/14 = 7. Therefore second quantity = 12×7 = 84.

id=60460 | topic=Percentages | difficulty=Easy | question=What is 20% of 972? | option_a=388 | option_b=194 | option_c=214 | option_d=174 | answer=B | explanation=20% of 972 = (20/100) × 972 = 194.

id=60461 | topic=Averages | difficulty=Easy | question=Find the average of 54, 95, 72, 40, 89, 88, 73, 70, 31. | option_a=69 | option_b=67 | option_c=68 | option_d=70 | answer=C | explanation=Average = sum of values ÷ number of values = 612 ÷ 9 = 68.

id=60462 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:15 and the first is 187, what is the second? | option_a=352 | option_b=182 | option_c=165 | option_d=150 | answer=C | explanation=Scale factor = 187/17 = 11. Therefore second quantity = 15×11 = 165.

id=60463 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 14, 20, 28? | option_a=28 | option_b=8 | option_c=14 | option_d=20 | answer=A | explanation=The first three numbers increase by 6, so the next should be 26. Therefore 28 is the odd one out.

id=60464 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=60465 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=V | option_c=F | option_d=K | answer=C | explanation=Move 5 positions forward from A; the resulting letter is F.

id=60466 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 26, 34, 42, ? | option_a=58 | option_b=51 | option_c=42 | option_d=50 | answer=D | explanation=The common difference is 8. Therefore the next term is 42 + 8 = 50.

id=60467 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3978. If it is sold at a profit of 5%, what is its selling price? | option_a=3983 | option_b=4573 | option_c=4176 | option_d=3779 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3978 × 105/100 = █4176.

id=60468 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=60469 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4543. If it is sold at a profit of 15%, what is its selling price? | option_a=5224 | option_b=4770 | option_c=5678 | option_d=4558 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4543 × 115/100 = █5224.

id=60470 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 12, 16, 22? | option_a=22 | option_b=8 | option_c=16 | option_d=12 | answer=A | explanation=The first three numbers increase by 4, so the next should be 20. Therefore 22 is the odd one out.

id=60471 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4312 at 8% per annum for 5 years. | option_a=1824 | option_b=1624 | option_c=6036 | option_d=1724 | answer=D | explanation=SI = PRT/100 = 4312×8×5/100 = █1724.

id=60472 | topic=Percentages | difficulty=Easy | question=What is 20% of 723? | option_a=164 | option_b=134 | option_c=144 | option_d=288 | answer=C | explanation=20% of 723 = (20/100) × 723 = 144.

id=60473 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 26. | option_a=364 | option_b=196 | option_c=182 | option_d=156 | answer=C | explanation=LCM × HCF = 14×26; HCF(14,26) = 2, so LCM = 182.

id=60474 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=O | option_b=Q | option_c=S | option_d=U | answer=C | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=60475 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=60476 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=12 | option_c=24 | option_d=7 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=60477 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8347 at 5% per annum for 1 years. | option_a=417 | option_b=317 | option_c=517 | option_d=8764 | answer=A | explanation=SI = PRT/100 = 8347×5×1/100 = █417.

id=60478 | topic=Percentages | difficulty=Easy | question=What is 50% of 1915? | option_a=1914 | option_b=957 | option_c=967 | option_d=952 | answer=B | explanation=50% of 1915 = (50/100) × 1915 = 957.

id=60479 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 19, 25, 32? | option_a=19 | option_b=32 | option_c=13 | option_d=25 | answer=B | explanation=The first three numbers increase by 6, so the next should be 31. Therefore 32 is the odd one out.

id=60480 | topic=Averages | difficulty=Easy | question=Find the average of 22, 50, 63. | option_a=47 | option_b=46 | option_c=45 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = 135 ÷ 3 = 45.

Aptitude Questions — Records 60,481-60,510 of 100,000

id=60481 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 24. | option_a=1 | option_b=24 | option_c=192 | option_d=32 | answer=B | explanation= $\text{LCM} \times \text{HCF} = 8 \times 24$; $\text{HCF}(8,24) = 8$, so $\text{LCM} = 24$.

id=60482 | topic=Averages | difficulty=Easy | question=Find the average of 89, 74, 51, 36, 71, 68, 12, 88, 51. | option_a=62 | option_b=60 | option_c=61 | option_d=59 | answer=B | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 540 \div 9 = 60$.

id=60483 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=24 | option_c=29 | option_d=48 | answer=B | explanation= $\text{Speed} = \text{distance} \div \text{time} = 120 \div 5 = 24 \text{ km/h}$.

id=60484 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 22? | option_a=15 | option_b=22 | option_c=19 | option_d=17 | answer=B | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 22 is the odd one out.

id=60485 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=16 | option_b=24 | option_c=21 | option_d=20 | answer=D | explanation=The common difference is 4. Therefore the next term is $16 + 4 = 20$.

id=60486 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=N | option_b=I | option_c=D | option_d=S | answer=A | explanation=Move 5 positions forward from I; the resulting letter is N.

id=60487 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2401. If it is sold at a profit of 25%, what is its selling price? | option_a=2426 | option_b=3241 | option_c=3001 | option_d=2761 | answer=C | explanation= $\text{Selling price} = \text{CP} \times (100 + \text{profit\%})/100 = 2401 \times 125/100 = \text{₹}3001$.

id=60488 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation= $\text{Combined rate} = 1/12 + 1/4 = 16/48$. $\text{Time} = 48/16 = 3$ days.

id=60489 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=15 | option_c=40 | option_d=20 | answer=D | explanation= $\text{Speed} = \text{distance} \div \text{time} = 60 \div 3 = 20 \text{ km/h}$.

id=60490 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 13, 19, 26? | option_a=19 | option_b=7 | option_c=26 | option_d=13 | answer=C | explanation=The first three numbers increase by 6, so the next should be 25. Therefore 26 is the odd one out.

id=60491 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 7, 10, 16? | option_a=16 | option_b=10 | option_c=7 | option_d=4 | answer=A | explanation=The first three numbers increase by 3, so the next should be 13. Therefore 16 is the odd one out.

id=60492 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=X | option_c=G | option_d=D | answer=D | explanation=Move 3 positions forward from A; the resulting letter is D.

id=60493 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=25 | option_d=20 | answer=D | explanation= $\text{Speed} = \text{distance} \div \text{time} = 60 \div 3 = 20 \text{ km/h}$.

id=60494 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 26, 36, 48? | option_a=26 | option_b=48 | option_c=36 | option_d=16 | answer=B | explanation=The first three numbers increase by 10, so the next should be 46. Therefore 48 is the odd one out.

id=60495 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:20 and the first is 72, what is the second? | option_a=140 | option_b=169 | option_c=232 | option_d=160 | answer=D | explanation= $\text{Scale factor} = 72/9 = 8$. Therefore second quantity = $20 \times 8 = 160$.

id=60496 | topic=Averages | difficulty=Easy | question=Find the average of 81, 34, 28, 74, 29, 32, 65. | option_a=48 | option_b=49 | option_c=50 | option_d=51 | answer=B | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 343 \div 7 = 49$.

id=60497 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 33? | option_a=26 | option_b=28 | option_c=30 | option_d=33 | answer=D | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 33 is the odd one out.

id=60498 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 26, 34, 42, ? | option_a=42 | option_b=51 | option_c=58 | option_d=50 | answer=D | explanation=The common difference is 8. Therefore the next term is $42 + 8 = 50$.

id=60499 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=85 | option_c=80 | option_d=75 | answer=C | explanation= $\text{Speed} = \text{distance} \div \text{time} = 240 \div 3 = 80 \text{ km/h}$.

id=60500 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=N | option_c=P | option_d=Q | answer=C | explanation=Move 1 positions forward from O; the resulting letter is P.

id=60501 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation= $\text{Speed} = \text{distance} \div \text{time} = 300 \div 5 = 60 \text{ km/h}$.

id=60502 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=51 | option_b=39 | option_c=52 | option_d=63 | answer=A | explanation=The common difference is 12. Therefore the next term is $39 + 12 = 51$.

id=60503 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation= $\text{Speed} = \text{distance} \div \text{time} = 60 \div 4 = 15 \text{ km/h}$.

id=60504 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=32 | option_b=41 | option_c=48 | option_d=40 | answer=D | explanation=The common difference is 8. Therefore the next term is $32 + 8 = 40$.

id=60505 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=115 | option_d=240 | answer=A | explanation= $\text{Speed} = \text{distance} \div \text{time} = 360 \div 3 = 120 \text{ km/h}$.

id=60506 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=E | option_c=H | option_d=G | answer=D | explanation=Move 1 positions forward from F; the resulting letter is G.

id=60507 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 18. | option_a=54 | option_b=21 | option_c=1 | option_d=18 | answer=D | explanation= $\text{LCM} \times \text{HCF} = 3 \times 18$; $\text{HCF}(3,18) = 3$, so $\text{LCM} = 18$.

id=60508 | topic=Averages | difficulty=Easy | question=Find the average of 70, 58, 88, 96, 44, 31, 29, 48, 99, 57. | option_a=62 | option_b=61 | option_c=63 | option_d=64 | answer=A | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 620 \div 10 = 62$.

id=60509 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=12 | option_d=4 | answer=B | explanation= $\text{Combined rate} = 1/6 + 1/6 = 12/36$. $\text{Time} = 36/12 = 3$ days.

id=60510 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation= $\text{Combined rate} = 1/4 + 1/4 = 8/16$. $\text{Time} = 16/8 = 2$ days.

Aptitude Questions — Records 60,511-60,540 of 100,000

id=60511 | topic=Averages | difficulty=Easy | question=Find the average of 66, 20, 97, 22, 23, 60. | option_a=50 | option_b=47 | option_c=48 | option_d=49 | answer=C | explanation=Average = sum of values + number of values = 288 ÷ 6 = 48.

id=60512 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=60513 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:10 and the first is 260, what is the second? | option_a=390 | option_b=130 | option_c=150 | option_d=120 | answer=B | explanation=Scale factor = 260/20 = 13. Therefore second quantity = 10×13 = 130.

id=60514 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=P | option_b=U | option_c=E | option_d=Z | answer=D | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=60515 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=L | option_b=T | option_c=X | option_d=P | answer=B | explanation=Move 4 positions forward from P; the resulting letter is T.

id=60516 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 14. | option_a=182 | option_b=208 | option_c=168 | option_d=364 | answer=A | explanation=LCM × HCF = 26×14; HCF(26,14) = 2, so LCM = 182.

id=60517 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 17, 27, 39? | option_a=39 | option_b=7 | option_c=17 | option_d=27 | answer=A | explanation=The first three numbers increase by 10, so the next should be 37. Therefore 39 is the odd one out.

id=60518 | topic=Averages | difficulty=Easy | question=Find the average of 37, 96, 26. | option_a=52 | option_b=53 | option_c=55 | option_d=54 | answer=B | explanation=Average = sum of values + number of values = 159 ÷ 3 = 53.

id=60519 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1063. If it is sold at a profit of 10%, what is its selling price? | option_a=1073 | option_b=1169 | option_c=1063 | option_d=1275 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1063 × 110/100 = ₹1169.

id=60520 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:8 and the first is 272, what is the second? | option_a=400 | option_b=120 | option_c=145 | option_d=128 | answer=D | explanation=Scale factor = 272/17 = 16. Therefore second quantity = 8×16 = 128.

id=60521 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=O | option_b=L | option_c=R | option_d=I | answer=A | explanation=Move 3 positions forward from L; the resulting letter is O.

id=60522 | topic=Averages | difficulty=Easy | question=Find the average of 92, 78, 85. | option_a=84 | option_b=86 | option_c=85 | option_d=87 | answer=C | explanation=Average = sum of values + number of values = 255 ÷ 3 = 85.

id=60523 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=S | option_c=U | option_d=V | answer=C | explanation=Move 1 positions forward from T; the resulting letter is U.

id=60524 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹982. If it is sold at a profit of 20%, what is its selling price? | option_a=1178 | option_b=1080 | option_c=1276 | option_d=1002 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 982 × 120/100 = ₹1178.

id=60525 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=12 | option_b=7 | option_c=24 | option_d=17 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=60526 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹43635 at 15% per annum for 3 years. | option_a=19735 | option_b=19535 | option_c=63270 | option_d=19635 | answer=D | explanation=SI = PRT/100 = 43635×15×3/100 = ₹19635.

id=60527 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹25658 at 5% per annum for 4 years. | option_a=5031 | option_b=5231 | option_c=5131 | option_d=30789 | answer=C | explanation=SI = PRT/100 = 25658×5×4/100 = ₹5131.

id=60528 | topic=Percentages | difficulty=Easy | question=What is 50% of 1212? | option_a=611 | option_b=606 | option_c=601 | option_d=1212 | answer=B | explanation=50% of 1212 = (50/100) × 1212 = 606.

id=60529 | topic=Averages | difficulty=Easy | question=Find the average of 15, 89, 23, 10, 18. | option_a=30 | option_b=32 | option_c=33 | option_d=31 | answer=D | explanation=Average = sum of values ÷ number of values = 155 ÷ 5 = 31.

id=60530 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹998. If it is sold at a profit of 5%, what is its selling price? | option_a=1146 | option_b=948 | option_c=1003 | option_d=1047 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 998 × 105/100 = ₹1047.

id=60531 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=60532 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 50? | option_a=42 | option_b=30 | option_c=50 | option_d=36 | answer=C | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 50 is the odd one out.

id=60533 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=56 | option_b=67 | option_c=57 | option_d=45 | answer=A | explanation=The common difference is 11. Therefore the next term is 45 + 11 = 56.

id=60534 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=60535 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:19 and the first is 88, what is the second? | option_a=152 | option_b=240 | option_c=133 | option_d=163 | answer=A | explanation=Scale factor = 88/11 = 8. Therefore second quantity = 19×8 = 152.

id=60536 | topic=Averages | difficulty=Easy | question=Find the average of 33, 65, 96, 56, 64, 31, 73, 34, 97. | option_a=60 | option_b=62 | option_c=63 | option_d=61 | answer=D | explanation=Average = sum of values + number of values = 549 ÷ 9 = 61.

id=60537 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹1724 at 10% per annum for 3 years. | option_a=517 | option_b=617 | option_c=2241 | option_d=417 | answer=A | explanation=SI = PRT/100 = 1724×10×3/100 = ₹517.

id=60538 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=60539 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=90 | option_c=50 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=60540 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 47? | option_a=38 | option_b=32 | option_c=26 | option_d=47 | answer=D | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 47 is the odd one out.

Aptitude Questions — Records 60,541-60,570 of 100,000

id=60541 | topic=Percentages | difficulty=Easy | question=What is 10% of 1592? | option_a=159 | option_b=318 | option_c=169 | option_d=149 | answer=A | explanation=10% of 1592 = $(10/100) \times 1592 = 159$.

id=60542 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30518 at 5% per annum for 4 years. | option_a=6003 | option_b=6103 | option_c=36621 | option_d=6203 | answer=B | explanation=SI = $PRT/100 = 30518 \times 5 \times 4/100 = \text{■}6103$.

id=60543 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=41 | option_b=29 | option_c=36 | option_d=35 | answer=D | explanation=The common difference is 6. Therefore the next term is $29 + 6 = 35$.

id=60544 | topic=Averages | difficulty=Easy | question=Find the average of 78, 71, 50, 80, 51. | option_a=67 | option_b=65 | option_c=68 | option_d=66 | answer=D | explanation=Average = sum of values + number of values = $330 \div 5 = 66$.

id=60545 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:12 and the first is 32, what is the second? | option_a=100 | option_b=84 | option_c=96 | option_d=128 | answer=C | explanation=Scale factor = $32/4 = 8$. Therefore second quantity = $12 \times 8 = 96$.

id=60546 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=J | option_b=M | option_c=L | option_d=K | answer=C | explanation=Move 1 positions forward from K; the resulting letter is L.

id=60547 | topic=Averages | difficulty=Easy | question=Find the average of 46, 32, 29, 63, 37, 40, 32, 85, 85, 11. | option_a=47 | option_b=45 | option_c=46 | option_d=48 | answer=C | explanation=Average = sum of values + number of values = $460 \div 10 = 46$.

id=60548 | topic=Percentages | difficulty=Easy | question=What is 20% of 1598? | option_a=314 | option_b=324 | option_c=638 | option_d=319 | answer=D | explanation=20% of 1598 = $(20/100) \times 1598 = 319$.

id=60549 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance $\div$ time = $120 \div 2 = 60$ km/h.

id=60550 | topic=Averages | difficulty=Easy | question=Find the average of 18, 15, 67, 95, 54, 21, 80. | option_a=49 | option_b=50 | option_c=52 | option_d=51 | answer=B | explanation=Average = sum of values + number of values = $350 \div 7 = 50$.

id=60551 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2367. If it is sold at a profit of 5%, what is its selling price? | option_a=2721 | option_b=2249 | option_c=2372 | option_d=2485 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2367 \times 105/100 = \text{■}2485$.

id=60552 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=G | option_b=D | option_c=A | option_d=J | answer=A | explanation=Move 3 positions forward from D; the resulting letter is G.

id=60553 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:16 and the first is 320, what is the second? | option_a=276 | option_b=240 | option_c=256 | option_d=576 | answer=C | explanation=Scale factor = $320/20 = 16$. Therefore second quantity = $16 \times 16 = 256$.

id=60554 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**184. If it is sold at a profit of 40%, what is its selling price? | option_a=224 | option_b=239 | option_c=275 | option_d=257 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 184 \times 140/100 = \text{■}257$.

id=60555 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=10 | option_c=20 | option_d=15 | answer=B | explanation=Speed = distance $\div$ time = $60 \div 6 = 10$ km/h.

id=60556 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:19 and the first is 216, what is the second? | option_a=444 | option_b=209 | option_c=228 | option_d=246 | answer=C | explanation=Scale factor = $216/18 = 12$. Therefore second quantity = $19 \times 12 = 228$.

id=60557 | topic=Percentages | difficulty=Easy | question=What is 30% of 1655? | option_a=496 | option_b=992 | option_c=486 | option_d=501 | answer=A | explanation=30% of 1655 = $(30/100) \times 1655 = 496$.

id=60558 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 39, 48, 60? | option_a=39 | option_b=30 | option_c=48 | option_d=60 | answer=D | explanation=The first three numbers increase by 9, so the next should be 57. Therefore 60 is the odd one out.

id=60559 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=60560 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=49 | option_b=50 | option_c=38 | option_d=60 | answer=A | explanation=The common difference is 11. Therefore the next term is $38 + 11 = 49$.

id=60561 | topic=Percentages | difficulty=Easy | question=What is 20% of 1739? | option_a=694 | option_b=357 | option_c=347 | option_d=342 | answer=C | explanation=20% of 1739 = $(20/100) \times 1739 = 347$.

id=60562 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=B | option_c=J | option_d=N | answer=C | explanation=Move 4 positions forward from F; the resulting letter is J.

id=60563 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 15, 22, 30? | option_a=8 | option_b=15 | option_c=22 | option_d=30 | answer=D | explanation=The first three numbers increase by 7, so the next should be 29. Therefore 30 is the odd one out.

id=60564 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=16 | answer=B | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=60565 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=31 | option_b=34 | option_c=32 | option_d=28 | answer=A | explanation=The common difference is 3. Therefore the next term is $28 + 3 = 31$.

id=60566 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=E | option_c=W | option_d=I | answer=B | explanation=Move 4 positions forward from A; the resulting letter is E.

id=60567 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=50 | option_b=60 | option_c=40 | option_d=51 | answer=A | explanation=The common difference is 10. Therefore the next term is $40 + 10 = 50$.

id=60568 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=60569 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=K | option_b=I | option_c=J | option_d=L | answer=A | explanation=Move 1 positions forward from J; the resulting letter is K.

id=60570 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=D | option_b=G | option_c=J | option_d=M | answer=C | explanation=Move 3 positions forward from G; the resulting letter is J.

Aptitude Questions — Records 60,571-60,600 of 100,000

id=60571 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25503 at 12% per annum for 3 years. | option_a=9081 | option_b=9281 | option_c=9181 | option_d=34684 | answer=C | explanation=SI = PRT/100 = 25503×12×3/100 = **■**9181.

id=60572 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32205 at 8% per annum for 2 years. | option_a=5152 | option_b=5252 | option_c=37357 | option_d=5052 | answer=A | explanation=SI = PRT/100 = 32205×8×2/100 = **■**5152.

id=60573 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3020. If it is sold at a profit of 15%, what is its selling price? | option_a=3035 | option_b=3775 | option_c=3171 | option_d=3473 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3020 × 115/100 = **■**3473.

id=60574 | topic=Percentages | difficulty=Easy | question=What is 12% of 1763? | option_a=211 | option_b=422 | option_c=216 | option_d=206 | answer=A | explanation=12% of 1763 = (12/100) × 1763 = 211.

id=60575 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=48 | option_b=34 | option_c=41 | option_d=42 | answer=C | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=60576 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=60577 | topic=Averages | difficulty=Easy | question=Find the average of 67, 94, 22. | option_a=61 | option_b=62 | option_c=60 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 183 ÷ 3 = 61.

id=60578 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 16. | option_a=54 | option_b=48 | option_c=32 | option_d=96 | answer=B | explanation=LCM × HCF = 6×16; HCF(6,16) = 2, so LCM = 48.

id=60579 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=60580 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:3 and the first is 72, what is the second? | option_a=27 | option_b=24 | option_c=35 | option_d=99 | answer=A | explanation=Scale factor = 72/8 = 9. Therefore second quantity = 3×9 = 27.

id=60581 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=60582 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24978 at 8% per annum for 4 years. | option_a=7892 | option_b=8092 | option_c=7992 | option_d=32970 | answer=C | explanation=SI = PRT/100 = 24978×8×4/100 = **■**7992.

id=60583 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=60584 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=L | option_b=D | option_c=H | option_d=Z | answer=C | explanation=Move 4 positions forward from D; the resulting letter is H.

id=60585 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 51? | option_a=51 | option_b=21 | option_c=30 | option_d=39 | answer=A | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 51 is the odd one out.

id=60586 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:20 and the first is 132, what is the second? | option_a=200 | option_b=352 | option_c=232 | option_d=220 | answer=D | explanation=Scale factor = 132/12 = 11. Therefore second quantity = 20×11 = 220.

id=60587 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4970. If it is sold at a profit of 30%, what is its selling price? | option_a=6958 | option_b=5000 | option_c=6461 | option_d=5964 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4970 × 130/100 = **■**6461.

id=60588 | topic=Percentages | difficulty=Easy | question=What is 12% of 1816? | option_a=217 | option_b=222 | option_c=212 | option_d=434 | answer=A | explanation=12% of 1816 = (12/100) × 1816 = 217.

id=60589 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=X | option_b=L | option_c=T | option_d=P | answer=C | explanation=Move 4 positions forward from P; the resulting letter is T.

id=60590 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=13 | option_c=23 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=60591 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:15 and the first is 120, what is the second? | option_a=300 | option_b=306 | option_c=285 | option_d=420 | answer=A | explanation=Scale factor = 120/6 = 20. Therefore second quantity = 15×20 = 300.

id=60592 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=C | option_b=D | option_c=E | option_d=F | answer=C | explanation=Move 1 positions forward from D; the resulting letter is E.

id=60593 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=Q | option_b=K | option_c=H | option_d=N | answer=D | explanation=Move 3 positions forward from K; the resulting letter is N.

id=60594 | topic=Percentages | difficulty=Easy | question=What is 10% of 1802? | option_a=360 | option_b=160 | option_c=190 | option_d=180 | answer=D | explanation=10% of 1802 = (10/100) × 1802 = 180.

id=60595 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23041 at 15% per annum for 2 years. | option_a=6812 | option_b=7012 | option_c=6912 | option_d=29953 | answer=C | explanation=SI = PRT/100 = 23041×15×2/100 = **■**6912.

id=60596 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=S | option_b=M | option_c=P | option_d=J | answer=C | explanation=Move 3 positions forward from M; the resulting letter is P.

id=60597 | topic=Averages | difficulty=Easy | question=Find the average of 41, 35, 77, 35. | option_a=47 | option_b=49 | option_c=48 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 188 ÷ 4 = 47.

id=60598 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:8 and the first is 66, what is the second? | option_a=94 | option_b=88 | option_c=154 | option_d=80 | answer=B | explanation=Scale factor = 66/6 = 11. Therefore second quantity = 8×11 = 88.

id=60599 | topic=Averages | difficulty=Easy | question=Find the average of 98, 58, 50, 50, 34. | option_a=60 | option_b=57 | option_c=58 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 290 ÷ 5 = 58.

id=60600 | topic=Averages | difficulty=Easy | question=Find the average of 44, 33, 37, 25, 13, 69, 95, 90, 17. | option_a=48 | option_b=49 | option_c=47 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 423 ÷ 9 = 47.

Aptitude Questions — Records 60,601-60,630 of 100,000

id=60601 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12682 at 4% per annum for 5 years. | option_a=15218 | option_b=2536 | option_c=2436 | option_d=2636 | answer=B | explanation=SI = $PRT/100 = 12682 \times 4 \times 5/100 = \blacksquare 2536$.

id=60602 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=72 | option_c=144 | option_d=67 | answer=B | explanation=Speed = distance ÷ time = $360 \div 5 = 72$ km/h.

id=60603 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23996 at 5% per annum for 4 years. | option_a=4899 | option_b=28795 | option_c=4799 | option_d=4699 | answer=C | explanation=SI = $PRT/100 = 23996 \times 5 \times 4/100 = \blacksquare 4799$.

id=60604 | topic=Averages | difficulty=Easy | question=Find the average of 48, 52, 50. | option_a=51 | option_b=50 | option_c=49 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = $150 \div 3 = 50$.

id=60605 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=40 | option_b=53 | option_c=52 | option_d=64 | answer=C | explanation=The common difference is 12. Therefore the next term is $40 + 12 = 52$.

id=60606 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46376 at 6% per annum for 5 years. | option_a=60288 | option_b=13812 | option_c=13912 | option_d=14012 | answer=C | explanation=SI = $PRT/100 = 46376 \times 6 \times 5/100 = \blacksquare 13912$.

id=60607 | topic=Averages | difficulty=Easy | question=Find the average of 47, 70, 37, 86. | option_a=61 | option_b=60 | option_c=62 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = $240 \div 4 = 60$.

id=60608 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 5, 8, 12? | option_a=2 | option_b=8 | option_c=5 | option_d=12 | answer=D | explanation=The first three numbers increase by 3, so the next should be 11. Therefore 12 is the odd one out.

id=60609 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2939. If it is sold at a profit of 20%, what is its selling price? | option_a=3233 | option_b=3526 | option_c=2959 | option_d=3819 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2939 \times 120/100 = \blacksquare 3526$.

id=60610 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=J | option_c=P | option_d=L | answer=A | explanation=Move 2 positions forward from L; the resulting letter is N.

id=60611 | topic=Percentages | difficulty=Easy | question=What is 25% of 145? | option_a=31 | option_b=36 | option_c=72 | option_d=56 | answer=B | explanation=25% of 145 = $(25/100) \times 145 = 36$.

id=60612 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**497. If it is sold at a profit of 50%, what is its selling price? | option_a=745 | option_b=794 | option_c=696 | option_d=547 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 497 \times 150/100 = \blacksquare 745$.

id=60613 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=H | option_c=J | option_d=K | answer=C | explanation=Move 1 positions forward from I; the resulting letter is J.

id=60614 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30771 at 6% per annum for 2 years. | option_a=34463 | option_b=3692 | option_c=3592 | option_d=3792 | answer=B | explanation=SI = $PRT/100 = 30771 \times 6 \times 2/100 = \blacksquare 3692$.

id=60615 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 20, 26, 35? | option_a=35 | option_b=20 | option_c=26 | option_d=14 | answer=A | explanation=The first three numbers increase by 6, so the next should be 32. Therefore 35 is the odd one out.

id=60616 | topic=Percentages | difficulty=Easy | question=What is 10% of 1767? | option_a=186 | option_b=176 | option_c=352 | option_d=166 | answer=B | explanation=10% of 1767 = $(10/100) \times 1767 = 176$.

id=60617 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:2 and the first is 60, what is the second? | option_a=72 | option_b=10 | option_c=12 | option_d=22 | answer=C | explanation=Scale factor = $60/10 = 6$. Therefore second quantity = $2 \times 6 = 12$.

id=60618 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:13 and the first is 6, what is the second? | option_a=39 | option_b=45 | option_c=26 | option_d=41 | answer=A | explanation=Scale factor = $6/2 = 3$. Therefore second quantity = $13 \times 3 = 39$.

id=60619 | topic=Averages | difficulty=Easy | question=Find the average of 25, 75, 80, 98, 89, 16, 42, 90, 16. | option_a=60 | option_b=59 | option_c=61 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = $531 \div 9 = 59$.

id=60620 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=35 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = $240 \div 6 = 40$ km/h.

id=60621 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 14, 16, 19? | option_a=12 | option_b=19 | option_c=14 | option_d=16 | answer=B | explanation=The first three numbers increase by 2, so the next should be 18. Therefore 19 is the odd one out.

id=60622 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = $180 \div 4 = 45$ km/h.

id=60623 | topic=Averages | difficulty=Easy | question=Find the average of 35, 72, 88, 19, 51. | option_a=55 | option_b=54 | option_c=52 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = $265 \div 5 = 53$.

id=60624 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3400. If it is sold at a profit of 25%, what is its selling price? | option_a=3425 | option_b=4250 | option_c=3910 | option_d=4590 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3400 \times 125/100 = \blacksquare 4250$.

id=60625 | topic=Percentages | difficulty=Easy | question=What is 30% of 1884? | option_a=570 | option_b=1130 | option_c=565 | option_d=555 | answer=C | explanation=30% of 1884 = $(30/100) \times 1884 = 565$.

id=60626 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=41 | option_b=42 | option_c=35 | option_d=47 | answer=A | explanation=The common difference is 6. Therefore the next term is $35 + 6 = 41$.

id=60627 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=27 | option_b=28 | option_c=23 | option_d=31 | answer=A | explanation=The common difference is 4. Therefore the next term is $23 + 4 = 27$.

id=60628 | topic=Percentages | difficulty=Easy | question=What is 15% of 795? | option_a=119 | option_b=114 | option_c=238 | option_d=139 | answer=A | explanation=15% of 795 = $(15/100) \times 795 = 119$.

id=60629 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**722. If it is sold at a profit of 40%, what is its selling price? | option_a=938 | option_b=762 | option_c=1010 | option_d=1082 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 722 \times 140/100 = \blacksquare 1010$.

id=60630 | topic=Percentages | difficulty=Easy | question=What is 25% of 1405? | option_a=351 | option_b=371 | option_c=702 | option_d=331 | answer=A | explanation=25% of 1405 = $(25/100) \times 1405 = 351$.

Aptitude Questions — Records 60,631-60,660 of 100,000

- id=60631 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=32 | option_b=48 | option_c=41 | option_d=40 | answer=D | explanation=The common difference is 8. Therefore the next term is 32 + 8 = 40.
- id=60632 | topic=Percentages | difficulty=Easy | question=What is 12% of 719? | option_a=172 | option_b=81 | option_c=91 | option_d=86 | answer=D | explanation=12% of 719 = $(12/100) \times 719 = 86$.
- id=60633 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 36, 44, 54, 44? | option_a=54 | option_b=28 | option_c=44 | option_d=36 | answer=A | explanation=The first three numbers increase by 8, so the next should be 52. Therefore 54 is the odd one out.
- id=60634 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30596 at 8% per annum for 3 years. | option_a=7343 | option_b=7243 | option_c=7443 | option_d=37939 | answer=A | explanation=SI = $PRT/100 = 30596 \times 8 \times 3/100 = \text{■}7343$.
- id=60635 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2347. If it is sold at a profit of 25%, what is its selling price? | option_a=2933 | option_b=2699 | option_c=3167 | option_d=2372 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2347 \times 125/100 = \text{■}2933$.
- id=60636 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:5 and the first is 228, what is the second? | option_a=79 | option_b=60 | option_c=288 | option_d=55 | answer=B | explanation=Scale factor = $228/19 = 12$. Therefore second quantity = $5 \times 12 = 60$.
- id=60637 | topic=Averages | difficulty=Easy | question=Find the average of 45, 47, 45, 93, 19, 45. | option_a=50 | option_b=51 | option_c=48 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = $294 \div 6 = 49$.
- id=60638 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=K | option_b=A | option_c=P | option_d=F | answer=A | explanation=Move 5 positions forward from F; the resulting letter is K.
- id=60639 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.
- id=60640 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:14 and the first is 84, what is the second? | option_a=70 | option_b=84 | option_c=168 | option_d=98 | answer=B | explanation=Scale factor = $84/14 = 6$. Therefore second quantity = $14 \times 6 = 84$.
- id=60641 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4453. If it is sold at a profit of 25%, what is its selling price? | option_a=5566 | option_b=6011 | option_c=5121 | option_d=4478 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4453 \times 125/100 = \text{■}5566$.
- id=60642 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4591. If it is sold at a profit of 50%, what is its selling price? | option_a=7345 | option_b=6886 | option_c=4641 | option_d=6427 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4591 \times 150/100 = \text{■}6886$.
- id=60643 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=43 | option_b=44 | option_c=33 | option_d=53 | answer=A | explanation=The common difference is 10. Therefore the next term is 33 + 10 = 43.
- id=60644 | topic=Percentages | difficulty=Easy | question=What is 10% of 1919? | option_a=382 | option_b=181 | option_c=191 | option_d=201 | answer=C | explanation=10% of 1919 = $(10/100) \times 1919 = 191$.
- id=60645 | topic=Averages | difficulty=Easy | question=Find the average of 22, 10, 25, 64, 18, 33, 94. | option_a=39 | option_b=37 | option_c=38 | option_d=40 | answer=C | explanation=Average = sum of values ÷ number of values = $266 \div 7 = 38$.
- id=60646 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2659. If it is sold at a profit of 50%, what is its selling price? | option_a=2709 | option_b=4253 | option_c=3988 | option_d=3723 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2659 \times 150/100 = \text{■}3988$.
- id=60647 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 27, 32, 39? | option_a=27 | option_b=39 | option_c=32 | option_d=22 | answer=B | explanation=The first three numbers increase by 5, so the next should be 37. Therefore 39 is the odd one out.
- id=60648 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13076 at 12% per annum for 4 years. | option_a=6376 | option_b=6176 | option_c=19352 | option_d=6276 | answer=D | explanation=SI = $PRT/100 = 13076 \times 12 \times 4/100 = \text{■}6276$.
- id=60649 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=85 | option_c=90 | option_d=180 | answer=C | explanation=Speed = distance ÷ time = $360 \div 4 = 90$ km/h.
- id=60650 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.
- id=60651 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=29 | option_c=19 | option_d=48 | answer=A | explanation=Speed = distance ÷ time = $120 \div 5 = 24$ km/h.
- id=60652 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:2 and the first is 17, what is the second? | option_a=51 | option_b=34 | option_c=32 | option_d=35 | answer=B | explanation=Scale factor = $17/1 = 17$. Therefore second quantity = $2 \times 17 = 34$.
- id=60653 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=27 | option_b=32 | option_c=35 | option_d=31 | answer=D | explanation=The common difference is 4. Therefore the next term is 27 + 4 = 31.
- id=60654 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9156 at 6% per annum for 5 years. | option_a=2646 | option_b=2846 | option_c=2746 | option_d=11902 | answer=C | explanation=SI = $PRT/100 = 9156 \times 6 \times 5/100 = \text{■}2746$.
- id=60655 | topic=Averages | difficulty=Easy | question=Find the average of 90, 24, 63, 37, 35, 99, 51, 41. | option_a=54 | option_b=55 | option_c=57 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = $440 \div 8 = 55$.
- id=60656 | topic=Averages | difficulty=Easy | question=Find the average of 44, 53, 12, 55. | option_a=41 | option_b=42 | option_c=40 | option_d=43 | answer=A | explanation=Average = sum of values ÷ number of values = $164 \div 4 = 41$.
- id=60657 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:1 and the first is 209, what is the second? | option_a=220 | option_b=10 | option_c=11 | option_d=30 | answer=C | explanation=Scale factor = $209/19 = 11$. Therefore second quantity = $1 \times 11 = 11$.
- id=60658 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=55 | option_c=100 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = $300 \div 6 = 50$ km/h.
- id=60659 | topic=Averages | difficulty=Easy | question=Find the average of 70, 88, 98, 23, 15, 20, 40, 38. | option_a=50 | option_b=48 | option_c=51 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = $392 \div 8 = 49$.
- id=60660 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18633 at 4% per annum for 5 years. | option_a=3626 | option_b=22359 | option_c=3726 | option_d=3826 | answer=C | explanation=SI = $PRT/100 = 18633 \times 4 \times 5/100 = \text{■}3726$.

Aptitude Questions — Records 60,661-60,690 of 100,000

id=60661 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 25, 35, 48? | option_a=48 | option_b=15 | option_c=35 | option_d=25 | answer=A | explanation=The first three numbers increase by 10, so the next should be 45. Therefore 48 is the odd one out.

id=60662 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 36, 44, 55? | option_a=44 | option_b=28 | option_c=55 | option_d=36 | answer=C | explanation=The first three numbers increase by 8, so the next should be 52. Therefore 55 is the odd one out.

id=60663 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36936 at 5% per annum for 1 years. | option_a=1946 | option_b=38782 | option_c=1746 | option_d=1846 | answer=D | explanation=SI = $PRT/100 = 36936 \times 5 \times 1/100 = \blacksquare 1846$.

id=60664 | topic=Percentages | difficulty=Easy | question=What is 15% of 1877? | option_a=562 | option_b=286 | option_c=281 | option_d=276 | answer=C | explanation=15% of 1877 = $(15/100) \times 1877 = 281$.

id=60665 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31317 at 10% per annum for 5 years. | option_a=15758 | option_b=46975 | option_c=15658 | option_d=15558 | answer=C | explanation=SI = $PRT/100 = 31317 \times 10 \times 5/100 = \blacksquare 15658$.

id=60666 | topic=Averages | difficulty=Easy | question=Find the average of 56, 65, 73, 14, 40, 39, 29, 43, 55. | option_a=45 | option_b=47 | option_c=46 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = $414 \div 9 = 46$.

id=60667 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25018 at 8% per annum for 4 years. | option_a=7905 | option_b=33023 | option_c=8005 | option_d=8105 | answer=C | explanation=SI = $PRT/100 = 25018 \times 8 \times 4/100 = \blacksquare 8005$.

id=60668 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 30? | option_a=30 | option_b=19 | option_c=24 | option_d=14 | answer=A | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 30 is the odd one out.

id=60669 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 30. | option_a=600 | option_b=80 | option_c=30 | option_d=60 | answer=D | explanation=LCM × HCF = 20×30 ; $HCF(20, 30) = 10$, so LCM = 60.

id=60670 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48099 at 4% per annum for 2 years. | option_a=3747 | option_b=3947 | option_c=51946 | option_d=3847 | answer=D | explanation=SI = $PRT/100 = 48099 \times 4 \times 2/100 = \blacksquare 3847$.

id=60671 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1920. If it is sold at a profit of 5%, what is its selling price? | option_a=1824 | option_b=2016 | option_c=1925 | option_d=2208 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1920 \times 105/100 = \blacksquare 2016$.

id=60672 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:9 and the first is 33, what is the second? | option_a=38 | option_b=27 | option_c=60 | option_d=18 | answer=B | explanation=Scale factor = $33/11 = 3$. Therefore second quantity = $9 \times 3 = 27$.

id=60673 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=27 | option_b=25 | option_c=21 | option_d=24 | answer=D | explanation=The common difference is 3. Therefore the next term is $21 + 3 = 24$.

id=60674 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:4 and the first is 240, what is the second? | option_a=304 | option_b=60 | option_c=79 | option_d=64 | answer=D | explanation=Scale factor = $240/15 = 16$. Therefore second quantity = $4 \times 16 = 64$.

id=60675 | topic=Averages | difficulty=Easy | question=Find the average of 65, 68, 39, 83, 72, 65, 14. | option_a=57 | option_b=59 | option_c=58 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = $406 \div 7 = 58$.

id=60676 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 8, 13, 21? | option_a=3 | option_b=8 | option_c=13 | option_d=21 | answer=D | explanation=The first three numbers increase by 5, so the next should be 18. Therefore 21 is the odd one out.

id=60677 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40504 at 15% per annum for 3 years. | option_a=18326 | option_b=58730 | option_c=18126 | option_d=18226 | answer=D | explanation=SI = $PRT/100 = 40504 \times 15 \times 3/100 = \blacksquare 18226$.

id=60678 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37118 at 10% per annum for 4 years. | option_a=14947 | option_b=51965 | option_c=14847 | option_d=14747 | answer=C | explanation=SI = $PRT/100 = 37118 \times 10 \times 4/100 = \blacksquare 14847$.

id=60679 | topic=Averages | difficulty=Easy | question=Find the average of 66, 71, 14, 56, 82, 93, 76, 67, 18, 67. | option_a=62 | option_b=61 | option_c=63 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = $610 \div 10 = 61$.

id=60680 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 12, 17, 23? | option_a=17 | option_b=12 | option_c=7 | option_d=23 | answer=D | explanation=The first three numbers increase by 5, so the next should be 22. Therefore 23 is the odd one out.

id=60681 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.

id=60682 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 37? | option_a=5 | option_b=37 | option_c=15 | option_d=25 | answer=B | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 37 is the odd one out.

id=60683 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'i' become? | option_a=i | option_b=f | option_c=o | option_d=l | answer=D | explanation=Move 3 positions forward from i; the resulting letter is L.

id=60684 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34836 at 6% per annum for 2 years. | option_a=39016 | option_b=4080 | option_c=4280 | option_d=4180 | answer=D | explanation=SI = $PRT/100 = 34836 \times 6 \times 2/100 = \blacksquare 4180$.

id=60685 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = $180 \div 3 = 60$ km/h.

id=60686 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7850 at 12% per annum for 5 years. | option_a=12560 | option_b=4810 | option_c=4710 | option_d=4610 | answer=C | explanation=SI = $PRT/100 = 7850 \times 12 \times 5/100 = \blacksquare 4710$.

id=60687 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 22, 31, 41? | option_a=31 | option_b=13 | option_c=22 | option_d=41 | answer=D | explanation=The first three numbers increase by 9, so the next should be 40. Therefore 41 is the odd one out.

id=60688 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1684. If it is sold at a profit of 15%, what is its selling price? | option_a=2104 | option_b=1699 | option_c=1768 | option_d=1936 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1684 \times 115/100 = \blacksquare 1936$.

id=60689 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:10 and the first is 44, what is the second? | option_a=110 | option_b=100 | option_c=154 | option_d=114 | answer=A | explanation=Scale factor = $44/4 = 11$. Therefore second quantity = $10 \times 11 = 110$.

id=60690 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 37, 44, 54? | option_a=44 | option_b=30 | option_c=37 | option_d=54 | answer=D | explanation=The first three numbers increase by 7, so the next should be 51. Therefore 54 is the odd one out.

Aptitude Questions — Records 60,691-60,720 of 100,000

id=60691 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=46 | option_b=37 | option_c=47 | option_d=55 | answer=A | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=60692 | topic=Profit & Loss | difficulty=Easy | question=An article costs █272. If it is sold at a profit of 15%, what is its selling price? | option_a=287 | option_b=312 | option_c=339 | option_d=285 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 272 × 115/100 = █312.

id=60693 | topic=Percentages | difficulty=Easy | question=What is 15% of 1416? | option_a=202 | option_b=212 | option_c=217 | option_d=424 | answer=B | explanation=15% of 1416 = (15/100) × 1416 = 212.

id=60694 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=J | option_b=F | option_c=B | option_d=X | answer=B | explanation=Move 4 positions forward from B; the resulting letter is F.

id=60695 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=150 | option_d=70 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=60696 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 24? | option_a=21 | option_b=17 | option_c=19 | option_d=24 | answer=D | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 24 is the odd one out.

id=60697 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=60698 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=60699 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=38 | option_b=29 | option_c=37 | option_d=45 | answer=C | explanation=The common difference is 8. Therefore the next term is 29 + 8 = 37.

id=60700 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=10 | option_d=5 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=60701 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=60702 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1452. If it is sold at a profit of 40%, what is its selling price? | option_a=2032 | option_b=1887 | option_c=1492 | option_d=2177 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1452 × 140/100 = █2032.

id=60703 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40420 at 8% per annum for 1 years. | option_a=3133 | option_b=3333 | option_c=3233 | option_d=43653 | answer=C | explanation=SI = PRT/100 = 40420×8×1/100 = █3233.

id=60704 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=14 | option_b=15 | option_c=11 | option_d=13 | answer=D | explanation=The common difference is 2. Therefore the next term is 11 + 2 = 13.

id=60705 | topic=Averages | difficulty=Easy | question=Find the average of 35, 16, 72. | option_a=43 | option_b=42 | option_c=40 | option_d=41 | answer=D | explanation=Average = sum of values ÷ number of values = 123 ÷ 3 = 41.

id=60706 | topic=Averages | difficulty=Easy | question=Find the average of 23, 90, 96, 80, 70, 38, 90, 30, 42. | option_a=62 | option_b=63 | option_c=61 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 549 ÷ 9 = 61.

id=60707 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1180. If it is sold at a profit of 30%, what is its selling price? | option_a=1652 | option_b=1210 | option_c=1534 | option_d=1416 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1180 × 130/100 = █1534.

id=60708 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=60709 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=60710 | topic=Percentages | difficulty=Easy | question=What is 40% of 1949? | option_a=789 | option_b=779 | option_c=774 | option_d=1558 | answer=B | explanation=40% of 1949 = (40/100) × 1949 = 779.

id=60711 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 49? | option_a=36 | option_b=30 | option_c=42 | option_d=49 | answer=D | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 49 is the odd one out.

id=60712 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 21? | option_a=11 | option_b=15 | option_c=21 | option_d=7 | answer=C | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 21 is the odd one out.

id=60713 | topic=Percentages | difficulty=Easy | question=What is 15% of 57? | option_a=8 | option_b=16 | option_c=3 | option_d=18 | answer=A | explanation=15% of 57 = (15/100) × 57 = 8.

id=60714 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 8, 13, 21? | option_a=3 | option_b=8 | option_c=13 | option_d=21 | answer=D | explanation=The first three numbers increase by 5, so the next should be 18. Therefore 21 is the odd one out.

id=60715 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=60716 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 18. | option_a=108 | option_b=24 | option_c=18 | option_d=1 | answer=C | explanation=LCM × HCF = 6×18; HCF(6,18) = 6, so LCM = 18.

id=60717 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 27, 39, 51, ? | option_a=75 | option_b=64 | option_c=51 | option_d=63 | answer=D | explanation=The common difference is 12. Therefore the next term is 51 + 12 = 63.

id=60718 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14997 at 15% per annum for 2 years. | option_a=4399 | option_b=4499 | option_c=19496 | option_d=4599 | answer=B | explanation=SI = PRT/100 = 14997×15×2/100 = █4499.

id=60719 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=X | option_b=M | option_c=C | option_d=H | answer=D | explanation=Move 5 positions forward from C; the resulting letter is H.

id=60720 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 60,721-60,750 of 100,000

id=60721 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=18 | option_c=23 | option_d=13 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=60722 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 14. | option_a=420 | option_b=196 | option_c=210 | option_d=240 | answer=C | explanation=LCM × HCF = 30×14; HCF(30,14) = 2, so LCM = 210.

id=60723 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=60724 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:8 and the first is 30, what is the second? | option_a=53 | option_b=40 | option_c=78 | option_d=48 | answer=D | explanation=Scale factor = 30/5 = 6. Therefore second quantity = 8×6 = 48.

id=60725 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 10. | option_a=180 | option_b=108 | option_c=90 | option_d=80 | answer=C | explanation=LCM × HCF = 18×10; HCF(18,10) = 2, so LCM = 90.

id=60726 | topic=Percentages | difficulty=Easy | question=What is 15% of 928? | option_a=139 | option_b=278 | option_c=149 | option_d=129 | answer=A | explanation=15% of 928 = (15/100) × 928 = 139.

id=60727 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=28 | option_b=40 | option_c=34 | option_d=35 | answer=C | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.

id=60728 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36543 at 12% per annum for 1 years. | option_a=4285 | option_b=40928 | option_c=4485 | option_d=4385 | answer=D | explanation=SI = $PRT/100 = 36543 \times 12 \times 1/100 = \text{■}4385$.

id=60729 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:1 and the first is 180, what is the second? | option_a=15 | option_b=14 | option_c=195 | option_d=27 | answer=A | explanation=Scale factor = 180/12 = 15. Therefore second quantity = 1×15 = 15.

id=60730 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:7 and the first is 9, what is the second? | option_a=21 | option_b=30 | option_c=14 | option_d=24 | answer=A | explanation=Scale factor = 9/3 = 3. Therefore second quantity = 7×3 = 21.

id=60731 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=L | option_c=K | option_d=I | answer=C | explanation=Move 1 positions forward from J; the resulting letter is K.

id=60732 | topic=Averages | difficulty=Easy | question=Find the average of 72, 97, 93, 31, 77, 46, 40, 91, 47. | option_a=66 | option_b=67 | option_c=68 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 594 ÷ 9 = 66.

id=60733 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 28. | option_a=252 | option_b=224 | option_c=270 | option_d=504 | answer=A | explanation=LCM × HCF = 18×28; HCF(18,28) = 2, so LCM = 252.

id=60734 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=12 | option_c=6 | option_d=1 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=60735 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=60736 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:3 and the first is 132, what is the second? | option_a=36 | option_b=168 | option_c=47 | option_d=33 | answer=A | explanation=Scale factor = 132/11 = 12. Therefore second quantity = 3×12 = 36.

id=60737 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=19 | option_c=48 | option_d=29 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=60738 | topic=Percentages | difficulty=Easy | question=What is 40% of 743? | option_a=594 | option_b=292 | option_c=307 | option_d=297 | answer=D | explanation=40% of 743 = (40/100) × 743 = 297.

id=60739 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=47 | option_b=41 | option_c=40 | option_d=33 | answer=C | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.

id=60740 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=10 | option_b=8 | option_c=12 | option_d=11 | answer=A | explanation=The common difference is 2. Therefore the next term is 8 + 2 = 10.

id=60741 | topic=Averages | difficulty=Easy | question=Find the average of 66, 77, 12, 75, 95, 97, 68. | option_a=69 | option_b=70 | option_c=71 | option_d=72 | answer=B | explanation=Average = sum of values ÷ number of values = 490 ÷ 7 = 70.

id=60742 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=37 | option_b=43 | option_c=49 | option_d=44 | answer=B | explanation=The common difference is 6. Therefore the next term is 37 + 6 = 43.

id=60743 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:9 and the first is 360, what is the second? | option_a=198 | option_b=180 | option_c=540 | option_d=171 | answer=B | explanation=Scale factor = 360/18 = 20. Therefore second quantity = 9×20 = 180.

id=60744 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:12 and the first is 132, what is the second? | option_a=132 | option_b=264 | option_c=144 | option_d=120 | answer=A | explanation=Scale factor = 132/12 = 11. Therefore second quantity = 12×11 = 132.

id=60745 | topic=Percentages | difficulty=Easy | question=What is 30% of 1604? | option_a=481 | option_b=471 | option_c=501 | option_d=962 | answer=A | explanation=30% of 1604 = (30/100) × 1604 = 481.

id=60746 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=60747 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=63 | option_b=74 | option_c=52 | option_d=64 | answer=A | explanation=The common difference is 11. Therefore the next term is 52 + 11 = 63.

id=60748 | topic=Percentages | difficulty=Easy | question=What is 12% of 72? | option_a=18 | option_b=0 | option_c=16 | option_d=8 | answer=D | explanation=12% of 72 = (12/100) × 72 = 8.

id=60749 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**963. If it is sold at a profit of 15%, what is its selling price? | option_a=1107 | option_b=1011 | option_c=1203 | option_d=978 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 963 × 115/100 = **■**1107.

id=60750 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**463. If it is sold at a profit of 25%, what is its selling price? | option_a=578 | option_b=624 | option_c=532 | option_d=488 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 463 × 125/100 = **■**578.

Aptitude Questions — Records 60,751-60,780 of 100,000

id=60751 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 50? | option_a=39 | option_b=19 | option_c=29 | option_d=50 | answer=D | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 50 is the odd one out.

id=60752 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1165. If it is sold at a profit of 50%, what is its selling price? | option_a=1747 | option_b=1631 | option_c=1215 | option_d=1863 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1165 × 150/100 = █1747.

id=60753 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 165, what is the second? | option_a=48 | option_b=33 | option_c=30 | option_d=198 | answer=B | explanation=Scale factor = 165/15 = 11. Therefore second quantity = 3×11 = 33.

id=60754 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:18 and the first is 57, what is the second? | option_a=54 | option_b=36 | option_c=111 | option_d=73 | answer=A | explanation=Scale factor = 57/19 = 3. Therefore second quantity = 18×3 = 54.

id=60755 | topic=Percentages | difficulty=Easy | question=What is 20% of 406? | option_a=162 | option_b=71 | option_c=86 | option_d=81 | answer=D | explanation=20% of 406 = (20/100) × 406 = 81.

id=60756 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=44 | option_b=45 | option_c=38 | option_d=50 | answer=A | explanation=The common difference is 6. Therefore the next term is 38 + 6 = 44.

id=60757 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=U | option_b=F | option_c=P | option_d=K | answer=C | explanation=Move 5 positions forward from K; the resulting letter is P.

id=60758 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3103. If it is sold at a profit of 15%, what is its selling price? | option_a=3878 | option_b=3258 | option_c=3118 | option_d=3568 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3103 × 115/100 = █3568.

id=60759 | topic=Percentages | difficulty=Easy | question=What is 40% of 1411? | option_a=569 | option_b=1128 | option_c=564 | option_d=554 | answer=C | explanation=40% of 1411 = (40/100) × 1411 = 564.

id=60760 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=60761 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 10. | option_a=130 | option_b=260 | option_c=120 | option_d=156 | answer=A | explanation=LCM × HCF = 26×10; HCF(26,10) = 2, so LCM = 130.

id=60762 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36860 at 4% per annum for 3 years. | option_a=4323 | option_b=4523 | option_c=41283 | option_d=4423 | answer=D | explanation=SI = PRT/100 = 36860×4×3/100 = █4423.

id=60763 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2162. If it is sold at a profit of 50%, what is its selling price? | option_a=3243 | option_b=3027 | option_c=3459 | option_d=2212 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2162 × 150/100 = █3243.

id=60764 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:18 and the first is 228, what is the second? | option_a=354 | option_b=324 | option_c=570 | option_d=342 | answer=D | explanation=Scale factor = 228/12 = 19. Therefore second quantity = 18×19 = 342.

id=60765 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 14. | option_a=14 | option_b=28 | option_c=196 | option_d=1 | answer=A | explanation=LCM × HCF = 14×14; HCF(14,14) = 14, so LCM = 14.

id=60766 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 43? | option_a=25 | option_b=30 | option_c=35 | option_d=43 | answer=D | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 43 is the odd one out.

id=60767 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=60768 | topic=Averages | difficulty=Easy | question=Find the average of 15, 13, 28, 53, 25, 67, 46, 92, 41, 90. | option_a=46 | option_b=49 | option_c=48 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 470 ÷ 10 = 47.

id=60769 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=50 | option_c=45 | option_d=100 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=60770 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4309. If it is sold at a profit of 5%, what is its selling price? | option_a=4094 | option_b=4314 | option_c=4524 | option_d=4954 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4309 × 105/100 = █4524.

id=60771 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:15 and the first is 24, what is the second? | option_a=204 | option_b=182 | option_c=165 | option_d=180 | answer=D | explanation=Scale factor = 24/2 = 12. Therefore second quantity = 15×12 = 180.

id=60772 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 27. | option_a=729 | option_b=1 | option_c=27 | option_d=54 | answer=C | explanation=LCM × HCF = 27×27; HCF(27,27) = 27, so LCM = 27.

id=60773 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=60774 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:6 and the first is 154, what is the second? | option_a=78 | option_b=84 | option_c=238 | option_d=95 | answer=B | explanation=Scale factor = 154/11 = 14. Therefore second quantity = 6×14 = 84.

id=60775 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 42? | option_a=28 | option_b=34 | option_c=22 | option_d=42 | answer=D | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 42 is the odd one out.

id=60776 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 58? | option_a=46 | option_b=26 | option_c=58 | option_d=36 | answer=C | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 58 is the odd one out.

id=60777 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=9 | option_b=13 | option_c=11 | option_d=12 | answer=C | explanation=The common difference is 2. Therefore the next term is 9 + 2 = 11.

id=60778 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=60779 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38266 at 8% per annum for 2 years. | option_a=6122 | option_b=6022 | option_c=44388 | option_d=6222 | answer=A | explanation=SI = PRT/100 = 38266×8×2/100 = █6122.

id=60780 | topic=Percentages | difficulty=Easy | question=What is 50% of 1343? | option_a=666 | option_b=671 | option_c=1342 | option_d=676 | answer=B | explanation=50% of 1343 = (50/100) × 1343 = 671.

Aptitude Questions — Records 60,781-60,810 of 100,000

id=60781 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 13, 16, 21? | option_a=16 | option_b=21 | option_c=10 | option_d=13 | answer=B | explanation=The first three numbers increase by 3, so the next should be 19. Therefore 21 is the odd one out.

id=60782 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=24 | option_c=48 | option_d=29 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=60783 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=N | option_c=O | option_d=L | answer=B | explanation=Move 1 positions forward from M; the resulting letter is N.

id=60784 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 49? | option_a=28 | option_b=49 | option_c=34 | option_d=40 | answer=B | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 49 is the odd one out.

id=60785 | topic=Averages | difficulty=Easy | question=Find the average of 59, 35, 37, 70, 98, 19, 18, 89, 43, 52. | option_a=52 | option_b=53 | option_c=51 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 520 ÷ 10 = 52.

id=60786 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33206 at 4% per annum for 3 years. | option_a=3884 | option_b=4084 | option_c=3984 | option_d=37190 | answer=C | explanation=SI = PRT/100 = 33206×4×3/100 = **■**3984.

id=60787 | topic=Averages | difficulty=Easy | question=Find the average of 76, 37, 66, 35, 26, 80, 43, 85. | option_a=55 | option_b=56 | option_c=57 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 448 ÷ 8 = 56.

id=60788 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=J | option_c=N | option_d=V | answer=A | explanation=Move 4 positions forward from N; the resulting letter is R.

id=60789 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19710 at 10% per annum for 1 years. | option_a=21681 | option_b=1871 | option_c=2071 | option_d=1971 | answer=D | explanation=SI = PRT/100 = 19710×10×1/100 = **■**1971.

id=60790 | topic=Averages | difficulty=Easy | question=Find the average of 18, 100, 10, 87, 38, 28, 94, 73, 63, 29. | option_a=56 | option_b=55 | option_c=54 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

id=60791 | topic=Percentages | difficulty=Easy | question=What is 40% of 997? | option_a=796 | option_b=418 | option_c=378 | option_d=398 | answer=D | explanation=40% of 997 = (40/100) × 997 = 398.

id=60792 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=G | option_b=Q | option_c=L | option_d=V | answer=B | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=60793 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=60794 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37820 at 4% per annum for 3 years. | option_a=4538 | option_b=4638 | option_c=42358 | option_d=4438 | answer=A | explanation=SI = PRT/100 = 37820×4×3/100 = **■**4538.

id=60795 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=65 | option_b=64 | option_c=76 | option_d=52 | answer=B | explanation=The common difference is 12. Therefore the next term is 52 + 12 = 64.

id=60796 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=6 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=60797 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:16 and the first is 108, what is the second? | option_a=176 | option_b=201 | option_c=192 | option_d=300 | answer=C | explanation=Scale factor = 108/9 = 12. Therefore second quantity = 16×12 = 192.

id=60798 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16302 at 5% per annum for 1 years. | option_a=815 | option_b=715 | option_c=915 | option_d=17117 | answer=A | explanation=SI = PRT/100 = 16302×5×1/100 = **■**815.

id=60799 | topic=Percentages | difficulty=Easy | question=What is 20% of 215? | option_a=86 | option_b=43 | option_c=38 | option_d=48 | answer=B | explanation=20% of 215 = (20/100) × 215 = 43.

id=60800 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=60801 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=38 | option_b=50 | option_c=51 | option_d=62 | answer=B | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=60802 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 12, 17, 23? | option_a=23 | option_b=7 | option_c=17 | option_d=12 | answer=A | explanation=The first three numbers increase by 5, so the next should be 22. Therefore 23 is the odd one out.

id=60803 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:15 and the first is 19, what is the second? | option_a=304 | option_b=270 | option_c=286 | option_d=285 | answer=D | explanation=Scale factor = 19/1 = 19. Therefore second quantity = 15×19 = 285.

id=60804 | topic=Percentages | difficulty=Easy | question=What is 40% of 742? | option_a=286 | option_b=316 | option_c=592 | option_d=296 | answer=D | explanation=40% of 742 = (40/100) × 742 = 296.

id=60805 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49075 at 12% per annum for 1 years. | option_a=5889 | option_b=5789 | option_c=54964 | option_d=5989 | answer=A | explanation=SI = PRT/100 = 49075×12×1/100 = **■**5889.

id=60806 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=Y | option_b=U | option_c=W | option_d=S | answer=C | explanation=Move 2 positions forward from U; the resulting letter is W.

id=60807 | topic=Averages | difficulty=Easy | question=Find the average of 64, 38, 38, 39, 101. | option_a=55 | option_b=56 | option_c=57 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 280 ÷ 5 = 56.

id=60808 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39386 at 10% per annum for 5 years. | option_a=19693 | option_b=19793 | option_c=19593 | option_d=59079 | answer=A | explanation=SI = PRT/100 = 39386×10×5/100 = **■**19693.

id=60809 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=60810 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 60,811-60,840 of 100,000

id=60811 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■29588 at 4% per annum for 2 years. | option_a=2267 | option_b=31955 | option_c=2467 | option_d=2367 | answer=D | explanation=SI = PRT/100 = 29588×4×2/100 = ■2367.

id=60812 | topic=Percentages | difficulty=Easy | question=What is 15% of 1266? | option_a=378 | option_b=184 | option_c=199 | option_d=189 | answer=D | explanation=15% of 1266 = (15/100) × 1266 = 189.

id=60813 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=28 | option_b=26 | option_c=22 | option_d=25 | answer=D | explanation=The common difference is 3. Therefore the next term is 22 + 3 = 25.

id=60814 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=60815 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■26400 at 10% per annum for 5 years. | option_a=13100 | option_b=13200 | option_c=39600 | option_d=13300 | answer=B | explanation=SI = PRT/100 = 26400×10×5/100 = ■13200.

id=60816 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3520. If it is sold at a profit of 15%, what is its selling price? | option_a=4048 | option_b=3535 | option_c=4400 | option_d=3696 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3520 × 115/100 = ■4048.

id=60817 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=44 | option_b=38 | option_c=50 | option_d=45 | answer=A | explanation=The common difference is 6. Therefore the next term is 38 + 6 = 44.

id=60818 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:5 and the first is 21, what is the second? | option_a=15 | option_b=36 | option_c=22 | option_d=10 | answer=A | explanation=Scale factor = 21/7 = 3. Therefore second quantity = 5×3 = 15.

id=60819 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=37 | option_b=33 | option_c=34 | option_d=29 | answer=B | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=60820 | topic=Averages | difficulty=Easy | question=Find the average of 84, 52, 71. | option_a=70 | option_b=68 | option_c=71 | option_d=69 | answer=D | explanation=Average = sum of values ÷ number of values = 207 ÷ 3 = 69.

id=60821 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=C | option_b=K | option_c=G | option_d=O | answer=B | explanation=Move 4 positions forward from G; the resulting letter is K.

id=60822 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=23 | option_b=29 | option_c=26 | option_d=27 | answer=C | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.

id=60823 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 37, 44, 52? | option_a=37 | option_b=30 | option_c=44 | option_d=52 | answer=D | explanation=The first three numbers increase by 7, so the next should be 51. Therefore 52 is the odd one out.

id=60824 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=30 | option_b=31 | option_c=34 | option_d=26 | answer=A | explanation=The common difference is 4. Therefore the next term is 26 + 4 = 30.

id=60825 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=37 | option_b=31 | option_c=38 | option_d=43 | answer=A | explanation=The common difference is 6. Therefore the next term is 31 + 6 = 37.

id=60826 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:10 and the first is 40, what is the second? | option_a=80 | option_b=120 | option_c=85 | option_d=70 | answer=A | explanation=Scale factor = 40/5 = 8. Therefore second quantity = 10×8 = 80.

id=60827 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■24699 at 6% per annum for 5 years. | option_a=7309 | option_b=7409 | option_c=32108 | option_d=7509 | answer=B | explanation=SI = PRT/100 = 24699×6×5/100 = ■7409.

id=60828 | topic=Percentages | difficulty=Easy | question=What is 40% of 863? | option_a=345 | option_b=335 | option_c=365 | option_d=690 | answer=A | explanation=40% of 863 = (40/100) × 863 = 345.

id=60829 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 24, 30, 38? | option_a=24 | option_b=18 | option_c=38 | option_d=30 | answer=C | explanation=The first three numbers increase by 6, so the next should be 36. Therefore 38 is the odd one out.

id=60830 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=115 | option_c=120 | option_d=240 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=60831 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=60832 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 33? | option_a=22 | option_b=33 | option_c=27 | option_d=17 | answer=B | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 33 is the odd one out.

id=60833 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4590. If it is sold at a profit of 15%, what is its selling price? | option_a=5737 | option_b=5278 | option_c=4605 | option_d=4819 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4590 × 115/100 = ■5278.

id=60834 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=60835 | topic=Averages | difficulty=Easy | question=Find the average of 15, 11, 69, 73. | option_a=44 | option_b=43 | option_c=42 | option_d=41 | answer=C | explanation=Average = sum of values ÷ number of values = 168 ÷ 4 = 42.

id=60836 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■7731 at 15% per annum for 1 years. | option_a=1259 | option_b=1059 | option_c=1159 | option_d=8890 | answer=C | explanation=SI = PRT/100 = 7731×15×1/100 = ■1159.

id=60837 | topic=Averages | difficulty=Easy | question=Find the average of 99, 50, 18, 25, 20, 28. | option_a=41 | option_b=40 | option_c=39 | option_d=42 | answer=B | explanation=Average = sum of values ÷ number of values = 240 ÷ 6 = 40.

id=60838 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=95 | option_c=100 | option_d=200 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=60839 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=36 | option_b=54 | option_c=45 | option_d=46 | answer=C | explanation=The common difference is 9. Therefore the next term is 36 + 9 = 45.

id=60840 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■18821 at 6% per annum for 4 years. | option_a=4417 | option_b=23338 | option_c=4517 | option_d=4617 | answer=C | explanation=SI = PRT/100 = 18821×6×4/100 = ■4517.

Aptitude Questions — Records 60,841-60,870 of 100,000

id=60841 | topic=Averages | difficulty=Easy | question=Find the average of 65, 73, 94, 53, 88, 76, 81, 37, 81. | option_a=71 | option_b=74 | option_c=73 | option_d=72 | answer=D | explanation=Average = sum of values ÷ number of values = 648 ÷ 9 = 72.

id=60842 | topic=Percentages | difficulty=Easy | question=What is 20% of 388? | option_a=97 | option_b=154 | option_c=77 | option_d=67 | answer=C | explanation=20% of 388 = (20/100) × 388 = 77.

id=60843 | topic=Percentages | difficulty=Easy | question=What is 40% of 440? | option_a=156 | option_b=196 | option_c=176 | option_d=352 | answer=C | explanation=40% of 440 = (40/100) × 440 = 176.

id=60844 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 14, 19, 26? | option_a=19 | option_b=14 | option_c=26 | option_d=9 | answer=C | explanation=The first three numbers increase by 5, so the next should be 24. Therefore 26 is the odd one out.

id=60845 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49029 at 15% per annum for 5 years. | option_a=85800 | option_b=36771 | option_c=36671 | option_d=36871 | answer=B | explanation=SI = PRT/100 = 49029×15×5/100 = **■**36771.

id=60846 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32231 at 4% per annum for 2 years. | option_a=2578 | option_b=2478 | option_c=2678 | option_d=34809 | answer=A | explanation=SI = PRT/100 = 32231×4×2/100 = **■**2578.

id=60847 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2654. If it is sold at a profit of 20%, what is its selling price? | option_a=2674 | option_b=3184 | option_c=3449 | option_d=2919 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2654 × 120/100 = **■**3184.

id=60848 | topic=Averages | difficulty=Easy | question=Find the average of 71, 89, 17, 80, 95, 88, 99. | option_a=77 | option_b=79 | option_c=76 | option_d=78 | answer=A | explanation=Average = sum of values ÷ number of values = 539 ÷ 7 = 77.

id=60849 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:1 and the first is 20, what is the second? | option_a=30 | option_b=12 | option_c=9 | option_d=10 | answer=D | explanation=Scale factor = 20/2 = 10. Therefore second quantity = 1×10 = 10.

id=60850 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=77 | option_c=67 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=60851 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**192. If it is sold at a profit of 25%, what is its selling price? | option_a=217 | option_b=240 | option_c=259 | option_d=221 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 192 × 125/100 = **■**240.

id=60852 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=60853 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:9 and the first is 252, what is the second? | option_a=117 | option_b=378 | option_c=126 | option_d=144 | answer=C | explanation=Scale factor = 252/18 = 14. Therefore second quantity = 9×14 = 126.

id=60854 | topic=Averages | difficulty=Easy | question=Find the average of 61, 55, 33, 98, 93, 100, 47, 43, 47, 13. | option_a=55 | option_b=52 | option_c=54 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=60855 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 24, 32, 43? | option_a=32 | option_b=43 | option_c=16 | option_d=24 | answer=B | explanation=The first three numbers increase by 8, so the next should be 40. Therefore 43 is the odd one out.

id=60856 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 17, 21, 28? | option_a=28 | option_b=13 | option_c=17 | option_d=21 | answer=A | explanation=The first three numbers increase by 4, so the next should be 25. Therefore 28 is the odd one out.

id=60857 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=12 | option_b=16 | option_c=15 | option_d=18 | answer=C | explanation=The common difference is 3. Therefore the next term is 12 + 3 = 15.

id=60858 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**106. If it is sold at a profit of 40%, what is its selling price? | option_a=148 | option_b=158 | option_c=138 | option_d=146 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 106 × 140/100 = **■**148.

id=60859 | topic=Percentages | difficulty=Easy | question=What is 25% of 1222? | option_a=310 | option_b=305 | option_c=300 | option_d=610 | answer=B | explanation=25% of 1222 = (25/100) × 1222 = 305.

id=60860 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 49? | option_a=17 | option_b=27 | option_c=37 | option_d=49 | answer=D | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 49 is the odd one out.

id=60861 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21658 at 5% per annum for 3 years. | option_a=3148 | option_b=3348 | option_c=24906 | option_d=3248 | answer=D | explanation=SI = PRT/100 = 21658×5×3/100 = **■**3248.

id=60862 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 33? | option_a=33 | option_b=17 | option_c=10 | option_d=24 | answer=A | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 33 is the odd one out.

id=60863 | topic=Percentages | difficulty=Easy | question=What is 40% of 271? | option_a=216 | option_b=113 | option_c=108 | option_d=88 | answer=C | explanation=40% of 271 = (40/100) × 271 = 108.

id=60864 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:18 and the first is 160, what is the second? | option_a=298 | option_b=270 | option_c=288 | option_d=448 | answer=C | explanation=Scale factor = 160/10 = 16. Therefore second quantity = 18×16 = 288.

id=60865 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=60866 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1696. If it is sold at a profit of 5%, what is its selling price? | option_a=1949 | option_b=1611 | option_c=1701 | option_d=1780 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1696 × 105/100 = **■**1780.

id=60867 | topic=Percentages | difficulty=Easy | question=What is 30% of 438? | option_a=262 | option_b=131 | option_c=141 | option_d=111 | answer=B | explanation=30% of 438 = (30/100) × 438 = 131.

id=60868 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=W | option_c=K | option_d=S | answer=D | explanation=Move 4 positions forward from O; the resulting letter is S.

id=60869 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46830 at 8% per annum for 5 years. | option_a=18632 | option_b=65562 | option_c=18832 | option_d=18732 | answer=D | explanation=SI = PRT/100 = 46830×8×5/100 = **■**18732.

id=60870 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:15 and the first is 72, what is the second? | option_a=162 | option_b=90 | option_c=75 | option_d=102 | answer=B | explanation=Scale factor = 72/12 = 6. Therefore second quantity = 15×6 = 90.

Aptitude Questions — Records 60,871-60,900 of 100,000

id=60871 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=T | option_b=R | option_c=V | option_d=P | answer=A | explanation=Move 2 positions forward from R; the resulting letter is T.

id=60872 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:9 and the first is 320, what is the second? | option_a=180 | option_b=171 | option_c=196 | option_d=500 | answer=A | explanation=Scale factor = $320/16 = 20$. Therefore second quantity = $9 \times 20 = 180$.

id=60873 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15798 at 6% per annum for 5 years. | option_a=4739 | option_b=20537 | option_c=4639 | option_d=4839 | answer=A | explanation=SI = $PRT/100 = 15798 \times 6 \times 5/100 = \text{■}4739$.

id=60874 | topic=Percentages | difficulty=Easy | question=What is 20% of 848? | option_a=338 | option_b=174 | option_c=169 | option_d=164 | answer=C | explanation=20% of 848 = $(20/100) \times 848 = 169$.

id=60875 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=P | option_b=X | option_c=T | option_d=B | answer=B | explanation=Move 4 positions forward from T; the resulting letter is X.

id=60876 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35641 at 12% per annum for 3 years. | option_a=12830 | option_b=12930 | option_c=48471 | option_d=12730 | answer=A | explanation=SI = $PRT/100 = 35641 \times 12 \times 3/100 = \text{■}12830$.

id=60877 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18523 at 4% per annum for 3 years. | option_a=2322 | option_b=20745 | option_c=2222 | option_d=2122 | answer=C | explanation=SI = $PRT/100 = 18523 \times 4 \times 3/100 = \text{■}2222$.

id=60878 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 21. | option_a=120 | option_b=84 | option_c=105 | option_d=315 | answer=C | explanation=LCM $\times$ HCF = 15×21 ; HCF(15,21) = 3, so LCM = 105.

id=60879 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=B | option_c=H | option_d=F | answer=D | explanation=Move 2 positions forward from D; the resulting letter is F.

id=60880 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=I | option_b=O | option_c=K | option_d=M | answer=D | explanation=Move 2 positions forward from K; the resulting letter is M.

id=60881 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance $\div$ time = $360 \div 6 = 60$ km/h.

id=60882 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2173. If it is sold at a profit of 10%, what is its selling price? | option_a=2390 | option_b=2183 | option_c=2607 | option_d=2173 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2173 \times 110/100 = \text{■}2390$.

id=60883 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=60884 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=46 | option_b=34 | option_c=41 | option_d=40 | answer=D | explanation=The common difference is 6. Therefore the next term is $34 + 6 = 40$.

id=60885 | topic=Averages | difficulty=Easy | question=Find the average of 72, 92, 66, 99, 101. | option_a=88 | option_b=85 | option_c=86 | option_d=87 | answer=C | explanation=Average = sum of values $\div$ number of values = $430 \div 5 = 86$.

id=60886 | topic=Percentages | difficulty=Easy | question=What is 12% of 352? | option_a=62 | option_b=32 | option_c=84 | option_d=42 | answer=D | explanation=12% of 352 = $(12/100) \times 352 = 42$.

id=60887 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 21, 30, 39, ? | option_a=39 | option_b=49 | option_c=48 | option_d=57 | answer=C | explanation=The common difference is 9. Therefore the next term is $39 + 9 = 48$.

id=60888 | topic=Averages | difficulty=Easy | question=Find the average of 71, 66, 54, 26, 13. | option_a=48 | option_b=47 | option_c=45 | option_d=46 | answer=D | explanation=Average = sum of values $\div$ number of values = $230 \div 5 = 46$.

id=60889 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30793 at 6% per annum for 4 years. | option_a=7490 | option_b=7390 | option_c=7290 | option_d=38183 | answer=B | explanation=SI = $PRT/100 = 30793 \times 6 \times 4/100 = \text{■}7390$.

id=60890 | topic=Averages | difficulty=Easy | question=Find the average of 75, 68, 20, 70, 46, 93. | option_a=61 | option_b=63 | option_c=62 | option_d=64 | answer=C | explanation=Average = sum of values $\div$ number of values = $372 \div 6 = 62$.

id=60891 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=27 | option_b=29 | option_c=26 | option_d=23 | answer=C | explanation=The common difference is 3. Therefore the next term is $23 + 3 = 26$.

id=60892 | topic=Averages | difficulty=Easy | question=Find the average of 52, 34, 10, 32. | option_a=33 | option_b=32 | option_c=34 | option_d=31 | answer=B | explanation=Average = sum of values $\div$ number of values = $128 \div 4 = 32$.

id=60893 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4532. If it is sold at a profit of 25%, what is its selling price? | option_a=5665 | option_b=6118 | option_c=5212 | option_d=4557 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4532 \times 125/100 = \text{■}5665$.

id=60894 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 51? | option_a=51 | option_b=23 | option_c=41 | option_d=32 | answer=A | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 51 is the odd one out.

id=60895 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 35, 45, 58? | option_a=35 | option_b=58 | option_c=25 | option_d=45 | answer=B | explanation=The first three numbers increase by 10, so the next should be 55. Therefore 58 is the odd one out.

id=60896 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 24, 34, 46? | option_a=24 | option_b=46 | option_c=34 | option_d=14 | answer=B | explanation=The first three numbers increase by 10, so the next should be 44. Therefore 46 is the odd one out.

id=60897 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=100 | option_c=105 | option_d=200 | answer=B | explanation=Speed = distance $\div$ time = $300 \div 3 = 100$ km/h.

id=60898 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:6 and the first is 220, what is the second? | option_a=60 | option_b=286 | option_c=86 | option_d=66 | answer=D | explanation=Scale factor = $220/20 = 11$. Therefore second quantity = $6 \times 11 = 66$.

id=60899 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10100 at 6% per annum for 3 years. | option_a=1818 | option_b=11918 | option_c=1918 | option_d=1718 | answer=A | explanation=SI = $PRT/100 = 10100 \times 6 \times 3/100 = \text{■}1818$.

id=60900 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1499. If it is sold at a profit of 15%, what is its selling price? | option_a=1574 | option_b=1514 | option_c=1723 | option_d=1872 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1499 \times 115/100 = \text{■}1723$.

Aptitude Questions — Records 60,901-60,930 of 100,000

id=60901 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49661 at 15% per annum for 4 years. | option_a=29696 | option_b=29796 | option_c=29896 | option_d=79457 | answer=B | explanation=SI = PRT/100 = 49661×15×4/100 = **■**29796.

id=60902 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3304. If it is sold at a profit of 25%, what is its selling price? | option_a=3800 | option_b=4460 | option_c=3329 | option_d=4130 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3304 × 125/100 = **■**4130.

id=60903 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 30? | option_a=19 | option_b=15 | option_c=23 | option_d=30 | answer=D | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 30 is the odd one out.

id=60904 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=40 | option_b=52 | option_c=53 | option_d=64 | answer=B | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.

id=60905 | topic=Percentages | difficulty=Easy | question=What is 50% of 94? | option_a=47 | option_b=94 | option_c=27 | option_d=57 | answer=A | explanation=50% of 94 = (50/100) × 94 = 47.

id=60906 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10690 at 4% per annum for 2 years. | option_a=755 | option_b=955 | option_c=11545 | option_d=855 | answer=D | explanation=SI = PRT/100 = 10690×4×2/100 = **■**855.

id=60907 | topic=Averages | difficulty=Easy | question=Find the average of 88, 68, 56, 78, 81, 92, 62. | option_a=74 | option_b=75 | option_c=76 | option_d=77 | answer=B | explanation=Average = sum of values ÷ number of values = 525 ÷ 7 = 75.

id=60908 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=N | option_c=X | option_d=C | answer=C | explanation=Move 5 positions forward from S; the resulting letter is X.

id=60909 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:9 and the first is 35, what is the second? | option_a=80 | option_b=45 | option_c=36 | option_d=52 | answer=B | explanation=Scale factor = 35/7 = 5. Therefore second quantity = 9×5 = 45.

id=60910 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=Z | option_c=L | option_d=H | answer=D | explanation=Move 4 positions forward from D; the resulting letter is H.

id=60911 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:9 and the first is 195, what is the second? | option_a=117 | option_b=132 | option_c=108 | option_d=312 | answer=A | explanation=Scale factor = 195/15 = 13. Therefore second quantity = 9×13 = 117.

id=60912 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:6 and the first is 208, what is the second? | option_a=109 | option_b=90 | option_c=304 | option_d=96 | answer=D | explanation=Scale factor = 208/13 = 16. Therefore second quantity = 6×16 = 96.

id=60913 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=60914 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=B | option_b=K | option_c=H | option_d=E | answer=C | explanation=Move 3 positions forward from E; the resulting letter is H.

id=60915 | topic=Averages | difficulty=Easy | question=Find the average of 46, 47, 28, 98, 78, 87, 68, 68. | option_a=67 | option_b=66 | option_c=64 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 520 ÷ 8 = 65.

id=60916 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=15 | option_b=23 | option_c=19 | option_d=20 | answer=C | explanation=The common difference is 4. Therefore the next term is 15 + 4 = 19.

id=60917 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=43 | option_c=48 | option_d=96 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=60918 | topic=Percentages | difficulty=Easy | question=What is 5% of 409? | option_a=40 | option_b=0 | option_c=20 | option_d=30 | answer=C | explanation=5% of 409 = (5/100) × 409 = 20.

id=60919 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=60920 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17048 at 15% per annum for 5 years. | option_a=29834 | option_b=12886 | option_c=12786 | option_d=12686 | answer=C | explanation=SI = PRT/100 = 17048×15×5/100 = **■**12786.

id=60921 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=49 | option_b=59 | option_c=39 | option_d=50 | answer=A | explanation=The common difference is 10. Therefore the next term is 39 + 10 = 49.

id=60922 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=60923 | topic=Averages | difficulty=Easy | question=Find the average of 34, 13, 98, 32, 76, 21, 55. | option_a=47 | option_b=48 | option_c=46 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 329 ÷ 7 = 47.

id=60924 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=Q | option_c=W | option_d=S | answer=A | explanation=Move 2 positions forward from S; the resulting letter is U.

id=60925 | topic=Averages | difficulty=Easy | question=Find the average of 70, 91, 44, 90, 23, 57, 87. | option_a=67 | option_b=68 | option_c=66 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = 462 ÷ 7 = 66.

id=60926 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=30 | option_b=29 | option_c=23 | option_d=35 | answer=B | explanation=The common difference is 6. Therefore the next term is 23 + 6 = 29.

id=60927 | topic=Percentages | difficulty=Easy | question=What is 40% of 1122? | option_a=448 | option_b=458 | option_c=896 | option_d=443 | answer=A | explanation=40% of 1122 = (40/100) × 1122 = 448.

id=60928 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5137 at 10% per annum for 5 years. | option_a=2668 | option_b=2468 | option_c=7705 | option_d=2568 | answer=D | explanation=SI = PRT/100 = 5137×10×5/100 = **■**2568.

id=60929 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=Q | option_b=K | option_c=T | option_d=N | answer=A | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=60930 | topic=Averages | difficulty=Easy | question=Find the average of 73, 78, 40, 56, 11, 17, 30, 95. | option_a=52 | option_b=51 | option_c=49 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 400 ÷ 8 = 50.

Aptitude Questions — Records 60,931-60,960 of 100,000

id=60931 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3371. If it is sold at a profit of 25%, what is its selling price? | option_a=3396 | option_b=4213 | option_c=4550 | option_d=3876 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3371 × 125/100 = █4213.

id=60932 | topic=Averages | difficulty=Easy | question=Find the average of 82, 34, 38, 74. | option_a=59 | option_b=56 | option_c=57 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 228 ÷ 4 = 57.

id=60933 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1385 at 10% per annum for 3 years. | option_a=315 | option_b=415 | option_c=1800 | option_d=515 | answer=B | explanation=SI = PRT/100 = 1385×10×3/100 = █415.

id=60934 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1404. If it is sold at a profit of 20%, what is its selling price? | option_a=1824 | option_b=1544 | option_c=1424 | option_d=1684 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1404 × 120/100 = █1684.

id=60935 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2428. If it is sold at a profit of 30%, what is its selling price? | option_a=2458 | option_b=2914 | option_c=3398 | option_d=3156 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2428 × 130/100 = █3156.

id=60936 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=M | option_c=I | option_d=G | answer=A | explanation=Move 2 positions forward from I; the resulting letter is K.

id=60937 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 24. | option_a=96 | option_b=140 | option_c=120 | option_d=480 | answer=C | explanation=LCM × HCF = 20×24; HCF(20,24) = 4, so LCM = 120.

id=60938 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 33, 40, 49? | option_a=26 | option_b=49 | option_c=33 | option_d=40 | answer=B | explanation=The first three numbers increase by 7, so the next should be 47. Therefore 49 is the odd one out.

id=60939 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=T | option_b=U | option_c=W | option_d=V | answer=D | explanation=Move 1 positions forward from U; the resulting letter is V.

id=60940 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=60941 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=Y | option_b=K | option_c=G | option_d=C | answer=C | explanation=Move 4 positions forward from C; the resulting letter is G.

id=60942 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=60943 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4531. If it is sold at a profit of 25%, what is its selling price? | option_a=6116 | option_b=4556 | option_c=5210 | option_d=5663 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4531 × 125/100 = █5663.

id=60944 | topic=Percentages | difficulty=Easy | question=What is 30% of 1146? | option_a=363 | option_b=686 | option_c=338 | option_d=343 | answer=D | explanation=30% of 1146 = (30/100) × 1146 = 343.

id=60945 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:16 and the first is 96, what is the second? | option_a=352 | option_b=240 | option_c=262 | option_d=256 | answer=D | explanation=Scale factor = 96/6 = 16. Therefore second quantity = 16×16 = 256.

id=60946 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 48? | option_a=48 | option_b=34 | option_c=28 | option_d=40 | answer=A | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 48 is the odd one out.

id=60947 | topic=Percentages | difficulty=Easy | question=What is 12% of 679? | option_a=101 | option_b=81 | option_c=76 | option_d=162 | answer=B | explanation=12% of 679 = (12/100) × 679 = 81.

id=60948 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=60949 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4454. If it is sold at a profit of 30%, what is its selling price? | option_a=4484 | option_b=5345 | option_c=5790 | option_d=6235 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4454 × 130/100 = █5790.

id=60950 | topic=Percentages | difficulty=Easy | question=What is 10% of 1243? | option_a=124 | option_b=144 | option_c=104 | option_d=248 | answer=A | explanation=10% of 1243 = (10/100) × 1243 = 124.

id=60951 | topic=Percentages | difficulty=Easy | question=What is 30% of 1643? | option_a=497 | option_b=492 | option_c=482 | option_d=984 | answer=B | explanation=30% of 1643 = (30/100) × 1643 = 492.

id=60952 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2632. If it is sold at a profit of 40%, what is its selling price? | option_a=3947 | option_b=2672 | option_c=3421 | option_d=3684 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2632 × 140/100 = █3684.

id=60953 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=R | option_b=J | option_c=F | option_d=N | answer=D | explanation=Move 4 positions forward from J; the resulting letter is N.

id=60954 | topic=Percentages | difficulty=Easy | question=What is 50% of 854? | option_a=854 | option_b=407 | option_c=447 | option_d=427 | answer=D | explanation=50% of 854 = (50/100) × 854 = 427.

id=60955 | topic=Averages | difficulty=Easy | question=Find the average of 27, 62, 66, 84, 67, 77, 84, 13. | option_a=61 | option_b=59 | option_c=60 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 480 ÷ 8 = 60.

id=60956 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:19 and the first is 270, what is the second? | option_a=303 | option_b=555 | option_c=266 | option_d=285 | answer=D | explanation=Scale factor = 270/18 = 15. Therefore second quantity = 19×15 = 285.

id=60957 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=60958 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=60959 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 21. | option_a=1 | option_b=21 | option_c=441 | option_d=42 | answer=B | explanation=LCM × HCF = 21×21; HCF(21,21) = 21, so LCM = 21.

id=60960 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:14 and the first is 204, what is the second? | option_a=238 | option_b=442 | option_c=224 | option_d=250 | answer=A | explanation=Scale factor = 204/12 = 17. Therefore second quantity = 14×17 = 238.

Aptitude Questions — Records 60,961-60,990 of 100,000

id=60961 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3077. If it is sold at a profit of 5%, what is its selling price? | option_a=3537 | option_b=3230 | option_c=3082 | option_d=2923 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3077 × 105/100 = █3230.

id=60962 | topic=Percentages | difficulty=Easy | question=What is 20% of 866? | option_a=173 | option_b=178 | option_c=153 | option_d=346 | answer=A | explanation=20% of 866 = (20/100) × 866 = 173.

id=60963 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:6 and the first is 238, what is the second? | option_a=96 | option_b=340 | option_c=116 | option_d=102 | answer=D | explanation=Scale factor = 238/14 = 17. Therefore second quantity = 6×17 = 102.

id=60964 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=60965 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 21, 30, 39, ? | option_a=48 | option_b=49 | option_c=39 | option_d=57 | answer=A | explanation=The common difference is 9. Therefore the next term is 39 + 9 = 48.

id=60966 | topic=Percentages | difficulty=Easy | question=What is 5% of 1683? | option_a=64 | option_b=168 | option_c=84 | option_d=94 | answer=C | explanation=5% of 1683 = (5/100) × 1683 = 84.

id=60967 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=15 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=60968 | topic=Percentages | difficulty=Easy | question=What is 30% of 373? | option_a=131 | option_b=222 | option_c=91 | option_d=111 | answer=D | explanation=30% of 373 = (30/100) × 373 = 111.

id=60969 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=70 | option_c=80 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=60970 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=60971 | topic=Percentages | difficulty=Easy | question=What is 12% of 1147? | option_a=157 | option_b=137 | option_c=274 | option_d=127 | answer=B | explanation=12% of 1147 = (12/100) × 1147 = 137.

id=60972 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=60973 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=R | option_b=U | option_c=A | option_d=X | answer=D | explanation=Move 3 positions forward from U; the resulting letter is X.

id=60974 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=L | option_b=I | option_c=O | option_d=F | answer=A | explanation=Move 3 positions forward from I; the resulting letter is L.

id=60975 | topic=Averages | difficulty=Easy | question=Find the average of 58, 65, 18. | option_a=46 | option_b=48 | option_c=47 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 141 ÷ 3 = 47.

id=60976 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28451 at 15% per annum for 4 years. | option_a=16970 | option_b=17070 | option_c=45521 | option_d=17170 | answer=B | explanation=SI = PRT/100 = 28451×15×4/100 = █17070.

id=60977 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1056. If it is sold at a profit of 30%, what is its selling price? | option_a=1372 | option_b=1267 | option_c=1477 | option_d=1086 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1056 × 130/100 = █1372.

id=60978 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25749 at 4% per annum for 4 years. | option_a=4219 | option_b=4119 | option_c=29868 | option_d=4019 | answer=B | explanation=SI = PRT/100 = 25749×4×4/100 = █4119.

id=60979 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=44 | option_b=55 | option_c=66 | option_d=56 | answer=B | explanation=The common difference is 11. Therefore the next term is 44 + 11 = 55.

id=60980 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=20 | option_b=24 | option_c=23 | option_d=26 | answer=C | explanation=The common difference is 3. Therefore the next term is 20 + 3 = 23.

id=60981 | topic=Percentages | difficulty=Easy | question=What is 10% of 1091? | option_a=218 | option_b=129 | option_c=99 | option_d=109 | answer=D | explanation=10% of 1091 = (10/100) × 1091 = 109.

id=60982 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:5 and the first is 80, what is the second? | option_a=40 | option_b=35 | option_c=50 | option_d=120 | answer=A | explanation=Scale factor = 80/10 = 8. Therefore second quantity = 5×8 = 40.

id=60983 | topic=Averages | difficulty=Easy | question=Find the average of 60, 32, 88, 66, 42, 68, 100, 16. | option_a=60 | option_b=58 | option_c=61 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 472 ÷ 8 = 59.

id=60984 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3745. If it is sold at a profit of 5%, what is its selling price? | option_a=3750 | option_b=4306 | option_c=3558 | option_d=3932 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3745 × 105/100 = █3932.

id=60985 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=60986 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 20, 26, 33? | option_a=14 | option_b=26 | option_c=33 | option_d=20 | answer=C | explanation=The first three numbers increase by 6, so the next should be 32. Therefore 33 is the odd one out.

id=60987 | topic=Percentages | difficulty=Easy | question=What is 25% of 1816? | option_a=454 | option_b=449 | option_c=464 | option_d=908 | answer=A | explanation=25% of 1816 = (25/100) × 1816 = 454.

id=60988 | topic=Percentages | difficulty=Easy | question=What is 20% of 230? | option_a=92 | option_b=26 | option_c=46 | option_d=51 | answer=C | explanation=20% of 230 = (20/100) × 230 = 46.

id=60989 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:6 and the first is 63, what is the second? | option_a=36 | option_b=51 | option_c=105 | option_d=42 | answer=D | explanation=Scale factor = 63/9 = 7. Therefore second quantity = 6×7 = 42.

id=60990 | topic=Averages | difficulty=Easy | question=Find the average of 61, 22, 12, 33. | option_a=33 | option_b=31 | option_c=34 | option_d=32 | answer=D | explanation=Average = sum of values ÷ number of values = 128 ÷ 4 = 32.

Aptitude Questions — Records 60,991-61,020 of 100,000

id=60991 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=85 | option_c=90 | option_d=180 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=60992 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=150 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=60993 | topic=Averages | difficulty=Easy | question=Find the average of 38, 91, 23, 11, 63, 52, 41, 97. | option_a=51 | option_b=52 | option_c=53 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=60994 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=M | option_c=A | option_d=I | answer=D | explanation=Move 4 positions forward from E; the resulting letter is I.

id=60995 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:3 and the first is 33, what is the second? | option_a=30 | option_b=33 | option_c=66 | option_d=36 | answer=B | explanation=Scale factor = 33/3 = 11. Therefore second quantity = 3×11 = 33.

id=60996 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=59 | option_b=50 | option_c=39 | option_d=49 | answer=D | explanation=The common difference is 10. Therefore the next term is 39 + 10 = 49.

id=60997 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=G | option_c=A | option_d=J | answer=B | explanation=Move 3 positions forward from D; the resulting letter is G.

id=60998 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 53? | option_a=20 | option_b=30 | option_c=53 | option_d=40 | answer=C | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 53 is the odd one out.

id=60999 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 4. | option_a=24 | option_b=96 | option_c=20 | option_d=48 | answer=A | explanation=LCM × HCF = 24×4; HCF(24,4) = 4, so LCM = 24.

id=61000 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=61001 | topic=Averages | difficulty=Easy | question=Find the average of 60, 19, 61, 47, 38, 87. | option_a=53 | option_b=54 | option_c=51 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 312 ÷ 6 = 52.

id=61002 | topic=Percentages | difficulty=Easy | question=What is 10% of 520? | option_a=104 | option_b=62 | option_c=47 | option_d=52 | answer=D | explanation=10% of 520 = (10/100) × 520 = 52.

id=61003 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 52? | option_a=52 | option_b=32 | option_c=23 | option_d=41 | answer=A | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 52 is the odd one out.

id=61004 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47676 at 10% per annum for 2 years. | option_a=9635 | option_b=57211 | option_c=9535 | option_d=9435 | answer=C | explanation=SI = PRT/100 = 47676×10×2/100 = **■**9535.

id=61005 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7390 at 5% per annum for 4 years. | option_a=1578 | option_b=1378 | option_c=8868 | option_d=1478 | answer=D | explanation=SI = PRT/100 = 7390×5×4/100 = **■**1478.

id=61006 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14130 at 4% per annum for 3 years. | option_a=15825 | option_b=1595 | option_c=1795 | option_d=1695 | answer=D | explanation=SI = PRT/100 = 14130×4×3/100 = **■**1695.

id=61007 | topic=Averages | difficulty=Easy | question=Find the average of 81, 50, 84, 85, 96, 65, 78, 29. | option_a=70 | option_b=72 | option_c=71 | option_d=73 | answer=C | explanation=Average = sum of values ÷ number of values = 568 ÷ 8 = 71.

id=61008 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=17 | option_b=16 | option_c=15 | option_d=13 | answer=C | explanation=The common difference is 2. Therefore the next term is 13 + 2 = 15.

id=61009 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=20 | option_b=24 | option_c=28 | option_d=25 | answer=B | explanation=The common difference is 4. Therefore the next term is 20 + 4 = 24.

id=61010 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25325 at 5% per annum for 1 years. | option_a=26591 | option_b=1166 | option_c=1266 | option_d=1366 | answer=C | explanation=SI = PRT/100 = 25325×5×1/100 = **■**1266.

id=61011 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=85 | option_c=90 | option_d=180 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=61012 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=61013 | topic=Averages | difficulty=Easy | question=Find the average of 39, 18, 86, 76, 21, 76, 96, 75, 98. | option_a=67 | option_b=66 | option_c=64 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 585 ÷ 9 = 65.

id=61014 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=61015 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=61016 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 33? | option_a=33 | option_b=22 | option_c=12 | option_d=2 | answer=A | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 33 is the odd one out.

id=61017 | topic=Averages | difficulty=Easy | question=Find the average of 96, 22, 21, 21. | option_a=39 | option_b=42 | option_c=40 | option_d=41 | answer=C | explanation=Average = sum of values ÷ number of values = 160 ÷ 4 = 40.

id=61018 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15226 at 5% per annum for 3 years. | option_a=2183 | option_b=17509 | option_c=2283 | option_d=2383 | answer=C | explanation=SI = PRT/100 = 15226×5×3/100 = **■**2283.

id=61019 | topic=Averages | difficulty=Easy | question=Find the average of 81, 89, 38, 11, 59, 70, 37. | option_a=56 | option_b=54 | option_c=55 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 385 ÷ 7 = 55.

id=61020 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4853. If it is sold at a profit of 10%, what is its selling price? | option_a=4853 | option_b=4863 | option_c=5823 | option_d=5338 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4853 × 110/100 = **■**5338.

Aptitude Questions — Records 61,021-61,050 of 100,000

- id=61021 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 17, 26, 38? | option_a=26 | option_b=8 | option_c=17 | option_d=38 | answer=D | explanation=The first three numbers increase by 9, so the next should be 35. Therefore 38 is the odd one out.
- id=61022 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.
- id=61023 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.
- id=61024 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■25157 at 4% per annum for 5 years. | option_a=5131 | option_b=30188 | option_c=4931 | option_d=5031 | answer=D | explanation=SI = PRT/100 = 25157×4×5/100 = ■5031.
- id=61025 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.
- id=61026 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:2 and the first is 52, what is the second? | option_a=21 | option_b=8 | option_c=60 | option_d=6 | answer=B | explanation=Scale factor = 52/13 = 4. Therefore second quantity = 2×4 = 8.
- id=61027 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=F | option_b=L | option_c=I | option_d=O | answer=B | explanation=Move 3 positions forward from I; the resulting letter is L.
- id=61028 | topic=Percentages | difficulty=Easy | question=What is 12% of 396? | option_a=47 | option_b=42 | option_c=52 | option_d=94 | answer=A | explanation=12% of 396 = (12/100) × 396 = 47.
- id=61029 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=C | option_b=E | option_c=G | option_d=I | answer=C | explanation=Move 2 positions forward from E; the resulting letter is G.
- id=61030 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.
- id=61031 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.
- id=61032 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:15 and the first is 20, what is the second? | option_a=80 | option_b=45 | option_c=60 | option_d=65 | answer=C | explanation=Scale factor = 20/5 = 4. Therefore second quantity = 15×4 = 60.
- id=61033 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1421. If it is sold at a profit of 5%, what is its selling price? | option_a=1426 | option_b=1350 | option_c=1634 | option_d=1492 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1421 × 105/100 = ■1492.
- id=61034 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.
- id=61035 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.
- id=61036 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=115 | option_c=120 | option_d=125 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.
- id=61037 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=H | option_b=T | option_c=P | option_d=L | answer=C | explanation=Move 4 positions forward from L; the resulting letter is P.
- id=61038 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:1 and the first is 112, what is the second? | option_a=7 | option_b=23 | option_c=6 | option_d=119 | answer=A | explanation=Scale factor = 112/16 = 7. Therefore second quantity = 1×7 = 7.
- id=61039 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=95 | option_c=90 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.
- id=61040 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:19 and the first is 48, what is the second? | option_a=276 | option_b=209 | option_c=232 | option_d=228 | answer=D | explanation=Scale factor = 48/4 = 12. Therefore second quantity = 19×12 = 228.
- id=61041 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=53 | option_b=52 | option_c=64 | option_d=40 | answer=B | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.
- id=61042 | topic=Percentages | difficulty=Easy | question=What is 30% of 1648? | option_a=494 | option_b=474 | option_c=988 | option_d=504 | answer=A | explanation=30% of 1648 = (30/100) × 1648 = 494.
- id=61043 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=Q | option_b=N | option_c=O | option_d=P | answer=D | explanation=Move 1 positions forward from O; the resulting letter is P.
- id=61044 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.
- id=61045 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=61046 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=50 | option_c=45 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.
- id=61047 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:18 and the first is 70, what is the second? | option_a=90 | option_b=104 | option_c=160 | option_d=72 | answer=A | explanation=Scale factor = 70/14 = 5. Therefore second quantity = 18×5 = 90.
- id=61048 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 10, 13, 18? | option_a=18 | option_b=7 | option_c=10 | option_d=13 | answer=A | explanation=The first three numbers increase by 3, so the next should be 16. Therefore 18 is the odd one out.
- id=61049 | topic=Averages | difficulty=Easy | question=Find the average of 20, 59, 99, 20, 75, 91, 54, 28, 49. | option_a=55 | option_b=57 | option_c=56 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.
- id=61050 | topic=Averages | difficulty=Easy | question=Find the average of 89, 94, 54, 81, 35, 97. | option_a=77 | option_b=74 | option_c=75 | option_d=76 | answer=C | explanation=Average = sum of values ÷ number of values = 450 ÷ 6 = 75.

Aptitude Questions — Records 61,051-61,080 of 100,000

id=61051 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:12 and the first is 18, what is the second? | option_a=36 | option_b=24 | option_c=42 | option_d=54 | answer=A | explanation=Scale factor = 18/6 = 3. Therefore second quantity = 12×3 = 36.

id=61052 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 26, 29, 33? | option_a=26 | option_b=23 | option_c=29 | option_d=33 | answer=D | explanation=The first three numbers increase by 3, so the next should be 32. Therefore 33 is the odd one out.

id=61053 | topic=Averages | difficulty=Easy | question=Find the average of 81, 36, 67, 44, 38, 39, 59. | option_a=52 | option_b=53 | option_c=51 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 364 ÷ 7 = 52.

id=61054 | topic=Averages | difficulty=Easy | question=Find the average of 66, 86, 95, 39, 74, 78. | option_a=73 | option_b=74 | option_c=72 | option_d=75 | answer=A | explanation=Average = sum of values ÷ number of values = 438 ÷ 6 = 73.

id=61055 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=38 | option_b=43 | option_c=37 | option_d=31 | answer=C | explanation=The common difference is 6. Therefore the next term is 31 + 6 = 37.

id=61056 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 44? | option_a=20 | option_b=27 | option_c=34 | option_d=44 | answer=D | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 44 is the odd one out.

id=61057 | topic=Averages | difficulty=Easy | question=Find the average of 44, 77, 88, 31. | option_a=62 | option_b=59 | option_c=61 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 240 ÷ 4 = 60.

id=61058 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2995. If it is sold at a profit of 25%, what is its selling price? | option_a=3020 | option_b=3743 | option_c=4042 | option_d=3444 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2995 × 125/100 = ₹3743.

id=61059 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:9 and the first is 33, what is the second? | option_a=18 | option_b=60 | option_c=27 | option_d=38 | answer=C | explanation=Scale factor = 33/11 = 3. Therefore second quantity = 9×3 = 27.

id=61060 | topic=Percentages | difficulty=Easy | question=What is 40% of 214? | option_a=85 | option_b=170 | option_c=90 | option_d=75 | answer=A | explanation=40% of 214 = (40/100) × 214 = 85.

id=61061 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:16 and the first is 22, what is the second? | option_a=176 | option_b=160 | option_c=178 | option_d=198 | answer=A | explanation=Scale factor = 22/2 = 11. Therefore second quantity = 16×11 = 176.

id=61062 | topic=Averages | difficulty=Easy | question=Find the average of 80, 45, 78, 30, 27, 68, 75, 22, 61. | option_a=54 | option_b=55 | option_c=56 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 486 ÷ 9 = 54.

id=61063 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:11 and the first is 84, what is the second? | option_a=55 | option_b=80 | option_c=150 | option_d=66 | answer=D | explanation=Scale factor = 84/14 = 6. Therefore second quantity = 11×6 = 66.

id=61064 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 6. | option_a=8 | option_b=12 | option_c=1 | option_d=6 | answer=D | explanation=LCM × HCF = 2×6; HCF(2,6) = 2, so LCM = 6.

id=61065 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:15 and the first is 306, what is the second? | option_a=561 | option_b=255 | option_c=273 | option_d=240 | answer=B | explanation=Scale factor = 306/18 = 17. Therefore second quantity = 15×17 = 255.

id=61066 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:19 and the first is 50, what is the second? | option_a=95 | option_b=105 | option_c=76 | option_d=145 | answer=A | explanation=Scale factor = 50/10 = 5. Therefore second quantity = 19×5 = 95.

id=61067 | topic=Averages | difficulty=Easy | question=Find the average of 71, 53, 17, 60, 54, 65, 42, 14, 29. | option_a=47 | option_b=44 | option_c=46 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 405 ÷ 9 = 45.

id=61068 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=61069 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=61070 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=22 | option_b=25 | option_c=19 | option_d=23 | answer=A | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.

id=61071 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:1 and the first is 95, what is the second? | option_a=24 | option_b=100 | option_c=4 | option_d=5 | answer=D | explanation=Scale factor = 95/19 = 5. Therefore second quantity = 1×5 = 5.

id=61072 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:19 and the first is 240, what is the second? | option_a=319 | option_b=544 | option_c=304 | option_d=285 | answer=C | explanation=Scale factor = 240/15 = 16. Therefore second quantity = 19×16 = 304.

id=61073 | topic=Averages | difficulty=Easy | question=Find the average of 50, 73, 80, 17, 82, 68, 71. | option_a=64 | option_b=62 | option_c=65 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 441 ÷ 7 = 63.

id=61074 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 12? | option_a=4 | option_b=12 | option_c=8 | option_d=6 | answer=B | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 12 is the odd one out.

id=61075 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:6 and the first is 144, what is the second? | option_a=108 | option_b=116 | option_c=252 | option_d=102 | answer=A | explanation=Scale factor = 144/8 = 18. Therefore second quantity = 6×18 = 108.

id=61076 | topic=Averages | difficulty=Easy | question=Find the average of 87, 57, 21. | option_a=55 | option_b=56 | option_c=54 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 165 ÷ 3 = 55.

id=61077 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=C | option_c=G | option_d=O | answer=A | explanation=Move 4 positions forward from G; the resulting letter is K.

id=61078 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=50 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=61079 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=61080 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

Aptitude Questions — Records 61,081-61,110 of 100,000

id=61081 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:8 and the first is 100, what is the second? | option_a=180 | option_b=72 | option_c=90 | option_d=80 | answer=D | explanation=Scale factor = 100/10 = 10. Therefore second quantity = 8×10 = 80.

id=61082 | topic=Averages | difficulty=Easy | question=Find the average of 49, 94, 58, 31. | option_a=57 | option_b=59 | option_c=60 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 232 ÷ 4 = 58.

id=61083 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 33? | option_a=27 | option_b=17 | option_c=33 | option_d=22 | answer=C | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 33 is the odd one out.

id=61084 | topic=Averages | difficulty=Easy | question=Find the average of 71, 94, 31, 28, 16. | option_a=50 | option_b=49 | option_c=48 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 240 ÷ 5 = 48.

id=61085 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=1 | option_c=11 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=61086 | topic=Percentages | difficulty=Easy | question=What is 20% of 1592? | option_a=636 | option_b=323 | option_c=313 | option_d=318 | answer=D | explanation=20% of 1592 = (20/100) × 1592 = 318.

id=61087 | topic=Averages | difficulty=Easy | question=Find the average of 41, 99, 59, 52, 60, 62, 33. | option_a=58 | option_b=59 | option_c=57 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 406 ÷ 7 = 58.

id=61088 | topic=Profit & Loss | difficulty=Easy | question=An article costs █330. If it is sold at a profit of 20%, what is its selling price? | option_a=996 | option_b=850 | option_c=1079 | option_d=913 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 830 × 120/100 = █996.

id=61089 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=S | option_c=P | option_d=J | answer=C | explanation=Move 3 positions forward from M; the resulting letter is P.

id=61090 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4055. If it is sold at a profit of 5%, what is its selling price? | option_a=3852 | option_b=4060 | option_c=4662 | option_d=4257 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4055 × 105/100 = █4257.

id=61091 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=26 | option_b=29 | option_c=32 | option_d=30 | answer=B | explanation=The common difference is 3. Therefore the next term is 26 + 3 = 29.

id=61092 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=61093 | topic=Percentages | difficulty=Easy | question=What is 15% of 1687? | option_a=258 | option_b=506 | option_c=253 | option_d=248 | answer=C | explanation=15% of 1687 = (15/100) × 1687 = 253.

id=61094 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:13 and the first is 114, what is the second? | option_a=192 | option_b=78 | option_c=65 | option_d=97 | answer=B | explanation=Scale factor = 114/19 = 6. Therefore second quantity = 13×6 = 78.

id=61095 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=37 | option_b=33 | option_c=34 | option_d=29 | answer=B | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=61096 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=30 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=61097 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 6. | option_a=36 | option_b=12 | option_c=6 | option_d=1 | answer=C | explanation=LCM × HCF = 6×6; HCF(6,6) = 6, so LCM = 6.

id=61098 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=36 | option_b=72 | option_c=31 | option_d=41 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=61099 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=24 | option_b=28 | option_c=30 | option_d=27 | answer=D | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=61100 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3534. If it is sold at a profit of 25%, what is its selling price? | option_a=4417 | option_b=4770 | option_c=4064 | option_d=3559 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3534 × 125/100 = █4417.

id=61101 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 31, 33, 38? | option_a=38 | option_b=33 | option_c=29 | option_d=31 | answer=A | explanation=The first three numbers increase by 2, so the next should be 35. Therefore 38 is the odd one out.

id=61102 | topic=Percentages | difficulty=Easy | question=What is 30% of 1612? | option_a=483 | option_b=478 | option_c=488 | option_d=966 | answer=A | explanation=30% of 1612 = (30/100) × 1612 = 483.

id=61103 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47211 at 6% per annum for 3 years. | option_a=8497 | option_b=8397 | option_c=55708 | option_d=8597 | answer=A | explanation=SI = PRT/100 = 47211×6×3/100 = █8497.

id=61104 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=61105 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=46 | option_b=45 | option_c=37 | option_d=53 | answer=B | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=61106 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=24 | option_c=48 | option_d=19 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=61107 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=72 | option_c=67 | option_d=77 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=61108 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42516 at 15% per annum for 4 years. | option_a=25609 | option_b=68025 | option_c=25409 | option_d=25509 | answer=D | explanation=SI = PRT/100 = 42516×15×4/100 = █25509.

id=61109 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=7 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=61110 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=8 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

Aptitude Questions — Records 61,111-61,140 of 100,000

id=61111 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:12 and the first is 18, what is the second? | option_a=36 | option_b=42 | option_c=24 | option_d=54 | answer=A | explanation=Scale factor = 18/6 = 3. Therefore second quantity = 12×3 = 36.

id=61112 | topic=Percentages | difficulty=Easy | question=What is 50% of 1698? | option_a=1698 | option_b=849 | option_c=859 | option_d=844 | answer=B | explanation=50% of 1698 = (50/100) × 1698 = 849.

id=61113 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2434. If it is sold at a profit of 30%, what is its selling price? | option_a=3407 | option_b=2464 | option_c=2921 | option_d=3164 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2434 × 130/100 = █3164.

id=61114 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:3 and the first is 126, what is the second? | option_a=54 | option_b=51 | option_c=61 | option_d=180 | answer=A | explanation=Scale factor = 126/7 = 18. Therefore second quantity = 3×18 = 54.

id=61115 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=61116 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=50 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=61117 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3552. If it is sold at a profit of 30%, what is its selling price? | option_a=4972 | option_b=3582 | option_c=4617 | option_d=4262 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3552 × 130/100 = █4617.

id=61118 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=31 | option_b=36 | option_c=37 | option_d=41 | answer=B | explanation=The common difference is 5. Therefore the next term is 31 + 5 = 36.

id=61119 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 22, 26, 33? | option_a=22 | option_b=33 | option_c=26 | option_d=18 | answer=B | explanation=The first three numbers increase by 4, so the next should be 30. Therefore 33 is the odd one out.

id=61120 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=61 | option_b=70 | option_c=60 | option_d=50 | answer=C | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

id=61121 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=22 | option_b=20 | option_c=18 | option_d=21 | answer=B | explanation=The common difference is 2. Therefore the next term is 18 + 2 = 20.

id=61122 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 24, 30, 38? | option_a=38 | option_b=18 | option_c=24 | option_d=30 | answer=A | explanation=The first three numbers increase by 6, so the next should be 36. Therefore 38 is the odd one out.

id=61123 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=61124 | topic=Profit & Loss | difficulty=Easy | question=An article costs █335. If it is sold at a profit of 40%, what is its selling price? | option_a=375 | option_b=502 | option_c=469 | option_d=436 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 335 × 140/100 = █469.

id=61125 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29081 at 4% per annum for 3 years. | option_a=3489 | option_b=3589 | option_c=32570 | option_d=3389 | answer=A | explanation=SI = PRT/100 = 29081×4×3/100 = █3489.

id=61126 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=61127 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:12 and the first is 35, what is the second? | option_a=60 | option_b=67 | option_c=95 | option_d=48 | answer=A | explanation=Scale factor = 35/7 = 5. Therefore second quantity = 12×5 = 60.

id=61128 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=L | option_b=J | option_c=M | option_d=K | answer=A | explanation=Move 1 positions forward from K; the resulting letter is L.

id=61129 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:14 and the first is 39, what is the second? | option_a=182 | option_b=221 | option_c=185 | option_d=168 | answer=A | explanation=Scale factor = 39/3 = 13. Therefore second quantity = 14×13 = 182.

id=61130 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 24? | option_a=15 | option_b=9 | option_c=3 | option_d=24 | answer=D | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 24 is the odd one out.

id=61131 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=100 | option_c=55 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=61132 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 45, what is the second? | option_a=6 | option_b=24 | option_c=9 | option_d=54 | answer=C | explanation=Scale factor = 45/15 = 3. Therefore second quantity = 3×3 = 9.

id=61133 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=61134 | topic=Averages | difficulty=Easy | question=Find the average of 72, 18, 47, 32, 89, 42, 66, 65, 86, 13. | option_a=54 | option_b=52 | option_c=55 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=61135 | topic=Averages | difficulty=Easy | question=Find the average of 48, 98, 42, 52, 25, 16, 95, 49, 97. | option_a=57 | option_b=60 | option_c=59 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 522 ÷ 9 = 58.

id=61136 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14923 at 8% per annum for 4 years. | option_a=4875 | option_b=4675 | option_c=19698 | option_d=4775 | answer=D | explanation=SI = PRT/100 = 14923×8×4/100 = █4775.

id=61137 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 25? | option_a=5 | option_b=11 | option_c=25 | option_d=17 | answer=C | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 25 is the odd one out.

id=61138 | topic=Profit & Loss | difficulty=Easy | question=An article costs █672. If it is sold at a profit of 30%, what is its selling price? | option_a=702 | option_b=873 | option_c=940 | option_d=806 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 672 × 130/100 = █873.

id=61139 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47666 at 8% per annum for 1 years. | option_a=3913 | option_b=51479 | option_c=3813 | option_d=3713 | answer=C | explanation=SI = PRT/100 = 47666×8×1/100 = █3813.

id=61140 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=44 | option_b=57 | option_c=56 | option_d=68 | answer=C | explanation=The common difference is 12. Therefore the next term is 44 + 12 = 56.

Aptitude Questions — Records 61,141-61,170 of 100,000

id=61141 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:8 and the first is 225, what is the second? | option_a=345 | option_b=120 | option_c=112 | option_d=135 | answer=B | explanation=Scale factor = $225/15 = 15$. Therefore second quantity = $8 \times 15 = 120$.

id=61142 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 32? | option_a=32 | option_b=17 | option_c=10 | option_d=24 | answer=A | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 32 is the odd one out.

id=61143 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=300 | option_c=150 | option_d=145 | answer=C | explanation=Speed = distance ÷ time = $300 \div 2 = 150$ km/h.

id=61144 | topic=Percentages | difficulty=Easy | question=What is 50% of 1008? | option_a=1008 | option_b=484 | option_c=524 | option_d=504 | answer=D | explanation=50% of 1008 = $(50/100) \times 1008 = 504$.

id=61145 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=60 | option_b=42 | option_c=51 | option_d=52 | answer=C | explanation=The common difference is 9. Therefore the next term is $42 + 9 = 51$.

id=61146 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=61147 | topic=Averages | difficulty=Easy | question=Find the average of 95, 35, 48, 20, 20, 40. | option_a=44 | option_b=45 | option_c=42 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = $258 \div 6 = 43$.

id=61148 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 23, 32, 44? | option_a=14 | option_b=23 | option_c=44 | option_d=32 | answer=C | explanation=The first three numbers increase by 9, so the next should be 41. Therefore 44 is the odd one out.

id=61149 | topic=Averages | difficulty=Easy | question=Find the average of 65, 35, 65, 77, 93. | option_a=69 | option_b=66 | option_c=67 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = $335 \div 5 = 67$.

id=61150 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1057. If it is sold at a profit of 25%, what is its selling price? | option_a=1082 | option_b=1426 | option_c=1321 | option_d=1216 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1057 \times 125/100 = \text{█}1321$.

id=61151 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1823. If it is sold at a profit of 30%, what is its selling price? | option_a=1853 | option_b=2187 | option_c=2551 | option_d=2369 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1823 \times 130/100 = \text{█}2369$.

id=61152 | topic=Percentages | difficulty=Easy | question=What is 10% of 124? | option_a=0 | option_b=32 | option_c=24 | option_d=12 | answer=D | explanation=10% of 124 = $(10/100) \times 124 = 12$.

id=61153 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=Q | option_c=K | option_d=W | answer=A | explanation=Move 4 positions forward from O; the resulting letter is S.

id=61154 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:12 and the first is 180, what is the second? | option_a=108 | option_b=120 | option_c=300 | option_d=138 | answer=B | explanation=Scale factor = $180/18 = 10$. Therefore second quantity = $12 \times 10 = 120$.

id=61155 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=8 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=61156 | topic=Percentages | difficulty=Easy | question=What is 15% of 111? | option_a=11 | option_b=32 | option_c=16 | option_d=26 | answer=C | explanation=15% of 111 = $(15/100) \times 111 = 16$.

id=61157 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=61158 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=80 | option_c=40 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = $120 \div 3 = 40$ km/h.

id=61159 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=P | option_b=U | option_c=F | option_d=K | answer=A | explanation=Move 5 positions forward from K; the resulting letter is P.

id=61160 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48874 at 5% per annum for 4 years. | option_a=58648 | option_b=9674 | option_c=9874 | option_d=9774 | answer=D | explanation=SI = $PRT/100 = 48874 \times 5 \times 4/100 = \text{█}9774$.

id=61161 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13069 at 12% per annum for 1 years. | option_a=1668 | option_b=14637 | option_c=1468 | option_d=1568 | answer=D | explanation=SI = $PRT/100 = 13069 \times 12 \times 1/100 = \text{█}1568$.

id=61162 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=61163 | topic=Averages | difficulty=Easy | question=Find the average of 80, 28, 64, 94, 98, 97, 50, 49. | option_a=71 | option_b=70 | option_c=72 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = $560 \div 8 = 70$.

id=61164 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:10 and the first is 320, what is the second? | option_a=180 | option_b=480 | option_c=160 | option_d=150 | answer=C | explanation=Scale factor = $320/20 = 16$. Therefore second quantity = $10 \times 16 = 160$.

id=61165 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 14, 19, 27? | option_a=19 | option_b=14 | option_c=9 | option_d=27 | answer=D | explanation=The first three numbers increase by 5, so the next should be 24. Therefore 27 is the odd one out.

id=61166 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:5 and the first is 196, what is the second? | option_a=84 | option_b=65 | option_c=266 | option_d=70 | answer=D | explanation=Scale factor = $196/14 = 14$. Therefore second quantity = $5 \times 14 = 70$.

id=61167 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=40 | option_b=62 | option_c=51 | option_d=52 | answer=C | explanation=The common difference is 11. Therefore the next term is $40 + 11 = 51$.

id=61168 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 45? | option_a=37 | option_b=30 | option_c=23 | option_d=45 | answer=D | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 45 is the odd one out.

id=61169 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 14, 23, 35? | option_a=35 | option_b=14 | option_c=5 | option_d=23 | answer=A | explanation=The first three numbers increase by 9, so the next should be 32. Therefore 35 is the odd one out.

id=61170 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1467. If it is sold at a profit of 10%, what is its selling price? | option_a=1477 | option_b=1613 | option_c=1759 | option_d=1467 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1467 \times 110/100 = \text{█}1613$.

Aptitude Questions — Records 61,171-61,200 of 100,000

id=61171 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43, ? | option_a=43 | option_b=52 | option_c=59 | option_d=51 | answer=D | explanation=The common difference is 8. Therefore the next term is 43 + 8 = 51.

id=61172 | topic=Profit & Loss | difficulty=Easy | question=An article costs █289. If it is sold at a profit of 30%, what is its selling price? | option_a=319 | option_b=347 | option_c=403 | option_d=375 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 289 × 130/100 = █375.

id=61173 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=X | option_c=B | option_d=J | answer=A | explanation=Move 4 positions forward from B; the resulting letter is F.

id=61174 | topic=Averages | difficulty=Easy | question=Find the average of 83, 33, 26, 18, 71, 83, 85. | option_a=56 | option_b=57 | option_c=59 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 399 ÷ 7 = 57.

id=61175 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 24. | option_a=28 | option_b=1 | option_c=24 | option_d=96 | answer=C | explanation=LCM × HCF = 4×24; HCF(4,24) = 4, so LCM = 24.

id=61176 | topic=Averages | difficulty=Easy | question=Find the average of 63, 60, 36. | option_a=55 | option_b=52 | option_c=54 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 159 ÷ 3 = 53.

id=61177 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47694 at 12% per annum for 4 years. | option_a=22793 | option_b=22893 | option_c=70587 | option_d=22993 | answer=B | explanation=SI = PRT/100 = 47694×12×4/100 = █22893.

id=61178 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=24 | option_b=26 | option_c=20 | option_d=23 | answer=D | explanation=The common difference is 3. Therefore the next term is 20 + 3 = 23.

id=61179 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=C | option_c=A | option_d=B | answer=B | explanation=Move 1 positions forward from B; the resulting letter is C.

id=61180 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=H | option_b=Y | option_c=B | option_d=E | answer=D | explanation=Move 3 positions forward from B; the resulting letter is E.

id=61181 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 10, 13, 16, ? | option_a=20 | option_b=16 | option_c=19 | option_d=22 | answer=C | explanation=The common difference is 3. Therefore the next term is 16 + 3 = 19.

id=61182 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:9 and the first is 240, what is the second? | option_a=135 | option_b=375 | option_c=126 | option_d=151 | answer=A | explanation=Scale factor = 240/16 = 15. Therefore second quantity = 9×15 = 135.

id=61183 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29308 at 6% per annum for 5 years. | option_a=8892 | option_b=8692 | option_c=8792 | option_d=38100 | answer=C | explanation=SI = PRT/100 = 29308×6×5/100 = █8792.

id=61184 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=X | option_c=J | option_d=B | answer=A | explanation=Move 4 positions forward from B; the resulting letter is F.

id=61185 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 14. | option_a=28 | option_b=16 | option_c=1 | option_d=14 | answer=D | explanation=LCM × HCF = 2×14; HCF(2,14) = 2, so LCM = 14.

id=61186 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 15, 23, 34? | option_a=23 | option_b=15 | option_c=34 | option_d=7 | answer=C | explanation=The first three numbers increase by 8, so the next should be 31. Therefore 34 is the odd one out.

id=61187 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=61188 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=22 | option_b=27 | option_c=32 | option_d=28 | answer=B | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.

id=61189 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1354. If it is sold at a profit of 10%, what is its selling price? | option_a=1489 | option_b=1354 | option_c=1624 | option_d=1364 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1354 × 110/100 = █1489.

id=61190 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=40 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=61191 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=61192 | topic=Percentages | difficulty=Easy | question=What is 5% of 1282? | option_a=84 | option_b=59 | option_c=128 | option_d=64 | answer=D | explanation=5% of 1282 = (5/100) × 1282 = 64.

id=61193 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=30 | option_b=31 | option_c=36 | option_d=24 | answer=A | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.

id=61194 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=30 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=61195 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=12 | option_c=11 | option_d=1 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=61196 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39024 at 4% per annum for 1 years. | option_a=1660 | option_b=1560 | option_c=1460 | option_d=40584 | answer=B | explanation=SI = PRT/100 = 39024×4×1/100 = █1560.

id=61197 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=36 | option_b=31 | option_c=72 | option_d=41 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=61198 | topic=Averages | difficulty=Easy | question=Find the average of 56, 74, 56, 13, 58, 67. | option_a=54 | option_b=56 | option_c=55 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 324 ÷ 6 = 54.

id=61199 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=61200 | topic=Percentages | difficulty=Easy | question=What is 30% of 790? | option_a=242 | option_b=237 | option_c=474 | option_d=217 | answer=B | explanation=30% of 790 = (30/100) × 790 = 237.

Aptitude Questions — Records 61,201-61,230 of 100,000

- id=61201 | topic=Percentages | difficulty=Easy | question=What is 12% of 1216? | option_a=140 | option_b=290 | option_c=165 | option_d=145 | answer=D | explanation=12% of 1216 = (12/100) × 1216 = 145.
- id=61202 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 19, 29, 41? | option_a=29 | option_b=41 | option_c=19 | option_d=9 | answer=B | explanation=The first three numbers increase by 10, so the next should be 39. Therefore 41 is the odd one out.
- id=61203 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:9 and the first is 42, what is the second? | option_a=117 | option_b=129 | option_c=126 | option_d=168 | answer=C | explanation=Scale factor = 42/3 = 14. Therefore second quantity = 9×14 = 126.
- id=61204 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1334. If it is sold at a profit of 50%, what is its selling price? | option_a=1384 | option_b=1868 | option_c=2001 | option_d=2134 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1334 × 150/100 = █2001.
- id=61205 | topic=Averages | difficulty=Easy | question=Find the average of 32, 81, 20, 54, 10, 97. | option_a=51 | option_b=50 | option_c=48 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 294 ÷ 6 = 49.
- id=61206 | topic=Profit & Loss | difficulty=Easy | question=An article costs █251. If it is sold at a profit of 40%, what is its selling price? | option_a=351 | option_b=291 | option_c=326 | option_d=376 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 251 × 140/100 = █351.
- id=61207 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=J | option_b=F | option_c=B | option_d=N | answer=A | explanation=Move 4 positions forward from F; the resulting letter is J.
- id=61208 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=28 | option_b=26 | option_c=24 | option_d=27 | answer=B | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.
- id=61209 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4837. If it is sold at a profit of 10%, what is its selling price? | option_a=4837 | option_b=4847 | option_c=5803 | option_d=5320 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4837 × 110/100 = █5320.
- id=61210 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 18. | option_a=40 | option_b=18 | option_c=36 | option_d=72 | answer=C | explanation=LCM × HCF = 4×18; HCF(4,18) = 2, so LCM = 36.
- id=61211 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:1 and the first is 323, what is the second? | option_a=19 | option_b=342 | option_c=18 | option_d=36 | answer=A | explanation=Scale factor = 323/17 = 19. Therefore second quantity = 1×19 = 19.
- id=61212 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 31, 43, 55, ? | option_a=55 | option_b=68 | option_c=67 | option_d=79 | answer=C | explanation=The common difference is 12. Therefore the next term is 55 + 12 = 67.
- id=61213 | topic=Averages | difficulty=Easy | question=Find the average of 70, 10, 59, 93, 14, 66, 55, 17, 75. | option_a=50 | option_b=53 | option_c=51 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 459 ÷ 9 = 51.
- id=61214 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:7 and the first is 56, what is the second? | option_a=28 | option_b=21 | option_c=84 | option_d=42 | answer=A | explanation=Scale factor = 56/14 = 4. Therefore second quantity = 7×4 = 28.
- id=61215 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=24 | option_c=12 | option_d=17 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.
- id=61216 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1828. If it is sold at a profit of 50%, what is its selling price? | option_a=2560 | option_b=2924 | option_c=2742 | option_d=1878 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1828 × 150/100 = █2742.
- id=61217 | topic=Percentages | difficulty=Easy | question=What is 20% of 1890? | option_a=378 | option_b=398 | option_c=373 | option_d=756 | answer=A | explanation=20% of 1890 = (20/100) × 1890 = 378.
- id=61218 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42060 at 8% per annum for 3 years. | option_a=10094 | option_b=52154 | option_c=10194 | option_d=9994 | answer=A | explanation=SI = PRT/100 = 42060×8×3/100 = █10094.
- id=61219 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:2 and the first is 187, what is the second? | option_a=34 | option_b=45 | option_c=32 | option_d=221 | answer=A | explanation=Scale factor = 187/11 = 17. Therefore second quantity = 2×17 = 34.
- id=61220 | topic=Percentages | difficulty=Easy | question=What is 15% of 847? | option_a=147 | option_b=254 | option_c=122 | option_d=127 | answer=D | explanation=15% of 847 = (15/100) × 847 = 127.
- id=61221 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 4. | option_a=12 | option_b=48 | option_c=24 | option_d=8 | answer=A | explanation=LCM × HCF = 12×4; HCF(12,4) = 4, so LCM = 12.
- id=61222 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 27? | option_a=18 | option_b=27 | option_c=4 | option_d=11 | answer=B | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 27 is the odd one out.
- id=61223 | topic=Percentages | difficulty=Easy | question=What is 40% of 1326? | option_a=1060 | option_b=520 | option_c=530 | option_d=535 | answer=C | explanation=40% of 1326 = (40/100) × 1326 = 530.
- id=61224 | topic=Averages | difficulty=Easy | question=Find the average of 10, 100, 99, 77, 64. | option_a=70 | option_b=71 | option_c=69 | option_d=72 | answer=A | explanation=Average = sum of values ÷ number of values = 350 ÷ 5 = 70.
- id=61225 | topic=Percentages | difficulty=Easy | question=What is 10% of 1030? | option_a=206 | option_b=113 | option_c=93 | option_d=103 | answer=D | explanation=10% of 1030 = (10/100) × 1030 = 103.
- id=61226 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=U | option_b=L | option_c=O | option_d=R | answer=D | explanation=Move 3 positions forward from O; the resulting letter is R.
- id=61227 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=61228 | topic=Profit & Loss | difficulty=Easy | question=An article costs █849. If it is sold at a profit of 10%, what is its selling price? | option_a=1017 | option_b=859 | option_c=933 | option_d=849 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 849 × 110/100 = █933.
- id=61229 | topic=Averages | difficulty=Easy | question=Find the average of 56, 75, 10, 14, 30, 26, 70, 36, 61. | option_a=42 | option_b=41 | option_c=43 | option_d=44 | answer=A | explanation=Average = sum of values ÷ number of values = 378 ÷ 9 = 42.
- id=61230 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=44 | option_b=37 | option_c=36 | option_d=28 | answer=C | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

Aptitude Questions — Records 61,231-61,260 of 100,000

- id=61231 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■13971 at 12% per annum for 2 years. | option_a=3453 | option_b=17324 | option_c=3353 | option_d=3253 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{13971 \times 12 \times 2}{100} = \text{■}3353$.
- id=61232 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 8, 12, 17? | option_a=12 | option_b=17 | option_c=4 | option_d=8 | answer=B | explanation=The first three numbers increase by 4, so the next should be 16. Therefore 17 is the odd one out.
- id=61233 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 6, 10, 17? | option_a=6 | option_b=17 | option_c=10 | option_d=2 | answer=B | explanation=The first three numbers increase by 4, so the next should be 14. Therefore 17 is the odd one out.
- id=61234 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=30 | option_d=20 | answer=B | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{150}{10} = 15 \text{ km/h}$.
- id=61235 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 22, 26, 33? | option_a=26 | option_b=18 | option_c=33 | option_d=22 | answer=C | explanation=The first three numbers increase by 4, so the next should be 30. Therefore 33 is the odd one out.
- id=61236 | topic=Percentages | difficulty=Easy | question=What is 10% of 740? | option_a=54 | option_b=148 | option_c=79 | option_d=74 | answer=D | explanation= $10\% \text{ of } 740 = \frac{10}{100} \times 740 = 74$.
- id=61237 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:15 and the first is 114, what is the second? | option_a=204 | option_b=75 | option_c=90 | option_d=109 | answer=C | explanation= $\text{Scale factor} = \frac{114}{19} = 6$. Therefore second quantity = $15 \times 6 = 90$.
- id=61238 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=28 | option_b=24 | option_c=26 | option_d=27 | answer=C | explanation=The common difference is 2. Therefore the next term is $24 + 2 = 26$.
- id=61239 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 16, 23, 31? | option_a=31 | option_b=16 | option_c=9 | option_d=23 | answer=A | explanation=The first three numbers increase by 7, so the next should be 30. Therefore 31 is the odd one out.
- id=61240 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=7 | option_d=5 | answer=A | explanation= $\text{Combined rate} = \frac{1}{12} + \frac{1}{12} = \frac{2}{12} = \frac{1}{6}$. Time = $\frac{1}{\frac{1}{6}} = 6$ days.
- id=61241 | topic=Averages | difficulty=Easy | question=Find the average of 84, 98, 78, 21, 28, 60, 51. | option_a=62 | option_b=61 | option_c=60 | option_d=59 | answer=C | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{420}{7} = 60$.
- id=61242 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:2 and the first is 51, what is the second? | option_a=4 | option_b=57 | option_c=23 | option_d=6 | answer=D | explanation= $\text{Scale factor} = \frac{51}{17} = 3$. Therefore second quantity = $2 \times 3 = 6$.
- id=61243 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 31, 41, 54? | option_a=21 | option_b=41 | option_c=31 | option_d=54 | answer=D | explanation=The first three numbers increase by 10, so the next should be 51. Therefore 54 is the odd one out.
- id=61244 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 26, 34, 42, ? | option_a=58 | option_b=51 | option_c=42 | option_d=50 | answer=D | explanation=The common difference is 8. Therefore the next term is $42 + 8 = 50$.
- id=61245 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1041. If it is sold at a profit of 30%, what is its selling price? | option_a=1249 | option_b=1353 | option_c=1071 | option_d=1457 | answer=B | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%) / 100 = 1041 \times \frac{130}{100} = \text{■}1353$.
- id=61246 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■16010 at 10% per annum for 2 years. | option_a=3302 | option_b=19212 | option_c=3202 | option_d=3102 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{16010 \times 10 \times 2}{100} = \text{■}3202$.
- id=61247 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=W | option_b=S | option_c=K | option_d=O | answer=B | explanation=Move 4 positions forward from O; the resulting letter is S.
- id=61248 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:14 and the first is 24, what is the second? | option_a=170 | option_b=168 | option_c=192 | option_d=154 | answer=B | explanation= $\text{Scale factor} = \frac{24}{2} = 12$. Therefore second quantity = $14 \times 12 = 168$.
- id=61249 | topic=Percentages | difficulty=Easy | question=What is 20% of 195? | option_a=34 | option_b=78 | option_c=44 | option_d=39 | answer=D | explanation= $20\% \text{ of } 195 = \frac{20}{100} \times 195 = 39$.
- id=61250 | topic=Averages | difficulty=Easy | question=Find the average of 92, 61, 22, 17. | option_a=48 | option_b=47 | option_c=50 | option_d=49 | answer=A | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{192}{4} = 48$.
- id=61251 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation= $\text{Combined rate} = \frac{1}{6} + \frac{1}{12} = \frac{2}{12} = \frac{1}{6}$. Time = $\frac{1}{\frac{1}{6}} = 6$ days.
- id=61252 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■24803 at 4% per annum for 1 years. | option_a=25795 | option_b=892 | option_c=1092 | option_d=992 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{24803 \times 4 \times 1}{100} = \text{■}992$.
- id=61253 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=50 | option_b=59 | option_c=39 | option_d=49 | answer=D | explanation=The common difference is 10. Therefore the next term is $39 + 10 = 49$.
- id=61254 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=23 | option_b=37 | option_c=31 | option_d=30 | answer=D | explanation=The common difference is 7. Therefore the next term is $23 + 7 = 30$.
- id=61255 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=Y | option_b=I | option_c=D | option_d=N | answer=B | explanation=Move 5 positions forward from D; the resulting letter is I.
- id=61256 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=240 | option_d=125 | answer=A | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{360}{3} = 120 \text{ km/h}$.
- id=61257 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 46? | option_a=26 | option_b=32 | option_c=46 | option_d=38 | answer=C | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 46 is the odd one out.
- id=61258 | topic=Percentages | difficulty=Easy | question=What is 10% of 1292? | option_a=109 | option_b=139 | option_c=129 | option_d=258 | answer=C | explanation= $10\% \text{ of } 1292 = \frac{10}{100} \times 1292 = 129$.
- id=61259 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:16 and the first is 80, what is the second? | option_a=168 | option_b=240 | option_c=160 | option_d=144 | answer=C | explanation= $\text{Scale factor} = \frac{80}{8} = 10$. Therefore second quantity = $16 \times 10 = 160$.
- id=61260 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:9 and the first is 15, what is the second? | option_a=42 | option_b=27 | option_c=18 | option_d=32 | answer=B | explanation= $\text{Scale factor} = \frac{15}{5} = 3$. Therefore second quantity = $9 \times 3 = 27$.

Aptitude Questions — Records 61,261-61,290 of 100,000

id=61261 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=61262 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**598. If it is sold at a profit of 5%, what is its selling price? | option_a=603 | option_b=686 | option_c=568 | option_d=627 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 598 × 105/100 = **■**627.

id=61263 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:20 and the first is 33, what is the second? | option_a=40 | option_b=71 | option_c=93 | option_d=60 | answer=D | explanation=Scale factor = 33/11 = 3. Therefore second quantity = 20×3 = 60.

id=61264 | topic=Percentages | difficulty=Easy | question=What is 25% of 317? | option_a=89 | option_b=79 | option_c=74 | option_d=158 | answer=B | explanation=25% of 317 = (25/100) × 317 = 79.

id=61265 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 10, 18, 29? | option_a=2 | option_b=10 | option_c=29 | option_d=18 | answer=C | explanation=The first three numbers increase by 8, so the next should be 26. Therefore 29 is the odd one out.

id=61266 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37578 at 4% per annum for 4 years. | option_a=6012 | option_b=43590 | option_c=6112 | option_d=5912 | answer=A | explanation=SI = PRT/100 = 37578×4×4/100 = **■**6012.

id=61267 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=47 | option_b=46 | option_c=53 | option_d=39 | answer=B | explanation=The common difference is 7. Therefore the next term is 39 + 7 = 46.

id=61268 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=43 | option_b=53 | option_c=54 | option_d=63 | answer=B | explanation=The common difference is 10. Therefore the next term is 43 + 10 = 53.

id=61269 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14785 at 4% per annum for 5 years. | option_a=3057 | option_b=17742 | option_c=2857 | option_d=2957 | answer=D | explanation=SI = PRT/100 = 14785×4×5/100 = **■**2957.

id=61270 | topic=Percentages | difficulty=Easy | question=What is 40% of 842? | option_a=672 | option_b=356 | option_c=316 | option_d=336 | answer=D | explanation=40% of 842 = (40/100) × 842 = 336.

id=61271 | topic=Averages | difficulty=Easy | question=Find the average of 83, 51, 25, 38, 40, 23, 94, 88, 68, 70. | option_a=58 | option_b=59 | option_c=60 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 580 ÷ 10 = 58.

id=61272 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=61273 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30373 at 6% per annum for 3 years. | option_a=35840 | option_b=5367 | option_c=5467 | option_d=5567 | answer=C | explanation=SI = PRT/100 = 30373×6×3/100 = **■**5467.

id=61274 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28662 at 8% per annum for 4 years. | option_a=9171 | option_b=9071 | option_c=37833 | option_d=9271 | answer=A | explanation=SI = PRT/100 = 28662×8×4/100 = **■**9171.

id=61275 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16164 at 6% per annum for 1 years. | option_a=869 | option_b=17133 | option_c=969 | option_d=1069 | answer=C | explanation=SI = PRT/100 = 16164×6×1/100 = **■**969.

id=61276 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=61277 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=W | option_b=Z | option_c=T | option_d=Q | answer=A | explanation=Move 3 positions forward from T; the resulting letter is W.

id=61278 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 23, 32, 43? | option_a=32 | option_b=43 | option_c=23 | option_d=14 | answer=B | explanation=The first three numbers increase by 9, so the next should be 41. Therefore 43 is the odd one out.

id=61279 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=8 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=61280 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:7 and the first is 119, what is the second? | option_a=168 | option_b=49 | option_c=42 | option_d=66 | answer=B | explanation=Scale factor = 119/17 = 7. Therefore second quantity = 7×7 = 49.

id=61281 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=61282 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**527. If it is sold at a profit of 30%, what is its selling price? | option_a=633 | option_b=737 | option_c=685 | option_d=557 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 527 × 130/100 = **■**685.

id=61283 | topic=Percentages | difficulty=Easy | question=What is 5% of 1942? | option_a=92 | option_b=97 | option_c=194 | option_d=107 | answer=B | explanation=5% of 1942 = (5/100) × 1942 = 97.

id=61284 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35550 at 12% per annum for 3 years. | option_a=12698 | option_b=48348 | option_c=12798 | option_d=12898 | answer=C | explanation=SI = PRT/100 = 35550×12×3/100 = **■**12798.

id=61285 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:14 and the first is 112, what is the second? | option_a=112 | option_b=126 | option_c=98 | option_d=224 | answer=A | explanation=Scale factor = 112/14 = 8. Therefore second quantity = 14×8 = 112.

id=61286 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=M | option_b=I | option_c=A | option_d=E | answer=B | explanation=Move 4 positions forward from E; the resulting letter is I.

id=61287 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=28 | option_b=25 | option_c=22 | option_d=26 | answer=B | explanation=The common difference is 3. Therefore the next term is 22 + 3 = 25.

id=61288 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=61289 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=S | option_c=G | option_d=O | answer=D | explanation=Move 4 positions forward from K; the resulting letter is O.

id=61290 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**750. If it is sold at a profit of 50%, what is its selling price? | option_a=800 | option_b=1050 | option_c=1200 | option_d=1125 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 750 × 150/100 = **■**1125.

Aptitude Questions — Records 61,291-61,320 of 100,000

- id=61291 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=46 | option_b=36 | option_c=47 | option_d=56 | answer=A | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.
- id=61292 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.
- id=61293 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:16 and the first is 90, what is the second? | option_a=144 | option_b=234 | option_c=128 | option_d=154 | answer=A | explanation=Scale factor = 90/10 = 9. Therefore second quantity = 16×9 = 144.
- id=61294 | topic=Profit & Loss | difficulty=Easy | question=An article costs █795. If it is sold at a profit of 40%, what is its selling price? | option_a=1192 | option_b=1034 | option_c=835 | option_d=1113 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 795 × 140/100 = █1113.
- id=61295 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=U | option_c=I | option_d=M | answer=A | explanation=Move 4 positions forward from M; the resulting letter is Q.
- id=61296 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=53 | option_c=96 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.
- id=61297 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49061 at 5% per annum for 1 years. | option_a=51514 | option_b=2453 | option_c=2553 | option_d=2353 | answer=B | explanation=SI = PRT/100 = 49061×5×1/100 = █2453.
- id=61298 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 37, 46, 57? | option_a=37 | option_b=57 | option_c=46 | option_d=28 | answer=B | explanation=The first three numbers increase by 9, so the next should be 55. Therefore 57 is the odd one out.
- id=61299 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=48 | option_b=40 | option_c=41 | option_d=32 | answer=B | explanation=The common difference is 8. Therefore the next term is 32 + 8 = 40.
- id=61300 | topic=Percentages | difficulty=Easy | question=What is 5% of 610? | option_a=30 | option_b=50 | option_c=60 | option_d=10 | answer=A | explanation=5% of 610 = (5/100) × 610 = 30.
- id=61301 | topic=Averages | difficulty=Easy | question=Find the average of 89, 11, 69, 44, 76, 34, 68, 70, 52. | option_a=57 | option_b=56 | option_c=58 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 513 ÷ 9 = 57.
- id=61302 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=120 | option_c=125 | option_d=240 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.
- id=61303 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3025 at 10% per annum for 3 years. | option_a=807 | option_b=3932 | option_c=1007 | option_d=907 | answer=D | explanation=SI = PRT/100 = 3025×10×3/100 = █907.
- id=61304 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 21. | option_a=63 | option_b=1 | option_c=24 | option_d=21 | answer=D | explanation=LCM × HCF = 3×21; HCF(3,21) = 3, so LCM = 21.
- id=61305 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=P | option_b=T | option_c=B | option_d=X | answer=D | explanation=Move 4 positions forward from T; the resulting letter is X.
- id=61306 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.
- id=61307 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 30? | option_a=30 | option_b=20 | option_c=4 | option_d=12 | answer=A | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 30 is the odd one out.
- id=61308 | topic=Averages | difficulty=Easy | question=Find the average of 85, 75, 32. | option_a=64 | option_b=65 | option_c=63 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 192 ÷ 3 = 64.
- id=61309 | topic=Averages | difficulty=Easy | question=Find the average of 86, 40, 48, 54, 43, 30, 42. | option_a=51 | option_b=48 | option_c=49 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 343 ÷ 7 = 49.
- id=61310 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=B | option_b=Q | option_c=G | option_d=L | answer=D | explanation=Move 5 positions forward from G; the resulting letter is L.
- id=61311 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4695. If it is sold at a profit of 30%, what is its selling price? | option_a=6103 | option_b=6572 | option_c=4725 | option_d=5634 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4695 × 130/100 = █6103.
- id=61312 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:10 and the first is 80, what is the second? | option_a=240 | option_b=165 | option_c=150 | option_d=160 | answer=D | explanation=Scale factor = 80/5 = 16. Therefore second quantity = 10×16 = 160.
- id=61313 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 17, 29, 41, ? | option_a=41 | option_b=65 | option_c=54 | option_d=53 | answer=D | explanation=The common difference is 12. Therefore the next term is 41 + 12 = 53.
- id=61314 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 16. | option_a=270 | option_b=224 | option_c=240 | option_d=480 | answer=C | explanation=LCM × HCF = 30×16; HCF(30,16) = 2, so LCM = 240.
- id=61315 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:10 and the first is 120, what is the second? | option_a=158 | option_b=270 | option_c=140 | option_d=150 | answer=D | explanation=Scale factor = 120/8 = 15. Therefore second quantity = 10×15 = 150.
- id=61316 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=65 | option_b=55 | option_c=43 | option_d=54 | answer=D | explanation=The common difference is 11. Therefore the next term is 43 + 11 = 54.
- id=61317 | topic=Averages | difficulty=Easy | question=Find the average of 31, 92, 87, 93, 59, 38, 83, 77, 61. | option_a=69 | option_b=70 | option_c=68 | option_d=71 | answer=A | explanation=Average = sum of values ÷ number of values = 621 ÷ 9 = 69.
- id=61318 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1211. If it is sold at a profit of 10%, what is its selling price? | option_a=1453 | option_b=1332 | option_c=1211 | option_d=1221 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1211 × 110/100 = █1332.
- id=61319 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=36 | option_d=13 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.
- id=61320 | topic=Averages | difficulty=Easy | question=Find the average of 22, 33, 65, 66, 95, 85. | option_a=63 | option_b=61 | option_c=60 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 366 ÷ 6 = 61.

Aptitude Questions — Records 61,321-61,350 of 100,000

id=61321 | topic=Percentages | difficulty=Easy | question=What is 25% of 1629? | option_a=814 | option_b=427 | option_c=407 | option_d=402 | answer=C | explanation=25% of 1629 = (25/100) × 1629 = 407.

id=61322 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=8 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=61323 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6106 at 15% per annum for 4 years. | option_a=3763 | option_b=3563 | option_c=3663 | option_d=9769 | answer=C | explanation=SI = PRT/100 = 6106×15×4/100 = **■**3663.

id=61324 | topic=Averages | difficulty=Easy | question=Find the average of 42, 47, 70. | option_a=53 | option_b=55 | option_c=52 | option_d=54 | answer=A | explanation=Average = sum of values + number of values = 159 ÷ 3 = 53.

id=61325 | topic=Percentages | difficulty=Easy | question=What is 20% of 970? | option_a=214 | option_b=194 | option_c=388 | option_d=189 | answer=B | explanation=20% of 970 = (20/100) × 970 = 194.

id=61326 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=26 | option_b=30 | option_c=29 | option_d=28 | answer=D | explanation=The common difference is 2. Therefore the next term is 26 + 2 = 28.

id=61327 | topic=Averages | difficulty=Easy | question=Find the average of 88, 84, 73, 41, 49, 85. | option_a=70 | option_b=69 | option_c=72 | option_d=71 | answer=A | explanation=Average = sum of values + number of values = 420 ÷ 6 = 70.

id=61328 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=30 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=61329 | topic=Averages | difficulty=Easy | question=Find the average of 54, 46, 77. | option_a=61 | option_b=58 | option_c=60 | option_d=59 | answer=D | explanation=Average = sum of values + number of values = 177 ÷ 3 = 59.

id=61330 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:9 and the first is 169, what is the second? | option_a=117 | option_b=130 | option_c=108 | option_d=286 | answer=A | explanation=Scale factor = 169/13 = 13. Therefore second quantity = 9×13 = 117.

id=61331 | topic=Averages | difficulty=Easy | question=Find the average of 20, 89, 82, 96, 29, 54, 87, 31, 65, 97. | option_a=65 | option_b=64 | option_c=66 | option_d=67 | answer=A | explanation=Average = sum of values + number of values = 650 ÷ 10 = 65.

id=61332 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:1 and the first is 40, what is the second? | option_a=50 | option_b=14 | option_c=9 | option_d=10 | answer=D | explanation=Scale factor = 40/4 = 10. Therefore second quantity = 1×10 = 10.

id=61333 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=N | option_b=S | option_c=X | option_d=C | answer=C | explanation=Move 5 positions forward from S; the resulting letter is X.

id=61334 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=61335 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 28, 32, 39? | option_a=32 | option_b=28 | option_c=39 | option_d=24 | answer=C | explanation=The first three numbers increase by 4, so the next should be 36. Therefore 39 is the odd one out.

id=61336 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=61337 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=17 | option_b=19 | option_c=20 | option_d=21 | answer=B | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=61338 | topic=Averages | difficulty=Easy | question=Find the average of 13, 49, 13, 89, 98, 22, 18, 90. | option_a=51 | option_b=49 | option_c=48 | option_d=50 | answer=B | explanation=Average = sum of values + number of values = 392 ÷ 8 = 49.

id=61339 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=18 | option_c=23 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=61340 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=F | option_b=R | option_c=N | option_d=J | answer=C | explanation=Move 4 positions forward from J; the resulting letter is N.

id=61341 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 15. | option_a=20 | option_b=75 | option_c=1 | option_d=15 | answer=D | explanation=LCM × HCF = 5×15; HCF(5,15) = 5, so LCM = 15.

id=61342 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=K | option_c=J | option_d=L | answer=D | explanation=Move 1 positions forward from K; the resulting letter is L.

id=61343 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8498 at 8% per annum for 3 years. | option_a=2139 | option_b=2039 | option_c=1939 | option_d=10537 | answer=B | explanation=SI = PRT/100 = 8498×8×3/100 = **■**2039.

id=61344 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 21, 28, 38? | option_a=28 | option_b=14 | option_c=21 | option_d=38 | answer=D | explanation=The first three numbers increase by 7, so the next should be 35. Therefore 38 is the odd one out.

id=61345 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 15, 20, 28? | option_a=20 | option_b=10 | option_c=15 | option_d=28 | answer=D | explanation=The first three numbers increase by 5, so the next should be 25. Therefore 28 is the odd one out.

id=61346 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 16, 26, 38? | option_a=16 | option_b=26 | option_c=38 | option_d=6 | answer=C | explanation=The first three numbers increase by 10, so the next should be 36. Therefore 38 is the odd one out.

id=61347 | topic=Percentages | difficulty=Easy | question=What is 5% of 432? | option_a=42 | option_b=1 | option_c=31 | option_d=21 | answer=D | explanation=5% of 432 = (5/100) × 432 = 21.

id=61348 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2731. If it is sold at a profit of 20%, what is its selling price? | option_a=2751 | option_b=3277 | option_c=3550 | option_d=3004 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2731 × 120/100 = **■**3277.

id=61349 | topic=Averages | difficulty=Easy | question=Find the average of 38, 78, 34, 58, 46, 52. | option_a=51 | option_b=53 | option_c=52 | option_d=50 | answer=A | explanation=Average = sum of values + number of values = 306 ÷ 6 = 51.

id=61350 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=U | option_b=I | option_c=M | option_d=Q | answer=D | explanation=Move 4 positions forward from M; the resulting letter is Q.

Aptitude Questions — Records 61,351-61,380 of 100,000

id=61351 | topic=Averages | difficulty=Easy | question=Find the average of 73, 20, 51, 48, 33. | option_a=45 | option_b=47 | option_c=44 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 225 ÷ 5 = 45.

id=61352 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 22, 27, 32, ? | option_a=42 | option_b=38 | option_c=32 | option_d=37 | answer=D | explanation=The common difference is 5. Therefore the next term is 32 + 5 = 37.

id=61353 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=Z | option_b=P | option_c=K | option_d=U | answer=D | explanation=Move 5 positions forward from P; the resulting letter is U.

id=61354 | topic=Percentages | difficulty=Easy | question=What is 50% of 869? | option_a=414 | option_b=439 | option_c=868 | option_d=434 | answer=D | explanation=50% of 869 = (50/100) × 869 = 434.

id=61355 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=61356 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=B | option_b=E | option_c=H | option_d=K | answer=C | explanation=Move 3 positions forward from E; the resulting letter is H.

id=61357 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=61358 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=61359 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=100 | option_c=50 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=61360 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:6 and the first is 182, what is the second? | option_a=266 | option_b=84 | option_c=78 | option_d=97 | answer=B | explanation=Scale factor = 182/13 = 14. Therefore second quantity = 6×14 = 84.

id=61361 | topic=Averages | difficulty=Easy | question=Find the average of 80, 38, 18, 52. | option_a=47 | option_b=49 | option_c=48 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 188 ÷ 4 = 47.

id=61362 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=59 | option_b=70 | option_c=58 | option_d=46 | answer=C | explanation=The common difference is 12. Therefore the next term is 46 + 12 = 58.

id=61363 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=G | option_c=D | option_d=F | answer=D | explanation=Move 1 positions forward from E; the resulting letter is F.

id=61364 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2068. If it is sold at a profit of 20%, what is its selling price? | option_a=2687 | option_b=2275 | option_c=2088 | option_d=2481 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2068 × 120/100 = █2481.

id=61365 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4905. If it is sold at a profit of 5%, what is its selling price? | option_a=4910 | option_b=5150 | option_c=5640 | option_d=4660 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4905 × 105/100 = █5150.

id=61366 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21059 at 6% per annum for 4 years. | option_a=26113 | option_b=5054 | option_c=4954 | option_d=5154 | answer=B | explanation=SI = PRT/100 = 21059×6×4/100 = █5054.

id=61367 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=15 | option_b=16 | option_c=12 | option_d=18 | answer=A | explanation=The common difference is 3. Therefore the next term is 12 + 3 = 15.

id=61368 | topic=Percentages | difficulty=Easy | question=What is 40% of 424? | option_a=164 | option_b=174 | option_c=338 | option_d=169 | answer=D | explanation=40% of 424 = (40/100) × 424 = 169.

id=61369 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=19 | option_c=48 | option_d=29 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=61370 | topic=Percentages | difficulty=Easy | question=What is 50% of 1729? | option_a=1728 | option_b=864 | option_c=844 | option_d=869 | answer=B | explanation=50% of 1729 = (50/100) × 1729 = 864.

id=61371 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=J | option_c=Z | option_d=O | answer=B | explanation=Move 5 positions forward from E; the resulting letter is J.

id=61372 | topic=Averages | difficulty=Easy | question=Find the average of 15, 73, 34, 65, 63, 74. | option_a=53 | option_b=56 | option_c=54 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 324 ÷ 6 = 54.

id=61373 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Q | option_b=W | option_c=T | option_d=Z | answer=B | explanation=Move 3 positions forward from T; the resulting letter is W.

id=61374 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43421 at 6% per annum for 5 years. | option_a=12926 | option_b=56447 | option_c=13126 | option_d=13026 | answer=D | explanation=SI = PRT/100 = 43421×6×5/100 = █13026.

id=61375 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=43 | option_b=54 | option_c=53 | option_d=63 | answer=C | explanation=The common difference is 10. Therefore the next term is 43 + 10 = 53.

id=61376 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:9 and the first is 24, what is the second? | option_a=78 | option_b=45 | option_c=58 | option_d=54 | answer=D | explanation=Scale factor = 24/4 = 6. Therefore second quantity = 9×6 = 54.

id=61377 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=O | option_b=Q | option_c=R | option_d=P | answer=B | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=61378 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=61379 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=61380 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 61,381-61,410 of 100,000

id=61381 | topic=Percentages | difficulty=Easy | question=What is 10% of 1508? | option_a=160 | option_b=300 | option_c=145 | option_d=150 | answer=D | explanation=10% of 1508 = (10/100) × 1508 = 150.

id=61382 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 27. | option_a=189 | option_b=648 | option_c=240 | option_d=216 | answer=D | explanation=LCM × HCF = 24×27; HCF(24,27) = 3, so LCM = 216.

id=61383 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**31020 at 12% per annum for 1 years. | option_a=3822 | option_b=3622 | option_c=34742 | option_d=3722 | answer=D | explanation=SI = PRT/100 = 31020×12×1/100 = **₹**3722.

id=61384 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=50 | option_c=30 | option_d=25 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=61385 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=H | option_b=P | option_c=L | option_d=T | answer=B | explanation=Move 4 positions forward from L; the resulting letter is P.

id=61386 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**9847 at 8% per annum for 1 years. | option_a=687 | option_b=887 | option_c=787 | option_d=10634 | answer=C | explanation=SI = PRT/100 = 9847×8×1/100 = **₹**787.

id=61387 | topic=Averages | difficulty=Easy | question=Find the average of 77, 34, 76, 40, 60, 15, 41. | option_a=51 | option_b=50 | option_c=48 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 343 ÷ 7 = 49.

id=61388 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 27. | option_a=108 | option_b=120 | option_c=324 | option_d=81 | answer=A | explanation=LCM × HCF = 12×27; HCF(12,27) = 3, so LCM = 108.

id=61389 | topic=Averages | difficulty=Easy | question=Find the average of 20, 88, 88, 94, 48, 52. | option_a=65 | option_b=64 | option_c=66 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = 390 ÷ 6 = 65.

id=61390 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=61391 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:17 and the first is 80, what is the second? | option_a=277 | option_b=352 | option_c=272 | option_d=255 | answer=C | explanation=Scale factor = 80/5 = 16. Therefore second quantity = 17×16 = 272.

id=61392 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=E | option_c=G | option_d=F | answer=C | explanation=Move 1 positions forward from F; the resulting letter is G.

id=61393 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 5, 7, 11? | option_a=7 | option_b=5 | option_c=11 | option_d=3 | answer=C | explanation=The first three numbers increase by 2, so the next should be 9. Therefore 11 is the odd one out.

id=61394 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 28, 31, 35? | option_a=31 | option_b=35 | option_c=25 | option_d=28 | answer=B | explanation=The first three numbers increase by 3, so the next should be 34. Therefore 35 is the odd one out.

id=61395 | topic=Percentages | difficulty=Easy | question=What is 12% of 437? | option_a=57 | option_b=52 | option_c=32 | option_d=104 | answer=B | explanation=12% of 437 = (12/100) × 437 = 52.

id=61396 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=R | option_c=N | option_d=F | answer=C | explanation=Move 4 positions forward from J; the resulting letter is N.

id=61397 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:8 and the first is 266, what is the second? | option_a=378 | option_b=112 | option_c=104 | option_d=131 | answer=B | explanation=Scale factor = 266/19 = 14. Therefore second quantity = 8×14 = 112.

id=61398 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=61399 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 29, 38, 48? | option_a=29 | option_b=38 | option_c=48 | option_d=20 | answer=C | explanation=The first three numbers increase by 9, so the next should be 47. Therefore 48 is the odd one out.

id=61400 | topic=Averages | difficulty=Easy | question=Find the average of 65, 25, 87, 54, 59, 90, 18, 27, 88. | option_a=57 | option_b=58 | option_c=56 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 513 ÷ 9 = 57.

id=61401 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 21, 25, 31? | option_a=31 | option_b=21 | option_c=17 | option_d=25 | answer=A | explanation=The first three numbers increase by 4, so the next should be 29. Therefore 31 is the odd one out.

id=61402 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**33071 at 10% per annum for 4 years. | option_a=13128 | option_b=13228 | option_c=13328 | option_d=46299 | answer=B | explanation=SI = PRT/100 = 33071×10×4/100 = **₹**13228.

id=61403 | topic=Averages | difficulty=Easy | question=Find the average of 81, 21, 45, 13. | option_a=40 | option_b=42 | option_c=41 | option_d=39 | answer=A | explanation=Average = sum of values ÷ number of values = 160 ÷ 4 = 40.

id=61404 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3518. If it is sold at a profit of 25%, what is its selling price? | option_a=4748 | option_b=4046 | option_c=4397 | option_d=3543 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3518 × 125/100 = **₹**4397.

id=61405 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**12151 at 4% per annum for 1 years. | option_a=12637 | option_b=586 | option_c=486 | option_d=386 | answer=C | explanation=SI = PRT/100 = 12151×4×1/100 = **₹**486.

id=61406 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3708. If it is sold at a profit of 20%, what is its selling price? | option_a=3728 | option_b=4819 | option_c=4079 | option_d=4449 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3708 × 120/100 = **₹**4449.

id=61407 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**7748 at 4% per annum for 1 years. | option_a=309 | option_b=409 | option_c=8057 | option_d=209 | answer=A | explanation=SI = PRT/100 = 7748×4×1/100 = **₹**309.

id=61408 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 14. | option_a=112 | option_b=64 | option_c=56 | option_d=42 | answer=C | explanation=LCM × HCF = 8×14; HCF(8,14) = 2, so LCM = 56.

id=61409 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**38839 at 15% per annum for 1 years. | option_a=44664 | option_b=5925 | option_c=5725 | option_d=5825 | answer=D | explanation=SI = PRT/100 = 38839×15×1/100 = **₹**5825.

id=61410 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=L | option_c=P | option_d=R | answer=C | explanation=Move 2 positions forward from N; the resulting letter is P.

Aptitude Questions — Records 61,411-61,440 of 100,000

id=61411 | topic=Percentages | difficulty=Easy | question=What is 30% of 882? | option_a=259 | option_b=284 | option_c=264 | option_d=528 | answer=C | explanation=30% of 882 = (30/100) × 882 = 264.

id=61412 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29032 at 8% per annum for 4 years. | option_a=38322 | option_b=9390 | option_c=9290 | option_d=9190 | answer=C | explanation=SI = PRT/100 = 29032×8×4/100 = **■**9290.

id=61413 | topic=Averages | difficulty=Easy | question=Find the average of 23, 82, 39, 93, 34, 57, 82, 99, 76. | option_a=66 | option_b=64 | option_c=67 | option_d=65 | answer=D | explanation=Average = sum of values + number of values = 585 ÷ 9 = 65.

id=61414 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 19, 22, 25, ? | option_a=31 | option_b=28 | option_c=25 | option_d=29 | answer=B | explanation=The common difference is 3. Therefore the next term is 25 + 3 = 28.

id=61415 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 44? | option_a=19 | option_b=35 | option_c=27 | option_d=44 | answer=D | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 44 is the odd one out.

id=61416 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 22. | option_a=66 | option_b=176 | option_c=88 | option_d=96 | answer=C | explanation=LCM × HCF = 8×22; HCF(8,22) = 2, so LCM = 88.

id=61417 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38216 at 15% per annum for 3 years. | option_a=55413 | option_b=17197 | option_c=17097 | option_d=17297 | answer=B | explanation=SI = PRT/100 = 38216×15×3/100 = **■**17197.

id=61418 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32087 at 8% per annum for 5 years. | option_a=12834 | option_b=12934 | option_c=44921 | option_d=12734 | answer=A | explanation=SI = PRT/100 = 32087×8×5/100 = **■**12834.

id=61419 | topic=Averages | difficulty=Easy | question=Find the average of 74, 41, 100, 95, 45, 80, 60, 28, 53, 84. | option_a=67 | option_b=66 | option_c=68 | option_d=65 | answer=B | explanation=Average = sum of values + number of values = 660 ÷ 10 = 66.

id=61420 | topic=Averages | difficulty=Easy | question=Find the average of 17, 19, 84, 91, 67, 65, 25, 83, 17. | option_a=53 | option_b=51 | option_c=54 | option_d=52 | answer=D | explanation=Average = sum of values + number of values = 468 ÷ 9 = 52.

id=61421 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**468. If it is sold at a profit of 5%, what is its selling price? | option_a=445 | option_b=473 | option_c=537 | option_d=491 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 468 × 105/100 = **■**491.

id=61422 | topic=Percentages | difficulty=Easy | question=What is 50% of 403? | option_a=181 | option_b=201 | option_c=206 | option_d=402 | answer=B | explanation=50% of 403 = (50/100) × 403 = 201.

id=61423 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=61424 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:1 and the first is 288, what is the second? | option_a=16 | option_b=15 | option_c=34 | option_d=304 | answer=A | explanation=Scale factor = 288/18 = 16. Therefore second quantity = 1×16 = 16.

id=61425 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:10 and the first is 171, what is the second? | option_a=361 | option_b=190 | option_c=180 | option_d=199 | answer=B | explanation=Scale factor = 171/9 = 19. Therefore second quantity = 10×19 = 190.

id=61426 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=C | option_c=K | option_d=Y | answer=A | explanation=Move 4 positions forward from C; the resulting letter is G.

id=61427 | topic=Averages | difficulty=Easy | question=Find the average of 73, 71, 63. | option_a=71 | option_b=70 | option_c=68 | option_d=69 | answer=D | explanation=Average = sum of values + number of values = 207 ÷ 3 = 69.

id=61428 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 18, 27, 37? | option_a=9 | option_b=37 | option_c=18 | option_d=27 | answer=B | explanation=The first three numbers increase by 9, so the next should be 36. Therefore 37 is the odd one out.

id=61429 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=360 | option_c=185 | option_d=175 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=61430 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=32 | option_b=44 | option_c=39 | option_d=38 | answer=D | explanation=The common difference is 6. Therefore the next term is 32 + 6 = 38.

id=61431 | topic=Averages | difficulty=Easy | question=Find the average of 53, 61, 27, 47, 37. | option_a=46 | option_b=45 | option_c=44 | option_d=47 | answer=B | explanation=Average = sum of values + number of values = 225 ÷ 5 = 45.

id=61432 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=T | option_b=W | option_c=V | option_d=U | answer=C | explanation=Move 1 positions forward from U; the resulting letter is V.

id=61433 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 6. | option_a=36 | option_b=84 | option_c=42 | option_d=56 | answer=C | explanation=LCM × HCF = 14×6; HCF(14,6) = 2, so LCM = 42.

id=61434 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=W | option_c=Q | option_d=Z | answer=B | explanation=Move 3 positions forward from T; the resulting letter is W.

id=61435 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28912 at 12% per annum for 1 years. | option_a=3369 | option_b=3569 | option_c=32381 | option_d=3469 | answer=D | explanation=SI = PRT/100 = 28912×12×1/100 = **■**3469.

id=61436 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24539 at 5% per annum for 1 years. | option_a=1326 | option_b=1226 | option_c=25765 | option_d=1126 | answer=B | explanation=SI = PRT/100 = 24539×5×1/100 = **■**1226.

id=61437 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11249 at 15% per annum for 4 years. | option_a=6849 | option_b=6749 | option_c=6649 | option_d=17998 | answer=B | explanation=SI = PRT/100 = 11249×15×4/100 = **■**6749.

id=61438 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=N | option_b=X | option_c=S | option_d=C | answer=B | explanation=Move 5 positions forward from S; the resulting letter is X.

id=61439 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 5. | option_a=40 | option_b=15 | option_c=20 | option_d=100 | answer=C | explanation=LCM × HCF = 20×5; HCF(20,5) = 5, so LCM = 20.

id=61440 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=19 | option_c=29 | option_d=48 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

Aptitude Questions — Records 61,441-61,470 of 100,000

id=61441 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 31? | option_a=10 | option_b=16 | option_c=22 | option_d=31 | answer=D | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 31 is the odd one out.

id=61442 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $\frac{1}{4} + \frac{1}{4} = \frac{8}{16}$. Time = $\frac{16}{8} = 2$ days.

id=61443 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 43? | option_a=29 | option_b=35 | option_c=43 | option_d=23 | answer=C | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 43 is the odd one out.

id=61444 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38115 at 15% per annum for 5 years. | option_a=28586 | option_b=28486 | option_c=66701 | option_d=28686 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{38115 \times 15 \times 5}{100} = \text{■}28586$.

id=61445 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Q | option_b=T | option_c=Z | option_d=W | answer=D | explanation=Move 3 positions forward from T; the resulting letter is W.

id=61446 | topic=Averages | difficulty=Easy | question=Find the average of 12, 58, 30, 35, 12, 90, 49, 70, 28, 86. | option_a=47 | option_b=46 | option_c=49 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{470}{10} = 47$.

id=61447 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 36, 44, 53? | option_a=36 | option_b=28 | option_c=53 | option_d=44 | answer=C | explanation=The first three numbers increase by 8, so the next should be 52. Therefore 53 is the odd one out.

id=61448 | topic=Percentages | difficulty=Easy | question=What is 10% of 708? | option_a=70 | option_b=75 | option_c=50 | option_d=140 | answer=A | explanation= $10\% \text{ of } 708 = (\frac{10}{100}) \times 708 = 70$.

id=61449 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=40 | option_c=45 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = $\frac{120}{3} = 40$ km/h.

id=61450 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 24, 32, 42? | option_a=32 | option_b=16 | option_c=42 | option_d=24 | answer=C | explanation=The first three numbers increase by 8, so the next should be 40. Therefore 42 is the odd one out.

id=61451 | topic=Averages | difficulty=Easy | question=Find the average of 74, 49, 75, 38. | option_a=60 | option_b=59 | option_c=61 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{236}{4} = 59$.

id=61452 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=61453 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**930. If it is sold at a profit of 15%, what is its selling price? | option_a=1162 | option_b=1069 | option_c=976 | option_d=945 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 930 \times \frac{115}{100} = \text{■}1069$.

id=61454 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1022. If it is sold at a profit of 25%, what is its selling price? | option_a=1277 | option_b=1379 | option_c=1047 | option_d=1175 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1022 \times \frac{125}{100} = \text{■}1277$.

id=61455 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=V | option_b=Y | option_c=P | option_d=S | answer=A | explanation=Move 3 positions forward from S; the resulting letter is V.

id=61456 | topic=Averages | difficulty=Easy | question=Find the average of 44, 66, 85. | option_a=66 | option_b=65 | option_c=64 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{195}{3} = 65$.

id=61457 | topic=Averages | difficulty=Easy | question=Find the average of 10, 32, 18, 100, 18, 78, 95, 63, 18. | option_a=49 | option_b=47 | option_c=48 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{432}{9} = 48$.

id=61458 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3641. If it is sold at a profit of 25%, what is its selling price? | option_a=4187 | option_b=4551 | option_c=3666 | option_d=4915 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3641 \times \frac{125}{100} = \text{■}4551$.

id=61459 | topic=Averages | difficulty=Easy | question=Find the average of 70, 96, 23, 72, 36, 11, 78, 41, 95, 48. | option_a=59 | option_b=57 | option_c=56 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{570}{10} = 57$.

id=61460 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 8, 13, 20? | option_a=3 | option_b=8 | option_c=13 | option_d=20 | answer=D | explanation=The first three numbers increase by 5, so the next should be 18. Therefore 20 is the odd one out.

id=61461 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=61462 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12466 at 10% per annum for 4 years. | option_a=4886 | option_b=5086 | option_c=17452 | option_d=4986 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{12466 \times 10 \times 4}{100} = \text{■}4986$.

id=61463 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=50 | option_c=25 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = $\frac{150}{6} = 25$ km/h.

id=61464 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 13, 17, 22? | option_a=17 | option_b=9 | option_c=13 | option_d=22 | answer=D | explanation=The first three numbers increase by 4, so the next should be 21. Therefore 22 is the odd one out.

id=61465 | topic=Averages | difficulty=Easy | question=Find the average of 68, 66, 77, 76, 57, 20, 32, 28. | option_a=53 | option_b=52 | option_c=55 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{424}{8} = 53$.

id=61466 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4435. If it is sold at a profit of 40%, what is its selling price? | option_a=6209 | option_b=4475 | option_c=6652 | option_d=5766 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4435 \times \frac{140}{100} = \text{■}6209$.

id=61467 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = $\frac{360}{6} = 60$ km/h.

id=61468 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=G | option_b=F | option_c=E | option_d=H | answer=A | explanation=Move 1 positions forward from F; the resulting letter is G.

id=61469 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=42 | option_b=64 | option_c=53 | option_d=54 | answer=C | explanation=The common difference is 11. Therefore the next term is $42 + 11 = 53$.

id=61470 | topic=Percentages | difficulty=Easy | question=What is 40% of 1539? | option_a=1230 | option_b=595 | option_c=615 | option_d=635 | answer=C | explanation= $40\% \text{ of } 1539 = (\frac{40}{100}) \times 1539 = 615$.

Aptitude Questions — Records 61,471-61,500 of 100,000

id=61471 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=5 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=61472 | topic=Profit & Loss | difficulty=Easy | question=An article costs █567. If it is sold at a profit of 10%, what is its selling price? | option_a=679 | option_b=623 | option_c=567 | option_d=577 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 567 × 110/100 = █623.

id=61473 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=O | option_b=S | option_c=U | option_d=Q | answer=B | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=61474 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39283 at 12% per annum for 3 years. | option_a=14041 | option_b=14241 | option_c=14141 | option_d=53424 | answer=C | explanation=SI = PRT/100 = 39283×12×3/100 = █14141.

id=61475 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3412. If it is sold at a profit of 15%, what is its selling price? | option_a=3923 | option_b=3582 | option_c=4264 | option_d=3427 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3412 × 115/100 = █3923.

id=61476 | topic=Averages | difficulty=Easy | question=Find the average of 87, 82, 96, 63, 63, 81, 35, 87, 99. | option_a=78 | option_b=77 | option_c=76 | option_d=79 | answer=B | explanation=Average = sum of values ÷ number of values = 693 ÷ 9 = 77.

id=61477 | topic=Averages | difficulty=Easy | question=Find the average of 44, 10, 24, 14, 78, 97, 51, 18. | option_a=44 | option_b=43 | option_c=41 | option_d=42 | answer=D | explanation=Average = sum of values ÷ number of values = 336 ÷ 8 = 42.

id=61478 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 26. | option_a=520 | option_b=280 | option_c=260 | option_d=234 | answer=C | explanation=LCM × HCF = 20×26; HCF(20,26) = 2, so LCM = 260.

id=61479 | topic=Profit & Loss | difficulty=Easy | question=An article costs █747. If it is sold at a profit of 25%, what is its selling price? | option_a=1007 | option_b=859 | option_c=933 | option_d=772 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 747 × 125/100 = █933.

id=61480 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:12 and the first is 12, what is the second? | option_a=144 | option_b=145 | option_c=156 | option_d=132 | answer=A | explanation=Scale factor = 12/1 = 12. Therefore second quantity = 12×12 = 144.

id=61481 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=63 | option_b=50 | option_c=74 | option_d=62 | answer=D | explanation=The common difference is 12. Therefore the next term is 50 + 12 = 62.

id=61482 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 20. | option_a=60 | option_b=66 | option_c=120 | option_d=40 | answer=A | explanation=LCM × HCF = 6×20; HCF(6,20) = 2, so LCM = 60.

id=61483 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 28? | option_a=28 | option_b=18 | option_c=4 | option_d=11 | answer=A | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 28 is the odd one out.

id=61484 | topic=Averages | difficulty=Easy | question=Find the average of 47, 36, 58, 51, 73. | option_a=53 | option_b=55 | option_c=54 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 265 ÷ 5 = 53.

id=61485 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 22, 32, 43? | option_a=43 | option_b=12 | option_c=32 | option_d=22 | answer=A | explanation=The first three numbers increase by 10, so the next should be 42. Therefore 43 is the odd one out.

id=61486 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25964 at 10% per annum for 5 years. | option_a=38946 | option_b=13082 | option_c=12982 | option_d=12882 | answer=C | explanation=SI = PRT/100 = 25964×10×5/100 = █12982.

id=61487 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=A | option_b=V | option_c=Q | option_d=L | answer=B | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=61488 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:10 and the first is 75, what is the second? | option_a=40 | option_b=50 | option_c=125 | option_d=65 | answer=B | explanation=Scale factor = 75/15 = 5. Therefore second quantity = 10×5 = 50.

id=61489 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 15? | option_a=8 | option_b=15 | option_c=11 | option_d=5 | answer=B | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 15 is the odd one out.

id=61490 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=J | option_b=I | option_c=H | option_d=K | answer=A | explanation=Move 1 positions forward from I; the resulting letter is J.

id=61491 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=180 | option_c=85 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=61492 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:17 and the first is 165, what is the second? | option_a=170 | option_b=187 | option_c=202 | option_d=352 | answer=B | explanation=Scale factor = 165/15 = 11. Therefore second quantity = 17×11 = 187.

id=61493 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:11 and the first is 85, what is the second? | option_a=176 | option_b=187 | option_c=272 | option_d=192 | answer=B | explanation=Scale factor = 85/5 = 17. Therefore second quantity = 11×17 = 187.

id=61494 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:3 and the first is 45, what is the second? | option_a=24 | option_b=60 | option_c=15 | option_d=12 | answer=C | explanation=Scale factor = 45/9 = 5. Therefore second quantity = 3×5 = 15.

id=61495 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26686 at 6% per annum for 2 years. | option_a=3302 | option_b=3202 | option_c=3102 | option_d=29888 | answer=B | explanation=SI = PRT/100 = 26686×6×2/100 = █3202.

id=61496 | topic=Averages | difficulty=Easy | question=Find the average of 79, 53, 31, 77, 27, 42, 83, 82, 93. | option_a=62 | option_b=65 | option_c=63 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 567 ÷ 9 = 63.

id=61497 | topic=Averages | difficulty=Easy | question=Find the average of 36, 14, 82, 42, 16, 80, 101. | option_a=52 | option_b=53 | option_c=54 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 371 ÷ 7 = 53.

id=61498 | topic=Averages | difficulty=Easy | question=Find the average of 31, 68, 61, 28, 60, 72, 51. | option_a=53 | option_b=55 | option_c=54 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 371 ÷ 7 = 53.

id=61499 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:5 and the first is 77, what is the second? | option_a=112 | option_b=46 | option_c=30 | option_d=35 | answer=D | explanation=Scale factor = 77/11 = 7. Therefore second quantity = 5×7 = 35.

id=61500 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 33? | option_a=33 | option_b=8 | option_c=24 | option_d=16 | answer=A | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 33 is the odd one out.

Aptitude Questions — Records 61,501-61,530 of 100,000

- id=61501 | topic=Percentages | difficulty=Easy | question=What is 40% of 127? | option_a=30 | option_b=50 | option_c=70 | option_d=100 | answer=B | explanation=40% of 127 = (40/100) × 127 = 50.
- id=61502 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.
- id=61503 | topic=Profit & Loss | difficulty=Easy | question=An article costs █471. If it is sold at a profit of 25%, what is its selling price? | option_a=635 | option_b=496 | option_c=588 | option_d=541 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 471 × 125/100 = █588.
- id=61504 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 35? | option_a=28 | option_b=35 | option_c=20 | option_d=24 | answer=B | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 35 is the odd one out.
- id=61505 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3555. If it is sold at a profit of 30%, what is its selling price? | option_a=4621 | option_b=3585 | option_c=4266 | option_d=4976 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3555 × 130/100 = █4621.
- id=61506 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:4 and the first is 340, what is the second? | option_a=420 | option_b=76 | option_c=97 | option_d=80 | answer=D | explanation=Scale factor = 340/17 = 20. Therefore second quantity = 4×20 = 80.
- id=61507 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30125 at 4% per annum for 5 years. | option_a=5925 | option_b=36150 | option_c=6125 | option_d=6025 | answer=D | explanation=SI = PRT/100 = 30125×4×5/100 = █6025.
- id=61508 | topic=Percentages | difficulty=Easy | question=What is 10% of 1522? | option_a=157 | option_b=304 | option_c=142 | option_d=152 | answer=D | explanation=10% of 1522 = (10/100) × 1522 = 152.
- id=61509 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.
- id=61510 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=J | option_b=M | option_c=P | option_d=S | answer=C | explanation=Move 3 positions forward from M; the resulting letter is P.
- id=61511 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 22, 26, 31? | option_a=31 | option_b=22 | option_c=26 | option_d=18 | answer=A | explanation=The first three numbers increase by 4, so the next should be 30. Therefore 31 is the odd one out.
- id=61512 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4733. If it is sold at a profit of 20%, what is its selling price? | option_a=6152 | option_b=4753 | option_c=5206 | option_d=5679 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4733 × 120/100 = █5679.
- id=61513 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.
- id=61514 | topic=Averages | difficulty=Easy | question=Find the average of 52, 86, 18, 55, 44, 27. | option_a=48 | option_b=49 | option_c=46 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 282 ÷ 6 = 47.
- id=61515 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:12 and the first is 180, what is the second? | option_a=228 | option_b=249 | option_c=240 | option_d=420 | answer=C | explanation=Scale factor = 180/9 = 20. Therefore second quantity = 12×20 = 240.
- id=61516 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=J | option_c=K | option_d=H | answer=B | explanation=Move 1 positions forward from I; the resulting letter is J.
- id=61517 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=29 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.
- id=61518 | topic=Averages | difficulty=Easy | question=Find the average of 47, 57, 81, 32, 70, 19. | option_a=50 | option_b=51 | option_c=53 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 306 ÷ 6 = 51.
- id=61519 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.
- id=61520 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.
- id=61521 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 33, 38, 44? | option_a=33 | option_b=38 | option_c=44 | option_d=28 | answer=C | explanation=The first three numbers increase by 5, so the next should be 43. Therefore 44 is the odd one out.
- id=61522 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=48 | option_c=96 | option_d=53 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.
- id=61523 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 13, 17, 21, ? | option_a=26 | option_b=25 | option_c=29 | option_d=21 | answer=B | explanation=The common difference is 4. Therefore the next term is 21 + 4 = 25.
- id=61524 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:16 and the first is 80, what is the second? | option_a=336 | option_b=261 | option_c=240 | option_d=256 | answer=D | explanation=Scale factor = 80/5 = 16. Therefore second quantity = 16×16 = 256.
- id=61525 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=L | option_c=D | option_d=Z | answer=A | explanation=Move 4 positions forward from D; the resulting letter is H.
- id=61526 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:9 and the first is 34, what is the second? | option_a=35 | option_b=18 | option_c=52 | option_d=9 | answer=B | explanation=Scale factor = 34/17 = 2. Therefore second quantity = 9×2 = 18.
- id=61527 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 17, 22, 29? | option_a=17 | option_b=29 | option_c=12 | option_d=22 | answer=B | explanation=The first three numbers increase by 5, so the next should be 27. Therefore 29 is the odd one out.
- id=61528 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 9, 11, 15? | option_a=11 | option_b=7 | option_c=15 | option_d=9 | answer=C | explanation=The first three numbers increase by 2, so the next should be 13. Therefore 15 is the odd one out.
- id=61529 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=72 | option_c=41 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.
- id=61530 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=Q | option_b=T | option_c=S | option_d=R | answer=C | explanation=Move 1 positions forward from R; the resulting letter is S.

Aptitude Questions — Records 61,531-61,560 of 100,000

id=61531 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=39 | option_b=44 | option_c=38 | option_d=32 | answer=C | explanation=The common difference is 6. Therefore the next term is 32 + 6 = 38.

id=61532 | topic=Averages | difficulty=Easy | question=Find the average of 59, 38, 92. | option_a=64 | option_b=63 | option_c=62 | option_d=65 | answer=B | explanation=Average = sum of values + number of values = 189 ÷ 3 = 63.

id=61533 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=61534 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=61535 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:17 and the first is 135, what is the second? | option_a=264 | option_b=390 | option_c=255 | option_d=238 | answer=C | explanation=Scale factor = 135/9 = 15. Therefore second quantity = 17×15 = 255.

id=61536 | topic=Averages | difficulty=Easy | question=Find the average of 81, 27, 77, 71. | option_a=66 | option_b=64 | option_c=65 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 256 ÷ 4 = 64.

id=61537 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 39? | option_a=14 | option_b=39 | option_c=22 | option_d=30 | answer=B | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 39 is the odd one out.

id=61538 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=90 | option_c=85 | option_d=180 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=61539 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:2 and the first is 126, what is the second? | option_a=144 | option_b=18 | option_c=16 | option_d=32 | answer=B | explanation=Scale factor = 126/14 = 9. Therefore second quantity = 2×9 = 18.

id=61540 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4342 at 10% per annum for 1 years. | option_a=434 | option_b=334 | option_c=534 | option_d=4776 | answer=A | explanation=SI = PRT/100 = 4342×10×1/100 = **■**434.

id=61541 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:6 and the first is 36, what is the second? | option_a=6 | option_b=12 | option_c=30 | option_d=48 | answer=B | explanation=Scale factor = 36/18 = 2. Therefore second quantity = 6×2 = 12.

id=61542 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=T | option_c=N | option_d=W | answer=B | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=61543 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=19 | option_d=29 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=61544 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=A | option_b=B | option_c=D | option_d=C | answer=D | explanation=Move 1 positions forward from B; the resulting letter is C.

id=61545 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37623 at 6% per annum for 2 years. | option_a=4614 | option_b=42137 | option_c=4414 | option_d=4514 | answer=D | explanation=SI = PRT/100 = 37623×6×2/100 = **■**4514.

id=61546 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18500 at 10% per annum for 5 years. | option_a=27750 | option_b=9350 | option_c=9250 | option_d=9150 | answer=C | explanation=SI = PRT/100 = 18500×10×5/100 = **■**9250.

id=61547 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:1 and the first is 78, what is the second? | option_a=19 | option_b=91 | option_c=13 | option_d=12 | answer=C | explanation=Scale factor = 78/6 = 13. Therefore second quantity = 1×13 = 13.

id=61548 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=61549 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=125 | option_c=115 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=61550 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1262. If it is sold at a profit of 25%, what is its selling price? | option_a=1287 | option_b=1577 | option_c=1451 | option_d=1703 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1262 × 125/100 = **■**1577.

id=61551 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:12 and the first is 190, what is the second? | option_a=216 | option_b=238 | option_c=418 | option_d=228 | answer=D | explanation=Scale factor = 190/10 = 19. Therefore second quantity = 12×19 = 228.

id=61552 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=61553 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2638. If it is sold at a profit of 30%, what is its selling price? | option_a=2668 | option_b=3429 | option_c=3166 | option_d=3692 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2638 × 130/100 = **■**3429.

id=61554 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=155 | option_c=300 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=61555 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:2 and the first is 266, what is the second? | option_a=38 | option_b=36 | option_c=304 | option_d=52 | answer=A | explanation=Scale factor = 266/14 = 19. Therefore second quantity = 2×19 = 38.

id=61556 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=61557 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=30 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=61558 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=T | option_b=J | option_c=O | option_d=Y | answer=A | explanation=Move 5 positions forward from O; the resulting letter is T.

id=61559 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 9, 16, 24? | option_a=9 | option_b=16 | option_c=2 | option_d=24 | answer=D | explanation=The first three numbers increase by 7, so the next should be 23. Therefore 24 is the odd one out.

id=61560 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=J | option_c=Y | option_d=T | answer=D | explanation=Move 5 positions forward from O; the resulting letter is T.

Aptitude Questions — Records 61,561-61,590 of 100,000

id=61561 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=61562 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=6 | option_c=12 | option_d=11 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=61563 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:15 and the first is 16, what is the second? | option_a=256 | option_b=240 | option_c=225 | option_d=241 | answer=B | explanation=Scale factor = 16/1 = 16. Therefore second quantity = 15×16 = 240.

id=61564 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3969. If it is sold at a profit of 40%, what is its selling price? | option_a=4009 | option_b=5952 | option_c=5160 | option_d=5556 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3969 × 140/100 = █5556.

id=61565 | topic=Percentages | difficulty=Easy | question=What is 5% of 495? | option_a=29 | option_b=19 | option_c=24 | option_d=48 | answer=C | explanation=5% of 495 = (5/100) × 495 = 24.

id=61566 | topic=Percentages | difficulty=Easy | question=What is 50% of 145? | option_a=144 | option_b=67 | option_c=92 | option_d=72 | answer=D | explanation=50% of 145 = (50/100) × 145 = 72.

id=61567 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=T | option_c=W | option_d=V | answer=D | explanation=Move 1 positions forward from U; the resulting letter is V.

id=61568 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=50 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=61569 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=70 | option_b=75 | option_c=80 | option_d=150 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=61570 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=45 | option_b=40 | option_c=33 | option_d=39 | answer=D | explanation=The common difference is 6. Therefore the next term is 33 + 6 = 39.

id=61571 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=26 | option_b=31 | option_c=30 | option_d=34 | answer=C | explanation=The common difference is 4. Therefore the next term is 26 + 4 = 30.

id=61572 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43, ? | option_a=51 | option_b=43 | option_c=59 | option_d=52 | answer=A | explanation=The common difference is 8. Therefore the next term is 43 + 8 = 51.

id=61573 | topic=Averages | difficulty=Easy | question=Find the average of 47, 15, 98, 57, 42, 90, 54, 13, 34. | option_a=51 | option_b=52 | option_c=50 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 450 ÷ 9 = 50.

id=61574 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=72 | option_c=31 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=61575 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=61576 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1586. If it is sold at a profit of 25%, what is its selling price? | option_a=1824 | option_b=1982 | option_c=2140 | option_d=1611 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1586 × 125/100 = █1982.

id=61577 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=8 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=61578 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=G | option_b=F | option_c=E | option_d=H | answer=A | explanation=Move 1 positions forward from F; the resulting letter is G.

id=61579 | topic=Averages | difficulty=Easy | question=Find the average of 82, 75, 39, 38, 55, 87, 59, 13. | option_a=57 | option_b=56 | option_c=55 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 448 ÷ 8 = 56.

id=61580 | topic=Averages | difficulty=Easy | question=Find the average of 43, 56, 30, 26, 31, 25, 97. | option_a=44 | option_b=43 | option_c=46 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 308 ÷ 7 = 44.

id=61581 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 23, 32, 43? | option_a=43 | option_b=23 | option_c=32 | option_d=14 | answer=A | explanation=The first three numbers increase by 9, so the next should be 41. Therefore 43 is the odd one out.

id=61582 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1319. If it is sold at a profit of 50%, what is its selling price? | option_a=2109 | option_b=1978 | option_c=1847 | option_d=1369 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1319 × 150/100 = █1978.

id=61583 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=A | option_b=G | option_c=E | option_d=C | answer=C | explanation=Move 2 positions forward from C; the resulting letter is E.

id=61584 | topic=Averages | difficulty=Easy | question=Find the average of 39, 79, 34, 19, 65, 33, 53. | option_a=48 | option_b=46 | option_c=45 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 322 ÷ 7 = 46.

id=61585 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Z | option_b=Q | option_c=W | option_d=T | answer=C | explanation=Move 3 positions forward from T; the resulting letter is W.

id=61586 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=H | option_b=P | option_c=L | option_d=T | answer=B | explanation=Move 4 positions forward from L; the resulting letter is P.

id=61587 | topic=Percentages | difficulty=Easy | question=What is 40% of 88? | option_a=35 | option_b=70 | option_c=45 | option_d=25 | answer=A | explanation=40% of 88 = (40/100) × 88 = 35.

id=61588 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=4 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=61589 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:18 and the first is 57, what is the second? | option_a=324 | option_b=399 | option_c=342 | option_d=345 | answer=C | explanation=Scale factor = 57/3 = 19. Therefore second quantity = 18×19 = 342.

id=61590 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=34 | option_b=42 | option_c=41 | option_d=48 | answer=C | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

Aptitude Questions — Records 61,591-61,620 of 100,000

id=61591 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 27? | option_a=19 | option_b=16 | option_c=27 | option_d=22 | answer=C | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 27 is the odd one out.

id=61592 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 17, 23, 31? | option_a=23 | option_b=31 | option_c=17 | option_d=11 | answer=B | explanation=The first three numbers increase by 6, so the next should be 29. Therefore 31 is the odd one out.

id=61593 | topic=Percentages | difficulty=Easy | question=What is 5% of 136? | option_a=6 | option_b=0 | option_c=16 | option_d=12 | answer=A | explanation=5% of 136 = (5/100) × 136 = 6.

id=61594 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:20 and the first is 112, what is the second? | option_a=280 | option_b=260 | option_c=288 | option_d=392 | answer=A | explanation=Scale factor = 112/8 = 14. Therefore second quantity = 20×14 = 280.

id=61595 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=54 | option_b=55 | option_c=44 | option_d=64 | answer=A | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=61596 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:17 and the first is 110, what is the second? | option_a=280 | option_b=153 | option_c=181 | option_d=170 | answer=D | explanation=Scale factor = 110/11 = 10. Therefore second quantity = 17×10 = 170.

id=61597 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2505. If it is sold at a profit of 10%, what is its selling price? | option_a=2755 | option_b=3005 | option_c=2505 | option_d=2515 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2505 × 110/100 = █2755.

id=61598 | topic=Percentages | difficulty=Easy | question=What is 5% of 1510? | option_a=95 | option_b=75 | option_c=150 | option_d=65 | answer=B | explanation=5% of 1510 = (5/100) × 1510 = 75.

id=61599 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2028. If it is sold at a profit of 50%, what is its selling price? | option_a=3042 | option_b=2840 | option_c=3244 | option_d=2078 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2028 × 150/100 = █3042.

id=61600 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=57 | option_b=47 | option_c=46 | option_d=35 | answer=C | explanation=The common difference is 11. Therefore the next term is 35 + 11 = 46.

id=61601 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=33 | option_b=39 | option_c=27 | option_d=34 | answer=A | explanation=The common difference is 6. Therefore the next term is 27 + 6 = 33.

id=61602 | topic=Averages | difficulty=Easy | question=Find the average of 73, 43, 37, 19. | option_a=45 | option_b=44 | option_c=43 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = 172 ÷ 4 = 43.

id=61603 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:3 and the first is 209, what is the second? | option_a=57 | option_b=68 | option_c=266 | option_d=54 | answer=A | explanation=Scale factor = 209/11 = 19. Therefore second quantity = 3×19 = 57.

id=61604 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=61605 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 30? | option_a=4 | option_b=30 | option_c=20 | option_d=12 | answer=B | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 30 is the odd one out.

id=61606 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35420 at 15% per annum for 5 years. | option_a=26665 | option_b=61985 | option_c=26465 | option_d=26565 | answer=D | explanation=SI = PRT/100 = 35420×15×5/100 = █26565.

id=61607 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=70 | option_d=150 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=61608 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=61609 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:9 and the first is 120, what is the second? | option_a=255 | option_b=135 | option_c=143 | option_d=126 | answer=B | explanation=Scale factor = 120/8 = 15. Therefore second quantity = 9×15 = 135.

id=61610 | topic=Profit & Loss | difficulty=Easy | question=An article costs █549. If it is sold at a profit of 5%, what is its selling price? | option_a=554 | option_b=630 | option_c=522 | option_d=576 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 549 × 105/100 = █576.

id=61611 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:15 and the first is 24, what is the second? | option_a=30 | option_b=15 | option_c=54 | option_d=42 | answer=A | explanation=Scale factor = 24/12 = 2. Therefore second quantity = 15×2 = 30.

id=61612 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 26, 29, 33? | option_a=29 | option_b=26 | option_c=23 | option_d=33 | answer=D | explanation=The first three numbers increase by 3, so the next should be 32. Therefore 33 is the odd one out.

id=61613 | topic=Percentages | difficulty=Easy | question=What is 20% of 1666? | option_a=328 | option_b=666 | option_c=333 | option_d=338 | answer=C | explanation=20% of 1666 = (20/100) × 1666 = 333.

id=61614 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=35 | option_b=29 | option_c=36 | option_d=41 | answer=A | explanation=The common difference is 6. Therefore the next term is 29 + 6 = 35.

id=61615 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 25, 33, 41, ? | option_a=49 | option_b=57 | option_c=41 | option_d=50 | answer=A | explanation=The common difference is 8. Therefore the next term is 41 + 8 = 49.

id=61616 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=L | option_b=Q | option_c=V | option_d=A | answer=C | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=61617 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=46 | option_b=32 | option_c=39 | option_d=40 | answer=C | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.

id=61618 | topic=Percentages | difficulty=Easy | question=What is 12% of 1719? | option_a=201 | option_b=226 | option_c=206 | option_d=412 | answer=C | explanation=12% of 1719 = (12/100) × 1719 = 206.

id=61619 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=O | option_b=I | option_c=F | option_d=L | answer=D | explanation=Move 3 positions forward from I; the resulting letter is L.

id=61620 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2826. If it is sold at a profit of 10%, what is its selling price? | option_a=3390 | option_b=2826 | option_c=3108 | option_d=2836 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2826 × 110/100 = █3108.

Aptitude Questions — Records 61,621-61,650 of 100,000

id=61621 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=61622 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = $180 \div 6 = 30$ km/h.

id=61623 | topic=Percentages | difficulty=Easy | question=What is 10% of 74? | option_a=14 | option_b=7 | option_c=0 | option_d=17 | answer=B | explanation=10% of 74 = $(10/100) \times 74 = 7$.

id=61624 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = $90 \div 3 = 30$ km/h.

id=61625 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3001. If it is sold at a profit of 10%, what is its selling price? | option_a=3301 | option_b=3011 | option_c=3001 | option_d=3601 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3001 \times 110/100 = \text{█}3301$.

id=61626 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:4 and the first is 91, what is the second? | option_a=24 | option_b=41 | option_c=119 | option_d=28 | answer=D | explanation=Scale factor = $91/13 = 7$. Therefore second quantity = $4 \times 7 = 28$.

id=61627 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=L | option_b=F | option_c=O | option_d=I | answer=A | explanation=Move 3 positions forward from I; the resulting letter is L.

id=61628 | topic=Averages | difficulty=Easy | question=Find the average of 11, 92, 15, 68, 29. | option_a=43 | option_b=44 | option_c=45 | option_d=42 | answer=A | explanation=Average = sum of values ÷ number of values = $215 \div 5 = 43$.

id=61629 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $36/12 = 3$ days.

id=61630 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2938. If it is sold at a profit of 30%, what is its selling price? | option_a=4112 | option_b=2968 | option_c=3819 | option_d=3526 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2938 \times 130/100 = \text{█}3819$.

id=61631 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=L | option_c=H | option_d=J | answer=B | explanation=Move 2 positions forward from J; the resulting letter is L.

id=61632 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 21? | option_a=7 | option_b=15 | option_c=21 | option_d=11 | answer=C | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 21 is the odd one out.

id=61633 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=L | option_b=J | option_c=H | option_d=N | answer=A | explanation=Move 2 positions forward from J; the resulting letter is L.

id=61634 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:14 and the first is 8, what is the second? | option_a=36 | option_b=32 | option_c=28 | option_d=14 | answer=C | explanation=Scale factor = $8/4 = 2$. Therefore second quantity = $14 \times 2 = 28$.

id=61635 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=A | option_b=U | option_c=X | option_d=R | answer=C | explanation=Move 3 positions forward from U; the resulting letter is X.

id=61636 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2525 at 8% per annum for 3 years. | option_a=606 | option_b=3131 | option_c=706 | option_d=506 | answer=A | explanation=SI = $PRT/100 = 2525 \times 8 \times 3/100 = \text{█}606$.

id=61637 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=90 | option_c=50 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = $180 \div 4 = 45$ km/h.

id=61638 | topic=Percentages | difficulty=Easy | question=What is 20% of 483? | option_a=96 | option_b=116 | option_c=192 | option_d=91 | answer=A | explanation=20% of 483 = $(20/100) \times 483 = 96$.

id=61639 | topic=Averages | difficulty=Easy | question=Find the average of 35, 21, 30, 49, 16, 71. | option_a=39 | option_b=38 | option_c=37 | option_d=36 | answer=C | explanation=Average = sum of values ÷ number of values = $222 \div 6 = 37$.

id=61640 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 16, 23, 30, ? | option_a=38 | option_b=44 | option_c=30 | option_d=37 | answer=D | explanation=The common difference is 7. Therefore the next term is $30 + 7 = 37$.

id=61641 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=I | option_c=J | option_d=G | answer=B | explanation=Move 1 positions forward from H; the resulting letter is I.

id=61642 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26431 at 15% per annum for 1 years. | option_a=4064 | option_b=30395 | option_c=3964 | option_d=3864 | answer=C | explanation=SI = $PRT/100 = 26431 \times 15 \times 1/100 = \text{█}3964$.

id=61643 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 31, 33, 38? | option_a=33 | option_b=38 | option_c=31 | option_d=29 | answer=B | explanation=The first three numbers increase by 2, so the next should be 35. Therefore 38 is the odd one out.

id=61644 | topic=Averages | difficulty=Easy | question=Find the average of 49, 31, 84, 93, 88. | option_a=71 | option_b=70 | option_c=69 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = $345 \div 5 = 69$.

id=61645 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 25, 35, 46? | option_a=46 | option_b=15 | option_c=25 | option_d=35 | answer=A | explanation=The first three numbers increase by 10, so the next should be 45. Therefore 46 is the odd one out.

id=61646 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=36 | option_b=45 | option_c=46 | option_d=54 | answer=B | explanation=The common difference is 9. Therefore the next term is $36 + 9 = 45$.

id=61647 | topic=Percentages | difficulty=Easy | question=What is 30% of 1534? | option_a=460 | option_b=920 | option_c=450 | option_d=465 | answer=A | explanation=30% of 1534 = $(30/100) \times 1534 = 460$.

id=61648 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:11 and the first is 65, what is the second? | option_a=55 | option_b=44 | option_c=68 | option_d=120 | answer=A | explanation=Scale factor = $65/13 = 5$. Therefore second quantity = $11 \times 5 = 55$.

id=61649 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=U | option_c=X | option_d=O | answer=B | explanation=Move 3 positions forward from R; the resulting letter is U.

id=61650 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 18, 28, 38, ? | option_a=38 | option_b=49 | option_c=58 | option_d=48 | answer=D | explanation=The common difference is 10. Therefore the next term is $38 + 10 = 48$.

Aptitude Questions — Records 61,651-61,680 of 100,000

id=61651 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:6 and the first is 60, what is the second? | option_a=36 | option_b=96 | option_c=46 | option_d=30 | answer=A | explanation=Scale factor = 60/10 = 6. Therefore second quantity = 6×6 = 36.

id=61652 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4661. If it is sold at a profit of 40%, what is its selling price? | option_a=4701 | option_b=6991 | option_c=6059 | option_d=6525 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4661 × 140/100 = █6525.

id=61653 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=W | option_b=A | option_c=I | option_d=E | answer=D | explanation=Move 4 positions forward from A; the resulting letter is E.

id=61654 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24856 at 15% per annum for 2 years. | option_a=7456 | option_b=7556 | option_c=32312 | option_d=7356 | answer=A | explanation=SI = PRT/100 = 24856×15×2/100 = █7456.

id=61655 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 13, 20, 28? | option_a=20 | option_b=13 | option_c=6 | option_d=28 | answer=D | explanation=The first three numbers increase by 7, so the next should be 27. Therefore 28 is the odd one out.

id=61656 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15863 at 4% per annum for 3 years. | option_a=1803 | option_b=17766 | option_c=1903 | option_d=2003 | answer=C | explanation=SI = PRT/100 = 15863×4×3/100 = █1903.

id=61657 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42330 at 10% per annum for 1 years. | option_a=4333 | option_b=46563 | option_c=4233 | option_d=4133 | answer=C | explanation=SI = PRT/100 = 42330×10×1/100 = █4233.

id=61658 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=95 | option_c=90 | option_d=180 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=61659 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 40? | option_a=14 | option_b=22 | option_c=30 | option_d=40 | answer=D | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 40 is the odd one out.

id=61660 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=L | option_b=N | option_c=H | option_d=J | answer=A | explanation=Move 2 positions forward from J; the resulting letter is L.

id=61661 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=40 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=61662 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:14 and the first is 10, what is the second? | option_a=56 | option_b=70 | option_c=72 | option_d=80 | answer=B | explanation=Scale factor = 10/2 = 5. Therefore second quantity = 14×5 = 70.

id=61663 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=41 | option_c=31 | option_d=72 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=61664 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:18 and the first is 195, what is the second? | option_a=465 | option_b=283 | option_c=252 | option_d=270 | answer=D | explanation=Scale factor = 195/13 = 15. Therefore second quantity = 18×15 = 270.

id=61665 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=61666 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=W | option_c=Q | option_d=Z | answer=B | explanation=Move 3 positions forward from T; the resulting letter is W.

id=61667 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=K | option_b=V | option_c=A | option_d=F | answer=D | explanation=Move 5 positions forward from A; the resulting letter is F.

id=61668 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=I | option_c=L | option_d=K | answer=D | explanation=Move 1 positions forward from J; the resulting letter is K.

id=61669 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=S | option_b=T | option_c=U | option_d=V | answer=C | explanation=Move 1 positions forward from T; the resulting letter is U.

id=61670 | topic=Percentages | difficulty=Easy | question=What is 5% of 1700? | option_a=75 | option_b=170 | option_c=85 | option_d=105 | answer=C | explanation=5% of 1700 = (5/100) × 1700 = 85.

id=61671 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=61672 | topic=Averages | difficulty=Easy | question=Find the average of 79, 39, 31, 97, 80, 77, 94. | option_a=71 | option_b=70 | option_c=73 | option_d=72 | answer=A | explanation=Average = sum of values ÷ number of values = 497 ÷ 7 = 71.

id=61673 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4628. If it is sold at a profit of 20%, what is its selling price? | option_a=5091 | option_b=4648 | option_c=5553 | option_d=6015 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4628 × 120/100 = █5553.

id=61674 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=X | option_b=H | option_c=M | option_d=C | answer=B | explanation=Move 5 positions forward from C; the resulting letter is H.

id=61675 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=T | option_c=E | option_d=O | answer=D | explanation=Move 5 positions forward from J; the resulting letter is O.

id=61676 | topic=Percentages | difficulty=Easy | question=What is 25% of 1473? | option_a=378 | option_b=736 | option_c=348 | option_d=368 | answer=D | explanation=25% of 1473 = (25/100) × 1473 = 368.

id=61677 | topic=Percentages | difficulty=Easy | question=What is 5% of 787? | option_a=34 | option_b=78 | option_c=49 | option_d=39 | answer=D | explanation=5% of 787 = (5/100) × 787 = 39.

id=61678 | topic=Percentages | difficulty=Easy | question=What is 40% of 1543? | option_a=607 | option_b=627 | option_c=617 | option_d=1234 | answer=C | explanation=40% of 1543 = (40/100) × 1543 = 617.

id=61679 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2454. If it is sold at a profit of 50%, what is its selling price? | option_a=3681 | option_b=3926 | option_c=3436 | option_d=2504 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2454 × 150/100 = █3681.

id=61680 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 17, 25, 33, ? | option_a=49 | option_b=42 | option_c=33 | option_d=41 | answer=D | explanation=The common difference is 8. Therefore the next term is 33 + 8 = 41.

Aptitude Questions — Records 61,681-61,710 of 100,000

id=61681 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=Y | option_b=B | option_c=H | option_d=E | answer=D | explanation=Move 3 positions forward from B; the resulting letter is E.

id=61682 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=50 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=61683 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=61684 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=20 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=61685 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:6 and the first is 34, what is the second? | option_a=12 | option_b=46 | option_c=6 | option_d=29 | answer=A | explanation=Scale factor = 34/17 = 2. Therefore second quantity = 6×2 = 12.

id=61686 | topic=Percentages | difficulty=Easy | question=What is 40% of 1621? | option_a=648 | option_b=1296 | option_c=668 | option_d=638 | answer=A | explanation=40% of 1621 = (40/100) × 1621 = 648.

id=61687 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=K | option_b=A | option_c=V | option_d=F | answer=D | explanation=Move 5 positions forward from A; the resulting letter is F.

id=61688 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:12 and the first is 120, what is the second? | option_a=72 | option_b=60 | option_c=192 | option_d=92 | answer=A | explanation=Scale factor = 120/20 = 6. Therefore second quantity = 12×6 = 72.

id=61689 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=27 | option_b=31 | option_c=26 | option_d=21 | answer=C | explanation=The common difference is 5. Therefore the next term is 21 + 5 = 26.

id=61690 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:20 and the first is 8, what is the second? | option_a=60 | option_b=80 | option_c=82 | option_d=88 | answer=B | explanation=Scale factor = 8/2 = 4. Therefore second quantity = 20×4 = 80.

id=61691 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=61692 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21909 at 8% per annum for 1 years. | option_a=1752 | option_b=1852 | option_c=23661 | option_d=1652 | answer=A | explanation=SI = PRT/100 = 21909×8×1/100 = **■**1752.

id=61693 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=G | option_b=Q | option_c=L | option_d=V | answer=B | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=61694 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=61695 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:16 and the first is 30, what is the second? | option_a=47 | option_b=16 | option_c=32 | option_d=62 | answer=C | explanation=Scale factor = 30/15 = 2. Therefore second quantity = 16×2 = 32.

id=61696 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40982 at 15% per annum for 1 years. | option_a=47129 | option_b=6047 | option_c=6147 | option_d=6247 | answer=C | explanation=SI = PRT/100 = 40982×15×1/100 = **■**6147.

id=61697 | topic=Percentages | difficulty=Easy | question=What is 30% of 237? | option_a=61 | option_b=76 | option_c=71 | option_d=142 | answer=C | explanation=30% of 237 = (30/100) × 237 = 71.

id=61698 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=C | option_b=A | option_c=D | option_d=B | answer=A | explanation=Move 1 positions forward from B; the resulting letter is C.

id=61699 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 18. | option_a=36 | option_b=216 | option_c=18 | option_d=48 | answer=A | explanation=LCM × HCF = 12×18; HCF(12,18) = 6, so LCM = 36.

id=61700 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=30 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=61701 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=49 | option_b=31 | option_c=40 | option_d=41 | answer=C | explanation=The common difference is 9. Therefore the next term is 31 + 9 = 40.

id=61702 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11503 at 4% per annum for 2 years. | option_a=920 | option_b=820 | option_c=1020 | option_d=12423 | answer=A | explanation=SI = PRT/100 = 11503×4×2/100 = **■**920.

id=61703 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:6 and the first is 81, what is the second? | option_a=135 | option_b=63 | option_c=54 | option_d=48 | answer=C | explanation=Scale factor = 81/9 = 9. Therefore second quantity = 6×9 = 54.

id=61704 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**226. If it is sold at a profit of 10%, what is its selling price? | option_a=270 | option_b=248 | option_c=226 | option_d=236 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 226 × 110/100 = **■**248.

id=61705 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3299. If it is sold at a profit of 40%, what is its selling price? | option_a=3339 | option_b=4947 | option_c=4289 | option_d=4618 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3299 × 140/100 = **■**4618.

id=61706 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**114. If it is sold at a profit of 50%, what is its selling price? | option_a=182 | option_b=171 | option_c=160 | option_d=164 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 114 × 150/100 = **■**171.

id=61707 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4281. If it is sold at a profit of 5%, what is its selling price? | option_a=4286 | option_b=4067 | option_c=4923 | option_d=4495 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4281 × 105/100 = **■**4495.

id=61708 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=61709 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:13 and the first is 240, what is the second? | option_a=182 | option_b=435 | option_c=211 | option_d=195 | answer=D | explanation=Scale factor = 240/16 = 15. Therefore second quantity = 13×15 = 195.

id=61710 | topic=Averages | difficulty=Easy | question=Find the average of 87, 71, 70. | option_a=78 | option_b=76 | option_c=77 | option_d=75 | answer=B | explanation=Average = sum of values ÷ number of values = 228 ÷ 3 = 76.

Aptitude Questions — Records 61,711-61,740 of 100,000

- id=61711 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1648. If it is sold at a profit of 20%, what is its selling price? | option_a=1668 | option_b=2141 | option_c=1977 | option_d=1813 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1648 × 120/100 = ■1977.
- id=61712 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■29851 at 8% per annum for 5 years. | option_a=11940 | option_b=41791 | option_c=11840 | option_d=12040 | answer=A | explanation=SI = PRT/100 = 29851×8×5/100 = ■11940.
- id=61713 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=8 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=61714 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 47? | option_a=47 | option_b=30 | option_c=23 | option_d=37 | answer=A | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 47 is the odd one out.
- id=61715 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:5 and the first is 171, what is the second? | option_a=95 | option_b=266 | option_c=104 | option_d=90 | answer=A | explanation=Scale factor = 171/9 = 19. Therefore second quantity = 5×19 = 95.
- id=61716 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=K | option_c=E | option_d=G | answer=A | explanation=Move 2 positions forward from G; the resulting letter is I.
- id=61717 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=61718 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2176. If it is sold at a profit of 20%, what is its selling price? | option_a=2828 | option_b=2196 | option_c=2394 | option_d=2611 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2176 × 120/100 = ■2611.
- id=61719 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=61720 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=C | option_c=A | option_d=B | answer=B | explanation=Move 1 positions forward from B; the resulting letter is C.
- id=61721 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=O | option_b=L | option_c=R | option_d=I | answer=A | explanation=Move 3 positions forward from L; the resulting letter is O.
- id=61722 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=L | option_b=J | option_c=H | option_d=N | answer=A | explanation=Move 2 positions forward from J; the resulting letter is L.
- id=61723 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■324. If it is sold at a profit of 40%, what is its selling price? | option_a=421 | option_b=485 | option_c=453 | option_d=364 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 324 × 140/100 = ■453.
- id=61724 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=32 | option_b=39 | option_c=33 | option_d=25 | answer=A | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.
- id=61725 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 8. | option_a=16 | option_b=24 | option_c=96 | option_d=36 | answer=B | explanation=LCM × HCF = 12×8; HCF(12,8) = 4, so LCM = 24.
- id=61726 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=L | option_c=X | option_d=T | answer=D | explanation=Move 4 positions forward from P; the resulting letter is T.
- id=61727 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=O | option_b=W | option_c=S | option_d=A | answer=B | explanation=Move 4 positions forward from S; the resulting letter is W.
- id=61728 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2222. If it is sold at a profit of 15%, what is its selling price? | option_a=2237 | option_b=2555 | option_c=2777 | option_d=2333 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2222 × 115/100 = ■2555.
- id=61729 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=Z | option_b=B | option_c=C | option_d=A | answer=B | explanation=Move 1 positions forward from A; the resulting letter is B.
- id=61730 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=E | option_b=G | option_c=H | option_d=F | answer=B | explanation=Move 1 positions forward from F; the resulting letter is G.
- id=61731 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=61732 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.
- id=61733 | topic=Percentages | difficulty=Easy | question=What is 5% of 858? | option_a=22 | option_b=47 | option_c=84 | option_d=42 | answer=D | explanation=5% of 858 = (5/100) × 858 = 42.
- id=61734 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.
- id=61735 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=I | option_b=F | option_c=Z | option_d=C | answer=B | explanation=Move 3 positions forward from C; the resulting letter is F.
- id=61736 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=100 | option_c=45 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.
- id=61737 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2406. If it is sold at a profit of 30%, what is its selling price? | option_a=3367 | option_b=2436 | option_c=2887 | option_d=3127 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2406 × 130/100 = ■3127.
- id=61738 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=C | option_c=L | option_d=I | answer=D | explanation=Move 3 positions forward from F; the resulting letter is I.
- id=61739 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=M | option_b=C | option_c=H | option_d=R | answer=A | explanation=Move 5 positions forward from H; the resulting letter is M.
- id=61740 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1644. If it is sold at a profit of 40%, what is its selling price? | option_a=2465 | option_b=2301 | option_c=2137 | option_d=1684 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1644 × 140/100 = ■2301.

Aptitude Questions — Records 61,741-61,770 of 100,000

id=61741 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=L | option_b=A | option_c=Q | option_d=V | answer=D | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=61742 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=24 | option_d=7 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=61743 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:7 and the first is 18, what is the second? | option_a=14 | option_b=27 | option_c=21 | option_d=39 | answer=C | explanation=Scale factor = $\frac{18}{6} = 3$. Therefore second quantity = $7 \times 3 = 21$.

id=61744 | topic=Averages | difficulty=Easy | question=Find the average of 58, 76, 87, 12, 27. | option_a=54 | option_b=53 | option_c=51 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{260}{5} = 52$.

id=61745 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13253 at 10% per annum for 4 years. | option_a=5301 | option_b=18554 | option_c=5201 | option_d=5401 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{13253 \times 10 \times 4}{100} = \text{■}5301$.

id=61746 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 37, 44, 54? | option_a=30 | option_b=44 | option_c=37 | option_d=54 | answer=D | explanation=The first three numbers increase by 7, so the next should be 51. Therefore 54 is the odd one out.

id=61747 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=T | option_c=L | option_d=H | answer=A | explanation=Move 4 positions forward from L; the resulting letter is P.

id=61748 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12} = 3$ days.

id=61749 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2613 at 6% per annum for 5 years. | option_a=883 | option_b=783 | option_c=3396 | option_d=683 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{2613 \times 6 \times 5}{100} = \text{■}783$.

id=61750 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2857. If it is sold at a profit of 25%, what is its selling price? | option_a=2882 | option_b=3286 | option_c=3856 | option_d=3571 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = \frac{2857 \times 125}{100} = \text{■}3571$.

id=61751 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:2 and the first is 98, what is the second? | option_a=26 | option_b=126 | option_c=28 | option_d=35 | answer=C | explanation=Scale factor = $\frac{98}{7} = 14$. Therefore second quantity = $2 \times 14 = 28$.

id=61752 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:17 and the first is 18, what is the second? | option_a=306 | option_b=324 | option_c=289 | option_d=307 | answer=A | explanation=Scale factor = $\frac{18}{1} = 18$. Therefore second quantity = $17 \times 18 = 306$.

id=61753 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=18 | option_c=13 | option_d=23 | answer=B | explanation=Speed = distance ÷ time = $\frac{180}{10} = 18$ km/h.

id=61754 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=105 | option_c=100 | option_d=200 | answer=C | explanation=Speed = distance ÷ time = $\frac{300}{3} = 100$ km/h.

id=61755 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=X | option_b=C | option_c=H | option_d=M | answer=C | explanation=Move 5 positions forward from C; the resulting letter is H.

id=61756 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:15 and the first is 140, what is the second? | option_a=150 | option_b=290 | option_c=164 | option_d=135 | answer=A | explanation=Scale factor = $\frac{140}{14} = 10$. Therefore second quantity = $15 \times 10 = 150$.

id=61757 | topic=Averages | difficulty=Easy | question=Find the average of 63, 57, 21, 13, 12, 82, 84, 68. | option_a=50 | option_b=49 | option_c=51 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{400}{8} = 50$.

id=61758 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=61759 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 25, 30, 38? | option_a=25 | option_b=20 | option_c=30 | option_d=38 | answer=D | explanation=The first three numbers increase by 5, so the next should be 35. Therefore 38 is the odd one out.

id=61760 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $\frac{360}{6} = 60$ km/h.

id=61761 | topic=Averages | difficulty=Easy | question=Find the average of 15, 94, 63, 88. | option_a=64 | option_b=67 | option_c=65 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{260}{4} = 65$.

id=61762 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=24 | option_d=7 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=61763 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=15 | option_b=14 | option_c=16 | option_d=12 | answer=B | explanation=The common difference is 2. Therefore the next term is $12 + 2 = 14$.

id=61764 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8362 at 15% per annum for 3 years. | option_a=12124 | option_b=3862 | option_c=3662 | option_d=3762 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{8362 \times 15 \times 3}{100} = \text{■}3762$.

id=61765 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=23 | option_b=19 | option_c=25 | option_d=22 | answer=D | explanation=The common difference is 3. Therefore the next term is $19 + 3 = 22$.

id=61766 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3740. If it is sold at a profit of 30%, what is its selling price? | option_a=3770 | option_b=5236 | option_c=4862 | option_d=4488 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = \frac{3740 \times 130}{100} = \text{■}4862$.

id=61767 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12} = 3$ days.

id=61768 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 18. | option_a=54 | option_b=81 | option_c=36 | option_d=486 | answer=A | explanation= $LCM \times HCF = 27 \times 18$; $HCF(27, 18) = 9$, so $LCM = 54$.

id=61769 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=61770 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**922. If it is sold at a profit of 40%, what is its selling price? | option_a=1382 | option_b=1198 | option_c=962 | option_d=1290 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = \frac{922 \times 140}{100} = \text{■}1290$.

Aptitude Questions — Records 61,771-61,800 of 100,000

id=61771 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:14 and the first is 120, what is the second? | option_a=154 | option_b=178 | option_c=288 | option_d=168 | answer=D | explanation=Scale factor = 120/10 = 12. Therefore second quantity = 14×12 = 168.

id=61772 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 14? | option_a=5 | option_b=14 | option_c=9 | option_d=7 | answer=B | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 14 is the odd one out.

id=61773 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 45? | option_a=25 | option_b=31 | option_c=37 | option_d=45 | answer=D | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 45 is the odd one out.

id=61774 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2626. If it is sold at a profit of 20%, what is its selling price? | option_a=2646 | option_b=2889 | option_c=3151 | option_d=3413 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2626 × 120/100 = █3151.

id=61775 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=61776 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=15 | option_c=20 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=61777 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 36? | option_a=25 | option_b=36 | option_c=29 | option_d=21 | answer=B | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 36 is the odd one out.

id=61778 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1946 at 5% per annum for 5 years. | option_a=586 | option_b=486 | option_c=386 | option_d=2432 | answer=B | explanation=SI = PRT/100 = 1946×5×5/100 = █486.

id=61779 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:6 and the first is 132, what is the second? | option_a=60 | option_b=198 | option_c=66 | option_d=78 | answer=C | explanation=Scale factor = 132/12 = 11. Therefore second quantity = 6×11 = 66.

id=61780 | topic=Percentages | difficulty=Easy | question=What is 50% of 375? | option_a=192 | option_b=374 | option_c=187 | option_d=167 | answer=C | explanation=50% of 375 = (50/100) × 375 = 187.

id=61781 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3194. If it is sold at a profit of 15%, what is its selling price? | option_a=3209 | option_b=3992 | option_c=3354 | option_d=3673 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3194 × 115/100 = █3673.

id=61782 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=35 | option_b=40 | option_c=36 | option_d=30 | answer=A | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=61783 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:19 and the first is 180, what is the second? | option_a=522 | option_b=352 | option_c=323 | option_d=342 | answer=D | explanation=Scale factor = 180/10 = 18. Therefore second quantity = 19×18 = 342.

id=61784 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=M | option_c=J | option_d=D | answer=C | explanation=Move 3 positions forward from G; the resulting letter is J.

id=61785 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16466 at 4% per annum for 4 years. | option_a=2634 | option_b=2534 | option_c=2734 | option_d=19100 | answer=A | explanation=SI = PRT/100 = 16466×4×4/100 = █2634.

id=61786 | topic=Percentages | difficulty=Easy | question=What is 25% of 1280? | option_a=325 | option_b=640 | option_c=320 | option_d=300 | answer=C | explanation=25% of 1280 = (25/100) × 1280 = 320.

id=61787 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 39, 48, 59? | option_a=39 | option_b=59 | option_c=48 | option_d=30 | answer=B | explanation=The first three numbers increase by 9, so the next should be 57. Therefore 59 is the odd one out.

id=61788 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:1 and the first is 57, what is the second? | option_a=3 | option_b=2 | option_c=60 | option_d=22 | answer=A | explanation=Scale factor = 57/19 = 3. Therefore second quantity = 1×3 = 3.

id=61789 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5868 at 10% per annum for 2 years. | option_a=1173 | option_b=1273 | option_c=1073 | option_d=7041 | answer=A | explanation=SI = PRT/100 = 5868×10×2/100 = █1173.

id=61790 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=4 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=61791 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:3 and the first is 119, what is the second? | option_a=38 | option_b=140 | option_c=18 | option_d=21 | answer=D | explanation=Scale factor = 119/17 = 7. Therefore second quantity = 3×7 = 21.

id=61792 | topic=Averages | difficulty=Easy | question=Find the average of 19, 14, 94, 98, 100. | option_a=65 | option_b=64 | option_c=66 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = 325 ÷ 5 = 65.

id=61793 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=160 | option_c=80 | option_d=75 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=61794 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=61795 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=55 | option_b=67 | option_c=43 | option_d=56 | answer=A | explanation=The common difference is 12. Therefore the next term is 43 + 12 = 55.

id=61796 | topic=Averages | difficulty=Easy | question=Find the average of 10, 23, 86, 52, 39, 89, 96, 37, 90. | option_a=60 | option_b=57 | option_c=59 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 522 ÷ 9 = 58.

id=61797 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41180 at 15% per annum for 4 years. | option_a=24708 | option_b=24808 | option_c=65888 | option_d=24608 | answer=A | explanation=SI = PRT/100 = 41180×15×4/100 = █24708.

id=61798 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3445. If it is sold at a profit of 40%, what is its selling price? | option_a=4479 | option_b=5167 | option_c=4823 | option_d=3485 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3445 × 140/100 = █4823.

id=61799 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=G | option_c=C | option_d=E | answer=B | explanation=Move 2 positions forward from E; the resulting letter is G.

id=61800 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3730. If it is sold at a profit of 50%, what is its selling price? | option_a=5968 | option_b=3780 | option_c=5222 | option_d=5595 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3730 × 150/100 = █5595.

Aptitude Questions — Records 61,801-61,830 of 100,000

id=61801 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=61802 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=61803 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=125 | option_b=115 | option_c=120 | option_d=240 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=61804 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1790. If it is sold at a profit of 20%, what is its selling price? | option_a=2327 | option_b=1969 | option_c=1810 | option_d=2148 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1790 × 120/100 = █2148.

id=61805 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 14. | option_a=210 | option_b=240 | option_c=420 | option_d=196 | answer=A | explanation=LCM × HCF = 30×14; HCF(30,14) = 2, so LCM = 210.

id=61806 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26084 at 10% per annum for 5 years. | option_a=13142 | option_b=39126 | option_c=13042 | option_d=12942 | answer=C | explanation=SI = PRT/100 = 26084×10×5/100 = █13042.

id=61807 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4434. If it is sold at a profit of 5%, what is its selling price? | option_a=4212 | option_b=4655 | option_c=4439 | option_d=5098 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4434 × 105/100 = █4655.

id=61808 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13043 at 10% per annum for 3 years. | option_a=3912 | option_b=3812 | option_c=4012 | option_d=16955 | answer=A | explanation=SI = PRT/100 = 13043×10×3/100 = █3912.

id=61809 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4001. If it is sold at a profit of 5%, what is its selling price? | option_a=3801 | option_b=4006 | option_c=4601 | option_d=4201 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4001 × 105/100 = █4201.

id=61810 | topic=Averages | difficulty=Easy | question=Find the average of 93, 78, 54, 73, 90, 92. | option_a=81 | option_b=82 | option_c=80 | option_d=79 | answer=C | explanation=Average = sum of values ÷ number of values = 480 ÷ 6 = 80.

id=61811 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=180 | option_c=90 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=61812 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=X | option_b=B | option_c=J | option_d=F | answer=D | explanation=Move 4 positions forward from B; the resulting letter is F.

id=61813 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=B | option_b=K | option_c=E | option_d=H | answer=D | explanation=Move 3 positions forward from E; the resulting letter is H.

id=61814 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=62 | option_b=51 | option_c=52 | option_d=40 | answer=B | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=61815 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 24, 27, 33? | option_a=27 | option_b=24 | option_c=21 | option_d=33 | answer=D | explanation=The first three numbers increase by 3, so the next should be 30. Therefore 33 is the odd one out.

id=61816 | topic=Profit & Loss | difficulty=Easy | question=An article costs █501. If it is sold at a profit of 15%, what is its selling price? | option_a=626 | option_b=516 | option_c=526 | option_d=576 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 501 × 115/100 = █576.

id=61817 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=61818 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 17? | option_a=11 | option_b=17 | option_c=8 | option_d=5 | answer=B | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 17 is the odd one out.

id=61819 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=33 | option_b=25 | option_c=39 | option_d=32 | answer=D | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.

id=61820 | topic=Percentages | difficulty=Easy | question=What is 25% of 788? | option_a=197 | option_b=207 | option_c=177 | option_d=394 | answer=A | explanation=25% of 788 = (25/100) × 788 = 197.

id=61821 | topic=Percentages | difficulty=Easy | question=What is 15% of 245? | option_a=31 | option_b=36 | option_c=72 | option_d=56 | answer=B | explanation=15% of 245 = (15/100) × 245 = 36.

id=61822 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=A | option_b=G | option_c=C | option_d=E | answer=D | explanation=Move 2 positions forward from C; the resulting letter is E.

id=61823 | topic=Percentages | difficulty=Easy | question=What is 25% of 1171? | option_a=292 | option_b=302 | option_c=584 | option_d=272 | answer=A | explanation=25% of 1171 = (25/100) × 1171 = 292.

id=61824 | topic=Averages | difficulty=Easy | question=Find the average of 47, 35, 98, 17, 39, 14, 40, 62, 32, 26. | option_a=40 | option_b=42 | option_c=43 | option_d=41 | answer=D | explanation=Average = sum of values ÷ number of values = 410 ÷ 10 = 41.

id=61825 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49614 at 4% per annum for 3 years. | option_a=55567 | option_b=5953 | option_c=5853 | option_d=6053 | answer=B | explanation=SI = PRT/100 = 49614×4×3/100 = █5953.

id=61826 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=N | option_c=K | option_d=M | answer=D | explanation=Move 1 positions forward from L; the resulting letter is M.

id=61827 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=7 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=61828 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39588 at 8% per annum for 3 years. | option_a=9601 | option_b=9401 | option_c=49089 | option_d=9501 | answer=D | explanation=SI = PRT/100 = 39588×8×3/100 = █9501.

id=61829 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 9, 13, 18? | option_a=13 | option_b=9 | option_c=5 | option_d=18 | answer=D | explanation=The first three numbers increase by 4, so the next should be 17. Therefore 18 is the odd one out.

id=61830 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:2 and the first is 209, what is the second? | option_a=231 | option_b=22 | option_c=20 | option_d=41 | answer=B | explanation=Scale factor = 209/19 = 11. Therefore second quantity = 2×11 = 22.

Aptitude Questions — Records 61,831-61,860 of 100,000

id=61831 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=61832 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=M | option_b=V | option_c=S | option_d=P | answer=C | explanation=Move 3 positions forward from P; the resulting letter is S.

id=61833 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38522 at 15% per annum for 3 years. | option_a=17434 | option_b=17334 | option_c=55856 | option_d=17234 | answer=B | explanation=SI = PRT/100 = 38522×15×3/100 = **■**17334.

id=61834 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 47? | option_a=47 | option_b=38 | option_c=26 | option_d=32 | answer=A | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 47 is the odd one out.

id=61835 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=J | option_c=P | option_d=N | answer=D | explanation=Move 2 positions forward from L; the resulting letter is N.

id=61836 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=J | option_c=K | option_d=L | answer=D | explanation=Move 1 positions forward from K; the resulting letter is L.

id=61837 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=33 | option_b=21 | option_c=27 | option_d=28 | answer=C | explanation=The common difference is 6. Therefore the next term is 21 + 6 = 27.

id=61838 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=61839 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:6 and the first is 100, what is the second? | option_a=24 | option_b=50 | option_c=130 | option_d=30 | answer=D | explanation=Scale factor = 100/20 = 5. Therefore second quantity = 6×5 = 30.

id=61840 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=61841 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=20 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=61842 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=21 | option_b=26 | option_c=27 | option_d=31 | answer=B | explanation=The common difference is 5. Therefore the next term is 21 + 5 = 26.

id=61843 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:11 and the first is 209, what is the second? | option_a=220 | option_b=418 | option_c=198 | option_d=209 | answer=D | explanation=Scale factor = 209/11 = 19. Therefore second quantity = 11×19 = 209.

id=61844 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=G | option_b=I | option_c=J | option_d=H | answer=B | explanation=Move 1 positions forward from H; the resulting letter is I.

id=61845 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46021 at 8% per annum for 5 years. | option_a=18408 | option_b=64429 | option_c=18508 | option_d=18308 | answer=A | explanation=SI = PRT/100 = 46021×8×5/100 = **■**18408.

id=61846 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1533. If it is sold at a profit of 10%, what is its selling price? | option_a=1686 | option_b=1543 | option_c=1533 | option_d=1839 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1533 × 110/100 = **■**1686.

id=61847 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=75 | option_c=80 | option_d=70 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=61848 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=61849 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 18, 26, 35? | option_a=18 | option_b=26 | option_c=10 | option_d=35 | answer=D | explanation=The first three numbers increase by 8, so the next should be 34. Therefore 35 is the odd one out.

id=61850 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=300 | option_c=155 | option_d=145 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=61851 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=61852 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=V | option_b=L | option_c=G | option_d=Q | answer=D | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=61853 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 28? | option_a=15 | option_b=28 | option_c=19 | option_d=23 | answer=B | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 28 is the odd one out.

id=61854 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=S | option_c=V | option_d=M | answer=B | explanation=Move 3 positions forward from P; the resulting letter is S.

id=61855 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**851. If it is sold at a profit of 5%, what is its selling price? | option_a=808 | option_b=893 | option_c=978 | option_d=856 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 851 × 105/100 = **■**893.

id=61856 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=61857 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**271. If it is sold at a profit of 40%, what is its selling price? | option_a=311 | option_b=352 | option_c=406 | option_d=379 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 271 × 140/100 = **■**379.

id=61858 | topic=Averages | difficulty=Easy | question=Find the average of 45, 33, 24, 23, 80, 22, 91, 99, 87. | option_a=56 | option_b=57 | option_c=58 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=61859 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=10 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=61860 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 35? | option_a=35 | option_b=28 | option_c=20 | option_d=24 | answer=A | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 35 is the odd one out.

Aptitude Questions — Records 61,861-61,890 of 100,000

id=61861 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=S | option_b=Q | option_c=R | option_d=T | answer=A | explanation=Move 1 positions forward from R; the resulting letter is S.

id=61862 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2250. If it is sold at a profit of 5%, what is its selling price? | option_a=2362 | option_b=2587 | option_c=2137 | option_d=2255 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2250 × 105/100 = █2362.

id=61863 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18723 at 8% per annum for 1 years. | option_a=20220 | option_b=1497 | option_c=1397 | option_d=1597 | answer=B | explanation=SI = PRT/100 = 18723×8×1/100 = █1497.

id=61864 | topic=Percentages | difficulty=Easy | question=What is 25% of 1380? | option_a=340 | option_b=345 | option_c=365 | option_d=690 | answer=B | explanation=25% of 1380 = (25/100) × 1380 = 345.

id=61865 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:15 and the first is 63, what is the second? | option_a=105 | option_b=168 | option_c=90 | option_d=114 | answer=A | explanation=Scale factor = 63/9 = 7. Therefore second quantity = 15×7 = 105.

id=61866 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=69 | option_b=58 | option_c=57 | option_d=45 | answer=C | explanation=The common difference is 12. Therefore the next term is 45 + 12 = 57.

id=61867 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=61868 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=G | option_c=S | option_d=O | answer=D | explanation=Move 4 positions forward from K; the resulting letter is O.

id=61869 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:16 and the first is 360, what is the second? | option_a=308 | option_b=272 | option_c=648 | option_d=288 | answer=D | explanation=Scale factor = 360/20 = 18. Therefore second quantity = 16×18 = 288.

id=61870 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=22 | option_b=25 | option_c=28 | option_d=26 | answer=B | explanation=The common difference is 3. Therefore the next term is 22 + 3 = 25.

id=61871 | topic=Percentages | difficulty=Easy | question=What is 25% of 1786? | option_a=446 | option_b=426 | option_c=892 | option_d=466 | answer=A | explanation=25% of 1786 = (25/100) × 1786 = 446.

id=61872 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35943 at 8% per annum for 4 years. | option_a=11501 | option_b=11401 | option_c=11601 | option_d=47444 | answer=A | explanation=SI = PRT/100 = 35943×8×4/100 = █11501.

id=61873 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 12. | option_a=24 | option_b=1 | option_c=144 | option_d=12 | answer=D | explanation=LCM × HCF = 12×12; HCF(12,12) = 12, so LCM = 12.

id=61874 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=360 | option_c=175 | option_d=180 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=61875 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=P | option_c=F | option_d=U | answer=B | explanation=Move 5 positions forward from K; the resulting letter is P.

id=61876 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:14 and the first is 20, what is the second? | option_a=281 | option_b=266 | option_c=280 | option_d=300 | answer=C | explanation=Scale factor = 20/1 = 20. Therefore second quantity = 14×20 = 280.

id=61877 | topic=Averages | difficulty=Easy | question=Find the average of 47, 72, 57, 81, 85, 53, 62, 31. | option_a=62 | option_b=60 | option_c=63 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 488 ÷ 8 = 61.

id=61878 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21911 at 8% per annum for 4 years. | option_a=28922 | option_b=7011 | option_c=7111 | option_d=6911 | answer=B | explanation=SI = PRT/100 = 21911×8×4/100 = █7011.

id=61879 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13928 at 10% per annum for 4 years. | option_a=5671 | option_b=19499 | option_c=5471 | option_d=5571 | answer=D | explanation=SI = PRT/100 = 13928×10×4/100 = █5571.

id=61880 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=39 | option_b=63 | option_c=51 | option_d=52 | answer=C | explanation=The common difference is 12. Therefore the next term is 39 + 12 = 51.

id=61881 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=Z | option_b=C | option_c=I | option_d=F | answer=D | explanation=Move 3 positions forward from C; the resulting letter is F.

id=61882 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:14 and the first is 36, what is the second? | option_a=42 | option_b=78 | option_c=28 | option_d=54 | answer=A | explanation=Scale factor = 36/12 = 3. Therefore second quantity = 14×3 = 42.

id=61883 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=61884 | topic=Percentages | difficulty=Easy | question=What is 15% of 1542? | option_a=231 | option_b=211 | option_c=462 | option_d=251 | answer=A | explanation=15% of 1542 = (15/100) × 1542 = 231.

id=61885 | topic=Averages | difficulty=Easy | question=Find the average of 71, 30, 76. | option_a=60 | option_b=58 | option_c=59 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 177 ÷ 3 = 59.

id=61886 | topic=Number System | difficulty=Easy | question=Find the LCM of 13 and 13. | option_a=169 | option_b=26 | option_c=13 | option_d=1 | answer=C | explanation=LCM × HCF = 13×13; HCF(13,13) = 13, so LCM = 13.

id=61887 | topic=Percentages | difficulty=Easy | question=What is 40% of 630? | option_a=252 | option_b=504 | option_c=232 | option_d=272 | answer=A | explanation=40% of 630 = (40/100) × 630 = 252.

id=61888 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=27 | option_b=31 | option_c=28 | option_d=23 | answer=A | explanation=The common difference is 4. Therefore the next term is 23 + 4 = 27.

id=61889 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:4 and the first is 12, what is the second? | option_a=12 | option_b=24 | option_c=16 | option_d=8 | answer=A | explanation=Scale factor = 12/4 = 3. Therefore second quantity = 4×3 = 12.

id=61890 | topic=Averages | difficulty=Easy | question=Find the average of 18, 11, 16, 71. | option_a=28 | option_b=29 | option_c=31 | option_d=30 | answer=B | explanation=Average = sum of values ÷ number of values = 116 ÷ 4 = 29.

Aptitude Questions — Records 61,891-61,920 of 100,000

- id=61891 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=37 | option_b=23 | option_c=31 | option_d=30 | answer=D | explanation=The common difference is 7. Therefore the next term is 23 + 7 = 30.
- id=61892 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 14, 21, 31? | option_a=31 | option_b=21 | option_c=7 | option_d=14 | answer=A | explanation=The first three numbers increase by 7, so the next should be 28. Therefore 31 is the odd one out.
- id=61893 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=44 | option_b=39 | option_c=40 | option_d=34 | answer=B | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.
- id=61894 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=I | option_b=N | option_c=D | option_d=Y | answer=A | explanation=Move 5 positions forward from D; the resulting letter is I.
- id=61895 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.
- id=61896 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=49 | option_b=44 | option_c=37 | option_d=43 | answer=D | explanation=The common difference is 6. Therefore the next term is 37 + 6 = 43.
- id=61897 | topic=Averages | difficulty=Easy | question=Find the average of 25, 42, 92, 55, 51, 98, 22. | option_a=56 | option_b=55 | option_c=57 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = $385 \div 7 = 55$.
- id=61898 | topic=Averages | difficulty=Easy | question=Find the average of 59, 50, 42, 85, 61, 51. | option_a=60 | option_b=58 | option_c=57 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = $348 \div 6 = 58$.
- id=61899 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=E | option_c=I | option_d=K | answer=C | explanation=Move 2 positions forward from G; the resulting letter is I.
- id=61900 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2837. If it is sold at a profit of 25%, what is its selling price? | option_a=3546 | option_b=2862 | option_c=3263 | option_d=3829 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2837 \times 125/100 = \text{█}3546$.
- id=61901 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:1 and the first is 120, what is the second? | option_a=15 | option_b=23 | option_c=135 | option_d=14 | answer=A | explanation=Scale factor = $120/8 = 15$. Therefore second quantity = $1 \times 15 = 15$.
- id=61902 | topic=Percentages | difficulty=Easy | question=What is 40% of 562? | option_a=448 | option_b=234 | option_c=204 | option_d=224 | answer=D | explanation=40% of 562 = $(40/100) \times 562 = 224$.
- id=61903 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 8, 11, 14, ? | option_a=20 | option_b=17 | option_c=18 | option_d=14 | answer=B | explanation=The common difference is 3. Therefore the next term is 14 + 3 = 17.
- id=61904 | topic=Percentages | difficulty=Easy | question=What is 25% of 475? | option_a=128 | option_b=118 | option_c=98 | option_d=236 | answer=B | explanation=25% of 475 = $(25/100) \times 475 = 118$.
- id=61905 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3630. If it is sold at a profit of 50%, what is its selling price? | option_a=5808 | option_b=5445 | option_c=3680 | option_d=5082 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3630 \times 150/100 = \text{█}5445$.
- id=61906 | topic=Averages | difficulty=Easy | question=Find the average of 34, 13, 22, 12, 44. | option_a=24 | option_b=25 | option_c=26 | option_d=27 | answer=B | explanation=Average = sum of values ÷ number of values = $125 \div 5 = 25$.
- id=61907 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1596. If it is sold at a profit of 25%, what is its selling price? | option_a=2154 | option_b=1621 | option_c=1836 | option_d=1995 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1596 \times 125/100 = \text{█}1995$.
- id=61908 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 32? | option_a=22 | option_b=4 | option_c=32 | option_d=13 | answer=C | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 32 is the odd one out.
- id=61909 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46538 at 15% per annum for 3 years. | option_a=67480 | option_b=20942 | option_c=20842 | option_d=21042 | answer=B | explanation=SI = $PRT/100 = 46538 \times 15 \times 3/100 = \text{█}20942$.
- id=61910 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 22. | option_a=572 | option_b=312 | option_c=264 | option_d=286 | answer=D | explanation= $LCM \times HCF = 26 \times 22$; $HCF(26,22) = 2$, so $LCM = 286$.
- id=61911 | topic=Percentages | difficulty=Easy | question=What is 20% of 950? | option_a=190 | option_b=170 | option_c=200 | option_d=380 | answer=A | explanation=20% of 950 = $(20/100) \times 950 = 190$.
- id=61912 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47137 at 10% per annum for 3 years. | option_a=14041 | option_b=14241 | option_c=61278 | option_d=14141 | answer=D | explanation=SI = $PRT/100 = 47137 \times 10 \times 3/100 = \text{█}14141$.
- id=61913 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.
- id=61914 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=28 | option_b=36 | option_c=42 | option_d=35 | answer=D | explanation=The common difference is 7. Therefore the next term is 28 + 7 = 35.
- id=61915 | topic=Averages | difficulty=Easy | question=Find the average of 69, 75, 46, 41, 85, 16, 99, 77, 50, 72. | option_a=65 | option_b=62 | option_c=64 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = $630 \div 10 = 63$.
- id=61916 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 22. | option_a=176 | option_b=352 | option_c=154 | option_d=192 | answer=A | explanation= $LCM \times HCF = 16 \times 22$; $HCF(16,22) = 2$, so $LCM = 176$.
- id=61917 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2466. If it is sold at a profit of 5%, what is its selling price? | option_a=2835 | option_b=2589 | option_c=2343 | option_d=2471 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2466 \times 105/100 = \text{█}2589$.
- id=61918 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=Y | option_b=I | option_c=N | option_d=D | answer=B | explanation=Move 5 positions forward from D; the resulting letter is I.
- id=61919 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.
- id=61920 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 44? | option_a=21 | option_b=11 | option_c=31 | option_d=44 | answer=D | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 44 is the odd one out.

Aptitude Questions — Records 61,921-61,950 of 100,000

- id=61921 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 23, 30, 37, ? | option_a=44 | option_b=51 | option_c=37 | option_d=45 | answer=A | explanation=The common difference is 7. Therefore the next term is 37 + 7 = 44.
- id=61922 | topic=Averages | difficulty=Easy | question=Find the average of 26, 18, 30, 40, 25, 24, 85, 26, 77. | option_a=41 | option_b=39 | option_c=38 | option_d=40 | answer=B | explanation=Average = sum of values ÷ number of values = 351 ÷ 9 = 39.
- id=61923 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=32 | option_b=39 | option_c=46 | option_d=40 | answer=B | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.
- id=61924 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=24 | option_b=29 | option_c=30 | option_d=34 | answer=B | explanation=The common difference is 5. Therefore the next term is 24 + 5 = 29.
- id=61925 | topic=Percentages | difficulty=Easy | question=What is 20% of 74? | option_a=0 | option_b=14 | option_c=28 | option_d=24 | answer=B | explanation=20% of 74 = (20/100) × 74 = 14.
- id=61926 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 32? | option_a=24 | option_b=12 | option_c=32 | option_d=18 | answer=C | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 32 is the odd one out.
- id=61927 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 22? | option_a=17 | option_b=22 | option_c=19 | option_d=15 | answer=B | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 22 is the odd one out.
- id=61928 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=77 | option_b=65 | option_c=66 | option_d=53 | answer=B | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.
- id=61929 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=55 | option_b=56 | option_c=44 | option_d=66 | answer=A | explanation=The common difference is 11. Therefore the next term is 44 + 11 = 55.
- id=61930 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=43 | option_c=53 | option_d=96 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.
- id=61931 | topic=Percentages | difficulty=Easy | question=What is 15% of 125? | option_a=18 | option_b=36 | option_c=0 | option_d=38 | answer=A | explanation=15% of 125 = (15/100) × 125 = 18.
- id=61932 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=Q | option_b=B | option_c=G | option_d=L | answer=D | explanation=Move 5 positions forward from G; the resulting letter is L.
- id=61933 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:14 and the first is 42, what is the second? | option_a=42 | option_b=28 | option_c=84 | option_d=56 | answer=A | explanation=Scale factor = 42/14 = 3. Therefore second quantity = 14×3 = 42.
- id=61934 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 15, 20, 26? | option_a=15 | option_b=26 | option_c=20 | option_d=10 | answer=B | explanation=The first three numbers increase by 5, so the next should be 25. Therefore 26 is the odd one out.
- id=61935 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:5 and the first is 20, what is the second? | option_a=30 | option_b=20 | option_c=5 | option_d=10 | answer=D | explanation=Scale factor = 20/10 = 2. Therefore second quantity = 5×2 = 10.
- id=61936 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=105 | option_c=95 | option_d=200 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.
- id=61937 | topic=Percentages | difficulty=Easy | question=What is 5% of 1858? | option_a=87 | option_b=92 | option_c=112 | option_d=184 | answer=B | explanation=5% of 1858 = (5/100) × 1858 = 92.
- id=61938 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 9. | option_a=24 | option_b=54 | option_c=18 | option_d=9 | answer=C | explanation=LCM × HCF = 6×9; HCF(6,9) = 3, so LCM = 18.
- id=61939 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 29, 31, 34? | option_a=31 | option_b=27 | option_c=29 | option_d=34 | answer=D | explanation=The first three numbers increase by 2, so the next should be 33. Therefore 34 is the odd one out.
- id=61940 | topic=Averages | difficulty=Easy | question=Find the average of 52, 23, 54, 25, 93, 60, 92. | option_a=57 | option_b=56 | option_c=58 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 399 ÷ 7 = 57.
- id=61941 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.
- id=61942 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=33 | option_b=27 | option_c=31 | option_d=30 | answer=D | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.
- id=61943 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 25, 31, 38? | option_a=38 | option_b=25 | option_c=19 | option_d=31 | answer=A | explanation=The first three numbers increase by 6, so the next should be 37. Therefore 38 is the odd one out.
- id=61944 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:10 and the first is 323, what is the second? | option_a=180 | option_b=190 | option_c=513 | option_d=207 | answer=B | explanation=Scale factor = 323/17 = 19. Therefore second quantity = 10×19 = 190.
- id=61945 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13128 at 5% per annum for 2 years. | option_a=1212 | option_b=1412 | option_c=1312 | option_d=14440 | answer=C | explanation=SI = PRT/100 = 13128×5×2/100 = **■**1312.
- id=61946 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 23, 25, 29? | option_a=21 | option_b=25 | option_c=29 | option_d=23 | answer=C | explanation=The first three numbers increase by 2, so the next should be 27. Therefore 29 is the odd one out.
- id=61947 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.
- id=61948 | topic=Averages | difficulty=Easy | question=Find the average of 29, 53, 48, 68, 42. | option_a=47 | option_b=49 | option_c=50 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = 240 ÷ 5 = 48.
- id=61949 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:3 and the first is 120, what is the second? | option_a=138 | option_b=38 | option_c=15 | option_d=18 | answer=D | explanation=Scale factor = 120/20 = 6. Therefore second quantity = 3×6 = 18.
- id=61950 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=77 | option_b=66 | option_c=65 | option_d=53 | answer=C | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.

Aptitude Questions — Records 61,951-61,980 of 100,000

id=61951 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=J | option_b=G | option_c=A | option_d=D | answer=B | explanation=Move 3 positions forward from D; the resulting letter is G.

id=61952 | topic=Percentages | difficulty=Easy | question=What is 30% of 1026? | option_a=312 | option_b=307 | option_c=297 | option_d=614 | answer=B | explanation=30% of 1026 = (30/100) × 1026 = 307.

id=61953 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=L | option_b=Q | option_c=B | option_d=G | answer=A | explanation=Move 5 positions forward from G; the resulting letter is L.

id=61954 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=O | option_b=Q | option_c=U | option_d=S | answer=D | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=61955 | topic=Percentages | difficulty=Easy | question=What is 12% of 1317? | option_a=148 | option_b=316 | option_c=178 | option_d=158 | answer=D | explanation=12% of 1317 = (12/100) × 1317 = 158.

id=61956 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 15, 22, 29, ? | option_a=43 | option_b=36 | option_c=37 | option_d=29 | answer=B | explanation=The common difference is 7. Therefore the next term is 29 + 7 = 36.

id=61957 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 10, 18, 27? | option_a=27 | option_b=10 | option_c=2 | option_d=18 | answer=A | explanation=The first three numbers increase by 8, so the next should be 26. Therefore 27 is the odd one out.

id=61958 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=61959 | topic=Averages | difficulty=Easy | question=Find the average of 62, 69, 17, 87, 85. | option_a=63 | option_b=65 | option_c=66 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 320 ÷ 5 = 64.

id=61960 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 57? | option_a=36 | option_b=57 | option_c=46 | option_d=26 | answer=B | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 57 is the odd one out.

id=61961 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30725 at 5% per annum for 5 years. | option_a=7681 | option_b=7581 | option_c=7781 | option_d=38406 | answer=A | explanation=SI = PRT/100 = 30725×5×5/100 = **■**7681.

id=61962 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=61963 | topic=Percentages | difficulty=Easy | question=What is 25% of 1426? | option_a=356 | option_b=346 | option_c=366 | option_d=712 | answer=A | explanation=25% of 1426 = (25/100) × 1426 = 356.

id=61964 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4959. If it is sold at a profit of 50%, what is its selling price? | option_a=5009 | option_b=7933 | option_c=6943 | option_d=7438 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4959 × 150/100 = **■**7438.

id=61965 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=12 | option_c=24 | option_d=7 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=61966 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35321 at 5% per annum for 3 years. | option_a=5398 | option_b=5298 | option_c=5198 | option_d=40619 | answer=B | explanation=SI = PRT/100 = 35321×5×3/100 = **■**5298.

id=61967 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 34, 41, 51? | option_a=34 | option_b=51 | option_c=27 | option_d=41 | answer=B | explanation=The first three numbers increase by 7, so the next should be 48. Therefore 51 is the odd one out.

id=61968 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:17 and the first is 42, what is the second? | option_a=221 | option_b=238 | option_c=280 | option_d=241 | answer=B | explanation=Scale factor = 42/3 = 14. Therefore second quantity = 17×14 = 238.

id=61969 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 18, 28, 38, ? | option_a=38 | option_b=49 | option_c=48 | option_d=58 | answer=C | explanation=The common difference is 10. Therefore the next term is 38 + 10 = 48.

id=61970 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 33? | option_a=4 | option_b=13 | option_c=22 | option_d=33 | answer=D | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 33 is the odd one out.

id=61971 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2256. If it is sold at a profit of 5%, what is its selling price? | option_a=2368 | option_b=2261 | option_c=2143 | option_d=2593 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2256 × 105/100 = **■**2368.

id=61972 | topic=Averages | difficulty=Easy | question=Find the average of 12, 22, 13, 73, 43, 53, 21, 84, 55, 34. | option_a=41 | option_b=40 | option_c=43 | option_d=42 | answer=A | explanation=Average = sum of values ÷ number of values = 410 ÷ 10 = 41.

id=61973 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 8. | option_a=1 | option_b=10 | option_c=16 | option_d=8 | answer=D | explanation=LCM × HCF = 2×8; HCF(2,8) = 2, so LCM = 8.

id=61974 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:14 and the first is 320, what is the second? | option_a=266 | option_b=296 | option_c=280 | option_d=600 | answer=C | explanation=Scale factor = 320/16 = 20. Therefore second quantity = 14×20 = 280.

id=61975 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:7 and the first is 285, what is the second? | option_a=133 | option_b=148 | option_c=126 | option_d=418 | answer=A | explanation=Scale factor = 285/15 = 19. Therefore second quantity = 7×19 = 133.

id=61976 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=175 | option_c=180 | option_d=360 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=61977 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=27 | option_b=25 | option_c=21 | option_d=24 | answer=D | explanation=The common difference is 3. Therefore the next term is 21 + 3 = 24.

id=61978 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 13? | option_a=7 | option_b=9 | option_c=5 | option_d=13 | answer=D | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 13 is the odd one out.

id=61979 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1617. If it is sold at a profit of 50%, what is its selling price? | option_a=2264 | option_b=2586 | option_c=1667 | option_d=2425 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1617 × 150/100 = **■**2425.

id=61980 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=75 | option_c=85 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

Aptitude Questions — Records 61,981-62,010 of 100,000

id=61981 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 37? | option_a=29 | option_b=37 | option_c=19 | option_d=24 | answer=B | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 37 is the odd one out.

id=61982 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=61983 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:6 and the first is 24, what is the second? | option_a=36 | option_b=40 | option_c=60 | option_d=30 | answer=A | explanation=Scale factor = $\frac{24}{4} = 6$. Therefore second quantity = $6 \times 6 = 36$.

id=61984 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13783 at 6% per annum for 2 years. | option_a=15436 | option_b=1553 | option_c=1753 | option_d=1653 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{13783 \times 6 \times 2}{100} = \text{■}1653$.

id=61985 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=61986 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18427 at 10% per annum for 5 years. | option_a=9313 | option_b=9113 | option_c=9213 | option_d=27640 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{18427 \times 10 \times 5}{100} = \text{■}9213$.

id=61987 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=35 | option_c=80 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = $\frac{240}{6} = 40$ km/h.

id=61988 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5536 at 10% per annum for 3 years. | option_a=1760 | option_b=1560 | option_c=1660 | option_d=7196 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{5536 \times 10 \times 3}{100} = \text{■}1660$.

id=61989 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3497. If it is sold at a profit of 10%, what is its selling price? | option_a=3497 | option_b=4195 | option_c=3846 | option_d=3507 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3497 \times \frac{110}{100} = \text{■}3846$.

id=61990 | topic=Averages | difficulty=Easy | question=Find the average of 46, 55, 78, 68, 25, 70. | option_a=56 | option_b=57 | option_c=58 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{342}{6} = 57$.

id=61991 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=61992 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=61993 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1424. If it is sold at a profit of 10%, what is its selling price? | option_a=1566 | option_b=1424 | option_c=1434 | option_d=1708 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1424 \times \frac{110}{100} = \text{■}1566$.

id=61994 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.

id=61995 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=C | option_c=G | option_d=I | answer=C | explanation=Move 2 positions forward from E; the resulting letter is G.

id=61996 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:7 and the first is 80, what is the second? | option_a=192 | option_b=112 | option_c=117 | option_d=105 | answer=B | explanation=Scale factor = $\frac{80}{5} = 16$. Therefore second quantity = $7 \times 16 = 112$.

id=61997 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 45? | option_a=38 | option_b=45 | option_c=30 | option_d=34 | answer=B | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 45 is the odd one out.

id=61998 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2402. If it is sold at a profit of 15%, what is its selling price? | option_a=2762 | option_b=2417 | option_c=2522 | option_d=3002 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2402 \times \frac{115}{100} = \text{■}2762$.

id=61999 | topic=Averages | difficulty=Easy | question=Find the average of 56, 17, 40, 39, 72, 73, 28, 46, 76, 33. | option_a=48 | option_b=50 | option_c=47 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{480}{10} = 48$.

id=62000 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=S | option_b=D | option_c=I | option_d=N | answer=D | explanation=Move 5 positions forward from I; the resulting letter is N.

id=62001 | topic=Percentages | difficulty=Easy | question=What is 40% of 366? | option_a=146 | option_b=292 | option_c=126 | option_d=151 | answer=A | explanation=40% of 366 = $(\frac{40}{100}) \times 366 = 146$.

id=62002 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=O | option_c=J | option_d=Z | answer=C | explanation=Move 5 positions forward from E; the resulting letter is J.

id=62003 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 24, 30, 37? | option_a=24 | option_b=30 | option_c=18 | option_d=37 | answer=D | explanation=The first three numbers increase by 6, so the next should be 36. Therefore 37 is the odd one out.

id=62004 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17637 at 12% per annum for 1 years. | option_a=2116 | option_b=2216 | option_c=2016 | option_d=19753 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{17637 \times 12 \times 1}{100} = \text{■}2116$.

id=62005 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 10. | option_a=140 | option_b=60 | option_c=70 | option_d=84 | answer=C | explanation=LCM $\times$ HCF = 14×10 ; HCF(14,10) = 2, so LCM = 70.

id=62006 | topic=Averages | difficulty=Easy | question=Find the average of 49, 73, 43. | option_a=54 | option_b=55 | option_c=56 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{165}{3} = 55$.

id=62007 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=6 | option_c=1 | option_d=11 | answer=B | explanation=Speed = distance ÷ time = $\frac{60}{6} = 10$ km/h.

id=62008 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=P | option_c=S | option_d=R | answer=D | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=62009 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $\frac{1}{4} + \frac{1}{4} = \frac{8}{16}$. Time = $\frac{16}{8} = 2$ days.

id=62010 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:1 and the first is 120, what is the second? | option_a=130 | option_b=10 | option_c=22 | option_d=9 | answer=B | explanation=Scale factor = $\frac{120}{12} = 10$. Therefore second quantity = $1 \times 10 = 10$.

Aptitude Questions — Records 62,011-62,040 of 100,000

id=62011 | topic=Percentages | difficulty=Easy | question=What is 50% of 1677? | option_a=848 | option_b=838 | option_c=828 | option_d=1676 | answer=B | explanation=50% of 1677 = (50/100) × 1677 = 838.

id=62012 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=62013 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=40 | option_b=34 | option_c=46 | option_d=41 | answer=A | explanation=The common difference is 6. Therefore the next term is 34 + 6 = 40.

id=62014 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 17, 19, 21, ? | option_a=25 | option_b=21 | option_c=23 | option_d=24 | answer=C | explanation=The common difference is 2. Therefore the next term is 21 + 2 = 23.

id=62015 | topic=Percentages | difficulty=Easy | question=What is 25% of 101? | option_a=50 | option_b=5 | option_c=25 | option_d=35 | answer=C | explanation=25% of 101 = (25/100) × 101 = 25.

id=62016 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=76 | option_b=65 | option_c=52 | option_d=64 | answer=D | explanation=The common difference is 12. Therefore the next term is 52 + 12 = 64.

id=62017 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=R | option_c=X | option_d=A | answer=C | explanation=Move 3 positions forward from U; the resulting letter is X.

id=62018 | topic=Averages | difficulty=Easy | question=Find the average of 25, 61, 96, 34. | option_a=56 | option_b=54 | option_c=53 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 216 ÷ 4 = 54.

id=62019 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=50 | option_d=100 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=62020 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=E | option_b=H | option_c=N | option_d=K | answer=D | explanation=Move 3 positions forward from H; the resulting letter is K.

id=62021 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=175 | option_c=185 | option_d=360 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=62022 | topic=Averages | difficulty=Easy | question=Find the average of 76, 64, 13. | option_a=50 | option_b=52 | option_c=53 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 153 ÷ 3 = 51.

id=62023 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=62024 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=O | option_c=X | option_d=U | answer=D | explanation=Move 3 positions forward from R; the resulting letter is U.

id=62025 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=P | option_c=Q | option_d=N | answer=B | explanation=Move 1 positions forward from O; the resulting letter is P.

id=62026 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=H | option_c=J | option_d=L | answer=D | explanation=Move 2 positions forward from J; the resulting letter is L.

id=62027 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:15 and the first is 45, what is the second? | option_a=140 | option_b=120 | option_c=135 | option_d=180 | answer=C | explanation=Scale factor = 45/5 = 9. Therefore second quantity = 15×9 = 135.

id=62028 | topic=Averages | difficulty=Easy | question=Find the average of 30, 23, 95, 70, 87, 47, 74, 22. | option_a=56 | option_b=57 | option_c=55 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 448 ÷ 8 = 56.

id=62029 | topic=Percentages | difficulty=Easy | question=What is 30% of 459? | option_a=157 | option_b=274 | option_c=137 | option_d=127 | answer=C | explanation=30% of 459 = (30/100) × 459 = 137.

id=62030 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:20 and the first is 24, what is the second? | option_a=160 | option_b=163 | option_c=184 | option_d=140 | answer=A | explanation=Scale factor = 24/3 = 8. Therefore second quantity = 20×8 = 160.

id=62031 | topic=Percentages | difficulty=Easy | question=What is 10% of 1970? | option_a=197 | option_b=187 | option_c=207 | option_d=394 | answer=A | explanation=10% of 1970 = (10/100) × 1970 = 197.

id=62032 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 6. | option_a=108 | option_b=12 | option_c=18 | option_d=36 | answer=C | explanation=LCM × HCF = 18×6; HCF(18,6) = 6, so LCM = 18.

id=62033 | topic=Percentages | difficulty=Easy | question=What is 12% of 929? | option_a=101 | option_b=222 | option_c=131 | option_d=111 | answer=D | explanation=12% of 929 = (12/100) × 929 = 111.

id=62034 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 18, 24, 30, ? | option_a=42 | option_b=36 | option_c=37 | option_d=30 | answer=B | explanation=The common difference is 6. Therefore the next term is 30 + 6 = 36.

id=62035 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36189 at 12% per annum for 4 years. | option_a=53559 | option_b=17470 | option_c=17270 | option_d=17370 | answer=D | explanation=SI = PRT/100 = 36189×12×4/100 = **■**17370.

id=62036 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=180 | option_c=85 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=62037 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22430 at 12% per annum for 4 years. | option_a=33196 | option_b=10866 | option_c=10766 | option_d=10666 | answer=C | explanation=SI = PRT/100 = 22430×12×4/100 = **■**10766.

id=62038 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=5 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=62039 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=62040 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=34 | option_b=29 | option_c=30 | option_d=24 | answer=B | explanation=The common difference is 5. Therefore the next term is 24 + 5 = 29.

Aptitude Questions — Records 62,041-62,070 of 100,000

id=62041 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=62042 | topic=Percentages | difficulty=Easy | question=What is 30% of 286? | option_a=80 | option_b=170 | option_c=95 | option_d=85 | answer=D | explanation=30% of 286 = (30/100) × 286 = 85.

id=62043 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=62044 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2719. If it is sold at a profit of 50%, what is its selling price? | option_a=4078 | option_b=2769 | option_c=4349 | option_d=3807 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2719 × 150/100 = █4078.

id=62045 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48242 at 5% per annum for 1 years. | option_a=50654 | option_b=2312 | option_c=2512 | option_d=2412 | answer=D | explanation=SI = PRT/100 = 48242×5×1/100 = █2412.

id=62046 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 28. | option_a=224 | option_b=504 | option_c=252 | option_d=270 | answer=C | explanation=LCM × HCF = 18×28; HCF(18,28) = 2, so LCM = 252.

id=62047 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34625 at 8% per annum for 4 years. | option_a=10980 | option_b=11080 | option_c=11180 | option_d=45705 | answer=B | explanation=SI = PRT/100 = 34625×8×4/100 = █11080.

id=62048 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=K | option_c=Q | option_d=M | answer=A | explanation=Move 2 positions forward from M; the resulting letter is O.

id=62049 | topic=Percentages | difficulty=Easy | question=What is 20% of 1461? | option_a=287 | option_b=584 | option_c=292 | option_d=302 | answer=C | explanation=20% of 1461 = (20/100) × 1461 = 292.

id=62050 | topic=Averages | difficulty=Easy | question=Find the average of 57, 63, 75, 21. | option_a=56 | option_b=54 | option_c=53 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 216 ÷ 4 = 54.

id=62051 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=I | option_c=M | option_d=A | answer=B | explanation=Move 4 positions forward from E; the resulting letter is I.

id=62052 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 10, 13, 16, ? | option_a=19 | option_b=20 | option_c=16 | option_d=22 | answer=A | explanation=The common difference is 3. Therefore the next term is 16 + 3 = 19.

id=62053 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=62054 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4513. If it is sold at a profit of 30%, what is its selling price? | option_a=6317 | option_b=4543 | option_c=5866 | option_d=5415 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4513 × 130/100 = █5866.

id=62055 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=40 | option_c=35 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=62056 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=C | option_c=G | option_d=E | answer=C | explanation=Move 2 positions forward from E; the resulting letter is G.

id=62057 | topic=Percentages | difficulty=Easy | question=What is 5% of 463? | option_a=23 | option_b=46 | option_c=28 | option_d=18 | answer=A | explanation=5% of 463 = (5/100) × 463 = 23.

id=62058 | topic=Averages | difficulty=Easy | question=Find the average of 56, 92, 96, 28, 88. | option_a=71 | option_b=72 | option_c=74 | option_d=73 | answer=B | explanation=Average = sum of values ÷ number of values = 360 ÷ 5 = 72.

id=62059 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11677 at 4% per annum for 3 years. | option_a=1501 | option_b=1401 | option_c=1301 | option_d=13078 | answer=B | explanation=SI = PRT/100 = 11677×4×3/100 = █1401.

id=62060 | topic=Averages | difficulty=Easy | question=Find the average of 31, 29, 93, 67, 38, 49, 28, 73. | option_a=50 | option_b=51 | option_c=53 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 408 ÷ 8 = 51.

id=62061 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:8 and the first is 51, what is the second? | option_a=128 | option_b=139 | option_c=136 | option_d=187 | answer=C | explanation=Scale factor = 51/3 = 17. Therefore second quantity = 8×17 = 136.

id=62062 | topic=Percentages | difficulty=Easy | question=What is 10% of 1311? | option_a=131 | option_b=262 | option_c=111 | option_d=136 | answer=A | explanation=10% of 1311 = (10/100) × 1311 = 131.

id=62063 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8932 at 8% per annum for 4 years. | option_a=2758 | option_b=2958 | option_c=2858 | option_d=11790 | answer=C | explanation=SI = PRT/100 = 8932×8×4/100 = █2858.

id=62064 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=62065 | topic=Averages | difficulty=Easy | question=Find the average of 33, 17, 54, 100, 61, 17, 94, 20, 95, 39. | option_a=53 | option_b=54 | option_c=52 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=62066 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=K | option_b=O | option_c=Q | option_d=M | answer=B | explanation=Move 2 positions forward from M; the resulting letter is O.

id=62067 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:8 and the first is 88, what is the second? | option_a=152 | option_b=56 | option_c=75 | option_d=64 | answer=D | explanation=Scale factor = 88/11 = 8. Therefore second quantity = 8×8 = 64.

id=62068 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=62069 | topic=Percentages | difficulty=Easy | question=What is 5% of 272? | option_a=26 | option_b=0 | option_c=18 | option_d=13 | answer=D | explanation=5% of 272 = (5/100) × 272 = 13.

id=62070 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 47? | option_a=28 | option_b=34 | option_c=40 | option_d=47 | answer=D | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 47 is the odd one out.

Aptitude Questions — Records 62,071-62,100 of 100,000

id=62071 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=18 | option_c=23 | option_d=13 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=62072 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■33199 at 12% per annum for 5 years. | option_a=20019 | option_b=19919 | option_c=19819 | option_d=53118 | answer=B | explanation=SI = PRT/100 = 33199×12×5/100 = ■19919.

id=62073 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3717. If it is sold at a profit of 40%, what is its selling price? | option_a=5203 | option_b=3757 | option_c=5574 | option_d=4832 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3717 × 140/100 = ■5203.

id=62074 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■36630 at 8% per annum for 3 years. | option_a=8691 | option_b=8891 | option_c=8791 | option_d=45421 | answer=C | explanation=SI = PRT/100 = 36630×8×3/100 = ■8791.

id=62075 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:15 and the first is 340, what is the second? | option_a=240 | option_b=275 | option_c=595 | option_d=255 | answer=D | explanation=Scale factor = 340/20 = 17. Therefore second quantity = 15×17 = 255.

id=62076 | topic=Averages | difficulty=Easy | question=Find the average of 88, 66, 91, 72, 64, 31, 54, 39, 62. | option_a=63 | option_b=64 | option_c=62 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 567 ÷ 9 = 63.

id=62077 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=62078 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■39361 at 4% per annum for 5 years. | option_a=7972 | option_b=7872 | option_c=7772 | option_d=47233 | answer=B | explanation=SI = PRT/100 = 39361×4×5/100 = ■7872.

id=62079 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=62080 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:13 and the first is 84, what is the second? | option_a=162 | option_b=78 | option_c=65 | option_d=92 | answer=B | explanation=Scale factor = 84/14 = 6. Therefore second quantity = 13×6 = 78.

id=62081 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=67 | option_b=47 | option_c=58 | option_d=57 | answer=D | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

id=62082 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■28542 at 5% per annum for 5 years. | option_a=7135 | option_b=7035 | option_c=7235 | option_d=35677 | answer=A | explanation=SI = PRT/100 = 28542×5×5/100 = ■7135.

id=62083 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:6 and the first is 128, what is the second? | option_a=96 | option_b=90 | option_c=104 | option_d=224 | answer=A | explanation=Scale factor = 128/8 = 16. Therefore second quantity = 6×16 = 96.

id=62084 | topic=Percentages | difficulty=Easy | question=What is 50% of 1407? | option_a=708 | option_b=703 | option_c=1406 | option_d=693 | answer=B | explanation=50% of 1407 = (50/100) × 1407 = 703.

id=62085 | topic=Percentages | difficulty=Easy | question=What is 25% of 1647? | option_a=401 | option_b=411 | option_c=431 | option_d=822 | answer=B | explanation=25% of 1647 = (25/100) × 1647 = 411.

id=62086 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■408. If it is sold at a profit of 40%, what is its selling price? | option_a=611 | option_b=448 | option_c=571 | option_d=531 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 408 × 140/100 = ■571.

id=62087 | topic=Percentages | difficulty=Easy | question=What is 30% of 1791? | option_a=527 | option_b=557 | option_c=1074 | option_d=537 | answer=D | explanation=30% of 1791 = (30/100) × 1791 = 537.

id=62088 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3142. If it is sold at a profit of 40%, what is its selling price? | option_a=4712 | option_b=4084 | option_c=4398 | option_d=3182 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3142 × 140/100 = ■4398.

id=62089 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 27. | option_a=240 | option_b=189 | option_c=648 | option_d=216 | answer=D | explanation=LCM × HCF = 24×27; HCF(24,27) = 3, so LCM = 216.

id=62090 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=Z | option_b=C | option_c=F | option_d=I | answer=C | explanation=Move 3 positions forward from C; the resulting letter is F.

id=62091 | topic=Averages | difficulty=Easy | question=Find the average of 24, 23, 45, 42, 80, 80, 24, 97, 98, 27. | option_a=56 | option_b=55 | option_c=53 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

id=62092 | topic=Averages | difficulty=Easy | question=Find the average of 83, 31, 81, 60, 26, 37. | option_a=55 | option_b=54 | option_c=52 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 318 ÷ 6 = 53.

id=62093 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=47 | option_b=40 | option_c=48 | option_d=54 | answer=A | explanation=The common difference is 7. Therefore the next term is 40 + 7 = 47.

id=62094 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=62095 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 20. | option_a=40 | option_b=48 | option_c=160 | option_d=20 | answer=A | explanation=LCM × HCF = 8×20; HCF(8,20) = 4, so LCM = 40.

id=62096 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■37831 at 8% per annum for 2 years. | option_a=5952 | option_b=43883 | option_c=6152 | option_d=6052 | answer=D | explanation=SI = PRT/100 = 37831×8×2/100 = ■6052.

id=62097 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=53 | option_b=42 | option_c=54 | option_d=64 | answer=A | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.

id=62098 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 34? | option_a=34 | option_b=16 | option_c=8 | option_d=24 | answer=A | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 34 is the odd one out.

id=62099 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=62100 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■8788 at 6% per annum for 4 years. | option_a=2209 | option_b=2009 | option_c=2109 | option_d=10897 | answer=C | explanation=SI = PRT/100 = 8788×6×4/100 = ■2109.

Aptitude Questions — Records 62,101-62,130 of 100,000

- id=62101 | topic=Profit & Loss | difficulty=Easy | question=An article costs █497. If it is sold at a profit of 50%, what is its selling price? | option_a=794 | option_b=547 | option_c=696 | option_d=745 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 497 × 150/100 = █745.
- id=62102 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=62103 | topic=Averages | difficulty=Easy | question=Find the average of 26, 56, 90, 19, 59. | option_a=50 | option_b=51 | option_c=49 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 250 ÷ 5 = 50.
- id=62104 | topic=Percentages | difficulty=Easy | question=What is 10% of 1697? | option_a=338 | option_b=174 | option_c=169 | option_d=164 | answer=C | explanation=10% of 1697 = (10/100) × 1697 = 169.
- id=62105 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4745 at 15% per annum for 3 years. | option_a=2035 | option_b=2135 | option_c=2235 | option_d=6880 | answer=B | explanation=SI = PRT/100 = 4745×15×3/100 = █2135.
- id=62106 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12434 at 8% per annum for 1 years. | option_a=994 | option_b=1094 | option_c=894 | option_d=13428 | answer=A | explanation=SI = PRT/100 = 12434×8×1/100 = █994.
- id=62107 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=K | option_b=W | option_c=S | option_d=O | answer=C | explanation=Move 4 positions forward from O; the resulting letter is S.
- id=62108 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=33 | option_b=43 | option_c=44 | option_d=53 | answer=B | explanation=The common difference is 10. Therefore the next term is 33 + 10 = 43.
- id=62109 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=62110 | topic=Percentages | difficulty=Easy | question=What is 50% of 219? | option_a=218 | option_b=129 | option_c=89 | option_d=109 | answer=D | explanation=50% of 219 = (50/100) × 219 = 109.
- id=62111 | topic=Percentages | difficulty=Easy | question=What is 5% of 1403? | option_a=60 | option_b=140 | option_c=70 | option_d=90 | answer=C | explanation=5% of 1403 = (5/100) × 1403 = 70.
- id=62112 | topic=Percentages | difficulty=Easy | question=What is 15% of 1949? | option_a=584 | option_b=287 | option_c=297 | option_d=292 | answer=D | explanation=15% of 1949 = (15/100) × 1949 = 292.
- id=62113 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=39 | option_b=32 | option_c=46 | option_d=40 | answer=A | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.
- id=62114 | topic=Percentages | difficulty=Easy | question=What is 15% of 140? | option_a=11 | option_b=42 | option_c=21 | option_d=31 | answer=C | explanation=15% of 140 = (15/100) × 140 = 21.
- id=62115 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4796. If it is sold at a profit of 30%, what is its selling price? | option_a=4826 | option_b=6234 | option_c=5755 | option_d=6713 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4796 × 130/100 = █6234.
- id=62116 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=25 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.
- id=62117 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=16 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=62118 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 6. | option_a=1 | option_b=36 | option_c=12 | option_d=6 | answer=D | explanation=LCM × HCF = 6×6; HCF(6,6) = 6, so LCM = 6.
- id=62119 | topic=Averages | difficulty=Easy | question=Find the average of 77, 41, 100, 14, 17, 10, 13, 87, 64. | option_a=46 | option_b=49 | option_c=48 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 423 ÷ 9 = 47.
- id=62120 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:14 and the first is 266, what is the second? | option_a=182 | option_b=215 | option_c=196 | option_d=462 | answer=C | explanation=Scale factor = 266/19 = 14. Therefore second quantity = 14×14 = 196.
- id=62121 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=19 | option_b=18 | option_c=15 | option_d=21 | answer=B | explanation=The common difference is 3. Therefore the next term is 15 + 3 = 18.
- id=62122 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=S | option_b=D | option_c=I | option_d=N | answer=D | explanation=Move 5 positions forward from I; the resulting letter is N.
- id=62123 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 15, 23, 34? | option_a=15 | option_b=34 | option_c=7 | option_d=23 | answer=B | explanation=The first three numbers increase by 8, so the next should be 31. Therefore 34 is the odd one out.
- id=62124 | topic=Averages | difficulty=Easy | question=Find the average of 30, 96, 94, 60, 34, 28, 41, 41, 89. | option_a=59 | option_b=58 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 513 ÷ 9 = 57.
- id=62125 | topic=Percentages | difficulty=Easy | question=What is 5% of 897? | option_a=44 | option_b=88 | option_c=64 | option_d=24 | answer=A | explanation=5% of 897 = (5/100) × 897 = 44.
- id=62126 | topic=Averages | difficulty=Easy | question=Find the average of 19, 81, 91, 82, 100, 77, 103. | option_a=78 | option_b=80 | option_c=81 | option_d=79 | answer=D | explanation=Average = sum of values ÷ number of values = 553 ÷ 7 = 79.
- id=62127 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 17, 29, 41, ? | option_a=53 | option_b=65 | option_c=41 | option_d=54 | answer=A | explanation=The common difference is 12. Therefore the next term is 41 + 12 = 53.
- id=62128 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=34 | option_b=37 | option_c=29 | option_d=33 | answer=D | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.
- id=62129 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2352. If it is sold at a profit of 50%, what is its selling price? | option_a=3528 | option_b=3293 | option_c=3763 | option_d=2402 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2352 × 150/100 = █3528.
- id=62130 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1303. If it is sold at a profit of 25%, what is its selling price? | option_a=1758 | option_b=1498 | option_c=1328 | option_d=1628 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1303 × 125/100 = █1628.

Aptitude Questions — Records 62,131-62,160 of 100,000

id=62131 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=62132 | topic=Percentages | difficulty=Easy | question=What is 5% of 1702? | option_a=85 | option_b=75 | option_c=170 | option_d=90 | answer=A | explanation=5% of 1702 = (5/100) × 1702 = 85.

id=62133 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15959 at 10% per annum for 4 years. | option_a=6483 | option_b=22342 | option_c=6383 | option_d=6283 | answer=C | explanation=SI = PRT/100 = 15959×10×4/100 = **■**6383.

id=62134 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=T | option_c=W | option_d=N | answer=B | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=62135 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:4 and the first is 280, what is the second? | option_a=52 | option_b=336 | option_c=76 | option_d=56 | answer=D | explanation=Scale factor = 280/20 = 14. Therefore second quantity = 4×14 = 56.

id=62136 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=62137 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:15 and the first is 153, what is the second? | option_a=288 | option_b=135 | option_c=120 | option_d=152 | answer=B | explanation=Scale factor = 153/17 = 9. Therefore second quantity = 15×9 = 135.

id=62138 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 22, 29, 39? | option_a=15 | option_b=39 | option_c=22 | option_d=29 | answer=B | explanation=The first three numbers increase by 7, so the next should be 36. Therefore 39 is the odd one out.

id=62139 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 36? | option_a=36 | option_b=14 | option_c=4 | option_d=24 | answer=A | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 36 is the odd one out.

id=62140 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=62141 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=80 | option_c=40 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=62142 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4667. If it is sold at a profit of 20%, what is its selling price? | option_a=4687 | option_b=5134 | option_c=5600 | option_d=6066 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4667 × 120/100 = **■**5600.

id=62143 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=62144 | topic=Averages | difficulty=Easy | question=Find the average of 85, 19, 51, 42, 87, 58, 74, 35, 71. | option_a=60 | option_b=59 | option_c=57 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 522 ÷ 9 = 58.

id=62145 | topic=Percentages | difficulty=Easy | question=What is 15% of 1261? | option_a=378 | option_b=169 | option_c=189 | option_d=194 | answer=C | explanation=15% of 1261 = (15/100) × 1261 = 189.

id=62146 | topic=Percentages | difficulty=Easy | question=What is 20% of 1970? | option_a=788 | option_b=394 | option_c=414 | option_d=374 | answer=B | explanation=20% of 1970 = (20/100) × 1970 = 394.

id=62147 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=U | option_c=L | option_d=R | answer=D | explanation=Move 3 positions forward from O; the resulting letter is R.

id=62148 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16530 at 6% per annum for 4 years. | option_a=3867 | option_b=20497 | option_c=4067 | option_d=3967 | answer=D | explanation=SI = PRT/100 = 16530×6×4/100 = **■**3967.

id=62149 | topic=Percentages | difficulty=Easy | question=What is 5% of 440? | option_a=22 | option_b=2 | option_c=32 | option_d=44 | answer=A | explanation=5% of 440 = (5/100) × 440 = 22.

id=62150 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=10 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=62151 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 38, 46, 56? | option_a=30 | option_b=46 | option_c=56 | option_d=38 | answer=C | explanation=The first three numbers increase by 8, so the next should be 54. Therefore 56 is the odd one out.

id=62152 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=10 | option_b=11 | option_c=8 | option_d=12 | answer=A | explanation=The common difference is 2. Therefore the next term is 8 + 2 = 10.

id=62153 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=K | option_b=G | option_c=Y | option_d=C | answer=B | explanation=Move 4 positions forward from C; the resulting letter is G.

id=62154 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=80 | option_c=70 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=62155 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=62156 | topic=Percentages | difficulty=Easy | question=What is 5% of 1785? | option_a=99 | option_b=79 | option_c=178 | option_d=89 | answer=D | explanation=5% of 1785 = (5/100) × 1785 = 89.

id=62157 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=62158 | topic=Averages | difficulty=Easy | question=Find the average of 57, 82, 10, 38, 46, 50, 32, 85. | option_a=52 | option_b=51 | option_c=50 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 400 ÷ 8 = 50.

id=62159 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1299. If it is sold at a profit of 5%, what is its selling price? | option_a=1363 | option_b=1492 | option_c=1234 | option_d=1304 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1299 × 105/100 = **■**1363.

id=62160 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**799. If it is sold at a profit of 30%, what is its selling price? | option_a=1117 | option_b=1038 | option_c=959 | option_d=829 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 799 × 130/100 = **■**1038.

Aptitude Questions — Records 62,161-62,190 of 100,000

id=62161 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 15. | option_a=405 | option_b=162 | option_c=135 | option_d=120 | answer=C | explanation=LCM × HCF = 27×15; HCF(27,15) = 3, so LCM = 135.

id=62162 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 41? | option_a=23 | option_b=15 | option_c=31 | option_d=41 | answer=D | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 41 is the odd one out.

id=62163 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 15, 22, 29, ? | option_a=29 | option_b=37 | option_c=43 | option_d=36 | answer=D | explanation=The common difference is 7. Therefore the next term is 29 + 7 = 36.

id=62164 | topic=Percentages | difficulty=Easy | question=What is 15% of 976? | option_a=166 | option_b=292 | option_c=126 | option_d=146 | answer=D | explanation=15% of 976 = (15/100) × 976 = 146.

id=62165 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=62166 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=62167 | topic=Percentages | difficulty=Easy | question=What is 15% of 1415? | option_a=424 | option_b=222 | option_c=207 | option_d=212 | answer=D | explanation=15% of 1415 = (15/100) × 1415 = 212.

id=62168 | topic=Percentages | difficulty=Easy | question=What is 50% of 147? | option_a=78 | option_b=146 | option_c=63 | option_d=73 | answer=D | explanation=50% of 147 = (50/100) × 147 = 73.

id=62169 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=M | option_b=G | option_c=P | option_d=J | answer=B | explanation=Move 2 positions forward from G; the resulting letter is I.

id=62170 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 3. | option_a=72 | option_b=21 | option_c=24 | option_d=48 | answer=C | explanation=LCM × HCF = 24×3; HCF(24,3) = 3, so LCM = 24.

id=62171 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=K | option_b=C | option_c=G | option_d=Y | answer=C | explanation=Move 4 positions forward from C; the resulting letter is G.

id=62172 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=M | option_b=G | option_c=P | option_d=J | answer=A | explanation=Move 3 positions forward from J; the resulting letter is M.

id=62173 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=62174 | topic=Percentages | difficulty=Easy | question=What is 5% of 1649? | option_a=72 | option_b=82 | option_c=164 | option_d=87 | answer=B | explanation=5% of 1649 = (5/100) × 1649 = 82.

id=62175 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹459. If it is sold at a profit of 15%, what is its selling price? | option_a=527 | option_b=482 | option_c=474 | option_d=572 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 459 × 115/100 = ₹527.

id=62176 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:3 and the first is 102, what is the second? | option_a=57 | option_b=153 | option_c=48 | option_d=51 | answer=D | explanation=Scale factor = 102/6 = 17. Therefore second quantity = 3×17 = 51.

id=62177 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=62178 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 21. | option_a=28 | option_b=1 | option_c=21 | option_d=147 | answer=C | explanation=LCM × HCF = 7×21; HCF(7,21) = 7, so LCM = 21.

id=62179 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:8 and the first is 112, what is the second? | option_a=120 | option_b=112 | option_c=104 | option_d=224 | answer=B | explanation=Scale factor = 112/8 = 14. Therefore second quantity = 8×14 = 112.

id=62180 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=32 | option_b=31 | option_c=26 | option_d=36 | answer=B | explanation=The common difference is 5. Therefore the next term is 26 + 5 = 31.

id=62181 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 39? | option_a=39 | option_b=29 | option_c=20 | option_d=11 | answer=A | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 39 is the odd one out.

id=62182 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=39 | option_b=38 | option_c=33 | option_d=43 | answer=B | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.

id=62183 | topic=Averages | difficulty=Easy | question=Find the average of 34, 92, 96. | option_a=76 | option_b=74 | option_c=75 | option_d=73 | answer=B | explanation=Average = sum of values ÷ number of values = 222 ÷ 3 = 74.

id=62184 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=150 | option_c=80 | option_d=70 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=62185 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=5 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=62186 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 36? | option_a=9 | option_b=36 | option_c=17 | option_d=25 | answer=B | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 36 is the odd one out.

id=62187 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 19, 27, 37? | option_a=11 | option_b=37 | option_c=27 | option_d=19 | answer=B | explanation=The first three numbers increase by 8, so the next should be 35. Therefore 37 is the odd one out.

id=62188 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:6 and the first is 88, what is the second? | option_a=154 | option_b=66 | option_c=60 | option_d=74 | answer=B | explanation=Scale factor = 88/8 = 11. Therefore second quantity = 6×11 = 66.

id=62189 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=P | option_b=R | option_c=T | option_d=V | answer=C | explanation=Move 2 positions forward from R; the resulting letter is T.

id=62190 | topic=Averages | difficulty=Easy | question=Find the average of 100, 90, 85, 60, 84, 22, 96, 88, 32. | option_a=75 | option_b=73 | option_c=74 | option_d=72 | answer=B | explanation=Average = sum of values ÷ number of values = 657 ÷ 9 = 73.

Aptitude Questions — Records 62,191-62,220 of 100,000

id=62191 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=62192 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=62193 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1996. If it is sold at a profit of 5%, what is its selling price? | option_a=2095 | option_b=2001 | option_c=1896 | option_d=2294 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1996 × 105/100 = █2095.

id=62194 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:10 and the first is 105, what is the second? | option_a=85 | option_b=60 | option_c=70 | option_d=175 | answer=C | explanation=Scale factor = 105/15 = 7. Therefore second quantity = 10×7 = 70.

id=62195 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 25? | option_a=25 | option_b=21 | option_c=18 | option_d=15 | answer=A | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 25 is the odd one out.

id=62196 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=62197 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=62198 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=G | option_b=L | option_c=W | option_d=B | answer=A | explanation=Move 5 positions forward from B; the resulting letter is G.

id=62199 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42475 at 5% per annum for 3 years. | option_a=6371 | option_b=6271 | option_c=48846 | option_d=6471 | answer=A | explanation=SI = PRT/100 = 42475×5×3/100 = █6371.

id=62200 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=M | option_c=C | option_d=R | answer=B | explanation=Move 5 positions forward from H; the resulting letter is M.

id=62201 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=5 | option_c=10 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=62202 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=27 | option_b=22 | option_c=17 | option_d=23 | answer=B | explanation=The common difference is 5. Therefore the next term is 17 + 5 = 22.

id=62203 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=160 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=62204 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 35, 43, 54? | option_a=54 | option_b=27 | option_c=35 | option_d=43 | answer=A | explanation=The first three numbers increase by 8, so the next should be 51. Therefore 54 is the odd one out.

id=62205 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=45 | option_c=35 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=62206 | topic=Averages | difficulty=Easy | question=Find the average of 30, 26, 58, 81, 27, 83, 101. | option_a=59 | option_b=57 | option_c=58 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 406 ÷ 7 = 58.

id=62207 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=80 | option_d=150 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=62208 | topic=Averages | difficulty=Easy | question=Find the average of 63, 42, 71, 14, 58, 14, 39. | option_a=43 | option_b=45 | option_c=44 | option_d=42 | answer=A | explanation=Average = sum of values ÷ number of values = 301 ÷ 7 = 43.

id=62209 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:18 and the first is 32, what is the second? | option_a=290 | option_b=320 | option_c=270 | option_d=288 | answer=D | explanation=Scale factor = 32/2 = 16. Therefore second quantity = 18×16 = 288.

id=62210 | topic=Averages | difficulty=Easy | question=Find the average of 37, 43, 89, 95. | option_a=66 | option_b=65 | option_c=67 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = 264 ÷ 4 = 66.

id=62211 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=R | option_b=A | option_c=U | option_d=X | answer=D | explanation=Move 3 positions forward from U; the resulting letter is X.

id=62212 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 23, 27, 32? | option_a=19 | option_b=32 | option_c=23 | option_d=27 | answer=B | explanation=The first three numbers increase by 4, so the next should be 31. Therefore 32 is the odd one out.

id=62213 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=62214 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=62215 | topic=Percentages | difficulty=Easy | question=What is 25% of 1457? | option_a=364 | option_b=374 | option_c=359 | option_d=728 | answer=A | explanation=25% of 1457 = (25/100) × 1457 = 364.

id=62216 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=35 | option_c=40 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=62217 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35262 at 8% per annum for 2 years. | option_a=5541 | option_b=5741 | option_c=5641 | option_d=40903 | answer=C | explanation=SI = PRT/100 = 35262×8×2/100 = █5641.

id=62218 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:19 and the first is 238, what is the second? | option_a=247 | option_b=266 | option_c=283 | option_d=504 | answer=B | explanation=Scale factor = 238/17 = 14. Therefore second quantity = 19×14 = 266.

id=62219 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4447. If it is sold at a profit of 20%, what is its selling price? | option_a=4467 | option_b=5780 | option_c=5336 | option_d=4892 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4447 × 120/100 = █5336.

id=62220 | topic=Averages | difficulty=Easy | question=Find the average of 28, 24, 71. | option_a=40 | option_b=41 | option_c=42 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = 123 ÷ 3 = 41.

Aptitude Questions — Records 62,221-62,250 of 100,000

id=62221 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=100 | option_c=200 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=62222 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:4 and the first is 323, what is the second? | option_a=93 | option_b=72 | option_c=399 | option_d=76 | answer=D | explanation=Scale factor = 323/17 = 19. Therefore second quantity = 4×19 = 76.

id=62223 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=Y | option_b=O | option_c=J | option_d=T | answer=D | explanation=Move 5 positions forward from O; the resulting letter is T.

id=62224 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=62225 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3500. If it is sold at a profit of 15%, what is its selling price? | option_a=3515 | option_b=4375 | option_c=4025 | option_d=3675 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3500 × 115/100 = █4025.

id=62226 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:14 and the first is 255, what is the second? | option_a=238 | option_b=493 | option_c=224 | option_d=253 | answer=A | explanation=Scale factor = 255/15 = 17. Therefore second quantity = 14×17 = 238.

id=62227 | topic=Percentages | difficulty=Easy | question=What is 20% of 255? | option_a=51 | option_b=56 | option_c=102 | option_d=31 | answer=A | explanation=20% of 255 = (20/100) × 255 = 51.

id=62228 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11288 at 15% per annum for 3 years. | option_a=5179 | option_b=5079 | option_c=16367 | option_d=4979 | answer=B | explanation=SI = PRT/100 = 11288×15×3/100 = █5079.

id=62229 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3283. If it is sold at a profit of 25%, what is its selling price? | option_a=3775 | option_b=4431 | option_c=4103 | option_d=3308 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3283 × 125/100 = █4103.

id=62230 | topic=Percentages | difficulty=Easy | question=What is 15% of 1119? | option_a=187 | option_b=147 | option_c=167 | option_d=334 | answer=C | explanation=15% of 1119 = (15/100) × 1119 = 167.

id=62231 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=M | option_c=I | option_d=K | answer=B | explanation=Move 2 positions forward from K; the resulting letter is M.

id=62232 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3539. If it is sold at a profit of 40%, what is its selling price? | option_a=4601 | option_b=4954 | option_c=5307 | option_d=3579 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3539 × 140/100 = █4954.

id=62233 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41994 at 10% per annum for 4 years. | option_a=16797 | option_b=16697 | option_c=58791 | option_d=16897 | answer=A | explanation=SI = PRT/100 = 41994×10×4/100 = █16797.

id=62234 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=Q | option_b=W | option_c=U | option_d=S | answer=C | explanation=Move 2 positions forward from S; the resulting letter is U.

id=62235 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=62236 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18202 at 8% per annum for 2 years. | option_a=21114 | option_b=2812 | option_c=3012 | option_d=2912 | answer=D | explanation=SI = PRT/100 = 18202×8×2/100 = █2912.

id=62237 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=V | option_b=G | option_c=L | option_d=Q | answer=D | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=62238 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=30 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=62239 | topic=Averages | difficulty=Easy | question=Find the average of 33, 91, 80. | option_a=67 | option_b=70 | option_c=69 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = 204 ÷ 3 = 68.

id=62240 | topic=Profit & Loss | difficulty=Easy | question=An article costs █236. If it is sold at a profit of 10%, what is its selling price? | option_a=246 | option_b=236 | option_c=259 | option_d=282 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 236 × 110/100 = █259.

id=62241 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=62242 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47633 at 10% per annum for 1 years. | option_a=4763 | option_b=52396 | option_c=4663 | option_d=4863 | answer=A | explanation=SI = PRT/100 = 47633×10×1/100 = █4763.

id=62243 | topic=Averages | difficulty=Easy | question=Find the average of 69, 91, 55. | option_a=45 | option_b=44 | option_c=46 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 135 ÷ 3 = 45.

id=62244 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 30, 38, 48? | option_a=38 | option_b=48 | option_c=30 | option_d=22 | answer=B | explanation=The first three numbers increase by 8, so the next should be 46. Therefore 48 is the odd one out.

id=62245 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 32, 42, 53? | option_a=53 | option_b=22 | option_c=42 | option_d=32 | answer=A | explanation=The first three numbers increase by 10, so the next should be 52. Therefore 53 is the odd one out.

id=62246 | topic=Percentages | difficulty=Easy | question=What is 5% of 817? | option_a=30 | option_b=60 | option_c=80 | option_d=40 | answer=D | explanation=5% of 817 = (5/100) × 817 = 40.

id=62247 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=H | option_b=R | option_c=M | option_d=W | answer=B | explanation=Move 5 positions forward from M; the resulting letter is R.

id=62248 | topic=Averages | difficulty=Easy | question=Find the average of 57, 96, 65, 91, 81. | option_a=80 | option_b=79 | option_c=78 | option_d=77 | answer=C | explanation=Average = sum of values ÷ number of values = 390 ÷ 5 = 78.

id=62249 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=40 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=62250 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 26, 32, 40? | option_a=26 | option_b=40 | option_c=20 | option_d=32 | answer=B | explanation=The first three numbers increase by 6, so the next should be 38. Therefore 40 is the odd one out.

Aptitude Questions — Records 62,251-62,280 of 100,000

id=62251 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3906. If it is sold at a profit of 40%, what is its selling price? | option_a=5078 | option_b=3946 | option_c=5468 | option_d=5858 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3906 × 140/100 = █5468.

id=62252 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=150 | option_c=145 | option_d=155 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=62253 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:16 and the first is 56, what is the second? | option_a=135 | option_b=184 | option_c=128 | option_d=112 | answer=C | explanation=Scale factor = 56/7 = 8. Therefore second quantity = 16×8 = 128.

id=62254 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 28? | option_a=18 | option_b=28 | option_c=24 | option_d=21 | answer=B | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 28 is the odd one out.

id=62255 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:15 and the first is 40, what is the second? | option_a=154 | option_b=150 | option_c=190 | option_d=135 | answer=B | explanation=Scale factor = 40/4 = 10. Therefore second quantity = 15×10 = 150.

id=62256 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:19 and the first is 252, what is the second? | option_a=247 | option_b=284 | option_c=518 | option_d=266 | answer=D | explanation=Scale factor = 252/18 = 14. Therefore second quantity = 19×14 = 266.

id=62257 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:7 and the first is 160, what is the second? | option_a=105 | option_b=112 | option_c=122 | option_d=272 | answer=B | explanation=Scale factor = 160/10 = 16. Therefore second quantity = 7×16 = 112.

id=62258 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=B | option_b=E | option_c=D | option_d=C | answer=C | explanation=Move 1 positions forward from C; the resulting letter is D.

id=62259 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:10 and the first is 72, what is the second? | option_a=70 | option_b=152 | option_c=89 | option_d=80 | answer=D | explanation=Scale factor = 72/9 = 8. Therefore second quantity = 10×8 = 80.

id=62260 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=62261 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=X | option_c=T | option_d=L | answer=C | explanation=Move 4 positions forward from P; the resulting letter is T.

id=62262 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=38 | option_b=52 | option_c=45 | option_d=46 | answer=C | explanation=The common difference is 7. Therefore the next term is 38 + 7 = 45.

id=62263 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 36? | option_a=19 | option_b=26 | option_c=12 | option_d=36 | answer=D | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 36 is the odd one out.

id=62264 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=62265 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:1 and the first is 72, what is the second? | option_a=4 | option_b=3 | option_c=22 | option_d=76 | answer=A | explanation=Scale factor = 72/18 = 4. Therefore second quantity = 1×4 = 4.

id=62266 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 21. | option_a=21 | option_b=441 | option_c=1 | option_d=42 | answer=A | explanation=LCM × HCF = 21×21; HCF(21,21) = 21, so LCM = 21.

id=62267 | topic=Averages | difficulty=Easy | question=Find the average of 27, 29, 58, 65, 48, 55. | option_a=48 | option_b=49 | option_c=47 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 282 ÷ 6 = 47.

id=62268 | topic=Percentages | difficulty=Easy | question=What is 5% of 1185? | option_a=59 | option_b=54 | option_c=118 | option_d=79 | answer=A | explanation=5% of 1185 = (5/100) × 1185 = 59.

id=62269 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 24, 32, 43? | option_a=24 | option_b=32 | option_c=16 | option_d=43 | answer=D | explanation=The first three numbers increase by 8, so the next should be 40. Therefore 43 is the odd one out.

id=62270 | topic=Averages | difficulty=Easy | question=Find the average of 25, 57, 77, 97. | option_a=65 | option_b=63 | option_c=66 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 256 ÷ 4 = 64.

id=62271 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16054 at 10% per annum for 2 years. | option_a=19264 | option_b=3310 | option_c=3110 | option_d=3210 | answer=D | explanation=SI = PRT/100 = 16054×10×2/100 = █3210.

id=62272 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=24 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=62273 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:16 and the first is 24, what is the second? | option_a=128 | option_b=152 | option_c=131 | option_d=112 | answer=A | explanation=Scale factor = 24/3 = 8. Therefore second quantity = 16×8 = 128.

id=62274 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Q | option_b=C | option_c=U | option_d=Y | answer=D | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=62275 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3157. If it is sold at a profit of 30%, what is its selling price? | option_a=4419 | option_b=3789 | option_c=3187 | option_d=4104 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3157 × 130/100 = █4104.

id=62276 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 6. | option_a=18 | option_b=1 | option_c=9 | option_d=6 | answer=D | explanation=LCM × HCF = 3×6; HCF(3,6) = 3, so LCM = 6.

id=62277 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=L | option_c=V | option_d=A | answer=C | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=62278 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=62279 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:12 and the first is 9, what is the second? | option_a=109 | option_b=108 | option_c=117 | option_d=96 | answer=B | explanation=Scale factor = 9/1 = 9. Therefore second quantity = 12×9 = 108.

id=62280 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:12 and the first is 28, what is the second? | option_a=12 | option_b=38 | option_c=52 | option_d=24 | answer=D | explanation=Scale factor = 28/14 = 2. Therefore second quantity = 12×2 = 24.

Aptitude Questions — Records 62,281-62,310 of 100,000

id=62281 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=54 | option_b=53 | option_c=42 | option_d=64 | answer=B | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.

id=62282 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 12? | option_a=6 | option_b=8 | option_c=4 | option_d=12 | answer=D | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 12 is the odd one out.

id=62283 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=30 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=62284 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4918. If it is sold at a profit of 10%, what is its selling price? | option_a=4928 | option_b=5900 | option_c=5409 | option_d=4918 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4918 × 110/100 = █5409.

id=62285 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=E | option_b=H | option_c=N | option_d=K | answer=D | explanation=Move 3 positions forward from H; the resulting letter is K.

id=62286 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=30 | option_b=31 | option_c=36 | option_d=24 | answer=A | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.

id=62287 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=62288 | topic=Percentages | difficulty=Easy | question=What is 25% of 526? | option_a=262 | option_b=141 | option_c=131 | option_d=121 | answer=C | explanation=25% of 526 = (25/100) × 526 = 131.

id=62289 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=7 | option_c=17 | option_d=24 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=62290 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=40 | option_b=36 | option_c=30 | option_d=35 | answer=D | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=62291 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=54 | option_b=47 | option_c=40 | option_d=48 | answer=B | explanation=The common difference is 7. Therefore the next term is 40 + 7 = 47.

id=62292 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=S | option_b=O | option_c=G | option_d=K | answer=B | explanation=Move 4 positions forward from K; the resulting letter is O.

id=62293 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=125 | option_d=240 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=62294 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 32, 42, 55? | option_a=32 | option_b=55 | option_c=22 | option_d=42 | answer=B | explanation=The first three numbers increase by 10, so the next should be 52. Therefore 55 is the odd one out.

id=62295 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=20 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=62296 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=62297 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:18 and the first is 121, what is the second? | option_a=209 | option_b=198 | option_c=180 | option_d=319 | answer=B | explanation=Scale factor = 121/11 = 11. Therefore second quantity = 18×11 = 198.

id=62298 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 21, 25, 31? | option_a=31 | option_b=21 | option_c=17 | option_d=25 | answer=A | explanation=The first three numbers increase by 4, so the next should be 29. Therefore 31 is the odd one out.

id=62299 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=C | option_b=I | option_c=E | option_d=G | answer=D | explanation=Move 2 positions forward from E; the resulting letter is G.

id=62300 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:14 and the first is 140, what is the second? | option_a=140 | option_b=280 | option_c=154 | option_d=126 | answer=A | explanation=Scale factor = 140/14 = 10. Therefore second quantity = 14×10 = 140.

id=62301 | topic=Percentages | difficulty=Easy | question=What is 40% of 1593? | option_a=632 | option_b=647 | option_c=1274 | option_d=637 | answer=D | explanation=40% of 1593 = (40/100) × 1593 = 637.

id=62302 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1892. If it is sold at a profit of 25%, what is its selling price? | option_a=2554 | option_b=2365 | option_c=1917 | option_d=2176 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1892 × 125/100 = █2365.

id=62303 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 24? | option_a=5 | option_b=24 | option_c=11 | option_d=17 | answer=B | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 24 is the odd one out.

id=62304 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 61? | option_a=30 | option_b=50 | option_c=40 | option_d=61 | answer=D | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 61 is the odd one out.

id=62305 | topic=Averages | difficulty=Easy | question=Find the average of 69, 68, 49. | option_a=63 | option_b=62 | option_c=61 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 186 ÷ 3 = 62.

id=62306 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=80 | option_c=75 | option_d=70 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=62307 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=54 | option_b=64 | option_c=44 | option_d=55 | answer=A | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=62308 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32012 at 5% per annum for 5 years. | option_a=7903 | option_b=40015 | option_c=8103 | option_d=8003 | answer=D | explanation=SI = PRT/100 = 32012×5×5/100 = █8003.

id=62309 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=X | option_c=P | option_d=L | answer=A | explanation=Move 4 positions forward from P; the resulting letter is T.

id=62310 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:13 and the first is 90, what is the second? | option_a=201 | option_b=182 | option_c=285 | option_d=195 | answer=D | explanation=Scale factor = 90/6 = 15. Therefore second quantity = 13×15 = 195.

Aptitude Questions — Records 62,311-62,340 of 100,000

id=62311 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=62312 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 19, 22, 25, ? | option_a=25 | option_b=31 | option_c=28 | option_d=29 | answer=C | explanation=The common difference is 3. Therefore the next term is 25 + 3 = 28.

id=62313 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=19 | option_c=24 | option_d=29 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=62314 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:16 and the first is 190, what is the second? | option_a=494 | option_b=288 | option_c=314 | option_d=304 | answer=D | explanation=Scale factor = 190/10 = 19. Therefore second quantity = 16×19 = 304.

id=62315 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=62316 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14158 at 8% per annum for 1 years. | option_a=1232 | option_b=15290 | option_c=1132 | option_d=1032 | answer=C | explanation=SI = PRT/100 = 14158×8×1/100 = ■1132.

id=62317 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=52 | option_b=44 | option_c=43 | option_d=34 | answer=C | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

id=62318 | topic=Averages | difficulty=Easy | question=Find the average of 50, 68, 74, 67, 28, 15, 59, 87, 65, 17. | option_a=53 | option_b=55 | option_c=52 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=62319 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 24, 34, 47? | option_a=47 | option_b=34 | option_c=24 | option_d=14 | answer=A | explanation=The first three numbers increase by 10, so the next should be 44. Therefore 47 is the odd one out.

id=62320 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=I | option_c=R | option_d=O | answer=D | explanation=Move 3 positions forward from L; the resulting letter is O.

id=62321 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4686. If it is sold at a profit of 30%, what is its selling price? | option_a=6091 | option_b=6559 | option_c=4716 | option_d=5623 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4686 × 130/100 = ■6091.

id=62322 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=P | option_b=U | option_c=Z | option_d=E | answer=C | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=62323 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4631. If it is sold at a profit of 30%, what is its selling price? | option_a=6020 | option_b=4661 | option_c=5557 | option_d=6483 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4631 × 130/100 = ■6020.

id=62324 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=32 | option_b=33 | option_c=25 | option_d=39 | answer=A | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.

id=62325 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2387. If it is sold at a profit of 50%, what is its selling price? | option_a=3580 | option_b=3818 | option_c=3342 | option_d=2437 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2387 × 150/100 = ■3580.

id=62326 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=45 | option_b=44 | option_c=38 | option_d=50 | answer=B | explanation=The common difference is 6. Therefore the next term is 38 + 6 = 44.

id=62327 | topic=Percentages | difficulty=Easy | question=What is 40% of 1805? | option_a=702 | option_b=1444 | option_c=722 | option_d=742 | answer=C | explanation=40% of 1805 = (40/100) × 1805 = 722.

id=62328 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 10, 12, 14, ? | option_a=18 | option_b=16 | option_c=14 | option_d=17 | answer=B | explanation=The common difference is 2. Therefore the next term is 14 + 2 = 16.

id=62329 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 35? | option_a=16 | option_b=35 | option_c=8 | option_d=24 | answer=B | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 35 is the odd one out.

id=62330 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=31 | option_b=32 | option_c=37 | option_d=25 | answer=A | explanation=The common difference is 6. Therefore the next term is 25 + 6 = 31.

id=62331 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:11 and the first is 20, what is the second? | option_a=110 | option_b=112 | option_c=130 | option_d=99 | answer=A | explanation=Scale factor = 20/2 = 10. Therefore second quantity = 11×10 = 110.

id=62332 | topic=Percentages | difficulty=Easy | question=What is 50% of 478? | option_a=478 | option_b=229 | option_c=249 | option_d=239 | answer=D | explanation=50% of 478 = (50/100) × 478 = 239.

id=62333 | topic=Averages | difficulty=Easy | question=Find the average of 28, 73, 80, 51. | option_a=57 | option_b=58 | option_c=59 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 232 ÷ 4 = 58.

id=62334 | topic=Percentages | difficulty=Easy | question=What is 40% of 737? | option_a=588 | option_b=294 | option_c=289 | option_d=299 | answer=B | explanation=40% of 737 = (40/100) × 737 = 294.

id=62335 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=32 | option_b=28 | option_c=33 | option_d=36 | answer=A | explanation=The common difference is 4. Therefore the next term is 28 + 4 = 32.

id=62336 | topic=Percentages | difficulty=Easy | question=What is 25% of 1031? | option_a=514 | option_b=252 | option_c=267 | option_d=257 | answer=D | explanation=25% of 1031 = (25/100) × 1031 = 257.

id=62337 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=62338 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=45 | option_b=39 | option_c=38 | option_d=31 | answer=C | explanation=The common difference is 7. Therefore the next term is 31 + 7 = 38.

id=62339 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 31, 33, 37? | option_a=31 | option_b=33 | option_c=29 | option_d=37 | answer=D | explanation=The first three numbers increase by 2, so the next should be 35. Therefore 37 is the odd one out.

id=62340 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

Aptitude Questions — Records 62,341-62,370 of 100,000

id=62341 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=39 | option_b=35 | option_c=36 | option_d=31 | answer=B | explanation=The common difference is 4. Therefore the next term is 31 + 4 = 35.

id=62342 | topic=Averages | difficulty=Easy | question=Find the average of 89, 34, 31, 23, 49, 47, 86, 69, 67, 85. | option_a=58 | option_b=57 | option_c=60 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 580 ÷ 10 = 58.

id=62343 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=62344 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:20 and the first is 304, what is the second? | option_a=320 | option_b=624 | option_c=339 | option_d=300 | answer=A | explanation=Scale factor = 304/19 = 16. Therefore second quantity = 20×16 = 320.

id=62345 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=96 | option_c=48 | option_d=43 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=62346 | topic=Profit & Loss | difficulty=Easy | question=An article costs █749. If it is sold at a profit of 15%, what is its selling price? | option_a=861 | option_b=764 | option_c=935 | option_d=787 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 749 × 115/100 = █861.

id=62347 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7916 at 4% per annum for 2 years. | option_a=8549 | option_b=733 | option_c=533 | option_d=633 | answer=D | explanation=SI = PRT/100 = 7916×4×2/100 = █633.

id=62348 | topic=Percentages | difficulty=Easy | question=What is 30% of 1123? | option_a=336 | option_b=672 | option_c=346 | option_d=331 | answer=A | explanation=30% of 1123 = (30/100) × 1123 = 336.

id=62349 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1634. If it is sold at a profit of 40%, what is its selling price? | option_a=2287 | option_b=1674 | option_c=2124 | option_d=2450 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1634 × 140/100 = █2287.

id=62350 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=44 | option_b=53 | option_c=35 | option_d=45 | answer=A | explanation=The common difference is 9. Therefore the next term is 35 + 9 = 44.

id=62351 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=P | option_b=Y | option_c=V | option_d=S | answer=C | explanation=Move 3 positions forward from S; the resulting letter is V.

id=62352 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:10 and the first is 112, what is the second? | option_a=60 | option_b=182 | option_c=70 | option_d=86 | answer=C | explanation=Scale factor = 112/16 = 7. Therefore second quantity = 10×7 = 70.

id=62353 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1170. If it is sold at a profit of 15%, what is its selling price? | option_a=1185 | option_b=1228 | option_c=1462 | option_d=1345 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1170 × 115/100 = █1345.

id=62354 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=A | option_b=I | option_c=E | option_d=M | answer=B | explanation=Move 4 positions forward from E; the resulting letter is I.

id=62355 | topic=Averages | difficulty=Easy | question=Find the average of 60, 84, 60, 84, 16, 96, 92, 30, 90. | option_a=70 | option_b=69 | option_c=67 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = 612 ÷ 9 = 68.

id=62356 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=H | option_b=K | option_c=Q | option_d=N | answer=D | explanation=Move 3 positions forward from K; the resulting letter is N.

id=62357 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:4 and the first is 48, what is the second? | option_a=24 | option_b=20 | option_c=72 | option_d=32 | answer=A | explanation=Scale factor = 48/8 = 6. Therefore second quantity = 4×6 = 24.

id=62358 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:5 and the first is 187, what is the second? | option_a=242 | option_b=55 | option_c=72 | option_d=50 | answer=B | explanation=Scale factor = 187/17 = 11. Therefore second quantity = 5×11 = 55.

id=62359 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=6 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=62360 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:1 and the first is 21, what is the second? | option_a=10 | option_b=3 | option_c=24 | option_d=2 | answer=B | explanation=Scale factor = 21/7 = 3. Therefore second quantity = 1×3 = 3.

id=62361 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=M | option_b=Q | option_c=S | option_d=O | answer=B | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=62362 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=O | option_c=Q | option_d=R | answer=C | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=62363 | topic=Percentages | difficulty=Easy | question=What is 10% of 1832? | option_a=203 | option_b=183 | option_c=178 | option_d=366 | answer=B | explanation=10% of 1832 = (10/100) × 1832 = 183.

id=62364 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 28, 38, 50? | option_a=38 | option_b=18 | option_c=50 | option_d=28 | answer=C | explanation=The first three numbers increase by 10, so the next should be 48. Therefore 50 is the odd one out.

id=62365 | topic=Averages | difficulty=Easy | question=Find the average of 88, 42, 94, 25, 47, 15, 52, 56, 31. | option_a=50 | option_b=51 | option_c=49 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 450 ÷ 9 = 50.

id=62366 | topic=Averages | difficulty=Easy | question=Find the average of 96, 94, 69, 35, 69, 92, 68, 93. | option_a=78 | option_b=76 | option_c=77 | option_d=79 | answer=C | explanation=Average = sum of values ÷ number of values = 616 ÷ 8 = 77.

id=62367 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=46 | option_b=54 | option_c=47 | option_d=38 | answer=A | explanation=The common difference is 8. Therefore the next term is 38 + 8 = 46.

id=62368 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=34 | option_b=39 | option_c=29 | option_d=35 | answer=A | explanation=The common difference is 5. Therefore the next term is 29 + 5 = 34.

id=62369 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3014 at 8% per annum for 2 years. | option_a=482 | option_b=382 | option_c=3496 | option_d=582 | answer=A | explanation=SI = PRT/100 = 3014×8×2/100 = █482.

id=62370 | topic=Percentages | difficulty=Easy | question=What is 25% of 664? | option_a=171 | option_b=146 | option_c=166 | option_d=332 | answer=C | explanation=25% of 664 = (25/100) × 664 = 166.

Aptitude Questions — Records 62,371-62,400 of 100,000

id=62371 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3776. If it is sold at a profit of 5%, what is its selling price? | option_a=3587 | option_b=4341 | option_c=3964 | option_d=3781 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3776 × 105/100 = █3964.

id=62372 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17563 at 12% per annum for 4 years. | option_a=25993 | option_b=8330 | option_c=8430 | option_d=8530 | answer=C | explanation=SI = PRT/100 = 17563×12×4/100 = █8430.

id=62373 | topic=Averages | difficulty=Easy | question=Find the average of 49, 64, 24, 67. | option_a=50 | option_b=52 | option_c=53 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 204 ÷ 4 = 51.

id=62374 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4739. If it is sold at a profit of 5%, what is its selling price? | option_a=4975 | option_b=4502 | option_c=4744 | option_d=5448 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4739 × 105/100 = █4975.

id=62375 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46273 at 15% per annum for 3 years. | option_a=20722 | option_b=20822 | option_c=20922 | option_d=67095 | answer=B | explanation=SI = PRT/100 = 46273×15×3/100 = █20822.

id=62376 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1333. If it is sold at a profit of 20%, what is its selling price? | option_a=1466 | option_b=1353 | option_c=1732 | option_d=1599 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1333 × 120/100 = █1599.

id=62377 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=H | option_b=L | option_c=P | option_d=T | answer=C | explanation=Move 4 positions forward from L; the resulting letter is P.

id=62378 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:3 and the first is 33, what is the second? | option_a=66 | option_b=36 | option_c=33 | option_d=30 | answer=C | explanation=Scale factor = 33/3 = 11. Therefore second quantity = 3×11 = 33.

id=62379 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:1 and the first is 190, what is the second? | option_a=209 | option_b=18 | option_c=29 | option_d=19 | answer=D | explanation=Scale factor = 190/10 = 19. Therefore second quantity = 1×19 = 19.

id=62380 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=62381 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2701. If it is sold at a profit of 25%, what is its selling price? | option_a=3376 | option_b=3646 | option_c=2726 | option_d=3106 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2701 × 125/100 = █3376.

id=62382 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=155 | option_c=150 | option_d=300 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=62383 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2866. If it is sold at a profit of 40%, what is its selling price? | option_a=2906 | option_b=4298 | option_c=3726 | option_d=4012 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2866 × 140/100 = █4012.

id=62384 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=40 | option_b=32 | option_c=46 | option_d=39 | answer=D | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.

id=62385 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:18 and the first is 90, what is the second? | option_a=108 | option_b=123 | option_c=90 | option_d=198 | answer=A | explanation=Scale factor = 90/15 = 6. Therefore second quantity = 18×6 = 108.

id=62386 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:20 and the first is 120, what is the second? | option_a=200 | option_b=320 | option_c=180 | option_d=212 | answer=A | explanation=Scale factor = 120/12 = 10. Therefore second quantity = 20×10 = 200.

id=62387 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=16 | option_b=20 | option_c=24 | option_d=21 | answer=B | explanation=The common difference is 4. Therefore the next term is 16 + 4 = 20.

id=62388 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2717. If it is sold at a profit of 20%, what is its selling price? | option_a=3260 | option_b=2989 | option_c=3531 | option_d=2737 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2717 × 120/100 = █3260.

id=62389 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:4 and the first is 55, what is the second? | option_a=49 | option_b=44 | option_c=40 | option_d=99 | answer=B | explanation=Scale factor = 55/5 = 11. Therefore second quantity = 4×11 = 44.

id=62390 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:4 and the first is 80, what is the second? | option_a=144 | option_b=69 | option_c=60 | option_d=64 | answer=D | explanation=Scale factor = 80/5 = 16. Therefore second quantity = 4×16 = 64.

id=62391 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=T | option_c=O | option_d=E | answer=C | explanation=Move 5 positions forward from J; the resulting letter is O.

id=62392 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32825 at 8% per annum for 2 years. | option_a=38077 | option_b=5252 | option_c=5152 | option_d=5352 | answer=B | explanation=SI = PRT/100 = 32825×8×2/100 = █5252.

id=62393 | topic=Percentages | difficulty=Easy | question=What is 40% of 153? | option_a=66 | option_b=61 | option_c=122 | option_d=56 | answer=B | explanation=40% of 153 = (40/100) × 153 = 61.

id=62394 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=62395 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=62396 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19897 at 12% per annum for 5 years. | option_a=31835 | option_b=11938 | option_c=11838 | option_d=12038 | answer=B | explanation=SI = PRT/100 = 19897×12×5/100 = █11938.

id=62397 | topic=Percentages | difficulty=Easy | question=What is 30% of 663? | option_a=198 | option_b=396 | option_c=203 | option_d=193 | answer=A | explanation=30% of 663 = (30/100) × 663 = 198.

id=62398 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=D | option_c=N | option_d=S | answer=C | explanation=Move 5 positions forward from I; the resulting letter is N.

id=62399 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=B | option_c=D | option_d=H | answer=A | explanation=Move 2 positions forward from D; the resulting letter is F.

id=62400 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=13 | option_b=10 | option_c=12 | option_d=14 | answer=C | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.

Aptitude Questions — Records 62,401-62,430 of 100,000

id=62401 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17702 at 10% per annum for 3 years. | option_a=5310 | option_b=5210 | option_c=23012 | option_d=5410 | answer=A | explanation=SI = PRT/100 = 17702×10×3/100 = **■**5310.

id=62402 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=105 | option_c=100 | option_d=95 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=62403 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=62404 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=37 | option_b=33 | option_c=34 | option_d=29 | answer=B | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=62405 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1684. If it is sold at a profit of 40%, what is its selling price? | option_a=1724 | option_b=2357 | option_c=2189 | option_d=2525 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1684 × 140/100 = **■**2357.

id=62406 | topic=Percentages | difficulty=Easy | question=What is 25% of 1510? | option_a=377 | option_b=754 | option_c=357 | option_d=397 | answer=A | explanation=25% of 1510 = (25/100) × 1510 = 377.

id=62407 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=N | option_b=M | option_c=O | option_d=L | answer=A | explanation=Move 1 positions forward from M; the resulting letter is N.

id=62408 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:7 and the first is 60, what is the second? | option_a=102 | option_b=42 | option_c=35 | option_d=52 | answer=B | explanation=Scale factor = 60/10 = 6. Therefore second quantity = 7×6 = 42.

id=62409 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:12 and the first is 280, what is the second? | option_a=448 | option_b=168 | option_c=188 | option_d=156 | answer=B | explanation=Scale factor = 280/20 = 14. Therefore second quantity = 12×14 = 168.

id=62410 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=F | option_c=J | option_d=L | answer=C | explanation=Move 2 positions forward from H; the resulting letter is J.

id=62411 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 12. | option_a=60 | option_b=48 | option_c=70 | option_d=120 | answer=A | explanation=LCM × HCF = 10×12; HCF(10,12) = 2, so LCM = 60.

id=62412 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=23 | option_d=36 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=62413 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:7 and the first is 11, what is the second? | option_a=70 | option_b=77 | option_c=88 | option_d=78 | answer=B | explanation=Scale factor = 11/1 = 11. Therefore second quantity = 7×11 = 77.

id=62414 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49264 at 5% per annum for 4 years. | option_a=9852 | option_b=9952 | option_c=9752 | option_d=59116 | answer=A | explanation=SI = PRT/100 = 49264×5×4/100 = **■**9852.

id=62415 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**419. If it is sold at a profit of 50%, what is its selling price? | option_a=628 | option_b=587 | option_c=469 | option_d=669 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 419 × 150/100 = **■**628.

id=62416 | topic=Percentages | difficulty=Easy | question=What is 50% of 578? | option_a=578 | option_b=289 | option_c=284 | option_d=294 | answer=B | explanation=50% of 578 = (50/100) × 578 = 289.

id=62417 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4298. If it is sold at a profit of 10%, what is its selling price? | option_a=4308 | option_b=4727 | option_c=5156 | option_d=4298 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4298 × 110/100 = **■**4727.

id=62418 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2196. If it is sold at a profit of 25%, what is its selling price? | option_a=2964 | option_b=2221 | option_c=2526 | option_d=2745 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2196 × 125/100 = **■**2745.

id=62419 | topic=Averages | difficulty=Easy | question=Find the average of 52, 81, 21, 92, 96, 33, 92, 69. | option_a=68 | option_b=67 | option_c=66 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 536 ÷ 8 = 67.

id=62420 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 27? | option_a=27 | option_b=22 | option_c=20 | option_d=24 | answer=A | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 27 is the odd one out.

id=62421 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2713. If it is sold at a profit of 25%, what is its selling price? | option_a=2738 | option_b=3120 | option_c=3391 | option_d=3662 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2713 × 125/100 = **■**3391.

id=62422 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 15, 22, 30? | option_a=15 | option_b=8 | option_c=22 | option_d=30 | answer=D | explanation=The first three numbers increase by 7, so the next should be 29. Therefore 30 is the odd one out.

id=62423 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=240 | option_c=115 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=62424 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=46 | option_b=66 | option_c=56 | option_d=57 | answer=C | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=62425 | topic=Averages | difficulty=Easy | question=Find the average of 12, 22, 29. | option_a=22 | option_b=20 | option_c=21 | option_d=23 | answer=C | explanation=Average = sum of values ÷ number of values = 63 ÷ 3 = 21.

id=62426 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=62427 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=42 | option_b=35 | option_c=36 | option_d=28 | answer=B | explanation=The common difference is 7. Therefore the next term is 28 + 7 = 35.

id=62428 | topic=Averages | difficulty=Easy | question=Find the average of 18, 20, 37, 67, 83. | option_a=46 | option_b=47 | option_c=44 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 225 ÷ 5 = 45.

id=62429 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=62430 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3017. If it is sold at a profit of 15%, what is its selling price? | option_a=3770 | option_b=3168 | option_c=3032 | option_d=3469 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3017 × 115/100 = **■**3469.

Aptitude Questions — Records 62,431-62,460 of 100,000

id=62431 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 28, 38, 48, ? | option_a=68 | option_b=58 | option_c=48 | option_d=59 | answer=B | explanation=The common difference is 10. Therefore the next term is 48 + 10 = 58.

id=62432 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 10, 13, 17? | option_a=7 | option_b=17 | option_c=13 | option_d=10 | answer=B | explanation=The first three numbers increase by 3, so the next should be 16. Therefore 17 is the odd one out.

id=62433 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2438. If it is sold at a profit of 15%, what is its selling price? | option_a=3046 | option_b=2803 | option_c=2560 | option_d=2453 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2438 × 115/100 = █2803.

id=62434 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 13. | option_a=13 | option_b=338 | option_c=26 | option_d=52 | answer=C | explanation=LCM × HCF = 26×13; HCF(26,13) = 13, so LCM = 26.

id=62435 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=23 | option_d=13 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=62436 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=23 | option_d=36 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=62437 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 16, 26, 39? | option_a=26 | option_b=16 | option_c=6 | option_d=39 | answer=D | explanation=The first three numbers increase by 10, so the next should be 36. Therefore 39 is the odd one out.

id=62438 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=80 | option_c=75 | option_d=160 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=62439 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=D | option_c=Z | option_d=B | answer=B | explanation=Move 2 positions forward from B; the resulting letter is D.

id=62440 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=36 | option_c=31 | option_d=72 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=62441 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=E | option_c=O | option_d=T | answer=C | explanation=Move 5 positions forward from J; the resulting letter is O.

id=62442 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:12 and the first is 56, what is the second? | option_a=140 | option_b=92 | option_c=72 | option_d=84 | answer=D | explanation=Scale factor = 56/8 = 7. Therefore second quantity = 12×7 = 84.

id=62443 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46698 at 4% per annum for 2 years. | option_a=50433 | option_b=3735 | option_c=3635 | option_d=3835 | answer=B | explanation=SI = PRT/100 = 46698×4×2/100 = █3735.

id=62444 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4959. If it is sold at a profit of 5%, what is its selling price? | option_a=5206 | option_b=4711 | option_c=4964 | option_d=5701 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4959 × 105/100 = █5206.

id=62445 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 29? | option_a=4 | option_b=12 | option_c=20 | option_d=29 | answer=D | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 29 is the odd one out.

id=62446 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=22 | option_b=24 | option_c=20 | option_d=23 | answer=A | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=62447 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30264 at 6% per annum for 4 years. | option_a=7363 | option_b=7263 | option_c=7163 | option_d=37527 | answer=B | explanation=SI = PRT/100 = 30264×6×4/100 = █7263.

id=62448 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=36 | option_b=30 | option_c=40 | option_d=35 | answer=D | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=62449 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=K | option_c=M | option_d=I | answer=C | explanation=Move 2 positions forward from K; the resulting letter is M.

id=62450 | topic=Averages | difficulty=Easy | question=Find the average of 10, 54, 23, 83, 25, 76, 58. | option_a=48 | option_b=47 | option_c=46 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 329 ÷ 7 = 47.

id=62451 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:9 and the first is 238, what is the second? | option_a=153 | option_b=167 | option_c=144 | option_d=391 | answer=A | explanation=Scale factor = 238/14 = 17. Therefore second quantity = 9×17 = 153.

id=62452 | topic=Averages | difficulty=Easy | question=Find the average of 48, 72, 22, 37, 97, 36, 17, 35, 74, 22. | option_a=45 | option_b=47 | option_c=48 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 460 ÷ 10 = 46.

id=62453 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=Z | option_c=B | option_d=C | answer=C | explanation=Move 1 positions forward from A; the resulting letter is B.

id=62454 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=45 | option_b=54 | option_c=46 | option_d=36 | answer=A | explanation=The common difference is 9. Therefore the next term is 36 + 9 = 45.

id=62455 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3127 at 4% per annum for 1 years. | option_a=3252 | option_b=25 | option_c=225 | option_d=125 | answer=D | explanation=SI = PRT/100 = 3127×4×1/100 = █125.

id=62456 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=Q | option_b=S | option_c=O | option_d=M | answer=A | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=62457 | topic=Percentages | difficulty=Easy | question=What is 12% of 1386? | option_a=332 | option_b=156 | option_c=166 | option_d=171 | answer=C | explanation=12% of 1386 = (12/100) × 1386 = 166.

id=62458 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 36? | option_a=14 | option_b=36 | option_c=4 | option_d=24 | answer=B | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 36 is the odd one out.

id=62459 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=62460 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2082. If it is sold at a profit of 5%, what is its selling price? | option_a=2186 | option_b=2394 | option_c=1978 | option_d=2087 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2082 × 105/100 = █2186.

Aptitude Questions — Records 62,461-62,490 of 100,000

id=62461 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=Q | option_c=M | option_d=Y | answer=A | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=62462 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=R | option_b=S | option_c=Q | option_d=P | answer=A | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=62463 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=16 | option_b=13 | option_c=17 | option_d=19 | answer=A | explanation=The common difference is 3. Therefore the next term is 13 + 3 = 16.

id=62464 | topic=Averages | difficulty=Easy | question=Find the average of 38, 31, 98, 49, 62, 47, 18. | option_a=51 | option_b=48 | option_c=50 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 343 ÷ 7 = 49.

id=62465 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 32, 40, 49? | option_a=49 | option_b=32 | option_c=40 | option_d=24 | answer=A | explanation=The first three numbers increase by 8, so the next should be 48. Therefore 49 is the odd one out.

id=62466 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:9 and the first is 85, what is the second? | option_a=130 | option_b=62 | option_c=45 | option_d=36 | answer=C | explanation=Scale factor = 85/17 = 5. Therefore second quantity = 9×5 = 45.

id=62467 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:14 and the first is 220, what is the second? | option_a=291 | option_b=500 | option_c=266 | option_d=280 | answer=D | explanation=Scale factor = 220/11 = 20. Therefore second quantity = 14×20 = 280.

id=62468 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 28, 38, 51? | option_a=28 | option_b=51 | option_c=18 | option_d=38 | answer=B | explanation=The first three numbers increase by 10, so the next should be 48. Therefore 51 is the odd one out.

id=62469 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=62470 | topic=Percentages | difficulty=Easy | question=What is 10% of 1492? | option_a=154 | option_b=149 | option_c=298 | option_d=139 | answer=B | explanation=10% of 1492 = (10/100) × 1492 = 149.

id=62471 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 28? | option_a=16 | option_b=22 | option_c=28 | option_d=19 | answer=C | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 28 is the odd one out.

id=62472 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:3 and the first is 21, what is the second? | option_a=6 | option_b=9 | option_c=30 | option_d=16 | answer=B | explanation=Scale factor = 21/7 = 3. Therefore second quantity = 3×3 = 9.

id=62473 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 31, 39, 49? | option_a=31 | option_b=49 | option_c=23 | option_d=39 | answer=B | explanation=The first three numbers increase by 8, so the next should be 47. Therefore 49 is the odd one out.

id=62474 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:10 and the first is 117, what is the second? | option_a=80 | option_b=90 | option_c=103 | option_d=207 | answer=B | explanation=Scale factor = 117/13 = 9. Therefore second quantity = 10×9 = 90.

id=62475 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=P | option_c=O | option_d=M | answer=C | explanation=Move 1 positions forward from N; the resulting letter is O.

id=62476 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=35 | option_b=32 | option_c=29 | option_d=33 | answer=B | explanation=The common difference is 3. Therefore the next term is 29 + 3 = 32.

id=62477 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=50 | option_b=58 | option_c=49 | option_d=40 | answer=C | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

id=62478 | topic=Percentages | difficulty=Easy | question=What is 10% of 1549? | option_a=154 | option_b=164 | option_c=149 | option_d=308 | answer=A | explanation=10% of 1549 = (10/100) × 1549 = 154.

id=62479 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 36, 45, 57? | option_a=36 | option_b=45 | option_c=27 | option_d=57 | answer=D | explanation=The first three numbers increase by 9, so the next should be 54. Therefore 57 is the odd one out.

id=62480 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37504 at 10% per annum for 1 years. | option_a=3750 | option_b=3850 | option_c=3650 | option_d=41254 | answer=A | explanation=SI = PRT/100 = 37504×10×1/100 = **■**3750.

id=62481 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**209. If it is sold at a profit of 5%, what is its selling price? | option_a=214 | option_b=199 | option_c=219 | option_d=239 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 209 × 105/100 = **■**219.

id=62482 | topic=Averages | difficulty=Easy | question=Find the average of 27, 56, 29, 83, 74, 93, 16. | option_a=55 | option_b=56 | option_c=54 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

id=62483 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 23? | option_a=16 | option_b=18 | option_c=23 | option_d=20 | answer=C | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 23 is the odd one out.

id=62484 | topic=Percentages | difficulty=Easy | question=What is 15% of 255? | option_a=43 | option_b=33 | option_c=76 | option_d=38 | answer=D | explanation=15% of 255 = (15/100) × 255 = 38.

id=62485 | topic=Percentages | difficulty=Easy | question=What is 10% of 992? | option_a=99 | option_b=79 | option_c=198 | option_d=119 | answer=A | explanation=10% of 992 = (10/100) × 992 = 99.

id=62486 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38769 at 5% per annum for 1 years. | option_a=1938 | option_b=1838 | option_c=40707 | option_d=2038 | answer=A | explanation=SI = PRT/100 = 38769×5×1/100 = **■**1938.

id=62487 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=T | option_c=P | option_d=V | answer=B | explanation=Move 2 positions forward from R; the resulting letter is T.

id=62488 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=Q | option_b=O | option_c=N | option_d=P | answer=D | explanation=Move 1 positions forward from O; the resulting letter is P.

id=62489 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=62490 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 18, 24, 30, ? | option_a=30 | option_b=42 | option_c=36 | option_d=37 | answer=C | explanation=The common difference is 6. Therefore the next term is 30 + 6 = 36.

Aptitude Questions — Records 62,491-62,520 of 100,000

- id=62491 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=56 | option_b=38 | option_c=48 | option_d=47 | answer=D | explanation=The common difference is 9. Therefore the next term is 38 + 9 = 47.
- id=62492 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.
- id=62493 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=12 | option_b=15 | option_c=18 | option_d=16 | answer=B | explanation=The common difference is 3. Therefore the next term is 12 + 3 = 15.
- id=62494 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:2 and the first is 98, what is the second? | option_a=14 | option_b=12 | option_c=112 | option_d=28 | answer=A | explanation=Scale factor = 98/14 = 7. Therefore second quantity = 2×7 = 14.
- id=62495 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 44? | option_a=23 | option_b=29 | option_c=35 | option_d=44 | answer=D | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 44 is the odd one out.
- id=62496 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1457. If it is sold at a profit of 20%, what is its selling price? | option_a=1477 | option_b=1893 | option_c=1603 | option_d=1748 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1457 × 120/100 = **■**1748.
- id=62497 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=J | option_b=B | option_c=F | option_d=X | answer=C | explanation=Move 4 positions forward from B; the resulting letter is F.
- id=62498 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=62499 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:1 and the first is 28, what is the second? | option_a=16 | option_b=1 | option_c=2 | option_d=30 | answer=C | explanation=Scale factor = 28/14 = 2. Therefore second quantity = 1×2 = 2.
- id=62500 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**900. If it is sold at a profit of 25%, what is its selling price? | option_a=1000 | option_b=825 | option_c=1080 | option_d=920 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 800 × 125/100 = **■**1000.
- id=62501 | topic=Averages | difficulty=Easy | question=Find the average of 52, 95, 63, 11, 76, 91, 70, 17, 88, 57. | option_a=64 | option_b=61 | option_c=63 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 620 ÷ 10 = 62.
- id=62502 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:3 and the first is 6, what is the second? | option_a=18 | option_b=15 | option_c=19 | option_d=24 | answer=A | explanation=Scale factor = 6/1 = 6. Therefore second quantity = 3×6 = 18.
- id=62503 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3035. If it is sold at a profit of 20%, what is its selling price? | option_a=3339 | option_b=3642 | option_c=3055 | option_d=3945 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3035 × 120/100 = **■**3642.
- id=62504 | topic=Averages | difficulty=Easy | question=Find the average of 42, 44, 90, 10, 39. | option_a=45 | option_b=46 | option_c=47 | option_d=44 | answer=A | explanation=Average = sum of values ÷ number of values = 225 ÷ 5 = 45.
- id=62505 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:17 and the first is 266, what is the second? | option_a=221 | option_b=238 | option_c=257 | option_d=504 | answer=B | explanation=Scale factor = 266/19 = 14. Therefore second quantity = 17×14 = 238.
- id=62506 | topic=Percentages | difficulty=Easy | question=What is 20% of 1999? | option_a=409 | option_b=394 | option_c=399 | option_d=798 | answer=C | explanation=20% of 1999 = (20/100) × 1999 = 399.
- id=62507 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1214. If it is sold at a profit of 30%, what is its selling price? | option_a=1699 | option_b=1578 | option_c=1457 | option_d=1244 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1214 × 130/100 = **■**1578.
- id=62508 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=11 | option_b=15 | option_c=14 | option_d=13 | answer=D | explanation=The common difference is 2. Therefore the next term is 11 + 2 = 13.
- id=62509 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32696 at 12% per annum for 5 years. | option_a=19617 | option_b=19717 | option_c=52313 | option_d=19517 | answer=A | explanation=SI = PRT/100 = 32696×12×5/100 = **■**19617.
- id=62510 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:4 and the first is 48, what is the second? | option_a=28 | option_b=64 | option_c=12 | option_d=16 | answer=D | explanation=Scale factor = 48/12 = 4. Therefore second quantity = 4×4 = 16.
- id=62511 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:4 and the first is 6, what is the second? | option_a=14 | option_b=11 | option_c=8 | option_d=4 | answer=C | explanation=Scale factor = 6/3 = 2. Therefore second quantity = 4×2 = 8.
- id=62512 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.
- id=62513 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30439 at 5% per annum for 3 years. | option_a=35004 | option_b=4565 | option_c=4665 | option_d=4465 | answer=B | explanation=SI = PRT/100 = 30439×5×3/100 = **■**4565.
- id=62514 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8050 at 5% per annum for 1 years. | option_a=502 | option_b=302 | option_c=402 | option_d=8452 | answer=C | explanation=SI = PRT/100 = 8050×5×1/100 = **■**402.
- id=62515 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39756 at 15% per annum for 4 years. | option_a=23953 | option_b=63609 | option_c=23853 | option_d=23753 | answer=C | explanation=SI = PRT/100 = 39756×15×4/100 = **■**23853.
- id=62516 | topic=Percentages | difficulty=Easy | question=What is 40% of 231? | option_a=92 | option_b=184 | option_c=97 | option_d=87 | answer=A | explanation=40% of 231 = (40/100) × 231 = 92.
- id=62517 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 32? | option_a=16 | option_b=26 | option_c=32 | option_d=21 | answer=C | explanation=The first three numbers increase by 5, so the next should be 31. Therefore 32 is the odd one out.
- id=62518 | topic=Averages | difficulty=Easy | question=Find the average of 75, 37, 69, 60, 63, 60, 42. | option_a=59 | option_b=57 | option_c=60 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 406 ÷ 7 = 58.
- id=62519 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=45 | option_c=35 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.
- id=62520 | topic=Percentages | difficulty=Easy | question=What is 5% of 729? | option_a=36 | option_b=72 | option_c=46 | option_d=16 | answer=A | explanation=5% of 729 = (5/100) × 729 = 36.

Aptitude Questions — Records 62,521-62,550 of 100,000

id=62521 | topic=Averages | difficulty=Easy | question=Find the average of 11, 72, 83, 26. | option_a=48 | option_b=47 | option_c=49 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 192 ÷ 4 = 48.

id=62522 | topic=Averages | difficulty=Easy | question=Find the average of 88, 91, 28, 22, 85, 88. | option_a=69 | option_b=67 | option_c=68 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 402 ÷ 6 = 67.

id=62523 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:7 and the first is 30, what is the second? | option_a=72 | option_b=47 | option_c=42 | option_d=35 | answer=C | explanation=Scale factor = 30/5 = 6. Therefore second quantity = 7×6 = 42.

id=62524 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=24 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=62525 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=36 | option_c=72 | option_d=31 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=62526 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■25312 at 10% per annum for 1 years. | option_a=27843 | option_b=2631 | option_c=2431 | option_d=2531 | answer=D | explanation=SI = PRT/100 = 25312×10×1/100 = ■2531.

id=62527 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■47045 at 12% per annum for 4 years. | option_a=22481 | option_b=22681 | option_c=22581 | option_d=69626 | answer=C | explanation=SI = PRT/100 = 47045×12×4/100 = ■22581.

id=62528 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 22? | option_a=11 | option_b=22 | option_c=7 | option_d=15 | answer=B | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 22 is the odd one out.

id=62529 | topic=Percentages | difficulty=Easy | question=What is 50% of 742? | option_a=742 | option_b=361 | option_c=371 | option_d=381 | answer=C | explanation=50% of 742 = (50/100) × 742 = 371.

id=62530 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=E | option_c=K | option_d=G | answer=A | explanation=Move 2 positions forward from G; the resulting letter is I.

id=62531 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=W | option_b=H | option_c=R | option_d=M | answer=C | explanation=Move 5 positions forward from M; the resulting letter is R.

id=62532 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:10 and the first is 30, what is the second? | option_a=180 | option_b=140 | option_c=150 | option_d=152 | answer=C | explanation=Scale factor = 30/2 = 15. Therefore second quantity = 10×15 = 150.

id=62533 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=4 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=62534 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=31 | option_b=30 | option_c=27 | option_d=33 | answer=B | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.

id=62535 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■31776 at 4% per annum for 4 years. | option_a=5184 | option_b=4984 | option_c=5084 | option_d=36860 | answer=C | explanation=SI = PRT/100 = 31776×4×4/100 = ■5084.

id=62536 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=62537 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 30, 38, 49? | option_a=49 | option_b=30 | option_c=22 | option_d=38 | answer=A | explanation=The first three numbers increase by 8, so the next should be 46. Therefore 49 is the odd one out.

id=62538 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:7 and the first is 44, what is the second? | option_a=72 | option_b=28 | option_c=39 | option_d=21 | answer=B | explanation=Scale factor = 44/11 = 4. Therefore second quantity = 7×4 = 28.

id=62539 | topic=Percentages | difficulty=Easy | question=What is 15% of 78? | option_a=11 | option_b=0 | option_c=22 | option_d=31 | answer=A | explanation=15% of 78 = (15/100) × 78 = 11.

id=62540 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=U | option_b=P | option_c=K | option_d=Z | answer=A | explanation=Move 5 positions forward from P; the resulting letter is U.

id=62541 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 27. | option_a=60 | option_b=27 | option_c=162 | option_d=54 | answer=D | explanation=LCM × HCF = 6×27; HCF(6,27) = 3, so LCM = 54.

id=62542 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=52 | option_b=51 | option_c=62 | option_d=40 | answer=B | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=62543 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 25? | option_a=18 | option_b=15 | option_c=21 | option_d=25 | answer=D | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 25 is the odd one out.

id=62544 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:20 and the first is 143, what is the second? | option_a=363 | option_b=200 | option_c=233 | option_d=220 | answer=D | explanation=Scale factor = 143/13 = 11. Therefore second quantity = 20×11 = 220.

id=62545 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=24 | option_b=22 | option_c=25 | option_d=26 | answer=A | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.

id=62546 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 38, 46, 57? | option_a=57 | option_b=30 | option_c=38 | option_d=46 | answer=A | explanation=The first three numbers increase by 8, so the next should be 54. Therefore 57 is the odd one out.

id=62547 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=66 | option_b=54 | option_c=55 | option_d=42 | answer=B | explanation=The common difference is 12. Therefore the next term is 42 + 12 = 54.

id=62548 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3372. If it is sold at a profit of 30%, what is its selling price? | option_a=4720 | option_b=3402 | option_c=4383 | option_d=4046 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3372 × 130/100 = ■4383.

id=62549 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■48776 at 4% per annum for 3 years. | option_a=5753 | option_b=5853 | option_c=5953 | option_d=54629 | answer=B | explanation=SI = PRT/100 = 48776×4×3/100 = ■5853.

id=62550 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 42? | option_a=32 | option_b=25 | option_c=42 | option_d=18 | answer=C | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 42 is the odd one out.

Aptitude Questions — Records 62,551-62,580 of 100,000

id=62551 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=W | option_c=M | option_d=B | answer=B | explanation=Move 5 positions forward from R; the resulting letter is W.

id=62552 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=W | option_b=M | option_c=R | option_d=B | answer=A | explanation=Move 5 positions forward from R; the resulting letter is W.

id=62553 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=30 | option_b=35 | option_c=23 | option_d=29 | answer=D | explanation=The common difference is 6. Therefore the next term is 23 + 6 = 29.

id=62554 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:1 and the first is 8, what is the second? | option_a=12 | option_b=6 | option_c=4 | option_d=3 | answer=C | explanation=Scale factor = 8/2 = 4. Therefore second quantity = 1×4 = 4.

id=62555 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=62556 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1682. If it is sold at a profit of 15%, what is its selling price? | option_a=1934 | option_b=1697 | option_c=2102 | option_d=1766 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1682 × 115/100 = █1934.

id=62557 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:2 and the first is 48, what is the second? | option_a=54 | option_b=4 | option_c=22 | option_d=6 | answer=D | explanation=Scale factor = 48/16 = 3. Therefore second quantity = 2×3 = 6.

id=62558 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=26 | option_b=25 | option_c=24 | option_d=22 | answer=C | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.

id=62559 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5668 at 5% per annum for 2 years. | option_a=666 | option_b=6234 | option_c=466 | option_d=566 | answer=D | explanation=SI = PRT/100 = 5668×5×2/100 = █566.

id=62560 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 20, 28, 37? | option_a=37 | option_b=12 | option_c=28 | option_d=20 | answer=A | explanation=The first three numbers increase by 8, so the next should be 36. Therefore 37 is the odd one out.

id=62561 | topic=Averages | difficulty=Easy | question=Find the average of 59, 70, 35, 69, 99, 100, 37. | option_a=69 | option_b=67 | option_c=68 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 469 ÷ 7 = 67.

id=62562 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3725. If it is sold at a profit of 5%, what is its selling price? | option_a=4283 | option_b=3730 | option_c=3911 | option_d=3539 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3725 × 105/100 = █3911.

id=62563 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2025. If it is sold at a profit of 10%, what is its selling price? | option_a=2429 | option_b=2227 | option_c=2025 | option_d=2035 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2025 × 110/100 = █2227.

id=62564 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:1 and the first is 324, what is the second? | option_a=36 | option_b=342 | option_c=17 | option_d=18 | answer=D | explanation=Scale factor = 324/18 = 18. Therefore second quantity = 1×18 = 18.

id=62565 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=44 | option_b=37 | option_c=49 | option_d=43 | answer=D | explanation=The common difference is 6. Therefore the next term is 37 + 6 = 43.

id=62566 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:15 and the first is 4, what is the second? | option_a=32 | option_b=30 | option_c=34 | option_d=15 | answer=B | explanation=Scale factor = 4/2 = 2. Therefore second quantity = 15×2 = 30.

id=62567 | topic=Averages | difficulty=Easy | question=Find the average of 26, 81, 58, 97, 63. | option_a=64 | option_b=67 | option_c=66 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 325 ÷ 5 = 65.

id=62568 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30360 at 12% per annum for 4 years. | option_a=14572 | option_b=14672 | option_c=14472 | option_d=44932 | answer=A | explanation=SI = PRT/100 = 30360×12×4/100 = █14572.

id=62569 | topic=Percentages | difficulty=Easy | question=What is 40% of 955? | option_a=382 | option_b=402 | option_c=362 | option_d=764 | answer=A | explanation=40% of 955 = (40/100) × 955 = 382.

id=62570 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 24. | option_a=24 | option_b=1 | option_c=48 | option_d=26 | answer=A | explanation=LCM × HCF = 2×24; HCF(2,24) = 2, so LCM = 24.

id=62571 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 41? | option_a=34 | option_b=22 | option_c=28 | option_d=41 | answer=D | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 41 is the odd one out.

id=62572 | topic=Profit & Loss | difficulty=Easy | question=An article costs █547. If it is sold at a profit of 30%, what is its selling price? | option_a=765 | option_b=577 | option_c=657 | option_d=711 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 547 × 130/100 = █711.

id=62573 | topic=Percentages | difficulty=Easy | question=What is 20% of 81? | option_a=32 | option_b=16 | option_c=0 | option_d=26 | answer=B | explanation=20% of 81 = (20/100) × 81 = 16.

id=62574 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Y | option_b=C | option_c=Q | option_d=U | answer=A | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=62575 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:13 and the first is 120, what is the second? | option_a=266 | option_b=380 | option_c=260 | option_d=247 | answer=C | explanation=Scale factor = 120/6 = 20. Therefore second quantity = 13×20 = 260.

id=62576 | topic=Percentages | difficulty=Easy | question=What is 15% of 1537? | option_a=460 | option_b=250 | option_c=230 | option_d=220 | answer=C | explanation=15% of 1537 = (15/100) × 1537 = 230.

id=62577 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:8 and the first is 30, what is the second? | option_a=72 | option_b=80 | option_c=110 | option_d=83 | answer=B | explanation=Scale factor = 30/3 = 10. Therefore second quantity = 8×10 = 80.

id=62578 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1421. If it is sold at a profit of 5%, what is its selling price? | option_a=1492 | option_b=1634 | option_c=1426 | option_d=1350 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1421 × 105/100 = █1492.

id=62579 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9803 at 5% per annum for 3 years. | option_a=11273 | option_b=1370 | option_c=1570 | option_d=1470 | answer=D | explanation=SI = PRT/100 = 9803×5×3/100 = █1470.

id=62580 | topic=Percentages | difficulty=Easy | question=What is 50% of 1598? | option_a=819 | option_b=799 | option_c=1598 | option_d=779 | answer=B | explanation=50% of 1598 = (50/100) × 1598 = 799.

Aptitude Questions — Records 62,581-62,610 of 100,000

id=62581 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:8 and the first is 64, what is the second? | option_a=24 | option_b=48 | option_c=32 | option_d=96 | answer=C | explanation=Scale factor = 64/16 = 4. Therefore second quantity = 8×4 = 32.

id=62582 | topic=Number System | difficulty=Easy | question=Find the LCM of 13 and 26. | option_a=39 | option_b=1 | option_c=26 | option_d=338 | answer=C | explanation=LCM × HCF = 13×26; HCF(13,26) = 13, so LCM = 26.

id=62583 | topic=Averages | difficulty=Easy | question=Find the average of 87, 95, 85, 62, 65, 50, 14, 54. | option_a=63 | option_b=66 | option_c=65 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 512 ÷ 8 = 64.

id=62584 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=62585 | topic=Averages | difficulty=Easy | question=Find the average of 51, 66, 16, 29, 47, 37, 90. | option_a=50 | option_b=48 | option_c=49 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 336 ÷ 7 = 48.

id=62586 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=63 | option_b=52 | option_c=74 | option_d=64 | answer=A | explanation=The common difference is 11. Therefore the next term is 52 + 11 = 63.

id=62587 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=62588 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=62589 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22743 at 5% per annum for 1 years. | option_a=1037 | option_b=1237 | option_c=23880 | option_d=1137 | answer=D | explanation=SI = PRT/100 = 22743×5×1/100 = **■**1137.

id=62590 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=12 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=62591 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 25, 35, 48? | option_a=35 | option_b=25 | option_c=15 | option_d=48 | answer=D | explanation=The first three numbers increase by 10, so the next should be 45. Therefore 48 is the odd one out.

id=62592 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 39, 48, 59? | option_a=48 | option_b=30 | option_c=59 | option_d=39 | answer=C | explanation=The first three numbers increase by 9, so the next should be 57. Therefore 59 is the odd one out.

id=62593 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 26, 28, 32? | option_a=28 | option_b=24 | option_c=32 | option_d=26 | answer=C | explanation=The first three numbers increase by 2, so the next should be 30. Therefore 32 is the odd one out.

id=62594 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=G | option_b=J | option_c=A | option_d=D | answer=A | explanation=Move 3 positions forward from D; the resulting letter is G.

id=62595 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:15 and the first is 70, what is the second? | option_a=60 | option_b=89 | option_c=145 | option_d=75 | answer=D | explanation=Scale factor = 70/14 = 5. Therefore second quantity = 15×5 = 75.

id=62596 | topic=Averages | difficulty=Easy | question=Find the average of 50, 86, 27, 57, 69, 46, 21, 28. | option_a=49 | option_b=47 | option_c=50 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = 384 ÷ 8 = 48.

id=62597 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=W | option_b=R | option_c=B | option_d=M | answer=A | explanation=Move 5 positions forward from R; the resulting letter is W.

id=62598 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34819 at 8% per annum for 5 years. | option_a=48746 | option_b=13827 | option_c=14027 | option_d=13927 | answer=D | explanation=SI = PRT/100 = 34819×8×5/100 = **■**13927.

id=62599 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=62600 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=48 | option_b=40 | option_c=41 | option_d=32 | answer=B | explanation=The common difference is 8. Therefore the next term is 32 + 8 = 40.

id=62601 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1815. If it is sold at a profit of 50%, what is its selling price? | option_a=2541 | option_b=2903 | option_c=1865 | option_d=2722 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1815 × 150/100 = **■**2722.

id=62602 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**673. If it is sold at a profit of 50%, what is its selling price? | option_a=1076 | option_b=723 | option_c=942 | option_d=1009 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 673 × 150/100 = **■**1009.

id=62603 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 25, 31, 38? | option_a=19 | option_b=25 | option_c=38 | option_d=31 | answer=C | explanation=The first three numbers increase by 6, so the next should be 37. Therefore 38 is the odd one out.

id=62604 | topic=Averages | difficulty=Easy | question=Find the average of 48, 65, 53, 50. | option_a=56 | option_b=54 | option_c=53 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 216 ÷ 4 = 54.

id=62605 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15384 at 6% per annum for 1 years. | option_a=823 | option_b=1023 | option_c=923 | option_d=16307 | answer=C | explanation=SI = PRT/100 = 15384×6×1/100 = **■**923.

id=62606 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4733. If it is sold at a profit of 5%, what is its selling price? | option_a=4969 | option_b=4738 | option_c=4496 | option_d=5442 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4733 × 105/100 = **■**4969.

id=62607 | topic=Percentages | difficulty=Easy | question=What is 5% of 519? | option_a=25 | option_b=50 | option_c=20 | option_d=35 | answer=A | explanation=5% of 519 = (5/100) × 519 = 25.

id=62608 | topic=Percentages | difficulty=Easy | question=What is 20% of 1312? | option_a=282 | option_b=524 | option_c=257 | option_d=262 | answer=D | explanation=20% of 1312 = (20/100) × 1312 = 262.

id=62609 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1262. If it is sold at a profit of 20%, what is its selling price? | option_a=1388 | option_b=1640 | option_c=1282 | option_d=1514 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1262 × 120/100 = **■**1514.

id=62610 | topic=Averages | difficulty=Easy | question=Find the average of 16, 51, 75, 70. | option_a=53 | option_b=52 | option_c=54 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 212 ÷ 4 = 53.

Aptitude Questions — Records 62,611-62,640 of 100,000

id=62611 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=R | option_c=V | option_d=J | answer=B | explanation=Move 4 positions forward from N; the resulting letter is R.

id=62612 | topic=Percentages | difficulty=Easy | question=What is 25% of 439? | option_a=104 | option_b=129 | option_c=109 | option_d=218 | answer=C | explanation=25% of 439 = (25/100) × 439 = 109.

id=62613 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=62614 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 30. | option_a=448 | option_b=840 | option_c=390 | option_d=420 | answer=D | explanation=LCM × HCF = 28×30; HCF(28,30) = 2, so LCM = 420.

id=62615 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:18 and the first is 154, what is the second? | option_a=352 | option_b=212 | option_c=180 | option_d=198 | answer=D | explanation=Scale factor = 154/14 = 11. Therefore second quantity = 18×11 = 198.

id=62616 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 26, 29, 34? | option_a=29 | option_b=23 | option_c=34 | option_d=26 | answer=C | explanation=The first three numbers increase by 3, so the next should be 32. Therefore 34 is the odd one out.

id=62617 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=D | option_c=E | option_d=B | answer=B | explanation=Move 1 positions forward from C; the resulting letter is D.

id=62618 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=J | option_b=Y | option_c=O | option_d=T | answer=D | explanation=Move 5 positions forward from O; the resulting letter is T.

id=62619 | topic=Percentages | difficulty=Easy | question=What is 15% of 1729? | option_a=259 | option_b=254 | option_c=269 | option_d=518 | answer=A | explanation=15% of 1729 = (15/100) × 1729 = 259.

id=62620 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=52 | option_b=34 | option_c=44 | option_d=43 | answer=D | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

id=62621 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■23338 at 5% per annum for 2 years. | option_a=2433 | option_b=2333 | option_c=25671 | option_d=2233 | answer=B | explanation=SI = PRT/100 = 23338×5×2/100 = ■2333.

id=62622 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=1 | option_c=12 | option_d=11 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=62623 | topic=Averages | difficulty=Easy | question=Find the average of 50, 79, 38, 62, 30, 20, 10, 15. | option_a=39 | option_b=40 | option_c=38 | option_d=37 | answer=C | explanation=Average = sum of values ÷ number of values = 304 ÷ 8 = 38.

id=62624 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=R | option_b=L | option_c=I | option_d=O | answer=D | explanation=Move 3 positions forward from L; the resulting letter is O.

id=62625 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■383. If it is sold at a profit of 10%, what is its selling price? | option_a=459 | option_b=421 | option_c=383 | option_d=393 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 383 × 110/100 = ■421.

id=62626 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:12 and the first is 6, what is the second? | option_a=38 | option_b=42 | option_c=36 | option_d=24 | answer=C | explanation=Scale factor = 6/2 = 3. Therefore second quantity = 12×3 = 36.

id=62627 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■27918 at 8% per annum for 4 years. | option_a=8933 | option_b=8833 | option_c=9033 | option_d=36851 | answer=A | explanation=SI = PRT/100 = 27918×8×4/100 = ■8933.

id=62628 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■33525 at 10% per annum for 2 years. | option_a=6605 | option_b=6805 | option_c=40230 | option_d=6705 | answer=D | explanation=SI = PRT/100 = 33525×10×2/100 = ■6705.

id=62629 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=60 | option_b=51 | option_c=52 | option_d=42 | answer=B | explanation=The common difference is 9. Therefore the next term is 42 + 9 = 51.

id=62630 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■804. If it is sold at a profit of 50%, what is its selling price? | option_a=854 | option_b=1286 | option_c=1126 | option_d=1206 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 804 × 150/100 = ■1206.

id=62631 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3173. If it is sold at a profit of 25%, what is its selling price? | option_a=3198 | option_b=4283 | option_c=3649 | option_d=3966 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3173 × 125/100 = ■3966.

id=62632 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:12 and the first is 168, what is the second? | option_a=312 | option_b=158 | option_c=144 | option_d=132 | answer=C | explanation=Scale factor = 168/14 = 12. Therefore second quantity = 12×12 = 144.

id=62633 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3003. If it is sold at a profit of 30%, what is its selling price? | option_a=3033 | option_b=3603 | option_c=4203 | option_d=3903 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3003 × 130/100 = ■3903.

id=62634 | topic=Averages | difficulty=Easy | question=Find the average of 35, 92, 53, 96, 77, 31. | option_a=64 | option_b=65 | option_c=63 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 384 ÷ 6 = 64.

id=62635 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=62636 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=W | option_b=G | option_c=L | option_d=B | answer=B | explanation=Move 5 positions forward from B; the resulting letter is G.

id=62637 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=61 | option_b=50 | option_c=60 | option_d=70 | answer=C | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

id=62638 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=9 | option_c=14 | option_d=4 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=62639 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:5 and the first is 256, what is the second? | option_a=96 | option_b=75 | option_c=336 | option_d=80 | answer=D | explanation=Scale factor = 256/16 = 16. Therefore second quantity = 5×16 = 80.

id=62640 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=23 | option_c=36 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

Aptitude Questions — Records 62,641-62,670 of 100,000

id=62641 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1481. If it is sold at a profit of 40%, what is its selling price? | option_a=1521 | option_b=1925 | option_c=2221 | option_d=2073 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1481 \times 140/100 = \text{█}2073$.

id=62642 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2028. If it is sold at a profit of 40%, what is its selling price? | option_a=3041 | option_b=2637 | option_c=2839 | option_d=2068 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2028 \times 140/100 = \text{█}2839$.

id=62643 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = $360 \div 6 = 60$ km/h.

id=62644 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3221. If it is sold at a profit of 40%, what is its selling price? | option_a=4509 | option_b=4831 | option_c=4187 | option_d=3261 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3221 \times 140/100 = \text{█}4509$.

id=62645 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4010. If it is sold at a profit of 30%, what is its selling price? | option_a=4812 | option_b=5213 | option_c=5614 | option_d=4040 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4010 \times 130/100 = \text{█}5213$.

id=62646 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 17, 29, 41, ? | option_a=65 | option_b=53 | option_c=54 | option_d=41 | answer=B | explanation=The common difference is 12. Therefore the next term is $41 + 12 = 53$.

id=62647 | topic=Percentages | difficulty=Easy | question=What is 12% of 808? | option_a=101 | option_b=96 | option_c=86 | option_d=192 | answer=B | explanation=12% of 808 = $(12/100) \times 808 = 96$.

id=62648 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=55 | option_b=46 | option_c=37 | option_d=47 | answer=B | explanation=The common difference is 9. Therefore the next term is $37 + 9 = 46$.

id=62649 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:16 and the first is 24, what is the second? | option_a=100 | option_b=80 | option_c=120 | option_d=96 | answer=D | explanation=Scale factor = $24/4 = 6$. Therefore second quantity = $16 \times 6 = 96$.

id=62650 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29721 at 5% per annum for 4 years. | option_a=6044 | option_b=5944 | option_c=35665 | option_d=5844 | answer=B | explanation=SI = $PRT/100 = 29721 \times 5 \times 4/100 = \text{█}5944$.

id=62651 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 22. | option_a=240 | option_b=220 | option_c=198 | option_d=440 | answer=B | explanation= $LCM \times HCF = 20 \times 22$; $HCF(20,22) = 2$, so LCM = 220.

id=62652 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 10, 15, 20, ? | option_a=30 | option_b=25 | option_c=20 | option_d=26 | answer=B | explanation=The common difference is 5. Therefore the next term is $20 + 5 = 25$.

id=62653 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=22 | option_b=24 | option_c=26 | option_d=25 | answer=B | explanation=The common difference is 2. Therefore the next term is $22 + 2 = 24$.

id=62654 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 45? | option_a=18 | option_b=26 | option_c=34 | option_d=45 | answer=D | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 45 is the odd one out.

id=62655 | topic=Averages | difficulty=Easy | question=Find the average of 37, 58, 75, 43, 71, 52, 58, 91, 64. | option_a=63 | option_b=61 | option_c=62 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = $549 \div 9 = 61$.

id=62656 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=62657 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=7 | option_c=12 | option_d=24 | answer=C | explanation=Speed = distance ÷ time = $120 \div 10 = 12$ km/h.

id=62658 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4364. If it is sold at a profit of 40%, what is its selling price? | option_a=6545 | option_b=5673 | option_c=4404 | option_d=6109 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4364 \times 140/100 = \text{█}6109$.

id=62659 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:17 and the first is 165, what is the second? | option_a=255 | option_b=266 | option_c=420 | option_d=238 | answer=A | explanation=Scale factor = $165/11 = 15$. Therefore second quantity = $17 \times 15 = 255$.

id=62660 | topic=Averages | difficulty=Easy | question=Find the average of 100, 40, 82, 74, 67, 12, 23, 22, 57. | option_a=55 | option_b=53 | option_c=52 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = $477 \div 9 = 53$.

id=62661 | topic=Percentages | difficulty=Easy | question=What is 20% of 1339? | option_a=534 | option_b=267 | option_c=272 | option_d=262 | answer=B | explanation=20% of 1339 = $(20/100) \times 1339 = 267$.

id=62662 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:15 and the first is 28, what is the second? | option_a=30 | option_b=58 | option_c=15 | option_d=44 | answer=A | explanation=Scale factor = $28/14 = 2$. Therefore second quantity = $15 \times 2 = 30$.

id=62663 | topic=Averages | difficulty=Easy | question=Find the average of 19, 79, 39, 63, 59, 18, 17. | option_a=42 | option_b=43 | option_c=41 | option_d=44 | answer=A | explanation=Average = sum of values ÷ number of values = $294 \div 7 = 42$.

id=62664 | topic=Percentages | difficulty=Easy | question=What is 50% of 658? | option_a=334 | option_b=329 | option_c=319 | option_d=658 | answer=B | explanation=50% of 658 = $(50/100) \times 658 = 329$.

id=62665 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $150 \div 5 = 30$ km/h.

id=62666 | topic=Percentages | difficulty=Easy | question=What is 50% of 168? | option_a=64 | option_b=84 | option_c=168 | option_d=89 | answer=B | explanation=50% of 168 = $(50/100) \times 168 = 84$.

id=62667 | topic=Profit & Loss | difficulty=Easy | question=An article costs █585. If it is sold at a profit of 5%, what is its selling price? | option_a=556 | option_b=672 | option_c=614 | option_d=590 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 585 \times 105/100 = \text{█}614$.

id=62668 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=M | option_c=L | option_d=N | answer=D | explanation=Move 1 positions forward from M; the resulting letter is N.

id=62669 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=62670 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=40 | option_b=62 | option_c=51 | option_d=52 | answer=C | explanation=The common difference is 11. Therefore the next term is $40 + 11 = 51$.

Aptitude Questions — Records 62,671-62,700 of 100,000

id=62671 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=62672 | topic=Percentages | difficulty=Easy | question=What is 12% of 354? | option_a=42 | option_b=32 | option_c=62 | option_d=84 | answer=A | explanation=12% of 354 = (12/100) × 354 = 42.

id=62673 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24348 at 6% per annum for 1 years. | option_a=25808 | option_b=1560 | option_c=1360 | option_d=1460 | answer=D | explanation=SI = PRT/100 = 24348×6×1/100 = █1460.

id=62674 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=H | option_b=B | option_c=E | option_d=K | answer=A | explanation=Move 3 positions forward from E; the resulting letter is H.

id=62675 | topic=Averages | difficulty=Easy | question=Find the average of 49, 32, 53, 44, 55, 63, 75. | option_a=55 | option_b=54 | option_c=53 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 371 ÷ 7 = 53.

id=62676 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=W | option_c=G | option_d=L | answer=C | explanation=Move 5 positions forward from B; the resulting letter is G.

id=62677 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:10 and the first is 114, what is the second? | option_a=304 | option_b=196 | option_c=190 | option_d=180 | answer=C | explanation=Scale factor = 114/6 = 19. Therefore second quantity = 10×19 = 190.

id=62678 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2053. If it is sold at a profit of 40%, what is its selling price? | option_a=2093 | option_b=3079 | option_c=2669 | option_d=2874 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2053 × 140/100 = █2874.

id=62679 | topic=Percentages | difficulty=Easy | question=What is 50% of 1443? | option_a=701 | option_b=741 | option_c=721 | option_d=1442 | answer=C | explanation=50% of 1443 = (50/100) × 1443 = 721.

id=62680 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4802. If it is sold at a profit of 5%, what is its selling price? | option_a=4807 | option_b=5042 | option_c=5522 | option_d=4562 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4802 × 105/100 = █5042.

id=62681 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 34, 41, 51? | option_a=27 | option_b=34 | option_c=51 | option_d=41 | answer=C | explanation=The first three numbers increase by 7, so the next should be 48. Therefore 51 is the odd one out.

id=62682 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 31, 43, 55, ? | option_a=79 | option_b=67 | option_c=55 | option_d=68 | answer=B | explanation=The common difference is 12. Therefore the next term is 55 + 12 = 67.

id=62683 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:6 and the first is 360, what is the second? | option_a=138 | option_b=120 | option_c=480 | option_d=114 | answer=B | explanation=Scale factor = 360/18 = 20. Therefore second quantity = 6×20 = 120.

id=62684 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=W | option_b=T | option_c=Q | option_d=Z | answer=A | explanation=Move 3 positions forward from T; the resulting letter is W.

id=62685 | topic=Averages | difficulty=Easy | question=Find the average of 79, 30, 68, 58, 95, 97, 71, 84, 64, 34. | option_a=69 | option_b=70 | option_c=68 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 680 ÷ 10 = 68.

id=62686 | topic=Percentages | difficulty=Easy | question=What is 30% of 1436? | option_a=450 | option_b=425 | option_c=430 | option_d=860 | answer=C | explanation=30% of 1436 = (30/100) × 1436 = 430.

id=62687 | topic=Averages | difficulty=Easy | question=Find the average of 29, 59, 66, 12, 68, 64, 84, 58, 100. | option_a=60 | option_b=62 | option_c=59 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 540 ÷ 9 = 60.

id=62688 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3851. If it is sold at a profit of 40%, what is its selling price? | option_a=5776 | option_b=3891 | option_c=5006 | option_d=5391 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3851 × 140/100 = █5391.

id=62689 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=16 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=62690 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:15 and the first is 153, what is the second? | option_a=152 | option_b=120 | option_c=288 | option_d=135 | answer=D | explanation=Scale factor = 153/17 = 9. Therefore second quantity = 15×9 = 135.

id=62691 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 43? | option_a=34 | option_b=20 | option_c=43 | option_d=27 | answer=C | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 43 is the odd one out.

id=62692 | topic=Percentages | difficulty=Easy | question=What is 25% of 190? | option_a=27 | option_b=52 | option_c=94 | option_d=47 | answer=D | explanation=25% of 190 = (25/100) × 190 = 47.

id=62693 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=E | option_b=I | option_c=Q | option_d=M | answer=D | explanation=Move 4 positions forward from I; the resulting letter is M.

id=62694 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=62695 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:17 and the first is 75, what is the second? | option_a=100 | option_b=68 | option_c=160 | option_d=85 | answer=D | explanation=Scale factor = 75/15 = 5. Therefore second quantity = 17×5 = 85.

id=62696 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=E | option_c=K | option_d=N | answer=C | explanation=Move 3 positions forward from H; the resulting letter is K.

id=62697 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:19 and the first is 252, what is the second? | option_a=594 | option_b=342 | option_c=356 | option_d=323 | answer=B | explanation=Scale factor = 252/14 = 18. Therefore second quantity = 19×18 = 342.

id=62698 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=62699 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 44? | option_a=19 | option_b=27 | option_c=44 | option_d=35 | answer=C | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 44 is the odd one out.

id=62700 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=57 | option_b=58 | option_c=67 | option_d=47 | answer=A | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

Aptitude Questions — Records 62,701-62,730 of 100,000

id=62701 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=62702 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32430 at 5% per annum for 4 years. | option_a=6586 | option_b=6386 | option_c=38916 | option_d=6486 | answer=D | explanation=SI = PRT/100 = 32430×5×4/100 = **■**6486.

id=62703 | topic=Averages | difficulty=Easy | question=Find the average of 92, 50, 72, 14, 72, 100, 100, 64, 56, 60. | option_a=68 | option_b=67 | option_c=70 | option_d=69 | answer=A | explanation=Average = sum of values ÷ number of values = 680 ÷ 10 = 68.

id=62704 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**234. If it is sold at a profit of 10%, what is its selling price? | option_a=257 | option_b=234 | option_c=280 | option_d=244 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 234 × 110/100 = **■**257.

id=62705 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 36? | option_a=25 | option_b=36 | option_c=29 | option_d=21 | answer=B | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 36 is the odd one out.

id=62706 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=66 | option_b=46 | option_c=57 | option_d=56 | answer=D | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=62707 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=29 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=62708 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=59 | option_b=71 | option_c=60 | option_d=47 | answer=A | explanation=The common difference is 12. Therefore the next term is 47 + 12 = 59.

id=62709 | topic=Number System | difficulty=Easy | question=Find the LCM of 19 and 19. | option_a=19 | option_b=38 | option_c=1 | option_d=361 | answer=A | explanation=LCM × HCF = 19×19; HCF(19,19) = 19, so LCM = 19.

id=62710 | topic=Averages | difficulty=Easy | question=Find the average of 18, 79, 71. | option_a=58 | option_b=57 | option_c=56 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 168 ÷ 3 = 56.

id=62711 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=240 | option_d=115 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=62712 | topic=Averages | difficulty=Easy | question=Find the average of 24, 50, 56, 34. | option_a=41 | option_b=43 | option_c=42 | option_d=40 | answer=A | explanation=Average = sum of values ÷ number of values = 164 ÷ 4 = 41.

id=62713 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:4 and the first is 196, what is the second? | option_a=56 | option_b=70 | option_c=52 | option_d=252 | answer=A | explanation=Scale factor = 196/14 = 14. Therefore second quantity = 4×14 = 56.

id=62714 | topic=Percentages | difficulty=Easy | question=What is 5% of 128? | option_a=11 | option_b=12 | option_c=0 | option_d=6 | answer=D | explanation=5% of 128 = (5/100) × 128 = 6.

id=62715 | topic=Percentages | difficulty=Easy | question=What is 25% of 243? | option_a=80 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=25% of 243 = (25/100) × 243 = 60.

id=62716 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 18, 24, 30, ? | option_a=42 | option_b=30 | option_c=37 | option_d=36 | answer=D | explanation=The common difference is 6. Therefore the next term is 30 + 6 = 36.

id=62717 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=32 | option_b=28 | option_c=36 | option_d=33 | answer=A | explanation=The common difference is 4. Therefore the next term is 28 + 4 = 32.

id=62718 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13289 at 5% per annum for 5 years. | option_a=3222 | option_b=3322 | option_c=16611 | option_d=3422 | answer=B | explanation=SI = PRT/100 = 13289×5×5/100 = **■**3322.

id=62719 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 11, 14, 19? | option_a=8 | option_b=14 | option_c=19 | option_d=11 | answer=C | explanation=The first three numbers increase by 3, so the next should be 17. Therefore 19 is the odd one out.

id=62720 | topic=Averages | difficulty=Easy | question=Find the average of 11, 70, 69. | option_a=52 | option_b=51 | option_c=50 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 150 ÷ 3 = 50.

id=62721 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=27 | option_b=23 | option_c=22 | option_d=17 | answer=C | explanation=The common difference is 5. Therefore the next term is 17 + 5 = 22.

id=62722 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24238 at 8% per annum for 5 years. | option_a=9695 | option_b=9595 | option_c=33933 | option_d=9795 | answer=A | explanation=SI = PRT/100 = 24238×8×5/100 = **■**9695.

id=62723 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20400 at 12% per annum for 1 years. | option_a=2348 | option_b=2548 | option_c=22848 | option_d=2448 | answer=D | explanation=SI = PRT/100 = 20400×12×1/100 = **■**2448.

id=62724 | topic=Percentages | difficulty=Easy | question=What is 40% of 340? | option_a=136 | option_b=126 | option_c=141 | option_d=272 | answer=A | explanation=40% of 340 = (40/100) × 340 = 136.

id=62725 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=62726 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:18 and the first is 100, what is the second? | option_a=162 | option_b=180 | option_c=190 | option_d=280 | answer=B | explanation=Scale factor = 100/10 = 10. Therefore second quantity = 18×10 = 180.

id=62727 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 30, 38, 47? | option_a=47 | option_b=30 | option_c=38 | option_d=22 | answer=A | explanation=The first three numbers increase by 8, so the next should be 46. Therefore 47 is the odd one out.

id=62728 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40041 at 4% per annum for 4 years. | option_a=6406 | option_b=6506 | option_c=6306 | option_d=46447 | answer=A | explanation=SI = PRT/100 = 40041×4×4/100 = **■**6406.

id=62729 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 10. | option_a=60 | option_b=30 | option_c=300 | option_d=20 | answer=B | explanation=LCM × HCF = 30×10; HCF(30,10) = 10, so LCM = 30.

id=62730 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:15 and the first is 42, what is the second? | option_a=87 | option_b=59 | option_c=30 | option_d=45 | answer=D | explanation=Scale factor = 42/14 = 3. Therefore second quantity = 15×3 = 45.

Aptitude Questions — Records 62,731-62,760 of 100,000

id=62731 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=62732 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=300 | option_c=150 | option_d=145 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=62733 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=4 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=62734 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:15 and the first is 255, what is the second? | option_a=240 | option_b=510 | option_c=255 | option_d=270 | answer=C | explanation=Scale factor = 255/15 = 17. Therefore second quantity = 15×17 = 255.

id=62735 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 11, 20, 30? | option_a=11 | option_b=30 | option_c=20 | option_d=2 | answer=B | explanation=The first three numbers increase by 9, so the next should be 29. Therefore 30 is the odd one out.

id=62736 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 22. | option_a=360 | option_b=660 | option_c=308 | option_d=330 | answer=D | explanation=LCM × HCF = 30×22; HCF(30,22) = 2, so LCM = 330.

id=62737 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=32 | option_b=46 | option_c=39 | option_d=40 | answer=C | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.

id=62738 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=46 | option_b=36 | option_c=47 | option_d=56 | answer=A | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.

id=62739 | topic=Averages | difficulty=Easy | question=Find the average of 78, 46, 71. | option_a=67 | option_b=64 | option_c=65 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = 195 ÷ 3 = 65.

id=62740 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:9 and the first is 135, what is the second? | option_a=216 | option_b=96 | option_c=72 | option_d=81 | answer=D | explanation=Scale factor = 135/15 = 9. Therefore second quantity = 9×9 = 81.

id=62741 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=68 | option_b=80 | option_c=69 | option_d=56 | answer=A | explanation=The common difference is 12. Therefore the next term is 56 + 12 = 68.

id=62742 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does "I" become? | option_a=L | option_b=O | option_c=F | option_d=I | answer=A | explanation=Move 3 positions forward from I; the resulting letter is L.

id=62743 | topic=Percentages | difficulty=Easy | question=What is 30% of 1766? | option_a=539 | option_b=519 | option_c=1058 | option_d=529 | answer=D | explanation=30% of 1766 = (30/100) × 1766 = 529.

id=62744 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4974. If it is sold at a profit of 50%, what is its selling price? | option_a=6964 | option_b=5024 | option_c=7958 | option_d=7461 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4974 × 150/100 = █7461.

id=62745 | topic=Averages | difficulty=Easy | question=Find the average of 82, 29, 78. | option_a=63 | option_b=64 | option_c=62 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 189 ÷ 3 = 63.

id=62746 | topic=Percentages | difficulty=Easy | question=What is 15% of 338? | option_a=40 | option_b=50 | option_c=100 | option_d=60 | answer=B | explanation=15% of 338 = (15/100) × 338 = 50.

id=62747 | topic=Percentages | difficulty=Easy | question=What is 5% of 1343? | option_a=47 | option_b=134 | option_c=67 | option_d=87 | answer=C | explanation=5% of 1343 = (5/100) × 1343 = 67.

id=62748 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1884 at 6% per annum for 2 years. | option_a=126 | option_b=226 | option_c=326 | option_d=2110 | answer=B | explanation=SI = PRT/100 = 1884×6×2/100 = █226.

id=62749 | topic=Averages | difficulty=Easy | question=Find the average of 67, 49, 21, 86, 60, 91, 61, 66, 46, 53. | option_a=59 | option_b=60 | option_c=62 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=62750 | topic=Percentages | difficulty=Easy | question=What is 25% of 1763? | option_a=880 | option_b=440 | option_c=460 | option_d=430 | answer=B | explanation=25% of 1763 = (25/100) × 1763 = 440.

id=62751 | topic=Profit & Loss | difficulty=Easy | question=An article costs █904. If it is sold at a profit of 25%, what is its selling price? | option_a=1130 | option_b=1220 | option_c=929 | option_d=1040 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 904 × 125/100 = █1130.

id=62752 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=72 | option_c=67 | option_d=77 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=62753 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=38 | option_b=51 | option_c=50 | option_d=62 | answer=C | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=62754 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does "I" become? | option_a=I | option_b=K | option_c=J | option_d=H | answer=C | explanation=Move 1 positions forward from I; the resulting letter is J.

id=62755 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=58 | option_b=69 | option_c=45 | option_d=57 | answer=D | explanation=The common difference is 12. Therefore the next term is 45 + 12 = 57.

id=62756 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 16. | option_a=352 | option_b=160 | option_c=198 | option_d=176 | answer=D | explanation=LCM × HCF = 22×16; HCF(22,16) = 2, so LCM = 176.

id=62757 | topic=Percentages | difficulty=Easy | question=What is 20% of 1792? | option_a=358 | option_b=368 | option_c=348 | option_d=716 | answer=A | explanation=20% of 1792 = (20/100) × 1792 = 358.

id=62758 | topic=Averages | difficulty=Easy | question=Find the average of 85, 99, 61, 44, 85, 13, 50, 13, 99. | option_a=62 | option_b=63 | option_c=61 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 549 ÷ 9 = 61.

id=62759 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=51 | option_b=62 | option_c=40 | option_d=52 | answer=A | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=62760 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 26? | option_a=26 | option_b=6 | option_c=18 | option_d=12 | answer=A | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 26 is the odd one out.

Aptitude Questions — Records 62,761-62,790 of 100,000

id=62761 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=50 | option_c=20 | option_d=25 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=62762 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:4 and the first is 39, what is the second? | option_a=25 | option_b=12 | option_c=8 | option_d=51 | answer=B | explanation=Scale factor = 39/13 = 3. Therefore second quantity = 4×3 = 12.

id=62763 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38417 at 6% per annum for 4 years. | option_a=9320 | option_b=9220 | option_c=47637 | option_d=9120 | answer=B | explanation=SI = PRT/100 = 38417×6×4/100 = **■**9220.

id=62764 | topic=Percentages | difficulty=Easy | question=What is 30% of 647? | option_a=189 | option_b=199 | option_c=194 | option_d=388 | answer=C | explanation=30% of 647 = (30/100) × 647 = 194.

id=62765 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=N | option_c=X | option_d=C | answer=C | explanation=Move 5 positions forward from S; the resulting letter is X.

id=62766 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=S | option_b=O | option_c=G | option_d=K | answer=B | explanation=Move 4 positions forward from K; the resulting letter is O.

id=62767 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=M | option_b=L | option_c=N | option_d=K | answer=A | explanation=Move 1 positions forward from L; the resulting letter is M.

id=62768 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=30 | option_b=39 | option_c=34 | option_d=35 | answer=C | explanation=The common difference is 8. Therefore the next term is 30 + 8 = 38.

id=62769 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=62770 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=T | option_b=J | option_c=Y | option_d=O | answer=A | explanation=Move 5 positions forward from O; the resulting letter is T.

id=62771 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=W | option_c=S | option_d=Y | answer=B | explanation=Move 2 positions forward from U; the resulting letter is W.

id=62772 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=41 | option_b=27 | option_c=34 | option_d=35 | answer=C | explanation=The common difference is 7. Therefore the next term is 27 + 7 = 34.

id=62773 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=62774 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:15 and the first is 33, what is the second? | option_a=165 | option_b=150 | option_c=168 | option_d=198 | answer=A | explanation=Scale factor = 33/3 = 11. Therefore second quantity = 15×11 = 165.

id=62775 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29505 at 12% per annum for 1 years. | option_a=33045 | option_b=3540 | option_c=3440 | option_d=3640 | answer=B | explanation=SI = PRT/100 = 29505×12×1/100 = **■**3540.

id=62776 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=14 | option_c=9 | option_d=4 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=62777 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 47? | option_a=26 | option_b=47 | option_c=32 | option_d=38 | answer=B | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 47 is the odd one out.

id=62778 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23673 at 10% per annum for 3 years. | option_a=7201 | option_b=30774 | option_c=7001 | option_d=7101 | answer=D | explanation=SI = PRT/100 = 23673×10×3/100 = **■**7101.

id=62779 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4273. If it is sold at a profit of 10%, what is its selling price? | option_a=4283 | option_b=5127 | option_c=4273 | option_d=4700 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4273 × 110/100 = **■**4700.

id=62780 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2965. If it is sold at a profit of 5%, what is its selling price? | option_a=3113 | option_b=2970 | option_c=3409 | option_d=2817 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2965 × 105/100 = **■**3113.

id=62781 | topic=Percentages | difficulty=Easy | question=What is 5% of 463? | option_a=46 | option_b=13 | option_c=23 | option_d=43 | answer=C | explanation=5% of 463 = (5/100) × 463 = 23.

id=62782 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 6. | option_a=88 | option_b=66 | option_c=132 | option_d=60 | answer=B | explanation=LCM × HCF = 22×6; HCF(22,6) = 2, so LCM = 66.

id=62783 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=48 | option_c=24 | option_d=19 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=62784 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17436 at 15% per annum for 2 years. | option_a=5330 | option_b=22666 | option_c=5230 | option_d=5130 | answer=C | explanation=SI = PRT/100 = 17436×15×2/100 = **■**5230.

id=62785 | topic=Percentages | difficulty=Easy | question=What is 40% of 925? | option_a=370 | option_b=390 | option_c=360 | option_d=740 | answer=A | explanation=40% of 925 = (40/100) × 925 = 370.

id=62786 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:10 and the first is 224, what is the second? | option_a=174 | option_b=160 | option_c=150 | option_d=384 | answer=B | explanation=Scale factor = 224/14 = 16. Therefore second quantity = 10×16 = 160.

id=62787 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17088 at 4% per annum for 3 years. | option_a=1950 | option_b=2150 | option_c=19138 | option_d=2050 | answer=D | explanation=SI = PRT/100 = 17088×4×3/100 = **■**2050.

id=62788 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=K | option_c=B | option_d=H | answer=D | explanation=Move 3 positions forward from E; the resulting letter is H.

id=62789 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4385. If it is sold at a profit of 20%, what is its selling price? | option_a=4824 | option_b=4405 | option_c=5262 | option_d=5700 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4385 × 120/100 = **■**5262.

id=62790 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 62,791-62,820 of 100,000

id=62791 | topic=Percentages | difficulty=Easy | question=What is 25% of 1414? | option_a=706 | option_b=353 | option_c=348 | option_d=373 | answer=B | explanation=25% of 1414 = (25/100) × 1414 = 353.

id=62792 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 31, 39, 48? | option_a=39 | option_b=23 | option_c=31 | option_d=48 | answer=D | explanation=The first three numbers increase by 8, so the next should be 47. Therefore 48 is the odd one out.

id=62793 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 23? | option_a=9 | option_b=3 | option_c=23 | option_d=15 | answer=C | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 23 is the odd one out.

id=62794 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=B | option_b=C | option_c=D | option_d=E | answer=C | explanation=Move 1 positions forward from C; the resulting letter is D.

id=62795 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44678 at 15% per annum for 5 years. | option_a=33508 | option_b=33608 | option_c=33408 | option_d=78186 | answer=A | explanation=SI = $PRT/100 = 44678 \times 15 \times 5 / 100 = \text{■}33508$.

id=62796 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 14? | option_a=5 | option_b=14 | option_c=7 | option_d=9 | answer=B | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 14 is the odd one out.

id=62797 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3409. If it is sold at a profit of 50%, what is its selling price? | option_a=5453 | option_b=3459 | option_c=4773 | option_d=5113 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3409 \times 150 / 100 = \text{■}5113$.

id=62798 | topic=Averages | difficulty=Easy | question=Find the average of 51, 75, 88, 66, 65. | option_a=69 | option_b=71 | option_c=70 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = $345 \div 5 = 69$.

id=62799 | topic=Averages | difficulty=Easy | question=Find the average of 42, 81, 77, 13, 44, 61. | option_a=54 | option_b=52 | option_c=53 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = $318 \div 6 = 53$.

id=62800 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=40 | option_c=25 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = $60 \div 3 = 20$ km/h.

id=62801 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:6 and the first is 15, what is the second? | option_a=23 | option_b=12 | option_c=33 | option_d=18 | answer=D | explanation=Scale factor = $15/5 = 3$. Therefore second quantity = $6 \times 3 = 18$.

id=62802 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=S | option_b=Y | option_c=W | option_d=U | answer=C | explanation=Move 2 positions forward from U; the resulting letter is W.

id=62803 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=25 | option_b=29 | option_c=19 | option_d=24 | answer=D | explanation=The common difference is 5. Therefore the next term is $19 + 5 = 24$.

id=62804 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=72 | option_c=144 | option_d=67 | answer=B | explanation=Speed = distance ÷ time = $360 \div 5 = 72$ km/h.

id=62805 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=5 | option_d=7 | answer=A | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=62806 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=I | option_b=N | option_c=S | option_d=X | answer=C | explanation=Move 5 positions forward from N; the resulting letter is S.

id=62807 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 51? | option_a=39 | option_b=51 | option_c=21 | option_d=30 | answer=B | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 51 is the odd one out.

id=62808 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5238 at 8% per annum for 3 years. | option_a=6495 | option_b=1357 | option_c=1157 | option_d=1257 | answer=D | explanation=SI = $PRT/100 = 5238 \times 8 \times 3 / 100 = \text{■}1257$.

id=62809 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9111 at 5% per annum for 3 years. | option_a=1266 | option_b=1466 | option_c=1366 | option_d=10477 | answer=C | explanation=SI = $PRT/100 = 9111 \times 5 \times 3 / 100 = \text{■}1366$.

id=62810 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:18 and the first is 60, what is the second? | option_a=360 | option_b=420 | option_c=363 | option_d=342 | answer=A | explanation=Scale factor = $60/3 = 20$. Therefore second quantity = $18 \times 20 = 360$.

id=62811 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:2 and the first is 8, what is the second? | option_a=17 | option_b=24 | option_c=16 | option_d=14 | answer=C | explanation=Scale factor = $8/1 = 8$. Therefore second quantity = $2 \times 8 = 16$.

id=62812 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=V | option_c=K | option_d=F | answer=D | explanation=Move 5 positions forward from A; the resulting letter is F.

id=62813 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=62814 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44007 at 15% per annum for 2 years. | option_a=57209 | option_b=13202 | option_c=13302 | option_d=13102 | answer=B | explanation=SI = $PRT/100 = 44007 \times 15 \times 2 / 100 = \text{■}13202$.

id=62815 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=29 | option_c=48 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = $120 \div 5 = 24$ km/h.

id=62816 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=21 | option_b=22 | option_c=23 | option_d=19 | answer=A | explanation=The common difference is 2. Therefore the next term is $19 + 2 = 21$.

id=62817 | topic=Percentages | difficulty=Easy | question=What is 25% of 250? | option_a=42 | option_b=124 | option_c=67 | option_d=62 | answer=D | explanation=25% of 250 = $(25/100) \times 250 = 62$.

id=62818 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 36, 43, 52? | option_a=36 | option_b=43 | option_c=29 | option_d=52 | answer=D | explanation=The first three numbers increase by 7, so the next should be 50. Therefore 52 is the odd one out.

id=62819 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 38? | option_a=32 | option_b=34 | option_c=38 | option_d=30 | answer=C | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 38 is the odd one out.

id=62820 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46789 at 12% per annum for 4 years. | option_a=69247 | option_b=22558 | option_c=22458 | option_d=22358 | answer=C | explanation=SI = $PRT/100 = 46789 \times 12 \times 4 / 100 = \text{■}22458$.

Aptitude Questions — Records 62,821-62,850 of 100,000

- id=62821 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=21 | option_b=22 | option_c=25 | option_d=17 | answer=A | explanation=The common difference is 4. Therefore the next term is 17 + 4 = 21.
- id=62822 | topic=Percentages | difficulty=Easy | question=What is 15% of 870? | option_a=260 | option_b=130 | option_c=120 | option_d=140 | answer=B | explanation=15% of 870 = (15/100) × 870 = 130.
- id=62823 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:9 and the first is 90, what is the second? | option_a=81 | option_b=99 | option_c=180 | option_d=90 | answer=D | explanation=Scale factor = 90/9 = 10. Therefore second quantity = 9×10 = 90.
- id=62824 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 12, 21, 30, ? | option_a=39 | option_b=40 | option_c=48 | option_d=30 | answer=A | explanation=The common difference is 9. Therefore the next term is 30 + 9 = 39.
- id=62825 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1885. If it is sold at a profit of 20%, what is its selling price? | option_a=2074 | option_b=1905 | option_c=2450 | option_d=2262 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1885 × 120/100 = █2262.
- id=62826 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=T | option_c=Y | option_d=J | answer=B | explanation=Move 5 positions forward from O; the resulting letter is T.
- id=62827 | topic=Percentages | difficulty=Easy | question=What is 30% of 181? | option_a=108 | option_b=54 | option_c=49 | option_d=74 | answer=B | explanation=30% of 181 = (30/100) × 181 = 54.
- id=62828 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 5, 7, 10? | option_a=7 | option_b=5 | option_c=3 | option_d=10 | answer=D | explanation=The first three numbers increase by 2, so the next should be 9. Therefore 10 is the odd one out.
- id=62829 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.
- id=62830 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=115 | option_c=120 | option_d=125 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.
- id=62831 | topic=Averages | difficulty=Easy | question=Find the average of 54, 33, 26, 41, 59, 27, 33, 95, 62, 30. | option_a=48 | option_b=47 | option_c=46 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = 460 ÷ 10 = 46.
- id=62832 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=35 | option_b=28 | option_c=40 | option_d=34 | answer=D | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.
- id=62833 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=25 | option_b=19 | option_c=29 | option_d=24 | answer=D | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.
- id=62834 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=R | option_b=M | option_c=H | option_d=W | answer=A | explanation=Move 5 positions forward from M; the resulting letter is R.
- id=62835 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 10, 15, 20, ? | option_a=26 | option_b=25 | option_c=20 | option_d=30 | answer=B | explanation=The common difference is 5. Therefore the next term is 20 + 5 = 25.
- id=62836 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:1 and the first is 340, what is the second? | option_a=17 | option_b=357 | option_c=37 | option_d=16 | answer=A | explanation=Scale factor = 340/20 = 17. Therefore second quantity = 1×17 = 17.
- id=62837 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:17 and the first is 119, what is the second? | option_a=238 | option_b=119 | option_c=102 | option_d=136 | answer=B | explanation=Scale factor = 119/17 = 7. Therefore second quantity = 17×7 = 119.
- id=62838 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2722. If it is sold at a profit of 15%, what is its selling price? | option_a=2858 | option_b=3402 | option_c=2737 | option_d=3130 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2722 × 115/100 = █3130.
- id=62839 | topic=Percentages | difficulty=Easy | question=What is 10% of 553? | option_a=110 | option_b=55 | option_c=50 | option_d=65 | answer=B | explanation=10% of 553 = (10/100) × 553 = 55.
- id=62840 | topic=Averages | difficulty=Easy | question=Find the average of 91, 33, 40, 94, 42. | option_a=62 | option_b=59 | option_c=60 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 300 ÷ 5 = 60.
- id=62841 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=62842 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 26, 32, 39? | option_a=32 | option_b=26 | option_c=20 | option_d=39 | answer=D | explanation=The first three numbers increase by 6, so the next should be 38. Therefore 39 is the odd one out.
- id=62843 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=31 | option_b=28 | option_c=32 | option_d=34 | answer=A | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.
- id=62844 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=360 | option_c=180 | option_d=185 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.
- id=62845 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.
- id=62846 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 15. | option_a=105 | option_b=315 | option_c=126 | option_d=90 | answer=A | explanation=LCM × HCF = 21×15; HCF(21,15) = 3, so LCM = 105.
- id=62847 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=62848 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31506 at 12% per annum for 4 years. | option_a=15222 | option_b=46628 | option_c=15122 | option_d=15022 | answer=C | explanation=SI = PRT/100 = 31506×12×4/100 = █15122.
- id=62849 | topic=Averages | difficulty=Easy | question=Find the average of 35, 87, 17, 85. | option_a=57 | option_b=58 | option_c=56 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 224 ÷ 4 = 56.
- id=62850 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

Aptitude Questions — Records 62,851-62,880 of 100,000

id=62851 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=N | option_c=I | option_d=Y | answer=C | explanation=Move 5 positions forward from D; the resulting letter is I.

id=62852 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■49537 at 15% per annum for 3 years. | option_a=22391 | option_b=22191 | option_c=71828 | option_d=22291 | answer=D | explanation=SI = $PRT/100 = 49537 \times 15 \times 3/100 = \blacksquare 22291$.

id=62853 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1223. If it is sold at a profit of 5%, what is its selling price? | option_a=1284 | option_b=1162 | option_c=1228 | option_d=1406 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1223 \times 105/100 = \blacksquare 1284$.

id=62854 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2435. If it is sold at a profit of 30%, what is its selling price? | option_a=3165 | option_b=3408 | option_c=2922 | option_d=2465 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2435 \times 130/100 = \blacksquare 3165$.

id=62855 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 19, 22, 25, ? | option_a=29 | option_b=28 | option_c=31 | option_d=25 | answer=B | explanation=The common difference is 3. Therefore the next term is $25 + 3 = 28$.

id=62856 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=T | option_b=J | option_c=O | option_d=Y | answer=A | explanation=Move 5 positions forward from O; the resulting letter is T.

id=62857 | topic=Averages | difficulty=Easy | question=Find the average of 35, 25, 28, 47, 70. | option_a=43 | option_b=40 | option_c=41 | option_d=42 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 205 \div 5 = 41$.

id=62858 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1622. If it is sold at a profit of 40%, what is its selling price? | option_a=1662 | option_b=2108 | option_c=2432 | option_d=2270 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1622 \times 140/100 = \blacksquare 2270$.

id=62859 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=28 | option_b=18 | option_c=23 | option_d=24 | answer=C | explanation=The common difference is 5. Therefore the next term is $18 + 5 = 23$.

id=62860 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4866. If it is sold at a profit of 5%, what is its selling price? | option_a=5595 | option_b=5109 | option_c=4871 | option_d=4623 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4866 \times 105/100 = \blacksquare 5109$.

id=62861 | topic=Averages | difficulty=Easy | question=Find the average of 65, 58, 35, 82. | option_a=62 | option_b=60 | option_c=59 | option_d=61 | answer=B | explanation=Average = $\text{sum of values} \div \text{number of values} = 240 \div 4 = 60$.

id=62862 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=O | option_c=C | option_d=K | answer=D | explanation=Move 4 positions forward from G; the resulting letter is K.

id=62863 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 18, 27, 37? | option_a=18 | option_b=9 | option_c=37 | option_d=27 | answer=C | explanation=The first three numbers increase by 9, so the next should be 36. Therefore 37 is the odd one out.

id=62864 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:5 and the first is 56, what is the second? | option_a=15 | option_b=76 | option_c=34 | option_d=20 | answer=D | explanation=Scale factor = $56/14 = 4$. Therefore second quantity = $5 \times 4 = 20$.

id=62865 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 51? | option_a=42 | option_b=51 | option_c=36 | option_d=30 | answer=B | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 51 is the odd one out.

id=62866 | topic=Averages | difficulty=Easy | question=Find the average of 50, 53, 49, 99, 61, 64, 34, 72, 97, 31. | option_a=63 | option_b=61 | option_c=62 | option_d=60 | answer=B | explanation=Average = $\text{sum of values} \div \text{number of values} = 610 \div 10 = 61$.

id=62867 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3010. If it is sold at a profit of 40%, what is its selling price? | option_a=3913 | option_b=4214 | option_c=3050 | option_d=4515 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3010 \times 140/100 = \blacksquare 4214$.

id=62868 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■3584 at 12% per annum for 5 years. | option_a=2150 | option_b=2250 | option_c=2050 | option_d=5734 | answer=A | explanation=SI = $PRT/100 = 3584 \times 12 \times 5/100 = \blacksquare 2150$.

id=62869 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:7 and the first is 247, what is the second? | option_a=84 | option_b=338 | option_c=91 | option_d=110 | answer=C | explanation=Scale factor = $247/19 = 13$. Therefore second quantity = $7 \times 13 = 91$.

id=62870 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=28 | option_b=21 | option_c=33 | option_d=27 | answer=D | explanation=The common difference is 6. Therefore the next term is $21 + 6 = 27$.

id=62871 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2588. If it is sold at a profit of 25%, what is its selling price? | option_a=2613 | option_b=3493 | option_c=2977 | option_d=3235 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2588 \times 125/100 = \blacksquare 3235$.

id=62872 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=40 | option_c=20 | option_d=15 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 60 \div 3 = 20 \text{ km/h}$.

id=62873 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=69 | option_b=45 | option_c=58 | option_d=57 | answer=D | explanation=The common difference is 12. Therefore the next term is $45 + 12 = 57$.

id=62874 | topic=Percentages | difficulty=Easy | question=What is 20% of 789? | option_a=157 | option_b=314 | option_c=167 | option_d=147 | answer=A | explanation=20% of 789 = $(20/100) \times 789 = 157$.

id=62875 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 240 \div 8 = 30 \text{ km/h}$.

id=62876 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 25, 33, 41, ? | option_a=50 | option_b=41 | option_c=49 | option_d=57 | answer=C | explanation=The common difference is 8. Therefore the next term is $41 + 8 = 49$.

id=62877 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3781. If it is sold at a profit of 5%, what is its selling price? | option_a=3786 | option_b=3970 | option_c=4348 | option_d=3592 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3781 \times 105/100 = \blacksquare 3970$.

id=62878 | topic=Percentages | difficulty=Easy | question=What is 40% of 726? | option_a=290 | option_b=580 | option_c=270 | option_d=295 | answer=A | explanation=40% of 726 = $(40/100) \times 726 = 290$.

id=62879 | topic=Percentages | difficulty=Easy | question=What is 12% of 1100? | option_a=112 | option_b=264 | option_c=132 | option_d=137 | answer=C | explanation=12% of 1100 = $(12/100) \times 1100 = 132$.

id=62880 | topic=Percentages | difficulty=Easy | question=What is 25% of 1946? | option_a=496 | option_b=486 | option_c=481 | option_d=972 | answer=B | explanation=25% of 1946 = $(25/100) \times 1946 = 486$.

Aptitude Questions — Records 62,881-62,910 of 100,000

id=62881 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=62882 | topic=Percentages | difficulty=Easy | question=What is 10% of 1184? | option_a=118 | option_b=236 | option_c=138 | option_d=98 | answer=A | explanation=10% of 1184 = (10/100) × 1184 = 118.

id=62883 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3845. If it is sold at a profit of 20%, what is its selling price? | option_a=4230 | option_b=3865 | option_c=4998 | option_d=4614 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3845 × 120/100 = █4614.

id=62884 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 9. | option_a=60 | option_b=45 | option_c=36 | option_d=135 | answer=B | explanation=LCM × HCF = 15×9; HCF(15,9) = 3, so LCM = 45.

id=62885 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13167 at 5% per annum for 5 years. | option_a=3291 | option_b=16458 | option_c=3391 | option_d=3191 | answer=A | explanation=SI = PRT/100 = 13167×5×5/100 = █3291.

id=62886 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 21, 28, 36? | option_a=28 | option_b=14 | option_c=21 | option_d=36 | answer=D | explanation=The first three numbers increase by 7, so the next should be 35. Therefore 36 is the odd one out.

id=62887 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=X | option_b=T | option_c=B | option_d=P | answer=A | explanation=Move 4 positions forward from T; the resulting letter is X.

id=62888 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:19 and the first is 143, what is the second? | option_a=190 | option_b=352 | option_c=209 | option_d=222 | answer=C | explanation=Scale factor = 143/13 = 11. Therefore second quantity = 19×11 = 209.

id=62889 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=53 | option_c=96 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=62890 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=18 | option_c=23 | option_d=13 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=62891 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2255. If it is sold at a profit of 10%, what is its selling price? | option_a=2480 | option_b=2705 | option_c=2265 | option_d=2255 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2255 × 110/100 = █2480.

id=62892 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:12 and the first is 75, what is the second? | option_a=48 | option_b=60 | option_c=135 | option_d=75 | answer=B | explanation=Scale factor = 75/15 = 5. Therefore second quantity = 12×5 = 60.

id=62893 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 8, 13, 19? | option_a=8 | option_b=3 | option_c=13 | option_d=19 | answer=D | explanation=The first three numbers increase by 5, so the next should be 18. Therefore 19 is the odd one out.

id=62894 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 34? | option_a=25 | option_b=34 | option_c=22 | option_d=28 | answer=B | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 34 is the odd one out.

id=62895 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=26 | option_b=29 | option_c=30 | option_d=32 | answer=B | explanation=The common difference is 3. Therefore the next term is 26 + 3 = 29.

id=62896 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=H | option_b=B | option_c=K | option_d=E | answer=A | explanation=Move 3 positions forward from E; the resulting letter is H.

id=62897 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 24, 34, 46? | option_a=34 | option_b=46 | option_c=24 | option_d=14 | answer=B | explanation=The first three numbers increase by 10, so the next should be 44. Therefore 46 is the odd one out.

id=62898 | topic=Averages | difficulty=Easy | question=Find the average of 42, 77, 67, 24, 36, 81, 60, 48, 96. | option_a=61 | option_b=58 | option_c=59 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 531 ÷ 9 = 59.

id=62899 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=105 | option_c=95 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=62900 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=62901 | topic=Averages | difficulty=Easy | question=Find the average of 12, 37, 64, 68, 99, 77, 42, 57. | option_a=59 | option_b=58 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

id=62902 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=62903 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 17, 29, 41, ? | option_a=65 | option_b=41 | option_c=54 | option_d=53 | answer=D | explanation=The common difference is 12. Therefore the next term is 41 + 12 = 53.

id=62904 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=105 | option_c=95 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=62905 | topic=Averages | difficulty=Easy | question=Find the average of 42, 93, 63, 50. | option_a=61 | option_b=63 | option_c=62 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 248 ÷ 4 = 62.

id=62906 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=30 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=62907 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 28? | option_a=24 | option_b=22 | option_c=20 | option_d=28 | answer=D | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 28 is the odd one out.

id=62908 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=62909 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=N | option_c=J | option_d=P | answer=B | explanation=Move 2 positions forward from L; the resulting letter is N.

id=62910 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 23? | option_a=9 | option_b=3 | option_c=23 | option_d=15 | answer=C | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 23 is the odd one out.

Aptitude Questions — Records 62,911-62,940 of 100,000

id=62911 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 13, 17, 24? | option_a=24 | option_b=17 | option_c=9 | option_d=13 | answer=A | explanation=The first three numbers increase by 4, so the next should be 21. Therefore 24 is the odd one out.

id=62912 | topic=Percentages | difficulty=Easy | question=What is 12% of 914? | option_a=104 | option_b=119 | option_c=218 | option_d=109 | answer=D | explanation=12% of 914 = (12/100) × 914 = 109.

id=62913 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=62914 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=D | option_b=X | option_c=A | option_d=G | answer=A | explanation=Move 3 positions forward from A; the resulting letter is D.

id=62915 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 28, 36, 44, ? | option_a=52 | option_b=60 | option_c=53 | option_d=44 | answer=A | explanation=The common difference is 8. Therefore the next term is 44 + 8 = 52.

id=62916 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4702. If it is sold at a profit of 25%, what is its selling price? | option_a=6347 | option_b=5877 | option_c=4727 | option_d=5407 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4702 × 125/100 = █5877.

id=62917 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 56? | option_a=56 | option_b=29 | option_c=45 | option_d=37 | answer=A | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 56 is the odd one out.

id=62918 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1254. If it is sold at a profit of 40%, what is its selling price? | option_a=1880 | option_b=1294 | option_c=1755 | option_d=1630 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1254 × 140/100 = █1755.

id=62919 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44221 at 12% per annum for 2 years. | option_a=10513 | option_b=54834 | option_c=10613 | option_d=10713 | answer=C | explanation=SI = PRT/100 = 44221×12×2/100 = █10613.

id=62920 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29463 at 12% per annum for 2 years. | option_a=7171 | option_b=6971 | option_c=36534 | option_d=7071 | answer=D | explanation=SI = PRT/100 = 29463×12×2/100 = █7071.

id=62921 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=105 | option_c=95 | option_d=200 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=62922 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22139 at 8% per annum for 4 years. | option_a=7084 | option_b=29223 | option_c=6984 | option_d=7184 | answer=A | explanation=SI = PRT/100 = 22139×8×4/100 = █7084.

id=62923 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:16 and the first is 171, what is the second? | option_a=475 | option_b=288 | option_c=304 | option_d=313 | answer=C | explanation=Scale factor = 171/9 = 19. Therefore second quantity = 16×19 = 304.

id=62924 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1130. If it is sold at a profit of 5%, what is its selling price? | option_a=1073 | option_b=1135 | option_c=1299 | option_d=1186 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1130 × 105/100 = █1186.

id=62925 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=F | option_b=D | option_c=E | option_d=G | answer=A | explanation=Move 1 positions forward from E; the resulting letter is F.

id=62926 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:6 and the first is 208, what is the second? | option_a=286 | option_b=94 | option_c=72 | option_d=78 | answer=D | explanation=Scale factor = 208/16 = 13. Therefore second quantity = 6×13 = 78.

id=62927 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=W | option_c=A | option_d=O | answer=B | explanation=Move 4 positions forward from S; the resulting letter is W.

id=62928 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15518 at 12% per annum for 3 years. | option_a=21104 | option_b=5686 | option_c=5586 | option_d=5486 | answer=C | explanation=SI = PRT/100 = 15518×12×3/100 = █5586.

id=62929 | topic=Averages | difficulty=Easy | question=Find the average of 10, 21, 95, 94, 92, 22, 71, 27, 20, 18. | option_a=46 | option_b=47 | option_c=48 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 470 ÷ 10 = 47.

id=62930 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=I | option_b=K | option_c=M | option_d=O | answer=C | explanation=Move 2 positions forward from K; the resulting letter is M.

id=62931 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 33? | option_a=25 | option_b=33 | option_c=28 | option_d=22 | answer=B | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 33 is the odd one out.

id=62932 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=B | option_b=G | option_c=Q | option_d=L | answer=D | explanation=Move 5 positions forward from G; the resulting letter is L.

id=62933 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33498 at 8% per annum for 3 years. | option_a=8139 | option_b=8039 | option_c=41537 | option_d=7939 | answer=B | explanation=SI = PRT/100 = 33498×8×3/100 = █8039.

id=62934 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=62935 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=V | option_b=Q | option_c=A | option_d=L | answer=A | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=62936 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=M | option_b=Q | option_c=Y | option_d=U | answer=D | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=62937 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=29 | option_b=34 | option_c=37 | option_d=33 | answer=D | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=62938 | topic=Percentages | difficulty=Easy | question=What is 20% of 1777? | option_a=355 | option_b=710 | option_c=375 | option_d=350 | answer=A | explanation=20% of 1777 = (20/100) × 1777 = 355.

id=62939 | topic=Averages | difficulty=Easy | question=Find the average of 81, 46, 92, 58, 41, 98, 92, 60. | option_a=70 | option_b=71 | option_c=73 | option_d=72 | answer=B | explanation=Average = sum of values ÷ number of values = 568 ÷ 8 = 71.

id=62940 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=S | option_c=U | option_d=Q | answer=C | explanation=Move 2 positions forward from S; the resulting letter is U.

Aptitude Questions — Records 62,941-62,970 of 100,000

id=62941 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■39970 at 5% per annum for 3 years. | option_a=5895 | option_b=5995 | option_c=45965 | option_d=6095 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{39970 \times 5 \times 3}{100} = \blacksquare 5995$.

id=62942 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=180 | option_c=85 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=62943 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=V | option_b=A | option_c=L | option_d=Q | answer=A | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=62944 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4123. If it is sold at a profit of 20%, what is its selling price? | option_a=4535 | option_b=5359 | option_c=4947 | option_d=4143 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4123 \times 120 / 100 = \blacksquare 4947$.

id=62945 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=E | option_b=U | option_c=Z | option_d=P | answer=C | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=62946 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■20279 at 6% per annum for 4 years. | option_a=25145 | option_b=4966 | option_c=4766 | option_d=4866 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{20279 \times 6 \times 4}{100} = \blacksquare 4866$.

id=62947 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 38, 48, 60? | option_a=60 | option_b=28 | option_c=38 | option_d=48 | answer=A | explanation=The first three numbers increase by 10, so the next should be 58. Therefore 60 is the odd one out.

id=62948 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■626. If it is sold at a profit of 5%, what is its selling price? | option_a=657 | option_b=719 | option_c=595 | option_d=631 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 626 \times 105 / 100 = \blacksquare 657$.

id=62949 | topic=Averages | difficulty=Easy | question=Find the average of 69, 76, 53, 38, 74, 29, 63, 66, 50, 82. | option_a=61 | option_b=59 | option_c=60 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=62950 | topic=Percentages | difficulty=Easy | question=What is 40% of 984? | option_a=383 | option_b=403 | option_c=393 | option_d=786 | answer=C | explanation=40% of 984 = $(40/100) \times 984 = 393$.

id=62951 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=62952 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=105 | option_c=200 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=62953 | topic=Percentages | difficulty=Easy | question=What is 12% of 1320? | option_a=316 | option_b=158 | option_c=138 | option_d=178 | answer=B | explanation=12% of 1320 = $(12/100) \times 1320 = 158$.

id=62954 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:5 and the first is 152, what is the second? | option_a=192 | option_b=40 | option_c=59 | option_d=35 | answer=B | explanation=Scale factor = $152/19 = 8$. Therefore second quantity = $5 \times 8 = 40$.

id=62955 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 45? | option_a=21 | option_b=28 | option_c=45 | option_d=35 | answer=C | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 45 is the odd one out.

id=62956 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:3 and the first is 30, what is the second? | option_a=19 | option_b=9 | option_c=6 | option_d=39 | answer=B | explanation=Scale factor = $30/10 = 3$. Therefore second quantity = $3 \times 3 = 9$.

id=62957 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=10 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=62958 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=62959 | topic=Percentages | difficulty=Easy | question=What is 50% of 1065? | option_a=1064 | option_b=532 | option_c=537 | option_d=527 | answer=B | explanation=50% of 1065 = $(50/100) \times 1065 = 532$.

id=62960 | topic=Percentages | difficulty=Easy | question=What is 5% of 1053? | option_a=52 | option_b=62 | option_c=104 | option_d=42 | answer=A | explanation=5% of 1053 = $(5/100) \times 1053 = 52$.

id=62961 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 32, 39, 48? | option_a=25 | option_b=48 | option_c=39 | option_d=32 | answer=B | explanation=The first three numbers increase by 7, so the next should be 46. Therefore 48 is the odd one out.

id=62962 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=18 | option_c=36 | option_d=23 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=62963 | topic=Percentages | difficulty=Easy | question=What is 12% of 555? | option_a=66 | option_b=86 | option_c=46 | option_d=132 | answer=A | explanation=12% of 555 = $(12/100) \times 555 = 66$.

id=62964 | topic=Percentages | difficulty=Easy | question=What is 12% of 73? | option_a=28 | option_b=16 | option_c=8 | option_d=3 | answer=C | explanation=12% of 73 = $(12/100) \times 73 = 8$.

id=62965 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=62966 | topic=Percentages | difficulty=Easy | question=What is 25% of 97? | option_a=34 | option_b=48 | option_c=24 | option_d=19 | answer=C | explanation=25% of 97 = $(25/100) \times 97 = 24$.

id=62967 | topic=Averages | difficulty=Easy | question=Find the average of 85, 41, 50, 74, 46, 58, 32, 56, 63, 85. | option_a=59 | option_b=61 | option_c=58 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 590 ÷ 10 = 59.

id=62968 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=62969 | topic=Averages | difficulty=Easy | question=Find the average of 32, 66, 64, 28, 70, 83, 89, 96. | option_a=65 | option_b=68 | option_c=67 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = 528 ÷ 8 = 66.

id=62970 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=29 | option_c=19 | option_d=48 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

Aptitude Questions — Records 62,971-63,000 of 100,000

id=62971 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 14? | option_a=9 | option_b=5 | option_c=7 | option_d=14 | answer=D | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 14 is the odd one out.

id=62972 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:11 and the first is 77, what is the second? | option_a=77 | option_b=154 | option_c=66 | option_d=88 | answer=A | explanation=Scale factor = $77/11 = 7$. Therefore second quantity = $11 \times 7 = 77$.

id=62973 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=V | option_c=U | option_d=T | answer=B | explanation=Move 1 positions forward from U; the resulting letter is V.

id=62974 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=16 | option_d=3 | answer=A | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=62975 | topic=Profit & Loss | difficulty=Easy | question=An article costs █321. If it is sold at a profit of 30%, what is its selling price? | option_a=385 | option_b=351 | option_c=449 | option_d=417 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 321 \times 130/100 = \text{█}417$.

id=62976 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=150 | option_d=70 | answer=A | explanation=Speed = distance ÷ time = $150 \div 2 = 75$ km/h.

id=62977 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42868 at 4% per annum for 2 years. | option_a=3529 | option_b=3329 | option_c=46297 | option_d=3429 | answer=D | explanation=SI = $PRT/100 = 42868 \times 4 \times 2/100 = \text{█}3429$.

id=62978 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $150 \div 5 = 30$ km/h.

id=62979 | topic=Percentages | difficulty=Easy | question=What is 15% of 1459? | option_a=208 | option_b=218 | option_c=436 | option_d=238 | answer=B | explanation=15% of 1459 = $(15/100) \times 1459 = 218$.

id=62980 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:18 and the first is 150, what is the second? | option_a=270 | option_b=420 | option_c=280 | option_d=252 | answer=A | explanation=Scale factor = $150/10 = 15$. Therefore second quantity = $18 \times 15 = 270$.

id=62981 | topic=Percentages | difficulty=Easy | question=What is 5% of 1346? | option_a=72 | option_b=134 | option_c=67 | option_d=62 | answer=C | explanation=5% of 1346 = $(5/100) \times 1346 = 67$.

id=62982 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=62983 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 30? | option_a=10 | option_b=16 | option_c=22 | option_d=30 | answer=D | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 30 is the odd one out.

id=62984 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Q | option_b=T | option_c=Z | option_d=W | answer=D | explanation=Move 3 positions forward from T; the resulting letter is W.

id=62985 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:3 and the first is 15, what is the second? | option_a=24 | option_b=6 | option_c=14 | option_d=9 | answer=D | explanation=Scale factor = $15/5 = 3$. Therefore second quantity = $3 \times 3 = 9$.

id=62986 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=31 | option_b=37 | option_c=23 | option_d=30 | answer=D | explanation=The common difference is 7. Therefore the next term is $23 + 7 = 30$.

id=62987 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 38? | option_a=38 | option_b=26 | option_c=29 | option_d=32 | answer=A | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 38 is the odd one out.

id=62988 | topic=Averages | difficulty=Easy | question=Find the average of 65, 81, 49, 68, 18, 55. | option_a=55 | option_b=57 | option_c=56 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = $336 \div 6 = 56$.

id=62989 | topic=Percentages | difficulty=Easy | question=What is 20% of 95? | option_a=9 | option_b=39 | option_c=19 | option_d=38 | answer=C | explanation=20% of 95 = $(20/100) \times 95 = 19$.

id=62990 | topic=Percentages | difficulty=Easy | question=What is 10% of 489? | option_a=38 | option_b=96 | option_c=58 | option_d=48 | answer=D | explanation=10% of 489 = $(10/100) \times 489 = 48$.

id=62991 | topic=Percentages | difficulty=Easy | question=What is 40% of 238? | option_a=115 | option_b=75 | option_c=95 | option_d=190 | answer=C | explanation=40% of 238 = $(40/100) \times 238 = 95$.

id=62992 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3701. If it is sold at a profit of 20%, what is its selling price? | option_a=4441 | option_b=4071 | option_c=4811 | option_d=3721 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3701 \times 120/100 = \text{█}4441$.

id=62993 | topic=Averages | difficulty=Easy | question=Find the average of 14, 61, 75, 43, 14, 78, 49, 97, 37. | option_a=51 | option_b=53 | option_c=54 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = $468 \div 9 = 52$.

id=62994 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=180 | option_c=175 | option_d=360 | answer=B | explanation=Speed = distance ÷ time = $360 \div 2 = 180$ km/h.

id=62995 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:13 and the first is 12, what is the second? | option_a=13 | option_b=32 | option_c=26 | option_d=38 | answer=C | explanation=Scale factor = $12/6 = 2$. Therefore second quantity = $13 \times 2 = 26$.

id=62996 | topic=Averages | difficulty=Easy | question=Find the average of 54, 35, 90, 36, 37, 46, 46, 78, 37. | option_a=53 | option_b=51 | option_c=52 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = $459 \div 9 = 51$.

id=62997 | topic=Percentages | difficulty=Easy | question=What is 25% of 1778? | option_a=434 | option_b=449 | option_c=888 | option_d=444 | answer=D | explanation=25% of 1778 = $(25/100) \times 1778 = 444$.

id=62998 | topic=Averages | difficulty=Easy | question=Find the average of 32, 31, 66, 16, 45. | option_a=38 | option_b=40 | option_c=37 | option_d=39 | answer=A | explanation=Average = sum of values ÷ number of values = $190 \div 5 = 38$.

id=62999 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22053 at 10% per annum for 3 years. | option_a=6515 | option_b=28668 | option_c=6715 | option_d=6615 | answer=D | explanation=SI = $PRT/100 = 22053 \times 10 \times 3/100 = \text{█}6615$.

id=63000 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 19, 25, 33? | option_a=13 | option_b=19 | option_c=25 | option_d=33 | answer=D | explanation=The first three numbers increase by 6, so the next should be 31. Therefore 33 is the odd one out.

Aptitude Questions — Records 63,001-63,030 of 100,000

id=63001 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:14 and the first is 95, what is the second? | option_a=361 | option_b=266 | option_c=252 | option_d=271 | answer=B | explanation=Scale factor = $95/5 = 19$. Therefore second quantity = $14 \times 19 = 266$.

id=63002 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:13 and the first is 75, what is the second? | option_a=52 | option_b=80 | option_c=140 | option_d=65 | answer=D | explanation=Scale factor = $75/15 = 5$. Therefore second quantity = $13 \times 5 = 65$.

id=63003 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4205. If it is sold at a profit of 25%, what is its selling price? | option_a=5256 | option_b=4230 | option_c=4836 | option_d=5676 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4205 \times 125/100 = \text{█}5256$.

id=63004 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=63005 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = $180 \div 3 = 60$ km/h.

id=63006 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=65 | option_b=57 | option_c=47 | option_d=56 | answer=D | explanation=The common difference is 9. Therefore the next term is $47 + 9 = 56$.

id=63007 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 29, 36, 44? | option_a=22 | option_b=44 | option_c=36 | option_d=29 | answer=B | explanation=The first three numbers increase by 7, so the next should be 43. Therefore 44 is the odd one out.

id=63008 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3259. If it is sold at a profit of 15%, what is its selling price? | option_a=3422 | option_b=4072 | option_c=3747 | option_d=3274 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3259 \times 115/100 = \text{█}3747$.

id=63009 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=Q | option_c=R | option_d=O | answer=B | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=63010 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2894. If it is sold at a profit of 30%, what is its selling price? | option_a=4051 | option_b=3473 | option_c=2924 | option_d=3762 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2894 \times 130/100 = \text{█}3762$.

id=63011 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 22. | option_a=198 | option_b=240 | option_c=220 | option_d=440 | answer=C | explanation= $LCM \times HCF = 20 \times 22$; $HCF(20,22) = 2$, so $LCM = 220$.

id=63012 | topic=Percentages | difficulty=Easy | question=What is 40% of 672? | option_a=258 | option_b=273 | option_c=268 | option_d=536 | answer=C | explanation= $40\% \text{ of } 672 = (40/100) \times 672 = 268$.

id=63013 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=E | option_c=F | option_d=G | answer=D | explanation=Move 1 positions forward from F; the resulting letter is G.

id=63014 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 19, 27, 36? | option_a=36 | option_b=11 | option_c=27 | option_d=19 | answer=A | explanation=The first three numbers increase by 8, so the next should be 35. Therefore 36 is the odd one out.

id=63015 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=20 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = $90 \div 6 = 15$ km/h.

id=63016 | topic=Percentages | difficulty=Easy | question=What is 30% of 785? | option_a=470 | option_b=215 | option_c=258 | option_d=235 | answer=D | explanation= $30\% \text{ of } 785 = (30/100) \times 785 = 235$.

id=63017 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=70 | option_b=80 | option_c=150 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = $300 \div 4 = 75$ km/h.

id=63018 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:13 and the first is 42, what is the second? | option_a=120 | option_b=85 | option_c=65 | option_d=78 | answer=D | explanation=Scale factor = $42/7 = 6$. Therefore second quantity = $13 \times 6 = 78$.

id=63019 | topic=Averages | difficulty=Easy | question=Find the average of 49, 76, 46, 93. | option_a=66 | option_b=65 | option_c=67 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = $264 \div 4 = 66$.

id=63020 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=53 | option_c=48 | option_d=96 | answer=C | explanation=Speed = distance ÷ time = $240 \div 5 = 48$ km/h.

id=63021 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=E | option_c=I | option_d=C | answer=A | explanation=Move 2 positions forward from E; the resulting letter is G.

id=63022 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 24. | option_a=264 | option_b=286 | option_c=240 | option_d=528 | answer=A | explanation= $LCM \times HCF = 22 \times 24$; $HCF(22,24) = 2$, so $LCM = 264$.

id=63023 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=63024 | topic=Percentages | difficulty=Easy | question=What is 30% of 1164? | option_a=349 | option_b=339 | option_c=359 | option_d=698 | answer=A | explanation= $30\% \text{ of } 1164 = (30/100) \times 1164 = 349$.

id=63025 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 18, 27, 38? | option_a=18 | option_b=27 | option_c=38 | option_d=9 | answer=C | explanation=The first three numbers increase by 9, so the next should be 36. Therefore 38 is the odd one out.

id=63026 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3474. If it is sold at a profit of 20%, what is its selling price? | option_a=3821 | option_b=3494 | option_c=4168 | option_d=4515 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3474 \times 120/100 = \text{█}4168$.

id=63027 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=63028 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = $90 \div 6 = 15$ km/h.

id=63029 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:20 and the first is 35, what is the second? | option_a=80 | option_b=135 | option_c=107 | option_d=100 | answer=D | explanation=Scale factor = $35/7 = 5$. Therefore second quantity = $20 \times 5 = 100$.

id=63030 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4332. If it is sold at a profit of 5%, what is its selling price? | option_a=4548 | option_b=4115 | option_c=4337 | option_d=4981 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4332 \times 105/100 = \text{█}4548$.

Aptitude Questions — Records 63,031-63,060 of 100,000

id=63031 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 34, 43, 53? | option_a=34 | option_b=25 | option_c=43 | option_d=53 | answer=D | explanation=The first three numbers increase by 9, so the next should be 52. Therefore 53 is the odd one out.

id=63032 | topic=Percentages | difficulty=Easy | question=What is 10% of 763? | option_a=56 | option_b=152 | option_c=86 | option_d=76 | answer=D | explanation=10% of 763 = $(10/100) \times 763 = 76$.

id=63033 | topic=Percentages | difficulty=Easy | question=What is 25% of 445? | option_a=222 | option_b=116 | option_c=106 | option_d=111 | answer=D | explanation=25% of 445 = $(25/100) \times 445 = 111$.

id=63034 | topic=Averages | difficulty=Easy | question=Find the average of 73, 17, 96. | option_a=61 | option_b=62 | option_c=64 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = $186 \div 3 = 62$.

id=63035 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■26939 at 5% per annum for 5 years. | option_a=6834 | option_b=6734 | option_c=6634 | option_d=33673 | answer=B | explanation=SI = $PRT/100 = 26939 \times 5 \times 5/100 = \text{■}6734$.

id=63036 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=Y | option_b=H | option_c=B | option_d=E | answer=D | explanation=Move 3 positions forward from B; the resulting letter is E.

id=63037 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■792. If it is sold at a profit of 50%, what is its selling price? | option_a=842 | option_b=1109 | option_c=1188 | option_d=1267 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 792 \times 150/100 = \text{■}1188$.

id=63038 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:11 and the first is 252, what is the second? | option_a=406 | option_b=143 | option_c=172 | option_d=154 | answer=D | explanation=Scale factor = $252/18 = 14$. Therefore second quantity = $11 \times 14 = 154$.

id=63039 | topic=Averages | difficulty=Easy | question=Find the average of 11, 75, 15, 73, 85, 27, 23, 47, 81, 103. | option_a=56 | option_b=54 | option_c=55 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = $540 \div 10 = 54$.

id=63040 | topic=Averages | difficulty=Easy | question=Find the average of 39, 95, 100. | option_a=79 | option_b=80 | option_c=78 | option_d=77 | answer=C | explanation=Average = sum of values ÷ number of values = $234 \div 3 = 78$.

id=63041 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■38792 at 12% per annum for 1 years. | option_a=4555 | option_b=4755 | option_c=43447 | option_d=4655 | answer=D | explanation=SI = $PRT/100 = 38792 \times 12 \times 1/100 = \text{■}4655$.

id=63042 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=59 | option_b=58 | option_c=70 | option_d=46 | answer=B | explanation=The common difference is 12. Therefore the next term is $46 + 12 = 58$.

id=63043 | topic=Percentages | difficulty=Easy | question=What is 20% of 931? | option_a=206 | option_b=181 | option_c=372 | option_d=186 | answer=D | explanation=20% of 931 = $(20/100) \times 931 = 186$.

id=63044 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■578. If it is sold at a profit of 15%, what is its selling price? | option_a=664 | option_b=721 | option_c=593 | option_d=607 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 578 \times 115/100 = \text{■}664$.

id=63045 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■24374 at 12% per annum for 2 years. | option_a=5849 | option_b=5949 | option_c=5749 | option_d=30223 | answer=A | explanation=SI = $PRT/100 = 24374 \times 12 \times 2/100 = \text{■}5849$.

id=63046 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1195. If it is sold at a profit of 40%, what is its selling price? | option_a=1792 | option_b=1554 | option_c=1673 | option_d=1235 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1195 \times 140/100 = \text{■}1673$.

id=63047 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 44? | option_a=34 | option_b=18 | option_c=44 | option_d=26 | answer=C | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 44 is the odd one out.

id=63048 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 14. | option_a=28 | option_b=56 | option_c=14 | option_d=392 | answer=A | explanation= $LCM \times HCF = 28 \times 14$; $HCF(28, 14) = 14$, so $LCM = 28$.

id=63049 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=63050 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $180 \div 3 = 60$ km/h.

id=63051 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=42 | option_b=41 | option_c=50 | option_d=32 | answer=B | explanation=The common difference is 9. Therefore the next term is $32 + 9 = 41$.

id=63052 | topic=Percentages | difficulty=Easy | question=What is 25% of 892? | option_a=203 | option_b=446 | option_c=223 | option_d=243 | answer=C | explanation=25% of 892 = $(25/100) \times 892 = 223$.

id=63053 | topic=Percentages | difficulty=Easy | question=What is 15% of 125? | option_a=36 | option_b=13 | option_c=28 | option_d=18 | answer=D | explanation=15% of 125 = $(15/100) \times 125 = 18$.

id=63054 | topic=Percentages | difficulty=Easy | question=What is 30% of 922? | option_a=271 | option_b=276 | option_c=296 | option_d=552 | answer=B | explanation=30% of 922 = $(30/100) \times 922 = 276$.

id=63055 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 27? | option_a=15 | option_b=18 | option_c=21 | option_d=27 | answer=D | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 27 is the odd one out.

id=63056 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1470. If it is sold at a profit of 40%, what is its selling price? | option_a=2205 | option_b=1510 | option_c=2058 | option_d=1911 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1470 \times 140/100 = \text{■}2058$.

id=63057 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:20 and the first is 187, what is the second? | option_a=527 | option_b=351 | option_c=340 | option_d=320 | answer=C | explanation=Scale factor = $187/11 = 17$. Therefore second quantity = $20 \times 17 = 340$.

id=63058 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:4 and the first is 76, what is the second? | option_a=72 | option_b=76 | option_c=80 | option_d=152 | answer=B | explanation=Scale factor = $76/4 = 19$. Therefore second quantity = $4 \times 19 = 76$.

id=63059 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■5680 at 8% per annum for 4 years. | option_a=1817 | option_b=7497 | option_c=1717 | option_d=1917 | answer=A | explanation=SI = $PRT/100 = 5680 \times 8 \times 4/100 = \text{■}1817$.

id=63060 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■910. If it is sold at a profit of 10%, what is its selling price? | option_a=1092 | option_b=920 | option_c=1001 | option_d=910 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 910 \times 110/100 = \text{■}1001$.

Aptitude Questions — Records 63,061-63,090 of 100,000

id=63061 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=40 | option_b=34 | option_c=35 | option_d=28 | answer=B | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.

id=63062 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:8 and the first is 228, what is the second? | option_a=115 | option_b=96 | option_c=324 | option_d=88 | answer=B | explanation=Scale factor = 228/19 = 12. Therefore second quantity = 8×12 = 96.

id=63063 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 24, 30, 37? | option_a=24 | option_b=30 | option_c=18 | option_d=37 | answer=D | explanation=The first three numbers increase by 6, so the next should be 36. Therefore 37 is the odd one out.

id=63064 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4334. If it is sold at a profit of 10%, what is its selling price? | option_a=5200 | option_b=4344 | option_c=4334 | option_d=4767 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4334 × 110/100 = █4767.

id=63065 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=30 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=63066 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=25 | option_c=20 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=63067 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3617. If it is sold at a profit of 15%, what is its selling price? | option_a=4520 | option_b=4159 | option_c=3798 | option_d=3632 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3617 × 115/100 = █4159.

id=63068 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2469. If it is sold at a profit of 20%, what is its selling price? | option_a=2489 | option_b=2962 | option_c=3208 | option_d=2716 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2469 × 120/100 = █2962.

id=63069 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=40 | option_c=15 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=63070 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=A | option_b=R | option_c=U | option_d=X | answer=D | explanation=Move 3 positions forward from U; the resulting letter is X.

id=63071 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4331. If it is sold at a profit of 5%, what is its selling price? | option_a=4336 | option_b=4980 | option_c=4114 | option_d=4547 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4331 × 105/100 = █4547.

id=63072 | topic=Averages | difficulty=Easy | question=Find the average of 84, 74, 62, 35, 18, 59, 57, 59. | option_a=56 | option_b=57 | option_c=55 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 448 ÷ 8 = 56.

id=63073 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38968 at 12% per annum for 1 years. | option_a=4776 | option_b=4576 | option_c=4676 | option_d=43644 | answer=C | explanation=SI = PRT/100 = 38968×12×1/100 = █4676.

id=63074 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 12, 21, 30, ? | option_a=30 | option_b=39 | option_c=48 | option_d=40 | answer=B | explanation=The common difference is 9. Therefore the next term is 30 + 9 = 39.

id=63075 | topic=Profit & Loss | difficulty=Easy | question=An article costs █198. If it is sold at a profit of 15%, what is its selling price? | option_a=246 | option_b=208 | option_c=227 | option_d=213 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 198 × 115/100 = █227.

id=63076 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=Y | option_b=C | option_c=G | option_d=K | answer=C | explanation=Move 4 positions forward from C; the resulting letter is G.

id=63077 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=20 | option_b=24 | option_c=16 | option_d=21 | answer=A | explanation=The common difference is 4. Therefore the next term is 16 + 4 = 20.

id=63078 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=150 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=63079 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=40 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=63080 | topic=Averages | difficulty=Easy | question=Find the average of 57, 37, 94, 29, 43, 26, 15. | option_a=44 | option_b=45 | option_c=42 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = 301 ÷ 7 = 43.

id=63081 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=63082 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:13 and the first is 234, what is the second? | option_a=403 | option_b=156 | option_c=169 | option_d=187 | answer=C | explanation=Scale factor = 234/18 = 13. Therefore second quantity = 13×13 = 169.

id=63083 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=95 | option_c=85 | option_d=180 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=63084 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=D | option_c=F | option_d=B | answer=C | explanation=Move 2 positions forward from D; the resulting letter is F.

id=63085 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=180 | option_c=90 | option_d=95 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=63086 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4560. If it is sold at a profit of 30%, what is its selling price? | option_a=4590 | option_b=6384 | option_c=5928 | option_d=5472 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4560 × 130/100 = █5928.

id=63087 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48924 at 4% per annum for 4 years. | option_a=56751 | option_b=7927 | option_c=7727 | option_d=7827 | answer=D | explanation=SI = PRT/100 = 48924×4×4/100 = █7827.

id=63088 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 43? | option_a=29 | option_b=33 | option_c=43 | option_d=37 | answer=C | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 43 is the odd one out.

id=63089 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 12. | option_a=48 | option_b=120 | option_c=60 | option_d=70 | answer=C | explanation=LCM × HCF = 10×12: HCF(10,12) = 2, so LCM = 60.

id=63090 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=R | option_c=L | option_d=P | answer=D | explanation=Move 2 positions forward from N; the resulting letter is P.

Aptitude Questions — Records 63,091-63,120 of 100,000

id=63091 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=13 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=63092 | topic=Averages | difficulty=Easy | question=Find the average of 65, 77, 67, 30, 63, 78, 40. | option_a=60 | option_b=62 | option_c=61 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 420 ÷ 7 = 60.

id=63093 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=48 | option_c=19 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=63094 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=J | option_c=P | option_d=L | answer=A | explanation=Move 2 positions forward from L; the resulting letter is N.

id=63095 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 35, 43, 54? | option_a=35 | option_b=54 | option_c=27 | option_d=43 | answer=B | explanation=The first three numbers increase by 8, so the next should be 51. Therefore 54 is the odd one out.

id=63096 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1273. If it is sold at a profit of 30%, what is its selling price? | option_a=1303 | option_b=1781 | option_c=1527 | option_d=1654 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1273 × 130/100 = █1654.

id=63097 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21099 at 4% per annum for 3 years. | option_a=2431 | option_b=2531 | option_c=2631 | option_d=23630 | answer=B | explanation=SI = PRT/100 = 21099×4×3/100 = █2531.

id=63098 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 34? | option_a=25 | option_b=21 | option_c=29 | option_d=34 | answer=D | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 34 is the odd one out.

id=63099 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22664 at 12% per annum for 1 years. | option_a=25383 | option_b=2619 | option_c=2819 | option_d=2719 | answer=D | explanation=SI = PRT/100 = 22664×12×1/100 = █2719.

id=63100 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=W | option_b=Q | option_c=T | option_d=Z | answer=A | explanation=Move 3 positions forward from T; the resulting letter is W.

id=63101 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=15 | option_b=18 | option_c=21 | option_d=19 | answer=B | explanation=The common difference is 3. Therefore the next term is 15 + 3 = 18.

id=63102 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=150 | option_c=75 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=63103 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:4 and the first is 195, what is the second? | option_a=67 | option_b=48 | option_c=52 | option_d=247 | answer=C | explanation=Scale factor = 195/15 = 13. Therefore second quantity = 4×13 = 52.

id=63104 | topic=Percentages | difficulty=Easy | question=What is 50% of 1292? | option_a=666 | option_b=646 | option_c=1292 | option_d=636 | answer=B | explanation=50% of 1292 = (50/100) × 1292 = 646.

id=63105 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=W | option_c=A | option_d=O | answer=B | explanation=Move 4 positions forward from S; the resulting letter is W.

id=63106 | topic=Percentages | difficulty=Easy | question=What is 40% of 1547? | option_a=618 | option_b=598 | option_c=1236 | option_d=628 | answer=A | explanation=40% of 1547 = (40/100) × 1547 = 618.

id=63107 | topic=Profit & Loss | difficulty=Easy | question=An article costs █216. If it is sold at a profit of 30%, what is its selling price? | option_a=301 | option_b=259 | option_c=246 | option_d=280 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 216 × 130/100 = █280.

id=63108 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=63109 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2595. If it is sold at a profit of 30%, what is its selling price? | option_a=3632 | option_b=2625 | option_c=3373 | option_d=3114 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2595 × 130/100 = █3373.

id=63110 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 24, 33, 44? | option_a=15 | option_b=33 | option_c=44 | option_d=24 | answer=C | explanation=The first three numbers increase by 9, so the next should be 42. Therefore 44 is the odd one out.

id=63111 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:7 and the first is 100, what is the second? | option_a=80 | option_b=63 | option_c=170 | option_d=70 | answer=D | explanation=Scale factor = 100/10 = 10. Therefore second quantity = 7×10 = 70.

id=63112 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=L | option_b=I | option_c=O | option_d=F | answer=A | explanation=Move 3 positions forward from I; the resulting letter is L.

id=63113 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33471 at 5% per annum for 5 years. | option_a=41838 | option_b=8367 | option_c=8267 | option_d=8467 | answer=B | explanation=SI = PRT/100 = 33471×5×5/100 = █8367.

id=63114 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1627. If it is sold at a profit of 20%, what is its selling price? | option_a=1647 | option_b=1790 | option_c=2114 | option_d=1952 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1627 × 120/100 = █1952.

id=63115 | topic=Profit & Loss | difficulty=Easy | question=An article costs █630. If it is sold at a profit of 30%, what is its selling price? | option_a=882 | option_b=660 | option_c=819 | option_d=756 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 630 × 130/100 = █819.

id=63116 | topic=Averages | difficulty=Easy | question=Find the average of 42, 54, 11, 41, 65, 54, 41. | option_a=43 | option_b=45 | option_c=46 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = 308 ÷ 7 = 44.

id=63117 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=40 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=63118 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 14, 20, 28? | option_a=20 | option_b=28 | option_c=8 | option_d=14 | answer=B | explanation=The first three numbers increase by 6, so the next should be 26. Therefore 28 is the odd one out.

id=63119 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=40 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=63120 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=O | option_b=Q | option_c=U | option_d=S | answer=D | explanation=Move 2 positions forward from Q; the resulting letter is S.

Aptitude Questions — Records 63,121-63,150 of 100,000

id=63121 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=50 | option_c=25 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=63122 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 27, 31, 37? | option_a=37 | option_b=31 | option_c=23 | option_d=27 | answer=A | explanation=The first three numbers increase by 4, so the next should be 35. Therefore 37 is the odd one out.

id=63123 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 62? | option_a=50 | option_b=40 | option_c=62 | option_d=30 | answer=C | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 62 is the odd one out.

id=63124 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 26. | option_a=286 | option_b=312 | option_c=336 | option_d=624 | answer=B | explanation=LCM × HCF = 24×26; HCF(24,26) = 2, so LCM = 312.

id=63125 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2670. If it is sold at a profit of 50%, what is its selling price? | option_a=2720 | option_b=4272 | option_c=4005 | option_d=3738 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2670 × 150/100 = █4005.

id=63126 | topic=Averages | difficulty=Easy | question=Find the average of 18, 57, 35, 70. | option_a=44 | option_b=46 | option_c=45 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 180 ÷ 4 = 45.

id=63127 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15026 at 10% per annum for 1 years. | option_a=1602 | option_b=1502 | option_c=16528 | option_d=1402 | answer=B | explanation=SI = PRT/100 = 15026×10×1/100 = █1502.

id=63128 | topic=Profit & Loss | difficulty=Easy | question=An article costs █234. If it is sold at a profit of 20%, what is its selling price? | option_a=254 | option_b=303 | option_c=257 | option_d=280 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 234 × 120/100 = █280.

id=63129 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:14 and the first is 168, what is the second? | option_a=182 | option_b=168 | option_c=154 | option_d=336 | answer=B | explanation=Scale factor = 168/14 = 12. Therefore second quantity = 14×12 = 168.

id=63130 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:19 and the first is 77, what is the second? | option_a=210 | option_b=133 | option_c=114 | option_d=144 | answer=B | explanation=Scale factor = 77/11 = 7. Therefore second quantity = 19×7 = 133.

id=63131 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=62 | option_b=63 | option_c=74 | option_d=50 | answer=A | explanation=The common difference is 12. Therefore the next term is 50 + 12 = 62.

id=63132 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:19 and the first is 80, what is the second? | option_a=175 | option_b=76 | option_c=95 | option_d=111 | answer=C | explanation=Scale factor = 80/16 = 5. Therefore second quantity = 19×5 = 95.

id=63133 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=53 | option_b=44 | option_c=35 | option_d=45 | answer=B | explanation=The common difference is 9. Therefore the next term is 35 + 9 = 44.

id=63134 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1209. If it is sold at a profit of 10%, what is its selling price? | option_a=1209 | option_b=1329 | option_c=1219 | option_d=1449 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1209 × 110/100 = █1329.

id=63135 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 5, 7, 11? | option_a=3 | option_b=7 | option_c=5 | option_d=11 | answer=D | explanation=The first three numbers increase by 2, so the next should be 9. Therefore 11 is the odd one out.

id=63136 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 23? | option_a=19 | option_b=23 | option_c=17 | option_d=15 | answer=B | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 23 is the odd one out.

id=63137 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=46 | option_b=64 | option_c=56 | option_d=55 | answer=D | explanation=The common difference is 9. Therefore the next term is 46 + 9 = 55.

id=63138 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=35 | option_b=40 | option_c=28 | option_d=34 | answer=D | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.

id=63139 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 10. | option_a=60 | option_b=84 | option_c=70 | option_d=140 | answer=C | explanation=LCM × HCF = 14×10; HCF(14,10) = 2, so LCM = 70.

id=63140 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=4 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=63141 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=38 | option_b=34 | option_c=30 | option_d=35 | answer=B | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.

id=63142 | topic=Averages | difficulty=Easy | question=Find the average of 50, 81, 98, 49, 65, 77. | option_a=70 | option_b=71 | option_c=69 | option_d=72 | answer=A | explanation=Average = sum of values ÷ number of values = 420 ÷ 6 = 70.

id=63143 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:12 and the first is 126, what is the second? | option_a=234 | option_b=108 | option_c=96 | option_d=122 | answer=B | explanation=Scale factor = 126/14 = 9. Therefore second quantity = 12×9 = 108.

id=63144 | topic=Percentages | difficulty=Easy | question=What is 20% of 1804? | option_a=355 | option_b=720 | option_c=370 | option_d=360 | answer=D | explanation=20% of 1804 = (20/100) × 1804 = 360.

id=63145 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does "N" become? | option_a=R | option_b=J | option_c=V | option_d=N | answer=A | explanation=Move 4 positions forward from N; the resulting letter is R.

id=63146 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 20? | option_a=15 | option_b=20 | option_c=11 | option_d=13 | answer=B | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 20 is the odd one out.

id=63147 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=13 | option_c=36 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=63148 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18312 at 5% per annum for 5 years. | option_a=4478 | option_b=22890 | option_c=4578 | option_d=4678 | answer=C | explanation=SI = PRT/100 = 18312×5×5/100 = █4578.

id=63149 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=25 | option_c=40 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=63150 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:14 and the first is 8, what is the second? | option_a=112 | option_b=113 | option_c=120 | option_d=98 | answer=A | explanation=Scale factor = 8/1 = 8. Therefore second quantity = 14×8 = 112.

Aptitude Questions — Records 63,151-63,180 of 100,000

id=63151 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=26 | option_b=22 | option_c=27 | option_d=30 | answer=A | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.

id=63152 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=63153 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=63154 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=55 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=63155 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 31, 34, 39? | option_a=31 | option_b=34 | option_c=28 | option_d=39 | answer=D | explanation=The first three numbers increase by 3, so the next should be 37. Therefore 39 is the odd one out.

id=63156 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 48? | option_a=38 | option_b=31 | option_c=24 | option_d=48 | answer=D | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 48 is the odd one out.

id=63157 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**29562 at 10% per annum for 3 years. | option_a=38430 | option_b=8968 | option_c=8768 | option_d=8868 | answer=D | explanation=SI = PRT/100 = 29562×10×3/100 = **₹**8868.

id=63158 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=63159 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4507. If it is sold at a profit of 5%, what is its selling price? | option_a=4732 | option_b=4512 | option_c=4282 | option_d=5182 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4507 × 105/100 = **₹**4732.

id=63160 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=63161 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=34 | option_b=35 | option_c=40 | option_d=28 | answer=A | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.

id=63162 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:4 and the first is 112, what is the second? | option_a=24 | option_b=140 | option_c=44 | option_d=28 | answer=D | explanation=Scale factor = 112/16 = 7. Therefore second quantity = 4×7 = 28.

id=63163 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4704. If it is sold at a profit of 5%, what is its selling price? | option_a=4939 | option_b=5409 | option_c=4469 | option_d=4709 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4704 × 105/100 = **₹**4939.

id=63164 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 31, 35, 41? | option_a=41 | option_b=31 | option_c=35 | option_d=27 | answer=A | explanation=The first three numbers increase by 4, so the next should be 39. Therefore 41 is the odd one out.

id=63165 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 11, 16, 24? | option_a=16 | option_b=24 | option_c=11 | option_d=6 | answer=B | explanation=The first three numbers increase by 5, so the next should be 21. Therefore 24 is the odd one out.

id=63166 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4776. If it is sold at a profit of 5%, what is its selling price? | option_a=5014 | option_b=4537 | option_c=4781 | option_d=5491 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4776 × 105/100 = **₹**5014.

id=63167 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 21. | option_a=294 | option_b=56 | option_c=42 | option_d=21 | answer=C | explanation=LCM × HCF = 14×21; HCF(14,21) = 7, so LCM = 42.

id=63168 | topic=Averages | difficulty=Easy | question=Find the average of 36, 89, 99, 94, 89, 28, 34. | option_a=67 | option_b=66 | option_c=69 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = 469 ÷ 7 = 67.

id=63169 | topic=Averages | difficulty=Easy | question=Find the average of 68, 36, 57, 47. | option_a=53 | option_b=51 | option_c=52 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 208 ÷ 4 = 52.

id=63170 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=77 | option_c=144 | option_d=67 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=63171 | topic=Averages | difficulty=Easy | question=Find the average of 13, 98, 76, 87, 85, 26, 42, 53. | option_a=59 | option_b=61 | option_c=62 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 480 ÷ 8 = 60.

id=63172 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**22243 at 6% per annum for 3 years. | option_a=26246 | option_b=4003 | option_c=4103 | option_d=3903 | answer=B | explanation=SI = PRT/100 = 22243×6×3/100 = **₹**4003.

id=63173 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=63174 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=36 | option_c=31 | option_d=41 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=63175 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**43981 at 8% per annum for 2 years. | option_a=6936 | option_b=7136 | option_c=51017 | option_d=7036 | answer=D | explanation=SI = PRT/100 = 43981×8×2/100 = **₹**7036.

id=63176 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=A | option_c=G | option_d=C | answer=A | explanation=Move 2 positions forward from C; the resulting letter is E.

id=63177 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 11, 16, 23? | option_a=16 | option_b=23 | option_c=6 | option_d=11 | answer=B | explanation=The first three numbers increase by 5, so the next should be 21. Therefore 23 is the odd one out.

id=63178 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=K | option_c=Z | option_d=U | answer=D | explanation=Move 5 positions forward from P; the resulting letter is U.

id=63179 | topic=Averages | difficulty=Easy | question=Find the average of 65, 83, 54, 67, 41, 26. | option_a=56 | option_b=58 | option_c=55 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 336 ÷ 6 = 56.

id=63180 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3597. If it is sold at a profit of 40%, what is its selling price? | option_a=5035 | option_b=4676 | option_c=3637 | option_d=5394 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3597 × 140/100 = **₹**5035.

Aptitude Questions — Records 63,181-63,210 of 100,000

id=63181 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 14, 17, 21? | option_a=14 | option_b=17 | option_c=21 | option_d=11 | answer=C | explanation=The first three numbers increase by 3, so the next should be 20. Therefore 21 is the odd one out.

id=63182 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=36 | option_b=24 | option_c=30 | option_d=31 | answer=C | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.

id=63183 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=N | option_c=P | option_d=T | answer=A | explanation=Move 2 positions forward from P; the resulting letter is R.

id=63184 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 29, 37, 47? | option_a=21 | option_b=37 | option_c=29 | option_d=47 | answer=D | explanation=The first three numbers increase by 8, so the next should be 45. Therefore 47 is the odd one out.

id=63185 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:17 and the first is 126, what is the second? | option_a=245 | option_b=119 | option_c=137 | option_d=102 | answer=B | explanation=Scale factor = 126/18 = 7. Therefore second quantity = 17×7 = 119.

id=63186 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=D | option_c=G | option_d=X | answer=B | explanation=Move 3 positions forward from A; the resulting letter is D.

id=63187 | topic=Averages | difficulty=Easy | question=Find the average of 26, 99, 70, 88, 25, 77, 34, 56, 56. | option_a=59 | option_b=60 | option_c=61 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 531 ÷ 9 = 59.

id=63188 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3229. If it is sold at a profit of 5%, what is its selling price? | option_a=3068 | option_b=3390 | option_c=3234 | option_d=3712 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3229 × 105/100 = █3390.

id=63189 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47878 at 5% per annum for 3 years. | option_a=55059 | option_b=7281 | option_c=7081 | option_d=7181 | answer=D | explanation=SI = PRT/100 = 47878×5×3/100 = █7181.

id=63190 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3380 at 15% per annum for 3 years. | option_a=1421 | option_b=1521 | option_c=4901 | option_d=1621 | answer=B | explanation=SI = PRT/100 = 3380×15×3/100 = █1521.

id=63191 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=63192 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3070. If it is sold at a profit of 5%, what is its selling price? | option_a=3530 | option_b=3075 | option_c=2916 | option_d=3223 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3070 × 105/100 = █3223.

id=63193 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4498. If it is sold at a profit of 20%, what is its selling price? | option_a=5846 | option_b=4948 | option_c=5397 | option_d=4518 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4498 × 120/100 = █5397.

id=63194 | topic=Percentages | difficulty=Easy | question=What is 5% of 1298? | option_a=128 | option_b=84 | option_c=59 | option_d=64 | answer=D | explanation=5% of 1298 = (5/100) × 1298 = 64.

id=63195 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=63196 | topic=Percentages | difficulty=Easy | question=What is 40% of 705? | option_a=564 | option_b=282 | option_c=272 | option_d=287 | answer=B | explanation=40% of 705 = (40/100) × 705 = 282.

id=63197 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:5 and the first is 2, what is the second? | option_a=12 | option_b=10 | option_c=5 | option_d=11 | answer=B | explanation=Scale factor = 2/1 = 2. Therefore second quantity = 5×2 = 10.

id=63198 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 53? | option_a=32 | option_b=53 | option_c=23 | option_d=41 | answer=B | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 53 is the odd one out.

id=63199 | topic=Averages | difficulty=Easy | question=Find the average of 37, 73, 93, 42, 18, 62, 15, 47, 45. | option_a=48 | option_b=47 | option_c=49 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 432 ÷ 9 = 48.

id=63200 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=63201 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=63202 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14871 at 15% per annum for 1 years. | option_a=17101 | option_b=2130 | option_c=2330 | option_d=2230 | answer=D | explanation=SI = PRT/100 = 14871×15×1/100 = █2230.

id=63203 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42687 at 10% per annum for 4 years. | option_a=17074 | option_b=59761 | option_c=16974 | option_d=17174 | answer=A | explanation=SI = PRT/100 = 42687×10×4/100 = █17074.

id=63204 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1328. If it is sold at a profit of 40%, what is its selling price? | option_a=1368 | option_b=1859 | option_c=1727 | option_d=1991 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1328 × 140/100 = █1859.

id=63205 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=63206 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16292 at 5% per annum for 3 years. | option_a=18735 | option_b=2443 | option_c=2543 | option_d=2343 | answer=B | explanation=SI = PRT/100 = 16292×5×3/100 = █2443.

id=63207 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=63208 | topic=Averages | difficulty=Easy | question=Find the average of 60, 47, 100. | option_a=69 | option_b=68 | option_c=70 | option_d=71 | answer=A | explanation=Average = sum of values ÷ number of values = 207 ÷ 3 = 69.

id=63209 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=24 | option_b=20 | option_c=23 | option_d=22 | answer=D | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=63210 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2299. If it is sold at a profit of 20%, what is its selling price? | option_a=2758 | option_b=2529 | option_c=2319 | option_d=2987 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2299 × 120/100 = █2758.

Aptitude Questions — Records 63,211-63,240 of 100,000

id=63211 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=E | option_b=T | option_c=O | option_d=J | answer=C | explanation=Move 5 positions forward from J; the resulting letter is O.

id=63212 | topic=Profit & Loss | difficulty=Easy | question=An article costs █477. If it is sold at a profit of 15%, what is its selling price? | option_a=501 | option_b=492 | option_c=548 | option_d=595 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 477 × 115/100 = █548.

id=63213 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=20 | option_b=21 | option_c=22 | option_d=18 | answer=A | explanation=The common difference is 2. Therefore the next term is 18 + 2 = 20.

id=63214 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=J | option_b=K | option_c=L | option_d=M | answer=C | explanation=Move 1 positions forward from K; the resulting letter is L.

id=63215 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=G | option_c=J | option_d=I | answer=D | explanation=Move 1 positions forward from H; the resulting letter is I.

id=63216 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:17 and the first is 272, what is the second? | option_a=544 | option_b=289 | option_c=272 | option_d=255 | answer=C | explanation=Scale factor = 272/17 = 16. Therefore second quantity = 17×16 = 272.

id=63217 | topic=Percentages | difficulty=Easy | question=What is 10% of 188? | option_a=18 | option_b=23 | option_c=36 | option_d=13 | answer=A | explanation=10% of 188 = (10/100) × 188 = 18.

id=63218 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29035 at 8% per annum for 5 years. | option_a=11714 | option_b=11514 | option_c=11614 | option_d=40649 | answer=C | explanation=SI = PRT/100 = 29035×8×5/100 = █11614.

id=63219 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=24 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=63220 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2360. If it is sold at a profit of 15%, what is its selling price? | option_a=2478 | option_b=2375 | option_c=2714 | option_d=2950 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2360 × 115/100 = █2714.

id=63221 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=63222 | topic=Profit & Loss | difficulty=Easy | question=An article costs █935. If it is sold at a profit of 20%, what is its selling price? | option_a=1122 | option_b=1029 | option_c=1215 | option_d=955 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 935 × 120/100 = █1122.

id=63223 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2197. If it is sold at a profit of 30%, what is its selling price? | option_a=2856 | option_b=2227 | option_c=3075 | option_d=2637 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2197 × 130/100 = █2856.

id=63224 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1270. If it is sold at a profit of 30%, what is its selling price? | option_a=1300 | option_b=1778 | option_c=1524 | option_d=1651 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1270 × 130/100 = █1651.

id=63225 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=53 | option_b=46 | option_c=45 | option_d=37 | answer=C | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=63226 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:10 and the first is 176, what is the second? | option_a=110 | option_b=100 | option_c=126 | option_d=286 | answer=A | explanation=Scale factor = 176/16 = 11. Therefore second quantity = 10×11 = 110.

id=63227 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:8 and the first is 280, what is the second? | option_a=160 | option_b=174 | option_c=440 | option_d=152 | answer=A | explanation=Scale factor = 280/14 = 20. Therefore second quantity = 8×20 = 160.

id=63228 | topic=Averages | difficulty=Easy | question=Find the average of 18, 83, 79, 68, 71, 32, 34. | option_a=57 | option_b=55 | option_c=54 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 385 ÷ 7 = 55.

id=63229 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:11 and the first is 180, what is the second? | option_a=121 | option_b=147 | option_c=312 | option_d=132 | answer=D | explanation=Scale factor = 180/15 = 12. Therefore second quantity = 11×12 = 132.

id=63230 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=46 | option_b=57 | option_c=66 | option_d=56 | answer=D | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=63231 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 27, 36, 46? | option_a=18 | option_b=27 | option_c=46 | option_d=36 | answer=C | explanation=The first three numbers increase by 9, so the next should be 45. Therefore 46 is the odd one out.

id=63232 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:2 and the first is 40, what is the second? | option_a=20 | option_b=18 | option_c=60 | option_d=24 | answer=A | explanation=Scale factor = 40/4 = 10. Therefore second quantity = 2×10 = 20.

id=63233 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 41? | option_a=25 | option_b=35 | option_c=30 | option_d=41 | answer=D | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 41 is the odd one out.

id=63234 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4234. If it is sold at a profit of 50%, what is its selling price? | option_a=6774 | option_b=6351 | option_c=5928 | option_d=4284 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4234 × 150/100 = █6351.

id=63235 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 33? | option_a=13 | option_b=4 | option_c=22 | option_d=33 | answer=D | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 33 is the odd one out.

id=63236 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=56 | option_b=67 | option_c=45 | option_d=57 | answer=A | explanation=The common difference is 11. Therefore the next term is 45 + 11 = 56.

id=63237 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=P | option_b=S | option_c=Q | option_d=R | answer=D | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=63238 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 30? | option_a=30 | option_b=22 | option_c=10 | option_d=16 | answer=A | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 30 is the odd one out.

id=63239 | topic=Percentages | difficulty=Easy | question=What is 12% of 1363? | option_a=163 | option_b=168 | option_c=326 | option_d=158 | answer=A | explanation=12% of 1363 = (12/100) × 1363 = 163.

id=63240 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 20, 28, 39? | option_a=28 | option_b=12 | option_c=20 | option_d=39 | answer=D | explanation=The first three numbers increase by 8, so the next should be 36. Therefore 39 is the odd one out.

Aptitude Questions — Records 63,241-63,270 of 100,000

id=63241 | topic=Averages | difficulty=Easy | question=Find the average of 54, 81, 64, 48, 28, 59, 30. | option_a=54 | option_b=53 | option_c=51 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = $364 \div 7 = 52$.

id=63242 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=63243 | topic=Percentages | difficulty=Easy | question=What is 10% of 601? | option_a=50 | option_b=70 | option_c=60 | option_d=120 | answer=C | explanation=10% of 601 = $(\frac{10}{100}) \times 601 = 60$.

id=63244 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=R | option_b=M | option_c=C | option_d=H | answer=B | explanation=Move 5 positions forward from H; the resulting letter is M.

id=63245 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 43? | option_a=30 | option_b=34 | option_c=38 | option_d=43 | answer=D | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 43 is the odd one out.

id=63246 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:17 and the first is 255, what is the second? | option_a=255 | option_b=510 | option_c=238 | option_d=272 | answer=A | explanation=Scale factor = $\frac{255}{17} = 15$. Therefore second quantity = $17 \times 15 = 255$.

id=63247 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 37? | option_a=17 | option_b=23 | option_c=29 | option_d=37 | answer=D | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 37 is the odd one out.

id=63248 | topic=Averages | difficulty=Easy | question=Find the average of 37, 71, 66, 47, 34. | option_a=51 | option_b=53 | option_c=50 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = $255 \div 5 = 51$.

id=63249 | topic=Percentages | difficulty=Easy | question=What is 12% of 1160? | option_a=278 | option_b=149 | option_c=139 | option_d=119 | answer=C | explanation=12% of 1160 = $(\frac{12}{100}) \times 1160 = 139$.

id=63250 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=180 | option_c=90 | option_d=95 | answer=C | explanation=Speed = distance ÷ time = $\frac{180}{2} = 90$ km/h.

id=63251 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 25. | option_a=25 | option_b=50 | option_c=1 | option_d=625 | answer=A | explanation=LCM $\times$ HCF = 25×25 ; HCF(25,25) = 25, so LCM = 25.

id=63252 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $\frac{90}{3} = 30$ km/h.

id=63253 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 30? | option_a=22 | option_b=30 | option_c=10 | option_d=16 | answer=B | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 30 is the odd one out.

id=63254 | topic=Percentages | difficulty=Easy | question=What is 12% of 1798? | option_a=215 | option_b=430 | option_c=235 | option_d=210 | answer=A | explanation=12% of 1798 = $(\frac{12}{100}) \times 1798 = 215$.

id=63255 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4346. If it is sold at a profit of 5%, what is its selling price? | option_a=4997 | option_b=4563 | option_c=4129 | option_d=4351 | answer=B | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 4346 \times \frac{105}{100} = \text{█}4563$.

id=63256 | topic=Percentages | difficulty=Easy | question=What is 5% of 162? | option_a=28 | option_b=16 | option_c=8 | option_d=3 | answer=C | explanation=5% of 162 = $(\frac{5}{100}) \times 162 = 8$.

id=63257 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=12 | answer=B | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12} = 3$ days.

id=63258 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:16 and the first is 10, what is the second? | option_a=160 | option_b=144 | option_c=161 | option_d=170 | answer=A | explanation=Scale factor = $\frac{10}{1} = 10$. Therefore second quantity = $16 \times 10 = 160$.

id=63259 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 26? | option_a=11 | option_b=5 | option_c=17 | option_d=26 | answer=D | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 26 is the odd one out.

id=63260 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=47 | option_b=29 | option_c=38 | option_d=39 | answer=C | explanation=The common difference is 9. Therefore the next term is $29 + 9 = 38$.

id=63261 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4921. If it is sold at a profit of 25%, what is its selling price? | option_a=4946 | option_b=5659 | option_c=6151 | option_d=6643 | answer=C | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 4921 \times \frac{125}{100} = \text{█}6151$.

id=63262 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23674 at 4% per annum for 3 years. | option_a=26514 | option_b=2940 | option_c=2740 | option_d=2840 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{23674 \times 4 \times 3}{100} = \text{█}2840$.

id=63263 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=71 | option_b=59 | option_c=47 | option_d=60 | answer=B | explanation=The common difference is 12. Therefore the next term is $47 + 12 = 59$.

id=63264 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 21, 23, 27? | option_a=23 | option_b=27 | option_c=21 | option_d=19 | answer=B | explanation=The first three numbers increase by 2, so the next should be 25. Therefore 27 is the odd one out.

id=63265 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:12 and the first is 4, what is the second? | option_a=52 | option_b=49 | option_c=48 | option_d=36 | answer=C | explanation=Scale factor = $\frac{4}{1} = 4$. Therefore second quantity = $12 \times 4 = 48$.

id=63266 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:15 and the first is 156, what is the second? | option_a=207 | option_b=180 | option_c=351 | option_d=195 | answer=D | explanation=Scale factor = $\frac{156}{12} = 13$. Therefore second quantity = $15 \times 13 = 195$.

id=63267 | topic=Percentages | difficulty=Easy | question=What is 15% of 417? | option_a=57 | option_b=67 | option_c=124 | option_d=62 | answer=D | explanation=15% of 417 = $(\frac{15}{100}) \times 417 = 62$.

id=63268 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=44 | option_b=54 | option_c=62 | option_d=53 | answer=D | explanation=The common difference is 9. Therefore the next term is $44 + 9 = 53$.

id=63269 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=6 | option_d=20 | answer=B | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.

id=63270 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=25 | option_b=21 | option_c=17 | option_d=22 | answer=B | explanation=The common difference is 4. Therefore the next term is $17 + 4 = 21$.

Aptitude Questions — Records 63,271-63,300 of 100,000

id=63271 | topic=Percentages | difficulty=Easy | question=What is 20% of 1300? | option_a=260 | option_b=520 | option_c=270 | option_d=240 | answer=A | explanation=20% of 1300 = (20/100) × 1300 = 260.

id=63272 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=46 | option_b=53 | option_c=47 | option_d=39 | answer=A | explanation=The common difference is 7. Therefore the next term is 39 + 7 = 46.

id=63273 | topic=Percentages | difficulty=Easy | question=What is 30% of 1371? | option_a=391 | option_b=411 | option_c=416 | option_d=822 | answer=B | explanation=30% of 1371 = (30/100) × 1371 = 411.

id=63274 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 34, 39, 46? | option_a=46 | option_b=39 | option_c=34 | option_d=29 | answer=A | explanation=The first three numbers increase by 5, so the next should be 44. Therefore 46 is the odd one out.

id=63275 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31390 at 10% per annum for 5 years. | option_a=15595 | option_b=47085 | option_c=15695 | option_d=15795 | answer=C | explanation=SI = PRT/100 = 31390×10×5/100 = **■**15695.

id=63276 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=63277 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4789 at 6% per annum for 3 years. | option_a=762 | option_b=962 | option_c=862 | option_d=5651 | answer=C | explanation=SI = PRT/100 = 4789×6×3/100 = **■**862.

id=63278 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:13 and the first is 180, what is the second? | option_a=195 | option_b=207 | option_c=182 | option_d=375 | answer=A | explanation=Scale factor = 180/12 = 15. Therefore second quantity = 13×15 = 195.

id=63279 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 24, 32, 40, ? | option_a=56 | option_b=48 | option_c=40 | option_d=49 | answer=B | explanation=The common difference is 8. Therefore the next term is 40 + 8 = 48.

id=63280 | topic=Averages | difficulty=Easy | question=Find the average of 80, 51, 93, 78, 54, 43, 44, 34, 81. | option_a=61 | option_b=63 | option_c=62 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 558 ÷ 9 = 62.

id=63281 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=63282 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11808 at 4% per annum for 3 years. | option_a=1316 | option_b=1416 | option_c=13224 | option_d=1516 | answer=B | explanation=SI = PRT/100 = 11808×4×3/100 = **■**1416.

id=63283 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=63284 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=10 | option_b=12 | option_c=8 | option_d=11 | answer=A | explanation=The common difference is 2. Therefore the next term is 8 + 2 = 10.

id=63285 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 42? | option_a=42 | option_b=25 | option_c=35 | option_d=30 | answer=A | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 42 is the odd one out.

id=63286 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=G | option_b=A | option_c=D | option_d=J | answer=A | explanation=Move 3 positions forward from D; the resulting letter is G.

id=63287 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 25? | option_a=12 | option_b=6 | option_c=25 | option_d=18 | answer=C | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 25 is the odd one out.

id=63288 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:18 and the first is 168, what is the second? | option_a=230 | option_b=384 | option_c=216 | option_d=198 | answer=C | explanation=Scale factor = 168/14 = 12. Therefore second quantity = 18×12 = 216.

id=63289 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=1 | option_c=12 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=63290 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=63291 | topic=Percentages | difficulty=Easy | question=What is 25% of 766? | option_a=171 | option_b=382 | option_c=191 | option_d=211 | answer=C | explanation=25% of 766 = (25/100) × 766 = 191.

id=63292 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=40 | option_b=39 | option_c=47 | option_d=31 | answer=B | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

id=63293 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 9, 11, 15? | option_a=11 | option_b=7 | option_c=15 | option_d=9 | answer=C | explanation=The first three numbers increase by 2, so the next should be 13. Therefore 15 is the odd one out.

id=63294 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3537 at 8% per annum for 2 years. | option_a=465 | option_b=665 | option_c=565 | option_d=4102 | answer=C | explanation=SI = PRT/100 = 3537×8×2/100 = **■**565.

id=63295 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=63296 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=C | option_c=E | option_d=F | answer=C | explanation=Move 1 positions forward from D; the resulting letter is E.

id=63297 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:20 and the first is 119, what is the second? | option_a=259 | option_b=140 | option_c=157 | option_d=120 | answer=B | explanation=Scale factor = 119/17 = 7. Therefore second quantity = 20×7 = 140.

id=63298 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 28, 38, 48, ? | option_a=68 | option_b=58 | option_c=59 | option_d=48 | answer=B | explanation=The common difference is 10. Therefore the next term is 48 + 10 = 58.

id=63299 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38186 at 15% per annum for 3 years. | option_a=17283 | option_b=17083 | option_c=55369 | option_d=17183 | answer=D | explanation=SI = PRT/100 = 38186×15×3/100 = **■**17183.

id=63300 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=59 | option_b=49 | option_c=48 | option_d=37 | answer=C | explanation=The common difference is 11. Therefore the next term is 37 + 11 = 48.

Aptitude Questions — Records 63,301-63,330 of 100,000

id=63301 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=12 | option_c=17 | option_d=24 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=63302 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=E | option_c=A | option_d=Y | answer=A | explanation=Move 2 positions forward from A; the resulting letter is C.

id=63303 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:6 and the first is 16, what is the second? | option_a=12 | option_b=28 | option_c=6 | option_d=20 | answer=A | explanation=Scale factor = 16/8 = 2. Therefore second quantity = 6×2 = 12.

id=63304 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■1312 at 6% per annum for 3 years. | option_a=36948 | option_b=5536 | option_c=5736 | option_d=5636 | answer=D | explanation=SI = $PRT/100 = 31312 \times 6 \times 3/100 = \blacksquare 5636$.

id=63305 | topic=Percentages | difficulty=Easy | question=What is 5% of 1060? | option_a=53 | option_b=106 | option_c=43 | option_d=63 | answer=A | explanation=5% of 1060 = (5/100) × 1060 = 53.

id=63306 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 47? | option_a=47 | option_b=37 | option_c=23 | option_d=30 | answer=A | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 47 is the odd one out.

id=63307 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 6. | option_a=18 | option_b=48 | option_c=32 | option_d=24 | answer=D | explanation=LCM × HCF = 8×6; HCF(8,6) = 2, so LCM = 24.

id=63308 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 30, 32, 35? | option_a=30 | option_b=35 | option_c=28 | option_d=32 | answer=B | explanation=The first three numbers increase by 2, so the next should be 34. Therefore 35 is the odd one out.

id=63309 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■5866 at 8% per annum for 3 years. | option_a=7273 | option_b=1407 | option_c=1507 | option_d=1307 | answer=B | explanation=SI = $PRT/100 = 5866 \times 8 \times 3/100 = \blacksquare 1407$.

id=63310 | topic=Number System | difficulty=Easy | question=Find the LCM of 11 and 22. | option_a=22 | option_b=1 | option_c=33 | option_d=242 | answer=A | explanation=LCM × HCF = 11×22; HCF(11,22) = 11, so LCM = 22.

id=63311 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:10 and the first is 135, what is the second? | option_a=90 | option_b=225 | option_c=105 | option_d=80 | answer=A | explanation=Scale factor = 135/15 = 9. Therefore second quantity = 10×9 = 90.

id=63312 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=63313 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3008. If it is sold at a profit of 25%, what is its selling price? | option_a=3460 | option_b=3033 | option_c=4060 | option_d=3760 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 3008 \times 125/100 = \blacksquare 3760$.

id=63314 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2407. If it is sold at a profit of 25%, what is its selling price? | option_a=3008 | option_b=3248 | option_c=2768 | option_d=2432 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2407 \times 125/100 = \blacksquare 3008$.

id=63315 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=90 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=63316 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=D | option_b=E | option_c=G | option_d=F | answer=D | explanation=Move 1 positions forward from E; the resulting letter is F.

id=63317 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=23 | option_d=36 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=63318 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=63319 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 36, 43, 52? | option_a=36 | option_b=29 | option_c=43 | option_d=52 | answer=D | explanation=The first three numbers increase by 7, so the next should be 50. Therefore 52 is the odd one out.

id=63320 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=26 | option_b=31 | option_c=36 | option_d=32 | answer=B | explanation=The common difference is 5. Therefore the next term is 26 + 5 = 31.

id=63321 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=15 | option_b=18 | option_c=12 | option_d=16 | answer=A | explanation=The common difference is 3. Therefore the next term is 12 + 3 = 15.

id=63322 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=57 | option_b=58 | option_c=47 | option_d=67 | answer=A | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

id=63323 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=63324 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=J | option_b=D | option_c=G | option_d=A | answer=C | explanation=Move 3 positions forward from D; the resulting letter is G.

id=63325 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=50 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=63326 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:17 and the first is 36, what is the second? | option_a=138 | option_b=108 | option_c=85 | option_d=102 | answer=D | explanation=Scale factor = 36/6 = 6. Therefore second quantity = 17×6 = 102.

id=63327 | topic=Percentages | difficulty=Easy | question=What is 12% of 392? | option_a=42 | option_b=94 | option_c=47 | option_d=67 | answer=C | explanation=12% of 392 = $(12/100) \times 392 = 47$.

id=63328 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=41 | option_c=31 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=63329 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:3 and the first is 76, what is the second? | option_a=88 | option_b=31 | option_c=9 | option_d=12 | answer=D | explanation=Scale factor = 76/19 = 4. Therefore second quantity = 3×4 = 12.

id=63330 | topic=Percentages | difficulty=Easy | question=What is 10% of 416? | option_a=41 | option_b=82 | option_c=31 | option_d=61 | answer=A | explanation=10% of 416 = $(10/100) \times 416 = 41$.

Aptitude Questions — Records 63,331-63,360 of 100,000

id=63331 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:3 and the first is 42, what is the second? | option_a=9 | option_b=6 | option_c=51 | option_d=23 | answer=A | explanation=Scale factor = $42/14 = 3$. Therefore second quantity = $3 \times 3 = 9$.

id=63332 | topic=Percentages | difficulty=Easy | question=What is 10% of 1635? | option_a=163 | option_b=173 | option_c=326 | option_d=158 | answer=A | explanation= 10% of 1635 = $(10/100) \times 1635 = 163$.

id=63333 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:11 and the first is 15, what is the second? | option_a=33 | option_b=22 | option_c=48 | option_d=38 | answer=A | explanation=Scale factor = $15/5 = 3$. Therefore second quantity = $11 \times 3 = 33$.

id=63334 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=63335 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=7 | option_c=17 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = $60 \div 5 = 12$ km/h.

id=63336 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1433. If it is sold at a profit of 30%, what is its selling price? | option_a=1719 | option_b=2005 | option_c=1862 | option_d=1463 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1433 \times 130/100 = \text{█}1862$.

id=63337 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=63338 | topic=Averages | difficulty=Easy | question=Find the average of 72, 48, 57, 96, 21, 35, 93, 59, 46, 23. | option_a=57 | option_b=54 | option_c=55 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = $550 \div 10 = 55$.

id=63339 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 45? | option_a=30 | option_b=36 | option_c=45 | option_d=24 | answer=C | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 45 is the odd one out.

id=63340 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 36, 44, 55? | option_a=55 | option_b=44 | option_c=36 | option_d=28 | answer=A | explanation=The first three numbers increase by 8, so the next should be 52. Therefore 55 is the odd one out.

id=63341 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=M | option_b=O | option_c=Q | option_d=S | answer=C | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=63342 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:9 and the first is 247, what is the second? | option_a=136 | option_b=117 | option_c=108 | option_d=364 | answer=B | explanation=Scale factor = $247/19 = 13$. Therefore second quantity = $9 \times 13 = 117$.

id=63343 | topic=Percentages | difficulty=Easy | question=What is 30% of 1265? | option_a=758 | option_b=379 | option_c=374 | option_d=389 | answer=B | explanation= 30% of 1265 = $(30/100) \times 1265 = 379$.

id=63344 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 40? | option_a=40 | option_b=13 | option_c=21 | option_d=29 | answer=A | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 40 is the odd one out.

id=63345 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=A | option_c=G | option_d=C | answer=A | explanation=Move 2 positions forward from C; the resulting letter is E.

id=63346 | topic=Averages | difficulty=Easy | question=Find the average of 18, 31, 76, 64, 41, 72, 13, 95, 49. | option_a=50 | option_b=51 | option_c=52 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = $459 \div 9 = 51$.

id=63347 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=E | option_c=I | option_d=W | answer=B | explanation=Move 4 positions forward from A; the resulting letter is E.

id=63348 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 13, 16, 21? | option_a=21 | option_b=16 | option_c=10 | option_d=13 | answer=A | explanation=The first three numbers increase by 3, so the next should be 19. Therefore 21 is the odd one out.

id=63349 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 18, 28, 39? | option_a=18 | option_b=8 | option_c=28 | option_d=39 | answer=D | explanation=The first three numbers increase by 10, so the next should be 38. Therefore 39 is the odd one out.

id=63350 | topic=Profit & Loss | difficulty=Easy | question=An article costs █177. If it is sold at a profit of 10%, what is its selling price? | option_a=187 | option_b=177 | option_c=194 | option_d=211 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 177 \times 110/100 = \text{█}194$.

id=63351 | topic=Averages | difficulty=Easy | question=Find the average of 80, 19, 66. | option_a=57 | option_b=56 | option_c=54 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = $165 \div 3 = 55$.

id=63352 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 14, 23, 33? | option_a=14 | option_b=33 | option_c=23 | option_d=5 | answer=B | explanation=The first three numbers increase by 9, so the next should be 32. Therefore 33 is the odd one out.

id=63353 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = $90 \div 3 = 30$ km/h.

id=63354 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 28. | option_a=1 | option_b=35 | option_c=196 | option_d=28 | answer=D | explanation= $LCM \times HCF = 7 \times 28$; $HCF(7, 28) = 7$, so $LCM = 28$.

id=63355 | topic=Percentages | difficulty=Easy | question=What is 40% of 848? | option_a=678 | option_b=339 | option_c=349 | option_d=334 | answer=B | explanation= 40% of 848 = $(40/100) \times 848 = 339$.

id=63356 | topic=Percentages | difficulty=Easy | question=What is 12% of 1589? | option_a=170 | option_b=190 | option_c=210 | option_d=380 | answer=B | explanation= 12% of 1589 = $(12/100) \times 1589 = 190$.

id=63357 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=77 | option_c=72 | option_d=67 | answer=C | explanation=Speed = distance ÷ time = $360 \div 5 = 72$ km/h.

id=63358 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=23 | option_b=19 | option_c=22 | option_d=21 | answer=D | explanation=The common difference is 2. Therefore the next term is $19 + 2 = 21$.

id=63359 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4516 at 10% per annum for 2 years. | option_a=803 | option_b=5419 | option_c=903 | option_d=1003 | answer=C | explanation= $SI = PRT/100 = 4516 \times 10 \times 2/100 = \text{█}903$.

id=63360 | topic=Averages | difficulty=Easy | question=Find the average of 100, 20, 24, 13, 53, 80, 43, 51. | option_a=47 | option_b=50 | option_c=48 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = $384 \div 8 = 48$.

Aptitude Questions — Records 63,361-63,390 of 100,000

id=63361 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=77 | option_c=67 | option_d=144 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=63362 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:3 and the first is 324, what is the second? | option_a=378 | option_b=54 | option_c=51 | option_d=72 | answer=B | explanation=Scale factor = 324/18 = 18. Therefore second quantity = 3×18 = 54.

id=63363 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4773. If it is sold at a profit of 20%, what is its selling price? | option_a=6204 | option_b=5250 | option_c=4793 | option_d=5727 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4773 × 120/100 = █5727.

id=63364 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=40 | option_c=45 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=63365 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 24. | option_a=243 | option_b=192 | option_c=216 | option_d=648 | answer=C | explanation=LCM × HCF = 27×24; HCF(27,24) = 3, so LCM = 216.

id=63366 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=24 | option_b=20 | option_c=22 | option_d=23 | answer=C | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=63367 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:3 and the first is 306, what is the second? | option_a=357 | option_b=51 | option_c=69 | option_d=48 | answer=B | explanation=Scale factor = 306/18 = 17. Therefore second quantity = 3×17 = 51.

id=63368 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4117. If it is sold at a profit of 10%, what is its selling price? | option_a=4528 | option_b=4117 | option_c=4127 | option_d=4939 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4117 × 110/100 = █4528.

id=63369 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 14. | option_a=28 | option_b=56 | option_c=32 | option_d=14 | answer=A | explanation=LCM × HCF = 4×14; HCF(4,14) = 2, so LCM = 28.

id=63370 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=63371 | topic=Averages | difficulty=Easy | question=Find the average of 100, 61, 16. | option_a=58 | option_b=59 | option_c=60 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 177 ÷ 3 = 59.

id=63372 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=63373 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=57 | option_b=37 | option_c=47 | option_d=48 | answer=C | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

id=63374 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 31? | option_a=31 | option_b=13 | option_c=23 | option_d=18 | answer=A | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 31 is the odd one out.

id=63375 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=59 | option_b=49 | option_c=48 | option_d=37 | answer=C | explanation=The common difference is 11. Therefore the next term is 37 + 11 = 48.

id=63376 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=45 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=63377 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=12 | option_c=6 | option_d=1 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=63378 | topic=Percentages | difficulty=Easy | question=What is 5% of 1642? | option_a=164 | option_b=72 | option_c=82 | option_d=92 | answer=C | explanation=5% of 1642 = (5/100) × 1642 = 82.

id=63379 | topic=Averages | difficulty=Easy | question=Find the average of 13, 38, 10, 57, 88, 12, 52, 34. | option_a=39 | option_b=40 | option_c=38 | option_d=37 | answer=C | explanation=Average = sum of values ÷ number of values = 304 ÷ 8 = 38.

id=63380 | topic=Averages | difficulty=Easy | question=Find the average of 99, 26, 77, 25, 39, 28. | option_a=49 | option_b=51 | option_c=48 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 294 ÷ 6 = 49.

id=63381 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 20. | option_a=440 | option_b=242 | option_c=200 | option_d=220 | answer=D | explanation=LCM × HCF = 22×20; HCF(22,20) = 2, so LCM = 220.

id=63382 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=63383 | topic=Profit & Loss | difficulty=Easy | question=An article costs █181. If it is sold at a profit of 10%, what is its selling price? | option_a=181 | option_b=191 | option_c=199 | option_d=217 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 181 × 110/100 = █199.

id=63384 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=72 | option_c=67 | option_d=144 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=63385 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:8 and the first is 169, what is the second? | option_a=273 | option_b=96 | option_c=104 | option_d=117 | answer=C | explanation=Scale factor = 169/13 = 13. Therefore second quantity = 8×13 = 104.

id=63386 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=F | option_b=N | option_c=J | option_d=R | answer=B | explanation=Move 4 positions forward from J; the resulting letter is N.

id=63387 | topic=Profit & Loss | difficulty=Easy | question=An article costs █699. If it is sold at a profit of 15%, what is its selling price? | option_a=714 | option_b=872 | option_c=734 | option_d=803 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 699 × 115/100 = █803.

id=63388 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 10, 15, 20, ? | option_a=20 | option_b=25 | option_c=30 | option_d=26 | answer=B | explanation=The common difference is 5. Therefore the next term is 20 + 5 = 25.

id=63389 | topic=Profit & Loss | difficulty=Easy | question=An article costs █907. If it is sold at a profit of 25%, what is its selling price? | option_a=1223 | option_b=1133 | option_c=932 | option_d=1043 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 907 × 125/100 = █1133.

id=63390 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 63,391-63,420 of 100,000

id=63391 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=Q | option_b=V | option_c=L | option_d=G | answer=A | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=63392 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=63393 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 5. | option_a=50 | option_b=25 | option_c=20 | option_d=125 | answer=B | explanation=LCM × HCF = 25×5; HCF(25,5) = 5, so LCM = 25.

id=63394 | topic=Percentages | difficulty=Easy | question=What is 10% of 1038? | option_a=98 | option_b=103 | option_c=123 | option_d=206 | answer=B | explanation=10% of 1038 = (10/100) × 1038 = 103.

id=63395 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=K | option_b=H | option_c=E | option_d=B | answer=B | explanation=Move 3 positions forward from E; the resulting letter is H.

id=63396 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■8987 at 6% per annum for 1 years. | option_a=439 | option_b=9526 | option_c=639 | option_d=539 | answer=D | explanation=SI = $PRT/100 = 8987 \times 6 \times 1/100 = \blacksquare 539$.

id=63397 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1341. If it is sold at a profit of 25%, what is its selling price? | option_a=1366 | option_b=1676 | option_c=1810 | option_d=1542 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1341 \times 125/100 = \blacksquare 1676$.

id=63398 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■607. If it is sold at a profit of 25%, what is its selling price? | option_a=632 | option_b=818 | option_c=698 | option_d=758 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 607 \times 125/100 = \blacksquare 758$.

id=63399 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=63400 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=R | option_c=S | option_d=T | answer=D | explanation=Move 1 positions forward from S; the resulting letter is T.

id=63401 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 8, 13, 21? | option_a=3 | option_b=13 | option_c=21 | option_d=8 | answer=C | explanation=The first three numbers increase by 5, so the next should be 18. Therefore 21 is the odd one out.

id=63402 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=G | option_b=Q | option_c=L | option_d=V | answer=B | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=63403 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■27492 at 4% per annum for 3 years. | option_a=3199 | option_b=30791 | option_c=3299 | option_d=3399 | answer=C | explanation=SI = $PRT/100 = 27492 \times 4 \times 3/100 = \blacksquare 3299$.

id=63404 | topic=Percentages | difficulty=Easy | question=What is 10% of 1075? | option_a=214 | option_b=102 | option_c=107 | option_d=112 | answer=C | explanation=10% of 1075 = (10/100) × 1075 = 107.

id=63405 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:7 and the first is 187, what is the second? | option_a=119 | option_b=130 | option_c=306 | option_d=112 | answer=A | explanation=Scale factor = 187/11 = 17. Therefore second quantity = 7×17 = 119.

id=63406 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=D | option_c=H | option_d=B | answer=A | explanation=Move 2 positions forward from D; the resulting letter is F.

id=63407 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=34 | option_b=43 | option_c=42 | option_d=50 | answer=C | explanation=The common difference is 8. Therefore the next term is 34 + 8 = 42.

id=63408 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=U | option_b=T | option_c=S | option_d=V | answer=A | explanation=Move 1 positions forward from T; the resulting letter is U.

id=63409 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:9 and the first is 95, what is the second? | option_a=162 | option_b=171 | option_c=266 | option_d=176 | answer=B | explanation=Scale factor = 95/5 = 19. Therefore second quantity = 9×19 = 171.

id=63410 | topic=Averages | difficulty=Easy | question=Find the average of 15, 23, 87, 54, 60, 40, 72, 66, 47, 76. | option_a=56 | option_b=55 | option_c=54 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

id=63411 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=12 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=63412 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=63413 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=63414 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=100 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=63415 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=63416 | topic=Averages | difficulty=Easy | question=Find the average of 11, 96, 53, 64, 59, 100, 23. | option_a=60 | option_b=58 | option_c=59 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 406 ÷ 7 = 58.

id=63417 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 18? | option_a=11 | option_b=18 | option_c=13 | option_d=9 | answer=B | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 18 is the odd one out.

id=63418 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■173. If it is sold at a profit of 30%, what is its selling price? | option_a=241 | option_b=203 | option_c=224 | option_d=207 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 173 \times 130/100 = \blacksquare 224$.

id=63419 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:17 and the first is 400, what is the second? | option_a=360 | option_b=323 | option_c=740 | option_d=340 | answer=D | explanation=Scale factor = 400/20 = 20. Therefore second quantity = 17×20 = 340.

id=63420 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 63,421-63,450 of 100,000

id=63421 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=N | option_c=M | option_d=K | answer=C | explanation=Move 1 positions forward from L; the resulting letter is M.

id=63422 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:13 and the first is 135, what is the second? | option_a=330 | option_b=204 | option_c=182 | option_d=195 | answer=D | explanation=Scale factor = 135/9 = 15. Therefore second quantity = 13×15 = 195.

id=63423 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■22313 at 12% per annum for 1 years. | option_a=2577 | option_b=2777 | option_c=2677 | option_d=24990 | answer=C | explanation=SI = PRT/100 = 22313×12×1/100 = ■2677.

id=63424 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=37 | option_b=27 | option_c=33 | option_d=32 | answer=D | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

id=63425 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=27 | option_b=24 | option_c=21 | option_d=25 | answer=B | explanation=The common difference is 3. Therefore the next term is 21 + 3 = 24.

id=63426 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=63427 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=40 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=63428 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 21, 30, 42? | option_a=21 | option_b=30 | option_c=12 | option_d=42 | answer=D | explanation=The first three numbers increase by 9, so the next should be 39. Therefore 42 is the odd one out.

id=63429 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 21, 30, 39, ? | option_a=39 | option_b=57 | option_c=48 | option_d=49 | answer=C | explanation=The common difference is 9. Therefore the next term is 39 + 9 = 48.

id=63430 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:6 and the first is 44, what is the second? | option_a=66 | option_b=60 | option_c=70 | option_d=110 | answer=A | explanation=Scale factor = 44/4 = 11. Therefore second quantity = 6×11 = 66.

id=63431 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:13 and the first is 154, what is the second? | option_a=169 | option_b=336 | option_c=193 | option_d=182 | answer=D | explanation=Scale factor = 154/11 = 14. Therefore second quantity = 13×14 = 182.

id=63432 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=76 | option_b=52 | option_c=65 | option_d=64 | answer=D | explanation=The common difference is 12. Therefore the next term is 52 + 12 = 64.

id=63433 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:7 and the first is 266, what is the second? | option_a=91 | option_b=98 | option_c=117 | option_d=364 | answer=B | explanation=Scale factor = 266/19 = 14. Therefore second quantity = 7×14 = 98.

id=63434 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 14, 19, 25? | option_a=25 | option_b=14 | option_c=19 | option_d=9 | answer=A | explanation=The first three numbers increase by 5, so the next should be 24. Therefore 25 is the odd one out.

id=63435 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■3613 at 12% per annum for 2 years. | option_a=967 | option_b=767 | option_c=867 | option_d=4480 | answer=C | explanation=SI = PRT/100 = 3613×12×2/100 = ■867.

id=63436 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=12 | option_c=1 | option_d=11 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=63437 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■19835 at 4% per annum for 1 years. | option_a=793 | option_b=893 | option_c=693 | option_d=20628 | answer=A | explanation=SI = PRT/100 = 19835×4×1/100 = ■793.

id=63438 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■25368 at 12% per annum for 3 years. | option_a=9032 | option_b=9132 | option_c=34500 | option_d=9232 | answer=B | explanation=SI = PRT/100 = 25368×12×3/100 = ■9132.

id=63439 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1298. If it is sold at a profit of 10%, what is its selling price? | option_a=1427 | option_b=1298 | option_c=1556 | option_d=1308 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1298 × 110/100 = ■1427.

id=63440 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=63441 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=Y | option_b=C | option_c=A | option_d=E | answer=B | explanation=Move 2 positions forward from A; the resulting letter is C.

id=63442 | topic=Averages | difficulty=Easy | question=Find the average of 41, 88, 38, 59, 30, 64, 64, 40. | option_a=54 | option_b=55 | option_c=52 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.

id=63443 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=Y | option_b=N | option_c=I | option_d=D | answer=C | explanation=Move 5 positions forward from D; the resulting letter is I.

id=63444 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:3 and the first is 110, what is the second? | option_a=41 | option_b=140 | option_c=27 | option_d=30 | answer=D | explanation=Scale factor = 110/11 = 10. Therefore second quantity = 3×10 = 30.

id=63445 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=24 | option_c=48 | option_d=29 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=63446 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=63447 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:15 and the first is 136, what is the second? | option_a=120 | option_b=105 | option_c=256 | option_d=137 | answer=A | explanation=Scale factor = 136/17 = 8. Therefore second quantity = 15×8 = 120.

id=63448 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 44? | option_a=37 | option_b=29 | option_c=44 | option_d=33 | answer=C | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 44 is the odd one out.

id=63449 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=63450 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■21041 at 4% per annum for 1 years. | option_a=841 | option_b=941 | option_c=21882 | option_d=741 | answer=A | explanation=SI = PRT/100 = 21041×4×1/100 = ■841.

Aptitude Questions — Records 63,451-63,480 of 100,000

id=63451 | topic=Percentages | difficulty=Easy | question=What is 12% of 1106? | option_a=132 | option_b=127 | option_c=137 | option_d=264 | answer=A | explanation=12% of 1106 = (12/100) × 1106 = 132.

id=63452 | topic=Averages | difficulty=Easy | question=Find the average of 33, 61, 66, 24, 90, 87, 13, 60, 60, 16. | option_a=53 | option_b=52 | option_c=51 | option_d=50 | answer=C | explanation=Average = sum of values + number of values = 510 ÷ 10 = 51.

id=63453 | topic=Percentages | difficulty=Easy | question=What is 5% of 557? | option_a=32 | option_b=27 | option_c=54 | option_d=22 | answer=B | explanation=5% of 557 = (5/100) × 557 = 27.

id=63454 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19980 at 6% per annum for 4 years. | option_a=24775 | option_b=4895 | option_c=4795 | option_d=4695 | answer=C | explanation=SI = PRT/100 = 19980×6×4/100 = **■**4795.

id=63455 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43143 at 4% per annum for 3 years. | option_a=5177 | option_b=5077 | option_c=5277 | option_d=48320 | answer=A | explanation=SI = PRT/100 = 43143×4×3/100 = **■**5177.

id=63456 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27363 at 6% per annum for 5 years. | option_a=8208 | option_b=8108 | option_c=35571 | option_d=8308 | answer=A | explanation=SI = PRT/100 = 27363×6×5/100 = **■**8208.

id=63457 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=5 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=63458 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:17 and the first is 15, what is the second? | option_a=255 | option_b=238 | option_c=256 | option_d=270 | answer=A | explanation=Scale factor = 15/1 = 15. Therefore second quantity = 17×15 = 255.

id=63459 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=1 | option_c=12 | option_d=11 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=63460 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4214. If it is sold at a profit of 50%, what is its selling price? | option_a=5900 | option_b=6742 | option_c=4264 | option_d=6321 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4214 × 150/100 = **■**6321.

id=63461 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:14 and the first is 64, what is the second? | option_a=120 | option_b=176 | option_c=98 | option_d=112 | answer=D | explanation=Scale factor = 64/8 = 8. Therefore second quantity = 14×8 = 112.

id=63462 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=31 | option_b=30 | option_c=24 | option_d=36 | answer=B | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.

id=63463 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=Y | option_c=C | option_d=A | answer=C | explanation=Move 2 positions forward from A; the resulting letter is C.

id=63464 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 5, 8, 11, ? | option_a=14 | option_b=17 | option_c=15 | option_d=11 | answer=A | explanation=The common difference is 3. Therefore the next term is 11 + 3 = 14.

id=63465 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=63466 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41697 at 15% per annum for 5 years. | option_a=31272 | option_b=31172 | option_c=72969 | option_d=31372 | answer=A | explanation=SI = PRT/100 = 41697×15×5/100 = **■**31272.

id=63467 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=Y | option_b=H | option_c=B | option_d=E | answer=D | explanation=Move 3 positions forward from B; the resulting letter is E.

id=63468 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=23 | option_c=18 | option_d=36 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=63469 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=63470 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=63471 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=15 | option_b=16 | option_c=12 | option_d=14 | answer=D | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=63472 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=20 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=63473 | topic=Averages | difficulty=Easy | question=Find the average of 65, 30, 73. | option_a=56 | option_b=57 | option_c=55 | option_d=58 | answer=A | explanation=Average = sum of values + number of values = 168 ÷ 3 = 56.

id=63474 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:12 and the first is 304, what is the second? | option_a=244 | option_b=532 | option_c=228 | option_d=216 | answer=C | explanation=Scale factor = 304/16 = 19. Therefore second quantity = 12×19 = 228.

id=63475 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=S | option_c=Y | option_d=W | answer=D | explanation=Move 2 positions forward from U; the resulting letter is W.

id=63476 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:16 and the first is 76, what is the second? | option_a=64 | option_b=83 | option_c=48 | option_d=140 | answer=A | explanation=Scale factor = 76/19 = 4. Therefore second quantity = 16×4 = 64.

id=63477 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 29? | option_a=29 | option_b=16 | option_c=20 | option_d=24 | answer=A | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 29 is the odd one out.

id=63478 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3742 at 5% per annum for 5 years. | option_a=1035 | option_b=935 | option_c=835 | option_d=4677 | answer=B | explanation=SI = PRT/100 = 3742×5×5/100 = **■**935.

id=63479 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41875 at 5% per annum for 2 years. | option_a=4087 | option_b=4287 | option_c=46062 | option_d=4187 | answer=D | explanation=SI = PRT/100 = 41875×5×2/100 = **■**4187.

id=63480 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 20. | option_a=20 | option_b=1 | option_c=100 | option_d=25 | answer=A | explanation=LCM × HCF = 5×20; HCF(5,20) = 5, so LCM = 20.

Aptitude Questions — Records 63,481-63,510 of 100,000

id=63481 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=1 | option_c=6 | option_d=11 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=63482 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32136 at 6% per annum for 4 years. | option_a=7712 | option_b=39848 | option_c=7812 | option_d=7612 | answer=A | explanation=SI = PRT/100 = 32136×6×4/100 = **■**7712.

id=63483 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 5. | option_a=40 | option_b=20 | option_c=15 | option_d=100 | answer=B | explanation=LCM × HCF = 20×5; HCF(20,5) = 5, so LCM = 20.

id=63484 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=55 | option_c=100 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=63485 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=O | option_c=Q | option_d=M | answer=C | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=63486 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=38 | option_b=50 | option_c=51 | option_d=62 | answer=B | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=63487 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 18, 28, 38, ? | option_a=48 | option_b=49 | option_c=58 | option_d=38 | answer=A | explanation=The common difference is 10. Therefore the next term is 38 + 10 = 48.

id=63488 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=8 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=63489 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=63490 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=240 | option_c=125 | option_d=115 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=63491 | topic=Percentages | difficulty=Easy | question=What is 40% of 706? | option_a=282 | option_b=262 | option_c=564 | option_d=292 | answer=A | explanation=40% of 706 = (40/100) × 706 = 282.

id=63492 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=26 | option_b=33 | option_c=38 | option_d=32 | answer=D | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=63493 | topic=Averages | difficulty=Easy | question=Find the average of 11, 49, 87, 21, 35, 43. | option_a=41 | option_b=43 | option_c=42 | option_d=40 | answer=A | explanation=Average = sum of values ÷ number of values = 246 ÷ 6 = 41.

id=63494 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:5 and the first is 98, what is the second? | option_a=65 | option_b=70 | option_c=168 | option_d=77 | answer=B | explanation=Scale factor = 98/7 = 14. Therefore second quantity = 5×14 = 70.

id=63495 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=Y | option_b=T | option_c=O | option_d=J | answer=B | explanation=Move 5 positions forward from O; the resulting letter is T.

id=63496 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34655 at 5% per annum for 3 years. | option_a=5098 | option_b=5198 | option_c=5298 | option_d=39853 | answer=B | explanation=SI = PRT/100 = 34655×5×3/100 = **■**5198.

id=63497 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=36 | option_c=41 | option_d=72 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=63498 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=240 | option_c=120 | option_d=125 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=63499 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:16 and the first is 26, what is the second? | option_a=210 | option_b=208 | option_c=192 | option_d=234 | answer=B | explanation=Scale factor = 26/2 = 13. Therefore second quantity = 16×13 = 208.

id=63500 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=F | option_b=V | option_c=A | option_d=K | answer=A | explanation=Move 5 positions forward from A; the resulting letter is F.

id=63501 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:15 and the first is 63, what is the second? | option_a=135 | option_b=120 | option_c=198 | option_d=142 | answer=A | explanation=Scale factor = 63/7 = 9. Therefore second quantity = 15×9 = 135.

id=63502 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:11 and the first is 84, what is the second? | option_a=89 | option_b=66 | option_c=161 | option_d=77 | answer=D | explanation=Scale factor = 84/12 = 7. Therefore second quantity = 11×7 = 77.

id=63503 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:14 and the first is 238, what is the second? | option_a=476 | option_b=252 | option_c=224 | option_d=238 | answer=D | explanation=Scale factor = 238/14 = 17. Therefore second quantity = 14×17 = 238.

id=63504 | topic=Percentages | difficulty=Easy | question=What is 5% of 496? | option_a=48 | option_b=19 | option_c=44 | option_d=24 | answer=D | explanation=5% of 496 = (5/100) × 496 = 24.

id=63505 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=63506 | topic=Percentages | difficulty=Easy | question=What is 5% of 1638? | option_a=76 | option_b=81 | option_c=91 | option_d=162 | answer=B | explanation=5% of 1638 = (5/100) × 1638 = 81.

id=63507 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=K | option_c=M | option_d=Q | answer=A | explanation=Move 2 positions forward from M; the resulting letter is O.

id=63508 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=20 | option_c=15 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=63509 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 6, 10, 15? | option_a=2 | option_b=15 | option_c=6 | option_d=10 | answer=B | explanation=The first three numbers increase by 4, so the next should be 14. Therefore 15 is the odd one out.

id=63510 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 63,511-63,540 of 100,000

id=63511 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=63512 | topic=Percentages | difficulty=Easy | question=What is 5% of 1956? | option_a=194 | option_b=97 | option_c=117 | option_d=77 | answer=B | explanation=5% of 1956 = (5/100) × 1956 = 97.

id=63513 | topic=Averages | difficulty=Easy | question=Find the average of 38, 48, 60, 82. | option_a=59 | option_b=57 | option_c=58 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 228 ÷ 4 = 57.

id=63514 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=22 | option_b=25 | option_c=17 | option_d=21 | answer=D | explanation=The common difference is 4. Therefore the next term is 17 + 4 = 21.

id=63515 | topic=Percentages | difficulty=Easy | question=What is 5% of 1338? | option_a=66 | option_b=132 | option_c=71 | option_d=61 | answer=A | explanation=5% of 1338 = (5/100) × 1338 = 66.

id=63516 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2799 at 15% per annum for 3 years. | option_a=4058 | option_b=1359 | option_c=1259 | option_d=1159 | answer=C | explanation=SI = PRT/100 = 2799×15×3/100 = **■**1259.

id=63517 | topic=Percentages | difficulty=Easy | question=What is 12% of 1571? | option_a=183 | option_b=376 | option_c=198 | option_d=188 | answer=D | explanation=12% of 1571 = (12/100) × 1571 = 188.

id=63518 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=34 | option_b=45 | option_c=44 | option_d=54 | answer=C | explanation=The common difference is 10. Therefore the next term is 34 + 10 = 44.

id=63519 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3189. If it is sold at a profit of 15%, what is its selling price? | option_a=3349 | option_b=3667 | option_c=3985 | option_d=3204 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3189 × 115/100 = **■**3667.

id=63520 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=H | option_c=D | option_d=P | answer=A | explanation=Move 4 positions forward from H; the resulting letter is L.

id=63521 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=H | option_c=B | option_d=D | answer=A | explanation=Move 2 positions forward from D; the resulting letter is F.

id=63522 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=63523 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20357 at 8% per annum for 3 years. | option_a=4785 | option_b=25242 | option_c=4985 | option_d=4885 | answer=D | explanation=SI = PRT/100 = 20357×8×3/100 = **■**4885.

id=63524 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8911 at 15% per annum for 2 years. | option_a=2573 | option_b=2673 | option_c=2773 | option_d=11584 | answer=B | explanation=SI = PRT/100 = 8911×15×2/100 = **■**2673.

id=63525 | topic=Percentages | difficulty=Easy | question=What is 25% of 732? | option_a=178 | option_b=366 | option_c=203 | option_d=183 | answer=D | explanation=25% of 732 = (25/100) × 732 = 183.

id=63526 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=43 | option_b=65 | option_c=55 | option_d=54 | answer=D | explanation=The common difference is 11. Therefore the next term is 43 + 11 = 54.

id=63527 | topic=Percentages | difficulty=Easy | question=What is 10% of 905? | option_a=110 | option_b=80 | option_c=90 | option_d=180 | answer=C | explanation=10% of 905 = (10/100) × 905 = 90.

id=63528 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=30 | option_b=24 | option_c=29 | option_d=34 | answer=C | explanation=The common difference is 5. Therefore the next term is 24 + 5 = 29.

id=63529 | topic=Averages | difficulty=Easy | question=Find the average of 79, 75, 50, 68, 48, 25, 51, 60. | option_a=56 | option_b=58 | option_c=57 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

id=63530 | topic=Averages | difficulty=Easy | question=Find the average of 17, 75, 15, 84, 79, 40, 40. | option_a=49 | option_b=51 | option_c=50 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

id=63531 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=360 | option_c=180 | option_d=185 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=63532 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=63533 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4635. If it is sold at a profit of 50%, what is its selling price? | option_a=4685 | option_b=7415 | option_c=6489 | option_d=6952 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4635 × 150/100 = **■**6952.

id=63534 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4952 at 12% per annum for 4 years. | option_a=7328 | option_b=2276 | option_c=2476 | option_d=2376 | answer=D | explanation=SI = PRT/100 = 4952×12×4/100 = **■**2376.

id=63535 | topic=Percentages | difficulty=Easy | question=What is 25% of 1417? | option_a=364 | option_b=354 | option_c=708 | option_d=334 | answer=B | explanation=25% of 1417 = (25/100) × 1417 = 354.

id=63536 | topic=Percentages | difficulty=Easy | question=What is 12% of 1655? | option_a=198 | option_b=203 | option_c=188 | option_d=396 | answer=A | explanation=12% of 1655 = (12/100) × 1655 = 198.

id=63537 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:3 and the first is 56, what is the second? | option_a=26 | option_b=68 | option_c=12 | option_d=9 | answer=C | explanation=Scale factor = 56/14 = 4. Therefore second quantity = 3×4 = 12.

id=63538 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:13 and the first is 400, what is the second? | option_a=260 | option_b=280 | option_c=247 | option_d=660 | answer=A | explanation=Scale factor = 400/20 = 20. Therefore second quantity = 13×20 = 260.

id=63539 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38707 at 4% per annum for 1 years. | option_a=40255 | option_b=1548 | option_c=1648 | option_d=1448 | answer=B | explanation=SI = PRT/100 = 38707×4×1/100 = **■**1548.

id=63540 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 22. | option_a=440 | option_b=198 | option_c=220 | option_d=240 | answer=C | explanation=LCM × HCF = 20×22; HCF(20,22) = 2, so LCM = 220.

Aptitude Questions — Records 63,541-63,570 of 100,000

id=63541 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=47 | option_b=56 | option_c=36 | option_d=46 | answer=D | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.

id=63542 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=63543 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=63544 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=X | option_b=T | option_c=P | option_d=B | answer=A | explanation=Move 4 positions forward from T; the resulting letter is X.

id=63545 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:14 and the first is 40, what is the second? | option_a=112 | option_b=152 | option_c=117 | option_d=98 | answer=A | explanation=Scale factor = 40/5 = 8. Therefore second quantity = 14×8 = 112.

id=63546 | topic=Percentages | difficulty=Easy | question=What is 25% of 609? | option_a=142 | option_b=304 | option_c=157 | option_d=152 | answer=D | explanation=25% of 609 = (25/100) × 609 = 152.

id=63547 | topic=Averages | difficulty=Easy | question=Find the average of 95, 96, 50, 50, 29. | option_a=64 | option_b=66 | option_c=65 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 320 ÷ 5 = 64.

id=63548 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2508. If it is sold at a profit of 5%, what is its selling price? | option_a=2513 | option_b=2383 | option_c=2883 | option_d=2633 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2508 × 105/100 = █2633.

id=63549 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 13, 17, 21, ? | option_a=25 | option_b=26 | option_c=29 | option_d=21 | answer=A | explanation=The common difference is 4. Therefore the next term is 21 + 4 = 25.

id=63550 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4446. If it is sold at a profit of 30%, what is its selling price? | option_a=5335 | option_b=5779 | option_c=4476 | option_d=6223 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4446 × 130/100 = █5779.

id=63551 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=N | option_b=O | option_c=L | option_d=M | answer=A | explanation=Move 1 positions forward from M; the resulting letter is N.

id=63552 | topic=Averages | difficulty=Easy | question=Find the average of 85, 47, 96. | option_a=76 | option_b=75 | option_c=78 | option_d=77 | answer=A | explanation=Average = sum of values ÷ number of values = 228 ÷ 3 = 76.

id=63553 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=J | option_b=G | option_c=D | option_d=M | answer=A | explanation=Move 3 positions forward from G; the resulting letter is J.

id=63554 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=36 | option_b=41 | option_c=72 | option_d=31 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=63555 | topic=Averages | difficulty=Easy | question=Find the average of 12, 60, 93, 29, 20, 69, 63, 48, 92. | option_a=56 | option_b=55 | option_c=53 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 486 ÷ 9 = 54.

id=63556 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 27. | option_a=54 | option_b=486 | option_c=27 | option_d=72 | answer=A | explanation=LCM × HCF = 18×27; HCF(18,27) = 9, so LCM = 54.

id=63557 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 36? | option_a=32 | option_b=36 | option_c=29 | option_d=26 | answer=B | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 36 is the odd one out.

id=63558 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24934 at 15% per annum for 1 years. | option_a=3840 | option_b=28674 | option_c=3740 | option_d=3640 | answer=C | explanation=SI = PRT/100 = 24934×15×1/100 = █3740.

id=63559 | topic=Profit & Loss | difficulty=Easy | question=An article costs █201. If it is sold at a profit of 40%, what is its selling price? | option_a=241 | option_b=301 | option_c=281 | option_d=261 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 201 × 140/100 = █281.

id=63560 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3695. If it is sold at a profit of 5%, what is its selling price? | option_a=3700 | option_b=4248 | option_c=3510 | option_d=3879 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3695 × 105/100 = █3879.

id=63561 | topic=Percentages | difficulty=Easy | question=What is 15% of 244? | option_a=36 | option_b=31 | option_c=41 | option_d=72 | answer=A | explanation=15% of 244 = (15/100) × 244 = 36.

id=63562 | topic=Averages | difficulty=Easy | question=Find the average of 60, 14, 55, 55. | option_a=45 | option_b=48 | option_c=47 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 184 ÷ 4 = 46.

id=63563 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 28. | option_a=728 | option_b=390 | option_c=336 | option_d=364 | answer=D | explanation=LCM × HCF = 26×28; HCF(26,28) = 2, so LCM = 364.

id=63564 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4556. If it is sold at a profit of 40%, what is its selling price? | option_a=6833 | option_b=4596 | option_c=6378 | option_d=5923 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4556 × 140/100 = █6378.

id=63565 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=63566 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 18. | option_a=54 | option_b=1 | option_c=18 | option_d=21 | answer=C | explanation=LCM × HCF = 3×18; HCF(3,18) = 3, so LCM = 18.

id=63567 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21613 at 6% per annum for 1 years. | option_a=1196 | option_b=1396 | option_c=1296 | option_d=22909 | answer=C | explanation=SI = PRT/100 = 21613×6×1/100 = █1296.

id=63568 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 23, 26, 30? | option_a=26 | option_b=20 | option_c=30 | option_d=23 | answer=C | explanation=The first three numbers increase by 3, so the next should be 29. Therefore 30 is the odd one out.

id=63569 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:14 and the first is 75, what is the second? | option_a=85 | option_b=70 | option_c=145 | option_d=56 | answer=B | explanation=Scale factor = 75/15 = 5. Therefore second quantity = 14×5 = 70.

id=63570 | topic=Percentages | difficulty=Easy | question=What is 40% of 546? | option_a=228 | option_b=436 | option_c=218 | option_d=198 | answer=C | explanation=40% of 546 = (40/100) × 546 = 218.

Aptitude Questions — Records 63,571-63,600 of 100,000

id=63571 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=240 | option_d=115 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=63572 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:6 and the first is 7, what is the second? | option_a=42 | option_b=43 | option_c=36 | option_d=49 | answer=A | explanation=Scale factor = 7/1 = 7. Therefore second quantity = 6×7 = 42.

id=63573 | topic=Percentages | difficulty=Easy | question=What is 25% of 322? | option_a=80 | option_b=160 | option_c=100 | option_d=70 | answer=A | explanation=25% of 322 = (25/100) × 322 = 80.

id=63574 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4965. If it is sold at a profit of 20%, what is its selling price? | option_a=5958 | option_b=6454 | option_c=4985 | option_d=5462 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4965 × 120/100 = █5958.

id=63575 | topic=Percentages | difficulty=Easy | question=What is 15% of 566? | option_a=84 | option_b=168 | option_c=89 | option_d=79 | answer=A | explanation=15% of 566 = (15/100) × 566 = 84.

id=63576 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47494 at 10% per annum for 2 years. | option_a=9398 | option_b=56992 | option_c=9498 | option_d=9598 | answer=C | explanation=SI = PRT/100 = 47494×10×2/100 = █9498.

id=63577 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1753. If it is sold at a profit of 30%, what is its selling price? | option_a=1783 | option_b=2278 | option_c=2453 | option_d=2103 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1753 × 130/100 = █2278.

id=63578 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:13 and the first is 45, what is the second? | option_a=182 | option_b=195 | option_c=240 | option_d=198 | answer=B | explanation=Scale factor = 45/3 = 15. Therefore second quantity = 13×15 = 195.

id=63579 | topic=Percentages | difficulty=Easy | question=What is 5% of 1926? | option_a=86 | option_b=101 | option_c=96 | option_d=192 | answer=C | explanation=5% of 1926 = (5/100) × 1926 = 96.

id=63580 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:12 and the first is 54, what is the second? | option_a=90 | option_b=24 | option_c=54 | option_d=36 | answer=D | explanation=Scale factor = 54/18 = 3. Therefore second quantity = 12×3 = 36.

id=63581 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=63582 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 30. | option_a=30 | option_b=1 | option_c=40 | option_d=300 | answer=A | explanation=LCM × HCF = 10×30; HCF(10,30) = 10, so LCM = 30.

id=63583 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:1 and the first is 32, what is the second? | option_a=12 | option_b=8 | option_c=40 | option_d=7 | answer=B | explanation=Scale factor = 32/4 = 8. Therefore second quantity = 1×8 = 8.

id=63584 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40086 at 12% per annum for 2 years. | option_a=9520 | option_b=9720 | option_c=9620 | option_d=49706 | answer=C | explanation=SI = PRT/100 = 40086×12×2/100 = █9620.

id=63585 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4037. If it is sold at a profit of 50%, what is its selling price? | option_a=6458 | option_b=4087 | option_c=5652 | option_d=6055 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4037 × 150/100 = █6055.

id=63586 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=31 | option_c=72 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=63587 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:19 and the first is 9, what is the second? | option_a=180 | option_b=152 | option_c=171 | option_d=172 | answer=C | explanation=Scale factor = 9/1 = 9. Therefore second quantity = 19×9 = 171.

id=63588 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:19 and the first is 8, what is the second? | option_a=153 | option_b=160 | option_c=133 | option_d=152 | answer=D | explanation=Scale factor = 8/1 = 8. Therefore second quantity = 19×8 = 152.

id=63589 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=9 | option_b=12 | option_c=13 | option_d=11 | answer=D | explanation=The common difference is 2. Therefore the next term is 9 + 2 = 11.

id=63590 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 30, 38, 49? | option_a=49 | option_b=30 | option_c=22 | option_d=38 | answer=A | explanation=The first three numbers increase by 8, so the next should be 46. Therefore 49 is the odd one out.

id=63591 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=37 | option_b=45 | option_c=46 | option_d=53 | answer=B | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=63592 | topic=Percentages | difficulty=Easy | question=What is 5% of 382? | option_a=29 | option_b=19 | option_c=14 | option_d=38 | answer=B | explanation=5% of 382 = (5/100) × 382 = 19.

id=63593 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4736. If it is sold at a profit of 30%, what is its selling price? | option_a=6629 | option_b=5683 | option_c=4766 | option_d=6156 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4736 × 130/100 = █6156.

id=63594 | topic=Averages | difficulty=Easy | question=Find the average of 85, 44, 27, 47, 97. | option_a=60 | option_b=62 | option_c=61 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 300 ÷ 5 = 60.

id=63595 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34646 at 10% per annum for 4 years. | option_a=13758 | option_b=48504 | option_c=13958 | option_d=13858 | answer=D | explanation=SI = PRT/100 = 34646×10×4/100 = █13858.

id=63596 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 16? | option_a=7 | option_b=3 | option_c=11 | option_d=16 | answer=D | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 16 is the odd one out.

id=63597 | topic=Averages | difficulty=Easy | question=Find the average of 23, 34, 49, 44, 80, 93, 81, 76, 31, 59. | option_a=56 | option_b=57 | option_c=59 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.

id=63598 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=M | option_c=G | option_d=I | answer=A | explanation=Move 2 positions forward from I; the resulting letter is K.

id=63599 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:13 and the first is 40, what is the second? | option_a=260 | option_b=247 | option_c=262 | option_d=300 | answer=A | explanation=Scale factor = 40/2 = 20. Therefore second quantity = 13×20 = 260.

id=63600 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=7 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

Aptitude Questions — Records 63,601-63,630 of 100,000

id=63601 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2443. If it is sold at a profit of 40%, what is its selling price? | option_a=3664 | option_b=3420 | option_c=3176 | option_d=2483 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2443 × 140/100 = ■3420.

id=63602 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=36 | option_b=31 | option_c=72 | option_d=41 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=63603 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=63604 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 13? | option_a=13 | option_b=4 | option_c=8 | option_d=6 | answer=A | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 13 is the odd one out.

id=63605 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=52 | option_b=63 | option_c=51 | option_d=39 | answer=C | explanation=The common difference is 12. Therefore the next term is 39 + 12 = 51.

id=63606 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=63607 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2035. If it is sold at a profit of 10%, what is its selling price? | option_a=2441 | option_b=2035 | option_c=2238 | option_d=2045 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2035 × 110/100 = ■2238.

id=63608 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 9? | option_a=9 | option_b=6 | option_c=2 | option_d=4 | answer=A | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 9 is the odd one out.

id=63609 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=O | option_b=Y | option_c=T | option_d=D | answer=B | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=63610 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■30665 at 6% per annum for 1 years. | option_a=1839 | option_b=32504 | option_c=1939 | option_d=1739 | answer=A | explanation=SI = PRT/100 = 30665×6×1/100 = ■1839.

id=63611 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=H | option_b=K | option_c=E | option_d=B | answer=A | explanation=Move 3 positions forward from E; the resulting letter is H.

id=63612 | topic=Percentages | difficulty=Easy | question=What is 40% of 860? | option_a=344 | option_b=688 | option_c=354 | option_d=324 | answer=A | explanation=40% of 860 = (40/100) × 860 = 344.

id=63613 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=23 | option_b=20 | option_c=17 | option_d=21 | answer=B | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=63614 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 15. | option_a=15 | option_b=36 | option_c=90 | option_d=30 | answer=D | explanation=LCM × HCF = 6×15; HCF(6,15) = 3, so LCM = 30.

id=63615 | topic=Percentages | difficulty=Easy | question=What is 15% of 862? | option_a=124 | option_b=149 | option_c=129 | option_d=258 | answer=C | explanation=15% of 862 = (15/100) × 862 = 129.

id=63616 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■4429 at 8% per annum for 2 years. | option_a=608 | option_b=708 | option_c=808 | option_d=5137 | answer=B | explanation=SI = PRT/100 = 4429×8×2/100 = ■708.

id=63617 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■45362 at 5% per annum for 2 years. | option_a=4536 | option_b=4436 | option_c=4636 | option_d=49898 | answer=A | explanation=SI = PRT/100 = 45362×5×2/100 = ■4536.

id=63618 | topic=Percentages | difficulty=Easy | question=What is 25% of 955? | option_a=218 | option_b=243 | option_c=476 | option_d=238 | answer=D | explanation=25% of 955 = (25/100) × 955 = 238.

id=63619 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 32? | option_a=29 | option_b=27 | option_c=25 | option_d=32 | answer=D | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 32 is the odd one out.

id=63620 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3530. If it is sold at a profit of 40%, what is its selling price? | option_a=5295 | option_b=4942 | option_c=4589 | option_d=3570 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3530 × 140/100 = ■4942.

id=63621 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=45 | option_b=46 | option_c=35 | option_d=55 | answer=A | explanation=The common difference is 10. Therefore the next term is 35 + 10 = 45.

id=63622 | topic=Percentages | difficulty=Easy | question=What is 30% of 1986? | option_a=595 | option_b=575 | option_c=605 | option_d=1190 | answer=A | explanation=30% of 1986 = (30/100) × 1986 = 595.

id=63623 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=63624 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=H | option_b=K | option_c=J | option_d=I | answer=C | explanation=Move 1 positions forward from I; the resulting letter is J.

id=63625 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■37935 at 15% per annum for 3 years. | option_a=17070 | option_b=55005 | option_c=17170 | option_d=16970 | answer=A | explanation=SI = PRT/100 = 37935×15×3/100 = ■17070.

id=63626 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3266. If it is sold at a profit of 25%, what is its selling price? | option_a=4408 | option_b=4082 | option_c=3756 | option_d=3291 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3266 × 125/100 = ■4082.

id=63627 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=54 | option_b=63 | option_c=45 | option_d=55 | answer=A | explanation=The common difference is 9. Therefore the next term is 45 + 9 = 54.

id=63628 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 17, 21, 26? | option_a=13 | option_b=17 | option_c=21 | option_d=26 | answer=D | explanation=The first three numbers increase by 4, so the next should be 25. Therefore 26 is the odd one out.

id=63629 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■43441 at 5% per annum for 4 years. | option_a=8588 | option_b=8788 | option_c=52129 | option_d=8688 | answer=D | explanation=SI = PRT/100 = 43441×5×4/100 = ■8688.

id=63630 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 31, 34, 39? | option_a=31 | option_b=39 | option_c=34 | option_d=28 | answer=B | explanation=The first three numbers increase by 3, so the next should be 37. Therefore 39 is the odd one out.

Aptitude Questions — Records 63,631-63,660 of 100,000

id=63631 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 4. | option_a=20 | option_b=16 | option_c=80 | option_d=40 | answer=A | explanation=LCM × HCF = 20×4; HCF(20,4) = 4, so LCM = 20.

id=63632 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=K | option_b=A | option_c=P | option_d=F | answer=A | explanation=Move 5 positions forward from F; the resulting letter is K.

id=63633 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=A | option_c=G | option_d=C | answer=A | explanation=Move 2 positions forward from C; the resulting letter is E.

id=63634 | topic=Percentages | difficulty=Easy | question=What is 50% of 1650? | option_a=825 | option_b=820 | option_c=845 | option_d=1650 | answer=A | explanation=50% of 1650 = (50/100) × 1650 = 825.

id=63635 | topic=Number System | difficulty=Easy | question=Find the LCM of 17 and 17. | option_a=289 | option_b=1 | option_c=34 | option_d=17 | answer=D | explanation=LCM × HCF = 17×17; HCF(17,17) = 17, so LCM = 17.

id=63636 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2828. If it is sold at a profit of 25%, what is its selling price? | option_a=3817 | option_b=3253 | option_c=2853 | option_d=3535 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2828 × 125/100 = █3535.

id=63637 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:10 and the first is 340, what is the second? | option_a=190 | option_b=170 | option_c=510 | option_d=160 | answer=B | explanation=Scale factor = 340/20 = 17. Therefore second quantity = 10×17 = 170.

id=63638 | topic=Percentages | difficulty=Easy | question=What is 40% of 618? | option_a=257 | option_b=247 | option_c=242 | option_d=494 | answer=B | explanation=40% of 618 = (40/100) × 618 = 247.

id=63639 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 49? | option_a=49 | option_b=34 | option_c=28 | option_d=40 | answer=A | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 49 is the odd one out.

id=63640 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 24. | option_a=648 | option_b=243 | option_c=192 | option_d=216 | answer=D | explanation=LCM × HCF = 27×24; HCF(27,24) = 3, so LCM = 216.

id=63641 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11648 at 4% per annum for 4 years. | option_a=1963 | option_b=1763 | option_c=1863 | option_d=13511 | answer=C | explanation=SI = PRT/100 = 11648×4×4/100 = █1863.

id=63642 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 35, 42, 51? | option_a=28 | option_b=42 | option_c=35 | option_d=51 | answer=D | explanation=The first three numbers increase by 7, so the next should be 49. Therefore 51 is the odd one out.

id=63643 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42161 at 8% per annum for 5 years. | option_a=59025 | option_b=16864 | option_c=16764 | option_d=16964 | answer=B | explanation=SI = PRT/100 = 42161×8×5/100 = █16864.

id=63644 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=12 | option_b=10 | option_c=13 | option_d=14 | answer=A | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.

id=63645 | topic=Percentages | difficulty=Easy | question=What is 20% of 174? | option_a=24 | option_b=68 | option_c=39 | option_d=34 | answer=D | explanation=20% of 174 = (20/100) × 174 = 34.

id=63646 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:20 and the first is 240, what is the second? | option_a=540 | option_b=300 | option_c=280 | option_d=316 | answer=B | explanation=Scale factor = 240/16 = 15. Therefore second quantity = 20×15 = 300.

id=63647 | topic=Averages | difficulty=Easy | question=Find the average of 22, 70, 31, 14, 58, 82, 79, 41, 80. | option_a=54 | option_b=55 | option_c=53 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 477 ÷ 9 = 53.

id=63648 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2211. If it is sold at a profit of 40%, what is its selling price? | option_a=2874 | option_b=3095 | option_c=3316 | option_d=2251 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2211 × 140/100 = █3095.

id=63649 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:14 and the first is 300, what is the second? | option_a=580 | option_b=266 | option_c=295 | option_d=280 | answer=D | explanation=Scale factor = 300/15 = 20. Therefore second quantity = 14×20 = 280.

id=63650 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:4 and the first is 44, what is the second? | option_a=40 | option_b=48 | option_c=44 | option_d=88 | answer=C | explanation=Scale factor = 44/4 = 11. Therefore second quantity = 4×11 = 44.

id=63651 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:7 and the first is 54, what is the second? | option_a=14 | option_b=75 | option_c=21 | option_d=39 | answer=C | explanation=Scale factor = 54/18 = 3. Therefore second quantity = 7×3 = 21.

id=63652 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=A | option_c=C | option_d=E | answer=D | explanation=Move 2 positions forward from C; the resulting letter is E.

id=63653 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3283. If it is sold at a profit of 10%, what is its selling price? | option_a=3293 | option_b=3283 | option_c=3611 | option_d=3939 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3283 × 110/100 = █3611.

id=63654 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14339 at 8% per annum for 5 years. | option_a=5835 | option_b=5635 | option_c=20074 | option_d=5735 | answer=D | explanation=SI = PRT/100 = 14339×8×5/100 = █5735.

id=63655 | topic=Averages | difficulty=Easy | question=Find the average of 96, 13, 59, 35, 94, 44, 46, 38, 25. | option_a=49 | option_b=50 | option_c=51 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 450 ÷ 9 = 50.

id=63656 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 27, 32, 40? | option_a=32 | option_b=40 | option_c=22 | option_d=27 | answer=B | explanation=The first three numbers increase by 5, so the next should be 37. Therefore 40 is the odd one out.

id=63657 | topic=Averages | difficulty=Easy | question=Find the average of 90, 27, 100, 74, 54. | option_a=68 | option_b=69 | option_c=70 | option_d=71 | answer=B | explanation=Average = sum of values ÷ number of values = 345 ÷ 5 = 69.

id=63658 | topic=Percentages | difficulty=Easy | question=What is 40% of 1570? | option_a=1256 | option_b=628 | option_c=633 | option_d=608 | answer=B | explanation=40% of 1570 = (40/100) × 1570 = 628.

id=63659 | topic=Averages | difficulty=Easy | question=Find the average of 26, 35, 37, 43, 12, 71, 98, 46. | option_a=47 | option_b=46 | option_c=45 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 368 ÷ 8 = 46.

id=63660 | topic=Percentages | difficulty=Easy | question=What is 10% of 413? | option_a=41 | option_b=82 | option_c=51 | option_d=21 | answer=A | explanation=10% of 413 = (10/100) × 413 = 41.

Aptitude Questions — Records 63,661-63,690 of 100,000

id=63661 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=28 | option_b=24 | option_c=27 | option_d=30 | answer=C | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=63662 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=J | option_c=A | option_d=G | answer=D | explanation=Move 3 positions forward from D; the resulting letter is G.

id=63663 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=50 | option_c=55 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=63664 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:6 and the first is 4, what is the second? | option_a=25 | option_b=28 | option_c=18 | option_d=24 | answer=D | explanation=Scale factor = 4/1 = 4. Therefore second quantity = 6×4 = 24.

id=63665 | topic=Percentages | difficulty=Easy | question=What is 30% of 1507? | option_a=457 | option_b=904 | option_c=447 | option_d=452 | answer=D | explanation=30% of 1507 = (30/100) × 1507 = 452.

id=63666 | topic=Averages | difficulty=Easy | question=Find the average of 99, 48, 58, 62, 24, 27. | option_a=55 | option_b=52 | option_c=53 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 318 ÷ 6 = 53.

id=63667 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=100 | option_c=45 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=63668 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=63669 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=31 | option_c=72 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=63670 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=18 | option_b=28 | option_c=23 | option_d=24 | answer=C | explanation=The common difference is 5. Therefore the next term is 18 + 5 = 23.

id=63671 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=160 | option_c=80 | option_d=75 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=63672 | topic=Number System | difficulty=Easy | question=Find the LCM of 13 and 26. | option_a=39 | option_b=1 | option_c=338 | option_d=26 | answer=D | explanation=LCM × HCF = 13×26; HCF(13,26) = 13, so LCM = 26.

id=63673 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=L | option_c=H | option_d=N | answer=B | explanation=Move 2 positions forward from J; the resulting letter is L.

id=63674 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■11348 at 5% per annum for 2 years. | option_a=1234 | option_b=1134 | option_c=1034 | option_d=12482 | answer=B | explanation=SI = PRT/100 = 11348×5×2/100 = ■1134.

id=63675 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:13 and the first is 171, what is the second? | option_a=418 | option_b=247 | option_c=234 | option_d=256 | answer=B | explanation=Scale factor = 171/9 = 19. Therefore second quantity = 13×19 = 247.

id=63676 | topic=Percentages | difficulty=Easy | question=What is 20% of 1984? | option_a=792 | option_b=396 | option_c=406 | option_d=386 | answer=B | explanation=20% of 1984 = (20/100) × 1984 = 396.

id=63677 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=G | option_b=J | option_c=D | option_d=A | answer=A | explanation=Move 3 positions forward from D; the resulting letter is G.

id=63678 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=22 | option_b=27 | option_c=23 | option_d=17 | answer=A | explanation=The common difference is 5. Therefore the next term is 17 + 5 = 22.

id=63679 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=55 | option_c=100 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=63680 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:13 and the first is 75, what is the second? | option_a=195 | option_b=182 | option_c=270 | option_d=200 | answer=A | explanation=Scale factor = 75/5 = 15. Therefore second quantity = 13×15 = 195.

id=63681 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 60? | option_a=27 | option_b=60 | option_c=37 | option_d=47 | answer=B | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 60 is the odd one out.

id=63682 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=63683 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=63684 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2236. If it is sold at a profit of 20%, what is its selling price? | option_a=2460 | option_b=2256 | option_c=2906 | option_d=2683 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2236 × 120/100 = ■2683.

id=63685 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=63686 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=150 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=63687 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=63688 | topic=Percentages | difficulty=Easy | question=What is 25% of 1319? | option_a=658 | option_b=349 | option_c=319 | option_d=329 | answer=D | explanation=25% of 1319 = (25/100) × 1319 = 329.

id=63689 | topic=Percentages | difficulty=Easy | question=What is 50% of 434? | option_a=434 | option_b=197 | option_c=217 | option_d=227 | answer=C | explanation=50% of 434 = (50/100) × 434 = 217.

id=63690 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

Aptitude Questions — Records 63,691-63,720 of 100,000

id=63691 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=G | option_c=H | option_d=I | answer=D | explanation=Move 1 positions forward from H; the resulting letter is I.

id=63692 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:3 and the first is 98, what is the second? | option_a=49 | option_b=140 | option_c=42 | option_d=39 | answer=C | explanation=Scale factor = 98/7 = 14. Therefore second quantity = 3×14 = 42.

id=63693 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 16. | option_a=140 | option_b=448 | option_c=112 | option_d=96 | answer=C | explanation=LCM × HCF = 28×16; HCF(28,16) = 4, so LCM = 112.

id=63694 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44298 at 12% per annum for 2 years. | option_a=10531 | option_b=10731 | option_c=10631 | option_d=54929 | answer=C | explanation=SI = $\frac{PRT}{100}$ = $\frac{44298 \times 12 \times 2}{100}$ = **■**10631.

id=63695 | topic=Averages | difficulty=Easy | question=Find the average of 59, 68, 79, 78. | option_a=72 | option_b=71 | option_c=70 | option_d=73 | answer=B | explanation=Average = sum of values ÷ number of values = 284 ÷ 4 = 71.

id=63696 | topic=Percentages | difficulty=Easy | question=What is 30% of 1194? | option_a=716 | option_b=358 | option_c=363 | option_d=353 | answer=B | explanation=30% of 1194 = $(\frac{30}{100}) \times 1194$ = 358.

id=63697 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=63698 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=32 | option_b=25 | option_c=37 | option_d=31 | answer=D | explanation=The common difference is 6. Therefore the next term is 25 + 6 = 31.

id=63699 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 5, 8, 13? | option_a=8 | option_b=2 | option_c=13 | option_d=5 | answer=C | explanation=The first three numbers increase by 3, so the next should be 11. Therefore 13 is the odd one out.

id=63700 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=N | option_b=Q | option_c=P | option_d=O | answer=C | explanation=Move 1 positions forward from O; the resulting letter is P.

id=63701 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=63702 | topic=Averages | difficulty=Easy | question=Find the average of 97, 27, 80. | option_a=67 | option_b=69 | option_c=70 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = 204 ÷ 3 = 68.

id=63703 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=63704 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 7, 12, 18? | option_a=2 | option_b=18 | option_c=7 | option_d=12 | answer=B | explanation=The first three numbers increase by 5, so the next should be 17. Therefore 18 is the odd one out.

id=63705 | topic=Averages | difficulty=Easy | question=Find the average of 26, 75, 69, 59, 74, 67, 50. | option_a=62 | option_b=60 | option_c=61 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 420 ÷ 7 = 60.

id=63706 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=63707 | topic=Averages | difficulty=Easy | question=Find the average of 20, 25, 14, 16, 99, 88, 80, 78, 67, 103. | option_a=60 | option_b=58 | option_c=59 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 590 ÷ 10 = 59.

id=63708 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 13, 17, 22? | option_a=9 | option_b=17 | option_c=13 | option_d=22 | answer=D | explanation=The first three numbers increase by 4, so the next should be 21. Therefore 22 is the odd one out.

id=63709 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:20 and the first is 136, what is the second? | option_a=160 | option_b=177 | option_c=140 | option_d=296 | answer=A | explanation=Scale factor = 136/17 = 8. Therefore second quantity = 20×8 = 160.

id=63710 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=26 | option_b=25 | option_c=22 | option_d=28 | answer=B | explanation=The common difference is 3. Therefore the next term is 22 + 3 = 25.

id=63711 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 4. | option_a=1 | option_b=8 | option_c=4 | option_d=16 | answer=C | explanation=LCM × HCF = 4×4; HCF(4,4) = 4, so LCM = 4.

id=63712 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=S | option_b=J | option_c=M | option_d=P | answer=D | explanation=Move 3 positions forward from M; the resulting letter is P.

id=63713 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=41 | option_b=35 | option_c=34 | option_d=27 | answer=C | explanation=The common difference is 7. Therefore the next term is 27 + 7 = 34.

id=63714 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40837 at 4% per annum for 5 years. | option_a=8067 | option_b=8267 | option_c=8167 | option_d=49004 | answer=C | explanation=SI = $\frac{PRT}{100}$ = $\frac{40837 \times 4 \times 5}{100}$ = **■**8167.

id=63715 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26183 at 4% per annum for 4 years. | option_a=4189 | option_b=30372 | option_c=4289 | option_d=4089 | answer=A | explanation=SI = $\frac{PRT}{100}$ = $\frac{26183 \times 4 \times 4}{100}$ = **■**4189.

id=63716 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2169. If it is sold at a profit of 15%, what is its selling price? | option_a=2184 | option_b=2710 | option_c=2278 | option_d=2494 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2169 × 115/100 = **■**2494.

id=63717 | topic=Averages | difficulty=Easy | question=Find the average of 13, 22, 73, 36. | option_a=35 | option_b=38 | option_c=37 | option_d=36 | answer=D | explanation=Average = sum of values ÷ number of values = 144 ÷ 4 = 36.

id=63718 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 25. | option_a=100 | option_b=120 | option_c=500 | option_d=75 | answer=A | explanation=LCM × HCF = 20×25; HCF(20,25) = 5, so LCM = 100.

id=63719 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 22, 27, 32, ? | option_a=38 | option_b=37 | option_c=42 | option_d=32 | answer=B | explanation=The common difference is 5. Therefore the next term is 32 + 5 = 37.

id=63720 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 35, 41, 50? | option_a=35 | option_b=50 | option_c=41 | option_d=29 | answer=B | explanation=The first three numbers increase by 6, so the next should be 47. Therefore 50 is the odd one out.

Aptitude Questions — Records 63,721-63,750 of 100,000

- id=63721 | topic=Averages | difficulty=Easy | question=Find the average of 66, 90, 90. | option_a=82 | option_b=83 | option_c=84 | option_d=81 | answer=A | explanation=Average = sum of values ÷ number of values = $246 \div 3 = 82$.
- id=63722 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:12 and the first is 96, what is the second? | option_a=96 | option_b=192 | option_c=84 | option_d=108 | answer=A | explanation=Scale factor = $96/12 = 8$. Therefore second quantity = $12 \times 8 = 96$.
- id=63723 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'i' become? | option_a=G | option_b=K | option_c=I | option_d=M | answer=B | explanation=Move 2 positions forward from i; the resulting letter is K.
- id=63724 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:7 and the first is 36, what is the second? | option_a=67 | option_b=56 | option_c=63 | option_d=99 | answer=C | explanation=Scale factor = $36/4 = 9$. Therefore second quantity = $7 \times 9 = 63$.
- id=63725 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.
- id=63726 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34794 at 10% per annum for 5 years. | option_a=17397 | option_b=52191 | option_c=17497 | option_d=17297 | answer=A | explanation=SI = $PRT/100 = 34794 \times 10 \times 5/100 = \text{■}17397$.
- id=63727 | topic=Percentages | difficulty=Easy | question=What is 15% of 811? | option_a=121 | option_b=242 | option_c=101 | option_d=141 | answer=A | explanation=15% of 811 = $(15/100) \times 811 = 121$.
- id=63728 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27239 at 12% per annum for 2 years. | option_a=33776 | option_b=6437 | option_c=6637 | option_d=6537 | answer=D | explanation=SI = $PRT/100 = 27239 \times 12 \times 2/100 = \text{■}6537$.
- id=63729 | topic=Averages | difficulty=Easy | question=Find the average of 10, 10, 67, 70, 38. | option_a=39 | option_b=41 | option_c=40 | option_d=38 | answer=A | explanation=Average = sum of values ÷ number of values = $195 \div 5 = 39$.
- id=63730 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:17 and the first is 13, what is the second? | option_a=234 | option_b=204 | option_c=221 | option_d=222 | answer=C | explanation=Scale factor = $13/1 = 13$. Therefore second quantity = $17 \times 13 = 221$.
- id=63731 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33038 at 12% per annum for 3 years. | option_a=11893 | option_b=11793 | option_c=11993 | option_d=44931 | answer=A | explanation=SI = $PRT/100 = 33038 \times 12 \times 3/100 = \text{■}11893$.
- id=63732 | topic=Percentages | difficulty=Easy | question=What is 12% of 1896? | option_a=454 | option_b=232 | option_c=222 | option_d=227 | answer=D | explanation=12% of 1896 = $(12/100) \times 1896 = 227$.
- id=63733 | topic=Percentages | difficulty=Easy | question=What is 10% of 1532? | option_a=306 | option_b=153 | option_c=158 | option_d=133 | answer=B | explanation=10% of 1532 = $(10/100) \times 1532 = 153$.
- id=63734 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.
- id=63735 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40960 at 8% per annum for 4 years. | option_a=13107 | option_b=13207 | option_c=13007 | option_d=54067 | answer=A | explanation=SI = $PRT/100 = 40960 \times 8 \times 4/100 = \text{■}13107$.
- id=63736 | topic=Averages | difficulty=Easy | question=Find the average of 38, 17, 56, 96, 31, 86, 82. | option_a=60 | option_b=57 | option_c=59 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = $406 \div 7 = 58$.
- id=63737 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:9 and the first is 198, what is the second? | option_a=297 | option_b=99 | option_c=90 | option_d=117 | answer=B | explanation=Scale factor = $198/18 = 11$. Therefore second quantity = $9 \times 11 = 99$.
- id=63738 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=V | option_c=U | option_d=S | answer=C | explanation=Move 1 positions forward from T; the resulting letter is U.
- id=63739 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14157 at 10% per annum for 4 years. | option_a=5662 | option_b=19819 | option_c=5762 | option_d=5562 | answer=A | explanation=SI = $PRT/100 = 14157 \times 10 \times 4/100 = \text{■}5662$.
- id=63740 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=63 | option_b=54 | option_c=55 | option_d=45 | answer=B | explanation=The common difference is 9. Therefore the next term is $45 + 9 = 54$.
- id=63741 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**343. If it is sold at a profit of 5%, what is its selling price? | option_a=326 | option_b=348 | option_c=394 | option_d=360 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 343 \times 105/100 = \text{■}360$.
- id=63742 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 25, 34, 43, ? | option_a=43 | option_b=61 | option_c=52 | option_d=53 | answer=C | explanation=The common difference is 9. Therefore the next term is $43 + 9 = 52$.
- id=63743 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24037 at 4% per annum for 3 years. | option_a=2984 | option_b=26921 | option_c=2884 | option_d=2784 | answer=C | explanation=SI = $PRT/100 = 24037 \times 4 \times 3/100 = \text{■}2884$.
- id=63744 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=M | option_b=L | option_c=N | option_d=K | answer=A | explanation=Move 1 positions forward from L; the resulting letter is M.
- id=63745 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2410. If it is sold at a profit of 20%, what is its selling price? | option_a=2892 | option_b=2651 | option_c=3133 | option_d=2430 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2410 \times 120/100 = \text{■}2892$.
- id=63746 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 13, 23, 35? | option_a=35 | option_b=13 | option_c=3 | option_d=23 | answer=A | explanation=The first three numbers increase by 10, so the next should be 33. Therefore 35 is the odd one out.
- id=63747 | topic=Averages | difficulty=Easy | question=Find the average of 58, 50, 100, 16. | option_a=55 | option_b=56 | option_c=58 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = $224 \div 4 = 56$.
- id=63748 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22477 at 4% per annum for 3 years. | option_a=2797 | option_b=2697 | option_c=25174 | option_d=2597 | answer=B | explanation=SI = $PRT/100 = 22477 \times 4 \times 3/100 = \text{■}2697$.
- id=63749 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.
- id=63750 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.

Aptitude Questions — Records 63,751-63,780 of 100,000

id=63751 | topic=Percentages | difficulty=Easy | question=What is 20% of 185? | option_a=74 | option_b=47 | option_c=37 | option_d=17 | answer=C | explanation=20% of 185 = (20/100) × 185 = 37.

id=63752 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=F | option_b=I | option_c=G | option_d=H | answer=D | explanation=Move 1 positions forward from G; the resulting letter is H.

id=63753 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 29? | option_a=29 | option_b=22 | option_c=20 | option_d=24 | answer=A | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 29 is the odd one out.

id=63754 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41028 at 6% per annum for 2 years. | option_a=5023 | option_b=4823 | option_c=45951 | option_d=4923 | answer=D | explanation=SI = PRT/100 = 41028×6×2/100 = █4923.

id=63755 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:15 and the first is 114, what is the second? | option_a=204 | option_b=90 | option_c=75 | option_d=109 | answer=B | explanation=Scale factor = 114/19 = 6. Therefore second quantity = 15×6 = 90.

id=63756 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=63757 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=63758 | topic=Averages | difficulty=Easy | question=Find the average of 81, 54, 19, 98. | option_a=65 | option_b=63 | option_c=62 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 252 ÷ 4 = 63.

id=63759 | topic=Averages | difficulty=Easy | question=Find the average of 88, 99, 56, 64, 88. | option_a=81 | option_b=78 | option_c=79 | option_d=80 | answer=C | explanation=Average = sum of values ÷ number of values = 395 ÷ 5 = 79.

id=63760 | topic=Averages | difficulty=Easy | question=Find the average of 94, 54, 22, 99, 88, 18, 13, 77, 93. | option_a=62 | option_b=63 | option_c=64 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 558 ÷ 9 = 62.

id=63761 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15938 at 8% per annum for 2 years. | option_a=2650 | option_b=2550 | option_c=2450 | option_d=18488 | answer=B | explanation=SI = PRT/100 = 15938×8×2/100 = █2550.

id=63762 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3685. If it is sold at a profit of 5%, what is its selling price? | option_a=3690 | option_b=3501 | option_c=3869 | option_d=4237 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3685 × 105/100 = █3869.

id=63763 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=16 | option_b=14 | option_c=12 | option_d=15 | answer=B | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=63764 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2635. If it is sold at a profit of 50%, what is its selling price? | option_a=3952 | option_b=3689 | option_c=4215 | option_d=2685 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2635 × 150/100 = █3952.

id=63765 | topic=Percentages | difficulty=Easy | question=What is 30% of 751? | option_a=230 | option_b=450 | option_c=225 | option_d=215 | answer=C | explanation=30% of 751 = (30/100) × 751 = 225.

id=63766 | topic=Percentages | difficulty=Easy | question=What is 40% of 1390? | option_a=556 | option_b=546 | option_c=1112 | option_d=576 | answer=A | explanation=40% of 1390 = (40/100) × 1390 = 556.

id=63767 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=63768 | topic=Averages | difficulty=Easy | question=Find the average of 28, 17, 33, 48, 66, 29, 95, 44, 45, 105. | option_a=53 | option_b=51 | option_c=50 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

id=63769 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:15 and the first is 150, what is the second? | option_a=225 | option_b=235 | option_c=375 | option_d=210 | answer=A | explanation=Scale factor = 150/10 = 15. Therefore second quantity = 15×15 = 225.

id=63770 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 24, 36, 48, ? | option_a=60 | option_b=72 | option_c=48 | option_d=61 | answer=A | explanation=The common difference is 12. Therefore the next term is 48 + 12 = 60.

id=63771 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=63772 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=L | option_b=J | option_c=N | option_d=H | answer=A | explanation=Move 2 positions forward from J; the resulting letter is L.

id=63773 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=63774 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:14 and the first is 15, what is the second? | option_a=56 | option_b=85 | option_c=70 | option_d=73 | answer=C | explanation=Scale factor = 15/3 = 5. Therefore second quantity = 14×5 = 70.

id=63775 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=63776 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=63777 | topic=Averages | difficulty=Easy | question=Find the average of 63, 20, 62, 56, 95, 93, 16, 86, 103. | option_a=66 | option_b=67 | option_c=68 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 594 ÷ 9 = 66.

id=63778 | topic=Percentages | difficulty=Easy | question=What is 40% of 97? | option_a=48 | option_b=28 | option_c=76 | option_d=38 | answer=D | explanation=40% of 97 = (40/100) × 97 = 38.

id=63779 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:6 and the first is 64, what is the second? | option_a=160 | option_b=100 | option_c=90 | option_d=96 | answer=D | explanation=Scale factor = 64/4 = 16. Therefore second quantity = 6×16 = 96.

id=63780 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=58 | option_b=40 | option_c=49 | option_d=50 | answer=C | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

Aptitude Questions — Records 63,781-63,810 of 100,000

- id=63781 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1414. If it is sold at a profit of 5%, what is its selling price? | option_a=1343 | option_b=1419 | option_c=1625 | option_d=1484 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1414 × 105/100 = █1484.
- id=63782 | topic=Averages | difficulty=Easy | question=Find the average of 53, 98, 92, 85, 34, 95, 34, 87, 88. | option_a=73 | option_b=76 | option_c=75 | option_d=74 | answer=D | explanation=Average = sum of values ÷ number of values = 666 ÷ 9 = 74.
- id=63783 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:15 and the first is 135, what is the second? | option_a=135 | option_b=120 | option_c=150 | option_d=270 | answer=A | explanation=Scale factor = 135/15 = 9. Therefore second quantity = 15×9 = 135.
- id=63784 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 49? | option_a=30 | option_b=21 | option_c=49 | option_d=39 | answer=C | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 49 is the odd one out.
- id=63785 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:13 and the first is 110, what is the second? | option_a=117 | option_b=141 | option_c=240 | option_d=130 | answer=D | explanation=Scale factor = 110/11 = 10. Therefore second quantity = 13×10 = 130.
- id=63786 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 27. | option_a=243 | option_b=1 | option_c=27 | option_d=36 | answer=C | explanation=LCM × HCF = 9×27; HCF(9,27) = 9, so LCM = 27.
- id=63787 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11742 at 12% per annum for 5 years. | option_a=6945 | option_b=7145 | option_c=18787 | option_d=7045 | answer=D | explanation=SI = PRT/100 = 11742×12×5/100 = █7045.
- id=63788 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=75 | option_d=150 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.
- id=63789 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=P | option_c=L | option_d=R | answer=B | explanation=Move 2 positions forward from N; the resulting letter is P.
- id=63790 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 26? | option_a=19 | option_b=26 | option_c=21 | option_d=17 | answer=B | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 26 is the odd one out.
- id=63791 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1426. If it is sold at a profit of 30%, what is its selling price? | option_a=1995 | option_b=1456 | option_c=1853 | option_d=1711 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1426 × 130/100 = █1853.
- id=63792 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=23 | option_c=36 | option_d=13 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.
- id=63793 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36504 at 12% per annum for 4 years. | option_a=17421 | option_b=17521 | option_c=54025 | option_d=17621 | answer=B | explanation=SI = PRT/100 = 36504×12×4/100 = █17521.
- id=63794 | topic=Averages | difficulty=Easy | question=Find the average of 62, 96, 61, 43, 81, 11, 17. | option_a=53 | option_b=52 | option_c=55 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 371 ÷ 7 = 53.
- id=63795 | topic=Percentages | difficulty=Easy | question=What is 20% of 685? | option_a=274 | option_b=147 | option_c=117 | option_d=137 | answer=D | explanation=20% of 685 = (20/100) × 685 = 137.
- id=63796 | topic=Averages | difficulty=Easy | question=Find the average of 37, 12, 10, 87, 79, 33. | option_a=45 | option_b=43 | option_c=44 | option_d=42 | answer=B | explanation=Average = sum of values ÷ number of values = 258 ÷ 6 = 43.
- id=63797 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.
- id=63798 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 45? | option_a=23 | option_b=37 | option_c=30 | option_d=45 | answer=D | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 45 is the odd one out.
- id=63799 | topic=Percentages | difficulty=Easy | question=What is 10% of 927? | option_a=92 | option_b=82 | option_c=184 | option_d=97 | answer=A | explanation=10% of 927 = (10/100) × 927 = 92.
- id=63800 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2082. If it is sold at a profit of 50%, what is its selling price? | option_a=2132 | option_b=3331 | option_c=3123 | option_d=2915 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2082 × 150/100 = █3123.
- id=63801 | topic=Averages | difficulty=Easy | question=Find the average of 56, 48, 49. | option_a=52 | option_b=53 | option_c=51 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 153 ÷ 3 = 51.
- id=63802 | topic=Percentages | difficulty=Easy | question=What is 10% of 118? | option_a=16 | option_b=11 | option_c=22 | option_d=0 | answer=B | explanation=10% of 118 = (10/100) × 118 = 11.
- id=63803 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 12. | option_a=54 | option_b=216 | option_c=36 | option_d=24 | answer=C | explanation=LCM × HCF = 18×12; HCF(18,12) = 6, so LCM = 36.
- id=63804 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1356. If it is sold at a profit of 10%, what is its selling price? | option_a=1626 | option_b=1356 | option_c=1366 | option_d=1491 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1356 × 110/100 = █1491.
- id=63805 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=F | option_b=R | option_c=N | option_d=J | answer=C | explanation=Move 4 positions forward from J; the resulting letter is N.
- id=63806 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=63807 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4710. If it is sold at a profit of 15%, what is its selling price? | option_a=4945 | option_b=5887 | option_c=5416 | option_d=4725 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4710 × 115/100 = █5416.
- id=63808 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:15 and the first is 84, what is the second? | option_a=105 | option_b=189 | option_c=90 | option_d=117 | answer=A | explanation=Scale factor = 84/12 = 7. Therefore second quantity = 15×7 = 105.
- id=63809 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=40 | option_c=25 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.
- id=63810 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=240 | option_c=120 | option_d=125 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

Aptitude Questions — Records 63,811-63,840 of 100,000

id=63811 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=63812 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 46? | option_a=31 | option_b=38 | option_c=46 | option_d=24 | answer=C | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 46 is the odd one out.

id=63813 | topic=Percentages | difficulty=Easy | question=What is 50% of 599? | option_a=279 | option_b=319 | option_c=299 | option_d=598 | answer=C | explanation=50% of 599 = (50/100) × 599 = 299.

id=63814 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=Y | option_b=P | option_c=S | option_d=V | answer=D | explanation=Move 3 positions forward from S; the resulting letter is V.

id=63815 | topic=Percentages | difficulty=Easy | question=What is 25% of 1797? | option_a=429 | option_b=449 | option_c=469 | option_d=898 | answer=B | explanation=25% of 1797 = (25/100) × 1797 = 449.

id=63816 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 23, 30, 40? | option_a=23 | option_b=30 | option_c=40 | option_d=16 | answer=C | explanation=The first three numbers increase by 7, so the next should be 37. Therefore 40 is the odd one out.

id=63817 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3305. If it is sold at a profit of 25%, what is its selling price? | option_a=4131 | option_b=3801 | option_c=3330 | option_d=4461 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3305 × 125/100 = █4131.

id=63818 | topic=Averages | difficulty=Easy | question=Find the average of 35, 91, 85, 53. | option_a=68 | option_b=66 | option_c=65 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = 264 ÷ 4 = 66.

id=63819 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=63820 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 6. | option_a=168 | option_b=78 | option_c=112 | option_d=84 | answer=D | explanation=LCM × HCF = 28×6; HCF(28,6) = 2, so LCM = 84.

id=63821 | topic=Percentages | difficulty=Easy | question=What is 30% of 1728? | option_a=513 | option_b=518 | option_c=1036 | option_d=523 | answer=B | explanation=30% of 1728 = (30/100) × 1728 = 518.

id=63822 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=46 | option_b=58 | option_c=57 | option_d=68 | answer=C | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.

id=63823 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=52 | option_b=45 | option_c=38 | option_d=46 | answer=B | explanation=The common difference is 7. Therefore the next term is 38 + 7 = 45.

id=63824 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37241 at 10% per annum for 2 years. | option_a=7548 | option_b=7348 | option_c=44689 | option_d=7448 | answer=D | explanation=SI = PRT/100 = 37241×10×2/100 = █7448.

id=63825 | topic=Percentages | difficulty=Easy | question=What is 25% of 1807? | option_a=451 | option_b=902 | option_c=461 | option_d=441 | answer=A | explanation=25% of 1807 = (25/100) × 1807 = 451.

id=63826 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=B | option_c=Z | option_d=F | answer=A | explanation=Move 2 positions forward from B; the resulting letter is D.

id=63827 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 11? | option_a=6 | option_b=8 | option_c=4 | option_d=11 | answer=D | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 11 is the odd one out.

id=63828 | topic=Averages | difficulty=Easy | question=Find the average of 86, 46, 76, 19, 90, 65, 79, 27. | option_a=62 | option_b=61 | option_c=60 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 488 ÷ 8 = 61.

id=63829 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=63830 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1461. If it is sold at a profit of 40%, what is its selling price? | option_a=1501 | option_b=2045 | option_c=2191 | option_d=1899 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1461 × 140/100 = █2045.

id=63831 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2232. If it is sold at a profit of 25%, what is its selling price? | option_a=3013 | option_b=2257 | option_c=2567 | option_d=2790 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2232 × 125/100 = █2790.

id=63832 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:17 and the first is 105, what is the second? | option_a=360 | option_b=255 | option_c=262 | option_d=238 | answer=B | explanation=Scale factor = 105/7 = 15. Therefore second quantity = 17×15 = 255.

id=63833 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 10, 16, 25? | option_a=25 | option_b=16 | option_c=4 | option_d=10 | answer=A | explanation=The first three numbers increase by 6, so the next should be 22. Therefore 25 is the odd one out.

id=63834 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=I | option_c=Q | option_d=U | answer=C | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=63835 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=M | option_c=R | option_d=C | answer=B | explanation=Move 5 positions forward from H; the resulting letter is M.

id=63836 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35225 at 6% per annum for 2 years. | option_a=4227 | option_b=39452 | option_c=4327 | option_d=4127 | answer=A | explanation=SI = PRT/100 = 35225×6×2/100 = █4227.

id=63837 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 14. | option_a=14 | option_b=392 | option_c=56 | option_d=28 | answer=D | explanation=LCM × HCF = 28×14; HCF(28,14) = 14, so LCM = 28.

id=63838 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=63839 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 23, 25, 30? | option_a=23 | option_b=21 | option_c=25 | option_d=30 | answer=D | explanation=The first three numbers increase by 2, so the next should be 27. Therefore 30 is the odd one out.

id=63840 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2870. If it is sold at a profit of 20%, what is its selling price? | option_a=2890 | option_b=3444 | option_c=3157 | option_d=3731 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2870 × 120/100 = █3444.

Aptitude Questions — Records 63,841-63,870 of 100,000

- id=63841 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=13 | option_b=11 | option_c=15 | option_d=14 | answer=A | explanation=The common difference is 2. Therefore the next term is 11 + 2 = 13.
- id=63842 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1760. If it is sold at a profit of 40%, what is its selling price? | option_a=2640 | option_b=2288 | option_c=1800 | option_d=2464 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1760 × 140/100 = █2464.
- id=63843 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 36? | option_a=29 | option_b=24 | option_c=36 | option_d=19 | answer=C | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 36 is the odd one out.
- id=63844 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:2 and the first is 162, what is the second? | option_a=45 | option_b=198 | option_c=36 | option_d=34 | answer=C | explanation=Scale factor = 162/9 = 18. Therefore second quantity = 2×18 = 36.
- id=63845 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 26, 34, 42, ? | option_a=50 | option_b=58 | option_c=51 | option_d=42 | answer=A | explanation=The common difference is 8. Therefore the next term is 42 + 8 = 50.
- id=63846 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3267. If it is sold at a profit of 20%, what is its selling price? | option_a=3920 | option_b=4246 | option_c=3594 | option_d=3287 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3267 × 120/100 = █3920.
- id=63847 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=180 | option_c=360 | option_d=185 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.
- id=63848 | topic=Averages | difficulty=Easy | question=Find the average of 10, 26, 23, 67, 46, 97, 55, 100. | option_a=54 | option_b=53 | option_c=55 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.
- id=63849 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=C | option_c=E | option_d=D | answer=C | explanation=Move 1 positions forward from D; the resulting letter is E.
- id=63850 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=100 | option_c=55 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.
- id=63851 | topic=Percentages | difficulty=Easy | question=What is 5% of 1983? | option_a=94 | option_b=109 | option_c=198 | option_d=99 | answer=D | explanation=5% of 1983 = (5/100) × 1983 = 99.
- id=63852 | topic=Averages | difficulty=Easy | question=Find the average of 86, 95, 77, 38. | option_a=75 | option_b=74 | option_c=73 | option_d=76 | answer=B | explanation=Average = sum of values ÷ number of values = 296 ÷ 4 = 74.
- id=63853 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 15. | option_a=30 | option_b=15 | option_c=1 | option_d=225 | answer=B | explanation=LCM × HCF = 15×15; HCF(15,15) = 15, so LCM = 15.
- id=63854 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 41? | option_a=29 | option_b=41 | option_c=11 | option_d=20 | answer=B | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 41 is the odd one out.
- id=63855 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=E | option_c=M | option_d=A | answer=A | explanation=Move 4 positions forward from E; the resulting letter is I.
- id=63856 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 6. | option_a=48 | option_b=18 | option_c=24 | option_d=144 | answer=C | explanation=LCM × HCF = 24×6; HCF(24,6) = 6, so LCM = 24.
- id=63857 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=18 | option_c=13 | option_d=23 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.
- id=63858 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=31 | option_b=37 | option_c=41 | option_d=36 | answer=D | explanation=The common difference is 5. Therefore the next term is 31 + 5 = 36.
- id=63859 | topic=Averages | difficulty=Easy | question=Find the average of 99, 69, 19, 29. | option_a=54 | option_b=53 | option_c=56 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 216 ÷ 4 = 54.
- id=63860 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23840 at 15% per annum for 4 years. | option_a=14404 | option_b=14204 | option_c=38144 | option_d=14304 | answer=D | explanation=SI = PRT/100 = 23840×15×4/100 = █14304.
- id=63861 | topic=Averages | difficulty=Easy | question=Find the average of 78, 90, 96. | option_a=89 | option_b=90 | option_c=88 | option_d=87 | answer=C | explanation=Average = sum of values ÷ number of values = 264 ÷ 3 = 88.
- id=63862 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41370 at 8% per annum for 5 years. | option_a=16548 | option_b=16448 | option_c=16648 | option_d=57918 | answer=A | explanation=SI = PRT/100 = 41370×8×5/100 = █16548.
- id=63863 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:12 and the first is 156, what is the second? | option_a=168 | option_b=156 | option_c=144 | option_d=312 | answer=B | explanation=Scale factor = 156/12 = 13. Therefore second quantity = 12×13 = 156.
- id=63864 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=175 | option_c=360 | option_d=185 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.
- id=63865 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=N | option_b=H | option_c=K | option_d=Q | answer=A | explanation=Move 3 positions forward from K; the resulting letter is N.
- id=63866 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 24. | option_a=240 | option_b=120 | option_c=96 | option_d=130 | answer=B | explanation=LCM × HCF = 10×24; HCF(10,24) = 2, so LCM = 120.
- id=63867 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=55 | option_c=45 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.
- id=63868 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.
- id=63869 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=50 | option_b=62 | option_c=63 | option_d=74 | answer=B | explanation=The common difference is 12. Therefore the next term is 50 + 12 = 62.
- id=63870 | topic=Percentages | difficulty=Easy | question=What is 25% of 305? | option_a=86 | option_b=71 | option_c=76 | option_d=152 | answer=C | explanation=25% of 305 = (25/100) × 305 = 76.

Aptitude Questions — Records 63,871-63,900 of 100,000

id=63871 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=M | option_b=H | option_c=C | option_d=R | answer=A | explanation=Move 5 positions forward from H; the resulting letter is M.

id=63872 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=C | option_c=O | option_d=K | answer=D | explanation=Move 4 positions forward from G; the resulting letter is K.

id=63873 | topic=Profit & Loss | difficulty=Easy | question=An article costs █218. If it is sold at a profit of 5%, what is its selling price? | option_a=249 | option_b=223 | option_c=228 | option_d=207 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 218 × 105/100 = █228.

id=63874 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=C | option_c=I | option_d=L | answer=C | explanation=Move 3 positions forward from F; the resulting letter is I.

id=63875 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 15, 22, 29, ? | option_a=37 | option_b=43 | option_c=29 | option_d=36 | answer=D | explanation=The common difference is 7. Therefore the next term is 29 + 7 = 36.

id=63876 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:14 and the first is 65, what is the second? | option_a=135 | option_b=83 | option_c=70 | option_d=56 | answer=C | explanation=Scale factor = 65/13 = 5. Therefore second quantity = 14×5 = 70.

id=63877 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=36 | option_b=42 | option_c=35 | option_d=28 | answer=C | explanation=The common difference is 7. Therefore the next term is 28 + 7 = 35.

id=63878 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:4 and the first is 114, what is the second? | option_a=24 | option_b=20 | option_c=43 | option_d=138 | answer=A | explanation=Scale factor = 114/19 = 6. Therefore second quantity = 4×6 = 24.

id=63879 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16980 at 5% per annum for 5 years. | option_a=21225 | option_b=4345 | option_c=4245 | option_d=4145 | answer=C | explanation=SI = PRT/100 = 16980×5×5/100 = █4245.

id=63880 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=I | option_c=G | option_d=J | answer=B | explanation=Move 1 positions forward from H; the resulting letter is I.

id=63881 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:9 and the first is 140, what is the second? | option_a=126 | option_b=266 | option_c=117 | option_d=136 | answer=A | explanation=Scale factor = 140/10 = 14. Therefore second quantity = 9×14 = 126.

id=63882 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=63883 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:1 and the first is 220, what is the second? | option_a=20 | option_b=240 | option_c=31 | option_d=19 | answer=A | explanation=Scale factor = 220/11 = 20. Therefore second quantity = 1×20 = 20.

id=63884 | topic=Averages | difficulty=Easy | question=Find the average of 17, 96, 15, 95, 17, 25, 71, 24. | option_a=46 | option_b=44 | option_c=47 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 360 ÷ 8 = 45.

id=63885 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=M | option_c=O | option_d=K | answer=C | explanation=Move 2 positions forward from M; the resulting letter is O.

id=63886 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4041 at 15% per annum for 2 years. | option_a=5253 | option_b=1112 | option_c=1212 | option_d=1312 | answer=C | explanation=SI = PRT/100 = 4041×15×2/100 = █1212.

id=63887 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=27 | option_b=21 | option_c=24 | option_d=25 | answer=C | explanation=The common difference is 3. Therefore the next term is 21 + 3 = 24.

id=63888 | topic=Profit & Loss | difficulty=Easy | question=An article costs █281. If it is sold at a profit of 25%, what is its selling price? | option_a=379 | option_b=351 | option_c=323 | option_d=306 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 281 × 125/100 = █351.

id=63889 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 27, 32, 38? | option_a=32 | option_b=27 | option_c=38 | option_d=22 | answer=C | explanation=The first three numbers increase by 5, so the next should be 37. Therefore 38 is the odd one out.

id=63890 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=63891 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=L | option_b=H | option_c=D | option_d=Z | answer=B | explanation=Move 4 positions forward from D; the resulting letter is H.

id=63892 | topic=Averages | difficulty=Easy | question=Find the average of 65, 52, 28, 71, 43, 52, 43, 11, 78, 87. | option_a=55 | option_b=53 | option_c=54 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=63893 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=N | option_b=I | option_c=D | option_d=S | answer=A | explanation=Move 5 positions forward from I; the resulting letter is N.

id=63894 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=51 | option_b=52 | option_c=41 | option_d=61 | answer=A | explanation=The common difference is 10. Therefore the next term is 41 + 10 = 51.

id=63895 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32016 at 5% per annum for 3 years. | option_a=36818 | option_b=4902 | option_c=4702 | option_d=4802 | answer=D | explanation=SI = PRT/100 = 32016×5×3/100 = █4802.

id=63896 | topic=Percentages | difficulty=Easy | question=What is 50% of 186? | option_a=93 | option_b=186 | option_c=73 | option_d=98 | answer=A | explanation=50% of 186 = (50/100) × 186 = 93.

id=63897 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 34, 41, 50? | option_a=50 | option_b=27 | option_c=34 | option_d=41 | answer=A | explanation=The first three numbers increase by 7, so the next should be 48. Therefore 50 is the odd one out.

id=63898 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1482. If it is sold at a profit of 50%, what is its selling price? | option_a=1532 | option_b=2223 | option_c=2075 | option_d=2371 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1482 × 150/100 = █2223.

id=63899 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=Z | option_b=P | option_c=U | option_d=E | answer=A | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=63900 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=68 | option_b=46 | option_c=57 | option_d=58 | answer=C | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.

Aptitude Questions — Records 63,901-63,930 of 100,000

id=63901 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 18. | option_a=216 | option_b=234 | option_c=468 | option_d=260 | answer=B | explanation= $LCM \times HCF = 26 \times 18$; $HCF(26,18) = 2$, so $LCM = 234$.

id=63902 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=6 | option_c=1 | option_d=12 | answer=B | explanation= $Speed = distance \div time = 60 \div 10 = 6$ km/h.

id=63903 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=75 | option_c=160 | option_d=80 | answer=D | explanation= $Speed = distance \div time = 240 \div 3 = 80$ km/h.

id=63904 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=63905 | topic=Averages | difficulty=Easy | question=Find the average of 44, 64, 51, 73, 82, 76. | option_a=65 | option_b=66 | option_c=64 | option_d=67 | answer=A | explanation= $Average = sum of values \div number of values = 390 \div 6 = 65$.

id=63906 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=63907 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1653. If it is sold at a profit of 25%, what is its selling price? | option_a=1901 | option_b=1678 | option_c=2066 | option_d=2231 | answer=C | explanation= $Selling price = CP \times (100 + profit\%)/100 = 1653 \times 125/100 =$ **■**2066.

id=63908 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3575. If it is sold at a profit of 15%, what is its selling price? | option_a=3590 | option_b=4468 | option_c=3754 | option_d=4111 | answer=D | explanation= $Selling price = CP \times (100 + profit\%)/100 = 3575 \times 115/100 =$ **■**4111.

id=63909 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=63910 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=9 | option_c=18 | option_d=4 | answer=B | explanation= $Speed = distance \div time = 90 \div 10 = 9$ km/h.

id=63911 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24549 at 6% per annum for 5 years. | option_a=7464 | option_b=7364 | option_c=31913 | option_d=7264 | answer=B | explanation= $SI = PRT/100 = 24549 \times 6 \times 5/100 =$ **■**7364.

id=63912 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:11 and the first is 95, what is the second? | option_a=55 | option_b=74 | option_c=150 | option_d=44 | answer=A | explanation= $Scale factor = 95/19 = 5$. Therefore second quantity = $11 \times 5 = 55$.

id=63913 | topic=Percentages | difficulty=Easy | question=What is 10% of 1561? | option_a=156 | option_b=312 | option_c=161 | option_d=136 | answer=A | explanation= $10\% \text{ of } 1561 = (10/100) \times 1561 = 156$.

id=63914 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5726 at 15% per annum for 1 years. | option_a=758 | option_b=6584 | option_c=958 | option_d=858 | answer=D | explanation= $SI = PRT/100 = 5726 \times 15 \times 1/100 =$ **■**858.

id=63915 | topic=Percentages | difficulty=Easy | question=What is 30% of 1183? | option_a=354 | option_b=708 | option_c=364 | option_d=349 | answer=A | explanation= $30\% \text{ of } 1183 = (30/100) \times 1183 = 354$.

id=63916 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14434 at 12% per annum for 5 years. | option_a=8760 | option_b=23094 | option_c=8660 | option_d=8560 | answer=C | explanation= $SI = PRT/100 = 14434 \times 12 \times 5/100 =$ **■**8660.

id=63917 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=25 | option_b=28 | option_c=20 | option_d=24 | answer=D | explanation=The common difference is 4. Therefore the next term is $20 + 4 = 24$.

id=63918 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=17 | option_c=24 | option_d=7 | answer=A | explanation= $Speed = distance \div time = 60 \div 5 = 12$ km/h.

id=63919 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 26, 34, 42, ? | option_a=58 | option_b=42 | option_c=50 | option_d=51 | answer=C | explanation=The common difference is 8. Therefore the next term is $42 + 8 = 50$.

id=63920 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=63 | option_b=51 | option_c=52 | option_d=39 | answer=B | explanation=The common difference is 12. Therefore the next term is $39 + 12 = 51$.

id=63921 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2222. If it is sold at a profit of 25%, what is its selling price? | option_a=2777 | option_b=2555 | option_c=2247 | option_d=2999 | answer=A | explanation= $Selling price = CP \times (100 + profit\%)/100 = 2222 \times 125/100 =$ **■**2777.

id=63922 | topic=Percentages | difficulty=Easy | question=What is 5% of 1268? | option_a=58 | option_b=63 | option_c=83 | option_d=126 | answer=B | explanation= $5\% \text{ of } 1268 = (5/100) \times 1268 = 63$.

id=63923 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=63924 | topic=Percentages | difficulty=Easy | question=What is 20% of 847? | option_a=164 | option_b=189 | option_c=338 | option_d=169 | answer=D | explanation= $20\% \text{ of } 847 = (20/100) \times 847 = 169$.

id=63925 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**998. If it is sold at a profit of 15%, what is its selling price? | option_a=1246 | option_b=1147 | option_c=1013 | option_d=1048 | answer=B | explanation= $Selling price = CP \times (100 + profit\%)/100 = 998 \times 115/100 =$ **■**1147.

id=63926 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=63927 | topic=Percentages | difficulty=Easy | question=What is 5% of 1605? | option_a=90 | option_b=160 | option_c=70 | option_d=80 | answer=D | explanation= $5\% \text{ of } 1605 = (5/100) \times 1605 = 80$.

id=63928 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:11 and the first is 40, what is the second? | option_a=209 | option_b=222 | option_c=260 | option_d=220 | answer=D | explanation= $Scale factor = 40/2 = 20$. Therefore second quantity = $11 \times 20 = 220$.

id=63929 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=J | option_c=O | option_d=Z | answer=B | explanation=Move 5 positions forward from E; the resulting letter is J.

id=63930 | topic=Percentages | difficulty=Easy | question=What is 40% of 1839? | option_a=745 | option_b=735 | option_c=715 | option_d=1470 | answer=B | explanation= $40\% \text{ of } 1839 = (40/100) \times 1839 = 735$.

Aptitude Questions — Records 63,931-63,960 of 100,000

id=63931 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:15 and the first is 18, what is the second? | option_a=39 | option_b=30 | option_c=48 | option_d=15 | answer=B | explanation=Scale factor = 18/9 = 2. Therefore second quantity = 15×2 = 30.

id=63932 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=54 | option_b=47 | option_c=40 | option_d=48 | answer=B | explanation=The common difference is 7. Therefore the next term is 40 + 7 = 47.

id=63933 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=71 | option_b=49 | option_c=61 | option_d=60 | answer=D | explanation=The common difference is 11. Therefore the next term is 49 + 11 = 60.

id=63934 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=O | option_c=P | option_d=M | answer=B | explanation=Move 1 positions forward from N; the resulting letter is O.

id=63935 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=63936 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=25 | option_c=20 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=63937 | topic=Averages | difficulty=Easy | question=Find the average of 23, 30, 12, 54, 71. | option_a=40 | option_b=38 | option_c=39 | option_d=37 | answer=B | explanation=Average = sum of values ÷ number of values = 190 ÷ 5 = 38.

id=63938 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 24, 30, 36, ? | option_a=48 | option_b=43 | option_c=42 | option_d=36 | answer=C | explanation=The common difference is 6. Therefore the next term is 36 + 6 = 42.

id=63939 | topic=Profit & Loss | difficulty=Easy | question=An article costs █778. If it is sold at a profit of 50%, what is its selling price? | option_a=1244 | option_b=1167 | option_c=828 | option_d=1090 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 778 × 150/100 = █1167.

id=63940 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=C | option_c=E | option_d=I | answer=A | explanation=Move 2 positions forward from E; the resulting letter is G.

id=63941 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=63942 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 52? | option_a=30 | option_b=52 | option_c=40 | option_d=20 | answer=B | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 52 is the odd one out.

id=63943 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=28 | option_b=33 | option_c=21 | option_d=27 | answer=D | explanation=The common difference is 6. Therefore the next term is 21 + 6 = 27.

id=63944 | topic=Averages | difficulty=Easy | question=Find the average of 39, 49, 24, 88. | option_a=51 | option_b=52 | option_c=49 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 200 ÷ 4 = 50.

id=63945 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 20. | option_a=500 | option_b=100 | option_c=80 | option_d=125 | answer=B | explanation=LCM × HCF = 25×20; HCF(25,20) = 5, so LCM = 100.

id=63946 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=75 | option_c=150 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=63947 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=74 | option_b=52 | option_c=63 | option_d=64 | answer=C | explanation=The common difference is 11. Therefore the next term is 52 + 11 = 63.

id=63948 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:15 and the first is 18, what is the second? | option_a=30 | option_b=15 | option_c=39 | option_d=48 | answer=A | explanation=Scale factor = 18/9 = 2. Therefore second quantity = 15×2 = 30.

id=63949 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=63950 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=P | option_b=G | option_c=M | option_d=J | answer=C | explanation=Move 3 positions forward from J; the resulting letter is M.

id=63951 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=12 | option_c=11 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=63952 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18165 at 6% per annum for 1 years. | option_a=1089 | option_b=1189 | option_c=19254 | option_d=989 | answer=A | explanation=SI = PRT/100 = 18165×6×1/100 = █1089.

id=63953 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 24. | option_a=24 | option_b=27 | option_c=72 | option_d=1 | answer=A | explanation=LCM × HCF = 3×24; HCF(3,24) = 3, so LCM = 24.

id=63954 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:17 and the first is 56, what is the second? | option_a=192 | option_b=143 | option_c=136 | option_d=119 | answer=C | explanation=Scale factor = 56/7 = 8. Therefore second quantity = 17×8 = 136.

id=63955 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 14. | option_a=154 | option_b=336 | option_c=192 | option_d=168 | answer=D | explanation=LCM × HCF = 24×14; HCF(24,14) = 2, so LCM = 168.

id=63956 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=12 | option_b=17 | option_c=7 | option_d=24 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=63957 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22587 at 10% per annum for 1 years. | option_a=2358 | option_b=2158 | option_c=2258 | option_d=24845 | answer=C | explanation=SI = PRT/100 = 22587×10×1/100 = █2258.

id=63958 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=E | option_c=K | option_d=I | answer=D | explanation=Move 2 positions forward from G; the resulting letter is I.

id=63959 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=O | option_c=U | option_d=S | answer=D | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=63960 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

Aptitude Questions — Records 63,961-63,990 of 100,000

id=63961 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=E | option_c=F | option_d=D | answer=C | explanation=Move 1 positions forward from E; the resulting letter is F.

id=63962 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1260. If it is sold at a profit of 5%, what is its selling price? | option_a=1449 | option_b=1323 | option_c=1197 | option_d=1265 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1260 × 105/100 = █1323.

id=63963 | topic=Percentages | difficulty=Easy | question=What is 20% of 752? | option_a=150 | option_b=300 | option_c=160 | option_d=145 | answer=A | explanation=20% of 752 = (20/100) × 752 = 150.

id=63964 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=N | option_b=H | option_c=Q | option_d=K | answer=A | explanation=Move 3 positions forward from K; the resulting letter is N.

id=63965 | topic=Percentages | difficulty=Easy | question=What is 15% of 565? | option_a=168 | option_b=84 | option_c=64 | option_d=94 | answer=B | explanation=15% of 565 = (15/100) × 565 = 84.

id=63966 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=32 | option_b=33 | option_c=28 | option_d=36 | answer=A | explanation=The common difference is 4. Therefore the next term is 28 + 4 = 32.

id=63967 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=35 | option_c=80 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=63968 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1524. If it is sold at a profit of 15%, what is its selling price? | option_a=1904 | option_b=1752 | option_c=1600 | option_d=1539 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1524 × 115/100 = █1752.

id=63969 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 20, 27, 37? | option_a=27 | option_b=20 | option_c=13 | option_d=37 | answer=D | explanation=The first three numbers increase by 7, so the next should be 34. Therefore 37 is the odd one out.

id=63970 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=39 | option_b=48 | option_c=55 | option_d=47 | answer=D | explanation=The common difference is 8. Therefore the next term is 39 + 8 = 47.

id=63971 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=63972 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:17 and the first is 75, what is the second? | option_a=160 | option_b=85 | option_c=68 | option_d=100 | answer=B | explanation=Scale factor = 75/15 = 5. Therefore second quantity = 17×5 = 85.

id=63973 | topic=Percentages | difficulty=Easy | question=What is 15% of 87? | option_a=33 | option_b=13 | option_c=3 | option_d=26 | answer=B | explanation=15% of 87 = (15/100) × 87 = 13.

id=63974 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 20. | option_a=80 | option_b=24 | option_c=20 | option_d=1 | answer=C | explanation=LCM × HCF = 4×20; HCF(4,20) = 4, so LCM = 20.

id=63975 | topic=Percentages | difficulty=Easy | question=What is 30% of 1633? | option_a=494 | option_b=489 | option_c=978 | option_d=484 | answer=B | explanation=30% of 1633 = (30/100) × 1633 = 489.

id=63976 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=63977 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:13 and the first is 342, what is the second? | option_a=234 | option_b=589 | option_c=265 | option_d=247 | answer=D | explanation=Scale factor = 342/18 = 19. Therefore second quantity = 13×19 = 247.

id=63978 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 24, 33, 44? | option_a=44 | option_b=33 | option_c=15 | option_d=24 | answer=A | explanation=The first three numbers increase by 9, so the next should be 42. Therefore 44 is the odd one out.

id=63979 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=F | option_c=U | option_d=P | answer=D | explanation=Move 5 positions forward from K; the resulting letter is P.

id=63980 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=R | option_b=I | option_c=L | option_d=O | answer=D | explanation=Move 3 positions forward from L; the resulting letter is O.

id=63981 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 9, 11, 15? | option_a=11 | option_b=15 | option_c=9 | option_d=7 | answer=B | explanation=The first three numbers increase by 2, so the next should be 13. Therefore 15 is the odd one out.

id=63982 | topic=Percentages | difficulty=Easy | question=What is 5% of 874? | option_a=33 | option_b=43 | option_c=48 | option_d=86 | answer=B | explanation=5% of 874 = (5/100) × 874 = 43.

id=63983 | topic=Averages | difficulty=Easy | question=Find the average of 75, 37, 29, 87, 91, 95. | option_a=70 | option_b=69 | option_c=68 | option_d=71 | answer=B | explanation=Average = sum of values ÷ number of values = 414 ÷ 6 = 69.

id=63984 | topic=Averages | difficulty=Easy | question=Find the average of 19, 53, 37, 27, 29. | option_a=33 | option_b=32 | option_c=35 | option_d=34 | answer=A | explanation=Average = sum of values ÷ number of values = 165 ÷ 5 = 33.

id=63985 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2048. If it is sold at a profit of 5%, what is its selling price? | option_a=2150 | option_b=2053 | option_c=1946 | option_d=2354 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2048 × 105/100 = █2150.

id=63986 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=34 | option_b=31 | option_c=28 | option_d=32 | answer=B | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=63987 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2103. If it is sold at a profit of 25%, what is its selling price? | option_a=2128 | option_b=2628 | option_c=2838 | option_d=2418 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2103 × 125/100 = █2628.

id=63988 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=63989 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=G | option_b=I | option_c=M | option_d=K | answer=D | explanation=Move 2 positions forward from I; the resulting letter is K.

id=63990 | topic=Averages | difficulty=Easy | question=Find the average of 18, 40, 53. | option_a=36 | option_b=38 | option_c=39 | option_d=37 | answer=D | explanation=Average = sum of values ÷ number of values = 111 ÷ 3 = 37.

Aptitude Questions — Records 63,991-64,020 of 100,000

id=63991 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 4. | option_a=42 | option_b=28 | option_c=56 | option_d=24 | answer=B | explanation=LCM × HCF = 14×4; HCF(14,4) = 2, so LCM = 28.

id=63992 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=36 | option_c=31 | option_d=41 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=63993 | topic=Percentages | difficulty=Easy | question=What is 30% of 595? | option_a=173 | option_b=178 | option_c=356 | option_d=188 | answer=B | explanation=30% of 595 = (30/100) × 595 = 178.

id=63994 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=36 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=63995 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=63996 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=63997 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=V | option_b=J | option_c=R | option_d=N | answer=C | explanation=Move 4 positions forward from N; the resulting letter is R.

id=63998 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=N | option_c=M | option_d=K | answer=C | explanation=Move 1 positions forward from L; the resulting letter is M.

id=63999 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=90 | option_c=40 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=64000 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=64001 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=64002 | topic=Percentages | difficulty=Easy | question=What is 50% of 1381? | option_a=690 | option_b=1380 | option_c=710 | option_d=680 | answer=A | explanation=50% of 1381 = (50/100) × 1381 = 690.

id=64003 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=20 | option_c=25 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=64004 | topic=Percentages | difficulty=Easy | question=What is 50% of 366? | option_a=178 | option_b=193 | option_c=366 | option_d=183 | answer=D | explanation=50% of 366 = (50/100) × 366 = 183.

id=64005 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=L | option_c=F | option_d=H | answer=A | explanation=Move 2 positions forward from H; the resulting letter is J.

id=64006 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1907. If it is sold at a profit of 20%, what is its selling price? | option_a=2478 | option_b=1927 | option_c=2098 | option_d=2288 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1907 × 120/100 = █2288.

id=64007 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42411 at 8% per annum for 1 years. | option_a=3392 | option_b=3492 | option_c=3292 | option_d=45803 | answer=A | explanation=SI = PRT/100 = 42411×8×1/100 = █3392.

id=64008 | topic=Averages | difficulty=Easy | question=Find the average of 13, 94, 64, 13, 98, 18, 50. | option_a=50 | option_b=49 | option_c=52 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

id=64009 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:12 and the first is 66, what is the second? | option_a=138 | option_b=72 | option_c=60 | option_d=83 | answer=B | explanation=Scale factor = 66/11 = 6. Therefore second quantity = 12×6 = 72.

id=64010 | topic=Averages | difficulty=Easy | question=Find the average of 50, 74, 33, 71, 64, 91, 13, 92. | option_a=60 | option_b=62 | option_c=63 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 488 ÷ 8 = 61.

id=64011 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44568 at 5% per annum for 4 years. | option_a=8813 | option_b=53481 | option_c=8913 | option_d=9013 | answer=C | explanation=SI = PRT/100 = 44568×5×4/100 = █8913.

id=64012 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=64013 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=64014 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Q | option_b=Y | option_c=C | option_d=U | answer=B | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=64015 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 30, 32, 35? | option_a=35 | option_b=28 | option_c=30 | option_d=32 | answer=A | explanation=The first three numbers increase by 2, so the next should be 34. Therefore 35 is the odd one out.

id=64016 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1469. If it is sold at a profit of 10%, what is its selling price? | option_a=1469 | option_b=1479 | option_c=1761 | option_d=1615 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1469 × 110/100 = █1615.

id=64017 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=22 | option_b=25 | option_c=21 | option_d=17 | answer=C | explanation=The common difference is 4. Therefore the next term is 17 + 4 = 21.

id=64018 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=53 | option_b=40 | option_c=52 | option_d=64 | answer=C | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.

id=64019 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=I | option_b=G | option_c=J | option_d=H | answer=A | explanation=Move 1 positions forward from H; the resulting letter is I.

id=64020 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1766. If it is sold at a profit of 50%, what is its selling price? | option_a=1816 | option_b=2825 | option_c=2473 | option_d=2649 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1766 × 150/100 = █2649.

Aptitude Questions — Records 64,021-64,050 of 100,000

id=64021 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18445 at 6% per annum for 3 years. | option_a=3320 | option_b=21765 | option_c=3220 | option_d=3420 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{18445 \times 6 \times 3}{100} = \text{■}3320$.

id=64022 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=8 | option_d=1 | answer=B | explanation=Combined rate = $\frac{1}{4} + \frac{1}{4} = \frac{8}{16}$. Time = $\frac{16}{8} = 2$ days.

id=64023 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 26? | option_a=12 | option_b=18 | option_c=26 | option_d=6 | answer=C | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 26 is the odd one out.

id=64024 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**405. If it is sold at a profit of 10%, what is its selling price? | option_a=445 | option_b=485 | option_c=405 | option_d=415 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 405 \times 110 / 100 = \text{■}445$.

id=64025 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 60 \div 2 = 30$ km/h.

id=64026 | topic=Averages | difficulty=Easy | question=Find the average of 93, 83, 86, 77, 55, 30, 28, 92. | option_a=69 | option_b=68 | option_c=70 | option_d=67 | answer=B | explanation=Average = $\text{sum of values} \div \text{number of values} = 544 \div 8 = 68$.

id=64027 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22093 at 12% per annum for 1 years. | option_a=2651 | option_b=2551 | option_c=24744 | option_d=2751 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{22093 \times 12 \times 1}{100} = \text{■}2651$.

id=64028 | topic=Percentages | difficulty=Easy | question=What is 12% of 1178? | option_a=141 | option_b=131 | option_c=282 | option_d=161 | answer=A | explanation= $12\% \text{ of } 1178 = \frac{12}{100} \times 1178 = 141$.

id=64029 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 12, 21, 30, ? | option_a=30 | option_b=40 | option_c=39 | option_d=48 | answer=C | explanation=The common difference is 9. Therefore the next term is $30 + 9 = 39$.

id=64030 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:6 and the first is 300, what is the second? | option_a=114 | option_b=420 | option_c=135 | option_d=120 | answer=D | explanation=Scale factor = $\frac{300}{15} = 20$. Therefore second quantity = $6 \times 20 = 120$.

id=64031 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=F | option_c=J | option_d=H | answer=C | explanation=Move 2 positions forward from H; the resulting letter is J.

id=64032 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=J | option_c=X | option_d=B | answer=A | explanation=Move 4 positions forward from B; the resulting letter is F.

id=64033 | topic=Averages | difficulty=Easy | question=Find the average of 43, 48, 93, 62, 83, 88, 80. | option_a=72 | option_b=70 | option_c=71 | option_d=73 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 497 \div 7 = 71$.

id=64034 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=80 | option_d=150 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 300 \div 4 = 75$ km/h.

id=64035 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:19 and the first is 54, what is the second? | option_a=57 | option_b=38 | option_c=75 | option_d=111 | answer=A | explanation=Scale factor = $\frac{54}{18} = 3$. Therefore second quantity = $19 \times 3 = 57$.

id=64036 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = $\frac{1}{4} + \frac{1}{4} = \frac{8}{16}$. Time = $\frac{16}{8} = 2$ days.

id=64037 | topic=Averages | difficulty=Easy | question=Find the average of 61, 66, 62, 32, 83, 98, 11. | option_a=61 | option_b=58 | option_c=59 | option_d=60 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 413 \div 7 = 59$.

id=64038 | topic=Averages | difficulty=Easy | question=Find the average of 48, 65, 84, 41, 41, 27. | option_a=50 | option_b=53 | option_c=52 | option_d=51 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 306 \div 6 = 51$.

id=64039 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**865. If it is sold at a profit of 30%, what is its selling price? | option_a=1210 | option_b=1038 | option_c=895 | option_d=1124 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 865 \times 130 / 100 = \text{■}1124$.

id=64040 | topic=Percentages | difficulty=Easy | question=What is 5% of 622? | option_a=51 | option_b=31 | option_c=62 | option_d=26 | answer=B | explanation= $5\% \text{ of } 622 = \frac{5}{100} \times 622 = 31$.

id=64041 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:2 and the first is 114, what is the second? | option_a=152 | option_b=44 | option_c=36 | option_d=38 | answer=D | explanation=Scale factor = $\frac{114}{6} = 19$. Therefore second quantity = $2 \times 19 = 38$.

id=64042 | topic=Percentages | difficulty=Easy | question=What is 12% of 436? | option_a=52 | option_b=32 | option_c=62 | option_d=104 | answer=A | explanation= $12\% \text{ of } 436 = \frac{12}{100} \times 436 = 52$.

id=64043 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:1 and the first is 18, what is the second? | option_a=1 | option_b=20 | option_c=2 | option_d=11 | answer=C | explanation=Scale factor = $\frac{18}{9} = 2$. Therefore second quantity = $1 \times 2 = 2$.

id=64044 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 29, 38, 48? | option_a=29 | option_b=20 | option_c=38 | option_d=48 | answer=D | explanation=The first three numbers increase by 9, so the next should be 47. Therefore 48 is the odd one out.

id=64045 | topic=Averages | difficulty=Easy | question=Find the average of 59, 100, 15. | option_a=58 | option_b=59 | option_c=60 | option_d=57 | answer=A | explanation=Average = $\text{sum of values} \div \text{number of values} = 174 \div 3 = 58$.

id=64046 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4028. If it is sold at a profit of 50%, what is its selling price? | option_a=4078 | option_b=6042 | option_c=6444 | option_d=5640 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4028 \times 150 / 100 = \text{■}6042$.

id=64047 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=54 | option_b=78 | option_c=67 | option_d=66 | answer=D | explanation=The common difference is 12. Therefore the next term is $54 + 12 = 66$.

id=64048 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 9? | option_a=2 | option_b=6 | option_c=4 | option_d=9 | answer=D | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 9 is the odd one out.

id=64049 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:19 and the first is 44, what is the second? | option_a=253 | option_b=213 | option_c=190 | option_d=209 | answer=D | explanation=Scale factor = $\frac{44}{4} = 11$. Therefore second quantity = $19 \times 11 = 209$.

id=64050 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 42? | option_a=34 | option_b=28 | option_c=22 | option_d=42 | answer=D | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 42 is the odd one out.

Aptitude Questions — Records 64,051-64,080 of 100,000

- id=64051 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 26? | option_a=26 | option_b=15 | option_c=18 | option_d=21 | answer=A | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 26 is the odd one out.
- id=64052 | topic=Percentages | difficulty=Easy | question=What is 50% of 1306? | option_a=658 | option_b=633 | option_c=1306 | option_d=653 | answer=D | explanation=50% of 1306 = $(50/100) \times 1306 = 653$.
- id=64053 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 24, 27, 33? | option_a=27 | option_b=21 | option_c=33 | option_d=24 | answer=C | explanation=The first three numbers increase by 3, so the next should be 30. Therefore 33 is the odd one out.
- id=64054 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4251. If it is sold at a profit of 30%, what is its selling price? | option_a=5101 | option_b=5526 | option_c=4281 | option_d=5951 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4251 \times 130/100 = \text{█}5526$.
- id=64055 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:13 and the first is 70, what is the second? | option_a=169 | option_b=252 | option_c=187 | option_d=182 | answer=D | explanation=Scale factor = $70/5 = 14$. Therefore second quantity = $13 \times 14 = 182$.
- id=64056 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=21 | option_b=23 | option_c=17 | option_d=20 | answer=D | explanation=The common difference is 3. Therefore the next term is $17 + 3 = 20$.
- id=64057 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=M | option_b=O | option_c=P | option_d=N | answer=B | explanation=Move 1 positions forward from N; the resulting letter is O.
- id=64058 | topic=Averages | difficulty=Easy | question=Find the average of 24, 59, 100. | option_a=62 | option_b=63 | option_c=61 | option_d=60 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 183 \div 3 = 61$.
- id=64059 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=19 | option_b=29 | option_c=24 | option_d=25 | answer=C | explanation=The common difference is 5. Therefore the next term is $19 + 5 = 24$.
- id=64060 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 31, 43, 55, ? | option_a=67 | option_b=79 | option_c=68 | option_d=55 | answer=A | explanation=The common difference is 12. Therefore the next term is $55 + 12 = 67$.
- id=64061 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 22. | option_a=120 | option_b=110 | option_c=88 | option_d=220 | answer=B | explanation= $\text{LCM} \times \text{HCF} = 10 \times 22$; $\text{HCF}(10,22) = 2$, so $\text{LCM} = 110$.
- id=64062 | topic=Averages | difficulty=Easy | question=Find the average of 32, 84, 73, 90, 54, 33. | option_a=61 | option_b=60 | option_c=63 | option_d=62 | answer=A | explanation=Average = $\text{sum of values} \div \text{number of values} = 366 \div 6 = 61$.
- id=64063 | topic=Percentages | difficulty=Easy | question=What is 25% of 1087? | option_a=291 | option_b=271 | option_c=542 | option_d=266 | answer=B | explanation=25% of 1087 = $(25/100) \times 1087 = 271$.
- id=64064 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33717 at 10% per annum for 2 years. | option_a=6743 | option_b=6843 | option_c=6643 | option_d=40460 | answer=A | explanation= $\text{SI} = \text{PRT}/100 = 33717 \times 10 \times 2/100 = \text{█}6743$.
- id=64065 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:3 and the first is 200, what is the second? | option_a=230 | option_b=50 | option_c=27 | option_d=30 | answer=D | explanation=Scale factor = $200/20 = 10$. Therefore second quantity = $3 \times 10 = 30$.
- id=64066 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40444 at 10% per annum for 4 years. | option_a=16177 | option_b=16277 | option_c=56621 | option_d=16077 | answer=A | explanation= $\text{SI} = \text{PRT}/100 = 40444 \times 10 \times 4/100 = \text{█}16177$.
- id=64067 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 26. | option_a=416 | option_b=182 | option_c=224 | option_d=208 | answer=D | explanation= $\text{LCM} \times \text{HCF} = 16 \times 26$; $\text{HCF}(16,26) = 2$, so $\text{LCM} = 208$.
- id=64068 | topic=Averages | difficulty=Easy | question=Find the average of 94, 12, 10, 10, 64. | option_a=38 | option_b=40 | option_c=39 | option_d=37 | answer=A | explanation=Average = $\text{sum of values} \div \text{number of values} = 190 \div 5 = 38$.
- id=64069 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=33 | option_b=34 | option_c=40 | option_d=26 | answer=A | explanation=The common difference is 7. Therefore the next term is $26 + 7 = 33$.
- id=64070 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 58? | option_a=46 | option_b=58 | option_c=26 | option_d=36 | answer=B | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 58 is the odd one out.
- id=64071 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 24. | option_a=72 | option_b=48 | option_c=216 | option_d=81 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 9 \times 24$; $\text{HCF}(9,24) = 3$, so $\text{LCM} = 72$.
- id=64072 | topic=Percentages | difficulty=Easy | question=What is 5% of 1542? | option_a=67 | option_b=97 | option_c=77 | option_d=154 | answer=C | explanation=5% of 1542 = $(5/100) \times 1542 = 77$.
- id=64073 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=M | option_c=N | option_d=O | answer=D | explanation=Move 1 positions forward from N; the resulting letter is O.
- id=64074 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 25. | option_a=75 | option_b=90 | option_c=50 | option_d=375 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 15 \times 25$; $\text{HCF}(15,25) = 5$, so $\text{LCM} = 75$.
- id=64075 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:8 and the first is 252, what is the second? | option_a=104 | option_b=364 | option_c=112 | option_d=130 | answer=C | explanation=Scale factor = $252/18 = 14$. Therefore second quantity = $8 \times 14 = 112$.
- id=64076 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 32? | option_a=32 | option_b=24 | option_c=10 | option_d=17 | answer=A | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 32 is the odd one out.
- id=64077 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 13, 17, 22? | option_a=22 | option_b=17 | option_c=9 | option_d=13 | answer=A | explanation=The first three numbers increase by 4, so the next should be 21. Therefore 22 is the odd one out.
- id=64078 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 12, 21, 30, ? | option_a=30 | option_b=48 | option_c=40 | option_d=39 | answer=D | explanation=The common difference is 9. Therefore the next term is $30 + 9 = 39$.
- id=64079 | topic=Averages | difficulty=Easy | question=Find the average of 51, 34, 60, 31, 20, 87, 41, 52. | option_a=46 | option_b=49 | option_c=48 | option_d=47 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 376 \div 8 = 47$.
- id=64080 | topic=Averages | difficulty=Easy | question=Find the average of 23, 78, 88. | option_a=63 | option_b=62 | option_c=64 | option_d=65 | answer=A | explanation=Average = $\text{sum of values} \div \text{number of values} = 189 \div 3 = 63$.

Aptitude Questions — Records 64,081-64,110 of 100,000

id=64081 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 26? | option_a=12 | option_b=26 | option_c=6 | option_d=18 | answer=B | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 26 is the odd one out.

id=64082 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3212. If it is sold at a profit of 30%, what is its selling price? | option_a=4175 | option_b=3854 | option_c=3242 | option_d=4496 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3212 × 130/100 = █4175.

id=64083 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=64084 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=64085 | topic=Averages | difficulty=Easy | question=Find the average of 45, 11, 71, 100, 93. | option_a=64 | option_b=63 | option_c=65 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 320 ÷ 5 = 64.

id=64086 | topic=Averages | difficulty=Easy | question=Find the average of 77, 78, 32, 64, 34. | option_a=59 | option_b=57 | option_c=58 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.

id=64087 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4295. If it is sold at a profit of 15%, what is its selling price? | option_a=4939 | option_b=4510 | option_c=4310 | option_d=5368 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4295 × 115/100 = █4939.

id=64088 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=95 | option_d=180 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=64089 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8450 at 12% per annum for 3 years. | option_a=2942 | option_b=3142 | option_c=11492 | option_d=3042 | answer=D | explanation=SI = PRT/100 = 8450×12×3/100 = █3042.

id=64090 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=5 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=64091 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:10 and the first is 128, what is the second? | option_a=160 | option_b=150 | option_c=288 | option_d=168 | answer=A | explanation=Scale factor = 128/8 = 16. Therefore second quantity = 10×16 = 160.

id=64092 | topic=Percentages | difficulty=Easy | question=What is 15% of 1625? | option_a=486 | option_b=248 | option_c=243 | option_d=238 | answer=C | explanation=15% of 1625 = (15/100) × 1625 = 243.

id=64093 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8272 at 4% per annum for 5 years. | option_a=9926 | option_b=1754 | option_c=1654 | option_d=1554 | answer=C | explanation=SI = PRT/100 = 8272×4×5/100 = █1654.

id=64094 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 34? | option_a=28 | option_b=22 | option_c=34 | option_d=25 | answer=C | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 34 is the odd one out.

id=64095 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 3. | option_a=36 | option_b=24 | option_c=12 | option_d=9 | answer=C | explanation=LCM × HCF = 12×3; HCF(12,3) = 3, so LCM = 12.

id=64096 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=17 | option_c=7 | option_d=24 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=64097 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=64098 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=50 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=64099 | topic=Averages | difficulty=Easy | question=Find the average of 79, 54, 78, 100, 100, 15. | option_a=70 | option_b=72 | option_c=73 | option_d=71 | answer=D | explanation=Average = sum of values ÷ number of values = 426 ÷ 6 = 71.

id=64100 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 42? | option_a=42 | option_b=27 | option_c=20 | option_d=34 | answer=A | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 42 is the odd one out.

id=64101 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 15, 20, 26? | option_a=15 | option_b=10 | option_c=20 | option_d=26 | answer=D | explanation=The first three numbers increase by 5, so the next should be 25. Therefore 26 is the odd one out.

id=64102 | topic=Averages | difficulty=Easy | question=Find the average of 19, 72, 46, 59. | option_a=50 | option_b=49 | option_c=48 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 196 ÷ 4 = 49.

id=64103 | topic=Percentages | difficulty=Easy | question=What is 15% of 965? | option_a=149 | option_b=288 | option_c=124 | option_d=144 | answer=D | explanation=15% of 965 = (15/100) × 965 = 144.

id=64104 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=64105 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=64106 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 15, 22, 30? | option_a=15 | option_b=30 | option_c=8 | option_d=22 | answer=B | explanation=The first three numbers increase by 7, so the next should be 29. Therefore 30 is the odd one out.

id=64107 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=L | option_c=P | option_d=N | answer=C | explanation=Move 2 positions forward from N; the resulting letter is P.

id=64108 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45581 at 12% per annum for 3 years. | option_a=16309 | option_b=16509 | option_c=16409 | option_d=61990 | answer=C | explanation=SI = PRT/100 = 45581×12×3/100 = █16409.

id=64109 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=64110 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:4 and the first is 182, what is the second? | option_a=66 | option_b=48 | option_c=52 | option_d=234 | answer=C | explanation=Scale factor = 182/14 = 13. Therefore second quantity = 4×13 = 52.

Aptitude Questions — Records 64,111-64,140 of 100,000

id=64111 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=64112 | topic=Percentages | difficulty=Easy | question=What is 25% of 781? | option_a=390 | option_b=175 | option_c=195 | option_d=205 | answer=C | explanation=25% of 781 = (25/100) × 781 = 195.

id=64113 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=42 | option_b=43 | option_c=32 | option_d=52 | answer=A | explanation=The common difference is 10. Therefore the next term is 32 + 10 = 42.

id=64114 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1972. If it is sold at a profit of 15%, what is its selling price? | option_a=2464 | option_b=2267 | option_c=1987 | option_d=2070 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1972 × 115/100 = █2267.

id=64115 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3708 at 4% per annum for 1 years. | option_a=248 | option_b=3856 | option_c=148 | option_d=48 | answer=C | explanation=SI = PRT/100 = 3708×4×1/100 = █148.

id=64116 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=64117 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 22. | option_a=44 | option_b=1 | option_c=484 | option_d=22 | answer=D | explanation=LCM × HCF = 22×22; HCF(22,22) = 22, so LCM = 22.

id=64118 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=64119 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34254 at 6% per annum for 1 years. | option_a=1955 | option_b=2055 | option_c=36309 | option_d=2155 | answer=B | explanation=SI = PRT/100 = 34254×6×1/100 = █2055.

id=64120 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=64121 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=64122 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:18 and the first is 266, what is the second? | option_a=252 | option_b=234 | option_c=518 | option_d=271 | answer=A | explanation=Scale factor = 266/19 = 14. Therefore second quantity = 18×14 = 252.

id=64123 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4420. If it is sold at a profit of 25%, what is its selling price? | option_a=4445 | option_b=5967 | option_c=5083 | option_d=5525 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4420 × 125/100 = █5525.

id=64124 | topic=Percentages | difficulty=Easy | question=What is 12% of 1044? | option_a=120 | option_b=125 | option_c=135 | option_d=250 | answer=B | explanation=12% of 1044 = (12/100) × 1044 = 125.

id=64125 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45465 at 8% per annum for 4 years. | option_a=14448 | option_b=14648 | option_c=14548 | option_d=60013 | answer=C | explanation=SI = PRT/100 = 45465×8×4/100 = █14548.

id=64126 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:9 and the first is 114, what is the second? | option_a=45 | option_b=54 | option_c=73 | option_d=168 | answer=B | explanation=Scale factor = 114/19 = 6. Therefore second quantity = 9×6 = 54.

id=64127 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30783 at 8% per annum for 4 years. | option_a=9950 | option_b=9750 | option_c=40633 | option_d=9850 | answer=D | explanation=SI = PRT/100 = 30783×8×4/100 = █9850.

id=64128 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2678. If it is sold at a profit of 10%, what is its selling price? | option_a=2678 | option_b=2945 | option_c=2688 | option_d=3212 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2678 × 110/100 = █2945.

id=64129 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 38, 46, 55? | option_a=38 | option_b=46 | option_c=55 | option_d=30 | answer=C | explanation=The first three numbers increase by 8, so the next should be 54. Therefore 55 is the odd one out.

id=64130 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=56 | option_b=66 | option_c=57 | option_d=46 | answer=A | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=64131 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:11 and the first is 221, what is the second? | option_a=364 | option_b=143 | option_c=160 | option_d=132 | answer=B | explanation=Scale factor = 221/17 = 13. Therefore second quantity = 11×13 = 143.

id=64132 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=64133 | topic=Profit & Loss | difficulty=Easy | question=An article costs █929. If it is sold at a profit of 15%, what is its selling price? | option_a=1160 | option_b=1068 | option_c=944 | option_d=976 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 929 × 115/100 = █1068.

id=64134 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3348. If it is sold at a profit of 20%, what is its selling price? | option_a=4351 | option_b=3368 | option_c=4017 | option_d=3683 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3348 × 120/100 = █4017.

id=64135 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=44 | option_b=45 | option_c=35 | option_d=53 | answer=A | explanation=The common difference is 9. Therefore the next term is 35 + 9 = 44.

id=64136 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33730 at 12% per annum for 3 years. | option_a=12142 | option_b=45872 | option_c=12042 | option_d=12242 | answer=A | explanation=SI = PRT/100 = 33730×12×3/100 = █12142.

id=64137 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 10, 15, 23? | option_a=23 | option_b=10 | option_c=15 | option_d=5 | answer=A | explanation=The first three numbers increase by 5, so the next should be 20. Therefore 23 is the odd one out.

id=64138 | topic=Averages | difficulty=Easy | question=Find the average of 55, 61, 25, 30, 39. | option_a=41 | option_b=42 | option_c=44 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = 210 ÷ 5 = 42.

id=64139 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=7 | option_c=24 | option_d=17 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=64140 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=14 | option_c=4 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

Aptitude Questions — Records 64,141-64,170 of 100,000

id=64141 | topic=Number System | difficulty=Easy | question=Find the LCM of 13 and 26. | option_a=1 | option_b=338 | option_c=39 | option_d=26 | answer=D | explanation=LCM × HCF = 13×26; HCF(13,26) = 13, so LCM = 26.

id=64142 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=64143 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 27, 31, 37? | option_a=23 | option_b=31 | option_c=27 | option_d=37 | answer=D | explanation=The first three numbers increase by 4, so the next should be 35. Therefore 37 is the odd one out.

id=64144 | topic=Percentages | difficulty=Easy | question=What is 12% of 280? | option_a=66 | option_b=33 | option_c=13 | option_d=53 | answer=B | explanation=12% of 280 = (12/100) × 280 = 33.

id=64145 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:17 and the first is 100, what is the second? | option_a=85 | option_b=185 | option_c=68 | option_d=105 | answer=A | explanation=Scale factor = 100/20 = 5. Therefore second quantity = 17×5 = 85.

id=64146 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=A | option_b=G | option_c=E | option_d=C | answer=C | explanation=Move 2 positions forward from C; the resulting letter is E.

id=64147 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=64148 | topic=Averages | difficulty=Easy | question=Find the average of 50, 41, 71, 69, 84, 39. | option_a=58 | option_b=59 | option_c=61 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.

id=64149 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=54 | option_b=45 | option_c=63 | option_d=55 | answer=A | explanation=The common difference is 9. Therefore the next term is 45 + 9 = 54.

id=64150 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=46 | option_b=55 | option_c=37 | option_d=47 | answer=A | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=64151 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=64152 | topic=Profit & Loss | difficulty=Easy | question=An article costs █690. If it is sold at a profit of 15%, what is its selling price? | option_a=793 | option_b=705 | option_c=724 | option_d=862 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 690 × 115/100 = █793.

id=64153 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 24. | option_a=338 | option_b=624 | option_c=288 | option_d=312 | answer=D | explanation=LCM × HCF = 26×24; HCF(26,24) = 2, so LCM = 312.

id=64154 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:10 and the first is 216, what is the second? | option_a=180 | option_b=170 | option_c=396 | option_d=192 | answer=A | explanation=Scale factor = 216/12 = 18. Therefore second quantity = 10×18 = 180.

id=64155 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=64156 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3271. If it is sold at a profit of 15%, what is its selling price? | option_a=4088 | option_b=3286 | option_c=3434 | option_d=3761 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3271 × 115/100 = █3761.

id=64157 | topic=Percentages | difficulty=Easy | question=What is 15% of 1967? | option_a=300 | option_b=290 | option_c=295 | option_d=590 | answer=C | explanation=15% of 1967 = (15/100) × 1967 = 295.

id=64158 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=64159 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=18 | option_b=26 | option_c=22 | option_d=23 | answer=C | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

id=64160 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:20 and the first is 200, what is the second? | option_a=200 | option_b=220 | option_c=400 | option_d=180 | answer=A | explanation=Scale factor = 200/20 = 10. Therefore second quantity = 20×10 = 200.

id=64161 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:10 and the first is 65, what is the second? | option_a=135 | option_b=195 | option_c=130 | option_d=120 | answer=C | explanation=Scale factor = 65/5 = 13. Therefore second quantity = 10×13 = 130.

id=64162 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15781 at 12% per annum for 1 years. | option_a=1793 | option_b=1893 | option_c=1993 | option_d=17674 | answer=B | explanation=SI = PRT/100 = 15781×12×1/100 = █1893.

id=64163 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=64164 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31511 at 12% per annum for 2 years. | option_a=39073 | option_b=7562 | option_c=7662 | option_d=7462 | answer=B | explanation=SI = PRT/100 = 31511×12×2/100 = █7562.

id=64165 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47601 at 8% per annum for 2 years. | option_a=55217 | option_b=7616 | option_c=7516 | option_d=7716 | answer=B | explanation=SI = PRT/100 = 47601×8×2/100 = █7616.

id=64166 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:13 and the first is 44, what is the second? | option_a=147 | option_b=187 | option_c=143 | option_d=130 | answer=C | explanation=Scale factor = 44/4 = 11. Therefore second quantity = 13×11 = 143.

id=64167 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2223. If it is sold at a profit of 5%, what is its selling price? | option_a=2112 | option_b=2228 | option_c=2334 | option_d=2556 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2223 × 105/100 = █2334.

id=64168 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:17 and the first is 209, what is the second? | option_a=187 | option_b=396 | option_c=206 | option_d=170 | answer=A | explanation=Scale factor = 209/19 = 11. Therefore second quantity = 17×11 = 187.

id=64169 | topic=Percentages | difficulty=Easy | question=What is 30% of 775? | option_a=464 | option_b=242 | option_c=232 | option_d=212 | answer=C | explanation=30% of 775 = (30/100) × 775 = 232.

id=64170 | topic=Averages | difficulty=Easy | question=Find the average of 72, 76, 67, 90, 82, 46, 36. | option_a=66 | option_b=67 | option_c=69 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = 469 ÷ 7 = 67.

Aptitude Questions — Records 64,171-64,200 of 100,000

id=64171 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:11 and the first is 12, what is the second? | option_a=144 | option_b=121 | option_c=133 | option_d=132 | answer=D | explanation=Scale factor = $\frac{12}{1} = 12$. Therefore second quantity = $11 \times 12 = 132$.

id=64172 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3745. If it is sold at a profit of 40%, what is its selling price? | option_a=5243 | option_b=3785 | option_c=5617 | option_d=4869 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3745 \times 140/100 = \text{█}5243$.

id=64173 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=115 | option_d=240 | answer=A | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.

id=64174 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7308 at 6% per annum for 2 years. | option_a=876 | option_b=776 | option_c=8184 | option_d=976 | answer=A | explanation=SI = $PRT/100 = 7308 \times 6 \times 2/100 = \text{█}876$.

id=64175 | topic=Percentages | difficulty=Easy | question=What is 40% of 231? | option_a=87 | option_b=184 | option_c=92 | option_d=112 | answer=C | explanation=40% of 231 = $(40/100) \times 231 = 92$.

id=64176 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=R | option_b=V | option_c=T | option_d=X | answer=B | explanation=Move 2 positions forward from T; the resulting letter is V.

id=64177 | topic=Averages | difficulty=Easy | question=Find the average of 97, 77, 68, 39, 58, 21. | option_a=62 | option_b=60 | option_c=61 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = $360 \div 6 = 60$.

id=64178 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 35? | option_a=35 | option_b=25 | option_c=17 | option_d=9 | answer=A | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 35 is the odd one out.

id=64179 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 10, 12, 14, ? | option_a=16 | option_b=18 | option_c=17 | option_d=14 | answer=A | explanation=The common difference is 2. Therefore the next term is $14 + 2 = 16$.

id=64180 | topic=Averages | difficulty=Easy | question=Find the average of 73, 32, 73, 18. | option_a=51 | option_b=48 | option_c=49 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = $196 \div 4 = 49$.

id=64181 | topic=Percentages | difficulty=Easy | question=What is 12% of 1034? | option_a=248 | option_b=119 | option_c=144 | option_d=124 | answer=D | explanation=12% of 1034 = $(12/100) \times 1034 = 124$.

id=64182 | topic=Profit & Loss | difficulty=Easy | question=An article costs █959. If it is sold at a profit of 40%, what is its selling price? | option_a=1342 | option_b=1247 | option_c=999 | option_d=1437 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 959 \times 140/100 = \text{█}1342$.

id=64183 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 14. | option_a=48 | option_b=28 | option_c=84 | option_d=42 | answer=D | explanation=LCM $\times$ HCF = 6×14 ; $HCF(6,14) = 2$, so LCM = 42.

id=64184 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:11 and the first is 54, what is the second? | option_a=153 | option_b=105 | option_c=88 | option_d=99 | answer=D | explanation=Scale factor = $54/6 = 9$. Therefore second quantity = $11 \times 9 = 99$.

id=64185 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 23, 30, 37, ? | option_a=44 | option_b=37 | option_c=45 | option_d=51 | answer=A | explanation=The common difference is 7. Therefore the next term is $37 + 7 = 44$.

id=64186 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=4 | option_d=6 | answer=A | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = 20/100$. Time = $100/20 = 5$ days.

id=64187 | topic=Profit & Loss | difficulty=Easy | question=An article costs █703. If it is sold at a profit of 30%, what is its selling price? | option_a=733 | option_b=843 | option_c=983 | option_d=913 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 703 \times 130/100 = \text{█}913$.

id=64188 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 53? | option_a=53 | option_b=20 | option_c=30 | option_d=40 | answer=A | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 53 is the odd one out.

id=64189 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14114 at 12% per annum for 3 years. | option_a=5181 | option_b=19195 | option_c=5081 | option_d=4981 | answer=C | explanation=SI = $PRT/100 = 14114 \times 12 \times 3/100 = \text{█}5081$.

id=64190 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 26. | option_a=208 | option_b=224 | option_c=416 | option_d=182 | answer=A | explanation=LCM $\times$ HCF = 16×26 ; $HCF(16,26) = 2$, so LCM = 208.

id=64191 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:17 and the first is 144, what is the second? | option_a=169 | option_b=153 | option_c=297 | option_d=136 | answer=B | explanation=Scale factor = $144/16 = 9$. Therefore second quantity = $17 \times 9 = 153$.

id=64192 | topic=Percentages | difficulty=Easy | question=What is 12% of 447? | option_a=106 | option_b=73 | option_c=33 | option_d=53 | answer=D | explanation=12% of 447 = $(12/100) \times 447 = 53$.

id=64193 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = 12/36$. Time = $36/12 = 3$ days.

id=64194 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 57? | option_a=26 | option_b=46 | option_c=57 | option_d=36 | answer=C | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 57 is the odd one out.

id=64195 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=W | option_b=G | option_c=B | option_d=L | answer=B | explanation=Move 5 positions forward from B; the resulting letter is G.

id=64196 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 22. | option_a=44 | option_b=48 | option_c=88 | option_d=22 | answer=A | explanation=LCM $\times$ HCF = 4×22 ; $HCF(4,22) = 2$, so LCM = 44.

id=64197 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 21. | option_a=144 | option_b=126 | option_c=105 | option_d=378 | answer=B | explanation=LCM $\times$ HCF = 18×21 ; $HCF(18,21) = 3$, so LCM = 126.

id=64198 | topic=Averages | difficulty=Easy | question=Find the average of 66, 50, 25. | option_a=49 | option_b=47 | option_c=48 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = $141 \div 3 = 47$.

id=64199 | topic=Averages | difficulty=Easy | question=Find the average of 66, 37, 87, 95, 100, 84, 95, 50, 43. | option_a=72 | option_b=74 | option_c=75 | option_d=73 | answer=D | explanation=Average = sum of values ÷ number of values = $657 \div 9 = 73$.

id=64200 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 14, 22, 33? | option_a=14 | option_b=33 | option_c=22 | option_d=6 | answer=B | explanation=The first three numbers increase by 8, so the next should be 30. Therefore 33 is the odd one out.

Aptitude Questions — Records 64,201-64,230 of 100,000

id=64201 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=64202 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30116 at 15% per annum for 5 years. | option_a=52703 | option_b=22587 | option_c=22487 | option_d=22687 | answer=B | explanation=SI = $PRT/100 = 30116 \times 15 \times 5/100 = \text{■}22587$.

id=64203 | topic=Percentages | difficulty=Easy | question=What is 50% of 326? | option_a=143 | option_b=326 | option_c=163 | option_d=183 | answer=C | explanation=50% of 326 = $(50/100) \times 326 = 163$.

id=64204 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=K | option_b=P | option_c=U | option_d=Z | answer=C | explanation=Move 5 positions forward from P; the resulting letter is U.

id=64205 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**603. If it is sold at a profit of 5%, what is its selling price? | option_a=633 | option_b=693 | option_c=573 | option_d=608 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 603 \times 105/100 = \text{■}633$.

id=64206 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 23, 28, 34? | option_a=34 | option_b=18 | option_c=23 | option_d=28 | answer=A | explanation=The first three numbers increase by 5, so the next should be 33. Therefore 34 is the odd one out.

id=64207 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:5 and the first is 160, what is the second? | option_a=108 | option_b=95 | option_c=260 | option_d=100 | answer=D | explanation=Scale factor = $160/8 = 20$. Therefore second quantity = $5 \times 20 = 100$.

id=64208 | topic=Averages | difficulty=Easy | question=Find the average of 79, 71, 36, 17, 98, 59, 18, 78. | option_a=58 | option_b=57 | option_c=56 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = $456 \div 8 = 57$.

id=64209 | topic=Averages | difficulty=Easy | question=Find the average of 25, 49, 65, 57, 89, 45. | option_a=54 | option_b=57 | option_c=56 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = $330 \div 6 = 55$.

id=64210 | topic=Averages | difficulty=Easy | question=Find the average of 30, 58, 35, 62, 62, 87, 93. | option_a=62 | option_b=60 | option_c=61 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = $427 \div 7 = 61$.

id=64211 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=40 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = $360 \div 8 = 45$ km/h.

id=64212 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=55 | option_b=54 | option_c=66 | option_d=42 | answer=B | explanation=The common difference is 12. Therefore the next term is $42 + 12 = 54$.

id=64213 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2047. If it is sold at a profit of 15%, what is its selling price? | option_a=2558 | option_b=2354 | option_c=2062 | option_d=2150 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2047 \times 115/100 = \text{■}2354$.

id=64214 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 53? | option_a=41 | option_b=32 | option_c=53 | option_d=23 | answer=C | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 53 is the odd one out.

id=64215 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 47? | option_a=40 | option_b=34 | option_c=28 | option_d=47 | answer=D | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 47 is the odd one out.

id=64216 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 26, 32, 39? | option_a=39 | option_b=20 | option_c=26 | option_d=32 | answer=A | explanation=The first three numbers increase by 6, so the next should be 38. Therefore 39 is the odd one out.

id=64217 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**741. If it is sold at a profit of 25%, what is its selling price? | option_a=1000 | option_b=852 | option_c=766 | option_d=926 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 741 \times 125/100 = \text{■}926$.

id=64218 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=65 | option_b=45 | option_c=56 | option_d=55 | answer=D | explanation=The common difference is 10. Therefore the next term is $45 + 10 = 55$.

id=64219 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 19, 25, 34? | option_a=34 | option_b=13 | option_c=25 | option_d=19 | answer=A | explanation=The first three numbers increase by 6, so the next should be 31. Therefore 34 is the odd one out.

id=64220 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 27, 30, 36? | option_a=24 | option_b=27 | option_c=36 | option_d=30 | answer=C | explanation=The first three numbers increase by 3, so the next should be 33. Therefore 36 is the odd one out.

id=64221 | topic=Percentages | difficulty=Easy | question=What is 12% of 1862? | option_a=243 | option_b=446 | option_c=218 | option_d=223 | answer=D | explanation=12% of 1862 = $(12/100) \times 1862 = 223$.

id=64222 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=31 | option_b=34 | option_c=26 | option_d=30 | answer=D | explanation=The common difference is 4. Therefore the next term is $26 + 4 = 30$.

id=64223 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**485. If it is sold at a profit of 20%, what is its selling price? | option_a=505 | option_b=630 | option_c=534 | option_d=582 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 485 \times 120/100 = \text{■}582$.

id=64224 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 10. | option_a=50 | option_b=250 | option_c=75 | option_d=40 | answer=A | explanation= $LCM \times HCF = 25 \times 10$; $HCF(25,10) = 5$, so $LCM = 50$.

id=64225 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28031 at 15% per annum for 4 years. | option_a=44849 | option_b=16718 | option_c=16918 | option_d=16818 | answer=D | explanation=SI = $PRT/100 = 28031 \times 15 \times 4/100 = \text{■}16818$.

id=64226 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:3 and the first is 150, what is the second? | option_a=45 | option_b=195 | option_c=42 | option_d=55 | answer=A | explanation=Scale factor = $150/10 = 15$. Therefore second quantity = $3 \times 15 = 45$.

id=64227 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 5. | option_a=75 | option_b=10 | option_c=15 | option_d=30 | answer=C | explanation= $LCM \times HCF = 15 \times 5$; $HCF(15,5) = 5$, so $LCM = 15$.

id=64228 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15960 at 4% per annum for 3 years. | option_a=17875 | option_b=2015 | option_c=1815 | option_d=1915 | answer=D | explanation=SI = $PRT/100 = 15960 \times 4 \times 3/100 = \text{■}1915$.

id=64229 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:19 and the first is 306, what is the second? | option_a=648 | option_b=342 | option_c=359 | option_d=323 | answer=B | explanation=Scale factor = $306/17 = 18$. Therefore second quantity = $19 \times 18 = 342$.

id=64230 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 27. | option_a=1 | option_b=729 | option_c=27 | option_d=54 | answer=C | explanation= $LCM \times HCF = 27 \times 27$; $HCF(27,27) = 27$, so $LCM = 27$.

Aptitude Questions — Records 64,231-64,260 of 100,000

id=64231 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2047. If it is sold at a profit of 5%, what is its selling price? | option_a=1945 | option_b=2353 | option_c=2052 | option_d=2149 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2047 × 105/100 = █2149.

id=64232 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=17 | option_b=22 | option_c=25 | option_d=21 | answer=D | explanation=The common difference is 4. Therefore the next term is 17 + 4 = 21.

id=64233 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=64234 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 29, 31, 34? | option_a=29 | option_b=31 | option_c=34 | option_d=27 | answer=C | explanation=The first three numbers increase by 2, so the next should be 33. Therefore 34 is the odd one out.

id=64235 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=100 | option_c=50 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=64236 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=36 | option_c=72 | option_d=31 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=64237 | topic=Percentages | difficulty=Easy | question=What is 12% of 167? | option_a=30 | option_b=20 | option_c=0 | option_d=40 | answer=B | explanation=12% of 167 = (12/100) × 167 = 20.

id=64238 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4675. If it is sold at a profit of 10%, what is its selling price? | option_a=5609 | option_b=4685 | option_c=5142 | option_d=4675 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4675 × 110/100 = █5142.

id=64239 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 32, 42, 53? | option_a=22 | option_b=32 | option_c=42 | option_d=53 | answer=D | explanation=The first three numbers increase by 10, so the next should be 52. Therefore 53 is the odd one out.

id=64240 | topic=Averages | difficulty=Easy | question=Find the average of 12, 65, 55, 46, 69, 96, 98, 95, 76, 58. | option_a=68 | option_b=66 | option_c=67 | option_d=69 | answer=C | explanation=Average = sum of values ÷ number of values = 670 ÷ 10 = 67.

id=64241 | topic=Percentages | difficulty=Easy | question=What is 15% of 1554? | option_a=238 | option_b=466 | option_c=233 | option_d=228 | answer=C | explanation=15% of 1554 = (15/100) × 1554 = 233.

id=64242 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1971. If it is sold at a profit of 15%, what is its selling price? | option_a=2069 | option_b=2463 | option_c=2266 | option_d=1986 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1971 × 115/100 = █2266.

id=64243 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=64244 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=44 | option_b=37 | option_c=36 | option_d=28 | answer=C | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=64245 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:15 and the first is 90, what is the second? | option_a=105 | option_b=180 | option_c=75 | option_d=90 | answer=D | explanation=Scale factor = 90/15 = 6. Therefore second quantity = 15×6 = 90.

id=64246 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=42 | option_b=47 | option_c=41 | option_d=35 | answer=C | explanation=The common difference is 6. Therefore the next term is 35 + 6 = 41.

id=64247 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 39? | option_a=39 | option_b=14 | option_c=30 | option_d=22 | answer=A | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 39 is the odd one out.

id=64248 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 25, 33, 41, ? | option_a=49 | option_b=50 | option_c=57 | option_d=41 | answer=A | explanation=The common difference is 8. Therefore the next term is 41 + 8 = 49.

id=64249 | topic=Percentages | difficulty=Easy | question=What is 40% of 1856? | option_a=742 | option_b=737 | option_c=747 | option_d=1484 | answer=A | explanation=40% of 1856 = (40/100) × 1856 = 742.

id=64250 | topic=Profit & Loss | difficulty=Easy | question=An article costs █859. If it is sold at a profit of 10%, what is its selling price? | option_a=859 | option_b=944 | option_c=1029 | option_d=869 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 859 × 110/100 = █944.

id=64251 | topic=Profit & Loss | difficulty=Easy | question=An article costs █914. If it is sold at a profit of 20%, what is its selling price? | option_a=1187 | option_b=1005 | option_c=1096 | option_d=934 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 914 × 120/100 = █1096.

id=64252 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:5 and the first is 45, what is the second? | option_a=25 | option_b=20 | option_c=70 | option_d=34 | answer=A | explanation=Scale factor = 45/9 = 5. Therefore second quantity = 5×5 = 25.

id=64253 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=8 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=64254 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=64255 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2185. If it is sold at a profit of 40%, what is its selling price? | option_a=3277 | option_b=2841 | option_c=2225 | option_d=3059 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2185 × 140/100 = █3059.

id=64256 | topic=Averages | difficulty=Easy | question=Find the average of 40, 87, 28, 30, 78, 30, 79, 20, 85. | option_a=55 | option_b=52 | option_c=53 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 477 ÷ 9 = 53.

id=64257 | topic=Percentages | difficulty=Easy | question=What is 50% of 1062? | option_a=1062 | option_b=511 | option_c=531 | option_d=541 | answer=C | explanation=50% of 1062 = (50/100) × 1062 = 531.

id=64258 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49115 at 8% per annum for 3 years. | option_a=60902 | option_b=11887 | option_c=11787 | option_d=11687 | answer=C | explanation=SI = PRT/100 = 49115×8×3/100 = █11787.

id=64259 | topic=Percentages | difficulty=Easy | question=What is 25% of 615? | option_a=173 | option_b=148 | option_c=153 | option_d=306 | answer=C | explanation=25% of 615 = (25/100) × 615 = 153.

id=64260 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=H | option_b=M | option_c=X | option_d=C | answer=A | explanation=Move 5 positions forward from C; the resulting letter is H.

Aptitude Questions — Records 64,261-64,290 of 100,000

id=64261 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 44? | option_a=44 | option_b=33 | option_c=17 | option_d=25 | answer=A | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 44 is the odd one out.

id=64262 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=D | option_c=F | option_d=E | answer=C | explanation=Move 1 positions forward from E; the resulting letter is F.

id=64263 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=W | option_c=R | option_d=H | answer=C | explanation=Move 5 positions forward from M; the resulting letter is R.

id=64264 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 4. | option_a=40 | option_b=88 | option_c=66 | option_d=44 | answer=D | explanation= $\text{LCM} \times \text{HCF} = 22 \times 4$; $\text{HCF}(22,4) = 2$, so $\text{LCM} = 44$.

id=64265 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:13 and the first is 342, what is the second? | option_a=221 | option_b=234 | option_c=576 | option_d=253 | answer=B | explanation=Scale factor = $342/19 = 18$. Therefore second quantity = $13 \times 18 = 234$.

id=64266 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 8. | option_a=8 | option_b=16 | option_c=64 | option_d=1 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 8 \times 8$; $\text{HCF}(8,8) = 8$, so $\text{LCM} = 8$.

id=64267 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=13 | option_b=16 | option_c=19 | option_d=17 | answer=B | explanation=The common difference is 3. Therefore the next term is $13 + 3 = 16$.

id=64268 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation= $\text{Speed} = \text{distance} \div \text{time} = 150 \div 5 = 30 \text{ km/h}$.

id=64269 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=64270 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2446 at 15% per annum for 1 years. | option_a=2812 | option_b=266 | option_c=466 | option_d=366 | answer=D | explanation= $\text{SI} = \text{PRT}/100 = 2446 \times 15 \times 1/100 = \text{■}366$.

id=64271 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6490 at 8% per annum for 3 years. | option_a=1557 | option_b=8047 | option_c=1457 | option_d=1657 | answer=A | explanation= $\text{SI} = \text{PRT}/100 = 6490 \times 8 \times 3/100 = \text{■}1557$.

id=64272 | topic=Averages | difficulty=Easy | question=Find the average of 88, 55, 64. | option_a=70 | option_b=71 | option_c=68 | option_d=69 | answer=D | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 207 \div 3 = 69$.

id=64273 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25431 at 6% per annum for 3 years. | option_a=30008 | option_b=4577 | option_c=4477 | option_d=4677 | answer=B | explanation= $\text{SI} = \text{PRT}/100 = 25431 \times 6 \times 3/100 = \text{■}4577$.

id=64274 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 3. | option_a=54 | option_b=27 | option_c=81 | option_d=24 | answer=B | explanation= $\text{LCM} \times \text{HCF} = 27 \times 3$; $\text{HCF}(27,3) = 3$, so $\text{LCM} = 27$.

id=64275 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1682. If it is sold at a profit of 30%, what is its selling price? | option_a=2018 | option_b=2354 | option_c=1712 | option_d=2186 | answer=D | explanation= $\text{Selling price} = \text{CP} \times (100 + \text{profit}\%)/100 = 1682 \times 130/100 = \text{■}2186$.

id=64276 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4327. If it is sold at a profit of 50%, what is its selling price? | option_a=4377 | option_b=6490 | option_c=6922 | option_d=6058 | answer=B | explanation= $\text{Selling price} = \text{CP} \times (100 + \text{profit}\%)/100 = 4327 \times 150/100 = \text{■}6490$.

id=64277 | topic=Percentages | difficulty=Easy | question=What is 30% of 1426? | option_a=422 | option_b=854 | option_c=447 | option_d=427 | answer=D | explanation= $30\% \text{ of } 1426 = (30/100) \times 1426 = 427$.

id=64278 | topic=Averages | difficulty=Easy | question=Find the average of 20, 15, 49, 16. | option_a=24 | option_b=26 | option_c=25 | option_d=27 | answer=C | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 100 \div 4 = 25$.

id=64279 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=40 | option_b=50 | option_c=60 | option_d=51 | answer=B | explanation=The common difference is 10. Therefore the next term is $40 + 10 = 50$.

id=64280 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=144 | option_c=67 | option_d=77 | answer=A | explanation= $\text{Speed} = \text{distance} \div \text{time} = 360 \div 5 = 72 \text{ km/h}$.

id=64281 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=64282 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4854. If it is sold at a profit of 30%, what is its selling price? | option_a=5825 | option_b=4884 | option_c=6310 | option_d=6795 | answer=C | explanation= $\text{Selling price} = \text{CP} \times (100 + \text{profit}\%)/100 = 4854 \times 130/100 = \text{■}6310$.

id=64283 | topic=Averages | difficulty=Easy | question=Find the average of 51, 48, 98, 51, 31, 57. | option_a=57 | option_b=58 | option_c=55 | option_d=56 | answer=D | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 336 \div 6 = 56$.

id=64284 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:14 and the first is 360, what is the second? | option_a=280 | option_b=640 | option_c=298 | option_d=266 | answer=A | explanation=Scale factor = $360/18 = 20$. Therefore second quantity = $14 \times 20 = 280$.

id=64285 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:3 and the first is 120, what is the second? | option_a=36 | option_b=46 | option_c=156 | option_d=33 | answer=A | explanation=Scale factor = $120/10 = 12$. Therefore second quantity = $3 \times 12 = 36$.

id=64286 | topic=Percentages | difficulty=Easy | question=What is 12% of 1573? | option_a=178 | option_b=376 | option_c=193 | option_d=188 | answer=D | explanation= $12\% \text{ of } 1573 = (12/100) \times 1573 = 188$.

id=64287 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=K | option_b=G | option_c=C | option_d=Y | answer=B | explanation=Move 4 positions forward from C; the resulting letter is G.

id=64288 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=64289 | topic=Averages | difficulty=Easy | question=Find the average of 63, 52, 86, 52, 58, 44, 43, 64, 87. | option_a=60 | option_b=62 | option_c=61 | option_d=63 | answer=C | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 549 \div 9 = 61$.

id=64290 | topic=Percentages | difficulty=Easy | question=What is 25% of 1375? | option_a=343 | option_b=333 | option_c=686 | option_d=348 | answer=A | explanation= $25\% \text{ of } 1375 = (25/100) \times 1375 = 343$.

Aptitude Questions — Records 64,291-64,320 of 100,000

id=64291 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 3. | option_a=24 | option_b=36 | option_c=12 | option_d=9 | answer=C | explanation= $LCM \times HCF = 12 \times 3$; $HCF(12,3) = 3$, so $LCM = 12$.

id=64292 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=16 | option_d=3 | answer=B | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

id=64293 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=24 | option_d=7 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=64294 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:5 and the first is 90, what is the second? | option_a=43 | option_b=25 | option_c=20 | option_d=115 | answer=B | explanation=Scale factor = $\frac{90}{18} = 5$. Therefore second quantity = $5 \times 5 = 25$.

id=64295 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 10, 13, 18? | option_a=7 | option_b=10 | option_c=13 | option_d=18 | answer=D | explanation=The first three numbers increase by 3, so the next should be 16. Therefore 18 is the odd one out.

id=64296 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = $\frac{1}{4} + \frac{1}{4} = \frac{8}{16}$. Time = $\frac{16}{8} = 2$ days.

id=64297 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2945. If it is sold at a profit of 50%, what is its selling price? | option_a=4711 | option_b=4417 | option_c=4123 | option_d=2995 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2945 \times \frac{150}{100} = \text{█4417}$.

id=64298 | topic=Percentages | difficulty=Easy | question=What is 25% of 1097? | option_a=294 | option_b=548 | option_c=269 | option_d=274 | answer=D | explanation= $25\% \text{ of } 1097 = (\frac{25}{100}) \times 1097 = 274$.

id=64299 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 30, 34, 39? | option_a=30 | option_b=39 | option_c=26 | option_d=34 | answer=B | explanation=The first three numbers increase by 4, so the next should be 38. Therefore 39 is the odd one out.

id=64300 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=64301 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = $\frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=64302 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3813. If it is sold at a profit of 5%, what is its selling price? | option_a=4384 | option_b=3818 | option_c=3622 | option_d=4003 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3813 \times \frac{105}{100} = \text{█4003}$.

id=64303 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = $\frac{120}{4} = 30$ km/h.

id=64304 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=39 | option_b=40 | option_c=32 | option_d=46 | answer=A | explanation=The common difference is 7. Therefore the next term is $32 + 7 = 39$.

id=64305 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=18 | option_b=15 | option_c=17 | option_d=19 | answer=C | explanation=The common difference is 2. Therefore the next term is $15 + 2 = 17$.

id=64306 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 13? | option_a=5 | option_b=7 | option_c=9 | option_d=13 | answer=D | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 13 is the odd one out.

id=64307 | topic=Averages | difficulty=Easy | question=Find the average of 78, 88, 85, 60, 64. | option_a=76 | option_b=75 | option_c=77 | option_d=74 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{375}{5} = 75$.

id=64308 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 33? | option_a=25 | option_b=33 | option_c=28 | option_d=22 | answer=B | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 33 is the odd one out.

id=64309 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 13. | option_a=13 | option_b=26 | option_c=52 | option_d=338 | answer=B | explanation= $LCM \times HCF = 26 \times 13$; $HCF(26,13) = 13$, so $LCM = 26$.

id=64310 | topic=Percentages | difficulty=Easy | question=What is 50% of 360? | option_a=190 | option_b=160 | option_c=360 | option_d=180 | answer=D | explanation= $50\% \text{ of } 360 = (\frac{50}{100}) \times 360 = 180$.

id=64311 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=35 | option_b=42 | option_c=43 | option_d=49 | answer=B | explanation=The common difference is 7. Therefore the next term is $35 + 7 = 42$.

id=64312 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 39? | option_a=26 | option_b=39 | option_c=31 | option_d=21 | answer=B | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 39 is the odd one out.

id=64313 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 26? | option_a=17 | option_b=5 | option_c=26 | option_d=11 | answer=C | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 26 is the odd one out.

id=64314 | topic=Percentages | difficulty=Easy | question=What is 5% of 691? | option_a=68 | option_b=54 | option_c=34 | option_d=29 | answer=C | explanation= $5\% \text{ of } 691 = (\frac{5}{100}) \times 691 = 34$.

id=64315 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14796 at 5% per annum for 1 years. | option_a=839 | option_b=15535 | option_c=639 | option_d=739 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{14796 \times 5 \times 1}{100} = \text{█739}$.

id=64316 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 33? | option_a=8 | option_b=24 | option_c=16 | option_d=33 | answer=D | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 33 is the odd one out.

id=64317 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 21, 25, 30? | option_a=17 | option_b=30 | option_c=21 | option_d=25 | answer=B | explanation=The first three numbers increase by 4, so the next should be 29. Therefore 30 is the odd one out.

id=64318 | topic=Averages | difficulty=Easy | question=Find the average of 97, 60, 77, 64, 62, 90. | option_a=77 | option_b=75 | option_c=74 | option_d=76 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{450}{6} = 75$.

id=64319 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=50 | option_d=25 | answer=D | explanation=Speed = distance ÷ time = $\frac{150}{6} = 25$ km/h.

id=64320 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3636. If it is sold at a profit of 25%, what is its selling price? | option_a=4545 | option_b=4182 | option_c=3661 | option_d=4908 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3636 \times \frac{125}{100} = \text{█4545}$.

Aptitude Questions — Records 64,321-64,350 of 100,000

id=64321 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32128 at 8% per annum for 1 years. | option_a=2570 | option_b=2670 | option_c=2470 | option_d=34698 | answer=A | explanation=SI = $PRT/100 = 32128 \times 8 \times 1/100 = \text{■}2570$.

id=64322 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=P | option_b=X | option_c=T | option_d=B | answer=B | explanation=Move 4 positions forward from T; the resulting letter is X.

id=64323 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 26, 33, 41? | option_a=41 | option_b=26 | option_c=33 | option_d=19 | answer=A | explanation=The first three numbers increase by 7, so the next should be 40. Therefore 41 is the odd one out.

id=64324 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14897 at 10% per annum for 5 years. | option_a=7348 | option_b=7548 | option_c=7448 | option_d=22345 | answer=C | explanation=SI = $PRT/100 = 14897 \times 10 \times 5/100 = \text{■}7448$.

id=64325 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=41 | option_b=42 | option_c=48 | option_d=34 | answer=A | explanation=The common difference is 7. Therefore the next term is $34 + 7 = 41$.

id=64326 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10565 at 12% per annum for 1 years. | option_a=1267 | option_b=1367 | option_c=11832 | option_d=1167 | answer=A | explanation=SI = $PRT/100 = 10565 \times 12 \times 1/100 = \text{■}1267$.

id=64327 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 36, 44, 54? | option_a=44 | option_b=36 | option_c=54 | option_d=28 | answer=C | explanation=The first three numbers increase by 8, so the next should be 52. Therefore 54 is the odd one out.

id=64328 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=A | option_c=E | option_d=Y | answer=A | explanation=Move 2 positions forward from A; the resulting letter is C.

id=64329 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 14. | option_a=294 | option_b=42 | option_c=63 | option_d=28 | answer=B | explanation= $LCM \times HCF = 21 \times 14$; $HCF(21,14) = 7$, so $LCM = 42$.

id=64330 | topic=Averages | difficulty=Easy | question=Find the average of 65, 52, 21, 73, 48, 59, 80, 29, 40, 23. | option_a=51 | option_b=48 | option_c=50 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = $490 \div 10 = 49$.

id=64331 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=50 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = $90 \div 2 = 45$ km/h.

id=64332 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19154 at 8% per annum for 2 years. | option_a=3164 | option_b=2964 | option_c=22218 | option_d=3064 | answer=D | explanation=SI = $PRT/100 = 19154 \times 8 \times 2/100 = \text{■}3064$.

id=64333 | topic=Averages | difficulty=Easy | question=Find the average of 71, 79, 13, 13. | option_a=46 | option_b=44 | option_c=45 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = $176 \div 4 = 44$.

id=64334 | topic=Averages | difficulty=Easy | question=Find the average of 11, 84, 67, 34, 36, 60, 51. | option_a=51 | option_b=49 | option_c=48 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = $343 \div 7 = 49$.

id=64335 | topic=Averages | difficulty=Easy | question=Find the average of 47, 26, 56, 14, 22, 20, 47, 72. | option_a=39 | option_b=37 | option_c=38 | option_d=40 | answer=C | explanation=Average = sum of values ÷ number of values = $304 \div 8 = 38$.

id=64336 | topic=Averages | difficulty=Easy | question=Find the average of 64, 91, 94, 59, 67. | option_a=76 | option_b=74 | option_c=77 | option_d=75 | answer=D | explanation=Average = sum of values ÷ number of values = $375 \div 5 = 75$.

id=64337 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1580. If it is sold at a profit of 5%, what is its selling price? | option_a=1659 | option_b=1501 | option_c=1585 | option_d=1817 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1580 \times 105/100 = \text{■}1659$.

id=64338 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=150 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = $300 \div 4 = 75$ km/h.

id=64339 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=64340 | topic=Percentages | difficulty=Easy | question=What is 25% of 1870? | option_a=472 | option_b=934 | option_c=462 | option_d=467 | answer=D | explanation=25% of 1870 = $(25/100) \times 1870 = 467$.

id=64341 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=64342 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=26 | option_b=30 | option_c=31 | option_d=34 | answer=B | explanation=The common difference is 4. Therefore the next term is $26 + 4 = 30$.

id=64343 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:16 and the first is 272, what is the second? | option_a=240 | option_b=528 | option_c=256 | option_d=273 | answer=C | explanation=Scale factor = $272/17 = 16$. Therefore second quantity = $16 \times 16 = 256$.

id=64344 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1904. If it is sold at a profit of 15%, what is its selling price? | option_a=2189 | option_b=1999 | option_c=2379 | option_d=1919 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1904 \times 115/100 = \text{■}2189$.

id=64345 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=B | option_c=E | option_d=D | answer=D | explanation=Move 1 positions forward from C; the resulting letter is D.

id=64346 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=64347 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=40 | option_b=54 | option_c=47 | option_d=48 | answer=C | explanation=The common difference is 7. Therefore the next term is $40 + 7 = 47$.

id=64348 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1005 at 15% per annum for 3 years. | option_a=552 | option_b=1457 | option_c=352 | option_d=452 | answer=D | explanation=SI = $PRT/100 = 1005 \times 15 \times 3/100 = \text{■}452$.

id=64349 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=W | option_b=I | option_c=E | option_d=A | answer=C | explanation=Move 4 positions forward from A; the resulting letter is E.

id=64350 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

Aptitude Questions — Records 64,351-64,380 of 100,000

id=64351 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=W | option_b=T | option_c=Q | option_d=Z | answer=A | explanation=Move 3 positions forward from T; the resulting letter is W.

id=64352 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=25 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=64353 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 14. | option_a=56 | option_b=28 | option_c=14 | option_d=392 | answer=B | explanation=LCM × HCF = 28×14; HCF(28,14) = 14, so LCM = 28.

id=64354 | topic=Profit & Loss | difficulty=Easy | question=An article costs █429. If it is sold at a profit of 30%, what is its selling price? | option_a=515 | option_b=599 | option_c=557 | option_d=459 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 429 × 130/100 = █557.

id=64355 | topic=Averages | difficulty=Easy | question=Find the average of 66, 94, 100, 28, 31, 54, 42, 81. | option_a=61 | option_b=62 | option_c=63 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 496 ÷ 8 = 62.

id=64356 | topic=Averages | difficulty=Easy | question=Find the average of 36, 24, 86, 93, 16, 62, 22, 66, 24, 71. | option_a=52 | option_b=49 | option_c=50 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 500 ÷ 10 = 50.

id=64357 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=30 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=64358 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:7 and the first is 72, what is the second? | option_a=90 | option_b=156 | option_c=84 | option_d=77 | answer=C | explanation=Scale factor = 72/6 = 12. Therefore second quantity = 7×12 = 84.

id=64359 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=61 | option_b=71 | option_c=60 | option_d=49 | answer=C | explanation=The common difference is 11. Therefore the next term is 49 + 11 = 60.

id=64360 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=64361 | topic=Percentages | difficulty=Easy | question=What is 40% of 129? | option_a=31 | option_b=51 | option_c=61 | option_d=102 | answer=B | explanation=40% of 129 = (40/100) × 129 = 51.

id=64362 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3643. If it is sold at a profit of 50%, what is its selling price? | option_a=5828 | option_b=3693 | option_c=5464 | option_d=5100 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3643 × 150/100 = █5464.

id=64363 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=64364 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=P | option_b=R | option_c=Q | option_d=S | answer=B | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=64365 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:15 and the first is 220, what is the second? | option_a=285 | option_b=520 | option_c=300 | option_d=311 | answer=C | explanation=Scale factor = 220/11 = 20. Therefore second quantity = 15×20 = 300.

id=64366 | topic=Percentages | difficulty=Easy | question=What is 5% of 1263? | option_a=63 | option_b=83 | option_c=126 | option_d=53 | answer=A | explanation=5% of 1263 = (5/100) × 1263 = 63.

id=64367 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 19? | option_a=12 | option_b=9 | option_c=15 | option_d=19 | answer=D | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 19 is the odd one out.

id=64368 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=N | option_b=P | option_c=R | option_d=T | answer=C | explanation=Move 2 positions forward from P; the resulting letter is R.

id=64369 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=150 | option_c=80 | option_d=70 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=64370 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=64371 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=64372 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 29? | option_a=29 | option_b=21 | option_c=18 | option_d=24 | answer=A | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 29 is the odd one out.

id=64373 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=150 | option_d=70 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=64374 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=64375 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=64376 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1097. If it is sold at a profit of 20%, what is its selling price? | option_a=1117 | option_b=1316 | option_c=1425 | option_d=1207 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1097 × 120/100 = █1316.

id=64377 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:3 and the first is 128, what is the second? | option_a=48 | option_b=176 | option_c=45 | option_d=56 | answer=A | explanation=Scale factor = 128/8 = 16. Therefore second quantity = 3×16 = 48.

id=64378 | topic=Profit & Loss | difficulty=Easy | question=An article costs █607. If it is sold at a profit of 15%, what is its selling price? | option_a=758 | option_b=622 | option_c=638 | option_d=698 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 607 × 115/100 = █698.

id=64379 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=36 | option_b=40 | option_c=37 | option_d=32 | answer=A | explanation=The common difference is 4. Therefore the next term is 32 + 4 = 36.

id=64380 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 18. | option_a=24 | option_b=18 | option_c=1 | option_d=108 | answer=B | explanation=LCM × HCF = 6×18; HCF(6,18) = 6, so LCM = 18.

Aptitude Questions — Records 64,381-64,410 of 100,000

id=64381 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=13 | option_b=17 | option_c=19 | option_d=16 | answer=D | explanation=The common difference is 3. Therefore the next term is 13 + 3 = 16.

id=64382 | topic=Percentages | difficulty=Easy | question=What is 30% of 845? | option_a=248 | option_b=253 | option_c=258 | option_d=506 | answer=B | explanation=30% of 845 = (30/100) × 845 = 253.

id=64383 | topic=Profit & Loss | difficulty=Easy | question=An article costs █532. If it is sold at a profit of 50%, what is its selling price? | option_a=851 | option_b=798 | option_c=745 | option_d=582 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 532 × 150/100 = █798.

id=64384 | topic=Averages | difficulty=Easy | question=Find the average of 97, 26, 37, 100, 77, 47. | option_a=66 | option_b=65 | option_c=63 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 384 ÷ 6 = 64.

id=64385 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3431 at 4% per annum for 1 years. | option_a=3568 | option_b=237 | option_c=37 | option_d=137 | answer=D | explanation=SI = PRT/100 = 3431×4×1/100 = █137.

id=64386 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=64387 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 18, 27, 38? | option_a=18 | option_b=9 | option_c=27 | option_d=38 | answer=D | explanation=The first three numbers increase by 9, so the next should be 36. Therefore 38 is the odd one out.

id=64388 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:15 and the first is 342, what is the second? | option_a=303 | option_b=627 | option_c=285 | option_d=270 | answer=C | explanation=Scale factor = 342/18 = 19. Therefore second quantity = 15×19 = 285.

id=64389 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=5 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=64390 | topic=Percentages | difficulty=Easy | question=What is 10% of 398? | option_a=39 | option_b=44 | option_c=34 | option_d=78 | answer=A | explanation=10% of 398 = (10/100) × 398 = 39.

id=64391 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=X | option_b=U | option_c=R | option_d=A | answer=A | explanation=Move 3 positions forward from U; the resulting letter is X.

id=64392 | topic=Averages | difficulty=Easy | question=Find the average of 46, 76, 13, 46, 79. | option_a=53 | option_b=54 | option_c=52 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 260 ÷ 5 = 52.

id=64393 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:15 and the first is 9, what is the second? | option_a=45 | option_b=48 | option_c=54 | option_d=30 | answer=A | explanation=Scale factor = 9/3 = 3. Therefore second quantity = 15×3 = 45.

id=64394 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31972 at 15% per annum for 1 years. | option_a=4895 | option_b=36767 | option_c=4795 | option_d=4695 | answer=C | explanation=SI = PRT/100 = 31972×15×1/100 = █4795.

id=64395 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=64396 | topic=Percentages | difficulty=Easy | question=What is 20% of 1631? | option_a=331 | option_b=321 | option_c=652 | option_d=326 | answer=D | explanation=20% of 1631 = (20/100) × 1631 = 326.

id=64397 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=64398 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25851 at 15% per annum for 3 years. | option_a=11632 | option_b=11532 | option_c=11732 | option_d=37483 | answer=A | explanation=SI = PRT/100 = 25851×15×3/100 = █11632.

id=64399 | topic=Averages | difficulty=Easy | question=Find the average of 92, 95, 62. | option_a=85 | option_b=82 | option_c=83 | option_d=84 | answer=C | explanation=Average = sum of values ÷ number of values = 249 ÷ 3 = 83.

id=64400 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=S | option_c=G | option_d=K | answer=A | explanation=Move 4 positions forward from K; the resulting letter is O.

id=64401 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=L | option_c=N | option_d=R | answer=A | explanation=Move 2 positions forward from N; the resulting letter is P.

id=64402 | topic=Averages | difficulty=Easy | question=Find the average of 64, 39, 40, 83, 36, 10, 75, 37. | option_a=47 | option_b=50 | option_c=48 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 384 ÷ 8 = 48.

id=64403 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:5 and the first is 160, what is the second? | option_a=95 | option_b=100 | option_c=260 | option_d=108 | answer=B | explanation=Scale factor = 160/8 = 20. Therefore second quantity = 5×20 = 100.

id=64404 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=E | option_b=I | option_c=G | option_d=K | answer=B | explanation=Move 2 positions forward from G; the resulting letter is I.

id=64405 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7470 at 5% per annum for 3 years. | option_a=1120 | option_b=8590 | option_c=1220 | option_d=1020 | answer=A | explanation=SI = PRT/100 = 7470×5×3/100 = █1120.

id=64406 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43784 at 12% per annum for 5 years. | option_a=26270 | option_b=26170 | option_c=70054 | option_d=26370 | answer=A | explanation=SI = PRT/100 = 43784×12×5/100 = █26270.

id=64407 | topic=Averages | difficulty=Easy | question=Find the average of 92, 20, 65, 59, 75, 85. | option_a=68 | option_b=65 | option_c=67 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = 396 ÷ 6 = 66.

id=64408 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=M | option_b=E | option_c=I | option_d=Q | answer=A | explanation=Move 4 positions forward from I; the resulting letter is M.

id=64409 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 47? | option_a=28 | option_b=19 | option_c=37 | option_d=47 | answer=D | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 47 is the odd one out.

id=64410 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

Aptitude Questions — Records 64,411-64,440 of 100,000

id=64411 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=64412 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:7 and the first is 238, what is the second? | option_a=119 | option_b=357 | option_c=112 | option_d=133 | answer=A | explanation=Scale factor = 238/14 = 17. Therefore second quantity = 7×17 = 119.

id=64413 | topic=Averages | difficulty=Easy | question=Find the average of 64, 11, 62, 47, 21, 83. | option_a=48 | option_b=47 | option_c=49 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 288 ÷ 6 = 48.

id=64414 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32512 at 15% per annum for 3 years. | option_a=14530 | option_b=14630 | option_c=47142 | option_d=14730 | answer=B | explanation=SI = PRT/100 = 32512×15×3/100 = **■**14630.

id=64415 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=L | option_b=Q | option_c=A | option_d=V | answer=D | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=64416 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:6 and the first is 169, what is the second? | option_a=78 | option_b=91 | option_c=247 | option_d=72 | answer=A | explanation=Scale factor = 169/13 = 13. Therefore second quantity = 6×13 = 78.

id=64417 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=H | option_b=L | option_c=P | option_d=T | answer=C | explanation=Move 4 positions forward from L; the resulting letter is P.

id=64418 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:16 and the first is 42, what is the second? | option_a=266 | option_b=227 | option_c=208 | option_d=224 | answer=D | explanation=Scale factor = 42/3 = 14. Therefore second quantity = 16×14 = 224.

id=64419 | topic=Averages | difficulty=Easy | question=Find the average of 37, 92, 19, 13, 79, 56, 15, 57, 10, 62. | option_a=44 | option_b=46 | option_c=45 | option_d=43 | answer=A | explanation=Average = sum of values ÷ number of values = 440 ÷ 10 = 44.

id=64420 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 45? | option_a=45 | option_b=23 | option_c=30 | option_d=37 | answer=A | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 45 is the odd one out.

id=64421 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=64422 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=64423 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=40 | option_d=90 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=64424 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:15 and the first is 204, what is the second? | option_a=459 | option_b=240 | option_c=255 | option_d=267 | answer=C | explanation=Scale factor = 204/12 = 17. Therefore second quantity = 15×17 = 255.

id=64425 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 14. | option_a=98 | option_b=112 | option_c=224 | option_d=128 | answer=B | explanation=LCM × HCF = 16×14; HCF(16,14) = 2, so LCM = 112.

id=64426 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=64427 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=175 | option_c=180 | option_d=360 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=64428 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 17, 26, 36? | option_a=8 | option_b=26 | option_c=36 | option_d=17 | answer=C | explanation=The first three numbers increase by 9, so the next should be 35. Therefore 36 is the odd one out.

id=64429 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 14? | option_a=6 | option_b=3 | option_c=14 | option_d=9 | answer=C | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 14 is the odd one out.

id=64430 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=64431 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 31, 33, 37? | option_a=29 | option_b=33 | option_c=31 | option_d=37 | answer=D | explanation=The first three numbers increase by 2, so the next should be 35. Therefore 37 is the odd one out.

id=64432 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=64433 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38520 at 12% per annum for 3 years. | option_a=13767 | option_b=13967 | option_c=13867 | option_d=52387 | answer=C | explanation=SI = PRT/100 = 38520×12×3/100 = **■**13867.

id=64434 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 57? | option_a=26 | option_b=57 | option_c=36 | option_d=46 | answer=B | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 57 is the odd one out.

id=64435 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=64436 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=Z | option_c=B | option_d=A | answer=C | explanation=Move 1 positions forward from A; the resulting letter is B.

id=64437 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:19 and the first is 36, what is the second? | option_a=56 | option_b=19 | option_c=74 | option_d=38 | answer=D | explanation=Scale factor = 36/18 = 2. Therefore second quantity = 19×2 = 38.

id=64438 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=64439 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=64440 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:3 and the first is 304, what is the second? | option_a=67 | option_b=352 | option_c=45 | option_d=48 | answer=D | explanation=Scale factor = 304/19 = 16. Therefore second quantity = 3×16 = 48.

Aptitude Questions — Records 64,441-64,470 of 100,000

id=64441 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:1 and the first is 30, what is the second? | option_a=2 | option_b=13 | option_c=33 | option_d=3 | answer=D | explanation=Scale factor = 30/10 = 3. Therefore second quantity = 1×3 = 3.

id=64442 | topic=Averages | difficulty=Easy | question=Find the average of 31, 94, 14, 69. | option_a=53 | option_b=54 | option_c=51 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 208 ÷ 4 = 52.

id=64443 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49862 at 12% per annum for 1 years. | option_a=5983 | option_b=6083 | option_c=5883 | option_d=55845 | answer=A | explanation=SI = PRT/100 = 49862×12×1/100 = █5983.

id=64444 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28073 at 15% per annum for 1 years. | option_a=4110 | option_b=32283 | option_c=4210 | option_d=4310 | answer=C | explanation=SI = PRT/100 = 28073×15×1/100 = █4210.

id=64445 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 18, 23, 28, ? | option_a=38 | option_b=33 | option_c=28 | option_d=34 | answer=B | explanation=The common difference is 5. Therefore the next term is 28 + 5 = 33.

id=64446 | topic=Percentages | difficulty=Easy | question=What is 30% of 1672? | option_a=511 | option_b=501 | option_c=481 | option_d=1002 | answer=B | explanation=30% of 1672 = (30/100) × 1672 = 501.

id=64447 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=Q | option_c=M | option_d=E | answer=C | explanation=Move 4 positions forward from I; the resulting letter is M.

id=64448 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=P | option_b=F | option_c=K | option_d=A | answer=C | explanation=Move 5 positions forward from F; the resulting letter is K.

id=64449 | topic=Averages | difficulty=Easy | question=Find the average of 30, 81, 82, 22, 23, 73, 28, 29. | option_a=48 | option_b=46 | option_c=45 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 368 ÷ 8 = 46.

id=64450 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 31? | option_a=15 | option_b=25 | option_c=20 | option_d=31 | answer=D | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 31 is the odd one out.

id=64451 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 19, 25, 33? | option_a=33 | option_b=25 | option_c=13 | option_d=19 | answer=A | explanation=The first three numbers increase by 6, so the next should be 31. Therefore 33 is the odd one out.

id=64452 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=64453 | topic=Percentages | difficulty=Easy | question=What is 25% of 310? | option_a=97 | option_b=67 | option_c=77 | option_d=154 | answer=C | explanation=25% of 310 = (25/100) × 310 = 77.

id=64454 | topic=Averages | difficulty=Easy | question=Find the average of 81, 12, 62, 53. | option_a=52 | option_b=54 | option_c=53 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 208 ÷ 4 = 52.

id=64455 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 26, 29, 34? | option_a=29 | option_b=26 | option_c=34 | option_d=23 | answer=C | explanation=The first three numbers increase by 3, so the next should be 32. Therefore 34 is the odd one out.

id=64456 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=64457 | topic=Percentages | difficulty=Easy | question=What is 25% of 1286? | option_a=316 | option_b=326 | option_c=642 | option_d=321 | answer=D | explanation=25% of 1286 = (25/100) × 1286 = 321.

id=64458 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 61? | option_a=30 | option_b=61 | option_c=40 | option_d=50 | answer=B | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 61 is the odd one out.

id=64459 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=36 | option_c=31 | option_d=72 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=64460 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=64461 | topic=Averages | difficulty=Easy | question=Find the average of 63, 62, 26, 72, 47. | option_a=54 | option_b=53 | option_c=55 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 270 ÷ 5 = 54.

id=64462 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=Q | option_c=G | option_d=V | answer=B | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=64463 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1592. If it is sold at a profit of 10%, what is its selling price? | option_a=1751 | option_b=1602 | option_c=1910 | option_d=1592 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1592 × 110/100 = █1751.

id=64464 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=M | option_b=J | option_c=P | option_d=G | answer=A | explanation=Move 3 positions forward from J; the resulting letter is M.

id=64465 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:13 and the first is 266, what is the second? | option_a=182 | option_b=448 | option_c=201 | option_d=169 | answer=A | explanation=Scale factor = 266/19 = 14. Therefore second quantity = 13×14 = 182.

id=64466 | topic=Averages | difficulty=Easy | question=Find the average of 73, 24, 80, 45, 83. | option_a=62 | option_b=63 | option_c=61 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 305 ÷ 5 = 61.

id=64467 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:16 and the first is 76, what is the second? | option_a=288 | option_b=380 | option_c=304 | option_d=308 | answer=C | explanation=Scale factor = 76/4 = 19. Therefore second quantity = 16×19 = 304.

id=64468 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 35? | option_a=24 | option_b=35 | option_c=6 | option_d=15 | answer=B | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 35 is the odd one out.

id=64469 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 10. | option_a=80 | option_b=96 | option_c=70 | option_d=160 | answer=A | explanation=LCM × HCF = 16×10; HCF(16,10) = 2, so LCM = 80.

id=64470 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=A | option_c=P | option_d=K | answer=D | explanation=Move 5 positions forward from F; the resulting letter is K.

Aptitude Questions — Records 64,471-64,500 of 100,000

id=64471 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:15 and the first is 70, what is the second? | option_a=105 | option_b=115 | option_c=175 | option_d=90 | answer=A | explanation=Scale factor = 70/10 = 7. Therefore second quantity = 15×7 = 105.

id=64472 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=J | option_b=B | option_c=N | option_d=F | answer=A | explanation=Move 4 positions forward from F; the resulting letter is J.

id=64473 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:20 and the first is 76, what is the second? | option_a=380 | option_b=360 | option_c=384 | option_d=456 | answer=A | explanation=Scale factor = 76/4 = 19. Therefore second quantity = 20×19 = 380.

id=64474 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 31, 35, 42? | option_a=42 | option_b=27 | option_c=35 | option_d=31 | answer=A | explanation=The first three numbers increase by 4, so the next should be 39. Therefore 42 is the odd one out.

id=64475 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:15 and the first is 63, what is the second? | option_a=135 | option_b=142 | option_c=198 | option_d=120 | answer=A | explanation=Scale factor = 63/7 = 9. Therefore second quantity = 15×9 = 135.

id=64476 | topic=Averages | difficulty=Easy | question=Find the average of 36, 61, 66, 97, 83, 94, 95. | option_a=77 | option_b=75 | option_c=78 | option_d=76 | answer=D | explanation=Average = sum of values ÷ number of values = 532 ÷ 7 = 76.

id=64477 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1053. If it is sold at a profit of 10%, what is its selling price? | option_a=1063 | option_b=1158 | option_c=1263 | option_d=1053 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1053 × 110/100 = █1158.

id=64478 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=64479 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2004. If it is sold at a profit of 30%, what is its selling price? | option_a=2405 | option_b=2605 | option_c=2805 | option_d=2034 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2004 × 130/100 = █2605.

id=64480 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=U | option_c=S | option_d=Y | answer=A | explanation=Move 2 positions forward from U; the resulting letter is W.

id=64481 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 19? | option_a=19 | option_b=11 | option_c=15 | option_d=13 | answer=A | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 19 is the odd one out.

id=64482 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:7 and the first is 160, what is the second? | option_a=133 | option_b=148 | option_c=300 | option_d=140 | answer=D | explanation=Scale factor = 160/8 = 20. Therefore second quantity = 7×20 = 140.

id=64483 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=37 | option_b=32 | option_c=31 | option_d=25 | answer=C | explanation=The common difference is 6. Therefore the next term is 25 + 6 = 31.

id=64484 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13991 at 8% per annum for 1 years. | option_a=1219 | option_b=1119 | option_c=15110 | option_d=1019 | answer=B | explanation=SI = PRT/100 = 13991×8×1/100 = █1119.

id=64485 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3605. If it is sold at a profit of 25%, what is its selling price? | option_a=3630 | option_b=4506 | option_c=4146 | option_d=4866 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3605 × 125/100 = █4506.

id=64486 | topic=Averages | difficulty=Easy | question=Find the average of 100, 82, 24, 86, 60, 30, 61, 61. | option_a=64 | option_b=62 | option_c=63 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = 504 ÷ 8 = 63.

id=64487 | topic=Averages | difficulty=Easy | question=Find the average of 97, 77, 53, 43, 67, 58, 102. | option_a=72 | option_b=73 | option_c=70 | option_d=71 | answer=D | explanation=Average = sum of values ÷ number of values = 497 ÷ 7 = 71.

id=64488 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:14 and the first is 36, what is the second? | option_a=14 | option_b=64 | option_c=28 | option_d=46 | answer=C | explanation=Scale factor = 36/18 = 2. Therefore second quantity = 14×2 = 28.

id=64489 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31391 at 4% per annum for 3 years. | option_a=3866 | option_b=3666 | option_c=35157 | option_d=3766 | answer=D | explanation=SI = PRT/100 = 31391×4×3/100 = █3766.

id=64490 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3607. If it is sold at a profit of 40%, what is its selling price? | option_a=4689 | option_b=5409 | option_c=3647 | option_d=5049 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3607 × 140/100 = █5049.

id=64491 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=64492 | topic=Averages | difficulty=Easy | question=Find the average of 84, 83, 24, 94, 72, 51. | option_a=67 | option_b=70 | option_c=68 | option_d=69 | answer=C | explanation=Average = sum of values ÷ number of values = 408 ÷ 6 = 68.

id=64493 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=64494 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4978. If it is sold at a profit of 30%, what is its selling price? | option_a=6471 | option_b=5008 | option_c=5974 | option_d=6968 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4978 × 130/100 = █6471.

id=64495 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=C | option_b=L | option_c=F | option_d=I | answer=D | explanation=Move 3 positions forward from F; the resulting letter is I.

id=64496 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 49? | option_a=28 | option_b=49 | option_c=37 | option_d=19 | answer=B | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 49 is the odd one out.

id=64497 | topic=Percentages | difficulty=Easy | question=What is 25% of 1647? | option_a=822 | option_b=431 | option_c=401 | option_d=411 | answer=D | explanation=25% of 1647 = (25/100) × 1647 = 411.

id=64498 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:19 and the first is 12, what is the second? | option_a=114 | option_b=116 | option_c=126 | option_d=95 | answer=A | explanation=Scale factor = 12/2 = 6. Therefore second quantity = 19×6 = 114.

id=64499 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4191. If it is sold at a profit of 25%, what is its selling price? | option_a=4819 | option_b=5657 | option_c=5238 | option_d=4216 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4191 × 125/100 = █5238.

id=64500 | topic=Percentages | difficulty=Easy | question=What is 50% of 373? | option_a=176 | option_b=186 | option_c=372 | option_d=191 | answer=B | explanation=50% of 373 = (50/100) × 373 = 186.

Aptitude Questions — Records 64,501-64,530 of 100,000

id=64501 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 44? | option_a=44 | option_b=29 | option_c=35 | option_d=23 | answer=A | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 44 is the odd one out.

id=64502 | topic=Percentages | difficulty=Easy | question=What is 10% of 1120? | option_a=224 | option_b=112 | option_c=117 | option_d=92 | answer=B | explanation=10% of 1120 = (10/100) × 1120 = 112.

id=64503 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3835. If it is sold at a profit of 25%, what is its selling price? | option_a=4793 | option_b=5176 | option_c=3860 | option_d=4410 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3835 × 125/100 = █4793.

id=64504 | topic=Percentages | difficulty=Easy | question=What is 40% of 1259? | option_a=503 | option_b=498 | option_c=1006 | option_d=523 | answer=A | explanation=40% of 1259 = (40/100) × 1259 = 503.

id=64505 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47342 at 4% per annum for 1 years. | option_a=1893 | option_b=1993 | option_c=49235 | option_d=1793 | answer=A | explanation=SI = PRT/100 = 47342×4×1/100 = █1893.

id=64506 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4931. If it is sold at a profit of 20%, what is its selling price? | option_a=5424 | option_b=4951 | option_c=6410 | option_d=5917 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4931 × 120/100 = █5917.

id=64507 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=50 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=64508 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4968. If it is sold at a profit of 50%, what is its selling price? | option_a=7452 | option_b=7948 | option_c=6956 | option_d=5018 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4968 × 150/100 = █7452.

id=64509 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 61? | option_a=40 | option_b=61 | option_c=30 | option_d=50 | answer=B | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 61 is the odd one out.

id=64510 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29394 at 8% per annum for 1 years. | option_a=31745 | option_b=2451 | option_c=2251 | option_d=2351 | answer=D | explanation=SI = PRT/100 = 29394×8×1/100 = █2351.

id=64511 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:7 and the first is 54, what is the second? | option_a=63 | option_b=56 | option_c=117 | option_d=69 | answer=A | explanation=Scale factor = 54/6 = 9. Therefore second quantity = 7×9 = 63.

id=64512 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=64513 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=5 | option_c=20 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=64514 | topic=Averages | difficulty=Easy | question=Find the average of 26, 78, 12, 54, 23, 17. | option_a=35 | option_b=36 | option_c=34 | option_d=37 | answer=A | explanation=Average = sum of values ÷ number of values = 210 ÷ 6 = 35.

id=64515 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:19 and the first is 27, what is the second? | option_a=66 | option_b=84 | option_c=57 | option_d=38 | answer=C | explanation=Scale factor = 27/9 = 3. Therefore second quantity = 19×3 = 57.

id=64516 | topic=Percentages | difficulty=Easy | question=What is 5% of 1057? | option_a=52 | option_b=104 | option_c=47 | option_d=57 | answer=A | explanation=5% of 1057 = (5/100) × 1057 = 52.

id=64517 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=X | option_b=T | option_c=L | option_d=P | answer=B | explanation=Move 4 positions forward from P; the resulting letter is T.

id=64518 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:1 and the first is 187, what is the second? | option_a=28 | option_b=11 | option_c=198 | option_d=10 | answer=B | explanation=Scale factor = 187/17 = 11. Therefore second quantity = 1×11 = 11.

id=64519 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 24, 34, 46? | option_a=24 | option_b=34 | option_c=46 | option_d=14 | answer=C | explanation=The first three numbers increase by 10, so the next should be 44. Therefore 46 is the odd one out.

id=64520 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 37, 46, 57? | option_a=28 | option_b=57 | option_c=46 | option_d=37 | answer=B | explanation=The first three numbers increase by 9, so the next should be 55. Therefore 57 is the odd one out.

id=64521 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=21 | option_b=22 | option_c=23 | option_d=19 | answer=A | explanation=The common difference is 2. Therefore the next term is 19 + 2 = 21.

id=64522 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=G | option_b=L | option_c=W | option_d=B | answer=A | explanation=Move 5 positions forward from B; the resulting letter is G.

id=64523 | topic=Profit & Loss | difficulty=Easy | question=An article costs █789. If it is sold at a profit of 5%, what is its selling price? | option_a=828 | option_b=750 | option_c=906 | option_d=794 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 789 × 105/100 = █828.

id=64524 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=64525 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 32, 42, 53? | option_a=32 | option_b=22 | option_c=42 | option_d=53 | answer=D | explanation=The first three numbers increase by 10, so the next should be 52. Therefore 53 is the odd one out.

id=64526 | topic=Averages | difficulty=Easy | question=Find the average of 30, 44, 60, 18, 29, 94, 66, 83. | option_a=55 | option_b=54 | option_c=52 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.

id=64527 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 10, 15, 22? | option_a=5 | option_b=22 | option_c=10 | option_d=15 | answer=B | explanation=The first three numbers increase by 5, so the next should be 20. Therefore 22 is the odd one out.

id=64528 | topic=Averages | difficulty=Easy | question=Find the average of 100, 28, 21, 39, 28, 23, 98, 68, 18. | option_a=46 | option_b=49 | option_c=47 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 423 ÷ 9 = 47.

id=64529 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=180 | option_c=360 | option_d=175 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=64530 | topic=Percentages | difficulty=Easy | question=What is 5% of 874? | option_a=86 | option_b=43 | option_c=23 | option_d=53 | answer=B | explanation=5% of 874 = (5/100) × 874 = 43.

Aptitude Questions — Records 64,531-64,560 of 100,000

id=64531 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1966. If it is sold at a profit of 5%, what is its selling price? | option_a=2260 | option_b=1868 | option_c=2064 | option_d=1971 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1966 × 105/100 = █2064.

id=64532 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:13 and the first is 204, what is the second? | option_a=208 | option_b=221 | option_c=425 | option_d=233 | answer=B | explanation=Scale factor = 204/12 = 17. Therefore second quantity = 13×17 = 221.

id=64533 | topic=Percentages | difficulty=Easy | question=What is 20% of 641? | option_a=108 | option_b=133 | option_c=128 | option_d=256 | answer=C | explanation=20% of 641 = (20/100) × 641 = 128.

id=64534 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=B | option_c=Z | option_d=C | answer=B | explanation=Move 1 positions forward from A; the resulting letter is B.

id=64535 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 35? | option_a=21 | option_b=25 | option_c=29 | option_d=35 | answer=D | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 35 is the odd one out.

id=64536 | topic=Averages | difficulty=Easy | question=Find the average of 55, 37, 28. | option_a=41 | option_b=39 | option_c=40 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = 120 ÷ 3 = 40.

id=64537 | topic=Percentages | difficulty=Easy | question=What is 10% of 1673? | option_a=187 | option_b=167 | option_c=162 | option_d=334 | answer=B | explanation=10% of 1673 = (10/100) × 1673 = 167.

id=64538 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 20. | option_a=242 | option_b=220 | option_c=440 | option_d=200 | answer=B | explanation=LCM × HCF = 22×20; HCF(22,20) = 2, so LCM = 220.

id=64539 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=54 | option_b=46 | option_c=47 | option_d=38 | answer=B | explanation=The common difference is 8. Therefore the next term is 38 + 8 = 46.

id=64540 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=O | option_b=D | option_c=T | option_d=Y | answer=D | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=64541 | topic=Averages | difficulty=Easy | question=Find the average of 80, 23, 53, 96, 88, 53, 104. | option_a=70 | option_b=71 | option_c=73 | option_d=72 | answer=B | explanation=Average = sum of values ÷ number of values = 497 ÷ 7 = 71.

id=64542 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 26, 29, 33? | option_a=33 | option_b=23 | option_c=26 | option_d=29 | answer=A | explanation=The first three numbers increase by 3, so the next should be 32. Therefore 33 is the odd one out.

id=64543 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3273. If it is sold at a profit of 20%, what is its selling price? | option_a=3293 | option_b=4254 | option_c=3927 | option_d=3600 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3273 × 120/100 = █3927.

id=64544 | topic=Averages | difficulty=Easy | question=Find the average of 97, 84, 21, 67, 46, 41, 91, 83, 33, 17. | option_a=57 | option_b=58 | option_c=60 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 580 ÷ 10 = 58.

id=64545 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 19, 27, 37? | option_a=19 | option_b=11 | option_c=27 | option_d=37 | answer=D | explanation=The first three numbers increase by 8, so the next should be 35. Therefore 37 is the odd one out.

id=64546 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 5, 8, 11, ? | option_a=15 | option_b=11 | option_c=14 | option_d=17 | answer=C | explanation=The common difference is 3. Therefore the next term is 11 + 3 = 14.

id=64547 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=64548 | topic=Percentages | difficulty=Easy | question=What is 30% of 1963? | option_a=1176 | option_b=588 | option_c=608 | option_d=583 | answer=B | explanation=30% of 1963 = (30/100) × 1963 = 588.

id=64549 | topic=Averages | difficulty=Easy | question=Find the average of 90, 54, 77, 89, 63, 65, 70, 80, 24. | option_a=68 | option_b=70 | option_c=67 | option_d=69 | answer=A | explanation=Average = sum of values ÷ number of values = 612 ÷ 9 = 68.

id=64550 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 23, 30, 37, ? | option_a=44 | option_b=51 | option_c=45 | option_d=37 | answer=A | explanation=The common difference is 7. Therefore the next term is 37 + 7 = 44.

id=64551 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=Y | option_b=T | option_c=D | option_d=O | answer=A | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=64552 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47035 at 8% per annum for 2 years. | option_a=7425 | option_b=54560 | option_c=7525 | option_d=7625 | answer=C | explanation=SI = PRT/100 = 47035×8×2/100 = █7525.

id=64553 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=49 | option_b=40 | option_c=58 | option_d=50 | answer=A | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

id=64554 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2538 at 12% per annum for 2 years. | option_a=609 | option_b=3147 | option_c=709 | option_d=509 | answer=A | explanation=SI = PRT/100 = 2538×12×2/100 = █609.

id=64555 | topic=Percentages | difficulty=Easy | question=What is 50% of 1741? | option_a=880 | option_b=870 | option_c=1740 | option_d=860 | answer=B | explanation=50% of 1741 = (50/100) × 1741 = 870.

id=64556 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=64557 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=64558 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 14, 21, 31? | option_a=21 | option_b=14 | option_c=7 | option_d=31 | answer=D | explanation=The first three numbers increase by 7, so the next should be 28. Therefore 31 is the odd one out.

id=64559 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41379 at 10% per annum for 2 years. | option_a=8175 | option_b=8275 | option_c=8375 | option_d=49654 | answer=B | explanation=SI = PRT/100 = 41379×10×2/100 = █8275.

id=64560 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=72 | option_b=50 | option_c=61 | option_d=62 | answer=C | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.

Aptitude Questions — Records 64,561-64,590 of 100,000

id=64561 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22582 at 4% per annum for 3 years. | option_a=25291 | option_b=2809 | option_c=2709 | option_d=2609 | answer=C | explanation=SI = $PRT/100 = 22582 \times 4 \times 3/100 =$ **■**2709.

id=64562 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=36 | option_b=44 | option_c=45 | option_d=52 | answer=B | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.

id=64563 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:8 and the first is 110, what is the second? | option_a=91 | option_b=72 | option_c=80 | option_d=190 | answer=C | explanation=Scale factor = $110/11 = 10$. Therefore second quantity = $8 \times 10 = 80$.

id=64564 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=K | option_c=L | option_d=M | answer=D | explanation=Move 1 positions forward from L; the resulting letter is M.

id=64565 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=64566 | topic=Percentages | difficulty=Easy | question=What is 12% of 1455? | option_a=169 | option_b=174 | option_c=348 | option_d=184 | answer=B | explanation=12% of 1455 = $(12/100) \times 1455 = 174$.

id=64567 | topic=Percentages | difficulty=Easy | question=What is 30% of 546? | option_a=163 | option_b=153 | option_c=168 | option_d=326 | answer=A | explanation=30% of 546 = $(30/100) \times 546 = 163$.

id=64568 | topic=Percentages | difficulty=Easy | question=What is 30% of 938? | option_a=281 | option_b=562 | option_c=261 | option_d=291 | answer=A | explanation=30% of 938 = $(30/100) \times 938 = 281$.

id=64569 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 14. | option_a=42 | option_b=28 | option_c=48 | option_d=84 | answer=A | explanation=LCM $\times$ HCF = 6×14 ; HCF(6,14) = 2, so LCM = 42.

id=64570 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 20. | option_a=40 | option_b=400 | option_c=20 | option_d=1 | answer=C | explanation=LCM $\times$ HCF = 20×20 ; HCF(20,20) = 20, so LCM = 20.

id=64571 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40580 at 15% per annum for 1 years. | option_a=6187 | option_b=46667 | option_c=5987 | option_d=6087 | answer=D | explanation=SI = $PRT/100 = 40580 \times 15 \times 1/100 =$ **■**6087.

id=64572 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=64573 | topic=Percentages | difficulty=Easy | question=What is 10% of 959? | option_a=85 | option_b=95 | option_c=190 | option_d=100 | answer=B | explanation=10% of 959 = $(10/100) \times 959 = 95$.

id=64574 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=I | option_c=G | option_d=H | answer=B | explanation=Move 1 positions forward from H; the resulting letter is I.

id=64575 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=31 | option_b=37 | option_c=41 | option_d=36 | answer=D | explanation=The common difference is 5. Therefore the next term is 31 + 5 = 36.

id=64576 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:16 and the first is 30, what is the second? | option_a=32 | option_b=58 | option_c=48 | option_d=78 | answer=C | explanation=Scale factor = $30/10 = 3$. Therefore second quantity = $16 \times 3 = 48$.

id=64577 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=L | option_c=H | option_d=Z | answer=C | explanation=Move 4 positions forward from D; the resulting letter is H.

id=64578 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 15, 22, 30? | option_a=15 | option_b=30 | option_c=8 | option_d=22 | answer=B | explanation=The first three numbers increase by 7, so the next should be 29. Therefore 30 is the odd one out.

id=64579 | topic=Percentages | difficulty=Easy | question=What is 40% of 898? | option_a=359 | option_b=354 | option_c=718 | option_d=364 | answer=A | explanation=40% of 898 = $(40/100) \times 898 = 359$.

id=64580 | topic=Percentages | difficulty=Easy | question=What is 15% of 1868? | option_a=285 | option_b=280 | option_c=560 | option_d=270 | answer=B | explanation=15% of 1868 = $(15/100) \times 1868 = 280$.

id=64581 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2078. If it is sold at a profit of 10%, what is its selling price? | option_a=2492 | option_b=2088 | option_c=2078 | option_d=2285 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2078 \times 110/100 =$ **■**2285.

id=64582 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=64583 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:20 and the first is 247, what is the second? | option_a=507 | option_b=260 | option_c=240 | option_d=279 | answer=B | explanation=Scale factor = $247/19 = 13$. Therefore second quantity = $20 \times 13 = 260$.

id=64584 | topic=Averages | difficulty=Easy | question=Find the average of 98, 90, 88. | option_a=93 | option_b=94 | option_c=91 | option_d=92 | answer=D | explanation=Average = sum of values + number of values = $276 \div 3 = 92$.

id=64585 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:13 and the first is 340, what is the second? | option_a=260 | option_b=247 | option_c=277 | option_d=600 | answer=A | explanation=Scale factor = $340/17 = 20$. Therefore second quantity = $13 \times 20 = 260$.

id=64586 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 15, 18, 23? | option_a=23 | option_b=18 | option_c=12 | option_d=15 | answer=A | explanation=The first three numbers increase by 3, so the next should be 21. Therefore 23 is the odd one out.

id=64587 | topic=Averages | difficulty=Easy | question=Find the average of 17, 17, 68, 76, 41, 13, 16, 15, 16. | option_a=31 | option_b=32 | option_c=33 | option_d=30 | answer=A | explanation=Average = sum of values + number of values = $279 \div 9 = 31$.

id=64588 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1256 at 5% per annum for 4 years. | option_a=351 | option_b=1507 | option_c=151 | option_d=251 | answer=D | explanation=SI = $PRT/100 = 1256 \times 5 \times 4/100 =$ **■**251.

id=64589 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 21. | option_a=168 | option_b=216 | option_c=189 | option_d=567 | answer=C | explanation=LCM $\times$ HCF = 27×21 ; HCF(27,21) = 3, so LCM = 189.

id=64590 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23257 at 8% per annum for 3 years. | option_a=5581 | option_b=5481 | option_c=5681 | option_d=28838 | answer=A | explanation=SI = $PRT/100 = 23257 \times 8 \times 3/100 =$ **■**5581.

Aptitude Questions — Records 64,591-64,620 of 100,000

id=64591 | topic=Percentages | difficulty=Easy | question=What is 50% of 1606? | option_a=823 | option_b=803 | option_c=783 | option_d=1606 | answer=B | explanation=50% of 1606 = (50/100) × 1606 = 803.

id=64592 | topic=Averages | difficulty=Easy | question=Find the average of 69, 90, 81, 64, 85, 20, 32. | option_a=62 | option_b=64 | option_c=63 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = 441 ÷ 7 = 63.

id=64593 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 9, 11, 16? | option_a=16 | option_b=11 | option_c=9 | option_d=7 | answer=A | explanation=The first three numbers increase by 2, so the next should be 13. Therefore 16 is the odd one out.

id=64594 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 52? | option_a=29 | option_b=19 | option_c=52 | option_d=39 | answer=C | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 52 is the odd one out.

id=64595 | topic=Percentages | difficulty=Easy | question=What is 20% of 79? | option_a=15 | option_b=30 | option_c=5 | option_d=20 | answer=A | explanation=20% of 79 = (20/100) × 79 = 15.

id=64596 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=U | option_c=S | option_d=V | answer=B | explanation=Move 1 positions forward from T; the resulting letter is U.

id=64597 | topic=Percentages | difficulty=Easy | question=What is 20% of 1665? | option_a=313 | option_b=666 | option_c=333 | option_d=338 | answer=C | explanation=20% of 1665 = (20/100) × 1665 = 333.

id=64598 | topic=Percentages | difficulty=Easy | question=What is 12% of 819? | option_a=196 | option_b=103 | option_c=98 | option_d=93 | answer=C | explanation=12% of 819 = (12/100) × 819 = 98.

id=64599 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=8 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=64600 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:9 and the first is 108, what is the second? | option_a=108 | option_b=216 | option_c=99 | option_d=117 | answer=A | explanation=Scale factor = 108/9 = 12. Therefore second quantity = 9×12 = 108.

id=64601 | topic=Averages | difficulty=Easy | question=Find the average of 91, 16, 36, 79, 10, 75, 94, 28, 39. | option_a=54 | option_b=53 | option_c=52 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 468 ÷ 9 = 52.

id=64602 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=N | option_b=V | option_c=Z | option_d=R | answer=B | explanation=Move 4 positions forward from R; the resulting letter is V.

id=64603 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:9 and the first is 224, what is the second? | option_a=135 | option_b=158 | option_c=368 | option_d=144 | answer=D | explanation=Scale factor = 224/14 = 16. Therefore second quantity = 9×16 = 144.

id=64604 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 18. | option_a=160 | option_b=288 | option_c=144 | option_d=126 | answer=C | explanation=LCM × HCF = 16×18; HCF(16,18) = 2, so LCM = 144.

id=64605 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26229 at 12% per annum for 1 years. | option_a=3247 | option_b=29376 | option_c=3047 | option_d=3147 | answer=D | explanation=SI = PRT/100 = 26229×12×1/100 = **■**3147.

id=64606 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=64607 | topic=Percentages | difficulty=Easy | question=What is 10% of 562? | option_a=51 | option_b=112 | option_c=66 | option_d=56 | answer=D | explanation=10% of 562 = (10/100) × 562 = 56.

id=64608 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 18, 24, 30, ? | option_a=42 | option_b=37 | option_c=30 | option_d=36 | answer=D | explanation=The common difference is 6. Therefore the next term is 30 + 6 = 36.

id=64609 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=Z | option_c=E | option_d=P | answer=B | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=64610 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=36 | option_b=45 | option_c=54 | option_d=46 | answer=B | explanation=The common difference is 9. Therefore the next term is 36 + 9 = 45.

id=64611 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=51 | option_b=39 | option_c=52 | option_d=63 | answer=A | explanation=The common difference is 12. Therefore the next term is 39 + 12 = 51.

id=64612 | topic=Averages | difficulty=Easy | question=Find the average of 61, 63, 64, 95, 93, 20. | option_a=65 | option_b=66 | option_c=68 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = 396 ÷ 6 = 66.

id=64613 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35089 at 10% per annum for 1 years. | option_a=3508 | option_b=38597 | option_c=3608 | option_d=3408 | answer=A | explanation=SI = PRT/100 = 35089×10×1/100 = **■**3508.

id=64614 | topic=Averages | difficulty=Easy | question=Find the average of 69, 40, 26, 22, 23, 22, 94, 19, 54. | option_a=41 | option_b=43 | option_c=42 | option_d=40 | answer=A | explanation=Average = sum of values ÷ number of values = 369 ÷ 9 = 41.

id=64615 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3341. If it is sold at a profit of 25%, what is its selling price? | option_a=4176 | option_b=4510 | option_c=3842 | option_d=3366 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3341 × 125/100 = **■**4176.

id=64616 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 23, 30, 37, ? | option_a=37 | option_b=51 | option_c=44 | option_d=45 | answer=C | explanation=The common difference is 7. Therefore the next term is 37 + 7 = 44.

id=64617 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=64618 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=35 | option_b=40 | option_c=34 | option_d=28 | answer=C | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.

id=64619 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=R | option_b=P | option_c=S | option_d=Q | answer=A | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=64620 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42942 at 5% per annum for 4 years. | option_a=8488 | option_b=51530 | option_c=8688 | option_d=8588 | answer=D | explanation=SI = PRT/100 = 42942×5×4/100 = **■**8588.

Aptitude Questions — Records 64,621-64,650 of 100,000

id=64621 | topic=Averages | difficulty=Easy | question=Find the average of 18, 41, 79, 102. | option_a=62 | option_b=60 | option_c=61 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 240 ÷ 4 = 60.

id=64622 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=100 | option_c=50 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=64623 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:8 and the first is 18, what is the second? | option_a=72 | option_b=74 | option_c=64 | option_d=90 | answer=A | explanation=Scale factor = 18/2 = 9. Therefore second quantity = 8×9 = 72.

id=64624 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=64625 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:7 and the first is 90, what is the second? | option_a=70 | option_b=63 | option_c=79 | option_d=160 | answer=A | explanation=Scale factor = 90/9 = 10. Therefore second quantity = 7×10 = 70.

id=64626 | topic=Averages | difficulty=Easy | question=Find the average of 78, 20, 81, 97. | option_a=71 | option_b=69 | option_c=70 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = 276 ÷ 4 = 69.

id=64627 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=49 | option_b=50 | option_c=38 | option_d=60 | answer=A | explanation=The common difference is 11. Therefore the next term is 38 + 11 = 49.

id=64628 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=64629 | topic=Percentages | difficulty=Easy | question=What is 40% of 1635? | option_a=654 | option_b=634 | option_c=1308 | option_d=659 | answer=A | explanation=40% of 1635 = (40/100) × 1635 = 654.

id=64630 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=40 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=64631 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=64632 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=A | option_b=I | option_c=E | option_d=M | answer=B | explanation=Move 4 positions forward from E; the resulting letter is I.

id=64633 | topic=Percentages | difficulty=Easy | question=What is 20% of 663? | option_a=112 | option_b=132 | option_c=264 | option_d=137 | answer=B | explanation=20% of 663 = (20/100) × 663 = 132.

id=64634 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14380 at 8% per annum for 4 years. | option_a=4501 | option_b=4701 | option_c=18981 | option_d=4601 | answer=D | explanation=SI = PRT/100 = 14380×8×4/100 = **■**4601.

id=64635 | topic=Averages | difficulty=Easy | question=Find the average of 83, 43, 88, 37, 12, 51, 26, 51, 86. | option_a=54 | option_b=52 | option_c=53 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 477 ÷ 9 = 53.

id=64636 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:2 and the first is 30, what is the second? | option_a=23 | option_b=18 | option_c=50 | option_d=20 | answer=D | explanation=Scale factor = 30/3 = 10. Therefore second quantity = 2×10 = 20.

id=64637 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:9 and the first is 144, what is the second? | option_a=135 | option_b=153 | option_c=144 | option_d=288 | answer=C | explanation=Scale factor = 144/9 = 16. Therefore second quantity = 9×16 = 144.

id=64638 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 20, 30, 42? | option_a=10 | option_b=30 | option_c=20 | option_d=42 | answer=D | explanation=The first three numbers increase by 10, so the next should be 40. Therefore 42 is the odd one out.

id=64639 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 24, 33, 44? | option_a=15 | option_b=24 | option_c=33 | option_d=44 | answer=D | explanation=The first three numbers increase by 9, so the next should be 42. Therefore 44 is the odd one out.

id=64640 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 17, 20, 25? | option_a=14 | option_b=17 | option_c=20 | option_d=25 | answer=D | explanation=The first three numbers increase by 3, so the next should be 23. Therefore 25 is the odd one out.

id=64641 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41744 at 5% per annum for 3 years. | option_a=48005 | option_b=6361 | option_c=6261 | option_d=6161 | answer=C | explanation=SI = PRT/100 = 41744×5×3/100 = **■**6261.

id=64642 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:4 and the first is 45, what is the second? | option_a=8 | option_b=12 | option_c=27 | option_d=57 | answer=B | explanation=Scale factor = 45/15 = 3. Therefore second quantity = 4×3 = 12.

id=64643 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:12 and the first is 32, what is the second? | option_a=96 | option_b=128 | option_c=84 | option_d=100 | answer=A | explanation=Scale factor = 32/4 = 8. Therefore second quantity = 12×8 = 96.

id=64644 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:16 and the first is 12, what is the second? | option_a=193 | option_b=176 | option_c=192 | option_d=204 | answer=C | explanation=Scale factor = 12/1 = 12. Therefore second quantity = 16×12 = 192.

id=64645 | topic=Percentages | difficulty=Easy | question=What is 25% of 1958? | option_a=978 | option_b=484 | option_c=489 | option_d=509 | answer=C | explanation=25% of 1958 = (25/100) × 1958 = 489.

id=64646 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=64647 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 23, 28, 34? | option_a=34 | option_b=18 | option_c=23 | option_d=28 | answer=A | explanation=The first three numbers increase by 5, so the next should be 33. Therefore 34 is the odd one out.

id=64648 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:11 and the first is 190, what is the second? | option_a=110 | option_b=99 | option_c=300 | option_d=129 | answer=A | explanation=Scale factor = 190/19 = 10. Therefore second quantity = 11×10 = 110.

id=64649 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=12 | option_b=9 | option_c=11 | option_d=13 | answer=C | explanation=The common difference is 2. Therefore the next term is 9 + 2 = 11.

id=64650 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

Aptitude Questions — Records 64,651-64,680 of 100,000

id=64651 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=64652 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 30. | option_a=448 | option_b=420 | option_c=840 | option_d=390 | answer=B | explanation=LCM × HCF = 28×30; HCF(28,30) = 2, so LCM = 420.

id=64653 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 27, 32, 39? | option_a=27 | option_b=22 | option_c=39 | option_d=32 | answer=C | explanation=The first three numbers increase by 5, so the next should be 37. Therefore 39 is the odd one out.

id=64654 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 49? | option_a=40 | option_b=28 | option_c=49 | option_d=34 | answer=C | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 49 is the odd one out.

id=64655 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13456 at 12% per annum for 3 years. | option_a=4744 | option_b=4944 | option_c=4844 | option_d=18300 | answer=C | explanation=SI = $PRT/100 = 13456 \times 12 \times 3/100 = \text{■}4844$.

id=64656 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=64657 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4383. If it is sold at a profit of 40%, what is its selling price? | option_a=4423 | option_b=6136 | option_c=6574 | option_d=5698 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4383 \times 140/100 = \text{■}6136$.

id=64658 | topic=Percentages | difficulty=Easy | question=What is 15% of 1968? | option_a=290 | option_b=590 | option_c=315 | option_d=295 | answer=D | explanation=15% of 1968 = $(15/100) \times 1968 = 295$.

id=64659 | topic=Percentages | difficulty=Easy | question=What is 40% of 1119? | option_a=427 | option_b=457 | option_c=894 | option_d=447 | answer=D | explanation=40% of 1119 = $(40/100) \times 1119 = 447$.

id=64660 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 28, 38, 48, ? | option_a=48 | option_b=58 | option_c=59 | option_d=68 | answer=B | explanation=The common difference is 10. Therefore the next term is 48 + 10 = 58.

id=64661 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1443. If it is sold at a profit of 25%, what is its selling price? | option_a=1947 | option_b=1468 | option_c=1803 | option_d=1659 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1443 \times 125/100 = \text{■}1803$.

id=64662 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**936. If it is sold at a profit of 15%, what is its selling price? | option_a=1076 | option_b=983 | option_c=951 | option_d=1169 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 936 \times 115/100 = \text{■}1076$.

id=64663 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=O | option_b=W | option_c=A | option_d=S | answer=B | explanation=Move 4 positions forward from S; the resulting letter is W.

id=64664 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=U | option_b=P | option_c=K | option_d=F | answer=B | explanation=Move 5 positions forward from K; the resulting letter is P.

id=64665 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=Y | option_b=E | option_c=B | option_d=H | answer=B | explanation=Move 3 positions forward from B; the resulting letter is E.

id=64666 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=37 | option_b=25 | option_c=31 | option_d=32 | answer=C | explanation=The common difference is 6. Therefore the next term is 25 + 6 = 31.

id=64667 | topic=Averages | difficulty=Easy | question=Find the average of 76, 62, 96, 66, 69, 99, 28, 81, 26. | option_a=66 | option_b=69 | option_c=67 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = $603 \div 9 = 67$.

id=64668 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:4 and the first is 12, what is the second? | option_a=24 | option_b=36 | option_c=20 | option_d=26 | answer=A | explanation=Scale factor = $12/2 = 6$. Therefore second quantity = $4 \times 6 = 24$.

id=64669 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=E | option_b=O | option_c=J | option_d=T | answer=B | explanation=Move 5 positions forward from J; the resulting letter is O.

id=64670 | topic=Percentages | difficulty=Easy | question=What is 20% of 996? | option_a=398 | option_b=204 | option_c=199 | option_d=194 | answer=C | explanation=20% of 996 = $(20/100) \times 996 = 199$.

id=64671 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=B | option_b=M | option_c=R | option_d=W | answer=D | explanation=Move 5 positions forward from R; the resulting letter is W.

id=64672 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10134 at 8% per annum for 3 years. | option_a=2432 | option_b=12566 | option_c=2332 | option_d=2532 | answer=A | explanation=SI = $PRT/100 = 10134 \times 8 \times 3/100 = \text{■}2432$.

id=64673 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 40? | option_a=29 | option_b=40 | option_c=11 | option_d=20 | answer=B | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 40 is the odd one out.

id=64674 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=40 | option_b=34 | option_c=28 | option_d=35 | answer=B | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.

id=64675 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=20 | option_b=23 | option_c=24 | option_d=26 | answer=B | explanation=The common difference is 3. Therefore the next term is 20 + 3 = 23.

id=64676 | topic=Percentages | difficulty=Easy | question=What is 50% of 56? | option_a=28 | option_b=18 | option_c=38 | option_d=56 | answer=A | explanation=50% of 56 = $(50/100) \times 56 = 28$.

id=64677 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4864. If it is sold at a profit of 25%, what is its selling price? | option_a=5594 | option_b=6080 | option_c=6566 | option_d=4889 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4864 \times 125/100 = \text{■}6080$.

id=64678 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=64679 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 19? | option_a=19 | option_b=15 | option_c=12 | option_d=9 | answer=A | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 19 is the odd one out.

id=64680 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $180 \div 3 = 60$ km/h.

Aptitude Questions — Records 64,681-64,710 of 100,000

id=64681 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 24? | option_a=19 | option_b=24 | option_c=17 | option_d=21 | answer=B | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 24 is the odd one out.

id=64682 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=64683 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=39 | option_b=43 | option_c=38 | option_d=33 | answer=C | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.

id=64684 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:3 and the first is 128, what is the second? | option_a=24 | option_b=152 | option_c=21 | option_d=40 | answer=A | explanation=Scale factor = 128/16 = 8. Therefore second quantity = 3×8 = 24.

id=64685 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=4 | option_c=18 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=64686 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 37? | option_a=30 | option_b=37 | option_c=32 | option_d=34 | answer=B | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 37 is the odd one out.

id=64687 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11382 at 15% per annum for 4 years. | option_a=18211 | option_b=6929 | option_c=6829 | option_d=6729 | answer=C | explanation=SI = $PRT/100 = 11382 \times 15 \times 4 / 100 = \text{■}6829$.

id=64688 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 32, 42, 55? | option_a=55 | option_b=32 | option_c=22 | option_d=42 | answer=A | explanation=The first three numbers increase by 10, so the next should be 52. Therefore 55 is the odd one out.

id=64689 | topic=Averages | difficulty=Easy | question=Find the average of 15, 90, 90, 18, 40, 47. | option_a=50 | option_b=52 | option_c=49 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 300 ÷ 6 = 50.

id=64690 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=W | option_b=Q | option_c=N | option_d=T | answer=D | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=64691 | topic=Percentages | difficulty=Easy | question=What is 50% of 433? | option_a=432 | option_b=211 | option_c=221 | option_d=216 | answer=D | explanation=50% of 433 = $(50/100) \times 433 = 216$.

id=64692 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 25? | option_a=18 | option_b=16 | option_c=20 | option_d=25 | answer=D | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 25 is the odd one out.

id=64693 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=9 | option_b=11 | option_c=12 | option_d=13 | answer=B | explanation=The common difference is 2. Therefore the next term is 9 + 2 = 11.

id=64694 | topic=Averages | difficulty=Easy | question=Find the average of 53, 53, 91, 83. | option_a=70 | option_b=69 | option_c=72 | option_d=71 | answer=A | explanation=Average = sum of values ÷ number of values = 280 ÷ 4 = 70.

id=64695 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 15. | option_a=300 | option_b=45 | option_c=80 | option_d=60 | answer=D | explanation= $LCM \times HCF = 20 \times 15$; $HCF(20,15) = 5$, so $LCM = 60$.

id=64696 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=48 | option_c=19 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=64697 | topic=Percentages | difficulty=Easy | question=What is 20% of 449? | option_a=99 | option_b=178 | option_c=84 | option_d=89 | answer=D | explanation=20% of 449 = $(20/100) \times 449 = 89$.

id=64698 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27190 at 5% per annum for 4 years. | option_a=5438 | option_b=5338 | option_c=5538 | option_d=32628 | answer=A | explanation=SI = $PRT/100 = 27190 \times 5 \times 4 / 100 = \text{■}5438$.

id=64699 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=40 | option_c=45 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=64700 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=64701 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2492. If it is sold at a profit of 20%, what is its selling price? | option_a=2512 | option_b=2741 | option_c=2990 | option_d=3239 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2492 \times 120/100 = \text{■}2990$.

id=64702 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:3 and the first is 90, what is the second? | option_a=24 | option_b=37 | option_c=117 | option_d=27 | answer=D | explanation=Scale factor = $90/10 = 9$. Therefore second quantity = $3 \times 9 = 27$.

id=64703 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13594 at 6% per annum for 4 years. | option_a=3362 | option_b=3162 | option_c=3262 | option_d=16856 | answer=C | explanation=SI = $PRT/100 = 13594 \times 6 \times 4 / 100 = \text{■}3262$.

id=64704 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 28, 31, 36? | option_a=36 | option_b=31 | option_c=28 | option_d=25 | answer=A | explanation=The first three numbers increase by 3, so the next should be 34. Therefore 36 is the odd one out.

id=64705 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 45? | option_a=45 | option_b=36 | option_c=24 | option_d=30 | answer=A | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 45 is the odd one out.

id=64706 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=64707 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=64708 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2439. If it is sold at a profit of 5%, what is its selling price? | option_a=2803 | option_b=2444 | option_c=2317 | option_d=2560 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2439 \times 105/100 = \text{■}2560$.

id=64709 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 23, 26, 31? | option_a=31 | option_b=26 | option_c=23 | option_d=20 | answer=A | explanation=The first three numbers increase by 3, so the next should be 29. Therefore 31 is the odd one out.

id=64710 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**573. If it is sold at a profit of 5%, what is its selling price? | option_a=544 | option_b=578 | option_c=601 | option_d=658 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 573 \times 105/100 = \text{■}601$.

Aptitude Questions — Records 64,711-64,740 of 100,000

id=64711 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=H | option_c=J | option_d=L | answer=D | explanation=Move 2 positions forward from J; the resulting letter is L.

id=64712 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 31? | option_a=24 | option_b=31 | option_c=14 | option_d=19 | answer=B | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 31 is the odd one out.

id=64713 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=62 | option_b=63 | option_c=74 | option_d=50 | answer=A | explanation=The common difference is 12. Therefore the next term is 50 + 12 = 62.

id=64714 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:7 and the first is 240, what is the second? | option_a=105 | option_b=112 | option_c=127 | option_d=352 | answer=B | explanation=Scale factor = 240/15 = 16. Therefore second quantity = 7×16 = 112.

id=64715 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=O | option_b=R | option_c=P | option_d=Q | answer=D | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=64716 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=73 | option_b=63 | option_c=51 | option_d=62 | answer=D | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.

id=64717 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3263. If it is sold at a profit of 10%, what is its selling price? | option_a=3273 | option_b=3915 | option_c=3589 | option_d=3263 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3263 × 110/100 = **₹**3589.

id=64718 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=A | option_c=G | option_d=C | answer=A | explanation=Move 2 positions forward from C; the resulting letter is E.

id=64719 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**29791 at 4% per annum for 5 years. | option_a=35749 | option_b=5858 | option_c=5958 | option_d=6058 | answer=C | explanation=SI = PRT/100 = 29791×4×5/100 = **₹**5958.

id=64720 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3707. If it is sold at a profit of 50%, what is its selling price? | option_a=5190 | option_b=5930 | option_c=3757 | option_d=5560 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3707 × 150/100 = **₹**5560.

id=64721 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=P | option_b=S | option_c=Q | option_d=R | answer=D | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=64722 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**39321 at 10% per annum for 1 years. | option_a=43253 | option_b=3832 | option_c=4032 | option_d=3932 | answer=D | explanation=SI = PRT/100 = 39321×10×1/100 = **₹**3932.

id=64723 | topic=Averages | difficulty=Easy | question=Find the average of 57, 68, 95, 56, 63, 20, 75. | option_a=64 | option_b=83 | option_c=62 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 434 ÷ 7 = 62.

id=64724 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=64725 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**48629 at 8% per annum for 2 years. | option_a=7880 | option_b=7680 | option_c=7780 | option_d=56409 | answer=C | explanation=SI = PRT/100 = 48629×8×2/100 = **₹**7780.

id=64726 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=64727 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=H | option_c=F | option_d=G | answer=B | explanation=Move 1 positions forward from G; the resulting letter is H.

id=64728 | topic=Averages | difficulty=Easy | question=Find the average of 49, 70, 82, 67, 60, 14, 78, 28. | option_a=58 | option_b=55 | option_c=56 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 448 ÷ 8 = 56.

id=64729 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:20 and the first is 156, what is the second? | option_a=240 | option_b=220 | option_c=396 | option_d=253 | answer=A | explanation=Scale factor = 156/13 = 12. Therefore second quantity = 20×12 = 240.

id=64730 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**670. If it is sold at a profit of 15%, what is its selling price? | option_a=837 | option_b=770 | option_c=703 | option_d=685 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 670 × 115/100 = **₹**770.

id=64731 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4886. If it is sold at a profit of 25%, what is its selling price? | option_a=6107 | option_b=4911 | option_c=6595 | option_d=5619 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4886 × 125/100 = **₹**6107.

id=64732 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**590. If it is sold at a profit of 30%, what is its selling price? | option_a=708 | option_b=620 | option_c=826 | option_d=767 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 590 × 130/100 = **₹**767.

id=64733 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4996. If it is sold at a profit of 10%, what is its selling price? | option_a=5495 | option_b=5006 | option_c=4996 | option_d=5994 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4996 × 110/100 = **₹**5495.

id=64734 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:5 and the first is 135, what is the second? | option_a=40 | option_b=60 | option_c=180 | option_d=45 | answer=D | explanation=Scale factor = 135/15 = 9. Therefore second quantity = 5×9 = 45.

id=64735 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=20 | option_c=15 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=64736 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3939. If it is sold at a profit of 10%, what is its selling price? | option_a=4725 | option_b=3939 | option_c=3949 | option_d=4332 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3939 × 110/100 = **₹**4332.

id=64737 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 17, 25, 33, ? | option_a=49 | option_b=33 | option_c=41 | option_d=42 | answer=C | explanation=The common difference is 8. Therefore the next term is 33 + 8 = 41.

id=64738 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=36 | option_b=31 | option_c=41 | option_d=72 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=64739 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**48186 at 6% per annum for 1 years. | option_a=2891 | option_b=2791 | option_c=51077 | option_d=2991 | answer=A | explanation=SI = PRT/100 = 48186×6×1/100 = **₹**2891.

id=64740 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**37217 at 15% per annum for 2 years. | option_a=11165 | option_b=11265 | option_c=11065 | option_d=48382 | answer=A | explanation=SI = PRT/100 = 37217×15×2/100 = **₹**11165.

Aptitude Questions — Records 64,741-64,770 of 100,000

id=64741 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=19 | option_b=20 | option_c=17 | option_d=21 | answer=A | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=64742 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=64743 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=17 | option_c=7 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=64744 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2156. If it is sold at a profit of 25%, what is its selling price? | option_a=2181 | option_b=2695 | option_c=2910 | option_d=2480 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2156 × 125/100 = █2695.

id=64745 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:3 and the first is 128, what is the second? | option_a=45 | option_b=48 | option_c=56 | option_d=176 | answer=B | explanation=Scale factor = 128/8 = 16. Therefore second quantity = 3×16 = 48.

id=64746 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4087. If it is sold at a profit of 10%, what is its selling price? | option_a=4495 | option_b=4087 | option_c=4903 | option_d=4097 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4087 × 110/100 = █4495.

id=64747 | topic=Profit & Loss | difficulty=Easy | question=An article costs █605. If it is sold at a profit of 15%, what is its selling price? | option_a=620 | option_b=755 | option_c=635 | option_d=695 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 605 × 115/100 = █695.

id=64748 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6856 at 10% per annum for 3 years. | option_a=2156 | option_b=2056 | option_c=8912 | option_d=1956 | answer=B | explanation=SI = PRT/100 = 6856×10×3/100 = █2056.

id=64749 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=85 | option_d=160 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=64750 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 35, 45, 57? | option_a=57 | option_b=25 | option_c=45 | option_d=35 | answer=A | explanation=The first three numbers increase by 10, so the next should be 55. Therefore 57 is the odd one out.

id=64751 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=45 | option_b=52 | option_c=46 | option_d=38 | answer=A | explanation=The common difference is 7. Therefore the next term is 38 + 7 = 45.

id=64752 | topic=Percentages | difficulty=Easy | question=What is 50% of 1109? | option_a=564 | option_b=554 | option_c=1108 | option_d=549 | answer=B | explanation=50% of 1109 = (50/100) × 1109 = 554.

id=64753 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:10 and the first is 104, what is the second? | option_a=138 | option_b=130 | option_c=234 | option_d=120 | answer=B | explanation=Scale factor = 104/8 = 13. Therefore second quantity = 10×13 = 130.

id=64754 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:1 and the first is 144, what is the second? | option_a=25 | option_b=8 | option_c=9 | option_d=153 | answer=C | explanation=Scale factor = 144/16 = 9. Therefore second quantity = 1×9 = 9.

id=64755 | topic=Averages | difficulty=Easy | question=Find the average of 41, 77, 87, 26, 57, 23, 61, 92. | option_a=59 | option_b=57 | option_c=58 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 464 ÷ 8 = 58.

id=64756 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 16, 19, 23? | option_a=16 | option_b=19 | option_c=23 | option_d=13 | answer=C | explanation=The first three numbers increase by 3, so the next should be 22. Therefore 23 is the odd one out.

id=64757 | topic=Averages | difficulty=Easy | question=Find the average of 61, 32, 46, 60, 36, 53. | option_a=47 | option_b=48 | option_c=49 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 288 ÷ 6 = 48.

id=64758 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=64759 | topic=Percentages | difficulty=Easy | question=What is 5% of 527? | option_a=26 | option_b=46 | option_c=52 | option_d=16 | answer=A | explanation=5% of 527 = (5/100) × 527 = 26.

id=64760 | topic=Averages | difficulty=Easy | question=Find the average of 38, 48, 36, 97, 65, 52. | option_a=58 | option_b=56 | option_c=57 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 336 ÷ 6 = 56.

id=64761 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=30 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=64762 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=64763 | topic=Averages | difficulty=Easy | question=Find the average of 10, 79, 86, 32, 75, 48, 73, 98, 66. | option_a=65 | option_b=63 | option_c=62 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 567 ÷ 9 = 63.

id=64764 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=32 | option_b=43 | option_c=42 | option_d=52 | answer=C | explanation=The common difference is 10. Therefore the next term is 32 + 10 = 42.

id=64765 | topic=Averages | difficulty=Easy | question=Find the average of 84, 62, 66, 96, 26, 51, 58, 80, 81, 76. | option_a=69 | option_b=67 | option_c=68 | option_d=70 | answer=C | explanation=Average = sum of values ÷ number of values = 680 ÷ 10 = 68.

id=64766 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=64767 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=64768 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=R | option_b=J | option_c=F | option_d=N | answer=D | explanation=Move 4 positions forward from J; the resulting letter is N.

id=64769 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:2 and the first is 56, what is the second? | option_a=14 | option_b=72 | option_c=16 | option_d=23 | answer=C | explanation=Scale factor = 56/7 = 8. Therefore second quantity = 2×8 = 16.

id=64770 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=21 | option_b=17 | option_c=20 | option_d=19 | answer=D | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

Aptitude Questions — Records 64,771-64,800 of 100,000

id=64771 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=51 | option_b=60 | option_c=42 | option_d=52 | answer=A | explanation=The common difference is 9. Therefore the next term is 42 + 9 = 51.

id=64772 | topic=Percentages | difficulty=Easy | question=What is 25% of 1630? | option_a=407 | option_b=412 | option_c=402 | option_d=814 | answer=A | explanation=25% of 1630 = (25/100) × 1630 = 407.

id=64773 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■42522 at 12% per annum for 2 years. | option_a=10305 | option_b=52727 | option_c=10205 | option_d=10105 | answer=C | explanation=SI = PRT/100 = 42522×12×2/100 = ■10205.

id=64774 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 20. | option_a=96 | option_b=60 | option_c=80 | option_d=320 | answer=C | explanation=LCM × HCF = 16×20; HCF(16,20) = 4, so LCM = 80.

id=64775 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=64776 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:15 and the first is 10, what is the second? | option_a=30 | option_b=35 | option_c=40 | option_d=15 | answer=A | explanation=Scale factor = 10/5 = 2. Therefore second quantity = 15×2 = 30.

id=64777 | topic=Percentages | difficulty=Easy | question=What is 25% of 213? | option_a=53 | option_b=73 | option_c=106 | option_d=43 | answer=A | explanation=25% of 213 = (25/100) × 213 = 53.

id=64778 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 25, 30, 37? | option_a=25 | option_b=30 | option_c=20 | option_d=37 | answer=D | explanation=The first three numbers increase by 5, so the next should be 35. Therefore 37 is the odd one out.

id=64779 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3265. If it is sold at a profit of 30%, what is its selling price? | option_a=4570 | option_b=4244 | option_c=3918 | option_d=3295 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3265 × 130/100 = ■4244.

id=64780 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=R | option_c=P | option_d=Q | answer=B | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=64781 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 23, 30, 37, ? | option_a=45 | option_b=44 | option_c=51 | option_d=37 | answer=B | explanation=The common difference is 7. Therefore the next term is 37 + 7 = 44.

id=64782 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1255. If it is sold at a profit of 10%, what is its selling price? | option_a=1265 | option_b=1255 | option_c=1505 | option_d=1380 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1255 × 110/100 = ■1380.

id=64783 | topic=Averages | difficulty=Easy | question=Find the average of 66, 17, 10, 79. | option_a=45 | option_b=44 | option_c=43 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = 172 ÷ 4 = 43.

id=64784 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2328. If it is sold at a profit of 5%, what is its selling price? | option_a=2444 | option_b=2333 | option_c=2212 | option_d=2676 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2328 × 105/100 = ■2444.

id=64785 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■602. If it is sold at a profit of 40%, what is its selling price? | option_a=782 | option_b=642 | option_c=842 | option_d=902 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 602 × 140/100 = ■842.

id=64786 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 19, 22, 25, ? | option_a=28 | option_b=29 | option_c=31 | option_d=25 | answer=A | explanation=The common difference is 3. Therefore the next term is 25 + 3 = 28.

id=64787 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=64788 | topic=Percentages | difficulty=Easy | question=What is 5% of 1916? | option_a=95 | option_b=85 | option_c=115 | option_d=190 | answer=A | explanation=5% of 1916 = (5/100) × 1916 = 95.

id=64789 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:7 and the first is 63, what is the second? | option_a=112 | option_b=42 | option_c=49 | option_d=58 | answer=C | explanation=Scale factor = 63/9 = 7. Therefore second quantity = 7×7 = 49.

id=64790 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2298. If it is sold at a profit of 5%, what is its selling price? | option_a=2183 | option_b=2303 | option_c=2412 | option_d=2641 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2298 × 105/100 = ■2412.

id=64791 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 21? | option_a=14 | option_b=16 | option_c=18 | option_d=21 | answer=D | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 21 is the odd one out.

id=64792 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■830. If it is sold at a profit of 5%, what is its selling price? | option_a=788 | option_b=954 | option_c=835 | option_d=871 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 830 × 105/100 = ■871.

id=64793 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=64794 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=E | option_c=F | option_d=D | answer=C | explanation=Move 1 positions forward from E; the resulting letter is F.

id=64795 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=64796 | topic=Percentages | difficulty=Easy | question=What is 5% of 354? | option_a=7 | option_b=34 | option_c=37 | option_d=17 | answer=D | explanation=5% of 354 = (5/100) × 354 = 17.

id=64797 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=64798 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=64799 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=64800 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4083. If it is sold at a profit of 20%, what is its selling price? | option_a=4103 | option_b=5307 | option_c=4899 | option_d=4491 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4083 × 120/100 = ■4899.

Aptitude Questions — Records 64,801-64,830 of 100,000

id=64801 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 13, 17, 21, ? | option_a=26 | option_b=25 | option_c=21 | option_d=29 | answer=B | explanation=The common difference is 4. Therefore the next term is 21 + 4 = 25.

id=64802 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 9. | option_a=216 | option_b=96 | option_c=63 | option_d=72 | answer=D | explanation=LCM × HCF = 24×9; HCF(24,9) = 3, so LCM = 72.

id=64803 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=64804 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=125 | option_c=115 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=64805 | topic=Percentages | difficulty=Easy | question=What is 30% of 1154? | option_a=341 | option_b=351 | option_c=692 | option_d=346 | answer=D | explanation=30% of 1154 = (30/100) × 1154 = 346.

id=64806 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=H | option_b=C | option_c=M | option_d=X | answer=A | explanation=Move 5 positions forward from C; the resulting letter is H.

id=64807 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:15 and the first is 18, what is the second? | option_a=15 | option_b=39 | option_c=30 | option_d=48 | answer=C | explanation=Scale factor = 18/9 = 2. Therefore second quantity = 15×2 = 30.

id=64808 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 15, 20, 28? | option_a=10 | option_b=28 | option_c=15 | option_d=20 | answer=B | explanation=The first three numbers increase by 5, so the next should be 25. Therefore 28 is the odd one out.

id=64809 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=64810 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:11 and the first is 85, what is the second? | option_a=176 | option_b=192 | option_c=187 | option_d=272 | answer=C | explanation=Scale factor = 85/5 = 17. Therefore second quantity = 11×17 = 187.

id=64811 | topic=Number System | difficulty=Easy | question=Find the LCM of 19 and 19. | option_a=38 | option_b=19 | option_c=1 | option_d=361 | answer=B | explanation=LCM × HCF = 19×19; HCF(19,19) = 19, so LCM = 19.

id=64812 | topic=Profit & Loss | difficulty=Easy | question=An article costs █570. If it is sold at a profit of 30%, what is its selling price? | option_a=684 | option_b=600 | option_c=741 | option_d=798 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 570 × 130/100 = █741.

id=64813 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 5. | option_a=125 | option_b=20 | option_c=25 | option_d=50 | answer=C | explanation=LCM × HCF = 25×5; HCF(25,5) = 5, so LCM = 25.

id=64814 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=Q | option_c=O | option_d=U | answer=A | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=64815 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=64816 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=59 | option_b=47 | option_c=58 | option_d=69 | answer=C | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.

id=64817 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43208 at 15% per annum for 5 years. | option_a=75614 | option_b=32406 | option_c=32506 | option_d=32306 | answer=B | explanation=SI = PRT/100 = 43208×15×5/100 = █32406.

id=64818 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2606. If it is sold at a profit of 5%, what is its selling price? | option_a=2736 | option_b=2476 | option_c=2611 | option_d=2996 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2606 × 105/100 = █2736.

id=64819 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3865. If it is sold at a profit of 25%, what is its selling price? | option_a=3890 | option_b=4831 | option_c=4445 | option_d=5217 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3865 × 125/100 = █4831.

id=64820 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:12 and the first is 140, what is the second? | option_a=134 | option_b=108 | option_c=120 | option_d=260 | answer=C | explanation=Scale factor = 140/14 = 10. Therefore second quantity = 12×10 = 120.

id=64821 | topic=Averages | difficulty=Easy | question=Find the average of 13, 78, 59, 56, 10, 39, 89, 78, 17, 101. | option_a=55 | option_b=53 | option_c=54 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

id=64822 | topic=Averages | difficulty=Easy | question=Find the average of 49, 92, 46, 29. | option_a=54 | option_b=56 | option_c=53 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 216 ÷ 4 = 54.

id=64823 | topic=Profit & Loss | difficulty=Easy | question=An article costs █366. If it is sold at a profit of 30%, what is its selling price? | option_a=396 | option_b=511 | option_c=439 | option_d=475 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 366 × 130/100 = █475.

id=64824 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=46 | option_b=70 | option_c=58 | option_d=59 | answer=C | explanation=The common difference is 12. Therefore the next term is 46 + 12 = 58.

id=64825 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=64826 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2613 at 10% per annum for 4 years. | option_a=3658 | option_b=945 | option_c=1145 | option_d=1045 | answer=D | explanation=SI = PRT/100 = 2613×10×4/100 = █1045.

id=64827 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1376. If it is sold at a profit of 15%, what is its selling price? | option_a=1719 | option_b=1445 | option_c=1391 | option_d=1582 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1376 × 115/100 = █1582.

id=64828 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33781 at 5% per annum for 5 years. | option_a=42226 | option_b=8345 | option_c=8545 | option_d=8445 | answer=D | explanation=SI = PRT/100 = 33781×5×5/100 = █8445.

id=64829 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:5 and the first is 21, what is the second? | option_a=38 | option_b=30 | option_c=35 | option_d=56 | answer=C | explanation=Scale factor = 21/3 = 7. Therefore second quantity = 5×7 = 35.

id=64830 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=75 | option_c=80 | option_d=70 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

Aptitude Questions — Records 64,831-64,860 of 100,000

id=64831 | topic=Percentages | difficulty=Easy | question=What is 25% of 876? | option_a=229 | option_b=219 | option_c=438 | option_d=199 | answer=B | explanation=25% of 876 = (25/100) × 876 = 219.

id=64832 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=64833 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=64834 | topic=Profit & Loss | difficulty=Easy | question=An article costs █869. If it is sold at a profit of 5%, what is its selling price? | option_a=912 | option_b=826 | option_c=874 | option_d=998 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 869 × 105/100 = █912.

id=64835 | topic=Averages | difficulty=Easy | question=Find the average of 87, 34, 60, 74, 87, 54, 82, 42. | option_a=64 | option_b=66 | option_c=67 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 520 ÷ 8 = 65.

id=64836 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=64837 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=54 | option_b=36 | option_c=45 | option_d=46 | answer=C | explanation=The common difference is 9. Therefore the next term is 36 + 9 = 45.

id=64838 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=13 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=64839 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40528 at 6% per annum for 5 years. | option_a=12158 | option_b=12058 | option_c=12258 | option_d=52686 | answer=A | explanation=SI = PRT/100 = 40528×6×5/100 = █12158.

id=64840 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:15 and the first is 24, what is the second? | option_a=165 | option_b=180 | option_c=204 | option_d=182 | answer=B | explanation=Scale factor = 24/2 = 12. Therefore second quantity = 15×12 = 180.

id=64841 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 25, 34, 43, ? | option_a=53 | option_b=43 | option_c=52 | option_d=61 | answer=C | explanation=The common difference is 9. Therefore the next term is 43 + 9 = 52.

id=64842 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=64843 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 20, 26, 34? | option_a=20 | option_b=26 | option_c=34 | option_d=14 | answer=C | explanation=The first three numbers increase by 6, so the next should be 32. Therefore 34 is the odd one out.

id=64844 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 32, 39, 47? | option_a=47 | option_b=39 | option_c=25 | option_d=32 | answer=A | explanation=The first three numbers increase by 7, so the next should be 46. Therefore 47 is the odd one out.

id=64845 | topic=Averages | difficulty=Easy | question=Find the average of 79, 60, 78, 51. | option_a=66 | option_b=69 | option_c=67 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 268 ÷ 4 = 67.

id=64846 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=17 | option_c=12 | option_d=24 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=64847 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=64848 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=64849 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=125 | option_b=240 | option_c=115 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=64850 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=24 | option_b=25 | option_c=20 | option_d=28 | answer=A | explanation=The common difference is 4. Therefore the next term is 20 + 4 = 24.

id=64851 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=64852 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=B | option_b=T | option_c=X | option_d=P | answer=C | explanation=Move 4 positions forward from T; the resulting letter is X.

id=64853 | topic=Percentages | difficulty=Easy | question=What is 25% of 147? | option_a=31 | option_b=56 | option_c=72 | option_d=36 | answer=D | explanation=25% of 147 = (25/100) × 147 = 36.

id=64854 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 33, 43, 55? | option_a=55 | option_b=43 | option_c=33 | option_d=23 | answer=A | explanation=The first three numbers increase by 10, so the next should be 53. Therefore 55 is the odd one out.

id=64855 | topic=Averages | difficulty=Easy | question=Find the average of 76, 13, 65, 42. | option_a=48 | option_b=49 | option_c=51 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 196 ÷ 4 = 49.

id=64856 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2448 at 10% per annum for 2 years. | option_a=589 | option_b=389 | option_c=2937 | option_d=489 | answer=D | explanation=SI = PRT/100 = 2448×10×2/100 = █489.

id=64857 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=N | option_c=R | option_d=P | answer=C | explanation=Move 2 positions forward from P; the resulting letter is R.

id=64858 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36577 at 12% per annum for 1 years. | option_a=40966 | option_b=4389 | option_c=4489 | option_d=4289 | answer=B | explanation=SI = PRT/100 = 36577×12×1/100 = █4389.

id=64859 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=60 | option_b=61 | option_c=70 | option_d=50 | answer=A | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

id=64860 | topic=Averages | difficulty=Easy | question=Find the average of 73, 23, 88, 22, 35, 60, 35. | option_a=50 | option_b=49 | option_c=47 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = 336 ÷ 7 = 48.

Aptitude Questions — Records 64,861-64,890 of 100,000

id=64861 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=64862 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 21. | option_a=105 | option_b=120 | option_c=315 | option_d=84 | answer=A | explanation=LCM × HCF = 15×21; HCF(15,21) = 3, so LCM = 105.

id=64863 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:6 and the first is 171, what is the second? | option_a=48 | option_b=73 | option_c=54 | option_d=225 | answer=C | explanation=Scale factor = 171/19 = 9. Therefore second quantity = 6×9 = 54.

id=64864 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■3162 at 8% per annum for 4 years. | option_a=4173 | option_b=1111 | option_c=911 | option_d=1011 | answer=D | explanation=SI = PRT/100 = 3162×8×4/100 = ■1011.

id=64865 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4860. If it is sold at a profit of 40%, what is its selling price? | option_a=4900 | option_b=6318 | option_c=6804 | option_d=7290 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4860 × 140/100 = ■6804.

id=64866 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=25 | option_b=29 | option_c=19 | option_d=24 | answer=D | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.

id=64867 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does "T" become? | option_a=T | option_b=V | option_c=X | option_d=R | answer=B | explanation=Move 2 positions forward from T; the resulting letter is V.

id=64868 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 57? | option_a=26 | option_b=36 | option_c=57 | option_d=26 | answer=C | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 57 is the odd one out.

id=64869 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1007. If it is sold at a profit of 25%, what is its selling price? | option_a=1032 | option_b=1158 | option_c=1258 | option_d=1358 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1007 × 125/100 = ■1258.

id=64870 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=44 | option_b=43 | option_c=37 | option_d=49 | answer=B | explanation=The common difference is 6. Therefore the next term is 37 + 6 = 43.

id=64871 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 34, 44, 57? | option_a=24 | option_b=57 | option_c=34 | option_d=44 | answer=B | explanation=The first three numbers increase by 10, so the next should be 54. Therefore 57 is the odd one out.

id=64872 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=64873 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:10 and the first is 380, what is the second? | option_a=190 | option_b=210 | option_c=180 | option_d=570 | answer=A | explanation=Scale factor = 380/20 = 19. Therefore second quantity = 10×19 = 190.

id=64874 | topic=Averages | difficulty=Easy | question=Find the average of 66, 81, 99. | option_a=83 | option_b=82 | option_c=81 | option_d=84 | answer=B | explanation=Average = sum of values ÷ number of values = 246 ÷ 3 = 82.

id=64875 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=64876 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■29519 at 10% per annum for 3 years. | option_a=8855 | option_b=8755 | option_c=38374 | option_d=8955 | answer=A | explanation=SI = PRT/100 = 29519×10×3/100 = ■8855.

id=64877 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=64878 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=64879 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does "F" become? | option_a=D | option_b=F | option_c=J | option_d=H | answer=D | explanation=Move 2 positions forward from F; the resulting letter is H.

id=64880 | topic=Percentages | difficulty=Easy | question=What is 40% of 1862? | option_a=764 | option_b=1488 | option_c=744 | option_d=734 | answer=C | explanation=40% of 1862 = (40/100) × 1862 = 744.

id=64881 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■23483 at 5% per annum for 5 years. | option_a=5970 | option_b=29353 | option_c=5870 | option_d=5770 | answer=C | explanation=SI = PRT/100 = 23483×5×5/100 = ■5870.

id=64882 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=7 | option_c=12 | option_d=17 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=64883 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■11077 at 12% per annum for 3 years. | option_a=15064 | option_b=3987 | option_c=3887 | option_d=4087 | answer=B | explanation=SI = PRT/100 = 11077×12×3/100 = ■3987.

id=64884 | topic=Averages | difficulty=Easy | question=Find the average of 34, 15, 64, 58, 11, 22. | option_a=34 | option_b=33 | option_c=36 | option_d=35 | answer=A | explanation=Average = sum of values ÷ number of values = 204 ÷ 6 = 34.

id=64885 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2966. If it is sold at a profit of 15%, what is its selling price? | option_a=3706 | option_b=3114 | option_c=3410 | option_d=2981 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2966 × 115/100 = ■3410.

id=64886 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 16. | option_a=288 | option_b=162 | option_c=144 | option_d=128 | answer=C | explanation=LCM × HCF = 18×16; HCF(18,16) = 2, so LCM = 144.

id=64887 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 41? | option_a=25 | option_b=41 | option_c=18 | option_d=32 | answer=B | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 41 is the odd one out.

id=64888 | topic=Percentages | difficulty=Easy | question=What is 25% of 1770? | option_a=447 | option_b=442 | option_c=884 | option_d=422 | answer=B | explanation=25% of 1770 = (25/100) × 1770 = 442.

id=64889 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■6024 at 12% per annum for 5 years. | option_a=3614 | option_b=3714 | option_c=9638 | option_d=3514 | answer=A | explanation=SI = PRT/100 = 6024×12×5/100 = ■3614.

id=64890 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:12 and the first is 240, what is the second? | option_a=384 | option_b=132 | option_c=144 | option_d=164 | answer=C | explanation=Scale factor = 240/20 = 12. Therefore second quantity = 12×12 = 144.

Aptitude Questions — Records 64,891-64,920 of 100,000

id=64891 | topic=Averages | difficulty=Easy | question=Find the average of 53, 52, 11, 82, 22. | option_a=44 | option_b=45 | option_c=46 | option_d=43 | answer=A | explanation=Average = sum of values ÷ number of values = 220 ÷ 5 = 44.

id=64892 | topic=Averages | difficulty=Easy | question=Find the average of 59, 15, 92, 74. | option_a=60 | option_b=59 | option_c=61 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 240 ÷ 4 = 60.

id=64893 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1026. If it is sold at a profit of 50%, what is its selling price? | option_a=1539 | option_b=1076 | option_c=1437 | option_d=1641 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1026 × 150/100 = █1539.

id=64894 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4536. If it is sold at a profit of 20%, what is its selling price? | option_a=5896 | option_b=5443 | option_c=4990 | option_d=4556 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4536 × 120/100 = █5443.

id=64895 | topic=Percentages | difficulty=Easy | question=What is 12% of 71? | option_a=28 | option_b=8 | option_c=0 | option_d=16 | answer=B | explanation=12% of 71 = (12/100) × 71 = 8.

id=64896 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 29? | option_a=10 | option_b=16 | option_c=29 | option_d=22 | answer=C | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 29 is the odd one out.

id=64897 | topic=Averages | difficulty=Easy | question=Find the average of 69, 16, 89, 56, 32, 36, 58, 100, 66. | option_a=57 | option_b=60 | option_c=59 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 522 ÷ 9 = 58.

id=64898 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:11 and the first is 64, what is the second? | option_a=165 | option_b=180 | option_c=240 | option_d=176 | answer=D | explanation=Scale factor = 64/4 = 16. Therefore second quantity = 11×16 = 176.

id=64899 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=29 | option_b=22 | option_c=28 | option_d=34 | answer=C | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.

id=64900 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=I | option_b=D | option_c=Y | option_d=N | answer=A | explanation=Move 5 positions forward from D; the resulting letter is I.

id=64901 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=64902 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1717. If it is sold at a profit of 15%, what is its selling price? | option_a=1974 | option_b=1732 | option_c=1803 | option_d=2145 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1717 × 115/100 = █1974.

id=64903 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2446. If it is sold at a profit of 20%, what is its selling price? | option_a=2691 | option_b=2466 | option_c=2935 | option_d=3179 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2446 × 120/100 = █2935.

id=64904 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46631 at 5% per annum for 4 years. | option_a=9226 | option_b=9426 | option_c=55957 | option_d=9326 | answer=D | explanation=SI = PRT/100 = 46631×5×4/100 = █9326.

id=64905 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:13 and the first is 65, what is the second? | option_a=234 | option_b=174 | option_c=156 | option_d=169 | answer=D | explanation=Scale factor = 65/5 = 13. Therefore second quantity = 13×13 = 169.

id=64906 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14887 at 6% per annum for 2 years. | option_a=16673 | option_b=1786 | option_c=1686 | option_d=1886 | answer=B | explanation=SI = PRT/100 = 14887×6×2/100 = █1786.

id=64907 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 29, 33, 38? | option_a=33 | option_b=25 | option_c=29 | option_d=38 | answer=D | explanation=The first three numbers increase by 4, so the next should be 37. Therefore 38 is the odd one out.

id=64908 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=D | option_b=A | option_c=G | option_d=X | answer=A | explanation=Move 3 positions forward from A; the resulting letter is D.

id=64909 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29742 at 8% per annum for 3 years. | option_a=7238 | option_b=36880 | option_c=7138 | option_d=7038 | answer=C | explanation=SI = PRT/100 = 29742×8×3/100 = █7138.

id=64910 | topic=Averages | difficulty=Easy | question=Find the average of 78, 71, 35, 96, 56, 49, 42. | option_a=60 | option_b=63 | option_c=61 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 427 ÷ 7 = 61.

id=64911 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:9 and the first is 171, what is the second? | option_a=252 | option_b=100 | option_c=81 | option_d=72 | answer=C | explanation=Scale factor = 171/19 = 9. Therefore second quantity = 9×9 = 81.

id=64912 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43873 at 10% per annum for 1 years. | option_a=48260 | option_b=4287 | option_c=4487 | option_d=4387 | answer=D | explanation=SI = PRT/100 = 43873×10×1/100 = █4387.

id=64913 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4794. If it is sold at a profit of 15%, what is its selling price? | option_a=5992 | option_b=4809 | option_c=5034 | option_d=5513 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4794 × 115/100 = █5513.

id=64914 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1693. If it is sold at a profit of 20%, what is its selling price? | option_a=2200 | option_b=2031 | option_c=1713 | option_d=1862 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1693 × 120/100 = █2031.

id=64915 | topic=Percentages | difficulty=Easy | question=What is 12% of 1671? | option_a=200 | option_b=400 | option_c=180 | option_d=205 | answer=A | explanation=12% of 1671 = (12/100) × 1671 = 200.

id=64916 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=64917 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=R | option_b=Q | option_c=S | option_d=P | answer=A | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=64918 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 33, 38, 46? | option_a=28 | option_b=38 | option_c=46 | option_d=33 | answer=C | explanation=The first three numbers increase by 5, so the next should be 43. Therefore 46 is the odd one out.

id=64919 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:12 and the first is 26, what is the second? | option_a=156 | option_b=158 | option_c=144 | option_d=182 | answer=A | explanation=Scale factor = 26/2 = 13. Therefore second quantity = 12×13 = 156.

id=64920 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 38? | option_a=32 | option_b=38 | option_c=26 | option_d=29 | answer=B | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 38 is the odd one out.

Aptitude Questions — Records 64,921-64,950 of 100,000

id=64921 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=64922 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = $\frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=64923 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 11, 20, 30? | option_a=11 | option_b=2 | option_c=20 | option_d=30 | answer=D | explanation=The first three numbers increase by 9, so the next should be 29. Therefore 30 is the odd one out.

id=64924 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=48 | option_c=53 | option_d=96 | answer=B | explanation=Speed = distance ÷ time = $\frac{240}{5} = 48$ km/h.

id=64925 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=39 | option_b=29 | option_c=34 | option_d=35 | answer=C | explanation=The common difference is 5. Therefore the next term is $29 + 5 = 34$.

id=64926 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=5 | option_d=24 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=64927 | topic=Averages | difficulty=Easy | question=Find the average of 69, 17, 18, 48. | option_a=37 | option_b=38 | option_c=40 | option_d=39 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{152}{4} = 38$.

id=64928 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=64929 | topic=Percentages | difficulty=Easy | question=What is 20% of 1121? | option_a=224 | option_b=448 | option_c=219 | option_d=244 | answer=A | explanation=20% of 1121 = $(\frac{20}{100}) \times 1121 = 224$.

id=64930 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=W | option_c=T | option_d=N | answer=C | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=64931 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3623. If it is sold at a profit of 50%, what is its selling price? | option_a=5072 | option_b=5796 | option_c=3673 | option_d=5434 | answer=D | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 3623 \times \frac{150}{100} = \text{█}5434$.

id=64932 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 16, 20, 26? | option_a=16 | option_b=26 | option_c=12 | option_d=20 | answer=B | explanation=The first three numbers increase by 4, so the next should be 24. Therefore 26 is the odd one out.

id=64933 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19649 at 4% per annum for 4 years. | option_a=3143 | option_b=3043 | option_c=3243 | option_d=22792 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{19649 \times 4 \times 4}{100} = \text{█}3143$.

id=64934 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=43 | option_b=36 | option_c=50 | option_d=44 | answer=A | explanation=The common difference is 7. Therefore the next term is $36 + 7 = 43$.

id=64935 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $\frac{360}{6} = 60$ km/h.

id=64936 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22867 at 8% per annum for 3 years. | option_a=5388 | option_b=5488 | option_c=28355 | option_d=5588 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{22867 \times 8 \times 3}{100} = \text{█}5488$.

id=64937 | topic=Averages | difficulty=Easy | question=Find the average of 38, 58, 79, 31, 24. | option_a=45 | option_b=47 | option_c=46 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{230}{5} = 46$.

id=64938 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 24, 32, 40, ? | option_a=56 | option_b=48 | option_c=40 | option_d=49 | answer=B | explanation=The common difference is 8. Therefore the next term is $40 + 8 = 48$.

id=64939 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=45 | option_b=35 | option_c=40 | option_d=41 | answer=C | explanation=The common difference is 5. Therefore the next term is $35 + 5 = 40$.

id=64940 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=46 | option_b=39 | option_c=38 | option_d=30 | answer=C | explanation=The common difference is 8. Therefore the next term is $30 + 8 = 38$.

id=64941 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=59 | option_b=60 | option_c=47 | option_d=71 | answer=A | explanation=The common difference is 12. Therefore the next term is $47 + 12 = 59$.

id=64942 | topic=Averages | difficulty=Easy | question=Find the average of 28, 69, 30, 18, 42, 100, 30, 67. | option_a=49 | option_b=47 | option_c=50 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{384}{8} = 48$.

id=64943 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=7 | option_d=17 | answer=B | explanation=Speed = distance ÷ time = $\frac{60}{5} = 12$ km/h.

id=64944 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=38 | option_b=30 | option_c=39 | option_d=46 | answer=A | explanation=The common difference is 8. Therefore the next term is $30 + 8 = 38$.

id=64945 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=24 | option_c=7 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = $\frac{60}{5} = 12$ km/h.

id=64946 | topic=Percentages | difficulty=Easy | question=What is 25% of 404? | option_a=202 | option_b=121 | option_c=101 | option_d=96 | answer=C | explanation=25% of 404 = $(\frac{25}{100}) \times 404 = 101$.

id=64947 | topic=Averages | difficulty=Easy | question=Find the average of 10, 95, 36, 39, 26, 58, 42, 78. | option_a=49 | option_b=50 | option_c=47 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{384}{8} = 48$.

id=64948 | topic=Averages | difficulty=Easy | question=Find the average of 57, 16, 32. | option_a=35 | option_b=34 | option_c=37 | option_d=36 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{105}{3} = 35$.

id=64949 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=U | option_c=M | option_d=Y | answer=B | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=64950 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=W | option_c=L | option_d=G | answer=D | explanation=Move 5 positions forward from B; the resulting letter is G.

Aptitude Questions — Records 64,951-64,980 of 100,000

id=64951 | topic=Averages | difficulty=Easy | question=Find the average of 75, 22, 42, 40, 56, 56, 43, 88, 84, 84. | option_a=59 | option_b=58 | option_c=61 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 590 ÷ 10 = 59.

id=64952 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4092. If it is sold at a profit of 20%, what is its selling price? | option_a=4910 | option_b=4112 | option_c=4501 | option_d=5319 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4092 × 120/100 = █4910.

id=64953 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=64954 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:10 and the first is 20, what is the second? | option_a=201 | option_b=200 | option_c=190 | option_d=220 | answer=B | explanation=Scale factor = 20/1 = 20. Therefore second quantity = 10×20 = 200.

id=64955 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11876 at 5% per annum for 1 years. | option_a=693 | option_b=12469 | option_c=593 | option_d=493 | answer=C | explanation=SI = PRT/100 = 11876×5×1/100 = █593.

id=64956 | topic=Averages | difficulty=Easy | question=Find the average of 15, 63, 94, 60. | option_a=59 | option_b=57 | option_c=60 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 232 ÷ 4 = 58.

id=64957 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31646 at 8% per annum for 3 years. | option_a=7495 | option_b=39241 | option_c=7595 | option_d=7695 | answer=C | explanation=SI = PRT/100 = 31646×8×3/100 = █7595.

id=64958 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=J | option_b=L | option_c=P | option_d=N | answer=D | explanation=Move 2 positions forward from L; the resulting letter is N.

id=64959 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=34 | option_b=43 | option_c=52 | option_d=44 | answer=B | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

id=64960 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32057 at 5% per annum for 4 years. | option_a=38468 | option_b=6411 | option_c=6511 | option_d=6311 | answer=B | explanation=SI = PRT/100 = 32057×5×4/100 = █6411.

id=64961 | topic=Percentages | difficulty=Easy | question=What is 5% of 272? | option_a=23 | option_b=13 | option_c=8 | option_d=26 | answer=B | explanation=5% of 272 = (5/100) × 272 = 13.

id=64962 | topic=Percentages | difficulty=Easy | question=What is 30% of 477? | option_a=148 | option_b=138 | option_c=286 | option_d=143 | answer=D | explanation=30% of 477 = (30/100) × 477 = 143.

id=64963 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3771. If it is sold at a profit of 15%, what is its selling price? | option_a=4336 | option_b=3959 | option_c=3786 | option_d=4713 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3771 × 115/100 = █4336.

id=64964 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4170. If it is sold at a profit of 50%, what is its selling price? | option_a=5838 | option_b=6672 | option_c=6255 | option_d=4220 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4170 × 150/100 = █6255.

id=64965 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=F | option_b=I | option_c=O | option_d=L | answer=D | explanation=Move 3 positions forward from I; the resulting letter is L.

id=64966 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=35 | option_b=42 | option_c=36 | option_d=28 | answer=A | explanation=The common difference is 7. Therefore the next term is 28 + 7 = 35.

id=64967 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37719 at 15% per annum for 5 years. | option_a=28389 | option_b=28289 | option_c=66008 | option_d=28189 | answer=B | explanation=SI = PRT/100 = 37719×15×5/100 = █28289.

id=64968 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:4 and the first is 51, what is the second? | option_a=8 | option_b=63 | option_c=12 | option_d=29 | answer=C | explanation=Scale factor = 51/17 = 3. Therefore second quantity = 4×3 = 12.

id=64969 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14889 at 15% per annum for 5 years. | option_a=11166 | option_b=26055 | option_c=11266 | option_d=11066 | answer=A | explanation=SI = PRT/100 = 14889×15×5/100 = █11166.

id=64970 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 30. | option_a=300 | option_b=30 | option_c=40 | option_d=1 | answer=B | explanation=LCM × HCF = 10×30; HCF(10,30) = 10, so LCM = 30.

id=64971 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 10, 18, 28? | option_a=2 | option_b=18 | option_c=10 | option_d=28 | answer=D | explanation=The first three numbers increase by 8, so the next should be 26. Therefore 28 is the odd one out.

id=64972 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47619 at 8% per annum for 1 years. | option_a=3709 | option_b=3909 | option_c=51428 | option_d=3809 | answer=D | explanation=SI = PRT/100 = 47619×8×1/100 = █3809.

id=64973 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=64974 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36746 at 8% per annum for 1 years. | option_a=3039 | option_b=39685 | option_c=2839 | option_d=2939 | answer=D | explanation=SI = PRT/100 = 36746×8×1/100 = █2939.

id=64975 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=P | option_b=U | option_c=E | option_d=Z | answer=D | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=64976 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3387. If it is sold at a profit of 50%, what is its selling price? | option_a=3437 | option_b=5418 | option_c=4742 | option_d=5080 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3387 × 150/100 = █5080.

id=64977 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30171 at 15% per annum for 4 years. | option_a=48273 | option_b=18102 | option_c=18002 | option_d=18202 | answer=B | explanation=SI = PRT/100 = 30171×15×4/100 = █18102.

id=64978 | topic=Averages | difficulty=Easy | question=Find the average of 48, 95, 40, 45, 35, 75, 40. | option_a=53 | option_b=56 | option_c=54 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

id=64979 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=42 | option_b=41 | option_c=48 | option_d=34 | answer=B | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=64980 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 64,981-65,010 of 100,000

id=64981 | topic=Averages | difficulty=Easy | question=Find the average of 57, 74, 16. | option_a=50 | option_b=51 | option_c=48 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 147 ÷ 3 = 49.

id=64982 | topic=Percentages | difficulty=Easy | question=What is 25% of 1809? | option_a=452 | option_b=447 | option_c=472 | option_d=904 | answer=A | explanation=25% of 1809 = (25/100) × 1809 = 452.

id=64983 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■3971 at 8% per annum for 3 years. | option_a=953 | option_b=853 | option_c=4924 | option_d=1053 | answer=A | explanation=SI = PRT/100 = 3971×8×3/100 = ■953.

id=64984 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■41053 at 5% per annum for 5 years. | option_a=51316 | option_b=10263 | option_c=10163 | option_d=10363 | answer=B | explanation=SI = PRT/100 = 41053×5×5/100 = ■10263.

id=64985 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:7 and the first is 51, what is the second? | option_a=119 | option_b=122 | option_c=112 | option_d=170 | answer=A | explanation=Scale factor = 51/3 = 17. Therefore second quantity = 7×17 = 119.

id=64986 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■9810 at 15% per annum for 4 years. | option_a=5886 | option_b=5986 | option_c=5786 | option_d=15696 | answer=A | explanation=SI = PRT/100 = 9810×15×4/100 = ■5886.

id=64987 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=64988 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=29 | option_b=26 | option_c=23 | option_d=27 | answer=B | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.

id=64989 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■13795 at 15% per annum for 5 years. | option_a=10246 | option_b=10446 | option_c=24141 | option_d=10346 | answer=D | explanation=SI = PRT/100 = 13795×15×5/100 = ■10346.

id=64990 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 11, 19, 28? | option_a=11 | option_b=3 | option_c=28 | option_d=19 | answer=C | explanation=The first three numbers increase by 8, so the next should be 27. Therefore 28 is the odd one out.

id=64991 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4036. If it is sold at a profit of 50%, what is its selling price? | option_a=4086 | option_b=6457 | option_c=6054 | option_d=5651 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4036 × 150/100 = ■6054.

id=64992 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 30. | option_a=60 | option_b=108 | option_c=90 | option_d=540 | answer=C | explanation=LCM × HCF = 18×30; HCF(18,30) = 6, so LCM = 90.

id=64993 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=31 | option_c=41 | option_d=72 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=64994 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:14 and the first is 6, what is the second? | option_a=85 | option_b=90 | option_c=84 | option_d=70 | answer=C | explanation=Scale factor = 6/1 = 6. Therefore second quantity = 14×6 = 84.

id=64995 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2255. If it is sold at a profit of 25%, what is its selling price? | option_a=2593 | option_b=3043 | option_c=2818 | option_d=2280 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2255 × 125/100 = ■2818.

id=64996 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■42102 at 12% per annum for 3 years. | option_a=15056 | option_b=15156 | option_c=57258 | option_d=15256 | answer=B | explanation=SI = PRT/100 = 42102×12×3/100 = ■15156.

id=64997 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■1804 at 8% per annum for 2 years. | option_a=288 | option_b=388 | option_c=188 | option_d=2092 | answer=A | explanation=SI = PRT/100 = 1804×8×2/100 = ■288.

id=64998 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=64999 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 18. | option_a=270 | option_b=90 | option_c=105 | option_d=72 | answer=B | explanation=LCM × HCF = 15×18; HCF(15,18) = 3, so LCM = 90.

id=65000 | topic=Percentages | difficulty=Easy | question=What is 40% of 1372? | option_a=538 | option_b=548 | option_c=1096 | option_d=568 | answer=B | explanation=40% of 1372 = (40/100) × 1372 = 548.

id=65001 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=U | option_c=M | option_d=I | answer=A | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=65002 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 26, 33, 41? | option_a=19 | option_b=33 | option_c=41 | option_d=26 | answer=C | explanation=The first three numbers increase by 7, so the next should be 40. Therefore 41 is the odd one out.

id=65003 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2662. If it is sold at a profit of 40%, what is its selling price? | option_a=3460 | option_b=3992 | option_c=3726 | option_d=2702 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2662 × 140/100 = ■3726.

id=65004 | topic=Averages | difficulty=Easy | question=Find the average of 65, 90, 37. | option_a=66 | option_b=65 | option_c=64 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = 192 ÷ 3 = 64.

id=65005 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=51 | option_b=61 | option_c=52 | option_d=41 | answer=A | explanation=The common difference is 10. Therefore the next term is 41 + 10 = 51.

id=65006 | topic=Averages | difficulty=Easy | question=Find the average of 40, 38, 84, 14, 87, 73, 52, 42, 47. | option_a=53 | option_b=54 | option_c=55 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 477 ÷ 9 = 53.

id=65007 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■49226 at 6% per annum for 2 years. | option_a=5907 | option_b=6007 | option_c=55133 | option_d=5807 | answer=A | explanation=SI = PRT/100 = 49226×6×2/100 = ■5907.

id=65008 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 59? | option_a=59 | option_b=26 | option_c=46 | option_d=36 | answer=A | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 59 is the odd one out.

id=65009 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 26, 35, 46? | option_a=35 | option_b=26 | option_c=17 | option_d=46 | answer=D | explanation=The first three numbers increase by 9, so the next should be 44. Therefore 46 is the odd one out.

id=65010 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4148. If it is sold at a profit of 20%, what is its selling price? | option_a=4977 | option_b=4563 | option_c=5391 | option_d=4168 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4148 × 120/100 = ■4977.

Aptitude Questions — Records 65,011-65,040 of 100,000

id=65011 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=125 | option_c=240 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=65012 | topic=Percentages | difficulty=Easy | question=What is 15% of 1750? | option_a=272 | option_b=524 | option_c=242 | option_d=262 | answer=D | explanation=15% of 1750 = (15/100) × 1750 = 262.

id=65013 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■44698 at 12% per annum for 4 years. | option_a=21455 | option_b=21555 | option_c=21355 | option_d=66153 | answer=A | explanation=SI = PRT/100 = 44698×12×4/100 = ■21455.

id=65014 | topic=Averages | difficulty=Easy | question=Find the average of 13, 81, 43, 49, 59. | option_a=49 | option_b=50 | option_c=48 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 245 ÷ 5 = 49.

id=65015 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:19 and the first is 228, what is the second? | option_a=589 | option_b=361 | option_c=373 | option_d=342 | answer=B | explanation=Scale factor = 228/12 = 19. Therefore second quantity = 19×19 = 361.

id=65016 | topic=Percentages | difficulty=Easy | question=What is 10% of 468? | option_a=36 | option_b=92 | option_c=51 | option_d=46 | answer=D | explanation=10% of 468 = (10/100) × 468 = 46.

id=65017 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=26 | option_b=33 | option_c=38 | option_d=32 | answer=D | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=65018 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■28087 at 12% per annum for 3 years. | option_a=38198 | option_b=10211 | option_c=10111 | option_d=10011 | answer=C | explanation=SI = PRT/100 = 28087×12×3/100 = ■10111.

id=65019 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■427. If it is sold at a profit of 5%, what is its selling price? | option_a=406 | option_b=490 | option_c=432 | option_d=448 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 427 × 105/100 = ■448.

id=65020 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 40? | option_a=21 | option_b=13 | option_c=40 | option_d=29 | answer=C | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 40 is the odd one out.

id=65021 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=65022 | topic=Averages | difficulty=Easy | question=Find the average of 88, 99, 88, 37, 23, 37. | option_a=61 | option_b=63 | option_c=62 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 372 ÷ 6 = 62.

id=65023 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2553. If it is sold at a profit of 30%, what is its selling price? | option_a=3573 | option_b=3063 | option_c=3318 | option_d=2583 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2553 × 130/100 = ■3318.

id=65024 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=59 | option_b=71 | option_c=47 | option_d=60 | answer=A | explanation=The common difference is 12. Therefore the next term is 47 + 12 = 59.

id=65025 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=65026 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=J | option_b=D | option_c=F | option_d=H | answer=D | explanation=Move 2 positions forward from F; the resulting letter is H.

id=65027 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=65028 | topic=Averages | difficulty=Easy | question=Find the average of 68, 23, 20. | option_a=39 | option_b=38 | option_c=37 | option_d=36 | answer=C | explanation=Average = sum of values ÷ number of values = 111 ÷ 3 = 37.

id=65029 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2727. If it is sold at a profit of 10%, what is its selling price? | option_a=2727 | option_b=2737 | option_c=3271 | option_d=2999 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2727 × 110/100 = ■2999.

id=65030 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■16717 at 10% per annum for 5 years. | option_a=8458 | option_b=25075 | option_c=8358 | option_d=8258 | answer=C | explanation=SI = PRT/100 = 16717×10×5/100 = ■8358.

id=65031 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■525. If it is sold at a profit of 5%, what is its selling price? | option_a=499 | option_b=603 | option_c=551 | option_d=530 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 525 × 105/100 = ■551.

id=65032 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=20 | option_c=15 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=65033 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=E | option_b=Y | option_c=H | option_d=B | answer=A | explanation=Move 3 positions forward from B; the resulting letter is E.

id=65034 | topic=Averages | difficulty=Easy | question=Find the average of 99, 32, 57, 87, 89, 50. | option_a=71 | option_b=68 | option_c=69 | option_d=70 | answer=C | explanation=Average = sum of values ÷ number of values = 414 ÷ 6 = 69.

id=65035 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■43666 at 15% per annum for 4 years. | option_a=26199 | option_b=26299 | option_c=26099 | option_d=69865 | answer=A | explanation=SI = PRT/100 = 43666×15×4/100 = ■26199.

id=65036 | topic=Percentages | difficulty=Easy | question=What is 5% of 1757? | option_a=174 | option_b=82 | option_c=92 | option_d=87 | answer=D | explanation=5% of 1757 = (5/100) × 1757 = 87.

id=65037 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 33, 40, 50? | option_a=40 | option_b=50 | option_c=26 | option_d=33 | answer=B | explanation=The first three numbers increase by 7, so the next should be 47. Therefore 50 is the odd one out.

id=65038 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:17 and the first is 18, what is the second? | option_a=289 | option_b=306 | option_c=307 | option_d=324 | answer=B | explanation=Scale factor = 18/1 = 18. Therefore second quantity = 17×18 = 306.

id=65039 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■21790 at 6% per annum for 1 years. | option_a=1307 | option_b=23097 | option_c=1407 | option_d=1207 | answer=A | explanation=SI = PRT/100 = 21790×6×1/100 = ■1307.

id=65040 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 29? | option_a=29 | option_b=18 | option_c=23 | option_d=13 | answer=A | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 29 is the odd one out.

Aptitude Questions — Records 65,041-65,070 of 100,000

id=65041 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=65042 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=65043 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=65044 | topic=Averages | difficulty=Easy | question=Find the average of 100, 90, 86, 99, 40. | option_a=85 | option_b=82 | option_c=83 | option_d=84 | answer=C | explanation=Average = sum of values ÷ number of values = 415 ÷ 5 = 83.

id=65045 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■15500 at 6% per annum for 2 years. | option_a=1960 | option_b=17360 | option_c=1860 | option_d=1760 | answer=C | explanation=SI = PRT/100 = 15500×6×2/100 = ■1860.

id=65046 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=O | option_c=N | option_d=L | answer=C | explanation=Move 1 positions forward from M; the resulting letter is N.

id=65047 | topic=Percentages | difficulty=Easy | question=What is 50% of 1608? | option_a=809 | option_b=1608 | option_c=784 | option_d=804 | answer=D | explanation=50% of 1608 = (50/100) × 1608 = 804.

id=65048 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 39, 49, 62? | option_a=62 | option_b=49 | option_c=39 | option_d=29 | answer=A | explanation=The first three numbers increase by 10, so the next should be 59. Therefore 62 is the odd one out.

id=65049 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=65050 | topic=Percentages | difficulty=Easy | question=What is 12% of 784? | option_a=94 | option_b=104 | option_c=74 | option_d=188 | answer=A | explanation=12% of 784 = (12/100) × 784 = 94.

id=65051 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■41901 at 15% per annum for 3 years. | option_a=18755 | option_b=18955 | option_c=18855 | option_d=60756 | answer=C | explanation=SI = PRT/100 = 41901×15×3/100 = ■18855.

id=65052 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:13 and the first is 51, what is the second? | option_a=56 | option_b=39 | option_c=90 | option_d=26 | answer=B | explanation=Scale factor = 51/17 = 3. Therefore second quantity = 13×3 = 39.

id=65053 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:9 and the first is 28, what is the second? | option_a=91 | option_b=63 | option_c=67 | option_d=54 | answer=B | explanation=Scale factor = 28/4 = 7. Therefore second quantity = 9×7 = 63.

id=65054 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:14 and the first is 60, what is the second? | option_a=340 | option_b=283 | option_c=266 | option_d=280 | answer=D | explanation=Scale factor = 60/3 = 20. Therefore second quantity = 14×20 = 280.

id=65055 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=65056 | topic=Percentages | difficulty=Easy | question=What is 12% of 792? | option_a=95 | option_b=190 | option_c=105 | option_d=85 | answer=A | explanation=12% of 792 = (12/100) × 792 = 95.

id=65057 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=65058 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■18469 at 12% per annum for 5 years. | option_a=10981 | option_b=11181 | option_c=11081 | option_d=29550 | answer=C | explanation=SI = PRT/100 = 18469×12×5/100 = ■11081.

id=65059 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=35 | option_b=27 | option_c=34 | option_d=41 | answer=C | explanation=The common difference is 7. Therefore the next term is 27 + 7 = 34.

id=65060 | topic=Averages | difficulty=Easy | question=Find the average of 63, 72, 42. | option_a=58 | option_b=61 | option_c=59 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 177 ÷ 3 = 59.

id=65061 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 25, 33, 41, ? | option_a=49 | option_b=57 | option_c=50 | option_d=41 | answer=A | explanation=The common difference is 8. Therefore the next term is 41 + 8 = 49.

id=65062 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■22220 at 4% per annum for 2 years. | option_a=23997 | option_b=1877 | option_c=1777 | option_d=1677 | answer=C | explanation=SI = PRT/100 = 22220×4×2/100 = ■1777.

id=65063 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 31, 36, 42? | option_a=42 | option_b=36 | option_c=31 | option_d=26 | answer=A | explanation=The first three numbers increase by 5, so the next should be 41. Therefore 42 is the odd one out.

id=65064 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=N | option_c=Q | option_d=H | answer=B | explanation=Move 3 positions forward from K; the resulting letter is N.

id=65065 | topic=Percentages | difficulty=Easy | question=What is 50% of 587? | option_a=273 | option_b=298 | option_c=293 | option_d=586 | answer=C | explanation=50% of 587 = (50/100) × 587 = 293.

id=65066 | topic=Averages | difficulty=Easy | question=Find the average of 80, 88, 58, 59, 24, 27. | option_a=56 | option_b=55 | option_c=57 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 336 ÷ 6 = 56.

id=65067 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=65068 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:10 and the first is 60, what is the second? | option_a=100 | option_b=40 | option_c=55 | option_d=30 | answer=B | explanation=Scale factor = 60/15 = 4. Therefore second quantity = 10×4 = 40.

id=65069 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 4. | option_a=4 | option_b=16 | option_c=32 | option_d=8 | answer=D | explanation=LCM × HCF = 8×4; HCF(8,4) = 4, so LCM = 8.

id=65070 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 65,071-65,100 of 100,000

id=65071 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=50 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=65072 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28131 at 6% per annum for 2 years. | option_a=3275 | option_b=3475 | option_c=3375 | option_d=31506 | answer=C | explanation=SI = $PRT/100 = 28131 \times 6 \times 2/100 = \text{■}3375$.

id=65073 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=43 | option_b=42 | option_c=35 | option_d=49 | answer=B | explanation=The common difference is 7. Therefore the next term is 35 + 7 = 42.

id=65074 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48683 at 15% per annum for 5 years. | option_a=36512 | option_b=85195 | option_c=36412 | option_d=36612 | answer=A | explanation=SI = $PRT/100 = 48683 \times 15 \times 5/100 = \text{■}36512$.

id=65075 | topic=Percentages | difficulty=Easy | question=What is 25% of 1427? | option_a=346 | option_b=356 | option_c=361 | option_d=712 | answer=B | explanation=25% of 1427 = $(25/100) \times 1427 = 356$.

id=65076 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=55 | option_c=45 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=65077 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=34 | option_b=29 | option_c=39 | option_d=35 | answer=A | explanation=The common difference is 5. Therefore the next term is 29 + 5 = 34.

id=65078 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:11 and the first is 180, what is the second? | option_a=99 | option_b=119 | option_c=279 | option_d=88 | answer=A | explanation=Scale factor = 180/20 = 9. Therefore second quantity = 11×9 = 99.

id=65079 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=Z | option_b=B | option_c=C | option_d=A | answer=B | explanation=Move 1 positions forward from A; the resulting letter is B.

id=65080 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=R | option_b=N | option_c=J | option_d=F | answer=B | explanation=Move 4 positions forward from J; the resulting letter is N.

id=65081 | topic=Averages | difficulty=Easy | question=Find the average of 67, 48, 13, 27, 64, 30, 62, 97. | option_a=51 | option_b=52 | option_c=50 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 408 ÷ 8 = 51.

id=65082 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=25 | option_b=35 | option_c=30 | option_d=31 | answer=C | explanation=The common difference is 5. Therefore the next term is 25 + 5 = 30.

id=65083 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22991 at 15% per annum for 5 years. | option_a=17243 | option_b=40234 | option_c=17343 | option_d=17143 | answer=A | explanation=SI = $PRT/100 = 22991 \times 15 \times 5/100 = \text{■}17243$.

id=65084 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=Z | option_c=C | option_d=B | answer=D | explanation=Move 1 positions forward from A; the resulting letter is B.

id=65085 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=39 | option_b=59 | option_c=50 | option_d=49 | answer=D | explanation=The common difference is 10. Therefore the next term is 39 + 10 = 49.

id=65086 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=U | option_c=M | option_d=I | answer=A | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=65087 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41548 at 8% per annum for 1 years. | option_a=3323 | option_b=44871 | option_c=3223 | option_d=3423 | answer=A | explanation=SI = $PRT/100 = 41548 \times 8 \times 1/100 = \text{■}3323$.

id=65088 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=65089 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=65090 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=26 | option_b=34 | option_c=35 | option_d=42 | answer=B | explanation=The common difference is 8. Therefore the next term is 26 + 8 = 34.

id=65091 | topic=Percentages | difficulty=Easy | question=What is 5% of 974? | option_a=96 | option_b=48 | option_c=68 | option_d=28 | answer=B | explanation=5% of 974 = $(5/100) \times 974 = 48$.

id=65092 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=65093 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 32? | option_a=24 | option_b=12 | option_c=18 | option_d=32 | answer=D | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 32 is the odd one out.

id=65094 | topic=Percentages | difficulty=Easy | question=What is 10% of 519? | option_a=51 | option_b=61 | option_c=46 | option_d=102 | answer=A | explanation=10% of 519 = $(10/100) \times 519 = 51$.

id=65095 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2406. If it is sold at a profit of 50%, what is its selling price? | option_a=3849 | option_b=3369 | option_c=2456 | option_d=3609 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2406 \times 150/100 = \text{■}3609$.

id=65096 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 28. | option_a=192 | option_b=140 | option_c=168 | option_d=672 | answer=C | explanation=LCM × HCF = 24×28; HCF(24,28) = 4, so LCM = 168.

id=65097 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 15, 22, 29, ? | option_a=36 | option_b=29 | option_c=43 | option_d=37 | answer=A | explanation=The common difference is 7. Therefore the next term is 29 + 7 = 36.

id=65098 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30138 at 4% per annum for 4 years. | option_a=4822 | option_b=34960 | option_c=4922 | option_d=4722 | answer=A | explanation=SI = $PRT/100 = 30138 \times 4 \times 4/100 = \text{■}4822$.

id=65099 | topic=Averages | difficulty=Easy | question=Find the average of 77, 44, 72, 78, 38, 37, 90, 19, 94. | option_a=63 | option_b=60 | option_c=61 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 549 ÷ 9 = 61.

id=65100 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=10 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

Aptitude Questions — Records 65,101-65,130 of 100,000

id=65101 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=68 | option_b=46 | option_c=58 | option_d=57 | answer=D | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.

id=65102 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=65103 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=26 | option_b=27 | option_c=31 | option_d=21 | answer=A | explanation=The common difference is 5. Therefore the next term is 21 + 5 = 26.

id=65104 | topic=Percentages | difficulty=Easy | question=What is 5% of 1654? | option_a=92 | option_b=62 | option_c=164 | option_d=82 | answer=D | explanation=5% of 1654 = (5/100) × 1654 = 82.

id=65105 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=U | option_b=I | option_c=M | option_d=Q | answer=D | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=65106 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33056 at 10% per annum for 1 years. | option_a=3305 | option_b=3405 | option_c=3205 | option_d=36361 | answer=A | explanation=SI = PRT/100 = 33056×10×1/100 = **■**3305.

id=65107 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=65108 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=65109 | topic=Averages | difficulty=Easy | question=Find the average of 76, 64, 61. | option_a=68 | option_b=67 | option_c=66 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 201 ÷ 3 = 67.

id=65110 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 29? | option_a=20 | option_b=29 | option_c=4 | option_d=12 | answer=B | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 29 is the odd one out.

id=65111 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1506. If it is sold at a profit of 40%, what is its selling price? | option_a=1958 | option_b=1546 | option_c=2258 | option_d=2108 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1506 × 140/100 = **■**2108.

id=65112 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:16 and the first is 100, what is the second? | option_a=170 | option_b=160 | option_c=260 | option_d=144 | answer=B | explanation=Scale factor = 100/10 = 10. Therefore second quantity = 16×10 = 160.

id=65113 | topic=Averages | difficulty=Easy | question=Find the average of 45, 80, 66, 74, 53, 24. | option_a=58 | option_b=56 | option_c=57 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 342 ÷ 6 = 57.

id=65114 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 18. | option_a=1 | option_b=21 | option_c=18 | option_d=54 | answer=C | explanation=LCM × HCF = 3×18; HCF(3,18) = 3, so LCM = 18.

id=65115 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=65116 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:15 and the first is 200, what is the second? | option_a=150 | option_b=350 | option_c=135 | option_d=170 | answer=A | explanation=Scale factor = 200/20 = 10. Therefore second quantity = 15×10 = 150.

id=65117 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 43? | option_a=34 | option_b=18 | option_c=26 | option_d=43 | answer=D | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 43 is the odd one out.

id=65118 | topic=Percentages | difficulty=Easy | question=What is 40% of 1913? | option_a=760 | option_b=775 | option_c=1530 | option_d=765 | answer=D | explanation=40% of 1913 = (40/100) × 1913 = 765.

id=65119 | topic=Averages | difficulty=Easy | question=Find the average of 28, 19, 80, 22, 101. | option_a=49 | option_b=50 | option_c=51 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 250 ÷ 5 = 50.

id=65120 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3618. If it is sold at a profit of 50%, what is its selling price? | option_a=5788 | option_b=5066 | option_c=5427 | option_d=3668 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3618 × 150/100 = **■**5427.

id=65121 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=65122 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=65123 | topic=Percentages | difficulty=Easy | question=What is 30% of 427? | option_a=256 | option_b=128 | option_c=148 | option_d=108 | answer=B | explanation=30% of 427 = (30/100) × 427 = 128.

id=65124 | topic=Percentages | difficulty=Easy | question=What is 50% of 1497? | option_a=728 | option_b=748 | option_c=1496 | option_d=758 | answer=B | explanation=50% of 1497 = (50/100) × 1497 = 748.

id=65125 | topic=Averages | difficulty=Easy | question=Find the average of 71, 19, 86, 23, 21. | option_a=45 | option_b=43 | option_c=44 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 220 ÷ 5 = 44.

id=65126 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6470 at 15% per annum for 4 years. | option_a=3882 | option_b=3782 | option_c=10352 | option_d=3982 | answer=A | explanation=SI = PRT/100 = 6470×15×4/100 = **■**3882.

id=65127 | topic=Percentages | difficulty=Easy | question=What is 5% of 365? | option_a=18 | option_b=36 | option_c=28 | option_d=8 | answer=A | explanation=5% of 365 = (5/100) × 365 = 18.

id=65128 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=B | option_b=C | option_c=D | option_d=E | answer=C | explanation=Move 1 positions forward from C; the resulting letter is D.

id=65129 | topic=Averages | difficulty=Easy | question=Find the average of 53, 46, 100, 55, 83, 36, 20, 58, 80. | option_a=58 | option_b=61 | option_c=60 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 531 ÷ 9 = 59.

id=65130 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:18 and the first is 70, what is the second? | option_a=160 | option_b=72 | option_c=90 | option_d=104 | answer=C | explanation=Scale factor = 70/14 = 5. Therefore second quantity = 18×5 = 90.

Aptitude Questions — Records 65,131-65,160 of 100,000

id=65131 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=240 | option_c=125 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=65132 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 6. | option_a=24 | option_b=90 | option_c=30 | option_d=45 | answer=C | explanation=LCM × HCF = 15×6; HCF(15,6) = 3, so LCM = 30.

id=65133 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=65134 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=120 | option_c=240 | option_d=125 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=65135 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:9 and the first is 154, what is the second? | option_a=117 | option_b=137 | option_c=280 | option_d=126 | answer=D | explanation=Scale factor = 154/11 = 14. Therefore second quantity = 9×14 = 126.

id=65136 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:18 and the first is 140, what is the second? | option_a=126 | option_b=266 | option_c=146 | option_d=108 | answer=A | explanation=Scale factor = 140/20 = 7. Therefore second quantity = 18×7 = 126.

id=65137 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:7 and the first is 45, what is the second? | option_a=66 | option_b=21 | option_c=14 | option_d=36 | answer=B | explanation=Scale factor = 45/15 = 3. Therefore second quantity = 7×3 = 21.

id=65138 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 5, 8, 12? | option_a=5 | option_b=2 | option_c=12 | option_d=8 | answer=C | explanation=The first three numbers increase by 3, so the next should be 11. Therefore 12 is the odd one out.

id=65139 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=95 | option_c=90 | option_d=180 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=65140 | topic=Percentages | difficulty=Easy | question=What is 25% of 1138? | option_a=264 | option_b=304 | option_c=568 | option_d=284 | answer=D | explanation=25% of 1138 = (25/100) × 1138 = 284.

id=65141 | topic=Percentages | difficulty=Easy | question=What is 5% of 1579? | option_a=156 | option_b=78 | option_c=68 | option_d=88 | answer=B | explanation=5% of 1579 = (5/100) × 1579 = 78.

id=65142 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=65143 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 12. | option_a=12 | option_b=24 | option_c=1 | option_d=144 | answer=A | explanation=LCM × HCF = 12×12; HCF(12,12) = 12, so LCM = 12.

id=65144 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=95 | option_d=180 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=65145 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=65146 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=R | option_b=C | option_c=M | option_d=H | answer=C | explanation=Move 5 positions forward from H; the resulting letter is M.

id=65147 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=V | option_b=A | option_c=K | option_d=F | answer=D | explanation=Move 5 positions forward from A; the resulting letter is F.

id=65148 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2094. If it is sold at a profit of 15%, what is its selling price? | option_a=2408 | option_b=2109 | option_c=2199 | option_d=2617 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2094 × 115/100 = █2408.

id=65149 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=29 | option_c=24 | option_d=19 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=65150 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=10 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=65151 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=90 | option_c=95 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=65152 | topic=Averages | difficulty=Easy | question=Find the average of 53, 48, 11, 84, 46, 18, 62, 102. | option_a=52 | option_b=55 | option_c=53 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.

id=65153 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:8 and the first is 20, what is the second? | option_a=52 | option_b=37 | option_c=24 | option_d=32 | answer=D | explanation=Scale factor = 20/5 = 4. Therefore second quantity = 8×4 = 32.

id=65154 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=65155 | topic=Averages | difficulty=Easy | question=Find the average of 41, 67, 16, 62, 39. | option_a=46 | option_b=44 | option_c=47 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 225 ÷ 5 = 45.

id=65156 | topic=Profit & Loss | difficulty=Easy | question=An article costs █655. If it is sold at a profit of 5%, what is its selling price? | option_a=622 | option_b=687 | option_c=752 | option_d=660 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 655 × 105/100 = █687.

id=65157 | topic=Percentages | difficulty=Easy | question=What is 50% of 801? | option_a=400 | option_b=410 | option_c=800 | option_d=380 | answer=A | explanation=50% of 801 = (50/100) × 801 = 400.

id=65158 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 28, 36, 44, ? | option_a=44 | option_b=60 | option_c=53 | option_d=52 | answer=D | explanation=The common difference is 8. Therefore the next term is 44 + 8 = 52.

id=65159 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:15 and the first is 88, what is the second? | option_a=131 | option_b=120 | option_c=105 | option_d=208 | answer=B | explanation=Scale factor = 88/11 = 8. Therefore second quantity = 15×8 = 120.

id=65160 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3889. If it is sold at a profit of 50%, what is its selling price? | option_a=6221 | option_b=3939 | option_c=5445 | option_d=5833 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3889 × 150/100 = █5833.

Aptitude Questions — Records 65,161-65,190 of 100,000

id=65161 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1664. If it is sold at a profit of 10%, what is its selling price? | option_a=1674 | option_b=1664 | option_c=1996 | option_d=1830 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1664 × 110/100 = █1830.

id=65162 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=47 | option_b=57 | option_c=56 | option_d=65 | answer=C | explanation=The common difference is 9. Therefore the next term is 47 + 9 = 56.

id=65163 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=54 | option_b=55 | option_c=66 | option_d=42 | answer=A | explanation=The common difference is 12. Therefore the next term is 42 + 12 = 54.

id=65164 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42135 at 8% per annum for 3 years. | option_a=10112 | option_b=10012 | option_c=52247 | option_d=10212 | answer=A | explanation=SI = PRT/100 = 42135×8×3/100 = █10112.

id=65165 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:18 and the first is 56, what is the second? | option_a=86 | option_b=72 | option_c=128 | option_d=54 | answer=B | explanation=Scale factor = 56/14 = 4. Therefore second quantity = 18×4 = 72.

id=65166 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=Y | option_b=C | option_c=K | option_d=G | answer=D | explanation=Move 4 positions forward from C; the resulting letter is G.

id=65167 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:11 and the first is 135, what is the second? | option_a=99 | option_b=114 | option_c=234 | option_d=88 | answer=A | explanation=Scale factor = 135/15 = 9. Therefore second quantity = 11×9 = 99.

id=65168 | topic=Percentages | difficulty=Easy | question=What is 5% of 1922? | option_a=192 | option_b=91 | option_c=96 | option_d=106 | answer=C | explanation=5% of 1922 = (5/100) × 1922 = 96.

id=65169 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 31, 42, 53, ? | option_a=75 | option_b=53 | option_c=64 | option_d=65 | answer=C | explanation=The common difference is 11. Therefore the next term is 53 + 11 = 64.

id=65170 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 19, 29, 40? | option_a=9 | option_b=19 | option_c=40 | option_d=29 | answer=C | explanation=The first three numbers increase by 10, so the next should be 39. Therefore 40 is the odd one out.

id=65171 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=95 | option_c=100 | option_d=200 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=65172 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4995. If it is sold at a profit of 50%, what is its selling price? | option_a=5045 | option_b=6993 | option_c=7492 | option_d=7991 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4995 × 150/100 = █7492.

id=65173 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17163 at 6% per annum for 3 years. | option_a=3089 | option_b=20252 | option_c=3189 | option_d=2989 | answer=A | explanation=SI = PRT/100 = 17163×6×3/100 = █3089.

id=65174 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=200 | option_c=95 | option_d=105 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=65175 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 31, 33, 38? | option_a=38 | option_b=33 | option_c=31 | option_d=29 | answer=A | explanation=The first three numbers increase by 2, so the next should be 35. Therefore 38 is the odd one out.

id=65176 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:15 and the first is 70, what is the second? | option_a=90 | option_b=115 | option_c=105 | option_d=175 | answer=C | explanation=Scale factor = 70/10 = 7. Therefore second quantity = 15×7 = 105.

id=65177 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:3 and the first is 132, what is the second? | option_a=33 | option_b=45 | option_c=30 | option_d=165 | answer=A | explanation=Scale factor = 132/12 = 11. Therefore second quantity = 3×11 = 33.

id=65178 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42714 at 10% per annum for 5 years. | option_a=64071 | option_b=21457 | option_c=21257 | option_d=21357 | answer=D | explanation=SI = PRT/100 = 42714×10×5/100 = █21357.

id=65179 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=40 | option_b=41 | option_c=34 | option_d=46 | answer=A | explanation=The common difference is 6. Therefore the next term is 34 + 6 = 40.

id=65180 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=65181 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=90 | option_c=95 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=65182 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 14, 20, 28? | option_a=20 | option_b=8 | option_c=14 | option_d=28 | answer=D | explanation=The first three numbers increase by 6, so the next should be 26. Therefore 28 is the odd one out.

id=65183 | topic=Averages | difficulty=Easy | question=Find the average of 29, 58, 51, 89, 76, 42, 86, 53, 28, 78. | option_a=60 | option_b=58 | option_c=59 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 590 ÷ 10 = 59.

id=65184 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=41 | option_b=40 | option_c=32 | option_d=48 | answer=B | explanation=The common difference is 8. Therefore the next term is 32 + 8 = 40.

id=65185 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:3 and the first is 2, what is the second? | option_a=6 | option_b=7 | option_c=8 | option_d=3 | answer=A | explanation=Scale factor = 2/1 = 2. Therefore second quantity = 3×2 = 6.

id=65186 | topic=Averages | difficulty=Easy | question=Find the average of 42, 54, 16, 74, 46, 74. | option_a=52 | option_b=51 | option_c=53 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 306 ÷ 6 = 51.

id=65187 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2428. If it is sold at a profit of 5%, what is its selling price? | option_a=2307 | option_b=2433 | option_c=2549 | option_d=2791 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2428 × 105/100 = █2549.

id=65188 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=45 | option_b=44 | option_c=52 | option_d=36 | answer=B | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.

id=65189 | topic=Averages | difficulty=Easy | question=Find the average of 49, 50, 60, 53, 100, 28, 93, 79. | option_a=63 | option_b=66 | option_c=64 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = 512 ÷ 8 = 64.

id=65190 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 29, 37, 47? | option_a=21 | option_b=29 | option_c=47 | option_d=37 | answer=C | explanation=The first three numbers increase by 8, so the next should be 45. Therefore 47 is the odd one out.

Aptitude Questions — Records 65,191-65,220 of 100,000

id=65191 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=65192 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=50 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=65193 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=E | option_b=I | option_c=Q | option_d=M | answer=D | explanation=Move 4 positions forward from I; the resulting letter is M.

id=65194 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4907. If it is sold at a profit of 20%, what is its selling price? | option_a=4927 | option_b=6378 | option_c=5398 | option_d=5888 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4907 × 120/100 = █5888.

id=65195 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24651 at 4% per annum for 2 years. | option_a=2072 | option_b=1972 | option_c=1872 | option_d=26623 | answer=B | explanation=SI = PRT/100 = 24651×4×2/100 = █1972.

id=65196 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=P | option_b=U | option_c=F | option_d=K | answer=A | explanation=Move 5 positions forward from K; the resulting letter is P.

id=65197 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 29, 31, 35? | option_a=31 | option_b=35 | option_c=29 | option_d=27 | answer=B | explanation=The first three numbers increase by 2, so the next should be 33. Therefore 35 is the odd one out.

id=65198 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:20 and the first is 11, what is the second? | option_a=221 | option_b=231 | option_c=200 | option_d=220 | answer=D | explanation=Scale factor = 11/1 = 11. Therefore second quantity = 20×11 = 220.

id=65199 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=65200 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=65201 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=20 | option_b=25 | option_c=28 | option_d=24 | answer=D | explanation=The common difference is 4. Therefore the next term is 20 + 4 = 24.

id=65202 | topic=Averages | difficulty=Easy | question=Find the average of 40, 83, 98, 73, 71. | option_a=75 | option_b=73 | option_c=74 | option_d=72 | answer=B | explanation=Average = sum of values ÷ number of values = 365 ÷ 5 = 73.

id=65203 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:15 and the first is 100, what is the second? | option_a=175 | option_b=75 | option_c=95 | option_d=60 | answer=B | explanation=Scale factor = 100/20 = 5. Therefore second quantity = 15×5 = 75.

id=65204 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=J | option_b=G | option_c=M | option_d=D | answer=A | explanation=Move 3 positions forward from G; the resulting letter is J.

id=65205 | topic=Percentages | difficulty=Easy | question=What is 10% of 715? | option_a=71 | option_b=66 | option_c=91 | option_d=142 | answer=A | explanation=10% of 715 = (10/100) × 715 = 71.

id=65206 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:16 and the first is 76, what is the second? | option_a=380 | option_b=308 | option_c=304 | option_d=288 | answer=C | explanation=Scale factor = 76/4 = 19. Therefore second quantity = 16×19 = 304.

id=65207 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1895. If it is sold at a profit of 10%, what is its selling price? | option_a=2084 | option_b=2273 | option_c=1895 | option_d=1905 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1895 × 110/100 = █2084.

id=65208 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2290. If it is sold at a profit of 40%, what is its selling price? | option_a=3206 | option_b=2977 | option_c=3435 | option_d=2330 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2290 × 140/100 = █3206.

id=65209 | topic=Averages | difficulty=Easy | question=Find the average of 72, 42, 34, 78, 45, 77. | option_a=57 | option_b=59 | option_c=58 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 348 ÷ 6 = 58.

id=65210 | topic=Percentages | difficulty=Easy | question=What is 15% of 765? | option_a=104 | option_b=124 | option_c=114 | option_d=228 | answer=C | explanation=15% of 765 = (15/100) × 765 = 114.

id=65211 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:18 and the first is 95, what is the second? | option_a=90 | option_b=109 | option_c=72 | option_d=185 | answer=A | explanation=Scale factor = 95/19 = 5. Therefore second quantity = 18×5 = 90.

id=65212 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28032 at 4% per annum for 5 years. | option_a=33638 | option_b=5706 | option_c=5506 | option_d=5606 | answer=D | explanation=SI = PRT/100 = 28032×4×5/100 = █5606.

id=65213 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:20 and the first is 112, what is the second? | option_a=140 | option_b=174 | option_c=160 | option_d=272 | answer=C | explanation=Scale factor = 112/14 = 8. Therefore second quantity = 20×8 = 160.

id=65214 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=95 | option_d=180 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=65215 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=65216 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35420 at 6% per annum for 5 years. | option_a=46046 | option_b=10626 | option_c=10526 | option_d=10726 | answer=B | explanation=SI = PRT/100 = 35420×6×5/100 = █10626.

id=65217 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 23, 30, 37, ? | option_a=44 | option_b=51 | option_c=45 | option_d=37 | answer=A | explanation=The common difference is 7. Therefore the next term is 37 + 7 = 44.

id=65218 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1829. If it is sold at a profit of 10%, what is its selling price? | option_a=1829 | option_b=1839 | option_c=2011 | option_d=2193 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1829 × 110/100 = █2011.

id=65219 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 32, 40, 49? | option_a=40 | option_b=24 | option_c=49 | option_d=32 | answer=C | explanation=The first three numbers increase by 8, so the next should be 48. Therefore 49 is the odd one out.

id=65220 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 26, 29, 33? | option_a=29 | option_b=26 | option_c=23 | option_d=33 | answer=D | explanation=The first three numbers increase by 3, so the next should be 32. Therefore 33 is the odd one out.

Aptitude Questions — Records 65,221-65,250 of 100,000

id=65221 | topic=Averages | difficulty=Easy | question=Find the average of 86, 55, 51, 12, 16. | option_a=45 | option_b=46 | option_c=44 | option_d=43 | answer=C | explanation=Average = sum of values ÷ number of values = 220 ÷ 5 = 44.

id=65222 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 46? | option_a=37 | option_b=46 | option_c=25 | option_d=31 | answer=B | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 46 is the odd one out.

id=65223 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25596 at 15% per annum for 5 years. | option_a=19297 | option_b=44793 | option_c=19097 | option_d=19197 | answer=D | explanation=SI = $PRT/100 = 25596 \times 15 \times 5/100 = \text{■}19197$.

id=65224 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 3. | option_a=15 | option_b=36 | option_c=18 | option_d=54 | answer=C | explanation= $LCM \times HCF = 18 \times 3$; $HCF(18,3) = 3$, so $LCM = 18$.

id=65225 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 22. | option_a=528 | option_b=242 | option_c=288 | option_d=264 | answer=D | explanation= $LCM \times HCF = 24 \times 22$; $HCF(24,22) = 2$, so $LCM = 264$.

id=65226 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**871. If it is sold at a profit of 5%, what is its selling price? | option_a=876 | option_b=914 | option_c=1001 | option_d=827 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 871 \times 105/100 = \text{■}914$.

id=65227 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20863 at 6% per annum for 1 years. | option_a=1251 | option_b=1151 | option_c=22114 | option_d=1351 | answer=A | explanation=SI = $PRT/100 = 20863 \times 6 \times 1/100 = \text{■}1251$.

id=65228 | topic=Percentages | difficulty=Easy | question=What is 30% of 1985? | option_a=590 | option_b=1190 | option_c=595 | option_d=615 | answer=C | explanation= $30\% \text{ of } 1985 = (30/100) \times 1985 = 595$.

id=65229 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=L | option_c=N | option_d=H | answer=B | explanation=Move 2 positions forward from J; the resulting letter is L.

id=65230 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=25 | option_b=24 | option_c=22 | option_d=26 | answer=B | explanation=The common difference is 2. Therefore the next term is $22 + 2 = 24$.

id=65231 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:9 and the first is 260, what is the second? | option_a=180 | option_b=171 | option_c=440 | option_d=193 | answer=A | explanation=Scale factor = $260/13 = 20$. Therefore second quantity = $9 \times 20 = 180$.

id=65232 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4020. If it is sold at a profit of 40%, what is its selling price? | option_a=5226 | option_b=4060 | option_c=5628 | option_d=6030 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4020 \times 140/100 = \text{■}5628$.

id=65233 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 31, 43, 55, ? | option_a=68 | option_b=79 | option_c=67 | option_d=55 | answer=C | explanation=The common difference is 12. Therefore the next term is $55 + 12 = 67$.

id=65234 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10921 at 15% per annum for 2 years. | option_a=3376 | option_b=14197 | option_c=3276 | option_d=3176 | answer=C | explanation=SI = $PRT/100 = 10921 \times 15 \times 2/100 = \text{■}3276$.

id=65235 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=M | option_b=B | option_c=W | option_d=R | answer=C | explanation=Move 5 positions forward from R; the resulting letter is W.

id=65236 | topic=Averages | difficulty=Easy | question=Find the average of 47, 15, 79, 23. | option_a=41 | option_b=42 | option_c=40 | option_d=43 | answer=A | explanation=Average = sum of values ÷ number of values = $164 \div 4 = 41$.

id=65237 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1680. If it is sold at a profit of 10%, what is its selling price? | option_a=1680 | option_b=1848 | option_c=1690 | option_d=2016 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1680 \times 110/100 = \text{■}1848$.

id=65238 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 25. | option_a=125 | option_b=30 | option_c=25 | option_d=1 | answer=C | explanation= $LCM \times HCF = 5 \times 25$; $HCF(5,25) = 5$, so $LCM = 25$.

id=65239 | topic=Percentages | difficulty=Easy | question=What is 50% of 1900? | option_a=940 | option_b=950 | option_c=970 | option_d=1900 | answer=B | explanation= $50\% \text{ of } 1900 = (50/100) \times 1900 = 950$.

id=65240 | topic=Percentages | difficulty=Easy | question=What is 12% of 1695? | option_a=208 | option_b=203 | option_c=406 | option_d=183 | answer=B | explanation= $12\% \text{ of } 1695 = (12/100) \times 1695 = 203$.

id=65241 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=24 | option_c=29 | option_d=48 | answer=B | explanation=Speed = distance ÷ time = $240 \div 10 = 24 \text{ km/h}$.

id=65242 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=22 | option_b=21 | option_c=17 | option_d=25 | answer=B | explanation=The common difference is 4. Therefore the next term is $17 + 4 = 21$.

id=65243 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=A | option_b=G | option_c=D | option_d=J | answer=B | explanation=Move 3 positions forward from D; the resulting letter is G.

id=65244 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=150 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = $150 \div 2 = 75 \text{ km/h}$.

id=65245 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 22, 31, 43? | option_a=13 | option_b=43 | option_c=31 | option_d=22 | answer=B | explanation=The first three numbers increase by 9, so the next should be 40. Therefore 43 is the odd one out.

id=65246 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=E | option_b=F | option_c=G | option_d=H | answer=C | explanation=Move 1 positions forward from F; the resulting letter is G.

id=65247 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=N | option_b=X | option_c=S | option_d=C | answer=B | explanation=Move 5 positions forward from S; the resulting letter is X.

id=65248 | topic=Averages | difficulty=Easy | question=Find the average of 12, 47, 70, 37, 74. | option_a=48 | option_b=49 | option_c=47 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = $240 \div 5 = 48$.

id=65249 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2501. If it is sold at a profit of 20%, what is its selling price? | option_a=2521 | option_b=3251 | option_c=3001 | option_d=2751 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2501 \times 120/100 = \text{■}3001$.

id=65250 | topic=Averages | difficulty=Easy | question=Find the average of 58, 14, 88, 81, 49, 34. | option_a=53 | option_b=55 | option_c=54 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = $324 \div 6 = 54$.

Aptitude Questions — Records 65,251-65,280 of 100,000

id=65251 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=47 | option_b=54 | option_c=46 | option_d=38 | answer=C | explanation=The common difference is 8. Therefore the next term is 38 + 8 = 46.

id=65252 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 24, 32, 43? | option_a=32 | option_b=16 | option_c=24 | option_d=43 | answer=D | explanation=The first three numbers increase by 8, so the next should be 40. Therefore 43 is the odd one out.

id=65253 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1792. If it is sold at a profit of 25%, what is its selling price? | option_a=2240 | option_b=1817 | option_c=2061 | option_d=2419 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1792 × 125/100 = █2240.

id=65254 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=95 | option_c=180 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=65255 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=Z | option_b=C | option_c=B | option_d=A | answer=C | explanation=Move 1 positions forward from A; the resulting letter is B.

id=65256 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 36, 44, 53? | option_a=53 | option_b=28 | option_c=44 | option_d=36 | answer=A | explanation=The first three numbers increase by 8, so the next should be 52. Therefore 53 is the odd one out.

id=65257 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21870 at 6% per annum for 5 years. | option_a=6661 | option_b=6561 | option_c=28431 | option_d=6461 | answer=B | explanation=SI = PRT/100 = 21870×6×5/100 = █6561.

id=65258 | topic=Percentages | difficulty=Easy | question=What is 12% of 769? | option_a=92 | option_b=112 | option_c=72 | option_d=184 | answer=A | explanation=12% of 769 = (12/100) × 769 = 92.

id=65259 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 49? | option_a=36 | option_b=42 | option_c=30 | option_d=49 | answer=D | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 49 is the odd one out.

id=65260 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=H | option_b=L | option_c=P | option_d=T | answer=C | explanation=Move 4 positions forward from L; the resulting letter is P.

id=65261 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3628. If it is sold at a profit of 15%, what is its selling price? | option_a=4534 | option_b=3643 | option_c=3810 | option_d=4172 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3628 × 115/100 = █4172.

id=65262 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=55 | option_c=45 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=65263 | topic=Percentages | difficulty=Easy | question=What is 50% of 1692? | option_a=836 | option_b=866 | option_c=1692 | option_d=846 | answer=D | explanation=50% of 1692 = (50/100) × 1692 = 846.

id=65264 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=49 | option_b=60 | option_c=61 | option_d=71 | answer=B | explanation=The common difference is 11. Therefore the next term is 49 + 11 = 60.

id=65265 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=65266 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:20 and the first is 57, what is the second? | option_a=40 | option_b=117 | option_c=79 | option_d=60 | answer=D | explanation=Scale factor = 57/19 = 3. Therefore second quantity = 20×3 = 60.

id=65267 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=65268 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=65269 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=P | option_b=F | option_c=U | option_d=K | answer=A | explanation=Move 5 positions forward from K; the resulting letter is P.

id=65270 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16182 at 8% per annum for 3 years. | option_a=3883 | option_b=3983 | option_c=3783 | option_d=20065 | answer=A | explanation=SI = PRT/100 = 16182×8×3/100 = █3883.

id=65271 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 37? | option_a=29 | option_b=37 | option_c=23 | option_d=17 | answer=B | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 37 is the odd one out.

id=65272 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4839. If it is sold at a profit of 20%, what is its selling price? | option_a=6289 | option_b=5323 | option_c=5806 | option_d=4859 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4839 × 120/100 = █5806.

id=65273 | topic=Percentages | difficulty=Easy | question=What is 12% of 1371? | option_a=164 | option_b=328 | option_c=184 | option_d=144 | answer=A | explanation=12% of 1371 = (12/100) × 1371 = 164.

id=65274 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:15 and the first is 30, what is the second? | option_a=153 | option_b=150 | option_c=180 | option_d=135 | answer=B | explanation=Scale factor = 30/3 = 10. Therefore second quantity = 15×10 = 150.

id=65275 | topic=Percentages | difficulty=Easy | question=What is 5% of 1031? | option_a=56 | option_b=51 | option_c=31 | option_d=102 | answer=B | explanation=5% of 1031 = (5/100) × 1031 = 51.

id=65276 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=29 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=65277 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 16, 20, 26? | option_a=16 | option_b=12 | option_c=26 | option_d=20 | answer=C | explanation=The first three numbers increase by 4, so the next should be 24. Therefore 26 is the odd one out.

id=65278 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=65279 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=65280 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=48 | option_b=39 | option_c=55 | option_d=47 | answer=D | explanation=The common difference is 8. Therefore the next term is 39 + 8 = 47.

Aptitude Questions — Records 65,281-65,310 of 100,000

id=65281 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=36 | option_b=24 | option_c=31 | option_d=30 | answer=D | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.

id=65282 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=6 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=65283 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:19 and the first is 216, what is the second? | option_a=558 | option_b=342 | option_c=354 | option_d=323 | answer=B | explanation=Scale factor = 216/12 = 18. Therefore second quantity = 19×18 = 342.

id=65284 | topic=Percentages | difficulty=Easy | question=What is 10% of 1568? | option_a=136 | option_b=156 | option_c=312 | option_d=161 | answer=B | explanation=10% of 1568 = (10/100) × 1568 = 156.

id=65285 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3498. If it is sold at a profit of 50%, what is its selling price? | option_a=3548 | option_b=5596 | option_c=5247 | option_d=4898 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3498 × 150/100 = █5247.

id=65286 | topic=Percentages | difficulty=Easy | question=What is 12% of 1161? | option_a=159 | option_b=139 | option_c=278 | option_d=134 | answer=B | explanation=12% of 1161 = (12/100) × 1161 = 139.

id=65287 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 7. | option_a=196 | option_b=21 | option_c=28 | option_d=56 | answer=C | explanation=LCM × HCF = 28×7; HCF(28,7) = 7, so LCM = 28.

id=65288 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=C | option_c=D | option_d=B | answer=C | explanation=Move 1 positions forward from C; the resulting letter is D.

id=65289 | topic=Percentages | difficulty=Easy | question=What is 30% of 679? | option_a=183 | option_b=406 | option_c=203 | option_d=208 | answer=C | explanation=30% of 679 = (30/100) × 679 = 203.

id=65290 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 34? | option_a=34 | option_b=2 | option_c=12 | option_d=22 | answer=A | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 34 is the odd one out.

id=65291 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:11 and the first is 18, what is the second? | option_a=51 | option_b=39 | option_c=33 | option_d=22 | answer=C | explanation=Scale factor = 18/6 = 3. Therefore second quantity = 11×3 = 33.

id=65292 | topic=Profit & Loss | difficulty=Easy | question=An article costs █199. If it is sold at a profit of 25%, what is its selling price? | option_a=248 | option_b=229 | option_c=267 | option_d=224 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 199 × 125/100 = █248.

id=65293 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48628 at 4% per annum for 3 years. | option_a=5835 | option_b=5735 | option_c=54463 | option_d=5935 | answer=A | explanation=SI = PRT/100 = 48628×4×3/100 = █5835.

id=65294 | topic=Averages | difficulty=Easy | question=Find the average of 67, 17, 15, 93. | option_a=48 | option_b=50 | option_c=49 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 192 ÷ 4 = 48.

id=65295 | topic=Percentages | difficulty=Easy | question=What is 10% of 1436? | option_a=163 | option_b=138 | option_c=143 | option_d=286 | answer=C | explanation=10% of 1436 = (10/100) × 1436 = 143.

id=65296 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41665 at 15% per annum for 3 years. | option_a=18849 | option_b=18749 | option_c=18649 | option_d=60414 | answer=B | explanation=SI = PRT/100 = 41665×15×3/100 = █18749.

id=65297 | topic=Percentages | difficulty=Easy | question=What is 5% of 1499? | option_a=148 | option_b=54 | option_c=84 | option_d=74 | answer=D | explanation=5% of 1499 = (5/100) × 1499 = 74.

id=65298 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=65299 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=65300 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=X | option_b=I | option_c=N | option_d=S | answer=D | explanation=Move 5 positions forward from N; the resulting letter is S.

id=65301 | topic=Averages | difficulty=Easy | question=Find the average of 31, 81, 74, 56, 54, 52. | option_a=60 | option_b=59 | option_c=57 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 348 ÷ 6 = 58.

id=65302 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 43? | option_a=38 | option_b=43 | option_c=34 | option_d=30 | answer=B | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 43 is the odd one out.

id=65303 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=L | option_b=H | option_c=Z | option_d=D | answer=B | explanation=Move 4 positions forward from D; the resulting letter is H.

id=65304 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26875 at 8% per annum for 3 years. | option_a=6450 | option_b=33325 | option_c=6350 | option_d=6550 | answer=A | explanation=SI = PRT/100 = 26875×8×3/100 = █6450.

id=65305 | topic=Averages | difficulty=Easy | question=Find the average of 83, 92, 58, 15. | option_a=62 | option_b=63 | option_c=64 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 248 ÷ 4 = 62.

id=65306 | topic=Averages | difficulty=Easy | question=Find the average of 14, 84, 96, 17, 56, 81, 51. | option_a=59 | option_b=56 | option_c=57 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 399 ÷ 7 = 57.

id=65307 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=65308 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19544 at 10% per annum for 5 years. | option_a=9772 | option_b=9672 | option_c=9872 | option_d=29316 | answer=A | explanation=SI = PRT/100 = 19544×10×5/100 = █9772.

id=65309 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=D | option_c=N | option_d=S | answer=C | explanation=Move 5 positions forward from I; the resulting letter is N.

id=65310 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

Aptitude Questions — Records 65,311-65,340 of 100,000

- id=65311 | topic=Percentages | difficulty=Easy | question=What is 25% of 1674? | option_a=418 | option_b=438 | option_c=836 | option_d=408 | answer=A | explanation=25% of 1674 = (25/100) × 1674 = 418.
- id=65312 | topic=Percentages | difficulty=Easy | question=What is 50% of 1298? | option_a=1298 | option_b=669 | option_c=649 | option_d=639 | answer=C | explanation=50% of 1298 = (50/100) × 1298 = 649.
- id=65313 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=90 | option_c=180 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.
- id=65314 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.
- id=65315 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=65316 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=20 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.
- id=65317 | topic=Profit & Loss | difficulty=Easy | question=An article costs █645. If it is sold at a profit of 30%, what is its selling price? | option_a=902 | option_b=774 | option_c=838 | option_d=675 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 645 × 130/100 = █838.
- id=65318 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:8 and the first is 34, what is the second? | option_a=128 | option_b=170 | option_c=138 | option_d=136 | answer=D | explanation=Scale factor = 34/2 = 17. Therefore second quantity = 8×17 = 136.
- id=65319 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42424 at 6% per annum for 2 years. | option_a=4990 | option_b=5090 | option_c=47514 | option_d=5190 | answer=B | explanation=SI = PRT/100 = 42424×6×2/100 = █5090.
- id=65320 | topic=Averages | difficulty=Easy | question=Find the average of 79, 73, 23, 26, 19, 100, 63, 57. | option_a=56 | option_b=54 | option_c=57 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 440 ÷ 8 = 55.
- id=65321 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 16, 23, 33? | option_a=9 | option_b=33 | option_c=23 | option_d=16 | answer=B | explanation=The first three numbers increase by 7, so the next should be 30. Therefore 33 is the odd one out.
- id=65322 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 8. | option_a=56 | option_b=112 | option_c=48 | option_d=70 | answer=A | explanation=LCM × HCF = 14×8; HCF(14,8) = 2, so LCM = 56.
- id=65323 | topic=Averages | difficulty=Easy | question=Find the average of 70, 56, 32, 63, 36, 73. | option_a=56 | option_b=55 | option_c=57 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 330 ÷ 6 = 55.
- id=65324 | topic=Averages | difficulty=Easy | question=Find the average of 31, 38, 68, 46, 31, 20. | option_a=38 | option_b=41 | option_c=40 | option_d=39 | answer=D | explanation=Average = sum of values ÷ number of values = 234 ÷ 6 = 39.
- id=65325 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 35? | option_a=35 | option_b=17 | option_c=27 | option_d=22 | answer=A | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 35 is the odd one out.
- id=65326 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=65327 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7552 at 5% per annum for 1 years. | option_a=277 | option_b=377 | option_c=477 | option_d=7929 | answer=B | explanation=SI = PRT/100 = 7552×5×1/100 = █377.
- id=65328 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20400 at 12% per annum for 4 years. | option_a=30192 | option_b=9892 | option_c=9792 | option_d=9692 | answer=C | explanation=SI = PRT/100 = 20400×12×4/100 = █9792.
- id=65329 | topic=Percentages | difficulty=Easy | question=What is 40% of 770? | option_a=616 | option_b=298 | option_c=308 | option_d=328 | answer=C | explanation=40% of 770 = (40/100) × 770 = 308.
- id=65330 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:12 and the first is 78, what is the second? | option_a=156 | option_b=144 | option_c=162 | option_d=234 | answer=A | explanation=Scale factor = 78/6 = 13. Therefore second quantity = 12×13 = 156.
- id=65331 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=55 | option_d=100 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.
- id=65332 | topic=Profit & Loss | difficulty=Easy | question=An article costs █989. If it is sold at a profit of 50%, what is its selling price? | option_a=1039 | option_b=1385 | option_c=1483 | option_d=1581 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 989 × 150/100 = █1483.
- id=65333 | topic=Percentages | difficulty=Easy | question=What is 5% of 1516? | option_a=80 | option_b=150 | option_c=75 | option_d=70 | answer=C | explanation=5% of 1516 = (5/100) × 1516 = 75.
- id=65334 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 31, 34, 39? | option_a=34 | option_b=39 | option_c=28 | option_d=31 | answer=B | explanation=The first three numbers increase by 3, so the next should be 37. Therefore 39 is the odd one out.
- id=65335 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.
- id=65336 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 25, 31, 39? | option_a=19 | option_b=31 | option_c=25 | option_d=39 | answer=D | explanation=The first three numbers increase by 6, so the next should be 37. Therefore 39 is the odd one out.
- id=65337 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38197 at 6% per annum for 4 years. | option_a=47364 | option_b=9167 | option_c=9067 | option_d=9267 | answer=B | explanation=SI = PRT/100 = 38197×6×4/100 = █9167.
- id=65338 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:6 and the first is 323, what is the second? | option_a=114 | option_b=437 | option_c=131 | option_d=108 | answer=A | explanation=Scale factor = 323/17 = 19. Therefore second quantity = 6×19 = 114.
- id=65339 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=100 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.
- id=65340 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3954 at 12% per annum for 3 years. | option_a=1423 | option_b=5377 | option_c=1323 | option_d=1523 | answer=A | explanation=SI = PRT/100 = 3954×12×3/100 = █1423.

Aptitude Questions — Records 65,341-65,370 of 100,000

id=65341 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=65342 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:18 and the first is 192, what is the second? | option_a=288 | option_b=270 | option_c=480 | option_d=300 | answer=A | explanation=Scale factor = 192/12 = 16. Therefore second quantity = 18×16 = 288.

id=65343 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3110. If it is sold at a profit of 25%, what is its selling price? | option_a=3576 | option_b=3135 | option_c=4198 | option_d=3887 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3110 × 125/100 = █3887.

id=65344 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:10 and the first is 6, what is the second? | option_a=66 | option_b=61 | option_c=50 | option_d=60 | answer=D | explanation=Scale factor = 6/1 = 6. Therefore second quantity = 10×6 = 60.

id=65345 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=180 | option_c=85 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=65346 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 6. | option_a=30 | option_b=24 | option_c=180 | option_d=60 | answer=A | explanation=LCM × HCF = 30×6; HCF(30,6) = 6, so LCM = 30.

id=65347 | topic=Averages | difficulty=Easy | question=Find the average of 86, 28, 84, 48, 74, 83, 77, 37, 77. | option_a=65 | option_b=66 | option_c=67 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = 594 ÷ 9 = 66.

id=65348 | topic=Averages | difficulty=Easy | question=Find the average of 54, 12, 48, 60, 48, 23, 15, 60. | option_a=41 | option_b=40 | option_c=39 | option_d=42 | answer=B | explanation=Average = sum of values ÷ number of values = 320 ÷ 8 = 40.

id=65349 | topic=Profit & Loss | difficulty=Easy | question=An article costs █691. If it is sold at a profit of 40%, what is its selling price? | option_a=898 | option_b=967 | option_c=731 | option_d=1036 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 691 × 140/100 = █967.

id=65350 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3933. If it is sold at a profit of 25%, what is its selling price? | option_a=4523 | option_b=5309 | option_c=4916 | option_d=3958 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3933 × 125/100 = █4916.

id=65351 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 38? | option_a=13 | option_b=29 | option_c=21 | option_d=38 | answer=D | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 38 is the odd one out.

id=65352 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:1 and the first is 160, what is the second? | option_a=28 | option_b=20 | option_c=19 | option_d=180 | answer=B | explanation=Scale factor = 160/8 = 20. Therefore second quantity = 1×20 = 20.

id=65353 | topic=Averages | difficulty=Easy | question=Find the average of 66, 44, 52, 62, 97, 96, 29, 52, 26, 16. | option_a=55 | option_b=53 | option_c=56 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

id=65354 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=F | option_b=C | option_c=Z | option_d=I | answer=A | explanation=Move 3 positions forward from C; the resulting letter is F.

id=65355 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=65356 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=O | option_b=F | option_c=L | option_d=I | answer=C | explanation=Move 3 positions forward from I; the resulting letter is L.

id=65357 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1946. If it is sold at a profit of 50%, what is its selling price? | option_a=2919 | option_b=2725 | option_c=3113 | option_d=1996 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1946 × 150/100 = █2919.

id=65358 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 13, 20, 29? | option_a=29 | option_b=6 | option_c=20 | option_d=13 | answer=A | explanation=The first three numbers increase by 7, so the next should be 27. Therefore 29 is the odd one out.

id=65359 | topic=Profit & Loss | difficulty=Easy | question=An article costs █572. If it is sold at a profit of 15%, what is its selling price? | option_a=600 | option_b=714 | option_c=657 | option_d=587 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 572 × 115/100 = █657.

id=65360 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:13 and the first is 160, what is the second? | option_a=104 | option_b=264 | option_c=91 | option_d=124 | answer=A | explanation=Scale factor = 160/20 = 8. Therefore second quantity = 13×8 = 104.

id=65361 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=U | option_b=P | option_c=F | option_d=K | answer=B | explanation=Move 5 positions forward from K; the resulting letter is P.

id=65362 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=41 | option_b=48 | option_c=55 | option_d=49 | answer=B | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.

id=65363 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=F | option_c=K | option_d=V | answer=B | explanation=Move 5 positions forward from A; the resulting letter is F.

id=65364 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 16, 23, 30, ? | option_a=44 | option_b=38 | option_c=37 | option_d=30 | answer=C | explanation=The common difference is 7. Therefore the next term is 30 + 7 = 37.

id=65365 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 42? | option_a=42 | option_b=33 | option_c=30 | option_d=36 | answer=A | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 42 is the odd one out.

id=65366 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:6 and the first is 112, what is the second? | option_a=154 | option_b=42 | option_c=58 | option_d=36 | answer=B | explanation=Scale factor = 112/16 = 7. Therefore second quantity = 6×7 = 42.

id=65367 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=50 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=65368 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 36, 45, 56? | option_a=27 | option_b=56 | option_c=45 | option_d=36 | answer=B | explanation=The first three numbers increase by 9, so the next should be 54. Therefore 56 is the odd one out.

id=65369 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=29 | option_b=30 | option_c=25 | option_d=33 | answer=A | explanation=The common difference is 4. Therefore the next term is 25 + 4 = 29.

id=65370 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:20 and the first is 18, what is the second? | option_a=180 | option_b=198 | option_c=182 | option_d=160 | answer=A | explanation=Scale factor = 18/2 = 9. Therefore second quantity = 20×9 = 180.

Aptitude Questions — Records 65,371-65,400 of 100,000

id=65371 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 14. | option_a=28 | option_b=196 | option_c=14 | option_d=1 | answer=C | explanation=LCM × HCF = 14×14; HCF(14,14) = 14, so LCM = 14.

id=65372 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=65373 | topic=Percentages | difficulty=Easy | question=What is 15% of 529? | option_a=99 | option_b=69 | option_c=79 | option_d=158 | answer=C | explanation=15% of 529 = (15/100) × 529 = 79.

id=65374 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=Z | option_c=D | option_d=F | answer=C | explanation=Move 2 positions forward from B; the resulting letter is D.

id=65375 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=17 | option_b=19 | option_c=20 | option_d=21 | answer=B | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=65376 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:1 and the first is 154, what is the second? | option_a=165 | option_b=25 | option_c=10 | option_d=11 | answer=D | explanation=Scale factor = 154/14 = 11. Therefore second quantity = 1×11 = 11.

id=65377 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=Z | option_c=B | option_d=A | answer=C | explanation=Move 1 positions forward from A; the resulting letter is B.

id=65378 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=29 | option_b=23 | option_c=27 | option_d=26 | answer=D | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.

id=65379 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 35? | option_a=28 | option_b=35 | option_c=30 | option_d=26 | answer=B | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 35 is the odd one out.

id=65380 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=65381 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=31 | option_b=38 | option_c=39 | option_d=45 | answer=B | explanation=The common difference is 7. Therefore the next term is 31 + 7 = 38.

id=65382 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 39, 49, 62? | option_a=29 | option_b=49 | option_c=62 | option_d=39 | answer=C | explanation=The first three numbers increase by 10, so the next should be 59. Therefore 62 is the odd one out.

id=65383 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=65384 | topic=Percentages | difficulty=Easy | question=What is 40% of 1645? | option_a=1316 | option_b=678 | option_c=658 | option_d=648 | answer=C | explanation=40% of 1645 = (40/100) × 1645 = 658.

id=65385 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=46 | option_b=56 | option_c=55 | option_d=64 | answer=C | explanation=The common difference is 9. Therefore the next term is 46 + 9 = 55.

id=65386 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=43 | option_b=39 | option_c=33 | option_d=38 | answer=D | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.

id=65387 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 15, 22, 29, ? | option_a=36 | option_b=29 | option_c=43 | option_d=37 | answer=A | explanation=The common difference is 7. Therefore the next term is 29 + 7 = 36.

id=65388 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3066. If it is sold at a profit of 15%, what is its selling price? | option_a=3525 | option_b=3219 | option_c=3081 | option_d=3831 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3066 × 115/100 = █3525.

id=65389 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=M | option_b=U | option_c=Q | option_d=Y | answer=B | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=65390 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=D | option_c=E | option_d=F | answer=D | explanation=Move 1 positions forward from E; the resulting letter is F.

id=65391 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=65392 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:15 and the first is 20, what is the second? | option_a=301 | option_b=320 | option_c=300 | option_d=285 | answer=C | explanation=Scale factor = 20/1 = 20. Therefore second quantity = 15×20 = 300.

id=65393 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 13, 20, 29? | option_a=13 | option_b=29 | option_c=6 | option_d=20 | answer=B | explanation=The first three numbers increase by 7, so the next should be 27. Therefore 29 is the odd one out.

id=65394 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3214 at 4% per annum for 1 years. | option_a=128 | option_b=28 | option_c=228 | option_d=3342 | answer=A | explanation=SI = PRT/100 = 3214×4×1/100 = █128.

id=65395 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=J | option_b=Z | option_c=O | option_d=E | answer=A | explanation=Move 5 positions forward from E; the resulting letter is J.

id=65396 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1145 at 5% per annum for 2 years. | option_a=1259 | option_b=114 | option_c=14 | option_d=214 | answer=B | explanation=SI = PRT/100 = 1145×5×2/100 = █114.

id=65397 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 13, 21, 32? | option_a=5 | option_b=13 | option_c=32 | option_d=21 | answer=C | explanation=The first three numbers increase by 8, so the next should be 29. Therefore 32 is the odd one out.

id=65398 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42143 at 10% per annum for 5 years. | option_a=20971 | option_b=21071 | option_c=21171 | option_d=63214 | answer=B | explanation=SI = PRT/100 = 42143×10×5/100 = █21071.

id=65399 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3679 at 5% per annum for 2 years. | option_a=4046 | option_b=367 | option_c=467 | option_d=267 | answer=B | explanation=SI = PRT/100 = 3679×5×2/100 = █367.

id=65400 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 34, 43, 55? | option_a=55 | option_b=43 | option_c=25 | option_d=34 | answer=A | explanation=The first three numbers increase by 9, so the next should be 52. Therefore 55 is the odd one out.

Aptitude Questions — Records 65,401-65,430 of 100,000

id=65401 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19794 at 15% per annum for 1 years. | option_a=2869 | option_b=3069 | option_c=2969 | option_d=22763 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{19794 \times 15 \times 1}{100} = \text{■}2969$.

id=65402 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=G | option_b=L | option_c=W | option_d=B | answer=A | explanation=Move 5 positions forward from B; the resulting letter is G.

id=65403 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40033 at 4% per annum for 3 years. | option_a=44836 | option_b=4803 | option_c=4903 | option_d=4703 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{40033 \times 4 \times 3}{100} = \text{■}4803$.

id=65404 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4867. If it is sold at a profit of 10%, what is its selling price? | option_a=4877 | option_b=5353 | option_c=4867 | option_d=5839 | answer=B | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%) / 100 = 4867 \times 110 / 100 = \text{■}5353$.

id=65405 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43193 at 4% per annum for 4 years. | option_a=7010 | option_b=6810 | option_c=6910 | option_d=50103 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{43193 \times 4 \times 4}{100} = \text{■}6910$.

id=65406 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 13, 20, 29? | option_a=6 | option_b=29 | option_c=20 | option_d=13 | answer=B | explanation=The first three numbers increase by 7, so the next should be 27. Therefore 29 is the odd one out.

id=65407 | topic=Averages | difficulty=Easy | question=Find the average of 72, 58, 73, 56, 71, 69, 43, 52, 46. | option_a=60 | option_b=62 | option_c=59 | option_d=61 | answer=A | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{540}{9} = 60$.

id=65408 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 8, 11, 14, ? | option_a=14 | option_b=17 | option_c=20 | option_d=18 | answer=B | explanation=The common difference is 3. Therefore the next term is $14 + 3 = 17$.

id=65409 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{150}{5} = 30 \text{ km/h}$.

id=65410 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=33 | option_b=25 | option_c=30 | option_d=29 | answer=D | explanation=The common difference is 4. Therefore the next term is $25 + 4 = 29$.

id=65411 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation= $\text{Combined rate} = \frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=65412 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 18, 28, 38, ? | option_a=48 | option_b=49 | option_c=58 | option_d=38 | answer=A | explanation=The common difference is 10. Therefore the next term is $38 + 10 = 48$.

id=65413 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:12 and the first is 136, what is the second? | option_a=212 | option_b=204 | option_c=192 | option_d=340 | answer=B | explanation= $\text{Scale factor} = \frac{136}{8} = 17$. Therefore second quantity = $12 \times 17 = 204$.

id=65414 | topic=Percentages | difficulty=Easy | question=What is 40% of 830? | option_a=664 | option_b=327 | option_c=332 | option_d=352 | answer=C | explanation= $40\% \text{ of } 830 = \frac{(40/100) \times 830}{1} = 332$.

id=65415 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation= $\text{Combined rate} = \frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.

id=65416 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 44? | option_a=18 | option_b=44 | option_c=34 | option_d=26 | answer=B | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 44 is the odd one out.

id=65417 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=240 | option_d=125 | answer=A | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{240}{2} = 120 \text{ km/h}$.

id=65418 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:16 and the first is 6, what is the second? | option_a=50 | option_b=32 | option_c=48 | option_d=54 | answer=C | explanation= $\text{Scale factor} = \frac{6}{2} = 3$. Therefore second quantity = $16 \times 3 = 48$.

id=65419 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**708. If it is sold at a profit of 10%, what is its selling price? | option_a=778 | option_b=708 | option_c=718 | option_d=848 | answer=A | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%) / 100 = 708 \times 110 / 100 = \text{■}778$.

id=65420 | topic=Percentages | difficulty=Easy | question=What is 40% of 1000? | option_a=800 | option_b=380 | option_c=410 | option_d=400 | answer=D | explanation= $40\% \text{ of } 1000 = \frac{(40/100) \times 1000}{1} = 400$.

id=65421 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:6 and the first is 28, what is the second? | option_a=31 | option_b=18 | option_c=24 | option_d=52 | answer=C | explanation= $\text{Scale factor} = \frac{28}{7} = 4$. Therefore second quantity = $6 \times 4 = 24$.

id=65422 | topic=Averages | difficulty=Easy | question=Find the average of 25, 53, 46, 71, 30, 75. | option_a=51 | option_b=52 | option_c=49 | option_d=50 | answer=D | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{300}{6} = 50$.

id=65423 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:7 and the first is 48, what is the second? | option_a=49 | option_b=56 | option_c=62 | option_d=104 | answer=B | explanation= $\text{Scale factor} = \frac{48}{6} = 8$. Therefore second quantity = $7 \times 8 = 56$.

id=65424 | topic=Percentages | difficulty=Easy | question=What is 12% of 434? | option_a=104 | option_b=52 | option_c=42 | option_d=62 | answer=B | explanation= $12\% \text{ of } 434 = \frac{(12/100) \times 434}{1} = 52$.

id=65425 | topic=Averages | difficulty=Easy | question=Find the average of 74, 54, 56, 66, 13, 88, 12, 78, 36. | option_a=54 | option_b=52 | option_c=53 | option_d=55 | answer=C | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{477}{9} = 53$.

id=65426 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2381. If it is sold at a profit of 30%, what is its selling price? | option_a=3333 | option_b=3095 | option_c=2857 | option_d=2411 | answer=B | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%) / 100 = 2381 \times 130 / 100 = \text{■}3095$.

id=65427 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=G | option_c=X | option_d=D | answer=D | explanation=Move 3 positions forward from A; the resulting letter is D.

id=65428 | topic=Percentages | difficulty=Easy | question=What is 12% of 1025? | option_a=123 | option_b=118 | option_c=143 | option_d=246 | answer=A | explanation= $12\% \text{ of } 1025 = \frac{(12/100) \times 1025}{1} = 123$.

id=65429 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:5 and the first is 78, what is the second? | option_a=60 | option_b=71 | option_c=65 | option_d=143 | answer=C | explanation= $\text{Scale factor} = \frac{78}{6} = 13$. Therefore second quantity = $5 \times 13 = 65$.

id=65430 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=U | option_c=S | option_d=Q | answer=B | explanation=Move 2 positions forward from S; the resulting letter is U.

Aptitude Questions — Records 65,431-65,460 of 100,000

id=65431 | topic=Percentages | difficulty=Easy | question=What is 40% of 857? | option_a=684 | option_b=342 | option_c=352 | option_d=332 | answer=B | explanation=40% of 857 = (40/100) × 857 = 342.

id=65432 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 24, 31, 41? | option_a=24 | option_b=17 | option_c=41 | option_d=31 | answer=C | explanation=The first three numbers increase by 7, so the next should be 38. Therefore 41 is the odd one out.

id=65433 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 16. | option_a=16 | option_b=1 | option_c=256 | option_d=32 | answer=A | explanation=LCM × HCF = 16×16; HCF(16,16) = 16, so LCM = 16.

id=65434 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3480. If it is sold at a profit of 25%, what is its selling price? | option_a=4698 | option_b=3505 | option_c=4350 | option_d=4002 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3480 × 125/100 = █4350.

id=65435 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2618. If it is sold at a profit of 10%, what is its selling price? | option_a=2618 | option_b=3140 | option_c=2628 | option_d=2879 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2618 × 110/100 = █2879.

id=65436 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 27. | option_a=240 | option_b=189 | option_c=648 | option_d=216 | answer=D | explanation=LCM × HCF = 24×27; HCF(24,27) = 3, so LCM = 216.

id=65437 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3724. If it is sold at a profit of 20%, what is its selling price? | option_a=4098 | option_b=4468 | option_c=4840 | option_d=3744 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3724 × 120/100 = █4468.

id=65438 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 19, 25, 32? | option_a=19 | option_b=13 | option_c=25 | option_d=32 | answer=D | explanation=The first three numbers increase by 6, so the next should be 31. Therefore 32 is the odd one out.

id=65439 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:11 and the first is 14, what is the second? | option_a=22 | option_b=11 | option_c=29 | option_d=36 | answer=A | explanation=Scale factor = 14/7 = 2. Therefore second quantity = 11×2 = 22.

id=65440 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=65441 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8741 at 5% per annum for 2 years. | option_a=9615 | option_b=874 | option_c=974 | option_d=774 | answer=B | explanation=SI = PRT/100 = 8741×5×2/100 = █874.

id=65442 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32482 at 12% per annum for 3 years. | option_a=11593 | option_b=11693 | option_c=44175 | option_d=11793 | answer=B | explanation=SI = PRT/100 = 32482×12×3/100 = █11693.

id=65443 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=38 | option_b=60 | option_c=50 | option_d=49 | answer=D | explanation=The common difference is 11. Therefore the next term is 38 + 11 = 49.

id=65444 | topic=Averages | difficulty=Easy | question=Find the average of 58, 32, 13, 52, 57, 45, 72. | option_a=46 | option_b=48 | option_c=49 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 329 ÷ 7 = 47.

id=65445 | topic=Averages | difficulty=Easy | question=Find the average of 84, 14, 54, 55, 11, 33, 33, 39, 82. | option_a=47 | option_b=46 | option_c=44 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 405 ÷ 9 = 45.

id=65446 | topic=Percentages | difficulty=Easy | question=What is 50% of 1962? | option_a=1962 | option_b=961 | option_c=981 | option_d=1001 | answer=C | explanation=50% of 1962 = (50/100) × 1962 = 981.

id=65447 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:15 and the first is 380, what is the second? | option_a=305 | option_b=665 | option_c=285 | option_d=270 | answer=C | explanation=Scale factor = 380/20 = 19. Therefore second quantity = 15×19 = 285.

id=65448 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=P | option_c=R | option_d=L | answer=B | explanation=Move 2 positions forward from N; the resulting letter is P.

id=65449 | topic=Percentages | difficulty=Easy | question=What is 15% of 1404? | option_a=190 | option_b=210 | option_c=220 | option_d=420 | answer=B | explanation=15% of 1404 = (15/100) × 1404 = 210.

id=65450 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35048 at 15% per annum for 3 years. | option_a=15871 | option_b=15771 | option_c=50819 | option_d=15671 | answer=B | explanation=SI = PRT/100 = 35048×15×3/100 = █15771.

id=65451 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=V | option_b=Y | option_c=S | option_d=P | answer=A | explanation=Move 3 positions forward from S; the resulting letter is V.

id=65452 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=5 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=65453 | topic=Percentages | difficulty=Easy | question=What is 25% of 1395? | option_a=343 | option_b=348 | option_c=696 | option_d=368 | answer=B | explanation=25% of 1395 = (25/100) × 1395 = 348.

id=65454 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:7 and the first is 120, what is the second? | option_a=176 | option_b=49 | option_c=56 | option_d=71 | answer=C | explanation=Scale factor = 120/15 = 8. Therefore second quantity = 7×8 = 56.

id=65455 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=35 | option_b=27 | option_c=41 | option_d=34 | answer=D | explanation=The common difference is 7. Therefore the next term is 27 + 7 = 34.

id=65456 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=52 | option_b=44 | option_c=43 | option_d=34 | answer=C | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

id=65457 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:10 and the first is 17, what is the second? | option_a=170 | option_b=187 | option_c=171 | option_d=160 | answer=A | explanation=Scale factor = 17/1 = 17. Therefore second quantity = 10×17 = 170.

id=65458 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=53 | option_c=96 | option_d=43 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=65459 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=33 | option_b=36 | option_c=28 | option_d=32 | answer=D | explanation=The common difference is 4. Therefore the next term is 28 + 4 = 32.

id=65460 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=G | option_c=C | option_d=O | answer=A | explanation=Move 4 positions forward from G; the resulting letter is K.

Aptitude Questions — Records 65,461-65,490 of 100,000

id=65461 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 10. | option_a=10 | option_b=40 | option_c=200 | option_d=20 | answer=D | explanation=LCM × HCF = 20×10; HCF(20,10) = 10, so LCM = 20.

id=65462 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 9. | option_a=12 | option_b=9 | option_c=27 | option_d=1 | answer=B | explanation=LCM × HCF = 3×9; HCF(3,9) = 3, so LCM = 9.

id=65463 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 37? | option_a=26 | option_b=30 | option_c=37 | option_d=22 | answer=C | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 37 is the odd one out.

id=65464 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=60 | option_b=51 | option_c=40 | option_d=50 | answer=D | explanation=The common difference is 10. Therefore the next term is 40 + 10 = 50.

id=65465 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 28? | option_a=19 | option_b=16 | option_c=22 | option_d=28 | answer=D | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 28 is the odd one out.

id=65466 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2020. If it is sold at a profit of 5%, what is its selling price? | option_a=2323 | option_b=2025 | option_c=2121 | option_d=1919 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2020 × 105/100 = ₹2121.

id=65467 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=57 | option_b=58 | option_c=67 | option_d=47 | answer=A | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

id=65468 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=65469 | topic=Averages | difficulty=Easy | question=Find the average of 11, 12, 71, 65, 92, 85, 42. | option_a=55 | option_b=56 | option_c=54 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

id=65470 | topic=Percentages | difficulty=Easy | question=What is 10% of 1128? | option_a=107 | option_b=117 | option_c=112 | option_d=224 | answer=C | explanation=10% of 1128 = (10/100) × 1128 = 112.

id=65471 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=30 | option_b=24 | option_c=29 | option_d=34 | answer=C | explanation=The common difference is 5. Therefore the next term is 24 + 5 = 29.

id=65472 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 46? | option_a=35 | option_b=27 | option_c=46 | option_d=19 | answer=C | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 46 is the odd one out.

id=65473 | topic=Averages | difficulty=Easy | question=Find the average of 77, 42, 84, 50, 53, 25, 86, 95. | option_a=66 | option_b=64 | option_c=65 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 512 ÷ 8 = 64.

id=65474 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=42 | option_b=35 | option_c=28 | option_d=36 | answer=B | explanation=The common difference is 7. Therefore the next term is 28 + 7 = 35.

id=65475 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 18. | option_a=18 | option_b=108 | option_c=1 | option_d=24 | answer=A | explanation=LCM × HCF = 6×18; HCF(6,18) = 6, so LCM = 18.

id=65476 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=L | option_b=B | option_c=Q | option_d=G | answer=A | explanation=Move 5 positions forward from G; the resulting letter is L.

id=65477 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=65478 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=P | option_c=R | option_d=N | answer=C | explanation=Move 2 positions forward from P; the resulting letter is R.

id=65479 | topic=Percentages | difficulty=Easy | question=What is 30% of 1878? | option_a=1126 | option_b=558 | option_c=563 | option_d=573 | answer=C | explanation=30% of 1878 = (30/100) × 1878 = 563.

id=65480 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 24, 30, 38? | option_a=24 | option_b=18 | option_c=30 | option_d=38 | answer=D | explanation=The first three numbers increase by 6, so the next should be 36. Therefore 38 is the odd one out.

id=65481 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹10008 at 10% per annum for 5 years. | option_a=15012 | option_b=5104 | option_c=4904 | option_d=5004 | answer=D | explanation=SI = PRT/100 = 10008×10×5/100 = ₹5004.

id=65482 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:14 and the first is 400, what is the second? | option_a=280 | option_b=680 | option_c=266 | option_d=300 | answer=A | explanation=Scale factor = 400/20 = 20. Therefore second quantity = 14×20 = 280.

id=65483 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 25, 27, 31? | option_a=23 | option_b=31 | option_c=27 | option_d=25 | answer=B | explanation=The first three numbers increase by 2, so the next should be 29. Therefore 31 is the odd one out.

id=65484 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=35 | option_b=31 | option_c=39 | option_d=36 | answer=A | explanation=The common difference is 4. Therefore the next term is 31 + 4 = 35.

id=65485 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=65486 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=65487 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹44338 at 4% per annum for 1 years. | option_a=46111 | option_b=1773 | option_c=1673 | option_d=1873 | answer=B | explanation=SI = PRT/100 = 44338×4×1/100 = ₹1773.

id=65488 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1623. If it is sold at a profit of 10%, what is its selling price? | option_a=1623 | option_b=1947 | option_c=1785 | option_d=1633 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1623 × 110/100 = ₹1785.

id=65489 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:7 and the first is 266, what is the second? | option_a=91 | option_b=117 | option_c=364 | option_d=98 | answer=D | explanation=Scale factor = 266/19 = 14. Therefore second quantity = 7×14 = 98.

id=65490 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 31, 42, 53, ? | option_a=65 | option_b=64 | option_c=53 | option_d=75 | answer=B | explanation=The common difference is 11. Therefore the next term is 53 + 11 = 64.

Aptitude Questions — Records 65,491-65,520 of 100,000

id=65491 | topic=Averages | difficulty=Easy | question=Find the average of 49, 41, 91, 94, 89, 95, 94. | option_a=80 | option_b=81 | option_c=79 | option_d=78 | answer=C | explanation=Average = sum of values ÷ number of values = 553 ÷ 7 = 79.

id=65492 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29280 at 5% per annum for 3 years. | option_a=4292 | option_b=4492 | option_c=4392 | option_d=33672 | answer=C | explanation=SI = PRT/100 = 29280×5×3/100 = **■**4392.

id=65493 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 53? | option_a=53 | option_b=30 | option_c=20 | option_d=40 | answer=A | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 53 is the odd one out.

id=65494 | topic=Percentages | difficulty=Easy | question=What is 5% of 819? | option_a=20 | option_b=80 | option_c=40 | option_d=45 | answer=C | explanation=5% of 819 = (5/100) × 819 = 40.

id=65495 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**606. If it is sold at a profit of 40%, what is its selling price? | option_a=788 | option_b=646 | option_c=908 | option_d=848 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 606 × 140/100 = **■**848.

id=65496 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=42 | option_b=28 | option_c=36 | option_d=35 | answer=D | explanation=The common difference is 7. Therefore the next term is 28 + 7 = 35.

id=65497 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:7 and the first is 255, what is the second? | option_a=134 | option_b=119 | option_c=374 | option_d=112 | answer=B | explanation=Scale factor = 255/15 = 17. Therefore second quantity = 7×17 = 119.

id=65498 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=65499 | topic=Averages | difficulty=Easy | question=Find the average of 70, 24, 24, 98, 74, 98, 42, 46, 37. | option_a=58 | option_b=56 | option_c=59 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 513 ÷ 9 = 57.

id=65500 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=65501 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=65502 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:14 and the first is 140, what is the second? | option_a=98 | option_b=84 | option_c=118 | option_d=238 | answer=A | explanation=Scale factor = 140/20 = 7. Therefore second quantity = 14×7 = 98.

id=65503 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=Z | option_c=F | option_d=D | answer=D | explanation=Move 2 positions forward from B; the resulting letter is D.

id=65504 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:8 and the first is 10, what is the second? | option_a=72 | option_b=81 | option_c=90 | option_d=80 | answer=D | explanation=Scale factor = 10/1 = 10. Therefore second quantity = 8×10 = 80.

id=65505 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 25, 34, 43, ? | option_a=61 | option_b=53 | option_c=52 | option_d=43 | answer=C | explanation=The common difference is 9. Therefore the next term is 43 + 9 = 52.

id=65506 | topic=Percentages | difficulty=Easy | question=What is 15% of 347? | option_a=52 | option_b=42 | option_c=104 | option_d=62 | answer=A | explanation=15% of 347 = (15/100) × 347 = 52.

id=65507 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 28, 31, 36? | option_a=31 | option_b=25 | option_c=28 | option_d=36 | answer=D | explanation=The first three numbers increase by 3, so the next should be 34. Therefore 36 is the odd one out.

id=65508 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 36? | option_a=15 | option_b=24 | option_c=6 | option_d=36 | answer=D | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 36 is the odd one out.

id=65509 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=26 | option_b=24 | option_c=27 | option_d=28 | answer=A | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.

id=65510 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=P | option_c=N | option_d=J | answer=C | explanation=Move 2 positions forward from L; the resulting letter is N.

id=65511 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=T | option_c=V | option_d=W | answer=C | explanation=Move 1 positions forward from U; the resulting letter is V.

id=65512 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**903. If it is sold at a profit of 50%, what is its selling price? | option_a=953 | option_b=1354 | option_c=1444 | option_d=1264 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 903 × 150/100 = **■**1354.

id=65513 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:9 and the first is 240, what is the second? | option_a=375 | option_b=126 | option_c=151 | option_d=135 | answer=D | explanation=Scale factor = 240/16 = 15. Therefore second quantity = 9×15 = 135.

id=65514 | topic=Averages | difficulty=Easy | question=Find the average of 43, 75, 16, 81, 80, 34, 21, 55, 77, 88. | option_a=58 | option_b=56 | option_c=57 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.

id=65515 | topic=Percentages | difficulty=Easy | question=What is 12% of 1881? | option_a=215 | option_b=230 | option_c=225 | option_d=450 | answer=C | explanation=12% of 1881 = (12/100) × 1881 = 225.

id=65516 | topic=Averages | difficulty=Easy | question=Find the average of 11, 66, 39, 63, 29, 62. | option_a=46 | option_b=47 | option_c=44 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 270 ÷ 6 = 45.

id=65517 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=40 | option_d=90 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=65518 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=12 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=65519 | topic=Averages | difficulty=Easy | question=Find the average of 12, 26, 54, 90, 56, 97, 22, 88, 14, 101. | option_a=55 | option_b=56 | option_c=58 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 560 ÷ 10 = 56.

id=65520 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29438 at 8% per annum for 3 years. | option_a=36503 | option_b=6965 | option_c=7065 | option_d=7165 | answer=C | explanation=SI = PRT/100 = 29438×8×3/100 = **■**7065.

Aptitude Questions — Records 65,521-65,550 of 100,000

id=65521 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=48 | option_b=58 | option_c=36 | option_d=47 | answer=D | explanation=The common difference is 11. Therefore the next term is 36 + 11 = 47.

id=65522 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=65523 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=65524 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=19 | option_b=15 | option_c=18 | option_d=21 | answer=C | explanation=The common difference is 3. Therefore the next term is 15 + 3 = 18.

id=65525 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 28, 36, 44, ? | option_a=53 | option_b=52 | option_c=44 | option_d=60 | answer=B | explanation=The common difference is 8. Therefore the next term is 44 + 8 = 52.

id=65526 | topic=Averages | difficulty=Easy | question=Find the average of 37, 99, 49, 66, 96, 103. | option_a=74 | option_b=76 | option_c=77 | option_d=75 | answer=D | explanation=Average = sum of values ÷ number of values = 450 ÷ 6 = 75.

id=65527 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=65528 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 10. | option_a=84 | option_b=60 | option_c=140 | option_d=70 | answer=D | explanation=LCM × HCF = 14×10; HCF(14,10) = 2, so LCM = 70.

id=65529 | topic=Profit & Loss | difficulty=Easy | question=An article costs █318. If it is sold at a profit of 20%, what is its selling price? | option_a=381 | option_b=350 | option_c=412 | option_d=338 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 318 × 120/100 = █381.

id=65530 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2329. If it is sold at a profit of 25%, what is its selling price? | option_a=2354 | option_b=3143 | option_c=2911 | option_d=2679 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2329 × 125/100 = █2911.

id=65531 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2264. If it is sold at a profit of 10%, what is its selling price? | option_a=2490 | option_b=2274 | option_c=2716 | option_d=2264 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2264 × 110/100 = █2490.

id=65532 | topic=Percentages | difficulty=Easy | question=What is 50% of 1517? | option_a=738 | option_b=758 | option_c=778 | option_d=1516 | answer=B | explanation=50% of 1517 = (50/100) × 1517 = 758.

id=65533 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 29? | option_a=21 | option_b=24 | option_c=29 | option_d=18 | answer=C | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 29 is the odd one out.

id=65534 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2811. If it is sold at a profit of 10%, what is its selling price? | option_a=3373 | option_b=2811 | option_c=3092 | option_d=2821 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2811 × 110/100 = █3092.

id=65535 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=65536 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=Y | option_c=M | option_d=U | answer=D | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=65537 | topic=Averages | difficulty=Easy | question=Find the average of 78, 100, 59, 45, 90, 32, 16. | option_a=59 | option_b=61 | option_c=62 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 420 ÷ 7 = 60.

id=65538 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=40 | option_b=47 | option_c=54 | option_d=48 | answer=B | explanation=The common difference is 7. Therefore the next term is 40 + 7 = 47.

id=65539 | topic=Percentages | difficulty=Easy | question=What is 40% of 340? | option_a=272 | option_b=136 | option_c=146 | option_d=131 | answer=B | explanation=40% of 340 = (40/100) × 340 = 136.

id=65540 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 22, 32, 43? | option_a=43 | option_b=12 | option_c=22 | option_d=32 | answer=A | explanation=The first three numbers increase by 10, so the next should be 42. Therefore 43 is the odd one out.

id=65541 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1451. If it is sold at a profit of 50%, what is its selling price? | option_a=2031 | option_b=1501 | option_c=2176 | option_d=2321 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1451 × 150/100 = █2176.

id=65542 | topic=Percentages | difficulty=Easy | question=What is 50% of 1956? | option_a=978 | option_b=1956 | option_c=988 | option_d=958 | answer=A | explanation=50% of 1956 = (50/100) × 1956 = 978.

id=65543 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=36 | option_b=42 | option_c=28 | option_d=35 | answer=D | explanation=The common difference is 7. Therefore the next term is 28 + 7 = 35.

id=65544 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=B | option_b=F | option_c=N | option_d=J | answer=D | explanation=Move 4 positions forward from F; the resulting letter is J.

id=65545 | topic=Averages | difficulty=Easy | question=Find the average of 43, 34, 72, 77, 65, 94, 91. | option_a=67 | option_b=69 | option_c=70 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = 476 ÷ 7 = 68.

id=65546 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=Q | option_b=E | option_c=M | option_d=I | answer=C | explanation=Move 4 positions forward from I; the resulting letter is M.

id=65547 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=27 | option_b=28 | option_c=31 | option_d=23 | answer=A | explanation=The common difference is 4. Therefore the next term is 23 + 4 = 27.

id=65548 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11976 at 6% per annum for 2 years. | option_a=1537 | option_b=1437 | option_c=1337 | option_d=13413 | answer=B | explanation=SI = PRT/100 = 11976×6×2/100 = █1437.

id=65549 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:19 and the first is 49, what is the second? | option_a=114 | option_b=133 | option_c=182 | option_d=140 | answer=B | explanation=Scale factor = 49/7 = 7. Therefore second quantity = 19×7 = 133.

id=65550 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 65,551-65,580 of 100,000

id=65551 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=65552 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 24. | option_a=243 | option_b=216 | option_c=192 | option_d=648 | answer=B | explanation=LCM × HCF = 27×24; HCF(27,24) = 3, so LCM = 216.

id=65553 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■23356 at 4% per annum for 2 years. | option_a=25224 | option_b=1868 | option_c=1968 | option_d=1768 | answer=B | explanation=SI = PRT/100 = 23356×4×2/100 = ■1868.

id=65554 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 20. | option_a=90 | option_b=40 | option_c=60 | option_d=600 | answer=C | explanation=LCM × HCF = 30×20; HCF(30,20) = 10, so LCM = 60.

id=65555 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=45 | option_b=50 | option_c=38 | option_d=44 | answer=D | explanation=The common difference is 6. Therefore the next term is 38 + 6 = 44.

id=65556 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=65557 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■993. If it is sold at a profit of 40%, what is its selling price? | option_a=1033 | option_b=1291 | option_c=1489 | option_d=1390 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 993 × 140/100 = ■1390.

id=65558 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=R | option_c=U | option_d=T | answer=D | explanation=Move 1 positions forward from S; the resulting letter is T.

id=65559 | topic=Number Series | difficulty=Easy | question=Find the LCM of 30 and 5. | option_a=150 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=LCM × HCF = 30×5; HCF(30,5) = 5, so LCM = 30.

id=65560 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:10 and the first is 42, what is the second? | option_a=140 | option_b=130 | option_c=182 | option_d=143 | answer=A | explanation=Scale factor = 42/3 = 14. Therefore second quantity = 10×14 = 140.

id=65561 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=47 | option_b=58 | option_c=57 | option_d=67 | answer=C | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

id=65562 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:10 and the first is 90, what is the second? | option_a=140 | option_b=150 | option_c=156 | option_d=240 | answer=B | explanation=Scale factor = 90/6 = 15. Therefore second quantity = 10×15 = 150.

id=65563 | topic=Averages | difficulty=Easy | question=Find the average of 55, 74, 29, 69, 40, 59, 38. | option_a=53 | option_b=51 | option_c=52 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 364 ÷ 7 = 52.

id=65564 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=M | option_b=D | option_c=J | option_d=G | answer=C | explanation=Move 3 positions forward from G; the resulting letter is J.

id=65565 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:9 and the first is 22, what is the second? | option_a=121 | option_b=90 | option_c=99 | option_d=101 | answer=C | explanation=Scale factor = 22/2 = 11. Therefore second quantity = 9×11 = 99.

id=65566 | topic=Averages | difficulty=Easy | question=Find the average of 79, 44, 86, 18, 59, 11, 14, 57. | option_a=45 | option_b=46 | option_c=47 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 368 ÷ 8 = 46.

id=65567 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=24 | option_c=19 | option_d=29 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=65568 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3940. If it is sold at a profit of 20%, what is its selling price? | option_a=5122 | option_b=4334 | option_c=3960 | option_d=4728 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3940 × 120/100 = ■4728.

id=65569 | topic=Averages | difficulty=Easy | question=Find the average of 34, 88, 97, 70, 47, 37, 89. | option_a=67 | option_b=66 | option_c=65 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = 462 ÷ 7 = 66.

id=65570 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1576. If it is sold at a profit of 30%, what is its selling price? | option_a=1606 | option_b=1891 | option_c=2048 | option_d=2205 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1576 × 130/100 = ■2048.

id=65571 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 17, 26, 36? | option_a=26 | option_b=36 | option_c=8 | option_d=17 | answer=B | explanation=The first three numbers increase by 9, so the next should be 35. Therefore 36 is the odd one out.

id=65572 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=95 | option_c=100 | option_d=200 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=65573 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 51? | option_a=33 | option_b=41 | option_c=51 | option_d=25 | answer=C | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 51 is the odd one out.

id=65574 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 29, 31, 34? | option_a=31 | option_b=34 | option_c=27 | option_d=29 | answer=B | explanation=The first three numbers increase by 2, so the next should be 33. Therefore 34 is the odd one out.

id=65575 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=65576 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 28, 31, 36? | option_a=36 | option_b=31 | option_c=25 | option_d=28 | answer=A | explanation=The first three numbers increase by 3, so the next should be 34. Therefore 36 is the odd one out.

id=65577 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■810. If it is sold at a profit of 10%, what is its selling price? | option_a=820 | option_b=810 | option_c=972 | option_d=891 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 810 × 110/100 = ■891.

id=65578 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:5 and the first is 45, what is the second? | option_a=90 | option_b=45 | option_c=50 | option_d=40 | answer=B | explanation=Scale factor = 45/5 = 9. Therefore second quantity = 5×9 = 45.

id=65579 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=S | option_c=D | option_d=N | answer=D | explanation=Move 5 positions forward from I; the resulting letter is N.

id=65580 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=85 | option_c=80 | option_d=160 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

Aptitude Questions — Records 65,581-65,610 of 100,000

id=65581 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=65582 | topic=Averages | difficulty=Easy | question=Find the average of 21, 27, 23, 62, 92. | option_a=47 | option_b=45 | option_c=46 | option_d=44 | answer=B | explanation=Average = sum of values ÷ number of values = 225 ÷ 5 = 45.

id=65583 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=40 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=65584 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=43 | option_c=96 | option_d=53 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=65585 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:8 and the first is 90, what is the second? | option_a=80 | option_b=170 | option_c=89 | option_d=72 | answer=A | explanation=Scale factor = 90/9 = 10. Therefore second quantity = 8×10 = 80.

id=65586 | topic=Averages | difficulty=Easy | question=Find the average of 60, 58, 93, 35, 19, 42, 106. | option_a=61 | option_b=60 | option_c=59 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 413 ÷ 7 = 59.

id=65587 | topic=Percentages | difficulty=Easy | question=What is 25% of 307? | option_a=71 | option_b=152 | option_c=76 | option_d=96 | answer=C | explanation=25% of 307 = (25/100) × 307 = 76.

id=65588 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**934. If it is sold at a profit of 50%, what is its selling price? | option_a=1401 | option_b=984 | option_c=1308 | option_d=1494 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 934 × 150/100 = **₹**1401.

id=65589 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**354. If it is sold at a profit of 30%, what is its selling price? | option_a=495 | option_b=425 | option_c=384 | option_d=460 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 354 × 130/100 = **₹**460.

id=65590 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=30 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=65591 | topic=Averages | difficulty=Easy | question=Find the average of 18, 94, 55, 78, 76, 13, 50, 72. | option_a=59 | option_b=57 | option_c=58 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

id=65592 | topic=Averages | difficulty=Easy | question=Find the average of 31, 10, 43, 92, 62, 57, 44, 78, 15. | option_a=48 | option_b=49 | option_c=47 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 432 ÷ 9 = 48.

id=65593 | topic=Averages | difficulty=Easy | question=Find the average of 23, 19, 15. | option_a=19 | option_b=20 | option_c=21 | option_d=18 | answer=A | explanation=Average = sum of values ÷ number of values = 57 ÷ 3 = 19.

id=65594 | topic=Percentages | difficulty=Easy | question=What is 20% of 1107? | option_a=442 | option_b=201 | option_c=226 | option_d=221 | answer=D | explanation=20% of 1107 = (20/100) × 1107 = 221.

id=65595 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 18. | option_a=120 | option_b=540 | option_c=90 | option_d=72 | answer=C | explanation=LCM × HCF = 30×18; HCF(30,18) = 6, so LCM = 90.

id=65596 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=65597 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=70 | option_b=150 | option_c=75 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=65598 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 16, 25, 37? | option_a=16 | option_b=37 | option_c=25 | option_d=7 | answer=B | explanation=The first three numbers increase by 9, so the next should be 34. Therefore 37 is the odd one out.

id=65599 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=45 | option_c=50 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=65600 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**413. If it is sold at a profit of 40%, what is its selling price? | option_a=453 | option_b=537 | option_c=578 | option_d=619 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 413 × 140/100 = **₹**578.

id=65601 | topic=Averages | difficulty=Easy | question=Find the average of 91, 12, 34, 59. | option_a=49 | option_b=48 | option_c=51 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 196 ÷ 4 = 49.

id=65602 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3242. If it is sold at a profit of 15%, what is its selling price? | option_a=3728 | option_b=4052 | option_c=3257 | option_d=3404 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3242 × 115/100 = **₹**3728.

id=65603 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 23, 27, 33? | option_a=33 | option_b=19 | option_c=23 | option_d=27 | answer=A | explanation=The first three numbers increase by 4, so the next should be 31. Therefore 33 is the odd one out.

id=65604 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 33, 43, 55? | option_a=43 | option_b=23 | option_c=33 | option_d=55 | answer=D | explanation=The first three numbers increase by 10, so the next should be 53. Therefore 55 is the odd one out.

id=65605 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=20 | option_b=18 | option_c=19 | option_d=16 | answer=B | explanation=The common difference is 2. Therefore the next term is 16 + 2 = 18.

id=65606 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=65607 | topic=Averages | difficulty=Easy | question=Find the average of 78, 59, 85, 73, 96, 29. | option_a=70 | option_b=72 | option_c=69 | option_d=71 | answer=A | explanation=Average = sum of values ÷ number of values = 420 ÷ 6 = 70.

id=65608 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3601. If it is sold at a profit of 25%, what is its selling price? | option_a=3626 | option_b=4861 | option_c=4501 | option_d=4141 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3601 × 125/100 = **₹**4501.

id=65609 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:2 and the first is 255, what is the second? | option_a=32 | option_b=289 | option_c=49 | option_d=34 | answer=D | explanation=Scale factor = 255/15 = 17. Therefore second quantity = 2×17 = 34.

id=65610 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

Aptitude Questions — Records 65,611-65,640 of 100,000

id=65611 | topic=Percentages | difficulty=Easy | question=What is 10% of 1976? | option_a=192 | option_b=197 | option_c=394 | option_d=217 | answer=B | explanation= 10% of 1976 = $(10/100) \times 1976 = 197$.

id=65612 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8580 at 8% per annum for 1 years. | option_a=786 | option_b=9266 | option_c=686 | option_d=586 | answer=C | explanation= $SI = PRT/100 = 8580 \times 8 \times 1/100 = \text{■}686$.

id=65613 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=27 | option_b=31 | option_c=30 | option_d=33 | answer=C | explanation=The common difference is 3. Therefore the next term is $27 + 3 = 30$.

id=65614 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=30 | option_b=26 | option_c=32 | option_d=29 | answer=D | explanation=The common difference is 3. Therefore the next term is $26 + 3 = 29$.

id=65615 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45653 at 10% per annum for 1 years. | option_a=4565 | option_b=4465 | option_c=50218 | option_d=4665 | answer=A | explanation= $SI = PRT/100 = 45653 \times 10 \times 1/100 = \text{■}4565$.

id=65616 | topic=Percentages | difficulty=Easy | question=What is 50% of 1960? | option_a=990 | option_b=960 | option_c=1960 | option_d=980 | answer=D | explanation= 50% of 1960 = $(50/100) \times 1960 = 980$.

id=65617 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=25 | option_d=20 | answer=D | explanation= $\text{Speed} = \text{distance} \div \text{time} = 120 \div 6 = 20 \text{ km/h}$.

id=65618 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 19, 29, 41? | option_a=29 | option_b=41 | option_c=9 | option_d=19 | answer=B | explanation=The first three numbers increase by 10, so the next should be 39. Therefore 41 is the odd one out.

id=65619 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=125 | option_b=240 | option_c=120 | option_d=115 | answer=C | explanation= $\text{Speed} = \text{distance} \div \text{time} = 240 \div 2 = 120 \text{ km/h}$.

id=65620 | topic=Averages | difficulty=Easy | question=Find the average of 79, 33, 38, 66, 98, 13, 91, 53, 79, 90. | option_a=64 | option_b=66 | option_c=65 | option_d=63 | answer=A | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 640 \div 10 = 64$.

id=65621 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 24. | option_a=24 | option_b=1 | option_c=72 | option_d=27 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 3 \times 24$; $\text{HCF}(3,24) = 3$, so $\text{LCM} = 24$.

id=65622 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:1 and the first is 190, what is the second? | option_a=18 | option_b=29 | option_c=19 | option_d=209 | answer=C | explanation= $\text{Scale factor} = 190/10 = 19$. Therefore second quantity = $1 \times 19 = 19$.

id=65623 | topic=Averages | difficulty=Easy | question=Find the average of 63, 92, 99, 98. | option_a=87 | option_b=90 | option_c=89 | option_d=88 | answer=D | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 352 \div 4 = 88$.

id=65624 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=L | option_c=H | option_d=J | answer=B | explanation=Move 2 positions forward from J; the resulting letter is L.

id=65625 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=15 | option_b=17 | option_c=16 | option_d=13 | answer=A | explanation=The common difference is 2. Therefore the next term is $13 + 2 = 15$.

id=65626 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=9 | option_c=4 | option_d=18 | answer=B | explanation= $\text{Speed} = \text{distance} \div \text{time} = 90 \div 10 = 9 \text{ km/h}$.

id=65627 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 25, 30, 36? | option_a=36 | option_b=25 | option_c=20 | option_d=30 | answer=A | explanation=The first three numbers increase by 5, so the next should be 35. Therefore 36 is the odd one out.

id=65628 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=L | option_b=Z | option_c=D | option_d=H | answer=D | explanation=Move 4 positions forward from D; the resulting letter is H.

id=65629 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 20. | option_a=100 | option_b=120 | option_c=480 | option_d=144 | answer=B | explanation= $\text{LCM} \times \text{HCF} = 24 \times 20$; $\text{HCF}(24,20) = 4$, so $\text{LCM} = 120$.

id=65630 | topic=Percentages | difficulty=Easy | question=What is 40% of 1044? | option_a=427 | option_b=834 | option_c=417 | option_d=397 | answer=C | explanation= 40% of 1044 = $(40/100) \times 1044 = 417$.

id=65631 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=R | option_b=O | option_c=U | option_d=L | answer=A | explanation=Move 3 positions forward from O; the resulting letter is R.

id=65632 | topic=Percentages | difficulty=Easy | question=What is 30% of 348? | option_a=104 | option_b=94 | option_c=124 | option_d=208 | answer=A | explanation= 30% of 348 = $(30/100) \times 348 = 104$.

id=65633 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 32, 40, 49? | option_a=49 | option_b=24 | option_c=40 | option_d=32 | answer=A | explanation=The first three numbers increase by 8, so the next should be 48. Therefore 49 is the odd one out.

id=65634 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=55 | option_c=45 | option_d=100 | answer=A | explanation= $\text{Speed} = \text{distance} \div \text{time} = 150 \div 3 = 50 \text{ km/h}$.

id=65635 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3813. If it is sold at a profit of 30%, what is its selling price? | option_a=3843 | option_b=4575 | option_c=4956 | option_d=5337 | answer=C | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%)/100 = 3813 \times 130/100 = \text{■}4956$.

id=65636 | topic=Averages | difficulty=Easy | question=Find the average of 14, 94, 38, 38, 82, 93, 46, 23, 81, 21. | option_a=55 | option_b=53 | option_c=52 | option_d=54 | answer=B | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 530 \div 10 = 53$.

id=65637 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=35 | option_d=80 | answer=A | explanation= $\text{Speed} = \text{distance} \div \text{time} = 120 \div 3 = 40 \text{ km/h}$.

id=65638 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation= $\text{Speed} = \text{distance} \div \text{time} = 90 \div 6 = 15 \text{ km/h}$.

id=65639 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=55 | option_b=41 | option_c=48 | option_d=49 | answer=C | explanation=The common difference is 7. Therefore the next term is $41 + 7 = 48$.

id=65640 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11852 at 10% per annum for 5 years. | option_a=6026 | option_b=17778 | option_c=5926 | option_d=5826 | answer=C | explanation= $SI = PRT/100 = 11852 \times 10 \times 5/100 = \text{■}5926$.

Aptitude Questions — Records 65,641-65,670 of 100,000

id=65641 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=23 | option_b=20 | option_c=24 | option_d=22 | answer=D | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=65642 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4820. If it is sold at a profit of 50%, what is its selling price? | option_a=7712 | option_b=6748 | option_c=7230 | option_d=4870 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4820 × 150/100 = █7230.

id=65643 | topic=Percentages | difficulty=Easy | question=What is 30% of 945? | option_a=288 | option_b=273 | option_c=566 | option_d=283 | answer=D | explanation=30% of 945 = (30/100) × 945 = 283.

id=65644 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 21, 28, 36? | option_a=36 | option_b=21 | option_c=28 | option_d=14 | answer=A | explanation=The first three numbers increase by 7, so the next should be 35. Therefore 36 is the odd one out.

id=65645 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=65646 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=X | option_b=P | option_c=L | option_d=T | answer=D | explanation=Move 4 positions forward from P; the resulting letter is T.

id=65647 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=240 | option_c=125 | option_d=115 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=65648 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=L | option_c=X | option_d=T | answer=D | explanation=Move 4 positions forward from P; the resulting letter is T.

id=65649 | topic=Percentages | difficulty=Easy | question=What is 12% of 531? | option_a=73 | option_b=63 | option_c=126 | option_d=53 | answer=B | explanation=12% of 531 = (12/100) × 531 = 63.

id=65650 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=X | option_b=V | option_c=T | option_d=R | answer=B | explanation=Move 2 positions forward from T; the resulting letter is V.

id=65651 | topic=Percentages | difficulty=Easy | question=What is 10% of 1970? | option_a=177 | option_b=394 | option_c=207 | option_d=197 | answer=D | explanation=10% of 1970 = (10/100) × 1970 = 197.

id=65652 | topic=Percentages | difficulty=Easy | question=What is 10% of 1097? | option_a=109 | option_b=119 | option_c=104 | option_d=218 | answer=A | explanation=10% of 1097 = (10/100) × 1097 = 109.

id=65653 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:15 and the first is 60, what is the second? | option_a=240 | option_b=180 | option_c=165 | option_d=185 | answer=B | explanation=Scale factor = 60/5 = 12. Therefore second quantity = 15×12 = 180.

id=65654 | topic=Profit & Loss | difficulty=Easy | question=An article costs █696. If it is sold at a profit of 40%, what is its selling price? | option_a=736 | option_b=905 | option_c=974 | option_d=1043 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 696 × 140/100 = █974.

id=65655 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 27, 39, 51, ? | option_a=63 | option_b=64 | option_c=51 | option_d=75 | answer=A | explanation=The common difference is 12. Therefore the next term is 51 + 12 = 63.

id=65656 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 56? | option_a=45 | option_b=56 | option_c=37 | option_d=29 | answer=B | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 56 is the odd one out.

id=65657 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1942. If it is sold at a profit of 30%, what is its selling price? | option_a=2330 | option_b=2524 | option_c=1972 | option_d=2718 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1942 × 130/100 = █2524.

id=65658 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=F | option_b=D | option_c=G | option_d=E | answer=A | explanation=Move 1 positions forward from E; the resulting letter is F.

id=65659 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:18 and the first is 27, what is the second? | option_a=165 | option_b=189 | option_c=144 | option_d=162 | answer=D | explanation=Scale factor = 27/3 = 9. Therefore second quantity = 18×9 = 162.

id=65660 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=40 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=65661 | topic=Percentages | difficulty=Easy | question=What is 10% of 233? | option_a=13 | option_b=33 | option_c=23 | option_d=46 | answer=C | explanation=10% of 233 = (10/100) × 233 = 23.

id=65662 | topic=Percentages | difficulty=Easy | question=What is 50% of 71? | option_a=25 | option_b=45 | option_c=70 | option_d=35 | answer=D | explanation=50% of 71 = (50/100) × 71 = 35.

id=65663 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=65664 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 20. | option_a=80 | option_b=96 | option_c=320 | option_d=60 | answer=A | explanation=LCM × HCF = 16×20; HCF(16,20) = 4, so LCM = 80.

id=65665 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12232 at 10% per annum for 2 years. | option_a=2346 | option_b=2446 | option_c=14678 | option_d=2546 | answer=B | explanation=SI = PRT/100 = 12232×10×2/100 = █2446.

id=65666 | topic=Percentages | difficulty=Easy | question=What is 15% of 895? | option_a=268 | option_b=124 | option_c=134 | option_d=154 | answer=C | explanation=15% of 895 = (15/100) × 895 = 134.

id=65667 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26196 at 6% per annum for 2 years. | option_a=3243 | option_b=3143 | option_c=3043 | option_d=29339 | answer=B | explanation=SI = PRT/100 = 26196×6×2/100 = █3143.

id=65668 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:8 and the first is 272, what is the second? | option_a=408 | option_b=136 | option_c=128 | option_d=152 | answer=B | explanation=Scale factor = 272/16 = 17. Therefore second quantity = 8×17 = 136.

id=65669 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:14 and the first is 48, what is the second? | option_a=227 | option_b=272 | option_c=210 | option_d=224 | answer=D | explanation=Scale factor = 48/3 = 16. Therefore second quantity = 14×16 = 224.

id=65670 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=A | option_b=B | option_c=D | option_d=C | answer=D | explanation=Move 1 positions forward from B; the resulting letter is C.

Aptitude Questions — Records 65,671-65,700 of 100,000

id=65671 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=65672 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=65673 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 14, 20, 28? | option_a=14 | option_b=20 | option_c=8 | option_d=28 | answer=D | explanation=The first three numbers increase by 6, so the next should be 26. Therefore 28 is the odd one out.

id=65674 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 20, 23, 27? | option_a=23 | option_b=27 | option_c=20 | option_d=17 | answer=B | explanation=The first three numbers increase by 3, so the next should be 26. Therefore 27 is the odd one out.

id=65675 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=48 | option_c=53 | option_d=43 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=65676 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37818 at 15% per annum for 3 years. | option_a=17118 | option_b=17018 | option_c=54836 | option_d=16918 | answer=B | explanation=SI = PRT/100 = 37818×15×3/100 = **■**17018.

id=65677 | topic=Averages | difficulty=Easy | question=Find the average of 94, 96, 98. | option_a=98 | option_b=97 | option_c=96 | option_d=95 | answer=C | explanation=Average = sum of values ÷ number of values = 288 ÷ 3 = 96.

id=65678 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3353. If it is sold at a profit of 15%, what is its selling price? | option_a=3368 | option_b=3855 | option_c=4190 | option_d=3520 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3353 × 115/100 = **■**3855.

id=65679 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2142. If it is sold at a profit of 25%, what is its selling price? | option_a=2167 | option_b=2677 | option_c=2463 | option_d=2891 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2142 × 125/100 = **■**2677.

id=65680 | topic=Averages | difficulty=Easy | question=Find the average of 15, 72, 16, 13, 62, 40, 72, 17, 98, 55. | option_a=48 | option_b=45 | option_c=47 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 460 ÷ 10 = 46.

id=65681 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3963. If it is sold at a profit of 5%, what is its selling price? | option_a=4557 | option_b=4161 | option_c=3765 | option_d=3968 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3963 × 105/100 = **■**4161.

id=65682 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=50 | option_b=51 | option_c=62 | option_d=38 | answer=A | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=65683 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2334. If it is sold at a profit of 15%, what is its selling price? | option_a=2917 | option_b=2684 | option_c=2451 | option_d=2349 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2334 × 115/100 = **■**2684.

id=65684 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:14 and the first is 9, what is the second? | option_a=112 | option_b=127 | option_c=126 | option_d=135 | answer=C | explanation=Scale factor = 9/1 = 9. Therefore second quantity = 14×9 = 126.

id=65685 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 25, 31, 39? | option_a=39 | option_b=19 | option_c=25 | option_d=31 | answer=A | explanation=The first three numbers increase by 6, so the next should be 37. Therefore 39 is the odd one out.

id=65686 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=J | option_b=G | option_c=M | option_d=D | answer=A | explanation=Move 3 positions forward from G; the resulting letter is J.

id=65687 | topic=Averages | difficulty=Easy | question=Find the average of 17, 18, 11, 53, 58, 13, 19, 58, 87, 76. | option_a=40 | option_b=41 | option_c=43 | option_d=42 | answer=B | explanation=Average = sum of values ÷ number of values = 410 ÷ 10 = 41.

id=65688 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=8 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=65689 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 47? | option_a=38 | option_b=47 | option_c=32 | option_d=26 | answer=B | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 47 is the odd one out.

id=65690 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=65691 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=61 | option_b=72 | option_c=50 | option_d=62 | answer=A | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.

id=65692 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 24? | option_a=20 | option_b=18 | option_c=24 | option_d=16 | answer=C | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 24 is the odd one out.

id=65693 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15820 at 10% per annum for 3 years. | option_a=4746 | option_b=4646 | option_c=20566 | option_d=4846 | answer=A | explanation=SI = PRT/100 = 15820×10×3/100 = **■**4746.

id=65694 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2643. If it is sold at a profit of 20%, what is its selling price? | option_a=3171 | option_b=3435 | option_c=2907 | option_d=2663 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2643 × 120/100 = **■**3171.

id=65695 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=40 | option_b=28 | option_c=35 | option_d=34 | answer=D | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.

id=65696 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:10 and the first is 54, what is the second? | option_a=180 | option_b=183 | option_c=234 | option_d=170 | answer=A | explanation=Scale factor = 54/3 = 18. Therefore second quantity = 10×18 = 180.

id=65697 | topic=Averages | difficulty=Easy | question=Find the average of 56, 39, 33, 65, 74, 95, 99, 28, 24. | option_a=59 | option_b=58 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 513 ÷ 9 = 57.

id=65698 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1852. If it is sold at a profit of 20%, what is its selling price? | option_a=2037 | option_b=2222 | option_c=1872 | option_d=2407 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1852 × 120/100 = **■**2222.

id=65699 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=40 | option_b=35 | option_c=45 | option_d=41 | answer=A | explanation=The common difference is 5. Therefore the next term is 35 + 5 = 40.

id=65700 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

Aptitude Questions — Records 65,701-65,730 of 100,000

id=65701 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46222 at 15% per annum for 4 years. | option_a=73955 | option_b=27733 | option_c=27633 | option_d=27833 | answer=B | explanation=SI = PRT/100 = 46222×15×4/100 = **■**27733.

id=65702 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 28. | option_a=504 | option_b=270 | option_c=224 | option_d=252 | answer=D | explanation=LCM × HCF = 18×28; HCF(18,28) = 2, so LCM = 252.

id=65703 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=64 | option_b=52 | option_c=40 | option_d=53 | answer=B | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.

id=65704 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=65705 | topic=Averages | difficulty=Easy | question=Find the average of 15, 89, 86, 37, 52, 34, 80, 40, 26. | option_a=52 | option_b=51 | option_c=53 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 459 ÷ 9 = 51.

id=65706 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=65707 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21055 at 15% per annum for 3 years. | option_a=9374 | option_b=9474 | option_c=30529 | option_d=9574 | answer=B | explanation=SI = PRT/100 = 21055×15×3/100 = **■**9474.

id=65708 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 49? | option_a=39 | option_b=30 | option_c=21 | option_d=49 | answer=D | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 49 is the odd one out.

id=65709 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=57 | option_b=47 | option_c=48 | option_d=37 | answer=B | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

id=65710 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24278 at 12% per annum for 3 years. | option_a=33018 | option_b=8740 | option_c=8840 | option_d=8640 | answer=B | explanation=SI = PRT/100 = 24278×12×3/100 = **■**8740.

id=65711 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=65712 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 57? | option_a=47 | option_b=29 | option_c=38 | option_d=57 | answer=D | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 57 is the odd one out.

id=65713 | topic=Percentages | difficulty=Easy | question=What is 20% of 816? | option_a=326 | option_b=153 | option_c=173 | option_d=163 | answer=D | explanation=20% of 816 = (20/100) × 816 = 163.

id=65714 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18202 at 10% per annum for 4 years. | option_a=25482 | option_b=7280 | option_c=7180 | option_d=7380 | answer=B | explanation=SI = PRT/100 = 18202×10×4/100 = **■**7280.

id=65715 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46223 at 12% per annum for 5 years. | option_a=27833 | option_b=27633 | option_c=73956 | option_d=27733 | answer=D | explanation=SI = PRT/100 = 46223×12×5/100 = **■**27733.

id=65716 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:10 and the first is 15, what is the second? | option_a=30 | option_b=35 | option_c=20 | option_d=45 | answer=A | explanation=Scale factor = 15/5 = 3. Therefore second quantity = 10×3 = 30.

id=65717 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:6 and the first is 170, what is the second? | option_a=60 | option_b=77 | option_c=230 | option_d=54 | answer=A | explanation=Scale factor = 170/17 = 10. Therefore second quantity = 6×10 = 60.

id=65718 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32609 at 8% per annum for 1 years. | option_a=35217 | option_b=2608 | option_c=2708 | option_d=2508 | answer=B | explanation=SI = PRT/100 = 32609×8×1/100 = **■**2608.

id=65719 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=37 | option_b=46 | option_c=53 | option_d=45 | answer=D | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=65720 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=N | option_b=I | option_c=D | option_d=S | answer=A | explanation=Move 5 positions forward from I; the resulting letter is N.

id=65721 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=38 | option_b=31 | option_c=37 | option_d=43 | answer=C | explanation=The common difference is 6. Therefore the next term is 31 + 6 = 37.

id=65722 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=65723 | topic=Averages | difficulty=Easy | question=Find the average of 39, 55, 27, 23, 40, 80, 16. | option_a=41 | option_b=40 | option_c=39 | option_d=42 | answer=B | explanation=Average = sum of values ÷ number of values = 280 ÷ 7 = 40.

id=65724 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=65725 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2458. If it is sold at a profit of 20%, what is its selling price? | option_a=2704 | option_b=2478 | option_c=3194 | option_d=2949 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2458 × 120/100 = **■**2949.

id=65726 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3683. If it is sold at a profit of 15%, what is its selling price? | option_a=4235 | option_b=4603 | option_c=3698 | option_d=3867 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3683 × 115/100 = **■**4235.

id=65727 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:11 and the first is 210, what is the second? | option_a=179 | option_b=165 | option_c=154 | option_d=375 | answer=B | explanation=Scale factor = 210/14 = 15. Therefore second quantity = 11×15 = 165.

id=65728 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=100 | option_c=95 | option_d=105 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=65729 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=65730 | topic=Averages | difficulty=Easy | question=Find the average of 49, 84, 68, 58, 61. | option_a=64 | option_b=66 | option_c=65 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 320 ÷ 5 = 64.

Aptitude Questions — Records 65,731-65,760 of 100,000

id=65731 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 31? | option_a=22 | option_b=16 | option_c=10 | option_d=31 | answer=D | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 31 is the odd one out.

id=65732 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:16 and the first is 95, what is the second? | option_a=288 | option_b=399 | option_c=304 | option_d=309 | answer=C | explanation=Scale factor = 95/5 = 19. Therefore second quantity = 16×19 = 304.

id=65733 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33715 at 12% per annum for 5 years. | option_a=20129 | option_b=20329 | option_c=20229 | option_d=53944 | answer=C | explanation=SI = $\frac{PRT}{100}$ = $\frac{33715 \times 12 \times 5}{100}$ = **■**20229.

id=65734 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=41 | option_b=34 | option_c=48 | option_d=42 | answer=A | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=65735 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 22. | option_a=264 | option_b=144 | option_c=110 | option_d=132 | answer=D | explanation=LCM × HCF = 12×22; HCF(12,22) = 2, so LCM = 132.

id=65736 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=65737 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30694 at 6% per annum for 2 years. | option_a=3583 | option_b=3683 | option_c=34377 | option_d=3783 | answer=B | explanation=SI = $\frac{PRT}{100}$ = $\frac{30694 \times 6 \times 2}{100}$ = **■**3683.

id=65738 | topic=Averages | difficulty=Easy | question=Find the average of 74, 62, 60, 61, 96, 37. | option_a=67 | option_b=66 | option_c=64 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 390 ÷ 6 = 65.

id=65739 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=200 | option_c=100 | option_d=105 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=65740 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 18. | option_a=270 | option_b=72 | option_c=105 | option_d=90 | answer=D | explanation=LCM × HCF = 15×18; HCF(15,18) = 3, so LCM = 90.

id=65741 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**869. If it is sold at a profit of 5%, what is its selling price? | option_a=826 | option_b=998 | option_c=912 | option_d=874 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 869 × 105/100 = **■**912.

id=65742 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 12, 15, 18, ? | option_a=24 | option_b=18 | option_c=22 | option_d=21 | answer=D | explanation=The common difference is 3. Therefore the next term is 18 + 3 = 21.

id=65743 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**828. If it is sold at a profit of 50%, what is its selling price? | option_a=878 | option_b=1242 | option_c=1160 | option_d=1324 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 828 × 150/100 = **■**1242.

id=65744 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=F | option_c=J | option_d=D | answer=A | explanation=Move 2 positions forward from F; the resulting letter is H.

id=65745 | topic=Percentages | difficulty=Easy | question=What is 10% of 400? | option_a=80 | option_b=30 | option_c=45 | option_d=40 | answer=D | explanation=10% of 400 = (10/100) × 400 = 40.

id=65746 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=8 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=65747 | topic=Percentages | difficulty=Easy | question=What is 50% of 85? | option_a=52 | option_b=42 | option_c=84 | option_d=37 | answer=B | explanation=50% of 85 = (50/100) × 85 = 42.

id=65748 | topic=Percentages | difficulty=Easy | question=What is 5% of 542? | option_a=54 | option_b=17 | option_c=27 | option_d=32 | answer=C | explanation=5% of 542 = (5/100) × 542 = 27.

id=65749 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**599. If it is sold at a profit of 30%, what is its selling price? | option_a=837 | option_b=719 | option_c=629 | option_d=778 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 599 × 130/100 = **■**778.

id=65750 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=65751 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=B | option_b=H | option_c=E | option_d=K | answer=B | explanation=Move 3 positions forward from E; the resulting letter is H.

id=65752 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 28. | option_a=1 | option_b=56 | option_c=30 | option_d=28 | answer=D | explanation=LCM × HCF = 2×28; HCF(2,28) = 2, so LCM = 28.

id=65753 | topic=Percentages | difficulty=Easy | question=What is 25% of 680? | option_a=340 | option_b=170 | option_c=180 | option_d=160 | answer=B | explanation=25% of 680 = (25/100) × 680 = 170.

id=65754 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 28. | option_a=112 | option_b=160 | option_c=560 | option_d=140 | answer=D | explanation=LCM × HCF = 20×28; HCF(20,28) = 4, so LCM = 140.

id=65755 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 31, 34, 40? | option_a=31 | option_b=40 | option_c=28 | option_d=34 | answer=B | explanation=The first three numbers increase by 3, so the next should be 37. Therefore 40 is the odd one out.

id=65756 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 35? | option_a=15 | option_b=35 | option_c=24 | option_d=6 | answer=B | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 35 is the odd one out.

id=65757 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:14 and the first is 84, what is the second? | option_a=70 | option_b=168 | option_c=98 | option_d=84 | answer=D | explanation=Scale factor = 84/14 = 6. Therefore second quantity = 14×6 = 84.

id=65758 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3632. If it is sold at a profit of 20%, what is its selling price? | option_a=3652 | option_b=4721 | option_c=3995 | option_d=4358 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3632 × 120/100 = **■**4358.

id=65759 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=7 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=65760 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:10 and the first is 6, what is the second? | option_a=26 | option_b=20 | option_c=23 | option_d=10 | answer=B | explanation=Scale factor = 6/3 = 2. Therefore second quantity = 10×2 = 20.

Aptitude Questions — Records 65,761-65,790 of 100,000

id=65761 | topic=Averages | difficulty=Easy | question=Find the average of 31, 77, 12, 20, 46, 77, 59. | option_a=48 | option_b=45 | option_c=47 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = $322 \div 7 = 46$.

id=65762 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:1 and the first is 40, what is the second? | option_a=7 | option_b=48 | option_c=13 | option_d=8 | answer=D | explanation=Scale factor = $40/5 = 8$. Therefore second quantity = $1 \times 8 = 8$.

id=65763 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:20 and the first is 60, what is the second? | option_a=300 | option_b=304 | option_c=360 | option_d=280 | answer=A | explanation=Scale factor = $60/4 = 15$. Therefore second quantity = $20 \times 15 = 300$.

id=65764 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=I | option_c=K | option_d=O | answer=A | explanation=Move 2 positions forward from K; the resulting letter is M.

id=65765 | topic=Averages | difficulty=Easy | question=Find the average of 27, 29, 18, 90, 100, 24. | option_a=47 | option_b=48 | option_c=49 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = $288 \div 6 = 48$.

id=65766 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 6. | option_a=48 | option_b=18 | option_c=24 | option_d=144 | answer=C | explanation=LCM $\times$ HCF = 24×6 ; HCF(24,6) = 6, so LCM = 24.

id=65767 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 57? | option_a=47 | option_b=29 | option_c=38 | option_d=57 | answer=D | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 57 is the odd one out.

id=65768 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 3. | option_a=27 | option_b=90 | option_c=30 | option_d=60 | answer=C | explanation=LCM $\times$ HCF = 30×3 ; HCF(30,3) = 3, so LCM = 30.

id=65769 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**30051 at 12% per annum for 1 years. | option_a=3506 | option_b=33657 | option_c=3706 | option_d=3606 | answer=D | explanation=SI = $PRT/100 = 30051 \times 12 \times 1/100 = \text{₹}3606$.

id=65770 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3150. If it is sold at a profit of 10%, what is its selling price? | option_a=3780 | option_b=3160 | option_c=3150 | option_d=3465 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3150 \times 110/100 = \text{₹}3465$.

id=65771 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=43 | option_b=42 | option_c=50 | option_d=34 | answer=B | explanation=The common difference is 8. Therefore the next term is $34 + 8 = 42$.

id=65772 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:13 and the first is 152, what is the second? | option_a=104 | option_b=91 | option_c=123 | option_d=256 | answer=A | explanation=Scale factor = $152/19 = 8$. Therefore second quantity = $13 \times 8 = 104$.

id=65773 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=U | option_c=P | option_d=F | answer=C | explanation=Move 5 positions forward from K; the resulting letter is P.

id=65774 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=T | option_c=P | option_d=N | answer=A | explanation=Move 2 positions forward from P; the resulting letter is R.

id=65775 | topic=Percentages | difficulty=Easy | question=What is 20% of 765? | option_a=306 | option_b=133 | option_c=153 | option_d=163 | answer=C | explanation=20% of 765 = $(20/100) \times 765 = 153$.

id=65776 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:9 and the first is 120, what is the second? | option_a=90 | option_b=102 | option_c=81 | option_d=210 | answer=A | explanation=Scale factor = $120/12 = 10$. Therefore second quantity = $9 \times 10 = 90$.

id=65777 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**41319 at 4% per annum for 4 years. | option_a=6511 | option_b=6711 | option_c=6611 | option_d=47930 | answer=C | explanation=SI = $PRT/100 = 41319 \times 4 \times 4/100 = \text{₹}6611$.

id=65778 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=31 | option_c=72 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = $180 \div 5 = 36$ km/h.

id=65779 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=27 | option_b=35 | option_c=32 | option_d=31 | answer=D | explanation=The common difference is 4. Therefore the next term is $27 + 4 = 31$.

id=65780 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 9, 13, 19? | option_a=19 | option_b=9 | option_c=5 | option_d=13 | answer=A | explanation=The first three numbers increase by 4, so the next should be 17. Therefore 19 is the odd one out.

id=65781 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 8. | option_a=144 | option_b=90 | option_c=72 | option_d=64 | answer=C | explanation=LCM $\times$ HCF = 18×8 ; HCF(18,8) = 2, so LCM = 72.

id=65782 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=C | option_c=D | option_d=B | answer=C | explanation=Move 1 positions forward from C; the resulting letter is D.

id=65783 | topic=Percentages | difficulty=Easy | question=What is 50% of 99? | option_a=98 | option_b=69 | option_c=29 | option_d=49 | answer=D | explanation=50% of 99 = $(50/100) \times 99 = 49$.

id=65784 | topic=Averages | difficulty=Easy | question=Find the average of 71, 42, 73, 98, 48, 62, 95, 37, 104. | option_a=70 | option_b=69 | option_c=71 | option_d=72 | answer=A | explanation=Average = sum of values ÷ number of values = $630 \div 9 = 70$.

id=65785 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=80 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = $120 \div 3 = 40$ km/h.

id=65786 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=G | option_c=X | option_d=D | answer=D | explanation=Move 3 positions forward from A; the resulting letter is D.

id=65787 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:17 and the first is 153, what is the second? | option_a=153 | option_b=306 | option_c=136 | option_d=170 | answer=A | explanation=Scale factor = $153/17 = 9$. Therefore second quantity = $17 \times 9 = 153$.

id=65788 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=N | option_b=W | option_c=Q | option_d=T | answer=D | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=65789 | topic=Percentages | difficulty=Easy | question=What is 10% of 1433? | option_a=148 | option_b=133 | option_c=286 | option_d=143 | answer=D | explanation=10% of 1433 = $(10/100) \times 1433 = 143$.

id=65790 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 14. | option_a=28 | option_b=14 | option_c=1 | option_d=16 | answer=B | explanation=LCM $\times$ HCF = 2×14 ; HCF(2,14) = 2, so LCM = 14.

Aptitude Questions — Records 65,791-65,820 of 100,000

id=65791 | topic=Profit & Loss | difficulty=Easy | question=An article costs █790. If it is sold at a profit of 50%, what is its selling price? | option_a=840 | option_b=1106 | option_c=1264 | option_d=1185 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 790 × 150/100 = █1185.

id=65792 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3738. If it is sold at a profit of 20%, what is its selling price? | option_a=4485 | option_b=3758 | option_c=4112 | option_d=4858 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3738 × 120/100 = █4485.

id=65793 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:19 and the first is 64, what is the second? | option_a=140 | option_b=76 | option_c=57 | option_d=92 | answer=B | explanation=Scale factor = 64/16 = 4. Therefore second quantity = 19×4 = 76.

id=65794 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4701. If it is sold at a profit of 50%, what is its selling price? | option_a=7521 | option_b=7051 | option_c=6581 | option_d=4751 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4701 × 150/100 = █7051.

id=65795 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=12 | option_b=15 | option_c=18 | option_d=16 | answer=B | explanation=The common difference is 3. Therefore the next term is 12 + 3 = 15.

id=65796 | topic=Percentages | difficulty=Easy | question=What is 40% of 741? | option_a=306 | option_b=291 | option_c=296 | option_d=592 | answer=C | explanation=40% of 741 = (40/100) × 741 = 296.

id=65797 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 25, 27, 30? | option_a=23 | option_b=25 | option_c=27 | option_d=30 | answer=D | explanation=The first three numbers increase by 2, so the next should be 29. Therefore 30 is the odd one out.

id=65798 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=20 | option_c=10 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=65799 | topic=Percentages | difficulty=Easy | question=What is 10% of 622? | option_a=62 | option_b=124 | option_c=72 | option_d=57 | answer=A | explanation=10% of 622 = (10/100) × 622 = 62.

id=65800 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=65801 | topic=Averages | difficulty=Easy | question=Find the average of 54, 52, 96, 72, 41. | option_a=62 | option_b=65 | option_c=64 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 315 ÷ 5 = 63.

id=65802 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=40 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=65803 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:19 and the first is 8, what is the second? | option_a=153 | option_b=160 | option_c=133 | option_d=152 | answer=D | explanation=Scale factor = 8/1 = 8. Therefore second quantity = 19×8 = 152.

id=65804 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4315. If it is sold at a profit of 15%, what is its selling price? | option_a=4962 | option_b=4531 | option_c=4330 | option_d=5393 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4315 × 115/100 = █4962.

id=65805 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=90 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=65806 | topic=Percentages | difficulty=Easy | question=What is 12% of 1892? | option_a=454 | option_b=217 | option_c=227 | option_d=232 | answer=C | explanation=12% of 1892 = (12/100) × 1892 = 227.

id=65807 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40959 at 12% per annum for 5 years. | option_a=24575 | option_b=24675 | option_c=24475 | option_d=65534 | answer=A | explanation=SI = PRT/100 = 40959×12×5/100 = █24575.

id=65808 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=33 | option_b=40 | option_c=41 | option_d=47 | answer=B | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.

id=65809 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:20 and the first is 75, what is the second? | option_a=300 | option_b=305 | option_c=280 | option_d=375 | answer=A | explanation=Scale factor = 75/5 = 15. Therefore second quantity = 20×15 = 300.

id=65810 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:10 and the first is 112, what is the second? | option_a=60 | option_b=70 | option_c=182 | option_d=86 | answer=B | explanation=Scale factor = 112/16 = 7. Therefore second quantity = 10×7 = 70.

id=65811 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=61 | option_b=60 | option_c=49 | option_d=71 | answer=B | explanation=The common difference is 11. Therefore the next term is 49 + 11 = 60.

id=65812 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 30, 34, 40? | option_a=26 | option_b=30 | option_c=34 | option_d=40 | answer=D | explanation=The first three numbers increase by 4, so the next should be 38. Therefore 40 is the odd one out.

id=65813 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8098 at 4% per annum for 5 years. | option_a=9717 | option_b=1619 | option_c=1519 | option_d=1719 | answer=B | explanation=SI = PRT/100 = 8098×4×5/100 = █1619.

id=65814 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=65815 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=53 | option_c=48 | option_d=43 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=65816 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=65817 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25980 at 5% per annum for 5 years. | option_a=6495 | option_b=6595 | option_c=6395 | option_d=32475 | answer=A | explanation=SI = PRT/100 = 25980×5×5/100 = █6495.

id=65818 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 12. | option_a=60 | option_b=70 | option_c=48 | option_d=120 | answer=A | explanation=LCM × HCF = 10×12; HCF(10,12) = 2, so LCM = 60.

id=65819 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=65820 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=70 | option_d=150 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

Aptitude Questions — Records 65,821-65,850 of 100,000

- id=65821 | topic=Percentages | difficulty=Easy | question=What is 15% of 115? | option_a=34 | option_b=0 | option_c=17 | option_d=37 | answer=C | explanation=15% of 115 = $(15/100) \times 115 = 17$.
- id=65822 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=O | option_b=L | option_c=I | option_d=F | answer=B | explanation=Move 3 positions forward from I; the resulting letter is L.
- id=65823 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 42? | option_a=42 | option_b=31 | option_c=15 | option_d=23 | answer=A | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 42 is the odd one out.
- id=65824 | topic=Averages | difficulty=Easy | question=Find the average of 40, 25, 37, 63, 80, 65, 43, 97, 90. | option_a=61 | option_b=62 | option_c=60 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = $540 \div 9 = 60$.
- id=65825 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 35, 41, 50? | option_a=41 | option_b=50 | option_c=35 | option_d=29 | answer=B | explanation=The first three numbers increase by 6, so the next should be 47. Therefore 50 is the odd one out.
- id=65826 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 33, 40, 49? | option_a=40 | option_b=33 | option_c=49 | option_d=26 | answer=C | explanation=The first three numbers increase by 7, so the next should be 47. Therefore 49 is the odd one out.
- id=65827 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.
- id=65828 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 5, 8, 11, ? | option_a=17 | option_b=11 | option_c=14 | option_d=15 | answer=C | explanation=The common difference is 3. Therefore the next term is $11 + 3 = 14$.
- id=65829 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=39 | option_b=46 | option_c=47 | option_d=53 | answer=B | explanation=The common difference is 7. Therefore the next term is $39 + 7 = 46$.
- id=65830 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 21. | option_a=48 | option_b=42 | option_c=21 | option_d=126 | answer=B | explanation= $\text{LCM} \times \text{HCF} = 6 \times 21$; $\text{HCF}(6,21) = 3$, so $\text{LCM} = 42$.
- id=65831 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=B | option_b=E | option_c=D | option_d=C | answer=C | explanation=Move 1 positions forward from C; the resulting letter is D.
- id=65832 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24441 at 8% per annum for 4 years. | option_a=7721 | option_b=32262 | option_c=7821 | option_d=7921 | answer=C | explanation= $\text{SI} = \text{PRT}/100 = 24441 \times 8 \times 4/100 = \text{■}7821$.
- id=65833 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=63 | option_b=62 | option_c=51 | option_d=73 | answer=B | explanation=The common difference is 11. Therefore the next term is $51 + 11 = 62$.
- id=65834 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24573 at 12% per annum for 3 years. | option_a=8746 | option_b=8846 | option_c=8946 | option_d=33419 | answer=B | explanation= $\text{SI} = \text{PRT}/100 = 24573 \times 12 \times 3/100 = \text{■}8846$.
- id=65835 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=12 | option_d=4 | answer=B | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.
- id=65836 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:12 and the first is 90, what is the second? | option_a=198 | option_b=108 | option_c=118 | option_d=96 | answer=B | explanation=Scale factor = $90/10 = 9$. Therefore second quantity = $12 \times 9 = 108$.
- id=65837 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 12, 14, 18? | option_a=18 | option_b=10 | option_c=14 | option_d=12 | answer=A | explanation=The first three numbers increase by 2, so the next should be 16. Therefore 18 is the odd one out.
- id=65838 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=Y | option_c=J | option_d=T | answer=D | explanation=Move 5 positions forward from O; the resulting letter is T.
- id=65839 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4413. If it is sold at a profit of 40%, what is its selling price? | option_a=4453 | option_b=6178 | option_c=6619 | option_d=5737 | answer=B | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 4413 \times 140/100 = \text{■}6178$.
- id=65840 | topic=Percentages | difficulty=Easy | question=What is 30% of 1406? | option_a=401 | option_b=842 | option_c=421 | option_d=441 | answer=C | explanation=30% of 1406 = $(30/100) \times 1406 = 421$.
- id=65841 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:6 and the first is 75, what is the second? | option_a=95 | option_b=90 | option_c=165 | option_d=84 | answer=B | explanation=Scale factor = $75/5 = 15$. Therefore second quantity = $6 \times 15 = 90$.
- id=65842 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=8 | answer=B | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.
- id=65843 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41506 at 12% per annum for 1 years. | option_a=4880 | option_b=5080 | option_c=46486 | option_d=4980 | answer=D | explanation= $\text{SI} = \text{PRT}/100 = 41506 \times 12 \times 1/100 = \text{■}4980$.
- id=65844 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=S | option_b=Y | option_c=W | option_d=U | answer=C | explanation=Move 2 positions forward from U; the resulting letter is W.
- id=65845 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:2 and the first is 228, what is the second? | option_a=50 | option_b=266 | option_c=36 | option_d=38 | answer=D | explanation=Scale factor = $228/12 = 19$. Therefore second quantity = $2 \times 19 = 38$.
- id=65846 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=23 | option_c=13 | option_d=36 | answer=A | explanation=Speed = distance ÷ time = $180 \div 10 = 18$ km/h.
- id=65847 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3669 at 12% per annum for 4 years. | option_a=1761 | option_b=1861 | option_c=1661 | option_d=5430 | answer=A | explanation= $\text{SI} = \text{PRT}/100 = 3669 \times 12 \times 4/100 = \text{■}1761$.
- id=65848 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 21? | option_a=21 | option_b=15 | option_c=17 | option_d=13 | answer=A | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 21 is the odd one out.
- id=65849 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=34 | option_b=43 | option_c=50 | option_d=42 | answer=D | explanation=The common difference is 8. Therefore the next term is $34 + 8 = 42$.
- id=65850 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 37, 44, 52? | option_a=30 | option_b=37 | option_c=52 | option_d=44 | answer=C | explanation=The first three numbers increase by 7, so the next should be 51. Therefore 52 is the odd one out.

Aptitude Questions — Records 65,851-65,880 of 100,000

id=65851 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=65852 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 39, 49, 62? | option_a=62 | option_b=49 | option_c=29 | option_d=39 | answer=A | explanation=The first three numbers increase by 10, so the next should be 59. Therefore 62 is the odd one out.

id=65853 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:20 and the first is 32, what is the second? | option_a=322 | option_b=300 | option_c=352 | option_d=320 | answer=D | explanation=Scale factor = 32/2 = 16. Therefore second quantity = 20×16 = 320.

id=65854 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3425. If it is sold at a profit of 5%, what is its selling price? | option_a=3596 | option_b=3430 | option_c=3254 | option_d=3938 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3425 × 105/100 = █3596.

id=65855 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 28, 36, 46? | option_a=20 | option_b=36 | option_c=28 | option_d=46 | answer=D | explanation=The first three numbers increase by 8, so the next should be 44. Therefore 46 is the odd one out.

id=65856 | topic=Percentages | difficulty=Easy | question=What is 50% of 76? | option_a=76 | option_b=38 | option_c=28 | option_d=43 | answer=B | explanation=50% of 76 = (50/100) × 76 = 38.

id=65857 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=65858 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=M | option_b=Q | option_c=Y | option_d=U | answer=D | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=65859 | topic=Averages | difficulty=Easy | question=Find the average of 62, 15, 90, 22, 36. | option_a=44 | option_b=46 | option_c=47 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 225 ÷ 5 = 45.

id=65860 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=72 | option_c=31 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=65861 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 36, 44, 53? | option_a=36 | option_b=53 | option_c=44 | option_d=28 | answer=B | explanation=The first three numbers increase by 8, so the next should be 52. Therefore 53 is the odd one out.

id=65862 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15839 at 10% per annum for 5 years. | option_a=7819 | option_b=23758 | option_c=8019 | option_d=7919 | answer=D | explanation=SI = PRT/100 = 15839×10×5/100 = █7919.

id=65863 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15034 at 8% per annum for 3 years. | option_a=3508 | option_b=3708 | option_c=3608 | option_d=18642 | answer=C | explanation=SI = PRT/100 = 15034×8×3/100 = █3608.

id=65864 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=31 | option_b=43 | option_c=37 | option_d=38 | answer=C | explanation=The common difference is 6. Therefore the next term is 31 + 6 = 37.

id=65865 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:6 and the first is 180, what is the second? | option_a=108 | option_b=288 | option_c=118 | option_d=102 | answer=A | explanation=Scale factor = 180/10 = 18. Therefore second quantity = 6×18 = 108.

id=65866 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=65867 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=65868 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 20, 22, 25? | option_a=22 | option_b=20 | option_c=18 | option_d=25 | answer=D | explanation=The first three numbers increase by 2, so the next should be 24. Therefore 25 is the odd one out.

id=65869 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=59 | option_b=41 | option_c=50 | option_d=51 | answer=C | explanation=The common difference is 9. Therefore the next term is 41 + 9 = 50.

id=65870 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=22 | option_b=18 | option_c=26 | option_d=23 | answer=A | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

id=65871 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17262 at 8% per annum for 4 years. | option_a=5623 | option_b=22785 | option_c=5523 | option_d=5423 | answer=C | explanation=SI = PRT/100 = 17262×8×4/100 = █5523.

id=65872 | topic=Profit & Loss | difficulty=Easy | question=An article costs █782. If it is sold at a profit of 15%, what is its selling price? | option_a=977 | option_b=899 | option_c=821 | option_d=797 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 782 × 115/100 = █899.

id=65873 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 10. | option_a=1 | option_b=10 | option_c=20 | option_d=100 | answer=B | explanation=LCM × HCF = 10×10; HCF(10,10) = 10, so LCM = 10.

id=65874 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 22, 25, 30? | option_a=22 | option_b=25 | option_c=19 | option_d=30 | answer=D | explanation=The first three numbers increase by 3, so the next should be 28. Therefore 30 is the odd one out.

id=65875 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=65876 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:10 and the first is 99, what is the second? | option_a=80 | option_b=101 | option_c=189 | option_d=90 | answer=D | explanation=Scale factor = 99/11 = 9. Therefore second quantity = 10×9 = 90.

id=65877 | topic=Percentages | difficulty=Easy | question=What is 15% of 1080? | option_a=162 | option_b=157 | option_c=172 | option_d=324 | answer=A | explanation=15% of 1080 = (15/100) × 1080 = 162.

id=65878 | topic=Averages | difficulty=Easy | question=Find the average of 28, 59, 42. | option_a=43 | option_b=42 | option_c=45 | option_d=44 | answer=A | explanation=Average = sum of values ÷ number of values = 129 ÷ 3 = 43.

id=65879 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=8 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=65880 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5361 at 12% per annum for 2 years. | option_a=1386 | option_b=6647 | option_c=1286 | option_d=1186 | answer=C | explanation=SI = PRT/100 = 5361×12×2/100 = █1286.

Aptitude Questions — Records 65,881-65,910 of 100,000

id=65881 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 31? | option_a=18 | option_b=31 | option_c=13 | option_d=23 | answer=B | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 31 is the odd one out.

id=65882 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4460. If it is sold at a profit of 25%, what is its selling price? | option_a=4485 | option_b=6021 | option_c=5129 | option_d=5575 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4460 × 125/100 = █5575.

id=65883 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 6, 10, 15? | option_a=6 | option_b=10 | option_c=15 | option_d=2 | answer=C | explanation=The first three numbers increase by 4, so the next should be 14. Therefore 15 is the odd one out.

id=65884 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:19 and the first is 96, what is the second? | option_a=228 | option_b=324 | option_c=209 | option_d=236 | answer=A | explanation=Scale factor = 96/8 = 12. Therefore second quantity = 19×12 = 228.

id=65885 | topic=Percentages | difficulty=Easy | question=What is 12% of 1914? | option_a=458 | option_b=229 | option_c=239 | option_d=224 | answer=B | explanation=12% of 1914 = (12/100) × 1914 = 229.

id=65886 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 11, 20, 32? | option_a=2 | option_b=11 | option_c=20 | option_d=32 | answer=D | explanation=The first three numbers increase by 9, so the next should be 29. Therefore 32 is the odd one out.

id=65887 | topic=Averages | difficulty=Easy | question=Find the average of 91, 24, 13, 49, 90, 96, 92. | option_a=64 | option_b=67 | option_c=65 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = 455 ÷ 7 = 65.

id=65888 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 9, 14, 21? | option_a=14 | option_b=4 | option_c=21 | option_d=9 | answer=C | explanation=The first three numbers increase by 5, so the next should be 19. Therefore 21 is the odd one out.

id=65889 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=J | option_b=B | option_c=N | option_d=F | answer=A | explanation=Move 4 positions forward from F; the resulting letter is J.

id=65890 | topic=Averages | difficulty=Easy | question=Find the average of 58, 77, 72. | option_a=68 | option_b=69 | option_c=71 | option_d=70 | answer=B | explanation=Average = sum of values ÷ number of values = 207 ÷ 3 = 69.

id=65891 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2730. If it is sold at a profit of 20%, what is its selling price? | option_a=3003 | option_b=3276 | option_c=3549 | option_d=2750 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2730 × 120/100 = █3276.

id=65892 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:17 and the first is 30, what is the second? | option_a=257 | option_b=238 | option_c=255 | option_d=285 | answer=C | explanation=Scale factor = 30/2 = 15. Therefore second quantity = 17×15 = 255.

id=65893 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 37, 44, 54? | option_a=44 | option_b=37 | option_c=54 | option_d=30 | answer=C | explanation=The first three numbers increase by 7, so the next should be 51. Therefore 54 is the odd one out.

id=65894 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 31, 42, 53, ? | option_a=64 | option_b=75 | option_c=65 | option_d=53 | answer=A | explanation=The common difference is 11. Therefore the next term is 53 + 11 = 64.

id=65895 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:7 and the first is 180, what is the second? | option_a=105 | option_b=117 | option_c=285 | option_d=98 | answer=A | explanation=Scale factor = 180/12 = 15. Therefore second quantity = 7×15 = 105.

id=65896 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=A | option_c=X | option_d=R | answer=C | explanation=Move 3 positions forward from U; the resulting letter is X.

id=65897 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=65898 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=D | option_b=F | option_c=H | option_d=J | answer=C | explanation=Move 2 positions forward from F; the resulting letter is H.

id=65899 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=40 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=65900 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 58? | option_a=46 | option_b=36 | option_c=58 | option_d=26 | answer=C | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 58 is the odd one out.

id=65901 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 13? | option_a=5 | option_b=13 | option_c=7 | option_d=9 | answer=B | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 13 is the odd one out.

id=65902 | topic=Averages | difficulty=Easy | question=Find the average of 97, 89, 51, 46, 92. | option_a=75 | option_b=77 | option_c=76 | option_d=74 | answer=A | explanation=Average = sum of values ÷ number of values = 375 ÷ 5 = 75.

id=65903 | topic=Averages | difficulty=Easy | question=Find the average of 30, 11, 52, 39. | option_a=34 | option_b=33 | option_c=32 | option_d=35 | answer=B | explanation=Average = sum of values ÷ number of values = 132 ÷ 4 = 33.

id=65904 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=23 | option_c=36 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=65905 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2213. If it is sold at a profit of 50%, what is its selling price? | option_a=3319 | option_b=3098 | option_c=2263 | option_d=3540 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2213 × 150/100 = █3319.

id=65906 | topic=Averages | difficulty=Easy | question=Find the average of 76, 83, 41, 34, 78, 74, 76. | option_a=65 | option_b=67 | option_c=66 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 462 ÷ 7 = 66.

id=65907 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=23 | option_d=36 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=65908 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=160 | option_c=80 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=65909 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3702. If it is sold at a profit of 40%, what is its selling price? | option_a=5552 | option_b=3742 | option_c=5182 | option_d=4812 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3702 × 140/100 = █5182.

id=65910 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 22. | option_a=528 | option_b=264 | option_c=242 | option_d=288 | answer=B | explanation=LCM × HCF = 24×22; HCF(24,22) = 2, so LCM = 264.

Aptitude Questions — Records 65,911-65,940 of 100,000

id=65911 | topic=Profit & Loss | difficulty=Easy | question=An article costs █400. If it is sold at a profit of 10%, what is its selling price? | option_a=440 | option_b=410 | option_c=480 | option_d=400 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 400 × 110/100 = █440.

id=65912 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:5 and the first is 57, what is the second? | option_a=90 | option_b=95 | option_c=152 | option_d=98 | answer=B | explanation=Scale factor = 57/3 = 19. Therefore second quantity = 5×19 = 95.

id=65913 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 26, 33, 42? | option_a=26 | option_b=33 | option_c=42 | option_d=19 | answer=C | explanation=The first three numbers increase by 7, so the next should be 40. Therefore 42 is the odd one out.

id=65914 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=36 | option_c=72 | option_d=31 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=65915 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:17 and the first is 342, what is the second? | option_a=648 | option_b=289 | option_c=325 | option_d=306 | answer=D | explanation=Scale factor = 342/19 = 18. Therefore second quantity = 17×18 = 306.

id=65916 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38723 at 10% per annum for 5 years. | option_a=19361 | option_b=58084 | option_c=19461 | option_d=19261 | answer=A | explanation=SI = PRT/100 = 38723×10×5/100 = █19361.

id=65917 | topic=Percentages | difficulty=Easy | question=What is 25% of 1518? | option_a=384 | option_b=379 | option_c=359 | option_d=758 | answer=B | explanation=25% of 1518 = (25/100) × 1518 = 379.

id=65918 | topic=Percentages | difficulty=Easy | question=What is 20% of 1848? | option_a=738 | option_b=364 | option_c=379 | option_d=369 | answer=D | explanation=20% of 1848 = (20/100) × 1848 = 369.

id=65919 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4422. If it is sold at a profit of 40%, what is its selling price? | option_a=6632 | option_b=4462 | option_c=6190 | option_d=5748 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4422 × 140/100 = █6190.

id=65920 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:9 and the first is 34, what is the second? | option_a=144 | option_b=187 | option_c=153 | option_d=155 | answer=C | explanation=Scale factor = 34/2 = 17. Therefore second quantity = 9×17 = 153.

id=65921 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 20. | option_a=520 | option_b=286 | option_c=240 | option_d=260 | answer=D | explanation=LCM × HCF = 26×20; HCF(26,20) = 2, so LCM = 260.

id=65922 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=27 | option_b=34 | option_c=35 | option_d=41 | answer=B | explanation=The common difference is 7. Therefore the next term is 27 + 7 = 34.

id=65923 | topic=Averages | difficulty=Easy | question=Find the average of 12, 31, 57, 54, 39, 84, 87. | option_a=52 | option_b=53 | option_c=54 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 364 ÷ 7 = 52.

id=65924 | topic=Averages | difficulty=Easy | question=Find the average of 81, 49, 30, 63, 22. | option_a=49 | option_b=48 | option_c=50 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 245 ÷ 5 = 49.

id=65925 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=66 | option_b=54 | option_c=42 | option_d=55 | answer=B | explanation=The common difference is 12. Therefore the next term is 42 + 12 = 54.

id=65926 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=25 | option_b=22 | option_c=24 | option_d=26 | answer=C | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.

id=65927 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:17 and the first is 105, what is the second? | option_a=262 | option_b=255 | option_c=360 | option_d=238 | answer=B | explanation=Scale factor = 105/7 = 15. Therefore second quantity = 17×15 = 255.

id=65928 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 13, 20, 28? | option_a=6 | option_b=28 | option_c=13 | option_d=20 | answer=B | explanation=The first three numbers increase by 7, so the next should be 27. Therefore 28 is the odd one out.

id=65929 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=65930 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=180 | option_c=95 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=65931 | topic=Averages | difficulty=Easy | question=Find the average of 53, 94, 71, 67, 65, 19, 55, 16. | option_a=55 | option_b=56 | option_c=54 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 440 ÷ 8 = 55.

id=65932 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=20 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=65933 | topic=Averages | difficulty=Easy | question=Find the average of 23, 93, 81, 69, 13, 60, 34, 44, 79, 74. | option_a=58 | option_b=59 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.

id=65934 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:6 and the first is 8, what is the second? | option_a=32 | option_b=18 | option_c=26 | option_d=24 | answer=D | explanation=Scale factor = 8/2 = 4. Therefore second quantity = 6×4 = 24.

id=65935 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 18. | option_a=20 | option_b=1 | option_c=18 | option_d=36 | answer=C | explanation=LCM × HCF = 2×18; HCF(2,18) = 2, so LCM = 18.

id=65936 | topic=Averages | difficulty=Easy | question=Find the average of 61, 99, 87, 10, 94, 41, 95, 89. | option_a=71 | option_b=73 | option_c=74 | option_d=72 | answer=D | explanation=Average = sum of values ÷ number of values = 576 ÷ 8 = 72.

id=65937 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=34 | option_b=31 | option_c=28 | option_d=32 | answer=B | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=65938 | topic=Percentages | difficulty=Easy | question=What is 12% of 1638? | option_a=216 | option_b=191 | option_c=196 | option_d=392 | answer=C | explanation=12% of 1638 = (12/100) × 1638 = 196.

id=65939 | topic=Averages | difficulty=Easy | question=Find the average of 59, 16, 36, 46, 11, 13, 78, 46, 38, 37. | option_a=37 | option_b=38 | option_c=39 | option_d=40 | answer=B | explanation=Average = sum of values ÷ number of values = 380 ÷ 10 = 38.

id=65940 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 65,941-65,970 of 100,000

id=65941 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:14 and the first is 143, what is the second? | option_a=193 | option_b=168 | option_c=325 | option_d=182 | answer=D | explanation=Scale factor = 143/11 = 13. Therefore second quantity = 14×13 = 182.

id=65942 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■36743 at 12% per annum for 5 years. | option_a=22045 | option_b=58788 | option_c=21945 | option_d=22145 | answer=A | explanation=SI = PRT/100 = 36743×12×5/100 = ■22045.

id=65943 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=33 | option_b=43 | option_c=38 | option_d=39 | answer=C | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.

id=65944 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=65945 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■10163 at 12% per annum for 5 years. | option_a=16260 | option_b=6097 | option_c=5997 | option_d=6197 | answer=B | explanation=SI = PRT/100 = 10163×12×5/100 = ■6097.

id=65946 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=H | option_b=B | option_c=E | option_d=K | answer=A | explanation=Move 3 positions forward from E; the resulting letter is H.

id=65947 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1761. If it is sold at a profit of 10%, what is its selling price? | option_a=1771 | option_b=2113 | option_c=1937 | option_d=1761 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1761 × 110/100 = ■1937.

id=65948 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■47113 at 15% per annum for 5 years. | option_a=35334 | option_b=82447 | option_c=35434 | option_d=35234 | answer=A | explanation=SI = PRT/100 = 47113×15×5/100 = ■35334.

id=65949 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 35, 42, 52? | option_a=52 | option_b=35 | option_c=42 | option_d=28 | answer=A | explanation=The first three numbers increase by 7, so the next should be 49. Therefore 52 is the odd one out.

id=65950 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=O | option_b=G | option_c=K | option_d=C | answer=C | explanation=Move 4 positions forward from G; the resulting letter is K.

id=65951 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=65952 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=41 | option_b=50 | option_c=51 | option_d=59 | answer=B | explanation=The common difference is 9. Therefore the next term is 41 + 9 = 50.

id=65953 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 39, 48, 59? | option_a=39 | option_b=30 | option_c=48 | option_d=59 | answer=D | explanation=The first three numbers increase by 9, so the next should be 57. Therefore 59 is the odd one out.

id=65954 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=P | option_c=L | option_d=J | answer=A | explanation=Move 2 positions forward from L; the resulting letter is N.

id=65955 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 17, 27, 38? | option_a=17 | option_b=38 | option_c=7 | option_d=27 | answer=B | explanation=The first three numbers increase by 10, so the next should be 37. Therefore 38 is the odd one out.

id=65956 | topic=Percentages | difficulty=Easy | question=What is 50% of 696? | option_a=348 | option_b=343 | option_c=353 | option_d=696 | answer=A | explanation=50% of 696 = (50/100) × 696 = 348.

id=65957 | topic=Averages | difficulty=Easy | question=Find the average of 100, 44, 18. | option_a=56 | option_b=55 | option_c=54 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 162 ÷ 3 = 54.

id=65958 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=65959 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 24. | option_a=504 | option_b=168 | option_c=189 | option_d=144 | answer=B | explanation=LCM × HCF = 21×24; HCF(21,24) = 3, so LCM = 168.

id=65960 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=65961 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=41 | option_b=31 | option_c=37 | option_d=36 | answer=D | explanation=The common difference is 5. Therefore the next term is 31 + 5 = 36.

id=65962 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=25 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=65963 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=25 | option_b=23 | option_c=19 | option_d=22 | answer=D | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.

id=65964 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■18802 at 6% per annum for 3 years. | option_a=3284 | option_b=3384 | option_c=22186 | option_d=3484 | answer=B | explanation=SI = PRT/100 = 18802×6×3/100 = ■3384.

id=65965 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:3 and the first is 130, what is the second? | option_a=30 | option_b=27 | option_c=43 | option_d=160 | answer=A | explanation=Scale factor = 130/13 = 10. Therefore second quantity = 3×10 = 30.

id=65966 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2843. If it is sold at a profit of 20%, what is its selling price? | option_a=3695 | option_b=3411 | option_c=3127 | option_d=2863 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2843 × 120/100 = ■3411.

id=65967 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=85 | option_c=90 | option_d=95 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=65968 | topic=Percentages | difficulty=Easy | question=What is 10% of 1936? | option_a=183 | option_b=386 | option_c=193 | option_d=213 | answer=C | explanation=10% of 1936 = (10/100) × 1936 = 193.

id=65969 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■13760 at 12% per annum for 2 years. | option_a=3402 | option_b=3302 | option_c=3202 | option_d=17062 | answer=B | explanation=SI = PRT/100 = 13760×12×2/100 = ■3302.

id=65970 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=R | option_b=A | option_c=U | option_d=X | answer=D | explanation=Move 3 positions forward from U; the resulting letter is X.

Aptitude Questions — Records 65,971-66,000 of 100,000

id=65971 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=65972 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=65973 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=65974 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23898 at 10% per annum for 3 years. | option_a=31067 | option_b=7269 | option_c=7169 | option_d=7069 | answer=C | explanation=SI = PRT/100 = 23898×10×3/100 = **■**7169.

id=65975 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:17 and the first is 54, what is the second? | option_a=153 | option_b=207 | option_c=159 | option_d=136 | answer=A | explanation=Scale factor = 54/6 = 9. Therefore second quantity = 17×9 = 153.

id=65976 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 31, 42, 53, ? | option_a=75 | option_b=64 | option_c=65 | option_d=53 | answer=B | explanation=The common difference is 11. Therefore the next term is 53 + 11 = 64.

id=65977 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=A | option_b=G | option_c=J | option_d=D | answer=B | explanation=Move 3 positions forward from D; the resulting letter is G.

id=65978 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=4 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=65979 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:5 and the first is 266, what is the second? | option_a=95 | option_b=90 | option_c=109 | option_d=361 | answer=A | explanation=Scale factor = 266/14 = 19. Therefore second quantity = 5×19 = 95.

id=65980 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13957 at 10% per annum for 3 years. | option_a=4087 | option_b=4187 | option_c=4287 | option_d=18144 | answer=B | explanation=SI = PRT/100 = 13957×10×3/100 = **■**4187.

id=65981 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 19, 22, 25, ? | option_a=31 | option_b=28 | option_c=29 | option_d=25 | answer=B | explanation=The common difference is 3. Therefore the next term is 25 + 3 = 28.

id=65982 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=80 | option_c=45 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=65983 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=65984 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:5 and the first is 10, what is the second? | option_a=20 | option_b=10 | option_c=5 | option_d=15 | answer=B | explanation=Scale factor = 10/5 = 2. Therefore second quantity = 5×2 = 10.

id=65985 | topic=Averages | difficulty=Easy | question=Find the average of 58, 50, 45, 73, 44. | option_a=56 | option_b=54 | option_c=53 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 270 ÷ 5 = 54.

id=65986 | topic=Percentages | difficulty=Easy | question=What is 25% of 750? | option_a=187 | option_b=374 | option_c=192 | option_d=167 | answer=A | explanation=25% of 750 = (25/100) × 750 = 187.

id=65987 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**403. If it is sold at a profit of 20%, what is its selling price? | option_a=423 | option_b=523 | option_c=443 | option_d=483 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 403 × 120/100 = **■**483.

id=65988 | topic=Averages | difficulty=Easy | question=Find the average of 49, 18, 80, 36, 44, 10, 92. | option_a=48 | option_b=47 | option_c=49 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 329 ÷ 7 = 47.

id=65989 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7603 at 8% per annum for 2 years. | option_a=1116 | option_b=8819 | option_c=1216 | option_d=1316 | answer=C | explanation=SI = PRT/100 = 7603×8×2/100 = **■**1216.

id=65990 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=55 | option_b=47 | option_c=37 | option_d=46 | answer=D | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=65991 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=J | option_c=L | option_d=N | answer=D | explanation=Move 2 positions forward from L; the resulting letter is N.

id=65992 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=32 | option_b=40 | option_c=36 | option_d=37 | answer=C | explanation=The common difference is 4. Therefore the next term is 32 + 4 = 36.

id=65993 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=40 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=65994 | topic=Averages | difficulty=Easy | question=Find the average of 44, 82, 39, 59, 49, 46, 38. | option_a=52 | option_b=50 | option_c=51 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.

id=65995 | topic=Percentages | difficulty=Easy | question=What is 10% of 1173? | option_a=234 | option_b=112 | option_c=127 | option_d=117 | answer=D | explanation=10% of 1173 = (10/100) × 1173 = 117.

id=65996 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=180 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=65997 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4461. If it is sold at a profit of 10%, what is its selling price? | option_a=4907 | option_b=4471 | option_c=5353 | option_d=4461 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4461 × 110/100 = **■**4907.

id=65998 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 34? | option_a=8 | option_b=16 | option_c=34 | option_d=24 | answer=C | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 34 is the odd one out.

id=65999 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 33? | option_a=12 | option_b=33 | option_c=24 | option_d=18 | answer=B | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 33 is the odd one out.

id=66000 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=K | option_b=Q | option_c=M | option_d=O | answer=D | explanation=Move 2 positions forward from M; the resulting letter is O.

Aptitude Questions — Records 66,001-66,030 of 100,000

- id=66001 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:3 and the first is 154, what is the second? | option_a=196 | option_b=39 | option_c=53 | option_d=42 | answer=D | explanation=Scale factor = $154/11 = 14$. Therefore second quantity = $3 \times 14 = 42$.
- id=66002 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34798 at 10% per annum for 2 years. | option_a=41757 | option_b=6859 | option_c=7059 | option_d=6959 | answer=D | explanation=SI = $PRT/100 = 34798 \times 10 \times 2/100 = \text{■}6959$.
- id=66003 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.
- id=66004 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:7 and the first is 112, what is the second? | option_a=42 | option_b=161 | option_c=65 | option_d=49 | answer=D | explanation=Scale factor = $112/16 = 7$. Therefore second quantity = $7 \times 7 = 49$.
- id=66005 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 41? | option_a=11 | option_b=41 | option_c=29 | option_d=20 | answer=B | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 41 is the odd one out.
- id=66006 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=X | option_b=S | option_c=N | option_d=I | answer=B | explanation=Move 5 positions forward from N; the resulting letter is S.
- id=66007 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3856. If it is sold at a profit of 15%, what is its selling price? | option_a=4434 | option_b=4049 | option_c=3871 | option_d=4819 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3856 \times 115/100 = \text{■}4434$.
- id=66008 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.
- id=66009 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 28, 38, 50? | option_a=50 | option_b=28 | option_c=38 | option_d=18 | answer=A | explanation=The first three numbers increase by 10, so the next should be 48. Therefore 50 is the odd one out.
- id=66010 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10893 at 6% per annum for 4 years. | option_a=2614 | option_b=2714 | option_c=13507 | option_d=2514 | answer=A | explanation=SI = $PRT/100 = 10893 \times 6 \times 4/100 = \text{■}2614$.
- id=66011 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.
- id=66012 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6856 at 10% per annum for 3 years. | option_a=8912 | option_b=2156 | option_c=2056 | option_d=1956 | answer=C | explanation=SI = $PRT/100 = 6856 \times 10 \times 3/100 = \text{■}2056$.
- id=66013 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 44? | option_a=29 | option_b=33 | option_c=37 | option_d=44 | answer=D | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 44 is the odd one out.
- id=66014 | topic=Percentages | difficulty=Easy | question=What is 10% of 161? | option_a=32 | option_b=16 | option_c=26 | option_d=0 | answer=B | explanation=10% of 161 = $(10/100) \times 161 = 16$.
- id=66015 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=7 | option_d=5 | answer=A | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.
- id=66016 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 26? | option_a=26 | option_b=17 | option_c=19 | option_d=21 | answer=A | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 26 is the odd one out.
- id=66017 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2381. If it is sold at a profit of 10%, what is its selling price? | option_a=2381 | option_b=2857 | option_c=2391 | option_d=2619 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2381 \times 110/100 = \text{■}2619$.
- id=66018 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = $60 \div 4 = 15$ km/h.
- id=66019 | topic=Percentages | difficulty=Easy | question=What is 15% of 717? | option_a=107 | option_b=102 | option_c=214 | option_d=112 | answer=A | explanation=15% of 717 = $(15/100) \times 717 = 107$.
- id=66020 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4745. If it is sold at a profit of 20%, what is its selling price? | option_a=5220 | option_b=5694 | option_c=6168 | option_d=4765 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4745 \times 120/100 = \text{■}5694$.
- id=66021 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 21. | option_a=63 | option_b=96 | option_c=252 | option_d=84 | answer=D | explanation=LCM $\times$ HCF = 12×21 ; $HCF(12,21) = 3$, so LCM = 84.
- id=66022 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=P | option_c=R | option_d=L | answer=B | explanation=Move 2 positions forward from N; the resulting letter is P.
- id=66023 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=P | option_b=F | option_c=K | option_d=U | answer=A | explanation=Move 5 positions forward from K; the resulting letter is P.
- id=66024 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = $120 \div 4 = 30$ km/h.
- id=66025 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=10 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = $60 \div 4 = 15$ km/h.
- id=66026 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1089. If it is sold at a profit of 25%, what is its selling price? | option_a=1114 | option_b=1469 | option_c=1253 | option_d=1361 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1089 \times 125/100 = \text{■}1361$.
- id=66027 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.
- id=66028 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=22 | option_b=25 | option_c=24 | option_d=26 | answer=C | explanation=The common difference is 2. Therefore the next term is $22 + 2 = 24$.
- id=66029 | topic=Percentages | difficulty=Easy | question=What is 50% of 1538? | option_a=1538 | option_b=769 | option_c=779 | option_d=749 | answer=B | explanation=50% of 1538 = $(50/100) \times 1538 = 769$.
- id=66030 | topic=Percentages | difficulty=Easy | question=What is 20% of 376? | option_a=95 | option_b=150 | option_c=65 | option_d=75 | answer=D | explanation=20% of 376 = $(20/100) \times 376 = 75$.

Aptitude Questions — Records 66,031-66,060 of 100,000

id=66031 | topic=Averages | difficulty=Easy | question=Find the average of 29, 95, 28, 16, 30, 48. | option_a=43 | option_b=40 | option_c=41 | option_d=42 | answer=C | explanation=Average = sum of values + number of values = 246 ÷ 6 = 41.

id=66032 | topic=Percentages | difficulty=Easy | question=What is 5% of 366? | option_a=18 | option_b=23 | option_c=36 | option_d=8 | answer=A | explanation=5% of 366 = (5/100) × 366 = 18.

id=66033 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■10482 at 4% per annum for 1 years. | option_a=319 | option_b=519 | option_c=10901 | option_d=419 | answer=D | explanation=SI = PRT/100 = 10482×4×1/100 = ■419.

id=66034 | topic=Percentages | difficulty=Easy | question=What is 40% of 1162? | option_a=928 | option_b=484 | option_c=444 | option_d=464 | answer=D | explanation=40% of 1162 = (40/100) × 1162 = 464.

id=66035 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=66036 | topic=Averages | difficulty=Easy | question=Find the average of 38, 60, 41, 67, 39, 25. | option_a=46 | option_b=47 | option_c=44 | option_d=45 | answer=D | explanation=Average = sum of values + number of values = 270 ÷ 6 = 45.

id=66037 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:7 and the first is 49, what is the second? | option_a=49 | option_b=56 | option_c=98 | option_d=42 | answer=A | explanation=Scale factor = 49/7 = 7. Therefore second quantity = 7×7 = 49.

id=66038 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=72 | option_c=67 | option_d=77 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=66039 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=66040 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■22861 at 8% per annum for 2 years. | option_a=3757 | option_b=3657 | option_c=3557 | option_d=26518 | answer=B | explanation=SI = PRT/100 = 22861×8×2/100 = ■3657.

id=66041 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■9934 at 8% per annum for 2 years. | option_a=11523 | option_b=1689 | option_c=1489 | option_d=1589 | answer=D | explanation=SI = PRT/100 = 9934×8×2/100 = ■1589.

id=66042 | topic=Averages | difficulty=Easy | question=Find the average of 67, 36, 47, 17, 98. | option_a=55 | option_b=52 | option_c=53 | option_d=54 | answer=C | explanation=Average = sum of values + number of values = 265 ÷ 5 = 53.

id=66043 | topic=Percentages | difficulty=Easy | question=What is 25% of 404? | option_a=111 | option_b=101 | option_c=91 | option_d=202 | answer=B | explanation=25% of 404 = (25/100) × 404 = 101.

id=66044 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4001. If it is sold at a profit of 20%, what is its selling price? | option_a=4401 | option_b=4021 | option_c=4801 | option_d=5201 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4001 × 120/100 = ■4801.

id=66045 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=34 | option_b=22 | option_c=29 | option_d=28 | answer=D | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.

id=66046 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 21, 27, 36? | option_a=36 | option_b=15 | option_c=27 | option_d=21 | answer=A | explanation=The first three numbers increase by 6, so the next should be 33. Therefore 36 is the odd one out.

id=66047 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■24104 at 4% per annum for 3 years. | option_a=26996 | option_b=2992 | option_c=2792 | option_d=2892 | answer=D | explanation=SI = PRT/100 = 24104×4×3/100 = ■2892.

id=66048 | topic=Percentages | difficulty=Easy | question=What is 40% of 644? | option_a=262 | option_b=247 | option_c=514 | option_d=257 | answer=D | explanation=40% of 644 = (40/100) × 644 = 257.

id=66049 | topic=Percentages | difficulty=Easy | question=What is 25% of 1979? | option_a=494 | option_b=514 | option_c=988 | option_d=484 | answer=A | explanation=25% of 1979 = (25/100) × 1979 = 494.

id=66050 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 29, 37, 47? | option_a=37 | option_b=21 | option_c=29 | option_d=47 | answer=D | explanation=The first three numbers increase by 8, so the next should be 45. Therefore 47 is the odd one out.

id=66051 | topic=Percentages | difficulty=Easy | question=What is 40% of 952? | option_a=360 | option_b=400 | option_c=760 | option_d=380 | answer=D | explanation=40% of 952 = (40/100) × 952 = 380.

id=66052 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■15015 at 4% per annum for 5 years. | option_a=2903 | option_b=3103 | option_c=3003 | option_d=18018 | answer=C | explanation=SI = PRT/100 = 15015×4×5/100 = ■3003.

id=66053 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2805. If it is sold at a profit of 40%, what is its selling price? | option_a=2845 | option_b=3927 | option_c=4207 | option_d=3647 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2805 × 140/100 = ■3927.

id=66054 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■37419 at 8% per annum for 5 years. | option_a=14867 | option_b=15067 | option_c=52386 | option_d=14967 | answer=D | explanation=SI = PRT/100 = 37419×8×5/100 = ■14967.

id=66055 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=S | option_b=P | option_c=M | option_d=V | answer=A | explanation=Move 3 positions forward from P; the resulting letter is S.

id=66056 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■17830 at 10% per annum for 1 years. | option_a=1683 | option_b=19613 | option_c=1783 | option_d=1883 | answer=C | explanation=SI = PRT/100 = 17830×10×1/100 = ■1783.

id=66057 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:15 and the first is 240, what is the second? | option_a=225 | option_b=241 | option_c=465 | option_d=210 | answer=A | explanation=Scale factor = 240/16 = 15. Therefore second quantity = 15×15 = 225.

id=66058 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2285. If it is sold at a profit of 30%, what is its selling price? | option_a=2970 | option_b=3198 | option_c=2315 | option_d=2742 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2285 × 130/100 = ■2970.

id=66059 | topic=Averages | difficulty=Easy | question=Find the average of 42, 56, 59, 93, 49, 31. | option_a=54 | option_b=57 | option_c=55 | option_d=56 | answer=C | explanation=Average = sum of values + number of values = 330 ÷ 6 = 55.

id=66060 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=17 | option_b=21 | option_c=22 | option_d=25 | answer=B | explanation=The common difference is 4. Therefore the next term is 17 + 4 = 21.

Aptitude Questions — Records 66,061-66,090 of 100,000

id=66061 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=6 | option_c=11 | option_d=12 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=66062 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=37 | option_b=46 | option_c=55 | option_d=47 | answer=B | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=66063 | topic=Percentages | difficulty=Easy | question=What is 25% of 1733? | option_a=453 | option_b=423 | option_c=866 | option_d=433 | answer=D | explanation=25% of 1733 = (25/100) × 1733 = 433.

id=66064 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 59? | option_a=27 | option_b=37 | option_c=47 | option_d=59 | answer=D | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 59 is the odd one out.

id=66065 | topic=Profit & Loss | difficulty=Easy | question=An article costs █150. If it is sold at a profit of 20%, what is its selling price? | option_a=170 | option_b=195 | option_c=180 | option_d=165 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 150 × 120/100 = █180.

id=66066 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48412 at 12% per annum for 4 years. | option_a=23137 | option_b=71649 | option_c=23237 | option_d=23337 | answer=C | explanation=SI = PRT/100 = 48412×12×4/100 = █23237.

id=66067 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=G | option_c=E | option_d=A | answer=C | explanation=Move 2 positions forward from C; the resulting letter is E.

id=66068 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=360 | option_c=180 | option_d=175 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=66069 | topic=Percentages | difficulty=Easy | question=What is 30% of 611? | option_a=183 | option_b=203 | option_c=366 | option_d=178 | answer=A | explanation=30% of 611 = (30/100) × 611 = 183.

id=66070 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=G | option_c=Y | option_d=K | answer=B | explanation=Move 4 positions forward from C; the resulting letter is G.

id=66071 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=66072 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=66073 | topic=Percentages | difficulty=Easy | question=What is 12% of 241? | option_a=56 | option_b=33 | option_c=28 | option_d=18 | answer=C | explanation=12% of 241 = (12/100) × 241 = 28.

id=66074 | topic=Averages | difficulty=Easy | question=Find the average of 73, 73, 48, 80, 25, 67. | option_a=62 | option_b=60 | option_c=61 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = 366 ÷ 6 = 61.

id=66075 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=G | option_b=M | option_c=K | option_d=I | answer=C | explanation=Move 2 positions forward from I; the resulting letter is K.

id=66076 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26587 at 10% per annum for 1 years. | option_a=2658 | option_b=29245 | option_c=2758 | option_d=2558 | answer=A | explanation=SI = PRT/100 = 26587×10×1/100 = █2658.

id=66077 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37319 at 8% per annum for 5 years. | option_a=14827 | option_b=14927 | option_c=52246 | option_d=15027 | answer=B | explanation=SI = PRT/100 = 37319×8×5/100 = █14927.

id=66078 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25180 at 8% per annum for 4 years. | option_a=8157 | option_b=8057 | option_c=33237 | option_d=7957 | answer=B | explanation=SI = PRT/100 = 25180×8×4/100 = █8057.

id=66079 | topic=Averages | difficulty=Easy | question=Find the average of 82, 40, 59, 21, 89, 69, 33, 63. | option_a=59 | option_b=58 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

id=66080 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:14 and the first is 260, what is the second? | option_a=266 | option_b=293 | option_c=540 | option_d=280 | answer=D | explanation=Scale factor = 260/13 = 20. Therefore second quantity = 14×20 = 280.

id=66081 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=66082 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38937 at 5% per annum for 5 years. | option_a=9634 | option_b=9734 | option_c=9834 | option_d=48671 | answer=B | explanation=SI = PRT/100 = 38937×5×5/100 = █9734.

id=66083 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 43? | option_a=43 | option_b=26 | option_c=18 | option_d=34 | answer=A | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 43 is the odd one out.

id=66084 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=7 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=66085 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3029. If it is sold at a profit of 30%, what is its selling price? | option_a=3635 | option_b=4239 | option_c=3059 | option_d=3937 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3029 × 130/100 = █3937.

id=66086 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10401 at 15% per annum for 2 years. | option_a=13521 | option_b=3220 | option_c=3020 | option_d=3120 | answer=D | explanation=SI = PRT/100 = 10401×15×2/100 = █3120.

id=66087 | topic=Averages | difficulty=Easy | question=Find the average of 79, 83, 59, 38, 99, 47, 29. | option_a=64 | option_b=61 | option_c=63 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 434 ÷ 7 = 62.

id=66088 | topic=Averages | difficulty=Easy | question=Find the average of 91, 45, 14, 62, 29, 86, 65. | option_a=57 | option_b=55 | option_c=58 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 392 ÷ 7 = 56.

id=66089 | topic=Percentages | difficulty=Easy | question=What is 12% of 589? | option_a=140 | option_b=65 | option_c=75 | option_d=70 | answer=D | explanation=12% of 589 = (12/100) × 589 = 70.

id=66090 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=14 | option_c=9 | option_d=18 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

Aptitude Questions — Records 66,091-66,120 of 100,000

id=66091 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=66092 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8758 at 10% per annum for 1 years. | option_a=775 | option_b=9633 | option_c=975 | option_d=875 | answer=D | explanation=SI = PRT/100 = 8758×10×1/100 = **■**875.

id=66093 | topic=Percentages | difficulty=Easy | question=What is 40% of 754? | option_a=301 | option_b=281 | option_c=321 | option_d=602 | answer=A | explanation=40% of 754 = (40/100) × 754 = 301.

id=66094 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=66095 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=47 | option_b=31 | option_c=40 | option_d=39 | answer=D | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

id=66096 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3781. If it is sold at a profit of 15%, what is its selling price? | option_a=4348 | option_b=3796 | option_c=3970 | option_d=4726 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3781 × 115/100 = **■**4348.

id=66097 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=80 | option_d=150 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=66098 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 12, 15, 18, ? | option_a=21 | option_b=24 | option_c=22 | option_d=18 | answer=A | explanation=The common difference is 3. Therefore the next term is 18 + 3 = 21.

id=66099 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:15 and the first is 100, what is the second? | option_a=75 | option_b=60 | option_c=95 | option_d=175 | answer=A | explanation=Scale factor = 100/20 = 5. Therefore second quantity = 15×5 = 75.

id=66100 | topic=Averages | difficulty=Easy | question=Find the average of 61, 33, 22, 76. | option_a=50 | option_b=47 | option_c=49 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = 192 ÷ 4 = 48.

id=66101 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=66102 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=66103 | topic=Averages | difficulty=Easy | question=Find the average of 38, 79, 74, 37. | option_a=58 | option_b=57 | option_c=56 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 228 ÷ 4 = 57.

id=66104 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 28, 33, 39? | option_a=33 | option_b=23 | option_c=39 | option_d=28 | answer=C | explanation=The first three numbers increase by 5, so the next should be 38. Therefore 39 is the odd one out.

id=66105 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=66106 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:10 and the first is 99, what is the second? | option_a=119 | option_b=209 | option_c=110 | option_d=100 | answer=C | explanation=Scale factor = 99/9 = 11. Therefore second quantity = 10×11 = 110.

id=66107 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=66108 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41879 at 10% per annum for 5 years. | option_a=20839 | option_b=21039 | option_c=62818 | option_d=20939 | answer=D | explanation=SI = PRT/100 = 41879×10×5/100 = **■**20939.

id=66109 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does "i" become? | option_a=I | option_b=O | option_c=L | option_d=F | answer=C | explanation=Move 3 positions forward from i; the resulting letter is L.

id=66110 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**550. If it is sold at a profit of 40%, what is its selling price? | option_a=590 | option_b=770 | option_c=715 | option_d=825 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 550 × 140/100 = **■**770.

id=66111 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=66112 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2908. If it is sold at a profit of 50%, what is its selling price? | option_a=4072 | option_b=4652 | option_c=2958 | option_d=4362 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2908 × 150/100 = **■**4362.

id=66113 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 5, 8, 13? | option_a=5 | option_b=2 | option_c=8 | option_d=13 | answer=D | explanation=The first three numbers increase by 3, so the next should be 11. Therefore 13 is the odd one out.

id=66114 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=33 | option_b=43 | option_c=53 | option_d=44 | answer=B | explanation=The common difference is 10. Therefore the next term is 33 + 10 = 43.

id=66115 | topic=Percentages | difficulty=Easy | question=What is 20% of 1332? | option_a=532 | option_b=286 | option_c=266 | option_d=256 | answer=C | explanation=20% of 1332 = (20/100) × 1332 = 266.

id=66116 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=66117 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:20 and the first is 52, what is the second? | option_a=132 | option_b=60 | option_c=93 | option_d=80 | answer=D | explanation=Scale factor = 52/13 = 4. Therefore second quantity = 20×4 = 80.

id=66118 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:1 and the first is 114, what is the second? | option_a=25 | option_b=19 | option_c=133 | option_d=18 | answer=B | explanation=Scale factor = 114/6 = 19. Therefore second quantity = 1×19 = 19.

id=66119 | topic=Averages | difficulty=Easy | question=Find the average of 51, 24, 94, 66, 82, 27, 51, 99, 28. | option_a=59 | option_b=60 | option_c=57 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 522 ÷ 9 = 58.

id=66120 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=44 | option_b=66 | option_c=56 | option_d=55 | answer=D | explanation=The common difference is 11. Therefore the next term is 44 + 11 = 55.

Aptitude Questions — Records 66,121-66,150 of 100,000

id=66121 | topic=Averages | difficulty=Easy | question=Find the average of 57, 39, 73, 39. | option_a=54 | option_b=52 | option_c=51 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 208 ÷ 4 = 52.

id=66122 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=41 | option_b=48 | option_c=40 | option_d=32 | answer=C | explanation=The common difference is 8. Therefore the next term is 32 + 8 = 40.

id=66123 | topic=Profit & Loss | difficulty=Easy | question=An article costs █994. If it is sold at a profit of 5%, what is its selling price? | option_a=1142 | option_b=999 | option_c=944 | option_d=1043 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 994 × 105/100 = █1043.

id=66124 | topic=Percentages | difficulty=Easy | question=What is 5% of 1502? | option_a=150 | option_b=80 | option_c=70 | option_d=75 | answer=D | explanation=5% of 1502 = (5/100) × 1502 = 75.

id=66125 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:4 and the first is 22, what is the second? | option_a=46 | option_b=66 | option_c=40 | option_d=44 | answer=D | explanation=Scale factor = 22/2 = 11. Therefore second quantity = 4×11 = 44.

id=66126 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=29 | option_b=34 | option_c=37 | option_d=33 | answer=D | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=66127 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does "F" become? | option_a=J | option_b=F | option_c=B | option_d=N | answer=A | explanation=Move 4 positions forward from F; the resulting letter is J.

id=66128 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=66129 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24919 at 4% per annum for 2 years. | option_a=2093 | option_b=26912 | option_c=1993 | option_d=1893 | answer=C | explanation=SI = PRT/100 = 24919×4×2/100 = █1993.

id=66130 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 21? | option_a=21 | option_b=15 | option_c=11 | option_d=7 | answer=A | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 21 is the odd one out.

id=66131 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=31 | option_b=27 | option_c=21 | option_d=26 | answer=D | explanation=The common difference is 5. Therefore the next term is 21 + 5 = 26.

id=66132 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 34, 43, 53? | option_a=53 | option_b=25 | option_c=34 | option_d=43 | answer=A | explanation=The first three numbers increase by 9, so the next should be 52. Therefore 53 is the odd one out.

id=66133 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=20 | option_b=24 | option_c=22 | option_d=23 | answer=C | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=66134 | topic=Percentages | difficulty=Easy | question=What is 20% of 1927? | option_a=385 | option_b=395 | option_c=770 | option_d=380 | answer=A | explanation=20% of 1927 = (20/100) × 1927 = 385.

id=66135 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=23 | option_d=13 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=66136 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=31 | option_b=49 | option_c=40 | option_d=41 | answer=C | explanation=The common difference is 9. Therefore the next term is 31 + 9 = 40.

id=66137 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 33? | option_a=25 | option_b=28 | option_c=22 | option_d=33 | answer=D | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 33 is the odd one out.

id=66138 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:7 and the first is 65, what is the second? | option_a=156 | option_b=84 | option_c=91 | option_d=96 | answer=C | explanation=Scale factor = 65/5 = 13. Therefore second quantity = 7×13 = 91.

id=66139 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=66140 | topic=Percentages | difficulty=Easy | question=What is 40% of 1726? | option_a=690 | option_b=700 | option_c=1380 | option_d=680 | answer=A | explanation=40% of 1726 = (40/100) × 1726 = 690.

id=66141 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=58 | option_b=47 | option_c=48 | option_d=36 | answer=B | explanation=The common difference is 11. Therefore the next term is 36 + 11 = 47.

id=66142 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 28. | option_a=392 | option_b=1 | option_c=42 | option_d=28 | answer=D | explanation=LCM × HCF = 14×28; HCF(14,28) = 14, so LCM = 28.

id=66143 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=66144 | topic=Percentages | difficulty=Easy | question=What is 25% of 1744? | option_a=872 | option_b=441 | option_c=436 | option_d=431 | answer=C | explanation=25% of 1744 = (25/100) × 1744 = 436.

id=66145 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=66146 | topic=Profit & Loss | difficulty=Easy | question=An article costs █581. If it is sold at a profit of 10%, what is its selling price? | option_a=591 | option_b=697 | option_c=581 | option_d=639 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 581 × 110/100 = █639.

id=66147 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=28 | option_b=37 | option_c=44 | option_d=36 | answer=D | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=66148 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=53 | option_c=48 | option_d=43 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=66149 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=51 | option_b=52 | option_c=61 | option_d=41 | answer=A | explanation=The common difference is 10. Therefore the next term is 41 + 10 = 51.

id=66150 | topic=Percentages | difficulty=Easy | question=What is 50% of 1007? | option_a=483 | option_b=1006 | option_c=503 | option_d=523 | answer=C | explanation=50% of 1007 = (50/100) × 1007 = 503.

Aptitude Questions — Records 66,151-66,180 of 100,000

id=66151 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=22 | option_b=29 | option_c=34 | option_d=28 | answer=D | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.

id=66152 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■25763 at 12% per annum for 3 years. | option_a=35037 | option_b=9274 | option_c=9174 | option_d=9374 | answer=B | explanation=SI = PRT/100 = 25763×12×3/100 = ■9274.

id=66153 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=66154 | topic=Averages | difficulty=Easy | question=Find the average of 100, 18, 32, 74. | option_a=56 | option_b=55 | option_c=58 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 224 ÷ 4 = 56.

id=66155 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 50? | option_a=37 | option_b=27 | option_c=50 | option_d=17 | answer=C | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 50 is the odd one out.

id=66156 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=6 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=66157 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 23, 30, 38? | option_a=30 | option_b=38 | option_c=16 | option_d=23 | answer=B | explanation=The first three numbers increase by 7, so the next should be 37. Therefore 38 is the odd one out.

id=66158 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:1 and the first is 2, what is the second? | option_a=4 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Scale factor = 2/1 = 2. Therefore second quantity = 1×2 = 2.

id=66159 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=6 | option_c=12 | option_d=11 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=66160 | topic=Averages | difficulty=Easy | question=Find the average of 87, 16, 61, 54, 24, 91, 98, 29, 74, 76. | option_a=62 | option_b=61 | option_c=60 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 610 ÷ 10 = 61.

id=66161 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■28868 at 10% per annum for 4 years. | option_a=40415 | option_b=11547 | option_c=11647 | option_d=11447 | answer=B | explanation=SI = PRT/100 = 28868×10×4/100 = ■11547.

id=66162 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=62 | option_b=52 | option_c=42 | option_d=53 | answer=B | explanation=The common difference is 10. Therefore the next term is 42 + 10 = 52.

id=66163 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=34 | option_b=26 | option_c=31 | option_d=30 | answer=D | explanation=The common difference is 4. Therefore the next term is 26 + 4 = 30.

id=66164 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■184. If it is sold at a profit of 20%, what is its selling price? | option_a=202 | option_b=238 | option_c=204 | option_d=220 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 184 × 120/100 = ■220.

id=66165 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=U | option_b=P | option_c=Z | option_d=K | answer=A | explanation=Move 5 positions forward from P; the resulting letter is U.

id=66166 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=44 | option_b=34 | option_c=54 | option_d=45 | answer=A | explanation=The common difference is 10. Therefore the next term is 34 + 10 = 44.

id=66167 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 26, 35, 46? | option_a=26 | option_b=46 | option_c=17 | option_d=35 | answer=B | explanation=The first three numbers increase by 9, so the next should be 44. Therefore 46 is the odd one out.

id=66168 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:19 and the first is 72, what is the second? | option_a=179 | option_b=171 | option_c=152 | option_d=243 | answer=B | explanation=Scale factor = 72/8 = 9. Therefore second quantity = 19×9 = 171.

id=66169 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2410. If it is sold at a profit of 40%, what is its selling price? | option_a=2450 | option_b=3133 | option_c=3615 | option_d=3374 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2410 × 140/100 = ■3374.

id=66170 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=36 | option_c=31 | option_d=41 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=66171 | topic=Averages | difficulty=Easy | question=Find the average of 83, 39, 73, 14, 100, 13, 17, 77. | option_a=51 | option_b=53 | option_c=52 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=66172 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=66173 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 22. | option_a=72 | option_b=44 | option_c=132 | option_d=66 | answer=D | explanation=LCM × HCF = 6×22; HCF(6,22) = 2, so LCM = 66.

id=66174 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■44181 at 10% per annum for 2 years. | option_a=53017 | option_b=8736 | option_c=8836 | option_d=8936 | answer=C | explanation=SI = PRT/100 = 44181×10×2/100 = ■8836.

id=66175 | topic=Percentages | difficulty=Easy | question=What is 25% of 778? | option_a=388 | option_b=204 | option_c=194 | option_d=174 | answer=C | explanation=25% of 778 = (25/100) × 778 = 194.

id=66176 | topic=Averages | difficulty=Easy | question=Find the average of 63, 61, 25, 68, 43. | option_a=52 | option_b=53 | option_c=54 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 260 ÷ 5 = 52.

id=66177 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:15 and the first is 120, what is the second? | option_a=300 | option_b=190 | option_c=165 | option_d=180 | answer=D | explanation=Scale factor = 120/10 = 12. Therefore second quantity = 15×12 = 180.

id=66178 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■16883 at 4% per annum for 2 years. | option_a=1250 | option_b=1450 | option_c=1350 | option_d=18233 | answer=C | explanation=SI = PRT/100 = 16883×4×2/100 = ■1350.

id=66179 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=66180 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:15 and the first is 65, what is the second? | option_a=195 | option_b=260 | option_c=180 | option_d=200 | answer=A | explanation=Scale factor = 65/5 = 13. Therefore second quantity = 15×13 = 195.

Aptitude Questions — Records 66,181-66,210 of 100,000

id=66181 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=66182 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=66183 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:6 and the first is 76, what is the second? | option_a=114 | option_b=190 | option_c=108 | option_d=118 | answer=A | explanation=Scale factor = 76/4 = 19. Therefore second quantity = 6×19 = 114.

id=66184 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=56 | option_b=64 | option_c=55 | option_d=46 | answer=C | explanation=The common difference is 9. Therefore the next term is 46 + 9 = 55.

id=66185 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=66186 | topic=Averages | difficulty=Easy | question=Find the average of 98, 49, 70, 57, 78, 90, 83. | option_a=76 | option_b=75 | option_c=77 | option_d=74 | answer=B | explanation=Average = sum of values ÷ number of values = 525 ÷ 7 = 75.

id=66187 | topic=Averages | difficulty=Easy | question=Find the average of 43, 66, 84, 46, 31, 49, 73. | option_a=56 | option_b=55 | option_c=57 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 392 ÷ 7 = 56.

id=66188 | topic=Percentages | difficulty=Easy | question=What is 20% of 678? | option_a=135 | option_b=125 | option_c=270 | option_d=145 | answer=A | explanation=20% of 678 = (20/100) × 678 = 135.

id=66189 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=66190 | topic=Averages | difficulty=Easy | question=Find the average of 37, 53, 90. | option_a=59 | option_b=60 | option_c=61 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 180 ÷ 3 = 60.

id=66191 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=46 | option_b=32 | option_c=39 | option_d=40 | answer=C | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.

id=66192 | topic=Percentages | difficulty=Easy | question=What is 5% of 1325? | option_a=56 | option_b=132 | option_c=66 | option_d=86 | answer=C | explanation=5% of 1325 = (5/100) × 1325 = 66.

id=66193 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=66 | option_b=56 | option_c=55 | option_d=44 | answer=C | explanation=The common difference is 11. Therefore the next term is 44 + 11 = 55.

id=66194 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=66195 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:14 and the first is 156, what is the second? | option_a=182 | option_b=194 | option_c=338 | option_d=168 | answer=A | explanation=Scale factor = 156/12 = 13. Therefore second quantity = 14×13 = 182.

id=66196 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=G | option_c=O | option_d=C | answer=A | explanation=Move 4 positions forward from G; the resulting letter is K.

id=66197 | topic=Percentages | difficulty=Easy | question=What is 12% of 730? | option_a=77 | option_b=174 | option_c=92 | option_d=87 | answer=D | explanation=12% of 730 = (12/100) × 730 = 87.

id=66198 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=8 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=66199 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2493. If it is sold at a profit of 20%, what is its selling price? | option_a=2513 | option_b=2742 | option_c=3240 | option_d=2991 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2493 × 120/100 = █2991.

id=66200 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4824. If it is sold at a profit of 40%, what is its selling price? | option_a=6753 | option_b=4864 | option_c=7235 | option_d=6271 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4824 × 140/100 = █6753.

id=66201 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:5 and the first is 72, what is the second? | option_a=55 | option_b=132 | option_c=60 | option_d=66 | answer=C | explanation=Scale factor = 72/6 = 12. Therefore second quantity = 5×12 = 60.

id=66202 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=31 | option_c=41 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=66203 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=39 | option_b=31 | option_c=40 | option_d=47 | answer=A | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

id=66204 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2491. If it is sold at a profit of 5%, what is its selling price? | option_a=2496 | option_b=2615 | option_c=2864 | option_d=2366 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2491 × 105/100 = █2615.

id=66205 | topic=Percentages | difficulty=Easy | question=What is 5% of 1439? | option_a=51 | option_b=71 | option_c=91 | option_d=142 | answer=B | explanation=5% of 1439 = (5/100) × 1439 = 71.

id=66206 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 28, 38, 48, ? | option_a=59 | option_b=48 | option_c=68 | option_d=58 | answer=D | explanation=The common difference is 10. Therefore the next term is 48 + 10 = 58.

id=66207 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=66208 | topic=Profit & Loss | difficulty=Easy | question=An article costs █326. If it is sold at a profit of 10%, what is its selling price? | option_a=358 | option_b=390 | option_c=336 | option_d=326 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 326 × 110/100 = █358.

id=66209 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=29 | option_b=30 | option_c=32 | option_d=26 | answer=A | explanation=The common difference is 3. Therefore the next term is 26 + 3 = 29.

id=66210 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 66,211-66,240 of 100,000

id=66211 | topic=Averages | difficulty=Easy | question=Find the average of 92, 61, 98, 68, 48, 78, 31. | option_a=68 | option_b=69 | option_c=70 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = 476 ÷ 7 = 68.

id=66212 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=30 | option_b=35 | option_c=23 | option_d=29 | answer=D | explanation=The common difference is 6. Therefore the next term is 23 + 6 = 29.

id=66213 | topic=Percentages | difficulty=Easy | question=What is 10% of 489? | option_a=48 | option_b=96 | option_c=28 | option_d=68 | answer=A | explanation=10% of 489 = (10/100) × 489 = 48.

id=66214 | topic=Percentages | difficulty=Easy | question=What is 12% of 220? | option_a=26 | option_b=52 | option_c=36 | option_d=6 | answer=A | explanation=12% of 220 = (12/100) × 220 = 26.

id=66215 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 29? | option_a=13 | option_b=23 | option_c=18 | option_d=29 | answer=D | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 29 is the odd one out.

id=66216 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4944. If it is sold at a profit of 50%, what is its selling price? | option_a=7910 | option_b=7416 | option_c=6922 | option_d=4994 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4944 × 150/100 = █7416.

id=66217 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=55 | option_c=50 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=66218 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=100 | option_c=45 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=66219 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=39 | option_b=40 | option_c=31 | option_d=47 | answer=A | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

id=66220 | topic=Percentages | difficulty=Easy | question=What is 30% of 1516? | option_a=459 | option_b=454 | option_c=444 | option_d=908 | answer=B | explanation=30% of 1516 = (30/100) × 1516 = 454.

id=66221 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3618. If it is sold at a profit of 50%, what is its selling price? | option_a=5788 | option_b=5066 | option_c=5427 | option_d=3668 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3618 × 150/100 = █5427.

id=66222 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 22. | option_a=132 | option_b=144 | option_c=110 | option_d=264 | answer=A | explanation=LCM × HCF = 12×22; HCF(12,22) = 2, so LCM = 132.

id=66223 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 23, 27, 34? | option_a=27 | option_b=23 | option_c=34 | option_d=19 | answer=C | explanation=The first three numbers increase by 4, so the next should be 31. Therefore 34 is the odd one out.

id=66224 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=66225 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=55 | option_b=46 | option_c=35 | option_d=45 | answer=D | explanation=The common difference is 10. Therefore the next term is 35 + 10 = 45.

id=66226 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:9 and the first is 360, what is the second? | option_a=171 | option_b=180 | option_c=198 | option_d=540 | answer=B | explanation=Scale factor = 360/18 = 20. Therefore second quantity = 9×20 = 180.

id=66227 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3188. If it is sold at a profit of 50%, what is its selling price? | option_a=3238 | option_b=4464 | option_c=5100 | option_d=4782 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3188 × 150/100 = █4782.

id=66228 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 4. | option_a=88 | option_b=44 | option_c=66 | option_d=40 | answer=B | explanation=LCM × HCF = 22×4; HCF(22,4) = 2, so LCM = 44.

id=66229 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8401 at 10% per annum for 3 years. | option_a=2620 | option_b=10921 | option_c=2420 | option_d=2520 | answer=D | explanation=SI = PRT/100 = 8401×10×3/100 = █2520.

id=66230 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=33 | option_b=40 | option_c=41 | option_d=47 | answer=B | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.

id=66231 | topic=Averages | difficulty=Easy | question=Find the average of 23, 92, 23, 62. | option_a=50 | option_b=49 | option_c=52 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 200 ÷ 4 = 50.

id=66232 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:19 and the first is 91, what is the second? | option_a=133 | option_b=224 | option_c=146 | option_d=114 | answer=A | explanation=Scale factor = 91/13 = 7. Therefore second quantity = 19×7 = 133.

id=66233 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:5 and the first is 80, what is the second? | option_a=58 | option_b=130 | option_c=50 | option_d=45 | answer=C | explanation=Scale factor = 80/8 = 10. Therefore second quantity = 5×10 = 50.

id=66234 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=67 | option_c=72 | option_d=144 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=66235 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 14, 23, 35? | option_a=35 | option_b=23 | option_c=14 | option_d=5 | answer=A | explanation=The first three numbers increase by 9, so the next should be 32. Therefore 35 is the odd one out.

id=66236 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:5 and the first is 162, what is the second? | option_a=90 | option_b=252 | option_c=99 | option_d=85 | answer=A | explanation=Scale factor = 162/9 = 18. Therefore second quantity = 5×18 = 90.

id=66237 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 17, 25, 33, ? | option_a=42 | option_b=41 | option_c=33 | option_d=49 | answer=B | explanation=The common difference is 8. Therefore the next term is 33 + 8 = 41.

id=66238 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=O | option_c=U | option_d=X | answer=C | explanation=Move 3 positions forward from R; the resulting letter is U.

id=66239 | topic=Averages | difficulty=Easy | question=Find the average of 19, 25, 28. | option_a=25 | option_b=26 | option_c=24 | option_d=23 | answer=C | explanation=Average = sum of values ÷ number of values = 72 ÷ 3 = 24.

id=66240 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:18 and the first is 234, what is the second? | option_a=558 | option_b=306 | option_c=324 | option_d=337 | answer=C | explanation=Scale factor = 234/13 = 18. Therefore second quantity = 18×18 = 324.

Aptitude Questions — Records 66,241-66,270 of 100,000

id=66241 | topic=Percentages | difficulty=Easy | question=What is 5% of 1471? | option_a=146 | option_b=83 | option_c=73 | option_d=53 | answer=C | explanation=5% of 1471 = (5/100) × 1471 = 73.

id=66242 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=17 | option_d=7 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=66243 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=36 | option_c=18 | option_d=23 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=66244 | topic=Percentages | difficulty=Easy | question=What is 15% of 805? | option_a=125 | option_b=115 | option_c=240 | option_d=120 | answer=D | explanation=15% of 805 = (15/100) × 805 = 120.

id=66245 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=L | option_b=X | option_c=T | option_d=P | answer=C | explanation=Move 4 positions forward from P; the resulting letter is T.

id=66246 | topic=Percentages | difficulty=Easy | question=What is 20% of 1581? | option_a=632 | option_b=311 | option_c=321 | option_d=316 | answer=D | explanation=20% of 1581 = (20/100) × 1581 = 316.

id=66247 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 21. | option_a=147 | option_b=28 | option_c=1 | option_d=21 | answer=D | explanation=LCM × HCF = 7×21; HCF(7,21) = 7, so LCM = 21.

id=66248 | topic=Profit & Loss | difficulty=Easy | question=An article costs █136. If it is sold at a profit of 25%, what is its selling price? | option_a=161 | option_b=157 | option_c=183 | option_d=170 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 136 × 125/100 = █170.

id=66249 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:7 and the first is 160, what is the second? | option_a=76 | option_b=56 | option_c=216 | option_d=49 | answer=B | explanation=Scale factor = 160/20 = 8. Therefore second quantity = 7×8 = 56.

id=66250 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=66251 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 9. | option_a=120 | option_b=81 | option_c=270 | option_d=90 | answer=D | explanation=LCM × HCF = 30×9; HCF(30,9) = 3, so LCM = 90.

id=66252 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=6 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=66253 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12274 at 8% per annum for 4 years. | option_a=16201 | option_b=4027 | option_c=3927 | option_d=3827 | answer=C | explanation=SI = PRT/100 = 12274×8×4/100 = █3927.

id=66254 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3639. If it is sold at a profit of 40%, what is its selling price? | option_a=4731 | option_b=5094 | option_c=5457 | option_d=3679 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3639 × 140/100 = █5094.

id=66255 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 15, 19, 25? | option_a=25 | option_b=15 | option_c=11 | option_d=19 | answer=A | explanation=The first three numbers increase by 4, so the next should be 23. Therefore 25 is the odd one out.

id=66256 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2749. If it is sold at a profit of 50%, what is its selling price? | option_a=3849 | option_b=2799 | option_c=4397 | option_d=4123 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2749 × 150/100 = █4123.

id=66257 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=95 | option_c=90 | option_d=180 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=66258 | topic=Averages | difficulty=Easy | question=Find the average of 69, 41, 53, 80, 57. | option_a=62 | option_b=61 | option_c=60 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 300 ÷ 5 = 60.

id=66259 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:5 and the first is 187, what is the second? | option_a=242 | option_b=55 | option_c=50 | option_d=72 | answer=B | explanation=Scale factor = 187/17 = 11. Therefore second quantity = 5×11 = 55.

id=66260 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=I | option_b=W | option_c=E | option_d=A | answer=C | explanation=Move 4 positions forward from A; the resulting letter is E.

id=66261 | topic=Profit & Loss | difficulty=Easy | question=An article costs █363. If it is sold at a profit of 10%, what is its selling price? | option_a=363 | option_b=435 | option_c=373 | option_d=399 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 363 × 110/100 = █399.

id=66262 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3384. If it is sold at a profit of 25%, what is its selling price? | option_a=4230 | option_b=3892 | option_c=3409 | option_d=4568 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3384 × 125/100 = █4230.

id=66263 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:10 and the first is 68, what is the second? | option_a=57 | option_b=30 | option_c=40 | option_d=108 | answer=C | explanation=Scale factor = 68/17 = 4. Therefore second quantity = 10×4 = 40.

id=66264 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 15, 22, 29, ? | option_a=43 | option_b=36 | option_c=37 | option_d=29 | answer=B | explanation=The common difference is 7. Therefore the next term is 29 + 7 = 36.

id=66265 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 21. | option_a=84 | option_b=252 | option_c=63 | option_d=96 | answer=A | explanation=LCM × HCF = 12×21; HCF(12,21) = 3, so LCM = 84.

id=66266 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=66267 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=40 | option_b=28 | option_c=35 | option_d=34 | answer=D | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.

id=66268 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=18 | option_b=15 | option_c=19 | option_d=17 | answer=D | explanation=The common difference is 2. Therefore the next term is 15 + 2 = 17.

id=66269 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:3 and the first is 18, what is the second? | option_a=15 | option_b=6 | option_c=27 | option_d=9 | answer=D | explanation=Scale factor = 18/6 = 3. Therefore second quantity = 3×3 = 9.

id=66270 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=W | option_b=Q | option_c=N | option_d=T | answer=D | explanation=Move 3 positions forward from Q; the resulting letter is T.

Aptitude Questions — Records 66,271-66,300 of 100,000

id=66271 | topic=Percentages | difficulty=Easy | question=What is 20% of 202? | option_a=45 | option_b=80 | option_c=40 | option_d=30 | answer=C | explanation=20% of 202 = (20/100) × 202 = 40.

id=66272 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=26 | option_b=27 | option_c=21 | option_d=31 | answer=A | explanation=The common difference is 5. Therefore the next term is 21 + 5 = 26.

id=66273 | topic=Averages | difficulty=Easy | question=Find the average of 23, 43, 63. | option_a=42 | option_b=43 | option_c=44 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = 129 ÷ 3 = 43.

id=66274 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=20 | option_b=16 | option_c=19 | option_d=18 | answer=D | explanation=The common difference is 2. Therefore the next term is 16 + 2 = 18.

id=66275 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4116 at 10% per annum for 4 years. | option_a=5762 | option_b=1746 | option_c=1646 | option_d=1546 | answer=C | explanation=SI = $PRT/100 = 4116 \times 10 \times 4/100 = \text{■}1646$.

id=66276 | topic=Percentages | difficulty=Easy | question=What is 12% of 509? | option_a=61 | option_b=122 | option_c=81 | option_d=56 | answer=A | explanation=12% of 509 = (12/100) × 509 = 61.

id=66277 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45971 at 4% per annum for 5 years. | option_a=9194 | option_b=55165 | option_c=9094 | option_d=9294 | answer=A | explanation=SI = $PRT/100 = 45971 \times 4 \times 5/100 = \text{■}9194$.

id=66278 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49123 at 4% per annum for 5 years. | option_a=9924 | option_b=9724 | option_c=58947 | option_d=9824 | answer=D | explanation=SI = $PRT/100 = 49123 \times 4 \times 5/100 = \text{■}9824$.

id=66279 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=66280 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=66281 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=66282 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=39 | option_b=47 | option_c=38 | option_d=29 | answer=C | explanation=The common difference is 9. Therefore the next term is 29 + 9 = 38.

id=66283 | topic=Percentages | difficulty=Easy | question=What is 5% of 375? | option_a=18 | option_b=8 | option_c=36 | option_d=38 | answer=A | explanation=5% of 375 = (5/100) × 375 = 18.

id=66284 | topic=Averages | difficulty=Easy | question=Find the average of 69, 15, 50, 14, 47, 45. | option_a=40 | option_b=42 | option_c=41 | option_d=39 | answer=A | explanation=Average = sum of values ÷ number of values = 240 ÷ 6 = 40.

id=66285 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=50 | option_b=38 | option_c=51 | option_d=62 | answer=A | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=66286 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=66287 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 31? | option_a=31 | option_b=20 | option_c=16 | option_d=24 | answer=A | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 31 is the odd one out.

id=66288 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 15. | option_a=60 | option_b=45 | option_c=72 | option_d=180 | answer=A | explanation=LCM × HCF = 12×15; HCF(12,15) = 3, so LCM = 60.

id=66289 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=66290 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=90 | option_c=50 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=66291 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=31 | option_b=27 | option_c=35 | option_d=32 | answer=A | explanation=The common difference is 4. Therefore the next term is 27 + 4 = 31.

id=66292 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=85 | option_c=80 | option_d=75 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=66293 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=N | option_c=Q | option_d=P | answer=D | explanation=Move 1 positions forward from O; the resulting letter is P.

id=66294 | topic=Percentages | difficulty=Easy | question=What is 5% of 233? | option_a=6 | option_b=21 | option_c=11 | option_d=22 | answer=C | explanation=5% of 233 = (5/100) × 233 = 11.

id=66295 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:13 and the first is 247, what is the second? | option_a=156 | option_b=416 | option_c=169 | option_d=188 | answer=C | explanation=Scale factor = 247/19 = 13. Therefore second quantity = 13×13 = 169.

id=66296 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=18 | option_b=17 | option_c=15 | option_d=19 | answer=B | explanation=The common difference is 2. Therefore the next term is 15 + 2 = 17.

id=66297 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=19 | option_c=48 | option_d=29 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=66298 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=18 | option_c=23 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=66299 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1029. If it is sold at a profit of 30%, what is its selling price? | option_a=1337 | option_b=1439 | option_c=1059 | option_d=1235 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1029 × 130/100 = **■**1337.

id=66300 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

Aptitude Questions — Records 66,301-66,330 of 100,000

- id=66301 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:1 and the first is 60, what is the second? | option_a=5 | option_b=17 | option_c=65 | option_d=4 | answer=A | explanation=Scale factor = $60/12 = 5$. Therefore second quantity = $1 \times 5 = 5$.
- id=66302 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=6 | option_d=20 | answer=A | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.
- id=66303 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 48? | option_a=27 | option_b=17 | option_c=37 | option_d=48 | answer=D | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 48 is the odd one out.
- id=66304 | topic=Averages | difficulty=Easy | question=Find the average of 39, 43, 66, 75, 65, 54, 37, 62, 54. | option_a=55 | option_b=54 | option_c=56 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = $495 \div 9 = 55$.
- id=66305 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.
- id=66306 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.
- id=66307 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 30. | option_a=540 | option_b=108 | option_c=60 | option_d=90 | answer=D | explanation=LCM $\times$ HCF = 18×30 ; HCF(18,30) = 6, so LCM = 90.
- id=66308 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:4 and the first is 4, what is the second? | option_a=12 | option_b=17 | option_c=16 | option_d=20 | answer=C | explanation=Scale factor = $4/1 = 4$. Therefore second quantity = $4 \times 4 = 16$.
- id=66309 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=P | option_c=E | option_d=Z | answer=D | explanation=Move 5 positions forward from U; the resulting letter is Z.
- id=66310 | topic=Percentages | difficulty=Easy | question=What is 15% of 976? | option_a=146 | option_b=292 | option_c=166 | option_d=136 | answer=A | explanation=15% of 976 = $(15/100) \times 976 = 146$.
- id=66311 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:15 and the first is 210, what is the second? | option_a=210 | option_b=225 | option_c=420 | option_d=195 | answer=A | explanation=Scale factor = $210/15 = 14$. Therefore second quantity = $15 \times 14 = 210$.
- id=66312 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 16. | option_a=32 | option_b=48 | option_c=192 | option_d=60 | answer=B | explanation=LCM $\times$ HCF = 12×16 ; HCF(12,16) = 4, so LCM = 48.
- id=66313 | topic=Averages | difficulty=Easy | question=Find the average of 38, 10, 98, 42, 22. | option_a=43 | option_b=44 | option_c=42 | option_d=41 | answer=C | explanation=Average = sum of values ÷ number of values = $210 \div 5 = 42$.
- id=66314 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2428. If it is sold at a profit of 5%, what is its selling price? | option_a=2307 | option_b=2433 | option_c=2549 | option_d=2791 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2428 \times 105/100 = \text{█}2549$.
- id=66315 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.
- id=66316 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=80 | option_d=150 | answer=A | explanation=Speed = distance ÷ time = $300 \div 4 = 75$ km/h.
- id=66317 | topic=Percentages | difficulty=Easy | question=What is 15% of 693? | option_a=98 | option_b=103 | option_c=123 | option_d=206 | answer=B | explanation=15% of 693 = $(15/100) \times 693 = 103$.
- id=66318 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 19, 22, 25, ? | option_a=25 | option_b=28 | option_c=29 | option_d=31 | answer=B | explanation=The common difference is 3. Therefore the next term is $25 + 3 = 28$.
- id=66319 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:5 and the first is 153, what is the second? | option_a=238 | option_b=80 | option_c=85 | option_d=94 | answer=C | explanation=Scale factor = $153/9 = 17$. Therefore second quantity = $5 \times 17 = 85$.
- id=66320 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19467 at 4% per annum for 2 years. | option_a=21024 | option_b=1557 | option_c=1657 | option_d=1457 | answer=B | explanation=SI = $PRT/100 = 19467 \times 4 \times 2/100 = \text{█}1557$.
- id=66321 | topic=Percentages | difficulty=Easy | question=What is 50% of 330? | option_a=330 | option_b=165 | option_c=185 | option_d=160 | answer=B | explanation=50% of 330 = $(50/100) \times 330 = 165$.
- id=66322 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=46 | option_b=39 | option_c=53 | option_d=47 | answer=A | explanation=The common difference is 7. Therefore the next term is $39 + 7 = 46$.
- id=66323 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 25, 27, 30? | option_a=30 | option_b=23 | option_c=25 | option_d=27 | answer=A | explanation=The first three numbers increase by 2, so the next should be 29. Therefore 30 is the odd one out.
- id=66324 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3452. If it is sold at a profit of 25%, what is its selling price? | option_a=3477 | option_b=4315 | option_c=3970 | option_d=4660 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3452 \times 125/100 = \text{█}4315$.
- id=66325 | topic=Averages | difficulty=Easy | question=Find the average of 65, 80, 10, 97, 77, 25. | option_a=60 | option_b=61 | option_c=58 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = $354 \div 6 = 59$.
- id=66326 | topic=Percentages | difficulty=Easy | question=What is 30% of 396? | option_a=108 | option_b=128 | option_c=236 | option_d=118 | answer=D | explanation=30% of 396 = $(30/100) \times 396 = 118$.
- id=66327 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 44? | option_a=27 | option_b=20 | option_c=34 | option_d=44 | answer=D | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 44 is the odd one out.
- id=66328 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.
- id=66329 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=160 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = $240 \div 3 = 80$ km/h.
- id=66330 | topic=Averages | difficulty=Easy | question=Find the average of 77, 22, 97, 73, 50, 35. | option_a=61 | option_b=59 | option_c=60 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = $354 \div 6 = 59$.

Aptitude Questions — Records 66,331-66,360 of 100,000

id=66331 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=L | option_c=Z | option_d=D | answer=A | explanation=Move 4 positions forward from D; the resulting letter is H.

id=66332 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=X | option_b=T | option_c=L | option_d=P | answer=B | explanation=Move 4 positions forward from P; the resulting letter is T.

id=66333 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4816. If it is sold at a profit of 20%, what is its selling price? | option_a=4836 | option_b=5779 | option_c=5298 | option_d=6260 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4816 × 120/100 = █5779.

id=66334 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=25 | option_c=15 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=66335 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13696 at 15% per annum for 1 years. | option_a=2054 | option_b=15750 | option_c=1954 | option_d=2154 | answer=A | explanation=SI = PRT/100 = 13696×15×1/100 = █2054.

id=66336 | topic=Profit & Loss | difficulty=Easy | question=An article costs █572. If it is sold at a profit of 50%, what is its selling price? | option_a=1075 | option_b=1008 | option_c=941 | option_d=722 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 672 × 150/100 = █1008.

id=66337 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=66338 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=66339 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:15 and the first is 45, what is the second? | option_a=84 | option_b=75 | option_c=120 | option_d=60 | answer=B | explanation=Scale factor = 45/9 = 5. Therefore second quantity = 15×5 = 75.

id=66340 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=66341 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=35 | option_b=27 | option_c=31 | option_d=32 | answer=C | explanation=The common difference is 4. Therefore the next term is 27 + 4 = 31.

id=66342 | topic=Averages | difficulty=Easy | question=Find the average of 28, 80, 80, 29, 43, 85, 99, 57, 33, 56. | option_a=60 | option_b=58 | option_c=59 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 590 ÷ 10 = 59.

id=66343 | topic=Percentages | difficulty=Easy | question=What is 5% of 818? | option_a=40 | option_b=45 | option_c=30 | option_d=80 | answer=A | explanation=5% of 818 = (5/100) × 818 = 40.

id=66344 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=66345 | topic=Averages | difficulty=Easy | question=Find the average of 90, 11, 69, 66, 68, 44. | option_a=59 | option_b=58 | option_c=57 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 348 ÷ 6 = 58.

id=66346 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 33, 43, 55? | option_a=43 | option_b=55 | option_c=23 | option_d=33 | answer=B | explanation=The first three numbers increase by 10, so the next should be 53. Therefore 55 is the odd one out.

id=66347 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 14. | option_a=144 | option_b=126 | option_c=252 | option_d=112 | answer=B | explanation=LCM × HCF = 18×14; HCF(18,14) = 2, so LCM = 126.

id=66348 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 47? | option_a=47 | option_b=34 | option_c=28 | option_d=40 | answer=A | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 47 is the odd one out.

id=66349 | topic=Percentages | difficulty=Easy | question=What is 12% of 1603? | option_a=172 | option_b=384 | option_c=192 | option_d=202 | answer=C | explanation=12% of 1603 = (12/100) × 1603 = 192.

id=66350 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=W | option_b=E | option_c=A | option_d=I | answer=B | explanation=Move 4 positions forward from A; the resulting letter is E.

id=66351 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46448 at 6% per annum for 2 years. | option_a=5573 | option_b=5473 | option_c=52021 | option_d=5673 | answer=A | explanation=SI = PRT/100 = 46448×6×2/100 = █5573.

id=66352 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=180 | option_c=185 | option_d=360 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=66353 | topic=Averages | difficulty=Easy | question=Find the average of 92, 69, 42, 49. | option_a=65 | option_b=62 | option_c=63 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 252 ÷ 4 = 63.

id=66354 | topic=Percentages | difficulty=Easy | question=What is 10% of 190? | option_a=19 | option_b=9 | option_c=24 | option_d=38 | answer=A | explanation=10% of 190 = (10/100) × 190 = 19.

id=66355 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=6 | option_c=1 | option_d=12 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=66356 | topic=Percentages | difficulty=Easy | question=What is 30% of 1802? | option_a=1080 | option_b=560 | option_c=535 | option_d=540 | answer=D | explanation=30% of 1802 = (30/100) × 1802 = 540.

id=66357 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 35, 42, 50? | option_a=28 | option_b=42 | option_c=50 | option_d=35 | answer=C | explanation=The first three numbers increase by 7, so the next should be 49. Therefore 50 is the odd one out.

id=66358 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=66359 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16243 at 4% per annum for 4 years. | option_a=2498 | option_b=18841 | option_c=2698 | option_d=2598 | answer=D | explanation=SI = PRT/100 = 16243×4×4/100 = █2598.

id=66360 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:5 and the first is 84, what is the second? | option_a=67 | option_b=60 | option_c=144 | option_d=55 | answer=B | explanation=Scale factor = 84/7 = 12. Therefore second quantity = 5×12 = 60.

Aptitude Questions — Records 66,361-66,390 of 100,000

id=66361 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=66362 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:16 and the first is 247, what is the second? | option_a=551 | option_b=304 | option_c=317 | option_d=288 | answer=B | explanation=Scale factor = 247/13 = 19. Therefore second quantity = 16×19 = 304.

id=66363 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=19 | option_c=29 | option_d=48 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=66364 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=I | option_b=Q | option_c=M | option_d=U | answer=B | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=66365 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 24, 36, 48, ? | option_a=61 | option_b=48 | option_c=60 | option_d=72 | answer=C | explanation=The common difference is 12. Therefore the next term is 48 + 12 = 60.

id=66366 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■30433 at 8% per annum for 2 years. | option_a=4969 | option_b=4869 | option_c=35302 | option_d=4769 | answer=B | explanation=SI = PRT/100 = 30433×8×2/100 = ■4869.

id=66367 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=5 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=66368 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=A | option_b=M | option_c=I | option_d=E | answer=C | explanation=Move 4 positions forward from E; the resulting letter is I.

id=66369 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 22? | option_a=3 | option_b=15 | option_c=22 | option_d=9 | answer=C | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 22 is the odd one out.

id=66370 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=66371 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=66372 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=I | option_b=H | option_c=J | option_d=G | answer=A | explanation=Move 1 positions forward from H; the resulting letter is I.

id=66373 | topic=Percentages | difficulty=Easy | question=What is 10% of 1082? | option_a=98 | option_b=108 | option_c=113 | option_d=216 | answer=B | explanation=10% of 1082 = (10/100) × 1082 = 108.

id=66374 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:2 and the first is 56, what is the second? | option_a=26 | option_b=84 | option_c=32 | option_d=28 | answer=D | explanation=Scale factor = 56/4 = 14. Therefore second quantity = 2×14 = 28.

id=66375 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 24, 36, 48, ? | option_a=61 | option_b=72 | option_c=48 | option_d=60 | answer=D | explanation=The common difference is 12. Therefore the next term is 48 + 12 = 60.

id=66376 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=Q | option_c=O | option_d=S | answer=D | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=66377 | topic=Averages | difficulty=Easy | question=Find the average of 78, 69, 15. | option_a=56 | option_b=55 | option_c=54 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 162 ÷ 3 = 54.

id=66378 | topic=Percentages | difficulty=Easy | question=What is 10% of 1665? | option_a=146 | option_b=166 | option_c=171 | option_d=332 | answer=B | explanation=10% of 1665 = (10/100) × 1665 = 166.

id=66379 | topic=Averages | difficulty=Easy | question=Find the average of 34, 64, 84, 69, 44, 83, 76, 74, 13, 39. | option_a=59 | option_b=58 | option_c=60 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 580 ÷ 10 = 58.

id=66380 | topic=Percentages | difficulty=Easy | question=What is 10% of 1675? | option_a=167 | option_b=334 | option_c=157 | option_d=177 | answer=A | explanation=10% of 1675 = (10/100) × 1675 = 167.

id=66381 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:9 and the first is 154, what is the second? | option_a=253 | option_b=113 | option_c=90 | option_d=99 | answer=D | explanation=Scale factor = 154/14 = 11. Therefore second quantity = 9×11 = 99.

id=66382 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2171. If it is sold at a profit of 20%, what is its selling price? | option_a=2388 | option_b=2822 | option_c=2605 | option_d=2191 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2171 × 120/100 = ■2605.

id=66383 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 17, 23, 30? | option_a=11 | option_b=30 | option_c=23 | option_d=17 | answer=B | explanation=The first three numbers increase by 6, so the next should be 29. Therefore 30 is the odd one out.

id=66384 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■942. If it is sold at a profit of 20%, what is its selling price? | option_a=1224 | option_b=1130 | option_c=1036 | option_d=962 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 942 × 120/100 = ■1130.

id=66385 | topic=Averages | difficulty=Easy | question=Find the average of 84, 77, 46. | option_a=70 | option_b=68 | option_c=71 | option_d=69 | answer=D | explanation=Average = sum of values ÷ number of values = 207 ÷ 3 = 69.

id=66386 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=66387 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=P | option_b=J | option_c=M | option_d=G | answer=C | explanation=Move 3 positions forward from J; the resulting letter is M.

id=66388 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=66389 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:20 and the first is 60, what is the second? | option_a=95 | option_b=60 | option_c=140 | option_d=80 | answer=D | explanation=Scale factor = 60/15 = 4. Therefore second quantity = 20×4 = 80.

id=66390 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 32, 42, 54? | option_a=32 | option_b=22 | option_c=54 | option_d=42 | answer=C | explanation=The first three numbers increase by 10, so the next should be 52. Therefore 54 is the odd one out.

Aptitude Questions — Records 66,391-66,420 of 100,000

id=66391 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=45 | option_c=35 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=66392 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=16 | option_b=13 | option_c=17 | option_d=15 | answer=D | explanation=The common difference is 2. Therefore the next term is 13 + 2 = 15.

id=66393 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:19 and the first is 66, what is the second? | option_a=209 | option_b=275 | option_c=190 | option_d=215 | answer=A | explanation=Scale factor = 66/6 = 11. Therefore second quantity = 19×11 = 209.

id=66394 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=T | option_b=S | option_c=R | option_d=U | answer=A | explanation=Move 1 positions forward from S; the resulting letter is T.

id=66395 | topic=Profit & Loss | difficulty=Easy | question=An article costs █273. If it is sold at a profit of 10%, what is its selling price? | option_a=300 | option_b=327 | option_c=283 | option_d=273 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 273 × 110/100 = █300.

id=66396 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:13 and the first is 77, what is the second? | option_a=102 | option_b=78 | option_c=91 | option_d=168 | answer=C | explanation=Scale factor = 77/11 = 7. Therefore second quantity = 13×7 = 91.

id=66397 | topic=Percentages | difficulty=Easy | question=What is 40% of 1474? | option_a=1178 | option_b=569 | option_c=589 | option_d=599 | answer=C | explanation=40% of 1474 = (40/100) × 1474 = 589.

id=66398 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2091. If it is sold at a profit of 40%, what is its selling price? | option_a=2131 | option_b=3136 | option_c=2927 | option_d=2718 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2091 × 140/100 = █2927.

id=66399 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 42? | option_a=18 | option_b=25 | option_c=32 | option_d=42 | answer=D | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 42 is the odd one out.

id=66400 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=33 | option_b=53 | option_c=43 | option_d=44 | answer=C | explanation=The common difference is 10. Therefore the next term is 33 + 10 = 43.

id=66401 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=P | option_b=A | option_c=F | option_d=K | answer=D | explanation=Move 5 positions forward from F; the resulting letter is K.

id=66402 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=39 | option_b=36 | option_c=31 | option_d=35 | answer=D | explanation=The common difference is 4. Therefore the next term is 31 + 4 = 35.

id=66403 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=59 | option_b=49 | option_c=60 | option_d=69 | answer=A | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

id=66404 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=66405 | topic=Percentages | difficulty=Easy | question=What is 12% of 417? | option_a=60 | option_b=30 | option_c=100 | option_d=50 | answer=D | explanation=12% of 417 = (12/100) × 417 = 50.

id=66406 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=6 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=66407 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=G | option_b=K | option_c=S | option_d=O | answer=D | explanation=Move 4 positions forward from K; the resulting letter is O.

id=66408 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=17 | option_b=23 | option_c=21 | option_d=20 | answer=D | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=66409 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 9. | option_a=27 | option_b=243 | option_c=18 | option_d=54 | answer=A | explanation=LCM × HCF = 27×9; HCF(27,9) = 9, so LCM = 27.

id=66410 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=28 | option_b=33 | option_c=21 | option_d=27 | answer=D | explanation=The common difference is 6. Therefore the next term is 21 + 6 = 27.

id=66411 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=46 | option_b=47 | option_c=36 | option_d=56 | answer=A | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.

id=66412 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2647. If it is sold at a profit of 30%, what is its selling price? | option_a=3441 | option_b=3705 | option_c=3177 | option_d=2677 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2647 × 130/100 = █3441.

id=66413 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31402 at 4% per annum for 4 years. | option_a=36426 | option_b=5124 | option_c=4924 | option_d=5024 | answer=D | explanation=SI = PRT/100 = 31402×4×4/100 = █5024.

id=66414 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 26, 29, 34? | option_a=34 | option_b=23 | option_c=29 | option_d=26 | answer=A | explanation=The first three numbers increase by 3, so the next should be 32. Therefore 34 is the odd one out.

id=66415 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1552. If it is sold at a profit of 30%, what is its selling price? | option_a=1582 | option_b=2172 | option_c=1862 | option_d=2017 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1552 × 130/100 = █2017.

id=66416 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27771 at 6% per annum for 2 years. | option_a=3332 | option_b=3432 | option_c=3232 | option_d=31103 | answer=A | explanation=SI = PRT/100 = 27771×6×2/100 = █3332.

id=66417 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=M | option_b=H | option_c=X | option_d=C | answer=B | explanation=Move 5 positions forward from C; the resulting letter is H.

id=66418 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=M | option_b=I | option_c=A | option_d=E | answer=B | explanation=Move 4 positions forward from E; the resulting letter is I.

id=66419 | topic=Averages | difficulty=Easy | question=Find the average of 95, 64, 57. | option_a=72 | option_b=74 | option_c=71 | option_d=73 | answer=A | explanation=Average = sum of values ÷ number of values = 216 ÷ 3 = 72.

id=66420 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 66,421-66,450 of 100,000

- id=66421 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=48 | option_b=38 | option_c=47 | option_d=56 | answer=C | explanation=The common difference is 9. Therefore the next term is 38 + 9 = 47.
- id=66422 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=24 | option_d=29 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.
- id=66423 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3200. If it is sold at a profit of 5%, what is its selling price? | option_a=3205 | option_b=3680 | option_c=3360 | option_d=3040 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3200 × 105/100 = █3360.
- id=66424 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3280. If it is sold at a profit of 30%, what is its selling price? | option_a=3936 | option_b=4264 | option_c=4592 | option_d=3310 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3280 × 130/100 = █4264.
- id=66425 | topic=Percentages | difficulty=Easy | question=What is 20% of 767? | option_a=148 | option_b=306 | option_c=163 | option_d=153 | answer=D | explanation=20% of 767 = (20/100) × 767 = 153.
- id=66426 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 31, 40, 51? | option_a=22 | option_b=40 | option_c=51 | option_d=31 | answer=C | explanation=The first three numbers increase by 9, so the next should be 49. Therefore 51 is the odd one out.
- id=66427 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4853. If it is sold at a profit of 50%, what is its selling price? | option_a=4903 | option_b=7764 | option_c=6794 | option_d=7279 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4853 × 150/100 = █7279.
- id=66428 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.
- id=66429 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8547 at 6% per annum for 1 years. | option_a=512 | option_b=412 | option_c=612 | option_d=9059 | answer=A | explanation=SI = PRT/100 = 8547×6×1/100 = █512.
- id=66430 | topic=Percentages | difficulty=Easy | question=What is 25% of 115? | option_a=18 | option_b=48 | option_c=56 | option_d=28 | answer=D | explanation=25% of 115 = (25/100) × 115 = 28.
- id=66431 | topic=Averages | difficulty=Easy | question=Find the average of 76, 33, 77. | option_a=63 | option_b=62 | option_c=64 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 186 ÷ 3 = 62.
- id=66432 | topic=Percentages | difficulty=Easy | question=What is 50% of 234? | option_a=127 | option_b=107 | option_c=117 | option_d=234 | answer=C | explanation=50% of 234 = (50/100) × 234 = 117.
- id=66433 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:9 and the first is 380, what is the second? | option_a=560 | option_b=199 | option_c=171 | option_d=180 | answer=D | explanation=Scale factor = 380/19 = 20. Therefore second quantity = 9×20 = 180.
- id=66434 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=200 | option_c=100 | option_d=95 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.
- id=66435 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:7 and the first is 224, what is the second? | option_a=322 | option_b=114 | option_c=98 | option_d=91 | answer=C | explanation=Scale factor = 224/16 = 14. Therefore second quantity = 7×14 = 98.
- id=66436 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 40? | option_a=40 | option_b=18 | option_c=32 | option_d=25 | answer=A | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 40 is the odd one out.
- id=66437 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.
- id=66438 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.
- id=66439 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 12, 21, 33? | option_a=21 | option_b=33 | option_c=12 | option_d=3 | answer=B | explanation=The first three numbers increase by 9, so the next should be 30. Therefore 33 is the odd one out.
- id=66440 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=66441 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.
- id=66442 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2077. If it is sold at a profit of 30%, what is its selling price? | option_a=2493 | option_b=2107 | option_c=2907 | option_d=2700 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2077 × 130/100 = █2700.
- id=66443 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38311 at 12% per annum for 2 years. | option_a=9094 | option_b=9294 | option_c=9194 | option_d=47505 | answer=C | explanation=SI = PRT/100 = 38311×12×2/100 = █9194.
- id=66444 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=C | option_c=E | option_d=F | answer=C | explanation=Move 1 positions forward from D; the resulting letter is E.
- id=66445 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 3. | option_a=24 | option_b=36 | option_c=12 | option_d=9 | answer=C | explanation=LCM × HCF = 12×3; HCF(12,3) = 3, so LCM = 12.
- id=66446 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=32 | option_b=42 | option_c=41 | option_d=50 | answer=C | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.
- id=66447 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=30 | option_b=24 | option_c=27 | option_d=28 | answer=C | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.
- id=66448 | topic=Percentages | difficulty=Easy | question=What is 50% of 685? | option_a=332 | option_b=684 | option_c=342 | option_d=347 | answer=C | explanation=50% of 685 = (50/100) × 685 = 342.
- id=66449 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 20. | option_a=75 | option_b=300 | option_c=60 | option_d=40 | answer=C | explanation=LCM × HCF = 15×20; HCF(15,20) = 5, so LCM = 60.
- id=66450 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=30 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

Aptitude Questions — Records 66,451-66,480 of 100,000

id=66451 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=G | option_b=J | option_c=A | option_d=D | answer=A | explanation=Move 3 positions forward from D; the resulting letter is G.

id=66452 | topic=Percentages | difficulty=Easy | question=What is 25% of 605? | option_a=151 | option_b=156 | option_c=146 | option_d=302 | answer=A | explanation=25% of 605 = (25/100) × 605 = 151.

id=66453 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=E | option_b=H | option_c=B | option_d=Y | answer=A | explanation=Move 3 positions forward from B; the resulting letter is E.

id=66454 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4950. If it is sold at a profit of 50%, what is its selling price? | option_a=6930 | option_b=5000 | option_c=7920 | option_d=7425 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4950 × 150/100 = █7425.

id=66455 | topic=Averages | difficulty=Easy | question=Find the average of 77, 11, 82, 63, 90, 91. | option_a=68 | option_b=69 | option_c=71 | option_d=70 | answer=B | explanation=Average = sum of values ÷ number of values = 414 ÷ 6 = 69.

id=66456 | topic=Percentages | difficulty=Easy | question=What is 15% of 1829? | option_a=274 | option_b=548 | option_c=269 | option_d=279 | answer=A | explanation=15% of 1829 = (15/100) × 1829 = 274.

id=66457 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2214. If it is sold at a profit of 5%, what is its selling price? | option_a=2219 | option_b=2324 | option_c=2545 | option_d=2103 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2214 × 105/100 = █2324.

id=66458 | topic=Averages | difficulty=Easy | question=Find the average of 78, 59, 80, 50, 72, 32, 82, 27. | option_a=62 | option_b=61 | option_c=60 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 480 ÷ 8 = 60.

id=66459 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 37? | option_a=27 | option_b=23 | option_c=25 | option_d=32 | answer=D | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 37 is the odd one out.

id=66460 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 15. | option_a=60 | option_b=75 | option_c=375 | option_d=100 | answer=B | explanation=LCM × HCF = 25×15; HCF(25,15) = 5, so LCM = 75.

id=66461 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 25, 27, 32? | option_a=27 | option_b=23 | option_c=25 | option_d=32 | answer=D | explanation=The first three numbers increase by 2, so the next should be 29. Therefore 32 is the odd one out.

id=66462 | topic=Averages | difficulty=Easy | question=Find the average of 34, 99, 99, 82, 64, 41, 26, 19. | option_a=57 | option_b=58 | option_c=59 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 464 ÷ 8 = 58.

id=66463 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=48 | option_c=96 | option_d=43 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=66464 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=144 | option_c=72 | option_d=67 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=66465 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=66466 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=G | option_c=J | option_d=I | answer=D | explanation=Move 1 positions forward from H; the resulting letter is I.

id=66467 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 18. | option_a=18 | option_b=20 | option_c=36 | option_d=1 | answer=A | explanation=LCM × HCF = 2×18; HCF(2,18) = 2, so LCM = 18.

id=66468 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=23 | option_b=27 | option_c=26 | option_d=25 | answer=D | explanation=The common difference is 2. Therefore the next term is 23 + 2 = 25.

id=66469 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=34 | option_b=26 | option_c=30 | option_d=31 | answer=C | explanation=The common difference is 4. Therefore the next term is 26 + 4 = 30.

id=66470 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 19, 29, 41? | option_a=41 | option_b=19 | option_c=9 | option_d=29 | answer=A | explanation=The first three numbers increase by 10, so the next should be 39. Therefore 41 is the odd one out.

id=66471 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=X | option_c=J | option_d=B | answer=A | explanation=Move 4 positions forward from B; the resulting letter is F.

id=66472 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=66473 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=36 | option_b=33 | option_c=32 | option_d=28 | answer=C | explanation=The common difference is 4. Therefore the next term is 28 + 4 = 32.

id=66474 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 12. | option_a=12 | option_b=18 | option_c=72 | option_d=1 | answer=A | explanation=LCM × HCF = 6×12; HCF(6,12) = 6, so LCM = 12.

id=66475 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=66476 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40628 at 8% per annum for 3 years. | option_a=9750 | option_b=50378 | option_c=9850 | option_d=9650 | answer=A | explanation=SI = PRT/100 = 40628×8×3/100 = █9750.

id=66477 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:5 and the first is 12, what is the second? | option_a=16 | option_b=10 | option_c=22 | option_d=5 | answer=B | explanation=Scale factor = 12/6 = 2. Therefore second quantity = 5×2 = 10.

id=66478 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 6. | option_a=80 | option_b=60 | option_c=54 | option_d=120 | answer=B | explanation=LCM × HCF = 20×6; HCF(20,6) = 2, so LCM = 60.

id=66479 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=66480 | topic=Percentages | difficulty=Easy | question=What is 5% of 554? | option_a=54 | option_b=27 | option_c=17 | option_d=32 | answer=B | explanation=5% of 554 = (5/100) × 554 = 27.

Aptitude Questions — Records 66,481-66,510 of 100,000

id=66481 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 28, 31, 35? | option_a=35 | option_b=25 | option_c=31 | option_d=28 | answer=A | explanation=The first three numbers increase by 3, so the next should be 34. Therefore 35 is the odd one out.

id=66482 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**27997 at 8% per annum for 1 years. | option_a=2239 | option_b=30236 | option_c=2139 | option_d=2339 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{27997 \times 8 \times 1}{100} = \text{₹}2239$.

id=66483 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**35277 at 12% per annum for 4 years. | option_a=17032 | option_b=52209 | option_c=16832 | option_d=16932 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{35277 \times 12 \times 4}{100} = \text{₹}16932$.

id=66484 | topic=Percentages | difficulty=Easy | question=What is 40% of 1043? | option_a=834 | option_b=407 | option_c=437 | option_d=417 | answer=D | explanation=40% of 1043 = $(\frac{40}{100}) \times 1043 = 417$.

id=66485 | topic=Percentages | difficulty=Easy | question=What is 40% of 1426? | option_a=1140 | option_b=570 | option_c=575 | option_d=560 | answer=B | explanation=40% of 1426 = $(\frac{40}{100}) \times 1426 = 570$.

id=66486 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=W | option_b=T | option_c=Q | option_d=N | answer=B | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=66487 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**34663 at 4% per annum for 4 years. | option_a=5446 | option_b=5646 | option_c=40209 | option_d=5546 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{34663 \times 4 \times 4}{100} = \text{₹}5546$.

id=66488 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=66489 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:10 and the first is 320, what is the second? | option_a=150 | option_b=180 | option_c=160 | option_d=480 | answer=C | explanation=Scale factor = $\frac{320}{20} = 16$. Therefore second quantity = $10 \times 16 = 160$.

id=66490 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**23565 at 12% per annum for 4 years. | option_a=11411 | option_b=11311 | option_c=11211 | option_d=34876 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{23565 \times 12 \times 4}{100} = \text{₹}11311$.

id=66491 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 24, 27, 32? | option_a=27 | option_b=24 | option_c=21 | option_d=32 | answer=D | explanation=The first three numbers increase by 3, so the next should be 30. Therefore 32 is the odd one out.

id=66492 | topic=Averages | difficulty=Easy | question=Find the average of 10, 82, 60, 24, 36, 47, 66, 19. | option_a=42 | option_b=43 | option_c=45 | option_d=44 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{344}{8} = 43$.

id=66493 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=66494 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=K | option_c=S | option_d=W | answer=C | explanation=Move 4 positions forward from O; the resulting letter is S.

id=66495 | topic=Percentages | difficulty=Easy | question=What is 12% of 1839? | option_a=220 | option_b=440 | option_c=200 | option_d=230 | answer=A | explanation=12% of 1839 = $(\frac{12}{100}) \times 1839 = 220$.

id=66496 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 11, 19, 30? | option_a=11 | option_b=3 | option_c=30 | option_d=19 | answer=C | explanation=The first three numbers increase by 8, so the next should be 27. Therefore 30 is the odd one out.

id=66497 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 53? | option_a=32 | option_b=23 | option_c=41 | option_d=53 | answer=D | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 53 is the odd one out.

id=66498 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=41 | option_b=49 | option_c=55 | option_d=48 | answer=D | explanation=The common difference is 7. Therefore the next term is $41 + 7 = 48$.

id=66499 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:3 and the first is 112, what is the second? | option_a=24 | option_b=21 | option_c=136 | option_d=38 | answer=A | explanation=Scale factor = $\frac{112}{14} = 8$. Therefore second quantity = $3 \times 8 = 24$.

id=66500 | topic=Averages | difficulty=Easy | question=Find the average of 76, 34, 40, 62. | option_a=54 | option_b=52 | option_c=55 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{212}{4} = 53$.

id=66501 | topic=Averages | difficulty=Easy | question=Find the average of 33, 95, 45, 55, 76, 35, 12, 66, 24, 79. | option_a=51 | option_b=52 | option_c=53 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{520}{10} = 52$.

id=66502 | topic=Percentages | difficulty=Easy | question=What is 50% of 931? | option_a=930 | option_b=475 | option_c=445 | option_d=465 | answer=D | explanation=50% of 931 = $(\frac{50}{100}) \times 931 = 465$.

id=66503 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 16, 23, 32? | option_a=16 | option_b=32 | option_c=23 | option_d=9 | answer=B | explanation=The first three numbers increase by 7, so the next should be 30. Therefore 32 is the odd one out.

id=66504 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=66505 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**47294 at 5% per annum for 5 years. | option_a=11923 | option_b=11723 | option_c=11823 | option_d=59117 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{47294 \times 5 \times 5}{100} = \text{₹}11823$.

id=66506 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**786. If it is sold at a profit of 40%, what is its selling price? | option_a=1100 | option_b=1022 | option_c=1178 | option_d=826 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 786 \times \frac{140}{100} = \text{₹}1100$.

id=66507 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 35? | option_a=27 | option_b=22 | option_c=35 | option_d=17 | answer=C | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 35 is the odd one out.

id=66508 | topic=Percentages | difficulty=Easy | question=What is 10% of 1338? | option_a=133 | option_b=143 | option_c=266 | option_d=123 | answer=A | explanation=10% of 1338 = $(\frac{10}{100}) \times 1338 = 133$.

id=66509 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**4182 at 5% per annum for 2 years. | option_a=318 | option_b=418 | option_c=518 | option_d=4600 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{4182 \times 5 \times 2}{100} = \text{₹}418$.

id=66510 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 35? | option_a=35 | option_b=24 | option_c=6 | option_d=15 | answer=A | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 35 is the odd one out.

Aptitude Questions — Records 66,511-66,540 of 100,000

id=66511 | topic=Averages | difficulty=Easy | question=Find the average of 27, 68, 49. | option_a=50 | option_b=49 | option_c=48 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 144 ÷ 3 = 48.

id=66512 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 42? | option_a=42 | option_b=21 | option_c=31 | option_d=11 | answer=A | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 42 is the odd one out.

id=66513 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 38? | option_a=38 | option_b=31 | option_c=26 | option_d=21 | answer=A | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 38 is the odd one out.

id=66514 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=66515 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=150 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=66516 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:3 and the first is 48, what is the second? | option_a=72 | option_b=30 | option_c=21 | option_d=24 | answer=D | explanation=Scale factor = 48/6 = 8. Therefore second quantity = 3×8 = 24.

id=66517 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 10, 16, 25? | option_a=4 | option_b=16 | option_c=10 | option_d=25 | answer=D | explanation=The first three numbers increase by 6, so the next should be 22. Therefore 25 is the odd one out.

id=66518 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:19 and the first is 12, what is the second? | option_a=88 | option_b=57 | option_c=79 | option_d=76 | answer=D | explanation=Scale factor = 12/3 = 4. Therefore second quantity = 19×4 = 76.

id=66519 | topic=Profit & Loss | difficulty=Easy | question=An article costs █381. If it is sold at a profit of 15%, what is its selling price? | option_a=4226 | option_b=3396 | option_c=3550 | option_d=3888 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 381 × 115/100 = █3888.

id=66520 | topic=Averages | difficulty=Easy | question=Find the average of 84, 67, 26. | option_a=58 | option_b=59 | option_c=60 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 177 ÷ 3 = 59.

id=66521 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 50? | option_a=30 | option_b=36 | option_c=50 | option_d=42 | answer=C | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 50 is the odd one out.

id=66522 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 24, 34, 47? | option_a=47 | option_b=34 | option_c=24 | option_d=14 | answer=A | explanation=The first three numbers increase by 10, so the next should be 44. Therefore 47 is the odd one out.

id=66523 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:18 and the first is 162, what is the second? | option_a=333 | option_b=486 | option_c=306 | option_d=324 | answer=D | explanation=Scale factor = 162/9 = 18. Therefore second quantity = 18×18 = 324.

id=66524 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 32, 36, 42? | option_a=32 | option_b=28 | option_c=36 | option_d=42 | answer=D | explanation=The first three numbers increase by 4, so the next should be 40. Therefore 42 is the odd one out.

id=66525 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:9 and the first is 90, what is the second? | option_a=91 | option_b=72 | option_c=171 | option_d=81 | answer=D | explanation=Scale factor = 90/10 = 9. Therefore second quantity = 9×9 = 81.

id=66526 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=M | option_b=W | option_c=B | option_d=R | answer=B | explanation=Move 5 positions forward from R; the resulting letter is W.

id=66527 | topic=Percentages | difficulty=Easy | question=What is 5% of 1918? | option_a=190 | option_b=115 | option_c=95 | option_d=85 | answer=C | explanation=5% of 1918 = (5/100) × 1918 = 95.

id=66528 | topic=Averages | difficulty=Easy | question=Find the average of 50, 83, 88, 57, 46, 27, 40, 17. | option_a=52 | option_b=53 | option_c=50 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 408 ÷ 8 = 51.

id=66529 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1078. If it is sold at a profit of 15%, what is its selling price? | option_a=1093 | option_b=1346 | option_c=1132 | option_d=1239 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1078 × 115/100 = █1239.

id=66530 | topic=Profit & Loss | difficulty=Easy | question=An article costs █442. If it is sold at a profit of 5%, what is its selling price? | option_a=508 | option_b=420 | option_c=464 | option_d=447 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 442 × 105/100 = █464.

id=66531 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3830. If it is sold at a profit of 20%, what is its selling price? | option_a=4979 | option_b=3850 | option_c=4213 | option_d=4596 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3830 × 120/100 = █4596.

id=66532 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3523 at 15% per annum for 4 years. | option_a=2113 | option_b=2213 | option_c=2013 | option_d=5636 | answer=A | explanation=SI = PRT/100 = 3523×15×4/100 = █2113.

id=66533 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=66534 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=10 | option_b=13 | option_c=12 | option_d=14 | answer=C | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.

id=66535 | topic=Profit & Loss | difficulty=Easy | question=An article costs █569. If it is sold at a profit of 15%, what is its selling price? | option_a=598 | option_b=584 | option_c=710 | option_d=654 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 569 × 115/100 = █654.

id=66536 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2943. If it is sold at a profit of 50%, what is its selling price? | option_a=4414 | option_b=4708 | option_c=4120 | option_d=2993 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2943 × 150/100 = █4414.

id=66537 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:1 and the first is 16, what is the second? | option_a=8 | option_b=4 | option_c=20 | option_d=3 | answer=B | explanation=Scale factor = 16/4 = 4. Therefore second quantity = 1×4 = 4.

id=66538 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1374 at 6% per annum for 4 years. | option_a=429 | option_b=229 | option_c=329 | option_d=1703 | answer=C | explanation=SI = PRT/100 = 1374×6×4/100 = █329.

id=66539 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=80 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=66540 | topic=Averages | difficulty=Easy | question=Find the average of 45, 56, 32, 72, 98, 54, 63. | option_a=61 | option_b=59 | option_c=60 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 420 ÷ 7 = 60.

Aptitude Questions — Records 66,541-66,570 of 100,000

id=66541 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:18 and the first is 84, what is the second? | option_a=252 | option_b=234 | option_c=336 | option_d=258 | answer=A | explanation=Scale factor = 84/6 = 14. Therefore second quantity = 18×14 = 252.

id=66542 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=30 | option_b=35 | option_c=36 | option_d=40 | answer=B | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=66543 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=S | option_c=G | option_d=K | answer=A | explanation=Move 4 positions forward from K; the resulting letter is O.

id=66544 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:2 and the first is 35, what is the second? | option_a=10 | option_b=45 | option_c=8 | option_d=17 | answer=A | explanation=Scale factor = 35/7 = 5. Therefore second quantity = 2×5 = 10.

id=66545 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 10, 13, 16, ? | option_a=16 | option_b=20 | option_c=22 | option_d=19 | answer=D | explanation=The common difference is 3. Therefore the next term is 16 + 3 = 19.

id=66546 | topic=Percentages | difficulty=Easy | question=What is 40% of 890? | option_a=356 | option_b=376 | option_c=346 | option_d=712 | answer=A | explanation=40% of 890 = (40/100) × 890 = 356.

id=66547 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 17? | option_a=8 | option_b=5 | option_c=17 | option_d=11 | answer=C | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 17 is the odd one out.

id=66548 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 25? | option_a=18 | option_b=16 | option_c=20 | option_d=25 | answer=D | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 25 is the odd one out.

id=66549 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=L | option_b=D | option_c=H | option_d=Z | answer=C | explanation=Move 4 positions forward from D; the resulting letter is H.

id=66550 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:3 and the first is 170, what is the second? | option_a=48 | option_b=51 | option_c=61 | option_d=221 | answer=B | explanation=Scale factor = 170/10 = 17. Therefore second quantity = 3×17 = 51.

id=66551 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38245 at 8% per annum for 5 years. | option_a=15198 | option_b=53543 | option_c=15398 | option_d=15298 | answer=D | explanation=SI = PRT/100 = 38245×8×5/100 = **■**15298.

id=66552 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 31, 40, 50? | option_a=40 | option_b=22 | option_c=50 | option_d=31 | answer=C | explanation=The first three numbers increase by 9, so the next should be 49. Therefore 50 is the odd one out.

id=66553 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3085. If it is sold at a profit of 20%, what is its selling price? | option_a=3105 | option_b=3702 | option_c=4010 | option_d=3394 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3085 × 120/100 = **■**3702.

id=66554 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 24, 34, 47? | option_a=34 | option_b=47 | option_c=14 | option_d=24 | answer=B | explanation=The first three numbers increase by 10, so the next should be 44. Therefore 47 is the odd one out.

id=66555 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:6 and the first is 228, what is the second? | option_a=66 | option_b=300 | option_c=72 | option_d=91 | answer=C | explanation=Scale factor = 228/19 = 12. Therefore second quantity = 6×12 = 72.

id=66556 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 17, 19, 21, ? | option_a=24 | option_b=25 | option_c=23 | option_d=21 | answer=C | explanation=The common difference is 2. Therefore the next term is 21 + 2 = 23.

id=66557 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 16. | option_a=80 | option_b=320 | option_c=64 | option_d=100 | answer=A | explanation=LCM × HCF = 20×16; HCF(20,16) = 4, so LCM = 80.

id=66558 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=36 | option_b=48 | option_c=58 | option_d=47 | answer=D | explanation=The common difference is 11. Therefore the next term is 36 + 11 = 47.

id=66559 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2583. If it is sold at a profit of 20%, what is its selling price? | option_a=3357 | option_b=2841 | option_c=2603 | option_d=3099 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2583 × 120/100 = **■**3099.

id=66560 | topic=Percentages | difficulty=Easy | question=What is 12% of 1562? | option_a=187 | option_b=374 | option_c=207 | option_d=177 | answer=A | explanation=12% of 1562 = (12/100) × 1562 = 187.

id=66561 | topic=Percentages | difficulty=Easy | question=What is 15% of 312? | option_a=56 | option_b=41 | option_c=46 | option_d=92 | answer=C | explanation=15% of 312 = (15/100) × 312 = 46.

id=66562 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28340 at 5% per annum for 1 years. | option_a=29757 | option_b=1417 | option_c=1317 | option_d=1517 | answer=B | explanation=SI = PRT/100 = 28340×5×1/100 = **■**1417.

id=66563 | topic=Percentages | difficulty=Easy | question=What is 5% of 969? | option_a=68 | option_b=96 | option_c=48 | option_d=43 | answer=C | explanation=5% of 969 = (5/100) × 969 = 48.

id=66564 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8188 at 15% per annum for 5 years. | option_a=14329 | option_b=6241 | option_c=6141 | option_d=6041 | answer=C | explanation=SI = PRT/100 = 8188×15×5/100 = **■**6141.

id=66565 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 23, 30, 39? | option_a=30 | option_b=39 | option_c=16 | option_d=23 | answer=B | explanation=The first three numbers increase by 7, so the next should be 37. Therefore 39 is the odd one out.

id=66566 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1887. If it is sold at a profit of 40%, what is its selling price? | option_a=2829 | option_b=2641 | option_c=1927 | option_d=2453 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1887 × 140/100 = **■**2641.

id=66567 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=24 | option_b=26 | option_c=27 | option_d=28 | answer=B | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.

id=66568 | topic=Percentages | difficulty=Easy | question=What is 40% of 467? | option_a=372 | option_b=186 | option_c=176 | option_d=196 | answer=B | explanation=40% of 467 = (40/100) × 467 = 186.

id=66569 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**704. If it is sold at a profit of 20%, what is its selling price? | option_a=774 | option_b=724 | option_c=844 | option_d=914 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 704 × 120/100 = **■**844.

id=66570 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27504 at 6% per annum for 3 years. | option_a=5050 | option_b=4950 | option_c=4850 | option_d=32454 | answer=B | explanation=SI = PRT/100 = 27504×6×3/100 = **■**4950.

Aptitude Questions — Records 66,571-66,600 of 100,000

id=66571 | topic=Percentages | difficulty=Easy | question=What is 12% of 175? | option_a=42 | option_b=11 | option_c=41 | option_d=21 | answer=D | explanation=12% of 175 = (12/100) × 175 = 21.

id=66572 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=52 | option_b=43 | option_c=42 | option_d=32 | answer=C | explanation=The common difference is 10. Therefore the next term is 32 + 10 = 42.

id=66573 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=R | option_c=U | option_d=T | answer=D | explanation=Move 1 positions forward from S; the resulting letter is T.

id=66574 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3539. If it is sold at a profit of 10%, what is its selling price? | option_a=3549 | option_b=4245 | option_c=3892 | option_d=3539 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3539 × 110/100 = █3892.

id=66575 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=66576 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=50 | option_b=32 | option_c=41 | option_d=42 | answer=C | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

id=66577 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=19 | option_b=18 | option_c=22 | option_d=14 | answer=B | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.

id=66578 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2348. If it is sold at a profit of 50%, what is its selling price? | option_a=3288 | option_b=2398 | option_c=3756 | option_d=3522 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2348 × 150/100 = █3522.

id=66579 | topic=Profit & Loss | difficulty=Easy | question=An article costs █762. If it is sold at a profit of 20%, what is its selling price? | option_a=782 | option_b=990 | option_c=914 | option_d=838 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 762 × 120/100 = █914.

id=66580 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=85 | option_c=180 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=66581 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:12 and the first is 8, what is the second? | option_a=24 | option_b=32 | option_c=12 | option_d=28 | answer=A | explanation=Scale factor = 8/4 = 2. Therefore second quantity = 12×2 = 24.

id=66582 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=66583 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=55 | option_c=100 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=66584 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=35 | option_b=32 | option_c=27 | option_d=31 | answer=D | explanation=The common difference is 4. Therefore the next term is 27 + 4 = 31.

id=66585 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 13, 20, 29? | option_a=20 | option_b=29 | option_c=6 | option_d=13 | answer=B | explanation=The first three numbers increase by 7, so the next should be 27. Therefore 29 is the odd one out.

id=66586 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:15 and the first is 150, what is the second? | option_a=210 | option_b=235 | option_c=225 | option_d=375 | answer=C | explanation=Scale factor = 150/10 = 15. Therefore second quantity = 15×15 = 225.

id=66587 | topic=Percentages | difficulty=Easy | question=What is 25% of 1909? | option_a=497 | option_b=954 | option_c=477 | option_d=472 | answer=C | explanation=25% of 1909 = (25/100) × 1909 = 477.

id=66588 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 14, 19, 25? | option_a=14 | option_b=9 | option_c=19 | option_d=25 | answer=D | explanation=The first three numbers increase by 5, so the next should be 24. Therefore 25 is the odd one out.

id=66589 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=66590 | topic=Percentages | difficulty=Easy | question=What is 20% of 933? | option_a=186 | option_b=372 | option_c=176 | option_d=191 | answer=A | explanation=20% of 933 = (20/100) × 933 = 186.

id=66591 | topic=Averages | difficulty=Easy | question=Find the average of 46, 74, 74, 66, | option_a=67 | option_b=65 | option_c=66 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 260 ÷ 4 = 65.

id=66592 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=48 | option_c=53 | option_d=43 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=66593 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=30 | option_b=35 | option_c=31 | option_d=25 | answer=A | explanation=The common difference is 5. Therefore the next term is 25 + 5 = 30.

id=66594 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 18, 22, 28? | option_a=14 | option_b=22 | option_c=18 | option_d=28 | answer=D | explanation=The first three numbers increase by 4, so the next should be 26. Therefore 28 is the odd one out.

id=66595 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38585 at 12% per annum for 4 years. | option_a=18420 | option_b=18620 | option_c=57105 | option_d=18520 | answer=D | explanation=SI = PRT/100 = 38585×12×4/100 = █18520.

id=66596 | topic=Percentages | difficulty=Easy | question=What is 5% of 453? | option_a=17 | option_b=22 | option_c=44 | option_d=32 | answer=B | explanation=5% of 453 = (5/100) × 453 = 22.

id=66597 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=45 | option_b=44 | option_c=52 | option_d=36 | answer=B | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.

id=66598 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 20. | option_a=144 | option_b=120 | option_c=480 | option_d=100 | answer=B | explanation=LCM × HCF = 24×20; HCF(24,20) = 4, so LCM = 120.

id=66599 | topic=Percentages | difficulty=Easy | question=What is 50% of 1199? | option_a=599 | option_b=589 | option_c=1198 | option_d=619 | answer=A | explanation=50% of 1199 = (50/100) × 1199 = 599.

id=66600 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=33 | option_b=40 | option_c=34 | option_d=26 | answer=A | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

Aptitude Questions — Records 66,601-66,630 of 100,000

id=66601 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:8 and the first is 55, what is the second? | option_a=40 | option_b=51 | option_c=95 | option_d=32 | answer=A | explanation=Scale factor = 55/11 = 5. Therefore second quantity = 8×5 = 40.

id=66602 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=36 | option_b=35 | option_c=39 | option_d=31 | answer=B | explanation=The common difference is 4. Therefore the next term is 31 + 4 = 35.

id=66603 | topic=Percentages | difficulty=Easy | question=What is 20% of 642? | option_a=138 | option_b=108 | option_c=256 | option_d=128 | answer=D | explanation=20% of 642 = (20/100) × 642 = 128.

id=66604 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=66605 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=66606 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2058. If it is sold at a profit of 15%, what is its selling price? | option_a=2571 | option_b=2161 | option_c=2073 | option_d=2366 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2058 × 115/100 = █2366.

id=66607 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:1 and the first is 16, what is the second? | option_a=8 | option_b=3 | option_c=20 | option_d=4 | answer=D | explanation=Scale factor = 16/4 = 4. Therefore second quantity = 1×4 = 4.

id=66608 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:11 and the first is 35, what is the second? | option_a=82 | option_b=66 | option_c=77 | option_d=112 | answer=C | explanation=Scale factor = 35/5 = 7. Therefore second quantity = 11×7 = 77.

id=66609 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:12 and the first is 162, what is the second? | option_a=216 | option_b=225 | option_c=204 | option_d=378 | answer=A | explanation=Scale factor = 162/9 = 18. Therefore second quantity = 12×18 = 216.

id=66610 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=29 | option_c=19 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=66611 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 6. | option_a=56 | option_b=42 | option_c=36 | option_d=84 | answer=B | explanation=LCM × HCF = 14×6; HCF(14,6) = 2, so LCM = 42.

id=66612 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=66613 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=Q | option_b=P | option_c=O | option_d=R | answer=A | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=66614 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=66615 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 31, 39, 48? | option_a=31 | option_b=48 | option_c=39 | option_d=23 | answer=B | explanation=The first three numbers increase by 8, so the next should be 47. Therefore 48 is the odd one out.

id=66616 | topic=Percentages | difficulty=Easy | question=What is 50% of 584? | option_a=287 | option_b=584 | option_c=292 | option_d=312 | answer=C | explanation=50% of 584 = (50/100) × 584 = 292.

id=66617 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4275. If it is sold at a profit of 15%, what is its selling price? | option_a=4489 | option_b=5343 | option_c=4916 | option_d=4290 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4275 × 115/100 = █4916.

id=66618 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 50? | option_a=29 | option_b=39 | option_c=50 | option_d=19 | answer=C | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 50 is the odd one out.

id=66619 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=S | option_c=K | option_d=W | answer=B | explanation=Move 4 positions forward from O; the resulting letter is S.

id=66620 | topic=Percentages | difficulty=Easy | question=What is 40% of 1358? | option_a=543 | option_b=538 | option_c=1086 | option_d=548 | answer=A | explanation=40% of 1358 = (40/100) × 1358 = 543.

id=66621 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 4. | option_a=96 | option_b=24 | option_c=20 | option_d=48 | answer=B | explanation=LCM × HCF = 24×4; HCF(24,4) = 4, so LCM = 24.

id=66622 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:15 and the first is 100, what is the second? | option_a=400 | option_b=285 | option_c=300 | option_d=305 | answer=C | explanation=Scale factor = 100/5 = 20. Therefore second quantity = 15×20 = 300.

id=66623 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=66624 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=66625 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=31 | option_b=45 | option_c=39 | option_d=38 | answer=D | explanation=The common difference is 7. Therefore the next term is 31 + 7 = 38.

id=66626 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=31 | option_c=36 | option_d=41 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=66627 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=Z | option_c=A | option_d=B | answer=D | explanation=Move 1 positions forward from A; the resulting letter is B.

id=66628 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:17 and the first is 72, what is the second? | option_a=204 | option_b=187 | option_c=276 | option_d=210 | answer=A | explanation=Scale factor = 72/6 = 12. Therefore second quantity = 17×12 = 204.

id=66629 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=54 | option_b=64 | option_c=42 | option_d=53 | answer=D | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.

id=66630 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=6 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

Aptitude Questions — Records 66,631-66,660 of 100,000

id=66631 | topic=Averages | difficulty=Easy | question=Find the average of 71, 47, 57, 82, 13. | option_a=56 | option_b=55 | option_c=53 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 270 ÷ 5 = 54.

id=66632 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2157. If it is sold at a profit of 15%, what is its selling price? | option_a=2480 | option_b=2265 | option_c=2695 | option_d=2172 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2157 × 115/100 = ■2480.

id=66633 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 18, 27, 37? | option_a=27 | option_b=18 | option_c=37 | option_d=9 | answer=C | explanation=The first three numbers increase by 9, so the next should be 36. Therefore 37 is the odd one out.

id=66634 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4522. If it is sold at a profit of 10%, what is its selling price? | option_a=4522 | option_b=5426 | option_c=4532 | option_d=4974 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4522 × 110/100 = ■4974.

id=66635 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 33, 38, 46? | option_a=28 | option_b=38 | option_c=46 | option_d=33 | answer=C | explanation=The first three numbers increase by 5, so the next should be 43. Therefore 46 is the odd one out.

id=66636 | topic=Percentages | difficulty=Easy | question=What is 12% of 461? | option_a=75 | option_b=110 | option_c=35 | option_d=55 | answer=D | explanation=12% of 461 = (12/100) × 461 = 55.

id=66637 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 34, 44, 55? | option_a=55 | option_b=34 | option_c=44 | option_d=24 | answer=A | explanation=The first three numbers increase by 10, so the next should be 54. Therefore 55 is the odd one out.

id=66638 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=W | option_b=T | option_c=Z | option_d=Q | answer=A | explanation=Move 3 positions forward from T; the resulting letter is W.

id=66639 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2824. If it is sold at a profit of 20%, what is its selling price? | option_a=3106 | option_b=2844 | option_c=3388 | option_d=3670 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2824 × 120/100 = ■3388.

id=66640 | topic=Percentages | difficulty=Easy | question=What is 30% of 432? | option_a=139 | option_b=258 | option_c=119 | option_d=129 | answer=D | explanation=30% of 432 = (30/100) × 432 = 129.

id=66641 | topic=Percentages | difficulty=Easy | question=What is 50% of 1271? | option_a=1270 | option_b=630 | option_c=635 | option_d=655 | answer=C | explanation=50% of 1271 = (50/100) × 1271 = 635.

id=66642 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:20 and the first is 224, what is the second? | option_a=296 | option_b=504 | option_c=280 | option_d=260 | answer=C | explanation=Scale factor = 224/16 = 14. Therefore second quantity = 20×14 = 280.

id=66643 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=T | option_c=V | option_d=U | answer=C | explanation=Move 1 positions forward from U; the resulting letter is V.

id=66644 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 37, 46, 58? | option_a=46 | option_b=58 | option_c=37 | option_d=28 | answer=B | explanation=The first three numbers increase by 9, so the next should be 55. Therefore 58 is the odd one out.

id=66645 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:15 and the first is 98, what is the second? | option_a=203 | option_b=105 | option_c=90 | option_d=119 | answer=B | explanation=Scale factor = 98/14 = 7. Therefore second quantity = 15×7 = 105.

id=66646 | topic=Percentages | difficulty=Easy | question=What is 10% of 747? | option_a=94 | option_b=54 | option_c=74 | option_d=148 | answer=C | explanation=10% of 747 = (10/100) × 747 = 74.

id=66647 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■29640 at 6% per annum for 1 years. | option_a=1778 | option_b=31418 | option_c=1678 | option_d=1878 | answer=A | explanation=SI = PRT/100 = 29640×6×1/100 = ■1778.

id=66648 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=66649 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=22 | option_b=27 | option_c=26 | option_d=30 | answer=C | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.

id=66650 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=5 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=66651 | topic=Percentages | difficulty=Easy | question=What is 50% of 1136? | option_a=548 | option_b=568 | option_c=578 | option_d=1136 | answer=B | explanation=50% of 1136 = (50/100) × 1136 = 568.

id=66652 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=66653 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=66654 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=B | option_c=D | option_d=E | answer=C | explanation=Move 1 positions forward from C; the resulting letter is D.

id=66655 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 39, 49, 61? | option_a=39 | option_b=29 | option_c=49 | option_d=61 | answer=D | explanation=The first three numbers increase by 10, so the next should be 59. Therefore 61 is the odd one out.

id=66656 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=66657 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:13 and the first is 240, what is the second? | option_a=208 | option_b=195 | option_c=223 | option_d=448 | answer=A | explanation=Scale factor = 240/15 = 16. Therefore second quantity = 13×16 = 208.

id=66658 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 24, 27, 33? | option_a=24 | option_b=27 | option_c=21 | option_d=33 | answer=D | explanation=The first three numbers increase by 3, so the next should be 30. Therefore 33 is the odd one out.

id=66659 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:10 and the first is 255, what is the second? | option_a=150 | option_b=405 | option_c=167 | option_d=140 | answer=A | explanation=Scale factor = 255/17 = 15. Therefore second quantity = 10×15 = 150.

id=66660 | topic=Percentages | difficulty=Easy | question=What is 20% of 471? | option_a=94 | option_b=89 | option_c=99 | option_d=188 | answer=A | explanation=20% of 471 = (20/100) × 471 = 94.

Aptitude Questions — Records 66,661-66,690 of 100,000

id=66661 | topic=Averages | difficulty=Easy | question=Find the average of 46, 58, 17, 89, 22, 18, 34, 84. | option_a=47 | option_b=46 | option_c=45 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 368 ÷ 8 = 46.

id=66662 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=66663 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:6 and the first is 80, what is the second? | option_a=140 | option_b=60 | option_c=54 | option_d=68 | answer=B | explanation=Scale factor = 80/8 = 10. Therefore second quantity = 6×10 = 60.

id=66664 | topic=Percentages | difficulty=Easy | question=What is 40% of 385? | option_a=144 | option_b=154 | option_c=164 | option_d=308 | answer=B | explanation=40% of 385 = (40/100) × 385 = 154.

id=66665 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3322. If it is sold at a profit of 10%, what is its selling price? | option_a=3332 | option_b=3322 | option_c=3654 | option_d=3986 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3322 × 110/100 = █3654.

id=66666 | topic=Averages | difficulty=Easy | question=Find the average of 23, 50, 38, 85, 79. | option_a=54 | option_b=57 | option_c=56 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 275 ÷ 5 = 55.

id=66667 | topic=Percentages | difficulty=Easy | question=What is 40% of 902? | option_a=365 | option_b=360 | option_c=720 | option_d=340 | answer=B | explanation=40% of 902 = (40/100) × 902 = 360.

id=66668 | topic=Percentages | difficulty=Easy | question=What is 30% of 1932? | option_a=559 | option_b=599 | option_c=579 | option_d=1158 | answer=C | explanation=30% of 1932 = (30/100) × 1932 = 579.

id=66669 | topic=Percentages | difficulty=Easy | question=What is 25% of 1978? | option_a=474 | option_b=988 | option_c=504 | option_d=494 | answer=D | explanation=25% of 1978 = (25/100) × 1978 = 494.

id=66670 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:10 and the first is 80, what is the second? | option_a=90 | option_b=100 | option_c=180 | option_d=108 | answer=B | explanation=Scale factor = 80/8 = 10. Therefore second quantity = 10×10 = 100.

id=66671 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=7 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=66672 | topic=Averages | difficulty=Easy | question=Find the average of 40, 66, 30, 68, 28, 86. | option_a=55 | option_b=52 | option_c=54 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 318 ÷ 6 = 53.

id=66673 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:15 and the first is 80, what is the second? | option_a=135 | option_b=230 | option_c=150 | option_d=158 | answer=C | explanation=Scale factor = 80/8 = 10. Therefore second quantity = 15×10 = 150.

id=66674 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=67 | option_c=72 | option_d=144 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=66675 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=51 | option_b=38 | option_c=62 | option_d=50 | answer=D | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=66676 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2298. If it is sold at a profit of 50%, what is its selling price? | option_a=2348 | option_b=3676 | option_c=3447 | option_d=3218 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2298 × 150/100 = █3447.

id=66677 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=L | option_c=P | option_d=X | answer=A | explanation=Move 4 positions forward from P; the resulting letter is T.

id=66678 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 32, 42, 54? | option_a=42 | option_b=32 | option_c=22 | option_d=54 | answer=D | explanation=The first three numbers increase by 10, so the next should be 52. Therefore 54 is the odd one out.

id=66679 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:10 and the first is 54, what is the second? | option_a=20 | option_b=84 | option_c=48 | option_d=30 | answer=D | explanation=Scale factor = 54/18 = 3. Therefore second quantity = 10×3 = 30.

id=66680 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41836 at 8% per annum for 5 years. | option_a=16734 | option_b=16634 | option_c=58570 | option_d=16834 | answer=A | explanation=SI = PRT/100 = 41836×8×5/100 = █16734.

id=66681 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:19 and the first is 68, what is the second? | option_a=144 | option_b=57 | option_c=76 | option_d=93 | answer=C | explanation=Scale factor = 68/17 = 4. Therefore second quantity = 19×4 = 76.

id=66682 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1787. If it is sold at a profit of 10%, what is its selling price? | option_a=1965 | option_b=2143 | option_c=1797 | option_d=1787 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1787 × 110/100 = █1965.

id=66683 | topic=Averages | difficulty=Easy | question=Find the average of 15, 65, 27, 25, 69, 42, 89, 92, 89. | option_a=56 | option_b=57 | option_c=59 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 513 ÷ 9 = 57.

id=66684 | topic=Profit & Loss | difficulty=Easy | question=An article costs █743. If it is sold at a profit of 20%, what is its selling price? | option_a=891 | option_b=965 | option_c=817 | option_d=763 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 743 × 120/100 = █891.

id=66685 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 33? | option_a=17 | option_b=10 | option_c=33 | option_d=24 | answer=C | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 33 is the odd one out.

id=66686 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3414. If it is sold at a profit of 15%, what is its selling price? | option_a=3585 | option_b=4267 | option_c=3429 | option_d=3926 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3414 × 115/100 = █3926.

id=66687 | topic=Averages | difficulty=Easy | question=Find the average of 99, 38, 32, 38, 58, 84, 39, 92, 86, 44. | option_a=61 | option_b=60 | option_c=62 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 610 ÷ 10 = 61.

id=66688 | topic=Averages | difficulty=Easy | question=Find the average of 65, 84, 24, 83, 99, 14, 70, 86, 73, 22. | option_a=61 | option_b=63 | option_c=62 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 620 ÷ 10 = 62.

id=66689 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=66690 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:15 and the first is 42, what is the second? | option_a=90 | option_b=75 | option_c=97 | option_d=132 | answer=A | explanation=Scale factor = 42/7 = 6. Therefore second quantity = 15×6 = 90.

Aptitude Questions — Records 66,691-66,720 of 100,000

id=66691 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=24 | option_c=12 | option_d=17 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=66692 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47712 at 10% per annum for 2 years. | option_a=9642 | option_b=9542 | option_c=57254 | option_d=9442 | answer=B | explanation=SI = PRT/100 = 47712×10×2/100 = **■**9542.

id=66693 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=P | option_b=K | option_c=U | option_d=F | answer=A | explanation=Move 5 positions forward from K; the resulting letter is P.

id=66694 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=B | option_b=X | option_c=T | option_d=P | answer=B | explanation=Move 4 positions forward from T; the resulting letter is X.

id=66695 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 9, 16, 24? | option_a=24 | option_b=16 | option_c=9 | option_d=2 | answer=A | explanation=The first three numbers increase by 7, so the next should be 23. Therefore 24 is the odd one out.

id=66696 | topic=Percentages | difficulty=Easy | question=What is 20% of 955? | option_a=191 | option_b=382 | option_c=211 | option_d=181 | answer=A | explanation=20% of 955 = (20/100) × 955 = 191.

id=66697 | topic=Percentages | difficulty=Easy | question=What is 40% of 1416? | option_a=1132 | option_b=566 | option_c=561 | option_d=576 | answer=B | explanation=40% of 1416 = (40/100) × 1416 = 566.

id=66698 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=50 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=66699 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4773. If it is sold at a profit of 10%, what is its selling price? | option_a=4783 | option_b=4773 | option_c=5727 | option_d=5250 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4773 × 110/100 = **■**5250.

id=66700 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 21. | option_a=21 | option_b=42 | option_c=56 | option_d=294 | answer=B | explanation=LCM × HCF = 14×21; HCF(14,21) = 7, so LCM = 42.

id=66701 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18702 at 5% per annum for 5 years. | option_a=23377 | option_b=4775 | option_c=4675 | option_d=4575 | answer=C | explanation=SI = PRT/100 = 18702×5×5/100 = **■**4675.

id=66702 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=50 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=66703 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=66704 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=66705 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=T | option_c=K | option_d=Q | answer=D | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=66706 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=20 | option_b=19 | option_c=18 | option_d=16 | answer=C | explanation=The common difference is 2. Therefore the next term is 16 + 2 = 18.

id=66707 | topic=Averages | difficulty=Easy | question=Find the average of 34, 18, 53, 27, 23. | option_a=31 | option_b=33 | option_c=30 | option_d=32 | answer=A | explanation=Average = sum of values ÷ number of values = 155 ÷ 5 = 31.

id=66708 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=W | option_b=T | option_c=Q | option_d=N | answer=B | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=66709 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=66710 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17978 at 10% per annum for 2 years. | option_a=3695 | option_b=3495 | option_c=21573 | option_d=3595 | answer=D | explanation=SI = PRT/100 = 17978×10×2/100 = **■**3595.

id=66711 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=66712 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 16, 20, 27? | option_a=16 | option_b=12 | option_c=20 | option_d=27 | answer=D | explanation=The first three numbers increase by 4, so the next should be 24. Therefore 27 is the odd one out.

id=66713 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=66714 | topic=Averages | difficulty=Easy | question=Find the average of 55, 88, 32, 12, 31, 22. | option_a=39 | option_b=40 | option_c=41 | option_d=42 | answer=B | explanation=Average = sum of values ÷ number of values = 240 ÷ 6 = 40.

id=66715 | topic=Percentages | difficulty=Easy | question=What is 15% of 1061? | option_a=159 | option_b=318 | option_c=149 | option_d=164 | answer=A | explanation=15% of 1061 = (15/100) × 1061 = 159.

id=66716 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=31 | option_b=39 | option_c=40 | option_d=47 | answer=B | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

id=66717 | topic=Percentages | difficulty=Easy | question=What is 50% of 1642? | option_a=821 | option_b=1642 | option_c=801 | option_d=841 | answer=A | explanation=50% of 1642 = (50/100) × 1642 = 821.

id=66718 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29465 at 8% per annum for 1 years. | option_a=2357 | option_b=2257 | option_c=2457 | option_d=31822 | answer=A | explanation=SI = PRT/100 = 29465×8×1/100 = **■**2357.

id=66719 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=66720 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:8 and the first is 90, what is the second? | option_a=32 | option_b=58 | option_c=40 | option_d=130 | answer=C | explanation=Scale factor = 90/18 = 5. Therefore second quantity = 8×5 = 40.

Aptitude Questions — Records 66,721-66,750 of 100,000

id=66721 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=66722 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=54 | option_b=34 | option_c=44 | option_d=45 | answer=C | explanation=The common difference is 10. Therefore the next term is 34 + 10 = 44.

id=66723 | topic=Percentages | difficulty=Easy | question=What is 20% of 1176? | option_a=235 | option_b=255 | option_c=470 | option_d=230 | answer=A | explanation=20% of 1176 = (20/100) × 1176 = 235.

id=66724 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 22. | option_a=144 | option_b=110 | option_c=264 | option_d=132 | answer=D | explanation=LCM × HCF = 12×22; HCF(12,22) = 2, so LCM = 132.

id=66725 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=66726 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 18. | option_a=21 | option_b=1 | option_c=18 | option_d=54 | answer=C | explanation=LCM × HCF = 3×18; HCF(3,18) = 3, so LCM = 18.

id=66727 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:1 and the first is 36, what is the second? | option_a=48 | option_b=12 | option_c=15 | option_d=11 | answer=B | explanation=Scale factor = 36/3 = 12. Therefore second quantity = 1×12 = 12.

id=66728 | topic=Averages | difficulty=Easy | question=Find the average of 80, 36, 49, 91. | option_a=64 | option_b=63 | option_c=65 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 256 ÷ 4 = 64.

id=66729 | topic=Profit & Loss | difficulty=Easy | question=An article costs █320. If it is sold at a profit of 20%, what is its selling price? | option_a=340 | option_b=416 | option_c=384 | option_d=352 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 320 × 120/100 = █384.

id=66730 | topic=Averages | difficulty=Easy | question=Find the average of 86, 62, 15, 79, 83. | option_a=64 | option_b=65 | option_c=66 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = 325 ÷ 5 = 65.

id=66731 | topic=Percentages | difficulty=Easy | question=What is 20% of 1617? | option_a=333 | option_b=313 | option_c=323 | option_d=646 | answer=C | explanation=20% of 1617 = (20/100) × 1617 = 323.

id=66732 | topic=Percentages | difficulty=Easy | question=What is 10% of 1095? | option_a=218 | option_b=89 | option_c=114 | option_d=109 | answer=D | explanation=10% of 1095 = (10/100) × 1095 = 109.

id=66733 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=240 | option_c=115 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=66734 | topic=Averages | difficulty=Easy | question=Find the average of 39, 88, 42, 46, 93, 16, 30, 32, 75, 19. | option_a=50 | option_b=47 | option_c=49 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = 480 ÷ 10 = 48.

id=66735 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45488 at 5% per annum for 2 years. | option_a=4448 | option_b=4648 | option_c=4548 | option_d=50036 | answer=C | explanation=SI = PRT/100 = 45488×5×2/100 = █4548.

id=66736 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:20 and the first is 54, what is the second? | option_a=234 | option_b=160 | option_c=180 | option_d=186 | answer=C | explanation=Scale factor = 54/6 = 9. Therefore second quantity = 20×9 = 180.

id=66737 | topic=Percentages | difficulty=Easy | question=What is 25% of 118? | option_a=19 | option_b=49 | option_c=29 | option_d=58 | answer=C | explanation=25% of 118 = (25/100) × 118 = 29.

id=66738 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=100 | option_c=95 | option_d=105 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=66739 | topic=Averages | difficulty=Easy | question=Find the average of 16, 13, 59, 57, 78, 53. | option_a=46 | option_b=48 | option_c=45 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 276 ÷ 6 = 46.

id=66740 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:16 and the first is 64, what is the second? | option_a=260 | option_b=320 | option_c=240 | option_d=256 | answer=D | explanation=Scale factor = 64/4 = 16. Therefore second quantity = 16×16 = 256.

id=66741 | topic=Averages | difficulty=Easy | question=Find the average of 62, 35, 65, 40, 36, 10, 50, 74, 60. | option_a=48 | option_b=49 | option_c=47 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 432 ÷ 9 = 48.

id=66742 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:16 and the first is 25, what is the second? | option_a=64 | option_b=85 | option_c=105 | option_d=80 | answer=D | explanation=Scale factor = 25/5 = 5. Therefore second quantity = 16×5 = 80.

id=66743 | topic=Percentages | difficulty=Easy | question=What is 40% of 1854? | option_a=741 | option_b=736 | option_c=1482 | option_d=746 | answer=A | explanation=40% of 1854 = (40/100) × 1854 = 741.

id=66744 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=48 | option_b=54 | option_c=47 | option_d=40 | answer=C | explanation=The common difference is 7. Therefore the next term is 40 + 7 = 47.

id=66745 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 39, 49, 60? | option_a=60 | option_b=29 | option_c=49 | option_d=39 | answer=A | explanation=The first three numbers increase by 10, so the next should be 59. Therefore 60 is the odd one out.

id=66746 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=X | option_c=L | option_d=P | answer=A | explanation=Move 4 positions forward from P; the resulting letter is T.

id=66747 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16504 at 5% per annum for 5 years. | option_a=4226 | option_b=4026 | option_c=20630 | option_d=4126 | answer=D | explanation=SI = PRT/100 = 16504×5×5/100 = █4126.

id=66748 | topic=Averages | difficulty=Easy | question=Find the average of 69, 36, 45, 12, 95, 63, 51, 13, 23, 23. | option_a=44 | option_b=43 | option_c=45 | option_d=42 | answer=B | explanation=Average = sum of values ÷ number of values = 430 ÷ 10 = 43.

id=66749 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4872. If it is sold at a profit of 15%, what is its selling price? | option_a=6089 | option_b=5115 | option_c=5602 | option_d=4887 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4872 × 115/100 = █5602.

id=66750 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:7 and the first is 75, what is the second? | option_a=50 | option_b=110 | option_c=35 | option_d=28 | answer=C | explanation=Scale factor = 75/15 = 5. Therefore second quantity = 7×5 = 35.

Aptitude Questions — Records 66,751-66,780 of 100,000

id=66751 | topic=Percentages | difficulty=Easy | question=What is 12% of 719? | option_a=172 | option_b=81 | option_c=86 | option_d=91 | answer=C | explanation=12% of 719 = (12/100) × 719 = 86.

id=66752 | topic=Percentages | difficulty=Easy | question=What is 30% of 774? | option_a=464 | option_b=252 | option_c=232 | option_d=212 | answer=C | explanation=30% of 774 = (30/100) × 774 = 232.

id=66753 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 20. | option_a=220 | option_b=440 | option_c=200 | option_d=242 | answer=A | explanation=LCM × HCF = 22×20; HCF(22,20) = 2, so LCM = 220.

id=66754 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=72 | option_c=31 | option_d=41 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=66755 | topic=Averages | difficulty=Easy | question=Find the average of 58, 99, 22, 46, 90, 39, 78, 39, 78. | option_a=63 | option_b=62 | option_c=61 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 549 ÷ 9 = 61.

id=66756 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 31, 43, 55, ? | option_a=68 | option_b=55 | option_c=79 | option_d=67 | answer=D | explanation=The common difference is 12. Therefore the next term is 55 + 12 = 67.

id=66757 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=66758 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:16 and the first is 30, what is the second? | option_a=190 | option_b=160 | option_c=163 | option_d=144 | answer=B | explanation=Scale factor = 30/3 = 10. Therefore second quantity = 16×10 = 160.

id=66759 | topic=Averages | difficulty=Easy | question=Find the average of 60, 28, 53. | option_a=48 | option_b=47 | option_c=49 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 141 ÷ 3 = 47.

id=66760 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=K | option_b=O | option_c=Q | option_d=M | answer=B | explanation=Move 2 positions forward from M; the resulting letter is O.

id=66761 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=80 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=66762 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48978 at 6% per annum for 2 years. | option_a=5777 | option_b=5877 | option_c=5977 | option_d=54855 | answer=B | explanation=SI = PRT/100 = 48978×6×2/100 = **■**5877.

id=66763 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=66764 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17251 at 4% per annum for 3 years. | option_a=1970 | option_b=19321 | option_c=2170 | option_d=2070 | answer=D | explanation=SI = PRT/100 = 17251×4×3/100 = **■**2070.

id=66765 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=43 | option_b=54 | option_c=65 | option_d=55 | answer=B | explanation=The common difference is 11. Therefore the next term is 43 + 11 = 54.

id=66766 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 38? | option_a=30 | option_b=38 | option_c=32 | option_d=34 | answer=B | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 38 is the odd one out.

id=66767 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=66768 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:20 and the first is 36, what is the second? | option_a=40 | option_b=20 | option_c=58 | option_d=76 | answer=A | explanation=Scale factor = 36/18 = 2. Therefore second quantity = 20×2 = 40.

id=66769 | topic=Averages | difficulty=Easy | question=Find the average of 68, 52, 45, 25, 65, 69, 87, 80, 17, 42. | option_a=54 | option_b=55 | option_c=56 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 550 ÷ 10 = 55.

id=66770 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=7 | option_c=24 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=66771 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=150 | option_c=80 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=66772 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:7 and the first is 39, what is the second? | option_a=60 | option_b=21 | option_c=34 | option_d=14 | answer=B | explanation=Scale factor = 39/13 = 3. Therefore second quantity = 7×3 = 21.

id=66773 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 48? | option_a=17 | option_b=37 | option_c=48 | option_d=27 | answer=C | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 48 is the odd one out.

id=66774 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3758. If it is sold at a profit of 40%, what is its selling price? | option_a=3798 | option_b=5636 | option_c=4886 | option_d=5261 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3758 × 140/100 = **■**5261.

id=66775 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=66776 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3163. If it is sold at a profit of 25%, what is its selling price? | option_a=3188 | option_b=3637 | option_c=3953 | option_d=4269 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3163 × 125/100 = **■**3953.

id=66777 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6986 at 6% per annum for 3 years. | option_a=1257 | option_b=8243 | option_c=1157 | option_d=1357 | answer=A | explanation=SI = PRT/100 = 6986×6×3/100 = **■**1257.

id=66778 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:3 and the first is 68, what is the second? | option_a=9 | option_b=29 | option_c=80 | option_d=12 | answer=D | explanation=Scale factor = 68/17 = 4. Therefore second quantity = 3×4 = 12.

id=66779 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=E | option_c=D | option_d=B | answer=C | explanation=Move 1 positions forward from C; the resulting letter is D.

id=66780 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 12. | option_a=24 | option_b=12 | option_c=288 | option_d=48 | answer=A | explanation=LCM × HCF = 24×12; HCF(24,12) = 12, so LCM = 24.

Aptitude Questions — Records 66,781-66,810 of 100,000

id=66781 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=P | option_c=T | option_d=H | answer=B | explanation=Move 4 positions forward from L; the resulting letter is P.

id=66782 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:3 and the first is 156, what is the second? | option_a=36 | option_b=195 | option_c=51 | option_d=39 | answer=D | explanation=Scale factor = 156/12 = 13. Therefore second quantity = 3×13 = 39.

id=66783 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 33? | option_a=22 | option_b=12 | option_c=33 | option_d=2 | answer=C | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 33 is the odd one out.

id=66784 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:3 and the first is 169, what is the second? | option_a=208 | option_b=36 | option_c=39 | option_d=52 | answer=C | explanation=Scale factor = 169/13 = 13. Therefore second quantity = 3×13 = 39.

id=66785 | topic=Averages | difficulty=Easy | question=Find the average of 60, 24, 66. | option_a=52 | option_b=51 | option_c=50 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 150 ÷ 3 = 50.

id=66786 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34330 at 12% per annum for 3 years. | option_a=46688 | option_b=12358 | option_c=12458 | option_d=12258 | answer=B | explanation=SI = PRT/100 = 34330×12×3/100 = **■**12358.

id=66787 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2977. If it is sold at a profit of 30%, what is its selling price? | option_a=3007 | option_b=3870 | option_c=4167 | option_d=3573 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2977 × 130/100 = **■**3870.

id=66788 | topic=Averages | difficulty=Easy | question=Find the average of 94, 67, 44, 41, 45, 39, 96, 25, 59, 80. | option_a=60 | option_b=61 | option_c=58 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 590 ÷ 10 = 59.

id=66789 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 12. | option_a=54 | option_b=24 | option_c=216 | option_d=36 | answer=D | explanation=LCM × HCF = 18×12; HCF(18,12) = 6, so LCM = 36.

id=66790 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42316 at 8% per annum for 4 years. | option_a=13641 | option_b=13441 | option_c=55857 | option_d=13541 | answer=D | explanation=SI = PRT/100 = 42316×8×4/100 = **■**13541.

id=66791 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4462. If it is sold at a profit of 40%, what is its selling price? | option_a=4502 | option_b=6692 | option_c=5800 | option_d=6246 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4462 × 140/100 = **■**6246.

id=66792 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:15 and the first is 266, what is the second? | option_a=210 | option_b=195 | option_c=229 | option_d=476 | answer=A | explanation=Scale factor = 266/19 = 14. Therefore second quantity = 15×14 = 210.

id=66793 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24688 at 15% per annum for 1 years. | option_a=28391 | option_b=3603 | option_c=3803 | option_d=3703 | answer=D | explanation=SI = PRT/100 = 24688×15×1/100 = **■**3703.

id=66794 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=21 | option_b=17 | option_c=19 | option_d=20 | answer=C | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=66795 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=66796 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:19 and the first is 135, what is the second? | option_a=171 | option_b=152 | option_c=306 | option_d=186 | answer=A | explanation=Scale factor = 135/15 = 9. Therefore second quantity = 19×9 = 171.

id=66797 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=66798 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=66799 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=32 | option_b=39 | option_c=25 | option_d=33 | answer=A | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.

id=66800 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:1 and the first is 126, what is the second? | option_a=140 | option_b=23 | option_c=14 | option_d=13 | answer=C | explanation=Scale factor = 126/9 = 14. Therefore second quantity = 1×14 = 14.

id=66801 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4553. If it is sold at a profit of 10%, what is its selling price? | option_a=5463 | option_b=4563 | option_c=4553 | option_d=5008 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4553 × 110/100 = **■**5008.

id=66802 | topic=Percentages | difficulty=Easy | question=What is 25% of 1995? | option_a=503 | option_b=996 | option_c=493 | option_d=498 | answer=D | explanation=25% of 1995 = (25/100) × 1995 = 498.

id=66803 | topic=Averages | difficulty=Easy | question=Find the average of 40, 39, 92. | option_a=56 | option_b=59 | option_c=57 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 171 ÷ 3 = 57.

id=66804 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=24 | option_c=17 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=66805 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=66806 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 21, 27, 34? | option_a=27 | option_b=34 | option_c=15 | option_d=21 | answer=B | explanation=The first three numbers increase by 6, so the next should be 33. Therefore 34 is the odd one out.

id=66807 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=80 | option_b=69 | option_c=68 | option_d=56 | answer=C | explanation=The common difference is 12. Therefore the next term is 56 + 12 = 68.

id=66808 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=67 | option_c=72 | option_d=77 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=66809 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:19 and the first is 57, what is the second? | option_a=57 | option_b=114 | option_c=76 | option_d=38 | answer=A | explanation=Scale factor = 57/19 = 3. Therefore second quantity = 19×3 = 57.

id=66810 | topic=Percentages | difficulty=Easy | question=What is 25% of 1106? | option_a=552 | option_b=266 | option_c=276 | option_d=281 | answer=C | explanation=25% of 1106 = (25/100) × 1106 = 276.

Aptitude Questions — Records 66,811-66,840 of 100,000

id=66811 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:16 and the first is 342, what is the second? | option_a=307 | option_b=288 | option_c=630 | option_d=272 | answer=B | explanation=Scale factor = 342/19 = 18. Therefore second quantity = 16×18 = 288.

id=66812 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:18 and the first is 50, what is the second? | option_a=100 | option_b=90 | option_c=140 | option_d=72 | answer=B | explanation=Scale factor = 50/10 = 5. Therefore second quantity = 18×5 = 90.

id=66813 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=P | option_b=O | option_c=N | option_d=Q | answer=A | explanation=Move 1 positions forward from O; the resulting letter is P.

id=66814 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:3 and the first is 342, what is the second? | option_a=399 | option_b=57 | option_c=75 | option_d=54 | answer=B | explanation=Scale factor = 342/18 = 19. Therefore second quantity = 3×19 = 57.

id=66815 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=8 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=66816 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=H | option_c=L | option_d=F | answer=A | explanation=Move 2 positions forward from H; the resulting letter is J.

id=66817 | topic=Averages | difficulty=Easy | question=Find the average of 86, 42, 38, 32, 66, 38, 36, 57, 19, 46. | option_a=47 | option_b=46 | option_c=45 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 460 ÷ 10 = 46.

id=66818 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4360. If it is sold at a profit of 5%, what is its selling price? | option_a=4142 | option_b=4365 | option_c=5014 | option_d=4578 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4360 × 105/100 = █4578.

id=66819 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:9 and the first is 171, what is the second? | option_a=252 | option_b=81 | option_c=72 | option_d=100 | answer=B | explanation=Scale factor = 171/19 = 9. Therefore second quantity = 9×9 = 81.

id=66820 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24394 at 15% per annum for 2 years. | option_a=7218 | option_b=31712 | option_c=7418 | option_d=7318 | answer=D | explanation=SI = PRT/100 = 24394×15×2/100 = █7318.

id=66821 | topic=Averages | difficulty=Easy | question=Find the average of 42, 98, 46. | option_a=62 | option_b=63 | option_c=64 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 186 ÷ 3 = 62.

id=66822 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=4 | option_c=9 | option_d=14 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=66823 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=Z | option_c=N | option_d=V | answer=D | explanation=Move 4 positions forward from R; the resulting letter is V.

id=66824 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=66825 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:11 and the first is 12, what is the second? | option_a=28 | option_b=11 | option_c=22 | option_d=34 | answer=C | explanation=Scale factor = 12/6 = 2. Therefore second quantity = 11×2 = 22.

id=66826 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=145 | option_c=150 | option_d=155 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=66827 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 35, 41, 48? | option_a=48 | option_b=41 | option_c=35 | option_d=29 | answer=A | explanation=The first three numbers increase by 6, so the next should be 47. Therefore 48 is the odd one out.

id=66828 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:8 and the first is 256, what is the second? | option_a=384 | option_b=128 | option_c=144 | option_d=120 | answer=B | explanation=Scale factor = 256/16 = 16. Therefore second quantity = 8×16 = 128.

id=66829 | topic=Profit & Loss | difficulty=Easy | question=An article costs █902. If it is sold at a profit of 30%, what is its selling price? | option_a=1262 | option_b=932 | option_c=1082 | option_d=1172 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 902 × 130/100 = █1172.

id=66830 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=24 | option_b=23 | option_c=20 | option_d=22 | answer=D | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=66831 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 31, 33, 36? | option_a=31 | option_b=29 | option_c=33 | option_d=36 | answer=D | explanation=The first three numbers increase by 2, so the next should be 35. Therefore 36 is the odd one out.

id=66832 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 10, 12, 14, ? | option_a=16 | option_b=18 | option_c=17 | option_d=14 | answer=A | explanation=The common difference is 2. Therefore the next term is 14 + 2 = 16.

id=66833 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23957 at 12% per annum for 1 years. | option_a=2874 | option_b=26831 | option_c=2774 | option_d=2974 | answer=A | explanation=SI = PRT/100 = 23957×12×1/100 = █2874.

id=66834 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=M | option_b=N | option_c=P | option_d=O | answer=D | explanation=Move 1 positions forward from N; the resulting letter is O.

id=66835 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 24. | option_a=27 | option_b=24 | option_c=72 | option_d=1 | answer=B | explanation=LCM × HCF = 3×24; HCF(3,24) = 3, so LCM = 24.

id=66836 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=E | option_b=I | option_c=K | option_d=G | answer=B | explanation=Move 2 positions forward from G; the resulting letter is I.

id=66837 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=G | option_b=I | option_c=K | option_d=M | answer=C | explanation=Move 2 positions forward from I; the resulting letter is K.

id=66838 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=66839 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28116 at 15% per annum for 3 years. | option_a=12752 | option_b=12552 | option_c=12652 | option_d=40768 | answer=C | explanation=SI = PRT/100 = 28116×15×3/100 = █12652.

id=66840 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=23 | option_b=29 | option_c=35 | option_d=30 | answer=B | explanation=The common difference is 6. Therefore the next term is 23 + 6 = 29.

Aptitude Questions — Records 66,841-66,870 of 100,000

id=66841 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=66842 | topic=Averages | difficulty=Easy | question=Find the average of 29, 35, 72, 68, 52, 47, 81, 82, 38. | option_a=56 | option_b=57 | option_c=55 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=66843 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=55 | option_d=100 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=66844 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:2 and the first is 180, what is the second? | option_a=38 | option_b=20 | option_c=18 | option_d=200 | answer=B | explanation=Scale factor = 180/18 = 10. Therefore second quantity = 2×10 = 20.

id=66845 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 27, 36, 48? | option_a=27 | option_b=18 | option_c=48 | option_d=36 | answer=C | explanation=The first three numbers increase by 9, so the next should be 45. Therefore 48 is the odd one out.

id=66846 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=66847 | topic=Percentages | difficulty=Easy | question=What is 5% of 872? | option_a=33 | option_b=43 | option_c=86 | option_d=63 | answer=B | explanation=5% of 872 = (5/100) × 872 = 43.

id=66848 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=1 | option_c=6 | option_d=12 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=66849 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:11 and the first is 266, what is the second? | option_a=209 | option_b=223 | option_c=198 | option_d=475 | answer=A | explanation=Scale factor = 266/14 = 19. Therefore second quantity = 11×19 = 209.

id=66850 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=66851 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 39? | option_a=32 | option_b=34 | option_c=30 | option_d=39 | answer=D | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 39 is the odd one out.

id=66852 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=4 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=66853 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:12 and the first is 280, what is the second? | option_a=188 | option_b=156 | option_c=448 | option_d=168 | answer=D | explanation=Scale factor = 280/20 = 14. Therefore second quantity = 12×14 = 168.

id=66854 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■5564 at 15% per annum for 2 years. | option_a=1769 | option_b=7233 | option_c=1669 | option_d=1569 | answer=C | explanation=SI = PRT/100 = 5564×15×2/100 = ■1669.

id=66855 | topic=Percentages | difficulty=Easy | question=What is 10% of 222? | option_a=2 | option_b=42 | option_c=22 | option_d=44 | answer=C | explanation=10% of 222 = (10/100) × 222 = 22.

id=66856 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:6 and the first is 247, what is the second? | option_a=78 | option_b=325 | option_c=97 | option_d=72 | answer=A | explanation=Scale factor = 247/19 = 13. Therefore second quantity = 6×13 = 78.

id=66857 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■32206 at 8% per annum for 2 years. | option_a=5152 | option_b=37358 | option_c=5252 | option_d=5052 | answer=A | explanation=SI = PRT/100 = 32206×8×2/100 = ■5152.

id=66858 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=300 | option_c=145 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=66859 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=66860 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=T | option_c=H | option_d=L | answer=A | explanation=Move 4 positions forward from L; the resulting letter is P.

id=66861 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=66862 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=66863 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=W | option_c=T | option_d=V | answer=D | explanation=Move 1 positions forward from U; the resulting letter is V.

id=66864 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■41010 at 4% per annum for 2 years. | option_a=3280 | option_b=44290 | option_c=3380 | option_d=3180 | answer=A | explanation=SI = PRT/100 = 41010×4×2/100 = ■3280.

id=66865 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=40 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=66866 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=17 | option_b=23 | option_c=21 | option_d=20 | answer=D | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=66867 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=O | option_c=D | option_d=Y | answer=D | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=66868 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:19 and the first is 48, what is the second? | option_a=133 | option_b=152 | option_c=200 | option_d=158 | answer=B | explanation=Scale factor = 48/6 = 8. Therefore second quantity = 19×8 = 152.

id=66869 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=66870 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1058. If it is sold at a profit of 20%, what is its selling price? | option_a=1078 | option_b=1374 | option_c=1269 | option_d=1164 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1058 × 120/100 = ■1269.

Aptitude Questions — Records 66,871-66,900 of 100,000

id=66871 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2531. If it is sold at a profit of 20%, what is its selling price? | option_a=3037 | option_b=3290 | option_c=2784 | option_d=2551 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2531 × 120/100 = █3037.

id=66872 | topic=Percentages | difficulty=Easy | question=What is 15% of 1053? | option_a=177 | option_b=314 | option_c=157 | option_d=137 | answer=C | explanation=15% of 1053 = (15/100) × 1053 = 157.

id=66873 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=38 | option_b=50 | option_c=51 | option_d=62 | answer=B | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=66874 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45017 at 8% per annum for 1 years. | option_a=3701 | option_b=3501 | option_c=48618 | option_d=3601 | answer=D | explanation=SI = PRT/100 = 45017×8×1/100 = █3601.

id=66875 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 6. | option_a=12 | option_b=36 | option_c=18 | option_d=108 | answer=C | explanation=LCM × HCF = 18×6; HCF(18,6) = 6, so LCM = 18.

id=66876 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 14, 20, 27? | option_a=14 | option_b=20 | option_c=27 | option_d=8 | answer=C | explanation=The first three numbers increase by 6, so the next should be 26. Therefore 27 is the odd one out.

id=66877 | topic=Averages | difficulty=Easy | question=Find the average of 88, 11, 11, 74, 22, 22, 21, 90, 15, 76. | option_a=42 | option_b=45 | option_c=43 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = 430 ÷ 10 = 43.

id=66878 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1104. If it is sold at a profit of 25%, what is its selling price? | option_a=1380 | option_b=1490 | option_c=1129 | option_d=1270 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1104 × 125/100 = █1380.

id=66879 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=27 | option_b=26 | option_c=21 | option_d=31 | answer=B | explanation=The common difference is 5. Therefore the next term is 21 + 5 = 26.

id=66880 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30285 at 6% per annum for 5 years. | option_a=9185 | option_b=39370 | option_c=9085 | option_d=8985 | answer=C | explanation=SI = PRT/100 = 30285×6×5/100 = █9085.

id=66881 | topic=Averages | difficulty=Easy | question=Find the average of 92, 71, 97, 80. | option_a=86 | option_b=84 | option_c=85 | option_d=87 | answer=C | explanation=Average = sum of values ÷ number of values = 340 ÷ 4 = 85.

id=66882 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43, ? | option_a=52 | option_b=43 | option_c=51 | option_d=59 | answer=C | explanation=The common difference is 8. Therefore the next term is 43 + 8 = 51.

id=66883 | topic=Percentages | difficulty=Easy | question=What is 20% of 1197? | option_a=244 | option_b=234 | option_c=239 | option_d=478 | answer=C | explanation=20% of 1197 = (20/100) × 1197 = 239.

id=66884 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:18 and the first is 5, what is the second? | option_a=90 | option_b=95 | option_c=91 | option_d=72 | answer=A | explanation=Scale factor = 5/1 = 5. Therefore second quantity = 18×5 = 90.

id=66885 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:2 and the first is 84, what is the second? | option_a=10 | option_b=26 | option_c=96 | option_d=12 | answer=D | explanation=Scale factor = 84/14 = 6. Therefore second quantity = 2×6 = 12.

id=66886 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3114. If it is sold at a profit of 25%, what is its selling price? | option_a=3581 | option_b=3139 | option_c=3892 | option_d=4203 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3114 × 125/100 = █3892.

id=66887 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=7 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=66888 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 34, 44, 56? | option_a=24 | option_b=34 | option_c=56 | option_d=44 | answer=C | explanation=The first three numbers increase by 10, so the next should be 54. Therefore 56 is the odd one out.

id=66889 | topic=Averages | difficulty=Easy | question=Find the average of 49, 45, 84, 31, 71, 59, 42, 64, 77. | option_a=58 | option_b=60 | option_c=57 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 522 ÷ 9 = 58.

id=66890 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=40 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=66891 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=43 | option_b=36 | option_c=27 | option_d=35 | answer=D | explanation=The common difference is 8. Therefore the next term is 27 + 8 = 35.

id=66892 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=15 | option_b=12 | option_c=16 | option_d=14 | answer=D | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=66893 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=42 | option_b=51 | option_c=52 | option_d=60 | answer=B | explanation=The common difference is 9. Therefore the next term is 42 + 9 = 51.

id=66894 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2689 at 5% per annum for 5 years. | option_a=572 | option_b=772 | option_c=3361 | option_d=672 | answer=D | explanation=SI = PRT/100 = 2689×5×5/100 = █672.

id=66895 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=E | option_c=M | option_d=Q | answer=C | explanation=Move 4 positions forward from I; the resulting letter is M.

id=66896 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=100 | option_c=45 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=66897 | topic=Percentages | difficulty=Easy | question=What is 25% of 702? | option_a=350 | option_b=175 | option_c=185 | option_d=155 | answer=B | explanation=25% of 702 = (25/100) × 702 = 175.

id=66898 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=66899 | topic=Percentages | difficulty=Easy | question=What is 25% of 937? | option_a=214 | option_b=244 | option_c=468 | option_d=234 | answer=D | explanation=25% of 937 = (25/100) × 937 = 234.

id=66900 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 3. | option_a=54 | option_b=18 | option_c=36 | option_d=15 | answer=B | explanation=LCM × HCF = 18×3; HCF(18,3) = 3, so LCM = 18.

Aptitude Questions — Records 66,901-66,930 of 100,000

id=66901 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=120 | option_c=240 | option_d=125 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=66902 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 33, 43, 54? | option_a=54 | option_b=33 | option_c=43 | option_d=23 | answer=A | explanation=The first three numbers increase by 10, so the next should be 53. Therefore 54 is the odd one out.

id=66903 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 34? | option_a=26 | option_b=16 | option_c=34 | option_d=21 | answer=C | explanation=The first three numbers increase by 5, so the next should be 31. Therefore 34 is the odd one out.

id=66904 | topic=Averages | difficulty=Easy | question=Find the average of 95, 55, 96, 37, 56, 13, 87, 38, 62, 51. | option_a=58 | option_b=61 | option_c=59 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 590 ÷ 10 = 59.

id=66905 | topic=Percentages | difficulty=Easy | question=What is 40% of 1950? | option_a=785 | option_b=780 | option_c=770 | option_d=1560 | answer=B | explanation=40% of 1950 = (40/100) × 1950 = 780.

id=66906 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 21, 23, 25, ? | option_a=27 | option_b=28 | option_c=29 | option_d=25 | answer=A | explanation=The common difference is 2. Therefore the next term is 25 + 2 = 27.

id=66907 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38158 at 8% per annum for 3 years. | option_a=9057 | option_b=9157 | option_c=9257 | option_d=47315 | answer=B | explanation=SI = PRT/100 = 38158×8×3/100 = **■**9157.

id=66908 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=23 | option_c=18 | option_d=36 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=66909 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 28, 33, 39? | option_a=39 | option_b=33 | option_c=23 | option_d=28 | answer=A | explanation=The first three numbers increase by 5, so the next should be 38. Therefore 39 is the odd one out.

id=66910 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 34, 42, 51? | option_a=51 | option_b=42 | option_c=26 | option_d=34 | answer=A | explanation=The first three numbers increase by 8, so the next should be 50. Therefore 51 is the odd one out.

id=66911 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=75 | option_c=80 | option_d=150 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=66912 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:13 and the first is 90, what is the second? | option_a=104 | option_b=207 | option_c=127 | option_d=117 | answer=D | explanation=Scale factor = 90/10 = 9. Therefore second quantity = 13×9 = 117.

id=66913 | topic=Percentages | difficulty=Easy | question=What is 20% of 483? | option_a=106 | option_b=96 | option_c=86 | option_d=192 | answer=B | explanation=20% of 483 = (20/100) × 483 = 96.

id=66914 | topic=Averages | difficulty=Easy | question=Find the average of 100, 92, 22, 30. | option_a=63 | option_b=61 | option_c=62 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 244 ÷ 4 = 61.

id=66915 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 40? | option_a=40 | option_b=19 | option_c=10 | option_d=28 | answer=A | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 40 is the odd one out.

id=66916 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28023 at 4% per annum for 2 years. | option_a=30264 | option_b=2241 | option_c=2341 | option_d=2141 | answer=B | explanation=SI = PRT/100 = 28023×4×2/100 = **■**2241.

id=66917 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=P | option_b=J | option_c=S | option_d=M | answer=A | explanation=Move 3 positions forward from M; the resulting letter is P.

id=66918 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=90 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=66919 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=66920 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=F | option_b=H | option_c=G | option_d=I | answer=B | explanation=Move 1 positions forward from G; the resulting letter is H.

id=66921 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**589. If it is sold at a profit of 15%, what is its selling price? | option_a=604 | option_b=619 | option_c=735 | option_d=677 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 589 × 115/100 = **■**677.

id=66922 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:6 and the first is 32, what is the second? | option_a=28 | option_b=12 | option_c=44 | option_d=6 | answer=B | explanation=Scale factor = 32/16 = 2. Therefore second quantity = 6×2 = 12.

id=66923 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=36 | option_b=32 | option_c=33 | option_d=28 | answer=B | explanation=The common difference is 4. Therefore the next term is 28 + 4 = 32.

id=66924 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=18 | option_c=9 | option_d=4 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=66925 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=66926 | topic=Percentages | difficulty=Easy | question=What is 30% of 1931? | option_a=584 | option_b=579 | option_c=574 | option_d=1158 | answer=B | explanation=30% of 1931 = (30/100) × 1931 = 579.

id=66927 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13818 at 4% per annum for 3 years. | option_a=1558 | option_b=15476 | option_c=1758 | option_d=1658 | answer=D | explanation=SI = PRT/100 = 13818×4×3/100 = **■**1658.

id=66928 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 3. | option_a=81 | option_b=54 | option_c=27 | option_d=24 | answer=C | explanation=LCM × HCF = 27×3; HCF(27,3) = 3, so LCM = 27.

id=66929 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26539 at 6% per annum for 4 years. | option_a=6269 | option_b=32908 | option_c=6469 | option_d=6369 | answer=D | explanation=SI = PRT/100 = 26539×6×4/100 = **■**6369.

id=66930 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:5 and the first is 80, what is the second? | option_a=50 | option_b=40 | option_c=120 | option_d=35 | answer=B | explanation=Scale factor = 80/10 = 8. Therefore second quantity = 5×8 = 40.

Aptitude Questions — Records 66,931-66,960 of 100,000

id=66931 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=66932 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=R | option_b=X | option_c=V | option_d=T | answer=C | explanation=Move 2 positions forward from T; the resulting letter is V.

id=66933 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=58 | option_b=36 | option_c=48 | option_d=47 | answer=D | explanation=The common difference is 11. Therefore the next term is 36 + 11 = 47.

id=66934 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 11, 14, 18? | option_a=11 | option_b=14 | option_c=18 | option_d=8 | answer=C | explanation=The first three numbers increase by 3, so the next should be 17. Therefore 18 is the odd one out.

id=66935 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 22, 27, 32, ? | option_a=42 | option_b=37 | option_c=32 | option_d=38 | answer=B | explanation=The common difference is 5. Therefore the next term is 32 + 5 = 37.

id=66936 | topic=Percentages | difficulty=Easy | question=What is 5% of 1240? | option_a=42 | option_b=82 | option_c=62 | option_d=124 | answer=C | explanation=5% of 1240 = (5/100) × 1240 = 62.

id=66937 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:8 and the first is 272, what is the second? | option_a=120 | option_b=400 | option_c=128 | option_d=145 | answer=C | explanation=Scale factor = 272/17 = 16. Therefore second quantity = 8×16 = 128.

id=66938 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 36? | option_a=36 | option_b=29 | option_c=26 | option_d=32 | answer=A | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 36 is the odd one out.

id=66939 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3125. If it is sold at a profit of 50%, what is its selling price? | option_a=4999 | option_b=4375 | option_c=3175 | option_d=4687 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3125 × 150/100 = █4687.

id=66940 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=66941 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=66942 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 35, 43, 54? | option_a=43 | option_b=27 | option_c=54 | option_d=35 | answer=C | explanation=The first three numbers increase by 8, so the next should be 51. Therefore 54 is the odd one out.

id=66943 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20415 at 5% per annum for 2 years. | option_a=2141 | option_b=22456 | option_c=1941 | option_d=2041 | answer=D | explanation=SI = PRT/100 = 20415×5×2/100 = █2041.

id=66944 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11446 at 12% per annum for 2 years. | option_a=2847 | option_b=2747 | option_c=2647 | option_d=14193 | answer=B | explanation=SI = PRT/100 = 11446×12×2/100 = █2747.

id=66945 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4652. If it is sold at a profit of 50%, what is its selling price? | option_a=4702 | option_b=6513 | option_c=6978 | option_d=7443 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4652 × 150/100 = █6978.

id=66946 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:9 and the first is 198, what is the second? | option_a=297 | option_b=99 | option_c=117 | option_d=90 | answer=B | explanation=Scale factor = 198/18 = 11. Therefore second quantity = 9×11 = 99.

id=66947 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=A | option_b=P | option_c=F | option_d=K | answer=D | explanation=Move 5 positions forward from F; the resulting letter is K.

id=66948 | topic=Averages | difficulty=Easy | question=Find the average of 98, 100, 100, 34, 99, 96, 19, 99, 26, 59. | option_a=73 | option_b=72 | option_c=74 | option_d=75 | answer=A | explanation=Average = sum of values ÷ number of values = 730 ÷ 10 = 73.

id=66949 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 43? | option_a=30 | option_b=43 | option_c=25 | option_d=35 | answer=B | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 43 is the odd one out.

id=66950 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=95 | option_c=90 | option_d=180 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=66951 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48264 at 8% per annum for 1 years. | option_a=3861 | option_b=3761 | option_c=52125 | option_d=3961 | answer=A | explanation=SI = PRT/100 = 48264×8×1/100 = █3861.

id=66952 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3838. If it is sold at a profit of 40%, what is its selling price? | option_a=3878 | option_b=5373 | option_c=4990 | option_d=5756 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3838 × 140/100 = █5373.

id=66953 | topic=Percentages | difficulty=Easy | question=What is 10% of 1214? | option_a=101 | option_b=131 | option_c=242 | option_d=121 | answer=D | explanation=10% of 1214 = (10/100) × 1214 = 121.

id=66954 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=100 | option_c=105 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=66955 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 30, 33, 38? | option_a=38 | option_b=27 | option_c=33 | option_d=30 | answer=A | explanation=The first three numbers increase by 3, so the next should be 36. Therefore 38 is the odd one out.

id=66956 | topic=Number System | difficulty=Easy | question=Find the LCM of 19 and 19. | option_a=38 | option_b=19 | option_c=1 | option_d=361 | answer=B | explanation=LCM × HCF = 19×19; HCF(19,19) = 19, so LCM = 19.

id=66957 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 46? | option_a=31 | option_b=46 | option_c=25 | option_d=37 | answer=B | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 46 is the odd one out.

id=66958 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=F | option_b=G | option_c=D | option_d=E | answer=A | explanation=Move 1 positions forward from E; the resulting letter is F.

id=66959 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 28, 32, 37? | option_a=32 | option_b=28 | option_c=37 | option_d=24 | answer=C | explanation=The first three numbers increase by 4, so the next should be 36. Therefore 37 is the odd one out.

id=66960 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=Z | option_b=E | option_c=J | option_d=O | answer=C | explanation=Move 5 positions forward from E; the resulting letter is J.

Aptitude Questions — Records 66,961-66,990 of 100,000

id=66961 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:9 and the first is 24, what is the second? | option_a=9 | option_b=42 | option_c=30 | option_d=18 | answer=D | explanation=Scale factor = 24/12 = 2. Therefore second quantity = 9×2 = 18.

id=66962 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 17, 19, 21, ? | option_a=23 | option_b=21 | option_c=24 | option_d=25 | answer=A | explanation=The common difference is 2. Therefore the next term is 21 + 2 = 23.

id=66963 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:2 and the first is 48, what is the second? | option_a=54 | option_b=22 | option_c=4 | option_d=6 | answer=D | explanation=Scale factor = 48/16 = 3. Therefore second quantity = 2×3 = 6.

id=66964 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=C | option_b=Q | option_c=U | option_d=Y | answer=D | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=66965 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 38? | option_a=29 | option_b=38 | option_c=17 | option_d=23 | answer=B | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 38 is the odd one out.

id=66966 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 14. | option_a=1 | option_b=14 | option_c=28 | option_d=196 | answer=B | explanation=LCM × HCF = 14×14; HCF(14,14) = 14, so LCM = 14.

id=66967 | topic=Averages | difficulty=Easy | question=Find the average of 25, 12, 87, 51, 14, 45. | option_a=41 | option_b=38 | option_c=39 | option_d=40 | answer=C | explanation=Average = sum of values ÷ number of values = 234 ÷ 6 = 39.

id=66968 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:13 and the first is 10, what is the second? | option_a=130 | option_b=117 | option_c=131 | option_d=140 | answer=A | explanation=Scale factor = 10/1 = 10. Therefore second quantity = 13×10 = 130.

id=66969 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=66970 | topic=Percentages | difficulty=Easy | question=What is 30% of 984? | option_a=305 | option_b=590 | option_c=295 | option_d=290 | answer=C | explanation=30% of 984 = (30/100) × 984 = 295.

id=66971 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■7849 at 6% per annum for 2 years. | option_a=1041 | option_b=941 | option_c=841 | option_d=8790 | answer=B | explanation=SI = PRT/100 = 7849×6×2/100 = ■941.

id=66972 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 8, 13, 20? | option_a=20 | option_b=8 | option_c=13 | option_d=3 | answer=A | explanation=The first three numbers increase by 5, so the next should be 18. Therefore 20 is the odd one out.

id=66973 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■604. If it is sold at a profit of 40%, what is its selling price? | option_a=845 | option_b=644 | option_c=785 | option_d=905 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 604 × 140/100 = ■845.

id=66974 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:18 and the first is 30, what is the second? | option_a=51 | option_b=66 | option_c=18 | option_d=36 | answer=D | explanation=Scale factor = 30/15 = 2. Therefore second quantity = 18×2 = 36.

id=66975 | topic=Averages | difficulty=Easy | question=Find the average of 19, 80, 43, 18. | option_a=40 | option_b=39 | option_c=41 | option_d=42 | answer=A | explanation=Average = sum of values ÷ number of values = 160 ÷ 4 = 40.

id=66976 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3569. If it is sold at a profit of 10%, what is its selling price? | option_a=3569 | option_b=3925 | option_c=4281 | option_d=3579 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3569 × 110/100 = ■3925.

id=66977 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=24 | option_c=12 | option_d=7 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=66978 | topic=Percentages | difficulty=Easy | question=What is 5% of 948? | option_a=27 | option_b=47 | option_c=57 | option_d=94 | answer=B | explanation=5% of 948 = (5/100) × 948 = 47.

id=66979 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=J | option_b=L | option_c=M | option_d=K | answer=B | explanation=Move 1 positions forward from K; the resulting letter is L.

id=66980 | topic=Averages | difficulty=Easy | question=Find the average of 74, 72, 85, 53, 50, 76, 24. | option_a=61 | option_b=63 | option_c=62 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 434 ÷ 7 = 62.

id=66981 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 35, 45, 56? | option_a=25 | option_b=56 | option_c=35 | option_d=45 | answer=B | explanation=The first three numbers increase by 10, so the next should be 55. Therefore 56 is the odd one out.

id=66982 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=G | option_c=O | option_d=S | answer=C | explanation=Move 4 positions forward from K; the resulting letter is O.

id=66983 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:7 and the first is 288, what is the second? | option_a=112 | option_b=105 | option_c=130 | option_d=400 | answer=A | explanation=Scale factor = 288/18 = 16. Therefore second quantity = 7×16 = 112.

id=66984 | topic=Percentages | difficulty=Easy | question=What is 20% of 1925? | option_a=380 | option_b=385 | option_c=770 | option_d=395 | answer=B | explanation=20% of 1925 = (20/100) × 1925 = 385.

id=66985 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=Y | option_b=O | option_c=T | option_d=J | answer=C | explanation=Move 5 positions forward from O; the resulting letter is T.

id=66986 | topic=Percentages | difficulty=Easy | question=What is 20% of 308? | option_a=56 | option_b=122 | option_c=61 | option_d=66 | answer=C | explanation=20% of 308 = (20/100) × 308 = 61.

id=66987 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=N | option_b=M | option_c=O | option_d=L | answer=A | explanation=Move 1 positions forward from M; the resulting letter is N.

id=66988 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=18 | option_d=13 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=66989 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=20 | option_b=22 | option_c=23 | option_d=24 | answer=B | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=66990 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=J | option_c=F | option_d=D | answer=A | explanation=Move 2 positions forward from F; the resulting letter is H.

Aptitude Questions — Records 66,991-67,020 of 100,000

id=66991 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13024 at 8% per annum for 3 years. | option_a=3225 | option_b=3025 | option_c=3125 | option_d=16149 | answer=C | explanation=SI = $PRT/100 = 13024 \times 8 \times 3/100 = \text{■}3125$.

id=66992 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=66993 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:5 and the first is 160, what is the second? | option_a=75 | option_b=80 | option_c=90 | option_d=240 | answer=B | explanation=Scale factor = $160/10 = 16$. Therefore second quantity = $5 \times 16 = 80$.

id=66994 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:3 and the first is 95, what is the second? | option_a=15 | option_b=34 | option_c=12 | option_d=110 | answer=A | explanation=Scale factor = $95/19 = 5$. Therefore second quantity = $3 \times 5 = 15$.

id=66995 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**267. If it is sold at a profit of 40%, what is its selling price? | option_a=307 | option_b=347 | option_c=399 | option_d=373 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 267 \times 140/100 = \text{■}373$.

id=66996 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=K | option_b=P | option_c=Z | option_d=U | answer=D | explanation=Move 5 positions forward from P; the resulting letter is U.

id=66997 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=66998 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:10 and the first is 140, what is the second? | option_a=114 | option_b=90 | option_c=100 | option_d=240 | answer=C | explanation=Scale factor = $140/14 = 10$. Therefore second quantity = $10 \times 10 = 100$.

id=66999 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3156. If it is sold at a profit of 40%, what is its selling price? | option_a=4103 | option_b=3196 | option_c=4418 | option_d=4733 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3156 \times 140/100 = \text{■}4418$.

id=67000 | topic=Percentages | difficulty=Easy | question=What is 12% of 1354? | option_a=152 | option_b=324 | option_c=162 | option_d=182 | answer=C | explanation=12% of 1354 = $(12/100) \times 1354 = 162$.

id=67001 | topic=Averages | difficulty=Easy | question=Find the average of 37, 10, 65, 15, 27, 95, 52, 30, 74. | option_a=46 | option_b=45 | option_c=47 | option_d=44 | answer=B | explanation=Average = sum of values $\div$ number of values = $405 \div 9 = 45$.

id=67002 | topic=Averages | difficulty=Easy | question=Find the average of 85, 43, 16, 23, 33, 16, 50, 38. | option_a=39 | option_b=38 | option_c=37 | option_d=40 | answer=B | explanation=Average = sum of values $\div$ number of values = $304 \div 8 = 38$.

id=67003 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:3 and the first is 19, what is the second? | option_a=54 | option_b=57 | option_c=76 | option_d=58 | answer=B | explanation=Scale factor = $19/1 = 19$. Therefore second quantity = $3 \times 19 = 57$.

id=67004 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance $\div$ time = $120 \div 2 = 60$ km/h.

id=67005 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:17 and the first is 12, what is the second? | option_a=205 | option_b=216 | option_c=187 | option_d=204 | answer=D | explanation=Scale factor = $12/1 = 12$. Therefore second quantity = $17 \times 12 = 204$.

id=67006 | topic=Percentages | difficulty=Easy | question=What is 5% of 129? | option_a=6 | option_b=0 | option_c=11 | option_d=12 | answer=A | explanation=5% of 129 = $(5/100) \times 129 = 6$.

id=67007 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=F | option_b=L | option_c=I | option_d=O | answer=B | explanation=Move 3 positions forward from I; the resulting letter is L.

id=67008 | topic=Averages | difficulty=Easy | question=Find the average of 95, 78, 88, 84, 85, 52, 41, 34, 55. | option_a=69 | option_b=68 | option_c=70 | option_d=67 | answer=B | explanation=Average = sum of values $\div$ number of values = $612 \div 9 = 68$.

id=67009 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 25. | option_a=375 | option_b=50 | option_c=90 | option_d=75 | answer=D | explanation=LCM $\times$ HCF = 15×25 ; HCF(15,25) = 5, so LCM = 75.

id=67010 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 6, 10, 15? | option_a=10 | option_b=6 | option_c=15 | option_d=2 | answer=C | explanation=The first three numbers increase by 4, so the next should be 14. Therefore 15 is the odd one out.

id=67011 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=31 | option_b=35 | option_c=39 | option_d=36 | answer=B | explanation=The common difference is 4. Therefore the next term is $31 + 4 = 35$.

id=67012 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:2 and the first is 112, what is the second? | option_a=26 | option_b=140 | option_c=36 | option_d=28 | answer=D | explanation=Scale factor = $112/8 = 14$. Therefore second quantity = $2 \times 14 = 28$.

id=67013 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=67014 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=67015 | topic=Averages | difficulty=Easy | question=Find the average of 53, 43, 86, 82, 87, 86, 49, 74. | option_a=69 | option_b=70 | option_c=71 | option_d=72 | answer=B | explanation=Average = sum of values $\div$ number of values = $560 \div 8 = 70$.

id=67016 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 26, 32, 40? | option_a=32 | option_b=20 | option_c=40 | option_d=26 | answer=C | explanation=The first three numbers increase by 6, so the next should be 38. Therefore 40 is the odd one out.

id=67017 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=240 | option_d=125 | answer=A | explanation=Speed = distance $\div$ time = $240 \div 2 = 120$ km/h.

id=67018 | topic=Averages | difficulty=Easy | question=Find the average of 21, 97, 31, 77, 19, 43. | option_a=47 | option_b=50 | option_c=49 | option_d=48 | answer=D | explanation=Average = sum of values $\div$ number of values = $288 \div 6 = 48$.

id=67019 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 40? | option_a=40 | option_b=21 | option_c=13 | option_d=29 | answer=A | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 40 is the odd one out.

id=67020 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3798 at 4% per annum for 3 years. | option_a=555 | option_b=455 | option_c=4253 | option_d=355 | answer=B | explanation=SI = $PRT/100 = 3798 \times 4 \times 3/100 = \text{■}455$.

Aptitude Questions — Records 67,021-67,050 of 100,000

id=67021 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 35? | option_a=8 | option_b=35 | option_c=16 | option_d=24 | answer=B | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 35 is the odd one out.

id=67022 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 16, 19, 23? | option_a=23 | option_b=16 | option_c=19 | option_d=13 | answer=A | explanation=The first three numbers increase by 3, so the next should be 22. Therefore 23 is the odd one out.

id=67023 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=C | option_b=L | option_c=F | option_d=I | answer=D | explanation=Move 3 positions forward from F; the resulting letter is I.

id=67024 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=46 | option_b=32 | option_c=39 | option_d=40 | answer=C | explanation=The common difference is 7. Therefore the next term is $32 + 7 = 39$.

id=67025 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43592 at 5% per annum for 5 years. | option_a=10998 | option_b=10898 | option_c=54490 | option_d=10798 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{43592 \times 5 \times 5}{100} = \text{■}10898$.

id=67026 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32052 at 6% per annum for 3 years. | option_a=37821 | option_b=5869 | option_c=5669 | option_d=5769 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{32052 \times 6 \times 3}{100} = \text{■}5769$.

id=67027 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42008 at 8% per annum for 3 years. | option_a=52089 | option_b=10181 | option_c=10081 | option_d=9981 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{42008 \times 8 \times 3}{100} = \text{■}10081$.

id=67028 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=K | option_c=G | option_d=S | answer=A | explanation=Move 4 positions forward from K; the resulting letter is O.

id=67029 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=44 | option_b=36 | option_c=50 | option_d=43 | answer=D | explanation=The common difference is 7. Therefore the next term is $36 + 7 = 43$.

id=67030 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1591. If it is sold at a profit of 20%, what is its selling price? | option_a=1909 | option_b=1750 | option_c=1611 | option_d=2068 | answer=A | explanation= $\text{Selling price} = CP \times \frac{(100 + \text{profit}\%)}{100} = 1591 \times \frac{120}{100} = \text{■}1909$.

id=67031 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:1 and the first is 28, what is the second? | option_a=14 | option_b=13 | option_c=16 | option_d=42 | answer=A | explanation=Scale factor = $28/2 = 14$. Therefore second quantity = $1 \times 14 = 14$.

id=67032 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2370. If it is sold at a profit of 15%, what is its selling price? | option_a=2488 | option_b=2962 | option_c=2725 | option_d=2385 | answer=C | explanation= $\text{Selling price} = CP \times \frac{(100 + \text{profit}\%)}{100} = 2370 \times \frac{115}{100} = \text{■}2725$.

id=67033 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=24 | option_b=26 | option_c=22 | option_d=25 | answer=A | explanation=The common difference is 2. Therefore the next term is $22 + 2 = 24$.

id=67034 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=37 | option_b=40 | option_c=32 | option_d=36 | answer=D | explanation=The common difference is 4. Therefore the next term is $32 + 4 = 36$.

id=67035 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:11 and the first is 154, what is the second? | option_a=143 | option_b=165 | option_c=308 | option_d=154 | answer=D | explanation=Scale factor = $154/11 = 14$. Therefore second quantity = $11 \times 14 = 154$.

id=67036 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=240 | option_d=125 | answer=A | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{360}{3} = 120$ km/h.

id=67037 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20795 at 4% per annum for 3 years. | option_a=23290 | option_b=2495 | option_c=2595 | option_d=2395 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{20795 \times 4 \times 3}{100} = \text{■}2495$.

id=67038 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 35, 45, 58? | option_a=25 | option_b=58 | option_c=35 | option_d=45 | answer=B | explanation=The first three numbers increase by 10, so the next should be 55. Therefore 58 is the odd one out.

id=67039 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:15 and the first is 30, what is the second? | option_a=210 | option_b=225 | option_c=227 | option_d=255 | answer=B | explanation=Scale factor = $30/2 = 15$. Therefore second quantity = $15 \times 15 = 225$.

id=67040 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 10. | option_a=140 | option_b=84 | option_c=60 | option_d=70 | answer=D | explanation= $\text{LCM} \times \text{HCF} = 14 \times 10$; $\text{HCF}(14, 10) = 2$, so $\text{LCM} = 70$.

id=67041 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=Z | option_b=N | option_c=V | option_d=R | answer=C | explanation=Move 4 positions forward from R; the resulting letter is V.

id=67042 | topic=Percentages | difficulty=Easy | question=What is 40% of 1861? | option_a=744 | option_b=754 | option_c=724 | option_d=1488 | answer=A | explanation= $40\% \text{ of } 1861 = \frac{40}{100} \times 1861 = 744$.

id=67043 | topic=Percentages | difficulty=Easy | question=What is 10% of 1419? | option_a=141 | option_b=131 | option_c=146 | option_d=282 | answer=A | explanation= $10\% \text{ of } 1419 = \frac{10}{100} \times 1419 = 141$.

id=67044 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=5 | option_d=20 | answer=C | explanation= $\text{Combined rate} = \frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.

id=67045 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=24 | option_d=7 | answer=A | explanation= $\text{Combined rate} = \frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=67046 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1632. If it is sold at a profit of 10%, what is its selling price? | option_a=1642 | option_b=1632 | option_c=1795 | option_d=1958 | answer=C | explanation= $\text{Selling price} = CP \times \frac{(100 + \text{profit}\%)}{100} = 1632 \times \frac{110}{100} = \text{■}1795$.

id=67047 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:15 and the first is 208, what is the second? | option_a=403 | option_b=211 | option_c=195 | option_d=180 | answer=C | explanation=Scale factor = $208/16 = 13$. Therefore second quantity = $15 \times 13 = 195$.

id=67048 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=41 | option_b=40 | option_c=35 | option_d=45 | answer=B | explanation=The common difference is 5. Therefore the next term is $35 + 5 = 40$.

id=67049 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=T | option_b=Q | option_c=S | option_d=R | answer=C | explanation=Move 1 positions forward from R; the resulting letter is S.

id=67050 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=22 | option_b=34 | option_c=29 | option_d=28 | answer=D | explanation=The common difference is 6. Therefore the next term is $22 + 6 = 28$.

Aptitude Questions — Records 67,051-67,080 of 100,000

id=67051 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2168. If it is sold at a profit of 40%, what is its selling price? | option_a=3251 | option_b=3035 | option_c=2208 | option_d=2819 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2168 × 140/100 = ■3035.

id=67052 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=Q | option_b=S | option_c=R | option_d=T | answer=B | explanation=Move 1 positions forward from R; the resulting letter is S.

id=67053 | topic=Averages | difficulty=Easy | question=Find the average of 32, 98, 54, 48, 84, 53, 48, 58, 53, 62. | option_a=59 | option_b=61 | option_c=60 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 590 ÷ 10 = 59.

id=67054 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:7 and the first is 36, what is the second? | option_a=63 | option_b=67 | option_c=56 | option_d=99 | answer=A | explanation=Scale factor = 36/4 = 9. Therefore second quantity = 7×9 = 63.

id=67055 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1001. If it is sold at a profit of 30%, what is its selling price? | option_a=1401 | option_b=1031 | option_c=1201 | option_d=1301 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1001 × 130/100 = ■1301.

id=67056 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=E | option_b=Y | option_c=H | option_d=B | answer=A | explanation=Move 3 positions forward from B; the resulting letter is E.

id=67057 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 29? | option_a=23 | option_b=19 | option_c=15 | option_d=29 | answer=D | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 29 is the odd one out.

id=67058 | topic=Averages | difficulty=Easy | question=Find the average of 73, 56, 38, 90, 63, 46, 75, 83, 74, 52. | option_a=65 | option_b=67 | option_c=64 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 650 ÷ 10 = 65.

id=67059 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 46? | option_a=23 | option_b=37 | option_c=46 | option_d=30 | answer=C | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 46 is the odd one out.

id=67060 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=21 | option_b=28 | option_c=33 | option_d=27 | answer=D | explanation=The common difference is 6. Therefore the next term is 21 + 6 = 27.

id=67061 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:3 and the first is 19, what is the second? | option_a=76 | option_b=58 | option_c=57 | option_d=54 | answer=C | explanation=Scale factor = 19/1 = 19. Therefore second quantity = 3×19 = 57.

id=67062 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=67063 | topic=Percentages | difficulty=Easy | question=What is 50% of 1130? | option_a=565 | option_b=575 | option_c=1130 | option_d=560 | answer=A | explanation=50% of 1130 = (50/100) × 1130 = 565.

id=67064 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=5 | option_c=20 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=67065 | topic=Averages | difficulty=Easy | question=Find the average of 36, 32, 20, 95, 52, 34, 10, 55, 40, 76. | option_a=45 | option_b=47 | option_c=46 | option_d=44 | answer=A | explanation=Average = sum of values ÷ number of values = 450 ÷ 10 = 45.

id=67066 | topic=Averages | difficulty=Easy | question=Find the average of 73, 46, 78, 83. | option_a=70 | option_b=71 | option_c=69 | option_d=72 | answer=A | explanation=Average = sum of values ÷ number of values = 280 ÷ 4 = 70.

id=67067 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=31 | option_b=38 | option_c=24 | option_d=32 | answer=A | explanation=The common difference is 7. Therefore the next term is 24 + 7 = 31.

id=67068 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=67069 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■495. If it is sold at a profit of 20%, what is its selling price? | option_a=594 | option_b=515 | option_c=545 | option_d=643 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 495 × 120/100 = ■594.

id=67070 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=80 | option_c=35 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=67071 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■32273 at 12% per annum for 4 years. | option_a=15491 | option_b=15591 | option_c=47764 | option_d=15391 | answer=A | explanation=SI = PRT/100 = 32273×12×4/100 = ■15491.

id=67072 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=16 | option_b=14 | option_c=15 | option_d=12 | answer=B | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=67073 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=67074 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■20911 at 12% per annum for 1 years. | option_a=2409 | option_b=2509 | option_c=23420 | option_d=2609 | answer=B | explanation=SI = PRT/100 = 20911×12×1/100 = ■2509.

id=67075 | topic=Percentages | difficulty=Easy | question=What is 25% of 1201? | option_a=600 | option_b=300 | option_c=305 | option_d=295 | answer=B | explanation=25% of 1201 = (25/100) × 1201 = 300.

id=67076 | topic=Averages | difficulty=Easy | question=Find the average of 44, 60, 91, 91, 87, 47, 76, 22, 67. | option_a=65 | option_b=67 | option_c=64 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 585 ÷ 9 = 65.

id=67077 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■148. If it is sold at a profit of 20%, what is its selling price? | option_a=163 | option_b=177 | option_c=168 | option_d=191 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 148 × 120/100 = ■177.

id=67078 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=67079 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 10? | option_a=10 | option_b=4 | option_c=6 | option_d=2 | answer=A | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 10 is the odd one out.

id=67080 | topic=Averages | difficulty=Easy | question=Find the average of 34, 18, 66, 23, 73, 62. | option_a=48 | option_b=46 | option_c=45 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 276 ÷ 6 = 46.

Aptitude Questions — Records 67,081-67,110 of 100,000

id=67081 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:4 and the first is 252, what is the second? | option_a=52 | option_b=308 | option_c=56 | option_d=74 | answer=C | explanation=Scale factor = 252/18 = 14. Therefore second quantity = 4×14 = 56.

id=67082 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=45 | option_b=40 | option_c=35 | option_d=41 | answer=B | explanation=The common difference is 5. Therefore the next term is 35 + 5 = 40.

id=67083 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:18 and the first is 56, what is the second? | option_a=134 | option_b=126 | option_c=182 | option_d=108 | answer=B | explanation=Scale factor = 56/8 = 7. Therefore second quantity = 18×7 = 126.

id=67084 | topic=Percentages | difficulty=Easy | question=What is 30% of 1940? | option_a=582 | option_b=577 | option_c=1164 | option_d=592 | answer=A | explanation=30% of 1940 = (30/100) × 1940 = 582.

id=67085 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 15. | option_a=40 | option_b=15 | option_c=150 | option_d=30 | answer=D | explanation=LCM × HCF = 10×15; HCF(10,15) = 5, so LCM = 30.

id=67086 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=180 | option_c=185 | option_d=360 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=67087 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■48800 at 6% per annum for 2 years. | option_a=54656 | option_b=5856 | option_c=5756 | option_d=5956 | answer=B | explanation=SI = PRT/100 = 48800×6×2/100 = ■5856.

id=67088 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=41 | option_b=40 | option_c=48 | option_d=32 | answer=B | explanation=The common difference is 8. Therefore the next term is 32 + 8 = 40.

id=67089 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a= | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=67090 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 41? | option_a=41 | option_b=11 | option_c=20 | option_d=29 | answer=A | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 41 is the odd one out.

id=67091 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=67092 | topic=Percentages | difficulty=Easy | question=What is 20% of 1696? | option_a=334 | option_b=349 | option_c=339 | option_d=678 | answer=C | explanation=20% of 1696 = (20/100) × 1696 = 339.

id=67093 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 9? | option_a=4 | option_b=6 | option_c=2 | option_d=9 | answer=D | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 9 is the odd one out.

id=67094 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=360 | option_b=175 | option_c=185 | option_d=180 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=67095 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=55 | option_b=56 | option_c=44 | option_d=66 | answer=A | explanation=The common difference is 11. Therefore the next term is 44 + 11 = 55.

id=67096 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■15735 at 5% per annum for 3 years. | option_a=2360 | option_b=2260 | option_c=2460 | option_d=18095 | answer=A | explanation=SI = PRT/100 = 15735×5×3/100 = ■2360.

id=67097 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:8 and the first is 272, what is the second? | option_a=128 | option_b=145 | option_c=400 | option_d=120 | answer=A | explanation=Scale factor = 272/17 = 16. Therefore second quantity = 8×16 = 128.

id=67098 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=29 | option_c=19 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=67099 | topic=Averages | difficulty=Easy | question=Find the average of 16, 89, 41, 86. | option_a=58 | option_b=57 | option_c=60 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 232 ÷ 4 = 58.

id=67100 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=14 | option_b=10 | option_c=12 | option_d=13 | answer=C | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.

id=67101 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■33097 at 5% per annum for 2 years. | option_a=3309 | option_b=36406 | option_c=3209 | option_d=3409 | answer=A | explanation=SI = PRT/100 = 33097×5×2/100 = ■3309.

id=67102 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=J | option_c=R | option_d=F | answer=A | explanation=Move 4 positions forward from J; the resulting letter is N.

id=67103 | topic=Averages | difficulty=Easy | question=Find the average of 98, 65, 100, 55, 102. | option_a=86 | option_b=84 | option_c=83 | option_d=85 | answer=B | explanation=Average = sum of values ÷ number of values = 420 ÷ 5 = 84.

id=67104 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=34 | option_b=52 | option_c=43 | option_d=44 | answer=C | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

id=67105 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=59 | option_b=50 | option_c=39 | option_d=49 | answer=D | explanation=The common difference is 10. Therefore the next term is 39 + 10 = 49.

id=67106 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 22. | option_a=264 | option_b=286 | option_c=312 | option_d=572 | answer=B | explanation=LCM × HCF = 26×22; HCF(26,22) = 2, so LCM = 286.

id=67107 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14257 at 4% per annum for 3 years. | option_a=1810 | option_b=15967 | option_c=1710 | option_d=1610 | answer=C | explanation=SI = PRT/100 = 14257×4×3/100 = ■1710.

id=67108 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=B | option_b=H | option_c=K | option_d=E | answer=B | explanation=Move 3 positions forward from E; the resulting letter is H.

id=67109 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 28, 38, 48, ? | option_a=48 | option_b=68 | option_c=59 | option_d=58 | answer=D | explanation=The common difference is 10. Therefore the next term is 48 + 10 = 58.

id=67110 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 34, 44, 55? | option_a=55 | option_b=34 | option_c=24 | option_d=44 | answer=A | explanation=The first three numbers increase by 10, so the next should be 54. Therefore 55 is the odd one out.

Aptitude Questions — Records 67,111-67,140 of 100,000

id=67111 | topic=Averages | difficulty=Easy | question=Find the average of 43, 67, 79, 65, 65, 101. | option_a=70 | option_b=71 | option_c=72 | option_d=69 | answer=A | explanation=Average = sum of values ÷ number of values = 420 ÷ 6 = 70.

id=67112 | topic=Averages | difficulty=Easy | question=Find the average of 37, 94, 63, 20, 57, 16, 84, 36, 43. | option_a=49 | option_b=51 | option_c=52 | option_d=50 | answer=D | explanation=Average = sum of values + number of values = 450 ÷ 9 = 50.

id=67113 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=36 | option_b=41 | option_c=31 | option_d=72 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=67114 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=35 | option_b=31 | option_c=25 | option_d=30 | answer=D | explanation=The common difference is 5. Therefore the next term is 25 + 5 = 30.

id=67115 | topic=Percentages | difficulty=Easy | question=What is 30% of 563? | option_a=336 | option_b=178 | option_c=158 | option_d=168 | answer=D | explanation=30% of 563 = (30/100) × 563 = 168.

id=67116 | topic=Averages | difficulty=Easy | question=Find the average of 22, 38, 59, 76, 65. | option_a=53 | option_b=51 | option_c=54 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 260 ÷ 5 = 52.

id=67117 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=M | option_b=U | option_c=Q | option_d=Y | answer=B | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=67118 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**24405 at 4% per annum for 2 years. | option_a=1852 | option_b=26357 | option_c=2052 | option_d=1952 | answer=D | explanation=SI = PRT/100 = 24405×4×2/100 = **₹**1952.

id=67119 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 26, 28, 33? | option_a=28 | option_b=24 | option_c=26 | option_d=33 | answer=D | explanation=The first three numbers increase by 2, so the next should be 30. Therefore 33 is the odd one out.

id=67120 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=19 | option_b=20 | option_c=18 | option_d=16 | answer=C | explanation=The common difference is 2. Therefore the next term is 16 + 2 = 18.

id=67121 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=H | option_b=Q | option_c=N | option_d=K | answer=C | explanation=Move 3 positions forward from K; the resulting letter is N.

id=67122 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=67123 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=67124 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**10406 at 5% per annum for 2 years. | option_a=11446 | option_b=1140 | option_c=1040 | option_d=940 | answer=C | explanation=SI = PRT/100 = 10406×5×2/100 = **₹**1040.

id=67125 | topic=Averages | difficulty=Easy | question=Find the average of 10, 64, 16. | option_a=31 | option_b=29 | option_c=32 | option_d=30 | answer=D | explanation=Average = sum of values ÷ number of values = 90 ÷ 3 = 30.

id=67126 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:10 and the first is 15, what is the second? | option_a=140 | option_b=151 | option_c=150 | option_d=165 | answer=C | explanation=Scale factor = 15/1 = 15. Therefore second quantity = 10×15 = 150.

id=67127 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 24. | option_a=120 | option_b=135 | option_c=96 | option_d=360 | answer=A | explanation=LCM × HCF = 15×24; HCF(15,24) = 3, so LCM = 120.

id=67128 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=67129 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 33? | option_a=33 | option_b=20 | option_c=15 | option_d=25 | answer=A | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 33 is the odd one out.

id=67130 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**36575 at 6% per annum for 3 years. | option_a=6483 | option_b=6583 | option_c=43158 | option_d=6683 | answer=B | explanation=SI = PRT/100 = 36575×6×3/100 = **₹**6583.

id=67131 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=L | option_b=Q | option_c=G | option_d=B | answer=A | explanation=Move 5 positions forward from G; the resulting letter is L.

id=67132 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:5 and the first is 108, what is the second? | option_a=57 | option_b=45 | option_c=153 | option_d=40 | answer=B | explanation=Scale factor = 108/12 = 9. Therefore second quantity = 5×9 = 45.

id=67133 | topic=Percentages | difficulty=Easy | question=What is 20% of 1153? | option_a=240 | option_b=230 | option_c=225 | option_d=460 | answer=B | explanation=20% of 1153 = (20/100) × 1153 = 230.

id=67134 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:4 and the first is 24, what is the second? | option_a=35 | option_b=56 | option_c=32 | option_d=28 | answer=C | explanation=Scale factor = 24/3 = 8. Therefore second quantity = 4×8 = 32.

id=67135 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=46 | option_b=45 | option_c=52 | option_d=38 | answer=B | explanation=The common difference is 7. Therefore the next term is 38 + 7 = 45.

id=67136 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=67137 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=38 | option_b=39 | option_c=31 | option_d=45 | answer=A | explanation=The common difference is 7. Therefore the next term is 31 + 7 = 38.

id=67138 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 44? | option_a=44 | option_b=26 | option_c=18 | option_d=34 | answer=A | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 44 is the odd one out.

id=67139 | topic=Percentages | difficulty=Easy | question=What is 50% of 886? | option_a=438 | option_b=886 | option_c=448 | option_d=443 | answer=D | explanation=50% of 886 = (50/100) × 886 = 443.

id=67140 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

Aptitude Questions — Records 67,141-67,170 of 100,000

id=67141 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=67142 | topic=Percentages | difficulty=Easy | question=What is 30% of 695? | option_a=416 | option_b=198 | option_c=208 | option_d=213 | answer=C | explanation=30% of 695 = (30/100) × 695 = 208.

id=67143 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2881. If it is sold at a profit of 30%, what is its selling price? | option_a=2911 | option_b=4033 | option_c=3457 | option_d=3745 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2881 × 130/100 = █3745.

id=67144 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=L | option_c=Z | option_d=H | answer=D | explanation=Move 4 positions forward from D; the resulting letter is H.

id=67145 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 13, 19, 28? | option_a=28 | option_b=19 | option_c=7 | option_d=13 | answer=A | explanation=The first three numbers increase by 6, so the next should be 25. Therefore 28 is the odd one out.

id=67146 | topic=Percentages | difficulty=Easy | question=What is 25% of 872? | option_a=218 | option_b=238 | option_c=208 | option_d=436 | answer=A | explanation=25% of 872 = (25/100) × 872 = 218.

id=67147 | topic=Percentages | difficulty=Easy | question=What is 20% of 751? | option_a=140 | option_b=150 | option_c=155 | option_d=300 | answer=B | explanation=20% of 751 = (20/100) × 751 = 150.

id=67148 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=67149 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=T | option_b=L | option_c=P | option_d=H | answer=C | explanation=Move 4 positions forward from L; the resulting letter is P.

id=67150 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:15 and the first is 380, what is the second? | option_a=319 | option_b=285 | option_c=680 | option_d=300 | answer=D | explanation=Scale factor = 380/19 = 20. Therefore second quantity = 15×20 = 300.

id=67151 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4258. If it is sold at a profit of 5%, what is its selling price? | option_a=4895 | option_b=4470 | option_c=4263 | option_d=4045 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4258 × 105/100 = █4470.

id=67152 | topic=Profit & Loss | difficulty=Easy | question=An article costs █822. If it is sold at a profit of 50%, what is its selling price? | option_a=1233 | option_b=1315 | option_c=872 | option_d=1151 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 822 × 150/100 = █1233.

id=67153 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=I | option_b=M | option_c=K | option_d=O | answer=B | explanation=Move 2 positions forward from K; the resulting letter is M.

id=67154 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=67155 | topic=Averages | difficulty=Easy | question=Find the average of 16, 21, 35. | option_a=23 | option_b=24 | option_c=26 | option_d=25 | answer=B | explanation=Average = sum of values ÷ number of values = 72 ÷ 3 = 24.

id=67156 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 18. | option_a=54 | option_b=36 | option_c=486 | option_d=81 | answer=A | explanation=LCM × HCF = 27×18; HCF(27,18) = 9, so LCM = 54.

id=67157 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7336 at 6% per annum for 5 years. | option_a=9536 | option_b=2200 | option_c=2100 | option_d=2300 | answer=B | explanation=SI = PRT/100 = 7336×6×5/100 = █2200.

id=67158 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 34, 39, 47? | option_a=34 | option_b=29 | option_c=47 | option_d=39 | answer=C | explanation=The first three numbers increase by 5, so the next should be 44. Therefore 47 is the odd one out.

id=67159 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2552. If it is sold at a profit of 50%, what is its selling price? | option_a=2602 | option_b=4083 | option_c=3573 | option_d=3828 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2552 × 150/100 = █3828.

id=67160 | topic=Percentages | difficulty=Easy | question=What is 40% of 1833? | option_a=723 | option_b=738 | option_c=1466 | option_d=733 | answer=D | explanation=40% of 1833 = (40/100) × 1833 = 733.

id=67161 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 27? | option_a=16 | option_b=19 | option_c=22 | option_d=27 | answer=D | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 27 is the odd one out.

id=67162 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=67163 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:20 and the first is 100, what is the second? | option_a=400 | option_b=500 | option_c=380 | option_d=405 | answer=A | explanation=Scale factor = 100/5 = 20. Therefore second quantity = 20×20 = 400.

id=67164 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:20 and the first is 45, what is the second? | option_a=105 | option_b=40 | option_c=60 | option_d=75 | answer=C | explanation=Scale factor = 45/15 = 3. Therefore second quantity = 20×3 = 60.

id=67165 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=67166 | topic=Percentages | difficulty=Easy | question=What is 50% of 1954? | option_a=977 | option_b=982 | option_c=1954 | option_d=957 | answer=A | explanation=50% of 1954 = (50/100) × 1954 = 977.

id=67167 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 8, 10, 13? | option_a=8 | option_b=10 | option_c=6 | option_d=13 | answer=D | explanation=The first three numbers increase by 2, so the next should be 12. Therefore 13 is the odd one out.

id=67168 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2473. If it is sold at a profit of 15%, what is its selling price? | option_a=2843 | option_b=2488 | option_c=3090 | option_d=2596 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2473 × 115/100 = █2843.

id=67169 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:19 and the first is 10, what is the second? | option_a=48 | option_b=38 | option_c=19 | option_d=43 | answer=B | explanation=Scale factor = 10/5 = 2. Therefore second quantity = 19×2 = 38.

id=67170 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

Aptitude Questions — Records 67,171-67,200 of 100,000

id=67171 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 20, 23, 28? | option_a=28 | option_b=23 | option_c=17 | option_d=20 | answer=A | explanation=The first three numbers increase by 3, so the next should be 26. Therefore 28 is the odd one out.

id=67172 | topic=Percentages | difficulty=Easy | question=What is 5% of 505? | option_a=15 | option_b=25 | option_c=50 | option_d=45 | answer=B | explanation=5% of 505 = (5/100) × 505 = 25.

id=67173 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6018 at 12% per annum for 3 years. | option_a=2066 | option_b=2266 | option_c=2166 | option_d=8184 | answer=C | explanation=SI = PRT/100 = 6018×12×3/100 = **■**2166.

id=67174 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 21, 25, 30? | option_a=25 | option_b=21 | option_c=30 | option_d=17 | answer=C | explanation=The first three numbers increase by 4, so the next should be 29. Therefore 30 is the odd one out.

id=67175 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=67176 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=6 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=67177 | topic=Averages | difficulty=Easy | question=Find the average of 50, 20, 65. | option_a=46 | option_b=45 | option_c=44 | option_d=47 | answer=B | explanation=Average = sum of values + number of values = 135 ÷ 3 = 45.

id=67178 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=S | option_c=Q | option_d=O | answer=B | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=67179 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7684 at 5% per annum for 2 years. | option_a=668 | option_b=8452 | option_c=768 | option_d=868 | answer=C | explanation=SI = PRT/100 = 7684×5×2/100 = **■**768.

id=67180 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=9 | option_b=4 | option_c=18 | option_d=14 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=67181 | topic=Averages | difficulty=Easy | question=Find the average of 89, 19, 78. | option_a=63 | option_b=62 | option_c=61 | option_d=64 | answer=B | explanation=Average = sum of values + number of values = 186 ÷ 3 = 62.

id=67182 | topic=Averages | difficulty=Easy | question=Find the average of 76, 25, 56, 66, 27, 23, 14. | option_a=42 | option_b=40 | option_c=41 | option_d=43 | answer=C | explanation=Average = sum of values ÷ number of values = 287 ÷ 7 = 41.

id=67183 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1885. If it is sold at a profit of 30%, what is its selling price? | option_a=1915 | option_b=2450 | option_c=2262 | option_d=2638 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1885 × 130/100 = **■**2450.

id=67184 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18480 at 8% per annum for 5 years. | option_a=7292 | option_b=25872 | option_c=7392 | option_d=7492 | answer=C | explanation=SI = PRT/100 = 18480×8×5/100 = **■**7392.

id=67185 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=32 | option_b=26 | option_c=30 | option_d=29 | answer=D | explanation=The common difference is 3. Therefore the next term is 26 + 3 = 29.

id=67186 | topic=Percentages | difficulty=Easy | question=What is 50% of 1478? | option_a=729 | option_b=1478 | option_c=739 | option_d=744 | answer=C | explanation=50% of 1478 = (50/100) × 1478 = 739.

id=67187 | topic=Percentages | difficulty=Easy | question=What is 12% of 1454? | option_a=194 | option_b=174 | option_c=154 | option_d=348 | answer=B | explanation=12% of 1454 = (12/100) × 1454 = 174.

id=67188 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44433 at 12% per annum for 1 years. | option_a=5431 | option_b=49764 | option_c=5331 | option_d=5231 | answer=C | explanation=SI = PRT/100 = 44433×12×1/100 = **■**5331.

id=67189 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:9 and the first is 144, what is the second? | option_a=97 | option_b=81 | option_c=225 | option_d=72 | answer=B | explanation=Scale factor = 144/16 = 9. Therefore second quantity = 9×9 = 81.

id=67190 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 43? | option_a=30 | option_b=38 | option_c=34 | option_d=43 | answer=D | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 43 is the odd one out.

id=67191 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4756. If it is sold at a profit of 5%, what is its selling price? | option_a=4761 | option_b=4518 | option_c=5468 | option_d=4993 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4756 × 105/100 = **■**4993.

id=67192 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40606 at 8% per annum for 1 years. | option_a=3248 | option_b=3348 | option_c=43854 | option_d=3148 | answer=A | explanation=SI = PRT/100 = 40606×8×1/100 = **■**3248.

id=67193 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40452 at 8% per annum for 5 years. | option_a=16280 | option_b=56632 | option_c=16080 | option_d=16180 | answer=D | explanation=SI = PRT/100 = 40452×8×5/100 = **■**16180.

id=67194 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**479. If it is sold at a profit of 40%, what is its selling price? | option_a=670 | option_b=519 | option_c=623 | option_d=717 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 479 × 140/100 = **■**670.

id=67195 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3871. If it is sold at a profit of 40%, what is its selling price? | option_a=5032 | option_b=5806 | option_c=5419 | option_d=3911 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3871 × 140/100 = **■**5419.

id=67196 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 43? | option_a=30 | option_b=34 | option_c=38 | option_d=43 | answer=D | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 43 is the odd one out.

id=67197 | topic=Averages | difficulty=Easy | question=Find the average of 38, 90, 64, 39, 44, 56, 96, 36, 59. | option_a=59 | option_b=57 | option_c=60 | option_d=58 | answer=D | explanation=Average = sum of values + number of values = 522 ÷ 9 = 58.

id=67198 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:2 and the first is 40, what is the second? | option_a=18 | option_b=48 | option_c=6 | option_d=8 | answer=D | explanation=Scale factor = 40/10 = 4. Therefore second quantity = 2×4 = 8.

id=67199 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:10 and the first is 35, what is the second? | option_a=50 | option_b=85 | option_c=57 | option_d=40 | answer=A | explanation=Scale factor = 35/7 = 5. Therefore second quantity = 10×5 = 50.

id=67200 | topic=Averages | difficulty=Easy | question=Find the average of 82, 76, 43, 24, 48, 10, 86, 29, 61. | option_a=53 | option_b=52 | option_c=51 | option_d=50 | answer=C | explanation=Average = sum of values + number of values = 459 ÷ 9 = 51.

Aptitude Questions — Records 67,201-67,230 of 100,000

id=67201 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:10 and the first is 143, what is the second? | option_a=130 | option_b=273 | option_c=120 | option_d=141 | answer=A | explanation=Scale factor = $143/11 = 13$. Therefore second quantity = $10 \times 13 = 130$.

id=67202 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:10 and the first is 12, what is the second? | option_a=43 | option_b=40 | option_c=30 | option_d=52 | answer=B | explanation=Scale factor = $12/3 = 4$. Therefore second quantity = $10 \times 4 = 40$.

id=67203 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23460 at 8% per annum for 2 years. | option_a=3753 | option_b=3653 | option_c=27213 | option_d=3853 | answer=A | explanation=SI = $PRT/100 = 23460 \times 8 \times 2/100 = \text{■}3753$.

id=67204 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:14 and the first is 224, what is the second? | option_a=196 | option_b=420 | option_c=212 | option_d=182 | answer=A | explanation=Scale factor = $224/16 = 14$. Therefore second quantity = $14 \times 14 = 196$.

id=67205 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=R | option_c=W | option_d=H | answer=B | explanation=Move 5 positions forward from M; the resulting letter is R.

id=67206 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 27. | option_a=27 | option_b=1 | option_c=54 | option_d=729 | answer=A | explanation= $LCM \times HCF = 27 \times 27$; $HCF(27,27) = 27$, so $LCM = 27$.

id=67207 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $120 \div 2 = 60$ km/h.

id=67208 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=30 | option_c=25 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = $150 \div 6 = 25$ km/h.

id=67209 | topic=Averages | difficulty=Easy | question=Find the average of 27, 97, 88, 97, 100, 72, 72, 95. | option_a=79 | option_b=81 | option_c=82 | option_d=80 | answer=D | explanation=Average = sum of values ÷ number of values = $720 \div 9 = 80$.

id=67210 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=180 | option_c=95 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = $180 \div 2 = 90$ km/h.

id=67211 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=67212 | topic=Percentages | difficulty=Easy | question=What is 50% of 1478? | option_a=1478 | option_b=739 | option_c=749 | option_d=729 | answer=B | explanation=50% of 1478 = $(50/100) \times 1478 = 739$.

id=67213 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4950. If it is sold at a profit of 40%, what is its selling price? | option_a=6930 | option_b=4990 | option_c=7425 | option_d=6435 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4950 \times 140/100 = \text{■}6930$.

id=67214 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=34 | option_b=40 | option_c=28 | option_d=35 | answer=A | explanation=The common difference is 6. Therefore the next term is $28 + 6 = 34$.

id=67215 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=67216 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**874. If it is sold at a profit of 20%, what is its selling price? | option_a=1135 | option_b=961 | option_c=894 | option_d=1048 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 874 \times 120/100 = \text{■}1048$.

id=67217 | topic=Averages | difficulty=Easy | question=Find the average of 65, 38, 56, 63, 45, 14, 52, 51. | option_a=49 | option_b=48 | option_c=47 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = $384 \div 8 = 48$.

id=67218 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 20. | option_a=40 | option_b=300 | option_c=60 | option_d=75 | answer=C | explanation= $LCM \times HCF = 15 \times 20$; $HCF(15,20) = 5$, so $LCM = 60$.

id=67219 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=O | option_c=C | option_d=K | answer=D | explanation=Move 4 positions forward from G; the resulting letter is K.

id=67220 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=67221 | topic=Percentages | difficulty=Easy | question=What is 20% of 578? | option_a=95 | option_b=230 | option_c=115 | option_d=135 | answer=C | explanation=20% of 578 = $(20/100) \times 578 = 115$.

id=67222 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27410 at 8% per annum for 3 years. | option_a=33988 | option_b=6578 | option_c=6478 | option_d=6678 | answer=B | explanation=SI = $PRT/100 = 27410 \times 8 \times 3/100 = \text{■}6578$.

id=67223 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2450 at 15% per annum for 3 years. | option_a=3552 | option_b=1102 | option_c=1202 | option_d=1002 | answer=B | explanation=SI = $PRT/100 = 2450 \times 15 \times 3/100 = \text{■}1102$.

id=67224 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=Y | option_b=N | option_c=D | option_d=I | answer=D | explanation=Move 5 positions forward from D; the resulting letter is I.

id=67225 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**764. If it is sold at a profit of 30%, what is its selling price? | option_a=1069 | option_b=794 | option_c=993 | option_d=917 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 764 \times 130/100 = \text{■}993$.

id=67226 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=30 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = $60 \div 4 = 15$ km/h.

id=67227 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=35 | option_b=40 | option_c=41 | option_d=45 | answer=B | explanation=The common difference is 5. Therefore the next term is $35 + 5 = 40$.

id=67228 | topic=Averages | difficulty=Easy | question=Find the average of 100, 78, 21, 10, 77, 58, 90. | option_a=64 | option_b=61 | option_c=63 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = $434 \div 7 = 62$.

id=67229 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:1 and the first is 48, what is the second? | option_a=16 | option_b=12 | option_c=60 | option_d=11 | answer=B | explanation=Scale factor = $48/4 = 12$. Therefore second quantity = $1 \times 12 = 12$.

id=67230 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=Y | option_c=D | option_d=O | answer=B | explanation=Move 5 positions forward from T; the resulting letter is Y.

Aptitude Questions — Records 67,231-67,260 of 100,000

id=67231 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2386. If it is sold at a profit of 20%, what is its selling price? | option_a=2863 | option_b=2625 | option_c=3101 | option_d=2406 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2386 \times 120/100 = \blacksquare 2863$.

id=67232 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:10 and the first is 128, what is the second? | option_a=160 | option_b=288 | option_c=150 | option_d=168 | answer=A | explanation=Scale factor = $128/8 = 16$. Therefore second quantity = $10 \times 16 = 160$.

id=67233 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■610. If it is sold at a profit of 50%, what is its selling price? | option_a=976 | option_b=915 | option_c=854 | option_d=660 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 610 \times 150/100 = \blacksquare 915$.

id=67234 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=67235 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 38? | option_a=23 | option_b=17 | option_c=38 | option_d=29 | answer=C | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 38 is the odd one out.

id=67236 | topic=Percentages | difficulty=Easy | question=What is 40% of 125? | option_a=50 | option_b=60 | option_c=30 | option_d=100 | answer=A | explanation=40% of 125 = $(40/100) \times 125 = 50$.

id=67237 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 18, 23, 28, ? | option_a=28 | option_b=38 | option_c=34 | option_d=33 | answer=D | explanation=The common difference is 5. Therefore the next term is $28 + 5 = 33$.

id=67238 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=T | option_b=U | option_c=W | option_d=V | answer=D | explanation=Move 1 positions forward from U; the resulting letter is V.

id=67239 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:13 and the first is 180, what is the second? | option_a=234 | option_b=221 | option_c=414 | option_d=244 | answer=A | explanation=Scale factor = $180/10 = 18$. Therefore second quantity = $13 \times 18 = 234$.

id=67240 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4327. If it is sold at a profit of 30%, what is its selling price? | option_a=4357 | option_b=5625 | option_c=5193 | option_d=6057 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4327 \times 130/100 = \blacksquare 5625$.

id=67241 | topic=Percentages | difficulty=Easy | question=What is 10% of 794? | option_a=79 | option_b=59 | option_c=158 | option_d=84 | answer=A | explanation=10% of 794 = $(10/100) \times 794 = 79$.

id=67242 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2526. If it is sold at a profit of 25%, what is its selling price? | option_a=3409 | option_b=2905 | option_c=2551 | option_d=3157 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2526 \times 125/100 = \blacksquare 3157$.

id=67243 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:10 and the first is 72, what is the second? | option_a=60 | option_b=50 | option_c=72 | option_d=132 | answer=A | explanation=Scale factor = $72/12 = 6$. Therefore second quantity = $10 \times 6 = 60$.

id=67244 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 18, 25, 33? | option_a=25 | option_b=33 | option_c=18 | option_d=11 | answer=B | explanation=The first three numbers increase by 7, so the next should be 32. Therefore 33 is the odd one out.

id=67245 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=37 | option_b=47 | option_c=46 | option_d=55 | answer=C | explanation=The common difference is 9. Therefore the next term is $37 + 9 = 46$.

id=67246 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=30 | option_b=29 | option_c=34 | option_d=24 | answer=B | explanation=The common difference is 5. Therefore the next term is $24 + 5 = 29$.

id=67247 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=59 | option_b=60 | option_c=71 | option_d=47 | answer=A | explanation=The common difference is 12. Therefore the next term is $47 + 12 = 59$.

id=67248 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = $120 \div 4 = 30$ km/h.

id=67249 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=28 | option_b=26 | option_c=24 | option_d=27 | answer=B | explanation=The common difference is 2. Therefore the next term is $24 + 2 = 26$.

id=67250 | topic=Averages | difficulty=Easy | question=Find the average of 95, 43, 74, 100. | option_a=79 | option_b=77 | option_c=78 | option_d=80 | answer=C | explanation=Average = sum of values ÷ number of values = $312 \div 4 = 78$.

id=67251 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 9. | option_a=9 | option_b=18 | option_c=81 | option_d=1 | answer=A | explanation= $LCM \times HCF = 9 \times 9$; $HCF(9, 9) = 9$, so $LCM = 9$.

id=67252 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=R | option_c=W | option_d=H | answer=B | explanation=Move 5 positions forward from M; the resulting letter is R.

id=67253 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=67254 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■157. If it is sold at a profit of 5%, what is its selling price? | option_a=149 | option_b=162 | option_c=164 | option_d=179 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 157 \times 105/100 = \blacksquare 164$.

id=67255 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4136. If it is sold at a profit of 50%, what is its selling price? | option_a=6617 | option_b=4186 | option_c=5791 | option_d=6204 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4136 \times 150/100 = \blacksquare 6204$.

id=67256 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:8 and the first is 24, what is the second? | option_a=32 | option_b=16 | option_c=48 | option_d=24 | answer=D | explanation=Scale factor = $24/8 = 3$. Therefore second quantity = $8 \times 3 = 24$.

id=67257 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=48 | option_b=47 | option_c=56 | option_d=38 | answer=B | explanation=The common difference is 9. Therefore the next term is $38 + 9 = 47$.

id=67258 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 30. | option_a=240 | option_b=810 | option_c=297 | option_d=270 | answer=D | explanation= $LCM \times HCF = 27 \times 30$; $HCF(27, 30) = 3$, so $LCM = 270$.

id=67259 | topic=Percentages | difficulty=Easy | question=What is 20% of 78? | option_a=15 | option_b=30 | option_c=10 | option_d=20 | answer=A | explanation=20% of 78 = $(20/100) \times 78 = 15$.

id=67260 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■2886 at 12% per annum for 5 years. | option_a=1831 | option_b=1631 | option_c=4617 | option_d=1731 | answer=D | explanation= $SI = PRT/100 = 2886 \times 12 \times 5/100 = \blacksquare 1731$.

Aptitude Questions — Records 67,261-67,290 of 100,000

id=67261 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=67262 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=T | option_b=J | option_c=E | option_d=O | answer=D | explanation=Move 5 positions forward from J; the resulting letter is O.

id=67263 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 29, 31, 34? | option_a=31 | option_b=29 | option_c=27 | option_d=34 | answer=D | explanation=The first three numbers increase by 2, so the next should be 33. Therefore 34 is the odd one out.

id=67264 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 18. | option_a=54 | option_b=96 | option_c=72 | option_d=432 | answer=C | explanation=LCM × HCF = 24×18; HCF(24,18) = 6, so LCM = 72.

id=67265 | topic=Averages | difficulty=Easy | question=Find the average of 93, 72, 69, 32, 94, 83, 21, 66, 63, 37. | option_a=62 | option_b=65 | option_c=64 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 630 ÷ 10 = 63.

id=67266 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3938. If it is sold at a profit of 10%, what is its selling price? | option_a=4724 | option_b=3938 | option_c=3948 | option_d=4331 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3938 × 110/100 = █4331.

id=67267 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4090. If it is sold at a profit of 20%, what is its selling price? | option_a=5317 | option_b=4110 | option_c=4499 | option_d=4908 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4090 × 120/100 = █4908.

id=67268 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=67269 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 9, 14, 21? | option_a=4 | option_b=21 | option_c=9 | option_d=14 | answer=B | explanation=The first three numbers increase by 5, so the next should be 19. Therefore 21 is the odd one out.

id=67270 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:11 and the first is 60, what is the second? | option_a=209 | option_b=280 | option_c=223 | option_d=220 | answer=D | explanation=Scale factor = 60/3 = 20. Therefore second quantity = 11×20 = 220.

id=67271 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39429 at 15% per annum for 4 years. | option_a=23657 | option_b=63086 | option_c=23757 | option_d=23557 | answer=A | explanation=SI = PRT/100 = 39429×15×4/100 = █23657.

id=67272 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:15 and the first is 45, what is the second? | option_a=270 | option_b=225 | option_c=210 | option_d=228 | answer=B | explanation=Scale factor = 45/3 = 15. Therefore second quantity = 15×15 = 225.

id=67273 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 29, 36, 45? | option_a=22 | option_b=36 | option_c=29 | option_d=45 | answer=D | explanation=The first three numbers increase by 7, so the next should be 43. Therefore 45 is the odd one out.

id=67274 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=X | option_b=O | option_c=U | option_d=R | answer=C | explanation=Move 3 positions forward from R; the resulting letter is U.

id=67275 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=Z | option_b=C | option_c=A | option_d=B | answer=D | explanation=Move 1 positions forward from A; the resulting letter is B.

id=67276 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=67277 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 30. | option_a=630 | option_b=180 | option_c=210 | option_d=231 | answer=C | explanation=LCM × HCF = 21×30; HCF(21,30) = 3, so LCM = 210.

id=67278 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=Z | option_b=E | option_c=J | option_d=O | answer=C | explanation=Move 5 positions forward from E; the resulting letter is J.

id=67279 | topic=Averages | difficulty=Easy | question=Find the average of 38, 80, 14, 24, 63, 62, 74, 73, 40. | option_a=51 | option_b=52 | option_c=53 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 468 ÷ 9 = 52.

id=67280 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 25, 35, 46? | option_a=15 | option_b=25 | option_c=46 | option_d=35 | answer=C | explanation=The first three numbers increase by 10, so the next should be 45. Therefore 46 is the odd one out.

id=67281 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=300 | option_c=145 | option_d=155 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=67282 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=67283 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11669 at 10% per annum for 4 years. | option_a=4667 | option_b=16336 | option_c=4767 | option_d=4567 | answer=A | explanation=SI = PRT/100 = 11669×10×4/100 = █4667.

id=67284 | topic=Averages | difficulty=Easy | question=Find the average of 66, 38, 76. | option_a=62 | option_b=59 | option_c=60 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 180 ÷ 3 = 60.

id=67285 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=90 | option_c=85 | option_d=180 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=67286 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:6 and the first is 324, what is the second? | option_a=108 | option_b=126 | option_c=432 | option_d=102 | answer=A | explanation=Scale factor = 324/18 = 18. Therefore second quantity = 6×18 = 108.

id=67287 | topic=Percentages | difficulty=Easy | question=What is 30% of 892? | option_a=267 | option_b=534 | option_c=257 | option_d=277 | answer=A | explanation=30% of 892 = (30/100) × 892 = 267.

id=67288 | topic=Averages | difficulty=Easy | question=Find the average of 32, 98, 67, 25, 52, 96, 15. | option_a=55 | option_b=57 | option_c=56 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 385 ÷ 7 = 55.

id=67289 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 30. | option_a=300 | option_b=330 | option_c=660 | option_d=352 | answer=B | explanation=LCM × HCF = 22×30; HCF(22,30) = 2, so LCM = 330.

id=67290 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1342. If it is sold at a profit of 25%, what is its selling price? | option_a=1367 | option_b=1811 | option_c=1543 | option_d=1677 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1342 × 125/100 = █1677.

Aptitude Questions — Records 67,291-67,320 of 100,000

id=67291 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43134 at 5% per annum for 4 years. | option_a=51760 | option_b=8526 | option_c=8726 | option_d=8626 | answer=D | explanation=SI = PRT/100 = 43134×5×4/100 = **■**8626.

id=67292 | topic=Percentages | difficulty=Easy | question=What is 15% of 1267? | option_a=190 | option_b=380 | option_c=210 | option_d=180 | answer=A | explanation=15% of 1267 = (15/100) × 1267 = 190.

id=67293 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=67294 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 8, 10, 15? | option_a=6 | option_b=10 | option_c=8 | option_d=15 | answer=D | explanation=The first three numbers increase by 2, so the next should be 12. Therefore 15 is the odd one out.

id=67295 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 22, 29, 37? | option_a=37 | option_b=15 | option_c=29 | option_d=22 | answer=A | explanation=The first three numbers increase by 7, so the next should be 36. Therefore 37 is the odd one out.

id=67296 | topic=Percentages | difficulty=Easy | question=What is 10% of 1855? | option_a=370 | option_b=175 | option_c=185 | option_d=195 | answer=C | explanation=10% of 1855 = (10/100) × 1855 = 185.

id=67297 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=R | option_b=A | option_c=X | option_d=U | answer=C | explanation=Move 3 positions forward from U; the resulting letter is X.

id=67298 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=67299 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=105 | option_c=100 | option_d=95 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=67300 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=H | option_c=T | option_d=P | answer=D | explanation=Move 4 positions forward from L; the resulting letter is P.

id=67301 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=67302 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 14, 16, 19? | option_a=14 | option_b=16 | option_c=12 | option_d=19 | answer=D | explanation=The first three numbers increase by 2, so the next should be 18. Therefore 19 is the odd one out.

id=67303 | topic=Averages | difficulty=Easy | question=Find the average of 28, 91, 94. | option_a=72 | option_b=73 | option_c=70 | option_d=71 | answer=D | explanation=Average = sum of values ÷ number of values = 213 ÷ 3 = 71.

id=67304 | topic=Averages | difficulty=Easy | question=Find the average of 54, 67, 35, 42, 24, 51, 42. | option_a=47 | option_b=45 | option_c=46 | option_d=44 | answer=B | explanation=Average = sum of values ÷ number of values = 315 ÷ 7 = 45.

id=67305 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=67306 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49434 at 5% per annum for 5 years. | option_a=61792 | option_b=12258 | option_c=12458 | option_d=12358 | answer=D | explanation=SI = PRT/100 = 49434×5×5/100 = **■**12358.

id=67307 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**802. If it is sold at a profit of 20%, what is its selling price? | option_a=1042 | option_b=962 | option_c=882 | option_d=822 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 802 × 120/100 = **■**962.

id=67308 | topic=Averages | difficulty=Easy | question=Find the average of 12, 58, 72, 55, 74, 97, 91, 25, 64, 52. | option_a=61 | option_b=62 | option_c=59 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=67309 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 10. | option_a=10 | option_b=20 | option_c=40 | option_d=24 | answer=B | explanation=LCM × HCF = 4×10; HCF(4,10) = 2, so LCM = 20.

id=67310 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=67311 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13982 at 6% per annum for 5 years. | option_a=4094 | option_b=4194 | option_c=4294 | option_d=18176 | answer=B | explanation=SI = PRT/100 = 13982×6×5/100 = **■**4194.

id=67312 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20656 at 4% per annum for 3 years. | option_a=2578 | option_b=23134 | option_c=2378 | option_d=2478 | answer=D | explanation=SI = PRT/100 = 20656×4×3/100 = **■**2478.

id=67313 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=Q | option_b=E | option_c=M | option_d=I | answer=C | explanation=Move 4 positions forward from I; the resulting letter is M.

id=67314 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2515. If it is sold at a profit of 5%, what is its selling price? | option_a=2640 | option_b=2389 | option_c=2520 | option_d=2891 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2515 × 105/100 = **■**2640.

id=67315 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=40 | option_b=35 | option_c=34 | option_d=28 | answer=C | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.

id=67316 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1235. If it is sold at a profit of 10%, what is its selling price? | option_a=1245 | option_b=1481 | option_c=1235 | option_d=1358 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1235 × 110/100 = **■**1358.

id=67317 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23229 at 15% per annum for 2 years. | option_a=6868 | option_b=6968 | option_c=30197 | option_d=7068 | answer=B | explanation=SI = PRT/100 = 23229×15×2/100 = **■**6968.

id=67318 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=80 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=67319 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38796 at 12% per annum for 5 years. | option_a=23377 | option_b=23177 | option_c=62073 | option_d=23277 | answer=D | explanation=SI = PRT/100 = 38796×12×5/100 = **■**23277.

id=67320 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=J | option_c=L | option_d=H | answer=C | explanation=Move 2 positions forward from J; the resulting letter is L.

Aptitude Questions — Records 67,321-67,350 of 100,000

id=67321 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=L | option_b=W | option_c=G | option_d=B | answer=C | explanation=Move 5 positions forward from B; the resulting letter is G.

id=67322 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=67323 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=120 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = $360 \div 6 = 60$ km/h.

id=67324 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=155 | option_c=145 | option_d=300 | answer=A | explanation=Speed = distance ÷ time = $300 \div 2 = 150$ km/h.

id=67325 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:12 and the first is 48, what is the second? | option_a=144 | option_b=148 | option_c=192 | option_d=132 | answer=A | explanation=Scale factor = $48/4 = 12$. Therefore second quantity = $12 \times 12 = 144$.

id=67326 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=48 | option_b=55 | option_c=47 | option_d=39 | answer=C | explanation=The common difference is 8. Therefore the next term is $39 + 8 = 47$.

id=67327 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 32? | option_a=15 | option_b=25 | option_c=32 | option_d=20 | answer=C | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 32 is the odd one out.

id=67328 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8428 at 6% per annum for 4 years. | option_a=2122 | option_b=2022 | option_c=1922 | option_d=10450 | answer=B | explanation=SI = $PRT/100 = 8428 \times 6 \times 4/100 = \text{■}2022$.

id=67329 | topic=Averages | difficulty=Easy | question=Find the average of 49, 82, 72, 23, 52, 89, 95. | option_a=68 | option_b=66 | option_c=67 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = $462 \div 7 = 66$.

id=67330 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21136 at 15% per annum for 2 years. | option_a=6440 | option_b=6240 | option_c=6340 | option_d=27476 | answer=C | explanation=SI = $PRT/100 = 21136 \times 15 \times 2/100 = \text{■}6340$.

id=67331 | topic=Averages | difficulty=Easy | question=Find the average of 21, 88, 22, 17. | option_a=37 | option_b=38 | option_c=39 | option_d=36 | answer=A | explanation=Average = sum of values ÷ number of values = $148 \div 4 = 37$.

id=67332 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:12 and the first is 190, what is the second? | option_a=310 | option_b=139 | option_c=120 | option_d=108 | answer=C | explanation=Scale factor = $190/19 = 10$. Therefore second quantity = $12 \times 10 = 120$.

id=67333 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41998 at 5% per annum for 5 years. | option_a=10399 | option_b=52497 | option_c=10499 | option_d=10599 | answer=C | explanation=SI = $PRT/100 = 41998 \times 5 \times 5/100 = \text{■}10499$.

id=67334 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 5. | option_a=25 | option_b=150 | option_c=30 | option_d=60 | answer=C | explanation=LCM × HCF = 30×5 ; HCF(30,5) = 5, so LCM = 30.

id=67335 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = $\frac{1}{4} + \frac{1}{4} = \frac{8}{16}$. Time = $\frac{16}{8} = 2$ days.

id=67336 | topic=Averages | difficulty=Easy | question=Find the average of 98, 25, 72. | option_a=66 | option_b=64 | option_c=67 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = $195 \div 3 = 65$.

id=67337 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 49? | option_a=49 | option_b=19 | option_c=37 | option_d=28 | answer=A | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 49 is the odd one out.

id=67338 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:1 and the first is 32, what is the second? | option_a=18 | option_b=2 | option_c=34 | option_d=1 | answer=B | explanation=Scale factor = $32/16 = 2$. Therefore second quantity = $1 \times 2 = 2$.

id=67339 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=62 | option_b=52 | option_c=51 | option_d=40 | answer=C | explanation=The common difference is 11. Therefore the next term is $40 + 11 = 51$.

id=67340 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17916 at 6% per annum for 5 years. | option_a=5274 | option_b=23290 | option_c=5474 | option_d=5374 | answer=D | explanation=SI = $PRT/100 = 17916 \times 6 \times 5/100 = \text{■}5374$.

id=67341 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=24 | option_c=29 | option_d=48 | answer=B | explanation=Speed = distance ÷ time = $240 \div 10 = 24$ km/h.

id=67342 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21701 at 15% per annum for 4 years. | option_a=12920 | option_b=13020 | option_c=34721 | option_d=13120 | answer=B | explanation=SI = $PRT/100 = 21701 \times 15 \times 4/100 = \text{■}13020$.

id=67343 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44911 at 6% per annum for 3 years. | option_a=52994 | option_b=8183 | option_c=7983 | option_d=8083 | answer=D | explanation=SI = $PRT/100 = 44911 \times 6 \times 3/100 = \text{■}8083$.

id=67344 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=46 | option_b=70 | option_c=58 | option_d=59 | answer=C | explanation=The common difference is 12. Therefore the next term is $46 + 12 = 58$.

id=67345 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=100 | option_c=55 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = $300 \div 6 = 50$ km/h.

id=67346 | topic=Averages | difficulty=Easy | question=Find the average of 14, 60, 59, 71. | option_a=53 | option_b=52 | option_c=51 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = $204 \div 4 = 51$.

id=67347 | topic=Averages | difficulty=Easy | question=Find the average of 70, 42, 67, 76, 41, 34. | option_a=56 | option_b=54 | option_c=57 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = $330 \div 6 = 55$.

id=67348 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 27, 33, 41? | option_a=33 | option_b=41 | option_c=21 | option_d=27 | answer=B | explanation=The first three numbers increase by 6, so the next should be 39. Therefore 41 is the odd one out.

id=67349 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23898 at 8% per annum for 4 years. | option_a=7547 | option_b=7747 | option_c=7647 | option_d=31545 | answer=C | explanation=SI = $PRT/100 = 23898 \times 8 \times 4/100 = \text{■}7647$.

id=67350 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 42? | option_a=25 | option_b=35 | option_c=42 | option_d=30 | answer=C | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 42 is the odd one out.

Aptitude Questions — Records 67,351-67,380 of 100,000

id=67351 | topic=Percentages | difficulty=Easy | question=What is 40% of 656? | option_a=272 | option_b=257 | option_c=524 | option_d=262 | answer=D | explanation=40% of 656 = (40/100) × 656 = 262.

id=67352 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:19 and the first is 24, what is the second? | option_a=62 | option_b=50 | option_c=38 | option_d=19 | answer=C | explanation=Scale factor = 24/12 = 2. Therefore second quantity = 19×2 = 38.

id=67353 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 44, what is the second? | option_a=48 | option_b=75 | option_c=108 | option_d=64 | answer=D | explanation=Scale factor = 44/11 = 4. Therefore second quantity = 16×4 = 64.

id=67354 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 22? | option_a=14 | option_b=2 | option_c=22 | option_d=8 | answer=C | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 22 is the odd one out.

id=67355 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=D | option_b=B | option_c=C | option_d=E | answer=A | explanation=Move 1 positions forward from C; the resulting letter is D.

id=67356 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=67357 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 15. | option_a=162 | option_b=120 | option_c=135 | option_d=405 | answer=C | explanation=LCM × HCF = 27×15; HCF(27,15) = 3, so LCM = 135.

id=67358 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1628. If it is sold at a profit of 25%, what is its selling price? | option_a=1653 | option_b=2035 | option_c=1873 | option_d=2197 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1628 × 125/100 = █2035.

id=67359 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=67360 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4331. If it is sold at a profit of 30%, what is its selling price? | option_a=6063 | option_b=5197 | option_c=4361 | option_d=5630 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4331 × 130/100 = █5630.

id=67361 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=67362 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=M | option_c=W | option_d=B | answer=C | explanation=Move 5 positions forward from R; the resulting letter is W.

id=67363 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3594. If it is sold at a profit of 50%, what is its selling price? | option_a=5032 | option_b=3644 | option_c=5391 | option_d=5750 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3594 × 150/100 = █5391.

id=67364 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=W | option_c=K | option_d=S | answer=D | explanation=Move 4 positions forward from O; the resulting letter is S.

id=67365 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=11 | option_b=9 | option_c=13 | option_d=12 | answer=A | explanation=The common difference is 2. Therefore the next term is 9 + 2 = 11.

id=67366 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=150 | option_c=80 | option_d=70 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=67367 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=67368 | topic=Percentages | difficulty=Easy | question=What is 15% of 1282? | option_a=192 | option_b=212 | option_c=172 | option_d=384 | answer=A | explanation=15% of 1282 = (15/100) × 1282 = 192.

id=67369 | topic=Averages | difficulty=Easy | question=Find the average of 76, 80, 88, 84. | option_a=82 | option_b=84 | option_c=83 | option_d=81 | answer=A | explanation=Average = sum of values ÷ number of values = 328 ÷ 4 = 82.

id=67370 | topic=Averages | difficulty=Easy | question=Find the average of 25, 50, 14, 43. | option_a=35 | option_b=34 | option_c=33 | option_d=32 | answer=C | explanation=Average = sum of values ÷ number of values = 132 ÷ 4 = 33.

id=67371 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4000. If it is sold at a profit of 25%, what is its selling price? | option_a=5400 | option_b=4025 | option_c=4600 | option_d=5000 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4000 × 125/100 = █5000.

id=67372 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:13 and the first is 78, what is the second? | option_a=91 | option_b=65 | option_c=78 | option_d=156 | answer=C | explanation=Scale factor = 78/13 = 6. Therefore second quantity = 13×6 = 78.

id=67373 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=67374 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=28 | option_b=42 | option_c=35 | option_d=36 | answer=C | explanation=The common difference is 7. Therefore the next term is 28 + 7 = 35.

id=67375 | topic=Percentages | difficulty=Easy | question=What is 40% of 1768? | option_a=702 | option_b=1414 | option_c=717 | option_d=707 | answer=D | explanation=40% of 1768 = (40/100) × 1768 = 707.

id=67376 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:19 and the first is 224, what is the second? | option_a=285 | option_b=528 | option_c=304 | option_d=318 | answer=C | explanation=Scale factor = 224/14 = 16. Therefore second quantity = 19×16 = 304.

id=67377 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 27, 31, 38? | option_a=27 | option_b=31 | option_c=38 | option_d=23 | answer=C | explanation=The first three numbers increase by 4, so the next should be 35. Therefore 38 is the odd one out.

id=67378 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=67379 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1559. If it is sold at a profit of 20%, what is its selling price? | option_a=1579 | option_b=1715 | option_c=2025 | option_d=1870 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1559 × 120/100 = █1870.

id=67380 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=53 | option_c=96 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

Aptitude Questions — Records 67,381-67,410 of 100,000

id=67381 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43622 at 12% per annum for 1 years. | option_a=5134 | option_b=48856 | option_c=5334 | option_d=5234 | answer=D | explanation=SI = $PRT/100 = 43622 \times 12 \times 1/100 =$ **■**5234.

id=67382 | topic=Averages | difficulty=Easy | question=Find the average of 64, 44, 87, 13. | option_a=53 | option_b=52 | option_c=54 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = $208 \div 4 = 52$.

id=67383 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=R | option_b=U | option_c=O | option_d=L | answer=A | explanation=Move 3 positions forward from O; the resulting letter is R.

id=67384 | topic=Averages | difficulty=Easy | question=Find the average of 48, 57, 15, 41, 17, 42, 15, 92, 30, 73. | option_a=42 | option_b=44 | option_c=45 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = $430 \div 10 = 43$.

id=67385 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 12. | option_a=12 | option_b=48 | option_c=1 | option_d=16 | answer=A | explanation= $LCM \times HCF = 4 \times 12$; $HCF(4,12) = 4$, so $LCM = 12$.

id=67386 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 43? | option_a=27 | option_b=34 | option_c=20 | option_d=43 | answer=D | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 43 is the odd one out.

id=67387 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=67388 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=O | option_c=W | option_d=K | answer=A | explanation=Move 4 positions forward from O; the resulting letter is S.

id=67389 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42084 at 4% per annum for 5 years. | option_a=8516 | option_b=8416 | option_c=8316 | option_d=50500 | answer=B | explanation=SI = $PRT/100 = 42084 \times 4 \times 5/100 =$ **■**8416.

id=67390 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:8 and the first is 280, what is the second? | option_a=152 | option_b=440 | option_c=160 | option_d=174 | answer=C | explanation=Scale factor = $280/14 = 20$. Therefore second quantity = $8 \times 20 = 160$.

id=67391 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1012. If it is sold at a profit of 10%, what is its selling price? | option_a=1022 | option_b=1012 | option_c=1113 | option_d=1214 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1012 \times 110/100 =$ **■**1113.

id=67392 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3914. If it is sold at a profit of 10%, what is its selling price? | option_a=4696 | option_b=3914 | option_c=4305 | option_d=3924 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3914 \times 110/100 =$ **■**4305.

id=67393 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 27, 32, 38? | option_a=32 | option_b=22 | option_c=38 | option_d=27 | answer=C | explanation=The first three numbers increase by 5, so the next should be 37. Therefore 38 is the odd one out.

id=67394 | topic=Averages | difficulty=Easy | question=Find the average of 84, 39, 61, 64. | option_a=64 | option_b=61 | option_c=62 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = $248 \div 4 = 62$.

id=67395 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1918 at 10% per annum for 2 years. | option_a=283 | option_b=383 | option_c=2301 | option_d=483 | answer=B | explanation=SI = $PRT/100 = 1918 \times 10 \times 2/100 =$ **■**383.

id=67396 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=80 | option_c=45 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = $240 \div 6 = 40$ km/h.

id=67397 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 23, 27, 33? | option_a=23 | option_b=33 | option_c=27 | option_d=19 | answer=B | explanation=The first three numbers increase by 4, so the next should be 31. Therefore 33 is the odd one out.

id=67398 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=67399 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=P | option_b=M | option_c=G | option_d=J | answer=B | explanation=Move 3 positions forward from J; the resulting letter is M.

id=67400 | topic=Percentages | difficulty=Easy | question=What is 10% of 836? | option_a=88 | option_b=83 | option_c=166 | option_d=63 | answer=B | explanation=10% of 836 = $(10/100) \times 836 = 83$.

id=67401 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=90 | option_c=85 | option_d=180 | answer=B | explanation=Speed = distance ÷ time = $360 \div 4 = 90$ km/h.

id=67402 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**772. If it is sold at a profit of 20%, what is its selling price? | option_a=792 | option_b=926 | option_c=849 | option_d=1003 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 772 \times 120/100 =$ **■**926.

id=67403 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49448 at 10% per annum for 5 years. | option_a=24724 | option_b=74172 | option_c=24624 | option_d=24824 | answer=A | explanation=SI = $PRT/100 = 49448 \times 10 \times 5/100 =$ **■**24724.

id=67404 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=F | option_b=I | option_c=Z | option_d=C | answer=A | explanation=Move 3 positions forward from C; the resulting letter is F.

id=67405 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=F | option_b=D | option_c=G | option_d=E | answer=A | explanation=Move 1 positions forward from E; the resulting letter is F.

id=67406 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3928. If it is sold at a profit of 15%, what is its selling price? | option_a=4909 | option_b=3943 | option_c=4517 | option_d=4125 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3928 \times 115/100 =$ **■**4517.

id=67407 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = $180 \div 4 = 45$ km/h.

id=67408 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 21, 27, 36? | option_a=27 | option_b=36 | option_c=15 | option_d=21 | answer=B | explanation=The first three numbers increase by 6, so the next should be 33. Therefore 36 is the odd one out.

id=67409 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41196 at 4% per annum for 2 years. | option_a=3395 | option_b=44491 | option_c=3195 | option_d=3295 | answer=D | explanation=SI = $PRT/100 = 41196 \times 4 \times 2/100 =$ **■**3295.

id=67410 | topic=Percentages | difficulty=Easy | question=What is 25% of 113? | option_a=56 | option_b=28 | option_c=8 | option_d=48 | answer=B | explanation=25% of 113 = $(25/100) \times 113 = 28$.

Aptitude Questions — Records 67,411-67,440 of 100,000

id=67411 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=J | option_b=G | option_c=M | option_d=D | answer=A | explanation=Move 3 positions forward from G; the resulting letter is J.

id=67412 | topic=Averages | difficulty=Easy | question=Find the average of 37, 33, 69, 48, 10, 44, 30, 25. | option_a=39 | option_b=38 | option_c=36 | option_d=37 | answer=D | explanation=Average = sum of values ÷ number of values = 296 ÷ 8 = 37.

id=67413 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=40 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=67414 | topic=Percentages | difficulty=Easy | question=What is 15% of 259? | option_a=76 | option_b=38 | option_c=48 | option_d=18 | answer=B | explanation=15% of 259 = (15/100) × 259 = 38.

id=67415 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6340 at 5% per annum for 5 years. | option_a=7925 | option_b=1685 | option_c=1585 | option_d=1485 | answer=C | explanation=SI = PRT/100 = 6340×5×5/100 = **■**1585.

id=67416 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 25, 27, 31? | option_a=27 | option_b=25 | option_c=23 | option_d=31 | answer=D | explanation=The first three numbers increase by 2, so the next should be 29. Therefore 31 is the odd one out.

id=67417 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:8 and the first is 55, what is the second? | option_a=93 | option_b=80 | option_c=143 | option_d=88 | answer=D | explanation=Scale factor = 55/5 = 11. Therefore second quantity = 8×11 = 88.

id=67418 | topic=Averages | difficulty=Easy | question=Find the average of 21, 41, 88, 51, 25, 32. | option_a=43 | option_b=44 | option_c=42 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 258 ÷ 6 = 43.

id=67419 | topic=Averages | difficulty=Easy | question=Find the average of 74, 63, 85. | option_a=75 | option_b=76 | option_c=73 | option_d=74 | answer=D | explanation=Average = sum of values ÷ number of values = 222 ÷ 3 = 74.

id=67420 | topic=Percentages | difficulty=Easy | question=What is 25% of 735? | option_a=366 | option_b=188 | option_c=163 | option_d=183 | answer=D | explanation=25% of 735 = (25/100) × 735 = 183.

id=67421 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=N | option_b=K | option_c=Q | option_d=H | answer=A | explanation=Move 3 positions forward from K; the resulting letter is N.

id=67422 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=Q | option_c=M | option_d=Y | answer=A | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=67423 | topic=Averages | difficulty=Easy | question=Find the average of 18, 34, 39, 99, 45. | option_a=48 | option_b=46 | option_c=47 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 235 ÷ 5 = 47.

id=67424 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 31, 41, 52? | option_a=21 | option_b=41 | option_c=31 | option_d=52 | answer=D | explanation=The first three numbers increase by 10, so the next should be 51. Therefore 52 is the odd one out.

id=67425 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=43 | option_b=53 | option_c=63 | option_d=54 | answer=B | explanation=The common difference is 10. Therefore the next term is 43 + 10 = 53.

id=67426 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:3 and the first is 34, what is the second? | option_a=51 | option_b=85 | option_c=48 | option_d=53 | answer=A | explanation=Scale factor = 34/2 = 17. Therefore second quantity = 3×17 = 51.

id=67427 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 35, 44, 54? | option_a=26 | option_b=54 | option_c=44 | option_d=35 | answer=B | explanation=The first three numbers increase by 9, so the next should be 53. Therefore 54 is the odd one out.

id=67428 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=67429 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 36, 44, 55? | option_a=44 | option_b=36 | option_c=28 | option_d=55 | answer=D | explanation=The first three numbers increase by 8, so the next should be 52. Therefore 55 is the odd one out.

id=67430 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=67431 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=34 | option_b=26 | option_c=31 | option_d=30 | answer=D | explanation=The common difference is 4. Therefore the next term is 26 + 4 = 30.

id=67432 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8263 at 12% per annum for 4 years. | option_a=3866 | option_b=3966 | option_c=12229 | option_d=4066 | answer=B | explanation=SI = PRT/100 = 8263×12×4/100 = **■**3966.

id=67433 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 28, 32, 38? | option_a=38 | option_b=24 | option_c=28 | option_d=32 | answer=A | explanation=The first three numbers increase by 4, so the next should be 36. Therefore 38 is the odd one out.

id=67434 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 34, 43, 54? | option_a=34 | option_b=25 | option_c=43 | option_d=54 | answer=D | explanation=The first three numbers increase by 9, so the next should be 52. Therefore 54 is the odd one out.

id=67435 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=W | option_b=A | option_c=E | option_d=I | answer=C | explanation=Move 4 positions forward from A; the resulting letter is E.

id=67436 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=4 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=67437 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=L | option_c=Z | option_d=H | answer=D | explanation=Move 4 positions forward from D; the resulting letter is H.

id=67438 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=35 | option_c=80 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=67439 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=67440 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 67,441-67,470 of 100,000

id=67441 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=K | option_b=Q | option_c=O | option_d=M | answer=C | explanation=Move 2 positions forward from M; the resulting letter is O.

id=67442 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=34 | option_b=46 | option_c=40 | option_d=41 | answer=C | explanation=The common difference is 6. Therefore the next term is 34 + 6 = 40.

id=67443 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1406. If it is sold at a profit of 20%, what is its selling price? | option_a=1426 | option_b=1687 | option_c=1547 | option_d=1827 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1406 \times 120/100 = \text{█}1687$.

id=67444 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=35 | option_b=43 | option_c=27 | option_d=36 | answer=A | explanation=The common difference is 8. Therefore the next term is 27 + 8 = 35.

id=67445 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1502. If it is sold at a profit of 30%, what is its selling price? | option_a=2102 | option_b=1532 | option_c=1802 | option_d=1952 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1502 \times 130/100 = \text{█}1952$.

id=67446 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:13 and the first is 234, what is the second? | option_a=247 | option_b=468 | option_c=234 | option_d=221 | answer=C | explanation=Scale factor = $234/13 = 18$. Therefore second quantity = $13 \times 18 = 234$.

id=67447 | topic=Percentages | difficulty=Easy | question=What is 12% of 1423? | option_a=165 | option_b=170 | option_c=340 | option_d=190 | answer=B | explanation=12% of 1423 = $(12/100) \times 1423 = 170$.

id=67448 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8973 at 5% per annum for 1 years. | option_a=448 | option_b=9421 | option_c=348 | option_d=548 | answer=A | explanation=SI = $PRT/100 = 8973 \times 5 \times 1/100 = \text{█}448$.

id=67449 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=67450 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2306. If it is sold at a profit of 15%, what is its selling price? | option_a=2321 | option_b=2651 | option_c=2421 | option_d=2881 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2306 \times 115/100 = \text{█}2651$.

id=67451 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 120 \div 2 = 60$ km/h.

id=67452 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 31, 36, 43? | option_a=43 | option_b=26 | option_c=36 | option_d=31 | answer=A | explanation=The first three numbers increase by 5, so the next should be 41. Therefore 43 is the odd one out.

id=67453 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1981. If it is sold at a profit of 5%, what is its selling price? | option_a=1986 | option_b=2080 | option_c=1882 | option_d=2278 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1981 \times 105/100 = \text{█}2080$.

id=67454 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=W | option_c=I | option_d=A | answer=A | explanation=Move 4 positions forward from A; the resulting letter is E.

id=67455 | topic=Percentages | difficulty=Easy | question=What is 50% of 1237? | option_a=638 | option_b=598 | option_c=1236 | option_d=618 | answer=D | explanation=50% of 1237 = $(50/100) \times 1237 = 618$.

id=67456 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:20 and the first is 16, what is the second? | option_a=162 | option_b=160 | option_c=176 | option_d=140 | answer=B | explanation=Scale factor = $16/2 = 8$. Therefore second quantity = $20 \times 8 = 160$.

id=67457 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34046 at 10% per annum for 4 years. | option_a=13618 | option_b=13518 | option_c=13718 | option_d=47664 | answer=A | explanation=SI = $PRT/100 = 34046 \times 10 \times 4/100 = \text{█}13618$.

id=67458 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14119 at 12% per annum for 5 years. | option_a=8371 | option_b=8571 | option_c=8471 | option_d=22590 | answer=C | explanation=SI = $PRT/100 = 14119 \times 12 \times 5/100 = \text{█}8471$.

id=67459 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=Z | option_c=B | option_d=F | answer=A | explanation=Move 2 positions forward from B; the resulting letter is D.

id=67460 | topic=Percentages | difficulty=Easy | question=What is 5% of 1960? | option_a=103 | option_b=78 | option_c=196 | option_d=98 | answer=D | explanation=5% of 1960 = $(5/100) \times 1960 = 98$.

id=67461 | topic=Averages | difficulty=Easy | question=Find the average of 60, 26, 54, 60, 40, 48. | option_a=50 | option_b=48 | option_c=47 | option_d=49 | answer=B | explanation=Average = $\text{sum of values} \div \text{number of values} = 288 \div 6 = 48$.

id=67462 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1604. If it is sold at a profit of 40%, what is its selling price? | option_a=2085 | option_b=1644 | option_c=2245 | option_d=2405 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1604 \times 140/100 = \text{█}2245$.

id=67463 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1124. If it is sold at a profit of 40%, what is its selling price? | option_a=1685 | option_b=1164 | option_c=1461 | option_d=1573 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1124 \times 140/100 = \text{█}1573$.

id=67464 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40190 at 10% per annum for 1 years. | option_a=4019 | option_b=4119 | option_c=44209 | option_d=3919 | answer=A | explanation=SI = $PRT/100 = 40190 \times 10 \times 1/100 = \text{█}4019$.

id=67465 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=S | option_b=I | option_c=D | option_d=N | answer=D | explanation=Move 5 positions forward from I; the resulting letter is N.

id=67466 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22819 at 4% per annum for 4 years. | option_a=3651 | option_b=3551 | option_c=3751 | option_d=26470 | answer=A | explanation=SI = $PRT/100 = 22819 \times 4 \times 4/100 = \text{█}3651$.

id=67467 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 20. | option_a=80 | option_b=24 | option_c=20 | option_d=1 | answer=C | explanation= $LCM \times HCF = 4 \times 20$; $HCF(4,20) = 4$, so $LCM = 20$.

id=67468 | topic=Averages | difficulty=Easy | question=Find the average of 77, 42, 25, 96, 87, 22, 72, 29, 100, 30. | option_a=60 | option_b=59 | option_c=58 | option_d=57 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 580 \div 10 = 58$.

id=67469 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2210. If it is sold at a profit of 40%, what is its selling price? | option_a=2250 | option_b=3315 | option_c=2873 | option_d=3094 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2210 \times 140/100 = \text{█}3094$.

id=67470 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 60 \div 2 = 30$ km/h.

Aptitude Questions — Records 67,471-67,500 of 100,000

id=67471 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 20. | option_a=144 | option_b=120 | option_c=480 | option_d=100 | answer=B | explanation=LCM × HCF = 24×20; HCF(24,20) = 4, so LCM = 120.

id=67472 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 30? | option_a=30 | option_b=18 | option_c=24 | option_d=21 | answer=A | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 30 is the odd one out.

id=67473 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=M | option_c=S | option_d=V | answer=C | explanation=Move 3 positions forward from P; the resulting letter is S.

id=67474 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=48 | option_b=40 | option_c=47 | option_d=54 | answer=C | explanation=The common difference is 7. Therefore the next term is 40 + 7 = 47.

id=67475 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=34 | option_b=33 | option_c=40 | option_d=26 | answer=B | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

id=67476 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=U | option_b=Z | option_c=K | option_d=P | answer=A | explanation=Move 5 positions forward from P; the resulting letter is U.

id=67477 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33184 at 12% per annum for 1 years. | option_a=37166 | option_b=3982 | option_c=3882 | option_d=4082 | answer=B | explanation=SI = $PRT/100 = 33184 \times 12 \times 1/100 = \text{■}3982$.

id=67478 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=90 | option_b=50 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=67479 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31220 at 12% per annum for 2 years. | option_a=7392 | option_b=7492 | option_c=7592 | option_d=38712 | answer=B | explanation=SI = $PRT/100 = 31220 \times 12 \times 2/100 = \text{■}7492$.

id=67480 | topic=Averages | difficulty=Easy | question=Find the average of 38, 36, 45, 81, 72, 38, 89, 24, 23, 74. | option_a=52 | option_b=51 | option_c=53 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 520 ÷ 10 = 52.

id=67481 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 24. | option_a=144 | option_b=182 | option_c=168 | option_d=336 | answer=C | explanation=LCM × HCF = 14×24; HCF(14,24) = 2, so LCM = 168.

id=67482 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=16 | answer=A | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=67483 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=V | option_c=P | option_d=T | answer=D | explanation=Move 2 positions forward from R; the resulting letter is T.

id=67484 | topic=Averages | difficulty=Easy | question=Find the average of 93, 49, 46, 98, 61, 66, 16, 99. | option_a=67 | option_b=68 | option_c=66 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = 528 ÷ 8 = 66.

id=67485 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=P | option_c=O | option_d=Q | answer=D | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=67486 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=M | option_c=O | option_d=Q | answer=D | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=67487 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=67488 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 7. | option_a=14 | option_b=21 | option_c=147 | option_d=42 | answer=B | explanation=LCM × HCF = 21×7; HCF(21,7) = 7, so LCM = 21.

id=67489 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:12 and the first is 220, what is the second? | option_a=240 | option_b=251 | option_c=228 | option_d=460 | answer=A | explanation=Scale factor = $220/11 = 20$. Therefore second quantity = $12 \times 20 = 240$.

id=67490 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = $90 \div 2 = 45$ km/h.

id=67491 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:9 and the first is 192, what is the second? | option_a=300 | option_b=99 | option_c=124 | option_d=108 | answer=D | explanation=Scale factor = $192/16 = 12$. Therefore second quantity = $9 \times 12 = 108$.

id=67492 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=21 | option_b=20 | option_c=24 | option_d=16 | answer=B | explanation=The common difference is 4. Therefore the next term is $16 + 4 = 20$.

id=67493 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=13 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = $90 \div 5 = 18$ km/h.

id=67494 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 32? | option_a=24 | option_b=32 | option_c=12 | option_d=18 | answer=B | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 32 is the odd one out.

id=67495 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=56 | option_b=47 | option_c=36 | option_d=46 | answer=D | explanation=The common difference is 10. Therefore the next term is $36 + 10 = 46$.

id=67496 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=Y | option_b=D | option_c=N | option_d=I | answer=D | explanation=Move 5 positions forward from D; the resulting letter is I.

id=67497 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 35? | option_a=19 | option_b=12 | option_c=35 | option_d=26 | answer=C | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 35 is the odd one out.

id=67498 | topic=Percentages | difficulty=Easy | question=What is 12% of 1530? | option_a=183 | option_b=366 | option_c=188 | option_d=173 | answer=A | explanation= $12\% \text{ of } 1530 = (12/100) \times 1530 = 183$.

id=67499 | topic=Percentages | difficulty=Easy | question=What is 12% of 770? | option_a=82 | option_b=184 | option_c=102 | option_d=92 | answer=D | explanation= $12\% \text{ of } 770 = (12/100) \times 770 = 92$.

id=67500 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2036. If it is sold at a profit of 25%, what is its selling price? | option_a=2545 | option_b=2342 | option_c=2748 | option_d=2061 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2036 \times 125/100 = \text{■}2545$.

Aptitude Questions — Records 67,501-67,530 of 100,000

id=67501 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=W | option_c=Y | option_d=S | answer=B | explanation=Move 2 positions forward from U; the resulting letter is W.

id=67502 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47549 at 8% per annum for 3 years. | option_a=11311 | option_b=58960 | option_c=11511 | option_d=11411 | answer=D | explanation=SI = $PRT/100 = 47549 \times 8 \times 3/100 = \text{■}11411$.

id=67503 | topic=Averages | difficulty=Easy | question=Find the average of 50, 91, 49, 87, 80, 21, 98. | option_a=68 | option_b=70 | option_c=67 | option_d=69 | answer=A | explanation=Average = sum of values ÷ number of values = $476 \div 7 = 68$.

id=67504 | topic=Averages | difficulty=Easy | question=Find the average of 94, 13, 100, 67, 54, 24, 57, 44, 24. | option_a=54 | option_b=55 | option_c=52 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = $477 \div 9 = 53$.

id=67505 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=34 | option_b=28 | option_c=32 | option_d=31 | answer=D | explanation=The common difference is 3. Therefore the next term is $28 + 3 = 31$.

id=67506 | topic=Averages | difficulty=Easy | question=Find the average of 51, 95, 17, 101. | option_a=65 | option_b=68 | option_c=66 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = $264 \div 4 = 66$.

id=67507 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=19 | option_d=29 | answer=A | explanation=Speed = distance ÷ time = $240 \div 10 = 24$ km/h.

id=67508 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2849 at 15% per annum for 2 years. | option_a=854 | option_b=3703 | option_c=954 | option_d=754 | answer=A | explanation=SI = $PRT/100 = 2849 \times 15 \times 2/100 = \text{■}854$.

id=67509 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:17 and the first is 40, what is the second? | option_a=17 | option_b=74 | option_c=54 | option_d=34 | answer=D | explanation=Scale factor = $40/20 = 2$. Therefore second quantity = $17 \times 2 = 34$.

id=67510 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3515. If it is sold at a profit of 15%, what is its selling price? | option_a=4393 | option_b=3691 | option_c=4042 | option_d=3530 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3515 \times 115/100 = \text{■}4042$.

id=67511 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24542 at 6% per annum for 1 years. | option_a=1372 | option_b=1572 | option_c=26014 | option_d=1472 | answer=D | explanation=SI = $PRT/100 = 24542 \times 6 \times 1/100 = \text{■}1472$.

id=67512 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=67513 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 9, 11, 14? | option_a=11 | option_b=9 | option_c=7 | option_d=14 | answer=D | explanation=The first three numbers increase by 2, so the next should be 13. Therefore 14 is the odd one out.

id=67514 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 24, 30, 38? | option_a=30 | option_b=24 | option_c=38 | option_d=18 | answer=C | explanation=The first three numbers increase by 6, so the next should be 36. Therefore 38 is the odd one out.

id=67515 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 44? | option_a=36 | option_b=44 | option_c=24 | option_d=30 | answer=B | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 44 is the odd one out.

id=67516 | topic=Averages | difficulty=Easy | question=Find the average of 74, 95, 24, 69, 46, 80, 23, 70, 86. | option_a=64 | option_b=63 | option_c=62 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = $567 \div 9 = 63$.

id=67517 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=U | option_c=V | option_d=T | answer=C | explanation=Move 1 positions forward from U; the resulting letter is V.

id=67518 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:16 and the first is 240, what is the second? | option_a=432 | option_b=192 | option_c=176 | option_d=212 | answer=B | explanation=Scale factor = $240/20 = 12$. Therefore second quantity = $16 \times 12 = 192$.

id=67519 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3469. If it is sold at a profit of 25%, what is its selling price? | option_a=3494 | option_b=4682 | option_c=4336 | option_d=3990 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3469 \times 125/100 = \text{■}4336$.

id=67520 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33370 at 5% per annum for 3 years. | option_a=4905 | option_b=5105 | option_c=5005 | option_d=38375 | answer=C | explanation=SI = $PRT/100 = 33370 \times 5 \times 3/100 = \text{■}5005$.

id=67521 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=P | option_b=R | option_c=V | option_d=T | answer=D | explanation=Move 2 positions forward from R; the resulting letter is T.

id=67522 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:6 and the first is 102, what is the second? | option_a=102 | option_b=204 | option_c=96 | option_d=108 | answer=A | explanation=Scale factor = $102/6 = 17$. Therefore second quantity = $6 \times 17 = 102$.

id=67523 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=P | option_b=G | option_c=M | option_d=J | answer=C | explanation=Move 3 positions forward from J; the resulting letter is M.

id=67524 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 27. | option_a=405 | option_b=135 | option_c=150 | option_d=108 | answer=B | explanation= $LCM \times HCF = 15 \times 27$; $HCF(15, 27) = 3$, so $LCM = 135$.

id=67525 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:14 and the first is 48, what is the second? | option_a=112 | option_b=98 | option_c=160 | option_d=118 | answer=A | explanation=Scale factor = $48/6 = 8$. Therefore second quantity = $14 \times 8 = 112$.

id=67526 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1009. If it is sold at a profit of 50%, what is its selling price? | option_a=1513 | option_b=1059 | option_c=1613 | option_d=1413 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1009 \times 150/100 = \text{■}1513$.

id=67527 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 59? | option_a=36 | option_b=59 | option_c=26 | option_d=46 | answer=B | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 59 is the odd one out.

id=67528 | topic=Averages | difficulty=Easy | question=Find the average of 64, 33, 34, 63, 65, 91, 49. | option_a=59 | option_b=56 | option_c=57 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = $399 \div 7 = 57$.

id=67529 | topic=Averages | difficulty=Easy | question=Find the average of 65, 44, 18, 55, 22, 15, 33, 78, 30. | option_a=40 | option_b=41 | option_c=42 | option_d=39 | answer=A | explanation=Average = sum of values ÷ number of values = $360 \div 9 = 40$.

id=67530 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=G | option_b=Q | option_c=V | option_d=L | answer=B | explanation=Move 5 positions forward from L; the resulting letter is Q.

Aptitude Questions — Records 67,531-67,560 of 100,000

id=67531 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=67532 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 7, 10, 15? | option_a=4 | option_b=15 | option_c=10 | option_d=7 | answer=B | explanation=The first three numbers increase by 3, so the next should be 13. Therefore 15 is the odd one out.

id=67533 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=150 | option_d=70 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=67534 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=M | option_b=G | option_c=J | option_d=D | answer=C | explanation=Move 3 positions forward from G; the resulting letter is J.

id=67535 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=150 | option_c=70 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=67536 | topic=Percentages | difficulty=Easy | question=What is 25% of 224? | option_a=56 | option_b=112 | option_c=36 | option_d=61 | answer=A | explanation=25% of 224 = (25/100) × 224 = 56.

id=67537 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 23? | option_a=16 | option_b=23 | option_c=18 | option_d=20 | answer=B | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 23 is the odd one out.

id=67538 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=32 | option_b=31 | option_c=35 | option_d=27 | answer=B | explanation=The common difference is 4. Therefore the next term is 27 + 4 = 31.

id=67539 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=L | option_c=M | option_d=J | answer=B | explanation=Move 1 positions forward from K; the resulting letter is L.

id=67540 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:6 and the first is 170, what is the second? | option_a=102 | option_b=272 | option_c=96 | option_d=112 | answer=A | explanation=Scale factor = 170/10 = 17. Therefore second quantity = 6×17 = 102.

id=67541 | topic=Percentages | difficulty=Easy | question=What is 40% of 1620? | option_a=638 | option_b=653 | option_c=648 | option_d=1296 | answer=C | explanation=40% of 1620 = (40/100) × 1620 = 648.

id=67542 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=44 | option_b=34 | option_c=40 | option_d=39 | answer=D | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

id=67543 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=95 | option_c=100 | option_d=105 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=67544 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5878 at 4% per annum for 4 years. | option_a=6818 | option_b=940 | option_c=1040 | option_d=840 | answer=B | explanation=SI = PRT/100 = 5878×4×4/100 = **■**940.

id=67545 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:12 and the first is 272, what is the second? | option_a=476 | option_b=220 | option_c=192 | option_d=204 | answer=D | explanation=Scale factor = 272/16 = 17. Therefore second quantity = 12×17 = 204.

id=67546 | topic=Averages | difficulty=Easy | question=Find the average of 56, 75, 47, 24, 24, 98. | option_a=53 | option_b=55 | option_c=54 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 324 ÷ 6 = 54.

id=67547 | topic=Percentages | difficulty=Easy | question=What is 20% of 622? | option_a=119 | option_b=144 | option_c=124 | option_d=248 | answer=C | explanation=20% of 622 = (20/100) × 622 = 124.

id=67548 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=67549 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:17 and the first is 192, what is the second? | option_a=284 | option_b=272 | option_c=464 | option_d=255 | answer=B | explanation=Scale factor = 192/12 = 16. Therefore second quantity = 17×16 = 272.

id=67550 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16939 at 8% per annum for 5 years. | option_a=6775 | option_b=6675 | option_c=23714 | option_d=6875 | answer=A | explanation=SI = PRT/100 = 16939×8×5/100 = **■**6775.

id=67551 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24364 at 8% per annum for 1 years. | option_a=26313 | option_b=2049 | option_c=1849 | option_d=1949 | answer=D | explanation=SI = PRT/100 = 24364×8×1/100 = **■**1949.

id=67552 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=67553 | topic=Percentages | difficulty=Easy | question=What is 15% of 1211? | option_a=171 | option_b=201 | option_c=181 | option_d=362 | answer=C | explanation=15% of 1211 = (15/100) × 1211 = 181.

id=67554 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47031 at 6% per annum for 2 years. | option_a=5743 | option_b=5643 | option_c=5543 | option_d=52674 | answer=B | explanation=SI = PRT/100 = 47031×6×2/100 = **■**5643.

id=67555 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 31, 41, 54? | option_a=31 | option_b=21 | option_c=41 | option_d=54 | answer=D | explanation=The first three numbers increase by 10, so the next should be 51. Therefore 54 is the odd one out.

id=67556 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=67557 | topic=Averages | difficulty=Easy | question=Find the average of 15, 20, 61, 28, 101. | option_a=45 | option_b=46 | option_c=44 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 225 ÷ 5 = 45.

id=67558 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=360 | option_b=185 | option_c=180 | option_d=175 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=67559 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=12 | option_c=17 | option_d=24 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=67560 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=H | option_b=L | option_c=N | option_d=J | answer=B | explanation=Move 2 positions forward from J; the resulting letter is L.

Aptitude Questions — Records 67,561-67,590 of 100,000

id=67561 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=V | option_b=A | option_c=K | option_d=F | answer=D | explanation=Move 5 positions forward from A; the resulting letter is F.

id=67562 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=O | option_b=U | option_c=R | option_d=X | answer=B | explanation=Move 3 positions forward from R; the resulting letter is U.

id=67563 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1920. If it is sold at a profit of 5%, what is its selling price? | option_a=2016 | option_b=1925 | option_c=1824 | option_d=2208 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1920 \times 105/100 = \text{█}2016$.

id=67564 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4901. If it is sold at a profit of 30%, what is its selling price? | option_a=4931 | option_b=6861 | option_c=6371 | option_d=5881 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4901 \times 130/100 = \text{█}6371$.

id=67565 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = $180 \div 6 = 30$ km/h.

id=67566 | topic=Percentages | difficulty=Easy | question=What is 10% of 754? | option_a=80 | option_b=75 | option_c=65 | option_d=150 | answer=B | explanation=10% of 754 = $(10/100) \times 754 = 75$.

id=67567 | topic=Averages | difficulty=Easy | question=Find the average of 28, 96, 15, 97. | option_a=60 | option_b=58 | option_c=59 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = $236 \div 4 = 59$.

id=67568 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=67569 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 16? | option_a=16 | option_b=5 | option_c=11 | option_d=8 | answer=A | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 16 is the odd one out.

id=67570 | topic=Profit & Loss | difficulty=Easy | question=An article costs █789. If it is sold at a profit of 40%, what is its selling price? | option_a=1182 | option_b=829 | option_c=1026 | option_d=1104 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 789 \times 140/100 = \text{█}1104$.

id=67571 | topic=Percentages | difficulty=Easy | question=What is 40% of 501? | option_a=400 | option_b=210 | option_c=200 | option_d=190 | answer=C | explanation=40% of 501 = $(40/100) \times 501 = 200$.

id=67572 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:17 and the first is 72, what is the second? | option_a=276 | option_b=187 | option_c=204 | option_d=210 | answer=C | explanation=Scale factor = $72/6 = 12$. Therefore second quantity = $17 \times 12 = 204$.

id=67573 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=115 | option_c=120 | option_d=240 | answer=C | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.

id=67574 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1223. If it is sold at a profit of 50%, what is its selling price? | option_a=1956 | option_b=1834 | option_c=1273 | option_d=1712 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1223 \times 150/100 = \text{█}1834$.

id=67575 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=L | option_c=R | option_d=P | answer=D | explanation=Move 2 positions forward from N; the resulting letter is P.

id=67576 | topic=Averages | difficulty=Easy | question=Find the average of 66, 88, 48, 94, 14. | option_a=64 | option_b=61 | option_c=62 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = $310 \div 5 = 62$.

id=67577 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:8 and the first is 190, what is the second? | option_a=80 | option_b=72 | option_c=99 | option_d=270 | answer=A | explanation=Scale factor = $190/19 = 10$. Therefore second quantity = $8 \times 10 = 80$.

id=67578 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=22 | option_b=26 | option_c=25 | option_d=28 | answer=C | explanation=The common difference is 3. Therefore the next term is $22 + 3 = 25$.

id=67579 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4976. If it is sold at a profit of 20%, what is its selling price? | option_a=5971 | option_b=4996 | option_c=6468 | option_d=5474 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4976 \times 120/100 = \text{█}5971$.

id=67580 | topic=Percentages | difficulty=Easy | question=What is 12% of 646? | option_a=77 | option_b=154 | option_c=72 | option_d=97 | answer=A | explanation=12% of 646 = $(12/100) \times 646 = 77$.

id=67581 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=X | option_c=T | option_d=L | answer=C | explanation=Move 4 positions forward from P; the resulting letter is T.

id=67582 | topic=Percentages | difficulty=Easy | question=What is 25% of 1852? | option_a=453 | option_b=473 | option_c=926 | option_d=463 | answer=D | explanation=25% of 1852 = $(25/100) \times 1852 = 463$.

id=67583 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=H | option_c=L | option_d=Z | answer=B | explanation=Move 4 positions forward from D; the resulting letter is H.

id=67584 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=77 | option_c=72 | option_d=144 | answer=C | explanation=Speed = distance ÷ time = $360 \div 5 = 72$ km/h.

id=67585 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27442 at 10% per annum for 2 years. | option_a=5588 | option_b=5388 | option_c=32930 | option_d=5488 | answer=D | explanation=SI = $PRT/100 = 27442 \times 10 \times 2/100 = \text{█}5488$.

id=67586 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 18, 23, 28, ? | option_a=34 | option_b=33 | option_c=28 | option_d=38 | answer=B | explanation=The common difference is 5. Therefore the next term is $28 + 5 = 33$.

id=67587 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 19, 22, 25, ? | option_a=28 | option_b=29 | option_c=25 | option_d=31 | answer=A | explanation=The common difference is 3. Therefore the next term is $25 + 3 = 28$.

id=67588 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 8, 12, 18? | option_a=8 | option_b=4 | option_c=18 | option_d=12 | answer=C | explanation=The first three numbers increase by 4, so the next should be 16. Therefore 18 is the odd one out.

id=67589 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=W | option_c=S | option_d=Q | answer=A | explanation=Move 2 positions forward from S; the resulting letter is U.

id=67590 | topic=Averages | difficulty=Easy | question=Find the average of 43, 87, 10, 30, 60, 60, 12, 38, 65. | option_a=45 | option_b=47 | option_c=46 | option_d=44 | answer=A | explanation=Average = sum of values ÷ number of values = $405 \div 9 = 45$.

Aptitude Questions — Records 67,591-67,620 of 100,000

id=67591 | topic=Percentages | difficulty=Easy | question=What is 15% of 1156? | option_a=346 | option_b=173 | option_c=193 | option_d=168 | answer=B | explanation=15% of 1156 = (15/100) × 1156 = 173.

id=67592 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=67593 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=32 | option_b=24 | option_c=29 | option_d=28 | answer=D | explanation=The common difference is 4. Therefore the next term is 24 + 4 = 28.

id=67594 | topic=Averages | difficulty=Easy | question=Find the average of 18, 22, 86, 74, 57, 73. | option_a=56 | option_b=54 | option_c=57 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 330 ÷ 6 = 55.

id=67595 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 8, 12, 17? | option_a=4 | option_b=8 | option_c=12 | option_d=17 | answer=D | explanation=The first three numbers increase by 4, so the next should be 16. Therefore 17 is the odd one out.

id=67596 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=F | option_b=J | option_c=N | option_d=R | answer=C | explanation=Move 4 positions forward from J; the resulting letter is N.

id=67597 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1086. If it is sold at a profit of 5%, what is its selling price? | option_a=1140 | option_b=1032 | option_c=1091 | option_d=1248 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1086 × 105/100 = █1140.

id=67598 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49049 at 15% per annum for 4 years. | option_a=78478 | option_b=29529 | option_c=29429 | option_d=29329 | answer=C | explanation=SI = PRT/100 = 49049×15×4/100 = █29429.

id=67599 | topic=Averages | difficulty=Easy | question=Find the average of 88, 70, 100, 49, 70, 73. | option_a=74 | option_b=77 | option_c=76 | option_d=75 | answer=D | explanation=Average = sum of values ÷ number of values = 450 ÷ 6 = 75.

id=67600 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=67601 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37055 at 10% per annum for 1 years. | option_a=3805 | option_b=3605 | option_c=40760 | option_d=3705 | answer=D | explanation=SI = PRT/100 = 37055×10×1/100 = █3705.

id=67602 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:11 and the first is 120, what is the second? | option_a=142 | option_b=121 | option_c=252 | option_d=132 | answer=D | explanation=Scale factor = 120/10 = 12. Therefore second quantity = 11×12 = 132.

id=67603 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29505 at 6% per annum for 4 years. | option_a=36586 | option_b=7181 | option_c=7081 | option_d=6981 | answer=C | explanation=SI = PRT/100 = 29505×6×4/100 = █7081.

id=67604 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 35, 41, 48? | option_a=48 | option_b=29 | option_c=35 | option_d=41 | answer=A | explanation=The first three numbers increase by 6, so the next should be 47. Therefore 48 is the odd one out.

id=67605 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2777. If it is sold at a profit of 25%, what is its selling price? | option_a=3471 | option_b=3748 | option_c=2802 | option_d=3194 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2777 × 125/100 = █3471.

id=67606 | topic=Averages | difficulty=Easy | question=Find the average of 18, 43, 20, 99. | option_a=44 | option_b=46 | option_c=45 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 180 ÷ 4 = 45.

id=67607 | topic=Averages | difficulty=Easy | question=Find the average of 31, 97, 48, 23, 53, 48. | option_a=51 | option_b=49 | option_c=50 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 300 ÷ 6 = 50.

id=67608 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3714 at 15% per annum for 4 years. | option_a=5942 | option_b=2328 | option_c=2228 | option_d=2128 | answer=C | explanation=SI = PRT/100 = 3714×15×4/100 = █2228.

id=67609 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:2 and the first is 171, what is the second? | option_a=47 | option_b=38 | option_c=36 | option_d=209 | answer=B | explanation=Scale factor = 171/9 = 19. Therefore second quantity = 2×19 = 38.

id=67610 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:2 and the first is 3, what is the second? | option_a=9 | option_b=7 | option_c=6 | option_d=4 | answer=C | explanation=Scale factor = 3/1 = 3. Therefore second quantity = 2×3 = 6.

id=67611 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3352. If it is sold at a profit of 50%, what is its selling price? | option_a=3402 | option_b=5028 | option_c=5363 | option_d=4693 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3352 × 150/100 = █5028.

id=67612 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=67613 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:4 and the first is 56, what is the second? | option_a=112 | option_b=56 | option_c=52 | option_d=60 | answer=B | explanation=Scale factor = 56/4 = 14. Therefore second quantity = 4×14 = 56.

id=67614 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=45 | option_c=50 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=67615 | topic=Averages | difficulty=Easy | question=Find the average of 75, 47, 77, 35, 69, 83, 94, 16. | option_a=61 | option_b=62 | option_c=63 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 496 ÷ 8 = 62.

id=67616 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=29 | option_c=48 | option_d=19 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=67617 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 11? | option_a=2 | option_b=4 | option_c=6 | option_d=11 | answer=D | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 11 is the odd one out.

id=67618 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=T | option_b=S | option_c=Q | option_d=R | answer=B | explanation=Move 1 positions forward from R; the resulting letter is S.

id=67619 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=67620 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:13 and the first is 198, what is the second? | option_a=161 | option_b=341 | option_c=143 | option_d=130 | answer=C | explanation=Scale factor = 198/18 = 11. Therefore second quantity = 13×11 = 143.

Aptitude Questions — Records 67,621-67,650 of 100,000

id=67621 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=47 | option_b=40 | option_c=33 | option_d=41 | answer=B | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.

id=67622 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=67623 | topic=Profit & Loss | difficulty=Easy | question=An article costs █203. If it is sold at a profit of 50%, what is its selling price? | option_a=253 | option_b=304 | option_c=284 | option_d=324 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 203 × 150/100 = █304.

id=67624 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 19, 27, 37? | option_a=37 | option_b=11 | option_c=19 | option_d=27 | answer=A | explanation=The first three numbers increase by 8, so the next should be 35. Therefore 37 is the odd one out.

id=67625 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:4 and the first is 126, what is the second? | option_a=154 | option_b=46 | option_c=28 | option_d=24 | answer=C | explanation=Scale factor = 126/18 = 7. Therefore second quantity = 4×7 = 28.

id=67626 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=40 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=67627 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28449 at 4% per annum for 4 years. | option_a=4451 | option_b=4551 | option_c=33000 | option_d=4651 | answer=B | explanation=SI = PRT/100 = 28449×4×4/100 = █4551.

id=67628 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 32? | option_a=20 | option_b=15 | option_c=25 | option_d=32 | answer=D | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 32 is the odd one out.

id=67629 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=67630 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=67631 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 10. | option_a=40 | option_b=24 | option_c=20 | option_d=10 | answer=C | explanation=LCM × HCF = 4×10; HCF(4,10) = 2, so LCM = 20.

id=67632 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 23? | option_a=16 | option_b=18 | option_c=23 | option_d=20 | answer=C | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 23 is the odd one out.

id=67633 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=40 | option_b=39 | option_c=34 | option_d=44 | answer=B | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

id=67634 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3886. If it is sold at a profit of 10%, what is its selling price? | option_a=4662 | option_b=3896 | option_c=3886 | option_d=4274 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3886 × 110/100 = █4274.

id=67635 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3772 at 15% per annum for 4 years. | option_a=6035 | option_b=2163 | option_c=2263 | option_d=2363 | answer=C | explanation=SI = PRT/100 = 3772×15×4/100 = █2263.

id=67636 | topic=Profit & Loss | difficulty=Easy | question=An article costs █440. If it is sold at a profit of 30%, what is its selling price? | option_a=470 | option_b=616 | option_c=528 | option_d=572 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 440 × 130/100 = █572.

id=67637 | topic=Averages | difficulty=Easy | question=Find the average of 35, 38, 13, 17, 60, 48, 83. | option_a=42 | option_b=41 | option_c=44 | option_d=43 | answer=A | explanation=Average = sum of values ÷ number of values = 294 ÷ 7 = 42.

id=67638 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 28, 36, 44, ? | option_a=52 | option_b=60 | option_c=53 | option_d=44 | answer=A | explanation=The common difference is 8. Therefore the next term is 44 + 8 = 52.

id=67639 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=23 | option_b=22 | option_c=18 | option_d=26 | answer=B | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

id=67640 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 27, 30, 34? | option_a=24 | option_b=30 | option_c=34 | option_d=27 | answer=C | explanation=The first three numbers increase by 3, so the next should be 33. Therefore 34 is the odd one out.

id=67641 | topic=Percentages | difficulty=Easy | question=What is 15% of 1377? | option_a=206 | option_b=412 | option_c=201 | option_d=216 | answer=A | explanation=15% of 1377 = (15/100) × 1377 = 206.

id=67642 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 8, 13, 19? | option_a=8 | option_b=19 | option_c=13 | option_d=3 | answer=B | explanation=The first three numbers increase by 5, so the next should be 18. Therefore 19 is the odd one out.

id=67643 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=67644 | topic=Averages | difficulty=Easy | question=Find the average of 50, 38, 28, 29, 30, 63, 56. | option_a=44 | option_b=41 | option_c=43 | option_d=42 | answer=D | explanation=Average = sum of values ÷ number of values = 294 ÷ 7 = 42.

id=67645 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 28? | option_a=21 | option_b=24 | option_c=28 | option_d=18 | answer=C | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 28 is the odd one out.

id=67646 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=67647 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13159 at 12% per annum for 5 years. | option_a=21054 | option_b=7895 | option_c=7795 | option_d=7995 | answer=B | explanation=SI = PRT/100 = 13159×12×5/100 = █7895.

id=67648 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2824. If it is sold at a profit of 15%, what is its selling price? | option_a=3247 | option_b=3529 | option_c=2839 | option_d=2965 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2824 × 115/100 = █3247.

id=67649 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=24 | option_b=25 | option_c=29 | option_d=19 | answer=A | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.

id=67650 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=N | option_c=P | option_d=T | answer=A | explanation=Move 2 positions forward from P; the resulting letter is R.

Aptitude Questions — Records 67,651-67,680 of 100,000

id=67651 | topic=Percentages | difficulty=Easy | question=What is 50% of 1792? | option_a=896 | option_b=891 | option_c=916 | option_d=1792 | answer=A | explanation=50% of 1792 = (50/100) × 1792 = 896.

id=67652 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 20, 23, 29? | option_a=20 | option_b=23 | option_c=29 | option_d=17 | answer=C | explanation=The first three numbers increase by 3, so the next should be 26. Therefore 29 is the odd one out.

id=67653 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46313 at 6% per annum for 5 years. | option_a=13993 | option_b=13893 | option_c=13793 | option_d=60206 | answer=B | explanation=SI = PRT/100 = 46313×6×5/100 = █13893.

id=67654 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:6 and the first is 120, what is the second? | option_a=30 | option_b=156 | option_c=56 | option_d=36 | answer=D | explanation=Scale factor = 120/20 = 6. Therefore second quantity = 6×6 = 36.

id=67655 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=8 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=67656 | topic=Averages | difficulty=Easy | question=Find the average of 61, 17, 76, 40, 36. | option_a=46 | option_b=45 | option_c=48 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 230 ÷ 5 = 46.

id=67657 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1641. If it is sold at a profit of 30%, what is its selling price? | option_a=2133 | option_b=1969 | option_c=2297 | option_d=1671 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1641 × 130/100 = █2133.

id=67658 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=39 | option_b=48 | option_c=55 | option_d=47 | answer=D | explanation=The common difference is 8. Therefore the next term is 39 + 8 = 47.

id=67659 | topic=Percentages | difficulty=Easy | question=What is 30% of 1231? | option_a=738 | option_b=379 | option_c=369 | option_d=349 | answer=C | explanation=30% of 1231 = (30/100) × 1231 = 369.

id=67660 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4558 at 4% per annum for 4 years. | option_a=729 | option_b=829 | option_c=629 | option_d=5287 | answer=A | explanation=SI = PRT/100 = 4558×4×4/100 = █729.

id=67661 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:3 and the first is 340, what is the second? | option_a=57 | option_b=400 | option_c=60 | option_d=77 | answer=C | explanation=Scale factor = 340/17 = 20. Therefore second quantity = 3×20 = 60.

id=67662 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=25 | option_c=15 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=67663 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22414 at 15% per annum for 3 years. | option_a=10086 | option_b=32500 | option_c=10186 | option_d=9986 | answer=A | explanation=SI = PRT/100 = 22414×15×3/100 = █10086.

id=67664 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=80 | option_b=68 | option_c=56 | option_d=69 | answer=B | explanation=The common difference is 12. Therefore the next term is 56 + 12 = 68.

id=67665 | topic=Percentages | difficulty=Easy | question=What is 50% of 1666? | option_a=853 | option_b=1666 | option_c=833 | option_d=813 | answer=C | explanation=50% of 1666 = (50/100) × 1666 = 833.

id=67666 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=67667 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1766. If it is sold at a profit of 50%, what is its selling price? | option_a=1816 | option_b=2649 | option_c=2825 | option_d=2473 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1766 × 150/100 = █2649.

id=67668 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 49? | option_a=49 | option_b=40 | option_c=28 | option_d=34 | answer=A | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 49 is the odd one out.

id=67669 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34183 at 8% per annum for 2 years. | option_a=5569 | option_b=5369 | option_c=39652 | option_d=5469 | answer=D | explanation=SI = PRT/100 = 34183×8×2/100 = █5469.

id=67670 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=58 | option_b=59 | option_c=47 | option_d=69 | answer=A | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.

id=67671 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:20 and the first is 180, what is the second? | option_a=480 | option_b=300 | option_c=280 | option_d=312 | answer=B | explanation=Scale factor = 180/12 = 15. Therefore second quantity = 20×15 = 300.

id=67672 | topic=Averages | difficulty=Easy | question=Find the average of 11, 40, 84, 18, 72. | option_a=45 | option_b=47 | option_c=46 | option_d=44 | answer=A | explanation=Average = sum of values ÷ number of values = 225 ÷ 5 = 45.

id=67673 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=26 | option_b=22 | option_c=30 | option_d=27 | answer=A | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.

id=67674 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 22? | option_a=16 | option_b=22 | option_c=14 | option_d=18 | answer=B | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 22 is the odd one out.

id=67675 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:13 and the first is 260, what is the second? | option_a=247 | option_b=520 | option_c=273 | option_d=260 | answer=D | explanation=Scale factor = 260/13 = 20. Therefore second quantity = 13×20 = 260.

id=67676 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 12, 15, 18, ? | option_a=24 | option_b=22 | option_c=18 | option_d=21 | answer=D | explanation=The common difference is 3. Therefore the next term is 18 + 3 = 21.

id=67677 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=100 | option_c=105 | option_d=200 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=67678 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42409 at 12% per annum for 2 years. | option_a=10178 | option_b=10078 | option_c=52587 | option_d=10278 | answer=A | explanation=SI = PRT/100 = 42409×12×2/100 = █10178.

id=67679 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26688 at 12% per annum for 2 years. | option_a=33093 | option_b=6505 | option_c=6305 | option_d=6405 | answer=D | explanation=SI = PRT/100 = 26688×12×2/100 = █6405.

id=67680 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:2 and the first is 280, what is the second? | option_a=48 | option_b=26 | option_c=28 | option_d=308 | answer=C | explanation=Scale factor = 280/20 = 14. Therefore second quantity = 2×14 = 28.

Aptitude Questions — Records 67,681-67,710 of 100,000

id=67681 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=12 | option_b=11 | option_c=9 | option_d=13 | answer=B | explanation=The common difference is 2. Therefore the next term is 9 + 2 = 11.

id=67682 | topic=Profit & Loss | difficulty=Easy | question=An article costs █753. If it is sold at a profit of 40%, what is its selling price? | option_a=793 | option_b=1129 | option_c=979 | option_d=1054 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 753 × 140/100 = █1054.

id=67683 | topic=Averages | difficulty=Easy | question=Find the average of 82, 84, 90, 72. | option_a=84 | option_b=82 | option_c=83 | option_d=81 | answer=B | explanation=Average = sum of values ÷ number of values = 328 ÷ 4 = 82.

id=67684 | topic=Averages | difficulty=Easy | question=Find the average of 39, 77, 92, 64. | option_a=70 | option_b=67 | option_c=69 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = 272 ÷ 4 = 68.

id=67685 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 49? | option_a=28 | option_b=49 | option_c=37 | option_d=19 | answer=B | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 49 is the odd one out.

id=67686 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=67687 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 25, 31, 40? | option_a=19 | option_b=31 | option_c=40 | option_d=25 | answer=C | explanation=The first three numbers increase by 6, so the next should be 37. Therefore 40 is the odd one out.

id=67688 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=67689 | topic=Percentages | difficulty=Easy | question=What is 40% of 1622? | option_a=638 | option_b=1296 | option_c=658 | option_d=648 | answer=D | explanation=40% of 1622 = (40/100) × 1622 = 648.

id=67690 | topic=Percentages | difficulty=Easy | question=What is 25% of 1245? | option_a=291 | option_b=622 | option_c=311 | option_d=316 | answer=C | explanation=25% of 1245 = (25/100) × 1245 = 311.

id=67691 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=67692 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=59 | option_b=69 | option_c=60 | option_d=49 | answer=A | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

id=67693 | topic=Percentages | difficulty=Easy | question=What is 40% of 1509? | option_a=613 | option_b=1206 | option_c=603 | option_d=593 | answer=C | explanation=40% of 1509 = (40/100) × 1509 = 603.

id=67694 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=G | option_b=V | option_c=Q | option_d=L | answer=C | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=67695 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 13, 18, 26? | option_a=18 | option_b=13 | option_c=26 | option_d=8 | answer=C | explanation=The first three numbers increase by 5, so the next should be 23. Therefore 26 is the odd one out.

id=67696 | topic=Profit & Loss | difficulty=Easy | question=An article costs █435. If it is sold at a profit of 5%, what is its selling price? | option_a=456 | option_b=440 | option_c=413 | option_d=499 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 435 × 105/100 = █456.

id=67697 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35770 at 4% per annum for 1 years. | option_a=37200 | option_b=1330 | option_c=1530 | option_d=1430 | answer=D | explanation=SI = PRT/100 = 35770×4×1/100 = █1430.

id=67698 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:13 and the first is 340, what is the second? | option_a=241 | option_b=221 | option_c=208 | option_d=561 | answer=B | explanation=Scale factor = 340/20 = 17. Therefore second quantity = 13×17 = 221.

id=67699 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=44 | option_b=28 | option_c=36 | option_d=37 | answer=C | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=67700 | topic=Averages | difficulty=Easy | question=Find the average of 98, 10, 100, 79, 36, 39, 23. | option_a=57 | option_b=54 | option_c=55 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 385 ÷ 7 = 55.

id=67701 | topic=Percentages | difficulty=Easy | question=What is 15% of 572? | option_a=65 | option_b=85 | option_c=170 | option_d=105 | answer=B | explanation=15% of 572 = (15/100) × 572 = 85.

id=67702 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 10, 16, 23? | option_a=23 | option_b=16 | option_c=4 | option_d=10 | answer=A | explanation=The first three numbers increase by 6, so the next should be 22. Therefore 23 is the odd one out.

id=67703 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=B | option_b=N | option_c=J | option_d=F | answer=C | explanation=Move 4 positions forward from F; the resulting letter is J.

id=67704 | topic=Percentages | difficulty=Easy | question=What is 5% of 326? | option_a=16 | option_b=26 | option_c=6 | option_d=32 | answer=A | explanation=5% of 326 = (5/100) × 326 = 16.

id=67705 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=67706 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=12 | option_b=9 | option_c=11 | option_d=13 | answer=C | explanation=The common difference is 2. Therefore the next term is 9 + 2 = 11.

id=67707 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=P | option_b=Q | option_c=O | option_d=N | answer=A | explanation=Move 1 positions forward from O; the resulting letter is P.

id=67708 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=36 | option_b=28 | option_c=32 | option_d=33 | answer=C | explanation=The common difference is 4. Therefore the next term is 28 + 4 = 32.

id=67709 | topic=Percentages | difficulty=Easy | question=What is 15% of 1430? | option_a=428 | option_b=214 | option_c=209 | option_d=224 | answer=B | explanation=15% of 1430 = (15/100) × 1430 = 214.

id=67710 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36753 at 10% per annum for 3 years. | option_a=11125 | option_b=47778 | option_c=10925 | option_d=11025 | answer=D | explanation=SI = PRT/100 = 36753×10×3/100 = █11025.

Aptitude Questions — Records 67,711-67,740 of 100,000

id=67711 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=67712 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 38, 46, 57? | option_a=30 | option_b=57 | option_c=46 | option_d=38 | answer=B | explanation=The first three numbers increase by 8, so the next should be 54. Therefore 57 is the odd one out.

id=67713 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3508. If it is sold at a profit of 40%, what is its selling price? | option_a=4911 | option_b=3548 | option_c=5261 | option_d=4561 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3508 × 140/100 = █4911.

id=67714 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=I | option_c=K | option_d=E | answer=B | explanation=Move 2 positions forward from G; the resulting letter is I.

id=67715 | topic=Percentages | difficulty=Easy | question=What is 25% of 888? | option_a=242 | option_b=217 | option_c=222 | option_d=444 | answer=C | explanation=25% of 888 = (25/100) × 888 = 222.

id=67716 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 30. | option_a=390 | option_b=420 | option_c=448 | option_d=840 | answer=B | explanation=LCM × HCF = 28×30; HCF(28,30) = 2, so LCM = 420.

id=67717 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 12. | option_a=48 | option_b=36 | option_c=192 | option_d=64 | answer=A | explanation=LCM × HCF = 16×12; HCF(16,12) = 4, so LCM = 48.

id=67718 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2120. If it is sold at a profit of 50%, what is its selling price? | option_a=2170 | option_b=2968 | option_c=3392 | option_d=3180 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2120 × 150/100 = █3180.

id=67719 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=67720 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=31 | option_b=36 | option_c=24 | option_d=30 | answer=D | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.

id=67721 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2507. If it is sold at a profit of 20%, what is its selling price? | option_a=2758 | option_b=3008 | option_c=3258 | option_d=2527 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2507 × 120/100 = █3008.

id=67722 | topic=Averages | difficulty=Easy | question=Find the average of 74, 47, 52, 48, 48, 97. | option_a=61 | option_b=60 | option_c=62 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 366 ÷ 6 = 61.

id=67723 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=F | option_c=K | option_d=V | answer=B | explanation=Move 5 positions forward from A; the resulting letter is F.

id=67724 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:1 and the first is 192, what is the second? | option_a=204 | option_b=11 | option_c=28 | option_d=12 | answer=D | explanation=Scale factor = 192/16 = 12. Therefore second quantity = 1×12 = 12.

id=67725 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=42 | option_b=33 | option_c=51 | option_d=43 | answer=A | explanation=The common difference is 9. Therefore the next term is 33 + 9 = 42.

id=67726 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41854 at 5% per annum for 2 years. | option_a=4085 | option_b=46039 | option_c=4285 | option_d=4185 | answer=D | explanation=SI = PRT/100 = 41854×5×2/100 = █4185.

id=67727 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3283. If it is sold at a profit of 20%, what is its selling price? | option_a=3939 | option_b=3611 | option_c=3303 | option_d=4267 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3283 × 120/100 = █3939.

id=67728 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 13, 20, 28? | option_a=28 | option_b=13 | option_c=6 | option_d=20 | answer=A | explanation=The first three numbers increase by 7, so the next should be 27. Therefore 28 is the odd one out.

id=67729 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7134 at 4% per annum for 3 years. | option_a=956 | option_b=7990 | option_c=756 | option_d=856 | answer=D | explanation=SI = PRT/100 = 7134×4×3/100 = █856.

id=67730 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=35 | option_b=31 | option_c=32 | option_d=27 | answer=B | explanation=The common difference is 4. Therefore the next term is 27 + 4 = 31.

id=67731 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2451. If it is sold at a profit of 50%, what is its selling price? | option_a=3431 | option_b=2501 | option_c=3921 | option_d=3676 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2451 × 150/100 = █3676.

id=67732 | topic=Averages | difficulty=Easy | question=Find the average of 46, 67, 74, 27, 55, 56, 52, 55. | option_a=53 | option_b=56 | option_c=55 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 432 ÷ 8 = 54.

id=67733 | topic=Percentages | difficulty=Easy | question=What is 30% of 1807? | option_a=1084 | option_b=552 | option_c=542 | option_d=537 | answer=C | explanation=30% of 1807 = (30/100) × 1807 = 542.

id=67734 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=49 | option_b=60 | option_c=71 | option_d=61 | answer=B | explanation=The common difference is 11. Therefore the next term is 49 + 11 = 60.

id=67735 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=67736 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 23? | option_a=16 | option_b=23 | option_c=14 | option_d=18 | answer=B | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 23 is the odd one out.

id=67737 | topic=Percentages | difficulty=Easy | question=What is 40% of 401? | option_a=165 | option_b=160 | option_c=140 | option_d=320 | answer=B | explanation=40% of 401 = (40/100) × 401 = 160.

id=67738 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31027 at 12% per annum for 4 years. | option_a=14992 | option_b=14892 | option_c=14792 | option_d=45919 | answer=B | explanation=SI = PRT/100 = 31027×12×4/100 = █14892.

id=67739 | topic=Averages | difficulty=Easy | question=Find the average of 81, 64, 55, 36. | option_a=61 | option_b=60 | option_c=58 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 236 ÷ 4 = 59.

id=67740 | topic=Percentages | difficulty=Easy | question=What is 20% of 1166? | option_a=233 | option_b=223 | option_c=466 | option_d=238 | answer=A | explanation=20% of 1166 = (20/100) × 1166 = 233.

Aptitude Questions — Records 67,741-67,770 of 100,000

id=67741 | topic=Averages | difficulty=Easy | question=Find the average of 79, 79, 29, 73, 65, 32, 73, 84, 89. | option_a=66 | option_b=68 | option_c=67 | option_d=69 | answer=C | explanation=Average = sum of values ÷ number of values = 603 ÷ 9 = 67.

id=67742 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4266. If it is sold at a profit of 40%, what is its selling price? | option_a=5972 | option_b=4306 | option_c=5546 | option_d=6398 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4266 × 140/100 = **■**5972.

id=67743 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33836 at 8% per annum for 4 years. | option_a=10827 | option_b=10727 | option_c=10927 | option_d=44663 | answer=A | explanation=SI = PRT/100 = 33836×8×4/100 = **■**10827.

id=67744 | topic=Averages | difficulty=Easy | question=Find the average of 20, 98, 59. | option_a=59 | option_b=60 | option_c=61 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 177 ÷ 3 = 59.

id=67745 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=20 | option_c=25 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=67746 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=55 | option_b=54 | option_c=44 | option_d=64 | answer=B | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=67747 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=67748 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:14 and the first is 100, what is the second? | option_a=240 | option_b=150 | option_c=140 | option_d=126 | answer=C | explanation=Scale factor = 100/10 = 10. Therefore second quantity = 14×10 = 140.

id=67749 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=48 | option_c=96 | option_d=53 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=67750 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:12 and the first is 80, what is the second? | option_a=244 | option_b=228 | option_c=320 | option_d=240 | answer=D | explanation=Scale factor = 80/4 = 20. Therefore second quantity = 12×20 = 240.

id=67751 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 8. | option_a=16 | option_b=1 | option_c=8 | option_d=64 | answer=C | explanation=LCM × HCF = 8×8; HCF(8,8) = 8, so LCM = 8.

id=67752 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=20 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=67753 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40859 at 8% per annum for 4 years. | option_a=12974 | option_b=53933 | option_c=13074 | option_d=13174 | answer=C | explanation=SI = PRT/100 = 40859×8×4/100 = **■**13074.

id=67754 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=67755 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**649. If it is sold at a profit of 10%, what is its selling price? | option_a=649 | option_b=777 | option_c=659 | option_d=713 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 649 × 110/100 = **■**713.

id=67756 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3823. If it is sold at a profit of 20%, what is its selling price? | option_a=4969 | option_b=3843 | option_c=4205 | option_d=4587 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3823 × 120/100 = **■**4587.

id=67757 | topic=Percentages | difficulty=Easy | question=What is 40% of 1452? | option_a=585 | option_b=580 | option_c=570 | option_d=1160 | answer=B | explanation=40% of 1452 = (40/100) × 1452 = 580.

id=67758 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44034 at 5% per annum for 2 years. | option_a=4503 | option_b=4403 | option_c=4303 | option_d=48437 | answer=B | explanation=SI = PRT/100 = 44034×5×2/100 = **■**4403.

id=67759 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=53 | option_b=63 | option_c=41 | option_d=52 | answer=D | explanation=The common difference is 11. Therefore the next term is 41 + 11 = 52.

id=67760 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8261 at 5% per annum for 3 years. | option_a=9500 | option_b=1339 | option_c=1239 | option_d=1139 | answer=C | explanation=SI = PRT/100 = 8261×5×3/100 = **■**1239.

id=67761 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:1 and the first is 15, what is the second? | option_a=15 | option_b=16 | option_c=14 | option_d=30 | answer=A | explanation=Scale factor = 15/1 = 15. Therefore second quantity = 1×15 = 15.

id=67762 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4972. If it is sold at a profit of 10%, what is its selling price? | option_a=4982 | option_b=4972 | option_c=5469 | option_d=5966 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4972 × 110/100 = **■**5469.

id=67763 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:7 and the first is 182, what is the second? | option_a=273 | option_b=105 | option_c=91 | option_d=84 | answer=C | explanation=Scale factor = 182/14 = 13. Therefore second quantity = 7×13 = 91.

id=67764 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:17 and the first is 340, what is the second? | option_a=680 | option_b=323 | option_c=357 | option_d=340 | answer=D | explanation=Scale factor = 340/17 = 20. Therefore second quantity = 17×20 = 340.

id=67765 | topic=Averages | difficulty=Easy | question=Find the average of 97, 64, 80, 56, 51, 58, 14. | option_a=62 | option_b=61 | option_c=60 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 420 ÷ 7 = 60.

id=67766 | topic=Percentages | difficulty=Easy | question=What is 50% of 1571? | option_a=1570 | option_b=780 | option_c=790 | option_d=785 | answer=D | explanation=50% of 1571 = (50/100) × 1571 = 785.

id=67767 | topic=Number System | difficulty=Easy | question=Find the LCM of 19 and 19. | option_a=361 | option_b=1 | option_c=38 | option_d=19 | answer=D | explanation=LCM × HCF = 19×19; HCF(19,19) = 19, so LCM = 19.

id=67768 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:18 and the first is 240, what is the second? | option_a=342 | option_b=372 | option_c=360 | option_d=600 | answer=C | explanation=Scale factor = 240/12 = 20. Therefore second quantity = 18×20 = 360.

id=67769 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41676 at 8% per annum for 5 years. | option_a=16570 | option_b=16770 | option_c=16670 | option_d=58346 | answer=C | explanation=SI = PRT/100 = 41676×8×5/100 = **■**16670.

id=67770 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=S | option_b=D | option_c=I | option_d=N | answer=D | explanation=Move 5 positions forward from I; the resulting letter is N.

Aptitude Questions — Records 67,771-67,800 of 100,000

id=67771 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:20 and the first is 168, what is the second? | option_a=448 | option_b=280 | option_c=292 | option_d=260 | answer=B | explanation=Scale factor = $168/12 = 14$. Therefore second quantity = $20 \times 14 = 280$.

id=67772 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=52 | option_b=74 | option_c=63 | option_d=64 | answer=C | explanation=The common difference is 11. Therefore the next term is $52 + 11 = 63$.

id=67773 | topic=Averages | difficulty=Easy | question=Find the average of 59, 71, 99, 48, 12, 89. | option_a=65 | option_b=62 | option_c=63 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = $378 \div 6 = 63$.

id=67774 | topic=Averages | difficulty=Easy | question=Find the average of 38, 45, 14, 15. | option_a=28 | option_b=27 | option_c=29 | option_d=30 | answer=A | explanation=Average = sum of values ÷ number of values = $112 \div 4 = 28$.

id=67775 | topic=Percentages | difficulty=Easy | question=What is 50% of 909? | option_a=454 | option_b=464 | option_c=908 | option_d=449 | answer=A | explanation=50% of 909 = $(50/100) \times 909 = 454$.

id=67776 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**2766 at 15% per annum for 4 years. | option_a=4425 | option_b=1759 | option_c=1559 | option_d=1659 | answer=D | explanation=SI = $PRT/100 = 2766 \times 15 \times 4/100 = \text{₹}1659$.

id=67777 | topic=Averages | difficulty=Easy | question=Find the average of 79, 44, 98, 75. | option_a=76 | option_b=74 | option_c=73 | option_d=75 | answer=B | explanation=Average = sum of values ÷ number of values = $296 \div 4 = 74$.

id=67778 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:16 and the first is 76, what is the second? | option_a=380 | option_b=308 | option_c=304 | option_d=288 | answer=C | explanation=Scale factor = $76/4 = 19$. Therefore second quantity = $16 \times 19 = 304$.

id=67779 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = $120 \div 8 = 15$ km/h.

id=67780 | topic=Percentages | difficulty=Easy | question=What is 12% of 77? | option_a=9 | option_b=0 | option_c=19 | option_d=18 | answer=A | explanation=12% of 77 = $(12/100) \times 77 = 9$.

id=67781 | topic=Averages | difficulty=Easy | question=Find the average of 65, 42, 46, 44, 85, 13, 62. | option_a=52 | option_b=50 | option_c=51 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = $357 \div 7 = 51$.

id=67782 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1695. If it is sold at a profit of 25%, what is its selling price? | option_a=2118 | option_b=1949 | option_c=1720 | option_d=2287 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1695 \times 125/100 = \text{₹}2118$.

id=67783 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=67784 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=24 | option_d=7 | answer=A | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=67785 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 29, 36, 46? | option_a=36 | option_b=22 | option_c=29 | option_d=46 | answer=D | explanation=The first three numbers increase by 7, so the next should be 43. Therefore 46 is the odd one out.

id=67786 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1121. If it is sold at a profit of 15%, what is its selling price? | option_a=1177 | option_b=1401 | option_c=1136 | option_d=1289 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1121 \times 115/100 = \text{₹}1289$.

id=67787 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**942. If it is sold at a profit of 40%, what is its selling price? | option_a=982 | option_b=1412 | option_c=1318 | option_d=1224 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 942 \times 140/100 = \text{₹}1318$.

id=67788 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 20, 26, 33? | option_a=33 | option_b=14 | option_c=26 | option_d=20 | answer=A | explanation=The first three numbers increase by 6, so the next should be 32. Therefore 33 is the odd one out.

id=67789 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=56 | option_b=57 | option_c=45 | option_d=67 | answer=A | explanation=The common difference is 11. Therefore the next term is $45 + 11 = 56$.

id=67790 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=67791 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=67792 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=5 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = $60 \div 6 = 10$ km/h.

id=67793 | topic=Percentages | difficulty=Easy | question=What is 10% of 1757? | option_a=350 | option_b=180 | option_c=155 | option_d=175 | answer=D | explanation=10% of 1757 = $(10/100) \times 1757 = 175$.

id=67794 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=8 | answer=B | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=67795 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:4 and the first is 84, what is the second? | option_a=48 | option_b=55 | option_c=132 | option_d=44 | answer=A | explanation=Scale factor = $84/7 = 12$. Therefore second quantity = $4 \times 12 = 48$.

id=67796 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=67797 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**21672 at 10% per annum for 2 years. | option_a=4234 | option_b=4334 | option_c=26006 | option_d=4434 | answer=B | explanation=SI = $PRT/100 = 21672 \times 10 \times 2/100 = \text{₹}4334$.

id=67798 | topic=Averages | difficulty=Easy | question=Find the average of 21, 28, 92. | option_a=47 | option_b=48 | option_c=46 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = $141 \div 3 = 47$.

id=67799 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**43707 at 10% per annum for 2 years. | option_a=8841 | option_b=8641 | option_c=52448 | option_d=8741 | answer=D | explanation=SI = $PRT/100 = 43707 \times 10 \times 2/100 = \text{₹}8741$.

id=67800 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 22. | option_a=132 | option_b=72 | option_c=44 | option_d=66 | answer=D | explanation=LCM $\times$ HCF = 6×22 ; HCF(6,22) = 2, so LCM = 66.

Aptitude Questions — Records 67,801-67,830 of 100,000

id=67801 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=45 | option_b=57 | option_c=56 | option_d=67 | answer=C | explanation=The common difference is 11. Therefore the next term is 45 + 11 = 56.

id=67802 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4911. If it is sold at a profit of 5%, what is its selling price? | option_a=5156 | option_b=4665 | option_c=4916 | option_d=5647 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4911 × 105/100 = █5156.

id=67803 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3819. If it is sold at a profit of 5%, what is its selling price? | option_a=3824 | option_b=3628 | option_c=4009 | option_d=4390 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3819 × 105/100 = █4009.

id=67804 | topic=Percentages | difficulty=Easy | question=What is 15% of 886? | option_a=137 | option_b=132 | option_c=127 | option_d=264 | answer=B | explanation=15% of 886 = (15/100) × 886 = 132.

id=67805 | topic=Percentages | difficulty=Easy | question=What is 40% of 1139? | option_a=910 | option_b=475 | option_c=445 | option_d=455 | answer=D | explanation=40% of 1139 = (40/100) × 1139 = 455.

id=67806 | topic=Averages | difficulty=Easy | question=Find the average of 32, 19, 63. | option_a=40 | option_b=37 | option_c=38 | option_d=39 | answer=C | explanation=Average = sum of values ÷ number of values = 114 ÷ 3 = 38.

id=67807 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=5 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=67808 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=67809 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30708 at 10% per annum for 1 years. | option_a=33778 | option_b=2970 | option_c=3170 | option_d=3070 | answer=D | explanation=SI = PRT/100 = 30708×10×1/100 = █3070.

id=67810 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=Q | option_c=U | option_d=W | answer=C | explanation=Move 2 positions forward from S; the resulting letter is U.

id=67811 | topic=Percentages | difficulty=Easy | question=What is 30% of 1883? | option_a=554 | option_b=569 | option_c=1128 | option_d=564 | answer=D | explanation=30% of 1883 = (30/100) × 1883 = 564.

id=67812 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 10, 12, 14, ? | option_a=14 | option_b=18 | option_c=16 | option_d=17 | answer=C | explanation=The common difference is 2. Therefore the next term is 14 + 2 = 16.

id=67813 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 23, 25, 30? | option_a=23 | option_b=21 | option_c=30 | option_d=25 | answer=C | explanation=The first three numbers increase by 2, so the next should be 27. Therefore 30 is the odd one out.

id=67814 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 27. | option_a=300 | option_b=810 | option_c=270 | option_d=243 | answer=C | explanation=LCM × HCF = 30×27; HCF(30,27) = 3, so LCM = 270.

id=67815 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=H | option_b=N | option_c=L | option_d=J | answer=C | explanation=Move 2 positions forward from J; the resulting letter is L.

id=67816 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=D | option_c=Z | option_d=B | answer=B | explanation=Move 2 positions forward from B; the resulting letter is D.

id=67817 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 15, 22, 29, ? | option_a=29 | option_b=43 | option_c=37 | option_d=36 | answer=D | explanation=The common difference is 7. Therefore the next term is 29 + 7 = 36.

id=67818 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=67819 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:12 and the first is 16, what is the second? | option_a=64 | option_b=48 | option_c=36 | option_d=52 | answer=B | explanation=Scale factor = 16/4 = 4. Therefore second quantity = 12×4 = 48.

id=67820 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 14? | option_a=14 | option_b=7 | option_c=9 | option_d=5 | answer=A | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 14 is the odd one out.

id=67821 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31329 at 5% per annum for 2 years. | option_a=3032 | option_b=3132 | option_c=34461 | option_d=3232 | answer=B | explanation=SI = PRT/100 = 31329×5×2/100 = █3132.

id=67822 | topic=Averages | difficulty=Easy | question=Find the average of 70, 53, 18, 100, 69, 63, 85, 30. | option_a=63 | option_b=61 | option_c=62 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 488 ÷ 8 = 61.

id=67823 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=67824 | topic=Averages | difficulty=Easy | question=Find the average of 29, 48, 100. | option_a=61 | option_b=59 | option_c=60 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 177 ÷ 3 = 59.

id=67825 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 16, 23, 31? | option_a=31 | option_b=23 | option_c=9 | option_d=16 | answer=A | explanation=The first three numbers increase by 7, so the next should be 30. Therefore 31 is the odd one out.

id=67826 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=360 | option_c=185 | option_d=175 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=67827 | topic=Percentages | difficulty=Easy | question=What is 20% of 1688? | option_a=332 | option_b=347 | option_c=337 | option_d=674 | answer=C | explanation=20% of 1688 = (20/100) × 1688 = 337.

id=67828 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 26, 34, 42, ? | option_a=51 | option_b=50 | option_c=58 | option_d=42 | answer=B | explanation=The common difference is 8. Therefore the next term is 42 + 8 = 50.

id=67829 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3721 at 5% per annum for 5 years. | option_a=1030 | option_b=830 | option_c=930 | option_d=4651 | answer=C | explanation=SI = PRT/100 = 3721×5×5/100 = █930.

id=67830 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1699. If it is sold at a profit of 5%, what is its selling price? | option_a=1952 | option_b=1783 | option_c=1614 | option_d=1704 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1699 × 105/100 = █1783.

Aptitude Questions — Records 67,831-67,860 of 100,000

id=67831 | topic=Averages | difficulty=Easy | question=Find the average of 21, 46, 13, 70, 20. | option_a=34 | option_b=35 | option_c=36 | option_d=33 | answer=A | explanation=Average = sum of values ÷ number of values = 170 ÷ 5 = 34.

id=67832 | topic=Percentages | difficulty=Easy | question=What is 30% of 1407? | option_a=402 | option_b=422 | option_c=432 | option_d=844 | answer=B | explanation=30% of 1407 = (30/100) × 1407 = 422.

id=67833 | topic=Averages | difficulty=Easy | question=Find the average of 82, 71, 63, 51, 28, 65. | option_a=60 | option_b=59 | option_c=62 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 360 ÷ 6 = 60.

id=67834 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2602. If it is sold at a profit of 5%, what is its selling price? | option_a=2607 | option_b=2472 | option_c=2732 | option_d=2992 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2602 × 105/100 = █2732.

id=67835 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2565 at 4% per annum for 5 years. | option_a=3078 | option_b=413 | option_c=613 | option_d=513 | answer=D | explanation=SI = PRT/100 = 2565×4×5/100 = █513.

id=67836 | topic=Averages | difficulty=Easy | question=Find the average of 66, 54, 53, 13, 19. | option_a=43 | option_b=40 | option_c=42 | option_d=41 | answer=D | explanation=Average = sum of values ÷ number of values = 205 ÷ 5 = 41.

id=67837 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:2 and the first is 12, what is the second? | option_a=10 | option_b=4 | option_c=6 | option_d=18 | answer=C | explanation=Scale factor = 12/4 = 3. Therefore second quantity = 2×3 = 6.

id=67838 | topic=Percentages | difficulty=Easy | question=What is 10% of 403? | option_a=35 | option_b=80 | option_c=50 | option_d=40 | answer=D | explanation=10% of 403 = (10/100) × 403 = 40.

id=67839 | topic=Averages | difficulty=Easy | question=Find the average of 85, 96, 97, 75, 64, 23, 84, 26, 11, 59. | option_a=61 | option_b=64 | option_c=62 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = 620 ÷ 10 = 62.

id=67840 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=Z | option_b=R | option_c=N | option_d=V | answer=D | explanation=Move 4 positions forward from R; the resulting letter is V.

id=67841 | topic=Percentages | difficulty=Easy | question=What is 5% of 1240? | option_a=72 | option_b=124 | option_c=62 | option_d=57 | answer=C | explanation=5% of 1240 = (5/100) × 1240 = 62.

id=67842 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 35? | option_a=24 | option_b=35 | option_c=14 | option_d=4 | answer=B | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 35 is the odd one out.

id=67843 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=90 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=67844 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=29 | option_b=35 | option_c=32 | option_d=33 | answer=C | explanation=The common difference is 3. Therefore the next term is 29 + 3 = 32.

id=67845 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:19 and the first is 42, what is the second? | option_a=38 | option_b=71 | option_c=57 | option_d=99 | answer=C | explanation=Scale factor = 42/14 = 3. Therefore second quantity = 19×3 = 57.

id=67846 | topic=Percentages | difficulty=Easy | question=What is 15% of 573? | option_a=90 | option_b=65 | option_c=170 | option_d=85 | answer=D | explanation=15% of 573 = (15/100) × 573 = 85.

id=67847 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 10, 13, 16, ? | option_a=16 | option_b=20 | option_c=22 | option_d=19 | answer=D | explanation=The common difference is 3. Therefore the next term is 16 + 3 = 19.

id=67848 | topic=Percentages | difficulty=Easy | question=What is 12% of 403? | option_a=38 | option_b=96 | option_c=58 | option_d=48 | answer=D | explanation=12% of 403 = (12/100) × 403 = 48.

id=67849 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=P | option_b=N | option_c=Q | option_d=O | answer=A | explanation=Move 1 positions forward from O; the resulting letter is P.

id=67850 | topic=Averages | difficulty=Easy | question=Find the average of 15, 21, 59, 101. | option_a=48 | option_b=50 | option_c=49 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 196 ÷ 4 = 49.

id=67851 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=55 | option_b=45 | option_c=35 | option_d=46 | answer=B | explanation=The common difference is 10. Therefore the next term is 35 + 10 = 45.

id=67852 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30529 at 12% per annum for 1 years. | option_a=3763 | option_b=3663 | option_c=34192 | option_d=3563 | answer=B | explanation=SI = PRT/100 = 30529×12×1/100 = █3663.

id=67853 | topic=Percentages | difficulty=Easy | question=What is 10% of 600? | option_a=80 | option_b=60 | option_c=120 | option_d=40 | answer=B | explanation=10% of 600 = (10/100) × 600 = 60.

id=67854 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 34? | option_a=34 | option_b=24 | option_c=16 | option_d=8 | answer=A | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 34 is the odd one out.

id=67855 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1737. If it is sold at a profit of 30%, what is its selling price? | option_a=2085 | option_b=1767 | option_c=2258 | option_d=2431 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1737 × 130/100 = █2258.

id=67856 | topic=Percentages | difficulty=Easy | question=What is 30% of 440? | option_a=137 | option_b=112 | option_c=132 | option_d=264 | answer=C | explanation=30% of 440 = (30/100) × 440 = 132.

id=67857 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=J | option_b=H | option_c=I | option_d=K | answer=A | explanation=Move 1 positions forward from I; the resulting letter is J.

id=67858 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1413. If it is sold at a profit of 15%, what is its selling price? | option_a=1624 | option_b=1428 | option_c=1765 | option_d=1483 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1413 × 115/100 = █1624.

id=67859 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=Z | option_b=B | option_c=D | option_d=F | answer=C | explanation=Move 2 positions forward from B; the resulting letter is D.

id=67860 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 37? | option_a=29 | option_b=17 | option_c=37 | option_d=23 | answer=C | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 37 is the odd one out.

Aptitude Questions — Records 67,861-67,890 of 100,000

id=67861 | topic=Averages | difficulty=Easy | question=Find the average of 91, 54, 12, 63, 65. | option_a=57 | option_b=56 | option_c=58 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.

id=67862 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=56 | option_b=55 | option_c=46 | option_d=64 | answer=B | explanation=The common difference is 9. Therefore the next term is 46 + 9 = 55.

id=67863 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■22420 at 10% per annum for 2 years. | option_a=4584 | option_b=4384 | option_c=26904 | option_d=4484 | answer=D | explanation=SI = $PRT/100 = 22420 \times 10 \times 2/100 = \blacksquare 4484$.

id=67864 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=34 | option_b=40 | option_c=44 | option_d=39 | answer=D | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

id=67865 | topic=Averages | difficulty=Easy | question=Find the average of 45, 27, 81. | option_a=52 | option_b=50 | option_c=53 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 153 ÷ 3 = 51.

id=67866 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4537. If it is sold at a profit of 5%, what is its selling price? | option_a=5216 | option_b=4542 | option_c=4310 | option_d=4763 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4537 \times 105/100 = \blacksquare 4763$.

id=67867 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3658. If it is sold at a profit of 20%, what is its selling price? | option_a=4389 | option_b=3678 | option_c=4754 | option_d=4024 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3658 \times 120/100 = \blacksquare 4389$.

id=67868 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■37995 at 8% per annum for 5 years. | option_a=53193 | option_b=15298 | option_c=15198 | option_d=15098 | answer=C | explanation=SI = $PRT/100 = 37995 \times 8 \times 5/100 = \blacksquare 15198$.

id=67869 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1875. If it is sold at a profit of 30%, what is its selling price? | option_a=1905 | option_b=2437 | option_c=2624 | option_d=2250 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1875 \times 130/100 = \blacksquare 2437$.

id=67870 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■24675 at 6% per annum for 5 years. | option_a=7502 | option_b=7402 | option_c=32077 | option_d=7302 | answer=B | explanation=SI = $PRT/100 = 24675 \times 6 \times 5/100 = \blacksquare 7402$.

id=67871 | topic=Averages | difficulty=Easy | question=Find the average of 67, 23, 48. | option_a=45 | option_b=48 | option_c=47 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 138 ÷ 3 = 46.

id=67872 | topic=Averages | difficulty=Easy | question=Find the average of 14, 66, 35, 26, 57, 92, 46. | option_a=48 | option_b=47 | option_c=50 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 336 ÷ 7 = 48.

id=67873 | topic=Percentages | difficulty=Easy | question=What is 50% of 474? | option_a=474 | option_b=217 | option_c=242 | option_d=237 | answer=D | explanation=50% of 474 = $(50/100) \times 474 = 237$.

id=67874 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=U | option_c=Q | option_d=O | answer=A | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=67875 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=I | option_c=N | option_d=Y | answer=B | explanation=Move 5 positions forward from D; the resulting letter is I.

id=67876 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:16 and the first is 170, what is the second? | option_a=282 | option_b=272 | option_c=256 | option_d=442 | answer=B | explanation=Scale factor = $170/10 = 17$. Therefore second quantity = $16 \times 17 = 272$.

id=67877 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=67878 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4364. If it is sold at a profit of 5%, what is its selling price? | option_a=5018 | option_b=4369 | option_c=4582 | option_d=4146 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4364 \times 105/100 = \blacksquare 4582$.

id=67879 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3601. If it is sold at a profit of 5%, what is its selling price? | option_a=3606 | option_b=4141 | option_c=3421 | option_d=3781 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3601 \times 105/100 = \blacksquare 3781$.

id=67880 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=67881 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1881. If it is sold at a profit of 50%, what is its selling price? | option_a=1931 | option_b=3009 | option_c=2821 | option_d=2633 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1881 \times 150/100 = \blacksquare 2821$.

id=67882 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=67883 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■31038 at 15% per annum for 4 years. | option_a=18722 | option_b=49660 | option_c=18622 | option_d=18522 | answer=C | explanation=SI = $PRT/100 = 31038 \times 15 \times 4/100 = \blacksquare 18622$.

id=67884 | topic=Averages | difficulty=Easy | question=Find the average of 74, 79, 21, 100, 91. | option_a=74 | option_b=72 | option_c=75 | option_d=73 | answer=D | explanation=Average = sum of values ÷ number of values = 365 ÷ 5 = 73.

id=67885 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■35488 at 15% per annum for 2 years. | option_a=10646 | option_b=46134 | option_c=10546 | option_d=10746 | answer=A | explanation=SI = $PRT/100 = 35488 \times 15 \times 2/100 = \blacksquare 10646$.

id=67886 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:2 and the first is 90, what is the second? | option_a=30 | option_b=112 | option_c=32 | option_d=37 | answer=C | explanation=Scale factor = $80/5 = 16$. Therefore second quantity = $2 \times 16 = 32$.

id=67887 | topic=Percentages | difficulty=Easy | question=What is 30% of 1938? | option_a=571 | option_b=581 | option_c=1162 | option_d=601 | answer=B | explanation=30% of 1938 = $(30/100) \times 1938 = 581$.

id=67888 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:3 and the first is 9, what is the second? | option_a=36 | option_b=27 | option_c=28 | option_d=24 | answer=B | explanation=Scale factor = $9/1 = 9$. Therefore second quantity = $3 \times 9 = 27$.

id=67889 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 43? | option_a=35 | option_b=23 | option_c=43 | option_d=29 | answer=C | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 43 is the odd one out.

id=67890 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 39? | option_a=21 | option_b=39 | option_c=29 | option_d=13 | answer=B | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 39 is the odd one out.

Aptitude Questions — Records 67,891-67,920 of 100,000

id=67891 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=67892 | topic=Profit & Loss | difficulty=Easy | question=An article costs █498. If it is sold at a profit of 25%, what is its selling price? | option_a=671 | option_b=523 | option_c=622 | option_d=573 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 498 × 125/100 = █622.

id=67893 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2973. If it is sold at a profit of 15%, what is its selling price? | option_a=3715 | option_b=2988 | option_c=3418 | option_d=3121 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2973 × 115/100 = █3418.

id=67894 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=B | option_b=N | option_c=J | option_d=F | answer=C | explanation=Move 4 positions forward from F; the resulting letter is J.

id=67895 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1753. If it is sold at a profit of 30%, what is its selling price? | option_a=1783 | option_b=2103 | option_c=2278 | option_d=2453 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1753 × 130/100 = █2278.

id=67896 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=36 | option_c=18 | option_d=13 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=67897 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4008. If it is sold at a profit of 20%, what is its selling price? | option_a=4028 | option_b=4409 | option_c=4809 | option_d=5209 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4008 × 120/100 = █4809.

id=67898 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=6 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=67899 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=39 | option_b=47 | option_c=31 | option_d=40 | answer=A | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

id=67900 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=B | option_c=A | option_d=C | answer=D | explanation=Move 1 positions forward from B; the resulting letter is C.

id=67901 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=25 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=67902 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1963. If it is sold at a profit of 30%, what is its selling price? | option_a=2551 | option_b=2747 | option_c=1993 | option_d=2355 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1963 × 130/100 = █2551.

id=67903 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=7 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=67904 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=41 | option_c=31 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=67905 | topic=Averages | difficulty=Easy | question=Find the average of 72, 64, 65, 71, 18, 30, 67, 17, 82. | option_a=53 | option_b=56 | option_c=55 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 486 ÷ 9 = 54.

id=67906 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:4 and the first is 240, what is the second? | option_a=79 | option_b=64 | option_c=304 | option_d=60 | answer=B | explanation=Scale factor = 240/15 = 16. Therefore second quantity = 4×16 = 64.

id=67907 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:13 and the first is 7, what is the second? | option_a=98 | option_b=91 | option_c=78 | option_d=92 | answer=B | explanation=Scale factor = 7/1 = 7. Therefore second quantity = 13×7 = 91.

id=67908 | topic=Profit & Loss | difficulty=Easy | question=An article costs █302. If it is sold at a profit of 30%, what is its selling price? | option_a=422 | option_b=362 | option_c=392 | option_d=332 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 302 × 130/100 = █392.

id=67909 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=67910 | topic=Percentages | difficulty=Easy | question=What is 30% of 445? | option_a=133 | option_b=266 | option_c=123 | option_d=143 | answer=A | explanation=30% of 445 = (30/100) × 445 = 133.

id=67911 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 5. | option_a=30 | option_b=25 | option_c=150 | option_d=60 | answer=A | explanation=LCM × HCF = 30×5; HCF(30,5) = 5, so LCM = 30.

id=67912 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=67913 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 27, 36, 47? | option_a=18 | option_b=27 | option_c=47 | option_d=36 | answer=C | explanation=The first three numbers increase by 9, so the next should be 45. Therefore 47 is the odd one out.

id=67914 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=36 | option_b=47 | option_c=48 | option_d=58 | answer=B | explanation=The common difference is 11. Therefore the next term is 36 + 11 = 47.

id=67915 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=48 | option_b=41 | option_c=34 | option_d=42 | answer=B | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=67916 | topic=Averages | difficulty=Easy | question=Find the average of 99, 13, 41. | option_a=53 | option_b=51 | option_c=52 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 153 ÷ 3 = 51.

id=67917 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41103 at 10% per annum for 4 years. | option_a=16541 | option_b=57544 | option_c=16341 | option_d=16441 | answer=D | explanation=SI = PRT/100 = 41103×10×4/100 = █16441.

id=67918 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=144 | option_c=77 | option_d=67 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=67919 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=C | option_b=X | option_c=N | option_d=S | answer=B | explanation=Move 5 positions forward from S; the resulting letter is X.

id=67920 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 33, 38, 44? | option_a=33 | option_b=44 | option_c=38 | option_d=28 | answer=B | explanation=The first three numbers increase by 5, so the next should be 43. Therefore 44 is the odd one out.

Aptitude Questions — Records 67,921-67,950 of 100,000

id=67921 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=40 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=67922 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4140. If it is sold at a profit of 10%, what is its selling price? | option_a=4140 | option_b=4150 | option_c=4554 | option_d=4968 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4140 × 110/100 = ■4554.

id=67923 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:7 and the first is 20, what is the second? | option_a=141 | option_b=133 | option_c=160 | option_d=140 | answer=D | explanation=Scale factor = 20/1 = 20. Therefore second quantity = 7×20 = 140.

id=67924 | topic=Averages | difficulty=Easy | question=Find the average of 30, 52, 85, 16, 32, 21, 29, 28, 76. | option_a=43 | option_b=40 | option_c=41 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = 369 ÷ 9 = 41.

id=67925 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=67926 | topic=Averages | difficulty=Easy | question=Find the average of 98, 98, 74, 97, 71, 66, 74, 102. | option_a=84 | option_b=87 | option_c=86 | option_d=85 | answer=D | explanation=Average = sum of values ÷ number of values = 680 ÷ 8 = 85.

id=67927 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1433. If it is sold at a profit of 5%, what is its selling price? | option_a=1647 | option_b=1361 | option_c=1438 | option_d=1504 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1433 × 105/100 = ■1504.

id=67928 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=59 | option_b=60 | option_c=69 | option_d=49 | answer=A | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

id=67929 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 29, 37, 48? | option_a=21 | option_b=29 | option_c=37 | option_d=48 | answer=D | explanation=The first three numbers increase by 8, so the next should be 45. Therefore 48 is the odd one out.

id=67930 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 17, 19, 21, ? | option_a=21 | option_b=24 | option_c=25 | option_d=23 | answer=D | explanation=The common difference is 2. Therefore the next term is 21 + 2 = 23.

id=67931 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=X | option_c=G | option_d=D | answer=D | explanation=Move 3 positions forward from A; the resulting letter is D.

id=67932 | topic=Percentages | difficulty=Easy | question=What is 10% of 851? | option_a=85 | option_b=90 | option_c=80 | option_d=170 | answer=A | explanation=10% of 851 = (10/100) × 851 = 85.

id=67933 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 43? | option_a=29 | option_b=43 | option_c=23 | option_d=35 | answer=B | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 43 is the odd one out.

id=67934 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■543. If it is sold at a profit of 15%, what is its selling price? | option_a=678 | option_b=558 | option_c=624 | option_d=570 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 543 × 115/100 = ■624.

id=67935 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:8 and the first is 36, what is the second? | option_a=180 | option_b=146 | option_c=136 | option_d=144 | answer=D | explanation=Scale factor = 36/2 = 18. Therefore second quantity = 8×18 = 144.

id=67936 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=67937 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=44 | option_b=50 | option_c=43 | option_d=36 | answer=C | explanation=The common difference is 7. Therefore the next term is 36 + 7 = 43.

id=67938 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 17, 22, 30? | option_a=17 | option_b=22 | option_c=30 | option_d=12 | answer=C | explanation=The first three numbers increase by 5, so the next should be 27. Therefore 30 is the odd one out.

id=67939 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=D | option_c=F | option_d=Z | answer=B | explanation=Move 2 positions forward from B; the resulting letter is D.

id=67940 | topic=Percentages | difficulty=Easy | question=What is 12% of 1573? | option_a=168 | option_b=188 | option_c=376 | option_d=208 | answer=B | explanation=12% of 1573 = (12/100) × 1573 = 188.

id=67941 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=A | option_b=E | option_c=C | option_d=G | answer=B | explanation=Move 2 positions forward from C; the resulting letter is E.

id=67942 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1153. If it is sold at a profit of 20%, what is its selling price? | option_a=1498 | option_b=1173 | option_c=1383 | option_d=1268 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1153 × 120/100 = ■1383.

id=67943 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=4 | option_c=9 | option_d=14 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=67944 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:20 and the first is 48, what is the second? | option_a=244 | option_b=288 | option_c=240 | option_d=220 | answer=C | explanation=Scale factor = 48/4 = 12. Therefore second quantity = 20×12 = 240.

id=67945 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4943. If it is sold at a profit of 5%, what is its selling price? | option_a=5684 | option_b=4696 | option_c=5190 | option_d=4948 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4943 × 105/100 = ■5190.

id=67946 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=90 | option_c=180 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=67947 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=96 | option_c=48 | option_d=53 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=67948 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 37? | option_a=19 | option_b=37 | option_c=29 | option_d=24 | answer=B | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 37 is the odd one out.

id=67949 | topic=Averages | difficulty=Easy | question=Find the average of 73, 79, 11, 35, 46, 71, 53, 59, 104. | option_a=59 | option_b=61 | option_c=60 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 531 ÷ 9 = 59.

id=67950 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

Aptitude Questions — Records 67,951-67,980 of 100,000

id=67951 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:4 and the first is 14, what is the second? | option_a=4 | option_b=15 | option_c=22 | option_d=8 | answer=D | explanation=Scale factor = $14/7 = 2$. Therefore second quantity = $4 \times 2 = 8$.

id=67952 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 36? | option_a=19 | option_b=36 | option_c=29 | option_d=24 | answer=B | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 36 is the odd one out.

id=67953 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:2 and the first is 12, what is the second? | option_a=36 | option_b=24 | option_c=22 | option_d=25 | answer=B | explanation=Scale factor = $12/1 = 12$. Therefore second quantity = $2 \times 12 = 24$.

id=67954 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=Z | option_b=N | option_c=V | option_d=R | answer=C | explanation=Move 4 positions forward from R; the resulting letter is V.

id=67955 | topic=Percentages | difficulty=Easy | question=What is 12% of 720? | option_a=81 | option_b=106 | option_c=86 | option_d=172 | answer=C | explanation= $12\% \text{ of } 720 = (12/100) \times 720 = 86$.

id=67956 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:4 and the first is 95, what is the second? | option_a=115 | option_b=20 | option_c=39 | option_d=16 | answer=B | explanation=Scale factor = $95/19 = 5$. Therefore second quantity = $4 \times 5 = 20$.

id=67957 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=48 | option_c=19 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = $120 \div 5 = 24$ km/h.

id=67958 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 24? | option_a=16 | option_b=20 | option_c=18 | option_d=24 | answer=D | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 24 is the odd one out.

id=67959 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=I | option_b=F | option_c=C | option_d=Z | answer=B | explanation=Move 3 positions forward from C; the resulting letter is F.

id=67960 | topic=Percentages | difficulty=Easy | question=What is 20% of 1606? | option_a=642 | option_b=326 | option_c=316 | option_d=321 | answer=D | explanation= $20\% \text{ of } 1606 = (20/100) \times 1606 = 321$.

id=67961 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49801 at 4% per annum for 2 years. | option_a=4084 | option_b=3984 | option_c=3884 | option_d=53785 | answer=B | explanation=SI = $PRT/100 = 49801 \times 4 \times 2/100 = \text{■}3984$.

id=67962 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27566 at 8% per annum for 5 years. | option_a=38592 | option_b=10926 | option_c=11026 | option_d=11126 | answer=C | explanation=SI = $PRT/100 = 27566 \times 8 \times 5/100 = \text{■}11026$.

id=67963 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=S | option_b=Q | option_c=R | option_d=T | answer=A | explanation=Move 1 positions forward from R; the resulting letter is S.

id=67964 | topic=Percentages | difficulty=Easy | question=What is 10% of 1245? | option_a=129 | option_b=124 | option_c=248 | option_d=119 | answer=B | explanation= $10\% \text{ of } 1245 = (10/100) \times 1245 = 124$.

id=67965 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=67966 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=67967 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 36? | option_a=36 | option_b=29 | option_c=21 | option_d=25 | answer=A | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 36 is the odd one out.

id=67968 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=F | option_c=L | option_d=O | answer=C | explanation=Move 3 positions forward from I; the resulting letter is L.

id=67969 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=67970 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=42 | option_b=54 | option_c=64 | option_d=53 | answer=D | explanation=The common difference is 11. Therefore the next term is $42 + 11 = 53$.

id=67971 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=O | option_c=S | option_d=Q | answer=C | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=67972 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=67973 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=53 | option_b=47 | option_c=46 | option_d=39 | answer=C | explanation=The common difference is 7. Therefore the next term is $39 + 7 = 46$.

id=67974 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=57 | option_b=65 | option_c=56 | option_d=47 | answer=C | explanation=The common difference is 9. Therefore the next term is $47 + 9 = 56$.

id=67975 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 26? | option_a=18 | option_b=11 | option_c=26 | option_d=4 | answer=C | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 26 is the odd one out.

id=67976 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 31, 40, 51? | option_a=40 | option_b=31 | option_c=51 | option_d=22 | answer=C | explanation=The first three numbers increase by 9, so the next should be 49. Therefore 51 is the odd one out.

id=67977 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14958 at 4% per annum for 2 years. | option_a=16154 | option_b=1096 | option_c=1196 | option_d=1296 | answer=C | explanation=SI = $PRT/100 = 14958 \times 4 \times 2/100 = \text{■}1196$.

id=67978 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=35 | option_b=51 | option_c=44 | option_d=43 | answer=D | explanation=The common difference is 8. Therefore the next term is $35 + 8 = 43$.

id=67979 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=67980 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 37, 46, 58? | option_a=28 | option_b=46 | option_c=58 | option_d=37 | answer=C | explanation=The first three numbers increase by 9, so the next should be 55. Therefore 58 is the odd one out.

Aptitude Questions — Records 67,981-68,010 of 100,000

id=67981 | topic=Percentages | difficulty=Easy | question=What is 10% of 435? | option_a=63 | option_b=86 | option_c=43 | option_d=33 | answer=C | explanation=10% of 435 = (10/100) × 435 = 43.

id=67982 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:13 and the first is 117, what is the second? | option_a=286 | option_b=178 | option_c=169 | option_d=156 | answer=C | explanation=Scale factor = 117/9 = 13. Therefore second quantity = 13×13 = 169.

id=67983 | topic=Percentages | difficulty=Easy | question=What is 5% of 1490? | option_a=148 | option_b=74 | option_c=94 | option_d=54 | answer=B | explanation=5% of 1490 = (5/100) × 1490 = 74.

id=67984 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=B | option_b=F | option_c=N | option_d=J | answer=D | explanation=Move 4 positions forward from F; the resulting letter is J.

id=67985 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:5 and the first is 36, what is the second? | option_a=36 | option_b=25 | option_c=30 | option_d=66 | answer=C | explanation=Scale factor = 36/6 = 6. Therefore second quantity = 5×6 = 30.

id=67986 | topic=Averages | difficulty=Easy | question=Find the average of 58, 64, 49, 87, 49, 12, 20, 63, 75. | option_a=55 | option_b=54 | option_c=53 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 477 ÷ 9 = 53.

id=67987 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=43 | option_b=42 | option_c=51 | option_d=33 | answer=B | explanation=The common difference is 9. Therefore the next term is 33 + 9 = 42.

id=67988 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=U | option_c=V | option_d=S | answer=B | explanation=Move 1 positions forward from T; the resulting letter is U.

id=67989 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 21? | option_a=2 | option_b=21 | option_c=8 | option_d=14 | answer=B | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 21 is the odd one out.

id=67990 | topic=Percentages | difficulty=Easy | question=What is 40% of 833? | option_a=666 | option_b=313 | option_c=353 | option_d=333 | answer=D | explanation=40% of 833 = (40/100) × 833 = 333.

id=67991 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3234 at 12% per annum for 1 years. | option_a=388 | option_b=288 | option_c=488 | option_d=3622 | answer=A | explanation=SI = PRT/100 = 3234×12×1/100 = **■**388.

id=67992 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=24 | option_b=28 | option_c=32 | option_d=29 | answer=B | explanation=The common difference is 4. Therefore the next term is 24 + 4 = 28.

id=67993 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1470. If it is sold at a profit of 20%, what is its selling price? | option_a=1764 | option_b=1490 | option_c=1617 | option_d=1911 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1470 × 120/100 = **■**1764.

id=67994 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 32, 42, 55? | option_a=55 | option_b=42 | option_c=32 | option_d=22 | answer=A | explanation=The first three numbers increase by 10, so the next should be 52. Therefore 55 is the odd one out.

id=67995 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2232. If it is sold at a profit of 5%, what is its selling price? | option_a=2120 | option_b=2237 | option_c=2343 | option_d=2566 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2232 × 105/100 = **■**2343.

id=67996 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=Z | option_b=D | option_c=H | option_d=L | answer=C | explanation=Move 4 positions forward from D; the resulting letter is H.

id=67997 | topic=Percentages | difficulty=Easy | question=What is 30% of 1766? | option_a=529 | option_b=539 | option_c=1058 | option_d=509 | answer=A | explanation=30% of 1766 = (30/100) × 1766 = 529.

id=67998 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:9 and the first is 72, what is the second? | option_a=81 | option_b=153 | option_c=72 | option_d=89 | answer=A | explanation=Scale factor = 72/8 = 9. Therefore second quantity = 9×9 = 81.

id=67999 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19151 at 15% per annum for 3 years. | option_a=27768 | option_b=8617 | option_c=8517 | option_d=8717 | answer=B | explanation=SI = PRT/100 = 19151×15×3/100 = **■**8617.

id=68000 | topic=Averages | difficulty=Easy | question=Find the average of 43, 96, 20, 23, 47, 59, 83, 84, 62, 13. | option_a=55 | option_b=54 | option_c=52 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=68001 | topic=Averages | difficulty=Easy | question=Find the average of 52, 64, 20, 63, 42, 40, 17, 26, 45. | option_a=43 | option_b=40 | option_c=42 | option_d=41 | answer=D | explanation=Average = sum of values ÷ number of values = 369 ÷ 9 = 41.

id=68002 | topic=Percentages | difficulty=Easy | question=What is 20% of 1092? | option_a=213 | option_b=218 | option_c=436 | option_d=238 | answer=B | explanation=20% of 1092 = (20/100) × 1092 = 218.

id=68003 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=68004 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**586. If it is sold at a profit of 20%, what is its selling price? | option_a=761 | option_b=645 | option_c=606 | option_d=703 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 586 × 120/100 = **■**703.

id=68005 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1745. If it is sold at a profit of 25%, what is its selling price? | option_a=2181 | option_b=2355 | option_c=2007 | option_d=1770 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1745 × 125/100 = **■**2181.

id=68006 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=20 | option_c=15 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=68007 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=15 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=68008 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 32, 39, 48? | option_a=25 | option_b=32 | option_c=48 | option_d=39 | answer=C | explanation=The first three numbers increase by 7, so the next should be 46. Therefore 48 is the odd one out.

id=68009 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=45 | option_b=63 | option_c=55 | option_d=54 | answer=D | explanation=The common difference is 9. Therefore the next term is 45 + 9 = 54.

id=68010 | topic=Percentages | difficulty=Easy | question=What is 25% of 1324? | option_a=331 | option_b=341 | option_c=662 | option_d=326 | answer=A | explanation=25% of 1324 = (25/100) × 1324 = 331.

Aptitude Questions — Records 68,011-68,040 of 100,000

id=68011 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=U | option_b=O | option_c=R | option_d=L | answer=C | explanation=Move 3 positions forward from O; the resulting letter is R.

id=68012 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=35 | option_b=26 | option_c=42 | option_d=34 | answer=D | explanation=The common difference is 8. Therefore the next term is 26 + 8 = 34.

id=68013 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 26, 33, 43? | option_a=26 | option_b=19 | option_c=43 | option_d=33 | answer=C | explanation=The first three numbers increase by 7, so the next should be 40. Therefore 43 is the odd one out.

id=68014 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48639 at 6% per annum for 4 years. | option_a=11673 | option_b=60312 | option_c=11773 | option_d=11573 | answer=A | explanation=SI = $PRT/100 = 48639 \times 6 \times 4 / 100 = \text{■}11673$.

id=68015 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=68016 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=35 | option_b=29 | option_c=36 | option_d=41 | answer=A | explanation=The common difference is 6. Therefore the next term is 29 + 6 = 35.

id=68017 | topic=Averages | difficulty=Easy | question=Find the average of 57, 96, 61, 84, 31, 91, 12, 25, 29. | option_a=55 | option_b=54 | option_c=56 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = $486 \div 9 = 54$.

id=68018 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=S | option_b=T | option_c=V | option_d=U | answer=D | explanation=Move 1 positions forward from T; the resulting letter is U.

id=68019 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=25 | option_b=19 | option_c=24 | option_d=29 | answer=C | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.

id=68020 | topic=Averages | difficulty=Easy | question=Find the average of 89, 97, 11, 18, 51, 28, 21. | option_a=45 | option_b=44 | option_c=47 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = $315 \div 7 = 45$.

id=68021 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 5, 7, 10? | option_a=3 | option_b=7 | option_c=10 | option_d=5 | answer=C | explanation=The first three numbers increase by 2, so the next should be 9. Therefore 10 is the odd one out.

id=68022 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2166. If it is sold at a profit of 20%, what is its selling price? | option_a=2383 | option_b=2599 | option_c=2186 | option_d=2815 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2166 \times 120 / 100 = \text{■}2599$.

id=68023 | topic=Percentages | difficulty=Easy | question=What is 50% of 1416? | option_a=1416 | option_b=718 | option_c=703 | option_d=708 | answer=D | explanation=50% of 1416 = $(50/100) \times 1416 = 708$.

id=68024 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=68025 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 34, 42, 51? | option_a=51 | option_b=42 | option_c=34 | option_d=26 | answer=A | explanation=The first three numbers increase by 8, so the next should be 50. Therefore 51 is the odd one out.

id=68026 | topic=Percentages | difficulty=Easy | question=What is 10% of 1519? | option_a=131 | option_b=151 | option_c=156 | option_d=302 | answer=B | explanation=10% of 1519 = $(10/100) \times 1519 = 151$.

id=68027 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45873 at 5% per annum for 2 years. | option_a=4687 | option_b=4587 | option_c=50460 | option_d=4487 | answer=B | explanation=SI = $PRT/100 = 45873 \times 5 \times 2 / 100 = \text{■}4587$.

id=68028 | topic=Averages | difficulty=Easy | question=Find the average of 17, 80, 50. | option_a=51 | option_b=48 | option_c=49 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = $147 \div 3 = 49$.

id=68029 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14339 at 5% per annum for 4 years. | option_a=2767 | option_b=2967 | option_c=2867 | option_d=17206 | answer=C | explanation=SI = $PRT/100 = 14339 \times 5 \times 4 / 100 = \text{■}2867$.

id=68030 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=68031 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=27 | option_b=26 | option_c=23 | option_d=25 | answer=D | explanation=The common difference is 2. Therefore the next term is 23 + 2 = 25.

id=68032 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=68033 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 12. | option_a=48 | option_b=192 | option_c=64 | option_d=36 | answer=A | explanation= $LCM \times HCF = 16 \times 12$; $HCF(16,12) = 4$, so $LCM = 48$.

id=68034 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=44 | option_b=39 | option_c=38 | option_d=32 | answer=C | explanation=The common difference is 6. Therefore the next term is 32 + 6 = 38.

id=68035 | topic=Averages | difficulty=Easy | question=Find the average of 42, 84, 40, 35, 38, 52, 57, 60. | option_a=51 | option_b=52 | option_c=53 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = $408 \div 8 = 51$.

id=68036 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:12 and the first is 300, what is the second? | option_a=240 | option_b=540 | option_c=255 | option_d=228 | answer=A | explanation=Scale factor = $300/15 = 20$. Therefore second quantity = $12 \times 20 = 240$.

id=68037 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:17 and the first is 63, what is the second? | option_a=136 | option_b=153 | option_c=216 | option_d=160 | answer=B | explanation=Scale factor = $63/7 = 9$. Therefore second quantity = $17 \times 9 = 153$.

id=68038 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4443. If it is sold at a profit of 25%, what is its selling price? | option_a=5997 | option_b=5109 | option_c=4468 | option_d=5553 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4443 \times 125 / 100 = \text{■}5553$.

id=68039 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 14. | option_a=21 | option_b=98 | option_c=14 | option_d=1 | answer=C | explanation= $LCM \times HCF = 7 \times 14$; $HCF(7,14) = 7$, so $LCM = 14$.

id=68040 | topic=Averages | difficulty=Easy | question=Find the average of 51, 22, 93, 34, 42, 64. | option_a=51 | option_b=50 | option_c=52 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = $306 \div 6 = 51$.

Aptitude Questions — Records 68,041-68,070 of 100,000

id=68041 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=X | option_b=F | option_c=B | option_d=J | answer=B | explanation=Move 4 positions forward from B; the resulting letter is F.

id=68042 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=68043 | topic=Percentages | difficulty=Easy | question=What is 15% of 1498? | option_a=214 | option_b=244 | option_c=448 | option_d=224 | answer=D | explanation=15% of 1498 = (15/100) × 1498 = 224.

id=68044 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=115 | option_c=125 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=68045 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42315 at 4% per annum for 4 years. | option_a=6770 | option_b=6870 | option_c=6670 | option_d=49085 | answer=A | explanation=SI = PRT/100 = 42315×4×4/100 = **■**6770.

id=68046 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31159 at 8% per annum for 2 years. | option_a=36144 | option_b=5085 | option_c=4885 | option_d=4985 | answer=D | explanation=SI = PRT/100 = 31159×8×2/100 = **■**4985.

id=68047 | topic=Averages | difficulty=Easy | question=Find the average of 47, 43, 73, 57. | option_a=55 | option_b=57 | option_c=56 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 220 ÷ 4 = 55.

id=68048 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:16 and the first is 50, what is the second? | option_a=210 | option_b=144 | option_c=165 | option_d=160 | answer=D | explanation=Scale factor = 50/5 = 10. Therefore second quantity = 16×10 = 160.

id=68049 | topic=Averages | difficulty=Easy | question=Find the average of 26, 41, 51, 80, 37, 93, 21, 42, 68. | option_a=52 | option_b=51 | option_c=53 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 459 ÷ 9 = 51.

id=68050 | topic=Averages | difficulty=Easy | question=Find the average of 70, 96, 74, 64. | option_a=77 | option_b=78 | option_c=75 | option_d=76 | answer=D | explanation=Average = sum of values ÷ number of values = 304 ÷ 4 = 76.

id=68051 | topic=Percentages | difficulty=Easy | question=What is 50% of 820? | option_a=430 | option_b=820 | option_c=390 | option_d=410 | answer=D | explanation=50% of 820 = (50/100) × 820 = 410.

id=68052 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=P | option_b=K | option_c=U | option_d=F | answer=A | explanation=Move 5 positions forward from K; the resulting letter is P.

id=68053 | topic=Percentages | difficulty=Easy | question=What is 25% of 1472? | option_a=348 | option_b=736 | option_c=368 | option_d=373 | answer=C | explanation=25% of 1472 = (25/100) × 1472 = 368.

id=68054 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28606 at 5% per annum for 5 years. | option_a=7051 | option_b=7151 | option_c=7251 | option_d=35757 | answer=B | explanation=SI = PRT/100 = 28606×5×5/100 = **■**7151.

id=68055 | topic=Percentages | difficulty=Easy | question=What is 40% of 598? | option_a=478 | option_b=249 | option_c=239 | option_d=234 | answer=C | explanation=40% of 598 = (40/100) × 598 = 239.

id=68056 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1499. If it is sold at a profit of 20%, what is its selling price? | option_a=1519 | option_b=1649 | option_c=1798 | option_d=1947 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1499 × 120/100 = **■**1798.

id=68057 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4486. If it is sold at a profit of 10%, what is its selling price? | option_a=4934 | option_b=4496 | option_c=4486 | option_d=5382 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4486 × 110/100 = **■**4934.

id=68058 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:8 and the first is 15, what is the second? | option_a=24 | option_b=16 | option_c=29 | option_d=39 | answer=A | explanation=Scale factor = 15/5 = 3. Therefore second quantity = 8×3 = 24.

id=68059 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=K | option_b=Q | option_c=T | option_d=N | answer=B | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=68060 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=68061 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=68062 | topic=Percentages | difficulty=Easy | question=What is 40% of 110? | option_a=24 | option_b=44 | option_c=88 | option_d=49 | answer=B | explanation=40% of 110 = (40/100) × 110 = 44.

id=68063 | topic=Percentages | difficulty=Easy | question=What is 15% of 1007? | option_a=302 | option_b=161 | option_c=151 | option_d=146 | answer=C | explanation=15% of 1007 = (15/100) × 1007 = 151.

id=68064 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:15 and the first is 280, what is the second? | option_a=314 | option_b=285 | option_c=300 | option_d=580 | answer=C | explanation=Scale factor = 280/14 = 20. Therefore second quantity = 15×20 = 300.

id=68065 | topic=Percentages | difficulty=Easy | question=What is 20% of 1017? | option_a=203 | option_b=406 | option_c=213 | option_d=193 | answer=A | explanation=20% of 1017 = (20/100) × 1017 = 203.

id=68066 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 16. | option_a=32 | option_b=72 | option_c=48 | option_d=384 | answer=C | explanation=LCM × HCF = 24×16; HCF(24,16) = 8, so LCM = 48.

id=68067 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4720. If it is sold at a profit of 20%, what is its selling price? | option_a=4740 | option_b=5664 | option_c=6136 | option_d=5192 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4720 × 120/100 = **■**5664.

id=68068 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2589 at 15% per annum for 4 years. | option_a=1553 | option_b=4142 | option_c=1653 | option_d=1453 | answer=A | explanation=SI = PRT/100 = 2589×15×4/100 = **■**1553.

id=68069 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:6 and the first is 66, what is the second? | option_a=36 | option_b=47 | option_c=30 | option_d=102 | answer=A | explanation=Scale factor = 66/11 = 6. Therefore second quantity = 6×6 = 36.

id=68070 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

Aptitude Questions — Records 68,071-68,100 of 100,000

id=68071 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:6 and the first is 48, what is the second? | option_a=72 | option_b=66 | option_c=76 | option_d=120 | answer=A | explanation=Scale factor = 48/4 = 12. Therefore second quantity = 6×12 = 72.

id=68072 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3666. If it is sold at a profit of 20%, what is its selling price? | option_a=3686 | option_b=4033 | option_c=4765 | option_d=4399 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3666 × 120/100 = █4399.

id=68073 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 35, 45, 56? | option_a=56 | option_b=25 | option_c=45 | option_d=35 | answer=A | explanation=The first three numbers increase by 10, so the next should be 55. Therefore 56 is the odd one out.

id=68074 | topic=Percentages | difficulty=Easy | question=What is 30% of 1474? | option_a=452 | option_b=884 | option_c=442 | option_d=437 | answer=C | explanation=30% of 1474 = (30/100) × 1474 = 442.

id=68075 | topic=Averages | difficulty=Easy | question=Find the average of 65, 60, 42, 71, 76, 44, 55, 83. | option_a=61 | option_b=63 | option_c=62 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 496 ÷ 8 = 62.

id=68076 | topic=Averages | difficulty=Easy | question=Find the average of 45, 100, 26, 75, 74, 13, 35, 64. | option_a=55 | option_b=54 | option_c=56 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 432 ÷ 8 = 54.

id=68077 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 22, 27, 32, ? | option_a=38 | option_b=37 | option_c=32 | option_d=42 | answer=B | explanation=The common difference is 5. Therefore the next term is 32 + 5 = 37.

id=68078 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=18 | option_b=16 | option_c=12 | option_d=15 | answer=D | explanation=The common difference is 3. Therefore the next term is 12 + 3 = 15.

id=68079 | topic=Percentages | difficulty=Easy | question=What is 25% of 1078? | option_a=264 | option_b=269 | option_c=538 | option_d=274 | answer=B | explanation=25% of 1078 = (25/100) × 1078 = 269.

id=68080 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 14. | option_a=140 | option_b=176 | option_c=154 | option_d=308 | answer=C | explanation=LCM × HCF = 22×14; HCF(22,14) = 2, so LCM = 154.

id=68081 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 3. | option_a=30 | option_b=27 | option_c=60 | option_d=90 | answer=A | explanation=LCM × HCF = 30×3; HCF(30,3) = 3, so LCM = 30.

id=68082 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 28. | option_a=64 | option_b=56 | option_c=224 | option_d=28 | answer=B | explanation=LCM × HCF = 8×28; HCF(8,28) = 4, so LCM = 56.

id=68083 | topic=Percentages | difficulty=Easy | question=What is 10% of 1468? | option_a=146 | option_b=126 | option_c=151 | option_d=292 | answer=A | explanation=10% of 1468 = (10/100) × 1468 = 146.

id=68084 | topic=Percentages | difficulty=Easy | question=What is 20% of 481? | option_a=96 | option_b=192 | option_c=101 | option_d=76 | answer=A | explanation=20% of 481 = (20/100) × 481 = 96.

id=68085 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4079. If it is sold at a profit of 5%, what is its selling price? | option_a=4084 | option_b=3875 | option_c=4689 | option_d=4282 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4079 × 105/100 = █4282.

id=68086 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=R | option_b=C | option_c=M | option_d=H | answer=C | explanation=Move 5 positions forward from H; the resulting letter is M.

id=68087 | topic=Averages | difficulty=Easy | question=Find the average of 65, 26, 83, 52, 78, 95, 42. | option_a=63 | option_b=62 | option_c=64 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 441 ÷ 7 = 63.

id=68088 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43151 at 12% per annum for 2 years. | option_a=53507 | option_b=10256 | option_c=10356 | option_d=10456 | answer=C | explanation=SI = PRT/100 = 43151×12×2/100 = █10356.

id=68089 | topic=Averages | difficulty=Easy | question=Find the average of 50, 45, 15, 71, 51, 38. | option_a=45 | option_b=47 | option_c=46 | option_d=44 | answer=A | explanation=Average = sum of values ÷ number of values = 270 ÷ 6 = 45.

id=68090 | topic=Percentages | difficulty=Easy | question=What is 5% of 637? | option_a=36 | option_b=62 | option_c=31 | option_d=11 | answer=C | explanation=5% of 637 = (5/100) × 637 = 31.

id=68091 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:4 and the first is 51, what is the second? | option_a=8 | option_b=63 | option_c=29 | option_d=12 | answer=D | explanation=Scale factor = 51/17 = 3. Therefore second quantity = 4×3 = 12.

id=68092 | topic=Averages | difficulty=Easy | question=Find the average of 12, 23, 70, 47. | option_a=38 | option_b=40 | option_c=39 | option_d=37 | answer=A | explanation=Average = sum of values ÷ number of values = 152 ÷ 4 = 38.

id=68093 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 22, 25, 29? | option_a=25 | option_b=19 | option_c=29 | option_d=22 | answer=C | explanation=The first three numbers increase by 3, so the next should be 28. Therefore 29 is the odd one out.

id=68094 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=J | option_b=V | option_c=N | option_d=R | answer=D | explanation=Move 4 positions forward from N; the resulting letter is R.

id=68095 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 10. | option_a=60 | option_b=20 | option_c=36 | option_d=30 | answer=D | explanation=LCM × HCF = 6×10; HCF(6,10) = 2, so LCM = 30.

id=68096 | topic=Percentages | difficulty=Easy | question=What is 50% of 638? | option_a=638 | option_b=299 | option_c=319 | option_d=324 | answer=C | explanation=50% of 638 = (50/100) × 638 = 319.

id=68097 | topic=Averages | difficulty=Easy | question=Find the average of 95, 41, 86. | option_a=75 | option_b=76 | option_c=74 | option_d=73 | answer=C | explanation=Average = sum of values ÷ number of values = 222 ÷ 3 = 74.

id=68098 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=O | option_b=T | option_c=J | option_d=E | answer=A | explanation=Move 5 positions forward from J; the resulting letter is O.

id=68099 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5073 at 4% per annum for 4 years. | option_a=911 | option_b=711 | option_c=811 | option_d=5884 | answer=C | explanation=SI = PRT/100 = 5073×4×4/100 = █811.

id=68100 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 37? | option_a=29 | option_b=37 | option_c=32 | option_d=26 | answer=B | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 37 is the odd one out.

Aptitude Questions — Records 68,101-68,130 of 100,000

id=68101 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 33? | option_a=28 | option_b=30 | option_c=26 | option_d=33 | answer=D | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 33 is the odd one out.

id=68102 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 35, 43, 54? | option_a=43 | option_b=27 | option_c=35 | option_d=54 | answer=D | explanation=The first three numbers increase by 8, so the next should be 51. Therefore 54 is the odd one out.

id=68103 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 40? | option_a=40 | option_b=28 | option_c=10 | option_d=19 | answer=A | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 40 is the odd one out.

id=68104 | topic=Percentages | difficulty=Easy | question=What is 5% of 1991? | option_a=94 | option_b=119 | option_c=99 | option_d=198 | answer=C | explanation=5% of 1991 = $(5/100) \times 1991 = 99$.

id=68105 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=300 | option_c=145 | option_d=155 | answer=A | explanation=Speed = distance ÷ time = $300 \div 2 = 150$ km/h.

id=68106 | topic=Percentages | difficulty=Easy | question=What is 30% of 897? | option_a=269 | option_b=289 | option_c=538 | option_d=259 | answer=A | explanation=30% of 897 = $(30/100) \times 897 = 269$.

id=68107 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:1 and the first is 220, what is the second? | option_a=31 | option_b=20 | option_c=19 | option_d=240 | answer=B | explanation=Scale factor = $220/11 = 20$. Therefore second quantity = $1 \times 20 = 20$.

id=68108 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=W | option_b=K | option_c=S | option_d=O | answer=C | explanation=Move 4 positions forward from O; the resulting letter is S.

id=68109 | topic=Averages | difficulty=Easy | question=Find the average of 56, 94, 83, 47, 30, 78, 78, 30. | option_a=63 | option_b=61 | option_c=64 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = $496 \div 8 = 62$.

id=68110 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:19 and the first is 380, what is the second? | option_a=361 | option_b=342 | option_c=381 | option_d=741 | answer=A | explanation=Scale factor = $380/20 = 19$. Therefore second quantity = $19 \times 19 = 361$.

id=68111 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:7 and the first is 2, what is the second? | option_a=14 | option_b=15 | option_c=7 | option_d=16 | answer=A | explanation=Scale factor = $2/1 = 2$. Therefore second quantity = $7 \times 2 = 14$.

id=68112 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:6 and the first is 114, what is the second? | option_a=30 | option_b=36 | option_c=55 | option_d=150 | answer=B | explanation=Scale factor = $114/19 = 6$. Therefore second quantity = $6 \times 6 = 36$.

id=68113 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = $90 \div 3 = 30$ km/h.

id=68114 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1765. If it is sold at a profit of 30%, what is its selling price? | option_a=2470 | option_b=1795 | option_c=2118 | option_d=2294 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1765 \times 130/100 = \text{█}2294$.

id=68115 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=68116 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=4 | option_d=6 | answer=A | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=68117 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 27. | option_a=300 | option_b=243 | option_c=810 | option_d=270 | answer=D | explanation= $LCM \times HCF = 30 \times 27$; $HCF(30,27) = 3$, so $LCM = 270$.

id=68118 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 16. | option_a=48 | option_b=192 | option_c=60 | option_d=32 | answer=A | explanation= $LCM \times HCF = 12 \times 16$; $HCF(12,16) = 4$, so $LCM = 48$.

id=68119 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17325 at 4% per annum for 3 years. | option_a=19404 | option_b=1979 | option_c=2079 | option_d=2179 | answer=C | explanation= $SI = PRT/100 = 17325 \times 4 \times 3/100 = \text{█}2079$.

id=68120 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3473 at 12% per annum for 3 years. | option_a=4723 | option_b=1350 | option_c=1250 | option_d=1150 | answer=C | explanation= $SI = PRT/100 = 3473 \times 12 \times 3/100 = \text{█}1250$.

id=68121 | topic=Percentages | difficulty=Easy | question=What is 12% of 1177? | option_a=282 | option_b=141 | option_c=131 | option_d=161 | answer=B | explanation=12% of 1177 = $(12/100) \times 1177 = 141$.

id=68122 | topic=Percentages | difficulty=Easy | question=What is 30% of 271? | option_a=162 | option_b=81 | option_c=101 | option_d=61 | answer=B | explanation=30% of 271 = $(30/100) \times 271 = 81$.

id=68123 | topic=Averages | difficulty=Easy | question=Find the average of 81, 39, 87. | option_a=68 | option_b=70 | option_c=71 | option_d=69 | answer=D | explanation=Average = sum of values ÷ number of values = $207 \div 3 = 69$.

id=68124 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=M | option_b=A | option_c=I | option_d=E | answer=C | explanation=Move 4 positions forward from E; the resulting letter is I.

id=68125 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = $120 \div 8 = 15$ km/h.

id=68126 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20722 at 4% per annum for 5 years. | option_a=4244 | option_b=4144 | option_c=24866 | option_d=4044 | answer=B | explanation= $SI = PRT/100 = 20722 \times 4 \times 5/100 = \text{█}4144$.

id=68127 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 45? | option_a=45 | option_b=26 | option_c=34 | option_d=18 | answer=A | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 45 is the odd one out.

id=68128 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=X | option_b=A | option_c=G | option_d=D | answer=D | explanation=Move 3 positions forward from A; the resulting letter is D.

id=68129 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:18 and the first is 35, what is the second? | option_a=108 | option_b=131 | option_c=161 | option_d=126 | answer=D | explanation=Scale factor = $35/5 = 7$. Therefore second quantity = $18 \times 7 = 126$.

id=68130 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=C | option_c=O | option_d=K | answer=D | explanation=Move 4 positions forward from G; the resulting letter is K.

Aptitude Questions — Records 68,131-68,160 of 100,000

id=68131 | topic=Percentages | difficulty=Easy | question=What is 10% of 1957? | option_a=195 | option_b=190 | option_c=205 | option_d=390 | answer=A | explanation=10% of 1957 = (10/100) × 1957 = 195.

id=68132 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:5 and the first is 360, what is the second? | option_a=460 | option_b=100 | option_c=95 | option_d=118 | answer=B | explanation=Scale factor = 360/18 = 20. Therefore second quantity = 5×20 = 100.

id=68133 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3119. If it is sold at a profit of 25%, what is its selling price? | option_a=3144 | option_b=3587 | option_c=3898 | option_d=4209 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3119 × 125/100 = █3898.

id=68134 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12333 at 5% per annum for 5 years. | option_a=2983 | option_b=3183 | option_c=3083 | option_d=15416 | answer=C | explanation=SI = PRT/100 = 12333×5×5/100 = █3083.

id=68135 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=N | option_c=M | option_d=K | answer=C | explanation=Move 1 positions forward from L; the resulting letter is M.

id=68136 | topic=Percentages | difficulty=Easy | question=What is 40% of 1311? | option_a=524 | option_b=514 | option_c=1048 | option_d=529 | answer=A | explanation=40% of 1311 = (40/100) × 1311 = 524.

id=68137 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=33 | option_b=26 | option_c=38 | option_d=32 | answer=D | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=68138 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=K | option_b=N | option_c=L | option_d=M | answer=D | explanation=Move 1 positions forward from L; the resulting letter is M.

id=68139 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=O | option_b=D | option_c=T | option_d=Y | answer=D | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=68140 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=6 | option_c=11 | option_d=1 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=68141 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=29 | option_b=30 | option_c=28 | option_d=26 | answer=C | explanation=The common difference is 2. Therefore the next term is 26 + 2 = 28.

id=68142 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47588 at 12% per annum for 5 years. | option_a=76140 | option_b=28452 | option_c=28652 | option_d=28552 | answer=D | explanation=SI = PRT/100 = 47588×12×5/100 = █28552.

id=68143 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6948 at 4% per annum for 1 years. | option_a=377 | option_b=277 | option_c=7225 | option_d=177 | answer=B | explanation=SI = PRT/100 = 6948×4×1/100 = █277.

id=68144 | topic=Averages | difficulty=Easy | question=Find the average of 27, 81, 66, 17, 81, 48, 72, 32. | option_a=54 | option_b=53 | option_c=52 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.

id=68145 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=68146 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=U | option_b=F | option_c=K | option_d=P | answer=D | explanation=Move 5 positions forward from K; the resulting letter is P.

id=68147 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=68148 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:18 and the first is 210, what is the second? | option_a=252 | option_b=234 | option_c=267 | option_d=462 | answer=A | explanation=Scale factor = 210/15 = 14. Therefore second quantity = 18×14 = 252.

id=68149 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 26? | option_a=17 | option_b=21 | option_c=19 | option_d=26 | answer=D | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 26 is the odd one out.

id=68150 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35837 at 5% per annum for 3 years. | option_a=5375 | option_b=5475 | option_c=41212 | option_d=5275 | answer=A | explanation=SI = PRT/100 = 35837×5×3/100 = █5375.

id=68151 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:8 and the first is 16, what is the second? | option_a=48 | option_b=36 | option_c=24 | option_d=32 | answer=D | explanation=Scale factor = 16/4 = 4. Therefore second quantity = 8×4 = 32.

id=68152 | topic=Averages | difficulty=Easy | question=Find the average of 70, 59, 19, 56, 68, 59, 46, 15. | option_a=50 | option_b=51 | option_c=49 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 392 ÷ 8 = 49.

id=68153 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31366 at 8% per annum for 4 years. | option_a=41403 | option_b=10137 | option_c=10037 | option_d=9937 | answer=C | explanation=SI = PRT/100 = 31366×8×4/100 = █10037.

id=68154 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=N | option_c=V | option_d=Z | answer=C | explanation=Move 4 positions forward from R; the resulting letter is V.

id=68155 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=U | option_c=Z | option_d=K | answer=B | explanation=Move 5 positions forward from P; the resulting letter is U.

id=68156 | topic=Profit & Loss | difficulty=Easy | question=An article costs █453. If it is sold at a profit of 5%, what is its selling price? | option_a=475 | option_b=430 | option_c=520 | option_d=458 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 453 × 105/100 = █475.

id=68157 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=68158 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=L | option_b=A | option_c=Q | option_d=V | answer=D | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=68159 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=68160 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29894 at 8% per annum for 2 years. | option_a=4783 | option_b=4883 | option_c=4683 | option_d=34677 | answer=A | explanation=SI = PRT/100 = 29894×8×2/100 = █4783.

Aptitude Questions — Records 68,161-68,190 of 100,000

id=68161 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35308 at 5% per annum for 3 years. | option_a=5296 | option_b=5396 | option_c=5196 | option_d=40604 | answer=A | explanation=SI = PRT/100 = 35308×5×3/100 = **■**5296.

id=68162 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=68163 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 21. | option_a=126 | option_b=378 | option_c=105 | option_d=144 | answer=A | explanation=LCM × HCF = 18×21; HCF(18,21) = 3, so LCM = 126.

id=68164 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 13, 16, 20? | option_a=10 | option_b=13 | option_c=20 | option_d=16 | answer=C | explanation=The first three numbers increase by 3, so the next should be 19. Therefore 20 is the odd one out.

id=68165 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=5 | option_c=15 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=68166 | topic=Percentages | difficulty=Easy | question=What is 20% of 1373? | option_a=284 | option_b=254 | option_c=548 | option_d=274 | answer=D | explanation=20% of 1373 = (20/100) × 1373 = 274.

id=68167 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:18 and the first is 204, what is the second? | option_a=420 | option_b=198 | option_c=233 | option_d=216 | answer=D | explanation=Scale factor = 204/17 = 12. Therefore second quantity = 18×12 = 216.

id=68168 | topic=Averages | difficulty=Easy | question=Find the average of 49, 49, 84, 18, 44, 86. | option_a=55 | option_b=57 | option_c=54 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 330 ÷ 6 = 55.

id=68169 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 19, 25, 33? | option_a=25 | option_b=19 | option_c=33 | option_d=13 | answer=C | explanation=The first three numbers increase by 6, so the next should be 31. Therefore 33 is the odd one out.

id=68170 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27979 at 15% per annum for 5 years. | option_a=20884 | option_b=20984 | option_c=48963 | option_d=21084 | answer=B | explanation=SI = PRT/100 = 27979×15×5/100 = **■**20984.

id=68171 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=115 | option_d=240 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=68172 | topic=Averages | difficulty=Easy | question=Find the average of 64, 96, 44, 32, 73, 18, 53, 68, 83. | option_a=61 | option_b=59 | option_c=60 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 531 ÷ 9 = 59.

id=68173 | topic=Percentages | difficulty=Easy | question=What is 5% of 1235? | option_a=61 | option_b=56 | option_c=81 | option_d=122 | answer=A | explanation=5% of 1235 = (5/100) × 1235 = 61.

id=68174 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=J | option_b=M | option_c=L | option_d=K | answer=C | explanation=Move 1 positions forward from K; the resulting letter is L.

id=68175 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=43 | option_b=35 | option_c=51 | option_d=44 | answer=A | explanation=The common difference is 8. Therefore the next term is 35 + 8 = 43.

id=68176 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=46 | option_b=47 | option_c=53 | option_d=39 | answer=A | explanation=The common difference is 7. Therefore the next term is 39 + 7 = 46.

id=68177 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**522. If it is sold at a profit of 30%, what is its selling price? | option_a=626 | option_b=678 | option_c=730 | option_d=552 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 522 × 130/100 = **■**678.

id=68178 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=68179 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9120 at 5% per annum for 4 years. | option_a=10944 | option_b=1824 | option_c=1724 | option_d=1924 | answer=B | explanation=SI = PRT/100 = 9120×5×4/100 = **■**1824.

id=68180 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39910 at 4% per annum for 5 years. | option_a=8082 | option_b=47892 | option_c=7982 | option_d=7882 | answer=C | explanation=SI = PRT/100 = 39910×4×5/100 = **■**7982.

id=68181 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46040 at 12% per annum for 1 years. | option_a=51564 | option_b=5624 | option_c=5524 | option_d=5424 | answer=C | explanation=SI = PRT/100 = 46040×12×1/100 = **■**5524.

id=68182 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45545 at 8% per annum for 4 years. | option_a=14574 | option_b=60119 | option_c=14474 | option_d=14674 | answer=A | explanation=SI = PRT/100 = 45545×8×4/100 = **■**14574.

id=68183 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=40 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=68184 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=68185 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=E | option_c=M | option_d=Q | answer=C | explanation=Move 4 positions forward from I; the resulting letter is M.

id=68186 | topic=Averages | difficulty=Easy | question=Find the average of 38, 21, 68, 74, 80, 27, 83, 65, 80, 54. | option_a=58 | option_b=60 | option_c=61 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 590 ÷ 10 = 59.

id=68187 | topic=Averages | difficulty=Easy | question=Find the average of 45, 69, 44, 93, 83, 74. | option_a=68 | option_b=67 | option_c=69 | option_d=70 | answer=A | explanation=Average = sum of values ÷ number of values = 408 ÷ 6 = 68.

id=68188 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 23, 27, 33? | option_a=23 | option_b=19 | option_c=27 | option_d=33 | answer=D | explanation=The first three numbers increase by 4, so the next should be 31. Therefore 33 is the odd one out.

id=68189 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 14. | option_a=28 | option_b=14 | option_c=56 | option_d=32 | answer=A | explanation=LCM × HCF = 4×14; HCF(4,14) = 2, so LCM = 28.

id=68190 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1117. If it is sold at a profit of 5%, what is its selling price? | option_a=1172 | option_b=1061 | option_c=1283 | option_d=1122 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1117 × 105/100 = **■**1172.

Aptitude Questions — Records 68,191-68,220 of 100,000

id=68191 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:1 and the first is 28, what is the second? | option_a=14 | option_b=42 | option_c=13 | option_d=16 | answer=A | explanation=Scale factor = 28/2 = 14. Therefore second quantity = 1×14 = 14.

id=68192 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:4 and the first is 121, what is the second? | option_a=44 | option_b=165 | option_c=40 | option_d=55 | answer=A | explanation=Scale factor = 121/11 = 11. Therefore second quantity = 4×11 = 44.

id=68193 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■13751 at 12% per annum for 4 years. | option_a=6500 | option_b=6700 | option_c=20351 | option_d=6600 | answer=D | explanation=SI = PRT/100 = 13751×12×4/100 = ■6600.

id=68194 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 36, 45, 55? | option_a=55 | option_b=27 | option_c=45 | option_d=36 | answer=A | explanation=The first three numbers increase by 9, so the next should be 54. Therefore 55 is the odd one out.

id=68195 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4277. If it is sold at a profit of 20%, what is its selling price? | option_a=4297 | option_b=5132 | option_c=5559 | option_d=4705 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4277 × 120/100 = ■5132.

id=68196 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=M | option_b=R | option_c=W | option_d=B | answer=C | explanation=Move 5 positions forward from R; the resulting letter is W.

id=68197 | topic=Percentages | difficulty=Easy | question=What is 12% of 1238? | option_a=168 | option_b=296 | option_c=148 | option_d=128 | answer=C | explanation=12% of 1238 = (12/100) × 1238 = 148.

id=68198 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:11 and the first is 323, what is the second? | option_a=510 | option_b=176 | option_c=187 | option_d=206 | answer=C | explanation=Scale factor = 323/19 = 17. Therefore second quantity = 11×17 = 187.

id=68199 | topic=Percentages | difficulty=Easy | question=What is 40% of 1156? | option_a=924 | option_b=462 | option_c=482 | option_d=452 | answer=B | explanation=40% of 1156 = (40/100) × 1156 = 462.

id=68200 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2646. If it is sold at a profit of 15%, what is its selling price? | option_a=3042 | option_b=2661 | option_c=3306 | option_d=2778 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2646 × 115/100 = ■3042.

id=68201 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=68202 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=68203 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1071. If it is sold at a profit of 15%, what is its selling price? | option_a=1124 | option_b=1086 | option_c=1338 | option_d=1231 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1071 × 115/100 = ■1231.

id=68204 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=68205 | topic=Percentages | difficulty=Easy | question=What is 25% of 363? | option_a=85 | option_b=180 | option_c=100 | option_d=90 | answer=D | explanation=25% of 363 = (25/100) × 363 = 90.

id=68206 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=19 | option_b=20 | option_c=16 | option_d=18 | answer=D | explanation=The common difference is 2. Therefore the next term is 16 + 2 = 18.

id=68207 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:9 and the first is 98, what is the second? | option_a=54 | option_b=77 | option_c=63 | option_d=161 | answer=C | explanation=Scale factor = 98/14 = 7. Therefore second quantity = 9×7 = 63.

id=68208 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=12 | option_c=17 | option_d=24 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=68209 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=M | option_b=P | option_c=S | option_d=V | answer=C | explanation=Move 3 positions forward from P; the resulting letter is S.

id=68210 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■327. If it is sold at a profit of 10%, what is its selling price? | option_a=391 | option_b=359 | option_c=327 | option_d=337 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 327 × 110/100 = ■359.

id=68211 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4095. If it is sold at a profit of 25%, what is its selling price? | option_a=5527 | option_b=5118 | option_c=4120 | option_d=4709 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4095 × 125/100 = ■5118.

id=68212 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■9854 at 4% per annum for 3 years. | option_a=1282 | option_b=11036 | option_c=1082 | option_d=1182 | answer=D | explanation=SI = PRT/100 = 9854×4×3/100 = ■1182.

id=68213 | topic=Percentages | difficulty=Easy | question=What is 50% of 1330? | option_a=655 | option_b=1330 | option_c=685 | option_d=665 | answer=D | explanation=50% of 1330 = (50/100) × 1330 = 665.

id=68214 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 28. | option_a=56 | option_b=168 | option_c=90 | option_d=84 | answer=D | explanation=LCM × HCF = 6×28; HCF(6,28) = 2, so LCM = 84.

id=68215 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 23, 30, 38? | option_a=30 | option_b=38 | option_c=23 | option_d=16 | answer=B | explanation=The first three numbers increase by 7, so the next should be 37. Therefore 38 is the odd one out.

id=68216 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=68217 | topic=Averages | difficulty=Easy | question=Find the average of 83, 96, 34, 75, 94, 45, 80, 21. | option_a=66 | option_b=68 | option_c=67 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 528 ÷ 8 = 66.

id=68218 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:1 and the first is 340, what is the second? | option_a=37 | option_b=360 | option_c=19 | option_d=20 | answer=D | explanation=Scale factor = 340/17 = 20. Therefore second quantity = 1×20 = 20.

id=68219 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 33? | option_a=8 | option_b=16 | option_c=33 | option_d=24 | answer=C | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 33 is the odd one out.

id=68220 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■3402 at 6% per annum for 3 years. | option_a=4014 | option_b=512 | option_c=612 | option_d=712 | answer=C | explanation=SI = PRT/100 = 3402×6×3/100 = ■612.

Aptitude Questions — Records 68,221-68,250 of 100,000

- id=68221 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5951 at 15% per annum for 2 years. | option_a=7736 | option_b=1785 | option_c=1685 | option_d=1885 | answer=B | explanation=SI = $PRT/100 = 5951 \times 15 \times 2/100 = \text{■}1785$.
- id=68222 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 27, 32, 39? | option_a=39 | option_b=32 | option_c=27 | option_d=22 | answer=A | explanation=The first three numbers increase by 5, so the next should be 37. Therefore 39 is the odd one out.
- id=68223 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37977 at 4% per annum for 3 years. | option_a=4557 | option_b=4657 | option_c=4457 | option_d=42534 | answer=A | explanation=SI = $PRT/100 = 37977 \times 4 \times 3/100 = \text{■}4557$.
- id=68224 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=I | option_c=A | option_d=M | answer=B | explanation=Move 4 positions forward from E; the resulting letter is I.
- id=68225 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41986 at 8% per annum for 2 years. | option_a=6717 | option_b=6617 | option_c=6817 | option_d=48703 | answer=A | explanation=SI = $PRT/100 = 41986 \times 8 \times 2/100 = \text{■}6717$.
- id=68226 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.
- id=68227 | topic=Percentages | difficulty=Easy | question=What is 20% of 1014? | option_a=182 | option_b=222 | option_c=202 | option_d=404 | answer=C | explanation=20% of 1014 = $(20/100) \times 1014 = 202$.
- id=68228 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.
- id=68229 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=35 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = $240 \div 6 = 40$ km/h.
- id=68230 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.
- id=68231 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.
- id=68232 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:1 and the first is 9, what is the second? | option_a=8 | option_b=18 | option_c=10 | option_d=9 | answer=D | explanation=Scale factor = $9/1 = 9$. Therefore second quantity = $1 \times 9 = 9$.
- id=68233 | topic=Percentages | difficulty=Easy | question=What is 50% of 688? | option_a=344 | option_b=354 | option_c=688 | option_d=339 | answer=A | explanation=50% of 688 = $(50/100) \times 688 = 344$.
- id=68234 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=30 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = $150 \div 10 = 15$ km/h.
- id=68235 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.
- id=68236 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1107. If it is sold at a profit of 10%, what is its selling price? | option_a=1217 | option_b=1117 | option_c=1327 | option_d=1107 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1107 \times 110/100 = \text{■}1217$.
- id=68237 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 30. | option_a=90 | option_b=1 | option_c=30 | option_d=33 | answer=C | explanation=LCM $\times$ HCF = 3×30 ; HCF(3,30) = 3, so LCM = 30.
- id=68238 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14547 at 4% per annum for 2 years. | option_a=1263 | option_b=1063 | option_c=1163 | option_d=15710 | answer=C | explanation=SI = $PRT/100 = 14547 \times 4 \times 2/100 = \text{■}1163$.
- id=68239 | topic=Percentages | difficulty=Easy | question=What is 20% of 1998? | option_a=394 | option_b=798 | option_c=419 | option_d=399 | answer=D | explanation=20% of 1998 = $(20/100) \times 1998 = 399$.
- id=68240 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=23 | option_b=24 | option_c=22 | option_d=20 | answer=C | explanation=The common difference is 2. Therefore the next term is $20 + 2 = 22$.
- id=68241 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 39? | option_a=10 | option_b=28 | option_c=39 | option_d=19 | answer=C | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 39 is the odd one out.
- id=68242 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=35 | option_b=28 | option_c=34 | option_d=40 | answer=C | explanation=The common difference is 6. Therefore the next term is $28 + 6 = 34$.
- id=68243 | topic=Averages | difficulty=Easy | question=Find the average of 25, 76, 33, 18. | option_a=37 | option_b=40 | option_c=39 | option_d=38 | answer=D | explanation=Average = sum of values ÷ number of values = $152 \div 4 = 38$.
- id=68244 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**229. If it is sold at a profit of 30%, what is its selling price? | option_a=275 | option_b=259 | option_c=297 | option_d=319 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 229 \times 130/100 = \text{■}297$.
- id=68245 | topic=Averages | difficulty=Easy | question=Find the average of 83, 39, 26, 98, 66, 25, 40, 21, 57, 85. | option_a=55 | option_b=53 | option_c=56 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = $540 \div 10 = 54$.
- id=68246 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:14 and the first is 76, what is the second? | option_a=270 | option_b=342 | option_c=266 | option_d=252 | answer=C | explanation=Scale factor = $76/4 = 19$. Therefore second quantity = $14 \times 19 = 266$.
- id=68247 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=125 | option_c=120 | option_d=240 | answer=C | explanation=Speed = distance ÷ time = $240 \div 2 = 120$ km/h.
- id=68248 | topic=Averages | difficulty=Easy | question=Find the average of 36, 75, 59, 10, 95, 44, 85, 79, 38, 69. | option_a=60 | option_b=61 | option_c=58 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = $590 \div 10 = 59$.
- id=68249 | topic=Averages | difficulty=Easy | question=Find the average of 62, 37, 17, 11, 84, 64, 52, 50, 44, 39. | option_a=45 | option_b=46 | option_c=47 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = $460 \div 10 = 46$.
- id=68250 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=M | option_c=Q | option_d=O | answer=C | explanation=Move 2 positions forward from O; the resulting letter is Q.

Aptitude Questions — Records 68,251-68,280 of 100,000

id=68251 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=P | option_c=F | option_d=U | answer=B | explanation=Move 5 positions forward from K; the resulting letter is P.

id=68252 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 28. | option_a=616 | option_b=308 | option_c=280 | option_d=330 | answer=B | explanation=LCM × HCF = 22×28; HCF(22,28) = 2, so LCM = 308.

id=68253 | topic=Percentages | difficulty=Easy | question=What is 15% of 832? | option_a=129 | option_b=248 | option_c=124 | option_d=104 | answer=C | explanation=15% of 832 = (15/100) × 832 = 124.

id=68254 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=90 | option_c=95 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=68255 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=22 | option_b=34 | option_c=29 | option_d=28 | answer=D | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.

id=68256 | topic=Averages | difficulty=Easy | question=Find the average of 51, 41, 88. | option_a=62 | option_b=61 | option_c=59 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 180 ÷ 3 = 60.

id=68257 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=S | option_b=G | option_c=K | option_d=O | answer=D | explanation=Move 4 positions forward from K; the resulting letter is O.

id=68258 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 25, 33, 41, ? | option_a=50 | option_b=41 | option_c=49 | option_d=57 | answer=C | explanation=The common difference is 8. Therefore the next term is 41 + 8 = 49.

id=68259 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 26, 33, 41? | option_a=19 | option_b=33 | option_c=41 | option_d=26 | answer=C | explanation=The first three numbers increase by 7, so the next should be 40. Therefore 41 is the odd one out.

id=68260 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21026 at 10% per annum for 5 years. | option_a=10413 | option_b=31539 | option_c=10513 | option_d=10613 | answer=C | explanation=SI = PRT/100 = 21026×10×5/100 = **■**10513.

id=68261 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16547 at 10% per annum for 5 years. | option_a=8373 | option_b=24820 | option_c=8273 | option_d=8173 | answer=C | explanation=SI = PRT/100 = 16547×10×5/100 = **■**8273.

id=68262 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=50 | option_b=60 | option_c=40 | option_d=51 | answer=A | explanation=The common difference is 10. Therefore the next term is 40 + 10 = 50.

id=68263 | topic=Percentages | difficulty=Easy | question=What is 5% of 766? | option_a=58 | option_b=38 | option_c=76 | option_d=28 | answer=B | explanation=5% of 766 = (5/100) × 766 = 38.

id=68264 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:14 and the first is 72, what is the second? | option_a=168 | option_b=154 | option_c=240 | option_d=174 | answer=A | explanation=Scale factor = 72/6 = 12. Therefore second quantity = 14×12 = 168.

id=68265 | topic=Percentages | difficulty=Easy | question=What is 20% of 1694? | option_a=338 | option_b=676 | option_c=318 | option_d=348 | answer=A | explanation=20% of 1694 = (20/100) × 1694 = 338.

id=68266 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=40 | option_c=45 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=68267 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=F | option_b=L | option_c=I | option_d=O | answer=B | explanation=Move 3 positions forward from I; the resulting letter is L.

id=68268 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8865 at 12% per annum for 4 years. | option_a=4355 | option_b=4155 | option_c=13120 | option_d=4255 | answer=D | explanation=SI = PRT/100 = 8865×12×4/100 = **■**4255.

id=68269 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1197. If it is sold at a profit of 25%, what is its selling price? | option_a=1377 | option_b=1615 | option_c=1222 | option_d=1496 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1197 × 125/100 = **■**1496.

id=68270 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=21 | option_b=17 | option_c=20 | option_d=23 | answer=C | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=68271 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**759. If it is sold at a profit of 50%, what is its selling price? | option_a=1213 | option_b=1063 | option_c=1138 | option_d=809 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 759 × 150/100 = **■**1138.

id=68272 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=45 | option_b=90 | option_c=40 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=68273 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36512 at 6% per annum for 4 years. | option_a=8662 | option_b=8762 | option_c=8862 | option_d=45274 | answer=B | explanation=SI = PRT/100 = 36512×6×4/100 = **■**8762.

id=68274 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=G | option_b=M | option_c=P | option_d=J | answer=B | explanation=Move 3 positions forward from J; the resulting letter is M.

id=68275 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31179 at 12% per annum for 5 years. | option_a=18807 | option_b=18607 | option_c=49886 | option_d=18707 | answer=D | explanation=SI = PRT/100 = 31179×12×5/100 = **■**18707.

id=68276 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:7 and the first is 288, what is the second? | option_a=119 | option_b=142 | option_c=414 | option_d=126 | answer=D | explanation=Scale factor = 288/16 = 18. Therefore second quantity = 7×18 = 126.

id=68277 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:13 and the first is 54, what is the second? | option_a=221 | option_b=288 | option_c=234 | option_d=237 | answer=C | explanation=Scale factor = 54/3 = 18. Therefore second quantity = 13×18 = 234.

id=68278 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 43? | option_a=37 | option_b=32 | option_c=27 | option_d=43 | answer=D | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 43 is the odd one out.

id=68279 | topic=Averages | difficulty=Easy | question=Find the average of 37, 80, 81, 39, 48, 43, 62, 92, 17, 21. | option_a=54 | option_b=53 | option_c=51 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 520 ÷ 10 = 52.

id=68280 | topic=Percentages | difficulty=Easy | question=What is 15% of 1459? | option_a=436 | option_b=238 | option_c=218 | option_d=198 | answer=C | explanation=15% of 1459 = (15/100) × 1459 = 218.

Aptitude Questions — Records 68,281-68,310 of 100,000

id=68281 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:6 and the first is 48, what is the second? | option_a=48 | option_b=54 | option_c=42 | option_d=96 | answer=A | explanation=Scale factor = 48/6 = 8. Therefore second quantity = 6×8 = 48.

id=68282 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3068. If it is sold at a profit of 25%, what is its selling price? | option_a=3093 | option_b=3835 | option_c=3529 | option_d=4141 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3068 × 125/100 = █3835.

id=68283 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12734 at 10% per annum for 2 years. | option_a=2446 | option_b=15280 | option_c=2546 | option_d=2646 | answer=C | explanation=SI = PRT/100 = 12734×10×2/100 = █2546.

id=68284 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4028. If it is sold at a profit of 40%, what is its selling price? | option_a=6041 | option_b=5237 | option_c=4068 | option_d=5639 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4028 × 140/100 = █5639.

id=68285 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32153 at 15% per annum for 2 years. | option_a=9545 | option_b=9745 | option_c=9645 | option_d=41798 | answer=C | explanation=SI = PRT/100 = 32153×15×2/100 = █9645.

id=68286 | topic=Percentages | difficulty=Easy | question=What is 25% of 401? | option_a=90 | option_b=200 | option_c=100 | option_d=120 | answer=C | explanation=25% of 401 = (25/100) × 401 = 100.

id=68287 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24188 at 12% per annum for 3 years. | option_a=32895 | option_b=8707 | option_c=8607 | option_d=8807 | answer=B | explanation=SI = PRT/100 = 24188×12×3/100 = █8707.

id=68288 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=T | option_b=L | option_c=P | option_d=H | answer=C | explanation=Move 4 positions forward from L; the resulting letter is P.

id=68289 | topic=Percentages | difficulty=Easy | question=What is 12% of 1745? | option_a=199 | option_b=209 | option_c=214 | option_d=418 | answer=B | explanation=12% of 1745 = (12/100) × 1745 = 209.

id=68290 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3272. If it is sold at a profit of 30%, what is its selling price? | option_a=3926 | option_b=4253 | option_c=4580 | option_d=3302 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3272 × 130/100 = █4253.

id=68291 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=M | option_b=B | option_c=W | option_d=R | answer=C | explanation=Move 5 positions forward from R; the resulting letter is W.

id=68292 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 21. | option_a=210 | option_b=240 | option_c=630 | option_d=189 | answer=A | explanation=LCM × HCF = 30×21; HCF(30,21) = 3, so LCM = 210.

id=68293 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 10, 17, 26? | option_a=10 | option_b=3 | option_c=26 | option_d=17 | answer=C | explanation=The first three numbers increase by 7, so the next should be 24. Therefore 26 is the odd one out.

id=68294 | topic=Percentages | difficulty=Easy | question=What is 5% of 479? | option_a=43 | option_b=23 | option_c=18 | option_d=46 | answer=B | explanation=5% of 479 = (5/100) × 479 = 23.

id=68295 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6755 at 12% per annum for 2 years. | option_a=1721 | option_b=1521 | option_c=1621 | option_d=8376 | answer=C | explanation=SI = PRT/100 = 6755×12×2/100 = █1621.

id=68296 | topic=Percentages | difficulty=Easy | question=What is 25% of 589? | option_a=147 | option_b=157 | option_c=294 | option_d=127 | answer=A | explanation=25% of 589 = (25/100) × 589 = 147.

id=68297 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 9, 14, 22? | option_a=22 | option_b=4 | option_c=14 | option_d=9 | answer=A | explanation=The first three numbers increase by 5, so the next should be 19. Therefore 22 is the odd one out.

id=68298 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 18, 28, 38, ? | option_a=38 | option_b=58 | option_c=49 | option_d=48 | answer=D | explanation=The common difference is 10. Therefore the next term is 38 + 10 = 48.

id=68299 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 24, 33, 44? | option_a=15 | option_b=33 | option_c=44 | option_d=24 | answer=C | explanation=The first three numbers increase by 9, so the next should be 42. Therefore 44 is the odd one out.

id=68300 | topic=Averages | difficulty=Easy | question=Find the average of 11, 51, 69, 65, 16, 12, 84. | option_a=46 | option_b=43 | option_c=44 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = 308 ÷ 7 = 44.

id=68301 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=68302 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=54 | option_b=48 | option_c=40 | option_d=47 | answer=D | explanation=The common difference is 7. Therefore the next term is 40 + 7 = 47.

id=68303 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=F | option_c=V | option_d=K | answer=B | explanation=Move 5 positions forward from A; the resulting letter is F.

id=68304 | topic=Averages | difficulty=Easy | question=Find the average of 96, 20, 90, 92, 39, 49, 34, 28. | option_a=55 | option_b=56 | option_c=57 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 448 ÷ 8 = 56.

id=68305 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:14 and the first is 17, what is the second? | option_a=238 | option_b=239 | option_c=255 | option_d=224 | answer=A | explanation=Scale factor = 17/1 = 17. Therefore second quantity = 14×17 = 238.

id=68306 | topic=Averages | difficulty=Easy | question=Find the average of 13, 14, 17, 84, 14, 25, 59, 44, 36, 44. | option_a=37 | option_b=34 | option_c=35 | option_d=36 | answer=C | explanation=Average = sum of values ÷ number of values = 350 ÷ 10 = 35.

id=68307 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=G | option_b=A | option_c=D | option_d=J | answer=A | explanation=Move 3 positions forward from D; the resulting letter is G.

id=68308 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=90 | option_b=50 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=68309 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=C | option_c=Z | option_d=B | answer=D | explanation=Move 1 positions forward from A; the resulting letter is B.

id=68310 | topic=Percentages | difficulty=Easy | question=What is 30% of 989? | option_a=296 | option_b=291 | option_c=306 | option_d=592 | answer=A | explanation=30% of 989 = (30/100) × 989 = 296.

Aptitude Questions — Records 68,311-68,340 of 100,000

id=68311 | topic=Percentages | difficulty=Easy | question=What is 30% of 1290? | option_a=387 | option_b=407 | option_c=367 | option_d=774 | answer=A | explanation=30% of 1290 = (30/100) × 1290 = 387.

id=68312 | topic=Percentages | difficulty=Easy | question=What is 15% of 1079? | option_a=322 | option_b=166 | option_c=141 | option_d=161 | answer=D | explanation=15% of 1079 = (15/100) × 1079 = 161.

id=68313 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=240 | option_c=120 | option_d=125 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=68314 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=46 | option_b=45 | option_c=52 | option_d=38 | answer=B | explanation=The common difference is 7. Therefore the next term is 38 + 7 = 45.

id=68315 | topic=Averages | difficulty=Easy | question=Find the average of 62, 49, 24, 68, 84, 79. | option_a=60 | option_b=62 | option_c=63 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 366 ÷ 6 = 61.

id=68316 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1130. If it is sold at a profit of 25%, what is its selling price? | option_a=1412 | option_b=1155 | option_c=1299 | option_d=1525 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1130 × 125/100 = █1412.

id=68317 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:19 and the first is 24, what is the second? | option_a=81 | option_b=65 | option_c=57 | option_d=38 | answer=C | explanation=Scale factor = 24/8 = 3. Therefore second quantity = 19×3 = 57.

id=68318 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 8. | option_a=80 | option_b=176 | option_c=110 | option_d=88 | answer=D | explanation=LCM × HCF = 22×8; HCF(22,8) = 2, so LCM = 88.

id=68319 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:16 and the first is 10, what is the second? | option_a=90 | option_b=64 | option_c=80 | option_d=82 | answer=C | explanation=Scale factor = 10/2 = 5. Therefore second quantity = 16×5 = 80.

id=68320 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2727. If it is sold at a profit of 15%, what is its selling price? | option_a=3136 | option_b=2742 | option_c=2864 | option_d=3408 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2727 × 115/100 = █3136.

id=68321 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=P | option_b=J | option_c=S | option_d=M | answer=A | explanation=Move 3 positions forward from M; the resulting letter is P.

id=68322 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:18 and the first is 20, what is the second? | option_a=180 | option_b=182 | option_c=162 | option_d=200 | answer=A | explanation=Scale factor = 20/2 = 10. Therefore second quantity = 18×10 = 180.

id=68323 | topic=Averages | difficulty=Easy | question=Find the average of 69, 91, 82, 46. | option_a=71 | option_b=74 | option_c=72 | option_d=73 | answer=C | explanation=Average = sum of values ÷ number of values = 288 ÷ 4 = 72.

id=68324 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2890. If it is sold at a profit of 20%, what is its selling price? | option_a=3179 | option_b=3757 | option_c=3468 | option_d=2910 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2890 × 120/100 = █3468.

id=68325 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=56 | option_b=46 | option_c=64 | option_d=55 | answer=D | explanation=The common difference is 9. Therefore the next term is 46 + 9 = 55.

id=68326 | topic=Averages | difficulty=Easy | question=Find the average of 33, 61, 44. | option_a=48 | option_b=47 | option_c=45 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 138 ÷ 3 = 46.

id=68327 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13420 at 4% per annum for 4 years. | option_a=2147 | option_b=2247 | option_c=2047 | option_d=15567 | answer=A | explanation=SI = PRT/100 = 13420×4×4/100 = █2147.

id=68328 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Y | option_b=U | option_c=M | option_d=Q | answer=B | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=68329 | topic=Percentages | difficulty=Easy | question=What is 10% of 120? | option_a=12 | option_b=24 | option_c=32 | option_d=2 | answer=A | explanation=10% of 120 = (10/100) × 120 = 12.

id=68330 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=68331 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3701 at 5% per annum for 3 years. | option_a=655 | option_b=555 | option_c=4256 | option_d=455 | answer=B | explanation=SI = PRT/100 = 3701×5×3/100 = █555.

id=68332 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4643. If it is sold at a profit of 15%, what is its selling price? | option_a=4875 | option_b=5339 | option_c=4658 | option_d=5803 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4643 × 115/100 = █5339.

id=68333 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=63 | option_b=39 | option_c=51 | option_d=52 | answer=C | explanation=The common difference is 12. Therefore the next term is 39 + 12 = 51.

id=68334 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 16, 19, 23? | option_a=19 | option_b=16 | option_c=23 | option_d=13 | answer=C | explanation=The first three numbers increase by 3, so the next should be 22. Therefore 23 is the odd one out.

id=68335 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:4 and the first is 44, what is the second? | option_a=12 | option_b=16 | option_c=27 | option_d=60 | answer=B | explanation=Scale factor = 44/11 = 4. Therefore second quantity = 4×4 = 16.

id=68336 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=68337 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:13 and the first is 170, what is the second? | option_a=208 | option_b=231 | option_c=221 | option_d=391 | answer=C | explanation=Scale factor = 170/10 = 17. Therefore second quantity = 13×17 = 221.

id=68338 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=38 | option_b=32 | option_c=31 | option_d=24 | answer=C | explanation=The common difference is 7. Therefore the next term is 24 + 7 = 31.

id=68339 | topic=Profit & Loss | difficulty=Easy | question=An article costs █820. If it is sold at a profit of 15%, what is its selling price? | option_a=943 | option_b=861 | option_c=835 | option_d=1025 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 820 × 115/100 = █943.

id=68340 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 68,341-68,370 of 100,000

id=68341 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2788. If it is sold at a profit of 40%, what is its selling price? | option_a=3903 | option_b=3625 | option_c=4181 | option_d=2828 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2788 \times 140/100 = \blacksquare 3903$.

id=68342 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=68343 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=68344 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=67 | option_c=144 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = $360 \div 5 = 72$ km/h.

id=68345 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=37 | option_b=44 | option_c=43 | option_d=49 | answer=C | explanation=The common difference is 6. Therefore the next term is $37 + 6 = 43$.

id=68346 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■4898 at 5% per annum for 2 years. | option_a=389 | option_b=489 | option_c=589 | option_d=5387 | answer=B | explanation=SI = $PRT/100 = 4898 \times 5 \times 2/100 = \blacksquare 489$.

id=68347 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■809. If it is sold at a profit of 40%, what is its selling price? | option_a=1132 | option_b=849 | option_c=1212 | option_d=1052 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 809 \times 140/100 = \blacksquare 1132$.

id=68348 | topic=Percentages | difficulty=Easy | question=What is 40% of 1782? | option_a=717 | option_b=712 | option_c=1424 | option_d=702 | answer=B | explanation=40% of 1782 = $(40/100) \times 1782 = 712$.

id=68349 | topic=Averages | difficulty=Easy | question=Find the average of 17, 83, 43, 36, 93, 98, 99, 91. | option_a=72 | option_b=71 | option_c=69 | option_d=70 | answer=D | explanation=Average = sum of values ÷ number of values = $560 \div 8 = 70$.

id=68350 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=36 | option_b=27 | option_c=43 | option_d=35 | answer=D | explanation=The common difference is 8. Therefore the next term is $27 + 8 = 35$.

id=68351 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■13570 at 8% per annum for 5 years. | option_a=5428 | option_b=5328 | option_c=18998 | option_d=5528 | answer=A | explanation=SI = $PRT/100 = 13570 \times 8 \times 5/100 = \blacksquare 5428$.

id=68352 | topic=Percentages | difficulty=Easy | question=What is 15% of 1156? | option_a=173 | option_b=346 | option_c=168 | option_d=178 | answer=A | explanation=15% of 1156 = $(15/100) \times 1156 = 173$.

id=68353 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = $180 \div 3 = 60$ km/h.

id=68354 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 30. | option_a=1 | option_b=30 | option_c=450 | option_d=45 | answer=B | explanation=LCM $\times$ HCF = 15×30 ; HCF(15,30) = 15, so LCM = 30.

id=68355 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=K | option_b=A | option_c=P | option_d=F | answer=A | explanation=Move 5 positions forward from F; the resulting letter is K.

id=68356 | topic=Averages | difficulty=Easy | question=Find the average of 30, 95, 60, 26, 11, 50, 27, 50, 20. | option_a=41 | option_b=43 | option_c=40 | option_d=42 | answer=A | explanation=Average = sum of values ÷ number of values = $369 \div 9 = 41$.

id=68357 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:9 and the first is 288, what is the second? | option_a=153 | option_b=450 | option_c=162 | option_d=178 | answer=C | explanation=Scale factor = $288/16 = 18$. Therefore second quantity = $9 \times 18 = 162$.

id=68358 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:1 and the first is 20, what is the second? | option_a=9 | option_b=4 | option_c=25 | option_d=5 | answer=D | explanation=Scale factor = $20/4 = 5$. Therefore second quantity = $1 \times 5 = 5$.

id=68359 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=67 | option_b=43 | option_c=55 | option_d=56 | answer=C | explanation=The common difference is 12. Therefore the next term is $43 + 12 = 55$.

id=68360 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $90 \div 3 = 30$ km/h.

id=68361 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 17, 23, 30? | option_a=30 | option_b=17 | option_c=23 | option_d=11 | answer=A | explanation=The first three numbers increase by 6, so the next should be 29. Therefore 30 is the odd one out.

id=68362 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4986. If it is sold at a profit of 10%, what is its selling price? | option_a=4996 | option_b=5982 | option_c=5484 | option_d=4986 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4986 \times 110/100 = \blacksquare 5484$.

id=68363 | topic=Percentages | difficulty=Easy | question=What is 15% of 1456? | option_a=198 | option_b=436 | option_c=223 | option_d=218 | answer=D | explanation=15% of 1456 = $(15/100) \times 1456 = 218$.

id=68364 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■19104 at 10% per annum for 4 years. | option_a=7741 | option_b=7541 | option_c=26745 | option_d=7641 | answer=D | explanation=SI = $PRT/100 = 19104 \times 10 \times 4/100 = \blacksquare 7641$.

id=68365 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.

id=68366 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 18, 26, 36? | option_a=10 | option_b=18 | option_c=26 | option_d=36 | answer=D | explanation=The first three numbers increase by 8, so the next should be 34. Therefore 36 is the odd one out.

id=68367 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=19 | option_c=24 | option_d=29 | answer=C | explanation=Speed = distance ÷ time = $120 \div 5 = 24$ km/h.

id=68368 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:2 and the first is 216, what is the second? | option_a=22 | option_b=24 | option_c=240 | option_d=42 | answer=B | explanation=Scale factor = $216/18 = 12$. Therefore second quantity = $2 \times 12 = 24$.

id=68369 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 17, 23, 30? | option_a=30 | option_b=17 | option_c=23 | option_d=11 | answer=A | explanation=The first three numbers increase by 6, so the next should be 29. Therefore 30 is the odd one out.

id=68370 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:11 and the first is 108, what is the second? | option_a=88 | option_b=99 | option_c=111 | option_d=207 | answer=B | explanation=Scale factor = $108/12 = 9$. Therefore second quantity = $11 \times 9 = 99$.

Aptitude Questions — Records 68,371-68,400 of 100,000

id=68371 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=68372 | topic=Averages | difficulty=Easy | question=Find the average of 29, 80, 40, 55. | option_a=51 | option_b=53 | option_c=52 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 204 ÷ 4 = 51.

id=68373 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=M | option_c=I | option_d=O | answer=B | explanation=Move 2 positions forward from K; the resulting letter is M.

id=68374 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4852 at 8% per annum for 2 years. | option_a=5628 | option_b=876 | option_c=676 | option_d=776 | answer=D | explanation=SI = PRT/100 = 4852×8×2/100 = █776.

id=68375 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=T | option_c=V | option_d=W | answer=C | explanation=Move 1 positions forward from U; the resulting letter is V.

id=68376 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4828. If it is sold at a profit of 5%, what is its selling price? | option_a=4833 | option_b=5069 | option_c=4587 | option_d=5551 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4828 × 105/100 = █5069.

id=68377 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=68378 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=20 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=68379 | topic=Averages | difficulty=Easy | question=Find the average of 24, 69, 18, 21. | option_a=32 | option_b=35 | option_c=34 | option_d=33 | answer=D | explanation=Average = sum of values ÷ number of values = 132 ÷ 4 = 33.

id=68380 | topic=Averages | difficulty=Easy | question=Find the average of 58, 35, 55, 73, 59, 55, 97, 28, 94, 16. | option_a=56 | option_b=58 | option_c=59 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.

id=68381 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=68382 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=L | option_b=R | option_c=P | option_d=N | answer=C | explanation=Move 2 positions forward from N; the resulting letter is P.

id=68383 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=T | option_b=Q | option_c=N | option_d=K | answer=B | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=68384 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4204. If it is sold at a profit of 25%, what is its selling price? | option_a=4229 | option_b=5675 | option_c=4835 | option_d=5255 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4204 × 125/100 = █5255.

id=68385 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39138 at 8% per annum for 5 years. | option_a=15555 | option_b=54793 | option_c=15755 | option_d=15655 | answer=D | explanation=SI = PRT/100 = 39138×8×5/100 = █15655.

id=68386 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=68387 | topic=Averages | difficulty=Easy | question=Find the average of 98, 54, 10, 77, 89, 47, 87, 50. | option_a=65 | option_b=63 | option_c=66 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 512 ÷ 8 = 64.

id=68388 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 25, 33, 41, ? | option_a=49 | option_b=57 | option_c=41 | option_d=50 | answer=A | explanation=The common difference is 8. Therefore the next term is 41 + 8 = 49.

id=68389 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=30 | option_b=34 | option_c=31 | option_d=26 | answer=A | explanation=The common difference is 4. Therefore the next term is 26 + 4 = 30.

id=68390 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=45 | option_b=57 | option_c=69 | option_d=58 | answer=B | explanation=The common difference is 12. Therefore the next term is 45 + 12 = 57.

id=68391 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:2 and the first is 34, what is the second? | option_a=38 | option_b=21 | option_c=2 | option_d=4 | answer=D | explanation=Scale factor = 34/17 = 2. Therefore second quantity = 2×2 = 4.

id=68392 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29436 at 10% per annum for 5 years. | option_a=14718 | option_b=14818 | option_c=14618 | option_d=44154 | answer=A | explanation=SI = PRT/100 = 29436×10×5/100 = █14718.

id=68393 | topic=Percentages | difficulty=Easy | question=What is 30% of 1345? | option_a=403 | option_b=806 | option_c=383 | option_d=408 | answer=A | explanation=30% of 1345 = (30/100) × 1345 = 403.

id=68394 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43962 at 10% per annum for 4 years. | option_a=17684 | option_b=17484 | option_c=17584 | option_d=61546 | answer=C | explanation=SI = PRT/100 = 43962×10×4/100 = █17584.

id=68395 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41421 at 12% per annum for 1 years. | option_a=46391 | option_b=4870 | option_c=5070 | option_d=4970 | answer=D | explanation=SI = PRT/100 = 41421×12×1/100 = █4970.

id=68396 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=24 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=68397 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31725 at 6% per annum for 1 years. | option_a=2003 | option_b=1903 | option_c=33628 | option_d=1803 | answer=B | explanation=SI = PRT/100 = 31725×6×1/100 = █1903.

id=68398 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=43 | option_b=42 | option_c=51 | option_d=33 | answer=B | explanation=The common difference is 9. Therefore the next term is 33 + 9 = 42.

id=68399 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:19 and the first is 120, what is the second? | option_a=386 | option_b=361 | option_c=380 | option_d=500 | answer=C | explanation=Scale factor = 120/6 = 20. Therefore second quantity = 19×20 = 380.

id=68400 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=23 | option_b=17 | option_c=27 | option_d=22 | answer=D | explanation=The common difference is 5. Therefore the next term is 17 + 5 = 22.

Aptitude Questions — Records 68,401-68,430 of 100,000

- id=68401 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 13, 23, 35? | option_a=3 | option_b=23 | option_c=13 | option_d=35 | answer=D | explanation=The first three numbers increase by 10, so the next should be 33. Therefore 35 is the odd one out.
- id=68402 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=44 | option_b=43 | option_c=36 | option_d=50 | answer=B | explanation=The common difference is 7. Therefore the next term is $36 + 7 = 43$.
- id=68403 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $18/9 = 2$ days.
- id=68404 | topic=Percentages | difficulty=Easy | question=What is 25% of 440? | option_a=220 | option_b=100 | option_c=130 | option_d=110 | answer=D | explanation= $25\% \text{ of } 440 = (\frac{25}{100}) \times 440 = 110$.
- id=68405 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=K | option_b=F | option_c=A | option_d=P | answer=A | explanation=Move 5 positions forward from F; the resulting letter is K.
- id=68406 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=75 | option_d=150 | answer=C | explanation=Speed = distance ÷ time = $300 \div 4 = 75$ km/h.
- id=68407 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=36 | option_b=40 | option_c=30 | option_d=35 | answer=D | explanation=The common difference is 5. Therefore the next term is $30 + 5 = 35$.
- id=68408 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = $180 \div 3 = 60$ km/h.
- id=68409 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $18/9 = 2$ days.
- id=68410 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 44? | option_a=44 | option_b=33 | option_c=29 | option_d=37 | answer=A | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 44 is the odd one out.
- id=68411 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3504. If it is sold at a profit of 25%, what is its selling price? | option_a=4380 | option_b=4030 | option_c=4730 | option_d=3529 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3504 \times 125 / 100 = \text{█}4380$.
- id=68412 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 9. | option_a=36 | option_b=48 | option_c=27 | option_d=108 | answer=A | explanation= $LCM \times HCF = 12 \times 9$; $HCF(12, 9) = 3$, so $LCM = 36$.
- id=68413 | topic=Percentages | difficulty=Easy | question=What is 25% of 1231? | option_a=614 | option_b=302 | option_c=307 | option_d=312 | answer=C | explanation= $25\% \text{ of } 1231 = (\frac{25}{100}) \times 1231 = 307$.
- id=68414 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2844. If it is sold at a profit of 40%, what is its selling price? | option_a=3697 | option_b=2884 | option_c=3981 | option_d=4265 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2844 \times 140 / 100 = \text{█}3981$.
- id=68415 | topic=Averages | difficulty=Easy | question=Find the average of 93, 35, 55, 67, 31, 89, 37, 33. | option_a=57 | option_b=54 | option_c=55 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = $440 \div 8 = 55$.
- id=68416 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2433. If it is sold at a profit of 10%, what is its selling price? | option_a=2433 | option_b=2919 | option_c=2443 | option_d=2676 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2433 \times 110 / 100 = \text{█}2676$.
- id=68417 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 34, 39, 45? | option_a=45 | option_b=29 | option_c=34 | option_d=39 | answer=A | explanation=The first three numbers increase by 5, so the next should be 44. Therefore 45 is the odd one out.
- id=68418 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 43? | option_a=21 | option_b=43 | option_c=31 | option_d=11 | answer=B | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 43 is the odd one out.
- id=68419 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $18/9 = 2$ days.
- id=68420 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=10 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = $150 \div 10 = 15$ km/h.
- id=68421 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 16. | option_a=90 | option_b=64 | option_c=160 | option_d=80 | answer=D | explanation= $LCM \times HCF = 10 \times 16$; $HCF(10, 16) = 2$, so $LCM = 80$.
- id=68422 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:4 and the first is 400, what is the second? | option_a=80 | option_b=480 | option_c=76 | option_d=100 | answer=A | explanation=Scale factor = $400 / 20 = 20$. Therefore second quantity = $4 \times 20 = 80$.
- id=68423 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=D | option_b=O | option_c=T | option_d=Y | answer=D | explanation=Move 5 positions forward from T; the resulting letter is Y.
- id=68424 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=H | option_b=J | option_c=K | option_d=I | answer=B | explanation=Move 1 positions forward from I; the resulting letter is J.
- id=68425 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = $120 \div 8 = 15$ km/h.
- id=68426 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=22 | option_b=28 | option_c=25 | option_d=26 | answer=C | explanation=The common difference is 3. Therefore the next term is $22 + 3 = 25$.
- id=68427 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=150 | option_c=300 | option_d=145 | answer=B | explanation=Speed = distance ÷ time = $300 \div 2 = 150$ km/h.
- id=68428 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=O | option_c=X | option_d=U | answer=D | explanation=Move 3 positions forward from R; the resulting letter is U.
- id=68429 | topic=Percentages | difficulty=Easy | question=What is 15% of 1844? | option_a=276 | option_b=281 | option_c=552 | option_d=266 | answer=A | explanation= $15\% \text{ of } 1844 = (\frac{15}{100}) \times 1844 = 276$.
- id=68430 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=S | option_b=M | option_c=P | option_d=J | answer=C | explanation=Move 3 positions forward from M; the resulting letter is P.

Aptitude Questions — Records 68,431-68,460 of 100,000

- id=68431 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18460 at 6% per annum for 2 years. | option_a=2315 | option_b=2115 | option_c=20675 | option_d=2215 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{18460 \times 6 \times 2}{100} = \text{■}2215$.
- id=68432 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26713 at 12% per annum for 1 years. | option_a=29918 | option_b=3305 | option_c=3105 | option_d=3205 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{26713 \times 12 \times 1}{100} = \text{■}3205$.
- id=68433 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.
- id=68434 | topic=Percentages | difficulty=Easy | question=What is 10% of 1062? | option_a=106 | option_b=96 | option_c=116 | option_d=212 | answer=A | explanation= $10\% \text{ of } 1062 = \frac{10}{100} \times 1062 = 106$.
- id=68435 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3569. If it is sold at a profit of 25%, what is its selling price? | option_a=4461 | option_b=4817 | option_c=3594 | option_d=4105 | answer=A | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%) / 100 = 3569 \times \frac{125}{100} = \text{■}4461$.
- id=68436 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=56 | option_b=67 | option_c=45 | option_d=57 | answer=A | explanation=The common difference is 11. Therefore the next term is $45 + 11 = 56$.
- id=68437 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=185 | option_c=175 | option_d=360 | answer=A | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{360}{2} = 180 \text{ km/h}$.
- id=68438 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:7 and the first is 120, what is the second? | option_a=146 | option_b=260 | option_c=140 | option_d=133 | answer=C | explanation= $\text{Scale factor} = \frac{120}{6} = 20$. Therefore second quantity = $7 \times 20 = 140$.
- id=68439 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=39 | option_b=40 | option_c=33 | option_d=45 | answer=A | explanation=The common difference is 6. Therefore the next term is $33 + 6 = 39$.
- id=68440 | topic=Averages | difficulty=Easy | question=Find the average of 26, 73, 22, 15, 39, 17, 11. | option_a=28 | option_b=30 | option_c=31 | option_d=29 | answer=D | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{203}{7} = 29$.
- id=68441 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 12. | option_a=36 | option_b=64 | option_c=192 | option_d=48 | answer=D | explanation= $\text{LCM} \times \text{HCF} = 16 \times 12$; $\text{HCF}(16,12) = 4$, so $\text{LCM} = 48$.
- id=68442 | topic=Percentages | difficulty=Easy | question=What is 5% of 123? | option_a=6 | option_b=12 | option_c=26 | option_d=1 | answer=A | explanation= $5\% \text{ of } 123 = \frac{5}{100} \times 123 = 6$.
- id=68443 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1982 at 6% per annum for 4 years. | option_a=375 | option_b=575 | option_c=2457 | option_d=475 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{1982 \times 6 \times 4}{100} = \text{■}475$.
- id=68444 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:6 and the first is 84, what is the second? | option_a=30 | option_b=50 | option_c=120 | option_d=36 | answer=D | explanation= $\text{Scale factor} = \frac{84}{14} = 6$. Therefore second quantity = $6 \times 6 = 36$.
- id=68445 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.
- id=68446 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=42 | option_b=28 | option_c=35 | option_d=36 | answer=C | explanation=The common difference is 7. Therefore the next term is $28 + 7 = 35$.
- id=68447 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=6 | option_d=20 | answer=B | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.
- id=68448 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:1 and the first is 140, what is the second? | option_a=7 | option_b=27 | option_c=147 | option_d=6 | answer=A | explanation= $\text{Scale factor} = \frac{140}{20} = 7$. Therefore second quantity = $1 \times 7 = 7$.
- id=68449 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 33? | option_a=33 | option_b=24 | option_c=8 | option_d=16 | answer=A | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 33 is the odd one out.
- id=68450 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=43 | option_c=96 | option_d=53 | answer=A | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{240}{5} = 48 \text{ km/h}$.
- id=68451 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=150 | option_c=70 | option_d=75 | answer=D | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{150}{2} = 75 \text{ km/h}$.
- id=68452 | topic=Percentages | difficulty=Easy | question=What is 12% of 94? | option_a=16 | option_b=11 | option_c=22 | option_d=0 | answer=B | explanation= $12\% \text{ of } 94 = \frac{12}{100} \times 94 = 11$.
- id=68453 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=V | option_c=M | option_d=S | answer=D | explanation=Move 3 positions forward from P; the resulting letter is S.
- id=68454 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=23 | option_b=19 | option_c=21 | option_d=22 | answer=C | explanation=The common difference is 2. Therefore the next term is $19 + 2 = 21$.
- id=68455 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=60 | option_d=55 | answer=C | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{360}{6} = 60 \text{ km/h}$.
- id=68456 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 6. | option_a=60 | option_b=40 | option_c=30 | option_d=24 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 10 \times 6$; $\text{HCF}(10,6) = 2$, so $\text{LCM} = 30$.
- id=68457 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.
- id=68458 | topic=Averages | difficulty=Easy | question=Find the average of 80, 52, 91, 37. | option_a=66 | option_b=65 | option_c=64 | option_d=67 | answer=B | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{260}{4} = 65$.
- id=68459 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=26 | option_b=38 | option_c=32 | option_d=33 | answer=C | explanation=The common difference is 6. Therefore the next term is $26 + 6 = 32$.
- id=68460 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=25 | option_b=24 | option_c=20 | option_d=28 | answer=B | explanation=The common difference is 4. Therefore the next term is $20 + 4 = 24$.

Aptitude Questions — Records 68,461-68,490 of 100,000

id=68461 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■5704 at 10% per annum for 3 years. | option_a=1611 | option_b=1711 | option_c=1811 | option_d=7415 | answer=B | explanation=SI = PRT/100 = 5704×10×3/100 = ■1711.

id=68462 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 25, 27, 30? | option_a=23 | option_b=27 | option_c=25 | option_d=30 | answer=D | explanation=The first three numbers increase by 2, so the next should be 29. Therefore 30 is the odd one out.

id=68463 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=40 | option_b=32 | option_c=46 | option_d=39 | answer=D | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.

id=68464 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=68465 | topic=Averages | difficulty=Easy | question=Find the average of 65, 13, 37, 99, 88, 28. | option_a=54 | option_b=57 | option_c=55 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 330 ÷ 6 = 55.

id=68466 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1861. If it is sold at a profit of 5%, what is its selling price? | option_a=1954 | option_b=1768 | option_c=1866 | option_d=2140 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1861 × 105/100 = ■1954.

id=68467 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=55 | option_c=100 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=68468 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=Y | option_b=E | option_c=B | option_d=H | answer=B | explanation=Move 3 positions forward from B; the resulting letter is E.

id=68469 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■25281 at 10% per annum for 2 years. | option_a=30337 | option_b=4956 | option_c=5056 | option_d=5156 | answer=C | explanation=SI = PRT/100 = 25281×10×2/100 = ■5056.

id=68470 | topic=Averages | difficulty=Easy | question=Find the average of 43, 82, 33, 94. | option_a=62 | option_b=63 | option_c=64 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 252 ÷ 4 = 63.

id=68471 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1250. If it is sold at a profit of 10%, what is its selling price? | option_a=1250 | option_b=1375 | option_c=1260 | option_d=1500 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1250 × 110/100 = ■1375.

id=68472 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:16 and the first is 26, what is the second? | option_a=32 | option_b=58 | option_c=45 | option_d=16 | answer=A | explanation=Scale factor = 26/13 = 2. Therefore second quantity = 16×2 = 32.

id=68473 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:17 and the first is 65, what is the second? | option_a=98 | option_b=68 | option_c=150 | option_d=85 | answer=D | explanation=Scale factor = 65/13 = 5. Therefore second quantity = 17×5 = 85.

id=68474 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:17 and the first is 70, what is the second? | option_a=68 | option_b=85 | option_c=155 | option_d=99 | answer=B | explanation=Scale factor = 70/14 = 5. Therefore second quantity = 17×5 = 85.

id=68475 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=Q | option_b=O | option_c=N | option_d=P | answer=D | explanation=Move 1 positions forward from O; the resulting letter is P.

id=68476 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:16 and the first is 80, what is the second? | option_a=168 | option_b=144 | option_c=160 | option_d=240 | answer=C | explanation=Scale factor = 80/8 = 10. Therefore second quantity = 16×10 = 160.

id=68477 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 16, 23, 31? | option_a=31 | option_b=9 | option_c=23 | option_d=16 | answer=A | explanation=The first three numbers increase by 7, so the next should be 30. Therefore 31 is the odd one out.

id=68478 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=34 | option_b=26 | option_c=31 | option_d=30 | answer=D | explanation=The common difference is 4. Therefore the next term is 26 + 4 = 30.

id=68479 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 35? | option_a=6 | option_b=35 | option_c=24 | option_d=15 | answer=B | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 35 is the odd one out.

id=68480 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 17, 22, 30? | option_a=22 | option_b=12 | option_c=17 | option_d=30 | answer=D | explanation=The first three numbers increase by 5, so the next should be 27. Therefore 30 is the odd one out.

id=68481 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=68482 | topic=Percentages | difficulty=Easy | question=What is 30% of 567? | option_a=160 | option_b=170 | option_c=190 | option_d=340 | answer=B | explanation=30% of 567 = (30/100) × 567 = 170.

id=68483 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=68484 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 12, 14, 18? | option_a=12 | option_b=10 | option_c=18 | option_d=14 | answer=C | explanation=The first three numbers increase by 2, so the next should be 16. Therefore 18 is the odd one out.

id=68485 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=68486 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=27 | option_b=30 | option_c=31 | option_d=33 | answer=B | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.

id=68487 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=25 | option_b=28 | option_c=26 | option_d=22 | answer=A | explanation=The common difference is 3. Therefore the next term is 22 + 3 = 25.

id=68488 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■28134 at 4% per annum for 2 years. | option_a=2250 | option_b=30384 | option_c=2150 | option_d=2350 | answer=A | explanation=SI = PRT/100 = 28134×4×2/100 = ■2250.

id=68489 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=68490 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■35059 at 10% per annum for 3 years. | option_a=10617 | option_b=45576 | option_c=10517 | option_d=10417 | answer=C | explanation=SI = PRT/100 = 35059×10×3/100 = ■10517.

Aptitude Questions — Records 68,491-68,520 of 100,000

id=68491 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=68492 | topic=Percentages | difficulty=Easy | question=What is 40% of 1066? | option_a=416 | option_b=426 | option_c=852 | option_d=446 | answer=B | explanation=40% of 1066 = (40/100) × 1066 = 426.

id=68493 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=68494 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=68495 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:8 and the first is 56, what is the second? | option_a=120 | option_b=64 | option_c=56 | option_d=71 | answer=B | explanation=Scale factor = 56/7 = 8. Therefore second quantity = 8×8 = 64.

id=68496 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:12 and the first is 256, what is the second? | option_a=192 | option_b=448 | option_c=180 | option_d=208 | answer=A | explanation=Scale factor = 256/16 = 16. Therefore second quantity = 12×16 = 192.

id=68497 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4673. If it is sold at a profit of 15%, what is its selling price? | option_a=4688 | option_b=4906 | option_c=5840 | option_d=5373 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4673 × 115/100 = █5373.

id=68498 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5822 at 12% per annum for 2 years. | option_a=1297 | option_b=1397 | option_c=1497 | option_d=7219 | answer=B | explanation=SI = PRT/100 = 5822×12×2/100 = █1397.

id=68499 | topic=Averages | difficulty=Easy | question=Find the average of 19, 51, 54, 78, 26, 32, 69. | option_a=49 | option_b=47 | option_c=46 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 329 ÷ 7 = 47.

id=68500 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:7 and the first is 30, what is the second? | option_a=21 | option_b=31 | option_c=14 | option_d=51 | answer=A | explanation=Scale factor = 30/10 = 3. Therefore second quantity = 7×3 = 21.

id=68501 | topic=Averages | difficulty=Easy | question=Find the average of 84, 48, 83, 64, 67, 17, 81, 65, 76. | option_a=67 | option_b=64 | option_c=65 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = 585 ÷ 9 = 65.

id=68502 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=A | option_b=F | option_c=P | option_d=K | answer=D | explanation=Move 5 positions forward from F; the resulting letter is K.

id=68503 | topic=Averages | difficulty=Easy | question=Find the average of 95, 75, 12, 77, 36, 68, 85. | option_a=63 | option_b=65 | option_c=66 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 448 ÷ 7 = 64.

id=68504 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=M | option_c=O | option_d=P | answer=C | explanation=Move 1 positions forward from N; the resulting letter is O.

id=68505 | topic=Percentages | difficulty=Easy | question=What is 25% of 1489? | option_a=744 | option_b=372 | option_c=382 | option_d=367 | answer=B | explanation=25% of 1489 = (25/100) × 1489 = 372.

id=68506 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:13 and the first is 16, what is the second? | option_a=104 | option_b=91 | option_c=106 | option_d=120 | answer=A | explanation=Scale factor = 16/2 = 8. Therefore second quantity = 13×8 = 104.

id=68507 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=L | option_c=H | option_d=J | answer=B | explanation=Move 2 positions forward from J; the resulting letter is L.

id=68508 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 28. | option_a=84 | option_b=56 | option_c=588 | option_d=105 | answer=A | explanation=LCM × HCF = 21×28; HCF(21,28) = 7, so LCM = 84.

id=68509 | topic=Percentages | difficulty=Easy | question=What is 12% of 982? | option_a=112 | option_b=234 | option_c=127 | option_d=117 | answer=D | explanation=12% of 982 = (12/100) × 982 = 117.

id=68510 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 30, 34, 40? | option_a=34 | option_b=40 | option_c=30 | option_d=26 | answer=B | explanation=The first three numbers increase by 4, so the next should be 38. Therefore 40 is the odd one out.

id=68511 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 50? | option_a=50 | option_b=30 | option_c=21 | option_d=39 | answer=A | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 50 is the odd one out.

id=68512 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 25, 34, 43, ? | option_a=43 | option_b=53 | option_c=61 | option_d=52 | answer=D | explanation=The common difference is 9. Therefore the next term is 43 + 9 = 52.

id=68513 | topic=Profit & Loss | difficulty=Easy | question=An article costs █809. If it is sold at a profit of 50%, what is its selling price? | option_a=1133 | option_b=1213 | option_c=859 | option_d=1293 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 809 × 150/100 = █1213.

id=68514 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:1 and the first is 190, what is the second? | option_a=19 | option_b=209 | option_c=18 | option_d=29 | answer=A | explanation=Scale factor = 190/10 = 19. Therefore second quantity = 1×19 = 19.

id=68515 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 28, 38, 48, ? | option_a=59 | option_b=48 | option_c=58 | option_d=68 | answer=C | explanation=The common difference is 10. Therefore the next term is 48 + 10 = 58.

id=68516 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=B | option_c=D | option_d=C | answer=C | explanation=Move 1 positions forward from C; the resulting letter is D.

id=68517 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=45 | option_b=33 | option_c=39 | option_d=40 | answer=C | explanation=The common difference is 6. Therefore the next term is 33 + 6 = 39.

id=68518 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=68519 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3375. If it is sold at a profit of 10%, what is its selling price? | option_a=3375 | option_b=3712 | option_c=3385 | option_d=4049 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3375 × 110/100 = █3712.

id=68520 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=4 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

Aptitude Questions — Records 68,521-68,550 of 100,000

- id=68521 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=10 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.
- id=68522 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4025. If it is sold at a profit of 40%, what is its selling price? | option_a=5635 | option_b=4065 | option_c=6037 | option_d=5233 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4025 × 140/100 = █5635.
- id=68523 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2036. If it is sold at a profit of 25%, what is its selling price? | option_a=2342 | option_b=2748 | option_c=2545 | option_d=2061 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2036 × 125/100 = █2545.
- id=68524 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=77 | option_b=53 | option_c=65 | option_d=66 | answer=C | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.
- id=68525 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 24, 31, 39? | option_a=39 | option_b=17 | option_c=31 | option_d=24 | answer=A | explanation=The first three numbers increase by 7, so the next should be 38. Therefore 39 is the odd one out.
- id=68526 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3867 at 15% per annum for 4 years. | option_a=2420 | option_b=2220 | option_c=2320 | option_d=6187 | answer=C | explanation=SI = PRT/100 = 3867×15×4/100 = █2320.
- id=68527 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.
- id=68528 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:15 and the first is 120, what is the second? | option_a=165 | option_b=180 | option_c=190 | option_d=300 | answer=B | explanation=Scale factor = 120/10 = 12. Therefore second quantity = 15×12 = 180.
- id=68529 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 14, 20, 29? | option_a=8 | option_b=14 | option_c=20 | option_d=29 | answer=D | explanation=The first three numbers increase by 6, so the next should be 26. Therefore 29 is the odd one out.
- id=68530 | topic=Percentages | difficulty=Easy | question=What is 40% of 1563? | option_a=625 | option_b=615 | option_c=635 | option_d=1250 | answer=A | explanation=40% of 1563 = (40/100) × 1563 = 625.
- id=68531 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 30, 32, 36? | option_a=28 | option_b=30 | option_c=36 | option_d=32 | answer=C | explanation=The first three numbers increase by 2, so the next should be 34. Therefore 36 is the odd one out.
- id=68532 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=68 | option_b=46 | option_c=58 | option_d=57 | answer=D | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.
- id=68533 | topic=Percentages | difficulty=Easy | question=What is 50% of 1614? | option_a=817 | option_b=807 | option_c=1614 | option_d=797 | answer=B | explanation=50% of 1614 = (50/100) × 1614 = 807.
- id=68534 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=18 | option_b=23 | option_c=28 | option_d=24 | answer=B | explanation=The common difference is 5. Therefore the next term is 18 + 5 = 23.
- id=68535 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37468 at 12% per annum for 3 years. | option_a=13388 | option_b=50956 | option_c=13588 | option_d=13488 | answer=D | explanation=SI = PRT/100 = 37468×12×3/100 = █13488.
- id=68536 | topic=Percentages | difficulty=Easy | question=What is 20% of 1219? | option_a=233 | option_b=243 | option_c=486 | option_d=248 | answer=B | explanation=20% of 1219 = (20/100) × 1219 = 243.
- id=68537 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 50? | option_a=39 | option_b=30 | option_c=21 | option_d=50 | answer=D | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 50 is the odd one out.
- id=68538 | topic=Percentages | difficulty=Easy | question=What is 40% of 1629? | option_a=651 | option_b=646 | option_c=671 | option_d=1302 | answer=A | explanation=40% of 1629 = (40/100) × 1629 = 651.
- id=68539 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3774. If it is sold at a profit of 10%, what is its selling price? | option_a=4528 | option_b=4151 | option_c=3774 | option_d=3784 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3774 × 110/100 = █4151.
- id=68540 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=N | option_b=T | option_c=P | option_d=R | answer=D | explanation=Move 2 positions forward from P; the resulting letter is R.
- id=68541 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 14. | option_a=160 | option_b=280 | option_c=140 | option_d=126 | answer=C | explanation=LCM × HCF = 20×14; HCF(20,14) = 2, so LCM = 140.
- id=68542 | topic=Averages | difficulty=Easy | question=Find the average of 40, 68, 21, 87. | option_a=55 | option_b=53 | option_c=56 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 216 ÷ 4 = 54.
- id=68543 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=44 | option_b=38 | option_c=45 | option_d=50 | answer=A | explanation=The common difference is 6. Therefore the next term is 38 + 6 = 44.
- id=68544 | topic=Averages | difficulty=Easy | question=Find the average of 100, 77, 73, 71, 47, 54, 67, 23. | option_a=64 | option_b=65 | option_c=63 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 512 ÷ 8 = 64.
- id=68545 | topic=Averages | difficulty=Easy | question=Find the average of 50, 16, 49, 13, 70, 24. | option_a=39 | option_b=36 | option_c=38 | option_d=37 | answer=D | explanation=Average = sum of values ÷ number of values = 222 ÷ 6 = 37.
- id=68546 | topic=Averages | difficulty=Easy | question=Find the average of 11, 50, 19, 63, 102. | option_a=50 | option_b=48 | option_c=49 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 245 ÷ 5 = 49.
- id=68547 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.
- id=68548 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3641. If it is sold at a profit of 15%, what is its selling price? | option_a=3656 | option_b=3823 | option_c=4187 | option_d=4551 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3641 × 115/100 = █4187.
- id=68549 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 43? | option_a=11 | option_b=43 | option_c=21 | option_d=31 | answer=B | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 43 is the odd one out.
- id=68550 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=B | option_b=J | option_c=F | option_d=N | answer=B | explanation=Move 4 positions forward from F; the resulting letter is J.

Aptitude Questions — Records 68,551-68,580 of 100,000

id=68551 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28843 at 12% per annum for 2 years. | option_a=6822 | option_b=7022 | option_c=35765 | option_d=6922 | answer=D | explanation=SI = $PRT/100 = 28843 \times 12 \times 2/100 = \text{■}6922$.

id=68552 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**291. If it is sold at a profit of 20%, what is its selling price? | option_a=378 | option_b=311 | option_c=320 | option_d=349 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 291 \times 120/100 = \text{■}349$.

id=68553 | topic=Averages | difficulty=Easy | question=Find the average of 42, 84, 49, 18, 59, 75, 100. | option_a=60 | option_b=62 | option_c=61 | option_d=63 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 427 \div 7 = 61$.

id=68554 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=I | option_b=R | option_c=O | option_d=L | answer=C | explanation=Move 3 positions forward from L; the resulting letter is O.

id=68555 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=I | option_b=L | option_c=O | option_d=R | answer=C | explanation=Move 3 positions forward from L; the resulting letter is O.

id=68556 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 47? | option_a=40 | option_b=47 | option_c=28 | option_d=34 | answer=B | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 47 is the odd one out.

id=68557 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=68558 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=56 | option_b=45 | option_c=55 | option_d=65 | answer=C | explanation=The common difference is 10. Therefore the next term is $45 + 10 = 55$.

id=68559 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43702 at 10% per annum for 1 years. | option_a=4370 | option_b=4270 | option_c=48072 | option_d=4470 | answer=A | explanation=SI = $PRT/100 = 43702 \times 10 \times 1/100 = \text{■}4370$.

id=68560 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=E | option_b=N | option_c=H | option_d=K | answer=D | explanation=Move 3 positions forward from H; the resulting letter is K.

id=68561 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=50 | option_b=62 | option_c=72 | option_d=61 | answer=D | explanation=The common difference is 11. Therefore the next term is $50 + 11 = 61$.

id=68562 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 10. | option_a=140 | option_b=280 | option_c=130 | option_d=168 | answer=A | explanation= $LCM \times HCF = 28 \times 10$; $HCF(28,10) = 2$, so $LCM = 140$.

id=68563 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 180 \div 6 = 30$ km/h.

id=68564 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30420 at 12% per annum for 4 years. | option_a=14601 | option_b=45021 | option_c=14501 | option_d=14701 | answer=A | explanation=SI = $PRT/100 = 30420 \times 12 \times 4/100 = \text{■}14601$.

id=68565 | topic=Percentages | difficulty=Easy | question=What is 12% of 1991? | option_a=238 | option_b=243 | option_c=233 | option_d=476 | answer=A | explanation=12% of 1991 = $(12/100) \times 1991 = 238$.

id=68566 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 15, 18, 23? | option_a=12 | option_b=18 | option_c=23 | option_d=15 | answer=C | explanation=The first three numbers increase by 3, so the next should be 21. Therefore 23 is the odd one out.

id=68567 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 90 \div 3 = 30$ km/h.

id=68568 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 34? | option_a=22 | option_b=27 | option_c=34 | option_d=17 | answer=C | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 34 is the odd one out.

id=68569 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=N | option_c=F | option_d=R | answer=B | explanation=Move 4 positions forward from J; the resulting letter is N.

id=68570 | topic=Percentages | difficulty=Easy | question=What is 5% of 622? | option_a=31 | option_b=26 | option_c=41 | option_d=62 | answer=A | explanation=5% of 622 = $(5/100) \times 622 = 31$.

id=68571 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=A | option_b=Q | option_c=V | option_d=L | answer=C | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=68572 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 16, 19, 24? | option_a=16 | option_b=19 | option_c=13 | option_d=24 | answer=D | explanation=The first three numbers increase by 3, so the next should be 22. Therefore 24 is the odd one out.

id=68573 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 20? | option_a=9 | option_b=15 | option_c=12 | option_d=20 | answer=D | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 20 is the odd one out.

id=68574 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=48 | option_c=19 | option_d=24 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 120 \div 5 = 24$ km/h.

id=68575 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3018. If it is sold at a profit of 20%, what is its selling price? | option_a=3320 | option_b=3621 | option_c=3922 | option_d=3038 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3018 \times 120/100 = \text{■}3621$.

id=68576 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=75 | option_c=160 | option_d=80 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 240 \div 3 = 80$ km/h.

id=68577 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=40 | option_b=34 | option_c=26 | option_d=33 | answer=D | explanation=The common difference is 7. Therefore the next term is $26 + 7 = 33$.

id=68578 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:4 and the first is 55, what is the second? | option_a=40 | option_b=44 | option_c=49 | option_d=99 | answer=B | explanation=Scale factor = $55/5 = 11$. Therefore second quantity = $4 \times 11 = 44$.

id=68579 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4794. If it is sold at a profit of 10%, what is its selling price? | option_a=5273 | option_b=4804 | option_c=4794 | option_d=5752 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4794 \times 110/100 = \text{■}5273$.

id=68580 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

Aptitude Questions — Records 68,581-68,610 of 100,000

id=68581 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=S | option_b=N | option_c=I | option_d=D | answer=B | explanation=Move 5 positions forward from I; the resulting letter is N.

id=68582 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 6. | option_a=12 | option_b=6 | option_c=1 | option_d=36 | answer=B | explanation=LCM × HCF = 6×6; HCF(6,6) = 6, so LCM = 6.

id=68583 | topic=Averages | difficulty=Easy | question=Find the average of 93, 94, 66, 36, 29, 50, 17. | option_a=54 | option_b=57 | option_c=56 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 385 ÷ 7 = 55.

id=68584 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7091 at 15% per annum for 4 years. | option_a=4154 | option_b=4254 | option_c=4354 | option_d=11345 | answer=B | explanation=SI = PRT/100 = 7091×15×4/100 = **■**4254.

id=68585 | topic=Percentages | difficulty=Easy | question=What is 30% of 77? | option_a=46 | option_b=13 | option_c=23 | option_d=28 | answer=C | explanation=30% of 77 = (30/100) × 77 = 23.

id=68586 | topic=Percentages | difficulty=Easy | question=What is 40% of 1266? | option_a=511 | option_b=1012 | option_c=506 | option_d=496 | answer=C | explanation=40% of 1266 = (40/100) × 1266 = 506.

id=68587 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=180 | option_c=90 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=68588 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 9, 13, 18? | option_a=5 | option_b=18 | option_c=9 | option_d=13 | answer=B | explanation=The first three numbers increase by 4, so the next should be 17. Therefore 18 is the odd one out.

id=68589 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43696 at 10% per annum for 4 years. | option_a=17578 | option_b=61174 | option_c=17478 | option_d=17378 | answer=C | explanation=SI = PRT/100 = 43696×10×4/100 = **■**17478.

id=68590 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 21, 25, 31? | option_a=31 | option_b=21 | option_c=25 | option_d=17 | answer=A | explanation=The first three numbers increase by 4, so the next should be 29. Therefore 31 is the odd one out.

id=68591 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:9 and the first is 80, what is the second? | option_a=98 | option_b=81 | option_c=90 | option_d=170 | answer=C | explanation=Scale factor = 80/8 = 10. Therefore second quantity = 9×10 = 90.

id=68592 | topic=Percentages | difficulty=Easy | question=What is 5% of 1922? | option_a=106 | option_b=91 | option_c=96 | option_d=192 | answer=C | explanation=5% of 1922 = (5/100) × 1922 = 96.

id=68593 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=18 | option_c=9 | option_d=14 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=68594 | topic=Percentages | difficulty=Easy | question=What is 20% of 1801? | option_a=360 | option_b=350 | option_c=380 | option_d=720 | answer=A | explanation=20% of 1801 = (20/100) × 1801 = 360.

id=68595 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:14 and the first is 45, what is the second? | option_a=57 | option_b=28 | option_c=87 | option_d=42 | answer=D | explanation=Scale factor = 45/15 = 3. Therefore second quantity = 14×3 = 42.

id=68596 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1600. If it is sold at a profit of 15%, what is its selling price? | option_a=1840 | option_b=1615 | option_c=1680 | option_d=2000 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1600 × 115/100 = **■**1840.

id=68597 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 40? | option_a=25 | option_b=32 | option_c=18 | option_d=40 | answer=D | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 40 is the odd one out.

id=68598 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9366 at 10% per annum for 2 years. | option_a=11239 | option_b=1773 | option_c=1973 | option_d=1873 | answer=D | explanation=SI = PRT/100 = 9366×10×2/100 = **■**1873.

id=68599 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=27 | option_b=32 | option_c=20 | option_d=26 | answer=D | explanation=The common difference is 6. Therefore the next term is 20 + 6 = 26.

id=68600 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 22, 26, 32? | option_a=32 | option_b=26 | option_c=18 | option_d=22 | answer=A | explanation=The first three numbers increase by 4, so the next should be 30. Therefore 32 is the odd one out.

id=68601 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=7 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=68602 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=68603 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:13 and the first is 56, what is the second? | option_a=147 | option_b=99 | option_c=91 | option_d=78 | answer=C | explanation=Scale factor = 56/8 = 7. Therefore second quantity = 13×7 = 91.

id=68604 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1195. If it is sold at a profit of 15%, what is its selling price? | option_a=1255 | option_b=1374 | option_c=1210 | option_d=1493 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1195 × 115/100 = **■**1374.

id=68605 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1735. If it is sold at a profit of 20%, what is its selling price? | option_a=2255 | option_b=2082 | option_c=1909 | option_d=1755 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1735 × 120/100 = **■**2082.

id=68606 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**790. If it is sold at a profit of 20%, what is its selling price? | option_a=869 | option_b=1027 | option_c=948 | option_d=810 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 790 × 120/100 = **■**948.

id=68607 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=68608 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1175. If it is sold at a profit of 50%, what is its selling price? | option_a=1225 | option_b=1762 | option_c=1645 | option_d=1879 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1175 × 150/100 = **■**1762.

id=68609 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=300 | option_c=155 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=68610 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 52? | option_a=39 | option_b=19 | option_c=52 | option_d=29 | answer=C | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 52 is the odd one out.

Aptitude Questions — Records 68,611-68,640 of 100,000

id=68611 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■8761 at 8% per annum for 1 years. | option_a=9461 | option_b=800 | option_c=700 | option_d=600 | answer=C | explanation=SI = PRT/100 = 8761×8×1/100 = ■700.

id=68612 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3033. If it is sold at a profit of 10%, what is its selling price? | option_a=3043 | option_b=3033 | option_c=3336 | option_d=3639 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3033 × 110/100 = ■3336.

id=68613 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■533. If it is sold at a profit of 20%, what is its selling price? | option_a=692 | option_b=586 | option_c=639 | option_d=553 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 533 × 120/100 = ■639.

id=68614 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2538. If it is sold at a profit of 20%, what is its selling price? | option_a=3298 | option_b=2558 | option_c=3045 | option_d=2792 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2538 × 120/100 = ■3045.

id=68615 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:3 and the first is 8, what is the second? | option_a=21 | option_b=24 | option_c=25 | option_d=32 | answer=B | explanation=Scale factor = 8/1 = 8. Therefore second quantity = 3×8 = 24.

id=68616 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 20, 26, 33? | option_a=33 | option_b=26 | option_c=14 | option_d=20 | answer=A | explanation=The first three numbers increase by 6, so the next should be 32. Therefore 33 is the odd one out.

id=68617 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:14 and the first is 280, what is the second? | option_a=560 | option_b=280 | option_c=266 | option_d=294 | answer=B | explanation=Scale factor = 280/14 = 20. Therefore second quantity = 14×20 = 280.

id=68618 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=68619 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=23 | option_b=17 | option_c=22 | option_d=27 | answer=C | explanation=The common difference is 5. Therefore the next term is 17 + 5 = 22.

id=68620 | topic=Averages | difficulty=Easy | question=Find the average of 93, 27, 86, 34, 50, 13, 54. | option_a=51 | option_b=52 | option_c=53 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.

id=68621 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2620. If it is sold at a profit of 25%, what is its selling price? | option_a=2645 | option_b=3537 | option_c=3013 | option_d=3275 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2620 × 125/100 = ■3275.

id=68622 | topic=Percentages | difficulty=Easy | question=What is 5% of 1949? | option_a=97 | option_b=117 | option_c=87 | option_d=194 | answer=A | explanation=5% of 1949 = (5/100) × 1949 = 97.

id=68623 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:16 and the first is 260, what is the second? | option_a=468 | option_b=208 | option_c=192 | option_d=228 | answer=B | explanation=Scale factor = 260/20 = 13. Therefore second quantity = 16×13 = 208.

id=68624 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:19 and the first is 320, what is the second? | option_a=624 | option_b=324 | option_c=285 | option_d=304 | answer=D | explanation=Scale factor = 320/20 = 16. Therefore second quantity = 19×16 = 304.

id=68625 | topic=Percentages | difficulty=Easy | question=What is 20% of 345? | option_a=74 | option_b=69 | option_c=138 | option_d=49 | answer=B | explanation=20% of 345 = (20/100) × 345 = 69.

id=68626 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 44? | option_a=34 | option_b=20 | option_c=44 | option_d=27 | answer=C | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 44 is the odd one out.

id=68627 | topic=Percentages | difficulty=Easy | question=What is 40% of 182? | option_a=92 | option_b=67 | option_c=144 | option_d=72 | answer=D | explanation=40% of 182 = (40/100) × 182 = 72.

id=68628 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=L | option_b=M | option_c=O | option_d=N | answer=D | explanation=Move 1 positions forward from M, the resulting letter is N.

id=68629 | topic=Percentages | difficulty=Easy | question=What is 25% of 1999? | option_a=489 | option_b=499 | option_c=504 | option_d=998 | answer=B | explanation=25% of 1999 = (25/100) × 1999 = 499.

id=68630 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4181. If it is sold at a profit of 15%, what is its selling price? | option_a=4196 | option_b=4808 | option_c=4390 | option_d=5226 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4181 × 115/100 = ■4808.

id=68631 | topic=Averages | difficulty=Easy | question=Find the average of 82, 13, 94, 39, 74, 81, 37. | option_a=59 | option_b=61 | option_c=62 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 420 ÷ 7 = 60.

id=68632 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:9 and the first is 45, what is the second? | option_a=54 | option_b=36 | option_c=90 | option_d=45 | answer=D | explanation=Scale factor = 45/9 = 5. Therefore second quantity = 9×5 = 45.

id=68633 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=22 | option_b=17 | option_c=27 | option_d=23 | answer=A | explanation=The common difference is 5. Therefore the next term is 17 + 5 = 22.

id=68634 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:18 and the first is 144, what is the second? | option_a=198 | option_b=228 | option_c=360 | option_d=216 | answer=D | explanation=Scale factor = 144/12 = 12. Therefore second quantity = 18×12 = 216.

id=68635 | topic=Percentages | difficulty=Easy | question=What is 15% of 1518? | option_a=454 | option_b=217 | option_c=227 | option_d=247 | answer=C | explanation=15% of 1518 = (15/100) × 1518 = 227.

id=68636 | topic=Averages | difficulty=Easy | question=Find the average of 71, 64, 24, 82, 18, 65, 68, 56. | option_a=57 | option_b=58 | option_c=56 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 448 ÷ 8 = 56.

id=68637 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=68638 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=13 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=68639 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=30 | option_c=20 | option_d=25 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=68640 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■11750 at 8% per annum for 5 years. | option_a=4600 | option_b=4800 | option_c=4700 | option_d=16450 | answer=C | explanation=SI = PRT/100 = 11750×8×5/100 = ■4700.

Aptitude Questions — Records 68,641-68,670 of 100,000

id=68641 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 9, 14, 22? | option_a=4 | option_b=22 | option_c=9 | option_d=14 | answer=B | explanation=The first three numbers increase by 5, so the next should be 19. Therefore 22 is the odd one out.

id=68642 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=23 | option_b=19 | option_c=24 | option_d=27 | answer=A | explanation=The common difference is 4. Therefore the next term is $19 + 4 = 23$.

id=68643 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3687. If it is sold at a profit of 30%, what is its selling price? | option_a=4425 | option_b=4793 | option_c=3717 | option_d=5161 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 3687 \times 130/100 = \text{█}4793$.

id=68644 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=Q | option_b=U | option_c=S | option_d=W | answer=B | explanation=Move 2 positions forward from S; the resulting letter is U.

id=68645 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 5. | option_a=150 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation= $LCM \times HCF = 30 \times 5$; $HCF(30,5) = 5$, so $LCM = 30$.

id=68646 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=68647 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:8 and the first is 72, what is the second? | option_a=136 | option_b=216 | option_c=144 | option_d=148 | answer=C | explanation=Scale factor = $72/4 = 18$. Therefore second quantity = $8 \times 18 = 144$.

id=68648 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 24, 34, 45? | option_a=45 | option_b=24 | option_c=34 | option_d=14 | answer=A | explanation=The first three numbers increase by 10, so the next should be 44. Therefore 45 is the odd one out.

id=68649 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=68650 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2493 at 6% per annum for 5 years. | option_a=647 | option_b=747 | option_c=3240 | option_d=847 | answer=B | explanation= $SI = PRT/100 = 2493 \times 6 \times 5/100 = \text{█}747$.

id=68651 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=360 | option_b=175 | option_c=180 | option_d=185 | answer=C | explanation=Speed = distance ÷ time = $360 \div 2 = 180$ km/h.

id=68652 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 21, 27, 36? | option_a=21 | option_b=27 | option_c=36 | option_d=15 | answer=C | explanation=The first three numbers increase by 6, so the next should be 33. Therefore 36 is the odd one out.

id=68653 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=48 | option_b=47 | option_c=57 | option_d=37 | answer=B | explanation=The common difference is 10. Therefore the next term is $37 + 10 = 47$.

id=68654 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:9 and the first is 12, what is the second? | option_a=56 | option_b=54 | option_c=45 | option_d=66 | answer=B | explanation=Scale factor = $12/2 = 6$. Therefore second quantity = $9 \times 6 = 54$.

id=68655 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38181 at 6% per annum for 1 years. | option_a=40471 | option_b=2190 | option_c=2390 | option_d=2290 | answer=D | explanation= $SI = PRT/100 = 38181 \times 6 \times 1/100 = \text{█}2290$.

id=68656 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 9, 11, 14? | option_a=7 | option_b=14 | option_c=9 | option_d=11 | answer=B | explanation=The first three numbers increase by 2, so the next should be 13. Therefore 14 is the odd one out.

id=68657 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=G | option_c=M | option_d=I | answer=A | explanation=Move 2 positions forward from I; the resulting letter is K.

id=68658 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:2 and the first is 12, what is the second? | option_a=12 | option_b=14 | option_c=24 | option_d=10 | answer=A | explanation=Scale factor = $12/2 = 6$. Therefore second quantity = $2 \times 6 = 12$.

id=68659 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 35? | option_a=26 | option_b=30 | option_c=22 | option_d=35 | answer=D | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 35 is the odd one out.

id=68660 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=F | option_b=Z | option_c=C | option_d=I | answer=A | explanation=Move 3 positions forward from C; the resulting letter is F.

id=68661 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=68662 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=68663 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 4. | option_a=96 | option_b=20 | option_c=24 | option_d=48 | answer=C | explanation= $LCM \times HCF = 24 \times 4$; $HCF(24,4) = 4$, so $LCM = 24$.

id=68664 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=Y | option_b=P | option_c=V | option_d=S | answer=C | explanation=Move 3 positions forward from S; the resulting letter is V.

id=68665 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:5 and the first is 36, what is the second? | option_a=63 | option_b=96 | option_c=60 | option_d=55 | answer=C | explanation=Scale factor = $36/3 = 12$. Therefore second quantity = $5 \times 12 = 60$.

id=68666 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 17, 22, 28? | option_a=28 | option_b=17 | option_c=22 | option_d=12 | answer=A | explanation=The first three numbers increase by 5, so the next should be 27. Therefore 28 is the odd one out.

id=68667 | topic=Averages | difficulty=Easy | question=Find the average of 55, 61, 79. | option_a=67 | option_b=65 | option_c=64 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = $195 \div 3 = 65$.

id=68668 | topic=Averages | difficulty=Easy | question=Find the average of 93, 47, 14, 47, 63, 84. | option_a=58 | option_b=57 | option_c=59 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = $348 \div 6 = 58$.

id=68669 | topic=Percentages | difficulty=Easy | question=What is 20% of 763? | option_a=152 | option_b=172 | option_c=304 | option_d=132 | answer=A | explanation=20% of 763 = $(20/100) \times 763 = 152$.

id=68670 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4953. If it is sold at a profit of 5%, what is its selling price? | option_a=5200 | option_b=5695 | option_c=4705 | option_d=4958 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 4953 \times 105/100 = \text{█}5200$.

Aptitude Questions — Records 68,671-68,700 of 100,000

id=68671 | topic=Percentages | difficulty=Easy | question=What is 20% of 844? | option_a=173 | option_b=168 | option_c=163 | option_d=336 | answer=B | explanation=20% of 844 = (20/100) × 844 = 168.

id=68672 | topic=Percentages | difficulty=Easy | question=What is 30% of 1744? | option_a=513 | option_b=523 | option_c=1046 | option_d=528 | answer=B | explanation=30% of 1744 = (30/100) × 1744 = 523.

id=68673 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=68674 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3535. If it is sold at a profit of 30%, what is its selling price? | option_a=4242 | option_b=4948 | option_c=4595 | option_d=3565 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3535 × 130/100 = █4595.

id=68675 | topic=Percentages | difficulty=Easy | question=What is 20% of 1018? | option_a=198 | option_b=203 | option_c=406 | option_d=208 | answer=B | explanation=20% of 1018 = (20/100) × 1018 = 203.

id=68676 | topic=Averages | difficulty=Easy | question=Find the average of 65, 69, 44, 69, 37, 16, 29. | option_a=48 | option_b=47 | option_c=46 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 329 ÷ 7 = 47.

id=68677 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:20 and the first is 156, what is the second? | option_a=396 | option_b=253 | option_c=240 | option_d=220 | answer=C | explanation=Scale factor = 156/13 = 12. Therefore second quantity = 20×12 = 240.

id=68678 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10807 at 8% per annum for 2 years. | option_a=1829 | option_b=1629 | option_c=1729 | option_d=12536 | answer=C | explanation=SI = PRT/100 = 10807×8×2/100 = █1729.

id=68679 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=6 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=68680 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=48 | option_c=96 | option_d=53 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=68681 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 20. | option_a=40 | option_b=20 | option_c=1 | option_d=400 | answer=B | explanation=LCM × HCF = 20×20; HCF(20,20) = 20, so LCM = 20.

id=68682 | topic=Percentages | difficulty=Easy | question=What is 12% of 996? | option_a=238 | option_b=114 | option_c=124 | option_d=119 | answer=D | explanation=12% of 996 = (12/100) × 996 = 119.

id=68683 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48558 at 4% per annum for 1 years. | option_a=1942 | option_b=2042 | option_c=50500 | option_d=1842 | answer=A | explanation=SI = PRT/100 = 48558×4×1/100 = █1942.

id=68684 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2065. If it is sold at a profit of 10%, what is its selling price? | option_a=2075 | option_b=2065 | option_c=2477 | option_d=2271 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2065 × 110/100 = █2271.

id=68685 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=68686 | topic=Averages | difficulty=Easy | question=Find the average of 95, 79, 82, 72. | option_a=82 | option_b=83 | option_c=84 | option_d=81 | answer=A | explanation=Average = sum of values ÷ number of values = 328 ÷ 4 = 82.

id=68687 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=68688 | topic=Averages | difficulty=Easy | question=Find the average of 15, 25, 28, 10, 38, 53, 54, 12, 89, 36. | option_a=35 | option_b=36 | option_c=38 | option_d=37 | answer=B | explanation=Average = sum of values ÷ number of values = 360 ÷ 10 = 36.

id=68689 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 5, 8, 12? | option_a=2 | option_b=8 | option_c=5 | option_d=12 | answer=D | explanation=The first three numbers increase by 3, so the next should be 11. Therefore 12 is the odd one out.

id=68690 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=Q | option_b=K | option_c=T | option_d=N | answer=A | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=68691 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 18, 24, 30, ? | option_a=36 | option_b=37 | option_c=42 | option_d=30 | answer=A | explanation=The common difference is 6. Therefore the next term is 30 + 6 = 36.

id=68692 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=A | option_b=M | option_c=I | option_d=E | answer=C | explanation=Move 4 positions forward from E; the resulting letter is I.

id=68693 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2389. If it is sold at a profit of 5%, what is its selling price? | option_a=2508 | option_b=2394 | option_c=2270 | option_d=2746 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2389 × 105/100 = █2508.

id=68694 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=7 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=68695 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:17 and the first is 190, what is the second? | option_a=323 | option_b=333 | option_c=513 | option_d=306 | answer=A | explanation=Scale factor = 190/10 = 19. Therefore second quantity = 17×19 = 323.

id=68696 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 33? | option_a=22 | option_b=33 | option_c=27 | option_d=17 | answer=B | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 33 is the odd one out.

id=68697 | topic=Averages | difficulty=Easy | question=Find the average of 49, 82, 97, 32. | option_a=67 | option_b=64 | option_c=66 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 260 ÷ 4 = 65.

id=68698 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=40 | option_b=52 | option_c=64 | option_d=53 | answer=B | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.

id=68699 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=S | option_c=D | option_d=N | answer=D | explanation=Move 5 positions forward from I; the resulting letter is N.

id=68700 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4099 at 15% per annum for 4 years. | option_a=2359 | option_b=2559 | option_c=2459 | option_d=6558 | answer=C | explanation=SI = PRT/100 = 4099×15×4/100 = █2459.

Aptitude Questions — Records 68,701-68,730 of 100,000

id=68701 | topic=Averages | difficulty=Easy | question=Find the average of 88, 10, 94. | option_a=63 | option_b=66 | option_c=65 | option_d=64 | answer=D | explanation=Average = sum of values + number of values = 192 ÷ 3 = 64.

id=68702 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14186 at 15% per annum for 2 years. | option_a=18441 | option_b=4255 | option_c=4355 | option_d=4155 | answer=B | explanation=SI = PRT/100 = 14186×15×2/100 = **■**4255.

id=68703 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3537. If it is sold at a profit of 40%, what is its selling price? | option_a=4951 | option_b=5304 | option_c=4598 | option_d=3577 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3537 × 140/100 = **■**4951.

id=68704 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=J | option_b=N | option_c=R | option_d=V | answer=C | explanation=Move 4 positions forward from N; the resulting letter is R.

id=68705 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4921. If it is sold at a profit of 20%, what is its selling price? | option_a=4941 | option_b=5413 | option_c=5905 | option_d=6397 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4921 × 120/100 = **■**5905.

id=68706 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 31, 35, 40? | option_a=27 | option_b=35 | option_c=31 | option_d=40 | answer=D | explanation=The first three numbers increase by 4, so the next should be 39. Therefore 40 is the odd one out.

id=68707 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=68708 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1172. If it is sold at a profit of 30%, what is its selling price? | option_a=1202 | option_b=1640 | option_c=1523 | option_d=1406 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1172 × 130/100 = **■**1523.

id=68709 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=68710 | topic=Percentages | difficulty=Easy | question=What is 25% of 1724? | option_a=862 | option_b=441 | option_c=431 | option_d=426 | answer=C | explanation=25% of 1724 = (25/100) × 1724 = 431.

id=68711 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:17 and the first is 38, what is the second? | option_a=306 | option_b=325 | option_c=361 | option_d=323 | answer=D | explanation=Scale factor = 38/2 = 19. Therefore second quantity = 17×19 = 323.

id=68712 | topic=Percentages | difficulty=Easy | question=What is 50% of 1911? | option_a=955 | option_b=1910 | option_c=965 | option_d=950 | answer=A | explanation=50% of 1911 = (50/100) × 1911 = 955.

id=68713 | topic=Averages | difficulty=Easy | question=Find the average of 83, 26, 89, 57, 32, 73. | option_a=59 | option_b=62 | option_c=60 | option_d=61 | answer=C | explanation=Average = sum of values + number of values = 360 ÷ 6 = 60.

id=68714 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 36? | option_a=17 | option_b=9 | option_c=36 | option_d=25 | answer=C | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 36 is the odd one out.

id=68715 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1183. If it is sold at a profit of 5%, what is its selling price? | option_a=1124 | option_b=1188 | option_c=1360 | option_d=1242 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1183 × 105/100 = **■**1242.

id=68716 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=68717 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:18 and the first is 144, what is the second? | option_a=216 | option_b=360 | option_c=198 | option_d=228 | answer=A | explanation=Scale factor = 144/12 = 12. Therefore second quantity = 18×12 = 216.

id=68718 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 31? | option_a=15 | option_b=20 | option_c=31 | option_d=25 | answer=C | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 31 is the odd one out.

id=68719 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=68720 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1064. If it is sold at a profit of 50%, what is its selling price? | option_a=1702 | option_b=1596 | option_c=1490 | option_d=1114 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1064 × 150/100 = **■**1596.

id=68721 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2730. If it is sold at a profit of 5%, what is its selling price? | option_a=2735 | option_b=3139 | option_c=2866 | option_d=2593 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2730 × 105/100 = **■**2866.

id=68722 | topic=Percentages | difficulty=Easy | question=What is 30% of 639? | option_a=382 | option_b=201 | option_c=191 | option_d=181 | answer=C | explanation=30% of 639 = (30/100) × 639 = 191.

id=68723 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 45? | option_a=23 | option_b=13 | option_c=33 | option_d=45 | answer=D | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 45 is the odd one out.

id=68724 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 10, 16, 25? | option_a=10 | option_b=16 | option_c=25 | option_d=4 | answer=C | explanation=The first three numbers increase by 6, so the next should be 22. Therefore 25 is the odd one out.

id=68725 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=45 | option_b=58 | option_c=57 | option_d=69 | answer=C | explanation=The common difference is 12. Therefore the next term is 45 + 12 = 57.

id=68726 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48727 at 12% per annum for 4 years. | option_a=23388 | option_b=72115 | option_c=23488 | option_d=23288 | answer=A | explanation=SI = PRT/100 = 48727×12×4/100 = **■**23388.

id=68727 | topic=Percentages | difficulty=Easy | question=What is 25% of 1816? | option_a=454 | option_b=434 | option_c=908 | option_d=459 | answer=A | explanation=25% of 1816 = (25/100) × 1816 = 454.

id=68728 | topic=Percentages | difficulty=Easy | question=What is 20% of 1565? | option_a=313 | option_b=626 | option_c=303 | option_d=318 | answer=A | explanation=20% of 1565 = (20/100) × 1565 = 313.

id=68729 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 12. | option_a=60 | option_b=48 | option_c=80 | option_d=240 | answer=A | explanation=LCM × HCF = 20×12; HCF(20,12) = 4, so LCM = 60.

id=68730 | topic=Averages | difficulty=Easy | question=Find the average of 73, 33, 76, 56, 37. | option_a=54 | option_b=55 | option_c=57 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 275 ÷ 5 = 55.

Aptitude Questions — Records 68,731-68,760 of 100,000

id=68731 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=68732 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = $\frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=68733 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 27, 36, 48? | option_a=36 | option_b=48 | option_c=18 | option_d=27 | answer=B | explanation=The first three numbers increase by 9, so the next should be 45. Therefore 48 is the odd one out.

id=68734 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6720 at 4% per annum for 2 years. | option_a=7257 | option_b=637 | option_c=437 | option_d=537 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{6720 \times 4 \times 2}{100} = \text{■}537$.

id=68735 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3016. If it is sold at a profit of 50%, what is its selling price? | option_a=4524 | option_b=4825 | option_c=4223 | option_d=3066 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3016 \times \frac{150}{100} = \text{■}4524$.

id=68736 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=55 | option_b=45 | option_c=54 | option_d=63 | answer=C | explanation=The common difference is 9. Therefore the next term is $45 + 9 = 54$.

id=68737 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12} = 3$ days.

id=68738 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 21, 23, 25, ? | option_a=25 | option_b=27 | option_c=29 | option_d=28 | answer=B | explanation=The common difference is 2. Therefore the next term is $25 + 2 = 27$.

id=68739 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:4 and the first is 12, what is the second? | option_a=24 | option_b=16 | option_c=12 | option_d=8 | answer=C | explanation=Scale factor = $\frac{12}{4} = 3$. Therefore second quantity = $4 \times 3 = 12$.

id=68740 | topic=Percentages | difficulty=Easy | question=What is 12% of 132? | option_a=15 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation= $12\% \text{ of } 132 = (\frac{12}{100}) \times 132 = 15$.

id=68741 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=Q | option_b=U | option_c=W | option_d=S | answer=B | explanation=Move 2 positions forward from S; the resulting letter is U.

id=68742 | topic=Averages | difficulty=Easy | question=Find the average of 48, 74, 57, 78, 43. | option_a=61 | option_b=62 | option_c=60 | option_d=59 | answer=C | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{300}{5} = 60$.

id=68743 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 10, 15, 23? | option_a=15 | option_b=10 | option_c=5 | option_d=23 | answer=D | explanation=The first three numbers increase by 5, so the next should be 20. Therefore 23 is the odd one out.

id=68744 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=V | option_c=P | option_d=Y | answer=B | explanation=Move 3 positions forward from S; the resulting letter is V.

id=68745 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:20 and the first is 104, what is the second? | option_a=268 | option_b=364 | option_c=240 | option_d=260 | answer=D | explanation=Scale factor = $\frac{104}{8} = 13$. Therefore second quantity = $20 \times 13 = 260$.

id=68746 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=68747 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:11 and the first is 6, what is the second? | option_a=25 | option_b=11 | option_c=28 | option_d=22 | answer=D | explanation=Scale factor = $\frac{6}{3} = 2$. Therefore second quantity = $11 \times 2 = 22$.

id=68748 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2576. If it is sold at a profit of 25%, what is its selling price? | option_a=2963 | option_b=2601 | option_c=3477 | option_d=3220 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2576 \times \frac{125}{100} = \text{■}3220$.

id=68749 | topic=Averages | difficulty=Easy | question=Find the average of 79, 63, 44, 99, 92, 54, 10. | option_a=62 | option_b=65 | option_c=63 | option_d=64 | answer=C | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{441}{7} = 63$.

id=68750 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{360}{6} = 60$ km/h.

id=68751 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4023. If it is sold at a profit of 25%, what is its selling price? | option_a=4626 | option_b=4048 | option_c=5430 | option_d=5028 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4023 \times \frac{125}{100} = \text{■}5028$.

id=68752 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:5 and the first is 33, what is the second? | option_a=55 | option_b=50 | option_c=88 | option_d=58 | answer=A | explanation=Scale factor = $\frac{33}{3} = 11$. Therefore second quantity = $5 \times 11 = 55$.

id=68753 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=T | option_b=Q | option_c=K | option_d=N | answer=B | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=68754 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=50 | option_b=60 | option_c=49 | option_d=38 | answer=C | explanation=The common difference is 11. Therefore the next term is $38 + 11 = 49$.

id=68755 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 42? | option_a=22 | option_b=34 | option_c=28 | option_d=42 | answer=D | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 42 is the odd one out.

id=68756 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:14 and the first is 88, what is the second? | option_a=123 | option_b=112 | option_c=98 | option_d=200 | answer=B | explanation=Scale factor = $\frac{88}{11} = 8$. Therefore second quantity = $14 \times 8 = 112$.

id=68757 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=F | option_c=D | option_d=Z | answer=C | explanation=Move 2 positions forward from B; the resulting letter is D.

id=68758 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1714. If it is sold at a profit of 30%, what is its selling price? | option_a=2228 | option_b=2399 | option_c=2057 | option_d=1744 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1714 \times \frac{130}{100} = \text{■}2228$.

id=68759 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 24, 36, 48, ? | option_a=72 | option_b=60 | option_c=61 | option_d=48 | answer=B | explanation=The common difference is 12. Therefore the next term is $48 + 12 = 60$.

id=68760 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 5. | option_a=40 | option_b=20 | option_c=100 | option_d=15 | answer=B | explanation= $LCM \times HCF = 20 \times 5$; $HCF(20,5) = 5$, so $LCM = 20$.

Aptitude Questions — Records 68,761-68,790 of 100,000

id=68761 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 28. | option_a=84 | option_b=56 | option_c=588 | option_d=105 | answer=A | explanation=LCM × HCF = 21×28; HCF(21,28) = 7, so LCM = 84.

id=68762 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2159. If it is sold at a profit of 5%, what is its selling price? | option_a=2164 | option_b=2051 | option_c=2266 | option_d=2481 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2159 × 105/100 = █2266.

id=68763 | topic=Percentages | difficulty=Easy | question=What is 30% of 77? | option_a=46 | option_b=33 | option_c=13 | option_d=23 | answer=D | explanation=30% of 77 = (30/100) × 77 = 23.

id=68764 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 45? | option_a=38 | option_b=45 | option_c=26 | option_d=32 | answer=B | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 45 is the odd one out.

id=68765 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=40 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=68766 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=73 | option_b=61 | option_c=49 | option_d=62 | answer=B | explanation=The common difference is 12. Therefore the next term is 49 + 12 = 61.

id=68767 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=29 | option_b=38 | option_c=37 | option_d=45 | answer=C | explanation=The common difference is 8. Therefore the next term is 29 + 8 = 37.

id=68768 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:14 and the first is 104, what is the second? | option_a=216 | option_b=112 | option_c=125 | option_d=98 | answer=B | explanation=Scale factor = 104/13 = 8. Therefore second quantity = 14×8 = 112.

id=68769 | topic=Percentages | difficulty=Easy | question=What is 5% of 1793? | option_a=178 | option_b=94 | option_c=89 | option_d=79 | answer=C | explanation=5% of 1793 = (5/100) × 1793 = 89.

id=68770 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 31, 36, 43? | option_a=43 | option_b=26 | option_c=31 | option_d=36 | answer=A | explanation=The first three numbers increase by 5, so the next should be 41. Therefore 43 is the odd one out.

id=68771 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 37? | option_a=34 | option_b=30 | option_c=32 | option_d=37 | answer=D | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 37 is the odd one out.

id=68772 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=25 | option_c=20 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=68773 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 21, 30, 39, ? | option_a=48 | option_b=57 | option_c=49 | option_d=39 | answer=A | explanation=The common difference is 9. Therefore the next term is 39 + 9 = 48.

id=68774 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 18, 24, 30, ? | option_a=36 | option_b=37 | option_c=42 | option_d=30 | answer=A | explanation=The common difference is 6. Therefore the next term is 30 + 6 = 36.

id=68775 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 12, 21, 30, ? | option_a=48 | option_b=40 | option_c=39 | option_d=30 | answer=C | explanation=The common difference is 9. Therefore the next term is 30 + 9 = 39.

id=68776 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=O | option_c=G | option_d=S | answer=B | explanation=Move 4 positions forward from K; the resulting letter is O.

id=68777 | topic=Averages | difficulty=Easy | question=Find the average of 70, 16, 52. | option_a=45 | option_b=48 | option_c=46 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 138 ÷ 3 = 46.

id=68778 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=150 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=68779 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 13, 23, 35? | option_a=23 | option_b=35 | option_c=3 | option_d=13 | answer=B | explanation=The first three numbers increase by 10, so the next should be 33. Therefore 35 is the odd one out.

id=68780 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:2 and the first is 190, what is the second? | option_a=18 | option_b=20 | option_c=210 | option_d=39 | answer=B | explanation=Scale factor = 190/19 = 10. Therefore second quantity = 2×10 = 20.

id=68781 | topic=Averages | difficulty=Easy | question=Find the average of 64, 35, 45. | option_a=49 | option_b=47 | option_c=50 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = 144 ÷ 3 = 48.

id=68782 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2637. If it is sold at a profit of 5%, what is its selling price? | option_a=3031 | option_b=2768 | option_c=2505 | option_d=2642 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2637 × 105/100 = █2768.

id=68783 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:10 and the first is 39, what is the second? | option_a=30 | option_b=69 | option_c=20 | option_d=43 | answer=A | explanation=Scale factor = 39/13 = 3. Therefore second quantity = 10×3 = 30.

id=68784 | topic=Percentages | difficulty=Easy | question=What is 40% of 768? | option_a=614 | option_b=312 | option_c=307 | option_d=297 | answer=C | explanation=40% of 768 = (40/100) × 768 = 307.

id=68785 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 13, 17, 21, ? | option_a=21 | option_b=25 | option_c=26 | option_d=29 | answer=B | explanation=The common difference is 4. Therefore the next term is 21 + 4 = 25.

id=68786 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18611 at 10% per annum for 4 years. | option_a=7544 | option_b=7344 | option_c=7444 | option_d=26055 | answer=C | explanation=SI = PRT/100 = 18611×10×4/100 = █7444.

id=68787 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 6. | option_a=8 | option_b=1 | option_c=6 | option_d=12 | answer=C | explanation=LCM × HCF = 2×6; HCF(2,6) = 2, so LCM = 6.

id=68788 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 11, 20, 32? | option_a=2 | option_b=11 | option_c=20 | option_d=32 | answer=D | explanation=The first three numbers increase by 9, so the next should be 29. Therefore 32 is the odd one out.

id=68789 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=68790 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2406. If it is sold at a profit of 30%, what is its selling price? | option_a=2887 | option_b=2436 | option_c=3127 | option_d=3367 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2406 × 130/100 = █3127.

Aptitude Questions — Records 68,791-68,820 of 100,000

id=68791 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=95 | option_c=85 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=68792 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=56 | option_b=47 | option_c=36 | option_d=46 | answer=D | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.

id=68793 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=31 | option_b=32 | option_c=28 | option_d=34 | answer=A | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=68794 | topic=Averages | difficulty=Easy | question=Find the average of 50, 43, 32, 21, 75, 22, 20, 81. | option_a=43 | option_b=42 | option_c=45 | option_d=44 | answer=A | explanation=Average = sum of values ÷ number of values = 344 ÷ 8 = 43.

id=68795 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 10, 12, 14, ? | option_a=18 | option_b=14 | option_c=17 | option_d=16 | answer=D | explanation=The common difference is 2. Therefore the next term is 14 + 2 = 16.

id=68796 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7270 at 6% per annum for 4 years. | option_a=1844 | option_b=1744 | option_c=9014 | option_d=1644 | answer=B | explanation=SI = PRT/100 = 7270×6×4/100 = **■**1744.

id=68797 | topic=Averages | difficulty=Easy | question=Find the average of 69, 28, 53, 68, 68, 34, 72, 16. | option_a=53 | option_b=50 | option_c=51 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 408 ÷ 8 = 51.

id=68798 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 40? | option_a=11 | option_b=29 | option_c=40 | option_d=20 | answer=C | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 40 is the odd one out.

id=68799 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=I | option_b=X | option_c=N | option_d=S | answer=D | explanation=Move 5 positions forward from N; the resulting letter is S.

id=68800 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=62 | option_b=74 | option_c=63 | option_d=50 | answer=A | explanation=The common difference is 12. Therefore the next term is 50 + 12 = 62.

id=68801 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=68802 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 18, 27, 37? | option_a=27 | option_b=37 | option_c=9 | option_d=18 | answer=B | explanation=The first three numbers increase by 9, so the next should be 36. Therefore 37 is the odd one out.

id=68803 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=55 | option_c=50 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=68804 | topic=Averages | difficulty=Easy | question=Find the average of 99, 20, 22, 34, 40. | option_a=42 | option_b=45 | option_c=43 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = 215 ÷ 5 = 43.

id=68805 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 25, 33, 41, ? | option_a=57 | option_b=49 | option_c=50 | option_d=41 | answer=B | explanation=The common difference is 8. Therefore the next term is 41 + 8 = 49.

id=68806 | topic=Averages | difficulty=Easy | question=Find the average of 42, 79, 43, 54, 17, 99, 35, 95, 38, 18. | option_a=54 | option_b=52 | option_c=51 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 520 ÷ 10 = 52.

id=68807 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:18 and the first is 96, what is the second? | option_a=198 | option_b=216 | option_c=224 | option_d=312 | answer=B | explanation=Scale factor = 96/8 = 12. Therefore second quantity = 18×12 = 216.

id=68808 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 23, 30, 37, ? | option_a=45 | option_b=37 | option_c=51 | option_d=44 | answer=D | explanation=The common difference is 7. Therefore the next term is 37 + 7 = 44.

id=68809 | topic=Percentages | difficulty=Easy | question=What is 15% of 1313? | option_a=196 | option_b=191 | option_c=392 | option_d=206 | answer=A | explanation=15% of 1313 = (15/100) × 1313 = 196.

id=68810 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 25, 34, 46? | option_a=16 | option_b=46 | option_c=34 | option_d=25 | answer=B | explanation=The first three numbers increase by 9, so the next should be 43. Therefore 46 is the odd one out.

id=68811 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 24, 32, 40, ? | option_a=40 | option_b=49 | option_c=48 | option_d=56 | answer=C | explanation=The common difference is 8. Therefore the next term is 40 + 8 = 48.

id=68812 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:19 and the first is 40, what is the second? | option_a=76 | option_b=57 | option_c=86 | option_d=116 | answer=A | explanation=Scale factor = 40/10 = 4. Therefore second quantity = 19×4 = 76.

id=68813 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 24, 30, 36, ? | option_a=36 | option_b=43 | option_c=48 | option_d=42 | answer=D | explanation=The common difference is 6. Therefore the next term is 36 + 6 = 42.

id=68814 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46759 at 15% per annum for 4 years. | option_a=28055 | option_b=28155 | option_c=74814 | option_d=27955 | answer=A | explanation=SI = PRT/100 = 46759×15×4/100 = **■**28055.

id=68815 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1563 at 15% per annum for 3 years. | option_a=2266 | option_b=703 | option_c=803 | option_d=603 | answer=B | explanation=SI = PRT/100 = 1563×15×3/100 = **■**703.

id=68816 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1413 at 12% per annum for 1 years. | option_a=169 | option_b=269 | option_c=69 | option_d=1582 | answer=A | explanation=SI = PRT/100 = 1413×12×1/100 = **■**169.

id=68817 | topic=Percentages | difficulty=Easy | question=What is 30% of 1622? | option_a=486 | option_b=506 | option_c=481 | option_d=972 | answer=A | explanation=30% of 1622 = (30/100) × 1622 = 486.

id=68818 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=X | option_c=L | option_d=T | answer=D | explanation=Move 4 positions forward from P; the resulting letter is T.

id=68819 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 7. | option_a=147 | option_b=21 | option_c=14 | option_d=42 | answer=B | explanation=LCM × HCF = 21×7; HCF(21,7) = 7, so LCM = 21.

id=68820 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 33? | option_a=27 | option_b=25 | option_c=33 | option_d=29 | answer=C | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 33 is the odd one out.

Aptitude Questions — Records 68,821-68,850 of 100,000

id=68821 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1253. If it is sold at a profit of 30%, what is its selling price? | option_a=1753 | option_b=1503 | option_c=1283 | option_d=1628 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1253 \times 130/100 = \text{█1628}$.

id=68822 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=P | option_b=X | option_c=T | option_d=B | answer=B | explanation=Move 4 positions forward from T; the resulting letter is X.

id=68823 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=Z | option_b=O | option_c=J | option_d=E | answer=C | explanation=Move 5 positions forward from E; the resulting letter is J.

id=68824 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=30 | option_b=34 | option_c=29 | option_d=24 | answer=C | explanation=The common difference is 5. Therefore the next term is $24 + 5 = 29$.

id=68825 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 8, 13, 19? | option_a=13 | option_b=19 | option_c=3 | option_d=8 | answer=B | explanation=The first three numbers increase by 5, so the next should be 18. Therefore 19 is the odd one out.

id=68826 | topic=Percentages | difficulty=Easy | question=What is 12% of 1244? | option_a=298 | option_b=159 | option_c=144 | option_d=149 | answer=D | explanation= $12\% \text{ of } 1244 = (12/100) \times 1244 = 149$.

id=68827 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=T | option_c=U | option_d=R | answer=B | explanation=Move 1 positions forward from S; the resulting letter is T.

id=68828 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=48 | option_b=39 | option_c=47 | option_d=55 | answer=C | explanation=The common difference is 8. Therefore the next term is $39 + 8 = 47$.

id=68829 | topic=Percentages | difficulty=Easy | question=What is 10% of 1406? | option_a=120 | option_b=145 | option_c=140 | option_d=280 | answer=C | explanation= $10\% \text{ of } 1406 = (10/100) \times 1406 = 140$.

id=68830 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=R | option_c=O | option_d=I | answer=C | explanation=Move 3 positions forward from L; the resulting letter is O.

id=68831 | topic=Percentages | difficulty=Easy | question=What is 10% of 283? | option_a=56 | option_b=33 | option_c=28 | option_d=8 | answer=C | explanation= $10\% \text{ of } 283 = (10/100) \times 283 = 28$.

id=68832 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4581 at 4% per annum for 5 years. | option_a=1016 | option_b=916 | option_c=5497 | option_d=816 | answer=B | explanation= $SI = PRT/100 = 4581 \times 4 \times 5/100 = \text{█916}$.

id=68833 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 20. | option_a=125 | option_b=80 | option_c=100 | option_d=500 | answer=C | explanation= $LCM \times HCF = 25 \times 20$; $HCF(25,20) = 5$, so $LCM = 100$.

id=68834 | topic=Percentages | difficulty=Easy | question=What is 25% of 522? | option_a=260 | option_b=110 | option_c=135 | option_d=130 | answer=D | explanation= $25\% \text{ of } 522 = (25/100) \times 522 = 130$.

id=68835 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=68836 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=R | option_c=V | option_d=J | answer=B | explanation=Move 4 positions forward from N; the resulting letter is R.

id=68837 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=24 | option_b=16 | option_c=21 | option_d=20 | answer=D | explanation=The common difference is 4. Therefore the next term is $16 + 4 = 20$.

id=68838 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=A | option_b=G | option_c=E | option_d=C | answer=C | explanation=Move 2 positions forward from C; the resulting letter is E.

id=68839 | topic=Averages | difficulty=Easy | question=Find the average of 37, 37, 60, 20, 15, 27, 42. | option_a=35 | option_b=33 | option_c=36 | option_d=34 | answer=D | explanation=Average = sum of values ÷ number of values = $238 \div 7 = 34$.

id=68840 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=47 | option_b=46 | option_c=56 | option_d=36 | answer=B | explanation=The common difference is 10. Therefore the next term is $36 + 10 = 46$.

id=68841 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:14 and the first is 35, what is the second? | option_a=133 | option_b=103 | option_c=98 | option_d=84 | answer=C | explanation=Scale factor = $35/5 = 7$. Therefore second quantity = $14 \times 7 = 98$.

id=68842 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36779 at 12% per annum for 1 years. | option_a=4513 | option_b=41192 | option_c=4413 | option_d=4313 | answer=C | explanation= $SI = PRT/100 = 36779 \times 12 \times 1/100 = \text{█4413}$.

id=68843 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=H | option_b=I | option_c=F | option_d=G | answer=A | explanation=Move 1 positions forward from G; the resulting letter is H.

id=68844 | topic=Averages | difficulty=Easy | question=Find the average of 36, 32, 80, 20, 85, 59. | option_a=51 | option_b=53 | option_c=52 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = $312 \div 6 = 52$.

id=68845 | topic=Averages | difficulty=Easy | question=Find the average of 95, 84, 82, 28, 56, 45. | option_a=67 | option_b=66 | option_c=64 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = $390 \div 6 = 65$.

id=68846 | topic=Percentages | difficulty=Easy | question=What is 20% of 443? | option_a=78 | option_b=98 | option_c=88 | option_d=176 | answer=C | explanation= $20\% \text{ of } 443 = (20/100) \times 443 = 88$.

id=68847 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=20 | option_b=24 | option_c=26 | option_d=23 | answer=D | explanation=The common difference is 3. Therefore the next term is $20 + 3 = 23$.

id=68848 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:2 and the first is 112, what is the second? | option_a=28 | option_b=36 | option_c=26 | option_d=140 | answer=A | explanation=Scale factor = $112/8 = 14$. Therefore second quantity = $2 \times 14 = 28$.

id=68849 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=33 | option_b=38 | option_c=32 | option_d=26 | answer=C | explanation=The common difference is 6. Therefore the next term is $26 + 6 = 32$.

id=68850 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=8 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

Aptitude Questions — Records 68,851-68,880 of 100,000

id=68851 | topic=Percentages | difficulty=Easy | question=What is 15% of 1822? | option_a=253 | option_b=278 | option_c=546 | option_d=273 | answer=D | explanation=15% of 1822 = $(15/100) \times 1822 = 273$.

id=68852 | topic=Percentages | difficulty=Easy | question=What is 10% of 1322? | option_a=132 | option_b=264 | option_c=152 | option_d=127 | answer=A | explanation=10% of 1322 = $(10/100) \times 1322 = 132$.

id=68853 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16374 at 10% per annum for 2 years. | option_a=3174 | option_b=3274 | option_c=19648 | option_d=3374 | answer=B | explanation=SI = $PRT/100 = 16374 \times 10 \times 2/100 = \text{■}3274$.

id=68854 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=I | option_b=K | option_c=O | option_d=M | answer=D | explanation=Move 2 positions forward from K; the resulting letter is M.

id=68855 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45309 at 12% per annum for 1 years. | option_a=5537 | option_b=50746 | option_c=5337 | option_d=5437 | answer=D | explanation=SI = $PRT/100 = 45309 \times 12 \times 1/100 = \text{■}5437$.

id=68856 | topic=Percentages | difficulty=Easy | question=What is 15% of 1577? | option_a=226 | option_b=241 | option_c=236 | option_d=472 | answer=C | explanation=15% of 1577 = $(15/100) \times 1577 = 236$.

id=68857 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36749 at 12% per annum for 5 years. | option_a=21949 | option_b=22049 | option_c=22149 | option_d=58798 | answer=B | explanation=SI = $PRT/100 = 36749 \times 12 \times 5/100 = \text{■}22049$.

id=68858 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3565. If it is sold at a profit of 10%, what is its selling price? | option_a=3565 | option_b=3575 | option_c=3921 | option_d=4277 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3565 \times 110/100 = \text{■}3921$.

id=68859 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 18. | option_a=18 | option_b=36 | option_c=216 | option_d=48 | answer=B | explanation= $LCM \times HCF = 12 \times 18$; $HCF(12,18) = 6$, so $LCM = 36$.

id=68860 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=55 | option_b=45 | option_c=56 | option_d=65 | answer=A | explanation=The common difference is 10. Therefore the next term is $45 + 10 = 55$.

id=68861 | topic=Averages | difficulty=Easy | question=Find the average of 44, 98, 16, 71, 96, 56, 71, 21, 27, 60. | option_a=56 | option_b=55 | option_c=57 | option_d=58 | answer=A | explanation=Average = $\text{sum of values} \div \text{number of values} = 560 \div 10 = 56$.

id=68862 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:11 and the first is 156, what is the second? | option_a=132 | option_b=155 | option_c=299 | option_d=143 | answer=D | explanation=Scale factor = $156/12 = 13$. Therefore second quantity = $11 \times 13 = 143$.

id=68863 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=R | option_b=Q | option_c=P | option_d=S | answer=A | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=68864 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=74 | option_b=63 | option_c=50 | option_d=62 | answer=D | explanation=The common difference is 12. Therefore the next term is $50 + 12 = 62$.

id=68865 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:1 and the first is 18, what is the second? | option_a=9 | option_b=3 | option_c=2 | option_d=21 | answer=B | explanation=Scale factor = $18/6 = 3$. Therefore second quantity = $1 \times 3 = 3$.

id=68866 | topic=Averages | difficulty=Easy | question=Find the average of 11, 55, 26, 12. | option_a=25 | option_b=26 | option_c=27 | option_d=28 | answer=B | explanation=Average = $\text{sum of values} \div \text{number of values} = 104 \div 4 = 26$.

id=68867 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**735. If it is sold at a profit of 25%, what is its selling price? | option_a=760 | option_b=845 | option_c=918 | option_d=991 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 735 \times 125/100 = \text{■}918$.

id=68868 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36223 at 4% per annum for 3 years. | option_a=4446 | option_b=4246 | option_c=40569 | option_d=4346 | answer=D | explanation=SI = $PRT/100 = 36223 \times 4 \times 3/100 = \text{■}4346$.

id=68869 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**815. If it is sold at a profit of 15%, what is its selling price? | option_a=856 | option_b=937 | option_c=1018 | option_d=830 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 815 \times 115/100 = \text{■}937$.

id=68870 | topic=Percentages | difficulty=Easy | question=What is 50% of 1706? | option_a=843 | option_b=1706 | option_c=873 | option_d=853 | answer=D | explanation=50% of 1706 = $(50/100) \times 1706 = 853$.

id=68871 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 5. | option_a=5 | option_b=20 | option_c=50 | option_d=10 | answer=D | explanation= $LCM \times HCF = 10 \times 5$; $HCF(10,5) = 5$, so $LCM = 10$.

id=68872 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=72 | option_b=62 | option_c=61 | option_d=50 | answer=C | explanation=The common difference is 11. Therefore the next term is $50 + 11 = 61$.

id=68873 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 15, 21, 29? | option_a=21 | option_b=15 | option_c=29 | option_d=9 | answer=C | explanation=The first three numbers increase by 6, so the next should be 27. Therefore 29 is the odd one out.

id=68874 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:9 and the first is 33, what is the second? | option_a=60 | option_b=27 | option_c=18 | option_d=38 | answer=B | explanation=Scale factor = $33/11 = 3$. Therefore second quantity = $9 \times 3 = 27$.

id=68875 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=58 | option_b=69 | option_c=47 | option_d=59 | answer=A | explanation=The common difference is 11. Therefore the next term is $47 + 11 = 58$.

id=68876 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4508. If it is sold at a profit of 30%, what is its selling price? | option_a=4538 | option_b=5410 | option_c=5860 | option_d=6310 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4508 \times 130/100 = \text{■}5860$.

id=68877 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=J | option_b=S | option_c=P | option_d=M | answer=C | explanation=Move 3 positions forward from M; the resulting letter is P.

id=68878 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2863. If it is sold at a profit of 20%, what is its selling price? | option_a=3149 | option_b=3721 | option_c=2883 | option_d=3435 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2863 \times 120/100 = \text{■}3435$.

id=68879 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:12 and the first is 160, what is the second? | option_a=228 | option_b=248 | option_c=400 | option_d=240 | answer=D | explanation=Scale factor = $160/8 = 20$. Therefore second quantity = $12 \times 20 = 240$.

id=68880 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1322 at 6% per annum for 5 years. | option_a=1718 | option_b=396 | option_c=296 | option_d=496 | answer=B | explanation=SI = $PRT/100 = 1322 \times 6 \times 5/100 = \text{■}396$.

Aptitude Questions — Records 68,881-68,910 of 100,000

id=68881 | topic=Averages | difficulty=Easy | question=Find the average of 28, 65, 39, 18, 58, 64, 46, 34, 62. | option_a=45 | option_b=47 | option_c=46 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 414 ÷ 9 = 46.

id=68882 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=45 | option_b=39 | option_c=40 | option_d=33 | answer=B | explanation=The common difference is 6. Therefore the next term is 33 + 6 = 39.

id=68883 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=36 | option_b=41 | option_c=72 | option_d=31 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=68884 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=40 | option_b=44 | option_c=34 | option_d=39 | answer=D | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

id=68885 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12634 at 5% per annum for 4 years. | option_a=2426 | option_b=15160 | option_c=2526 | option_d=2626 | answer=C | explanation=SI = PRT/100 = 12634×5×4/100 = **■**2526.

id=68886 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:10 and the first is 288, what is the second? | option_a=160 | option_b=178 | option_c=448 | option_d=150 | answer=A | explanation=Scale factor = 288/18 = 16. Therefore second quantity = 10×16 = 160.

id=68887 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 21, 28, 36? | option_a=36 | option_b=28 | option_c=14 | option_d=21 | answer=A | explanation=The first three numbers increase by 7, so the next should be 35. Therefore 36 is the odd one out.

id=68888 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45372 at 15% per annum for 1 years. | option_a=6805 | option_b=52177 | option_c=6705 | option_d=6905 | answer=A | explanation=SI = PRT/100 = 45372×15×1/100 = **■**6805.

id=68889 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=68890 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=100 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=68891 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1691. If it is sold at a profit of 5%, what is its selling price? | option_a=1944 | option_b=1775 | option_c=1606 | option_d=1696 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1691 × 105/100 = **■**1775.

id=68892 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45286 at 15% per annum for 3 years. | option_a=20378 | option_b=65664 | option_c=20478 | option_d=20278 | answer=A | explanation=SI = PRT/100 = 45286×15×3/100 = **■**20378.

id=68893 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 23, 30, 40? | option_a=16 | option_b=40 | option_c=23 | option_d=30 | answer=B | explanation=The first three numbers increase by 7, so the next should be 37. Therefore 40 is the odd one out.

id=68894 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14453 at 12% per annum for 1 years. | option_a=16187 | option_b=1634 | option_c=1734 | option_d=1834 | answer=C | explanation=SI = PRT/100 = 14453×12×1/100 = **■**1734.

id=68895 | topic=Percentages | difficulty=Easy | question=What is 20% of 1292? | option_a=253 | option_b=516 | option_c=278 | option_d=258 | answer=D | explanation=20% of 1292 = (20/100) × 1292 = 258.

id=68896 | topic=Percentages | difficulty=Easy | question=What is 50% of 1532? | option_a=766 | option_b=1532 | option_c=746 | option_d=771 | answer=A | explanation=50% of 1532 = (50/100) × 1532 = 766.

id=68897 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:5 and the first is 42, what is the second? | option_a=65 | option_b=112 | option_c=73 | option_d=70 | answer=D | explanation=Scale factor = 42/3 = 14. Therefore second quantity = 5×14 = 70.

id=68898 | topic=Percentages | difficulty=Easy | question=What is 40% of 1073? | option_a=858 | option_b=434 | option_c=424 | option_d=429 | answer=D | explanation=40% of 1073 = (40/100) × 1073 = 429.

id=68899 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=11 | option_c=1 | option_d=12 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=68900 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 32, 36, 41? | option_a=41 | option_b=36 | option_c=32 | option_d=28 | answer=A | explanation=The first three numbers increase by 4, so the next should be 40. Therefore 41 is the odd one out.

id=68901 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=55 | option_b=45 | option_c=35 | option_d=46 | answer=B | explanation=The common difference is 10. Therefore the next term is 35 + 10 = 45.

id=68902 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:1 and the first is 60, what is the second? | option_a=5 | option_b=17 | option_c=4 | option_d=65 | answer=A | explanation=Scale factor = 60/12 = 5. Therefore second quantity = 1×5 = 5.

id=68903 | topic=Averages | difficulty=Easy | question=Find the average of 98, 46, 17, 68, 21, 32. | option_a=46 | option_b=48 | option_c=49 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 282 ÷ 6 = 47.

id=68904 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=68905 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25510 at 6% per annum for 3 years. | option_a=4691 | option_b=4491 | option_c=30101 | option_d=4591 | answer=D | explanation=SI = PRT/100 = 25510×6×3/100 = **■**4591.

id=68906 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:14 and the first is 80, what is the second? | option_a=126 | option_b=148 | option_c=140 | option_d=220 | answer=C | explanation=Scale factor = 80/8 = 10. Therefore second quantity = 14×10 = 140.

id=68907 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=68908 | topic=Averages | difficulty=Easy | question=Find the average of 31, 57, 30, 91, 64, 52, 83, 10, 93, 89. | option_a=59 | option_b=60 | option_c=61 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=68909 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:9 and the first is 66, what is the second? | option_a=54 | option_b=45 | option_c=120 | option_d=65 | answer=A | explanation=Scale factor = 66/11 = 6. Therefore second quantity = 9×6 = 54.

id=68910 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

Aptitude Questions — Records 68,911-68,940 of 100,000

id=68911 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=68912 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1723. If it is sold at a profit of 50%, what is its selling price? | option_a=1773 | option_b=2756 | option_c=2584 | option_d=2412 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1723 × 150/100 = █2584.

id=68913 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=12 | option_b=15 | option_c=18 | option_d=16 | answer=B | explanation=The common difference is 3. Therefore the next term is 12 + 3 = 15.

id=68914 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=W | option_c=Q | option_d=Z | answer=B | explanation=Move 3 positions forward from T; the resulting letter is W.

id=68915 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=11 | option_c=1 | option_d=12 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=68916 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=68917 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11689 at 12% per annum for 5 years. | option_a=6913 | option_b=7013 | option_c=18702 | option_d=7113 | answer=B | explanation=SI = PRT/100 = 11689×12×5/100 = █7013.

id=68918 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=68919 | topic=Averages | difficulty=Easy | question=Find the average of 52, 68, 30. | option_a=49 | option_b=50 | option_c=52 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 150 ÷ 3 = 50.

id=68920 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49878 at 10% per annum for 2 years. | option_a=9975 | option_b=59853 | option_c=10075 | option_d=9875 | answer=A | explanation=SI = PRT/100 = 49878×10×2/100 = █9975.

id=68921 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=H | option_b=L | option_c=N | option_d=J | answer=B | explanation=Move 2 positions forward from J; the resulting letter is L.

id=68922 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 51? | option_a=25 | option_b=51 | option_c=41 | option_d=33 | answer=B | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 51 is the odd one out.

id=68923 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=58 | option_b=57 | option_c=47 | option_d=67 | answer=B | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

id=68924 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2838. If it is sold at a profit of 30%, what is its selling price? | option_a=2868 | option_b=3689 | option_c=3972 | option_d=3406 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2838 × 130/100 = █3689.

id=68925 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=S | option_b=U | option_c=T | option_d=V | answer=B | explanation=Move 1 positions forward from T; the resulting letter is U.

id=68926 | topic=Percentages | difficulty=Easy | question=What is 20% of 144? | option_a=28 | option_b=56 | option_c=18 | option_d=38 | answer=A | explanation=20% of 144 = (20/100) × 144 = 28.

id=68927 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=17 | option_b=16 | option_c=19 | option_d=13 | answer=B | explanation=The common difference is 3. Therefore the next term is 13 + 3 = 16.

id=68928 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38127 at 4% per annum for 1 years. | option_a=1525 | option_b=39652 | option_c=1625 | option_d=1425 | answer=A | explanation=SI = PRT/100 = 38127×4×1/100 = █1525.

id=68929 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=120 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=68930 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42143 at 6% per annum for 5 years. | option_a=54785 | option_b=12742 | option_c=12542 | option_d=12642 | answer=D | explanation=SI = PRT/100 = 42143×6×5/100 = █12642.

id=68931 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 32, 40, 50? | option_a=32 | option_b=24 | option_c=50 | option_d=40 | answer=C | explanation=The first three numbers increase by 8, so the next should be 48. Therefore 50 is the odd one out.

id=68932 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=5 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=68933 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4233. If it is sold at a profit of 20%, what is its selling price? | option_a=5502 | option_b=5079 | option_c=4253 | option_d=4656 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4233 × 120/100 = █5079.

id=68934 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2205. If it is sold at a profit of 25%, what is its selling price? | option_a=2976 | option_b=2536 | option_c=2756 | option_d=2230 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2205 × 125/100 = █2756.

id=68935 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26706 at 15% per annum for 4 years. | option_a=16023 | option_b=16123 | option_c=42729 | option_d=15923 | answer=A | explanation=SI = PRT/100 = 26706×15×4/100 = █16023.

id=68936 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17766 at 8% per annum for 2 years. | option_a=2942 | option_b=2742 | option_c=20608 | option_d=2842 | answer=D | explanation=SI = PRT/100 = 17766×8×2/100 = █2842.

id=68937 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=U | option_c=Q | option_d=W | answer=B | explanation=Move 2 positions forward from S; the resulting letter is U.

id=68938 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 45? | option_a=26 | option_b=34 | option_c=45 | option_d=18 | answer=C | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 45 is the odd one out.

id=68939 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=5 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=68940 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:11 and the first is 90, what is the second? | option_a=189 | option_b=99 | option_c=109 | option_d=88 | answer=B | explanation=Scale factor = 90/10 = 9. Therefore second quantity = 11×9 = 99.

Aptitude Questions — Records 68,941-68,970 of 100,000

id=68941 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1116. If it is sold at a profit of 30%, what is its selling price? | option_a=1146 | option_b=1339 | option_c=1450 | option_d=1561 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1116 × 130/100 = █1450.

id=68942 | topic=Averages | difficulty=Easy | question=Find the average of 37, 68, 50, 65, 84, 16, 58, 86. | option_a=59 | option_b=58 | option_c=57 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 464 ÷ 8 = 58.

id=68943 | topic=Averages | difficulty=Easy | question=Find the average of 20, 78, 63, 22, 95, 87, 32, 89, 65, 79. | option_a=64 | option_b=62 | option_c=65 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 630 ÷ 10 = 63.

id=68944 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=360 | option_b=185 | option_c=180 | option_d=175 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=68945 | topic=Averages | difficulty=Easy | question=Find the average of 82, 62, 98, 27, 63, 100. | option_a=71 | option_b=74 | option_c=73 | option_d=72 | answer=D | explanation=Average = sum of values ÷ number of values = 432 ÷ 6 = 72.

id=68946 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=24 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=68947 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9675 at 5% per annum for 5 years. | option_a=2418 | option_b=12093 | option_c=2518 | option_d=2318 | answer=A | explanation=SI = PRT/100 = 9675×5×5/100 = █2418.

id=68948 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4991. If it is sold at a profit of 10%, what is its selling price? | option_a=5001 | option_b=4991 | option_c=5490 | option_d=5989 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4991 × 110/100 = █5490.

id=68949 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=80 | option_c=35 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=68950 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 21, 23, 25, ? | option_a=25 | option_b=29 | option_c=28 | option_d=27 | answer=D | explanation=The common difference is 2. Therefore the next term is 25 + 2 = 27.

id=68951 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does "F" become? | option_a=A | option_b=F | option_c=K | option_d=P | answer=C | explanation=Move 5 positions forward from F; the resulting letter is K.

id=68952 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:19 and the first is 195, what is the second? | option_a=442 | option_b=247 | option_c=262 | option_d=228 | answer=B | explanation=Scale factor = 195/15 = 13. Therefore second quantity = 19×13 = 247.

id=68953 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=27 | option_b=26 | option_c=24 | option_d=28 | answer=B | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.

id=68954 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=6 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=68955 | topic=Averages | difficulty=Easy | question=Find the average of 94, 94, 22, 98, 24, 16, 45, 97, 86. | option_a=64 | option_b=65 | option_c=66 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 576 ÷ 9 = 64.

id=68956 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=68957 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=90 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=68958 | topic=Averages | difficulty=Easy | question=Find the average of 58, 52, 91, 16, 10, 36, 87. | option_a=49 | option_b=52 | option_c=50 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

id=68959 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=57 | option_b=35 | option_c=46 | option_d=47 | answer=C | explanation=The common difference is 11. Therefore the next term is 35 + 11 = 46.

id=68960 | topic=Percentages | difficulty=Easy | question=What is 10% of 185? | option_a=28 | option_b=0 | option_c=18 | option_d=36 | answer=C | explanation=10% of 185 = (10/100) × 185 = 18.

id=68961 | topic=Averages | difficulty=Easy | question=Find the average of 83, 37, 78. | option_a=65 | option_b=67 | option_c=66 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 198 ÷ 3 = 66.

id=68962 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=43 | option_b=37 | option_c=38 | option_d=31 | answer=B | explanation=The common difference is 6. Therefore the next term is 31 + 6 = 37.

id=68963 | topic=Percentages | difficulty=Easy | question=What is 15% of 1846? | option_a=281 | option_b=271 | option_c=552 | option_d=276 | answer=D | explanation=15% of 1846 = (15/100) × 1846 = 276.

id=68964 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=41 | option_b=42 | option_c=34 | option_d=48 | answer=A | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=68965 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=7 | option_c=24 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=68966 | topic=Percentages | difficulty=Easy | question=What is 10% of 922? | option_a=87 | option_b=184 | option_c=102 | option_d=92 | answer=D | explanation=10% of 922 = (10/100) × 922 = 92.

id=68967 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:1 and the first is 49, what is the second? | option_a=14 | option_b=56 | option_c=6 | option_d=7 | answer=D | explanation=Scale factor = 49/7 = 7. Therefore second quantity = 1×7 = 7.

id=68968 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 5. | option_a=25 | option_b=150 | option_c=30 | option_d=60 | answer=C | explanation=LCM × HCF = 30×5; HCF(30,5) = 5, so LCM = 30.

id=68969 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 30, 33, 37? | option_a=33 | option_b=30 | option_c=27 | option_d=37 | answer=D | explanation=The first three numbers increase by 3, so the next should be 36. Therefore 37 is the odd one out.

id=68970 | topic=Number System | difficulty=Easy | question=Find the LCM of 11 and 11. | option_a=11 | option_b=121 | option_c=22 | option_d=1 | answer=A | explanation=LCM × HCF = 11×11; HCF(11,11) = 11, so LCM = 11.

Aptitude Questions — Records 68,971-69,000 of 100,000

id=68971 | topic=Averages | difficulty=Easy | question=Find the average of 70, 76, 92, 65, 32, 37, 69. | option_a=65 | option_b=63 | option_c=64 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 441 ÷ 7 = 63.

id=68972 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:5 and the first is 24, what is the second? | option_a=15 | option_b=23 | option_c=10 | option_d=39 | answer=A | explanation=Scale factor = 24/8 = 3. Therefore second quantity = 5×3 = 15.

id=68973 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=6 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=68974 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:10 and the first is 48, what is the second? | option_a=128 | option_b=86 | option_c=80 | option_d=70 | answer=C | explanation=Scale factor = 48/6 = 8. Therefore second quantity = 10×8 = 80.

id=68975 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=K | option_c=I | option_d=L | answer=B | explanation=Move 1 positions forward from J; the resulting letter is K.

id=68976 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:10 and the first is 42, what is the second? | option_a=76 | option_b=112 | option_c=70 | option_d=60 | answer=C | explanation=Scale factor = 42/6 = 7. Therefore second quantity = 10×7 = 70.

id=68977 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=36 | option_b=40 | option_c=30 | option_d=35 | answer=D | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=68978 | topic=Percentages | difficulty=Easy | question=What is 5% of 517? | option_a=45 | option_b=50 | option_c=25 | option_d=5 | answer=C | explanation=5% of 517 = (5/100) × 517 = 25.

id=68979 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 8, 13, 21? | option_a=13 | option_b=8 | option_c=21 | option_d=3 | answer=C | explanation=The first three numbers increase by 5, so the next should be 18. Therefore 21 is the odd one out.

id=68980 | topic=Averages | difficulty=Easy | question=Find the average of 80, 21, 76. | option_a=61 | option_b=60 | option_c=59 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 177 ÷ 3 = 59.

id=68981 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 15? | option_a=8 | option_b=5 | option_c=11 | option_d=15 | answer=D | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 15 is the odd one out.

id=68982 | topic=Percentages | difficulty=Easy | question=What is 5% of 1586? | option_a=79 | option_b=158 | option_c=59 | option_d=99 | answer=A | explanation=5% of 1586 = (5/100) × 1586 = 79.

id=68983 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=R | option_b=U | option_c=T | option_d=S | answer=C | explanation=Move 1 positions forward from S; the resulting letter is T.

id=68984 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=14 | option_c=9 | option_d=18 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=68985 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=125 | option_b=240 | option_c=115 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=68986 | topic=Averages | difficulty=Easy | question=Find the average of 58, 26, 73, 29, 80, 22. | option_a=49 | option_b=48 | option_c=50 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 288 ÷ 6 = 48.

id=68987 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 24. | option_a=288 | option_b=24 | option_c=36 | option_d=1 | answer=B | explanation=LCM × HCF = 12×24; HCF(12,24) = 12, so LCM = 24.

id=68988 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8548 at 4% per annum for 3 years. | option_a=1125 | option_b=925 | option_c=9573 | option_d=1025 | answer=D | explanation=SI = PRT/100 = 8548×4×3/100 = **■**1025.

id=68989 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:7 and the first is 17, what is the second? | option_a=119 | option_b=136 | option_c=112 | option_d=120 | answer=A | explanation=Scale factor = 17/1 = 17. Therefore second quantity = 7×17 = 119.

id=68990 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=P | option_c=U | option_d=F | answer=B | explanation=Move 5 positions forward from K; the resulting letter is P.

id=68991 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=U | option_c=I | option_d=M | answer=A | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=68992 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=68993 | topic=Averages | difficulty=Easy | question=Find the average of 45, 23, 88, 63, 19, 62. | option_a=50 | option_b=49 | option_c=51 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 300 ÷ 6 = 50.

id=68994 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=68995 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2834. If it is sold at a profit of 50%, what is its selling price? | option_a=4534 | option_b=4251 | option_c=2884 | option_d=3968 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2834 × 150/100 = **■**4251.

id=68996 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=E | option_c=Y | option_d=H | answer=B | explanation=Move 3 positions forward from B; the resulting letter is E.

id=68997 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=I | option_b=L | option_c=F | option_d=C | answer=A | explanation=Move 3 positions forward from F; the resulting letter is I.

id=68998 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8312 at 4% per annum for 5 years. | option_a=1562 | option_b=9974 | option_c=1762 | option_d=1662 | answer=D | explanation=SI = PRT/100 = 8312×4×5/100 = **■**1662.

id=68999 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13879 at 5% per annum for 4 years. | option_a=2875 | option_b=2675 | option_c=2775 | option_d=16654 | answer=C | explanation=SI = PRT/100 = 13879×5×4/100 = **■**2775.

id=69000 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 21, 28, 38? | option_a=28 | option_b=38 | option_c=21 | option_d=14 | answer=B | explanation=The first three numbers increase by 7, so the next should be 35. Therefore 38 is the odd one out.

Aptitude Questions — Records 69,001-69,030 of 100,000

id=69001 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14531 at 5% per annum for 4 years. | option_a=17437 | option_b=3006 | option_c=2806 | option_d=2906 | answer=D | explanation=SI = $PRT/100 = 14531 \times 5 \times 4/100 =$ **■**2906.

id=69002 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=69003 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 20. | option_a=260 | option_b=520 | option_c=240 | option_d=286 | answer=A | explanation= $LCM \times HCF = 26 \times 20$; $HCF(26,20) = 2$, so $LCM = 260$.

id=69004 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:5 and the first is 8, what is the second? | option_a=10 | option_b=18 | option_c=5 | option_d=14 | answer=A | explanation=Scale factor = $8/4 = 2$. Therefore second quantity = $5 \times 2 = 10$.

id=69005 | topic=Averages | difficulty=Easy | question=Find the average of 71, 17, 93, 84, 20, 64, 91, 94, 33. | option_a=63 | option_b=64 | option_c=62 | option_d=65 | answer=A | explanation=Average = $\text{sum of values} \div \text{number of values} = 567 \div 9 = 63$.

id=69006 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 45? | option_a=26 | option_b=45 | option_c=18 | option_d=34 | answer=B | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 45 is the odd one out.

id=69007 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16858 at 15% per annum for 5 years. | option_a=29501 | option_b=12643 | option_c=12743 | option_d=12543 | answer=B | explanation=SI = $PRT/100 = 16858 \times 15 \times 5/100 =$ **■**12643.

id=69008 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 14. | option_a=140 | option_b=80 | option_c=70 | option_d=56 | answer=C | explanation= $LCM \times HCF = 10 \times 14$; $HCF(10,14) = 2$, so $LCM = 70$.

id=69009 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31747 at 5% per annum for 2 years. | option_a=3274 | option_b=3074 | option_c=34921 | option_d=3174 | answer=D | explanation=SI = $PRT/100 = 31747 \times 5 \times 2/100 =$ **■**3174.

id=69010 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**144. If it is sold at a profit of 20%, what is its selling price? | option_a=172 | option_b=186 | option_c=164 | option_d=158 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 144 \times 120/100 =$ **■**172.

id=69011 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=77 | option_b=53 | option_c=65 | option_d=66 | answer=C | explanation=The common difference is 12. Therefore the next term is $53 + 12 = 65$.

id=69012 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4819. If it is sold at a profit of 20%, what is its selling price? | option_a=4839 | option_b=5301 | option_c=6263 | option_d=5782 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4819 \times 120/100 =$ **■**5782.

id=69013 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 28, 33, 41? | option_a=28 | option_b=23 | option_c=41 | option_d=33 | answer=C | explanation=The first three numbers increase by 5, so the next should be 38. Therefore 41 is the odd one out.

id=69014 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48588 at 5% per annum for 2 years. | option_a=4858 | option_b=53446 | option_c=4958 | option_d=4758 | answer=A | explanation=SI = $PRT/100 = 48588 \times 5 \times 2/100 =$ **■**4858.

id=69015 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=69016 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:10 and the first is 72, what is the second? | option_a=170 | option_b=252 | option_c=180 | option_d=184 | answer=C | explanation=Scale factor = $72/4 = 18$. Therefore second quantity = $10 \times 18 = 180$.

id=69017 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=69018 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6073 at 4% per annum for 2 years. | option_a=585 | option_b=485 | option_c=6558 | option_d=385 | answer=B | explanation=SI = $PRT/100 = 6073 \times 4 \times 2/100 =$ **■**485.

id=69019 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 22? | option_a=2 | option_b=22 | option_c=14 | option_d=8 | answer=B | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 22 is the odd one out.

id=69020 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9393 at 15% per annum for 3 years. | option_a=4326 | option_b=13619 | option_c=4226 | option_d=4126 | answer=C | explanation=SI = $PRT/100 = 9393 \times 15 \times 3/100 =$ **■**4226.

id=69021 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=L | option_c=I | option_d=K | answer=D | explanation=Move 1 positions forward from J; the resulting letter is K.

id=69022 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=41 | option_c=31 | option_d=36 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 360 \div 10 = 36$ km/h.

id=69023 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=J | option_b=S | option_c=M | option_d=P | answer=D | explanation=Move 3 positions forward from M; the resulting letter is P.

id=69024 | topic=Averages | difficulty=Easy | question=Find the average of 71, 31, 11, 56, 92, 80, 82, 81. | option_a=65 | option_b=62 | option_c=64 | option_d=63 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 504 \div 8 = 63$.

id=69025 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=44 | option_b=56 | option_c=57 | option_d=68 | answer=B | explanation=The common difference is 12. Therefore the next term is $44 + 12 = 56$.

id=69026 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=15 | option_c=20 | option_d=10 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 60 \div 6 = 10$ km/h.

id=69027 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=M | option_b=S | option_c=O | option_d=Q | answer=D | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=69028 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22889 at 10% per annum for 2 years. | option_a=27466 | option_b=4477 | option_c=4677 | option_d=4577 | answer=D | explanation=SI = $PRT/100 = 22889 \times 10 \times 2/100 =$ **■**4577.

id=69029 | topic=Averages | difficulty=Easy | question=Find the average of 25, 51, 61, 89, 28, 74, 10, 97, 24. | option_a=53 | option_b=52 | option_c=51 | option_d=50 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 459 \div 9 = 51$.

id=69030 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=30 | option_b=35 | option_c=31 | option_d=25 | answer=A | explanation=The common difference is 5. Therefore the next term is $25 + 5 = 30$.

Aptitude Questions — Records 69,031-69,060 of 100,000

id=69031 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=7 | option_c=17 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=69032 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20915 at 10% per annum for 3 years. | option_a=27189 | option_b=6274 | option_c=6374 | option_d=6174 | answer=B | explanation=SI = $PRT/100 = 20915 \times 10 \times 3/100 =$ **■**6274.

id=69033 | topic=Percentages | difficulty=Easy | question=What is 40% of 1446? | option_a=558 | option_b=1156 | option_c=578 | option_d=598 | answer=C | explanation=40% of 1446 = $(40/100) \times 1446 = 578$.

id=69034 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=D | option_b=E | option_c=F | option_d=G | answer=C | explanation=Move 1 positions forward from E; the resulting letter is F.

id=69035 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22781 at 8% per annum for 3 years. | option_a=5367 | option_b=5467 | option_c=5567 | option_d=28248 | answer=B | explanation=SI = $PRT/100 = 22781 \times 8 \times 3/100 =$ **■**5467.

id=69036 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=Q | option_c=S | option_d=O | answer=C | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=69037 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3578 at 5% per annum for 5 years. | option_a=794 | option_b=4472 | option_c=994 | option_d=894 | answer=D | explanation=SI = $PRT/100 = 3578 \times 5 \times 5/100 =$ **■**894.

id=69038 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 13, 16, 22? | option_a=13 | option_b=22 | option_c=10 | option_d=16 | answer=B | explanation=The first three numbers increase by 3, so the next should be 19. Therefore 22 is the odd one out.

id=69039 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 17, 22, 28? | option_a=12 | option_b=17 | option_c=22 | option_d=28 | answer=D | explanation=The first three numbers increase by 5, so the next should be 27. Therefore 28 is the odd one out.

id=69040 | topic=Percentages | difficulty=Easy | question=What is 5% of 1891? | option_a=188 | option_b=94 | option_c=84 | option_d=114 | answer=B | explanation=5% of 1891 = $(5/100) \times 1891 = 94$.

id=69041 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=69042 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 28. | option_a=672 | option_b=192 | option_c=140 | option_d=168 | answer=D | explanation=LCM $\times$ HCF = 24×28 ; HCF(24,28) = 4, so LCM = 168.

id=69043 | topic=Percentages | difficulty=Easy | question=What is 5% of 1590? | option_a=74 | option_b=79 | option_c=158 | option_d=84 | answer=B | explanation=5% of 1590 = $(5/100) \times 1590 = 79$.

id=69044 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=24 | option_c=17 | option_d=7 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=69045 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21685 at 4% per annum for 2 years. | option_a=23419 | option_b=1834 | option_c=1734 | option_d=1634 | answer=C | explanation=SI = $PRT/100 = 21685 \times 4 \times 2/100 =$ **■**1734.

id=69046 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=150 | option_d=70 | answer=A | explanation=Speed = distance ÷ time = $300 \div 4 = 75$ km/h.

id=69047 | topic=Averages | difficulty=Easy | question=Find the average of 93, 76, 78, 77, 79, 81, 77, 95. | option_a=82 | option_b=83 | option_c=84 | option_d=81 | answer=A | explanation=Average = sum of values ÷ number of values = $656 \div 8 = 82$.

id=69048 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27620 at 4% per annum for 4 years. | option_a=4319 | option_b=4419 | option_c=32039 | option_d=4519 | answer=B | explanation=SI = $PRT/100 = 27620 \times 4 \times 4/100 =$ **■**4419.

id=69049 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=Z | option_b=V | option_c=N | option_d=R | answer=B | explanation=Move 4 positions forward from R; the resulting letter is V.

id=69050 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=G | option_b=J | option_c=M | option_d=P | answer=C | explanation=Move 3 positions forward from J; the resulting letter is M.

id=69051 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 42? | option_a=42 | option_b=20 | option_c=27 | option_d=34 | answer=A | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 42 is the odd one out.

id=69052 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 28? | option_a=21 | option_b=24 | option_c=28 | option_d=18 | answer=C | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 28 is the odd one out.

id=69053 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40694 at 5% per annum for 1 years. | option_a=2134 | option_b=42728 | option_c=2034 | option_d=1934 | answer=C | explanation=SI = $PRT/100 = 40694 \times 5 \times 1/100 =$ **■**2034.

id=69054 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=O | option_b=A | option_c=W | option_d=S | answer=C | explanation=Move 4 positions forward from S; the resulting letter is W.

id=69055 | topic=Averages | difficulty=Easy | question=Find the average of 22, 68, 19, 79. | option_a=47 | option_b=49 | option_c=48 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = $188 \div 4 = 47$.

id=69056 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=G | option_b=K | option_c=S | option_d=O | answer=D | explanation=Move 4 positions forward from K; the resulting letter is O.

id=69057 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**924. If it is sold at a profit of 20%, what is its selling price? | option_a=1200 | option_b=1108 | option_c=1016 | option_d=944 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 924 \times 120/100 =$ **■**1108.

id=69058 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 8. | option_a=84 | option_b=48 | option_c=224 | option_d=56 | answer=D | explanation=LCM $\times$ HCF = 28×8 ; HCF(28,8) = 4, so LCM = 56.

id=69059 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=T | option_b=K | option_c=Q | option_d=N | answer=C | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=69060 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 43? | option_a=29 | option_b=23 | option_c=43 | option_d=35 | answer=C | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 43 is the odd one out.

Aptitude Questions — Records 69,061-69,090 of 100,000

id=69061 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=69062 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 32? | option_a=27 | option_b=32 | option_c=25 | option_d=29 | answer=B | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 32 is the odd one out.

id=69063 | topic=Percentages | difficulty=Easy | question=What is 5% of 594? | option_a=34 | option_b=58 | option_c=29 | option_d=19 | answer=C | explanation=5% of 594 = (5/100) × 594 = 29.

id=69064 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 12. | option_a=360 | option_b=60 | option_c=48 | option_d=90 | answer=B | explanation=LCM × HCF = 30×12; HCF(30,12) = 6, so LCM = 60.

id=69065 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=69066 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=29 | option_d=19 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=69067 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**218. If it is sold at a profit of 25%, what is its selling price? | option_a=243 | option_b=251 | option_c=293 | option_d=272 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 218 × 125/100 = **■**272.

id=69068 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6677 at 12% per annum for 2 years. | option_a=1702 | option_b=8279 | option_c=1602 | option_d=1502 | answer=C | explanation=SI = PRT/100 = 6677×12×2/100 = **■**1602.

id=69069 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30436 at 12% per annum for 2 years. | option_a=37740 | option_b=7304 | option_c=7404 | option_d=7204 | answer=B | explanation=SI = PRT/100 = 30436×12×2/100 = **■**7304.

id=69070 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=23 | option_b=22 | option_c=19 | option_d=21 | answer=D | explanation=The common difference is 2. Therefore the next term is 19 + 2 = 21.

id=69071 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23472 at 12% per annum for 2 years. | option_a=29105 | option_b=5533 | option_c=5633 | option_d=5733 | answer=C | explanation=SI = PRT/100 = 23472×12×2/100 = **■**5633.

id=69072 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=26 | option_b=28 | option_c=27 | option_d=24 | answer=A | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.

id=69073 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2356. If it is sold at a profit of 5%, what is its selling price? | option_a=2361 | option_b=2238 | option_c=2473 | option_d=2708 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2356 × 105/100 = **■**2473.

id=69074 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=55 | option_b=56 | option_c=66 | option_d=44 | answer=A | explanation=The common difference is 11. Therefore the next term is 44 + 11 = 55.

id=69075 | topic=Percentages | difficulty=Easy | question=What is 20% of 167? | option_a=28 | option_b=66 | option_c=43 | option_d=33 | answer=D | explanation=20% of 167 = (20/100) × 167 = 33.

id=69076 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**877. If it is sold at a profit of 15%, what is its selling price? | option_a=1008 | option_b=1095 | option_c=921 | option_d=892 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 877 × 115/100 = **■**1008.

id=69077 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48575 at 15% per annum for 2 years. | option_a=63147 | option_b=14472 | option_c=14572 | option_d=14672 | answer=C | explanation=SI = PRT/100 = 48575×15×2/100 = **■**14572.

id=69078 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26354 at 12% per annum for 1 years. | option_a=3162 | option_b=3062 | option_c=29516 | option_d=3262 | answer=A | explanation=SI = PRT/100 = 26354×12×1/100 = **■**3162.

id=69079 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=120 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=69080 | topic=Averages | difficulty=Easy | question=Find the average of 22, 43, 23, 64, 69, 12, 19. | option_a=35 | option_b=38 | option_c=37 | option_d=36 | answer=D | explanation=Average = sum of values ÷ number of values = 252 ÷ 7 = 36.

id=69081 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=48 | option_c=96 | option_d=53 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=69082 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=69083 | topic=Percentages | difficulty=Easy | question=What is 50% of 1071? | option_a=545 | option_b=1070 | option_c=530 | option_d=535 | answer=D | explanation=50% of 1071 = (50/100) × 1071 = 535.

id=69084 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=45 | option_b=31 | option_c=39 | option_d=38 | answer=D | explanation=The common difference is 7. Therefore the next term is 31 + 7 = 38.

id=69085 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=69086 | topic=Percentages | difficulty=Easy | question=What is 10% of 712? | option_a=66 | option_b=142 | option_c=71 | option_d=81 | answer=C | explanation=10% of 712 = (10/100) × 712 = 71.

id=69087 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:7 and the first is 51, what is the second? | option_a=72 | option_b=21 | option_c=14 | option_d=38 | answer=B | explanation=Scale factor = 51/17 = 3. Therefore second quantity = 7×3 = 21.

id=69088 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=69089 | topic=Averages | difficulty=Easy | question=Find the average of 91, 81, 56, 57, 85. | option_a=75 | option_b=74 | option_c=76 | option_d=73 | answer=B | explanation=Average = sum of values ÷ number of values = 370 ÷ 5 = 74.

id=69090 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 35? | option_a=28 | option_b=35 | option_c=26 | option_d=30 | answer=B | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 35 is the odd one out.

Aptitude Questions — Records 69,091-69,120 of 100,000

id=69091 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=33 | option_b=40 | option_c=39 | option_d=45 | answer=C | explanation=The common difference is 6. Therefore the next term is 33 + 6 = 39.

id=69092 | topic=Percentages | difficulty=Easy | question=What is 15% of 1963? | option_a=588 | option_b=284 | option_c=299 | option_d=294 | answer=D | explanation=15% of 1963 = (15/100) × 1963 = 294.

id=69093 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 22, 28, 37? | option_a=22 | option_b=16 | option_c=37 | option_d=28 | answer=C | explanation=The first three numbers increase by 6, so the next should be 34. Therefore 37 is the odd one out.

id=69094 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=69 | option_b=68 | option_c=80 | option_d=56 | answer=B | explanation=The common difference is 12. Therefore the next term is 56 + 12 = 68.

id=69095 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:5 and the first is 76, what is the second? | option_a=15 | option_b=96 | option_c=39 | option_d=20 | answer=D | explanation=Scale factor = 76/19 = 4. Therefore second quantity = 5×4 = 20.

id=69096 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18668 at 6% per annum for 5 years. | option_a=5600 | option_b=5500 | option_c=24268 | option_d=5700 | answer=A | explanation=SI = PRT/100 = 18668×6×5/100 = **■**5600.

id=69097 | topic=Percentages | difficulty=Easy | question=What is 15% of 872? | option_a=260 | option_b=130 | option_c=135 | option_d=125 | answer=B | explanation=15% of 872 = (15/100) × 872 = 130.

id=69098 | topic=Percentages | difficulty=Easy | question=What is 10% of 1563? | option_a=312 | option_b=161 | option_c=156 | option_d=151 | answer=C | explanation=10% of 1563 = (10/100) × 1563 = 156.

id=69099 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=Y | option_b=G | option_c=C | option_d=K | answer=B | explanation=Move 4 positions forward from C; the resulting letter is G.

id=69100 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=39 | option_b=49 | option_c=50 | option_d=59 | answer=B | explanation=The common difference is 10. Therefore the next term is 39 + 10 = 49.

id=69101 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 26. | option_a=728 | option_b=364 | option_c=392 | option_d=338 | answer=B | explanation=LCM × HCF = 28×26; HCF(28,26) = 2, so LCM = 364.

id=69102 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=69103 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=B | option_c=W | option_d=M | answer=C | explanation=Move 5 positions forward from R; the resulting letter is W.

id=69104 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=C | option_b=E | option_c=D | option_d=F | answer=B | explanation=Move 1 positions forward from D; the resulting letter is E.

id=69105 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=48 | option_b=39 | option_c=47 | option_d=55 | answer=C | explanation=The common difference is 8. Therefore the next term is 39 + 8 = 47.

id=69106 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=69107 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27996 at 15% per annum for 3 years. | option_a=12598 | option_b=12498 | option_c=12698 | option_d=40594 | answer=A | explanation=SI = PRT/100 = 27996×15×3/100 = **■**12598.

id=69108 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=69109 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=23 | option_b=27 | option_c=24 | option_d=19 | answer=A | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=69110 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=31 | option_b=27 | option_c=21 | option_d=26 | answer=D | explanation=The common difference is 5. Therefore the next term is 21 + 5 = 26.

id=69111 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:18 and the first is 105, what is the second? | option_a=126 | option_b=108 | option_c=141 | option_d=231 | answer=A | explanation=Scale factor = 105/15 = 7. Therefore second quantity = 18×7 = 126.

id=69112 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 43? | option_a=34 | option_b=20 | option_c=27 | option_d=43 | answer=D | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 43 is the odd one out.

id=69113 | topic=Percentages | difficulty=Easy | question=What is 5% of 1444? | option_a=67 | option_b=144 | option_c=82 | option_d=72 | answer=D | explanation=5% of 1444 = (5/100) × 1444 = 72.

id=69114 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4657. If it is sold at a profit of 10%, what is its selling price? | option_a=4657 | option_b=4667 | option_c=5122 | option_d=5587 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4657 × 110/100 = **■**5122.

id=69115 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4225. If it is sold at a profit of 10%, what is its selling price? | option_a=5069 | option_b=4647 | option_c=4225 | option_d=4235 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4225 × 110/100 = **■**4647.

id=69116 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=60 | option_b=48 | option_c=70 | option_d=59 | answer=D | explanation=The common difference is 11. Therefore the next term is 48 + 11 = 59.

id=69117 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 10. | option_a=156 | option_b=260 | option_c=120 | option_d=130 | answer=D | explanation=LCM × HCF = 26×10; HCF(26,10) = 2, so LCM = 130.

id=69118 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=69119 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 9. | option_a=54 | option_b=18 | option_c=27 | option_d=243 | answer=C | explanation=LCM × HCF = 27×9; HCF(27,9) = 9, so LCM = 27.

id=69120 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2319. If it is sold at a profit of 50%, what is its selling price? | option_a=3247 | option_b=2369 | option_c=3709 | option_d=3478 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2319 × 150/100 = **■**3478.

Aptitude Questions — Records 69,121-69,150 of 100,000

id=69121 | topic=Percentages | difficulty=Easy | question=What is 25% of 210? | option_a=52 | option_b=42 | option_c=104 | option_d=62 | answer=A | explanation=25% of 210 = (25/100) × 210 = 52.

id=69122 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 27, 36, 47? | option_a=47 | option_b=36 | option_c=18 | option_d=27 | answer=A | explanation=The first three numbers increase by 9, so the next should be 45. Therefore 47 is the odd one out.

id=69123 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=15 | option_c=20 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=69124 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 15, 21, 30? | option_a=9 | option_b=15 | option_c=21 | option_d=30 | answer=D | explanation=The first three numbers increase by 6, so the next should be 27. Therefore 30 is the odd one out.

id=69125 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=27 | option_b=19 | option_c=23 | option_d=24 | answer=C | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=69126 | topic=Averages | difficulty=Easy | question=Find the average of 94, 81, 30, 89, 46. | option_a=68 | option_b=70 | option_c=69 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = 340 ÷ 5 = 68.

id=69127 | topic=Averages | difficulty=Easy | question=Find the average of 80, 80, 27, 51, 29, 66, 80, 35. | option_a=56 | option_b=58 | option_c=57 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 448 ÷ 8 = 56.

id=69128 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=69129 | topic=Averages | difficulty=Easy | question=Find the average of 42, 84, 22, 32. | option_a=46 | option_b=44 | option_c=47 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 180 ÷ 4 = 45.

id=69130 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=15 | option_c=40 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=69131 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:18 and the first is 2, what is the second? | option_a=37 | option_b=36 | option_c=18 | option_d=38 | answer=B | explanation=Scale factor = 2/1 = 2. Therefore second quantity = 18×2 = 36.

id=69132 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14663 at 15% per annum for 3 years. | option_a=6698 | option_b=6598 | option_c=6498 | option_d=21261 | answer=B | explanation=SI = PRT/100 = 14663×15×3/100 = ■6598.

id=69133 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=I | option_b=L | option_c=R | option_d=O | answer=D | explanation=Move 3 positions forward from L; the resulting letter is O.

id=69134 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■213. If it is sold at a profit of 50%, what is its selling price? | option_a=263 | option_b=298 | option_c=319 | option_d=340 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 213 × 150/100 = ■319.

id=69135 | topic=Averages | difficulty=Easy | question=Find the average of 52, 77, 12, 37, 99, 32, 48, 99. | option_a=58 | option_b=59 | option_c=57 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

id=69136 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 46? | option_a=23 | option_b=46 | option_c=37 | option_d=30 | answer=B | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 46 is the odd one out.

id=69137 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 13, 17, 21, ? | option_a=21 | option_b=25 | option_c=29 | option_d=26 | answer=B | explanation=The common difference is 4. Therefore the next term is 21 + 4 = 25.

id=69138 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 14. | option_a=392 | option_b=56 | option_c=28 | option_d=14 | answer=C | explanation=LCM × HCF = 28×14; HCF(28,14) = 14, so LCM = 28.

id=69139 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=69140 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=51 | option_b=62 | option_c=63 | option_d=73 | answer=B | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.

id=69141 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 43? | option_a=24 | option_b=30 | option_c=43 | option_d=36 | answer=C | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 43 is the odd one out.

id=69142 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■26615 at 12% per annum for 3 years. | option_a=9481 | option_b=9581 | option_c=36196 | option_d=9681 | answer=B | explanation=SI = PRT/100 = 26615×12×3/100 = ■9581.

id=69143 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■23124 at 5% per annum for 4 years. | option_a=4524 | option_b=4624 | option_c=27748 | option_d=4724 | answer=B | explanation=SI = PRT/100 = 23124×5×4/100 = ■4624.

id=69144 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■512. If it is sold at a profit of 5%, what is its selling price? | option_a=588 | option_b=486 | option_c=517 | option_d=537 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 512 × 105/100 = ■537.

id=69145 | topic=Averages | difficulty=Easy | question=Find the average of 64, 13, 31, 63, 13, 43, 45, 64, 97, 107. | option_a=55 | option_b=53 | option_c=54 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

id=69146 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■36064 at 8% per annum for 4 years. | option_a=11640 | option_b=11540 | option_c=11440 | option_d=47604 | answer=B | explanation=SI = PRT/100 = 36064×8×4/100 = ■11540.

id=69147 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3177. If it is sold at a profit of 10%, what is its selling price? | option_a=3177 | option_b=3811 | option_c=3494 | option_d=3187 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3177 × 110/100 = ■3494.

id=69148 | topic=Percentages | difficulty=Easy | question=What is 40% of 549? | option_a=219 | option_b=438 | option_c=239 | option_d=209 | answer=A | explanation=40% of 549 = (40/100) × 549 = 219.

id=69149 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=69150 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2516. If it is sold at a profit of 40%, what is its selling price? | option_a=3522 | option_b=2556 | option_c=3271 | option_d=3773 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2516 × 140/100 = ■3522.

Aptitude Questions — Records 69,151-69,180 of 100,000

id=69151 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=67 | option_b=57 | option_c=47 | option_d=58 | answer=B | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

id=69152 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 21, 30, 39, ? | option_a=39 | option_b=49 | option_c=48 | option_d=57 | answer=C | explanation=The common difference is 9. Therefore the next term is 39 + 9 = 48.

id=69153 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 34, 42, 52? | option_a=26 | option_b=52 | option_c=42 | option_d=34 | answer=B | explanation=The first three numbers increase by 8, so the next should be 50. Therefore 52 is the odd one out.

id=69154 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=Q | option_b=N | option_c=H | option_d=K | answer=B | explanation=Move 3 positions forward from K; the resulting letter is N.

id=69155 | topic=Averages | difficulty=Easy | question=Find the average of 50, 73, 69, 88, 90, 33, 45, 24. | option_a=58 | option_b=59 | option_c=61 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 472 ÷ 8 = 59.

id=69156 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=Z | option_c=B | option_d=F | answer=A | explanation=Move 2 positions forward from B; the resulting letter is D.

id=69157 | topic=Percentages | difficulty=Easy | question=What is 12% of 809? | option_a=194 | option_b=102 | option_c=97 | option_d=92 | answer=C | explanation=12% of 809 = (12/100) × 809 = 97.

id=69158 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=39 | option_b=33 | option_c=40 | option_d=45 | answer=A | explanation=The common difference is 6. Therefore the next term is 33 + 6 = 39.

id=69159 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=Z | option_b=D | option_c=F | option_d=B | answer=B | explanation=Move 2 positions forward from B; the resulting letter is D.

id=69160 | topic=Averages | difficulty=Easy | question=Find the average of 53, 41, 22, 92. | option_a=53 | option_b=52 | option_c=54 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 208 ÷ 4 = 52.

id=69161 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 44? | option_a=33 | option_b=44 | option_c=25 | option_d=17 | answer=B | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 44 is the odd one out.

id=69162 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=31 | option_c=72 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=69163 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 14? | option_a=7 | option_b=14 | option_c=9 | option_d=5 | answer=B | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 14 is the odd one out.

id=69164 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1028. If it is sold at a profit of 30%, what is its selling price? | option_a=1234 | option_b=1336 | option_c=1438 | option_d=1058 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1028 × 130/100 = █1336.

id=69165 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:6 and the first is 266, what is the second? | option_a=84 | option_b=350 | option_c=78 | option_d=103 | answer=A | explanation=Scale factor = 266/19 = 14. Therefore second quantity = 6×14 = 84.

id=69166 | topic=Averages | difficulty=Easy | question=Find the average of 22, 84, 60, 29, 22, 59. | option_a=46 | option_b=47 | option_c=45 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = 276 ÷ 6 = 46.

id=69167 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 24. | option_a=130 | option_b=240 | option_c=96 | option_d=120 | answer=D | explanation=LCM × HCF = 10×24; HCF(10,24) = 2, so LCM = 120.

id=69168 | topic=Percentages | difficulty=Easy | question=What is 40% of 670? | option_a=278 | option_b=258 | option_c=268 | option_d=536 | answer=C | explanation=40% of 670 = (40/100) × 670 = 268.

id=69169 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=48 | option_b=55 | option_c=49 | option_d=41 | answer=A | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.

id=69170 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3759. If it is sold at a profit of 10%, what is its selling price? | option_a=3769 | option_b=4134 | option_c=3759 | option_d=4509 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3759 × 110/100 = █4134.

id=69171 | topic=Averages | difficulty=Easy | question=Find the average of 37, 25, 85, 67, 59, 93, 17, 62, 95. | option_a=59 | option_b=61 | option_c=60 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 540 ÷ 9 = 60.

id=69172 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=62 | option_b=52 | option_c=40 | option_d=51 | answer=D | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=69173 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=M | option_c=S | option_d=V | answer=C | explanation=Move 3 positions forward from P; the resulting letter is S.

id=69174 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=27 | option_b=26 | option_c=24 | option_d=28 | answer=B | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.

id=69175 | topic=Percentages | difficulty=Easy | question=What is 5% of 330? | option_a=21 | option_b=11 | option_c=16 | option_d=32 | answer=C | explanation=5% of 330 = (5/100) × 330 = 16.

id=69176 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48218 at 8% per annum for 1 years. | option_a=3857 | option_b=3757 | option_c=3957 | option_d=52075 | answer=A | explanation=SI = PRT/100 = 48218×8×1/100 = █3857.

id=69177 | topic=Profit & Loss | difficulty=Easy | question=An article costs █333. If it is sold at a profit of 20%, what is its selling price? | option_a=353 | option_b=366 | option_c=399 | option_d=432 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 333 × 120/100 = █399.

id=69178 | topic=Percentages | difficulty=Easy | question=What is 15% of 532? | option_a=84 | option_b=74 | option_c=158 | option_d=79 | answer=D | explanation=15% of 532 = (15/100) × 532 = 79.

id=69179 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:9 and the first is 228, what is the second? | option_a=108 | option_b=127 | option_c=99 | option_d=336 | answer=A | explanation=Scale factor = 228/19 = 12. Therefore second quantity = 9×12 = 108.

id=69180 | topic=Percentages | difficulty=Easy | question=What is 5% of 274? | option_a=0 | option_b=26 | option_c=23 | option_d=13 | answer=D | explanation=5% of 274 = (5/100) × 274 = 13.

Aptitude Questions — Records 69,181-69,210 of 100,000

id=69181 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 22, 29, 37? | option_a=29 | option_b=37 | option_c=15 | option_d=22 | answer=B | explanation=The first three numbers increase by 7, so the next should be 36. Therefore 37 is the odd one out.

id=69182 | topic=Averages | difficulty=Easy | question=Find the average of 44, 41, 95, 40. | option_a=57 | option_b=54 | option_c=56 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = $220 \div 4 = 55$.

id=69183 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=12 | option_d=4 | answer=B | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $36/12 = 3$ days.

id=69184 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29459 at 15% per annum for 5 years. | option_a=22094 | option_b=22194 | option_c=21994 | option_d=51553 | answer=A | explanation=SI = $PRT/100 = 29459 \times 15 \times 5/100 = \text{■}22094$.

id=69185 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:10 and the first is 64, what is the second? | option_a=160 | option_b=164 | option_c=150 | option_d=224 | answer=A | explanation=Scale factor = $64/4 = 16$. Therefore second quantity = $10 \times 16 = 160$.

id=69186 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=35 | option_c=40 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = $240 \div 6 = 40$ km/h.

id=69187 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = $120 \div 8 = 15$ km/h.

id=69188 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=144 | option_c=67 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = $360 \div 5 = 72$ km/h.

id=69189 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=47 | option_b=40 | option_c=31 | option_d=39 | answer=D | explanation=The common difference is 8. Therefore the next term is $31 + 8 = 39$.

id=69190 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18003 at 10% per annum for 1 years. | option_a=1900 | option_b=1800 | option_c=19803 | option_d=1700 | answer=B | explanation=SI = $PRT/100 = 18003 \times 10 \times 1/100 = \text{■}1800$.

id=69191 | topic=Percentages | difficulty=Easy | question=What is 30% of 1272? | option_a=762 | option_b=401 | option_c=381 | option_d=371 | answer=C | explanation=30% of 1272 = $(30/100) \times 1272 = 381$.

id=69192 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=T | option_b=W | option_c=Q | option_d=N | answer=A | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=69193 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=90 | option_c=40 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = $180 \div 4 = 45$ km/h.

id=69194 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=L | option_c=V | option_d=A | answer=C | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=69195 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $\frac{1}{4} + \frac{1}{4} = \frac{8}{16}$. Time = $16/8 = 2$ days.

id=69196 | topic=Percentages | difficulty=Easy | question=What is 25% of 989? | option_a=227 | option_b=247 | option_c=494 | option_d=267 | answer=B | explanation=25% of 989 = $(25/100) \times 989 = 247$.

id=69197 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=I | option_c=E | option_d=G | answer=B | explanation=Move 2 positions forward from G; the resulting letter is I.

id=69198 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=90 | option_c=180 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = $360 \div 4 = 90$ km/h.

id=69199 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 17, 20, 25? | option_a=14 | option_b=25 | option_c=17 | option_d=20 | answer=B | explanation=The first three numbers increase by 3, so the next should be 23. Therefore 25 is the odd one out.

id=69200 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4986 at 8% per annum for 2 years. | option_a=897 | option_b=697 | option_c=797 | option_d=5783 | answer=C | explanation=SI = $PRT/100 = 4986 \times 8 \times 2/100 = \text{■}797$.

id=69201 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=E | option_c=G | option_d=H | answer=C | explanation=Move 1 positions forward from F; the resulting letter is G.

id=69202 | topic=Percentages | difficulty=Easy | question=What is 40% of 1805? | option_a=717 | option_b=722 | option_c=1444 | option_d=732 | answer=B | explanation=40% of 1805 = $(40/100) \times 1805 = 722$.

id=69203 | topic=Averages | difficulty=Easy | question=Find the average of 98, 100, 76, 73, 36, 97. | option_a=80 | option_b=81 | option_c=79 | option_d=82 | answer=A | explanation=Average = sum of values ÷ number of values = $480 \div 6 = 80$.

id=69204 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.

id=69205 | topic=Percentages | difficulty=Easy | question=What is 20% of 405? | option_a=81 | option_b=76 | option_c=162 | option_d=86 | answer=A | explanation=20% of 405 = $(20/100) \times 405 = 81$.

id=69206 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:13 and the first is 51, what is the second? | option_a=208 | option_b=224 | option_c=272 | option_d=221 | answer=D | explanation=Scale factor = $51/3 = 17$. Therefore second quantity = $13 \times 17 = 221$.

id=69207 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=56 | option_b=55 | option_c=64 | option_d=46 | answer=B | explanation=The common difference is 9. Therefore the next term is $46 + 9 = 55$.

id=69208 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:16 and the first is 108, what is the second? | option_a=288 | option_b=294 | option_c=396 | option_d=272 | answer=A | explanation=Scale factor = $108/6 = 18$. Therefore second quantity = $16 \times 18 = 288$.

id=69209 | topic=Percentages | difficulty=Easy | question=What is 40% of 1486? | option_a=614 | option_b=1188 | option_c=589 | option_d=594 | answer=D | explanation=40% of 1486 = $(40/100) \times 1486 = 594$.

id=69210 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2303 at 5% per annum for 5 years. | option_a=2878 | option_b=575 | option_c=475 | option_d=675 | answer=B | explanation=SI = $PRT/100 = 2303 \times 5 \times 5/100 = \text{■}575$.

Aptitude Questions — Records 69,211-69,240 of 100,000

id=69211 | topic=Averages | difficulty=Easy | question=Find the average of 35, 90, 96, 99, 79, 38, 42, 64, 65, 102. | option_a=73 | option_b=71 | option_c=70 | option_d=72 | answer=B | explanation=Average = sum of values ÷ number of values = 710 ÷ 10 = 71.

id=69212 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3257. If it is sold at a profit of 15%, what is its selling price? | option_a=3420 | option_b=3272 | option_c=4070 | option_d=3745 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3257 × 115/100 = █3745.

id=69213 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 22? | option_a=22 | option_b=13 | option_c=17 | option_d=15 | answer=A | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 22 is the odd one out.

id=69214 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=58 | option_b=69 | option_c=59 | option_d=47 | answer=A | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.

id=69215 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=69216 | topic=Percentages | difficulty=Easy | question=What is 10% of 1881? | option_a=376 | option_b=198 | option_c=188 | option_d=178 | answer=C | explanation=10% of 1881 = (10/100) × 1881 = 188.

id=69217 | topic=Averages | difficulty=Easy | question=Find the average of 72, 50, 100. | option_a=76 | option_b=74 | option_c=75 | option_d=73 | answer=B | explanation=Average = sum of values ÷ number of values = 222 ÷ 3 = 74.

id=69218 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 16. | option_a=90 | option_b=80 | option_c=160 | option_d=64 | answer=B | explanation=LCM × HCF = 10×16; HCF(10,16) = 2, so LCM = 80.

id=69219 | topic=Averages | difficulty=Easy | question=Find the average of 88, 100, 38, 82, 28, 66, 55, 53, 39. | option_a=62 | option_b=63 | option_c=60 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 549 ÷ 9 = 61.

id=69220 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=69221 | topic=Averages | difficulty=Easy | question=Find the average of 69, 86, 84, 85, 86, 36, 77, 87, 83. | option_a=76 | option_b=77 | option_c=79 | option_d=78 | answer=B | explanation=Average = sum of values ÷ number of values = 693 ÷ 9 = 77.

id=69222 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=27 | option_b=25 | option_c=23 | option_d=26 | answer=B | explanation=The common difference is 2. Therefore the next term is 23 + 2 = 25.

id=69223 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41306 at 10% per annum for 4 years. | option_a=57828 | option_b=16522 | option_c=16422 | option_d=16622 | answer=B | explanation=SI = PRT/100 = 41306×10×4/100 = █16522.

id=69224 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:3 and the first is 52, what is the second? | option_a=12 | option_b=9 | option_c=25 | option_d=64 | answer=A | explanation=Scale factor = 52/13 = 4. Therefore second quantity = 3×4 = 12.

id=69225 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=69226 | topic=Percentages | difficulty=Easy | question=What is 5% of 685? | option_a=44 | option_b=24 | option_c=68 | option_d=34 | answer=D | explanation=5% of 685 = (5/100) × 685 = 34.

id=69227 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=69228 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=69229 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42754 at 12% per annum for 3 years. | option_a=15291 | option_b=58145 | option_c=15391 | option_d=15491 | answer=C | explanation=SI = PRT/100 = 42754×12×3/100 = █15391.

id=69230 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=U | option_c=O | option_d=S | answer=D | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=69231 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=69232 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=69233 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=69234 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=69235 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=58 | option_b=47 | option_c=69 | option_d=59 | answer=A | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.

id=69236 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=69237 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=19 | option_b=24 | option_c=25 | option_d=29 | answer=B | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.

id=69238 | topic=Averages | difficulty=Easy | question=Find the average of 93, 57, 98, 76, 89, 91. | option_a=86 | option_b=83 | option_c=84 | option_d=85 | answer=C | explanation=Average = sum of values ÷ number of values = 504 ÷ 6 = 84.

id=69239 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 29, 38, 49? | option_a=38 | option_b=29 | option_c=49 | option_d=20 | answer=C | explanation=The first three numbers increase by 9, so the next should be 47. Therefore 49 is the odd one out.

id=69240 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 54? | option_a=54 | option_b=45 | option_c=37 | option_d=29 | answer=A | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 54 is the odd one out.

Aptitude Questions — Records 69,241-69,270 of 100,000

id=69241 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35985 at 6% per annum for 5 years. | option_a=10795 | option_b=10895 | option_c=10695 | option_d=46780 | answer=A | explanation=SI = PRT/100 = 35985×6×5/100 = **■**10795.

id=69242 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 26? | option_a=16 | option_b=22 | option_c=19 | option_d=26 | answer=D | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 26 is the odd one out.

id=69243 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=A | option_b=G | option_c=E | option_d=C | answer=C | explanation=Move 2 positions forward from C; the resulting letter is E.

id=69244 | topic=Averages | difficulty=Easy | question=Find the average of 28, 26, 86, 81, 96, 100, 58, 93. | option_a=72 | option_b=70 | option_c=71 | option_d=73 | answer=C | explanation=Average = sum of values ÷ number of values = 568 ÷ 8 = 71.

id=69245 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=F | option_b=J | option_c=H | option_d=L | answer=B | explanation=Move 2 positions forward from H; the resulting letter is J.

id=69246 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 26, 36, 47? | option_a=16 | option_b=36 | option_c=26 | option_d=47 | answer=D | explanation=The first three numbers increase by 10, so the next should be 46. Therefore 47 is the odd one out.

id=69247 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 27, 33, 41? | option_a=21 | option_b=41 | option_c=33 | option_d=27 | answer=B | explanation=The first three numbers increase by 6, so the next should be 39. Therefore 41 is the odd one out.

id=69248 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3052. If it is sold at a profit of 30%, what is its selling price? | option_a=3662 | option_b=4272 | option_c=3082 | option_d=3967 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3052 × 130/100 = **■**3967.

id=69249 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 12, 16, 23? | option_a=23 | option_b=12 | option_c=16 | option_d=8 | answer=A | explanation=The first three numbers increase by 4, so the next should be 20. Therefore 23 is the odd one out.

id=69250 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=22 | option_b=21 | option_c=20 | option_d=18 | answer=C | explanation=The common difference is 2. Therefore the next term is 18 + 2 = 20.

id=69251 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=13 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=69252 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**486. If it is sold at a profit of 40%, what is its selling price? | option_a=632 | option_b=526 | option_c=680 | option_d=728 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 486 × 140/100 = **■**680.

id=69253 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=G | option_b=H | option_c=J | option_d=I | answer=D | explanation=Move 1 positions forward from H; the resulting letter is I.

id=69254 | topic=Percentages | difficulty=Easy | question=What is 30% of 988? | option_a=291 | option_b=306 | option_c=296 | option_d=592 | answer=C | explanation=30% of 988 = (30/100) × 988 = 296.

id=69255 | topic=Percentages | difficulty=Easy | question=What is 10% of 356? | option_a=25 | option_b=40 | option_c=70 | option_d=35 | answer=D | explanation=10% of 356 = (10/100) × 356 = 35.

id=69256 | topic=Averages | difficulty=Easy | question=Find the average of 66, 70, 44. | option_a=61 | option_b=60 | option_c=62 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 180 ÷ 3 = 60.

id=69257 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:5 and the first is 12, what is the second? | option_a=42 | option_b=25 | option_c=32 | option_d=30 | answer=D | explanation=Scale factor = 12/2 = 6. Therefore second quantity = 5×6 = 30.

id=69258 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=50 | option_c=55 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=69259 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=J | option_c=O | option_d=Z | answer=B | explanation=Move 5 positions forward from E; the resulting letter is J.

id=69260 | topic=Averages | difficulty=Easy | question=Find the average of 38, 41, 27, 72, 52. | option_a=48 | option_b=45 | option_c=47 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 230 ÷ 5 = 46.

id=69261 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=69262 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 62? | option_a=30 | option_b=40 | option_c=50 | option_d=62 | answer=D | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 62 is the odd one out.

id=69263 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=Q | option_c=P | option_d=N | answer=C | explanation=Move 1 positions forward from O; the resulting letter is P.

id=69264 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4207. If it is sold at a profit of 30%, what is its selling price? | option_a=5889 | option_b=5469 | option_c=5049 | option_d=4237 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4207 × 130/100 = **■**5469.

id=69265 | topic=Averages | difficulty=Easy | question=Find the average of 43, 13, 39, 45, 35. | option_a=34 | option_b=37 | option_c=35 | option_d=36 | answer=C | explanation=Average = sum of values ÷ number of values = 175 ÷ 5 = 35.

id=69266 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=50 | option_d=25 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=69267 | topic=Averages | difficulty=Easy | question=Find the average of 27, 63, 19, 49, 71, 76, 88, 18, 66. | option_a=55 | option_b=53 | option_c=54 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 477 ÷ 9 = 53.

id=69268 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:16 and the first is 70, what is the second? | option_a=80 | option_b=150 | option_c=64 | option_d=94 | answer=A | explanation=Scale factor = 70/14 = 5. Therefore second quantity = 16×5 = 80.

id=69269 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36618 at 5% per annum for 5 years. | option_a=9054 | option_b=45772 | option_c=9154 | option_d=9254 | answer=C | explanation=SI = PRT/100 = 36618×5×5/100 = **■**9154.

id=69270 | topic=Percentages | difficulty=Easy | question=What is 30% of 1800? | option_a=550 | option_b=530 | option_c=540 | option_d=1080 | answer=C | explanation=30% of 1800 = (30/100) × 1800 = 540.

Aptitude Questions — Records 69,271-69,300 of 100,000

id=69271 | topic=Averages | difficulty=Easy | question=Find the average of 70, 52, 72, 94, 86, 50, 73. | option_a=70 | option_b=71 | option_c=72 | option_d=73 | answer=B | explanation=Average = sum of values ÷ number of values = 497 ÷ 7 = 71.

id=69272 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 34? | option_a=24 | option_b=16 | option_c=34 | option_d=8 | answer=C | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 34 is the odd one out.

id=69273 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28650 at 15% per annum for 4 years. | option_a=17290 | option_b=45840 | option_c=17190 | option_d=17090 | answer=C | explanation=SI = $PRT/100$ = $28650 \times 15 \times 4/100$ = **■**17190.

id=69274 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=55 | option_b=47 | option_c=48 | option_d=39 | answer=B | explanation=The common difference is 8. Therefore the next term is 39 + 8 = 47.

id=69275 | topic=Percentages | difficulty=Easy | question=What is 40% of 977? | option_a=780 | option_b=380 | option_c=390 | option_d=410 | answer=C | explanation=40% of 977 = $(40/100) \times 977$ = 390.

id=69276 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 16. | option_a=16 | option_b=1 | option_c=18 | option_d=32 | answer=A | explanation=LCM $\times$ HCF = 2×16 ; HCF(2,16) = 2, so LCM = 16.

id=69277 | topic=Percentages | difficulty=Easy | question=What is 20% of 1396? | option_a=269 | option_b=279 | option_c=558 | option_d=289 | answer=B | explanation=20% of 1396 = $(20/100) \times 1396$ = 279.

id=69278 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13032 at 8% per annum for 4 years. | option_a=4270 | option_b=4070 | option_c=17202 | option_d=4170 | answer=D | explanation=SI = $PRT/100$ = $13032 \times 8 \times 4/100$ = **■**4170.

id=69279 | topic=Averages | difficulty=Easy | question=Find the average of 90, 91, 38, 84, 93, 66, 17, 50, 101. | option_a=72 | option_b=69 | option_c=71 | option_d=70 | answer=D | explanation=Average = sum of values ÷ number of values = 630 ÷ 9 = 70.

id=69280 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9$ = 2 days.

id=69281 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 29, 33, 39? | option_a=39 | option_b=25 | option_c=33 | option_d=29 | answer=A | explanation=The first three numbers increase by 4, so the next should be 37. Therefore 39 is the odd one out.

id=69282 | topic=Percentages | difficulty=Easy | question=What is 15% of 1059? | option_a=138 | option_b=316 | option_c=168 | option_d=158 | answer=D | explanation=15% of 1059 = $(15/100) \times 1059$ = 158.

id=69283 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:6 and the first is 209, what is the second? | option_a=275 | option_b=66 | option_c=85 | option_d=60 | answer=B | explanation=Scale factor = $209/19 = 11$. Therefore second quantity = $6 \times 11 = 66$.

id=69284 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=A | option_b=E | option_c=C | option_d=G | answer=B | explanation=Move 2 positions forward from C; the resulting letter is E.

id=69285 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9$ = 2 days.

id=69286 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=300 | option_c=150 | option_d=145 | answer=C | explanation=Speed = distance ÷ time = $300 \div 2 = 150$ km/h.

id=69287 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2083 at 6% per annum for 2 years. | option_a=249 | option_b=2332 | option_c=349 | option_d=149 | answer=A | explanation=SI = $PRT/100$ = $2083 \times 6 \times 2/100$ = **■**249.

id=69288 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = $180 \div 6 = 30$ km/h.

id=69289 | topic=Percentages | difficulty=Easy | question=What is 20% of 1571? | option_a=309 | option_b=334 | option_c=314 | option_d=628 | answer=C | explanation=20% of 1571 = $(20/100) \times 1571$ = 314.

id=69290 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 24, 34, 45? | option_a=24 | option_b=14 | option_c=34 | option_d=45 | answer=D | explanation=The first three numbers increase by 10, so the next should be 44. Therefore 45 is the odd one out.

id=69291 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=17 | option_d=7 | answer=B | explanation=Speed = distance ÷ time = $120 \div 10 = 12$ km/h.

id=69292 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 16, 26, 39? | option_a=26 | option_b=6 | option_c=39 | option_d=16 | answer=C | explanation=The first three numbers increase by 10, so the next should be 36. Therefore 39 is the odd one out.

id=69293 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:19 and the first is 45, what is the second? | option_a=72 | option_b=102 | option_c=38 | option_d=57 | answer=D | explanation=Scale factor = $45/15 = 3$. Therefore second quantity = $19 \times 3 = 57$.

id=69294 | topic=Percentages | difficulty=Easy | question=What is 25% of 106? | option_a=6 | option_b=31 | option_c=52 | option_d=26 | answer=D | explanation=25% of 106 = $(25/100) \times 106 = 26$.

id=69295 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 26. | option_a=130 | option_b=156 | option_c=168 | option_d=312 | answer=B | explanation=LCM $\times$ HCF = 12×26 ; HCF(12,26) = 2, so LCM = 156.

id=69296 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1891. If it is sold at a profit of 20%, what is its selling price? | option_a=2080 | option_b=2269 | option_c=2458 | option_d=1911 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1891 \times 120/100 =$ **■**2269.

id=69297 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24813 at 5% per annum for 2 years. | option_a=2381 | option_b=2481 | option_c=27294 | option_d=2581 | answer=B | explanation=SI = $PRT/100$ = $24813 \times 5 \times 2/100 =$ **■**2481.

id=69298 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=35 | option_b=30 | option_c=23 | option_d=29 | answer=D | explanation=The common difference is 6. Therefore the next term is 23 + 6 = 29.

id=69299 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**884. If it is sold at a profit of 50%, what is its selling price? | option_a=1238 | option_b=934 | option_c=1326 | option_d=1414 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 884 \times 150/100 =$ **■**1326.

id=69300 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

Aptitude Questions — Records 69,301-69,330 of 100,000

id=69301 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:8 and the first is 24, what is the second? | option_a=67 | option_b=88 | option_c=64 | option_d=56 | answer=C | explanation=Scale factor = 24/3 = 8. Therefore second quantity = 8×8 = 64.

id=69302 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 33? | option_a=27 | option_b=22 | option_c=33 | option_d=17 | answer=C | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 33 is the odd one out.

id=69303 | topic=Averages | difficulty=Easy | question=Find the average of 34, 76, 47, 18, 67, 40. | option_a=46 | option_b=49 | option_c=47 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 282 ÷ 6 = 47.

id=69304 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:13 and the first is 7, what is the second? | option_a=92 | option_b=91 | option_c=78 | option_d=98 | answer=B | explanation=Scale factor = 7/1 = 7. Therefore second quantity = 13×7 = 91.

id=69305 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 24, 33, 44? | option_a=24 | option_b=15 | option_c=33 | option_d=44 | answer=D | explanation=The first three numbers increase by 9, so the next should be 42. Therefore 44 is the odd one out.

id=69306 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=69307 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:12 and the first is 20, what is the second? | option_a=241 | option_b=240 | option_c=260 | option_d=228 | answer=B | explanation=Scale factor = 20/1 = 20. Therefore second quantity = 12×20 = 240.

id=69308 | topic=Averages | difficulty=Easy | question=Find the average of 42, 18, 16, 30, 93, 74, 84. | option_a=53 | option_b=50 | option_c=51 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.

id=69309 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5733 at 8% per annum for 4 years. | option_a=1834 | option_b=1734 | option_c=7567 | option_d=1934 | answer=A | explanation=SI = PRT/100 = 5733×8×4/100 = **■**1834.

id=69310 | topic=Percentages | difficulty=Easy | question=What is 5% of 1541? | option_a=154 | option_b=67 | option_c=77 | option_d=82 | answer=C | explanation=5% of 1541 = (5/100) × 1541 = 77.

id=69311 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=69312 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=R | option_c=S | option_d=T | answer=D | explanation=Move 1 positions forward from S; the resulting letter is T.

id=69313 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=46 | option_b=40 | option_c=34 | option_d=41 | answer=B | explanation=The common difference is 6. Therefore the next term is 34 + 6 = 40.

id=69314 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=12 | option_c=1 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=69315 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:18 and the first is 252, what is the second? | option_a=252 | option_b=504 | option_c=270 | option_d=234 | answer=A | explanation=Scale factor = 252/18 = 14. Therefore second quantity = 18×14 = 252.

id=69316 | topic=Averages | difficulty=Easy | question=Find the average of 54, 62, 18, 26. | option_a=41 | option_b=42 | option_c=39 | option_d=40 | answer=D | explanation=Average = sum of values ÷ number of values = 160 ÷ 4 = 40.

id=69317 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=66 | option_b=42 | option_c=55 | option_d=54 | answer=D | explanation=The common difference is 12. Therefore the next term is 42 + 12 = 54.

id=69318 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=29 | option_b=35 | option_c=36 | option_d=41 | answer=B | explanation=The common difference is 6. Therefore the next term is 29 + 6 = 35.

id=69319 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33803 at 5% per annum for 3 years. | option_a=38873 | option_b=4970 | option_c=5170 | option_d=5070 | answer=D | explanation=SI = PRT/100 = 33803×5×3/100 = **■**5070.

id=69320 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=69321 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=22 | option_b=18 | option_c=26 | option_d=23 | answer=A | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

id=69322 | topic=Averages | difficulty=Easy | question=Find the average of 84, 10, 52, 34, 21, 44, 79, 52. | option_a=49 | option_b=48 | option_c=47 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 376 ÷ 8 = 47.

id=69323 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 14, 17, 23? | option_a=14 | option_b=17 | option_c=11 | option_d=23 | answer=D | explanation=The first three numbers increase by 3, so the next should be 20. Therefore 23 is the odd one out.

id=69324 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 10, 17, 27? | option_a=27 | option_b=3 | option_c=10 | option_d=17 | answer=A | explanation=The first three numbers increase by 7, so the next should be 24. Therefore 27 is the odd one out.

id=69325 | topic=Percentages | difficulty=Easy | question=What is 25% of 299? | option_a=64 | option_b=74 | option_c=79 | option_d=148 | answer=B | explanation=25% of 299 = (25/100) × 299 = 74.

id=69326 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=V | option_c=R | option_d=J | answer=C | explanation=Move 4 positions forward from N; the resulting letter is R.

id=69327 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:11 and the first is 36, what is the second? | option_a=66 | option_b=72 | option_c=55 | option_d=102 | answer=A | explanation=Scale factor = 36/6 = 6. Therefore second quantity = 11×6 = 66.

id=69328 | topic=Averages | difficulty=Easy | question=Find the average of 65, 83, 14, 51, 35, 76. | option_a=56 | option_b=55 | option_c=53 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 324 ÷ 6 = 54.

id=69329 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 14. | option_a=32 | option_b=28 | option_c=56 | option_d=14 | answer=B | explanation=LCM × HCF = 4×14; HCF(4,14) = 2, so LCM = 28.

id=69330 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31512 at 5% per annum for 3 years. | option_a=4826 | option_b=36238 | option_c=4726 | option_d=4626 | answer=C | explanation=SI = PRT/100 = 31512×5×3/100 = **■**4726.

Aptitude Questions — Records 69,331-69,360 of 100,000

id=69331 | topic=Percentages | difficulty=Easy | question=What is 30% of 1013? | option_a=323 | option_b=293 | option_c=303 | option_d=606 | answer=C | explanation=30% of 1013 = (30/100) × 1013 = 303.

id=69332 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:19 and the first is 21, what is the second? | option_a=57 | option_b=64 | option_c=38 | option_d=78 | answer=A | explanation=Scale factor = 21/7 = 3. Therefore second quantity = 19×3 = 57.

id=69333 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=A | option_b=K | option_c=F | option_d=P | answer=B | explanation=Move 5 positions forward from F; the resulting letter is K.

id=69334 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=K | option_c=J | option_d=L | answer=D | explanation=Move 1 positions forward from K; the resulting letter is L.

id=69335 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46899 at 12% per annum for 3 years. | option_a=16783 | option_b=16983 | option_c=16883 | option_d=63782 | answer=C | explanation=SI = $\frac{PRT}{100}$ = $\frac{46899 \times 12 \times 3}{100}$ = **■**16883.

id=69336 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=X | option_b=J | option_c=B | option_d=F | answer=D | explanation=Move 4 positions forward from B; the resulting letter is F.

id=69337 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4912. If it is sold at a profit of 5%, what is its selling price? | option_a=5157 | option_b=4666 | option_c=4917 | option_d=5648 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100$ = $4912 \times 105/100$ = **■**5157.

id=69338 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 9. | option_a=18 | option_b=1 | option_c=9 | option_d=81 | answer=C | explanation=LCM × HCF = 9×9; HCF(9,9) = 9, so LCM = 9.

id=69339 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=C | option_b=I | option_c=L | option_d=F | answer=B | explanation=Move 3 positions forward from F; the resulting letter is I.

id=69340 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=I | option_c=W | option_d=A | answer=A | explanation=Move 4 positions forward from A; the resulting letter is E.

id=69341 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 15, 20, 26? | option_a=10 | option_b=20 | option_c=15 | option_d=26 | answer=D | explanation=The first three numbers increase by 5, so the next should be 25. Therefore 26 is the odd one out.

id=69342 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=50 | option_b=60 | option_c=51 | option_d=40 | answer=A | explanation=The common difference is 10. Therefore the next term is 40 + 10 = 50.

id=69343 | topic=Averages | difficulty=Easy | question=Find the average of 77, 90, 16. | option_a=61 | option_b=62 | option_c=60 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = $183 \div 3$ = 61.

id=69344 | topic=Percentages | difficulty=Easy | question=What is 15% of 1786? | option_a=267 | option_b=287 | option_c=257 | option_d=534 | answer=A | explanation=15% of 1786 = $(15/100) \times 1786$ = 267.

id=69345 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=53 | option_b=63 | option_c=54 | option_d=43 | answer=A | explanation=The common difference is 10. Therefore the next term is 43 + 10 = 53.

id=69346 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 18. | option_a=90 | option_b=105 | option_c=270 | option_d=72 | answer=A | explanation=LCM × HCF = 15×18 ; HCF(15,18) = 3, so LCM = 90.

id=69347 | topic=Averages | difficulty=Easy | question=Find the average of 37, 70, 13. | option_a=39 | option_b=40 | option_c=42 | option_d=41 | answer=B | explanation=Average = sum of values ÷ number of values = $120 \div 3$ = 40.

id=69348 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9204 at 12% per annum for 3 years. | option_a=3313 | option_b=12517 | option_c=3413 | option_d=3213 | answer=A | explanation=SI = $\frac{PRT}{100}$ = $\frac{9204 \times 12 \times 3}{100}$ = **■**3313.

id=69349 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3530 at 12% per annum for 2 years. | option_a=847 | option_b=747 | option_c=947 | option_d=4377 | answer=A | explanation=SI = $\frac{PRT}{100}$ = $\frac{3530 \times 12 \times 2}{100}$ = **■**847.

id=69350 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=32 | option_b=40 | option_c=46 | option_d=39 | answer=D | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.

id=69351 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:3 and the first is 96, what is the second? | option_a=15 | option_b=114 | option_c=18 | option_d=34 | answer=C | explanation=Scale factor = $96/16$ = 6. Therefore second quantity = 3×6 = 18.

id=69352 | topic=Percentages | difficulty=Easy | question=What is 50% of 325? | option_a=324 | option_b=162 | option_c=167 | option_d=157 | answer=B | explanation=50% of 325 = $(50/100) \times 325$ = 162.

id=69353 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4103. If it is sold at a profit of 40%, what is its selling price? | option_a=6154 | option_b=5744 | option_c=5334 | option_d=4143 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100$ = $4103 \times 140/100$ = **■**5744.

id=69354 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:4 and the first is 238, what is the second? | option_a=73 | option_b=56 | option_c=294 | option_d=52 | answer=B | explanation=Scale factor = $238/17$ = 14. Therefore second quantity = 4×14 = 56.

id=69355 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28795 at 6% per annum for 3 years. | option_a=5083 | option_b=5183 | option_c=33978 | option_d=5283 | answer=B | explanation=SI = $\frac{PRT}{100}$ = $\frac{28795 \times 6 \times 3}{100}$ = **■**5183.

id=69356 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=23 | option_d=13 | answer=A | explanation=Speed = distance ÷ time = $180 \div 10$ = 18 km/h.

id=69357 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 20. | option_a=25 | option_b=20 | option_c=100 | option_d=1 | answer=B | explanation=LCM × HCF = 5×20 ; HCF(5,20) = 5, so LCM = 20.

id=69358 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=O | option_b=J | option_c=T | option_d=E | answer=A | explanation=Move 5 positions forward from J; the resulting letter is O.

id=69359 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3742. If it is sold at a profit of 20%, what is its selling price? | option_a=4490 | option_b=3762 | option_c=4116 | option_d=4864 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100$ = $3742 \times 120/100$ = **■**4490.

id=69360 | topic=Percentages | difficulty=Easy | question=What is 30% of 1839? | option_a=551 | option_b=1102 | option_c=556 | option_d=531 | answer=A | explanation=30% of 1839 = $(30/100) \times 1839$ = 551.

Aptitude Questions — Records 69,361-69,390 of 100,000

id=69361 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=69362 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=E | option_b=D | option_c=C | option_d=F | answer=A | explanation=Move 1 positions forward from D; the resulting letter is E.

id=69363 | topic=Averages | difficulty=Easy | question=Find the average of 29, 49, 10, 55, 37, 30, 61, 88, 99, 52. | option_a=50 | option_b=51 | option_c=53 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{510}{10} = 51$.

id=69364 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 36, 43, 53? | option_a=53 | option_b=29 | option_c=43 | option_d=36 | answer=A | explanation=The first three numbers increase by 7, so the next should be 50. Therefore 53 is the odd one out.

id=69365 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=31 | option_b=30 | option_c=26 | option_d=34 | answer=B | explanation=The common difference is 4. Therefore the next term is $26 + 4 = 30$.

id=69366 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17023 at 12% per annum for 5 years. | option_a=10213 | option_b=10113 | option_c=27236 | option_d=10313 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{17023 \times 12 \times 5}{100} = \text{■}10213$.

id=69367 | topic=Averages | difficulty=Easy | question=Find the average of 36, 71, 81, 31, 32, 39, 61, 97. | option_a=55 | option_b=58 | option_c=57 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{448}{8} = 56$.

id=69368 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15000 at 10% per annum for 3 years. | option_a=4500 | option_b=19500 | option_c=4600 | option_d=4400 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{15000 \times 10 \times 3}{100} = \text{■}4500$.

id=69369 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=69370 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1552 at 12% per annum for 5 years. | option_a=1031 | option_b=831 | option_c=931 | option_d=2483 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{1552 \times 12 \times 5}{100} = \text{■}931$.

id=69371 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4485. If it is sold at a profit of 5%, what is its selling price? | option_a=4490 | option_b=4261 | option_c=5157 | option_d=4709 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4485 \times \frac{105}{100} = \text{■}4709$.

id=69372 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=69373 | topic=Percentages | difficulty=Easy | question=What is 50% of 1942? | option_a=981 | option_b=1942 | option_c=971 | option_d=951 | answer=C | explanation=50% of 1942 = $(\frac{50}{100}) \times 1942 = 971$.

id=69374 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 25, 34, 46? | option_a=46 | option_b=16 | option_c=25 | option_d=34 | answer=A | explanation=The first three numbers increase by 9, so the next should be 43. Therefore 46 is the odd one out.

id=69375 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:17 and the first is 190, what is the second? | option_a=170 | option_b=360 | option_c=189 | option_d=153 | answer=A | explanation=Scale factor = $\frac{190}{19} = 10$. Therefore second quantity = $17 \times 10 = 170$.

id=69376 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2190. If it is sold at a profit of 15%, what is its selling price? | option_a=2299 | option_b=2205 | option_c=2518 | option_d=2737 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2190 \times \frac{115}{100} = \text{■}2518$.

id=69377 | topic=Percentages | difficulty=Easy | question=What is 40% of 1573? | option_a=619 | option_b=1258 | option_c=629 | option_d=634 | answer=C | explanation=40% of 1573 = $(\frac{40}{100}) \times 1573 = 629$.

id=69378 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=15 | option_c=20 | option_d=40 | answer=C | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{60}{3} = 20$ km/h.

id=69379 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:12 and the first is 75, what is the second? | option_a=168 | option_b=185 | option_c=180 | option_d=255 | answer=C | explanation=Scale factor = $\frac{75}{5} = 15$. Therefore second quantity = $12 \times 15 = 180$.

id=69380 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=V | option_b=M | option_c=S | option_d=P | answer=C | explanation=Move 3 positions forward from P; the resulting letter is S.

id=69381 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48534 at 12% per annum for 1 years. | option_a=5924 | option_b=5724 | option_c=5824 | option_d=54358 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{48534 \times 12 \times 1}{100} = \text{■}5824$.

id=69382 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4293. If it is sold at a profit of 10%, what is its selling price? | option_a=4293 | option_b=4722 | option_c=5151 | option_d=4303 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4293 \times \frac{110}{100} = \text{■}4722$.

id=69383 | topic=Averages | difficulty=Easy | question=Find the average of 49, 55, 10. | option_a=38 | option_b=37 | option_c=39 | option_d=40 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{114}{3} = 38$.

id=69384 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 28, 31, 37? | option_a=31 | option_b=25 | option_c=28 | option_d=37 | answer=D | explanation=The first three numbers increase by 3, so the next should be 34. Therefore 37 is the odd one out.

id=69385 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:5 and the first is 221, what is the second? | option_a=60 | option_b=286 | option_c=65 | option_d=82 | answer=C | explanation=Scale factor = $\frac{221}{17} = 13$. Therefore second quantity = $5 \times 13 = 65$.

id=69386 | topic=Averages | difficulty=Easy | question=Find the average of 93, 86, 15, 94, 100, 50. | option_a=72 | option_b=75 | option_c=73 | option_d=74 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{438}{6} = 73$.

id=69387 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=8 | answer=A | explanation=Combined rate = $\frac{1}{4} + \frac{1}{4} = \frac{8}{16}$. Time = $\frac{16}{8} = 2$ days.

id=69388 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 17, 27, 38? | option_a=17 | option_b=27 | option_c=38 | option_d=7 | answer=C | explanation=The first three numbers increase by 10, so the next should be 37. Therefore 38 is the odd one out.

id=69389 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4328. If it is sold at a profit of 5%, what is its selling price? | option_a=4544 | option_b=4976 | option_c=4112 | option_d=4333 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4328 \times \frac{105}{100} = \text{■}4544$.

id=69390 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45056 at 4% per annum for 4 years. | option_a=52264 | option_b=7108 | option_c=7308 | option_d=7208 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{45056 \times 4 \times 4}{100} = \text{■}7208$.

Aptitude Questions — Records 69,391-69,420 of 100,000

id=69391 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=36 | option_c=31 | option_d=41 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=69392 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 12, 21, 30, ? | option_a=40 | option_b=48 | option_c=30 | option_d=39 | answer=D | explanation=The common difference is 9. Therefore the next term is 30 + 9 = 39.

id=69393 | topic=Averages | difficulty=Easy | question=Find the average of 98, 80, 51, 11. | option_a=59 | option_b=62 | option_c=61 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 240 ÷ 4 = 60.

id=69394 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4517. If it is sold at a profit of 5%, what is its selling price? | option_a=4522 | option_b=4291 | option_c=4742 | option_d=5193 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4517 × 105/100 = █4742.

id=69395 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 20, 23, 28? | option_a=20 | option_b=17 | option_c=23 | option_d=28 | answer=D | explanation=The first three numbers increase by 3, so the next should be 26. Therefore 28 is the odd one out.

id=69396 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=69397 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4768. If it is sold at a profit of 15%, what is its selling price? | option_a=5007 | option_b=5483 | option_c=4783 | option_d=5959 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4768 × 115/100 = █5483.

id=69398 | topic=Averages | difficulty=Easy | question=Find the average of 34, 95, 10, 36, 65, 62, 14, 84, 40, 50. | option_a=48 | option_b=49 | option_c=50 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 490 ÷ 10 = 49.

id=69399 | topic=Percentages | difficulty=Easy | question=What is 20% of 1330? | option_a=271 | option_b=246 | option_c=532 | option_d=266 | answer=D | explanation=20% of 1330 = (20/100) × 1330 = 266.

id=69400 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 15, 19, 25? | option_a=25 | option_b=19 | option_c=11 | option_d=15 | answer=A | explanation=The first three numbers increase by 4, so the next should be 23. Therefore 25 is the odd one out.

id=69401 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 17, 23, 30? | option_a=17 | option_b=30 | option_c=23 | option_d=11 | answer=B | explanation=The first three numbers increase by 6, so the next should be 29. Therefore 30 is the odd one out.

id=69402 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:3 and the first is 56, what is the second? | option_a=29 | option_b=77 | option_c=21 | option_d=18 | answer=C | explanation=Scale factor = 56/8 = 7. Therefore second quantity = 3×7 = 21.

id=69403 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=63 | option_b=54 | option_c=43 | option_d=53 | answer=D | explanation=The common difference is 10. Therefore the next term is 43 + 10 = 53.

id=69404 | topic=Percentages | difficulty=Easy | question=What is 50% of 678? | option_a=339 | option_b=678 | option_c=359 | option_d=329 | answer=A | explanation=50% of 678 = (50/100) × 678 = 339.

id=69405 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=C | option_b=E | option_c=F | option_d=D | answer=B | explanation=Move 1 positions forward from D; the resulting letter is E.

id=69406 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=M | option_b=P | option_c=S | option_d=V | answer=C | explanation=Move 3 positions forward from P; the resulting letter is S.

id=69407 | topic=Percentages | difficulty=Easy | question=What is 50% of 1796? | option_a=898 | option_b=878 | option_c=1796 | option_d=918 | answer=A | explanation=50% of 1796 = (50/100) × 1796 = 898.

id=69408 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:2 and the first is 280, what is the second? | option_a=308 | option_b=26 | option_c=28 | option_d=48 | answer=C | explanation=Scale factor = 280/20 = 14. Therefore second quantity = 2×14 = 28.

id=69409 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 30, 33, 39? | option_a=39 | option_b=27 | option_c=30 | option_d=33 | answer=A | explanation=The first three numbers increase by 3, so the next should be 36. Therefore 39 is the odd one out.

id=69410 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:19 and the first is 28, what is the second? | option_a=137 | option_b=114 | option_c=133 | option_d=161 | answer=C | explanation=Scale factor = 28/4 = 7. Therefore second quantity = 19×7 = 133.

id=69411 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:6 and the first is 400, what is the second? | option_a=114 | option_b=520 | option_c=140 | option_d=120 | answer=D | explanation=Scale factor = 400/20 = 20. Therefore second quantity = 6×20 = 120.

id=69412 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=R | option_b=V | option_c=X | option_d=T | answer=B | explanation=Move 2 positions forward from T; the resulting letter is V.

id=69413 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=72 | option_c=36 | option_d=41 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=69414 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=53 | option_b=44 | option_c=43 | option_d=33 | answer=C | explanation=The common difference is 10. Therefore the next term is 33 + 10 = 43.

id=69415 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 34, 39, 45? | option_a=34 | option_b=45 | option_c=29 | option_d=39 | answer=B | explanation=The first three numbers increase by 5, so the next should be 44. Therefore 45 is the odd one out.

id=69416 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=F | option_c=D | option_d=Z | answer=C | explanation=Move 2 positions forward from B; the resulting letter is D.

id=69417 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26023 at 10% per annum for 2 years. | option_a=5304 | option_b=5204 | option_c=5104 | option_d=31227 | answer=B | explanation=SI = PRT/100 = 26023×10×2/100 = █5204.

id=69418 | topic=Averages | difficulty=Easy | question=Find the average of 42, 98, 19, 48, 46, 17. | option_a=46 | option_b=44 | option_c=45 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 270 ÷ 6 = 45.

id=69419 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:14 and the first is 84, what is the second? | option_a=175 | option_b=252 | option_c=154 | option_d=168 | answer=D | explanation=Scale factor = 84/7 = 12. Therefore second quantity = 14×12 = 168.

id=69420 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=54 | option_b=67 | option_c=66 | option_d=78 | answer=C | explanation=The common difference is 12. Therefore the next term is 54 + 12 = 66.

Aptitude Questions — Records 69,421-69,450 of 100,000

id=69421 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=S | option_b=G | option_c=K | option_d=O | answer=D | explanation=Move 4 positions forward from K; the resulting letter is O.

id=69422 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3410 at 6% per annum for 1 years. | option_a=204 | option_b=304 | option_c=104 | option_d=3614 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{3410 \times 6 \times 1}{100} = \text{■}204$.

id=69423 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2348. If it is sold at a profit of 50%, what is its selling price? | option_a=2398 | option_b=3522 | option_c=3756 | option_d=3288 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2348 \times 150 / 100 = \text{■}3522$.

id=69424 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16968 at 5% per annum for 5 years. | option_a=4242 | option_b=4142 | option_c=4342 | option_d=21210 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{16968 \times 5 \times 5}{100} = \text{■}4242$.

id=69425 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=46 | option_b=47 | option_c=35 | option_d=57 | answer=A | explanation=The common difference is 11. Therefore the next term is $35 + 11 = 46$.

id=69426 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=34 | option_b=46 | option_c=40 | option_d=41 | answer=C | explanation=The common difference is 6. Therefore the next term is $34 + 6 = 40$.

id=69427 | topic=Percentages | difficulty=Easy | question=What is 50% of 694? | option_a=337 | option_b=694 | option_c=347 | option_d=352 | answer=C | explanation=50% of 694 = $(50/100) \times 694 = 347$.

id=69428 | topic=Averages | difficulty=Easy | question=Find the average of 84, 50, 53, 93, 85. | option_a=74 | option_b=75 | option_c=73 | option_d=72 | answer=C | explanation=Average = sum of values ÷ number of values = $365 \div 5 = 73$.

id=69429 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27301 at 15% per annum for 5 years. | option_a=20375 | option_b=20475 | option_c=47776 | option_d=20575 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{27301 \times 15 \times 5}{100} = \text{■}20475$.

id=69430 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=34 | option_b=31 | option_c=26 | option_d=30 | answer=D | explanation=The common difference is 4. Therefore the next term is $26 + 4 = 30$.

id=69431 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 13, 16, 22? | option_a=22 | option_b=16 | option_c=13 | option_d=10 | answer=A | explanation=The first three numbers increase by 3, so the next should be 19. Therefore 22 is the odd one out.

id=69432 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=37 | option_b=43 | option_c=49 | option_d=44 | answer=B | explanation=The common difference is 6. Therefore the next term is $37 + 6 = 43$.

id=69433 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = $360 \div 8 = 45$ km/h.

id=69434 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37568 at 10% per annum for 4 years. | option_a=15127 | option_b=52595 | option_c=14927 | option_d=15027 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{37568 \times 10 \times 4}{100} = \text{■}15027$.

id=69435 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19628 at 5% per annum for 1 years. | option_a=20609 | option_b=1081 | option_c=881 | option_d=981 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{19628 \times 5 \times 1}{100} = \text{■}981$.

id=69436 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=52 | option_b=63 | option_c=39 | option_d=51 | answer=D | explanation=The common difference is 12. Therefore the next term is $39 + 12 = 51$.

id=69437 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=27 | option_b=28 | option_c=22 | option_d=32 | answer=A | explanation=The common difference is 5. Therefore the next term is $22 + 5 = 27$.

id=69438 | topic=Percentages | difficulty=Easy | question=What is 40% of 1116? | option_a=446 | option_b=892 | option_c=426 | option_d=456 | answer=A | explanation=40% of 1116 = $(40/100) \times 1116 = 446$.

id=69439 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=150 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = $300 \div 4 = 75$ km/h.

id=69440 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4381 at 4% per annum for 2 years. | option_a=350 | option_b=250 | option_c=450 | option_d=4731 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{4381 \times 4 \times 2}{100} = \text{■}350$.

id=69441 | topic=Averages | difficulty=Easy | question=Find the average of 72, 98, 20, 75, 63, 53, 27, 64. | option_a=61 | option_b=58 | option_c=60 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = $472 \div 8 = 59$.

id=69442 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3134. If it is sold at a profit of 40%, what is its selling price? | option_a=4700 | option_b=4387 | option_c=3174 | option_d=4074 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3134 \times 140 / 100 = \text{■}4387$.

id=69443 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=35 | option_b=31 | option_c=32 | option_d=27 | answer=B | explanation=The common difference is 4. Therefore the next term is $27 + 4 = 31$.

id=69444 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=51 | option_b=73 | option_c=63 | option_d=62 | answer=D | explanation=The common difference is 11. Therefore the next term is $51 + 11 = 62$.

id=69445 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=I | option_c=E | option_d=G | answer=B | explanation=Move 2 positions forward from G; the resulting letter is I.

id=69446 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:14 and the first is 220, what is the second? | option_a=154 | option_b=140 | option_c=174 | option_d=374 | answer=A | explanation=Scale factor = $220 / 20 = 11$. Therefore second quantity = $14 \times 11 = 154$.

id=69447 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:18 and the first is 90, what is the second? | option_a=144 | option_b=172 | option_c=252 | option_d=162 | answer=D | explanation=Scale factor = $90 / 10 = 9$. Therefore second quantity = $18 \times 9 = 162$.

id=69448 | topic=Averages | difficulty=Easy | question=Find the average of 71, 100, 52, 97, 81, 99, 81. | option_a=82 | option_b=85 | option_c=84 | option_d=83 | answer=D | explanation=Average = sum of values ÷ number of values = $581 \div 7 = 83$.

id=69449 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 37? | option_a=37 | option_b=24 | option_c=14 | option_d=4 | answer=A | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 37 is the odd one out.

id=69450 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

Aptitude Questions — Records 69,451-69,480 of 100,000

id=69451 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=50 | option_c=45 | option_d=100 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=69452 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=18 | option_b=20 | option_c=19 | option_d=16 | answer=A | explanation=The common difference is 2. Therefore the next term is 16 + 2 = 18.

id=69453 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 18, 27, 38? | option_a=38 | option_b=9 | option_c=27 | option_d=18 | answer=A | explanation=The first three numbers increase by 9, so the next should be 36. Therefore 38 is the odd one out.

id=69454 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=69455 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=29 | option_c=48 | option_d=19 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=69456 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=M | option_b=Y | option_c=U | option_d=Q | answer=C | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=69457 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=10 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=69458 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=69459 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=69460 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 27? | option_a=16 | option_b=27 | option_c=22 | option_d=19 | answer=B | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 27 is the odd one out.

id=69461 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 26, 29, 34? | option_a=34 | option_b=26 | option_c=23 | option_d=29 | answer=A | explanation=The first three numbers increase by 3, so the next should be 32. Therefore 34 is the odd one out.

id=69462 | topic=Percentages | difficulty=Easy | question=What is 50% of 1743? | option_a=866 | option_b=1742 | option_c=871 | option_d=891 | answer=C | explanation=50% of 1743 = (50/100) × 1743 = 871.5.

id=69463 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=69464 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10592 at 15% per annum for 4 years. | option_a=6255 | option_b=6455 | option_c=6355 | option_d=16947 | answer=C | explanation=SI = PRT/100 = 10592×15×4/100 = **■**6355.

id=69465 | topic=Averages | difficulty=Easy | question=Find the average of 14, 59, 28, 73, 85, 23, 73, 45. | option_a=51 | option_b=52 | option_c=50 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 400 ÷ 8 = 50.

id=69466 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=44 | option_b=43 | option_c=52 | option_d=34 | answer=B | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

id=69467 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=58 | option_b=45 | option_c=69 | option_d=57 | answer=D | explanation=The common difference is 12. Therefore the next term is 45 + 12 = 57.

id=69468 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:6 and the first is 108, what is the second? | option_a=66 | option_b=48 | option_c=162 | option_d=54 | answer=D | explanation=Scale factor = 108/12 = 9. Therefore second quantity = 6×9 = 54.

id=69469 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 24. | option_a=576 | option_b=1 | option_c=24 | option_d=48 | answer=C | explanation=LCM × HCF = 24×24; HCF(24,24) = 24, so LCM = 24.

id=69470 | topic=Percentages | difficulty=Easy | question=What is 15% of 476? | option_a=71 | option_b=91 | option_c=66 | option_d=142 | answer=A | explanation=15% of 476 = (15/100) × 476 = 71.

id=69471 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=69472 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=50 | option_b=72 | option_c=61 | option_d=62 | answer=C | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.

id=69473 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 39, 49, 61? | option_a=29 | option_b=39 | option_c=61 | option_d=49 | answer=C | explanation=The first three numbers increase by 10, so the next should be 59. Therefore 61 is the odd one out.

id=69474 | topic=Averages | difficulty=Easy | question=Find the average of 17, 79, 66, 42, 21, 38, 10, 66, 12. | option_a=40 | option_b=38 | option_c=41 | option_d=39 | answer=D | explanation=Average = sum of values ÷ number of values = 351 ÷ 9 = 39.

id=69475 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:12 and the first is 36, what is the second? | option_a=60 | option_b=108 | option_c=72 | option_d=78 | answer=C | explanation=Scale factor = 36/6 = 6. Therefore second quantity = 12×6 = 72.

id=69476 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:9 and the first is 20, what is the second? | option_a=49 | option_b=45 | option_c=36 | option_d=65 | answer=B | explanation=Scale factor = 20/4 = 5. Therefore second quantity = 9×5 = 45.

id=69477 | topic=Percentages | difficulty=Easy | question=What is 12% of 770? | option_a=184 | option_b=92 | option_c=82 | option_d=97 | answer=B | explanation=12% of 770 = (12/100) × 770 = 92.

id=69478 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4026. If it is sold at a profit of 40%, what is its selling price? | option_a=5234 | option_b=4066 | option_c=5636 | option_d=6038 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4026 × 140/100 = **■**5636.

id=69479 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=J | option_b=K | option_c=H | option_d=I | answer=A | explanation=Move 1 positions forward from I; the resulting letter is J.

id=69480 | topic=Percentages | difficulty=Easy | question=What is 40% of 1049? | option_a=838 | option_b=409 | option_c=419 | option_d=424 | answer=C | explanation=40% of 1049 = (40/100) × 1049 = 419.

Aptitude Questions — Records 69,481-69,510 of 100,000

id=69481 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 9. | option_a=96 | option_b=72 | option_c=63 | option_d=216 | answer=B | explanation=LCM × HCF = 24×9; HCF(24,9) = 3, so LCM = 72.

id=69482 | topic=Percentages | difficulty=Easy | question=What is 50% of 1579? | option_a=784 | option_b=1578 | option_c=789 | option_d=799 | answer=C | explanation=50% of 1579 = (50/100) × 1579 = 789.

id=69483 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=36 | option_b=52 | option_c=44 | option_d=45 | answer=C | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.

id=69484 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=65 | option_b=47 | option_c=56 | option_d=57 | answer=C | explanation=The common difference is 9. Therefore the next term is 47 + 9 = 56.

id=69485 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:17 and the first is 126, what is the second? | option_a=247 | option_b=238 | option_c=221 | option_d=364 | answer=B | explanation=Scale factor = 126/9 = 14. Therefore second quantity = 17×14 = 238.

id=69486 | topic=Percentages | difficulty=Easy | question=What is 40% of 1327? | option_a=540 | option_b=530 | option_c=520 | option_d=1060 | answer=B | explanation=40% of 1327 = (40/100) × 1327 = 530.

id=69487 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=40 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=69488 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3505 at 6% per annum for 3 years. | option_a=730 | option_b=4135 | option_c=530 | option_d=630 | answer=D | explanation=SI = PRT/100 = 3505×6×3/100 = **■**630.

id=69489 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=240 | option_d=115 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=69490 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=32 | option_b=27 | option_c=20 | option_d=26 | answer=D | explanation=The common difference is 6. Therefore the next term is 20 + 6 = 26.

id=69491 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=35 | option_b=34 | option_c=38 | option_d=30 | answer=B | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.

id=69492 | topic=Averages | difficulty=Easy | question=Find the average of 21, 81, 50, 51, 17. | option_a=45 | option_b=46 | option_c=44 | option_d=43 | answer=C | explanation=Average = sum of values ÷ number of values = 220 ÷ 5 = 44.

id=69493 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=C | option_b=B | option_c=A | option_d=D | answer=A | explanation=Move 1 positions forward from B; the resulting letter is C.

id=69494 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=125 | option_c=120 | option_d=240 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=69495 | topic=Averages | difficulty=Easy | question=Find the average of 10, 67, 62, 28, 48, 37. | option_a=41 | option_b=42 | option_c=43 | option_d=44 | answer=B | explanation=Average = sum of values ÷ number of values = 252 ÷ 6 = 42.

id=69496 | topic=Percentages | difficulty=Easy | question=What is 50% of 1819? | option_a=899 | option_b=1818 | option_c=909 | option_d=919 | answer=C | explanation=50% of 1819 = (50/100) × 1819 = 909.

id=69497 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:16 and the first is 49, what is the second? | option_a=96 | option_b=119 | option_c=161 | option_d=112 | answer=D | explanation=Scale factor = 49/7 = 7. Therefore second quantity = 16×7 = 112.

id=69498 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1494. If it is sold at a profit of 30%, what is its selling price? | option_a=1524 | option_b=1793 | option_c=2091 | option_d=1942 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1494 × 130/100 = **■**1942.

id=69499 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 26, 36, 47? | option_a=16 | option_b=26 | option_c=47 | option_d=36 | answer=C | explanation=The first three numbers increase by 10, so the next should be 46. Therefore 47 is the odd one out.

id=69500 | topic=Averages | difficulty=Easy | question=Find the average of 42, 23, 70, 43, 12. | option_a=40 | option_b=38 | option_c=37 | option_d=39 | answer=B | explanation=Average = sum of values ÷ number of values = 190 ÷ 5 = 38.

id=69501 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 35, 43, 54? | option_a=35 | option_b=43 | option_c=54 | option_d=27 | answer=C | explanation=The first three numbers increase by 8, so the next should be 51. Therefore 54 is the odd one out.

id=69502 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=69503 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**652. If it is sold at a profit of 20%, what is its selling price? | option_a=717 | option_b=672 | option_c=847 | option_d=782 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 652 × 120/100 = **■**782.

id=69504 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=31 | option_c=36 | option_d=72 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=69505 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=47 | option_b=56 | option_c=36 | option_d=46 | answer=D | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.

id=69506 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4551. If it is sold at a profit of 25%, what is its selling price? | option_a=6143 | option_b=5688 | option_c=4576 | option_d=5233 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4551 × 125/100 = **■**5688.

id=69507 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:10 and the first is 84, what is the second? | option_a=204 | option_b=110 | option_c=120 | option_d=127 | answer=C | explanation=Scale factor = 84/7 = 12. Therefore second quantity = 10×12 = 120.

id=69508 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=Q | option_b=G | option_c=L | option_d=V | answer=A | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=69509 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38556 at 15% per annum for 5 years. | option_a=28817 | option_b=67473 | option_c=29017 | option_d=28917 | answer=D | explanation=SI = PRT/100 = 38556×15×5/100 = **■**28917.

id=69510 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:1 and the first is 140, what is the second? | option_a=27 | option_b=19 | option_c=160 | option_d=20 | answer=D | explanation=Scale factor = 140/7 = 20. Therefore second quantity = 1×20 = 20.

Aptitude Questions — Records 69,511-69,540 of 100,000

id=69511 | topic=Percentages | difficulty=Easy | question=What is 12% of 1261? | option_a=146 | option_b=151 | option_c=302 | option_d=156 | answer=B | explanation=12% of 1261 = (12/100) × 1261 = 151.

id=69512 | topic=Percentages | difficulty=Easy | question=What is 10% of 1542? | option_a=159 | option_b=154 | option_c=144 | option_d=308 | answer=B | explanation=10% of 1542 = (10/100) × 1542 = 154.

id=69513 | topic=Percentages | difficulty=Easy | question=What is 50% of 1036? | option_a=518 | option_b=1036 | option_c=508 | option_d=538 | answer=A | explanation=50% of 1036 = (50/100) × 1036 = 518.

id=69514 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 29? | option_a=22 | option_b=24 | option_c=29 | option_d=26 | answer=C | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 29 is the odd one out.

id=69515 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=74 | option_b=62 | option_c=50 | option_d=63 | answer=B | explanation=The common difference is 12. Therefore the next term is 50 + 12 = 62.

id=69516 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=24 | option_c=12 | option_d=17 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=69517 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=69518 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 11, 20, 31? | option_a=2 | option_b=31 | option_c=20 | option_d=11 | answer=B | explanation=The first three numbers increase by 9, so the next should be 29. Therefore 31 is the odd one out.

id=69519 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=S | option_b=N | option_c=I | option_d=D | answer=B | explanation=Move 5 positions forward from I; the resulting letter is N.

id=69520 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 27, 36, 48? | option_a=27 | option_b=18 | option_c=36 | option_d=48 | answer=D | explanation=The first three numbers increase by 9, so the next should be 45. Therefore 48 is the odd one out.

id=69521 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1065. If it is sold at a profit of 50%, what is its selling price? | option_a=1597 | option_b=1491 | option_c=1115 | option_d=1703 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1065 × 150/100 = █1597.

id=69522 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 27, 31, 38? | option_a=38 | option_b=27 | option_c=31 | option_d=23 | answer=A | explanation=The first three numbers increase by 4, so the next should be 35. Therefore 38 is the odd one out.

id=69523 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27259 at 12% per annum for 1 years. | option_a=3371 | option_b=30530 | option_c=3171 | option_d=3271 | answer=D | explanation=SI = PRT/100 = 27259×12×1/100 = █3271.

id=69524 | topic=Profit & Loss | difficulty=Easy | question=An article costs █144. If it is sold at a profit of 20%, what is its selling price? | option_a=158 | option_b=164 | option_c=172 | option_d=186 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 144 × 120/100 = █172.

id=69525 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=69526 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=Q | option_c=U | option_d=S | answer=C | explanation=Move 2 positions forward from S; the resulting letter is U.

id=69527 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=40 | option_b=36 | option_c=35 | option_d=30 | answer=C | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=69528 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=7 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=69529 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=69530 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=40 | option_b=32 | option_c=37 | option_d=36 | answer=D | explanation=The common difference is 4. Therefore the next term is 32 + 4 = 36.

id=69531 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26902 at 5% per annum for 3 years. | option_a=30937 | option_b=4035 | option_c=3935 | option_d=4135 | answer=B | explanation=SI = PRT/100 = 26902×5×3/100 = █4035.

id=69532 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 5. | option_a=5 | option_b=50 | option_c=20 | option_d=10 | answer=D | explanation=LCM × HCF = 10×5; HCF(10,5) = 5, so LCM = 10.

id=69533 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=Y | option_b=O | option_c=T | option_d=D | answer=A | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=69534 | topic=Averages | difficulty=Easy | question=Find the average of 44, 70, 63. | option_a=60 | option_b=58 | option_c=59 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 177 ÷ 3 = 59.

id=69535 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:5 and the first is 162, what is the second? | option_a=90 | option_b=85 | option_c=99 | option_d=252 | answer=A | explanation=Scale factor = 162/9 = 18. Therefore second quantity = 5×18 = 90.

id=69536 | topic=Percentages | difficulty=Easy | question=What is 12% of 1080? | option_a=258 | option_b=124 | option_c=149 | option_d=129 | answer=D | explanation=12% of 1080 = (12/100) × 1080 = 129.

id=69537 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 31, 35, 40? | option_a=27 | option_b=35 | option_c=40 | option_d=31 | answer=C | explanation=The first three numbers increase by 4, so the next should be 39. Therefore 40 is the odd one out.

id=69538 | topic=Percentages | difficulty=Easy | question=What is 12% of 1412? | option_a=169 | option_b=174 | option_c=338 | option_d=159 | answer=A | explanation=12% of 1412 = (12/100) × 1412 = 169.

id=69539 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=34 | option_b=33 | option_c=39 | option_d=27 | answer=B | explanation=The common difference is 6. Therefore the next term is 27 + 6 = 33.

id=69540 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 22, 29, 39? | option_a=39 | option_b=29 | option_c=22 | option_d=15 | answer=A | explanation=The first three numbers increase by 7, so the next should be 36. Therefore 39 is the odd one out.

Aptitude Questions — Records 69,541-69,570 of 100,000

id=69541 | topic=Averages | difficulty=Easy | question=Find the average of 20, 58, 39. | option_a=38 | option_b=41 | option_c=39 | option_d=40 | answer=C | explanation=Average = sum of values ÷ number of values = 117 ÷ 3 = 39.

id=69542 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 20, 26, 35? | option_a=14 | option_b=26 | option_c=20 | option_d=35 | answer=D | explanation=The first three numbers increase by 6, so the next should be 32. Therefore 35 is the odd one out.

id=69543 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=69544 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=G | option_b=K | option_c=I | option_d=M | answer=B | explanation=Move 2 positions forward from I; the resulting letter is K.

id=69545 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:19 and the first is 126, what is the second? | option_a=114 | option_b=151 | option_c=133 | option_d=259 | answer=C | explanation=Scale factor = 126/18 = 7. Therefore second quantity = 19×7 = 133.

id=69546 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:15 and the first is 16, what is the second? | option_a=15 | option_b=46 | option_c=30 | option_d=38 | answer=C | explanation=Scale factor = 16/8 = 2. Therefore second quantity = 15×2 = 30.

id=69547 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 30? | option_a=24 | option_b=30 | option_c=14 | option_d=19 | answer=B | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 30 is the odd one out.

id=69548 | topic=Averages | difficulty=Easy | question=Find the average of 59, 41, 78, 17, 57, 59, 39, 86, 14. | option_a=51 | option_b=49 | option_c=50 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 450 ÷ 9 = 50.

id=69549 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 24? | option_a=24 | option_b=20 | option_c=16 | option_d=18 | answer=A | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 24 is the odd one out.

id=69550 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37070 at 6% per annum for 2 years. | option_a=4548 | option_b=4348 | option_c=4448 | option_d=41518 | answer=C | explanation=SI = PRT/100 = 37070×6×2/100 = **■**4448.

id=69551 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:11 and the first is 182, what is the second? | option_a=157 | option_b=132 | option_c=143 | option_d=325 | answer=C | explanation=Scale factor = 182/14 = 13. Therefore second quantity = 11×13 = 143.

id=69552 | topic=Percentages | difficulty=Easy | question=What is 10% of 1067? | option_a=101 | option_b=106 | option_c=126 | option_d=212 | answer=B | explanation=10% of 1067 = (10/100) × 1067 = 106.

id=69553 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3373. If it is sold at a profit of 50%, what is its selling price? | option_a=3423 | option_b=5059 | option_c=4722 | option_d=5396 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3373 × 150/100 = **■**5059.

id=69554 | topic=Averages | difficulty=Easy | question=Find the average of 42, 58, 16, 13, 11, 76. | option_a=36 | option_b=37 | option_c=38 | option_d=35 | answer=A | explanation=Average = sum of values ÷ number of values = 216 ÷ 6 = 36.

id=69555 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2148. If it is sold at a profit of 40%, what is its selling price? | option_a=3221 | option_b=3007 | option_c=2793 | option_d=2188 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2148 × 140/100 = **■**3007.

id=69556 | topic=Percentages | difficulty=Easy | question=What is 40% of 1177? | option_a=940 | option_b=460 | option_c=470 | option_d=475 | answer=C | explanation=40% of 1177 = (40/100) × 1177 = 470.

id=69557 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:11 and the first is 280, what is the second? | option_a=209 | option_b=234 | option_c=220 | option_d=500 | answer=C | explanation=Scale factor = 280/14 = 20. Therefore second quantity = 11×20 = 220.

id=69558 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=10 | option_b=11 | option_c=12 | option_d=8 | answer=A | explanation=The common difference is 2. Therefore the next term is 8 + 2 = 10.

id=69559 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28786 at 8% per annum for 4 years. | option_a=9311 | option_b=9211 | option_c=37997 | option_d=9111 | answer=B | explanation=SI = PRT/100 = 28786×8×4/100 = **■**9211.

id=69560 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22771 at 12% per annum for 4 years. | option_a=10930 | option_b=33701 | option_c=10830 | option_d=11030 | answer=A | explanation=SI = PRT/100 = 22771×12×4/100 = **■**10930.

id=69561 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1643. If it is sold at a profit of 10%, what is its selling price? | option_a=1643 | option_b=1807 | option_c=1653 | option_d=1971 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1643 × 110/100 = **■**1807.

id=69562 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=69563 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3496. If it is sold at a profit of 30%, what is its selling price? | option_a=4544 | option_b=3526 | option_c=4893 | option_d=4195 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3496 × 130/100 = **■**4544.

id=69564 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=I | option_b=N | option_c=Y | option_d=D | answer=A | explanation=Move 5 positions forward from D; the resulting letter is I.

id=69565 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=47 | option_b=38 | option_c=48 | option_d=56 | answer=A | explanation=The common difference is 9. Therefore the next term is 38 + 9 = 47.

id=69566 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=G | option_b=L | option_c=V | option_d=Q | answer=D | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=69567 | topic=Averages | difficulty=Easy | question=Find the average of 62, 73, 42, 27. | option_a=51 | option_b=50 | option_c=52 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 204 ÷ 4 = 51.

id=69568 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=61 | option_b=49 | option_c=60 | option_d=71 | answer=C | explanation=The common difference is 11. Therefore the next term is 49 + 11 = 60.

id=69569 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=31 | option_b=47 | option_c=40 | option_d=39 | answer=D | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

id=69570 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4229. If it is sold at a profit of 20%, what is its selling price? | option_a=5074 | option_b=4652 | option_c=4249 | option_d=5496 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4229 × 120/100 = **■**5074.

Aptitude Questions — Records 69,571-69,600 of 100,000

id=69571 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 30. | option_a=390 | option_b=780 | option_c=360 | option_d=416 | answer=A | explanation=LCM × HCF = 26×30; HCF(26,30) = 2, so LCM = 390.

id=69572 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32539 at 15% per annum for 3 years. | option_a=14542 | option_b=14742 | option_c=47181 | option_d=14642 | answer=D | explanation=SI = PRT/100 = 32539×15×3/100 = **■**14642.

id=69573 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4952 at 10% per annum for 4 years. | option_a=1980 | option_b=2080 | option_c=6932 | option_d=1880 | answer=A | explanation=SI = PRT/100 = 4952×10×4/100 = **■**1980.

id=69574 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:5 and the first is 90, what is the second? | option_a=45 | option_b=120 | option_c=25 | option_d=30 | answer=D | explanation=Scale factor = 90/15 = 6. Therefore second quantity = 5×6 = 30.

id=69575 | topic=Percentages | difficulty=Easy | question=What is 15% of 939? | option_a=145 | option_b=140 | option_c=135 | option_d=280 | answer=B | explanation=15% of 939 = (15/100) × 939 = 140.

id=69576 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 39? | option_a=39 | option_b=30 | option_c=22 | option_d=14 | answer=A | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 39 is the odd one out.

id=69577 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24498 at 15% per annum for 3 years. | option_a=11024 | option_b=11124 | option_c=10924 | option_d=35522 | answer=A | explanation=SI = PRT/100 = 24498×15×3/100 = **■**11024.

id=69578 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=Z | option_b=U | option_c=P | option_d=E | answer=A | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=69579 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=100 | option_c=200 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=69580 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2302 at 6% per annum for 5 years. | option_a=2992 | option_b=790 | option_c=690 | option_d=590 | answer=C | explanation=SI = PRT/100 = 2302×6×5/100 = **■**690.

id=69581 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=51 | option_b=41 | option_c=61 | option_d=52 | answer=A | explanation=The common difference is 10. Therefore the next term is 41 + 10 = 51.

id=69582 | topic=Averages | difficulty=Easy | question=Find the average of 39, 15, 65, 29, 28, 28, 86, 47, 27, 86. | option_a=45 | option_b=44 | option_c=46 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 450 ÷ 10 = 45.

id=69583 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 38? | option_a=32 | option_b=26 | option_c=38 | option_d=29 | answer=C | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 38 is the odd one out.

id=69584 | topic=Percentages | difficulty=Easy | question=What is 10% of 1608? | option_a=150 | option_b=320 | option_c=170 | option_d=160 | answer=D | explanation=10% of 1608 = (10/100) × 1608 = 160.

id=69585 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 31, 34, 39? | option_a=31 | option_b=28 | option_c=39 | option_d=34 | answer=C | explanation=The first three numbers increase by 3, so the next should be 37. Therefore 39 is the odd one out.

id=69586 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=20 | option_b=21 | option_c=19 | option_d=17 | answer=C | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=69587 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=15 | option_b=19 | option_c=18 | option_d=21 | answer=C | explanation=The common difference is 3. Therefore the next term is 15 + 3 = 18.

id=69588 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=46 | option_b=55 | option_c=37 | option_d=47 | answer=A | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=69589 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32053 at 5% per annum for 2 years. | option_a=3205 | option_b=3305 | option_c=3105 | option_d=35258 | answer=A | explanation=SI = PRT/100 = 32053×5×2/100 = **■**3205.

id=69590 | topic=Percentages | difficulty=Easy | question=What is 15% of 1124? | option_a=168 | option_b=148 | option_c=336 | option_d=178 | answer=A | explanation=15% of 1124 = (15/100) × 1124 = 168.

id=69591 | topic=Averages | difficulty=Easy | question=Find the average of 96, 40, 52, 52, 80. | option_a=66 | option_b=65 | option_c=63 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 320 ÷ 5 = 64.

id=69592 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 44? | option_a=18 | option_b=44 | option_c=34 | option_d=26 | answer=B | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 44 is the odd one out.

id=69593 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21330 at 6% per annum for 5 years. | option_a=6499 | option_b=27729 | option_c=6399 | option_d=6299 | answer=C | explanation=SI = PRT/100 = 21330×6×5/100 = **■**6399.

id=69594 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 13, 16, 20? | option_a=16 | option_b=13 | option_c=10 | option_d=20 | answer=D | explanation=The first three numbers increase by 3, so the next should be 19. Therefore 20 is the odd one out.

id=69595 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=28 | option_b=32 | option_c=36 | option_d=33 | answer=B | explanation=The common difference is 4. Therefore the next term is 28 + 4 = 32.

id=69596 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 32, 36, 42? | option_a=42 | option_b=28 | option_c=36 | option_d=32 | answer=A | explanation=The first three numbers increase by 4, so the next should be 40. Therefore 42 is the odd one out.

id=69597 | topic=Averages | difficulty=Easy | question=Find the average of 63, 84, 92, 13. | option_a=64 | option_b=62 | option_c=63 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = 252 ÷ 4 = 63.

id=69598 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32367 at 4% per annum for 1 years. | option_a=1294 | option_b=33661 | option_c=1394 | option_d=1194 | answer=A | explanation=SI = PRT/100 = 32367×4×1/100 = **■**1294.

id=69599 | topic=Averages | difficulty=Easy | question=Find the average of 61, 29, 57, 73, 67, 37. | option_a=54 | option_b=56 | option_c=55 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 324 ÷ 6 = 54.

id=69600 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

Aptitude Questions — Records 69,601-69,630 of 100,000

id=69601 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1206. If it is sold at a profit of 30%, what is its selling price? | option_a=1447 | option_b=1687 | option_c=1236 | option_d=1567 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1206 \times 130/100 = \text{█}1567$.

id=69602 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:4 and the first is 32, what is the second? | option_a=24 | option_b=8 | option_c=40 | option_d=4 | answer=B | explanation=Scale factor = $32/16 = 2$. Therefore second quantity = $4 \times 2 = 8$.

id=69603 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=5 | option_d=7 | answer=A | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=69604 | topic=Averages | difficulty=Easy | question=Find the average of 70, 52, 33, 85, 43, 68, 96, 84, 68, 31. | option_a=64 | option_b=63 | option_c=65 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = $630 \div 10 = 63$.

id=69605 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=61 | option_b=49 | option_c=73 | option_d=62 | answer=A | explanation=The common difference is 12. Therefore the next term is $49 + 12 = 61$.

id=69606 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 14, 18, 24? | option_a=18 | option_b=24 | option_c=14 | option_d=10 | answer=B | explanation=The first three numbers increase by 4, so the next should be 22. Therefore 24 is the odd one out.

id=69607 | topic=Averages | difficulty=Easy | question=Find the average of 96, 43, 47. | option_a=64 | option_b=62 | option_c=63 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = $186 \div 3 = 62$.

id=69608 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=69609 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=69610 | topic=Percentages | difficulty=Easy | question=What is 10% of 927? | option_a=184 | option_b=72 | option_c=97 | option_d=92 | answer=D | explanation=10% of 927 = $(10/100) \times 927 = 92$.

id=69611 | topic=Percentages | difficulty=Easy | question=What is 25% of 507? | option_a=252 | option_b=126 | option_c=106 | option_d=131 | answer=B | explanation=25% of 507 = $(25/100) \times 507 = 126$.

id=69612 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=S | option_c=I | option_d=X | answer=B | explanation=Move 5 positions forward from N; the resulting letter is S.

id=69613 | topic=Percentages | difficulty=Easy | question=What is 30% of 976? | option_a=287 | option_b=292 | option_c=297 | option_d=584 | answer=B | explanation=30% of 976 = $(30/100) \times 976 = 292$.

id=69614 | topic=Averages | difficulty=Easy | question=Find the average of 41, 38, 55, 10, 96. | option_a=50 | option_b=47 | option_c=49 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = $240 \div 5 = 48$.

id=69615 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=69616 | topic=Percentages | difficulty=Easy | question=What is 12% of 1355? | option_a=167 | option_b=162 | option_c=152 | option_d=324 | answer=B | explanation=12% of 1355 = $(12/100) \times 1355 = 162$.

id=69617 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $120 \div 4 = 30$ km/h.

id=69618 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=80 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = $240 \div 6 = 40$ km/h.

id=69619 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4161. If it is sold at a profit of 50%, what is its selling price? | option_a=4211 | option_b=6241 | option_c=6657 | option_d=5825 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4161 \times 150/100 = \text{█}6241$.

id=69620 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1398. If it is sold at a profit of 10%, what is its selling price? | option_a=1408 | option_b=1676 | option_c=1537 | option_d=1398 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1398 \times 110/100 = \text{█}1537$.

id=69621 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=M | option_c=G | option_d=I | answer=A | explanation=Move 2 positions forward from I; the resulting letter is K.

id=69622 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 8, 12, 17? | option_a=8 | option_b=4 | option_c=12 | option_d=17 | answer=D | explanation=The first three numbers increase by 4, so the next should be 16. Therefore 17 is the odd one out.

id=69623 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 31, 34, 39? | option_a=31 | option_b=34 | option_c=28 | option_d=39 | answer=D | explanation=The first three numbers increase by 3, so the next should be 37. Therefore 39 is the odd one out.

id=69624 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=15 | option_c=40 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = $120 \div 6 = 20$ km/h.

id=69625 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=150 | option_c=80 | option_d=70 | answer=A | explanation=Speed = distance ÷ time = $150 \div 2 = 75$ km/h.

id=69626 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=F | option_c=X | option_d=J | answer=B | explanation=Move 4 positions forward from B; the resulting letter is F.

id=69627 | topic=Averages | difficulty=Easy | question=Find the average of 24, 61, 37, 50, 77, 49, 80. | option_a=53 | option_b=56 | option_c=55 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = $378 \div 7 = 54$.

id=69628 | topic=Percentages | difficulty=Easy | question=What is 30% of 1903? | option_a=590 | option_b=570 | option_c=560 | option_d=1140 | answer=B | explanation=30% of 1903 = $(30/100) \times 1903 = 570$.

id=69629 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45879 at 12% per annum for 1 years. | option_a=5605 | option_b=5405 | option_c=5505 | option_d=51384 | answer=C | explanation=SI = $PRT/100 = 45879 \times 12 \times 1/100 = \text{█}5505$.

id=69630 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:18 and the first is 80, what is the second? | option_a=154 | option_b=144 | option_c=224 | option_d=126 | answer=B | explanation=Scale factor = $80/10 = 8$. Therefore second quantity = $18 \times 8 = 144$.

Aptitude Questions — Records 69,631-69,660 of 100,000

id=69631 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=69632 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=69633 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■29728 at 8% per annum for 3 years. | option_a=7134 | option_b=7234 | option_c=7034 | option_d=36862 | answer=A | explanation=SI = PRT/100 = 29728×8×3/100 = ■7134.

id=69634 | topic=Percentages | difficulty=Easy | question=What is 20% of 1657? | option_a=336 | option_b=662 | option_c=311 | option_d=331 | answer=D | explanation=20% of 1657 = (20/100) × 1657 = 331.

id=69635 | topic=Percentages | difficulty=Easy | question=What is 5% of 1539? | option_a=86 | option_b=76 | option_c=152 | option_d=56 | answer=B | explanation=5% of 1539 = (5/100) × 1539 = 76.

id=69636 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=69637 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:12 and the first is 126, what is the second? | option_a=156 | option_b=168 | option_c=294 | option_d=177 | answer=B | explanation=Scale factor = 126/9 = 14. Therefore second quantity = 12×14 = 168.

id=69638 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=O | option_c=C | option_d=K | answer=D | explanation=Move 4 positions forward from G; the resulting letter is K.

id=69639 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=69640 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=44 | option_b=34 | option_c=52 | option_d=43 | answer=D | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

id=69641 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=43 | option_b=52 | option_c=42 | option_d=32 | answer=C | explanation=The common difference is 10. Therefore the next term is 32 + 10 = 42.

id=69642 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 33? | option_a=13 | option_b=4 | option_c=33 | option_d=22 | answer=C | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 33 is the odd one out.

id=69643 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:7 and the first is 28, what is the second? | option_a=100 | option_b=126 | option_c=98 | option_d=91 | answer=C | explanation=Scale factor = 28/2 = 14. Therefore second quantity = 7×14 = 98.

id=69644 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=69645 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=66 | option_b=42 | option_c=54 | option_d=55 | answer=C | explanation=The common difference is 12. Therefore the next term is 42 + 12 = 54.

id=69646 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=69647 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=69648 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■9942 at 4% per annum for 5 years. | option_a=1888 | option_b=1988 | option_c=11930 | option_d=2088 | answer=B | explanation=SI = PRT/100 = 9942×4×5/100 = ■1988.

id=69649 | topic=Percentages | difficulty=Easy | question=What is 5% of 395? | option_a=38 | option_b=19 | option_c=0 | option_d=39 | answer=B | explanation=5% of 395 = (5/100) × 395 = 19.

id=69650 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=69651 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 45? | option_a=45 | option_b=37 | option_c=23 | option_d=30 | answer=A | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 45 is the odd one out.

id=69652 | topic=Percentages | difficulty=Easy | question=What is 10% of 507? | option_a=50 | option_b=100 | option_c=45 | option_d=60 | answer=A | explanation=10% of 507 = (10/100) × 507 = 50.

id=69653 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:9 and the first is 12, what is the second? | option_a=18 | option_b=30 | option_c=9 | option_d=24 | answer=A | explanation=Scale factor = 12/6 = 2. Therefore second quantity = 9×2 = 18.

id=69654 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:1 and the first is 18, what is the second? | option_a=11 | option_b=9 | option_c=27 | option_d=8 | answer=B | explanation=Scale factor = 18/2 = 9. Therefore second quantity = 1×9 = 9.

id=69655 | topic=Averages | difficulty=Easy | question=Find the average of 86, 62, 45, 49, 18. | option_a=52 | option_b=53 | option_c=54 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 260 ÷ 5 = 52.

id=69656 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=69657 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 23? | option_a=23 | option_b=14 | option_c=2 | option_d=8 | answer=A | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 23 is the odd one out.

id=69658 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 25, 34, 44? | option_a=25 | option_b=34 | option_c=44 | option_d=16 | answer=C | explanation=The first three numbers increase by 9, so the next should be 43. Therefore 44 is the odd one out.

id=69659 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:20 and the first is 76, what is the second? | option_a=456 | option_b=384 | option_c=380 | option_d=360 | answer=C | explanation=Scale factor = 76/4 = 19. Therefore second quantity = 20×19 = 380.

id=69660 | topic=Percentages | difficulty=Easy | question=What is 12% of 158? | option_a=36 | option_b=38 | option_c=18 | option_d=8 | answer=C | explanation=12% of 158 = (12/100) × 158 = 18.

Aptitude Questions — Records 69,661-69,690 of 100,000

id=69661 | topic=Averages | difficulty=Easy | question=Find the average of 51, 65, 61, 37, 31, 49. | option_a=50 | option_b=51 | option_c=48 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 294 ÷ 6 = 49.

id=69662 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4787. If it is sold at a profit of 10%, what is its selling price? | option_a=5265 | option_b=4787 | option_c=5743 | option_d=4797 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4787 × 110/100 = █5265.

id=69663 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 14, 16, 20? | option_a=16 | option_b=14 | option_c=12 | option_d=20 | answer=D | explanation=The first three numbers increase by 2, so the next should be 18. Therefore 20 is the odd one out.

id=69664 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:9 and the first is 168, what is the second? | option_a=294 | option_b=117 | option_c=138 | option_d=126 | answer=D | explanation=Scale factor = 168/12 = 14. Therefore second quantity = 9×14 = 126.

id=69665 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=35 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=69666 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=69667 | topic=Averages | difficulty=Easy | question=Find the average of 22, 88, 50, 13, 85, 96. | option_a=58 | option_b=61 | option_c=59 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.

id=69668 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:6 and the first is 64, what is the second? | option_a=160 | option_b=90 | option_c=96 | option_d=100 | answer=C | explanation=Scale factor = 64/4 = 16. Therefore second quantity = 6×16 = 96.

id=69669 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=T | option_c=E | option_d=O | answer=D | explanation=Move 5 positions forward from J; the resulting letter is O.

id=69670 | topic=Percentages | difficulty=Easy | question=What is 12% of 1632? | option_a=390 | option_b=195 | option_c=190 | option_d=215 | answer=B | explanation=12% of 1632 = (12/100) × 1632 = 195.

id=69671 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=69672 | topic=Percentages | difficulty=Easy | question=What is 5% of 1924? | option_a=192 | option_b=86 | option_c=101 | option_d=96 | answer=D | explanation=5% of 1924 = (5/100) × 1924 = 96.

id=69673 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 25, 27, 31? | option_a=23 | option_b=27 | option_c=25 | option_d=31 | answer=D | explanation=The first three numbers increase by 2, so the next should be 29. Therefore 31 is the odd one out.

id=69674 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 28, 33, 41? | option_a=23 | option_b=28 | option_c=33 | option_d=41 | answer=D | explanation=The first three numbers increase by 5, so the next should be 38. Therefore 41 is the odd one out.

id=69675 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=31 | option_b=37 | option_c=36 | option_d=41 | answer=C | explanation=The common difference is 5. Therefore the next term is 31 + 5 = 36.

id=69676 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=7 | option_c=12 | option_d=17 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=69677 | topic=Percentages | difficulty=Easy | question=What is 10% of 277? | option_a=17 | option_b=27 | option_c=37 | option_d=54 | answer=B | explanation=10% of 277 = (10/100) × 277 = 27.

id=69678 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 38? | option_a=26 | option_b=31 | option_c=21 | option_d=38 | answer=D | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 38 is the odd one out.

id=69679 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 16, 19, 25? | option_a=25 | option_b=16 | option_c=13 | option_d=19 | answer=A | explanation=The first three numbers increase by 3, so the next should be 22. Therefore 25 is the odd one out.

id=69680 | topic=Averages | difficulty=Easy | question=Find the average of 24, 54, 54. | option_a=46 | option_b=43 | option_c=44 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = 132 ÷ 3 = 44.

id=69681 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:9 and the first is 96, what is the second? | option_a=168 | option_b=72 | option_c=63 | option_d=84 | answer=B | explanation=Scale factor = 96/12 = 8. Therefore second quantity = 9×8 = 72.

id=69682 | topic=Averages | difficulty=Easy | question=Find the average of 13, 17, 71, 79. | option_a=46 | option_b=47 | option_c=44 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 180 ÷ 4 = 45.

id=69683 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 48? | option_a=37 | option_b=27 | option_c=48 | option_d=17 | answer=C | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 48 is the odd one out.

id=69684 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38583 at 10% per annum for 3 years. | option_a=11474 | option_b=11674 | option_c=50157 | option_d=11574 | answer=D | explanation=SI = PRT/100 = 38583×10×3/100 = █11574.

id=69685 | topic=Averages | difficulty=Easy | question=Find the average of 19, 37, 10, 90. | option_a=41 | option_b=39 | option_c=40 | option_d=38 | answer=B | explanation=Average = sum of values ÷ number of values = 156 ÷ 4 = 39.

id=69686 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25416 at 12% per annum for 2 years. | option_a=6099 | option_b=5999 | option_c=6199 | option_d=31515 | answer=A | explanation=SI = PRT/100 = 25416×12×2/100 = █6099.

id=69687 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 18. | option_a=1 | option_b=36 | option_c=18 | option_d=20 | answer=C | explanation=LCM × HCF = 2×18; HCF(2,18) = 2, so LCM = 18.

id=69688 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14341 at 8% per annum for 3 years. | option_a=17782 | option_b=3541 | option_c=3441 | option_d=3341 | answer=C | explanation=SI = PRT/100 = 14341×8×3/100 = █3441.

id=69689 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=69690 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24605 at 6% per annum for 4 years. | option_a=5905 | option_b=30510 | option_c=5805 | option_d=6005 | answer=A | explanation=SI = PRT/100 = 24605×6×4/100 = █5905.

Aptitude Questions — Records 69,691-69,720 of 100,000

id=69691 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=55 | option_c=100 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=69692 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=23 | option_b=31 | option_c=28 | option_d=27 | answer=D | explanation=The common difference is 4. Therefore the next term is 23 + 4 = 27.

id=69693 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:8 and the first is 144, what is the second? | option_a=88 | option_b=240 | option_c=108 | option_d=96 | answer=D | explanation=Scale factor = 144/12 = 12. Therefore second quantity = 8×12 = 96.

id=69694 | topic=Percentages | difficulty=Easy | question=What is 25% of 670? | option_a=172 | option_b=167 | option_c=334 | option_d=162 | answer=B | explanation=25% of 670 = (25/100) × 670 = 167.

id=69695 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=C | option_b=E | option_c=I | option_d=G | answer=D | explanation=Move 2 positions forward from E; the resulting letter is G.

id=69696 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=69697 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 26. | option_a=364 | option_b=392 | option_c=728 | option_d=338 | answer=A | explanation=LCM × HCF = 28×26; HCF(28,26) = 2, so LCM = 364.

id=69698 | topic=Percentages | difficulty=Easy | question=What is 10% of 1564? | option_a=312 | option_b=136 | option_c=156 | option_d=161 | answer=C | explanation=10% of 1564 = (10/100) × 1564 = 156.

id=69699 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 27. | option_a=1 | option_b=30 | option_c=27 | option_d=81 | answer=C | explanation=LCM × HCF = 3×27; HCF(3,27) = 3, so LCM = 27.

id=69700 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=24 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=69701 | topic=Percentages | difficulty=Easy | question=What is 15% of 374? | option_a=56 | option_b=46 | option_c=61 | option_d=112 | answer=A | explanation=15% of 374 = (15/100) × 374 = 56.

id=69702 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=M | option_b=K | option_c=L | option_d=N | answer=A | explanation=Move 1 positions forward from L; the resulting letter is M.

id=69703 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=69704 | topic=Percentages | difficulty=Easy | question=What is 40% of 1610? | option_a=1288 | option_b=634 | option_c=654 | option_d=644 | answer=D | explanation=40% of 1610 = (40/100) × 1610 = 644.

id=69705 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=A | option_c=S | option_d=O | answer=A | explanation=Move 4 positions forward from S; the resulting letter is W.

id=69706 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=28 | option_b=27 | option_c=30 | option_d=24 | answer=B | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=69707 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=69708 | topic=Profit & Loss | difficulty=Easy | question=An article costs █640. If it is sold at a profit of 40%, what is its selling price? | option_a=832 | option_b=896 | option_c=960 | option_d=680 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 640 × 140/100 = █896.

id=69709 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=69710 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=D | option_c=E | option_d=C | answer=C | explanation=Move 1 positions forward from D; the resulting letter is E.

id=69711 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=69712 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=40 | option_b=62 | option_c=51 | option_d=52 | answer=C | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=69713 | topic=Percentages | difficulty=Easy | question=What is 10% of 185? | option_a=18 | option_b=38 | option_c=36 | option_d=0 | answer=A | explanation=10% of 185 = (10/100) × 185 = 18.

id=69714 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:15 and the first is 16, what is the second? | option_a=46 | option_b=30 | option_c=38 | option_d=15 | answer=B | explanation=Scale factor = 16/8 = 2. Therefore second quantity = 15×2 = 30.

id=69715 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=69716 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=41 | option_c=31 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=69717 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 37? | option_a=32 | option_b=37 | option_c=34 | option_d=30 | answer=B | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 37 is the odd one out.

id=69718 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=26 | option_b=28 | option_c=29 | option_d=30 | answer=B | explanation=The common difference is 2. Therefore the next term is 26 + 2 = 28.

id=69719 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:9 and the first is 33, what is the second? | option_a=102 | option_b=90 | option_c=132 | option_d=99 | answer=D | explanation=Scale factor = 33/3 = 11. Therefore second quantity = 9×11 = 99.

id=69720 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3701. If it is sold at a profit of 50%, what is its selling price? | option_a=5921 | option_b=5551 | option_c=3751 | option_d=5181 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3701 × 150/100 = █5551.

Aptitude Questions — Records 69,721-69,750 of 100,000

id=69721 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4906. If it is sold at a profit of 30%, what is its selling price? | option_a=5887 | option_b=6377 | option_c=4936 | option_d=6867 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4906 \times 130/100 = \text{■}6377$.

id=69722 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 23? | option_a=23 | option_b=15 | option_c=3 | option_d=9 | answer=A | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 23 is the odd one out.

id=69723 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=27 | option_b=43 | option_c=35 | option_d=36 | answer=C | explanation=The common difference is 8. Therefore the next term is $27 + 8 = 35$.

id=69724 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:7 and the first is 60, what is the second? | option_a=41 | option_b=14 | option_c=21 | option_d=81 | answer=C | explanation=Scale factor = $60/20 = 3$. Therefore second quantity = $7 \times 3 = 21$.

id=69725 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 300 \div 10 = 30 \text{ km/h}$.

id=69726 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=T | option_c=H | option_d=L | answer=A | explanation=Move 4 positions forward from L; the resulting letter is P.

id=69727 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=80 | option_d=35 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 120 \div 3 = 40 \text{ km/h}$.

id=69728 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1006. If it is sold at a profit of 20%, what is its selling price? | option_a=1207 | option_b=1107 | option_c=1307 | option_d=1026 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1006 \times 120/100 = \text{■}1207$.

id=69729 | topic=Percentages | difficulty=Easy | question=What is 5% of 525? | option_a=36 | option_b=6 | option_c=52 | option_d=26 | answer=D | explanation=5% of 525 = $(5/100) \times 525 = 26$.

id=69730 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 51? | option_a=23 | option_b=51 | option_c=41 | option_d=32 | answer=B | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 51 is the odd one out.

id=69731 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=20 | option_d=6 | answer=B | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=69732 | topic=Percentages | difficulty=Easy | question=What is 30% of 340? | option_a=82 | option_b=102 | option_c=112 | option_d=204 | answer=B | explanation=30% of 340 = $(30/100) \times 340 = 102$.

id=69733 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17856 at 10% per annum for 1 years. | option_a=1685 | option_b=19641 | option_c=1885 | option_d=1785 | answer=D | explanation=SI = $PRT/100 = 17856 \times 10 \times 1/100 = \text{■}1785$.

id=69734 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=L | option_b=H | option_c=J | option_d=N | answer=A | explanation=Move 2 positions forward from J; the resulting letter is L.

id=69735 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=69736 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=50 | option_b=40 | option_c=49 | option_d=58 | answer=C | explanation=The common difference is 9. Therefore the next term is $40 + 9 = 49$.

id=69737 | topic=Percentages | difficulty=Easy | question=What is 12% of 656? | option_a=156 | option_b=98 | option_c=68 | option_d=78 | answer=D | explanation=12% of 656 = $(12/100) \times 656 = 78$.

id=69738 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 28, 38, 48, ? | option_a=68 | option_b=48 | option_c=58 | option_d=59 | answer=C | explanation=The common difference is 10. Therefore the next term is $48 + 10 = 58$.

id=69739 | topic=Averages | difficulty=Easy | question=Find the average of 99, 90, 47, 35, 15, 30, 27. | option_a=48 | option_b=51 | option_c=49 | option_d=50 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 343 \div 7 = 49$.

id=69740 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1517. If it is sold at a profit of 30%, what is its selling price? | option_a=2123 | option_b=1547 | option_c=1821 | option_d=1972 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1517 \times 130/100 = \text{■}1972$.

id=69741 | topic=Averages | difficulty=Easy | question=Find the average of 85, 32, 69, 16, 99, 71. | option_a=63 | option_b=61 | option_c=62 | option_d=64 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 372 \div 6 = 62$.

id=69742 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:19 and the first is 114, what is the second? | option_a=114 | option_b=228 | option_c=95 | option_d=133 | answer=A | explanation=Scale factor = $114/19 = 6$. Therefore second quantity = $19 \times 6 = 114$.

id=69743 | topic=Averages | difficulty=Easy | question=Find the average of 27, 89, 29, 80, 79, 26. | option_a=57 | option_b=54 | option_c=55 | option_d=56 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 330 \div 6 = 55$.

id=69744 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1786. If it is sold at a profit of 25%, what is its selling price? | option_a=2232 | option_b=1811 | option_c=2054 | option_d=2410 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1786 \times 125/100 = \text{■}2232$.

id=69745 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:2 and the first is 60, what is the second? | option_a=23 | option_b=6 | option_c=8 | option_d=68 | answer=C | explanation=Scale factor = $60/15 = 4$. Therefore second quantity = $2 \times 4 = 8$.

id=69746 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3596. If it is sold at a profit of 20%, what is its selling price? | option_a=4674 | option_b=3956 | option_c=3616 | option_d=4315 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3596 \times 120/100 = \text{■}4315$.

id=69747 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:1 and the first is 39, what is the second? | option_a=52 | option_b=13 | option_c=16 | option_d=12 | answer=B | explanation=Scale factor = $39/3 = 13$. Therefore second quantity = $1 \times 13 = 13$.

id=69748 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=B | option_b=K | option_c=E | option_d=H | answer=D | explanation=Move 3 positions forward from E; the resulting letter is H.

id=69749 | topic=Averages | difficulty=Easy | question=Find the average of 46, 77, 29, 87, 58, 51, 90, 63, 44, 85. | option_a=62 | option_b=64 | option_c=65 | option_d=63 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 630 \div 10 = 63$.

id=69750 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=72 | option_c=77 | option_d=144 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 360 \div 5 = 72 \text{ km/h}$.

Aptitude Questions — Records 69,751-69,780 of 100,000

id=69751 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:3 and the first is 256, what is the second? | option_a=45 | option_b=64 | option_c=48 | option_d=304 | answer=C | explanation=Scale factor = $256/16 = 16$. Therefore second quantity = $3 \times 16 = 48$.

id=69752 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 22. | option_a=22 | option_b=44 | option_c=1 | option_d=24 | answer=A | explanation= $LCM \times HCF = 2 \times 22$; $HCF(2,22) = 2$, so $LCM = 22$.

id=69753 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12646 at 12% per annum for 1 years. | option_a=1617 | option_b=14163 | option_c=1417 | option_d=1517 | answer=D | explanation= $SI = PRT/100 = 12646 \times 12 \times 1/100 = \text{■}1517$.

id=69754 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:20 and the first is 160, what is the second? | option_a=180 | option_b=200 | option_c=216 | option_d=360 | answer=B | explanation=Scale factor = $160/16 = 10$. Therefore second quantity = $20 \times 10 = 200$.

id=69755 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=69756 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=69757 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=180 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = $360 \div 4 = 90$ km/h.

id=69758 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=M | option_c=Y | option_d=Q | answer=A | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=69759 | topic=Percentages | difficulty=Easy | question=What is 25% of 1339? | option_a=344 | option_b=334 | option_c=314 | option_d=668 | answer=B | explanation=25% of 1339 = $(25/100) \times 1339 = 334$.

id=69760 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44632 at 6% per annum for 2 years. | option_a=5455 | option_b=49987 | option_c=5255 | option_d=5355 | answer=D | explanation= $SI = PRT/100 = 44632 \times 6 \times 2/100 = \text{■}5355$.

id=69761 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 33? | option_a=22 | option_b=12 | option_c=2 | option_d=33 | answer=D | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 33 is the odd one out.

id=69762 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2140 at 15% per annum for 5 years. | option_a=1505 | option_b=3745 | option_c=1705 | option_d=1605 | answer=D | explanation= $SI = PRT/100 = 2140 \times 15 \times 5/100 = \text{■}1605$.

id=69763 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40755 at 12% per annum for 4 years. | option_a=19662 | option_b=19462 | option_c=60317 | option_d=19562 | answer=D | explanation= $SI = PRT/100 = 40755 \times 12 \times 4/100 = \text{■}19562$.

id=69764 | topic=Averages | difficulty=Easy | question=Find the average of 81, 98, 62, 89, 69, 94, 24, 27, 95. | option_a=71 | option_b=72 | option_c=73 | option_d=70 | answer=A | explanation=Average = sum of values ÷ number of values = $639 \div 9 = 71$.

id=69765 | topic=Percentages | difficulty=Easy | question=What is 15% of 385? | option_a=47 | option_b=114 | option_c=77 | option_d=57 | answer=D | explanation=15% of 385 = $(15/100) \times 385 = 57$.

id=69766 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 18. | option_a=280 | option_b=234 | option_c=504 | option_d=252 | answer=D | explanation= $LCM \times HCF = 28 \times 18$; $HCF(28,18) = 2$, so $LCM = 252$.

id=69767 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 13, 18, 23, ? | option_a=29 | option_b=28 | option_c=33 | option_d=23 | answer=B | explanation=The common difference is 5. Therefore the next term is $23 + 5 = 28$.

id=69768 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=Q | option_b=P | option_c=R | option_d=O | answer=A | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=69769 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=95 | option_c=85 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = $180 \div 2 = 90$ km/h.

id=69770 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=W | option_b=B | option_c=R | option_d=M | answer=A | explanation=Move 5 positions forward from R; the resulting letter is W.

id=69771 | topic=Averages | difficulty=Easy | question=Find the average of 84, 38, 10, 62, 89, 23. | option_a=50 | option_b=51 | option_c=52 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = $306 \div 6 = 51$.

id=69772 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=T | option_b=N | option_c=Q | option_d=K | answer=C | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=69773 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $120 \div 4 = 30$ km/h.

id=69774 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40676 at 10% per annum for 5 years. | option_a=20238 | option_b=20338 | option_c=61014 | option_d=20438 | answer=B | explanation= $SI = PRT/100 = 40676 \times 10 \times 5/100 = \text{■}20338$.

id=69775 | topic=Percentages | difficulty=Easy | question=What is 40% of 1464? | option_a=580 | option_b=1170 | option_c=590 | option_d=585 | answer=D | explanation=40% of 1464 = $(40/100) \times 1464 = 585$.

id=69776 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 24. | option_a=96 | option_b=120 | option_c=480 | option_d=140 | answer=B | explanation= $LCM \times HCF = 20 \times 24$; $HCF(20,24) = 4$, so $LCM = 120$.

id=69777 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=N | option_b=X | option_c=C | option_d=S | answer=B | explanation=Move 5 positions forward from S; the resulting letter is X.

id=69778 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 54? | option_a=29 | option_b=37 | option_c=45 | option_d=54 | answer=D | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 54 is the odd one out.

id=69779 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4599. If it is sold at a profit of 50%, what is its selling price? | option_a=6898 | option_b=4649 | option_c=7357 | option_d=6439 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4599 \times 150/100 = \text{■}6898$.

id=69780 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

Aptitude Questions — Records 69,781-69,810 of 100,000

id=69781 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:1 and the first is 247, what is the second? | option_a=32 | option_b=13 | option_c=260 | option_d=12 | answer=B | explanation=Scale factor = 247/19 = 13. Therefore second quantity = 1×13 = 13.

id=69782 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=69783 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1178. If it is sold at a profit of 25%, what is its selling price? | option_a=1355 | option_b=1203 | option_c=1589 | option_d=1472 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1178 × 125/100 = █1472.

id=69784 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:17 and the first is 152, what is the second? | option_a=288 | option_b=155 | option_c=136 | option_d=119 | answer=C | explanation=Scale factor = 152/19 = 8. Therefore second quantity = 17×8 = 136.

id=69785 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:14 and the first is 16, what is the second? | option_a=128 | option_b=114 | option_c=98 | option_d=112 | answer=D | explanation=Scale factor = 16/2 = 8. Therefore second quantity = 14×8 = 112.

id=69786 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=Z | option_b=C | option_c=I | option_d=F | answer=D | explanation=Move 3 positions forward from C; the resulting letter is F.

id=69787 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34872 at 12% per annum for 2 years. | option_a=8269 | option_b=43241 | option_c=8369 | option_d=8469 | answer=C | explanation=SI = PRT/100 = 34872×12×2/100 = █8369.

id=69788 | topic=Percentages | difficulty=Easy | question=What is 20% of 1053? | option_a=210 | option_b=205 | option_c=420 | option_d=220 | answer=A | explanation=20% of 1053 = (20/100) × 1053 = 210.

id=69789 | topic=Averages | difficulty=Easy | question=Find the average of 84, 28, 89, 85, 14. | option_a=62 | option_b=61 | option_c=60 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 300 ÷ 5 = 60.

id=69790 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=47 | option_b=29 | option_c=38 | option_d=39 | answer=C | explanation=The common difference is 9. Therefore the next term is 29 + 9 = 38.

id=69791 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=55 | option_b=65 | option_c=56 | option_d=45 | answer=A | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.

id=69792 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44381 at 12% per annum for 2 years. | option_a=10751 | option_b=55032 | option_c=10651 | option_d=10551 | answer=C | explanation=SI = PRT/100 = 44381×12×2/100 = █10651.

id=69793 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=31 | option_b=26 | option_c=36 | option_d=32 | answer=A | explanation=The common difference is 5. Therefore the next term is 26 + 5 = 31.

id=69794 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=S | option_b=R | option_c=T | option_d=Q | answer=A | explanation=Move 1 positions forward from R; the resulting letter is S.

id=69795 | topic=Percentages | difficulty=Easy | question=What is 30% of 343? | option_a=112 | option_b=102 | option_c=204 | option_d=97 | answer=B | explanation=30% of 343 = (30/100) × 343 = 102.

id=69796 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=69797 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=69798 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=43 | option_b=44 | option_c=51 | option_d=35 | answer=A | explanation=The common difference is 8. Therefore the next term is 35 + 8 = 43.

id=69799 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=69800 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12679 at 4% per annum for 2 years. | option_a=1114 | option_b=1014 | option_c=13693 | option_d=914 | answer=B | explanation=SI = PRT/100 = 12679×4×2/100 = █1014.

id=69801 | topic=Averages | difficulty=Easy | question=Find the average of 96, 18, 52, 27, 20, 45. | option_a=42 | option_b=43 | option_c=44 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = 258 ÷ 6 = 43.

id=69802 | topic=Averages | difficulty=Easy | question=Find the average of 92, 100, 27. | option_a=74 | option_b=75 | option_c=73 | option_d=72 | answer=C | explanation=Average = sum of values ÷ number of values = 219 ÷ 3 = 73.

id=69803 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=69804 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=22 | option_b=19 | option_c=23 | option_d=25 | answer=A | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.

id=69805 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=69806 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 20? | option_a=12 | option_b=9 | option_c=20 | option_d=15 | answer=C | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 20 is the odd one out.

id=69807 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=69808 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=K | option_b=N | option_c=Q | option_d=T | answer=C | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=69809 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=36 | option_b=31 | option_c=72 | option_d=41 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=69810 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=12 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

Aptitude Questions — Records 69,811-69,840 of 100,000

id=69811 | topic=Averages | difficulty=Easy | question=Find the average of 76, 57, 86, 60, 26, 74, 39, 79, 88. | option_a=66 | option_b=65 | option_c=67 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 585 ÷ 9 = 65.

id=69812 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:15 and the first is 96, what is the second? | option_a=276 | option_b=188 | option_c=165 | option_d=180 | answer=D | explanation=Scale factor = 96/8 = 12. Therefore second quantity = 15×12 = 180.

id=69813 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21841 at 8% per annum for 3 years. | option_a=27082 | option_b=5341 | option_c=5141 | option_d=5241 | answer=D | explanation=SI = PRT/100 = 21841×8×3/100 = **■**5241.

id=69814 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:14 and the first is 51, what is the second? | option_a=42 | option_b=59 | option_c=28 | option_d=93 | answer=A | explanation=Scale factor = 51/17 = 3. Therefore second quantity = 14×3 = 42.

id=69815 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=52 | option_b=42 | option_c=32 | option_d=43 | answer=B | explanation=The common difference is 10. Therefore the next term is 32 + 10 = 42.

id=69816 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:16 and the first is 180, what is the second? | option_a=420 | option_b=224 | option_c=252 | option_d=240 | answer=D | explanation=Scale factor = 180/12 = 15. Therefore second quantity = 16×15 = 240.

id=69817 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=69818 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1819. If it is sold at a profit of 10%, what is its selling price? | option_a=2000 | option_b=1819 | option_c=1829 | option_d=2181 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1819 × 110/100 = **■**2000.

id=69819 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25973 at 4% per annum for 5 years. | option_a=31167 | option_b=5294 | option_c=5094 | option_d=5194 | answer=D | explanation=SI = PRT/100 = 25973×4×5/100 = **■**5194.

id=69820 | topic=Averages | difficulty=Easy | question=Find the average of 44, 71, 20. | option_a=44 | option_b=45 | option_c=47 | option_d=46 | answer=B | explanation=Average = sum of values + number of values = 135 ÷ 3 = 45.

id=69821 | topic=Averages | difficulty=Easy | question=Find the average of 58, 68, 87. | option_a=70 | option_b=73 | option_c=71 | option_d=72 | answer=C | explanation=Average = sum of values ÷ number of values = 213 ÷ 3 = 71.

id=69822 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=69823 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=69824 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1884. If it is sold at a profit of 5%, what is its selling price? | option_a=1889 | option_b=2166 | option_c=1790 | option_d=1978 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1884 × 105/100 = **■**1978.

id=69825 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:1 and the first is 36, what is the second? | option_a=9 | option_b=13 | option_c=45 | option_d=8 | answer=A | explanation=Scale factor = 36/4 = 9. Therefore second quantity = 1×9 = 9.

id=69826 | topic=Averages | difficulty=Easy | question=Find the average of 77, 34, 84. | option_a=65 | option_b=66 | option_c=67 | option_d=64 | answer=A | explanation=Average = sum of values + number of values = 195 ÷ 3 = 65.

id=69827 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=O | option_b=U | option_c=Q | option_d=S | answer=D | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=69828 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=19 | option_b=23 | option_c=20 | option_d=15 | answer=A | explanation=The common difference is 4. Therefore the next term is 15 + 4 = 19.

id=69829 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46585 at 12% per annum for 2 years. | option_a=11280 | option_b=57765 | option_c=11080 | option_d=11180 | answer=D | explanation=SI = PRT/100 = 46585×12×2/100 = **■**11180.

id=69830 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=69831 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**304. If it is sold at a profit of 25%, what is its selling price? | option_a=380 | option_b=350 | option_c=329 | option_d=410 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 304 × 125/100 = **■**380.

id=69832 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3200. If it is sold at a profit of 20%, what is its selling price? | option_a=3520 | option_b=3220 | option_c=4160 | option_d=3840 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3200 × 120/100 = **■**3840.

id=69833 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=69834 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 22, 32, 44? | option_a=44 | option_b=32 | option_c=12 | option_d=22 | answer=A | explanation=The first three numbers increase by 10, so the next should be 42. Therefore 44 is the odd one out.

id=69835 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:7 and the first is 78, what is the second? | option_a=42 | option_b=35 | option_c=55 | option_d=120 | answer=A | explanation=Scale factor = 78/13 = 6. Therefore second quantity = 7×6 = 42.

id=69836 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 15, 20, 28? | option_a=28 | option_b=15 | option_c=10 | option_d=20 | answer=A | explanation=The first three numbers increase by 5, so the next should be 25. Therefore 28 is the odd one out.

id=69837 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27915 at 15% per annum for 5 years. | option_a=20936 | option_b=20836 | option_c=48851 | option_d=21036 | answer=A | explanation=SI = PRT/100 = 27915×15×5/100 = **■**20936.

id=69838 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 12, 15, 18, ? | option_a=24 | option_b=22 | option_c=21 | option_d=18 | answer=C | explanation=The common difference is 3. Therefore the next term is 18 + 3 = 21.

id=69839 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:6 and the first is 20, what is the second? | option_a=32 | option_b=6 | option_c=22 | option_d=12 | answer=D | explanation=Scale factor = 20/10 = 2. Therefore second quantity = 6×2 = 12.

id=69840 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:11 and the first is 16, what is the second? | option_a=192 | option_b=176 | option_c=177 | option_d=165 | answer=B | explanation=Scale factor = 16/1 = 16. Therefore second quantity = 11×16 = 176.

Aptitude Questions — Records 69,841-69,870 of 100,000

id=69841 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■44320 at 12% per annum for 2 years. | option_a=10636 | option_b=54956 | option_c=10536 | option_d=10736 | answer=A | explanation=SI = PRT/100 = 44320×12×2/100 = ■10636.

id=69842 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=35 | option_b=39 | option_c=36 | option_d=31 | answer=A | explanation=The common difference is 4. Therefore the next term is 31 + 4 = 35.

id=69843 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:13 and the first is 80, what is the second? | option_a=264 | option_b=340 | option_c=260 | option_d=247 | answer=C | explanation=Scale factor = 80/4 = 20. Therefore second quantity = 13×20 = 260.

id=69844 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 5, 8, 11, ? | option_a=17 | option_b=15 | option_c=14 | option_d=11 | answer=C | explanation=The common difference is 3. Therefore the next term is 11 + 3 = 14.

id=69845 | topic=Percentages | difficulty=Easy | question=What is 12% of 974? | option_a=106 | option_b=136 | option_c=232 | option_d=116 | answer=D | explanation=12% of 974 = (12/100) × 974 = 116.

id=69846 | topic=Averages | difficulty=Easy | question=Find the average of 45, 44, 64, 52, 52, 29, 85. | option_a=52 | option_b=54 | option_c=53 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 371 ÷ 7 = 53.

id=69847 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:5 and the first is 221, what is the second? | option_a=98 | option_b=80 | option_c=306 | option_d=85 | answer=D | explanation=Scale factor = 221/13 = 17. Therefore second quantity = 5×17 = 85.

id=69848 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 33? | option_a=29 | option_b=27 | option_c=33 | option_d=25 | answer=C | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 33 is the odd one out.

id=69849 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=L | option_c=W | option_d=G | answer=D | explanation=Move 5 positions forward from B; the resulting letter is G.

id=69850 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=C | option_c=A | option_d=D | answer=B | explanation=Move 1 positions forward from B; the resulting letter is C.

id=69851 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=69852 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=14 | option_b=15 | option_c=12 | option_d=16 | answer=A | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=69853 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=M | option_c=O | option_d=Q | answer=D | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=69854 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=34 | option_b=24 | option_c=29 | option_d=30 | answer=C | explanation=The common difference is 5. Therefore the next term is 24 + 5 = 29.

id=69855 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=F | option_c=H | option_d=J | answer=D | explanation=Move 2 positions forward from H; the resulting letter is J.

id=69856 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:17 and the first is 144, what is the second? | option_a=119 | option_b=154 | option_c=136 | option_d=280 | answer=C | explanation=Scale factor = 144/18 = 8. Therefore second quantity = 17×8 = 136.

id=69857 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=41 | option_c=36 | option_d=72 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=69858 | topic=Percentages | difficulty=Easy | question=What is 20% of 896? | option_a=174 | option_b=358 | option_c=179 | option_d=184 | answer=C | explanation=20% of 896 = (20/100) × 896 = 179.

id=69859 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 59? | option_a=29 | option_b=47 | option_c=38 | option_d=59 | answer=D | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 59 is the odd one out.

id=69860 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=33 | option_b=53 | option_c=43 | option_d=44 | answer=C | explanation=The common difference is 10. Therefore the next term is 33 + 10 = 43.

id=69861 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=69862 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=69863 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3051. If it is sold at a profit of 40%, what is its selling price? | option_a=3966 | option_b=3091 | option_c=4271 | option_d=4576 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3051 × 140/100 = ■4271.

id=69864 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=38 | option_b=33 | option_c=26 | option_d=32 | answer=D | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=69865 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1859. If it is sold at a profit of 10%, what is its selling price? | option_a=2044 | option_b=2229 | option_c=1859 | option_d=1869 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1859 × 110/100 = ■2044.

id=69866 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■615. If it is sold at a profit of 15%, what is its selling price? | option_a=646 | option_b=707 | option_c=630 | option_d=768 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 615 × 115/100 = ■707.

id=69867 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■32963 at 8% per annum for 2 years. | option_a=38237 | option_b=5274 | option_c=5374 | option_d=5174 | answer=B | explanation=SI = PRT/100 = 32963×8×2/100 = ■5274.

id=69868 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=4 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=69869 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:9 and the first is 210, what is the second? | option_a=126 | option_b=149 | option_c=345 | option_d=135 | answer=D | explanation=Scale factor = 210/14 = 15. Therefore second quantity = 9×15 = 135.

id=69870 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■36466 at 12% per annum for 5 years. | option_a=21779 | option_b=58345 | option_c=21879 | option_d=21979 | answer=C | explanation=SI = PRT/100 = 36466×12×5/100 = ■21879.

Aptitude Questions — Records 69,871-69,900 of 100,000

id=69871 | topic=Averages | difficulty=Easy | question=Find the average of 83, 89, 71, 56, 27, 87, 91. | option_a=74 | option_b=72 | option_c=73 | option_d=71 | answer=B | explanation=Average = sum of values ÷ number of values = 504 ÷ 7 = 72.

id=69872 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 28, 33, 39? | option_a=39 | option_b=23 | option_c=33 | option_d=28 | answer=A | explanation=The first three numbers increase by 5, so the next should be 38. Therefore 39 is the odd one out.

id=69873 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9147 at 8% per annum for 1 years. | option_a=9878 | option_b=731 | option_c=631 | option_d=831 | answer=B | explanation=SI = PRT/100 = 9147×8×1/100 = **■**731.

id=69874 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=O | option_c=G | option_d=S | answer=B | explanation=Move 4 positions forward from K; the resulting letter is O.

id=69875 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 36? | option_a=26 | option_b=12 | option_c=19 | option_d=36 | answer=D | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 36 is the odd one out.

id=69876 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4990. If it is sold at a profit of 5%, what is its selling price? | option_a=5239 | option_b=4740 | option_c=4995 | option_d=5738 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4990 × 105/100 = **■**5239.

id=69877 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:3 and the first is 78, what is the second? | option_a=31 | option_b=96 | option_c=18 | option_d=15 | answer=C | explanation=Scale factor = 78/13 = 6. Therefore second quantity = 3×6 = 18.

id=69878 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 30. | option_a=90 | option_b=60 | option_c=99 | option_d=270 | answer=A | explanation=LCM × HCF = 9×30; HCF(9,30) = 3, so LCM = 90.

id=69879 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 29? | option_a=22 | option_b=29 | option_c=24 | option_d=20 | answer=B | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 29 is the odd one out.

id=69880 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=E | option_b=H | option_c=N | option_d=K | answer=D | explanation=Move 3 positions forward from H; the resulting letter is K.

id=69881 | topic=Percentages | difficulty=Easy | question=What is 30% of 1534? | option_a=465 | option_b=440 | option_c=920 | option_d=460 | answer=D | explanation=30% of 1534 = (30/100) × 1534 = 460.

id=69882 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**734. If it is sold at a profit of 10%, what is its selling price? | option_a=744 | option_b=880 | option_c=807 | option_d=734 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 734 × 110/100 = **■**807.

id=69883 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=63 | option_b=64 | option_c=74 | option_d=52 | answer=A | explanation=The common difference is 11. Therefore the next term is 52 + 11 = 63.

id=69884 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=36 | option_b=31 | option_c=32 | option_d=26 | answer=B | explanation=The common difference is 5. Therefore the next term is 26 + 5 = 31.

id=69885 | topic=Averages | difficulty=Easy | question=Find the average of 33, 17, 69, 85. | option_a=50 | option_b=52 | option_c=51 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 204 ÷ 4 = 51.

id=69886 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=25 | option_b=32 | option_c=31 | option_d=37 | answer=C | explanation=The common difference is 6. Therefore the next term is 25 + 6 = 31.

id=69887 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:8 and the first is 110, what is the second? | option_a=80 | option_b=72 | option_c=190 | option_d=91 | answer=A | explanation=Scale factor = 110/11 = 10. Therefore second quantity = 8×10 = 80.

id=69888 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:17 and the first is 20, what is the second? | option_a=172 | option_b=170 | option_c=153 | option_d=190 | answer=B | explanation=Scale factor = 20/2 = 10. Therefore second quantity = 17×10 = 170.

id=69889 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1786. If it is sold at a profit of 5%, what is its selling price? | option_a=1791 | option_b=1697 | option_c=1875 | option_d=2053 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1786 × 105/100 = **■**1875.

id=69890 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=B | option_b=C | option_c=E | option_d=D | answer=D | explanation=Move 1 positions forward from C; the resulting letter is D.

id=69891 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=N | option_c=F | option_d=R | answer=B | explanation=Move 4 positions forward from J; the resulting letter is N.

id=69892 | topic=Averages | difficulty=Easy | question=Find the average of 74, 67, 38, 38, 53, 25, 27. | option_a=46 | option_b=45 | option_c=48 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 322 ÷ 7 = 46.

id=69893 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=V | option_b=R | option_c=J | option_d=N | answer=B | explanation=Move 4 positions forward from N; the resulting letter is R.

id=69894 | topic=Percentages | difficulty=Easy | question=What is 40% of 1352? | option_a=535 | option_b=545 | option_c=540 | option_d=1080 | answer=C | explanation=40% of 1352 = (40/100) × 1352 = 540.

id=69895 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4509. If it is sold at a profit of 40%, what is its selling price? | option_a=6312 | option_b=5862 | option_c=6762 | option_d=4549 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4509 × 140/100 = **■**6312.

id=69896 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39674 at 5% per annum for 2 years. | option_a=43641 | option_b=4067 | option_c=3967 | option_d=3867 | answer=C | explanation=SI = PRT/100 = 39674×5×2/100 = **■**3967.

id=69897 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12918 at 8% per annum for 5 years. | option_a=5067 | option_b=18085 | option_c=5267 | option_d=5167 | answer=D | explanation=SI = PRT/100 = 12918×8×5/100 = **■**5167.

id=69898 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=69899 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=69900 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=20 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

Aptitude Questions — Records 69,901-69,930 of 100,000

id=69901 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 10. | option_a=50 | option_b=72 | option_c=120 | option_d=60 | answer=D | explanation=LCM × HCF = 12×10; HCF(12,10) = 2, so LCM = 60.

id=69902 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=115 | option_c=120 | option_d=240 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=69903 | topic=Averages | difficulty=Easy | question=Find the average of 51, 22, 69, 55, 98. | option_a=58 | option_b=59 | option_c=61 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 295 ÷ 5 = 59.

id=69904 | topic=Profit & Loss | difficulty=Easy | question=An article costs █333. If it is sold at a profit of 15%, what is its selling price? | option_a=415 | option_b=348 | option_c=382 | option_d=349 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 333 × 115/100 = █382.

id=69905 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=1 | option_c=6 | option_d=12 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=69906 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=10 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=69907 | topic=Averages | difficulty=Easy | question=Find the average of 30, 87, 32, 71. | option_a=55 | option_b=57 | option_c=54 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 220 ÷ 4 = 55.

id=69908 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 22, 27, 32, ? | option_a=32 | option_b=38 | option_c=42 | option_d=37 | answer=D | explanation=The common difference is 5. Therefore the next term is 32 + 5 = 37.

id=69909 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=69910 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=O | option_c=M | option_d=P | answer=B | explanation=Move 1 positions forward from N; the resulting letter is O.

id=69911 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23827 at 6% per annum for 4 years. | option_a=5818 | option_b=5718 | option_c=5618 | option_d=29545 | answer=B | explanation=SI = PRT/100 = 23827×6×4/100 = █5718.

id=69912 | topic=Percentages | difficulty=Easy | question=What is 50% of 379? | option_a=189 | option_b=179 | option_c=378 | option_d=199 | answer=A | explanation=50% of 379 = (50/100) × 379 = 189.

id=69913 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=H | option_b=L | option_c=T | option_d=P | answer=D | explanation=Move 4 positions forward from L; the resulting letter is P.

id=69914 | topic=Percentages | difficulty=Easy | question=What is 25% of 581? | option_a=145 | option_b=140 | option_c=155 | option_d=290 | answer=A | explanation=25% of 581 = (25/100) × 581 = 145.

id=69915 | topic=Percentages | difficulty=Easy | question=What is 40% of 653? | option_a=522 | option_b=266 | option_c=261 | option_d=256 | answer=C | explanation=40% of 653 = (40/100) × 653 = 261.

id=69916 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:16 and the first is 28, what is the second? | option_a=252 | option_b=208 | option_c=226 | option_d=224 | answer=D | explanation=Scale factor = 28/2 = 14. Therefore second quantity = 16×14 = 224.

id=69917 | topic=Averages | difficulty=Easy | question=Find the average of 24, 42, 56, 36, 97, 83, 74, 20. | option_a=55 | option_b=53 | option_c=54 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 432 ÷ 8 = 54.

id=69918 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 34, 44, 57? | option_a=57 | option_b=24 | option_c=44 | option_d=34 | answer=A | explanation=The first three numbers increase by 10, so the next should be 54. Therefore 57 is the odd one out.

id=69919 | topic=Averages | difficulty=Easy | question=Find the average of 98, 91, 94, 92, 15, 28, 40, 86, 57, 69. | option_a=67 | option_b=69 | option_c=68 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 670 ÷ 10 = 67.

id=69920 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:1 and the first is 171, what is the second? | option_a=190 | option_b=28 | option_c=19 | option_d=18 | answer=C | explanation=Scale factor = 171/9 = 19. Therefore second quantity = 1×19 = 19.

id=69921 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=H | option_b=M | option_c=C | option_d=X | answer=A | explanation=Move 5 positions forward from C; the resulting letter is H.

id=69922 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 34, 39, 45? | option_a=45 | option_b=34 | option_c=39 | option_d=29 | answer=A | explanation=The first three numbers increase by 5, so the next should be 44. Therefore 45 is the odd one out.

id=69923 | topic=Averages | difficulty=Easy | question=Find the average of 17, 50, 87, 29, 91, 60, 60, 22, 43, 21. | option_a=47 | option_b=48 | option_c=49 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 480 ÷ 10 = 48.

id=69924 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 32, 39, 47? | option_a=25 | option_b=32 | option_c=47 | option_d=39 | answer=C | explanation=The first three numbers increase by 7, so the next should be 46. Therefore 47 is the odd one out.

id=69925 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=64 | option_b=74 | option_c=63 | option_d=52 | answer=C | explanation=The common difference is 11. Therefore the next term is 52 + 11 = 63.

id=69926 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=20 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=69927 | topic=Percentages | difficulty=Easy | question=What is 50% of 1597? | option_a=803 | option_b=778 | option_c=1596 | option_d=798 | answer=D | explanation=50% of 1597 = (50/100) × 1597 = 798.

id=69928 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=O | option_b=T | option_c=E | option_d=J | answer=A | explanation=Move 5 positions forward from J; the resulting letter is O.

id=69929 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 39, 48, 58? | option_a=30 | option_b=48 | option_c=58 | option_d=39 | answer=C | explanation=The first three numbers increase by 9, so the next should be 57. Therefore 58 is the odd one out.

id=69930 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14384 at 10% per annum for 5 years. | option_a=7192 | option_b=7292 | option_c=7092 | option_d=21576 | answer=A | explanation=SI = PRT/100 = 14384×10×5/100 = █7192.

Aptitude Questions — Records 69,931-69,960 of 100,000

id=69931 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24597 at 12% per annum for 1 years. | option_a=27548 | option_b=2951 | option_c=2851 | option_d=3051 | answer=B | explanation= $SI = PRT/100 = 24597 \times 12 \times 1/100 = \text{■}2951$.

id=69932 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=69933 | topic=Averages | difficulty=Easy | question=Find the average of 59, 54, 16, 42, 95, 70. | option_a=56 | option_b=55 | option_c=58 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 336 ÷ 6 = 56.

id=69934 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 6, 10, 16? | option_a=10 | option_b=2 | option_c=6 | option_d=16 | answer=D | explanation=The first three numbers increase by 4, so the next should be 14. Therefore 16 is the odd one out.

id=69935 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=69936 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=69937 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=N | option_b=V | option_c=R | option_d=Z | answer=B | explanation=Move 4 positions forward from R; the resulting letter is V.

id=69938 | topic=Percentages | difficulty=Easy | question=What is 10% of 355? | option_a=35 | option_b=40 | option_c=70 | option_d=15 | answer=A | explanation=10% of 355 = $(10/100) \times 355 = 35$.

id=69939 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=80 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=69940 | topic=Averages | difficulty=Easy | question=Find the average of 59, 84, 26, 41, 43, 11. | option_a=43 | option_b=45 | option_c=46 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = 264 ÷ 6 = 44.

id=69941 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=49 | option_b=50 | option_c=60 | option_d=38 | answer=A | explanation=The common difference is 11. Therefore the next term is 38 + 11 = 49.

id=69942 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=Z | option_c=R | option_d=N | answer=A | explanation=Move 4 positions forward from R; the resulting letter is V.

id=69943 | topic=Averages | difficulty=Easy | question=Find the average of 44, 28, 78. | option_a=51 | option_b=50 | option_c=49 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 150 ÷ 3 = 50.

id=69944 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=H | option_c=G | option_d=F | answer=B | explanation=Move 1 positions forward from G; the resulting letter is H.

id=69945 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4583. If it is sold at a profit of 25%, what is its selling price? | option_a=5270 | option_b=6186 | option_c=5728 | option_d=4608 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4583 \times 125/100 = \text{■}5728$.

id=69946 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=69947 | topic=Percentages | difficulty=Easy | question=What is 15% of 815? | option_a=132 | option_b=122 | option_c=102 | option_d=244 | answer=B | explanation=15% of 815 = $(15/100) \times 815 = 122$.

id=69948 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 30. | option_a=600 | option_b=60 | option_c=30 | option_d=80 | answer=B | explanation= $LCM \times HCF = 20 \times 30$; $HCF(20,30) = 10$, so LCM = 60.

id=69949 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26191 at 12% per annum for 2 years. | option_a=6185 | option_b=32476 | option_c=6385 | option_d=6285 | answer=D | explanation= $SI = PRT/100 = 26191 \times 12 \times 2/100 = \text{■}6285$.

id=69950 | topic=Percentages | difficulty=Easy | question=What is 5% of 1462? | option_a=83 | option_b=73 | option_c=53 | option_d=146 | answer=B | explanation=5% of 1462 = $(5/100) \times 1462 = 73$.

id=69951 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:17 and the first is 180, what is the second? | option_a=435 | option_b=238 | option_c=267 | option_d=255 | answer=D | explanation=Scale factor = $180/12 = 15$. Therefore second quantity = $17 \times 15 = 255$.

id=69952 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=55 | option_b=64 | option_c=56 | option_d=46 | answer=A | explanation=The common difference is 9. Therefore the next term is 46 + 9 = 55.

id=69953 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 12, 15, 18, ? | option_a=24 | option_b=18 | option_c=22 | option_d=21 | answer=D | explanation=The common difference is 3. Therefore the next term is 18 + 3 = 21.

id=69954 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 30. | option_a=36 | option_b=30 | option_c=180 | option_d=1 | answer=B | explanation= $LCM \times HCF = 6 \times 30$; $HCF(6,30) = 6$, so LCM = 30.

id=69955 | topic=Averages | difficulty=Easy | question=Find the average of 78, 27, 51, 19, 55. | option_a=46 | option_b=45 | option_c=48 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 230 ÷ 5 = 46.

id=69956 | topic=Averages | difficulty=Easy | question=Find the average of 35, 78, 85, 18. | option_a=56 | option_b=55 | option_c=53 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 216 ÷ 4 = 54.

id=69957 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 15. | option_a=30 | option_b=15 | option_c=90 | option_d=36 | answer=A | explanation= $LCM \times HCF = 6 \times 15$; $HCF(6,15) = 3$, so LCM = 30.

id=69958 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49089 at 6% per annum for 4 years. | option_a=11881 | option_b=60870 | option_c=11681 | option_d=11781 | answer=D | explanation= $SI = PRT/100 = 49089 \times 6 \times 4/100 = \text{■}11781$.

id=69959 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=5 | option_d=7 | answer=A | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=69960 | topic=Percentages | difficulty=Easy | question=What is 5% of 641? | option_a=22 | option_b=37 | option_c=64 | option_d=32 | answer=D | explanation=5% of 641 = $(5/100) \times 641 = 32$.

Aptitude Questions — Records 69,961-69,990 of 100,000

id=69961 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=31 | option_b=41 | option_c=36 | option_d=37 | answer=C | explanation=The common difference is 5. Therefore the next term is 31 + 5 = 36.

id=69962 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:14 and the first is 54, what is the second? | option_a=252 | option_b=238 | option_c=255 | option_d=306 | answer=A | explanation=Scale factor = 54/3 = 18. Therefore second quantity = 14×18 = 252.

id=69963 | topic=Profit & Loss | difficulty=Easy | question=An article costs █537. If it is sold at a profit of 5%, what is its selling price? | option_a=616 | option_b=563 | option_c=510 | option_d=542 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 537 × 105/100 = █563.

id=69964 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=90 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=69965 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=69966 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=L | option_c=J | option_d=H | answer=B | explanation=Move 2 positions forward from J; the resulting letter is L.

id=69967 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=C | option_b=Q | option_c=Y | option_d=U | answer=C | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=69968 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 52? | option_a=52 | option_b=39 | option_c=19 | option_d=29 | answer=A | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 52 is the odd one out.

id=69969 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49968 at 4% per annum for 5 years. | option_a=10093 | option_b=59961 | option_c=9893 | option_d=9993 | answer=D | explanation=SI = PRT/100 = 49968×4×5/100 = █9993.

id=69970 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=69971 | topic=Averages | difficulty=Easy | question=Find the average of 12, 40, 58, 57, 86, 23, 32. | option_a=46 | option_b=43 | option_c=45 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = 308 ÷ 7 = 44.

id=69972 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1672. If it is sold at a profit of 20%, what is its selling price? | option_a=2006 | option_b=1692 | option_c=2173 | option_d=1839 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1672 × 120/100 = █2006.

id=69973 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=G | option_c=K | option_d=E | answer=A | explanation=Move 2 positions forward from G; the resulting letter is I.

id=69974 | topic=Percentages | difficulty=Easy | question=What is 20% of 1501? | option_a=300 | option_b=600 | option_c=280 | option_d=305 | answer=A | explanation=20% of 1501 = (20/100) × 1501 = 300.

id=69975 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=O | option_c=N | option_d=M | answer=B | explanation=Move 1 positions forward from N; the resulting letter is O.

id=69976 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4609. If it is sold at a profit of 30%, what is its selling price? | option_a=6451 | option_b=4639 | option_c=5531 | option_d=5991 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4609 × 130/100 = █5991.

id=69977 | topic=Percentages | difficulty=Easy | question=What is 50% of 1158? | option_a=1158 | option_b=559 | option_c=579 | option_d=584 | answer=C | explanation=50% of 1158 = (50/100) × 1158 = 579.

id=69978 | topic=Averages | difficulty=Easy | question=Find the average of 40, 56, 27, 63, 56, 12, 35, 47. | option_a=43 | option_b=42 | option_c=41 | option_d=44 | answer=B | explanation=Average = sum of values ÷ number of values = 336 ÷ 8 = 42.

id=69979 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 6. | option_a=168 | option_b=78 | option_c=84 | option_d=112 | answer=C | explanation=LCM × HCF = 28×6; HCF(28,6) = 2, so LCM = 84.

id=69980 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=B | option_c=Q | option_d=L | answer=D | explanation=Move 5 positions forward from G; the resulting letter is L.

id=69981 | topic=Averages | difficulty=Easy | question=Find the average of 97, 74, 37, 60, 61, 64, 83. | option_a=70 | option_b=67 | option_c=68 | option_d=69 | answer=C | explanation=Average = sum of values ÷ number of values = 476 ÷ 7 = 68.

id=69982 | topic=Percentages | difficulty=Easy | question=What is 15% of 1257? | option_a=188 | option_b=178 | option_c=376 | option_d=208 | answer=A | explanation=15% of 1257 = (15/100) × 1257 = 188.

id=69983 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=69984 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15175 at 4% per annum for 5 years. | option_a=18210 | option_b=2935 | option_c=3135 | option_d=3035 | answer=D | explanation=SI = PRT/100 = 15175×4×5/100 = █3035.

id=69985 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44168 at 4% per annum for 2 years. | option_a=3433 | option_b=3533 | option_c=3633 | option_d=47701 | answer=B | explanation=SI = PRT/100 = 44168×4×2/100 = █3533.

id=69986 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 30. | option_a=30 | option_b=120 | option_c=64 | option_d=60 | answer=D | explanation=LCM × HCF = 4×30; HCF(4,30) = 2, so LCM = 60.

id=69987 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:13 and the first is 120, what is the second? | option_a=203 | option_b=195 | option_c=315 | option_d=182 | answer=B | explanation=Scale factor = 120/8 = 15. Therefore second quantity = 13×15 = 195.

id=69988 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=64 | option_b=55 | option_c=54 | option_d=44 | answer=C | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=69989 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=69990 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=23 | option_c=36 | option_d=13 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

Aptitude Questions — Records 69,991-70,020 of 100,000

id=69991 | topic=Percentages | difficulty=Easy | question=What is 40% of 1411? | option_a=1128 | option_b=564 | option_c=544 | option_d=574 | answer=B | explanation=40% of 1411 = (40/100) × 1411 = 564.

id=69992 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:12 and the first is 256, what is the second? | option_a=192 | option_b=180 | option_c=448 | option_d=208 | answer=A | explanation=Scale factor = 256/16 = 16. Therefore second quantity = 12×16 = 192.

id=69993 | topic=Averages | difficulty=Easy | question=Find the average of 45, 16, 53, 91, 25. | option_a=48 | option_b=46 | option_c=47 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = 230 ÷ 5 = 46.

id=69994 | topic=Percentages | difficulty=Easy | question=What is 30% of 1318? | option_a=405 | option_b=385 | option_c=790 | option_d=395 | answer=D | explanation=30% of 1318 = (30/100) × 1318 = 395.

id=69995 | topic=Averages | difficulty=Easy | question=Find the average of 78, 83, 72, 30, 44, 17, 77, 103. | option_a=63 | option_b=65 | option_c=62 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = 504 ÷ 8 = 63.

id=69996 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=30 | option_b=40 | option_c=35 | option_d=36 | answer=C | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=69997 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:7 and the first is 114, what is the second? | option_a=42 | option_b=156 | option_c=35 | option_d=61 | answer=A | explanation=Scale factor = 114/19 = 6. Therefore second quantity = 7×6 = 42.

id=69998 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=16 | option_b=24 | option_c=21 | option_d=20 | answer=D | explanation=The common difference is 4. Therefore the next term is 16 + 4 = 20.

id=69999 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 10, 17, 25? | option_a=17 | option_b=3 | option_c=25 | option_d=10 | answer=C | explanation=The first three numbers increase by 7, so the next should be 24. Therefore 25 is the odd one out.

id=70000 | topic=Percentages | difficulty=Easy | question=What is 20% of 1087? | option_a=227 | option_b=212 | option_c=434 | option_d=217 | answer=D | explanation=20% of 1087 = (20/100) × 1087 = 217.

id=70001 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=70002 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 15. | option_a=60 | option_b=375 | option_c=75 | option_d=100 | answer=C | explanation=LCM × HCF = 25×15; HCF(25,15) = 5, so LCM = 75.

id=70003 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:5 and the first is 143, what is the second? | option_a=198 | option_b=55 | option_c=50 | option_d=68 | answer=B | explanation=Scale factor = 143/13 = 11. Therefore second quantity = 5×11 = 55.

id=70004 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=F | option_c=B | option_d=H | answer=B | explanation=Move 2 positions forward from D; the resulting letter is F.

id=70005 | topic=Averages | difficulty=Easy | question=Find the average of 39, 27, 58, 52, 44. | option_a=43 | option_b=44 | option_c=46 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = 220 ÷ 5 = 44.

id=70006 | topic=Averages | difficulty=Easy | question=Find the average of 82, 48, 75, 27. | option_a=58 | option_b=57 | option_c=59 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 232 ÷ 4 = 58.

id=70007 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=V | option_c=A | option_d=L | answer=B | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=70008 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 28. | option_a=140 | option_b=112 | option_c=160 | option_d=560 | answer=A | explanation=LCM × HCF = 20×28; HCF(20,28) = 4, so LCM = 140.

id=70009 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=70010 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=20 | option_b=23 | option_c=21 | option_d=17 | answer=A | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=70011 | topic=Percentages | difficulty=Easy | question=What is 12% of 1603? | option_a=384 | option_b=192 | option_c=202 | option_d=172 | answer=B | explanation=12% of 1603 = (12/100) × 1603 = 192.

id=70012 | topic=Averages | difficulty=Easy | question=Find the average of 50, 11, 32. | option_a=32 | option_b=30 | option_c=33 | option_d=31 | answer=D | explanation=Average = sum of values ÷ number of values = 93 ÷ 3 = 31.

id=70013 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 13, 21, 30? | option_a=21 | option_b=30 | option_c=5 | option_d=13 | answer=B | explanation=The first three numbers increase by 8, so the next should be 29. Therefore 30 is the odd one out.

id=70014 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=37 | option_b=30 | option_c=23 | option_d=31 | answer=B | explanation=The common difference is 7. Therefore the next term is 23 + 7 = 30.

id=70015 | topic=Averages | difficulty=Easy | question=Find the average of 60, 51, 89, 89, 12, 23. | option_a=53 | option_b=54 | option_c=56 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 324 ÷ 6 = 54.

id=70016 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=28 | option_b=21 | option_c=27 | option_d=33 | answer=C | explanation=The common difference is 6. Therefore the next term is 21 + 6 = 27.

id=70017 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=23 | option_c=13 | option_d=36 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=70018 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3476. If it is sold at a profit of 15%, what is its selling price? | option_a=3650 | option_b=3491 | option_c=4344 | option_d=3997 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3476 × 115/100 = █3997.

id=70019 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3099. If it is sold at a profit of 40%, what is its selling price? | option_a=4029 | option_b=3139 | option_c=4647 | option_d=4338 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3099 × 140/100 = █4338.

id=70020 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=23 | option_b=19 | option_c=25 | option_d=22 | answer=D | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.

Aptitude Questions — Records 70,021-70,050 of 100,000

id=70021 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:7 and the first is 2, what is the second? | option_a=7 | option_b=14 | option_c=15 | option_d=16 | answer=B | explanation=Scale factor = $\frac{2}{1} = 2$. Therefore second quantity = $7 \times 2 = 14$.

id=70022 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=35 | option_b=46 | option_c=45 | option_d=55 | answer=C | explanation=The common difference is 10. Therefore the next term is $35 + 10 = 45$.

id=70023 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 18, 28, 38, ? | option_a=38 | option_b=58 | option_c=48 | option_d=49 | answer=C | explanation=The common difference is 10. Therefore the next term is $38 + 10 = 48$.

id=70024 | topic=Averages | difficulty=Easy | question=Find the average of 100, 18, 79, 50, 27, 99, 93, 60, 16, 78. | option_a=64 | option_b=61 | option_c=62 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = $620 \div 10 = 62$.

id=70025 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=70026 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1711. If it is sold at a profit of 40%, what is its selling price? | option_a=1751 | option_b=2566 | option_c=2224 | option_d=2395 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1711 \times \frac{140}{100} = \text{█2395}$.

id=70027 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=70028 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1702. If it is sold at a profit of 15%, what is its selling price? | option_a=1787 | option_b=1957 | option_c=1717 | option_d=2127 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1702 \times \frac{115}{100} = \text{█1957}$.

id=70029 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $180 \div 3 = 60$ km/h.

id=70030 | topic=Percentages | difficulty=Easy | question=What is 50% of 1352? | option_a=686 | option_b=676 | option_c=1352 | option_d=656 | answer=B | explanation=50% of 1352 = $(50/100) \times 1352 = 676$.

id=70031 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=30 | option_b=34 | option_c=26 | option_d=31 | answer=A | explanation=The common difference is 4. Therefore the next term is $26 + 4 = 30$.

id=70032 | topic=Averages | difficulty=Easy | question=Find the average of 71, 53, 82, 77, 92, 32, 14, 11. | option_a=54 | option_b=53 | option_c=56 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = $432 \div 8 = 54$.

id=70033 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4915. If it is sold at a profit of 50%, what is its selling price? | option_a=4965 | option_b=7372 | option_c=6881 | option_d=7863 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4915 \times \frac{150}{100} = \text{█7372}$.

id=70034 | topic=Percentages | difficulty=Easy | question=What is 12% of 1241? | option_a=158 | option_b=148 | option_c=138 | option_d=296 | answer=B | explanation=12% of 1241 = $(12/100) \times 1241 = 148$.

id=70035 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=44 | option_b=68 | option_c=57 | option_d=56 | answer=D | explanation=The common difference is 12. Therefore the next term is $44 + 12 = 56$.

id=70036 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 34? | option_a=10 | option_b=34 | option_c=24 | option_d=17 | answer=B | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 34 is the odd one out.

id=70037 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1024. If it is sold at a profit of 50%, what is its selling price? | option_a=1434 | option_b=1536 | option_c=1638 | option_d=1074 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1024 \times \frac{150}{100} = \text{█1536}$.

id=70038 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=R | option_c=X | option_d=A | answer=C | explanation=Move 3 positions forward from U; the resulting letter is X.

id=70039 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=43 | option_b=44 | option_c=52 | option_d=34 | answer=A | explanation=The common difference is 9. Therefore the next term is $34 + 9 = 43$.

id=70040 | topic=Profit & Loss | difficulty=Easy | question=An article costs █831. If it is sold at a profit of 25%, what is its selling price? | option_a=955 | option_b=1121 | option_c=1038 | option_d=856 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 831 \times \frac{125}{100} = \text{█1038}$.

id=70041 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12} = 3$ days.

id=70042 | topic=Percentages | difficulty=Easy | question=What is 10% of 1679? | option_a=187 | option_b=147 | option_c=167 | option_d=334 | answer=C | explanation=10% of 1679 = $(10/100) \times 1679 = 167$.

id=70043 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40942 at 12% per annum for 5 years. | option_a=24465 | option_b=24665 | option_c=65507 | option_d=24565 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{40942 \times 12 \times 5}{100} = \text{█24565}$.

id=70044 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=E | option_c=K | option_d=N | answer=C | explanation=Move 3 positions forward from H; the resulting letter is K.

id=70045 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:18 and the first is 20, what is the second? | option_a=36 | option_b=46 | option_c=56 | option_d=18 | answer=A | explanation=Scale factor = $\frac{20}{10} = 2$. Therefore second quantity = $18 \times 2 = 36$.

id=70046 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 18, 28, 38, ? | option_a=48 | option_b=49 | option_c=58 | option_d=38 | answer=A | explanation=The common difference is 10. Therefore the next term is $38 + 10 = 48$.

id=70047 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2432. If it is sold at a profit of 40%, what is its selling price? | option_a=3161 | option_b=3404 | option_c=2472 | option_d=3647 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2432 \times \frac{140}{100} = \text{█3404}$.

id=70048 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 19, 25, 34? | option_a=25 | option_b=34 | option_c=19 | option_d=13 | answer=B | explanation=The first three numbers increase by 6, so the next should be 31. Therefore 34 is the odd one out.

id=70049 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=80 | option_c=150 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = $150 \div 2 = 75$ km/h.

id=70050 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=17 | option_d=7 | answer=B | explanation=Speed = distance ÷ time = $60 \div 5 = 12$ km/h.

Aptitude Questions — Records 70,051-70,080 of 100,000

id=70051 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15694 at 10% per annum for 3 years. | option_a=4608 | option_b=20402 | option_c=4708 | option_d=4808 | answer=C | explanation=SI = $PRT/100 = 15694 \times 10 \times 3/100 = \text{■}4708$.

id=70052 | topic=Percentages | difficulty=Easy | question=What is 10% of 720? | option_a=72 | option_b=92 | option_c=67 | option_d=144 | answer=A | explanation=10% of 720 = $(10/100) \times 720 = 72$.

id=70053 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=32 | option_b=35 | option_c=29 | option_d=33 | answer=A | explanation=The common difference is 3. Therefore the next term is $29 + 3 = 32$.

id=70054 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=T | option_c=V | option_d=P | answer=B | explanation=Move 2 positions forward from R; the resulting letter is T.

id=70055 | topic=Averages | difficulty=Easy | question=Find the average of 45, 16, 15, 55, 94. | option_a=45 | option_b=46 | option_c=44 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = $225 \div 5 = 45$.

id=70056 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=N | option_c=K | option_d=M | answer=D | explanation=Move 1 positions forward from L; the resulting letter is M.

id=70057 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**970. If it is sold at a profit of 40%, what is its selling price? | option_a=1358 | option_b=1010 | option_c=1455 | option_d=1261 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 970 \times 140/100 = \text{■}1358$.

id=70058 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 48? | option_a=28 | option_b=19 | option_c=37 | option_d=48 | answer=D | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 48 is the odd one out.

id=70059 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 59? | option_a=27 | option_b=47 | option_c=59 | option_d=37 | answer=C | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 59 is the odd one out.

id=70060 | topic=Percentages | difficulty=Easy | question=What is 30% of 798? | option_a=259 | option_b=478 | option_c=219 | option_d=239 | answer=D | explanation=30% of 798 = $(30/100) \times 798 = 239$.

id=70061 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 14, 16, 21? | option_a=14 | option_b=12 | option_c=16 | option_d=21 | answer=D | explanation=The first three numbers increase by 2, so the next should be 18. Therefore 21 is the odd one out.

id=70062 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=36 | option_c=72 | option_d=41 | answer=B | explanation=Speed = distance ÷ time = $360 \div 10 = 36$ km/h.

id=70063 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 15, 20, 28? | option_a=28 | option_b=20 | option_c=15 | option_d=10 | answer=A | explanation=The first three numbers increase by 5, so the next should be 25. Therefore 28 is the odd one out.

id=70064 | topic=Percentages | difficulty=Easy | question=What is 50% of 1545? | option_a=1544 | option_b=767 | option_c=777 | option_d=772 | answer=D | explanation=50% of 1545 = $(50/100) \times 1545 = 772$.

id=70065 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $360 \div 6 = 60$ km/h.

id=70066 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=105 | option_c=95 | option_d=200 | answer=A | explanation=Speed = distance ÷ time = $300 \div 3 = 100$ km/h.

id=70067 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:7 and the first is 135, what is the second? | option_a=98 | option_b=240 | option_c=105 | option_d=114 | answer=C | explanation=Scale factor = $135/9 = 15$. Therefore second quantity = $7 \times 15 = 105$.

id=70068 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16033 at 4% per annum for 5 years. | option_a=19239 | option_b=3106 | option_c=3306 | option_d=3206 | answer=D | explanation=SI = $PRT/100 = 16033 \times 4 \times 5/100 = \text{■}3206$.

id=70069 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=70070 | topic=Averages | difficulty=Easy | question=Find the average of 67, 11, 36, 68, 22, 13, 42. | option_a=36 | option_b=39 | option_c=37 | option_d=38 | answer=C | explanation=Average = sum of values ÷ number of values = $259 \div 7 = 37$.

id=70071 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6974 at 4% per annum for 5 years. | option_a=1494 | option_b=1394 | option_c=1294 | option_d=8368 | answer=B | explanation=SI = $PRT/100 = 6974 \times 4 \times 5/100 = \text{■}1394$.

id=70072 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=12 | option_b=13 | option_c=9 | option_d=11 | answer=D | explanation=The common difference is 2. Therefore the next term is $9 + 2 = 11$.

id=70073 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 28, 31, 36? | option_a=31 | option_b=36 | option_c=28 | option_d=25 | answer=B | explanation=The first three numbers increase by 3, so the next should be 34. Therefore 36 is the odd one out.

id=70074 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=70075 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28302 at 8% per annum for 1 years. | option_a=2164 | option_b=2264 | option_c=30566 | option_d=2364 | answer=B | explanation=SI = $PRT/100 = 28302 \times 8 \times 1/100 = \text{■}2264$.

id=70076 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:11 and the first is 39, what is the second? | option_a=143 | option_b=182 | option_c=132 | option_d=146 | answer=A | explanation=Scale factor = $39/3 = 13$. Therefore second quantity = $11 \times 13 = 143$.

id=70077 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3565. If it is sold at a profit of 10%, what is its selling price? | option_a=3921 | option_b=4277 | option_c=3575 | option_d=3565 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3565 \times 110/100 = \text{■}3921$.

id=70078 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 15. | option_a=108 | option_b=270 | option_c=75 | option_d=90 | answer=D | explanation= $LCM \times HCF = 18 \times 15$; $HCF(18,15) = 3$, so $LCM = 90$.

id=70079 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=E | option_b=H | option_c=F | option_d=G | answer=D | explanation=Move 1 positions forward from F; the resulting letter is G.

id=70080 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4555. If it is sold at a profit of 50%, what is its selling price? | option_a=4605 | option_b=7287 | option_c=6832 | option_d=6377 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4555 \times 150/100 = \text{■}6832$.

Aptitude Questions — Records 70,081-70,110 of 100,000

id=70081 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=70082 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49570 at 4% per annum for 4 years. | option_a=7931 | option_b=7831 | option_c=57501 | option_d=8031 | answer=A | explanation=SI = PRT/100 = 49570×4×4/100 = **■**7931.

id=70083 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=70084 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 44? | option_a=20 | option_b=27 | option_c=34 | option_d=44 | answer=D | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 44 is the odd one out.

id=70085 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=65 | option_b=66 | option_c=77 | option_d=53 | answer=A | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.

id=70086 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 18, 28, 38, ? | option_a=49 | option_b=38 | option_c=58 | option_d=48 | answer=D | explanation=The common difference is 10. Therefore the next term is 38 + 10 = 48.

id=70087 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:12 and the first is 165, what is the second? | option_a=180 | option_b=191 | option_c=345 | option_d=168 | answer=A | explanation=Scale factor = 165/11 = 15. Therefore second quantity = 12×15 = 180.

id=70088 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:4 and the first is 176, what is the second? | option_a=75 | option_b=60 | option_c=240 | option_d=64 | answer=D | explanation=Scale factor = 176/11 = 16. Therefore second quantity = 4×16 = 64.

id=70089 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2340. If it is sold at a profit of 20%, what is its selling price? | option_a=3042 | option_b=2808 | option_c=2574 | option_d=2360 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2340 × 120/100 = **■**2808.

id=70090 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:8 and the first is 56, what is the second? | option_a=168 | option_b=116 | option_c=104 | option_d=112 | answer=D | explanation=Scale factor = 56/4 = 14. Therefore second quantity = 8×14 = 112.

id=70091 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:14 and the first is 72, what is the second? | option_a=240 | option_b=154 | option_c=168 | option_d=174 | answer=C | explanation=Scale factor = 72/6 = 12. Therefore second quantity = 14×12 = 168.

id=70092 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 20, 28, 38? | option_a=20 | option_b=38 | option_c=12 | option_d=28 | answer=B | explanation=The first three numbers increase by 8, so the next should be 36. Therefore 38 is the odd one out.

id=70093 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=C | option_c=G | option_d=A | answer=A | explanation=Move 2 positions forward from C; the resulting letter is E.

id=70094 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=I | option_b=O | option_c=L | option_d=R | answer=B | explanation=Move 3 positions forward from L; the resulting letter is O.

id=70095 | topic=Percentages | difficulty=Easy | question=What is 12% of 1989? | option_a=243 | option_b=228 | option_c=476 | option_d=238 | answer=D | explanation=12% of 1989 = (12/100) × 1989 = 238.

id=70096 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=70097 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=44 | option_b=66 | option_c=56 | option_d=55 | answer=D | explanation=The common difference is 11. Therefore the next term is 44 + 11 = 55.

id=70098 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=15 | option_d=5 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=70099 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=E | option_c=B | option_d=D | answer=D | explanation=Move 1 positions forward from C; the resulting letter is D.

id=70100 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=G | option_c=I | option_d=E | answer=C | explanation=Move 2 positions forward from G; the resulting letter is I.

id=70101 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=25 | option_b=21 | option_c=17 | option_d=22 | answer=B | explanation=The common difference is 4. Therefore the next term is 17 + 4 = 21.

id=70102 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 14, 19, 25? | option_a=19 | option_b=25 | option_c=9 | option_d=14 | answer=B | explanation=The first three numbers increase by 5, so the next should be 24. Therefore 25 is the odd one out.

id=70103 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=22 | option_b=25 | option_c=24 | option_d=26 | answer=C | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.

id=70104 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2335. If it is sold at a profit of 40%, what is its selling price? | option_a=3036 | option_b=2375 | option_c=3502 | option_d=3269 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2335 × 140/100 = **■**3269.

id=70105 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=R | option_b=A | option_c=X | option_d=U | answer=C | explanation=Move 3 positions forward from U; the resulting letter is X.

id=70106 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19635 at 15% per annum for 4 years. | option_a=11681 | option_b=11781 | option_c=31416 | option_d=11881 | answer=B | explanation=SI = PRT/100 = 19635×15×4/100 = **■**11781.

id=70107 | topic=Averages | difficulty=Easy | question=Find the average of 77, 33, 48, 79, 37, 90, 30, 38. | option_a=53 | option_b=56 | option_c=54 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 432 ÷ 8 = 54.

id=70108 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=70109 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 25? | option_a=25 | option_b=6 | option_c=12 | option_d=18 | answer=A | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 25 is the odd one out.

id=70110 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2883. If it is sold at a profit of 40%, what is its selling price? | option_a=3748 | option_b=2923 | option_c=4036 | option_d=4324 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2883 × 140/100 = **■**4036.

Aptitude Questions — Records 70,111-70,140 of 100,000

id=70111 | topic=Percentages | difficulty=Easy | question=What is 50% of 1455? | option_a=727 | option_b=722 | option_c=1454 | option_d=747 | answer=A | explanation=50% of 1455 = (50/100) × 1455 = 727.

id=70112 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=45 | option_b=50 | option_c=44 | option_d=38 | answer=C | explanation=The common difference is 6. Therefore the next term is 38 + 6 = 44.

id=70113 | topic=Profit & Loss | difficulty=Easy | question=An article costs █559. If it is sold at a profit of 15%, what is its selling price? | option_a=697 | option_b=574 | option_c=587 | option_d=642 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 559 × 115/100 = █642.

id=70114 | topic=Number System | difficulty=Easy | question=Find the LCM of 23 and 23. | option_a=529 | option_b=46 | option_c=23 | option_d=1 | answer=C | explanation=LCM × HCF = 23×23; HCF(23,23) = 23, so LCM = 23.

id=70115 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2396. If it is sold at a profit of 30%, what is its selling price? | option_a=2875 | option_b=3353 | option_c=2426 | option_d=3114 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2396 × 130/100 = █3114.

id=70116 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=150 | option_c=155 | option_d=145 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=70117 | topic=Averages | difficulty=Easy | question=Find the average of 24, 51, 17, 78, 56, 61, 86, 11. | option_a=49 | option_b=47 | option_c=48 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 384 ÷ 8 = 48.

id=70118 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1123. If it is sold at a profit of 10%, what is its selling price? | option_a=1133 | option_b=1123 | option_c=1347 | option_d=1235 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1123 × 110/100 = █1235.

id=70119 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42255 at 15% per annum for 2 years. | option_a=12776 | option_b=12676 | option_c=12576 | option_d=54931 | answer=B | explanation=SI = PRT/100 = 42255×15×2/100 = █12676.

id=70120 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=8 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=70121 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:12 and the first is 108, what is the second? | option_a=132 | option_b=252 | option_c=144 | option_d=153 | answer=C | explanation=Scale factor = 108/9 = 12. Therefore second quantity = 12×12 = 144.

id=70122 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 29? | option_a=20 | option_b=24 | option_c=22 | option_d=29 | answer=D | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 29 is the odd one out.

id=70123 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=S | option_c=Q | option_d=U | answer=D | explanation=Move 2 positions forward from S; the resulting letter is U.

id=70124 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:9 and the first is 190, what is the second? | option_a=280 | option_b=90 | option_c=109 | option_d=81 | answer=B | explanation=Scale factor = 190/19 = 10. Therefore second quantity = 9×10 = 90.

id=70125 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20586 at 5% per annum for 3 years. | option_a=3087 | option_b=3187 | option_c=2987 | option_d=23673 | answer=A | explanation=SI = PRT/100 = 20586×5×3/100 = █3087.

id=70126 | topic=Averages | difficulty=Easy | question=Find the average of 44, 30, 64, 67, 10, 50, 89, 91, 50. | option_a=57 | option_b=56 | option_c=55 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.

id=70127 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35709 at 4% per annum for 2 years. | option_a=2856 | option_b=2956 | option_c=38565 | option_d=2756 | answer=A | explanation=SI = PRT/100 = 35709×4×2/100 = █2856.

id=70128 | topic=Percentages | difficulty=Easy | question=What is 20% of 1446? | option_a=299 | option_b=269 | option_c=289 | option_d=578 | answer=C | explanation=20% of 1446 = (20/100) × 1446 = 289.

id=70129 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=17 | option_d=7 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=70130 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 30. | option_a=231 | option_b=630 | option_c=210 | option_d=180 | answer=C | explanation=LCM × HCF = 21×30; HCF(21,30) = 3, so LCM = 210.

id=70131 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=45 | option_c=55 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=70132 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 29, 34, 40? | option_a=40 | option_b=29 | option_c=34 | option_d=24 | answer=A | explanation=The first three numbers increase by 5, so the next should be 39. Therefore 40 is the odd one out.

id=70133 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=70134 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=144 | option_c=77 | option_d=67 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=70135 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 25, 34, 46? | option_a=34 | option_b=25 | option_c=46 | option_d=16 | answer=C | explanation=The first three numbers increase by 9, so the next should be 43. Therefore 46 is the odd one out.

id=70136 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 21, 25, 32? | option_a=17 | option_b=32 | option_c=25 | option_d=21 | answer=B | explanation=The first three numbers increase by 4, so the next should be 29. Therefore 32 is the odd one out.

id=70137 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=Z | option_b=F | option_c=D | option_d=B | answer=C | explanation=Move 2 positions forward from B; the resulting letter is D.

id=70138 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4700. If it is sold at a profit of 5%, what is its selling price? | option_a=4705 | option_b=4935 | option_c=5405 | option_d=4465 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4700 × 105/100 = █4935.

id=70139 | topic=Percentages | difficulty=Easy | question=What is 15% of 1589? | option_a=238 | option_b=228 | option_c=476 | option_d=248 | answer=A | explanation=15% of 1589 = (15/100) × 1589 = 238.

id=70140 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:20 and the first is 300, what is the second? | option_a=415 | option_b=380 | option_c=700 | option_d=400 | answer=D | explanation=Scale factor = 300/15 = 20. Therefore second quantity = 20×20 = 400.

Aptitude Questions — Records 70,141-70,170 of 100,000

- id=70141 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=38 | option_b=39 | option_c=29 | option_d=47 | answer=A | explanation=The common difference is 9. Therefore the next term is 29 + 9 = 38.
- id=70142 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.
- id=70143 | topic=Percentages | difficulty=Easy | question=What is 30% of 1880? | option_a=564 | option_b=1128 | option_c=554 | option_d=584 | answer=A | explanation=30% of 1880 = (30/100) × 1880 = 564.
- id=70144 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:8 and the first is 162, what is the second? | option_a=72 | option_b=90 | option_c=234 | option_d=64 | answer=A | explanation=Scale factor = 162/18 = 9. Therefore second quantity = 8×9 = 72.
- id=70145 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=27 | option_b=26 | option_c=32 | option_d=20 | answer=B | explanation=The common difference is 6. Therefore the next term is 20 + 6 = 26.
- id=70146 | topic=Percentages | difficulty=Easy | question=What is 15% of 881? | option_a=132 | option_b=127 | option_c=142 | option_d=264 | answer=A | explanation=15% of 881 = (15/100) × 881 = 132.
- id=70147 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=8 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=70148 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=D | option_c=Z | option_d=F | answer=B | explanation=Move 2 positions forward from B; the resulting letter is D.
- id=70149 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=11 | option_b=12 | option_c=9 | option_d=13 | answer=A | explanation=The common difference is 2. Therefore the next term is 9 + 2 = 11.
- id=70150 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37786 at 8% per annum for 1 years. | option_a=3022 | option_b=2922 | option_c=3122 | option_d=40808 | answer=A | explanation=SI = PRT/100 = 37786×8×1/100 = **■**3022.
- id=70151 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=80 | option_c=45 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.
- id=70152 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=26 | option_b=18 | option_c=22 | option_d=23 | answer=C | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.
- id=70153 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=24 | option_b=22 | option_c=25 | option_d=26 | answer=A | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.
- id=70154 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 25? | option_a=18 | option_b=6 | option_c=12 | option_d=25 | answer=D | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 25 is the odd one out.
- id=70155 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:8 and the first is 5, what is the second? | option_a=40 | option_b=32 | option_c=45 | option_d=41 | answer=A | explanation=Scale factor = 5/1 = 5. Therefore second quantity = 8×5 = 40.
- id=70156 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=G | option_b=M | option_c=I | option_d=K | answer=D | explanation=Move 2 positions forward from I; the resulting letter is K.
- id=70157 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=70158 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5460 at 15% per annum for 3 years. | option_a=2457 | option_b=2557 | option_c=2357 | option_d=7917 | answer=A | explanation=SI = PRT/100 = 5460×15×3/100 = **■**2457.
- id=70159 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=34 | option_b=29 | option_c=28 | option_d=22 | answer=C | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.
- id=70160 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:6 and the first is 42, what is the second? | option_a=32 | option_b=18 | option_c=60 | option_d=12 | answer=B | explanation=Scale factor = 42/14 = 3. Therefore second quantity = 6×3 = 18.
- id=70161 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3529. If it is sold at a profit of 20%, what is its selling price? | option_a=4234 | option_b=3882 | option_c=4586 | option_d=3549 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3529 × 120/100 = **■**4234.
- id=70162 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=66 | option_b=54 | option_c=78 | option_d=67 | answer=A | explanation=The common difference is 12. Therefore the next term is 54 + 12 = 66.
- id=70163 | topic=Averages | difficulty=Easy | question=Find the average of 45, 39, 86, 58, 95, 62, 42. | option_a=61 | option_b=60 | option_c=62 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 427 ÷ 7 = 61.
- id=70164 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=F | option_b=Z | option_c=I | option_d=C | answer=A | explanation=Move 3 positions forward from C; the resulting letter is F.
- id=70165 | topic=Averages | difficulty=Easy | question=Find the average of 88, 84, 23, 53. | option_a=62 | option_b=63 | option_c=61 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = 248 ÷ 4 = 62.
- id=70166 | topic=Percentages | difficulty=Easy | question=What is 10% of 579? | option_a=52 | option_b=114 | option_c=57 | option_d=62 | answer=C | explanation=10% of 579 = (10/100) × 579 = 57.
- id=70167 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 36? | option_a=9 | option_b=25 | option_c=36 | option_d=17 | answer=C | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 36 is the odd one out.
- id=70168 | topic=Averages | difficulty=Easy | question=Find the average of 26, 83, 43, 49, 44, 93, 70, 67, 62, 43. | option_a=60 | option_b=57 | option_c=59 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 580 ÷ 10 = 58.
- id=70169 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19655 at 10% per annum for 2 years. | option_a=4031 | option_b=3931 | option_c=3831 | option_d=23586 | answer=B | explanation=SI = PRT/100 = 19655×10×2/100 = **■**3931.
- id=70170 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14185 at 10% per annum for 4 years. | option_a=5674 | option_b=19859 | option_c=5774 | option_d=5574 | answer=A | explanation=SI = PRT/100 = 14185×10×4/100 = **■**5674.

Aptitude Questions — Records 70,171-70,200 of 100,000

id=70171 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■20843 at 8% per annum for 4 years. | option_a=27512 | option_b=6769 | option_c=6669 | option_d=6569 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{20843 \times 8 \times 4}{100} = \blacksquare 6669$.

id=70172 | topic=Averages | difficulty=Easy | question=Find the average of 85, 17, 33, 53. | option_a=47 | option_b=48 | option_c=49 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = $188 \div 4 = 47$.

id=70173 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=71 | option_b=61 | option_c=60 | option_d=49 | answer=C | explanation=The common difference is 11. Therefore the next term is $49 + 11 = 60$.

id=70174 | topic=Percentages | difficulty=Easy | question=What is 5% of 782? | option_a=78 | option_b=39 | option_c=19 | option_d=49 | answer=B | explanation= $5\% \text{ of } 782 = \frac{5}{100} \times 782 = 39$.

id=70175 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $18/9 = 2$ days.

id=70176 | topic=Percentages | difficulty=Easy | question=What is 50% of 697? | option_a=696 | option_b=358 | option_c=348 | option_d=338 | answer=C | explanation= $50\% \text{ of } 697 = \frac{50}{100} \times 697 = 348$.

id=70177 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1058. If it is sold at a profit of 30%, what is its selling price? | option_a=1270 | option_b=1480 | option_c=1375 | option_d=1088 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1058 \times \frac{130}{100} = \blacksquare 1375$.

id=70178 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:14 and the first is 198, what is the second? | option_a=172 | option_b=140 | option_c=352 | option_d=154 | answer=D | explanation=Scale factor = $198/18 = 11$. Therefore second quantity = $14 \times 11 = 154$.

id=70179 | topic=Averages | difficulty=Easy | question=Find the average of 39, 22, 96, 98, 29, 46. | option_a=54 | option_b=55 | option_c=56 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = $330 \div 6 = 55$.

id=70180 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=29 | option_b=37 | option_c=34 | option_d=33 | answer=D | explanation=The common difference is 4. Therefore the next term is $29 + 4 = 33$.

id=70181 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■571. If it is sold at a profit of 30%, what is its selling price? | option_a=799 | option_b=601 | option_c=742 | option_d=685 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 571 \times \frac{130}{100} = \blacksquare 742$.

id=70182 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=64 | option_b=54 | option_c=44 | option_d=55 | answer=B | explanation=The common difference is 10. Therefore the next term is $44 + 10 = 54$.

id=70183 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 14. | option_a=140 | option_b=126 | option_c=160 | option_d=280 | answer=A | explanation= $LCM \times HCF = 20 \times 14$; $HCF(20, 14) = 2$, so $LCM = 140$.

id=70184 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 26, 36, 47? | option_a=36 | option_b=16 | option_c=47 | option_d=26 | answer=C | explanation=The first three numbers increase by 10, so the next should be 46. Therefore 47 is the odd one out.

id=70185 | topic=Averages | difficulty=Easy | question=Find the average of 17, 21, 68, 52, 42, 60, 90. | option_a=52 | option_b=49 | option_c=51 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = $350 \div 7 = 50$.

id=70186 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=36 | option_b=32 | option_c=40 | option_d=37 | answer=A | explanation=The common difference is 4. Therefore the next term is $32 + 4 = 36$.

id=70187 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■5443 at 15% per annum for 4 years. | option_a=3165 | option_b=3265 | option_c=8708 | option_d=3365 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{5443 \times 15 \times 4}{100} = \blacksquare 3265$.

id=70188 | topic=Percentages | difficulty=Easy | question=What is 10% of 1755? | option_a=180 | option_b=350 | option_c=175 | option_d=155 | answer=C | explanation= $10\% \text{ of } 1755 = \frac{10}{100} \times 1755 = 175$.

id=70189 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 16. | option_a=96 | option_b=54 | option_c=48 | option_d=32 | answer=C | explanation= $LCM \times HCF = 6 \times 16$; $HCF(6, 16) = 2$, so $LCM = 48$.

id=70190 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1720. If it is sold at a profit of 20%, what is its selling price? | option_a=1740 | option_b=1892 | option_c=2236 | option_d=2064 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1720 \times \frac{120}{100} = \blacksquare 2064$.

id=70191 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 34? | option_a=34 | option_b=21 | option_c=26 | option_d=16 | answer=A | explanation=The first three numbers increase by 5, so the next should be 31. Therefore 34 is the odd one out.

id=70192 | topic=Averages | difficulty=Easy | question=Find the average of 43, 95, 34, 99, 70, 91, 11, 15, 76, 76. | option_a=60 | option_b=61 | option_c=62 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = $610 \div 10 = 61$.

id=70193 | topic=Averages | difficulty=Easy | question=Find the average of 73, 39, 83, 75, 87, 52, 49, 62, 65. | option_a=67 | option_b=64 | option_c=65 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = $585 \div 9 = 65$.

id=70194 | topic=Averages | difficulty=Easy | question=Find the average of 99, 38, 33, 58, 30, 22, 35. | option_a=47 | option_b=45 | option_c=44 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = $315 \div 7 = 45$.

id=70195 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=9 | option_b=11 | option_c=13 | option_d=12 | answer=B | explanation=The common difference is 2. Therefore the next term is $9 + 2 = 11$.

id=70196 | topic=Percentages | difficulty=Easy | question=What is 20% of 1952? | option_a=390 | option_b=380 | option_c=410 | option_d=780 | answer=A | explanation= $20\% \text{ of } 1952 = \frac{20}{100} \times 1952 = 390$.

id=70197 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=33 | option_b=41 | option_c=47 | option_d=40 | answer=D | explanation=The common difference is 7. Therefore the next term is $33 + 7 = 40$.

id=70198 | topic=Percentages | difficulty=Easy | question=What is 15% of 225? | option_a=33 | option_b=38 | option_c=66 | option_d=23 | answer=A | explanation= $15\% \text{ of } 225 = \frac{15}{100} \times 225 = 33$.

id=70199 | topic=Averages | difficulty=Easy | question=Find the average of 96, 48, 72. | option_a=74 | option_b=71 | option_c=72 | option_d=73 | answer=C | explanation=Average = sum of values ÷ number of values = $216 \div 3 = 72$.

id=70200 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2001. If it is sold at a profit of 25%, what is its selling price? | option_a=2701 | option_b=2501 | option_c=2301 | option_d=2026 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2001 \times \frac{125}{100} = \blacksquare 2501$.

Aptitude Questions — Records 70,201-70,230 of 100,000

id=70201 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=38 | option_b=45 | option_c=46 | option_d=52 | answer=B | explanation=The common difference is 7. Therefore the next term is $38 + 7 = 45$.

id=70202 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:1 and the first is 80, what is the second? | option_a=90 | option_b=9 | option_c=18 | option_d=10 | answer=D | explanation=Scale factor = $80/8 = 10$. Therefore second quantity = $1 \times 10 = 10$.

id=70203 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 20, 27, 37? | option_a=20 | option_b=13 | option_c=37 | option_d=27 | answer=C | explanation=The first three numbers increase by 7, so the next should be 34. Therefore 37 is the odd one out.

id=70204 | topic=Averages | difficulty=Easy | question=Find the average of 10, 70, 10, 19, 36, 45, 84, 70. | option_a=43 | option_b=45 | option_c=44 | option_d=42 | answer=A | explanation=Average = sum of values ÷ number of values = $344 \div 8 = 43$.

id=70205 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15550 at 5% per annum for 2 years. | option_a=1455 | option_b=17105 | option_c=1555 | option_d=1655 | answer=C | explanation=SI = $PRT/100 = 15550 \times 5 \times 2/100 = \text{■}1555$.

id=70206 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 33? | option_a=33 | option_b=22 | option_c=17 | option_d=27 | answer=A | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 33 is the odd one out.

id=70207 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:1 and the first is 270, what is the second? | option_a=285 | option_b=33 | option_c=14 | option_d=15 | answer=D | explanation=Scale factor = $270/18 = 15$. Therefore second quantity = $1 \times 15 = 15$.

id=70208 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2161. If it is sold at a profit of 50%, what is its selling price? | option_a=3025 | option_b=3457 | option_c=2211 | option_d=3241 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2161 \times 150/100 = \text{■}3241$.

id=70209 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=70 | option_d=150 | answer=A | explanation=Speed = distance ÷ time = $150 \div 2 = 75$ km/h.

id=70210 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 49? | option_a=21 | option_b=49 | option_c=30 | option_d=39 | answer=B | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 49 is the odd one out.

id=70211 | topic=Averages | difficulty=Easy | question=Find the average of 26, 23, 56. | option_a=34 | option_b=37 | option_c=35 | option_d=36 | answer=C | explanation=Average = sum of values ÷ number of values = $105 \div 3 = 35$.

id=70212 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=70213 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3799. If it is sold at a profit of 40%, what is its selling price? | option_a=5697 | option_b=5318 | option_c=4939 | option_d=3839 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3799 \times 140/100 = \text{■}5318$.

id=70214 | topic=Percentages | difficulty=Easy | question=What is 25% of 1248? | option_a=302 | option_b=332 | option_c=312 | option_d=624 | answer=C | explanation=25% of 1248 = $(25/100) \times 1248 = 312$.

id=70215 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46169 at 10% per annum for 4 years. | option_a=18567 | option_b=18367 | option_c=64636 | option_d=18467 | answer=D | explanation=SI = $PRT/100 = 46169 \times 10 \times 4/100 = \text{■}18467$.

id=70216 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=180 | option_c=185 | option_d=360 | answer=B | explanation=Speed = distance ÷ time = $360 \div 2 = 180$ km/h.

id=70217 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=30 | option_b=46 | option_c=38 | option_d=39 | answer=C | explanation=The common difference is 8. Therefore the next term is $30 + 8 = 38$.

id=70218 | topic=Percentages | difficulty=Easy | question=What is 5% of 1554? | option_a=77 | option_b=87 | option_c=154 | option_d=72 | answer=A | explanation=5% of 1554 = $(5/100) \times 1554 = 77$.

id=70219 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14770 at 15% per annum for 1 years. | option_a=2115 | option_b=16985 | option_c=2215 | option_d=2315 | answer=C | explanation=SI = $PRT/100 = 14770 \times 15 \times 1/100 = \text{■}2215$.

id=70220 | topic=Number System | difficulty=Easy | question=Find the LCM of 13 and 26. | option_a=1 | option_b=26 | option_c=39 | option_d=338 | answer=B | explanation=LCM $\times$ HCF = 13×26 ; $HCF(13, 26) = 13$, so LCM = 26.

id=70221 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=20 | option_b=28 | option_c=24 | option_d=25 | answer=C | explanation=The common difference is 4. Therefore the next term is $20 + 4 = 24$.

id=70222 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.

id=70223 | topic=Averages | difficulty=Easy | question=Find the average of 38, 41, 22, 71, 67, 39, 51. | option_a=48 | option_b=46 | option_c=49 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = $329 \div 7 = 47$.

id=70224 | topic=Percentages | difficulty=Easy | question=What is 15% of 879? | option_a=262 | option_b=121 | option_c=136 | option_d=131 | answer=D | explanation=15% of 879 = $(15/100) \times 879 = 131$.

id=70225 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23690 at 8% per annum for 4 years. | option_a=7680 | option_b=31270 | option_c=7480 | option_d=7580 | answer=D | explanation=SI = $PRT/100 = 23690 \times 8 \times 4/100 = \text{■}7580$.

id=70226 | topic=Averages | difficulty=Easy | question=Find the average of 60, 69, 91, 44, 77, 66, 23, 83, 18. | option_a=60 | option_b=59 | option_c=61 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = $531 \div 9 = 59$.

id=70227 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34384 at 6% per annum for 4 years. | option_a=42636 | option_b=8352 | option_c=8252 | option_d=8152 | answer=C | explanation=SI = $PRT/100 = 34384 \times 6 \times 4/100 = \text{■}8252$.

id=70228 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=23 | option_b=26 | option_c=24 | option_d=20 | answer=A | explanation=The common difference is 3. Therefore the next term is $20 + 3 = 23$.

id=70229 | topic=Averages | difficulty=Easy | question=Find the average of 20, 35, 18, 27. | option_a=25 | option_b=27 | option_c=26 | option_d=24 | answer=A | explanation=Average = sum of values ÷ number of values = $100 \div 4 = 25$.

id=70230 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

Aptitude Questions — Records 70,231-70,260 of 100,000

id=70231 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:10 and the first is 36, what is the second? | option_a=20 | option_b=56 | option_c=38 | option_d=10 | answer=A | explanation=Scale factor = 36/18 = 2. Therefore second quantity = 10×2 = 20.

id=70232 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=70233 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=70234 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=77 | option_b=66 | option_c=65 | option_d=53 | answer=C | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.

id=70235 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=70236 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39658 at 8% per annum for 1 years. | option_a=3272 | option_b=3172 | option_c=3072 | option_d=42830 | answer=B | explanation=SI = PRT/100 = 39658×8×1/100 = **■**3172.

id=70237 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 41? | option_a=41 | option_b=15 | option_c=23 | option_d=31 | answer=A | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 41 is the odd one out.

id=70238 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Q | option_b=W | option_c=Z | option_d=T | answer=B | explanation=Move 3 positions forward from T; the resulting letter is W.

id=70239 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 27. | option_a=189 | option_b=162 | option_c=567 | option_d=210 | answer=A | explanation=LCM × HCF = 21×27; HCF(21,27) = 3, so LCM = 189.

id=70240 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:14 and the first is 56, what is the second? | option_a=252 | option_b=196 | option_c=200 | option_d=182 | answer=B | explanation=Scale factor = 56/4 = 14. Therefore second quantity = 14×14 = 196.

id=70241 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=34 | option_b=52 | option_c=44 | option_d=43 | answer=D | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

id=70242 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:13 and the first is 361, what is the second? | option_a=608 | option_b=247 | option_c=234 | option_d=266 | answer=B | explanation=Scale factor = 361/19 = 19. Therefore second quantity = 13×19 = 247.

id=70243 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 32? | option_a=32 | option_b=13 | option_c=22 | option_d=4 | answer=A | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 32 is the odd one out.

id=70244 | topic=Averages | difficulty=Easy | question=Find the average of 85, 86, 93, 15, 96, 93. | option_a=77 | option_b=78 | option_c=79 | option_d=80 | answer=B | explanation=Average = sum of values ÷ number of values = 468 ÷ 6 = 78.

id=70245 | topic=Percentages | difficulty=Easy | question=What is 40% of 1661? | option_a=644 | option_b=669 | option_c=1328 | option_d=664 | answer=D | explanation=40% of 1661 = (40/100) × 1661 = 664.

id=70246 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=30 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=70247 | topic=Averages | difficulty=Easy | question=Find the average of 85, 11, 57, 78, 22, 77. | option_a=56 | option_b=55 | option_c=57 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 330 ÷ 6 = 55.

id=70248 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 18. | option_a=108 | option_b=378 | option_c=147 | option_d=126 | answer=D | explanation=LCM × HCF = 21×18; HCF(21,18) = 3, so LCM = 126.

id=70249 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 31, 33, 36? | option_a=31 | option_b=29 | option_c=36 | option_d=33 | answer=C | explanation=The first three numbers increase by 2, so the next should be 35. Therefore 36 is the odd one out.

id=70250 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=35 | option_b=34 | option_c=42 | option_d=26 | answer=B | explanation=The common difference is 8. Therefore the next term is 26 + 8 = 34.

id=70251 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=J | option_c=F | option_d=H | answer=B | explanation=Move 2 positions forward from H; the resulting letter is J.

id=70252 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:1 and the first is 33, what is the second? | option_a=44 | option_b=14 | option_c=11 | option_d=10 | answer=C | explanation=Scale factor = 33/3 = 11. Therefore second quantity = 1×11 = 11.

id=70253 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=Y | option_c=K | option_d=C | answer=A | explanation=Move 4 positions forward from C; the resulting letter is G.

id=70254 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46196 at 6% per annum for 2 years. | option_a=51739 | option_b=5443 | option_c=5543 | option_d=5643 | answer=C | explanation=SI = PRT/100 = 46196×6×2/100 = **■**5543.

id=70255 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4209. If it is sold at a profit of 5%, what is its selling price? | option_a=4839 | option_b=4214 | option_c=3999 | option_d=4419 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4209 × 105/100 = **■**4419.

id=70256 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1798. If it is sold at a profit of 30%, what is its selling price? | option_a=1828 | option_b=2158 | option_c=2516 | option_d=2337 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1798 × 130/100 = **■**2337.

id=70257 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=36 | option_b=31 | option_c=41 | option_d=37 | answer=A | explanation=The common difference is 5. Therefore the next term is 31 + 5 = 36.

id=70258 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=40 | option_b=41 | option_c=47 | option_d=33 | answer=A | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.

id=70259 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=36 | option_b=44 | option_c=45 | option_d=52 | answer=B | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.

id=70260 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=B | option_b=T | option_c=X | option_d=P | answer=C | explanation=Move 4 positions forward from T; the resulting letter is X.

Aptitude Questions — Records 70,261-70,290 of 100,000

id=70261 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 17, 29, 41, ? | option_a=65 | option_b=53 | option_c=54 | option_d=41 | answer=B | explanation=The common difference is 12. Therefore the next term is 41 + 12 = 53.

id=70262 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=69 | option_b=59 | option_c=49 | option_d=60 | answer=B | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

id=70263 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=I | option_c=R | option_d=O | answer=D | explanation=Move 3 positions forward from L; the resulting letter is O.

id=70264 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=70265 | topic=Percentages | difficulty=Easy | question=What is 12% of 308? | option_a=72 | option_b=36 | option_c=41 | option_d=31 | answer=B | explanation=12% of 308 = (12/100) × 308 = 36.

id=70266 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 22, 25, 31? | option_a=31 | option_b=19 | option_c=25 | option_d=22 | answer=A | explanation=The first three numbers increase by 3, so the next should be 28. Therefore 31 is the odd one out.

id=70267 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=Q | option_b=W | option_c=U | option_d=S | answer=C | explanation=Move 2 positions forward from S; the resulting letter is U.

id=70268 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:3 and the first is 169, what is the second? | option_a=36 | option_b=39 | option_c=208 | option_d=52 | answer=B | explanation=Scale factor = 169/13 = 13. Therefore second quantity = 3×13 = 39.

id=70269 | topic=Percentages | difficulty=Easy | question=What is 50% of 1411? | option_a=705 | option_b=1410 | option_c=725 | option_d=695 | answer=A | explanation=50% of 1411 = (50/100) × 1411 = 705.

id=70270 | topic=Averages | difficulty=Easy | question=Find the average of 74, 52, 11, 75. | option_a=53 | option_b=54 | option_c=55 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 212 ÷ 4 = 53.

id=70271 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹16271 at 8% per annum for 3 years. | option_a=3905 | option_b=3905 | option_c=20176 | option_d=4005 | answer=B | explanation=SI = PRT/100 = 16271×8×3/100 = ₹3905.

id=70272 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=G | option_c=J | option_d=A | answer=B | explanation=Move 3 positions forward from D; the resulting letter is G.

id=70273 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:4 and the first is 34, what is the second? | option_a=42 | option_b=8 | option_c=25 | option_d=4 | answer=B | explanation=Scale factor = 34/17 = 2. Therefore second quantity = 4×2 = 8.

id=70274 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=70275 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 50? | option_a=17 | option_b=50 | option_c=37 | option_d=27 | answer=B | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 50 is the odd one out.

id=70276 | topic=Averages | difficulty=Easy | question=Find the average of 95, 84, 56, 82, 88, 53, 17, 101. | option_a=72 | option_b=71 | option_c=74 | option_d=73 | answer=A | explanation=Average = sum of values ÷ number of values = 576 ÷ 8 = 72.

id=70277 | topic=Averages | difficulty=Easy | question=Find the average of 87, 14, 44, 59, 26. | option_a=47 | option_b=46 | option_c=48 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = 230 ÷ 5 = 46.

id=70278 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=55 | option_b=44 | option_c=56 | option_d=66 | answer=A | explanation=The common difference is 11. Therefore the next term is 44 + 11 = 55.

id=70279 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2407. If it is sold at a profit of 10%, what is its selling price? | option_a=2887 | option_b=2407 | option_c=2647 | option_d=2417 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2407 × 110/100 = ₹2647.

id=70280 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=I | option_b=C | option_c=F | option_d=L | answer=A | explanation=Move 3 positions forward from F; the resulting letter is I.

id=70281 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=17 | option_b=21 | option_c=25 | option_d=22 | answer=B | explanation=The common difference is 4. Therefore the next term is 17 + 4 = 21.

id=70282 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=5 | option_c=10 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=70283 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=30 | option_b=33 | option_c=27 | option_d=31 | answer=A | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.

id=70284 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=60 | option_b=47 | option_c=71 | option_d=59 | answer=D | explanation=The common difference is 12. Therefore the next term is 47 + 12 = 59.

id=70285 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=70286 | topic=Percentages | difficulty=Easy | question=What is 5% of 1121? | option_a=112 | option_b=56 | option_c=76 | option_d=36 | answer=B | explanation=5% of 1121 = (5/100) × 1121 = 56.

id=70287 | topic=Percentages | difficulty=Easy | question=What is 25% of 1451? | option_a=362 | option_b=724 | option_c=372 | option_d=357 | answer=A | explanation=25% of 1451 = (25/100) × 1451 = 362.

id=70288 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=70289 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 31? | option_a=24 | option_b=19 | option_c=31 | option_d=14 | answer=C | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 31 is the odd one out.

id=70290 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:10 and the first is 90, what is the second? | option_a=180 | option_b=270 | option_c=170 | option_d=185 | answer=A | explanation=Scale factor = 90/5 = 18. Therefore second quantity = 10×18 = 180.

Aptitude Questions — Records 70,291-70,320 of 100,000

id=70291 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■37664 at 6% per annum for 2 years. | option_a=4619 | option_b=42183 | option_c=4419 | option_d=4519 | answer=D | explanation=SI = $PRT/100 = 37664 \times 6 \times 2/100 = \blacksquare 4519$.

id=70292 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=240 | option_c=120 | option_d=115 | answer=C | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.

id=70293 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=20 | option_b=27 | option_c=26 | option_d=32 | answer=C | explanation=The common difference is 6. Therefore the next term is $20 + 6 = 26$.

id=70294 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=13 | option_b=10 | option_c=14 | option_d=12 | answer=D | explanation=The common difference is 2. Therefore the next term is $10 + 2 = 12$.

id=70295 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=70296 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■43461 at 5% per annum for 5 years. | option_a=10865 | option_b=54326 | option_c=10765 | option_d=10965 | answer=A | explanation=SI = $PRT/100 = 43461 \times 5 \times 5/100 = \blacksquare 10865$.

id=70297 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3654. If it is sold at a profit of 50%, what is its selling price? | option_a=5481 | option_b=3704 | option_c=5116 | option_d=5846 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3654 \times 150/100 = \blacksquare 5481$.

id=70298 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=24 | option_d=7 | answer=A | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=70299 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4220. If it is sold at a profit of 40%, what is its selling price? | option_a=5908 | option_b=6330 | option_c=4260 | option_d=5486 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4220 \times 140/100 = \blacksquare 5908$.

id=70300 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=70301 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=125 | option_b=115 | option_c=120 | option_d=240 | answer=C | explanation=Speed = distance ÷ time = $240 \div 2 = 120$ km/h.

id=70302 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 29, 37, 47? | option_a=37 | option_b=29 | option_c=47 | option_d=21 | answer=C | explanation=The first three numbers increase by 8, so the next should be 45. Therefore 47 is the odd one out.

id=70303 | topic=Averages | difficulty=Easy | question=Find the average of 49, 33, 43, 69, 56. | option_a=52 | option_b=49 | option_c=50 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = $250 \div 5 = 50$.

id=70304 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=R | option_b=U | option_c=S | option_d=T | answer=D | explanation=Move 1 positions forward from S; the resulting letter is T.

id=70305 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=V | option_b=L | option_c=Q | option_d=A | answer=A | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=70306 | topic=Averages | difficulty=Easy | question=Find the average of 80, 68, 25, 90, 64, 64, 84, 61. | option_a=68 | option_b=69 | option_c=66 | option_d=67 | answer=D | explanation=Average = sum of values ÷ number of values = $536 \div 8 = 67$.

id=70307 | topic=Averages | difficulty=Easy | question=Find the average of 59, 89, 11, 71, 45, 93, 31. | option_a=57 | option_b=58 | option_c=59 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = $399 \div 7 = 57$.

id=70308 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 12, 16, 23? | option_a=8 | option_b=12 | option_c=23 | option_d=16 | answer=C | explanation=The first three numbers increase by 4, so the next should be 20. Therefore 23 is the odd one out.

id=70309 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 51? | option_a=51 | option_b=29 | option_c=39 | option_d=19 | answer=A | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 51 is the odd one out.

id=70310 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=24 | option_c=12 | option_d=17 | answer=C | explanation=Speed = distance ÷ time = $120 \div 10 = 12$ km/h.

id=70311 | topic=Averages | difficulty=Easy | question=Find the average of 94, 76, 58, 18, 52, 97, 42, 51. | option_a=61 | option_b=63 | option_c=62 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = $488 \div 8 = 61$.

id=70312 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=47 | option_b=36 | option_c=48 | option_d=58 | answer=A | explanation=The common difference is 11. Therefore the next term is $36 + 11 = 47$.

id=70313 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=8 | answer=B | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=70314 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=F | option_c=J | option_d=H | answer=C | explanation=Move 2 positions forward from H; the resulting letter is J.

id=70315 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 18, 23, 28, ? | option_a=33 | option_b=34 | option_c=28 | option_d=38 | answer=A | explanation=The common difference is 5. Therefore the next term is $28 + 5 = 33$.

id=70316 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=Q | option_c=Y | option_d=C | answer=C | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=70317 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 30. | option_a=1 | option_b=150 | option_c=30 | option_d=35 | answer=C | explanation= $LCM \times HCF = 5 \times 30$; $HCF(5,30) = 5$, so $LCM = 30$.

id=70318 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 25, 34, 43, ? | option_a=52 | option_b=53 | option_c=43 | option_d=61 | answer=A | explanation=The common difference is 9. Therefore the next term is $43 + 9 = 52$.

id=70319 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:15 and the first is 119, what is the second? | option_a=105 | option_b=224 | option_c=122 | option_d=90 | answer=A | explanation=Scale factor = $119/17 = 7$. Therefore second quantity = $15 \times 7 = 105$.

id=70320 | topic=Percentages | difficulty=Easy | question=What is 30% of 324? | option_a=97 | option_b=117 | option_c=194 | option_d=92 | answer=A | explanation= $30\% \text{ of } 324 = (30/100) \times 324 = 97$.

Aptitude Questions — Records 70,321-70,350 of 100,000

id=70321 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=70322 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=70323 | topic=Percentages | difficulty=Easy | question=What is 12% of 170? | option_a=20 | option_b=40 | option_c=15 | option_d=25 | answer=A | explanation=12% of 170 = $(\frac{12}{100}) \times 170 = 20$.

id=70324 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=M | option_b=J | option_c=D | option_d=G | answer=B | explanation=Move 3 positions forward from G; the resulting letter is J.

id=70325 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41029 at 5% per annum for 3 years. | option_a=47183 | option_b=6154 | option_c=6054 | option_d=6254 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{41029 \times 5 \times 3}{100} = \text{■}6154$.

id=70326 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=70327 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4989. If it is sold at a profit of 25%, what is its selling price? | option_a=6734 | option_b=5738 | option_c=6236 | option_d=5014 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4989 \times \frac{125}{100} = \text{■}6236$.

id=70328 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=27 | option_b=32 | option_c=22 | option_d=28 | answer=A | explanation=The common difference is 5. Therefore the next term is $22 + 5 = 27$.

id=70329 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

id=70330 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 4. | option_a=56 | option_b=28 | option_c=24 | option_d=42 | answer=B | explanation=LCM $\times$ HCF = 14×4 ; $\text{HCF}(14, 4) = 2$, so LCM = 28.

id=70331 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=70332 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12809 at 4% per annum for 1 years. | option_a=13321 | option_b=612 | option_c=512 | option_d=412 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{12809 \times 4 \times 1}{100} = \text{■}512$.

id=70333 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:8 and the first is 121, what is the second? | option_a=99 | option_b=88 | option_c=209 | option_d=80 | answer=B | explanation=Scale factor = $\frac{121}{11} = 11$. Therefore second quantity = $8 \times 11 = 88$.

id=70334 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3304. If it is sold at a profit of 5%, what is its selling price? | option_a=3309 | option_b=3139 | option_c=3469 | option_d=3799 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3304 \times \frac{105}{100} = \text{■}3469$.

id=70335 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 37, 46, 57? | option_a=57 | option_b=28 | option_c=37 | option_d=46 | answer=A | explanation=The first three numbers increase by 9, so the next should be 55. Therefore 57 is the odd one out.

id=70336 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=7 | option_d=24 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=70337 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:13 and the first is 60, what is the second? | option_a=138 | option_b=65 | option_c=88 | option_d=78 | answer=D | explanation=Scale factor = $\frac{60}{10} = 6$. Therefore second quantity = $13 \times 6 = 78$.

id=70338 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=F | option_c=H | option_d=B | answer=B | explanation=Move 2 positions forward from D; the resulting letter is F.

id=70339 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=I | option_b=L | option_c=R | option_d=O | answer=D | explanation=Move 3 positions forward from L; the resulting letter is O.

id=70340 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=K | option_b=N | option_c=M | option_d=L | answer=C | explanation=Move 1 positions forward from L; the resulting letter is M.

id=70341 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=40 | option_d=45 | answer=D | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{90}{2} = 45$ km/h.

id=70342 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2823. If it is sold at a profit of 5%, what is its selling price? | option_a=2828 | option_b=2964 | option_c=3246 | option_d=2682 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2823 \times \frac{105}{100} = \text{■}2964$.

id=70343 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1082. If it is sold at a profit of 50%, what is its selling price? | option_a=1132 | option_b=1623 | option_c=1731 | option_d=1515 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1082 \times \frac{150}{100} = \text{■}1623$.

id=70344 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1076. If it is sold at a profit of 15%, what is its selling price? | option_a=1237 | option_b=1130 | option_c=1344 | option_d=1091 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1076 \times \frac{115}{100} = \text{■}1237$.

id=70345 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1084. If it is sold at a profit of 15%, what is its selling price? | option_a=1099 | option_b=1354 | option_c=1138 | option_d=1246 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1084 \times \frac{115}{100} = \text{■}1246$.

id=70346 | topic=Percentages | difficulty=Easy | question=What is 20% of 1207? | option_a=241 | option_b=482 | option_c=231 | option_d=261 | answer=A | explanation=20% of 1207 = $(\frac{20}{100}) \times 1207 = 241$.

id=70347 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=10 | option_d=20 | answer=A | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{120}{8} = 15$ km/h.

id=70348 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 34? | option_a=24 | option_b=28 | option_c=20 | option_d=34 | answer=D | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 34 is the odd one out.

id=70349 | topic=Averages | difficulty=Easy | question=Find the average of 99, 18, 82, 23, 98, 73, 60, 59. | option_a=63 | option_b=64 | option_c=65 | option_d=66 | answer=B | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{512}{8} = 64$.

id=70350 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=M | option_c=L | option_d=K | answer=B | explanation=Move 1 positions forward from L; the resulting letter is M.

Aptitude Questions — Records 70,351-70,380 of 100,000

- id=70351 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:2 and the first is 112, what is the second? | option_a=30 | option_b=14 | option_c=12 | option_d=126 | answer=B | explanation=Scale factor = $112/16 = 7$. Therefore second quantity = $2 \times 7 = 14$.
- id=70352 | topic=Averages | difficulty=Easy | question=Find the average of 53, 14, 35, 26, 57. | option_a=39 | option_b=38 | option_c=36 | option_d=37 | answer=D | explanation=Average = sum of values ÷ number of values = $185 \div 5 = 37$.
- id=70353 | topic=Averages | difficulty=Easy | question=Find the average of 74, 86, 34, 94, 72, 29, 66, 62, 89, 24. | option_a=62 | option_b=65 | option_c=63 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = $630 \div 10 = 63$.
- id=70354 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Y | option_b=M | option_c=Q | option_d=U | answer=D | explanation=Move 4 positions forward from Q; the resulting letter is U.
- id=70355 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.
- id=70356 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2600. If it is sold at a profit of 40%, what is its selling price? | option_a=3380 | option_b=3900 | option_c=2640 | option_d=3640 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2600 \times 140/100 = ₹3640$.
- id=70357 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 19, 27, 38? | option_a=19 | option_b=27 | option_c=38 | option_d=11 | answer=C | explanation=The first three numbers increase by 8, so the next should be 35. Therefore 38 is the odd one out.
- id=70358 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=18 | option_b=21 | option_c=19 | option_d=15 | answer=A | explanation=The common difference is 3. Therefore the next term is $15 + 3 = 18$.
- id=70359 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=H | option_b=M | option_c=R | option_d=W | answer=C | explanation=Move 5 positions forward from M; the resulting letter is R.
- id=70360 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=M | option_b=S | option_c=Q | option_d=O | answer=C | explanation=Move 2 positions forward from O; the resulting letter is Q.
- id=70361 | topic=Percentages | difficulty=Easy | question=What is 5% of 1566? | option_a=78 | option_b=83 | option_c=68 | option_d=156 | answer=A | explanation=5% of 1566 = $(5/100) \times 1566 = 78$.
- id=70362 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=48 | option_c=19 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = $120 \div 5 = 24$ km/h.
- id=70363 | topic=Averages | difficulty=Easy | question=Find the average of 75, 43, 88, 95, 44. | option_a=71 | option_b=68 | option_c=69 | option_d=70 | answer=C | explanation=Average = sum of values ÷ number of values = $345 \div 5 = 69$.
- id=70364 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹20286 at 12% per annum for 5 years. | option_a=12271 | option_b=32457 | option_c=12071 | option_d=12171 | answer=D | explanation=SI = $PRT/100 = 20286 \times 12 \times 5/100 = ₹12171$.
- id=70365 | topic=Percentages | difficulty=Easy | question=What is 40% of 886? | option_a=354 | option_b=359 | option_c=349 | option_d=708 | answer=A | explanation=40% of 886 = $(40/100) \times 886 = 354$.
- id=70366 | topic=Averages | difficulty=Easy | question=Find the average of 28, 19, 23, 84, 63, 49, 88, 84, 57. | option_a=56 | option_b=55 | option_c=54 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = $495 \div 9 = 55$.
- id=70367 | topic=Averages | difficulty=Easy | question=Find the average of 46, 18, 12, 47, 61, 50, 44, 25, 84. | option_a=45 | option_b=43 | option_c=42 | option_d=44 | answer=B | explanation=Average = sum of values ÷ number of values = $387 \div 9 = 43$.
- id=70368 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=13 | option_b=12 | option_c=9 | option_d=11 | answer=D | explanation=The common difference is 2. Therefore the next term is $9 + 2 = 11$.
- id=70369 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:11 and the first is 20, what is the second? | option_a=220 | option_b=240 | option_c=221 | option_d=209 | answer=A | explanation=Scale factor = $20/1 = 20$. Therefore second quantity = $11 \times 20 = 220$.
- id=70370 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=M | option_b=P | option_c=G | option_d=J | answer=A | explanation=Move 3 positions forward from J; the resulting letter is M.
- id=70371 | topic=Averages | difficulty=Easy | question=Find the average of 49, 73, 88. | option_a=70 | option_b=69 | option_c=71 | option_d=72 | answer=A | explanation=Average = sum of values ÷ number of values = $210 \div 3 = 70$.
- id=70372 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.
- id=70373 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:14 and the first is 144, what is the second? | option_a=130 | option_b=256 | option_c=112 | option_d=98 | answer=C | explanation=Scale factor = $144/18 = 8$. Therefore second quantity = $14 \times 8 = 112$.
- id=70374 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=D | option_c=E | option_d=F | answer=D | explanation=Move 1 positions forward from E; the resulting letter is F.
- id=70375 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=30 | option_b=23 | option_c=37 | option_d=31 | answer=A | explanation=The common difference is 7. Therefore the next term is $23 + 7 = 30$.
- id=70376 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=20 | option_c=15 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = $60 \div 3 = 20$ km/h.
- id=70377 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.
- id=70378 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹14500 at 5% per annum for 1 years. | option_a=725 | option_b=625 | option_c=15225 | option_d=825 | answer=A | explanation=SI = $PRT/100 = 14500 \times 5 \times 1/100 = ₹725$.
- id=70379 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.
- id=70380 | topic=Averages | difficulty=Easy | question=Find the average of 16, 12, 90, 97, 34, 56, 59. | option_a=53 | option_b=51 | option_c=54 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = $364 \div 7 = 52$.

Aptitude Questions — Records 70,381-70,410 of 100,000

id=70381 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■48035 at 12% per annum for 4 years. | option_a=23056 | option_b=23156 | option_c=22956 | option_d=71091 | answer=A | explanation=SI = PRT/100 = 48035×12×4/100 = ■23056.

id=70382 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:5 and the first is 140, what is the second? | option_a=190 | option_b=64 | option_c=50 | option_d=45 | answer=C | explanation=Scale factor = 140/14 = 10. Therefore second quantity = 5×10 = 50.

id=70383 | topic=Averages | difficulty=Easy | question=Find the average of 82, 84, 12, 81, 74, 40, 68. | option_a=63 | option_b=65 | option_c=62 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = 441 ÷ 7 = 63.

id=70384 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=70385 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2537. If it is sold at a profit of 50%, what is its selling price? | option_a=3805 | option_b=2587 | option_c=4058 | option_d=3552 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2537 × 150/100 = ■3805.

id=70386 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=115 | option_c=120 | option_d=125 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=70387 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■33667 at 12% per annum for 5 years. | option_a=20300 | option_b=20200 | option_c=20100 | option_d=53867 | answer=B | explanation=SI = PRT/100 = 33667×12×5/100 = ■20200.

id=70388 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4025. If it is sold at a profit of 15%, what is its selling price? | option_a=4226 | option_b=4040 | option_c=5030 | option_d=4628 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4025 × 115/100 = ■4628.

id=70389 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 25. | option_a=1 | option_b=30 | option_c=25 | option_d=125 | answer=C | explanation=LCM × HCF = 5×25; HCF(5,25) = 5, so LCM = 25.

id=70390 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=A | option_c=C | option_d=D | answer=C | explanation=Move 1 positions forward from B; the resulting letter is C.

id=70391 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 28. | option_a=28 | option_b=32 | option_c=112 | option_d=1 | answer=A | explanation=LCM × HCF = 4×28; HCF(4,28) = 4, so LCM = 28.

id=70392 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 24. | option_a=96 | option_b=360 | option_c=135 | option_d=120 | answer=D | explanation=LCM × HCF = 15×24; HCF(15,24) = 3, so LCM = 120.

id=70393 | topic=Percentages | difficulty=Easy | question=What is 30% of 1277? | option_a=388 | option_b=383 | option_c=766 | option_d=363 | answer=B | explanation=30% of 1277 = (30/100) × 1277 = 383.

id=70394 | topic=Percentages | difficulty=Easy | question=What is 25% of 570? | option_a=142 | option_b=132 | option_c=284 | option_d=152 | answer=A | explanation=25% of 570 = (25/100) × 570 = 142.

id=70395 | topic=Averages | difficulty=Easy | question=Find the average of 96, 31, 90, 76, 30, 36, 14, 35. | option_a=52 | option_b=51 | option_c=53 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 408 ÷ 8 = 51.

id=70396 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=E | option_b=T | option_c=J | option_d=O | answer=D | explanation=Move 5 positions forward from J; the resulting letter is O.

id=70397 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4473. If it is sold at a profit of 50%, what is its selling price? | option_a=7156 | option_b=4523 | option_c=6709 | option_d=6262 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4473 × 150/100 = ■6709.

id=70398 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2778. If it is sold at a profit of 40%, what is its selling price? | option_a=3612 | option_b=4166 | option_c=2818 | option_d=3889 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2778 × 140/100 = ■3889.

id=70399 | topic=Averages | difficulty=Easy | question=Find the average of 44, 43, 41, 12, 89, 62, 52, 33. | option_a=49 | option_b=48 | option_c=47 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 376 ÷ 8 = 47.

id=70400 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:8 and the first is 6, what is the second? | option_a=26 | option_b=30 | option_c=24 | option_d=16 | answer=C | explanation=Scale factor = 6/2 = 3. Therefore second quantity = 8×3 = 24.

id=70401 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=41 | option_b=48 | option_c=34 | option_d=42 | answer=A | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=70402 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=N | option_b=J | option_c=F | option_d=B | answer=B | explanation=Move 4 positions forward from F; the resulting letter is J.

id=70403 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=41 | option_b=27 | option_c=34 | option_d=35 | answer=C | explanation=The common difference is 7. Therefore the next term is 27 + 7 = 34.

id=70404 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=70405 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:2 and the first is 114, what is the second? | option_a=152 | option_b=38 | option_c=44 | option_d=36 | answer=B | explanation=Scale factor = 114/6 = 19. Therefore second quantity = 2×19 = 38.

id=70406 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=70407 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:14 and the first is 120, what is the second? | option_a=98 | option_b=232 | option_c=112 | option_d=127 | answer=C | explanation=Scale factor = 120/15 = 8. Therefore second quantity = 14×8 = 112.

id=70408 | topic=Percentages | difficulty=Easy | question=What is 10% of 957? | option_a=100 | option_b=90 | option_c=190 | option_d=95 | answer=D | explanation=10% of 957 = (10/100) × 957 = 95.

id=70409 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=70410 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 70,411-70,440 of 100,000

id=70411 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=70412 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■28514 at 12% per annum for 2 years. | option_a=6743 | option_b=35357 | option_c=6943 | option_d=6843 | answer=D | explanation=SI = PRT/100 = 28514×12×2/100 = ■6843.

id=70413 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:12 and the first is 152, what is the second? | option_a=84 | option_b=115 | option_c=248 | option_d=96 | answer=D | explanation=Scale factor = 152/19 = 8. Therefore second quantity = 12×8 = 96.

id=70414 | topic=Averages | difficulty=Easy | question=Find the average of 73, 73, 12, 58, 89. | option_a=62 | option_b=61 | option_c=60 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 305 ÷ 5 = 61.

id=70415 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 35? | option_a=25 | option_b=35 | option_c=9 | option_d=17 | answer=B | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 35 is the odd one out.

id=70416 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=70417 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 28. | option_a=105 | option_b=588 | option_c=84 | option_d=56 | answer=C | explanation=LCM × HCF = 21×28; HCF(21,28) = 7, so LCM = 84.

id=70418 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=50 | option_b=40 | option_c=51 | option_d=60 | answer=A | explanation=The common difference is 10. Therefore the next term is 40 + 10 = 50.

id=70419 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=70420 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■44334 at 4% per annum for 1 years. | option_a=1873 | option_b=1673 | option_c=1773 | option_d=46107 | answer=C | explanation=SI = PRT/100 = 44334×4×1/100 = ■1773.

id=70421 | topic=Averages | difficulty=Easy | question=Find the average of 38, 73, 53, 91, 30, 22, 99. | option_a=58 | option_b=60 | option_c=57 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 406 ÷ 7 = 58.

id=70422 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 22, 29, 37? | option_a=15 | option_b=37 | option_c=22 | option_d=29 | answer=B | explanation=The first three numbers increase by 7, so the next should be 36. Therefore 37 is the odd one out.

id=70423 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 19, 27, 38? | option_a=27 | option_b=11 | option_c=19 | option_d=38 | answer=D | explanation=The first three numbers increase by 8, so the next should be 35. Therefore 38 is the odd one out.

id=70424 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=70425 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=20 | option_b=18 | option_c=16 | option_d=19 | answer=B | explanation=The common difference is 2. Therefore the next term is 16 + 2 = 18.

id=70426 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=29 | option_d=19 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=70427 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=58 | option_b=40 | option_c=49 | option_d=50 | answer=C | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

id=70428 | topic=Percentages | difficulty=Easy | question=What is 25% of 662? | option_a=330 | option_b=165 | option_c=170 | option_d=160 | answer=B | explanation=25% of 662 = (25/100) × 662 = 165.

id=70429 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=70430 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 5. | option_a=5 | option_b=10 | option_c=20 | option_d=50 | answer=B | explanation=LCM × HCF = 10×5; HCF(10,5) = 5, so LCM = 10.

id=70431 | topic=Percentages | difficulty=Easy | question=What is 30% of 1863? | option_a=1116 | option_b=568 | option_c=548 | option_d=558 | answer=D | explanation=30% of 1863 = (30/100) × 1863 = 558.

id=70432 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 32? | option_a=10 | option_b=24 | option_c=17 | option_d=32 | answer=D | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 32 is the odd one out.

id=70433 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=70434 | topic=Averages | difficulty=Easy | question=Find the average of 89, 26, 100, 88, 52. | option_a=72 | option_b=73 | option_c=71 | option_d=70 | answer=C | explanation=Average = sum of values ÷ number of values = 355 ÷ 5 = 71.

id=70435 | topic=Averages | difficulty=Easy | question=Find the average of 87, 64, 17, 15, 63, 53, 93. | option_a=57 | option_b=58 | option_c=56 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 392 ÷ 7 = 56.

id=70436 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=70437 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3584. If it is sold at a profit of 20%, what is its selling price? | option_a=3942 | option_b=4300 | option_c=3604 | option_d=4658 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3584 × 120/100 = ■4300.

id=70438 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=70439 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 24. | option_a=26 | option_b=1 | option_c=24 | option_d=48 | answer=C | explanation=LCM × HCF = 2×24; HCF(2,24) = 2, so LCM = 24.

id=70440 | topic=Percentages | difficulty=Easy | question=What is 10% of 125? | option_a=12 | option_b=24 | option_c=32 | option_d=0 | answer=A | explanation=10% of 125 = (10/100) × 125 = 12.

Aptitude Questions — Records 70,441-70,470 of 100,000

id=70441 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:2 and the first is 289, what is the second? | option_a=51 | option_b=32 | option_c=34 | option_d=323 | answer=C | explanation=Scale factor = 289/17 = 17. Therefore second quantity = 2×17 = 34.

id=70442 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=70443 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■45362 at 12% per annum for 3 years. | option_a=16430 | option_b=16230 | option_c=16330 | option_d=61692 | answer=C | explanation=SI = PRT/100 = 45362×12×3/100 = ■16330.

id=70444 | topic=Percentages | difficulty=Easy | question=What is 5% of 125? | option_a=12 | option_b=1 | option_c=6 | option_d=26 | answer=C | explanation=5% of 125 = (5/100) × 125 = 6.

id=70445 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=70446 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 18, 22, 27? | option_a=27 | option_b=18 | option_c=22 | option_d=14 | answer=A | explanation=The first three numbers increase by 4, so the next should be 26. Therefore 27 is the odd one out.

id=70447 | topic=Percentages | difficulty=Easy | question=What is 15% of 861? | option_a=258 | option_b=149 | option_c=129 | option_d=124 | answer=C | explanation=15% of 861 = (15/100) × 861 = 129.

id=70448 | topic=Averages | difficulty=Easy | question=Find the average of 56, 100, 74, 28, 13, 61, 73, 13, 23. | option_a=51 | option_b=48 | option_c=49 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 441 ÷ 9 = 49.

id=70449 | topic=Percentages | difficulty=Easy | question=What is 40% of 1785? | option_a=734 | option_b=1428 | option_c=709 | option_d=714 | answer=D | explanation=40% of 1785 = (40/100) × 1785 = 714.

id=70450 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■48190 at 6% per annum for 4 years. | option_a=59755 | option_b=11465 | option_c=11565 | option_d=11665 | answer=C | explanation=SI = PRT/100 = 48190×6×4/100 = ■11565.

id=70451 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4319. If it is sold at a profit of 25%, what is its selling price? | option_a=5829 | option_b=4344 | option_c=5398 | option_d=4967 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4319 × 125/100 = ■5398.

id=70452 | topic=Averages | difficulty=Easy | question=Find the average of 99, 48, 22, 38, 33. | option_a=47 | option_b=48 | option_c=49 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 240 ÷ 5 = 48.

id=70453 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1177. If it is sold at a profit of 20%, what is its selling price? | option_a=1197 | option_b=1529 | option_c=1412 | option_d=1295 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1177 × 120/100 = ■1412.

id=70454 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■24582 at 5% per annum for 2 years. | option_a=2458 | option_b=2558 | option_c=2358 | option_d=27040 | answer=A | explanation=SI = PRT/100 = 24582×5×2/100 = ■2458.

id=70455 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2295. If it is sold at a profit of 10%, what is its selling price? | option_a=2753 | option_b=2295 | option_c=2305 | option_d=2524 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2295 × 110/100 = ■2524.

id=70456 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=P | option_b=B | option_c=X | option_d=T | answer=C | explanation=Move 4 positions forward from T; the resulting letter is X.

id=70457 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=49 | option_b=60 | option_c=38 | option_d=50 | answer=A | explanation=The common difference is 11. Therefore the next term is 38 + 11 = 49.

id=70458 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=43 | option_b=44 | option_c=35 | option_d=51 | answer=A | explanation=The common difference is 8. Therefore the next term is 35 + 8 = 43.

id=70459 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 15. | option_a=18 | option_b=1 | option_c=45 | option_d=15 | answer=D | explanation=LCM × HCF = 3×15; HCF(3,15) = 3, so LCM = 15.

id=70460 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 35? | option_a=29 | option_b=19 | option_c=24 | option_d=35 | answer=D | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 35 is the odd one out.

id=70461 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=70462 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4368. If it is sold at a profit of 30%, what is its selling price? | option_a=4398 | option_b=5678 | option_c=5242 | option_d=6114 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4368 × 130/100 = ■5678.

id=70463 | topic=Averages | difficulty=Easy | question=Find the average of 69, 45, 18, 64, 18, 24, 100, 82, 48. | option_a=52 | option_b=54 | option_c=53 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 468 ÷ 9 = 52.

id=70464 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 18. | option_a=96 | option_b=54 | option_c=72 | option_d=432 | answer=C | explanation=LCM × HCF = 24×18; HCF(24,18) = 6, so LCM = 72.

id=70465 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=55 | option_c=45 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=70466 | topic=Averages | difficulty=Easy | question=Find the average of 98, 52, 84, 21, 24, 11, 46. | option_a=49 | option_b=50 | option_c=48 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 336 ÷ 7 = 48.

id=70467 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 37? | option_a=37 | option_b=32 | option_c=30 | option_d=34 | answer=A | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 37 is the odd one out.

id=70468 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=E | option_b=D | option_c=C | option_d=F | answer=A | explanation=Move 1 positions forward from D; the resulting letter is E.

id=70469 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=70470 | topic=Percentages | difficulty=Easy | question=What is 30% of 341? | option_a=204 | option_b=122 | option_c=82 | option_d=102 | answer=D | explanation=30% of 341 = (30/100) × 341 = 102.

Aptitude Questions — Records 70,471-70,500 of 100,000

id=70471 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35590 at 5% per annum for 3 years. | option_a=5238 | option_b=5438 | option_c=40928 | option_d=5338 | answer=D | explanation=SI = $PRT/100 = 35590 \times 5 \times 3 / 100 =$ **■**5338.

id=70472 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=30 | option_b=34 | option_c=35 | option_d=38 | answer=B | explanation=The common difference is 4. Therefore the next term is $30 + 4 = 34$.

id=70473 | topic=Averages | difficulty=Easy | question=Find the average of 100, 28, 82, 91, 64. | option_a=72 | option_b=73 | option_c=74 | option_d=75 | answer=B | explanation=Average = sum of values ÷ number of values = $365 \div 5 = 73$.

id=70474 | topic=Percentages | difficulty=Easy | question=What is 12% of 1606? | option_a=212 | option_b=192 | option_c=187 | option_d=384 | answer=B | explanation=12% of 1606 = $(12/100) \times 1606 = 192$.

id=70475 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2047. If it is sold at a profit of 30%, what is its selling price? | option_a=2077 | option_b=2865 | option_c=2457 | option_d=2661 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2047 \times 130 / 100 =$ **■**2661.

id=70476 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=5 | option_c=15 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = $60 \div 6 = 10$ km/h.

id=70477 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:5 and the first is 24, what is the second? | option_a=40 | option_b=43 | option_c=64 | option_d=35 | answer=A | explanation=Scale factor = $24/3 = 8$. Therefore second quantity = $5 \times 8 = 40$.

id=70478 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=70479 | topic=Percentages | difficulty=Easy | question=What is 10% of 1013? | option_a=96 | option_b=101 | option_c=106 | option_d=202 | answer=B | explanation=10% of 1013 = $(10/100) \times 1013 = 101$.

id=70480 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:5 and the first is 80, what is the second? | option_a=95 | option_b=104 | option_c=100 | option_d=180 | answer=C | explanation=Scale factor = $80/4 = 20$. Therefore second quantity = $5 \times 20 = 100$.

id=70481 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35508 at 8% per annum for 1 years. | option_a=2840 | option_b=38348 | option_c=2740 | option_d=2940 | answer=A | explanation=SI = $PRT/100 = 35508 \times 8 \times 1 / 100 =$ **■**2840.

id=70482 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 18, 26, 37? | option_a=10 | option_b=26 | option_c=18 | option_d=37 | answer=D | explanation=The first three numbers increase by 8, so the next should be 34. Therefore 37 is the odd one out.

id=70483 | topic=Averages | difficulty=Easy | question=Find the average of 74, 53, 81, 10, 47. | option_a=54 | option_b=53 | option_c=55 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = $265 \div 5 = 53$.

id=70484 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=E | option_b=H | option_c=G | option_d=F | answer=C | explanation=Move 1 positions forward from F; the resulting letter is G.

id=70485 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=70486 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5456 at 15% per annum for 2 years. | option_a=1636 | option_b=7092 | option_c=1736 | option_d=1536 | answer=A | explanation=SI = $PRT/100 = 5456 \times 15 \times 2 / 100 =$ **■**1636.

id=70487 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=Y | option_c=U | option_d=S | answer=A | explanation=Move 2 positions forward from U; the resulting letter is W.

id=70488 | topic=Averages | difficulty=Easy | question=Find the average of 93, 96, 89, 46. | option_a=83 | option_b=82 | option_c=80 | option_d=81 | answer=D | explanation=Average = sum of values ÷ number of values = $324 \div 4 = 81$.

id=70489 | topic=Percentages | difficulty=Easy | question=What is 5% of 726? | option_a=46 | option_b=26 | option_c=36 | option_d=72 | answer=C | explanation=5% of 726 = $(5/100) \times 726 = 36$.

id=70490 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=40 | option_c=15 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = $60 \div 3 = 20$ km/h.

id=70491 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=43 | option_b=53 | option_c=63 | option_d=54 | answer=B | explanation=The common difference is 10. Therefore the next term is $43 + 10 = 53$.

id=70492 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33369 at 15% per annum for 4 years. | option_a=19921 | option_b=20121 | option_c=20021 | option_d=53390 | answer=C | explanation=SI = $PRT/100 = 33369 \times 15 \times 4 / 100 =$ **■**20021.

id=70493 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6242 at 5% per annum for 3 years. | option_a=7178 | option_b=836 | option_c=936 | option_d=1036 | answer=C | explanation=SI = $PRT/100 = 6242 \times 5 \times 3 / 100 =$ **■**936.

id=70494 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45316 at 4% per annum for 2 years. | option_a=3525 | option_b=3725 | option_c=3625 | option_d=48941 | answer=C | explanation=SI = $PRT/100 = 45316 \times 4 \times 2 / 100 =$ **■**3625.

id=70495 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=40 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = $120 \div 6 = 20$ km/h.

id=70496 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=70497 | topic=Percentages | difficulty=Easy | question=What is 30% of 1252? | option_a=375 | option_b=385 | option_c=750 | option_d=365 | answer=A | explanation=30% of 1252 = $(30/100) \times 1252 = 375$.

id=70498 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19902 at 10% per annum for 5 years. | option_a=9951 | option_b=29853 | option_c=10051 | option_d=9851 | answer=A | explanation=SI = $PRT/100 = 19902 \times 10 \times 5 / 100 =$ **■**9951.

id=70499 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33725 at 4% per annum for 2 years. | option_a=2798 | option_b=2598 | option_c=36423 | option_d=2698 | answer=D | explanation=SI = $PRT/100 = 33725 \times 4 \times 2 / 100 =$ **■**2698.

id=70500 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=90 | option_c=85 | option_d=180 | answer=B | explanation=Speed = distance ÷ time = $360 \div 4 = 90$ km/h.

Aptitude Questions — Records 70,501-70,530 of 100,000

id=70501 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 26. | option_a=208 | option_b=252 | option_c=468 | option_d=234 | answer=D | explanation=LCM × HCF = 18×26; HCF(18,26) = 2, so LCM = 234.

id=70502 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3529. If it is sold at a profit of 50%, what is its selling price? | option_a=4941 | option_b=5293 | option_c=3579 | option_d=5645 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3529 × 150/100 = █5293.

id=70503 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=70504 | topic=Percentages | difficulty=Easy | question=What is 30% of 1169? | option_a=360 | option_b=350 | option_c=345 | option_d=700 | answer=B | explanation=30% of 1169 = (30/100) × 1169 = 350.

id=70505 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 11? | option_a=11 | option_b=4 | option_c=6 | option_d=8 | answer=A | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 11 is the odd one out.

id=70506 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:8 and the first is 192, what is the second? | option_a=128 | option_b=140 | option_c=320 | option_d=120 | answer=A | explanation=Scale factor = 192/12 = 16. Therefore second quantity = 8×16 = 128.

id=70507 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=80 | option_c=85 | option_d=75 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=70508 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8742 at 10% per annum for 4 years. | option_a=12238 | option_b=3496 | option_c=3396 | option_d=3596 | answer=B | explanation=SI = PRT/100 = 8742×10×4/100 = █3496.

id=70509 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=P | option_b=O | option_c=Q | option_d=N | answer=A | explanation=Move 1 positions forward from O; the resulting letter is P.

id=70510 | topic=Percentages | difficulty=Easy | question=What is 30% of 1172? | option_a=351 | option_b=702 | option_c=331 | option_d=371 | answer=A | explanation=30% of 1172 = (30/100) × 1172 = 351.

id=70511 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=U | option_c=T | option_d=S | answer=B | explanation=Move 1 positions forward from T; the resulting letter is U.

id=70512 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45877 at 8% per annum for 3 years. | option_a=11110 | option_b=56887 | option_c=10910 | option_d=11010 | answer=D | explanation=SI = PRT/100 = 45877×8×3/100 = █11010.

id=70513 | topic=Averages | difficulty=Easy | question=Find the average of 62, 55, 99, 36. | option_a=62 | option_b=64 | option_c=65 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 252 ÷ 4 = 63.

id=70514 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=70515 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:9 and the first is 252, what is the second? | option_a=378 | option_b=144 | option_c=117 | option_d=126 | answer=D | explanation=Scale factor = 252/18 = 14. Therefore second quantity = 9×14 = 126.

id=70516 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 37? | option_a=17 | option_b=23 | option_c=37 | option_d=29 | answer=C | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 37 is the odd one out.

id=70517 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37508 at 4% per annum for 3 years. | option_a=4600 | option_b=42008 | option_c=4400 | option_d=4500 | answer=D | explanation=SI = PRT/100 = 37508×4×3/100 = █4500.

id=70518 | topic=Averages | difficulty=Easy | question=Find the average of 69, 71, 52, 81, 22. | option_a=60 | option_b=58 | option_c=61 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 295 ÷ 5 = 59.

id=70519 | topic=Averages | difficulty=Easy | question=Find the average of 98, 31, 36, 51, 84, 77, 95, 24. | option_a=61 | option_b=63 | option_c=64 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 496 ÷ 8 = 62.

id=70520 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=70521 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=95 | option_c=85 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=70522 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=70523 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=70524 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 16, 21, 28? | option_a=28 | option_b=16 | option_c=21 | option_d=11 | answer=A | explanation=The first three numbers increase by 5, so the next should be 26. Therefore 28 is the odd one out.

id=70525 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 21, 30, 41? | option_a=21 | option_b=41 | option_c=30 | option_d=12 | answer=B | explanation=The first three numbers increase by 9, so the next should be 39. Therefore 41 is the odd one out.

id=70526 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1875. If it is sold at a profit of 25%, what is its selling price? | option_a=2156 | option_b=2530 | option_c=1900 | option_d=2343 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1875 × 125/100 = █2343.

id=70527 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=70528 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=70529 | topic=Averages | difficulty=Easy | question=Find the average of 64, 72, 63, 68, 28. | option_a=61 | option_b=58 | option_c=59 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 295 ÷ 5 = 59.

id=70530 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 19, 29, 41? | option_a=19 | option_b=9 | option_c=41 | option_d=29 | answer=C | explanation=The first three numbers increase by 10, so the next should be 39. Therefore 41 is the odd one out.

Aptitude Questions — Records 70,531-70,560 of 100,000

- id=70531 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=S | option_b=I | option_c=N | option_d=D | answer=C | explanation=Move 5 positions forward from I; the resulting letter is N.
- id=70532 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5329 at 6% per annum for 1 years. | option_a=219 | option_b=319 | option_c=5648 | option_d=419 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{5329 \times 6 \times 1}{100} = \text{■}319$.
- id=70533 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:1 and the first is 33, what is the second? | option_a=2 | option_b=36 | option_c=3 | option_d=14 | answer=C | explanation=Scale factor = $\frac{33}{11} = 3$. Therefore second quantity = $1 \times 3 = 3$.
- id=70534 | topic=Percentages | difficulty=Easy | question=What is 10% of 1931? | option_a=386 | option_b=213 | option_c=193 | option_d=173 | answer=C | explanation=10% of 1931 = $(\frac{10}{100}) \times 1931 = 193$.
- id=70535 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=J | option_c=F | option_d=X | answer=C | explanation=Move 4 positions forward from B; the resulting letter is F.
- id=70536 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.
- id=70537 | topic=Percentages | difficulty=Easy | question=What is 12% of 133? | option_a=25 | option_b=10 | option_c=15 | option_d=30 | answer=C | explanation=12% of 133 = $(\frac{12}{100}) \times 133 = 15$.
- id=70538 | topic=Averages | difficulty=Easy | question=Find the average of 12, 39, 53, 42, 54, 52. | option_a=43 | option_b=41 | option_c=42 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{252}{6} = 42$.
- id=70539 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:10 and the first is 120, what is the second? | option_a=80 | option_b=50 | option_c=180 | option_d=60 | answer=D | explanation=Scale factor = $\frac{120}{20} = 6$. Therefore second quantity = $10 \times 6 = 60$.
- id=70540 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=54 | option_b=46 | option_c=45 | option_d=36 | answer=C | explanation=The common difference is 9. Therefore the next term is $36 + 9 = 45$.
- id=70541 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=180 | option_c=85 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = $\frac{360}{4} = 90$ km/h.
- id=70542 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16902 at 15% per annum for 4 years. | option_a=10241 | option_b=10141 | option_c=10041 | option_d=27043 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{16902 \times 15 \times 4}{100} = \text{■}10141$.
- id=70543 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:7 and the first is 247, what is the second? | option_a=84 | option_b=91 | option_c=110 | option_d=338 | answer=B | explanation=Scale factor = $\frac{247}{19} = 13$. Therefore second quantity = $7 \times 13 = 91$.
- id=70544 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 37? | option_a=37 | option_b=5 | option_c=25 | option_d=15 | answer=A | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 37 is the odd one out.
- id=70545 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:11 and the first is 9, what is the second? | option_a=108 | option_b=100 | option_c=88 | option_d=99 | answer=D | explanation=Scale factor = $\frac{9}{1} = 9$. Therefore second quantity = $11 \times 9 = 99$.
- id=70546 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.
- id=70547 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=7 | option_c=12 | option_d=17 | answer=C | explanation=Speed = distance ÷ time = $\frac{60}{5} = 12$ km/h.
- id=70548 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=W | option_b=T | option_c=Q | option_d=N | answer=B | explanation=Move 3 positions forward from Q; the resulting letter is T.
- id=70549 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=K | option_c=O | option_d=W | answer=A | explanation=Move 4 positions forward from O; the resulting letter is S.
- id=70550 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=63 | option_b=52 | option_c=64 | option_d=74 | answer=A | explanation=The common difference is 11. Therefore the next term is $52 + 11 = 63$.
- id=70551 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = $\frac{120}{8} = 15$ km/h.
- id=70552 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 40? | option_a=15 | option_b=40 | option_c=23 | option_d=31 | answer=B | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 40 is the odd one out.
- id=70553 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:3 and the first is 14, what is the second? | option_a=13 | option_b=20 | option_c=3 | option_d=6 | answer=D | explanation=Scale factor = $\frac{14}{7} = 2$. Therefore second quantity = $3 \times 2 = 6$.
- id=70554 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3141. If it is sold at a profit of 5%, what is its selling price? | option_a=3146 | option_b=3612 | option_c=3298 | option_d=2984 | answer=C | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 3141 \times \frac{105}{100} = \text{■}3298$.
- id=70555 | topic=Averages | difficulty=Easy | question=Find the average of 30, 14, 91, 25, 70, 34. | option_a=45 | option_b=46 | option_c=43 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{264}{6} = 44$.
- id=70556 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4424. If it is sold at a profit of 25%, what is its selling price? | option_a=5972 | option_b=5088 | option_c=4449 | option_d=5530 | answer=D | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 4424 \times \frac{125}{100} = \text{■}5530$.
- id=70557 | topic=Percentages | difficulty=Easy | question=What is 30% of 1082? | option_a=319 | option_b=329 | option_c=648 | option_d=324 | answer=D | explanation=30% of 1082 = $(\frac{30}{100}) \times 1082 = 324$.
- id=70558 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=Q | option_c=O | option_d=P | answer=B | explanation=Move 1 positions forward from P; the resulting letter is Q.
- id=70559 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 24, 31, 41? | option_a=24 | option_b=31 | option_c=17 | option_d=41 | answer=D | explanation=The first three numbers increase by 7, so the next should be 38. Therefore 41 is the odd one out.
- id=70560 | topic=Averages | difficulty=Easy | question=Find the average of 57, 81, 56, 35, 86, 70, 57, 51, 101. | option_a=68 | option_b=66 | option_c=65 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{594}{9} = 66$.

Aptitude Questions — Records 70,561-70,590 of 100,000

id=70561 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=12 | option_c=24 | option_d=17 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=70562 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2136. If it is sold at a profit of 30%, what is its selling price? | option_a=2166 | option_b=2776 | option_c=2989 | option_d=2563 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2136 × 130/100 = ■2776.

id=70563 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:3 and the first is 102, what is the second? | option_a=120 | option_b=15 | option_c=18 | option_d=35 | answer=C | explanation=Scale factor = 102/17 = 6. Therefore second quantity = 3×6 = 18.

id=70564 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:16 and the first is 238, what is the second? | option_a=286 | option_b=256 | option_c=510 | option_d=272 | answer=D | explanation=Scale factor = 238/14 = 17. Therefore second quantity = 16×17 = 272.

id=70565 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3750. If it is sold at a profit of 30%, what is its selling price? | option_a=5250 | option_b=3780 | option_c=4875 | option_d=4500 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3750 × 130/100 = ■4875.

id=70566 | topic=Percentages | difficulty=Easy | question=What is 5% of 1546? | option_a=72 | option_b=77 | option_c=87 | option_d=154 | answer=B | explanation=5% of 1546 = (5/100) × 1546 = 77.

id=70567 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:4 and the first is 306, what is the second? | option_a=64 | option_b=86 | option_c=374 | option_d=68 | answer=D | explanation=Scale factor = 306/18 = 17. Therefore second quantity = 4×17 = 68.

id=70568 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 9. | option_a=63 | option_b=72 | option_c=96 | option_d=216 | answer=B | explanation=LCM × HCF = 24×9; HCF(24,9) = 3, so LCM = 72.

id=70569 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=29 | option_c=48 | option_d=19 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=70570 | topic=Averages | difficulty=Easy | question=Find the average of 81, 28, 79, 21, 16. | option_a=46 | option_b=44 | option_c=45 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 225 ÷ 5 = 45.

id=70571 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 29, 38, 50? | option_a=50 | option_b=20 | option_c=29 | option_d=38 | answer=A | explanation=The first three numbers increase by 9, so the next should be 47. Therefore 50 is the odd one out.

id=70572 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=49 | option_b=59 | option_c=39 | option_d=50 | answer=A | explanation=The common difference is 10. Therefore the next term is 39 + 10 = 49.

id=70573 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=36 | option_b=40 | option_c=35 | option_d=30 | answer=C | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=70574 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4992. If it is sold at a profit of 25%, what is its selling price? | option_a=5017 | option_b=6240 | option_c=5741 | option_d=6739 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4992 × 125/100 = ■6240.

id=70575 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■21369 at 6% per annum for 5 years. | option_a=6410 | option_b=27779 | option_c=6310 | option_d=6510 | answer=A | explanation=SI = PRT/100 = 21369×6×5/100 = ■6410.

id=70576 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=64 | option_b=52 | option_c=74 | option_d=63 | answer=D | explanation=The common difference is 11. Therefore the next term is 52 + 11 = 63.

id=70577 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:7 and the first is 65, what is the second? | option_a=35 | option_b=100 | option_c=48 | option_d=28 | answer=A | explanation=Scale factor = 65/13 = 5. Therefore second quantity = 7×5 = 35.

id=70578 | topic=Percentages | difficulty=Easy | question=What is 25% of 873? | option_a=228 | option_b=208 | option_c=436 | option_d=218 | answer=D | explanation=25% of 873 = (25/100) × 873 = 218.

id=70579 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:19 and the first is 342, what is the second? | option_a=323 | option_b=361 | option_c=342 | option_d=684 | answer=C | explanation=Scale factor = 342/19 = 18. Therefore second quantity = 19×18 = 342.

id=70580 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■44909 at 12% per annum for 4 years. | option_a=21456 | option_b=21556 | option_c=21656 | option_d=66465 | answer=B | explanation=SI = PRT/100 = 44909×12×4/100 = ■21556.

id=70581 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=C | option_b=I | option_c=G | option_d=E | answer=C | explanation=Move 2 positions forward from E; the resulting letter is G.

id=70582 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=28 | option_b=24 | option_c=23 | option_d=18 | answer=C | explanation=The common difference is 5. Therefore the next term is 18 + 5 = 23.

id=70583 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=80 | option_c=35 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=70584 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=70585 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=15 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=70586 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=70587 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=70588 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=49 | option_b=42 | option_c=43 | option_d=35 | answer=B | explanation=The common difference is 7. Therefore the next term is 35 + 7 = 42.

id=70589 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=85 | option_c=75 | option_d=160 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=70590 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=K | option_c=Q | option_d=M | answer=A | explanation=Move 2 positions forward from M; the resulting letter is O.

Aptitude Questions — Records 70,591-70,620 of 100,000

id=70591 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=48 | option_b=40 | option_c=54 | option_d=47 | answer=D | explanation=The common difference is 7. Therefore the next term is 40 + 7 = 47.

id=70592 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 8, 12, 18? | option_a=12 | option_b=8 | option_c=4 | option_d=18 | answer=D | explanation=The first three numbers increase by 4, so the next should be 16. Therefore 18 is the odd one out.

id=70593 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=Z | option_b=D | option_c=F | option_d=B | answer=B | explanation=Move 2 positions forward from B; the resulting letter is D.

id=70594 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**523. If it is sold at a profit of 20%, what is its selling price? | option_a=627 | option_b=679 | option_c=575 | option_d=543 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 523 × 120/100 = **■**627.

id=70595 | topic=Percentages | difficulty=Easy | question=What is 12% of 1223? | option_a=156 | option_b=126 | option_c=146 | option_d=292 | answer=C | explanation=12% of 1223 = (12/100) × 1223 = 146.

id=70596 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=L | option_c=O | option_d=F | answer=B | explanation=Move 3 positions forward from I; the resulting letter is L.

id=70597 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=24 | option_c=48 | option_d=19 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=70598 | topic=Averages | difficulty=Easy | question=Find the average of 60, 26, 20, 95, 70, 40, 67. | option_a=56 | option_b=54 | option_c=55 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

id=70599 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=D | option_b=M | option_c=G | option_d=J | answer=D | explanation=Move 3 positions forward from G; the resulting letter is J.

id=70600 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:8 and the first is 168, what is the second? | option_a=96 | option_b=264 | option_c=110 | option_d=88 | answer=A | explanation=Scale factor = 168/14 = 12. Therefore second quantity = 8×12 = 96.

id=70601 | topic=Percentages | difficulty=Easy | question=What is 5% of 1391? | option_a=138 | option_b=79 | option_c=69 | option_d=59 | answer=C | explanation=5% of 1391 = (5/100) × 1391 = 69.

id=70602 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=70603 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2871. If it is sold at a profit of 30%, what is its selling price? | option_a=4019 | option_b=2901 | option_c=3445 | option_d=3732 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2871 × 130/100 = **■**3732.

id=70604 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=80 | option_c=35 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=70605 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=360 | option_c=175 | option_d=180 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=70606 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4611. If it is sold at a profit of 10%, what is its selling price? | option_a=5072 | option_b=4621 | option_c=5533 | option_d=4611 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4611 × 110/100 = **■**5072.

id=70607 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=145 | option_c=155 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=70608 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 32, 40, 50? | option_a=40 | option_b=24 | option_c=50 | option_d=32 | answer=C | explanation=The first three numbers increase by 8, so the next should be 48. Therefore 50 is the odd one out.

id=70609 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=25 | option_b=19 | option_c=22 | option_d=23 | answer=C | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.

id=70610 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=70611 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3281. If it is sold at a profit of 50%, what is its selling price? | option_a=4593 | option_b=4921 | option_c=3331 | option_d=5249 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3281 × 150/100 = **■**4921.

id=70612 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=32 | option_b=33 | option_c=39 | option_d=25 | answer=A | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.

id=70613 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=70614 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=70615 | topic=Percentages | difficulty=Easy | question=What is 50% of 543? | option_a=291 | option_b=542 | option_c=271 | option_d=251 | answer=C | explanation=50% of 543 = (50/100) × 543 = 271.

id=70616 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=K | option_c=L | option_d=J | answer=C | explanation=Move 1 positions forward from K; the resulting letter is L.

id=70617 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=D | option_c=S | option_d=N | answer=D | explanation=Move 5 positions forward from I; the resulting letter is N.

id=70618 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=L | option_b=H | option_c=Z | option_d=D | answer=B | explanation=Move 4 positions forward from D; the resulting letter is H.

id=70619 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2315. If it is sold at a profit of 5%, what is its selling price? | option_a=2430 | option_b=2320 | option_c=2661 | option_d=2199 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2315 × 105/100 = **■**2430.

id=70620 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=F | option_c=G | option_d=E | answer=C | explanation=Move 1 positions forward from F; the resulting letter is G.

Aptitude Questions — Records 70,621-70,650 of 100,000

id=70621 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■44534 at 5% per annum for 5 years. | option_a=11233 | option_b=11133 | option_c=11033 | option_d=55667 | answer=B | explanation=SI = PRT/100 = 44534×5×5/100 = ■11133.

id=70622 | topic=Percentages | difficulty=Easy | question=What is 50% of 574? | option_a=574 | option_b=267 | option_c=292 | option_d=287 | answer=D | explanation=50% of 574 = (50/100) × 574 = 287.

id=70623 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3535. If it is sold at a profit of 20%, what is its selling price? | option_a=4595 | option_b=3889 | option_c=3555 | option_d=4242 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3535 × 120/100 = ■4242.

id=70624 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:18 and the first is 66, what is the second? | option_a=108 | option_b=174 | option_c=90 | option_d=119 | answer=A | explanation=Scale factor = 66/11 = 6. Therefore second quantity = 18×6 = 108.

id=70625 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=70626 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=C | option_c=Y | option_d=Q | answer=C | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=70627 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 35, 44, 55? | option_a=55 | option_b=44 | option_c=35 | option_d=26 | answer=A | explanation=The first three numbers increase by 9, so the next should be 53. Therefore 55 is the odd one out.

id=70628 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=44 | option_b=36 | option_c=28 | option_d=37 | answer=B | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=70629 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 34, 43, 55? | option_a=55 | option_b=25 | option_c=34 | option_d=43 | answer=A | explanation=The first three numbers increase by 9, so the next should be 52. Therefore 55 is the odd one out.

id=70630 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:19 and the first is 112, what is the second? | option_a=264 | option_b=133 | option_c=152 | option_d=166 | answer=C | explanation=Scale factor = 112/14 = 8. Therefore second quantity = 19×8 = 152.

id=70631 | topic=Percentages | difficulty=Easy | question=What is 20% of 1614? | option_a=327 | option_b=317 | option_c=644 | option_d=322 | answer=D | explanation=20% of 1614 = (20/100) × 1614 = 322.

id=70632 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=32 | option_b=48 | option_c=40 | option_d=41 | answer=C | explanation=The common difference is 8. Therefore the next term is 32 + 8 = 40.

id=70633 | topic=Percentages | difficulty=Easy | question=What is 25% of 1256? | option_a=314 | option_b=628 | option_c=294 | option_d=334 | answer=A | explanation=25% of 1256 = (25/100) × 1256 = 314.

id=70634 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=23 | option_b=25 | option_c=27 | option_d=26 | answer=B | explanation=The common difference is 2. Therefore the next term is 23 + 2 = 25.

id=70635 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1268. If it is sold at a profit of 10%, what is its selling price? | option_a=1268 | option_b=1278 | option_c=1520 | option_d=1394 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1268 × 110/100 = ■1394.

id=70636 | topic=Percentages | difficulty=Easy | question=What is 10% of 1768? | option_a=352 | option_b=176 | option_c=181 | option_d=156 | answer=B | explanation=10% of 1768 = (10/100) × 1768 = 176.

id=70637 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=70638 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=31 | option_b=39 | option_c=36 | option_d=35 | answer=D | explanation=The common difference is 4. Therefore the next term is 31 + 4 = 35.

id=70639 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 28, 38, 48, ? | option_a=48 | option_b=59 | option_c=68 | option_d=58 | answer=D | explanation=The common difference is 10. Therefore the next term is 48 + 10 = 58.

id=70640 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:18 and the first is 28, what is the second? | option_a=64 | option_b=18 | option_c=36 | option_d=50 | answer=C | explanation=Scale factor = 28/14 = 2. Therefore second quantity = 18×2 = 36.

id=70641 | topic=Percentages | difficulty=Easy | question=What is 30% of 1566? | option_a=449 | option_b=469 | option_c=938 | option_d=474 | answer=B | explanation=30% of 1566 = (30/100) × 1566 = 469.

id=70642 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=X | option_c=D | option_d=G | answer=C | explanation=Move 3 positions forward from A; the resulting letter is D.

id=70643 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■17307 at 5% per annum for 1 years. | option_a=865 | option_b=765 | option_c=18172 | option_d=965 | answer=A | explanation=SI = PRT/100 = 17307×5×1/100 = ■865.

id=70644 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=70645 | topic=Averages | difficulty=Easy | question=Find the average of 39, 83, 83, 84, 53, 84. | option_a=72 | option_b=70 | option_c=71 | option_d=73 | answer=C | explanation=Average = sum of values ÷ number of values = 426 ÷ 6 = 71.

id=70646 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=70647 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1836. If it is sold at a profit of 20%, what is its selling price? | option_a=2203 | option_b=1856 | option_c=2386 | option_d=2020 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1836 × 120/100 = ■2203.

id=70648 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=50 | option_c=25 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=70649 | topic=Percentages | difficulty=Easy | question=What is 15% of 1996? | option_a=279 | option_b=304 | option_c=299 | option_d=598 | answer=C | explanation=15% of 1996 = (15/100) × 1996 = 299.

id=70650 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

Aptitude Questions — Records 70,651-70,680 of 100,000

id=70651 | topic=Averages | difficulty=Easy | question=Find the average of 51, 62, 31, 63, 86, 39, 95, 44, 13, 16. | option_a=49 | option_b=50 | option_c=52 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 500 ÷ 10 = 50.

id=70652 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 12. | option_a=154 | option_b=264 | option_c=132 | option_d=120 | answer=C | explanation=LCM × HCF = 22×12; HCF(22,12) = 2, so LCM = 132.

id=70653 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4705. If it is sold at a profit of 10%, what is its selling price? | option_a=5175 | option_b=5645 | option_c=4715 | option_d=4705 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4705 × 110/100 = █5175.

id=70654 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=70655 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:7 and the first is 120, what is the second? | option_a=98 | option_b=225 | option_c=113 | option_d=105 | answer=D | explanation=Scale factor = 120/8 = 15. Therefore second quantity = 7×15 = 105.

id=70656 | topic=Profit & Loss | difficulty=Easy | question=An article costs █753. If it is sold at a profit of 50%, what is its selling price? | option_a=1204 | option_b=1054 | option_c=1129 | option_d=803 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 753 × 150/100 = █1129.

id=70657 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31132 at 15% per annum for 5 years. | option_a=23249 | option_b=54481 | option_c=23449 | option_d=23349 | answer=D | explanation=SI = PRT/100 = 31132×15×5/100 = █23349.

id=70658 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 9. | option_a=96 | option_b=72 | option_c=63 | option_d=216 | answer=B | explanation=LCM × HCF = 24×9; HCF(24,9) = 3, so LCM = 72.

id=70659 | topic=Averages | difficulty=Easy | question=Find the average of 22, 81, 11, 87, 98, 77, 86. | option_a=68 | option_b=67 | option_c=65 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = 462 ÷ 7 = 66.

id=70660 | topic=Profit & Loss | difficulty=Easy | question=An article costs █323. If it is sold at a profit of 30%, what is its selling price? | option_a=387 | option_b=419 | option_c=353 | option_d=451 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 323 × 130/100 = █419.

id=70661 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=70662 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=70663 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=28 | option_b=30 | option_c=27 | option_d=24 | answer=C | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=70664 | topic=Averages | difficulty=Easy | question=Find the average of 61, 98, 10, 46, 17, 56, 52, 28. | option_a=46 | option_b=47 | option_c=48 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 368 ÷ 8 = 46.

id=70665 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=25 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=70666 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 31? | option_a=10 | option_b=16 | option_c=22 | option_d=31 | answer=D | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 31 is the odd one out.

id=70667 | topic=Percentages | difficulty=Easy | question=What is 25% of 1537? | option_a=768 | option_b=364 | option_c=384 | option_d=394 | answer=C | explanation=25% of 1537 = (25/100) × 1537 = 384.

id=70668 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=H | option_b=T | option_c=P | option_d=L | answer=C | explanation=Move 4 positions forward from L; the resulting letter is P.

id=70669 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=A | option_b=J | option_c=D | option_d=G | answer=D | explanation=Move 3 positions forward from D; the resulting letter is G.

id=70670 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=100 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=70671 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=70672 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1027. If it is sold at a profit of 20%, what is its selling price? | option_a=1334 | option_b=1047 | option_c=1130 | option_d=1232 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1027 × 120/100 = █1232.

id=70673 | topic=Percentages | difficulty=Easy | question=What is 10% of 295? | option_a=29 | option_b=49 | option_c=58 | option_d=24 | answer=A | explanation=10% of 295 = (10/100) × 295 = 29.

id=70674 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=32 | option_b=26 | option_c=31 | option_d=36 | answer=C | explanation=The common difference is 5. Therefore the next term is 26 + 5 = 31.

id=70675 | topic=Averages | difficulty=Easy | question=Find the average of 13, 31, 25, 48, 100, 71, 28, 51, 74. | option_a=48 | option_b=50 | option_c=49 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 441 ÷ 9 = 49.

id=70676 | topic=Percentages | difficulty=Easy | question=What is 50% of 895? | option_a=894 | option_b=457 | option_c=447 | option_d=442 | answer=C | explanation=50% of 895 = (50/100) × 895 = 447.

id=70677 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=4 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=70678 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:12 and the first is 63, what is the second? | option_a=115 | option_b=171 | option_c=96 | option_d=108 | answer=D | explanation=Scale factor = 63/7 = 9. Therefore second quantity = 12×9 = 108.

id=70679 | topic=Averages | difficulty=Easy | question=Find the average of 28, 97, 24, 76, 49, 91, 58, 41, 58. | option_a=60 | option_b=59 | option_c=57 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 522 ÷ 9 = 58.

id=70680 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1484. If it is sold at a profit of 5%, what is its selling price? | option_a=1706 | option_b=1489 | option_c=1558 | option_d=1410 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1484 × 105/100 = █1558.

Aptitude Questions — Records 70,681-70,710 of 100,000

id=70681 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:10 and the first is 88, what is the second? | option_a=91 | option_b=168 | option_c=70 | option_d=80 | answer=D | explanation=Scale factor = $88/11 = 8$. Therefore second quantity = $10 \times 8 = 80$.

id=70682 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=N | option_b=D | option_c=I | option_d=Y | answer=C | explanation=Move 5 positions forward from D; the resulting letter is I.

id=70683 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=70684 | topic=Percentages | difficulty=Easy | question=What is 25% of 1853? | option_a=926 | option_b=463 | option_c=468 | option_d=458 | answer=B | explanation=25% of 1853 = $(25/100) \times 1853 = 463$.

id=70685 | topic=Averages | difficulty=Easy | question=Find the average of 79, 40, 43. | option_a=55 | option_b=54 | option_c=53 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = $162 \div 3 = 54$.

id=70686 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=Y | option_c=D | option_d=O | answer=B | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=70687 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=125 | option_b=115 | option_c=120 | option_d=240 | answer=C | explanation=Speed = distance ÷ time = $240 \div 2 = 120$ km/h.

id=70688 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 16, 23, 30, ? | option_a=30 | option_b=37 | option_c=44 | option_d=38 | answer=B | explanation=The common difference is 7. Therefore the next term is $30 + 7 = 37$.

id=70689 | topic=Averages | difficulty=Easy | question=Find the average of 36, 70, 87, 95. | option_a=73 | option_b=71 | option_c=74 | option_d=72 | answer=D | explanation=Average = sum of values ÷ number of values = $288 \div 4 = 72$.

id=70690 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1231. If it is sold at a profit of 50%, what is its selling price? | option_a=1723 | option_b=1281 | option_c=1969 | option_d=1846 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1231 \times 150/100 = ₹1846$.

id=70691 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=K | option_b=E | option_c=N | option_d=H | answer=A | explanation=Move 3 positions forward from H; the resulting letter is K.

id=70692 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹3164. If it is sold at a profit of 15%, what is its selling price? | option_a=3954 | option_b=3322 | option_c=3638 | option_d=3179 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3164 \times 115/100 = ₹3638$.

id=70693 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:7 and the first is 204, what is the second? | option_a=288 | option_b=84 | option_c=101 | option_d=77 | answer=B | explanation=Scale factor = $204/17 = 12$. Therefore second quantity = $7 \times 12 = 84$.

id=70694 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 24. | option_a=216 | option_b=243 | option_c=648 | option_d=192 | answer=A | explanation=LCM $\times$ HCF = 27×24 ; $\text{HCF}(27,24) = 3$, so LCM = 216.

id=70695 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2270. If it is sold at a profit of 20%, what is its selling price? | option_a=2290 | option_b=2497 | option_c=2724 | option_d=2951 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2270 \times 120/100 = ₹2724$.

id=70696 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 17, 22, 28? | option_a=28 | option_b=17 | option_c=12 | option_d=22 | answer=A | explanation=The first three numbers increase by 5, so the next should be 27. Therefore 28 is the odd one out.

id=70697 | topic=Percentages | difficulty=Easy | question=What is 25% of 1167? | option_a=582 | option_b=271 | option_c=311 | option_d=291 | answer=D | explanation=25% of 1167 = $(25/100) \times 1167 = 291$.

id=70698 | topic=Averages | difficulty=Easy | question=Find the average of 68, 28, 68, 42, 74. | option_a=56 | option_b=58 | option_c=55 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = $280 \div 5 = 56$.

id=70699 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 35, 41, 50? | option_a=35 | option_b=50 | option_c=41 | option_d=29 | answer=B | explanation=The first three numbers increase by 6, so the next should be 47. Therefore 50 is the odd one out.

id=70700 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 24, 30, 36, ? | option_a=42 | option_b=43 | option_c=36 | option_d=48 | answer=A | explanation=The common difference is 6. Therefore the next term is $36 + 6 = 42$.

id=70701 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=J | option_c=L | option_d=H | answer=C | explanation=Move 2 positions forward from J; the resulting letter is L.

id=70702 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 21. | option_a=63 | option_b=189 | option_c=42 | option_d=72 | answer=A | explanation=LCM $\times$ HCF = 9×21 ; $\text{HCF}(9,21) = 3$, so LCM = 63.

id=70703 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = $120 \div 4 = 30$ km/h.

id=70704 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:3 and the first is 34, what is the second? | option_a=40 | option_b=6 | option_c=3 | option_d=23 | answer=B | explanation=Scale factor = $34/17 = 2$. Therefore second quantity = $3 \times 2 = 6$.

id=70705 | topic=Averages | difficulty=Easy | question=Find the average of 52, 96, 28, 84. | option_a=65 | option_b=67 | option_c=66 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = $260 \div 4 = 65$.

id=70706 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 13, 20, 30? | option_a=20 | option_b=13 | option_c=6 | option_d=30 | answer=D | explanation=The first three numbers increase by 7, so the next should be 27. Therefore 30 is the odd one out.

id=70707 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=F | option_b=J | option_c=R | option_d=N | answer=D | explanation=Move 4 positions forward from J; the resulting letter is N.

id=70708 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹40666 at 12% per annum for 3 years. | option_a=14739 | option_b=14639 | option_c=55305 | option_d=14539 | answer=B | explanation=SI = $\text{PRT}/100 = 40666 \times 12 \times 3/100 = ₹14639$.

id=70709 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 17, 25, 33, ? | option_a=42 | option_b=41 | option_c=33 | option_d=49 | answer=B | explanation=The common difference is 8. Therefore the next term is $33 + 8 = 41$.

id=70710 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹10723 at 6% per annum for 1 years. | option_a=643 | option_b=743 | option_c=11366 | option_d=543 | answer=A | explanation=SI = $\text{PRT}/100 = 10723 \times 6 \times 1/100 = ₹643$.

Aptitude Questions — Records 70,711-70,740 of 100,000

id=70711 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■18005 at 6% per annum for 5 years. | option_a=5301 | option_b=23406 | option_c=5501 | option_d=5401 | answer=D | explanation=SI = PRT/100 = 18005×6×5/100 = ■5401.

id=70712 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=P | option_c=H | option_d=D | answer=A | explanation=Move 4 positions forward from H; the resulting letter is L.

id=70713 | topic=Percentages | difficulty=Easy | question=What is 12% of 412? | option_a=98 | option_b=49 | option_c=44 | option_d=54 | answer=B | explanation=12% of 412 = (12/100) × 412 = 49.

id=70714 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=70715 | topic=Percentages | difficulty=Easy | question=What is 30% of 243? | option_a=77 | option_b=72 | option_c=67 | option_d=144 | answer=B | explanation=30% of 243 = (30/100) × 243 = 72.

id=70716 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2340. If it is sold at a profit of 20%, what is its selling price? | option_a=2574 | option_b=2360 | option_c=3042 | option_d=2808 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2340 × 120/100 = ■2808.

id=70717 | topic=Percentages | difficulty=Easy | question=What is 30% of 204? | option_a=81 | option_b=122 | option_c=61 | option_d=51 | answer=C | explanation=30% of 204 = (30/100) × 204 = 61.

id=70718 | topic=Averages | difficulty=Easy | question=Find the average of 58, 61, 52, 57. | option_a=57 | option_b=59 | option_c=58 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 228 ÷ 4 = 57.

id=70719 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 51? | option_a=19 | option_b=29 | option_c=51 | option_d=39 | answer=C | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 51 is the odd one out.

id=70720 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=5 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=70721 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:2 and the first is 36, what is the second? | option_a=38 | option_b=34 | option_c=72 | option_d=36 | answer=D | explanation=Scale factor = 36/2 = 18. Therefore second quantity = 2×18 = 36.

id=70722 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■35464 at 15% per annum for 4 years. | option_a=56742 | option_b=21178 | option_c=21378 | option_d=21278 | answer=D | explanation=SI = PRT/100 = 35464×15×4/100 = ■21278.

id=70723 | topic=Averages | difficulty=Easy | question=Find the average of 47, 95, 83, 23. | option_a=63 | option_b=61 | option_c=62 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 248 ÷ 4 = 62.

id=70724 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3917. If it is sold at a profit of 50%, what is its selling price? | option_a=5484 | option_b=6266 | option_c=5875 | option_d=3967 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3917 × 150/100 = ■5875.

id=70725 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=41 | option_c=36 | option_d=72 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=70726 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 255, what is the second? | option_a=66 | option_b=306 | option_c=48 | option_d=51 | answer=D | explanation=Scale factor = 255/15 = 17. Therefore second quantity = 3×17 = 51.

id=70727 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 4. | option_a=16 | option_b=40 | option_c=30 | option_d=20 | answer=D | explanation=LCM × HCF = 10×4; HCF(10,4) = 2, so LCM = 20.

id=70728 | topic=Percentages | difficulty=Easy | question=What is 12% of 1035? | option_a=248 | option_b=129 | option_c=124 | option_d=104 | answer=C | explanation=12% of 1035 = (12/100) × 1035 = 124.

id=70729 | topic=Percentages | difficulty=Easy | question=What is 20% of 1455? | option_a=296 | option_b=582 | option_c=271 | option_d=291 | answer=D | explanation=20% of 1455 = (20/100) × 1455 = 291.

id=70730 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=70731 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=72 | option_c=41 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=70732 | topic=Percentages | difficulty=Easy | question=What is 15% of 1069? | option_a=140 | option_b=320 | option_c=170 | option_d=160 | answer=D | explanation=15% of 1069 = (15/100) × 1069 = 160.

id=70733 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3026. If it is sold at a profit of 40%, what is its selling price? | option_a=3066 | option_b=4236 | option_c=3934 | option_d=4538 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3026 × 140/100 = ■4236.

id=70734 | topic=Percentages | difficulty=Easy | question=What is 30% of 1695? | option_a=1016 | option_b=488 | option_c=508 | option_d=513 | answer=C | explanation=30% of 1695 = (30/100) × 1695 = 508.

id=70735 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=S | option_c=T | option_d=U | answer=D | explanation=Move 1 positions forward from T; the resulting letter is U.

id=70736 | topic=Percentages | difficulty=Easy | question=What is 10% of 172? | option_a=17 | option_b=34 | option_c=7 | option_d=22 | answer=A | explanation=10% of 172 = (10/100) × 172 = 17.

id=70737 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 37? | option_a=4 | option_b=14 | option_c=37 | option_d=24 | answer=C | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 37 is the odd one out.

id=70738 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=54 | option_b=63 | option_c=45 | option_d=55 | answer=A | explanation=The common difference is 9. Therefore the next term is 45 + 9 = 54.

id=70739 | topic=Averages | difficulty=Easy | question=Find the average of 35, 41, 47. | option_a=43 | option_b=41 | option_c=40 | option_d=42 | answer=B | explanation=Average = sum of values ÷ number of values = 123 ÷ 3 = 41.

id=70740 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=Y | option_b=O | option_c=T | option_d=D | answer=A | explanation=Move 5 positions forward from T; the resulting letter is Y.

Aptitude Questions — Records 70,741-70,770 of 100,000

id=70741 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 51? | option_a=39 | option_b=19 | option_c=51 | option_d=29 | answer=C | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 51 is the odd one out.

id=70742 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30185 at 10% per annum for 4 years. | option_a=11974 | option_b=12074 | option_c=12174 | option_d=42259 | answer=B | explanation=SI = PRT/100 = 30185×10×4/100 = **■**12074.

id=70743 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26701 at 10% per annum for 1 years. | option_a=29371 | option_b=2670 | option_c=2570 | option_d=2770 | answer=B | explanation=SI = PRT/100 = 26701×10×1/100 = **■**2670.

id=70744 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=K | option_c=O | option_d=C | answer=B | explanation=Move 4 positions forward from G; the resulting letter is K.

id=70745 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 6. | option_a=45 | option_b=30 | option_c=90 | option_d=24 | answer=B | explanation=LCM × HCF = 15×6; HCF(15,6) = 3, so LCM = 30.

id=70746 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:9 and the first is 128, what is the second? | option_a=88 | option_b=63 | option_c=200 | option_d=72 | answer=D | explanation=Scale factor = 128/16 = 8. Therefore second quantity = 9×8 = 72.

id=70747 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=I | option_c=L | option_d=C | answer=B | explanation=Move 3 positions forward from F; the resulting letter is I.

id=70748 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=70749 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2807. If it is sold at a profit of 25%, what is its selling price? | option_a=3228 | option_b=2832 | option_c=3788 | option_d=3508 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2807 × 125/100 = **■**3508.

id=70750 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=Y | option_b=E | option_c=B | option_d=H | answer=B | explanation=Move 3 positions forward from B; the resulting letter is E.

id=70751 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2326. If it is sold at a profit of 20%, what is its selling price? | option_a=2346 | option_b=2559 | option_c=2791 | option_d=3023 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2326 × 120/100 = **■**2791.

id=70752 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18077 at 6% per annum for 1 years. | option_a=19161 | option_b=1184 | option_c=1084 | option_d=984 | answer=C | explanation=SI = PRT/100 = 18077×6×1/100 = **■**1084.

id=70753 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16675 at 4% per annum for 2 years. | option_a=1234 | option_b=1334 | option_c=1434 | option_d=18009 | answer=B | explanation=SI = PRT/100 = 16675×4×2/100 = **■**1334.

id=70754 | topic=Percentages | difficulty=Easy | question=What is 12% of 207? | option_a=14 | option_b=24 | option_c=44 | option_d=48 | answer=B | explanation=12% of 207 = (12/100) × 207 = 24.

id=70755 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=70756 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30067 at 15% per annum for 5 years. | option_a=22550 | option_b=52617 | option_c=22450 | option_d=22650 | answer=A | explanation=SI = PRT/100 = 30067×15×5/100 = **■**22550.

id=70757 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=70758 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=70759 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=O | option_b=A | option_c=W | option_d=S | answer=C | explanation=Move 4 positions forward from S; the resulting letter is W.

id=70760 | topic=Averages | difficulty=Easy | question=Find the average of 93, 15, 30, 36, 80, 64, 37, 94, 21, 100. | option_a=59 | option_b=57 | option_c=56 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.

id=70761 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 16, 23, 31? | option_a=31 | option_b=16 | option_c=9 | option_d=23 | answer=A | explanation=The first three numbers increase by 7, so the next should be 30. Therefore 31 is the odd one out.

id=70762 | topic=Number System | difficulty=Easy | question=Find the LCM of 23 and 23. | option_a=46 | option_b=1 | option_c=23 | option_d=529 | answer=C | explanation=LCM × HCF = 23×23; HCF(23,23) = 23, so LCM = 23.

id=70763 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 24, 32, 42? | option_a=32 | option_b=24 | option_c=42 | option_d=16 | answer=C | explanation=The first three numbers increase by 8, so the next should be 40. Therefore 42 is the odd one out.

id=70764 | topic=Percentages | difficulty=Easy | question=What is 10% of 244? | option_a=29 | option_b=14 | option_c=24 | option_d=48 | answer=C | explanation=10% of 244 = (10/100) × 244 = 24.

id=70765 | topic=Averages | difficulty=Easy | question=Find the average of 28, 50, 11, 99, 35, 37, 60, 38, 47. | option_a=45 | option_b=44 | option_c=46 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 405 ÷ 9 = 45.

id=70766 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:3 and the first is 66, what is the second? | option_a=29 | option_b=18 | option_c=84 | option_d=15 | answer=B | explanation=Scale factor = 66/11 = 6. Therefore second quantity = 3×6 = 18.

id=70767 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=N | option_b=E | option_c=H | option_d=K | answer=D | explanation=Move 3 positions forward from H; the resulting letter is K.

id=70768 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:9 and the first is 270, what is the second? | option_a=432 | option_b=153 | option_c=162 | option_d=177 | answer=C | explanation=Scale factor = 270/15 = 18. Therefore second quantity = 9×18 = 162.

id=70769 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=45 | option_b=67 | option_c=56 | option_d=57 | answer=C | explanation=The common difference is 11. Therefore the next term is 45 + 11 = 56.

id=70770 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**292. If it is sold at a profit of 40%, what is its selling price? | option_a=437 | option_b=332 | option_c=408 | option_d=379 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 292 × 140/100 = **■**408.

Aptitude Questions — Records 70,771-70,800 of 100,000

id=70771 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=70772 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■23430 at 8% per annum for 2 years. | option_a=27178 | option_b=3748 | option_c=3648 | option_d=3848 | answer=B | explanation=SI = PRT/100 = 23430×8×2/100 = ■3748.

id=70773 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=48 | option_b=57 | option_c=37 | option_d=47 | answer=D | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

id=70774 | topic=Percentages | difficulty=Easy | question=What is 10% of 1376? | option_a=132 | option_b=157 | option_c=274 | option_d=137 | answer=D | explanation=10% of 1376 = (10/100) × 1376 = 137.

id=70775 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=O | option_c=G | option_d=C | answer=A | explanation=Move 4 positions forward from G; the resulting letter is K.

id=70776 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 38? | option_a=34 | option_b=32 | option_c=38 | option_d=30 | answer=C | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 38 is the odd one out.

id=70777 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=70778 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:11 and the first is 18, what is the second? | option_a=22 | option_b=31 | option_c=40 | option_d=11 | answer=A | explanation=Scale factor = 18/9 = 2. Therefore second quantity = 11×2 = 22.

id=70779 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=70780 | topic=Percentages | difficulty=Easy | question=What is 10% of 181? | option_a=36 | option_b=13 | option_c=18 | option_d=38 | answer=C | explanation=10% of 181 = (10/100) × 181 = 18.

id=70781 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2574. If it is sold at a profit of 5%, what is its selling price? | option_a=2702 | option_b=2445 | option_c=2579 | option_d=2959 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2574 × 105/100 = ■2702.

id=70782 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3404. If it is sold at a profit of 15%, what is its selling price? | option_a=3914 | option_b=3419 | option_c=4254 | option_d=3574 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3404 × 115/100 = ■3914.

id=70783 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4917. If it is sold at a profit of 30%, what is its selling price? | option_a=6392 | option_b=5901 | option_c=6883 | option_d=4947 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4917 × 130/100 = ■6392.

id=70784 | topic=Percentages | difficulty=Easy | question=What is 20% of 1497? | option_a=299 | option_b=598 | option_c=279 | option_d=319 | answer=A | explanation=20% of 1497 = (20/100) × 1497 = 299.

id=70785 | topic=Averages | difficulty=Easy | question=Find the average of 48, 76, 12, 28, 46, 78, 40, 88. | option_a=53 | option_b=52 | option_c=54 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=70786 | topic=Percentages | difficulty=Easy | question=What is 10% of 890? | option_a=89 | option_b=69 | option_c=109 | option_d=178 | answer=A | explanation=10% of 890 = (10/100) × 890 = 89.

id=70787 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=5 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=70788 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1629. If it is sold at a profit of 30%, what is its selling price? | option_a=2279 | option_b=1659 | option_c=1955 | option_d=2117 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1629 × 130/100 = ■2117.

id=70789 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=50 | option_b=36 | option_c=43 | option_d=44 | answer=C | explanation=The common difference is 7. Therefore the next term is 36 + 7 = 43.

id=70790 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=70791 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=14 | option_b=22 | option_c=18 | option_d=19 | answer=C | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.

id=70792 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=49 | option_b=73 | option_c=62 | option_d=61 | answer=D | explanation=The common difference is 12. Therefore the next term is 49 + 12 = 61.

id=70793 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■39223 at 8% per annum for 2 years. | option_a=6275 | option_b=45498 | option_c=6175 | option_d=6375 | answer=A | explanation=SI = PRT/100 = 39223×8×2/100 = ■6275.

id=70794 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=70795 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 35? | option_a=25 | option_b=29 | option_c=21 | option_d=35 | answer=D | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 35 is the odd one out.

id=70796 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4523. If it is sold at a profit of 15%, what is its selling price? | option_a=5653 | option_b=5201 | option_c=4749 | option_d=4538 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4523 × 115/100 = ■5201.

id=70797 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 22, 32, 43? | option_a=22 | option_b=12 | option_c=32 | option_d=43 | answer=D | explanation=The first three numbers increase by 10, so the next should be 42. Therefore 43 is the odd one out.

id=70798 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 28. | option_a=252 | option_b=270 | option_c=504 | option_d=224 | answer=A | explanation=LCM × HCF = 18×28; HCF(18,28) = 2, so LCM = 252.

id=70799 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=70800 | topic=Averages | difficulty=Easy | question=Find the average of 77, 70, 83, 66, 57, 79. | option_a=74 | option_b=71 | option_c=72 | option_d=73 | answer=C | explanation=Average = sum of values ÷ number of values = 432 ÷ 6 = 72.

Aptitude Questions — Records 70,801-70,830 of 100,000

id=70801 | topic=Averages | difficulty=Easy | question=Find the average of 43, 87, 38, 63, 58, 18, 15, 59, 51. | option_a=47 | option_b=49 | option_c=50 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = 432 ÷ 9 = 48.

id=70802 | topic=Percentages | difficulty=Easy | question=What is 40% of 796? | option_a=318 | option_b=298 | option_c=323 | option_d=636 | answer=A | explanation=40% of 796 = (40/100) × 796 = 318.

id=70803 | topic=Percentages | difficulty=Easy | question=What is 10% of 313? | option_a=62 | option_b=31 | option_c=26 | option_d=41 | answer=B | explanation=10% of 313 = (10/100) × 313 = 31.

id=70804 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=23 | option_b=20 | option_c=21 | option_d=17 | answer=B | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=70805 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=58 | option_b=67 | option_c=47 | option_d=57 | answer=D | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

id=70806 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=46 | option_b=35 | option_c=57 | option_d=47 | answer=A | explanation=The common difference is 11. Therefore the next term is 35 + 11 = 46.

id=70807 | topic=Averages | difficulty=Easy | question=Find the average of 54, 63, 71, 53, 54. | option_a=60 | option_b=61 | option_c=59 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 295 ÷ 5 = 59.

id=70808 | topic=Percentages | difficulty=Easy | question=What is 12% of 1925? | option_a=221 | option_b=241 | option_c=462 | option_d=231 | answer=D | explanation=12% of 1925 = (12/100) × 1925 = 231.

id=70809 | topic=Averages | difficulty=Easy | question=Find the average of 64, 39, 98, 16, 35, 52, 102. | option_a=60 | option_b=57 | option_c=59 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 406 ÷ 7 = 58.

id=70810 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=M | option_b=P | option_c=V | option_d=S | answer=D | explanation=Move 3 positions forward from P; the resulting letter is S.

id=70811 | topic=Percentages | difficulty=Easy | question=What is 10% of 131? | option_a=13 | option_b=26 | option_c=18 | option_d=3 | answer=A | explanation=10% of 131 = (10/100) × 131 = 13.

id=70812 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 34? | option_a=34 | option_b=9 | option_c=17 | option_d=25 | answer=A | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 34 is the odd one out.

id=70813 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37135 at 8% per annum for 1 years. | option_a=40105 | option_b=2970 | option_c=2870 | option_d=3070 | answer=B | explanation=SI = PRT/100 = 37135×8×1/100 = **■**2970.

id=70814 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:19 and the first is 171, what is the second? | option_a=370 | option_b=342 | option_c=532 | option_d=361 | answer=D | explanation=Scale factor = 171/9 = 19. Therefore second quantity = 19×19 = 361.

id=70815 | topic=Percentages | difficulty=Easy | question=What is 25% of 623? | option_a=155 | option_b=310 | option_c=150 | option_d=160 | answer=A | explanation=25% of 623 = (25/100) × 623 = 155.

id=70816 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32567 at 15% per annum for 3 years. | option_a=14655 | option_b=14755 | option_c=47222 | option_d=14555 | answer=A | explanation=SI = PRT/100 = 32567×15×3/100 = **■**14655.

id=70817 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=P | option_c=N | option_d=R | answer=D | explanation=Move 2 positions forward from P; the resulting letter is R.

id=70818 | topic=Percentages | difficulty=Easy | question=What is 10% of 830? | option_a=73 | option_b=83 | option_c=166 | option_d=88 | answer=B | explanation=10% of 830 = (10/100) × 830 = 83.

id=70819 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=L | option_b=F | option_c=I | option_d=O | answer=A | explanation=Move 3 positions forward from I; the resulting letter is L.

id=70820 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=13 | option_c=36 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=70821 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2227. If it is sold at a profit of 10%, what is its selling price? | option_a=2237 | option_b=2449 | option_c=2671 | option_d=2227 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2227 × 110/100 = **■**2449.

id=70822 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=70823 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=30 | option_b=26 | option_c=29 | option_d=32 | answer=C | explanation=The common difference is 3. Therefore the next term is 26 + 3 = 29.

id=70824 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=13 | option_c=23 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=70825 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=25 | option_b=30 | option_c=31 | option_d=35 | answer=B | explanation=The common difference is 5. Therefore the next term is 25 + 5 = 30.

id=70826 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=70827 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3137 at 10% per annum for 5 years. | option_a=4705 | option_b=1568 | option_c=1668 | option_d=1468 | answer=B | explanation=SI = PRT/100 = 3137×10×5/100 = **■**1568.

id=70828 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=M | option_b=P | option_c=O | option_d=N | answer=C | explanation=Move 1 positions forward from N; the resulting letter is O.

id=70829 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=39 | option_b=50 | option_c=49 | option_d=59 | answer=C | explanation=The common difference is 10. Therefore the next term is 39 + 10 = 49.

id=70830 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=5 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

Aptitude Questions — Records 70,831-70,860 of 100,000

id=70831 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4955. If it is sold at a profit of 5%, what is its selling price? | option_a=4960 | option_b=5202 | option_c=4707 | option_d=5697 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4955 × 105/100 = █5202.

id=70832 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=I | option_c=M | option_d=U | answer=A | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=70833 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=S | option_c=R | option_d=T | answer=D | explanation=Move 1 positions forward from S; the resulting letter is T.

id=70834 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=11 | option_c=12 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=70835 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1525. If it is sold at a profit of 20%, what is its selling price? | option_a=1678 | option_b=1545 | option_c=1982 | option_d=1830 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1525 × 120/100 = █1830.

id=70836 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:1 and the first is 112, what is the second? | option_a=15 | option_b=128 | option_c=23 | option_d=16 | answer=D | explanation=Scale factor = 112/7 = 16. Therefore second quantity = 1×16 = 16.

id=70837 | topic=Averages | difficulty=Easy | question=Find the average of 11, 80, 24, 97, 57, 55. | option_a=53 | option_b=55 | option_c=56 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 324 ÷ 6 = 54.

id=70838 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=E | option_c=Y | option_d=C | answer=D | explanation=Move 2 positions forward from A; the resulting letter is C.

id=70839 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1513. If it is sold at a profit of 25%, what is its selling price? | option_a=1538 | option_b=2042 | option_c=1891 | option_d=1740 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1513 × 125/100 = █1891.

id=70840 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:12 and the first is 27, what is the second? | option_a=24 | option_b=45 | option_c=36 | option_d=63 | answer=C | explanation=Scale factor = 27/9 = 3. Therefore second quantity = 12×3 = 36.

id=70841 | topic=Profit & Loss | difficulty=Easy | question=An article costs █603. If it is sold at a profit of 15%, what is its selling price? | option_a=693 | option_b=633 | option_c=618 | option_d=753 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 603 × 115/100 = █693.

id=70842 | topic=Percentages | difficulty=Easy | question=What is 12% of 1668? | option_a=210 | option_b=200 | option_c=180 | option_d=400 | answer=B | explanation=12% of 1668 = (12/100) × 1668 = 200.

id=70843 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=N | option_b=H | option_c=E | option_d=K | answer=D | explanation=Move 3 positions forward from H; the resulting letter is K.

id=70844 | topic=Averages | difficulty=Easy | question=Find the average of 60, 89, 57, 12, 52, 47, 66, 20, 67, 90. | option_a=56 | option_b=58 | option_c=55 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 560 ÷ 10 = 56.

id=70845 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 16, 25, 36? | option_a=36 | option_b=16 | option_c=7 | option_d=25 | answer=A | explanation=The first three numbers increase by 9, so the next should be 34. Therefore 36 is the odd one out.

id=70846 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 23, 28, 36? | option_a=18 | option_b=28 | option_c=36 | option_d=23 | answer=C | explanation=The first three numbers increase by 5, so the next should be 33. Therefore 36 is the odd one out.

id=70847 | topic=Averages | difficulty=Easy | question=Find the average of 54, 58, 16, 83, 99, 92, 39. | option_a=64 | option_b=65 | option_c=63 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 441 ÷ 7 = 63.

id=70848 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 21. | option_a=63 | option_b=189 | option_c=72 | option_d=42 | answer=A | explanation=LCM × HCF = 9×21; HCF(9,21) = 3, so LCM = 63.

id=70849 | topic=Percentages | difficulty=Easy | question=What is 10% of 726? | option_a=82 | option_b=144 | option_c=62 | option_d=72 | answer=D | explanation=10% of 726 = (10/100) × 726 = 72.

id=70850 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=70851 | topic=Percentages | difficulty=Easy | question=What is 30% of 112? | option_a=53 | option_b=66 | option_c=13 | option_d=33 | answer=D | explanation=30% of 112 = (30/100) × 112 = 33.

id=70852 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=G | option_b=A | option_c=D | option_d=X | answer=C | explanation=Move 3 positions forward from A; the resulting letter is D.

id=70853 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:13 and the first is 120, what is the second? | option_a=266 | option_b=247 | option_c=380 | option_d=260 | answer=D | explanation=Scale factor = 120/6 = 20. Therefore second quantity = 13×20 = 260.

id=70854 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 24? | option_a=15 | option_b=24 | option_c=19 | option_d=17 | answer=B | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 24 is the odd one out.

id=70855 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15554 at 5% per annum for 3 years. | option_a=2433 | option_b=2233 | option_c=17887 | option_d=2333 | answer=D | explanation=SI = PRT/100 = 15554×5×3/100 = █2333.

id=70856 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:6 and the first is 256, what is the second? | option_a=90 | option_b=352 | option_c=112 | option_d=96 | answer=D | explanation=Scale factor = 256/16 = 16. Therefore second quantity = 6×16 = 96.

id=70857 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=5 | option_c=15 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=70858 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=65 | option_b=43 | option_c=54 | option_d=55 | answer=C | explanation=The common difference is 11. Therefore the next term is 43 + 11 = 54.

id=70859 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=20 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=70860 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2971. If it is sold at a profit of 25%, what is its selling price? | option_a=4010 | option_b=2996 | option_c=3416 | option_d=3713 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2971 × 125/100 = █3713.

Aptitude Questions — Records 70,861-70,890 of 100,000

id=70861 | topic=Percentages | difficulty=Easy | question=What is 10% of 689? | option_a=88 | option_b=136 | option_c=68 | option_d=58 | answer=C | explanation=10% of 689 = (10/100) × 689 = 68.

id=70862 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:11 and the first is 180, what is the second? | option_a=177 | option_b=165 | option_c=154 | option_d=345 | answer=B | explanation=Scale factor = 180/12 = 15. Therefore second quantity = 11×15 = 165.

id=70863 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30157 at 8% per annum for 2 years. | option_a=34982 | option_b=4725 | option_c=4825 | option_d=4925 | answer=C | explanation=SI = PRT/100 = 30157×8×2/100 = **■**4825.

id=70864 | topic=Averages | difficulty=Easy | question=Find the average of 52, 80, 92, 74, 82, 58. | option_a=74 | option_b=72 | option_c=73 | option_d=75 | answer=C | explanation=Average = sum of values ÷ number of values = 438 ÷ 6 = 73.

id=70865 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=19 | option_b=22 | option_c=23 | option_d=21 | answer=D | explanation=The common difference is 2. Therefore the next term is 19 + 2 = 21.

id=70866 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1487. If it is sold at a profit of 5%, what is its selling price? | option_a=1492 | option_b=1561 | option_c=1709 | option_d=1413 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1487 × 105/100 = **■**1561.

id=70867 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=35 | option_c=40 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=70868 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=J | option_b=D | option_c=A | option_d=G | answer=D | explanation=Move 3 positions forward from D; the resulting letter is G.

id=70869 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Q | option_b=T | option_c=W | option_d=Z | answer=C | explanation=Move 3 positions forward from T; the resulting letter is W.

id=70870 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=49 | option_b=58 | option_c=40 | option_d=50 | answer=A | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

id=70871 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=57 | option_b=65 | option_c=47 | option_d=56 | answer=D | explanation=The common difference is 9. Therefore the next term is 47 + 9 = 56.

id=70872 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=39 | option_b=36 | option_c=31 | option_d=35 | answer=D | explanation=The common difference is 4. Therefore the next term is 31 + 4 = 35.

id=70873 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:19 and the first is 9, what is the second? | option_a=171 | option_b=152 | option_c=172 | option_d=180 | answer=A | explanation=Scale factor = 9/1 = 9. Therefore second quantity = 19×9 = 171.

id=70874 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 33? | option_a=33 | option_b=21 | option_c=16 | option_d=26 | answer=A | explanation=The first three numbers increase by 5, so the next should be 31. Therefore 33 is the odd one out.

id=70875 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=12 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=70876 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:17 and the first is 280, what is the second? | option_a=258 | option_b=221 | option_c=238 | option_d=518 | answer=C | explanation=Scale factor = 280/20 = 14. Therefore second quantity = 17×14 = 238.

id=70877 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**879. If it is sold at a profit of 5%, what is its selling price? | option_a=922 | option_b=1009 | option_c=835 | option_d=884 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 879 × 105/100 = **■**922.

id=70878 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=48 | option_b=49 | option_c=37 | option_d=59 | answer=A | explanation=The common difference is 11. Therefore the next term is 37 + 11 = 48.

id=70879 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=18 | option_d=13 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=70880 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 22, 26, 33? | option_a=26 | option_b=18 | option_c=22 | option_d=33 | answer=D | explanation=The first three numbers increase by 4, so the next should be 30. Therefore 33 is the odd one out.

id=70881 | topic=Averages | difficulty=Easy | question=Find the average of 26, 97, 42, 34, 20, 67, 55, 48, 85, 96. | option_a=57 | option_b=58 | option_c=56 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.

id=70882 | topic=Percentages | difficulty=Easy | question=What is 12% of 1303? | option_a=312 | option_b=156 | option_c=151 | option_d=161 | answer=B | explanation=12% of 1303 = (12/100) × 1303 = 156.

id=70883 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:3 and the first is 285, what is the second? | option_a=330 | option_b=45 | option_c=42 | option_d=64 | answer=B | explanation=Scale factor = 285/19 = 15. Therefore second quantity = 3×15 = 45.

id=70884 | topic=Averages | difficulty=Easy | question=Find the average of 39, 35, 67, 97, 52. | option_a=57 | option_b=58 | option_c=60 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 290 ÷ 5 = 58.

id=70885 | topic=Percentages | difficulty=Easy | question=What is 30% of 111? | option_a=23 | option_b=33 | option_c=38 | option_d=66 | answer=B | explanation=30% of 111 = (30/100) × 111 = 33.

id=70886 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2528. If it is sold at a profit of 20%, what is its selling price? | option_a=3285 | option_b=3033 | option_c=2781 | option_d=2548 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2528 × 120/100 = **■**3033.

id=70887 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1182. If it is sold at a profit of 20%, what is its selling price? | option_a=1202 | option_b=1536 | option_c=1300 | option_d=1418 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1182 × 120/100 = **■**1418.

id=70888 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 20. | option_a=1 | option_b=20 | option_c=30 | option_d=200 | answer=B | explanation=LCM × HCF = 10×20; HCF(10,20) = 10, so LCM = 20.

id=70889 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=70890 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38172 at 8% per annum for 5 years. | option_a=53440 | option_b=15168 | option_c=15368 | option_d=15268 | answer=D | explanation=SI = PRT/100 = 38172×8×5/100 = **■**15268.

Aptitude Questions — Records 70,891-70,920 of 100,000

id=70891 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 23, 27, 32? | option_a=19 | option_b=27 | option_c=32 | option_d=23 | answer=C | explanation=The first three numbers increase by 4, so the next should be 31. Therefore 32 is the odd one out.

id=70892 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=37 | option_b=49 | option_c=44 | option_d=43 | answer=D | explanation=The common difference is 6. Therefore the next term is 37 + 6 = 43.

id=70893 | topic=Averages | difficulty=Easy | question=Find the average of 49, 32, 93. | option_a=57 | option_b=59 | option_c=58 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 174 ÷ 3 = 58.

id=70894 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3376. If it is sold at a profit of 10%, what is its selling price? | option_a=3386 | option_b=4050 | option_c=3376 | option_d=3713 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3376 × 110/100 = █3713.

id=70895 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:19 and the first is 98, what is the second? | option_a=147 | option_b=133 | option_c=231 | option_d=114 | answer=B | explanation=Scale factor = 98/14 = 7. Therefore second quantity = 19×7 = 133.

id=70896 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 18. | option_a=21 | option_b=18 | option_c=1 | option_d=54 | answer=B | explanation=LCM × HCF = 3×18; HCF(3,18) = 3, so LCM = 18.

id=70897 | topic=Percentages | difficulty=Easy | question=What is 25% of 609? | option_a=304 | option_b=152 | option_c=147 | option_d=162 | answer=B | explanation=25% of 609 = (25/100) × 609 = 152.

id=70898 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1945. If it is sold at a profit of 20%, what is its selling price? | option_a=2528 | option_b=1965 | option_c=2334 | option_d=2140 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1945 × 120/100 = █2334.

id=70899 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 8. | option_a=16 | option_b=32 | option_c=8 | option_d=128 | answer=A | explanation=LCM × HCF = 16×8; HCF(16,8) = 8, so LCM = 16.

id=70900 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 43? | option_a=22 | option_b=34 | option_c=28 | option_d=43 | answer=D | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 43 is the odd one out.

id=70901 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=70902 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=70903 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30464 at 5% per annum for 5 years. | option_a=7716 | option_b=7516 | option_c=38080 | option_d=7616 | answer=D | explanation=SI = PRT/100 = 30464×5×5/100 = █7616.

id=70904 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=11 | option_b=13 | option_c=12 | option_d=9 | answer=A | explanation=The common difference is 2. Therefore the next term is 9 + 2 = 11.

id=70905 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3769. If it is sold at a profit of 50%, what is its selling price? | option_a=6029 | option_b=3819 | option_c=5653 | option_d=5277 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3769 × 150/100 = █5653.

id=70906 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9189 at 15% per annum for 3 years. | option_a=13324 | option_b=4135 | option_c=4235 | option_d=4035 | answer=B | explanation=SI = PRT/100 = 9189×15×3/100 = █4135.

id=70907 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=70908 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=M | option_b=X | option_c=C | option_d=H | answer=D | explanation=Move 5 positions forward from C; the resulting letter is H.

id=70909 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=300 | option_c=155 | option_d=145 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=70910 | topic=Averages | difficulty=Easy | question=Find the average of 65, 79, 45, 61, 43, 29, 25, 88, 33. | option_a=53 | option_b=51 | option_c=52 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 468 ÷ 9 = 52.

id=70911 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4893. If it is sold at a profit of 25%, what is its selling price? | option_a=5627 | option_b=4918 | option_c=6116 | option_d=6605 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4893 × 125/100 = █6116.

id=70912 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=40 | option_b=32 | option_c=37 | option_d=36 | answer=D | explanation=The common difference is 4. Therefore the next term is 32 + 4 = 36.

id=70913 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=T | option_c=P | option_d=N | answer=A | explanation=Move 2 positions forward from P; the resulting letter is R.

id=70914 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=J | option_c=Z | option_d=O | answer=B | explanation=Move 5 positions forward from E; the resulting letter is J.

id=70915 | topic=Profit & Loss | difficulty=Easy | question=An article costs █717. If it is sold at a profit of 40%, what is its selling price? | option_a=757 | option_b=932 | option_c=1003 | option_d=1074 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 717 × 140/100 = █1003.

id=70916 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:6 and the first is 216, what is the second? | option_a=72 | option_b=288 | option_c=66 | option_d=90 | answer=A | explanation=Scale factor = 216/18 = 12. Therefore second quantity = 6×12 = 72.

id=70917 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46211 at 10% per annum for 3 years. | option_a=60074 | option_b=13963 | option_c=13863 | option_d=13763 | answer=C | explanation=SI = PRT/100 = 46211×10×3/100 = █13863.

id=70918 | topic=Averages | difficulty=Easy | question=Find the average of 28, 82, 47, 48, 23, 94, 61, 17. | option_a=52 | option_b=49 | option_c=50 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 400 ÷ 8 = 50.

id=70919 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 23? | option_a=15 | option_b=23 | option_c=19 | option_d=17 | answer=B | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 23 is the odd one out.

id=70920 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=16 | option_b=24 | option_c=21 | option_d=20 | answer=D | explanation=The common difference is 4. Therefore the next term is 16 + 4 = 20.

Aptitude Questions — Records 70,921-70,950 of 100,000

id=70921 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13000 at 6% per annum for 2 years. | option_a=1560 | option_b=14560 | option_c=1460 | option_d=1660 | answer=A | explanation=SI = $PRT/100 = 13000 \times 6 \times 2/100 = \text{■}1560$.

id=70922 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=43 | option_c=96 | option_d=53 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=70923 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39259 at 12% per annum for 4 years. | option_a=58103 | option_b=18844 | option_c=18944 | option_d=18744 | answer=B | explanation=SI = $PRT/100 = 39259 \times 12 \times 4/100 = \text{■}18844$.

id=70924 | topic=Percentages | difficulty=Easy | question=What is 10% of 255? | option_a=25 | option_b=50 | option_c=5 | option_d=45 | answer=A | explanation=10% of 255 = $(10/100) \times 255 = 25$.

id=70925 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 58? | option_a=58 | option_b=46 | option_c=26 | option_d=36 | answer=A | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 58 is the odd one out.

id=70926 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 38, 48, 61? | option_a=28 | option_b=38 | option_c=48 | option_d=61 | answer=D | explanation=The first three numbers increase by 10, so the next should be 58. Therefore 61 is the odd one out.

id=70927 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=70928 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:1 and the first is 30, what is the second? | option_a=3 | option_b=2 | option_c=13 | option_d=33 | answer=A | explanation=Scale factor = $30/10 = 3$. Therefore second quantity = $1 \times 3 = 3$.

id=70929 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 4. | option_a=16 | option_b=20 | option_c=40 | option_d=30 | answer=B | explanation=LCM $\times$ HCF = 10×4 ; $HCF(10,4) = 2$, so LCM = 20.

id=70930 | topic=Averages | difficulty=Easy | question=Find the average of 23, 35, 35, 56, 38, 22, 96, 16, 97, 42. | option_a=48 | option_b=47 | option_c=45 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = $460 \div 10 = 46$.

id=70931 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39034 at 12% per annum for 2 years. | option_a=9468 | option_b=48402 | option_c=9368 | option_d=9268 | answer=C | explanation=SI = $PRT/100 = 39034 \times 12 \times 2/100 = \text{■}9368$.

id=70932 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=18 | option_b=15 | option_c=21 | option_d=19 | answer=A | explanation=The common difference is 3. Therefore the next term is $15 + 3 = 18$.

id=70933 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4918. If it is sold at a profit of 30%, what is its selling price? | option_a=6884 | option_b=4948 | option_c=5902 | option_d=6393 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4918 \times 130/100 = \text{■}6393$.

id=70934 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = $60 \div 2 = 30$ km/h.

id=70935 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=R | option_c=T | option_d=N | answer=B | explanation=Move 2 positions forward from P; the resulting letter is R.

id=70936 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=90 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = $180 \div 4 = 45$ km/h.

id=70937 | topic=Percentages | difficulty=Easy | question=What is 12% of 819? | option_a=88 | option_b=103 | option_c=98 | option_d=196 | answer=C | explanation=12% of 819 = $(12/100) \times 819 = 98$.

id=70938 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4222. If it is sold at a profit of 30%, what is its selling price? | option_a=5488 | option_b=5066 | option_c=5910 | option_d=4252 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4222 \times 130/100 = \text{■}5488$.

id=70939 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:17 and the first is 320, what is the second? | option_a=272 | option_b=592 | option_c=292 | option_d=255 | answer=A | explanation=Scale factor = $320/20 = 16$. Therefore second quantity = $17 \times 16 = 272$.

id=70940 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:7 and the first is 14, what is the second? | option_a=7 | option_b=21 | option_c=28 | option_d=14 | answer=D | explanation=Scale factor = $14/7 = 2$. Therefore second quantity = $7 \times 2 = 14$.

id=70941 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=29 | option_b=25 | option_c=33 | option_d=30 | answer=A | explanation=The common difference is 4. Therefore the next term is $25 + 4 = 29$.

id=70942 | topic=Averages | difficulty=Easy | question=Find the average of 57, 20, 74, 45. | option_a=49 | option_b=48 | option_c=51 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = $196 \div 4 = 49$.

id=70943 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $90 \div 3 = 30$ km/h.

id=70944 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=70945 | topic=Averages | difficulty=Easy | question=Find the average of 47, 62, 47, 23, 51, 64. | option_a=48 | option_b=51 | option_c=50 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = $294 \div 6 = 49$.

id=70946 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=40 | option_b=41 | option_c=48 | option_d=32 | answer=A | explanation=The common difference is 8. Therefore the next term is $32 + 8 = 40$.

id=70947 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4548. If it is sold at a profit of 30%, what is its selling price? | option_a=6366 | option_b=4578 | option_c=5458 | option_d=5912 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4548 \times 130/100 = \text{■}5912$.

id=70948 | topic=Averages | difficulty=Easy | question=Find the average of 26, 65, 93, 22, 53, 26, 37. | option_a=47 | option_b=48 | option_c=45 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = $322 \div 7 = 46$.

id=70949 | topic=Percentages | difficulty=Easy | question=What is 50% of 1258? | option_a=1258 | option_b=629 | option_c=639 | option_d=624 | answer=B | explanation=50% of 1258 = $(50/100) \times 1258 = 629$.

id=70950 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41057 at 4% per annum for 5 years. | option_a=49268 | option_b=8111 | option_c=8211 | option_d=8311 | answer=C | explanation=SI = $PRT/100 = 41057 \times 4 \times 5/100 = \text{■}8211$.

Aptitude Questions — Records 70,951-70,980 of 100,000

id=70951 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=70952 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=73 | option_b=51 | option_c=62 | option_d=63 | answer=C | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.

id=70953 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4211. If it is sold at a profit of 5%, what is its selling price? | option_a=4842 | option_b=4421 | option_c=4000 | option_d=4216 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4211 × 105/100 = █4421.

id=70954 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21798 at 12% per annum for 4 years. | option_a=32261 | option_b=10563 | option_c=10363 | option_d=10463 | answer=D | explanation=SI = PRT/100 = 21798×12×4/100 = █10463.

id=70955 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:9 and the first is 12, what is the second? | option_a=120 | option_b=109 | option_c=108 | option_d=99 | answer=C | explanation=Scale factor = 12/1 = 12. Therefore second quantity = 9×12 = 108.

id=70956 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=C | option_b=D | option_c=F | option_d=E | answer=D | explanation=Move 1 positions forward from D; the resulting letter is E.

id=70957 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=N | option_c=K | option_d=M | answer=D | explanation=Move 1 positions forward from L; the resulting letter is M.

id=70958 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=39 | option_b=29 | option_c=34 | option_d=35 | answer=C | explanation=The common difference is 5. Therefore the next term is 29 + 5 = 34.

id=70959 | topic=Profit & Loss | difficulty=Easy | question=An article costs █364. If it is sold at a profit of 10%, what is its selling price? | option_a=374 | option_b=364 | option_c=400 | option_d=436 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 364 × 110/100 = █400.

id=70960 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 18? | option_a=11 | option_b=18 | option_c=3 | option_d=7 | answer=B | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 18 is the odd one out.

id=70961 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 6. | option_a=120 | option_b=60 | option_c=54 | option_d=80 | answer=B | explanation=LCM × HCF = 20×6; HCF(20,6) = 2, so LCM = 60.

id=70962 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19540 at 10% per annum for 3 years. | option_a=5762 | option_b=5962 | option_c=5862 | option_d=25402 | answer=C | explanation=SI = PRT/100 = 19540×10×3/100 = █5862.

id=70963 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=R | option_b=Q | option_c=P | option_d=S | answer=A | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=70964 | topic=Averages | difficulty=Easy | question=Find the average of 45, 97, 88, 97, 98. | option_a=86 | option_b=85 | option_c=87 | option_d=84 | answer=B | explanation=Average = sum of values ÷ number of values = 425 ÷ 5 = 85.

id=70965 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 15. | option_a=80 | option_b=60 | option_c=45 | option_d=300 | answer=B | explanation=LCM × HCF = 20×15; HCF(20,15) = 5, so LCM = 60.

id=70966 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:1 and the first is 4, what is the second? | option_a=5 | option_b=8 | option_c=4 | option_d=3 | answer=C | explanation=Scale factor = 4/1 = 4. Therefore second quantity = 1×4 = 4.

id=70967 | topic=Percentages | difficulty=Easy | question=What is 20% of 1075? | option_a=430 | option_b=210 | option_c=220 | option_d=215 | answer=D | explanation=20% of 1075 = (20/100) × 1075 = 215.

id=70968 | topic=Averages | difficulty=Easy | question=Find the average of 33, 78, 38, 44, 27. | option_a=44 | option_b=43 | option_c=45 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 220 ÷ 5 = 44.

id=70969 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28283 at 4% per annum for 5 years. | option_a=5556 | option_b=5756 | option_c=5656 | option_d=33939 | answer=C | explanation=SI = PRT/100 = 28283×4×5/100 = █5656.

id=70970 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=53 | option_b=43 | option_c=54 | option_d=63 | answer=A | explanation=The common difference is 10. Therefore the next term is 43 + 10 = 53.

id=70971 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10867 at 8% per annum for 1 years. | option_a=869 | option_b=769 | option_c=11736 | option_d=969 | answer=A | explanation=SI = PRT/100 = 10867×8×1/100 = █869.

id=70972 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 32, 40, 49? | option_a=40 | option_b=49 | option_c=24 | option_d=32 | answer=B | explanation=The first three numbers increase by 8, so the next should be 48. Therefore 49 is the odd one out.

id=70973 | topic=Percentages | difficulty=Easy | question=What is 30% of 708? | option_a=222 | option_b=424 | option_c=192 | option_d=212 | answer=D | explanation=30% of 708 = (30/100) × 708 = 212.

id=70974 | topic=Averages | difficulty=Easy | question=Find the average of 40, 37, 10, 85, 76, 13, 21, 102. | option_a=47 | option_b=48 | option_c=49 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 384 ÷ 8 = 48.

id=70975 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=70976 | topic=Averages | difficulty=Easy | question=Find the average of 19, 82, 12, 14, 71, 66. | option_a=44 | option_b=46 | option_c=43 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 264 ÷ 6 = 44.

id=70977 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:8 and the first is 126, what is the second? | option_a=238 | option_b=121 | option_c=104 | option_d=112 | answer=D | explanation=Scale factor = 126/9 = 14. Therefore second quantity = 8×14 = 112.

id=70978 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=70979 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:3 and the first is 80, what is the second? | option_a=27 | option_b=30 | option_c=38 | option_d=110 | answer=B | explanation=Scale factor = 80/8 = 10. Therefore second quantity = 3×10 = 30.

id=70980 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 23, 32, 43? | option_a=32 | option_b=43 | option_c=23 | option_d=14 | answer=B | explanation=The first three numbers increase by 9, so the next should be 41. Therefore 43 is the odd one out.

Aptitude Questions — Records 70,981-71,010 of 100,000

id=70981 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=72 | option_c=31 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=70982 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1824 at 15% per annum for 1 years. | option_a=373 | option_b=173 | option_c=2097 | option_d=273 | answer=D | explanation=SI = PRT/100 = 1824×15×1/100 = **■**273.

id=70983 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16744 at 15% per annum for 4 years. | option_a=26790 | option_b=10046 | option_c=10146 | option_d=9946 | answer=B | explanation=SI = PRT/100 = 16744×15×4/100 = **■**10046.

id=70984 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=70985 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=120 | option_c=240 | option_d=115 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=70986 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5956 at 4% per annum for 3 years. | option_a=614 | option_b=6670 | option_c=714 | option_d=814 | answer=C | explanation=SI = PRT/100 = 5956×4×3/100 = **■**714.

id=70987 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 22. | option_a=264 | option_b=312 | option_c=572 | option_d=286 | answer=D | explanation=LCM × HCF = 26×22; HCF(26,22) = 2, so LCM = 286.

id=70988 | topic=Percentages | difficulty=Easy | question=What is 15% of 520? | option_a=78 | option_b=83 | option_c=68 | option_d=156 | answer=A | explanation=15% of 520 = (15/100) × 520 = 78.

id=70989 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47544 at 6% per annum for 4 years. | option_a=11310 | option_b=11510 | option_c=58954 | option_d=11410 | answer=D | explanation=SI = PRT/100 = 47544×6×4/100 = **■**11410.

id=70990 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=M | option_b=H | option_c=R | option_d=C | answer=A | explanation=Move 5 positions forward from H; the resulting letter is M.

id=70991 | topic=Percentages | difficulty=Easy | question=What is 50% of 1079? | option_a=1078 | option_b=519 | option_c=539 | option_d=559 | answer=C | explanation=50% of 1079 = (50/100) × 1079 = 539.

id=70992 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=N | option_c=B | option_d=J | answer=D | explanation=Move 4 positions forward from F; the resulting letter is J.

id=70993 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 34, 39, 45? | option_a=39 | option_b=45 | option_c=34 | option_d=29 | answer=B | explanation=The first three numbers increase by 5, so the next should be 44. Therefore 45 is the odd one out.

id=70994 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1351. If it is sold at a profit of 15%, what is its selling price? | option_a=1418 | option_b=1688 | option_c=1553 | option_d=1366 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1351 × 115/100 = **■**1553.

id=70995 | topic=Averages | difficulty=Easy | question=Find the average of 86, 97, 79, 35, 72, 33. | option_a=66 | option_b=69 | option_c=67 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 402 ÷ 6 = 67.

id=70996 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=70997 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=H | option_c=Y | option_d=E | answer=D | explanation=Move 3 positions forward from B; the resulting letter is E.

id=70998 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28586 at 4% per annum for 2 years. | option_a=2286 | option_b=30872 | option_c=2186 | option_d=2386 | answer=A | explanation=SI = PRT/100 = 28586×4×2/100 = **■**2286.

id=70999 | topic=Averages | difficulty=Easy | question=Find the average of 82, 38, 15, 24, 31. | option_a=39 | option_b=37 | option_c=40 | option_d=38 | answer=D | explanation=Average = sum of values ÷ number of values = 190 ÷ 5 = 38.

id=71000 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40040 at 12% per annum for 1 years. | option_a=4904 | option_b=4804 | option_c=4704 | option_d=44844 | answer=B | explanation=SI = PRT/100 = 40040×12×1/100 = **■**4804.

id=71001 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4707. If it is sold at a profit of 10%, what is its selling price? | option_a=4707 | option_b=5177 | option_c=4717 | option_d=5647 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4707 × 110/100 = **■**5177.

id=71002 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=13 | option_c=18 | option_d=23 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=71003 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=J | option_b=D | option_c=M | option_d=G | answer=A | explanation=Move 3 positions forward from G; the resulting letter is J.

id=71004 | topic=Averages | difficulty=Easy | question=Find the average of 69, 79, 89, 77, 70, 96. | option_a=79 | option_b=80 | option_c=81 | option_d=82 | answer=B | explanation=Average = sum of values ÷ number of values = 480 ÷ 6 = 80.

id=71005 | topic=Percentages | difficulty=Easy | question=What is 40% of 1306? | option_a=1044 | option_b=532 | option_c=517 | option_d=522 | answer=D | explanation=40% of 1306 = (40/100) × 1306 = 522.

id=71006 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:14 and the first is 65, what is the second? | option_a=135 | option_b=70 | option_c=83 | option_d=56 | answer=B | explanation=Scale factor = 65/13 = 5. Therefore second quantity = 14×5 = 70.

id=71007 | topic=Percentages | difficulty=Easy | question=What is 30% of 1136? | option_a=340 | option_b=335 | option_c=350 | option_d=680 | answer=A | explanation=30% of 1136 = (30/100) × 1136 = 340.

id=71008 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=71009 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=20 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=71010 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 71,011-71,040 of 100,000

id=71011 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 12. | option_a=36 | option_b=24 | option_c=45 | option_d=108 | answer=A | explanation=LCM × HCF = 9×12; HCF(9,12) = 3, so LCM = 36.

id=71012 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47218 at 8% per annum for 1 years. | option_a=3777 | option_b=3677 | option_c=50995 | option_d=3877 | answer=A | explanation=SI = $\text{PRT}/100 = 47218 \times 8 \times 1/100 = \text{■}3777$.

id=71013 | topic=Averages | difficulty=Easy | question=Find the average of 92, 47, 56. | option_a=67 | option_b=64 | option_c=66 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = $195 \div 3 = 65$.

id=71014 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=J | option_b=G | option_c=A | option_d=D | answer=B | explanation=Move 3 positions forward from D; the resulting letter is G.

id=71015 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:8 and the first is 143, what is the second? | option_a=104 | option_b=115 | option_c=96 | option_d=247 | answer=A | explanation=Scale factor = $143/11 = 13$. Therefore second quantity = $8 \times 13 = 104$.

id=71016 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=Y | option_b=H | option_c=B | option_d=E | answer=D | explanation=Move 3 positions forward from B; the resulting letter is E.

id=71017 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=20 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = $120 \div 8 = 15$ km/h.

id=71018 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=Y | option_c=E | option_d=C | answer=D | explanation=Move 2 positions forward from A; the resulting letter is C.

id=71019 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=31 | option_b=41 | option_c=49 | option_d=40 | answer=D | explanation=The common difference is 9. Therefore the next term is $31 + 9 = 40$.

id=71020 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12348 at 4% per annum for 5 years. | option_a=14817 | option_b=2369 | option_c=2569 | option_d=2469 | answer=D | explanation=SI = $\text{PRT}/100 = 12348 \times 4 \times 5/100 = \text{■}2469$.

id=71021 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=C | option_c=Y | option_d=A | answer=B | explanation=Move 2 positions forward from A; the resulting letter is C.

id=71022 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8502 at 8% per annum for 3 years. | option_a=2140 | option_b=2040 | option_c=10542 | option_d=1940 | answer=B | explanation=SI = $\text{PRT}/100 = 8502 \times 8 \times 3/100 = \text{■}2040$.

id=71023 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:11 and the first is 75, what is the second? | option_a=154 | option_b=240 | option_c=165 | option_d=170 | answer=C | explanation=Scale factor = $75/5 = 15$. Therefore second quantity = $11 \times 15 = 165$.

id=71024 | topic=Averages | difficulty=Easy | question=Find the average of 72, 12, 79, 11, 45, 65, 31. | option_a=45 | option_b=44 | option_c=47 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = $315 \div 7 = 45$.

id=71025 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 29, 31, 34? | option_a=29 | option_b=27 | option_c=31 | option_d=34 | answer=D | explanation=The first three numbers increase by 2, so the next should be 33. Therefore 34 is the odd one out.

id=71026 | topic=Percentages | difficulty=Easy | question=What is 25% of 1688? | option_a=844 | option_b=412 | option_c=427 | option_d=422 | answer=D | explanation=25% of 1688 = $(25/100) \times 1688 = 422$.

id=71027 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10304 at 8% per annum for 5 years. | option_a=14425 | option_b=4121 | option_c=4221 | option_d=4021 | answer=B | explanation=SI = $\text{PRT}/100 = 10304 \times 8 \times 5/100 = \text{■}4121$.

id=71028 | topic=Averages | difficulty=Easy | question=Find the average of 43, 11, 59, 31. | option_a=35 | option_b=36 | option_c=38 | option_d=37 | answer=B | explanation=Average = sum of values ÷ number of values = $144 \div 4 = 36$.

id=71029 | topic=Percentages | difficulty=Easy | question=What is 20% of 873? | option_a=348 | option_b=179 | option_c=174 | option_d=169 | answer=C | explanation=20% of 873 = $(20/100) \times 873 = 174$.

id=71030 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=90 | option_c=180 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = $180 \div 2 = 90$ km/h.

id=71031 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1205. If it is sold at a profit of 40%, what is its selling price? | option_a=1807 | option_b=1687 | option_c=1245 | option_d=1567 | answer=B | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 1205 \times 140/100 = \text{■}1687$.

id=71032 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=24 | option_d=5 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=71033 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=46 | option_b=59 | option_c=70 | option_d=58 | answer=D | explanation=The common difference is 12. Therefore the next term is $46 + 12 = 58$.

id=71034 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=71035 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = $60 \div 2 = 30$ km/h.

id=71036 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=12 | option_d=4 | answer=B | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=71037 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:18 and the first is 55, what is the second? | option_a=90 | option_b=72 | option_c=101 | option_d=145 | answer=A | explanation=Scale factor = $55/11 = 5$. Therefore second quantity = $18 \times 5 = 90$.

id=71038 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=F | option_b=G | option_c=E | option_d=D | answer=A | explanation=Move 1 positions forward from E; the resulting letter is F.

id=71039 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3473. If it is sold at a profit of 15%, what is its selling price? | option_a=3488 | option_b=3993 | option_c=3646 | option_d=4340 | answer=B | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 3473 \times 115/100 = \text{■}3993$.

id=71040 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=40 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = $180 \div 4 = 45$ km/h.

Aptitude Questions — Records 71,041-71,070 of 100,000

id=71041 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 34? | option_a=34 | option_b=26 | option_c=16 | option_d=21 | answer=A | explanation=The first three numbers increase by 5, so the next should be 31. Therefore 34 is the odd one out.

id=71042 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 12, 21, 30, ? | option_a=48 | option_b=40 | option_c=30 | option_d=39 | answer=D | explanation=The common difference is 9. Therefore the next term is $30 + 9 = 39$.

id=71043 | topic=Averages | difficulty=Easy | question=Find the average of 83, 50, 44, 72, 19, 46, 70, 96. | option_a=59 | option_b=60 | option_c=61 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = $480 \div 8 = 60$.

id=71044 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=66 | option_b=55 | option_c=42 | option_d=54 | answer=D | explanation=The common difference is 12. Therefore the next term is $42 + 12 = 54$.

id=71045 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30877 at 4% per annum for 4 years. | option_a=4840 | option_b=4940 | option_c=35817 | option_d=5040 | answer=B | explanation=SI = $\text{PRT}/100 = 30877 \times 4 \times 4 / 100 = \text{■}4940$.

id=71046 | topic=Averages | difficulty=Easy | question=Find the average of 29, 14, 26, 13, 38, 97, 33, 84, 99, 57. | option_a=50 | option_b=49 | option_c=51 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = $490 \div 10 = 49$.

id=71047 | topic=Percentages | difficulty=Easy | question=What is 30% of 573? | option_a=342 | option_b=171 | option_c=181 | option_d=151 | answer=B | explanation=30% of 573 = $(30/100) \times 573 = 171$.

id=71048 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=J | option_b=B | option_c=F | option_d=N | answer=A | explanation=Move 4 positions forward from F; the resulting letter is J.

id=71049 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=W | option_b=O | option_c=K | option_d=S | answer=D | explanation=Move 4 positions forward from O; the resulting letter is S.

id=71050 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1342 at 15% per annum for 1 years. | option_a=301 | option_b=1543 | option_c=201 | option_d=101 | answer=C | explanation=SI = $\text{PRT}/100 = 1342 \times 15 \times 1 / 100 = \text{■}201$.

id=71051 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=L | option_b=X | option_c=P | option_d=T | answer=D | explanation=Move 4 positions forward from P; the resulting letter is T.

id=71052 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=71053 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:11 and the first is 340, what is the second? | option_a=560 | option_b=237 | option_c=220 | option_d=209 | answer=C | explanation=Scale factor = $340/17 = 20$. Therefore second quantity = $11 \times 20 = 220$.

id=71054 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=71055 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 22. | option_a=308 | option_b=154 | option_c=132 | option_d=168 | answer=B | explanation= $\text{LCM} \times \text{HCF} = 14 \times 22$; $\text{HCF}(14, 22) = 2$, so $\text{LCM} = 154$.

id=71056 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=38 | option_b=51 | option_c=50 | option_d=62 | answer=C | explanation=The common difference is 12. Therefore the next term is $38 + 12 = 50$.

id=71057 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=C | option_c=A | option_d=G | answer=A | explanation=Move 2 positions forward from C; the resulting letter is E.

id=71058 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=27 | option_b=28 | option_c=24 | option_d=26 | answer=D | explanation=The common difference is 2. Therefore the next term is $24 + 2 = 26$.

id=71059 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=29 | option_b=25 | option_c=19 | option_d=24 | answer=D | explanation=The common difference is 5. Therefore the next term is $19 + 5 = 24$.

id=71060 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4202. If it is sold at a profit of 5%, what is its selling price? | option_a=4832 | option_b=4207 | option_c=4412 | option_d=3992 | answer=C | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 4202 \times 105 / 100 = \text{■}4412$.

id=71061 | topic=Percentages | difficulty=Easy | question=What is 5% of 1127? | option_a=56 | option_b=51 | option_c=112 | option_d=66 | answer=A | explanation=5% of 1127 = $(5/100) \times 1127 = 56$.

id=71062 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=48 | option_b=40 | option_c=32 | option_d=41 | answer=B | explanation=The common difference is 8. Therefore the next term is $32 + 8 = 40$.

id=71063 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2115. If it is sold at a profit of 10%, what is its selling price? | option_a=2115 | option_b=2125 | option_c=2326 | option_d=2537 | answer=C | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 2115 \times 110 / 100 = \text{■}2326$.

id=71064 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 31, 40, 52? | option_a=40 | option_b=52 | option_c=22 | option_d=31 | answer=B | explanation=The first three numbers increase by 9, so the next should be 49. Therefore 52 is the odd one out.

id=71065 | topic=Averages | difficulty=Easy | question=Find the average of 83, 61, 68, 24. | option_a=58 | option_b=59 | option_c=60 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = $236 \div 4 = 59$.

id=71066 | topic=Percentages | difficulty=Easy | question=What is 50% of 233? | option_a=116 | option_b=136 | option_c=111 | option_d=232 | answer=A | explanation=50% of 233 = $(50/100) \times 233 = 116$.

id=71067 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33630 at 6% per annum for 5 years. | option_a=43719 | option_b=9989 | option_c=10089 | option_d=10189 | answer=C | explanation=SI = $\text{PRT}/100 = 33630 \times 6 \times 5 / 100 = \text{■}10089$.

id=71068 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=18 | option_c=13 | option_d=23 | answer=B | explanation=Speed = distance ÷ time = $180 \div 10 = 18$ km/h.

id=71069 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = $240 \div 8 = 30$ km/h.

id=71070 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 44? | option_a=44 | option_b=13 | option_c=33 | option_d=23 | answer=A | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 44 is the odd one out.

Aptitude Questions — Records 71,071-71,100 of 100,000

id=71071 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:3 and the first is 120, what is the second? | option_a=66 | option_b=57 | option_c=180 | option_d=60 | answer=D | explanation=Scale factor = 120/6 = 20. Therefore second quantity = 3×20 = 60.

id=71072 | topic=Averages | difficulty=Easy | question=Find the average of 97, 19, 31, 60, 23. | option_a=46 | option_b=45 | option_c=48 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 230 ÷ 5 = 46.

id=71073 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=59 | option_b=49 | option_c=60 | option_d=69 | answer=A | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

id=71074 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=M | option_b=H | option_c=X | option_d=C | answer=B | explanation=Move 5 positions forward from C; the resulting letter is H.

id=71075 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=36 | option_b=45 | option_c=52 | option_d=44 | answer=D | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.

id=71076 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=X | option_b=R | option_c=U | option_d=A | answer=A | explanation=Move 3 positions forward from U; the resulting letter is X.

id=71077 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=O | option_b=T | option_c=D | option_d=Y | answer=D | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=71078 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=71079 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Y | option_b=U | option_c=Q | option_d=M | answer=B | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=71080 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:1 and the first is 240, what is the second? | option_a=32 | option_b=19 | option_c=260 | option_d=20 | answer=D | explanation=Scale factor = 240/12 = 20. Therefore second quantity = 1×20 = 20.

id=71081 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=71082 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=21 | option_b=22 | option_c=19 | option_d=23 | answer=A | explanation=The common difference is 2. Therefore the next term is 19 + 2 = 21.

id=71083 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=71084 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33077 at 6% per annum for 3 years. | option_a=6053 | option_b=39030 | option_c=5853 | option_d=5953 | answer=D | explanation=SI = PRT/100 = 33077×6×3/100 = █5953.

id=71085 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1023. If it is sold at a profit of 50%, what is its selling price? | option_a=1534 | option_b=1073 | option_c=1636 | option_d=1432 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1023 × 150/100 = █1534.

id=71086 | topic=Profit & Loss | difficulty=Easy | question=An article costs █317. If it is sold at a profit of 50%, what is its selling price? | option_a=367 | option_b=506 | option_c=475 | option_d=444 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 317 × 150/100 = █475.

id=71087 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=71088 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:12 and the first is 240, what is the second? | option_a=168 | option_b=196 | option_c=420 | option_d=180 | answer=D | explanation=Scale factor = 240/16 = 15. Therefore second quantity = 12×15 = 180.

id=71089 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=S | option_c=U | option_d=O | answer=B | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=71090 | topic=Averages | difficulty=Easy | question=Find the average of 47, 69, 39, 20, 100. | option_a=56 | option_b=55 | option_c=54 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 275 ÷ 5 = 55.

id=71091 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=71092 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=Q | option_c=U | option_d=I | answer=B | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=71093 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=71094 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23506 at 4% per annum for 4 years. | option_a=3860 | option_b=27266 | option_c=3660 | option_d=3760 | answer=D | explanation=SI = PRT/100 = 23506×4×4/100 = █3760.

id=71095 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=4 | option_c=18 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=71096 | topic=Percentages | difficulty=Easy | question=What is 12% of 1129? | option_a=140 | option_b=270 | option_c=135 | option_d=125 | answer=C | explanation=12% of 1129 = (12/100) × 1129 = 135.

id=71097 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=37 | option_b=25 | option_c=31 | option_d=32 | answer=C | explanation=The common difference is 6. Therefore the next term is 25 + 6 = 31.

id=71098 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 27. | option_a=243 | option_b=810 | option_c=300 | option_d=270 | answer=D | explanation=LCM × HCF = 30×27; HCF(30,27) = 3, so LCM = 270.

id=71099 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=Q | option_c=O | option_d=M | answer=B | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=71100 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=A | option_b=X | option_c=R | option_d=U | answer=B | explanation=Move 3 positions forward from U; the resulting letter is X.

Aptitude Questions — Records 71,101-71,130 of 100,000

id=71101 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=31 | option_c=36 | option_d=72 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=71102 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=D | option_b=F | option_c=H | option_d=J | answer=C | explanation=Move 2 positions forward from F; the resulting letter is H.

id=71103 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=N | option_b=R | option_c=T | option_d=P | answer=B | explanation=Move 2 positions forward from P; the resulting letter is R.

id=71104 | topic=Averages | difficulty=Easy | question=Find the average of 12, 13, 83. | option_a=35 | option_b=38 | option_c=36 | option_d=37 | answer=C | explanation=Average = sum of values ÷ number of values = 108 ÷ 3 = 36.

id=71105 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=71106 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49973 at 5% per annum for 4 years. | option_a=9894 | option_b=59967 | option_c=10094 | option_d=9994 | answer=D | explanation=SI = $PRT/100 = 49973 \times 5 \times 4/100 = \text{■}9994$.

id=71107 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=71108 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:6 and the first is 16, what is the second? | option_a=6 | option_b=28 | option_c=12 | option_d=20 | answer=C | explanation=Scale factor = 16/8 = 2. Therefore second quantity = 6×2 = 12.

id=71109 | topic=Percentages | difficulty=Easy | question=What is 25% of 173? | option_a=43 | option_b=38 | option_c=86 | option_d=63 | answer=A | explanation=25% of 173 = (25/100) × 173 = 43.

id=71110 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:11 and the first is 210, what is the second? | option_a=154 | option_b=169 | option_c=143 | option_d=364 | answer=A | explanation=Scale factor = 210/15 = 14. Therefore second quantity = 11×14 = 154.

id=71111 | topic=Averages | difficulty=Easy | question=Find the average of 53, 92, 59, 47, 99. | option_a=69 | option_b=70 | option_c=72 | option_d=71 | answer=B | explanation=Average = sum of values ÷ number of values = 350 ÷ 5 = 70.

id=71112 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 13, 19, 28? | option_a=28 | option_b=13 | option_c=19 | option_d=7 | answer=A | explanation=The first three numbers increase by 6, so the next should be 25. Therefore 28 is the odd one out.

id=71113 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=G | option_c=A | option_d=C | answer=A | explanation=Move 2 positions forward from C; the resulting letter is E.

id=71114 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:11 and the first is 240, what is the second? | option_a=191 | option_b=416 | option_c=165 | option_d=176 | answer=D | explanation=Scale factor = 240/15 = 16. Therefore second quantity = 11×16 = 176.

id=71115 | topic=Averages | difficulty=Easy | question=Find the average of 22, 77, 58, 13, 40. | option_a=43 | option_b=42 | option_c=41 | option_d=44 | answer=B | explanation=Average = sum of values ÷ number of values = 210 ÷ 5 = 42.

id=71116 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19705 at 15% per annum for 5 years. | option_a=14778 | option_b=34483 | option_c=14878 | option_d=14678 | answer=A | explanation=SI = $PRT/100 = 19705 \times 15 \times 5/100 = \text{■}14778$.

id=71117 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 10. | option_a=10 | option_b=1 | option_c=12 | option_d=20 | answer=A | explanation=LCM × HCF = 2×10; HCF(2,10) = 2, so LCM = 10.

id=71118 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:18 and the first is 6, what is the second? | option_a=114 | option_b=108 | option_c=90 | option_d=109 | answer=B | explanation=Scale factor = 6/1 = 6. Therefore second quantity = 18×6 = 108.

id=71119 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 34? | option_a=25 | option_b=34 | option_c=9 | option_d=17 | answer=B | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 34 is the odd one out.

id=71120 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**882. If it is sold at a profit of 5%, what is its selling price? | option_a=1014 | option_b=838 | option_c=887 | option_d=926 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 882 \times 105/100 = \text{■}926$.

id=71121 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=71122 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29684 at 8% per annum for 1 years. | option_a=32058 | option_b=2474 | option_c=2374 | option_d=2274 | answer=C | explanation=SI = $PRT/100 = 29684 \times 8 \times 1/100 = \text{■}2374$.

id=71123 | topic=Averages | difficulty=Easy | question=Find the average of 43, 28, 91, 87, 32, 63, 12, 100. | option_a=56 | option_b=57 | option_c=58 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

id=71124 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 22, 26, 33? | option_a=26 | option_b=18 | option_c=22 | option_d=33 | answer=D | explanation=The first three numbers increase by 4, so the next should be 30. Therefore 33 is the odd one out.

id=71125 | topic=Percentages | difficulty=Easy | question=What is 25% of 1009? | option_a=504 | option_b=242 | option_c=272 | option_d=252 | answer=D | explanation=25% of 1009 = (25/100) × 1009 = 252.

id=71126 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=V | option_c=T | option_d=U | answer=B | explanation=Move 1 positions forward from U; the resulting letter is V.

id=71127 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:19 and the first is 320, what is the second? | option_a=396 | option_b=700 | option_c=380 | option_d=361 | answer=C | explanation=Scale factor = 320/16 = 20. Therefore second quantity = 19×20 = 380.

id=71128 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=71129 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:12 and the first is 32, what is the second? | option_a=24 | option_b=12 | option_c=56 | option_d=40 | answer=A | explanation=Scale factor = 32/16 = 2. Therefore second quantity = 12×2 = 24.

id=71130 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 9, 11, 14? | option_a=14 | option_b=11 | option_c=9 | option_d=7 | answer=A | explanation=The first three numbers increase by 2, so the next should be 13. Therefore 14 is the odd one out.

Aptitude Questions — Records 71,131-71,160 of 100,000

id=71131 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 15? | option_a=3 | option_b=6 | option_c=15 | option_d=9 | answer=C | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 15 is the odd one out.

id=71132 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=F | option_c=G | option_d=E | answer=C | explanation=Move 1 positions forward from F; the resulting letter is G.

id=71133 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 43? | option_a=24 | option_b=43 | option_c=30 | option_d=36 | answer=B | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 43 is the odd one out.

id=71134 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=R | option_c=L | option_d=N | answer=A | explanation=Move 2 positions forward from N; the resulting letter is P.

id=71135 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=50 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=71136 | topic=Percentages | difficulty=Easy | question=What is 10% of 1307? | option_a=110 | option_b=135 | option_c=260 | option_d=130 | answer=D | explanation=10% of 1307 = (10/100) × 1307 = 130.

id=71137 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=71138 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4150. If it is sold at a profit of 50%, what is its selling price? | option_a=6225 | option_b=4200 | option_c=6640 | option_d=5810 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4150 × 150/100 = █6225.

id=71139 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=Y | option_c=O | option_d=D | answer=B | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=71140 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15379 at 12% per annum for 1 years. | option_a=1745 | option_b=1845 | option_c=17224 | option_d=1945 | answer=B | explanation=SI = PRT/100 = 15379×12×1/100 = █1845.

id=71141 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2771. If it is sold at a profit of 30%, what is its selling price? | option_a=3602 | option_b=2801 | option_c=3325 | option_d=3879 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2771 × 130/100 = █3602.

id=71142 | topic=Averages | difficulty=Easy | question=Find the average of 96, 75, 18. | option_a=65 | option_b=62 | option_c=64 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 189 ÷ 3 = 63.

id=71143 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=71144 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 27, 32, 38? | option_a=22 | option_b=32 | option_c=38 | option_d=27 | answer=C | explanation=The first three numbers increase by 5, so the next should be 37. Therefore 38 is the odd one out.

id=71145 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 40? | option_a=40 | option_b=14 | option_c=30 | option_d=22 | answer=A | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 40 is the odd one out.

id=71146 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=75 | option_c=80 | option_d=160 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=71147 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41707 at 5% per annum for 4 years. | option_a=8441 | option_b=8241 | option_c=50048 | option_d=8341 | answer=D | explanation=SI = PRT/100 = 41707×5×4/100 = █8341.

id=71148 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=M | option_b=G | option_c=P | option_d=J | answer=A | explanation=Move 3 positions forward from J; the resulting letter is M.

id=71149 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 10, 13, 16, ? | option_a=22 | option_b=19 | option_c=20 | option_d=16 | answer=B | explanation=The common difference is 3. Therefore the next term is 16 + 3 = 19.

id=71150 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2067. If it is sold at a profit of 5%, what is its selling price? | option_a=2376 | option_b=2170 | option_c=1964 | option_d=2072 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2067 × 105/100 = █2170.

id=71151 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=71152 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1128. If it is sold at a profit of 5%, what is its selling price? | option_a=1133 | option_b=1072 | option_c=1184 | option_d=1296 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1128 × 105/100 = █1184.

id=71153 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=26 | option_b=28 | option_c=27 | option_d=24 | answer=A | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.

id=71154 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=70 | option_c=80 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=71155 | topic=Percentages | difficulty=Easy | question=What is 50% of 1824? | option_a=892 | option_b=1824 | option_c=922 | option_d=912 | answer=D | explanation=50% of 1824 = (50/100) × 1824 = 912.

id=71156 | topic=Percentages | difficulty=Easy | question=What is 12% of 553? | option_a=66 | option_b=76 | option_c=132 | option_d=46 | answer=A | explanation=12% of 553 = (12/100) × 553 = 66.

id=71157 | topic=Profit & Loss | difficulty=Easy | question=An article costs █127. If it is sold at a profit of 10%, what is its selling price? | option_a=137 | option_b=127 | option_c=151 | option_d=139 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 127 × 110/100 = █139.

id=71158 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2888. If it is sold at a profit of 20%, what is its selling price? | option_a=3465 | option_b=3177 | option_c=3753 | option_d=2908 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2888 × 120/100 = █3465.

id=71159 | topic=Profit & Loss | difficulty=Easy | question=An article costs █564. If it is sold at a profit of 20%, what is its selling price? | option_a=732 | option_b=584 | option_c=676 | option_d=620 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 564 × 120/100 = █676.

id=71160 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 30? | option_a=24 | option_b=18 | option_c=30 | option_d=21 | answer=C | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 30 is the odd one out.

Aptitude Questions — Records 71,161-71,190 of 100,000

id=71161 | topic=Percentages | difficulty=Easy | question=What is 5% of 1163? | option_a=116 | option_b=58 | option_c=78 | option_d=38 | answer=B | explanation=5% of 1163 = (5/100) × 1163 = 58.

id=71162 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=48 | option_b=59 | option_c=37 | option_d=49 | answer=A | explanation=The common difference is 11. Therefore the next term is 37 + 11 = 48.

id=71163 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=32 | option_b=42 | option_c=50 | option_d=41 | answer=D | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

id=71164 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=S | option_c=O | option_d=Q | answer=B | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=71165 | topic=Averages | difficulty=Easy | question=Find the average of 14, 17, 36, 79, 60, 61, 28, 97. | option_a=50 | option_b=49 | option_c=48 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 392 ÷ 8 = 49.

id=71166 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:7 and the first is 26, what is the second? | option_a=14 | option_b=7 | option_c=40 | option_d=27 | answer=A | explanation=Scale factor = 26/13 = 2. Therefore second quantity = 7×2 = 14.

id=71167 | topic=Percentages | difficulty=Easy | question=What is 10% of 78? | option_a=14 | option_b=7 | option_c=12 | option_d=0 | answer=B | explanation=10% of 78 = (10/100) × 78 = 7.

id=71168 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=180 | option_c=85 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=71169 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3226. If it is sold at a profit of 10%, what is its selling price? | option_a=3870 | option_b=3236 | option_c=3226 | option_d=3548 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3226 × 110/100 = █3548.

id=71170 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=13 | option_c=18 | option_d=23 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=71171 | topic=Averages | difficulty=Easy | question=Find the average of 14, 23, 29, 98, 56. | option_a=44 | option_b=45 | option_c=46 | option_d=43 | answer=A | explanation=Average = sum of values ÷ number of values = 220 ÷ 5 = 44.

id=71172 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=C | option_b=N | option_c=S | option_d=X | answer=D | explanation=Move 5 positions forward from S; the resulting letter is X.

id=71173 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=21 | option_b=31 | option_c=26 | option_d=27 | answer=C | explanation=The common difference is 5. Therefore the next term is 21 + 5 = 26.

id=71174 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=71175 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4245. If it is sold at a profit of 15%, what is its selling price? | option_a=4260 | option_b=4881 | option_c=5305 | option_d=4457 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4245 × 115/100 = █4881.

id=71176 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17614 at 4% per annum for 2 years. | option_a=1409 | option_b=1509 | option_c=19023 | option_d=1309 | answer=A | explanation=SI = PRT/100 = 17614×4×2/100 = █1409.

id=71177 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=M | option_c=K | option_d=G | answer=C | explanation=Move 2 positions forward from I; the resulting letter is K.

id=71178 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39079 at 10% per annum for 5 years. | option_a=19639 | option_b=19439 | option_c=19539 | option_d=58618 | answer=C | explanation=SI = PRT/100 = 39079×10×5/100 = █19539.

id=71179 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=X | option_b=I | option_c=N | option_d=S | answer=D | explanation=Move 5 positions forward from N; the resulting letter is S.

id=71180 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=47 | option_b=59 | option_c=69 | option_d=58 | answer=D | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.

id=71181 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2811. If it is sold at a profit of 15%, what is its selling price? | option_a=3513 | option_b=3232 | option_c=2826 | option_d=2951 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2811 × 115/100 = █3232.

id=71182 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 16. | option_a=1 | option_b=16 | option_c=20 | option_d=64 | answer=B | explanation=LCM × HCF = 4×16; HCF(4,16) = 4, so LCM = 16.

id=71183 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=24 | option_c=19 | option_d=48 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=71184 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 33, 42, 54? | option_a=24 | option_b=54 | option_c=42 | option_d=33 | answer=B | explanation=The first three numbers increase by 9, so the next should be 51. Therefore 54 is the odd one out.

id=71185 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 30. | option_a=420 | option_b=210 | option_c=180 | option_d=224 | answer=B | explanation=LCM × HCF = 14×30; HCF(14,30) = 2, so LCM = 210.

id=71186 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=71187 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42653 at 12% per annum for 3 years. | option_a=15455 | option_b=15355 | option_c=15255 | option_d=58008 | answer=B | explanation=SI = PRT/100 = 42653×12×3/100 = █15355.

id=71188 | topic=Profit & Loss | difficulty=Easy | question=An article costs █451. If it is sold at a profit of 15%, what is its selling price? | option_a=466 | option_b=563 | option_c=473 | option_d=518 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 451 × 115/100 = █518.

id=71189 | topic=Percentages | difficulty=Easy | question=What is 25% of 1530? | option_a=362 | option_b=764 | option_c=392 | option_d=382 | answer=D | explanation=25% of 1530 = (25/100) × 1530 = 382.

id=71190 | topic=Averages | difficulty=Easy | question=Find the average of 48, 40, 66, 62. | option_a=53 | option_b=54 | option_c=55 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 216 ÷ 4 = 54.

Aptitude Questions — Records 71,191-71,220 of 100,000

id=71191 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=H | option_c=T | option_d=P | answer=D | explanation=Move 4 positions forward from L; the resulting letter is P.

id=71192 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=12 | option_b=16 | option_c=14 | option_d=15 | answer=C | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=71193 | topic=Percentages | difficulty=Easy | question=What is 5% of 544? | option_a=7 | option_b=47 | option_c=27 | option_d=54 | answer=C | explanation=5% of 544 = (5/100) × 544 = 27.

id=71194 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 23? | option_a=16 | option_b=20 | option_c=18 | option_d=23 | answer=D | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 23 is the odd one out.

id=71195 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 35? | option_a=35 | option_b=4 | option_c=24 | option_d=14 | answer=A | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 35 is the odd one out.

id=71196 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=13 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=71197 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1296. If it is sold at a profit of 50%, what is its selling price? | option_a=1815 | option_b=1346 | option_c=1944 | option_d=2073 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1296 × 150/100 = █1944.

id=71198 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=M | option_b=P | option_c=J | option_d=G | answer=A | explanation=Move 3 positions forward from J; the resulting letter is M.

id=71199 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=29 | option_b=47 | option_c=39 | option_d=38 | answer=D | explanation=The common difference is 9. Therefore the next term is 29 + 9 = 38.

id=71200 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=120 | option_c=115 | option_d=125 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=71201 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=L | option_b=R | option_c=O | option_d=U | answer=B | explanation=Move 3 positions forward from O; the resulting letter is R.

id=71202 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=34 | option_b=35 | option_c=28 | option_d=40 | answer=A | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.

id=71203 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:11 and the first is 54, what is the second? | option_a=66 | option_b=120 | option_c=75 | option_d=55 | answer=A | explanation=Scale factor = 54/9 = 6. Therefore second quantity = 11×6 = 66.

id=71204 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=71205 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=150 | option_c=80 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=71206 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4313. If it is sold at a profit of 30%, what is its selling price? | option_a=5606 | option_b=4343 | option_c=6037 | option_d=5175 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4313 × 130/100 = █5606.

id=71207 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 4. | option_a=28 | option_b=56 | option_c=42 | option_d=24 | answer=A | explanation=LCM × HCF = 14×4; HCF(14,4) = 2, so LCM = 28.

id=71208 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4252. If it is sold at a profit of 50%, what is its selling price? | option_a=6803 | option_b=6378 | option_c=4302 | option_d=5953 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4252 × 150/100 = █6378.

id=71209 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=24 | option_c=7 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=71210 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39098 at 12% per annum for 2 years. | option_a=9283 | option_b=48481 | option_c=9483 | option_d=9383 | answer=D | explanation=SI = PRT/100 = 39098×12×2/100 = █9383.

id=71211 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2494. If it is sold at a profit of 20%, what is its selling price? | option_a=2992 | option_b=2743 | option_c=2514 | option_d=3241 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2494 × 120/100 = █2992.

id=71212 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:13 and the first is 88, what is the second? | option_a=130 | option_b=151 | option_c=231 | option_d=143 | answer=D | explanation=Scale factor = 88/8 = 11. Therefore second quantity = 13×11 = 143.

id=71213 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3081. If it is sold at a profit of 20%, what is its selling price? | option_a=3389 | option_b=3697 | option_c=3101 | option_d=4005 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3081 × 120/100 = █3697.

id=71214 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=36 | option_c=18 | option_d=23 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=71215 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 13, 19, 27? | option_a=27 | option_b=19 | option_c=7 | option_d=13 | answer=A | explanation=The first three numbers increase by 6, so the next should be 25. Therefore 27 is the odd one out.

id=71216 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=25 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=71217 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=71218 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=30 | option_b=36 | option_c=24 | option_d=31 | answer=A | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.

id=71219 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:19 and the first is 30, what is the second? | option_a=171 | option_b=190 | option_c=220 | option_d=193 | answer=B | explanation=Scale factor = 30/3 = 10. Therefore second quantity = 19×10 = 190.

id=71220 | topic=Profit & Loss | difficulty=Easy | question=An article costs █492. If it is sold at a profit of 5%, what is its selling price? | option_a=497 | option_b=516 | option_c=467 | option_d=565 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 492 × 105/100 = █516.

Aptitude Questions — Records 71,221-71,250 of 100,000

id=71221 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=49 | option_b=48 | option_c=59 | option_d=37 | answer=B | explanation=The common difference is 11. Therefore the next term is 37 + 11 = 48.

id=71222 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 15, 18, 22? | option_a=15 | option_b=12 | option_c=22 | option_d=18 | answer=C | explanation=The first three numbers increase by 3, so the next should be 21. Therefore 22 is the odd one out.

id=71223 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=30 | option_c=20 | option_d=25 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=71224 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 12. | option_a=1 | option_b=36 | option_c=12 | option_d=15 | answer=C | explanation=LCM × HCF = 3×12; HCF(3,12) = 3, so LCM = 12.

id=71225 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:11 and the first is 96, what is the second? | option_a=184 | option_b=88 | option_c=77 | option_d=100 | answer=B | explanation=Scale factor = 96/12 = 8. Therefore second quantity = 11×8 = 88.

id=71226 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 36, 45, 57? | option_a=57 | option_b=27 | option_c=45 | option_d=36 | answer=A | explanation=The first three numbers increase by 9, so the next should be 54. Therefore 57 is the odd one out.

id=71227 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9993 at 12% per annum for 3 years. | option_a=3497 | option_b=13590 | option_c=3697 | option_d=3597 | answer=D | explanation=SI = PRT/100 = 9993×12×3/100 = **■**3597.

id=71228 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=61 | option_b=39 | option_c=51 | option_d=50 | answer=D | explanation=The common difference is 11. Therefore the next term is 39 + 11 = 50.

id=71229 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:11 and the first is 19, what is the second? | option_a=210 | option_b=209 | option_c=198 | option_d=228 | answer=B | explanation=Scale factor = 19/1 = 19. Therefore second quantity = 11×19 = 209.

id=71230 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=11 | option_c=6 | option_d=1 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=71231 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 8, 10, 13? | option_a=8 | option_b=6 | option_c=10 | option_d=13 | answer=D | explanation=The first three numbers increase by 2, so the next should be 12. Therefore 13 is the odd one out.

id=71232 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 18, 28, 40? | option_a=28 | option_b=18 | option_c=8 | option_d=40 | answer=D | explanation=The first three numbers increase by 10, so the next should be 38. Therefore 40 is the odd one out.

id=71233 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:11 and the first is 40, what is the second? | option_a=77 | option_b=93 | option_c=88 | option_d=128 | answer=C | explanation=Scale factor = 40/5 = 8. Therefore second quantity = 11×8 = 88.

id=71234 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=S | option_b=R | option_c=Q | option_d=T | answer=A | explanation=Move 1 positions forward from R; the resulting letter is S.

id=71235 | topic=Percentages | difficulty=Easy | question=What is 50% of 1123? | option_a=581 | option_b=561 | option_c=1122 | option_d=556 | answer=B | explanation=50% of 1123 = (50/100) × 1123 = 561.

id=71236 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=X | option_c=P | option_d=B | answer=B | explanation=Move 4 positions forward from T; the resulting letter is X.

id=71237 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 14, 21, 31? | option_a=7 | option_b=14 | option_c=31 | option_d=21 | answer=C | explanation=The first three numbers increase by 7, so the next should be 28. Therefore 31 is the odd one out.

id=71238 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 25, 34, 44? | option_a=44 | option_b=25 | option_c=34 | option_d=16 | answer=A | explanation=The first three numbers increase by 9, so the next should be 43. Therefore 44 is the odd one out.

id=71239 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 198, what is the second? | option_a=272 | option_b=299 | option_c=486 | option_d=288 | answer=D | explanation=Scale factor = 198/11 = 18. Therefore second quantity = 16×18 = 288.

id=71240 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:10 and the first is 140, what is the second? | option_a=210 | option_b=90 | option_c=60 | option_d=70 | answer=D | explanation=Scale factor = 140/20 = 7. Therefore second quantity = 10×7 = 70.

id=71241 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=32 | option_b=44 | option_c=39 | option_d=38 | answer=D | explanation=The common difference is 6. Therefore the next term is 32 + 6 = 38.

id=71242 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=7 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=71243 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=71244 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1982. If it is sold at a profit of 40%, what is its selling price? | option_a=2972 | option_b=2576 | option_c=2022 | option_d=2774 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1982 × 140/100 = **■**2774.

id=71245 | topic=Percentages | difficulty=Easy | question=What is 20% of 65? | option_a=13 | option_b=8 | option_c=18 | option_d=26 | answer=A | explanation=20% of 65 = (20/100) × 65 = 13.

id=71246 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=71247 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=I | option_c=H | option_d=J | answer=D | explanation=Move 1 positions forward from I; the resulting letter is J.

id=71248 | topic=Averages | difficulty=Easy | question=Find the average of 80, 84, 95, 59, 42, 57, 45. | option_a=68 | option_b=65 | option_c=67 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = 462 ÷ 7 = 66.

id=71249 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42940 at 8% per annum for 4 years. | option_a=13640 | option_b=13740 | option_c=56680 | option_d=13840 | answer=B | explanation=SI = PRT/100 = 42940×8×4/100 = **■**13740.

id=71250 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=50 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

Aptitude Questions — Records 71,251-71,280 of 100,000

id=71251 | topic=Percentages | difficulty=Easy | question=What is 40% of 1981? | option_a=812 | option_b=1584 | option_c=792 | option_d=772 | answer=C | explanation=40% of 1981 = $(40/100) \times 1981 = 792$.

id=71252 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17981 at 15% per annum for 4 years. | option_a=10788 | option_b=10688 | option_c=10888 | option_d=28769 | answer=A | explanation=SI = $PRT/100 = 17981 \times 15 \times 4 / 100 = \text{■}10788$.

id=71253 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2725. If it is sold at a profit of 25%, what is its selling price? | option_a=2750 | option_b=3678 | option_c=3406 | option_d=3134 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2725 \times 125 / 100 = \text{■}3406$.

id=71254 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=V | option_b=W | option_c=U | option_d=T | answer=A | explanation=Move 1 positions forward from U; the resulting letter is V.

id=71255 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=71256 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=H | option_b=L | option_c=P | option_d=T | answer=C | explanation=Move 4 positions forward from L; the resulting letter is P.

id=71257 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 25, 33, 41, ? | option_a=57 | option_b=50 | option_c=49 | option_d=41 | answer=C | explanation=The common difference is 8. Therefore the next term is $41 + 8 = 49$.

id=71258 | topic=Percentages | difficulty=Easy | question=What is 30% of 1230? | option_a=369 | option_b=738 | option_c=359 | option_d=389 | answer=A | explanation=30% of 1230 = $(30/100) \times 1230 = 369$.

id=71259 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=71260 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=71261 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=150 | option_c=70 | option_d=80 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 300 \div 4 = 75$ km/h.

id=71262 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=120 | option_d=60 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 300 \div 5 = 60$ km/h.

id=71263 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=G | option_b=O | option_c=S | option_d=K | answer=B | explanation=Move 4 positions forward from K; the resulting letter is O.

id=71264 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48860 at 6% per annum for 1 years. | option_a=51791 | option_b=2831 | option_c=3031 | option_d=2931 | answer=D | explanation=SI = $PRT/100 = 48860 \times 6 \times 1 / 100 = \text{■}2931$.

id=71265 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27235 at 8% per annum for 5 years. | option_a=10794 | option_b=10994 | option_c=38129 | option_d=10894 | answer=D | explanation=SI = $PRT/100 = 27235 \times 8 \times 5 / 100 = \text{■}10894$.

id=71266 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=27 | option_b=33 | option_c=21 | option_d=28 | answer=A | explanation=The common difference is 6. Therefore the next term is $21 + 6 = 27$.

id=71267 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=X | option_b=V | option_c=T | option_d=R | answer=B | explanation=Move 2 positions forward from T; the resulting letter is V.

id=71268 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:10 and the first is 28, what is the second? | option_a=20 | option_b=10 | option_c=48 | option_d=34 | answer=A | explanation=Scale factor = $28/14 = 2$. Therefore second quantity = $10 \times 2 = 20$.

id=71269 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6713 at 6% per annum for 4 years. | option_a=1611 | option_b=8324 | option_c=1511 | option_d=1711 | answer=A | explanation=SI = $PRT/100 = 6713 \times 6 \times 4 / 100 = \text{■}1611$.

id=71270 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=57 | option_b=58 | option_c=45 | option_d=69 | answer=A | explanation=The common difference is 12. Therefore the next term is $45 + 12 = 57$.

id=71271 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 34, 44, 55? | option_a=44 | option_b=24 | option_c=34 | option_d=55 | answer=D | explanation=The first three numbers increase by 10, so the next should be 54. Therefore 55 is the odd one out.

id=71272 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=71273 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=71274 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=85 | option_c=90 | option_d=180 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 180 \div 2 = 90$ km/h.

id=71275 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=71276 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=95 | option_c=105 | option_d=200 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 300 \div 3 = 100$ km/h.

id=71277 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1343. If it is sold at a profit of 20%, what is its selling price? | option_a=1611 | option_b=1363 | option_c=1477 | option_d=1745 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1343 \times 120 / 100 = \text{■}1611$.

id=71278 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 15. | option_a=105 | option_b=126 | option_c=315 | option_d=90 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 21 \times 15$; $\text{HCF}(21, 15) = 3$, so $\text{LCM} = 105$.

id=71279 | topic=Percentages | difficulty=Easy | question=What is 5% of 1530? | option_a=71 | option_b=152 | option_c=96 | option_d=76 | answer=D | explanation=5% of 1530 = $(5/100) \times 1530 = 76$.

id=71280 | topic=Averages | difficulty=Easy | question=Find the average of 31, 81, 36, 62, 28, 80, 28, 42, 37, 45. | option_a=47 | option_b=49 | option_c=46 | option_d=48 | answer=A | explanation=Average = $\text{sum of values} \div \text{number of values} = 470 \div 10 = 47$.

Aptitude Questions — Records 71,281-71,310 of 100,000

id=71281 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4045. If it is sold at a profit of 25%, what is its selling price? | option_a=5460 | option_b=5056 | option_c=4652 | option_d=4070 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4045 \times 125/100 = \blacksquare 5056$.

id=71282 | topic=Profit & Loss | difficulty=Easy | question=An article costs █342. If it is sold at a profit of 5%, what is its selling price? | option_a=393 | option_b=325 | option_c=359 | option_d=347 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 342 \times 105/100 = \blacksquare 359$.

id=71283 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=F | option_c=H | option_d=J | answer=D | explanation=Move 2 positions forward from H; the resulting letter is J.

id=71284 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:15 and the first is 200, what is the second? | option_a=300 | option_b=500 | option_c=285 | option_d=310 | answer=A | explanation=Scale factor = $200/10 = 20$. Therefore second quantity = $15 \times 20 = 300$.

id=71285 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=71286 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=40 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = $60 \div 3 = 20$ km/h.

id=71287 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=N | option_c=P | option_d=L | answer=C | explanation=Move 2 positions forward from N; the resulting letter is P.

id=71288 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=71289 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41653 at 15% per annum for 5 years. | option_a=31239 | option_b=72892 | option_c=31339 | option_d=31139 | answer=A | explanation=SI = $PRT/100 = 41653 \times 15 \times 5/100 = \blacksquare 31239$.

id=71290 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 5, 8, 11, ? | option_a=17 | option_b=15 | option_c=11 | option_d=14 | answer=D | explanation=The common difference is 3. Therefore the next term is $11 + 3 = 14$.

id=71291 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:14 and the first is 210, what is the second? | option_a=406 | option_b=196 | option_c=182 | option_d=211 | answer=B | explanation=Scale factor = $210/15 = 14$. Therefore second quantity = $14 \times 14 = 196$.

id=71292 | topic=Averages | difficulty=Easy | question=Find the average of 33, 24, 61, 53, 70, 35, 62, 46, 65, 31. | option_a=47 | option_b=48 | option_c=50 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = $480 \div 10 = 48$.

id=71293 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=160 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = $240 \div 3 = 80$ km/h.

id=71294 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 31, 43, 55, ? | option_a=68 | option_b=79 | option_c=67 | option_d=55 | answer=C | explanation=The common difference is 12. Therefore the next term is $55 + 12 = 67$.

id=71295 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=40 | option_b=47 | option_c=31 | option_d=39 | answer=D | explanation=The common difference is 8. Therefore the next term is $31 + 8 = 39$.

id=71296 | topic=Averages | difficulty=Easy | question=Find the average of 34, 46, 81, 26, 70, 64, 29, 22, 69. | option_a=49 | option_b=51 | option_c=48 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = $441 \div 9 = 49$.

id=71297 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=L | option_c=X | option_d=T | answer=D | explanation=Move 4 positions forward from P; the resulting letter is T.

id=71298 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=22 | option_b=26 | option_c=30 | option_d=27 | answer=B | explanation=The common difference is 4. Therefore the next term is $22 + 4 = 26$.

id=71299 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=50 | option_b=70 | option_c=60 | option_d=61 | answer=C | explanation=The common difference is 10. Therefore the next term is $50 + 10 = 60$.

id=71300 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:12 and the first is 68, what is the second? | option_a=272 | option_b=204 | option_c=192 | option_d=208 | answer=B | explanation=Scale factor = $68/4 = 17$. Therefore second quantity = $12 \times 17 = 204$.

id=71301 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=8 | answer=B | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=71302 | topic=Averages | difficulty=Easy | question=Find the average of 26, 20, 69, 77, 34, 99, 95. | option_a=59 | option_b=61 | option_c=62 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = $420 \div 7 = 60$.

id=71303 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=45 | option_b=38 | option_c=29 | option_d=37 | answer=D | explanation=The common difference is 8. Therefore the next term is $29 + 8 = 37$.

id=71304 | topic=Percentages | difficulty=Easy | question=What is 5% of 1176? | option_a=58 | option_b=48 | option_c=116 | option_d=63 | answer=A | explanation=5% of 1176 = $(5/100) \times 1176 = 58$.

id=71305 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=H | option_c=J | option_d=F | answer=C | explanation=Move 2 positions forward from H; the resulting letter is J.

id=71306 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 28, 36, 46? | option_a=20 | option_b=28 | option_c=46 | option_d=36 | answer=C | explanation=The first three numbers increase by 8, so the next should be 44. Therefore 46 is the odd one out.

id=71307 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 18, 23, 28, ? | option_a=33 | option_b=28 | option_c=38 | option_d=34 | answer=A | explanation=The common difference is 5. Therefore the next term is $28 + 5 = 33$.

id=71308 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30797 at 6% per annum for 2 years. | option_a=3695 | option_b=3595 | option_c=34492 | option_d=3795 | answer=A | explanation=SI = $PRT/100 = 30797 \times 6 \times 2/100 = \blacksquare 3695$.

id=71309 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26378 at 15% per annum for 5 years. | option_a=46161 | option_b=19883 | option_c=19683 | option_d=19783 | answer=D | explanation=SI = $PRT/100 = 26378 \times 15 \times 5/100 = \blacksquare 19783$.

id=71310 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=55 | option_c=100 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = $150 \div 3 = 50$ km/h.

Aptitude Questions — Records 71,311-71,340 of 100,000

id=71311 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=71312 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■34913 at 4% per annum for 3 years. | option_a=4089 | option_b=39102 | option_c=4289 | option_d=4189 | answer=D | explanation=SI = PRT/100 = 34913×4×3/100 = ■4189.

id=71313 | topic=Averages | difficulty=Easy | question=Find the average of 55, 34, 67. | option_a=54 | option_b=52 | option_c=51 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 156 ÷ 3 = 52.

id=71314 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=21 | option_b=15 | option_c=19 | option_d=18 | answer=D | explanation=The common difference is 3. Therefore the next term is 15 + 3 = 18.

id=71315 | topic=Percentages | difficulty=Easy | question=What is 15% of 1304? | option_a=190 | option_b=195 | option_c=215 | option_d=390 | answer=B | explanation=15% of 1304 = (15/100) × 1304 = 195.

id=71316 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=71317 | topic=Averages | difficulty=Easy | question=Find the average of 11, 75, 20, 69, 64, 14, 10, 41. | option_a=38 | option_b=37 | option_c=40 | option_d=39 | answer=A | explanation=Average = sum of values ÷ number of values = 304 ÷ 8 = 38.

id=71318 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=T | option_b=J | option_c=O | option_d=E | answer=C | explanation=Move 5 positions forward from J; the resulting letter is O.

id=71319 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:6 and the first is 21, what is the second? | option_a=18 | option_b=39 | option_c=25 | option_d=12 | answer=A | explanation=Scale factor = 21/7 = 3. Therefore second quantity = 6×3 = 18.

id=71320 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2897. If it is sold at a profit of 50%, what is its selling price? | option_a=4056 | option_b=4634 | option_c=2947 | option_d=4345 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2897 × 150/100 = ■4345.

id=71321 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=20 | option_b=18 | option_c=16 | option_d=19 | answer=B | explanation=The common difference is 2. Therefore the next term is 16 + 2 = 18.

id=71322 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=71323 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=36 | option_d=13 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=71324 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=L | option_c=C | option_d=I | answer=D | explanation=Move 3 positions forward from F; the resulting letter is I.

id=71325 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=150 | option_c=80 | option_d=70 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=71326 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=H | option_b=B | option_c=Y | option_d=E | answer=D | explanation=Move 3 positions forward from B; the resulting letter is E.

id=71327 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=17 | option_b=23 | option_c=21 | option_d=20 | answer=D | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=71328 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:2 and the first is 221, what is the second? | option_a=255 | option_b=47 | option_c=32 | option_d=34 | answer=D | explanation=Scale factor = 221/13 = 17. Therefore second quantity = 2×17 = 34.

id=71329 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=Q | option_c=K | option_d=T | answer=B | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=71330 | topic=Averages | difficulty=Easy | question=Find the average of 88, 53, 28, 82, 49. | option_a=59 | option_b=60 | option_c=62 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 300 ÷ 5 = 60.

id=71331 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=A | option_c=W | option_d=O | answer=C | explanation=Move 4 positions forward from S; the resulting letter is W.

id=71332 | topic=Percentages | difficulty=Easy | question=What is 30% of 1494? | option_a=448 | option_b=438 | option_c=453 | option_d=896 | answer=A | explanation=30% of 1494 = (30/100) × 1494 = 448.

id=71333 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=71334 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=35 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=71335 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 10, 13, 16, ? | option_a=22 | option_b=16 | option_c=19 | option_d=20 | answer=C | explanation=The common difference is 3. Therefore the next term is 16 + 3 = 19.

id=71336 | topic=Percentages | difficulty=Easy | question=What is 25% of 1950? | option_a=487 | option_b=477 | option_c=974 | option_d=497 | answer=A | explanation=25% of 1950 = (25/100) × 1950 = 487.

id=71337 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:15 and the first is 176, what is the second? | option_a=341 | option_b=181 | option_c=165 | option_d=150 | answer=C | explanation=Scale factor = 176/16 = 11. Therefore second quantity = 15×11 = 165.

id=71338 | topic=Percentages | difficulty=Easy | question=What is 15% of 496? | option_a=84 | option_b=74 | option_c=148 | option_d=64 | answer=B | explanation=15% of 496 = (15/100) × 496 = 74.

id=71339 | topic=Percentages | difficulty=Easy | question=What is 20% of 897? | option_a=159 | option_b=358 | option_c=199 | option_d=179 | answer=D | explanation=20% of 897 = (20/100) × 897 = 179.

id=71340 | topic=Averages | difficulty=Easy | question=Find the average of 30, 79, 82, 65. | option_a=66 | option_b=64 | option_c=65 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 256 ÷ 4 = 64.

Aptitude Questions — Records 71,341-71,370 of 100,000

id=71341 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 14, 17, 23? | option_a=23 | option_b=17 | option_c=14 | option_d=11 | answer=A | explanation=The first three numbers increase by 3, so the next should be 20. Therefore 23 is the odd one out.

id=71342 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=100 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=71343 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1989. If it is sold at a profit of 20%, what is its selling price? | option_a=2584 | option_b=2009 | option_c=2386 | option_d=2188 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1989 × 120/100 = █2386.

id=71344 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:7 and the first is 220, what is the second? | option_a=151 | option_b=133 | option_c=360 | option_d=140 | answer=D | explanation=Scale factor = 220/11 = 20. Therefore second quantity = 7×20 = 140.

id=71345 | topic=Percentages | difficulty=Easy | question=What is 12% of 407? | option_a=48 | option_b=38 | option_c=58 | option_d=96 | answer=A | explanation=12% of 407 = (12/100) × 407 = 48.

id=71346 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:18 and the first is 72, what is the second? | option_a=198 | option_b=216 | option_c=288 | option_d=222 | answer=B | explanation=Scale factor = 72/6 = 12. Therefore second quantity = 18×12 = 216.

id=71347 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=M | option_c=D | option_d=J | answer=D | explanation=Move 3 positions forward from G; the resulting letter is J.

id=71348 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=10 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=71349 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=71350 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=180 | option_c=360 | option_d=175 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=71351 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=8 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=71352 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:18 and the first is 192, what is the second? | option_a=300 | option_b=270 | option_c=288 | option_d=480 | answer=C | explanation=Scale factor = 192/12 = 16. Therefore second quantity = 18×16 = 288.

id=71353 | topic=Averages | difficulty=Easy | question=Find the average of 81, 60, 90, 80, 44, 59, 83, 56, 86. | option_a=73 | option_b=72 | option_c=70 | option_d=71 | answer=D | explanation=Average = sum of values ÷ number of values = 639 ÷ 9 = 71.

id=71354 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=44 | option_b=36 | option_c=28 | option_d=37 | answer=B | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=71355 | topic=Percentages | difficulty=Easy | question=What is 12% of 1701? | option_a=209 | option_b=408 | option_c=184 | option_d=204 | answer=D | explanation=12% of 1701 = (12/100) × 1701 = 204.

id=71356 | topic=Percentages | difficulty=Easy | question=What is 5% of 207? | option_a=15 | option_b=20 | option_c=10 | option_d=0 | answer=C | explanation=5% of 207 = (5/100) × 207 = 10.

id=71357 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2124. If it is sold at a profit of 5%, what is its selling price? | option_a=2018 | option_b=2230 | option_c=2129 | option_d=2442 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2124 × 105/100 = █2230.

id=71358 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1441. If it is sold at a profit of 25%, what is its selling price? | option_a=1801 | option_b=1466 | option_c=1657 | option_d=1945 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1441 × 125/100 = █1801.

id=71359 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=Y | option_b=G | option_c=K | option_d=C | answer=B | explanation=Move 4 positions forward from C; the resulting letter is G.

id=71360 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:15 and the first is 6, what is the second? | option_a=90 | option_b=75 | option_c=96 | option_d=91 | answer=A | explanation=Scale factor = 6/1 = 6. Therefore second quantity = 15×6 = 90.

id=71361 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 10, 16, 24? | option_a=10 | option_b=4 | option_c=24 | option_d=16 | answer=C | explanation=The first three numbers increase by 6, so the next should be 22. Therefore 24 is the odd one out.

id=71362 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 20. | option_a=80 | option_b=320 | option_c=96 | option_d=60 | answer=A | explanation=LCM × HCF = 16×20; HCF(16,20) = 4, so LCM = 80.

id=71363 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=52 | option_b=61 | option_c=51 | option_d=41 | answer=C | explanation=The common difference is 10. Therefore the next term is 41 + 10 = 51.

id=71364 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=P | option_c=L | option_d=N | answer=B | explanation=Move 2 positions forward from N; the resulting letter is P.

id=71365 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43091 at 15% per annum for 5 years. | option_a=32318 | option_b=32218 | option_c=32418 | option_d=75409 | answer=A | explanation=SI = PRT/100 = 43091×15×5/100 = █32318.

id=71366 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:3 and the first is 15, what is the second? | option_a=45 | option_b=42 | option_c=60 | option_d=46 | answer=A | explanation=Scale factor = 15/1 = 15. Therefore second quantity = 3×15 = 45.

id=71367 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=50 | option_c=45 | option_d=100 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=71368 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:3 and the first is 80, what is the second? | option_a=15 | option_b=31 | option_c=12 | option_d=95 | answer=A | explanation=Scale factor = 80/16 = 5. Therefore second quantity = 3×5 = 15.

id=71369 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2760. If it is sold at a profit of 25%, what is its selling price? | option_a=3174 | option_b=3726 | option_c=2785 | option_d=3450 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2760 × 125/100 = █3450.

id=71370 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

Aptitude Questions — Records 71,371-71,400 of 100,000

id=71371 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=20 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=71372 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:13 and the first is 209, what is the second? | option_a=258 | option_b=247 | option_c=456 | option_d=234 | answer=B | explanation=Scale factor = 209/11 = 19. Therefore second quantity = 13×19 = 247.

id=71373 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:11 and the first is 360, what is the second? | option_a=580 | option_b=209 | option_c=220 | option_d=238 | answer=C | explanation=Scale factor = 360/18 = 20. Therefore second quantity = 11×20 = 220.

id=71374 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=60 | option_b=70 | option_c=48 | option_d=59 | answer=D | explanation=The common difference is 11. Therefore the next term is 48 + 11 = 59.

id=71375 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:5 and the first is 91, what is the second? | option_a=48 | option_b=30 | option_c=35 | option_d=126 | answer=C | explanation=Scale factor = 91/13 = 7. Therefore second quantity = 5×7 = 35.

id=71376 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=19 | option_b=16 | option_c=18 | option_d=20 | answer=C | explanation=The common difference is 2. Therefore the next term is 16 + 2 = 18.

id=71377 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 10, 15, 21? | option_a=10 | option_b=15 | option_c=21 | option_d=5 | answer=C | explanation=The first three numbers increase by 5, so the next should be 20. Therefore 21 is the odd one out.

id=71378 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=34 | option_b=40 | option_c=26 | option_d=33 | answer=D | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

id=71379 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4439 at 4% per annum for 5 years. | option_a=987 | option_b=787 | option_c=887 | option_d=5326 | answer=C | explanation=SI = PRT/100 = 4439×4×5/100 = **■**887.

id=71380 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=19 | option_b=21 | option_c=22 | option_d=23 | answer=B | explanation=The common difference is 2. Therefore the next term is 19 + 2 = 21.

id=71381 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=18 | option_b=22 | option_c=14 | option_d=19 | answer=A | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.

id=71382 | topic=Averages | difficulty=Easy | question=Find the average of 92, 69, 59, 93, 66, 85, 42, 90, 35, 19. | option_a=66 | option_b=64 | option_c=67 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 650 ÷ 10 = 65.

id=71383 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:10 and the first is 270, what is the second? | option_a=140 | option_b=168 | option_c=420 | option_d=150 | answer=D | explanation=Scale factor = 270/18 = 15. Therefore second quantity = 10×15 = 150.

id=71384 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 10, 18, 27? | option_a=2 | option_b=27 | option_c=10 | option_d=18 | answer=B | explanation=The first three numbers increase by 8, so the next should be 26. Therefore 27 is the odd one out.

id=71385 | topic=Averages | difficulty=Easy | question=Find the average of 76, 46, 47, 34, 64, 65, 67, 10, 30, 91. | option_a=53 | option_b=52 | option_c=54 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=71386 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=66 | option_b=56 | option_c=44 | option_d=55 | answer=D | explanation=The common difference is 11. Therefore the next term is 44 + 11 = 55.

id=71387 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36405 at 8% per annum for 5 years. | option_a=14562 | option_b=14462 | option_c=14662 | option_d=50967 | answer=A | explanation=SI = PRT/100 = 36405×8×5/100 = **■**14562.

id=71388 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1366. If it is sold at a profit of 10%, what is its selling price? | option_a=1376 | option_b=1502 | option_c=1638 | option_d=1366 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1366 × 110/100 = **■**1502.

id=71389 | topic=Averages | difficulty=Easy | question=Find the average of 28, 86, 93. | option_a=70 | option_b=69 | option_c=71 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = 207 ÷ 3 = 69.

id=71390 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=53 | option_b=54 | option_c=42 | option_d=64 | answer=A | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.

id=71391 | topic=Percentages | difficulty=Easy | question=What is 40% of 1206? | option_a=472 | option_b=482 | option_c=502 | option_d=964 | answer=B | explanation=40% of 1206 = (40/100) × 1206 = 482.

id=71392 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=150 | option_c=80 | option_d=70 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=71393 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 22, 27, 32, ? | option_a=32 | option_b=38 | option_c=42 | option_d=37 | answer=D | explanation=The common difference is 5. Therefore the next term is 32 + 5 = 37.

id=71394 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 13, 16, 20? | option_a=20 | option_b=13 | option_c=16 | option_d=10 | answer=A | explanation=The first three numbers increase by 3, so the next should be 19. Therefore 20 is the odd one out.

id=71395 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**919. If it is sold at a profit of 5%, what is its selling price? | option_a=924 | option_b=964 | option_c=1055 | option_d=873 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 919 × 105/100 = **■**964.

id=71396 | topic=Percentages | difficulty=Easy | question=What is 25% of 1847? | option_a=451 | option_b=461 | option_c=922 | option_d=481 | answer=B | explanation=25% of 1847 = (25/100) × 1847 = 461.

id=71397 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=50 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=71398 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14688 at 8% per annum for 3 years. | option_a=3525 | option_b=3625 | option_c=3425 | option_d=18213 | answer=A | explanation=SI = PRT/100 = 14688×8×3/100 = **■**3525.

id=71399 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:11 and the first is 91, what is the second? | option_a=132 | option_b=234 | option_c=143 | option_d=150 | answer=C | explanation=Scale factor = 91/7 = 13. Therefore second quantity = 11×13 = 143.

id=71400 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does "T" become? | option_a=O | option_b=T | option_c=Y | option_d=D | answer=C | explanation=Move 5 positions forward from T; the resulting letter is Y.

Aptitude Questions — Records 71,401-71,430 of 100,000

id=71401 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 7, 12, 20? | option_a=7 | option_b=12 | option_c=2 | option_d=20 | answer=D | explanation=The first three numbers increase by 5, so the next should be 17. Therefore 20 is the odd one out.

id=71402 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25721 at 12% per annum for 5 years. | option_a=15332 | option_b=15432 | option_c=41153 | option_d=15532 | answer=B | explanation=SI = PRT/100 = 25721×12×5/100 = **■**15432.

id=71403 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=71404 | topic=Percentages | difficulty=Easy | question=What is 25% of 1138? | option_a=279 | option_b=284 | option_c=568 | option_d=304 | answer=B | explanation=25% of 1138 = (25/100) × 1138 = 284.

id=71405 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45541 at 5% per annum for 1 years. | option_a=2377 | option_b=2177 | option_c=2277 | option_d=47818 | answer=C | explanation=SI = PRT/100 = 45541×5×1/100 = **■**2277.

id=71406 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=71407 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=71408 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:14 and the first is 224, what is the second? | option_a=212 | option_b=196 | option_c=420 | option_d=182 | answer=B | explanation=Scale factor = 224/16 = 14. Therefore second quantity = 14×14 = 196.

id=71409 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=A | option_c=G | option_d=E | answer=D | explanation=Move 2 positions forward from C; the resulting letter is E.

id=71410 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=71411 | topic=Percentages | difficulty=Easy | question=What is 5% of 439? | option_a=1 | option_b=42 | option_c=26 | option_d=21 | answer=D | explanation=5% of 439 = (5/100) × 439 = 21.

id=71412 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 22. | option_a=312 | option_b=264 | option_c=286 | option_d=572 | answer=C | explanation=LCM × HCF = 26×22; HCF(26,22) = 2, so LCM = 286.

id=71413 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=4 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=71414 | topic=Percentages | difficulty=Easy | question=What is 40% of 1600? | option_a=1280 | option_b=635 | option_c=650 | option_d=640 | answer=D | explanation=40% of 1600 = (40/100) × 1600 = 640.

id=71415 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=K | option_b=S | option_c=O | option_d=W | answer=B | explanation=Move 4 positions forward from O; the resulting letter is S.

id=71416 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=71417 | topic=Averages | difficulty=Easy | question=Find the average of 37, 72, 71, 63, 27. | option_a=55 | option_b=56 | option_c=53 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 270 ÷ 5 = 54.

id=71418 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:11 and the first is 81, what is the second? | option_a=88 | option_b=108 | option_c=99 | option_d=180 | answer=C | explanation=Scale factor = 81/9 = 9. Therefore second quantity = 11×9 = 99.

id=71419 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:7 and the first is 51, what is the second? | option_a=72 | option_b=14 | option_c=38 | option_d=21 | answer=D | explanation=Scale factor = 51/17 = 3. Therefore second quantity = 7×3 = 21.

id=71420 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=47 | option_b=46 | option_c=56 | option_d=36 | answer=B | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.

id=71421 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=72 | option_c=36 | option_d=31 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=71422 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=P | option_b=A | option_c=K | option_d=F | answer=C | explanation=Move 5 positions forward from F; the resulting letter is K.

id=71423 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1127. If it is sold at a profit of 15%, what is its selling price? | option_a=1184 | option_b=1408 | option_c=1296 | option_d=1142 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1127 × 115/100 = **■**1296.

id=71424 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:4 and the first is 260, what is the second? | option_a=93 | option_b=80 | option_c=76 | option_d=340 | answer=B | explanation=Scale factor = 260/13 = 20. Therefore second quantity = 4×20 = 80.

id=71425 | topic=Averages | difficulty=Easy | question=Find the average of 35, 24, 65, 48, 33. | option_a=43 | option_b=42 | option_c=41 | option_d=40 | answer=C | explanation=Average = sum of values ÷ number of values = 205 ÷ 5 = 41.

id=71426 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=71427 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1897. If it is sold at a profit of 40%, what is its selling price? | option_a=2844 | option_b=1937 | option_c=2655 | option_d=2466 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1897 × 140/100 = **■**2655.

id=71428 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=O | option_c=S | option_d=U | answer=C | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=71429 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 32, 35, 40? | option_a=40 | option_b=32 | option_c=29 | option_d=35 | answer=A | explanation=The first three numbers increase by 3, so the next should be 38. Therefore 40 is the odd one out.

id=71430 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:17 and the first is 180, what is the second? | option_a=188 | option_b=170 | option_c=350 | option_d=153 | answer=B | explanation=Scale factor = 180/18 = 10. Therefore second quantity = 17×10 = 170.

Aptitude Questions — Records 71,431-71,460 of 100,000

id=71431 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3738. If it is sold at a profit of 10%, what is its selling price? | option_a=3738 | option_b=4484 | option_c=4111 | option_d=3748 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3738 × 110/100 = █4111.

id=71432 | topic=Percentages | difficulty=Easy | question=What is 40% of 653? | option_a=522 | option_b=241 | option_c=281 | option_d=261 | answer=D | explanation=40% of 653 = (40/100) × 653 = 261.

id=71433 | topic=Percentages | difficulty=Easy | question=What is 15% of 1613? | option_a=482 | option_b=241 | option_c=246 | option_d=231 | answer=B | explanation=15% of 1613 = (15/100) × 1613 = 241.

id=71434 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=U | option_b=K | option_c=Z | option_d=P | answer=A | explanation=Move 5 positions forward from P; the resulting letter is U.

id=71435 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27794 at 12% per annum for 2 years. | option_a=6670 | option_b=34464 | option_c=6570 | option_d=6770 | answer=A | explanation=SI = PRT/100 = 27794×12×2/100 = █6670.

id=71436 | topic=Percentages | difficulty=Easy | question=What is 5% of 952? | option_a=52 | option_b=94 | option_c=47 | option_d=27 | answer=C | explanation=5% of 952 = (5/100) × 952 = 47.

id=71437 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=71438 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35878 at 4% per annum for 3 years. | option_a=40183 | option_b=4305 | option_c=4405 | option_d=4205 | answer=B | explanation=SI = PRT/100 = 35878×4×3/100 = █4305.

id=71439 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=L | option_b=X | option_c=T | option_d=P | answer=C | explanation=Move 4 positions forward from P; the resulting letter is T.

id=71440 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=180 | option_c=95 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=71441 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27961 at 10% per annum for 4 years. | option_a=11284 | option_b=39145 | option_c=11084 | option_d=11184 | answer=D | explanation=SI = PRT/100 = 27961×10×4/100 = █11184.

id=71442 | topic=Averages | difficulty=Easy | question=Find the average of 20, 69, 95, 97, 76, 69, 74, 54, 15, 91. | option_a=66 | option_b=65 | option_c=67 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = 660 ÷ 10 = 66.

id=71443 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=U | option_c=T | option_d=S | answer=B | explanation=Move 1 positions forward from T; the resulting letter is U.

id=71444 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=71445 | topic=Profit & Loss | difficulty=Easy | question=An article costs █180. If it is sold at a profit of 20%, what is its selling price? | option_a=216 | option_b=198 | option_c=200 | option_d=234 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 180 × 120/100 = █216.

id=71446 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=42 | option_b=36 | option_c=35 | option_d=28 | answer=C | explanation=The common difference is 7. Therefore the next term is 28 + 7 = 35.

id=71447 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=36 | option_b=41 | option_c=72 | option_d=31 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=71448 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=71449 | topic=Percentages | difficulty=Easy | question=What is 50% of 307? | option_a=143 | option_b=173 | option_c=153 | option_d=306 | answer=C | explanation=50% of 307 = (50/100) × 307 = 153.

id=71450 | topic=Percentages | difficulty=Easy | question=What is 25% of 148? | option_a=37 | option_b=32 | option_c=74 | option_d=47 | answer=A | explanation=25% of 148 = (25/100) × 148 = 37.

id=71451 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=55 | option_b=66 | option_c=54 | option_d=42 | answer=C | explanation=The common difference is 12. Therefore the next term is 42 + 12 = 54.

id=71452 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:7 and the first is 102, what is the second? | option_a=119 | option_b=221 | option_c=125 | option_d=112 | answer=A | explanation=Scale factor = 102/6 = 17. Therefore second quantity = 7×17 = 119.

id=71453 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2163. If it is sold at a profit of 40%, what is its selling price? | option_a=3244 | option_b=3028 | option_c=2203 | option_d=2812 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2163 × 140/100 = █3028.

id=71454 | topic=Percentages | difficulty=Easy | question=What is 15% of 151? | option_a=22 | option_b=44 | option_c=2 | option_d=42 | answer=A | explanation=15% of 151 = (15/100) × 151 = 22.

id=71455 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=71456 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=34 | option_b=54 | option_c=44 | option_d=45 | answer=C | explanation=The common difference is 10. Therefore the next term is 34 + 10 = 44.

id=71457 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=U | option_c=V | option_d=T | answer=C | explanation=Move 1 positions forward from U; the resulting letter is V.

id=71458 | topic=Averages | difficulty=Easy | question=Find the average of 93, 87, 97, 59. | option_a=85 | option_b=83 | option_c=86 | option_d=84 | answer=D | explanation=Average = sum of values ÷ number of values = 336 ÷ 4 = 84.

id=71459 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=71460 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 5. | option_a=50 | option_b=20 | option_c=10 | option_d=5 | answer=C | explanation=LCM × HCF = 10×5; HCF(10,5) = 5, so LCM = 10.

Aptitude Questions — Records 71,461-71,490 of 100,000

id=71461 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=80 | option_c=75 | option_d=70 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=71462 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4040. If it is sold at a profit of 40%, what is its selling price? | option_a=5656 | option_b=4080 | option_c=6060 | option_d=5252 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4040 × 140/100 = █5656.

id=71463 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2355. If it is sold at a profit of 40%, what is its selling price? | option_a=3062 | option_b=3532 | option_c=2395 | option_d=3297 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2355 × 140/100 = █3297.

id=71464 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 14. | option_a=1 | option_b=14 | option_c=21 | option_d=98 | answer=B | explanation=LCM × HCF = 7×14; HCF(7,14) = 7, so LCM = 14.

id=71465 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=72 | option_c=31 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=71466 | topic=Percentages | difficulty=Easy | question=What is 20% of 771? | option_a=174 | option_b=308 | option_c=149 | option_d=154 | answer=D | explanation=20% of 771 = (20/100) × 771 = 154.

id=71467 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=71468 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 22? | option_a=15 | option_b=22 | option_c=19 | option_d=17 | answer=B | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 22 is the odd one out.

id=71469 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1462. If it is sold at a profit of 25%, what is its selling price? | option_a=1973 | option_b=1681 | option_c=1827 | option_d=1487 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1462 × 125/100 = █1827.

id=71470 | topic=Percentages | difficulty=Easy | question=What is 25% of 1229? | option_a=312 | option_b=614 | option_c=307 | option_d=297 | answer=C | explanation=25% of 1229 = (25/100) × 1229 = 307.

id=71471 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:3 and the first is 156, what is the second? | option_a=195 | option_b=51 | option_c=36 | option_d=39 | answer=D | explanation=Scale factor = 156/12 = 13. Therefore second quantity = 3×13 = 39.

id=71472 | topic=Percentages | difficulty=Easy | question=What is 12% of 317? | option_a=48 | option_b=28 | option_c=76 | option_d=38 | answer=D | explanation=12% of 317 = (12/100) × 317 = 38.

id=71473 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 12. | option_a=108 | option_b=24 | option_c=36 | option_d=45 | answer=C | explanation=LCM × HCF = 9×12; HCF(9,12) = 3, so LCM = 36.

id=71474 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=71475 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15021 at 12% per annum for 3 years. | option_a=5407 | option_b=20428 | option_c=5307 | option_d=5507 | answer=A | explanation=SI = PRT/100 = 15021×12×3/100 = █5407.

id=71476 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=29 | option_b=38 | option_c=37 | option_d=45 | answer=C | explanation=The common difference is 8. Therefore the next term is 29 + 8 = 37.

id=71477 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1505. If it is sold at a profit of 30%, what is its selling price? | option_a=2106 | option_b=1535 | option_c=1956 | option_d=1806 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1505 × 130/100 = █1956.

id=71478 | topic=Percentages | difficulty=Easy | question=What is 20% of 1792? | option_a=716 | option_b=378 | option_c=353 | option_d=358 | answer=D | explanation=20% of 1792 = (20/100) × 1792 = 358.

id=71479 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=U | option_b=I | option_c=M | option_d=Q | answer=D | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=71480 | topic=Percentages | difficulty=Easy | question=What is 12% of 1339? | option_a=165 | option_b=320 | option_c=140 | option_d=160 | answer=D | explanation=12% of 1339 = (12/100) × 1339 = 160.

id=71481 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=71482 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5035 at 15% per annum for 2 years. | option_a=1410 | option_b=6545 | option_c=1510 | option_d=1610 | answer=C | explanation=SI = PRT/100 = 5035×15×2/100 = █1510.

id=71483 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=71484 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1165. If it is sold at a profit of 20%, what is its selling price? | option_a=1185 | option_b=1398 | option_c=1514 | option_d=1282 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1165 × 120/100 = █1398.

id=71485 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 42? | option_a=35 | option_b=29 | option_c=42 | option_d=23 | answer=C | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 42 is the odd one out.

id=71486 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2102. If it is sold at a profit of 15%, what is its selling price? | option_a=2627 | option_b=2417 | option_c=2117 | option_d=2207 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2102 × 115/100 = █2417.

id=71487 | topic=Averages | difficulty=Easy | question=Find the average of 34, 32, 96. | option_a=54 | option_b=56 | option_c=55 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 162 ÷ 3 = 54.

id=71488 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=22 | option_b=28 | option_c=26 | option_d=25 | answer=D | explanation=The common difference is 3. Therefore the next term is 22 + 3 = 25.

id=71489 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=45 | option_c=50 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=71490 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:1 and the first is 198, what is the second? | option_a=209 | option_b=10 | option_c=11 | option_d=29 | answer=C | explanation=Scale factor = 198/18 = 11. Therefore second quantity = 1×11 = 11.

Aptitude Questions — Records 71,491-71,520 of 100,000

id=71491 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=6 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=71492 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:14 and the first is 210, what is the second? | option_a=211 | option_b=196 | option_c=182 | option_d=406 | answer=B | explanation=Scale factor = 210/15 = 14. Therefore second quantity = 14×14 = 196.

id=71493 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=71494 | topic=Percentages | difficulty=Easy | question=What is 20% of 1711? | option_a=342 | option_b=684 | option_c=332 | option_d=362 | answer=A | explanation=20% of 1711 = (20/100) × 1711 = 342.

id=71495 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 14. | option_a=16 | option_b=14 | option_c=1 | option_d=28 | answer=B | explanation=LCM × HCF = 2×14; HCF(2,14) = 2, so LCM = 14.

id=71496 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■22881 at 4% per annum for 2 years. | option_a=1830 | option_b=1930 | option_c=1730 | option_d=24711 | answer=A | explanation=SI = PRT/100 = 22881×4×2/100 = ■1830.

id=71497 | topic=Averages | difficulty=Easy | question=Find the average of 48, 88, 27, 62, 58, 67, 80, 66. | option_a=61 | option_b=62 | option_c=63 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 496 ÷ 8 = 62.

id=71498 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 32? | option_a=32 | option_b=24 | option_c=18 | option_d=12 | answer=A | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 32 is the odd one out.

id=71499 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■2299 at 10% per annum for 1 years. | option_a=129 | option_b=229 | option_c=2528 | option_d=329 | answer=B | explanation=SI = PRT/100 = 2299×10×1/100 = ■229.

id=71500 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=W | option_b=T | option_c=Q | option_d=Z | answer=A | explanation=Move 3 positions forward from T; the resulting letter is W.

id=71501 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=71502 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■1488 at 15% per annum for 3 years. | option_a=769 | option_b=2157 | option_c=569 | option_d=669 | answer=D | explanation=SI = PRT/100 = 1488×15×3/100 = ■669.

id=71503 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=71504 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:7 and the first is 220, what is the second? | option_a=151 | option_b=360 | option_c=140 | option_d=133 | answer=C | explanation=Scale factor = 220/11 = 20. Therefore second quantity = 7×20 = 140.

id=71505 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4894. If it is sold at a profit of 15%, what is its selling price? | option_a=6117 | option_b=5628 | option_c=4909 | option_d=5139 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4894 × 115/100 = ■5628.

id=71506 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4803. If it is sold at a profit of 30%, what is its selling price? | option_a=6723 | option_b=6243 | option_c=5763 | option_d=4833 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4803 × 130/100 = ■6243.

id=71507 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=71508 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=71509 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=20 | option_b=17 | option_c=19 | option_d=21 | answer=C | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=71510 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 15. | option_a=45 | option_b=60 | option_c=80 | option_d=300 | answer=B | explanation=LCM × HCF = 20×15; HCF(20,15) = 5, so LCM = 60.

id=71511 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:6 and the first is 169, what is the second? | option_a=78 | option_b=247 | option_c=91 | option_d=72 | answer=A | explanation=Scale factor = 169/13 = 13. Therefore second quantity = 6×13 = 78.

id=71512 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2097. If it is sold at a profit of 15%, what is its selling price? | option_a=2411 | option_b=2202 | option_c=2112 | option_d=2620 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2097 × 115/100 = ■2411.

id=71513 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3602. If it is sold at a profit of 15%, what is its selling price? | option_a=3617 | option_b=3782 | option_c=4502 | option_d=4142 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3602 × 115/100 = ■4142.

id=71514 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=36 | option_c=41 | option_d=72 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=71515 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 28. | option_a=56 | option_b=84 | option_c=90 | option_d=168 | answer=B | explanation=LCM × HCF = 6×28; HCF(6,28) = 2, so LCM = 84.

id=71516 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■1708 at 8% per annum for 5 years. | option_a=783 | option_b=583 | option_c=2391 | option_d=683 | answer=D | explanation=SI = PRT/100 = 1708×8×5/100 = ■683.

id=71517 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=150 | option_c=300 | option_d=155 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=71518 | topic=Averages | difficulty=Easy | question=Find the average of 55, 67, 97, 16, 33, 74. | option_a=59 | option_b=58 | option_c=57 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 342 ÷ 6 = 57.

id=71519 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=O | option_b=L | option_c=R | option_d=I | answer=A | explanation=Move 3 positions forward from L; the resulting letter is O.

id=71520 | topic=Averages | difficulty=Easy | question=Find the average of 94, 54, 83. | option_a=79 | option_b=77 | option_c=76 | option_d=78 | answer=B | explanation=Average = sum of values ÷ number of values = 231 ÷ 3 = 77.

Aptitude Questions — Records 71,521-71,550 of 100,000

id=71521 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=71522 | topic=Profit & Loss | difficulty=Easy | question=An article costs █738. If it is sold at a profit of 30%, what is its selling price? | option_a=886 | option_b=1032 | option_c=768 | option_d=959 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 738 × 130/100 = █959.

id=71523 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=71524 | topic=Averages | difficulty=Easy | question=Find the average of 31, 49, 25, 56, 39. | option_a=42 | option_b=41 | option_c=39 | option_d=40 | answer=D | explanation=Average = sum of values ÷ number of values = 200 ÷ 5 = 40.

id=71525 | topic=Averages | difficulty=Easy | question=Find the average of 89, 99, 71, 16, 64, 84, 26, 26, 97, 28. | option_a=62 | option_b=60 | option_c=61 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=71526 | topic=Percentages | difficulty=Easy | question=What is 15% of 1274? | option_a=191 | option_b=211 | option_c=382 | option_d=181 | answer=A | explanation=15% of 1274 = (15/100) × 1274 = 191.

id=71527 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=24 | option_b=25 | option_c=20 | option_d=28 | answer=A | explanation=The common difference is 4. Therefore the next term is 20 + 4 = 24.

id=71528 | topic=Percentages | difficulty=Easy | question=What is 10% of 692? | option_a=69 | option_b=74 | option_c=138 | option_d=59 | answer=A | explanation=10% of 692 = (10/100) × 692 = 69.

id=71529 | topic=Averages | difficulty=Easy | question=Find the average of 85, 74, 95, 14. | option_a=68 | option_b=69 | option_c=67 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = 268 ÷ 4 = 67.

id=71530 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=12 | option_c=24 | option_d=17 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=71531 | topic=Percentages | difficulty=Easy | question=What is 20% of 765? | option_a=163 | option_b=153 | option_c=148 | option_d=306 | answer=B | explanation=20% of 765 = (20/100) × 765 = 153.

id=71532 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 26, 33, 43? | option_a=33 | option_b=19 | option_c=26 | option_d=43 | answer=D | explanation=The first three numbers increase by 7, so the next should be 40. Therefore 43 is the odd one out.

id=71533 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1917. If it is sold at a profit of 15%, what is its selling price? | option_a=2013 | option_b=2395 | option_c=2204 | option_d=1932 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1917 × 115/100 = █2204.

id=71534 | topic=Profit & Loss | difficulty=Easy | question=An article costs █932. If it is sold at a profit of 50%, what is its selling price? | option_a=1398 | option_b=1491 | option_c=1305 | option_d=982 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 932 × 150/100 = █1398.

id=71535 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:20 and the first is 380, what is the second? | option_a=400 | option_b=380 | option_c=360 | option_d=760 | answer=B | explanation=Scale factor = 380/20 = 19. Therefore second quantity = 20×19 = 380.

id=71536 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=M | option_c=P | option_d=O | answer=D | explanation=Move 1 positions forward from N; the resulting letter is O.

id=71537 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 44? | option_a=34 | option_b=18 | option_c=44 | option_d=26 | answer=C | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 44 is the odd one out.

id=71538 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=29 | option_b=23 | option_c=27 | option_d=26 | answer=D | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.

id=71539 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4316. If it is sold at a profit of 30%, what is its selling price? | option_a=5179 | option_b=4346 | option_c=6041 | option_d=5610 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4316 × 130/100 = █5610.

id=71540 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=35 | option_b=42 | option_c=34 | option_d=26 | answer=C | explanation=The common difference is 8. Therefore the next term is 26 + 8 = 34.

id=71541 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=F | option_b=E | option_c=D | option_d=G | answer=A | explanation=Move 1 positions forward from E; the resulting letter is F.

id=71542 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=7 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=71543 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=71544 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=L | option_b=M | option_c=N | option_d=O | answer=C | explanation=Move 1 positions forward from M; the resulting letter is N.

id=71545 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=I | option_b=H | option_c=J | option_d=G | answer=A | explanation=Move 1 positions forward from H; the resulting letter is I.

id=71546 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:9 and the first is 72, what is the second? | option_a=66 | option_b=54 | option_c=45 | option_d=126 | answer=B | explanation=Scale factor = 72/12 = 6. Therefore second quantity = 9×6 = 54.

id=71547 | topic=Averages | difficulty=Easy | question=Find the average of 24, 70, 50, 83, 45, 80, 28, 16, 18. | option_a=46 | option_b=47 | option_c=45 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = 414 ÷ 9 = 46.

id=71548 | topic=Profit & Loss | difficulty=Easy | question=An article costs █452. If it is sold at a profit of 25%, what is its selling price? | option_a=610 | option_b=565 | option_c=477 | option_d=520 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 452 × 125/100 = █565.

id=71549 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1106. If it is sold at a profit of 25%, what is its selling price? | option_a=1131 | option_b=1272 | option_c=1382 | option_d=1492 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1106 × 125/100 = █1382.

id=71550 | topic=Percentages | difficulty=Easy | question=What is 10% of 1298? | option_a=149 | option_b=129 | option_c=119 | option_d=258 | answer=B | explanation=10% of 1298 = (10/100) × 1298 = 129.

Aptitude Questions — Records 71,551-71,580 of 100,000

id=71551 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=71552 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=20 | option_d=6 | answer=A | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.

id=71553 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=A | option_c=M | option_d=I | answer=D | explanation=Move 4 positions forward from E; the resulting letter is I.

id=71554 | topic=Percentages | difficulty=Easy | question=What is 10% of 370? | option_a=37 | option_b=32 | option_c=74 | option_d=42 | answer=A | explanation=10% of 370 = $(\frac{10}{100}) \times 370 = 37$.

id=71555 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=V | option_c=M | option_d=S | answer=D | explanation=Move 3 positions forward from P; the resulting letter is S.

id=71556 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:19 and the first is 255, what is the second? | option_a=338 | option_b=578 | option_c=323 | option_d=304 | answer=C | explanation=Scale factor = $\frac{255}{15} = 17$. Therefore second quantity = $19 \times 17 = 323$.

id=71557 | topic=Averages | difficulty=Easy | question=Find the average of 57, 77, 83, 84, 90, 83, 65, 77, 59, 85. | option_a=75 | option_b=77 | option_c=78 | option_d=76 | answer=D | explanation=Average = sum of values $\div$ number of values = $\frac{760}{10} = 76$.

id=71558 | topic=Percentages | difficulty=Easy | question=What is 15% of 283? | option_a=32 | option_b=42 | option_c=52 | option_d=84 | answer=B | explanation=15% of 283 = $(\frac{15}{100}) \times 283 = 42$.

id=71559 | topic=Percentages | difficulty=Easy | question=What is 30% of 1869? | option_a=565 | option_b=560 | option_c=1120 | option_d=540 | answer=B | explanation=30% of 1869 = $(\frac{30}{100}) \times 1869 = 560$.

id=71560 | topic=Percentages | difficulty=Easy | question=What is 25% of 1138? | option_a=304 | option_b=284 | option_c=568 | option_d=279 | answer=B | explanation=25% of 1138 = $(\frac{25}{100}) \times 1138 = 284$.

id=71561 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=71562 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 209, what is the second? | option_a=513 | option_b=304 | option_c=288 | option_d=315 | answer=B | explanation=Scale factor = $\frac{209}{11} = 19$. Therefore second quantity = $16 \times 19 = 304$.

id=71563 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1848. If it is sold at a profit of 25%, what is its selling price? | option_a=2494 | option_b=2310 | option_c=2126 | option_d=1873 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1848 \times \frac{125}{100} = \text{█}2310$.

id=71564 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=8 | option_d=3 | answer=A | explanation=Combined rate = $\frac{1}{4} + \frac{1}{4} = \frac{8}{16}$. Time = $\frac{16}{8} = 2$ days.

id=71565 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance $\div$ time = $\frac{120}{2} = 60$ km/h.

id=71566 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 21, 23, 26? | option_a=19 | option_b=26 | option_c=23 | option_d=21 | answer=B | explanation=The first three numbers increase by 2, so the next should be 25. Therefore 26 is the odd one out.

id=71567 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:18 and the first is 195, what is the second? | option_a=234 | option_b=216 | option_c=249 | option_d=429 | answer=A | explanation=Scale factor = $\frac{195}{15} = 13$. Therefore second quantity = $18 \times 13 = 234$.

id=71568 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=F | option_c=B | option_d=H | answer=B | explanation=Move 2 positions forward from D; the resulting letter is F.

id=71569 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=57 | option_b=48 | option_c=47 | option_d=37 | answer=C | explanation=The common difference is 10. Therefore the next term is $37 + 10 = 47$.

id=71570 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 29, 33, 40? | option_a=33 | option_b=40 | option_c=25 | option_d=29 | answer=B | explanation=The first three numbers increase by 4, so the next should be 37. Therefore 40 is the odd one out.

id=71571 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:19 and the first is 140, what is the second? | option_a=133 | option_b=153 | option_c=114 | option_d=273 | answer=A | explanation=Scale factor = $\frac{140}{20} = 7$. Therefore second quantity = $19 \times 7 = 133$.

id=71572 | topic=Percentages | difficulty=Easy | question=What is 15% of 1013? | option_a=141 | option_b=302 | option_c=161 | option_d=151 | answer=D | explanation=15% of 1013 = $(\frac{15}{100}) \times 1013 = 151$.

id=71573 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12} = 3$ days.

id=71574 | topic=Percentages | difficulty=Easy | question=What is 15% of 1926? | option_a=278 | option_b=293 | option_c=288 | option_d=576 | answer=C | explanation=15% of 1926 = $(\frac{15}{100}) \times 1926 = 288$.

id=71575 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 19, 25, 33? | option_a=19 | option_b=33 | option_c=13 | option_d=25 | answer=B | explanation=The first three numbers increase by 6, so the next should be 31. Therefore 33 is the odd one out.

id=71576 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22921 at 15% per annum for 4 years. | option_a=13752 | option_b=36673 | option_c=13852 | option_d=13652 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{22921 \times 15 \times 4}{100} = \text{█}13752$.

id=71577 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2204. If it is sold at a profit of 30%, what is its selling price? | option_a=2645 | option_b=3085 | option_c=2234 | option_d=2865 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2204 \times \frac{130}{100} = \text{█}2865$.

id=71578 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4999. If it is sold at a profit of 40%, what is its selling price? | option_a=6998 | option_b=5039 | option_c=6499 | option_d=7497 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4999 \times \frac{140}{100} = \text{█}6998$.

id=71579 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4262. If it is sold at a profit of 15%, what is its selling price? | option_a=4475 | option_b=4901 | option_c=4277 | option_d=5327 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4262 \times \frac{115}{100} = \text{█}4901$.

id=71580 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 42? | option_a=42 | option_b=33 | option_c=37 | option_d=29 | answer=A | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 42 is the odd one out.

Aptitude Questions — Records 71,581-71,610 of 100,000

id=71581 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3678. If it is sold at a profit of 30%, what is its selling price? | option_a=4414 | option_b=5148 | option_c=3708 | option_d=4781 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3678 × 130/100 = ■4781.

id=71582 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 154, what is the second? | option_a=208 | option_b=235 | option_c=224 | option_d=378 | answer=C | explanation=Scale factor = 154/11 = 14. Therefore second quantity = 16×14 = 224.

id=71583 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=4 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=71584 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 5. | option_a=1 | option_b=25 | option_c=10 | option_d=5 | answer=D | explanation=LCM × HCF = 5×5; HCF(5,5) = 5, so LCM = 5.

id=71585 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 17, 19, 21, ? | option_a=24 | option_b=21 | option_c=23 | option_d=25 | answer=C | explanation=The common difference is 2. Therefore the next term is 21 + 2 = 23.

id=71586 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 27, 32, 39? | option_a=22 | option_b=32 | option_c=39 | option_d=27 | answer=C | explanation=The first three numbers increase by 5, so the next should be 37. Therefore 39 is the odd one out.

id=71587 | topic=Percentages | difficulty=Easy | question=What is 10% of 1899? | option_a=378 | option_b=209 | option_c=169 | option_d=189 | answer=D | explanation=10% of 1899 = (10/100) × 1899 = 189.

id=71588 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 34? | option_a=34 | option_b=29 | option_c=25 | option_d=21 | answer=A | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 34 is the odd one out.

id=71589 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=71590 | topic=Percentages | difficulty=Easy | question=What is 12% of 301? | option_a=31 | option_b=72 | option_c=36 | option_d=41 | answer=C | explanation=12% of 301 = (12/100) × 301 = 36.

id=71591 | topic=Percentages | difficulty=Easy | question=What is 40% of 1720? | option_a=678 | option_b=688 | option_c=693 | option_d=1376 | answer=B | explanation=40% of 1720 = (40/100) × 1720 = 688.

id=71592 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 36, 43, 51? | option_a=43 | option_b=36 | option_c=29 | option_d=51 | answer=D | explanation=The first three numbers increase by 7, so the next should be 50. Therefore 51 is the odd one out.

id=71593 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 22? | option_a=22 | option_b=3 | option_c=15 | option_d=9 | answer=A | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 22 is the odd one out.

id=71594 | topic=Percentages | difficulty=Easy | question=What is 10% of 833? | option_a=78 | option_b=88 | option_c=83 | option_d=166 | answer=C | explanation=10% of 833 = (10/100) × 833 = 83.

id=71595 | topic=Percentages | difficulty=Easy | question=What is 15% of 1332? | option_a=398 | option_b=199 | option_c=219 | option_d=179 | answer=B | explanation=15% of 1332 = (15/100) × 1332 = 199.

id=71596 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 35, 42, 52? | option_a=35 | option_b=42 | option_c=28 | option_d=52 | answer=D | explanation=The first three numbers increase by 7, so the next should be 49. Therefore 52 is the odd one out.

id=71597 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=29 | option_d=19 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=71598 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=K | option_b=N | option_c=E | option_d=H | answer=A | explanation=Move 3 positions forward from H; the resulting letter is K.

id=71599 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 47? | option_a=24 | option_b=47 | option_c=38 | option_d=31 | answer=B | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 47 is the odd one out.

id=71600 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=71601 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■874. If it is sold at a profit of 25%, what is its selling price? | option_a=1092 | option_b=1179 | option_c=899 | option_d=1005 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 874 × 125/100 = ■1092.

id=71602 | topic=Averages | difficulty=Easy | question=Find the average of 100, 98, 86, 64, 29, 61, 60, 86. | option_a=75 | option_b=73 | option_c=72 | option_d=74 | answer=B | explanation=Average = sum of values ÷ number of values = 584 ÷ 8 = 73.

id=71603 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=6 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=71604 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=22 | option_b=28 | option_c=34 | option_d=29 | answer=B | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.

id=71605 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:15 and the first is 72, what is the second? | option_a=207 | option_b=120 | option_c=143 | option_d=135 | answer=D | explanation=Scale factor = 72/8 = 9. Therefore second quantity = 15×9 = 135.

id=71606 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 13, 18, 23, ? | option_a=28 | option_b=29 | option_c=33 | option_d=23 | answer=A | explanation=The common difference is 5. Therefore the next term is 23 + 5 = 28.

id=71607 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=71608 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3422. If it is sold at a profit of 30%, what is its selling price? | option_a=4106 | option_b=3452 | option_c=4448 | option_d=4790 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3422 × 130/100 = ■4448.

id=71609 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=71610 | topic=Percentages | difficulty=Easy | question=What is 12% of 810? | option_a=92 | option_b=97 | option_c=107 | option_d=194 | answer=B | explanation=12% of 810 = (12/100) × 810 = 97.

Aptitude Questions — Records 71,611-71,640 of 100,000

id=71611 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=W | option_b=R | option_c=M | option_d=B | answer=A | explanation=Move 5 positions forward from R; the resulting letter is W.

id=71612 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=18 | option_b=19 | option_c=17 | option_d=15 | answer=C | explanation=The common difference is 2. Therefore the next term is 15 + 2 = 17.

id=71613 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=V | option_b=P | option_c=S | option_d=M | answer=C | explanation=Move 3 positions forward from P; the resulting letter is S.

id=71614 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3641. If it is sold at a profit of 10%, what is its selling price? | option_a=3651 | option_b=3641 | option_c=4369 | option_d=4005 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3641 × 110/100 = █4005.

id=71615 | topic=Averages | difficulty=Easy | question=Find the average of 82, 80, 13, 14, 52, 83, 33. | option_a=53 | option_b=52 | option_c=51 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.

id=71616 | topic=Averages | difficulty=Easy | question=Find the average of 18, 60, 46, 48, 85, 10, 92, 73. | option_a=55 | option_b=54 | option_c=56 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 432 ÷ 8 = 54.

id=71617 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 16. | option_a=144 | option_b=288 | option_c=162 | option_d=128 | answer=A | explanation=LCM × HCF = 18×16; HCF(18,16) = 2, so LCM = 144.

id=71618 | topic=Profit & Loss | difficulty=Easy | question=An article costs █820. If it is sold at a profit of 10%, what is its selling price? | option_a=830 | option_b=820 | option_c=902 | option_d=984 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 820 × 110/100 = █902.

id=71619 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2557 at 10% per annum for 3 years. | option_a=3324 | option_b=767 | option_c=667 | option_d=867 | answer=B | explanation=SI = PRT/100 = 2557×10×3/100 = █767.

id=71620 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=R | option_b=S | option_c=U | option_d=T | answer=D | explanation=Move 1 positions forward from S; the resulting letter is T.

id=71621 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 26. | option_a=338 | option_b=392 | option_c=728 | option_d=364 | answer=D | explanation=LCM × HCF = 28×26; HCF(28,26) = 2, so LCM = 364.

id=71622 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3068. If it is sold at a profit of 25%, what is its selling price? | option_a=3835 | option_b=3529 | option_c=4141 | option_d=3093 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3068 × 125/100 = █3835.

id=71623 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4496. If it is sold at a profit of 40%, what is its selling price? | option_a=6743 | option_b=4536 | option_c=6294 | option_d=5845 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4496 × 140/100 = █6294.

id=71624 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10506 at 8% per annum for 4 years. | option_a=3361 | option_b=13867 | option_c=3261 | option_d=3461 | answer=A | explanation=SI = PRT/100 = 10506×8×4/100 = █3361.

id=71625 | topic=Averages | difficulty=Easy | question=Find the average of 87, 93, 93, 90, 92, 49, 91, 67, 10, 68. | option_a=73 | option_b=76 | option_c=75 | option_d=74 | answer=D | explanation=Average = sum of values ÷ number of values = 740 ÷ 10 = 74.

id=71626 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3976. If it is sold at a profit of 20%, what is its selling price? | option_a=3996 | option_b=4374 | option_c=5168 | option_d=4771 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3976 × 120/100 = █4771.

id=71627 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 34? | option_a=34 | option_b=17 | option_c=27 | option_d=22 | answer=A | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 34 is the odd one out.

id=71628 | topic=Averages | difficulty=Easy | question=Find the average of 66, 53, 47, 56, 37, 10, 74. | option_a=51 | option_b=49 | option_c=48 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 343 ÷ 7 = 49.

id=71629 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 25. | option_a=1 | option_b=50 | option_c=625 | option_d=25 | answer=D | explanation=LCM × HCF = 25×25; HCF(25,25) = 25, so LCM = 25.

id=71630 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=71631 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=20 | option_b=23 | option_c=24 | option_d=22 | answer=D | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=71632 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49845 at 15% per annum for 4 years. | option_a=30007 | option_b=79752 | option_c=29807 | option_d=29907 | answer=D | explanation=SI = PRT/100 = 49845×15×4/100 = █29907.

id=71633 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 37? | option_a=15 | option_b=5 | option_c=37 | option_d=25 | answer=C | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 37 is the odd one out.

id=71634 | topic=Averages | difficulty=Easy | question=Find the average of 98, 30, 24, 98, 74, 59, 55, 34. | option_a=58 | option_b=61 | option_c=60 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 472 ÷ 8 = 59.

id=71635 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3732. If it is sold at a profit of 50%, what is its selling price? | option_a=3782 | option_b=5598 | option_c=5971 | option_d=5225 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3732 × 150/100 = █5598.

id=71636 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 17, 23, 30? | option_a=17 | option_b=23 | option_c=30 | option_d=11 | answer=C | explanation=The first three numbers increase by 6, so the next should be 29. Therefore 30 is the odd one out.

id=71637 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6881 at 8% per annum for 4 years. | option_a=2201 | option_b=9082 | option_c=2301 | option_d=2101 | answer=A | explanation=SI = PRT/100 = 6881×8×4/100 = █2201.

id=71638 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 14, 19, 25? | option_a=19 | option_b=25 | option_c=9 | option_d=14 | answer=B | explanation=The first three numbers increase by 5, so the next should be 24. Therefore 25 is the odd one out.

id=71639 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2340. If it is sold at a profit of 15%, what is its selling price? | option_a=2691 | option_b=2925 | option_c=2355 | option_d=2457 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2340 × 115/100 = █2691.

id=71640 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4079. If it is sold at a profit of 40%, what is its selling price? | option_a=5710 | option_b=6117 | option_c=4119 | option_d=5303 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4079 × 140/100 = █5710.

Aptitude Questions — Records 71,641-71,670 of 100,000

id=71641 | topic=Percentages | difficulty=Easy | question=What is 30% of 426? | option_a=127 | option_b=117 | option_c=137 | option_d=254 | answer=A | explanation=30% of 426 = (30/100) × 426 = 127.

id=71642 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 51? | option_a=33 | option_b=51 | option_c=41 | option_d=25 | answer=B | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 51 is the odd one out.

id=71643 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:13 and the first is 50, what is the second? | option_a=115 | option_b=52 | option_c=75 | option_d=65 | answer=D | explanation=Scale factor = 50/10 = 5. Therefore second quantity = 13×5 = 65.

id=71644 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46038 at 6% per annum for 5 years. | option_a=59849 | option_b=13911 | option_c=13811 | option_d=13711 | answer=C | explanation=SI = PRT/100 = 46038×6×5/100 = █13811.

id=71645 | topic=Averages | difficulty=Easy | question=Find the average of 16, 72, 85, 45, 90, 29, 58, 49, 52, 54. | option_a=54 | option_b=55 | option_c=57 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 550 ÷ 10 = 55.

id=71646 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=15 | option_b=18 | option_c=21 | option_d=19 | answer=B | explanation=The common difference is 3. Therefore the next term is 15 + 3 = 18.

id=71647 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=6 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=71648 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=85 | option_c=90 | option_d=180 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=71649 | topic=Averages | difficulty=Easy | question=Find the average of 15, 66, 88, 50, 88, 50, 84. | option_a=62 | option_b=63 | option_c=64 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 441 ÷ 7 = 63.

id=71650 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3523. If it is sold at a profit of 30%, what is its selling price? | option_a=3553 | option_b=4579 | option_c=4931 | option_d=4227 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3523 × 130/100 = █4579.

id=71651 | topic=Averages | difficulty=Easy | question=Find the average of 27, 36, 26, 12, 98, 29. | option_a=38 | option_b=39 | option_c=40 | option_d=37 | answer=A | explanation=Average = sum of values ÷ number of values = 228 ÷ 6 = 38.

id=71652 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:13 and the first is 80, what is the second? | option_a=104 | option_b=184 | option_c=91 | option_d=114 | answer=A | explanation=Scale factor = 80/10 = 8. Therefore second quantity = 13×8 = 104.

id=71653 | topic=Averages | difficulty=Easy | question=Find the average of 60, 28, 58, 74, 34, 82. | option_a=56 | option_b=58 | option_c=55 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 336 ÷ 6 = 56.

id=71654 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12261 at 15% per annum for 3 years. | option_a=5417 | option_b=17778 | option_c=5517 | option_d=5617 | answer=C | explanation=SI = PRT/100 = 12261×15×3/100 = █5517.

id=71655 | topic=Averages | difficulty=Easy | question=Find the average of 41, 76, 92, 80, 96. | option_a=78 | option_b=76 | option_c=77 | option_d=79 | answer=C | explanation=Average = sum of values ÷ number of values = 385 ÷ 5 = 77.

id=71656 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=Q | option_c=U | option_d=I | answer=B | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=71657 | topic=Profit & Loss | difficulty=Easy | question=An article costs █310. If it is sold at a profit of 40%, what is its selling price? | option_a=350 | option_b=403 | option_c=465 | option_d=434 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 310 × 140/100 = █434.

id=71658 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13127 at 5% per annum for 2 years. | option_a=1412 | option_b=1312 | option_c=1212 | option_d=14439 | answer=B | explanation=SI = PRT/100 = 13127×5×2/100 = █1312.

id=71659 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=71660 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=E | option_c=M | option_d=A | answer=A | explanation=Move 4 positions forward from E; the resulting letter is I.

id=71661 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=71662 | topic=Percentages | difficulty=Easy | question=What is 10% of 1888? | option_a=178 | option_b=208 | option_c=376 | option_d=188 | answer=D | explanation=10% of 1888 = (10/100) × 1888 = 188.

id=71663 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4826. If it is sold at a profit of 25%, what is its selling price? | option_a=6514 | option_b=4851 | option_c=6032 | option_d=5550 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4826 × 125/100 = █6032.

id=71664 | topic=Averages | difficulty=Easy | question=Find the average of 53, 99, 48, 88. | option_a=72 | option_b=73 | option_c=71 | option_d=74 | answer=A | explanation=Average = sum of values ÷ number of values = 288 ÷ 4 = 72.

id=71665 | topic=Averages | difficulty=Easy | question=Find the average of 49, 64, 55, 27, 30, 39, 30. | option_a=42 | option_b=43 | option_c=44 | option_d=41 | answer=A | explanation=Average = sum of values ÷ number of values = 294 ÷ 7 = 42.

id=71666 | topic=Percentages | difficulty=Easy | question=What is 50% of 1633? | option_a=811 | option_b=816 | option_c=826 | option_d=1632 | answer=B | explanation=50% of 1633 = (50/100) × 1633 = 816.

id=71667 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=O | option_b=M | option_c=N | option_d=P | answer=A | explanation=Move 1 positions forward from N; the resulting letter is O.

id=71668 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1360. If it is sold at a profit of 10%, what is its selling price? | option_a=1496 | option_b=1632 | option_c=1370 | option_d=1360 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1360 × 110/100 = █1496.

id=71669 | topic=Averages | difficulty=Easy | question=Find the average of 98, 48, 85. | option_a=76 | option_b=79 | option_c=77 | option_d=78 | answer=C | explanation=Average = sum of values ÷ number of values = 231 ÷ 3 = 77.

id=71670 | topic=Percentages | difficulty=Easy | question=What is 20% of 988? | option_a=187 | option_b=394 | option_c=217 | option_d=197 | answer=D | explanation=20% of 988 = (20/100) × 988 = 197.

Aptitude Questions — Records 71,671-71,700 of 100,000

id=71671 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:4 and the first is 35, what is the second? | option_a=24 | option_b=33 | option_c=28 | option_d=63 | answer=C | explanation=Scale factor = 35/5 = 7. Therefore second quantity = 4×7 = 28.

id=71672 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:2 and the first is 272, what is the second? | option_a=34 | option_b=32 | option_c=306 | option_d=50 | answer=A | explanation=Scale factor = 272/16 = 17. Therefore second quantity = 2×17 = 34.

id=71673 | topic=Percentages | difficulty=Easy | question=What is 5% of 1224? | option_a=66 | option_b=61 | option_c=41 | option_d=122 | answer=B | explanation=5% of 1224 = (5/100) × 1224 = 61.

id=71674 | topic=Percentages | difficulty=Easy | question=What is 50% of 975? | option_a=477 | option_b=974 | option_c=487 | option_d=507 | answer=C | explanation=50% of 975 = (50/100) × 975 = 487.

id=71675 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4386. If it is sold at a profit of 20%, what is its selling price? | option_a=5701 | option_b=5263 | option_c=4825 | option_d=4406 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4386 × 120/100 = █5263.

id=71676 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 38, 46, 56? | option_a=56 | option_b=38 | option_c=30 | option_d=46 | answer=A | explanation=The first three numbers increase by 8, so the next should be 54. Therefore 56 is the odd one out.

id=71677 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=71678 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 32, 42, 53? | option_a=22 | option_b=42 | option_c=32 | option_d=53 | answer=D | explanation=The first three numbers increase by 10, so the next should be 52. Therefore 53 is the odd one out.

id=71679 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=33 | option_b=40 | option_c=26 | option_d=34 | answer=A | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

id=71680 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4642. If it is sold at a profit of 50%, what is its selling price? | option_a=7427 | option_b=6963 | option_c=6499 | option_d=4692 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4642 × 150/100 = █6963.

id=71681 | topic=Percentages | difficulty=Easy | question=What is 40% of 527? | option_a=220 | option_b=210 | option_c=420 | option_d=190 | answer=B | explanation=40% of 527 = (40/100) × 527 = 210.

id=71682 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=49 | option_b=50 | option_c=60 | option_d=38 | answer=A | explanation=The common difference is 11. Therefore the next term is 38 + 11 = 49.

id=71683 | topic=Percentages | difficulty=Easy | question=What is 10% of 1785? | option_a=356 | option_b=158 | option_c=183 | option_d=178 | answer=D | explanation=10% of 1785 = (10/100) × 1785 = 178.

id=71684 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 15, 22, 29, ? | option_a=36 | option_b=29 | option_c=37 | option_d=43 | answer=A | explanation=The common difference is 7. Therefore the next term is 29 + 7 = 36.

id=71685 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=Y | option_c=W | option_d=S | answer=C | explanation=Move 2 positions forward from U; the resulting letter is W.

id=71686 | topic=Averages | difficulty=Easy | question=Find the average of 68, 12, 100, 78, 82. | option_a=69 | option_b=70 | option_c=68 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 340 ÷ 5 = 68.

id=71687 | topic=Percentages | difficulty=Easy | question=What is 10% of 1432? | option_a=286 | option_b=133 | option_c=163 | option_d=143 | answer=D | explanation=10% of 1432 = (10/100) × 1432 = 143.

id=71688 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 11, 14, 20? | option_a=20 | option_b=11 | option_c=14 | option_d=8 | answer=A | explanation=The first three numbers increase by 3, so the next should be 17. Therefore 20 is the odd one out.

id=71689 | topic=Averages | difficulty=Easy | question=Find the average of 33, 72, 18, 45. | option_a=41 | option_b=43 | option_c=42 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = 168 ÷ 4 = 42.

id=71690 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22509 at 15% per annum for 4 years. | option_a=13505 | option_b=13405 | option_c=36014 | option_d=13605 | answer=A | explanation=SI = PRT/100 = 22509×15×4/100 = █13505.

id=71691 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=21 | option_b=15 | option_c=19 | option_d=18 | answer=D | explanation=The common difference is 3. Therefore the next term is 15 + 3 = 18.

id=71692 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=50 | option_b=61 | option_c=62 | option_d=72 | answer=B | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.

id=71693 | topic=Averages | difficulty=Easy | question=Find the average of 63, 98, 45, 11, 88. | option_a=60 | option_b=63 | option_c=62 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 305 ÷ 5 = 61.

id=71694 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=31 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=The common difference is 5. Therefore the next term is 25 + 5 = 30.

id=71695 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 14, 23, 34? | option_a=34 | option_b=14 | option_c=23 | option_d=5 | answer=A | explanation=The first three numbers increase by 9, so the next should be 32. Therefore 34 is the odd one out.

id=71696 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 6. | option_a=12 | option_b=16 | option_c=6 | option_d=24 | answer=A | explanation=LCM × HCF = 4×6; HCF(4,6) = 2, so LCM = 12.

id=71697 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 16? | option_a=12 | option_b=16 | option_c=10 | option_d=8 | answer=B | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 16 is the odd one out.

id=71698 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=K | option_c=Q | option_d=M | answer=A | explanation=Move 2 positions forward from M; the resulting letter is O.

id=71699 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:6 and the first is 280, what is the second? | option_a=84 | option_b=78 | option_c=104 | option_d=364 | answer=A | explanation=Scale factor = 280/20 = 14. Therefore second quantity = 6×14 = 84.

id=71700 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 71,701-71,730 of 100,000

- id=71701 | topic=Averages | difficulty=Easy | question=Find the average of 19, 46, 96, 19. | option_a=47 | option_b=46 | option_c=44 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 180 ÷ 4 = 45.
- id=71702 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 17, 21, 27? | option_a=17 | option_b=13 | option_c=27 | option_d=21 | answer=C | explanation=The first three numbers increase by 4, so the next should be 25. Therefore 27 is the odd one out.
- id=71703 | topic=Percentages | difficulty=Easy | question=What is 5% of 1550? | option_a=87 | option_b=57 | option_c=154 | option_d=77 | answer=D | explanation=5% of 1550 = (5/100) × 1550 = 77.
- id=71704 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■12554 at 6% per annum for 5 years. | option_a=3766 | option_b=3866 | option_c=16320 | option_d=3666 | answer=A | explanation=SI = PRT/100 = 12554×6×5/100 = ■3766.
- id=71705 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3102. If it is sold at a profit of 30%, what is its selling price? | option_a=3722 | option_b=4032 | option_c=3132 | option_d=4342 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3102 × 130/100 = ■4032.
- id=71706 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1389. If it is sold at a profit of 50%, what is its selling price? | option_a=2221 | option_b=2083 | option_c=1439 | option_d=1945 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1389 × 150/100 = ■2083.
- id=71707 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=40 | option_c=20 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.
- id=71708 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=44 | option_b=64 | option_c=54 | option_d=55 | answer=C | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.
- id=71709 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:19 and the first is 18, what is the second? | option_a=343 | option_b=342 | option_c=360 | option_d=323 | answer=B | explanation=Scale factor = 18/1 = 18. Therefore second quantity = 19×18 = 342.
- id=71710 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.
- id=71711 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4045. If it is sold at a profit of 30%, what is its selling price? | option_a=4854 | option_b=5662 | option_c=4075 | option_d=5258 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4045 × 130/100 = ■5258.
- id=71712 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:11 and the first is 117, what is the second? | option_a=143 | option_b=152 | option_c=132 | option_d=260 | answer=A | explanation=Scale factor = 117/9 = 13. Therefore second quantity = 11×13 = 143.
- id=71713 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=H | option_c=P | option_d=D | answer=A | explanation=Move 4 positions forward from H; the resulting letter is L.
- id=71714 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.
- id=71715 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=66 | option_b=55 | option_c=54 | option_d=42 | answer=C | explanation=The common difference is 12. Therefore the next term is 42 + 12 = 54.
- id=71716 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=G | option_c=P | option_d=M | answer=D | explanation=Move 3 positions forward from J; the resulting letter is M.
- id=71717 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.
- id=71718 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3217. If it is sold at a profit of 40%, what is its selling price? | option_a=4824 | option_b=4182 | option_c=3257 | option_d=4503 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3217 × 140/100 = ■4503.
- id=71719 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1876. If it is sold at a profit of 20%, what is its selling price? | option_a=2064 | option_b=2438 | option_c=1896 | option_d=2251 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1876 × 120/100 = ■2251.
- id=71720 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 14? | option_a=9 | option_b=7 | option_c=14 | option_d=5 | answer=C | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 14 is the odd one out.
- id=71721 | topic=Percentages | difficulty=Easy | question=What is 15% of 164? | option_a=34 | option_b=24 | option_c=4 | option_d=48 | answer=B | explanation=15% of 164 = (15/100) × 164 = 24.
- id=71722 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=50 | option_d=90 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.
- id=71723 | topic=Averages | difficulty=Easy | question=Find the average of 68, 24, 49, 79. | option_a=54 | option_b=57 | option_c=56 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 220 ÷ 4 = 55.
- id=71724 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=22 | option_b=28 | option_c=26 | option_d=25 | answer=D | explanation=The common difference is 3. Therefore the next term is 22 + 3 = 25.
- id=71725 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 3. | option_a=81 | option_b=24 | option_c=27 | option_d=54 | answer=C | explanation=LCM × HCF = 27×3; HCF(27,3) = 3, so LCM = 27.
- id=71726 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1825. If it is sold at a profit of 20%, what is its selling price? | option_a=2190 | option_b=1845 | option_c=2008 | option_d=2372 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1825 × 120/100 = ■2190.
- id=71727 | topic=Averages | difficulty=Easy | question=Find the average of 55, 40, 80, 34, 66, 10, 40, 56, 72, 37. | option_a=50 | option_b=49 | option_c=48 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 490 ÷ 10 = 49.
- id=71728 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=150 | option_c=155 | option_d=300 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.
- id=71729 | topic=Averages | difficulty=Easy | question=Find the average of 77, 72, 23, 98, 45. | option_a=65 | option_b=63 | option_c=62 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 315 ÷ 5 = 63.
- id=71730 | topic=Percentages | difficulty=Easy | question=What is 50% of 1698? | option_a=854 | option_b=849 | option_c=844 | option_d=1698 | answer=B | explanation=50% of 1698 = (50/100) × 1698 = 849.

Aptitude Questions — Records 71,731-71,760 of 100,000

id=71731 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=71732 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=71733 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■11734 at 5% per annum for 2 years. | option_a=12907 | option_b=1273 | option_c=1173 | option_d=1073 | answer=C | explanation=SI = PRT/100 = 11734×5×2/100 = ■1173.

id=71734 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=Z | option_b=U | option_c=P | option_d=K | answer=B | explanation=Move 5 positions forward from P; the resulting letter is U.

id=71735 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=P | option_c=Q | option_d=N | answer=B | explanation=Move 1 positions forward from O; the resulting letter is P.

id=71736 | topic=Averages | difficulty=Easy | question=Find the average of 23, 37, 86, 58, 56, 64. | option_a=56 | option_b=54 | option_c=55 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 324 ÷ 6 = 54.

id=71737 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■1098 at 4% per annum for 3 years. | option_a=131 | option_b=31 | option_c=1229 | option_d=231 | answer=A | explanation=SI = PRT/100 = 1098×4×3/100 = ■131.

id=71738 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=71739 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■47417 at 8% per annum for 4 years. | option_a=15173 | option_b=62590 | option_c=15273 | option_d=15073 | answer=A | explanation=SI = PRT/100 = 47417×8×4/100 = ■15173.

id=71740 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 14, 21, 30? | option_a=30 | option_b=7 | option_c=14 | option_d=21 | answer=A | explanation=The first three numbers increase by 7, so the next should be 28. Therefore 30 is the odd one out.

id=71741 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=42 | option_b=33 | option_c=51 | option_d=43 | answer=A | explanation=The common difference is 9. Therefore the next term is 33 + 9 = 42.

id=71742 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=17 | option_b=13 | option_c=15 | option_d=16 | answer=C | explanation=The common difference is 2. Therefore the next term is 13 + 2 = 15.

id=71743 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:20 and the first is 34, what is the second? | option_a=320 | option_b=340 | option_c=342 | option_d=374 | answer=B | explanation=Scale factor = 34/2 = 17. Therefore second quantity = 20×17 = 340.

id=71744 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=O | option_c=K | option_d=Q | answer=B | explanation=Move 2 positions forward from M; the resulting letter is O.

id=71745 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:15 and the first is 320, what is the second? | option_a=560 | option_b=240 | option_c=225 | option_d=260 | answer=B | explanation=Scale factor = 320/20 = 16. Therefore second quantity = 15×16 = 240.

id=71746 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=36 | option_b=37 | option_c=31 | option_d=41 | answer=A | explanation=The common difference is 5. Therefore the next term is 31 + 5 = 36.

id=71747 | topic=Percentages | difficulty=Easy | question=What is 12% of 928? | option_a=222 | option_b=121 | option_c=91 | option_d=111 | answer=D | explanation=12% of 928 = (12/100) × 928 = 111.

id=71748 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 10, 15, 22? | option_a=22 | option_b=10 | option_c=5 | option_d=15 | answer=A | explanation=The first three numbers increase by 5, so the next should be 20. Therefore 22 is the odd one out.

id=71749 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 14, 19, 27? | option_a=19 | option_b=14 | option_c=9 | option_d=27 | answer=D | explanation=The first three numbers increase by 5, so the next should be 24. Therefore 27 is the odd one out.

id=71750 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:11 and the first is 105, what is the second? | option_a=165 | option_b=154 | option_c=172 | option_d=270 | answer=A | explanation=Scale factor = 105/7 = 15. Therefore second quantity = 11×15 = 165.

id=71751 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 17? | option_a=17 | option_b=11 | option_c=7 | option_d=3 | answer=A | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 17 is the odd one out.

id=71752 | topic=Percentages | difficulty=Easy | question=What is 5% of 801? | option_a=80 | option_b=45 | option_c=35 | option_d=40 | answer=D | explanation=5% of 801 = (5/100) × 801 = 40.

id=71753 | topic=Percentages | difficulty=Easy | question=What is 10% of 1721? | option_a=182 | option_b=344 | option_c=167 | option_d=172 | answer=D | explanation=10% of 1721 = (10/100) × 1721 = 172.

id=71754 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 8, 12, 18? | option_a=8 | option_b=4 | option_c=12 | option_d=18 | answer=D | explanation=The first three numbers increase by 4, so the next should be 16. Therefore 18 is the odd one out.

id=71755 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=Q | option_b=K | option_c=T | option_d=N | answer=A | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=71756 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■42516 at 5% per annum for 3 years. | option_a=48893 | option_b=6377 | option_c=6477 | option_d=6277 | answer=B | explanation=SI = PRT/100 = 42516×5×3/100 = ■6377.

id=71757 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=71758 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=G | option_b=K | option_c=S | option_d=O | answer=D | explanation=Move 4 positions forward from K; the resulting letter is O.

id=71759 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 51? | option_a=19 | option_b=29 | option_c=39 | option_d=51 | answer=D | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 51 is the odd one out.

id=71760 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=N | option_b=P | option_c=T | option_d=R | answer=D | explanation=Move 2 positions forward from P; the resulting letter is R.

Aptitude Questions — Records 71,761-71,790 of 100,000

id=71761 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=29 | option_b=24 | option_c=25 | option_d=19 | answer=B | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.

id=71762 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:8 and the first is 128, what is the second? | option_a=192 | option_b=80 | option_c=64 | option_d=56 | answer=C | explanation=Scale factor = 128/16 = 8. Therefore second quantity = 8×8 = 64.

id=71763 | topic=Percentages | difficulty=Easy | question=What is 15% of 529? | option_a=74 | option_b=158 | option_c=89 | option_d=79 | answer=D | explanation=15% of 529 = (15/100) × 529 = 79.

id=71764 | topic=Percentages | difficulty=Easy | question=What is 10% of 1779? | option_a=177 | option_b=157 | option_c=354 | option_d=187 | answer=A | explanation=10% of 1779 = (10/100) × 1779 = 177.

id=71765 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=71766 | topic=Percentages | difficulty=Easy | question=What is 40% of 1973? | option_a=784 | option_b=789 | option_c=799 | option_d=1578 | answer=B | explanation=40% of 1973 = (40/100) × 1973 = 789.

id=71767 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:9 and the first is 252, what is the second? | option_a=176 | option_b=162 | option_c=153 | option_d=414 | answer=B | explanation=Scale factor = 252/14 = 18. Therefore second quantity = 9×18 = 162.

id=71768 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:10 and the first is 300, what is the second? | option_a=190 | option_b=500 | option_c=200 | option_d=215 | answer=C | explanation=Scale factor = 300/15 = 20. Therefore second quantity = 10×20 = 200.

id=71769 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=10 | option_b=12 | option_c=8 | option_d=11 | answer=A | explanation=The common difference is 2. Therefore the next term is 8 + 2 = 10.

id=71770 | topic=Percentages | difficulty=Easy | question=What is 40% of 163? | option_a=130 | option_b=70 | option_c=45 | option_d=65 | answer=D | explanation=40% of 163 = (40/100) × 163 = 65.

id=71771 | topic=Averages | difficulty=Easy | question=Find the average of 99, 67, 80, 96, 48. | option_a=77 | option_b=80 | option_c=79 | option_d=78 | answer=D | explanation=Average = sum of values ÷ number of values = 390 ÷ 5 = 78.

id=71772 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 8. | option_a=96 | option_b=36 | option_c=16 | option_d=24 | answer=D | explanation=LCM × HCF = 12×8; HCF(12,8) = 4, so LCM = 24.

id=71773 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 9, 12, 17? | option_a=17 | option_b=9 | option_c=12 | option_d=6 | answer=A | explanation=The first three numbers increase by 3, so the next should be 15. Therefore 17 is the odd one out.

id=71774 | topic=Averages | difficulty=Easy | question=Find the average of 64, 55, 67. | option_a=63 | option_b=64 | option_c=61 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 186 ÷ 3 = 62.

id=71775 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2823. If it is sold at a profit of 30%, what is its selling price? | option_a=3669 | option_b=3387 | option_c=2853 | option_d=3951 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2823 × 130/100 = █3669.

id=71776 | topic=Percentages | difficulty=Easy | question=What is 40% of 938? | option_a=365 | option_b=395 | option_c=750 | option_d=375 | answer=D | explanation=40% of 938 = (40/100) × 938 = 375.

id=71777 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10030 at 5% per annum for 5 years. | option_a=12537 | option_b=2407 | option_c=2607 | option_d=2507 | answer=D | explanation=SI = PRT/100 = 10030×5×5/100 = █2507.

id=71778 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=W | option_c=S | option_d=Q | answer=A | explanation=Move 2 positions forward from S; the resulting letter is U.

id=71779 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=10 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=71780 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 10. | option_a=40 | option_b=24 | option_c=10 | option_d=20 | answer=D | explanation=LCM × HCF = 4×10; HCF(4,10) = 2, so LCM = 20.

id=71781 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:13 and the first is 168, what is the second? | option_a=182 | option_b=169 | option_c=350 | option_d=194 | answer=A | explanation=Scale factor = 168/12 = 14. Therefore second quantity = 13×14 = 182.

id=71782 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3470. If it is sold at a profit of 20%, what is its selling price? | option_a=3817 | option_b=4511 | option_c=3490 | option_d=4164 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3470 × 120/100 = █4164.

id=71783 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:17 and the first is 64, what is the second? | option_a=119 | option_b=144 | option_c=200 | option_d=136 | answer=D | explanation=Scale factor = 64/8 = 8. Therefore second quantity = 17×8 = 136.

id=71784 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=37 | option_b=32 | option_c=27 | option_d=33 | answer=B | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

id=71785 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=9 | option_c=18 | option_d=14 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=71786 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 51? | option_a=51 | option_b=30 | option_c=21 | option_d=39 | answer=A | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 51 is the odd one out.

id=71787 | topic=Percentages | difficulty=Easy | question=What is 5% of 653? | option_a=64 | option_b=32 | option_c=22 | option_d=37 | answer=B | explanation=5% of 653 = (5/100) × 653 = 32.

id=71788 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4245. If it is sold at a profit of 5%, what is its selling price? | option_a=4250 | option_b=4881 | option_c=4457 | option_d=4033 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4245 × 105/100 = █4457.

id=71789 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:3 and the first is 120, what is the second? | option_a=150 | option_b=30 | option_c=27 | option_d=42 | answer=B | explanation=Scale factor = 120/12 = 10. Therefore second quantity = 3×10 = 30.

id=71790 | topic=Profit & Loss | difficulty=Easy | question=An article costs █807. If it is sold at a profit of 30%, what is its selling price? | option_a=969 | option_b=1129 | option_c=1049 | option_d=837 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 807 × 130/100 = █1049.

Aptitude Questions — Records 71,791-71,820 of 100,000

id=71791 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=71792 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:6 and the first is 247, what is the second? | option_a=114 | option_b=108 | option_c=361 | option_d=127 | answer=A | explanation=Scale factor = 247/13 = 19. Therefore second quantity = 6×19 = 114.

id=71793 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=36 | option_c=72 | option_d=41 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=71794 | topic=Profit & Loss | difficulty=Easy | question=An article costs █536. If it is sold at a profit of 40%, what is its selling price? | option_a=803 | option_b=697 | option_c=750 | option_d=576 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 536 × 140/100 = █750.

id=71795 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18654 at 15% per annum for 1 years. | option_a=21452 | option_b=2898 | option_c=2698 | option_d=2798 | answer=D | explanation=SI = PRT/100 = 18654×15×1/100 = █2798.

id=71796 | topic=Percentages | difficulty=Easy | question=What is 30% of 293? | option_a=174 | option_b=87 | option_c=67 | option_d=92 | answer=B | explanation=30% of 293 = (30/100) × 293 = 87.

id=71797 | topic=Percentages | difficulty=Easy | question=What is 10% of 1699? | option_a=169 | option_b=338 | option_c=179 | option_d=159 | answer=A | explanation=10% of 1699 = (10/100) × 1699 = 169.

id=71798 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Q | option_b=U | option_c=Y | option_d=C | answer=C | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=71799 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30496 at 15% per annum for 4 years. | option_a=48793 | option_b=18197 | option_c=18397 | option_d=18297 | answer=D | explanation=SI = PRT/100 = 30496×15×4/100 = █18297.

id=71800 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 21. | option_a=63 | option_b=24 | option_c=1 | option_d=21 | answer=D | explanation=LCM × HCF = 3×21; HCF(3,21) = 3, so LCM = 21.

id=71801 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 14, 22, 31? | option_a=31 | option_b=22 | option_c=6 | option_d=14 | answer=A | explanation=The first three numbers increase by 8, so the next should be 30. Therefore 31 is the odd one out.

id=71802 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=71803 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 16, 23, 33? | option_a=16 | option_b=9 | option_c=33 | option_d=23 | answer=C | explanation=The first three numbers increase by 7, so the next should be 30. Therefore 33 is the odd one out.

id=71804 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=G | option_c=I | option_d=E | answer=C | explanation=Move 2 positions forward from G; the resulting letter is I.

id=71805 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=71806 | topic=Percentages | difficulty=Easy | question=What is 20% of 1785? | option_a=714 | option_b=347 | option_c=362 | option_d=357 | answer=D | explanation=20% of 1785 = (20/100) × 1785 = 357.

id=71807 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=66 | option_b=55 | option_c=42 | option_d=54 | answer=D | explanation=The common difference is 12. Therefore the next term is 42 + 12 = 54.

id=71808 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 32? | option_a=21 | option_b=32 | option_c=16 | option_d=26 | answer=B | explanation=The first three numbers increase by 5, so the next should be 31. Therefore 32 is the odd one out.

id=71809 | topic=Averages | difficulty=Easy | question=Find the average of 62, 34, 72, 86, 21. | option_a=54 | option_b=56 | option_c=57 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 275 ÷ 5 = 55.

id=71810 | topic=Profit & Loss | difficulty=Easy | question=An article costs █561. If it is sold at a profit of 50%, what is its selling price? | option_a=785 | option_b=841 | option_c=611 | option_d=897 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 561 × 150/100 = █841.

id=71811 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=R | option_c=T | option_d=P | answer=C | explanation=Move 2 positions forward from R; the resulting letter is T.

id=71812 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20000 at 12% per annum for 3 years. | option_a=7100 | option_b=7200 | option_c=27200 | option_d=7300 | answer=B | explanation=SI = PRT/100 = 20000×12×3/100 = █7200.

id=71813 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=70 | option_b=59 | option_c=48 | option_d=60 | answer=B | explanation=The common difference is 11. Therefore the next term is 48 + 11 = 59.

id=71814 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:10 and the first is 22, what is the second? | option_a=31 | option_b=10 | option_c=20 | option_d=42 | answer=C | explanation=Scale factor = 22/11 = 2. Therefore second quantity = 10×2 = 20.

id=71815 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=71816 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=71817 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3312. If it is sold at a profit of 20%, what is its selling price? | option_a=3332 | option_b=3974 | option_c=3643 | option_d=4305 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3312 × 120/100 = █3974.

id=71818 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:4 and the first is 221, what is the second? | option_a=69 | option_b=52 | option_c=48 | option_d=273 | answer=B | explanation=Scale factor = 221/17 = 13. Therefore second quantity = 4×13 = 52.

id=71819 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=18 | option_c=23 | option_d=13 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=71820 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2312. If it is sold at a profit of 30%, what is its selling price? | option_a=3236 | option_b=2342 | option_c=2774 | option_d=3005 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2312 × 130/100 = █3005.

Aptitude Questions — Records 71,821-71,850 of 100,000

id=71821 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:7 and the first is 154, what is the second? | option_a=70 | option_b=91 | option_c=77 | option_d=231 | answer=C | explanation=Scale factor = 154/14 = 11. Therefore second quantity = 7×11 = 77.

id=71822 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:5 and the first is 340, what is the second? | option_a=425 | option_b=105 | option_c=80 | option_d=85 | answer=D | explanation=Scale factor = 340/20 = 17. Therefore second quantity = 5×17 = 85.

id=71823 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 10, 16, 23? | option_a=10 | option_b=4 | option_c=23 | option_d=16 | answer=C | explanation=The first three numbers increase by 6, so the next should be 22. Therefore 23 is the odd one out.

id=71824 | topic=Percentages | difficulty=Easy | question=What is 10% of 589? | option_a=58 | option_b=53 | option_c=78 | option_d=116 | answer=A | explanation=10% of 589 = (10/100) × 589 = 58.

id=71825 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2138 at 6% per annum for 5 years. | option_a=541 | option_b=2779 | option_c=741 | option_d=641 | answer=D | explanation=SI = PRT/100 = 2138×6×5/100 = **■**641.

id=71826 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:16 and the first is 190, what is the second? | option_a=288 | option_b=494 | option_c=304 | option_d=314 | answer=C | explanation=Scale factor = 190/10 = 19. Therefore second quantity = 16×19 = 304.

id=71827 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=H | option_b=N | option_c=J | option_d=L | answer=D | explanation=Move 2 positions forward from J; the resulting letter is L.

id=71828 | topic=Percentages | difficulty=Easy | question=What is 30% of 455? | option_a=136 | option_b=131 | option_c=156 | option_d=272 | answer=A | explanation=30% of 455 = (30/100) × 455 = 136.

id=71829 | topic=Percentages | difficulty=Easy | question=What is 10% of 1379? | option_a=137 | option_b=142 | option_c=274 | option_d=117 | answer=A | explanation=10% of 1379 = (10/100) × 1379 = 137.

id=71830 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=71831 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=15 | option_c=40 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=71832 | topic=Percentages | difficulty=Easy | question=What is 20% of 779? | option_a=145 | option_b=155 | option_c=310 | option_d=175 | answer=B | explanation=20% of 779 = (20/100) × 779 = 155.

id=71833 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:11 and the first is 209, what is the second? | option_a=220 | option_b=198 | option_c=418 | option_d=209 | answer=D | explanation=Scale factor = 209/11 = 19. Therefore second quantity = 11×19 = 209.

id=71834 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=28 | option_b=27 | option_c=24 | option_d=26 | answer=D | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.

id=71835 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=54 | option_b=66 | option_c=55 | option_d=42 | answer=A | explanation=The common difference is 12. Therefore the next term is 42 + 12 = 54.

id=71836 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 16, 21, 27? | option_a=27 | option_b=21 | option_c=11 | option_d=16 | answer=A | explanation=The first three numbers increase by 5, so the next should be 26. Therefore 27 is the odd one out.

id=71837 | topic=Percentages | difficulty=Easy | question=What is 20% of 704? | option_a=135 | option_b=140 | option_c=145 | option_d=280 | answer=B | explanation=20% of 704 = (20/100) × 704 = 140.

id=71838 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=L | option_b=H | option_c=N | option_d=J | answer=A | explanation=Move 2 positions forward from J; the resulting letter is L.

id=71839 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=1 | option_c=6 | option_d=11 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=71840 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44540 at 6% per annum for 3 years. | option_a=8017 | option_b=7917 | option_c=52557 | option_d=8117 | answer=A | explanation=SI = PRT/100 = 44540×6×3/100 = **■**8017.

id=71841 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4535 at 12% per annum for 4 years. | option_a=2176 | option_b=2076 | option_c=6711 | option_d=2276 | answer=A | explanation=SI = PRT/100 = 4535×12×4/100 = **■**2176.

id=71842 | topic=Percentages | difficulty=Easy | question=What is 15% of 1189? | option_a=183 | option_b=356 | option_c=178 | option_d=168 | answer=C | explanation=15% of 1189 = (15/100) × 1189 = 178.

id=71843 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=45 | option_b=44 | option_c=38 | option_d=50 | answer=B | explanation=The common difference is 6. Therefore the next term is 38 + 6 = 44.

id=71844 | topic=Averages | difficulty=Easy | question=Find the average of 10, 71, 85, 30. | option_a=51 | option_b=50 | option_c=49 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 196 ÷ 4 = 49.

id=71845 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3126. If it is sold at a profit of 25%, what is its selling price? | option_a=4219 | option_b=3595 | option_c=3151 | option_d=3907 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3126 × 125/100 = **■**3907.

id=71846 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39588 at 12% per annum for 4 years. | option_a=19102 | option_b=58590 | option_c=18902 | option_d=19002 | answer=D | explanation=SI = PRT/100 = 39588×12×4/100 = **■**19002.

id=71847 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36191 at 12% per annum for 5 years. | option_a=21614 | option_b=21714 | option_c=57905 | option_d=21814 | answer=B | explanation=SI = PRT/100 = 36191×12×5/100 = **■**21714.

id=71848 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:14 and the first is 360, what is the second? | option_a=280 | option_b=266 | option_c=640 | option_d=298 | answer=A | explanation=Scale factor = 360/18 = 20. Therefore second quantity = 14×20 = 280.

id=71849 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3288. If it is sold at a profit of 50%, what is its selling price? | option_a=4604 | option_b=4932 | option_c=5260 | option_d=3338 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3288 × 150/100 = **■**4932.

id=71850 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 27? | option_a=27 | option_b=18 | option_c=12 | option_d=6 | answer=A | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 27 is the odd one out.

Aptitude Questions — Records 71,851-71,880 of 100,000

id=71851 | topic=Averages | difficulty=Easy | question=Find the average of 75, 98, 27, 70, 70. | option_a=69 | option_b=68 | option_c=67 | option_d=70 | answer=B | explanation=Average = sum of values ÷ number of values = 340 ÷ 5 = 68.

id=71852 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23447 at 4% per annum for 1 years. | option_a=837 | option_b=1037 | option_c=24384 | option_d=937 | answer=D | explanation=SI = PRT/100 = 23447×4×1/100 = **■**937.

id=71853 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32323 at 12% per annum for 5 years. | option_a=19393 | option_b=51716 | option_c=19293 | option_d=19493 | answer=A | explanation=SI = PRT/100 = 32323×12×5/100 = **■**19393.

id=71854 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=55 | option_b=66 | option_c=44 | option_d=56 | answer=A | explanation=The common difference is 11. Therefore the next term is 44 + 11 = 55.

id=71855 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 18. | option_a=54 | option_b=1 | option_c=18 | option_d=21 | answer=C | explanation=LCM × HCF = 3×18; HCF(3,18) = 3, so LCM = 18.

id=71856 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**879. If it is sold at a profit of 50%, what is its selling price? | option_a=929 | option_b=1405 | option_c=1318 | option_d=1231 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 879 × 150/100 = **■**1318.

id=71857 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:9 and the first is 24, what is the second? | option_a=54 | option_b=45 | option_c=58 | option_d=78 | answer=A | explanation=Scale factor = 24/4 = 6. Therefore second quantity = 9×6 = 54.

id=71858 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=M | option_c=U | option_d=I | answer=A | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=71859 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=35 | option_b=30 | option_c=34 | option_d=38 | answer=C | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.

id=71860 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8315 at 5% per annum for 5 years. | option_a=10393 | option_b=1978 | option_c=2178 | option_d=2078 | answer=D | explanation=SI = PRT/100 = 8315×5×5/100 = **■**2078.

id=71861 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=P | option_c=K | option_d=A | answer=C | explanation=Move 5 positions forward from F; the resulting letter is K.

id=71862 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=71863 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=34 | option_b=42 | option_c=41 | option_d=48 | answer=C | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=71864 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:12 and the first is 144, what is the second? | option_a=124 | option_b=252 | option_c=108 | option_d=96 | answer=C | explanation=Scale factor = 144/16 = 9. Therefore second quantity = 12×9 = 108.

id=71865 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=20 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=71866 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=S | option_b=U | option_c=Y | option_d=W | answer=D | explanation=Move 2 positions forward from U; the resulting letter is W.

id=71867 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:6 and the first is 48, what is the second? | option_a=99 | option_b=96 | option_c=144 | option_d=90 | answer=B | explanation=Scale factor = 48/3 = 16. Therefore second quantity = 6×16 = 96.

id=71868 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=41 | option_b=45 | option_c=35 | option_d=40 | answer=D | explanation=The common difference is 5. Therefore the next term is 35 + 5 = 40.

id=71869 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2959 at 5% per annum for 5 years. | option_a=739 | option_b=839 | option_c=639 | option_d=3698 | answer=A | explanation=SI = PRT/100 = 2959×5×5/100 = **■**739.

id=71870 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=G | option_b=D | option_c=X | option_d=A | answer=B | explanation=Move 3 positions forward from A; the resulting letter is D.

id=71871 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=71872 | topic=Percentages | difficulty=Easy | question=What is 15% of 1293? | option_a=386 | option_b=188 | option_c=213 | option_d=193 | answer=D | explanation=15% of 1293 = (15/100) × 1293 = 193.

id=71873 | topic=Percentages | difficulty=Easy | question=What is 25% of 603? | option_a=145 | option_b=155 | option_c=300 | option_d=150 | answer=D | explanation=25% of 603 = (25/100) × 603 = 150.

id=71874 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14422 at 12% per annum for 3 years. | option_a=19613 | option_b=5291 | option_c=5091 | option_d=5191 | answer=D | explanation=SI = PRT/100 = 14422×12×3/100 = **■**5191.

id=71875 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:16 and the first is 20, what is the second? | option_a=320 | option_b=321 | option_c=340 | option_d=304 | answer=A | explanation=Scale factor = 20/1 = 20. Therefore second quantity = 16×20 = 320.

id=71876 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=71877 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 18. | option_a=105 | option_b=72 | option_c=90 | option_d=270 | answer=C | explanation=LCM × HCF = 15×18; HCF(15,18) = 3, so LCM = 90.

id=71878 | topic=Percentages | difficulty=Easy | question=What is 5% of 1097? | option_a=54 | option_b=34 | option_c=108 | option_d=64 | answer=A | explanation=5% of 1097 = (5/100) × 1097 = 54.

id=71879 | topic=Percentages | difficulty=Easy | question=What is 5% of 86? | option_a=8 | option_b=9 | option_c=4 | option_d=0 | answer=C | explanation=5% of 86 = (5/100) × 86 = 4.

id=71880 | topic=Averages | difficulty=Easy | question=Find the average of 58, 67, 71, 34, 86, 32. | option_a=60 | option_b=58 | option_c=57 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 348 ÷ 6 = 58.

Aptitude Questions — Records 71,881-71,910 of 100,000

id=71881 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1071. If it is sold at a profit of 5%, what is its selling price? | option_a=1076 | option_b=1017 | option_c=1231 | option_d=1124 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1071 × 105/100 = █1124.

id=71882 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=52 | option_b=42 | option_c=32 | option_d=43 | answer=B | explanation=The common difference is 10. Therefore the next term is 32 + 10 = 42.

id=71883 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=G | option_b=Q | option_c=L | option_d=V | answer=B | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=71884 | topic=Profit & Loss | difficulty=Easy | question=An article costs █196. If it is sold at a profit of 15%, what is its selling price? | option_a=244 | option_b=225 | option_c=206 | option_d=211 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 196 × 115/100 = █225.

id=71885 | topic=Percentages | difficulty=Easy | question=What is 10% of 157? | option_a=30 | option_b=15 | option_c=20 | option_d=10 | answer=B | explanation=10% of 157 = (10/100) × 157 = 15.

id=71886 | topic=Percentages | difficulty=Easy | question=What is 5% of 1978? | option_a=196 | option_b=98 | option_c=118 | option_d=78 | answer=B | explanation=5% of 1978 = (5/100) × 1978 = 98.

id=71887 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=50 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=71888 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 18. | option_a=1 | option_b=20 | option_c=36 | option_d=18 | answer=D | explanation=LCM × HCF = 2×18; HCF(2,18) = 2, so LCM = 18.

id=71889 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:18 and the first is 120, what is the second? | option_a=264 | option_b=144 | option_c=159 | option_d=126 | answer=B | explanation=Scale factor = 120/15 = 8. Therefore second quantity = 18×8 = 144.

id=71890 | topic=Percentages | difficulty=Easy | question=What is 40% of 1728? | option_a=691 | option_b=711 | option_c=671 | option_d=1382 | answer=A | explanation=40% of 1728 = (40/100) × 1728 = 691.

id=71891 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:13 and the first is 20, what is the second? | option_a=52 | option_b=69 | option_c=65 | option_d=85 | answer=C | explanation=Scale factor = 20/4 = 5. Therefore second quantity = 13×5 = 65.

id=71892 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4285. If it is sold at a profit of 30%, what is its selling price? | option_a=5998 | option_b=5142 | option_c=5570 | option_d=4315 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4285 × 130/100 = █5570.

id=71893 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:2 and the first is 169, what is the second? | option_a=39 | option_b=26 | option_c=24 | option_d=195 | answer=B | explanation=Scale factor = 169/13 = 13. Therefore second quantity = 2×13 = 26.

id=71894 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=71895 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=71896 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 14, 21, 31? | option_a=31 | option_b=7 | option_c=14 | option_d=21 | answer=A | explanation=The first three numbers increase by 7, so the next should be 28. Therefore 31 is the odd one out.

id=71897 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=Q | option_b=S | option_c=W | option_d=U | answer=D | explanation=Move 2 positions forward from S; the resulting letter is U.

id=71898 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35103 at 5% per annum for 1 years. | option_a=1755 | option_b=1655 | option_c=36858 | option_d=1855 | answer=A | explanation=SI = PRT/100 = 35103×5×1/100 = █1755.

id=71899 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=4 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=71900 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1182 at 8% per annum for 3 years. | option_a=1465 | option_b=383 | option_c=283 | option_d=183 | answer=C | explanation=SI = PRT/100 = 1182×8×3/100 = █283.

id=71901 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=71902 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=Z | option_b=F | option_c=I | option_d=C | answer=B | explanation=Move 3 positions forward from C; the resulting letter is F.

id=71903 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=71904 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=H | option_b=B | option_c=K | option_d=E | answer=A | explanation=Move 3 positions forward from E; the resulting letter is H.

id=71905 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=22 | option_b=28 | option_c=26 | option_d=25 | answer=D | explanation=The common difference is 3. Therefore the next term is 22 + 3 = 25.

id=71906 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 20, 26, 35? | option_a=20 | option_b=26 | option_c=14 | option_d=35 | answer=D | explanation=The first three numbers increase by 6, so the next should be 32. Therefore 35 is the odd one out.

id=71907 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=U | option_c=O | option_d=Q | answer=A | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=71908 | topic=Averages | difficulty=Easy | question=Find the average of 72, 96, 75, 54, 78. | option_a=75 | option_b=77 | option_c=76 | option_d=74 | answer=A | explanation=Average = sum of values ÷ number of values = 375 ÷ 5 = 75.

id=71909 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 20. | option_a=80 | option_b=125 | option_c=500 | option_d=100 | answer=D | explanation=LCM × HCF = 25×20; HCF(25,20) = 5, so LCM = 100.

id=71910 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=T | option_b=Y | option_c=J | option_d=O | answer=A | explanation=Move 5 positions forward from O; the resulting letter is T.

Aptitude Questions — Records 71,911-71,940 of 100,000

id=71911 | topic=Averages | difficulty=Easy | question=Find the average of 48, 74, 53, 70, 90, 85, 77. | option_a=70 | option_b=73 | option_c=71 | option_d=72 | answer=C | explanation=Average = sum of values ÷ number of values = $497 \div 7 = 71$.

id=71912 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=145 | option_c=155 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = $300 \div 2 = 150$ km/h.

id=71913 | topic=Averages | difficulty=Easy | question=Find the average of 14, 80, 32, 91, 25, 41, 82, 75. | option_a=56 | option_b=54 | option_c=55 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = $440 \div 8 = 55$.

id=71914 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=49 | option_b=48 | option_c=55 | option_d=41 | answer=B | explanation=The common difference is 7. Therefore the next term is $41 + 7 = 48$.

id=71915 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=40 | option_c=45 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = $120 \div 3 = 40$ km/h.

id=71916 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = $60 \div 2 = 30$ km/h.

id=71917 | topic=Percentages | difficulty=Easy | question=What is 30% of 739? | option_a=442 | option_b=201 | option_c=241 | option_d=221 | answer=D | explanation=30% of 739 = $(30/100) \times 739 = 221$.

id=71918 | topic=Averages | difficulty=Easy | question=Find the average of 53, 45, 77, 24, 36. | option_a=46 | option_b=47 | option_c=49 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = $235 \div 5 = 47$.

id=71919 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=E | option_c=A | option_d=Y | answer=A | explanation=Move 2 positions forward from A; the resulting letter is C.

id=71920 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 26. | option_a=392 | option_b=338 | option_c=728 | option_d=364 | answer=D | explanation= $LCM \times HCF = 28 \times 26$; $HCF(28,26) = 2$, so LCM = 364.

id=71921 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 40? | option_a=18 | option_b=40 | option_c=25 | option_d=32 | answer=B | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 40 is the odd one out.

id=71922 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=32 | option_b=42 | option_c=43 | option_d=52 | answer=B | explanation=The common difference is 10. Therefore the next term is $32 + 10 = 42$.

id=71923 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4605. If it is sold at a profit of 10%, what is its selling price? | option_a=5525 | option_b=4615 | option_c=4605 | option_d=5065 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4605 \times 110/100 = \text{█}5065$.

id=71924 | topic=Averages | difficulty=Easy | question=Find the average of 11, 71, 11. | option_a=31 | option_b=33 | option_c=32 | option_d=30 | answer=A | explanation=Average = sum of values ÷ number of values = $93 \div 3 = 31$.

id=71925 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:6 and the first is 156, what is the second? | option_a=78 | option_b=90 | option_c=234 | option_d=72 | answer=A | explanation=Scale factor = $156/12 = 13$. Therefore second quantity = $6 \times 13 = 78$.

id=71926 | topic=Averages | difficulty=Easy | question=Find the average of 36, 82, 15, 37, 50. | option_a=43 | option_b=45 | option_c=44 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = $220 \div 5 = 44$.

id=71927 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=F | option_c=H | option_d=I | answer=C | explanation=Move 1 positions forward from G; the resulting letter is H.

id=71928 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=20 | option_b=23 | option_c=15 | option_d=19 | answer=D | explanation=The common difference is 4. Therefore the next term is $15 + 4 = 19$.

id=71929 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:17 and the first is 40, what is the second? | option_a=34 | option_b=54 | option_c=17 | option_d=74 | answer=A | explanation=Scale factor = $40/20 = 2$. Therefore second quantity = $17 \times 2 = 34$.

id=71930 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 31, 41, 54? | option_a=41 | option_b=31 | option_c=54 | option_d=21 | answer=C | explanation=The first three numbers increase by 10, so the next should be 51. Therefore 54 is the odd one out.

id=71931 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=71932 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=R | option_c=T | option_d=N | answer=B | explanation=Move 2 positions forward from P; the resulting letter is R.

id=71933 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=71934 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=12 | option_c=1 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = $60 \div 10 = 6$ km/h.

id=71935 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 31, 43, 55, ? | option_a=67 | option_b=79 | option_c=68 | option_d=55 | answer=A | explanation=The common difference is 12. Therefore the next term is $55 + 12 = 67$.

id=71936 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=46 | option_b=45 | option_c=38 | option_d=52 | answer=B | explanation=The common difference is 7. Therefore the next term is $38 + 7 = 45$.

id=71937 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:16 and the first is 84, what is the second? | option_a=96 | option_b=124 | option_c=112 | option_d=196 | answer=C | explanation=Scale factor = $84/12 = 7$. Therefore second quantity = $16 \times 7 = 112$.

id=71938 | topic=Profit & Loss | difficulty=Easy | question=An article costs █714. If it is sold at a profit of 15%, what is its selling price? | option_a=821 | option_b=750 | option_c=729 | option_d=892 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 714 \times 115/100 = \text{█}821$.

id=71939 | topic=Percentages | difficulty=Easy | question=What is 20% of 1484? | option_a=296 | option_b=276 | option_c=592 | option_d=316 | answer=A | explanation=20% of 1484 = $(20/100) \times 1484 = 296$.

id=71940 | topic=Percentages | difficulty=Easy | question=What is 20% of 1807? | option_a=361 | option_b=381 | option_c=722 | option_d=341 | answer=A | explanation=20% of 1807 = $(20/100) \times 1807 = 361$.

Aptitude Questions — Records 71,941-71,970 of 100,000

id=71941 | topic=Averages | difficulty=Easy | question=Find the average of 29, 37, 96, 67, 25, 28. | option_a=48 | option_b=47 | option_c=46 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 282 ÷ 6 = 47.

id=71942 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 10, 13, 16, ? | option_a=19 | option_b=16 | option_c=20 | option_d=22 | answer=A | explanation=The common difference is 3. Therefore the next term is 16 + 3 = 19.

id=71943 | topic=Averages | difficulty=Easy | question=Find the average of 81, 11, 65, 61, 59, 71, 29, 71. | option_a=57 | option_b=55 | option_c=56 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 448 ÷ 8 = 56.

id=71944 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=40 | option_c=15 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=71945 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7869 at 5% per annum for 3 years. | option_a=1080 | option_b=1280 | option_c=1180 | option_d=9049 | answer=C | explanation=SI = $\text{PRT}/100 = 7869 \times 5 \times 3 / 100 = \text{■}1180$.

id=71946 | topic=Averages | difficulty=Easy | question=Find the average of 93, 12, 93, 65, 62. | option_a=66 | option_b=67 | option_c=64 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 325 ÷ 5 = 65.

id=71947 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**482. If it is sold at a profit of 30%, what is its selling price? | option_a=674 | option_b=626 | option_c=578 | option_d=512 | answer=B | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 482 \times 130 / 100 = \text{■}626$.

id=71948 | topic=Percentages | difficulty=Easy | question=What is 10% of 1387? | option_a=138 | option_b=118 | option_c=143 | option_d=276 | answer=A | explanation=10% of 1387 = $(10/100) \times 1387 = 138$.

id=71949 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 31, 34, 39? | option_a=31 | option_b=39 | option_c=28 | option_d=34 | answer=B | explanation=The first three numbers increase by 3, so the next should be 37. Therefore 39 is the odd one out.

id=71950 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=71951 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:10 and the first is 190, what is the second? | option_a=119 | option_b=90 | option_c=290 | option_d=100 | answer=D | explanation=Scale factor = $190/19 = 10$. Therefore second quantity = $10 \times 10 = 100$.

id=71952 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:15 and the first is 45, what is the second? | option_a=60 | option_b=30 | option_c=45 | option_d=90 | answer=C | explanation=Scale factor = $45/15 = 3$. Therefore second quantity = $15 \times 3 = 45$.

id=71953 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=Y | option_b=H | option_c=B | option_d=E | answer=D | explanation=Move 3 positions forward from B; the resulting letter is E.

id=71954 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15322 at 8% per annum for 2 years. | option_a=17773 | option_b=2451 | option_c=2351 | option_d=2551 | answer=B | explanation=SI = $\text{PRT}/100 = 15322 \times 8 \times 2 / 100 = \text{■}2451$.

id=71955 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 30. | option_a=450 | option_b=45 | option_c=30 | option_d=1 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 15 \times 30$; $\text{HCF}(15, 30) = 15$, so $\text{LCM} = 30$.

id=71956 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 13? | option_a=6 | option_b=13 | option_c=3 | option_d=9 | answer=B | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 13 is the odd one out.

id=71957 | topic=Averages | difficulty=Easy | question=Find the average of 40, 53, 19, 21, 10, 91. | option_a=41 | option_b=39 | option_c=40 | option_d=38 | answer=B | explanation=Average = sum of values ÷ number of values = $234 \div 6 = 39$.

id=71958 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=71959 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=M | option_c=H | option_d=X | answer=C | explanation=Move 5 positions forward from C; the resulting letter is H.

id=71960 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43468 at 6% per annum for 4 years. | option_a=10432 | option_b=10532 | option_c=53900 | option_d=10332 | answer=A | explanation=SI = $\text{PRT}/100 = 43468 \times 6 \times 4 / 100 = \text{■}10432$.

id=71961 | topic=Averages | difficulty=Easy | question=Find the average of 88, 98, 50, 27, 13, 91, 30, 32, 14, 97. | option_a=54 | option_b=55 | option_c=53 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = $540 \div 10 = 54$.

id=71962 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 35, 44, 55? | option_a=26 | option_b=44 | option_c=35 | option_d=55 | answer=D | explanation=The first three numbers increase by 9, so the next should be 53. Therefore 55 is the odd one out.

id=71963 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=71964 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=7 | option_d=5 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=71965 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3341. If it is sold at a profit of 25%, what is its selling price? | option_a=4510 | option_b=3842 | option_c=3366 | option_d=4176 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 3341 \times 125 / 100 = \text{■}4176$.

id=71966 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=L | option_b=G | option_c=B | option_d=W | answer=B | explanation=Move 5 positions forward from B; the resulting letter is G.

id=71967 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20570 at 15% per annum for 4 years. | option_a=32912 | option_b=12242 | option_c=12442 | option_d=12342 | answer=D | explanation=SI = $\text{PRT}/100 = 20570 \times 15 \times 4 / 100 = \text{■}12342$.

id=71968 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=63 | option_b=51 | option_c=52 | option_d=39 | answer=B | explanation=The common difference is 12. Therefore the next term is $39 + 12 = 51$.

id=71969 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4538. If it is sold at a profit of 10%, what is its selling price? | option_a=4991 | option_b=4548 | option_c=4538 | option_d=5444 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 4538 \times 110 / 100 = \text{■}4991$.

id=71970 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=O | option_c=L | option_d=N | answer=D | explanation=Move 1 positions forward from M; the resulting letter is N.

Aptitude Questions — Records 71,971-72,000 of 100,000

id=71971 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 23, 30, 37, ? | option_a=51 | option_b=37 | option_c=45 | option_d=44 | answer=D | explanation=The common difference is 7. Therefore the next term is 37 + 7 = 44.

id=71972 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 29, 36, 46? | option_a=46 | option_b=29 | option_c=36 | option_d=22 | answer=A | explanation=The first three numbers increase by 7, so the next should be 43. Therefore 46 is the odd one out.

id=71973 | topic=Percentages | difficulty=Easy | question=What is 15% of 1108? | option_a=171 | option_b=332 | option_c=146 | option_d=166 | answer=D | explanation=15% of 1108 = (15/100) × 1108 = 166.

id=71974 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:4 and the first is 168, what is the second? | option_a=48 | option_b=44 | option_c=216 | option_d=62 | answer=A | explanation=Scale factor = 168/14 = 12. Therefore second quantity = 4×12 = 48.

id=71975 | topic=Percentages | difficulty=Easy | question=What is 12% of 1787? | option_a=214 | option_b=428 | option_c=194 | option_d=219 | answer=A | explanation=12% of 1787 = (12/100) × 1787 = 214.

id=71976 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=71977 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=185 | option_c=175 | option_d=360 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=71978 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1171. If it is sold at a profit of 20%, what is its selling price? | option_a=1191 | option_b=1522 | option_c=1405 | option_d=1288 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1171 × 120/100 = █1405.

id=71979 | topic=Percentages | difficulty=Easy | question=What is 40% of 1041? | option_a=832 | option_b=406 | option_c=436 | option_d=416 | answer=D | explanation=40% of 1041 = (40/100) × 1041 = 416.

id=71980 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=50 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=71981 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13697 at 10% per annum for 1 years. | option_a=1369 | option_b=1269 | option_c=15066 | option_d=1469 | answer=A | explanation=SI = PRT/100 = 13697×10×1/100 = █1369.

id=71982 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 33? | option_a=33 | option_b=17 | option_c=10 | option_d=24 | answer=A | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 33 is the odd one out.

id=71983 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=30 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=71984 | topic=Percentages | difficulty=Easy | question=What is 25% of 52? | option_a=13 | option_b=26 | option_c=18 | option_d=0 | answer=A | explanation=25% of 52 = (25/100) × 52 = 13.

id=71985 | topic=Percentages | difficulty=Easy | question=What is 12% of 1384? | option_a=176 | option_b=161 | option_c=332 | option_d=166 | answer=D | explanation=12% of 1384 = (12/100) × 1384 = 166.

id=71986 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=L | option_b=W | option_c=G | option_d=B | answer=C | explanation=Move 5 positions forward from B; the resulting letter is G.

id=71987 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=40 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=71988 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 6, 10, 16? | option_a=10 | option_b=6 | option_c=16 | option_d=2 | answer=C | explanation=The first three numbers increase by 4, so the next should be 14. Therefore 16 is the odd one out.

id=71989 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:3 and the first is 70, what is the second? | option_a=30 | option_b=100 | option_c=37 | option_d=27 | answer=A | explanation=Scale factor = 70/7 = 10. Therefore second quantity = 3×10 = 30.

id=71990 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=23 | option_b=20 | option_c=17 | option_d=21 | answer=B | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=71991 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:20 and the first is 204, what is the second? | option_a=444 | option_b=240 | option_c=220 | option_d=257 | answer=B | explanation=Scale factor = 204/17 = 12. Therefore second quantity = 20×12 = 240.

id=71992 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=22 | option_b=30 | option_c=27 | option_d=26 | answer=D | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.

id=71993 | topic=Percentages | difficulty=Easy | question=What is 40% of 1032? | option_a=412 | option_b=417 | option_c=402 | option_d=824 | answer=A | explanation=40% of 1032 = (40/100) × 1032 = 412.

id=71994 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=K | option_b=I | option_c=J | option_d=L | answer=A | explanation=Move 1 positions forward from J; the resulting letter is K.

id=71995 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 44? | option_a=34 | option_b=38 | option_c=44 | option_d=30 | answer=C | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 44 is the odd one out.

id=71996 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=D | option_c=J | option_d=M | answer=C | explanation=Move 3 positions forward from G; the resulting letter is J.

id=71997 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=31 | option_b=39 | option_c=40 | option_d=47 | answer=B | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

id=71998 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15512 at 4% per annum for 3 years. | option_a=1961 | option_b=17373 | option_c=1761 | option_d=1861 | answer=D | explanation=SI = PRT/100 = 15512×4×3/100 = █1861.

id=71999 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=180 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=72000 | topic=Percentages | difficulty=Easy | question=What is 15% of 116? | option_a=0 | option_b=17 | option_c=22 | option_d=34 | answer=B | explanation=15% of 116 = (15/100) × 116 = 17.

Aptitude Questions — Records 72,001-72,030 of 100,000

id=72001 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3196. If it is sold at a profit of 50%, what is its selling price? | option_a=3246 | option_b=5113 | option_c=4794 | option_d=4475 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3196 × 150/100 = █4794.

id=72002 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16427 at 12% per annum for 1 years. | option_a=1971 | option_b=2071 | option_c=18398 | option_d=1871 | answer=A | explanation=SI = PRT/100 = 16427×12×1/100 = █1971.

id=72003 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:15 and the first is 4, what is the second? | option_a=64 | option_b=45 | option_c=60 | option_d=61 | answer=C | explanation=Scale factor = 4/1 = 4. Therefore second quantity = 15×4 = 60.

id=72004 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 29, 38, 50? | option_a=38 | option_b=29 | option_c=20 | option_d=50 | answer=D | explanation=The first three numbers increase by 9, so the next should be 47. Therefore 50 is the odd one out.

id=72005 | topic=Averages | difficulty=Easy | question=Find the average of 57, 98, 82, 93, 45, 72, 59, 36, 28, 60. | option_a=64 | option_b=62 | option_c=63 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = 630 ÷ 10 = 63.

id=72006 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1898 at 5% per annum for 2 years. | option_a=189 | option_b=89 | option_c=2087 | option_d=289 | answer=A | explanation=SI = PRT/100 = 1898×5×2/100 = █189.

id=72007 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47016 at 10% per annum for 5 years. | option_a=70524 | option_b=23608 | option_c=23508 | option_d=23408 | answer=C | explanation=SI = PRT/100 = 47016×10×5/100 = █23508.

id=72008 | topic=Averages | difficulty=Easy | question=Find the average of 75, 30, 52, 83, 74, 58, 60, 94, 21, 23. | option_a=56 | option_b=58 | option_c=59 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.

id=72009 | topic=Profit & Loss | difficulty=Easy | question=An article costs █867. If it is sold at a profit of 10%, what is its selling price? | option_a=867 | option_b=877 | option_c=953 | option_d=1039 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 867 × 110/100 = █953.

id=72010 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 19, 29, 41? | option_a=29 | option_b=19 | option_c=41 | option_d=9 | answer=C | explanation=The first three numbers increase by 10, so the next should be 39. Therefore 41 is the odd one out.

id=72011 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=72012 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45767 at 5% per annum for 2 years. | option_a=4576 | option_b=4676 | option_c=4476 | option_d=50343 | answer=A | explanation=SI = PRT/100 = 45767×5×2/100 = █4576.

id=72013 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 24, 36, 48, ? | option_a=60 | option_b=48 | option_c=72 | option_d=61 | answer=A | explanation=The common difference is 12. Therefore the next term is 48 + 12 = 60.

id=72014 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2044. If it is sold at a profit of 25%, what is its selling price? | option_a=2555 | option_b=2351 | option_c=2069 | option_d=2759 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2044 × 125/100 = █2555.

id=72015 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46474 at 12% per annum for 4 years. | option_a=22207 | option_b=68781 | option_c=22407 | option_d=22307 | answer=D | explanation=SI = PRT/100 = 46474×12×4/100 = █22307.

id=72016 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=26 | option_b=24 | option_c=25 | option_d=22 | answer=B | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.

id=72017 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:16 and the first is 24, what is the second? | option_a=44 | option_b=56 | option_c=32 | option_d=16 | answer=C | explanation=Scale factor = 24/12 = 2. Therefore second quantity = 16×2 = 32.

id=72018 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=38 | option_b=39 | option_c=29 | option_d=47 | answer=A | explanation=The common difference is 9. Therefore the next term is 29 + 9 = 38.

id=72019 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=72020 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=55 | option_c=50 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=72021 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 8, 12, 17? | option_a=8 | option_b=17 | option_c=12 | option_d=4 | answer=B | explanation=The first three numbers increase by 4, so the next should be 16. Therefore 17 is the odd one out.

id=72022 | topic=Percentages | difficulty=Easy | question=What is 40% of 177? | option_a=140 | option_b=70 | option_c=65 | option_d=75 | answer=B | explanation=40% of 177 = (40/100) × 177 = 70.

id=72023 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=72024 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=I | option_b=S | option_c=X | option_d=N | answer=B | explanation=Move 5 positions forward from N; the resulting letter is S.

id=72025 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:17 and the first is 240, what is the second? | option_a=271 | option_b=238 | option_c=255 | option_d=495 | answer=C | explanation=Scale factor = 240/16 = 15. Therefore second quantity = 17×15 = 255.

id=72026 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=72027 | topic=Percentages | difficulty=Easy | question=What is 40% of 1389? | option_a=550 | option_b=575 | option_c=1110 | option_d=555 | answer=D | explanation=40% of 1389 = (40/100) × 1389 = 555.

id=72028 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:18 and the first is 120, what is the second? | option_a=159 | option_b=126 | option_c=144 | option_d=264 | answer=C | explanation=Scale factor = 120/15 = 8. Therefore second quantity = 18×8 = 144.

id=72029 | topic=Percentages | difficulty=Easy | question=What is 20% of 1310? | option_a=524 | option_b=267 | option_c=252 | option_d=262 | answer=D | explanation=20% of 1310 = (20/100) × 1310 = 262.

id=72030 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=L | option_b=J | option_c=M | option_d=K | answer=A | explanation=Move 1 positions forward from K; the resulting letter is L.

Aptitude Questions — Records 72,031-72,060 of 100,000

id=72031 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=72032 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=Q | option_c=H | option_d=N | answer=D | explanation=Move 3 positions forward from K; the resulting letter is N.

id=72033 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=20 | option_c=25 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = $120 \div 6 = 20$ km/h.

id=72034 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=45 | option_b=52 | option_c=36 | option_d=44 | answer=D | explanation=The common difference is 8. Therefore the next term is $36 + 8 = 44$.

id=72035 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 26. | option_a=56 | option_b=52 | option_c=26 | option_d=104 | answer=B | explanation= $LCM \times HCF = 4 \times 26$; $HCF(4, 26) = 2$, so $LCM = 52$.

id=72036 | topic=Averages | difficulty=Easy | question=Find the average of 65, 34, 19, 78. | option_a=51 | option_b=48 | option_c=49 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = $196 \div 4 = 49$.

id=72037 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=53 | option_c=43 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = $240 \div 5 = 48$ km/h.

id=72038 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**22531 at 5% per annum for 1 years. | option_a=1026 | option_b=1226 | option_c=1126 | option_d=23657 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{22531 \times 5 \times 1}{100} = \text{₹}1126$.

id=72039 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**5363 at 5% per annum for 4 years. | option_a=972 | option_b=1072 | option_c=6435 | option_d=1172 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{5363 \times 5 \times 4}{100} = \text{₹}1072$.

id=72040 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=72041 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=57 | option_b=47 | option_c=48 | option_d=37 | answer=B | explanation=The common difference is 10. Therefore the next term is $37 + 10 = 47$.

id=72042 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:16 and the first is 105, what is the second? | option_a=127 | option_b=96 | option_c=217 | option_d=112 | answer=D | explanation=Scale factor = $\frac{105}{15} = 7$. Therefore second quantity = $16 \times 7 = 112$.

id=72043 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**22360 at 4% per annum for 4 years. | option_a=3677 | option_b=3577 | option_c=3477 | option_d=25937 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{22360 \times 4 \times 4}{100} = \text{₹}3577$.

id=72044 | topic=Percentages | difficulty=Easy | question=What is 30% of 673? | option_a=221 | option_b=201 | option_c=191 | option_d=402 | answer=B | explanation=30% of 673 = $(\frac{30}{100}) \times 673 = 201$.

id=72045 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=31 | option_c=72 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = $180 \div 5 = 36$ km/h.

id=72046 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:19 and the first is 63, what is the second? | option_a=234 | option_b=171 | option_c=178 | option_d=152 | answer=B | explanation=Scale factor = $\frac{63}{7} = 9$. Therefore second quantity = $19 \times 9 = 171$.

id=72047 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**47730 at 10% per annum for 5 years. | option_a=23965 | option_b=71595 | option_c=23765 | option_d=23865 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{47730 \times 10 \times 5}{100} = \text{₹}23865$.

id=72048 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1270. If it is sold at a profit of 10%, what is its selling price? | option_a=1280 | option_b=1397 | option_c=1524 | option_d=1270 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1270 \times \frac{110}{100} = \text{₹}1397$.

id=72049 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 17? | option_a=17 | option_b=10 | option_c=12 | option_d=8 | answer=A | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 17 is the odd one out.

id=72050 | topic=Averages | difficulty=Easy | question=Find the average of 18, 55, 69, 49, 39, 52. | option_a=49 | option_b=47 | option_c=48 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = $282 \div 6 = 47$.

id=72051 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=9 | option_b=18 | option_c=4 | option_d=14 | answer=A | explanation=Speed = distance ÷ time = $90 \div 10 = 9$ km/h.

id=72052 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = $240 \div 8 = 30$ km/h.

id=72053 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 11, 19, 29? | option_a=29 | option_b=3 | option_c=19 | option_d=11 | answer=A | explanation=The first three numbers increase by 8, so the next should be 27. Therefore 29 is the odd one out.

id=72054 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4641. If it is sold at a profit of 25%, what is its selling price? | option_a=4666 | option_b=6265 | option_c=5337 | option_d=5801 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4641 \times \frac{125}{100} = \text{₹}5801$.

id=72055 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3566. If it is sold at a profit of 15%, what is its selling price? | option_a=4456 | option_b=3744 | option_c=3581 | option_d=4100 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3566 \times \frac{115}{100} = \text{₹}4100$.

id=72056 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=L | option_b=O | option_c=U | option_d=R | answer=D | explanation=Move 3 positions forward from O; the resulting letter is R.

id=72057 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=72058 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:9 and the first is 68, what is the second? | option_a=221 | option_b=157 | option_c=144 | option_d=153 | answer=D | explanation=Scale factor = $\frac{68}{4} = 17$. Therefore second quantity = $9 \times 17 = 153$.

id=72059 | topic=Averages | difficulty=Easy | question=Find the average of 100, 33, 51, 82, 68, 20, 67, 99. | option_a=64 | option_b=66 | option_c=65 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = $520 \div 8 = 65$.

id=72060 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**37823 at 10% per annum for 1 years. | option_a=3882 | option_b=3682 | option_c=3782 | option_d=41605 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{37823 \times 10 \times 1}{100} = \text{₹}3782$.

Aptitude Questions — Records 72,061-72,090 of 100,000

- id=72061 | topic=Percentages | difficulty=Easy | question=What is 20% of 860? | option_a=344 | option_b=152 | option_c=192 | option_d=172 | answer=D | explanation=20% of 860 = (20/100) × 860 = 172.
- id=72062 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.
- id=72063 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2604. If it is sold at a profit of 10%, what is its selling price? | option_a=2614 | option_b=2864 | option_c=2604 | option_d=3124 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2604 × 110/100 = █2864.
- id=72064 | topic=Averages | difficulty=Easy | question=Find the average of 100, 78, 19, 37, 10, 79, 57, 89, 83, 78. | option_a=65 | option_b=62 | option_c=63 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 630 ÷ 10 = 63.
- id=72065 | topic=Percentages | difficulty=Easy | question=What is 50% of 1955? | option_a=997 | option_b=1954 | option_c=957 | option_d=977 | answer=D | explanation=50% of 1955 = (50/100) × 1955 = 977.
- id=72066 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=54 | option_b=65 | option_c=55 | option_d=43 | answer=A | explanation=The common difference is 11. Therefore the next term is 43 + 11 = 54.
- id=72067 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 35, 43, 52? | option_a=43 | option_b=35 | option_c=52 | option_d=27 | answer=C | explanation=The first three numbers increase by 8, so the next should be 51. Therefore 52 is the odd one out.
- id=72068 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=72069 | topic=Profit & Loss | difficulty=Easy | question=An article costs █400. If it is sold at a profit of 50%, what is its selling price? | option_a=560 | option_b=640 | option_c=600 | option_d=450 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 400 × 150/100 = █600.
- id=72070 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17184 at 5% per annum for 1 years. | option_a=959 | option_b=18043 | option_c=859 | option_d=759 | answer=C | explanation=SI = PRT/100 = 17184×5×1/100 = █859.
- id=72071 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:1 and the first is 33, what is the second? | option_a=14 | option_b=10 | option_c=44 | option_d=11 | answer=D | explanation=Scale factor = 33/3 = 11. Therefore second quantity = 1×11 = 11.
- id=72072 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 20. | option_a=160 | option_b=198 | option_c=180 | option_d=360 | answer=C | explanation=LCM × HCF = 18×20; HCF(18,20) = 2, so LCM = 180.
- id=72073 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 43? | option_a=34 | option_b=26 | option_c=43 | option_d=18 | answer=C | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 43 is the odd one out.
- id=72074 | topic=Averages | difficulty=Easy | question=Find the average of 64, 100, 10. | option_a=59 | option_b=58 | option_c=60 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 174 ÷ 3 = 58.
- id=72075 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=72076 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23066 at 15% per annum for 1 years. | option_a=3359 | option_b=26525 | option_c=3559 | option_d=3459 | answer=D | explanation=SI = PRT/100 = 23066×15×1/100 = █3459.
- id=72077 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1014. If it is sold at a profit of 5%, what is its selling price? | option_a=1064 | option_b=963 | option_c=1019 | option_d=1165 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1014 × 105/100 = █1064.
- id=72078 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 17, 26, 38? | option_a=38 | option_b=8 | option_c=26 | option_d=17 | answer=A | explanation=The first three numbers increase by 9, so the next should be 35. Therefore 38 is the odd one out.
- id=72079 | topic=Percentages | difficulty=Easy | question=What is 50% of 782? | option_a=381 | option_b=782 | option_c=391 | option_d=401 | answer=C | explanation=50% of 782 = (50/100) × 782 = 391.
- id=72080 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=120 | option_c=240 | option_d=125 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.
- id=72081 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 9. | option_a=9 | option_b=18 | option_c=36 | option_d=162 | answer=B | explanation=LCM × HCF = 18×9; HCF(18,9) = 9, so LCM = 18.
- id=72082 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=19 | option_c=24 | option_d=48 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.
- id=72083 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=19 | option_c=48 | option_d=29 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.
- id=72084 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=37 | option_b=44 | option_c=28 | option_d=36 | answer=D | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.
- id=72085 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=27 | option_b=32 | option_c=28 | option_d=22 | answer=A | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.
- id=72086 | topic=Averages | difficulty=Easy | question=Find the average of 10, 86, 69, 59. | option_a=55 | option_b=57 | option_c=58 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 224 ÷ 4 = 56.
- id=72087 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41182 at 12% per annum for 3 years. | option_a=14925 | option_b=56007 | option_c=14725 | option_d=14825 | answer=D | explanation=SI = PRT/100 = 41182×12×3/100 = █14825.
- id=72088 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:4 and the first is 224, what is the second? | option_a=72 | option_b=56 | option_c=280 | option_d=52 | answer=B | explanation=Scale factor = 224/16 = 14. Therefore second quantity = 4×14 = 56.
- id=72089 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.
- id=72090 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=23 | option_b=29 | option_c=30 | option_d=35 | answer=B | explanation=The common difference is 6. Therefore the next term is 23 + 6 = 29.

Aptitude Questions — Records 72,091-72,120 of 100,000

id=72091 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=72092 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:19 and the first is 90, what is the second? | option_a=152 | option_b=171 | option_c=261 | option_d=181 | answer=B | explanation=Scale factor = 90/10 = 9. Therefore second quantity = 19×9 = 171.

id=72093 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=B | option_b=A | option_c=Z | option_d=C | answer=A | explanation=Move 1 positions forward from A; the resulting letter is B.

id=72094 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:5 and the first is 35, what is the second? | option_a=40 | option_b=70 | option_c=30 | option_d=35 | answer=D | explanation=Scale factor = 35/5 = 7. Therefore second quantity = 5×7 = 35.

id=72095 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=72096 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=37 | option_b=28 | option_c=44 | option_d=36 | answer=D | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=72097 | topic=Averages | difficulty=Easy | question=Find the average of 82, 46, 89, 35, 48. | option_a=60 | option_b=62 | option_c=59 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 300 ÷ 5 = 60.

id=72098 | topic=Averages | difficulty=Easy | question=Find the average of 99, 63, 39, 59, 76, 54. | option_a=66 | option_b=67 | option_c=64 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 390 ÷ 6 = 65.

id=72099 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1805 at 4% per annum for 3 years. | option_a=316 | option_b=2021 | option_c=216 | option_d=116 | answer=C | explanation=SI = PRT/100 = 1805×4×3/100 = **■**216.

id=72100 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4414. If it is sold at a profit of 30%, what is its selling price? | option_a=5297 | option_b=6179 | option_c=4444 | option_d=5738 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4414 × 130/100 = **■**5738.

id=72101 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=46 | option_b=47 | option_c=54 | option_d=38 | answer=A | explanation=The common difference is 8. Therefore the next term is 38 + 8 = 46.

id=72102 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=37 | option_b=45 | option_c=29 | option_d=38 | answer=A | explanation=The common difference is 8. Therefore the next term is 29 + 8 = 37.

id=72103 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=72104 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 8. | option_a=12 | option_b=8 | option_c=1 | option_d=32 | answer=B | explanation=LCM × HCF = 4×8; HCF(4,8) = 4, so LCM = 8.

id=72105 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=72106 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=72107 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=K | option_b=L | option_c=M | option_d=N | answer=C | explanation=Move 1 positions forward from L; the resulting letter is M.

id=72108 | topic=Averages | difficulty=Easy | question=Find the average of 12, 90, 69, 65. | option_a=59 | option_b=58 | option_c=60 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 236 ÷ 4 = 59.

id=72109 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=72110 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 51? | option_a=23 | option_b=32 | option_c=41 | option_d=51 | answer=D | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 51 is the odd one out.

id=72111 | topic=Averages | difficulty=Easy | question=Find the average of 11, 14, 17, 44, 39, 75, 45, 57, 43, 85. | option_a=43 | option_b=44 | option_c=42 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 430 ÷ 10 = 43.

id=72112 | topic=Averages | difficulty=Easy | question=Find the average of 76, 10, 24, 68, 53, 51. | option_a=48 | option_b=47 | option_c=49 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 282 ÷ 6 = 47.

id=72113 | topic=Averages | difficulty=Easy | question=Find the average of 28, 48, 44. | option_a=40 | option_b=42 | option_c=39 | option_d=41 | answer=A | explanation=Average = sum of values ÷ number of values = 120 ÷ 3 = 40.

id=72114 | topic=Averages | difficulty=Easy | question=Find the average of 42, 53, 100, 35, 11, 37, 63, 82, 63. | option_a=53 | option_b=56 | option_c=55 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 486 ÷ 9 = 54.

id=72115 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 16. | option_a=60 | option_b=32 | option_c=192 | option_d=48 | answer=D | explanation=LCM × HCF = 12×16; HCF(12,16) = 4, so LCM = 48.

id=72116 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 285, what is the second? | option_a=342 | option_b=72 | option_c=57 | option_d=54 | answer=C | explanation=Scale factor = 285/15 = 19. Therefore second quantity = 3×19 = 57.

id=72117 | topic=Percentages | difficulty=Easy | question=What is 40% of 634? | option_a=273 | option_b=253 | option_c=506 | option_d=233 | answer=B | explanation=40% of 634 = (40/100) × 634 = 253.

id=72118 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2920. If it is sold at a profit of 10%, what is its selling price? | option_a=2930 | option_b=3212 | option_c=3504 | option_d=2920 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2920 × 110/100 = **■**3212.

id=72119 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 23, 30, 37, ? | option_a=37 | option_b=44 | option_c=45 | option_d=51 | answer=B | explanation=The common difference is 7. Therefore the next term is 37 + 7 = 44.

id=72120 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 28, 38, 48, ? | option_a=59 | option_b=58 | option_c=68 | option_d=48 | answer=B | explanation=The common difference is 10. Therefore the next term is 48 + 10 = 58.

Aptitude Questions — Records 72,121-72,150 of 100,000

id=72121 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4448. If it is sold at a profit of 10%, what is its selling price? | option_a=4892 | option_b=4448 | option_c=5336 | option_d=4458 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4448 × 110/100 = █4892.

id=72122 | topic=Averages | difficulty=Easy | question=Find the average of 82, 39, 80. | option_a=67 | option_b=69 | option_c=66 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = 201 ÷ 3 = 67.

id=72123 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=W | option_c=K | option_d=S | answer=D | explanation=Move 4 positions forward from O; the resulting letter is S.

id=72124 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=45 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=72125 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 32? | option_a=24 | option_b=19 | option_c=32 | option_d=14 | answer=C | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 32 is the odd one out.

id=72126 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=70 | option_b=58 | option_c=59 | option_d=46 | answer=B | explanation=The common difference is 12. Therefore the next term is 46 + 12 = 58.

id=72127 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=72128 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=72129 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:14 and the first is 126, what is the second? | option_a=196 | option_b=182 | option_c=322 | option_d=205 | answer=A | explanation=Scale factor = 126/9 = 14. Therefore second quantity = 14×14 = 196.

id=72130 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37362 at 4% per annum for 2 years. | option_a=2888 | option_b=40350 | option_c=3088 | option_d=2988 | answer=D | explanation=SI = PRT/100 = 37362×4×2/100 = █2988.

id=72131 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 43? | option_a=38 | option_b=30 | option_c=43 | option_d=34 | answer=C | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 43 is the odd one out.

id=72132 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=J | option_b=F | option_c=N | option_d=B | answer=A | explanation=Move 4 positions forward from F; the resulting letter is J.

id=72133 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=72134 | topic=Averages | difficulty=Easy | question=Find the average of 58, 33, 52, 75, 89, 77. | option_a=66 | option_b=65 | option_c=63 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 384 ÷ 6 = 64.

id=72135 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=S | option_c=U | option_d=Q | answer=C | explanation=Move 2 positions forward from S; the resulting letter is U.

id=72136 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=72137 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 22, 26, 31? | option_a=31 | option_b=26 | option_c=18 | option_d=22 | answer=A | explanation=The first three numbers increase by 4, so the next should be 30. Therefore 31 is the odd one out.

id=72138 | topic=Averages | difficulty=Easy | question=Find the average of 86, 17, 51, 42, 62, 88, 37, 77, 44, 76. | option_a=58 | option_b=59 | option_c=60 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 580 ÷ 10 = 58.

id=72139 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4968. If it is sold at a profit of 15%, what is its selling price? | option_a=5217 | option_b=5713 | option_c=6209 | option_d=4983 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4968 × 115/100 = █5713.

id=72140 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2575. If it is sold at a profit of 40%, what is its selling price? | option_a=2615 | option_b=3862 | option_c=3348 | option_d=3605 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2575 × 140/100 = █3605.

id=72141 | topic=Percentages | difficulty=Easy | question=What is 12% of 1187? | option_a=142 | option_b=122 | option_c=152 | option_d=284 | answer=A | explanation=12% of 1187 = (12/100) × 1187 = 142.

id=72142 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=O | option_c=I | option_d=R | answer=B | explanation=Move 3 positions forward from L; the resulting letter is O.

id=72143 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3607 at 6% per annum for 5 years. | option_a=982 | option_b=1082 | option_c=1182 | option_d=4689 | answer=B | explanation=SI = PRT/100 = 3607×6×5/100 = █1082.

id=72144 | topic=Percentages | difficulty=Easy | question=What is 25% of 725? | option_a=186 | option_b=362 | option_c=171 | option_d=181 | answer=D | explanation=25% of 725 = (25/100) × 725 = 181.

id=72145 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=X | option_b=T | option_c=L | option_d=P | answer=B | explanation=Move 4 positions forward from P; the resulting letter is T.

id=72146 | topic=Percentages | difficulty=Easy | question=What is 10% of 1639? | option_a=153 | option_b=326 | option_c=183 | option_d=163 | answer=D | explanation=10% of 1639 = (10/100) × 1639 = 163.

id=72147 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=C | option_c=Y | option_d=A | answer=B | explanation=Move 2 positions forward from A; the resulting letter is C.

id=72148 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=72149 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 14, 16, 20? | option_a=12 | option_b=16 | option_c=20 | option_d=14 | answer=C | explanation=The first three numbers increase by 2, so the next should be 18. Therefore 20 is the odd one out.

id=72150 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

Aptitude Questions — Records 72,151-72,180 of 100,000

id=72151 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:4 and the first is 81, what is the second? | option_a=36 | option_b=117 | option_c=32 | option_d=45 | answer=A | explanation=Scale factor = 81/9 = 9. Therefore second quantity = 4×9 = 36.

id=72152 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=72153 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=57 | option_b=67 | option_c=56 | option_d=45 | answer=C | explanation=The common difference is 11. Therefore the next term is 45 + 11 = 56.

id=72154 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=59 | option_b=58 | option_c=46 | option_d=70 | answer=B | explanation=The common difference is 12. Therefore the next term is 46 + 12 = 58.

id=72155 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:5 and the first is 285, what is the second? | option_a=90 | option_b=110 | option_c=95 | option_d=380 | answer=C | explanation=Scale factor = 285/15 = 19. Therefore second quantity = 5×19 = 95.

id=72156 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:9 and the first is 48, what is the second? | option_a=78 | option_b=72 | option_c=120 | option_d=63 | answer=B | explanation=Scale factor = 48/6 = 8. Therefore second quantity = 9×8 = 72.

id=72157 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=31 | option_b=21 | option_c=27 | option_d=26 | answer=D | explanation=The common difference is 5. Therefore the next term is 21 + 5 = 26.

id=72158 | topic=Averages | difficulty=Easy | question=Find the average of 84, 99, 67, 70, 50, 51, 11, 96. | option_a=67 | option_b=65 | option_c=66 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 528 ÷ 8 = 66.

id=72159 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=55 | option_c=50 | option_d=100 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=72160 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=33 | option_b=32 | option_c=27 | option_d=37 | answer=B | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

id=72161 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1703 at 15% per annum for 2 years. | option_a=410 | option_b=510 | option_c=2213 | option_d=610 | answer=B | explanation=SI = PRT/100 = 1703×15×2/100 = **■**510.

id=72162 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4439. If it is sold at a profit of 40%, what is its selling price? | option_a=4479 | option_b=5771 | option_c=6657 | option_d=6214 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4439 × 140/100 = **■**6214.

id=72163 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3075. If it is sold at a profit of 20%, what is its selling price? | option_a=3690 | option_b=3997 | option_c=3383 | option_d=3095 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3075 × 120/100 = **■**3690.

id=72164 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=47 | option_b=56 | option_c=48 | option_d=38 | answer=A | explanation=The common difference is 9. Therefore the next term is 38 + 9 = 47.

id=72165 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=Q | option_b=P | option_c=R | option_d=O | answer=A | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=72166 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=72167 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**395. If it is sold at a profit of 20%, what is its selling price? | option_a=435 | option_b=415 | option_c=474 | option_d=513 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 395 × 120/100 = **■**474.

id=72168 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4232. If it is sold at a profit of 10%, what is its selling price? | option_a=4232 | option_b=5078 | option_c=4655 | option_d=4242 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4232 × 110/100 = **■**4655.

id=72169 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:19 and the first is 195, what is the second? | option_a=262 | option_b=247 | option_c=228 | option_d=442 | answer=B | explanation=Scale factor = 195/15 = 13. Therefore second quantity = 19×13 = 247.

id=72170 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=1 | option_c=6 | option_d=12 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=72171 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 15, 19, 24? | option_a=24 | option_b=11 | option_c=19 | option_d=15 | answer=A | explanation=The first three numbers increase by 4, so the next should be 23. Therefore 24 is the odd one out.

id=72172 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=R | option_b=U | option_c=L | option_d=O | answer=A | explanation=Move 3 positions forward from O; the resulting letter is R.

id=72173 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:19 and the first is 78, what is the second? | option_a=228 | option_b=253 | option_c=247 | option_d=325 | answer=C | explanation=Scale factor = 78/6 = 13. Therefore second quantity = 19×13 = 247.

id=72174 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=O | option_c=S | option_d=A | answer=A | explanation=Move 4 positions forward from S; the resulting letter is W.

id=72175 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 28. | option_a=84 | option_b=90 | option_c=168 | option_d=56 | answer=A | explanation=LCM × HCF = 6×28; HCF(6,28) = 2, so LCM = 84.

id=72176 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42689 at 8% per annum for 4 years. | option_a=13660 | option_b=56349 | option_c=13760 | option_d=13560 | answer=A | explanation=SI = PRT/100 = 42689×8×4/100 = **■**13660.

id=72177 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16924 at 15% per annum for 1 years. | option_a=19462 | option_b=2438 | option_c=2538 | option_d=2638 | answer=C | explanation=SI = PRT/100 = 16924×15×1/100 = **■**2538.

id=72178 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24644 at 10% per annum for 2 years. | option_a=4928 | option_b=29572 | option_c=4828 | option_d=5028 | answer=A | explanation=SI = PRT/100 = 24644×10×2/100 = **■**4928.

id=72179 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=41 | option_b=52 | option_c=63 | option_d=53 | answer=B | explanation=The common difference is 11. Therefore the next term is 41 + 11 = 52.

id=72180 | topic=Percentages | difficulty=Easy | question=What is 12% of 1119? | option_a=129 | option_b=268 | option_c=144 | option_d=134 | answer=D | explanation=12% of 1119 = (12/100) × 1119 = 134.

Aptitude Questions — Records 72,181-72,210 of 100,000

id=72181 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=72182 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=T | option_b=Q | option_c=S | option_d=R | answer=C | explanation=Move 1 positions forward from R; the resulting letter is S.

id=72183 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21218 at 15% per annum for 1 years. | option_a=24400 | option_b=3082 | option_c=3182 | option_d=3282 | answer=C | explanation=SI = PRT/100 = 21218×15×1/100 = **■**3182.

id=72184 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 22, 29, 38? | option_a=38 | option_b=22 | option_c=15 | option_d=29 | answer=A | explanation=The first three numbers increase by 7, so the next should be 36. Therefore 38 is the odd one out.

id=72185 | topic=Percentages | difficulty=Easy | question=What is 5% of 658? | option_a=27 | option_b=52 | option_c=32 | option_d=64 | answer=C | explanation=5% of 658 = (5/100) × 658 = 32.

id=72186 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42712 at 15% per annum for 2 years. | option_a=55525 | option_b=12913 | option_c=12813 | option_d=12713 | answer=C | explanation=SI = PRT/100 = 42712×15×2/100 = **■**12813.

id=72187 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=51 | option_b=35 | option_c=44 | option_d=43 | answer=D | explanation=The common difference is 8. Therefore the next term is 35 + 8 = 43.

id=72188 | topic=Averages | difficulty=Easy | question=Find the average of 38, 84, 52. | option_a=58 | option_b=60 | option_c=57 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 174 ÷ 3 = 58.

id=72189 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2865. If it is sold at a profit of 50%, what is its selling price? | option_a=4011 | option_b=4583 | option_c=4297 | option_d=2915 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2865 × 150/100 = **■**4297.

id=72190 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:19 and the first is 12, what is the second? | option_a=79 | option_b=57 | option_c=88 | option_d=76 | answer=D | explanation=Scale factor = 12/3 = 4. Therefore second quantity = 19×4 = 76.

id=72191 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=12 | option_c=6 | option_d=11 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=72192 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 43? | option_a=34 | option_b=43 | option_c=20 | option_d=27 | answer=B | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 43 is the odd one out.

id=72193 | topic=Percentages | difficulty=Easy | question=What is 5% of 618? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=5% of 618 = (5/100) × 618 = 30.

id=72194 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=50 | option_b=61 | option_c=62 | option_d=72 | answer=B | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.

id=72195 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=40 | option_b=46 | option_c=32 | option_d=39 | answer=D | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.

id=72196 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:16 and the first is 266, what is the second? | option_a=208 | option_b=224 | option_c=243 | option_d=490 | answer=B | explanation=Scale factor = 266/19 = 14. Therefore second quantity = 16×14 = 224.

id=72197 | topic=Averages | difficulty=Easy | question=Find the average of 49, 36, 19, 45, 16, 53, 34. | option_a=36 | option_b=37 | option_c=38 | option_d=35 | answer=A | explanation=Average = sum of values ÷ number of values = 252 ÷ 7 = 36.

id=72198 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 5, 8, 11, ? | option_a=15 | option_b=11 | option_c=17 | option_d=14 | answer=D | explanation=The common difference is 3. Therefore the next term is 11 + 3 = 14.

id=72199 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4155. If it is sold at a profit of 15%, what is its selling price? | option_a=4363 | option_b=5193 | option_c=4170 | option_d=4778 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4155 × 115/100 = **■**4778.

id=72200 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=R | option_b=S | option_c=Q | option_d=P | answer=A | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=72201 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:8 and the first is 204, what is the second? | option_a=148 | option_b=340 | option_c=128 | option_d=136 | answer=D | explanation=Scale factor = 204/12 = 17. Therefore second quantity = 8×17 = 136.

id=72202 | topic=Averages | difficulty=Easy | question=Find the average of 11, 93, 87, 80, 29, 19, 53, 36. | option_a=51 | option_b=52 | option_c=50 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 408 ÷ 8 = 51.

id=72203 | topic=Averages | difficulty=Easy | question=Find the average of 18, 79, 67, 27, 14, 17. | option_a=38 | option_b=39 | option_c=37 | option_d=36 | answer=C | explanation=Average = sum of values ÷ number of values = 222 ÷ 6 = 37.

id=72204 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14459 at 8% per annum for 4 years. | option_a=4726 | option_b=4526 | option_c=19085 | option_d=4626 | answer=D | explanation=SI = PRT/100 = 14459×8×4/100 = **■**4626.

id=72205 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 51? | option_a=21 | option_b=39 | option_c=51 | option_d=30 | answer=C | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 51 is the odd one out.

id=72206 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:18 and the first is 114, what is the second? | option_a=108 | option_b=222 | option_c=90 | option_d=127 | answer=A | explanation=Scale factor = 114/19 = 6. Therefore second quantity = 18×6 = 108.

id=72207 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2789. If it is sold at a profit of 40%, what is its selling price? | option_a=3904 | option_b=3626 | option_c=2829 | option_d=4182 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2789 × 140/100 = **■**3904.

id=72208 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 26, 34, 42, ? | option_a=51 | option_b=50 | option_c=58 | option_d=42 | answer=B | explanation=The common difference is 8. Therefore the next term is 42 + 8 = 50.

id=72209 | topic=Percentages | difficulty=Easy | question=What is 50% of 1453? | option_a=726 | option_b=736 | option_c=1452 | option_d=716 | answer=A | explanation=50% of 1453 = (50/100) × 1453 = 726.

id=72210 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 9, 12, 17? | option_a=9 | option_b=12 | option_c=6 | option_d=17 | answer=D | explanation=The first three numbers increase by 3, so the next should be 15. Therefore 17 is the odd one out.

Aptitude Questions — Records 72,211-72,240 of 100,000

id=72211 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=72212 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 3. | option_a=21 | option_b=63 | option_c=42 | option_d=18 | answer=A | explanation=LCM × HCF = 21×3; HCF(21,3) = 3, so LCM = 21.

id=72213 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 14, 16, 21? | option_a=12 | option_b=16 | option_c=14 | option_d=21 | answer=D | explanation=The first three numbers increase by 2, so the next should be 18. Therefore 21 is the odd one out.

id=72214 | topic=Averages | difficulty=Easy | question=Find the average of 21, 67, 67, 77, 60, 89, 98, 75, 94. | option_a=73 | option_b=72 | option_c=74 | option_d=71 | answer=B | explanation=Average = sum of values ÷ number of values = 648 ÷ 9 = 72.

id=72215 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■33636 at 12% per annum for 2 years. | option_a=8072 | option_b=7972 | option_c=41708 | option_d=8172 | answer=A | explanation=SI = PRT/100 = 33636×12×2/100 = ■8072.

id=72216 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:9 and the first is 306, what is the second? | option_a=153 | option_b=179 | option_c=162 | option_d=468 | answer=C | explanation=Scale factor = 306/17 = 18. Therefore second quantity = 9×18 = 162.

id=72217 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=O | option_b=T | option_c=Y | option_d=D | answer=C | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=72218 | topic=Averages | difficulty=Easy | question=Find the average of 85, 99, 38, 47, 26. | option_a=60 | option_b=58 | option_c=59 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 295 ÷ 5 = 59.

id=72219 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=72220 | topic=Averages | difficulty=Easy | question=Find the average of 46, 74, 85, 26, 99. | option_a=65 | option_b=66 | option_c=68 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = 330 ÷ 5 = 66.

id=72221 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■23900 at 15% per annum for 3 years. | option_a=10855 | option_b=10655 | option_c=34655 | option_d=10755 | answer=D | explanation=SI = PRT/100 = 23900×15×3/100 = ■10755.

id=72222 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 12. | option_a=182 | option_b=144 | option_c=156 | option_d=312 | answer=C | explanation=LCM × HCF = 26×12; HCF(26,12) = 2, so LCM = 156.

id=72223 | topic=Percentages | difficulty=Easy | question=What is 5% of 254? | option_a=12 | option_b=2 | option_c=22 | option_d=24 | answer=A | explanation=5% of 254 = (5/100) × 254 = 12.

id=72224 | topic=Averages | difficulty=Easy | question=Find the average of 45, 38, 42, 33, 17. | option_a=36 | option_b=35 | option_c=34 | option_d=37 | answer=B | explanation=Average = sum of values ÷ number of values = 175 ÷ 5 = 35.

id=72225 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=64 | option_b=74 | option_c=63 | option_d=52 | answer=C | explanation=The common difference is 11. Therefore the next term is 52 + 11 = 63.

id=72226 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■21909 at 5% per annum for 1 years. | option_a=995 | option_b=1095 | option_c=1195 | option_d=23004 | answer=B | explanation=SI = PRT/100 = 21909×5×1/100 = ■1095.

id=72227 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=22 | option_b=28 | option_c=29 | option_d=34 | answer=B | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.

id=72228 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=40 | option_b=54 | option_c=48 | option_d=47 | answer=D | explanation=The common difference is 7. Therefore the next term is 40 + 7 = 47.

id=72229 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=41 | option_b=27 | option_c=34 | option_d=35 | answer=C | explanation=The common difference is 7. Therefore the next term is 27 + 7 = 34.

id=72230 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=72231 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=72232 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=25 | option_b=24 | option_c=28 | option_d=20 | answer=B | explanation=The common difference is 4. Therefore the next term is 20 + 4 = 24.

id=72233 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 27, 30, 35? | option_a=27 | option_b=35 | option_c=30 | option_d=24 | answer=B | explanation=The first three numbers increase by 3, so the next should be 33. Therefore 35 is the odd one out.

id=72234 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 6. | option_a=60 | option_b=30 | option_c=40 | option_d=24 | answer=B | explanation=LCM × HCF = 10×6; HCF(10,6) = 2, so LCM = 30.

id=72235 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=Y | option_b=E | option_c=C | option_d=A | answer=C | explanation=Move 2 positions forward from A; the resulting letter is C.

id=72236 | topic=Averages | difficulty=Easy | question=Find the average of 41, 13, 46, 93, 32. | option_a=44 | option_b=45 | option_c=47 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 225 ÷ 5 = 45.

id=72237 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 10, 15, 21? | option_a=10 | option_b=5 | option_c=21 | option_d=15 | answer=C | explanation=The first three numbers increase by 5, so the next should be 20. Therefore 21 is the odd one out.

id=72238 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:16 and the first is 38, what is the second? | option_a=32 | option_b=16 | option_c=51 | option_d=70 | answer=A | explanation=Scale factor = 38/19 = 2. Therefore second quantity = 16×2 = 32.

id=72239 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=72240 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4838. If it is sold at a profit of 10%, what is its selling price? | option_a=5804 | option_b=4838 | option_c=4848 | option_d=5321 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4838 × 110/100 = ■5321.

Aptitude Questions — Records 72,241-72,270 of 100,000

id=72241 | topic=Averages | difficulty=Easy | question=Find the average of 29, 46, 75, 52, 80, 44, 31. | option_a=52 | option_b=50 | option_c=53 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = $357 \div 7 = 51$.

id=72242 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=50 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = $90 \div 2 = 45$ km/h.

id=72243 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1342. If it is sold at a profit of 50%, what is its selling price? | option_a=2013 | option_b=1392 | option_c=1879 | option_d=2147 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1342 \times 150/100 = \text{█}2013$.

id=72244 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 19, 25, 34? | option_a=25 | option_b=34 | option_c=13 | option_d=19 | answer=B | explanation=The first three numbers increase by 6, so the next should be 31. Therefore 34 is the odd one out.

id=72245 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 13, 18, 24? | option_a=24 | option_b=13 | option_c=8 | option_d=18 | answer=A | explanation=The first three numbers increase by 5, so the next should be 23. Therefore 24 is the odd one out.

id=72246 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=360 | option_c=185 | option_d=180 | answer=D | explanation=Speed = distance ÷ time = $360 \div 2 = 180$ km/h.

id=72247 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5635 at 15% per annum for 4 years. | option_a=3281 | option_b=3481 | option_c=9016 | option_d=3381 | answer=D | explanation=SI = $PRT/100 = 5635 \times 15 \times 4/100 = \text{█}3381$.

id=72248 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=72249 | topic=Averages | difficulty=Easy | question=Find the average of 58, 54, 88, 81, 93, 12, 96, 62, 46, 70. | option_a=67 | option_b=65 | option_c=66 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = $660 \div 10 = 66$.

id=72250 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 14, 23, 33? | option_a=5 | option_b=33 | option_c=23 | option_d=14 | answer=B | explanation=The first three numbers increase by 9, so the next should be 32. Therefore 33 is the odd one out.

id=72251 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16271 at 15% per annum for 4 years. | option_a=9662 | option_b=9862 | option_c=26033 | option_d=9762 | answer=D | explanation=SI = $PRT/100 = 16271 \times 15 \times 4/100 = \text{█}9762$.

id=72252 | topic=Averages | difficulty=Easy | question=Find the average of 45, 33, 24, 96, 62, 30, 95. | option_a=56 | option_b=54 | option_c=57 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = $385 \div 7 = 55$.

id=72253 | topic=Percentages | difficulty=Easy | question=What is 40% of 872? | option_a=328 | option_b=696 | option_c=368 | option_d=348 | answer=D | explanation=40% of 872 = $(40/100) \times 872 = 348$.

id=72254 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=50 | option_b=61 | option_c=39 | option_d=51 | answer=A | explanation=The common difference is 11. Therefore the next term is $39 + 11 = 50$.

id=72255 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 6. | option_a=78 | option_b=104 | option_c=156 | option_d=72 | answer=A | explanation=LCM $\times$ HCF = 26×6 ; $HCF(26,6) = 2$, so LCM = 78.

id=72256 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=4 | option_c=14 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = $90 \div 10 = 9$ km/h.

id=72257 | topic=Percentages | difficulty=Easy | question=What is 12% of 895? | option_a=107 | option_b=127 | option_c=214 | option_d=87 | answer=A | explanation=12% of 895 = $(12/100) \times 895 = 107$.

id=72258 | topic=Averages | difficulty=Easy | question=Find the average of 78, 81, 34, 56, 26. | option_a=54 | option_b=55 | option_c=57 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = $275 \div 5 = 55$.

id=72259 | topic=Percentages | difficulty=Easy | question=What is 5% of 905? | option_a=50 | option_b=45 | option_c=25 | option_d=90 | answer=B | explanation=5% of 905 = $(5/100) \times 905 = 45$.

id=72260 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 26, 33, 41? | option_a=19 | option_b=33 | option_c=26 | option_d=41 | answer=D | explanation=The first three numbers increase by 7, so the next should be 40. Therefore 41 is the odd one out.

id=72261 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=66 | option_b=44 | option_c=56 | option_d=55 | answer=D | explanation=The common difference is 11. Therefore the next term is $44 + 11 = 55$.

id=72262 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=72263 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10422 at 10% per annum for 4 years. | option_a=4168 | option_b=4268 | option_c=4068 | option_d=14590 | answer=A | explanation=SI = $PRT/100 = 10422 \times 10 \times 4/100 = \text{█}4168$.

id=72264 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:19 and the first is 272, what is the second? | option_a=339 | option_b=304 | option_c=595 | option_d=323 | answer=D | explanation=Scale factor = $272/16 = 17$. Therefore second quantity = $19 \times 17 = 323$.

id=72265 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:15 and the first is 176, what is the second? | option_a=416 | option_b=240 | option_c=225 | option_d=251 | answer=B | explanation=Scale factor = $176/11 = 16$. Therefore second quantity = $15 \times 16 = 240$.

id=72266 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=39 | option_b=27 | option_c=34 | option_d=33 | answer=D | explanation=The common difference is 6. Therefore the next term is $27 + 6 = 33$.

id=72267 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=17 | option_b=13 | option_c=19 | option_d=16 | answer=D | explanation=The common difference is 3. Therefore the next term is $13 + 3 = 16$.

id=72268 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 26, 34, 42, ? | option_a=51 | option_b=50 | option_c=42 | option_d=58 | answer=B | explanation=The common difference is 8. Therefore the next term is $42 + 8 = 50$.

id=72269 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=95 | option_c=85 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = $360 \div 4 = 90$ km/h.

id=72270 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 35, 41, 49? | option_a=49 | option_b=29 | option_c=35 | option_d=41 | answer=A | explanation=The first three numbers increase by 6, so the next should be 47. Therefore 49 is the odd one out.

Aptitude Questions — Records 72,271-72,300 of 100,000

id=72271 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4800. If it is sold at a profit of 15%, what is its selling price? | option_a=5520 | option_b=4815 | option_c=5040 | option_d=6000 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4800 × 115/100 = █5520.

id=72272 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=26 | option_b=38 | option_c=32 | option_d=33 | answer=C | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=72273 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=54 | option_b=48 | option_c=40 | option_d=47 | answer=D | explanation=The common difference is 7. Therefore the next term is 40 + 7 = 47.

id=72274 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 25. | option_a=50 | option_b=60 | option_c=25 | option_d=250 | answer=A | explanation=LCM × HCF = 10×25; HCF(10,25) = 5, so LCM = 50.

id=72275 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 48? | option_a=17 | option_b=27 | option_c=37 | option_d=48 | answer=D | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 48 is the odd one out.

id=72276 | topic=Averages | difficulty=Easy | question=Find the average of 25, 63, 60, 33, 71, 45, 53, 47, 17. | option_a=46 | option_b=45 | option_c=47 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = 414 ÷ 9 = 46.

id=72277 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=72278 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=15 | option_c=40 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=72279 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10637 at 15% per annum for 2 years. | option_a=13828 | option_b=3291 | option_c=3091 | option_d=3191 | answer=D | explanation=SI = PRT/100 = 10637×15×2/100 = █3191.

id=72280 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 14, 23, 33? | option_a=33 | option_b=14 | option_c=5 | option_d=23 | answer=A | explanation=The first three numbers increase by 9, so the next should be 32. Therefore 33 is the odd one out.

id=72281 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=35 | option_b=27 | option_c=32 | option_d=31 | answer=D | explanation=The common difference is 4. Therefore the next term is 27 + 4 = 31.

id=72282 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14439 at 15% per annum for 3 years. | option_a=6597 | option_b=6497 | option_c=6397 | option_d=20936 | answer=B | explanation=SI = PRT/100 = 14439×15×3/100 = █6497.

id=72283 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 12, 15, 18, ? | option_a=21 | option_b=18 | option_c=24 | option_d=22 | answer=A | explanation=The common difference is 3. Therefore the next term is 18 + 3 = 21.

id=72284 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21032 at 10% per annum for 4 years. | option_a=8512 | option_b=29444 | option_c=8312 | option_d=8412 | answer=D | explanation=SI = PRT/100 = 21032×10×4/100 = █8412.

id=72285 | topic=Percentages | difficulty=Easy | question=What is 25% of 1384? | option_a=356 | option_b=336 | option_c=346 | option_d=692 | answer=C | explanation=25% of 1384 = (25/100) × 1384 = 346.

id=72286 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=72287 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=72288 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39161 at 12% per annum for 4 years. | option_a=18697 | option_b=18797 | option_c=18897 | option_d=57958 | answer=B | explanation=SI = PRT/100 = 39161×12×4/100 = █18797.

id=72289 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20660 at 5% per annum for 4 years. | option_a=4032 | option_b=24792 | option_c=4232 | option_d=4132 | answer=D | explanation=SI = PRT/100 = 20660×5×4/100 = █4132.

id=72290 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=72291 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4092 at 12% per annum for 3 years. | option_a=1573 | option_b=1373 | option_c=1473 | option_d=5565 | answer=C | explanation=SI = PRT/100 = 4092×12×3/100 = █1473.

id=72292 | topic=Averages | difficulty=Easy | question=Find the average of 84, 45, 69, 85, 58, 73, 49, 81, 23, 73. | option_a=65 | option_b=64 | option_c=63 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 640 ÷ 10 = 64.

id=72293 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3587. If it is sold at a profit of 20%, what is its selling price? | option_a=3607 | option_b=4304 | option_c=4662 | option_d=3946 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3587 × 120/100 = █4304.

id=72294 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=72295 | topic=Percentages | difficulty=Easy | question=What is 30% of 96? | option_a=48 | option_b=56 | option_c=8 | option_d=28 | answer=D | explanation=30% of 96 = (30/100) × 96 = 28.

id=72296 | topic=Averages | difficulty=Easy | question=Find the average of 45, 34, 38. | option_a=38 | option_b=39 | option_c=40 | option_d=41 | answer=B | explanation=Average = sum of values ÷ number of values = 117 ÷ 3 = 39.

id=72297 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 13, 20, 29? | option_a=20 | option_b=6 | option_c=29 | option_d=13 | answer=C | explanation=The first three numbers increase by 7, so the next should be 27. Therefore 29 is the odd one out.

id=72298 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:12 and the first is 96, what is the second? | option_a=132 | option_b=152 | option_c=144 | option_d=240 | answer=C | explanation=Scale factor = 96/8 = 12. Therefore second quantity = 12×12 = 144.

id=72299 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45986 at 6% per annum for 1 years. | option_a=2659 | option_b=48745 | option_c=2859 | option_d=2759 | answer=D | explanation=SI = PRT/100 = 45986×6×1/100 = █2759.

id=72300 | topic=Percentages | difficulty=Easy | question=What is 40% of 618? | option_a=494 | option_b=247 | option_c=252 | option_d=242 | answer=B | explanation=40% of 618 = (40/100) × 618 = 247.

Aptitude Questions — Records 72,301-72,330 of 100,000

- id=72301 | topic=Percentages | difficulty=Easy | question=What is 50% of 1047? | option_a=523 | option_b=1046 | option_c=528 | option_d=513 | answer=A | explanation=50% of 1047 = $(50/100) \times 1047 = 523$.
- id=72302 | topic=Averages | difficulty=Easy | question=Find the average of 14, 69, 85, 15, 27, 88, 32, 86. | option_a=53 | option_b=52 | option_c=51 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = $416 \div 8 = 52$.
- id=72303 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.
- id=72304 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1750. If it is sold at a profit of 30%, what is its selling price? | option_a=2275 | option_b=2100 | option_c=1780 | option_d=2450 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1750 \times 130/100 = \text{█}2275$.
- id=72305 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 25, 33, 41, ? | option_a=57 | option_b=41 | option_c=49 | option_d=50 | answer=C | explanation=The common difference is 8. Therefore the next term is $41 + 8 = 49$.
- id=72306 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41916 at 15% per annum for 2 years. | option_a=54490 | option_b=12674 | option_c=12574 | option_d=12474 | answer=C | explanation=SI = $PRT/100 = 41916 \times 15 \times 2/100 = \text{█}12574$.
- id=72307 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=E | option_b=I | option_c=K | option_d=G | answer=B | explanation=Move 2 positions forward from G; the resulting letter is I.
- id=72308 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3575. If it is sold at a profit of 10%, what is its selling price? | option_a=3585 | option_b=4289 | option_c=3932 | option_d=3575 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3575 \times 110/100 = \text{█}3932$.
- id=72309 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 16. | option_a=1 | option_b=20 | option_c=64 | option_d=16 | answer=D | explanation=LCM $\times$ HCF = 4×16 ; HCF(4,16) = 4, so LCM = 16.
- id=72310 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39975 at 5% per annum for 4 years. | option_a=47970 | option_b=7995 | option_c=7895 | option_d=8095 | answer=B | explanation=SI = $PRT/100 = 39975 \times 5 \times 4/100 = \text{█}7995$.
- id=72311 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 11. | option_a=22 | option_b=44 | option_c=242 | option_d=11 | answer=A | explanation=LCM $\times$ HCF = 22×11 ; HCF(22,11) = 11, so LCM = 22.
- id=72312 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 30, 32, 35? | option_a=30 | option_b=32 | option_c=28 | option_d=35 | answer=D | explanation=The first three numbers increase by 2, so the next should be 34. Therefore 35 is the odd one out.
- id=72313 | topic=Percentages | difficulty=Easy | question=What is 25% of 1378? | option_a=339 | option_b=364 | option_c=344 | option_d=688 | answer=C | explanation=25% of 1378 = $(25/100) \times 1378 = 344$.
- id=72314 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25321 at 12% per annum for 2 years. | option_a=5977 | option_b=31398 | option_c=6177 | option_d=6077 | answer=D | explanation=SI = $PRT/100 = 25321 \times 12 \times 2/100 = \text{█}6077$.
- id=72315 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=90 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = $90 \div 2 = 45$ km/h.
- id=72316 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = $240 \div 8 = 30$ km/h.
- id=72317 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=41 | option_b=31 | option_c=37 | option_d=36 | answer=D | explanation=The common difference is 5. Therefore the next term is $31 + 5 = 36$.
- id=72318 | topic=Percentages | difficulty=Easy | question=What is 30% of 1714? | option_a=514 | option_b=519 | option_c=1028 | option_d=504 | answer=A | explanation=30% of 1714 = $(30/100) \times 1714 = 514$.
- id=72319 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.
- id=72320 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=40 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = $120 \div 6 = 20$ km/h.
- id=72321 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.
- id=72322 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=125 | option_c=120 | option_d=240 | answer=C | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.
- id=72323 | topic=Averages | difficulty=Easy | question=Find the average of 78, 37, 35, 99, 86, 85, 14. | option_a=61 | option_b=62 | option_c=63 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = $434 \div 7 = 62$.
- id=72324 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=40 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = $60 \div 3 = 20$ km/h.
- id=72325 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 34? | option_a=27 | option_b=34 | option_c=25 | option_d=29 | answer=B | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 34 is the odd one out.
- id=72326 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:12 and the first is 300, what is the second? | option_a=540 | option_b=255 | option_c=240 | option_d=228 | answer=C | explanation=Scale factor = $300/15 = 20$. Therefore second quantity = $12 \times 20 = 240$.
- id=72327 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 24, 27, 32? | option_a=32 | option_b=24 | option_c=27 | option_d=21 | answer=A | explanation=The first three numbers increase by 3, so the next should be 30. Therefore 32 is the odd one out.
- id=72328 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=55 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = $150 \div 3 = 50$ km/h.
- id=72329 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=18 | option_b=23 | option_c=24 | option_d=28 | answer=B | explanation=The common difference is 5. Therefore the next term is $18 + 5 = 23$.
- id=72330 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=24 | option_b=20 | option_c=23 | option_d=26 | answer=C | explanation=The common difference is 3. Therefore the next term is $20 + 3 = 23$.

Aptitude Questions — Records 72,331-72,360 of 100,000

id=72331 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:15 and the first is 208, what is the second? | option_a=240 | option_b=225 | option_c=253 | option_d=448 | answer=A | explanation=Scale factor = $208/13 = 16$. Therefore second quantity = $15 \times 16 = 240$.

id=72332 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=80 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = $240 \div 6 = 40$ km/h.

id=72333 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 14, 16, 21? | option_a=21 | option_b=12 | option_c=14 | option_d=16 | answer=A | explanation=The first three numbers increase by 2, so the next should be 18. Therefore 21 is the odd one out.

id=72334 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=O | option_c=G | option_d=C | answer=A | explanation=Move 4 positions forward from G; the resulting letter is K.

id=72335 | topic=Percentages | difficulty=Easy | question=What is 15% of 1505? | option_a=225 | option_b=245 | option_c=215 | option_d=450 | answer=A | explanation=15% of 1505 = $(15/100) \times 1505 = 225$.

id=72336 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:15 and the first is 42, what is the second? | option_a=111 | option_b=147 | option_c=90 | option_d=105 | answer=D | explanation=Scale factor = $42/6 = 7$. Therefore second quantity = $15 \times 7 = 105$.

id=72337 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 25, 34, 46? | option_a=16 | option_b=46 | option_c=25 | option_d=34 | answer=B | explanation=The first three numbers increase by 9, so the next should be 43. Therefore 46 is the odd one out.

id=72338 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5194 at 8% per annum for 3 years. | option_a=1346 | option_b=1146 | option_c=6440 | option_d=1246 | answer=D | explanation=SI = $PRT/100 = 5194 \times 8 \times 3/100 = \text{■}1246$.

id=72339 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1682. If it is sold at a profit of 50%, what is its selling price? | option_a=2523 | option_b=1732 | option_c=2691 | option_d=2355 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1682 \times 150/100 = \text{■}2523$.

id=72340 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = $90 \div 6 = 15$ km/h.

id=72341 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=20 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = $150 \div 10 = 15$ km/h.

id=72342 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=32 | option_b=27 | option_c=20 | option_d=26 | answer=D | explanation=The common difference is 6. Therefore the next term is $20 + 6 = 26$.

id=72343 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:7 and the first is 266, what is the second? | option_a=399 | option_b=126 | option_c=147 | option_d=133 | answer=D | explanation=Scale factor = $266/14 = 19$. Therefore second quantity = $7 \times 19 = 133$.

id=72344 | topic=Averages | difficulty=Easy | question=Find the average of 79, 98, 12, 47, 20, 26. | option_a=49 | option_b=47 | option_c=48 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = $282 \div 6 = 47$.

id=72345 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1889. If it is sold at a profit of 5%, what is its selling price? | option_a=2171 | option_b=1795 | option_c=1894 | option_d=1983 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1889 \times 105/100 = \text{■}1983$.

id=72346 | topic=Averages | difficulty=Easy | question=Find the average of 97, 46, 13. | option_a=52 | option_b=54 | option_c=51 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = $156 \div 3 = 52$.

id=72347 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 17, 21, 27? | option_a=27 | option_b=17 | option_c=21 | option_d=13 | answer=A | explanation=The first three numbers increase by 4, so the next should be 25. Therefore 27 is the odd one out.

id=72348 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3262. If it is sold at a profit of 20%, what is its selling price? | option_a=4240 | option_b=3914 | option_c=3282 | option_d=3588 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3262 \times 120/100 = \text{■}3914$.

id=72349 | topic=Averages | difficulty=Easy | question=Find the average of 71, 43, 25, 17, 51, 39, 46, 12, 62, 104. | option_a=47 | option_b=49 | option_c=48 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = $470 \div 10 = 47$.

id=72350 | topic=Percentages | difficulty=Easy | question=What is 15% of 1731? | option_a=269 | option_b=518 | option_c=259 | option_d=239 | answer=C | explanation=15% of 1731 = $(15/100) \times 1731 = 259$.

id=72351 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=40 | option_c=25 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = $120 \div 6 = 20$ km/h.

id=72352 | topic=Percentages | difficulty=Easy | question=What is 30% of 1281? | option_a=374 | option_b=404 | option_c=384 | option_d=768 | answer=C | explanation=30% of 1281 = $(30/100) \times 1281 = 384$.

id=72353 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=A | option_c=P | option_d=K | answer=D | explanation=Move 5 positions forward from F; the resulting letter is K.

id=72354 | topic=Averages | difficulty=Easy | question=Find the average of 55, 100, 85, 77, 53. | option_a=74 | option_b=76 | option_c=73 | option_d=75 | answer=A | explanation=Average = sum of values ÷ number of values = $370 \div 5 = 74$.

id=72355 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=40 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = $240 \div 6 = 40$ km/h.

id=72356 | topic=Averages | difficulty=Easy | question=Find the average of 42, 89, 70. | option_a=69 | option_b=66 | option_c=68 | option_d=67 | answer=D | explanation=Average = sum of values ÷ number of values = $201 \div 3 = 67$.

id=72357 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 31, 33, 37? | option_a=29 | option_b=31 | option_c=33 | option_d=37 | answer=D | explanation=The first three numbers increase by 2, so the next should be 35. Therefore 37 is the odd one out.

id=72358 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=40 | option_b=53 | option_c=64 | option_d=52 | answer=D | explanation=The common difference is 12. Therefore the next term is $40 + 12 = 52$.

id=72359 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=45 | option_b=46 | option_c=36 | option_d=54 | answer=A | explanation=The common difference is 9. Therefore the next term is $36 + 9 = 45$.

id=72360 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=8 | option_d=3 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

Aptitude Questions — Records 72,361-72,390 of 100,000

id=72361 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:10 and the first is 153, what is the second? | option_a=170 | option_b=179 | option_c=160 | option_d=323 | answer=A | explanation=Scale factor = $153/9 = 17$. Therefore second quantity = $10 \times 17 = 170$.

id=72362 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=N | option_b=T | option_c=W | option_d=Q | answer=B | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=72363 | topic=Percentages | difficulty=Easy | question=What is 40% of 1397? | option_a=578 | option_b=538 | option_c=558 | option_d=1116 | answer=C | explanation= $40\% \text{ of } 1397 = (40/100) \times 1397 = 558$.

id=72364 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=31 | option_c=41 | option_d=72 | answer=A | explanation=Speed = distance ÷ time = $180 \div 5 = 36$ km/h.

id=72365 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=29 | option_d=19 | answer=A | explanation=Speed = distance ÷ time = $240 \div 10 = 24$ km/h.

id=72366 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 19, 27, 36? | option_a=11 | option_b=36 | option_c=19 | option_d=27 | answer=B | explanation=The first three numbers increase by 8, so the next should be 35. Therefore 36 is the odd one out.

id=72367 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 17, 19, 21, ? | option_a=24 | option_b=21 | option_c=23 | option_d=25 | answer=C | explanation=The common difference is 2. Therefore the next term is $21 + 2 = 23$.

id=72368 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:14 and the first is 192, what is the second? | option_a=224 | option_b=210 | option_c=416 | option_d=236 | answer=A | explanation=Scale factor = $192/12 = 16$. Therefore second quantity = $14 \times 16 = 224$.

id=72369 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:15 and the first is 306, what is the second? | option_a=576 | option_b=287 | option_c=255 | option_d=270 | answer=D | explanation=Scale factor = $306/17 = 18$. Therefore second quantity = $15 \times 18 = 270$.

id=72370 | topic=Percentages | difficulty=Easy | question=What is 20% of 1467? | option_a=293 | option_b=313 | option_c=288 | option_d=586 | answer=A | explanation= $20\% \text{ of } 1467 = (20/100) \times 1467 = 293$.

id=72371 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=X | option_b=L | option_c=T | option_d=P | answer=C | explanation=Move 4 positions forward from P; the resulting letter is T.

id=72372 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 44? | option_a=31 | option_b=37 | option_c=44 | option_d=25 | answer=C | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 44 is the odd one out.

id=72373 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=64 | option_b=55 | option_c=44 | option_d=54 | answer=D | explanation=The common difference is 10. Therefore the next term is $44 + 10 = 54$.

id=72374 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21527 at 12% per annum for 5 years. | option_a=13016 | option_b=12816 | option_c=12916 | option_d=34443 | answer=C | explanation=SI = $PRT/100 = 21527 \times 12 \times 5/100 = \text{■}12916$.

id=72375 | topic=Percentages | difficulty=Easy | question=What is 40% of 1579? | option_a=626 | option_b=641 | option_c=631 | option_d=1262 | answer=C | explanation= $40\% \text{ of } 1579 = (40/100) \times 1579 = 631$.

id=72376 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=S | option_b=J | option_c=P | option_d=M | answer=C | explanation=Move 3 positions forward from M; the resulting letter is P.

id=72377 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=26 | option_b=27 | option_c=32 | option_d=20 | answer=A | explanation=The common difference is 6. Therefore the next term is $20 + 6 = 26$.

id=72378 | topic=Percentages | difficulty=Easy | question=What is 40% of 63? | option_a=5 | option_b=50 | option_c=25 | option_d=30 | answer=C | explanation= $40\% \text{ of } 63 = (40/100) \times 63 = 25$.

id=72379 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=72380 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33649 at 4% per annum for 3 years. | option_a=4137 | option_b=4037 | option_c=37686 | option_d=3937 | answer=B | explanation=SI = $PRT/100 = 33649 \times 4 \times 3/100 = \text{■}4037$.

id=72381 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:15 and the first is 57, what is the second? | option_a=30 | option_b=64 | option_c=102 | option_d=45 | answer=D | explanation=Scale factor = $57/19 = 3$. Therefore second quantity = $15 \times 3 = 45$.

id=72382 | topic=Averages | difficulty=Easy | question=Find the average of 14, 34, 99, 77. | option_a=55 | option_b=57 | option_c=58 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = $224 \div 4 = 56$.

id=72383 | topic=Percentages | difficulty=Easy | question=What is 25% of 1666? | option_a=416 | option_b=832 | option_c=426 | option_d=411 | answer=A | explanation= $25\% \text{ of } 1666 = (25/100) \times 1666 = 416$.

id=72384 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:12 and the first is 8, what is the second? | option_a=104 | option_b=96 | option_c=84 | option_d=97 | answer=B | explanation=Scale factor = $8/1 = 8$. Therefore second quantity = $12 \times 8 = 96$.

id=72385 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35675 at 15% per annum for 2 years. | option_a=46377 | option_b=10702 | option_c=10602 | option_d=10802 | answer=B | explanation=SI = $PRT/100 = 35675 \times 15 \times 2/100 = \text{■}10702$.

id=72386 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=11 | option_c=6 | option_d=1 | answer=C | explanation=Speed = distance ÷ time = $60 \div 10 = 6$ km/h.

id=72387 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 24, 32, 42? | option_a=42 | option_b=32 | option_c=16 | option_d=24 | answer=A | explanation=The first three numbers increase by 8, so the next should be 40. Therefore 42 is the odd one out.

id=72388 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=C | option_b=S | option_c=X | option_d=N | answer=C | explanation=Move 5 positions forward from S; the resulting letter is X.

id=72389 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=72390 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:17 and the first is 65, what is the second? | option_a=286 | option_b=226 | option_c=204 | option_d=221 | answer=D | explanation=Scale factor = $65/5 = 13$. Therefore second quantity = $17 \times 13 = 221$.

Aptitude Questions — Records 72,391-72,420 of 100,000

id=72391 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 17? | option_a=10 | option_b=12 | option_c=8 | option_d=17 | answer=D | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 17 is the odd one out.

id=72392 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=Q | option_c=U | option_d=O | answer=A | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=72393 | topic=Percentages | difficulty=Easy | question=What is 5% of 1797? | option_a=84 | option_b=178 | option_c=109 | option_d=89 | answer=D | explanation=5% of 1797 = (5/100) × 1797 = 89.

id=72394 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=Q | option_c=K | option_d=M | answer=A | explanation=Move 2 positions forward from M; the resulting letter is O.

id=72395 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:18 and the first is 80, what is the second? | option_a=260 | option_b=162 | option_c=180 | option_d=188 | answer=C | explanation=Scale factor = 80/8 = 10. Therefore second quantity = 18×10 = 180.

id=72396 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:15 and the first is 228, what is the second? | option_a=270 | option_b=285 | option_c=513 | option_d=297 | answer=B | explanation=Scale factor = 228/12 = 19. Therefore second quantity = 15×19 = 285.

id=72397 | topic=Percentages | difficulty=Easy | question=What is 20% of 774? | option_a=308 | option_b=159 | option_c=144 | option_d=154 | answer=D | explanation=20% of 774 = (20/100) × 774 = 154.

id=72398 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 35? | option_a=35 | option_b=24 | option_c=4 | option_d=14 | answer=A | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 35 is the odd one out.

id=72399 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 31, 42, 53, ? | option_a=64 | option_b=65 | option_c=53 | option_d=75 | answer=A | explanation=The common difference is 11. Therefore the next term is 53 + 11 = 64.

id=72400 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=51 | option_b=73 | option_c=63 | option_d=62 | answer=D | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.

id=72401 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:10 and the first is 170, what is the second? | option_a=340 | option_b=170 | option_c=160 | option_d=180 | answer=B | explanation=Scale factor = 170/10 = 17. Therefore second quantity = 10×17 = 170.

id=72402 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=360 | option_c=180 | option_d=175 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=72403 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3551. If it is sold at a profit of 10%, what is its selling price? | option_a=3551 | option_b=4261 | option_c=3906 | option_d=3561 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3551 × 110/100 = █3906.

id=72404 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=46 | option_b=66 | option_c=57 | option_d=56 | answer=D | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=72405 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22704 at 10% per annum for 5 years. | option_a=11252 | option_b=11452 | option_c=11352 | option_d=34056 | answer=C | explanation=SI = PRT/100 = 22704×10×5/100 = █11352.

id=72406 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17906 at 15% per annum for 4 years. | option_a=10843 | option_b=10743 | option_c=28649 | option_d=10643 | answer=B | explanation=SI = PRT/100 = 17906×15×4/100 = █10743.

id=72407 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3784. If it is sold at a profit of 25%, what is its selling price? | option_a=3809 | option_b=5108 | option_c=4352 | option_d=4730 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3784 × 125/100 = █4730.

id=72408 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 43? | option_a=30 | option_b=35 | option_c=43 | option_d=25 | answer=C | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 43 is the odd one out.

id=72409 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:15 and the first is 228, what is the second? | option_a=165 | option_b=408 | option_c=199 | option_d=180 | answer=D | explanation=Scale factor = 228/19 = 12. Therefore second quantity = 15×12 = 180.

id=72410 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=U | option_b=S | option_c=V | option_d=T | answer=A | explanation=Move 1 positions forward from T; the resulting letter is U.

id=72411 | topic=Averages | difficulty=Easy | question=Find the average of 21, 47, 42, 10, 67, 14, 29, 90. | option_a=39 | option_b=41 | option_c=42 | option_d=40 | answer=D | explanation=Average = sum of values ÷ number of values = 320 ÷ 8 = 40.

id=72412 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1574. If it is sold at a profit of 30%, what is its selling price? | option_a=1604 | option_b=1889 | option_c=2203 | option_d=2046 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1574 × 130/100 = █2046.

id=72413 | topic=Averages | difficulty=Easy | question=Find the average of 26, 38, 70, 77, 39, 80. | option_a=57 | option_b=56 | option_c=55 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 330 ÷ 6 = 55.

id=72414 | topic=Averages | difficulty=Easy | question=Find the average of 10, 50, 87, 21. | option_a=41 | option_b=43 | option_c=44 | option_d=42 | answer=D | explanation=Average = sum of values ÷ number of values = 168 ÷ 4 = 42.

id=72415 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38709 at 10% per annum for 1 years. | option_a=42579 | option_b=3770 | option_c=3970 | option_d=3870 | answer=D | explanation=SI = PRT/100 = 38709×10×1/100 = █3870.

id=72416 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:5 and the first is 14, what is the second? | option_a=71 | option_b=84 | option_c=70 | option_d=65 | answer=C | explanation=Scale factor = 14/1 = 14. Therefore second quantity = 5×14 = 70.

id=72417 | topic=Percentages | difficulty=Easy | question=What is 40% of 1164? | option_a=475 | option_b=930 | option_c=465 | option_d=445 | answer=C | explanation=40% of 1164 = (40/100) × 1164 = 465.

id=72418 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 53? | option_a=41 | option_b=32 | option_c=53 | option_d=23 | answer=C | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 53 is the odd one out.

id=72419 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=Z | option_c=D | option_d=L | answer=A | explanation=Move 4 positions forward from D; the resulting letter is H.

id=72420 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=24 | option_b=29 | option_c=28 | option_d=32 | answer=C | explanation=The common difference is 4. Therefore the next term is 24 + 4 = 28.

Aptitude Questions — Records 72,421-72,450 of 100,000

id=72421 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=25 | option_c=20 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=72422 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:15 and the first is 84, what is the second? | option_a=90 | option_b=75 | option_c=174 | option_d=104 | answer=A | explanation=Scale factor = 84/14 = 6. Therefore second quantity = 15×6 = 90.

id=72423 | topic=Percentages | difficulty=Easy | question=What is 25% of 260? | option_a=130 | option_b=45 | option_c=85 | option_d=65 | answer=D | explanation=25% of 260 = (25/100) × 260 = 65.

id=72424 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=51 | option_b=61 | option_c=39 | option_d=50 | answer=D | explanation=The common difference is 11. Therefore the next term is 39 + 11 = 50.

id=72425 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 24, 33, 44? | option_a=33 | option_b=24 | option_c=15 | option_d=44 | answer=D | explanation=The first three numbers increase by 9, so the next should be 42. Therefore 44 is the odd one out.

id=72426 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=E | option_c=H | option_d=G | answer=D | explanation=Move 1 positions forward from F; the resulting letter is G.

id=72427 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=V | option_c=Z | option_d=N | answer=B | explanation=Move 4 positions forward from R; the resulting letter is V.

id=72428 | topic=Averages | difficulty=Easy | question=Find the average of 10, 57, 67, 87, 93, 84, 64. | option_a=68 | option_b=66 | option_c=67 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 462 ÷ 7 = 66.

id=72429 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12291 at 15% per annum for 3 years. | option_a=5430 | option_b=17821 | option_c=5530 | option_d=5630 | answer=C | explanation=SI = PRT/100 = 12291×15×3/100 = **■**5530.

id=72430 | topic=Averages | difficulty=Easy | question=Find the average of 39, 45, 75. | option_a=54 | option_b=52 | option_c=53 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 159 ÷ 3 = 53.

id=72431 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 27. | option_a=729 | option_b=1 | option_c=54 | option_d=27 | answer=D | explanation=LCM × HCF = 27×27; HCF(27,27) = 27, so LCM = 27.

id=72432 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=32 | option_b=40 | option_c=48 | option_d=41 | answer=B | explanation=The common difference is 8. Therefore the next term is 32 + 8 = 40.

id=72433 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2440. If it is sold at a profit of 40%, what is its selling price? | option_a=3416 | option_b=2480 | option_c=3172 | option_d=3660 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2440 × 140/100 = **■**3416.

id=72434 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=41 | option_c=72 | option_d=31 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=72435 | topic=Percentages | difficulty=Easy | question=What is 30% of 1704? | option_a=1022 | option_b=531 | option_c=511 | option_d=506 | answer=C | explanation=30% of 1704 = (30/100) × 1704 = 511.

id=72436 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:15 and the first is 90, what is the second? | option_a=231 | option_b=210 | option_c=315 | option_d=225 | answer=D | explanation=Scale factor = 90/6 = 15. Therefore second quantity = 15×15 = 225.

id=72437 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44834 at 5% per annum for 3 years. | option_a=6625 | option_b=6825 | option_c=6725 | option_d=51559 | answer=C | explanation=SI = PRT/100 = 44834×5×3/100 = **■**6725.

id=72438 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=72439 | topic=Percentages | difficulty=Easy | question=What is 30% of 1212? | option_a=363 | option_b=353 | option_c=726 | option_d=383 | answer=A | explanation=30% of 1212 = (30/100) × 1212 = 363.

id=72440 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:5 and the first is 228, what is the second? | option_a=107 | option_b=90 | option_c=95 | option_d=323 | answer=C | explanation=Scale factor = 228/12 = 19. Therefore second quantity = 5×19 = 95.

id=72441 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3159. If it is sold at a profit of 30%, what is its selling price? | option_a=4421 | option_b=3791 | option_c=3189 | option_d=4106 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3159 × 130/100 = **■**4106.

id=72442 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:4 and the first is 48, what is the second? | option_a=52 | option_b=44 | option_c=48 | option_d=96 | answer=C | explanation=Scale factor = 48/4 = 12. Therefore second quantity = 4×12 = 48.

id=72443 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:18 and the first is 57, what is the second? | option_a=111 | option_b=73 | option_c=54 | option_d=36 | answer=C | explanation=Scale factor = 57/19 = 3. Therefore second quantity = 18×3 = 54.

id=72444 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=I | option_b=O | option_c=M | option_d=K | answer=C | explanation=Move 2 positions forward from K; the resulting letter is M.

id=72445 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23330 at 15% per annum for 2 years. | option_a=6999 | option_b=30329 | option_c=7099 | option_d=6899 | answer=A | explanation=SI = PRT/100 = 23330×15×2/100 = **■**6999.

id=72446 | topic=Averages | difficulty=Easy | question=Find the average of 23, 61, 79, 84, 18. | option_a=55 | option_b=53 | option_c=54 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 265 ÷ 5 = 53.

id=72447 | topic=Percentages | difficulty=Easy | question=What is 50% of 276? | option_a=276 | option_b=158 | option_c=138 | option_d=118 | answer=C | explanation=50% of 276 = (50/100) × 276 = 138.

id=72448 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=61 | option_b=62 | option_c=72 | option_d=50 | answer=A | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.

id=72449 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=H | option_b=K | option_c=E | option_d=B | answer=A | explanation=Move 3 positions forward from E; the resulting letter is H.

id=72450 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49767 at 5% per annum for 4 years. | option_a=9853 | option_b=9953 | option_c=59720 | option_d=10053 | answer=B | explanation=SI = PRT/100 = 49767×5×4/100 = **■**9953.

Aptitude Questions — Records 72,451-72,480 of 100,000

id=72451 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:20 and the first is 30, what is the second? | option_a=302 | option_b=300 | option_c=330 | option_d=280 | answer=B | explanation=Scale factor = 30/2 = 15. Therefore second quantity = 20×15 = 300.

id=72452 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32868 at 15% per annum for 5 years. | option_a=24751 | option_b=24551 | option_c=57519 | option_d=24651 | answer=D | explanation=SI = PRT/100 = 32868×15×5/100 = **■**24651.

id=72453 | topic=Percentages | difficulty=Easy | question=What is 15% of 1186? | option_a=157 | option_b=354 | option_c=197 | option_d=177 | answer=D | explanation=15% of 1186 = (15/100) × 1186 = 177.

id=72454 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=72455 | topic=Averages | difficulty=Easy | question=Find the average of 58, 14, 15, 31, 54, 26. | option_a=32 | option_b=34 | option_c=33 | option_d=35 | answer=C | explanation=Average = sum of values ÷ number of values = 198 ÷ 6 = 33.

id=72456 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=S | option_b=N | option_c=X | option_d=I | answer=A | explanation=Move 5 positions forward from N; the resulting letter is S.

id=72457 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=175 | option_c=360 | option_d=185 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=72458 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=72459 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=72460 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 24. | option_a=140 | option_b=480 | option_c=120 | option_d=96 | answer=C | explanation=LCM × HCF = 20×24; HCF(20,24) = 4, so LCM = 120.

id=72461 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:11 and the first is 120, what is the second? | option_a=208 | option_b=77 | option_c=88 | option_d=103 | answer=C | explanation=Scale factor = 120/15 = 8. Therefore second quantity = 11×8 = 88.

id=72462 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1534. If it is sold at a profit of 40%, what is its selling price? | option_a=2300 | option_b=2147 | option_c=1994 | option_d=1574 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1534 × 140/100 = **■**2147.

id=72463 | topic=Percentages | difficulty=Easy | question=What is 50% of 1281? | option_a=640 | option_b=1280 | option_c=645 | option_d=635 | answer=A | explanation=50% of 1281 = (50/100) × 1281 = 640.

id=72464 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 32, 40, 49? | option_a=40 | option_b=32 | option_c=24 | option_d=49 | answer=D | explanation=The first three numbers increase by 8, so the next should be 48. Therefore 49 is the odd one out.

id=72465 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=19 | option_c=24 | option_d=48 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=72466 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 8, 10, 14? | option_a=14 | option_b=8 | option_c=6 | option_d=10 | answer=A | explanation=The first three numbers increase by 2, so the next should be 12. Therefore 14 is the odd one out.

id=72467 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=31 | option_b=47 | option_c=40 | option_d=39 | answer=D | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

id=72468 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22872 at 5% per annum for 4 years. | option_a=27446 | option_b=4474 | option_c=4674 | option_d=4574 | answer=D | explanation=SI = PRT/100 = 22872×5×4/100 = **■**4574.

id=72469 | topic=Percentages | difficulty=Easy | question=What is 20% of 1907? | option_a=762 | option_b=381 | option_c=391 | option_d=376 | answer=B | explanation=20% of 1907 = (20/100) × 1907 = 381.

id=72470 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=72471 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 21. | option_a=126 | option_b=21 | option_c=48 | option_d=42 | answer=D | explanation=LCM × HCF = 6×21; HCF(6,21) = 3, so LCM = 42.

id=72472 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23322 at 12% per annum for 5 years. | option_a=14093 | option_b=37315 | option_c=13993 | option_d=13893 | answer=C | explanation=SI = PRT/100 = 23322×12×5/100 = **■**13993.

id=72473 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=55 | option_c=50 | option_d=100 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=72474 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18736 at 4% per annum for 3 years. | option_a=20984 | option_b=2248 | option_c=2148 | option_d=2348 | answer=B | explanation=SI = PRT/100 = 18736×4×3/100 = **■**2248.

id=72475 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42807 at 5% per annum for 1 years. | option_a=44947 | option_b=2040 | option_c=2240 | option_d=2140 | answer=D | explanation=SI = PRT/100 = 42807×5×1/100 = **■**2140.

id=72476 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9187 at 12% per annum for 2 years. | option_a=2304 | option_b=2104 | option_c=11391 | option_d=2204 | answer=D | explanation=SI = PRT/100 = 9187×12×2/100 = **■**2204.

id=72477 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=12 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=72478 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=44 | option_b=49 | option_c=37 | option_d=43 | answer=D | explanation=The common difference is 6. Therefore the next term is 37 + 6 = 43.

id=72479 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=12 | option_b=16 | option_c=15 | option_d=18 | answer=C | explanation=The common difference is 3. Therefore the next term is 12 + 3 = 15.

id=72480 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 28. | option_a=450 | option_b=420 | option_c=840 | option_d=392 | answer=B | explanation=LCM × HCF = 30×28; HCF(30,28) = 2, so LCM = 420.

Aptitude Questions — Records 72,481-72,510 of 100,000

id=72481 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=37 | option_b=36 | option_c=40 | option_d=32 | answer=B | explanation=The common difference is 4. Therefore the next term is 32 + 4 = 36.

id=72482 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 37? | option_a=34 | option_b=30 | option_c=37 | option_d=32 | answer=C | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 37 is the odd one out.

id=72483 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19667 at 15% per annum for 1 years. | option_a=2850 | option_b=2950 | option_c=22617 | option_d=3050 | answer=B | explanation=SI = PRT/100 = 19667×15×1/100 = **■**2950.

id=72484 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=72485 | topic=Averages | difficulty=Easy | question=Find the average of 22, 89, 51. | option_a=55 | option_b=53 | option_c=54 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 162 ÷ 3 = 54.

id=72486 | topic=Percentages | difficulty=Easy | question=What is 15% of 1699? | option_a=254 | option_b=259 | option_c=249 | option_d=508 | answer=A | explanation=15% of 1699 = (15/100) × 1699 = 254.

id=72487 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:6 and the first is 252, what is the second? | option_a=84 | option_b=336 | option_c=78 | option_d=102 | answer=A | explanation=Scale factor = 252/18 = 14. Therefore second quantity = 6×14 = 84.

id=72488 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 24, 36, 48, ? | option_a=72 | option_b=60 | option_c=61 | option_d=48 | answer=B | explanation=The common difference is 12. Therefore the next term is 48 + 12 = 60.

id=72489 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 22, 29, 37? | option_a=37 | option_b=29 | option_c=22 | option_d=15 | answer=A | explanation=The first three numbers increase by 7, so the next should be 36. Therefore 37 is the odd one out.

id=72490 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=72491 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=C | option_b=Y | option_c=Q | option_d=U | answer=B | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=72492 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49902 at 4% per annum for 2 years. | option_a=3992 | option_b=53894 | option_c=4092 | option_d=3892 | answer=A | explanation=SI = PRT/100 = 49902×4×2/100 = **■**3992.

id=72493 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=72494 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16613 at 6% per annum for 4 years. | option_a=3987 | option_b=4087 | option_c=20600 | option_d=3887 | answer=A | explanation=SI = PRT/100 = 16613×6×4/100 = **■**3987.

id=72495 | topic=Averages | difficulty=Easy | question=Find the average of 78, 46, 93, 24, 85, 16, 36, 87, 43, 22. | option_a=54 | option_b=53 | option_c=52 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=72496 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 13, 21, 32? | option_a=13 | option_b=5 | option_c=21 | option_d=32 | answer=D | explanation=The first three numbers increase by 8, so the next should be 29. Therefore 32 is the odd one out.

id=72497 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=W | option_c=G | option_d=L | answer=C | explanation=Move 5 positions forward from B; the resulting letter is G.

id=72498 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=72499 | topic=Percentages | difficulty=Easy | question=What is 12% of 1507? | option_a=360 | option_b=175 | option_c=185 | option_d=180 | answer=D | explanation=12% of 1507 = (12/100) × 1507 = 180.

id=72500 | topic=Averages | difficulty=Easy | question=Find the average of 51, 37, 26, 77, 57, 52, 16, 76, 21, 107. | option_a=53 | option_b=51 | option_c=52 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 520 ÷ 10 = 52.

id=72501 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 20. | option_a=66 | option_b=60 | option_c=120 | option_d=40 | answer=B | explanation=LCM × HCF = 6×20; HCF(6,20) = 2, so LCM = 60.

id=72502 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=72503 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=100 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=72504 | topic=Percentages | difficulty=Easy | question=What is 40% of 817? | option_a=326 | option_b=652 | option_c=316 | option_d=336 | answer=A | explanation=40% of 817 = (40/100) × 817 = 326.

id=72505 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=95 | option_c=85 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=72506 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=72507 | topic=Percentages | difficulty=Easy | question=What is 15% of 1765? | option_a=264 | option_b=528 | option_c=259 | option_d=284 | answer=A | explanation=15% of 1765 = (15/100) × 1765 = 264.

id=72508 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=85 | option_c=90 | option_d=180 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=72509 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=72510 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:9 and the first is 20, what is the second? | option_a=41 | option_b=36 | option_c=27 | option_d=56 | answer=B | explanation=Scale factor = 20/5 = 4. Therefore second quantity = 9×4 = 36.

Aptitude Questions — Records 72,511-72,540 of 100,000

id=72511 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=C | option_c=E | option_d=G | answer=D | explanation=Move 2 positions forward from E; the resulting letter is G.

id=72512 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=40 | option_c=15 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=72513 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 10, 18, 28? | option_a=10 | option_b=2 | option_c=28 | option_d=18 | answer=C | explanation=The first three numbers increase by 8, so the next should be 26. Therefore 28 is the odd one out.

id=72514 | topic=Percentages | difficulty=Easy | question=What is 40% of 1777? | option_a=1420 | option_b=700 | option_c=730 | option_d=710 | answer=D | explanation=40% of 1777 = (40/100) × 1777 = 710.

id=72515 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 30, 38, 48? | option_a=48 | option_b=30 | option_c=38 | option_d=22 | answer=A | explanation=The first three numbers increase by 8, so the next should be 46. Therefore 48 is the odd one out.

id=72516 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 46? | option_a=46 | option_b=31 | option_c=38 | option_d=24 | answer=A | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 46 is the odd one out.

id=72517 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1803. If it is sold at a profit of 5%, what is its selling price? | option_a=1808 | option_b=2073 | option_c=1893 | option_d=1713 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1803 × 105/100 = █1893.

id=72518 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:20 and the first is 112, what is the second? | option_a=327 | option_b=300 | option_c=320 | option_d=432 | answer=C | explanation=Scale factor = 112/7 = 16. Therefore second quantity = 20×16 = 320.

id=72519 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 24. | option_a=168 | option_b=336 | option_c=182 | option_d=144 | answer=A | explanation=LCM × HCF = 14×24; HCF(14,24) = 2, so LCM = 168.

id=72520 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2483. If it is sold at a profit of 10%, what is its selling price? | option_a=2731 | option_b=2493 | option_c=2979 | option_d=2483 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2483 × 110/100 = █2731.

id=72521 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=100 | option_c=55 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=72522 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14961 at 5% per annum for 4 years. | option_a=17953 | option_b=2892 | option_c=2992 | option_d=3092 | answer=C | explanation=SI = PRT/100 = 14961×5×4/100 = █2992.

id=72523 | topic=Averages | difficulty=Easy | question=Find the average of 17, 47, 66, 22, 38. | option_a=37 | option_b=40 | option_c=38 | option_d=39 | answer=C | explanation=Average = sum of values ÷ number of values = 190 ÷ 5 = 38.

id=72524 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=75 | option_d=150 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=72525 | topic=Averages | difficulty=Easy | question=Find the average of 55, 90, 16, 35, 70, 31, 21, 61, 47, 54. | option_a=49 | option_b=48 | option_c=47 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 480 ÷ 10 = 48.

id=72526 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1953 at 10% per annum for 4 years. | option_a=2734 | option_b=881 | option_c=681 | option_d=781 | answer=D | explanation=SI = PRT/100 = 1953×10×4/100 = █781.

id=72527 | topic=Averages | difficulty=Easy | question=Find the average of 35, 75, 56, 44, 32, 64. | option_a=50 | option_b=52 | option_c=51 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 306 ÷ 6 = 51.

id=72528 | topic=Percentages | difficulty=Easy | question=What is 5% of 1393? | option_a=89 | option_b=69 | option_c=138 | option_d=64 | answer=B | explanation=5% of 1393 = (5/100) × 1393 = 69.

id=72529 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=P | option_b=O | option_c=Q | option_d=N | answer=A | explanation=Move 1 positions forward from O; the resulting letter is P.

id=72530 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:10 and the first is 156, what is the second? | option_a=133 | option_b=120 | option_c=110 | option_d=276 | answer=B | explanation=Scale factor = 156/13 = 12. Therefore second quantity = 10×12 = 120.

id=72531 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=20 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=72532 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=G | option_c=L | option_d=W | answer=B | explanation=Move 5 positions forward from B; the resulting letter is G.

id=72533 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 35, 45, 58? | option_a=35 | option_b=45 | option_c=58 | option_d=25 | answer=C | explanation=The first three numbers increase by 10, so the next should be 55. Therefore 58 is the odd one out.

id=72534 | topic=Profit & Loss | difficulty=Easy | question=An article costs █367. If it is sold at a profit of 30%, what is its selling price? | option_a=441 | option_b=513 | option_c=477 | option_d=397 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 367 × 130/100 = █477.

id=72535 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4885. If it is sold at a profit of 50%, what is its selling price? | option_a=6839 | option_b=4935 | option_c=7815 | option_d=7327 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4885 × 150/100 = █7327.

id=72536 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 29, 31, 36? | option_a=31 | option_b=36 | option_c=27 | option_d=29 | answer=B | explanation=The first three numbers increase by 2, so the next should be 33. Therefore 36 is the odd one out.

id=72537 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 20. | option_a=40 | option_b=60 | option_c=72 | option_d=240 | answer=B | explanation=LCM × HCF = 12×20; HCF(12,20) = 4, so LCM = 60.

id=72538 | topic=Averages | difficulty=Easy | question=Find the average of 84, 81, 48. | option_a=71 | option_b=73 | option_c=72 | option_d=70 | answer=A | explanation=Average = sum of values ÷ number of values = 213 ÷ 3 = 71.

id=72539 | topic=Percentages | difficulty=Easy | question=What is 50% of 1072? | option_a=556 | option_b=1072 | option_c=516 | option_d=536 | answer=D | explanation=50% of 1072 = (50/100) × 1072 = 536.

id=72540 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 8, 10, 14? | option_a=8 | option_b=10 | option_c=6 | option_d=14 | answer=D | explanation=The first three numbers increase by 2, so the next should be 12. Therefore 14 is the odd one out.

Aptitude Questions — Records 72,541-72,570 of 100,000

id=72541 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 10, 13, 16, ? | option_a=22 | option_b=16 | option_c=20 | option_d=19 | answer=D | explanation=The common difference is 3. Therefore the next term is 16 + 3 = 19.

id=72542 | topic=Percentages | difficulty=Easy | question=What is 50% of 1067? | option_a=533 | option_b=538 | option_c=1066 | option_d=523 | answer=A | explanation=50% of 1067 = (50/100) × 1067 = 533.

id=72543 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=60 | option_b=59 | option_c=48 | option_d=70 | answer=B | explanation=The common difference is 11. Therefore the next term is 48 + 11 = 59.

id=72544 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=72545 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**453. If it is sold at a profit of 5%, what is its selling price? | option_a=458 | option_b=430 | option_c=520 | option_d=475 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 453 × 105/100 = **■**475.

id=72546 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=72547 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=51 | option_b=43 | option_c=44 | option_d=35 | answer=B | explanation=The common difference is 8. Therefore the next term is 35 + 8 = 43.

id=72548 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3602. If it is sold at a profit of 40%, what is its selling price? | option_a=4682 | option_b=3642 | option_c=5042 | option_d=5402 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3602 × 140/100 = **■**5042.

id=72549 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 14. | option_a=126 | option_b=160 | option_c=280 | option_d=140 | answer=D | explanation=LCM × HCF = 20×14; HCF(20,14) = 2, so LCM = 140.

id=72550 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=K | option_c=V | option_d=F | answer=D | explanation=Move 5 positions forward from A; the resulting letter is F.

id=72551 | topic=Averages | difficulty=Easy | question=Find the average of 57, 19, 11, 42, 76, 75, 28. | option_a=44 | option_b=43 | option_c=46 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 308 ÷ 7 = 44.

id=72552 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=54 | option_b=64 | option_c=42 | option_d=53 | answer=D | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.

id=72553 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32140 at 10% per annum for 2 years. | option_a=6328 | option_b=38568 | option_c=6528 | option_d=6428 | answer=D | explanation=SI = PRT/100 = 32140×10×2/100 = **■**6428.

id=72554 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=72555 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=72556 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19002 at 4% per annum for 5 years. | option_a=3700 | option_b=22802 | option_c=3900 | option_d=3800 | answer=D | explanation=SI = PRT/100 = 19002×4×5/100 = **■**3800.

id=72557 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=70 | option_b=50 | option_c=61 | option_d=60 | answer=D | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

id=72558 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 35? | option_a=35 | option_b=14 | option_c=24 | option_d=4 | answer=A | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 35 is the odd one out.

id=72559 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2320. If it is sold at a profit of 25%, what is its selling price? | option_a=2900 | option_b=3132 | option_c=2345 | option_d=2668 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2320 × 125/100 = **■**2900.

id=72560 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 12? | option_a=12 | option_b=9 | option_c=5 | option_d=7 | answer=A | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 12 is the odd one out.

id=72561 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4213 at 6% per annum for 2 years. | option_a=505 | option_b=605 | option_c=405 | option_d=4718 | answer=A | explanation=SI = PRT/100 = 4213×6×2/100 = **■**505.

id=72562 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**600. If it is sold at a profit of 20%, what is its selling price? | option_a=660 | option_b=720 | option_c=620 | option_d=780 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 600 × 120/100 = **■**720.

id=72563 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1607. If it is sold at a profit of 25%, what is its selling price? | option_a=2168 | option_b=1632 | option_c=1848 | option_d=2008 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1607 × 125/100 = **■**2008.

id=72564 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=72565 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=72566 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=N | option_c=L | option_d=J | answer=B | explanation=Move 2 positions forward from L; the resulting letter is N.

id=72567 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 56? | option_a=45 | option_b=29 | option_c=37 | option_d=56 | answer=D | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 56 is the odd one out.

id=72568 | topic=Averages | difficulty=Easy | question=Find the average of 71, 31, 88, 18, 55, 73. | option_a=58 | option_b=57 | option_c=56 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 336 ÷ 6 = 56.

id=72569 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14400 at 5% per annum for 3 years. | option_a=16560 | option_b=2160 | option_c=2260 | option_d=2060 | answer=B | explanation=SI = PRT/100 = 14400×5×3/100 = **■**2160.

id=72570 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 72,571-72,600 of 100,000

id=72571 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 23, 30, 37, ? | option_a=45 | option_b=51 | option_c=37 | option_d=44 | answer=D | explanation=The common difference is 7. Therefore the next term is 37 + 7 = 44.

id=72572 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 29? | option_a=29 | option_b=18 | option_c=24 | option_d=21 | answer=A | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 29 is the odd one out.

id=72573 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46595 at 15% per annum for 4 years. | option_a=27957 | option_b=27857 | option_c=28057 | option_d=74552 | answer=A | explanation=SI = PRT/100 = 46595×15×4/100 = **■**27957.

id=72574 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3299. If it is sold at a profit of 5%, what is its selling price? | option_a=3463 | option_b=3792 | option_c=3304 | option_d=3134 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3299 × 105/100 = **■**3463.

id=72575 | topic=Averages | difficulty=Easy | question=Find the average of 15, 12, 100, 53, 27, 27. | option_a=39 | option_b=40 | option_c=41 | option_d=38 | answer=A | explanation=Average = sum of values ÷ number of values = 234 ÷ 6 = 39.

id=72576 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=45 | option_b=35 | option_c=53 | option_d=44 | answer=D | explanation=The common difference is 9. Therefore the next term is 35 + 9 = 44.

id=72577 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 32? | option_a=32 | option_b=19 | option_c=24 | option_d=14 | answer=A | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 32 is the odd one out.

id=72578 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=62 | option_b=61 | option_c=73 | option_d=49 | answer=B | explanation=The common difference is 12. Therefore the next term is 49 + 12 = 61.

id=72579 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28938 at 15% per annum for 2 years. | option_a=37619 | option_b=8681 | option_c=8581 | option_d=8781 | answer=B | explanation=SI = PRT/100 = 28938×15×2/100 = **■**8681.

id=72580 | topic=Percentages | difficulty=Easy | question=What is 40% of 697? | option_a=273 | option_b=556 | option_c=278 | option_d=288 | answer=C | explanation=40% of 697 = (40/100) × 697 = 278.

id=72581 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=125 | option_c=115 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=72582 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=72583 | topic=Averages | difficulty=Easy | question=Find the average of 74, 82, 97, 54, 23, 83, 37, 69, 25, 66. | option_a=62 | option_b=60 | option_c=63 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 610 ÷ 10 = 61.

id=72584 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=72585 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 21, 28, 38? | option_a=21 | option_b=28 | option_c=38 | option_d=14 | answer=C | explanation=The first three numbers increase by 7, so the next should be 35. Therefore 38 is the odd one out.

id=72586 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=8 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=72587 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 45, what is the second? | option_a=24 | option_b=6 | option_c=9 | option_d=54 | answer=C | explanation=Scale factor = 45/15 = 3. Therefore second quantity = 3×3 = 9.

id=72588 | topic=Averages | difficulty=Easy | question=Find the average of 100, 75, 45, 65, 11, 58, 100, 15, 62. | option_a=60 | option_b=61 | option_c=59 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 531 ÷ 9 = 59.

id=72589 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=47 | option_b=48 | option_c=38 | option_d=56 | answer=A | explanation=The common difference is 9. Therefore the next term is 38 + 9 = 47.

id=72590 | topic=Percentages | difficulty=Easy | question=What is 20% of 1151? | option_a=230 | option_b=220 | option_c=460 | option_d=240 | answer=A | explanation=20% of 1151 = (20/100) × 1151 = 230.

id=72591 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=72592 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 14. | option_a=14 | option_b=1 | option_c=98 | option_d=21 | answer=A | explanation=LCM × HCF = 7×14; HCF(7,14) = 7, so LCM = 14.

id=72593 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2456. If it is sold at a profit of 10%, what is its selling price? | option_a=2456 | option_b=2946 | option_c=2701 | option_d=2466 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2456 × 110/100 = **■**2701.

id=72594 | topic=Percentages | difficulty=Easy | question=What is 40% of 1605? | option_a=1284 | option_b=622 | option_c=642 | option_d=652 | answer=C | explanation=40% of 1605 = (40/100) × 1605 = 642.

id=72595 | topic=Percentages | difficulty=Easy | question=What is 25% of 1453? | option_a=373 | option_b=363 | option_c=726 | option_d=353 | answer=B | explanation=25% of 1453 = (25/100) × 1453 = 363.

id=72596 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35449 at 15% per annum for 2 years. | option_a=46083 | option_b=10734 | option_c=10534 | option_d=10634 | answer=D | explanation=SI = PRT/100 = 35449×15×2/100 = **■**10634.

id=72597 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=125 | option_c=120 | option_d=115 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=72598 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:7 and the first is 380, what is the second? | option_a=133 | option_b=153 | option_c=126 | option_d=513 | answer=A | explanation=Scale factor = 380/20 = 19. Therefore second quantity = 7×19 = 133.

id=72599 | topic=Percentages | difficulty=Easy | question=What is 50% of 173? | option_a=81 | option_b=86 | option_c=172 | option_d=91 | answer=B | explanation=50% of 173 = (50/100) × 173 = 86.

id=72600 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=16 | option_b=13 | option_c=15 | option_d=17 | answer=C | explanation=The common difference is 2. Therefore the next term is 13 + 2 = 15.

Aptitude Questions — Records 72,601-72,630 of 100,000

id=72601 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 39? | option_a=30 | option_b=22 | option_c=14 | option_d=39 | answer=D | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 39 is the odd one out.

id=72602 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:12 and the first is 75, what is the second? | option_a=75 | option_b=48 | option_c=135 | option_d=60 | answer=D | explanation=Scale factor = 75/15 = 5. Therefore second quantity = 12×5 = 60.

id=72603 | topic=Averages | difficulty=Easy | question=Find the average of 72, 99, 63, 60, 48, 90. | option_a=73 | option_b=72 | option_c=74 | option_d=71 | answer=B | explanation=Average = sum of values ÷ number of values = 432 ÷ 6 = 72.

id=72604 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=72605 | topic=Averages | difficulty=Easy | question=Find the average of 28, 12, 69, 65, 56. | option_a=48 | option_b=47 | option_c=45 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 230 ÷ 5 = 46.

id=72606 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:8 and the first is 208, what is the second? | option_a=120 | option_b=336 | option_c=141 | option_d=128 | answer=D | explanation=Scale factor = 208/13 = 16. Therefore second quantity = 8×16 = 128.

id=72607 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:16 and the first is 90, what is the second? | option_a=272 | option_b=288 | option_c=378 | option_d=293 | answer=B | explanation=Scale factor = 90/5 = 18. Therefore second quantity = 16×18 = 288.

id=72608 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=M | option_c=L | option_d=N | answer=D | explanation=Move 1 positions forward from M; the resulting letter is N.

id=72609 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4683. If it is sold at a profit of 10%, what is its selling price? | option_a=5619 | option_b=4693 | option_c=5151 | option_d=4683 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4683 × 110/100 = █5151.

id=72610 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=72611 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 28, 36, 44, ? | option_a=44 | option_b=52 | option_c=60 | option_d=53 | answer=B | explanation=The common difference is 8. Therefore the next term is 44 + 8 = 52.

id=72612 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3680. If it is sold at a profit of 5%, what is its selling price? | option_a=3496 | option_b=3864 | option_c=4232 | option_d=3685 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3680 × 105/100 = █3864.

id=72613 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=30 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=72614 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20859 at 5% per annum for 3 years. | option_a=3228 | option_b=23987 | option_c=3128 | option_d=3028 | answer=C | explanation=SI = PRT/100 = 20859×5×3/100 = █3128.

id=72615 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:11 and the first is 247, what is the second? | option_a=456 | option_b=198 | option_c=222 | option_d=209 | answer=D | explanation=Scale factor = 247/13 = 19. Therefore second quantity = 11×19 = 209.

id=72616 | topic=Percentages | difficulty=Easy | question=What is 50% of 1475? | option_a=1474 | option_b=757 | option_c=737 | option_d=727 | answer=C | explanation=50% of 1475 = (50/100) × 1475 = 737.

id=72617 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:18 and the first is 15, what is the second? | option_a=72 | option_b=90 | option_c=93 | option_d=105 | answer=B | explanation=Scale factor = 15/3 = 5. Therefore second quantity = 18×5 = 90.

id=72618 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42200 at 5% per annum for 1 years. | option_a=2110 | option_b=44310 | option_c=2210 | option_d=2010 | answer=A | explanation=SI = PRT/100 = 42200×5×1/100 = █2110.

id=72619 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=85 | option_d=160 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=72620 | topic=Percentages | difficulty=Easy | question=What is 5% of 1727? | option_a=86 | option_b=81 | option_c=91 | option_d=172 | answer=A | explanation=5% of 1727 = (5/100) × 1727 = 86.

id=72621 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23096 at 5% per annum for 1 years. | option_a=1254 | option_b=24250 | option_c=1154 | option_d=1054 | answer=C | explanation=SI = PRT/100 = 23096×5×1/100 = █1154.

id=72622 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=72623 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=31 | option_b=30 | option_c=27 | option_d=33 | answer=B | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.

id=72624 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 15. | option_a=300 | option_b=45 | option_c=60 | option_d=80 | answer=C | explanation=LCM × HCF = 20×15; HCF(20,15) = 5, so LCM = 60.

id=72625 | topic=Percentages | difficulty=Easy | question=What is 15% of 663? | option_a=104 | option_b=99 | option_c=198 | option_d=94 | answer=B | explanation=15% of 663 = (15/100) × 663 = 99.

id=72626 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=72627 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 38? | option_a=38 | option_b=17 | option_c=23 | option_d=29 | answer=A | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 38 is the odd one out.

id=72628 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4067. If it is sold at a profit of 15%, what is its selling price? | option_a=4677 | option_b=5083 | option_c=4271 | option_d=4082 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4067 × 115/100 = █4677.

id=72629 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=72630 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=Q | option_b=S | option_c=R | option_d=T | answer=B | explanation=Move 1 positions forward from R; the resulting letter is S.

Aptitude Questions — Records 72,631-72,660 of 100,000

id=72631 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 3. | option_a=48 | option_b=21 | option_c=72 | option_d=24 | answer=D | explanation=LCM × HCF = 24×3; HCF(24,3) = 3, so LCM = 24.

id=72632 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=F | option_c=E | option_d=D | answer=B | explanation=Move 1 positions forward from E; the resulting letter is F.

id=72633 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:10 and the first is 187, what is the second? | option_a=100 | option_b=110 | option_c=127 | option_d=297 | answer=B | explanation=Scale factor = 187/17 = 11. Therefore second quantity = 10×11 = 110.

id=72634 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=72635 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=25 | option_b=26 | option_c=22 | option_d=28 | answer=A | explanation=The common difference is 3. Therefore the next term is 22 + 3 = 25.

id=72636 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=43 | option_b=49 | option_c=42 | option_d=35 | answer=C | explanation=The common difference is 7. Therefore the next term is 35 + 7 = 42.

id=72637 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=G | option_b=V | option_c=L | option_d=Q | answer=D | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=72638 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=72639 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=67 | option_b=78 | option_c=54 | option_d=66 | answer=D | explanation=The common difference is 12. Therefore the next term is 54 + 12 = 66.

id=72640 | topic=Averages | difficulty=Easy | question=Find the average of 49, 98, 13, 33, 19, 100, 88, 81, 68. | option_a=63 | option_b=62 | option_c=61 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 549 ÷ 9 = 61.

id=72641 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 11, 20, 30? | option_a=20 | option_b=30 | option_c=2 | option_d=11 | answer=B | explanation=The first three numbers increase by 9, so the next should be 29. Therefore 30 is the odd one out.

id=72642 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=72643 | topic=Percentages | difficulty=Easy | question=What is 15% of 1298? | option_a=388 | option_b=194 | option_c=199 | option_d=174 | answer=B | explanation=15% of 1298 = (15/100) × 1298 = 194.

id=72644 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■4709 at 4% per annum for 5 years. | option_a=5650 | option_b=1041 | option_c=841 | option_d=941 | answer=D | explanation=SI = PRT/100 = 4709×4×5/100 = ■941.

id=72645 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=X | option_b=C | option_c=H | option_d=M | answer=C | explanation=Move 5 positions forward from C; the resulting letter is H.

id=72646 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=55 | option_b=45 | option_c=46 | option_d=35 | answer=B | explanation=The common difference is 10. Therefore the next term is 35 + 10 = 45.

id=72647 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■22824 at 4% per annum for 2 years. | option_a=1725 | option_b=1825 | option_c=24649 | option_d=1925 | answer=B | explanation=SI = PRT/100 = 22824×4×2/100 = ■1825.

id=72648 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■13677 at 15% per annum for 1 years. | option_a=2151 | option_b=1951 | option_c=2051 | option_d=15728 | answer=C | explanation=SI = PRT/100 = 13677×15×1/100 = ■2051.

id=72649 | topic=Percentages | difficulty=Easy | question=What is 25% of 1018? | option_a=508 | option_b=264 | option_c=244 | option_d=254 | answer=D | explanation=25% of 1018 = (25/100) × 1018 = 254.

id=72650 | topic=Averages | difficulty=Easy | question=Find the average of 40, 64, 77, 55. | option_a=59 | option_b=61 | option_c=58 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 236 ÷ 4 = 59.

id=72651 | topic=Averages | difficulty=Easy | question=Find the average of 61, 31, 65, 92, 76. | option_a=67 | option_b=65 | option_c=66 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 325 ÷ 5 = 65.

id=72652 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 28. | option_a=1 | option_b=32 | option_c=112 | option_d=28 | answer=D | explanation=LCM × HCF = 4×28; HCF(4,28) = 4, so LCM = 28.

id=72653 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Q | option_b=Y | option_c=U | option_d=C | answer=B | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=72654 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=125 | option_c=115 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=72655 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:14 and the first is 270, what is the second? | option_a=228 | option_b=196 | option_c=480 | option_d=210 | answer=D | explanation=Scale factor = 270/18 = 15. Therefore second quantity = 14×15 = 210.

id=72656 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=64 | option_b=55 | option_c=44 | option_d=54 | answer=D | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=72657 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 16, 25, 35? | option_a=35 | option_b=7 | option_c=25 | option_d=16 | answer=A | explanation=The first three numbers increase by 9, so the next should be 34. Therefore 35 is the odd one out.

id=72658 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■7110 at 12% per annum for 5 years. | option_a=11376 | option_b=4166 | option_c=4266 | option_d=4366 | answer=C | explanation=SI = PRT/100 = 7110×12×5/100 = ■4266.

id=72659 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2099. If it is sold at a profit of 40%, what is its selling price? | option_a=3147 | option_b=2139 | option_c=2729 | option_d=2938 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2099 × 140/100 = ■2938.

id=72660 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=50 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

Aptitude Questions — Records 72,661-72,690 of 100,000

id=72661 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:5 and the first is 187, what is the second? | option_a=272 | option_b=96 | option_c=85 | option_d=80 | answer=C | explanation=Scale factor = 187/11 = 17. Therefore second quantity = 5×17 = 85.

id=72662 | topic=Number System | difficulty=Easy | question=Find the LCM of 11 and 22. | option_a=242 | option_b=22 | option_c=1 | option_d=33 | answer=B | explanation=LCM × HCF = 11×22; HCF(11,22) = 11, so LCM = 22.

id=72663 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 12. | option_a=90 | option_b=360 | option_c=60 | option_d=48 | answer=C | explanation=LCM × HCF = 30×12; HCF(30,12) = 6, so LCM = 60.

id=72664 | topic=Averages | difficulty=Easy | question=Find the average of 22, 14, 66, 76, 17, 81, 83, 91, 53, 47. | option_a=55 | option_b=54 | option_c=57 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 550 ÷ 10 = 55.

id=72665 | topic=Profit & Loss | difficulty=Easy | question=An article costs █462. If it is sold at a profit of 5%, what is its selling price? | option_a=439 | option_b=531 | option_c=485 | option_d=467 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 462 × 105/100 = █485.

id=72666 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=7 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=72667 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1965 at 12% per annum for 3 years. | option_a=15207 | option_b=15107 | option_c=15007 | option_d=57072 | answer=B | explanation=SI = PRT/100 = 41965×12×3/100 = █15107.

id=72668 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:4 and the first is 152, what is the second? | option_a=184 | option_b=28 | option_c=32 | option_d=51 | answer=C | explanation=Scale factor = 152/19 = 8. Therefore second quantity = 4×8 = 32.

id=72669 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=72670 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 25, 33, 41, ? | option_a=49 | option_b=41 | option_c=57 | option_d=50 | answer=A | explanation=The common difference is 8. Therefore the next term is 41 + 8 = 49.

id=72671 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:20 and the first is 200, what is the second? | option_a=180 | option_b=200 | option_c=400 | option_d=220 | answer=B | explanation=Scale factor = 200/20 = 10. Therefore second quantity = 20×10 = 200.

id=72672 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=72673 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 30. | option_a=297 | option_b=240 | option_c=270 | option_d=810 | answer=C | explanation=LCM × HCF = 27×30; HCF(27,30) = 3, so LCM = 270.

id=72674 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12370 at 6% per annum for 4 years. | option_a=2968 | option_b=3068 | option_c=15338 | option_d=2868 | answer=A | explanation=SI = PRT/100 = 12370×6×4/100 = █2968.

id=72675 | topic=Percentages | difficulty=Easy | question=What is 20% of 1985? | option_a=407 | option_b=387 | option_c=397 | option_d=794 | answer=C | explanation=20% of 1985 = (20/100) × 1985 = 397.

id=72676 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=72677 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28628 at 6% per annum for 2 years. | option_a=3535 | option_b=32063 | option_c=3435 | option_d=3335 | answer=C | explanation=SI = PRT/100 = 28628×6×2/100 = █3435.

id=72678 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 21. | option_a=105 | option_b=126 | option_c=378 | option_d=144 | answer=B | explanation=LCM × HCF = 18×21; HCF(18,21) = 3, so LCM = 126.

id=72679 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=34 | option_b=32 | option_c=31 | option_d=28 | answer=C | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=72680 | topic=Averages | difficulty=Easy | question=Find the average of 62, 96, 11, 29, 52, 100, 91, 99, 18, 52. | option_a=62 | option_b=61 | option_c=63 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 610 ÷ 10 = 61.

id=72681 | topic=Averages | difficulty=Easy | question=Find the average of 11, 71, 45, 89. | option_a=54 | option_b=53 | option_c=56 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 216 ÷ 4 = 54.

id=72682 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14903 at 12% per annum for 3 years. | option_a=5265 | option_b=20268 | option_c=5465 | option_d=5365 | answer=D | explanation=SI = PRT/100 = 14903×12×3/100 = █5365.

id=72683 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=40 | option_c=15 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=72684 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:1 and the first is 24, what is the second? | option_a=28 | option_b=10 | option_c=3 | option_d=4 | answer=D | explanation=Scale factor = 24/6 = 4. Therefore second quantity = 1×4 = 4.

id=72685 | topic=Averages | difficulty=Easy | question=Find the average of 70, 88, 47, 89, 22, 77, 22, 60, 47. | option_a=57 | option_b=60 | option_c=59 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 522 ÷ 9 = 58.

id=72686 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=72687 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4624. If it is sold at a profit of 50%, what is its selling price? | option_a=6474 | option_b=6936 | option_c=7398 | option_d=4674 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4624 × 150/100 = █6936.

id=72688 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1767. If it is sold at a profit of 30%, what is its selling price? | option_a=2297 | option_b=2121 | option_c=2473 | option_d=1797 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1767 × 130/100 = █2297.

id=72689 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=C | option_b=R | option_c=M | option_d=H | answer=C | explanation=Move 5 positions forward from H; the resulting letter is M.

id=72690 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38850 at 10% per annum for 3 years. | option_a=11655 | option_b=50505 | option_c=11555 | option_d=11755 | answer=A | explanation=SI = PRT/100 = 38850×10×3/100 = █11655.

Aptitude Questions — Records 72,691-72,720 of 100,000

id=72691 | topic=Averages | difficulty=Easy | question=Find the average of 31, 57, 48, 11, 63, 97, 81, 62, 87, 73. | option_a=62 | option_b=61 | option_c=60 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 610 ÷ 10 = 61.

id=72692 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26974 at 4% per annum for 3 years. | option_a=30210 | option_b=3236 | option_c=3336 | option_d=3136 | answer=B | explanation=SI = PRT/100 = 26974×4×3/100 = **■**3236.

id=72693 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 45? | option_a=28 | option_b=45 | option_c=35 | option_d=21 | answer=B | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 45 is the odd one out.

id=72694 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3096. If it is sold at a profit of 5%, what is its selling price? | option_a=2941 | option_b=3101 | option_c=3559 | option_d=3250 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3096 × 105/100 = **■**3250.

id=72695 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=12 | option_b=14 | option_c=10 | option_d=13 | answer=A | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.

id=72696 | topic=Percentages | difficulty=Easy | question=What is 25% of 1607? | option_a=396 | option_b=802 | option_c=421 | option_d=401 | answer=D | explanation=25% of 1607 = (25/100) × 1607 = 401.

id=72697 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 18? | option_a=11 | option_b=9 | option_c=18 | option_d=13 | answer=C | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 18 is the odd one out.

id=72698 | topic=Percentages | difficulty=Easy | question=What is 30% of 921? | option_a=552 | option_b=296 | option_c=266 | option_d=276 | answer=D | explanation=30% of 921 = (30/100) × 921 = 276.

id=72699 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17365 at 4% per annum for 1 years. | option_a=794 | option_b=18059 | option_c=594 | option_d=694 | answer=D | explanation=SI = PRT/100 = 17365×4×1/100 = **■**694.

id=72700 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=V | option_c=G | option_d=Q | answer=D | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=72701 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=41 | option_b=51 | option_c=59 | option_d=50 | answer=D | explanation=The common difference is 9. Therefore the next term is 41 + 9 = 50.

id=72702 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39521 at 4% per annum for 4 years. | option_a=6423 | option_b=6223 | option_c=6323 | option_d=45844 | answer=C | explanation=SI = PRT/100 = 39521×4×4/100 = **■**6323.

id=72703 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33611 at 5% per annum for 3 years. | option_a=5141 | option_b=4941 | option_c=38652 | option_d=5041 | answer=D | explanation=SI = PRT/100 = 33611×5×3/100 = **■**5041.

id=72704 | topic=Number System | difficulty=Easy | question=Find the LCM of 17 and 17. | option_a=34 | option_b=289 | option_c=1 | option_d=17 | answer=D | explanation=LCM × HCF = 17×17; HCF(17,17) = 17, so LCM = 17.

id=72705 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18637 at 15% per annum for 1 years. | option_a=2895 | option_b=2795 | option_c=21432 | option_d=2695 | answer=B | explanation=SI = PRT/100 = 18637×15×1/100 = **■**2795.

id=72706 | topic=Percentages | difficulty=Easy | question=What is 5% of 1818? | option_a=110 | option_b=70 | option_c=180 | option_d=90 | answer=D | explanation=5% of 1818 = (5/100) × 1818 = 90.

id=72707 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:2 and the first is 112, what is the second? | option_a=30 | option_b=16 | option_c=128 | option_d=14 | answer=B | explanation=Scale factor = 112/14 = 8. Therefore second quantity = 2×8 = 16.

id=72708 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=33 | option_b=41 | option_c=47 | option_d=40 | answer=D | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.

id=72709 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 27? | option_a=27 | option_b=4 | option_c=11 | option_d=18 | answer=A | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 27 is the odd one out.

id=72710 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=32 | option_b=24 | option_c=38 | option_d=31 | answer=D | explanation=The common difference is 7. Therefore the next term is 24 + 7 = 31.

id=72711 | topic=Averages | difficulty=Easy | question=Find the average of 22, 11, 60, 78, 49. | option_a=45 | option_b=44 | option_c=43 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 220 ÷ 5 = 44.

id=72712 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2252. If it is sold at a profit of 50%, what is its selling price? | option_a=3603 | option_b=2302 | option_c=3153 | option_d=3378 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2252 × 150/100 = **■**3378.

id=72713 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=17 | option_b=23 | option_c=21 | option_d=20 | answer=D | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=72714 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=Z | option_b=K | option_c=P | option_d=U | answer=D | explanation=Move 5 positions forward from P; the resulting letter is U.

id=72715 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4771. If it is sold at a profit of 40%, what is its selling price? | option_a=4811 | option_b=7156 | option_c=6202 | option_d=6679 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4771 × 140/100 = **■**6679.

id=72716 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:17 and the first is 120, what is the second? | option_a=222 | option_b=122 | option_c=102 | option_d=85 | answer=C | explanation=Scale factor = 120/20 = 6. Therefore second quantity = 17×6 = 102.

id=72717 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=J | option_b=O | option_c=E | option_d=Z | answer=A | explanation=Move 5 positions forward from E; the resulting letter is J.

id=72718 | topic=Percentages | difficulty=Easy | question=What is 50% of 1423? | option_a=711 | option_b=691 | option_c=1422 | option_d=721 | answer=A | explanation=50% of 1423 = (50/100) × 1423 = 711.

id=72719 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1181. If it is sold at a profit of 30%, what is its selling price? | option_a=1417 | option_b=1535 | option_c=1653 | option_d=1211 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1181 × 130/100 = **■**1535.

id=72720 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3034. If it is sold at a profit of 30%, what is its selling price? | option_a=3064 | option_b=4247 | option_c=3641 | option_d=3944 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3034 × 130/100 = **■**3944.

Aptitude Questions — Records 72,721-72,750 of 100,000

id=72721 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1239. If it is sold at a profit of 30%, what is its selling price? | option_a=1610 | option_b=1733 | option_c=1487 | option_d=1269 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1239 \times 130/100 = \text{█}1610$.

id=72722 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=Y | option_c=C | option_d=Q | answer=B | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=72723 | topic=Averages | difficulty=Easy | question=Find the average of 71, 98, 65, 78, 33. | option_a=69 | option_b=68 | option_c=70 | option_d=71 | answer=A | explanation=Average = $\text{sum of values} \div \text{number of values} = 345 \div 5 = 69$.

id=72724 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4938. If it is sold at a profit of 20%, what is its selling price? | option_a=5432 | option_b=5925 | option_c=6418 | option_d=4958 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4938 \times 120/100 = \text{█}5925$.

id=72725 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=80 | option_c=45 | option_d=35 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 240 \div 6 = 40$ km/h.

id=72726 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=32 | option_b=36 | option_c=31 | option_d=26 | answer=C | explanation=The common difference is 5. Therefore the next term is $26 + 5 = 31$.

id=72727 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 3. | option_a=18 | option_b=36 | option_c=54 | option_d=15 | answer=A | explanation= $LCM \times HCF = 18 \times 3$; $HCF(18,3) = 3$, so $LCM = 18$.

id=72728 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=22 | option_b=23 | option_c=19 | option_d=25 | answer=A | explanation=The common difference is 3. Therefore the next term is $19 + 3 = 22$.

id=72729 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=17 | option_b=23 | option_c=21 | option_d=20 | answer=D | explanation=The common difference is 3. Therefore the next term is $17 + 3 = 20$.

id=72730 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:18 and the first is 28, what is the second? | option_a=130 | option_b=126 | option_c=154 | option_d=108 | answer=B | explanation=Scale factor = $28/4 = 7$. Therefore second quantity = $18 \times 7 = 126$.

id=72731 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 21? | option_a=11 | option_b=15 | option_c=21 | option_d=7 | answer=C | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 21 is the odd one out.

id=72732 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=36 | option_b=44 | option_c=37 | option_d=28 | answer=A | explanation=The common difference is 8. Therefore the next term is $28 + 8 = 36$.

id=72733 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=32 | option_b=36 | option_c=31 | option_d=26 | answer=C | explanation=The common difference is 5. Therefore the next term is $26 + 5 = 31$.

id=72734 | topic=Averages | difficulty=Easy | question=Find the average of 36, 78, 98, 56. | option_a=69 | option_b=67 | option_c=68 | option_d=66 | answer=B | explanation=Average = $\text{sum of values} \div \text{number of values} = 268 \div 4 = 67$.

id=72735 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25192 at 8% per annum for 5 years. | option_a=10076 | option_b=35268 | option_c=9976 | option_d=10176 | answer=A | explanation= $SI = PRT/100 = 25192 \times 8 \times 5/100 = \text{█}10076$.

id=72736 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 9. | option_a=54 | option_b=24 | option_c=9 | option_d=18 | answer=D | explanation= $LCM \times HCF = 6 \times 9$; $HCF(6,9) = 3$, so $LCM = 18$.

id=72737 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 27, 36, 47? | option_a=36 | option_b=18 | option_c=47 | option_d=27 | answer=C | explanation=The first three numbers increase by 9, so the next should be 45. Therefore 47 is the odd one out.

id=72738 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:18 and the first is 49, what is the second? | option_a=133 | option_b=108 | option_c=175 | option_d=126 | answer=D | explanation=Scale factor = $49/7 = 7$. Therefore second quantity = $18 \times 7 = 126$.

id=72739 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=72740 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=300 | option_c=150 | option_d=155 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 300 \div 2 = 150$ km/h.

id=72741 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=24 | option_c=19 | option_d=29 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 240 \div 10 = 24$ km/h.

id=72742 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17454 at 6% per annum for 1 years. | option_a=1147 | option_b=18501 | option_c=947 | option_d=1047 | answer=D | explanation= $SI = PRT/100 = 17454 \times 6 \times 1/100 = \text{█}1047$.

id=72743 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48268 at 10% per annum for 5 years. | option_a=24134 | option_b=24034 | option_c=24234 | option_d=72402 | answer=A | explanation= $SI = PRT/100 = 48268 \times 10 \times 5/100 = \text{█}24134$.

id=72744 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8203 at 5% per annum for 1 years. | option_a=310 | option_b=410 | option_c=510 | option_d=8613 | answer=B | explanation= $SI = PRT/100 = 8203 \times 5 \times 1/100 = \text{█}410$.

id=72745 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=72746 | topic=Percentages | difficulty=Easy | question=What is 5% of 1477? | option_a=146 | option_b=73 | option_c=63 | option_d=83 | answer=B | explanation= $5\% \text{ of } 1477 = (5/100) \times 1477 = 73$.

id=72747 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=31 | option_b=38 | option_c=24 | option_d=32 | answer=A | explanation=The common difference is 7. Therefore the next term is $24 + 7 = 31$.

id=72748 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:7 and the first is 182, what is the second? | option_a=280 | option_b=91 | option_c=98 | option_d=111 | answer=C | explanation=Scale factor = $182/13 = 14$. Therefore second quantity = $7 \times 14 = 98$.

id=72749 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 22. | option_a=144 | option_b=132 | option_c=264 | option_d=110 | answer=B | explanation= $LCM \times HCF = 12 \times 22$; $HCF(12,22) = 2$, so $LCM = 132$.

id=72750 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=61 | option_b=41 | option_c=52 | option_d=51 | answer=D | explanation=The common difference is 10. Therefore the next term is $41 + 10 = 51$.

Aptitude Questions — Records 72,751-72,780 of 100,000

id=72751 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39333 at 5% per annum for 1 years. | option_a=35629 | option_b=1696 | option_c=1796 | option_d=1596 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{39333 \times 5 \times 1}{100} = \text{■}1696$.

id=72752 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=F | option_c=B | option_d=Z | answer=A | explanation=Move 2 positions forward from B; the resulting letter is D.

id=72753 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:15 and the first is 306, what is the second? | option_a=561 | option_b=273 | option_c=240 | option_d=255 | answer=D | explanation=Scale factor = $\frac{306}{18} = 17$. Therefore second quantity = $15 \times 17 = 255$.

id=72754 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 27, 32, 38? | option_a=32 | option_b=22 | option_c=27 | option_d=38 | answer=D | explanation=The first three numbers increase by 5, so the next should be 37. Therefore 38 is the odd one out.

id=72755 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:5 and the first is 18, what is the second? | option_a=28 | option_b=19 | option_c=5 | option_d=10 | answer=D | explanation=Scale factor = $\frac{18}{9} = 2$. Therefore second quantity = $5 \times 2 = 10$.

id=72756 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 28? | option_a=15 | option_b=19 | option_c=28 | option_d=23 | answer=C | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 28 is the odd one out.

id=72757 | topic=Percentages | difficulty=Easy | question=What is 40% of 1419? | option_a=587 | option_b=562 | option_c=1134 | option_d=567 | answer=D | explanation= $40\% \text{ of } 1419 = \left(\frac{40}{100}\right) \times 1419 = 567$.

id=72758 | topic=Percentages | difficulty=Easy | question=What is 25% of 1506? | option_a=752 | option_b=386 | option_c=366 | option_d=376 | answer=D | explanation= $25\% \text{ of } 1506 = \left(\frac{25}{100}\right) \times 1506 = 376$.

id=72759 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:19 and the first is 72, what is the second? | option_a=342 | option_b=323 | option_c=414 | option_d=346 | answer=A | explanation=Scale factor = $\frac{72}{4} = 18$. Therefore second quantity = $19 \times 18 = 342$.

id=72760 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=M | option_c=X | option_d=H | answer=D | explanation=Move 5 positions forward from C; the resulting letter is H.

id=72761 | topic=Averages | difficulty=Easy | question=Find the average of 49, 75, 92, 96, 82, 56. | option_a=77 | option_b=75 | option_c=74 | option_d=76 | answer=B | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{450}{6} = 75$.

id=72762 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 36, 43, 51? | option_a=51 | option_b=29 | option_c=43 | option_d=36 | answer=A | explanation=The first three numbers increase by 7, so the next should be 50. Therefore 51 is the odd one out.

id=72763 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 31? | option_a=24 | option_b=31 | option_c=12 | option_d=18 | answer=B | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 31 is the odd one out.

id=72764 | topic=Percentages | difficulty=Easy | question=What is 10% of 733? | option_a=146 | option_b=83 | option_c=63 | option_d=73 | answer=D | explanation= $10\% \text{ of } 733 = \left(\frac{10}{100}\right) \times 733 = 73$.

id=72765 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:17 and the first is 40, what is the second? | option_a=93 | option_b=125 | option_c=68 | option_d=85 | answer=D | explanation=Scale factor = $\frac{40}{8} = 5$. Therefore second quantity = $17 \times 5 = 85$.

id=72766 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=J | option_b=Z | option_c=E | option_d=O | answer=A | explanation=Move 5 positions forward from E; the resulting letter is J.

id=72767 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1712. If it is sold at a profit of 40%, what is its selling price? | option_a=2225 | option_b=1752 | option_c=2396 | option_d=2567 | answer=C | explanation=Selling price = $CP \times \left(\frac{100 + \text{profit}\%}{100}\right) = 1712 \times \frac{140}{100} = \text{■}2396$.

id=72768 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 14. | option_a=1 | option_b=14 | option_c=196 | option_d=28 | answer=B | explanation= $LCM \times HCF = 14 \times 14$; $HCF(14,14) = 14$, so $LCM = 14$.

id=72769 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=40 | option_d=80 | answer=C | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{240}{6} = 40 \text{ km/h}$.

id=72770 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 13? | option_a=5 | option_b=7 | option_c=9 | option_d=13 | answer=D | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 13 is the odd one out.

id=72771 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4670. If it is sold at a profit of 40%, what is its selling price? | option_a=6071 | option_b=6538 | option_c=7005 | option_d=4710 | answer=B | explanation=Selling price = $CP \times \left(\frac{100 + \text{profit}\%}{100}\right) = 4670 \times \frac{140}{100} = \text{■}6538$.

id=72772 | topic=Percentages | difficulty=Easy | question=What is 25% of 1709? | option_a=417 | option_b=854 | option_c=437 | option_d=427 | answer=D | explanation= $25\% \text{ of } 1709 = \left(\frac{25}{100}\right) \times 1709 = 427$.

id=72773 | topic=Percentages | difficulty=Easy | question=What is 5% of 1339? | option_a=66 | option_b=71 | option_c=132 | option_d=56 | answer=A | explanation= $5\% \text{ of } 1339 = \left(\frac{5}{100}\right) \times 1339 = 66$.

id=72774 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12749 at 5% per annum for 2 years. | option_a=14023 | option_b=1274 | option_c=1374 | option_d=1174 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{12749 \times 5 \times 2}{100} = \text{■}1274$.

id=72775 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=40 | option_b=34 | option_c=26 | option_d=33 | answer=D | explanation=The common difference is 7. Therefore the next term is $26 + 7 = 33$.

id=72776 | topic=Averages | difficulty=Easy | question=Find the average of 13, 49, 45, 48, 43, 70, 27, 66, 69, 90. | option_a=51 | option_b=53 | option_c=54 | option_d=52 | answer=D | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{520}{10} = 52$.

id=72777 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=30 | option_d=20 | answer=B | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{150}{10} = 15 \text{ km/h}$.

id=72778 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 17, 21, 28? | option_a=17 | option_b=28 | option_c=13 | option_d=21 | answer=B | explanation=The first three numbers increase by 4, so the next should be 25. Therefore 28 is the odd one out.

id=72779 | topic=Percentages | difficulty=Easy | question=What is 12% of 531? | option_a=63 | option_b=58 | option_c=126 | option_d=83 | answer=A | explanation= $12\% \text{ of } 531 = \left(\frac{12}{100}\right) \times 531 = 63$.

id=72780 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:1 and the first is 54, what is the second? | option_a=21 | option_b=18 | option_c=72 | option_d=17 | answer=B | explanation=Scale factor = $\frac{54}{3} = 18$. Therefore second quantity = $1 \times 18 = 18$.

Aptitude Questions — Records 72,781-72,810 of 100,000

id=72781 | topic=Percentages | difficulty=Easy | question=What is 12% of 1162? | option_a=119 | option_b=144 | option_c=139 | option_d=278 | answer=C | explanation=12% of 1162 = $(12/100) \times 1162 = 139$.

id=72782 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42326 at 15% per annum for 5 years. | option_a=31744 | option_b=74070 | option_c=31644 | option_d=31844 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{42326 \times 15 \times 5}{100} = \text{■}31744$.

id=72783 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=7 | option_c=17 | option_d=12 | answer=D | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{60}{5} = 12 \text{ km/h}$.

id=72784 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 21, 23, 28? | option_a=28 | option_b=23 | option_c=19 | option_d=21 | answer=A | explanation=The first three numbers increase by 2, so the next should be 25. Therefore 28 is the odd one out.

id=72785 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 20. | option_a=48 | option_b=20 | option_c=40 | option_d=160 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 8 \times 20$; $\text{HCF}(8,20) = 4$, so $\text{LCM} = 40$.

id=72786 | topic=Averages | difficulty=Easy | question=Find the average of 89, 87, 69, 85, 67, 43, 15, 25. | option_a=60 | option_b=61 | option_c=59 | option_d=62 | answer=A | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{480}{8} = 60$.

id=72787 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:14 and the first is 15, what is the second? | option_a=210 | option_b=225 | option_c=211 | option_d=196 | answer=A | explanation= $\text{Scale factor} = \frac{15}{1} = 15$. Therefore second quantity = $14 \times 15 = 210$.

id=72788 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation= $\text{Combined rate} = \frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. $\text{Time} = \frac{36}{12} = 3 \text{ days}$.

id=72789 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 10. | option_a=100 | option_b=10 | option_c=1 | option_d=20 | answer=B | explanation= $\text{LCM} \times \text{HCF} = 10 \times 10$; $\text{HCF}(10,10) = 10$, so $\text{LCM} = 10$.

id=72790 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=20 | option_d=50 | answer=B | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{150}{6} = 25 \text{ km/h}$.

id=72791 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:6 and the first is 104, what is the second? | option_a=86 | option_b=78 | option_c=72 | option_d=182 | answer=B | explanation= $\text{Scale factor} = \frac{104}{8} = 13$. Therefore second quantity = $6 \times 13 = 78$.

id=72792 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation= $\text{Combined rate} = \frac{1}{4} + \frac{1}{4} = \frac{8}{16}$. $\text{Time} = \frac{16}{8} = 2 \text{ days}$.

id=72793 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19545 at 6% per annum for 5 years. | option_a=5763 | option_b=5963 | option_c=25408 | option_d=5863 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{19545 \times 6 \times 5}{100} = \text{■}5863$.

id=72794 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 15. | option_a=15 | option_b=1 | option_c=20 | option_d=75 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 5 \times 15$; $\text{HCF}(5,15) = 5$, so $\text{LCM} = 15$.

id=72795 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=39 | option_b=48 | option_c=47 | option_d=55 | answer=C | explanation=The common difference is 8. Therefore the next term is $39 + 8 = 47$.

id=72796 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=Y | option_b=J | option_c=O | option_d=T | answer=D | explanation=Move 5 positions forward from O; the resulting letter is T.

id=72797 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=H | option_b=K | option_c=B | option_d=E | answer=A | explanation=Move 3 positions forward from E; the resulting letter is H.

id=72798 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 25. | option_a=250 | option_b=25 | option_c=60 | option_d=50 | answer=D | explanation= $\text{LCM} \times \text{HCF} = 10 \times 25$; $\text{HCF}(10,25) = 5$, so $\text{LCM} = 50$.

id=72799 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=12 | option_b=17 | option_c=7 | option_d=24 | answer=A | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{120}{10} = 12 \text{ km/h}$.

id=72800 | topic=Percentages | difficulty=Easy | question=What is 5% of 150? | option_a=0 | option_b=7 | option_c=12 | option_d=14 | answer=B | explanation= $5\% \text{ of } 150 = \frac{(5/100) \times 150}{1} = 7$.

id=72801 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 24, 31, 39? | option_a=39 | option_b=31 | option_c=17 | option_d=24 | answer=A | explanation=The first three numbers increase by 7, so the next should be 38. Therefore 39 is the odd one out.

id=72802 | topic=Percentages | difficulty=Easy | question=What is 20% of 644? | option_a=256 | option_b=123 | option_c=138 | option_d=128 | answer=D | explanation= $20\% \text{ of } 644 = \frac{(20/100) \times 644}{1} = 128$.

id=72803 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=300 | option_c=155 | option_d=150 | answer=D | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{300}{2} = 150 \text{ km/h}$.

id=72804 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 18? | option_a=3 | option_b=18 | option_c=11 | option_d=7 | answer=B | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 18 is the odd one out.

id=72805 | topic=Averages | difficulty=Easy | question=Find the average of 14, 87, 45, 37, 89, 47, 99, 54. | option_a=61 | option_b=59 | option_c=60 | option_d=58 | answer=B | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{472}{8} = 59$.

id=72806 | topic=Percentages | difficulty=Easy | question=What is 15% of 1211? | option_a=181 | option_b=171 | option_c=362 | option_d=186 | answer=A | explanation= $15\% \text{ of } 1211 = \frac{(15/100) \times 1211}{1} = 181$.

id=72807 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=C | option_c=I | option_d=L | answer=C | explanation=Move 3 positions forward from F; the resulting letter is I.

id=72808 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2509. If it is sold at a profit of 5%, what is its selling price? | option_a=2634 | option_b=2514 | option_c=2384 | option_d=2884 | answer=A | explanation= $\text{Selling price} = \text{CP} \times \frac{(100 + \text{profit}\%)}{100} = 2509 \times \frac{105}{100} = \text{■}2634$.

id=72809 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation= $\text{Combined rate} = \frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. $\text{Time} = \frac{36}{12} = 3 \text{ days}$.

id=72810 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=5 | answer=B | explanation= $\text{Combined rate} = \frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. $\text{Time} = \frac{64}{16} = 4 \text{ days}$.

Aptitude Questions — Records 72,811-72,840 of 100,000

id=72811 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=31 | option_b=49 | option_c=40 | option_d=41 | answer=C | explanation=The common difference is 9. Therefore the next term is 31 + 9 = 40.

id=72812 | topic=Percentages | difficulty=Easy | question=What is 50% of 1169? | option_a=1168 | option_b=584 | option_c=579 | option_d=589 | answer=B | explanation=50% of 1169 = (50/100) × 1169 = 584.

id=72813 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 33? | option_a=33 | option_b=24 | option_c=17 | option_d=10 | answer=A | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 33 is the odd one out.

id=72814 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4992. If it is sold at a profit of 40%, what is its selling price? | option_a=6489 | option_b=5032 | option_c=7487 | option_d=6988 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4992 × 140/100 = █6988.

id=72815 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15074 at 6% per annum for 4 years. | option_a=18691 | option_b=3617 | option_c=3717 | option_d=3517 | answer=B | explanation=SI = PRT/100 = 15074×6×4/100 = █3617.

id=72816 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=72817 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 9. | option_a=9 | option_b=24 | option_c=54 | option_d=18 | answer=D | explanation=LCM × HCF = 6×9; HCF(6,9) = 3, so LCM = 18.

id=72818 | topic=Averages | difficulty=Easy | question=Find the average of 88, 63, 90, 36, 76, 30, 56, 34, 28, 49. | option_a=56 | option_b=57 | option_c=54 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 550 ÷ 10 = 55.

id=72819 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:4 and the first is 156, what is the second? | option_a=204 | option_b=44 | option_c=61 | option_d=48 | answer=D | explanation=Scale factor = 156/13 = 12. Therefore second quantity = 4×12 = 48.

id=72820 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:5 and the first is 27, what is the second? | option_a=15 | option_b=42 | option_c=24 | option_d=10 | answer=A | explanation=Scale factor = 27/9 = 3. Therefore second quantity = 5×3 = 15.

id=72821 | topic=Averages | difficulty=Easy | question=Find the average of 29, 28, 52, 96, 12, 83. | option_a=49 | option_b=50 | option_c=51 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 300 ÷ 6 = 50.

id=72822 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=72823 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4605. If it is sold at a profit of 5%, what is its selling price? | option_a=4610 | option_b=5295 | option_c=4375 | option_d=4835 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4605 × 105/100 = █4835.

id=72824 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=25 | option_b=28 | option_c=24 | option_d=20 | answer=C | explanation=The common difference is 4. Therefore the next term is 20 + 4 = 24.

id=72825 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 43? | option_a=27 | option_b=37 | option_c=43 | option_d=32 | answer=C | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 43 is the odd one out.

id=72826 | topic=Profit & Loss | difficulty=Easy | question=An article costs █718. If it is sold at a profit of 20%, what is its selling price? | option_a=932 | option_b=861 | option_c=738 | option_d=790 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 718 × 120/100 = █861.

id=72827 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38282 at 4% per annum for 5 years. | option_a=7756 | option_b=7556 | option_c=45938 | option_d=7656 | answer=D | explanation=SI = PRT/100 = 38282×4×5/100 = █7656.

id=72828 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=10 | option_b=12 | option_c=8 | option_d=11 | answer=A | explanation=The common difference is 2. Therefore the next term is 8 + 2 = 10.

id=72829 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4581. If it is sold at a profit of 40%, what is its selling price? | option_a=4621 | option_b=6413 | option_c=5955 | option_d=6871 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4581 × 140/100 = █6413.

id=72830 | topic=Percentages | difficulty=Easy | question=What is 12% of 319? | option_a=38 | option_b=76 | option_c=33 | option_d=58 | answer=A | explanation=12% of 319 = (12/100) × 319 = 38.

id=72831 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=90 | option_c=85 | option_d=180 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=72832 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:19 and the first is 6, what is the second? | option_a=95 | option_b=115 | option_c=114 | option_d=120 | answer=C | explanation=Scale factor = 6/1 = 6. Therefore second quantity = 19×6 = 114.

id=72833 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4340. If it is sold at a profit of 15%, what is its selling price? | option_a=5425 | option_b=4355 | option_c=4991 | option_d=4557 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4340 × 115/100 = █4991.

id=72834 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=72835 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45733 at 4% per annum for 4 years. | option_a=7317 | option_b=7417 | option_c=53050 | option_d=7217 | answer=A | explanation=SI = PRT/100 = 45733×4×4/100 = █7317.

id=72836 | topic=Averages | difficulty=Easy | question=Find the average of 81, 70, 16, 20, 69, 24, 97, 59, 76, 88. | option_a=61 | option_b=59 | option_c=60 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=72837 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=24 | option_b=29 | option_c=28 | option_d=32 | answer=C | explanation=The common difference is 4. Therefore the next term is 24 + 4 = 28.

id=72838 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=72839 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=Z | option_c=P | option_d=E | answer=B | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=72840 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 43? | option_a=43 | option_b=26 | option_c=34 | option_d=18 | answer=A | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 43 is the odd one out.

Aptitude Questions — Records 72,841-72,870 of 100,000

id=72841 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=72842 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=72843 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2459. If it is sold at a profit of 25%, what is its selling price? | option_a=2828 | option_b=3073 | option_c=2484 | option_d=3318 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2459 × 125/100 = █3073.

id=72844 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=30 | option_b=32 | option_c=29 | option_d=26 | answer=C | explanation=The common difference is 3. Therefore the next term is 26 + 3 = 29.

id=72845 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:7 and the first is 120, what is the second? | option_a=70 | option_b=190 | option_c=63 | option_d=82 | answer=A | explanation=Scale factor = 120/12 = 10. Therefore second quantity = 7×10 = 70.

id=72846 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=19 | option_b=16 | option_c=20 | option_d=18 | answer=D | explanation=The common difference is 2. Therefore the next term is 16 + 2 = 18.

id=72847 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41666 at 8% per annum for 5 years. | option_a=58332 | option_b=16766 | option_c=16566 | option_d=16666 | answer=D | explanation=SI = PRT/100 = 41666×8×5/100 = █16666.

id=72848 | topic=Averages | difficulty=Easy | question=Find the average of 11, 79, 42, 36, 37, 24, 92, 59, 16, 34. | option_a=42 | option_b=44 | option_c=43 | option_d=45 | answer=C | explanation=Average = sum of values + number of values = 430 ÷ 10 = 43.

id=72849 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=115 | option_c=120 | option_d=125 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=72850 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3891. If it is sold at a profit of 10%, what is its selling price? | option_a=4280 | option_b=4669 | option_c=3891 | option_d=3901 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3891 × 110/100 = █4280.

id=72851 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=90 | option_c=85 | option_d=180 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=72852 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=I | option_b=X | option_c=N | option_d=S | answer=D | explanation=Move 5 positions forward from N; the resulting letter is S.

id=72853 | topic=Percentages | difficulty=Easy | question=What is 5% of 883? | option_a=88 | option_b=54 | option_c=44 | option_d=24 | answer=C | explanation=5% of 883 = (5/100) × 883 = 44.

id=72854 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3219. If it is sold at a profit of 50%, what is its selling price? | option_a=4507 | option_b=3269 | option_c=5149 | option_d=4828 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3219 × 150/100 = █4828.

id=72855 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=72856 | topic=Averages | difficulty=Easy | question=Find the average of 56, 85, 69, 58, 45, 77. | option_a=65 | option_b=64 | option_c=66 | option_d=67 | answer=A | explanation=Average = sum of values + number of values = 390 ÷ 6 = 65.

id=72857 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:6 and the first is 224, what is the second? | option_a=90 | option_b=320 | option_c=110 | option_d=96 | answer=D | explanation=Scale factor = 224/14 = 16. Therefore second quantity = 6×16 = 96.

id=72858 | topic=Averages | difficulty=Easy | question=Find the average of 95, 71, 98. | option_a=89 | option_b=87 | option_c=88 | option_d=90 | answer=C | explanation=Average = sum of values + number of values = 264 ÷ 3 = 88.

id=72859 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=73 | option_b=62 | option_c=63 | option_d=51 | answer=B | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.

id=72860 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=38 | option_b=29 | option_c=39 | option_d=47 | answer=A | explanation=The common difference is 9. Therefore the next term is 29 + 9 = 38.

id=72861 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=B | option_b=E | option_c=H | option_d=K | answer=C | explanation=Move 3 positions forward from E; the resulting letter is H.

id=72862 | topic=Percentages | difficulty=Easy | question=What is 5% of 1737? | option_a=81 | option_b=86 | option_c=172 | option_d=91 | answer=B | explanation=5% of 1737 = (5/100) × 1737 = 86.

id=72863 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:14 and the first is 52, what is the second? | option_a=56 | option_b=42 | option_c=108 | option_d=69 | answer=A | explanation=Scale factor = 52/13 = 4. Therefore second quantity = 14×4 = 56.

id=72864 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40206 at 5% per annum for 2 years. | option_a=4020 | option_b=4120 | option_c=3920 | option_d=44226 | answer=A | explanation=SI = PRT/100 = 40206×5×2/100 = █4020.

id=72865 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 14, 23, 33? | option_a=33 | option_b=14 | option_c=5 | option_d=23 | answer=A | explanation=The first three numbers increase by 9, so the next should be 32. Therefore 33 is the odd one out.

id=72866 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=72867 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 22, 28, 35? | option_a=35 | option_b=22 | option_c=16 | option_d=28 | answer=A | explanation=The first three numbers increase by 6, so the next should be 34. Therefore 35 is the odd one out.

id=72868 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=S | option_c=Y | option_d=W | answer=D | explanation=Move 2 positions forward from U; the resulting letter is W.

id=72869 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=50 | option_b=51 | option_c=39 | option_d=61 | answer=A | explanation=The common difference is 11. Therefore the next term is 39 + 11 = 50.

id=72870 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15916 at 6% per annum for 4 years. | option_a=3819 | option_b=3919 | option_c=3719 | option_d=19735 | answer=A | explanation=SI = PRT/100 = 15916×6×4/100 = █3819.

Aptitude Questions — Records 72,871-72,900 of 100,000

id=72871 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=72872 | topic=Percentages | difficulty=Easy | question=What is 15% of 152? | option_a=27 | option_b=44 | option_c=22 | option_d=17 | answer=C | explanation=15% of 152 = (15/100) × 152 = 22.

id=72873 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 39? | option_a=28 | option_b=19 | option_c=10 | option_d=39 | answer=D | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 39 is the odd one out.

id=72874 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=I | option_c=R | option_d=O | answer=D | explanation=Move 3 positions forward from L; the resulting letter is O.

id=72875 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 15. | option_a=30 | option_b=150 | option_c=15 | option_d=40 | answer=A | explanation=LCM × HCF = 10×15; HCF(10,15) = 5, so LCM = 30.

id=72876 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=43 | option_b=52 | option_c=42 | option_d=32 | answer=C | explanation=The common difference is 10. Therefore the next term is 32 + 10 = 42.

id=72877 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=175 | option_c=360 | option_d=180 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=72878 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:6 and the first is 208, what is the second? | option_a=96 | option_b=304 | option_c=109 | option_d=90 | answer=A | explanation=Scale factor = 208/13 = 16. Therefore second quantity = 6×16 = 96.

id=72879 | topic=Profit & Loss | difficulty=Easy | question=An article costs █176. If it is sold at a profit of 15%, what is its selling price? | option_a=191 | option_b=202 | option_c=219 | option_d=185 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 176 × 115/100 = █202.

id=72880 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=46 | option_b=56 | option_c=66 | option_d=57 | answer=B | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=72881 | topic=Averages | difficulty=Easy | question=Find the average of 83, 10, 22, 10, 35. | option_a=31 | option_b=33 | option_c=34 | option_d=32 | answer=D | explanation=Average = sum of values ÷ number of values = 160 ÷ 5 = 32.

id=72882 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49834 at 6% per annum for 5 years. | option_a=14850 | option_b=15050 | option_c=14950 | option_d=64784 | answer=C | explanation=SI = PRT/100 = 49834×6×5/100 = █14950.

id=72883 | topic=Percentages | difficulty=Easy | question=What is 40% of 1099? | option_a=878 | option_b=429 | option_c=449 | option_d=439 | answer=D | explanation=40% of 1099 = (40/100) × 1099 = 439.

id=72884 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:16 and the first is 102, what is the second? | option_a=256 | option_b=374 | option_c=272 | option_d=278 | answer=C | explanation=Scale factor = 102/6 = 17. Therefore second quantity = 16×17 = 272.

id=72885 | topic=Averages | difficulty=Easy | question=Find the average of 79, 45, 34, 30, 20, 56. | option_a=44 | option_b=46 | option_c=43 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 264 ÷ 6 = 44.

id=72886 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=24 | option_b=20 | option_c=22 | option_d=23 | answer=C | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=72887 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:3 and the first is 15, what is the second? | option_a=45 | option_b=42 | option_c=46 | option_d=60 | answer=A | explanation=Scale factor = 15/1 = 15. Therefore second quantity = 3×15 = 45.

id=72888 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4043 at 12% per annum for 3 years. | option_a=1455 | option_b=5498 | option_c=1555 | option_d=1355 | answer=A | explanation=SI = PRT/100 = 4043×12×3/100 = █1455.

id=72889 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=72890 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4492. If it is sold at a profit of 20%, what is its selling price? | option_a=5390 | option_b=4512 | option_c=4941 | option_d=5839 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4492 × 120/100 = █5390.

id=72891 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 21, 25, 31? | option_a=17 | option_b=31 | option_c=21 | option_d=25 | answer=B | explanation=The first three numbers increase by 4, so the next should be 29. Therefore 31 is the odd one out.

id=72892 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:8 and the first is 108, what is the second? | option_a=136 | option_b=144 | option_c=150 | option_d=252 | answer=B | explanation=Scale factor = 108/6 = 18. Therefore second quantity = 8×18 = 144.

id=72893 | topic=Percentages | difficulty=Easy | question=What is 30% of 166? | option_a=49 | option_b=44 | option_c=98 | option_d=59 | answer=A | explanation=30% of 166 = (30/100) × 166 = 49.

id=72894 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:13 and the first is 72, what is the second? | option_a=65 | option_b=78 | option_c=90 | option_d=150 | answer=B | explanation=Scale factor = 72/12 = 6. Therefore second quantity = 13×6 = 78.

id=72895 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34154 at 6% per annum for 2 years. | option_a=38252 | option_b=3998 | option_c=4198 | option_d=4098 | answer=D | explanation=SI = PRT/100 = 34154×6×2/100 = █4098.

id=72896 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=72897 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=59 | option_b=69 | option_c=58 | option_d=47 | answer=C | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.

id=72898 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=150 | option_c=75 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=72899 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=U | option_c=P | option_d=F | answer=C | explanation=Move 5 positions forward from K; the resulting letter is P.

id=72900 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2347. If it is sold at a profit of 25%, what is its selling price? | option_a=2372 | option_b=2699 | option_c=3167 | option_d=2933 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2347 × 125/100 = █2933.

Aptitude Questions — Records 72,901-72,930 of 100,000

id=72901 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10943 at 6% per annum for 4 years. | option_a=2526 | option_b=13569 | option_c=2726 | option_d=2626 | answer=D | explanation=SI = $PRT/100 = 10943 \times 6 \times 4 / 100 = \text{■}2626$.

id=72902 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 48? | option_a=38 | option_b=24 | option_c=48 | option_d=31 | answer=C | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 48 is the odd one out.

id=72903 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2746. If it is sold at a profit of 50%, what is its selling price? | option_a=4393 | option_b=2796 | option_c=3845 | option_d=4119 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2746 \times 150 / 100 = \text{■}4119$.

id=72904 | topic=Percentages | difficulty=Easy | question=What is 10% of 1532? | option_a=306 | option_b=153 | option_c=133 | option_d=158 | answer=B | explanation=10% of 1532 = $(10/100) \times 1532 = 153$.

id=72905 | topic=Percentages | difficulty=Easy | question=What is 15% of 1940? | option_a=286 | option_b=296 | option_c=582 | option_d=291 | answer=D | explanation=15% of 1940 = $(15/100) \times 1940 = 291$.

id=72906 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:6 and the first is 72, what is the second? | option_a=108 | option_b=102 | option_c=180 | option_d=112 | answer=A | explanation=Scale factor = $72/4 = 18$. Therefore second quantity = $6 \times 18 = 108$.

id=72907 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:6 and the first is 168, what is the second? | option_a=240 | option_b=86 | option_c=72 | option_d=66 | answer=C | explanation=Scale factor = $168/14 = 12$. Therefore second quantity = $6 \times 12 = 72$.

id=72908 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19964 at 10% per annum for 2 years. | option_a=23956 | option_b=4092 | option_c=3992 | option_d=3892 | answer=C | explanation=SI = $PRT/100 = 19964 \times 10 \times 2 / 100 = \text{■}3992$.

id=72909 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=30 | option_d=10 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 120 \div 8 = 15 \text{ km/h}$.

id=72910 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=13 | option_b=19 | option_c=17 | option_d=16 | answer=D | explanation=The common difference is 3. Therefore the next term is $13 + 3 = 16$.

id=72911 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=17 | option_c=12 | option_d=24 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 120 \div 10 = 12 \text{ km/h}$.

id=72912 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=54 | option_b=47 | option_c=48 | option_d=40 | answer=B | explanation=The common difference is 7. Therefore the next term is $40 + 7 = 47$.

id=72913 | topic=Averages | difficulty=Easy | question=Find the average of 23, 66, 57, 34, 72, 99, 100, 80, 90. | option_a=70 | option_b=68 | option_c=69 | option_d=71 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 621 \div 9 = 69$.

id=72914 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1242. If it is sold at a profit of 50%, what is its selling price? | option_a=1863 | option_b=1987 | option_c=1739 | option_d=1292 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1242 \times 150 / 100 = \text{■}1863$.

id=72915 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=S | option_c=U | option_d=Y | answer=A | explanation=Move 2 positions forward from U; the resulting letter is W.

id=72916 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1719. If it is sold at a profit of 10%, what is its selling price? | option_a=1729 | option_b=2061 | option_c=1719 | option_d=1890 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1719 \times 110 / 100 = \text{■}1890$.

id=72917 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:13 and the first is 195, what is the second? | option_a=169 | option_b=156 | option_c=364 | option_d=184 | answer=A | explanation=Scale factor = $195/15 = 13$. Therefore second quantity = $13 \times 13 = 169$.

id=72918 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 39? | option_a=39 | option_b=19 | option_c=10 | option_d=28 | answer=A | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 39 is the odd one out.

id=72919 | topic=Percentages | difficulty=Easy | question=What is 50% of 1543? | option_a=771 | option_b=1542 | option_c=781 | option_d=761 | answer=A | explanation=50% of 1543 = $(50/100) \times 1543 = 771$.

id=72920 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 17, 23, 31? | option_a=17 | option_b=31 | option_c=23 | option_d=11 | answer=B | explanation=The first three numbers increase by 6, so the next should be 29. Therefore 31 is the odd one out.

id=72921 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**787. If it is sold at a profit of 30%, what is its selling price? | option_a=817 | option_b=945 | option_c=1101 | option_d=1023 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 787 \times 130 / 100 = \text{■}1023$.

id=72922 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46429 at 12% per annum for 4 years. | option_a=22385 | option_b=22285 | option_c=68714 | option_d=22185 | answer=B | explanation=SI = $PRT/100 = 46429 \times 12 \times 4 / 100 = \text{■}22285$.

id=72923 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=72924 | topic=Averages | difficulty=Easy | question=Find the average of 42, 94, 32. | option_a=58 | option_b=57 | option_c=55 | option_d=56 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 168 \div 3 = 56$.

id=72925 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 11, 16, 23? | option_a=23 | option_b=16 | option_c=11 | option_d=6 | answer=A | explanation=The first three numbers increase by 5, so the next should be 21. Therefore 23 is the odd one out.

id=72926 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=X | option_b=R | option_c=U | option_d=A | answer=A | explanation=Move 3 positions forward from U; the resulting letter is X.

id=72927 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=35 | option_c=40 | option_d=80 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 120 \div 3 = 40 \text{ km/h}$.

id=72928 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=41 | option_b=55 | option_c=49 | option_d=48 | answer=D | explanation=The common difference is 7. Therefore the next term is $41 + 7 = 48$.

id=72929 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=72930 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=7 | option_d=24 | answer=A | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

Aptitude Questions — Records 72,931-72,960 of 100,000

id=72931 | topic=Percentages | difficulty=Easy | question=What is 5% of 466? | option_a=46 | option_b=28 | option_c=23 | option_d=13 | answer=C | explanation=5% of 466 = (5/100) × 466 = 23.

id=72932 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:13 and the first is 126, what is the second? | option_a=104 | option_b=117 | option_c=243 | option_d=131 | answer=B | explanation=Scale factor = $\frac{126}{14} = 9$. Therefore second quantity = $13 \times 9 = 117$.

id=72933 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 3. | option_a=63 | option_b=18 | option_c=21 | option_d=42 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 21 \times 3$; $\text{HCF}(21,3) = 3$, so $\text{LCM} = 21$.

id=72934 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=60 | option_b=71 | option_c=59 | option_d=47 | answer=C | explanation=The common difference is 12. Therefore the next term is $47 + 12 = 59$.

id=72935 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=K | option_b=N | option_c=Q | option_d=T | answer=C | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=72936 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=N | option_b=P | option_c=T | option_d=R | answer=D | explanation=Move 2 positions forward from P; the resulting letter is R.

id=72937 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 16, 19, 24? | option_a=16 | option_b=19 | option_c=24 | option_d=13 | answer=C | explanation=The first three numbers increase by 3, so the next should be 22. Therefore 24 is the odd one out.

id=72938 | topic=Percentages | difficulty=Easy | question=What is 5% of 1156? | option_a=47 | option_b=114 | option_c=77 | option_d=57 | answer=D | explanation=5% of 1156 = $(\frac{5}{100}) \times 1156 = 57$.

id=72939 | topic=Percentages | difficulty=Easy | question=What is 30% of 1917? | option_a=580 | option_b=570 | option_c=575 | option_d=1150 | answer=C | explanation=30% of 1917 = $(\frac{30}{100}) \times 1917 = 575$.

id=72940 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = $\frac{90}{2} = 45$ km/h.

id=72941 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=35 | option_c=80 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = $\frac{240}{6} = 40$ km/h.

id=72942 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=J | option_b=K | option_c=H | option_d=I | answer=A | explanation=Move 1 positions forward from I; the resulting letter is J.

id=72943 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=72944 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = $\frac{150}{5} = 30$ km/h.

id=72945 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34855 at 5% per annum for 2 years. | option_a=3385 | option_b=38340 | option_c=3585 | option_d=3485 | answer=D | explanation= $\text{SI} = \frac{\text{PRT}}{100} = \frac{34855 \times 5 \times 2}{100} = \text{■}3485$.

id=72946 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 24, 30, 36, ? | option_a=36 | option_b=48 | option_c=43 | option_d=42 | answer=D | explanation=The common difference is 6. Therefore the next term is $36 + 6 = 42$.

id=72947 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=N | option_b=W | option_c=Q | option_d=T | answer=D | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=72948 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

id=72949 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4159. If it is sold at a profit of 10%, what is its selling price? | option_a=4159 | option_b=4169 | option_c=4989 | option_d=4574 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 4159 \times \frac{110}{100} = \text{■}4574$.

id=72950 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 15. | option_a=90 | option_b=30 | option_c=36 | option_d=15 | answer=B | explanation= $\text{LCM} \times \text{HCF} = 6 \times 15$; $\text{HCF}(6,15) = 3$, so $\text{LCM} = 30$.

id=72951 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=O | option_b=Q | option_c=R | option_d=P | answer=B | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=72952 | topic=Percentages | difficulty=Easy | question=What is 12% of 1535? | option_a=179 | option_b=368 | option_c=184 | option_d=194 | answer=C | explanation=12% of 1535 = $(\frac{12}{100}) \times 1535 = 184$.

id=72953 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=27 | option_b=26 | option_c=20 | option_d=32 | answer=B | explanation=The common difference is 6. Therefore the next term is $20 + 6 = 26$.

id=72954 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=O | option_b=A | option_c=S | option_d=W | answer=D | explanation=Move 4 positions forward from S; the resulting letter is W.

id=72955 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=63 | option_b=52 | option_c=39 | option_d=51 | answer=D | explanation=The common difference is 12. Therefore the next term is $39 + 12 = 51$.

id=72956 | topic=Averages | difficulty=Easy | question=Find the average of 74, 90, 58, 97, 48, 17. | option_a=65 | option_b=63 | option_c=64 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{384}{6} = 64$.

id=72957 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=I | option_c=M | option_d=U | answer=A | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=72958 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=J | option_c=F | option_d=X | answer=C | explanation=Move 4 positions forward from B; the resulting letter is F.

id=72959 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 17, 29, 41, ? | option_a=41 | option_b=53 | option_c=65 | option_d=54 | answer=B | explanation=The common difference is 12. Therefore the next term is $41 + 12 = 53$.

id=72960 | topic=Averages | difficulty=Easy | question=Find the average of 66, 33, 70, 49, 24, 55, 94, 64, 58. | option_a=56 | option_b=59 | option_c=58 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{513}{9} = 57$.

Aptitude Questions — Records 72,961-72,990 of 100,000

id=72961 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=72962 | topic=Percentages | difficulty=Easy | question=What is 20% of 1292? | option_a=253 | option_b=516 | option_c=268 | option_d=258 | answer=D | explanation=20% of 1292 = (20/100) × 1292 = 258.

id=72963 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=47 | option_b=67 | option_c=57 | option_d=58 | answer=C | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

id=72964 | topic=Percentages | difficulty=Easy | question=What is 15% of 684? | option_a=204 | option_b=102 | option_c=97 | option_d=107 | answer=B | explanation=15% of 684 = (15/100) × 684 = 102.

id=72965 | topic=Percentages | difficulty=Easy | question=What is 25% of 1033? | option_a=516 | option_b=263 | option_c=238 | option_d=258 | answer=D | explanation=25% of 1033 = (25/100) × 1033 = 258.

id=72966 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=72967 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=N | option_b=J | option_c=B | option_d=F | answer=B | explanation=Move 4 positions forward from F; the resulting letter is J.

id=72968 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=42 | option_b=41 | option_c=34 | option_d=48 | answer=B | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=72969 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=36 | option_c=72 | option_d=41 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=72970 | topic=Percentages | difficulty=Easy | question=What is 5% of 851? | option_a=84 | option_b=62 | option_c=22 | option_d=42 | answer=D | explanation=5% of 851 = (5/100) × 851 = 42.

id=72971 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1416 at 5% per annum for 5 years. | option_a=1770 | option_b=354 | option_c=254 | option_d=454 | answer=B | explanation=SI = PRT/100 = 1416×5×5/100 = █354.

id=72972 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=56 | option_b=47 | option_c=65 | option_d=57 | answer=A | explanation=The common difference is 9. Therefore the next term is 47 + 9 = 56.

id=72973 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=72974 | topic=Percentages | difficulty=Easy | question=What is 12% of 144? | option_a=34 | option_b=27 | option_c=0 | option_d=17 | answer=D | explanation=12% of 144 = (12/100) × 144 = 17.

id=72975 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 15, 22, 31? | option_a=8 | option_b=31 | option_c=15 | option_d=22 | answer=B | explanation=The first three numbers increase by 7, so the next should be 29. Therefore 31 is the odd one out.

id=72976 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:17 and the first is 20, what is the second? | option_a=172 | option_b=190 | option_c=170 | option_d=153 | answer=C | explanation=Scale factor = 20/2 = 10. Therefore second quantity = 17×10 = 170.

id=72977 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=80 | option_c=160 | option_d=75 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=72978 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 6. | option_a=104 | option_b=72 | option_c=156 | option_d=78 | answer=D | explanation=LCM × HCF = 26×6; HCF(26,6) = 2, so LCM = 78.

id=72979 | topic=Percentages | difficulty=Easy | question=What is 10% of 380? | option_a=76 | option_b=28 | option_c=38 | option_d=58 | answer=C | explanation=10% of 380 = (10/100) × 380 = 38.

id=72980 | topic=Averages | difficulty=Easy | question=Find the average of 72, 94, 57, 94, 13. | option_a=66 | option_b=68 | option_c=67 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 330 ÷ 5 = 66.

id=72981 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=30 | option_b=23 | option_c=35 | option_d=29 | answer=D | explanation=The common difference is 6. Therefore the next term is 23 + 6 = 29.

id=72982 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=W | option_c=S | option_d=Q | answer=A | explanation=Move 2 positions forward from S; the resulting letter is U.

id=72983 | topic=Profit & Loss | difficulty=Easy | question=An article costs █489. If it is sold at a profit of 10%, what is its selling price? | option_a=585 | option_b=499 | option_c=489 | option_d=537 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 489 × 110/100 = █537.

id=72984 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41001 at 4% per annum for 4 years. | option_a=6560 | option_b=6460 | option_c=47561 | option_d=6660 | answer=A | explanation=SI = PRT/100 = 41001×4×4/100 = █6560.

id=72985 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=45 | option_b=52 | option_c=38 | option_d=46 | answer=A | explanation=The common difference is 7. Therefore the next term is 38 + 7 = 45.

id=72986 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=60 | option_b=49 | option_c=59 | option_d=69 | answer=C | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

id=72987 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1373. If it is sold at a profit of 40%, what is its selling price? | option_a=2059 | option_b=1785 | option_c=1922 | option_d=1413 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1373 × 140/100 = █1922.

id=72988 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2802. If it is sold at a profit of 50%, what is its selling price? | option_a=4483 | option_b=2852 | option_c=3923 | option_d=4203 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2802 × 150/100 = █4203.

id=72989 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=I | option_c=F | option_d=Z | answer=C | explanation=Move 3 positions forward from C; the resulting letter is F.

id=72990 | topic=Averages | difficulty=Easy | question=Find the average of 95, 78, 18, 20, 18, 83, 66, 89, 16, 87. | option_a=59 | option_b=57 | option_c=58 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.

Aptitude Questions — Records 72,991-73,020 of 100,000

id=72991 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=D | option_b=E | option_c=G | option_d=F | answer=D | explanation=Move 1 positions forward from E; the resulting letter is F.

id=72992 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 40? | option_a=36 | option_b=33 | option_c=30 | option_d=40 | answer=D | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 40 is the odd one out.

id=72993 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32324 at 5% per annum for 3 years. | option_a=4948 | option_b=4748 | option_c=37172 | option_d=4848 | answer=D | explanation=SI = $PRT/100 = 32324 \times 5 \times 3/100 = \text{■}4848$.

id=72994 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 16. | option_a=160 | option_b=176 | option_c=352 | option_d=198 | answer=B | explanation= $LCM \times HCF = 22 \times 16$; $HCF(22,16) = 2$, so $LCM = 176$.

id=72995 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=L | option_b=B | option_c=G | option_d=W | answer=C | explanation=Move 5 positions forward from B; the resulting letter is G.

id=72996 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=72997 | topic=Percentages | difficulty=Easy | question=What is 40% of 1223? | option_a=469 | option_b=489 | option_c=494 | option_d=978 | answer=B | explanation=40% of 1223 = $(40/100) \times 1223 = 489$.

id=72998 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = $60 \div 4 = 15$ km/h.

id=72999 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:14 and the first is 112, what is the second? | option_a=210 | option_b=224 | option_c=336 | option_d=231 | answer=B | explanation=Scale factor = $112/7 = 16$. Therefore second quantity = $14 \times 16 = 224$.

id=73000 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=P | option_c=N | option_d=T | answer=A | explanation=Move 2 positions forward from P; the resulting letter is R.

id=73001 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = $120 \div 8 = 15$ km/h.

id=73002 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 33? | option_a=30 | option_b=28 | option_c=33 | option_d=26 | answer=C | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 33 is the odd one out.

id=73003 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=H | option_c=G | option_d=I | answer=D | explanation=Move 1 positions forward from H; the resulting letter is I.

id=73004 | topic=Averages | difficulty=Easy | question=Find the average of 82, 48, 81, 41, 33, 81, 71, 87, 25. | option_a=60 | option_b=61 | option_c=62 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = $549 \div 9 = 61$.

id=73005 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=Q | option_c=M | option_d=E | answer=C | explanation=Move 4 positions forward from I; the resulting letter is M.

id=73006 | topic=Averages | difficulty=Easy | question=Find the average of 67, 29, 46, 78, 46, 28, 31, 83. | option_a=52 | option_b=51 | option_c=50 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = $408 \div 8 = 51$.

id=73007 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = $90 \div 6 = 15$ km/h.

id=73008 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 19? | option_a=12 | option_b=15 | option_c=9 | option_d=19 | answer=D | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 19 is the odd one out.

id=73009 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=73010 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=48 | option_b=42 | option_c=41 | option_d=34 | answer=C | explanation=The common difference is 7. Therefore the next term is $34 + 7 = 41$.

id=73011 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:8 and the first is 100, what is the second? | option_a=260 | option_b=160 | option_c=152 | option_d=165 | answer=B | explanation=Scale factor = $100/5 = 20$. Therefore second quantity = $8 \times 20 = 160$.

id=73012 | topic=Percentages | difficulty=Easy | question=What is 15% of 150? | option_a=22 | option_b=44 | option_c=12 | option_d=32 | answer=A | explanation=15% of 150 = $(15/100) \times 150 = 22$.

id=73013 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45937 at 6% per annum for 1 years. | option_a=2756 | option_b=2656 | option_c=48693 | option_d=2856 | answer=A | explanation=SI = $PRT/100 = 45937 \times 6 \times 1/100 = \text{■}2756$.

id=73014 | topic=Percentages | difficulty=Easy | question=What is 30% of 1567? | option_a=465 | option_b=470 | option_c=940 | option_d=490 | answer=B | explanation=30% of 1567 = $(30/100) \times 1567 = 470$.

id=73015 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46383 at 4% per annum for 3 years. | option_a=51948 | option_b=5465 | option_c=5665 | option_d=5565 | answer=D | explanation=SI = $PRT/100 = 46383 \times 4 \times 3/100 = \text{■}5565$.

id=73016 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=L | option_b=G | option_c=W | option_d=B | answer=B | explanation=Move 5 positions forward from B; the resulting letter is G.

id=73017 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=D | option_b=G | option_c=M | option_d=J | answer=D | explanation=Move 3 positions forward from G; the resulting letter is J.

id=73018 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24927 at 8% per annum for 5 years. | option_a=9970 | option_b=10070 | option_c=9870 | option_d=34897 | answer=A | explanation=SI = $PRT/100 = 24927 \times 8 \times 5/100 = \text{■}9970$.

id=73019 | topic=Percentages | difficulty=Easy | question=What is 50% of 394? | option_a=197 | option_b=207 | option_c=394 | option_d=192 | answer=A | explanation=50% of 394 = $(50/100) \times 394 = 197$.

id=73020 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

Aptitude Questions — Records 73,021-73,050 of 100,000

id=73021 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=15 | option_b=14 | option_c=13 | option_d=11 | answer=C | explanation=The common difference is 2. Therefore the next term is 11 + 2 = 13.

id=73022 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=36 | option_d=13 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=73023 | topic=Percentages | difficulty=Easy | question=What is 10% of 756? | option_a=75 | option_b=85 | option_c=70 | option_d=150 | answer=A | explanation=10% of 756 = (10/100) × 756 = 75.

id=73024 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=S | option_b=K | option_c=G | option_d=O | answer=D | explanation=Move 4 positions forward from K; the resulting letter is O.

id=73025 | topic=Percentages | difficulty=Easy | question=What is 15% of 637? | option_a=85 | option_b=190 | option_c=100 | option_d=95 | answer=D | explanation=15% of 637 = (15/100) × 637 = 95.

id=73026 | topic=Profit & Loss | difficulty=Easy | question=An article costs █905. If it is sold at a profit of 40%, what is its selling price? | option_a=1267 | option_b=1177 | option_c=1357 | option_d=945 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 905 × 140/100 = █1267.

id=73027 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=H | option_b=Y | option_c=E | option_d=B | answer=C | explanation=Move 3 positions forward from B; the resulting letter is E.

id=73028 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:17 and the first is 216, what is the second? | option_a=306 | option_b=289 | option_c=522 | option_d=318 | answer=A | explanation=Scale factor = 216/12 = 18. Therefore second quantity = 17×18 = 306.

id=73029 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=31 | option_c=36 | option_d=41 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=73030 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49765 at 4% per annum for 1 years. | option_a=2090 | option_b=1890 | option_c=1990 | option_d=51755 | answer=C | explanation=SI = PRT/100 = 49765×4×1/100 = █1990.

id=73031 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=36 | option_c=72 | option_d=31 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=73032 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=53 | option_b=44 | option_c=45 | option_d=35 | answer=B | explanation=The common difference is 9. Therefore the next term is 35 + 9 = 44.

id=73033 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=73034 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=40 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=73035 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28195 at 6% per annum for 3 years. | option_a=5175 | option_b=5075 | option_c=4975 | option_d=33270 | answer=B | explanation=SI = PRT/100 = 28195×6×3/100 = █5075.

id=73036 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 29? | option_a=4 | option_b=12 | option_c=20 | option_d=29 | answer=D | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 29 is the odd one out.

id=73037 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 18. | option_a=144 | option_b=160 | option_c=126 | option_d=288 | answer=A | explanation=LCM × HCF = 16×18; HCF(16,18) = 2, so LCM = 144.

id=73038 | topic=Percentages | difficulty=Easy | question=What is 10% of 465? | option_a=92 | option_b=41 | option_c=56 | option_d=46 | answer=D | explanation=10% of 465 = (10/100) × 465 = 46.

id=73039 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=73040 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=10 | option_b=12 | option_c=13 | option_d=14 | answer=B | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.

id=73041 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=Z | option_c=B | option_d=C | answer=C | explanation=Move 1 positions forward from A; the resulting letter is B.

id=73042 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 10, 12, 14, ? | option_a=17 | option_b=14 | option_c=16 | option_d=18 | answer=C | explanation=The common difference is 2. Therefore the next term is 14 + 2 = 16.

id=73043 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 14. | option_a=168 | option_b=70 | option_c=84 | option_d=96 | answer=C | explanation=LCM × HCF = 12×14; HCF(12,14) = 2, so LCM = 84.

id=73044 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=D | option_b=L | option_c=H | option_d=P | answer=B | explanation=Move 4 positions forward from H; the resulting letter is L.

id=73045 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=60 | option_b=52 | option_c=51 | option_d=42 | answer=C | explanation=The common difference is 9. Therefore the next term is 42 + 9 = 51.

id=73046 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 16, 23, 31? | option_a=31 | option_b=16 | option_c=9 | option_d=23 | answer=A | explanation=The first three numbers increase by 7, so the next should be 30. Therefore 31 is the odd one out.

id=73047 | topic=Averages | difficulty=Easy | question=Find the average of 88, 87, 98, 27. | option_a=75 | option_b=74 | option_c=76 | option_d=77 | answer=A | explanation=Average = sum of values ÷ number of values = 300 ÷ 4 = 75.

id=73048 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 19, 25, 34? | option_a=13 | option_b=25 | option_c=19 | option_d=34 | answer=D | explanation=The first three numbers increase by 6, so the next should be 31. Therefore 34 is the odd one out.

id=73049 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=73050 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=48 | option_c=43 | option_d=96 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

Aptitude Questions — Records 73,051-73,080 of 100,000

id=73051 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33653 at 15% per annum for 1 years. | option_a=5147 | option_b=38700 | option_c=4947 | option_d=5047 | answer=D | explanation=SI = PRT/100 = 33653×15×1/100 = **■**5047.

id=73052 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 13, 20, 30? | option_a=6 | option_b=30 | option_c=13 | option_d=20 | answer=B | explanation=The first three numbers increase by 7, so the next should be 27. Therefore 30 is the odd one out.

id=73053 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=R | option_b=U | option_c=S | option_d=T | answer=D | explanation=Move 1 positions forward from S; the resulting letter is T.

id=73054 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=8 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=73055 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 28, 38, 48, ? | option_a=58 | option_b=48 | option_c=68 | option_d=59 | answer=A | explanation=The common difference is 10. Therefore the next term is 48 + 10 = 58.

id=73056 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 40? | option_a=25 | option_b=32 | option_c=18 | option_d=40 | answer=D | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 40 is the odd one out.

id=73057 | topic=Percentages | difficulty=Easy | question=What is 40% of 1850? | option_a=760 | option_b=740 | option_c=735 | option_d=1480 | answer=B | explanation=40% of 1850 = (40/100) × 1850 = 740.

id=73058 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 33? | option_a=33 | option_b=27 | option_c=29 | option_d=25 | answer=A | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 33 is the odd one out.

id=73059 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45307 at 15% per annum for 4 years. | option_a=27184 | option_b=27084 | option_c=72491 | option_d=27284 | answer=A | explanation=SI = PRT/100 = 45307×15×4/100 = **■**27184.

id=73060 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=9 | option_b=11 | option_c=12 | option_d=13 | answer=B | explanation=The common difference is 2. Therefore the next term is 9 + 2 = 11.

id=73061 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:15 and the first is 28, what is the second? | option_a=90 | option_b=109 | option_c=133 | option_d=105 | answer=D | explanation=Scale factor = 28/4 = 7. Therefore second quantity = 15×7 = 105.

id=73062 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11651 at 5% per annum for 4 years. | option_a=2230 | option_b=2430 | option_c=13981 | option_d=2330 | answer=D | explanation=SI = PRT/100 = 11651×5×4/100 = **■**2330.

id=73063 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7682 at 15% per annum for 3 years. | option_a=11138 | option_b=3556 | option_c=3356 | option_d=3456 | answer=D | explanation=SI = PRT/100 = 7682×15×3/100 = **■**3456.

id=73064 | topic=Averages | difficulty=Easy | question=Find the average of 54, 28, 17, 41, 64, 88, 69, 55. | option_a=52 | option_b=53 | option_c=54 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=73065 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3360. If it is sold at a profit of 40%, what is its selling price? | option_a=5040 | option_b=4704 | option_c=3400 | option_d=4368 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3360 × 140/100 = **■**4704.

id=73066 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18338 at 15% per annum for 1 years. | option_a=2850 | option_b=2750 | option_c=21088 | option_d=2650 | answer=B | explanation=SI = PRT/100 = 18338×15×1/100 = **■**2750.

id=73067 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=73068 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:5 and the first is 168, what is the second? | option_a=60 | option_b=55 | option_c=228 | option_d=74 | answer=A | explanation=Scale factor = 168/14 = 12. Therefore second quantity = 5×12 = 60.

id=73069 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=F | option_c=R | option_d=N | answer=D | explanation=Move 4 positions forward from J; the resulting letter is N.

id=73070 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=L | option_b=N | option_c=H | option_d=J | answer=A | explanation=Move 2 positions forward from J; the resulting letter is L.

id=73071 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=J | option_b=K | option_c=M | option_d=L | answer=D | explanation=Move 1 positions forward from K; the resulting letter is L.

id=73072 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=24 | option_b=27 | option_c=19 | option_d=23 | answer=D | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=73073 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=73074 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=73075 | topic=Percentages | difficulty=Easy | question=What is 5% of 1121? | option_a=51 | option_b=112 | option_c=56 | option_d=76 | answer=C | explanation=5% of 1121 = (5/100) × 1121 = 56.

id=73076 | topic=Averages | difficulty=Easy | question=Find the average of 52, 63, 22, 66, 76, 79, 70, 97, 33. | option_a=61 | option_b=63 | option_c=62 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 558 ÷ 9 = 62.

id=73077 | topic=Percentages | difficulty=Easy | question=What is 50% of 770? | option_a=405 | option_b=770 | option_c=385 | option_d=365 | answer=C | explanation=50% of 770 = (50/100) × 770 = 385.

id=73078 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=51 | option_b=42 | option_c=33 | option_d=43 | answer=B | explanation=The common difference is 9. Therefore the next term is 33 + 9 = 42.

id=73079 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43, ? | option_a=52 | option_b=51 | option_c=59 | option_d=43 | answer=B | explanation=The common difference is 8. Therefore the next term is 43 + 8 = 51.

id=73080 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 73,081-73,110 of 100,000

id=73081 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:13 and the first is 80, what is the second? | option_a=264 | option_b=340 | option_c=247 | option_d=260 | answer=D | explanation=Scale factor = $80/4 = 20$. Therefore second quantity = $13 \times 20 = 260$.

id=73082 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=125 | option_b=115 | option_c=120 | option_d=240 | answer=C | explanation=Speed = distance ÷ time = $240 \div 2 = 120$ km/h.

id=73083 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16947 at 10% per annum for 1 years. | option_a=1694 | option_b=1594 | option_c=1794 | option_d=18641 | answer=A | explanation=SI = $PRT/100 = 16947 \times 10 \times 1/100 = \text{■}1694$.

id=73084 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=69 | option_b=60 | option_c=49 | option_d=59 | answer=D | explanation=The common difference is 10. Therefore the next term is $49 + 10 = 59$.

id=73085 | topic=Percentages | difficulty=Easy | question=What is 20% of 991? | option_a=396 | option_b=218 | option_c=178 | option_d=198 | answer=D | explanation= 20% of 991 = $(20/100) \times 991 = 198$.

id=73086 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=90 | option_c=40 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = $90 \div 2 = 45$ km/h.

id=73087 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=73088 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 3. | option_a=90 | option_b=60 | option_c=30 | option_d=27 | answer=C | explanation=LCM × HCF = 30×3 ; $HCF(30,3) = 3$, so LCM = 30.

id=73089 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 18, 28, 41? | option_a=8 | option_b=18 | option_c=28 | option_d=41 | answer=D | explanation=The first three numbers increase by 10, so the next should be 38. Therefore 41 is the odd one out.

id=73090 | topic=Averages | difficulty=Easy | question=Find the average of 12, 80, 13, 17, 26, 76, 91, 71, 63, 31. | option_a=48 | option_b=49 | option_c=47 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = $480 \div 10 = 48$.

id=73091 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14746 at 5% per annum for 2 years. | option_a=1374 | option_b=1574 | option_c=1474 | option_d=16220 | answer=C | explanation=SI = $PRT/100 = 14746 \times 5 \times 2/100 = \text{■}1474$.

id=73092 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 31, 40, 50? | option_a=40 | option_b=22 | option_c=31 | option_d=50 | answer=D | explanation=The first three numbers increase by 9, so the next should be 49. Therefore 50 is the odd one out.

id=73093 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=T | option_b=V | option_c=W | option_d=U | answer=B | explanation=Move 1 positions forward from U; the resulting letter is V.

id=73094 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=G | option_c=P | option_d=M | answer=D | explanation=Move 3 positions forward from J; the resulting letter is M.

id=73095 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=18 | option_b=22 | option_c=21 | option_d=20 | answer=D | explanation=The common difference is 2. Therefore the next term is $18 + 2 = 20$.

id=73096 | topic=Averages | difficulty=Easy | question=Find the average of 65, 72, 30, 31, 97, 27, 21. | option_a=49 | option_b=48 | option_c=50 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = $343 \div 7 = 49$.

id=73097 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=N | option_b=S | option_c=X | option_d=C | answer=C | explanation=Move 5 positions forward from S; the resulting letter is X.

id=73098 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 23? | option_a=17 | option_b=23 | option_c=19 | option_d=15 | answer=B | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 23 is the odd one out.

id=73099 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3938. If it is sold at a profit of 50%, what is its selling price? | option_a=6300 | option_b=3988 | option_c=5907 | option_d=5514 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3938 \times 150/100 = \text{■}5907$.

id=73100 | topic=Averages | difficulty=Easy | question=Find the average of 46, 39, 90, 29. | option_a=52 | option_b=50 | option_c=51 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = $204 \div 4 = 51$.

id=73101 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 33? | option_a=2 | option_b=22 | option_c=33 | option_d=12 | answer=C | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 33 is the odd one out.

id=73102 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:11 and the first is 78, what is the second? | option_a=149 | option_b=132 | option_c=143 | option_d=221 | answer=C | explanation=Scale factor = $78/6 = 13$. Therefore second quantity = $11 \times 13 = 143$.

id=73103 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28545 at 8% per annum for 3 years. | option_a=35395 | option_b=6950 | option_c=6850 | option_d=6750 | answer=C | explanation=SI = $PRT/100 = 28545 \times 8 \times 3/100 = \text{■}6850$.

id=73104 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2977. If it is sold at a profit of 30%, what is its selling price? | option_a=3573 | option_b=3870 | option_c=4167 | option_d=3007 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2977 \times 130/100 = \text{■}3870$.

id=73105 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31343 at 5% per annum for 1 years. | option_a=1667 | option_b=32910 | option_c=1467 | option_d=1567 | answer=D | explanation=SI = $PRT/100 = 31343 \times 5 \times 1/100 = \text{■}1567$.

id=73106 | topic=Averages | difficulty=Easy | question=Find the average of 20, 82, 66, 87, 29, 34. | option_a=54 | option_b=52 | option_c=53 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = $318 \div 6 = 53$.

id=73107 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:12 and the first is 45, what is the second? | option_a=24 | option_b=51 | option_c=36 | option_d=81 | answer=C | explanation=Scale factor = $45/15 = 3$. Therefore second quantity = $12 \times 3 = 36$.

id=73108 | topic=Averages | difficulty=Easy | question=Find the average of 56, 61, 48, 77, 65, 70, 36. | option_a=59 | option_b=61 | option_c=60 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = $413 \div 7 = 59$.

id=73109 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=B | option_c=H | option_d=D | answer=A | explanation=Move 2 positions forward from D; the resulting letter is F.

id=73110 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**148. If it is sold at a profit of 15%, what is its selling price? | option_a=184 | option_b=163 | option_c=156 | option_d=170 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 148 \times 115/100 = \text{■}170$.

Aptitude Questions — Records 73,111-73,140 of 100,000

id=73111 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 25? | option_a=5 | option_b=17 | option_c=25 | option_d=11 | answer=C | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 25 is the odd one out.

id=73112 | topic=Averages | difficulty=Easy | question=Find the average of 18, 33, 97, 84, 30, 13, 51, 58. | option_a=49 | option_b=47 | option_c=50 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = 384 ÷ 8 = 48.

id=73113 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=95 | option_c=200 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=73114 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=67 | option_b=78 | option_c=54 | option_d=66 | answer=D | explanation=The common difference is 12. Therefore the next term is 54 + 12 = 66.

id=73115 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:12 and the first is 45, what is the second? | option_a=225 | option_b=183 | option_c=168 | option_d=180 | answer=D | explanation=Scale factor = 45/3 = 15. Therefore second quantity = 12×15 = 180.

id=73116 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=57 | option_b=35 | option_c=46 | option_d=47 | answer=C | explanation=The common difference is 11. Therefore the next term is 35 + 11 = 46.

id=73117 | topic=Percentages | difficulty=Easy | question=What is 25% of 458? | option_a=228 | option_b=109 | option_c=134 | option_d=114 | answer=D | explanation=25% of 458 = (25/100) × 458 = 114.

id=73118 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:1 and the first is 75, what is the second? | option_a=3 | option_b=4 | option_c=20 | option_d=80 | answer=A | explanation=Scale factor = 75/15 = 5. Therefore second quantity = 1×5 = 5.

id=73119 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:17 and the first is 342, what is the second? | option_a=665 | option_b=323 | option_c=306 | option_d=341 | answer=B | explanation=Scale factor = 342/18 = 19. Therefore second quantity = 17×19 = 323.

id=73120 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:13 and the first is 18, what is the second? | option_a=78 | option_b=65 | option_c=81 | option_d=96 | answer=A | explanation=Scale factor = 18/3 = 6. Therefore second quantity = 13×6 = 78.

id=73121 | topic=Averages | difficulty=Easy | question=Find the average of 26, 55, 19, 32, 33. | option_a=33 | option_b=32 | option_c=34 | option_d=35 | answer=A | explanation=Average = sum of values ÷ number of values = 165 ÷ 5 = 33.

id=73122 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=73123 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=44 | option_b=43 | option_c=50 | option_d=36 | answer=B | explanation=The common difference is 7. Therefore the next term is 36 + 7 = 43.

id=73124 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2980. If it is sold at a profit of 25%, what is its selling price? | option_a=4023 | option_b=3005 | option_c=3427 | option_d=3725 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2980 × 125/100 = █3725.

id=73125 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=73126 | topic=Percentages | difficulty=Easy | question=What is 30% of 530? | option_a=159 | option_b=139 | option_c=318 | option_d=179 | answer=A | explanation=30% of 530 = (30/100) × 530 = 159.

id=73127 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=40 | option_c=45 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=73128 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29083 at 12% per annum for 3 years. | option_a=10469 | option_b=39552 | option_c=10369 | option_d=10569 | answer=A | explanation=SI = PRT/100 = 29083×12×3/100 = █10469.

id=73129 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=55 | option_b=48 | option_c=49 | option_d=41 | answer=B | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.

id=73130 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=73131 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2986. If it is sold at a profit of 25%, what is its selling price? | option_a=4030 | option_b=3011 | option_c=3732 | option_d=3434 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2986 × 125/100 = █3732.

id=73132 | topic=Percentages | difficulty=Easy | question=What is 25% of 196? | option_a=49 | option_b=98 | option_c=44 | option_d=69 | answer=A | explanation=25% of 196 = (25/100) × 196 = 49.

id=73133 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 45? | option_a=26 | option_b=45 | option_c=32 | option_d=38 | answer=B | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 45 is the odd one out.

id=73134 | topic=Percentages | difficulty=Easy | question=What is 10% of 461? | option_a=36 | option_b=51 | option_c=92 | option_d=46 | answer=D | explanation=10% of 461 = (10/100) × 461 = 46.

id=73135 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 17, 20, 25? | option_a=14 | option_b=17 | option_c=20 | option_d=25 | answer=D | explanation=The first three numbers increase by 3, so the next should be 23. Therefore 25 is the odd one out.

id=73136 | topic=Profit & Loss | difficulty=Easy | question=An article costs █787. If it is sold at a profit of 15%, what is its selling price? | option_a=905 | option_b=827 | option_c=983 | option_d=802 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 787 × 115/100 = █905.

id=73137 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=G | option_c=I | option_d=M | answer=A | explanation=Move 2 positions forward from I; the resulting letter is K.

id=73138 | topic=Averages | difficulty=Easy | question=Find the average of 58, 74, 48, 44, 17, 53. | option_a=48 | option_b=51 | option_c=50 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 294 ÷ 6 = 49.

id=73139 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=D | option_c=F | option_d=J | answer=A | explanation=Move 2 positions forward from F; the resulting letter is H.

id=73140 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 21, 30, 39, ? | option_a=49 | option_b=48 | option_c=39 | option_d=57 | answer=B | explanation=The common difference is 9. Therefore the next term is 39 + 9 = 48.

Aptitude Questions — Records 73,141-73,170 of 100,000

id=73141 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=18 | option_c=13 | option_d=23 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=73142 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:8 and the first is 304, what is the second? | option_a=152 | option_b=456 | option_c=144 | option_d=168 | answer=A | explanation=Scale factor = 304/16 = 19. Therefore second quantity = 8×19 = 152.

id=73143 | topic=Percentages | difficulty=Easy | question=What is 15% of 219? | option_a=32 | option_b=12 | option_c=64 | option_d=52 | answer=A | explanation=15% of 219 = (15/100) × 219 = 32.

id=73144 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=120 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=73145 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 31, 41, 52? | option_a=41 | option_b=52 | option_c=31 | option_d=21 | answer=B | explanation=The first three numbers increase by 10, so the next should be 51. Therefore 52 is the odd one out.

id=73146 | topic=Averages | difficulty=Easy | question=Find the average of 12, 78, 71, 103. | option_a=66 | option_b=65 | option_c=68 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = 264 ÷ 4 = 66.

id=73147 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=73148 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 17, 22, 28? | option_a=28 | option_b=22 | option_c=12 | option_d=17 | answer=A | explanation=The first three numbers increase by 5, so the next should be 27. Therefore 28 is the odd one out.

id=73149 | topic=Percentages | difficulty=Easy | question=What is 20% of 314? | option_a=42 | option_b=82 | option_c=124 | option_d=62 | answer=D | explanation=20% of 314 = (20/100) × 314 = 62.

id=73150 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=T | option_c=R | option_d=S | answer=B | explanation=Move 1 positions forward from S; the resulting letter is T.

id=73151 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:7 and the first is 187, what is the second? | option_a=264 | option_b=70 | option_c=94 | option_d=77 | answer=D | explanation=Scale factor = 187/17 = 11. Therefore second quantity = 7×11 = 77.

id=73152 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3980. If it is sold at a profit of 25%, what is its selling price? | option_a=4005 | option_b=5373 | option_c=4577 | option_d=4975 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3980 × 125/100 = █4975.

id=73153 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=39 | option_b=63 | option_c=52 | option_d=51 | answer=D | explanation=The common difference is 12. Therefore the next term is 39 + 12 = 51.

id=73154 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=19 | option_c=29 | option_d=48 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=73155 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10091 at 12% per annum for 1 years. | option_a=1310 | option_b=11301 | option_c=1210 | option_d=1110 | answer=C | explanation=SI = PRT/100 = 10091×12×1/100 = █1210.

id=73156 | topic=Averages | difficulty=Easy | question=Find the average of 73, 97, 10. | option_a=61 | option_b=59 | option_c=60 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 180 ÷ 3 = 60.

id=73157 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 18, 26, 37? | option_a=37 | option_b=10 | option_c=26 | option_d=18 | answer=A | explanation=The first three numbers increase by 8, so the next should be 34. Therefore 37 is the odd one out.

id=73158 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=59 | option_b=70 | option_c=46 | option_d=58 | answer=D | explanation=The common difference is 12. Therefore the next term is 46 + 12 = 58.

id=73159 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=24 | option_c=12 | option_d=7 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=73160 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=73161 | topic=Averages | difficulty=Easy | question=Find the average of 56, 70, 72, 63, 34, 27, 68, 10, 26, 34. | option_a=48 | option_b=46 | option_c=47 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = 460 ÷ 10 = 46.

id=73162 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:4 and the first is 56, what is the second? | option_a=39 | option_b=32 | option_c=28 | option_d=88 | answer=B | explanation=Scale factor = 56/7 = 8. Therefore second quantity = 4×8 = 32.

id=73163 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 20. | option_a=1 | option_b=20 | option_c=80 | option_d=24 | answer=B | explanation=LCM × HCF = 4×20; HCF(4,20) = 4, so LCM = 20.

id=73164 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:8 and the first is 260, what is the second? | option_a=124 | option_b=96 | option_c=364 | option_d=104 | answer=D | explanation=Scale factor = 260/20 = 13. Therefore second quantity = 8×13 = 104.

id=73165 | topic=Averages | difficulty=Easy | question=Find the average of 37, 30, 21, 18, 90, 21, 88, 53, 29. | option_a=44 | option_b=42 | option_c=43 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = 387 ÷ 9 = 43.

id=73166 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:1 and the first is 57, what is the second? | option_a=2 | option_b=60 | option_c=3 | option_d=22 | answer=C | explanation=Scale factor = 57/19 = 3. Therefore second quantity = 1×3 = 3.

id=73167 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=E | option_c=K | option_d=G | answer=A | explanation=Move 2 positions forward from G; the resulting letter is I.

id=73168 | topic=Percentages | difficulty=Easy | question=What is 20% of 614? | option_a=244 | option_b=122 | option_c=127 | option_d=117 | answer=B | explanation=20% of 614 = (20/100) × 614 = 122.

id=73169 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=D | option_b=F | option_c=E | option_d=G | answer=B | explanation=Move 1 positions forward from E; the resulting letter is F.

id=73170 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49998 at 8% per annum for 1 years. | option_a=4099 | option_b=3899 | option_c=3999 | option_d=53997 | answer=C | explanation=SI = PRT/100 = 49998×8×1/100 = █3999.

Aptitude Questions — Records 73,171-73,200 of 100,000

id=73171 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4252. If it is sold at a profit of 15%, what is its selling price? | option_a=4267 | option_b=4464 | option_c=4889 | option_d=5314 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4252 × 115/100 = ■4889.

id=73172 | topic=Percentages | difficulty=Easy | question=What is 12% of 666? | option_a=99 | option_b=59 | option_c=79 | option_d=158 | answer=C | explanation=12% of 666 = (12/100) × 666 = 79.

id=73173 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=24 | option_c=7 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=73174 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=73175 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2404. If it is sold at a profit of 40%, what is its selling price? | option_a=3365 | option_b=3125 | option_c=3605 | option_d=2444 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2404 × 140/100 = ■3365.

id=73176 | topic=Percentages | difficulty=Easy | question=What is 50% of 609? | option_a=299 | option_b=324 | option_c=608 | option_d=304 | answer=D | explanation=50% of 609 = (50/100) × 609 = 304.

id=73177 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■44037 at 4% per annum for 4 years. | option_a=6945 | option_b=5182 | option_c=7045 | option_d=7145 | answer=C | explanation=SI = PRT/100 = 44037×4×4/100 = ■7045.

id=73178 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 44? | option_a=29 | option_b=37 | option_c=44 | option_d=33 | answer=C | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 44 is the odd one out.

id=73179 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=20 | option_b=17 | option_c=21 | option_d=19 | answer=D | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=73180 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■144. If it is sold at a profit of 20%, what is its selling price? | option_a=158 | option_b=172 | option_c=186 | option_d=164 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 144 × 120/100 = ■172.

id=73181 | topic=Averages | difficulty=Easy | question=Find the average of 49, 79, 25, 100, 81, 97, 69, 52. | option_a=68 | option_b=69 | option_c=71 | option_d=70 | answer=B | explanation=Average = sum of values ÷ number of values = 552 ÷ 8 = 69.

id=73182 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 17? | option_a=11 | option_b=9 | option_c=17 | option_d=13 | answer=C | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 17 is the odd one out.

id=73183 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=72 | option_c=67 | option_d=77 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=73184 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■19773 at 8% per annum for 2 years. | option_a=3163 | option_b=3263 | option_c=3063 | option_d=22936 | answer=A | explanation=SI = PRT/100 = 19773×8×2/100 = ■3163.

id=73185 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=6 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=73186 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 38, 48, 60? | option_a=38 | option_b=60 | option_c=48 | option_d=28 | answer=B | explanation=The first three numbers increase by 10, so the next should be 58. Therefore 60 is the odd one out.

id=73187 | topic=Percentages | difficulty=Easy | question=What is 12% of 1888? | option_a=452 | option_b=246 | option_c=216 | option_d=226 | answer=D | explanation=12% of 1888 = (12/100) × 1888 = 226.

id=73188 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■31022 at 4% per annum for 5 years. | option_a=6304 | option_b=6204 | option_c=37226 | option_d=6104 | answer=B | explanation=SI = PRT/100 = 31022×4×5/100 = ■6204.

id=73189 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=73190 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=X | option_b=P | option_c=T | option_d=L | answer=C | explanation=Move 4 positions forward from P, the resulting letter is T.

id=73191 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=33 | option_b=51 | option_c=42 | option_d=43 | answer=C | explanation=The common difference is 9. Therefore the next term is 33 + 9 = 42.

id=73192 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■40992 at 6% per annum for 3 years. | option_a=7278 | option_b=7378 | option_c=48370 | option_d=7478 | answer=B | explanation=SI = PRT/100 = 40992×6×3/100 = ■7378.

id=73193 | topic=Averages | difficulty=Easy | question=Find the average of 63, 89, 23, 47, 78, 13, 74, 45. | option_a=54 | option_b=55 | option_c=56 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 432 ÷ 8 = 54.

id=73194 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=57 | option_b=45 | option_c=56 | option_d=67 | answer=C | explanation=The common difference is 11. Therefore the next term is 45 + 11 = 56.

id=73195 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=23 | option_b=29 | option_c=35 | option_d=30 | answer=B | explanation=The common difference is 6. Therefore the next term is 23 + 6 = 29.

id=73196 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 8. | option_a=110 | option_b=88 | option_c=80 | option_d=176 | answer=B | explanation=LCM × HCF = 22×8; HCF(22,8) = 2, so LCM = 88.

id=73197 | topic=Percentages | difficulty=Easy | question=What is 20% of 439? | option_a=77 | option_b=107 | option_c=174 | option_d=87 | answer=D | explanation=20% of 439 = (20/100) × 439 = 87.

id=73198 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=175 | option_c=180 | option_d=360 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=73199 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 26, 33, 42? | option_a=19 | option_b=26 | option_c=33 | option_d=42 | answer=D | explanation=The first three numbers increase by 7, so the next should be 40. Therefore 42 is the odd one out.

id=73200 | topic=Averages | difficulty=Easy | question=Find the average of 77, 27, 37, 100, 25, 40, 65, 57, 97, 25. | option_a=57 | option_b=55 | option_c=54 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 550 ÷ 10 = 55.

Aptitude Questions — Records 73,201-73,230 of 100,000

id=73201 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19312 at 10% per annum for 2 years. | option_a=23174 | option_b=3862 | option_c=3962 | option_d=3762 | answer=B | explanation=SI = $PRT/100 = 19312 \times 10 \times 2/100 = \text{■}3862$.

id=73202 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:20 and the first is 220, what is the second? | option_a=240 | option_b=440 | option_c=220 | option_d=200 | answer=C | explanation=Scale factor = $220/20 = 11$. Therefore second quantity = $20 \times 11 = 220$.

id=73203 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=N | option_c=T | option_d=W | answer=C | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=73204 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=73205 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9604 at 5% per annum for 5 years. | option_a=2501 | option_b=2401 | option_c=12005 | option_d=2301 | answer=B | explanation=SI = $PRT/100 = 9604 \times 5 \times 5/100 = \text{■}2401$.

id=73206 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 26, 35, 45? | option_a=35 | option_b=45 | option_c=17 | option_d=26 | answer=B | explanation=The first three numbers increase by 9, so the next should be 44. Therefore 45 is the odd one out.

id=73207 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 22, 25, 31? | option_a=22 | option_b=25 | option_c=19 | option_d=31 | answer=D | explanation=The first three numbers increase by 3, so the next should be 28. Therefore 31 is the odd one out.

id=73208 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28953 at 15% per annum for 2 years. | option_a=8685 | option_b=37638 | option_c=8585 | option_d=8785 | answer=A | explanation=SI = $PRT/100 = 28953 \times 15 \times 2/100 = \text{■}8685$.

id=73209 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14761 at 4% per annum for 1 years. | option_a=490 | option_b=590 | option_c=690 | option_d=15351 | answer=B | explanation=SI = $PRT/100 = 14761 \times 4 \times 1/100 = \text{■}590$.

id=73210 | topic=Averages | difficulty=Easy | question=Find the average of 95, 60, 20, 38, 48, 60, 50, 45. | option_a=51 | option_b=52 | option_c=53 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = $416 \div 8 = 52$.

id=73211 | topic=Percentages | difficulty=Easy | question=What is 12% of 1219? | option_a=146 | option_b=166 | option_c=136 | option_d=292 | answer=A | explanation=12% of 1219 = $(12/100) \times 1219 = 146$.

id=73212 | topic=Averages | difficulty=Easy | question=Find the average of 86, 48, 45, 80, 45, 92. | option_a=65 | option_b=67 | option_c=68 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = $396 \div 6 = 66$.

id=73213 | topic=Averages | difficulty=Easy | question=Find the average of 46, 75, 13, 69, 40, 65, 35. | option_a=48 | option_b=50 | option_c=51 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = $343 \div 7 = 49$.

id=73214 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=125 | option_b=120 | option_c=240 | option_d=115 | answer=B | explanation=Speed = distance ÷ time = $240 \div 2 = 120$ km/h.

id=73215 | topic=Percentages | difficulty=Easy | question=What is 40% of 1345? | option_a=538 | option_b=1076 | option_c=543 | option_d=528 | answer=A | explanation=40% of 1345 = $(40/100) \times 1345 = 538$.

id=73216 | topic=Percentages | difficulty=Easy | question=What is 15% of 1879? | option_a=562 | option_b=281 | option_c=291 | option_d=276 | answer=B | explanation=15% of 1879 = $(15/100) \times 1879 = 281$.

id=73217 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:11 and the first is 117, what is the second? | option_a=143 | option_b=132 | option_c=260 | option_d=152 | answer=A | explanation=Scale factor = $117/9 = 13$. Therefore second quantity = $11 \times 13 = 143$.

id=73218 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=45 | option_b=39 | option_c=31 | option_d=38 | answer=D | explanation=The common difference is 7. Therefore the next term is $31 + 7 = 38$.

id=73219 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = $180 \div 3 = 60$ km/h.

id=73220 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:7 and the first is 90, what is the second? | option_a=63 | option_b=70 | option_c=79 | option_d=160 | answer=B | explanation=Scale factor = $90/9 = 10$. Therefore second quantity = $7 \times 10 = 70$.

id=73221 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $120 \div 2 = 60$ km/h.

id=73222 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = $90 \div 6 = 15$ km/h.

id=73223 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30327 at 5% per annum for 4 years. | option_a=36392 | option_b=5965 | option_c=6065 | option_d=6165 | answer=C | explanation=SI = $PRT/100 = 30327 \times 5 \times 4/100 = \text{■}6065$.

id=73224 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22987 at 4% per annum for 5 years. | option_a=27584 | option_b=4497 | option_c=4697 | option_d=4597 | answer=D | explanation=SI = $PRT/100 = 22987 \times 4 \times 5/100 = \text{■}4597$.

id=73225 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3995. If it is sold at a profit of 10%, what is its selling price? | option_a=4394 | option_b=4793 | option_c=4005 | option_d=3995 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3995 \times 110/100 = \text{■}4394$.

id=73226 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=Q | option_b=V | option_c=G | option_d=L | answer=A | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=73227 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=P | option_c=X | option_d=B | answer=C | explanation=Move 4 positions forward from T; the resulting letter is X.

id=73228 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 10, 13, 19? | option_a=19 | option_b=7 | option_c=10 | option_d=13 | answer=A | explanation=The first three numbers increase by 3, so the next should be 16. Therefore 19 is the odd one out.

id=73229 | topic=Averages | difficulty=Easy | question=Find the average of 89, 96, 21, 49, 40. | option_a=58 | option_b=61 | option_c=59 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = $295 \div 5 = 59$.

id=73230 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=T | option_b=Y | option_c=O | option_d=J | answer=A | explanation=Move 5 positions forward from O; the resulting letter is T.

Aptitude Questions — Records 73,231-73,260 of 100,000

id=73231 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:15 and the first is 52, what is the second? | option_a=112 | option_b=73 | option_c=45 | option_d=60 | answer=D | explanation=Scale factor = 52/13 = 4. Therefore second quantity = 15×4 = 60.

id=73232 | topic=Percentages | difficulty=Easy | question=What is 40% of 547? | option_a=223 | option_b=198 | option_c=218 | option_d=436 | answer=C | explanation=40% of 547 = (40/100) × 547 = 218.

id=73233 | topic=Percentages | difficulty=Easy | question=What is 20% of 1175? | option_a=235 | option_b=215 | option_c=470 | option_d=245 | answer=A | explanation=20% of 1175 = (20/100) × 1175 = 235.

id=73234 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=35 | option_b=25 | option_c=31 | option_d=30 | answer=D | explanation=The common difference is 5. Therefore the next term is 25 + 5 = 30.

id=73235 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40674 at 6% per annum for 4 years. | option_a=50435 | option_b=9661 | option_c=9861 | option_d=9761 | answer=D | explanation=SI = PRT/100 = 40674×6×4/100 = **■**9761.

id=73236 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=150 | option_c=75 | option_d=70 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=73237 | topic=Percentages | difficulty=Easy | question=What is 5% of 437? | option_a=41 | option_b=42 | option_c=21 | option_d=16 | answer=C | explanation=5% of 437 = (5/100) × 437 = 21.

id=73238 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20121 at 6% per annum for 1 years. | option_a=1207 | option_b=1307 | option_c=1107 | option_d=21328 | answer=A | explanation=SI = PRT/100 = 20121×6×1/100 = **■**1207.

id=73239 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=U | option_c=R | option_d=T | answer=D | explanation=Move 1 positions forward from S; the resulting letter is T.

id=73240 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2856. If it is sold at a profit of 20%, what is its selling price? | option_a=3712 | option_b=3427 | option_c=2876 | option_d=3142 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2856 × 120/100 = **■**3427.

id=73241 | topic=Percentages | difficulty=Easy | question=What is 50% of 1804? | option_a=922 | option_b=897 | option_c=1804 | option_d=902 | answer=D | explanation=50% of 1804 = (50/100) × 1804 = 902.

id=73242 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34515 at 4% per annum for 3 years. | option_a=38656 | option_b=4141 | option_c=4041 | option_d=4241 | answer=B | explanation=SI = PRT/100 = 34515×4×3/100 = **■**4141.

id=73243 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 5. | option_a=40 | option_b=20 | option_c=15 | option_d=100 | answer=B | explanation=LCM × HCF = 20×5; HCF(20,5) = 5, so LCM = 20.

id=73244 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=47 | option_b=48 | option_c=37 | option_d=57 | answer=A | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

id=73245 | topic=Percentages | difficulty=Easy | question=What is 30% of 129? | option_a=76 | option_b=58 | option_c=38 | option_d=28 | answer=C | explanation=30% of 129 = (30/100) × 129 = 38.

id=73246 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=28 | option_b=18 | option_c=24 | option_d=23 | answer=D | explanation=The common difference is 5. Therefore the next term is 18 + 5 = 23.

id=73247 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=73248 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18377 at 12% per annum for 2 years. | option_a=22787 | option_b=4410 | option_c=4510 | option_d=4310 | answer=B | explanation=SI = PRT/100 = 18377×12×2/100 = **■**4410.

id=73249 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 15, 23, 33? | option_a=7 | option_b=33 | option_c=15 | option_d=23 | answer=B | explanation=The first three numbers increase by 8, so the next should be 31. Therefore 33 is the odd one out.

id=73250 | topic=Percentages | difficulty=Easy | question=What is 10% of 756? | option_a=80 | option_b=75 | option_c=150 | option_d=70 | answer=B | explanation=10% of 756 = (10/100) × 756 = 75.

id=73251 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 25. | option_a=75 | option_b=375 | option_c=90 | option_d=50 | answer=A | explanation=LCM × HCF = 15×25; HCF(15,25) = 5, so LCM = 75.

id=73252 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:17 and the first is 30, what is the second? | option_a=51 | option_b=61 | option_c=34 | option_d=81 | answer=A | explanation=Scale factor = 30/10 = 3. Therefore second quantity = 17×3 = 51.

id=73253 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5668 at 12% per annum for 5 years. | option_a=3300 | option_b=3500 | option_c=9068 | option_d=3400 | answer=D | explanation=SI = PRT/100 = 5668×12×5/100 = **■**3400.

id=73254 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:13 and the first is 247, what is the second? | option_a=494 | option_b=234 | option_c=247 | option_d=260 | answer=C | explanation=Scale factor = 247/13 = 19. Therefore second quantity = 13×19 = 247.

id=73255 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=19 | option_b=18 | option_c=22 | option_d=14 | answer=B | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.

id=73256 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1420. If it is sold at a profit of 10%, what is its selling price? | option_a=1562 | option_b=1704 | option_c=1420 | option_d=1430 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1420 × 110/100 = **■**1562.

id=73257 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24534 at 6% per annum for 3 years. | option_a=4516 | option_b=28950 | option_c=4416 | option_d=4316 | answer=C | explanation=SI = PRT/100 = 24534×6×3/100 = **■**4416.

id=73258 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=73259 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2161. If it is sold at a profit of 5%, what is its selling price? | option_a=2053 | option_b=2166 | option_c=2269 | option_d=2485 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2161 × 105/100 = **■**2269.

id=73260 | topic=Averages | difficulty=Easy | question=Find the average of 21, 65, 81, 38, 58, 91. | option_a=58 | option_b=61 | option_c=59 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.

Aptitude Questions — Records 73,261-73,290 of 100,000

id=73261 | topic=Averages | difficulty=Easy | question=Find the average of 87, 22, 68, 10, 38, 39. | option_a=44 | option_b=45 | option_c=43 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 264 ÷ 6 = 44.

id=73262 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 50? | option_a=36 | option_b=50 | option_c=42 | option_d=30 | answer=B | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 50 is the odd one out.

id=73263 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1454. If it is sold at a profit of 50%, what is its selling price? | option_a=2181 | option_b=2036 | option_c=2326 | option_d=1504 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1454 × 150/100 = █2181.

id=73264 | topic=Percentages | difficulty=Easy | question=What is 15% of 862? | option_a=134 | option_b=258 | option_c=109 | option_d=129 | answer=D | explanation=15% of 862 = (15/100) × 862 = 129.

id=73265 | topic=Percentages | difficulty=Easy | question=What is 5% of 1300? | option_a=75 | option_b=60 | option_c=65 | option_d=130 | answer=C | explanation=5% of 1300 = (5/100) × 1300 = 65.

id=73266 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 20? | option_a=13 | option_b=15 | option_c=20 | option_d=17 | answer=C | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 20 is the odd one out.

id=73267 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 12, 16, 22? | option_a=16 | option_b=22 | option_c=8 | option_d=12 | answer=B | explanation=The first three numbers increase by 4, so the next should be 20. Therefore 22 is the odd one out.

id=73268 | topic=Percentages | difficulty=Easy | question=What is 40% of 758? | option_a=313 | option_b=283 | option_c=303 | option_d=606 | answer=C | explanation=40% of 758 = (40/100) × 758 = 303.

id=73269 | topic=Averages | difficulty=Easy | question=Find the average of 67, 12, 90, 44, 83, 39, 90, 103. | option_a=68 | option_b=67 | option_c=65 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = 528 ÷ 8 = 66.

id=73270 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=125 | option_d=240 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=73271 | topic=Averages | difficulty=Easy | question=Find the average of 29, 31, 30. | option_a=32 | option_b=31 | option_c=30 | option_d=29 | answer=C | explanation=Average = sum of values ÷ number of values = 90 ÷ 3 = 30.

id=73272 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 33, 42, 52? | option_a=42 | option_b=33 | option_c=24 | option_d=52 | answer=D | explanation=The first three numbers increase by 9, so the next should be 51. Therefore 52 is the odd one out.

id=73273 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:6 and the first is 26, what is the second? | option_a=72 | option_b=78 | option_c=80 | option_d=104 | answer=B | explanation=Scale factor = 26/2 = 13. Therefore second quantity = 6×13 = 78.

id=73274 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:7 and the first is 114, what is the second? | option_a=126 | option_b=139 | option_c=133 | option_d=247 | answer=C | explanation=Scale factor = 114/6 = 19. Therefore second quantity = 7×19 = 133.

id=73275 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:14 and the first is 112, what is the second? | option_a=98 | option_b=224 | option_c=112 | option_d=126 | answer=C | explanation=Scale factor = 112/14 = 8. Therefore second quantity = 14×8 = 112.

id=73276 | topic=Averages | difficulty=Easy | question=Find the average of 31, 37, 61, 80, 23, 46, 97, 14, 91, 90. | option_a=58 | option_b=59 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.

id=73277 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=O | option_b=C | option_c=K | option_d=G | answer=C | explanation=Move 4 positions forward from G; the resulting letter is K.

id=73278 | topic=Averages | difficulty=Easy | question=Find the average of 85, 93, 81, 56, 89, 33, 102. | option_a=76 | option_b=79 | option_c=77 | option_d=78 | answer=C | explanation=Average = sum of values ÷ number of values = 539 ÷ 7 = 77.

id=73279 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1757. If it is sold at a profit of 30%, what is its selling price? | option_a=2109 | option_b=2459 | option_c=1787 | option_d=2284 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1757 × 130/100 = █2284.

id=73280 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:16 and the first is 6, what is the second? | option_a=97 | option_b=96 | option_c=80 | option_d=102 | answer=B | explanation=Scale factor = 6/1 = 6. Therefore second quantity = 16×6 = 96.

id=73281 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=K | option_b=S | option_c=W | option_d=O | answer=B | explanation=Move 4 positions forward from O; the resulting letter is S.

id=73282 | topic=Averages | difficulty=Easy | question=Find the average of 57, 89, 33, 28, 25, 44, 26, 58. | option_a=46 | option_b=45 | option_c=47 | option_d=44 | answer=B | explanation=Average = sum of values ÷ number of values = 360 ÷ 8 = 45.

id=73283 | topic=Averages | difficulty=Easy | question=Find the average of 68, 18, 69, 20, 22, 36, 44, 44, 81, 28. | option_a=44 | option_b=45 | option_c=42 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = 430 ÷ 10 = 43.

id=73284 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=6 | option_c=1 | option_d=11 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=73285 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:13 and the first is 144, what is the second? | option_a=208 | option_b=217 | option_c=195 | option_d=352 | answer=A | explanation=Scale factor = 144/9 = 16. Therefore second quantity = 13×16 = 208.

id=73286 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=P | option_b=Q | option_c=N | option_d=O | answer=A | explanation=Move 1 positions forward from O; the resulting letter is P.

id=73287 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 11, 19, 30? | option_a=11 | option_b=3 | option_c=19 | option_d=30 | answer=D | explanation=The first three numbers increase by 8, so the next should be 27. Therefore 30 is the odd one out.

id=73288 | topic=Percentages | difficulty=Easy | question=What is 15% of 567? | option_a=170 | option_b=95 | option_c=75 | option_d=85 | answer=D | explanation=15% of 567 = (15/100) × 567 = 85.

id=73289 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=15 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=73290 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 28, 36, 45? | option_a=36 | option_b=45 | option_c=20 | option_d=28 | answer=B | explanation=The first three numbers increase by 8, so the next should be 44. Therefore 45 is the odd one out.

Aptitude Questions — Records 73,291-73,320 of 100,000

id=73291 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=9 | option_c=18 | option_d=14 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=73292 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=25 | option_c=20 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=73293 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:12 and the first is 132, what is the second? | option_a=120 | option_b=144 | option_c=264 | option_d=132 | answer=D | explanation=Scale factor = 132/12 = 11. Therefore second quantity = 12×11 = 132.

id=73294 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=M | option_b=B | option_c=R | option_d=W | answer=D | explanation=Move 5 positions forward from R; the resulting letter is W.

id=73295 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 18, 22, 27? | option_a=27 | option_b=14 | option_c=18 | option_d=22 | answer=A | explanation=The first three numbers increase by 4, so the next should be 26. Therefore 27 is the odd one out.

id=73296 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 30. | option_a=30 | option_b=1 | option_c=300 | option_d=40 | answer=A | explanation=LCM × HCF = 10×30; HCF(10,30) = 10, so LCM = 30.

id=73297 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=10 | option_b=8 | option_c=12 | option_d=11 | answer=A | explanation=The common difference is 2. Therefore the next term is 8 + 2 = 10.

id=73298 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=A | option_c=C | option_d=G | answer=A | explanation=Move 2 positions forward from C; the resulting letter is E.

id=73299 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:8 and the first is 135, what is the second? | option_a=255 | option_b=120 | option_c=112 | option_d=129 | answer=B | explanation=Scale factor = 135/9 = 15. Therefore second quantity = 8×15 = 120.

id=73300 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 48? | option_a=48 | option_b=27 | option_c=17 | option_d=37 | answer=A | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 48 is the odd one out.

id=73301 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=73302 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2922. If it is sold at a profit of 10%, what is its selling price? | option_a=2932 | option_b=2922 | option_c=3214 | option_d=3506 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2922 × 110/100 = █3214.

id=73303 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=56 | option_b=66 | option_c=46 | option_d=57 | answer=A | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=73304 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:6 and the first is 340, what is the second? | option_a=96 | option_b=102 | option_c=122 | option_d=442 | answer=B | explanation=Scale factor = 340/20 = 17. Therefore second quantity = 6×17 = 102.

id=73305 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=J | option_b=P | option_c=S | option_d=M | answer=B | explanation=Move 3 positions forward from M; the resulting letter is P.

id=73306 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=D | option_c=P | option_d=L | answer=D | explanation=Move 4 positions forward from H; the resulting letter is L.

id=73307 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=26 | option_b=27 | option_c=20 | option_d=32 | answer=A | explanation=The common difference is 6. Therefore the next term is 20 + 6 = 26.

id=73308 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 27? | option_a=15 | option_b=21 | option_c=27 | option_d=18 | answer=C | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 27 is the odd one out.

id=73309 | topic=Averages | difficulty=Easy | question=Find the average of 34, 82, 82, 28, 25, 20, 30. | option_a=43 | option_b=42 | option_c=44 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 301 ÷ 7 = 43.

id=73310 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7206 at 15% per annum for 4 years. | option_a=11529 | option_b=4323 | option_c=4423 | option_d=4223 | answer=B | explanation=SI = PRT/100 = 7206×15×4/100 = █4323.

id=73311 | topic=Percentages | difficulty=Easy | question=What is 12% of 1175? | option_a=136 | option_b=282 | option_c=141 | option_d=146 | answer=C | explanation=12% of 1175 = (12/100) × 1175 = 141.

id=73312 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=73313 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:15 and the first is 210, what is the second? | option_a=195 | option_b=420 | option_c=225 | option_d=210 | answer=D | explanation=Scale factor = 210/15 = 14. Therefore second quantity = 15×14 = 210.

id=73314 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2573. If it is sold at a profit of 5%, what is its selling price? | option_a=2701 | option_b=2444 | option_c=2958 | option_d=2578 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2573 × 105/100 = █2701.

id=73315 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 42? | option_a=21 | option_b=42 | option_c=31 | option_d=11 | answer=B | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 42 is the odd one out.

id=73316 | topic=Averages | difficulty=Easy | question=Find the average of 50, 24, 81, 37, 22, 19, 47. | option_a=39 | option_b=42 | option_c=40 | option_d=41 | answer=C | explanation=Average = sum of values ÷ number of values = 280 ÷ 7 = 40.

id=73317 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:19 and the first is 91, what is the second? | option_a=146 | option_b=133 | option_c=224 | option_d=114 | answer=B | explanation=Scale factor = 91/13 = 7. Therefore second quantity = 19×7 = 133.

id=73318 | topic=Profit & Loss | difficulty=Easy | question=An article costs █541. If it is sold at a profit of 25%, what is its selling price? | option_a=730 | option_b=566 | option_c=676 | option_d=622 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 541 × 125/100 = █676.

id=73319 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 21, 30, 39, ? | option_a=49 | option_b=39 | option_c=57 | option_d=48 | answer=D | explanation=The common difference is 9. Therefore the next term is 39 + 9 = 48.

id=73320 | topic=Percentages | difficulty=Easy | question=What is 50% of 1041? | option_a=1040 | option_b=530 | option_c=500 | option_d=520 | answer=D | explanation=50% of 1041 = (50/100) × 1041 = 520.

Aptitude Questions — Records 73,321-73,350 of 100,000

id=73321 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=73322 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=73323 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=20 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=73324 | topic=Averages | difficulty=Easy | question=Find the average of 52, 61, 90, 70, 56, 44, 90, 65. | option_a=67 | option_b=66 | option_c=68 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 528 ÷ 8 = 66.

id=73325 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=73326 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=25 | option_b=31 | option_c=30 | option_d=35 | answer=C | explanation=The common difference is 5. Therefore the next term is 25 + 5 = 30.

id=73327 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 35, 41, 49? | option_a=29 | option_b=41 | option_c=35 | option_d=49 | answer=D | explanation=The first three numbers increase by 6, so the next should be 47. Therefore 49 is the odd one out.

id=73328 | topic=Percentages | difficulty=Easy | question=What is 30% of 692? | option_a=207 | option_b=202 | option_c=212 | option_d=414 | answer=A | explanation=30% of 692 = (30/100) × 692 = 207.

id=73329 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=73330 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=E | option_b=K | option_c=I | option_d=G | answer=C | explanation=Move 2 positions forward from G; the resulting letter is I.

id=73331 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=73332 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:6 and the first is 90, what is the second? | option_a=120 | option_b=48 | option_c=24 | option_d=30 | answer=D | explanation=Scale factor = 90/18 = 5. Therefore second quantity = 6×5 = 30.

id=73333 | topic=Percentages | difficulty=Easy | question=What is 25% of 1720? | option_a=860 | option_b=410 | option_c=430 | option_d=440 | answer=C | explanation=25% of 1720 = (25/100) × 1720 = 430.

id=73334 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 9, 11, 16? | option_a=16 | option_b=9 | option_c=7 | option_d=11 | answer=A | explanation=The first three numbers increase by 2, so the next should be 13. Therefore 16 is the odd one out.

id=73335 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=73336 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=54 | option_b=55 | option_c=63 | option_d=45 | answer=A | explanation=The common difference is 9. Therefore the next term is 45 + 9 = 54.

id=73337 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=47 | option_b=69 | option_c=58 | option_d=59 | answer=C | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.

id=73338 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 23, 32, 43? | option_a=43 | option_b=23 | option_c=14 | option_d=32 | answer=A | explanation=The first three numbers increase by 9, so the next should be 41. Therefore 43 is the odd one out.

id=73339 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:11 and the first is 36, what is the second? | option_a=88 | option_b=135 | option_c=103 | option_d=99 | answer=D | explanation=Scale factor = 36/4 = 9. Therefore second quantity = 11×9 = 99.

id=73340 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35499 at 8% per annum for 5 years. | option_a=14199 | option_b=14299 | option_c=49698 | option_d=14099 | answer=A | explanation=SI = PRT/100 = 35499×8×5/100 = **■**14199.

id=73341 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=150 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=73342 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15199 at 6% per annum for 4 years. | option_a=3547 | option_b=3747 | option_c=18846 | option_d=3647 | answer=D | explanation=SI = PRT/100 = 15199×6×4/100 = **■**3647.

id=73343 | topic=Percentages | difficulty=Easy | question=What is 10% of 1067? | option_a=212 | option_b=106 | option_c=101 | option_d=126 | answer=B | explanation=10% of 1067 = (10/100) × 1067 = 106.

id=73344 | topic=Averages | difficulty=Easy | question=Find the average of 75, 52, 71, 16, 76, 26, 18, 12, 41. | option_a=42 | option_b=44 | option_c=43 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = 387 ÷ 9 = 43.

id=73345 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4926. If it is sold at a profit of 10%, what is its selling price? | option_a=4926 | option_b=4936 | option_c=5418 | option_d=5910 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4926 × 110/100 = **■**5418.

id=73346 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43315 at 10% per annum for 2 years. | option_a=8763 | option_b=8663 | option_c=8563 | option_d=51978 | answer=B | explanation=SI = PRT/100 = 43315×10×2/100 = **■**8663.

id=73347 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=73348 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 17, 22, 29? | option_a=29 | option_b=17 | option_c=12 | option_d=22 | answer=A | explanation=The first three numbers increase by 5, so the next should be 27. Therefore 29 is the odd one out.

id=73349 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 16, 26, 39? | option_a=6 | option_b=16 | option_c=26 | option_d=39 | answer=D | explanation=The first three numbers increase by 10, so the next should be 36. Therefore 39 is the odd one out.

id=73350 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14953 at 12% per annum for 1 years. | option_a=1794 | option_b=1894 | option_c=1694 | option_d=16747 | answer=A | explanation=SI = PRT/100 = 14953×12×1/100 = **■**1794.

Aptitude Questions — Records 73,351-73,380 of 100,000

id=73351 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:16 and the first is 169, what is the second? | option_a=221 | option_b=208 | option_c=377 | option_d=192 | answer=B | explanation=Scale factor = 169/13 = 13. Therefore second quantity = 16×13 = 208.

id=73352 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=73353 | topic=Averages | difficulty=Easy | question=Find the average of 43, 54, 75, 26, 62. | option_a=54 | option_b=53 | option_c=52 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 260 ÷ 5 = 52.

id=73354 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47719 at 10% per annum for 5 years. | option_a=23959 | option_b=23759 | option_c=23859 | option_d=71578 | answer=C | explanation=SI = PRT/100 = 47719×10×5/100 = **■**23859.

id=73355 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:16 and the first is 40, what is the second? | option_a=322 | option_b=304 | option_c=360 | option_d=320 | answer=D | explanation=Scale factor = 40/2 = 20. Therefore second quantity = 16×20 = 320.

id=73356 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=20 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=73357 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:19 and the first is 171, what is the second? | option_a=152 | option_b=190 | option_c=171 | option_d=342 | answer=C | explanation=Scale factor = 171/19 = 9. Therefore second quantity = 19×9 = 171.

id=73358 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45514 at 4% per annum for 3 years. | option_a=50975 | option_b=5361 | option_c=5561 | option_d=5461 | answer=D | explanation=SI = PRT/100 = 45514×4×3/100 = **■**5461.

id=73359 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=26 | option_b=36 | option_c=31 | option_d=32 | answer=C | explanation=The common difference is 5. Therefore the next term is 26 + 5 = 31.

id=73360 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=73361 | topic=Percentages | difficulty=Easy | question=What is 30% of 565? | option_a=338 | option_b=164 | option_c=169 | option_d=174 | answer=C | explanation=30% of 565 = (30/100) × 565 = 169.

id=73362 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1830. If it is sold at a profit of 20%, what is its selling price? | option_a=2013 | option_b=1850 | option_c=2379 | option_d=2196 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1830 × 120/100 = **■**2196.

id=73363 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=E | option_b=O | option_c=J | option_d=T | answer=B | explanation=Move 5 positions forward from J; the resulting letter is O.

id=73364 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4966. If it is sold at a profit of 20%, what is its selling price? | option_a=4986 | option_b=5959 | option_c=5463 | option_d=6455 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4966 × 120/100 = **■**5959.

id=73365 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 16, 26, 38? | option_a=6 | option_b=26 | option_c=38 | option_d=16 | answer=C | explanation=The first three numbers increase by 10, so the next should be 36. Therefore 38 is the odd one out.

id=73366 | topic=Averages | difficulty=Easy | question=Find the average of 81, 34, 91, 50, 53, 27, 81, 27, 60. | option_a=56 | option_b=58 | option_c=55 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=73367 | topic=Number System | difficulty=Easy | question=Find the LCM of 11 and 22. | option_a=242 | option_b=22 | option_c=33 | option_d=1 | answer=B | explanation=LCM × HCF = 11×22; HCF(11,22) = 11, so LCM = 22.

id=73368 | topic=Averages | difficulty=Easy | question=Find the average of 67, 90, 14, 90, 32, 99, 42, 64, 33. | option_a=61 | option_b=58 | option_c=60 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 531 ÷ 9 = 59.

id=73369 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=62 | option_b=73 | option_c=49 | option_d=61 | answer=D | explanation=The common difference is 12. Therefore the next term is 49 + 12 = 61.

id=73370 | topic=Averages | difficulty=Easy | question=Find the average of 84, 86, 32, 59, 40, 59. | option_a=60 | option_b=59 | option_c=61 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 360 ÷ 6 = 60.

id=73371 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=73372 | topic=Averages | difficulty=Easy | question=Find the average of 18, 77, 88, 30, 26, 27, 78, 44, 35. | option_a=47 | option_b=49 | option_c=48 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 423 ÷ 9 = 47.

id=73373 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14752 at 8% per annum for 3 years. | option_a=18292 | option_b=3640 | option_c=3440 | option_d=3540 | answer=D | explanation=SI = PRT/100 = 14752×8×3/100 = **■**3540.

id=73374 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=35 | option_c=40 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=73375 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12260 at 12% per annum for 5 years. | option_a=7356 | option_b=19616 | option_c=7256 | option_d=7456 | answer=A | explanation=SI = PRT/100 = 12260×12×5/100 = **■**7356.

id=73376 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:8 and the first is 64, what is the second? | option_a=128 | option_b=72 | option_c=64 | option_d=56 | answer=C | explanation=Scale factor = 64/8 = 8. Therefore second quantity = 8×8 = 64.

id=73377 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=31 | option_c=72 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=73378 | topic=Averages | difficulty=Easy | question=Find the average of 46, 100, 69, 53, 18, 70, 13, 59, 70, 72. | option_a=57 | option_b=56 | option_c=58 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.

id=73379 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32293 at 5% per annum for 2 years. | option_a=35522 | option_b=3229 | option_c=3329 | option_d=3129 | answer=B | explanation=SI = PRT/100 = 32293×5×2/100 = **■**3229.

id=73380 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 73,381-73,410 of 100,000

id=73381 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 59? | option_a=46 | option_b=26 | option_c=36 | option_d=59 | answer=D | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 59 is the odd one out.

id=73382 | topic=Percentages | difficulty=Easy | question=What is 25% of 875? | option_a=218 | option_b=436 | option_c=213 | option_d=238 | answer=A | explanation=25% of 875 = (25/100) × 875 = 218.

id=73383 | topic=Averages | difficulty=Easy | question=Find the average of 38, 81, 81, 40, 45, 69, 74, 57, 19. | option_a=55 | option_b=56 | option_c=57 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=73384 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35087 at 5% per annum for 2 years. | option_a=38595 | option_b=3408 | option_c=3608 | option_d=3508 | answer=D | explanation=SI = PRT/100 = 35087×5×2/100 = **■**3508.

id=73385 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=K | option_b=E | option_c=N | option_d=H | answer=A | explanation=Move 3 positions forward from H; the resulting letter is K.

id=73386 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 15, 19, 25? | option_a=19 | option_b=15 | option_c=25 | option_d=11 | answer=C | explanation=The first three numbers increase by 4, so the next should be 23. Therefore 25 is the odd one out.

id=73387 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=73388 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=73389 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30920 at 4% per annum for 4 years. | option_a=35867 | option_b=4847 | option_c=4947 | option_d=5047 | answer=C | explanation=SI = PRT/100 = 30920×4×4/100 = **■**4947.

id=73390 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=73391 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**484. If it is sold at a profit of 50%, what is its selling price? | option_a=774 | option_b=534 | option_c=726 | option_d=678 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 484 × 150/100 = **■**726.

id=73392 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=H | option_b=K | option_c=B | option_d=E | answer=A | explanation=Move 3 positions forward from E; the resulting letter is H.

id=73393 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=150 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=73394 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=20 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=73395 | topic=Percentages | difficulty=Easy | question=What is 10% of 1663? | option_a=161 | option_b=332 | option_c=176 | option_d=166 | answer=D | explanation=10% of 1663 = (10/100) × 1663 = 166.

id=73396 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47719 at 12% per annum for 3 years. | option_a=64897 | option_b=17278 | option_c=17178 | option_d=17078 | answer=C | explanation=SI = PRT/100 = 47719×12×3/100 = **■**17178.

id=73397 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=73398 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1515. If it is sold at a profit of 25%, what is its selling price? | option_a=1540 | option_b=1742 | option_c=2044 | option_d=1893 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1515 × 125/100 = **■**1893.

id=73399 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 10, 18, 27? | option_a=10 | option_b=18 | option_c=2 | option_d=27 | answer=D | explanation=The first three numbers increase by 8, so the next should be 26. Therefore 27 is the odd one out.

id=73400 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34873 at 10% per annum for 4 years. | option_a=14049 | option_b=13949 | option_c=13849 | option_d=48822 | answer=B | explanation=SI = PRT/100 = 34873×10×4/100 = **■**13949.

id=73401 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=7 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=73402 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=73403 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=73404 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1545. If it is sold at a profit of 5%, what is its selling price? | option_a=1776 | option_b=1550 | option_c=1468 | option_d=1622 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1545 × 105/100 = **■**1622.

id=73405 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=73406 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=21 | option_b=27 | option_c=25 | option_d=24 | answer=D | explanation=The common difference is 3. Therefore the next term is 21 + 3 = 24.

id=73407 | topic=Averages | difficulty=Easy | question=Find the average of 68, 24, 53, 96, 96, 75, 64, 60. | option_a=68 | option_b=66 | option_c=69 | option_d=67 | answer=D | explanation=Average = sum of values ÷ number of values = 536 ÷ 8 = 67.

id=73408 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=S | option_c=T | option_d=Q | answer=B | explanation=Move 1 positions forward from R; the resulting letter is S.

id=73409 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=35 | option_b=30 | option_c=25 | option_d=31 | answer=B | explanation=The common difference is 5. Therefore the next term is 25 + 5 = 30.

id=73410 | topic=Percentages | difficulty=Easy | question=What is 30% of 1066? | option_a=319 | option_b=314 | option_c=638 | option_d=324 | answer=A | explanation=30% of 1066 = (30/100) × 1066 = 319.

Aptitude Questions — Records 73,411-73,440 of 100,000

id=73411 | topic=Averages | difficulty=Easy | question=Find the average of 24, 88, 34, 22, 11, 94, 70. | option_a=51 | option_b=50 | option_c=49 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 343 ÷ 7 = 49.

id=73412 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 14. | option_a=112 | option_b=144 | option_c=252 | option_d=126 | answer=D | explanation=LCM × HCF = 18×14; HCF(18,14) = 2, so LCM = 126.

id=73413 | topic=Profit & Loss | difficulty=Easy | question=An article costs █609. If it is sold at a profit of 30%, what is its selling price? | option_a=731 | option_b=791 | option_c=851 | option_d=639 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 609 × 130/100 = █791.

id=73414 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2499 at 12% per annum for 2 years. | option_a=499 | option_b=599 | option_c=699 | option_d=3098 | answer=B | explanation=SI = PRT/100 = 2499×12×2/100 = █599.

id=73415 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:4 and the first is 8, what is the second? | option_a=40 | option_b=28 | option_c=33 | option_d=32 | answer=D | explanation=Scale factor = 8/1 = 8. Therefore second quantity = 4×8 = 32.

id=73416 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=73417 | topic=Averages | difficulty=Easy | question=Find the average of 70, 39, 18, 67, 96. | option_a=57 | option_b=59 | option_c=60 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 290 ÷ 5 = 58.

id=73418 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=O | option_c=T | option_d=E | answer=B | explanation=Move 5 positions forward from J; the resulting letter is O.

id=73419 | topic=Percentages | difficulty=Easy | question=What is 50% of 1628? | option_a=809 | option_b=834 | option_c=1628 | option_d=814 | answer=D | explanation=50% of 1628 = (50/100) × 1628 = 814.

id=73420 | topic=Percentages | difficulty=Easy | question=What is 5% of 717? | option_a=70 | option_b=45 | option_c=30 | option_d=35 | answer=D | explanation=5% of 717 = (5/100) × 717 = 35.

id=73421 | topic=Percentages | difficulty=Easy | question=What is 10% of 1613? | option_a=141 | option_b=322 | option_c=161 | option_d=166 | answer=C | explanation=10% of 1613 = (10/100) × 1613 = 161.

id=73422 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 25, 31, 38? | option_a=19 | option_b=31 | option_c=38 | option_d=25 | answer=C | explanation=The first three numbers increase by 6, so the next should be 37. Therefore 38 is the odd one out.

id=73423 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 28. | option_a=112 | option_b=128 | option_c=84 | option_d=448 | answer=A | explanation=LCM × HCF = 16×28; HCF(16,28) = 4, so LCM = 112.

id=73424 | topic=Percentages | difficulty=Easy | question=What is 12% of 1928? | option_a=231 | option_b=251 | option_c=221 | option_d=462 | answer=A | explanation=12% of 1928 = (12/100) × 1928 = 231.

id=73425 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=O | option_b=G | option_c=K | option_d=C | answer=C | explanation=Move 4 positions forward from G; the resulting letter is K.

id=73426 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:8 and the first is 12, what is the second? | option_a=24 | option_b=44 | option_c=35 | option_d=32 | answer=D | explanation=Scale factor = 12/3 = 4. Therefore second quantity = 8×4 = 32.

id=73427 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:7 and the first is 11, what is the second? | option_a=78 | option_b=70 | option_c=88 | option_d=77 | answer=D | explanation=Scale factor = 11/1 = 11. Therefore second quantity = 7×11 = 77.

id=73428 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22247 at 8% per annum for 1 years. | option_a=24026 | option_b=1679 | option_c=1879 | option_d=1779 | answer=D | explanation=SI = PRT/100 = 22247×8×1/100 = █1779.

id=73429 | topic=Percentages | difficulty=Easy | question=What is 50% of 1921? | option_a=960 | option_b=950 | option_c=1920 | option_d=970 | answer=A | explanation=50% of 1921 = (50/100) × 1921 = 960.

id=73430 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:2 and the first is 54, what is the second? | option_a=16 | option_b=18 | option_c=72 | option_d=24 | answer=B | explanation=Scale factor = 54/6 = 9. Therefore second quantity = 2×9 = 18.

id=73431 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=27 | option_b=23 | option_c=26 | option_d=25 | answer=D | explanation=The common difference is 2. Therefore the next term is 23 + 2 = 25.

id=73432 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 21. | option_a=21 | option_b=126 | option_c=48 | option_d=42 | answer=D | explanation=LCM × HCF = 6×21; HCF(6,21) = 3, so LCM = 42.

id=73433 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 5. | option_a=10 | option_b=50 | option_c=20 | option_d=5 | answer=A | explanation=LCM × HCF = 10×5; HCF(10,5) = 5, so LCM = 10.

id=73434 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20685 at 10% per annum for 1 years. | option_a=2168 | option_b=22753 | option_c=1968 | option_d=2068 | answer=D | explanation=SI = PRT/100 = 20685×10×1/100 = █2068.

id=73435 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 18, 22, 27? | option_a=27 | option_b=14 | option_c=18 | option_d=22 | answer=A | explanation=The first three numbers increase by 4, so the next should be 26. Therefore 27 is the odd one out.

id=73436 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 37? | option_a=26 | option_b=21 | option_c=37 | option_d=31 | answer=C | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 37 is the odd one out.

id=73437 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=15 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=73438 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=73439 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 22. | option_a=22 | option_b=1 | option_c=44 | option_d=484 | answer=A | explanation=LCM × HCF = 22×22; HCF(22,22) = 22, so LCM = 22.

id=73440 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=53 | option_b=66 | option_c=65 | option_d=77 | answer=C | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.

Aptitude Questions — Records 73,441-73,470 of 100,000

id=73441 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 31, 34, 39? | option_a=39 | option_b=31 | option_c=28 | option_d=34 | answer=A | explanation=The first three numbers increase by 3, so the next should be 37. Therefore 39 is the odd one out.

id=73442 | topic=Percentages | difficulty=Easy | question=What is 20% of 494? | option_a=196 | option_b=98 | option_c=93 | option_d=108 | answer=B | explanation=20% of 494 = (20/100) × 494 = 98.

id=73443 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 8. | option_a=208 | option_b=104 | option_c=130 | option_d=96 | answer=B | explanation=LCM × HCF = 26×8; HCF(26,8) = 2, so LCM = 104.

id=73444 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=73445 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:5 and the first is 38, what is the second? | option_a=48 | option_b=29 | option_c=5 | option_d=10 | answer=D | explanation=Scale factor = 38/19 = 2. Therefore second quantity = 5×2 = 10.

id=73446 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 43? | option_a=25 | option_b=35 | option_c=30 | option_d=43 | answer=D | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 43 is the odd one out.

id=73447 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=53 | option_b=40 | option_c=64 | option_d=52 | answer=D | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.

id=73448 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=J | option_b=N | option_c=P | option_d=L | answer=B | explanation=Move 2 positions forward from L; the resulting letter is N.

id=73449 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=73450 | topic=Averages | difficulty=Easy | question=Find the average of 64, 19, 38, 77, 81, 23, 41. | option_a=51 | option_b=48 | option_c=49 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 343 ÷ 7 = 49.

id=73451 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3975. If it is sold at a profit of 40%, what is its selling price? | option_a=5168 | option_b=5962 | option_c=4015 | option_d=5565 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3975 × 140/100 = █5565.

id=73452 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11622 at 15% per annum for 1 years. | option_a=1743 | option_b=1843 | option_c=1643 | option_d=13365 | answer=A | explanation=SI = PRT/100 = 11622×15×1/100 = █1743.

id=73453 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=68 | option_b=69 | option_c=56 | option_d=80 | answer=A | explanation=The common difference is 12. Therefore the next term is 56 + 12 = 68.

id=73454 | topic=Averages | difficulty=Easy | question=Find the average of 93, 14, 67. | option_a=59 | option_b=57 | option_c=58 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 174 ÷ 3 = 58.

id=73455 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 24, 36, 48, ? | option_a=61 | option_b=72 | option_c=48 | option_d=60 | answer=D | explanation=The common difference is 12. Therefore the next term is 48 + 12 = 60.

id=73456 | topic=Profit & Loss | difficulty=Easy | question=An article costs █809. If it is sold at a profit of 40%, what is its selling price? | option_a=1132 | option_b=1052 | option_c=849 | option_d=1212 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 809 × 140/100 = █1132.

id=73457 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 42? | option_a=42 | option_b=32 | option_c=18 | option_d=25 | answer=A | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 42 is the odd one out.

id=73458 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=73459 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:12 and the first is 90, what is the second? | option_a=108 | option_b=96 | option_c=118 | option_d=198 | answer=A | explanation=Scale factor = 90/10 = 9. Therefore second quantity = 12×9 = 108.

id=73460 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=R | option_b=C | option_c=M | option_d=H | answer=C | explanation=Move 5 positions forward from H; the resulting letter is M.

id=73461 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=54 | option_b=45 | option_c=55 | option_d=63 | answer=A | explanation=The common difference is 9. Therefore the next term is 45 + 9 = 54.

id=73462 | topic=Averages | difficulty=Easy | question=Find the average of 24, 35, 48, 21, 57, 95, 39, 41. | option_a=45 | option_b=44 | option_c=47 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 360 ÷ 8 = 45.

id=73463 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=34 | option_b=42 | option_c=26 | option_d=35 | answer=A | explanation=The common difference is 8. Therefore the next term is 26 + 8 = 34.

id=73464 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 35, 43, 54? | option_a=27 | option_b=35 | option_c=43 | option_d=54 | answer=D | explanation=The first three numbers increase by 8, so the next should be 51. Therefore 54 is the odd one out.

id=73465 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=K | option_b=Z | option_c=P | option_d=U | answer=D | explanation=Move 5 positions forward from P; the resulting letter is U.

id=73466 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 26, 29, 35? | option_a=23 | option_b=26 | option_c=35 | option_d=29 | answer=C | explanation=The first three numbers increase by 3, so the next should be 32. Therefore 35 is the odd one out.

id=73467 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:17 and the first is 48, what is the second? | option_a=68 | option_b=116 | option_c=51 | option_d=80 | answer=A | explanation=Scale factor = 48/12 = 4. Therefore second quantity = 17×4 = 68.

id=73468 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2148. If it is sold at a profit of 25%, what is its selling price? | option_a=2899 | option_b=2471 | option_c=2173 | option_d=2685 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2148 × 125/100 = █2685.

id=73469 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=50 | option_b=41 | option_c=32 | option_d=42 | answer=B | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

id=73470 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3500. If it is sold at a profit of 50%, what is its selling price? | option_a=5250 | option_b=3550 | option_c=5600 | option_d=4900 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3500 × 150/100 = █5250.

Aptitude Questions — Records 73,471-73,500 of 100,000

- id=73471 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=35 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.
- id=73472 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 27, 31, 36? | option_a=27 | option_b=23 | option_c=36 | option_d=31 | answer=C | explanation=The first three numbers increase by 4, so the next should be 35. Therefore 36 is the odd one out.
- id=73473 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.
- id=73474 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4760. If it is sold at a profit of 20%, what is its selling price? | option_a=5236 | option_b=6188 | option_c=4780 | option_d=5712 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4760 × 120/100 = █5712.
- id=73475 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=I | option_b=J | option_c=G | option_d=H | answer=A | explanation=Move 1 positions forward from H; the resulting letter is I.
- id=73476 | topic=Averages | difficulty=Easy | question=Find the average of 22, 50, 61, 22, 24, 79. | option_a=43 | option_b=44 | option_c=45 | option_d=42 | answer=A | explanation=Average = sum of values + number of values = 258 ÷ 6 = 43.
- id=73477 | topic=Averages | difficulty=Easy | question=Find the average of 70, 51, 47, 10, 31, 97. | option_a=50 | option_b=51 | option_c=52 | option_d=53 | answer=B | explanation=Average = sum of values + number of values = 306 ÷ 6 = 51.
- id=73478 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=P | option_b=G | option_c=J | option_d=M | answer=D | explanation=Move 3 positions forward from J; the resulting letter is M.
- id=73479 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:3 and the first is 17, what is the second? | option_a=48 | option_b=51 | option_c=68 | option_d=52 | answer=B | explanation=Scale factor = 17/1 = 17. Therefore second quantity = 3×17 = 51.
- id=73480 | topic=Averages | difficulty=Easy | question=Find the average of 32, 54, 54, 27, 86, 34, 43, 10, 65. | option_a=45 | option_b=44 | option_c=46 | option_d=47 | answer=A | explanation=Average = sum of values + number of values = 405 ÷ 9 = 45.
- id=73481 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 21. | option_a=126 | option_b=378 | option_c=144 | option_d=105 | answer=A | explanation=LCM × HCF = 18×21; HCF(18,21) = 3, so LCM = 126.
- id=73482 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1568. If it is sold at a profit of 30%, what is its selling price? | option_a=2038 | option_b=1598 | option_c=1882 | option_d=2194 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1568 × 130/100 = █2038.
- id=73483 | topic=Profit & Loss | difficulty=Easy | question=An article costs █647. If it is sold at a profit of 5%, what is its selling price? | option_a=679 | option_b=743 | option_c=615 | option_d=652 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 647 × 105/100 = █679.
- id=73484 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 18? | option_a=18 | option_b=11 | option_c=9 | option_d=13 | answer=A | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 18 is the odd one out.
- id=73485 | topic=Percentages | difficulty=Easy | question=What is 15% of 1338? | option_a=190 | option_b=210 | option_c=200 | option_d=400 | answer=C | explanation=15% of 1338 = (15/100) × 1338 = 200.
- id=73486 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.
- id=73487 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=73488 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=59 | option_b=69 | option_c=60 | option_d=49 | answer=A | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.
- id=73489 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=R | option_b=U | option_c=S | option_d=T | answer=D | explanation=Move 1 positions forward from S; the resulting letter is T.
- id=73490 | topic=Percentages | difficulty=Easy | question=What is 15% of 405? | option_a=65 | option_b=120 | option_c=40 | option_d=60 | answer=D | explanation=15% of 405 = (15/100) × 405 = 60.
- id=73491 | topic=Percentages | difficulty=Easy | question=What is 10% of 1084? | option_a=216 | option_b=113 | option_c=108 | option_d=88 | answer=C | explanation=10% of 1084 = (10/100) × 1084 = 108.
- id=73492 | topic=Percentages | difficulty=Easy | question=What is 25% of 1867? | option_a=486 | option_b=456 | option_c=932 | option_d=466 | answer=D | explanation=25% of 1867 = (25/100) × 1867 = 466.
- id=73493 | topic=Averages | difficulty=Easy | question=Find the average of 25, 30, 47, 24, 14. | option_a=29 | option_b=30 | option_c=27 | option_d=28 | answer=D | explanation=Average = sum of values + number of values = 140 ÷ 5 = 28.
- id=73494 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=L | option_c=H | option_d=Z | answer=C | explanation=Move 4 positions forward from D; the resulting letter is H.
- id=73495 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 12. | option_a=48 | option_b=192 | option_c=64 | option_d=36 | answer=A | explanation=LCM × HCF = 16×12; HCF(16,12) = 4, so LCM = 48.
- id=73496 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 12. | option_a=192 | option_b=64 | option_c=36 | option_d=48 | answer=D | explanation=LCM × HCF = 16×12; HCF(16,12) = 4, so LCM = 48.
- id=73497 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=25 | option_c=30 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.
- id=73498 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=55 | option_b=44 | option_c=54 | option_d=64 | answer=C | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.
- id=73499 | topic=Percentages | difficulty=Easy | question=What is 12% of 1307? | option_a=136 | option_b=166 | option_c=312 | option_d=156 | answer=D | explanation=12% of 1307 = (12/100) × 1307 = 156.
- id=73500 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 6. | option_a=12 | option_b=36 | option_c=18 | option_d=108 | answer=C | explanation=LCM × HCF = 18×6; HCF(18,6) = 6, so LCM = 18.

Aptitude Questions — Records 73,501-73,530 of 100,000

id=73501 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=31 | option_b=38 | option_c=24 | option_d=32 | answer=A | explanation=The common difference is 7. Therefore the next term is 24 + 7 = 31.

id=73502 | topic=Averages | difficulty=Easy | question=Find the average of 50, 40, 40, 84, 33, 77. | option_a=53 | option_b=54 | option_c=55 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 324 ÷ 6 = 54.

id=73503 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=73504 | topic=Averages | difficulty=Easy | question=Find the average of 50, 31, 48, 98, 93, 55, 87. | option_a=65 | option_b=67 | option_c=68 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = 462 ÷ 7 = 66.

id=73505 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:9 and the first is 306, what is the second? | option_a=144 | option_b=153 | option_c=459 | option_d=171 | answer=B | explanation=Scale factor = 306/18 = 17. Therefore second quantity = 9×17 = 153.

id=73506 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 39, 49, 61? | option_a=49 | option_b=29 | option_c=61 | option_d=39 | answer=C | explanation=The first three numbers increase by 10, so the next should be 59. Therefore 61 is the odd one out.

id=73507 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=73508 | topic=Percentages | difficulty=Easy | question=What is 15% of 844? | option_a=252 | option_b=146 | option_c=106 | option_d=126 | answer=D | explanation=15% of 844 = (15/100) × 844 = 126.

id=73509 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=L | option_b=M | option_c=N | option_d=O | answer=C | explanation=Move 1 positions forward from M; the resulting letter is N.

id=73510 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=Q | option_b=K | option_c=T | option_d=N | answer=A | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=73511 | topic=Percentages | difficulty=Easy | question=What is 10% of 93? | option_a=18 | option_b=29 | option_c=0 | option_d=9 | answer=D | explanation=10% of 93 = (10/100) × 93 = 9.

id=73512 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18697 at 15% per annum for 3 years. | option_a=8313 | option_b=8513 | option_c=27110 | option_d=8413 | answer=D | explanation=SI = PRT/100 = 18697×15×3/100 = **■**8413.

id=73513 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=75 | option_c=80 | option_d=70 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=73514 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=N | option_b=J | option_c=F | option_d=B | answer=B | explanation=Move 4 positions forward from F; the resulting letter is J.

id=73515 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**185. If it is sold at a profit of 20%, what is its selling price? | option_a=204 | option_b=222 | option_c=240 | option_d=205 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 185 × 120/100 = **■**222.

id=73516 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:2 and the first is 19, what is the second? | option_a=38 | option_b=57 | option_c=39 | option_d=36 | answer=A | explanation=Scale factor = 19/1 = 19. Therefore second quantity = 2×19 = 38.

id=73517 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23666 at 12% per annum for 2 years. | option_a=5779 | option_b=5579 | option_c=5679 | option_d=29345 | answer=C | explanation=SI = PRT/100 = 23666×12×2/100 = **■**5679.

id=73518 | topic=Percentages | difficulty=Easy | question=What is 20% of 1041? | option_a=208 | option_b=416 | option_c=203 | option_d=228 | answer=A | explanation=20% of 1041 = (20/100) × 1041 = 208.

id=73519 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=40 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=73520 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=28 | option_b=24 | option_c=29 | option_d=32 | answer=A | explanation=The common difference is 4. Therefore the next term is 24 + 4 = 28.

id=73521 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=6 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=73522 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:14 and the first is 24, what is the second? | option_a=42 | option_b=56 | option_c=62 | option_d=80 | answer=B | explanation=Scale factor = 24/6 = 4. Therefore second quantity = 14×4 = 56.

id=73523 | topic=Averages | difficulty=Easy | question=Find the average of 16, 49, 46, 25, 90, 71, 91, 50, 84, 28. | option_a=55 | option_b=56 | option_c=54 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 550 ÷ 10 = 55.

id=73524 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=45 | option_b=40 | option_c=35 | option_d=41 | answer=B | explanation=The common difference is 5. Therefore the next term is 35 + 5 = 40.

id=73525 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1553. If it is sold at a profit of 10%, what is its selling price? | option_a=1708 | option_b=1553 | option_c=1563 | option_d=1863 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1553 × 110/100 = **■**1708.

id=73526 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=R | option_b=F | option_c=N | option_d=J | answer=C | explanation=Move 4 positions forward from J; the resulting letter is N.

id=73527 | topic=Averages | difficulty=Easy | question=Find the average of 82, 56, 69, 69, 29, 17, 11, 74, 19, 14. | option_a=44 | option_b=43 | option_c=46 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 440 ÷ 10 = 44.

id=73528 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:11 and the first is 33, what is the second? | option_a=121 | option_b=124 | option_c=110 | option_d=154 | answer=A | explanation=Scale factor = 33/3 = 11. Therefore second quantity = 11×11 = 121.

id=73529 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=95 | option_d=180 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=73530 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=Z | option_b=E | option_c=P | option_d=U | answer=A | explanation=Move 5 positions forward from U; the resulting letter is Z.

Aptitude Questions — Records 73,531-73,560 of 100,000

id=73531 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:17 and the first is 143, what is the second? | option_a=364 | option_b=232 | option_c=221 | option_d=204 | answer=C | explanation=Scale factor = $143/11 = 13$. Therefore second quantity = $17 \times 13 = 221$.

id=73532 | topic=Percentages | difficulty=Easy | question=What is 10% of 952? | option_a=100 | option_b=85 | option_c=190 | option_d=95 | answer=D | explanation=10% of 952 = $(10/100) \times 952 = 95$.

id=73533 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:7 and the first is 216, what is the second? | option_a=300 | option_b=84 | option_c=102 | option_d=77 | answer=B | explanation=Scale factor = $216/18 = 12$. Therefore second quantity = $7 \times 12 = 84$.

id=73534 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=73535 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:1 and the first is 36, what is the second? | option_a=3 | option_b=2 | option_c=39 | option_d=15 | answer=A | explanation=Scale factor = $36/12 = 3$. Therefore second quantity = $1 \times 3 = 3$.

id=73536 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 20, 30, 41? | option_a=20 | option_b=41 | option_c=10 | option_d=30 | answer=B | explanation=The first three numbers increase by 10, so the next should be 40. Therefore 41 is the odd one out.

id=73537 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2144. If it is sold at a profit of 15%, what is its selling price? | option_a=2251 | option_b=2679 | option_c=2465 | option_d=2159 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2144 \times 115/100 = \text{█}2465$.

id=73538 | topic=Percentages | difficulty=Easy | question=What is 5% of 1609? | option_a=70 | option_b=90 | option_c=80 | option_d=160 | answer=C | explanation=5% of 1609 = $(5/100) \times 1609 = 80$.

id=73539 | topic=Averages | difficulty=Easy | question=Find the average of 60, 85, 95. | option_a=80 | option_b=82 | option_c=79 | option_d=81 | answer=A | explanation=Average = sum of values ÷ number of values = $240 \div 3 = 80$.

id=73540 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 23, 30, 37, ? | option_a=51 | option_b=45 | option_c=37 | option_d=44 | answer=D | explanation=The common difference is 7. Therefore the next term is $37 + 7 = 44$.

id=73541 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=73542 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=73543 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1959. If it is sold at a profit of 40%, what is its selling price? | option_a=1999 | option_b=2547 | option_c=2937 | option_d=2742 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1959 \times 140/100 = \text{█}2742$.

id=73544 | topic=Profit & Loss | difficulty=Easy | question=An article costs █440. If it is sold at a profit of 10%, what is its selling price? | option_a=450 | option_b=484 | option_c=440 | option_d=528 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 440 \times 110/100 = \text{█}484$.

id=73545 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4130. If it is sold at a profit of 10%, what is its selling price? | option_a=4543 | option_b=4956 | option_c=4130 | option_d=4140 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4130 \times 110/100 = \text{█}4543$.

id=73546 | topic=Averages | difficulty=Easy | question=Find the average of 70, 80, 44, 75, 36. | option_a=62 | option_b=60 | option_c=61 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = $305 \div 5 = 61$.

id=73547 | topic=Percentages | difficulty=Easy | question=What is 25% of 1318? | option_a=319 | option_b=658 | option_c=339 | option_d=329 | answer=D | explanation=25% of 1318 = $(25/100) \times 1318 = 329$.

id=73548 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=P | option_c=A | option_d=K | answer=D | explanation=Move 5 positions forward from F; the resulting letter is K.

id=73549 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 28, 33, 41? | option_a=23 | option_b=28 | option_c=33 | option_d=41 | answer=D | explanation=The first three numbers increase by 5, so the next should be 38. Therefore 41 is the odd one out.

id=73550 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=20 | option_b=21 | option_c=23 | option_d=17 | answer=A | explanation=The common difference is 3. Therefore the next term is $17 + 3 = 20$.

id=73551 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2049 at 4% per annum for 4 years. | option_a=327 | option_b=427 | option_c=227 | option_d=2376 | answer=A | explanation=SI = $PRT/100 = 2049 \times 4 \times 4/100 = \text{█}327$.

id=73552 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=L | option_b=I | option_c=C | option_d=F | answer=B | explanation=Move 3 positions forward from F; the resulting letter is I.

id=73553 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:5 and the first is 168, what is the second? | option_a=74 | option_b=60 | option_c=55 | option_d=228 | answer=B | explanation=Scale factor = $168/14 = 12$. Therefore second quantity = $5 \times 12 = 60$.

id=73554 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29221 at 12% per annum for 3 years. | option_a=39740 | option_b=10519 | option_c=10619 | option_d=10419 | answer=B | explanation=SI = $PRT/100 = 29221 \times 12 \times 3/100 = \text{█}10519$.

id=73555 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4974. If it is sold at a profit of 20%, what is its selling price? | option_a=6465 | option_b=4994 | option_c=5471 | option_d=5968 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4974 \times 120/100 = \text{█}5968$.

id=73556 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=Q | option_c=K | option_d=T | answer=B | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=73557 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=N | option_b=K | option_c=H | option_d=E | answer=B | explanation=Move 3 positions forward from H; the resulting letter is K.

id=73558 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=73559 | topic=Averages | difficulty=Easy | question=Find the average of 48, 18, 73, 16, 13, 20, 73, 79, 54, 66. | option_a=45 | option_b=47 | option_c=46 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = $460 \div 10 = 46$.

id=73560 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 23? | option_a=18 | option_b=16 | option_c=14 | option_d=23 | answer=D | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 23 is the odd one out.

Aptitude Questions — Records 73,561-73,590 of 100,000

- id=73561 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=73562 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:6 and the first is 96, what is the second? | option_a=192 | option_b=102 | option_c=90 | option_d=96 | answer=D | explanation=Scale factor = 96/6 = 16. Therefore second quantity = 6×16 = 96.
- id=73563 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=62 | option_b=61 | option_c=50 | option_d=72 | answer=B | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.
- id=73564 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:12 and the first is 204, what is the second? | option_a=216 | option_b=192 | option_c=408 | option_d=204 | answer=D | explanation=Scale factor = 204/12 = 17. Therefore second quantity = 12×17 = 204.
- id=73565 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:1 and the first is 154, what is the second? | option_a=10 | option_b=11 | option_c=165 | option_d=25 | answer=B | explanation=Scale factor = 154/14 = 11. Therefore second quantity = 1×11 = 11.
- id=73566 | topic=Percentages | difficulty=Easy | question=What is 12% of 771? | option_a=97 | option_b=184 | option_c=87 | option_d=92 | answer=D | explanation=12% of 771 = (12/100) × 771 = 92.
- id=73567 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 26, 35, 45? | option_a=17 | option_b=26 | option_c=35 | option_d=45 | answer=D | explanation=The first three numbers increase by 9, so the next should be 44. Therefore 45 is the odd one out.
- id=73568 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■39849 at 6% per annum for 1 years. | option_a=2490 | option_b=2290 | option_c=42239 | option_d=2390 | answer=D | explanation=SI = PRT/100 = 39849×6×1/100 = ■2390.
- id=73569 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:5 and the first is 320, what is the second? | option_a=100 | option_b=400 | option_c=75 | option_d=80 | answer=D | explanation=Scale factor = 320/20 = 16. Therefore second quantity = 5×16 = 80.
- id=73570 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■42992 at 5% per annum for 3 years. | option_a=6448 | option_b=6348 | option_c=6548 | option_d=49440 | answer=A | explanation=SI = PRT/100 = 42992×5×3/100 = ■6448.
- id=73571 | topic=Averages | difficulty=Easy | question=Find the average of 25, 34, 20, 82, 91, 24, 85, 33, 20. | option_a=45 | option_b=46 | option_c=47 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 414 ÷ 9 = 46.
- id=73572 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.
- id=73573 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=180 | option_c=95 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.
- id=73574 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=28 | option_b=27 | option_c=22 | option_d=32 | answer=B | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.
- id=73575 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:1 and the first is 40, what is the second? | option_a=13 | option_b=7 | option_c=8 | option_d=48 | answer=C | explanation=Scale factor = 40/5 = 8. Therefore second quantity = 1×8 = 8.
- id=73576 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=100 | option_c=55 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.
- id=73577 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 10, 18, 28? | option_a=18 | option_b=2 | option_c=28 | option_d=10 | answer=C | explanation=The first three numbers increase by 8, so the next should be 26. Therefore 28 is the odd one out.
- id=73578 | topic=Averages | difficulty=Easy | question=Find the average of 16, 77, 24. | option_a=39 | option_b=41 | option_c=38 | option_d=40 | answer=A | explanation=Average = sum of values ÷ number of values = 117 ÷ 3 = 39.
- id=73579 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.
- id=73580 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 10, 15, 20, ? | option_a=30 | option_b=20 | option_c=26 | option_d=25 | answer=D | explanation=The common difference is 5. Therefore the next term is 20 + 5 = 25.
- id=73581 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=S | option_b=R | option_c=Q | option_d=T | answer=A | explanation=Move 1 positions forward from R; the resulting letter is S.
- id=73582 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=40 | option_c=80 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.
- id=73583 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:20 and the first is 4, what is the second? | option_a=40 | option_b=42 | option_c=20 | option_d=44 | answer=A | explanation=Scale factor = 4/2 = 2. Therefore second quantity = 20×2 = 40.
- id=73584 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■998. If it is sold at a profit of 5%, what is its selling price? | option_a=1047 | option_b=948 | option_c=1146 | option_d=1003 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 998 × 105/100 = ■1047.
- id=73585 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=A | option_c=M | option_d=E | answer=A | explanation=Move 4 positions forward from E; the resulting letter is I.
- id=73586 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=35 | option_b=26 | option_c=34 | option_d=42 | answer=C | explanation=The common difference is 8. Therefore the next term is 26 + 8 = 34.
- id=73587 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=L | option_c=P | option_d=R | answer=C | explanation=Move 2 positions forward from N; the resulting letter is P.
- id=73588 | topic=Averages | difficulty=Easy | question=Find the average of 97, 43, 77, 24, 24, 34, 86. | option_a=55 | option_b=57 | option_c=54 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 385 ÷ 7 = 55.
- id=73589 | topic=Averages | difficulty=Easy | question=Find the average of 11, 95, 86, 67, 47, 32, 20, 60, 86. | option_a=55 | option_b=58 | option_c=56 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.
- id=73590 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=40 | option_b=62 | option_c=51 | option_d=52 | answer=C | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

Aptitude Questions — Records 73,591-73,620 of 100,000

id=73591 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=73592 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=73593 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 17, 23, 32? | option_a=11 | option_b=17 | option_c=32 | option_d=23 | answer=C | explanation=The first three numbers increase by 6, so the next should be 29. Therefore 32 is the odd one out.

id=73594 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=H | option_b=M | option_c=W | option_d=R | answer=D | explanation=Move 5 positions forward from M; the resulting letter is R.

id=73595 | topic=Averages | difficulty=Easy | question=Find the average of 50, 40, 32, 94, 63, 68, 73. | option_a=59 | option_b=62 | option_c=60 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 420 ÷ 7 = 60.

id=73596 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=73597 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1383. If it is sold at a profit of 30%, what is its selling price? | option_a=1797 | option_b=1935 | option_c=1659 | option_d=1413 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1383 × 130/100 = █1797.

id=73598 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1714. If it is sold at a profit of 5%, what is its selling price? | option_a=1628 | option_b=1719 | option_c=1970 | option_d=1799 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1714 × 105/100 = █1799.

id=73599 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1043. If it is sold at a profit of 25%, what is its selling price? | option_a=1068 | option_b=1407 | option_c=1303 | option_d=1199 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1043 × 125/100 = █1303.

id=73600 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:3 and the first is 66, what is the second? | option_a=33 | option_b=30 | option_c=39 | option_d=99 | answer=A | explanation=Scale factor = 66/6 = 11. Therefore second quantity = 3×11 = 33.

id=73601 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=73602 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=X | option_c=C | option_d=N | answer=B | explanation=Move 5 positions forward from S; the resulting letter is X.

id=73603 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 12, 15, 18, ? | option_a=24 | option_b=21 | option_c=22 | option_d=18 | answer=B | explanation=The common difference is 3. Therefore the next term is 18 + 3 = 21.

id=73604 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 59? | option_a=59 | option_b=36 | option_c=46 | option_d=26 | answer=A | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 59 is the odd one out.

id=73605 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=21 | option_b=25 | option_c=22 | option_d=17 | answer=A | explanation=The common difference is 4. Therefore the next term is 17 + 4 = 21.

id=73606 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 40? | option_a=40 | option_b=29 | option_c=11 | option_d=20 | answer=A | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 40 is the odd one out.

id=73607 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 14, 23, 34? | option_a=23 | option_b=34 | option_c=14 | option_d=5 | answer=B | explanation=The first three numbers increase by 9, so the next should be 32. Therefore 34 is the odd one out.

id=73608 | topic=Averages | difficulty=Easy | question=Find the average of 47, 13, 58, 90. | option_a=51 | option_b=54 | option_c=52 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 208 ÷ 4 = 52.

id=73609 | topic=Percentages | difficulty=Easy | question=What is 5% of 440? | option_a=44 | option_b=42 | option_c=22 | option_d=2 | answer=C | explanation=5% of 440 = (5/100) × 440 = 22.

id=73610 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29404 at 12% per annum for 3 years. | option_a=10685 | option_b=10485 | option_c=10585 | option_d=39989 | answer=C | explanation=SI = PRT/100 = 29404×12×3/100 = █10585.

id=73611 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=73612 | topic=Averages | difficulty=Easy | question=Find the average of 37, 44, 88, 75, 12, 80. | option_a=56 | option_b=58 | option_c=55 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 336 ÷ 6 = 56.

id=73613 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=73614 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=R | option_c=P | option_d=L | answer=C | explanation=Move 2 positions forward from N; the resulting letter is P.

id=73615 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=73616 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=25 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=73617 | topic=Percentages | difficulty=Easy | question=What is 25% of 1217? | option_a=304 | option_b=284 | option_c=324 | option_d=608 | answer=A | explanation=25% of 1217 = (25/100) × 1217 = 304.

id=73618 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:7 and the first is 25, what is the second? | option_a=40 | option_b=28 | option_c=35 | option_d=60 | answer=C | explanation=Scale factor = 25/5 = 5. Therefore second quantity = 7×5 = 35.

id=73619 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3383. If it is sold at a profit of 20%, what is its selling price? | option_a=4397 | option_b=3721 | option_c=3403 | option_d=4059 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3383 × 120/100 = █4059.

id=73620 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 39? | option_a=22 | option_b=39 | option_c=14 | option_d=30 | answer=B | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 39 is the odd one out.

Aptitude Questions — Records 73,621-73,650 of 100,000

id=73621 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=43 | option_b=63 | option_c=54 | option_d=53 | answer=D | explanation=The common difference is 10. Therefore the next term is 43 + 10 = 53.

id=73622 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=A | option_c=C | option_d=D | answer=C | explanation=Move 1 positions forward from B; the resulting letter is C.

id=73623 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:3 and the first is 66, what is the second? | option_a=33 | option_b=39 | option_c=99 | option_d=30 | answer=A | explanation=Scale factor = 66/6 = 11. Therefore second quantity = 3×11 = 33.

id=73624 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 24, 27, 33? | option_a=21 | option_b=27 | option_c=24 | option_d=33 | answer=D | explanation=The first three numbers increase by 3, so the next should be 30. Therefore 33 is the odd one out.

id=73625 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42733 at 6% per annum for 1 years. | option_a=2463 | option_b=2663 | option_c=45296 | option_d=2563 | answer=D | explanation=SI = $\text{PRT}/100 = 42733 \times 6 \times 1 / 100 = \text{■}2563$.

id=73626 | topic=Averages | difficulty=Easy | question=Find the average of 24, 88, 96, 58. | option_a=65 | option_b=64 | option_c=63 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 256 ÷ 4 = 64.

id=73627 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=53 | option_b=47 | option_c=39 | option_d=46 | answer=D | explanation=The common difference is 7. Therefore the next term is 39 + 7 = 46.

id=73628 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=11 | option_c=6 | option_d=12 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=73629 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=37 | option_b=46 | option_c=47 | option_d=55 | answer=B | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=73630 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=M | option_c=N | option_d=L | answer=C | explanation=Move 1 positions forward from M; the resulting letter is N.

id=73631 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 34? | option_a=12 | option_b=2 | option_c=34 | option_d=22 | answer=C | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 34 is the odd one out.

id=73632 | topic=Averages | difficulty=Easy | question=Find the average of 20, 68, 55, 79, 79, 30, 42, 27. | option_a=52 | option_b=51 | option_c=49 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 400 ÷ 8 = 50.

id=73633 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2953. If it is sold at a profit of 15%, what is its selling price? | option_a=3690 | option_b=2968 | option_c=3395 | option_d=3100 | answer=C | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 2953 \times 115 / 100 = \text{■}3395$.

id=73634 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=73635 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 31? | option_a=24 | option_b=22 | option_c=31 | option_d=26 | answer=C | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 31 is the odd one out.

id=73636 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=145 | option_c=155 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=73637 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7969 at 4% per annum for 4 years. | option_a=1175 | option_b=9244 | option_c=1375 | option_d=1275 | answer=D | explanation=SI = $\text{PRT}/100 = 7969 \times 4 \times 4 / 100 = \text{■}1275$.

id=73638 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 32, 42, 53? | option_a=22 | option_b=42 | option_c=32 | option_d=53 | answer=D | explanation=The first three numbers increase by 10, so the next should be 52. Therefore 53 is the odd one out.

id=73639 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4114. If it is sold at a profit of 25%, what is its selling price? | option_a=5553 | option_b=4139 | option_c=5142 | option_d=4731 | answer=C | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 4114 \times 125 / 100 = \text{■}5142$.

id=73640 | topic=Percentages | difficulty=Easy | question=What is 20% of 1489? | option_a=297 | option_b=302 | option_c=277 | option_d=594 | answer=A | explanation=20% of 1489 = $(20/100) \times 1489 = 297$.

id=73641 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:9 and the first is 84, what is the second? | option_a=75 | option_b=147 | option_c=54 | option_d=63 | answer=D | explanation=Scale factor = $84/12 = 7$. Therefore second quantity = $9 \times 7 = 63$.

id=73642 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3449. If it is sold at a profit of 50%, what is its selling price? | option_a=5173 | option_b=3499 | option_c=5517 | option_d=4829 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 3449 \times 150 / 100 = \text{■}5173$.

id=73643 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=73644 | topic=Percentages | difficulty=Easy | question=What is 40% of 87? | option_a=68 | option_b=24 | option_c=34 | option_d=44 | answer=C | explanation=40% of 87 = $(40/100) \times 87 = 34$.

id=73645 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=B | option_c=L | option_d=Q | answer=C | explanation=Move 5 positions forward from G; the resulting letter is L.

id=73646 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1517. If it is sold at a profit of 30%, what is its selling price? | option_a=1972 | option_b=1821 | option_c=1547 | option_d=2123 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 1517 \times 130 / 100 = \text{■}1972$.

id=73647 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4821. If it is sold at a profit of 30%, what is its selling price? | option_a=5785 | option_b=4851 | option_c=6267 | option_d=6749 | answer=C | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 4821 \times 130 / 100 = \text{■}6267$.

id=73648 | topic=Percentages | difficulty=Easy | question=What is 20% of 365? | option_a=73 | option_b=146 | option_c=93 | option_d=63 | answer=A | explanation=20% of 365 = $(20/100) \times 365 = 73$.

id=73649 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37539 at 15% per annum for 4 years. | option_a=60062 | option_b=22423 | option_c=22623 | option_d=22523 | answer=D | explanation=SI = $\text{PRT}/100 = 37539 \times 15 \times 4 / 100 = \text{■}22523$.

id=73650 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=240 | option_c=120 | option_d=115 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

Aptitude Questions — Records 73,651-73,680 of 100,000

id=73651 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=24 | option_b=32 | option_c=28 | option_d=29 | answer=C | explanation=The common difference is 4. Therefore the next term is 24 + 4 = 28.

id=73652 | topic=Averages | difficulty=Easy | question=Find the average of 23, 25, 34, 10, 24, 82. | option_a=33 | option_b=34 | option_c=35 | option_d=32 | answer=A | explanation=Average = sum of values ÷ number of values = 198 ÷ 6 = 33.

id=73653 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**35447 at 6% per annum for 3 years. | option_a=6280 | option_b=41827 | option_c=6380 | option_d=6480 | answer=C | explanation=SI = $PRT/100 = 35447 \times 6 \times 3/100 = \text{₹}6380$.

id=73654 | topic=Averages | difficulty=Easy | question=Find the average of 37, 62, 81, 14, 89, 70, 36, 43. | option_a=56 | option_b=54 | option_c=53 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 432 ÷ 8 = 54.

id=73655 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:8 and the first is 216, what is the second? | option_a=96 | option_b=88 | option_c=312 | option_d=114 | answer=A | explanation=Scale factor = $216/18 = 12$. Therefore second quantity = $8 \times 12 = 96$.

id=73656 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=52 | option_b=64 | option_c=53 | option_d=40 | answer=A | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.

id=73657 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=D | option_b=Y | option_c=O | option_d=T | answer=B | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=73658 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**36380 at 15% per annum for 4 years. | option_a=58208 | option_b=21728 | option_c=21828 | option_d=21928 | answer=C | explanation=SI = $PRT/100 = 36380 \times 15 \times 4/100 = \text{₹}21828$.

id=73659 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 31, 36, 44? | option_a=36 | option_b=26 | option_c=31 | option_d=44 | answer=D | explanation=The first three numbers increase by 5, so the next should be 41. Therefore 44 is the odd one out.

id=73660 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=73661 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**7215 at 8% per annum for 2 years. | option_a=1054 | option_b=1254 | option_c=8369 | option_d=1154 | answer=D | explanation=SI = $PRT/100 = 7215 \times 8 \times 2/100 = \text{₹}1154$.

id=73662 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 24, 34, 46? | option_a=24 | option_b=46 | option_c=14 | option_d=34 | answer=B | explanation=The first three numbers increase by 10, so the next should be 44. Therefore 46 is the odd one out.

id=73663 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=49 | option_b=71 | option_c=61 | option_d=60 | answer=D | explanation=The common difference is 11. Therefore the next term is 49 + 11 = 60.

id=73664 | topic=Percentages | difficulty=Easy | question=What is 12% of 529? | option_a=63 | option_b=58 | option_c=126 | option_d=73 | answer=A | explanation=12% of 529 = $(12/100) \times 529 = 63$.

id=73665 | topic=Percentages | difficulty=Easy | question=What is 25% of 1236? | option_a=329 | option_b=309 | option_c=299 | option_d=618 | answer=B | explanation=25% of 1236 = $(25/100) \times 1236 = 309$.

id=73666 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:16 and the first is 160, what is the second? | option_a=304 | option_b=328 | option_c=480 | option_d=320 | answer=D | explanation=Scale factor = $160/8 = 20$. Therefore second quantity = $16 \times 20 = 320$.

id=73667 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4562. If it is sold at a profit of 10%, what is its selling price? | option_a=4572 | option_b=5474 | option_c=5018 | option_d=4562 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4562 \times 110/100 = \text{₹}5018$.

id=73668 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 11. | option_a=44 | option_b=11 | option_c=242 | option_d=22 | answer=D | explanation= $LCM \times HCF = 22 \times 11$; $HCF(22, 11) = 11$, so $LCM = 22$.

id=73669 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=J | option_b=D | option_c=H | option_d=F | answer=C | explanation=Move 2 positions forward from F; the resulting letter is H.

id=73670 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=73671 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=73672 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=C | option_b=K | option_c=O | option_d=G | answer=B | explanation=Move 4 positions forward from G; the resulting letter is K.

id=73673 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=46 | option_b=39 | option_c=32 | option_d=40 | answer=B | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.

id=73674 | topic=Percentages | difficulty=Easy | question=What is 40% of 637? | option_a=234 | option_b=264 | option_c=254 | option_d=508 | answer=C | explanation=40% of 637 = $(40/100) \times 637 = 254$.

id=73675 | topic=Percentages | difficulty=Easy | question=What is 5% of 1532? | option_a=56 | option_b=152 | option_c=81 | option_d=76 | answer=D | explanation=5% of 1532 = $(5/100) \times 1532 = 76$.

id=73676 | topic=Averages | difficulty=Easy | question=Find the average of 60, 14, 48, 38. | option_a=40 | option_b=42 | option_c=39 | option_d=41 | answer=A | explanation=Average = sum of values ÷ number of values = $160 \div 4 = 40$.

id=73677 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=W | option_b=Q | option_c=T | option_d=Z | answer=A | explanation=Move 3 positions forward from T; the resulting letter is W.

id=73678 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 6. | option_a=40 | option_b=30 | option_c=24 | option_d=60 | answer=B | explanation= $LCM \times HCF = 10 \times 6$; $HCF(10, 6) = 2$, so $LCM = 30$.

id=73679 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:16 and the first is 238, what is the second? | option_a=208 | option_b=241 | option_c=224 | option_d=462 | answer=C | explanation=Scale factor = $238/17 = 14$. Therefore second quantity = $16 \times 14 = 224$.

id=73680 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**6672 at 5% per annum for 1 years. | option_a=7005 | option_b=433 | option_c=333 | option_d=233 | answer=C | explanation=SI = $PRT/100 = 6672 \times 5 \times 1/100 = \text{₹}333$.

Aptitude Questions — Records 73,681-73,710 of 100,000

id=73681 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21772 at 12% per annum for 1 years. | option_a=2712 | option_b=24384 | option_c=2512 | option_d=2612 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{21772 \times 12 \times 1}{100} = \text{■}2612$.

id=73682 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**262. If it is sold at a profit of 5%, what is its selling price? | option_a=275 | option_b=249 | option_c=301 | option_d=267 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 262 \times 105 / 100 = \text{■}275$.

id=73683 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=S | option_c=U | option_d=O | answer=B | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=73684 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1320. If it is sold at a profit of 50%, what is its selling price? | option_a=1848 | option_b=1370 | option_c=2112 | option_d=1980 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1320 \times 150 / 100 = \text{■}1980$.

id=73685 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=54 | option_b=53 | option_c=63 | option_d=43 | answer=B | explanation=The common difference is 10. Therefore the next term is $43 + 10 = 53$.

id=73686 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 8. | option_a=30 | option_b=48 | option_c=16 | option_d=24 | answer=D | explanation= $LCM \times HCF = 6 \times 8$; $HCF(6, 8) = 2$, so $LCM = 24$.

id=73687 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 13, 20, 28? | option_a=13 | option_b=28 | option_c=6 | option_d=20 | answer=B | explanation=The first three numbers increase by 7, so the next should be 27. Therefore 28 is the odd one out.

id=73688 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44340 at 15% per annum for 2 years. | option_a=57642 | option_b=13202 | option_c=13302 | option_d=13402 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{44340 \times 15 \times 2}{100} = \text{■}13302$.

id=73689 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:12 and the first is 24, what is the second? | option_a=120 | option_b=99 | option_c=84 | option_d=96 | answer=D | explanation=Scale factor = $24 / 3 = 8$. Therefore second quantity = $12 \times 8 = 96$.

id=73690 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=56 | option_b=55 | option_c=65 | option_d=45 | answer=B | explanation=The common difference is 10. Therefore the next term is $45 + 10 = 55$.

id=73691 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=16 | answer=A | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $64 / 16 = 4$ days.

id=73692 | topic=Percentages | difficulty=Easy | question=What is 20% of 860? | option_a=182 | option_b=172 | option_c=152 | option_d=344 | answer=B | explanation=20% of 860 = $(20 / 100) \times 860 = 172$.

id=73693 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30485 at 12% per annum for 2 years. | option_a=7416 | option_b=37801 | option_c=7216 | option_d=7316 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{30485 \times 12 \times 2}{100} = \text{■}7316$.

id=73694 | topic=Averages | difficulty=Easy | question=Find the average of 48, 43, 34, 71, 74. | option_a=54 | option_b=56 | option_c=53 | option_d=55 | answer=A | explanation=Average = $\text{sum of values} \div \text{number of values} = 270 \div 5 = 54$.

id=73695 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $36 / 12 = 3$ days.

id=73696 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $48 / 16 = 3$ days.

id=73697 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1316. If it is sold at a profit of 10%, what is its selling price? | option_a=1326 | option_b=1316 | option_c=1578 | option_d=1447 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1316 \times 110 / 100 = \text{■}1447$.

id=73698 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3651. If it is sold at a profit of 15%, what is its selling price? | option_a=3666 | option_b=4563 | option_c=3833 | option_d=4198 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3651 \times 115 / 100 = \text{■}4198$.

id=73699 | topic=Averages | difficulty=Easy | question=Find the average of 11, 19, 56, 97, 34, 11, 13, 47, 18. | option_a=36 | option_b=34 | option_c=35 | option_d=33 | answer=B | explanation=Average = $\text{sum of values} \div \text{number of values} = 306 \div 9 = 34$.

id=73700 | topic=Percentages | difficulty=Easy | question=What is 25% of 611? | option_a=304 | option_b=152 | option_c=142 | option_d=162 | answer=B | explanation=25% of 611 = $(25 / 100) \times 611 = 152$.

id=73701 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 38, 46, 55? | option_a=38 | option_b=46 | option_c=30 | option_d=55 | answer=D | explanation=The first three numbers increase by 8, so the next should be 54. Therefore 55 is the odd one out.

id=73702 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=Z | option_c=B | option_d=A | answer=C | explanation=Move 1 positions forward from A; the resulting letter is B.

id=73703 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=77 | option_c=72 | option_d=144 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 360 \div 5 = 72 \text{ km/h}$.

id=73704 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 38? | option_a=38 | option_b=19 | option_c=10 | option_d=28 | answer=A | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 38 is the odd one out.

id=73705 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2734 at 15% per annum for 5 years. | option_a=1950 | option_b=4784 | option_c=2050 | option_d=2150 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{2734 \times 15 \times 5}{100} = \text{■}2050$.

id=73706 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19471 at 4% per annum for 2 years. | option_a=21028 | option_b=1457 | option_c=1557 | option_d=1657 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{19471 \times 4 \times 2}{100} = \text{■}1557$.

id=73707 | topic=Averages | difficulty=Easy | question=Find the average of 89, 11, 67, 82, 51. | option_a=60 | option_b=59 | option_c=61 | option_d=62 | answer=A | explanation=Average = $\text{sum of values} \div \text{number of values} = 300 \div 5 = 60$.

id=73708 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=120 | option_d=65 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 180 \div 3 = 60 \text{ km/h}$.

id=73709 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=38 | option_b=50 | option_c=49 | option_d=60 | answer=C | explanation=The common difference is 11. Therefore the next term is $38 + 11 = 49$.

id=73710 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $72 / 18 = 4$ days.

Aptitude Questions — Records 73,711-73,740 of 100,000

id=73711 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=240 | option_d=115 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=73712 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=73713 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=64 | option_b=55 | option_c=44 | option_d=54 | answer=D | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=73714 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36592 at 4% per annum for 2 years. | option_a=3027 | option_b=2827 | option_c=2927 | option_d=39519 | answer=C | explanation=SI = PRT/100 = 36592×4×2/100 = **■**2927.

id=73715 | topic=Averages | difficulty=Easy | question=Find the average of 87, 100, 11, 88, 23, 57. | option_a=60 | option_b=63 | option_c=62 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 366 ÷ 6 = 61.

id=73716 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20922 at 8% per annum for 2 years. | option_a=3347 | option_b=24269 | option_c=3447 | option_d=3247 | answer=A | explanation=SI = PRT/100 = 20922×8×2/100 = **■**3347.

id=73717 | topic=Averages | difficulty=Easy | question=Find the average of 59, 54, 14, 21, 37. | option_a=37 | option_b=38 | option_c=39 | option_d=36 | answer=A | explanation=Average = sum of values ÷ number of values = 185 ÷ 5 = 37.

id=73718 | topic=Percentages | difficulty=Easy | question=What is 50% of 1509? | option_a=1508 | option_b=754 | option_c=734 | option_d=764 | answer=B | explanation=50% of 1509 = (50/100) × 1509 = 754.

id=73719 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3305. If it is sold at a profit of 50%, what is its selling price? | option_a=4957 | option_b=4627 | option_c=5287 | option_d=3355 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3305 × 150/100 = **■**4957.

id=73720 | topic=Percentages | difficulty=Easy | question=What is 40% of 783? | option_a=323 | option_b=303 | option_c=626 | option_d=313 | answer=D | explanation=40% of 783 = (40/100) × 783 = 313.

id=73721 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:7 and the first is 18, what is the second? | option_a=56 | option_b=63 | option_c=81 | option_d=65 | answer=B | explanation=Scale factor = 18/2 = 9. Therefore second quantity = 7×9 = 63.

id=73722 | topic=Percentages | difficulty=Easy | question=What is 5% of 1989? | option_a=89 | option_b=99 | option_c=198 | option_d=104 | answer=B | explanation=5% of 1989 = (5/100) × 1989 = 99.

id=73723 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=73724 | topic=Percentages | difficulty=Easy | question=What is 25% of 1628? | option_a=407 | option_b=427 | option_c=814 | option_d=402 | answer=A | explanation=25% of 1628 = (25/100) × 1628 = 407.

id=73725 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:20 and the first is 180, what is the second? | option_a=420 | option_b=220 | option_c=255 | option_d=240 | answer=D | explanation=Scale factor = 180/15 = 12. Therefore second quantity = 20×12 = 240.

id=73726 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1194. If it is sold at a profit of 50%, what is its selling price? | option_a=1672 | option_b=1791 | option_c=1910 | option_d=1244 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1194 × 150/100 = **■**1791.

id=73727 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 59? | option_a=38 | option_b=59 | option_c=29 | option_d=47 | answer=B | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 59 is the odd one out.

id=73728 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3975. If it is sold at a profit of 5%, what is its selling price? | option_a=3776 | option_b=4570 | option_c=4173 | option_d=3980 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3975 × 105/100 = **■**4173.

id=73729 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47483 at 10% per annum for 3 years. | option_a=14244 | option_b=14344 | option_c=14144 | option_d=61727 | answer=A | explanation=SI = PRT/100 = 47483×10×3/100 = **■**14244.

id=73730 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1777. If it is sold at a profit of 20%, what is its selling price? | option_a=2132 | option_b=1955 | option_c=2309 | option_d=1797 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1777 × 120/100 = **■**2132.

id=73731 | topic=Percentages | difficulty=Easy | question=What is 20% of 1248? | option_a=254 | option_b=239 | option_c=249 | option_d=498 | answer=C | explanation=20% of 1248 = (20/100) × 1248 = 249.

id=73732 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:14 and the first is 85, what is the second? | option_a=238 | option_b=224 | option_c=243 | option_d=323 | answer=A | explanation=Scale factor = 85/5 = 17. Therefore second quantity = 14×17 = 238.

id=73733 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:16 and the first is 102, what is the second? | option_a=256 | option_b=272 | option_c=374 | option_d=278 | answer=B | explanation=Scale factor = 102/6 = 17. Therefore second quantity = 16×17 = 272.

id=73734 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 30? | option_a=16 | option_b=10 | option_c=30 | option_d=22 | answer=C | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 30 is the odd one out.

id=73735 | topic=Percentages | difficulty=Easy | question=What is 50% of 1524? | option_a=1524 | option_b=757 | option_c=762 | option_d=782 | answer=C | explanation=50% of 1524 = (50/100) × 1524 = 762.

id=73736 | topic=Percentages | difficulty=Easy | question=What is 15% of 1760? | option_a=264 | option_b=259 | option_c=274 | option_d=528 | answer=A | explanation=15% of 1760 = (15/100) × 1760 = 264.

id=73737 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=U | option_b=O | option_c=L | option_d=R | answer=D | explanation=Move 3 positions forward from O; the resulting letter is R.

id=73738 | topic=Averages | difficulty=Easy | question=Find the average of 12, 48, 91, 81. | option_a=59 | option_b=58 | option_c=60 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 232 ÷ 4 = 58.

id=73739 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:1 and the first is 272, what is the second? | option_a=16 | option_b=288 | option_c=33 | option_d=15 | answer=A | explanation=Scale factor = 272/17 = 16. Therefore second quantity = 1×16 = 16.

id=73740 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=44 | option_b=38 | option_c=32 | option_d=39 | answer=B | explanation=The common difference is 6. Therefore the next term is 32 + 6 = 38.

Aptitude Questions — Records 73,741-73,770 of 100,000

id=73741 | topic=Averages | difficulty=Easy | question=Find the average of 15, 82, 14. | option_a=39 | option_b=38 | option_c=37 | option_d=36 | answer=C | explanation=Average = sum of values + number of values = 111 ÷ 3 = 37.

id=73742 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:5 and the first is 33, what is the second? | option_a=15 | option_b=48 | option_c=10 | option_d=26 | answer=A | explanation=Scale factor = 33/11 = 3. Therefore second quantity = 5×3 = 15.

id=73743 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 9, 13, 19? | option_a=5 | option_b=13 | option_c=9 | option_d=19 | answer=D | explanation=The first three numbers increase by 4, so the next should be 17. Therefore 19 is the odd one out.

id=73744 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=73745 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 35? | option_a=24 | option_b=8 | option_c=16 | option_d=35 | answer=D | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 35 is the odd one out.

id=73746 | topic=Percentages | difficulty=Easy | question=What is 10% of 1186? | option_a=236 | option_b=118 | option_c=123 | option_d=98 | answer=B | explanation=10% of 1186 = (10/100) × 1186 = 118.

id=73747 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=O | option_c=I | option_d=R | answer=B | explanation=Move 3 positions forward from L; the resulting letter is O.

id=73748 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=D | option_b=E | option_c=B | option_d=C | answer=A | explanation=Move 1 positions forward from C; the resulting letter is D.

id=73749 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=Q | option_b=W | option_c=U | option_d=S | answer=C | explanation=Move 2 positions forward from S; the resulting letter is U.

id=73750 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 20. | option_a=480 | option_b=100 | option_c=120 | option_d=144 | answer=C | explanation=LCM × HCF = 24×20; HCF(24,20) = 4, so LCM = 120.

id=73751 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=73752 | topic=Percentages | difficulty=Easy | question=What is 12% of 597? | option_a=81 | option_b=71 | option_c=51 | option_d=142 | answer=B | explanation=12% of 597 = (12/100) × 597 = 71.

id=73753 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=73754 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 31? | option_a=18 | option_b=31 | option_c=13 | option_d=23 | answer=B | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 31 is the odd one out.

id=73755 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 13, 17, 21, ? | option_a=21 | option_b=25 | option_c=26 | option_d=29 | answer=B | explanation=The common difference is 4. Therefore the next term is 21 + 4 = 25.

id=73756 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2862. If it is sold at a profit of 20%, what is its selling price? | option_a=3434 | option_b=3720 | option_c=3148 | option_d=2882 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2862 × 120/100 = █3434.

id=73757 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=73758 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2426. If it is sold at a profit of 30%, what is its selling price? | option_a=2456 | option_b=2911 | option_c=3395 | option_d=3153 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2426 × 130/100 = █3153.

id=73759 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28191 at 15% per annum for 5 years. | option_a=21043 | option_b=49334 | option_c=21143 | option_d=21243 | answer=C | explanation=SI = PRT/100 = 28191×15×5/100 = █21143.

id=73760 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=73761 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=X | option_c=P | option_d=L | answer=A | explanation=Move 4 positions forward from P; the resulting letter is T.

id=73762 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=43 | option_b=44 | option_c=35 | option_d=51 | answer=A | explanation=The common difference is 8. Therefore the next term is 35 + 8 = 43.

id=73763 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1024. If it is sold at a profit of 5%, what is its selling price? | option_a=1075 | option_b=1177 | option_c=1029 | option_d=973 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1024 × 105/100 = █1075.

id=73764 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 4. | option_a=8 | option_b=4 | option_c=6 | option_d=1 | answer=B | explanation=LCM × HCF = 2×4; HCF(2,4) = 2, so LCM = 4.

id=73765 | topic=Averages | difficulty=Easy | question=Find the average of 56, 84, 46. | option_a=64 | option_b=62 | option_c=61 | option_d=63 | answer=B | explanation=Average = sum of values + number of values = 186 ÷ 3 = 62.

id=73766 | topic=Percentages | difficulty=Easy | question=What is 40% of 932? | option_a=744 | option_b=392 | option_c=352 | option_d=372 | answer=D | explanation=40% of 932 = (40/100) × 932 = 372.

id=73767 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3261. If it is sold at a profit of 25%, what is its selling price? | option_a=3750 | option_b=4402 | option_c=3286 | option_d=4076 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3261 × 125/100 = █4076.

id=73768 | topic=Percentages | difficulty=Easy | question=What is 20% of 1214? | option_a=232 | option_b=247 | option_c=484 | option_d=242 | answer=D | explanation=20% of 1214 = (20/100) × 1214 = 242.

id=73769 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22047 at 4% per annum for 4 years. | option_a=25574 | option_b=3627 | option_c=3527 | option_d=3427 | answer=C | explanation=SI = PRT/100 = 22047×4×4/100 = █3527.

id=73770 | topic=Percentages | difficulty=Easy | question=What is 10% of 230? | option_a=33 | option_b=46 | option_c=23 | option_d=3 | answer=C | explanation=10% of 230 = (10/100) × 230 = 23.

Aptitude Questions — Records 73,771-73,800 of 100,000

id=73771 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=24 | option_d=7 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=73772 | topic=Percentages | difficulty=Easy | question=What is 20% of 721? | option_a=134 | option_b=144 | option_c=288 | option_d=164 | answer=B | explanation=20% of 721 = $(\frac{20}{100}) \times 721 = 144$.

id=73773 | topic=Percentages | difficulty=Easy | question=What is 20% of 1065? | option_a=203 | option_b=213 | option_c=426 | option_d=233 | answer=B | explanation=20% of 1065 = $(\frac{20}{100}) \times 1065 = 213$.

id=73774 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=39 | option_b=33 | option_c=34 | option_d=27 | answer=B | explanation=The common difference is 6. Therefore the next term is $27 + 6 = 33$.

id=73775 | topic=Percentages | difficulty=Easy | question=What is 30% of 1893? | option_a=1134 | option_b=562 | option_c=572 | option_d=567 | answer=D | explanation=30% of 1893 = $(\frac{30}{100}) \times 1893 = 567$.

id=73776 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39640 at 4% per annum for 1 years. | option_a=1485 | option_b=41225 | option_c=1685 | option_d=1585 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{39640 \times 4 \times 1}{100} = \text{■}1585$.

id=73777 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4022. If it is sold at a profit of 20%, what is its selling price? | option_a=4042 | option_b=4424 | option_c=5228 | option_d=4826 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = \frac{4022 \times 120}{100} = \text{■}4826$.

id=73778 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4386 at 5% per annum for 5 years. | option_a=5482 | option_b=1096 | option_c=996 | option_d=1196 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{4386 \times 5 \times 5}{100} = \text{■}1096$.

id=73779 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=24 | option_b=18 | option_c=23 | option_d=28 | answer=C | explanation=The common difference is 5. Therefore the next term is $18 + 5 = 23$.

id=73780 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 29? | option_a=29 | option_b=20 | option_c=24 | option_d=16 | answer=A | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 29 is the odd one out.

id=73781 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:20 and the first is 260, what is the second? | option_a=400 | option_b=380 | option_c=660 | option_d=413 | answer=A | explanation=Scale factor = $\frac{260}{13} = 20$. Therefore second quantity = $20 \times 20 = 400$.

id=73782 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 24, 31, 41? | option_a=31 | option_b=17 | option_c=24 | option_d=41 | answer=D | explanation=The first three numbers increase by 7, so the next should be 38. Therefore 41 is the odd one out.

id=73783 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=73784 | topic=Averages | difficulty=Easy | question=Find the average of 59, 89, 90, 16, 16, 68, 57, 101. | option_a=63 | option_b=62 | option_c=64 | option_d=61 | answer=B | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{496}{8} = 62$.

id=73785 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1157. If it is sold at a profit of 40%, what is its selling price? | option_a=1734 | option_b=1504 | option_c=1619 | option_d=1197 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = \frac{1157 \times 140}{100} = \text{■}1619$.

id=73786 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 18. | option_a=198 | option_b=180 | option_c=220 | option_d=396 | answer=A | explanation=LCM $\times$ HCF = 22×18 ; $\text{HCF}(22, 18) = 2$, so LCM = 198.

id=73787 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 25, 33, 41, ? | option_a=41 | option_b=49 | option_c=57 | option_d=50 | answer=B | explanation=The common difference is 8. Therefore the next term is $41 + 8 = 49$.

id=73788 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**171. If it is sold at a profit of 15%, what is its selling price? | option_a=213 | option_b=186 | option_c=196 | option_d=179 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = \frac{171 \times 115}{100} = \text{■}196$.

id=73789 | topic=Averages | difficulty=Easy | question=Find the average of 61, 98, 20, 97. | option_a=69 | option_b=71 | option_c=70 | option_d=68 | answer=A | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{276}{4} = 69$.

id=73790 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=73 | option_b=63 | option_c=51 | option_d=62 | answer=D | explanation=The common difference is 11. Therefore the next term is $51 + 11 = 62$.

id=73791 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 24, 27, 33? | option_a=24 | option_b=27 | option_c=21 | option_d=33 | answer=D | explanation=The first three numbers increase by 3, so the next should be 30. Therefore 33 is the odd one out.

id=73792 | topic=Averages | difficulty=Easy | question=Find the average of 16, 38, 97, 34, 61, 18, 29, 53, 47, 67. | option_a=46 | option_b=48 | option_c=47 | option_d=45 | answer=A | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{460}{10} = 46$.

id=73793 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 28. | option_a=112 | option_b=32 | option_c=28 | option_d=1 | answer=C | explanation=LCM $\times$ HCF = 4×28 ; $\text{HCF}(4, 28) = 4$, so LCM = 28.

id=73794 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=40 | option_d=45 | answer=D | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{90}{2} = 45$ km/h.

id=73795 | topic=Percentages | difficulty=Easy | question=What is 5% of 889? | option_a=88 | option_b=39 | option_c=44 | option_d=54 | answer=C | explanation=5% of 889 = $(\frac{5}{100}) \times 889 = 44$.

id=73796 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35278 at 15% per annum for 5 years. | option_a=26458 | option_b=26358 | option_c=61736 | option_d=26558 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{35278 \times 15 \times 5}{100} = \text{■}26458$.

id=73797 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=M | option_b=C | option_c=X | option_d=H | answer=D | explanation=Move 5 positions forward from C; the resulting letter is H.

id=73798 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=23 | option_b=21 | option_c=20 | option_d=17 | answer=C | explanation=The common difference is 3. Therefore the next term is $17 + 3 = 20$.

id=73799 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=K | option_c=M | option_d=Q | answer=A | explanation=Move 2 positions forward from M; the resulting letter is O.

id=73800 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=17 | option_b=21 | option_c=20 | option_d=19 | answer=D | explanation=The common difference is 2. Therefore the next term is $17 + 2 = 19$.

Aptitude Questions — Records 73,801-73,830 of 100,000

- id=73801 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 8, 11, 14, ? | option_a=20 | option_b=18 | option_c=14 | option_d=17 | answer=D | explanation=The common difference is 3. Therefore the next term is 14 + 3 = 17.
- id=73802 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 14, 23, 35? | option_a=5 | option_b=14 | option_c=23 | option_d=35 | answer=D | explanation=The first three numbers increase by 9, so the next should be 32. Therefore 35 is the odd one out.
- id=73803 | topic=Percentages | difficulty=Easy | question=What is 20% of 1396? | option_a=279 | option_b=274 | option_c=558 | option_d=284 | answer=A | explanation=20% of 1396 = (20/100) × 1396 = 279.
- id=73804 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=73805 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 30. | option_a=297 | option_b=240 | option_c=810 | option_d=270 | answer=D | explanation=LCM × HCF = 27×30; HCF(27,30) = 3, so LCM = 270.
- id=73806 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 28. | option_a=140 | option_b=672 | option_c=192 | option_d=168 | answer=D | explanation=LCM × HCF = 24×28; HCF(24,28) = 4, so LCM = 168.
- id=73807 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=J | option_b=G | option_c=A | option_d=D | answer=B | explanation=Move 3 positions forward from D; the resulting letter is G.
- id=73808 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹3017. If it is sold at a profit of 30%, what is its selling price? | option_a=3621 | option_b=4223 | option_c=3922 | option_d=3047 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3017 × 130/100 = ₹3922.
- id=73809 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹43023 at 12% per annum for 5 years. | option_a=68836 | option_b=25913 | option_c=25813 | option_d=25713 | answer=C | explanation=SI = PRT/100 = 43023×12×5/100 = ₹25813.
- id=73810 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 28. | option_a=56 | option_b=588 | option_c=84 | option_d=105 | answer=C | explanation=LCM × HCF = 21×28; HCF(21,28) = 7, so LCM = 84.
- id=73811 | topic=Percentages | difficulty=Easy | question=What is 20% of 1776? | option_a=355 | option_b=365 | option_c=350 | option_d=710 | answer=A | explanation=20% of 1776 = (20/100) × 1776 = 355.
- id=73812 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 45? | option_a=25 | option_b=45 | option_c=31 | option_d=37 | answer=B | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 45 is the odd one out.
- id=73813 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=19 | option_b=21 | option_c=23 | option_d=22 | answer=B | explanation=The common difference is 2. Therefore the next term is 19 + 2 = 21.
- id=73814 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=N | option_b=D | option_c=S | option_d=I | answer=A | explanation=Move 5 positions forward from I; the resulting letter is N.
- id=73815 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:3 and the first is 195, what is the second? | option_a=42 | option_b=58 | option_c=45 | option_d=240 | answer=C | explanation=Scale factor = 195/13 = 15. Therefore second quantity = 3×15 = 45.
- id=73816 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:16 and the first is 119, what is the second? | option_a=272 | option_b=391 | option_c=279 | option_d=256 | answer=A | explanation=Scale factor = 119/7 = 17. Therefore second quantity = 16×17 = 272.
- id=73817 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 37? | option_a=22 | option_b=26 | option_c=30 | option_d=37 | answer=D | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 37 is the odd one out.
- id=73818 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=17 | option_b=13 | option_c=15 | option_d=16 | answer=C | explanation=The common difference is 2. Therefore the next term is 13 + 2 = 15.
- id=73819 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹31592 at 6% per annum for 5 years. | option_a=9377 | option_b=41069 | option_c=9477 | option_d=9577 | answer=C | explanation=SI = PRT/100 = 31592×6×5/100 = ₹9477.
- id=73820 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.
- id=73821 | topic=Averages | difficulty=Easy | question=Find the average of 66, 41, 50, 58, 86, 66, 49, 48. | option_a=58 | option_b=57 | option_c=60 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 464 ÷ 8 = 58.
- id=73822 | topic=Averages | difficulty=Easy | question=Find the average of 12, 60, 23, 70, 97, 31, 96, 27. | option_a=53 | option_b=52 | option_c=51 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.
- id=73823 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:10 and the first is 40, what is the second? | option_a=58 | option_b=90 | option_c=50 | option_d=40 | answer=C | explanation=Scale factor = 40/8 = 5. Therefore second quantity = 10×5 = 50.
- id=73824 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 15. | option_a=54 | option_b=30 | option_c=45 | option_d=135 | answer=C | explanation=LCM × HCF = 9×15; HCF(9,15) = 3, so LCM = 45.
- id=73825 | topic=Averages | difficulty=Easy | question=Find the average of 74, 10, 69, 52, 18, 96, 72, 81. | option_a=58 | option_b=60 | option_c=59 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 472 ÷ 8 = 59.
- id=73826 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 21. | option_a=105 | option_b=315 | option_c=84 | option_d=120 | answer=A | explanation=LCM × HCF = 15×21; HCF(15,21) = 3, so LCM = 105.
- id=73827 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 39? | option_a=39 | option_b=34 | option_c=32 | option_d=30 | answer=A | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 39 is the odd one out.
- id=73828 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹10660 at 15% per annum for 5 years. | option_a=7995 | option_b=8095 | option_c=7895 | option_d=18655 | answer=A | explanation=SI = PRT/100 = 10660×15×5/100 = ₹7995.
- id=73829 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:2 and the first is 165, what is the second? | option_a=28 | option_b=195 | option_c=41 | option_d=30 | answer=D | explanation=Scale factor = 165/11 = 15. Therefore second quantity = 2×15 = 30.
- id=73830 | topic=Percentages | difficulty=Easy | question=What is 12% of 1105? | option_a=112 | option_b=264 | option_c=132 | option_d=137 | answer=C | explanation=12% of 1105 = (12/100) × 1105 = 132.

Aptitude Questions — Records 73,831-73,860 of 100,000

id=73831 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:11 and the first is 22, what is the second? | option_a=44 | option_b=22 | option_c=33 | option_d=11 | answer=B | explanation=Scale factor = 22/11 = 2. Therefore second quantity = 11×2 = 22.

id=73832 | topic=Averages | difficulty=Easy | question=Find the average of 11, 36, 27, 82. | option_a=40 | option_b=39 | option_c=38 | option_d=41 | answer=B | explanation=Average = sum of values ÷ number of values = 156 ÷ 4 = 39.

id=73833 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=50 | option_b=74 | option_c=62 | option_d=63 | answer=C | explanation=The common difference is 12. Therefore the next term is 50 + 12 = 62.

id=73834 | topic=Averages | difficulty=Easy | question=Find the average of 81, 79, 99, 54, 59, 78. | option_a=77 | option_b=75 | option_c=76 | option_d=74 | answer=B | explanation=Average = sum of values ÷ number of values = 450 ÷ 6 = 75.

id=73835 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:10 and the first is 280, what is the second? | option_a=130 | option_b=140 | option_c=420 | option_d=160 | answer=B | explanation=Scale factor = 280/20 = 14. Therefore second quantity = 10×14 = 140.

id=73836 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:2 and the first is 54, what is the second? | option_a=90 | option_b=34 | option_c=39 | option_d=36 | answer=D | explanation=Scale factor = 54/3 = 18. Therefore second quantity = 2×18 = 36.

id=73837 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=46 | option_b=56 | option_c=66 | option_d=57 | answer=B | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=73838 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=73839 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:6 and the first is 260, what is the second? | option_a=133 | option_b=120 | option_c=380 | option_d=114 | answer=B | explanation=Scale factor = 260/13 = 20. Therefore second quantity = 6×20 = 120.

id=73840 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 38? | option_a=28 | option_b=19 | option_c=10 | option_d=38 | answer=D | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 38 is the odd one out.

id=73841 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=73842 | topic=Averages | difficulty=Easy | question=Find the average of 54, 87, 61, 72, 25, 82, 38, 41, 98. | option_a=64 | option_b=61 | option_c=63 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 558 ÷ 9 = 62.

id=73843 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31135 at 15% per annum for 1 years. | option_a=35805 | option_b=4770 | option_c=4670 | option_d=4570 | answer=C | explanation=SI = PRT/100 = 31135×15×1/100 = **■**4670.

id=73844 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=73845 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**742. If it is sold at a profit of 20%, what is its selling price? | option_a=964 | option_b=890 | option_c=762 | option_d=816 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 742 × 120/100 = **■**890.

id=73846 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=73847 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 20? | option_a=20 | option_b=15 | option_c=7 | option_d=11 | answer=A | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 20 is the odd one out.

id=73848 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23721 at 6% per annum for 1 years. | option_a=25144 | option_b=1323 | option_c=1423 | option_d=1523 | answer=C | explanation=SI = PRT/100 = 23721×6×1/100 = **■**1423.

id=73849 | topic=Averages | difficulty=Easy | question=Find the average of 81, 33, 97, 37. | option_a=62 | option_b=64 | option_c=61 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 248 ÷ 4 = 62.

id=73850 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47663 at 8% per annum for 4 years. | option_a=15352 | option_b=62915 | option_c=15252 | option_d=15152 | answer=C | explanation=SI = PRT/100 = 47663×8×4/100 = **■**15252.

id=73851 | topic=Percentages | difficulty=Easy | question=What is 15% of 712? | option_a=212 | option_b=116 | option_c=86 | option_d=106 | answer=D | explanation=15% of 712 = (15/100) × 712 = 106.

id=73852 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 26, 28, 32? | option_a=24 | option_b=28 | option_c=26 | option_d=32 | answer=D | explanation=The first three numbers increase by 2, so the next should be 30. Therefore 32 is the odd one out.

id=73853 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 17, 21, 26? | option_a=21 | option_b=26 | option_c=13 | option_d=17 | answer=B | explanation=The first three numbers increase by 4, so the next should be 25. Therefore 26 is the odd one out.

id=73854 | topic=Percentages | difficulty=Easy | question=What is 5% of 1696? | option_a=64 | option_b=168 | option_c=89 | option_d=84 | answer=D | explanation=5% of 1696 = (5/100) × 1696 = 84.

id=73855 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:1 and the first is 112, what is the second? | option_a=6 | option_b=119 | option_c=23 | option_d=7 | answer=D | explanation=Scale factor = 112/16 = 7. Therefore second quantity = 1×7 = 7.

id=73856 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=73857 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=18 | option_c=23 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=73858 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=S | option_b=V | option_c=P | option_d=M | answer=A | explanation=Move 3 positions forward from P; the resulting letter is S.

id=73859 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=22 | option_b=34 | option_c=28 | option_d=29 | answer=C | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.

id=73860 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=31 | option_b=39 | option_c=47 | option_d=40 | answer=B | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

Aptitude Questions — Records 73,861-73,890 of 100,000

- id=73861 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 52? | option_a=52 | option_b=40 | option_c=20 | option_d=30 | answer=A | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 52 is the odd one out.
- id=73862 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:1 and the first is 136, what is the second? | option_a=144 | option_b=25 | option_c=7 | option_d=8 | answer=D | explanation=Scale factor = 136/17 = 8. Therefore second quantity = 1×8 = 8.
- id=73863 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=40 | option_c=25 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.
- id=73864 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■49575 at 10% per annum for 2 years. | option_a=10015 | option_b=59490 | option_c=9915 | option_d=9815 | answer=C | explanation=SI = PRT/100 = 49575×10×2/100 = ■9915.
- id=73865 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.
- id=73866 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■32587 at 15% per annum for 2 years. | option_a=9776 | option_b=9676 | option_c=42363 | option_d=9876 | answer=A | explanation=SI = PRT/100 = 32587×15×2/100 = ■9776.
- id=73867 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 3. | option_a=63 | option_b=42 | option_c=21 | option_d=18 | answer=C | explanation=LCM × HCF = 21×3; HCF(21,3) = 3, so LCM = 21.
- id=73868 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 29, 31, 35? | option_a=29 | option_b=31 | option_c=27 | option_d=35 | answer=D | explanation=The first three numbers increase by 2, so the next should be 33. Therefore 35 is the odd one out.
- id=73869 | topic=Percentages | difficulty=Easy | question=What is 25% of 118? | option_a=29 | option_b=49 | option_c=19 | option_d=58 | answer=A | explanation=25% of 118 = (25/100) × 118 = 29.
- id=73870 | topic=Averages | difficulty=Easy | question=Find the average of 93, 32, 38, 41. | option_a=52 | option_b=53 | option_c=51 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 204 ÷ 4 = 51.
- id=73871 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 18, 28, 38, ? | option_a=49 | option_b=58 | option_c=48 | option_d=38 | answer=C | explanation=The common difference is 10. Therefore the next term is 38 + 10 = 48.
- id=73872 | topic=Percentages | difficulty=Easy | question=What is 12% of 592? | option_a=76 | option_b=71 | option_c=142 | option_d=61 | answer=B | explanation=12% of 592 = (12/100) × 592 = 71.
- id=73873 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=7 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.
- id=73874 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1876. If it is sold at a profit of 20%, what is its selling price? | option_a=2064 | option_b=2251 | option_c=1896 | option_d=2438 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1876 × 120/100 = ■2251.
- id=73875 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■43194 at 15% per annum for 4 years. | option_a=25916 | option_b=25816 | option_c=26016 | option_d=69110 | answer=A | explanation=SI = PRT/100 = 43194×15×4/100 = ■25916.
- id=73876 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=10 | option_b=12 | option_c=14 | option_d=13 | answer=B | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.
- id=73877 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 16. | option_a=64 | option_b=80 | option_c=320 | option_d=100 | answer=B | explanation=LCM × HCF = 20×16; HCF(20,16) = 4, so LCM = 80.
- id=73878 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4989. If it is sold at a profit of 5%, what is its selling price? | option_a=5736 | option_b=4994 | option_c=4740 | option_d=5238 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4989 × 105/100 = ■5238.
- id=73879 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=90 | option_c=95 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.
- id=73880 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4924. If it is sold at a profit of 15%, what is its selling price? | option_a=6154 | option_b=4939 | option_c=5662 | option_d=5170 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4924 × 115/100 = ■5662.
- id=73881 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:2 and the first is 30, what is the second? | option_a=30 | option_b=60 | option_c=32 | option_d=28 | answer=A | explanation=Scale factor = 30/2 = 15. Therefore second quantity = 2×15 = 30.
- id=73882 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=73883 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 42? | option_a=23 | option_b=15 | option_c=42 | option_d=31 | answer=C | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 42 is the odd one out.
- id=73884 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1008. If it is sold at a profit of 25%, what is its selling price? | option_a=1160 | option_b=1033 | option_c=1360 | option_d=1260 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1008 × 125/100 = ■1260.
- id=73885 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=41 | option_c=72 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.
- id=73886 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 27? | option_a=19 | option_b=5 | option_c=27 | option_d=12 | answer=C | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 27 is the odd one out.
- id=73887 | topic=Percentages | difficulty=Easy | question=What is 50% of 1709? | option_a=864 | option_b=854 | option_c=844 | option_d=1708 | answer=B | explanation=50% of 1709 = (50/100) × 1709 = 854.
- id=73888 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 15, 22, 29, ? | option_a=29 | option_b=37 | option_c=36 | option_d=43 | answer=C | explanation=The common difference is 7. Therefore the next term is 29 + 7 = 36.
- id=73889 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=47 | option_b=40 | option_c=33 | option_d=41 | answer=B | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.
- id=73890 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2142. If it is sold at a profit of 50%, what is its selling price? | option_a=3427 | option_b=3213 | option_c=2192 | option_d=2999 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2142 × 150/100 = ■3213.

Aptitude Questions — Records 73,891-73,920 of 100,000

id=73891 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 22, 32, 45? | option_a=12 | option_b=22 | option_c=32 | option_d=45 | answer=D | explanation=The first three numbers increase by 10, so the next should be 42. Therefore 45 is the odd one out.

id=73892 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:18 and the first is 220, what is the second? | option_a=180 | option_b=198 | option_c=218 | option_d=418 | answer=B | explanation=Scale factor = 220/20 = 11. Therefore second quantity = 18×11 = 198.

id=73893 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=73894 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=O | option_c=L | option_d=N | answer=D | explanation=Move 1 positions forward from M; the resulting letter is N.

id=73895 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=73896 | topic=Percentages | difficulty=Easy | question=What is 50% of 799? | option_a=798 | option_b=379 | option_c=404 | option_d=399 | answer=D | explanation=50% of 799 = (50/100) × 799 = 399.

id=73897 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 28. | option_a=1 | option_b=28 | option_c=42 | option_d=392 | answer=B | explanation=LCM × HCF = 14×28; HCF(14,28) = 14, so LCM = 28.

id=73898 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=9 | option_c=18 | option_d=14 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=73899 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=W | option_c=L | option_d=G | answer=D | explanation=Move 5 positions forward from B; the resulting letter is G.

id=73900 | topic=Averages | difficulty=Easy | question=Find the average of 83, 27, 40, 78, 100, 104. | option_a=73 | option_b=71 | option_c=72 | option_d=74 | answer=C | explanation=Average = sum of values ÷ number of values = 432 ÷ 6 = 72.

id=73901 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=73902 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:11 and the first is 12, what is the second? | option_a=144 | option_b=132 | option_c=121 | option_d=133 | answer=B | explanation=Scale factor = 12/1 = 12. Therefore second quantity = 11×12 = 132.

id=73903 | topic=Number System | difficulty=Easy | question=Find the LCM of 29 and 29. | option_a=841 | option_b=29 | option_c=58 | option_d=1 | answer=B | explanation=LCM × HCF = 29×29; HCF(29,29) = 29, so LCM = 29.

id=73904 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34475 at 4% per annum for 1 years. | option_a=1279 | option_b=1479 | option_c=35854 | option_d=1379 | answer=D | explanation=SI = PRT/100 = 34475×4×1/100 = **■**1379.

id=73905 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 45? | option_a=23 | option_b=45 | option_c=30 | option_d=37 | answer=B | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 45 is the odd one out.

id=73906 | topic=Averages | difficulty=Easy | question=Find the average of 88, 16, 58, 100, 49, 14, 13, 53, 33, 106. | option_a=54 | option_b=52 | option_c=53 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=73907 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=47 | option_b=46 | option_c=54 | option_d=38 | answer=B | explanation=The common difference is 8. Therefore the next term is 38 + 8 = 46.

id=73908 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=73909 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4854. If it is sold at a profit of 25%, what is its selling price? | option_a=6552 | option_b=4879 | option_c=5582 | option_d=6067 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4854 × 125/100 = **■**6067.

id=73910 | topic=Percentages | difficulty=Easy | question=What is 20% of 1967? | option_a=786 | option_b=383 | option_c=403 | option_d=393 | answer=D | explanation=20% of 1967 = (20/100) × 1967 = 393.

id=73911 | topic=Averages | difficulty=Easy | question=Find the average of 21, 16, 84, 94, 85. | option_a=62 | option_b=60 | option_c=59 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 300 ÷ 5 = 60.

id=73912 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=59 | option_b=58 | option_c=70 | option_d=46 | answer=B | explanation=The common difference is 12. Therefore the next term is 46 + 12 = 58.

id=73913 | topic=Averages | difficulty=Easy | question=Find the average of 38, 61, 73, 52, 45, 17, 99. | option_a=56 | option_b=55 | option_c=54 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 385 ÷ 7 = 55.

id=73914 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=20 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=73915 | topic=Averages | difficulty=Easy | question=Find the average of 80, 30, 64, 40, 75, 72, 80. | option_a=64 | option_b=63 | option_c=65 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 441 ÷ 7 = 63.

id=73916 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=4 | option_c=9 | option_d=14 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=73917 | topic=Percentages | difficulty=Easy | question=What is 10% of 835? | option_a=83 | option_b=103 | option_c=166 | option_d=78 | answer=A | explanation=10% of 835 = (10/100) × 835 = 83.

id=73918 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=46 | option_b=57 | option_c=58 | option_d=68 | answer=B | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.

id=73919 | topic=Averages | difficulty=Easy | question=Find the average of 98, 58, 65, 53, 38, 98, 38. | option_a=64 | option_b=66 | option_c=65 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 448 ÷ 7 = 64.

id=73920 | topic=Percentages | difficulty=Easy | question=What is 25% of 1326? | option_a=326 | option_b=336 | option_c=331 | option_d=662 | answer=C | explanation=25% of 1326 = (25/100) × 1326 = 331.

Aptitude Questions — Records 73,921-73,950 of 100,000

id=73921 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=73922 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=73923 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=M | option_c=O | option_d=I | answer=B | explanation=Move 2 positions forward from K; the resulting letter is M.

id=73924 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=29 | option_d=19 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=73925 | topic=Profit & Loss | difficulty=Easy | question=An article costs █196. If it is sold at a profit of 10%, what is its selling price? | option_a=196 | option_b=234 | option_c=206 | option_d=215 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 196 × 110/100 = █215.

id=73926 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=73927 | topic=Percentages | difficulty=Easy | question=What is 12% of 389? | option_a=41 | option_b=46 | option_c=92 | option_d=66 | answer=B | explanation=12% of 389 = (12/100) × 389 = 46.

id=73928 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17519 at 10% per annum for 5 years. | option_a=8859 | option_b=8659 | option_c=26278 | option_d=8759 | answer=D | explanation=SI = PRT/100 = 17519×10×5/100 = █8759.

id=73929 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3963. If it is sold at a profit of 50%, what is its selling price? | option_a=4013 | option_b=5548 | option_c=6340 | option_d=5944 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3963 × 150/100 = █5944.

id=73930 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 38, 46, 57? | option_a=57 | option_b=46 | option_c=30 | option_d=38 | answer=A | explanation=The first three numbers increase by 8, so the next should be 54. Therefore 57 is the odd one out.

id=73931 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32511 at 12% per annum for 1 years. | option_a=36412 | option_b=4001 | option_c=3901 | option_d=3801 | answer=C | explanation=SI = PRT/100 = 32511×12×1/100 = █3901.

id=73932 | topic=Percentages | difficulty=Easy | question=What is 15% of 909? | option_a=126 | option_b=272 | option_c=141 | option_d=136 | answer=D | explanation=15% of 909 = (15/100) × 909 = 136.

id=73933 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=155 | option_c=145 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=73934 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=Q | option_c=O | option_d=U | answer=A | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=73935 | topic=Percentages | difficulty=Easy | question=What is 25% of 1114? | option_a=556 | option_b=273 | option_c=283 | option_d=278 | answer=D | explanation=25% of 1114 = (25/100) × 1114 = 278.

id=73936 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:13 and the first is 30, what is the second? | option_a=78 | option_b=65 | option_c=108 | option_d=83 | answer=A | explanation=Scale factor = 30/5 = 6. Therefore second quantity = 13×6 = 78.

id=73937 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=37 | option_b=46 | option_c=47 | option_d=55 | answer=B | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=73938 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 46? | option_a=31 | option_b=25 | option_c=46 | option_d=37 | answer=C | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 46 is the odd one out.

id=73939 | topic=Averages | difficulty=Easy | question=Find the average of 91, 76, 81, 59, 43, 46. | option_a=65 | option_b=67 | option_c=68 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = 396 ÷ 6 = 66.

id=73940 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1540. If it is sold at a profit of 15%, what is its selling price? | option_a=1771 | option_b=1925 | option_c=1555 | option_d=1617 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1540 × 115/100 = █1771.

id=73941 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22487 at 4% per annum for 2 years. | option_a=1698 | option_b=1898 | option_c=1798 | option_d=24285 | answer=C | explanation=SI = PRT/100 = 22487×4×2/100 = █1798.

id=73942 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35758 at 12% per annum for 5 years. | option_a=21554 | option_b=57212 | option_c=21354 | option_d=21454 | answer=D | explanation=SI = PRT/100 = 35758×12×5/100 = █21454.

id=73943 | topic=Percentages | difficulty=Easy | question=What is 20% of 1943? | option_a=388 | option_b=368 | option_c=776 | option_d=393 | answer=A | explanation=20% of 1943 = (20/100) × 1943 = 388.

id=73944 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2254. If it is sold at a profit of 25%, what is its selling price? | option_a=3042 | option_b=2817 | option_c=2592 | option_d=2279 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2254 × 125/100 = █2817.

id=73945 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43554 at 10% per annum for 4 years. | option_a=17321 | option_b=60975 | option_c=17421 | option_d=17521 | answer=C | explanation=SI = PRT/100 = 43554×10×4/100 = █17421.

id=73946 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=50 | option_c=55 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=73947 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4079 at 4% per annum for 5 years. | option_a=815 | option_b=715 | option_c=915 | option_d=4894 | answer=A | explanation=SI = PRT/100 = 4079×4×5/100 = █815.

id=73948 | topic=Percentages | difficulty=Easy | question=What is 15% of 1231? | option_a=179 | option_b=368 | option_c=184 | option_d=194 | answer=C | explanation=15% of 1231 = (15/100) × 1231 = 184.

id=73949 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3114. If it is sold at a profit of 40%, what is its selling price? | option_a=4359 | option_b=4048 | option_c=4670 | option_d=3154 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3114 × 140/100 = █4359.

id=73950 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 11, 16, 22? | option_a=16 | option_b=11 | option_c=6 | option_d=22 | answer=D | explanation=The first three numbers increase by 5, so the next should be 21. Therefore 22 is the odd one out.

Aptitude Questions — Records 73,951-73,980 of 100,000

- id=73951 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2271. If it is sold at a profit of 30%, what is its selling price? | option_a=2952 | option_b=2725 | option_c=2301 | option_d=3179 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2271 × 130/100 = ■2952.
- id=73952 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=18 | option_c=36 | option_d=23 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.
- id=73953 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=44 | option_b=34 | option_c=40 | option_d=39 | answer=D | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.
- id=73954 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 35, 44, 54? | option_a=35 | option_b=26 | option_c=44 | option_d=54 | answer=D | explanation=The first three numbers increase by 9, so the next should be 53. Therefore 54 is the odd one out.
- id=73955 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=30 | option_b=29 | option_c=35 | option_d=23 | answer=B | explanation=The common difference is 6. Therefore the next term is 23 + 6 = 29.
- id=73956 | topic=Percentages | difficulty=Easy | question=What is 12% of 889? | option_a=212 | option_b=106 | option_c=96 | option_d=116 | answer=B | explanation=12% of 889 = (12/100) × 889 = 106.
- id=73957 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=73958 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 13, 18, 26? | option_a=26 | option_b=18 | option_c=8 | option_d=13 | answer=A | explanation=The first three numbers increase by 5, so the next should be 23. Therefore 26 is the odd one out.
- id=73959 | topic=Averages | difficulty=Easy | question=Find the average of 98, 33, 16. | option_a=50 | option_b=48 | option_c=49 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 147 ÷ 3 = 49.
- id=73960 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=J | option_b=P | option_c=N | option_d=L | answer=C | explanation=Move 2 positions forward from L; the resulting letter is N.
- id=73961 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=B | option_b=Z | option_c=A | option_d=C | answer=A | explanation=Move 1 positions forward from A; the resulting letter is B.
- id=73962 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=5 | option_c=20 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.
- id=73963 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.
- id=73964 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 37, 44, 54? | option_a=44 | option_b=54 | option_c=37 | option_d=30 | answer=B | explanation=The first three numbers increase by 7, so the next should be 51. Therefore 54 is the odd one out.
- id=73965 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=Y | option_b=T | option_c=D | option_d=O | answer=A | explanation=Move 5 positions forward from T; the resulting letter is Y.
- id=73966 | topic=Percentages | difficulty=Easy | question=What is 12% of 426? | option_a=102 | option_b=61 | option_c=46 | option_d=51 | answer=D | explanation=12% of 426 = (12/100) × 426 = 51.
- id=73967 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 20. | option_a=40 | option_b=60 | option_c=90 | option_d=600 | answer=B | explanation=LCM × HCF = 30×20; HCF(30,20) = 10, so LCM = 60.
- id=73968 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=73969 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:19 and the first is 63, what is the second? | option_a=114 | option_b=133 | option_c=142 | option_d=196 | answer=B | explanation=Scale factor = 63/9 = 7. Therefore second quantity = 19×7 = 133.
- id=73970 | topic=Percentages | difficulty=Easy | question=What is 20% of 156? | option_a=62 | option_b=51 | option_c=31 | option_d=26 | answer=C | explanation=20% of 156 = (20/100) × 156 = 31.
- id=73971 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:19 and the first is 340, what is the second? | option_a=397 | option_b=720 | option_c=380 | option_d=361 | answer=C | explanation=Scale factor = 340/17 = 20. Therefore second quantity = 19×20 = 380.
- id=73972 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.
- id=73973 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=73974 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=M | option_c=Q | option_d=S | answer=C | explanation=Move 2 positions forward from O; the resulting letter is Q.
- id=73975 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=48 | option_b=49 | option_c=41 | option_d=55 | answer=A | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.
- id=73976 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=49 | option_b=41 | option_c=40 | option_d=31 | answer=C | explanation=The common difference is 9. Therefore the next term is 31 + 9 = 40.
- id=73977 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=40 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.
- id=73978 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 32? | option_a=32 | option_b=26 | option_c=21 | option_d=16 | answer=A | explanation=The first three numbers increase by 5, so the next should be 31. Therefore 32 is the odd one out.
- id=73979 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.
- id=73980 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=17 | option_d=7 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

Aptitude Questions — Records 73,981-74,010 of 100,000

id=73981 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=73982 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=Z | option_b=N | option_c=V | option_d=R | answer=C | explanation=Move 4 positions forward from R; the resulting letter is V.

id=73983 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=36 | option_b=54 | option_c=46 | option_d=45 | answer=D | explanation=The common difference is 9. Therefore the next term is 36 + 9 = 45.

id=73984 | topic=Percentages | difficulty=Easy | question=What is 40% of 1651? | option_a=650 | option_b=660 | option_c=680 | option_d=1320 | answer=B | explanation=40% of 1651 = (40/100) × 1651 = 660.

id=73985 | topic=Percentages | difficulty=Easy | question=What is 20% of 838? | option_a=172 | option_b=334 | option_c=162 | option_d=167 | answer=D | explanation=20% of 838 = (20/100) × 838 = 167.

id=73986 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=M | option_b=U | option_c=Q | option_d=Y | answer=B | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=73987 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 21, 25, 32? | option_a=21 | option_b=32 | option_c=25 | option_d=17 | answer=B | explanation=The first three numbers increase by 4, so the next should be 29. Therefore 32 is the odd one out.

id=73988 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=E | option_b=U | option_c=Z | option_d=P | answer=C | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=73989 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=D | option_c=C | option_d=B | answer=B | explanation=Move 1 positions forward from C; the resulting letter is D.

id=73990 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=U | option_c=Y | option_d=W | answer=D | explanation=Move 2 positions forward from U; the resulting letter is W.

id=73991 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1403. If it is sold at a profit of 25%, what is its selling price? | option_a=1613 | option_b=1428 | option_c=1893 | option_d=1753 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1403 × 125/100 = █1753.

id=73992 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 18. | option_a=72 | option_b=90 | option_c=105 | option_d=270 | answer=B | explanation=LCM × HCF = 15×18; HCF(15,18) = 3, so LCM = 90.

id=73993 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=Z | option_c=E | option_d=P | answer=B | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=73994 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:12 and the first is 15, what is the second? | option_a=168 | option_b=181 | option_c=180 | option_d=195 | answer=C | explanation=Scale factor = 15/1 = 15. Therefore second quantity = 12×15 = 180.

id=73995 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 6. | option_a=84 | option_b=112 | option_c=78 | option_d=168 | answer=A | explanation=LCM × HCF = 28×6; HCF(28,6) = 2, so LCM = 84.

id=73996 | topic=Percentages | difficulty=Easy | question=What is 15% of 1243? | option_a=186 | option_b=372 | option_c=181 | option_d=196 | answer=A | explanation=15% of 1243 = (15/100) × 1243 = 186.

id=73997 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 8. | option_a=96 | option_b=16 | option_c=36 | option_d=24 | answer=D | explanation=LCM × HCF = 12×8; HCF(12,8) = 4, so LCM = 24.

id=73998 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25230 at 5% per annum for 4 years. | option_a=4946 | option_b=5046 | option_c=30276 | option_d=5146 | answer=B | explanation=SI = PRT/100 = 25230×5×4/100 = █5046.

id=73999 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=74000 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 21. | option_a=105 | option_b=120 | option_c=315 | option_d=84 | answer=A | explanation=LCM × HCF = 15×21; HCF(15,21) = 3, so LCM = 105.

id=74001 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=8 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=74002 | topic=Averages | difficulty=Easy | question=Find the average of 42, 44, 21, 36, 83, 15, 29, 82. | option_a=44 | option_b=43 | option_c=45 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 352 ÷ 8 = 44.

id=74003 | topic=Averages | difficulty=Easy | question=Find the average of 16, 11, 17, 62, 94. | option_a=39 | option_b=41 | option_c=40 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = 200 ÷ 5 = 40.

id=74004 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22985 at 4% per annum for 1 years. | option_a=23904 | option_b=819 | option_c=1019 | option_d=919 | answer=D | explanation=SI = PRT/100 = 22985×4×1/100 = █919.

id=74005 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:17 and the first is 90, what is the second? | option_a=192 | option_b=85 | option_c=117 | option_d=102 | answer=D | explanation=Scale factor = 90/15 = 6. Therefore second quantity = 17×6 = 102.

id=74006 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:11 and the first is 176, what is the second? | option_a=137 | option_b=110 | option_c=121 | option_d=297 | answer=C | explanation=Scale factor = 176/16 = 11. Therefore second quantity = 11×11 = 121.

id=74007 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=U | option_c=X | option_d=O | answer=B | explanation=Move 3 positions forward from R; the resulting letter is U.

id=74008 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=74009 | topic=Profit & Loss | difficulty=Easy | question=An article costs █923. If it is sold at a profit of 30%, what is its selling price? | option_a=1107 | option_b=1199 | option_c=1291 | option_d=953 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 923 × 130/100 = █1199.

id=74010 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:14 and the first is 48, what is the second? | option_a=160 | option_b=118 | option_c=112 | option_d=98 | answer=C | explanation=Scale factor = 48/6 = 8. Therefore second quantity = 14×8 = 112.

Aptitude Questions — Records 74,011-74,040 of 100,000

id=74011 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:6 and the first is 96, what is the second? | option_a=72 | option_b=66 | option_c=80 | option_d=168 | answer=A | explanation=Scale factor = 96/8 = 12. Therefore second quantity = 6×12 = 72.

id=74012 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:15 and the first is 136, what is the second? | option_a=255 | option_b=240 | option_c=263 | option_d=391 | answer=A | explanation=Scale factor = 136/8 = 17. Therefore second quantity = 15×17 = 255.

id=74013 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=150 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=74014 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=74015 | topic=Percentages | difficulty=Easy | question=What is 20% of 1141? | option_a=228 | option_b=248 | option_c=456 | option_d=218 | answer=A | explanation=20% of 1141 = (20/100) × 1141 = 228.

id=74016 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=40 | option_b=32 | option_c=39 | option_d=46 | answer=C | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.

id=74017 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:6 and the first is 11, what is the second? | option_a=77 | option_b=67 | option_c=66 | option_d=60 | answer=C | explanation=Scale factor = 11/1 = 11. Therefore second quantity = 6×11 = 66.

id=74018 | topic=Percentages | difficulty=Easy | question=What is 40% of 245? | option_a=98 | option_b=103 | option_c=196 | option_d=93 | answer=A | explanation=40% of 245 = (40/100) × 245 = 98.

id=74019 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=74020 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=28 | option_b=35 | option_c=40 | option_d=34 | answer=D | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.

id=74021 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12430 at 6% per annum for 4 years. | option_a=2883 | option_b=15413 | option_c=3083 | option_d=2983 | answer=D | explanation=SI = PRT/100 = 12430×6×4/100 = **■**2983.

id=74022 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 27, 39, 51, ? | option_a=63 | option_b=64 | option_c=51 | option_d=75 | answer=A | explanation=The common difference is 12. Therefore the next term is 51 + 12 = 63.

id=74023 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=J | option_c=R | option_d=F | answer=A | explanation=Move 4 positions forward from J; the resulting letter is N.

id=74024 | topic=Percentages | difficulty=Easy | question=What is 50% of 1087? | option_a=553 | option_b=538 | option_c=1086 | option_d=543 | answer=D | explanation=50% of 1087 = (50/100) × 1087 = 543.

id=74025 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:13 and the first is 55, what is the second? | option_a=130 | option_b=143 | option_c=148 | option_d=198 | answer=B | explanation=Scale factor = 55/5 = 11. Therefore second quantity = 13×11 = 143.

id=74026 | topic=Averages | difficulty=Easy | question=Find the average of 49, 90, 17, 37, 20, 63. | option_a=45 | option_b=46 | option_c=47 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 276 ÷ 6 = 46.

id=74027 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49209 at 12% per annum for 4 years. | option_a=72829 | option_b=23620 | option_c=23520 | option_d=23720 | answer=B | explanation=SI = PRT/100 = 49209×12×4/100 = **■**23620.

id=74028 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18750 at 12% per annum for 2 years. | option_a=23250 | option_b=4600 | option_c=4500 | option_d=4400 | answer=C | explanation=SI = PRT/100 = 18750×12×2/100 = **■**4500.

id=74029 | topic=Averages | difficulty=Easy | question=Find the average of 88, 89, 28, 41, 35, 91, 41. | option_a=59 | option_b=58 | option_c=61 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 413 ÷ 7 = 59.

id=74030 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=74031 | topic=Averages | difficulty=Easy | question=Find the average of 87, 90, 100, 15, 94, 30, 98, 97, 37. | option_a=72 | option_b=74 | option_c=73 | option_d=71 | answer=A | explanation=Average = sum of values ÷ number of values = 648 ÷ 9 = 72.

id=74032 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=74033 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=J | option_b=L | option_c=N | option_d=P | answer=C | explanation=Move 2 positions forward from L; the resulting letter is N.

id=74034 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21625 at 4% per annum for 2 years. | option_a=1630 | option_b=1730 | option_c=1830 | option_d=23355 | answer=B | explanation=SI = PRT/100 = 21625×4×2/100 = **■**1730.

id=74035 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=73 | option_b=49 | option_c=61 | option_d=62 | answer=C | explanation=The common difference is 12. Therefore the next term is 49 + 12 = 61.

id=74036 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=17 | option_b=22 | option_c=25 | option_d=21 | answer=D | explanation=The common difference is 4. Therefore the next term is 17 + 4 = 21.

id=74037 | topic=Averages | difficulty=Easy | question=Find the average of 30, 40, 67, 17, 75, 95. | option_a=56 | option_b=55 | option_c=54 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 324 ÷ 6 = 54.

id=74038 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=240 | option_d=115 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=74039 | topic=Averages | difficulty=Easy | question=Find the average of 77, 46, 92, 45, 47, 61, 24. | option_a=55 | option_b=57 | option_c=56 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 392 ÷ 7 = 56.

id=74040 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3243. If it is sold at a profit of 10%, what is its selling price? | option_a=3567 | option_b=3243 | option_c=3891 | option_d=3253 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3243 × 110/100 = **■**3567.

Aptitude Questions — Records 74,041-74,070 of 100,000

id=74041 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1264. If it is sold at a profit of 15%, what is its selling price? | option_a=1279 | option_b=1327 | option_c=1579 | option_d=1453 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1264 \times 115/100 = \text{█}1453$.

id=74042 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=200 | option_c=95 | option_d=105 | answer=A | explanation=Speed = distance ÷ time = $300 \div 3 = 100$ km/h.

id=74043 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:16 and the first is 60, what is the second? | option_a=96 | option_b=156 | option_c=106 | option_d=80 | answer=A | explanation=Scale factor = $60/10 = 6$. Therefore second quantity = $16 \times 6 = 96$.

id=74044 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=74045 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 26, 35, 46? | option_a=35 | option_b=46 | option_c=17 | option_d=26 | answer=B | explanation=The first three numbers increase by 9, so the next should be 44. Therefore 46 is the odd one out.

id=74046 | topic=Averages | difficulty=Easy | question=Find the average of 49, 57, 23, 54, 28, 14, 38, 81. | option_a=44 | option_b=42 | option_c=43 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = $344 \div 8 = 43$.

id=74047 | topic=Averages | difficulty=Easy | question=Find the average of 86, 88, 21, 70, 20. | option_a=57 | option_b=56 | option_c=59 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = $285 \div 5 = 57$.

id=74048 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 48? | option_a=37 | option_b=48 | option_c=19 | option_d=28 | answer=B | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 48 is the odd one out.

id=74049 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43195 at 15% per annum for 2 years. | option_a=56153 | option_b=12858 | option_c=13058 | option_d=12958 | answer=D | explanation=SI = $PRT/100 = 43195 \times 15 \times 2/100 = \text{█}12958$.

id=74050 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=74051 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:1 and the first is 132, what is the second? | option_a=12 | option_b=144 | option_c=23 | option_d=11 | answer=A | explanation=Scale factor = $132/11 = 12$. Therefore second quantity = $1 \times 12 = 12$.

id=74052 | topic=Percentages | difficulty=Easy | question=What is 40% of 1836? | option_a=729 | option_b=734 | option_c=754 | option_d=1468 | answer=B | explanation=40% of 1836 = $(40/100) \times 1836 = 734$.

id=74053 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28990 at 12% per annum for 1 years. | option_a=3378 | option_b=3478 | option_c=32468 | option_d=3578 | answer=B | explanation=SI = $PRT/100 = 28990 \times 12 \times 1/100 = \text{█}3478$.

id=74054 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=20 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = $150 \div 6 = 25$ km/h.

id=74055 | topic=Percentages | difficulty=Easy | question=What is 20% of 1869? | option_a=746 | option_b=363 | option_c=393 | option_d=373 | answer=D | explanation=20% of 1869 = $(20/100) \times 1869 = 373$.

id=74056 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=74057 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=74058 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=240 | option_d=125 | answer=A | explanation=Speed = distance ÷ time = $240 \div 2 = 120$ km/h.

id=74059 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:10 and the first is 4, what is the second? | option_a=40 | option_b=44 | option_c=30 | option_d=41 | answer=A | explanation=Scale factor = $4/1 = 4$. Therefore second quantity = $10 \times 4 = 40$.

id=74060 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=55 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = $300 \div 6 = 50$ km/h.

id=74061 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 33? | option_a=33 | option_b=4 | option_c=13 | option_d=22 | answer=A | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 33 is the odd one out.

id=74062 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:14 and the first is 36, what is the second? | option_a=84 | option_b=90 | option_c=70 | option_d=120 | answer=A | explanation=Scale factor = $36/6 = 6$. Therefore second quantity = $14 \times 6 = 84$.

id=74063 | topic=Percentages | difficulty=Easy | question=What is 25% of 194? | option_a=96 | option_b=53 | option_c=48 | option_d=28 | answer=C | explanation=25% of 194 = $(25/100) \times 194 = 48$.

id=74064 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 24, 32, 40, ? | option_a=49 | option_b=40 | option_c=56 | option_d=48 | answer=D | explanation=The common difference is 8. Therefore the next term is $40 + 8 = 48$.

id=74065 | topic=Percentages | difficulty=Easy | question=What is 10% of 924? | option_a=92 | option_b=87 | option_c=184 | option_d=112 | answer=A | explanation=10% of 924 = $(10/100) \times 924 = 92$.

id=74066 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=74067 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=95 | option_d=180 | answer=A | explanation=Speed = distance ÷ time = $180 \div 2 = 90$ km/h.

id=74068 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=24 | option_b=38 | option_c=32 | option_d=31 | answer=D | explanation=The common difference is 7. Therefore the next term is $24 + 7 = 31$.

id=74069 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=240 | option_d=115 | answer=A | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.

id=74070 | topic=Averages | difficulty=Easy | question=Find the average of 52, 74, 32, 42. | option_a=49 | option_b=52 | option_c=50 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = $200 \div 4 = 50$.

Aptitude Questions — Records 74,071-74,100 of 100,000

id=74071 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2191. If it is sold at a profit of 20%, what is its selling price? | option_a=2211 | option_b=2629 | option_c=2848 | option_d=2410 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2191 × 120/100 = █2629.

id=74072 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 15, 20, 28? | option_a=10 | option_b=15 | option_c=20 | option_d=28 | answer=D | explanation=The first three numbers increase by 5, so the next should be 25. Therefore 28 is the odd one out.

id=74073 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=20 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=74074 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:2 and the first is 8, what is the second? | option_a=10 | option_b=16 | option_c=8 | option_d=6 | answer=C | explanation=Scale factor = 8/2 = 4. Therefore second quantity = 2×4 = 8.

id=74075 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=27 | option_b=30 | option_c=24 | option_d=28 | answer=A | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=74076 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4155. If it is sold at a profit of 15%, what is its selling price? | option_a=4170 | option_b=4363 | option_c=5193 | option_d=4778 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4155 × 115/100 = █4778.

id=74077 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:17 and the first is 36, what is the second? | option_a=51 | option_b=34 | option_c=63 | option_d=87 | answer=A | explanation=Scale factor = 36/12 = 3. Therefore second quantity = 17×3 = 51.

id=74078 | topic=Profit & Loss | difficulty=Easy | question=An article costs █320. If it is sold at a profit of 30%, what is its selling price? | option_a=448 | option_b=350 | option_c=384 | option_d=416 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 320 × 130/100 = █416.

id=74079 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 33, 43, 56? | option_a=33 | option_b=23 | option_c=43 | option_d=56 | answer=D | explanation=The first three numbers increase by 10, so the next should be 53. Therefore 56 is the odd one out.

id=74080 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:17 and the first is 224, what is the second? | option_a=496 | option_b=272 | option_c=286 | option_d=255 | answer=B | explanation=Scale factor = 224/14 = 16. Therefore second quantity = 17×16 = 272.

id=74081 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 14. | option_a=28 | option_b=16 | option_c=14 | option_d=1 | answer=C | explanation=LCM × HCF = 2×14; HCF(2,14) = 2, so LCM = 14.

id=74082 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=9 | option_c=4 | option_d=18 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=74083 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13014 at 15% per annum for 1 years. | option_a=1852 | option_b=2052 | option_c=1952 | option_d=14966 | answer=C | explanation=SI = PRT/100 = 13014×15×1/100 = █1952.

id=74084 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=H | option_c=L | option_d=J | answer=C | explanation=Move 2 positions forward from J; the resulting letter is L.

id=74085 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=S | option_c=T | option_d=R | answer=C | explanation=Move 1 positions forward from S; the resulting letter is T.

id=74086 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=22 | option_b=20 | option_c=24 | option_d=23 | answer=A | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=74087 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36395 at 6% per annum for 5 years. | option_a=47313 | option_b=10818 | option_c=10918 | option_d=11018 | answer=C | explanation=SI = PRT/100 = 36395×6×5/100 = █10918.

id=74088 | topic=Percentages | difficulty=Easy | question=What is 15% of 508? | option_a=76 | option_b=152 | option_c=71 | option_d=96 | answer=A | explanation=15% of 508 = (15/100) × 508 = 76.

id=74089 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=74090 | topic=Averages | difficulty=Easy | question=Find the average of 83, 98, 75, 63, 49, 15, 29, 53, 84. | option_a=63 | option_b=60 | option_c=61 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 549 ÷ 9 = 61.

id=74091 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=23 | option_c=36 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=74092 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=W | option_c=O | option_d=K | answer=A | explanation=Move 4 positions forward from O; the resulting letter is S.

id=74093 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=74094 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=70 | option_b=80 | option_c=150 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=74095 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=19 | option_b=23 | option_c=15 | option_d=20 | answer=A | explanation=The common difference is 4. Therefore the next term is 15 + 4 = 19.

id=74096 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:16 and the first is 135, what is the second? | option_a=249 | option_b=375 | option_c=240 | option_d=224 | answer=C | explanation=Scale factor = 135/9 = 15. Therefore second quantity = 16×15 = 240.

id=74097 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=74098 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=12 | option_c=7 | option_d=24 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=74099 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 36, 45, 56? | option_a=36 | option_b=56 | option_c=27 | option_d=45 | answer=B | explanation=The first three numbers increase by 9, so the next should be 54. Therefore 56 is the odd one out.

id=74100 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:2 and the first is 35, what is the second? | option_a=8 | option_b=10 | option_c=17 | option_d=45 | answer=B | explanation=Scale factor = 35/7 = 5. Therefore second quantity = 2×5 = 10.

Aptitude Questions — Records 74,101-74,130 of 100,000

id=74101 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=45 | option_b=36 | option_c=46 | option_d=54 | answer=A | explanation=The common difference is 9. Therefore the next term is 36 + 9 = 45.

id=74102 | topic=Percentages | difficulty=Easy | question=What is 5% of 1113? | option_a=45 | option_b=65 | option_c=110 | option_d=55 | answer=D | explanation=5% of 1113 = (5/100) × 1113 = 55.

id=74103 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 22. | option_a=44 | option_b=22 | option_c=1 | option_d=484 | answer=B | explanation=LCM × HCF = 22×22; HCF(22,22) = 22, so LCM = 22.

id=74104 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=74105 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=25 | option_b=27 | option_c=24 | option_d=21 | answer=C | explanation=The common difference is 3. Therefore the next term is 21 + 3 = 24.

id=74106 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43863 at 10% per annum for 4 years. | option_a=17545 | option_b=17645 | option_c=17445 | option_d=61408 | answer=A | explanation=SI = PRT/100 = 43863×10×4/100 = **■**17545.

id=74107 | topic=Averages | difficulty=Easy | question=Find the average of 78, 57, 30, 55. | option_a=55 | option_b=54 | option_c=56 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 220 ÷ 4 = 55.

id=74108 | topic=Percentages | difficulty=Easy | question=What is 5% of 421? | option_a=42 | option_b=11 | option_c=26 | option_d=21 | answer=D | explanation=5% of 421 = (5/100) × 421 = 21.

id=74109 | topic=Averages | difficulty=Easy | question=Find the average of 83, 42, 39, 44, 93, 27, 67, 22, 69, 74. | option_a=56 | option_b=55 | option_c=58 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 560 ÷ 10 = 56.

id=74110 | topic=Percentages | difficulty=Easy | question=What is 30% of 1960? | option_a=568 | option_b=588 | option_c=1176 | option_d=608 | answer=B | explanation=30% of 1960 = (30/100) × 1960 = 588.

id=74111 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=21 | option_b=26 | option_c=27 | option_d=31 | answer=B | explanation=The common difference is 5. Therefore the next term is 21 + 5 = 26.

id=74112 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=1 | option_c=12 | option_d=11 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=74113 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=74114 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=74115 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 34? | option_a=29 | option_b=34 | option_c=21 | option_d=25 | answer=B | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 34 is the odd one out.

id=74116 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=Q | option_c=O | option_d=M | answer=B | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=74117 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=74118 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:16 and the first is 240, what is the second? | option_a=560 | option_b=304 | option_c=320 | option_d=332 | answer=C | explanation=Scale factor = 240/12 = 20. Therefore second quantity = 16×20 = 320.

id=74119 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=74120 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=45 | option_b=90 | option_c=40 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=74121 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=74122 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:15 and the first is 75, what is the second? | option_a=225 | option_b=230 | option_c=210 | option_d=300 | answer=A | explanation=Scale factor = 75/5 = 15. Therefore second quantity = 15×15 = 225.

id=74123 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 14. | option_a=1 | option_b=28 | option_c=16 | option_d=14 | answer=D | explanation=LCM × HCF = 2×14; HCF(2,14) = 2, so LCM = 14.

id=74124 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:1 and the first is 110, what is the second? | option_a=21 | option_b=11 | option_c=10 | option_d=121 | answer=B | explanation=Scale factor = 110/10 = 11. Therefore second quantity = 1×11 = 11.

id=74125 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=T | option_c=K | option_d=Q | answer=D | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=74126 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**157. If it is sold at a profit of 30%, what is its selling price? | option_a=187 | option_b=204 | option_c=219 | option_d=189 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 157 × 130/100 = **■**204.

id=74127 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=41 | option_b=27 | option_c=34 | option_d=35 | answer=C | explanation=The common difference is 7. Therefore the next term is 27 + 7 = 34.

id=74128 | topic=Percentages | difficulty=Easy | question=What is 10% of 1425? | option_a=284 | option_b=152 | option_c=137 | option_d=142 | answer=D | explanation=10% of 1425 = (10/100) × 1425 = 142.

id=74129 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11204 at 5% per annum for 2 years. | option_a=1020 | option_b=1120 | option_c=12324 | option_d=1220 | answer=B | explanation=SI = PRT/100 = 11204×5×2/100 = **■**1120.

id=74130 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:1 and the first is 48, what is the second? | option_a=19 | option_b=51 | option_c=3 | option_d=2 | answer=C | explanation=Scale factor = 48/16 = 3. Therefore second quantity = 1×3 = 3.

Aptitude Questions — Records 74,131-74,160 of 100,000

id=74131 | topic=Averages | difficulty=Easy | question=Find the average of 31, 63, 89. | option_a=62 | option_b=63 | option_c=60 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 183 ÷ 3 = 61.

id=74132 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■19475 at 5% per annum for 3 years. | option_a=3021 | option_b=2921 | option_c=2821 | option_d=22396 | answer=B | explanation=SI = PRT/100 = 19475×5×3/100 = ■2921.

id=74133 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=I | option_b=N | option_c=D | option_d=Y | answer=A | explanation=Move 5 positions forward from D; the resulting letter is I.

id=74134 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=D | option_b=H | option_c=L | option_d=P | answer=C | explanation=Move 4 positions forward from H; the resulting letter is L.

id=74135 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=74136 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=Y | option_b=W | option_c=S | option_d=U | answer=B | explanation=Move 2 positions forward from J; the resulting letter is N.

id=74137 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:11 and the first is 216, what is the second? | option_a=132 | option_b=150 | option_c=121 | option_d=348 | answer=A | explanation=Scale factor = 216/18 = 12. Therefore second quantity = 11×12 = 132.

id=74138 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=D | option_b=I | option_c=S | option_d=N | answer=D | explanation=Move 5 positions forward from I; the resulting letter is N.

id=74139 | topic=Averages | difficulty=Easy | question=Find the average of 34, 90, 48, 51, 62, 98, 15, 39, 85. | option_a=58 | option_b=59 | option_c=57 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 522 ÷ 9 = 58.

id=74140 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=Y | option_b=W | option_c=S | option_d=U | answer=B | explanation=Move 2 positions forward from J; the resulting letter is N.

id=74141 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3839. If it is sold at a profit of 15%, what is its selling price? | option_a=4797 | option_b=3854 | option_c=4031 | option_d=4414 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3839 × 115/100 = ■4414.

id=74142 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=6 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=74143 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:12 and the first is 130, what is the second? | option_a=250 | option_b=120 | option_c=108 | option_d=133 | answer=B | explanation=Scale factor = 130/13 = 10. Therefore second quantity = 12×10 = 120.

id=74144 | topic=Percentages | difficulty=Easy | question=What is 50% of 1002? | option_a=1002 | option_b=501 | option_c=496 | option_d=521 | answer=B | explanation=50% of 1002 = (50/100) × 1002 = 501.

id=74145 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=N | option_b=V | option_c=R | option_d=Z | answer=B | explanation=Move 4 positions forward from R; the resulting letter is V.

id=74146 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=34 | option_b=37 | option_c=33 | option_d=29 | answer=C | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=74147 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=51 | option_b=63 | option_c=62 | option_d=73 | answer=C | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.

id=74148 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=100 | option_c=105 | option_d=200 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=74149 | topic=Averages | difficulty=Easy | question=Find the average of 62, 20, 77, 93. | option_a=65 | option_b=62 | option_c=63 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 252 ÷ 4 = 63.

id=74150 | topic=Percentages | difficulty=Easy | question=What is 20% of 695? | option_a=278 | option_b=119 | option_c=149 | option_d=139 | answer=D | explanation=20% of 695 = (20/100) × 695 = 139.

id=74151 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■49493 at 6% per annum for 2 years. | option_a=5839 | option_b=6039 | option_c=5939 | option_d=55432 | answer=C | explanation=SI = PRT/100 = 49493×6×2/100 = ■5939.

id=74152 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=74153 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=58 | option_b=69 | option_c=57 | option_d=45 | answer=C | explanation=The common difference is 12. Therefore the next term is 45 + 12 = 57.

id=74154 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=74155 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=50 | option_b=51 | option_c=39 | option_d=61 | answer=A | explanation=The common difference is 11. Therefore the next term is 39 + 11 = 50.

id=74156 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4989. If it is sold at a profit of 25%, what is its selling price? | option_a=5738 | option_b=6734 | option_c=5014 | option_d=6236 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4989 × 125/100 = ■6236.

id=74157 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 18, 23, 28, ? | option_a=38 | option_b=28 | option_c=33 | option_d=34 | answer=C | explanation=The common difference is 5. Therefore the next term is 28 + 5 = 33.

id=74158 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=H | option_b=E | option_c=B | option_d=Y | answer=B | explanation=Move 3 positions forward from B; the resulting letter is E.

id=74159 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=F | option_b=I | option_c=H | option_d=G | answer=C | explanation=Move 1 positions forward from G; the resulting letter is H.

id=74160 | topic=Percentages | difficulty=Easy | question=What is 30% of 880? | option_a=264 | option_b=528 | option_c=274 | option_d=244 | answer=A | explanation=30% of 880 = (30/100) × 880 = 264.

Aptitude Questions — Records 74,161-74,190 of 100,000

id=74161 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=48 | option_b=47 | option_c=37 | option_d=57 | answer=B | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

id=74162 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=A | option_b=Q | option_c=L | option_d=V | answer=D | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=74163 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2441. If it is sold at a profit of 50%, what is its selling price? | option_a=3417 | option_b=2491 | option_c=3661 | option_d=3905 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2441 × 150/100 = █3661.

id=74164 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=74165 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=73 | option_b=63 | option_c=51 | option_d=62 | answer=D | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.

id=74166 | topic=Percentages | difficulty=Easy | question=What is 25% of 1888? | option_a=472 | option_b=944 | option_c=462 | option_d=492 | answer=A | explanation=25% of 1888 = (25/100) × 1888 = 472.

id=74167 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=74168 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3458. If it is sold at a profit of 5%, what is its selling price? | option_a=3463 | option_b=3285 | option_c=3975 | option_d=3630 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3458 × 105/100 = █3630.

id=74169 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=12 | option_c=7 | option_d=24 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=74170 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=Y | option_b=O | option_c=J | option_d=T | answer=D | explanation=Move 5 positions forward from O; the resulting letter is T.

id=74171 | topic=Averages | difficulty=Easy | question=Find the average of 93, 10, 71. | option_a=60 | option_b=59 | option_c=57 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 174 ÷ 3 = 58.

id=74172 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:10 and the first is 238, what is the second? | option_a=140 | option_b=157 | option_c=378 | option_d=130 | answer=A | explanation=Scale factor = 238/17 = 14. Therefore second quantity = 10×14 = 140.

id=74173 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=4 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=74174 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2191. If it is sold at a profit of 5%, what is its selling price? | option_a=2300 | option_b=2196 | option_c=2519 | option_d=2081 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2191 × 105/100 = █2300.

id=74175 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=20 | option_b=23 | option_c=26 | option_d=24 | answer=B | explanation=The common difference is 3. Therefore the next term is 20 + 3 = 23.

id=74176 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=M | option_b=S | option_c=O | option_d=Q | answer=D | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=74177 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=30 | option_b=22 | option_c=27 | option_d=26 | answer=D | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.

id=74178 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:16 and the first is 114, what is the second? | option_a=115 | option_b=80 | option_c=210 | option_d=96 | answer=D | explanation=Scale factor = 114/19 = 6. Therefore second quantity = 16×6 = 96.

id=74179 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=17 | option_b=16 | option_c=19 | option_d=13 | answer=B | explanation=The common difference is 3. Therefore the next term is 13 + 3 = 16.

id=74180 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35478 at 4% per annum for 3 years. | option_a=4357 | option_b=4257 | option_c=4157 | option_d=39735 | answer=B | explanation=SI = PRT/100 = 35478×4×3/100 = █4257.

id=74181 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22579 at 10% per annum for 4 years. | option_a=31610 | option_b=8931 | option_c=9131 | option_d=9031 | answer=D | explanation=SI = PRT/100 = 22579×10×4/100 = █9031.

id=74182 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=53 | option_b=63 | option_c=54 | option_d=43 | answer=A | explanation=The common difference is 10. Therefore the next term is 43 + 10 = 53.

id=74183 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=48 | option_c=24 | option_d=19 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=74184 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 10. | option_a=30 | option_b=48 | option_c=80 | option_d=40 | answer=D | explanation=LCM × HCF = 8×10; HCF(8,10) = 2, so LCM = 40.

id=74185 | topic=Profit & Loss | difficulty=Easy | question=An article costs █160. If it is sold at a profit of 25%, what is its selling price? | option_a=184 | option_b=216 | option_c=200 | option_d=185 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 160 × 125/100 = █200.

id=74186 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:1 and the first is 144, what is the second? | option_a=9 | option_b=153 | option_c=25 | option_d=8 | answer=A | explanation=Scale factor = 144/16 = 9. Therefore second quantity = 1×9 = 9.

id=74187 | topic=Averages | difficulty=Easy | question=Find the average of 18, 15, 17, 94. | option_a=38 | option_b=35 | option_c=37 | option_d=36 | answer=D | explanation=Average = sum of values ÷ number of values = 144 ÷ 4 = 36.

id=74188 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:7 and the first is 252, what is the second? | option_a=126 | option_b=378 | option_c=140 | option_d=119 | answer=A | explanation=Scale factor = 252/14 = 18. Therefore second quantity = 7×18 = 126.

id=74189 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2466. If it is sold at a profit of 40%, what is its selling price? | option_a=3206 | option_b=2506 | option_c=3452 | option_d=3698 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2466 × 140/100 = █3452.

id=74190 | topic=Percentages | difficulty=Easy | question=What is 10% of 758? | option_a=75 | option_b=150 | option_c=65 | option_d=80 | answer=A | explanation=10% of 758 = (10/100) × 758 = 75.

Aptitude Questions — Records 74,191-74,220 of 100,000

id=74191 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=42 | option_b=47 | option_c=35 | option_d=41 | answer=D | explanation=The common difference is 6. Therefore the next term is 35 + 6 = 41.

id=74192 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=180 | option_c=95 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=74193 | topic=Percentages | difficulty=Easy | question=What is 50% of 1722? | option_a=841 | option_b=861 | option_c=871 | option_d=1722 | answer=B | explanation=50% of 1722 = (50/100) × 1722 = 861.

id=74194 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:15 and the first is 165, what is the second? | option_a=330 | option_b=180 | option_c=165 | option_d=150 | answer=C | explanation=Scale factor = 165/15 = 11. Therefore second quantity = 15×11 = 165.

id=74195 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=74196 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=20 | option_c=25 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=74197 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 14, 20, 28? | option_a=14 | option_b=28 | option_c=20 | option_d=8 | answer=B | explanation=The first three numbers increase by 6, so the next should be 26. Therefore 28 is the odd one out.

id=74198 | topic=Averages | difficulty=Easy | question=Find the average of 98, 51, 78, 62, 49, 50, 32. | option_a=59 | option_b=60 | option_c=62 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 420 ÷ 7 = 60.

id=74199 | topic=Percentages | difficulty=Easy | question=What is 25% of 1133? | option_a=288 | option_b=566 | option_c=263 | option_d=283 | answer=D | explanation=25% of 1133 = (25/100) × 1133 = 283.

id=74200 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=74201 | topic=Percentages | difficulty=Easy | question=What is 10% of 1022? | option_a=204 | option_b=107 | option_c=97 | option_d=102 | answer=D | explanation=10% of 1022 = (10/100) × 1022 = 102.

id=74202 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:3 and the first is 228, what is the second? | option_a=36 | option_b=264 | option_c=55 | option_d=33 | answer=A | explanation=Scale factor = 228/19 = 12. Therefore second quantity = 3×12 = 36.

id=74203 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=80 | option_c=35 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=74204 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3342. If it is sold at a profit of 15%, what is its selling price? | option_a=4177 | option_b=3509 | option_c=3843 | option_d=3357 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3342 × 115/100 = █3843.

id=74205 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=K | option_c=J | option_d=L | answer=D | explanation=Move 1 positions forward from K; the resulting letter is L.

id=74206 | topic=Averages | difficulty=Easy | question=Find the average of 61, 17, 46, 71, 85. | option_a=57 | option_b=56 | option_c=58 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 280 ÷ 5 = 56.

id=74207 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2949. If it is sold at a profit of 25%, what is its selling price? | option_a=3686 | option_b=3980 | option_c=3392 | option_d=2974 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2949 × 125/100 = █3686.

id=74208 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 18. | option_a=20 | option_b=36 | option_c=18 | option_d=1 | answer=C | explanation=LCM × HCF = 2×18; HCF(2,18) = 2, so LCM = 18.

id=74209 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 10. | option_a=280 | option_b=130 | option_c=168 | option_d=140 | answer=D | explanation=LCM × HCF = 28×10; HCF(28,10) = 2, so LCM = 140.

id=74210 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:5 and the first is 16, what is the second? | option_a=26 | option_b=18 | option_c=10 | option_d=5 | answer=C | explanation=Scale factor = 16/8 = 2. Therefore second quantity = 5×2 = 10.

id=74211 | topic=Percentages | difficulty=Easy | question=What is 25% of 1598? | option_a=399 | option_b=419 | option_c=379 | option_d=798 | answer=A | explanation=25% of 1598 = (25/100) × 1598 = 399.

id=74212 | topic=Averages | difficulty=Easy | question=Find the average of 86, 28, 25, 28, 24, 34, 48. | option_a=38 | option_b=41 | option_c=40 | option_d=39 | answer=D | explanation=Average = sum of values ÷ number of values = 273 ÷ 7 = 39.

id=74213 | topic=Averages | difficulty=Easy | question=Find the average of 65, 40, 34, 85, 34, 99, 40, 35. | option_a=56 | option_b=53 | option_c=55 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 432 ÷ 8 = 54.

id=74214 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:13 and the first is 33, what is the second? | option_a=39 | option_b=72 | option_c=26 | option_d=50 | answer=A | explanation=Scale factor = 33/11 = 3. Therefore second quantity = 13×3 = 39.

id=74215 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=60 | option_b=40 | option_c=50 | option_d=51 | answer=C | explanation=The common difference is 10. Therefore the next term is 40 + 10 = 50.

id=74216 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 24. | option_a=144 | option_b=24 | option_c=30 | option_d=1 | answer=B | explanation=LCM × HCF = 6×24; HCF(6,24) = 6, so LCM = 24.

id=74217 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=45 | option_b=57 | option_c=58 | option_d=69 | answer=B | explanation=The common difference is 12. Therefore the next term is 45 + 12 = 57.

id=74218 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36803 at 12% per annum for 5 years. | option_a=21981 | option_b=58884 | option_c=22081 | option_d=22181 | answer=C | explanation=SI = PRT/100 = 36803×12×5/100 = █22081.

id=74219 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=74220 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=F | option_b=I | option_c=L | option_d=O | answer=C | explanation=Move 3 positions forward from I; the resulting letter is L.

Aptitude Questions — Records 74,221-74,250 of 100,000

id=74221 | topic=Averages | difficulty=Easy | question=Find the average of 54, 91, 58, 29, 66, 84, 94, 42, 81, 81. | option_a=70 | option_b=68 | option_c=67 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 680 ÷ 10 = 68.

id=74222 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11510 at 8% per annum for 4 years. | option_a=3683 | option_b=15193 | option_c=3583 | option_d=3783 | answer=A | explanation=SI = PRT/100 = 11510×8×4/100 = **■**3683.

id=74223 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**632. If it is sold at a profit of 5%, what is its selling price? | option_a=663 | option_b=726 | option_c=600 | option_d=637 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 632 × 105/100 = **■**663.

id=74224 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=74225 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3456. If it is sold at a profit of 10%, what is its selling price? | option_a=3466 | option_b=3801 | option_c=3456 | option_d=4146 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3456 × 110/100 = **■**3801.

id=74226 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=M | option_c=K | option_d=I | answer=B | explanation=Move 2 positions forward from K; the resulting letter is M.

id=74227 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=74228 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1475. If it is sold at a profit of 25%, what is its selling price? | option_a=1696 | option_b=1990 | option_c=1843 | option_d=1500 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1475 × 125/100 = **■**1843.

id=74229 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:7 and the first is 48, what is the second? | option_a=35 | option_b=42 | option_c=90 | option_d=50 | answer=B | explanation=Scale factor = 48/8 = 6. Therefore second quantity = 7×6 = 42.

id=74230 | topic=Averages | difficulty=Easy | question=Find the average of 66, 85, 43, 62, 33, 62, 22, 57, 48, 32. | option_a=53 | option_b=51 | option_c=52 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

id=74231 | topic=Profit & Loss | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=74232 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 21, 23, 28? | option_a=19 | option_b=21 | option_c=23 | option_d=28 | answer=D | explanation=The first three numbers increase by 2, so the next should be 25. Therefore 28 is the odd one out.

id=74233 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2043. If it is sold at a profit of 30%, what is its selling price? | option_a=2655 | option_b=2859 | option_c=2451 | option_d=2073 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2043 × 130/100 = **■**2655.

id=74234 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=74235 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=56 | option_b=47 | option_c=36 | option_d=46 | answer=D | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.

id=74236 | topic=Averages | difficulty=Easy | question=Find the average of 86, 47, 17, 77, 23. | option_a=50 | option_b=49 | option_c=52 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 250 ÷ 5 = 50.

id=74237 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=74238 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=36 | option_c=41 | option_d=72 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=74239 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2636. If it is sold at a profit of 25%, what is its selling price? | option_a=3558 | option_b=3032 | option_c=2661 | option_d=3295 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2636 × 125/100 = **■**3295.

id=74240 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=34 | option_b=48 | option_c=42 | option_d=41 | answer=D | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=74241 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23631 at 5% per annum for 3 years. | option_a=27175 | option_b=3644 | option_c=3444 | option_d=3544 | answer=D | explanation=SI = PRT/100 = 23631×5×3/100 = **■**3544.

id=74242 | topic=Percentages | difficulty=Easy | question=What is 25% of 1638? | option_a=404 | option_b=409 | option_c=818 | option_d=414 | answer=B | explanation=25% of 1638 = (25/100) × 1638 = 409.

id=74243 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=22 | option_b=18 | option_c=14 | option_d=19 | answer=B | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.

id=74244 | topic=Percentages | difficulty=Easy | question=What is 50% of 1876? | option_a=938 | option_b=958 | option_c=933 | option_d=1876 | answer=A | explanation=50% of 1876 = (50/100) × 1876 = 938.

id=74245 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=Q | option_b=L | option_c=B | option_d=G | answer=B | explanation=Move 5 positions forward from G; the resulting letter is L.

id=74246 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=74247 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 39? | option_a=39 | option_b=29 | option_c=13 | option_d=21 | answer=A | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 39 is the odd one out.

id=74248 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=74249 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1326. If it is sold at a profit of 15%, what is its selling price? | option_a=1524 | option_b=1656 | option_c=1392 | option_d=1341 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1326 × 115/100 = **■**1524.

id=74250 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 12. | option_a=192 | option_b=36 | option_c=48 | option_d=64 | answer=C | explanation=LCM × HCF = 16×12; HCF(16,12) = 4, so LCM = 48.

Aptitude Questions — Records 74,251-74,280 of 100,000

id=74251 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 19, 29, 40? | option_a=9 | option_b=29 | option_c=40 | option_d=19 | answer=C | explanation=The first three numbers increase by 10, so the next should be 39. Therefore 40 is the odd one out.

id=74252 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=20 | option_c=15 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=74253 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=5 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=74254 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 8, 13, 19? | option_a=19 | option_b=13 | option_c=8 | option_d=3 | answer=A | explanation=The first three numbers increase by 5, so the next should be 18. Therefore 19 is the odd one out.

id=74255 | topic=Averages | difficulty=Easy | question=Find the average of 56, 82, 39. | option_a=59 | option_b=60 | option_c=58 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 177 ÷ 3 = 59.

id=74256 | topic=Averages | difficulty=Easy | question=Find the average of 29, 64, 53, 75, 20, 48, 78, 58, 43, 92. | option_a=58 | option_b=55 | option_c=56 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 560 ÷ 10 = 56.

id=74257 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 20. | option_a=286 | option_b=520 | option_c=260 | option_d=240 | answer=C | explanation=LCM × HCF = 26×20; HCF(26,20) = 2, so LCM = 260.

id=74258 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 13, 16, 21? | option_a=13 | option_b=16 | option_c=21 | option_d=10 | answer=C | explanation=The first three numbers increase by 3, so the next should be 19. Therefore 21 is the odd one out.

id=74259 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 29, 31, 35? | option_a=31 | option_b=35 | option_c=27 | option_d=29 | answer=B | explanation=The first three numbers increase by 2, so the next should be 33. Therefore 35 is the odd one out.

id=74260 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=Q | option_b=M | option_c=S | option_d=O | answer=A | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=74261 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=24 | option_d=29 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=74262 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 18. | option_a=120 | option_b=90 | option_c=540 | option_d=72 | answer=B | explanation=LCM × HCF = 30×18; HCF(30,18) = 6, so LCM = 90.

id=74263 | topic=Averages | difficulty=Easy | question=Find the average of 85, 94, 35, 84, 55, 46, 94, 69, 44, 34. | option_a=65 | option_b=63 | option_c=66 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 640 ÷ 10 = 64.

id=74264 | topic=Percentages | difficulty=Easy | question=What is 50% of 1111? | option_a=575 | option_b=1110 | option_c=535 | option_d=555 | answer=D | explanation=50% of 1111 = (50/100) × 1111 = 555.

id=74265 | topic=Averages | difficulty=Easy | question=Find the average of 45, 34, 34, 61, 56, 45, 96. | option_a=54 | option_b=52 | option_c=53 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 371 ÷ 7 = 53.

id=74266 | topic=Averages | difficulty=Easy | question=Find the average of 83, 55, 77, 43, 73, 17, 26, 90. | option_a=59 | option_b=60 | option_c=57 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 464 ÷ 8 = 58.

id=74267 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38615 at 4% per annum for 4 years. | option_a=6278 | option_b=6078 | option_c=6178 | option_d=44793 | answer=C | explanation=SI = PRT/100 = 38615×4×4/100 = **■**6178.

id=74268 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=G | option_c=I | option_d=J | answer=C | explanation=Move 1 positions forward from H; the resulting letter is I.

id=74269 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=40 | option_b=34 | option_c=46 | option_d=41 | answer=A | explanation=The common difference is 6. Therefore the next term is 34 + 6 = 40.

id=74270 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33184 at 6% per annum for 4 years. | option_a=41148 | option_b=7864 | option_c=8064 | option_d=7964 | answer=D | explanation=SI = PRT/100 = 33184×6×4/100 = **■**7964.

id=74271 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=30 | option_b=31 | option_c=27 | option_d=33 | answer=A | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.

id=74272 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=74273 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 38, 48, 61? | option_a=48 | option_b=28 | option_c=61 | option_d=38 | answer=C | explanation=The first three numbers increase by 10, so the next should be 58. Therefore 61 is the odd one out.

id=74274 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=45 | option_b=35 | option_c=53 | option_d=44 | answer=D | explanation=The common difference is 9. Therefore the next term is 35 + 9 = 44.

id=74275 | topic=Percentages | difficulty=Easy | question=What is 15% of 577? | option_a=81 | option_b=91 | option_c=172 | option_d=86 | answer=D | explanation=15% of 577 = (15/100) × 577 = 86.

id=74276 | topic=Percentages | difficulty=Easy | question=What is 30% of 177? | option_a=106 | option_b=43 | option_c=58 | option_d=53 | answer=D | explanation=30% of 177 = (30/100) × 177 = 53.

id=74277 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:2 and the first is 18, what is the second? | option_a=22 | option_b=13 | option_c=2 | option_d=4 | answer=D | explanation=Scale factor = 18/9 = 2. Therefore second quantity = 2×2 = 4.

id=74278 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 15? | option_a=6 | option_b=15 | option_c=3 | option_d=9 | answer=B | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 15 is the odd one out.

id=74279 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=74280 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23104 at 4% per annum for 3 years. | option_a=2872 | option_b=2672 | option_c=25876 | option_d=2772 | answer=D | explanation=SI = PRT/100 = 23104×4×3/100 = **■**2772.

Aptitude Questions — Records 74,281-74,310 of 100,000

id=74281 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31974 at 10% per annum for 1 years. | option_a=3297 | option_b=3097 | option_c=3197 | option_d=35171 | answer=C | explanation=SI = PRT/100 = 31974×10×1/100 = **■**3197.

id=74282 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=24 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=74283 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'i' become? | option_a=N | option_b=I | option_c=S | option_d=D | answer=A | explanation=Move 5 positions forward from I; the resulting letter is N.

id=74284 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=74285 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4995 at 10% per annum for 5 years. | option_a=2397 | option_b=2597 | option_c=7492 | option_d=2497 | answer=D | explanation=SI = PRT/100 = 4995×10×5/100 = **■**2497.

id=74286 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=K | option_b=P | option_c=A | option_d=F | answer=A | explanation=Move 5 positions forward from F; the resulting letter is K.

id=74287 | topic=Averages | difficulty=Easy | question=Find the average of 72, 51, 47, 98. | option_a=69 | option_b=66 | option_c=68 | option_d=67 | answer=D | explanation=Average = sum of values ÷ number of values = 268 ÷ 4 = 67.

id=74288 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:4 and the first is 30, what is the second? | option_a=70 | option_b=40 | option_c=36 | option_d=43 | answer=B | explanation=Scale factor = 30/3 = 10. Therefore second quantity = 4×10 = 40.

id=74289 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=L | option_b=O | option_c=N | option_d=M | answer=C | explanation=Move 1 positions forward from M; the resulting letter is N.

id=74290 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10330 at 6% per annum for 5 years. | option_a=13429 | option_b=3099 | option_c=2999 | option_d=3199 | answer=B | explanation=SI = PRT/100 = 10330×6×5/100 = **■**3099.

id=74291 | topic=Percentages | difficulty=Easy | question=What is 30% of 338? | option_a=101 | option_b=111 | option_c=96 | option_d=202 | answer=A | explanation=30% of 338 = (30/100) × 338 = 101.

id=74292 | topic=Percentages | difficulty=Easy | question=What is 5% of 1677? | option_a=88 | option_b=166 | option_c=83 | option_d=73 | answer=C | explanation=5% of 1677 = (5/100) × 1677 = 83.

id=74293 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 10. | option_a=50 | option_b=10 | option_c=1 | option_d=15 | answer=B | explanation=LCM × HCF = 5×10; HCF(5,10) = 5, so LCM = 10.

id=74294 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2822. If it is sold at a profit of 15%, what is its selling price? | option_a=3527 | option_b=2963 | option_c=2837 | option_d=3245 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2822 × 115/100 = **■**3245.

id=74295 | topic=Percentages | difficulty=Easy | question=What is 5% of 1467? | option_a=146 | option_b=63 | option_c=83 | option_d=73 | answer=D | explanation=5% of 1467 = (5/100) × 1467 = 73.

id=74296 | topic=Percentages | difficulty=Easy | question=What is 30% of 1550? | option_a=465 | option_b=930 | option_c=455 | option_d=470 | answer=A | explanation=30% of 1550 = (30/100) × 1550 = 465.

id=74297 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:16 and the first is 130, what is the second? | option_a=338 | option_b=218 | option_c=208 | option_d=192 | answer=C | explanation=Scale factor = 130/10 = 13. Therefore second quantity = 16×13 = 208.

id=74298 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:9 and the first is 19, what is the second? | option_a=190 | option_b=171 | option_c=162 | option_d=172 | answer=B | explanation=Scale factor = 19/1 = 19. Therefore second quantity = 9×19 = 171.

id=74299 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1551. If it is sold at a profit of 20%, what is its selling price? | option_a=2016 | option_b=1861 | option_c=1571 | option_d=1706 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1551 × 120/100 = **■**1861.

id=74300 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 27? | option_a=6 | option_b=18 | option_c=27 | option_d=12 | answer=C | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 27 is the odd one out.

id=74301 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:17 and the first is 260, what is the second? | option_a=340 | option_b=323 | option_c=600 | option_d=353 | answer=A | explanation=Scale factor = 260/13 = 20. Therefore second quantity = 17×20 = 340.

id=74302 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 10, 18, 29? | option_a=10 | option_b=18 | option_c=29 | option_d=2 | answer=C | explanation=The first three numbers increase by 8, so the next should be 26. Therefore 29 is the odd one out.

id=74303 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=25 | option_c=20 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=74304 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4435. If it is sold at a profit of 50%, what is its selling price? | option_a=7095 | option_b=6652 | option_c=4485 | option_d=6209 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4435 × 150/100 = **■**6652.

id=74305 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2306. If it is sold at a profit of 20%, what is its selling price? | option_a=2537 | option_b=2997 | option_c=2767 | option_d=2326 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2306 × 120/100 = **■**2767.

id=74306 | topic=Averages | difficulty=Easy | question=Find the average of 73, 35, 77, 55. | option_a=61 | option_b=62 | option_c=60 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 240 ÷ 4 = 60.

id=74307 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 33? | option_a=20 | option_b=33 | option_c=28 | option_d=24 | answer=B | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 33 is the odd one out.

id=74308 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:10 and the first is 8, what is the second? | option_a=81 | option_b=80 | option_c=88 | option_d=70 | answer=B | explanation=Scale factor = 8/1 = 8. Therefore second quantity = 10×8 = 80.

id=74309 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 26, 32, 39? | option_a=32 | option_b=20 | option_c=39 | option_d=26 | answer=C | explanation=The first three numbers increase by 6, so the next should be 38. Therefore 39 is the odd one out.

id=74310 | topic=Percentages | difficulty=Easy | question=What is 12% of 185? | option_a=27 | option_b=17 | option_c=44 | option_d=22 | answer=D | explanation=12% of 185 = (12/100) × 185 = 22.

Aptitude Questions — Records 74,311-74,340 of 100,000

id=74311 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1402. If it is sold at a profit of 30%, what is its selling price? | option_a=1432 | option_b=1962 | option_c=1682 | option_d=1822 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1402 \times 130 / 100 = \blacksquare 1822$.

id=74312 | topic=Averages | difficulty=Easy | question=Find the average of 61, 83, 12. | option_a=53 | option_b=54 | option_c=51 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = $156 \div 3 = 52$.

id=74313 | topic=Averages | difficulty=Easy | question=Find the average of 86, 15, 85, 80, 38, 53, 70. | option_a=62 | option_b=61 | option_c=63 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = $427 \div 7 = 61$.

id=74314 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:2 and the first is 208, what is the second? | option_a=30 | option_b=45 | option_c=240 | option_d=32 | answer=D | explanation=Scale factor = $208 / 13 = 16$. Therefore second quantity = $2 \times 16 = 32$.

id=74315 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:20 and the first is 192, what is the second? | option_a=220 | option_b=240 | option_c=256 | option_d=432 | answer=B | explanation=Scale factor = $192 / 16 = 12$. Therefore second quantity = $20 \times 12 = 240$.

id=74316 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 26. | option_a=52 | option_b=26 | option_c=676 | option_d=1 | answer=B | explanation= $LCM \times HCF = 26 \times 26$; $HCF(26, 26) = 26$, so $LCM = 26$.

id=74317 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:15 and the first is 108, what is the second? | option_a=243 | option_b=147 | option_c=135 | option_d=120 | answer=C | explanation=Scale factor = $108 / 12 = 9$. Therefore second quantity = $15 \times 9 = 135$.

id=74318 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = $60 \div 2 = 30$ km/h.

id=74319 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14014 at 15% per annum for 3 years. | option_a=6406 | option_b=20320 | option_c=6206 | option_d=6306 | answer=D | explanation= $SI = PRT / 100 = 14014 \times 15 \times 3 / 100 = \blacksquare 6306$.

id=74320 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=12 | option_b=14 | option_c=15 | option_d=16 | answer=B | explanation=The common difference is 2. Therefore the next term is $12 + 2 = 14$.

id=74321 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■11844 at 10% per annum for 4 years. | option_a=4837 | option_b=4737 | option_c=16581 | option_d=4637 | answer=B | explanation= $SI = PRT / 100 = 11844 \times 10 \times 4 / 100 = \blacksquare 4737$.

id=74322 | topic=Averages | difficulty=Easy | question=Find the average of 38, 60, 50, 11, 66, 39, 86, 96, 92, 102. | option_a=66 | option_b=63 | option_c=65 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = $640 \div 10 = 64$.

id=74323 | topic=Percentages | difficulty=Easy | question=What is 5% of 1776? | option_a=108 | option_b=176 | option_c=83 | option_d=88 | answer=D | explanation=5% of 1776 = $(5 / 100) \times 1776 = 88$.

id=74324 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=62 | option_b=53 | option_c=44 | option_d=54 | answer=B | explanation=The common difference is 9. Therefore the next term is $44 + 9 = 53$.

id=74325 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=27 | option_b=31 | option_c=23 | option_d=28 | answer=A | explanation=The common difference is 4. Therefore the next term is $23 + 4 = 27$.

id=74326 | topic=Averages | difficulty=Easy | question=Find the average of 60, 38, 33, 88, 49, 75, 72, 85, 40, 70. | option_a=61 | option_b=62 | option_c=63 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = $610 \div 10 = 61$.

id=74327 | topic=Averages | difficulty=Easy | question=Find the average of 16, 81, 30, 31, 41, 77. | option_a=45 | option_b=47 | option_c=46 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = $276 \div 6 = 46$.

id=74328 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=74329 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 24. | option_a=384 | option_b=64 | option_c=24 | option_d=48 | answer=D | explanation= $LCM \times HCF = 16 \times 24$; $HCF(16, 24) = 8$, so $LCM = 48$.

id=74330 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2283. If it is sold at a profit of 15%, what is its selling price? | option_a=2625 | option_b=2298 | option_c=2397 | option_d=2853 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2283 \times 115 / 100 = \blacksquare 2625$.

id=74331 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=74332 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=69 | option_b=58 | option_c=59 | option_d=47 | answer=B | explanation=The common difference is 11. Therefore the next term is $47 + 11 = 58$.

id=74333 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■8748 at 5% per annum for 1 years. | option_a=9185 | option_b=337 | option_c=537 | option_d=437 | answer=D | explanation= $SI = PRT / 100 = 8748 \times 5 \times 1 / 100 = \blacksquare 437$.

id=74334 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■29264 at 15% per annum for 3 years. | option_a=13268 | option_b=42432 | option_c=13168 | option_d=13068 | answer=C | explanation= $SI = PRT / 100 = 29264 \times 15 \times 3 / 100 = \blacksquare 13168$.

id=74335 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=20 | option_b=21 | option_c=23 | option_d=17 | answer=A | explanation=The common difference is 3. Therefore the next term is $17 + 3 = 20$.

id=74336 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=50 | option_c=25 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = $150 \div 6 = 25$ km/h.

id=74337 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 10. | option_a=96 | option_b=160 | option_c=70 | option_d=80 | answer=D | explanation= $LCM \times HCF = 16 \times 10$; $HCF(16, 10) = 2$, so $LCM = 80$.

id=74338 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 13, 20, 29? | option_a=20 | option_b=13 | option_c=6 | option_d=29 | answer=D | explanation=The first three numbers increase by 7, so the next should be 27. Therefore 29 is the odd one out.

id=74339 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=46 | option_b=54 | option_c=45 | option_d=36 | answer=C | explanation=The common difference is 9. Therefore the next term is $36 + 9 = 45$.

id=74340 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:14 and the first is 126, what is the second? | option_a=140 | option_b=112 | option_c=252 | option_d=126 | answer=D | explanation=Scale factor = $126 / 14 = 9$. Therefore second quantity = $14 \times 9 = 126$.

Aptitude Questions — Records 74,341-74,370 of 100,000

- id=74341 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:5 and the first is 102, what is the second? | option_a=47 | option_b=25 | option_c=30 | option_d=132 | answer=C | explanation=Scale factor = $102/17 = 6$. Therefore second quantity = $5 \times 6 = 30$.
- id=74342 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1435. If it is sold at a profit of 15%, what is its selling price? | option_a=1450 | option_b=1507 | option_c=1650 | option_d=1793 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1435 \times 115/100 = \text{■}1650$.
- id=74343 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 24, 31, 41? | option_a=41 | option_b=17 | option_c=31 | option_d=24 | answer=A | explanation=The first three numbers increase by 7, so the next should be 38. Therefore 41 is the odd one out.
- id=74344 | topic=Percentages | difficulty=Easy | question=What is 40% of 361? | option_a=154 | option_b=144 | option_c=288 | option_d=139 | answer=B | explanation=40% of 361 = $(40/100) \times 361 = 144$.
- id=74345 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 35? | option_a=28 | option_b=35 | option_c=30 | option_d=26 | answer=B | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 35 is the odd one out.
- id=74346 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:13 and the first is 72, what is the second? | option_a=234 | option_b=238 | option_c=306 | option_d=221 | answer=A | explanation=Scale factor = $72/4 = 18$. Therefore second quantity = $13 \times 18 = 234$.
- id=74347 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2596. If it is sold at a profit of 5%, what is its selling price? | option_a=2725 | option_b=2601 | option_c=2984 | option_d=2466 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2596 \times 105/100 = \text{■}2725$.
- id=74348 | topic=Averages | difficulty=Easy | question=Find the average of 75, 26, 53, 19, 23, 77, 63. | option_a=48 | option_b=50 | option_c=47 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = $336 \div 7 = 48$.
- id=74349 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 21. | option_a=56 | option_b=294 | option_c=21 | option_d=42 | answer=D | explanation=LCM $\times$ HCF = 14×21 ; HCF(14,21) = 7, so LCM = 42.
- id=74350 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 46? | option_a=46 | option_b=23 | option_c=13 | option_d=33 | answer=A | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 46 is the odd one out.
- id=74351 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:14 and the first is 20, what is the second? | option_a=90 | option_b=70 | option_c=56 | option_d=74 | answer=B | explanation=Scale factor = $20/4 = 5$. Therefore second quantity = $14 \times 5 = 70$.
- id=74352 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=120 | option_c=125 | option_d=240 | answer=B | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.
- id=74353 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3880. If it is sold at a profit of 10%, what is its selling price? | option_a=4268 | option_b=3880 | option_c=4656 | option_d=3890 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3880 \times 110/100 = \text{■}4268$.
- id=74354 | topic=Percentages | difficulty=Easy | question=What is 5% of 1676? | option_a=63 | option_b=166 | option_c=88 | option_d=83 | answer=D | explanation=5% of 1676 = $(5/100) \times 1676 = 83$.
- id=74355 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=Q | option_b=N | option_c=H | option_d=K | answer=B | explanation=Move 3 positions forward from K; the resulting letter is N.
- id=74356 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=39 | option_b=35 | option_c=29 | option_d=34 | answer=D | explanation=The common difference is 5. Therefore the next term is $29 + 5 = 34$.
- id=74357 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=95 | option_c=180 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = $360 \div 4 = 90$ km/h.
- id=74358 | topic=Percentages | difficulty=Easy | question=What is 40% of 660? | option_a=264 | option_b=274 | option_c=259 | option_d=528 | answer=A | explanation=40% of 660 = $(40/100) \times 660 = 264$.
- id=74359 | topic=Percentages | difficulty=Easy | question=What is 20% of 1145? | option_a=229 | option_b=219 | option_c=458 | option_d=249 | answer=A | explanation=20% of 1145 = $(20/100) \times 1145 = 229$.
- id=74360 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47223 at 15% per annum for 4 years. | option_a=28233 | option_b=28333 | option_c=28433 | option_d=75556 | answer=B | explanation=SI = $PRT/100 = 47223 \times 15 \times 4/100 = \text{■}28333$.
- id=74361 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=H | option_c=B | option_d=D | answer=A | explanation=Move 2 positions forward from D; the resulting letter is F.
- id=74362 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = $150 \div 10 = 15$ km/h.
- id=74363 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 33, 42, 52? | option_a=52 | option_b=33 | option_c=24 | option_d=42 | answer=A | explanation=The first three numbers increase by 9, so the next should be 51. Therefore 52 is the odd one out.
- id=74364 | topic=Averages | difficulty=Easy | question=Find the average of 66, 71, 82, 68, 30, 24, 89, 98. | option_a=66 | option_b=67 | option_c=68 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = $528 \div 8 = 66$.
- id=74365 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18758 at 15% per annum for 1 years. | option_a=2813 | option_b=2713 | option_c=2913 | option_d=21571 | answer=A | explanation=SI = $PRT/100 = 18758 \times 15 \times 1/100 = \text{■}2813$.
- id=74366 | topic=Averages | difficulty=Easy | question=Find the average of 72, 24, 45, 32, 93, 12, 20, 53, 36. | option_a=43 | option_b=44 | option_c=42 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = $387 \div 9 = 43$.
- id=74367 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=49 | option_b=37 | option_c=59 | option_d=48 | answer=D | explanation=The common difference is 11. Therefore the next term is $37 + 11 = 48$.
- id=74368 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = $90 \div 3 = 30$ km/h.
- id=74369 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4245. If it is sold at a profit of 5%, what is its selling price? | option_a=4881 | option_b=4457 | option_c=4033 | option_d=4250 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4245 \times 105/100 = \text{■}4457$.
- id=74370 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=24 | option_b=27 | option_c=30 | option_d=28 | answer=B | explanation=The common difference is 3. Therefore the next term is $24 + 3 = 27$.

Aptitude Questions — Records 74,371-74,400 of 100,000

id=74371 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=51 | option_b=44 | option_c=35 | option_d=43 | answer=D | explanation=The common difference is 8. Therefore the next term is 35 + 8 = 43.

id=74372 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:14 and the first is 45, what is the second? | option_a=213 | option_b=210 | option_c=255 | option_d=196 | answer=B | explanation=Scale factor = 45/3 = 15. Therefore second quantity = 14×15 = 210.

id=74373 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=74374 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=74375 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=K | option_b=V | option_c=A | option_d=F | answer=D | explanation=Move 5 positions forward from A; the resulting letter is F.

id=74376 | topic=Averages | difficulty=Easy | question=Find the average of 20, 57, 36, 56, 15, 98. | option_a=46 | option_b=48 | option_c=47 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 282 ÷ 6 = 47.

id=74377 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=43 | option_c=53 | option_d=96 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=74378 | topic=Percentages | difficulty=Easy | question=What is 25% of 68? | option_a=34 | option_b=27 | option_c=12 | option_d=17 | answer=D | explanation=25% of 68 = (25/100) × 68 = 17.

id=74379 | topic=Averages | difficulty=Easy | question=Find the average of 55, 94, 69, 90. | option_a=79 | option_b=76 | option_c=77 | option_d=78 | answer=C | explanation=Average = sum of values ÷ number of values = 308 ÷ 4 = 77.

id=74380 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=74381 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=74382 | topic=Averages | difficulty=Easy | question=Find the average of 37, 60, 39, 68, 18, 30, 28. | option_a=40 | option_b=42 | option_c=39 | option_d=41 | answer=A | explanation=Average = sum of values ÷ number of values = 280 ÷ 7 = 40.

id=74383 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=S | option_b=N | option_c=X | option_d=I | answer=A | explanation=Move 5 positions forward from N; the resulting letter is S.

id=74384 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■35670 at 15% per annum for 4 years. | option_a=21402 | option_b=57072 | option_c=21502 | option_d=21302 | answer=A | explanation=SI = PRT/100 = 35670×15×4/100 = ■21402.

id=74385 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=15 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=74386 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:6 and the first is 15, what is the second? | option_a=24 | option_b=30 | option_c=45 | option_d=33 | answer=B | explanation=Scale factor = 15/3 = 5. Therefore second quantity = 6×5 = 30.

id=74387 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3967. If it is sold at a profit of 20%, what is its selling price? | option_a=4364 | option_b=3987 | option_c=5156 | option_d=4760 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3967 × 120/100 = ■4760.

id=74388 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=69 | option_b=49 | option_c=60 | option_d=59 | answer=D | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

id=74389 | topic=Percentages | difficulty=Easy | question=What is 20% of 267? | option_a=106 | option_b=43 | option_c=53 | option_d=58 | answer=C | explanation=20% of 267 = (20/100) × 267 = 53.

id=74390 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:16 and the first is 260, what is the second? | option_a=304 | option_b=320 | option_c=333 | option_d=580 | answer=B | explanation=Scale factor = 260/13 = 20. Therefore second quantity = 16×20 = 320.

id=74391 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 37? | option_a=26 | option_b=30 | option_c=22 | option_d=37 | answer=D | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 37 is the odd one out.

id=74392 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:5 and the first is 234, what is the second? | option_a=299 | option_b=60 | option_c=83 | option_d=65 | answer=D | explanation=Scale factor = 234/18 = 13. Therefore second quantity = 5×13 = 65.

id=74393 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:13 and the first is 33, what is the second? | option_a=26 | option_b=50 | option_c=39 | option_d=72 | answer=C | explanation=Scale factor = 33/11 = 3. Therefore second quantity = 13×3 = 39.

id=74394 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:13 and the first is 15, what is the second? | option_a=196 | option_b=210 | option_c=195 | option_d=182 | answer=C | explanation=Scale factor = 15/1 = 15. Therefore second quantity = 13×15 = 195.

id=74395 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=48 | option_b=36 | option_c=47 | option_d=58 | answer=C | explanation=The common difference is 11. Therefore the next term is 36 + 11 = 47.

id=74396 | topic=Averages | difficulty=Easy | question=Find the average of 50, 49, 54, 97, 98, 98, 93. | option_a=76 | option_b=78 | option_c=77 | option_d=79 | answer=C | explanation=Average = sum of values ÷ number of values = 539 ÷ 7 = 77.

id=74397 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 10, 15, 20, ? | option_a=25 | option_b=26 | option_c=30 | option_d=20 | answer=A | explanation=The common difference is 5. Therefore the next term is 20 + 5 = 25.

id=74398 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:6 and the first is 320, what is the second? | option_a=96 | option_b=416 | option_c=90 | option_d=116 | answer=A | explanation=Scale factor = 320/20 = 16. Therefore second quantity = 6×16 = 96.

id=74399 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=25 | option_c=20 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=74400 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 32, 40, 49? | option_a=32 | option_b=49 | option_c=40 | option_d=24 | answer=B | explanation=The first three numbers increase by 8, so the next should be 48. Therefore 49 is the odd one out.

Aptitude Questions — Records 74,401-74,430 of 100,000

id=74401 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=V | option_b=S | option_c=P | option_d=Y | answer=A | explanation=Move 3 positions forward from S; the resulting letter is V.

id=74402 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=41 | option_b=40 | option_c=47 | option_d=33 | answer=B | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.

id=74403 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2325. If it is sold at a profit of 30%, what is its selling price? | option_a=2355 | option_b=3254 | option_c=3022 | option_d=2790 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2325 × 130/100 = █3022.

id=74404 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:8 and the first is 56, what is the second? | option_a=56 | option_b=64 | option_c=112 | option_d=48 | answer=A | explanation=Scale factor = 56/8 = 7. Therefore second quantity = 8×7 = 56.

id=74405 | topic=Averages | difficulty=Easy | question=Find the average of 25, 97, 93, 37. | option_a=65 | option_b=62 | option_c=64 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 252 ÷ 4 = 63.

id=74406 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 25, 33, 41, ? | option_a=41 | option_b=49 | option_c=57 | option_d=50 | answer=B | explanation=The common difference is 8. Therefore the next term is 41 + 8 = 49.

id=74407 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=74408 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:17 and the first is 99, what is the second? | option_a=196 | option_b=286 | option_c=187 | option_d=170 | answer=C | explanation=Scale factor = 99/9 = 11. Therefore second quantity = 17×11 = 187.

id=74409 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=F | option_b=L | option_c=H | option_d=J | answer=D | explanation=Move 2 positions forward from H; the resulting letter is J.

id=74410 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 6. | option_a=81 | option_b=54 | option_c=48 | option_d=162 | answer=B | explanation=LCM × HCF = 27×6; HCF(27,6) = 3, so LCM = 54.

id=74411 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8423 at 5% per annum for 3 years. | option_a=1363 | option_b=9686 | option_c=1263 | option_d=1163 | answer=C | explanation=SI = PRT/100 = 8423×5×3/100 = █1263.

id=74412 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=P | option_b=T | option_c=R | option_d=V | answer=B | explanation=Move 2 positions forward from R; the resulting letter is T.

id=74413 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=K | option_c=W | option_d=S | answer=D | explanation=Move 4 positions forward from O; the resulting letter is S.

id=74414 | topic=Percentages | difficulty=Easy | question=What is 5% of 1261? | option_a=126 | option_b=53 | option_c=73 | option_d=63 | answer=D | explanation=5% of 1261 = (5/100) × 1261 = 63.

id=74415 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=M | option_b=E | option_c=Q | option_d=I | answer=A | explanation=Move 4 positions forward from I; the resulting letter is M.

id=74416 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 4. | option_a=30 | option_b=40 | option_c=16 | option_d=20 | answer=D | explanation=LCM × HCF = 10×4; HCF(10,4) = 2, so LCM = 20.

id=74417 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 37, 44, 52? | option_a=30 | option_b=44 | option_c=37 | option_d=52 | answer=D | explanation=The first three numbers increase by 7, so the next should be 51. Therefore 52 is the odd one out.

id=74418 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 31? | option_a=31 | option_b=10 | option_c=22 | option_d=16 | answer=A | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 31 is the odd one out.

id=74419 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38522 at 12% per annum for 1 years. | option_a=43144 | option_b=4622 | option_c=4722 | option_d=4522 | answer=B | explanation=SI = PRT/100 = 38522×12×1/100 = █4622.

id=74420 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=74421 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48544 at 8% per annum for 4 years. | option_a=15434 | option_b=15534 | option_c=64078 | option_d=15634 | answer=B | explanation=SI = PRT/100 = 48544×8×4/100 = █15534.

id=74422 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=A | option_b=E | option_c=G | option_d=C | answer=B | explanation=Move 2 positions forward from C; the resulting letter is E.

id=74423 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=G | option_c=X | option_d=D | answer=D | explanation=Move 3 positions forward from A; the resulting letter is D.

id=74424 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 62? | option_a=30 | option_b=62 | option_c=40 | option_d=50 | answer=B | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 62 is the odd one out.

id=74425 | topic=Averages | difficulty=Easy | question=Find the average of 53, 21, 23, 23, 73, 83. | option_a=47 | option_b=48 | option_c=45 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 276 ÷ 6 = 46.

id=74426 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 4. | option_a=4 | option_b=8 | option_c=16 | option_d=32 | answer=B | explanation=LCM × HCF = 8×4; HCF(8,4) = 4, so LCM = 8.

id=74427 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 28. | option_a=56 | option_b=105 | option_c=84 | option_d=588 | answer=C | explanation=LCM × HCF = 21×28; HCF(21,28) = 7, so LCM = 84.

id=74428 | topic=Averages | difficulty=Easy | question=Find the average of 93, 53, 26, 47, 26. | option_a=50 | option_b=49 | option_c=48 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 245 ÷ 5 = 49.

id=74429 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7333 at 8% per annum for 5 years. | option_a=10266 | option_b=3033 | option_c=2833 | option_d=2933 | answer=D | explanation=SI = PRT/100 = 7333×8×5/100 = █2933.

id=74430 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=59 | option_b=49 | option_c=50 | option_d=39 | answer=B | explanation=The common difference is 10. Therefore the next term is 39 + 10 = 49.

Aptitude Questions — Records 74,431-74,460 of 100,000

id=74431 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**821. If it is sold at a profit of 25%, what is its selling price? | option_a=944 | option_b=846 | option_c=1108 | option_d=1026 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 821 × 125/100 = **■**1026.

id=74432 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:3 and the first is 84, what is the second? | option_a=39 | option_b=48 | option_c=42 | option_d=126 | answer=C | explanation=Scale factor = 84/6 = 14. Therefore second quantity = 3×14 = 42.

id=74433 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=74434 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29037 at 5% per annum for 3 years. | option_a=4355 | option_b=4455 | option_c=4255 | option_d=33392 | answer=A | explanation=SI = PRT/100 = 29037×5×3/100 = **■**4355.

id=74435 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3082. If it is sold at a profit of 30%, what is its selling price? | option_a=3698 | option_b=3112 | option_c=4006 | option_d=4314 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3082 × 130/100 = **■**4006.

id=74436 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8286 at 10% per annum for 3 years. | option_a=2585 | option_b=2385 | option_c=2485 | option_d=10771 | answer=C | explanation=SI = PRT/100 = 8286×10×3/100 = **■**2485.

id=74437 | topic=Number System | difficulty=Easy | question=Find the LCM of 11 and 11. | option_a=1 | option_b=22 | option_c=11 | option_d=121 | answer=C | explanation=LCM × HCF = 11×11; HCF(11,11) = 11, so LCM = 11.

id=74438 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=360 | option_b=175 | option_c=180 | option_d=185 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=74439 | topic=Averages | difficulty=Easy | question=Find the average of 17, 45, 31. | option_a=32 | option_b=31 | option_c=33 | option_d=30 | answer=B | explanation=Average = sum of values ÷ number of values = 93 ÷ 3 = 31.

id=74440 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=74441 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4607. If it is sold at a profit of 40%, what is its selling price? | option_a=4647 | option_b=6449 | option_c=6909 | option_d=5989 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4607 × 140/100 = **■**6449.

id=74442 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=74443 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:18 and the first is 152, what is the second? | option_a=163 | option_b=126 | option_c=144 | option_d=296 | answer=C | explanation=Scale factor = 152/19 = 8. Therefore second quantity = 18×8 = 144.

id=74444 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**582. If it is sold at a profit of 40%, what is its selling price? | option_a=622 | option_b=756 | option_c=814 | option_d=872 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 582 × 140/100 = **■**814.

id=74445 | topic=Averages | difficulty=Easy | question=Find the average of 32, 75, 65, 14, 40, 84, 12, 62. | option_a=49 | option_b=48 | option_c=47 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 384 ÷ 8 = 48.

id=74446 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 6. | option_a=18 | option_b=9 | option_c=6 | option_d=1 | answer=C | explanation=LCM × HCF = 3×6; HCF(3,6) = 3, so LCM = 6.

id=74447 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:8 and the first is 120, what is the second? | option_a=168 | option_b=68 | option_c=40 | option_d=48 | answer=D | explanation=Scale factor = 120/20 = 6. Therefore second quantity = 8×6 = 48.

id=74448 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 51? | option_a=30 | option_b=39 | option_c=21 | option_d=51 | answer=D | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 51 is the odd one out.

id=74449 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=E | option_b=J | option_c=T | option_d=O | answer=D | explanation=Move 5 positions forward from J; the resulting letter is O.

id=74450 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:8 and the first is 36, what is the second? | option_a=72 | option_b=76 | option_c=64 | option_d=108 | answer=A | explanation=Scale factor = 36/4 = 9. Therefore second quantity = 8×9 = 72.

id=74451 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=55 | option_c=50 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=74452 | topic=Percentages | difficulty=Easy | question=What is 15% of 1789? | option_a=268 | option_b=263 | option_c=536 | option_d=278 | answer=A | explanation=15% of 1789 = (15/100) × 1789 = 268.

id=74453 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=80 | option_d=150 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=74454 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=46 | option_b=41 | option_c=40 | option_d=34 | answer=C | explanation=The common difference is 6. Therefore the next term is 34 + 6 = 40.

id=74455 | topic=Averages | difficulty=Easy | question=Find the average of 51, 48, 75. | option_a=58 | option_b=59 | option_c=57 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 174 ÷ 3 = 58.

id=74456 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=74457 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=36 | option_c=72 | option_d=41 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=74458 | topic=Averages | difficulty=Easy | question=Find the average of 20, 11, 92. | option_a=43 | option_b=41 | option_c=40 | option_d=42 | answer=B | explanation=Average = sum of values ÷ number of values = 123 ÷ 3 = 41.

id=74459 | topic=Percentages | difficulty=Easy | question=What is 25% of 1986? | option_a=992 | option_b=496 | option_c=491 | option_d=516 | answer=B | explanation=25% of 1986 = (25/100) × 1986 = 496.

id=74460 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1639. If it is sold at a profit of 25%, what is its selling price? | option_a=2211 | option_b=1885 | option_c=2048 | option_d=1664 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1639 × 125/100 = **■**2048.

Aptitude Questions — Records 74,461-74,490 of 100,000

id=74461 | topic=Profit & Loss | difficulty=Easy | question=An article costs █256. If it is sold at a profit of 10%, what is its selling price? | option_a=306 | option_b=281 | option_c=266 | option_d=256 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 256 × 110/100 = █281.

id=74462 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 18. | option_a=1 | option_b=108 | option_c=24 | option_d=18 | answer=D | explanation=LCM × HCF = 6×18; HCF(6,18) = 6, so LCM = 18.

id=74463 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=B | option_b=C | option_c=A | option_d=Z | answer=A | explanation=Move 1 positions forward from A; the resulting letter is B.

id=74464 | topic=Percentages | difficulty=Easy | question=What is 15% of 813? | option_a=121 | option_b=242 | option_c=111 | option_d=131 | answer=A | explanation=15% of 813 = (15/100) × 813 = 121.

id=74465 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=12 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=74466 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2355. If it is sold at a profit of 10%, what is its selling price? | option_a=2825 | option_b=2355 | option_c=2365 | option_d=2590 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2355 × 110/100 = █2590.

id=74467 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2158. If it is sold at a profit of 15%, what is its selling price? | option_a=2173 | option_b=2481 | option_c=2696 | option_d=2266 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2158 × 115/100 = █2481.

id=74468 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=40 | option_d=90 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=74469 | topic=Averages | difficulty=Easy | question=Find the average of 50, 11, 71, 45, 78. | option_a=51 | option_b=52 | option_c=53 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 255 ÷ 5 = 51.

id=74470 | topic=Percentages | difficulty=Easy | question=What is 12% of 721? | option_a=76 | option_b=91 | option_c=172 | option_d=86 | answer=D | explanation=12% of 721 = (12/100) × 721 = 86.

id=74471 | topic=Averages | difficulty=Easy | question=Find the average of 68, 22, 70, 38, 83, 22, 65, 88. | option_a=58 | option_b=57 | option_c=56 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

id=74472 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36918 at 5% per annum for 4 years. | option_a=7483 | option_b=7383 | option_c=7283 | option_d=44301 | answer=B | explanation=SI = PRT/100 = 36918×5×4/100 = █7383.

id=74473 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=53 | option_b=46 | option_c=37 | option_d=45 | answer=D | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=74474 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4418. If it is sold at a profit of 25%, what is its selling price? | option_a=4443 | option_b=5081 | option_c=5963 | option_d=5522 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4418 × 125/100 = █5522.

id=74475 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=J | option_b=A | option_c=D | option_d=G | answer=D | explanation=Move 3 positions forward from D; the resulting letter is G.

id=74476 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 12, 15, 18, ? | option_a=21 | option_b=22 | option_c=24 | option_d=18 | answer=A | explanation=The common difference is 3. Therefore the next term is 18 + 3 = 21.

id=74477 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=95 | option_c=85 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=74478 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=22 | option_b=17 | option_c=25 | option_d=21 | answer=D | explanation=The common difference is 4. Therefore the next term is 17 + 4 = 21.

id=74479 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=74480 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=36 | option_b=44 | option_c=28 | option_d=37 | answer=A | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=74481 | topic=Percentages | difficulty=Easy | question=What is 40% of 1011? | option_a=399 | option_b=808 | option_c=409 | option_d=404 | answer=D | explanation=40% of 1011 = (40/100) × 1011 = 404.

id=74482 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=K | option_b=Z | option_c=P | option_d=U | answer=D | explanation=Move 5 positions forward from P; the resulting letter is U.

id=74483 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:15 and the first is 44, what is the second? | option_a=209 | option_b=150 | option_c=165 | option_d=169 | answer=C | explanation=Scale factor = 44/4 = 11. Therefore second quantity = 15×11 = 165.

id=74484 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=S | option_b=N | option_c=D | option_d=I | answer=B | explanation=Move 5 positions forward from I; the resulting letter is N.

id=74485 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1603. If it is sold at a profit of 40%, what is its selling price? | option_a=2404 | option_b=2084 | option_c=1643 | option_d=2244 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1603 × 140/100 = █2244.

id=74486 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1461 at 12% per annum for 4 years. | option_a=601 | option_b=801 | option_c=2162 | option_d=701 | answer=D | explanation=SI = PRT/100 = 1461×12×4/100 = █701.

id=74487 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 14, 17, 23? | option_a=11 | option_b=14 | option_c=17 | option_d=23 | answer=D | explanation=The first three numbers increase by 3, so the next should be 20. Therefore 23 is the odd one out.

id=74488 | topic=Averages | difficulty=Easy | question=Find the average of 40, 26, 31, 98, 28, 95, 81, 33. | option_a=53 | option_b=54 | option_c=56 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 432 ÷ 8 = 54.

id=74489 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=7 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=74490 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=16 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

Aptitude Questions — Records 74,491-74,520 of 100,000

id=74491 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=C | option_c=G | option_d=I | answer=C | explanation=Move 2 positions forward from E; the resulting letter is G.

id=74492 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44659 at 6% per annum for 3 years. | option_a=8138 | option_b=7938 | option_c=52697 | option_d=8038 | answer=D | explanation=SI = $\text{PRT}/100 = 44659 \times 6 \times 3 / 100 = \text{■}8038$.

id=74493 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:15 and the first is 84, what is the second? | option_a=105 | option_b=189 | option_c=117 | option_d=90 | answer=A | explanation=Scale factor = $84/12 = 7$. Therefore second quantity = $15 \times 7 = 105$.

id=74494 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2700. If it is sold at a profit of 30%, what is its selling price? | option_a=3240 | option_b=3780 | option_c=3510 | option_d=2730 | answer=C | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 2700 \times 130 / 100 = \text{■}3510$.

id=74495 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**262. If it is sold at a profit of 40%, what is its selling price? | option_a=340 | option_b=392 | option_c=302 | option_d=366 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 262 \times 140 / 100 = \text{■}366$.

id=74496 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**263. If it is sold at a profit of 30%, what is its selling price? | option_a=341 | option_b=315 | option_c=293 | option_d=367 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 263 \times 130 / 100 = \text{■}341$.

id=74497 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=74498 | topic=Percentages | difficulty=Easy | question=What is 5% of 370? | option_a=23 | option_b=0 | option_c=18 | option_d=36 | answer=C | explanation=5% of 370 = $(5/100) \times 370 = 18$.

id=74499 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1158. If it is sold at a profit of 25%, what is its selling price? | option_a=1332 | option_b=1562 | option_c=1183 | option_d=1447 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 1158 \times 125 / 100 = \text{■}1447$.

id=74500 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36064 at 6% per annum for 1 years. | option_a=2263 | option_b=2163 | option_c=38227 | option_d=2063 | answer=B | explanation=SI = $\text{PRT}/100 = 36064 \times 6 \times 1 / 100 = \text{■}2163$.

id=74501 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=48 | option_b=59 | option_c=37 | option_d=49 | answer=A | explanation=The common difference is 11. Therefore the next term is $37 + 11 = 48$.

id=74502 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3465. If it is sold at a profit of 40%, what is its selling price? | option_a=4505 | option_b=4851 | option_c=5197 | option_d=3505 | answer=B | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 3465 \times 140 / 100 = \text{■}4851$.

id=74503 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=I | option_b=L | option_c=R | option_d=O | answer=D | explanation=Move 3 positions forward from L; the resulting letter is O.

id=74504 | topic=Averages | difficulty=Easy | question=Find the average of 63, 28, 47, 43, 38, 29, 15, 97, 72. | option_a=47 | option_b=49 | option_c=48 | option_d=50 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 432 \div 9 = 48$.

id=74505 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:18 and the first is 266, what is the second? | option_a=324 | option_b=608 | option_c=356 | option_d=342 | answer=D | explanation=Scale factor = $266/14 = 19$. Therefore second quantity = $18 \times 19 = 342$.

id=74506 | topic=Percentages | difficulty=Easy | question=What is 20% of 502? | option_a=100 | option_b=90 | option_c=105 | option_d=200 | answer=A | explanation=20% of 502 = $(20/100) \times 502 = 100$.

id=74507 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2793. If it is sold at a profit of 10%, what is its selling price? | option_a=2803 | option_b=3351 | option_c=2793 | option_d=3072 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 2793 \times 110 / 100 = \text{■}3072$.

id=74508 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1817. If it is sold at a profit of 30%, what is its selling price? | option_a=2362 | option_b=2181 | option_c=1847 | option_d=2543 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 1817 \times 130 / 100 = \text{■}2362$.

id=74509 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 43? | option_a=27 | option_b=34 | option_c=43 | option_d=20 | answer=C | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 43 is the odd one out.

id=74510 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=74511 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=18 | option_b=19 | option_c=14 | option_d=22 | answer=A | explanation=The common difference is 4. Therefore the next term is $14 + 4 = 18$.

id=74512 | topic=Percentages | difficulty=Easy | question=What is 50% of 685? | option_a=322 | option_b=684 | option_c=362 | option_d=342 | answer=D | explanation=50% of 685 = $(50/100) \times 685 = 342$.

id=74513 | topic=Averages | difficulty=Easy | question=Find the average of 93, 75, 54, 63, 70. | option_a=70 | option_b=72 | option_c=71 | option_d=73 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 355 \div 5 = 71$.

id=74514 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=74515 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=31 | option_b=24 | option_c=38 | option_d=32 | answer=A | explanation=The common difference is 7. Therefore the next term is $24 + 7 = 31$.

id=74516 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 24? | option_a=19 | option_b=21 | option_c=24 | option_d=17 | answer=C | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 24 is the odd one out.

id=74517 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=160 | option_c=80 | option_d=75 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 240 \div 3 = 80 \text{ km/h}$.

id=74518 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 20, 22, 26? | option_a=26 | option_b=20 | option_c=22 | option_d=18 | answer=A | explanation=The first three numbers increase by 2, so the next should be 24. Therefore 26 is the odd one out.

id=74519 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:4 and the first is 323, what is the second? | option_a=68 | option_b=391 | option_c=64 | option_d=87 | answer=A | explanation=Scale factor = $323/19 = 17$. Therefore second quantity = $4 \times 17 = 68$.

id=74520 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 26. | option_a=52 | option_b=1 | option_c=26 | option_d=28 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 2 \times 26$; $\text{HCF}(2, 26) = 2$, so $\text{LCM} = 26$.

Aptitude Questions — Records 74,521-74,550 of 100,000

id=74521 | topic=Percentages | difficulty=Easy | question=What is 30% of 282? | option_a=84 | option_b=79 | option_c=89 | option_d=168 | answer=A | explanation=30% of 282 = (30/100) × 282 = 84.

id=74522 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=Q | option_b=V | option_c=G | option_d=L | answer=A | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=74523 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2408. If it is sold at a profit of 20%, what is its selling price? | option_a=2889 | option_b=2649 | option_c=3129 | option_d=2428 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2408 × 120/100 = █2889.

id=74524 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=44 | option_b=52 | option_c=45 | option_d=36 | answer=A | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.

id=74525 | topic=Percentages | difficulty=Easy | question=What is 10% of 506? | option_a=100 | option_b=30 | option_c=55 | option_d=50 | answer=D | explanation=10% of 506 = (10/100) × 506 = 50.

id=74526 | topic=Percentages | difficulty=Easy | question=What is 20% of 771? | option_a=154 | option_b=134 | option_c=164 | option_d=308 | answer=A | explanation=20% of 771 = (20/100) × 771 = 154.

id=74527 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 20, 22, 25? | option_a=25 | option_b=22 | option_c=18 | option_d=20 | answer=A | explanation=The first three numbers increase by 2, so the next should be 24. Therefore 25 is the odd one out.

id=74528 | topic=Percentages | difficulty=Easy | question=What is 30% of 932? | option_a=289 | option_b=279 | option_c=558 | option_d=274 | answer=B | explanation=30% of 932 = (30/100) × 932 = 279.

id=74529 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=180 | option_c=90 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=74530 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 10, 17, 25? | option_a=25 | option_b=3 | option_c=10 | option_d=17 | answer=A | explanation=The first three numbers increase by 7, so the next should be 24. Therefore 25 is the odd one out.

id=74531 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19437 at 8% per annum for 2 years. | option_a=22546 | option_b=3209 | option_c=3009 | option_d=3109 | answer=D | explanation=SI = PRT/100 = 19437×8×2/100 = █3109.

id=74532 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 14. | option_a=392 | option_b=56 | option_c=14 | option_d=28 | answer=D | explanation=LCM × HCF = 28×14; HCF(28,14) = 14, so LCM = 28.

id=74533 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3496. If it is sold at a profit of 50%, what is its selling price? | option_a=5593 | option_b=4895 | option_c=5244 | option_d=3546 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3496 × 150/100 = █5244.

id=74534 | topic=Percentages | difficulty=Easy | question=What is 15% of 487? | option_a=63 | option_b=146 | option_c=93 | option_d=73 | answer=D | explanation=15% of 487 = (15/100) × 487 = 73.

id=74535 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27327 at 6% per annum for 2 years. | option_a=30606 | option_b=3179 | option_c=3379 | option_d=3279 | answer=D | explanation=SI = PRT/100 = 27327×6×2/100 = █3279.

id=74536 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=74537 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1817. If it is sold at a profit of 20%, what is its selling price? | option_a=2180 | option_b=1837 | option_c=2361 | option_d=1999 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1817 × 120/100 = █2180.

id=74538 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=T | option_c=L | option_d=H | answer=A | explanation=Move 4 positions forward from L; the resulting letter is P.

id=74539 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=43 | option_c=48 | option_d=53 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=74540 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=F | option_b=E | option_c=G | option_d=D | answer=A | explanation=Move 1 positions forward from E; the resulting letter is F.

id=74541 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3785. If it is sold at a profit of 20%, what is its selling price? | option_a=4164 | option_b=4542 | option_c=3805 | option_d=4920 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3785 × 120/100 = █4542.

id=74542 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=74543 | topic=Percentages | difficulty=Easy | question=What is 20% of 981? | option_a=196 | option_b=186 | option_c=392 | option_d=206 | answer=A | explanation=20% of 981 = (20/100) × 981 = 196.

id=74544 | topic=Averages | difficulty=Easy | question=Find the average of 60, 76, 68. | option_a=70 | option_b=68 | option_c=67 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 204 ÷ 3 = 68.

id=74545 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4547. If it is sold at a profit of 5%, what is its selling price? | option_a=4552 | option_b=4774 | option_c=4320 | option_d=5228 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4547 × 105/100 = █4774.

id=74546 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3205. If it is sold at a profit of 5%, what is its selling price? | option_a=3210 | option_b=3045 | option_c=3685 | option_d=3365 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3205 × 105/100 = █3365.

id=74547 | topic=Averages | difficulty=Easy | question=Find the average of 21, 29, 57, 91, 77, 64, 40, 83, 33. | option_a=54 | option_b=55 | option_c=57 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.

id=74548 | topic=Averages | difficulty=Easy | question=Find the average of 74, 67, 84. | option_a=77 | option_b=76 | option_c=75 | option_d=74 | answer=C | explanation=Average = sum of values ÷ number of values = 225 ÷ 3 = 75.

id=74549 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=74550 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=180 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

Aptitude Questions — Records 74,551-74,580 of 100,000

id=74551 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=74552 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=74553 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=72 | option_c=41 | option_d=31 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=74554 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:5 and the first is 60, what is the second? | option_a=60 | option_b=55 | option_c=120 | option_d=65 | answer=A | explanation=Scale factor = 60/5 = 12. Therefore second quantity = 5×12 = 60.

id=74555 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=S | option_c=K | option_d=W | answer=B | explanation=Move 4 positions forward from O; the resulting letter is S.

id=74556 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:20 and the first is 187, what is the second? | option_a=340 | option_b=351 | option_c=527 | option_d=320 | answer=A | explanation=Scale factor = 187/11 = 17. Therefore second quantity = 20×17 = 340.

id=74557 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 26. | option_a=364 | option_b=196 | option_c=182 | option_d=156 | answer=C | explanation=LCM × HCF = 14×26; HCF(14,26) = 2, so LCM = 182.

id=74558 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:3 and the first is 120, what is the second? | option_a=53 | option_b=42 | option_c=165 | option_d=45 | answer=D | explanation=Scale factor = 120/8 = 15. Therefore second quantity = 3×15 = 45.

id=74559 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■38777 at 8% per annum for 3 years. | option_a=9206 | option_b=9306 | option_c=9406 | option_d=48083 | answer=B | explanation=SI = PRT/100 = 38777×8×3/100 = ■9306.

id=74560 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=I | option_c=F | option_d=Z | answer=C | explanation=Move 3 positions forward from C; the resulting letter is F.

id=74561 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 50? | option_a=50 | option_b=37 | option_c=27 | option_d=17 | answer=A | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 50 is the odd one out.

id=74562 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:8 and the first is 140, what is the second? | option_a=167 | option_b=160 | option_c=152 | option_d=300 | answer=B | explanation=Scale factor = 140/7 = 20. Therefore second quantity = 8×20 = 160.

id=74563 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=58 | option_b=68 | option_c=46 | option_d=57 | answer=D | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.

id=74564 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=R | option_b=M | option_c=W | option_d=H | answer=A | explanation=Move 5 positions forward from M; the resulting letter is R.

id=74565 | topic=Averages | difficulty=Easy | question=Find the average of 79, 57, 90, 40, 25, 69, 28, 17, 87, 78. | option_a=56 | option_b=58 | option_c=57 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.

id=74566 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=100 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=74567 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=90 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=74568 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2354. If it is sold at a profit of 30%, what is its selling price? | option_a=2825 | option_b=3060 | option_c=2384 | option_d=3295 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2354 × 130/100 = ■3060.

id=74569 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=X | option_c=T | option_d=R | answer=A | explanation=Move 2 positions forward from T; the resulting letter is V.

id=74570 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=74571 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=74572 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=54 | option_b=64 | option_c=44 | option_d=55 | answer=A | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=74573 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=15 | option_c=40 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=74574 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=74575 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=36 | option_b=48 | option_c=58 | option_d=47 | answer=D | explanation=The common difference is 11. Therefore the next term is 36 + 11 = 47.

id=74576 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■30900 at 10% per annum for 2 years. | option_a=6180 | option_b=37080 | option_c=6280 | option_d=6080 | answer=A | explanation=SI = PRT/100 = 30900×10×2/100 = ■6180.

id=74577 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■35302 at 5% per annum for 1 years. | option_a=1865 | option_b=37067 | option_c=1765 | option_d=1665 | answer=C | explanation=SI = PRT/100 = 35302×5×1/100 = ■1765.

id=74578 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■139. If it is sold at a profit of 5%, what is its selling price? | option_a=132 | option_b=158 | option_c=145 | option_d=144 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 139 × 105/100 = ■145.

id=74579 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43, ? | option_a=59 | option_b=52 | option_c=51 | option_d=43 | answer=C | explanation=The common difference is 8. Therefore the next term is 43 + 8 = 51.

id=74580 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=N | option_c=T | option_d=P | answer=A | explanation=Move 2 positions forward from P; the resulting letter is R.

Aptitude Questions — Records 74,581-74,610 of 100,000

id=74581 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 35, 41, 48? | option_a=48 | option_b=29 | option_c=35 | option_d=41 | answer=A | explanation=The first three numbers increase by 6, so the next should be 47. Therefore 48 is the odd one out.

id=74582 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33707 at 6% per annum for 5 years. | option_a=10212 | option_b=43819 | option_c=10012 | option_d=10112 | answer=D | explanation=SI = $PRT/100 = 33707 \times 6 \times 5/100 = \text{■}10112$.

id=74583 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32816 at 8% per annum for 1 years. | option_a=35441 | option_b=2725 | option_c=2625 | option_d=2525 | answer=C | explanation=SI = $PRT/100 = 32816 \times 8 \times 1/100 = \text{■}2625$.

id=74584 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40485 at 4% per annum for 2 years. | option_a=3238 | option_b=3338 | option_c=3138 | option_d=43723 | answer=A | explanation=SI = $PRT/100 = 40485 \times 4 \times 2/100 = \text{■}3238$.

id=74585 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**380. If it is sold at a profit of 40%, what is its selling price? | option_a=532 | option_b=570 | option_c=420 | option_d=494 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 380 \times 140/100 = \text{■}532$.

id=74586 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4508. If it is sold at a profit of 50%, what is its selling price? | option_a=4558 | option_b=7212 | option_c=6312 | option_d=6762 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 4508 \times 150/100 = \text{■}6762$.

id=74587 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**173. If it is sold at a profit of 15%, what is its selling price? | option_a=215 | option_b=188 | option_c=198 | option_d=181 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 173 \times 115/100 = \text{■}198$.

id=74588 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=21 | option_b=19 | option_c=23 | option_d=22 | answer=A | explanation=The common difference is 2. Therefore the next term is $19 + 2 = 21$.

id=74589 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:13 and the first is 170, what is the second? | option_a=391 | option_b=231 | option_c=221 | option_d=208 | answer=C | explanation=Scale factor = $170/10 = 17$. Therefore second quantity = $13 \times 17 = 221$.

id=74590 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 44? | option_a=13 | option_b=44 | option_c=33 | option_d=23 | answer=B | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 44 is the odd one out.

id=74591 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=8 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=74592 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:12 and the first is 48, what is the second? | option_a=102 | option_b=84 | option_c=96 | option_d=144 | answer=C | explanation=Scale factor = $48/6 = 8$. Therefore second quantity = $12 \times 8 = 96$.

id=74593 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 52? | option_a=39 | option_b=52 | option_c=19 | option_d=29 | answer=B | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 52 is the odd one out.

id=74594 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=74595 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**367. If it is sold at a profit of 10%, what is its selling price? | option_a=439 | option_b=377 | option_c=367 | option_d=403 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 367 \times 110/100 = \text{■}403$.

id=74596 | topic=Percentages | difficulty=Easy | question=What is 50% of 560? | option_a=560 | option_b=300 | option_c=270 | option_d=280 | answer=D | explanation=50% of 560 = $(50/100) \times 560 = 280$.

id=74597 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=74598 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 9, 13, 19? | option_a=9 | option_b=19 | option_c=5 | option_d=13 | answer=B | explanation=The first three numbers increase by 4, so the next should be 17. Therefore 19 is the odd one out.

id=74599 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=X | option_c=M | option_d=H | answer=D | explanation=Move 5 positions forward from C; the resulting letter is H.

id=74600 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=30 | option_b=28 | option_c=24 | option_d=27 | answer=D | explanation=The common difference is 3. Therefore the next term is $24 + 3 = 27$.

id=74601 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 31, 36, 43? | option_a=26 | option_b=43 | option_c=31 | option_d=36 | answer=B | explanation=The first three numbers increase by 5, so the next should be 41. Therefore 43 is the odd one out.

id=74602 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:1 and the first is 60, what is the second? | option_a=5 | option_b=65 | option_c=17 | option_d=4 | answer=A | explanation=Scale factor = $60/12 = 5$. Therefore second quantity = $1 \times 5 = 5$.

id=74603 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48598 at 8% per annum for 1 years. | option_a=52485 | option_b=3987 | option_c=3887 | option_d=3787 | answer=C | explanation=SI = $PRT/100 = 48598 \times 8 \times 1/100 = \text{■}3887$.

id=74604 | topic=Averages | difficulty=Easy | question=Find the average of 80, 95, 86, 89, 88, 83, 66, 53, 33, 37. | option_a=70 | option_b=73 | option_c=71 | option_d=72 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 710 \div 10 = 71$.

id=74605 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19680 at 5% per annum for 2 years. | option_a=1868 | option_b=1968 | option_c=21648 | option_d=2068 | answer=B | explanation=SI = $PRT/100 = 19680 \times 5 \times 2/100 = \text{■}1968$.

id=74606 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=53 | option_b=54 | option_c=64 | option_d=42 | answer=A | explanation=The common difference is 11. Therefore the next term is $42 + 11 = 53$.

id=74607 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7377 at 15% per annum for 4 years. | option_a=4326 | option_b=11803 | option_c=4426 | option_d=4526 | answer=C | explanation=SI = $PRT/100 = 7377 \times 15 \times 4/100 = \text{■}4426$.

id=74608 | topic=Averages | difficulty=Easy | question=Find the average of 97, 87, 61, 69, 46, 35, 66, 83. | option_a=67 | option_b=68 | option_c=69 | option_d=70 | answer=B | explanation=Average = $\text{sum of values} \div \text{number of values} = 544 \div 8 = 68$.

id=74609 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=28 | option_b=22 | option_c=34 | option_d=29 | answer=A | explanation=The common difference is 6. Therefore the next term is $22 + 6 = 28$.

id=74610 | topic=Percentages | difficulty=Easy | question=What is 30% of 868? | option_a=520 | option_b=260 | option_c=265 | option_d=255 | answer=B | explanation=30% of 868 = $(30/100) \times 868 = 260$.

Aptitude Questions — Records 74,611-74,640 of 100,000

id=74611 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:1 and the first is 154, what is the second? | option_a=168 | option_b=25 | option_c=13 | option_d=14 | answer=D | explanation=Scale factor = 154/11 = 14. Therefore second quantity = 1×14 = 14.

id=74612 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=74613 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=P | option_c=S | option_d=J | answer=B | explanation=Move 3 positions forward from M; the resulting letter is P.

id=74614 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=74615 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=52 | option_b=34 | option_c=43 | option_d=44 | answer=C | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

id=74616 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3578. If it is sold at a profit of 30%, what is its selling price? | option_a=4651 | option_b=3608 | option_c=5008 | option_d=4294 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3578 × 130/100 = █4651.

id=74617 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 11, 19, 28? | option_a=28 | option_b=19 | option_c=3 | option_d=11 | answer=A | explanation=The first three numbers increase by 8, so the next should be 27. Therefore 28 is the odd one out.

id=74618 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=31 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=The common difference is 5. Therefore the next term is 25 + 5 = 30.

id=74619 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=74620 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=J | option_b=R | option_c=V | option_d=N | answer=B | explanation=Move 4 positions forward from N; the resulting letter is R.

id=74621 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:16 and the first is 40, what is the second? | option_a=72 | option_b=16 | option_c=32 | option_d=52 | answer=C | explanation=Scale factor = 40/20 = 2. Therefore second quantity = 16×2 = 32.

id=74622 | topic=Averages | difficulty=Easy | question=Find the average of 51, 96, 47, 65, 39, 63, 38, 89. | option_a=62 | option_b=60 | option_c=63 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 488 ÷ 8 = 61.

id=74623 | topic=Averages | difficulty=Easy | question=Find the average of 73, 75, 86, 23, 92, 26, 91, 49, 52. | option_a=64 | option_b=62 | option_c=65 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 567 ÷ 9 = 63.

id=74624 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=34 | option_b=33 | option_c=40 | option_d=26 | answer=B | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

id=74625 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=74626 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3737. If it is sold at a profit of 30%, what is its selling price? | option_a=3767 | option_b=4485 | option_c=5231 | option_d=4858 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3737 × 130/100 = █4858.

id=74627 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=51 | option_b=52 | option_c=61 | option_d=41 | answer=A | explanation=The common difference is 10. Therefore the next term is 41 + 10 = 51.

id=74628 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2872. If it is sold at a profit of 50%, what is its selling price? | option_a=2922 | option_b=4021 | option_c=4595 | option_d=4308 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2872 × 150/100 = █4308.

id=74629 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=74630 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 12, 14, 18? | option_a=14 | option_b=18 | option_c=12 | option_d=10 | answer=B | explanation=The first three numbers increase by 2, so the next should be 16. Therefore 18 is the odd one out.

id=74631 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13585 at 15% per annum for 3 years. | option_a=19698 | option_b=6013 | option_c=6213 | option_d=6113 | answer=D | explanation=SI = PRT/100 = 13585×15×3/100 = █6113.

id=74632 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:20 and the first is 140, what is the second? | option_a=200 | option_b=340 | option_c=180 | option_d=214 | answer=A | explanation=Scale factor = 140/14 = 10. Therefore second quantity = 20×10 = 200.

id=74633 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=7 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=74634 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:19 and the first is 110, what is the second? | option_a=300 | option_b=201 | option_c=190 | option_d=171 | answer=C | explanation=Scale factor = 110/11 = 10. Therefore second quantity = 19×10 = 190.

id=74635 | topic=Averages | difficulty=Easy | question=Find the average of 33, 42, 82, 57, 71. | option_a=59 | option_b=56 | option_c=58 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.

id=74636 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=74637 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:14 and the first is 247, what is the second? | option_a=168 | option_b=429 | option_c=182 | option_d=201 | answer=C | explanation=Scale factor = 247/19 = 13. Therefore second quantity = 14×13 = 182.

id=74638 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 31, 39, 50? | option_a=31 | option_b=50 | option_c=39 | option_d=23 | answer=B | explanation=The first three numbers increase by 8, so the next should be 47. Therefore 50 is the odd one out.

id=74639 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 33, 43, 55? | option_a=23 | option_b=55 | option_c=33 | option_d=43 | answer=B | explanation=The first three numbers increase by 10, so the next should be 53. Therefore 55 is the odd one out.

id=74640 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:14 and the first is 10, what is the second? | option_a=28 | option_b=14 | option_c=38 | option_d=33 | answer=A | explanation=Scale factor = 10/5 = 2. Therefore second quantity = 14×2 = 28.

Aptitude Questions — Records 74,641-74,670 of 100,000

id=74641 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13299 at 15% per annum for 5 years. | option_a=23273 | option_b=9974 | option_c=10074 | option_d=9874 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{13299 \times 15 \times 5}{100} = \text{■}9974$.

id=74642 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3208. If it is sold at a profit of 50%, what is its selling price? | option_a=5132 | option_b=4492 | option_c=3258 | option_d=4812 | answer=D | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%) / 100 = 3208 \times 150 / 100 = \text{■}4812$.

id=74643 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3867. If it is sold at a profit of 10%, what is its selling price? | option_a=3877 | option_b=4639 | option_c=4253 | option_d=3867 | answer=C | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%) / 100 = 3867 \times 110 / 100 = \text{■}4253$.

id=74644 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 24. | option_a=168 | option_b=672 | option_c=196 | option_d=144 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 28 \times 24$; $\text{HCF}(28, 24) = 4$, so $\text{LCM} = 168$.

id=74645 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:4 and the first is 45, what is the second? | option_a=105 | option_b=63 | option_c=60 | option_d=56 | answer=C | explanation= $\text{Scale factor} = 45 / 3 = 15$. Therefore second quantity = $4 \times 15 = 60$.

id=74646 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9944 at 5% per annum for 2 years. | option_a=10938 | option_b=994 | option_c=894 | option_d=1094 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{9944 \times 5 \times 2}{100} = \text{■}994$.

id=74647 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38628 at 10% per annum for 1 years. | option_a=42490 | option_b=3962 | option_c=3762 | option_d=3862 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{38628 \times 10 \times 1}{100} = \text{■}3862$.

id=74648 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 24, 32, 43? | option_a=32 | option_b=24 | option_c=43 | option_d=16 | answer=C | explanation=The first three numbers increase by 8, so the next should be 40. Therefore 43 is the odd one out.

id=74649 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3412. If it is sold at a profit of 25%, what is its selling price? | option_a=3437 | option_b=4265 | option_c=3924 | option_d=4606 | answer=B | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%) / 100 = 3412 \times 125 / 100 = \text{■}4265$.

id=74650 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=180 | option_c=90 | option_d=85 | answer=C | explanation= $\text{Speed} = \text{distance} \div \text{time} = 360 \div 4 = 90 \text{ km/h}$.

id=74651 | topic=Averages | difficulty=Easy | question=Find the average of 17, 48, 100, 24, 58, 94, 65. | option_a=60 | option_b=58 | option_c=59 | option_d=57 | answer=B | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 406 \div 7 = 58$.

id=74652 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:9 and the first is 380, what is the second? | option_a=551 | option_b=191 | option_c=162 | option_d=171 | answer=D | explanation= $\text{Scale factor} = 380 / 20 = 19$. Therefore second quantity = $9 \times 19 = 171$.

id=74653 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1882. If it is sold at a profit of 30%, what is its selling price? | option_a=2634 | option_b=1912 | option_c=2258 | option_d=2446 | answer=D | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%) / 100 = 1882 \times 130 / 100 = \text{■}2446$.

id=74654 | topic=Percentages | difficulty=Easy | question=What is 50% of 277? | option_a=138 | option_b=133 | option_c=276 | option_d=148 | answer=A | explanation= $50\% \text{ of } 277 = (50 / 100) \times 277 = 138$.

id=74655 | topic=Percentages | difficulty=Easy | question=What is 20% of 950? | option_a=380 | option_b=190 | option_c=200 | option_d=185 | answer=B | explanation= $20\% \text{ of } 950 = (20 / 100) \times 950 = 190$.

id=74656 | topic=Percentages | difficulty=Easy | question=What is 12% of 1799? | option_a=235 | option_b=215 | option_c=210 | option_d=430 | answer=B | explanation= $12\% \text{ of } 1799 = (12 / 100) \times 1799 = 215$.

id=74657 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=P | option_b=M | option_c=J | option_d=S | answer=A | explanation=Move 3 positions forward from M; the resulting letter is P.

id=74658 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 30? | option_a=16 | option_b=24 | option_c=20 | option_d=30 | answer=D | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 30 is the odd one out.

id=74659 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=4 | option_d=20 | answer=B | explanation= $\text{Combined rate} = 1/10 + 1/10 = 20/100$. Time = $100 / 20 = 5 \text{ days}$.

id=74660 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=144 | option_c=67 | option_d=77 | answer=A | explanation= $\text{Speed} = \text{distance} \div \text{time} = 360 \div 5 = 72 \text{ km/h}$.

id=74661 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=45 | option_b=50 | option_c=38 | option_d=44 | answer=D | explanation=The common difference is 6. Therefore the next term is $38 + 6 = 44$.

id=74662 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44625 at 4% per annum for 1 years. | option_a=1785 | option_b=1885 | option_c=1685 | option_d=46410 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{44625 \times 4 \times 1}{100} = \text{■}1785$.

id=74663 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=X | option_b=U | option_c=A | option_d=R | answer=A | explanation=Move 3 positions forward from U; the resulting letter is X.

id=74664 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=X | option_b=S | option_c=C | option_d=N | answer=A | explanation=Move 5 positions forward from S; the resulting letter is X.

id=74665 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4722 at 4% per annum for 1 years. | option_a=4910 | option_b=188 | option_c=288 | option_d=88 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{4722 \times 4 \times 1}{100} = \text{■}188$.

id=74666 | topic=Averages | difficulty=Easy | question=Find the average of 50, 74, 42, 47, 86, 10, 81, 55, 17, 48. | option_a=51 | option_b=52 | option_c=50 | option_d=53 | answer=A | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 510 \div 10 = 51$.

id=74667 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 28, 38, 50? | option_a=28 | option_b=18 | option_c=50 | option_d=38 | answer=C | explanation=The first three numbers increase by 10, so the next should be 48. Therefore 50 is the odd one out.

id=74668 | topic=Percentages | difficulty=Easy | question=What is 12% of 1714? | option_a=205 | option_b=215 | option_c=200 | option_d=410 | answer=A | explanation= $12\% \text{ of } 1714 = (12 / 100) \times 1714 = 205$.

id=74669 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 4. | option_a=56 | option_b=60 | option_c=120 | option_d=90 | answer=B | explanation= $\text{LCM} \times \text{HCF} = 30 \times 4$; $\text{HCF}(30, 4) = 2$, so $\text{LCM} = 60$.

id=74670 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3685. If it is sold at a profit of 5%, what is its selling price? | option_a=4237 | option_b=3690 | option_c=3501 | option_d=3869 | answer=D | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%) / 100 = 3685 \times 105 / 100 = \text{■}3869$.

Aptitude Questions — Records 74,671-74,700 of 100,000

id=74671 | topic=Profit & Loss | difficulty=Easy | question=An article costs █792. If it is sold at a profit of 10%, what is its selling price? | option_a=802 | option_b=871 | option_c=950 | option_d=792 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 792 × 110/100 = █871.

id=74672 | topic=Averages | difficulty=Easy | question=Find the average of 47, 51, 16. | option_a=40 | option_b=39 | option_c=37 | option_d=38 | answer=D | explanation=Average = sum of values ÷ number of values = 114 ÷ 3 = 38.

id=74673 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=74674 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=B | option_b=C | option_c=Z | option_d=A | answer=A | explanation=Move 1 positions forward from A; the resulting letter is B.

id=74675 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2464. If it is sold at a profit of 20%, what is its selling price? | option_a=2710 | option_b=2956 | option_c=2484 | option_d=3202 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2464 × 120/100 = █2956.

id=74676 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7485 at 4% per annum for 2 years. | option_a=698 | option_b=8083 | option_c=498 | option_d=598 | answer=D | explanation=SI = PRT/100 = 7485×4×2/100 = █598.

id=74677 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=33 | option_b=38 | option_c=26 | option_d=32 | answer=D | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=74678 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:17 and the first is 144, what is the second? | option_a=416 | option_b=255 | option_c=272 | option_d=281 | answer=C | explanation=Scale factor = 144/9 = 16. Therefore second quantity = 17×16 = 272.

id=74679 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 52? | option_a=20 | option_b=40 | option_c=52 | option_d=30 | answer=C | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 52 is the odd one out.

id=74680 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=Z | option_c=F | option_d=D | answer=D | explanation=Move 2 positions forward from B; the resulting letter is D.

id=74681 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=64 | option_b=74 | option_c=63 | option_d=52 | answer=C | explanation=The common difference is 11. Therefore the next term is 52 + 11 = 63.

id=74682 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46699 at 12% per annum for 2 years. | option_a=11207 | option_b=11107 | option_c=57906 | option_d=11307 | answer=A | explanation=SI = PRT/100 = 46699×12×2/100 = █11207.

id=74683 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 5, 8, 12? | option_a=12 | option_b=5 | option_c=8 | option_d=2 | answer=A | explanation=The first three numbers increase by 3, so the next should be 11. Therefore 12 is the odd one out.

id=74684 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=45 | option_b=31 | option_c=38 | option_d=39 | answer=C | explanation=The common difference is 7. Therefore the next term is 31 + 7 = 38.

id=74685 | topic=Percentages | difficulty=Easy | question=What is 20% of 1759? | option_a=351 | option_b=361 | option_c=341 | option_d=702 | answer=A | explanation=20% of 1759 = (20/100) × 1759 = 351.

id=74686 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:16 and the first is 6, what is the second? | option_a=54 | option_b=48 | option_c=32 | option_d=50 | answer=B | explanation=Scale factor = 6/2 = 3. Therefore second quantity = 16×3 = 48.

id=74687 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=13 | option_c=23 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=74688 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2976. If it is sold at a profit of 15%, what is its selling price? | option_a=3125 | option_b=3719 | option_c=3422 | option_d=2991 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2976 × 115/100 = █3422.

id=74689 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:9 and the first is 240, what is the second? | option_a=375 | option_b=151 | option_c=126 | option_d=135 | answer=D | explanation=Scale factor = 240/16 = 15. Therefore second quantity = 9×15 = 135.

id=74690 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=L | option_b=N | option_c=R | option_d=P | answer=D | explanation=Move 2 positions forward from N; the resulting letter is P.

id=74691 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=74692 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27267 at 5% per annum for 5 years. | option_a=34083 | option_b=6816 | option_c=6916 | option_d=6716 | answer=B | explanation=SI = PRT/100 = 27267×5×5/100 = █6816.

id=74693 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42259 at 4% per annum for 5 years. | option_a=50710 | option_b=8451 | option_c=8551 | option_d=8351 | answer=B | explanation=SI = PRT/100 = 42259×4×5/100 = █8451.

id=74694 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 26. | option_a=676 | option_b=1 | option_c=52 | option_d=26 | answer=D | explanation=LCM × HCF = 26×26; HCF(26,26) = 26, so LCM = 26.

id=74695 | topic=Averages | difficulty=Easy | question=Find the average of 67, 10, 91, 24, 43. | option_a=48 | option_b=49 | option_c=46 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 235 ÷ 5 = 47.

id=74696 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4941. If it is sold at a profit of 40%, what is its selling price? | option_a=6423 | option_b=6917 | option_c=7411 | option_d=4981 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4941 × 140/100 = █6917.

id=74697 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22828 at 5% per annum for 3 years. | option_a=3324 | option_b=3524 | option_c=3424 | option_d=26252 | answer=C | explanation=SI = PRT/100 = 22828×5×3/100 = █3424.

id=74698 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=74699 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=74700 | topic=Percentages | difficulty=Easy | question=What is 5% of 1403? | option_a=140 | option_b=60 | option_c=75 | option_d=70 | answer=D | explanation=5% of 1403 = (5/100) × 1403 = 70.

Aptitude Questions — Records 74,701-74,730 of 100,000

id=74701 | topic=Averages | difficulty=Easy | question=Find the average of 30, 72, 12, 24, 17, 75, 72, 96, 52. | option_a=49 | option_b=51 | option_c=50 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 450 ÷ 9 = 50.

id=74702 | topic=Profit & Loss | difficulty=Easy | question=An article costs █765. If it is sold at a profit of 5%, what is its selling price? | option_a=879 | option_b=803 | option_c=770 | option_d=727 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 765 × 105/100 = █803.

id=74703 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4952. If it is sold at a profit of 25%, what is its selling price? | option_a=6685 | option_b=6190 | option_c=5695 | option_d=4977 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4952 × 125/100 = █6190.

id=74704 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 14. | option_a=21 | option_b=98 | option_c=1 | option_d=14 | answer=D | explanation=LCM × HCF = 7×14; HCF(7,14) = 7, so LCM = 14.

id=74705 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:9 and the first is 90, what is the second? | option_a=90 | option_b=99 | option_c=180 | option_d=81 | answer=A | explanation=Scale factor = 90/9 = 10. Therefore second quantity = 9×10 = 90.

id=74706 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:2 and the first is 156, what is the second? | option_a=182 | option_b=24 | option_c=26 | option_d=38 | answer=C | explanation=Scale factor = 156/12 = 13. Therefore second quantity = 2×13 = 26.

id=74707 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=18 | option_b=19 | option_c=22 | option_d=14 | answer=A | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.

id=74708 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39228 at 15% per annum for 5 years. | option_a=29421 | option_b=68649 | option_c=29321 | option_d=29521 | answer=A | explanation=SI = PRT/100 = 39228×15×5/100 = █29421.

id=74709 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:5 and the first is 198, what is the second? | option_a=253 | option_b=55 | option_c=50 | option_d=73 | answer=B | explanation=Scale factor = 198/18 = 11. Therefore second quantity = 5×11 = 55.

id=74710 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:12 and the first is 136, what is the second? | option_a=212 | option_b=192 | option_c=340 | option_d=204 | answer=D | explanation=Scale factor = 136/8 = 17. Therefore second quantity = 12×17 = 204.

id=74711 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=V | option_b=W | option_c=U | option_d=T | answer=A | explanation=Move 1 positions forward from U; the resulting letter is V.

id=74712 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=T | option_b=K | option_c=N | option_d=Q | answer=D | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=74713 | topic=Percentages | difficulty=Easy | question=What is 5% of 304? | option_a=20 | option_b=30 | option_c=15 | option_d=5 | answer=C | explanation=5% of 304 = (5/100) × 304 = 15.

id=74714 | topic=Percentages | difficulty=Easy | question=What is 15% of 1005? | option_a=300 | option_b=150 | option_c=130 | option_d=170 | answer=B | explanation=15% of 1005 = (15/100) × 1005 = 150.

id=74715 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=74716 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 10, 15, 22? | option_a=22 | option_b=15 | option_c=10 | option_d=5 | answer=A | explanation=The first three numbers increase by 5, so the next should be 20. Therefore 22 is the odd one out.

id=74717 | topic=Percentages | difficulty=Easy | question=What is 5% of 1217? | option_a=70 | option_b=120 | option_c=40 | option_d=60 | answer=D | explanation=5% of 1217 = (5/100) × 1217 = 60.

id=74718 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=74719 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 60? | option_a=60 | option_b=47 | option_c=37 | option_d=27 | answer=A | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 60 is the odd one out.

id=74720 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=26 | option_b=28 | option_c=24 | option_d=27 | answer=A | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.

id=74721 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3349. If it is sold at a profit of 10%, what is its selling price? | option_a=3349 | option_b=3683 | option_c=4017 | option_d=3359 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3349 × 110/100 = █3683.

id=74722 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=74723 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=5 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=74724 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43410 at 12% per annum for 2 years. | option_a=10418 | option_b=53828 | option_c=10318 | option_d=10518 | answer=A | explanation=SI = PRT/100 = 43410×12×2/100 = █10418.

id=74725 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=1 | option_c=11 | option_d=12 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=74726 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=74727 | topic=Averages | difficulty=Easy | question=Find the average of 24, 38, 56, 71, 43, 54, 80, 50, 61, 43. | option_a=54 | option_b=51 | option_c=53 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 520 ÷ 10 = 52.

id=74728 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1359. If it is sold at a profit of 20%, what is its selling price? | option_a=1630 | option_b=1765 | option_c=1379 | option_d=1495 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1359 × 120/100 = █1630.

id=74729 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=74730 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=L | option_c=K | option_d=I | answer=C | explanation=Move 1 positions forward from J; the resulting letter is K.

Aptitude Questions — Records 74,731-74,760 of 100,000

id=74731 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=74732 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=74733 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=32 | option_b=33 | option_c=28 | option_d=36 | answer=A | explanation=The common difference is 4. Therefore the next term is 28 + 4 = 32.

id=74734 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:14 and the first is 36, what is the second? | option_a=120 | option_b=70 | option_c=84 | option_d=90 | answer=C | explanation=Scale factor = 36/6 = 6. Therefore second quantity = 14×6 = 84.

id=74735 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 31, 43, 55, ? | option_a=55 | option_b=79 | option_c=67 | option_d=68 | answer=C | explanation=The common difference is 12. Therefore the next term is 55 + 12 = 67.

id=74736 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 29, 33, 39? | option_a=33 | option_b=29 | option_c=39 | option_d=25 | answer=C | explanation=The first three numbers increase by 4, so the next should be 37. Therefore 39 is the odd one out.

id=74737 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=50 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=74738 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 33, 42, 52? | option_a=42 | option_b=52 | option_c=24 | option_d=33 | answer=B | explanation=The first three numbers increase by 9, so the next should be 51. Therefore 52 is the odd one out.

id=74739 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26291 at 12% per annum for 4 years. | option_a=12719 | option_b=12619 | option_c=12519 | option_d=38910 | answer=B | explanation=SI = PRT/100 = 26291×12×4/100 = **■**12619.

id=74740 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 26, 32, 39? | option_a=32 | option_b=39 | option_c=20 | option_d=26 | answer=B | explanation=The first three numbers increase by 6, so the next should be 38. Therefore 39 is the odd one out.

id=74741 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=12 | option_c=24 | option_d=17 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=74742 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:14 and the first is 192, what is the second? | option_a=184 | option_b=360 | option_c=154 | option_d=168 | answer=D | explanation=Scale factor = 192/16 = 12. Therefore second quantity = 14×12 = 168.

id=74743 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4237. If it is sold at a profit of 15%, what is its selling price? | option_a=4449 | option_b=4252 | option_c=4872 | option_d=5295 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4237 × 115/100 = **■**4872.

id=74744 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=K | option_c=U | option_d=Z | answer=C | explanation=Move 5 positions forward from P; the resulting letter is U.

id=74745 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=H | option_b=G | option_c=I | option_d=F | answer=A | explanation=Move 1 positions forward from G; the resulting letter is H.

id=74746 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=55 | option_b=35 | option_c=45 | option_d=46 | answer=C | explanation=The common difference is 10. Therefore the next term is 35 + 10 = 45.

id=74747 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 9, 14, 21? | option_a=4 | option_b=21 | option_c=14 | option_d=9 | answer=B | explanation=The first three numbers increase by 5, so the next should be 19. Therefore 21 is the odd one out.

id=74748 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 36? | option_a=36 | option_b=29 | option_c=17 | option_d=23 | answer=A | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 36 is the odd one out.

id=74749 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=74750 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=67 | option_c=72 | option_d=77 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=74751 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21827 at 4% per annum for 3 years. | option_a=2519 | option_b=24446 | option_c=2719 | option_d=2619 | answer=D | explanation=SI = PRT/100 = 21827×4×3/100 = **■**2619.

id=74752 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4450. If it is sold at a profit of 20%, what is its selling price? | option_a=4895 | option_b=5340 | option_c=5785 | option_d=4470 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4450 × 120/100 = **■**5340.

id=74753 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30834 at 12% per annum for 4 years. | option_a=14900 | option_b=14800 | option_c=45634 | option_d=14700 | answer=B | explanation=SI = PRT/100 = 30834×12×4/100 = **■**14800.

id=74754 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 21, 30, 39, ? | option_a=39 | option_b=57 | option_c=48 | option_d=49 | answer=C | explanation=The common difference is 9. Therefore the next term is 39 + 9 = 48.

id=74755 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=T | option_b=S | option_c=R | option_d=Q | answer=B | explanation=Move 1 positions forward from R; the resulting letter is S.

id=74756 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3006. If it is sold at a profit of 15%, what is its selling price? | option_a=3156 | option_b=3456 | option_c=3021 | option_d=3756 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3006 × 115/100 = **■**3456.

id=74757 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=74758 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2865. If it is sold at a profit of 40%, what is its selling price? | option_a=2905 | option_b=4297 | option_c=3725 | option_d=4011 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2865 × 140/100 = **■**4011.

id=74759 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 17, 19, 21, ? | option_a=21 | option_b=23 | option_c=25 | option_d=24 | answer=B | explanation=The common difference is 2. Therefore the next term is 21 + 2 = 23.

id=74760 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22667 at 6% per annum for 2 years. | option_a=2820 | option_b=2620 | option_c=2720 | option_d=25387 | answer=C | explanation=SI = PRT/100 = 22667×6×2/100 = **■**2720.

Aptitude Questions — Records 74,761-74,790 of 100,000

id=74761 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=74762 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:19 and the first is 20, what is the second? | option_a=381 | option_b=361 | option_c=380 | option_d=400 | answer=C | explanation=Scale factor = $\frac{20}{1} = 20$. Therefore second quantity = $19 \times 20 = 380$.

id=74763 | topic=Percentages | difficulty=Easy | question=What is 5% of 513? | option_a=45 | option_b=25 | option_c=50 | option_d=15 | answer=B | explanation=5% of 513 = $(\frac{5}{100}) \times 513 = 25$.

id=74764 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 29? | option_a=29 | option_b=22 | option_c=26 | option_d=24 | answer=A | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 29 is the odd one out.

id=74765 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16268 at 10% per annum for 4 years. | option_a=6607 | option_b=22775 | option_c=6407 | option_d=6507 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{16268 \times 10 \times 4}{100} = \text{■}6507$.

id=74766 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33253 at 5% per annum for 3 years. | option_a=4887 | option_b=38240 | option_c=4987 | option_d=5087 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{33253 \times 5 \times 3}{100} = \text{■}4987$.

id=74767 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=74768 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 15, 22, 30? | option_a=15 | option_b=22 | option_c=8 | option_d=30 | answer=D | explanation=The first three numbers increase by 7, so the next should be 29. Therefore 30 is the odd one out.

id=74769 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19164 at 8% per annum for 4 years. | option_a=6232 | option_b=6132 | option_c=25296 | option_d=6032 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{19164 \times 8 \times 4}{100} = \text{■}6132$.

id=74770 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20332 at 4% per annum for 1 years. | option_a=813 | option_b=21145 | option_c=713 | option_d=913 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{20332 \times 4 \times 1}{100} = \text{■}813$.

id=74771 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 8. | option_a=80 | option_b=40 | option_c=32 | option_d=50 | answer=B | explanation= $\text{LCM} \times \text{HCF} = 10 \times 8$; $\text{HCF}(10,8) = 2$, so $\text{LCM} = 40$.

id=74772 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=150 | option_d=80 | answer=A | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{150}{2} = 75$ km/h.

id=74773 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

id=74774 | topic=Percentages | difficulty=Easy | question=What is 40% of 312? | option_a=119 | option_b=124 | option_c=248 | option_d=134 | answer=B | explanation=40% of 312 = $(\frac{40}{100}) \times 312 = 124$.

id=74775 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=74776 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=43 | option_b=32 | option_c=52 | option_d=42 | answer=D | explanation=The common difference is 10. Therefore the next term is $32 + 10 = 42$.

id=74777 | topic=Averages | difficulty=Easy | question=Find the average of 10, 15, 40, 24, 71. | option_a=34 | option_b=32 | option_c=31 | option_d=33 | answer=B | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{160}{5} = 32$.

id=74778 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=46 | option_b=47 | option_c=53 | option_d=39 | answer=A | explanation=The common difference is 7. Therefore the next term is $39 + 7 = 46$.

id=74779 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=X | option_b=P | option_c=T | option_d=L | answer=C | explanation=Move 4 positions forward from P; the resulting letter is T.

id=74780 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 18. | option_a=18 | option_b=36 | option_c=324 | option_d=1 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 18 \times 18$; $\text{HCF}(18,18) = 18$, so $\text{LCM} = 18$.

id=74781 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2876. If it is sold at a profit of 20%, what is its selling price? | option_a=3451 | option_b=2896 | option_c=3738 | option_d=3164 | answer=A | explanation=Selling price = $\text{CP} \times (\frac{100 + \text{profit}\%}{100}) = 2876 \times \frac{120}{100} = \text{■}3451$.

id=74782 | topic=Averages | difficulty=Easy | question=Find the average of 70, 41, 95, 26, 96, 11, 16, 61. | option_a=52 | option_b=51 | option_c=54 | option_d=53 | answer=A | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{416}{8} = 52$.

id=74783 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:9 and the first is 361, what is the second? | option_a=190 | option_b=162 | option_c=171 | option_d=532 | answer=C | explanation=Scale factor = $\frac{361}{19} = 19$. Therefore second quantity = $9 \times 19 = 171$.

id=74784 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=33 | option_b=32 | option_c=38 | option_d=26 | answer=B | explanation=The common difference is 6. Therefore the next term is $26 + 6 = 32$.

id=74785 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2108. If it is sold at a profit of 15%, what is its selling price? | option_a=2424 | option_b=2214 | option_c=2123 | option_d=2634 | answer=A | explanation=Selling price = $\text{CP} \times (\frac{100 + \text{profit}\%}{100}) = 2108 \times \frac{115}{100} = \text{■}2424$.

id=74786 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=M | option_c=W | option_d=B | answer=C | explanation=Move 5 positions forward from R; the resulting letter is W.

id=74787 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = $\frac{1}{4} + \frac{1}{4} = \frac{8}{16}$. Time = $\frac{16}{8} = 2$ days.

id=74788 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=22 | option_b=23 | option_c=19 | option_d=25 | answer=A | explanation=The common difference is 3. Therefore the next term is $19 + 3 = 22$.

id=74789 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 16. | option_a=16 | option_b=18 | option_c=1 | option_d=32 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 2 \times 16$; $\text{HCF}(2,16) = 2$, so $\text{LCM} = 16$.

id=74790 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=40 | option_b=35 | option_c=30 | option_d=36 | answer=B | explanation=The common difference is 5. Therefore the next term is $30 + 5 = 35$.

Aptitude Questions — Records 74,791-74,820 of 100,000

id=74791 | topic=Percentages | difficulty=Easy | question=What is 5% of 1965? | option_a=93 | option_b=98 | option_c=118 | option_d=196 | answer=B | explanation=5% of 1965 = (5/100) × 1965 = 98.

id=74792 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33531 at 15% per annum for 1 years. | option_a=4929 | option_b=5129 | option_c=38560 | option_d=5029 | answer=D | explanation=SI = PRT/100 = 33531×15×1/100 = **■**5029.

id=74793 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2931. If it is sold at a profit of 40%, what is its selling price? | option_a=3810 | option_b=2971 | option_c=4396 | option_d=4103 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2931 × 140/100 = **■**4103.

id=74794 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=52 | option_b=41 | option_c=61 | option_d=51 | answer=D | explanation=The common difference is 10. Therefore the next term is 41 + 10 = 51.

id=74795 | topic=Percentages | difficulty=Easy | question=What is 25% of 475? | option_a=236 | option_b=108 | option_c=138 | option_d=118 | answer=D | explanation=25% of 475 = (25/100) × 475 = 118.

id=74796 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4310. If it is sold at a profit of 10%, what is its selling price? | option_a=4741 | option_b=4320 | option_c=4310 | option_d=5172 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4310 × 110/100 = **■**4741.

id=74797 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=4 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=74798 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4737. If it is sold at a profit of 25%, what is its selling price? | option_a=4762 | option_b=6394 | option_c=5921 | option_d=5448 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4737 × 125/100 = **■**5921.

id=74799 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22036 at 6% per annum for 5 years. | option_a=6510 | option_b=6710 | option_c=28646 | option_d=6610 | answer=D | explanation=SI = PRT/100 = 22036×6×5/100 = **■**6610.

id=74800 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:18 and the first is 208, what is the second? | option_a=496 | option_b=270 | option_c=301 | option_d=288 | answer=D | explanation=Scale factor = 208/13 = 16. Therefore second quantity = 18×16 = 288.

id=74801 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**488. If it is sold at a profit of 5%, what is its selling price? | option_a=464 | option_b=493 | option_c=560 | option_d=512 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 488 × 105/100 = **■**512.

id=74802 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 26. | option_a=624 | option_b=312 | option_c=286 | option_d=336 | answer=B | explanation=LCM × HCF = 24×26; HCF(24,26) = 2, so LCM = 312.

id=74803 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35640 at 6% per annum for 4 years. | option_a=8653 | option_b=44193 | option_c=8553 | option_d=8453 | answer=C | explanation=SI = PRT/100 = 35640×6×4/100 = **■**8553.

id=74804 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=F | option_c=H | option_d=B | answer=B | explanation=Move 2 positions forward from D; the resulting letter is F.

id=74805 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=74806 | topic=Percentages | difficulty=Easy | question=What is 12% of 468? | option_a=56 | option_b=66 | option_c=51 | option_d=112 | answer=A | explanation=12% of 468 = (12/100) × 468 = 56.

id=74807 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=74808 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=K | option_c=I | option_d=O | answer=A | explanation=Move 2 positions forward from K; the resulting letter is M.

id=74809 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2239. If it is sold at a profit of 40%, what is its selling price? | option_a=3134 | option_b=2911 | option_c=3357 | option_d=2279 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2239 × 140/100 = **■**3134.

id=74810 | topic=Averages | difficulty=Easy | question=Find the average of 36, 87, 96. | option_a=75 | option_b=74 | option_c=72 | option_d=73 | answer=D | explanation=Average = sum of values ÷ number of values = 219 ÷ 3 = 73.

id=74811 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=U | option_b=V | option_c=S | option_d=T | answer=A | explanation=Move 1 positions forward from T; the resulting letter is U.

id=74812 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=J | option_b=V | option_c=N | option_d=R | answer=D | explanation=Move 4 positions forward from N; the resulting letter is R.

id=74813 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=74814 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=67 | option_c=77 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=74815 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4609 at 10% per annum for 5 years. | option_a=6913 | option_b=2204 | option_c=2404 | option_d=2304 | answer=D | explanation=SI = PRT/100 = 4609×10×5/100 = **■**2304.

id=74816 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=74817 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=T | option_b=R | option_c=V | option_d=P | answer=A | explanation=Move 2 positions forward from R; the resulting letter is T.

id=74818 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 28, 38, 49? | option_a=28 | option_b=18 | option_c=49 | option_d=38 | answer=C | explanation=The first three numbers increase by 10, so the next should be 48. Therefore 49 is the odd one out.

id=74819 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=50 | option_b=61 | option_c=51 | option_d=39 | answer=A | explanation=The common difference is 11. Therefore the next term is 39 + 11 = 50.

id=74820 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 74,821-74,850 of 100,000

id=74821 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=150 | option_c=300 | option_d=155 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=74822 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=G | option_c=I | option_d=J | answer=C | explanation=Move 1 positions forward from H; the resulting letter is I.

id=74823 | topic=Percentages | difficulty=Easy | question=What is 40% of 71? | option_a=38 | option_b=56 | option_c=28 | option_d=8 | answer=C | explanation=40% of 71 = $(40/100) \times 71 = 28$.

id=74824 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41423 at 10% per annum for 5 years. | option_a=20711 | option_b=62134 | option_c=20611 | option_d=20811 | answer=A | explanation=SI = $PRT/100 = 41423 \times 10 \times 5/100 = \text{■}20711$.

id=74825 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 25? | option_a=25 | option_b=19 | option_c=21 | option_d=17 | answer=A | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 25 is the odd one out.

id=74826 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 43? | option_a=36 | option_b=43 | option_c=30 | option_d=24 | answer=B | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 43 is the odd one out.

id=74827 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=D | option_c=G | option_d=F | answer=D | explanation=Move 1 positions forward from E; the resulting letter is F.

id=74828 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17499 at 6% per annum for 2 years. | option_a=1999 | option_b=2099 | option_c=19598 | option_d=2199 | answer=B | explanation=SI = $PRT/100 = 17499 \times 6 \times 2/100 = \text{■}2099$.

id=74829 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=74830 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27829 at 8% per annum for 4 years. | option_a=9005 | option_b=36734 | option_c=8805 | option_d=8905 | answer=D | explanation=SI = $PRT/100 = 27829 \times 8 \times 4/100 = \text{■}8905$.

id=74831 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22554 at 6% per annum for 1 years. | option_a=1453 | option_b=1253 | option_c=1353 | option_d=23907 | answer=C | explanation=SI = $PRT/100 = 22554 \times 6 \times 1/100 = \text{■}1353$.

id=74832 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:14 and the first is 90, what is the second? | option_a=252 | option_b=257 | option_c=238 | option_d=342 | answer=A | explanation=Scale factor = $90/5 = 18$. Therefore second quantity = $14 \times 18 = 252$.

id=74833 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=74834 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 18? | option_a=11 | option_b=13 | option_c=18 | option_d=15 | answer=C | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 18 is the odd one out.

id=74835 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=32 | option_b=26 | option_c=30 | option_d=29 | answer=D | explanation=The common difference is 3. Therefore the next term is $26 + 3 = 29$.

id=74836 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 22, 25, 31? | option_a=31 | option_b=19 | option_c=22 | option_d=25 | answer=A | explanation=The first three numbers increase by 3, so the next should be 28. Therefore 31 is the odd one out.

id=74837 | topic=Percentages | difficulty=Easy | question=What is 5% of 543? | option_a=37 | option_b=27 | option_c=54 | option_d=7 | answer=B | explanation=5% of 543 = $(5/100) \times 543 = 27$.

id=74838 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=74839 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29684 at 12% per annum for 2 years. | option_a=7124 | option_b=36808 | option_c=7024 | option_d=7224 | answer=A | explanation=SI = $PRT/100 = 29684 \times 12 \times 2/100 = \text{■}7124$.

id=74840 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=71 | option_b=59 | option_c=60 | option_d=47 | answer=B | explanation=The common difference is 12. Therefore the next term is $47 + 12 = 59$.

id=74841 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30375 at 6% per annum for 2 years. | option_a=3545 | option_b=3645 | option_c=34020 | option_d=3745 | answer=B | explanation=SI = $PRT/100 = 30375 \times 6 \times 2/100 = \text{■}3645$.

id=74842 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:13 and the first is 180, what is the second? | option_a=143 | option_b=171 | option_c=336 | option_d=156 | answer=D | explanation=Scale factor = $180/15 = 12$. Therefore second quantity = $13 \times 12 = 156$.

id=74843 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=56 | option_b=67 | option_c=43 | option_d=55 | answer=D | explanation=The common difference is 12. Therefore the next term is $43 + 12 = 55$.

id=74844 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:14 and the first is 88, what is the second? | option_a=123 | option_b=98 | option_c=200 | option_d=112 | answer=D | explanation=Scale factor = $88/11 = 8$. Therefore second quantity = $14 \times 8 = 112$.

id=74845 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**801. If it is sold at a profit of 40%, what is its selling price? | option_a=1041 | option_b=1201 | option_c=1121 | option_d=841 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 801 \times 140/100 = \text{■}1121$.

id=74846 | topic=Percentages | difficulty=Easy | question=What is 30% of 1889? | option_a=1132 | option_b=576 | option_c=566 | option_d=546 | answer=C | explanation=30% of 1889 = $(30/100) \times 1889 = 566$.

id=74847 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:15 and the first is 153, what is the second? | option_a=152 | option_b=135 | option_c=288 | option_d=120 | answer=B | explanation=Scale factor = $153/17 = 9$. Therefore second quantity = $15 \times 9 = 135$.

id=74848 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=S | option_c=J | option_d=P | answer=D | explanation=Move 3 positions forward from M; the resulting letter is P.

id=74849 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=40 | option_b=51 | option_c=50 | option_d=60 | answer=C | explanation=The common difference is 10. Therefore the next term is $40 + 10 = 50$.

id=74850 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 24. | option_a=288 | option_b=24 | option_c=1 | option_d=36 | answer=B | explanation= $LCM \times HCF = 12 \times 24$; $HCF(12,24) = 12$, so $LCM = 24$.

Aptitude Questions — Records 74,851-74,880 of 100,000

id=74851 | topic=Averages | difficulty=Easy | question=Find the average of 94, 97, 38, 64, 99, 85, 87, 92. | option_a=84 | option_b=83 | option_c=82 | option_d=81 | answer=C | explanation=Average = sum of values ÷ number of values = 656 ÷ 8 = 82.

id=74852 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1148. If it is sold at a profit of 25%, what is its selling price? | option_a=1549 | option_b=1435 | option_c=1321 | option_d=1173 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1148 × 125/100 = █1435.

id=74853 | topic=Averages | difficulty=Easy | question=Find the average of 81, 31, 57, 18, 19, 71, 64, 75. | option_a=54 | option_b=52 | option_c=51 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=74854 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=V | option_b=L | option_c=G | option_d=Q | answer=D | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=74855 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=Y | option_b=J | option_c=O | option_d=T | answer=D | explanation=Move 5 positions forward from O; the resulting letter is T.

id=74856 | topic=Averages | difficulty=Easy | question=Find the average of 80, 26, 20. | option_a=43 | option_b=42 | option_c=44 | option_d=41 | answer=B | explanation=Average = sum of values ÷ number of values = 126 ÷ 3 = 42.

id=74857 | topic=Averages | difficulty=Easy | question=Find the average of 36, 54, 82, 34, 52, 24. | option_a=49 | option_b=48 | option_c=47 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 282 ÷ 6 = 47.

id=74858 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=74859 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:18 and the first is 143, what is the second? | option_a=211 | option_b=198 | option_c=180 | option_d=341 | answer=B | explanation=Scale factor = 143/13 = 11. Therefore second quantity = 18×11 = 198.

id=74860 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:14 and the first is 90, what is the second? | option_a=149 | option_b=126 | option_c=230 | option_d=140 | answer=D | explanation=Scale factor = 90/9 = 10. Therefore second quantity = 14×10 = 140.

id=74861 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31019 at 4% per annum for 1 years. | option_a=1240 | option_b=1340 | option_c=32259 | option_d=1140 | answer=A | explanation=SI = PRT/100 = 31019×4×1/100 = █1240.

id=74862 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 5. | option_a=15 | option_b=30 | option_c=75 | option_d=10 | answer=A | explanation=LCM × HCF = 15×5; HCF(15,5) = 5, so LCM = 15.

id=74863 | topic=Percentages | difficulty=Easy | question=What is 5% of 835? | option_a=21 | option_b=46 | option_c=41 | option_d=82 | answer=C | explanation=5% of 835 = (5/100) × 835 = 41.

id=74864 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2828. If it is sold at a profit of 30%, what is its selling price? | option_a=2858 | option_b=3394 | option_c=3676 | option_d=3958 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2828 × 130/100 = █3676.

id=74865 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 57? | option_a=38 | option_b=47 | option_c=29 | option_d=57 | answer=D | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 57 is the odd one out.

id=74866 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 58? | option_a=47 | option_b=58 | option_c=29 | option_d=38 | answer=B | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 58 is the odd one out.

id=74867 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=L | option_c=X | option_d=P | answer=A | explanation=Move 4 positions forward from P; the resulting letter is T.

id=74868 | topic=Percentages | difficulty=Easy | question=What is 25% of 989? | option_a=237 | option_b=267 | option_c=247 | option_d=494 | answer=C | explanation=25% of 989 = (25/100) × 989 = 247.

id=74869 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=O | option_b=U | option_c=S | option_d=Q | answer=C | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=74870 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=A | option_b=V | option_c=L | option_d=Q | answer=B | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=74871 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 24? | option_a=24 | option_b=15 | option_c=9 | option_d=3 | answer=A | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 24 is the odd one out.

id=74872 | topic=Profit & Loss | difficulty=Easy | question=An article costs █556. If it is sold at a profit of 30%, what is its selling price? | option_a=667 | option_b=722 | option_c=777 | option_d=586 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 556 × 130/100 = █722.

id=74873 | topic=Profit & Loss | difficulty=Easy | question=An article costs █405. If it is sold at a profit of 40%, what is its selling price? | option_a=607 | option_b=567 | option_c=445 | option_d=527 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 405 × 140/100 = █567.

id=74874 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=M | option_c=Q | option_d=E | answer=B | explanation=Move 4 positions forward from I; the resulting letter is M.

id=74875 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15897 at 6% per annum for 3 years. | option_a=2861 | option_b=2761 | option_c=18758 | option_d=2961 | answer=A | explanation=SI = PRT/100 = 15897×6×3/100 = █2861.

id=74876 | topic=Percentages | difficulty=Easy | question=What is 12% of 413? | option_a=29 | option_b=49 | option_c=98 | option_d=54 | answer=B | explanation=12% of 413 = (12/100) × 413 = 49.

id=74877 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=L | option_c=X | option_d=T | answer=D | explanation=Move 4 positions forward from P; the resulting letter is T.

id=74878 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=36 | option_b=31 | option_c=30 | option_d=24 | answer=C | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.

id=74879 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=D | option_c=H | option_d=P | answer=A | explanation=Move 4 positions forward from H; the resulting letter is L.

id=74880 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 36? | option_a=25 | option_b=9 | option_c=17 | option_d=36 | answer=D | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 36 is the odd one out.

Aptitude Questions — Records 74,881-74,910 of 100,000

id=74881 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■36563 at 8% per annum for 4 years. | option_a=48263 | option_b=11600 | option_c=11700 | option_d=11800 | answer=C | explanation=SI = PRT/100 = 36563×8×4/100 = ■11700.

id=74882 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=90 | option_c=40 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=74883 | topic=Percentages | difficulty=Easy | question=What is 30% of 1947? | option_a=584 | option_b=1168 | option_c=594 | option_d=574 | answer=A | explanation=30% of 1947 = (30/100) × 1947 = 584.

id=74884 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3918. If it is sold at a profit of 15%, what is its selling price? | option_a=3933 | option_b=4896 | option_c=4114 | option_d=4505 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3918 × 115/100 = ■4505.

id=74885 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=W | option_c=T | option_d=V | answer=D | explanation=Move 1 positions forward from U; the resulting letter is V.

id=74886 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:15 and the first is 85, what is the second? | option_a=75 | option_b=160 | option_c=92 | option_d=60 | answer=A | explanation=Scale factor = 85/17 = 5. Therefore second quantity = 15×5 = 75.

id=74887 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14210 at 12% per annum for 4 years. | option_a=21030 | option_b=6720 | option_c=6820 | option_d=6920 | answer=C | explanation=SI = PRT/100 = 14210×12×4/100 = ■6820.

id=74888 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=27 | option_b=30 | option_c=28 | option_d=24 | answer=A | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=74889 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 15? | option_a=9 | option_b=3 | option_c=6 | option_d=15 | answer=D | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 15 is the odd one out.

id=74890 | topic=Percentages | difficulty=Easy | question=What is 20% of 707? | option_a=282 | option_b=141 | option_c=161 | option_d=136 | answer=B | explanation=20% of 707 = (20/100) × 707 = 141.

id=74891 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 15, 23, 34? | option_a=15 | option_b=7 | option_c=23 | option_d=34 | answer=D | explanation=The first three numbers increase by 8, so the next should be 31. Therefore 34 is the odd one out.

id=74892 | topic=Percentages | difficulty=Easy | question=What is 10% of 1807? | option_a=360 | option_b=185 | option_c=180 | option_d=175 | answer=C | explanation=10% of 1807 = (10/100) × 1807 = 180.

id=74893 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1412. If it is sold at a profit of 15%, what is its selling price? | option_a=1623 | option_b=1427 | option_c=1482 | option_d=1764 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1412 × 115/100 = ■1623.

id=74894 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1742. If it is sold at a profit of 50%, what is its selling price? | option_a=2439 | option_b=2787 | option_c=2613 | option_d=1792 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1742 × 150/100 = ■2613.

id=74895 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:18 and the first is 153, what is the second? | option_a=306 | option_b=459 | option_c=315 | option_d=288 | answer=A | explanation=Scale factor = 153/9 = 17. Therefore second quantity = 18×17 = 306.

id=74896 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■3284 at 12% per annum for 3 years. | option_a=1182 | option_b=4466 | option_c=1282 | option_d=1082 | answer=A | explanation=SI = PRT/100 = 3284×12×3/100 = ■1182.

id=74897 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=74898 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=24 | option_c=12 | option_d=7 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=74899 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 23? | option_a=23 | option_b=16 | option_c=20 | option_d=18 | answer=A | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 23 is the odd one out.

id=74900 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=37 | option_b=34 | option_c=29 | option_d=33 | answer=D | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=74901 | topic=Percentages | difficulty=Easy | question=What is 30% of 1324? | option_a=397 | option_b=407 | option_c=794 | option_d=392 | answer=A | explanation=30% of 1324 = (30/100) × 1324 = 397.

id=74902 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 16. | option_a=80 | option_b=64 | option_c=90 | option_d=160 | answer=A | explanation=LCM × HCF = 10×16; HCF(10,16) = 2, so LCM = 80.

id=74903 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=20 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=74904 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 16, 25, 35? | option_a=35 | option_b=25 | option_c=7 | option_d=16 | answer=A | explanation=The first three numbers increase by 9, so the next should be 34. Therefore 35 is the odd one out.

id=74905 | topic=Averages | difficulty=Easy | question=Find the average of 59, 96, 88. | option_a=82 | option_b=80 | option_c=81 | option_d=83 | answer=C | explanation=Average = sum of values ÷ number of values = 243 ÷ 3 = 81.

id=74906 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:6 and the first is 9, what is the second? | option_a=12 | option_b=18 | option_c=21 | option_d=27 | answer=B | explanation=Scale factor = 9/3 = 3. Therefore second quantity = 6×3 = 18.

id=74907 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=74908 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4821. If it is sold at a profit of 5%, what is its selling price? | option_a=5062 | option_b=4580 | option_c=4826 | option_d=5544 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4821 × 105/100 = ■5062.

id=74909 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=74910 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=61 | option_b=62 | option_c=72 | option_d=50 | answer=A | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.

Aptitude Questions — Records 74,911-74,940 of 100,000

id=74911 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=30 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=74912 | topic=Percentages | difficulty=Easy | question=What is 50% of 258? | option_a=129 | option_b=258 | option_c=119 | option_d=149 | answer=A | explanation=50% of 258 = (50/100) × 258 = 129.

id=74913 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=50 | option_b=49 | option_c=58 | option_d=40 | answer=B | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

id=74914 | topic=Averages | difficulty=Easy | question=Find the average of 35, 94, 16, 53, 50, 33, 46, 97. | option_a=52 | option_b=54 | option_c=55 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.

id=74915 | topic=Averages | difficulty=Easy | question=Find the average of 66, 39, 76, 22, 57, 38, 66, 49, 46. | option_a=50 | option_b=51 | option_c=52 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 459 ÷ 9 = 51.

id=74916 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=43 | option_b=63 | option_c=54 | option_d=53 | answer=D | explanation=The common difference is 10. Therefore the next term is 43 + 10 = 53.

id=74917 | topic=Averages | difficulty=Easy | question=Find the average of 57, 93, 67, 49, 97, 41, 66, 90. | option_a=69 | option_b=72 | option_c=70 | option_d=71 | answer=C | explanation=Average = sum of values ÷ number of values = 560 ÷ 8 = 70.

id=74918 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=74919 | topic=Averages | difficulty=Easy | question=Find the average of 25, 51, 87, 25, 28, 60, 74, 71, 65. | option_a=53 | option_b=55 | option_c=56 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 486 ÷ 9 = 54.

id=74920 | topic=Percentages | difficulty=Easy | question=What is 12% of 61? | option_a=14 | option_b=7 | option_c=27 | option_d=0 | answer=B | explanation=12% of 61 = (12/100) × 61 = 7.

id=74921 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=19 | option_c=24 | option_d=48 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=74922 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=U | option_c=R | option_d=T | answer=D | explanation=Move 1 positions forward from S; the resulting letter is T.

id=74923 | topic=Percentages | difficulty=Easy | question=What is 30% of 385? | option_a=125 | option_b=115 | option_c=105 | option_d=230 | answer=B | explanation=30% of 385 = (30/100) × 385 = 115.

id=74924 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:11 and the first is 162, what is the second? | option_a=117 | option_b=99 | option_c=261 | option_d=88 | answer=B | explanation=Scale factor = 162/18 = 9. Therefore second quantity = 11×9 = 99.

id=74925 | topic=Averages | difficulty=Easy | question=Find the average of 29, 69, 94, 89, 78, 66, 58. | option_a=70 | option_b=71 | option_c=69 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 483 ÷ 7 = 69.

id=74926 | topic=Averages | difficulty=Easy | question=Find the average of 83, 67, 79, 34, 58, 41, 94, 64. | option_a=64 | option_b=65 | option_c=66 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = 520 ÷ 8 = 65.

id=74927 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=V | option_b=L | option_c=A | option_d=Q | answer=A | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=74928 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 18, 26, 37? | option_a=18 | option_b=26 | option_c=10 | option_d=37 | answer=D | explanation=The first three numbers increase by 8, so the next should be 34. Therefore 37 is the odd one out.

id=74929 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=W | option_b=Q | option_c=N | option_d=T | answer=D | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=74930 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=39 | option_b=59 | option_c=50 | option_d=49 | answer=D | explanation=The common difference is 10. Therefore the next term is 39 + 10 = 49.

id=74931 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=M | option_c=Q | option_d=O | answer=C | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=74932 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48126 at 6% per annum for 4 years. | option_a=11650 | option_b=11550 | option_c=11450 | option_d=59676 | answer=B | explanation=SI = PRT/100 = 48126×6×4/100 = █11550.

id=74933 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=74934 | topic=Averages | difficulty=Easy | question=Find the average of 24, 82, 44, 81, 16, 68, 22, 55. | option_a=50 | option_b=48 | option_c=49 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 392 ÷ 8 = 49.

id=74935 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=74936 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=74937 | topic=Percentages | difficulty=Easy | question=What is 10% of 1992? | option_a=204 | option_b=398 | option_c=189 | option_d=199 | answer=D | explanation=10% of 1992 = (10/100) × 1992 = 199.

id=74938 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2022. If it is sold at a profit of 40%, what is its selling price? | option_a=3032 | option_b=2628 | option_c=2830 | option_d=2062 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2022 × 140/100 = █2830.

id=74939 | topic=Averages | difficulty=Easy | question=Find the average of 21, 71, 28, 79, 96. | option_a=58 | option_b=61 | option_c=60 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 295 ÷ 5 = 59.

id=74940 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:3 and the first is 96, what is the second? | option_a=44 | option_b=36 | option_c=33 | option_d=132 | answer=B | explanation=Scale factor = 96/8 = 12. Therefore second quantity = 3×12 = 36.

Aptitude Questions — Records 74,941-74,970 of 100,000

id=74941 | topic=Averages | difficulty=Easy | question=Find the average of 11, 46, 27, 100, 31, 62, 94. | option_a=52 | option_b=54 | option_c=55 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = $371 \div 7 = 53$.

id=74942 | topic=Averages | difficulty=Easy | question=Find the average of 43, 98, 83, 47, 56, 95, 41, 20, 93. | option_a=66 | option_b=65 | option_c=64 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = $576 \div 9 = 64$.

id=74943 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=34 | option_b=41 | option_c=27 | option_d=35 | answer=A | explanation=The common difference is 7. Therefore the next term is $27 + 7 = 34$.

id=74944 | topic=Percentages | difficulty=Easy | question=What is 30% of 909? | option_a=262 | option_b=272 | option_c=544 | option_d=277 | answer=B | explanation=30% of 909 = $(30/100) \times 909 = 272$.

id=74945 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=B | option_c=H | option_d=K | answer=C | explanation=Move 3 positions forward from E; the resulting letter is H.

id=74946 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=50 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = $90 \div 2 = 45$ km/h.

id=74947 | topic=Averages | difficulty=Easy | question=Find the average of 100, 90, 62, 46, 82. | option_a=76 | option_b=78 | option_c=75 | option_d=77 | answer=A | explanation=Average = sum of values ÷ number of values = $380 \div 5 = 76$.

id=74948 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3855. If it is sold at a profit of 10%, what is its selling price? | option_a=3855 | option_b=4240 | option_c=3865 | option_d=4625 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3855 \times 110/100 = \text{█}4240$.

id=74949 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=P | option_b=R | option_c=V | option_d=T | answer=D | explanation=Move 2 positions forward from R; the resulting letter is T.

id=74950 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49163 at 8% per annum for 2 years. | option_a=7866 | option_b=57029 | option_c=7966 | option_d=7766 | answer=A | explanation=SI = $PRT/100 = 49163 \times 8 \times 2/100 = \text{█}7866$.

id=74951 | topic=Profit & Loss | difficulty=Easy | question=An article costs █879. If it is sold at a profit of 10%, what is its selling price? | option_a=1053 | option_b=889 | option_c=966 | option_d=879 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 879 \times 110/100 = \text{█}966$.

id=74952 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 49? | option_a=27 | option_b=49 | option_c=17 | option_d=37 | answer=B | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 49 is the odd one out.

id=74953 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 18, 26, 35? | option_a=10 | option_b=26 | option_c=18 | option_d=35 | answer=D | explanation=The first three numbers increase by 8, so the next should be 34. Therefore 35 is the odd one out.

id=74954 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=J | option_c=H | option_d=F | answer=B | explanation=Move 2 positions forward from H; the resulting letter is J.

id=74955 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 9. | option_a=18 | option_b=54 | option_c=243 | option_d=27 | answer=D | explanation= $LCM \times HCF = 27 \times 9$; $HCF(27, 9) = 9$, so $LCM = 27$.

id=74956 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=72 | option_c=41 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = $180 \div 5 = 36$ km/h.

id=74957 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:6 and the first is 4, what is the second? | option_a=28 | option_b=18 | option_c=25 | option_d=24 | answer=D | explanation=Scale factor = $4/1 = 4$. Therefore second quantity = $6 \times 4 = 24$.

id=74958 | topic=Percentages | difficulty=Easy | question=What is 50% of 1056? | option_a=538 | option_b=528 | option_c=518 | option_d=1056 | answer=B | explanation=50% of 1056 = $(50/100) \times 1056 = 528$.

id=74959 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = $120 \div 2 = 60$ km/h.

id=74960 | topic=Percentages | difficulty=Easy | question=What is 25% of 1644? | option_a=401 | option_b=822 | option_c=411 | option_d=416 | answer=C | explanation=25% of 1644 = $(25/100) \times 1644 = 411$.

id=74961 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=80 | option_c=70 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = $150 \div 2 = 75$ km/h.

id=74962 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1051. If it is sold at a profit of 40%, what is its selling price? | option_a=1366 | option_b=1091 | option_c=1471 | option_d=1576 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1051 \times 140/100 = \text{█}1471$.

id=74963 | topic=Percentages | difficulty=Easy | question=What is 50% of 974? | option_a=487 | option_b=467 | option_c=974 | option_d=507 | answer=A | explanation=50% of 974 = $(50/100) \times 974 = 487$.

id=74964 | topic=Percentages | difficulty=Easy | question=What is 25% of 1187? | option_a=291 | option_b=296 | option_c=316 | option_d=592 | answer=B | explanation=25% of 1187 = $(25/100) \times 1187 = 296$.

id=74965 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=V | option_c=G | option_d=Q | answer=D | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=74966 | topic=Averages | difficulty=Easy | question=Find the average of 37, 80, 16, 78, 85, 18, 64. | option_a=56 | option_b=54 | option_c=55 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = $378 \div 7 = 54$.

id=74967 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=24 | option_c=48 | option_d=19 | answer=B | explanation=Speed = distance ÷ time = $240 \div 10 = 24$ km/h.

id=74968 | topic=Percentages | difficulty=Easy | question=What is 12% of 791? | option_a=188 | option_b=74 | option_c=104 | option_d=94 | answer=D | explanation=12% of 791 = $(12/100) \times 791 = 94$.

id=74969 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 23, 25, 28? | option_a=28 | option_b=21 | option_c=23 | option_d=25 | answer=A | explanation=The first three numbers increase by 2, so the next should be 27. Therefore 28 is the odd one out.

id=74970 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = $150 \div 5 = 30$ km/h.

Aptitude Questions — Records 74,971-75,000 of 100,000

id=74971 | topic=Percentages | difficulty=Easy | question=What is 10% of 795? | option_a=79 | option_b=69 | option_c=158 | option_d=84 | answer=A | explanation=10% of 795 = (10/100) × 795 = 79.

id=74972 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=N | option_b=S | option_c=X | option_d=C | answer=C | explanation=Move 5 positions forward from S; the resulting letter is X.

id=74973 | topic=Averages | difficulty=Easy | question=Find the average of 28, 56, 19, 46, 71, 26, 72, 67, 76, 89. | option_a=54 | option_b=57 | option_c=55 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 550 ÷ 10 = 55.

id=74974 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 13, 18, 23, ? | option_a=33 | option_b=29 | option_c=23 | option_d=28 | answer=D | explanation=The common difference is 5. Therefore the next term is 23 + 5 = 28.

id=74975 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 35, 45, 56? | option_a=35 | option_b=56 | option_c=25 | option_d=45 | answer=B | explanation=The first three numbers increase by 10, so the next should be 55. Therefore 56 is the odd one out.

id=74976 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=G | option_c=E | option_d=A | answer=C | explanation=Move 2 positions forward from C; the resulting letter is E.

id=74977 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:10 and the first is 150, what is the second? | option_a=115 | option_b=90 | option_c=250 | option_d=100 | answer=D | explanation=Scale factor = 150/15 = 10. Therefore second quantity = 10×10 = 100.

id=74978 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20437 at 5% per annum for 2 years. | option_a=2143 | option_b=1943 | option_c=2043 | option_d=22480 | answer=C | explanation=SI = PRT/100 = 20437×5×2/100 = **■**2043.

id=74979 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=46 | option_b=47 | option_c=57 | option_d=35 | answer=A | explanation=The common difference is 11. Therefore the next term is 35 + 11 = 46.

id=74980 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1038. If it is sold at a profit of 50%, what is its selling price? | option_a=1454 | option_b=1660 | option_c=1557 | option_d=1088 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1038 × 150/100 = **■**1557.

id=74981 | topic=Percentages | difficulty=Easy | question=What is 15% of 1574? | option_a=241 | option_b=472 | option_c=216 | option_d=236 | answer=D | explanation=15% of 1574 = (15/100) × 1574 = 236.

id=74982 | topic=Percentages | difficulty=Easy | question=What is 20% of 563? | option_a=107 | option_b=112 | option_c=132 | option_d=224 | answer=B | explanation=20% of 563 = (20/100) × 563 = 112.

id=74983 | topic=Percentages | difficulty=Easy | question=What is 12% of 1953? | option_a=468 | option_b=239 | option_c=214 | option_d=234 | answer=D | explanation=12% of 1953 = (12/100) × 1953 = 234.

id=74984 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=O | option_b=U | option_c=S | option_d=Q | answer=C | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=74985 | topic=Averages | difficulty=Easy | question=Find the average of 69, 60, 13, 56, 17, 51, 21. | option_a=41 | option_b=42 | option_c=40 | option_d=43 | answer=A | explanation=Average = sum of values ÷ number of values = 287 ÷ 7 = 41.

id=74986 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 34? | option_a=16 | option_b=24 | option_c=8 | option_d=34 | answer=D | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 34 is the odd one out.

id=74987 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4026. If it is sold at a profit of 50%, what is its selling price? | option_a=6441 | option_b=6039 | option_c=4076 | option_d=5637 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4026 × 150/100 = **■**6039.

id=74988 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**750. If it is sold at a profit of 20%, what is its selling price? | option_a=975 | option_b=900 | option_c=770 | option_d=825 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 750 × 120/100 = **■**900.

id=74989 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:9 and the first is 132, what is the second? | option_a=108 | option_b=240 | option_c=99 | option_d=119 | answer=A | explanation=Scale factor = 132/11 = 12. Therefore second quantity = 9×12 = 108.

id=74990 | topic=Percentages | difficulty=Easy | question=What is 5% of 815? | option_a=20 | option_b=80 | option_c=45 | option_d=40 | answer=D | explanation=5% of 815 = (5/100) × 815 = 40.

id=74991 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 14. | option_a=56 | option_b=42 | option_c=112 | option_d=64 | answer=A | explanation=LCM × HCF = 8×14; HCF(8,14) = 2, so LCM = 56.

id=74992 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=35 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=74993 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 47? | option_a=26 | option_b=38 | option_c=32 | option_d=47 | answer=D | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 47 is the odd one out.

id=74994 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=53 | option_b=62 | option_c=52 | option_d=42 | answer=C | explanation=The common difference is 10. Therefore the next term is 42 + 10 = 52.

id=74995 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31761 at 15% per annum for 4 years. | option_a=18956 | option_b=50817 | option_c=19156 | option_d=19056 | answer=D | explanation=SI = PRT/100 = 31761×15×4/100 = **■**19056.

id=74996 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 11, 20, 30? | option_a=11 | option_b=2 | option_c=30 | option_d=20 | answer=C | explanation=The first three numbers increase by 9, so the next should be 29. Therefore 30 is the odd one out.

id=74997 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3045. If it is sold at a profit of 10%, what is its selling price? | option_a=3653 | option_b=3045 | option_c=3349 | option_d=3055 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3045 × 110/100 = **■**3349.

id=74998 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12688 at 10% per annum for 1 years. | option_a=13956 | option_b=1268 | option_c=1368 | option_d=1168 | answer=B | explanation=SI = PRT/100 = 12688×10×1/100 = **■**1268.

id=74999 | topic=Percentages | difficulty=Easy | question=What is 5% of 411? | option_a=40 | option_b=10 | option_c=20 | option_d=25 | answer=C | explanation=5% of 411 = (5/100) × 411 = 20.

id=75000 | topic=Percentages | difficulty=Easy | question=What is 5% of 1999? | option_a=94 | option_b=99 | option_c=119 | option_d=198 | answer=B | explanation=5% of 1999 = (5/100) × 1999 = 99.

Aptitude Questions — Records 75,001-75,030 of 100,000

id=75001 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=75002 | topic=Averages | difficulty=Easy | question=Find the average of 57, 13, 10, 99, 51. | option_a=48 | option_b=46 | option_c=47 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{230}{5} = 46$.

id=75003 | topic=Averages | difficulty=Easy | question=Find the average of 86, 43, 38, 91, 46, 29, 88, 67. | option_a=61 | option_b=63 | option_c=62 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{488}{8} = 61$.

id=75004 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12} = 3$ days.

id=75005 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 8. | option_a=48 | option_b=112 | option_c=56 | option_d=70 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 14 \times 8$; $\text{HCF}(14,8) = 2$, so $\text{LCM} = 56$.

id=75006 | topic=Percentages | difficulty=Easy | question=What is 15% of 1988? | option_a=318 | option_b=596 | option_c=298 | option_d=288 | answer=C | explanation= $15\% \text{ of } 1988 = \frac{15}{100} \times 1988 = 298$.

id=75007 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does "F" become? | option_a=H | option_b=D | option_c=F | option_d=J | answer=A | explanation=Move 2 positions forward from F; the resulting letter is H.

id=75008 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:16 and the first is 190, what is the second? | option_a=314 | option_b=494 | option_c=304 | option_d=288 | answer=C | explanation=Scale factor = $\frac{190}{10} = 19$. Therefore second quantity = $16 \times 19 = 304$.

id=75009 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=75010 | topic=Averages | difficulty=Easy | question=Find the average of 29, 97, 87, 70, 10, 25, 25, 48, 97, 22. | option_a=52 | option_b=50 | option_c=51 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{510}{10} = 51$.

id=75011 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=31 | option_b=38 | option_c=24 | option_d=32 | answer=A | explanation=The common difference is 7. Therefore the next term is $24 + 7 = 31$.

id=75012 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 18. | option_a=90 | option_b=72 | option_c=540 | option_d=120 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 30 \times 18$; $\text{HCF}(30,18) = 6$, so $\text{LCM} = 90$.

id=75013 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $\frac{1}{4} + \frac{1}{4} = \frac{8}{16}$. Time = $\frac{16}{8} = 2$ days.

id=75014 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:13 and the first is 306, what is the second? | option_a=540 | option_b=221 | option_c=251 | option_d=234 | answer=D | explanation=Scale factor = $\frac{306}{17} = 18$. Therefore second quantity = $13 \times 18 = 234$.

id=75015 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30362 at 4% per annum for 4 years. | option_a=4857 | option_b=4957 | option_c=4757 | option_d=35219 | answer=A | explanation= $\text{SI} = \frac{\text{PRT}}{100} = \frac{30362 \times 4 \times 4}{100} = \text{■}4857$.

id=75016 | topic=Percentages | difficulty=Easy | question=What is 15% of 1967? | option_a=590 | option_b=295 | option_c=290 | option_d=305 | answer=B | explanation= $15\% \text{ of } 1967 = \frac{15}{100} \times 1967 = 295$.

id=75017 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 5. | option_a=1 | option_b=10 | option_c=5 | option_d=25 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 5 \times 5$; $\text{HCF}(5,5) = 5$, so $\text{LCM} = 5$.

id=75018 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:3 and the first is 35, what is the second? | option_a=15 | option_b=22 | option_c=50 | option_d=12 | answer=A | explanation=Scale factor = $\frac{35}{7} = 5$. Therefore second quantity = $3 \times 5 = 15$.

id=75019 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3715 at 6% per annum for 3 years. | option_a=568 | option_b=668 | option_c=4383 | option_d=768 | answer=B | explanation= $\text{SI} = \frac{\text{PRT}}{100} = \frac{3715 \times 6 \times 3}{100} = \text{■}668$.

id=75020 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1928. If it is sold at a profit of 40%, what is its selling price? | option_a=2891 | option_b=2699 | option_c=2507 | option_d=1968 | answer=B | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 1928 \times \frac{140}{100} = \text{■}2699$.

id=75021 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 13, 20, 30? | option_a=13 | option_b=30 | option_c=20 | option_d=6 | answer=B | explanation=The first three numbers increase by 7, so the next should be 27. Therefore 30 is the odd one out.

id=75022 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4822. If it is sold at a profit of 40%, what is its selling price? | option_a=7232 | option_b=4862 | option_c=6750 | option_d=6268 | answer=C | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 4822 \times \frac{140}{100} = \text{■}6750$.

id=75023 | topic=Averages | difficulty=Easy | question=Find the average of 99, 28, 65, 67, 70, 37, 19. | option_a=55 | option_b=54 | option_c=56 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{385}{7} = 55$.

id=75024 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21305 at 5% per annum for 2 years. | option_a=23435 | option_b=2030 | option_c=2130 | option_d=2230 | answer=C | explanation= $\text{SI} = \frac{\text{PRT}}{100} = \frac{21305 \times 5 \times 2}{100} = \text{■}2130$.

id=75025 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 15, 19, 24? | option_a=24 | option_b=11 | option_c=15 | option_d=19 | answer=A | explanation=The first three numbers increase by 4, so the next should be 23. Therefore 24 is the odd one out.

id=75026 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**726. If it is sold at a profit of 5%, what is its selling price? | option_a=834 | option_b=762 | option_c=731 | option_d=690 | answer=B | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 726 \times \frac{105}{100} = \text{■}762$.

id=75027 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7057 at 6% per annum for 4 years. | option_a=1593 | option_b=8750 | option_c=1693 | option_d=1793 | answer=C | explanation= $\text{SI} = \frac{\text{PRT}}{100} = \frac{7057 \times 6 \times 4}{100} = \text{■}1693$.

id=75028 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=I | option_b=M | option_c=K | option_d=O | answer=B | explanation=Move 2 positions forward from K; the resulting letter is M.

id=75029 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**871. If it is sold at a profit of 20%, what is its selling price? | option_a=1132 | option_b=891 | option_c=958 | option_d=1045 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 871 \times \frac{120}{100} = \text{■}1045$.

id=75030 | topic=Percentages | difficulty=Easy | question=What is 25% of 1081? | option_a=270 | option_b=260 | option_c=280 | option_d=540 | answer=A | explanation= $25\% \text{ of } 1081 = \frac{25}{100} \times 1081 = 270$.

Aptitude Questions — Records 75,031-75,060 of 100,000

id=75031 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 26, 33, 41? | option_a=41 | option_b=33 | option_c=26 | option_d=19 | answer=A | explanation=The first three numbers increase by 7, so the next should be 40. Therefore 41 is the odd one out.

id=75032 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=360 | option_c=180 | option_d=185 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=75033 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4357. If it is sold at a profit of 40%, what is its selling price? | option_a=6099 | option_b=5664 | option_c=4397 | option_d=6534 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4357 × 140/100 = █6099.

id=75034 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 33? | option_a=18 | option_b=24 | option_c=33 | option_d=12 | answer=C | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 33 is the odd one out.

id=75035 | topic=Percentages | difficulty=Easy | question=What is 10% of 1887? | option_a=178 | option_b=376 | option_c=188 | option_d=208 | answer=C | explanation=10% of 1887 = (10/100) × 1887 = 188.

id=75036 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 15, 21, 29? | option_a=15 | option_b=21 | option_c=9 | option_d=29 | answer=D | explanation=The first three numbers increase by 6, so the next should be 27. Therefore 29 is the odd one out.

id=75037 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2223. If it is sold at a profit of 5%, what is its selling price? | option_a=2228 | option_b=2112 | option_c=2334 | option_d=2556 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2223 × 105/100 = █2334.

id=75038 | topic=Percentages | difficulty=Easy | question=What is 50% of 128? | option_a=64 | option_b=84 | option_c=44 | option_d=128 | answer=A | explanation=50% of 128 = (50/100) × 128 = 64.

id=75039 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=75040 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14476 at 6% per annum for 4 years. | option_a=17950 | option_b=3574 | option_c=3374 | option_d=3474 | answer=D | explanation=SI = PRT/100 = 14476×6×4/100 = █3474.

id=75041 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 33, 42, 53? | option_a=24 | option_b=33 | option_c=53 | option_d=42 | answer=C | explanation=The first three numbers increase by 9, so the next should be 51. Therefore 53 is the odd one out.

id=75042 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=75043 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3772. If it is sold at a profit of 5%, what is its selling price? | option_a=3777 | option_b=3583 | option_c=3960 | option_d=4337 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3772 × 105/100 = █3960.

id=75044 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=240 | option_c=125 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=75045 | topic=Number System | difficulty=Easy | question=Find the LCM of 23 and 23. | option_a=23 | option_b=529 | option_c=1 | option_d=46 | answer=A | explanation=LCM × HCF = 23×23; HCF(23,23) = 23, so LCM = 23.

id=75046 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 38, 46, 56? | option_a=46 | option_b=38 | option_c=30 | option_d=56 | answer=D | explanation=The first three numbers increase by 8, so the next should be 54. Therefore 56 is the odd one out.

id=75047 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=75048 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=9 | option_c=14 | option_d=18 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=75049 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=75050 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=75051 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2932. If it is sold at a profit of 40%, what is its selling price? | option_a=4397 | option_b=2972 | option_c=3811 | option_d=4104 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2932 × 140/100 = █4104.

id=75052 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=75053 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3516. If it is sold at a profit of 5%, what is its selling price? | option_a=3521 | option_b=3691 | option_c=4042 | option_d=3340 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3516 × 105/100 = █3691.

id=75054 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=46 | option_b=64 | option_c=55 | option_d=56 | answer=C | explanation=The common difference is 9. Therefore the next term is 46 + 9 = 55.

id=75055 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:9 and the first is 96, what is the second? | option_a=168 | option_b=84 | option_c=72 | option_d=63 | answer=C | explanation=Scale factor = 96/12 = 8. Therefore second quantity = 9×8 = 72.

id=75056 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=48 | option_b=47 | option_c=38 | option_d=56 | answer=B | explanation=The common difference is 9. Therefore the next term is 38 + 9 = 47.

id=75057 | topic=Averages | difficulty=Easy | question=Find the average of 86, 94, 74, 34, 68, 64, 48, 92, 15, 95. | option_a=66 | option_b=69 | option_c=67 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 670 ÷ 10 = 67.

id=75058 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=75059 | topic=Percentages | difficulty=Easy | question=What is 5% of 394? | option_a=24 | option_b=38 | option_c=19 | option_d=14 | answer=C | explanation=5% of 394 = (5/100) × 394 = 19.

id=75060 | topic=Averages | difficulty=Easy | question=Find the average of 12, 56, 70, 77, 75, 28. | option_a=52 | option_b=54 | option_c=55 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 318 ÷ 6 = 53.

Aptitude Questions — Records 75,061-75,090 of 100,000

id=75061 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3019. If it is sold at a profit of 20%, what is its selling price? | option_a=3622 | option_b=3923 | option_c=3321 | option_d=3039 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3019 × 120/100 = █3622.

id=75062 | topic=Averages | difficulty=Easy | question=Find the average of 39, 38, 17, 62, 74. | option_a=46 | option_b=48 | option_c=45 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 230 ÷ 5 = 46.

id=75063 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:14 and the first is 78, what is the second? | option_a=70 | option_b=84 | option_c=97 | option_d=162 | answer=B | explanation=Scale factor = 78/13 = 6. Therefore second quantity = 14×6 = 84.

id=75064 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=23 | option_b=22 | option_c=19 | option_d=25 | answer=B | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.

id=75065 | topic=Percentages | difficulty=Easy | question=What is 50% of 762? | option_a=381 | option_b=376 | option_c=386 | option_d=762 | answer=A | explanation=50% of 762 = (50/100) × 762 = 381.

id=75066 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=65 | option_b=55 | option_c=43 | option_d=54 | answer=D | explanation=The common difference is 11. Therefore the next term is 43 + 11 = 54.

id=75067 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=8 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=75068 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 8, 13, 21? | option_a=8 | option_b=3 | option_c=21 | option_d=13 | answer=C | explanation=The first three numbers increase by 5, so the next should be 18. Therefore 21 is the odd one out.

id=75069 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3048. If it is sold at a profit of 5%, what is its selling price? | option_a=3053 | option_b=3200 | option_c=2896 | option_d=3504 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3048 × 105/100 = █3200.

id=75070 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=G | option_c=C | option_d=I | answer=B | explanation=Move 2 positions forward from E; the resulting letter is G.

id=75071 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2845. If it is sold at a profit of 25%, what is its selling price? | option_a=3840 | option_b=2870 | option_c=3556 | option_d=3272 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2845 × 125/100 = █3556.

id=75072 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=72 | option_c=31 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=75073 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=75074 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=75075 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=D | option_b=X | option_c=G | option_d=A | answer=A | explanation=Move 3 positions forward from A; the resulting letter is D.

id=75076 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=D | option_b=G | option_c=F | option_d=E | answer=C | explanation=Move 1 positions forward from E; the resulting letter is F.

id=75077 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=75078 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=L | option_b=Q | option_c=G | option_d=B | answer=A | explanation=Move 5 positions forward from G; the resulting letter is L.

id=75079 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 25, 34, 43, ? | option_a=61 | option_b=43 | option_c=52 | option_d=53 | answer=C | explanation=The common difference is 9. Therefore the next term is 43 + 9 = 52.

id=75080 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:5 and the first is 112, what is the second? | option_a=35 | option_b=30 | option_c=147 | option_d=51 | answer=A | explanation=Scale factor = 112/16 = 7. Therefore second quantity = 5×7 = 35.

id=75081 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=28 | option_b=21 | option_c=33 | option_d=27 | answer=D | explanation=The common difference is 6. Therefore the next term is 21 + 6 = 27.

id=75082 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11532 at 15% per annum for 2 years. | option_a=3559 | option_b=3359 | option_c=14991 | option_d=3459 | answer=D | explanation=SI = PRT/100 = 11532×15×2/100 = █3459.

id=75083 | topic=Averages | difficulty=Easy | question=Find the average of 99, 45, 50, 22, 68, 65, 46, 65, 80. | option_a=62 | option_b=59 | option_c=60 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 540 ÷ 9 = 60.

id=75084 | topic=Percentages | difficulty=Easy | question=What is 15% of 1438? | option_a=430 | option_b=205 | option_c=235 | option_d=215 | answer=D | explanation=15% of 1438 = (15/100) × 1438 = 215.

id=75085 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2995. If it is sold at a profit of 15%, what is its selling price? | option_a=3010 | option_b=3145 | option_c=3743 | option_d=3444 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2995 × 115/100 = █3444.

id=75086 | topic=Averages | difficulty=Easy | question=Find the average of 95, 65, 85, 67, 37, 89. | option_a=72 | option_b=75 | option_c=74 | option_d=73 | answer=D | explanation=Average = sum of values ÷ number of values = 438 ÷ 6 = 73.

id=75087 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=B | option_b=K | option_c=E | option_d=H | answer=D | explanation=Move 3 positions forward from E; the resulting letter is H.

id=75088 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 15. | option_a=375 | option_b=100 | option_c=60 | option_d=75 | answer=D | explanation=LCM × HCF = 25×15; HCF(25,15) = 5, so LCM = 75.

id=75089 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=75090 | topic=Percentages | difficulty=Easy | question=What is 5% of 1858? | option_a=92 | option_b=97 | option_c=82 | option_d=184 | answer=A | explanation=5% of 1858 = (5/100) × 1858 = 92.

Aptitude Questions — Records 75,091-75,120 of 100,000

id=75091 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 53? | option_a=20 | option_b=53 | option_c=40 | option_d=30 | answer=B | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 53 is the odd one out.

id=75092 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2169. If it is sold at a profit of 50%, what is its selling price? | option_a=2219 | option_b=3037 | option_c=3253 | option_d=3469 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2169 × 150/100 = █3253.

id=75093 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=L | option_c=N | option_d=P | answer=D | explanation=Move 2 positions forward from N; the resulting letter is P.

id=75094 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 4. | option_a=48 | option_b=12 | option_c=24 | option_d=8 | answer=B | explanation=LCM × HCF = 12×4; HCF(12,4) = 4, so LCM = 12.

id=75095 | topic=Profit & Loss | difficulty=Easy | question=An article costs █558. If it is sold at a profit of 10%, what is its selling price? | option_a=558 | option_b=668 | option_c=613 | option_d=568 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 558 × 110/100 = █613.

id=75096 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:8 and the first is 54, what is the second? | option_a=102 | option_b=57 | option_c=48 | option_d=40 | answer=C | explanation=Scale factor = 54/9 = 6. Therefore second quantity = 8×6 = 48.

id=75097 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=75098 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=44 | option_b=36 | option_c=45 | option_d=52 | answer=A | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.

id=75099 | topic=Percentages | difficulty=Easy | question=What is 50% of 256? | option_a=123 | option_b=128 | option_c=256 | option_d=138 | answer=B | explanation=50% of 256 = (50/100) × 256 = 128.

id=75100 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=V | option_b=K | option_c=F | option_d=A | answer=C | explanation=Move 5 positions forward from A; the resulting letter is F.

id=75101 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:13 and the first is 38, what is the second? | option_a=26 | option_b=13 | option_c=64 | option_d=45 | answer=A | explanation=Scale factor = 38/19 = 2. Therefore second quantity = 13×2 = 26.

id=75102 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 8, 10, 13? | option_a=8 | option_b=13 | option_c=6 | option_d=10 | answer=B | explanation=The first three numbers increase by 2, so the next should be 12. Therefore 13 is the odd one out.

id=75103 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 30? | option_a=18 | option_b=24 | option_c=21 | option_d=30 | answer=D | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 30 is the odd one out.

id=75104 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25394 at 5% per annum for 4 years. | option_a=5178 | option_b=30472 | option_c=4978 | option_d=5078 | answer=D | explanation=SI = PRT/100 = 25394×5×4/100 = █5078.

id=75105 | topic=Percentages | difficulty=Easy | question=What is 10% of 243? | option_a=4 | option_b=48 | option_c=24 | option_d=34 | answer=C | explanation=10% of 243 = (10/100) × 243 = 24.

id=75106 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=75107 | topic=Percentages | difficulty=Easy | question=What is 12% of 675? | option_a=162 | option_b=81 | option_c=91 | option_d=71 | answer=B | explanation=12% of 675 = (12/100) × 675 = 81.

id=75108 | topic=Profit & Loss | difficulty=Easy | question=An article costs █317. If it is sold at a profit of 30%, what is its selling price? | option_a=381 | option_b=347 | option_c=443 | option_d=412 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 317 × 130/100 = █412.

id=75109 | topic=Averages | difficulty=Easy | question=Find the average of 37, 57, 62. | option_a=52 | option_b=54 | option_c=53 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 156 ÷ 3 = 52.

id=75110 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=12 | option_c=11 | option_d=1 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=75111 | topic=Percentages | difficulty=Easy | question=What is 5% of 994? | option_a=44 | option_b=49 | option_c=59 | option_d=98 | answer=B | explanation=5% of 994 = (5/100) × 994 = 49.

id=75112 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=75113 | topic=Profit & Loss | difficulty=Easy | question=An article costs █637. If it is sold at a profit of 10%, what is its selling price? | option_a=700 | option_b=763 | option_c=647 | option_d=637 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 637 × 110/100 = █700.

id=75114 | topic=Averages | difficulty=Easy | question=Find the average of 93, 23, 20, 52. | option_a=46 | option_b=48 | option_c=47 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 188 ÷ 4 = 47.

id=75115 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=U | option_b=Q | option_c=M | option_d=I | answer=B | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=75116 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 18. | option_a=162 | option_b=27 | option_c=1 | option_d=18 | answer=D | explanation=LCM × HCF = 9×18; HCF(9,18) = 9, so LCM = 18.

id=75117 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2677. If it is sold at a profit of 5%, what is its selling price? | option_a=2810 | option_b=2682 | option_c=2543 | option_d=3077 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2677 × 105/100 = █2810.

id=75118 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=31 | option_b=32 | option_c=35 | option_d=27 | answer=A | explanation=The common difference is 4. Therefore the next term is 27 + 4 = 31.

id=75119 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 18. | option_a=252 | option_b=234 | option_c=280 | option_d=504 | answer=A | explanation=LCM × HCF = 28×18; HCF(28,18) = 2, so LCM = 252.

id=75120 | topic=Averages | difficulty=Easy | question=Find the average of 100, 78, 96, 96, 53, 27. | option_a=74 | option_b=77 | option_c=75 | option_d=76 | answer=C | explanation=Average = sum of values ÷ number of values = 450 ÷ 6 = 75.

Aptitude Questions — Records 75,121-75,150 of 100,000

id=75121 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■42601 at 8% per annum for 1 years. | option_a=3408 | option_b=3508 | option_c=3308 | option_d=46009 | answer=A | explanation=SI = PRT/100 = 42601×8×1/100 = ■3408.

id=75122 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 32, 35, 40? | option_a=40 | option_b=35 | option_c=32 | option_d=29 | answer=A | explanation=The first three numbers increase by 3, so the next should be 38. Therefore 40 is the odd one out.

id=75123 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=M | option_c=S | option_d=Q | answer=D | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=75124 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:18 and the first is 255, what is the second? | option_a=252 | option_b=270 | option_c=525 | option_d=287 | answer=B | explanation=Scale factor = 255/17 = 15. Therefore second quantity = 18×15 = 270.

id=75125 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=U | option_c=M | option_d=Y | answer=B | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=75126 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 20, 30, 41? | option_a=10 | option_b=20 | option_c=30 | option_d=41 | answer=D | explanation=The first three numbers increase by 10, so the next should be 40. Therefore 41 is the odd one out.

id=75127 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=12 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=75128 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:7 and the first is 40, what is the second? | option_a=68 | option_b=28 | option_c=21 | option_d=38 | answer=B | explanation=Scale factor = 40/10 = 4. Therefore second quantity = 7×4 = 28.

id=75129 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=X | option_b=G | option_c=A | option_d=D | answer=D | explanation=Move 3 positions forward from A; the resulting letter is D.

id=75130 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■518. If it is sold at a profit of 40%, what is its selling price? | option_a=558 | option_b=725 | option_c=776 | option_d=674 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 518 × 140/100 = ■725.

id=75131 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1353. If it is sold at a profit of 25%, what is its selling price? | option_a=1826 | option_b=1378 | option_c=1556 | option_d=1691 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1353 × 125/100 = ■1691.

id=75132 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=47 | option_b=39 | option_c=29 | option_d=38 | answer=D | explanation=The common difference is 9. Therefore the next term is 29 + 9 = 38.

id=75133 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 29, 34, 40? | option_a=29 | option_b=34 | option_c=24 | option_d=40 | answer=D | explanation=The first three numbers increase by 5, so the next should be 39. Therefore 40 is the odd one out.

id=75134 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■44872 at 5% per annum for 4 years. | option_a=9074 | option_b=8974 | option_c=8874 | option_d=53846 | answer=B | explanation=SI = PRT/100 = 44872×5×4/100 = ■8974.

id=75135 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3415. If it is sold at a profit of 25%, what is its selling price? | option_a=4609 | option_b=4268 | option_c=3927 | option_d=3440 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3415 × 125/100 = ■4268.

id=75136 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:17 and the first is 60, what is the second? | option_a=255 | option_b=315 | option_c=259 | option_d=238 | answer=A | explanation=Scale factor = 60/4 = 15. Therefore second quantity = 17×15 = 255.

id=75137 | topic=Averages | difficulty=Easy | question=Find the average of 53, 47, 28, 16, 23, 41, 98, 78. | option_a=47 | option_b=50 | option_c=48 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 384 ÷ 8 = 48.

id=75138 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=80 | option_c=75 | option_d=150 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=75139 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■315. If it is sold at a profit of 50%, what is its selling price? | option_a=472 | option_b=503 | option_c=441 | option_d=365 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 315 × 150/100 = ■472.

id=75140 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1375. If it is sold at a profit of 20%, what is its selling price? | option_a=1787 | option_b=1395 | option_c=1650 | option_d=1513 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1375 × 120/100 = ■1650.

id=75141 | topic=Averages | difficulty=Easy | question=Find the average of 47, 15, 80, 25, 34, 69. | option_a=44 | option_b=45 | option_c=47 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 270 ÷ 6 = 45.

id=75142 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=E | option_c=A | option_d=C | answer=B | explanation=Move 2 positions forward from C; the resulting letter is E.

id=75143 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■48348 at 4% per annum for 4 years. | option_a=7835 | option_b=56083 | option_c=7635 | option_d=7735 | answer=D | explanation=SI = PRT/100 = 48348×4×4/100 = ■7735.

id=75144 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=M | option_b=O | option_c=Q | option_d=S | answer=C | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=75145 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=Q | option_c=O | option_d=S | answer=D | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=75146 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=70 | option_c=80 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=75147 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=34 | option_b=44 | option_c=43 | option_d=52 | answer=C | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

id=75148 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1414. If it is sold at a profit of 30%, what is its selling price? | option_a=1444 | option_b=1697 | option_c=1979 | option_d=1838 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1414 × 130/100 = ■1838.

id=75149 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=50 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=75150 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:3 and the first is 15, what is the second? | option_a=46 | option_b=42 | option_c=45 | option_d=60 | answer=C | explanation=Scale factor = 15/1 = 15. Therefore second quantity = 3×15 = 45.

Aptitude Questions — Records 75,151-75,180 of 100,000

id=75151 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36395 at 5% per annum for 4 years. | option_a=7279 | option_b=7179 | option_c=7379 | option_d=43674 | answer=A | explanation=SI = PRT/100 = 36395×5×4/100 = **■**7279.

id=75152 | topic=Percentages | difficulty=Easy | question=What is 20% of 591? | option_a=128 | option_b=236 | option_c=113 | option_d=118 | answer=D | explanation=20% of 591 = (20/100) × 591 = 118.

id=75153 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3163. If it is sold at a profit of 50%, what is its selling price? | option_a=3213 | option_b=4428 | option_c=5060 | option_d=4744 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3163 × 150/100 = **■**4744.

id=75154 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:10 and the first is 180, what is the second? | option_a=162 | option_b=330 | option_c=140 | option_d=150 | answer=D | explanation=Scale factor = 180/12 = 15. Therefore second quantity = 10×15 = 150.

id=75155 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:10 and the first is 99, what is the second? | option_a=101 | option_b=80 | option_c=90 | option_d=189 | answer=C | explanation=Scale factor = 99/11 = 9. Therefore second quantity = 10×9 = 90.

id=75156 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8451 at 6% per annum for 1 years. | option_a=8958 | option_b=407 | option_c=607 | option_d=507 | answer=D | explanation=SI = PRT/100 = 8451×6×1/100 = **■**507.

id=75157 | topic=Averages | difficulty=Easy | question=Find the average of 46, 81, 98. | option_a=76 | option_b=75 | option_c=74 | option_d=77 | answer=B | explanation=Average = sum of values ÷ number of values = 225 ÷ 3 = 75.

id=75158 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=47 | option_b=53 | option_c=46 | option_d=39 | answer=C | explanation=The common difference is 7. Therefore the next term is 39 + 7 = 46.

id=75159 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:4 and the first is 20, what is the second? | option_a=18 | option_b=8 | option_c=28 | option_d=4 | answer=B | explanation=Scale factor = 20/10 = 2. Therefore second quantity = 4×2 = 8.

id=75160 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 30. | option_a=90 | option_b=60 | option_c=540 | option_d=108 | answer=A | explanation=LCM × HCF = 18×30; HCF(18,30) = 6, so LCM = 90.

id=75161 | topic=Averages | difficulty=Easy | question=Find the average of 88, 47, 58, 73, 24. | option_a=58 | option_b=60 | option_c=57 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 290 ÷ 5 = 58.

id=75162 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=10 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=75163 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=26 | option_b=40 | option_c=34 | option_d=33 | answer=D | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

id=75164 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4578. If it is sold at a profit of 50%, what is its selling price? | option_a=4628 | option_b=7324 | option_c=6410 | option_d=6867 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4578 × 150/100 = **■**6867.

id=75165 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=E | option_b=K | option_c=G | option_d=I | answer=D | explanation=Move 2 positions forward from G; the resulting letter is I.

id=75166 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2603. If it is sold at a profit of 25%, what is its selling price? | option_a=2628 | option_b=2993 | option_c=3513 | option_d=3253 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2603 × 125/100 = **■**3253.

id=75167 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3763. If it is sold at a profit of 10%, what is its selling price? | option_a=4515 | option_b=4139 | option_c=3773 | option_d=3763 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3763 × 110/100 = **■**4139.

id=75168 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**698. If it is sold at a profit of 10%, what is its selling price? | option_a=836 | option_b=708 | option_c=698 | option_d=767 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 698 × 110/100 = **■**767.

id=75169 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3626. If it is sold at a profit of 15%, what is its selling price? | option_a=3641 | option_b=4531 | option_c=4169 | option_d=3807 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3626 × 115/100 = **■**4169.

id=75170 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 6. | option_a=24 | option_b=48 | option_c=32 | option_d=18 | answer=A | explanation=LCM × HCF = 8×6; HCF(8,6) = 2, so LCM = 24.

id=75171 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=75172 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=23 | option_b=26 | option_c=24 | option_d=20 | answer=A | explanation=The common difference is 3. Therefore the next term is 20 + 3 = 23.

id=75173 | topic=Percentages | difficulty=Easy | question=What is 25% of 525? | option_a=151 | option_b=126 | option_c=131 | option_d=262 | answer=C | explanation=25% of 525 = (25/100) × 525 = 131.

id=75174 | topic=Averages | difficulty=Easy | question=Find the average of 99, 77, 20, 74, 47, 39, 78. | option_a=62 | option_b=63 | option_c=61 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = 434 ÷ 7 = 62.

id=75175 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30997 at 4% per annum for 3 years. | option_a=34716 | option_b=3619 | option_c=3719 | option_d=3819 | answer=C | explanation=SI = PRT/100 = 30997×4×3/100 = **■**3719.

id=75176 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 47? | option_a=26 | option_b=32 | option_c=47 | option_d=38 | answer=C | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 47 is the odd one out.

id=75177 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=A | option_c=M | option_d=E | answer=A | explanation=Move 4 positions forward from E; the resulting letter is I.

id=75178 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 12, 21, 30, ? | option_a=30 | option_b=40 | option_c=48 | option_d=39 | answer=D | explanation=The common difference is 9. Therefore the next term is 30 + 9 = 39.

id=75179 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38582 at 15% per annum for 4 years. | option_a=23149 | option_b=23249 | option_c=23049 | option_d=61731 | answer=A | explanation=SI = PRT/100 = 38582×15×4/100 = **■**23149.

id=75180 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**178. If it is sold at a profit of 50%, what is its selling price? | option_a=250 | option_b=228 | option_c=284 | option_d=267 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 178 × 150/100 = **■**267.

Aptitude Questions — Records 75,181-75,210 of 100,000

id=75181 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16295 at 10% per annum for 4 years. | option_a=6518 | option_b=6418 | option_c=22813 | option_d=6618 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{16295 \times 10 \times 4}{100} = \text{■}6518$.

id=75182 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 23, 32, 42? | option_a=23 | option_b=14 | option_c=32 | option_d=42 | answer=D | explanation=The first three numbers increase by 9, so the next should be 41. Therefore 42 is the odd one out.

id=75183 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32700 at 4% per annum for 5 years. | option_a=6440 | option_b=39240 | option_c=6640 | option_d=6540 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{32700 \times 4 \times 5}{100} = \text{■}6540$.

id=75184 | topic=Averages | difficulty=Easy | question=Find the average of 95, 43, 16, 47, 31, 20. | option_a=42 | option_b=41 | option_c=43 | option_d=44 | answer=A | explanation=Average = sum of values ÷ number of values = $252 \div 6 = 42$.

id=75185 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=Z | option_c=F | option_d=B | answer=A | explanation=Move 2 positions forward from B; the resulting letter is D.

id=75186 | topic=Percentages | difficulty=Easy | question=What is 5% of 1660? | option_a=166 | option_b=93 | option_c=83 | option_d=63 | answer=C | explanation= $5\% \text{ of } 1660 = \frac{5}{100} \times 1660 = 83$.

id=75187 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:20 and the first is 24, what is the second? | option_a=120 | option_b=100 | option_c=144 | option_d=124 | answer=A | explanation=Scale factor = $24/4 = 6$. Therefore second quantity = $20 \times 6 = 120$.

id=75188 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=54 | option_b=36 | option_c=46 | option_d=45 | answer=D | explanation=The common difference is 9. Therefore the next term is $36 + 9 = 45$.

id=75189 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = $90 \div 6 = 15$ km/h.

id=75190 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2027. If it is sold at a profit of 30%, what is its selling price? | option_a=2057 | option_b=2635 | option_c=2837 | option_d=2433 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2027 \times 130/100 = \text{■}2635$.

id=75191 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3476. If it is sold at a profit of 5%, what is its selling price? | option_a=3302 | option_b=3481 | option_c=3996 | option_d=3649 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3476 \times 105/100 = \text{■}3649$.

id=75192 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4904. If it is sold at a profit of 5%, what is its selling price? | option_a=4909 | option_b=5639 | option_c=4659 | option_d=5149 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4904 \times 105/100 = \text{■}5149$.

id=75193 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1231. If it is sold at a profit of 10%, what is its selling price? | option_a=1241 | option_b=1477 | option_c=1354 | option_d=1231 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1231 \times 110/100 = \text{■}1354$.

id=75194 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:3 and the first is 119, what is the second? | option_a=140 | option_b=18 | option_c=38 | option_d=21 | answer=D | explanation=Scale factor = $119/17 = 7$. Therefore second quantity = $3 \times 7 = 21$.

id=75195 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $150 \div 5 = 30$ km/h.

id=75196 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 28. | option_a=280 | option_b=140 | option_c=150 | option_d=112 | answer=B | explanation= $LCM \times HCF = 10 \times 28$; $HCF(10, 28) = 2$, so $LCM = 140$.

id=75197 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4829. If it is sold at a profit of 25%, what is its selling price? | option_a=6518 | option_b=6036 | option_c=4854 | option_d=5554 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4829 \times 125/100 = \text{■}6036$.

id=75198 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=R | option_b=U | option_c=A | option_d=X | answer=D | explanation=Move 3 positions forward from U; the resulting letter is X.

id=75199 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 41? | option_a=34 | option_b=41 | option_c=28 | option_d=22 | answer=B | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 41 is the odd one out.

id=75200 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=30 | option_b=24 | option_c=34 | option_d=29 | answer=D | explanation=The common difference is 5. Therefore the next term is $24 + 5 = 29$.

id=75201 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:10 and the first is 204, what is the second? | option_a=170 | option_b=374 | option_c=182 | option_d=160 | answer=A | explanation=Scale factor = $204/12 = 17$. Therefore second quantity = $10 \times 17 = 170$.

id=75202 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:3 and the first is 48, what is the second? | option_a=26 | option_b=18 | option_c=66 | option_d=15 | answer=B | explanation=Scale factor = $48/8 = 6$. Therefore second quantity = $3 \times 6 = 18$.

id=75203 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 15? | option_a=6 | option_b=9 | option_c=15 | option_d=3 | answer=C | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 15 is the odd one out.

id=75204 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 34, 43, 55? | option_a=25 | option_b=43 | option_c=55 | option_d=34 | answer=C | explanation=The first three numbers increase by 9, so the next should be 52. Therefore 55 is the odd one out.

id=75205 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=43 | option_b=42 | option_c=35 | option_d=49 | answer=B | explanation=The common difference is 7. Therefore the next term is $35 + 7 = 42$.

id=75206 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1739. If it is sold at a profit of 50%, what is its selling price? | option_a=2435 | option_b=2608 | option_c=2781 | option_d=1789 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1739 \times 150/100 = \text{■}2608$.

id=75207 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:15 and the first is 80, what is the second? | option_a=200 | option_b=120 | option_c=105 | option_d=130 | answer=B | explanation=Scale factor = $80/10 = 8$. Therefore second quantity = $15 \times 8 = 120$.

id=75208 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27395 at 4% per annum for 4 years. | option_a=4283 | option_b=31778 | option_c=4483 | option_d=4383 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{27395 \times 4 \times 4}{100} = \text{■}4383$.

id=75209 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33460 at 6% per annum for 4 years. | option_a=41490 | option_b=8030 | option_c=8130 | option_d=7930 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{33460 \times 6 \times 4}{100} = \text{■}8030$.

id=75210 | topic=Averages | difficulty=Easy | question=Find the average of 94, 19, 89, 10, 49, 60, 66, 79, 56. | option_a=59 | option_b=58 | option_c=57 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = $522 \div 9 = 58$.

Aptitude Questions — Records 75,211-75,240 of 100,000

- id=75211 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45105 at 12% per annum for 4 years. | option_a=21650 | option_b=21750 | option_c=21550 | option_d=66755 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{45105 \times 12 \times 4}{100} = \text{■}21650$.
- id=75212 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.
- id=75213 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:5 and the first is 128, what is the second? | option_a=168 | option_b=35 | option_c=40 | option_d=56 | answer=C | explanation=Scale factor = $\frac{128}{16} = 8$. Therefore second quantity = $5 \times 8 = 40$.
- id=75214 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:10 and the first is 108, what is the second? | option_a=80 | option_b=90 | option_c=198 | option_d=102 | answer=B | explanation=Scale factor = $\frac{108}{12} = 9$. Therefore second quantity = $10 \times 9 = 90$.
- id=75215 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 30? | option_a=19 | option_b=30 | option_c=14 | option_d=24 | answer=B | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 30 is the odd one out.
- id=75216 | topic=Percentages | difficulty=Easy | question=What is 10% of 1742? | option_a=174 | option_b=194 | option_c=154 | option_d=348 | answer=A | explanation= $10\% \text{ of } 1742 = (\frac{10}{100}) \times 1742 = 174$.
- id=75217 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.
- id=75218 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3858. If it is sold at a profit of 50%, what is its selling price? | option_a=6172 | option_b=5787 | option_c=3908 | option_d=5402 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3858 \times \frac{150}{100} = \text{■}5787$.
- id=75219 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{150}{5} = 30$ km/h.
- id=75220 | topic=Averages | difficulty=Easy | question=Find the average of 38, 31, 65, 98, 10, 70, 101. | option_a=58 | option_b=59 | option_c=60 | option_d=61 | answer=B | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{413}{7} = 59$.
- id=75221 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:14 and the first is 32, what is the second? | option_a=42 | option_b=56 | option_c=64 | option_d=88 | answer=B | explanation=Scale factor = $\frac{32}{8} = 4$. Therefore second quantity = $14 \times 4 = 56$.
- id=75222 | topic=Percentages | difficulty=Easy | question=What is 12% of 1202? | option_a=149 | option_b=134 | option_c=288 | option_d=144 | answer=D | explanation= $12\% \text{ of } 1202 = (\frac{12}{100}) \times 1202 = 144$.
- id=75223 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=120 | option_c=115 | option_d=125 | answer=B | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{360}{3} = 120$ km/h.
- id=75224 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=Z | option_b=C | option_c=B | option_d=A | answer=C | explanation=Move 1 positions forward from A; the resulting letter is B.
- id=75225 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:1 and the first is 30, what is the second? | option_a=2 | option_b=3 | option_c=13 | option_d=33 | answer=B | explanation=Scale factor = $\frac{30}{10} = 3$. Therefore second quantity = $1 \times 3 = 3$.
- id=75226 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 24, 32, 40, ? | option_a=40 | option_b=48 | option_c=49 | option_d=56 | answer=B | explanation=The common difference is 8. Therefore the next term is $40 + 8 = 48$.
- id=75227 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41013 at 6% per annum for 3 years. | option_a=48395 | option_b=7482 | option_c=7282 | option_d=7382 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{41013 \times 6 \times 3}{100} = \text{■}7382$.
- id=75228 | topic=Percentages | difficulty=Easy | question=What is 40% of 358? | option_a=133 | option_b=143 | option_c=286 | option_d=148 | answer=B | explanation= $40\% \text{ of } 358 = (\frac{40}{100}) \times 358 = 143$.
- id=75229 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=W | option_b=R | option_c=M | option_d=H | answer=B | explanation=Move 5 positions forward from M; the resulting letter is R.
- id=75230 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=52 | option_b=51 | option_c=61 | option_d=41 | answer=B | explanation=The common difference is 10. Therefore the next term is $41 + 10 = 51$.
- id=75231 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39000 at 4% per annum for 1 years. | option_a=40560 | option_b=1460 | option_c=1660 | option_d=1560 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{39000 \times 4 \times 1}{100} = \text{■}1560$.
- id=75232 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.
- id=75233 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 33? | option_a=24 | option_b=33 | option_c=10 | option_d=17 | answer=B | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 33 is the odd one out.
- id=75234 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.
- id=75235 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=28 | option_b=24 | option_c=25 | option_d=20 | answer=B | explanation=The common difference is 4. Therefore the next term is $20 + 4 = 24$.
- id=75236 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=51 | option_b=41 | option_c=61 | option_d=52 | answer=A | explanation=The common difference is 10. Therefore the next term is $41 + 10 = 51$.
- id=75237 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:16 and the first is 84, what is the second? | option_a=96 | option_b=180 | option_c=110 | option_d=80 | answer=A | explanation=Scale factor = $\frac{84}{14} = 6$. Therefore second quantity = $16 \times 6 = 96$.
- id=75238 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:11 and the first is 2, what is the second? | option_a=24 | option_b=23 | option_c=22 | option_d=11 | answer=C | explanation=Scale factor = $\frac{2}{1} = 2$. Therefore second quantity = $11 \times 2 = 22$.
- id=75239 | topic=Percentages | difficulty=Easy | question=What is 50% of 176? | option_a=88 | option_b=68 | option_c=93 | option_d=176 | answer=A | explanation= $50\% \text{ of } 176 = (\frac{50}{100}) \times 176 = 88$.
- id=75240 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 17, 27, 39? | option_a=17 | option_b=7 | option_c=39 | option_d=27 | answer=C | explanation=The first three numbers increase by 10, so the next should be 37. Therefore 39 is the odd one out.

Aptitude Questions — Records 75,241-75,270 of 100,000

id=75241 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=21 | option_b=24 | option_c=27 | option_d=25 | answer=B | explanation=The common difference is 3. Therefore the next term is 21 + 3 = 24.

id=75242 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22148 at 8% per annum for 3 years. | option_a=5415 | option_b=27463 | option_c=5215 | option_d=5315 | answer=D | explanation=SI = PRT/100 = 22148×8×3/100 = **■**5315.

id=75243 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=N | option_b=D | option_c=I | option_d=Y | answer=C | explanation=Move 5 positions forward from D; the resulting letter is I.

id=75244 | topic=Percentages | difficulty=Easy | question=What is 20% of 419? | option_a=166 | option_b=83 | option_c=78 | option_d=93 | answer=B | explanation=20% of 419 = (20/100) × 419 = 83.

id=75245 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=M | option_b=X | option_c=H | option_d=C | answer=C | explanation=Move 5 positions forward from C; the resulting letter is H.

id=75246 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 36? | option_a=4 | option_b=24 | option_c=36 | option_d=14 | answer=C | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 36 is the odd one out.

id=75247 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=75248 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 30? | option_a=4 | option_b=12 | option_c=30 | option_d=20 | answer=C | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 30 is the odd one out.

id=75249 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=75250 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:15 and the first is 240, what is the second? | option_a=225 | option_b=480 | option_c=240 | option_d=255 | answer=C | explanation=Scale factor = 240/15 = 16. Therefore second quantity = 15×16 = 240.

id=75251 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 45? | option_a=38 | option_b=32 | option_c=45 | option_d=26 | answer=C | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 45 is the odd one out.

id=75252 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 18. | option_a=378 | option_b=126 | option_c=147 | option_d=108 | answer=B | explanation=LCM × HCF = 21×18; HCF(21,18) = 3, so LCM = 126.

id=75253 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=70 | option_d=150 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=75254 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=44 | option_b=49 | option_c=37 | option_d=43 | answer=D | explanation=The common difference is 6. Therefore the next term is 37 + 6 = 43.

id=75255 | topic=Averages | difficulty=Easy | question=Find the average of 65, 13, 71, 66, 16, 91, 40, 74, 83, 101. | option_a=62 | option_b=61 | option_c=63 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = 620 ÷ 10 = 62.

id=75256 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=16 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=75257 | topic=Percentages | difficulty=Easy | question=What is 25% of 79? | option_a=24 | option_b=0 | option_c=38 | option_d=19 | answer=D | explanation=25% of 79 = (25/100) × 79 = 19.

id=75258 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=Q | option_c=W | option_d=U | answer=D | explanation=Move 2 positions forward from S; the resulting letter is U.

id=75259 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17147 at 15% per annum for 2 years. | option_a=5144 | option_b=5244 | option_c=22291 | option_d=5044 | answer=A | explanation=SI = PRT/100 = 17147×15×2/100 = **■**5144.

id=75260 | topic=Averages | difficulty=Easy | question=Find the average of 76, 48, 11, 17, 57, 26, 84, 58, 21, 72. | option_a=48 | option_b=49 | option_c=46 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 470 ÷ 10 = 47.

id=75261 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=45 | option_b=55 | option_c=54 | option_d=63 | answer=C | explanation=The common difference is 9. Therefore the next term is 45 + 9 = 54.

id=75262 | topic=Averages | difficulty=Easy | question=Find the average of 90, 49, 23, 43, 36, 18, 77. | option_a=48 | option_b=47 | option_c=49 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 336 ÷ 7 = 48.

id=75263 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=75264 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 29, 31, 36? | option_a=31 | option_b=36 | option_c=27 | option_d=29 | answer=B | explanation=The first three numbers increase by 2, so the next should be 33. Therefore 36 is the odd one out.

id=75265 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 33? | option_a=25 | option_b=27 | option_c=29 | option_d=33 | answer=D | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 33 is the odd one out.

id=75266 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=36 | option_b=39 | option_c=31 | option_d=35 | answer=D | explanation=The common difference is 4. Therefore the next term is 31 + 4 = 35.

id=75267 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 12. | option_a=180 | option_b=75 | option_c=60 | option_d=48 | answer=C | explanation=LCM × HCF = 15×12; HCF(15,12) = 3, so LCM = 60.

id=75268 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=75269 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:14 and the first is 96, what is the second? | option_a=168 | option_b=154 | option_c=264 | option_d=176 | answer=A | explanation=Scale factor = 96/8 = 12. Therefore second quantity = 14×12 = 168.

id=75270 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:8 and the first is 84, what is the second? | option_a=196 | option_b=112 | option_c=104 | option_d=118 | answer=B | explanation=Scale factor = 84/6 = 14. Therefore second quantity = 8×14 = 112.

Aptitude Questions — Records 75,271-75,300 of 100,000

- id=75271 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.
- id=75272 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.
- id=75273 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 40? | option_a=14 | option_b=40 | option_c=22 | option_d=30 | answer=B | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 40 is the odd one out.
- id=75274 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=46 | option_b=40 | option_c=41 | option_d=34 | answer=B | explanation=The common difference is 6. Therefore the next term is 34 + 6 = 40.
- id=75275 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=Y | option_b=G | option_c=K | option_d=C | answer=B | explanation=Move 4 positions forward from C; the resulting letter is G.
- id=75276 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=J | option_b=K | option_c=I | option_d=H | answer=A | explanation=Move 1 positions forward from I; the resulting letter is J.
- id=75277 | topic=Averages | difficulty=Easy | question=Find the average of 58, 43, 41, 71, 75, 89, 87, 38, 47. | option_a=62 | option_b=60 | option_c=61 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = 549 ÷ 9 = 61.
- id=75278 | topic=Percentages | difficulty=Easy | question=What is 50% of 1380? | option_a=700 | option_b=680 | option_c=1380 | option_d=690 | answer=D | explanation=50% of 1380 = (50/100) × 1380 = 690.
- id=75279 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=9 | option_b=13 | option_c=12 | option_d=11 | answer=D | explanation=The common difference is 2. Therefore the next term is 9 + 2 = 11.
- id=75280 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**49879 at 6% per annum for 3 years. | option_a=8878 | option_b=58857 | option_c=9078 | option_d=8978 | answer=D | explanation=SI = PRT/100 = 49879×6×3/100 = **₹**8978.
- id=75281 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=20 | option_c=15 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.
- id=75282 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:1 and the first is 48, what is the second? | option_a=16 | option_b=12 | option_c=11 | option_d=60 | answer=B | explanation=Scale factor = 48/4 = 12. Therefore second quantity = 1×12 = 12.
- id=75283 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=X | option_b=M | option_c=C | option_d=H | answer=D | explanation=Move 5 positions forward from C; the resulting letter is H.
- id=75284 | topic=Averages | difficulty=Easy | question=Find the average of 78, 21, 54, 59, 58. | option_a=54 | option_b=56 | option_c=55 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 270 ÷ 5 = 54.
- id=75285 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 15, 21, 28? | option_a=21 | option_b=28 | option_c=15 | option_d=9 | answer=B | explanation=The first three numbers increase by 6, so the next should be 27. Therefore 28 is the odd one out.
- id=75286 | topic=Percentages | difficulty=Easy | question=What is 30% of 1146? | option_a=686 | option_b=353 | option_c=333 | option_d=343 | answer=D | explanation=30% of 1146 = (30/100) × 1146 = 343.
- id=75287 | topic=Averages | difficulty=Easy | question=Find the average of 21, 100, 20, 51, 85, 26, 89. | option_a=56 | option_b=57 | option_c=58 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 392 ÷ 7 = 56.
- id=75288 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=16 | option_b=12 | option_c=15 | option_d=18 | answer=C | explanation=The common difference is 3. Therefore the next term is 12 + 3 = 15.
- id=75289 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=95 | option_c=85 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.
- id=75290 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.
- id=75291 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=G | option_c=D | option_d=F | answer=D | explanation=Move 1 positions forward from E; the resulting letter is F.
- id=75292 | topic=Averages | difficulty=Easy | question=Find the average of 75, 37, 50, 48, 14, 64. | option_a=48 | option_b=49 | option_c=47 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 288 ÷ 6 = 48.
- id=75293 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.
- id=75294 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3677. If it is sold at a profit of 20%, what is its selling price? | option_a=3697 | option_b=4412 | option_c=4779 | option_d=4045 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3677 × 120/100 = **₹**4412.
- id=75295 | topic=Averages | difficulty=Easy | question=Find the average of 45, 97, 79, 32, 54, 49, 16, 62, 47, 59. | option_a=54 | option_b=55 | option_c=53 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.
- id=75296 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2039. If it is sold at a profit of 10%, what is its selling price? | option_a=2445 | option_b=2039 | option_c=2242 | option_d=2049 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2039 × 110/100 = **₹**2242.
- id=75297 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=80 | option_c=75 | option_d=70 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.
- id=75298 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=12 | option_b=18 | option_c=15 | option_d=16 | answer=C | explanation=The common difference is 3. Therefore the next term is 12 + 3 = 15.
- id=75299 | topic=Averages | difficulty=Easy | question=Find the average of 44, 88, 38, 29, 96, 81, 31, 17. | option_a=52 | option_b=55 | option_c=53 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.
- id=75300 | topic=Averages | difficulty=Easy | question=Find the average of 64, 26, 90. | option_a=60 | option_b=59 | option_c=61 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 180 ÷ 3 = 60.

Aptitude Questions — Records 75,301-75,330 of 100,000

id=75301 | topic=Averages | difficulty=Easy | question=Find the average of 74, 21, 16, 36, 37, 27, 62, 93, 57. | option_a=48 | option_b=47 | option_c=49 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 423 ÷ 9 = 47.

id=75302 | topic=Averages | difficulty=Easy | question=Find the average of 66, 29, 72, 56, 94, 54, 69, 96. | option_a=68 | option_b=67 | option_c=66 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 536 ÷ 8 = 67.

id=75303 | topic=Percentages | difficulty=Easy | question=What is 15% of 124? | option_a=38 | option_b=36 | option_c=18 | option_d=8 | answer=C | explanation=15% of 124 = (15/100) × 124 = 18.

id=75304 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4829. If it is sold at a profit of 20%, what is its selling price? | option_a=6276 | option_b=5312 | option_c=4849 | option_d=5794 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4829 × 120/100 = █5794.

id=75305 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=S | option_b=V | option_c=U | option_d=T | answer=C | explanation=Move 1 positions forward from T; the resulting letter is U.

id=75306 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 15. | option_a=45 | option_b=54 | option_c=135 | option_d=30 | answer=A | explanation=LCM × HCF = 9×15; HCF(9,15) = 3, so LCM = 45.

id=75307 | topic=Percentages | difficulty=Easy | question=What is 25% of 1667? | option_a=832 | option_b=416 | option_c=396 | option_d=436 | answer=B | explanation=25% of 1667 = (25/100) × 1667 = 416.

id=75308 | topic=Percentages | difficulty=Easy | question=What is 12% of 1980? | option_a=237 | option_b=474 | option_c=217 | option_d=247 | answer=A | explanation=12% of 1980 = (12/100) × 1980 = 237.

id=75309 | topic=Averages | difficulty=Easy | question=Find the average of 75, 39, 74, 79, 28, 11, 74, 94, 90, 36. | option_a=59 | option_b=60 | option_c=61 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=75310 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=C | option_b=D | option_c=E | option_d=F | answer=C | explanation=Move 1 positions forward from D; the resulting letter is E.

id=75311 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=120 | option_c=115 | option_d=240 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=75312 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=95 | option_c=85 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=75313 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=80 | option_d=150 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=75314 | topic=Percentages | difficulty=Easy | question=What is 5% of 1490? | option_a=69 | option_b=74 | option_c=148 | option_d=79 | answer=B | explanation=5% of 1490 = (5/100) × 1490 = 74.

id=75315 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=40 | option_b=36 | option_c=30 | option_d=35 | answer=D | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=75316 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=G | option_b=J | option_c=H | option_d=I | answer=D | explanation=Move 1 positions forward from H; the resulting letter is I.

id=75317 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=75318 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=40 | option_b=30 | option_c=35 | option_d=36 | answer=C | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=75319 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=75320 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=F | option_b=V | option_c=A | option_d=K | answer=A | explanation=Move 5 positions forward from A; the resulting letter is F.

id=75321 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 5. | option_a=30 | option_b=15 | option_c=75 | option_d=10 | answer=B | explanation=LCM × HCF = 15×5; HCF(15,5) = 5, so LCM = 15.

id=75322 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2352. If it is sold at a profit of 30%, what is its selling price? | option_a=2382 | option_b=3057 | option_c=2822 | option_d=3292 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2352 × 130/100 = █3057.

id=75323 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=80 | option_d=150 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=75324 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:11 and the first is 120, what is the second? | option_a=110 | option_b=122 | option_c=99 | option_d=230 | answer=A | explanation=Scale factor = 120/12 = 10. Therefore second quantity = 11×10 = 110.

id=75325 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2104. If it is sold at a profit of 50%, what is its selling price? | option_a=3156 | option_b=2154 | option_c=2946 | option_d=3366 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2104 × 150/100 = █3156.

id=75326 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=29 | option_b=26 | option_c=30 | option_d=28 | answer=D | explanation=The common difference is 2. Therefore the next term is 26 + 2 = 28.

id=75327 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 37? | option_a=37 | option_b=29 | option_c=24 | option_d=19 | answer=A | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 37 is the odd one out.

id=75328 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=75329 | topic=Averages | difficulty=Easy | question=Find the average of 87, 60, 13, 45, 15, 40, 84, 30, 49. | option_a=48 | option_b=46 | option_c=47 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 423 ÷ 9 = 47.

id=75330 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 18. | option_a=280 | option_b=234 | option_c=504 | option_d=252 | answer=D | explanation=LCM × HCF = 28×18; HCF(28,18) = 2, so LCM = 252.

Aptitude Questions — Records 75,331-75,360 of 100,000

id=75331 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 24, 33, 44? | option_a=24 | option_b=44 | option_c=15 | option_d=33 | answer=B | explanation=The first three numbers increase by 9, so the next should be 42. Therefore 44 is the odd one out.

id=75332 | topic=Percentages | difficulty=Easy | question=What is 10% of 1693? | option_a=164 | option_b=338 | option_c=174 | option_d=169 | answer=D | explanation=10% of 1693 = $(10/100) \times 1693 = 169$.

id=75333 | topic=Percentages | difficulty=Easy | question=What is 25% of 1707? | option_a=426 | option_b=446 | option_c=421 | option_d=852 | answer=A | explanation=25% of 1707 = $(25/100) \times 1707 = 426$.

id=75334 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 16, 25, 37? | option_a=25 | option_b=37 | option_c=16 | option_d=7 | answer=B | explanation=The first three numbers increase by 9, so the next should be 34. Therefore 37 is the odd one out.

id=75335 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = $90 \div 3 = 30$ km/h.

id=75336 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=M | option_c=K | option_d=O | answer=D | explanation=Move 2 positions forward from M; the resulting letter is O.

id=75337 | topic=Percentages | difficulty=Easy | question=What is 12% of 456? | option_a=108 | option_b=54 | option_c=34 | option_d=64 | answer=B | explanation=12% of 456 = $(12/100) \times 456 = 54$.

id=75338 | topic=Averages | difficulty=Easy | question=Find the average of 16, 23, 15, 71, 20, 47. | option_a=31 | option_b=33 | option_c=32 | option_d=34 | answer=C | explanation=Average = sum of values ÷ number of values = $192 \div 6 = 32$.

id=75339 | topic=Percentages | difficulty=Easy | question=What is 25% of 1939? | option_a=968 | option_b=474 | option_c=484 | option_d=489 | answer=C | explanation=25% of 1939 = $(25/100) \times 1939 = 484$.

id=75340 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2290 at 4% per annum for 5 years. | option_a=458 | option_b=358 | option_c=2748 | option_d=558 | answer=A | explanation=SI = $PRT/100 = 2290 \times 4 \times 5/100 = \text{■}458$.

id=75341 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4315. If it is sold at a profit of 10%, what is its selling price? | option_a=4315 | option_b=4325 | option_c=5177 | option_d=4746 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4315 \times 110/100 = \text{■}4746$.

id=75342 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 13, 21, 30? | option_a=30 | option_b=5 | option_c=13 | option_d=21 | answer=A | explanation=The first three numbers increase by 8, so the next should be 29. Therefore 30 is the odd one out.

id=75343 | topic=Percentages | difficulty=Easy | question=What is 15% of 1992? | option_a=298 | option_b=596 | option_c=308 | option_d=288 | answer=A | explanation=15% of 1992 = $(15/100) \times 1992 = 298$.

id=75344 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 18, 25, 33? | option_a=25 | option_b=33 | option_c=18 | option_d=11 | answer=B | explanation=The first three numbers increase by 7, so the next should be 32. Therefore 33 is the odd one out.

id=75345 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=K | option_b=F | option_c=A | option_d=V | answer=B | explanation=Move 5 positions forward from A; the resulting letter is F.

id=75346 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=O | option_c=Q | option_d=S | answer=D | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=75347 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=Y | option_b=K | option_c=G | option_d=C | answer=C | explanation=Move 4 positions forward from C; the resulting letter is G.

id=75348 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:1 and the first is 12, what is the second? | option_a=18 | option_b=8 | option_c=6 | option_d=5 | answer=C | explanation=Scale factor = $12/2 = 6$. Therefore second quantity = $1 \times 6 = 6$.

id=75349 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 27. | option_a=150 | option_b=108 | option_c=135 | option_d=405 | answer=C | explanation= $LCM \times HCF = 15 \times 27$; $HCF(15, 27) = 3$, so $LCM = 135$.

id=75350 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2206. If it is sold at a profit of 5%, what is its selling price? | option_a=2316 | option_b=2096 | option_c=2536 | option_d=2211 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2206 \times 105/100 = \text{■}2316$.

id=75351 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:19 and the first is 324, what is the second? | option_a=323 | option_b=342 | option_c=360 | option_d=666 | answer=B | explanation=Scale factor = $324/18 = 18$. Therefore second quantity = $19 \times 18 = 342$.

id=75352 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=5 | option_c=20 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = $60 \div 6 = 10$ km/h.

id=75353 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:14 and the first is 102, what is the second? | option_a=186 | option_b=84 | option_c=101 | option_d=70 | answer=B | explanation=Scale factor = $102/17 = 6$. Therefore second quantity = $14 \times 6 = 84$.

id=75354 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 32, 39, 49? | option_a=25 | option_b=49 | option_c=39 | option_d=32 | answer=B | explanation=The first three numbers increase by 7, so the next should be 46. Therefore 49 is the odd one out.

id=75355 | topic=Averages | difficulty=Easy | question=Find the average of 21, 91, 16, 12, 17, 83. | option_a=39 | option_b=40 | option_c=42 | option_d=41 | answer=B | explanation=Average = sum of values ÷ number of values = $240 \div 6 = 40$.

id=75356 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27364 at 12% per annum for 3 years. | option_a=37215 | option_b=9951 | option_c=9851 | option_d=9751 | answer=C | explanation=SI = $PRT/100 = 27364 \times 12 \times 3/100 = \text{■}9851$.

id=75357 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2131. If it is sold at a profit of 40%, what is its selling price? | option_a=3196 | option_b=2770 | option_c=2171 | option_d=2983 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2131 \times 140/100 = \text{■}2983$.

id=75358 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39793 at 12% per annum for 3 years. | option_a=14325 | option_b=14425 | option_c=54118 | option_d=14225 | answer=A | explanation=SI = $PRT/100 = 39793 \times 12 \times 3/100 = \text{■}14325$.

id=75359 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1901. If it is sold at a profit of 50%, what is its selling price? | option_a=1951 | option_b=2851 | option_c=3041 | option_d=2661 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1901 \times 150/100 = \text{■}2851$.

id=75360 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4209. If it is sold at a profit of 30%, what is its selling price? | option_a=5471 | option_b=5891 | option_c=5051 | option_d=4239 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4209 \times 130/100 = \text{■}5471$.

Aptitude Questions — Records 75,361-75,390 of 100,000

id=75361 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=29 | option_c=48 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=75362 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:10 and the first is 30, what is the second? | option_a=50 | option_b=40 | option_c=80 | option_d=56 | answer=A | explanation=Scale factor = 30/6 = 5. Therefore second quantity = 10×5 = 50.

id=75363 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2605. If it is sold at a profit of 50%, what is its selling price? | option_a=3907 | option_b=2655 | option_c=3647 | option_d=4167 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2605 × 150/100 = █3907.

id=75364 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 8. | option_a=16 | option_b=36 | option_c=96 | option_d=24 | answer=D | explanation=LCM × HCF = 12×8; HCF(12,8) = 4, so LCM = 24.

id=75365 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=75366 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=75367 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 29? | option_a=16 | option_b=10 | option_c=29 | option_d=22 | answer=C | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 29 is the odd one out.

id=75368 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 13, 19, 27? | option_a=7 | option_b=13 | option_c=19 | option_d=27 | answer=D | explanation=The first three numbers increase by 6, so the next should be 25. Therefore 27 is the odd one out.

id=75369 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 22. | option_a=308 | option_b=360 | option_c=330 | option_d=660 | answer=C | explanation=LCM × HCF = 30×22; HCF(30,22) = 2, so LCM = 330.

id=75370 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10578 at 4% per annum for 4 years. | option_a=12270 | option_b=1792 | option_c=1692 | option_d=1592 | answer=C | explanation=SI = PRT/100 = 10578×4×4/100 = █1692.

id=75371 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:20 and the first is 132, what is the second? | option_a=220 | option_b=232 | option_c=200 | option_d=352 | answer=A | explanation=Scale factor = 132/12 = 11. Therefore second quantity = 20×11 = 220.

id=75372 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 25. | option_a=375 | option_b=90 | option_c=50 | option_d=75 | answer=D | explanation=LCM × HCF = 15×25; HCF(15,25) = 5, so LCM = 75.

id=75373 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=G | option_b=V | option_c=Q | option_d=L | answer=C | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=75374 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 24, 31, 40? | option_a=24 | option_b=17 | option_c=40 | option_d=31 | answer=C | explanation=The first three numbers increase by 7, so the next should be 38. Therefore 40 is the odd one out.

id=75375 | topic=Profit & Loss | difficulty=Easy | question=An article costs █607. If it is sold at a profit of 15%, what is its selling price? | option_a=758 | option_b=622 | option_c=698 | option_d=638 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 607 × 115/100 = █698.

id=75376 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 12. | option_a=324 | option_b=135 | option_c=108 | option_d=96 | answer=C | explanation=LCM × HCF = 27×12; HCF(27,12) = 3, so LCM = 108.

id=75377 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=39 | option_b=55 | option_c=47 | option_d=48 | answer=C | explanation=The common difference is 8. Therefore the next term is 39 + 8 = 47.

id=75378 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=75379 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10569 at 15% per annum for 3 years. | option_a=4656 | option_b=4856 | option_c=15325 | option_d=4756 | answer=D | explanation=SI = PRT/100 = 10569×15×3/100 = █4756.

id=75380 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 220, what is the second? | option_a=304 | option_b=331 | option_c=320 | option_d=540 | answer=C | explanation=Scale factor = 220/11 = 20. Therefore second quantity = 16×20 = 320.

id=75381 | topic=Percentages | difficulty=Easy | question=What is 20% of 1434? | option_a=276 | option_b=572 | option_c=291 | option_d=286 | answer=D | explanation=20% of 1434 = (20/100) × 1434 = 286.

id=75382 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:17 and the first is 324, what is the second? | option_a=289 | option_b=324 | option_c=630 | option_d=306 | answer=D | explanation=Scale factor = 324/18 = 18. Therefore second quantity = 17×18 = 306.

id=75383 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3623. If it is sold at a profit of 30%, what is its selling price? | option_a=4709 | option_b=4347 | option_c=5071 | option_d=3653 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3623 × 130/100 = █4709.

id=75384 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17572 at 5% per annum for 3 years. | option_a=20207 | option_b=2635 | option_c=2735 | option_d=2535 | answer=B | explanation=SI = PRT/100 = 17572×5×3/100 = █2635.

id=75385 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:12 and the first is 114, what is the second? | option_a=234 | option_b=216 | option_c=228 | option_d=342 | answer=C | explanation=Scale factor = 114/6 = 19. Therefore second quantity = 12×19 = 228.

id=75386 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1834. If it is sold at a profit of 50%, what is its selling price? | option_a=2934 | option_b=2751 | option_c=1884 | option_d=2568 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1834 × 150/100 = █2751.

id=75387 | topic=Percentages | difficulty=Easy | question=What is 25% of 515? | option_a=256 | option_b=133 | option_c=108 | option_d=128 | answer=D | explanation=25% of 515 = (25/100) × 515 = 128.

id=75388 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=51 | option_b=38 | option_c=50 | option_d=62 | answer=C | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=75389 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=V | option_c=J | option_d=N | answer=A | explanation=Move 4 positions forward from N; the resulting letter is R.

id=75390 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=95 | option_c=100 | option_d=200 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

Aptitude Questions — Records 75,391-75,420 of 100,000

id=75391 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=75392 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:14 and the first is 70, what is the second? | option_a=168 | option_b=84 | option_c=108 | option_d=98 | answer=D | explanation=Scale factor = 70/10 = 7. Therefore second quantity = 14×7 = 98.

id=75393 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8741 at 15% per annum for 5 years. | option_a=6455 | option_b=6555 | option_c=15296 | option_d=6655 | answer=B | explanation=SI = PRT/100 = 8741×15×5/100 = **■**6555.

id=75394 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 14, 20, 28? | option_a=14 | option_b=20 | option_c=28 | option_d=8 | answer=C | explanation=The first three numbers increase by 6, so the next should be 26. Therefore 28 is the odd one out.

id=75395 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=I | option_b=C | option_c=F | option_d=L | answer=A | explanation=Move 3 positions forward from F; the resulting letter is I.

id=75396 | topic=Percentages | difficulty=Easy | question=What is 25% of 367? | option_a=182 | option_b=81 | option_c=96 | option_d=91 | answer=D | explanation=25% of 367 = (25/100) × 367 = 91.

id=75397 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=N | option_b=M | option_c=L | option_d=O | answer=A | explanation=Move 1 positions forward from M; the resulting letter is N.

id=75398 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=37 | option_b=57 | option_c=48 | option_d=47 | answer=D | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

id=75399 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=Y | option_c=N | option_d=I | answer=D | explanation=Move 5 positions forward from D; the resulting letter is I.

id=75400 | topic=Percentages | difficulty=Easy | question=What is 40% of 1572? | option_a=1256 | option_b=638 | option_c=608 | option_d=628 | answer=D | explanation=40% of 1572 = (40/100) × 1572 = 628.

id=75401 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=E | option_b=M | option_c=I | option_d=Q | answer=B | explanation=Move 4 positions forward from I; the resulting letter is M.

id=75402 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=75403 | topic=Percentages | difficulty=Easy | question=What is 12% of 395? | option_a=47 | option_b=52 | option_c=42 | option_d=94 | answer=A | explanation=12% of 395 = (12/100) × 395 = 47.

id=75404 | topic=Averages | difficulty=Easy | question=Find the average of 77, 85, 52, 11, 20, 59, 32. | option_a=48 | option_b=49 | option_c=47 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 336 ÷ 7 = 48.

id=75405 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=F | option_b=E | option_c=D | option_d=G | answer=A | explanation=Move 1 positions forward from E; the resulting letter is F.

id=75406 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=80 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=75407 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30132 at 4% per annum for 5 years. | option_a=6126 | option_b=5926 | option_c=36158 | option_d=6026 | answer=D | explanation=SI = PRT/100 = 30132×4×5/100 = **■**6026.

id=75408 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=75409 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 26, 29, 33? | option_a=33 | option_b=26 | option_c=23 | option_d=29 | answer=A | explanation=The first three numbers increase by 3, so the next should be 32. Therefore 33 is the odd one out.

id=75410 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:14 and the first is 168, what is the second? | option_a=336 | option_b=182 | option_c=168 | option_d=154 | answer=C | explanation=Scale factor = 168/14 = 12. Therefore second quantity = 14×12 = 168.

id=75411 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2980 at 15% per annum for 3 years. | option_a=1341 | option_b=4321 | option_c=1241 | option_d=1441 | answer=A | explanation=SI = PRT/100 = 2980×15×3/100 = **■**1341.

id=75412 | topic=Percentages | difficulty=Easy | question=What is 12% of 1389? | option_a=161 | option_b=332 | option_c=171 | option_d=166 | answer=D | explanation=12% of 1389 = (12/100) × 1389 = 166.

id=75413 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 43? | option_a=29 | option_b=35 | option_c=43 | option_d=23 | answer=C | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 43 is the odd one out.

id=75414 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5710 at 10% per annum for 3 years. | option_a=1813 | option_b=7423 | option_c=1613 | option_d=1713 | answer=D | explanation=SI = PRT/100 = 5710×10×3/100 = **■**1713.

id=75415 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=I | option_b=S | option_c=X | option_d=N | answer=B | explanation=Move 5 positions forward from N; the resulting letter is S.

id=75416 | topic=Averages | difficulty=Easy | question=Find the average of 43, 51, 47. | option_a=46 | option_b=49 | option_c=48 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 141 ÷ 3 = 47.

id=75417 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**485. If it is sold at a profit of 5%, what is its selling price? | option_a=557 | option_b=490 | option_c=461 | option_d=509 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 485 × 105/100 = **■**509.

id=75418 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 20. | option_a=40 | option_b=1 | option_c=20 | option_d=22 | answer=C | explanation=LCM × HCF = 2×20; HCF(2,20) = 2, so LCM = 20.

id=75419 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:18 and the first is 95, what is the second? | option_a=437 | option_b=324 | option_c=347 | option_d=342 | answer=D | explanation=Scale factor = 95/5 = 19. Therefore second quantity = 18×19 = 342.

id=75420 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=31 | option_b=28 | option_c=32 | option_d=34 | answer=A | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

Aptitude Questions — Records 75,421-75,450 of 100,000

id=75421 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:13 and the first is 380, what is the second? | option_a=234 | option_b=267 | option_c=247 | option_d=627 | answer=C | explanation=Scale factor = 380/20 = 19. Therefore second quantity = 13×19 = 247.

id=75422 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=75423 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=75424 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=40 | option_c=25 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=75425 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=160 | option_c=80 | option_d=75 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=75426 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2764. If it is sold at a profit of 40%, what is its selling price? | option_a=3869 | option_b=3593 | option_c=2804 | option_d=4145 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2764 × 140/100 = █3869.

id=75427 | topic=Percentages | difficulty=Easy | question=What is 50% of 1467? | option_a=743 | option_b=733 | option_c=713 | option_d=1466 | answer=B | explanation=50% of 1467 = (50/100) × 1467 = 733.

id=75428 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=56 | option_b=66 | option_c=57 | option_d=46 | answer=A | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=75429 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=L | option_c=P | option_d=R | answer=C | explanation=Move 2 positions forward from N; the resulting letter is P.

id=75430 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=75431 | topic=Averages | difficulty=Easy | question=Find the average of 63, 61, 11, 26, 80, 59. | option_a=50 | option_b=51 | option_c=52 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 300 ÷ 6 = 50.

id=75432 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=9 | option_b=11 | option_c=13 | option_d=12 | answer=B | explanation=The common difference is 2. Therefore the next term is 9 + 2 = 11.

id=75433 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18640 at 12% per annum for 3 years. | option_a=25350 | option_b=6710 | option_c=6810 | option_d=6610 | answer=B | explanation=SI = PRT/100 = 18640×12×3/100 = █6710.

id=75434 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=X | option_c=V | option_d=R | answer=C | explanation=Move 2 positions forward from T; the resulting letter is V.

id=75435 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:14 and the first is 30, what is the second? | option_a=210 | option_b=212 | option_c=196 | option_d=240 | answer=A | explanation=Scale factor = 30/2 = 15. Therefore second quantity = 14×15 = 210.

id=75436 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 6. | option_a=60 | option_b=40 | option_c=30 | option_d=24 | answer=C | explanation=LCM × HCF = 10×6; HCF(10,6) = 2, so LCM = 30.

id=75437 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=24 | option_c=19 | option_d=29 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=75438 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=G | option_b=V | option_c=L | option_d=Q | answer=D | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=75439 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5017 at 5% per annum for 2 years. | option_a=401 | option_b=5518 | option_c=601 | option_d=501 | answer=D | explanation=SI = PRT/100 = 5017×5×2/100 = █501.

id=75440 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40785 at 5% per annum for 2 years. | option_a=4078 | option_b=4178 | option_c=3978 | option_d=44863 | answer=A | explanation=SI = PRT/100 = 40785×5×2/100 = █4078.

id=75441 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 27. | option_a=27 | option_b=162 | option_c=60 | option_d=54 | answer=D | explanation=LCM × HCF = 6×27; HCF(6,27) = 3, so LCM = 54.

id=75442 | topic=Percentages | difficulty=Easy | question=What is 20% of 1450? | option_a=290 | option_b=285 | option_c=300 | option_d=580 | answer=A | explanation=20% of 1450 = (20/100) × 1450 = 290.

id=75443 | topic=Averages | difficulty=Easy | question=Find the average of 17, 53, 88, 95, 39, 30, 60, 31, 87, 60. | option_a=56 | option_b=58 | option_c=55 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 560 ÷ 10 = 56.

id=75444 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=180 | option_c=85 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=75445 | topic=Percentages | difficulty=Easy | question=What is 25% of 1995? | option_a=508 | option_b=498 | option_c=493 | option_d=996 | answer=B | explanation=25% of 1995 = (25/100) × 1995 = 498.

id=75446 | topic=Percentages | difficulty=Easy | question=What is 10% of 1066? | option_a=212 | option_b=126 | option_c=106 | option_d=96 | answer=C | explanation=10% of 1066 = (10/100) × 1066 = 106.

id=75447 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=69 | option_b=49 | option_c=59 | option_d=60 | answer=C | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

id=75448 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3197. If it is sold at a profit of 25%, what is its selling price? | option_a=3677 | option_b=3222 | option_c=3996 | option_d=4315 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3197 × 125/100 = █3996.

id=75449 | topic=Percentages | difficulty=Easy | question=What is 15% of 1457? | option_a=213 | option_b=223 | option_c=218 | option_d=436 | answer=C | explanation=15% of 1457 = (15/100) × 1457 = 218.

id=75450 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=O | option_b=I | option_c=L | option_d=R | answer=A | explanation=Move 3 positions forward from L; the resulting letter is O.

Aptitude Questions — Records 75,451-75,480 of 100,000

id=75451 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2868. If it is sold at a profit of 15%, what is its selling price? | option_a=2883 | option_b=3584 | option_c=3012 | option_d=3298 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2868 \times 115/100 = \text{■}3298$.

id=75452 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 43? | option_a=43 | option_b=22 | option_c=34 | option_d=28 | answer=A | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 43 is the odd one out.

id=75453 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=90 | option_c=40 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = $90 \div 2 = 45$ km/h.

id=75454 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3703. If it is sold at a profit of 15%, what is its selling price? | option_a=4258 | option_b=3718 | option_c=3888 | option_d=4628 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3703 \times 115/100 = \text{■}4258$.

id=75455 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=K | option_b=A | option_c=F | option_d=P | answer=A | explanation=Move 5 positions forward from F; the resulting letter is K.

id=75456 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=75457 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 33, 42, 52? | option_a=42 | option_b=24 | option_c=52 | option_d=33 | answer=C | explanation=The first three numbers increase by 9, so the next should be 51. Therefore 52 is the odd one out.

id=75458 | topic=Percentages | difficulty=Easy | question=What is 50% of 73? | option_a=46 | option_b=72 | option_c=36 | option_d=31 | answer=C | explanation=50% of 73 = $(50/100) \times 73 = 36$.

id=75459 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9162 at 4% per annum for 2 years. | option_a=832 | option_b=732 | option_c=632 | option_d=9894 | answer=B | explanation=SI = $PRT/100 = 9162 \times 4 \times 2/100 = \text{■}732$.

id=75460 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=4 | option_d=6 | answer=A | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=75461 | topic=Percentages | difficulty=Easy | question=What is 50% of 348? | option_a=179 | option_b=174 | option_c=169 | option_d=348 | answer=B | explanation=50% of 348 = $(50/100) \times 348 = 174$.

id=75462 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 27, 31, 37? | option_a=23 | option_b=31 | option_c=27 | option_d=37 | answer=D | explanation=The first three numbers increase by 4, so the next should be 35. Therefore 37 is the odd one out.

id=75463 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=150 | option_c=75 | option_d=70 | answer=C | explanation=Speed = distance ÷ time = $300 \div 4 = 75$ km/h.

id=75464 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23947 at 15% per annum for 1 years. | option_a=3492 | option_b=3592 | option_c=27539 | option_d=3692 | answer=B | explanation=SI = $PRT/100 = 23947 \times 15 \times 1/100 = \text{■}3592$.

id=75465 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3306. If it is sold at a profit of 5%, what is its selling price? | option_a=3471 | option_b=3141 | option_c=3311 | option_d=3801 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3306 \times 105/100 = \text{■}3471$.

id=75466 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4633. If it is sold at a profit of 20%, what is its selling price? | option_a=5096 | option_b=5559 | option_c=6022 | option_d=4653 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4633 \times 120/100 = \text{■}5559$.

id=75467 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21886 at 12% per annum for 5 years. | option_a=13031 | option_b=35017 | option_c=13231 | option_d=13131 | answer=D | explanation=SI = $PRT/100 = 21886 \times 12 \times 5/100 = \text{■}13131$.

id=75468 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=36 | option_b=31 | option_c=24 | option_d=30 | answer=D | explanation=The common difference is 6. Therefore the next term is $24 + 6 = 30$.

id=75469 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=180 | option_c=95 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = $360 \div 4 = 90$ km/h.

id=75470 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 32, 36, 43? | option_a=28 | option_b=43 | option_c=36 | option_d=32 | answer=B | explanation=The first three numbers increase by 4, so the next should be 40. Therefore 43 is the odd one out.

id=75471 | topic=Number System | difficulty=Easy | question=Find the LCM of 13 and 26. | option_a=26 | option_b=338 | option_c=39 | option_d=1 | answer=A | explanation= $LCM \times HCF = 13 \times 26$; $HCF(13, 26) = 13$, so $LCM = 26$.

id=75472 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 19, 27, 36? | option_a=19 | option_b=11 | option_c=27 | option_d=36 | answer=D | explanation=The first three numbers increase by 8, so the next should be 35. Therefore 36 is the odd one out.

id=75473 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 18. | option_a=72 | option_b=54 | option_c=80 | option_d=144 | answer=A | explanation= $LCM \times HCF = 8 \times 18$; $HCF(8, 18) = 2$, so $LCM = 72$.

id=75474 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27236 at 8% per annum for 3 years. | option_a=6536 | option_b=6636 | option_c=6436 | option_d=33772 | answer=A | explanation=SI = $PRT/100 = 27236 \times 8 \times 3/100 = \text{■}6536$.

id=75475 | topic=Averages | difficulty=Easy | question=Find the average of 54, 95, 47, 22, 27, 73, 46. | option_a=51 | option_b=52 | option_c=54 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = $364 \div 7 = 52$.

id=75476 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=N | option_c=L | option_d=H | answer=C | explanation=Move 2 positions forward from J; the resulting letter is L.

id=75477 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = $180 \div 3 = 60$ km/h.

id=75478 | topic=Averages | difficulty=Easy | question=Find the average of 26, 85, 59, 79, 66, 56, 53, 60, 84, 102. | option_a=66 | option_b=68 | option_c=67 | option_d=69 | answer=C | explanation=Average = sum of values ÷ number of values = $670 \div 10 = 67$.

id=75479 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 6. | option_a=18 | option_b=144 | option_c=48 | option_d=24 | answer=D | explanation= $LCM \times HCF = 24 \times 6$; $HCF(24, 6) = 6$, so $LCM = 24$.

id=75480 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:9 and the first is 135, what is the second? | option_a=72 | option_b=81 | option_c=216 | option_d=96 | answer=B | explanation=Scale factor = $135/15 = 9$. Therefore second quantity = $9 \times 9 = 81$.

Aptitude Questions — Records 75,481-75,510 of 100,000

- id=75481 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2449. If it is sold at a profit of 50%, what is its selling price? | option_a=2499 | option_b=3673 | option_c=3917 | option_d=3429 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2449 \times 150/100 = \text{█}3673$.
- id=75482 | topic=Percentages | difficulty=Easy | question=What is 20% of 274? | option_a=74 | option_b=54 | option_c=108 | option_d=44 | answer=B | explanation=20% of 274 = $(20/100) \times 274 = 54$.
- id=75483 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=46 | option_b=39 | option_c=53 | option_d=47 | answer=A | explanation=The common difference is 7. Therefore the next term is $39 + 7 = 46$.
- id=75484 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32529 at 10% per annum for 2 years. | option_a=39034 | option_b=6605 | option_c=6505 | option_d=6405 | answer=C | explanation=SI = $PRT/100 = 32529 \times 10 \times 2/100 = \text{█}6505$.
- id=75485 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.
- id=75486 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 10, 17, 25? | option_a=10 | option_b=17 | option_c=25 | option_d=3 | answer=C | explanation=The first three numbers increase by 7, so the next should be 24. Therefore 25 is the odd one out.
- id=75487 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.
- id=75488 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=85 | option_d=160 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 240 \div 3 = 80$ km/h.
- id=75489 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:2 and the first is 20, what is the second? | option_a=24 | option_b=14 | option_c=4 | option_d=2 | answer=C | explanation=Scale factor = $20/10 = 2$. Therefore second quantity = $2 \times 2 = 4$.
- id=75490 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=D | option_c=L | option_d=P | answer=C | explanation=Move 4 positions forward from H; the resulting letter is L.
- id=75491 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=52 | option_b=61 | option_c=41 | option_d=51 | answer=D | explanation=The common difference is 10. Therefore the next term is $41 + 10 = 51$.
- id=75492 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=66 | option_b=56 | option_c=57 | option_d=46 | answer=B | explanation=The common difference is 10. Therefore the next term is $46 + 10 = 56$.
- id=75493 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9881 at 5% per annum for 2 years. | option_a=988 | option_b=10869 | option_c=888 | option_d=1088 | answer=A | explanation=SI = $PRT/100 = 9881 \times 5 \times 2/100 = \text{█}988$.
- id=75494 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 18. | option_a=1 | option_b=27 | option_c=18 | option_d=162 | answer=C | explanation= $LCM \times HCF = 9 \times 18$; $HCF(9, 18) = 9$, so $LCM = 18$.
- id=75495 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47093 at 15% per annum for 4 years. | option_a=28355 | option_b=28155 | option_c=75348 | option_d=28255 | answer=D | explanation=SI = $PRT/100 = 47093 \times 15 \times 4/100 = \text{█}28255$.
- id=75496 | topic=Percentages | difficulty=Easy | question=What is 12% of 727? | option_a=97 | option_b=67 | option_c=87 | option_d=174 | answer=C | explanation=12% of 727 = $(12/100) \times 727 = 87$.
- id=75497 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=75 | option_c=80 | option_d=150 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 150 \div 2 = 75$ km/h.
- id=75498 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 7. | option_a=28 | option_b=56 | option_c=196 | option_d=21 | answer=A | explanation= $LCM \times HCF = 28 \times 7$; $HCF(28, 7) = 7$, so $LCM = 28$.
- id=75499 | topic=Percentages | difficulty=Easy | question=What is 15% of 949? | option_a=142 | option_b=122 | option_c=147 | option_d=284 | answer=A | explanation=15% of 949 = $(15/100) \times 949 = 142$.
- id=75500 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:15 and the first is 48, what is the second? | option_a=225 | option_b=288 | option_c=240 | option_d=243 | answer=C | explanation=Scale factor = $48/3 = 16$. Therefore second quantity = $15 \times 16 = 240$.
- id=75501 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=Y | option_c=K | option_d=G | answer=D | explanation=Move 4 positions forward from C; the resulting letter is G.
- id=75502 | topic=Profit & Loss | difficulty=Easy | question=An article costs █176. If it is sold at a profit of 40%, what is its selling price? | option_a=246 | option_b=229 | option_c=263 | option_d=216 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 176 \times 140/100 = \text{█}246$.
- id=75503 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=5 | option_c=20 | option_d=10 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 60 \div 6 = 10$ km/h.
- id=75504 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1552. If it is sold at a profit of 10%, what is its selling price? | option_a=1862 | option_b=1707 | option_c=1562 | option_d=1552 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1552 \times 110/100 = \text{█}1707$.
- id=75505 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=25 | option_b=22 | option_c=24 | option_d=26 | answer=C | explanation=The common difference is 2. Therefore the next term is $22 + 2 = 24$.
- id=75506 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=20 | option_b=24 | option_c=16 | option_d=21 | answer=A | explanation=The common difference is 4. Therefore the next term is $16 + 4 = 20$.
- id=75507 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=A | option_b=C | option_c=E | option_d=G | answer=C | explanation=Move 2 positions forward from C; the resulting letter is E.
- id=75508 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=57 | option_b=65 | option_c=56 | option_d=47 | answer=C | explanation=The common difference is 9. Therefore the next term is $47 + 9 = 56$.
- id=75509 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 29, 31, 34? | option_a=31 | option_b=29 | option_c=27 | option_d=34 | answer=D | explanation=The first three numbers increase by 2, so the next should be 33. Therefore 34 is the odd one out.
- id=75510 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 60 \div 2 = 30$ km/h.

Aptitude Questions — Records 75,511-75,540 of 100,000

id=75511 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:9 and the first is 156, what is the second? | option_a=108 | option_b=129 | option_c=117 | option_d=273 | answer=C | explanation=Scale factor = $156/12 = 13$. Therefore second quantity = $9 \times 13 = 117$.

id=75512 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=15 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = $120 \div 6 = 20$ km/h.

id=75513 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 28, 36, 44, ? | option_a=53 | option_b=52 | option_c=44 | option_d=60 | answer=B | explanation=The common difference is 8. Therefore the next term is $44 + 8 = 52$.

id=75514 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6860 at 12% per annum for 3 years. | option_a=2369 | option_b=2569 | option_c=9329 | option_d=2469 | answer=D | explanation=SI = $PRT/100 = 6860 \times 12 \times 3/100 = \text{■}2469$.

id=75515 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2185. If it is sold at a profit of 15%, what is its selling price? | option_a=2730 | option_b=2294 | option_c=2200 | option_d=2512 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2185 \times 115/100 = \text{■}2512$.

id=75516 | topic=Percentages | difficulty=Easy | question=What is 5% of 58? | option_a=0 | option_b=4 | option_c=2 | option_d=12 | answer=C | explanation=5% of 58 = $(5/100) \times 58 = 2$.

id=75517 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:7 and the first is 182, what is the second? | option_a=111 | option_b=91 | option_c=98 | option_d=280 | answer=C | explanation=Scale factor = $182/13 = 14$. Therefore second quantity = $7 \times 14 = 98$.

id=75518 | topic=Averages | difficulty=Easy | question=Find the average of 26, 91, 12, 55, 82, 34. | option_a=51 | option_b=50 | option_c=49 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = $300 \div 6 = 50$.

id=75519 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=49 | option_b=50 | option_c=59 | option_d=39 | answer=A | explanation=The common difference is 10. Therefore the next term is $39 + 10 = 49$.

id=75520 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=50 | option_c=25 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = $150 \div 6 = 25$ km/h.

id=75521 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:5 and the first is 108, what is the second? | option_a=30 | option_b=48 | option_c=25 | option_d=138 | answer=A | explanation=Scale factor = $108/18 = 6$. Therefore second quantity = $5 \times 6 = 30$.

id=75522 | topic=Percentages | difficulty=Easy | question=What is 40% of 1459? | option_a=583 | option_b=593 | option_c=578 | option_d=1166 | answer=A | explanation=40% of 1459 = $(40/100) \times 1459 = 583$.

id=75523 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $150 \div 5 = 30$ km/h.

id=75524 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=75525 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:16 and the first is 40, what is the second? | option_a=200 | option_b=164 | option_c=160 | option_d=144 | answer=C | explanation=Scale factor = $40/4 = 10$. Therefore second quantity = $16 \times 10 = 160$.

id=75526 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 21, 30, 39, ? | option_a=48 | option_b=57 | option_c=39 | option_d=49 | answer=A | explanation=The common difference is 9. Therefore the next term is $39 + 9 = 48$.

id=75527 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 13? | option_a=3 | option_b=6 | option_c=13 | option_d=9 | answer=C | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 13 is the odd one out.

id=75528 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 34? | option_a=21 | option_b=16 | option_c=34 | option_d=26 | answer=C | explanation=The first three numbers increase by 5, so the next should be 31. Therefore 34 is the odd one out.

id=75529 | topic=Percentages | difficulty=Easy | question=What is 30% of 673? | option_a=181 | option_b=201 | option_c=402 | option_d=221 | answer=B | explanation=30% of 673 = $(30/100) \times 673 = 201$.

id=75530 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 57? | option_a=46 | option_b=36 | option_c=57 | option_d=26 | answer=C | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 57 is the odd one out.

id=75531 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29250 at 5% per annum for 4 years. | option_a=5950 | option_b=35100 | option_c=5850 | option_d=5750 | answer=C | explanation=SI = $PRT/100 = 29250 \times 5 \times 4/100 = \text{■}5850$.

id=75532 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=75533 | topic=Percentages | difficulty=Easy | question=What is 50% of 134? | option_a=47 | option_b=67 | option_c=87 | option_d=134 | answer=B | explanation=50% of 134 = $(50/100) \times 134 = 67$.

id=75534 | topic=Percentages | difficulty=Easy | question=What is 15% of 1837? | option_a=295 | option_b=550 | option_c=265 | option_d=275 | answer=D | explanation=15% of 1837 = $(15/100) \times 1837 = 275$.

id=75535 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 29, 37, 47? | option_a=29 | option_b=21 | option_c=37 | option_d=47 | answer=D | explanation=The first three numbers increase by 8, so the next should be 45. Therefore 47 is the odd one out.

id=75536 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34913 at 4% per annum for 4 years. | option_a=5586 | option_b=5486 | option_c=40499 | option_d=5686 | answer=A | explanation=SI = $PRT/100 = 34913 \times 4 \times 4/100 = \text{■}5586$.

id=75537 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=L | option_b=M | option_c=J | option_d=K | answer=A | explanation=Move 1 positions forward from K; the resulting letter is L.

id=75538 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=29 | option_b=24 | option_c=28 | option_d=32 | answer=C | explanation=The common difference is 4. Therefore the next term is $24 + 4 = 28$.

id=75539 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:12 and the first is 340, what is the second? | option_a=257 | option_b=580 | option_c=240 | option_d=228 | answer=C | explanation=Scale factor = $340/17 = 20$. Therefore second quantity = $12 \times 20 = 240$.

id=75540 | topic=Averages | difficulty=Easy | question=Find the average of 96, 93, 29, 82. | option_a=74 | option_b=77 | option_c=76 | option_d=75 | answer=D | explanation=Average = sum of values ÷ number of values = $300 \div 4 = 75$.

Aptitude Questions — Records 75,541-75,570 of 100,000

id=75541 | topic=Percentages | difficulty=Easy | question=What is 25% of 1019? | option_a=234 | option_b=508 | option_c=254 | option_d=264 | answer=C | explanation=25% of 1019 = (25/100) × 1019 = 254.

id=75542 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**954. If it is sold at a profit of 50%, what is its selling price? | option_a=1004 | option_b=1431 | option_c=1336 | option_d=1526 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 954 × 150/100 = **■**1431.

id=75543 | topic=Averages | difficulty=Easy | question=Find the average of 76, 37, 92, 81, 16, 72, 53, 45. | option_a=61 | option_b=59 | option_c=58 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 472 ÷ 8 = 59.

id=75544 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 28? | option_a=28 | option_b=19 | option_c=23 | option_d=15 | answer=A | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 28 is the odd one out.

id=75545 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:3 and the first is 320, what is the second? | option_a=76 | option_b=380 | option_c=60 | option_d=57 | answer=C | explanation=Scale factor = 320/16 = 20. Therefore second quantity = 3×20 = 60.

id=75546 | topic=Averages | difficulty=Easy | question=Find the average of 81, 73, 29, 19, 19, 34, 93, 44. | option_a=49 | option_b=48 | option_c=50 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 392 ÷ 8 = 49.

id=75547 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=17 | option_c=7 | option_d=24 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=75548 | topic=Percentages | difficulty=Easy | question=What is 20% of 382? | option_a=71 | option_b=76 | option_c=152 | option_d=81 | answer=B | explanation=20% of 382 = (20/100) × 382 = 76.

id=75549 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 16, 21, 29? | option_a=11 | option_b=29 | option_c=16 | option_d=21 | answer=B | explanation=The first three numbers increase by 5, so the next should be 26. Therefore 29 is the odd one out.

id=75550 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5864 at 8% per annum for 3 years. | option_a=1307 | option_b=7271 | option_c=1507 | option_d=1407 | answer=D | explanation=SI = PRT/100 = 5864×8×3/100 = **■**1407.

id=75551 | topic=Percentages | difficulty=Easy | question=What is 30% of 1734? | option_a=520 | option_b=510 | option_c=1040 | option_d=530 | answer=A | explanation=30% of 1734 = (30/100) × 1734 = 520.

id=75552 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:7 and the first is 100, what is the second? | option_a=133 | option_b=240 | option_c=145 | option_d=140 | answer=D | explanation=Scale factor = 100/5 = 20. Therefore second quantity = 7×20 = 140.

id=75553 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 7. | option_a=14 | option_b=147 | option_c=21 | option_d=42 | answer=C | explanation=LCM × HCF = 21×7; HCF(21,7) = 7, so LCM = 21.

id=75554 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 49? | option_a=30 | option_b=49 | option_c=36 | option_d=42 | answer=B | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 49 is the odd one out.

id=75555 | topic=Percentages | difficulty=Easy | question=What is 50% of 1356? | option_a=673 | option_b=678 | option_c=1356 | option_d=698 | answer=B | explanation=50% of 1356 = (50/100) × 1356 = 678.

id=75556 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**551. If it is sold at a profit of 5%, what is its selling price? | option_a=523 | option_b=578 | option_c=556 | option_d=633 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 551 × 105/100 = **■**578.

id=75557 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=60 | option_b=49 | option_c=38 | option_d=50 | answer=B | explanation=The common difference is 11. Therefore the next term is 38 + 11 = 49.

id=75558 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3118. If it is sold at a profit of 30%, what is its selling price? | option_a=3742 | option_b=3148 | option_c=4364 | option_d=4053 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3118 × 130/100 = **■**4053.

id=75559 | topic=Averages | difficulty=Easy | question=Find the average of 36, 99, 99, 39, 38, 31. | option_a=56 | option_b=57 | option_c=58 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 342 ÷ 6 = 57.

id=75560 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29557 at 15% per annum for 3 years. | option_a=13400 | option_b=13200 | option_c=42857 | option_d=13300 | answer=D | explanation=SI = PRT/100 = 29557×15×3/100 = **■**13300.

id=75561 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=6 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=75562 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49983 at 15% per annum for 5 years. | option_a=87470 | option_b=37587 | option_c=37387 | option_d=37487 | answer=D | explanation=SI = PRT/100 = 49983×15×5/100 = **■**37487.

id=75563 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:7 and the first is 132, what is the second? | option_a=89 | option_b=77 | option_c=70 | option_d=209 | answer=B | explanation=Scale factor = 132/12 = 11. Therefore second quantity = 7×11 = 77.

id=75564 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=F | option_b=O | option_c=I | option_d=L | answer=D | explanation=Move 3 positions forward from I; the resulting letter is L.

id=75565 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 16. | option_a=48 | option_b=192 | option_c=60 | option_d=32 | answer=A | explanation=LCM × HCF = 12×16; HCF(12,16) = 4, so LCM = 48.

id=75566 | topic=Averages | difficulty=Easy | question=Find the average of 78, 65, 70, 22. | option_a=63 | option_b=60 | option_c=62 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 305 ÷ 5 = 61.

id=75567 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:2 and the first is 80, what is the second? | option_a=40 | option_b=120 | option_c=44 | option_d=38 | answer=A | explanation=Scale factor = 80/4 = 20. Therefore second quantity = 2×20 = 40.

id=75568 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=5 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=75569 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=75570 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

Aptitude Questions — Records 75,571-75,600 of 100,000

id=75571 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=X | option_b=P | option_c=L | option_d=T | answer=D | explanation=Move 4 positions forward from P; the resulting letter is T.

id=75572 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=80 | option_c=40 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=75573 | topic=Averages | difficulty=Easy | question=Find the average of 68, 43, 69. | option_a=60 | option_b=59 | option_c=62 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 180 ÷ 3 = 60.

id=75574 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2890. If it is sold at a profit of 5%, what is its selling price? | option_a=2895 | option_b=3323 | option_c=2745 | option_d=3034 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2890 × 105/100 = ₹3034.

id=75575 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 11, 16, 22? | option_a=22 | option_b=11 | option_c=6 | option_d=16 | answer=A | explanation=The first three numbers increase by 5, so the next should be 21. Therefore 22 is the odd one out.

id=75576 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 30? | option_a=30 | option_b=18 | option_c=23 | option_d=13 | answer=A | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 30 is the odd one out.

id=75577 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=M | option_c=C | option_d=R | answer=B | explanation=Move 5 positions forward from H; the resulting letter is M.

id=75578 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=54 | option_b=55 | option_c=45 | option_d=63 | answer=A | explanation=The common difference is 9. Therefore the next term is 45 + 9 = 54.

id=75579 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:19 and the first is 60, what is the second? | option_a=107 | option_b=76 | option_c=155 | option_d=95 | answer=D | explanation=Scale factor = 60/12 = 5. Therefore second quantity = 19×5 = 95.

id=75580 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=49 | option_b=50 | option_c=59 | option_d=39 | answer=A | explanation=The common difference is 10. Therefore the next term is 39 + 10 = 49.

id=75581 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹297. If it is sold at a profit of 20%, what is its selling price? | option_a=385 | option_b=356 | option_c=327 | option_d=317 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 297 × 120/100 = ₹356.

id=75582 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 4. | option_a=56 | option_b=42 | option_c=28 | option_d=24 | answer=C | explanation=LCM × HCF = 14×4; HCF(14,4) = 2, so LCM = 28.

id=75583 | topic=Percentages | difficulty=Easy | question=What is 25% of 1932? | option_a=503 | option_b=483 | option_c=463 | option_d=966 | answer=B | explanation=25% of 1932 = (25/100) × 1932 = 483.

id=75584 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=75585 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=75586 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1456. If it is sold at a profit of 40%, what is its selling price? | option_a=2038 | option_b=1893 | option_c=1496 | option_d=2183 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1456 × 140/100 = ₹2038.

id=75587 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=50 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=75588 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=36 | option_b=42 | option_c=35 | option_d=28 | answer=C | explanation=The common difference is 7. Therefore the next term is 28 + 7 = 35.

id=75589 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹167. If it is sold at a profit of 5%, what is its selling price? | option_a=191 | option_b=159 | option_c=172 | option_d=175 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 167 × 105/100 = ₹175.

id=75590 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=20 | option_c=10 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=75591 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 21, 27, 35? | option_a=27 | option_b=35 | option_c=21 | option_d=15 | answer=B | explanation=The first three numbers increase by 6, so the next should be 33. Therefore 35 is the odd one out.

id=75592 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=75593 | topic=Averages | difficulty=Easy | question=Find the average of 73, 80, 68, 24, 94, 35, 50, 41, 84. | option_a=62 | option_b=60 | option_c=63 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 549 ÷ 9 = 61.

id=75594 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 36, 43, 51? | option_a=43 | option_b=51 | option_c=36 | option_d=29 | answer=B | explanation=The first three numbers increase by 7, so the next should be 50. Therefore 51 is the odd one out.

id=75595 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 31, 36, 42? | option_a=36 | option_b=31 | option_c=42 | option_d=26 | answer=C | explanation=The first three numbers increase by 5, so the next should be 41. Therefore 42 is the odd one out.

id=75596 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=75597 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹33065 at 5% per annum for 1 years. | option_a=1653 | option_b=1753 | option_c=1553 | option_d=34718 | answer=A | explanation=SI = PRT/100 = 33065×5×1/100 = ₹1653.

id=75598 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=80 | option_c=70 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=75599 | topic=Averages | difficulty=Easy | question=Find the average of 85, 67, 49, 53, 63, 91. | option_a=70 | option_b=69 | option_c=68 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 408 ÷ 6 = 68.

id=75600 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 75,601-75,630 of 100,000

id=75601 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=H | option_b=K | option_c=N | option_d=Q | answer=C | explanation=Move 3 positions forward from K; the resulting letter is N.

id=75602 | topic=Averages | difficulty=Easy | question=Find the average of 54, 19, 89. | option_a=56 | option_b=55 | option_c=53 | option_d=54 | answer=D | explanation=Average = sum of values + number of values = 162 ÷ 3 = 54.

id=75603 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=36 | option_b=30 | option_c=31 | option_d=24 | answer=B | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.

id=75604 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=32 | option_b=26 | option_c=20 | option_d=27 | answer=B | explanation=The common difference is 6. Therefore the next term is 20 + 6 = 26.

id=75605 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 28, 36, 44, ? | option_a=52 | option_b=44 | option_c=60 | option_d=53 | answer=A | explanation=The common difference is 8. Therefore the next term is 44 + 8 = 52.

id=75606 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=36 | option_b=40 | option_c=35 | option_d=30 | answer=C | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=75607 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 28, 36, 46? | option_a=20 | option_b=28 | option_c=46 | option_d=36 | answer=C | explanation=The first three numbers increase by 8, so the next should be 44. Therefore 46 is the odd one out.

id=75608 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 8. | option_a=32 | option_b=40 | option_c=80 | option_d=50 | answer=B | explanation=LCM × HCF = 10×8; HCF(10,8) = 2, so LCM = 40.

id=75609 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 23, 25, 29? | option_a=29 | option_b=21 | option_c=25 | option_d=23 | answer=A | explanation=The first three numbers increase by 2, so the next should be 27. Therefore 29 is the odd one out.

id=75610 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2760. If it is sold at a profit of 15%, what is its selling price? | option_a=3450 | option_b=2775 | option_c=2898 | option_d=3174 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2760 × 115/100 = █3174.

id=75611 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27529 at 5% per annum for 5 years. | option_a=6982 | option_b=6782 | option_c=34411 | option_d=6882 | answer=D | explanation=SI = PRT/100 = 27529×5×5/100 = █6882.

id=75612 | topic=Averages | difficulty=Easy | question=Find the average of 10, 40, 19, 97, 33, 38, 38, 77, 80. | option_a=48 | option_b=49 | option_c=47 | option_d=50 | answer=A | explanation=Average = sum of values + number of values = 432 ÷ 9 = 48.

id=75613 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40491 at 15% per annum for 3 years. | option_a=18320 | option_b=58711 | option_c=18220 | option_d=18120 | answer=C | explanation=SI = PRT/100 = 40491×15×3/100 = █18220.

id=75614 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:19 and the first is 255, what is the second? | option_a=266 | option_b=302 | option_c=540 | option_d=285 | answer=D | explanation=Scale factor = 255/17 = 15. Therefore second quantity = 19×15 = 285.

id=75615 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2199. If it is sold at a profit of 30%, what is its selling price? | option_a=3077 | option_b=2858 | option_c=2229 | option_d=2639 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2199 × 130/100 = █2858.

id=75616 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=75617 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:9 and the first is 42, what is the second? | option_a=41 | option_b=69 | option_c=27 | option_d=18 | answer=C | explanation=Scale factor = 42/14 = 3. Therefore second quantity = 9×3 = 27.

id=75618 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16688 at 5% per annum for 1 years. | option_a=734 | option_b=834 | option_c=934 | option_d=17522 | answer=B | explanation=SI = PRT/100 = 16688×5×1/100 = █834.

id=75619 | topic=Percentages | difficulty=Easy | question=What is 50% of 1961? | option_a=985 | option_b=980 | option_c=970 | option_d=1960 | answer=B | explanation=50% of 1961 = (50/100) × 1961 = 980.

id=75620 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:14 and the first is 34, what is the second? | option_a=62 | option_b=28 | option_c=14 | option_d=45 | answer=B | explanation=Scale factor = 34/17 = 2. Therefore second quantity = 14×2 = 28.

id=75621 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5656 at 15% per annum for 2 years. | option_a=7352 | option_b=1796 | option_c=1696 | option_d=1596 | answer=C | explanation=SI = PRT/100 = 5656×15×2/100 = █1696.

id=75622 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 6, 10, 17? | option_a=6 | option_b=10 | option_c=2 | option_d=17 | answer=D | explanation=The first three numbers increase by 4, so the next should be 14. Therefore 17 is the odd one out.

id=75623 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=75624 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 8. | option_a=60 | option_b=32 | option_c=40 | option_d=160 | answer=C | explanation=LCM × HCF = 20×8; HCF(20,8) = 4, so LCM = 40.

id=75625 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=75626 | topic=Percentages | difficulty=Easy | question=What is 5% of 134? | option_a=11 | option_b=12 | option_c=6 | option_d=0 | answer=C | explanation=5% of 134 = (5/100) × 134 = 6.

id=75627 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=39 | option_b=32 | option_c=33 | option_d=25 | answer=B | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.

id=75628 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44342 at 8% per annum for 1 years. | option_a=3547 | option_b=3647 | option_c=47889 | option_d=3447 | answer=A | explanation=SI = PRT/100 = 44342×8×1/100 = █3547.

id=75629 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 34, 44, 57? | option_a=57 | option_b=44 | option_c=24 | option_d=34 | answer=A | explanation=The first three numbers increase by 10, so the next should be 54. Therefore 57 is the odd one out.

id=75630 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=29 | option_b=34 | option_c=33 | option_d=37 | answer=C | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

Aptitude Questions — Records 75,631-75,660 of 100,000

id=75631 | topic=Percentages | difficulty=Easy | question=What is 15% of 1088? | option_a=158 | option_b=326 | option_c=183 | option_d=163 | answer=D | explanation=15% of 1088 = (15/100) × 1088 = 163.

id=75632 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=H | option_c=I | option_d=G | answer=C | explanation=Move 1 positions forward from H; the resulting letter is I.

id=75633 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:15 and the first is 20, what is the second? | option_a=150 | option_b=170 | option_c=152 | option_d=135 | answer=A | explanation=Scale factor = 20/2 = 10. Therefore second quantity = 15×10 = 150.

id=75634 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=R | option_c=F | option_d=J | answer=A | explanation=Move 4 positions forward from J; the resulting letter is N.

id=75635 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:19 and the first is 340, what is the second? | option_a=361 | option_b=397 | option_c=720 | option_d=380 | answer=D | explanation=Scale factor = 340/17 = 20. Therefore second quantity = 19×20 = 380.

id=75636 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=75637 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=115 | option_d=240 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=75638 | topic=Averages | difficulty=Easy | question=Find the average of 36, 26, 76, 52, 53, 40, 67. | option_a=49 | option_b=52 | option_c=51 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

id=75639 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 17, 21, 28? | option_a=13 | option_b=17 | option_c=21 | option_d=28 | answer=D | explanation=The first three numbers increase by 4, so the next should be 25. Therefore 28 is the odd one out.

id=75640 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=E | option_b=G | option_c=K | option_d=I | answer=D | explanation=Move 2 positions forward from G; the resulting letter is I.

id=75641 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:4 and the first is 380, what is the second? | option_a=460 | option_b=99 | option_c=76 | option_d=80 | answer=D | explanation=Scale factor = 380/19 = 20. Therefore second quantity = 4×20 = 80.

id=75642 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹705. If it is sold at a profit of 40%, what is its selling price? | option_a=987 | option_b=1057 | option_c=745 | option_d=917 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 705 × 140/100 = ₹987.

id=75643 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:9 and the first is 288, what is the second? | option_a=144 | option_b=432 | option_c=135 | option_d=162 | answer=A | explanation=Scale factor = 288/18 = 16. Therefore second quantity = 9×16 = 144.

id=75644 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=75645 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹537. If it is sold at a profit of 40%, what is its selling price? | option_a=577 | option_b=751 | option_c=804 | option_d=698 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 537 × 140/100 = ₹751.

id=75646 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=39 | option_b=40 | option_c=34 | option_d=44 | answer=A | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

id=75647 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=P | option_b=U | option_c=K | option_d=F | answer=A | explanation=Move 5 positions forward from K; the resulting letter is P.

id=75648 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=300 | option_c=150 | option_d=145 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=75649 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹33303 at 12% per annum for 5 years. | option_a=20081 | option_b=53284 | option_c=19881 | option_d=19981 | answer=D | explanation=SI = PRT/100 = 33303×12×5/100 = ₹19981.

id=75650 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 33, 38, 46? | option_a=46 | option_b=28 | option_c=33 | option_d=38 | answer=A | explanation=The first three numbers increase by 5, so the next should be 43. Therefore 46 is the odd one out.

id=75651 | topic=Averages | difficulty=Easy | question=Find the average of 68, 62, 68, 62. | option_a=65 | option_b=67 | option_c=66 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = 260 ÷ 4 = 65.

id=75652 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:13 and the first is 56, what is the second? | option_a=104 | option_b=111 | option_c=91 | option_d=160 | answer=A | explanation=Scale factor = 56/7 = 8. Therefore second quantity = 13×8 = 104.

id=75653 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:5 and the first is 180, what is the second? | option_a=65 | option_b=225 | option_c=40 | option_d=45 | answer=D | explanation=Scale factor = 180/20 = 9. Therefore second quantity = 5×9 = 45.

id=75654 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=45 | option_b=54 | option_c=36 | option_d=46 | answer=A | explanation=The common difference is 9. Therefore the next term is 36 + 9 = 45.

id=75655 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=95 | option_c=100 | option_d=200 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=75656 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=75657 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=C | option_b=I | option_c=G | option_d=E | answer=C | explanation=Move 2 positions forward from E; the resulting letter is G.

id=75658 | topic=Percentages | difficulty=Easy | question=What is 50% of 1466? | option_a=1466 | option_b=723 | option_c=743 | option_d=733 | answer=D | explanation=50% of 1466 = (50/100) × 1466 = 733.

id=75659 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=K | option_b=P | option_c=F | option_d=A | answer=A | explanation=Move 5 positions forward from F; the resulting letter is K.

id=75660 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Z | option_b=Q | option_c=T | option_d=W | answer=D | explanation=Move 3 positions forward from T; the resulting letter is W.

Aptitude Questions — Records 75,661-75,690 of 100,000

- id=75661 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1245. If it is sold at a profit of 30%, what is its selling price? | option_a=1494 | option_b=1742 | option_c=1275 | option_d=1618 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1245 × 130/100 = █1618.
- id=75662 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.
- id=75663 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:19 and the first is 56, what is the second? | option_a=141 | option_b=189 | option_c=114 | option_d=133 | answer=D | explanation=Scale factor = 56/8 = 7. Therefore second quantity = 19×7 = 133.
- id=75664 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=29 | option_b=36 | option_c=35 | option_d=41 | answer=C | explanation=The common difference is 6. Therefore the next term is 29 + 6 = 35.
- id=75665 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=44 | option_b=28 | option_c=37 | option_d=36 | answer=D | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.
- id=75666 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:9 and the first is 90, what is the second? | option_a=144 | option_b=54 | option_c=45 | option_d=69 | answer=B | explanation=Scale factor = 90/15 = 6. Therefore second quantity = 9×6 = 54.
- id=75667 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 26. | option_a=156 | option_b=130 | option_c=168 | option_d=312 | answer=A | explanation=LCM × HCF = 12×26; HCF(12,26) = 2, so LCM = 156.
- id=75668 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=J | option_b=L | option_c=N | option_d=P | answer=C | explanation=Move 2 positions forward from L; the resulting letter is N.
- id=75669 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=24 | option_c=17 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.
- id=75670 | topic=Averages | difficulty=Easy | question=Find the average of 21, 43, 92, 22, 52. | option_a=48 | option_b=47 | option_c=46 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = 230 ÷ 5 = 46.
- id=75671 | topic=Percentages | difficulty=Easy | question=What is 25% of 1586? | option_a=396 | option_b=792 | option_c=391 | option_d=406 | answer=A | explanation=25% of 1586 = (25/100) × 1586 = 396.
- id=75672 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:5 and the first is 272, what is the second? | option_a=357 | option_b=101 | option_c=80 | option_d=85 | answer=D | explanation=Scale factor = 272/16 = 17. Therefore second quantity = 5×17 = 85.
- id=75673 | topic=Percentages | difficulty=Easy | question=What is 50% of 1841? | option_a=920 | option_b=1840 | option_c=900 | option_d=940 | answer=A | explanation=50% of 1841 = (50/100) × 1841 = 920.
- id=75674 | topic=Percentages | difficulty=Easy | question=What is 12% of 1089? | option_a=150 | option_b=110 | option_c=130 | option_d=260 | answer=C | explanation=12% of 1089 = (12/100) × 1089 = 130.
- id=75675 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 40? | option_a=40 | option_b=33 | option_c=36 | option_d=30 | answer=A | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 40 is the odd one out.
- id=75676 | topic=Averages | difficulty=Easy | question=Find the average of 73, 27, 96, 26. | option_a=53 | option_b=54 | option_c=52 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 212 ÷ 4 = 53.
- id=75677 | topic=Percentages | difficulty=Easy | question=What is 20% of 442? | option_a=176 | option_b=93 | option_c=68 | option_d=88 | answer=D | explanation=20% of 442 = (20/100) × 442 = 88.
- id=75678 | topic=Percentages | difficulty=Easy | question=What is 20% of 1789? | option_a=357 | option_b=337 | option_c=362 | option_d=714 | answer=A | explanation=20% of 1789 = (20/100) × 1789 = 357.
- id=75679 | topic=Averages | difficulty=Easy | question=Find the average of 23, 64, 26, 80, 78, 71, 27, 19, 13, 59. | option_a=48 | option_b=46 | option_c=47 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = 460 ÷ 10 = 46.
- id=75680 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=O | option_c=U | option_d=X | answer=C | explanation=Move 3 positions forward from R; the resulting letter is U.
- id=75681 | topic=Averages | difficulty=Easy | question=Find the average of 61, 66, 18, 84, 61. | option_a=57 | option_b=59 | option_c=60 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 290 ÷ 5 = 58.
- id=75682 | topic=Averages | difficulty=Easy | question=Find the average of 45, 96, 69, 24, 36. | option_a=54 | option_b=53 | option_c=56 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 270 ÷ 5 = 54.
- id=75683 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=38 | option_b=35 | option_c=34 | option_d=30 | answer=C | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.
- id=75684 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=30 | option_b=35 | option_c=34 | option_d=38 | answer=C | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.
- id=75685 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3524. If it is sold at a profit of 20%, what is its selling price? | option_a=3876 | option_b=3544 | option_c=4228 | option_d=4580 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3524 × 120/100 = █4228.
- id=75686 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1454. If it is sold at a profit of 5%, what is its selling price? | option_a=1459 | option_b=1526 | option_c=1671 | option_d=1381 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1454 × 105/100 = █1526.
- id=75687 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=K | option_b=F | option_c=A | option_d=V | answer=B | explanation=Move 5 positions forward from A; the resulting letter is F.
- id=75688 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.
- id=75689 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.
- id=75690 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=40 | option_c=15 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

Aptitude Questions — Records 75,691-75,720 of 100,000

id=75691 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=75692 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=75693 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 39, 48, 60? | option_a=60 | option_b=48 | option_c=30 | option_d=39 | answer=A | explanation=The first three numbers increase by 9, so the next should be 57. Therefore 60 is the odd one out.

id=75694 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=A | option_b=M | option_c=E | option_d=I | answer=D | explanation=Move 4 positions forward from E; the resulting letter is I.

id=75695 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**923. If it is sold at a profit of 25%, what is its selling price? | option_a=1153 | option_b=1245 | option_c=948 | option_d=1061 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 923 × 125/100 = **■**1153.

id=75696 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47220 at 6% per annum for 2 years. | option_a=5766 | option_b=5566 | option_c=52886 | option_d=5666 | answer=D | explanation=SI = PRT/100 = 47220×6×2/100 = **■**5666.

id=75697 | topic=Percentages | difficulty=Easy | question=What is 25% of 1122? | option_a=280 | option_b=560 | option_c=275 | option_d=290 | answer=A | explanation=25% of 1122 = (25/100) × 1122 = 280.

id=75698 | topic=Averages | difficulty=Easy | question=Find the average of 12, 96, 37, 44, 48, 76, 81, 94. | option_a=60 | option_b=63 | option_c=61 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 488 ÷ 8 = 61.

id=75699 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=5 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=75700 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=O | option_c=P | option_d=Q | answer=D | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=75701 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3342. If it is sold at a profit of 10%, what is its selling price? | option_a=4010 | option_b=3676 | option_c=3352 | option_d=3342 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3342 × 110/100 = **■**3676.

id=75702 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=75703 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=95 | option_d=180 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=75704 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3040. If it is sold at a profit of 10%, what is its selling price? | option_a=3050 | option_b=3344 | option_c=3648 | option_d=3040 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3040 × 110/100 = **■**3344.

id=75705 | topic=Number System | difficulty=Easy | question=Find the LCM of 11 and 22. | option_a=1 | option_b=242 | option_c=22 | option_d=33 | answer=C | explanation=LCM × HCF = 11×22; HCF(11,22) = 11, so LCM = 22.

id=75706 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9385 at 8% per annum for 1 years. | option_a=850 | option_b=750 | option_c=650 | option_d=10135 | answer=B | explanation=SI = PRT/100 = 9385×8×1/100 = **■**750.

id=75707 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 16, 23, 33? | option_a=23 | option_b=9 | option_c=33 | option_d=16 | answer=C | explanation=The first three numbers increase by 7, so the next should be 30. Therefore 33 is the odd one out.

id=75708 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23467 at 8% per annum for 2 years. | option_a=3654 | option_b=27221 | option_c=3754 | option_d=3854 | answer=C | explanation=SI = PRT/100 = 23467×8×2/100 = **■**3754.

id=75709 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=S | option_b=M | option_c=P | option_d=J | answer=C | explanation=Move 3 positions forward from M; the resulting letter is P.

id=75710 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**161. If it is sold at a profit of 15%, what is its selling price? | option_a=176 | option_b=201 | option_c=185 | option_d=169 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 161 × 115/100 = **■**185.

id=75711 | topic=Averages | difficulty=Easy | question=Find the average of 12, 43, 83. | option_a=45 | option_b=48 | option_c=47 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 138 ÷ 3 = 46.

id=75712 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18933 at 10% per annum for 1 years. | option_a=1793 | option_b=20826 | option_c=1993 | option_d=1893 | answer=D | explanation=SI = PRT/100 = 18933×10×1/100 = **■**1893.

id=75713 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=25 | option_b=21 | option_c=17 | option_d=22 | answer=B | explanation=The common difference is 4. Therefore the next term is 17 + 4 = 21.

id=75714 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Y | option_b=Q | option_c=M | option_d=U | answer=D | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=75715 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9461 at 6% per annum for 3 years. | option_a=1602 | option_b=11163 | option_c=1702 | option_d=1802 | answer=C | explanation=SI = PRT/100 = 9461×6×3/100 = **■**1702.

id=75716 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=46 | option_b=66 | option_c=57 | option_d=56 | answer=D | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=75717 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39780 at 5% per annum for 1 years. | option_a=1889 | option_b=1989 | option_c=41769 | option_d=2089 | answer=B | explanation=SI = PRT/100 = 39780×5×1/100 = **■**1989.

id=75718 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1859 at 10% per annum for 4 years. | option_a=643 | option_b=2602 | option_c=843 | option_d=743 | answer=D | explanation=SI = PRT/100 = 1859×10×4/100 = **■**743.

id=75719 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13770 at 8% per annum for 3 years. | option_a=17074 | option_b=3404 | option_c=3204 | option_d=3304 | answer=D | explanation=SI = PRT/100 = 13770×8×3/100 = **■**3304.

id=75720 | topic=Percentages | difficulty=Easy | question=What is 40% of 1594? | option_a=637 | option_b=617 | option_c=642 | option_d=1274 | answer=A | explanation=40% of 1594 = (40/100) × 1594 = 637.

Aptitude Questions — Records 75,721-75,750 of 100,000

id=75721 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:7 and the first is 140, what is the second? | option_a=140 | option_b=280 | option_c=133 | option_d=147 | answer=A | explanation=Scale factor = 140/7 = 20. Therefore second quantity = 7×20 = 140.

id=75722 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11135 at 5% per annum for 1 years. | option_a=556 | option_b=456 | option_c=11691 | option_d=656 | answer=A | explanation=SI = PRT/100 = 11135×5×1/100 = **■**556.

id=75723 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=O | option_b=D | option_c=T | option_d=Y | answer=D | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=75724 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 5. | option_a=10 | option_b=30 | option_c=75 | option_d=15 | answer=D | explanation=LCM × HCF = 15×5; HCF(15,5) = 5, so LCM = 15.

id=75725 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=90 | option_c=180 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=75726 | topic=Averages | difficulty=Easy | question=Find the average of 89, 36, 98, 83, 63, 66, 16, 29. | option_a=61 | option_b=62 | option_c=59 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 480 ÷ 8 = 60.

id=75727 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**471. If it is sold at a profit of 5%, what is its selling price? | option_a=447 | option_b=494 | option_c=476 | option_d=541 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 471 × 105/100 = **■**494.

id=75728 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=75729 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=75730 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=57 | option_b=66 | option_c=46 | option_d=56 | answer=D | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=75731 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 12, 15, 18, ? | option_a=18 | option_b=21 | option_c=24 | option_d=22 | answer=B | explanation=The common difference is 3. Therefore the next term is 18 + 3 = 21.

id=75732 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26391 at 10% per annum for 1 years. | option_a=29030 | option_b=2539 | option_c=2639 | option_d=2739 | answer=C | explanation=SI = PRT/100 = 26391×10×1/100 = **■**2639.

id=75733 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=55 | option_b=39 | option_c=47 | option_d=48 | answer=C | explanation=The common difference is 8. Therefore the next term is 39 + 8 = 47.

id=75734 | topic=Percentages | difficulty=Easy | question=What is 5% of 905? | option_a=90 | option_b=45 | option_c=40 | option_d=65 | answer=B | explanation=5% of 905 = (5/100) × 905 = 45.

id=75735 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=P | option_b=E | option_c=U | option_d=Z | answer=D | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=75736 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=75737 | topic=Percentages | difficulty=Easy | question=What is 40% of 1869? | option_a=737 | option_b=752 | option_c=747 | option_d=1494 | answer=C | explanation=40% of 1869 = (40/100) × 1869 = 747.

id=75738 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24858 at 4% per annum for 3 years. | option_a=27840 | option_b=3082 | option_c=2882 | option_d=2982 | answer=D | explanation=SI = PRT/100 = 24858×4×3/100 = **■**2982.

id=75739 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=75740 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=1 | option_c=12 | option_d=11 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=75741 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 26. | option_a=312 | option_b=130 | option_c=156 | option_d=168 | answer=C | explanation=LCM × HCF = 12×26; HCF(12,26) = 2, so LCM = 156.

id=75742 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=J | option_c=D | option_d=M | answer=B | explanation=Move 3 positions forward from G; the resulting letter is J.

id=75743 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=56 | option_b=67 | option_c=43 | option_d=55 | answer=D | explanation=The common difference is 12. Therefore the next term is 43 + 12 = 55.

id=75744 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 16. | option_a=100 | option_b=64 | option_c=80 | option_d=320 | answer=C | explanation=LCM × HCF = 20×16; HCF(20,16) = 4, so LCM = 80.

id=75745 | topic=Percentages | difficulty=Easy | question=What is 40% of 489? | option_a=185 | option_b=390 | option_c=215 | option_d=195 | answer=D | explanation=40% of 489 = (40/100) × 489 = 195.

id=75746 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 7. | option_a=196 | option_b=56 | option_c=28 | option_d=21 | answer=C | explanation=LCM × HCF = 28×7; HCF(28,7) = 7, so LCM = 28.

id=75747 | topic=Percentages | difficulty=Easy | question=What is 12% of 1341? | option_a=160 | option_b=155 | option_c=320 | option_d=180 | answer=A | explanation=12% of 1341 = (12/100) × 1341 = 160.

id=75748 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4944. If it is sold at a profit of 10%, what is its selling price? | option_a=4954 | option_b=5438 | option_c=4944 | option_d=5932 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4944 × 110/100 = **■**5438.

id=75749 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4516. If it is sold at a profit of 25%, what is its selling price? | option_a=4541 | option_b=5194 | option_c=6096 | option_d=5645 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4516 × 125/100 = **■**5645.

id=75750 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43436 at 15% per annum for 5 years. | option_a=32577 | option_b=76013 | option_c=32477 | option_d=32677 | answer=A | explanation=SI = PRT/100 = 43436×15×5/100 = **■**32577.

Aptitude Questions — Records 75,751-75,780 of 100,000

id=75751 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=75752 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=47 | option_b=40 | option_c=33 | option_d=41 | answer=B | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.

id=75753 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 35? | option_a=29 | option_b=35 | option_c=21 | option_d=25 | answer=B | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 35 is the odd one out.

id=75754 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=38 | option_b=43 | option_c=31 | option_d=37 | answer=D | explanation=The common difference is 6. Therefore the next term is 31 + 6 = 37.

id=75755 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=75756 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4268. If it is sold at a profit of 20%, what is its selling price? | option_a=4288 | option_b=5547 | option_c=5121 | option_d=4695 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4268 × 120/100 = █5121.

id=75757 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:5 and the first is 24, what is the second? | option_a=34 | option_b=10 | option_c=22 | option_d=5 | answer=B | explanation=Scale factor = 24/12 = 2. Therefore second quantity = 5×2 = 10.

id=75758 | topic=Averages | difficulty=Easy | question=Find the average of 55, 80, 61, 96, 83, 80, 28. | option_a=69 | option_b=70 | option_c=71 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = 483 ÷ 7 = 69.

id=75759 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 30? | option_a=16 | option_b=20 | option_c=30 | option_d=24 | answer=C | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 30 is the odd one out.

id=75760 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=75761 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=G | option_b=I | option_c=H | option_d=J | answer=B | explanation=Move 1 positions forward from H; the resulting letter is I.

id=75762 | topic=Percentages | difficulty=Easy | question=What is 20% of 1454? | option_a=290 | option_b=280 | option_c=580 | option_d=310 | answer=A | explanation=20% of 1454 = (20/100) × 1454 = 290.

id=75763 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=41 | option_b=61 | option_c=52 | option_d=51 | answer=D | explanation=The common difference is 10. Therefore the next term is 41 + 10 = 51.

id=75764 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=25 | option_b=33 | option_c=30 | option_d=29 | answer=D | explanation=The common difference is 4. Therefore the next term is 25 + 4 = 29.

id=75765 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 44? | option_a=11 | option_b=21 | option_c=44 | option_d=31 | answer=C | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 44 is the odd one out.

id=75766 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=27 | option_b=31 | option_c=33 | option_d=30 | answer=D | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.

id=75767 | topic=Averages | difficulty=Easy | question=Find the average of 46, 81, 54, 87, 12. | option_a=58 | option_b=57 | option_c=55 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 280 ÷ 5 = 56.

id=75768 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 19, 25, 32? | option_a=13 | option_b=19 | option_c=25 | option_d=32 | answer=D | explanation=The first three numbers increase by 6, so the next should be 31. Therefore 32 is the odd one out.

id=75769 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=P | option_b=Q | option_c=S | option_d=R | answer=D | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=75770 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:17 and the first is 221, what is the second? | option_a=272 | option_b=302 | option_c=510 | option_d=289 | answer=D | explanation=Scale factor = 221/13 = 17. Therefore second quantity = 17×17 = 289.

id=75771 | topic=Averages | difficulty=Easy | question=Find the average of 14, 36, 50, 60. | option_a=39 | option_b=41 | option_c=40 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = 160 ÷ 4 = 40.

id=75772 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4320. If it is sold at a profit of 25%, what is its selling price? | option_a=5832 | option_b=4345 | option_c=4968 | option_d=5400 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4320 × 125/100 = █5400.

id=75773 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=19 | option_b=23 | option_c=21 | option_d=22 | answer=C | explanation=The common difference is 2. Therefore the next term is 19 + 2 = 21.

id=75774 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25434 at 8% per annum for 4 years. | option_a=8138 | option_b=33572 | option_c=8238 | option_d=8038 | answer=A | explanation=SI = PRT/100 = 25434×8×4/100 = █8138.

id=75775 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1869. If it is sold at a profit of 30%, what is its selling price? | option_a=1899 | option_b=2243 | option_c=2615 | option_d=2429 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1869 × 130/100 = █2429.

id=75776 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2177. If it is sold at a profit of 10%, what is its selling price? | option_a=2394 | option_b=2611 | option_c=2177 | option_d=2187 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2177 × 110/100 = █2394.

id=75777 | topic=Percentages | difficulty=Easy | question=What is 40% of 272? | option_a=88 | option_b=216 | option_c=128 | option_d=108 | answer=D | explanation=40% of 272 = (40/100) × 272 = 108.

id=75778 | topic=Percentages | difficulty=Easy | question=What is 10% of 1996? | option_a=199 | option_b=398 | option_c=209 | option_d=189 | answer=A | explanation=10% of 1996 = (10/100) × 1996 = 199.

id=75779 | topic=Percentages | difficulty=Easy | question=What is 30% of 1241? | option_a=362 | option_b=372 | option_c=744 | option_d=382 | answer=B | explanation=30% of 1241 = (30/100) × 1241 = 372.

id=75780 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2389 at 5% per annum for 4 years. | option_a=377 | option_b=577 | option_c=2866 | option_d=477 | answer=D | explanation=SI = PRT/100 = 2389×5×4/100 = █477.

Aptitude Questions — Records 75,781-75,810 of 100,000

id=75781 | topic=Percentages | difficulty=Easy | question=What is 30% of 439? | option_a=136 | option_b=262 | option_c=131 | option_d=126 | answer=C | explanation=30% of 439 = (30/100) × 439 = 131.

id=75782 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6210 at 5% per annum for 5 years. | option_a=7762 | option_b=1452 | option_c=1552 | option_d=1652 | answer=C | explanation=SI = PRT/100 = 6210×5×5/100 = **■**1552.

id=75783 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=75784 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=39 | option_b=50 | option_c=49 | option_d=59 | answer=C | explanation=The common difference is 10. Therefore the next term is 39 + 10 = 49.

id=75785 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=200 | option_c=95 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=75786 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 18. | option_a=36 | option_b=18 | option_c=324 | option_d=1 | answer=B | explanation=LCM × HCF = 18×18; HCF(18,18) = 18, so LCM = 18.

id=75787 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=J | option_c=F | option_d=L | answer=B | explanation=Move 2 positions forward from H; the resulting letter is J.

id=75788 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=12 | option_b=24 | option_c=17 | option_d=7 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=75789 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=43 | option_b=44 | option_c=34 | option_d=52 | answer=A | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

id=75790 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=G | option_b=B | option_c=W | option_d=L | answer=A | explanation=Move 5 positions forward from B; the resulting letter is G.

id=75791 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=75792 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=75793 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43, ? | option_a=52 | option_b=51 | option_c=59 | option_d=43 | answer=B | explanation=The common difference is 8. Therefore the next term is 43 + 8 = 51.

id=75794 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13849 at 6% per annum for 4 years. | option_a=3323 | option_b=3423 | option_c=3223 | option_d=17172 | answer=A | explanation=SI = PRT/100 = 13849×6×4/100 = **■**3323.

id=75795 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=75796 | topic=Percentages | difficulty=Easy | question=What is 12% of 629? | option_a=150 | option_b=55 | option_c=85 | option_d=75 | answer=D | explanation=12% of 629 = (12/100) × 629 = 75.

id=75797 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=50 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=75798 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=21 | option_b=17 | option_c=23 | option_d=20 | answer=D | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=75799 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=75800 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4383. If it is sold at a profit of 30%, what is its selling price? | option_a=5697 | option_b=5259 | option_c=4413 | option_d=6135 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4383 × 130/100 = **■**5697.

id=75801 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=R | option_b=O | option_c=L | option_d=U | answer=A | explanation=Move 3 positions forward from O; the resulting letter is R.

id=75802 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=75803 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=L | option_c=Q | option_d=B | answer=B | explanation=Move 5 positions forward from G; the resulting letter is L.

id=75804 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3048. If it is sold at a profit of 30%, what is its selling price? | option_a=3658 | option_b=3078 | option_c=4266 | option_d=3962 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3048 × 130/100 = **■**3962.

id=75805 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:20 and the first is 117, what is the second? | option_a=297 | option_b=160 | option_c=180 | option_d=193 | answer=C | explanation=Scale factor = 117/13 = 9. Therefore second quantity = 20×9 = 180.

id=75806 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:6 and the first is 266, what is the second? | option_a=84 | option_b=350 | option_c=103 | option_d=78 | answer=A | explanation=Scale factor = 266/19 = 14. Therefore second quantity = 6×14 = 84.

id=75807 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=20 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=75808 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=75809 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=C | option_b=B | option_c=D | option_d=A | answer=A | explanation=Move 1 positions forward from B; the resulting letter is C.

id=75810 | topic=Averages | difficulty=Easy | question=Find the average of 46, 48, 40, 14. | option_a=38 | option_b=39 | option_c=37 | option_d=36 | answer=C | explanation=Average = sum of values ÷ number of values = 148 ÷ 4 = 37.

Aptitude Questions — Records 75,811-75,840 of 100,000

id=75811 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1762. If it is sold at a profit of 30%, what is its selling price? | option_a=2290 | option_b=2114 | option_c=2466 | option_d=1792 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1762 × 130/100 = █2290.

id=75812 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 12. | option_a=24 | option_b=54 | option_c=36 | option_d=216 | answer=C | explanation=LCM × HCF = 18×12; HCF(18,12) = 6, so LCM = 36.

id=75813 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 3. | option_a=36 | option_b=9 | option_c=24 | option_d=12 | answer=D | explanation=LCM × HCF = 12×3; HCF(12,3) = 3, so LCM = 12.

id=75814 | topic=Percentages | difficulty=Easy | question=What is 12% of 1736? | option_a=203 | option_b=208 | option_c=218 | option_d=416 | answer=B | explanation=12% of 1736 = (12/100) × 1736 = 208.

id=75815 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=38 | option_b=50 | option_c=49 | option_d=60 | answer=C | explanation=The common difference is 11. Therefore the next term is 38 + 11 = 49.

id=75816 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35236 at 12% per annum for 2 years. | option_a=8356 | option_b=8456 | option_c=43692 | option_d=8556 | answer=B | explanation=SI = PRT/100 = 35236×12×2/100 = █8456.

id=75817 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15391 at 12% per annum for 2 years. | option_a=3593 | option_b=19084 | option_c=3693 | option_d=3793 | answer=C | explanation=SI = PRT/100 = 15391×12×2/100 = █3693.

id=75818 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37457 at 5% per annum for 2 years. | option_a=3645 | option_b=3745 | option_c=41202 | option_d=3845 | answer=B | explanation=SI = PRT/100 = 37457×5×2/100 = █3745.

id=75819 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=5 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=75820 | topic=Averages | difficulty=Easy | question=Find the average of 91, 15, 50, 98, 50, 87, 33, 65, 69. | option_a=64 | option_b=61 | option_c=63 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 558 ÷ 9 = 62.

id=75821 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=56 | option_b=66 | option_c=57 | option_d=46 | answer=A | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=75822 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=75823 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=72 | option_c=31 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=75824 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10612 at 10% per annum for 5 years. | option_a=5206 | option_b=5306 | option_c=5406 | option_d=15918 | answer=B | explanation=SI = PRT/100 = 10612×10×5/100 = █5306.

id=75825 | topic=Percentages | difficulty=Easy | question=What is 12% of 933? | option_a=222 | option_b=121 | option_c=91 | option_d=111 | answer=D | explanation=12% of 933 = (12/100) × 933 = 111.

id=75826 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 30. | option_a=99 | option_b=270 | option_c=90 | option_d=60 | answer=C | explanation=LCM × HCF = 9×30; HCF(9,30) = 3, so LCM = 90.

id=75827 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 31? | option_a=23 | option_b=31 | option_c=18 | option_d=13 | answer=B | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 31 is the odd one out.

id=75828 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=O | option_b=P | option_c=M | option_d=N | answer=A | explanation=Move 1 positions forward from N; the resulting letter is O.

id=75829 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3269. If it is sold at a profit of 10%, what is its selling price? | option_a=3921 | option_b=3269 | option_c=3595 | option_d=3279 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3269 × 110/100 = █3595.

id=75830 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 21, 30, 39, ? | option_a=48 | option_b=57 | option_c=49 | option_d=39 | answer=A | explanation=The common difference is 9. Therefore the next term is 39 + 9 = 48.

id=75831 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 22. | option_a=132 | option_b=110 | option_c=144 | option_d=264 | answer=A | explanation=LCM × HCF = 12×22; HCF(12,22) = 2, so LCM = 132.

id=75832 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=33 | option_b=44 | option_c=43 | option_d=53 | answer=C | explanation=The common difference is 10. Therefore the next term is 33 + 10 = 43.

id=75833 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=67 | option_c=144 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=75834 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:7 and the first is 240, what is the second? | option_a=380 | option_b=152 | option_c=140 | option_d=133 | answer=C | explanation=Scale factor = 240/12 = 20. Therefore second quantity = 7×20 = 140.

id=75835 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31045 at 10% per annum for 2 years. | option_a=6209 | option_b=6309 | option_c=6109 | option_d=37254 | answer=A | explanation=SI = PRT/100 = 31045×10×2/100 = █6209.

id=75836 | topic=Averages | difficulty=Easy | question=Find the average of 13, 85, 38, 44, 79, 47, 16. | option_a=45 | option_b=48 | option_c=47 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 322 ÷ 7 = 46.

id=75837 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 27, 32, 40? | option_a=22 | option_b=40 | option_c=32 | option_d=27 | answer=B | explanation=The first three numbers increase by 5, so the next should be 37. Therefore 40 is the odd one out.

id=75838 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2355. If it is sold at a profit of 25%, what is its selling price? | option_a=3178 | option_b=2380 | option_c=2943 | option_d=2708 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2355 × 125/100 = █2943.

id=75839 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4755. If it is sold at a profit of 40%, what is its selling price? | option_a=7132 | option_b=4795 | option_c=6657 | option_d=6182 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4755 × 140/100 = █6657.

id=75840 | topic=Percentages | difficulty=Easy | question=What is 20% of 612? | option_a=122 | option_b=102 | option_c=132 | option_d=244 | answer=A | explanation=20% of 612 = (20/100) × 612 = 122.

Aptitude Questions — Records 75,841-75,870 of 100,000

id=75841 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 27, 32, 39? | option_a=27 | option_b=32 | option_c=22 | option_d=39 | answer=D | explanation=The first three numbers increase by 5, so the next should be 37. Therefore 39 is the odd one out.

id=75842 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=64 | option_b=54 | option_c=42 | option_d=53 | answer=D | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.

id=75843 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:2 and the first is 300, what is the second? | option_a=55 | option_b=340 | option_c=40 | option_d=38 | answer=C | explanation=Scale factor = 300/15 = 20. Therefore second quantity = 2×20 = 40.

id=75844 | topic=Percentages | difficulty=Easy | question=What is 40% of 668? | option_a=267 | option_b=534 | option_c=277 | option_d=247 | answer=A | explanation=40% of 668 = (40/100) × 668 = 267.

id=75845 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:20 and the first is 156, what is the second? | option_a=253 | option_b=240 | option_c=396 | option_d=220 | answer=B | explanation=Scale factor = 156/13 = 12. Therefore second quantity = 20×12 = 240.

id=75846 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=39 | option_b=45 | option_c=33 | option_d=40 | answer=A | explanation=The common difference is 6. Therefore the next term is 33 + 6 = 39.

id=75847 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=H | option_c=L | option_d=J | answer=C | explanation=Move 2 positions forward from J; the resulting letter is L.

id=75848 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 28? | option_a=16 | option_b=22 | option_c=28 | option_d=19 | answer=C | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 28 is the odd one out.

id=75849 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=75850 | topic=Averages | difficulty=Easy | question=Find the average of 29, 45, 98, 40. | option_a=55 | option_b=54 | option_c=53 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 212 ÷ 4 = 53.

id=75851 | topic=Percentages | difficulty=Easy | question=What is 10% of 1451? | option_a=290 | option_b=140 | option_c=150 | option_d=145 | answer=D | explanation=10% of 1451 = (10/100) × 1451 = 145.

id=75852 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 10, 14, 20? | option_a=10 | option_b=14 | option_c=6 | option_d=20 | answer=D | explanation=The first three numbers increase by 4, so the next should be 18. Therefore 20 is the odd one out.

id=75853 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=90 | option_c=95 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=75854 | topic=Averages | difficulty=Easy | question=Find the average of 75, 73, 31, 64, 70, 37, 77. | option_a=61 | option_b=63 | option_c=60 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 427 ÷ 7 = 61.

id=75855 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=43 | option_b=35 | option_c=42 | option_d=49 | answer=C | explanation=The common difference is 7. Therefore the next term is 35 + 7 = 42.

id=75856 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:18 and the first is 72, what is the second? | option_a=216 | option_b=198 | option_c=222 | option_d=288 | answer=A | explanation=Scale factor = 72/6 = 12. Therefore second quantity = 18×12 = 216.

id=75857 | topic=Averages | difficulty=Easy | question=Find the average of 64, 25, 49, 93, 77, 89, 56, 97, 80. | option_a=70 | option_b=69 | option_c=71 | option_d=72 | answer=A | explanation=Average = sum of values ÷ number of values = 630 ÷ 9 = 70.

id=75858 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=75859 | topic=Averages | difficulty=Easy | question=Find the average of 56, 72, 20, 33, 14, 49, 78. | option_a=45 | option_b=48 | option_c=47 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 322 ÷ 7 = 46.

id=75860 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 4. | option_a=16 | option_b=40 | option_c=80 | option_d=20 | answer=D | explanation=LCM × HCF = 20×4; HCF(20,4) = 4, so LCM = 20.

id=75861 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 25, 34, 43, ? | option_a=52 | option_b=53 | option_c=43 | option_d=61 | answer=A | explanation=The common difference is 9. Therefore the next term is 43 + 9 = 52.

id=75862 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 29? | option_a=22 | option_b=10 | option_c=29 | option_d=16 | answer=C | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 29 is the odd one out.

id=75863 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=75864 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=28 | option_b=34 | option_c=29 | option_d=22 | answer=A | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.

id=75865 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 14. | option_a=28 | option_b=32 | option_c=56 | option_d=14 | answer=A | explanation=LCM × HCF = 4×14; HCF(4,14) = 2, so LCM = 28.

id=75866 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 44? | option_a=44 | option_b=34 | option_c=38 | option_d=30 | answer=A | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 44 is the odd one out.

id=75867 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 28. | option_a=42 | option_b=28 | option_c=1 | option_d=392 | answer=B | explanation=LCM × HCF = 14×28; HCF(14,28) = 14, so LCM = 28.

id=75868 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39611 at 6% per annum for 4 years. | option_a=9506 | option_b=9406 | option_c=9606 | option_d=49117 | answer=A | explanation=SI = PRT/100 = 39611×6×4/100 = **■**9506.

id=75869 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 15, 22, 29, ? | option_a=29 | option_b=43 | option_c=36 | option_d=37 | answer=C | explanation=The common difference is 7. Therefore the next term is 29 + 7 = 36.

id=75870 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:4 and the first is 140, what is the second? | option_a=28 | option_b=168 | option_c=24 | option_d=48 | answer=A | explanation=Scale factor = 140/20 = 7. Therefore second quantity = 4×7 = 28.

Aptitude Questions — Records 75,871-75,900 of 100,000

id=75871 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=75872 | topic=Averages | difficulty=Easy | question=Find the average of 88, 24, 52, 31, 44, 37. | option_a=47 | option_b=45 | option_c=48 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 276 ÷ 6 = 46.

id=75873 | topic=Percentages | difficulty=Easy | question=What is 30% of 1877? | option_a=583 | option_b=563 | option_c=1126 | option_d=553 | answer=B | explanation=30% of 1877 = (30/100) × 1877 = 563.

id=75874 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=N | option_b=I | option_c=Y | option_d=D | answer=B | explanation=Move 5 positions forward from D; the resulting letter is I.

id=75875 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=67 | option_b=57 | option_c=47 | option_d=58 | answer=B | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

id=75876 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=Q | option_c=N | option_d=P | answer=D | explanation=Move 1 positions forward from O; the resulting letter is P.

id=75877 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=N | option_c=R | option_d=L | answer=A | explanation=Move 2 positions forward from N; the resulting letter is P.

id=75878 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=P | option_c=T | option_d=N | answer=A | explanation=Move 2 positions forward from P; the resulting letter is R.

id=75879 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 46? | option_a=23 | option_b=33 | option_c=46 | option_d=13 | answer=C | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 46 is the odd one out.

id=75880 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=23 | option_b=37 | option_c=31 | option_d=30 | answer=D | explanation=The common difference is 7. Therefore the next term is 23 + 7 = 30.

id=75881 | topic=Profit & Loss | difficulty=Easy | question=An article costs █828. If it is sold at a profit of 15%, what is its selling price? | option_a=952 | option_b=1034 | option_c=870 | option_d=843 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 828 × 115/100 = █952.

id=75882 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4893. If it is sold at a profit of 10%, what is its selling price? | option_a=4903 | option_b=5871 | option_c=4893 | option_d=5382 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4893 × 110/100 = █5382.

id=75883 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=V | option_c=S | option_d=M | answer=C | explanation=Move 3 positions forward from P; the resulting letter is S.

id=75884 | topic=Percentages | difficulty=Easy | question=What is 20% of 491? | option_a=118 | option_b=196 | option_c=88 | option_d=98 | answer=D | explanation=20% of 491 = (20/100) × 491 = 98.

id=75885 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=75886 | topic=Profit & Loss | difficulty=Easy | question=An article costs █668. If it is sold at a profit of 40%, what is its selling price? | option_a=935 | option_b=1001 | option_c=708 | option_d=869 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 668 × 140/100 = █935.

id=75887 | topic=Averages | difficulty=Easy | question=Find the average of 68, 70, 61, 30, 16, 21, 97, 63, 43, 51. | option_a=53 | option_b=54 | option_c=52 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 520 ÷ 10 = 52.

id=75888 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:12 and the first is 153, what is the second? | option_a=213 | option_b=357 | option_c=192 | option_d=204 | answer=D | explanation=Scale factor = 153/9 = 17. Therefore second quantity = 12×17 = 204.

id=75889 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 15. | option_a=126 | option_b=105 | option_c=315 | option_d=90 | answer=B | explanation=LCM × HCF = 21×15; HCF(21,15) = 3, so LCM = 105.

id=75890 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=75891 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=T | option_b=Q | option_c=R | option_d=S | answer=D | explanation=Move 1 positions forward from R; the resulting letter is S.

id=75892 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=75893 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 14? | option_a=6 | option_b=9 | option_c=3 | option_d=14 | answer=D | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 14 is the odd one out.

id=75894 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 29, 38, 48? | option_a=48 | option_b=29 | option_c=20 | option_d=38 | answer=A | explanation=The first three numbers increase by 9, so the next should be 47. Therefore 48 is the odd one out.

id=75895 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=24 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=75896 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:2 and the first is 380, what is the second? | option_a=38 | option_b=40 | option_c=420 | option_d=59 | answer=B | explanation=Scale factor = 380/19 = 20. Therefore second quantity = 2×20 = 40.

id=75897 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=Q | option_c=O | option_d=M | answer=B | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=75898 | topic=Percentages | difficulty=Easy | question=What is 10% of 1327? | option_a=132 | option_b=137 | option_c=264 | option_d=112 | answer=A | explanation=10% of 1327 = (10/100) × 1327 = 132.

id=75899 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 25? | option_a=11 | option_b=17 | option_c=25 | option_d=5 | answer=C | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 25 is the odd one out.

id=75900 | topic=Averages | difficulty=Easy | question=Find the average of 56, 97, 61, 75, 16. | option_a=61 | option_b=63 | option_c=62 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 305 ÷ 5 = 61.

Aptitude Questions — Records 75,901-75,930 of 100,000

id=75901 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24262 at 4% per annum for 1 years. | option_a=970 | option_b=1070 | option_c=870 | option_d=25232 | answer=A | explanation=SI = $PRT/100 = 24262 \times 4 \times 1/100 = \blacksquare 970$.

id=75902 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=1 | option_c=6 | option_d=11 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=75903 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29029 at 5% per annum for 5 years. | option_a=36286 | option_b=7357 | option_c=7157 | option_d=7257 | answer=D | explanation=SI = $PRT/100 = 29029 \times 5 \times 5/100 = \blacksquare 7257$.

id=75904 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 25. | option_a=750 | option_b=180 | option_c=150 | option_d=125 | answer=C | explanation=LCM × HCF = 30×25; HCF(30,25) = 5, so LCM = 150.

id=75905 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=S | option_c=O | option_d=U | answer=B | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=75906 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=40 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=75907 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:15 and the first is 102, what is the second? | option_a=107 | option_b=75 | option_c=90 | option_d=192 | answer=C | explanation=Scale factor = $102/17 = 6$. Therefore second quantity = $15 \times 6 = 90$.

id=75908 | topic=Percentages | difficulty=Easy | question=What is 12% of 1597? | option_a=211 | option_b=191 | option_c=382 | option_d=186 | answer=B | explanation=12% of 1597 = $(12/100) \times 1597 = 191$.

id=75909 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10904 at 6% per annum for 4 years. | option_a=2716 | option_b=2616 | option_c=13520 | option_d=2516 | answer=B | explanation=SI = $PRT/100 = 10904 \times 6 \times 4/100 = \blacksquare 2616$.

id=75910 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=Z | option_b=F | option_c=B | option_d=D | answer=D | explanation=Move 2 positions forward from B; the resulting letter is D.

id=75911 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=75912 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2653. If it is sold at a profit of 15%, what is its selling price? | option_a=2785 | option_b=3315 | option_c=3050 | option_d=2668 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2653 \times 115/100 = \blacksquare 3050$.

id=75913 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 10. | option_a=120 | option_b=144 | option_c=110 | option_d=240 | answer=A | explanation=LCM × HCF = 24×10; HCF(24,10) = 2, so LCM = 120.

id=75914 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26414 at 15% per annum for 3 years. | option_a=11986 | option_b=38300 | option_c=11886 | option_d=11786 | answer=C | explanation=SI = $PRT/100 = 26414 \times 15 \times 3/100 = \blacksquare 11886$.

id=75915 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 9, 12, 16? | option_a=9 | option_b=12 | option_c=16 | option_d=6 | answer=C | explanation=The first three numbers increase by 3, so the next should be 15. Therefore 16 is the odd one out.

id=75916 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 21. | option_a=1 | option_b=441 | option_c=21 | option_d=42 | answer=C | explanation=LCM × HCF = 21×21; HCF(21,21) = 21, so LCM = 21.

id=75917 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:20 and the first is 60, what is the second? | option_a=80 | option_b=160 | option_c=100 | option_d=112 | answer=C | explanation=Scale factor = $60/12 = 5$. Therefore second quantity = $20 \times 5 = 100$.

id=75918 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=75919 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 23, 30, 38? | option_a=38 | option_b=30 | option_c=23 | option_d=16 | answer=A | explanation=The first three numbers increase by 7, so the next should be 37. Therefore 38 is the odd one out.

id=75920 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4865. If it is sold at a profit of 20%, what is its selling price? | option_a=6324 | option_b=5838 | option_c=4885 | option_d=5352 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4865 \times 120/100 = \blacksquare 5838$.

id=75921 | topic=Averages | difficulty=Easy | question=Find the average of 80, 64, 55, 12, 25, 55, 14, 31. | option_a=42 | option_b=43 | option_c=41 | option_d=44 | answer=A | explanation=Average = sum of values ÷ number of values = $336 \div 8 = 42$.

id=75922 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4061 at 15% per annum for 5 years. | option_a=3045 | option_b=2945 | option_c=7106 | option_d=3145 | answer=A | explanation=SI = $PRT/100 = 4061 \times 15 \times 5/100 = \blacksquare 3045$.

id=75923 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=E | option_c=C | option_d=I | answer=A | explanation=Move 2 positions forward from E; the resulting letter is G.

id=75924 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:13 and the first is 153, what is the second? | option_a=208 | option_b=230 | option_c=221 | option_d=374 | answer=C | explanation=Scale factor = $153/9 = 17$. Therefore second quantity = $13 \times 17 = 221$.

id=75925 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=X | option_c=O | option_d=U | answer=D | explanation=Move 3 positions forward from R; the resulting letter is U.

id=75926 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:4 and the first is 72, what is the second? | option_a=144 | option_b=72 | option_c=76 | option_d=68 | answer=B | explanation=Scale factor = $72/4 = 18$. Therefore second quantity = $4 \times 18 = 72$.

id=75927 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=75928 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:14 and the first is 154, what is the second? | option_a=196 | option_b=182 | option_c=207 | option_d=350 | answer=A | explanation=Scale factor = $154/11 = 14$. Therefore second quantity = $14 \times 14 = 196$.

id=75929 | topic=Percentages | difficulty=Easy | question=What is 10% of 684? | option_a=136 | option_b=88 | option_c=68 | option_d=48 | answer=C | explanation=10% of 684 = $(10/100) \times 684 = 68$.

id=75930 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15170 at 6% per annum for 1 years. | option_a=1010 | option_b=16080 | option_c=810 | option_d=910 | answer=D | explanation=SI = $PRT/100 = 15170 \times 6 \times 1/100 = \blacksquare 910$.

Aptitude Questions — Records 75,931-75,960 of 100,000

id=75931 | topic=Percentages | difficulty=Easy | question=What is 15% of 518? | option_a=97 | option_b=67 | option_c=77 | option_d=154 | answer=C | explanation=15% of 518 = $(15/100) \times 518 = 77$.

id=75932 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=13 | option_c=23 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = $90 \div 5 = 18$ km/h.

id=75933 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:4 and the first is 10, what is the second? | option_a=22 | option_b=30 | option_c=20 | option_d=16 | answer=C | explanation=Scale factor = $10/2 = 5$. Therefore second quantity = $4 \times 5 = 20$.

id=75934 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=160 | option_c=80 | option_d=75 | answer=C | explanation=Speed = distance ÷ time = $240 \div 3 = 80$ km/h.

id=75935 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=J | option_b=G | option_c=D | option_d=M | answer=A | explanation=Move 3 positions forward from G; the resulting letter is J.

id=75936 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2099. If it is sold at a profit of 5%, what is its selling price? | option_a=2203 | option_b=2104 | option_c=2412 | option_d=1994 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2099 \times 105/100 = \text{█}2203$.

id=75937 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=125 | option_c=240 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = $240 \div 2 = 120$ km/h.

id=75938 | topic=Percentages | difficulty=Easy | question=What is 25% of 532? | option_a=128 | option_b=153 | option_c=133 | option_d=266 | answer=C | explanation=25% of 532 = $(25/100) \times 532 = 133$.

id=75939 | topic=Percentages | difficulty=Easy | question=What is 5% of 1294? | option_a=84 | option_b=64 | option_c=128 | option_d=44 | answer=B | explanation=5% of 1294 = $(5/100) \times 1294 = 64$.

id=75940 | topic=Averages | difficulty=Easy | question=Find the average of 71, 29, 47, | option_a=49 | option_b=51 | option_c=48 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = $147 \div 3 = 49$.

id=75941 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:15 and the first is 180, what is the second? | option_a=270 | option_b=280 | option_c=450 | option_d=255 | answer=A | explanation=Scale factor = $180/10 = 18$. Therefore second quantity = $15 \times 18 = 270$.

id=75942 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=26 | option_b=34 | option_c=30 | option_d=31 | answer=C | explanation=The common difference is 4. Therefore the next term is $26 + 4 = 30$.

id=75943 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 46? | option_a=46 | option_b=26 | option_c=38 | option_d=32 | answer=A | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 46 is the odd one out.

id=75944 | topic=Averages | difficulty=Easy | question=Find the average of 27, 90, 44, 31, 57, 64, 94, 41. | option_a=58 | option_b=57 | option_c=56 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = $448 \div 8 = 56$.

id=75945 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $180 \div 6 = 30$ km/h.

id=75946 | topic=Profit & Loss | difficulty=Easy | question=An article costs █378. If it is sold at a profit of 50%, what is its selling price? | option_a=604 | option_b=567 | option_c=428 | option_d=530 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 378 \times 150/100 = \text{█}567$.

id=75947 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3286. If it is sold at a profit of 15%, what is its selling price? | option_a=3450 | option_b=4106 | option_c=3778 | option_d=3301 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3286 \times 115/100 = \text{█}3778$.

id=75948 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=63 | option_b=53 | option_c=43 | option_d=54 | answer=B | explanation=The common difference is 10. Therefore the next term is $43 + 10 = 53$.

id=75949 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4523. If it is sold at a profit of 25%, what is its selling price? | option_a=5201 | option_b=5653 | option_c=6105 | option_d=4548 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4523 \times 125/100 = \text{█}5653$.

id=75950 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=10 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = $90 \div 6 = 15$ km/h.

id=75951 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 24, 36, 48, ? | option_a=60 | option_b=61 | option_c=48 | option_d=72 | answer=A | explanation=The common difference is 12. Therefore the next term is $48 + 12 = 60$.

id=75952 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 38, 48, 59? | option_a=28 | option_b=59 | option_c=38 | option_d=48 | answer=B | explanation=The first three numbers increase by 10, so the next should be 58. Therefore 59 is the odd one out.

id=75953 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=75954 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:1 and the first is 150, what is the second? | option_a=9 | option_b=10 | option_c=160 | option_d=25 | answer=B | explanation=Scale factor = $150/15 = 10$. Therefore second quantity = $1 \times 10 = 10$.

id=75955 | topic=Percentages | difficulty=Easy | question=What is 25% of 1867? | option_a=466 | option_b=476 | option_c=456 | option_d=932 | answer=A | explanation=25% of 1867 = $(25/100) \times 1867 = 466$.

id=75956 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:5 and the first is 21, what is the second? | option_a=30 | option_b=35 | option_c=38 | option_d=56 | answer=B | explanation=Scale factor = $21/3 = 7$. Therefore second quantity = $5 \times 7 = 35$.

id=75957 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2704. If it is sold at a profit of 20%, what is its selling price? | option_a=2724 | option_b=3514 | option_c=3244 | option_d=2974 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2704 \times 120/100 = \text{█}3244$.

id=75958 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 48? | option_a=34 | option_b=28 | option_c=48 | option_d=40 | answer=C | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 48 is the odd one out.

id=75959 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:6 and the first is 285, what is the second? | option_a=399 | option_b=129 | option_c=114 | option_d=108 | answer=C | explanation=Scale factor = $285/15 = 19$. Therefore second quantity = $6 \times 19 = 114$.

id=75960 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=19 | option_c=24 | option_d=48 | answer=C | explanation=Speed = distance ÷ time = $120 \div 5 = 24$ km/h.

Aptitude Questions — Records 75,961-75,990 of 100,000

id=75961 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 45? | option_a=45 | option_b=13 | option_c=33 | option_d=23 | answer=A | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 45 is the odd one out.

id=75962 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1910. If it is sold at a profit of 10%, what is its selling price? | option_a=1920 | option_b=2101 | option_c=2292 | option_d=1910 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 1910 \times 110/100 = \text{█}2101$.

id=75963 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:2 and the first is 120, what is the second? | option_a=32 | option_b=20 | option_c=18 | option_d=140 | answer=B | explanation=Scale factor = $120/12 = 10$. Therefore second quantity = $2 \times 10 = 20$.

id=75964 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:8 and the first is 60, what is the second? | option_a=44 | option_b=16 | option_c=84 | option_d=24 | answer=D | explanation=Scale factor = $60/20 = 3$. Therefore second quantity = $8 \times 3 = 24$.

id=75965 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 10, 18, 27? | option_a=27 | option_b=18 | option_c=2 | option_d=10 | answer=A | explanation=The first three numbers increase by 8, so the next should be 26. Therefore 27 is the odd one out.

id=75966 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:15 and the first is 136, what is the second? | option_a=263 | option_b=255 | option_c=240 | option_d=391 | answer=B | explanation=Scale factor = $136/8 = 17$. Therefore second quantity = $15 \times 17 = 255$.

id=75967 | topic=Percentages | difficulty=Easy | question=What is 50% of 1819? | option_a=1818 | option_b=909 | option_c=914 | option_d=904 | answer=B | explanation= 50% of 1819 = $(50/100) \times 1819 = 909$.

id=75968 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=16 | answer=A | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=75969 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=23 | option_b=22 | option_c=24 | option_d=20 | answer=B | explanation=The common difference is 2. Therefore the next term is $20 + 2 = 22$.

id=75970 | topic=Averages | difficulty=Easy | question=Find the average of 17, 57, 10, 56. | option_a=34 | option_b=36 | option_c=37 | option_d=35 | answer=D | explanation=Average = sum of values ÷ number of values = $140 \div 4 = 35$.

id=75971 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4941. If it is sold at a profit of 40%, what is its selling price? | option_a=7411 | option_b=4981 | option_c=6423 | option_d=6917 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 4941 \times 140/100 = \text{█}6917$.

id=75972 | topic=Averages | difficulty=Easy | question=Find the average of 67, 66, 71, 81, 90, 81, 67, 30, 41, 66. | option_a=66 | option_b=68 | option_c=67 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = $660 \div 10 = 66$.

id=75973 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 33? | option_a=33 | option_b=22 | option_c=12 | option_d=2 | answer=A | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 33 is the odd one out.

id=75974 | topic=Averages | difficulty=Easy | question=Find the average of 76, 42, 44, 36, 55, 28, 36, 83. | option_a=52 | option_b=49 | option_c=51 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = $400 \div 8 = 50$.

id=75975 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=5 | option_d=24 | answer=A | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=75976 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=13 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = $180 \div 10 = 18$ km/h.

id=75977 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=61 | option_b=39 | option_c=51 | option_d=50 | answer=D | explanation=The common difference is 11. Therefore the next term is $39 + 11 = 50$.

id=75978 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1376. If it is sold at a profit of 50%, what is its selling price? | option_a=2201 | option_b=2064 | option_c=1927 | option_d=1426 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 1376 \times 150/100 = \text{█}2064$.

id=75979 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=45 | option_b=44 | option_c=52 | option_d=36 | answer=B | explanation=The common difference is 8. Therefore the next term is $36 + 8 = 44$.

id=75980 | topic=Profit & Loss | difficulty=Easy | question=An article costs █954. If it is sold at a profit of 5%, what is its selling price? | option_a=906 | option_b=1096 | option_c=959 | option_d=1001 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 954 \times 105/100 = \text{█}1001$.

id=75981 | topic=Averages | difficulty=Easy | question=Find the average of 98, 74, 98, 86. | option_a=88 | option_b=91 | option_c=89 | option_d=90 | answer=C | explanation=Average = sum of values ÷ number of values = $356 \div 4 = 89$.

id=75982 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1034. If it is sold at a profit of 5%, what is its selling price? | option_a=1085 | option_b=982 | option_c=1188 | option_d=1039 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 1034 \times 105/100 = \text{█}1085$.

id=75983 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 29, 38, 49? | option_a=38 | option_b=49 | option_c=20 | option_d=29 | answer=B | explanation=The first three numbers increase by 9, so the next should be 47. Therefore 49 is the odd one out.

id=75984 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 42? | option_a=25 | option_b=17 | option_c=42 | option_d=33 | answer=C | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 42 is the odd one out.

id=75985 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=I | option_b=X | option_c=S | option_d=N | answer=C | explanation=Move 5 positions forward from N; the resulting letter is S.

id=75986 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=15 | option_c=20 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = $120 \div 6 = 20$ km/h.

id=75987 | topic=Percentages | difficulty=Easy | question=What is 30% of 757? | option_a=237 | option_b=227 | option_c=454 | option_d=222 | answer=B | explanation= 30% of 757 = $(30/100) \times 757 = 227$.

id=75988 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1176. If it is sold at a profit of 15%, what is its selling price? | option_a=1235 | option_b=1352 | option_c=1191 | option_d=1469 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 1176 \times 115/100 = \text{█}1352$.

id=75989 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 12. | option_a=108 | option_b=96 | option_c=135 | option_d=324 | answer=A | explanation= $LCM \times HCF = 27 \times 12$; $HCF(27,12) = 3$, so $LCM = 108$.

id=75990 | topic=Percentages | difficulty=Easy | question=What is 10% of 1199? | option_a=139 | option_b=119 | option_c=99 | option_d=238 | answer=B | explanation= 10% of 1199 = $(10/100) \times 1199 = 119$.

Aptitude Questions — Records 75,991-76,020 of 100,000

id=75991 | topic=Averages | difficulty=Easy | question=Find the average of 94, 49, 38, 77, 17, 33, 13, 72, 57. | option_a=52 | option_b=51 | option_c=49 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 450 ÷ 9 = 50.

id=75992 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=10 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=75993 | topic=Averages | difficulty=Easy | question=Find the average of 39, 86, 75, 20. | option_a=55 | option_b=54 | option_c=57 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 220 ÷ 4 = 55.

id=75994 | topic=Percentages | difficulty=Easy | question=What is 20% of 1886? | option_a=397 | option_b=372 | option_c=377 | option_d=754 | answer=C | explanation=20% of 1886 = (20/100) × 1886 = 377.

id=75995 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27698 at 6% per annum for 2 years. | option_a=3423 | option_b=3323 | option_c=3223 | option_d=31021 | answer=B | explanation=SI = PRT/100 = 27698×6×2/100 = **■**3323.

id=75996 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:13 and the first is 18, what is the second? | option_a=13 | option_b=35 | option_c=26 | option_d=44 | answer=C | explanation=Scale factor = 18/9 = 2. Therefore second quantity = 13×2 = 26.

id=75997 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=75998 | topic=Percentages | difficulty=Easy | question=What is 10% of 1228? | option_a=244 | option_b=117 | option_c=132 | option_d=122 | answer=D | explanation=10% of 1228 = (10/100) × 1228 = 122.

id=75999 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=76000 | topic=Percentages | difficulty=Easy | question=What is 10% of 1273? | option_a=107 | option_b=127 | option_c=137 | option_d=254 | answer=B | explanation=10% of 1273 = (10/100) × 1273 = 127.

id=76001 | topic=Averages | difficulty=Easy | question=Find the average of 40, 85, 18, 79, 82, 32. | option_a=56 | option_b=55 | option_c=58 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 336 ÷ 6 = 56.

id=76002 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 28? | option_a=28 | option_b=22 | option_c=16 | option_d=19 | answer=A | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 28 is the odd one out.

id=76003 | topic=Averages | difficulty=Easy | question=Find the average of 40, 67, 40, 65, 77, 77, 17, 95, 71. | option_a=60 | option_b=63 | option_c=62 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 549 ÷ 9 = 61.

id=76004 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 24, 34, 47? | option_a=14 | option_b=24 | option_c=47 | option_d=34 | answer=C | explanation=The first three numbers increase by 10, so the next should be 44. Therefore 47 is the odd one out.

id=76005 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=13 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=76006 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=1 | option_c=12 | option_d=11 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=76007 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=90 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=76008 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:15 and the first is 60, what is the second? | option_a=75 | option_b=60 | option_c=120 | option_d=45 | answer=B | explanation=Scale factor = 60/15 = 4. Therefore second quantity = 15×4 = 60.

id=76009 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 27. | option_a=1 | option_b=729 | option_c=27 | option_d=54 | answer=C | explanation=LCM × HCF = 27×27; HCF(27,27) = 27, so LCM = 27.

id=76010 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=90 | option_c=40 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=76011 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=72 | option_c=144 | option_d=77 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=76012 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=J | option_b=L | option_c=K | option_d=M | answer=B | explanation=Move 1 positions forward from K; the resulting letter is L.

id=76013 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:11 and the first is 21, what is the second? | option_a=80 | option_b=98 | option_c=77 | option_d=66 | answer=C | explanation=Scale factor = 21/3 = 7. Therefore second quantity = 11×7 = 77.

id=76014 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=76015 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=76016 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=U | option_b=T | option_c=S | option_d=V | answer=A | explanation=Move 1 positions forward from T; the resulting letter is U.

id=76017 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38801 at 15% per annum for 5 years. | option_a=29200 | option_b=29000 | option_c=29100 | option_d=67901 | answer=C | explanation=SI = PRT/100 = 38801×15×5/100 = **■**29100.

id=76018 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:10 and the first is 196, what is the second? | option_a=154 | option_b=130 | option_c=140 | option_d=336 | answer=C | explanation=Scale factor = 196/14 = 14. Therefore second quantity = 10×14 = 140.

id=76019 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=G | option_c=I | option_d=H | answer=C | explanation=Move 1 positions forward from H; the resulting letter is I.

id=76020 | topic=Averages | difficulty=Easy | question=Find the average of 96, 16, 77, 74, 50, 17. | option_a=54 | option_b=56 | option_c=57 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 330 ÷ 6 = 55.

Aptitude Questions — Records 76,021-76,050 of 100,000

id=76021 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26697 at 4% per annum for 3 years. | option_a=29900 | option_b=3103 | option_c=3203 | option_d=3303 | answer=C | explanation=SI = $PRT/100 = 26697 \times 4 \times 3 / 100 = \text{■}3203$.

id=76022 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49622 at 15% per annum for 4 years. | option_a=29673 | option_b=79395 | option_c=29773 | option_d=29873 | answer=C | explanation=SI = $PRT/100 = 49622 \times 15 \times 4 / 100 = \text{■}29773$.

id=76023 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 26. | option_a=130 | option_b=140 | option_c=260 | option_d=104 | answer=A | explanation= $LCM \times HCF = 10 \times 26$; $HCF(10,26) = 2$, so $LCM = 130$.

id=76024 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=R | option_b=F | option_c=N | option_d=J | answer=C | explanation=Move 4 positions forward from J; the resulting letter is N.

id=76025 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=T | option_c=R | option_d=N | answer=C | explanation=Move 2 positions forward from P; the resulting letter is R.

id=76026 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:4 and the first is 95, what is the second? | option_a=81 | option_b=171 | option_c=76 | option_d=72 | answer=C | explanation=Scale factor = $95/5 = 19$. Therefore second quantity = $4 \times 19 = 76$.

id=76027 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=41 | option_b=45 | option_c=35 | option_d=40 | answer=D | explanation=The common difference is 5. Therefore the next term is $35 + 5 = 40$.

id=76028 | topic=Averages | difficulty=Easy | question=Find the average of 26, 88, 80, 24, 15, 42, 23, 15, 38. | option_a=39 | option_b=40 | option_c=41 | option_d=38 | answer=A | explanation=Average = sum of values ÷ number of values = $351 \div 9 = 39$.

id=76029 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=56 | option_b=67 | option_c=55 | option_d=43 | answer=C | explanation=The common difference is 12. Therefore the next term is $43 + 12 = 55$.

id=76030 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=C | option_b=D | option_c=A | option_d=B | answer=A | explanation=Move 1 positions forward from B; the resulting letter is C.

id=76031 | topic=Averages | difficulty=Easy | question=Find the average of 89, 42, 85, 56, 43, 15. | option_a=55 | option_b=57 | option_c=56 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = $330 \div 6 = 55$.

id=76032 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=M | option_c=K | option_d=G | answer=C | explanation=Move 2 positions forward from I; the resulting letter is K.

id=76033 | topic=Percentages | difficulty=Easy | question=What is 40% of 862? | option_a=354 | option_b=688 | option_c=344 | option_d=334 | answer=C | explanation= $40\% \text{ of } 862 = (40/100) \times 862 = 344$.

id=76034 | topic=Averages | difficulty=Easy | question=Find the average of 56, 29, 80. | option_a=56 | option_b=55 | option_c=57 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = $165 \div 3 = 55$.

id=76035 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 17? | option_a=11 | option_b=7 | option_c=3 | option_d=17 | answer=D | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 17 is the odd one out.

id=76036 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 19? | option_a=12 | option_b=9 | option_c=19 | option_d=15 | answer=C | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 19 is the odd one out.

id=76037 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 56? | option_a=37 | option_b=56 | option_c=45 | option_d=29 | answer=B | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 56 is the odd one out.

id=76038 | topic=Averages | difficulty=Easy | question=Find the average of 60, 36, 25, 10, 60, 96, 67, 46. | option_a=52 | option_b=49 | option_c=51 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = $400 \div 8 = 50$.

id=76039 | topic=Percentages | difficulty=Easy | question=What is 10% of 588? | option_a=53 | option_b=68 | option_c=116 | option_d=58 | answer=D | explanation= $10\% \text{ of } 588 = (10/100) \times 588 = 58$.

id=76040 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=76041 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:7 and the first is 10, what is the second? | option_a=19 | option_b=24 | option_c=7 | option_d=14 | answer=D | explanation=Scale factor = $10/5 = 2$. Therefore second quantity = $7 \times 2 = 14$.

id=76042 | topic=Averages | difficulty=Easy | question=Find the average of 27, 25, 41, 96, 85, 74. | option_a=58 | option_b=57 | option_c=60 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = $348 \div 6 = 58$.

id=76043 | topic=Averages | difficulty=Easy | question=Find the average of 50, 48, 58, 19, 66, 12, 74, 97. | option_a=54 | option_b=55 | option_c=52 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = $424 \div 8 = 53$.

id=76044 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4001 at 12% per annum for 5 years. | option_a=6401 | option_b=2500 | option_c=2300 | option_d=2400 | answer=D | explanation=SI = $PRT/100 = 4001 \times 12 \times 5 / 100 = \text{■}2400$.

id=76045 | topic=Averages | difficulty=Easy | question=Find the average of 37, 37, 64, 25, 19, 64, 34, 40. | option_a=41 | option_b=42 | option_c=40 | option_d=39 | answer=C | explanation=Average = sum of values ÷ number of values = $320 \div 8 = 40$.

id=76046 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:6 and the first is 63, what is the second? | option_a=61 | option_b=117 | option_c=48 | option_d=54 | answer=D | explanation=Scale factor = $63/7 = 9$. Therefore second quantity = $6 \times 9 = 54$.

id=76047 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=52 | option_b=39 | option_c=63 | option_d=51 | answer=D | explanation=The common difference is 12. Therefore the next term is $39 + 12 = 51$.

id=76048 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 20, 28, 39? | option_a=12 | option_b=28 | option_c=39 | option_d=20 | answer=C | explanation=The first three numbers increase by 8, so the next should be 36. Therefore 39 is the odd one out.

id=76049 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=56 | option_b=57 | option_c=68 | option_d=44 | answer=A | explanation=The common difference is 12. Therefore the next term is $44 + 12 = 56$.

id=76050 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=47 | option_b=59 | option_c=71 | option_d=60 | answer=B | explanation=The common difference is 12. Therefore the next term is $47 + 12 = 59$.

Aptitude Questions — Records 76,051-76,080 of 100,000

id=76051 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=O | option_b=Z | option_c=J | option_d=E | answer=C | explanation=Move 5 positions forward from E; the resulting letter is J.

id=76052 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11084 at 15% per annum for 3 years. | option_a=4887 | option_b=5087 | option_c=4987 | option_d=16071 | answer=C | explanation=SI = $PRT/100 = 11084 \times 15 \times 3/100 = \text{■}4987$.

id=76053 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:14 and the first is 90, what is the second? | option_a=126 | option_b=230 | option_c=140 | option_d=149 | answer=C | explanation=Scale factor = $90/9 = 10$. Therefore second quantity = $14 \times 10 = 140$.

id=76054 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 32? | option_a=32 | option_b=27 | option_c=29 | option_d=25 | answer=A | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 32 is the odd one out.

id=76055 | topic=Averages | difficulty=Easy | question=Find the average of 36, 50, 42, 56, 39, 67, 11. | option_a=45 | option_b=43 | option_c=42 | option_d=44 | answer=B | explanation=Average = sum of values ÷ number of values = $301 \div 7 = 43$.

id=76056 | topic=Percentages | difficulty=Easy | question=What is 25% of 1087? | option_a=542 | option_b=261 | option_c=276 | option_d=271 | answer=D | explanation=25% of 1087 = $(25/100) \times 1087 = 271$.

id=76057 | topic=Averages | difficulty=Easy | question=Find the average of 46, 53, 17, 32, 72. | option_a=45 | option_b=43 | option_c=44 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = $220 \div 5 = 44$.

id=76058 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=76059 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=29 | option_b=30 | option_c=26 | option_d=28 | answer=D | explanation=The common difference is 2. Therefore the next term is $26 + 2 = 28$.

id=76060 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=27 | option_b=33 | option_c=30 | option_d=31 | answer=C | explanation=The common difference is 3. Therefore the next term is $27 + 3 = 30$.

id=76061 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=20 | option_b=19 | option_c=23 | option_d=15 | answer=B | explanation=The common difference is 4. Therefore the next term is $15 + 4 = 19$.

id=76062 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:20 and the first is 40, what is the second? | option_a=200 | option_b=165 | option_c=140 | option_d=160 | answer=D | explanation=Scale factor = $40/5 = 8$. Therefore second quantity = $20 \times 8 = 160$.

id=76063 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 12, 21, 31? | option_a=31 | option_b=21 | option_c=3 | option_d=12 | answer=A | explanation=The first three numbers increase by 9, so the next should be 30. Therefore 31 is the odd one out.

id=76064 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=44 | option_b=55 | option_c=66 | option_d=56 | answer=B | explanation=The common difference is 11. Therefore the next term is $44 + 11 = 55$.

id=76065 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**800. If it is sold at a profit of 50%, what is its selling price? | option_a=850 | option_b=1200 | option_c=1280 | option_d=1120 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 800 \times 150/100 = \text{■}1200$.

id=76066 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=A | option_b=E | option_c=G | option_d=C | answer=B | explanation=Move 2 positions forward from C; the resulting letter is E.

id=76067 | topic=Averages | difficulty=Easy | question=Find the average of 86, 74, 91, 44, 43, 55, 21, 58. | option_a=59 | option_b=61 | option_c=58 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = $472 \div 8 = 59$.

id=76068 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=G | option_b=J | option_c=A | option_d=D | answer=A | explanation=Move 3 positions forward from D; the resulting letter is G.

id=76069 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=L | option_c=A | option_d=V | answer=D | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=76070 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=N | option_c=W | option_d=T | answer=D | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=76071 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=90 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = $90 \div 2 = 45$ km/h.

id=76072 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:11 and the first is 133, what is the second? | option_a=77 | option_b=66 | option_c=210 | option_d=96 | answer=A | explanation=Scale factor = $133/19 = 7$. Therefore second quantity = $11 \times 7 = 77$.

id=76073 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31454 at 6% per annum for 4 years. | option_a=39002 | option_b=7548 | option_c=7648 | option_d=7448 | answer=B | explanation=SI = $PRT/100 = 31454 \times 6 \times 4/100 = \text{■}7548$.

id=76074 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 44? | option_a=44 | option_b=34 | option_c=20 | option_d=27 | answer=A | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 44 is the odd one out.

id=76075 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Y | option_b=M | option_c=Q | option_d=U | answer=D | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=76076 | topic=Averages | difficulty=Easy | question=Find the average of 60, 33, 24, 88, 69, 90, 54, 80, 45, 97. | option_a=64 | option_b=63 | option_c=66 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = $640 \div 10 = 64$.

id=76077 | topic=Averages | difficulty=Easy | question=Find the average of 45, 96, 39, 25, 94, 91. | option_a=66 | option_b=65 | option_c=64 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = $390 \div 6 = 65$.

id=76078 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=36 | option_b=40 | option_c=35 | option_d=30 | answer=C | explanation=The common difference is 5. Therefore the next term is $30 + 5 = 35$.

id=76079 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 12, 21, 30, ? | option_a=39 | option_b=30 | option_c=40 | option_d=48 | answer=A | explanation=The common difference is 9. Therefore the next term is $30 + 9 = 39$.

id=76080 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=R | option_b=L | option_c=O | option_d=I | answer=C | explanation=Move 3 positions forward from L; the resulting letter is O.

Aptitude Questions — Records 76,081-76,110 of 100,000

id=76081 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■16069 at 10% per annum for 3 years. | option_a=4820 | option_b=4720 | option_c=20889 | option_d=4920 | answer=A | explanation=SI = PRT/100 = 16069×10×3/100 = ■4820.

id=76082 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=76083 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:16 and the first is 60, what is the second? | option_a=156 | option_b=80 | option_c=96 | option_d=106 | answer=C | explanation=Scale factor = 60/10 = 6. Therefore second quantity = 16×6 = 96.

id=76084 | topic=Averages | difficulty=Easy | question=Find the average of 88, 59, 44, 54, 50. | option_a=59 | option_b=60 | option_c=61 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 295 ÷ 5 = 59.

id=76085 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 12. | option_a=98 | option_b=72 | option_c=84 | option_d=168 | answer=C | explanation=LCM × HCF = 14×12; HCF(14,12) = 2, so LCM = 84.

id=76086 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■962. If it is sold at a profit of 20%, what is its selling price? | option_a=982 | option_b=1058 | option_c=1154 | option_d=1250 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 962 × 120/100 = ■1154.

id=76087 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 15, 22, 30? | option_a=8 | option_b=30 | option_c=22 | option_d=15 | answer=B | explanation=The first three numbers increase by 7, so the next should be 29. Therefore 30 is the odd one out.

id=76088 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:7 and the first is 12, what is the second? | option_a=84 | option_b=77 | option_c=85 | option_d=96 | answer=A | explanation=Scale factor = 12/1 = 12. Therefore second quantity = 7×12 = 84.

id=76089 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■27369 at 8% per annum for 5 years. | option_a=38316 | option_b=11047 | option_c=10847 | option_d=10947 | answer=D | explanation=SI = PRT/100 = 27369×8×5/100 = ■10947.

id=76090 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=49 | option_b=60 | option_c=50 | option_d=38 | answer=A | explanation=The common difference is 11. Therefore the next term is 38 + 11 = 49.

id=76091 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■18047 at 4% per annum for 5 years. | option_a=21656 | option_b=3709 | option_c=3509 | option_d=3609 | answer=D | explanation=SI = PRT/100 = 18047×4×5/100 = ■3609.

id=76092 | topic=Percentages | difficulty=Easy | question=What is 25% of 502? | option_a=250 | option_b=115 | option_c=145 | option_d=125 | answer=D | explanation=25% of 502 = (25/100) × 502 = 125.

id=76093 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=58 | option_b=40 | option_c=49 | option_d=50 | answer=C | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

id=76094 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=76095 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=76096 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:19 and the first is 96, what is the second? | option_a=133 | option_b=152 | option_c=164 | option_d=248 | answer=B | explanation=Scale factor = 96/12 = 8. Therefore second quantity = 19×8 = 152.

id=76097 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=P | option_b=M | option_c=J | option_d=S | answer=A | explanation=Move 3 positions forward from M; the resulting letter is P.

id=76098 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=76099 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=P | option_b=U | option_c=F | option_d=K | answer=A | explanation=Move 5 positions forward from K; the resulting letter is P.

id=76100 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 9, 12, 17? | option_a=6 | option_b=12 | option_c=9 | option_d=17 | answer=D | explanation=The first three numbers increase by 3, so the next should be 15. Therefore 17 is the odd one out.

id=76101 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=26 | option_b=27 | option_c=20 | option_d=32 | answer=A | explanation=The common difference is 6. Therefore the next term is 20 + 6 = 26.

id=76102 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:5 and the first is 270, what is the second? | option_a=75 | option_b=70 | option_c=93 | option_d=345 | answer=A | explanation=Scale factor = 270/18 = 15. Therefore second quantity = 5×15 = 75.

id=76103 | topic=Averages | difficulty=Easy | question=Find the average of 90, 46, 55, 71, 77, 97, 88, 44, 42, 50. | option_a=65 | option_b=67 | option_c=68 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = 660 ÷ 10 = 66.

id=76104 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=80 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=76105 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:13 and the first is 77, what is the second? | option_a=220 | option_b=150 | option_c=143 | option_d=130 | answer=C | explanation=Scale factor = 77/7 = 11. Therefore second quantity = 13×11 = 143.

id=76106 | topic=Percentages | difficulty=Easy | question=What is 10% of 1658? | option_a=165 | option_b=145 | option_c=330 | option_d=185 | answer=A | explanation=10% of 1658 = (10/100) × 1658 = 165.

id=76107 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 31, 39, 48? | option_a=23 | option_b=31 | option_c=39 | option_d=48 | answer=D | explanation=The first three numbers increase by 8, so the next should be 47. Therefore 48 is the odd one out.

id=76108 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=77 | option_c=72 | option_d=67 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=76109 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:11 and the first is 260, what is the second? | option_a=403 | option_b=143 | option_c=163 | option_d=132 | answer=B | explanation=Scale factor = 260/20 = 13. Therefore second quantity = 11×13 = 143.

id=76110 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=J | option_c=L | option_d=K | answer=C | explanation=Move 1 positions forward from K; the resulting letter is L.

Aptitude Questions — Records 76,111-76,140 of 100,000

- id=76111 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:5 and the first is 120, what is the second? | option_a=83 | option_b=195 | option_c=70 | option_d=75 | answer=D | explanation=Scale factor = 120/8 = 15. Therefore second quantity = 5×15 = 75.
- id=76112 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=5 | option_c=15 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.
- id=76113 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 14, 22, 31? | option_a=22 | option_b=14 | option_c=31 | option_d=6 | answer=C | explanation=The first three numbers increase by 8, so the next should be 30. Therefore 31 is the odd one out.
- id=76114 | topic=Averages | difficulty=Easy | question=Find the average of 27, 76, 100, 86, 100, 26, 26. | option_a=62 | option_b=65 | option_c=63 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 441 ÷ 7 = 63.
- id=76115 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 15. | option_a=15 | option_b=30 | option_c=225 | option_d=1 | answer=A | explanation=LCM × HCF = 15×15; HCF(15,15) = 15, so LCM = 15.
- id=76116 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 35? | option_a=12 | option_b=22 | option_c=2 | option_d=35 | answer=D | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 35 is the odd one out.
- id=76117 | topic=Percentages | difficulty=Easy | question=What is 50% of 1656? | option_a=833 | option_b=818 | option_c=1656 | option_d=828 | answer=D | explanation=50% of 1656 = (50/100) × 1656 = 828.
- id=76118 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:20 and the first is 30, what is the second? | option_a=203 | option_b=200 | option_c=180 | option_d=230 | answer=B | explanation=Scale factor = 30/3 = 10. Therefore second quantity = 20×10 = 200.
- id=76119 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 30. | option_a=1 | option_b=30 | option_c=45 | option_d=450 | answer=B | explanation=LCM × HCF = 15×30; HCF(15,30) = 15, so LCM = 30.
- id=76120 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=53 | option_b=54 | option_c=42 | option_d=64 | answer=A | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.
- id=76121 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.
- id=76122 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2096. If it is sold at a profit of 50%, what is its selling price? | option_a=3144 | option_b=3353 | option_c=2935 | option_d=2146 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2096 × 150/100 = ₹3144.
- id=76123 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.
- id=76124 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 24. | option_a=24 | option_b=64 | option_c=48 | option_d=384 | answer=C | explanation=LCM × HCF = 16×24; HCF(16,24) = 8, so LCM = 48.
- id=76125 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 27. | option_a=243 | option_b=36 | option_c=1 | option_d=27 | answer=D | explanation=LCM × HCF = 9×27; HCF(9,27) = 9, so LCM = 27.
- id=76126 | topic=Averages | difficulty=Easy | question=Find the average of 58, 87, 22, 45. | option_a=55 | option_b=54 | option_c=53 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 212 ÷ 4 = 53.
- id=76127 | topic=Averages | difficulty=Easy | question=Find the average of 56, 82, 32, 96, 59, 92, 18, 77. | option_a=65 | option_b=64 | option_c=63 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 512 ÷ 8 = 64.
- id=76128 | topic=Averages | difficulty=Easy | question=Find the average of 36, 77, 25. | option_a=48 | option_b=46 | option_c=47 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = 138 ÷ 3 = 46.
- id=76129 | topic=Averages | difficulty=Easy | question=Find the average of 82, 90, 38. | option_a=71 | option_b=69 | option_c=72 | option_d=70 | answer=D | explanation=Average = sum of values ÷ number of values = 210 ÷ 3 = 70.
- id=76130 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=115 | option_c=120 | option_d=240 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.
- id=76131 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=35 | option_b=41 | option_c=42 | option_d=47 | answer=B | explanation=The common difference is 6. Therefore the next term is 35 + 6 = 41.
- id=76132 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:20 and the first is 13, what is the second? | option_a=240 | option_b=261 | option_c=260 | option_d=273 | answer=C | explanation=Scale factor = 13/1 = 13. Therefore second quantity = 20×13 = 260.
- id=76133 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.
- id=76134 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.
- id=76135 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=115 | option_d=240 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.
- id=76136 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.
- id=76137 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=J | option_c=T | option_d=Y | answer=C | explanation=Move 5 positions forward from O; the resulting letter is T.
- id=76138 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 31, 36, 44? | option_a=26 | option_b=36 | option_c=31 | option_d=44 | answer=D | explanation=The first three numbers increase by 5, so the next should be 41. Therefore 44 is the odd one out.
- id=76139 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=33 | option_b=35 | option_c=29 | option_d=32 | answer=D | explanation=The common difference is 3. Therefore the next term is 29 + 3 = 32.
- id=76140 | topic=Averages | difficulty=Easy | question=Find the average of 63, 24, 34, 67, 44, 76, 105. | option_a=59 | option_b=60 | option_c=61 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 413 ÷ 7 = 59.

Aptitude Questions — Records 76,141-76,170 of 100,000

id=76141 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=28 | option_b=37 | option_c=44 | option_d=36 | answer=D | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=76142 | topic=Percentages | difficulty=Easy | question=What is 25% of 1452? | option_a=343 | option_b=726 | option_c=363 | option_d=373 | answer=C | explanation=25% of 1452 = (25/100) × 1452 = 363.

id=76143 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 35, 41, 48? | option_a=29 | option_b=48 | option_c=35 | option_d=41 | answer=B | explanation=The first three numbers increase by 6, so the next should be 47. Therefore 48 is the odd one out.

id=76144 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 11, 14, 20? | option_a=20 | option_b=14 | option_c=11 | option_d=8 | answer=A | explanation=The first three numbers increase by 3, so the next should be 17. Therefore 20 is the odd one out.

id=76145 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 14, 20, 28? | option_a=20 | option_b=28 | option_c=8 | option_d=14 | answer=B | explanation=The first three numbers increase by 6, so the next should be 26. Therefore 28 is the odd one out.

id=76146 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=76147 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=35 | option_c=40 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=76148 | topic=Averages | difficulty=Easy | question=Find the average of 64, 77, 87. | option_a=77 | option_b=78 | option_c=75 | option_d=76 | answer=D | explanation=Average = sum of values ÷ number of values = 228 ÷ 3 = 76.

id=76149 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=76150 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:3 and the first is 45, what is the second? | option_a=42 | option_b=45 | option_c=48 | option_d=90 | answer=B | explanation=Scale factor = 45/3 = 15. Therefore second quantity = 3×15 = 45.

id=76151 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 150, what is the second? | option_a=180 | option_b=45 | option_c=30 | option_d=27 | answer=C | explanation=Scale factor = 150/15 = 10. Therefore second quantity = 3×10 = 30.

id=76152 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:4 and the first is 49, what is the second? | option_a=77 | option_b=28 | option_c=35 | option_d=24 | answer=B | explanation=Scale factor = 49/7 = 7. Therefore second quantity = 4×7 = 28.

id=76153 | topic=Averages | difficulty=Easy | question=Find the average of 45, 21, 81, 18, 57, 98, 37. | option_a=53 | option_b=51 | option_c=52 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.

id=76154 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 22? | option_a=18 | option_b=16 | option_c=22 | option_d=14 | answer=C | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 22 is the odd one out.

id=76155 | topic=Percentages | difficulty=Easy | question=What is 12% of 1011? | option_a=126 | option_b=242 | option_c=101 | option_d=121 | answer=D | explanation=12% of 1011 = (12/100) × 1011 = 121.

id=76156 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=36 | option_b=39 | option_c=31 | option_d=35 | answer=D | explanation=The common difference is 4. Therefore the next term is 31 + 4 = 35.

id=76157 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=23 | option_c=18 | option_d=36 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=76158 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 6. | option_a=1 | option_b=8 | option_c=6 | option_d=12 | answer=C | explanation=LCM × HCF = 2×6; HCF(2,6) = 2, so LCM = 6.

id=76159 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:8 and the first is 28, what is the second? | option_a=16 | option_b=30 | option_c=44 | option_d=8 | answer=A | explanation=Scale factor = 28/14 = 2. Therefore second quantity = 8×2 = 16.

id=76160 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=76161 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=54 | option_b=64 | option_c=55 | option_d=44 | answer=A | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=76162 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 12, 14, 19? | option_a=19 | option_b=14 | option_c=12 | option_d=10 | answer=A | explanation=The first three numbers increase by 2, so the next should be 16. Therefore 19 is the odd one out.

id=76163 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 11, 14, 19? | option_a=11 | option_b=19 | option_c=8 | option_d=14 | answer=B | explanation=The first three numbers increase by 3, so the next should be 17. Therefore 19 is the odd one out.

id=76164 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38784 at 6% per annum for 2 years. | option_a=4754 | option_b=4554 | option_c=4654 | option_d=43438 | answer=C | explanation=SI = PRT/100 = 38784×6×2/100 = **■**4654.

id=76165 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=76166 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:12 and the first is 90, what is the second? | option_a=270 | option_b=186 | option_c=168 | option_d=180 | answer=D | explanation=Scale factor = 90/6 = 15. Therefore second quantity = 12×15 = 180.

id=76167 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 24, 32, 40, ? | option_a=48 | option_b=49 | option_c=40 | option_d=56 | answer=A | explanation=The common difference is 8. Therefore the next term is 40 + 8 = 48.

id=76168 | topic=Averages | difficulty=Easy | question=Find the average of 90, 23, 54, 62, 62, 32, 93, 19, 69. | option_a=55 | option_b=56 | option_c=58 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=76169 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:6 and the first is 25, what is the second? | option_a=30 | option_b=35 | option_c=24 | option_d=55 | answer=A | explanation=Scale factor = 25/5 = 5. Therefore second quantity = 6×5 = 30.

id=76170 | topic=Percentages | difficulty=Easy | question=What is 12% of 1565? | option_a=374 | option_b=177 | option_c=192 | option_d=187 | answer=D | explanation=12% of 1565 = (12/100) × 1565 = 187.

Aptitude Questions — Records 76,171-76,200 of 100,000

id=76171 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:14 and the first is 220, what is the second? | option_a=500 | option_b=291 | option_c=280 | option_d=266 | answer=C | explanation=Scale factor = 220/11 = 20. Therefore second quantity = 14×20 = 280.

id=76172 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 22, 32, 45? | option_a=32 | option_b=22 | option_c=12 | option_d=45 | answer=D | explanation=The first three numbers increase by 10, so the next should be 42. Therefore 45 is the odd one out.

id=76173 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 43? | option_a=34 | option_b=43 | option_c=26 | option_d=18 | answer=B | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 43 is the odd one out.

id=76174 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=76175 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 15? | option_a=15 | option_b=3 | option_c=9 | option_d=6 | answer=A | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 15 is the odd one out.

id=76176 | topic=Percentages | difficulty=Easy | question=What is 5% of 1456? | option_a=62 | option_b=144 | option_c=72 | option_d=92 | answer=C | explanation=5% of 1456 = (5/100) × 1456 = 72.

id=76177 | topic=Profit & Loss | difficulty=Easy | question=An article costs █856. If it is sold at a profit of 30%, what is its selling price? | option_a=1027 | option_b=886 | option_c=1112 | option_d=1197 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 856 × 130/100 = █1112.

id=76178 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=62 | option_b=61 | option_c=50 | option_d=72 | answer=B | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.

id=76179 | topic=Averages | difficulty=Easy | question=Find the average of 31, 89, 21, 23, 27, 71, 72, 82. | option_a=52 | option_b=53 | option_c=54 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=76180 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36979 at 12% per annum for 3 years. | option_a=13412 | option_b=50291 | option_c=13212 | option_d=13312 | answer=D | explanation=SI = PRT/100 = 36979×12×3/100 = █13312.

id=76181 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=76182 | topic=Averages | difficulty=Easy | question=Find the average of 54, 58, 59, 15, 10, 86. | option_a=49 | option_b=46 | option_c=48 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 282 ÷ 6 = 47.

id=76183 | topic=Averages | difficulty=Easy | question=Find the average of 26, 95, 52, 96, 56. | option_a=66 | option_b=67 | option_c=65 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 325 ÷ 5 = 65.

id=76184 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3731. If it is sold at a profit of 10%, what is its selling price? | option_a=4477 | option_b=3741 | option_c=4104 | option_d=3731 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3731 × 110/100 = █4104.

id=76185 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=76186 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2398. If it is sold at a profit of 10%, what is its selling price? | option_a=2876 | option_b=2398 | option_c=2408 | option_d=2637 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2398 × 110/100 = █2637.

id=76187 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4280 at 8% per annum for 3 years. | option_a=1027 | option_b=1127 | option_c=5307 | option_d=927 | answer=A | explanation=SI = PRT/100 = 4280×8×3/100 = █1027.

id=76188 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=40 | option_b=26 | option_c=34 | option_d=33 | answer=D | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

id=76189 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=160 | option_c=75 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=76190 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1011. If it is sold at a profit of 40%, what is its selling price? | option_a=1415 | option_b=1516 | option_c=1314 | option_d=1051 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1011 × 140/100 = █1415.

id=76191 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=U | option_b=X | option_c=O | option_d=R | answer=A | explanation=Move 3 positions forward from R; the resulting letter is U.

id=76192 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32919 at 10% per annum for 4 years. | option_a=13167 | option_b=13067 | option_c=13267 | option_d=46086 | answer=A | explanation=SI = PRT/100 = 32919×10×4/100 = █13167.

id=76193 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:19 and the first is 20, what is the second? | option_a=190 | option_b=210 | option_c=171 | option_d=192 | answer=A | explanation=Scale factor = 20/2 = 10. Therefore second quantity = 19×10 = 190.

id=76194 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=38 | option_b=50 | option_c=62 | option_d=51 | answer=B | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=76195 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:7 and the first is 154, what is the second? | option_a=231 | option_b=77 | option_c=91 | option_d=70 | answer=B | explanation=Scale factor = 154/14 = 11. Therefore second quantity = 7×11 = 77.

id=76196 | topic=Averages | difficulty=Easy | question=Find the average of 36, 24, 48, 30, 29, 59, 96, 94. | option_a=52 | option_b=54 | option_c=53 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=76197 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=44 | option_b=45 | option_c=38 | option_d=50 | answer=A | explanation=The common difference is 6. Therefore the next term is 38 + 6 = 44.

id=76198 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 18. | option_a=1 | option_b=18 | option_c=36 | option_d=20 | answer=B | explanation=LCM × HCF = 2×18; HCF(2,18) = 2, so LCM = 18.

id=76199 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 27. | option_a=405 | option_b=135 | option_c=150 | option_d=108 | answer=B | explanation=LCM × HCF = 15×27; HCF(15,27) = 3, so LCM = 135.

id=76200 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4803. If it is sold at a profit of 40%, what is its selling price? | option_a=4843 | option_b=7204 | option_c=6244 | option_d=6724 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4803 × 140/100 = █6724.

Aptitude Questions — Records 76,201-76,230 of 100,000

id=76201 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=76202 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:19 and the first is 234, what is the second? | option_a=228 | option_b=481 | option_c=265 | option_d=247 | answer=D | explanation=Scale factor = 234/18 = 13. Therefore second quantity = 19×13 = 247.

id=76203 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=40 | option_b=50 | option_c=49 | option_d=58 | answer=C | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

id=76204 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=50 | option_c=45 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=76205 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=35 | option_b=34 | option_c=26 | option_d=42 | answer=B | explanation=The common difference is 8. Therefore the next term is 26 + 8 = 34.

id=76206 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=34 | option_b=31 | option_c=30 | option_d=26 | answer=C | explanation=The common difference is 4. Therefore the next term is 26 + 4 = 30.

id=76207 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=S | option_b=P | option_c=J | option_d=M | answer=B | explanation=Move 3 positions forward from M; the resulting letter is P.

id=76208 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 35, 45, 57? | option_a=57 | option_b=45 | option_c=25 | option_d=35 | answer=A | explanation=The first three numbers increase by 10, so the next should be 55. Therefore 57 is the odd one out.

id=76209 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 27? | option_a=19 | option_b=12 | option_c=27 | option_d=5 | answer=C | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 27 is the odd one out.

id=76210 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 32? | option_a=32 | option_b=13 | option_c=4 | option_d=22 | answer=A | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 32 is the odd one out.

id=76211 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:10 and the first is 75, what is the second? | option_a=150 | option_b=155 | option_c=225 | option_d=140 | answer=A | explanation=Scale factor = 75/5 = 15. Therefore second quantity = 10×15 = 150.

id=76212 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4222. If it is sold at a profit of 5%, what is its selling price? | option_a=4855 | option_b=4433 | option_c=4011 | option_d=4227 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4222 × 105/100 = █4433.

id=76213 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1662. If it is sold at a profit of 10%, what is its selling price? | option_a=1672 | option_b=1994 | option_c=1828 | option_d=1662 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1662 × 110/100 = █1828.

id=76214 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=R | option_c=Z | option_d=N | answer=A | explanation=Move 4 positions forward from R; the resulting letter is V.

id=76215 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=37 | option_b=29 | option_c=38 | option_d=45 | answer=A | explanation=The common difference is 8. Therefore the next term is 29 + 8 = 37.

id=76216 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=76217 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=76218 | topic=Averages | difficulty=Easy | question=Find the average of 41, 74, 18, 38, 57, 30, 51, 59. | option_a=45 | option_b=48 | option_c=46 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 368 ÷ 8 = 46.

id=76219 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 45? | option_a=32 | option_b=37 | option_c=27 | option_d=45 | answer=D | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 45 is the odd one out.

id=76220 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1846 at 8% per annum for 4 years. | option_a=590 | option_b=490 | option_c=2436 | option_d=690 | answer=A | explanation=SI = PRT/100 = 1846×8×4/100 = █590.

id=76221 | topic=Percentages | difficulty=Easy | question=What is 30% of 882? | option_a=274 | option_b=264 | option_c=259 | option_d=528 | answer=B | explanation=30% of 882 = (30/100) × 882 = 264.

id=76222 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21397 at 12% per annum for 4 years. | option_a=10370 | option_b=31667 | option_c=10170 | option_d=10270 | answer=D | explanation=SI = PRT/100 = 21397×12×4/100 = █10270.

id=76223 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1862. If it is sold at a profit of 25%, what is its selling price? | option_a=1887 | option_b=2513 | option_c=2141 | option_d=2327 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1862 × 125/100 = █2327.

id=76224 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=50 | option_b=51 | option_c=59 | option_d=41 | answer=A | explanation=The common difference is 9. Therefore the next term is 41 + 9 = 50.

id=76225 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=150 | option_d=70 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=76226 | topic=Percentages | difficulty=Easy | question=What is 5% of 1942? | option_a=194 | option_b=97 | option_c=92 | option_d=107 | answer=B | explanation=5% of 1942 = (5/100) × 1942 = 97.

id=76227 | topic=Averages | difficulty=Easy | question=Find the average of 37, 50, 45. | option_a=43 | option_b=44 | option_c=46 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = 132 ÷ 3 = 44.

id=76228 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 24, 33, 45? | option_a=15 | option_b=33 | option_c=24 | option_d=45 | answer=D | explanation=The first three numbers increase by 9, so the next should be 42. Therefore 45 is the odd one out.

id=76229 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 31? | option_a=31 | option_b=22 | option_c=16 | option_d=10 | answer=A | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 31 is the odd one out.

id=76230 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 76,231-76,260 of 100,000

id=76231 | topic=Percentages | difficulty=Easy | question=What is 40% of 1951? | option_a=760 | option_b=780 | option_c=1560 | option_d=800 | answer=B | explanation=40% of 1951 = (40/100) × 1951 = 780.

id=76232 | topic=Percentages | difficulty=Easy | question=What is 40% of 506? | option_a=202 | option_b=212 | option_c=182 | option_d=404 | answer=A | explanation=40% of 506 = (40/100) × 506 = 202.

id=76233 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2176. If it is sold at a profit of 15%, what is its selling price? | option_a=2191 | option_b=2285 | option_c=2719 | option_d=2502 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2176 × 115/100 = █2502.

id=76234 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=1 | option_c=11 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=76235 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=76236 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 26. | option_a=260 | option_b=520 | option_c=234 | option_d=280 | answer=A | explanation=LCM × HCF = 20×26; HCF(20,26) = 2, so LCM = 260.

id=76237 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=S | option_b=T | option_c=Q | option_d=R | answer=A | explanation=Move 1 positions forward from R; the resulting letter is S.

id=76238 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=26 | option_b=27 | option_c=23 | option_d=29 | answer=A | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.

id=76239 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:10 and the first is 14, what is the second? | option_a=27 | option_b=34 | option_c=10 | option_d=20 | answer=D | explanation=Scale factor = 14/7 = 2. Therefore second quantity = 10×2 = 20.

id=76240 | topic=Profit & Loss | difficulty=Easy | question=An article costs █292. If it is sold at a profit of 10%, what is its selling price? | option_a=292 | option_b=321 | option_c=350 | option_d=302 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 292 × 110/100 = █321.

id=76241 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:4 and the first is 51, what is the second? | option_a=64 | option_b=119 | option_c=71 | option_d=68 | answer=D | explanation=Scale factor = 51/3 = 17. Therefore second quantity = 4×17 = 68.

id=76242 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 14, 22, 32? | option_a=22 | option_b=6 | option_c=14 | option_d=32 | answer=D | explanation=The first three numbers increase by 8, so the next should be 30. Therefore 32 is the odd one out.

id=76243 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=S | option_b=N | option_c=I | option_d=D | answer=B | explanation=Move 5 positions forward from I; the resulting letter is N.

id=76244 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19022 at 8% per annum for 2 years. | option_a=3143 | option_b=2943 | option_c=22065 | option_d=3043 | answer=D | explanation=SI = PRT/100 = 19022×8×2/100 = █3043.

id=76245 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=27 | option_b=23 | option_c=31 | option_d=28 | answer=A | explanation=The common difference is 4. Therefore the next term is 23 + 4 = 27.

id=76246 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=R | option_b=Q | option_c=S | option_d=P | answer=A | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=76247 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:8 and the first is 119, what is the second? | option_a=175 | option_b=48 | option_c=73 | option_d=56 | answer=D | explanation=Scale factor = 119/17 = 7. Therefore second quantity = 8×7 = 56.

id=76248 | topic=Profit & Loss | difficulty=Easy | question=An article costs █506. If it is sold at a profit of 30%, what is its selling price? | option_a=607 | option_b=536 | option_c=707 | option_d=657 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 506 × 130/100 = █657.

id=76249 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3243. If it is sold at a profit of 10%, what is its selling price? | option_a=3253 | option_b=3891 | option_c=3243 | option_d=3567 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3243 × 110/100 = █3567.

id=76250 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=76251 | topic=Percentages | difficulty=Easy | question=What is 40% of 58? | option_a=28 | option_b=46 | option_c=23 | option_d=18 | answer=C | explanation=40% of 58 = (40/100) × 58 = 23.

id=76252 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1218 at 8% per annum for 2 years. | option_a=1412 | option_b=94 | option_c=294 | option_d=194 | answer=D | explanation=SI = PRT/100 = 1218×8×2/100 = █194.

id=76253 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=31 | option_b=28 | option_c=23 | option_d=27 | answer=D | explanation=The common difference is 4. Therefore the next term is 23 + 4 = 27.

id=76254 | topic=Percentages | difficulty=Easy | question=What is 40% of 910? | option_a=374 | option_b=364 | option_c=728 | option_d=344 | answer=B | explanation=40% of 910 = (40/100) × 910 = 364.

id=76255 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 19, 22, 25, ? | option_a=29 | option_b=31 | option_c=25 | option_d=28 | answer=D | explanation=The common difference is 3. Therefore the next term is 25 + 3 = 28.

id=76256 | topic=Percentages | difficulty=Easy | question=What is 30% of 1883? | option_a=554 | option_b=564 | option_c=584 | option_d=1128 | answer=B | explanation=30% of 1883 = (30/100) × 1883 = 564.

id=76257 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18383 at 5% per annum for 3 years. | option_a=2757 | option_b=2857 | option_c=21140 | option_d=2657 | answer=A | explanation=SI = PRT/100 = 18383×5×3/100 = █2757.

id=76258 | topic=Percentages | difficulty=Easy | question=What is 50% of 1149? | option_a=579 | option_b=564 | option_c=1148 | option_d=574 | answer=D | explanation=50% of 1149 = (50/100) × 1149 = 574.

id=76259 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=55 | option_b=48 | option_c=49 | option_d=41 | answer=B | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.

id=76260 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:6 and the first is 66, what is the second? | option_a=36 | option_b=102 | option_c=47 | option_d=30 | answer=A | explanation=Scale factor = 66/11 = 6. Therefore second quantity = 6×6 = 36.

Aptitude Questions — Records 76,261-76,290 of 100,000

id=76261 | topic=Averages | difficulty=Easy | question=Find the average of 44, 28, 28, 21, 46, 97, 94, 50. | option_a=51 | option_b=50 | option_c=53 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 408 ÷ 8 = 51.

id=76262 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=D | option_b=J | option_c=G | option_d=M | answer=B | explanation=Move 3 positions forward from G; the resulting letter is J.

id=76263 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=42 | option_b=34 | option_c=50 | option_d=43 | answer=A | explanation=The common difference is 8. Therefore the next term is 34 + 8 = 42.

id=76264 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:19 and the first is 160, what is the second? | option_a=380 | option_b=361 | option_c=388 | option_d=540 | answer=A | explanation=Scale factor = 160/8 = 20. Therefore second quantity = 19×20 = 380.

id=76265 | topic=Averages | difficulty=Easy | question=Find the average of 67, 37, 47, 51, 49, 67, 81. | option_a=59 | option_b=56 | option_c=58 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 399 ÷ 7 = 57.

id=76266 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=76267 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1651. If it is sold at a profit of 15%, what is its selling price? | option_a=1666 | option_b=1898 | option_c=1733 | option_d=2063 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1651 × 115/100 = █1898.

id=76268 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=L | option_b=H | option_c=N | option_d=J | answer=A | explanation=Move 2 positions forward from J; the resulting letter is L.

id=76269 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=76270 | topic=Percentages | difficulty=Easy | question=What is 50% of 1676? | option_a=838 | option_b=1676 | option_c=843 | option_d=818 | answer=A | explanation=50% of 1676 = (50/100) × 1676 = 838.

id=76271 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:17 and the first is 42, what is the second? | option_a=65 | option_b=51 | option_c=34 | option_d=93 | answer=B | explanation=Scale factor = 42/14 = 3. Therefore second quantity = 17×3 = 51.

id=76272 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 12. | option_a=135 | option_b=96 | option_c=324 | option_d=108 | answer=D | explanation=LCM × HCF = 27×12; HCF(27,12) = 3, so LCM = 108.

id=76273 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=42 | option_b=41 | option_c=50 | option_d=32 | answer=B | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

id=76274 | topic=Averages | difficulty=Easy | question=Find the average of 53, 95, 57, 12, 80, 27. | option_a=54 | option_b=55 | option_c=56 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 324 ÷ 6 = 54.

id=76275 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 30. | option_a=1 | option_b=40 | option_c=300 | option_d=30 | answer=D | explanation=LCM × HCF = 10×30; HCF(10,30) = 10, so LCM = 30.

id=76276 | topic=Percentages | difficulty=Easy | question=What is 50% of 954? | option_a=472 | option_b=477 | option_c=497 | option_d=954 | answer=B | explanation=50% of 954 = (50/100) × 954 = 477.

id=76277 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=I | option_b=C | option_c=L | option_d=F | answer=A | explanation=Move 3 positions forward from F; the resulting letter is I.

id=76278 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:13 and the first is 14, what is the second? | option_a=33 | option_b=13 | option_c=26 | option_d=40 | answer=C | explanation=Scale factor = 14/7 = 2. Therefore second quantity = 13×2 = 26.

id=76279 | topic=Percentages | difficulty=Easy | question=What is 5% of 637? | option_a=62 | option_b=31 | option_c=21 | option_d=36 | answer=B | explanation=5% of 637 = (5/100) × 637 = 31.

id=76280 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=O | option_c=K | option_d=C | answer=C | explanation=Move 4 positions forward from G; the resulting letter is K.

id=76281 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 49? | option_a=49 | option_b=36 | option_c=42 | option_d=30 | answer=A | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 49 is the odd one out.

id=76282 | topic=Averages | difficulty=Easy | question=Find the average of 51, 69, 43, 64, 23, 88, 26, 54, 86. | option_a=58 | option_b=55 | option_c=57 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=76283 | topic=Averages | difficulty=Easy | question=Find the average of 84, 39, 46, 44, 17. | option_a=45 | option_b=46 | option_c=47 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 230 ÷ 5 = 46.

id=76284 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:15 and the first is 54, what is the second? | option_a=144 | option_b=75 | option_c=99 | option_d=90 | answer=D | explanation=Scale factor = 54/9 = 6. Therefore second quantity = 15×6 = 90.

id=76285 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:12 and the first is 280, what is the second? | option_a=156 | option_b=168 | option_c=448 | option_d=188 | answer=B | explanation=Scale factor = 280/20 = 14. Therefore second quantity = 12×14 = 168.

id=76286 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:14 and the first is 38, what is the second? | option_a=66 | option_b=28 | option_c=14 | option_d=47 | answer=B | explanation=Scale factor = 38/19 = 2. Therefore second quantity = 14×2 = 28.

id=76287 | topic=Averages | difficulty=Easy | question=Find the average of 98, 81, 64, 69, 22, 92, 78. | option_a=72 | option_b=73 | option_c=74 | option_d=71 | answer=A | explanation=Average = sum of values ÷ number of values = 504 ÷ 7 = 72.

id=76288 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 36, 44, 54? | option_a=54 | option_b=44 | option_c=36 | option_d=28 | answer=A | explanation=The first three numbers increase by 8, so the next should be 52. Therefore 54 is the odd one out.

id=76289 | topic=Percentages | difficulty=Easy | question=What is 12% of 312? | option_a=74 | option_b=42 | option_c=27 | option_d=37 | answer=D | explanation=12% of 312 = (12/100) × 312 = 37.

id=76290 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=I | option_b=H | option_c=G | option_d=J | answer=A | explanation=Move 1 positions forward from H; the resulting letter is I.

Aptitude Questions — Records 76,291-76,320 of 100,000

- id=76291 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■8270 at 5% per annum for 3 years. | option_a=1240 | option_b=1140 | option_c=1340 | option_d=9510 | answer=A | explanation=SI = $PRT/100 = 8270 \times 5 \times 3/100 = \blacksquare 1240$.
- id=76292 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 23, 32, 44? | option_a=14 | option_b=44 | option_c=32 | option_d=23 | answer=B | explanation=The first three numbers increase by 9, so the next should be 41. Therefore 44 is the odd one out.
- id=76293 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 13, 17, 21, ? | option_a=29 | option_b=25 | option_c=21 | option_d=26 | answer=B | explanation=The common difference is 4. Therefore the next term is $21 + 4 = 25$.
- id=76294 | topic=Percentages | difficulty=Easy | question=What is 50% of 875? | option_a=442 | option_b=437 | option_c=432 | option_d=874 | answer=B | explanation=50% of 875 = $(50/100) \times 875 = 437$.
- id=76295 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=X | option_b=R | option_c=U | option_d=O | answer=C | explanation=Move 3 positions forward from R; the resulting letter is U.
- id=76296 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:16 and the first is 114, what is the second? | option_a=288 | option_b=304 | option_c=310 | option_d=418 | answer=B | explanation=Scale factor = $114/6 = 19$. Therefore second quantity = $16 \times 19 = 304$.
- id=76297 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■21929 at 12% per annum for 5 years. | option_a=13157 | option_b=35086 | option_c=13257 | option_d=13057 | answer=A | explanation=SI = $PRT/100 = 21929 \times 12 \times 5/100 = \blacksquare 13157$.
- id=76298 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = $180 \div 4 = 45$ km/h.
- id=76299 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 12? | option_a=6 | option_b=8 | option_c=4 | option_d=12 | answer=D | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 12 is the odd one out.
- id=76300 | topic=Percentages | difficulty=Easy | question=What is 15% of 1911? | option_a=276 | option_b=572 | option_c=291 | option_d=286 | answer=D | explanation=15% of 1911 = $(15/100) \times 1911 = 286$.
- id=76301 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=16 | option_b=18 | option_c=15 | option_d=12 | answer=C | explanation=The common difference is 3. Therefore the next term is $12 + 3 = 15$.
- id=76302 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=4 | option_d=6 | answer=A | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.
- id=76303 | topic=Percentages | difficulty=Easy | question=What is 10% of 1831? | option_a=366 | option_b=193 | option_c=178 | option_d=183 | answer=D | explanation=10% of 1831 = $(10/100) \times 1831 = 183$.
- id=76304 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2545. If it is sold at a profit of 15%, what is its selling price? | option_a=2926 | option_b=2672 | option_c=2560 | option_d=3180 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2545 \times 115/100 = \blacksquare 2926$.
- id=76305 | topic=Percentages | difficulty=Easy | question=What is 10% of 1405? | option_a=120 | option_b=140 | option_c=280 | option_d=160 | answer=B | explanation=10% of 1405 = $(10/100) \times 1405 = 140$.
- id=76306 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 42? | option_a=42 | option_b=33 | option_c=17 | option_d=25 | answer=A | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 42 is the odd one out.
- id=76307 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=105 | option_c=200 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = $300 \div 3 = 100$ km/h.
- id=76308 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=45 | option_b=56 | option_c=57 | option_d=67 | answer=B | explanation=The common difference is 11. Therefore the next term is $45 + 11 = 56$.
- id=76309 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.
- id=76310 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=25 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = $60 \div 3 = 20$ km/h.
- id=76311 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=40 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = $240 \div 6 = 40$ km/h.
- id=76312 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=30 | option_c=25 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = $150 \div 6 = 25$ km/h.
- id=76313 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=M | option_b=Q | option_c=O | option_d=S | answer=B | explanation=Move 2 positions forward from O; the resulting letter is Q.
- id=76314 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:1 and the first is 28, what is the second? | option_a=30 | option_b=2 | option_c=1 | option_d=16 | answer=B | explanation=Scale factor = $28/14 = 2$. Therefore second quantity = $1 \times 2 = 2$.
- id=76315 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1339. If it is sold at a profit of 50%, what is its selling price? | option_a=1389 | option_b=2141 | option_c=2008 | option_d=1875 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1339 \times 150/100 = \blacksquare 2008$.
- id=76316 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=E | option_b=G | option_c=F | option_d=H | answer=B | explanation=Move 1 positions forward from F; the resulting letter is G.
- id=76317 | topic=Percentages | difficulty=Easy | question=What is 40% of 1995? | option_a=788 | option_b=1596 | option_c=798 | option_d=803 | answer=C | explanation=40% of 1995 = $(40/100) \times 1995 = 798$.
- id=76318 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4541. If it is sold at a profit of 50%, what is its selling price? | option_a=7265 | option_b=6357 | option_c=6811 | option_d=4591 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4541 \times 150/100 = \blacksquare 6811$.
- id=76319 | topic=Averages | difficulty=Easy | question=Find the average of 83, 66, 11, 28. | option_a=48 | option_b=47 | option_c=46 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = $188 \div 4 = 47$.
- id=76320 | topic=Averages | difficulty=Easy | question=Find the average of 23, 40, 78, 63, 65, 67, 91. | option_a=63 | option_b=60 | option_c=61 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = $427 \div 7 = 61$.

Aptitude Questions — Records 76,321-76,350 of 100,000

id=76321 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=145 | option_c=300 | option_d=155 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=76322 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=76323 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**29463 at 8% per annum for 3 years. | option_a=36534 | option_b=6971 | option_c=7171 | option_d=7071 | answer=D | explanation=SI = PRT/100 = 29463×8×3/100 = **₹**7071.

id=76324 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:13 and the first is 75, what is the second? | option_a=270 | option_b=200 | option_c=195 | option_d=182 | answer=C | explanation=Scale factor = 75/5 = 15. Therefore second quantity = 13×15 = 195.

id=76325 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=90 | option_c=85 | option_d=180 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=76326 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:20 and the first is 48, what is the second? | option_a=76 | option_b=108 | option_c=60 | option_d=40 | answer=C | explanation=Scale factor = 48/16 = 3. Therefore second quantity = 20×3 = 60.

id=76327 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2766. If it is sold at a profit of 50%, what is its selling price? | option_a=4149 | option_b=3873 | option_c=4425 | option_d=2816 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2766 × 150/100 = **₹**4149.

id=76328 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3952. If it is sold at a profit of 40%, what is its selling price? | option_a=5137 | option_b=5927 | option_c=3992 | option_d=5532 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3952 × 140/100 = **₹**5532.

id=76329 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=49 | option_b=40 | option_c=58 | option_d=50 | answer=A | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

id=76330 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=76331 | topic=Averages | difficulty=Easy | question=Find the average of 11, 37, 35, 69. | option_a=38 | option_b=37 | option_c=40 | option_d=39 | answer=A | explanation=Average = sum of values ÷ number of values = 152 ÷ 4 = 38.

id=76332 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3026. If it is sold at a profit of 25%, what is its selling price? | option_a=3782 | option_b=4084 | option_c=3480 | option_d=3051 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3026 × 125/100 = **₹**3782.

id=76333 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=S | option_b=J | option_c=P | option_d=M | answer=C | explanation=Move 3 positions forward from M; the resulting letter is P.

id=76334 | topic=Averages | difficulty=Easy | question=Find the average of 45, 81, 24. | option_a=52 | option_b=49 | option_c=51 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 150 ÷ 3 = 50.

id=76335 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:1 and the first is 108, what is the second? | option_a=12 | option_b=11 | option_c=21 | option_d=120 | answer=A | explanation=Scale factor = 108/9 = 12. Therefore second quantity = 1×12 = 12.

id=76336 | topic=Averages | difficulty=Easy | question=Find the average of 18, 78, 45. | option_a=46 | option_b=48 | option_c=47 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 141 ÷ 3 = 47.

id=76337 | topic=Averages | difficulty=Easy | question=Find the average of 53, 20, 84, 94, 24, 61. | option_a=58 | option_b=56 | option_c=57 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 336 ÷ 6 = 56.

id=76338 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 20. | option_a=286 | option_b=240 | option_c=520 | option_d=260 | answer=D | explanation=LCM × HCF = 26×20; HCF(26,20) = 2, so LCM = 260.

id=76339 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3986. If it is sold at a profit of 40%, what is its selling price? | option_a=4026 | option_b=5978 | option_c=5580 | option_d=5182 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3986 × 140/100 = **₹**5580.

id=76340 | topic=Percentages | difficulty=Easy | question=What is 20% of 865? | option_a=346 | option_b=153 | option_c=173 | option_d=183 | answer=C | explanation=20% of 865 = (20/100) × 865 = 173.

id=76341 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=70 | option_b=75 | option_c=80 | option_d=150 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=76342 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4600. If it is sold at a profit of 20%, what is its selling price? | option_a=5060 | option_b=5520 | option_c=5980 | option_d=4620 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4600 × 120/100 = **₹**5520.

id=76343 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 4. | option_a=18 | option_b=12 | option_c=24 | option_d=8 | answer=B | explanation=LCM × HCF = 6×4; HCF(6,4) = 2, so LCM = 12.

id=76344 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1155. If it is sold at a profit of 10%, what is its selling price? | option_a=1155 | option_b=1165 | option_c=1270 | option_d=1385 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1155 × 110/100 = **₹**1270.

id=76345 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=76346 | topic=Percentages | difficulty=Easy | question=What is 12% of 987? | option_a=236 | option_b=118 | option_c=113 | option_d=128 | answer=B | explanation=12% of 987 = (12/100) × 987 = 118.

id=76347 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=30 | option_b=27 | option_c=31 | option_d=33 | answer=A | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.

id=76348 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=76349 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2443. If it is sold at a profit of 20%, what is its selling price? | option_a=2463 | option_b=2931 | option_c=2687 | option_d=3175 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2443 × 120/100 = **₹**2931.

id=76350 | topic=Percentages | difficulty=Easy | question=What is 5% of 258? | option_a=7 | option_b=24 | option_c=12 | option_d=32 | answer=C | explanation=5% of 258 = (5/100) × 258 = 12.

Aptitude Questions — Records 76,351-76,380 of 100,000

id=76351 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■327. If it is sold at a profit of 30%, what is its selling price? | option_a=357 | option_b=457 | option_c=393 | option_d=425 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 327 × 130/100 = ■425.

id=76352 | topic=Percentages | difficulty=Easy | question=What is 15% of 1907? | option_a=291 | option_b=286 | option_c=281 | option_d=572 | answer=B | explanation=15% of 1907 = (15/100) × 1907 = 286.

id=76353 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=12 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=76354 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=76355 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 36, 43, 51? | option_a=51 | option_b=43 | option_c=29 | option_d=36 | answer=A | explanation=The first three numbers increase by 7, so the next should be 50. Therefore 51 is the odd one out.

id=76356 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:2 and the first is 18, what is the second? | option_a=16 | option_b=18 | option_c=36 | option_d=20 | answer=B | explanation=Scale factor = 18/2 = 9. Therefore second quantity = 2×9 = 18.

id=76357 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=76358 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=76359 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=76360 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=76361 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 46? | option_a=24 | option_b=46 | option_c=38 | option_d=31 | answer=B | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 46 is the odd one out.

id=76362 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 43? | option_a=30 | option_b=43 | option_c=38 | option_d=34 | answer=B | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 43 is the odd one out.

id=76363 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 35, 41, 49? | option_a=49 | option_b=29 | option_c=35 | option_d=41 | answer=A | explanation=The first three numbers increase by 6, so the next should be 47. Therefore 49 is the odd one out.

id=76364 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2900. If it is sold at a profit of 30%, what is its selling price? | option_a=2930 | option_b=4060 | option_c=3480 | option_d=3770 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2900 × 130/100 = ■3770.

id=76365 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Z | option_b=T | option_c=Q | option_d=W | answer=D | explanation=Move 3 positions forward from T; the resulting letter is W.

id=76366 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■11275 at 4% per annum for 3 years. | option_a=1353 | option_b=1253 | option_c=1453 | option_d=12628 | answer=A | explanation=SI = PRT/100 = 11275×4×3/100 = ■1353.

id=76367 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=76368 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=100 | option_c=55 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=76369 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1712. If it is sold at a profit of 5%, what is its selling price? | option_a=1968 | option_b=1797 | option_c=1626 | option_d=1717 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1712 × 105/100 = ■1797.

id=76370 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=76371 | topic=Averages | difficulty=Easy | question=Find the average of 21, 69, 15, 13, 55, 26, 53, 100. | option_a=45 | option_b=44 | option_c=43 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 352 ÷ 8 = 44.

id=76372 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:20 and the first is 102, what is the second? | option_a=137 | option_b=100 | option_c=120 | option_d=222 | answer=C | explanation=Scale factor = 102/17 = 6. Therefore second quantity = 20×6 = 120.

id=76373 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:3 and the first is 12, what is the second? | option_a=3 | option_b=18 | option_c=6 | option_d=12 | answer=C | explanation=Scale factor = 12/6 = 2. Therefore second quantity = 3×2 = 6.

id=76374 | topic=Percentages | difficulty=Easy | question=What is 25% of 126? | option_a=31 | option_b=26 | option_c=51 | option_d=62 | answer=A | explanation=25% of 126 = (25/100) × 126 = 31.

id=76375 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=45 | option_b=67 | option_c=56 | option_d=57 | answer=C | explanation=The common difference is 11. Therefore the next term is 45 + 11 = 56.

id=76376 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=S | option_c=J | option_d=P | answer=D | explanation=Move 3 positions forward from M; the resulting letter is P.

id=76377 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=25 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=76378 | topic=Averages | difficulty=Easy | question=Find the average of 77, 59, 34, 50, 90. | option_a=63 | option_b=62 | option_c=61 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 310 ÷ 5 = 62.

id=76379 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:13 and the first is 240, what is the second? | option_a=195 | option_b=182 | option_c=211 | option_d=435 | answer=A | explanation=Scale factor = 240/16 = 15. Therefore second quantity = 13×15 = 195.

id=76380 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

Aptitude Questions — Records 76,381-76,410 of 100,000

id=76381 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=N | option_b=F | option_c=B | option_d=J | answer=D | explanation=Move 4 positions forward from F; the resulting letter is J.

id=76382 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 39? | option_a=26 | option_b=21 | option_c=39 | option_d=31 | answer=C | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 39 is the odd one out.

id=76383 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4668. If it is sold at a profit of 20%, what is its selling price? | option_a=5601 | option_b=4688 | option_c=6067 | option_d=5135 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4668 \times 120/100 = \text{█}5601$.

id=76384 | topic=Profit & Loss | difficulty=Easy | question=An article costs █739. If it is sold at a profit of 40%, what is its selling price? | option_a=1107 | option_b=779 | option_c=1034 | option_d=961 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 739 \times 140/100 = \text{█}1034$.

id=76385 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 18. | option_a=72 | option_b=96 | option_c=54 | option_d=432 | answer=A | explanation= $LCM \times HCF = 24 \times 18$; $HCF(24,18) = 6$, so $LCM = 72$.

id=76386 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=Q | option_b=V | option_c=G | option_d=L | answer=A | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=76387 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=7 | option_c=12 | option_d=24 | answer=C | explanation=Speed = distance ÷ time = $120 \div 10 = 12$ km/h.

id=76388 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3138. If it is sold at a profit of 5%, what is its selling price? | option_a=3143 | option_b=3607 | option_c=3294 | option_d=2981 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3138 \times 105/100 = \text{█}3294$.

id=76389 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=M | option_b=S | option_c=Q | option_d=O | answer=C | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=76390 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=52 | option_b=63 | option_c=64 | option_d=74 | answer=B | explanation=The common difference is 11. Therefore the next term is $52 + 11 = 63$.

id=76391 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2979. If it is sold at a profit of 30%, what is its selling price? | option_a=3872 | option_b=3009 | option_c=3575 | option_d=4169 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2979 \times 130/100 = \text{█}3872$.

id=76392 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=T | option_b=W | option_c=V | option_d=U | answer=C | explanation=Move 1 positions forward from U; the resulting letter is V.

id=76393 | topic=Averages | difficulty=Easy | question=Find the average of 50, 24, 13, 14, 14. | option_a=23 | option_b=24 | option_c=25 | option_d=22 | answer=A | explanation=Average = sum of values ÷ number of values = $115 \div 5 = 23$.

id=76394 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 45? | option_a=35 | option_b=45 | option_c=21 | option_d=28 | answer=B | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 45 is the odd one out.

id=76395 | topic=Averages | difficulty=Easy | question=Find the average of 18, 98, 55, 58, 55, 35, 80. | option_a=59 | option_b=58 | option_c=57 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = $399 \div 7 = 57$.

id=76396 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6312 at 4% per annum for 4 years. | option_a=1109 | option_b=909 | option_c=7321 | option_d=1009 | answer=D | explanation=SI = $PRT/100 = 6312 \times 4 \times 4/100 = \text{█}1009$.

id=76397 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1864. If it is sold at a profit of 5%, what is its selling price? | option_a=1957 | option_b=2143 | option_c=1771 | option_d=1869 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1864 \times 105/100 = \text{█}1957$.

id=76398 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:16 and the first is 45, what is the second? | option_a=32 | option_b=63 | option_c=93 | option_d=48 | answer=D | explanation=Scale factor = $45/15 = 3$. Therefore second quantity = $16 \times 3 = 48$.

id=76399 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=28 | option_b=24 | option_c=27 | option_d=30 | answer=C | explanation=The common difference is 3. Therefore the next term is $24 + 3 = 27$.

id=76400 | topic=Averages | difficulty=Easy | question=Find the average of 24, 18, 14, 76, 59, 28, 73, 12. | option_a=40 | option_b=37 | option_c=38 | option_d=39 | answer=C | explanation=Average = sum of values ÷ number of values = $304 \div 8 = 38$.

id=76401 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=48 | option_c=24 | option_d=19 | answer=C | explanation=Speed = distance ÷ time = $240 \div 10 = 24$ km/h.

id=76402 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 13, 19, 26? | option_a=13 | option_b=19 | option_c=26 | option_d=7 | answer=C | explanation=The first three numbers increase by 6, so the next should be 25. Therefore 26 is the odd one out.

id=76403 | topic=Percentages | difficulty=Easy | question=What is 40% of 1797? | option_a=708 | option_b=728 | option_c=1436 | option_d=718 | answer=D | explanation= $40\% \text{ of } 1797 = (40/100) \times 1797 = 718$.

id=76404 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=J | option_b=P | option_c=N | option_d=L | answer=C | explanation=Move 2 positions forward from L; the resulting letter is N.

id=76405 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=40 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = $120 \div 3 = 40$ km/h.

id=76406 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:11 and the first is 63, what is the second? | option_a=140 | option_b=77 | option_c=66 | option_d=86 | answer=B | explanation=Scale factor = $63/9 = 7$. Therefore second quantity = $11 \times 7 = 77$.

id=76407 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=C | option_b=B | option_c=A | option_d=D | answer=A | explanation=Move 1 positions forward from B; the resulting letter is C.

id=76408 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=76409 | topic=Percentages | difficulty=Easy | question=What is 20% of 970? | option_a=388 | option_b=194 | option_c=184 | option_d=199 | answer=B | explanation= $20\% \text{ of } 970 = (20/100) \times 970 = 194$.

id=76410 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12518 at 4% per annum for 2 years. | option_a=1101 | option_b=901 | option_c=1001 | option_d=13519 | answer=C | explanation=SI = $PRT/100 = 12518 \times 4 \times 2/100 = \text{█}1001$.

Aptitude Questions — Records 76,411-76,440 of 100,000

id=76411 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■34525 at 4% per annum for 2 years. | option_a=2662 | option_b=2862 | option_c=37287 | option_d=2762 | answer=D | explanation=SI = $PRT/100 = 34525 \times 4 \times 2/100 = \blacksquare 2762$.

id=76412 | topic=Percentages | difficulty=Easy | question=What is 10% of 99? | option_a=29 | option_b=4 | option_c=18 | option_d=9 | answer=D | explanation=10% of 99 = $(10/100) \times 99 = 9$.

id=76413 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=45 | option_b=44 | option_c=34 | option_d=54 | answer=B | explanation=The common difference is 10. Therefore the next term is $34 + 10 = 44$.

id=76414 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=76415 | topic=Averages | difficulty=Easy | question=Find the average of 30, 17, 16, 71, 49, 75. | option_a=42 | option_b=45 | option_c=43 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = $258 \div 6 = 43$.

id=76416 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=47 | option_b=40 | option_c=39 | option_d=31 | answer=C | explanation=The common difference is 8. Therefore the next term is $31 + 8 = 39$.

id=76417 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=56 | option_b=64 | option_c=46 | option_d=55 | answer=D | explanation=The common difference is 9. Therefore the next term is $46 + 9 = 55$.

id=76418 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 45? | option_a=45 | option_b=31 | option_c=37 | option_d=25 | answer=A | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 45 is the odd one out.

id=76419 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=T | option_c=P | option_d=H | answer=C | explanation=Move 4 positions forward from L; the resulting letter is P.

id=76420 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=18 | option_b=14 | option_c=19 | option_d=22 | answer=A | explanation=The common difference is 4. Therefore the next term is $14 + 4 = 18$.

id=76421 | topic=Percentages | difficulty=Easy | question=What is 15% of 814? | option_a=132 | option_b=244 | option_c=122 | option_d=117 | answer=C | explanation=15% of 814 = $(15/100) \times 814 = 122$.

id=76422 | topic=Averages | difficulty=Easy | question=Find the average of 10, 41, 93, 10, 10, 88. | option_a=44 | option_b=42 | option_c=43 | option_d=41 | answer=B | explanation=Average = sum of values ÷ number of values = $252 \div 6 = 42$.

id=76423 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=X | option_b=O | option_c=U | option_d=R | answer=C | explanation=Move 3 positions forward from R; the resulting letter is U.

id=76424 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=35 | option_b=45 | option_c=40 | option_d=41 | answer=C | explanation=The common difference is 5. Therefore the next term is $35 + 5 = 40$.

id=76425 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■1355 at 4% per annum for 4 years. | option_a=1571 | option_b=316 | option_c=116 | option_d=216 | answer=D | explanation=SI = $PRT/100 = 1355 \times 4 \times 4/100 = \blacksquare 216$.

id=76426 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=C | option_c=I | option_d=L | answer=C | explanation=Move 3 positions forward from F; the resulting letter is I.

id=76427 | topic=Percentages | difficulty=Easy | question=What is 15% of 1546? | option_a=231 | option_b=221 | option_c=462 | option_d=241 | answer=A | explanation=15% of 1546 = $(15/100) \times 1546 = 231$.

id=76428 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=76429 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=8 | answer=B | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=76430 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=12 | option_c=24 | option_d=17 | answer=B | explanation=Speed = distance ÷ time = $120 \div 10 = 12$ km/h.

id=76431 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■113. If it is sold at a profit of 30%, what is its selling price? | option_a=135 | option_b=146 | option_c=143 | option_d=157 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 113 \times 130/100 = \blacksquare 146$.

id=76432 | topic=Averages | difficulty=Easy | question=Find the average of 24, 58, 33, 99, 14, 81, 48. | option_a=51 | option_b=53 | option_c=52 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = $357 \div 7 = 51$.

id=76433 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=76434 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=55 | option_b=45 | option_c=65 | option_d=56 | answer=A | explanation=The common difference is 10. Therefore the next term is $45 + 10 = 55$.

id=76435 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=63 | option_b=51 | option_c=62 | option_d=73 | answer=C | explanation=The common difference is 11. Therefore the next term is $51 + 11 = 62$.

id=76436 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4459. If it is sold at a profit of 50%, what is its selling price? | option_a=7133 | option_b=4509 | option_c=6243 | option_d=6688 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4459 \times 150/100 = \blacksquare 6688$.

id=76437 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=76438 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■47321 at 10% per annum for 4 years. | option_a=19028 | option_b=18828 | option_c=66249 | option_d=18928 | answer=D | explanation=SI = $PRT/100 = 47321 \times 10 \times 4/100 = \blacksquare 18928$.

id=76439 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4896. If it is sold at a profit of 50%, what is its selling price? | option_a=4946 | option_b=7833 | option_c=6855 | option_d=7344 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4896 \times 150/100 = \blacksquare 7344$.

id=76440 | topic=Percentages | difficulty=Easy | question=What is 5% of 1813? | option_a=85 | option_b=180 | option_c=110 | option_d=90 | answer=D | explanation=5% of 1813 = $(5/100) \times 1813 = 90$.

Aptitude Questions — Records 76,441-76,470 of 100,000

id=76441 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7053 at 10% per annum for 2 years. | option_a=1310 | option_b=1510 | option_c=8463 | option_d=1410 | answer=D | explanation=SI = PRT/100 = 7053×10×2/100 = **■**1410.

id=76442 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 42? | option_a=33 | option_b=42 | option_c=36 | option_d=30 | answer=B | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 42 is the odd one out.

id=76443 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 26? | option_a=18 | option_b=26 | option_c=15 | option_d=21 | answer=B | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 26 is the odd one out.

id=76444 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=76445 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=76446 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=P | option_c=T | option_d=V | answer=C | explanation=Move 2 positions forward from R; the resulting letter is T.

id=76447 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:7 and the first is 221, what is the second? | option_a=119 | option_b=112 | option_c=340 | option_d=132 | answer=A | explanation=Scale factor = 221/13 = 17. Therefore second quantity = 7×17 = 119.

id=76448 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2158. If it is sold at a profit of 5%, what is its selling price? | option_a=2163 | option_b=2050 | option_c=2265 | option_d=2480 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2158 × 105/100 = **■**2265.

id=76449 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:18 and the first is 7, what is the second? | option_a=133 | option_b=127 | option_c=126 | option_d=108 | answer=C | explanation=Scale factor = 7/1 = 7. Therefore second quantity = 18×7 = 126.

id=76450 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=20 | option_b=24 | option_c=21 | option_d=16 | answer=A | explanation=The common difference is 4. Therefore the next term is 16 + 4 = 20.

id=76451 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=76452 | topic=Averages | difficulty=Easy | question=Find the average of 28, 28, 90, 44, 35. | option_a=46 | option_b=44 | option_c=45 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 225 ÷ 5 = 45.

id=76453 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48956 at 10% per annum for 2 years. | option_a=9891 | option_b=9791 | option_c=9691 | option_d=58747 | answer=B | explanation=SI = PRT/100 = 48956×10×2/100 = **■**9791.

id=76454 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5879 at 5% per annum for 1 years. | option_a=393 | option_b=293 | option_c=6172 | option_d=193 | answer=B | explanation=SI = PRT/100 = 5879×5×1/100 = **■**293.

id=76455 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=D | option_b=F | option_c=J | option_d=H | answer=D | explanation=Move 2 positions forward from F; the resulting letter is H.

id=76456 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=76457 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39574 at 12% per annum for 5 years. | option_a=23844 | option_b=63318 | option_c=23644 | option_d=23744 | answer=D | explanation=SI = PRT/100 = 39574×12×5/100 = **■**23744.

id=76458 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17662 at 4% per annum for 5 years. | option_a=21194 | option_b=3532 | option_c=3432 | option_d=3632 | answer=B | explanation=SI = PRT/100 = 17662×4×5/100 = **■**3532.

id=76459 | topic=Percentages | difficulty=Easy | question=What is 10% of 444? | option_a=54 | option_b=44 | option_c=39 | option_d=88 | answer=B | explanation=10% of 444 = (10/100) × 444 = 44.

id=76460 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:14 and the first is 28, what is the second? | option_a=84 | option_b=102 | option_c=126 | option_d=98 | answer=D | explanation=Scale factor = 28/4 = 7. Therefore second quantity = 14×7 = 98.

id=76461 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=11 | option_c=12 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=76462 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=40 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=76463 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=5 | option_c=20 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=76464 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**603. If it is sold at a profit of 5%, what is its selling price? | option_a=573 | option_b=633 | option_c=693 | option_d=608 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 603 × 105/100 = **■**633.

id=76465 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=15 | option_d=5 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=76466 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=76467 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=U | option_b=F | option_c=P | option_d=K | answer=C | explanation=Move 5 positions forward from K; the resulting letter is P.

id=76468 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=76469 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 14. | option_a=1 | option_b=16 | option_c=14 | option_d=28 | answer=C | explanation=LCM × HCF = 2×14; HCF(2,14) = 2, so LCM = 14.

id=76470 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 76,471-76,500 of 100,000

id=76471 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=240 | option_c=125 | option_d=115 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=76472 | topic=Averages | difficulty=Easy | question=Find the average of 72, 68, 88. | option_a=78 | option_b=75 | option_c=76 | option_d=77 | answer=C | explanation=Average = sum of values ÷ number of values = 228 ÷ 3 = 76.

id=76473 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=47 | option_b=37 | option_c=46 | option_d=55 | answer=C | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=76474 | topic=Averages | difficulty=Easy | question=Find the average of 14, 27, 25, 47, 45, 77, 46, 45, 52. | option_a=44 | option_b=42 | option_c=43 | option_d=41 | answer=B | explanation=Average = sum of values ÷ number of values = 378 ÷ 9 = 42.

id=76475 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1916. If it is sold at a profit of 20%, what is its selling price? | option_a=2490 | option_b=1936 | option_c=2108 | option_d=2299 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1916 × 120/100 = █2299.

id=76476 | topic=Percentages | difficulty=Easy | question=What is 10% of 625? | option_a=67 | option_b=52 | option_c=124 | option_d=62 | answer=D | explanation=10% of 625 = (10/100) × 625 = 62.

id=76477 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1438. If it is sold at a profit of 5%, what is its selling price? | option_a=1443 | option_b=1509 | option_c=1366 | option_d=1652 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1438 × 105/100 = █1509.

id=76478 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=12 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=76479 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 10. | option_a=280 | option_b=168 | option_c=140 | option_d=130 | answer=C | explanation=LCM × HCF = 28×10; HCF(28,10) = 2, so LCM = 140.

id=76480 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=120 | option_c=125 | option_d=240 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=76481 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=76482 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45901 at 4% per annum for 4 years. | option_a=7344 | option_b=53245 | option_c=7444 | option_d=7244 | answer=A | explanation=SI = PRT/100 = 45901×4×4/100 = █7344.

id=76483 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:2 and the first is 120, what is the second? | option_a=136 | option_b=31 | option_c=16 | option_d=14 | answer=C | explanation=Scale factor = 120/15 = 8. Therefore second quantity = 2×8 = 16.

id=76484 | topic=Profit & Loss | difficulty=Easy | question=An article costs █427. If it is sold at a profit of 10%, what is its selling price? | option_a=469 | option_b=427 | option_c=437 | option_d=511 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 427 × 110/100 = █469.

id=76485 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=76486 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=V | option_b=G | option_c=L | option_d=Q | answer=D | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=76487 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=N | option_b=K | option_c=H | option_d=Q | answer=A | explanation=Move 3 positions forward from K; the resulting letter is N.

id=76488 | topic=Percentages | difficulty=Easy | question=What is 25% of 1928? | option_a=482 | option_b=502 | option_c=964 | option_d=477 | answer=A | explanation=25% of 1928 = (25/100) × 1928 = 482.

id=76489 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=W | option_c=U | option_d=Q | answer=C | explanation=Move 2 positions forward from S; the resulting letter is U.

id=76490 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=76491 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=40 | option_b=39 | option_c=46 | option_d=32 | answer=B | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.

id=76492 | topic=Percentages | difficulty=Easy | question=What is 10% of 1537? | option_a=153 | option_b=173 | option_c=133 | option_d=306 | answer=A | explanation=10% of 1537 = (10/100) × 1537 = 153.

id=76493 | topic=Averages | difficulty=Easy | question=Find the average of 68, 27, 23, 76, 82, 46, 58, 28. | option_a=51 | option_b=52 | option_c=53 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 408 ÷ 8 = 51.

id=76494 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=76495 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 22, 31, 42? | option_a=42 | option_b=22 | option_c=13 | option_d=31 | answer=A | explanation=The first three numbers increase by 9, so the next should be 40. Therefore 42 is the odd one out.

id=76496 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:17 and the first is 68, what is the second? | option_a=289 | option_b=272 | option_c=293 | option_d=357 | answer=A | explanation=Scale factor = 68/4 = 17. Therefore second quantity = 17×17 = 289.

id=76497 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4563 at 5% per annum for 2 years. | option_a=456 | option_b=556 | option_c=356 | option_d=5019 | answer=A | explanation=SI = PRT/100 = 4563×5×2/100 = █456.

id=76498 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 18. | option_a=48 | option_b=216 | option_c=36 | option_d=18 | answer=C | explanation=LCM × HCF = 12×18; HCF(12,18) = 6, so LCM = 36.

id=76499 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=4 | option_c=9 | option_d=14 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=76500 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=27 | option_b=31 | option_c=26 | option_d=21 | answer=C | explanation=The common difference is 5. Therefore the next term is 21 + 5 = 26.

Aptitude Questions — Records 76,501-76,530 of 100,000

id=76501 | topic=Percentages | difficulty=Easy | question=What is 40% of 1801? | option_a=1440 | option_b=720 | option_c=710 | option_d=730 | answer=B | explanation=40% of 1801 = (40/100) × 1801 = 720.

id=76502 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=200 | option_c=105 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=76503 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:20 and the first is 266, what is the second? | option_a=360 | option_b=646 | option_c=394 | option_d=380 | answer=D | explanation=Scale factor = 266/14 = 19. Therefore second quantity = 20×19 = 380.

id=76504 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=37 | option_b=49 | option_c=59 | option_d=48 | answer=D | explanation=The common difference is 11. Therefore the next term is 37 + 11 = 48.

id=76505 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:4 and the first is 99, what is the second? | option_a=47 | option_b=135 | option_c=32 | option_d=36 | answer=D | explanation=Scale factor = 99/11 = 9. Therefore second quantity = 4×9 = 36.

id=76506 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 28. | option_a=728 | option_b=390 | option_c=336 | option_d=364 | answer=D | explanation=LCM × HCF = 26×28; HCF(26,28) = 2, so LCM = 364.

id=76507 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 39, 48, 59? | option_a=39 | option_b=48 | option_c=30 | option_d=59 | answer=D | explanation=The first three numbers increase by 9, so the next should be 57. Therefore 59 is the odd one out.

id=76508 | topic=Averages | difficulty=Easy | question=Find the average of 23, 83, 36, 49, 88, 90, 30. | option_a=58 | option_b=59 | option_c=57 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 399 ÷ 7 = 57.

id=76509 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=125 | option_b=240 | option_c=115 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=76510 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=C | option_b=B | option_c=D | option_d=A | answer=A | explanation=Move 1 positions forward from B; the resulting letter is C.

id=76511 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=76512 | topic=Percentages | difficulty=Easy | question=What is 30% of 799? | option_a=259 | option_b=478 | option_c=239 | option_d=234 | answer=C | explanation=30% of 799 = (30/100) × 799 = 239.

id=76513 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 28, 38, 48, ? | option_a=59 | option_b=68 | option_c=48 | option_d=58 | answer=D | explanation=The common difference is 10. Therefore the next term is 48 + 10 = 58.

id=76514 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:16 and the first is 150, what is the second? | option_a=250 | option_b=390 | option_c=240 | option_d=224 | answer=C | explanation=Scale factor = 150/10 = 15. Therefore second quantity = 16×15 = 240.

id=76515 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:18 and the first is 88, what is the second? | option_a=198 | option_b=286 | option_c=206 | option_d=180 | answer=A | explanation=Scale factor = 88/8 = 11. Therefore second quantity = 18×11 = 198.

id=76516 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 24, 30, 39? | option_a=18 | option_b=39 | option_c=30 | option_d=24 | answer=B | explanation=The first three numbers increase by 6, so the next should be 36. Therefore 39 is the odd one out.

id=76517 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:14 and the first is 14, what is the second? | option_a=84 | option_b=112 | option_c=98 | option_d=100 | answer=C | explanation=Scale factor = 14/2 = 7. Therefore second quantity = 14×7 = 98.

id=76518 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 33? | option_a=28 | option_b=33 | option_c=20 | option_d=24 | answer=B | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 33 is the odd one out.

id=76519 | topic=Averages | difficulty=Easy | question=Find the average of 48, 68, 67. | option_a=63 | option_b=61 | option_c=60 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 183 ÷ 3 = 61.

id=76520 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:3 and the first is 112, what is the second? | option_a=154 | option_b=42 | option_c=50 | option_d=39 | answer=B | explanation=Scale factor = 112/8 = 14. Therefore second quantity = 3×14 = 42.

id=76521 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 26? | option_a=16 | option_b=26 | option_c=19 | option_d=22 | answer=B | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 26 is the odd one out.

id=76522 | topic=Averages | difficulty=Easy | question=Find the average of 68, 65, 24, 47, 48, 50, 55. | option_a=51 | option_b=53 | option_c=50 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.

id=76523 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 32, 35, 40? | option_a=35 | option_b=40 | option_c=29 | option_d=32 | answer=B | explanation=The first three numbers increase by 3, so the next should be 38. Therefore 40 is the odd one out.

id=76524 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4080. If it is sold at a profit of 40%, what is its selling price? | option_a=6120 | option_b=5712 | option_c=5304 | option_d=4120 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4080 × 140/100 = █5712.

id=76525 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 33? | option_a=26 | option_b=33 | option_c=30 | option_d=28 | answer=B | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 33 is the odd one out.

id=76526 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=25 | option_b=32 | option_c=33 | option_d=39 | answer=B | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.

id=76527 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:9 and the first is 16, what is the second? | option_a=27 | option_b=36 | option_c=40 | option_d=52 | answer=B | explanation=Scale factor = 16/4 = 4. Therefore second quantity = 9×4 = 36.

id=76528 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=76529 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:15 and the first is 234, what is the second? | option_a=195 | option_b=180 | option_c=429 | option_d=213 | answer=A | explanation=Scale factor = 234/18 = 13. Therefore second quantity = 15×13 = 195.

id=76530 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=70 | option_b=48 | option_c=60 | option_d=59 | answer=D | explanation=The common difference is 11. Therefore the next term is 48 + 11 = 59.

Aptitude Questions — Records 76,531-76,560 of 100,000

id=76531 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29713 at 4% per annum for 4 years. | option_a=34467 | option_b=4754 | option_c=4654 | option_d=4854 | answer=B | explanation=SI = PRT/100 = 29713×4×4/100 = **■**4754.

id=76532 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=76533 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5740 at 8% per annum for 3 years. | option_a=1377 | option_b=1277 | option_c=7117 | option_d=1477 | answer=A | explanation=SI = PRT/100 = 5740×8×3/100 = **■**1377.

id=76534 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 45? | option_a=38 | option_b=26 | option_c=45 | option_d=32 | answer=C | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 45 is the odd one out.

id=76535 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=28 | option_b=29 | option_c=34 | option_d=22 | answer=A | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.

id=76536 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:17 and the first is 114, what is the second? | option_a=329 | option_b=323 | option_c=437 | option_d=306 | answer=B | explanation=Scale factor = 114/6 = 19. Therefore second quantity = 17×19 = 323.

id=76537 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=29 | option_c=24 | option_d=19 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=76538 | topic=Percentages | difficulty=Easy | question=What is 10% of 569? | option_a=61 | option_b=56 | option_c=36 | option_d=112 | answer=B | explanation=10% of 569 = (10/100) × 569 = 56.

id=76539 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:2 and the first is 90, what is the second? | option_a=41 | option_b=126 | option_c=36 | option_d=34 | answer=C | explanation=Scale factor = 90/5 = 18. Therefore second quantity = 2×18 = 36.

id=76540 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=77 | option_c=72 | option_d=144 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=76541 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2660. If it is sold at a profit of 40%, what is its selling price? | option_a=3724 | option_b=2700 | option_c=3990 | option_d=3458 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2660 × 140/100 = **■**3724.

id=76542 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=Q | option_c=M | option_d=E | answer=C | explanation=Move 4 positions forward from I; the resulting letter is M.

id=76543 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=35 | option_b=38 | option_c=30 | option_d=34 | answer=D | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.

id=76544 | topic=Averages | difficulty=Easy | question=Find the average of 22, 75, 14, 19, 45, 33, 14, 74. | option_a=36 | option_b=37 | option_c=39 | option_d=38 | answer=B | explanation=Average = sum of values ÷ number of values = 296 ÷ 8 = 37.

id=76545 | topic=Percentages | difficulty=Easy | question=What is 25% of 1243? | option_a=320 | option_b=310 | option_c=620 | option_d=305 | answer=B | explanation=25% of 1243 = (25/100) × 1243 = 310.

id=76546 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9240 at 4% per annum for 1 years. | option_a=469 | option_b=9609 | option_c=369 | option_d=269 | answer=C | explanation=SI = PRT/100 = 9240×4×1/100 = **■**369.

id=76547 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 14, 19, 27? | option_a=9 | option_b=14 | option_c=27 | option_d=19 | answer=C | explanation=The first three numbers increase by 5, so the next should be 24. Therefore 27 is the odd one out.

id=76548 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=23 | option_b=21 | option_c=19 | option_d=22 | answer=B | explanation=The common difference is 2. Therefore the next term is 19 + 2 = 21.

id=76549 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1960. If it is sold at a profit of 15%, what is its selling price? | option_a=2450 | option_b=2254 | option_c=1975 | option_d=2058 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1960 × 115/100 = **■**2254.

id=76550 | topic=Percentages | difficulty=Easy | question=What is 30% of 1061? | option_a=318 | option_b=338 | option_c=636 | option_d=308 | answer=A | explanation=30% of 1061 = (30/100) × 1061 = 318.

id=76551 | topic=Percentages | difficulty=Easy | question=What is 40% of 833? | option_a=313 | option_b=333 | option_c=343 | option_d=666 | answer=B | explanation=40% of 833 = (40/100) × 833 = 333.

id=76552 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1443. If it is sold at a profit of 30%, what is its selling price? | option_a=1875 | option_b=2019 | option_c=1731 | option_d=1473 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1443 × 130/100 = **■**1875.

id=76553 | topic=Percentages | difficulty=Easy | question=What is 25% of 341? | option_a=75 | option_b=90 | option_c=85 | option_d=170 | answer=C | explanation=25% of 341 = (25/100) × 341 = 85.

id=76554 | topic=Percentages | difficulty=Easy | question=What is 30% of 459? | option_a=137 | option_b=117 | option_c=142 | option_d=274 | answer=A | explanation=30% of 459 = (30/100) × 459 = 137.

id=76555 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 18. | option_a=108 | option_b=126 | option_c=378 | option_d=147 | answer=B | explanation=LCM × HCF = 21×18; HCF(21,18) = 3, so LCM = 126.

id=76556 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=76557 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=85 | option_c=75 | option_d=160 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=76558 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=49 | option_b=60 | option_c=69 | option_d=59 | answer=D | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

id=76559 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:8 and the first is 198, what is the second? | option_a=136 | option_b=155 | option_c=144 | option_d=342 | answer=C | explanation=Scale factor = 198/11 = 18. Therefore second quantity = 8×18 = 144.

id=76560 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2649. If it is sold at a profit of 15%, what is its selling price? | option_a=3310 | option_b=3046 | option_c=2782 | option_d=2664 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2649 × 115/100 = **■**3046.

Aptitude Questions — Records 76,561-76,590 of 100,000

id=76561 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■9053 at 4% per annum for 3 years. | option_a=1186 | option_b=986 | option_c=10139 | option_d=1086 | answer=D | explanation=SI = PRT/100 = 9053×4×3/100 = ■1086.

id=76562 | topic=Averages | difficulty=Easy | question=Find the average of 50, 35, 35, 15, 79, 55, 46. | option_a=44 | option_b=46 | option_c=45 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 315 ÷ 7 = 45.

id=76563 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=76564 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=76565 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1179. If it is sold at a profit of 50%, what is its selling price? | option_a=1651 | option_b=1229 | option_c=1768 | option_d=1885 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1179 × 150/100 = ■1768.

id=76566 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:3 and the first is 70, what is the second? | option_a=31 | option_b=91 | option_c=18 | option_d=21 | answer=D | explanation=Scale factor = 70/10 = 7. Therefore second quantity = 3×7 = 21.

id=76567 | topic=Percentages | difficulty=Easy | question=What is 15% of 1192? | option_a=198 | option_b=356 | option_c=158 | option_d=178 | answer=D | explanation=15% of 1192 = (15/100) × 1192 = 178.

id=76568 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■15992 at 12% per annum for 2 years. | option_a=19830 | option_b=3938 | option_c=3838 | option_d=3738 | answer=C | explanation=SI = PRT/100 = 15992×12×2/100 = ■3838.

id=76569 | topic=Averages | difficulty=Easy | question=Find the average of 94, 49, 90, 55. | option_a=73 | option_b=71 | option_c=74 | option_d=72 | answer=D | explanation=Average = sum of values ÷ number of values = 288 ÷ 4 = 72.

id=76570 | topic=Percentages | difficulty=Easy | question=What is 50% of 1445? | option_a=742 | option_b=722 | option_c=1444 | option_d=717 | answer=B | explanation=50% of 1445 = (50/100) × 1445 = 722.

id=76571 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■49102 at 6% per annum for 3 years. | option_a=8938 | option_b=57940 | option_c=8738 | option_d=8838 | answer=D | explanation=SI = PRT/100 = 49102×6×3/100 = ■8838.

id=76572 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:5 and the first is 114, what is the second? | option_a=144 | option_b=25 | option_c=49 | option_d=30 | answer=D | explanation=Scale factor = 114/19 = 6. Therefore second quantity = 5×6 = 30.

id=76573 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=76574 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 22, 25, 30? | option_a=19 | option_b=22 | option_c=30 | option_d=25 | answer=C | explanation=The first three numbers increase by 3, so the next should be 28. Therefore 30 is the odd one out.

id=76575 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=76576 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=76577 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 22? | option_a=22 | option_b=9 | option_c=15 | option_d=3 | answer=A | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 22 is the odd one out.

id=76578 | topic=Percentages | difficulty=Easy | question=What is 40% of 1809? | option_a=713 | option_b=1446 | option_c=723 | option_d=733 | answer=C | explanation=40% of 1809 = (40/100) × 1809 = 723.

id=76579 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=20 | option_b=18 | option_c=19 | option_d=16 | answer=B | explanation=The common difference is 2. Therefore the next term is 16 + 2 = 18.

id=76580 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:3 and the first is 38, what is the second? | option_a=3 | option_b=44 | option_c=25 | option_d=6 | answer=D | explanation=Scale factor = 38/19 = 2. Therefore second quantity = 3×2 = 6.

id=76581 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:1 and the first is 168, what is the second? | option_a=11 | option_b=180 | option_c=26 | option_d=12 | answer=D | explanation=Scale factor = 168/14 = 12. Therefore second quantity = 1×12 = 12.

id=76582 | topic=Averages | difficulty=Easy | question=Find the average of 58, 33, 87, 79, 48. | option_a=63 | option_b=61 | option_c=60 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 305 ÷ 5 = 61.

id=76583 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=5 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=76584 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=47 | option_b=69 | option_c=58 | option_d=59 | answer=C | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.

id=76585 | topic=Averages | difficulty=Easy | question=Find the average of 29, 81, 79, 34, 32, 87. | option_a=57 | option_b=59 | option_c=56 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 342 ÷ 6 = 57.

id=76586 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■43185 at 6% per annum for 1 years. | option_a=2491 | option_b=45776 | option_c=2691 | option_d=2591 | answer=D | explanation=SI = PRT/100 = 43185×6×1/100 = ■2591.

id=76587 | topic=Averages | difficulty=Easy | question=Find the average of 51, 17, 43. | option_a=36 | option_b=38 | option_c=37 | option_d=39 | answer=C | explanation=Average = sum of values ÷ number of values = 111 ÷ 3 = 37.

id=76588 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■25108 at 4% per annum for 1 years. | option_a=1104 | option_b=904 | option_c=1004 | option_d=26112 | answer=C | explanation=SI = PRT/100 = 25108×4×1/100 = ■1004.

id=76589 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 21? | option_a=14 | option_b=2 | option_c=21 | option_d=8 | answer=C | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 21 is the odd one out.

id=76590 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

Aptitude Questions — Records 76,591-76,620 of 100,000

id=76591 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23231 at 12% per annum for 5 years. | option_a=37169 | option_b=13938 | option_c=14038 | option_d=13838 | answer=B | explanation=SI = PRT/100 = 23231×12×5/100 = **■**13938.

id=76592 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:3 and the first is 30, what is the second? | option_a=45 | option_b=75 | option_c=42 | option_d=47 | answer=A | explanation=Scale factor = 30/2 = 15. Therefore second quantity = 3×15 = 45.

id=76593 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:12 and the first is 64, what is the second? | option_a=64 | option_b=48 | option_c=36 | option_d=112 | answer=B | explanation=Scale factor = 64/16 = 4. Therefore second quantity = 12×4 = 48.

id=76594 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**866. If it is sold at a profit of 25%, what is its selling price? | option_a=996 | option_b=1168 | option_c=1082 | option_d=891 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 866 × 125/100 = **■**1082.

id=76595 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=76596 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:15 and the first is 380, what is the second? | option_a=665 | option_b=270 | option_c=285 | option_d=305 | answer=C | explanation=Scale factor = 380/20 = 19. Therefore second quantity = 15×19 = 285.

id=76597 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4280. If it is sold at a profit of 15%, what is its selling price? | option_a=4295 | option_b=5350 | option_c=4494 | option_d=4922 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4280 × 115/100 = **■**4922.

id=76598 | topic=Averages | difficulty=Easy | question=Find the average of 15, 61, 52, 16, 56, 11, 41. | option_a=36 | option_b=38 | option_c=37 | option_d=35 | answer=A | explanation=Average = sum of values ÷ number of values = 252 ÷ 7 = 36.

id=76599 | topic=Averages | difficulty=Easy | question=Find the average of 47, 27, 38, 29, 100, 72, 17, 39, 85, 56. | option_a=53 | option_b=52 | option_c=50 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

id=76600 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=62 | option_b=53 | option_c=52 | option_d=42 | answer=C | explanation=The common difference is 10. Therefore the next term is 42 + 10 = 52.

id=76601 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 41? | option_a=41 | option_b=34 | option_c=28 | option_d=22 | answer=A | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 41 is the odd one out.

id=76602 | topic=Averages | difficulty=Easy | question=Find the average of 72, 20, 42, 28, 28. | option_a=39 | option_b=40 | option_c=38 | option_d=37 | answer=C | explanation=Average = sum of values ÷ number of values = 190 ÷ 5 = 38.

id=76603 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=76604 | topic=Averages | difficulty=Easy | question=Find the average of 27, 60, 74, 44, 70. | option_a=56 | option_b=54 | option_c=55 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 275 ÷ 5 = 55.

id=76605 | topic=Averages | difficulty=Easy | question=Find the average of 16, 33, 25, 53, 55, 31, 62, 51, 76, 98. | option_a=52 | option_b=50 | option_c=51 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 500 ÷ 10 = 50.

id=76606 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19844 at 15% per annum for 3 years. | option_a=8829 | option_b=8929 | option_c=9029 | option_d=28773 | answer=B | explanation=SI = PRT/100 = 19844×15×3/100 = **■**8929.

id=76607 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=76608 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=32 | option_b=26 | option_c=20 | option_d=27 | answer=B | explanation=The common difference is 6. Therefore the next term is 20 + 6 = 26.

id=76609 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35347 at 10% per annum for 1 years. | option_a=3534 | option_b=3434 | option_c=38881 | option_d=3634 | answer=A | explanation=SI = PRT/100 = 35347×10×1/100 = **■**3534.

id=76610 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 12, 16, 23? | option_a=23 | option_b=8 | option_c=12 | option_d=16 | answer=A | explanation=The first three numbers increase by 4, so the next should be 20. Therefore 23 is the odd one out.

id=76611 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12601 at 4% per annum for 1 years. | option_a=404 | option_b=504 | option_c=604 | option_d=13105 | answer=B | explanation=SI = PRT/100 = 12601×4×1/100 = **■**504.

id=76612 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 35, 40, 47? | option_a=35 | option_b=40 | option_c=47 | option_d=30 | answer=C | explanation=The first three numbers increase by 5, so the next should be 45. Therefore 47 is the odd one out.

id=76613 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=30 | option_b=25 | option_c=35 | option_d=31 | answer=A | explanation=The common difference is 5. Therefore the next term is 25 + 5 = 30.

id=76614 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3755. If it is sold at a profit of 40%, what is its selling price? | option_a=5257 | option_b=3795 | option_c=5632 | option_d=4882 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3755 × 140/100 = **■**5257.

id=76615 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:12 and the first is 156, what is the second? | option_a=144 | option_b=312 | option_c=156 | option_d=168 | answer=C | explanation=Scale factor = 156/12 = 13. Therefore second quantity = 12×13 = 156.

id=76616 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=L | option_b=W | option_c=B | option_d=G | answer=D | explanation=Move 5 positions forward from B; the resulting letter is G.

id=76617 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48142 at 10% per annum for 5 years. | option_a=72213 | option_b=23971 | option_c=24171 | option_d=24071 | answer=D | explanation=SI = PRT/100 = 48142×10×5/100 = **■**24071.

id=76618 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:14 and the first is 234, what is the second? | option_a=182 | option_b=200 | option_c=416 | option_d=168 | answer=A | explanation=Scale factor = 234/18 = 13. Therefore second quantity = 14×13 = 182.

id=76619 | topic=Percentages | difficulty=Easy | question=What is 20% of 336? | option_a=77 | option_b=62 | option_c=134 | option_d=67 | answer=D | explanation=20% of 336 = (20/100) × 336 = 67.

id=76620 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:15 and the first is 105, what is the second? | option_a=90 | option_b=105 | option_c=210 | option_d=120 | answer=B | explanation=Scale factor = 105/15 = 7. Therefore second quantity = 15×7 = 105.

Aptitude Questions — Records 76,621-76,650 of 100,000

id=76621 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=76622 | topic=Percentages | difficulty=Easy | question=What is 5% of 1043? | option_a=104 | option_b=62 | option_c=42 | option_d=52 | answer=D | explanation=5% of 1043 = (5/100) × 1043 = 52.

id=76623 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=76624 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 24, 27, 31? | option_a=31 | option_b=27 | option_c=21 | option_d=24 | answer=A | explanation=The first three numbers increase by 3, so the next should be 30. Therefore 31 is the odd one out.

id=76625 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=F | option_b=O | option_c=I | option_d=L | answer=D | explanation=Move 3 positions forward from I; the resulting letter is L.

id=76626 | topic=Averages | difficulty=Easy | question=Find the average of 56, 59, 37, 22, 75, 39, 52, 13, 88. | option_a=51 | option_b=50 | option_c=48 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 441 ÷ 9 = 49.

id=76627 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45518 at 6% per annum for 3 years. | option_a=53711 | option_b=8293 | option_c=8093 | option_d=8193 | answer=D | explanation=SI = PRT/100 = 45518×6×3/100 = **■**8193.

id=76628 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=76629 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=76630 | topic=Averages | difficulty=Easy | question=Find the average of 36, 72, 67, 31, 99. | option_a=63 | option_b=60 | option_c=61 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 305 ÷ 5 = 61.

id=76631 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=44 | option_b=54 | option_c=55 | option_d=64 | answer=B | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=76632 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=D | option_b=O | option_c=T | option_d=Y | answer=D | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=76633 | topic=Averages | difficulty=Easy | question=Find the average of 92, 42, 72, 22. | option_a=57 | option_b=58 | option_c=59 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 228 ÷ 4 = 57.

id=76634 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=L | option_b=C | option_c=I | option_d=F | answer=C | explanation=Move 3 positions forward from F; the resulting letter is I.

id=76635 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=26 | option_b=20 | option_c=32 | option_d=27 | answer=A | explanation=The common difference is 6. Therefore the next term is 20 + 6 = 26.

id=76636 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=76637 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:6 and the first is 224, what is the second? | option_a=100 | option_b=78 | option_c=84 | option_d=308 | answer=C | explanation=Scale factor = 224/16 = 14. Therefore second quantity = 6×14 = 84.

id=76638 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2007 at 10% per annum for 2 years. | option_a=401 | option_b=501 | option_c=2408 | option_d=301 | answer=A | explanation=SI = PRT/100 = 2007×10×2/100 = **■**401.

id=76639 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=15 | option_b=19 | option_c=17 | option_d=18 | answer=C | explanation=The common difference is 2. Therefore the next term is 15 + 2 = 17.

id=76640 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=76641 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4050. If it is sold at a profit of 10%, what is its selling price? | option_a=4860 | option_b=4050 | option_c=4455 | option_d=4060 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4050 × 110/100 = **■**4455.

id=76642 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=76643 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=H | option_c=L | option_d=J | answer=C | explanation=Move 2 positions forward from J; the resulting letter is L.

id=76644 | topic=Averages | difficulty=Easy | question=Find the average of 45, 74, 19, 26, 57, 37. | option_a=42 | option_b=43 | option_c=45 | option_d=44 | answer=B | explanation=Average = sum of values ÷ number of values = 258 ÷ 6 = 43.

id=76645 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=I | option_c=U | option_d=Q | answer=D | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=76646 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:20 and the first is 228, what is the second? | option_a=392 | option_b=380 | option_c=360 | option_d=608 | answer=B | explanation=Scale factor = 228/12 = 19. Therefore second quantity = 20×19 = 380.

id=76647 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=38 | option_b=52 | option_c=46 | option_d=45 | answer=D | explanation=The common difference is 7. Therefore the next term is 38 + 7 = 45.

id=76648 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1585. If it is sold at a profit of 5%, what is its selling price? | option_a=1590 | option_b=1664 | option_c=1506 | option_d=1822 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1585 × 105/100 = **■**1664.

id=76649 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 30. | option_a=120 | option_b=175 | option_c=750 | option_d=150 | answer=D | explanation=LCM × HCF = 25×30; HCF(25,30) = 5, so LCM = 150.

id=76650 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=36 | option_c=18 | option_d=13 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

Aptitude Questions — Records 76,651-76,680 of 100,000

id=76651 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=F | option_c=K | option_d=V | answer=B | explanation=Move 5 positions forward from A; the resulting letter is F.

id=76652 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 27? | option_a=19 | option_b=12 | option_c=5 | option_d=27 | answer=D | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 27 is the odd one out.

id=76653 | topic=Averages | difficulty=Easy | question=Find the average of 16, 11, 63. | option_a=29 | option_b=30 | option_c=31 | option_d=32 | answer=B | explanation=Average = sum of values ÷ number of values = 90 ÷ 3 = 30.

id=76654 | topic=Percentages | difficulty=Easy | question=What is 5% of 939? | option_a=51 | option_b=46 | option_c=92 | option_d=41 | answer=B | explanation=5% of 939 = (5/100) × 939 = 46.

id=76655 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:11 and the first is 20, what is the second? | option_a=99 | option_b=130 | option_c=110 | option_d=112 | answer=C | explanation=Scale factor = 20/2 = 10. Therefore second quantity = 11×10 = 110.

id=76656 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 7, 10, 14? | option_a=4 | option_b=10 | option_c=14 | option_d=7 | answer=C | explanation=The first three numbers increase by 3, so the next should be 13. Therefore 14 is the odd one out.

id=76657 | topic=Percentages | difficulty=Easy | question=What is 40% of 815? | option_a=346 | option_b=306 | option_c=652 | option_d=326 | answer=D | explanation=40% of 815 = (40/100) × 815 = 326.

id=76658 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 22, 25, 31? | option_a=19 | option_b=31 | option_c=25 | option_d=22 | answer=B | explanation=The first three numbers increase by 3, so the next should be 28. Therefore 31 is the odd one out.

id=76659 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26842 at 6% per annum for 5 years. | option_a=34894 | option_b=8152 | option_c=7952 | option_d=8052 | answer=D | explanation=SI = PRT/100 = 26842×6×5/100 = **■**8052.

id=76660 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47651 at 10% per annum for 5 years. | option_a=23925 | option_b=71476 | option_c=23825 | option_d=23725 | answer=C | explanation=SI = PRT/100 = 47651×10×5/100 = **■**23825.

id=76661 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:5 and the first is 120, what is the second? | option_a=195 | option_b=70 | option_c=75 | option_d=83 | answer=C | explanation=Scale factor = 120/8 = 15. Therefore second quantity = 5×15 = 75.

id=76662 | topic=Percentages | difficulty=Easy | question=What is 5% of 892? | option_a=54 | option_b=39 | option_c=44 | option_d=88 | answer=C | explanation=5% of 892 = (5/100) × 892 = 44.

id=76663 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 22, 25, 31? | option_a=31 | option_b=19 | option_c=22 | option_d=25 | answer=A | explanation=The first three numbers increase by 3, so the next should be 28. Therefore 31 is the odd one out.

id=76664 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=76665 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=L | option_c=X | option_d=T | answer=D | explanation=Move 4 positions forward from P; the resulting letter is T.

id=76666 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=41 | option_c=31 | option_d=72 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=76667 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=40 | option_b=39 | option_c=44 | option_d=34 | answer=B | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

id=76668 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:1 and the first is 135, what is the second? | option_a=8 | option_b=24 | option_c=144 | option_d=9 | answer=D | explanation=Scale factor = 135/15 = 9. Therefore second quantity = 1×9 = 9.

id=76669 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2708. If it is sold at a profit of 30%, what is its selling price? | option_a=3250 | option_b=2738 | option_c=3520 | option_d=3790 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2708 × 130/100 = **■**3520.

id=76670 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25637 at 15% per annum for 2 years. | option_a=33328 | option_b=7791 | option_c=7691 | option_d=7591 | answer=C | explanation=SI = PRT/100 = 25637×15×2/100 = **■**7691.

id=76671 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=4 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=76672 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2984. If it is sold at a profit of 15%, what is its selling price? | option_a=3729 | option_b=3133 | option_c=3431 | option_d=2999 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2984 × 115/100 = **■**3431.

id=76673 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=28 | option_b=23 | option_c=31 | option_d=27 | answer=D | explanation=The common difference is 4. Therefore the next term is 23 + 4 = 27.

id=76674 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43721 at 10% per annum for 4 years. | option_a=17588 | option_b=61209 | option_c=17488 | option_d=17388 | answer=C | explanation=SI = PRT/100 = 43721×10×4/100 = **■**17488.

id=76675 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 28? | option_a=12 | option_b=5 | option_c=28 | option_d=19 | answer=C | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 28 is the odd one out.

id=76676 | topic=Averages | difficulty=Easy | question=Find the average of 32, 85, 46, 58, 34. | option_a=53 | option_b=52 | option_c=50 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 255 ÷ 5 = 51.

id=76677 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2730. If it is sold at a profit of 5%, what is its selling price? | option_a=2593 | option_b=2866 | option_c=2735 | option_d=3139 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2730 × 105/100 = **■**2866.

id=76678 | topic=Averages | difficulty=Easy | question=Find the average of 98, 91, 88, 97, 17, 19, 59. | option_a=68 | option_b=67 | option_c=69 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 469 ÷ 7 = 67.

id=76679 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=22 | option_b=23 | option_c=24 | option_d=20 | answer=A | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=76680 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=P | option_c=J | option_d=L | answer=A | explanation=Move 2 positions forward from L; the resulting letter is N.

Aptitude Questions — Records 76,681-76,710 of 100,000

id=76681 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■34843 at 5% per annum for 2 years. | option_a=38327 | option_b=3584 | option_c=3384 | option_d=3484 | answer=D | explanation=SI = $PRT/100 = 34843 \times 5 \times 2/100 = \blacksquare 3484$.

id=76682 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2700. If it is sold at a profit of 25%, what is its selling price? | option_a=2725 | option_b=3645 | option_c=3375 | option_d=3105 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2700 \times 125/100 = \blacksquare 3375$.

id=76683 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=76684 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:3 and the first is 45, what is the second? | option_a=60 | option_b=12 | option_c=24 | option_d=15 | answer=D | explanation=Scale factor = $45/9 = 5$. Therefore second quantity = $3 \times 5 = 15$.

id=76685 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=76686 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=K | option_c=I | option_d=L | answer=B | explanation=Move 1 positions forward from J; the resulting letter is K.

id=76687 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:9 and the first is 30, what is the second? | option_a=57 | option_b=18 | option_c=37 | option_d=27 | answer=D | explanation=Scale factor = $30/10 = 3$. Therefore second quantity = $9 \times 3 = 27$.

id=76688 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=76689 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=76690 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1206. If it is sold at a profit of 10%, what is its selling price? | option_a=1216 | option_b=1206 | option_c=1446 | option_d=1326 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1206 \times 110/100 = \blacksquare 1326$.

id=76691 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=C | option_b=L | option_c=F | option_d=I | answer=D | explanation=Move 3 positions forward from F; the resulting letter is I.

id=76692 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:17 and the first is 133, what is the second? | option_a=119 | option_b=252 | option_c=102 | option_d=138 | answer=A | explanation=Scale factor = $133/19 = 7$. Therefore second quantity = $17 \times 7 = 119$.

id=76693 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4778. If it is sold at a profit of 5%, what is its selling price? | option_a=4783 | option_b=5493 | option_c=5016 | option_d=4539 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4778 \times 105/100 = \blacksquare 5016$.

id=76694 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=76695 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=120 | option_c=240 | option_d=125 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 360 \div 3 = 120$ km/h.

id=76696 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=46 | option_b=35 | option_c=57 | option_d=47 | answer=A | explanation=The common difference is 11. Therefore the next term is $35 + 11 = 46$.

id=76697 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=54 | option_b=42 | option_c=53 | option_d=64 | answer=C | explanation=The common difference is 11. Therefore the next term is $42 + 11 = 53$.

id=76698 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■16036 at 4% per annum for 1 years. | option_a=741 | option_b=541 | option_c=641 | option_d=16677 | answer=C | explanation=SI = $PRT/100 = 16036 \times 4 \times 1/100 = \blacksquare 641$.

id=76699 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=76700 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=76701 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4844. If it is sold at a profit of 10%, what is its selling price? | option_a=4854 | option_b=4844 | option_c=5812 | option_d=5328 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4844 \times 110/100 = \blacksquare 5328$.

id=76702 | topic=Percentages | difficulty=Easy | question=What is 12% of 1979? | option_a=217 | option_b=237 | option_c=257 | option_d=474 | answer=B | explanation=12% of 1979 = $(12/100) \times 1979 = 237$.

id=76703 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=H | option_b=E | option_c=B | option_d=Y | answer=B | explanation=Move 3 positions forward from B; the resulting letter is E.

id=76704 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4940. If it is sold at a profit of 5%, what is its selling price? | option_a=5187 | option_b=5681 | option_c=4693 | option_d=4945 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4940 \times 105/100 = \blacksquare 5187$.

id=76705 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4570. If it is sold at a profit of 40%, what is its selling price? | option_a=5941 | option_b=6398 | option_c=6855 | option_d=4610 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4570 \times 140/100 = \blacksquare 6398$.

id=76706 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■9336 at 15% per annum for 1 years. | option_a=10736 | option_b=1500 | option_c=1300 | option_d=1400 | answer=D | explanation=SI = $PRT/100 = 9336 \times 15 \times 1/100 = \blacksquare 1400$.

id=76707 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:7 and the first is 221, what is the second? | option_a=312 | option_b=84 | option_c=91 | option_d=108 | answer=C | explanation=Scale factor = $221/17 = 13$. Therefore second quantity = $7 \times 13 = 91$.

id=76708 | topic=Percentages | difficulty=Easy | question=What is 50% of 1796? | option_a=903 | option_b=878 | option_c=1796 | option_d=898 | answer=D | explanation=50% of 1796 = $(50/100) \times 1796 = 898$.

id=76709 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 6. | option_a=56 | option_b=42 | option_c=84 | option_d=36 | answer=B | explanation=LCM $\times$ HCF = 14×6 ; $\text{HCF}(14,6) = 2$, so LCM = 42.

id=76710 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1730. If it is sold at a profit of 10%, what is its selling price? | option_a=2076 | option_b=1740 | option_c=1903 | option_d=1730 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1730 \times 110/100 = \blacksquare 1903$.

Aptitude Questions — Records 76,711-76,740 of 100,000

id=76711 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 20, 22, 26? | option_a=18 | option_b=22 | option_c=26 | option_d=20 | answer=C | explanation=The first three numbers increase by 2, so the next should be 24. Therefore 26 is the odd one out.

id=76712 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=E | option_c=D | option_d=B | answer=C | explanation=Move 1 positions forward from C; the resulting letter is D.

id=76713 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:3 and the first is 36, what is the second? | option_a=21 | option_b=9 | option_c=12 | option_d=48 | answer=C | explanation=Scale factor = 36/9 = 4. Therefore second quantity = 3×4 = 12.

id=76714 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 34, 39, 45? | option_a=34 | option_b=29 | option_c=45 | option_d=39 | answer=C | explanation=The first three numbers increase by 5, so the next should be 44. Therefore 45 is the odd one out.

id=76715 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**27710 at 15% per annum for 2 years. | option_a=8313 | option_b=8213 | option_c=8413 | option_d=36023 | answer=A | explanation=SI = $PRT/100 = 27710 \times 15 \times 2/100 = \text{₹}8313$.

id=76716 | topic=Percentages | difficulty=Easy | question=What is 50% of 151? | option_a=85 | option_b=75 | option_c=150 | option_d=55 | answer=B | explanation=50% of 151 = $(50/100) \times 151 = 75$.

id=76717 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=76718 | topic=Averages | difficulty=Easy | question=Find the average of 94, 77, 13, 43, 63. | option_a=59 | option_b=58 | option_c=60 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = $290 \div 5 = 58$.

id=76719 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**33515 at 4% per annum for 1 years. | option_a=1240 | option_b=1440 | option_c=34855 | option_d=1340 | answer=D | explanation=SI = $PRT/100 = 33515 \times 4 \times 1/100 = \text{₹}1340$.

id=76720 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 15, 20, 26? | option_a=15 | option_b=26 | option_c=10 | option_d=20 | answer=B | explanation=The first three numbers increase by 5, so the next should be 25. Therefore 26 is the odd one out.

id=76721 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=8 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=76722 | topic=Averages | difficulty=Easy | question=Find the average of 85, 57, 21, 21. | option_a=48 | option_b=46 | option_c=47 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = $184 \div 4 = 46$.

id=76723 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 35, 44, 55? | option_a=55 | option_b=35 | option_c=44 | option_d=26 | answer=A | explanation=The first three numbers increase by 9, so the next should be 53. Therefore 55 is the odd one out.

id=76724 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=C | option_c=B | option_d=D | answer=D | explanation=Move 1 positions forward from C; the resulting letter is D.

id=76725 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=85 | option_c=95 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = $180 \div 2 = 90$ km/h.

id=76726 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=N | option_b=D | option_c=Y | option_d=I | answer=D | explanation=Move 5 positions forward from D; the resulting letter is I.

id=76727 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**37334 at 15% per annum for 2 years. | option_a=11100 | option_b=48534 | option_c=11300 | option_d=11200 | answer=D | explanation=SI = $PRT/100 = 37334 \times 15 \times 2/100 = \text{₹}11200$.

id=76728 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**14393 at 4% per annum for 5 years. | option_a=2878 | option_b=2978 | option_c=2778 | option_d=17271 | answer=A | explanation=SI = $PRT/100 = 14393 \times 4 \times 5/100 = \text{₹}2878$.

id=76729 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=L | option_b=J | option_c=H | option_d=N | answer=A | explanation=Move 2 positions forward from J; the resulting letter is L.

id=76730 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=70 | option_b=150 | option_c=80 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = $300 \div 4 = 75$ km/h.

id=76731 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**22650 at 10% per annum for 2 years. | option_a=27180 | option_b=4630 | option_c=4530 | option_d=4430 | answer=C | explanation=SI = $PRT/100 = 22650 \times 10 \times 2/100 = \text{₹}4530$.

id=76732 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 11, 20, 31? | option_a=20 | option_b=2 | option_c=31 | option_d=11 | answer=C | explanation=The first three numbers increase by 9, so the next should be 29. Therefore 31 is the odd one out.

id=76733 | topic=Percentages | difficulty=Easy | question=What is 10% of 271? | option_a=7 | option_b=27 | option_c=32 | option_d=54 | answer=B | explanation=10% of 271 = $(10/100) \times 271 = 27$.

id=76734 | topic=Averages | difficulty=Easy | question=Find the average of 81, 76, 24, 86, 12, 23, 62. | option_a=54 | option_b=51 | option_c=53 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = $364 \div 7 = 52$.

id=76735 | topic=Percentages | difficulty=Easy | question=What is 30% of 298? | option_a=84 | option_b=109 | option_c=178 | option_d=89 | answer=D | explanation=30% of 298 = $(30/100) \times 298 = 89$.

id=76736 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=76737 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4661. If it is sold at a profit of 50%, what is its selling price? | option_a=7457 | option_b=6525 | option_c=4711 | option_d=6991 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4661 \times 150/100 = \text{₹}6991$.

id=76738 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1540. If it is sold at a profit of 5%, what is its selling price? | option_a=1463 | option_b=1545 | option_c=1617 | option_d=1771 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1540 \times 105/100 = \text{₹}1617$.

id=76739 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3323. If it is sold at a profit of 50%, what is its selling price? | option_a=4984 | option_b=4652 | option_c=3373 | option_d=5316 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3323 \times 150/100 = \text{₹}4984$.

id=76740 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=17 | option_b=22 | option_c=27 | option_d=23 | answer=B | explanation=The common difference is 5. Therefore the next term is $17 + 5 = 22$.

Aptitude Questions — Records 76,741-76,770 of 100,000

id=76741 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■36941 at 6% per annum for 2 years. | option_a=41373 | option_b=4332 | option_c=4432 | option_d=4532 | answer=C | explanation=SI = PRT/100 = 36941×6×2/100 = ■4432.

id=76742 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 21? | option_a=14 | option_b=21 | option_c=16 | option_d=18 | answer=B | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 21 is the odd one out.

id=76743 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■7599 at 10% per annum for 5 years. | option_a=3799 | option_b=11398 | option_c=3699 | option_d=3899 | answer=A | explanation=SI = PRT/100 = 7599×10×5/100 = ■3799.

id=76744 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=43 | option_b=44 | option_c=37 | option_d=49 | answer=A | explanation=The common difference is 6. Therefore the next term is 37 + 6 = 43.

id=76745 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1076. If it is sold at a profit of 5%, what is its selling price? | option_a=1081 | option_b=1129 | option_c=1236 | option_d=1022 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1076 × 105/100 = ■1129.

id=76746 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=G | option_c=M | option_d=P | answer=C | explanation=Move 3 positions forward from J; the resulting letter is M.

id=76747 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 16? | option_a=8 | option_b=10 | option_c=16 | option_d=12 | answer=C | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 16 is the odd one out.

id=76748 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 31, 42, 53, ? | option_a=53 | option_b=65 | option_c=75 | option_d=64 | answer=D | explanation=The common difference is 11. Therefore the next term is 53 + 11 = 64.

id=76749 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=43 | option_b=32 | option_c=42 | option_d=52 | answer=C | explanation=The common difference is 10. Therefore the next term is 32 + 10 = 42.

id=76750 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 28, 36, 44, ? | option_a=44 | option_b=60 | option_c=52 | option_d=53 | answer=C | explanation=The common difference is 8. Therefore the next term is 44 + 8 = 52.

id=76751 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■24115 at 8% per annum for 5 years. | option_a=33761 | option_b=9646 | option_c=9546 | option_d=9746 | answer=B | explanation=SI = PRT/100 = 24115×8×5/100 = ■9646.

id=76752 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=M | option_b=P | option_c=N | option_d=O | answer=D | explanation=Move 1 positions forward from N; the resulting letter is O.

id=76753 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2258. If it is sold at a profit of 30%, what is its selling price? | option_a=2935 | option_b=2288 | option_c=2710 | option_d=3160 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2258 × 130/100 = ■2935.

id=76754 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:14 and the first is 80, what is the second? | option_a=56 | option_b=136 | option_c=76 | option_d=42 | answer=A | explanation=Scale factor = 80/20 = 4. Therefore second quantity = 14×4 = 56.

id=76755 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 47? | option_a=24 | option_b=47 | option_c=38 | option_d=31 | answer=B | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 47 is the odd one out.

id=76756 | topic=Averages | difficulty=Easy | question=Find the average of 31, 76, 87, 11, 95, 18. | option_a=52 | option_b=53 | option_c=54 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 318 ÷ 6 = 53.

id=76757 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■481. If it is sold at a profit of 5%, what is its selling price? | option_a=486 | option_b=505 | option_c=553 | option_d=457 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 481 × 105/100 = ■505.

id=76758 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■369. If it is sold at a profit of 30%, what is its selling price? | option_a=443 | option_b=515 | option_c=479 | option_d=399 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 369 × 130/100 = ■479.

id=76759 | topic=Averages | difficulty=Easy | question=Find the average of 51, 87, 87, 26, 24, 67, 44, 102. | option_a=61 | option_b=63 | option_c=62 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 488 ÷ 8 = 61.

id=76760 | topic=Percentages | difficulty=Easy | question=What is 5% of 1907? | option_a=85 | option_b=190 | option_c=95 | option_d=100 | answer=C | explanation=5% of 1907 = (5/100) × 1907 = 95.

id=76761 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 3. | option_a=54 | option_b=18 | option_c=15 | option_d=36 | answer=B | explanation=LCM × HCF = 18×3; HCF(18,3) = 3, so LCM = 18.

id=76762 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2453. If it is sold at a profit of 40%, what is its selling price? | option_a=3189 | option_b=3434 | option_c=2493 | option_d=3679 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2453 × 140/100 = ■3434.

id=76763 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 12. | option_a=120 | option_b=264 | option_c=132 | option_d=154 | answer=C | explanation=LCM × HCF = 22×12; HCF(22,12) = 2, so LCM = 132.

id=76764 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=O | option_b=R | option_c=I | option_d=L | answer=A | explanation=Move 3 positions forward from L; the resulting letter is O.

id=76765 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3751. If it is sold at a profit of 40%, what is its selling price? | option_a=5251 | option_b=4876 | option_c=3791 | option_d=5626 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3751 × 140/100 = ■5251.

id=76766 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 29, 34, 40? | option_a=34 | option_b=29 | option_c=24 | option_d=40 | answer=D | explanation=The first three numbers increase by 5, so the next should be 39. Therefore 40 is the odd one out.

id=76767 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:8 and the first is 16, what is the second? | option_a=8 | option_b=32 | option_c=16 | option_d=24 | answer=C | explanation=Scale factor = 16/8 = 2. Therefore second quantity = 8×2 = 16.

id=76768 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1549. If it is sold at a profit of 25%, what is its selling price? | option_a=1782 | option_b=1936 | option_c=1574 | option_d=2090 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1549 × 125/100 = ■1936.

id=76769 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■15846 at 8% per annum for 5 years. | option_a=6338 | option_b=22184 | option_c=6238 | option_d=6438 | answer=A | explanation=SI = PRT/100 = 15846×8×5/100 = ■6338.

id=76770 | topic=Averages | difficulty=Easy | question=Find the average of 58, 21, 33, 37, 66, 48, 29, 18, 77. | option_a=43 | option_b=44 | option_c=45 | option_d=42 | answer=A | explanation=Average = sum of values ÷ number of values = 387 ÷ 9 = 43.

Aptitude Questions — Records 76,771-76,800 of 100,000

id=76771 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=W | option_b=O | option_c=K | option_d=S | answer=D | explanation=Move 4 positions forward from O; the resulting letter is S.

id=76772 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=17 | option_b=18 | option_c=19 | option_d=15 | answer=A | explanation=The common difference is 2. Therefore the next term is 15 + 2 = 17.

id=76773 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**14281 at 6% per annum for 5 years. | option_a=18565 | option_b=4284 | option_c=4384 | option_d=4184 | answer=B | explanation=SI = PRT/100 = 14281×6×5/100 = **₹**4284.

id=76774 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4604. If it is sold at a profit of 25%, what is its selling price? | option_a=5295 | option_b=4629 | option_c=5755 | option_d=6215 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4604 × 125/100 = **₹**5755.

id=76775 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=76776 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=18 | option_b=23 | option_c=24 | option_d=28 | answer=B | explanation=The common difference is 5. Therefore the next term is 18 + 5 = 23.

id=76777 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=76778 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=M | option_b=O | option_c=P | option_d=N | answer=B | explanation=Move 1 positions forward from N; the resulting letter is O.

id=76779 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=F | option_b=D | option_c=G | option_d=E | answer=A | explanation=Move 1 positions forward from E; the resulting letter is F.

id=76780 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=76781 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=G | option_b=M | option_c=I | option_d=K | answer=D | explanation=Move 2 positions forward from I; the resulting letter is K.

id=76782 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=32 | option_b=29 | option_c=35 | option_d=33 | answer=A | explanation=The common difference is 3. Therefore the next term is 29 + 3 = 32.

id=76783 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=185 | option_c=360 | option_d=180 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=76784 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 22? | option_a=13 | option_b=15 | option_c=17 | option_d=22 | answer=D | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 22 is the odd one out.

id=76785 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=76786 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 34? | option_a=24 | option_b=15 | option_c=6 | option_d=34 | answer=D | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 34 is the odd one out.

id=76787 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=N | option_b=C | option_c=S | option_d=X | answer=D | explanation=Move 5 positions forward from S; the resulting letter is X.

id=76788 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=76789 | topic=Averages | difficulty=Easy | question=Find the average of 26, 85, 69. | option_a=59 | option_b=62 | option_c=61 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 180 ÷ 3 = 60.

id=76790 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=120 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=76791 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 49? | option_a=49 | option_b=37 | option_c=28 | option_d=19 | answer=A | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 49 is the odd one out.

id=76792 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=76793 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=76794 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=76795 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 20. | option_a=75 | option_b=60 | option_c=300 | option_d=40 | answer=B | explanation=LCM × HCF = 15×20; HCF(15,20) = 5, so LCM = 60.

id=76796 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**10462 at 10% per annum for 3 years. | option_a=3038 | option_b=3238 | option_c=3138 | option_d=13600 | answer=C | explanation=SI = PRT/100 = 10462×10×3/100 = **₹**3138.

id=76797 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=T | option_c=S | option_d=Q | answer=C | explanation=Move 1 positions forward from R; the resulting letter is S.

id=76798 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 10, 12, 14, ? | option_a=14 | option_b=18 | option_c=17 | option_d=16 | answer=D | explanation=The common difference is 2. Therefore the next term is 14 + 2 = 16.

id=76799 | topic=Percentages | difficulty=Easy | question=What is 40% of 162? | option_a=54 | option_b=74 | option_c=64 | option_d=128 | answer=C | explanation=40% of 162 = (40/100) × 162 = 64.

id=76800 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 38? | option_a=32 | option_b=30 | option_c=38 | option_d=34 | answer=C | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 38 is the odd one out.

Aptitude Questions — Records 76,801-76,830 of 100,000

id=76801 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 24, 32, 40, ? | option_a=40 | option_b=49 | option_c=48 | option_d=56 | answer=C | explanation=The common difference is 8. Therefore the next term is 40 + 8 = 48.

id=76802 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:19 and the first is 55, what is the second? | option_a=214 | option_b=264 | option_c=209 | option_d=190 | answer=C | explanation=Scale factor = 55/5 = 11. Therefore second quantity = 19×11 = 209.

id=76803 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=76804 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2341. If it is sold at a profit of 40%, what is its selling price? | option_a=3043 | option_b=3277 | option_c=2381 | option_d=3511 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2341 × 140/100 = █3277.

id=76805 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=25 | option_b=29 | option_c=24 | option_d=19 | answer=C | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.

id=76806 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=M | option_b=Y | option_c=U | option_d=Q | answer=C | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=76807 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=P | option_b=K | option_c=F | option_d=U | answer=A | explanation=Move 5 positions forward from K; the resulting letter is P.

id=76808 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 24, 32, 40, ? | option_a=48 | option_b=40 | option_c=56 | option_d=49 | answer=A | explanation=The common difference is 8. Therefore the next term is 40 + 8 = 48.

id=76809 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=65 | option_b=43 | option_c=55 | option_d=54 | answer=D | explanation=The common difference is 11. Therefore the next term is 43 + 11 = 54.

id=76810 | topic=Averages | difficulty=Easy | question=Find the average of 39, 58, 60, 72, 81, 12, 98. | option_a=61 | option_b=62 | option_c=59 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 420 ÷ 7 = 60.

id=76811 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:2 and the first is 9, what is the second? | option_a=6 | option_b=15 | option_c=9 | option_d=4 | answer=A | explanation=Scale factor = 9/3 = 3. Therefore second quantity = 2×3 = 6.

id=76812 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=48 | option_b=40 | option_c=41 | option_d=32 | answer=B | explanation=The common difference is 8. Therefore the next term is 32 + 8 = 40.

id=76813 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=36 | option_b=41 | option_c=31 | option_d=72 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=76814 | topic=Averages | difficulty=Easy | question=Find the average of 34, 11, 50, 77, 22, 58. | option_a=42 | option_b=44 | option_c=43 | option_d=41 | answer=A | explanation=Average = sum of values ÷ number of values = 252 ÷ 6 = 42.

id=76815 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48971 at 4% per annum for 5 years. | option_a=9694 | option_b=58765 | option_c=9794 | option_d=9894 | answer=C | explanation=SI = PRT/100 = 48971×4×5/100 = █9794.

id=76816 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=12 | option_b=7 | option_c=24 | option_d=17 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=76817 | topic=Profit & Loss | difficulty=Easy | question=An article costs █377. If it is sold at a profit of 10%, what is its selling price? | option_a=377 | option_b=387 | option_c=451 | option_d=414 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 377 × 110/100 = █414.

id=76818 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1648. If it is sold at a profit of 40%, what is its selling price? | option_a=2307 | option_b=2143 | option_c=2471 | option_d=1688 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1648 × 140/100 = █2307.

id=76819 | topic=Percentages | difficulty=Easy | question=What is 10% of 1528? | option_a=132 | option_b=304 | option_c=172 | option_d=152 | answer=D | explanation=10% of 1528 = (10/100) × 1528 = 152.

id=76820 | topic=Averages | difficulty=Easy | question=Find the average of 83, 20, 63, 27, 52. | option_a=50 | option_b=48 | option_c=51 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 245 ÷ 5 = 49.

id=76821 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48483 at 5% per annum for 4 years. | option_a=9696 | option_b=58179 | option_c=9596 | option_d=9796 | answer=A | explanation=SI = PRT/100 = 48483×5×4/100 = █9696.

id=76822 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 30. | option_a=240 | option_b=90 | option_c=120 | option_d=128 | answer=C | explanation=LCM × HCF = 8×30; HCF(8,30) = 2, so LCM = 120.

id=76823 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=F | option_c=H | option_d=B | answer=B | explanation=Move 2 positions forward from D; the resulting letter is F.

id=76824 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1597. If it is sold at a profit of 5%, what is its selling price? | option_a=1602 | option_b=1676 | option_c=1517 | option_d=1835 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1597 × 105/100 = █1676.

id=76825 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=76826 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 31, 35, 41? | option_a=41 | option_b=31 | option_c=27 | option_d=35 | answer=A | explanation=The first three numbers increase by 4, so the next should be 39. Therefore 41 is the odd one out.

id=76827 | topic=Profit & Loss | difficulty=Easy | question=An article costs █591. If it is sold at a profit of 10%, what is its selling price? | option_a=601 | option_b=650 | option_c=709 | option_d=591 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 591 × 110/100 = █650.

id=76828 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 60? | option_a=47 | option_b=27 | option_c=60 | option_d=37 | answer=C | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 60 is the odd one out.

id=76829 | topic=Percentages | difficulty=Easy | question=What is 15% of 1237? | option_a=185 | option_b=370 | option_c=190 | option_d=180 | answer=A | explanation=15% of 1237 = (15/100) × 1237 = 185.

id=76830 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 4. | option_a=60 | option_b=120 | option_c=90 | option_d=56 | answer=A | explanation=LCM × HCF = 30×4; HCF(30,4) = 2, so LCM = 60.

Aptitude Questions — Records 76,831-76,860 of 100,000

id=76831 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=Q | option_c=O | option_d=R | answer=B | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=76832 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=40 | option_b=47 | option_c=41 | option_d=33 | answer=A | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.

id=76833 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=15 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=76834 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=V | option_c=K | option_d=F | answer=D | explanation=Move 5 positions forward from A; the resulting letter is F.

id=76835 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=76836 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13485 at 6% per annum for 4 years. | option_a=16721 | option_b=3136 | option_c=3336 | option_d=3236 | answer=D | explanation=SI = PRT/100 = 13485×6×4/100 = **■**3236.

id=76837 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**597. If it is sold at a profit of 10%, what is its selling price? | option_a=656 | option_b=607 | option_c=715 | option_d=597 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 597 × 110/100 = **■**656.

id=76838 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**720. If it is sold at a profit of 5%, what is its selling price? | option_a=725 | option_b=756 | option_c=684 | option_d=828 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 720 × 105/100 = **■**756.

id=76839 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=76840 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=76841 | topic=Percentages | difficulty=Easy | question=What is 50% of 1175? | option_a=567 | option_b=597 | option_c=587 | option_d=1174 | answer=C | explanation=50% of 1175 = (50/100) × 1175 = 587.

id=76842 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 5, 8, 13? | option_a=2 | option_b=13 | option_c=8 | option_d=5 | answer=B | explanation=The first three numbers increase by 3, so the next should be 11. Therefore 13 is the odd one out.

id=76843 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=43 | option_b=42 | option_c=50 | option_d=34 | answer=B | explanation=The common difference is 8. Therefore the next term is 34 + 8 = 42.

id=76844 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:8 and the first is 102, what is the second? | option_a=65 | option_b=40 | option_c=150 | option_d=48 | answer=D | explanation=Scale factor = 102/17 = 6. Therefore second quantity = 8×6 = 48.

id=76845 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2723. If it is sold at a profit of 25%, what is its selling price? | option_a=3131 | option_b=3403 | option_c=3675 | option_d=2748 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2723 × 125/100 = **■**3403.

id=76846 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35376 at 8% per annum for 2 years. | option_a=5560 | option_b=5660 | option_c=41036 | option_d=5760 | answer=B | explanation=SI = PRT/100 = 35376×8×2/100 = **■**5660.

id=76847 | topic=Averages | difficulty=Easy | question=Find the average of 64, 84, 27, 13. | option_a=48 | option_b=49 | option_c=46 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 188 ÷ 4 = 47.

id=76848 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3810. If it is sold at a profit of 30%, what is its selling price? | option_a=5334 | option_b=3840 | option_c=4572 | option_d=4953 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3810 × 130/100 = **■**4953.

id=76849 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=76850 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=76851 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=18 | option_c=13 | option_d=23 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=76852 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 38, 46, 56? | option_a=30 | option_b=56 | option_c=38 | option_d=46 | answer=B | explanation=The first three numbers increase by 8, so the next should be 54. Therefore 56 is the odd one out.

id=76853 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 31, 40, 52? | option_a=52 | option_b=40 | option_c=31 | option_d=22 | answer=A | explanation=The first three numbers increase by 9, so the next should be 49. Therefore 52 is the odd one out.

id=76854 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:3 and the first is 182, what is the second? | option_a=39 | option_b=221 | option_c=53 | option_d=36 | answer=A | explanation=Scale factor = 182/14 = 13. Therefore second quantity = 3×13 = 39.

id=76855 | topic=Percentages | difficulty=Easy | question=What is 5% of 365? | option_a=36 | option_b=23 | option_c=0 | option_d=18 | answer=D | explanation=5% of 365 = (5/100) × 365 = 18.

id=76856 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=35 | option_b=47 | option_c=41 | option_d=42 | answer=C | explanation=The common difference is 6. Therefore the next term is 35 + 6 = 41.

id=76857 | topic=Percentages | difficulty=Easy | question=What is 25% of 1983? | option_a=495 | option_b=500 | option_c=485 | option_d=990 | answer=A | explanation=25% of 1983 = (25/100) × 1983 = 495.

id=76858 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:4 and the first is 135, what is the second? | option_a=171 | option_b=32 | option_c=36 | option_d=51 | answer=C | explanation=Scale factor = 135/15 = 9. Therefore second quantity = 4×9 = 36.

id=76859 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 8. | option_a=40 | option_b=50 | option_c=32 | option_d=80 | answer=A | explanation=LCM × HCF = 10×8; HCF(10,8) = 2, so LCM = 40.

id=76860 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=E | option_b=G | option_c=K | option_d=I | answer=D | explanation=Move 2 positions forward from G; the resulting letter is I.

Aptitude Questions — Records 76,861-76,890 of 100,000

id=76861 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=240 | option_d=115 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=76862 | topic=Percentages | difficulty=Easy | question=What is 5% of 1679? | option_a=83 | option_b=166 | option_c=103 | option_d=78 | answer=A | explanation=5% of 1679 = (5/100) × 1679 = 83.

id=76863 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 27, 39, 51, ? | option_a=64 | option_b=51 | option_c=75 | option_d=63 | answer=D | explanation=The common difference is 12. Therefore the next term is 51 + 12 = 63.

id=76864 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2172. If it is sold at a profit of 50%, what is its selling price? | option_a=2222 | option_b=3041 | option_c=3475 | option_d=3258 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2172 × 150/100 = **■**3258.

id=76865 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=76866 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 35? | option_a=35 | option_b=6 | option_c=15 | option_d=24 | answer=A | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 35 is the odd one out.

id=76867 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:5 and the first is 300, what is the second? | option_a=100 | option_b=400 | option_c=115 | option_d=95 | answer=A | explanation=Scale factor = 300/15 = 20. Therefore second quantity = 5×20 = 100.

id=76868 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 35? | option_a=24 | option_b=16 | option_c=8 | option_d=35 | answer=D | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 35 is the odd one out.

id=76869 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3513. If it is sold at a profit of 40%, what is its selling price? | option_a=5269 | option_b=3553 | option_c=4918 | option_d=4567 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3513 × 140/100 = **■**4918.

id=76870 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37489 at 4% per annum for 5 years. | option_a=7497 | option_b=7597 | option_c=7397 | option_d=44986 | answer=A | explanation=SI = PRT/100 = 37489×4×5/100 = **■**7497.

id=76871 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25924 at 8% per annum for 5 years. | option_a=10269 | option_b=36293 | option_c=10369 | option_d=10469 | answer=C | explanation=SI = PRT/100 = 25924×8×5/100 = **■**10369.

id=76872 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=J | option_b=Z | option_c=O | option_d=E | answer=A | explanation=Move 5 positions forward from E; the resulting letter is J.

id=76873 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 38? | option_a=28 | option_b=10 | option_c=19 | option_d=38 | answer=D | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 38 is the odd one out.

id=76874 | topic=Averages | difficulty=Easy | question=Find the average of 66, 21, 27. | option_a=37 | option_b=38 | option_c=39 | option_d=40 | answer=B | explanation=Average = sum of values ÷ number of values = 114 ÷ 3 = 38.

id=76875 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 21. | option_a=28 | option_b=1 | option_c=147 | option_d=21 | answer=D | explanation=LCM × HCF = 7×21; HCF(7,21) = 7, so LCM = 21.

id=76876 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=S | option_b=U | option_c=W | option_d=Y | answer=C | explanation=Move 2 positions forward from U; the resulting letter is W.

id=76877 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1417. If it is sold at a profit of 15%, what is its selling price? | option_a=1770 | option_b=1432 | option_c=1629 | option_d=1488 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1417 × 115/100 = **■**1629.

id=76878 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:14 and the first is 51, what is the second? | option_a=224 | option_b=238 | option_c=289 | option_d=241 | answer=B | explanation=Scale factor = 51/3 = 17. Therefore second quantity = 14×17 = 238.

id=76879 | topic=Averages | difficulty=Easy | question=Find the average of 28, 19, 41, 44. | option_a=34 | option_b=35 | option_c=33 | option_d=32 | answer=C | explanation=Average = sum of values ÷ number of values = 132 ÷ 4 = 33.

id=76880 | topic=Averages | difficulty=Easy | question=Find the average of 89, 62, 33, 49, 57, 100. | option_a=65 | option_b=67 | option_c=64 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 390 ÷ 6 = 65.

id=76881 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4181. If it is sold at a profit of 15%, what is its selling price? | option_a=5226 | option_b=4808 | option_c=4196 | option_d=4390 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4181 × 115/100 = **■**4808.

id=76882 | topic=Averages | difficulty=Easy | question=Find the average of 20, 99, 84, 69, 85, 39. | option_a=67 | option_b=65 | option_c=66 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 396 ÷ 6 = 66.

id=76883 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2563. If it is sold at a profit of 25%, what is its selling price? | option_a=3203 | option_b=2588 | option_c=3459 | option_d=2947 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2563 × 125/100 = **■**3203.

id=76884 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=60 | option_b=70 | option_c=61 | option_d=50 | answer=A | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

id=76885 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:14 and the first is 120, what is the second? | option_a=232 | option_b=127 | option_c=112 | option_d=98 | answer=C | explanation=Scale factor = 120/15 = 8. Therefore second quantity = 14×8 = 112.

id=76886 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:13 and the first is 100, what is the second? | option_a=165 | option_b=65 | option_c=52 | option_d=85 | answer=B | explanation=Scale factor = 100/20 = 5. Therefore second quantity = 13×5 = 65.

id=76887 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:13 and the first is 16, what is the second? | option_a=224 | option_b=195 | option_c=208 | option_d=209 | answer=C | explanation=Scale factor = 16/1 = 16. Therefore second quantity = 13×16 = 208.

id=76888 | topic=Percentages | difficulty=Easy | question=What is 10% of 587? | option_a=68 | option_b=116 | option_c=38 | option_d=58 | answer=D | explanation=10% of 587 = (10/100) × 587 = 58.

id=76889 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=F | option_b=I | option_c=Z | option_d=C | answer=A | explanation=Move 3 positions forward from C; the resulting letter is F.

id=76890 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=360 | option_c=185 | option_d=180 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

Aptitude Questions — Records 76,891-76,920 of 100,000

id=76891 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=76892 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:11 and the first is 40, what is the second? | option_a=88 | option_b=93 | option_c=128 | option_d=77 | answer=A | explanation=Scale factor = 40/5 = 8. Therefore second quantity = 11×8 = 88.

id=76893 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=150 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=76894 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=D | option_b=B | option_c=C | option_d=E | answer=A | explanation=Move 1 positions forward from C; the resulting letter is D.

id=76895 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=76896 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41329 at 5% per annum for 2 years. | option_a=4232 | option_b=45461 | option_c=4132 | option_d=4032 | answer=C | explanation=SI = PRT/100 = 41329×5×2/100 = **■**4132.

id=76897 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=150 | option_d=70 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=76898 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=I | option_b=K | option_c=L | option_d=J | answer=B | explanation=Move 1 positions forward from J; the resulting letter is K.

id=76899 | topic=Percentages | difficulty=Easy | question=What is 25% of 354? | option_a=176 | option_b=88 | option_c=68 | option_d=93 | answer=B | explanation=25% of 354 = (25/100) × 354 = 88.

id=76900 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 25, 34, 43, ? | option_a=52 | option_b=61 | option_c=53 | option_d=43 | answer=A | explanation=The common difference is 9. Therefore the next term is 43 + 9 = 52.

id=76901 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 19? | option_a=15 | option_b=9 | option_c=19 | option_d=12 | answer=C | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 19 is the odd one out.

id=76902 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=76903 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 24. | option_a=24 | option_b=48 | option_c=1 | option_d=576 | answer=A | explanation=LCM × HCF = 24×24; HCF(24,24) = 24, so LCM = 24.

id=76904 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:4 and the first is 49, what is the second? | option_a=24 | option_b=77 | option_c=28 | option_d=35 | answer=C | explanation=Scale factor = 49/7 = 7. Therefore second quantity = 4×7 = 28.

id=76905 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**463. If it is sold at a profit of 15%, what is its selling price? | option_a=486 | option_b=532 | option_c=478 | option_d=578 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 463 × 115/100 = **■**532.

id=76906 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=N | option_c=J | option_d=L | answer=B | explanation=Move 2 positions forward from L; the resulting letter is N.

id=76907 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=40 | option_c=25 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=76908 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26754 at 10% per annum for 1 years. | option_a=2675 | option_b=29429 | option_c=2575 | option_d=2775 | answer=A | explanation=SI = PRT/100 = 26754×10×1/100 = **■**2675.

id=76909 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2798. If it is sold at a profit of 50%, what is its selling price? | option_a=3918 | option_b=4197 | option_c=4476 | option_d=2848 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2798 × 150/100 = **■**4197.

id=76910 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=H | option_b=I | option_c=G | option_d=F | answer=A | explanation=Move 1 positions forward from G; the resulting letter is H.

id=76911 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=36 | option_b=32 | option_c=40 | option_d=37 | answer=A | explanation=The common difference is 4. Therefore the next term is 32 + 4 = 36.

id=76912 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=20 | option_c=15 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=76913 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=76914 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 18. | option_a=540 | option_b=72 | option_c=90 | option_d=120 | answer=C | explanation=LCM × HCF = 30×18; HCF(30,18) = 6, so LCM = 90.

id=76915 | topic=Averages | difficulty=Easy | question=Find the average of 38, 38, 86, 11, 58, 87, 32. | option_a=51 | option_b=49 | option_c=50 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

id=76916 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 31? | option_a=31 | option_b=24 | option_c=14 | option_d=19 | answer=A | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 31 is the odd one out.

id=76917 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 31, 40, 50? | option_a=50 | option_b=22 | option_c=31 | option_d=40 | answer=A | explanation=The first three numbers increase by 9, so the next should be 49. Therefore 50 is the odd one out.

id=76918 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=76919 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 40? | option_a=13 | option_b=21 | option_c=40 | option_d=29 | answer=C | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 40 is the odd one out.

id=76920 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16923 at 4% per annum for 2 years. | option_a=1453 | option_b=18276 | option_c=1353 | option_d=1253 | answer=C | explanation=SI = PRT/100 = 16923×4×2/100 = **■**1353.

Aptitude Questions — Records 76,921-76,950 of 100,000

id=76921 | topic=Profit & Loss | difficulty=Easy | question=An article costs █880. If it is sold at a profit of 30%, what is its selling price? | option_a=1144 | option_b=1232 | option_c=1056 | option_d=910 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 880 × 130/100 = █1144.

id=76922 | topic=Percentages | difficulty=Easy | question=What is 25% of 456? | option_a=114 | option_b=228 | option_c=119 | option_d=104 | answer=A | explanation=25% of 456 = (25/100) × 456 = 114.

id=76923 | topic=Profit & Loss | difficulty=Easy | question=An article costs █204. If it is sold at a profit of 15%, what is its selling price? | option_a=214 | option_b=234 | option_c=219 | option_d=254 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 204 × 115/100 = █234.

id=76924 | topic=Averages | difficulty=Easy | question=Find the average of 97, 63, 100, 86, 81, 32, 94. | option_a=78 | option_b=79 | option_c=81 | option_d=80 | answer=B | explanation=Average = sum of values ÷ number of values = 553 ÷ 7 = 79.

id=76925 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:9 and the first is 114, what is the second? | option_a=168 | option_b=45 | option_c=73 | option_d=54 | answer=D | explanation=Scale factor = 114/19 = 6. Therefore second quantity = 9×6 = 54.

id=76926 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=60 | option_b=59 | option_c=47 | option_d=71 | answer=B | explanation=The common difference is 12. Therefore the next term is 47 + 12 = 59.

id=76927 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3465. If it is sold at a profit of 40%, what is its selling price? | option_a=3505 | option_b=4851 | option_c=5197 | option_d=4505 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3465 × 140/100 = █4851.

id=76928 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28456 at 12% per annum for 1 years. | option_a=3514 | option_b=3414 | option_c=31870 | option_d=3314 | answer=B | explanation=SI = PRT/100 = 28456×12×1/100 = █3414.

id=76929 | topic=Percentages | difficulty=Easy | question=What is 15% of 1454? | option_a=238 | option_b=218 | option_c=198 | option_d=436 | answer=B | explanation=15% of 1454 = (15/100) × 1454 = 218.

id=76930 | topic=Averages | difficulty=Easy | question=Find the average of 32, 63, 57, 25, 13. | option_a=38 | option_b=37 | option_c=40 | option_d=39 | answer=A | explanation=Average = sum of values ÷ number of values = 190 ÷ 5 = 38.

id=76931 | topic=Averages | difficulty=Easy | question=Find the average of 91, 68, 41, 80, 20. | option_a=59 | option_b=61 | option_c=60 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 300 ÷ 5 = 60.

id=76932 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=T | option_c=J | option_d=Y | answer=B | explanation=Move 5 positions forward from O; the resulting letter is T.

id=76933 | topic=Percentages | difficulty=Easy | question=What is 20% of 1668? | option_a=353 | option_b=323 | option_c=666 | option_d=333 | answer=D | explanation=20% of 1668 = (20/100) × 1668 = 333.

id=76934 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=76935 | topic=Averages | difficulty=Easy | question=Find the average of 46, 10, 62, 46, 75, 85, 77, 69, 14, 106. | option_a=61 | option_b=58 | option_c=60 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 590 ÷ 10 = 59.

id=76936 | topic=Percentages | difficulty=Easy | question=What is 20% of 1513? | option_a=297 | option_b=604 | option_c=302 | option_d=307 | answer=C | explanation=20% of 1513 = (20/100) × 1513 = 302.

id=76937 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1342. If it is sold at a profit of 40%, what is its selling price? | option_a=1382 | option_b=2012 | option_c=1878 | option_d=1744 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1342 × 140/100 = █1878.

id=76938 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32930 at 12% per annum for 2 years. | option_a=40833 | option_b=7803 | option_c=8003 | option_d=7903 | answer=D | explanation=SI = PRT/100 = 32930×12×2/100 = █7903.

id=76939 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=C | option_b=F | option_c=I | option_d=L | answer=C | explanation=Move 3 positions forward from F; the resulting letter is I.

id=76940 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=J | option_c=H | option_d=D | answer=C | explanation=Move 2 positions forward from F; the resulting letter is H.

id=76941 | topic=Percentages | difficulty=Easy | question=What is 40% of 1847? | option_a=1476 | option_b=728 | option_c=738 | option_d=748 | answer=C | explanation=40% of 1847 = (40/100) × 1847 = 738.

id=76942 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 30? | option_a=24 | option_b=16 | option_c=30 | option_d=20 | answer=C | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 30 is the odd one out.

id=76943 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 18, 26, 36? | option_a=26 | option_b=18 | option_c=36 | option_d=10 | answer=C | explanation=The first three numbers increase by 8, so the next should be 34. Therefore 36 is the odd one out.

id=76944 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=76945 | topic=Averages | difficulty=Easy | question=Find the average of 12, 51, 99, 82, 58, 90, 28. | option_a=60 | option_b=59 | option_c=61 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 420 ÷ 7 = 60.

id=76946 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 31? | option_a=22 | option_b=31 | option_c=10 | option_d=16 | answer=B | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 31 is the odd one out.

id=76947 | topic=Averages | difficulty=Easy | question=Find the average of 53, 19, 39. | option_a=39 | option_b=37 | option_c=38 | option_d=36 | answer=B | explanation=Average = sum of values ÷ number of values = 111 ÷ 3 = 37.

id=76948 | topic=Percentages | difficulty=Easy | question=What is 50% of 560? | option_a=280 | option_b=560 | option_c=290 | option_d=270 | answer=A | explanation=50% of 560 = (50/100) × 560 = 280.

id=76949 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:3 and the first is 45, what is the second? | option_a=45 | option_b=42 | option_c=48 | option_d=90 | answer=A | explanation=Scale factor = 45/3 = 15. Therefore second quantity = 3×15 = 45.

id=76950 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1539. If it is sold at a profit of 40%, what is its selling price? | option_a=2001 | option_b=1579 | option_c=2307 | option_d=2154 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1539 × 140/100 = █2154.

Aptitude Questions — Records 76,951-76,980 of 100,000

id=76951 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=76952 | topic=Averages | difficulty=Easy | question=Find the average of 65, 41, 59, 54, 36. | option_a=53 | option_b=51 | option_c=52 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 255 ÷ 5 = 51.

id=76953 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=C | option_b=X | option_c=N | option_d=S | answer=B | explanation=Move 5 positions forward from S; the resulting letter is X.

id=76954 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8339 at 15% per annum for 3 years. | option_a=3652 | option_b=12091 | option_c=3852 | option_d=3752 | answer=D | explanation=SI = PRT/100 = 8339×15×3/100 = **■**3752.

id=76955 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=39 | option_b=40 | option_c=32 | option_d=46 | answer=A | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.

id=76956 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=W | option_c=V | option_d=T | answer=C | explanation=Move 1 positions forward from U; the resulting letter is V.

id=76957 | topic=Averages | difficulty=Easy | question=Find the average of 77, 59, 59, 15, 94, 50. | option_a=58 | option_b=59 | option_c=60 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.

id=76958 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 32? | option_a=25 | option_b=20 | option_c=32 | option_d=15 | answer=C | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 32 is the odd one out.

id=76959 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4893. If it is sold at a profit of 5%, what is its selling price? | option_a=4648 | option_b=4898 | option_c=5137 | option_d=5626 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4893 × 105/100 = **■**5137.

id=76960 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=76961 | topic=Percentages | difficulty=Easy | question=What is 5% of 909? | option_a=45 | option_b=50 | option_c=90 | option_d=25 | answer=A | explanation=5% of 909 = (5/100) × 909 = 45.

id=76962 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:9 and the first is 130, what is the second? | option_a=108 | option_b=127 | option_c=247 | option_d=117 | answer=D | explanation=Scale factor = 130/10 = 13. Therefore second quantity = 9×13 = 117.

id=76963 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=Q | option_b=R | option_c=O | option_d=P | answer=A | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=76964 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=31 | option_c=72 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=76965 | topic=Averages | difficulty=Easy | question=Find the average of 27, 42, 26, 39, 89, 59, 40. | option_a=47 | option_b=45 | option_c=46 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 322 ÷ 7 = 46.

id=76966 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=76967 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2240. If it is sold at a profit of 15%, what is its selling price? | option_a=2576 | option_b=2352 | option_c=2800 | option_d=2255 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2240 × 115/100 = **■**2576.

id=76968 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=63 | option_b=52 | option_c=51 | option_d=39 | answer=C | explanation=The common difference is 12. Therefore the next term is 39 + 12 = 51.

id=76969 | topic=Averages | difficulty=Easy | question=Find the average of 90, 91, 91, 17, 21, 97, 59, 78. | option_a=69 | option_b=67 | option_c=70 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = 544 ÷ 8 = 68.

id=76970 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=27 | option_b=32 | option_c=35 | option_d=31 | answer=D | explanation=The common difference is 4. Therefore the next term is 27 + 4 = 31.

id=76971 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=10 | option_d=5 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=76972 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2885. If it is sold at a profit of 30%, what is its selling price? | option_a=4038 | option_b=2915 | option_c=3462 | option_d=3750 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2885 × 130/100 = **■**3750.

id=76973 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15075 at 5% per annum for 3 years. | option_a=17336 | option_b=2161 | option_c=2261 | option_d=2361 | answer=C | explanation=SI = PRT/100 = 15075×5×3/100 = **■**2261.

id=76974 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=76975 | topic=Averages | difficulty=Easy | question=Find the average of 74, 84, 62, 70, 15, 19. | option_a=56 | option_b=53 | option_c=54 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 324 ÷ 6 = 54.

id=76976 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=76977 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9211 at 5% per annum for 3 years. | option_a=1281 | option_b=10592 | option_c=1481 | option_d=1381 | answer=D | explanation=SI = PRT/100 = 9211×5×3/100 = **■**1381.

id=76978 | topic=Averages | difficulty=Easy | question=Find the average of 13, 35, 75, 55, 18, 76, 88, 65, 70. | option_a=56 | option_b=57 | option_c=55 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.

id=76979 | topic=Averages | difficulty=Easy | question=Find the average of 26, 90, 88, 58, 63, 59. | option_a=66 | option_b=63 | option_c=65 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 384 ÷ 6 = 64.

id=76980 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 76,981-77,010 of 100,000

id=76981 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=16 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=76982 | topic=Percentages | difficulty=Easy | question=What is 50% of 1852? | option_a=936 | option_b=921 | option_c=926 | option_d=1852 | answer=C | explanation=50% of 1852 = (50/100) × 1852 = 926.

id=76983 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1053. If it is sold at a profit of 25%, what is its selling price? | option_a=1078 | option_b=1316 | option_c=1421 | option_d=1211 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1053 × 125/100 = █1316.

id=76984 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 35? | option_a=12 | option_b=35 | option_c=26 | option_d=19 | answer=B | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 35 is the odd one out.

id=76985 | topic=Profit & Loss | difficulty=Easy | question=An article costs █917. If it is sold at a profit of 40%, what is its selling price? | option_a=1283 | option_b=957 | option_c=1192 | option_d=1374 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 917 × 140/100 = █1283.

id=76986 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=31 | option_b=32 | option_c=24 | option_d=38 | answer=A | explanation=The common difference is 7. Therefore the next term is 24 + 7 = 31.

id=76987 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 33, 40, 49? | option_a=26 | option_b=33 | option_c=40 | option_d=49 | answer=D | explanation=The first three numbers increase by 7, so the next should be 47. Therefore 49 is the odd one out.

id=76988 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=76989 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=48 | option_b=47 | option_c=58 | option_d=36 | answer=B | explanation=The common difference is 11. Therefore the next term is 36 + 11 = 47.

id=76990 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9549 at 12% per annum for 4 years. | option_a=4683 | option_b=14132 | option_c=4483 | option_d=4583 | answer=D | explanation=SI = PRT/100 = 9549×12×4/100 = █4583.

id=76991 | topic=Averages | difficulty=Easy | question=Find the average of 95, 49, 68, 14, 84, 50, 35, 84, 75, 26. | option_a=59 | option_b=60 | option_c=57 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 580 ÷ 10 = 58.

id=76992 | topic=Averages | difficulty=Easy | question=Find the average of 62, 61, 39, 17, 16, 50, 56. | option_a=45 | option_b=43 | option_c=42 | option_d=44 | answer=B | explanation=Average = sum of values ÷ number of values = 301 ÷ 7 = 43.

id=76993 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:19 and the first is 112, what is the second? | option_a=304 | option_b=416 | option_c=311 | option_d=285 | answer=A | explanation=Scale factor = 112/7 = 16. Therefore second quantity = 19×16 = 304.

id=76994 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3957. If it is sold at a profit of 15%, what is its selling price? | option_a=4945 | option_b=4550 | option_c=3972 | option_d=4155 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3957 × 115/100 = █4550.

id=76995 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:6 and the first is 182, what is the second? | option_a=84 | option_b=78 | option_c=97 | option_d=266 | answer=A | explanation=Scale factor = 182/13 = 14. Therefore second quantity = 6×14 = 84.

id=76996 | topic=Percentages | difficulty=Easy | question=What is 50% of 361? | option_a=180 | option_b=185 | option_c=360 | option_d=160 | answer=A | explanation=50% of 361 = (50/100) × 361 = 180.

id=76997 | topic=Averages | difficulty=Easy | question=Find the average of 47, 84, 13, 72, 86, 66, 59. | option_a=63 | option_b=62 | option_c=60 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 427 ÷ 7 = 61.

id=76998 | topic=Percentages | difficulty=Easy | question=What is 15% of 712? | option_a=212 | option_b=106 | option_c=86 | option_d=116 | answer=B | explanation=15% of 712 = (15/100) × 712 = 106.

id=76999 | topic=Averages | difficulty=Easy | question=Find the average of 86, 26, 28, 26, 69. | option_a=47 | option_b=48 | option_c=46 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 235 ÷ 5 = 47.

id=77000 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=77001 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=77002 | topic=Averages | difficulty=Easy | question=Find the average of 17, 55, 17, 58, 60, 37, 29. | option_a=40 | option_b=41 | option_c=39 | option_d=38 | answer=C | explanation=Average = sum of values ÷ number of values = 273 ÷ 7 = 39.

id=77003 | topic=Averages | difficulty=Easy | question=Find the average of 11, 82, 21, 15, 87, 32, 60. | option_a=43 | option_b=46 | option_c=44 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = 308 ÷ 7 = 44.

id=77004 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=77005 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does "T" become? | option_a=Z | option_b=Q | option_c=W | option_d=T | answer=C | explanation=Move 3 positions forward from T; the resulting letter is W.

id=77006 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21366 at 4% per annum for 4 years. | option_a=24784 | option_b=3418 | option_c=3318 | option_d=3518 | answer=B | explanation=SI = PRT/100 = 21366×4×4/100 = █3418.

id=77007 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does "P" become? | option_a=S | option_b=M | option_c=P | option_d=V | answer=A | explanation=Move 3 positions forward from P; the resulting letter is S.

id=77008 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:13 and the first is 24, what is the second? | option_a=143 | option_b=156 | option_c=158 | option_d=180 | answer=B | explanation=Scale factor = 24/2 = 12. Therefore second quantity = 13×12 = 156.

id=77009 | topic=Averages | difficulty=Easy | question=Find the average of 56, 98, 15, 76, 61, 67, 24, 51. | option_a=55 | option_b=58 | option_c=57 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 448 ÷ 8 = 56.

id=77010 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:18 and the first is 10, what is the second? | option_a=162 | option_b=181 | option_c=180 | option_d=190 | answer=C | explanation=Scale factor = 10/1 = 10. Therefore second quantity = 18×10 = 180.

Aptitude Questions — Records 77,011-77,040 of 100,000

id=77011 | topic=Averages | difficulty=Easy | question=Find the average of 93, 63, 15, 54, 81, 95, 39, 94, 70, 46. | option_a=66 | option_b=67 | option_c=65 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 650 ÷ 10 = 65.

id=77012 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=155 | option_c=300 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=77013 | topic=Averages | difficulty=Easy | question=Find the average of 94, 77, 23, 89, 53, 65, 56, 51, 50. | option_a=61 | option_b=64 | option_c=63 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 558 ÷ 9 = 62.

id=77014 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=O | option_b=F | option_c=I | option_d=L | answer=D | explanation=Move 3 positions forward from I; the resulting letter is L.

id=77015 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 4. | option_a=40 | option_b=30 | option_c=20 | option_d=16 | answer=C | explanation=LCM × HCF = 10×4; HCF(10,4) = 2, so LCM = 20.

id=77016 | topic=Percentages | difficulty=Easy | question=What is 40% of 948? | option_a=399 | option_b=369 | option_c=379 | option_d=758 | answer=C | explanation=40% of 948 = (40/100) × 948 = 379.

id=77017 | topic=Averages | difficulty=Easy | question=Find the average of 65, 19, 33. | option_a=38 | option_b=41 | option_c=40 | option_d=39 | answer=D | explanation=Average = sum of values ÷ number of values = 117 ÷ 3 = 39.

id=77018 | topic=Averages | difficulty=Easy | question=Find the average of 95, 44, 30, 49, 48, 66, 82, 26, 37. | option_a=55 | option_b=54 | option_c=53 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 477 ÷ 9 = 53.

id=77019 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:1 and the first is 10, what is the second? | option_a=11 | option_b=9 | option_c=10 | option_d=20 | answer=C | explanation=Scale factor = 10/1 = 10. Therefore second quantity = 1×10 = 10.

id=77020 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1607. If it is sold at a profit of 30%, what is its selling price? | option_a=1637 | option_b=2249 | option_c=1929 | option_d=2089 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1607 × 130/100 = █2089.

id=77021 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=J | option_b=N | option_c=B | option_d=F | answer=A | explanation=Move 4 positions forward from F; the resulting letter is J.

id=77022 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=X | option_b=T | option_c=B | option_d=P | answer=A | explanation=Move 4 positions forward from T; the resulting letter is X.

id=77023 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:18 and the first is 144, what is the second? | option_a=144 | option_b=306 | option_c=162 | option_d=178 | answer=C | explanation=Scale factor = 144/16 = 9. Therefore second quantity = 18×9 = 162.

id=77024 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=14 | option_c=4 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=77025 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=77026 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43724 at 6% per annum for 5 years. | option_a=56841 | option_b=13117 | option_c=13017 | option_d=13217 | answer=B | explanation=SI = PRT/100 = 43724×6×5/100 = █13117.

id=77027 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=77028 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=48 | option_b=47 | option_c=55 | option_d=39 | answer=B | explanation=The common difference is 8. Therefore the next term is 39 + 8 = 47.

id=77029 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=9 | option_c=14 | option_d=4 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=77030 | topic=Percentages | difficulty=Easy | question=What is 15% of 1697? | option_a=274 | option_b=508 | option_c=234 | option_d=254 | answer=D | explanation=15% of 1697 = (15/100) × 1697 = 254.

id=77031 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 15. | option_a=30 | option_b=45 | option_c=135 | option_d=54 | answer=B | explanation=LCM × HCF = 9×15; HCF(9,15) = 3, so LCM = 45.

id=77032 | topic=Profit & Loss | difficulty=Easy | question=An article costs █828. If it is sold at a profit of 50%, what is its selling price? | option_a=878 | option_b=1324 | option_c=1160 | option_d=1242 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 828 × 150/100 = █1242.

id=77033 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=50 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=77034 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=19 | option_c=48 | option_d=29 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=77035 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=80 | option_c=40 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=77036 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=T | option_b=U | option_c=V | option_d=W | answer=C | explanation=Move 1 positions forward from U; the resulting letter is V.

id=77037 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:11 and the first is 228, what is the second? | option_a=151 | option_b=132 | option_c=121 | option_d=360 | answer=B | explanation=Scale factor = 228/19 = 12. Therefore second quantity = 11×12 = 132.

id=77038 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=145 | option_c=155 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=77039 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=N | option_b=P | option_c=R | option_d=T | answer=C | explanation=Move 2 positions forward from P; the resulting letter is R.

id=77040 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 31, 36, 44? | option_a=26 | option_b=44 | option_c=31 | option_d=36 | answer=B | explanation=The first three numbers increase by 5, so the next should be 41. Therefore 44 is the odd one out.

Aptitude Questions — Records 77,041-77,070 of 100,000

- id=77041 | topic=Averages | difficulty=Easy | question=Find the average of 93, 66, 41, 30, 41, 88, 43, 39, 54. | option_a=57 | option_b=56 | option_c=55 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.
- id=77042 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=77043 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:4 and the first is 152, what is the second? | option_a=76 | option_b=228 | option_c=72 | option_d=84 | answer=A | explanation=Scale factor = 152/8 = 19. Therefore second quantity = 4×19 = 76.
- id=77044 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=95 | option_c=180 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.
- id=77045 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=T | option_c=X | option_d=R | answer=A | explanation=Move 2 positions forward from T; the resulting letter is V.
- id=77046 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49719 at 4% per annum for 3 years. | option_a=55685 | option_b=6066 | option_c=5966 | option_d=5866 | answer=C | explanation=SI = PRT/100 = 49719×4×3/100 = █5966.
- id=77047 | topic=Percentages | difficulty=Easy | question=What is 10% of 1772? | option_a=182 | option_b=177 | option_c=172 | option_d=354 | answer=B | explanation=10% of 1772 = (10/100) × 1772 = 177.
- id=77048 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 16, 26, 38? | option_a=26 | option_b=38 | option_c=6 | option_d=16 | answer=B | explanation=The first three numbers increase by 10, so the next should be 36. Therefore 38 is the odd one out.
- id=77049 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.
- id=77050 | topic=Percentages | difficulty=Easy | question=What is 15% of 1871? | option_a=300 | option_b=280 | option_c=275 | option_d=560 | answer=B | explanation=15% of 1871 = (15/100) × 1871 = 280.
- id=77051 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=6 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=77052 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 24. | option_a=504 | option_b=189 | option_c=144 | option_d=168 | answer=D | explanation=LCM × HCF = 21×24; HCF(21,24) = 3, so LCM = 168.
- id=77053 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:19 and the first is 45, what is the second? | option_a=72 | option_b=57 | option_c=102 | option_d=38 | answer=B | explanation=Scale factor = 45/15 = 3. Therefore second quantity = 19×3 = 57.
- id=77054 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 4. | option_a=72 | option_b=32 | option_c=36 | option_d=54 | answer=C | explanation=LCM × HCF = 18×4; HCF(18,4) = 2, so LCM = 36.
- id=77055 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=K | option_b=H | option_c=N | option_d=E | answer=A | explanation=Move 3 positions forward from H; the resulting letter is K.
- id=77056 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=77057 | topic=Averages | difficulty=Easy | question=Find the average of 12, 17, 49. | option_a=28 | option_b=26 | option_c=27 | option_d=25 | answer=B | explanation=Average = sum of values ÷ number of values = 78 ÷ 3 = 26.
- id=77058 | topic=Averages | difficulty=Easy | question=Find the average of 54, 84, 75, 52, 91, 76. | option_a=73 | option_b=72 | option_c=74 | option_d=71 | answer=B | explanation=Average = sum of values ÷ number of values = 432 ÷ 6 = 72.
- id=77059 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 34? | option_a=27 | option_b=22 | option_c=17 | option_d=34 | answer=D | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 34 is the odd one out.
- id=77060 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=25 | option_c=20 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.
- id=77061 | topic=Averages | difficulty=Easy | question=Find the average of 50, 24, 59, 75, 27, 53, 45, 29, 74, 54. | option_a=51 | option_b=48 | option_c=49 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 490 ÷ 10 = 49.
- id=77062 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28551 at 10% per annum for 4 years. | option_a=11520 | option_b=11320 | option_c=39971 | option_d=11420 | answer=D | explanation=SI = PRT/100 = 28551×10×4/100 = █11420.
- id=77063 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=27 | option_b=30 | option_c=22 | option_d=26 | answer=D | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.
- id=77064 | topic=Averages | difficulty=Easy | question=Find the average of 75, 28, 41, 31, 72, 92, 75, 86, 31. | option_a=61 | option_b=59 | option_c=60 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 531 ÷ 9 = 59.
- id=77065 | topic=Percentages | difficulty=Easy | question=What is 10% of 833? | option_a=63 | option_b=166 | option_c=83 | option_d=88 | answer=C | explanation=10% of 833 = (10/100) × 833 = 83.
- id=77066 | topic=Percentages | difficulty=Easy | question=What is 15% of 83? | option_a=17 | option_b=24 | option_c=0 | option_d=12 | answer=D | explanation=15% of 83 = (15/100) × 83 = 12.
- id=77067 | topic=Averages | difficulty=Easy | question=Find the average of 70, 52, 38, 55, 32, 18, 29, 32, 94, 20. | option_a=46 | option_b=44 | option_c=43 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = 440 ÷ 10 = 44.
- id=77068 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 34? | option_a=16 | option_b=34 | option_c=8 | option_d=24 | answer=B | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 34 is the odd one out.
- id=77069 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 34? | option_a=17 | option_b=9 | option_c=25 | option_d=34 | answer=D | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 34 is the odd one out.
- id=77070 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47344 at 6% per annum for 3 years. | option_a=8521 | option_b=55865 | option_c=8621 | option_d=8421 | answer=A | explanation=SI = PRT/100 = 47344×6×3/100 = █8521.

Aptitude Questions — Records 77,071-77,100 of 100,000

id=77071 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 46? | option_a=23 | option_b=46 | option_c=30 | option_d=37 | answer=B | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 46 is the odd one out.

id=77072 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 14. | option_a=28 | option_b=392 | option_c=14 | option_d=56 | answer=A | explanation=LCM × HCF = 28×14; HCF(28,14) = 14, so LCM = 28.

id=77073 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 34? | option_a=34 | option_b=30 | option_c=28 | option_d=26 | answer=A | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 34 is the odd one out.

id=77074 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37806 at 12% per annum for 3 years. | option_a=13510 | option_b=13710 | option_c=51416 | option_d=13610 | answer=D | explanation=SI = PRT/100 = 37806×12×3/100 = █13610.

id=77075 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=Q | option_b=O | option_c=P | option_d=R | answer=A | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=77076 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=J | option_b=O | option_c=E | option_d=Z | answer=A | explanation=Move 5 positions forward from E; the resulting letter is J.

id=77077 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 27? | option_a=18 | option_b=27 | option_c=4 | option_d=11 | answer=B | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 27 is the odd one out.

id=77078 | topic=Profit & Loss | difficulty=Easy | question=An article costs █391. If it is sold at a profit of 10%, what is its selling price? | option_a=391 | option_b=469 | option_c=401 | option_d=430 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 391 × 110/100 = █430.

id=77079 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 38? | option_a=25 | option_b=15 | option_c=38 | option_d=5 | answer=C | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 38 is the odd one out.

id=77080 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=58 | option_b=69 | option_c=47 | option_d=59 | answer=A | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.

id=77081 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=77082 | topic=Percentages | difficulty=Easy | question=What is 40% of 865? | option_a=346 | option_b=341 | option_c=366 | option_d=692 | answer=A | explanation=40% of 865 = (40/100) × 865 = 346.

id=77083 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=26 | option_b=38 | option_c=33 | option_d=32 | answer=D | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=77084 | topic=Averages | difficulty=Easy | question=Find the average of 68, 61, 33, 11, 54, 32, 42. | option_a=43 | option_b=44 | option_c=42 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 301 ÷ 7 = 43.

id=77085 | topic=Averages | difficulty=Easy | question=Find the average of 33, 46, 60, 78, 62, 43, 66, 92, 51. | option_a=60 | option_b=61 | option_c=59 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 531 ÷ 9 = 59.

id=77086 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33736 at 15% per annum for 2 years. | option_a=10020 | option_b=43856 | option_c=10220 | option_d=10120 | answer=D | explanation=SI = PRT/100 = 33736×15×2/100 = █10120.

id=77087 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=R | option_b=T | option_c=V | option_d=X | answer=C | explanation=Move 2 positions forward from T; the resulting letter is V.

id=77088 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:12 and the first is 108, what is the second? | option_a=144 | option_b=132 | option_c=252 | option_d=153 | answer=A | explanation=Scale factor = 108/9 = 12. Therefore second quantity = 12×12 = 144.

id=77089 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 34? | option_a=16 | option_b=34 | option_c=8 | option_d=24 | answer=B | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 34 is the odd one out.

id=77090 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=46 | option_b=55 | option_c=47 | option_d=37 | answer=A | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=77091 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=77092 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=27 | option_b=31 | option_c=35 | option_d=32 | answer=B | explanation=The common difference is 4. Therefore the next term is 27 + 4 = 31.

id=77093 | topic=Percentages | difficulty=Easy | question=What is 10% of 669? | option_a=61 | option_b=76 | option_c=132 | option_d=66 | answer=D | explanation=10% of 669 = (10/100) × 669 = 66.

id=77094 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=W | option_b=N | option_c=Q | option_d=T | answer=D | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=77095 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1821. If it is sold at a profit of 10%, what is its selling price? | option_a=1821 | option_b=1831 | option_c=2185 | option_d=2003 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1821 × 110/100 = █2003.

id=77096 | topic=Percentages | difficulty=Easy | question=What is 12% of 947? | option_a=113 | option_b=133 | option_c=93 | option_d=226 | answer=A | explanation=12% of 947 = (12/100) × 947 = 113.

id=77097 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=77098 | topic=Percentages | difficulty=Easy | question=What is 50% of 1508? | option_a=754 | option_b=1508 | option_c=734 | option_d=774 | answer=A | explanation=50% of 1508 = (50/100) × 1508 = 754.

id=77099 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=44 | option_b=64 | option_c=54 | option_d=55 | answer=C | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=77100 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:15 and the first is 51, what is the second? | option_a=306 | option_b=258 | option_c=240 | option_d=255 | answer=D | explanation=Scale factor = 51/3 = 17. Therefore second quantity = 15×17 = 255.

Aptitude Questions — Records 77,101-77,130 of 100,000

id=77101 | topic=Averages | difficulty=Easy | question=Find the average of 44, 46, 15, 30, 33, 99, 83. | option_a=49 | option_b=52 | option_c=51 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

id=77102 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45543 at 15% per annum for 4 years. | option_a=72868 | option_b=27325 | option_c=27225 | option_d=27425 | answer=B | explanation=SI = PRT/100 = 45543×15×4/100 = **■**27325.

id=77103 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=40 | option_b=53 | option_c=64 | option_d=52 | answer=D | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.

id=77104 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 35, 40, 47? | option_a=30 | option_b=40 | option_c=47 | option_d=35 | answer=C | explanation=The first three numbers increase by 5, so the next should be 45. Therefore 47 is the odd one out.

id=77105 | topic=Percentages | difficulty=Easy | question=What is 40% of 1396? | option_a=1116 | option_b=558 | option_c=538 | option_d=568 | answer=B | explanation=40% of 1396 = (40/100) × 1396 = 558.

id=77106 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2352. If it is sold at a profit of 20%, what is its selling price? | option_a=2372 | option_b=2587 | option_c=2822 | option_d=3057 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2352 × 120/100 = **■**2822.

id=77107 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=29 | option_b=34 | option_c=33 | option_d=37 | answer=C | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=77108 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4077. If it is sold at a profit of 30%, what is its selling price? | option_a=4893 | option_b=4107 | option_c=5707 | option_d=5300 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4077 × 130/100 = **■**5300.

id=77109 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=77110 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=N | option_b=W | option_c=Q | option_d=T | answer=D | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=77111 | topic=Percentages | difficulty=Easy | question=What is 30% of 301? | option_a=90 | option_b=110 | option_c=180 | option_d=85 | answer=A | explanation=30% of 301 = (30/100) × 301 = 90.

id=77112 | topic=Averages | difficulty=Easy | question=Find the average of 44, 32, 75, 73. | option_a=57 | option_b=56 | option_c=55 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 224 ÷ 4 = 56.

id=77113 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16535 at 5% per annum for 1 years. | option_a=726 | option_b=17361 | option_c=926 | option_d=826 | answer=D | explanation=SI = PRT/100 = 16535×5×1/100 = **■**826.

id=77114 | topic=Percentages | difficulty=Easy | question=What is 20% of 729? | option_a=150 | option_b=290 | option_c=135 | option_d=145 | answer=D | explanation=20% of 729 = (20/100) × 729 = 145.

id=77115 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4610. If it is sold at a profit of 50%, what is its selling price? | option_a=7376 | option_b=6915 | option_c=6454 | option_d=4660 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4610 × 150/100 = **■**6915.

id=77116 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 33? | option_a=16 | option_b=21 | option_c=33 | option_d=26 | answer=C | explanation=The first three numbers increase by 5, so the next should be 31. Therefore 33 is the odd one out.

id=77117 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3414. If it is sold at a profit of 30%, what is its selling price? | option_a=4779 | option_b=3444 | option_c=4438 | option_d=4097 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3414 × 130/100 = **■**4438.

id=77118 | topic=Averages | difficulty=Easy | question=Find the average of 87, 80, 47, 34. | option_a=64 | option_b=63 | option_c=62 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 248 ÷ 4 = 62.

id=77119 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43325 at 12% per annum for 5 years. | option_a=25895 | option_b=69320 | option_c=25995 | option_d=26095 | answer=C | explanation=SI = PRT/100 = 43325×12×5/100 = **■**25995.

id=77120 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:16 and the first is 16, what is the second? | option_a=272 | option_b=257 | option_c=240 | option_d=256 | answer=D | explanation=Scale factor = 16/1 = 16. Therefore second quantity = 16×16 = 256.

id=77121 | topic=Averages | difficulty=Easy | question=Find the average of 85, 59, 84, 88. | option_a=80 | option_b=81 | option_c=78 | option_d=79 | answer=D | explanation=Average = sum of values ÷ number of values = 316 ÷ 4 = 79.

id=77122 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 8. | option_a=48 | option_b=112 | option_c=56 | option_d=70 | answer=C | explanation=LCM × HCF = 14×8; HCF(14,8) = 2, so LCM = 56.

id=77123 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:2 and the first is 195, what is the second? | option_a=30 | option_b=225 | option_c=28 | option_d=43 | answer=A | explanation=Scale factor = 195/13 = 15. Therefore second quantity = 2×15 = 30.

id=77124 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 44? | option_a=44 | option_b=21 | option_c=11 | option_d=31 | answer=A | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 44 is the odd one out.

id=77125 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 23, 28, 36? | option_a=18 | option_b=28 | option_c=23 | option_d=36 | answer=D | explanation=The first three numbers increase by 5, so the next should be 33. Therefore 36 is the odd one out.

id=77126 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=77127 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2392. If it is sold at a profit of 25%, what is its selling price? | option_a=2751 | option_b=2990 | option_c=2417 | option_d=3229 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2392 × 125/100 = **■**2990.

id=77128 | topic=Averages | difficulty=Easy | question=Find the average of 32, 87, 39, 23, 74, 68, 63, 41, 55, 18. | option_a=49 | option_b=52 | option_c=51 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 500 ÷ 10 = 50.

id=77129 | topic=Percentages | difficulty=Easy | question=What is 5% of 1356? | option_a=67 | option_b=72 | option_c=134 | option_d=62 | answer=A | explanation=5% of 1356 = (5/100) × 1356 = 67.

id=77130 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:10 and the first is 144, what is the second? | option_a=188 | option_b=324 | option_c=170 | option_d=180 | answer=D | explanation=Scale factor = 144/8 = 18. Therefore second quantity = 10×18 = 180.

Aptitude Questions — Records 77,131-77,160 of 100,000

id=77131 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=C | option_b=U | option_c=Y | option_d=Q | answer=C | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=77132 | topic=Percentages | difficulty=Easy | question=What is 15% of 605? | option_a=110 | option_b=180 | option_c=85 | option_d=90 | answer=D | explanation=15% of 605 = (15/100) × 605 = 90.

id=77133 | topic=Percentages | difficulty=Easy | question=What is 40% of 1690? | option_a=681 | option_b=656 | option_c=676 | option_d=1352 | answer=C | explanation=40% of 1690 = (40/100) × 1690 = 676.

id=77134 | topic=Averages | difficulty=Easy | question=Find the average of 68, 31, 42, 59, 87, 40, 64, 65. | option_a=58 | option_b=57 | option_c=56 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

id=77135 | topic=Averages | difficulty=Easy | question=Find the average of 84, 59, 23, 81, 65, 60. | option_a=64 | option_b=62 | option_c=61 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 372 ÷ 6 = 62.

id=77136 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=77137 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3928. If it is sold at a profit of 15%, what is its selling price? | option_a=3943 | option_b=4517 | option_c=4909 | option_d=4125 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3928 × 115/100 = █4517.

id=77138 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 7. | option_a=14 | option_b=21 | option_c=42 | option_d=147 | answer=B | explanation=LCM × HCF = 21×7; HCF(21,7) = 7, so LCM = 21.

id=77139 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 14, 16, 20? | option_a=20 | option_b=16 | option_c=12 | option_d=14 | answer=A | explanation=The first three numbers increase by 2, so the next should be 18. Therefore 20 is the odd one out.

id=77140 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25498 at 8% per annum for 5 years. | option_a=10299 | option_b=10099 | option_c=10199 | option_d=35697 | answer=C | explanation=SI = PRT/100 = 25498×8×5/100 = █10199.

id=77141 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12809 at 12% per annum for 3 years. | option_a=4511 | option_b=17420 | option_c=4711 | option_d=4611 | answer=D | explanation=SI = PRT/100 = 12809×12×3/100 = █4611.

id=77142 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9537 at 8% per annum for 4 years. | option_a=3051 | option_b=3151 | option_c=12588 | option_d=2951 | answer=A | explanation=SI = PRT/100 = 9537×8×4/100 = █3051.

id=77143 | topic=Averages | difficulty=Easy | question=Find the average of 63, 67, 76, 93, 57, 22. | option_a=62 | option_b=64 | option_c=65 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 378 ÷ 6 = 63.

id=77144 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=22 | option_b=18 | option_c=19 | option_d=14 | answer=B | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.

id=77145 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=R | option_b=L | option_c=O | option_d=U | answer=A | explanation=Move 3 positions forward from O; the resulting letter is R.

id=77146 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:12 and the first is 20, what is the second? | option_a=108 | option_b=122 | option_c=120 | option_d=140 | answer=C | explanation=Scale factor = 20/2 = 10. Therefore second quantity = 12×10 = 120.

id=77147 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:4 and the first is 117, what is the second? | option_a=52 | option_b=61 | option_c=48 | option_d=169 | answer=A | explanation=Scale factor = 117/9 = 13. Therefore second quantity = 4×13 = 52.

id=77148 | topic=Percentages | difficulty=Easy | question=What is 20% of 536? | option_a=97 | option_b=107 | option_c=117 | option_d=214 | answer=B | explanation=20% of 536 = (20/100) × 536 = 107.

id=77149 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 19, 29, 41? | option_a=9 | option_b=19 | option_c=41 | option_d=29 | answer=C | explanation=The first three numbers increase by 10, so the next should be 39. Therefore 41 is the odd one out.

id=77150 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20507 at 6% per annum for 2 years. | option_a=2560 | option_b=2460 | option_c=22967 | option_d=2360 | answer=B | explanation=SI = PRT/100 = 20507×6×2/100 = █2460.

id=77151 | topic=Percentages | difficulty=Easy | question=What is 30% of 977? | option_a=313 | option_b=293 | option_c=283 | option_d=586 | answer=B | explanation=30% of 977 = (30/100) × 977 = 293.

id=77152 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5947 at 10% per annum for 4 years. | option_a=2478 | option_b=2278 | option_c=8325 | option_d=2378 | answer=D | explanation=SI = PRT/100 = 5947×10×4/100 = █2378.

id=77153 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 30? | option_a=20 | option_b=24 | option_c=16 | option_d=30 | answer=D | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 30 is the odd one out.

id=77154 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38932 at 6% per annum for 5 years. | option_a=11679 | option_b=11579 | option_c=11779 | option_d=50611 | answer=A | explanation=SI = PRT/100 = 38932×6×5/100 = █11679.

id=77155 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=77156 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42661 at 12% per annum for 4 years. | option_a=63138 | option_b=20477 | option_c=20577 | option_d=20377 | answer=B | explanation=SI = PRT/100 = 42661×12×4/100 = █20477.

id=77157 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18384 at 6% per annum for 5 years. | option_a=5615 | option_b=23899 | option_c=5515 | option_d=5415 | answer=C | explanation=SI = PRT/100 = 18384×6×5/100 = █5515.

id=77158 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=L | option_b=H | option_c=Z | option_d=D | answer=B | explanation=Move 4 positions forward from D; the resulting letter is H.

id=77159 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=77160 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 15. | option_a=18 | option_b=45 | option_c=15 | option_d=1 | answer=C | explanation=LCM × HCF = 3×15; HCF(3,15) = 3, so LCM = 15.

Aptitude Questions — Records 77,161-77,190 of 100,000

id=77161 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■28445 at 15% per annum for 2 years. | option_a=8433 | option_b=36978 | option_c=8533 | option_d=8633 | answer=C | explanation=SI = PRT/100 = 28445×15×2/100 = ■8533.

id=77162 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=24 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=77163 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:5 and the first is 90, what is the second? | option_a=45 | option_b=40 | option_c=55 | option_d=135 | answer=A | explanation=Scale factor = 90/10 = 9. Therefore second quantity = 5×9 = 45.

id=77164 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=7 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=77165 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=75 | option_c=85 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=77166 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 12, 14, 18? | option_a=12 | option_b=18 | option_c=10 | option_d=14 | answer=B | explanation=The first three numbers increase by 2, so the next should be 16. Therefore 18 is the odd one out.

id=77167 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=77168 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 5. | option_a=50 | option_b=25 | option_c=20 | option_d=125 | answer=B | explanation=LCM × HCF = 25×5; HCF(25,5) = 5, so LCM = 25.

id=77169 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=B | option_c=Z | option_d=F | answer=A | explanation=Move 2 positions forward from B; the resulting letter is D.

id=77170 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=I | option_b=A | option_c=W | option_d=E | answer=D | explanation=Move 4 positions forward from A; the resulting letter is E.

id=77171 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=19 | option_c=29 | option_d=48 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=77172 | topic=Averages | difficulty=Easy | question=Find the average of 28, 28, 65, 99. | option_a=57 | option_b=55 | option_c=56 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 220 ÷ 4 = 55.

id=77173 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 20. | option_a=120 | option_b=560 | option_c=140 | option_d=168 | answer=C | explanation=LCM × HCF = 28×20; HCF(28,20) = 4, so LCM = 140.

id=77174 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=43 | option_b=27 | option_c=35 | option_d=36 | answer=C | explanation=The common difference is 8. Therefore the next term is 27 + 8 = 35.

id=77175 | topic=Averages | difficulty=Easy | question=Find the average of 100, 67, 34, 98, 92, 61, 86, 54. | option_a=73 | option_b=74 | option_c=75 | option_d=76 | answer=B | explanation=Average = sum of values ÷ number of values = 592 ÷ 8 = 74.

id=77176 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=24 | option_c=7 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=77177 | topic=Averages | difficulty=Easy | question=Find the average of 76, 98, 57. | option_a=78 | option_b=77 | option_c=76 | option_d=79 | answer=B | explanation=Average = sum of values ÷ number of values = 231 ÷ 3 = 77.

id=77178 | topic=Percentages | difficulty=Easy | question=What is 15% of 1258? | option_a=376 | option_b=188 | option_c=198 | option_d=178 | answer=B | explanation=15% of 1258 = (15/100) × 1258 = 188.

id=77179 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 24. | option_a=64 | option_b=48 | option_c=24 | option_d=384 | answer=B | explanation=LCM × HCF = 16×24; HCF(16,24) = 8, so LCM = 48.

id=77180 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=P | option_c=S | option_d=J | answer=B | explanation=Move 3 positions forward from M; the resulting letter is P.

id=77181 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2730. If it is sold at a profit of 50%, what is its selling price? | option_a=2780 | option_b=4095 | option_c=4368 | option_d=3822 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2730 × 150/100 = ■4095.

id=77182 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:15 and the first is 360, what is the second? | option_a=630 | option_b=270 | option_c=290 | option_d=255 | answer=B | explanation=Scale factor = 360/20 = 18. Therefore second quantity = 15×18 = 270.

id=77183 | topic=Averages | difficulty=Easy | question=Find the average of 80, 32, 71, 48, 21, 52, 28, 41, 58, 29. | option_a=47 | option_b=46 | option_c=48 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = 460 ÷ 10 = 46.

id=77184 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 36, 43, 51? | option_a=43 | option_b=29 | option_c=36 | option_d=51 | answer=D | explanation=The first three numbers increase by 7, so the next should be 50. Therefore 51 is the odd one out.

id=77185 | topic=Averages | difficulty=Easy | question=Find the average of 19, 82, 78, 43, 58. | option_a=56 | option_b=58 | option_c=57 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 280 ÷ 5 = 56.

id=77186 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■46407 at 15% per annum for 4 years. | option_a=27744 | option_b=27844 | option_c=27944 | option_d=74251 | answer=B | explanation=SI = PRT/100 = 46407×15×4/100 = ■27844.

id=77187 | topic=Percentages | difficulty=Easy | question=What is 25% of 86? | option_a=1 | option_b=42 | option_c=21 | option_d=26 | answer=C | explanation=25% of 86 = (25/100) × 86 = 21.

id=77188 | topic=Averages | difficulty=Easy | question=Find the average of 44, 27, 49, 22, 49, 12, 105. | option_a=44 | option_b=46 | option_c=43 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 308 ÷ 7 = 44.

id=77189 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■8064 at 4% per annum for 5 years. | option_a=9676 | option_b=1612 | option_c=1712 | option_d=1512 | answer=B | explanation=SI = PRT/100 = 8064×4×5/100 = ■1612.

id=77190 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=300 | option_c=145 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

Aptitude Questions — Records 77,191-77,220 of 100,000

id=77191 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=22 | option_b=27 | option_c=23 | option_d=17 | answer=A | explanation=The common difference is 5. Therefore the next term is 17 + 5 = 22.

id=77192 | topic=Percentages | difficulty=Easy | question=What is 20% of 1490? | option_a=318 | option_b=298 | option_c=278 | option_d=596 | answer=B | explanation=20% of 1490 = (20/100) × 1490 = 298.

id=77193 | topic=Averages | difficulty=Easy | question=Find the average of 52, 17, 51, 25, 85. | option_a=48 | option_b=46 | option_c=47 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = 230 ÷ 5 = 46.

id=77194 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=240 | option_c=120 | option_d=125 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=77195 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:10 and the first is 42, what is the second? | option_a=44 | option_b=20 | option_c=72 | option_d=30 | answer=D | explanation=Scale factor = 42/14 = 3. Therefore second quantity = 10×3 = 30.

id=77196 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:16 and the first is 32, what is the second? | option_a=16 | option_b=48 | option_c=32 | option_d=64 | answer=C | explanation=Scale factor = 32/16 = 2. Therefore second quantity = 16×2 = 32.

id=77197 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:11 and the first is 190, what is the second? | option_a=198 | option_b=399 | option_c=209 | option_d=219 | answer=C | explanation=Scale factor = 190/10 = 19. Therefore second quantity = 11×19 = 209.

id=77198 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=U | option_b=L | option_c=O | option_d=R | answer=D | explanation=Move 3 positions forward from O; the resulting letter is R.

id=77199 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=77200 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 24, 27, 33? | option_a=33 | option_b=27 | option_c=21 | option_d=24 | answer=A | explanation=The first three numbers increase by 3, so the next should be 30. Therefore 33 is the odd one out.

id=77201 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 10. | option_a=40 | option_b=75 | option_c=50 | option_d=250 | answer=C | explanation=LCM × HCF = 25×10; HCF(25,10) = 5, so LCM = 50.

id=77202 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=56 | option_b=65 | option_c=57 | option_d=47 | answer=A | explanation=The common difference is 9. Therefore the next term is 47 + 9 = 56.

id=77203 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=50 | option_c=25 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=77204 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=G | option_b=L | option_c=Q | option_d=V | answer=C | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=77205 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=X | option_c=P | option_d=B | answer=B | explanation=Move 4 positions forward from T; the resulting letter is X.

id=77206 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=32 | option_b=31 | option_c=34 | option_d=28 | answer=B | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=77207 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹3794. If it is sold at a profit of 25%, what is its selling price? | option_a=3819 | option_b=5121 | option_c=4363 | option_d=4742 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3794 × 125/100 = ₹4742.

id=77208 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=42 | option_b=35 | option_c=47 | option_d=41 | answer=D | explanation=The common difference is 6. Therefore the next term is 35 + 6 = 41.

id=77209 | topic=Percentages | difficulty=Easy | question=What is 12% of 689? | option_a=72 | option_b=82 | option_c=164 | option_d=92 | answer=B | explanation=12% of 689 = (12/100) × 689 = 82.

id=77210 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 10, 13, 17? | option_a=13 | option_b=10 | option_c=7 | option_d=17 | answer=D | explanation=The first three numbers increase by 3, so the next should be 16. Therefore 17 is the odd one out.

id=77211 | topic=Percentages | difficulty=Easy | question=What is 5% of 1956? | option_a=97 | option_b=77 | option_c=102 | option_d=194 | answer=A | explanation=5% of 1956 = (5/100) × 1956 = 97.

id=77212 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=77213 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=77214 | topic=Percentages | difficulty=Easy | question=What is 25% of 1002? | option_a=500 | option_b=270 | option_c=250 | option_d=245 | answer=C | explanation=25% of 1002 = (25/100) × 1002 = 250.

id=77215 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 20, 28, 37? | option_a=37 | option_b=12 | option_c=28 | option_d=20 | answer=A | explanation=The first three numbers increase by 8, so the next should be 36. Therefore 37 is the odd one out.

id=77216 | topic=Averages | difficulty=Easy | question=Find the average of 85, 28, 43, 17, 15, 88, 96, 98, 24, 26. | option_a=54 | option_b=51 | option_c=52 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 520 ÷ 10 = 52.

id=77217 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 10, 12, 14, ? | option_a=16 | option_b=18 | option_c=17 | option_d=14 | answer=A | explanation=The common difference is 2. Therefore the next term is 14 + 2 = 16.

id=77218 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 13, 17, 22? | option_a=9 | option_b=17 | option_c=22 | option_d=13 | answer=C | explanation=The first three numbers increase by 4, so the next should be 21. Therefore 22 is the odd one out.

id=77219 | topic=Percentages | difficulty=Easy | question=What is 20% of 1233? | option_a=226 | option_b=492 | option_c=246 | option_d=256 | answer=C | explanation=20% of 1233 = (20/100) × 1233 = 246.

id=77220 | topic=Percentages | difficulty=Easy | question=What is 20% of 1888? | option_a=382 | option_b=367 | option_c=377 | option_d=754 | answer=C | explanation=20% of 1888 = (20/100) × 1888 = 377.

Aptitude Questions — Records 77,221-77,250 of 100,000

id=77221 | topic=Percentages | difficulty=Easy | question=What is 5% of 720? | option_a=31 | option_b=36 | option_c=41 | option_d=72 | answer=B | explanation=5% of 720 = (5/100) × 720 = 36.

id=77222 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=25 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=77223 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=20 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=77224 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=36 | option_b=48 | option_c=58 | option_d=47 | answer=D | explanation=The common difference is 11. Therefore the next term is 36 + 11 = 47.

id=77225 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=36 | option_b=35 | option_c=28 | option_d=42 | answer=B | explanation=The common difference is 7. Therefore the next term is 28 + 7 = 35.

id=77226 | topic=Percentages | difficulty=Easy | question=What is 15% of 59? | option_a=8 | option_b=16 | option_c=0 | option_d=18 | answer=A | explanation=15% of 59 = (15/100) × 59 = 8.

id=77227 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41045 at 10% per annum for 5 years. | option_a=61567 | option_b=20522 | option_c=20422 | option_d=20622 | answer=B | explanation=SI = PRT/100 = 41045×10×5/100 = **■**20522.

id=77228 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11673 at 4% per annum for 5 years. | option_a=2334 | option_b=14007 | option_c=2234 | option_d=2434 | answer=A | explanation=SI = PRT/100 = 11673×4×5/100 = **■**2334.

id=77229 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=77230 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 22? | option_a=22 | option_b=8 | option_c=2 | option_d=14 | answer=A | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 22 is the odd one out.

id=77231 | topic=Averages | difficulty=Easy | question=Find the average of 10, 50, 93. | option_a=50 | option_b=51 | option_c=52 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 153 ÷ 3 = 51.

id=77232 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 17, 25, 33, ? | option_a=33 | option_b=49 | option_c=42 | option_d=41 | answer=D | explanation=The common difference is 8. Therefore the next term is 33 + 8 = 41.

id=77233 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=120 | option_c=125 | option_d=115 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=77234 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1667. If it is sold at a profit of 10%, what is its selling price? | option_a=1667 | option_b=1677 | option_c=1833 | option_d=1999 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1667 × 110/100 = **■**1833.

id=77235 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=37 | option_b=33 | option_c=29 | option_d=34 | answer=B | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=77236 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=77237 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2665. If it is sold at a profit of 30%, what is its selling price? | option_a=2695 | option_b=3464 | option_c=3730 | option_d=3198 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2665 × 130/100 = **■**3464.

id=77238 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38394 at 12% per annum for 1 years. | option_a=43001 | option_b=4507 | option_c=4707 | option_d=4607 | answer=D | explanation=SI = PRT/100 = 38394×12×1/100 = **■**4607.

id=77239 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=30 | option_b=31 | option_c=35 | option_d=25 | answer=A | explanation=The common difference is 5. Therefore the next term is 25 + 5 = 30.

id=77240 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=53 | option_c=43 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=77241 | topic=Averages | difficulty=Easy | question=Find the average of 47, 90, 64, 39. | option_a=62 | option_b=59 | option_c=60 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 240 ÷ 4 = 60.

id=77242 | topic=Percentages | difficulty=Easy | question=What is 5% of 408? | option_a=0 | option_b=40 | option_c=25 | option_d=20 | answer=D | explanation=5% of 408 = (5/100) × 408 = 20.

id=77243 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 56? | option_a=45 | option_b=37 | option_c=29 | option_d=56 | answer=D | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 56 is the odd one out.

id=77244 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=20 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=77245 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13035 at 8% per annum for 3 years. | option_a=16163 | option_b=3128 | option_c=3228 | option_d=3028 | answer=B | explanation=SI = PRT/100 = 13035×8×3/100 = **■**3128.

id=77246 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:12 and the first is 56, what is the second? | option_a=152 | option_b=103 | option_c=96 | option_d=84 | answer=C | explanation=Scale factor = 56/7 = 8. Therefore second quantity = 12×8 = 96.

id=77247 | topic=Averages | difficulty=Easy | question=Find the average of 38, 46, 32, 16. | option_a=35 | option_b=32 | option_c=33 | option_d=34 | answer=C | explanation=Average = sum of values ÷ number of values = 132 ÷ 4 = 33.

id=77248 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:11 and the first is 136, what is the second? | option_a=187 | option_b=323 | option_c=195 | option_d=176 | answer=A | explanation=Scale factor = 136/8 = 17. Therefore second quantity = 11×17 = 187.

id=77249 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4002 at 12% per annum for 4 years. | option_a=5922 | option_b=1920 | option_c=2020 | option_d=1820 | answer=B | explanation=SI = PRT/100 = 4002×12×4/100 = **■**1920.

id=77250 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=31 | option_b=27 | option_c=33 | option_d=30 | answer=D | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.

Aptitude Questions — Records 77,251-77,280 of 100,000

id=77251 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=77252 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 9. | option_a=9 | option_b=27 | option_c=1 | option_d=12 | answer=A | explanation=LCM × HCF = 3×9; HCF(3,9) = 3, so LCM = 9.

id=77253 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:3 and the first is 272, what is the second? | option_a=65 | option_b=45 | option_c=48 | option_d=320 | answer=C | explanation=Scale factor = 272/17 = 16. Therefore second quantity = 3×16 = 48.

id=77254 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4037. If it is sold at a profit of 50%, what is its selling price? | option_a=6458 | option_b=4087 | option_c=6055 | option_d=5652 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4037 × 150/100 = █6055.

id=77255 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 28. | option_a=84 | option_b=336 | option_c=96 | option_d=56 | answer=A | explanation=LCM × HCF = 12×28; HCF(12,28) = 4, so LCM = 84.

id=77256 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=P | option_b=V | option_c=T | option_d=R | answer=C | explanation=Move 2 positions forward from R; the resulting letter is T.

id=77257 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10172 at 10% per annum for 2 years. | option_a=1934 | option_b=2134 | option_c=2034 | option_d=12206 | answer=C | explanation=SI = PRT/100 = 10172×10×2/100 = █2034.

id=77258 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2589. If it is sold at a profit of 50%, what is its selling price? | option_a=4141 | option_b=3883 | option_c=3625 | option_d=2639 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2589 × 150/100 = █3883.

id=77259 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 8, 12, 18? | option_a=4 | option_b=8 | option_c=18 | option_d=12 | answer=C | explanation=The first three numbers increase by 4, so the next should be 16. Therefore 18 is the odd one out.

id=77260 | topic=Percentages | difficulty=Easy | question=What is 15% of 1229? | option_a=204 | option_b=184 | option_c=164 | option_d=368 | answer=B | explanation=15% of 1229 = (15/100) × 1229 = 184.

id=77261 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=77262 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=6 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=77263 | topic=Averages | difficulty=Easy | question=Find the average of 99, 71, 33, 56, 90, 76, 39, 100, 23, 43. | option_a=64 | option_b=62 | option_c=63 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = 630 ÷ 10 = 63.

id=77264 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=100 | option_c=95 | option_d=200 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=77265 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=32 | option_b=46 | option_c=39 | option_d=40 | answer=C | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.

id=77266 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=J | option_c=P | option_d=S | answer=C | explanation=Move 3 positions forward from M; the resulting letter is P.

id=77267 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'i' become? | option_a=O | option_b=F | option_c=L | option_d=I | answer=C | explanation=Move 3 positions forward from i; the resulting letter is L.

id=77268 | topic=Percentages | difficulty=Easy | question=What is 5% of 1841? | option_a=82 | option_b=184 | option_c=92 | option_d=112 | answer=C | explanation=5% of 1841 = (5/100) × 1841 = 92.

id=77269 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=68 | option_b=56 | option_c=80 | option_d=69 | answer=A | explanation=The common difference is 12. Therefore the next term is 56 + 12 = 68.

id=77270 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 5. | option_a=75 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=LCM × HCF = 15×5; HCF(15,5) = 5, so LCM = 15.

id=77271 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=37 | option_b=49 | option_c=48 | option_d=59 | answer=C | explanation=The common difference is 11. Therefore the next term is 37 + 11 = 48.

id=77272 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:6 and the first is 88, what is the second? | option_a=66 | option_b=60 | option_c=154 | option_d=74 | answer=A | explanation=Scale factor = 88/8 = 11. Therefore second quantity = 6×11 = 66.

id=77273 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=15 | option_b=17 | option_c=16 | option_d=13 | answer=A | explanation=The common difference is 2. Therefore the next term is 13 + 2 = 15.

id=77274 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=77275 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21838 at 4% per annum for 2 years. | option_a=1747 | option_b=23585 | option_c=1647 | option_d=1847 | answer=A | explanation=SI = PRT/100 = 21838×4×2/100 = █1747.

id=77276 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=150 | option_c=70 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=77277 | topic=Percentages | difficulty=Easy | question=What is 5% of 1155? | option_a=62 | option_b=57 | option_c=52 | option_d=114 | answer=B | explanation=5% of 1155 = (5/100) × 1155 = 57.

id=77278 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=77279 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=A | option_c=B | option_d=Z | answer=C | explanation=Move 1 positions forward from A; the resulting letter is B.

id=77280 | topic=Averages | difficulty=Easy | question=Find the average of 10, 12, 11, 91. | option_a=32 | option_b=30 | option_c=31 | option_d=33 | answer=C | explanation=Average = sum of values ÷ number of values = 124 ÷ 4 = 31.

Aptitude Questions — Records 77,281-77,310 of 100,000

id=77281 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=77282 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=77283 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 37? | option_a=4 | option_b=14 | option_c=24 | option_d=37 | answer=D | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 37 is the odd one out.

id=77284 | topic=Percentages | difficulty=Easy | question=What is 20% of 523? | option_a=104 | option_b=114 | option_c=208 | option_d=84 | answer=A | explanation=20% of 523 = (20/100) × 523 = 104.

id=77285 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=R | option_b=O | option_c=L | option_d=I | answer=B | explanation=Move 3 positions forward from L; the resulting letter is O.

id=77286 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=77287 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 11, 20, 32? | option_a=32 | option_b=20 | option_c=2 | option_d=11 | answer=A | explanation=The first three numbers increase by 9, so the next should be 29. Therefore 32 is the odd one out.

id=77288 | topic=Averages | difficulty=Easy | question=Find the average of 35, 54, 32, 55. | option_a=44 | option_b=43 | option_c=46 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 176 ÷ 4 = 44.

id=77289 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=77290 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:2 and the first is 90, what is the second? | option_a=28 | option_b=100 | option_c=10 | option_d=8 | answer=C | explanation=Scale factor = 90/18 = 5. Therefore second quantity = 2×5 = 10.

id=77291 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=77292 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=29 | option_b=25 | option_c=33 | option_d=30 | answer=A | explanation=The common difference is 4. Therefore the next term is 25 + 4 = 29.

id=77293 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3952. If it is sold at a profit of 15%, what is its selling price? | option_a=3967 | option_b=4544 | option_c=4939 | option_d=4149 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3952 × 115/100 = █4544.

id=77294 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:18 and the first is 198, what is the second? | option_a=522 | option_b=324 | option_c=335 | option_d=306 | answer=B | explanation=Scale factor = 198/11 = 18. Therefore second quantity = 18×18 = 324.

id=77295 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2503. If it is sold at a profit of 25%, what is its selling price? | option_a=2878 | option_b=3128 | option_c=2528 | option_d=3378 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2503 × 125/100 = █3128.

id=77296 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=77297 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=77298 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 6. | option_a=126 | option_b=36 | option_c=63 | option_d=42 | answer=D | explanation=LCM × HCF = 21×6; HCF(21,6) = 3, so LCM = 42.

id=77299 | topic=Averages | difficulty=Easy | question=Find the average of 46, 90, 74, 58, 25, 19, 73. | option_a=57 | option_b=56 | option_c=55 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 385 ÷ 7 = 55.

id=77300 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=77301 | topic=Averages | difficulty=Easy | question=Find the average of 84, 76, 50, 40, 10, 29, 82. | option_a=54 | option_b=52 | option_c=55 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 371 ÷ 7 = 53.

id=77302 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 24, 33, 45? | option_a=33 | option_b=24 | option_c=15 | option_d=45 | answer=D | explanation=The first three numbers increase by 9, so the next should be 42. Therefore 45 is the odd one out.

id=77303 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 14, 20, 27? | option_a=8 | option_b=27 | option_c=20 | option_d=14 | answer=B | explanation=The first three numbers increase by 6, so the next should be 26. Therefore 27 is the odd one out.

id=77304 | topic=Averages | difficulty=Easy | question=Find the average of 41, 36, 55. | option_a=46 | option_b=45 | option_c=44 | option_d=43 | answer=C | explanation=Average = sum of values ÷ number of values = 132 ÷ 3 = 44.

id=77305 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=77306 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=24 | option_d=29 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=77307 | topic=Averages | difficulty=Easy | question=Find the average of 90, 20, 39, 14, 87. | option_a=52 | option_b=49 | option_c=51 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 250 ÷ 5 = 50.

id=77308 | topic=Averages | difficulty=Easy | question=Find the average of 60, 95, 88. | option_a=80 | option_b=81 | option_c=83 | option_d=82 | answer=B | explanation=Average = sum of values ÷ number of values = 243 ÷ 3 = 81.

id=77309 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=S | option_b=K | option_c=O | option_d=G | answer=C | explanation=Move 4 positions forward from K; the resulting letter is O.

id=77310 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=R | option_c=N | option_d=L | answer=A | explanation=Move 2 positions forward from N; the resulting letter is P.

Aptitude Questions — Records 77,311-77,340 of 100,000

id=77311 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 24. | option_a=1 | option_b=24 | option_c=576 | option_d=48 | answer=B | explanation= $LCM \times HCF = 24 \times 24$; $HCF(24,24) = 24$, so $LCM = 24$.

id=77312 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5220 at 6% per annum for 1 years. | option_a=313 | option_b=5533 | option_c=413 | option_d=213 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{5220 \times 6 \times 1}{100} = \text{■}313$.

id=77313 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=77314 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=70 | option_b=48 | option_c=59 | option_d=60 | answer=C | explanation=The common difference is 11. Therefore the next term is $48 + 11 = 59$.

id=77315 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=42 | option_b=51 | option_c=60 | option_d=52 | answer=B | explanation=The common difference is 9. Therefore the next term is $42 + 9 = 51$.

id=77316 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 43? | option_a=22 | option_b=28 | option_c=43 | option_d=34 | answer=C | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 43 is the odd one out.

id=77317 | topic=Percentages | difficulty=Easy | question=What is 5% of 1520? | option_a=81 | option_b=76 | option_c=71 | option_d=152 | answer=B | explanation= $5\% \text{ of } 1520 = \frac{5}{100} \times 1520 = 76$.

id=77318 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12108 at 15% per annum for 1 years. | option_a=13924 | option_b=1916 | option_c=1716 | option_d=1816 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{12108 \times 15 \times 1}{100} = \text{■}1816$.

id=77319 | topic=Percentages | difficulty=Easy | question=What is 30% of 838? | option_a=241 | option_b=261 | option_c=251 | option_d=502 | answer=C | explanation= $30\% \text{ of } 838 = \frac{30}{100} \times 838 = 251$.

id=77320 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation= $Speed = \frac{\text{distance}}{\text{time}} = \frac{120}{4} = 30$ km/h.

id=77321 | topic=Percentages | difficulty=Easy | question=What is 10% of 927? | option_a=72 | option_b=184 | option_c=112 | option_d=92 | answer=D | explanation= $10\% \text{ of } 927 = \frac{10}{100} \times 927 = 92$.

id=77322 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:6 and the first is 16, what is the second? | option_a=12 | option_b=6 | option_c=20 | option_d=28 | answer=A | explanation=Scale factor = $\frac{16}{8} = 2$. Therefore second quantity = $6 \times 2 = 12$.

id=77323 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=41 | option_c=36 | option_d=31 | answer=C | explanation= $Speed = \frac{\text{distance}}{\text{time}} = \frac{360}{10} = 36$ km/h.

id=77324 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=23 | option_d=36 | answer=A | explanation= $Speed = \frac{\text{distance}}{\text{time}} = \frac{180}{10} = 18$ km/h.

id=77325 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18198 at 4% per annum for 5 years. | option_a=3539 | option_b=3639 | option_c=3739 | option_d=21837 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{18198 \times 4 \times 5}{100} = \text{■}3639$.

id=77326 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=G | option_b=L | option_c=W | option_d=B | answer=A | explanation=Move 5 positions forward from B; the resulting letter is G.

id=77327 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:9 and the first is 80, what is the second? | option_a=81 | option_b=98 | option_c=90 | option_d=170 | answer=C | explanation=Scale factor = $\frac{80}{8} = 10$. Therefore second quantity = $9 \times 10 = 90$.

id=77328 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=55 | option_b=39 | option_c=48 | option_d=47 | answer=D | explanation=The common difference is 8. Therefore the next term is $39 + 8 = 47$.

id=77329 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 25, 30, 37? | option_a=37 | option_b=25 | option_c=20 | option_d=30 | answer=A | explanation=The first three numbers increase by 5, so the next should be 35. Therefore 37 is the odd one out.

id=77330 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=B | option_b=C | option_c=E | option_d=D | answer=D | explanation=Move 1 positions forward from C; the resulting letter is D.

id=77331 | topic=Averages | difficulty=Easy | question=Find the average of 71, 35, 19, 99. | option_a=56 | option_b=58 | option_c=55 | option_d=57 | answer=A | explanation= $Average = \frac{\text{sum of values}}{\text{number of values}} = \frac{224}{4} = 56$.

id=77332 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=360 | option_b=185 | option_c=175 | option_d=180 | answer=D | explanation= $Speed = \frac{\text{distance}}{\text{time}} = \frac{360}{2} = 180$ km/h.

id=77333 | topic=Percentages | difficulty=Easy | question=What is 50% of 358? | option_a=189 | option_b=159 | option_c=179 | option_d=358 | answer=C | explanation= $50\% \text{ of } 358 = \frac{50}{100} \times 358 = 179$.

id=77334 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48804 at 4% per annum for 1 years. | option_a=2052 | option_b=1952 | option_c=50756 | option_d=1852 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{48804 \times 4 \times 1}{100} = \text{■}1952$.

id=77335 | topic=Averages | difficulty=Easy | question=Find the average of 74, 62, 26. | option_a=54 | option_b=55 | option_c=56 | option_d=53 | answer=A | explanation= $Average = \frac{\text{sum of values}}{\text{number of values}} = \frac{162}{3} = 54$.

id=77336 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=17 | option_c=7 | option_d=24 | answer=A | explanation= $Speed = \frac{\text{distance}}{\text{time}} = \frac{60}{5} = 12$ km/h.

id=77337 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=P | option_b=R | option_c=S | option_d=Q | answer=B | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=77338 | topic=Averages | difficulty=Easy | question=Find the average of 88, 19, 19, 61, 39, 89, 44, 25. | option_a=49 | option_b=48 | option_c=50 | option_d=47 | answer=B | explanation= $Average = \frac{\text{sum of values}}{\text{number of values}} = \frac{384}{8} = 48$.

id=77339 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3487. If it is sold at a profit of 50%, what is its selling price? | option_a=3537 | option_b=4882 | option_c=5230 | option_d=5578 | answer=C | explanation= $Selling\ price = CP \times (100 + \text{profit}\%) / 100 = 3487 \times \frac{150}{100} = \text{■}5230$.

id=77340 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4843. If it is sold at a profit of 30%, what is its selling price? | option_a=6295 | option_b=6779 | option_c=5811 | option_d=4873 | answer=A | explanation= $Selling\ price = CP \times (100 + \text{profit}\%) / 100 = 4843 \times \frac{130}{100} = \text{■}6295$.

Aptitude Questions — Records 77,341-77,370 of 100,000

id=77341 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=58 | option_b=57 | option_c=46 | option_d=68 | answer=B | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.

id=77342 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2591. If it is sold at a profit of 30%, what is its selling price? | option_a=2621 | option_b=3368 | option_c=3627 | option_d=3109 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2591 × 130/100 = **■**3368.

id=77343 | topic=Averages | difficulty=Easy | question=Find the average of 29, 17, 12, 31, 62, 27, 48, 20, 24. | option_a=29 | option_b=30 | option_c=31 | option_d=32 | answer=B | explanation=Average = sum of values ÷ number of values = 270 ÷ 9 = 30.

id=77344 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 31, 34, 39? | option_a=28 | option_b=39 | option_c=31 | option_d=34 | answer=B | explanation=The first three numbers increase by 3, so the next should be 37. Therefore 39 is the odd one out.

id=77345 | topic=Averages | difficulty=Easy | question=Find the average of 44, 52, 88, 96, 28, 37, 59, 45, 100. | option_a=61 | option_b=62 | option_c=60 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 549 ÷ 9 = 61.

id=77346 | topic=Averages | difficulty=Easy | question=Find the average of 72, 33, 47, 96, 16, 30, 73, 97, 68, 28. | option_a=56 | option_b=55 | option_c=57 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 560 ÷ 10 = 56.

id=77347 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=26 | option_b=23 | option_c=25 | option_d=27 | answer=C | explanation=The common difference is 2. Therefore the next term is 23 + 2 = 25.

id=77348 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**838. If it is sold at a profit of 20%, what is its selling price? | option_a=922 | option_b=1005 | option_c=858 | option_d=1088 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 838 × 120/100 = **■**1005.

id=77349 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23923 at 6% per annum for 1 years. | option_a=1535 | option_b=1335 | option_c=25358 | option_d=1435 | answer=D | explanation=SI = PRT/100 = 23923×6×1/100 = **■**1435.

id=77350 | topic=Percentages | difficulty=Easy | question=What is 10% of 1992? | option_a=199 | option_b=398 | option_c=209 | option_d=189 | answer=A | explanation=10% of 1992 = (10/100) × 1992 = 199.

id=77351 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1580. If it is sold at a profit of 50%, what is its selling price? | option_a=1630 | option_b=2212 | option_c=2528 | option_d=2370 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1580 × 150/100 = **■**2370.

id=77352 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=24 | option_b=23 | option_c=26 | option_d=20 | answer=B | explanation=The common difference is 3. Therefore the next term is 20 + 3 = 23.

id=77353 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:19 and the first is 168, what is the second? | option_a=266 | option_b=278 | option_c=247 | option_d=434 | answer=A | explanation=Scale factor = 168/12 = 14. Therefore second quantity = 19×14 = 266.

id=77354 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=G | option_c=M | option_d=P | answer=C | explanation=Move 3 positions forward from J; the resulting letter is M.

id=77355 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=X | option_b=S | option_c=N | option_d=C | answer=A | explanation=Move 5 positions forward from S; the resulting letter is X.

id=77356 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21610 at 8% per annum for 5 years. | option_a=8744 | option_b=30254 | option_c=8544 | option_d=8644 | answer=D | explanation=SI = PRT/100 = 21610×8×5/100 = **■**8644.

id=77357 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 15, 21, 30? | option_a=21 | option_b=15 | option_c=9 | option_d=30 | answer=D | explanation=The first three numbers increase by 6, so the next should be 27. Therefore 30 is the odd one out.

id=77358 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=12 | option_b=7 | option_c=24 | option_d=17 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=77359 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=L | option_b=W | option_c=B | option_d=G | answer=D | explanation=Move 5 positions forward from B; the resulting letter is G.

id=77360 | topic=Averages | difficulty=Easy | question=Find the average of 47, 25, 52, 64. | option_a=49 | option_b=46 | option_c=47 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 188 ÷ 4 = 47.

id=77361 | topic=Percentages | difficulty=Easy | question=What is 40% of 967? | option_a=772 | option_b=381 | option_c=386 | option_d=391 | answer=C | explanation=40% of 967 = (40/100) × 967 = 386.

id=77362 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:2 and the first is 210, what is the second? | option_a=28 | option_b=30 | option_c=44 | option_d=240 | answer=B | explanation=Scale factor = 210/14 = 15. Therefore second quantity = 2×15 = 30.

id=77363 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 30, 34, 39? | option_a=26 | option_b=34 | option_c=30 | option_d=39 | answer=D | explanation=The first three numbers increase by 4, so the next should be 38. Therefore 39 is the odd one out.

id=77364 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=23 | option_b=21 | option_c=20 | option_d=17 | answer=C | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=77365 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**800. If it is sold at a profit of 25%, what is its selling price? | option_a=1080 | option_b=1000 | option_c=920 | option_d=825 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 800 × 125/100 = **■**1000.

id=77366 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:12 and the first is 170, what is the second? | option_a=374 | option_b=192 | option_c=214 | option_d=204 | answer=D | explanation=Scale factor = 170/10 = 17. Therefore second quantity = 12×17 = 204.

id=77367 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2176. If it is sold at a profit of 30%, what is its selling price? | option_a=2611 | option_b=3045 | option_c=2828 | option_d=2206 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2176 × 130/100 = **■**2828.

id=77368 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26129 at 10% per annum for 1 years. | option_a=2712 | option_b=28741 | option_c=2612 | option_d=2512 | answer=C | explanation=SI = PRT/100 = 26129×10×1/100 = **■**2612.

id=77369 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 23, 28, 35? | option_a=18 | option_b=35 | option_c=28 | option_d=23 | answer=B | explanation=The first three numbers increase by 5, so the next should be 33. Therefore 35 is the odd one out.

id=77370 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=Z | option_b=C | option_c=B | option_d=A | answer=C | explanation=Move 1 positions forward from A; the resulting letter is B.

Aptitude Questions — Records 77,371-77,400 of 100,000

id=77371 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 33, 43, 55? | option_a=43 | option_b=55 | option_c=33 | option_d=23 | answer=B | explanation=The first three numbers increase by 10, so the next should be 53. Therefore 55 is the odd one out.

id=77372 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47514 at 12% per annum for 5 years. | option_a=28608 | option_b=76022 | option_c=28408 | option_d=28508 | answer=D | explanation=SI = $PRT/100 = 47514 \times 12 \times 5/100 = \text{■}28508$.

id=77373 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13233 at 10% per annum for 3 years. | option_a=3869 | option_b=4069 | option_c=17202 | option_d=3969 | answer=D | explanation=SI = $PRT/100 = 13233 \times 10 \times 3/100 = \text{■}3969$.

id=77374 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:10 and the first is 14, what is the second? | option_a=140 | option_b=154 | option_c=130 | option_d=141 | answer=A | explanation=Scale factor = $14/1 = 14$. Therefore second quantity = $10 \times 14 = 140$.

id=77375 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16882 at 15% per annum for 4 years. | option_a=10129 | option_b=27011 | option_c=10029 | option_d=10229 | answer=A | explanation=SI = $PRT/100 = 16882 \times 15 \times 4/100 = \text{■}10129$.

id=77376 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2397 at 5% per annum for 5 years. | option_a=499 | option_b=599 | option_c=2996 | option_d=699 | answer=B | explanation=SI = $PRT/100 = 2397 \times 5 \times 5/100 = \text{■}599$.

id=77377 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 17? | option_a=8 | option_b=17 | option_c=11 | option_d=5 | answer=B | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 17 is the odd one out.

id=77378 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=34 | option_b=44 | option_c=45 | option_d=54 | answer=B | explanation=The common difference is 10. Therefore the next term is $34 + 10 = 44$.

id=77379 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=28 | option_b=31 | option_c=23 | option_d=27 | answer=D | explanation=The common difference is 4. Therefore the next term is $23 + 4 = 27$.

id=77380 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1368. If it is sold at a profit of 25%, what is its selling price? | option_a=1846 | option_b=1393 | option_c=1710 | option_d=1574 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1368 \times 125/100 = \text{■}1710$.

id=77381 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 18? | option_a=7 | option_b=3 | option_c=11 | option_d=18 | answer=D | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 18 is the odd one out.

id=77382 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=55 | option_c=100 | option_d=45 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 150 \div 3 = 50 \text{ km/h}$.

id=77383 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=P | option_b=K | option_c=U | option_d=F | answer=A | explanation=Move 5 positions forward from K; the resulting letter is P.

id=77384 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=T | option_c=L | option_d=X | answer=B | explanation=Move 4 positions forward from P; the resulting letter is T.

id=77385 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35430 at 10% per annum for 4 years. | option_a=14172 | option_b=49602 | option_c=14072 | option_d=14272 | answer=A | explanation=SI = $PRT/100 = 35430 \times 10 \times 4/100 = \text{■}14172$.

id=77386 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3974 at 15% per annum for 4 years. | option_a=6358 | option_b=2384 | option_c=2484 | option_d=2284 | answer=B | explanation=SI = $PRT/100 = 3974 \times 15 \times 4/100 = \text{■}2384$.

id=77387 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:1 and the first is 78, what is the second? | option_a=84 | option_b=19 | option_c=6 | option_d=5 | answer=C | explanation=Scale factor = $78/13 = 6$. Therefore second quantity = $1 \times 6 = 6$.

id=77388 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=29 | option_b=37 | option_c=33 | option_d=34 | answer=C | explanation=The common difference is 4. Therefore the next term is $29 + 4 = 33$.

id=77389 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=56 | option_b=57 | option_c=45 | option_d=67 | answer=A | explanation=The common difference is 11. Therefore the next term is $45 + 11 = 56$.

id=77390 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 23, 30, 39? | option_a=16 | option_b=39 | option_c=30 | option_d=23 | answer=B | explanation=The first three numbers increase by 7, so the next should be 37. Therefore 39 is the odd one out.

id=77391 | topic=Percentages | difficulty=Easy | question=What is 5% of 1022? | option_a=51 | option_b=31 | option_c=56 | option_d=102 | answer=A | explanation=5% of 1022 = $(5/100) \times 1022 = 51$.

id=77392 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=105 | option_c=200 | option_d=95 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 300 \div 3 = 100 \text{ km/h}$.

id=77393 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**796. If it is sold at a profit of 20%, what is its selling price? | option_a=876 | option_b=955 | option_c=816 | option_d=1034 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 796 \times 120/100 = \text{■}955$.

id=77394 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 10. | option_a=80 | option_b=70 | option_c=160 | option_d=96 | answer=A | explanation= $LCM \times HCF = 16 \times 10$; $HCF(16,10) = 2$, so $LCM = 80$.

id=77395 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=Z | option_b=V | option_c=R | option_d=N | answer=B | explanation=Move 4 positions forward from R; the resulting letter is V.

id=77396 | topic=Percentages | difficulty=Easy | question=What is 50% of 1955? | option_a=957 | option_b=987 | option_c=1954 | option_d=977 | answer=D | explanation=50% of 1955 = $(50/100) \times 1955 = 977$.

id=77397 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4834. If it is sold at a profit of 25%, what is its selling price? | option_a=5559 | option_b=6525 | option_c=6042 | option_d=4859 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4834 \times 125/100 = \text{■}6042$.

id=77398 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19514 at 4% per annum for 4 years. | option_a=3022 | option_b=3122 | option_c=3222 | option_d=22636 | answer=B | explanation=SI = $PRT/100 = 19514 \times 4 \times 4/100 = \text{■}3122$.

id=77399 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=J | option_b=K | option_c=I | option_d=H | answer=A | explanation=Move 1 positions forward from I; the resulting letter is J.

id=77400 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 35? | option_a=29 | option_b=25 | option_c=21 | option_d=35 | answer=D | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 35 is the odd one out.

Aptitude Questions — Records 77,401-77,430 of 100,000

- id=77401 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4515. If it is sold at a profit of 20%, what is its selling price? | option_a=4535 | option_b=5418 | option_c=5869 | option_d=4967 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4515 × 120/100 = █5418.
- id=77402 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=40 | option_b=36 | option_c=37 | option_d=32 | answer=B | explanation=The common difference is 4. Therefore the next term is 32 + 4 = 36.
- id=77403 | topic=Profit & Loss | difficulty=Easy | question=An article costs █546. If it is sold at a profit of 10%, what is its selling price? | option_a=600 | option_b=556 | option_c=546 | option_d=654 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 546 × 110/100 = █600.
- id=77404 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:20 and the first is 204, what is the second? | option_a=444 | option_b=240 | option_c=220 | option_d=257 | answer=B | explanation=Scale factor = 204/17 = 12. Therefore second quantity = 20×12 = 240.
- id=77405 | topic=Averages | difficulty=Easy | question=Find the average of 37, 45, 60, 69, 16, 64, 84, 49, 93, 33. | option_a=54 | option_b=55 | option_c=57 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 550 ÷ 10 = 55.
- id=77406 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 16? | option_a=16 | option_b=11 | option_c=7 | option_d=3 | answer=A | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 16 is the odd one out.
- id=77407 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 9, 12, 18? | option_a=12 | option_b=6 | option_c=9 | option_d=18 | answer=D | explanation=The first three numbers increase by 3, so the next should be 15. Therefore 18 is the odd one out.
- id=77408 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 20, 23, 28? | option_a=23 | option_b=20 | option_c=28 | option_d=17 | answer=C | explanation=The first three numbers increase by 3, so the next should be 26. Therefore 28 is the odd one out.
- id=77409 | topic=Averages | difficulty=Easy | question=Find the average of 47, 67, 31, 79, 26, 47, 71, 48. | option_a=53 | option_b=54 | option_c=51 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.
- id=77410 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.
- id=77411 | topic=Averages | difficulty=Easy | question=Find the average of 84, 37, 38, 53, 81, 73. | option_a=62 | option_b=60 | option_c=61 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = 366 ÷ 6 = 61.
- id=77412 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24444 at 12% per annum for 4 years. | option_a=36177 | option_b=11633 | option_c=11733 | option_d=11833 | answer=C | explanation=SI = PRT/100 = 24444×12×4/100 = █11733.
- id=77413 | topic=Percentages | difficulty=Easy | question=What is 25% of 713? | option_a=178 | option_b=198 | option_c=356 | option_d=168 | answer=A | explanation=25% of 713 = (25/100) × 713 = 178.
- id=77414 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:10 and the first is 64, what is the second? | option_a=70 | option_b=144 | option_c=80 | option_d=88 | answer=C | explanation=Scale factor = 64/8 = 8. Therefore second quantity = 10×8 = 80.
- id=77415 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.
- id=77416 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=77417 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=34 | option_b=30 | option_c=31 | option_d=26 | answer=B | explanation=The common difference is 4. Therefore the next term is 26 + 4 = 30.
- id=77418 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=7 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.
- id=77419 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 34? | option_a=10 | option_b=24 | option_c=34 | option_d=17 | answer=C | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 34 is the odd one out.
- id=77420 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=30 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.
- id=77421 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:1 and the first is 18, what is the second? | option_a=17 | option_b=36 | option_c=19 | option_d=18 | answer=D | explanation=Scale factor = 18/1 = 18. Therefore second quantity = 1×18 = 18.
- id=77422 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=24 | option_c=29 | option_d=19 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.
- id=77423 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 32? | option_a=24 | option_b=12 | option_c=32 | option_d=18 | answer=C | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 32 is the odd one out.
- id=77424 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=52 | option_b=38 | option_c=46 | option_d=45 | answer=D | explanation=The common difference is 7. Therefore the next term is 38 + 7 = 45.
- id=77425 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=77426 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=29 | option_b=30 | option_c=32 | option_d=26 | answer=A | explanation=The common difference is 3. Therefore the next term is 26 + 3 = 29.
- id=77427 | topic=Percentages | difficulty=Easy | question=What is 25% of 519? | option_a=258 | option_b=129 | option_c=109 | option_d=134 | answer=B | explanation=25% of 519 = (25/100) × 519 = 129.
- id=77428 | topic=Averages | difficulty=Easy | question=Find the average of 28, 60, 82, 24, 86. | option_a=58 | option_b=56 | option_c=57 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 280 ÷ 5 = 56.
- id=77429 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=C | option_b=G | option_c=E | option_d=I | answer=B | explanation=Move 2 positions forward from E; the resulting letter is G.
- id=77430 | topic=Averages | difficulty=Easy | question=Find the average of 33, 52, 77, 37, 66, 65. | option_a=54 | option_b=56 | option_c=55 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 330 ÷ 6 = 55.

Aptitude Questions — Records 77,431-77,460 of 100,000

id=77431 | topic=Averages | difficulty=Easy | question=Find the average of 99, 26, 49, 90, 78, 40, 42, 54, 26. | option_a=58 | option_b=57 | option_c=55 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=77432 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=30 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=77433 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 6. | option_a=60 | option_b=180 | option_c=24 | option_d=30 | answer=D | explanation=LCM × HCF = 30×6; HCF(30,6) = 6, so LCM = 30.

id=77434 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=50 | option_b=32 | option_c=42 | option_d=41 | answer=D | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

id=77435 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=77436 | topic=Percentages | difficulty=Easy | question=What is 12% of 879? | option_a=210 | option_b=105 | option_c=110 | option_d=100 | answer=B | explanation=12% of 879 = (12/100) × 879 = 105.

id=77437 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=20 | option_b=26 | option_c=24 | option_d=23 | answer=D | explanation=The common difference is 3. Therefore the next term is 20 + 3 = 23.

id=77438 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 21, 28, 38? | option_a=28 | option_b=38 | option_c=21 | option_d=14 | answer=B | explanation=The first three numbers increase by 7, so the next should be 35. Therefore 38 is the odd one out.

id=77439 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 21, 27, 36? | option_a=21 | option_b=15 | option_c=36 | option_d=27 | answer=C | explanation=The first three numbers increase by 6, so the next should be 33. Therefore 36 is the odd one out.

id=77440 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=60 | option_b=69 | option_c=49 | option_d=59 | answer=D | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

id=77441 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=37 | option_b=27 | option_c=32 | option_d=33 | answer=C | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

id=77442 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 14, 21, 31? | option_a=14 | option_b=7 | option_c=31 | option_d=21 | answer=C | explanation=The first three numbers increase by 7, so the next should be 28. Therefore 31 is the odd one out.

id=77443 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=26 | option_b=23 | option_c=18 | option_d=22 | answer=D | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

id=77444 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 23, 27, 33? | option_a=19 | option_b=33 | option_c=27 | option_d=23 | answer=B | explanation=The first three numbers increase by 4, so the next should be 31. Therefore 33 is the odd one out.

id=77445 | topic=Averages | difficulty=Easy | question=Find the average of 61, 79, 31, 41, 55, 93, 19, 70, 37. | option_a=56 | option_b=54 | option_c=55 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 486 ÷ 9 = 54.

id=77446 | topic=Percentages | difficulty=Easy | question=What is 12% of 318? | option_a=38 | option_b=76 | option_c=33 | option_d=43 | answer=A | explanation=12% of 318 = (12/100) × 318 = 38.

id=77447 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 13, 20, 28? | option_a=20 | option_b=6 | option_c=28 | option_d=13 | answer=C | explanation=The first three numbers increase by 7, so the next should be 27. Therefore 28 is the odd one out.

id=77448 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4910. If it is sold at a profit of 50%, what is its selling price? | option_a=4960 | option_b=7856 | option_c=7365 | option_d=6874 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4910 × 150/100 = █7365.

id=77449 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=77450 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=77451 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:17 and the first is 108, what is the second? | option_a=312 | option_b=414 | option_c=289 | option_d=306 | answer=D | explanation=Scale factor = 108/6 = 18. Therefore second quantity = 17×18 = 306.

id=77452 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:10 and the first is 156, what is the second? | option_a=276 | option_b=120 | option_c=110 | option_d=133 | answer=B | explanation=Scale factor = 156/13 = 12. Therefore second quantity = 10×12 = 120.

id=77453 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41165 at 4% per annum for 5 years. | option_a=8233 | option_b=8133 | option_c=8333 | option_d=49398 | answer=A | explanation=SI = PRT/100 = 41165×4×5/100 = █8233.

id=77454 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=77455 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1304 at 8% per annum for 2 years. | option_a=208 | option_b=1512 | option_c=308 | option_d=108 | answer=A | explanation=SI = PRT/100 = 1304×8×2/100 = █208.

id=77456 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=90 | option_c=40 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=77457 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 22. | option_a=96 | option_b=176 | option_c=66 | option_d=88 | answer=D | explanation=LCM × HCF = 8×22; HCF(8,22) = 2, so LCM = 88.

id=77458 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=C | option_b=E | option_c=D | option_d=F | answer=B | explanation=Move 1 positions forward from D; the resulting letter is E.

id=77459 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=K | option_b=N | option_c=M | option_d=L | answer=C | explanation=Move 1 positions forward from L; the resulting letter is M.

id=77460 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14052 at 12% per annum for 3 years. | option_a=5058 | option_b=5158 | option_c=19110 | option_d=4958 | answer=A | explanation=SI = PRT/100 = 14052×12×3/100 = █5058.

Aptitude Questions — Records 77,461-77,490 of 100,000

- id=77461 | topic=Averages | difficulty=Easy | question=Find the average of 71, 72, 45, 76. | option_a=67 | option_b=68 | option_c=66 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = 264 ÷ 4 = 66.
- id=77462 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2158. If it is sold at a profit of 15%, what is its selling price? | option_a=2266 | option_b=2696 | option_c=2481 | option_d=2173 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2158 × 115/100 = █2481.
- id=77463 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2429. If it is sold at a profit of 50%, what is its selling price? | option_a=3885 | option_b=3401 | option_c=3643 | option_d=2479 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2429 × 150/100 = █3643.
- id=77464 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43416 at 15% per annum for 3 years. | option_a=19637 | option_b=19537 | option_c=62953 | option_d=19437 | answer=B | explanation=SI = PRT/100 = 43416×15×3/100 = █19537.
- id=77465 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=29 | option_b=35 | option_c=32 | option_d=33 | answer=C | explanation=The common difference is 3. Therefore the next term is 29 + 3 = 32.
- id=77466 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=57 | option_b=56 | option_c=66 | option_d=46 | answer=B | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.
- id=77467 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 32, 42, 55? | option_a=32 | option_b=22 | option_c=55 | option_d=42 | answer=C | explanation=The first three numbers increase by 10, so the next should be 52. Therefore 55 is the odd one out.
- id=77468 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 11, 20, 31? | option_a=20 | option_b=11 | option_c=31 | option_d=2 | answer=C | explanation=The first three numbers increase by 9, so the next should be 29. Therefore 31 is the odd one out.
- id=77469 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1112 at 4% per annum for 2 years. | option_a=0 | option_b=88 | option_c=188 | option_d=1200 | answer=B | explanation=SI = PRT/100 = 1112×4×2/100 = █88.
- id=77470 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=33 | option_b=40 | option_c=26 | option_d=34 | answer=A | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.
- id=77471 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:20 and the first is 120, what is the second? | option_a=240 | option_b=140 | option_c=100 | option_d=120 | answer=D | explanation=Scale factor = 120/20 = 6. Therefore second quantity = 20×6 = 120.
- id=77472 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34918 at 10% per annum for 4 years. | option_a=48885 | option_b=13967 | option_c=13867 | option_d=14067 | answer=B | explanation=SI = PRT/100 = 34918×10×4/100 = █13967.
- id=77473 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.
- id=77474 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:14 and the first is 15, what is the second? | option_a=56 | option_b=85 | option_c=70 | option_d=73 | answer=C | explanation=Scale factor = 15/3 = 5. Therefore second quantity = 14×5 = 70.
- id=77475 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45531 at 12% per annum for 3 years. | option_a=16291 | option_b=61922 | option_c=16491 | option_d=16391 | answer=D | explanation=SI = PRT/100 = 45531×12×3/100 = █16391.
- id=77476 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4435 at 12% per annum for 2 years. | option_a=1064 | option_b=1164 | option_c=964 | option_d=5499 | answer=A | explanation=SI = PRT/100 = 4435×12×2/100 = █1064.
- id=77477 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:5 and the first is 140, what is the second? | option_a=240 | option_b=100 | option_c=95 | option_d=107 | answer=B | explanation=Scale factor = 140/7 = 20. Therefore second quantity = 5×20 = 100.
- id=77478 | topic=Percentages | difficulty=Easy | question=What is 40% of 1553? | option_a=611 | option_b=621 | option_c=631 | option_d=1242 | answer=B | explanation=40% of 1553 = (40/100) × 1553 = 621.
- id=77479 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 16. | option_a=448 | option_b=96 | option_c=112 | option_d=140 | answer=C | explanation=LCM × HCF = 28×16; HCF(28,16) = 4, so LCM = 112.
- id=77480 | topic=Percentages | difficulty=Easy | question=What is 5% of 1431? | option_a=76 | option_b=71 | option_c=142 | option_d=66 | answer=B | explanation=5% of 1431 = (5/100) × 1431 = 71.
- id=77481 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=Z | option_c=N | option_d=V | answer=D | explanation=Move 4 positions forward from R; the resulting letter is V.
- id=77482 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=77483 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=S | option_c=Q | option_d=M | answer=C | explanation=Move 2 positions forward from O; the resulting letter is Q.
- id=77484 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.
- id=77485 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1960. If it is sold at a profit of 15%, what is its selling price? | option_a=2450 | option_b=2254 | option_c=1975 | option_d=2058 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1960 × 115/100 = █2254.
- id=77486 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=X | option_b=P | option_c=T | option_d=L | answer=C | explanation=Move 4 positions forward from P; the resulting letter is T.
- id=77487 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 9, 16, 25? | option_a=2 | option_b=16 | option_c=25 | option_d=9 | answer=C | explanation=The first three numbers increase by 7, so the next should be 23. Therefore 25 is the odd one out.
- id=77488 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=O | option_c=Q | option_d=M | answer=C | explanation=Move 2 positions forward from O; the resulting letter is Q.
- id=77489 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:4 and the first is 238, what is the second? | option_a=294 | option_b=52 | option_c=56 | option_d=73 | answer=C | explanation=Scale factor = 238/17 = 14. Therefore second quantity = 4×14 = 56.
- id=77490 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=K | option_c=Q | option_d=T | answer=C | explanation=Move 3 positions forward from N; the resulting letter is Q.

Aptitude Questions — Records 77,491-77,520 of 100,000

id=77491 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:13 and the first is 33, what is the second? | option_a=72 | option_b=39 | option_c=50 | option_d=26 | answer=B | explanation=Scale factor = 33/11 = 3. Therefore second quantity = 13×3 = 39.

id=77492 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=N | option_c=T | option_d=R | answer=D | explanation=Move 2 positions forward from P; the resulting letter is R.

id=77493 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=70 | option_c=75 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=77494 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=105 | option_c=200 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=77495 | topic=Averages | difficulty=Easy | question=Find the average of 13, 74, 28, 99, 17, 50, 76. | option_a=51 | option_b=52 | option_c=50 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.

id=77496 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=29 | option_b=35 | option_c=32 | option_d=33 | answer=C | explanation=The common difference is 3. Therefore the next term is 29 + 3 = 32.

id=77497 | topic=Averages | difficulty=Easy | question=Find the average of 99, 25, 20, 59, 63, 34. | option_a=52 | option_b=50 | option_c=51 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 300 ÷ 6 = 50.

id=77498 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 22? | option_a=15 | option_b=22 | option_c=17 | option_d=13 | answer=B | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 22 is the odd one out.

id=77499 | topic=Averages | difficulty=Easy | question=Find the average of 45, 16, 14, 22, 40, 61. | option_a=35 | option_b=34 | option_c=32 | option_d=33 | answer=D | explanation=Average = sum of values ÷ number of values = 198 ÷ 6 = 33.

id=77500 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=5 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=77501 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=13 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=77502 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=77503 | topic=Percentages | difficulty=Easy | question=What is 15% of 1093? | option_a=158 | option_b=326 | option_c=163 | option_d=173 | answer=C | explanation=15% of 1093 = (15/100) × 1093 = 163.

id=77504 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=35 | option_b=40 | option_c=36 | option_d=30 | answer=A | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=77505 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=41 | option_b=51 | option_c=52 | option_d=61 | answer=B | explanation=The common difference is 10. Therefore the next term is 41 + 10 = 51.

id=77506 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 10. | option_a=90 | option_b=108 | option_c=80 | option_d=180 | answer=A | explanation=LCM × HCF = 18×10; HCF(18,10) = 2, so LCM = 90.

id=77507 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 33, 43, 55? | option_a=43 | option_b=55 | option_c=33 | option_d=23 | answer=B | explanation=The first three numbers increase by 10, so the next should be 53. Therefore 55 is the odd one out.

id=77508 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=77509 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31700 at 6% per annum for 1 years. | option_a=1802 | option_b=1902 | option_c=2002 | option_d=33602 | answer=B | explanation=SI = PRT/100 = 31700×6×1/100 = **■**1902.

id=77510 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=125 | option_b=120 | option_c=115 | option_d=240 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=77511 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=L | option_b=T | option_c=X | option_d=P | answer=B | explanation=Move 4 positions forward from P; the resulting letter is T.

id=77512 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:18 and the first is 135, what is the second? | option_a=405 | option_b=279 | option_c=270 | option_d=252 | answer=C | explanation=Scale factor = 135/9 = 15. Therefore second quantity = 18×15 = 270.

id=77513 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=K | option_b=B | option_c=E | option_d=H | answer=D | explanation=Move 3 positions forward from E; the resulting letter is H.

id=77514 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=5 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=77515 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=77516 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**887. If it is sold at a profit of 30%, what is its selling price? | option_a=1065 | option_b=1241 | option_c=1153 | option_d=917 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 887 × 130/100 = **■**1153.

id=77517 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=77518 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1518. If it is sold at a profit of 25%, what is its selling price? | option_a=2048 | option_b=1543 | option_c=1897 | option_d=1746 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1518 × 125/100 = **■**1897.

id=77519 | topic=Percentages | difficulty=Easy | question=What is 20% of 1424? | option_a=264 | option_b=284 | option_c=568 | option_d=289 | answer=B | explanation=20% of 1424 = (20/100) × 1424 = 284.

id=77520 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 77,521-77,550 of 100,000

id=77521 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:12 and the first is 64, what is the second? | option_a=36 | option_b=112 | option_c=64 | option_d=48 | answer=D | explanation=Scale factor = 64/16 = 4. Therefore second quantity = 12×4 = 48.

id=77522 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=53 | option_b=47 | option_c=39 | option_d=46 | answer=D | explanation=The common difference is 7. Therefore the next term is 39 + 7 = 46.

id=77523 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4260. If it is sold at a profit of 15%, what is its selling price? | option_a=4275 | option_b=5325 | option_c=4473 | option_d=4899 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4260 × 115/100 = █4899.

id=77524 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 17? | option_a=13 | option_b=11 | option_c=9 | option_d=17 | answer=D | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 17 is the odd one out.

id=77525 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35074 at 15% per annum for 1 years. | option_a=5261 | option_b=5161 | option_c=5361 | option_d=40335 | answer=A | explanation=SI = PRT/100 = 35074×15×1/100 = █5261.

id=77526 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 15. | option_a=45 | option_b=15 | option_c=1 | option_d=18 | answer=B | explanation=LCM × HCF = 3×15; HCF(3,15) = 3, so LCM = 15.

id=77527 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=7 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=77528 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:5 and the first is 85, what is the second? | option_a=110 | option_b=42 | option_c=25 | option_d=20 | answer=C | explanation=Scale factor = 85/17 = 5. Therefore second quantity = 5×5 = 25.

id=77529 | topic=Percentages | difficulty=Easy | question=What is 12% of 81? | option_a=18 | option_b=9 | option_c=0 | option_d=19 | answer=B | explanation=12% of 81 = (12/100) × 81 = 9.

id=77530 | topic=Percentages | difficulty=Easy | question=What is 30% of 1825? | option_a=537 | option_b=547 | option_c=567 | option_d=1094 | answer=B | explanation=30% of 1825 = (30/100) × 1825 = 547.

id=77531 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1608. If it is sold at a profit of 30%, what is its selling price? | option_a=2250 | option_b=1930 | option_c=1638 | option_d=2090 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1608 × 130/100 = █2090.

id=77532 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=43 | option_b=44 | option_c=37 | option_d=49 | answer=A | explanation=The common difference is 6. Therefore the next term is 37 + 6 = 43.

id=77533 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=8 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=77534 | topic=Percentages | difficulty=Easy | question=What is 25% of 1197? | option_a=294 | option_b=299 | option_c=309 | option_d=598 | answer=B | explanation=25% of 1197 = (25/100) × 1197 = 299.

id=77535 | topic=Percentages | difficulty=Easy | question=What is 20% of 728? | option_a=290 | option_b=145 | option_c=155 | option_d=140 | answer=B | explanation=20% of 728 = (20/100) × 728 = 145.

id=77536 | topic=Percentages | difficulty=Easy | question=What is 20% of 610? | option_a=244 | option_b=122 | option_c=112 | option_d=127 | answer=B | explanation=20% of 610 = (20/100) × 610 = 122.

id=77537 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4000 at 8% per annum for 1 years. | option_a=420 | option_b=220 | option_c=320 | option_d=4320 | answer=C | explanation=SI = PRT/100 = 4000×8×1/100 = █320.

id=77538 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=77539 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=X | option_b=U | option_c=O | option_d=R | answer=B | explanation=Move 3 positions forward from R; the resulting letter is U.

id=77540 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 35? | option_a=35 | option_b=4 | option_c=14 | option_d=24 | answer=A | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 35 is the odd one out.

id=77541 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2868. If it is sold at a profit of 10%, what is its selling price? | option_a=2868 | option_b=3440 | option_c=3154 | option_d=2878 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2868 × 110/100 = █3154.

id=77542 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:13 and the first is 169, what is the second? | option_a=182 | option_b=169 | option_c=156 | option_d=338 | answer=B | explanation=Scale factor = 169/13 = 13. Therefore second quantity = 13×13 = 169.

id=77543 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4057 at 6% per annum for 3 years. | option_a=4787 | option_b=730 | option_c=630 | option_d=830 | answer=B | explanation=SI = PRT/100 = 4057×6×3/100 = █730.

id=77544 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=51 | option_b=63 | option_c=62 | option_d=73 | answer=C | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.

id=77545 | topic=Averages | difficulty=Easy | question=Find the average of 98, 76, 26, 28. | option_a=58 | option_b=56 | option_c=57 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 228 ÷ 4 = 57.

id=77546 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 35? | option_a=17 | option_b=35 | option_c=22 | option_d=27 | answer=B | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 35 is the odd one out.

id=77547 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=38 | option_b=31 | option_c=24 | option_d=32 | answer=B | explanation=The common difference is 7. Therefore the next term is 24 + 7 = 31.

id=77548 | topic=Percentages | difficulty=Easy | question=What is 50% of 792? | option_a=386 | option_b=792 | option_c=396 | option_d=401 | answer=C | explanation=50% of 792 = (50/100) × 792 = 396.

id=77549 | topic=Percentages | difficulty=Easy | question=What is 12% of 990? | option_a=236 | option_b=113 | option_c=138 | option_d=118 | answer=D | explanation=12% of 990 = (12/100) × 990 = 118.

id=77550 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3201. If it is sold at a profit of 20%, what is its selling price? | option_a=4161 | option_b=3221 | option_c=3841 | option_d=3521 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3201 × 120/100 = █3841.

Aptitude Questions — Records 77,551-77,580 of 100,000

id=77551 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=H | option_c=F | option_d=I | answer=B | explanation=Move 1 positions forward from G; the resulting letter is H.

id=77552 | topic=Averages | difficulty=Easy | question=Find the average of 11, 21, 64, 24, 33, 26, 38, 97, 73. | option_a=45 | option_b=42 | option_c=43 | option_d=44 | answer=C | explanation=Average = sum of values + number of values = 387 ÷ 9 = 43.

id=77553 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 35, 41, 49? | option_a=49 | option_b=35 | option_c=29 | option_d=41 | answer=A | explanation=The first three numbers increase by 6, so the next should be 47. Therefore 49 is the odd one out.

id=77554 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=77555 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4821. If it is sold at a profit of 10%, what is its selling price? | option_a=5303 | option_b=4821 | option_c=4831 | option_d=5785 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4821 × 110/100 = █5303.

id=77556 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=29 | option_b=25 | option_c=33 | option_d=30 | answer=A | explanation=The common difference is 4. Therefore the next term is 25 + 4 = 29.

id=77557 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=39 | option_b=33 | option_c=38 | option_d=43 | answer=C | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.

id=77558 | topic=Averages | difficulty=Easy | question=Find the average of 58, 85, 100, 67, 100, 40. | option_a=74 | option_b=76 | option_c=75 | option_d=77 | answer=C | explanation=Average = sum of values + number of values = 450 ÷ 6 = 75.

id=77559 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=77560 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 30. | option_a=35 | option_b=1 | option_c=150 | option_d=30 | answer=D | explanation=LCM × HCF = 5×30; HCF(5,30) = 5, so LCM = 30.

id=77561 | topic=Percentages | difficulty=Easy | question=What is 50% of 1049? | option_a=1048 | option_b=514 | option_c=524 | option_d=529 | answer=C | explanation=50% of 1049 = (50/100) × 1049 = 524.

id=77562 | topic=Percentages | difficulty=Easy | question=What is 20% of 898? | option_a=358 | option_b=189 | option_c=169 | option_d=179 | answer=D | explanation=20% of 898 = (20/100) × 898 = 179.

id=77563 | topic=Percentages | difficulty=Easy | question=What is 40% of 302? | option_a=140 | option_b=240 | option_c=100 | option_d=120 | answer=D | explanation=40% of 302 = (40/100) × 302 = 120.

id=77564 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=77565 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22360 at 4% per annum for 4 years. | option_a=25937 | option_b=3677 | option_c=3477 | option_d=3577 | answer=D | explanation=SI = PRT/100 = 22360×4×4/100 = █3577.

id=77566 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:18 and the first is 50, what is the second? | option_a=140 | option_b=90 | option_c=100 | option_d=72 | answer=B | explanation=Scale factor = 50/10 = 5. Therefore second quantity = 18×5 = 90.

id=77567 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13162 at 6% per annum for 1 years. | option_a=889 | option_b=789 | option_c=689 | option_d=13951 | answer=B | explanation=SI = PRT/100 = 13162×6×1/100 = █789.

id=77568 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 35? | option_a=35 | option_b=24 | option_c=15 | option_d=6 | answer=A | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 35 is the odd one out.

id=77569 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 7, 12, 19? | option_a=2 | option_b=19 | option_c=12 | option_d=7 | answer=B | explanation=The first three numbers increase by 5, so the next should be 17. Therefore 19 is the odd one out.

id=77570 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=32 | option_b=37 | option_c=27 | option_d=33 | answer=A | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

id=77571 | topic=Percentages | difficulty=Easy | question=What is 50% of 101? | option_a=60 | option_b=40 | option_c=100 | option_d=50 | answer=D | explanation=50% of 101 = (50/100) × 101 = 50.

id=77572 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 11, 20, 31? | option_a=31 | option_b=2 | option_c=20 | option_d=11 | answer=A | explanation=The first three numbers increase by 9, so the next should be 29. Therefore 31 is the odd one out.

id=77573 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance + time = 150 ÷ 10 = 15 km/h.

id=77574 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=6 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=77575 | topic=Percentages | difficulty=Easy | question=What is 5% of 354? | option_a=34 | option_b=27 | option_c=17 | option_d=7 | answer=C | explanation=5% of 354 = (5/100) × 354 = 17.

id=77576 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 23, 26, 30? | option_a=30 | option_b=23 | option_c=26 | option_d=20 | answer=A | explanation=The first three numbers increase by 3, so the next should be 29. Therefore 30 is the odd one out.

id=77577 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5583 at 8% per annum for 5 years. | option_a=7816 | option_b=2233 | option_c=2133 | option_d=2333 | answer=B | explanation=SI = PRT/100 = 5583×8×5/100 = █2233.

id=77578 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 22, 26, 33? | option_a=22 | option_b=33 | option_c=18 | option_d=26 | answer=B | explanation=The first three numbers increase by 4, so the next should be 30. Therefore 33 is the odd one out.

id=77579 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=D | option_c=L | option_d=Z | answer=A | explanation=Move 4 positions forward from D; the resulting letter is H.

id=77580 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=48 | option_c=53 | option_d=43 | answer=B | explanation=Speed = distance + time = 240 ÷ 5 = 48 km/h.

Aptitude Questions — Records 77,581-77,610 of 100,000

id=77581 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=Q | option_c=Y | option_d=M | answer=A | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=77582 | topic=Averages | difficulty=Easy | question=Find the average of 18, 19, 71, 49, 100, 48, 94. | option_a=59 | option_b=57 | option_c=58 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 399 ÷ 7 = 57.

id=77583 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=V | option_c=G | option_d=Q | answer=D | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=77584 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 44? | option_a=37 | option_b=44 | option_c=27 | option_d=32 | answer=B | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 44 is the odd one out.

id=77585 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 55? | option_a=29 | option_b=55 | option_c=45 | option_d=37 | answer=B | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 55 is the odd one out.

id=77586 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=8 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=77587 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:10 and the first is 108, what is the second? | option_a=60 | option_b=78 | option_c=50 | option_d=168 | answer=A | explanation=Scale factor = 108/18 = 6. Therefore second quantity = 10×6 = 60.

id=77588 | topic=Percentages | difficulty=Easy | question=What is 15% of 1882? | option_a=302 | option_b=277 | option_c=282 | option_d=564 | answer=C | explanation=15% of 1882 = (15/100) × 1882 = 282.

id=77589 | topic=Averages | difficulty=Easy | question=Find the average of 12, 55, 74, 90, 50, 73. | option_a=58 | option_b=59 | option_c=61 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.

id=77590 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=M | option_b=E | option_c=I | option_d=A | answer=C | explanation=Move 4 positions forward from E; the resulting letter is I.

id=77591 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=E | option_c=H | option_d=G | answer=D | explanation=Move 1 positions forward from F; the resulting letter is G.

id=77592 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=20 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=77593 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=144 | option_c=67 | option_d=77 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=77594 | topic=Averages | difficulty=Easy | question=Find the average of 76, 80, 49, 20, 60. | option_a=57 | option_b=59 | option_c=58 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.

id=77595 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 12. | option_a=252 | option_b=84 | option_c=72 | option_d=105 | answer=B | explanation=LCM × HCF = 21×12; HCF(21,12) = 3, so LCM = 84.

id=77596 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=75 | option_d=150 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=77597 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 31, 35, 42? | option_a=42 | option_b=35 | option_c=31 | option_d=27 | answer=A | explanation=The first three numbers increase by 4, so the next should be 39. Therefore 42 is the odd one out.

id=77598 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21890 at 10% per annum for 3 years. | option_a=28457 | option_b=6467 | option_c=6667 | option_d=6567 | answer=D | explanation=SI = PRT/100 = 21890×10×3/100 = **■**6567.

id=77599 | topic=Percentages | difficulty=Easy | question=What is 5% of 1806? | option_a=110 | option_b=180 | option_c=85 | option_d=90 | answer=D | explanation=5% of 1806 = (5/100) × 1806 = 90.

id=77600 | topic=Percentages | difficulty=Easy | question=What is 12% of 219? | option_a=6 | option_b=52 | option_c=26 | option_d=31 | answer=C | explanation=12% of 219 = (12/100) × 219 = 26.

id=77601 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9440 at 15% per annum for 2 years. | option_a=2932 | option_b=2732 | option_c=2832 | option_d=12272 | answer=C | explanation=SI = PRT/100 = 9440×15×2/100 = **■**2832.

id=77602 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:8 and the first is 40, what is the second? | option_a=160 | option_b=162 | option_c=200 | option_d=152 | answer=A | explanation=Scale factor = 40/2 = 20. Therefore second quantity = 8×20 = 160.

id=77603 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=77604 | topic=Percentages | difficulty=Easy | question=What is 40% of 69? | option_a=27 | option_b=7 | option_c=32 | option_d=54 | answer=A | explanation=40% of 69 = (40/100) × 69 = 27.

id=77605 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=77606 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=23 | option_b=22 | option_c=18 | option_d=26 | answer=B | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

id=77607 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=75 | option_c=160 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=77608 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 27, 32, 39? | option_a=27 | option_b=22 | option_c=32 | option_d=39 | answer=D | explanation=The first three numbers increase by 5, so the next should be 37. Therefore 39 is the odd one out.

id=77609 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 20, 30, 41? | option_a=10 | option_b=20 | option_c=30 | option_d=41 | answer=D | explanation=The first three numbers increase by 10, so the next should be 40. Therefore 41 is the odd one out.

id=77610 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=K | option_b=B | option_c=H | option_d=E | answer=C | explanation=Move 3 positions forward from E; the resulting letter is H.

Aptitude Questions — Records 77,611-77,640 of 100,000

id=77611 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=77612 | topic=Percentages | difficulty=Easy | question=What is 40% of 497? | option_a=198 | option_b=178 | option_c=396 | option_d=218 | answer=A | explanation=40% of 497 = (40/100) × 497 = 198.

id=77613 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 22? | option_a=17 | option_b=13 | option_c=15 | option_d=22 | answer=D | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 22 is the odd one out.

id=77614 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=A | option_c=Y | option_d=C | answer=D | explanation=Move 2 positions forward from A; the resulting letter is C.

id=77615 | topic=Profit & Loss | difficulty=Easy | question=An article costs █128. If it is sold at a profit of 5%, what is its selling price? | option_a=134 | option_b=146 | option_c=122 | option_d=133 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 128 × 105/100 = █134.

id=77616 | topic=Averages | difficulty=Easy | question=Find the average of 78, 61, 12, 22, 17. | option_a=38 | option_b=40 | option_c=39 | option_d=37 | answer=A | explanation=Average = sum of values ÷ number of values = 190 ÷ 5 = 38.

id=77617 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=G | option_c=H | option_d=I | answer=D | explanation=Move 1 positions forward from H; the resulting letter is I.

id=77618 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:2 and the first is 40, what is the second? | option_a=60 | option_b=20 | option_c=24 | option_d=18 | answer=B | explanation=Scale factor = 40/4 = 10. Therefore second quantity = 2×10 = 20.

id=77619 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 34, 42, 51? | option_a=51 | option_b=42 | option_c=26 | option_d=34 | answer=A | explanation=The first three numbers increase by 8, so the next should be 50. Therefore 51 is the odd one out.

id=77620 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 35? | option_a=35 | option_b=9 | option_c=17 | option_d=25 | answer=A | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 35 is the odd one out.

id=77621 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=77622 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=35 | option_b=44 | option_c=53 | option_d=45 | answer=B | explanation=The common difference is 9. Therefore the next term is 35 + 9 = 44.

id=77623 | topic=Averages | difficulty=Easy | question=Find the average of 48, 57, 79, 61, 72, 63, 64, 21, 39. | option_a=58 | option_b=56 | option_c=57 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=77624 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 22, 32, 43? | option_a=12 | option_b=32 | option_c=22 | option_d=43 | answer=D | explanation=The first three numbers increase by 10, so the next should be 42. Therefore 43 is the odd one out.

id=77625 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=27 | option_b=21 | option_c=33 | option_d=28 | answer=A | explanation=The common difference is 6. Therefore the next term is 21 + 6 = 27.

id=77626 | topic=Averages | difficulty=Easy | question=Find the average of 16, 48, 46, 98, 77. | option_a=59 | option_b=56 | option_c=57 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.

id=77627 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33439 at 10% per annum for 5 years. | option_a=16719 | option_b=16819 | option_c=16619 | option_d=50158 | answer=A | explanation=SI = PRT/100 = 33439×10×5/100 = █16719.

id=77628 | topic=Averages | difficulty=Easy | question=Find the average of 92, 79, 27, 58. | option_a=66 | option_b=63 | option_c=65 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 256 ÷ 4 = 64.

id=77629 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:1 and the first is 42, what is the second? | option_a=56 | option_b=14 | option_c=17 | option_d=13 | answer=B | explanation=Scale factor = 42/3 = 14. Therefore second quantity = 1×14 = 14.

id=77630 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=77631 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 11? | option_a=6 | option_b=4 | option_c=11 | option_d=8 | answer=C | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 11 is the odd one out.

id=77632 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 25, 33, 41, ? | option_a=50 | option_b=57 | option_c=41 | option_d=49 | answer=D | explanation=The common difference is 8. Therefore the next term is 41 + 8 = 49.

id=77633 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 7. | option_a=21 | option_b=14 | option_c=147 | option_d=42 | answer=A | explanation=LCM × HCF = 21×7; HCF(21,7) = 7, so LCM = 21.

id=77634 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17534 at 5% per annum for 5 years. | option_a=4483 | option_b=4383 | option_c=4283 | option_d=21917 | answer=B | explanation=SI = PRT/100 = 17534×5×5/100 = █4383.

id=77635 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 30, 32, 37? | option_a=28 | option_b=32 | option_c=37 | option_d=30 | answer=C | explanation=The first three numbers increase by 2, so the next should be 34. Therefore 37 is the odd one out.

id=77636 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4453. If it is sold at a profit of 40%, what is its selling price? | option_a=6679 | option_b=6234 | option_c=5789 | option_d=4493 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4453 × 140/100 = █6234.

id=77637 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 51? | option_a=36 | option_b=42 | option_c=30 | option_d=51 | answer=D | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 51 is the odd one out.

id=77638 | topic=Averages | difficulty=Easy | question=Find the average of 76, 11, 63. | option_a=50 | option_b=52 | option_c=49 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 150 ÷ 3 = 50.

id=77639 | topic=Percentages | difficulty=Easy | question=What is 20% of 1592? | option_a=328 | option_b=318 | option_c=298 | option_d=636 | answer=B | explanation=20% of 1592 = (20/100) × 1592 = 318.

id=77640 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=75 | option_c=80 | option_d=160 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

Aptitude Questions — Records 77,641-77,670 of 100,000

id=77641 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:10 and the first is 323, what is the second? | option_a=190 | option_b=180 | option_c=207 | option_d=513 | answer=A | explanation=Scale factor = $\frac{323}{17} = 19$. Therefore second quantity = $10 \times 19 = 190$.

id=77642 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 5. | option_a=75 | option_b=10 | option_c=30 | option_d=15 | answer=D | explanation=LCM $\times$ HCF = 15×5 ; $\text{HCF}(15,5) = 5$, so LCM = 15.

id=77643 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=77644 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■4275 at 12% per annum for 5 years. | option_a=2565 | option_b=6840 | option_c=2465 | option_d=2665 | answer=A | explanation=SI = $\text{PRT}/100 = \frac{4275 \times 12 \times 5}{100} = \text{■}2565$.

id=77645 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:9 and the first is 12, what is the second? | option_a=31 | option_b=27 | option_c=39 | option_d=18 | answer=B | explanation=Scale factor = $\frac{12}{4} = 3$. Therefore second quantity = $9 \times 3 = 27$.

id=77646 | topic=Averages | difficulty=Easy | question=Find the average of 67, 77, 85, 95. | option_a=83 | option_b=81 | option_c=82 | option_d=80 | answer=B | explanation=Average = sum of values $\div$ number of values = $\frac{324}{4} = 81$.

id=77647 | topic=Percentages | difficulty=Easy | question=What is 20% of 1056? | option_a=211 | option_b=191 | option_c=422 | option_d=231 | answer=A | explanation=20% of 1056 = $(\frac{20}{100}) \times 1056 = 211$.

id=77648 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1224. If it is sold at a profit of 30%, what is its selling price? | option_a=1254 | option_b=1713 | option_c=1591 | option_d=1469 | answer=C | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = \frac{1224 \times 130}{100} = \text{■}1591$.

id=77649 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:14 and the first is 140, what is the second? | option_a=126 | option_b=280 | option_c=140 | option_d=154 | answer=C | explanation=Scale factor = $\frac{140}{14} = 10$. Therefore second quantity = $14 \times 10 = 140$.

id=77650 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 27. | option_a=243 | option_b=36 | option_c=27 | option_d=1 | answer=C | explanation=LCM $\times$ HCF = 9×27 ; $\text{HCF}(9,27) = 9$, so LCM = 27.

id=77651 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 17, 27, 40? | option_a=40 | option_b=17 | option_c=7 | option_d=27 | answer=A | explanation=The first three numbers increase by 10, so the next should be 37. Therefore 40 is the odd one out.

id=77652 | topic=Averages | difficulty=Easy | question=Find the average of 22, 14, 100, 90, 50, 36. | option_a=53 | option_b=52 | option_c=51 | option_d=54 | answer=B | explanation=Average = sum of values $\div$ number of values = $\frac{312}{6} = 52$.

id=77653 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=25 | option_b=27 | option_c=21 | option_d=24 | answer=D | explanation=The common difference is 3. Therefore the next term is $21 + 3 = 24$.

id=77654 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=85 | option_c=160 | option_d=80 | answer=D | explanation=Speed = distance $\div$ time = $\frac{240}{3} = 80$ km/h.

id=77655 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=42 | option_b=34 | option_c=50 | option_d=43 | answer=A | explanation=The common difference is 8. Therefore the next term is $34 + 8 = 42$.

id=77656 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=N | option_b=W | option_c=T | option_d=Q | answer=C | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=77657 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=67 | option_b=54 | option_c=78 | option_d=66 | answer=D | explanation=The common difference is 12. Therefore the next term is $54 + 12 = 66$.

id=77658 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=40 | option_b=49 | option_c=31 | option_d=41 | answer=A | explanation=The common difference is 9. Therefore the next term is $31 + 9 = 40$.

id=77659 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 20, 26, 34? | option_a=26 | option_b=14 | option_c=20 | option_d=34 | answer=D | explanation=The first three numbers increase by 6, so the next should be 32. Therefore 34 is the odd one out.

id=77660 | topic=Percentages | difficulty=Easy | question=What is 50% of 1172? | option_a=596 | option_b=1172 | option_c=586 | option_d=566 | answer=C | explanation=50% of 1172 = $(\frac{50}{100}) \times 1172 = 586$.

id=77661 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:5 and the first is 95, what is the second? | option_a=44 | option_b=120 | option_c=25 | option_d=20 | answer=C | explanation=Scale factor = $\frac{95}{19} = 5$. Therefore second quantity = $5 \times 5 = 25$.

id=77662 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:14 and the first is 210, what is the second? | option_a=182 | option_b=211 | option_c=406 | option_d=196 | answer=D | explanation=Scale factor = $\frac{210}{15} = 14$. Therefore second quantity = $14 \times 14 = 196$.

id=77663 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=O | option_c=Q | option_d=S | answer=D | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=77664 | topic=Percentages | difficulty=Easy | question=What is 10% of 1128? | option_a=92 | option_b=112 | option_c=122 | option_d=224 | answer=B | explanation=10% of 1128 = $(\frac{10}{100}) \times 1128 = 112$.

id=77665 | topic=Percentages | difficulty=Easy | question=What is 50% of 710? | option_a=350 | option_b=355 | option_c=360 | option_d=710 | answer=B | explanation=50% of 710 = $(\frac{50}{100}) \times 710 = 355$.

id=77666 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=68 | option_b=56 | option_c=69 | option_d=80 | answer=A | explanation=The common difference is 12. Therefore the next term is $56 + 12 = 68$.

id=77667 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=X | option_b=V | option_c=R | option_d=T | answer=B | explanation=Move 2 positions forward from T; the resulting letter is V.

id=77668 | topic=Percentages | difficulty=Easy | question=What is 25% of 1103? | option_a=270 | option_b=550 | option_c=275 | option_d=280 | answer=C | explanation=25% of 1103 = $(\frac{25}{100}) \times 1103 = 275$.

id=77669 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:18 and the first is 209, what is the second? | option_a=180 | option_b=407 | option_c=217 | option_d=198 | answer=D | explanation=Scale factor = $\frac{209}{19} = 11$. Therefore second quantity = $18 \times 11 = 198$.

id=77670 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=54 | option_b=47 | option_c=46 | option_d=38 | answer=C | explanation=The common difference is 8. Therefore the next term is $38 + 8 = 46$.

Aptitude Questions — Records 77,671-77,700 of 100,000

id=77671 | topic=Averages | difficulty=Easy | question=Find the average of 10, 14, 47, 71, 79, 93, 12, 74. | option_a=51 | option_b=49 | option_c=52 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 400 ÷ 8 = 50.

id=77672 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=77673 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 31? | option_a=24 | option_b=19 | option_c=31 | option_d=14 | answer=C | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 31 is the odd one out.

id=77674 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=77675 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=20 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=77676 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3584. If it is sold at a profit of 5%, what is its selling price? | option_a=4121 | option_b=3405 | option_c=3763 | option_d=3589 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3584 × 105/100 = █3763.

id=77677 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3873. If it is sold at a profit of 25%, what is its selling price? | option_a=4454 | option_b=5228 | option_c=4841 | option_d=3898 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3873 × 125/100 = █4841.

id=77678 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4440. If it is sold at a profit of 30%, what is its selling price? | option_a=5772 | option_b=6216 | option_c=5328 | option_d=4470 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4440 × 130/100 = █5772.

id=77679 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=20 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=77680 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22736 at 12% per annum for 5 years. | option_a=13541 | option_b=13641 | option_c=36377 | option_d=13741 | answer=B | explanation=SI = PRT/100 = 22736×12×5/100 = █13641.

id=77681 | topic=Percentages | difficulty=Easy | question=What is 12% of 1009? | option_a=101 | option_b=242 | option_c=126 | option_d=121 | answer=D | explanation=12% of 1009 = (12/100) × 1009 = 121.

id=77682 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 25, 34, 43, ? | option_a=43 | option_b=61 | option_c=53 | option_d=52 | answer=D | explanation=The common difference is 9. Therefore the next term is 43 + 9 = 52.

id=77683 | topic=Percentages | difficulty=Easy | question=What is 40% of 1463? | option_a=595 | option_b=565 | option_c=585 | option_d=1170 | answer=C | explanation=40% of 1463 = (40/100) × 1463 = 585.

id=77684 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1105. If it is sold at a profit of 10%, what is its selling price? | option_a=1115 | option_b=1105 | option_c=1215 | option_d=1325 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1105 × 110/100 = █1215.

id=77685 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:11 and the first is 60, what is the second? | option_a=99 | option_b=116 | option_c=110 | option_d=170 | answer=C | explanation=Scale factor = 60/6 = 10. Therefore second quantity = 11×10 = 110.

id=77686 | topic=Percentages | difficulty=Easy | question=What is 12% of 1190? | option_a=122 | option_b=284 | option_c=142 | option_d=147 | answer=C | explanation=12% of 1190 = (12/100) × 1190 = 142.

id=77687 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=K | option_c=M | option_d=O | answer=D | explanation=Move 2 positions forward from M; the resulting letter is O.

id=77688 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 50? | option_a=50 | option_b=17 | option_c=37 | option_d=27 | answer=A | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 50 is the odd one out.

id=77689 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=77690 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:5 and the first is 36, what is the second? | option_a=85 | option_b=126 | option_c=90 | option_d=92 | answer=C | explanation=Scale factor = 36/2 = 18. Therefore second quantity = 5×18 = 90.

id=77691 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2841. If it is sold at a profit of 5%, what is its selling price? | option_a=2846 | option_b=2699 | option_c=3267 | option_d=2983 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2841 × 105/100 = █2983.

id=77692 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=24 | option_b=38 | option_c=32 | option_d=31 | answer=D | explanation=The common difference is 7. Therefore the next term is 24 + 7 = 31.

id=77693 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=77694 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=G | option_b=J | option_c=A | option_d=D | answer=A | explanation=Move 3 positions forward from D; the resulting letter is G.

id=77695 | topic=Averages | difficulty=Easy | question=Find the average of 19, 15, 90, 84, 18, 77, 25, 48. | option_a=48 | option_b=46 | option_c=49 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 376 ÷ 8 = 47.

id=77696 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=77697 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=77698 | topic=Averages | difficulty=Easy | question=Find the average of 37, 64, 57, 98, 31, 29, 69, 25, 72, 18. | option_a=50 | option_b=52 | option_c=51 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 500 ÷ 10 = 50.

id=77699 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=37 | option_b=36 | option_c=41 | option_d=31 | answer=B | explanation=The common difference is 5. Therefore the next term is 31 + 5 = 36.

id=77700 | topic=Averages | difficulty=Easy | question=Find the average of 20, 69, 12, 40, 52, 47. | option_a=39 | option_b=40 | option_c=42 | option_d=41 | answer=B | explanation=Average = sum of values ÷ number of values = 240 ÷ 6 = 40.

Aptitude Questions — Records 77,701-77,730 of 100,000

id=77701 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2575. If it is sold at a profit of 25%, what is its selling price? | option_a=2600 | option_b=2961 | option_c=3475 | option_d=3218 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2575 × 125/100 = **■**3218.

id=77702 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2963. If it is sold at a profit of 10%, what is its selling price? | option_a=2963 | option_b=2973 | option_c=3555 | option_d=3259 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2963 × 110/100 = **■**3259.

id=77703 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=12 | option_c=7 | option_d=24 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=77704 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25281 at 10% per annum for 1 years. | option_a=2628 | option_b=2528 | option_c=27809 | option_d=2428 | answer=B | explanation=SI = PRT/100 = 25281×10×1/100 = **■**2528.

id=77705 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46382 at 4% per annum for 3 years. | option_a=5665 | option_b=5465 | option_c=5565 | option_d=51947 | answer=C | explanation=SI = PRT/100 = 46382×4×3/100 = **■**5565.

id=77706 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1598. If it is sold at a profit of 20%, what is its selling price? | option_a=2076 | option_b=1917 | option_c=1758 | option_d=1618 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1598 × 120/100 = **■**1917.

id=77707 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**490. If it is sold at a profit of 15%, what is its selling price? | option_a=505 | option_b=563 | option_c=514 | option_d=612 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 490 × 115/100 = **■**563.

id=77708 | topic=Percentages | difficulty=Easy | question=What is 40% of 1614? | option_a=1290 | option_b=665 | option_c=645 | option_d=640 | answer=C | explanation=40% of 1614 = (40/100) × 1614 = 645.

id=77709 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 49? | option_a=30 | option_b=49 | option_c=21 | option_d=39 | answer=B | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 49 is the odd one out.

id=77710 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=77711 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=Q | option_c=O | option_d=M | answer=B | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=77712 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=240 | option_c=125 | option_d=115 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=77713 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:12 and the first is 12, what is the second? | option_a=132 | option_b=145 | option_c=144 | option_d=156 | answer=C | explanation=Scale factor = 12/1 = 12. Therefore second quantity = 12×12 = 144.

id=77714 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3392. If it is sold at a profit of 40%, what is its selling price? | option_a=5087 | option_b=4409 | option_c=4748 | option_d=3432 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3392 × 140/100 = **■**4748.

id=77715 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17988 at 5% per annum for 4 years. | option_a=21585 | option_b=3497 | option_c=3697 | option_d=3597 | answer=D | explanation=SI = PRT/100 = 17988×5×4/100 = **■**3597.

id=77716 | topic=Averages | difficulty=Easy | question=Find the average of 12, 59, 48, 48, 71, 72, 32, 50. | option_a=50 | option_b=49 | option_c=48 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 392 ÷ 8 = 49.

id=77717 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 31, 33, 36? | option_a=36 | option_b=29 | option_c=31 | option_d=33 | answer=A | explanation=The first three numbers increase by 2, so the next should be 35. Therefore 36 is the odd one out.

id=77718 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 28. | option_a=1 | option_b=28 | option_c=42 | option_d=392 | answer=B | explanation=LCM × HCF = 14×28; HCF(14,28) = 14, so LCM = 28.

id=77719 | topic=Averages | difficulty=Easy | question=Find the average of 24, 57, 17, 43, 72, 63, 38, 38. | option_a=43 | option_b=44 | option_c=46 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = 352 ÷ 8 = 44.

id=77720 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=J | option_c=H | option_d=F | answer=B | explanation=Move 2 positions forward from H; the resulting letter is J.

id=77721 | topic=Percentages | difficulty=Easy | question=What is 12% of 923? | option_a=90 | option_b=130 | option_c=110 | option_d=220 | answer=C | explanation=12% of 923 = (12/100) × 923 = 110.

id=77722 | topic=Averages | difficulty=Easy | question=Find the average of 48, 84, 28, 52. | option_a=52 | option_b=55 | option_c=53 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 212 ÷ 4 = 53.

id=77723 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48806 at 12% per annum for 5 years. | option_a=78089 | option_b=29183 | option_c=29283 | option_d=29383 | answer=C | explanation=SI = PRT/100 = 48806×12×5/100 = **■**29283.

id=77724 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 50? | option_a=39 | option_b=29 | option_c=50 | option_d=19 | answer=C | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 50 is the odd one out.

id=77725 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 28? | option_a=28 | option_b=12 | option_c=5 | option_d=19 | answer=A | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 28 is the odd one out.

id=77726 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=A | option_b=P | option_c=F | option_d=K | answer=D | explanation=Move 5 positions forward from F; the resulting letter is K.

id=77727 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2769 at 15% per annum for 4 years. | option_a=1561 | option_b=1661 | option_c=1761 | option_d=4430 | answer=B | explanation=SI = PRT/100 = 2769×15×4/100 = **■**1661.

id=77728 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=77729 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1165. If it is sold at a profit of 15%, what is its selling price? | option_a=1180 | option_b=1223 | option_c=1339 | option_d=1455 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1165 × 115/100 = **■**1339.

id=77730 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20110 at 5% per annum for 2 years. | option_a=1911 | option_b=22121 | option_c=2111 | option_d=2011 | answer=D | explanation=SI = PRT/100 = 20110×5×2/100 = **■**2011.

Aptitude Questions — Records 77,731-77,760 of 100,000

id=77731 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=77732 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 30. | option_a=108 | option_b=90 | option_c=60 | option_d=540 | answer=B | explanation=LCM × HCF = 18×30; HCF(18,30) = 6, so LCM = 90.

id=77733 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=M | option_b=P | option_c=V | option_d=S | answer=D | explanation=Move 3 positions forward from P; the resulting letter is S.

id=77734 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:7 and the first is 135, what is the second? | option_a=63 | option_b=198 | option_c=56 | option_d=78 | answer=A | explanation=Scale factor = 135/15 = 9. Therefore second quantity = 7×9 = 63.

id=77735 | topic=Percentages | difficulty=Easy | question=What is 5% of 110? | option_a=0 | option_b=10 | option_c=5 | option_d=25 | answer=C | explanation=5% of 110 = (5/100) × 110 = 5.

id=77736 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 24, 27, 32? | option_a=24 | option_b=21 | option_c=27 | option_d=32 | answer=D | explanation=The first three numbers increase by 3, so the next should be 30. Therefore 32 is the odd one out.

id=77737 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:6 and the first is 110, what is the second? | option_a=66 | option_b=60 | option_c=176 | option_d=76 | answer=A | explanation=Scale factor = 110/10 = 11. Therefore second quantity = 6×11 = 66.

id=77738 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8218 at 15% per annum for 1 years. | option_a=1232 | option_b=9450 | option_c=1332 | option_d=1132 | answer=A | explanation=SI = PRT/100 = 8218×15×1/100 = **■**1232.

id=77739 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 21, 30, 40? | option_a=30 | option_b=40 | option_c=21 | option_d=12 | answer=B | explanation=The first three numbers increase by 9, so the next should be 39. Therefore 40 is the odd one out.

id=77740 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 20, 28, 38? | option_a=28 | option_b=38 | option_c=12 | option_d=20 | answer=B | explanation=The first three numbers increase by 8, so the next should be 36. Therefore 38 is the odd one out.

id=77741 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 15. | option_a=120 | option_b=405 | option_c=162 | option_d=135 | answer=D | explanation=LCM × HCF = 27×15; HCF(27,15) = 3, so LCM = 135.

id=77742 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4561. If it is sold at a profit of 15%, what is its selling price? | option_a=5701 | option_b=4576 | option_c=5245 | option_d=4789 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4561 × 115/100 = **■**5245.

id=77743 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=41 | option_b=35 | option_c=47 | option_d=42 | answer=A | explanation=The common difference is 6. Therefore the next term is 35 + 6 = 41.

id=77744 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=77745 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4968. If it is sold at a profit of 25%, what is its selling price? | option_a=4993 | option_b=5714 | option_c=6210 | option_d=6706 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4968 × 125/100 = **■**6210.

id=77746 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 47? | option_a=24 | option_b=38 | option_c=47 | option_d=31 | answer=C | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 47 is the odd one out.

id=77747 | topic=Percentages | difficulty=Easy | question=What is 30% of 953? | option_a=280 | option_b=290 | option_c=570 | option_d=285 | answer=D | explanation=30% of 953 = (30/100) × 953 = 285.

id=77748 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=77749 | topic=Averages | difficulty=Easy | question=Find the average of 61, 40, 61, 57, 96, 30, 77, 29, 17, 92. | option_a=56 | option_b=55 | option_c=57 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 560 ÷ 10 = 56.

id=77750 | topic=Averages | difficulty=Easy | question=Find the average of 35, 14, 16, 68, 23, 84, 30, 50. | option_a=41 | option_b=42 | option_c=40 | option_d=39 | answer=C | explanation=Average = sum of values ÷ number of values = 320 ÷ 8 = 40.

id=77751 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**324. If it is sold at a profit of 10%, what is its selling price? | option_a=334 | option_b=388 | option_c=356 | option_d=324 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 324 × 110/100 = **■**356.

id=77752 | topic=Percentages | difficulty=Easy | question=What is 5% of 407? | option_a=25 | option_b=20 | option_c=0 | option_d=40 | answer=B | explanation=5% of 407 = (5/100) × 407 = 20.

id=77753 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 22, 25, 31? | option_a=19 | option_b=22 | option_c=25 | option_d=31 | answer=D | explanation=The first three numbers increase by 3, so the next should be 28. Therefore 31 is the odd one out.

id=77754 | topic=Percentages | difficulty=Easy | question=What is 40% of 1671? | option_a=1336 | option_b=678 | option_c=658 | option_d=668 | answer=D | explanation=40% of 1671 = (40/100) × 1671 = 668.

id=77755 | topic=Percentages | difficulty=Easy | question=What is 25% of 1547? | option_a=381 | option_b=772 | option_c=386 | option_d=406 | answer=C | explanation=25% of 1547 = (25/100) × 1547 = 386.

id=77756 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4821. If it is sold at a profit of 25%, what is its selling price? | option_a=6026 | option_b=5544 | option_c=4846 | option_d=6508 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4821 × 125/100 = **■**6026.

id=77757 | topic=Averages | difficulty=Easy | question=Find the average of 37, 31, 69, 32, 35, 14, 15, 41, 78, 58. | option_a=40 | option_b=41 | option_c=43 | option_d=42 | answer=B | explanation=Average = sum of values ÷ number of values = 410 ÷ 10 = 41.

id=77758 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=I | option_c=L | option_d=K | answer=D | explanation=Move 1 positions forward from J; the resulting letter is K.

id=77759 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 38? | option_a=13 | option_b=29 | option_c=38 | option_d=21 | answer=C | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 38 is the odd one out.

id=77760 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=55 | option_b=47 | option_c=48 | option_d=39 | answer=B | explanation=The common difference is 8. Therefore the next term is 39 + 8 = 47.

Aptitude Questions — Records 77,761-77,790 of 100,000

id=77761 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 27, 30, 36? | option_a=27 | option_b=36 | option_c=30 | option_d=24 | answer=B | explanation=The first three numbers increase by 3, so the next should be 33. Therefore 36 is the odd one out.

id=77762 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=H | option_c=J | option_d=K | answer=C | explanation=Move 1 positions forward from I; the resulting letter is J.

id=77763 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 18. | option_a=54 | option_b=36 | option_c=81 | option_d=486 | answer=A | explanation= $LCM \times HCF = 27 \times 18$; $HCF(27,18) = 9$, so $LCM = 54$.

id=77764 | topic=Percentages | difficulty=Easy | question=What is 40% of 350? | option_a=140 | option_b=130 | option_c=160 | option_d=280 | answer=A | explanation= $40\% \text{ of } 350 = (40/100) \times 350 = 140$.

id=77765 | topic=Averages | difficulty=Easy | question=Find the average of 99, 70, 33, 34, 67, 66, 34, 21. | option_a=54 | option_b=55 | option_c=52 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = $424 \div 8 = 53$.

id=77766 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 28? | option_a=28 | option_b=19 | option_c=16 | option_d=22 | answer=A | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 28 is the odd one out.

id=77767 | topic=Averages | difficulty=Easy | question=Find the average of 67, 67, 25, 13, 88, 91, 61, 36, 74. | option_a=60 | option_b=57 | option_c=59 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = $522 \div 9 = 58$.

id=77768 | topic=Percentages | difficulty=Easy | question=What is 10% of 519? | option_a=102 | option_b=46 | option_c=51 | option_d=71 | answer=C | explanation= $10\% \text{ of } 519 = (10/100) \times 519 = 51$.

id=77769 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14542 at 15% per annum for 5 years. | option_a=11006 | option_b=10906 | option_c=10806 | option_d=25448 | answer=B | explanation= $SI = PRT/100 = 14542 \times 15 \times 5/100 = \text{■}10906$.

id=77770 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 4. | option_a=12 | option_b=8 | option_c=24 | option_d=18 | answer=A | explanation= $LCM \times HCF = 6 \times 4$; $HCF(6,4) = 2$, so $LCM = 12$.

id=77771 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=17 | option_c=24 | option_d=7 | answer=A | explanation= $Speed = distance \div time = 60 \div 5 = 12 \text{ km/h}$.

id=77772 | topic=Averages | difficulty=Easy | question=Find the average of 17, 82, 39. | option_a=45 | option_b=48 | option_c=47 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = $138 \div 3 = 46$.

id=77773 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:19 and the first is 195, what is the second? | option_a=228 | option_b=262 | option_c=247 | option_d=442 | answer=C | explanation=Scale factor = $195/15 = 13$. Therefore second quantity = $19 \times 13 = 247$.

id=77774 | topic=Averages | difficulty=Easy | question=Find the average of 15, 39, 85, 99, 67, 31. | option_a=57 | option_b=56 | option_c=55 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = $336 \div 6 = 56$.

id=77775 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=55 | option_b=54 | option_c=63 | option_d=45 | answer=B | explanation=The common difference is 9. Therefore the next term is $45 + 9 = 54$.

id=77776 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=77777 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=77778 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1983. If it is sold at a profit of 40%, what is its selling price? | option_a=2578 | option_b=2023 | option_c=2776 | option_d=2974 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1983 \times 140/100 = \text{■}2776$.

id=77779 | topic=Percentages | difficulty=Easy | question=What is 15% of 1948? | option_a=584 | option_b=292 | option_c=272 | option_d=302 | answer=B | explanation= $15\% \text{ of } 1948 = (15/100) \times 1948 = 292$.

id=77780 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=O | option_b=J | option_c=T | option_d=E | answer=A | explanation=Move 5 positions forward from J; the resulting letter is O.

id=77781 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3997. If it is sold at a profit of 15%, what is its selling price? | option_a=4596 | option_b=4995 | option_c=4197 | option_d=4012 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3997 \times 115/100 = \text{■}4596$.

id=77782 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:8 and the first is 180, what is the second? | option_a=144 | option_b=154 | option_c=136 | option_d=324 | answer=A | explanation=Scale factor = $180/10 = 18$. Therefore second quantity = $8 \times 18 = 144$.

id=77783 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 50? | option_a=25 | option_b=50 | option_c=41 | option_d=33 | answer=B | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 50 is the odd one out.

id=77784 | topic=Percentages | difficulty=Easy | question=What is 25% of 280? | option_a=70 | option_b=75 | option_c=140 | option_d=50 | answer=A | explanation= $25\% \text{ of } 280 = (25/100) \times 280 = 70$.

id=77785 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 27? | option_a=12 | option_b=27 | option_c=18 | option_d=6 | answer=B | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 27 is the odd one out.

id=77786 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=K | option_c=E | option_d=N | answer=B | explanation=Move 3 positions forward from H; the resulting letter is K.

id=77787 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=77788 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=33 | option_b=29 | option_c=30 | option_d=25 | answer=B | explanation=The common difference is 4. Therefore the next term is $25 + 4 = 29$.

id=77789 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=71 | option_b=47 | option_c=59 | option_d=60 | answer=C | explanation=The common difference is 12. Therefore the next term is $47 + 12 = 59$.

id=77790 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=50 | option_b=42 | option_c=32 | option_d=41 | answer=D | explanation=The common difference is 9. Therefore the next term is $32 + 9 = 41$.

Aptitude Questions — Records 77,791-77,820 of 100,000

id=77791 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=77792 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1803. If it is sold at a profit of 5%, what is its selling price? | option_a=1713 | option_b=1808 | option_c=2073 | option_d=1893 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1803 × 105/100 = █1893.

id=77793 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12948 at 15% per annum for 2 years. | option_a=3784 | option_b=16832 | option_c=3884 | option_d=3984 | answer=C | explanation=SI = PRT/100 = 12948×15×2/100 = █3884.

id=77794 | topic=Percentages | difficulty=Easy | question=What is 5% of 1355? | option_a=67 | option_b=134 | option_c=47 | option_d=77 | answer=A | explanation=5% of 1355 = (5/100) × 1355 = 67.

id=77795 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=77796 | topic=Percentages | difficulty=Easy | question=What is 50% of 825? | option_a=422 | option_b=392 | option_c=824 | option_d=412 | answer=D | explanation=50% of 825 = (50/100) × 825 = 412.

id=77797 | topic=Percentages | difficulty=Easy | question=What is 50% of 1205? | option_a=602 | option_b=597 | option_c=622 | option_d=1204 | answer=A | explanation=50% of 1205 = (50/100) × 1205 = 602.

id=77798 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=M | option_c=O | option_d=K | answer=C | explanation=Move 2 positions forward from M; the resulting letter is O.

id=77799 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 15, 22, 29, ? | option_a=43 | option_b=37 | option_c=29 | option_d=36 | answer=D | explanation=The common difference is 7. Therefore the next term is 29 + 7 = 36.

id=77800 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14753 at 4% per annum for 4 years. | option_a=17113 | option_b=2360 | option_c=2260 | option_d=2460 | answer=B | explanation=SI = PRT/100 = 14753×4×4/100 = █2360.

id=77801 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 35, 43, 54? | option_a=27 | option_b=35 | option_c=43 | option_d=54 | answer=D | explanation=The first three numbers increase by 8, so the next should be 51. Therefore 54 is the odd one out.

id=77802 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14234 at 15% per annum for 2 years. | option_a=4170 | option_b=4370 | option_c=18504 | option_d=4270 | answer=D | explanation=SI = PRT/100 = 14234×15×2/100 = █4270.

id=77803 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=28 | option_b=29 | option_c=34 | option_d=22 | answer=A | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.

id=77804 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=53 | option_b=65 | option_c=77 | option_d=66 | answer=B | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.

id=77805 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=77806 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2244. If it is sold at a profit of 40%, what is its selling price? | option_a=2284 | option_b=3141 | option_c=3365 | option_d=2917 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2244 × 140/100 = █3141.

id=77807 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 31, 33, 38? | option_a=29 | option_b=31 | option_c=38 | option_d=33 | answer=C | explanation=The first three numbers increase by 2, so the next should be 35. Therefore 38 is the odd one out.

id=77808 | topic=Averages | difficulty=Easy | question=Find the average of 73, 96, 80, 17, 61, 23, 46, 68. | option_a=59 | option_b=57 | option_c=58 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 464 ÷ 8 = 58.

id=77809 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:6 and the first is 108, what is the second? | option_a=114 | option_b=216 | option_c=102 | option_d=108 | answer=D | explanation=Scale factor = 108/6 = 18. Therefore second quantity = 6×18 = 108.

id=77810 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=77811 | topic=Averages | difficulty=Easy | question=Find the average of 43, 45, 42, 23, 66, 54, 61, 11, 61, 74. | option_a=50 | option_b=47 | option_c=48 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 480 ÷ 10 = 48.

id=77812 | topic=Percentages | difficulty=Easy | question=What is 5% of 1594? | option_a=79 | option_b=59 | option_c=158 | option_d=99 | answer=A | explanation=5% of 1594 = (5/100) × 1594 = 79.

id=77813 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=G | option_c=C | option_d=I | answer=B | explanation=Move 2 positions forward from E; the resulting letter is G.

id=77814 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:1 and the first is 182, what is the second? | option_a=27 | option_b=13 | option_c=195 | option_d=12 | answer=B | explanation=Scale factor = 182/14 = 13. Therefore second quantity = 1×13 = 13.

id=77815 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4581. If it is sold at a profit of 5%, what is its selling price? | option_a=4810 | option_b=5268 | option_c=4352 | option_d=4586 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4581 × 105/100 = █4810.

id=77816 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=53 | option_b=37 | option_c=46 | option_d=45 | answer=D | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=77817 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=185 | option_c=180 | option_d=360 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=77818 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 11, 19, 29? | option_a=3 | option_b=29 | option_c=19 | option_d=11 | answer=B | explanation=The first three numbers increase by 8, so the next should be 27. Therefore 29 is the odd one out.

id=77819 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=77820 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=Q | option_b=V | option_c=G | option_d=L | answer=A | explanation=Move 5 positions forward from L; the resulting letter is Q.

Aptitude Questions — Records 77,821-77,850 of 100,000

id=77821 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:19 and the first is 72, what is the second? | option_a=243 | option_b=179 | option_c=171 | option_d=152 | answer=C | explanation=Scale factor = $72/8 = 9$. Therefore second quantity = $19 \times 9 = 171$.

id=77822 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=74 | option_b=50 | option_c=63 | option_d=62 | answer=D | explanation=The common difference is 12. Therefore the next term is $50 + 12 = 62$.

id=77823 | topic=Averages | difficulty=Easy | question=Find the average of 72, 11, 29, 62, 96. | option_a=53 | option_b=54 | option_c=56 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = $270 \div 5 = 54$.

id=77824 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=29 | option_c=19 | option_d=48 | answer=A | explanation=Speed = distance ÷ time = $240 \div 10 = 24$ km/h.

id=77825 | topic=Percentages | difficulty=Easy | question=What is 20% of 1064? | option_a=202 | option_b=212 | option_c=217 | option_d=424 | answer=B | explanation=20% of 1064 = $(20/100) \times 1064 = 212$.

id=77826 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**17515 at 15% per annum for 1 years. | option_a=2527 | option_b=2627 | option_c=2727 | option_d=20142 | answer=B | explanation=SI = $PRT/100 = 17515 \times 15 \times 1/100 = \text{₹}2627$.

id=77827 | topic=Averages | difficulty=Easy | question=Find the average of 71, 15, 12, 64, 72, 76, 20, 39, 72, 79. | option_a=54 | option_b=51 | option_c=52 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = $520 \div 10 = 52$.

id=77828 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = $60 \div 2 = 30$ km/h.

id=77829 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 32? | option_a=22 | option_b=32 | option_c=4 | option_d=13 | answer=B | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 32 is the odd one out.

id=77830 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = $120 \div 4 = 30$ km/h.

id=77831 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=31 | option_b=27 | option_c=28 | option_d=23 | answer=B | explanation=The common difference is 4. Therefore the next term is $23 + 4 = 27$.

id=77832 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:9 and the first is 77, what is the second? | option_a=106 | option_b=99 | option_c=90 | option_d=176 | answer=B | explanation=Scale factor = $77/7 = 11$. Therefore second quantity = $9 \times 11 = 99$.

id=77833 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=U | option_c=O | option_d=Q | answer=A | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=77834 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.

id=77835 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=77836 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 3. | option_a=27 | option_b=54 | option_c=81 | option_d=24 | answer=A | explanation=LCM × HCF = 27×3 ; $HCF(27,3) = 3$, so LCM = 27.

id=77837 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=P | option_b=K | option_c=F | option_d=U | answer=A | explanation=Move 5 positions forward from K; the resulting letter is P.

id=77838 | topic=Percentages | difficulty=Easy | question=What is 10% of 173? | option_a=7 | option_b=37 | option_c=34 | option_d=17 | answer=D | explanation=10% of 173 = $(10/100) \times 173 = 17$.

id=77839 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=100 | option_c=55 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = $300 \div 6 = 50$ km/h.

id=77840 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:5 and the first is 36, what is the second? | option_a=15 | option_b=51 | option_c=10 | option_d=27 | answer=A | explanation=Scale factor = $36/12 = 3$. Therefore second quantity = $5 \times 3 = 15$.

id=77841 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:2 and the first is 20, what is the second? | option_a=14 | option_b=4 | option_c=2 | option_d=24 | answer=B | explanation=Scale factor = $20/10 = 2$. Therefore second quantity = $2 \times 2 = 4$.

id=77842 | topic=Averages | difficulty=Easy | question=Find the average of 43, 87, 42, 54, 98, 48. | option_a=62 | option_b=63 | option_c=64 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = $372 \div 6 = 62$.

id=77843 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2911. If it is sold at a profit of 25%, what is its selling price? | option_a=3347 | option_b=3638 | option_c=3929 | option_d=2936 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2911 \times 125/100 = \text{₹}3638$.

id=77844 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:1 and the first is 77, what is the second? | option_a=18 | option_b=6 | option_c=84 | option_d=7 | answer=D | explanation=Scale factor = $77/11 = 7$. Therefore second quantity = $1 \times 7 = 7$.

id=77845 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=P | option_b=E | option_c=Z | option_d=U | answer=C | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=77846 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2340. If it is sold at a profit of 25%, what is its selling price? | option_a=2365 | option_b=3159 | option_c=2691 | option_d=2925 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2340 \times 125/100 = \text{₹}2925$.

id=77847 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=10 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = $90 \div 6 = 15$ km/h.

id=77848 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**36112 at 12% per annum for 2 years. | option_a=44778 | option_b=8666 | option_c=8766 | option_d=8566 | answer=B | explanation=SI = $PRT/100 = 36112 \times 12 \times 2/100 = \text{₹}8666$.

id=77849 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=7 | option_c=17 | option_d=24 | answer=A | explanation=Speed = distance ÷ time = $60 \div 5 = 12$ km/h.

id=77850 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:3 and the first is 24, what is the second? | option_a=3 | option_b=6 | option_c=18 | option_d=30 | answer=B | explanation=Scale factor = $24/12 = 2$. Therefore second quantity = $3 \times 2 = 6$.

Aptitude Questions — Records 77,851-77,880 of 100,000

id=77851 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 9. | option_a=54 | option_b=9 | option_c=18 | option_d=24 | answer=C | explanation=LCM × HCF = 6×9; HCF(6,9) = 3, so LCM = 18.

id=77852 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=77853 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3307. If it is sold at a profit of 5%, what is its selling price? | option_a=3312 | option_b=3142 | option_c=3802 | option_d=3472 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3307 × 105/100 = █3472.

id=77854 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:12 and the first is 38, what is the second? | option_a=43 | option_b=12 | option_c=62 | option_d=24 | answer=D | explanation=Scale factor = 38/19 = 2. Therefore second quantity = 12×2 = 24.

id=77855 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=I | option_b=M | option_c=U | option_d=Q | answer=D | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=77856 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=X | option_c=M | option_d=H | answer=D | explanation=Move 5 positions forward from C; the resulting letter is H.

id=77857 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3109. If it is sold at a profit of 15%, what is its selling price? | option_a=3265 | option_b=3575 | option_c=3124 | option_d=3885 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3109 × 115/100 = █3575.

id=77858 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=12 | option_c=11 | option_d=1 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=77859 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27473 at 8% per annum for 1 years. | option_a=2097 | option_b=29670 | option_c=2197 | option_d=2297 | answer=C | explanation=SI = PRT/100 = 27473×8×1/100 = █2197.

id=77860 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=O | option_c=D | option_d=Y | answer=D | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=77861 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=77862 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 19, 22, 25, ? | option_a=25 | option_b=29 | option_c=31 | option_d=28 | answer=D | explanation=The common difference is 3. Therefore the next term is 25 + 3 = 28.

id=77863 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 21, 30, 39, ? | option_a=57 | option_b=39 | option_c=49 | option_d=48 | answer=D | explanation=The common difference is 9. Therefore the next term is 39 + 9 = 48.

id=77864 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:15 and the first is 24, what is the second? | option_a=45 | option_b=66 | option_c=84 | option_d=60 | answer=D | explanation=Scale factor = 24/6 = 4. Therefore second quantity = 15×4 = 60.

id=77865 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2902. If it is sold at a profit of 15%, what is its selling price? | option_a=3627 | option_b=2917 | option_c=3337 | option_d=3047 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2902 × 115/100 = █3337.

id=77866 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=77867 | topic=Percentages | difficulty=Easy | question=What is 50% of 936? | option_a=488 | option_b=458 | option_c=936 | option_d=468 | answer=D | explanation=50% of 936 = (50/100) × 936 = 468.

id=77868 | topic=Percentages | difficulty=Easy | question=What is 12% of 1025? | option_a=246 | option_b=143 | option_c=123 | option_d=118 | answer=C | explanation=12% of 1025 = (12/100) × 1025 = 123.

id=77869 | topic=Averages | difficulty=Easy | question=Find the average of 45, 28, 10, 60, 23, 31, 10, 81. | option_a=37 | option_b=38 | option_c=36 | option_d=35 | answer=C | explanation=Average = sum of values ÷ number of values = 288 ÷ 8 = 36.

id=77870 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:16 and the first is 105, what is the second? | option_a=127 | option_b=217 | option_c=96 | option_d=112 | answer=D | explanation=Scale factor = 105/15 = 7. Therefore second quantity = 16×7 = 112.

id=77871 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=95 | option_c=85 | option_d=180 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=77872 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:4 and the first is 187, what is the second? | option_a=40 | option_b=231 | option_c=61 | option_d=44 | answer=D | explanation=Scale factor = 187/17 = 11. Therefore second quantity = 4×11 = 44.

id=77873 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 41? | option_a=25 | option_b=41 | option_c=35 | option_d=30 | answer=B | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 41 is the odd one out.

id=77874 | topic=Averages | difficulty=Easy | question=Find the average of 27, 24, 49, 48, 12. | option_a=33 | option_b=32 | option_c=34 | option_d=31 | answer=B | explanation=Average = sum of values ÷ number of values = 160 ÷ 5 = 32.

id=77875 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31407 at 12% per annum for 1 years. | option_a=3768 | option_b=35175 | option_c=3868 | option_d=3668 | answer=A | explanation=SI = PRT/100 = 31407×12×1/100 = █3768.

id=77876 | topic=Percentages | difficulty=Easy | question=What is 30% of 461? | option_a=158 | option_b=138 | option_c=118 | option_d=276 | answer=B | explanation=30% of 461 = (30/100) × 461 = 138.

id=77877 | topic=Percentages | difficulty=Easy | question=What is 25% of 1270? | option_a=337 | option_b=317 | option_c=634 | option_d=312 | answer=B | explanation=25% of 1270 = (25/100) × 1270 = 317.

id=77878 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=31 | option_b=38 | option_c=43 | option_d=37 | answer=D | explanation=The common difference is 6. Therefore the next term is 31 + 6 = 37.

id=77879 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=77880 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

Aptitude Questions — Records 77,881-77,910 of 100,000

id=77881 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=O | option_c=P | option_d=M | answer=B | explanation=Move 1 positions forward from N; the resulting letter is O.

id=77882 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:18 and the first is 34, what is the second? | option_a=306 | option_b=308 | option_c=340 | option_d=288 | answer=A | explanation=Scale factor = $34/2 = 17$. Therefore second quantity = $18 \times 17 = 306$.

id=77883 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=B | option_b=E | option_c=H | option_d=K | answer=C | explanation=Move 3 positions forward from E; the resulting letter is H.

id=77884 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1512. If it is sold at a profit of 15%, what is its selling price? | option_a=1889 | option_b=1738 | option_c=1587 | option_d=1527 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1512 \times 115/100 = \text{█}1738$.

id=77885 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=B | option_b=C | option_c=Z | option_d=A | answer=A | explanation=Move 1 positions forward from A; the resulting letter is B.

id=77886 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=37 | option_b=44 | option_c=28 | option_d=36 | answer=D | explanation=The common difference is 8. Therefore the next term is $28 + 8 = 36$.

id=77887 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 14, 18, 24? | option_a=10 | option_b=18 | option_c=14 | option_d=24 | answer=D | explanation=The first three numbers increase by 4, so the next should be 22. Therefore 24 is the odd one out.

id=77888 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:17 and the first is 10, what is the second? | option_a=44 | option_b=39 | option_c=17 | option_d=34 | answer=D | explanation=Scale factor = $10/5 = 2$. Therefore second quantity = $17 \times 2 = 34$.

id=77889 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 18. | option_a=90 | option_b=72 | option_c=100 | option_d=180 | answer=A | explanation= $LCM \times HCF = 10 \times 18$; $HCF(10,18) = 2$, so $LCM = 90$.

id=77890 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=36 | option_c=23 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = $90 \div 5 = 18$ km/h.

id=77891 | topic=Averages | difficulty=Easy | question=Find the average of 33, 92, 47, 61, 45, 64. | option_a=58 | option_b=59 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = $342 \div 6 = 57$.

id=77892 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.

id=77893 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=6 | option_d=20 | answer=A | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=77894 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=X | option_b=H | option_c=C | option_d=M | answer=B | explanation=Move 5 positions forward from C; the resulting letter is H.

id=77895 | topic=Averages | difficulty=Easy | question=Find the average of 58, 65, 81, 74, 95, 89, 78, 20. | option_a=72 | option_b=70 | option_c=71 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = $560 \div 8 = 70$.

id=77896 | topic=Averages | difficulty=Easy | question=Find the average of 80, 96, 83, 85. | option_a=86 | option_b=85 | option_c=88 | option_d=87 | answer=A | explanation=Average = sum of values ÷ number of values = $344 \div 4 = 86$.

id=77897 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5510 at 4% per annum for 3 years. | option_a=6171 | option_b=661 | option_c=561 | option_d=761 | answer=B | explanation=SI = $PRT/100 = 5510 \times 4 \times 3/100 = \text{█}661$.

id=77898 | topic=Percentages | difficulty=Easy | question=What is 20% of 1207? | option_a=482 | option_b=236 | option_c=241 | option_d=251 | answer=C | explanation=20% of 1207 = $(20/100) \times 1207 = 241$.

id=77899 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=32 | option_b=29 | option_c=24 | option_d=28 | answer=D | explanation=The common difference is 4. Therefore the next term is $24 + 4 = 28$.

id=77900 | topic=Profit & Loss | difficulty=Easy | question=An article costs █192. If it is sold at a profit of 5%, what is its selling price? | option_a=220 | option_b=182 | option_c=197 | option_d=201 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 192 \times 105/100 = \text{█}201$.

id=77901 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:15 and the first is 16, what is the second? | option_a=240 | option_b=241 | option_c=225 | option_d=256 | answer=A | explanation=Scale factor = $16/1 = 16$. Therefore second quantity = $15 \times 16 = 240$.

id=77902 | topic=Percentages | difficulty=Easy | question=What is 20% of 1326? | option_a=255 | option_b=265 | option_c=275 | option_d=530 | answer=B | explanation=20% of 1326 = $(20/100) \times 1326 = 265$.

id=77903 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=77904 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=77905 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 21. | option_a=567 | option_b=168 | option_c=216 | option_d=189 | answer=D | explanation= $LCM \times HCF = 27 \times 21$; $HCF(27,21) = 3$, so $LCM = 189$.

id=77906 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=77907 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=77908 | topic=Averages | difficulty=Easy | question=Find the average of 32, 33, 54, 76, 67, 90, 21, 99. | option_a=58 | option_b=60 | option_c=61 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = $472 \div 8 = 59$.

id=77909 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=10 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = $90 \div 6 = 15$ km/h.

id=77910 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3067. If it is sold at a profit of 15%, what is its selling price? | option_a=3527 | option_b=3833 | option_c=3221 | option_d=3082 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3067 \times 115/100 = \text{█}3527$.

Aptitude Questions — Records 77,911-77,940 of 100,000

id=77911 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 25, 31, 39? | option_a=31 | option_b=39 | option_c=19 | option_d=25 | answer=B | explanation=The first three numbers increase by 6, so the next should be 37. Therefore 39 is the odd one out.

id=77912 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=77913 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 28? | option_a=22 | option_b=28 | option_c=19 | option_d=16 | answer=B | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 28 is the odd one out.

id=77914 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46963 at 10% per annum for 2 years. | option_a=56355 | option_b=9292 | option_c=9392 | option_d=9492 | answer=C | explanation=SI = $PRT/100 = 46963 \times 10 \times 2/100 = \text{■}9392$.

id=77915 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=38 | option_b=47 | option_c=29 | option_d=39 | answer=A | explanation=The common difference is 9. Therefore the next term is 29 + 9 = 38.

id=77916 | topic=Averages | difficulty=Easy | question=Find the average of 86, 64, 25, 43, 17, 89, 55. | option_a=51 | option_b=50 | option_c=52 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 408 ÷ 8 = 51.

id=77917 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:14 and the first is 4, what is the second? | option_a=14 | option_b=30 | option_c=32 | option_d=28 | answer=D | explanation=Scale factor = $4/2 = 2$. Therefore second quantity = $14 \times 2 = 28$.

id=77918 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=150 | option_d=70 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=77919 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=21 | option_b=18 | option_c=19 | option_d=15 | answer=B | explanation=The common difference is 3. Therefore the next term is 15 + 3 = 18.

id=77920 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3018. If it is sold at a profit of 50%, what is its selling price? | option_a=4527 | option_b=4226 | option_c=4828 | option_d=3068 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3018 \times 150/100 = \text{■}4527$.

id=77921 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30548 at 5% per annum for 2 years. | option_a=3154 | option_b=3054 | option_c=33602 | option_d=2954 | answer=B | explanation=SI = $PRT/100 = 30548 \times 5 \times 2/100 = \text{■}3054$.

id=77922 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=K | option_c=S | option_d=W | answer=C | explanation=Move 4 positions forward from O; the resulting letter is S.

id=77923 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16634 at 8% per annum for 1 years. | option_a=1230 | option_b=17964 | option_c=1330 | option_d=1430 | answer=C | explanation=SI = $PRT/100 = 16634 \times 8 \times 1/100 = \text{■}1330$.

id=77924 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=72 | option_c=36 | option_d=31 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=77925 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=77926 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=77927 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 66, what is the second? | option_a=162 | option_b=107 | option_c=96 | option_d=80 | answer=C | explanation=Scale factor = $66/11 = 6$. Therefore second quantity = $16 \times 6 = 96$.

id=77928 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:1 and the first is 90, what is the second? | option_a=18 | option_b=23 | option_c=108 | option_d=17 | answer=A | explanation=Scale factor = $90/5 = 18$. Therefore second quantity = $1 \times 18 = 18$.

id=77929 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=15 | option_c=20 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=77930 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=75 | option_d=150 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=77931 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=77932 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33466 at 12% per annum for 1 years. | option_a=4115 | option_b=4015 | option_c=37481 | option_d=3915 | answer=B | explanation=SI = $PRT/100 = 33466 \times 12 \times 1/100 = \text{■}4015$.

id=77933 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36596 at 4% per annum for 5 years. | option_a=7219 | option_b=43915 | option_c=7319 | option_d=7419 | answer=C | explanation=SI = $PRT/100 = 36596 \times 4 \times 5/100 = \text{■}7319$.

id=77934 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 31? | option_a=31 | option_b=18 | option_c=13 | option_d=23 | answer=A | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 31 is the odd one out.

id=77935 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 24. | option_a=432 | option_b=90 | option_c=72 | option_d=48 | answer=C | explanation= $LCM \times HCF = 18 \times 24$; $HCF(18,24) = 6$, so $LCM = 72$.

id=77936 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26379 at 8% per annum for 5 years. | option_a=10551 | option_b=36930 | option_c=10651 | option_d=10451 | answer=A | explanation=SI = $PRT/100 = 26379 \times 8 \times 5/100 = \text{■}10551$.

id=77937 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3577. If it is sold at a profit of 50%, what is its selling price? | option_a=3627 | option_b=5008 | option_c=5722 | option_d=5365 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3577 \times 150/100 = \text{■}5365$.

id=77938 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 44? | option_a=28 | option_b=21 | option_c=35 | option_d=44 | answer=D | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 44 is the odd one out.

id=77939 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=77940 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:17 and the first is 24, what is the second? | option_a=34 | option_b=46 | option_c=17 | option_d=58 | answer=A | explanation=Scale factor = $24/12 = 2$. Therefore second quantity = $17 \times 2 = 34$.

Aptitude Questions — Records 77,941-77,970 of 100,000

id=77941 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=77942 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18300 at 8% per annum for 2 years. | option_a=3028 | option_b=2828 | option_c=2928 | option_d=21228 | answer=C | explanation=SI = PRT/100 = 18300×8×2/100 = **■**2928.

id=77943 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1581. If it is sold at a profit of 5%, what is its selling price? | option_a=1502 | option_b=1818 | option_c=1586 | option_d=1660 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1581 × 105/100 = **■**1660.

id=77944 | topic=Percentages | difficulty=Easy | question=What is 10% of 475? | option_a=57 | option_b=47 | option_c=42 | option_d=94 | answer=B | explanation=10% of 475 = (10/100) × 475 = 47.

id=77945 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=30 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=77946 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7576 at 12% per annum for 5 years. | option_a=12121 | option_b=4445 | option_c=4545 | option_d=4645 | answer=C | explanation=SI = PRT/100 = 7576×12×5/100 = **■**4545.

id=77947 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=77948 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 53? | option_a=40 | option_b=53 | option_c=30 | option_d=20 | answer=B | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 53 is the odd one out.

id=77949 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**342. If it is sold at a profit of 30%, what is its selling price? | option_a=410 | option_b=444 | option_c=478 | option_d=372 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 342 × 130/100 = **■**444.

id=77950 | topic=Averages | difficulty=Easy | question=Find the average of 68, 44, 45, 48, 76, 79, 22, 66. | option_a=55 | option_b=58 | option_c=57 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 448 ÷ 8 = 56.

id=77951 | topic=Percentages | difficulty=Easy | question=What is 40% of 1340? | option_a=541 | option_b=1072 | option_c=531 | option_d=536 | answer=D | explanation=40% of 1340 = (40/100) × 1340 = 536.

id=77952 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=40 | option_c=45 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=77953 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=77954 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 38, 48, 59? | option_a=38 | option_b=59 | option_c=48 | option_d=28 | answer=B | explanation=The first three numbers increase by 10, so the next should be 58. Therefore 59 is the odd one out.

id=77955 | topic=Averages | difficulty=Easy | question=Find the average of 55, 99, 43, 10, 88. | option_a=59 | option_b=60 | option_c=61 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 295 ÷ 5 = 59.

id=77956 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2279. If it is sold at a profit of 50%, what is its selling price? | option_a=3418 | option_b=3645 | option_c=3191 | option_d=2329 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2279 × 150/100 = **■**3418.

id=77957 | topic=Percentages | difficulty=Easy | question=What is 30% of 1816? | option_a=549 | option_b=1088 | option_c=524 | option_d=544 | answer=D | explanation=30% of 1816 = (30/100) × 1816 = 544.

id=77958 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=55 | option_b=66 | option_c=54 | option_d=42 | answer=C | explanation=The common difference is 12. Therefore the next term is 42 + 12 = 54.

id=77959 | topic=Percentages | difficulty=Easy | question=What is 25% of 325? | option_a=91 | option_b=81 | option_c=162 | option_d=61 | answer=B | explanation=25% of 325 = (25/100) × 325 = 81.

id=77960 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43916 at 12% per annum for 1 years. | option_a=5269 | option_b=5369 | option_c=49185 | option_d=5169 | answer=A | explanation=SI = PRT/100 = 43916×12×1/100 = **■**5269.

id=77961 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1213. If it is sold at a profit of 30%, what is its selling price? | option_a=1243 | option_b=1697 | option_c=1576 | option_d=1455 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1213 × 130/100 = **■**1576.

id=77962 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=40 | option_c=45 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=77963 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 19? | option_a=19 | option_b=11 | option_c=13 | option_d=15 | answer=A | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 19 is the odd one out.

id=77964 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 7, 10, 16? | option_a=4 | option_b=16 | option_c=10 | option_d=7 | answer=B | explanation=The first three numbers increase by 3, so the next should be 13. Therefore 16 is the odd one out.

id=77965 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:6 and the first is 54, what is the second? | option_a=72 | option_b=18 | option_c=12 | option_d=36 | answer=B | explanation=Scale factor = 54/18 = 3. Therefore second quantity = 6×3 = 18.

id=77966 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40048 at 6% per annum for 5 years. | option_a=11914 | option_b=12114 | option_c=52062 | option_d=12014 | answer=D | explanation=SI = PRT/100 = 40048×6×5/100 = **■**12014.

id=77967 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3691. If it is sold at a profit of 5%, what is its selling price? | option_a=3506 | option_b=3696 | option_c=3875 | option_d=4244 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3691 × 105/100 = **■**3875.

id=77968 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:3 and the first is 15, what is the second? | option_a=42 | option_b=60 | option_c=46 | option_d=45 | answer=D | explanation=Scale factor = 15/1 = 15. Therefore second quantity = 3×15 = 45.

id=77969 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=77970 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=80 | option_c=35 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

Aptitude Questions — Records 77,971-78,000 of 100,000

id=77971 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=D | option_c=C | option_d=B | answer=B | explanation=Move 1 positions forward from C; the resulting letter is D.

id=77972 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39126 at 4% per annum for 5 years. | option_a=7725 | option_b=7925 | option_c=7825 | option_d=46951 | answer=C | explanation=SI = $PRT/100 = 39126 \times 4 \times 5/100 =$ **■**7825.

id=77973 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=Z | option_b=I | option_c=F | option_d=C | answer=C | explanation=Move 3 positions forward from C; the resulting letter is F.

id=77974 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 43? | option_a=43 | option_b=35 | option_c=30 | option_d=25 | answer=A | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 43 is the odd one out.

id=77975 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4259. If it is sold at a profit of 15%, what is its selling price? | option_a=5322 | option_b=4897 | option_c=4274 | option_d=4472 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4259 \times 115/100 =$ **■**4897.

id=77976 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13465 at 4% per annum for 1 years. | option_a=538 | option_b=14003 | option_c=638 | option_d=438 | answer=A | explanation=SI = $PRT/100 = 13465 \times 4 \times 1/100 =$ **■**538.

id=77977 | topic=Averages | difficulty=Easy | question=Find the average of 48, 20, 55. | option_a=42 | option_b=41 | option_c=40 | option_d=43 | answer=B | explanation=Average = $\text{sum of values} \div \text{number of values} = 123 \div 3 = 41$.

id=77978 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=22 | option_b=28 | option_c=29 | option_d=34 | answer=B | explanation=The common difference is 6. Therefore the next term is $22 + 6 = 28$.

id=77979 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=D | option_c=B | option_d=E | answer=B | explanation=Move 1 positions forward from C; the resulting letter is D.

id=77980 | topic=Percentages | difficulty=Easy | question=What is 5% of 922? | option_a=46 | option_b=51 | option_c=92 | option_d=41 | answer=A | explanation=5% of 922 = $(5/100) \times 922 = 46$.

id=77981 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=4 | option_d=20 | answer=B | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=77982 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:9 and the first is 99, what is the second? | option_a=72 | option_b=180 | option_c=92 | option_d=81 | answer=D | explanation=Scale factor = $99/11 = 9$. Therefore second quantity = $9 \times 9 = 81$.

id=77983 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=20 | option_d=6 | answer=B | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=77984 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=54 | option_b=43 | option_c=65 | option_d=55 | answer=A | explanation=The common difference is 11. Therefore the next term is $43 + 11 = 54$.

id=77985 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3512. If it is sold at a profit of 20%, what is its selling price? | option_a=3863 | option_b=4565 | option_c=3532 | option_d=4214 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3512 \times 120/100 =$ **■**4214.

id=77986 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=100 | option_c=200 | option_d=95 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 300 \div 3 = 100$ km/h.

id=77987 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:18 and the first is 85, what is the second? | option_a=306 | option_b=288 | option_c=391 | option_d=311 | answer=A | explanation=Scale factor = $85/5 = 17$. Therefore second quantity = $18 \times 17 = 306$.

id=77988 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:6 and the first is 12, what is the second? | option_a=24 | option_b=18 | option_c=12 | option_d=6 | answer=C | explanation=Scale factor = $12/6 = 2$. Therefore second quantity = $6 \times 2 = 12$.

id=77989 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19195 at 12% per annum for 3 years. | option_a=7010 | option_b=6910 | option_c=26105 | option_d=6810 | answer=B | explanation=SI = $PRT/100 = 19195 \times 12 \times 3/100 =$ **■**6910.

id=77990 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=Q | option_b=P | option_c=O | option_d=N | answer=B | explanation=Move 1 positions forward from O; the resulting letter is P.

id=77991 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 20. | option_a=40 | option_b=400 | option_c=20 | option_d=1 | answer=C | explanation= $LCM \times HCF = 20 \times 20$; $HCF(20, 20) = 20$, so $LCM = 20$.

id=77992 | topic=Averages | difficulty=Easy | question=Find the average of 84, 75, 30, 35, 28, 14, 84. | option_a=49 | option_b=51 | option_c=52 | option_d=50 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 350 \div 7 = 50$.

id=77993 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36891 at 8% per annum for 1 years. | option_a=39842 | option_b=3051 | option_c=2951 | option_d=2851 | answer=C | explanation=SI = $PRT/100 = 36891 \times 8 \times 1/100 =$ **■**2951.

id=77994 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=M | option_c=Q | option_d=S | answer=C | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=77995 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46374 at 8% per annum for 5 years. | option_a=18549 | option_b=64923 | option_c=18649 | option_d=18449 | answer=A | explanation=SI = $PRT/100 = 46374 \times 8 \times 5/100 =$ **■**18549.

id=77996 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**539. If it is sold at a profit of 50%, what is its selling price? | option_a=755 | option_b=861 | option_c=589 | option_d=808 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 539 \times 150/100 =$ **■**808.

id=77997 | topic=Averages | difficulty=Easy | question=Find the average of 22, 64, 59, 75. | option_a=57 | option_b=54 | option_c=55 | option_d=56 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 220 \div 4 = 55$.

id=77998 | topic=Percentages | difficulty=Easy | question=What is 20% of 746? | option_a=298 | option_b=159 | option_c=149 | option_d=129 | answer=C | explanation=20% of 746 = $(20/100) \times 746 = 149$.

id=77999 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=78000 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=27 | option_b=19 | option_c=23 | option_d=24 | answer=C | explanation=The common difference is 4. Therefore the next term is $19 + 4 = 23$.

Aptitude Questions — Records 78,001-78,030 of 100,000

id=78001 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=78002 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=78003 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=78004 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1251. If it is sold at a profit of 50%, what is its selling price? | option_a=1876 | option_b=2001 | option_c=1751 | option_d=1301 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1251 × 150/100 = █1876.

id=78005 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42612 at 6% per annum for 5 years. | option_a=12883 | option_b=12783 | option_c=12683 | option_d=55395 | answer=B | explanation=SI = PRT/100 = 42612×6×5/100 = █12783.

id=78006 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4045. If it is sold at a profit of 10%, what is its selling price? | option_a=4045 | option_b=4449 | option_c=4853 | option_d=4055 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4045 × 110/100 = █4449.

id=78007 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=K | option_c=H | option_d=J | answer=D | explanation=Move 1 positions forward from I; the resulting letter is J.

id=78008 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=P | option_c=O | option_d=Q | answer=D | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=78009 | topic=Averages | difficulty=Easy | question=Find the average of 97, 90, 36, 97. | option_a=81 | option_b=82 | option_c=80 | option_d=79 | answer=C | explanation=Average = sum of values ÷ number of values = 320 ÷ 4 = 80.

id=78010 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 42? | option_a=11 | option_b=31 | option_c=21 | option_d=42 | answer=D | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 42 is the odd one out.

id=78011 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 5, 7, 12? | option_a=7 | option_b=5 | option_c=3 | option_d=12 | answer=D | explanation=The first three numbers increase by 2, so the next should be 9. Therefore 12 is the odd one out.

id=78012 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=23 | option_b=17 | option_c=21 | option_d=20 | answer=D | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=78013 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 5, 8, 13? | option_a=13 | option_b=2 | option_c=8 | option_d=5 | answer=A | explanation=The first three numbers increase by 3, so the next should be 11. Therefore 13 is the odd one out.

id=78014 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:2 and the first is 182, what is the second? | option_a=26 | option_b=24 | option_c=208 | option_d=40 | answer=A | explanation=Scale factor = 182/14 = 13. Therefore second quantity = 2×13 = 26.

id=78015 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=Y | option_b=G | option_c=C | option_d=K | answer=B | explanation=Move 4 positions forward from C; the resulting letter is G.

id=78016 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 27, 32, 39? | option_a=32 | option_b=22 | option_c=39 | option_d=27 | answer=C | explanation=The first three numbers increase by 5, so the next should be 37. Therefore 39 is the odd one out.

id=78017 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:19 and the first is 180, what is the second? | option_a=352 | option_b=342 | option_c=522 | option_d=323 | answer=B | explanation=Scale factor = 180/10 = 18. Therefore second quantity = 19×18 = 342.

id=78018 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=44 | option_b=43 | option_c=33 | option_d=53 | answer=B | explanation=The common difference is 10. Therefore the next term is 33 + 10 = 43.

id=78019 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 3. | option_a=27 | option_b=81 | option_c=24 | option_d=54 | answer=A | explanation=LCM × HCF = 27×3; HCF(27,3) = 3, so LCM = 27.

id=78020 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 18. | option_a=1 | option_b=54 | option_c=18 | option_d=21 | answer=C | explanation=LCM × HCF = 3×18; HCF(3,18) = 3, so LCM = 18.

id=78021 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=K | option_c=M | option_d=N | answer=C | explanation=Move 1 positions forward from L; the resulting letter is M.

id=78022 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=49 | option_b=42 | option_c=43 | option_d=35 | answer=B | explanation=The common difference is 7. Therefore the next term is 35 + 7 = 42.

id=78023 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=38 | option_b=30 | option_c=35 | option_d=34 | answer=D | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.

id=78024 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=78025 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 7. | option_a=42 | option_b=14 | option_c=21 | option_d=147 | answer=C | explanation=LCM × HCF = 21×7; HCF(21,7) = 7, so LCM = 21.

id=78026 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 8. | option_a=176 | option_b=88 | option_c=80 | option_d=110 | answer=B | explanation=LCM × HCF = 22×8; HCF(22,8) = 2, so LCM = 88.

id=78027 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=10 | option_c=15 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=78028 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=78029 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=78030 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:5 and the first is 108, what is the second? | option_a=96 | option_b=198 | option_c=85 | option_d=90 | answer=D | explanation=Scale factor = 108/6 = 18. Therefore second quantity = 5×18 = 90.

Aptitude Questions — Records 78,031-78,060 of 100,000

- id=78031 | topic=Averages | difficulty=Easy | question=Find the average of 91, 56, 84, 65, 100, 74, 62, 26, 72. | option_a=71 | option_b=72 | option_c=70 | option_d=69 | answer=C | explanation=Average = sum of values ÷ number of values = 630 ÷ 9 = 70.
- id=78032 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 30. | option_a=780 | option_b=360 | option_c=390 | option_d=416 | answer=C | explanation=LCM × HCF = 26×30; HCF(26,30) = 2, so LCM = 390.
- id=78033 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 24? | option_a=21 | option_b=19 | option_c=17 | option_d=24 | answer=D | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 24 is the odd one out.
- id=78034 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■23852 at 5% per annum for 3 years. | option_a=3677 | option_b=27429 | option_c=3577 | option_d=3477 | answer=C | explanation=SI = $PRT/100 = 23852 \times 5 \times 3 / 100 = \blacksquare 3577$.
- id=78035 | topic=Averages | difficulty=Easy | question=Find the average of 77, 27, 65, 94, 96, 13. | option_a=61 | option_b=62 | option_c=64 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 372 ÷ 6 = 62.
- id=78036 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■416. If it is sold at a profit of 40%, what is its selling price? | option_a=541 | option_b=582 | option_c=623 | option_d=456 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 416 \times 140 / 100 = \blacksquare 582$.
- id=78037 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 27, 39, 51, ? | option_a=63 | option_b=51 | option_c=64 | option_d=75 | answer=A | explanation=The common difference is 12. Therefore the next term is 51 + 12 = 63.
- id=78038 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=85 | option_c=95 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.
- id=78039 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=57 | option_b=68 | option_c=46 | option_d=58 | answer=A | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.
- id=78040 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:9 and the first is 240, what is the second? | option_a=171 | option_b=420 | option_c=192 | option_d=180 | answer=D | explanation=Scale factor = $240 / 12 = 20$. Therefore second quantity = $9 \times 20 = 180$.
- id=78041 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:4 and the first is 19, what is the second? | option_a=95 | option_b=76 | option_c=77 | option_d=72 | answer=B | explanation=Scale factor = $19 / 1 = 19$. Therefore second quantity = $4 \times 19 = 76$.
- id=78042 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:13 and the first is 360, what is the second? | option_a=260 | option_b=620 | option_c=247 | option_d=278 | answer=A | explanation=Scale factor = $360 / 18 = 20$. Therefore second quantity = $13 \times 20 = 260$.
- id=78043 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3712. If it is sold at a profit of 50%, what is its selling price? | option_a=5939 | option_b=5197 | option_c=3762 | option_d=5568 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3712 \times 150 / 100 = \blacksquare 5568$.
- id=78044 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 21, 25, 32? | option_a=21 | option_b=25 | option_c=17 | option_d=32 | answer=D | explanation=The first three numbers increase by 4, so the next should be 29. Therefore 32 is the odd one out.
- id=78045 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=R | option_b=H | option_c=M | option_d=C | answer=C | explanation=Move 5 positions forward from H; the resulting letter is M.
- id=78046 | topic=Averages | difficulty=Easy | question=Find the average of 95, 99, 57, 58, 70, 97, 21. | option_a=71 | option_b=70 | option_c=72 | option_d=73 | answer=A | explanation=Average = sum of values ÷ number of values = $497 \div 7 = 71$.
- id=78047 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=4 | option_c=14 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = $90 \div 10 = 9$ km/h.
- id=78048 | topic=Percentages | difficulty=Easy | question=What is 30% of 1435? | option_a=430 | option_b=420 | option_c=860 | option_d=450 | answer=A | explanation=30% of 1435 = $(30/100) \times 1435 = 430$.
- id=78049 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:20 and the first is 240, what is the second? | option_a=480 | option_b=220 | option_c=260 | option_d=240 | answer=D | explanation=Scale factor = $240 / 20 = 12$. Therefore second quantity = $20 \times 12 = 240$.
- id=78050 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=7 | option_d=5 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.
- id=78051 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=12 | option_d=2 | answer=B | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.
- id=78052 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■36185 at 4% per annum for 3 years. | option_a=4442 | option_b=40527 | option_c=4342 | option_d=4242 | answer=C | explanation=SI = $PRT/100 = 36185 \times 4 \times 3 / 100 = \blacksquare 4342$.
- id=78053 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■36817 at 15% per annum for 2 years. | option_a=11045 | option_b=10945 | option_c=11145 | option_d=47862 | answer=A | explanation=SI = $PRT/100 = 36817 \times 15 \times 2 / 100 = \blacksquare 11045$.
- id=78054 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:8 and the first is 153, what is the second? | option_a=225 | option_b=89 | option_c=64 | option_d=72 | answer=D | explanation=Scale factor = $153 / 17 = 9$. Therefore second quantity = $8 \times 9 = 72$.
- id=78055 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=240 | option_d=125 | answer=A | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.
- id=78056 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■27660 at 5% per annum for 1 years. | option_a=1283 | option_b=1383 | option_c=29043 | option_d=1483 | answer=B | explanation=SI = $PRT/100 = 27660 \times 5 \times 1 / 100 = \blacksquare 1383$.
- id=78057 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=63 | option_b=54 | option_c=55 | option_d=45 | answer=B | explanation=The common difference is 9. Therefore the next term is 45 + 9 = 54.
- id=78058 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=55 | option_b=35 | option_c=45 | option_d=46 | answer=C | explanation=The common difference is 10. Therefore the next term is 35 + 10 = 45.
- id=78059 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 22, 32, 45? | option_a=22 | option_b=32 | option_c=12 | option_d=45 | answer=D | explanation=The first three numbers increase by 10, so the next should be 42. Therefore 45 is the odd one out.
- id=78060 | topic=Averages | difficulty=Easy | question=Find the average of 37, 85, 26, 69, 28. | option_a=48 | option_b=51 | option_c=50 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = $245 \div 5 = 49$.

Aptitude Questions — Records 78,061-78,090 of 100,000

- id=78061 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:8 and the first is 56, what is the second? | option_a=56 | option_b=64 | option_c=48 | option_d=112 | answer=A | explanation=Scale factor = $56/8 = 7$. Therefore second quantity = $8 \times 7 = 56$.
- id=78062 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.
- id=78063 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 10, 15, 20, ? | option_a=26 | option_b=30 | option_c=20 | option_d=25 | answer=D | explanation=The common difference is 5. Therefore the next term is $20 + 5 = 25$.
- id=78064 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.
- id=78065 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 9. | option_a=63 | option_b=189 | option_c=54 | option_d=84 | answer=A | explanation= $LCM \times HCF = 21 \times 9$; $HCF(21,9) = 3$, so $LCM = 63$.
- id=78066 | topic=Percentages | difficulty=Easy | question=What is 20% of 91? | option_a=23 | option_b=13 | option_c=36 | option_d=18 | answer=D | explanation= $20\% \text{ of } 91 = (20/100) \times 91 = 18$.
- id=78067 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 29, 38, 50? | option_a=29 | option_b=20 | option_c=38 | option_d=50 | answer=D | explanation=The first three numbers increase by 9, so the next should be 47. Therefore 50 is the odd one out.
- id=78068 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10169 at 4% per annum for 5 years. | option_a=12202 | option_b=2033 | option_c=1933 | option_d=2133 | answer=B | explanation= $SI = PRT/100 = 10169 \times 4 \times 5/100 = \text{■}2033$.
- id=78069 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 12. | option_a=90 | option_b=360 | option_c=60 | option_d=48 | answer=C | explanation= $LCM \times HCF = 30 \times 12$; $HCF(30,12) = 6$, so $LCM = 60$.
- id=78070 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=M | option_c=I | option_d=G | answer=A | explanation=Move 2 positions forward from I; the resulting letter is K.
- id=78071 | topic=Percentages | difficulty=Easy | question=What is 5% of 1204? | option_a=80 | option_b=50 | option_c=60 | option_d=120 | answer=C | explanation= $5\% \text{ of } 1204 = (5/100) \times 1204 = 60$.
- id=78072 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $180 \div 3 = 60$ km/h.
- id=78073 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=S | option_b=D | option_c=N | option_d=I | answer=C | explanation=Move 5 positions forward from I; the resulting letter is N.
- id=78074 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=Q | option_b=I | option_c=E | option_d=M | answer=D | explanation=Move 4 positions forward from I; the resulting letter is M.
- id=78075 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.
- id=78076 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=9 | option_c=18 | option_d=4 | answer=B | explanation=Speed = distance ÷ time = $90 \div 10 = 9$ km/h.
- id=78077 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.
- id=78078 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=60 | option_b=52 | option_c=42 | option_d=51 | answer=D | explanation=The common difference is 9. Therefore the next term is $42 + 9 = 51$.
- id=78079 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 5. | option_a=5 | option_b=20 | option_c=50 | option_d=10 | answer=D | explanation= $LCM \times HCF = 10 \times 5$; $HCF(10,5) = 5$, so $LCM = 10$.
- id=78080 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19921 at 4% per annum for 2 years. | option_a=1593 | option_b=1493 | option_c=1693 | option_d=21514 | answer=A | explanation= $SI = PRT/100 = 19921 \times 4 \times 2/100 = \text{■}1593$.
- id=78081 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=C | option_b=R | option_c=M | option_d=H | answer=C | explanation=Move 5 positions forward from H; the resulting letter is M.
- id=78082 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:5 and the first is 20, what is the second? | option_a=10 | option_b=5 | option_c=30 | option_d=20 | answer=A | explanation=Scale factor = $20/10 = 2$. Therefore second quantity = $5 \times 2 = 10$.
- id=78083 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 27. | option_a=486 | option_b=54 | option_c=27 | option_d=72 | answer=B | explanation= $LCM \times HCF = 18 \times 27$; $HCF(18,27) = 9$, so $LCM = 54$.
- id=78084 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.
- id=78085 | topic=Averages | difficulty=Easy | question=Find the average of 26, 49, 75, 61, 20, 89, 37. | option_a=52 | option_b=53 | option_c=50 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = $357 \div 7 = 51$.
- id=78086 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=7 | option_d=5 | answer=A | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.
- id=78087 | topic=Averages | difficulty=Easy | question=Find the average of 84, 10, 81, 90, 83, 54. | option_a=67 | option_b=68 | option_c=69 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = $402 \div 6 = 67$.
- id=78088 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.
- id=78089 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:3 and the first is 48, what is the second? | option_a=45 | option_b=48 | option_c=51 | option_d=96 | answer=B | explanation=Scale factor = $48/3 = 16$. Therefore second quantity = $3 \times 16 = 48$.
- id=78090 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=L | option_b=R | option_c=O | option_d=U | answer=B | explanation=Move 3 positions forward from O; the resulting letter is R.

Aptitude Questions — Records 78,091-78,120 of 100,000

id=78091 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 14, 22, 31? | option_a=6 | option_b=31 | option_c=22 | option_d=14 | answer=B | explanation=The first three numbers increase by 8, so the next should be 30. Therefore 31 is the odd one out.

id=78092 | topic=Averages | difficulty=Easy | question=Find the average of 11, 50, 46, 73. | option_a=45 | option_b=44 | option_c=46 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 180 ÷ 4 = 45.

id=78093 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:8 and the first is 10, what is the second? | option_a=40 | option_b=50 | option_c=42 | option_d=32 | answer=A | explanation=Scale factor = 10/2 = 5. Therefore second quantity = 8×5 = 40.

id=78094 | topic=Averages | difficulty=Easy | question=Find the average of 46, 47, 34, 80, 71, 11, 47, 80. | option_a=52 | option_b=54 | option_c=53 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=78095 | topic=Percentages | difficulty=Easy | question=What is 5% of 463? | option_a=23 | option_b=46 | option_c=13 | option_d=33 | answer=A | explanation=5% of 463 = (5/100) × 463 = 23.

id=78096 | topic=Percentages | difficulty=Easy | question=What is 50% of 1781? | option_a=870 | option_b=890 | option_c=895 | option_d=1780 | answer=B | explanation=50% of 1781 = (50/100) × 1781 = 890.

id=78097 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 20. | option_a=100 | option_b=80 | option_c=500 | option_d=125 | answer=A | explanation=LCM × HCF = 25×20; HCF(25,20) = 5, so LCM = 100.

id=78098 | topic=Percentages | difficulty=Easy | question=What is 30% of 64? | option_a=38 | option_b=9 | option_c=29 | option_d=19 | answer=D | explanation=30% of 64 = (30/100) × 64 = 19.

id=78099 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 9. | option_a=18 | option_b=27 | option_c=243 | option_d=54 | answer=B | explanation=LCM × HCF = 27×9; HCF(27,9) = 9, so LCM = 27.

id=78100 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=78101 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=N | option_c=J | option_d=L | answer=B | explanation=Move 2 positions forward from L; the resulting letter is N.

id=78102 | topic=Percentages | difficulty=Easy | question=What is 25% of 641? | option_a=155 | option_b=320 | option_c=165 | option_d=160 | answer=D | explanation=25% of 641 = (25/100) × 641 = 160.

id=78103 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:19 and the first is 140, what is the second? | option_a=387 | option_b=361 | option_c=380 | option_d=520 | answer=C | explanation=Scale factor = 140/7 = 20. Therefore second quantity = 19×20 = 380.

id=78104 | topic=Profit & Loss | difficulty=Easy | question=An article costs █615. If it is sold at a profit of 25%, what is its selling price? | option_a=768 | option_b=640 | option_c=707 | option_d=829 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 615 × 125/100 = █768.

id=78105 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1371. If it is sold at a profit of 50%, what is its selling price? | option_a=2193 | option_b=1421 | option_c=1919 | option_d=2056 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1371 × 150/100 = █2056.

id=78106 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 30, 33, 39? | option_a=30 | option_b=33 | option_c=39 | option_d=27 | answer=C | explanation=The first three numbers increase by 3, so the next should be 36. Therefore 39 is the odd one out.

id=78107 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=12 | option_c=24 | option_d=7 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=78108 | topic=Averages | difficulty=Easy | question=Find the average of 56, 47, 53, 24, 85, 97, 90, 73, 24. | option_a=63 | option_b=61 | option_c=60 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 549 ÷ 9 = 61.

id=78109 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37137 at 8% per annum for 1 years. | option_a=3070 | option_b=40107 | option_c=2870 | option_d=2970 | answer=D | explanation=SI = PRT/100 = 37137×8×1/100 = █2970.

id=78110 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:3 and the first is 48, what is the second? | option_a=66 | option_b=15 | option_c=18 | option_d=26 | answer=C | explanation=Scale factor = 48/8 = 6. Therefore second quantity = 3×6 = 18.

id=78111 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:12 and the first is 255, what is the second? | option_a=192 | option_b=459 | option_c=219 | option_d=204 | answer=D | explanation=Scale factor = 255/15 = 17. Therefore second quantity = 12×17 = 204.

id=78112 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 23? | option_a=2 | option_b=14 | option_c=23 | option_d=8 | answer=C | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 23 is the odd one out.

id=78113 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=A | option_c=S | option_d=O | answer=A | explanation=Move 4 positions forward from S; the resulting letter is W.

id=78114 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 29? | option_a=22 | option_b=20 | option_c=29 | option_d=24 | answer=C | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 29 is the odd one out.

id=78115 | topic=Percentages | difficulty=Easy | question=What is 12% of 1336? | option_a=170 | option_b=160 | option_c=140 | option_d=320 | answer=B | explanation=12% of 1336 = (12/100) × 1336 = 160.

id=78116 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 17, 21, 27? | option_a=27 | option_b=21 | option_c=13 | option_d=17 | answer=A | explanation=The first three numbers increase by 4, so the next should be 25. Therefore 27 is the odd one out.

id=78117 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=M | option_b=N | option_c=P | option_d=O | answer=D | explanation=Move 1 positions forward from N; the resulting letter is O.

id=78118 | topic=Percentages | difficulty=Easy | question=What is 50% of 60? | option_a=30 | option_b=60 | option_c=20 | option_d=35 | answer=A | explanation=50% of 60 = (50/100) × 60 = 30.

id=78119 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=11 | option_c=1 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=78120 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=7 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

Aptitude Questions — Records 78,121-78,150 of 100,000

id=78121 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4322. If it is sold at a profit of 30%, what is its selling price? | option_a=6050 | option_b=5618 | option_c=4352 | option_d=5186 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4322 × 130/100 = ■5618.

id=78122 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 18. | option_a=378 | option_b=126 | option_c=108 | option_d=147 | answer=B | explanation=LCM × HCF = 21×18; HCF(21,18) = 3, so LCM = 126.

id=78123 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2891. If it is sold at a profit of 30%, what is its selling price? | option_a=3469 | option_b=4047 | option_c=2921 | option_d=3758 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2891 × 130/100 = ■3758.

id=78124 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=F | option_b=K | option_c=P | option_d=U | answer=C | explanation=Move 5 positions forward from K; the resulting letter is P.

id=78125 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=78126 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 33, 42, 54? | option_a=42 | option_b=33 | option_c=54 | option_d=24 | answer=C | explanation=The first three numbers increase by 9, so the next should be 51. Therefore 54 is the odd one out.

id=78127 | topic=Percentages | difficulty=Easy | question=What is 12% of 738? | option_a=176 | option_b=108 | option_c=88 | option_d=68 | answer=C | explanation=12% of 738 = (12/100) × 738 = 88.

id=78128 | topic=Percentages | difficulty=Easy | question=What is 15% of 874? | option_a=136 | option_b=126 | option_c=262 | option_d=131 | answer=D | explanation=15% of 874 = (15/100) × 874 = 131.

id=78129 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 40? | option_a=32 | option_b=18 | option_c=40 | option_d=25 | answer=C | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 40 is the odd one out.

id=78130 | topic=Averages | difficulty=Easy | question=Find the average of 100, 61, 76, 59, 18, 35, 21, 16, 87, 47. | option_a=51 | option_b=52 | option_c=54 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 520 ÷ 10 = 52.

id=78131 | topic=Percentages | difficulty=Easy | question=What is 10% of 654? | option_a=55 | option_b=75 | option_c=65 | option_d=130 | answer=C | explanation=10% of 654 = (10/100) × 654 = 65.

id=78132 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■38518 at 6% per annum for 2 years. | option_a=4622 | option_b=4522 | option_c=43140 | option_d=4722 | answer=A | explanation=SI = PRT/100 = 38518×6×2/100 = ■4622.

id=78133 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2802. If it is sold at a profit of 10%, what is its selling price? | option_a=3362 | option_b=2812 | option_c=2802 | option_d=3082 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2802 × 110/100 = ■3082.

id=78134 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=16 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=78135 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=78136 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=K | option_c=O | option_d=W | answer=A | explanation=Move 4 positions forward from O; the resulting letter is S.

id=78137 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=78138 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■15170 at 12% per annum for 5 years. | option_a=24272 | option_b=9002 | option_c=9202 | option_d=9102 | answer=D | explanation=SI = PRT/100 = 15170×12×5/100 = ■9102.

id=78139 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:20 and the first is 144, what is the second? | option_a=384 | option_b=240 | option_c=252 | option_d=220 | answer=B | explanation=Scale factor = 144/12 = 12. Therefore second quantity = 20×12 = 240.

id=78140 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=38 | option_b=45 | option_c=50 | option_d=44 | answer=D | explanation=The common difference is 6. Therefore the next term is 38 + 6 = 44.

id=78141 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:3 and the first is 120, what is the second? | option_a=150 | option_b=30 | option_c=42 | option_d=27 | answer=B | explanation=Scale factor = 120/12 = 10. Therefore second quantity = 3×10 = 30.

id=78142 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=78143 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2715. If it is sold at a profit of 50%, what is its selling price? | option_a=3801 | option_b=2765 | option_c=4072 | option_d=4343 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2715 × 150/100 = ■4072.

id=78144 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=78145 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=S | option_b=J | option_c=P | option_d=M | answer=C | explanation=Move 3 positions forward from M; the resulting letter is P.

id=78146 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=180 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=78147 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:3 and the first is 26, what is the second? | option_a=6 | option_b=3 | option_c=32 | option_d=19 | answer=A | explanation=Scale factor = 26/13 = 2. Therefore second quantity = 3×2 = 6.

id=78148 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 35, 44, 54? | option_a=44 | option_b=26 | option_c=54 | option_d=35 | answer=C | explanation=The first three numbers increase by 9, so the next should be 53. Therefore 54 is the odd one out.

id=78149 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■600. If it is sold at a profit of 5%, what is its selling price? | option_a=630 | option_b=570 | option_c=690 | option_d=605 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 600 × 105/100 = ■630.

id=78150 | topic=Averages | difficulty=Easy | question=Find the average of 57, 16, 22, 97, 43. | option_a=46 | option_b=47 | option_c=49 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 235 ÷ 5 = 47.

Aptitude Questions — Records 78,151-78,180 of 100,000

id=78151 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2643. If it is sold at a profit of 40%, what is its selling price? | option_a=3436 | option_b=3700 | option_c=3964 | option_d=2683 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2643 × 140/100 = █3700.

id=78152 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=65 | option_b=77 | option_c=53 | option_d=66 | answer=A | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.

id=78153 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 13, 17, 21, ? | option_a=25 | option_b=29 | option_c=26 | option_d=21 | answer=A | explanation=The common difference is 4. Therefore the next term is 21 + 4 = 25.

id=78154 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=K | option_b=H | option_c=B | option_d=E | answer=B | explanation=Move 3 positions forward from E; the resulting letter is H.

id=78155 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=7 | option_c=12 | option_d=17 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=78156 | topic=Averages | difficulty=Easy | question=Find the average of 87, 96, 73, 28, 56. | option_a=70 | option_b=67 | option_c=69 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = 340 ÷ 5 = 68.

id=78157 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=P | option_c=N | option_d=Q | answer=B | explanation=Move 1 positions forward from O; the resulting letter is P.

id=78158 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 9, 11, 14? | option_a=9 | option_b=7 | option_c=14 | option_d=11 | answer=C | explanation=The first three numbers increase by 2, so the next should be 13. Therefore 14 is the odd one out.

id=78159 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=L | option_c=F | option_d=J | answer=D | explanation=Move 2 positions forward from H; the resulting letter is J.

id=78160 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 34? | option_a=34 | option_b=27 | option_c=22 | option_d=17 | answer=A | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 34 is the odd one out.

id=78161 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 17, 26, 38? | option_a=26 | option_b=38 | option_c=8 | option_d=17 | answer=B | explanation=The first three numbers increase by 9, so the next should be 35. Therefore 38 is the odd one out.

id=78162 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31268 at 8% per annum for 5 years. | option_a=12607 | option_b=12407 | option_c=12507 | option_d=43775 | answer=C | explanation=SI = PRT/100 = 31268×8×5/100 = █12507.

id=78163 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:2 and the first is 133, what is the second? | option_a=12 | option_b=33 | option_c=14 | option_d=147 | answer=C | explanation=Scale factor = 133/19 = 7. Therefore second quantity = 2×7 = 14.

id=78164 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=40 | option_c=15 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=78165 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=47 | option_b=46 | option_c=37 | option_d=55 | answer=B | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=78166 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 37? | option_a=37 | option_b=15 | option_c=25 | option_d=5 | answer=A | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 37 is the odd one out.

id=78167 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:17 and the first is 10, what is the second? | option_a=17 | option_b=39 | option_c=44 | option_d=34 | answer=D | explanation=Scale factor = 10/5 = 2. Therefore second quantity = 17×2 = 34.

id=78168 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2900. If it is sold at a profit of 15%, what is its selling price? | option_a=3335 | option_b=3625 | option_c=3045 | option_d=2915 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2900 × 115/100 = █3335.

id=78169 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:15 and the first is 300, what is the second? | option_a=245 | option_b=525 | option_c=225 | option_d=210 | answer=C | explanation=Scale factor = 300/20 = 15. Therefore second quantity = 15×15 = 225.

id=78170 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=78171 | topic=Percentages | difficulty=Easy | question=What is 10% of 484? | option_a=48 | option_b=28 | option_c=58 | option_d=96 | answer=A | explanation=10% of 484 = (10/100) × 484 = 48.

id=78172 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2505. If it is sold at a profit of 10%, what is its selling price? | option_a=2505 | option_b=3005 | option_c=2755 | option_d=2515 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2505 × 110/100 = █2755.

id=78173 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:17 and the first is 180, what is the second? | option_a=289 | option_b=316 | option_c=486 | option_d=306 | answer=D | explanation=Scale factor = 180/10 = 18. Therefore second quantity = 17×18 = 306.

id=78174 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=78175 | topic=Profit & Loss | difficulty=Easy | question=An article costs █553. If it is sold at a profit of 5%, what is its selling price? | option_a=558 | option_b=635 | option_c=580 | option_d=525 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 553 × 105/100 = █580.

id=78176 | topic=Averages | difficulty=Easy | question=Find the average of 40, 91, 84, 66, 31, 84. | option_a=67 | option_b=68 | option_c=65 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = 396 ÷ 6 = 66.

id=78177 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1596. If it is sold at a profit of 20%, what is its selling price? | option_a=1915 | option_b=2074 | option_c=1756 | option_d=1616 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1596 × 120/100 = █1915.

id=78178 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 23, 28, 36? | option_a=23 | option_b=36 | option_c=28 | option_d=18 | answer=B | explanation=The first three numbers increase by 5, so the next should be 33. Therefore 36 is the odd one out.

id=78179 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3601. If it is sold at a profit of 30%, what is its selling price? | option_a=4321 | option_b=5041 | option_c=3631 | option_d=4681 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3601 × 130/100 = █4681.

id=78180 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 22. | option_a=308 | option_b=336 | option_c=616 | option_d=286 | answer=A | explanation=LCM × HCF = 28×22; HCF(28,22) = 2, so LCM = 308.

Aptitude Questions — Records 78,181-78,210 of 100,000

id=78181 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=D | option_c=H | option_d=B | answer=A | explanation=Move 2 positions forward from D; the resulting letter is F.

id=78182 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5866 at 5% per annum for 3 years. | option_a=879 | option_b=979 | option_c=6745 | option_d=779 | answer=A | explanation=SI = $PRT/100 = 5866 \times 5 \times 3/100 = \text{■}879$.

id=78183 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 35, 42, 50? | option_a=28 | option_b=50 | option_c=42 | option_d=35 | answer=B | explanation=The first three numbers increase by 7, so the next should be 49. Therefore 50 is the odd one out.

id=78184 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4087. If it is sold at a profit of 5%, what is its selling price? | option_a=3883 | option_b=4699 | option_c=4092 | option_d=4291 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4087 \times 105/100 = \text{■}4291$.

id=78185 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=50 | option_b=32 | option_c=42 | option_d=41 | answer=D | explanation=The common difference is 9. Therefore the next term is $32 + 9 = 41$.

id=78186 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 23, 30, 38? | option_a=30 | option_b=16 | option_c=23 | option_d=38 | answer=D | explanation=The first three numbers increase by 7, so the next should be 37. Therefore 38 is the odd one out.

id=78187 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25554 at 4% per annum for 5 years. | option_a=5210 | option_b=5110 | option_c=30664 | option_d=5010 | answer=B | explanation=SI = $PRT/100 = 25554 \times 4 \times 5/100 = \text{■}5110$.

id=78188 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**350. If it is sold at a profit of 30%, what is its selling price? | option_a=880 | option_b=1105 | option_c=1190 | option_d=1020 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 850 \times 130/100 = \text{■}1105$.

id=78189 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=N | option_c=O | option_d=L | answer=B | explanation=Move 1 positions forward from M; the resulting letter is N.

id=78190 | topic=Averages | difficulty=Easy | question=Find the average of 18, 89, 15, 72, 75, 31. | option_a=49 | option_b=52 | option_c=51 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = $300 \div 6 = 50$.

id=78191 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 33? | option_a=22 | option_b=12 | option_c=33 | option_d=2 | answer=C | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 33 is the odd one out.

id=78192 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $120 \div 4 = 30$ km/h.

id=78193 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2940. If it is sold at a profit of 30%, what is its selling price? | option_a=3822 | option_b=3528 | option_c=2970 | option_d=4116 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2940 \times 130/100 = \text{■}3822$.

id=78194 | topic=Percentages | difficulty=Easy | question=What is 5% of 494? | option_a=44 | option_b=24 | option_c=48 | option_d=14 | answer=B | explanation=5% of 494 = $(5/100) \times 494 = 24$.

id=78195 | topic=Percentages | difficulty=Easy | question=What is 25% of 1851? | option_a=462 | option_b=457 | option_c=924 | option_d=472 | answer=A | explanation=25% of 1851 = $(25/100) \times 1851 = 462$.

id=78196 | topic=Averages | difficulty=Easy | question=Find the average of 76, 23, 81, 47, 49, 58, 57, 66, 56, 47. | option_a=56 | option_b=55 | option_c=57 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = $560 \div 10 = 56$.

id=78197 | topic=Percentages | difficulty=Easy | question=What is 25% of 1417? | option_a=359 | option_b=708 | option_c=334 | option_d=354 | answer=D | explanation=25% of 1417 = $(25/100) \times 1417 = 354$.

id=78198 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:20 and the first is 56, what is the second? | option_a=140 | option_b=196 | option_c=148 | option_d=120 | answer=A | explanation=Scale factor = $56/8 = 7$. Therefore second quantity = $20 \times 7 = 140$.

id=78199 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=78200 | topic=Percentages | difficulty=Easy | question=What is 12% of 1060? | option_a=147 | option_b=107 | option_c=254 | option_d=127 | answer=D | explanation=12% of 1060 = $(12/100) \times 1060 = 127$.

id=78201 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:19 and the first is 57, what is the second? | option_a=418 | option_b=361 | option_c=342 | option_d=364 | answer=B | explanation=Scale factor = $57/3 = 19$. Therefore second quantity = $19 \times 19 = 361$.

id=78202 | topic=Averages | difficulty=Easy | question=Find the average of 37, 100, 37, 42, 19, 39, 39, 39. | option_a=46 | option_b=44 | option_c=43 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = $352 \div 8 = 44$.

id=78203 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4539. If it is sold at a profit of 5%, what is its selling price? | option_a=4765 | option_b=4312 | option_c=4544 | option_d=5218 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4539 \times 105/100 = \text{■}4765$.

id=78204 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = $60 \div 4 = 15$ km/h.

id=78205 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 27, 31, 38? | option_a=27 | option_b=23 | option_c=31 | option_d=38 | answer=D | explanation=The first three numbers increase by 4, so the next should be 35. Therefore 38 is the odd one out.

id=78206 | topic=Percentages | difficulty=Easy | question=What is 15% of 425? | option_a=63 | option_b=73 | option_c=43 | option_d=126 | answer=A | explanation=15% of 425 = $(15/100) \times 425 = 63$.

id=78207 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=E | option_c=D | option_d=C | answer=B | explanation=Move 1 positions forward from D; the resulting letter is E.

id=78208 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=J | option_b=D | option_c=A | option_d=G | answer=D | explanation=Move 3 positions forward from D; the resulting letter is G.

id=78209 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 24, 32, 41? | option_a=32 | option_b=24 | option_c=41 | option_d=16 | answer=C | explanation=The first three numbers increase by 8, so the next should be 40. Therefore 41 is the odd one out.

id=78210 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:2 and the first is 162, what is the second? | option_a=45 | option_b=198 | option_c=34 | option_d=36 | answer=D | explanation=Scale factor = $162/9 = 18$. Therefore second quantity = $2 \times 18 = 36$.

Aptitude Questions — Records 78,211-78,240 of 100,000

- id=78211 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■21983 at 8% per annum for 5 years. | option_a=8793 | option_b=8693 | option_c=8893 | option_d=30776 | answer=A | explanation=SI = PRT/100 = 21983×8×5/100 = ■8793.
- id=78212 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=17 | option_b=13 | option_c=16 | option_d=15 | answer=D | explanation=The common difference is 2. Therefore the next term is 13 + 2 = 15.
- id=78213 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4319. If it is sold at a profit of 40%, what is its selling price? | option_a=6477 | option_b=4359 | option_c=6046 | option_d=5615 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4319 × 140/100 = ■6046.
- id=78214 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■47031 at 4% per annum for 2 years. | option_a=3662 | option_b=50793 | option_c=3762 | option_d=3862 | answer=C | explanation=SI = PRT/100 = 47031×4×2/100 = ■3762.
- id=78215 | topic=Percentages | difficulty=Easy | question=What is 20% of 419? | option_a=73 | option_b=83 | option_c=166 | option_d=103 | answer=B | explanation=20% of 419 = (20/100) × 419 = 83.
- id=78216 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2355. If it is sold at a profit of 50%, what is its selling price? | option_a=3532 | option_b=3767 | option_c=3297 | option_d=2405 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2355 × 150/100 = ■3532.
- id=78217 | topic=Percentages | difficulty=Easy | question=What is 10% of 1948? | option_a=388 | option_b=194 | option_c=214 | option_d=184 | answer=B | explanation=10% of 1948 = (10/100) × 1948 = 194.
- id=78218 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:16 and the first is 54, what is the second? | option_a=144 | option_b=198 | option_c=150 | option_d=128 | answer=A | explanation=Scale factor = 54/6 = 9. Therefore second quantity = 16×9 = 144.
- id=78219 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.
- id=78220 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.
- id=78221 | topic=Averages | difficulty=Easy | question=Find the average of 36, 12, 40, 73, 21, 42, 89, 24, 68. | option_a=45 | option_b=44 | option_c=47 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 405 ÷ 9 = 45.
- id=78222 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3299. If it is sold at a profit of 10%, what is its selling price? | option_a=3309 | option_b=3299 | option_c=3628 | option_d=3957 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3299 × 110/100 = ■3628.
- id=78223 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.
- id=78224 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=F | option_b=R | option_c=N | option_d=J | answer=C | explanation=Move 4 positions forward from J; the resulting letter is N.
- id=78225 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.
- id=78226 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=32 | option_b=37 | option_c=33 | option_d=27 | answer=A | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.
- id=78227 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=V | option_b=R | option_c=N | option_d=J | answer=B | explanation=Move 4 positions forward from N; the resulting letter is R.
- id=78228 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3698. If it is sold at a profit of 50%, what is its selling price? | option_a=5178 | option_b=3748 | option_c=5547 | option_d=5916 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3698 × 150/100 = ■5547.
- id=78229 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.
- id=78230 | topic=Averages | difficulty=Easy | question=Find the average of 23, 19, 40, 67, 99, 50, 76, 13, 54. | option_a=48 | option_b=51 | option_c=49 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 441 ÷ 9 = 49.
- id=78231 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 21? | option_a=21 | option_b=14 | option_c=18 | option_d=16 | answer=A | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 21 is the odd one out.
- id=78232 | topic=Percentages | difficulty=Easy | question=What is 15% of 929? | option_a=119 | option_b=139 | option_c=278 | option_d=149 | answer=B | explanation=15% of 929 = (15/100) × 929 = 139.
- id=78233 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=43 | option_b=44 | option_c=35 | option_d=51 | answer=A | explanation=The common difference is 8. Therefore the next term is 35 + 8 = 43.
- id=78234 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 34? | option_a=25 | option_b=28 | option_c=22 | option_d=34 | answer=D | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 34 is the odd one out.
- id=78235 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 46? | option_a=32 | option_b=26 | option_c=46 | option_d=38 | answer=C | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 46 is the odd one out.
- id=78236 | topic=Percentages | difficulty=Easy | question=What is 40% of 623? | option_a=249 | option_b=498 | option_c=229 | option_d=269 | answer=A | explanation=40% of 623 = (40/100) × 623 = 249.
- id=78237 | topic=Percentages | difficulty=Easy | question=What is 25% of 388? | option_a=194 | option_b=107 | option_c=77 | option_d=97 | answer=D | explanation=25% of 388 = (25/100) × 388 = 97.
- id=78238 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 10? | option_a=10 | option_b=6 | option_c=2 | option_d=4 | answer=A | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 10 is the odd one out.
- id=78239 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1870. If it is sold at a profit of 20%, what is its selling price? | option_a=1890 | option_b=2431 | option_c=2057 | option_d=2244 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1870 × 120/100 = ■2244.
- id=78240 | topic=Percentages | difficulty=Easy | question=What is 25% of 512? | option_a=256 | option_b=128 | option_c=123 | option_d=148 | answer=B | explanation=25% of 512 = (25/100) × 512 = 128.

Aptitude Questions — Records 78,241-78,270 of 100,000

id=78241 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:9 and the first is 18, what is the second? | option_a=54 | option_b=72 | option_c=57 | option_d=45 | answer=A | explanation=Scale factor = 18/3 = 6. Therefore second quantity = 9×6 = 54.

id=78242 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6304 at 10% per annum for 5 years. | option_a=3052 | option_b=3152 | option_c=9456 | option_d=3252 | answer=B | explanation=SI = PRT/100 = 6304×10×5/100 = **■**3152.

id=78243 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=37 | option_b=47 | option_c=48 | option_d=57 | answer=B | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

id=78244 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Y | option_b=M | option_c=Q | option_d=U | answer=D | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=78245 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1504. If it is sold at a profit of 40%, what is its selling price? | option_a=2105 | option_b=1955 | option_c=2255 | option_d=1544 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1504 × 140/100 = **■**2105.

id=78246 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:14 and the first is 55, what is the second? | option_a=81 | option_b=70 | option_c=125 | option_d=56 | answer=B | explanation=Scale factor = 55/11 = 5. Therefore second quantity = 14×5 = 70.

id=78247 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1798. If it is sold at a profit of 15%, what is its selling price? | option_a=2067 | option_b=1813 | option_c=1888 | option_d=2246 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1798 × 115/100 = **■**2067.

id=78248 | topic=Averages | difficulty=Easy | question=Find the average of 78, 100, 90, 12, 78, 56, 39, 99. | option_a=69 | option_b=70 | option_c=68 | option_d=71 | answer=A | explanation=Average = sum of values ÷ number of values = 552 ÷ 8 = 69.

id=78249 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=T | option_c=P | option_d=R | answer=B | explanation=Move 2 positions forward from R; the resulting letter is T.

id=78250 | topic=Percentages | difficulty=Easy | question=What is 50% of 793? | option_a=396 | option_b=386 | option_c=792 | option_d=406 | answer=A | explanation=50% of 793 = (50/100) × 793 = 396.

id=78251 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=77 | option_c=67 | option_d=144 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=78252 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=32 | option_b=36 | option_c=26 | option_d=31 | answer=D | explanation=The common difference is 5. Therefore the next term is 26 + 5 = 31.

id=78253 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2268. If it is sold at a profit of 50%, what is its selling price? | option_a=2318 | option_b=3628 | option_c=3176 | option_d=3402 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2268 × 150/100 = **■**3402.

id=78254 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24961 at 15% per annum for 4 years. | option_a=15076 | option_b=39937 | option_c=14976 | option_d=14876 | answer=C | explanation=SI = PRT/100 = 24961×15×4/100 = **■**14976.

id=78255 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=78256 | topic=Percentages | difficulty=Easy | question=What is 20% of 896? | option_a=174 | option_b=358 | option_c=179 | option_d=184 | answer=C | explanation=20% of 896 = (20/100) × 896 = 179.

id=78257 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=78258 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=30 | option_b=23 | option_c=35 | option_d=29 | answer=D | explanation=The common difference is 6. Therefore the next term is 23 + 6 = 29.

id=78259 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 40? | option_a=40 | option_b=28 | option_c=19 | option_d=10 | answer=A | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 40 is the odd one out.

id=78260 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:13 and the first is 220, what is the second? | option_a=271 | option_b=247 | option_c=480 | option_d=260 | answer=D | explanation=Scale factor = 220/11 = 20. Therefore second quantity = 13×20 = 260.

id=78261 | topic=Averages | difficulty=Easy | question=Find the average of 41, 51, 67. | option_a=55 | option_b=52 | option_c=54 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 159 ÷ 3 = 53.

id=78262 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=K | option_c=Z | option_d=U | answer=D | explanation=Move 5 positions forward from P; the resulting letter is U.

id=78263 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 30? | option_a=16 | option_b=24 | option_c=20 | option_d=30 | answer=D | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 30 is the odd one out.

id=78264 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=33 | option_b=27 | option_c=37 | option_d=32 | answer=D | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

id=78265 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=J | option_b=L | option_c=P | option_d=N | answer=D | explanation=Move 2 positions forward from L; the resulting letter is N.

id=78266 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14974 at 10% per annum for 5 years. | option_a=7587 | option_b=22461 | option_c=7387 | option_d=7487 | answer=D | explanation=SI = PRT/100 = 14974×10×5/100 = **■**7487.

id=78267 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41210 at 8% per annum for 2 years. | option_a=6493 | option_b=6593 | option_c=47803 | option_d=6693 | answer=B | explanation=SI = PRT/100 = 41210×8×2/100 = **■**6593.

id=78268 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 18. | option_a=120 | option_b=72 | option_c=90 | option_d=540 | answer=C | explanation=LCM × HCF = 30×18; HCF(30,18) = 6, so LCM = 90.

id=78269 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1188. If it is sold at a profit of 50%, what is its selling price? | option_a=1664 | option_b=1782 | option_c=1900 | option_d=1238 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1188 × 150/100 = **■**1782.

id=78270 | topic=Percentages | difficulty=Easy | question=What is 30% of 1825? | option_a=527 | option_b=547 | option_c=1094 | option_d=567 | answer=B | explanation=30% of 1825 = (30/100) × 1825 = 547.

Aptitude Questions — Records 78,271-78,300 of 100,000

id=78271 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=150 | option_c=155 | option_d=145 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=78272 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=57 | option_b=67 | option_c=58 | option_d=47 | answer=A | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

id=78273 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=78274 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 12? | option_a=9 | option_b=12 | option_c=5 | option_d=7 | answer=B | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 12 is the odd one out.

id=78275 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 52? | option_a=40 | option_b=52 | option_c=30 | option_d=20 | answer=B | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 52 is the odd one out.

id=78276 | topic=Averages | difficulty=Easy | question=Find the average of 56, 10, 18, 48. | option_a=33 | option_b=35 | option_c=34 | option_d=32 | answer=A | explanation=Average = sum of values ÷ number of values = 132 ÷ 4 = 33.

id=78277 | topic=Percentages | difficulty=Easy | question=What is 12% of 762? | option_a=91 | option_b=86 | option_c=111 | option_d=182 | answer=A | explanation=12% of 762 = (12/100) × 762 = 91.

id=78278 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=38 | option_b=39 | option_c=29 | option_d=47 | answer=A | explanation=The common difference is 9. Therefore the next term is 29 + 9 = 38.

id=78279 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=78280 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:19 and the first is 400, what is the second? | option_a=361 | option_b=400 | option_c=780 | option_d=380 | answer=D | explanation=Scale factor = 400/20 = 20. Therefore second quantity = 19×20 = 380.

id=78281 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 35, 44, 56? | option_a=26 | option_b=35 | option_c=44 | option_d=56 | answer=D | explanation=The first three numbers increase by 9, so the next should be 53. Therefore 56 is the odd one out.

id=78282 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=78283 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 23, 28, 34? | option_a=18 | option_b=28 | option_c=23 | option_d=34 | answer=D | explanation=The first three numbers increase by 5, so the next should be 33. Therefore 34 is the odd one out.

id=78284 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:12 and the first is 171, what is the second? | option_a=237 | option_b=399 | option_c=216 | option_d=228 | answer=D | explanation=Scale factor = 171/9 = 19. Therefore second quantity = 12×19 = 228.

id=78285 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 26? | option_a=4 | option_b=18 | option_c=26 | option_d=11 | answer=C | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 26 is the odd one out.

id=78286 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:5 and the first is 36, what is the second? | option_a=15 | option_b=51 | option_c=27 | option_d=10 | answer=A | explanation=Scale factor = 36/12 = 3. Therefore second quantity = 5×3 = 15.

id=78287 | topic=Profit & Loss | difficulty=Easy | question=An article costs █283. If it is sold at a profit of 10%, what is its selling price? | option_a=311 | option_b=283 | option_c=339 | option_d=293 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 283 × 110/100 = █311.

id=78288 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=52 | option_b=40 | option_c=62 | option_d=51 | answer=D | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=78289 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 8, 10, 14? | option_a=10 | option_b=6 | option_c=14 | option_d=8 | answer=C | explanation=The first three numbers increase by 2, so the next should be 12. Therefore 14 is the odd one out.

id=78290 | topic=Percentages | difficulty=Easy | question=What is 10% of 1774? | option_a=177 | option_b=167 | option_c=354 | option_d=197 | answer=A | explanation=10% of 1774 = (10/100) × 1774 = 177.

id=78291 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=17 | option_d=7 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=78292 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:20 and the first is 272, what is the second? | option_a=300 | option_b=337 | option_c=320 | option_d=592 | answer=C | explanation=Scale factor = 272/17 = 16. Therefore second quantity = 20×16 = 320.

id=78293 | topic=Averages | difficulty=Easy | question=Find the average of 12, 94, 38. | option_a=48 | option_b=49 | option_c=50 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 144 ÷ 3 = 48.

id=78294 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4298. If it is sold at a profit of 25%, what is its selling price? | option_a=5372 | option_b=5801 | option_c=4943 | option_d=4323 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4298 × 125/100 = █5372.

id=78295 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 27. | option_a=1 | option_b=27 | option_c=30 | option_d=81 | answer=B | explanation=LCM × HCF = 3×27; HCF(3,27) = 3, so LCM = 27.

id=78296 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39970 at 8% per annum for 3 years. | option_a=9692 | option_b=49562 | option_c=9492 | option_d=9592 | answer=D | explanation=SI = PRT/100 = 39970×8×3/100 = █9592.

id=78297 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1395. If it is sold at a profit of 50%, what is its selling price? | option_a=2231 | option_b=1445 | option_c=1953 | option_d=2092 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1395 × 150/100 = █2092.

id=78298 | topic=Percentages | difficulty=Easy | question=What is 50% of 777? | option_a=388 | option_b=398 | option_c=378 | option_d=776 | answer=A | explanation=50% of 777 = (50/100) × 777 = 388.

id=78299 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=78300 | topic=Percentages | difficulty=Easy | question=What is 50% of 1482? | option_a=1482 | option_b=721 | option_c=751 | option_d=741 | answer=D | explanation=50% of 1482 = (50/100) × 1482 = 741.

Aptitude Questions — Records 78,301-78,330 of 100,000

id=78301 | topic=Averages | difficulty=Easy | question=Find the average of 92, 52, 68, 39, 70, 51. | option_a=63 | option_b=62 | option_c=64 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = $372 \div 6 = 62$.

id=78302 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=Y | option_b=O | option_c=J | option_d=T | answer=D | explanation=Move 5 positions forward from O; the resulting letter is T.

id=78303 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2244. If it is sold at a profit of 20%, what is its selling price? | option_a=2264 | option_b=2916 | option_c=2468 | option_d=2692 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2244 \times 120/100 = \text{█}2692$.

id=78304 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19278 at 15% per annum for 5 years. | option_a=14558 | option_b=33736 | option_c=14458 | option_d=14358 | answer=C | explanation=SI = $PRT/100 = 19278 \times 15 \times 5/100 = \text{█}14458$.

id=78305 | topic=Percentages | difficulty=Easy | question=What is 5% of 1715? | option_a=90 | option_b=85 | option_c=75 | option_d=170 | answer=B | explanation=5% of 1715 = $(5/100) \times 1715 = 85$.

id=78306 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=P | option_c=Q | option_d=N | answer=B | explanation=Move 1 positions forward from O; the resulting letter is P.

id=78307 | topic=Averages | difficulty=Easy | question=Find the average of 40, 65, 38, 54, 76, 92, 36, 77, 53. | option_a=58 | option_b=60 | option_c=59 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = $531 \div 9 = 59$.

id=78308 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=78309 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=45 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = $240 \div 6 = 40$ km/h.

id=78310 | topic=Averages | difficulty=Easy | question=Find the average of 85, 65, 86, 25, 26, 42, 17, 94. | option_a=57 | option_b=54 | option_c=55 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = $440 \div 8 = 55$.

id=78311 | topic=Profit & Loss | difficulty=Easy | question=An article costs █142. If it is sold at a profit of 25%, what is its selling price? | option_a=177 | option_b=167 | option_c=163 | option_d=191 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 142 \times 125/100 = \text{█}177$.

id=78312 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 35, 45, 56? | option_a=45 | option_b=25 | option_c=35 | option_d=56 | answer=D | explanation=The first three numbers increase by 10, so the next should be 55. Therefore 56 is the odd one out.

id=78313 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=78314 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 13, 17, 22? | option_a=22 | option_b=13 | option_c=9 | option_d=17 | answer=A | explanation=The first three numbers increase by 4, so the next should be 21. Therefore 22 is the odd one out.

id=78315 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:19 and the first is 160, what is the second? | option_a=133 | option_b=172 | option_c=312 | option_d=152 | answer=D | explanation=Scale factor = $160/20 = 8$. Therefore second quantity = $19 \times 8 = 152$.

id=78316 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1297. If it is sold at a profit of 30%, what is its selling price? | option_a=1815 | option_b=1686 | option_c=1327 | option_d=1557 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 1297 \times 130/100 = \text{█}1686$.

id=78317 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=40 | option_c=25 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = $120 \div 6 = 20$ km/h.

id=78318 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=50 | option_d=90 | answer=B | explanation=Speed = distance ÷ time = $360 \div 8 = 45$ km/h.

id=78319 | topic=Percentages | difficulty=Easy | question=What is 5% of 1820? | option_a=71 | option_b=91 | option_c=182 | option_d=96 | answer=B | explanation=5% of 1820 = $(5/100) \times 1820 = 91$.

id=78320 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36156 at 10% per annum for 3 years. | option_a=10946 | option_b=10746 | option_c=10846 | option_d=47002 | answer=C | explanation=SI = $PRT/100 = 36156 \times 10 \times 3/100 = \text{█}10946$.

id=78321 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:7 and the first is 154, what is the second? | option_a=231 | option_b=77 | option_c=91 | option_d=70 | answer=B | explanation=Scale factor = $154/14 = 11$. Therefore second quantity = $7 \times 11 = 77$.

id=78322 | topic=Averages | difficulty=Easy | question=Find the average of 74, 78, 17, 37, 88, 62, 92. | option_a=65 | option_b=66 | option_c=63 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = $448 \div 7 = 64$.

id=78323 | topic=Percentages | difficulty=Easy | question=What is 30% of 96? | option_a=28 | option_b=56 | option_c=8 | option_d=38 | answer=A | explanation=30% of 96 = $(30/100) \times 96 = 28$.

id=78324 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=144 | option_c=67 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = $360 \div 5 = 72$ km/h.

id=78325 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 20? | option_a=12 | option_b=9 | option_c=15 | option_d=20 | answer=D | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 20 is the odd one out.

id=78326 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:7 and the first is 153, what is the second? | option_a=272 | option_b=112 | option_c=128 | option_d=119 | answer=D | explanation=Scale factor = $153/9 = 17$. Therefore second quantity = $7 \times 17 = 119$.

id=78327 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1731. If it is sold at a profit of 15%, what is its selling price? | option_a=2163 | option_b=1817 | option_c=1990 | option_d=1746 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 1731 \times 115/100 = \text{█}1990$.

id=78328 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=47 | option_b=57 | option_c=48 | option_d=37 | answer=A | explanation=The common difference is 10. Therefore the next term is $37 + 10 = 47$.

id=78329 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=20 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = $150 \div 10 = 15$ km/h.

id=78330 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

Aptitude Questions — Records 78,331-78,360 of 100,000

id=78331 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=24 | option_b=25 | option_c=19 | option_d=29 | answer=A | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.

id=78332 | topic=Averages | difficulty=Easy | question=Find the average of 35, 35, 86. | option_a=53 | option_b=52 | option_c=51 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 156 ÷ 3 = 52.

id=78333 | topic=Percentages | difficulty=Easy | question=What is 20% of 374? | option_a=84 | option_b=148 | option_c=74 | option_d=64 | answer=C | explanation=20% of 374 = (20/100) × 374 = 74.

id=78334 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=78335 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=31 | option_b=41 | option_c=37 | option_d=36 | answer=D | explanation=The common difference is 5. Therefore the next term is 31 + 5 = 36.

id=78336 | topic=Averages | difficulty=Easy | question=Find the average of 65, 15, 87, 21. | option_a=46 | option_b=48 | option_c=49 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 188 ÷ 4 = 47.

id=78337 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=60 | option_b=49 | option_c=61 | option_d=71 | answer=A | explanation=The common difference is 11. Therefore the next term is 49 + 11 = 60.

id=78338 | topic=Percentages | difficulty=Easy | question=What is 40% of 1458? | option_a=593 | option_b=1166 | option_c=563 | option_d=583 | answer=D | explanation=40% of 1458 = (40/100) × 1458 = 583.

id=78339 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=78340 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 30? | option_a=18 | option_b=21 | option_c=30 | option_d=24 | answer=C | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 30 is the odd one out.

id=78341 | topic=Profit & Loss | difficulty=Easy | question=An article costs █205. If it is sold at a profit of 25%, what is its selling price? | option_a=236 | option_b=230 | option_c=256 | option_d=276 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 205 × 125/100 = █256.

id=78342 | topic=Averages | difficulty=Easy | question=Find the average of 48, 54, 66, 20, 36, 67, 51, 17, 24, 17. | option_a=42 | option_b=40 | option_c=39 | option_d=41 | answer=B | explanation=Average = sum of values ÷ number of values = 400 ÷ 10 = 40.

id=78343 | topic=Profit & Loss | difficulty=Easy | question=An article costs █906. If it is sold at a profit of 40%, what is its selling price? | option_a=1208 | option_b=1128 | option_c=846 | option_d=1048 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 806 × 140/100 = █1128.

id=78344 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35034 at 5% per annum for 1 years. | option_a=1751 | option_b=36785 | option_c=1651 | option_d=1851 | answer=A | explanation=SI = PRT/100 = 35034×5×1/100 = █1751.

id=78345 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=78346 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=95 | option_c=90 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=78347 | topic=Percentages | difficulty=Easy | question=What is 15% of 666? | option_a=109 | option_b=89 | option_c=198 | option_d=99 | answer=D | explanation=15% of 666 = (15/100) × 666 = 99.

id=78348 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=50 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=78349 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=78350 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 9. | option_a=1 | option_b=9 | option_c=81 | option_d=18 | answer=B | explanation=LCM × HCF = 9×9; HCF(9,9) = 9, so LCM = 9.

id=78351 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26080 at 10% per annum for 5 years. | option_a=39120 | option_b=13040 | option_c=12940 | option_d=13140 | answer=B | explanation=SI = PRT/100 = 26080×10×5/100 = █13040.

id=78352 | topic=Percentages | difficulty=Easy | question=What is 12% of 1831? | option_a=219 | option_b=438 | option_c=209 | option_d=239 | answer=A | explanation=12% of 1831 = (12/100) × 1831 = 219.

id=78353 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=78354 | topic=Averages | difficulty=Easy | question=Find the average of 92, 49, 39, 100, 38, 74, 91. | option_a=71 | option_b=70 | option_c=68 | option_d=69 | answer=D | explanation=Average = sum of values ÷ number of values = 483 ÷ 7 = 69.

id=78355 | topic=Percentages | difficulty=Easy | question=What is 30% of 1090? | option_a=317 | option_b=332 | option_c=654 | option_d=327 | answer=D | explanation=30% of 1090 = (30/100) × 1090 = 327.

id=78356 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=16 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=78357 | topic=Percentages | difficulty=Easy | question=What is 15% of 1557? | option_a=233 | option_b=223 | option_c=243 | option_d=466 | answer=A | explanation=15% of 1557 = (15/100) × 1557 = 233.

id=78358 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45789 at 5% per annum for 4 years. | option_a=54946 | option_b=9057 | option_c=9157 | option_d=9257 | answer=C | explanation=SI = PRT/100 = 45789×5×4/100 = █9157.

id=78359 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2532. If it is sold at a profit of 40%, what is its selling price? | option_a=2572 | option_b=3544 | option_c=3797 | option_d=3291 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2532 × 140/100 = █3544.

id=78360 | topic=Averages | difficulty=Easy | question=Find the average of 59, 78, 12, 57, 14. | option_a=46 | option_b=43 | option_c=45 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = 220 ÷ 5 = 44.

Aptitude Questions — Records 78,361-78,390 of 100,000

id=78361 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:2 and the first is 119, what is the second? | option_a=32 | option_b=153 | option_c=34 | option_d=41 | answer=C | explanation=Scale factor = 119/7 = 17. Therefore second quantity = 2×17 = 34.

id=78362 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=40 | option_b=41 | option_c=33 | option_d=47 | answer=A | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.

id=78363 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=68 | option_b=44 | option_c=56 | option_d=57 | answer=C | explanation=The common difference is 12. Therefore the next term is 44 + 12 = 56.

id=78364 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=V | option_c=T | option_d=U | answer=B | explanation=Move 1 positions forward from U; the resulting letter is V.

id=78365 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■13236 at 12% per annum for 2 years. | option_a=16412 | option_b=3276 | option_c=3176 | option_d=3076 | answer=C | explanation=SI = PRT/100 = 13236×12×2/100 = ■3176.

id=78366 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=17 | option_b=16 | option_c=15 | option_d=13 | answer=C | explanation=The common difference is 2. Therefore the next term is 13 + 2 = 15.

id=78367 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:1 and the first is 63, what is the second? | option_a=72 | option_b=8 | option_c=16 | option_d=9 | answer=D | explanation=Scale factor = 63/7 = 9. Therefore second quantity = 1×9 = 9.

id=78368 | topic=Percentages | difficulty=Easy | question=What is 12% of 1208? | option_a=144 | option_b=149 | option_c=288 | option_d=124 | answer=A | explanation=12% of 1208 = (12/100) × 1208 = 144.

id=78369 | topic=Averages | difficulty=Easy | question=Find the average of 61, 39, 32, 76, 52. | option_a=54 | option_b=53 | option_c=52 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 260 ÷ 5 = 52.

id=78370 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2757. If it is sold at a profit of 25%, what is its selling price? | option_a=3446 | option_b=3721 | option_c=2782 | option_d=3171 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2757 × 125/100 = ■3446.

id=78371 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=P | option_c=T | option_d=H | answer=B | explanation=Move 4 positions forward from L; the resulting letter is P.

id=78372 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4646. If it is sold at a profit of 15%, what is its selling price? | option_a=5342 | option_b=4661 | option_c=4878 | option_d=5806 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4646 × 115/100 = ■5342.

id=78373 | topic=Averages | difficulty=Easy | question=Find the average of 31, 24, 77. | option_a=43 | option_b=46 | option_c=44 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = 132 ÷ 3 = 44.

id=78374 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:18 and the first is 240, what is the second? | option_a=270 | option_b=288 | option_c=303 | option_d=528 | answer=B | explanation=Scale factor = 240/15 = 16. Therefore second quantity = 18×16 = 288.

id=78375 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=78376 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:10 and the first is 9, what is the second? | option_a=91 | option_b=80 | option_c=90 | option_d=99 | answer=C | explanation=Scale factor = 9/1 = 9. Therefore second quantity = 10×9 = 90.

id=78377 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=S | option_b=J | option_c=P | option_d=M | answer=C | explanation=Move 3 positions forward from M; the resulting letter is P.

id=78378 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:19 and the first is 45, what is the second? | option_a=266 | option_b=285 | option_c=330 | option_d=288 | answer=B | explanation=Scale factor = 45/3 = 15. Therefore second quantity = 19×15 = 285.

id=78379 | topic=Averages | difficulty=Easy | question=Find the average of 99, 71, 73, 37, 91, 19, 27, 44, 22, 97. | option_a=57 | option_b=60 | option_c=59 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 580 ÷ 10 = 58.

id=78380 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 20. | option_a=440 | option_b=220 | option_c=200 | option_d=242 | answer=B | explanation=LCM × HCF = 22×20; HCF(22,20) = 2, so LCM = 220.

id=78381 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:11 and the first is 195, what is the second? | option_a=178 | option_b=165 | option_c=360 | option_d=154 | answer=B | explanation=Scale factor = 195/13 = 15. Therefore second quantity = 11×15 = 165.

id=78382 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=B | option_c=X | option_d=P | answer=C | explanation=Move 4 positions forward from T; the resulting letter is X.

id=78383 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=12 | option_b=15 | option_c=16 | option_d=18 | answer=B | explanation=The common difference is 3. Therefore the next term is 12 + 3 = 15.

id=78384 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:17 and the first is 160, what is the second? | option_a=136 | option_b=119 | option_c=296 | option_d=156 | answer=A | explanation=Scale factor = 160/20 = 8. Therefore second quantity = 17×8 = 136.

id=78385 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4566. If it is sold at a profit of 10%, what is its selling price? | option_a=4566 | option_b=5022 | option_c=5478 | option_d=4576 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4566 × 110/100 = ■5022.

id=78386 | topic=Percentages | difficulty=Easy | question=What is 25% of 1041? | option_a=255 | option_b=270 | option_c=260 | option_d=520 | answer=C | explanation=25% of 1041 = (25/100) × 1041 = 260.

id=78387 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 16. | option_a=32 | option_b=48 | option_c=96 | option_d=54 | answer=B | explanation=LCM × HCF = 6×16; HCF(6,16) = 2, so LCM = 48.

id=78388 | topic=Percentages | difficulty=Easy | question=What is 40% of 903? | option_a=722 | option_b=341 | option_c=361 | option_d=371 | answer=C | explanation=40% of 903 = (40/100) × 903 = 361.

id=78389 | topic=Averages | difficulty=Easy | question=Find the average of 91, 89, 22, 47, 96, 99. | option_a=75 | option_b=73 | option_c=74 | option_d=76 | answer=C | explanation=Average = sum of values ÷ number of values = 444 ÷ 6 = 74.

id=78390 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

Aptitude Questions — Records 78,391-78,420 of 100,000

id=78391 | topic=Averages | difficulty=Easy | question=Find the average of 84, 69, 72. | option_a=74 | option_b=75 | option_c=77 | option_d=76 | answer=B | explanation=Average = sum of values ÷ number of values = 225 ÷ 3 = 75.

id=78392 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=78393 | topic=Averages | difficulty=Easy | question=Find the average of 31, 80, 48. | option_a=52 | option_b=53 | option_c=55 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 159 ÷ 3 = 53.

id=78394 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22168 at 12% per annum for 2 years. | option_a=5320 | option_b=5220 | option_c=27488 | option_d=5420 | answer=A | explanation=SI = $\frac{PRT}{100}$ = $\frac{22168 \times 12 \times 2}{100}$ = **■**5320.

id=78395 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 26. | option_a=130 | option_b=312 | option_c=168 | option_d=156 | answer=D | explanation=LCM × HCF = 12×26; HCF(12,26) = 2, so LCM = 156.

id=78396 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24087 at 8% per annum for 4 years. | option_a=7607 | option_b=7707 | option_c=31794 | option_d=7807 | answer=B | explanation=SI = $\frac{PRT}{100}$ = $\frac{24087 \times 8 \times 4}{100}$ = **■**7707.

id=78397 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=31 | option_c=36 | option_d=72 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=78398 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 26? | option_a=21 | option_b=19 | option_c=26 | option_d=17 | answer=C | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 26 is the odd one out.

id=78399 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 9, 12, 18? | option_a=12 | option_b=6 | option_c=18 | option_d=9 | answer=C | explanation=The first three numbers increase by 3, so the next should be 15. Therefore 18 is the odd one out.

id=78400 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 6. | option_a=36 | option_b=12 | option_c=1 | option_d=6 | answer=D | explanation=LCM × HCF = 6×6; HCF(6,6) = 6, so LCM = 6.

id=78401 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=78402 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11126 at 15% per annum for 4 years. | option_a=6775 | option_b=6575 | option_c=6675 | option_d=17801 | answer=C | explanation=SI = $\frac{PRT}{100}$ = $\frac{11126 \times 15 \times 4}{100}$ = **■**6675.

id=78403 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35879 at 4% per annum for 3 years. | option_a=4305 | option_b=4405 | option_c=4205 | option_d=40184 | answer=A | explanation=SI = $\frac{PRT}{100}$ = $\frac{35879 \times 4 \times 3}{100}$ = **■**4305.

id=78404 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 14. | option_a=280 | option_b=140 | option_c=160 | option_d=126 | answer=B | explanation=LCM × HCF = 20×14; HCF(20,14) = 2, so LCM = 140.

id=78405 | topic=Percentages | difficulty=Easy | question=What is 40% of 560? | option_a=204 | option_b=244 | option_c=224 | option_d=448 | answer=C | explanation=40% of 560 = $(\frac{40}{100}) \times 560$ = 224.

id=78406 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:19 and the first is 20, what is the second? | option_a=76 | option_b=99 | option_c=115 | option_d=95 | answer=D | explanation=Scale factor = 20/4 = 5. Therefore second quantity = 19×5 = 95.

id=78407 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=B | option_b=T | option_c=P | option_d=X | answer=D | explanation=Move 4 positions forward from T; the resulting letter is X.

id=78408 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=J | option_b=G | option_c=D | option_d=M | answer=A | explanation=Move 3 positions forward from G; the resulting letter is J.

id=78409 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:5 and the first is 133, what is the second? | option_a=102 | option_b=95 | option_c=228 | option_d=90 | answer=B | explanation=Scale factor = 133/7 = 19. Therefore second quantity = 5×19 = 95.

id=78410 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=78411 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=23 | option_b=20 | option_c=15 | option_d=19 | answer=D | explanation=The common difference is 4. Therefore the next term is 15 + 4 = 19.

id=78412 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37191 at 15% per annum for 1 years. | option_a=5478 | option_b=5578 | option_c=5678 | option_d=42769 | answer=B | explanation=SI = $\frac{PRT}{100}$ = $\frac{37191 \times 15 \times 1}{100}$ = **■**5578.

id=78413 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=18 | option_b=21 | option_c=20 | option_d=22 | answer=C | explanation=The common difference is 2. Therefore the next term is 18 + 2 = 20.

id=78414 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**294. If it is sold at a profit of 50%, what is its selling price? | option_a=412 | option_b=470 | option_c=344 | option_d=441 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 294 × 150/100 = **■**441.

id=78415 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2933. If it is sold at a profit of 10%, what is its selling price? | option_a=2943 | option_b=3519 | option_c=3226 | option_d=2933 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2933 × 110/100 = **■**3226.

id=78416 | topic=Percentages | difficulty=Easy | question=What is 20% of 568? | option_a=113 | option_b=118 | option_c=226 | option_d=93 | answer=A | explanation=20% of 568 = $(\frac{20}{100}) \times 568$ = 113.

id=78417 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=78418 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=115 | option_c=120 | option_d=125 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=78419 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24091 at 4% per annum for 5 years. | option_a=28909 | option_b=4918 | option_c=4818 | option_d=4718 | answer=C | explanation=SI = $\frac{PRT}{100}$ = $\frac{24091 \times 4 \times 5}{100}$ = **■**4818.

id=78420 | topic=Averages | difficulty=Easy | question=Find the average of 60, 65, 63, 36, 96, 39, 16, 22, 62. | option_a=52 | option_b=51 | option_c=53 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 459 ÷ 9 = 51.

Aptitude Questions — Records 78,421-78,450 of 100,000

id=78421 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36416 at 4% per annum for 1 years. | option_a=1456 | option_b=1356 | option_c=37872 | option_d=1556 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{36416 \times 4 \times 1}{100} = \text{■}1456$.

id=78422 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=T | option_b=Q | option_c=W | option_d=N | answer=A | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=78423 | topic=Averages | difficulty=Easy | question=Find the average of 93, 75, 10, 93, 69. | option_a=68 | option_b=70 | option_c=69 | option_d=67 | answer=A | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{340}{5} = 68$.

id=78424 | topic=Averages | difficulty=Easy | question=Find the average of 79, 100, 55. | option_a=79 | option_b=80 | option_c=78 | option_d=77 | answer=C | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{234}{3} = 78$.

id=78425 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:12 and the first is 24, what is the second? | option_a=60 | option_b=76 | option_c=96 | option_d=72 | answer=D | explanation= $\text{Scale factor} = \frac{24}{4} = 6$. Therefore second quantity = $12 \times 6 = 72$.

id=78426 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation= $\text{Combined rate} = \frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=78427 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation= $\text{Combined rate} = \frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=78428 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation= $\text{Combined rate} = \frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=78429 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{150}{5} = 30$ km/h.

id=78430 | topic=Percentages | difficulty=Easy | question=What is 30% of 412? | option_a=103 | option_b=123 | option_c=246 | option_d=143 | answer=B | explanation= $30\% \text{ of } 412 = (\frac{30}{100}) \times 412 = 123$.

id=78431 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=43 | option_b=49 | option_c=42 | option_d=35 | answer=C | explanation=The common difference is 7. Therefore the next term is $35 + 7 = 42$.

id=78432 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=V | option_c=W | option_d=T | answer=B | explanation=Move 1 positions forward from U; the resulting letter is V.

id=78433 | topic=Averages | difficulty=Easy | question=Find the average of 32, 53, 84, 51, 28, 76. | option_a=53 | option_b=55 | option_c=54 | option_d=56 | answer=C | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{324}{6} = 54$.

id=78434 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47271 at 12% per annum for 3 years. | option_a=64288 | option_b=16917 | option_c=17117 | option_d=17017 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{47271 \times 12 \times 3}{100} = \text{■}17017$.

id=78435 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 14, 17, 21? | option_a=14 | option_b=21 | option_c=11 | option_d=17 | answer=B | explanation=The first three numbers increase by 3, so the next should be 20. Therefore 21 is the odd one out.

id=78436 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1310. If it is sold at a profit of 25%, what is its selling price? | option_a=1768 | option_b=1637 | option_c=1506 | option_d=1335 | answer=B | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%) / 100 = 1310 \times \frac{125}{100} = \text{■}1637$.

id=78437 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4439. If it is sold at a profit of 40%, what is its selling price? | option_a=6214 | option_b=4479 | option_c=5771 | option_d=6657 | answer=A | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%) / 100 = 4439 \times \frac{140}{100} = \text{■}6214$.

id=78438 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:2 and the first is 342, what is the second? | option_a=55 | option_b=378 | option_c=34 | option_d=36 | answer=D | explanation= $\text{Scale factor} = \frac{342}{19} = 18$. Therefore second quantity = $2 \times 18 = 36$.

id=78439 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**733. If it is sold at a profit of 30%, what is its selling price? | option_a=952 | option_b=763 | option_c=879 | option_d=1025 | answer=A | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%) / 100 = 733 \times \frac{130}{100} = \text{■}952$.

id=78440 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=H | option_c=L | option_d=J | answer=C | explanation=Move 2 positions forward from J; the resulting letter is L.

id=78441 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:3 and the first is 4, what is the second? | option_a=9 | option_b=16 | option_c=12 | option_d=13 | answer=C | explanation= $\text{Scale factor} = \frac{4}{1} = 4$. Therefore second quantity = $3 \times 4 = 12$.

id=78442 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=K | option_b=B | option_c=E | option_d=H | answer=D | explanation=Move 3 positions forward from E; the resulting letter is H.

id=78443 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24022 at 12% per annum for 2 years. | option_a=29787 | option_b=5665 | option_c=5765 | option_d=5865 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{24022 \times 12 \times 2}{100} = \text{■}5765$.

id=78444 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18268 at 12% per annum for 5 years. | option_a=10960 | option_b=29228 | option_c=11060 | option_d=10860 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{18268 \times 12 \times 5}{100} = \text{■}10960$.

id=78445 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=15 | option_d=10 | answer=C | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{90}{6} = 15$ km/h.

id=78446 | topic=Averages | difficulty=Easy | question=Find the average of 56, 99, 50, 75, 76, 23, 11, 90, 87. | option_a=64 | option_b=62 | option_c=63 | option_d=65 | answer=C | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{567}{9} = 63$.

id=78447 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4344 at 15% per annum for 1 years. | option_a=751 | option_b=4995 | option_c=551 | option_d=651 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{4344 \times 15 \times 1}{100} = \text{■}651$.

id=78448 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:18 and the first is 64, what is the second? | option_a=54 | option_b=88 | option_c=72 | option_d=136 | answer=C | explanation= $\text{Scale factor} = \frac{64}{16} = 4$. Therefore second quantity = $18 \times 4 = 72$.

id=78449 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:6 and the first is 81, what is the second? | option_a=48 | option_b=135 | option_c=54 | option_d=63 | answer=C | explanation= $\text{Scale factor} = \frac{81}{9} = 9$. Therefore second quantity = $6 \times 9 = 54$.

id=78450 | topic=Averages | difficulty=Easy | question=Find the average of 25, 52, 87, 87, 57, 50, 36, 30. | option_a=52 | option_b=53 | option_c=54 | option_d=55 | answer=B | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{424}{8} = 53$.

Aptitude Questions — Records 78,451-78,480 of 100,000

id=78451 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 37? | option_a=26 | option_b=37 | option_c=22 | option_d=30 | answer=B | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 37 is the odd one out.

id=78452 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=17 | option_b=20 | option_c=19 | option_d=21 | answer=C | explanation=The common difference is 2. Therefore the next term is $17 + 2 = 19$.

id=78453 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on $\text{₹}19292$ at 8% per annum for 4 years. | option_a=6273 | option_b=6073 | option_c=25465 | option_d=6173 | answer=D | explanation=SI = $\text{PRT}/100 = 19292 \times 8 \times 4 / 100 = \text{₹}6173$.

id=78454 | topic=Averages | difficulty=Easy | question=Find the average of 88, 41, 48, 16, 65, 24, 30, 65, 43, 60. | option_a=48 | option_b=49 | option_c=47 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = $480 \div 10 = 48$.

id=78455 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=53 | option_b=63 | option_c=52 | option_d=41 | answer=C | explanation=The common difference is 11. Therefore the next term is $41 + 11 = 52$.

id=78456 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=8 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=78457 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:8 and the first is 240, what is the second? | option_a=336 | option_b=116 | option_c=96 | option_d=88 | answer=C | explanation=Scale factor = $240/20 = 12$. Therefore second quantity = $8 \times 12 = 96$.

id=78458 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=78459 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=56 | option_b=48 | option_c=47 | option_d=38 | answer=C | explanation=The common difference is 9. Therefore the next term is $38 + 9 = 47$.

id=78460 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:5 and the first is 224, what is the second? | option_a=75 | option_b=304 | option_c=80 | option_d=94 | answer=C | explanation=Scale factor = $224/14 = 16$. Therefore second quantity = $5 \times 16 = 80$.

id=78461 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=360 | option_b=185 | option_c=175 | option_d=180 | answer=D | explanation=Speed = distance ÷ time = $360 \div 2 = 180$ km/h.

id=78462 | topic=Averages | difficulty=Easy | question=Find the average of 85, 62, 98, 93, 76, 59, 45. | option_a=74 | option_b=76 | option_c=75 | option_d=73 | answer=A | explanation=Average = sum of values ÷ number of values = $518 \div 7 = 74$.

id=78463 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 12, 21, 32? | option_a=21 | option_b=3 | option_c=12 | option_d=32 | answer=D | explanation=The first three numbers increase by 9, so the next should be 30. Therefore 32 is the odd one out.

id=78464 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=13 | option_c=18 | option_d=23 | answer=C | explanation=Speed = distance ÷ time = $90 \div 5 = 18$ km/h.

id=78465 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=100 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = $300 \div 6 = 50$ km/h.

id=78466 | topic=Averages | difficulty=Easy | question=Find the average of 95, 61, 92, 80. | option_a=83 | option_b=81 | option_c=82 | option_d=84 | answer=C | explanation=Average = sum of values ÷ number of values = $328 \div 4 = 82$.

id=78467 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=42 | option_b=34 | option_c=43 | option_d=50 | answer=A | explanation=The common difference is 8. Therefore the next term is $34 + 8 = 42$.

id=78468 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on $\text{₹}44265$ at 4% per annum for 4 years. | option_a=7082 | option_b=6982 | option_c=7182 | option_d=51347 | answer=A | explanation=SI = $\text{PRT}/100 = 44265 \times 4 \times 4 / 100 = \text{₹}7082$.

id=78469 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 51? | option_a=30 | option_b=51 | option_c=21 | option_d=39 | answer=B | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 51 is the odd one out.

id=78470 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 30? | option_a=14 | option_b=30 | option_c=24 | option_d=19 | answer=B | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 30 is the odd one out.

id=78471 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 23, 30, 37, ? | option_a=37 | option_b=51 | option_c=44 | option_d=45 | answer=C | explanation=The common difference is 7. Therefore the next term is $37 + 7 = 44$.

id=78472 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 22, 32, 43? | option_a=12 | option_b=32 | option_c=22 | option_d=43 | answer=D | explanation=The first three numbers increase by 10, so the next should be 42. Therefore 43 is the odd one out.

id=78473 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=46 | option_b=64 | option_c=55 | option_d=56 | answer=C | explanation=The common difference is 9. Therefore the next term is $46 + 9 = 55$.

id=78474 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 6, 10, 16? | option_a=10 | option_b=16 | option_c=2 | option_d=6 | answer=B | explanation=The first three numbers increase by 4, so the next should be 14. Therefore 16 is the odd one out.

id=78475 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=78476 | topic=Profit & Loss | difficulty=Easy | question=An article costs $\text{₹}427$. If it is sold at a profit of 40%, what is its selling price? | option_a=597 | option_b=639 | option_c=467 | option_d=555 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 427 \times 140 / 100 = \text{₹}597$.

id=78477 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=27 | option_b=32 | option_c=20 | option_d=26 | answer=D | explanation=The common difference is 6. Therefore the next term is $20 + 6 = 26$.

id=78478 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on $\text{₹}11877$ at 12% per annum for 5 years. | option_a=7226 | option_b=7126 | option_c=19003 | option_d=7026 | answer=B | explanation=SI = $\text{PRT}/100 = 11877 \times 12 \times 5 / 100 = \text{₹}7126$.

id=78479 | topic=Profit & Loss | difficulty=Easy | question=An article costs $\text{₹}4359$. If it is sold at a profit of 40%, what is its selling price? | option_a=6102 | option_b=6537 | option_c=5667 | option_d=4399 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 4359 \times 140 / 100 = \text{₹}6102$.

id=78480 | topic=Profit & Loss | difficulty=Easy | question=An article costs $\text{₹}992$. If it is sold at a profit of 20%, what is its selling price? | option_a=1190 | option_b=1289 | option_c=1012 | option_d=1091 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 992 \times 120 / 100 = \text{₹}1190$.

Aptitude Questions — Records 78,481-78,510 of 100,000

id=78481 | topic=Percentages | difficulty=Easy | question=What is 5% of 1850? | option_a=112 | option_b=72 | option_c=92 | option_d=184 | answer=C | explanation=5% of 1850 = (5/100) × 1850 = 92.

id=78482 | topic=Averages | difficulty=Easy | question=Find the average of 80, 75, 15, 46, 49. | option_a=53 | option_b=54 | option_c=55 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 265 ÷ 5 = 53.

id=78483 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4318. If it is sold at a profit of 10%, what is its selling price? | option_a=5180 | option_b=4318 | option_c=4328 | option_d=4749 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4318 × 110/100 = █4749.

id=78484 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=78485 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=78486 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=50 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=78487 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=78488 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:1 and the first is 51, what is the second? | option_a=68 | option_b=20 | option_c=17 | option_d=16 | answer=C | explanation=Scale factor = 51/3 = 17. Therefore second quantity = 1×17 = 17.

id=78489 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=B | option_b=X | option_c=T | option_d=P | answer=B | explanation=Move 4 positions forward from T; the resulting letter is X.

id=78490 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1633. If it is sold at a profit of 25%, what is its selling price? | option_a=2041 | option_b=1658 | option_c=2204 | option_d=1878 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1633 × 125/100 = █2041.

id=78491 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=27 | option_b=34 | option_c=41 | option_d=35 | answer=B | explanation=The common difference is 7. Therefore the next term is 27 + 7 = 34.

id=78492 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=40 | option_c=80 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=78493 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 24, 31, 39? | option_a=39 | option_b=31 | option_c=24 | option_d=17 | answer=A | explanation=The first three numbers increase by 7, so the next should be 38. Therefore 39 is the odd one out.

id=78494 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 22. | option_a=312 | option_b=572 | option_c=286 | option_d=264 | answer=C | explanation=LCM × HCF = 26×22; HCF(26,22) = 2, so LCM = 286.

id=78495 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=80 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=78496 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:20 and the first is 27, what is the second? | option_a=180 | option_b=160 | option_c=207 | option_d=183 | answer=A | explanation=Scale factor = 27/3 = 9. Therefore second quantity = 20×9 = 180.

id=78497 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=L | option_b=O | option_c=U | option_d=R | answer=D | explanation=Move 3 positions forward from O; the resulting letter is R.

id=78498 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 42? | option_a=31 | option_b=23 | option_c=15 | option_d=42 | answer=D | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 42 is the odd one out.

id=78499 | topic=Percentages | difficulty=Easy | question=What is 40% of 1235? | option_a=474 | option_b=494 | option_c=988 | option_d=514 | answer=B | explanation=40% of 1235 = (40/100) × 1235 = 494.

id=78500 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:10 and the first is 15, what is the second? | option_a=45 | option_b=35 | option_c=30 | option_d=20 | answer=C | explanation=Scale factor = 15/5 = 3. Therefore second quantity = 10×3 = 30.

id=78501 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 34, 39, 46? | option_a=29 | option_b=34 | option_c=46 | option_d=39 | answer=C | explanation=The first three numbers increase by 5, so the next should be 44. Therefore 46 is the odd one out.

id=78502 | topic=Averages | difficulty=Easy | question=Find the average of 70, 94, 85, 23, 91, 33, 31, 21. | option_a=56 | option_b=55 | option_c=57 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 448 ÷ 8 = 56.

id=78503 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:8 and the first is 128, what is the second? | option_a=192 | option_b=64 | option_c=80 | option_d=56 | answer=B | explanation=Scale factor = 128/16 = 8. Therefore second quantity = 8×8 = 64.

id=78504 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 49? | option_a=28 | option_b=49 | option_c=40 | option_d=34 | answer=B | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 49 is the odd one out.

id=78505 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 9. | option_a=9 | option_b=81 | option_c=1 | option_d=18 | answer=A | explanation=LCM × HCF = 9×9; HCF(9,9) = 9, so LCM = 9.

id=78506 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 21, 25, 30? | option_a=30 | option_b=17 | option_c=25 | option_d=21 | answer=A | explanation=The first three numbers increase by 4, so the next should be 29. Therefore 30 is the odd one out.

id=78507 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4018. If it is sold at a profit of 40%, what is its selling price? | option_a=5224 | option_b=6026 | option_c=5625 | option_d=4058 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4018 × 140/100 = █5625.

id=78508 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1961. If it is sold at a profit of 10%, what is its selling price? | option_a=1961 | option_b=1971 | option_c=2353 | option_d=2157 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1961 × 110/100 = █2157.

id=78509 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=78510 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=240 | option_c=115 | option_d=125 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

Aptitude Questions — Records 78,511-78,540 of 100,000

id=78511 | topic=Averages | difficulty=Easy | question=Find the average of 31, 87, 75, 78, 68, 51. | option_a=65 | option_b=67 | option_c=64 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 390 ÷ 6 = 65.

id=78512 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=78513 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 27. | option_a=1 | option_b=36 | option_c=27 | option_d=243 | answer=C | explanation=LCM × HCF = 9×27; HCF(9,27) = 9, so LCM = 27.

id=78514 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=12 | option_b=13 | option_c=9 | option_d=11 | answer=D | explanation=The common difference is 2. Therefore the next term is 9 + 2 = 11.

id=78515 | topic=Percentages | difficulty=Easy | question=What is 20% of 231? | option_a=46 | option_b=92 | option_c=51 | option_d=26 | answer=A | explanation=20% of 231 = (20/100) × 231 = 46.

id=78516 | topic=Averages | difficulty=Easy | question=Find the average of 50, 58, 46, 11, 46, 54, 90, 94, 46. | option_a=56 | option_b=57 | option_c=54 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.

id=78517 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 12. | option_a=154 | option_b=120 | option_c=264 | option_d=132 | answer=D | explanation=LCM × HCF = 22×12; HCF(22,12) = 2, so LCM = 132.

id=78518 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=78519 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=44 | option_b=53 | option_c=62 | option_d=54 | answer=B | explanation=The common difference is 9. Therefore the next term is 44 + 9 = 53.

id=78520 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=38 | option_b=35 | option_c=34 | option_d=30 | answer=C | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.

id=78521 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:1 and the first is 60, what is the second? | option_a=10 | option_b=16 | option_c=70 | option_d=9 | answer=A | explanation=Scale factor = 60/6 = 10. Therefore second quantity = 1×10 = 10.

id=78522 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:9 and the first is 133, what is the second? | option_a=82 | option_b=54 | option_c=196 | option_d=63 | answer=D | explanation=Scale factor = 133/19 = 7. Therefore second quantity = 9×7 = 63.

id=78523 | topic=Profit & Loss | difficulty=Easy | question=An article costs █252. If it is sold at a profit of 10%, what is its selling price? | option_a=277 | option_b=252 | option_c=302 | option_d=262 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 252 × 110/100 = █277.

id=78524 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18533 at 15% per annum for 1 years. | option_a=2879 | option_b=21312 | option_c=2779 | option_d=2679 | answer=C | explanation=SI = PRT/100 = 18533×15×1/100 = █2779.

id=78525 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=K | option_b=N | option_c=E | option_d=H | answer=A | explanation=Move 3 positions forward from H; the resulting letter is K.

id=78526 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=78527 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 37? | option_a=29 | option_b=37 | option_c=26 | option_d=32 | answer=B | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 37 is the odd one out.

id=78528 | topic=Percentages | difficulty=Easy | question=What is 12% of 432? | option_a=56 | option_b=46 | option_c=51 | option_d=102 | answer=C | explanation=12% of 432 = (12/100) × 432 = 51.

id=78529 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:10 and the first is 13, what is the second? | option_a=130 | option_b=131 | option_c=143 | option_d=120 | answer=A | explanation=Scale factor = 13/1 = 13. Therefore second quantity = 10×13 = 130.

id=78530 | topic=Profit & Loss | difficulty=Easy | question=An article costs █348. If it is sold at a profit of 5%, what is its selling price? | option_a=399 | option_b=353 | option_c=331 | option_d=365 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 348 × 105/100 = █365.

id=78531 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=28 | option_b=36 | option_c=37 | option_d=44 | answer=B | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=78532 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=39 | option_b=40 | option_c=47 | option_d=31 | answer=A | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

id=78533 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 21? | option_a=7 | option_b=21 | option_c=15 | option_d=11 | answer=B | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 21 is the odd one out.

id=78534 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=85 | option_c=75 | option_d=160 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=78535 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39394 at 6% per annum for 2 years. | option_a=44121 | option_b=4827 | option_c=4627 | option_d=4727 | answer=D | explanation=SI = PRT/100 = 39394×6×2/100 = █4727.

id=78536 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:20 and the first is 10, what is the second? | option_a=20 | option_b=45 | option_c=40 | option_d=50 | answer=C | explanation=Scale factor = 10/5 = 2. Therefore second quantity = 20×2 = 40.

id=78537 | topic=Percentages | difficulty=Easy | question=What is 10% of 1603? | option_a=150 | option_b=160 | option_c=320 | option_d=170 | answer=B | explanation=10% of 1603 = (10/100) × 1603 = 160.

id=78538 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:1 and the first is 306, what is the second? | option_a=35 | option_b=324 | option_c=17 | option_d=18 | answer=D | explanation=Scale factor = 306/17 = 18. Therefore second quantity = 1×18 = 18.

id=78539 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:10 and the first is 84, what is the second? | option_a=110 | option_b=127 | option_c=204 | option_d=120 | answer=D | explanation=Scale factor = 84/7 = 12. Therefore second quantity = 10×12 = 120.

id=78540 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1219. If it is sold at a profit of 25%, what is its selling price? | option_a=1402 | option_b=1644 | option_c=1523 | option_d=1244 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1219 × 125/100 = █1523.

Aptitude Questions — Records 78,541-78,570 of 100,000

id=78541 | topic=Percentages | difficulty=Easy | question=What is 30% of 673? | option_a=402 | option_b=206 | option_c=191 | option_d=201 | answer=D | explanation=30% of 673 = (30/100) × 673 = 201.

id=78542 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17379 at 4% per annum for 5 years. | option_a=20854 | option_b=3575 | option_c=3375 | option_d=3475 | answer=D | explanation=SI = PRT/100 = 17379×4×5/100 = **■**3475.

id=78543 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 59? | option_a=36 | option_b=59 | option_c=26 | option_d=46 | answer=B | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 59 is the odd one out.

id=78544 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=45 | option_b=37 | option_c=46 | option_d=53 | answer=A | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=78545 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41816 at 5% per annum for 3 years. | option_a=6172 | option_b=6372 | option_c=6272 | option_d=48088 | answer=C | explanation=SI = PRT/100 = 41816×5×3/100 = **■**6272.

id=78546 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2854. If it is sold at a profit of 5%, what is its selling price? | option_a=2859 | option_b=3281 | option_c=2711 | option_d=2996 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2854 × 105/100 = **■**2996.

id=78547 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:3 and the first is 57, what is the second? | option_a=60 | option_b=54 | option_c=57 | option_d=114 | answer=C | explanation=Scale factor = 57/3 = 19. Therefore second quantity = 3×19 = 57.

id=78548 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 5, 8, 11, ? | option_a=15 | option_b=14 | option_c=11 | option_d=17 | answer=B | explanation=The common difference is 3. Therefore the next term is 11 + 3 = 14.

id=78549 | topic=Averages | difficulty=Easy | question=Find the average of 68, 94, 86, 93, 37, 61, 86. | option_a=74 | option_b=77 | option_c=76 | option_d=75 | answer=D | explanation=Average = sum of values ÷ number of values = 525 ÷ 7 = 75.

id=78550 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 18, 23, 28, ? | option_a=38 | option_b=28 | option_c=34 | option_d=33 | answer=D | explanation=The common difference is 5. Therefore the next term is 28 + 5 = 33.

id=78551 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:8 and the first is 306, what is the second? | option_a=136 | option_b=128 | option_c=442 | option_d=154 | answer=A | explanation=Scale factor = 306/18 = 17. Therefore second quantity = 8×17 = 136.

id=78552 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:13 and the first is 81, what is the second? | option_a=198 | option_b=126 | option_c=117 | option_d=104 | answer=C | explanation=Scale factor = 81/9 = 9. Therefore second quantity = 13×9 = 117.

id=78553 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=N | option_c=L | option_d=R | answer=A | explanation=Move 2 positions forward from N; the resulting letter is P.

id=78554 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=78555 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1829. If it is sold at a profit of 5%, what is its selling price? | option_a=1920 | option_b=1738 | option_c=2102 | option_d=1834 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1829 × 105/100 = **■**1920.

id=78556 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=78557 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=78558 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3610. If it is sold at a profit of 5%, what is its selling price? | option_a=3429 | option_b=3790 | option_c=4151 | option_d=3615 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3610 × 105/100 = **■**3790.

id=78559 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 11? | option_a=4 | option_b=11 | option_c=8 | option_d=6 | answer=B | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 11 is the odd one out.

id=78560 | topic=Averages | difficulty=Easy | question=Find the average of 54, 94, 98, 20, 69, 55. | option_a=65 | option_b=67 | option_c=64 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 390 ÷ 6 = 65.

id=78561 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=47 | option_b=67 | option_c=57 | option_d=58 | answer=C | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

id=78562 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 20, 30, 41? | option_a=41 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=The first three numbers increase by 10, so the next should be 40. Therefore 41 is the odd one out.

id=78563 | topic=Averages | difficulty=Easy | question=Find the average of 52, 81, 37, 62, 28. | option_a=51 | option_b=54 | option_c=53 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 260 ÷ 5 = 52.

id=78564 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3340. If it is sold at a profit of 30%, what is its selling price? | option_a=4008 | option_b=4342 | option_c=3370 | option_d=4676 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3340 × 130/100 = **■**4342.

id=78565 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=R | option_b=H | option_c=C | option_d=M | answer=D | explanation=Move 5 positions forward from H; the resulting letter is M.

id=78566 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 47? | option_a=38 | option_b=24 | option_c=47 | option_d=31 | answer=C | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 47 is the odd one out.

id=78567 | topic=Averages | difficulty=Easy | question=Find the average of 64, 56, 46, 43, 21. | option_a=46 | option_b=47 | option_c=48 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 230 ÷ 5 = 46.

id=78568 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 21? | option_a=12 | option_b=21 | option_c=9 | option_d=15 | answer=B | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 21 is the odd one out.

id=78569 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=6 | option_c=11 | option_d=12 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=78570 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=37 | option_b=32 | option_c=31 | option_d=25 | answer=C | explanation=The common difference is 6. Therefore the next term is 25 + 6 = 31.

Aptitude Questions — Records 78,571-78,600 of 100,000

id=78571 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:13 and the first is 19, what is the second? | option_a=248 | option_b=234 | option_c=247 | option_d=266 | answer=C | explanation=Scale factor = 19/1 = 19. Therefore second quantity = 13×19 = 247.

id=78572 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=G | option_b=Q | option_c=V | option_d=L | answer=B | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=78573 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=A | option_c=E | option_d=Y | answer=A | explanation=Move 2 positions forward from A; the resulting letter is C.

id=78574 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 16, 19, 24? | option_a=16 | option_b=19 | option_c=13 | option_d=24 | answer=D | explanation=The first three numbers increase by 3, so the next should be 22. Therefore 24 is the odd one out.

id=78575 | topic=Averages | difficulty=Easy | question=Find the average of 54, 29, 18, 89, 20. | option_a=42 | option_b=43 | option_c=44 | option_d=41 | answer=A | explanation=Average = sum of values ÷ number of values = 210 ÷ 5 = 42.

id=78576 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=N | option_c=R | option_d=L | answer=A | explanation=Move 2 positions forward from N; the resulting letter is P.

id=78577 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=17 | option_c=12 | option_d=7 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=78578 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:6 and the first is 170, what is the second? | option_a=112 | option_b=102 | option_c=96 | option_d=272 | answer=B | explanation=Scale factor = 170/10 = 17. Therefore second quantity = 6×17 = 102.

id=78579 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=D | option_b=L | option_c=H | option_d=P | answer=B | explanation=Move 4 positions forward from H; the resulting letter is L.

id=78580 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33690 at 12% per annum for 5 years. | option_a=20114 | option_b=20214 | option_c=20314 | option_d=53904 | answer=B | explanation=SI = PRT/100 = 33690×12×5/100 = █20214.

id=78581 | topic=Percentages | difficulty=Easy | question=What is 30% of 827? | option_a=228 | option_b=248 | option_c=268 | option_d=496 | answer=B | explanation=30% of 827 = (30/100) × 827 = 248.

id=78582 | topic=Percentages | difficulty=Easy | question=What is 10% of 1997? | option_a=179 | option_b=219 | option_c=398 | option_d=199 | answer=D | explanation=10% of 1997 = (10/100) × 1997 = 199.

id=78583 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=D | option_c=B | option_d=H | answer=A | explanation=Move 2 positions forward from D; the resulting letter is F.

id=78584 | topic=Averages | difficulty=Easy | question=Find the average of 63, 66, 90, 33. | option_a=62 | option_b=65 | option_c=63 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 252 ÷ 4 = 63.

id=78585 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=51 | option_b=33 | option_c=42 | option_d=43 | answer=C | explanation=The common difference is 9. Therefore the next term is 33 + 9 = 42.

id=78586 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 26. | option_a=84 | option_b=156 | option_c=52 | option_d=78 | answer=D | explanation=LCM × HCF = 6×26; HCF(6,26) = 2, so LCM = 78.

id=78587 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=30 | option_b=28 | option_c=24 | option_d=27 | answer=D | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=78588 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 48? | option_a=48 | option_b=19 | option_c=37 | option_d=28 | answer=A | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 48 is the odd one out.

id=78589 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16946 at 4% per annum for 5 years. | option_a=3489 | option_b=3289 | option_c=20335 | option_d=3389 | answer=D | explanation=SI = PRT/100 = 16946×4×5/100 = █3389.

id=78590 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 12. | option_a=32 | option_b=24 | option_c=96 | option_d=12 | answer=B | explanation=LCM × HCF = 8×12; HCF(8,12) = 4, so LCM = 24.

id=78591 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:18 and the first is 44, what is the second? | option_a=180 | option_b=198 | option_c=202 | option_d=242 | answer=B | explanation=Scale factor = 44/4 = 11. Therefore second quantity = 18×11 = 198.

id=78592 | topic=Profit & Loss | difficulty=Easy | question=An article costs █912. If it is sold at a profit of 20%, what is its selling price? | option_a=1185 | option_b=1003 | option_c=932 | option_d=1094 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 912 × 120/100 = █1094.

id=78593 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=M | option_b=C | option_c=H | option_d=R | answer=A | explanation=Move 5 positions forward from H; the resulting letter is M.

id=78594 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=45 | option_c=50 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=78595 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3809. If it is sold at a profit of 25%, what is its selling price? | option_a=3834 | option_b=4761 | option_c=5141 | option_d=4381 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3809 × 125/100 = █4761.

id=78596 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2112. If it is sold at a profit of 10%, what is its selling price? | option_a=2323 | option_b=2534 | option_c=2112 | option_d=2122 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2112 × 110/100 = █2323.

id=78597 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 45? | option_a=45 | option_b=34 | option_c=38 | option_d=30 | answer=A | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 45 is the odd one out.

id=78598 | topic=Averages | difficulty=Easy | question=Find the average of 55, 99, 32, 10, 22, 42, 41. | option_a=43 | option_b=44 | option_c=45 | option_d=42 | answer=A | explanation=Average = sum of values ÷ number of values = 301 ÷ 7 = 43.

id=78599 | topic=Averages | difficulty=Easy | question=Find the average of 79, 46, 96, 12, 65, 19, 11, 94, 33, 65. | option_a=53 | option_b=54 | option_c=52 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 520 ÷ 10 = 52.

id=78600 | topic=Profit & Loss | difficulty=Easy | question=An article costs █130. If it is sold at a profit of 25%, what is its selling price? | option_a=155 | option_b=149 | option_c=175 | option_d=162 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 130 × 125/100 = █162.

Aptitude Questions — Records 78,601-78,630 of 100,000

id=78601 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1203 at 4% per annum for 1 years. | option_a=48 | option_b=0 | option_c=1251 | option_d=148 | answer=A | explanation=SI = PRT/100 = 1203×4×1/100 = **■**48.

id=78602 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:1 and the first is 75, what is the second? | option_a=5 | option_b=80 | option_c=4 | option_d=20 | answer=A | explanation=Scale factor = 75/15 = 5. Therefore second quantity = 1×5 = 5.

id=78603 | topic=Percentages | difficulty=Easy | question=What is 25% of 327? | option_a=101 | option_b=76 | option_c=162 | option_d=81 | answer=D | explanation=25% of 327 = (25/100) × 327 = 81.

id=78604 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=78605 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=78606 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does "T" become? | option_a=W | option_b=T | option_c=Z | option_d=Q | answer=A | explanation=Move 3 positions forward from T; the resulting letter is W.

id=78607 | topic=Averages | difficulty=Easy | question=Find the average of 80, 26, 96, 23, 30, 79, 23, 38, 75, 70. | option_a=53 | option_b=54 | option_c=56 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

id=78608 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=78609 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 15. | option_a=315 | option_b=126 | option_c=90 | option_d=105 | answer=D | explanation=LCM × HCF = 21×15; HCF(21,15) = 3, so LCM = 105.

id=78610 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=29 | option_c=19 | option_d=48 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=78611 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:7 and the first is 6, what is the second? | option_a=35 | option_b=43 | option_c=42 | option_d=48 | answer=C | explanation=Scale factor = 6/1 = 6. Therefore second quantity = 7×6 = 42.

id=78612 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4545. If it is sold at a profit of 50%, what is its selling price? | option_a=7271 | option_b=4595 | option_c=6817 | option_d=6363 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4545 × 150/100 = **■**6817.

id=78613 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=78614 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2433. If it is sold at a profit of 15%, what is its selling price? | option_a=2448 | option_b=2797 | option_c=3040 | option_d=2554 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2433 × 115/100 = **■**2797.

id=78615 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=78616 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 36, 43, 51? | option_a=29 | option_b=36 | option_c=51 | option_d=43 | answer=C | explanation=The first three numbers increase by 7, so the next should be 50. Therefore 51 is the odd one out.

id=78617 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29666 at 10% per annum for 3 years. | option_a=38565 | option_b=8899 | option_c=8999 | option_d=8799 | answer=B | explanation=SI = PRT/100 = 29666×10×3/100 = **■**8899.

id=78618 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 28. | option_a=196 | option_b=28 | option_c=1 | option_d=35 | answer=B | explanation=LCM × HCF = 7×28; HCF(7,28) = 7, so LCM = 28.

id=78619 | topic=Averages | difficulty=Easy | question=Find the average of 68, 73, 48. | option_a=64 | option_b=62 | option_c=65 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 189 ÷ 3 = 63.

id=78620 | topic=Percentages | difficulty=Easy | question=What is 25% of 1198? | option_a=598 | option_b=299 | option_c=319 | option_d=279 | answer=B | explanation=25% of 1198 = (25/100) × 1198 = 299.

id=78621 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=78622 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 44? | option_a=17 | option_b=44 | option_c=25 | option_d=33 | answer=B | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 44 is the odd one out.

id=78623 | topic=Averages | difficulty=Easy | question=Find the average of 57, 15, 52, 100, 27, 84, 27, 91, 33. | option_a=54 | option_b=56 | option_c=55 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 486 ÷ 9 = 54.

id=78624 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42561 at 6% per annum for 5 years. | option_a=12768 | option_b=12668 | option_c=55329 | option_d=12868 | answer=A | explanation=SI = PRT/100 = 42561×6×5/100 = **■**12768.

id=78625 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4800. If it is sold at a profit of 20%, what is its selling price? | option_a=5760 | option_b=6240 | option_c=4820 | option_d=5280 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4800 × 120/100 = **■**5760.

id=78626 | topic=Averages | difficulty=Easy | question=Find the average of 96, 84, 60, 76, 98, 34, 14, 66, 75. | option_a=68 | option_b=69 | option_c=66 | option_d=67 | answer=D | explanation=Average = sum of values ÷ number of values = 603 ÷ 9 = 67.

id=78627 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 21. | option_a=216 | option_b=189 | option_c=168 | option_d=567 | answer=B | explanation=LCM × HCF = 27×21; HCF(27,21) = 3, so LCM = 189.

id=78628 | topic=Percentages | difficulty=Easy | question=What is 50% of 1304? | option_a=652 | option_b=1304 | option_c=647 | option_d=672 | answer=A | explanation=50% of 1304 = (50/100) × 1304 = 652.

id=78629 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3047. If it is sold at a profit of 5%, what is its selling price? | option_a=3052 | option_b=3503 | option_c=2895 | option_d=3199 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3047 × 105/100 = **■**3199.

id=78630 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

Aptitude Questions — Records 78,631-78,660 of 100,000

id=78631 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 16, 21, 27? | option_a=21 | option_b=16 | option_c=11 | option_d=27 | answer=D | explanation=The first three numbers increase by 5, so the next should be 26. Therefore 27 is the odd one out.

id=78632 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=M | option_c=Q | option_d=O | answer=C | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=78633 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:12 and the first is 51, what is the second? | option_a=192 | option_b=207 | option_c=204 | option_d=255 | answer=C | explanation=Scale factor = $51/3 = 17$. Therefore second quantity = $12 \times 17 = 204$.

id=78634 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=R | option_b=M | option_c=W | option_d=H | answer=A | explanation=Move 5 positions forward from M; the resulting letter is R.

id=78635 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=X | option_b=P | option_c=L | option_d=T | answer=D | explanation=Move 4 positions forward from P; the resulting letter is T.

id=78636 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=E | option_b=F | option_c=D | option_d=C | answer=A | explanation=Move 1 positions forward from D; the resulting letter is E.

id=78637 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 18. | option_a=270 | option_b=72 | option_c=90 | option_d=105 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 15 \times 18$; $\text{HCF}(15,18) = 3$, so $\text{LCM} = 90$.

id=78638 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:12 and the first is 21, what is the second? | option_a=105 | option_b=72 | option_c=87 | option_d=84 | answer=D | explanation=Scale factor = $21/3 = 7$. Therefore second quantity = $12 \times 7 = 84$.

id=78639 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:6 and the first is 266, what is the second? | option_a=350 | option_b=84 | option_c=78 | option_d=103 | answer=B | explanation=Scale factor = $266/19 = 14$. Therefore second quantity = $6 \times 14 = 84$.

id=78640 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 8, 13, 21? | option_a=8 | option_b=21 | option_c=3 | option_d=13 | answer=B | explanation=The first three numbers increase by 5, so the next should be 18. Therefore 21 is the odd one out.

id=78641 | topic=Percentages | difficulty=Easy | question=What is 25% of 1345? | option_a=672 | option_b=336 | option_c=356 | option_d=326 | answer=B | explanation= $25\% \text{ of } 1345 = (25/100) \times 1345 = 336$.

id=78642 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=22 | option_b=28 | option_c=26 | option_d=25 | answer=D | explanation=The common difference is 3. Therefore the next term is $22 + 3 = 25$.

id=78643 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 39, 48, 58? | option_a=58 | option_b=30 | option_c=48 | option_d=39 | answer=A | explanation=The first three numbers increase by 9, so the next should be 57. Therefore 58 is the odd one out.

id=78644 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 9, 11, 16? | option_a=11 | option_b=7 | option_c=16 | option_d=9 | answer=C | explanation=The first three numbers increase by 2, so the next should be 13. Therefore 16 is the odd one out.

id=78645 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=20 | option_d=15 | answer=D | explanation= $\text{Speed} = \text{distance} \div \text{time} = 150 \div 10 = 15 \text{ km/h}$.

id=78646 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8044 at 8% per annum for 1 years. | option_a=643 | option_b=543 | option_c=743 | option_d=8687 | answer=A | explanation= $\text{SI} = \text{PRT}/100 = 8044 \times 8 \times 1/100 = \text{■}643$.

id=78647 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation= $\text{Speed} = \text{distance} \div \text{time} = 300 \div 10 = 30 \text{ km/h}$.

id=78648 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation= $\text{Speed} = \text{distance} \div \text{time} = 240 \div 4 = 60 \text{ km/h}$.

id=78649 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:2 and the first is 130, what is the second? | option_a=18 | option_b=150 | option_c=33 | option_d=20 | answer=D | explanation=Scale factor = $130/13 = 10$. Therefore second quantity = $2 \times 10 = 20$.

id=78650 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=78651 | topic=Percentages | difficulty=Easy | question=What is 10% of 1804? | option_a=180 | option_b=185 | option_c=160 | option_d=360 | answer=A | explanation= $10\% \text{ of } 1804 = (10/100) \times 1804 = 180$.

id=78652 | topic=Averages | difficulty=Easy | question=Find the average of 89, 64, 55, 27, 22, 22, 50. | option_a=47 | option_b=48 | option_c=46 | option_d=49 | answer=A | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 329 \div 7 = 47$.

id=78653 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=A | option_b=W | option_c=S | option_d=O | answer=B | explanation=Move 4 positions forward from S; the resulting letter is W.

id=78654 | topic=Averages | difficulty=Easy | question=Find the average of 83, 44, 17. | option_a=47 | option_b=50 | option_c=49 | option_d=48 | answer=D | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 144 \div 3 = 48$.

id=78655 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2433 at 8% per annum for 3 years. | option_a=583 | option_b=3016 | option_c=483 | option_d=683 | answer=A | explanation= $\text{SI} = \text{PRT}/100 = 2433 \times 8 \times 3/100 = \text{■}583$.

id=78656 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45508 at 8% per annum for 1 years. | option_a=3540 | option_b=3640 | option_c=49148 | option_d=3740 | answer=B | explanation= $\text{SI} = \text{PRT}/100 = 45508 \times 8 \times 1/100 = \text{■}3640$.

id=78657 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=78658 | topic=Percentages | difficulty=Easy | question=What is 15% of 864? | option_a=129 | option_b=258 | option_c=149 | option_d=124 | answer=A | explanation= $15\% \text{ of } 864 = (15/100) \times 864 = 129$.

id=78659 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=55 | option_d=45 | answer=A | explanation= $\text{Speed} = \text{distance} \div \text{time} = 300 \div 6 = 50 \text{ km/h}$.

id=78660 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=N | option_c=P | option_d=T | answer=A | explanation=Move 2 positions forward from P; the resulting letter is R.

Aptitude Questions — Records 78,661-78,690 of 100,000

id=78661 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=11 | option_c=12 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=78662 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 41? | option_a=36 | option_b=33 | option_c=30 | option_d=41 | answer=D | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 41 is the odd one out.

id=78663 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=20 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=78664 | topic=Profit & Loss | difficulty=Easy | question=An article costs █741. If it is sold at a profit of 5%, what is its selling price? | option_a=852 | option_b=778 | option_c=704 | option_d=746 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 741 × 105/100 = █778.

id=78665 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=24 | option_c=7 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=78666 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 22, 28, 37? | option_a=37 | option_b=28 | option_c=22 | option_d=16 | answer=A | explanation=The first three numbers increase by 6, so the next should be 34. Therefore 37 is the odd one out.

id=78667 | topic=Percentages | difficulty=Easy | question=What is 50% of 1702? | option_a=846 | option_b=1702 | option_c=851 | option_d=856 | answer=C | explanation=50% of 1702 = (50/100) × 1702 = 851.

id=78668 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4247. If it is sold at a profit of 10%, what is its selling price? | option_a=4257 | option_b=4247 | option_c=5095 | option_d=4671 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4247 × 110/100 = █4671.

id=78669 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20057 at 6% per annum for 3 years. | option_a=3710 | option_b=3610 | option_c=23667 | option_d=3510 | answer=B | explanation=SI = PRT/100 = 20057×6×3/100 = █3610.

id=78670 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:17 and the first is 180, what is the second? | option_a=340 | option_b=520 | option_c=349 | option_d=323 | answer=A | explanation=Scale factor = 180/9 = 20. Therefore second quantity = 17×20 = 340.

id=78671 | topic=Profit & Loss | difficulty=Easy | question=An article costs █699. If it is sold at a profit of 15%, what is its selling price? | option_a=714 | option_b=803 | option_c=734 | option_d=872 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 699 × 115/100 = █803.

id=78672 | topic=Percentages | difficulty=Easy | question=What is 20% of 1963? | option_a=387 | option_b=392 | option_c=784 | option_d=402 | answer=B | explanation=20% of 1963 = (20/100) × 1963 = 392.

id=78673 | topic=Profit & Loss | difficulty=Easy | question=An article costs █584. If it is sold at a profit of 15%, what is its selling price? | option_a=729 | option_b=671 | option_c=599 | option_d=613 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 584 × 115/100 = █671.

id=78674 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:15 and the first is 60, what is the second? | option_a=135 | option_b=156 | option_c=210 | option_d=150 | answer=D | explanation=Scale factor = 60/6 = 10. Therefore second quantity = 15×10 = 150.

id=78675 | topic=Percentages | difficulty=Easy | question=What is 30% of 1162? | option_a=696 | option_b=328 | option_c=353 | option_d=348 | answer=D | explanation=30% of 1162 = (30/100) × 1162 = 348.

id=78676 | topic=Percentages | difficulty=Easy | question=What is 20% of 1360? | option_a=272 | option_b=262 | option_c=544 | option_d=292 | answer=A | explanation=20% of 1360 = (20/100) × 1360 = 272.

id=78677 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 33? | option_a=33 | option_b=26 | option_c=30 | option_d=28 | answer=A | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 33 is the odd one out.

id=78678 | topic=Averages | difficulty=Easy | question=Find the average of 50, 80, 99, 35, 51. | option_a=63 | option_b=65 | option_c=62 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = 315 ÷ 5 = 63.

id=78679 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1727. If it is sold at a profit of 25%, what is its selling price? | option_a=2330 | option_b=1752 | option_c=1986 | option_d=2158 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1727 × 125/100 = █2158.

id=78680 | topic=Averages | difficulty=Easy | question=Find the average of 82, 15, 54, 89. | option_a=59 | option_b=61 | option_c=60 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 240 ÷ 4 = 60.

id=78681 | topic=Percentages | difficulty=Easy | question=What is 40% of 135? | option_a=64 | option_b=34 | option_c=54 | option_d=108 | answer=C | explanation=40% of 135 = (40/100) × 135 = 54.

id=78682 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=85 | option_c=90 | option_d=180 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=78683 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39592 at 15% per annum for 5 years. | option_a=29694 | option_b=29794 | option_c=29594 | option_d=69286 | answer=A | explanation=SI = PRT/100 = 39592×15×5/100 = █29694.

id=78684 | topic=Averages | difficulty=Easy | question=Find the average of 82, 57, 63, 31, 98, 85, 47, 29, 48. | option_a=62 | option_b=59 | option_c=61 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 540 ÷ 9 = 60.

id=78685 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 35, 44, 56? | option_a=26 | option_b=56 | option_c=35 | option_d=44 | answer=B | explanation=The first three numbers increase by 9, so the next should be 53. Therefore 56 is the odd one out.

id=78686 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 51? | option_a=39 | option_b=51 | option_c=19 | option_d=29 | answer=B | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 51 is the odd one out.

id=78687 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1079. If it is sold at a profit of 15%, what is its selling price? | option_a=1240 | option_b=1133 | option_c=1347 | option_d=1094 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1079 × 115/100 = █1240.

id=78688 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=20 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=78689 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=80 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=78690 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3031. If it is sold at a profit of 20%, what is its selling price? | option_a=3637 | option_b=3051 | option_c=3940 | option_d=3334 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3031 × 120/100 = █3637.

Aptitude Questions — Records 78,691-78,720 of 100,000

id=78691 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 4. | option_a=40 | option_b=30 | option_c=16 | option_d=20 | answer=D | explanation=LCM × HCF = 10×4; HCF(10,4) = 2, so LCM = 20.

id=78692 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45009 at 5% per annum for 5 years. | option_a=56261 | option_b=11352 | option_c=11152 | option_d=11252 | answer=D | explanation=SI = $PRT/100 = 45009 \times 5 \times 5/100 = \text{■}11252$.

id=78693 | topic=Percentages | difficulty=Easy | question=What is 40% of 266? | option_a=96 | option_b=212 | option_c=126 | option_d=106 | answer=D | explanation=40% of 266 = $(40/100) \times 266 = 106$.

id=78694 | topic=Averages | difficulty=Easy | question=Find the average of 62, 17, 68, 43, 75. | option_a=53 | option_b=54 | option_c=55 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = $265 \div 5 = 53$.

id=78695 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=78696 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=D | option_b=G | option_c=M | option_d=J | answer=D | explanation=Move 3 positions forward from G; the resulting letter is J.

id=78697 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 15, 19, 24? | option_a=11 | option_b=15 | option_c=19 | option_d=24 | answer=D | explanation=The first three numbers increase by 4, so the next should be 23. Therefore 24 is the odd one out.

id=78698 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18892 at 10% per annum for 3 years. | option_a=5667 | option_b=24559 | option_c=5767 | option_d=5567 | answer=A | explanation=SI = $PRT/100 = 18892 \times 10 \times 3/100 = \text{■}5667$.

id=78699 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=12 | answer=B | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=78700 | topic=Percentages | difficulty=Easy | question=What is 5% of 1345? | option_a=134 | option_b=62 | option_c=67 | option_d=87 | answer=C | explanation=5% of 1345 = $(5/100) \times 1345 = 67$.

id=78701 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=H | option_b=M | option_c=C | option_d=X | answer=A | explanation=Move 5 positions forward from C; the resulting letter is H.

id=78702 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:8 and the first is 132, what is the second? | option_a=88 | option_b=220 | option_c=80 | option_d=100 | answer=A | explanation=Scale factor = $132/12 = 11$. Therefore second quantity = $8 \times 11 = 88$.

id=78703 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 30. | option_a=180 | option_b=210 | option_c=231 | option_d=630 | answer=B | explanation=LCM × HCF = 21×30 ; HCF(21,30) = 3, so LCM = 210.

id=78704 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=54 | option_b=44 | option_c=55 | option_d=64 | answer=A | explanation=The common difference is 10. Therefore the next term is $44 + 10 = 54$.

id=78705 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3856. If it is sold at a profit of 10%, what is its selling price? | option_a=3856 | option_b=3866 | option_c=4626 | option_d=4241 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3856 \times 110/100 = \text{■}4241$.

id=78706 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49947 at 8% per annum for 5 years. | option_a=20078 | option_b=19878 | option_c=19978 | option_d=69925 | answer=C | explanation=SI = $PRT/100 = 49947 \times 8 \times 5/100 = \text{■}19978$.

id=78707 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=78708 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 29? | option_a=12 | option_b=29 | option_c=5 | option_d=19 | answer=B | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 29 is the odd one out.

id=78709 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=71 | option_b=61 | option_c=60 | option_d=49 | answer=C | explanation=The common difference is 11. Therefore the next term is $49 + 11 = 60$.

id=78710 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 13? | option_a=6 | option_b=8 | option_c=13 | option_d=4 | answer=C | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 13 is the odd one out.

id=78711 | topic=Averages | difficulty=Easy | question=Find the average of 94, 87, 94, 53, 85, 85. | option_a=82 | option_b=83 | option_c=85 | option_d=84 | answer=B | explanation=Average = sum of values ÷ number of values = $498 \div 6 = 83$.

id=78712 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 15, 22, 32? | option_a=8 | option_b=22 | option_c=15 | option_d=32 | answer=D | explanation=The first three numbers increase by 7, so the next should be 29. Therefore 32 is the odd one out.

id=78713 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35832 at 6% per annum for 4 years. | option_a=8699 | option_b=44431 | option_c=8599 | option_d=8499 | answer=C | explanation=SI = $PRT/100 = 35832 \times 6 \times 4/100 = \text{■}8599$.

id=78714 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=C | option_b=I | option_c=F | option_d=L | answer=B | explanation=Move 3 positions forward from F; the resulting letter is I.

id=78715 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=L | option_c=N | option_d=H | answer=B | explanation=Move 2 positions forward from J; the resulting letter is L.

id=78716 | topic=Percentages | difficulty=Easy | question=What is 12% of 785? | option_a=89 | option_b=104 | option_c=94 | option_d=188 | answer=C | explanation=12% of 785 = $(12/100) \times 785 = 94$.

id=78717 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2161. If it is sold at a profit of 25%, what is its selling price? | option_a=2186 | option_b=2917 | option_c=2495 | option_d=2701 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2161 \times 125/100 = \text{■}2701$.

id=78718 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=K | option_c=G | option_d=S | answer=A | explanation=Move 4 positions forward from K; the resulting letter is O.

id=78719 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=24 | option_d=29 | answer=C | explanation=Speed = distance ÷ time = $120 \div 5 = 24$ km/h.

id=78720 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:16 and the first is 15, what is the second? | option_a=32 | option_b=53 | option_c=63 | option_d=48 | answer=D | explanation=Scale factor = $15/5 = 3$. Therefore second quantity = $16 \times 3 = 48$.

Aptitude Questions — Records 78,721-78,750 of 100,000

id=78721 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 14. | option_a=14 | option_b=56 | option_c=392 | option_d=28 | answer=D | explanation=LCM × HCF = 28×14; HCF(28,14) = 14, so LCM = 28.

id=78722 | topic=Percentages | difficulty=Easy | question=What is 25% of 1406? | option_a=351 | option_b=346 | option_c=361 | option_d=702 | answer=A | explanation=25% of 1406 = (25/100) × 1406 = 351.

id=78723 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=N | option_b=D | option_c=I | option_d=Y | answer=C | explanation=Move 5 positions forward from D; the resulting letter is I.

id=78724 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=19 | option_b=18 | option_c=22 | option_d=14 | answer=B | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.

id=78725 | topic=Percentages | difficulty=Easy | question=What is 15% of 980? | option_a=157 | option_b=137 | option_c=294 | option_d=147 | answer=D | explanation=15% of 980 = (15/100) × 980 = 147.

id=78726 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4405. If it is sold at a profit of 40%, what is its selling price? | option_a=6607 | option_b=6167 | option_c=5727 | option_d=4445 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4405 × 140/100 = █6167.

id=78727 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1005. If it is sold at a profit of 10%, what is its selling price? | option_a=1015 | option_b=1105 | option_c=1205 | option_d=1005 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1005 × 110/100 = █1105.

id=78728 | topic=Percentages | difficulty=Easy | question=What is 20% of 1174? | option_a=234 | option_b=244 | option_c=468 | option_d=214 | answer=A | explanation=20% of 1174 = (20/100) × 1174 = 234.

id=78729 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 34, 39, 45? | option_a=45 | option_b=29 | option_c=39 | option_d=34 | answer=A | explanation=The first three numbers increase by 5, so the next should be 44. Therefore 45 is the odd one out.

id=78730 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 27, 30, 34? | option_a=30 | option_b=24 | option_c=27 | option_d=34 | answer=D | explanation=The first three numbers increase by 3, so the next should be 33. Therefore 34 is the odd one out.

id=78731 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=78732 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=78733 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=M | option_b=A | option_c=I | option_d=E | answer=C | explanation=Move 4 positions forward from E; the resulting letter is I.

id=78734 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=39 | option_b=30 | option_c=38 | option_d=46 | answer=C | explanation=The common difference is 8. Therefore the next term is 30 + 8 = 38.

id=78735 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 24, 33, 44? | option_a=44 | option_b=24 | option_c=33 | option_d=15 | answer=A | explanation=The first three numbers increase by 9, so the next should be 42. Therefore 44 is the odd one out.

id=78736 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:10 and the first is 65, what is the second? | option_a=40 | option_b=50 | option_c=115 | option_d=63 | answer=B | explanation=Scale factor = 65/13 = 5. Therefore second quantity = 10×5 = 50.

id=78737 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:2 and the first is 126, what is the second? | option_a=144 | option_b=16 | option_c=18 | option_d=32 | answer=C | explanation=Scale factor = 126/14 = 9. Therefore second quantity = 2×9 = 18.

id=78738 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:16 and the first is 160, what is the second? | option_a=160 | option_b=176 | option_c=144 | option_d=320 | answer=A | explanation=Scale factor = 160/16 = 10. Therefore second quantity = 16×10 = 160.

id=78739 | topic=Percentages | difficulty=Easy | question=What is 40% of 1621? | option_a=658 | option_b=643 | option_c=648 | option_d=1296 | answer=C | explanation=40% of 1621 = (40/100) × 1621 = 648.

id=78740 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 35? | option_a=30 | option_b=35 | option_c=22 | option_d=26 | answer=B | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 35 is the odd one out.

id=78741 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13315 at 15% per annum for 5 years. | option_a=10086 | option_b=9886 | option_c=9986 | option_d=23301 | answer=C | explanation=SI = PRT/100 = 13315×15×5/100 = █9986.

id=78742 | topic=Averages | difficulty=Easy | question=Find the average of 62, 35, 14, 67, 42. | option_a=43 | option_b=44 | option_c=46 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = 220 ÷ 5 = 44.

id=78743 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 21? | option_a=14 | option_b=21 | option_c=8 | option_d=2 | answer=B | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 21 is the odd one out.

id=78744 | topic=Percentages | difficulty=Easy | question=What is 50% of 937? | option_a=473 | option_b=936 | option_c=458 | option_d=468 | answer=D | explanation=50% of 937 = (50/100) × 937 = 468.

id=78745 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=50 | option_d=100 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=78746 | topic=Averages | difficulty=Easy | question=Find the average of 17, 71, 77, 59. | option_a=57 | option_b=58 | option_c=56 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 224 ÷ 4 = 56.

id=78747 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 28, 38, 49? | option_a=18 | option_b=38 | option_c=49 | option_d=28 | answer=C | explanation=The first three numbers increase by 10, so the next should be 48. Therefore 49 is the odd one out.

id=78748 | topic=Percentages | difficulty=Easy | question=What is 50% of 1512? | option_a=756 | option_b=761 | option_c=751 | option_d=1512 | answer=A | explanation=50% of 1512 = (50/100) × 1512 = 756.

id=78749 | topic=Averages | difficulty=Easy | question=Find the average of 98, 50, 91, 59, 82. | option_a=75 | option_b=77 | option_c=76 | option_d=78 | answer=C | explanation=Average = sum of values ÷ number of values = 380 ÷ 5 = 76.

id=78750 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=U | option_b=K | option_c=P | option_d=Z | answer=A | explanation=Move 5 positions forward from P; the resulting letter is U.

Aptitude Questions — Records 78,751-78,780 of 100,000

id=78751 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2122. If it is sold at a profit of 25%, what is its selling price? | option_a=2440 | option_b=2864 | option_c=2652 | option_d=2147 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2122 × 125/100 = ■2652.

id=78752 | topic=Averages | difficulty=Easy | question=Find the average of 37, 49, 18, 36, 24, 24, 61, 48, 89, 94. | option_a=48 | option_b=50 | option_c=47 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 480 ÷ 10 = 48.

id=78753 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=78754 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:2 and the first is 180, what is the second? | option_a=28 | option_b=30 | option_c=42 | option_d=210 | answer=B | explanation=Scale factor = 180/12 = 15. Therefore second quantity = 2×15 = 30.

id=78755 | topic=Percentages | difficulty=Easy | question=What is 30% of 675? | option_a=404 | option_b=207 | option_c=202 | option_d=192 | answer=C | explanation=30% of 675 = (30/100) × 675 = 202.

id=78756 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■19684 at 4% per annum for 2 years. | option_a=1674 | option_b=1474 | option_c=1574 | option_d=21258 | answer=C | explanation=SI = PRT/100 = 19684×4×2/100 = ■1574.

id=78757 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 36? | option_a=15 | option_b=36 | option_c=24 | option_d=6 | answer=B | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 36 is the odd one out.

id=78758 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■44044 at 15% per annum for 1 years. | option_a=6506 | option_b=6606 | option_c=6706 | option_d=50650 | answer=B | explanation=SI = PRT/100 = 44044×15×1/100 = ■6606.

id=78759 | topic=Percentages | difficulty=Easy | question=What is 50% of 1738? | option_a=869 | option_b=864 | option_c=879 | option_d=1738 | answer=A | explanation=50% of 1738 = (50/100) × 1738 = 869.

id=78760 | topic=Averages | difficulty=Easy | question=Find the average of 20, 43, 57, 40, 25. | option_a=37 | option_b=39 | option_c=36 | option_d=38 | answer=A | explanation=Average = sum of values ÷ number of values = 185 ÷ 5 = 37.

id=78761 | topic=Averages | difficulty=Easy | question=Find the average of 28, 50, 21, 80, 29, 18, 27, 75. | option_a=40 | option_b=41 | option_c=42 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = 328 ÷ 8 = 41.

id=78762 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:13 and the first is 70, what is the second? | option_a=117 | option_b=200 | option_c=137 | option_d=130 | answer=D | explanation=Scale factor = 70/7 = 10. Therefore second quantity = 13×10 = 130.

id=78763 | topic=Averages | difficulty=Easy | question=Find the average of 71, 11, 70, 50, 25, 16, 97, 88, 94. | option_a=59 | option_b=60 | option_c=57 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 522 ÷ 9 = 58.

id=78764 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=64 | option_b=63 | option_c=74 | option_d=52 | answer=B | explanation=The common difference is 11. Therefore the next term is 52 + 11 = 63.

id=78765 | topic=Percentages | difficulty=Easy | question=What is 40% of 1502? | option_a=595 | option_b=605 | option_c=600 | option_d=1200 | answer=C | explanation=40% of 1502 = (40/100) × 1502 = 600.

id=78766 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■49812 at 4% per annum for 2 years. | option_a=3984 | option_b=53796 | option_c=3884 | option_d=4084 | answer=A | explanation=SI = PRT/100 = 49812×4×2/100 = ■3984.

id=78767 | topic=Averages | difficulty=Easy | question=Find the average of 79, 58, 64, 38, 77, 50. | option_a=63 | option_b=60 | option_c=62 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 366 ÷ 6 = 61.

id=78768 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=29 | option_b=30 | option_c=32 | option_d=26 | answer=A | explanation=The common difference is 3. Therefore the next term is 26 + 3 = 29.

id=78769 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=30 | option_b=29 | option_c=34 | option_d=24 | answer=B | explanation=The common difference is 5. Therefore the next term is 24 + 5 = 29.

id=78770 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 25, 35, 48? | option_a=48 | option_b=25 | option_c=15 | option_d=35 | answer=A | explanation=The first three numbers increase by 10, so the next should be 45. Therefore 48 is the odd one out.

id=78771 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=160 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=78772 | topic=Percentages | difficulty=Easy | question=What is 10% of 838? | option_a=83 | option_b=93 | option_c=166 | option_d=78 | answer=A | explanation=10% of 838 = (10/100) × 838 = 83.

id=78773 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=40 | option_d=90 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=78774 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=M | option_c=Y | option_d=U | answer=D | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=78775 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■11466 at 8% per annum for 4 years. | option_a=3769 | option_b=15135 | option_c=3669 | option_d=3569 | answer=C | explanation=SI = PRT/100 = 11466×8×4/100 = ■3669.

id=78776 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 24, 32, 40, ? | option_a=49 | option_b=40 | option_c=56 | option_d=48 | answer=D | explanation=The common difference is 8. Therefore the next term is 40 + 8 = 48.

id=78777 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3814. If it is sold at a profit of 25%, what is its selling price? | option_a=3839 | option_b=4767 | option_c=5148 | option_d=4386 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3814 × 125/100 = ■4767.

id=78778 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=36 | option_c=31 | option_d=41 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=78779 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■4277 at 4% per annum for 2 years. | option_a=4619 | option_b=342 | option_c=442 | option_d=242 | answer=B | explanation=SI = PRT/100 = 4277×4×2/100 = ■342.

id=78780 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 11, 19, 29? | option_a=3 | option_b=11 | option_c=29 | option_d=19 | answer=C | explanation=The first three numbers increase by 8, so the next should be 27. Therefore 29 is the odd one out.

Aptitude Questions — Records 78,781-78,810 of 100,000

id=78781 | topic=Percentages | difficulty=Easy | question=What is 20% of 1152? | option_a=230 | option_b=460 | option_c=250 | option_d=225 | answer=A | explanation=20% of 1152 = (20/100) × 1152 = 230.

id=78782 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:10 and the first is 380, what is the second? | option_a=190 | option_b=210 | option_c=180 | option_d=570 | answer=A | explanation=Scale factor = 380/20 = 19. Therefore second quantity = 10×19 = 190.

id=78783 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 10, 13, 19? | option_a=13 | option_b=7 | option_c=19 | option_d=10 | answer=C | explanation=The first three numbers increase by 3, so the next should be 16. Therefore 19 is the odd one out.

id=78784 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3967. If it is sold at a profit of 10%, what is its selling price? | option_a=4363 | option_b=4759 | option_c=3967 | option_d=3977 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3967 × 110/100 = █4363.

id=78785 | topic=Percentages | difficulty=Easy | question=What is 10% of 860? | option_a=96 | option_b=86 | option_c=172 | option_d=81 | answer=B | explanation=10% of 860 = (10/100) × 860 = 86.

id=78786 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2680. If it is sold at a profit of 15%, what is its selling price? | option_a=2814 | option_b=3350 | option_c=3082 | option_d=2695 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2680 × 115/100 = █3082.

id=78787 | topic=Averages | difficulty=Easy | question=Find the average of 41, 96, 22, 47, 57, 91, 53, 20, 32. | option_a=51 | option_b=50 | option_c=52 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 459 ÷ 9 = 51.

id=78788 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:9 and the first is 80, what is the second? | option_a=36 | option_b=56 | option_c=116 | option_d=27 | answer=A | explanation=Scale factor = 80/20 = 4. Therefore second quantity = 9×4 = 36.

id=78789 | topic=Percentages | difficulty=Easy | question=What is 50% of 837? | option_a=408 | option_b=418 | option_c=423 | option_d=836 | answer=B | explanation=50% of 837 = (50/100) × 837 = 418.

id=78790 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 17, 29, 41, ? | option_a=65 | option_b=41 | option_c=53 | option_d=54 | answer=C | explanation=The common difference is 12. Therefore the next term is 41 + 12 = 53.

id=78791 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1472. If it is sold at a profit of 10%, what is its selling price? | option_a=1619 | option_b=1482 | option_c=1766 | option_d=1472 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1472 × 110/100 = █1619.

id=78792 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 15. | option_a=72 | option_b=45 | option_c=60 | option_d=180 | answer=C | explanation=LCM × HCF = 12×15; HCF(12,15) = 3, so LCM = 60.

id=78793 | topic=Percentages | difficulty=Easy | question=What is 20% of 386? | option_a=77 | option_b=154 | option_c=97 | option_d=72 | answer=A | explanation=20% of 386 = (20/100) × 386 = 77.

id=78794 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 59? | option_a=59 | option_b=36 | option_c=26 | option_d=46 | answer=A | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 59 is the odd one out.

id=78795 | topic=Averages | difficulty=Easy | question=Find the average of 15, 87, 91, 18, 52, 58, 84, 15, 48. | option_a=53 | option_b=51 | option_c=52 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 468 ÷ 9 = 52.

id=78796 | topic=Profit & Loss | difficulty=Easy | question=An article costs █220. If it is sold at a profit of 10%, what is its selling price? | option_a=230 | option_b=242 | option_c=264 | option_d=220 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 220 × 110/100 = █242.

id=78797 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=A | option_b=M | option_c=E | option_d=I | answer=D | explanation=Move 4 positions forward from E; the resulting letter is I.

id=78798 | topic=Averages | difficulty=Easy | question=Find the average of 35, 33, 23, 99, 31, 21, 95, 55. | option_a=51 | option_b=49 | option_c=48 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 392 ÷ 8 = 49.

id=78799 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=N | option_b=Y | option_c=I | option_d=D | answer=C | explanation=Move 5 positions forward from D; the resulting letter is I.

id=78800 | topic=Percentages | difficulty=Easy | question=What is 12% of 164? | option_a=38 | option_b=9 | option_c=24 | option_d=19 | answer=D | explanation=12% of 164 = (12/100) × 164 = 19.

id=78801 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:5 and the first is 360, what is the second? | option_a=90 | option_b=450 | option_c=110 | option_d=85 | answer=A | explanation=Scale factor = 360/20 = 18. Therefore second quantity = 5×18 = 90.

id=78802 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=36 | option_b=24 | option_c=30 | option_d=31 | answer=C | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.

id=78803 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4728. If it is sold at a profit of 40%, what is its selling price? | option_a=4768 | option_b=6619 | option_c=7091 | option_d=6147 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4728 × 140/100 = █6619.

id=78804 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14814 at 4% per annum for 1 years. | option_a=492 | option_b=692 | option_c=15406 | option_d=592 | answer=D | explanation=SI = PRT/100 = 14814×4×1/100 = █592.

id=78805 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=U | option_b=M | option_c=Q | option_d=I | answer=C | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=78806 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=40 | option_b=39 | option_c=31 | option_d=47 | answer=B | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

id=78807 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 47? | option_a=19 | option_b=47 | option_c=28 | option_d=37 | answer=B | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 47 is the odd one out.

id=78808 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=44 | option_b=54 | option_c=34 | option_d=45 | answer=A | explanation=The common difference is 10. Therefore the next term is 34 + 10 = 44.

id=78809 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=78810 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 13, 16, 22? | option_a=22 | option_b=13 | option_c=16 | option_d=10 | answer=A | explanation=The first three numbers increase by 3, so the next should be 19. Therefore 22 is the odd one out.

Aptitude Questions — Records 78,811-78,840 of 100,000

id=78811 | topic=Averages | difficulty=Easy | question=Find the average of 92, 100, 21, 68, 98, 43, 32, 66. | option_a=65 | option_b=67 | option_c=64 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 520 ÷ 8 = 65.

id=78812 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 15, 23, 33? | option_a=15 | option_b=33 | option_c=7 | option_d=23 | answer=B | explanation=The first three numbers increase by 8, so the next should be 31. Therefore 33 is the odd one out.

id=78813 | topic=Percentages | difficulty=Easy | question=What is 10% of 1459? | option_a=125 | option_b=150 | option_c=145 | option_d=290 | answer=C | explanation=10% of 1459 = (10/100) × 1459 = 145.

id=78814 | topic=Averages | difficulty=Easy | question=Find the average of 14, 56, 29, 57. | option_a=40 | option_b=38 | option_c=39 | option_d=41 | answer=C | explanation=Average = sum of values ÷ number of values = 156 ÷ 4 = 39.

id=78815 | topic=Percentages | difficulty=Easy | question=What is 30% of 1169? | option_a=360 | option_b=340 | option_c=350 | option_d=700 | answer=C | explanation=30% of 1169 = (30/100) × 1169 = 350.

id=78816 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=78817 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=57 | option_b=58 | option_c=69 | option_d=45 | answer=A | explanation=The common difference is 12. Therefore the next term is 45 + 12 = 57.

id=78818 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=R | option_b=X | option_c=U | option_d=A | answer=B | explanation=Move 3 positions forward from U; the resulting letter is X.

id=78819 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=13 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=78820 | topic=Percentages | difficulty=Easy | question=What is 40% of 915? | option_a=366 | option_b=376 | option_c=361 | option_d=732 | answer=A | explanation=40% of 915 = (40/100) × 915 = 366.

id=78821 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 38? | option_a=21 | option_b=38 | option_c=29 | option_d=13 | answer=B | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 38 is the odd one out.

id=78822 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=I | option_b=C | option_c=F | option_d=L | answer=A | explanation=Move 3 positions forward from F; the resulting letter is I.

id=78823 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**912. If it is sold at a profit of 25%, what is its selling price? | option_a=1231 | option_b=1049 | option_c=937 | option_d=1140 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 912 × 125/100 = **₹**1140.

id=78824 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 29, 38, 48? | option_a=29 | option_b=38 | option_c=20 | option_d=48 | answer=D | explanation=The first three numbers increase by 9, so the next should be 47. Therefore 48 is the odd one out.

id=78825 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:10 and the first is 361, what is the second? | option_a=180 | option_b=551 | option_c=209 | option_d=190 | answer=D | explanation=Scale factor = 361/19 = 19. Therefore second quantity = 10×19 = 190.

id=78826 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=78827 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:6 and the first is 8, what is the second? | option_a=18 | option_b=26 | option_c=32 | option_d=24 | answer=D | explanation=Scale factor = 8/2 = 4. Therefore second quantity = 6×4 = 24.

id=78828 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 8. | option_a=70 | option_b=112 | option_c=56 | option_d=48 | answer=C | explanation=LCM × HCF = 14×8; HCF(14,8) = 2, so LCM = 56.

id=78829 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**379. If it is sold at a profit of 25%, what is its selling price? | option_a=510 | option_b=404 | option_c=473 | option_d=436 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 379 × 125/100 = **₹**473.

id=78830 | topic=Averages | difficulty=Easy | question=Find the average of 65, 45, 22, 19, 21, 30, 64. | option_a=40 | option_b=38 | option_c=37 | option_d=39 | answer=B | explanation=Average = sum of values ÷ number of values = 266 ÷ 7 = 38.

id=78831 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**4660 at 15% per annum for 2 years. | option_a=1298 | option_b=1498 | option_c=1398 | option_d=6058 | answer=C | explanation=SI = PRT/100 = 4660×15×2/100 = **₹**1398.

id=78832 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4241. If it is sold at a profit of 40%, what is its selling price? | option_a=5937 | option_b=5513 | option_c=6361 | option_d=4281 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4241 × 140/100 = **₹**5937.

id=78833 | topic=Averages | difficulty=Easy | question=Find the average of 78, 80, 93, 73, 48, 40, 68, 61, 81, 28. | option_a=67 | option_b=65 | option_c=64 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 650 ÷ 10 = 65.

id=78834 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 43? | option_a=43 | option_b=34 | option_c=28 | option_d=22 | answer=A | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 43 is the odd one out.

id=78835 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**8761 at 6% per annum for 2 years. | option_a=1051 | option_b=9812 | option_c=951 | option_d=1151 | answer=A | explanation=SI = PRT/100 = 8761×6×2/100 = **₹**1051.

id=78836 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**14304 at 12% per annum for 3 years. | option_a=5249 | option_b=5149 | option_c=19453 | option_d=5049 | answer=B | explanation=SI = PRT/100 = 14304×12×3/100 = **₹**5149.

id=78837 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=78838 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=175 | option_c=360 | option_d=180 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=78839 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=78840 | topic=Percentages | difficulty=Easy | question=What is 40% of 1842? | option_a=736 | option_b=726 | option_c=746 | option_d=1472 | answer=A | explanation=40% of 1842 = (40/100) × 1842 = 736.

Aptitude Questions — Records 78,841-78,870 of 100,000

id=78841 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:14 and the first is 6, what is the second? | option_a=34 | option_b=28 | option_c=14 | option_d=31 | answer=B | explanation=Scale factor = 6/3 = 2. Therefore second quantity = 14×2 = 28.

id=78842 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21249 at 6% per annum for 3 years. | option_a=25073 | option_b=3824 | option_c=3924 | option_d=3724 | answer=B | explanation=SI = PRT/100 = 21249×6×3/100 = **■**3824.

id=78843 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 15, 22, 29, ? | option_a=37 | option_b=29 | option_c=36 | option_d=43 | answer=C | explanation=The common difference is 7. Therefore the next term is 29 + 7 = 36.

id=78844 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=7 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=78845 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=P | option_b=M | option_c=S | option_d=J | answer=A | explanation=Move 3 positions forward from M; the resulting letter is P.

id=78846 | topic=Averages | difficulty=Easy | question=Find the average of 74, 79, 24. | option_a=61 | option_b=58 | option_c=59 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 177 ÷ 3 = 59.

id=78847 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=S | option_b=T | option_c=R | option_d=Q | answer=A | explanation=Move 1 positions forward from R; the resulting letter is S.

id=78848 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1371. If it is sold at a profit of 10%, what is its selling price? | option_a=1508 | option_b=1645 | option_c=1381 | option_d=1371 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1371 × 110/100 = **■**1508.

id=78849 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 32, 40, 49? | option_a=49 | option_b=24 | option_c=40 | option_d=32 | answer=A | explanation=The first three numbers increase by 8, so the next should be 48. Therefore 49 is the odd one out.

id=78850 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 25. | option_a=60 | option_b=250 | option_c=25 | option_d=50 | answer=D | explanation=LCM × HCF = 10×25; HCF(10,25) = 5, so LCM = 50.

id=78851 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 30. | option_a=175 | option_b=120 | option_c=150 | option_d=750 | answer=C | explanation=LCM × HCF = 25×30; HCF(25,30) = 5, so LCM = 150.

id=78852 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:20 and the first is 105, what is the second? | option_a=155 | option_b=245 | option_c=120 | option_d=140 | answer=D | explanation=Scale factor = 105/15 = 7. Therefore second quantity = 20×7 = 140.

id=78853 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:9 and the first is 96, what is the second? | option_a=204 | option_b=108 | option_c=99 | option_d=116 | answer=B | explanation=Scale factor = 96/8 = 12. Therefore second quantity = 9×12 = 108.

id=78854 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=56 | option_b=55 | option_c=67 | option_d=43 | answer=B | explanation=The common difference is 12. Therefore the next term is 43 + 12 = 55.

id=78855 | topic=Percentages | difficulty=Easy | question=What is 50% of 1415? | option_a=687 | option_b=707 | option_c=712 | option_d=1414 | answer=B | explanation=50% of 1415 = (50/100) × 1415 = 707.

id=78856 | topic=Percentages | difficulty=Easy | question=What is 30% of 128? | option_a=43 | option_b=33 | option_c=76 | option_d=38 | answer=D | explanation=30% of 128 = (30/100) × 128 = 38.

id=78857 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2425 at 6% per annum for 2 years. | option_a=291 | option_b=191 | option_c=391 | option_d=2716 | answer=A | explanation=SI = PRT/100 = 2425×6×2/100 = **■**291.

id=78858 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 6. | option_a=54 | option_b=81 | option_c=162 | option_d=48 | answer=A | explanation=LCM × HCF = 27×6; HCF(27,6) = 3, so LCM = 54.

id=78859 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 20, 22, 26? | option_a=20 | option_b=26 | option_c=18 | option_d=22 | answer=B | explanation=The first three numbers increase by 2, so the next should be 24. Therefore 26 is the odd one out.

id=78860 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=78861 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4622. If it is sold at a profit of 5%, what is its selling price? | option_a=4627 | option_b=4391 | option_c=5315 | option_d=4853 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4622 × 105/100 = **■**4853.

id=78862 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=78863 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=53 | option_b=45 | option_c=44 | option_d=35 | answer=C | explanation=The common difference is 9. Therefore the next term is 35 + 9 = 44.

id=78864 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=50 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=78865 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3456. If it is sold at a profit of 15%, what is its selling price? | option_a=4319 | option_b=3974 | option_c=3629 | option_d=3471 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3456 × 115/100 = **■**3974.

id=78866 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:11 and the first is 342, what is the second? | option_a=209 | option_b=227 | option_c=198 | option_d=551 | answer=A | explanation=Scale factor = 342/18 = 19. Therefore second quantity = 11×19 = 209.

id=78867 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=P | option_b=U | option_c=Z | option_d=E | answer=C | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=78868 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:11 and the first is 170, what is the second? | option_a=127 | option_b=99 | option_c=110 | option_d=280 | answer=C | explanation=Scale factor = 170/17 = 10. Therefore second quantity = 11×10 = 110.

id=78869 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 10. | option_a=130 | option_b=156 | option_c=120 | option_d=260 | answer=A | explanation=LCM × HCF = 26×10; HCF(26,10) = 2, so LCM = 130.

id=78870 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 57? | option_a=26 | option_b=36 | option_c=57 | option_d=46 | answer=C | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 57 is the odd one out.

Aptitude Questions — Records 78,871-78,900 of 100,000

id=78871 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9190 at 4% per annum for 5 years. | option_a=1838 | option_b=1738 | option_c=11028 | option_d=1938 | answer=A | explanation= $SI = PRT/100 = 9190 \times 4 \times 5 / 100 = \text{■}1838$.

id=78872 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21815 at 10% per annum for 2 years. | option_a=4463 | option_b=4263 | option_c=4363 | option_d=26178 | answer=C | explanation= $SI = PRT/100 = 21815 \times 10 \times 2 / 100 = \text{■}4363$.

id=78873 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 21? | option_a=21 | option_b=15 | option_c=9 | option_d=12 | answer=A | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 21 is the odd one out.

id=78874 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation= $\text{Speed} = \text{distance} \div \text{time} = 90 \div 3 = 30 \text{ km/h}$.

id=78875 | topic=Averages | difficulty=Easy | question=Find the average of 84, 67, 42, 88, 77, 34, 23, 15, 29. | option_a=51 | option_b=50 | option_c=52 | option_d=53 | answer=A | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 459 \div 9 = 51$.

id=78876 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=67 | option_c=72 | option_d=144 | answer=C | explanation= $\text{Speed} = \text{distance} \div \text{time} = 360 \div 5 = 72 \text{ km/h}$.

id=78877 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=D | option_c=E | option_d=B | answer=B | explanation=Move 1 positions forward from C; the resulting letter is D.

id=78878 | topic=Averages | difficulty=Easy | question=Find the average of 28, 74, 13, 29. | option_a=37 | option_b=38 | option_c=36 | option_d=35 | answer=C | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 144 \div 4 = 36$.

id=78879 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation= $\text{Speed} = \text{distance} \div \text{time} = 150 \div 5 = 30 \text{ km/h}$.

id=78880 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 15. | option_a=120 | option_b=135 | option_c=162 | option_d=405 | answer=B | explanation= $\text{LCM} \times \text{HCF} = 27 \times 15$; $\text{HCF}(27,15) = 3$, so $\text{LCM} = 135$.

id=78881 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=52 | option_b=41 | option_c=51 | option_d=61 | answer=C | explanation=The common difference is 10. Therefore the next term is $41 + 10 = 51$.

id=78882 | topic=Averages | difficulty=Easy | question=Find the average of 37, 26, 18, 63. | option_a=38 | option_b=37 | option_c=36 | option_d=35 | answer=C | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 144 \div 4 = 36$.

id=78883 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=5 | option_c=15 | option_d=10 | answer=D | explanation= $\text{Speed} = \text{distance} \div \text{time} = 60 \div 6 = 10 \text{ km/h}$.

id=78884 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2974. If it is sold at a profit of 15%, what is its selling price? | option_a=3420 | option_b=3123 | option_c=3717 | option_d=2989 | answer=A | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%) / 100 = 2974 \times 115 / 100 = \text{■}3420$.

id=78885 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4672. If it is sold at a profit of 20%, what is its selling price? | option_a=5139 | option_b=5606 | option_c=6073 | option_d=4692 | answer=B | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%) / 100 = 4672 \times 120 / 100 = \text{■}5606$.

id=78886 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=O | option_c=P | option_d=M | answer=B | explanation=Move 1 positions forward from N; the resulting letter is O.

id=78887 | topic=Averages | difficulty=Easy | question=Find the average of 36, 23, 90, 67, 65, 22, 54. | option_a=51 | option_b=52 | option_c=50 | option_d=53 | answer=A | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 357 \div 7 = 51$.

id=78888 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation= $\text{Speed} = \text{distance} \div \text{time} = 180 \div 3 = 60 \text{ km/h}$.

id=78889 | topic=Averages | difficulty=Easy | question=Find the average of 27, 41, 58, 84, 49, 25, 89, 20, 74, 63. | option_a=54 | option_b=55 | option_c=53 | option_d=52 | answer=C | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 530 \div 10 = 53$.

id=78890 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=N | option_b=Q | option_c=W | option_d=T | answer=D | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=78891 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=G | option_c=H | option_d=I | answer=D | explanation=Move 1 positions forward from H; the resulting letter is I.

id=78892 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=H | option_b=C | option_c=M | option_d=X | answer=A | explanation=Move 5 positions forward from C; the resulting letter is H.

id=78893 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 13, 17, 22? | option_a=9 | option_b=13 | option_c=17 | option_d=22 | answer=D | explanation=The first three numbers increase by 4, so the next should be 21. Therefore 22 is the odd one out.

id=78894 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 24. | option_a=243 | option_b=648 | option_c=192 | option_d=216 | answer=D | explanation= $\text{LCM} \times \text{HCF} = 27 \times 24$; $\text{HCF}(27,24) = 3$, so $\text{LCM} = 216$.

id=78895 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 26, 28, 33? | option_a=24 | option_b=33 | option_c=26 | option_d=28 | answer=B | explanation=The first three numbers increase by 2, so the next should be 30. Therefore 33 is the odd one out.

id=78896 | topic=Averages | difficulty=Easy | question=Find the average of 46, 98, 48, 22, 12, 63, 21, 19, 55, 76. | option_a=45 | option_b=48 | option_c=46 | option_d=47 | answer=C | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 460 \div 10 = 46$.

id=78897 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 6. | option_a=104 | option_b=156 | option_c=78 | option_d=72 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 26 \times 6$; $\text{HCF}(26,6) = 2$, so $\text{LCM} = 78$.

id=78898 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**365. If it is sold at a profit of 15%, what is its selling price? | option_a=383 | option_b=380 | option_c=455 | option_d=419 | answer=D | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%) / 100 = 365 \times 115 / 100 = \text{■}419$.

id=78899 | topic=Averages | difficulty=Easy | question=Find the average of 52, 61, 65, 69, 98, 38, 86, 43. | option_a=63 | option_b=65 | option_c=64 | option_d=66 | answer=C | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 512 \div 8 = 64$.

id=78900 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 12. | option_a=216 | option_b=24 | option_c=54 | option_d=36 | answer=D | explanation= $\text{LCM} \times \text{HCF} = 18 \times 12$; $\text{HCF}(18,12) = 6$, so $\text{LCM} = 36$.

Aptitude Questions — Records 78,901-78,930 of 100,000

id=78901 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 30. | option_a=297 | option_b=240 | option_c=270 | option_d=810 | answer=C | explanation=LCM × HCF = 27×30; HCF(27,30) = 3, so LCM = 270.

id=78902 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 12, 14, 19? | option_a=10 | option_b=19 | option_c=14 | option_d=12 | answer=B | explanation=The first three numbers increase by 2, so the next should be 16. Therefore 19 is the odd one out.

id=78903 | topic=Averages | difficulty=Easy | question=Find the average of 95, 11, 19, 12, 58. | option_a=38 | option_b=39 | option_c=41 | option_d=40 | answer=B | explanation=Average = sum of values ÷ number of values = 195 ÷ 5 = 39.

id=78904 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■27341 at 10% per annum for 4 years. | option_a=10936 | option_b=10836 | option_c=11036 | option_d=38277 | answer=A | explanation=SI = PRT/100 = 27341×10×4/100 = ■10936.

id=78905 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=78906 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 44? | option_a=31 | option_b=11 | option_c=21 | option_d=44 | answer=D | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 44 is the odd one out.

id=78907 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■39577 at 10% per annum for 4 years. | option_a=15930 | option_b=55407 | option_c=15830 | option_d=15730 | answer=C | explanation=SI = PRT/100 = 39577×10×4/100 = ■15830.

id=78908 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 46? | option_a=46 | option_b=38 | option_c=31 | option_d=24 | answer=A | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 46 is the odd one out.

id=78909 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■22125 at 6% per annum for 5 years. | option_a=6637 | option_b=6737 | option_c=6537 | option_d=28762 | answer=A | explanation=SI = PRT/100 = 22125×6×5/100 = ■6637.

id=78910 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■23103 at 8% per annum for 4 years. | option_a=30495 | option_b=7392 | option_c=7492 | option_d=7292 | answer=B | explanation=SI = PRT/100 = 23103×8×4/100 = ■7392.

id=78911 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■372. If it is sold at a profit of 20%, what is its selling price? | option_a=446 | option_b=483 | option_c=392 | option_d=409 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 372 × 120/100 = ■446.

id=78912 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=78913 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=47 | option_b=48 | option_c=40 | option_d=54 | answer=A | explanation=The common difference is 7. Therefore the next term is 40 + 7 = 47.

id=78914 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:8 and the first is 30, what is the second? | option_a=54 | option_b=24 | option_c=16 | option_d=34 | answer=B | explanation=Scale factor = 30/10 = 3. Therefore second quantity = 8×3 = 24.

id=78915 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=49 | option_b=59 | option_c=39 | option_d=50 | answer=A | explanation=The common difference is 10. Therefore the next term is 39 + 10 = 49.

id=78916 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=30 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=78917 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■39663 at 8% per annum for 2 years. | option_a=6246 | option_b=6346 | option_c=46009 | option_d=6446 | answer=B | explanation=SI = PRT/100 = 39663×8×2/100 = ■6346.

id=78918 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4342. If it is sold at a profit of 40%, what is its selling price? | option_a=6078 | option_b=5644 | option_c=6512 | option_d=4382 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4342 × 140/100 = ■6078.

id=78919 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■7979 at 15% per annum for 5 years. | option_a=5984 | option_b=5884 | option_c=6084 | option_d=13963 | answer=A | explanation=SI = PRT/100 = 7979×15×5/100 = ■5984.

id=78920 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=42 | option_b=66 | option_c=54 | option_d=55 | answer=C | explanation=The common difference is 12. Therefore the next term is 42 + 12 = 54.

id=78921 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 8. | option_a=48 | option_b=24 | option_c=192 | option_d=16 | answer=B | explanation=LCM × HCF = 24×8; HCF(24,8) = 8, so LCM = 24.

id=78922 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=K | option_c=M | option_d=I | answer=C | explanation=Move 2 positions forward from K; the resulting letter is M.

id=78923 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 15. | option_a=375 | option_b=75 | option_c=60 | option_d=100 | answer=B | explanation=LCM × HCF = 25×15; HCF(25,15) = 5, so LCM = 75.

id=78924 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=78925 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=F | option_c=G | option_d=E | answer=C | explanation=Move 1 positions forward from F; the resulting letter is G.

id=78926 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=26 | option_b=31 | option_c=32 | option_d=36 | answer=B | explanation=The common difference is 5. Therefore the next term is 26 + 5 = 31.

id=78927 | topic=Percentages | difficulty=Easy | question=What is 15% of 1960? | option_a=299 | option_b=294 | option_c=289 | option_d=588 | answer=B | explanation=15% of 1960 = (15/100) × 1960 = 294.

id=78928 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=Q | option_c=Y | option_d=C | answer=C | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=78929 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=47 | option_b=48 | option_c=54 | option_d=40 | answer=A | explanation=The common difference is 7. Therefore the next term is 40 + 7 = 47.

id=78930 | topic=Averages | difficulty=Easy | question=Find the average of 17, 91, 53, 67, 87, 70, 70. | option_a=67 | option_b=64 | option_c=65 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = 455 ÷ 7 = 65.

Aptitude Questions — Records 78,931-78,960 of 100,000

id=78931 | topic=Averages | difficulty=Easy | question=Find the average of 20, 75, 47, 33, 36, 79, 88, 22, 57, 63. | option_a=53 | option_b=54 | option_c=52 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 520 ÷ 10 = 52.

id=78932 | topic=Profit & Loss | difficulty=Easy | question=An article costs █412. If it is sold at a profit of 30%, what is its selling price? | option_a=494 | option_b=535 | option_c=442 | option_d=576 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 412 × 130/100 = █535.

id=78933 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=29 | option_d=19 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=78934 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=F | option_b=K | option_c=P | option_d=U | answer=C | explanation=Move 5 positions forward from K; the resulting letter is P.

id=78935 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=42 | option_b=54 | option_c=53 | option_d=64 | answer=C | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.

id=78936 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=40 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=78937 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45645 at 8% per annum for 1 years. | option_a=49296 | option_b=3751 | option_c=3551 | option_d=3651 | answer=D | explanation=SI = PRT/100 = 45645×8×1/100 = █3651.

id=78938 | topic=Averages | difficulty=Easy | question=Find the average of 21, 19, 83. | option_a=40 | option_b=42 | option_c=43 | option_d=41 | answer=D | explanation=Average = sum of values ÷ number of values = 123 ÷ 3 = 41.

id=78939 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:7 and the first is 72, what is the second? | option_a=135 | option_b=71 | option_c=56 | option_d=63 | answer=D | explanation=Scale factor = 72/8 = 9. Therefore second quantity = 7×9 = 63.

id=78940 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=J | option_b=M | option_c=P | option_d=S | answer=C | explanation=Move 3 positions forward from M; the resulting letter is P.

id=78941 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=G | option_b=H | option_c=E | option_d=F | answer=A | explanation=Move 1 positions forward from F; the resulting letter is G.

id=78942 | topic=Averages | difficulty=Easy | question=Find the average of 63, 88, 16, 19, 15, 95, 44, 14, 47, 29. | option_a=45 | option_b=43 | option_c=42 | option_d=44 | answer=B | explanation=Average = sum of values ÷ number of values = 430 ÷ 10 = 43.

id=78943 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=78944 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=47 | option_b=37 | option_c=55 | option_d=46 | answer=D | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=78945 | topic=Averages | difficulty=Easy | question=Find the average of 20, 39, 47, 26, 84, 25, 81. | option_a=48 | option_b=45 | option_c=46 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 322 ÷ 7 = 46.

id=78946 | topic=Percentages | difficulty=Easy | question=What is 30% of 1337? | option_a=391 | option_b=401 | option_c=802 | option_d=406 | answer=B | explanation=30% of 1337 = (30/100) × 1337 = 401.

id=78947 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 27, 39, 51, ? | option_a=63 | option_b=75 | option_c=51 | option_d=64 | answer=A | explanation=The common difference is 12. Therefore the next term is 51 + 12 = 63.

id=78948 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=78949 | topic=Averages | difficulty=Easy | question=Find the average of 11, 87, 39, 63. | option_a=50 | option_b=49 | option_c=52 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 200 ÷ 4 = 50.

id=78950 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=18 | option_c=23 | option_d=13 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=78951 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3907. If it is sold at a profit of 50%, what is its selling price? | option_a=5860 | option_b=5470 | option_c=3957 | option_d=6250 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3907 × 150/100 = █5860.

id=78952 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=78953 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15610 at 5% per annum for 1 years. | option_a=880 | option_b=780 | option_c=680 | option_d=16390 | answer=B | explanation=SI = PRT/100 = 15610×5×1/100 = █780.

id=78954 | topic=Averages | difficulty=Easy | question=Find the average of 33, 86, 36, 56, 77, 15, 92, 11, 63, 31. | option_a=52 | option_b=51 | option_c=50 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 500 ÷ 10 = 50.

id=78955 | topic=Percentages | difficulty=Easy | question=What is 50% of 497? | option_a=496 | option_b=248 | option_c=268 | option_d=243 | answer=B | explanation=50% of 497 = (50/100) × 497 = 248.

id=78956 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=240 | option_d=125 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=78957 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=90 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=78958 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 9. | option_a=1 | option_b=81 | option_c=9 | option_d=18 | answer=C | explanation=LCM × HCF = 9×9; HCF(9,9) = 9, so LCM = 9.

id=78959 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=H | option_b=X | option_c=M | option_d=C | answer=A | explanation=Move 5 positions forward from C; the resulting letter is H.

id=78960 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

Aptitude Questions — Records 78,961-78,990 of 100,000

- id=78961 | topic=Averages | difficulty=Easy | question=Find the average of 35, 99, 64, 54, 38, 80, 77, 35, 44, 84. | option_a=63 | option_b=60 | option_c=62 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 610 ÷ 10 = 61.
- id=78962 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.
- id=78963 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.
- id=78964 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=Z | option_b=C | option_c=I | option_d=F | answer=D | explanation=Move 3 positions forward from C; the resulting letter is F.
- id=78965 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 14. | option_a=168 | option_b=84 | option_c=70 | option_d=96 | answer=B | explanation=LCM × HCF = 12×14; HCF(12,14) = 2, so LCM = 84.
- id=78966 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**774. If it is sold at a profit of 5%, what is its selling price? | option_a=779 | option_b=889 | option_c=812 | option_d=735 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 774 × 105/100 = **₹**812.
- id=78967 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=78968 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.
- id=78969 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 16, 19, 25? | option_a=13 | option_b=16 | option_c=25 | option_d=19 | answer=C | explanation=The first three numbers increase by 3, so the next should be 22. Therefore 25 is the odd one out.
- id=78970 | topic=Averages | difficulty=Easy | question=Find the average of 90, 97, 60, 17, 74, 77, 26. | option_a=62 | option_b=65 | option_c=63 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 441 ÷ 7 = 63.
- id=78971 | topic=Percentages | difficulty=Easy | question=What is 30% of 86? | option_a=5 | option_b=50 | option_c=25 | option_d=45 | answer=C | explanation=30% of 86 = (30/100) × 86 = 25.
- id=78972 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**28965 at 15% per annum for 2 years. | option_a=37654 | option_b=8789 | option_c=8689 | option_d=8589 | answer=C | explanation=SI = PRT/100 = 28965×15×2/100 = **₹**8689.
- id=78973 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:1 and the first is 198, what is the second? | option_a=29 | option_b=216 | option_c=18 | option_d=17 | answer=C | explanation=Scale factor = 198/11 = 18. Therefore second quantity = 1×18 = 18.
- id=78974 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=P | option_c=T | option_d=V | answer=C | explanation=Move 2 positions forward from R; the resulting letter is T.
- id=78975 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 22, 28, 35? | option_a=35 | option_b=16 | option_c=22 | option_d=28 | answer=A | explanation=The first three numbers increase by 6, so the next should be 34. Therefore 35 is the odd one out.
- id=78976 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=24 | option_b=28 | option_c=20 | option_d=25 | answer=A | explanation=The common difference is 4. Therefore the next term is 20 + 4 = 24.
- id=78977 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1539. If it is sold at a profit of 5%, what is its selling price? | option_a=1544 | option_b=1615 | option_c=1768 | option_d=1462 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1539 × 105/100 = **₹**1615.
- id=78978 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 20, 22, 25? | option_a=18 | option_b=25 | option_c=20 | option_d=22 | answer=B | explanation=The first three numbers increase by 2, so the next should be 24. Therefore 25 is the odd one out.
- id=78979 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 19, 29, 40? | option_a=19 | option_b=29 | option_c=9 | option_d=40 | answer=D | explanation=The first three numbers increase by 10, so the next should be 39. Therefore 40 is the odd one out.
- id=78980 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2360. If it is sold at a profit of 5%, what is its selling price? | option_a=2714 | option_b=2365 | option_c=2242 | option_d=2478 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2360 × 105/100 = **₹**2478.
- id=78981 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 14. | option_a=168 | option_b=364 | option_c=182 | option_d=208 | answer=C | explanation=LCM × HCF = 26×14; HCF(26,14) = 2, so LCM = 182.
- id=78982 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 20. | option_a=60 | option_b=300 | option_c=40 | option_d=75 | answer=A | explanation=LCM × HCF = 15×20; HCF(15,20) = 5, so LCM = 60.
- id=78983 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=13 | option_b=17 | option_c=19 | option_d=16 | answer=D | explanation=The common difference is 3. Therefore the next term is 13 + 3 = 16.
- id=78984 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**418. If it is sold at a profit of 30%, what is its selling price? | option_a=502 | option_b=543 | option_c=584 | option_d=448 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 418 × 130/100 = **₹**543.
- id=78985 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.
- id=78986 | topic=Percentages | difficulty=Easy | question=What is 12% of 309? | option_a=37 | option_b=42 | option_c=74 | option_d=32 | answer=A | explanation=12% of 309 = (12/100) × 309 = 37.
- id=78987 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=Z | option_b=E | option_c=P | option_d=U | answer=A | explanation=Move 5 positions forward from U; the resulting letter is Z.
- id=78988 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4047. If it is sold at a profit of 30%, what is its selling price? | option_a=5665 | option_b=4077 | option_c=5261 | option_d=4857 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4047 × 130/100 = **₹**5261.
- id=78989 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3230. If it is sold at a profit of 20%, what is its selling price? | option_a=3876 | option_b=3250 | option_c=4199 | option_d=3553 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3230 × 120/100 = **₹**3876.
- id=78990 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

Aptitude Questions — Records 78,991-79,020 of 100,000

id=78991 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=78992 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=30 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=78993 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 18. | option_a=18 | option_b=21 | option_c=54 | option_d=1 | answer=A | explanation=LCM × HCF = 3×18; HCF(3,18) = 3, so LCM = 18.

id=78994 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 29, 37, 47? | option_a=37 | option_b=29 | option_c=47 | option_d=21 | answer=C | explanation=The first three numbers increase by 8, so the next should be 45. Therefore 47 is the odd one out.

id=78995 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=Y | option_b=N | option_c=I | option_d=D | answer=C | explanation=Move 5 positions forward from D; the resulting letter is I.

id=78996 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 11, 16, 24? | option_a=16 | option_b=24 | option_c=11 | option_d=6 | answer=B | explanation=The first three numbers increase by 5, so the next should be 21. Therefore 24 is the odd one out.

id=78997 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1645. If it is sold at a profit of 40%, what is its selling price? | option_a=2303 | option_b=2139 | option_c=1685 | option_d=2467 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1645 × 140/100 = █2303.

id=78998 | topic=Percentages | difficulty=Easy | question=What is 10% of 268? | option_a=46 | option_b=52 | option_c=6 | option_d=26 | answer=D | explanation=10% of 268 = (10/100) × 268 = 26.

id=78999 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=O | option_b=E | option_c=J | option_d=Z | answer=C | explanation=Move 5 positions forward from E; the resulting letter is J.

id=79000 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=79001 | topic=Averages | difficulty=Easy | question=Find the average of 78, 54, 77, 88, 45, 89, 39, 72, 71, 107. | option_a=71 | option_b=74 | option_c=73 | option_d=72 | answer=D | explanation=Average = sum of values ÷ number of values = 720 ÷ 10 = 72.

id=79002 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=9 | option_c=14 | option_d=18 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=79003 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=79004 | topic=Averages | difficulty=Easy | question=Find the average of 44, 58, 24, 47, 90, 103. | option_a=62 | option_b=60 | option_c=63 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 366 ÷ 6 = 61.

id=79005 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:8 and the first is 32, what is the second? | option_a=32 | option_b=8 | option_c=48 | option_d=16 | answer=D | explanation=Scale factor = 32/16 = 2. Therefore second quantity = 8×2 = 16.

id=79006 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4969. If it is sold at a profit of 30%, what is its selling price? | option_a=6459 | option_b=6955 | option_c=5963 | option_d=4999 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4969 × 130/100 = █6459.

id=79007 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10542 at 8% per annum for 2 years. | option_a=1586 | option_b=1686 | option_c=1786 | option_d=12228 | answer=B | explanation=SI = PRT/100 = 10542×8×2/100 = █1686.

id=79008 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 30? | option_a=22 | option_b=26 | option_c=24 | option_d=30 | answer=D | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 30 is the odd one out.

id=79009 | topic=Percentages | difficulty=Easy | question=What is 20% of 1481? | option_a=306 | option_b=592 | option_c=296 | option_d=276 | answer=C | explanation=20% of 1481 = (20/100) × 1481 = 296.

id=79010 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:4 and the first is 140, what is the second? | option_a=36 | option_b=54 | option_c=180 | option_d=40 | answer=D | explanation=Scale factor = 140/14 = 10. Therefore second quantity = 4×10 = 40.

id=79011 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 45? | option_a=33 | option_b=45 | option_c=13 | option_d=23 | answer=B | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 45 is the odd one out.

id=79012 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:13 and the first is 16, what is the second? | option_a=42 | option_b=13 | option_c=26 | option_d=34 | answer=C | explanation=Scale factor = 16/8 = 2. Therefore second quantity = 13×2 = 26.

id=79013 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=79014 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:10 and the first is 64, what is the second? | option_a=144 | option_b=70 | option_c=80 | option_d=88 | answer=C | explanation=Scale factor = 64/8 = 8. Therefore second quantity = 10×8 = 80.

id=79015 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 51? | option_a=51 | option_b=33 | option_c=25 | option_d=41 | answer=A | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 51 is the odd one out.

id=79016 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:10 and the first is 72, what is the second? | option_a=80 | option_b=98 | option_c=162 | option_d=90 | answer=D | explanation=Scale factor = 72/8 = 9. Therefore second quantity = 10×9 = 90.

id=79017 | topic=Percentages | difficulty=Easy | question=What is 15% of 1649? | option_a=247 | option_b=227 | option_c=494 | option_d=257 | answer=A | explanation=15% of 1649 = (15/100) × 1649 = 247.

id=79018 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=20 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=79019 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=73 | option_b=62 | option_c=49 | option_d=61 | answer=D | explanation=The common difference is 12. Therefore the next term is 49 + 12 = 61.

id=79020 | topic=Percentages | difficulty=Easy | question=What is 10% of 909? | option_a=90 | option_b=80 | option_c=180 | option_d=95 | answer=A | explanation=10% of 909 = (10/100) × 909 = 90.

Aptitude Questions — Records 79,021-79,050 of 100,000

id=79021 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=55 | option_c=100 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=79022 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=C | option_b=E | option_c=G | option_d=I | answer=C | explanation=Move 2 positions forward from E; the resulting letter is G.

id=79023 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 24, 36, 48, ? | option_a=48 | option_b=61 | option_c=60 | option_d=72 | answer=C | explanation=The common difference is 12. Therefore the next term is 48 + 12 = 60.

id=79024 | topic=Percentages | difficulty=Easy | question=What is 40% of 858? | option_a=686 | option_b=353 | option_c=343 | option_d=338 | answer=C | explanation=40% of 858 = (40/100) × 858 = 343.

id=79025 | topic=Percentages | difficulty=Easy | question=What is 20% of 513? | option_a=112 | option_b=102 | option_c=204 | option_d=97 | answer=B | explanation=20% of 513 = (20/100) × 513 = 102.

id=79026 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:20 and the first is 160, what is the second? | option_a=200 | option_b=360 | option_c=216 | option_d=180 | answer=A | explanation=Scale factor = 160/16 = 10. Therefore second quantity = 20×10 = 200.

id=79027 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=79028 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=Z | option_b=R | option_c=N | option_d=V | answer=D | explanation=Move 4 positions forward from R; the resulting letter is V.

id=79029 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=39 | option_b=48 | option_c=47 | option_d=55 | answer=C | explanation=The common difference is 8. Therefore the next term is 39 + 8 = 47.

id=79030 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=79031 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 36? | option_a=25 | option_b=36 | option_c=15 | option_d=5 | answer=B | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 36 is the odd one out.

id=79032 | topic=Percentages | difficulty=Easy | question=What is 20% of 594? | option_a=128 | option_b=118 | option_c=98 | option_d=236 | answer=B | explanation=20% of 594 = (20/100) × 594 = 118.

id=79033 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2321. If it is sold at a profit of 15%, what is its selling price? | option_a=2669 | option_b=2901 | option_c=2336 | option_d=2437 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2321 × 115/100 = █2669.

id=79034 | topic=Percentages | difficulty=Easy | question=What is 5% of 236? | option_a=21 | option_b=22 | option_c=0 | option_d=11 | answer=D | explanation=5% of 236 = (5/100) × 236 = 11.

id=79035 | topic=Averages | difficulty=Easy | question=Find the average of 10, 68, 100, 38. | option_a=54 | option_b=56 | option_c=53 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 216 ÷ 4 = 54.

id=79036 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47317 at 5% per annum for 3 years. | option_a=7097 | option_b=54414 | option_c=7197 | option_d=6997 | answer=A | explanation=SI = PRT/100 = 47317×5×3/100 = █7097.

id=79037 | topic=Profit & Loss | difficulty=Easy | question=An article costs █814. If it is sold at a profit of 40%, what is its selling price? | option_a=1220 | option_b=1139 | option_c=1058 | option_d=854 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 814 × 140/100 = █1139.

id=79038 | topic=Averages | difficulty=Easy | question=Find the average of 21, 16, 68, 39, 65, 73, 96, 56, 88. | option_a=58 | option_b=59 | option_c=57 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 522 ÷ 9 = 58.

id=79039 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=47 | option_b=58 | option_c=67 | option_d=57 | answer=D | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

id=79040 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:18 and the first is 306, what is the second? | option_a=630 | option_b=341 | option_c=324 | option_d=306 | answer=C | explanation=Scale factor = 306/17 = 18. Therefore second quantity = 18×18 = 324.

id=79041 | topic=Percentages | difficulty=Easy | question=What is 5% of 1022? | option_a=51 | option_b=102 | option_c=31 | option_d=56 | answer=A | explanation=5% of 1022 = (5/100) × 1022 = 51.

id=79042 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:18 and the first is 110, what is the second? | option_a=208 | option_b=198 | option_c=308 | option_d=180 | answer=B | explanation=Scale factor = 110/10 = 11. Therefore second quantity = 18×11 = 198.

id=79043 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4280 at 10% per annum for 3 years. | option_a=1284 | option_b=1184 | option_c=1384 | option_d=5564 | answer=A | explanation=SI = PRT/100 = 4280×10×3/100 = █1284.

id=79044 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=20 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=79045 | topic=Averages | difficulty=Easy | question=Find the average of 73, 86, 43, 20, 39, 54, 89, 36. | option_a=54 | option_b=57 | option_c=55 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 440 ÷ 8 = 55.

id=79046 | topic=Percentages | difficulty=Easy | question=What is 50% of 1279? | option_a=639 | option_b=1278 | option_c=649 | option_d=634 | answer=A | explanation=50% of 1279 = (50/100) × 1279 = 639.

id=79047 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=31 | option_b=39 | option_c=36 | option_d=35 | answer=D | explanation=The common difference is 4. Therefore the next term is 31 + 4 = 35.

id=79048 | topic=Averages | difficulty=Easy | question=Find the average of 52, 14, 73, 81, 50, 80, 76, 76, 97, 61. | option_a=65 | option_b=66 | option_c=67 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = 660 ÷ 10 = 66.

id=79049 | topic=Percentages | difficulty=Easy | question=What is 10% of 1109? | option_a=220 | option_b=100 | option_c=115 | option_d=110 | answer=D | explanation=10% of 1109 = (10/100) × 1109 = 110.

id=79050 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:6 and the first is 288, what is the second? | option_a=124 | option_b=108 | option_c=396 | option_d=102 | answer=B | explanation=Scale factor = 288/16 = 18. Therefore second quantity = 6×18 = 108.

Aptitude Questions — Records 79,051-79,080 of 100,000

id=79051 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 44? | option_a=44 | option_b=35 | option_c=21 | option_d=28 | answer=A | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 44 is the odd one out.

id=79052 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:6 and the first is 135, what is the second? | option_a=54 | option_b=69 | option_c=48 | option_d=189 | answer=A | explanation=Scale factor = $135/15 = 9$. Therefore second quantity = $6\times 9 = 54$.

id=79053 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 11, 19, 30? | option_a=11 | option_b=3 | option_c=30 | option_d=19 | answer=C | explanation=The first three numbers increase by 8, so the next should be 27. Therefore 30 is the odd one out.

id=79054 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 12. | option_a=120 | option_b=48 | option_c=70 | option_d=60 | answer=D | explanation= $LCM \times HCF = 10\times 12$; $HCF(10,12) = 2$, so $LCM = 60$.

id=79055 | topic=Averages | difficulty=Easy | question=Find the average of 38, 26, 11, 24, 10, 50, 11, 30. | option_a=27 | option_b=26 | option_c=25 | option_d=24 | answer=C | explanation=Average = sum of values ÷ number of values = $200 \div 8 = 25$.

id=79056 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:11 and the first is 60, what is the second? | option_a=44 | option_b=115 | option_c=55 | option_d=67 | answer=C | explanation=Scale factor = $60/12 = 5$. Therefore second quantity = $11\times 5 = 55$.

id=79057 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 21, 25, 32? | option_a=21 | option_b=32 | option_c=25 | option_d=17 | answer=B | explanation=The first three numbers increase by 4, so the next should be 29. Therefore 32 is the odd one out.

id=79058 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14341 at 8% per annum for 1 years. | option_a=1147 | option_b=15488 | option_c=1047 | option_d=1247 | answer=A | explanation= $SI = PRT/100 = 14341\times 8\times 1/100 = \text{■}1147$.

id=79059 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=W | option_c=R | option_d=H | answer=C | explanation=Move 5 positions forward from M; the resulting letter is R.

id=79060 | topic=Averages | difficulty=Easy | question=Find the average of 86, 35, 62, 79, 44, 97, 51, 66. | option_a=65 | option_b=66 | option_c=67 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = $520 \div 8 = 65$.

id=79061 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 3. | option_a=30 | option_b=15 | option_c=12 | option_d=45 | answer=B | explanation= $LCM \times HCF = 15\times 3$; $HCF(15,3) = 3$, so $LCM = 15$.

id=79062 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:20 and the first is 300, what is the second? | option_a=600 | option_b=300 | option_c=320 | option_d=280 | answer=B | explanation=Scale factor = $300/20 = 15$. Therefore second quantity = $20\times 15 = 300$.

id=79063 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22937 at 8% per annum for 4 years. | option_a=7439 | option_b=30276 | option_c=7339 | option_d=7239 | answer=C | explanation= $SI = PRT/100 = 22937\times 8\times 4/100 = \text{■}7339$.

id=79064 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $240 \div 8 = 30$ km/h.

id=79065 | topic=Averages | difficulty=Easy | question=Find the average of 69, 25, 35, 33, 93. | option_a=51 | option_b=53 | option_c=50 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = $255 \div 5 = 51$.

id=79066 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:8 and the first is 16, what is the second? | option_a=66 | option_b=56 | option_c=64 | option_d=80 | answer=C | explanation=Scale factor = $16/2 = 8$. Therefore second quantity = $8\times 8 = 64$.

id=79067 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 16. | option_a=126 | option_b=224 | option_c=96 | option_d=112 | answer=D | explanation= $LCM \times HCF = 14\times 16$; $HCF(14,16) = 2$, so $LCM = 112$.

id=79068 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14074 at 15% per annum for 3 years. | option_a=6333 | option_b=20407 | option_c=6433 | option_d=6233 | answer=A | explanation= $SI = PRT/100 = 14074\times 15\times 3/100 = \text{■}6333$.

id=79069 | topic=Averages | difficulty=Easy | question=Find the average of 37, 21, 95, 85, 52. | option_a=58 | option_b=59 | option_c=57 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = $290 \div 5 = 58$.

id=79070 | topic=Averages | difficulty=Easy | question=Find the average of 22, 85, 19, 51, 81, 95, 68, 31, 79. | option_a=60 | option_b=59 | option_c=58 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = $531 \div 9 = 59$.

id=79071 | topic=Averages | difficulty=Easy | question=Find the average of 43, 85, 82, 71, 80, 60, 51, 48. | option_a=67 | option_b=65 | option_c=64 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = $520 \div 8 = 65$.

id=79072 | topic=Percentages | difficulty=Easy | question=What is 30% of 654? | option_a=392 | option_b=196 | option_c=216 | option_d=176 | answer=B | explanation= 30% of 654 = $(30/100) \times 654 = 196$.

id=79073 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 33? | option_a=33 | option_b=13 | option_c=4 | option_d=22 | answer=A | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 33 is the odd one out.

id=79074 | topic=Percentages | difficulty=Easy | question=What is 20% of 1807? | option_a=371 | option_b=722 | option_c=351 | option_d=361 | answer=D | explanation= 20% of 1807 = $(20/100) \times 1807 = 361$.

id=79075 | topic=Percentages | difficulty=Easy | question=What is 40% of 923? | option_a=379 | option_b=738 | option_c=349 | option_d=369 | answer=D | explanation= 40% of 923 = $(40/100) \times 923 = 369$.

id=79076 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=A | option_b=M | option_c=I | option_d=E | answer=C | explanation=Move 4 positions forward from E; the resulting letter is I.

id=79077 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=79078 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=79079 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=C | option_b=E | option_c=D | option_d=F | answer=B | explanation=Move 1 positions forward from D; the resulting letter is E.

id=79080 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=M | option_c=H | option_d=X | answer=C | explanation=Move 5 positions forward from C; the resulting letter is H.

Aptitude Questions — Records 79,081-79,110 of 100,000

id=79081 | topic=Percentages | difficulty=Easy | question=What is 10% of 245? | option_a=48 | option_b=24 | option_c=4 | option_d=34 | answer=B | explanation=10% of 245 = $(10/100) \times 245 = 24$.

id=79082 | topic=Percentages | difficulty=Easy | question=What is 50% of 1390? | option_a=695 | option_b=1390 | option_c=715 | option_d=690 | answer=A | explanation=50% of 1390 = $(50/100) \times 1390 = 695$.

id=79083 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=Z | option_c=R | option_d=N | answer=A | explanation=Move 4 positions forward from R; the resulting letter is V.

id=79084 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■4262 at 10% per annum for 3 years. | option_a=1278 | option_b=5540 | option_c=1378 | option_d=1178 | answer=A | explanation=SI = $PRT/100 = 4262 \times 10 \times 3/100 = \blacksquare 1278$.

id=79085 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 24, 34, 47? | option_a=47 | option_b=24 | option_c=34 | option_d=14 | answer=A | explanation=The first three numbers increase by 10, so the next should be 44. Therefore 47 is the odd one out.

id=79086 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=79087 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4141. If it is sold at a profit of 25%, what is its selling price? | option_a=4166 | option_b=5590 | option_c=4762 | option_d=5176 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 4141 \times 125/100 = \blacksquare 5176$.

id=79088 | topic=Percentages | difficulty=Easy | question=What is 15% of 960? | option_a=144 | option_b=288 | option_c=164 | option_d=134 | answer=A | explanation=15% of 960 = $(15/100) \times 960 = 144$.

id=79089 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=79090 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 20? | option_a=20 | option_b=11 | option_c=7 | option_d=15 | answer=A | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 20 is the odd one out.

id=79091 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=37 | option_b=32 | option_c=36 | option_d=40 | answer=C | explanation=The common difference is 4. Therefore the next term is $32 + 4 = 36$.

id=79092 | topic=Averages | difficulty=Easy | question=Find the average of 31, 65, 91, 67, 90, 59, 50, 18, 15. | option_a=53 | option_b=56 | option_c=55 | option_d=54 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 486 \div 9 = 54$.

id=79093 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:5 and the first is 24, what is the second? | option_a=35 | option_b=43 | option_c=40 | option_d=64 | answer=C | explanation=Scale factor = $24/3 = 8$. Therefore second quantity = $5 \times 8 = 40$.

id=79094 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:4 and the first is 98, what is the second? | option_a=63 | option_b=154 | option_c=52 | option_d=56 | answer=D | explanation=Scale factor = $98/7 = 14$. Therefore second quantity = $4 \times 14 = 56$.

id=79095 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3320. If it is sold at a profit of 25%, what is its selling price? | option_a=3818 | option_b=4150 | option_c=3345 | option_d=4482 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 3320 \times 125/100 = \blacksquare 4150$.

id=79096 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=90 | option_d=45 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 360 \div 8 = 45$ km/h.

id=79097 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:13 and the first is 162, what is the second? | option_a=117 | option_b=104 | option_c=279 | option_d=135 | answer=A | explanation=Scale factor = $162/18 = 9$. Therefore second quantity = $13 \times 9 = 117$.

id=79098 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:12 and the first is 63, what is the second? | option_a=84 | option_b=72 | option_c=147 | option_d=93 | answer=A | explanation=Scale factor = $63/9 = 7$. Therefore second quantity = $12 \times 7 = 84$.

id=79099 | topic=Percentages | difficulty=Easy | question=What is 25% of 1131? | option_a=287 | option_b=272 | option_c=564 | option_d=282 | answer=D | explanation=25% of 1131 = $(25/100) \times 1131 = 282$.

id=79100 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=9 | option_c=18 | option_d=4 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 90 \div 10 = 9$ km/h.

id=79101 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:14 and the first is 210, what is the second? | option_a=224 | option_b=210 | option_c=420 | option_d=196 | answer=B | explanation=Scale factor = $210/14 = 15$. Therefore second quantity = $14 \times 15 = 210$.

id=79102 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 50? | option_a=17 | option_b=50 | option_c=27 | option_d=37 | answer=B | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 50 is the odd one out.

id=79103 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=Y | option_b=G | option_c=K | option_d=C | answer=B | explanation=Move 4 positions forward from C; the resulting letter is G.

id=79104 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=5 | answer=B | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=79105 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 7. | option_a=21 | option_b=42 | option_c=147 | option_d=14 | answer=A | explanation=LCM $\times$ HCF = 21×7 ; $\text{HCF}(21, 7) = 7$, so LCM = 21.

id=79106 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=57 | option_b=58 | option_c=69 | option_d=45 | answer=A | explanation=The common difference is 12. Therefore the next term is $45 + 12 = 57$.

id=79107 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=7 | option_d=24 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=79108 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■37580 at 12% per annum for 2 years. | option_a=8919 | option_b=9019 | option_c=46599 | option_d=9119 | answer=B | explanation=SI = $PRT/100 = 37580 \times 12 \times 2/100 = \blacksquare 9019$.

id=79109 | topic=Percentages | difficulty=Easy | question=What is 50% of 688? | option_a=344 | option_b=688 | option_c=349 | option_d=334 | answer=A | explanation=50% of 688 = $(50/100) \times 688 = 344$.

id=79110 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2467. If it is sold at a profit of 5%, what is its selling price? | option_a=2836 | option_b=2472 | option_c=2590 | option_d=2344 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2467 \times 105/100 = \blacksquare 2590$.

Aptitude Questions — Records 79,111-79,140 of 100,000

- id=79111 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:20 and the first is 76, what is the second? | option_a=384 | option_b=360 | option_c=380 | option_d=456 | answer=C | explanation=Scale factor = $76/4 = 19$. Therefore second quantity = $20 \times 19 = 380$.
- id=79112 | topic=Averages | difficulty=Easy | question=Find the average of 23, 15, 58, 52. | option_a=39 | option_b=38 | option_c=36 | option_d=37 | answer=D | explanation=Average = sum of values ÷ number of values = $148 \div 4 = 37$.
- id=79113 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:6 and the first is 255, what is the second? | option_a=102 | option_b=96 | option_c=357 | option_d=117 | answer=A | explanation=Scale factor = $255/15 = 17$. Therefore second quantity = $6 \times 17 = 102$.
- id=79114 | topic=Percentages | difficulty=Easy | question=What is 50% of 846? | option_a=443 | option_b=403 | option_c=846 | option_d=423 | answer=D | explanation=50% of 846 = $(50/100) \times 846 = 423$.
- id=79115 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=60 | option_b=71 | option_c=61 | option_d=49 | answer=A | explanation=The common difference is 11. Therefore the next term is $49 + 11 = 60$.
- id=79116 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=35 | option_c=80 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = $120 \div 3 = 40$ km/h.
- id=79117 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2897. If it is sold at a profit of 5%, what is its selling price? | option_a=2902 | option_b=3330 | option_c=2752 | option_d=3041 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2897 \times 105/100 = \text{█}3041$.
- id=79118 | topic=Percentages | difficulty=Easy | question=What is 12% of 1322? | option_a=316 | option_b=153 | option_c=158 | option_d=178 | answer=C | explanation=12% of 1322 = $(12/100) \times 1322 = 158$.
- id=79119 | topic=Averages | difficulty=Easy | question=Find the average of 49, 13, 52, 86, 25. | option_a=46 | option_b=44 | option_c=45 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = $225 \div 5 = 45$.
- id=79120 | topic=Averages | difficulty=Easy | question=Find the average of 16, 42, 43, 63, 68, 86. | option_a=55 | option_b=52 | option_c=53 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = $318 \div 6 = 53$.
- id=79121 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=240 | option_c=115 | option_d=125 | answer=A | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.
- id=79122 | topic=Percentages | difficulty=Easy | question=What is 15% of 1402? | option_a=210 | option_b=205 | option_c=230 | option_d=420 | answer=A | explanation=15% of 1402 = $(15/100) \times 1402 = 210$.
- id=79123 | topic=Averages | difficulty=Easy | question=Find the average of 75, 17, 25, 35. | option_a=39 | option_b=37 | option_c=40 | option_d=38 | answer=D | explanation=Average = sum of values ÷ number of values = $152 \div 4 = 38$.
- id=79124 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=M | option_c=I | option_d=G | answer=A | explanation=Move 2 positions forward from I; the resulting letter is K.
- id=79125 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 58? | option_a=26 | option_b=58 | option_c=46 | option_d=36 | answer=B | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 58 is the odd one out.
- id=79126 | topic=Percentages | difficulty=Easy | question=What is 30% of 96? | option_a=48 | option_b=23 | option_c=56 | option_d=28 | answer=D | explanation=30% of 96 = $(30/100) \times 96 = 28$.
- id=79127 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=X | option_c=B | option_d=J | answer=A | explanation=Move 4 positions forward from B; the resulting letter is F.
- id=79128 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=L | option_c=H | option_d=Z | answer=C | explanation=Move 4 positions forward from D; the resulting letter is H.
- id=79129 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.
- id=79130 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:15 and the first is 42, what is the second? | option_a=90 | option_b=132 | option_c=97 | option_d=75 | answer=A | explanation=Scale factor = $42/7 = 6$. Therefore second quantity = $15 \times 6 = 90$.
- id=79131 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 28. | option_a=28 | option_b=112 | option_c=32 | option_d=1 | answer=A | explanation=LCM = $HCF \times HCF(4,28) = 4$, so LCM = 28.
- id=79132 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:4 and the first is 132, what is the second? | option_a=40 | option_b=176 | option_c=56 | option_d=44 | answer=D | explanation=Scale factor = $132/12 = 11$. Therefore second quantity = $4 \times 11 = 44$.
- id=79133 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:5 and the first is 117, what is the second? | option_a=65 | option_b=74 | option_c=182 | option_d=60 | answer=A | explanation=Scale factor = $117/9 = 13$. Therefore second quantity = $5 \times 13 = 65$.
- id=79134 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=23 | option_b=21 | option_c=19 | option_d=22 | answer=B | explanation=The common difference is 2. Therefore the next term is $19 + 2 = 21$.
- id=79135 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2530. If it is sold at a profit of 20%, what is its selling price? | option_a=2550 | option_b=3036 | option_c=2783 | option_d=3289 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2530 \times 120/100 = \text{█}3036$.
- id=79136 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:8 and the first is 36, what is the second? | option_a=144 | option_b=180 | option_c=136 | option_d=146 | answer=A | explanation=Scale factor = $36/2 = 18$. Therefore second quantity = $8 \times 18 = 144$.
- id=79137 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 30, 38, 48? | option_a=30 | option_b=22 | option_c=38 | option_d=48 | answer=D | explanation=The first three numbers increase by 8, so the next should be 46. Therefore 48 is the odd one out.
- id=79138 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:1 and the first is 280, what is the second? | option_a=14 | option_b=13 | option_c=34 | option_d=294 | answer=A | explanation=Scale factor = $280/20 = 14$. Therefore second quantity = $1 \times 14 = 14$.
- id=79139 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:13 and the first is 180, what is the second? | option_a=269 | option_b=440 | option_c=260 | option_d=247 | answer=C | explanation=Scale factor = $180/9 = 20$. Therefore second quantity = $13 \times 20 = 260$.
- id=79140 | topic=Percentages | difficulty=Easy | question=What is 12% of 668? | option_a=90 | option_b=160 | option_c=60 | option_d=80 | answer=D | explanation=12% of 668 = $(12/100) \times 668 = 80$.

Aptitude Questions — Records 79,141-79,170 of 100,000

id=79141 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=79142 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=V | option_c=F | option_d=K | answer=C | explanation=Move 5 positions forward from A; the resulting letter is F.

id=79143 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=27 | option_b=37 | option_c=33 | option_d=32 | answer=D | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

id=79144 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 38, 48, 61? | option_a=38 | option_b=48 | option_c=28 | option_d=61 | answer=D | explanation=The first three numbers increase by 10, so the next should be 58. Therefore 61 is the odd one out.

id=79145 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:9 and the first is 323, what is the second? | option_a=171 | option_b=494 | option_c=188 | option_d=162 | answer=A | explanation=Scale factor = 323/17 = 19. Therefore second quantity = 9×19 = 171.

id=79146 | topic=Percentages | difficulty=Easy | question=What is 30% of 1969? | option_a=580 | option_b=590 | option_c=600 | option_d=1180 | answer=B | explanation=30% of 1969 = (30/100) × 1969 = 590.

id=79147 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7183 at 4% per annum for 1 years. | option_a=187 | option_b=387 | option_c=7470 | option_d=287 | answer=D | explanation=SI = PRT/100 = 7183×4×1/100 = **■**287.

id=79148 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=72 | option_c=36 | option_d=41 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=79149 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4686. If it is sold at a profit of 25%, what is its selling price? | option_a=6325 | option_b=5389 | option_c=4711 | option_d=5857 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4686 × 125/100 = **■**5857.

id=79150 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=79151 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=79152 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=22 | option_b=23 | option_c=21 | option_d=19 | answer=C | explanation=The common difference is 2. Therefore the next term is 19 + 2 = 21.

id=79153 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=S | option_c=T | option_d=Q | answer=B | explanation=Move 1 positions forward from R; the resulting letter is S.

id=79154 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 46? | option_a=33 | option_b=46 | option_c=13 | option_d=23 | answer=B | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 46 is the odd one out.

id=79155 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:19 and the first is 288, what is the second? | option_a=592 | option_b=322 | option_c=304 | option_d=285 | answer=C | explanation=Scale factor = 288/18 = 16. Therefore second quantity = 19×16 = 304.

id=79156 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31235 at 8% per annum for 3 years. | option_a=38731 | option_b=7396 | option_c=7596 | option_d=7496 | answer=D | explanation=SI = PRT/100 = 31235×8×3/100 = **■**7496.

id=79157 | topic=Percentages | difficulty=Easy | question=What is 20% of 1590? | option_a=318 | option_b=338 | option_c=298 | option_d=636 | answer=A | explanation=20% of 1590 = (20/100) × 1590 = 318.

id=79158 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2087. If it is sold at a profit of 10%, what is its selling price? | option_a=2295 | option_b=2087 | option_c=2097 | option_d=2503 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2087 × 110/100 = **■**2295.

id=79159 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=18 | option_b=19 | option_c=15 | option_d=21 | answer=A | explanation=The common difference is 3. Therefore the next term is 15 + 3 = 18.

id=79160 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=79161 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=S | option_b=R | option_c=T | option_d=Q | answer=A | explanation=Move 1 positions forward from R; the resulting letter is S.

id=79162 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=79163 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=K | option_b=U | option_c=Z | option_d=P | answer=B | explanation=Move 5 positions forward from P; the resulting letter is U.

id=79164 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=77 | option_c=144 | option_d=67 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=79165 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:1 and the first is 198, what is the second? | option_a=216 | option_b=29 | option_c=17 | option_d=18 | answer=D | explanation=Scale factor = 198/11 = 18. Therefore second quantity = 1×18 = 18.

id=79166 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1889 at 10% per annum for 3 years. | option_a=2455 | option_b=666 | option_c=566 | option_d=466 | answer=C | explanation=SI = PRT/100 = 1889×10×3/100 = **■**566.

id=79167 | topic=Percentages | difficulty=Easy | question=What is 10% of 163? | option_a=32 | option_b=26 | option_c=16 | option_d=11 | answer=C | explanation=10% of 163 = (10/100) × 163 = 16.

id=79168 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=77 | option_c=144 | option_d=67 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=79169 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 22, 32, 43? | option_a=43 | option_b=32 | option_c=12 | option_d=22 | answer=A | explanation=The first three numbers increase by 10, so the next should be 42. Therefore 43 is the odd one out.

id=79170 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=34 | option_b=40 | option_c=33 | option_d=26 | answer=C | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

Aptitude Questions — Records 79,171-79,200 of 100,000

id=79171 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:13 and the first is 288, what is the second? | option_a=250 | option_b=522 | option_c=221 | option_d=234 | answer=D | explanation=Scale factor = $288/16 = 18$. Therefore second quantity = $13 \times 18 = 234$.

id=79172 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3081. If it is sold at a profit of 50%, what is its selling price? | option_a=4929 | option_b=4621 | option_c=3131 | option_d=4313 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3081 \times 150/100 = \text{█}4621$.

id=79173 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19151 at 12% per annum for 4 years. | option_a=28343 | option_b=9292 | option_c=9192 | option_d=9092 | answer=C | explanation=SI = $PRT/100 = 19151 \times 12 \times 4/100 = \text{█}9192$.

id=79174 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=79175 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.

id=79176 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=17 | option_b=20 | option_c=21 | option_d=19 | answer=D | explanation=The common difference is 2. Therefore the next term is $17 + 2 = 19$.

id=79177 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 31, 40, 50? | option_a=22 | option_b=40 | option_c=50 | option_d=31 | answer=C | explanation=The first three numbers increase by 9, so the next should be 49. Therefore 50 is the odd one out.

id=79178 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=J | option_b=K | option_c=L | option_d=M | answer=C | explanation=Move 1 positions forward from K; the resulting letter is L.

id=79179 | topic=Averages | difficulty=Easy | question=Find the average of 40, 84, 23, 61, 41, 37, 93, 74, 69. | option_a=57 | option_b=58 | option_c=60 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = $522 \div 9 = 58$.

id=79180 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=120 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = $360 \div 6 = 60$ km/h.

id=79181 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = $90 \div 3 = 30$ km/h.

id=79182 | topic=Averages | difficulty=Easy | question=Find the average of 47, 69, 28. | option_a=47 | option_b=50 | option_c=48 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = $144 \div 3 = 48$.

id=79183 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=79184 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=13 | option_b=19 | option_c=16 | option_d=17 | answer=C | explanation=The common difference is 3. Therefore the next term is $13 + 3 = 16$.

id=79185 | topic=Percentages | difficulty=Easy | question=What is 25% of 1028? | option_a=277 | option_b=514 | option_c=257 | option_d=247 | answer=C | explanation=25% of 1028 = $(25/100) \times 1028 = 257$.

id=79186 | topic=Averages | difficulty=Easy | question=Find the average of 84, 48, 45. | option_a=58 | option_b=59 | option_c=61 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = $177 \div 3 = 59$.

id=79187 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35576 at 12% per annum for 3 years. | option_a=12807 | option_b=12707 | option_c=12907 | option_d=48383 | answer=A | explanation=SI = $PRT/100 = 35576 \times 12 \times 3/100 = \text{█}12807$.

id=79188 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = $90 \div 6 = 15$ km/h.

id=79189 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = $90 \div 3 = 30$ km/h.

id=79190 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = $150 \div 5 = 30$ km/h.

id=79191 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=55 | option_c=50 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = $300 \div 6 = 50$ km/h.

id=79192 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:17 and the first is 198, what is the second? | option_a=205 | option_b=187 | option_c=385 | option_d=170 | answer=B | explanation=Scale factor = $198/18 = 11$. Therefore second quantity = $17 \times 11 = 187$.

id=79193 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 27. | option_a=150 | option_b=135 | option_c=108 | option_d=405 | answer=B | explanation=LCM $\times$ HCF = 15×27 ; $\text{HCF}(15,27) = 3$, so LCM = 135.

id=79194 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 18, 25, 35? | option_a=25 | option_b=11 | option_c=35 | option_d=18 | answer=C | explanation=The first three numbers increase by 7, so the next should be 32. Therefore 35 is the odd one out.

id=79195 | topic=Percentages | difficulty=Easy | question=What is 10% of 597? | option_a=69 | option_b=59 | option_c=39 | option_d=118 | answer=B | explanation=10% of 597 = $(10/100) \times 597 = 59$.

id=79196 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27127 at 8% per annum for 1 years. | option_a=2070 | option_b=2170 | option_c=29297 | option_d=2270 | answer=B | explanation=SI = $PRT/100 = 27127 \times 8 \times 1/100 = \text{█}2170$.

id=79197 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=38 | option_b=39 | option_c=33 | option_d=43 | answer=A | explanation=The common difference is 5. Therefore the next term is $33 + 5 = 38$.

id=79198 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34420 at 10% per annum for 5 years. | option_a=51630 | option_b=17310 | option_c=17210 | option_d=17110 | answer=C | explanation=SI = $PRT/100 = 34420 \times 10 \times 5/100 = \text{█}17210$.

id=79199 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=79200 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=20 | option_d=6 | answer=A | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

Aptitude Questions — Records 79,201-79,230 of 100,000

id=79201 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:14 and the first is 4, what is the second? | option_a=57 | option_b=42 | option_c=60 | option_d=56 | answer=D | explanation=Scale factor = 4/1 = 4. Therefore second quantity = 14×4 = 56.

id=79202 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=Q | option_c=O | option_d=R | answer=B | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=79203 | topic=Averages | difficulty=Easy | question=Find the average of 99, 78, 15. | option_a=66 | option_b=65 | option_c=63 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 192 ÷ 3 = 64.

id=79204 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 13, 17, 21, ? | option_a=26 | option_b=25 | option_c=29 | option_d=21 | answer=B | explanation=The common difference is 4. Therefore the next term is 21 + 4 = 25.

id=79205 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=79206 | topic=Averages | difficulty=Easy | question=Find the average of 63, 29, 92, 39, 69, 12, 74. | option_a=56 | option_b=53 | option_c=55 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

id=79207 | topic=Averages | difficulty=Easy | question=Find the average of 18, 100, 50. | option_a=57 | option_b=58 | option_c=56 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 168 ÷ 3 = 56.

id=79208 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=79209 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=J | option_c=A | option_d=G | answer=D | explanation=Move 3 positions forward from D; the resulting letter is G.

id=79210 | topic=Profit & Loss | difficulty=Easy | question=An article costs █691. If it is sold at a profit of 15%, what is its selling price? | option_a=706 | option_b=725 | option_c=794 | option_d=863 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 691 × 115/100 = █794.

id=79211 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=40 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=79212 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=46 | option_b=58 | option_c=57 | option_d=68 | answer=C | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.

id=79213 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:2 and the first is 28, what is the second? | option_a=42 | option_b=18 | option_c=12 | option_d=14 | answer=D | explanation=Scale factor = 28/4 = 7. Therefore second quantity = 2×7 = 14.

id=79214 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 24. | option_a=48 | option_b=24 | option_c=64 | option_d=384 | answer=A | explanation=LCM × HCF = 16×24; HCF(16,24) = 8, so LCM = 48.

id=79215 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35487 at 6% per annum for 3 years. | option_a=41874 | option_b=6387 | option_c=6487 | option_d=6287 | answer=B | explanation=SI = PRT/100 = 35487×6×3/100 = █6387.

id=79216 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 25. | option_a=100 | option_b=500 | option_c=120 | option_d=75 | answer=A | explanation=LCM × HCF = 20×25; HCF(20,25) = 5, so LCM = 100.

id=79217 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=25 | option_c=20 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=79218 | topic=Averages | difficulty=Easy | question=Find the average of 96, 21, 45, 52, 56, 65, 99. | option_a=64 | option_b=62 | option_c=61 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 434 ÷ 7 = 62.

id=79219 | topic=Averages | difficulty=Easy | question=Find the average of 68, 43, 90. | option_a=69 | option_b=67 | option_c=68 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 201 ÷ 3 = 67.

id=79220 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1115. If it is sold at a profit of 10%, what is its selling price? | option_a=1125 | option_b=1226 | option_c=1115 | option_d=1337 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1115 × 110/100 = █1226.

id=79221 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=79222 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4403. If it is sold at a profit of 10%, what is its selling price? | option_a=4403 | option_b=5283 | option_c=4843 | option_d=4413 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4403 × 110/100 = █4843.

id=79223 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 11, 20, 30? | option_a=11 | option_b=2 | option_c=30 | option_d=20 | answer=C | explanation=The first three numbers increase by 9, so the next should be 29. Therefore 30 is the odd one out.

id=79224 | topic=Percentages | difficulty=Easy | question=What is 12% of 447? | option_a=53 | option_b=63 | option_c=106 | option_d=43 | answer=A | explanation=12% of 447 = (12/100) × 447 = 53.

id=79225 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4982. If it is sold at a profit of 20%, what is its selling price? | option_a=5480 | option_b=5978 | option_c=6476 | option_d=5002 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4982 × 120/100 = █5978.

id=79226 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=64 | option_b=53 | option_c=40 | option_d=52 | answer=D | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.

id=79227 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 18, 26, 37? | option_a=37 | option_b=18 | option_c=10 | option_d=26 | answer=A | explanation=The first three numbers increase by 8, so the next should be 34. Therefore 37 is the odd one out.

id=79228 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=79229 | topic=Averages | difficulty=Easy | question=Find the average of 43, 56, 20, 36, 97, 78. | option_a=57 | option_b=56 | option_c=54 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 330 ÷ 6 = 55.

id=79230 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 21, 28, 37? | option_a=14 | option_b=37 | option_c=21 | option_d=28 | answer=B | explanation=The first three numbers increase by 7, so the next should be 35. Therefore 37 is the odd one out.

Aptitude Questions — Records 79,231-79,260 of 100,000

id=79231 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=79232 | topic=Percentages | difficulty=Easy | question=What is 40% of 724? | option_a=578 | option_b=299 | option_c=289 | option_d=279 | answer=C | explanation=40% of 724 = (40/100) × 724 = 289.

id=79233 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=I | option_b=J | option_c=H | option_d=G | answer=A | explanation=Move 1 positions forward from H; the resulting letter is I.

id=79234 | topic=Averages | difficulty=Easy | question=Find the average of 71, 62, 60, 29, 58, 51, 54. | option_a=56 | option_b=55 | option_c=54 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 385 ÷ 7 = 55.

id=79235 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 29? | option_a=24 | option_b=26 | option_c=22 | option_d=29 | answer=D | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 29 is the odd one out.

id=79236 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11243 at 8% per annum for 2 years. | option_a=13041 | option_b=1798 | option_c=1898 | option_d=1698 | answer=B | explanation=SI = PRT/100 = 11243×8×2/100 = **■**1798.

id=79237 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:15 and the first is 15, what is the second? | option_a=78 | option_b=75 | option_c=90 | option_d=60 | answer=B | explanation=Scale factor = 15/3 = 5. Therefore second quantity = 15×5 = 75.

id=79238 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4540. If it is sold at a profit of 30%, what is its selling price? | option_a=5448 | option_b=5902 | option_c=6356 | option_d=4570 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4540 × 130/100 = **■**5902.

id=79239 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 20. | option_a=40 | option_b=20 | option_c=48 | option_d=160 | answer=A | explanation=LCM × HCF = 8×20; HCF(8,20) = 4, so LCM = 40.

id=79240 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:16 and the first is 30, what is the second? | option_a=86 | option_b=110 | option_c=80 | option_d=64 | answer=C | explanation=Scale factor = 30/6 = 5. Therefore second quantity = 16×5 = 80.

id=79241 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 11, 19, 29? | option_a=3 | option_b=29 | option_c=11 | option_d=19 | answer=B | explanation=The first three numbers increase by 8, so the next should be 27. Therefore 29 is the odd one out.

id=79242 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**830. If it is sold at a profit of 15%, what is its selling price? | option_a=871 | option_b=845 | option_c=1037 | option_d=954 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 830 × 115/100 = **■**954.

id=79243 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=85 | option_c=180 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=79244 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=31 | option_b=40 | option_c=47 | option_d=39 | answer=D | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

id=79245 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 28, 36, 46? | option_a=20 | option_b=46 | option_c=28 | option_d=36 | answer=B | explanation=The first three numbers increase by 8, so the next should be 44. Therefore 46 is the odd one out.

id=79246 | topic=Percentages | difficulty=Easy | question=What is 15% of 1927? | option_a=284 | option_b=578 | option_c=289 | option_d=309 | answer=C | explanation=15% of 1927 = (15/100) × 1927 = 289.

id=79247 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=47 | option_b=40 | option_c=41 | option_d=33 | answer=B | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.

id=79248 | topic=Averages | difficulty=Easy | question=Find the average of 96, 81, 95, 54, 60, 37, 34, 18, 101. | option_a=65 | option_b=63 | option_c=66 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 576 ÷ 9 = 64.

id=79249 | topic=Percentages | difficulty=Easy | question=What is 5% of 1307? | option_a=130 | option_b=70 | option_c=45 | option_d=65 | answer=D | explanation=5% of 1307 = (5/100) × 1307 = 65.

id=79250 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 30. | option_a=30 | option_b=60 | option_c=900 | option_d=1 | answer=A | explanation=LCM × HCF = 30×30; HCF(30,30) = 30, so LCM = 30.

id=79251 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:19 and the first is 17, what is the second? | option_a=323 | option_b=324 | option_c=304 | option_d=340 | answer=A | explanation=Scale factor = 17/1 = 17. Therefore second quantity = 19×17 = 323.

id=79252 | topic=Percentages | difficulty=Easy | question=What is 40% of 1056? | option_a=422 | option_b=844 | option_c=442 | option_d=417 | answer=A | explanation=40% of 1056 = (40/100) × 1056 = 422.

id=79253 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=79254 | topic=Averages | difficulty=Easy | question=Find the average of 21, 77, 21, 47, 31, 78, 98, 43. | option_a=51 | option_b=54 | option_c=53 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=79255 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=79256 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:20 and the first is 272, what is the second? | option_a=340 | option_b=612 | option_c=320 | option_d=356 | answer=A | explanation=Scale factor = 272/16 = 17. Therefore second quantity = 20×17 = 340.

id=79257 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=E | option_b=T | option_c=O | option_d=J | answer=C | explanation=Move 5 positions forward from J; the resulting letter is O.

id=79258 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6201 at 6% per annum for 5 years. | option_a=1860 | option_b=1960 | option_c=1760 | option_d=8061 | answer=A | explanation=SI = PRT/100 = 6201×6×5/100 = **■**1860.

id=79259 | topic=Percentages | difficulty=Easy | question=What is 5% of 1701? | option_a=85 | option_b=170 | option_c=90 | option_d=75 | answer=A | explanation=5% of 1701 = (5/100) × 1701 = 85.

id=79260 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 8. | option_a=40 | option_b=32 | option_c=60 | option_d=160 | answer=A | explanation=LCM × HCF = 20×8; HCF(20,8) = 4, so LCM = 40.

Aptitude Questions — Records 79,261-79,290 of 100,000

id=79261 | topic=Percentages | difficulty=Easy | question=What is 20% of 953? | option_a=190 | option_b=200 | option_c=380 | option_d=180 | answer=A | explanation=20% of 953 = (20/100) × 953 = 190.

id=79262 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=79263 | topic=Percentages | difficulty=Easy | question=What is 15% of 1062? | option_a=318 | option_b=164 | option_c=149 | option_d=159 | answer=D | explanation=15% of 1062 = (15/100) × 1062 = 159.

id=79264 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=W | option_c=G | option_d=L | answer=C | explanation=Move 5 positions forward from B; the resulting letter is G.

id=79265 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=48 | option_b=56 | option_c=47 | option_d=38 | answer=C | explanation=The common difference is 9. Therefore the next term is 38 + 9 = 47.

id=79266 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49204 at 4% per annum for 1 years. | option_a=1868 | option_b=51172 | option_c=1968 | option_d=2068 | answer=C | explanation=SI = PRT/100 = 49204×4×1/100 = █1968.

id=79267 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:9 and the first is 165, what is the second? | option_a=114 | option_b=264 | option_c=99 | option_d=90 | answer=C | explanation=Scale factor = 165/15 = 11. Therefore second quantity = 9×11 = 99.

id=79268 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=79269 | topic=Averages | difficulty=Easy | question=Find the average of 74, 85, 96. | option_a=86 | option_b=84 | option_c=87 | option_d=85 | answer=D | explanation=Average = sum of values ÷ number of values = 255 ÷ 3 = 85.

id=79270 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1605. If it is sold at a profit of 15%, what is its selling price? | option_a=1685 | option_b=2005 | option_c=1845 | option_d=1620 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1605 × 115/100 = █1845.

id=79271 | topic=Averages | difficulty=Easy | question=Find the average of 89, 55, 80, 67, 69, 40, 97. | option_a=70 | option_b=72 | option_c=73 | option_d=71 | answer=D | explanation=Average = sum of values ÷ number of values = 497 ÷ 7 = 71.

id=79272 | topic=Averages | difficulty=Easy | question=Find the average of 29, 55, 49, 80, 69, 72. | option_a=59 | option_b=58 | option_c=61 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.

id=79273 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2133. If it is sold at a profit of 10%, what is its selling price? | option_a=2133 | option_b=2559 | option_c=2143 | option_d=2346 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2133 × 110/100 = █2346.

id=79274 | topic=Percentages | difficulty=Easy | question=What is 50% of 1128? | option_a=1128 | option_b=564 | option_c=554 | option_d=569 | answer=B | explanation=50% of 1128 = (50/100) × 1128 = 564.

id=79275 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48308 at 10% per annum for 4 years. | option_a=19223 | option_b=19323 | option_c=67631 | option_d=19423 | answer=B | explanation=SI = PRT/100 = 48308×10×4/100 = █19323.

id=79276 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:5 and the first is 234, what is the second? | option_a=324 | option_b=90 | option_c=85 | option_d=103 | answer=B | explanation=Scale factor = 234/13 = 18. Therefore second quantity = 5×18 = 90.

id=79277 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=79278 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1966. If it is sold at a profit of 20%, what is its selling price? | option_a=2359 | option_b=2163 | option_c=2555 | option_d=1986 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1966 × 120/100 = █2359.

id=79279 | topic=Percentages | difficulty=Easy | question=What is 50% of 1114? | option_a=562 | option_b=1114 | option_c=557 | option_d=552 | answer=C | explanation=50% of 1114 = (50/100) × 1114 = 557.

id=79280 | topic=Percentages | difficulty=Easy | question=What is 40% of 999? | option_a=399 | option_b=409 | option_c=798 | option_d=389 | answer=A | explanation=40% of 999 = (40/100) × 999 = 399.

id=79281 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=79282 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4511. If it is sold at a profit of 10%, what is its selling price? | option_a=4511 | option_b=5413 | option_c=4962 | option_d=4521 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4511 × 110/100 = █4962.

id=79283 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=72 | option_c=67 | option_d=77 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=79284 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2116. If it is sold at a profit of 20%, what is its selling price? | option_a=2539 | option_b=2750 | option_c=2136 | option_d=2328 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2116 × 120/100 = █2539.

id=79285 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:10 and the first is 80, what is the second? | option_a=90 | option_b=180 | option_c=108 | option_d=100 | answer=D | explanation=Scale factor = 80/8 = 10. Therefore second quantity = 10×10 = 100.

id=79286 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11891 at 5% per annum for 4 years. | option_a=2278 | option_b=14269 | option_c=2478 | option_d=2378 | answer=D | explanation=SI = PRT/100 = 11891×5×4/100 = █2378.

id=79287 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4348. If it is sold at a profit of 50%, what is its selling price? | option_a=6522 | option_b=6088 | option_c=4398 | option_d=6956 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4348 × 150/100 = █6522.

id=79288 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:18 and the first is 40, what is the second? | option_a=76 | option_b=36 | option_c=18 | option_d=56 | answer=B | explanation=Scale factor = 40/20 = 2. Therefore second quantity = 18×2 = 36.

id=79289 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=5 | option_c=15 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=79290 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=26 | option_b=31 | option_c=21 | option_d=27 | answer=A | explanation=The common difference is 5. Therefore the next term is 21 + 5 = 26.

Aptitude Questions — Records 79,291-79,320 of 100,000

id=79291 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4431. If it is sold at a profit of 25%, what is its selling price? | option_a=5981 | option_b=5538 | option_c=5095 | option_d=4456 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4431 \times 125/100 = \text{█}5538$.

id=79292 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=48 | option_b=49 | option_c=59 | option_d=37 | answer=A | explanation=The common difference is 11. Therefore the next term is $37 + 11 = 48$.

id=79293 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3300. If it is sold at a profit of 30%, what is its selling price? | option_a=4290 | option_b=3960 | option_c=3330 | option_d=4620 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3300 \times 130/100 = \text{█}4290$.

id=79294 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:20 and the first is 144, what is the second? | option_a=324 | option_b=196 | option_c=180 | option_d=160 | answer=C | explanation=Scale factor = $144/16 = 9$. Therefore second quantity = $20 \times 9 = 180$.

id=79295 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 22. | option_a=48 | option_b=44 | option_c=22 | option_d=88 | answer=B | explanation= $LCM \times HCF = 4 \times 22$; $HCF(4,22) = 2$, so $LCM = 44$.

id=79296 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4789. If it is sold at a profit of 15%, what is its selling price? | option_a=5985 | option_b=5029 | option_c=4804 | option_d=5507 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4789 \times 115/100 = \text{█}5507$.

id=79297 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=I | option_b=K | option_c=O | option_d=M | answer=D | explanation=Move 2 positions forward from K; the resulting letter is M.

id=79298 | topic=Averages | difficulty=Easy | question=Find the average of 46, 45, 62, 82, 99, 44. | option_a=65 | option_b=63 | option_c=62 | option_d=64 | answer=B | explanation=Average = $\text{sum of values} \div \text{number of values} = 378 \div 6 = 63$.

id=79299 | topic=Averages | difficulty=Easy | question=Find the average of 86, 15, 18, 37. | option_a=38 | option_b=41 | option_c=39 | option_d=40 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 156 \div 4 = 39$.

id=79300 | topic=Averages | difficulty=Easy | question=Find the average of 14, 62, 29. | option_a=34 | option_b=35 | option_c=37 | option_d=36 | answer=B | explanation=Average = $\text{sum of values} \div \text{number of values} = 105 \div 3 = 35$.

id=79301 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=23 | option_b=30 | option_c=37 | option_d=31 | answer=B | explanation=The common difference is 7. Therefore the next term is $23 + 7 = 30$.

id=79302 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:10 and the first is 228, what is the second? | option_a=120 | option_b=110 | option_c=139 | option_d=348 | answer=A | explanation=Scale factor = $228/19 = 12$. Therefore second quantity = $10 \times 12 = 120$.

id=79303 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 32, 42, 55? | option_a=55 | option_b=22 | option_c=32 | option_d=42 | answer=A | explanation=The first three numbers increase by 10, so the next should be 52. Therefore 55 is the odd one out.

id=79304 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 40? | option_a=40 | option_b=29 | option_c=20 | option_d=11 | answer=A | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 40 is the odd one out.

id=79305 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 16? | option_a=8 | option_b=16 | option_c=12 | option_d=10 | answer=B | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 16 is the odd one out.

id=79306 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 33, 42, 53? | option_a=42 | option_b=33 | option_c=53 | option_d=24 | answer=C | explanation=The first three numbers increase by 9, so the next should be 51. Therefore 53 is the odd one out.

id=79307 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=V | option_c=P | option_d=T | answer=D | explanation=Move 2 positions forward from R; the resulting letter is T.

id=79308 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 37? | option_a=37 | option_b=15 | option_c=25 | option_d=5 | answer=A | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 37 is the odd one out.

id=79309 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=C | option_c=B | option_d=A | answer=B | explanation=Move 1 positions forward from B; the resulting letter is C.

id=79310 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 18, 22, 27? | option_a=22 | option_b=14 | option_c=27 | option_d=18 | answer=C | explanation=The first three numbers increase by 4, so the next should be 26. Therefore 27 is the odd one out.

id=79311 | topic=Profit & Loss | difficulty=Easy | question=An article costs █547. If it is sold at a profit of 30%, what is its selling price? | option_a=577 | option_b=711 | option_c=657 | option_d=765 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 547 \times 130/100 = \text{█}711$.

id=79312 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 45? | option_a=32 | option_b=45 | option_c=26 | option_d=38 | answer=B | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 45 is the odd one out.

id=79313 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 31, 41, 54? | option_a=31 | option_b=41 | option_c=21 | option_d=54 | answer=D | explanation=The first three numbers increase by 10, so the next should be 51. Therefore 54 is the odd one out.

id=79314 | topic=Percentages | difficulty=Easy | question=What is 30% of 542? | option_a=167 | option_b=162 | option_c=142 | option_d=324 | answer=B | explanation= $30\% \text{ of } 542 = (30/100) \times 542 = 162$.

id=79315 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=11 | option_c=12 | option_d=6 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 60 \div 10 = 6 \text{ km/h}$.

id=79316 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=H | option_b=P | option_c=T | option_d=L | answer=B | explanation=Move 4 positions forward from L; the resulting letter is P.

id=79317 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=12 | option_b=24 | option_c=7 | option_d=17 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 120 \div 10 = 12 \text{ km/h}$.

id=79318 | topic=Averages | difficulty=Easy | question=Find the average of 80, 44, 31, 49. | option_a=53 | option_b=52 | option_c=50 | option_d=51 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 204 \div 4 = 51$.

id=79319 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4 \text{ days}$.

id=79320 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32392 at 8% per annum for 4 years. | option_a=10465 | option_b=42757 | option_c=10265 | option_d=10365 | answer=D | explanation= $SI = \text{PRT}/100 = 32392 \times 8 \times 4/100 = \text{█}10365$.

Aptitude Questions — Records 79,321-79,350 of 100,000

id=79321 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=79322 | topic=Percentages | difficulty=Easy | question=What is 15% of 542? | option_a=162 | option_b=81 | option_c=71 | option_d=86 | answer=B | explanation=15% of 542 = (15/100) × 542 = 81.

id=79323 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■3619 at 4% per annum for 4 years. | option_a=479 | option_b=579 | option_c=679 | option_d=4198 | answer=B | explanation=SI = PRT/100 = 3619×4×4/100 = ■579.

id=79324 | topic=Averages | difficulty=Easy | question=Find the average of 64, 89, 12, 98, 47, 50. | option_a=61 | option_b=62 | option_c=60 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 360 ÷ 6 = 60.

id=79325 | topic=Percentages | difficulty=Easy | question=What is 50% of 359? | option_a=159 | option_b=189 | option_c=358 | option_d=179 | answer=D | explanation=50% of 359 = (50/100) × 359 = 179.

id=79326 | topic=Percentages | difficulty=Easy | question=What is 30% of 1502? | option_a=900 | option_b=450 | option_c=460 | option_d=445 | answer=B | explanation=30% of 1502 = (30/100) × 1502 = 450.

id=79327 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:20 and the first is 57, what is the second? | option_a=437 | option_b=380 | option_c=360 | option_d=383 | answer=B | explanation=Scale factor = 57/3 = 19. Therefore second quantity = 20×19 = 380.

id=79328 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:3 and the first is 39, what is the second? | option_a=42 | option_b=78 | option_c=39 | option_d=36 | answer=C | explanation=Scale factor = 39/3 = 13. Therefore second quantity = 3×13 = 39.

id=79329 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■305. If it is sold at a profit of 10%, what is its selling price? | option_a=305 | option_b=335 | option_c=365 | option_d=315 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 305 × 110/100 = ■335.

id=79330 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Q | option_b=T | option_c=W | option_d=Z | answer=C | explanation=Move 3 positions forward from T; the resulting letter is W.

id=79331 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 24. | option_a=1 | option_b=24 | option_c=144 | option_d=30 | answer=B | explanation=LCM × HCF = 6×24; HCF(6,24) = 6, so LCM = 24.

id=79332 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:9 and the first is 240, what is the second? | option_a=420 | option_b=180 | option_c=192 | option_d=171 | answer=B | explanation=Scale factor = 240/12 = 20. Therefore second quantity = 9×20 = 180.

id=79333 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=R | option_c=T | option_d=S | answer=C | explanation=Move 1 positions forward from S; the resulting letter is T.

id=79334 | topic=Percentages | difficulty=Easy | question=What is 10% of 173? | option_a=17 | option_b=12 | option_c=34 | option_d=27 | answer=A | explanation=10% of 173 = (10/100) × 173 = 17.

id=79335 | topic=Averages | difficulty=Easy | question=Find the average of 11, 78, 55. | option_a=49 | option_b=47 | option_c=48 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 144 ÷ 3 = 48.

id=79336 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:15 and the first is 10, what is the second? | option_a=15 | option_b=35 | option_c=40 | option_d=30 | answer=D | explanation=Scale factor = 10/5 = 2. Therefore second quantity = 15×2 = 30.

id=79337 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■49984 at 10% per annum for 2 years. | option_a=9996 | option_b=10096 | option_c=9896 | option_d=59980 | answer=A | explanation=SI = PRT/100 = 49984×10×2/100 = ■9996.

id=79338 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=16 | option_b=17 | option_c=15 | option_d=13 | answer=C | explanation=The common difference is 2. Therefore the next term is 13 + 2 = 15.

id=79339 | topic=Percentages | difficulty=Easy | question=What is 20% of 1971? | option_a=394 | option_b=374 | option_c=399 | option_d=788 | answer=A | explanation=20% of 1971 = (20/100) × 1971 = 394.

id=79340 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1843. If it is sold at a profit of 40%, what is its selling price? | option_a=2396 | option_b=1883 | option_c=2764 | option_d=2580 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1843 × 140/100 = ■2580.

id=79341 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:6 and the first is 224, what is the second? | option_a=96 | option_b=110 | option_c=90 | option_d=320 | answer=A | explanation=Scale factor = 224/14 = 16. Therefore second quantity = 6×16 = 96.

id=79342 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=79343 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=79344 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■5692 at 6% per annum for 5 years. | option_a=1707 | option_b=1607 | option_c=7399 | option_d=1807 | answer=A | explanation=SI = PRT/100 = 5692×6×5/100 = ■1707.

id=79345 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:18 and the first is 180, what is the second? | option_a=360 | option_b=162 | option_c=198 | option_d=180 | answer=D | explanation=Scale factor = 180/18 = 10. Therefore second quantity = 18×10 = 180.

id=79346 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=30 | option_b=29 | option_c=23 | option_d=35 | answer=B | explanation=The common difference is 6. Therefore the next term is 23 + 6 = 29.

id=79347 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=79348 | topic=Averages | difficulty=Easy | question=Find the average of 58, 22, 54, 55, 61, 69, 73. | option_a=56 | option_b=57 | option_c=58 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 392 ÷ 7 = 56.

id=79349 | topic=Averages | difficulty=Easy | question=Find the average of 76, 69, 34, 93. | option_a=67 | option_b=70 | option_c=68 | option_d=69 | answer=C | explanation=Average = sum of values ÷ number of values = 272 ÷ 4 = 68.

id=79350 | topic=Percentages | difficulty=Easy | question=What is 40% of 1443? | option_a=572 | option_b=1154 | option_c=597 | option_d=577 | answer=D | explanation=40% of 1443 = (40/100) × 1443 = 577.

Aptitude Questions — Records 79,351-79,380 of 100,000

id=79351 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:10 and the first is 32, what is the second? | option_a=10 | option_b=52 | option_c=20 | option_d=36 | answer=C | explanation=Scale factor = 32/16 = 2. Therefore second quantity = 10×2 = 20.

id=79352 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2302 at 12% per annum for 4 years. | option_a=3406 | option_b=1204 | option_c=1004 | option_d=1104 | answer=D | explanation=SI = PRT/100 = 2302×12×4/100 = **■**1104.

id=79353 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 35, 42, 52? | option_a=35 | option_b=28 | option_c=42 | option_d=52 | answer=D | explanation=The first three numbers increase by 7, so the next should be 49. Therefore 52 is the odd one out.

id=79354 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=85 | option_c=160 | option_d=75 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=79355 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=M | option_b=G | option_c=J | option_d=D | answer=C | explanation=Move 3 positions forward from G; the resulting letter is J.

id=79356 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=100 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=79357 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Q | option_b=U | option_c=C | option_d=Y | answer=D | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=79358 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26456 at 8% per annum for 3 years. | option_a=6349 | option_b=6249 | option_c=6449 | option_d=32805 | answer=A | explanation=SI = PRT/100 = 26456×8×3/100 = **■**6349.

id=79359 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=7 | option_c=12 | option_d=17 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=79360 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4185. If it is sold at a profit of 50%, what is its selling price? | option_a=6695 | option_b=6277 | option_c=4235 | option_d=5859 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4185 × 150/100 = **■**6277.

id=79361 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:17 and the first is 24, what is the second? | option_a=34 | option_b=75 | option_c=51 | option_d=59 | answer=C | explanation=Scale factor = 24/8 = 3. Therefore second quantity = 17×3 = 51.

id=79362 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=31 | option_b=49 | option_c=41 | option_d=40 | answer=D | explanation=The common difference is 9. Therefore the next term is 31 + 9 = 40.

id=79363 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 13, 18, 23, ? | option_a=29 | option_b=33 | option_c=23 | option_d=28 | answer=D | explanation=The common difference is 5. Therefore the next term is 23 + 5 = 28.

id=79364 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:9 and the first is 140, what is the second? | option_a=230 | option_b=90 | option_c=104 | option_d=81 | answer=B | explanation=Scale factor = 140/14 = 10. Therefore second quantity = 9×10 = 90.

id=79365 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=S | option_b=G | option_c=K | option_d=O | answer=D | explanation=Move 4 positions forward from K; the resulting letter is O.

id=79366 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=Q | option_c=N | option_d=P | answer=D | explanation=Move 1 positions forward from O; the resulting letter is P.

id=79367 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 29, 33, 40? | option_a=25 | option_b=40 | option_c=33 | option_d=29 | answer=B | explanation=The first three numbers increase by 4, so the next should be 37. Therefore 40 is the odd one out.

id=79368 | topic=Percentages | difficulty=Easy | question=What is 12% of 1534? | option_a=164 | option_b=368 | option_c=184 | option_d=189 | answer=C | explanation=12% of 1534 = (12/100) × 1534 = 184.

id=79369 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=O | option_c=I | option_d=R | answer=B | explanation=Move 3 positions forward from L; the resulting letter is O.

id=79370 | topic=Averages | difficulty=Easy | question=Find the average of 38, 97, 44, 58, 50, 99, 14, 72. | option_a=61 | option_b=59 | option_c=60 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 472 ÷ 8 = 59.

id=79371 | topic=Percentages | difficulty=Easy | question=What is 20% of 1550? | option_a=290 | option_b=620 | option_c=315 | option_d=310 | answer=D | explanation=20% of 1550 = (20/100) × 1550 = 310.

id=79372 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45211 at 6% per annum for 2 years. | option_a=50636 | option_b=5325 | option_c=5425 | option_d=5525 | answer=C | explanation=SI = PRT/100 = 45211×6×2/100 = **■**5425.

id=79373 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=15 | option_b=17 | option_c=19 | option_d=18 | answer=B | explanation=The common difference is 2. Therefore the next term is 15 + 2 = 17.

id=79374 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=79375 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=34 | option_b=44 | option_c=39 | option_d=40 | answer=C | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

id=79376 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25673 at 10% per annum for 1 years. | option_a=2567 | option_b=28240 | option_c=2467 | option_d=2667 | answer=A | explanation=SI = PRT/100 = 25673×10×1/100 = **■**2567.

id=79377 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 35, 41, 50? | option_a=29 | option_b=35 | option_c=50 | option_d=41 | answer=C | explanation=The first three numbers increase by 6, so the next should be 47. Therefore 50 is the odd one out.

id=79378 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=46 | option_b=41 | option_c=40 | option_d=34 | answer=C | explanation=The common difference is 6. Therefore the next term is 34 + 6 = 40.

id=79379 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=79380 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:20 and the first is 24, what is the second? | option_a=240 | option_b=220 | option_c=242 | option_d=264 | answer=A | explanation=Scale factor = 24/2 = 12. Therefore second quantity = 20×12 = 240.

Aptitude Questions — Records 79,381-79,410 of 100,000

id=79381 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14294 at 6% per annum for 4 years. | option_a=17724 | option_b=3330 | option_c=3530 | option_d=3430 | answer=D | explanation=SI = $PRT/100 = 14294 \times 6 \times 4/100 = \blacksquare 3430$.

id=79382 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=80 | option_c=75 | option_d=160 | answer=B | explanation=Speed = distance ÷ time = $240 \div 3 = 80$ km/h.

id=79383 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:16 and the first is 20, what is the second? | option_a=340 | option_b=320 | option_c=304 | option_d=321 | answer=B | explanation=Scale factor = $20/1 = 20$. Therefore second quantity = $16 \times 20 = 320$.

id=79384 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=40 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = $120 \div 6 = 20$ km/h.

id=79385 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=35 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = $240 \div 6 = 40$ km/h.

id=79386 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:2 and the first is 56, what is the second? | option_a=22 | option_b=64 | option_c=6 | option_d=8 | answer=D | explanation=Scale factor = $56/14 = 4$. Therefore second quantity = $2 \times 4 = 8$.

id=79387 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=A | option_b=E | option_c=C | option_d=G | answer=B | explanation=Move 2 positions forward from C; the resulting letter is E.

id=79388 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 13, 21, 31? | option_a=21 | option_b=13 | option_c=31 | option_d=5 | answer=C | explanation=The first three numbers increase by 8, so the next should be 29. Therefore 31 is the odd one out.

id=79389 | topic=Percentages | difficulty=Easy | question=What is 15% of 309? | option_a=46 | option_b=56 | option_c=36 | option_d=92 | answer=A | explanation=15% of 309 = $(15/100) \times 309 = 46$.

id=79390 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=59 | option_b=60 | option_c=48 | option_d=70 | answer=A | explanation=The common difference is 11. Therefore the next term is $48 + 11 = 59$.

id=79391 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:3 and the first is 180, what is the second? | option_a=207 | option_b=27 | option_c=47 | option_d=24 | answer=B | explanation=Scale factor = $180/20 = 9$. Therefore second quantity = $3 \times 9 = 27$.

id=79392 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=79393 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■19858 at 6% per annum for 1 years. | option_a=1191 | option_b=21049 | option_c=1291 | option_d=1091 | answer=A | explanation=SI = $PRT/100 = 19858 \times 6 \times 1/100 = \blacksquare 1191$.

id=79394 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=29 | option_b=24 | option_c=34 | option_d=30 | answer=A | explanation=The common difference is 5. Therefore the next term is $24 + 5 = 29$.

id=79395 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=79396 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=56 | option_b=66 | option_c=44 | option_d=55 | answer=D | explanation=The common difference is 11. Therefore the next term is $44 + 11 = 55$.

id=79397 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=53 | option_c=48 | option_d=43 | answer=C | explanation=Speed = distance ÷ time = $240 \div 5 = 48$ km/h.

id=79398 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=79399 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1271. If it is sold at a profit of 5%, what is its selling price? | option_a=1334 | option_b=1461 | option_c=1207 | option_d=1276 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 1271 \times 105/100 = \blacksquare 1334$.

id=79400 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=79401 | topic=Percentages | difficulty=Easy | question=What is 20% of 423? | option_a=104 | option_b=168 | option_c=84 | option_d=64 | answer=C | explanation=20% of 423 = $(20/100) \times 423 = 84$.

id=79402 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1522. If it is sold at a profit of 10%, what is its selling price? | option_a=1674 | option_b=1532 | option_c=1522 | option_d=1826 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 1522 \times 110/100 = \blacksquare 1674$.

id=79403 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 39, 49, 62? | option_a=29 | option_b=39 | option_c=62 | option_d=49 | answer=C | explanation=The first three numbers increase by 10, so the next should be 59. Therefore 62 is the odd one out.

id=79404 | topic=Averages | difficulty=Easy | question=Find the average of 14, 67, 32, 23, 70, 13, 60, 73. | option_a=45 | option_b=46 | option_c=44 | option_d=43 | answer=C | explanation=Average = sum of values ÷ number of values = $352 \div 8 = 44$.

id=79405 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 39, 48, 58? | option_a=39 | option_b=30 | option_c=48 | option_d=58 | answer=D | explanation=The first three numbers increase by 9, so the next should be 57. Therefore 58 is the odd one out.

id=79406 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=26 | option_b=27 | option_c=31 | option_d=21 | answer=A | explanation=The common difference is 5. Therefore the next term is $21 + 5 = 26$.

id=79407 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=M | option_b=R | option_c=B | option_d=W | answer=D | explanation=Move 5 positions forward from R; the resulting letter is W.

id=79408 | topic=Averages | difficulty=Easy | question=Find the average of 88, 25, 11, 53, 40, 32, 27, 28. | option_a=40 | option_b=38 | option_c=37 | option_d=39 | answer=B | explanation=Average = sum of values ÷ number of values = $304 \div 8 = 38$.

id=79409 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 19, 29, 41? | option_a=9 | option_b=29 | option_c=19 | option_d=41 | answer=D | explanation=The first three numbers increase by 10, so the next should be 39. Therefore 41 is the odd one out.

id=79410 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■7318 at 10% per annum for 3 years. | option_a=2095 | option_b=2295 | option_c=9513 | option_d=2195 | answer=D | explanation=SI = $PRT/100 = 7318 \times 10 \times 3/100 = \blacksquare 2195$.

Aptitude Questions — Records 79,411-79,440 of 100,000

id=79411 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 43? | option_a=33 | option_b=43 | option_c=29 | option_d=37 | answer=B | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 43 is the odd one out.

id=79412 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 32, 36, 42? | option_a=36 | option_b=28 | option_c=42 | option_d=32 | answer=C | explanation=The first three numbers increase by 4, so the next should be 40. Therefore 42 is the odd one out.

id=79413 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 15, 22, 29, ? | option_a=29 | option_b=36 | option_c=37 | option_d=43 | answer=B | explanation=The common difference is 7. Therefore the next term is $29 + 7 = 36$.

id=79414 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 6. | option_a=78 | option_b=156 | option_c=104 | option_d=72 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 26 \times 6$; $\text{HCF}(26,6) = 2$, so $\text{LCM} = 78$.

id=79415 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=50 | option_d=45 | answer=D | explanation= $\text{Speed} = \text{distance} \div \text{time} = 360 \div 8 = 45 \text{ km/h}$.

id=79416 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**29788 at 15% per annum for 3 years. | option_a=13504 | option_b=43192 | option_c=13304 | option_d=13404 | answer=D | explanation= $\text{SI} = \text{PRT}/100 = 29788 \times 15 \times 3 / 100 = \text{₹}13404$.

id=79417 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:8 and the first is 56, what is the second? | option_a=112 | option_b=168 | option_c=116 | option_d=104 | answer=A | explanation=Scale factor = $56/4 = 14$. Therefore second quantity = $8 \times 14 = 112$.

id=79418 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=55 | option_b=54 | option_c=63 | option_d=45 | answer=B | explanation=The common difference is 9. Therefore the next term is $45 + 9 = 54$.

id=79419 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:17 and the first is 8, what is the second? | option_a=136 | option_b=144 | option_c=119 | option_d=137 | answer=A | explanation=Scale factor = $8/1 = 8$. Therefore second quantity = $17 \times 8 = 136$.

id=79420 | topic=Percentages | difficulty=Easy | question=What is 20% of 628? | option_a=250 | option_b=120 | option_c=145 | option_d=125 | answer=D | explanation= $20\% \text{ of } 628 = (20/100) \times 628 = 125$.

id=79421 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**46188 at 8% per annum for 1 years. | option_a=3795 | option_b=49883 | option_c=3595 | option_d=3695 | answer=D | explanation= $\text{SI} = \text{PRT}/100 = 46188 \times 8 \times 1 / 100 = \text{₹}3695$.

id=79422 | topic=Percentages | difficulty=Easy | question=What is 40% of 1064? | option_a=425 | option_b=850 | option_c=445 | option_d=415 | answer=A | explanation= $40\% \text{ of } 1064 = (40/100) \times 1064 = 425$.

id=79423 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**6474 at 12% per annum for 4 years. | option_a=3007 | option_b=9581 | option_c=3207 | option_d=3107 | answer=D | explanation= $\text{SI} = \text{PRT}/100 = 6474 \times 12 \times 4 / 100 = \text{₹}3107$.

id=79424 | topic=Averages | difficulty=Easy | question=Find the average of 69, 24, 70, 55, 72, 85, 87. | option_a=67 | option_b=66 | option_c=68 | option_d=65 | answer=B | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 462 \div 7 = 66$.

id=79425 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=50 | option_c=40 | option_d=45 | answer=D | explanation= $\text{Speed} = \text{distance} \div \text{time} = 360 \div 8 = 45 \text{ km/h}$.

id=79426 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=32 | option_b=48 | option_c=40 | option_d=41 | answer=C | explanation=The common difference is 8. Therefore the next term is $32 + 8 = 40$.

id=79427 | topic=Averages | difficulty=Easy | question=Find the average of 91, 59, 78, 40, 62. | option_a=68 | option_b=66 | option_c=65 | option_d=67 | answer=B | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 330 \div 5 = 66$.

id=79428 | topic=Percentages | difficulty=Easy | question=What is 30% of 1712? | option_a=1026 | option_b=513 | option_c=533 | option_d=503 | answer=B | explanation= $30\% \text{ of } 1712 = (30/100) \times 1712 = 513$.

id=79429 | topic=Percentages | difficulty=Easy | question=What is 10% of 80? | option_a=0 | option_b=13 | option_c=8 | option_d=16 | answer=C | explanation= $10\% \text{ of } 80 = (10/100) \times 80 = 8$.

id=79430 | topic=Averages | difficulty=Easy | question=Find the average of 45, 78, 38, 64, 48, 81. | option_a=60 | option_b=58 | option_c=59 | option_d=61 | answer=C | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 354 \div 6 = 59$.

id=79431 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation= $\text{Speed} = \text{distance} \div \text{time} = 300 \div 5 = 60 \text{ km/h}$.

id=79432 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=J | option_b=H | option_c=D | option_d=F | answer=B | explanation=Move 2 positions forward from F; the resulting letter is H.

id=79433 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 28, 31, 35? | option_a=25 | option_b=28 | option_c=31 | option_d=35 | answer=D | explanation=The first three numbers increase by 3, so the next should be 34. Therefore 35 is the odd one out.

id=79434 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**749. If it is sold at a profit of 30%, what is its selling price? | option_a=973 | option_b=899 | option_c=779 | option_d=1047 | answer=A | explanation= $\text{Selling price} = \text{CP} \times (100 + \text{profit}\%) / 100 = 749 \times 130 / 100 = \text{₹}973$.

id=79435 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation= $\text{Combined rate} = 1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=79436 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=J | option_c=L | option_d=M | answer=C | explanation=Move 1 positions forward from K; the resulting letter is L.

id=79437 | topic=Averages | difficulty=Easy | question=Find the average of 63, 76, 73, 29, 48, 47, 49, 29, 84, 82. | option_a=58 | option_b=59 | option_c=60 | option_d=57 | answer=A | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 580 \div 10 = 58$.

id=79438 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=8 | option_d=3 | answer=A | explanation= $\text{Combined rate} = 1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=79439 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=V | option_b=L | option_c=Q | option_d=G | answer=C | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=79440 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation= $\text{Combined rate} = 1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

Aptitude Questions — Records 79,441-79,470 of 100,000

id=79441 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=95 | option_c=90 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=79442 | topic=Averages | difficulty=Easy | question=Find the average of 91, 11, 60, 98. | option_a=66 | option_b=64 | option_c=65 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 260 ÷ 4 = 65.

id=79443 | topic=Averages | difficulty=Easy | question=Find the average of 24, 53, 79, 53, 74, 53, 51, 21. | option_a=52 | option_b=53 | option_c=51 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 408 ÷ 8 = 51.

id=79444 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34485 at 6% per annum for 4 years. | option_a=8176 | option_b=8376 | option_c=42761 | option_d=8276 | answer=D | explanation=SI = PRT/100 = 34485×6×4/100 = **■**8276.

id=79445 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 30. | option_a=60 | option_b=72 | option_c=30 | option_d=360 | answer=A | explanation=LCM × HCF = 12×30; HCF(12,30) = 6, so LCM = 60.

id=79446 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 35, 40, 47? | option_a=35 | option_b=47 | option_c=30 | option_d=40 | answer=B | explanation=The first three numbers increase by 5, so the next should be 45. Therefore 47 is the odd one out.

id=79447 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 9, 13, 18? | option_a=9 | option_b=13 | option_c=18 | option_d=5 | answer=C | explanation=The first three numbers increase by 4, so the next should be 17. Therefore 18 is the odd one out.

id=79448 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=79449 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 34, 39, 45? | option_a=45 | option_b=34 | option_c=29 | option_d=39 | answer=A | explanation=The first three numbers increase by 5, so the next should be 44. Therefore 45 is the odd one out.

id=79450 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=26 | option_b=29 | option_c=30 | option_d=32 | answer=B | explanation=The common difference is 3. Therefore the next term is 26 + 3 = 29.

id=79451 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2101 at 5% per annum for 3 years. | option_a=415 | option_b=2416 | option_c=215 | option_d=315 | answer=D | explanation=SI = PRT/100 = 2101×5×3/100 = **■**315.

id=79452 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=G | option_b=I | option_c=M | option_d=K | answer=D | explanation=Move 2 positions forward from I; the resulting letter is K.

id=79453 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=41 | option_c=72 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=79454 | topic=Averages | difficulty=Easy | question=Find the average of 80, 31, 12, 42, 71, 89, 25. | option_a=51 | option_b=50 | option_c=49 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

id=79455 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=79456 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=41 | option_b=63 | option_c=52 | option_d=53 | answer=C | explanation=The common difference is 11. Therefore the next term is 41 + 11 = 52.

id=79457 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=4 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=79458 | topic=Percentages | difficulty=Easy | question=What is 25% of 387? | option_a=106 | option_b=192 | option_c=96 | option_d=76 | answer=C | explanation=25% of 387 = (25/100) × 387 = 96.

id=79459 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=I | option_c=M | option_d=K | answer=C | explanation=Move 2 positions forward from K; the resulting letter is M.

id=79460 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 16. | option_a=140 | option_b=448 | option_c=112 | option_d=96 | answer=C | explanation=LCM × HCF = 28×16; HCF(28,16) = 4, so LCM = 112.

id=79461 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=34 | option_b=40 | option_c=26 | option_d=33 | answer=D | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

id=79462 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1832. If it is sold at a profit of 5%, what is its selling price? | option_a=1837 | option_b=1923 | option_c=1740 | option_d=2106 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1832 × 105/100 = **■**1923.

id=79463 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:14 and the first is 160, what is the second? | option_a=300 | option_b=140 | option_c=156 | option_d=126 | answer=B | explanation=Scale factor = 160/16 = 10. Therefore second quantity = 14×10 = 140.

id=79464 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=36 | option_c=31 | option_d=72 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=79465 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 26, 32, 41? | option_a=26 | option_b=20 | option_c=41 | option_d=32 | answer=C | explanation=The first three numbers increase by 6, so the next should be 38. Therefore 41 is the odd one out.

id=79466 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2698 at 6% per annum for 1 years. | option_a=261 | option_b=2859 | option_c=161 | option_d=61 | answer=C | explanation=SI = PRT/100 = 2698×6×1/100 = **■**161.

id=79467 | topic=Averages | difficulty=Easy | question=Find the average of 96, 10, 76, 65, 93. | option_a=68 | option_b=67 | option_c=70 | option_d=69 | answer=A | explanation=Average = sum of values ÷ number of values = 340 ÷ 5 = 68.

id=79468 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24293 at 5% per annum for 5 years. | option_a=6173 | option_b=6073 | option_c=5973 | option_d=30366 | answer=B | explanation=SI = PRT/100 = 24293×5×5/100 = **■**6073.

id=79469 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**503. If it is sold at a profit of 5%, what is its selling price? | option_a=508 | option_b=528 | option_c=578 | option_d=478 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 503 × 105/100 = **■**528.

id=79470 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 37? | option_a=30 | option_b=26 | option_c=22 | option_d=37 | answer=D | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 37 is the odd one out.

Aptitude Questions — Records 79,471-79,500 of 100,000

id=79471 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■15724 at 4% per annum for 5 years. | option_a=3144 | option_b=18868 | option_c=3044 | option_d=3244 | answer=A | explanation=SI = $PRT/100 = 15724 \times 4 \times 5/100 = \blacksquare 3144$.

id=79472 | topic=Averages | difficulty=Easy | question=Find the average of 16, 83, 80, 62, 25, 70. | option_a=56 | option_b=58 | option_c=57 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = $336 \div 6 = 56$.

id=79473 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4305. If it is sold at a profit of 40%, what is its selling price? | option_a=6027 | option_b=4345 | option_c=6457 | option_d=5597 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4305 \times 140/100 = \blacksquare 6027$.

id=79474 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=F | option_b=R | option_c=J | option_d=N | answer=D | explanation=Move 4 positions forward from J; the resulting letter is N.

id=79475 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=Y | option_c=N | option_d=I | answer=D | explanation=Move 5 positions forward from D; the resulting letter is I.

id=79476 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■44361 at 15% per annum for 4 years. | option_a=70977 | option_b=26516 | option_c=26716 | option_d=26616 | answer=D | explanation=SI = $PRT/100 = 44361 \times 15 \times 4/100 = \blacksquare 26616$.

id=79477 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 23, 30, 37, ? | option_a=44 | option_b=51 | option_c=37 | option_d=45 | answer=A | explanation=The common difference is 7. Therefore the next term is $37 + 7 = 44$.

id=79478 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=20 | option_d=6 | answer=B | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=79479 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■41384 at 8% per annum for 2 years. | option_a=6521 | option_b=6721 | option_c=48005 | option_d=6621 | answer=D | explanation=SI = $PRT/100 = 41384 \times 8 \times 2/100 = \blacksquare 6621$.

id=79480 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=K | option_b=G | option_c=Y | option_d=C | answer=B | explanation=Move 4 positions forward from C; the resulting letter is G.

id=79481 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:17 and the first is 289, what is the second? | option_a=306 | option_b=578 | option_c=272 | option_d=289 | answer=D | explanation=Scale factor = $289/17 = 17$. Therefore second quantity = $17 \times 17 = 289$.

id=79482 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=H | option_c=P | option_d=D | answer=A | explanation=Move 4 positions forward from H; the resulting letter is L.

id=79483 | topic=Percentages | difficulty=Easy | question=What is 5% of 931? | option_a=92 | option_b=46 | option_c=41 | option_d=56 | answer=B | explanation=5% of 931 = $(5/100) \times 931 = 46$.

id=79484 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=13 | option_c=18 | option_d=23 | answer=C | explanation=Speed = distance ÷ time = $90 \div 5 = 18$ km/h.

id=79485 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:5 and the first is 119, what is the second? | option_a=204 | option_b=80 | option_c=92 | option_d=85 | answer=D | explanation=Scale factor = $119/7 = 17$. Therefore second quantity = $5 \times 17 = 85$.

id=79486 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2560. If it is sold at a profit of 20%, what is its selling price? | option_a=2816 | option_b=2580 | option_c=3328 | option_d=3072 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2560 \times 120/100 = \blacksquare 3072$.

id=79487 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■197. If it is sold at a profit of 10%, what is its selling price? | option_a=197 | option_b=207 | option_c=235 | option_d=216 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 197 \times 110/100 = \blacksquare 216$.

id=79488 | topic=Averages | difficulty=Easy | question=Find the average of 40, 60, 93, 45, 27, 98, 36. | option_a=57 | option_b=58 | option_c=56 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = $399 \div 7 = 57$.

id=79489 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■29716 at 4% per annum for 5 years. | option_a=5843 | option_b=35659 | option_c=6043 | option_d=5943 | answer=D | explanation=SI = $PRT/100 = 29716 \times 4 \times 5/100 = \blacksquare 5943$.

id=79490 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=25 | option_c=20 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = $60 \div 3 = 20$ km/h.

id=79491 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=27 | option_b=24 | option_c=28 | option_d=30 | answer=A | explanation=The common difference is 3. Therefore the next term is $24 + 3 = 27$.

id=79492 | topic=Averages | difficulty=Easy | question=Find the average of 23, 42, 94, 64, 18, 88, 81, 19, 66. | option_a=55 | option_b=57 | option_c=56 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = $495 \div 9 = 55$.

id=79493 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■24493 at 12% per annum for 5 years. | option_a=39188 | option_b=14695 | option_c=14795 | option_d=14595 | answer=B | explanation=SI = $PRT/100 = 24493 \times 12 \times 5/100 = \blacksquare 14695$.

id=79494 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■13552 at 15% per annum for 3 years. | option_a=6098 | option_b=19650 | option_c=6198 | option_d=5998 | answer=A | explanation=SI = $PRT/100 = 13552 \times 15 \times 3/100 = \blacksquare 6098$.

id=79495 | topic=Percentages | difficulty=Easy | question=What is 20% of 465? | option_a=103 | option_b=88 | option_c=93 | option_d=186 | answer=C | explanation=20% of 465 = $(20/100) \times 465 = 93$.

id=79496 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:1 and the first is 320, what is the second? | option_a=15 | option_b=16 | option_c=336 | option_d=36 | answer=B | explanation=Scale factor = $320/20 = 16$. Therefore second quantity = $1 \times 16 = 16$.

id=79497 | topic=Averages | difficulty=Easy | question=Find the average of 59, 70, 39, 80, 27, 92, 98, 14, 85, 46. | option_a=62 | option_b=63 | option_c=61 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = $610 \div 10 = 61$.

id=79498 | topic=Percentages | difficulty=Easy | question=What is 20% of 986? | option_a=207 | option_b=394 | option_c=197 | option_d=192 | answer=C | explanation=20% of 986 = $(20/100) \times 986 = 197$.

id=79499 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=A | option_c=O | option_d=S | answer=A | explanation=Move 4 positions forward from S; the resulting letter is W.

id=79500 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = $240 \div 8 = 30$ km/h.

Aptitude Questions — Records 79,501-79,530 of 100,000

id=79501 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=79502 | topic=Averages | difficulty=Easy | question=Find the average of 47, 97, 37, 86, 90, 39. | option_a=65 | option_b=67 | option_c=66 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 396 ÷ 6 = 66.

id=79503 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1175. If it is sold at a profit of 40%, what is its selling price? | option_a=1762 | option_b=1215 | option_c=1645 | option_d=1528 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1175 × 140/100 = █1645.

id=79504 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=79505 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=M | option_c=L | option_d=K | answer=B | explanation=Move 1 positions forward from L; the resulting letter is M.

id=79506 | topic=Percentages | difficulty=Easy | question=What is 10% of 739? | option_a=78 | option_b=68 | option_c=146 | option_d=73 | answer=D | explanation=10% of 739 = (10/100) × 739 = 73.

id=79507 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=38 | option_b=54 | option_c=47 | option_d=46 | answer=D | explanation=The common difference is 8. Therefore the next term is 38 + 8 = 46.

id=79508 | topic=Percentages | difficulty=Easy | question=What is 25% of 1558? | option_a=778 | option_b=379 | option_c=389 | option_d=394 | answer=C | explanation=25% of 1558 = (25/100) × 1558 = 389.

id=79509 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=58 | option_b=45 | option_c=69 | option_d=57 | answer=D | explanation=The common difference is 12. Therefore the next term is 45 + 12 = 57.

id=79510 | topic=Percentages | difficulty=Easy | question=What is 5% of 1776? | option_a=176 | option_b=88 | option_c=108 | option_d=78 | answer=B | explanation=5% of 1776 = (5/100) × 1776 = 88.

id=79511 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=25 | option_b=22 | option_c=26 | option_d=28 | answer=A | explanation=The common difference is 3. Therefore the next term is 22 + 3 = 25.

id=79512 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=P | option_b=K | option_c=U | option_d=F | answer=A | explanation=Move 5 positions forward from K; the resulting letter is P.

id=79513 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:1 and the first is 30, what is the second? | option_a=9 | option_b=10 | option_c=13 | option_d=40 | answer=B | explanation=Scale factor = 30/3 = 10. Therefore second quantity = 1×10 = 10.

id=79514 | topic=Averages | difficulty=Easy | question=Find the average of 92, 98, 20. | option_a=69 | option_b=70 | option_c=72 | option_d=71 | answer=B | explanation=Average = sum of values ÷ number of values = 210 ÷ 3 = 70.

id=79515 | topic=Percentages | difficulty=Easy | question=What is 15% of 1183? | option_a=187 | option_b=177 | option_c=157 | option_d=354 | answer=B | explanation=15% of 1183 = (15/100) × 1183 = 177.

id=79516 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=79517 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47219 at 15% per annum for 4 years. | option_a=28431 | option_b=75550 | option_c=28231 | option_d=28331 | answer=D | explanation=SI = PRT/100 = 47219×15×4/100 = █28331.

id=79518 | topic=Percentages | difficulty=Easy | question=What is 12% of 827? | option_a=99 | option_b=79 | option_c=109 | option_d=198 | answer=A | explanation=12% of 827 = (12/100) × 827 = 99.

id=79519 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=150 | option_c=75 | option_d=70 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=79520 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2014. If it is sold at a profit of 10%, what is its selling price? | option_a=2215 | option_b=2416 | option_c=2024 | option_d=2014 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2014 × 110/100 = █2215.

id=79521 | topic=Averages | difficulty=Easy | question=Find the average of 32, 18, 51, 97, 38, 24, 55. | option_a=44 | option_b=47 | option_c=45 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 315 ÷ 7 = 45.

id=79522 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=R | option_c=N | option_d=L | answer=A | explanation=Move 2 positions forward from N; the resulting letter is P.

id=79523 | topic=Percentages | difficulty=Easy | question=What is 40% of 128? | option_a=46 | option_b=51 | option_c=102 | option_d=71 | answer=B | explanation=40% of 128 = (40/100) × 128 = 51.

id=79524 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=79525 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=70 | option_c=80 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=79526 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=30 | option_b=27 | option_c=22 | option_d=26 | answer=D | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.

id=79527 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 6. | option_a=16 | option_b=12 | option_c=6 | option_d=24 | answer=B | explanation=LCM × HCF = 4×6; HCF(4,6) = 2, so LCM = 12.

id=79528 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:9 and the first is 30, what is the second? | option_a=54 | option_b=45 | option_c=84 | option_d=59 | answer=A | explanation=Scale factor = 30/5 = 6. Therefore second quantity = 9×6 = 54.

id=79529 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=K | option_b=Z | option_c=U | option_d=P | answer=C | explanation=Move 5 positions forward from P; the resulting letter is U.

id=79530 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 24. | option_a=24 | option_b=1 | option_c=192 | option_d=32 | answer=A | explanation=LCM × HCF = 8×24; HCF(8,24) = 8, so LCM = 24.

Aptitude Questions — Records 79,531-79,560 of 100,000

id=79531 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 10, 13, 16, ? | option_a=22 | option_b=20 | option_c=16 | option_d=19 | answer=D | explanation=The common difference is 3. Therefore the next term is $16 + 3 = 19$.

id=79532 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25208 at 15% per annum for 4 years. | option_a=15124 | option_b=15224 | option_c=40332 | option_d=15024 | answer=A | explanation=SI = $PRT/100 = 25208 \times 15 \times 4/100 = \text{■}15124$.

id=79533 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=Q | option_c=G | option_d=V | answer=B | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=79534 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=56 | option_b=80 | option_c=68 | option_d=69 | answer=C | explanation=The common difference is 12. Therefore the next term is $56 + 12 = 68$.

id=79535 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = $60 \div 4 = 15$ km/h.

id=79536 | topic=Percentages | difficulty=Easy | question=What is 10% of 1025? | option_a=102 | option_b=82 | option_c=204 | option_d=112 | answer=A | explanation=10% of 1025 = $(10/100) \times 1025 = 102$.

id=79537 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2524. If it is sold at a profit of 10%, what is its selling price? | option_a=2776 | option_b=3028 | option_c=2524 | option_d=2534 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2524 \times 110/100 = \text{■}2776$.

id=79538 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30295 at 4% per annum for 1 years. | option_a=1211 | option_b=1311 | option_c=31506 | option_d=1111 | answer=A | explanation=SI = $PRT/100 = 30295 \times 4 \times 1/100 = \text{■}1211$.

id=79539 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=V | option_b=M | option_c=P | option_d=S | answer=D | explanation=Move 3 positions forward from P; the resulting letter is S.

id=79540 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = $120 \div 6 = 20$ km/h.

id=79541 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:13 and the first is 304, what is the second? | option_a=551 | option_b=263 | option_c=247 | option_d=234 | answer=C | explanation=Scale factor = $304/16 = 19$. Therefore second quantity = $13 \times 19 = 247$.

id=79542 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**207. If it is sold at a profit of 25%, what is its selling price? | option_a=238 | option_b=258 | option_c=232 | option_d=278 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 207 \times 125/100 = \text{■}258$.

id=79543 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=53 | option_b=39 | option_c=46 | option_d=47 | answer=C | explanation=The common difference is 7. Therefore the next term is $39 + 7 = 46$.

id=79544 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:7 and the first is 171, what is the second? | option_a=234 | option_b=63 | option_c=82 | option_d=56 | answer=B | explanation=Scale factor = $171/19 = 9$. Therefore second quantity = $7 \times 9 = 63$.

id=79545 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**449. If it is sold at a profit of 10%, what is its selling price? | option_a=449 | option_b=537 | option_c=493 | option_d=459 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 449 \times 110/100 = \text{■}493$.

id=79546 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=100 | option_c=95 | option_d=105 | answer=B | explanation=Speed = distance ÷ time = $300 \div 3 = 100$ km/h.

id=79547 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41524 at 8% per annum for 2 years. | option_a=6643 | option_b=48167 | option_c=6543 | option_d=6743 | answer=A | explanation=SI = $PRT/100 = 41524 \times 8 \times 2/100 = \text{■}6643$.

id=79548 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18685 at 8% per annum for 3 years. | option_a=4384 | option_b=23169 | option_c=4484 | option_d=4584 | answer=C | explanation=SI = $PRT/100 = 18685 \times 8 \times 3/100 = \text{■}4484$.

id=79549 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Q | option_b=Y | option_c=C | option_d=U | answer=B | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=79550 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3421. If it is sold at a profit of 5%, what is its selling price? | option_a=3934 | option_b=3592 | option_c=3250 | option_d=3426 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3421 \times 105/100 = \text{■}3592$.

id=79551 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=79552 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=80 | option_c=75 | option_d=160 | answer=B | explanation=Speed = distance ÷ time = $240 \div 3 = 80$ km/h.

id=79553 | topic=Percentages | difficulty=Easy | question=What is 30% of 143? | option_a=47 | option_b=42 | option_c=32 | option_d=84 | answer=B | explanation=30% of 143 = $(30/100) \times 143 = 42$.

id=79554 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14947 at 15% per annum for 1 years. | option_a=2242 | option_b=2142 | option_c=2342 | option_d=17189 | answer=A | explanation=SI = $PRT/100 = 14947 \times 15 \times 1/100 = \text{■}2242$.

id=79555 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4284. If it is sold at a profit of 15%, what is its selling price? | option_a=4926 | option_b=4498 | option_c=5354 | option_d=4299 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4284 \times 115/100 = \text{■}4926$.

id=79556 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43465 at 12% per annum for 5 years. | option_a=26079 | option_b=25979 | option_c=26179 | option_d=69544 | answer=A | explanation=SI = $PRT/100 = 43465 \times 12 \times 5/100 = \text{■}26079$.

id=79557 | topic=Percentages | difficulty=Easy | question=What is 10% of 1315? | option_a=151 | option_b=262 | option_c=111 | option_d=131 | answer=D | explanation=10% of 1315 = $(10/100) \times 1315 = 131$.

id=79558 | topic=Percentages | difficulty=Easy | question=What is 50% of 1251? | option_a=645 | option_b=615 | option_c=1250 | option_d=625 | answer=D | explanation=50% of 1251 = $(50/100) \times 1251 = 625$.

id=79559 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=79560 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:15 and the first is 60, what is the second? | option_a=165 | option_b=240 | option_c=180 | option_d=185 | answer=C | explanation=Scale factor = $60/5 = 12$. Therefore second quantity = $15 \times 12 = 180$.

Aptitude Questions — Records 79,561-79,590 of 100,000

id=79561 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=79562 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=46 | option_b=36 | option_c=47 | option_d=56 | answer=A | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.

id=79563 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2755. If it is sold at a profit of 15%, what is its selling price? | option_a=3168 | option_b=3443 | option_c=2893 | option_d=2770 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2755 × 115/100 = █3168.

id=79564 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10236 at 4% per annum for 3 years. | option_a=11464 | option_b=1328 | option_c=1128 | option_d=1228 | answer=D | explanation=SI = PRT/100 = 10236×4×3/100 = █1228.

id=79565 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:20 and the first is 52, what is the second? | option_a=260 | option_b=312 | option_c=240 | option_d=264 | answer=A | explanation=Scale factor = 52/4 = 13. Therefore second quantity = 20×13 = 260.

id=79566 | topic=Percentages | difficulty=Easy | question=What is 15% of 280? | option_a=42 | option_b=84 | option_c=37 | option_d=62 | answer=A | explanation=15% of 280 = (15/100) × 280 = 42.

id=79567 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 33? | option_a=15 | option_b=33 | option_c=20 | option_d=25 | answer=B | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 33 is the odd one out.

id=79568 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=79569 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 15. | option_a=20 | option_b=1 | option_c=15 | option_d=75 | answer=C | explanation=LCM × HCF = 5×15; HCF(5,15) = 5, so LCM = 15.

id=79570 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1873. If it is sold at a profit of 50%, what is its selling price? | option_a=2996 | option_b=1923 | option_c=2622 | option_d=2809 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1873 × 150/100 = █2809.

id=79571 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2117. If it is sold at a profit of 5%, what is its selling price? | option_a=2433 | option_b=2222 | option_c=2011 | option_d=2122 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2117 × 105/100 = █2222.

id=79572 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:20 and the first is 30, what is the second? | option_a=100 | option_b=150 | option_c=125 | option_d=120 | answer=D | explanation=Scale factor = 30/5 = 6. Therefore second quantity = 20×6 = 120.

id=79573 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=75 | option_c=70 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=79574 | topic=Averages | difficulty=Easy | question=Find the average of 51, 91, 44, 94, 72, 14. | option_a=63 | option_b=60 | option_c=62 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 366 ÷ 6 = 61.

id=79575 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3196. If it is sold at a profit of 30%, what is its selling price? | option_a=3226 | option_b=4154 | option_c=4473 | option_d=3835 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3196 × 130/100 = █4154.

id=79576 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2965 at 12% per annum for 1 years. | option_a=3320 | option_b=255 | option_c=455 | option_d=355 | answer=D | explanation=SI = PRT/100 = 2965×12×1/100 = █355.

id=79577 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11164 at 6% per annum for 4 years. | option_a=2779 | option_b=2579 | option_c=13843 | option_d=2679 | answer=D | explanation=SI = PRT/100 = 11164×6×4/100 = █2679.

id=79578 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=79579 | topic=Averages | difficulty=Easy | question=Find the average of 12, 62, 49, 53. | option_a=43 | option_b=44 | option_c=45 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 176 ÷ 4 = 44.

id=79580 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=E | option_b=N | option_c=K | option_d=H | answer=C | explanation=Move 3 positions forward from H; the resulting letter is K.

id=79581 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 32? | option_a=25 | option_b=32 | option_c=15 | option_d=20 | answer=B | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 32 is the odd one out.

id=79582 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4257. If it is sold at a profit of 30%, what is its selling price? | option_a=5109 | option_b=5534 | option_c=4287 | option_d=5959 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4257 × 130/100 = █5534.

id=79583 | topic=Averages | difficulty=Easy | question=Find the average of 21, 30, 52, 54, 49, 52. | option_a=43 | option_b=45 | option_c=42 | option_d=44 | answer=A | explanation=Average = sum of values ÷ number of values = 258 ÷ 6 = 43.

id=79584 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=44 | option_b=43 | option_c=35 | option_d=51 | answer=B | explanation=The common difference is 8. Therefore the next term is 35 + 8 = 43.

id=79585 | topic=Averages | difficulty=Easy | question=Find the average of 37, 55, 22, 51, 80, 32, 50, 41. | option_a=47 | option_b=48 | option_c=46 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = 368 ÷ 8 = 46.

id=79586 | topic=Averages | difficulty=Easy | question=Find the average of 11, 32, 27, 82. | option_a=40 | option_b=39 | option_c=38 | option_d=37 | answer=C | explanation=Average = sum of values ÷ number of values = 152 ÷ 4 = 38.

id=79587 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:7 and the first is 14, what is the second? | option_a=49 | option_b=42 | option_c=63 | option_d=51 | answer=A | explanation=Scale factor = 14/2 = 7. Therefore second quantity = 7×7 = 49.

id=79588 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=79589 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 23, 28, 34? | option_a=23 | option_b=28 | option_c=34 | option_d=18 | answer=C | explanation=The first three numbers increase by 5, so the next should be 33. Therefore 34 is the odd one out.

id=79590 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:20 and the first is 18, what is the second? | option_a=361 | option_b=360 | option_c=378 | option_d=340 | answer=B | explanation=Scale factor = 18/1 = 18. Therefore second quantity = 20×18 = 360.

Aptitude Questions — Records 79,591-79,620 of 100,000

id=79591 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 38? | option_a=10 | option_b=38 | option_c=19 | option_d=28 | answer=B | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 38 is the odd one out.

id=79592 | topic=Averages | difficulty=Easy | question=Find the average of 46, 70, 94. | option_a=72 | option_b=70 | option_c=71 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 210 ÷ 3 = 70.

id=79593 | topic=Averages | difficulty=Easy | question=Find the average of 15, 73, 67, 17. | option_a=44 | option_b=45 | option_c=42 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = 172 ÷ 4 = 43.

id=79594 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=79595 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=79596 | topic=Percentages | difficulty=Easy | question=What is 25% of 200? | option_a=45 | option_b=100 | option_c=60 | option_d=50 | answer=D | explanation=25% of 200 = (25/100) × 200 = 50.

id=79597 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=40 | option_c=20 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=79598 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:13 and the first is 140, what is the second? | option_a=117 | option_b=144 | option_c=130 | option_d=270 | answer=C | explanation=Scale factor = 140/14 = 10. Therefore second quantity = 13×10 = 130.

id=79599 | topic=Percentages | difficulty=Easy | question=What is 40% of 815? | option_a=321 | option_b=326 | option_c=652 | option_d=346 | answer=B | explanation=40% of 815 = (40/100) × 815 = 326.

id=79600 | topic=Averages | difficulty=Easy | question=Find the average of 29, 85, 77, 52, 52. | option_a=59 | option_b=60 | option_c=61 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 295 ÷ 5 = 59.

id=79601 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=79602 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 33, 40, 48? | option_a=48 | option_b=26 | option_c=40 | option_d=33 | answer=A | explanation=The first three numbers increase by 7, so the next should be 47. Therefore 48 is the odd one out.

id=79603 | topic=Profit & Loss | difficulty=Easy | question=An article costs █450. If it is sold at a profit of 20%, what is its selling price? | option_a=540 | option_b=585 | option_c=495 | option_d=470 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 450 × 120/100 = █540.

id=79604 | topic=Percentages | difficulty=Easy | question=What is 12% of 1727? | option_a=414 | option_b=197 | option_c=217 | option_d=207 | answer=D | explanation=12% of 1727 = (12/100) × 1727 = 207.

id=79605 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=180 | option_c=360 | option_d=175 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=79606 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=79607 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=79608 | topic=Averages | difficulty=Easy | question=Find the average of 71, 23, 34, 26, 39, 95, 88, 24. | option_a=49 | option_b=51 | option_c=50 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 400 ÷ 8 = 50.

id=79609 | topic=Averages | difficulty=Easy | question=Find the average of 36, 98, 85. | option_a=74 | option_b=75 | option_c=72 | option_d=73 | answer=D | explanation=Average = sum of values ÷ number of values = 219 ÷ 3 = 73.

id=79610 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45941 at 8% per annum for 5 years. | option_a=18276 | option_b=18476 | option_c=18376 | option_d=64317 | answer=C | explanation=SI = PRT/100 = 45941×8×5/100 = █18376.

id=79611 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=40 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=79612 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3390. If it is sold at a profit of 10%, what is its selling price? | option_a=3729 | option_b=3390 | option_c=3400 | option_d=4068 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3390 × 110/100 = █3729.

id=79613 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26062 at 5% per annum for 1 years. | option_a=1303 | option_b=1203 | option_c=1403 | option_d=27365 | answer=A | explanation=SI = PRT/100 = 26062×5×1/100 = █1303.

id=79614 | topic=Percentages | difficulty=Easy | question=What is 15% of 1675? | option_a=251 | option_b=241 | option_c=502 | option_d=256 | answer=A | explanation=15% of 1675 = (15/100) × 1675 = 251.

id=79615 | topic=Percentages | difficulty=Easy | question=What is 15% of 722? | option_a=216 | option_b=103 | option_c=108 | option_d=113 | answer=C | explanation=15% of 722 = (15/100) × 722 = 108.

id=79616 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=17 | option_b=13 | option_c=16 | option_d=19 | answer=C | explanation=The common difference is 3. Therefore the next term is 13 + 3 = 16.

id=79617 | topic=Percentages | difficulty=Easy | question=What is 40% of 531? | option_a=202 | option_b=424 | option_c=222 | option_d=212 | answer=D | explanation=40% of 531 = (40/100) × 531 = 212.

id=79618 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:19 and the first is 209, what is the second? | option_a=228 | option_b=418 | option_c=209 | option_d=190 | answer=C | explanation=Scale factor = 209/19 = 11. Therefore second quantity = 19×11 = 209.

id=79619 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1351. If it is sold at a profit of 15%, what is its selling price? | option_a=1366 | option_b=1688 | option_c=1418 | option_d=1553 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1351 × 115/100 = █1553.

id=79620 | topic=Averages | difficulty=Easy | question=Find the average of 55, 52, 16, 62, 25, 23, 19. | option_a=36 | option_b=38 | option_c=37 | option_d=35 | answer=A | explanation=Average = sum of values ÷ number of values = 252 ÷ 7 = 36.

Aptitude Questions — Records 79,621-79,650 of 100,000

id=79621 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4918. If it is sold at a profit of 20%, what is its selling price? | option_a=4938 | option_b=5410 | option_c=6392 | option_d=5901 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4918 × 120/100 = ■5901.

id=79622 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4572. If it is sold at a profit of 25%, what is its selling price? | option_a=5715 | option_b=4597 | option_c=5258 | option_d=6172 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4572 × 125/100 = ■5715.

id=79623 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=54 | option_b=47 | option_c=46 | option_d=38 | answer=C | explanation=The common difference is 8. Therefore the next term is 38 + 8 = 46.

id=79624 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 26. | option_a=364 | option_b=182 | option_c=196 | option_d=156 | answer=B | explanation=LCM × HCF = 14×26; HCF(14,26) = 2, so LCM = 182.

id=79625 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=79626 | topic=Averages | difficulty=Easy | question=Find the average of 28, 97, 31, 70, 16, 85, 51. | option_a=53 | option_b=56 | option_c=54 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

id=79627 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 29, 36, 45? | option_a=29 | option_b=36 | option_c=45 | option_d=22 | answer=C | explanation=The first three numbers increase by 7, so the next should be 43. Therefore 45 is the odd one out.

id=79628 | topic=Percentages | difficulty=Easy | question=What is 40% of 894? | option_a=352 | option_b=357 | option_c=714 | option_d=362 | answer=B | explanation=40% of 894 = (40/100) × 894 = 357.

id=79629 | topic=Averages | difficulty=Easy | question=Find the average of 40, 66, 17, 101. | option_a=55 | option_b=58 | option_c=57 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 224 ÷ 4 = 56.

id=79630 | topic=Averages | difficulty=Easy | question=Find the average of 63, 27, 58, 82, 72, 47, 50. | option_a=57 | option_b=56 | option_c=59 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 399 ÷ 7 = 57.

id=79631 | topic=Percentages | difficulty=Easy | question=What is 15% of 1330? | option_a=199 | option_b=219 | option_c=189 | option_d=398 | answer=A | explanation=15% of 1330 = (15/100) × 1330 = 199.

id=79632 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 34, 39, 45? | option_a=34 | option_b=39 | option_c=29 | option_d=45 | answer=D | explanation=The first three numbers increase by 5, so the next should be 44. Therefore 45 is the odd one out.

id=79633 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=85 | option_c=95 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=79634 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1131. If it is sold at a profit of 20%, what is its selling price? | option_a=1470 | option_b=1357 | option_c=1244 | option_d=1151 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1131 × 120/100 = ■1357.

id=79635 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=50 | option_b=34 | option_c=43 | option_d=42 | answer=D | explanation=The common difference is 8. Therefore the next term is 34 + 8 = 42.

id=79636 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=79637 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=C | option_c=G | option_d=O | answer=A | explanation=Move 4 positions forward from G; the resulting letter is K.

id=79638 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=79639 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■347. If it is sold at a profit of 40%, what is its selling price? | option_a=485 | option_b=387 | option_c=451 | option_d=519 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 347 × 140/100 = ■485.

id=79640 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=79641 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=24 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=79642 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 30. | option_a=60 | option_b=99 | option_c=270 | option_d=90 | answer=D | explanation=LCM × HCF = 9×30; HCF(9,30) = 3, so LCM = 90.

id=79643 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:2 and the first is 84, what is the second? | option_a=96 | option_b=10 | option_c=26 | option_d=12 | answer=D | explanation=Scale factor = 84/14 = 6. Therefore second quantity = 2×6 = 12.

id=79644 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=79645 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:18 and the first is 104, what is the second? | option_a=242 | option_b=216 | option_c=338 | option_d=234 | answer=D | explanation=Scale factor = 104/8 = 13. Therefore second quantity = 18×13 = 234.

id=79646 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=O | option_c=Z | option_d=J | answer=D | explanation=Move 5 positions forward from E; the resulting letter is J.

id=79647 | topic=Averages | difficulty=Easy | question=Find the average of 32, 37, 82, 28, 96, 59, 86. | option_a=62 | option_b=59 | option_c=60 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 420 ÷ 7 = 60.

id=79648 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=K | option_b=F | option_c=A | option_d=V | answer=B | explanation=Move 5 positions forward from A; the resulting letter is F.

id=79649 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 21, 30, 39, ? | option_a=49 | option_b=48 | option_c=57 | option_d=39 | answer=B | explanation=The common difference is 9. Therefore the next term is 39 + 9 = 48.

id=79650 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 10. | option_a=240 | option_b=110 | option_c=120 | option_d=144 | answer=C | explanation=LCM × HCF = 24×10; HCF(24,10) = 2, so LCM = 120.

Aptitude Questions — Records 79,651-79,680 of 100,000

id=79651 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30406 at 15% per annum for 4 years. | option_a=18243 | option_b=48649 | option_c=18343 | option_d=18143 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{30406 \times 15 \times 4}{100} = \text{■}18243$.

id=79652 | topic=Averages | difficulty=Easy | question=Find the average of 81, 65, 48, 28, 12, 69, 53, 96, 88. | option_a=61 | option_b=59 | option_c=60 | option_d=62 | answer=C | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{540}{9} = 60$.

id=79653 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=8 | answer=A | explanation= $\text{Combined rate} = \frac{1}{4} + \frac{1}{4} = \frac{8}{16}$. Time = $\frac{16}{8} = 2$ days.

id=79654 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16340 at 8% per annum for 3 years. | option_a=3821 | option_b=4021 | option_c=3921 | option_d=20261 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{16340 \times 8 \times 3}{100} = \text{■}3921$.

id=79655 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:9 and the first is 33, what is the second? | option_a=99 | option_b=132 | option_c=102 | option_d=90 | answer=A | explanation= $\text{Scale factor} = \frac{33}{3} = 11$. Therefore second quantity = $9 \times 11 = 99$.

id=79656 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47145 at 8% per annum for 2 years. | option_a=7543 | option_b=7443 | option_c=54688 | option_d=7643 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{47145 \times 8 \times 2}{100} = \text{■}7543$.

id=79657 | topic=Percentages | difficulty=Easy | question=What is 5% of 1842? | option_a=97 | option_b=92 | option_c=87 | option_d=184 | answer=B | explanation= $5\% \text{ of } 1842 = \frac{5}{100} \times 1842 = 92$.

id=79658 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:14 and the first is 54, what is the second? | option_a=138 | option_b=84 | option_c=70 | option_d=93 | answer=B | explanation= $\text{Scale factor} = \frac{54}{9} = 6$. Therefore second quantity = $14 \times 6 = 84$.

id=79659 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation= $\text{Combined rate} = \frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=79660 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=12 | option_d=2 | answer=A | explanation= $\text{Combined rate} = \frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12} = 3$ days.

id=79661 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 17, 19, 21, ? | option_a=23 | option_b=25 | option_c=24 | option_d=21 | answer=A | explanation=The common difference is 2. Therefore the next term is $21 + 2 = 23$.

id=79662 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29851 at 10% per annum for 2 years. | option_a=6070 | option_b=5870 | option_c=5970 | option_d=35821 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{29851 \times 10 \times 2}{100} = \text{■}5970$.

id=79663 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:12 and the first is 90, what is the second? | option_a=198 | option_b=96 | option_c=118 | option_d=108 | answer=D | explanation= $\text{Scale factor} = \frac{90}{10} = 9$. Therefore second quantity = $12 \times 9 = 108$.

id=79664 | topic=Percentages | difficulty=Easy | question=What is 40% of 1922? | option_a=758 | option_b=773 | option_c=1536 | option_d=768 | answer=D | explanation= $40\% \text{ of } 1922 = \frac{40}{100} \times 1922 = 768$.

id=79665 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**959. If it is sold at a profit of 50%, what is its selling price? | option_a=1009 | option_b=1533 | option_c=1343 | option_d=1438 | answer=D | explanation= $\text{Selling price} = CP \times \frac{(100 + \text{profit}\%)}{100} = 959 \times \frac{150}{100} = \text{■}1438$.

id=79666 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:4 and the first is 98, what is the second? | option_a=63 | option_b=56 | option_c=154 | option_d=52 | answer=B | explanation= $\text{Scale factor} = \frac{98}{7} = 14$. Therefore second quantity = $4 \times 14 = 56$.

id=79667 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:13 and the first is 105, what is the second? | option_a=202 | option_b=195 | option_c=182 | option_d=300 | answer=B | explanation= $\text{Scale factor} = \frac{105}{7} = 15$. Therefore second quantity = $13 \times 15 = 195$.

id=79668 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2798. If it is sold at a profit of 20%, what is its selling price? | option_a=3636 | option_b=3357 | option_c=3078 | option_d=2818 | answer=B | explanation= $\text{Selling price} = CP \times \frac{(100 + \text{profit}\%)}{100} = 2798 \times \frac{120}{100} = \text{■}3357$.

id=79669 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=23 | option_c=18 | option_d=36 | answer=C | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{90}{5} = 18 \text{ km/h}$.

id=79670 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 25, 30, 38? | option_a=20 | option_b=25 | option_c=38 | option_d=30 | answer=C | explanation=The first three numbers increase by 5, so the next should be 35. Therefore 38 is the odd one out.

id=79671 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=21 | option_b=27 | option_c=33 | option_d=28 | answer=B | explanation=The common difference is 6. Therefore the next term is $21 + 6 = 27$.

id=79672 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=32 | option_b=28 | option_c=27 | option_d=22 | answer=C | explanation=The common difference is 5. Therefore the next term is $22 + 5 = 27$.

id=79673 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:13 and the first is 88, what is the second? | option_a=91 | option_b=104 | option_c=192 | option_d=115 | answer=B | explanation= $\text{Scale factor} = \frac{88}{11} = 8$. Therefore second quantity = $13 \times 8 = 104$.

id=79674 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:12 and the first is 40, what is the second? | option_a=160 | option_b=108 | option_c=124 | option_d=120 | answer=D | explanation= $\text{Scale factor} = \frac{40}{4} = 10$. Therefore second quantity = $12 \times 10 = 120$.

id=79675 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation= $\text{Combined rate} = \frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=79676 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4210. If it is sold at a profit of 40%, what is its selling price? | option_a=5473 | option_b=4250 | option_c=6315 | option_d=5894 | answer=D | explanation= $\text{Selling price} = CP \times \frac{(100 + \text{profit}\%)}{100} = 4210 \times \frac{140}{100} = \text{■}5894$.

id=79677 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{240}{4} = 60 \text{ km/h}$.

id=79678 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=18 | option_d=13 | answer=C | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{180}{10} = 18 \text{ km/h}$.

id=79679 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 4. | option_a=48 | option_b=104 | option_c=52 | option_d=78 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 26 \times 4$; $\text{HCF}(26, 4) = 2$, so $\text{LCM} = 52$.

id=79680 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3972. If it is sold at a profit of 30%, what is its selling price? | option_a=5163 | option_b=4002 | option_c=4766 | option_d=5560 | answer=A | explanation= $\text{Selling price} = CP \times \frac{(100 + \text{profit}\%)}{100} = 3972 \times \frac{130}{100} = \text{■}5163$.

Aptitude Questions — Records 79,681-79,710 of 100,000

id=79681 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 21. | option_a=441 | option_b=1 | option_c=42 | option_d=21 | answer=D | explanation=LCM × HCF = 21×21; HCF(21,21) = 21, so LCM = 21.

id=79682 | topic=Averages | difficulty=Easy | question=Find the average of 44, 73, 46, 94, 27, 22. | option_a=51 | option_b=53 | option_c=52 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 306 ÷ 6 = 51.

id=79683 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3216. If it is sold at a profit of 30%, what is its selling price? | option_a=3246 | option_b=3859 | option_c=4180 | option_d=4501 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3216 × 130/100 = █4180.

id=79684 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=41 | option_b=59 | option_c=51 | option_d=50 | answer=D | explanation=The common difference is 9. Therefore the next term is 41 + 9 = 50.

id=79685 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 31? | option_a=13 | option_b=23 | option_c=18 | option_d=31 | answer=D | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 31 is the odd one out.

id=79686 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 28. | option_a=450 | option_b=392 | option_c=420 | option_d=840 | answer=C | explanation=LCM × HCF = 30×28; HCF(30,28) = 2, so LCM = 420.

id=79687 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=H | option_c=F | option_d=G | answer=B | explanation=Move 1 positions forward from G; the resulting letter is H.

id=79688 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 26, 32, 41? | option_a=26 | option_b=20 | option_c=32 | option_d=41 | answer=D | explanation=The first three numbers increase by 6, so the next should be 38. Therefore 41 is the odd one out.

id=79689 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:18 and the first is 224, what is the second? | option_a=234 | option_b=252 | option_c=268 | option_d=476 | answer=B | explanation=Scale factor = 224/16 = 14. Therefore second quantity = 18×14 = 252.

id=79690 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24468 at 10% per annum for 5 years. | option_a=12134 | option_b=36702 | option_c=12334 | option_d=12234 | answer=D | explanation=SI = PRT/100 = 24468×10×5/100 = █12234.

id=79691 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=U | option_c=S | option_d=Q | answer=B | explanation=Move 2 positions forward from S; the resulting letter is U.

id=79692 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=79693 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 33? | option_a=25 | option_b=33 | option_c=29 | option_d=27 | answer=B | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 33 is the odd one out.

id=79694 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2382. If it is sold at a profit of 20%, what is its selling price? | option_a=2858 | option_b=2620 | option_c=3096 | option_d=2402 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2382 × 120/100 = █2858.

id=79695 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46773 at 12% per annum for 5 years. | option_a=28163 | option_b=74836 | option_c=27963 | option_d=28063 | answer=D | explanation=SI = PRT/100 = 46773×12×5/100 = █28063.

id=79696 | topic=Averages | difficulty=Easy | question=Find the average of 28, 89, 15, 90, 61, 23. | option_a=50 | option_b=52 | option_c=51 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 306 ÷ 6 = 51.

id=79697 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22282 at 5% per annum for 5 years. | option_a=5570 | option_b=5470 | option_c=27852 | option_d=5670 | answer=A | explanation=SI = PRT/100 = 22282×5×5/100 = █5570.

id=79698 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 10. | option_a=168 | option_b=280 | option_c=130 | option_d=140 | answer=D | explanation=LCM × HCF = 28×10; HCF(28,10) = 2, so LCM = 140.

id=79699 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=79700 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=150 | option_c=70 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=79701 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:15 and the first is 105, what is the second? | option_a=105 | option_b=210 | option_c=120 | option_d=90 | answer=A | explanation=Scale factor = 105/15 = 7. Therefore second quantity = 15×7 = 105.

id=79702 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:4 and the first is 39, what is the second? | option_a=52 | option_b=91 | option_c=48 | option_d=55 | answer=A | explanation=Scale factor = 39/3 = 13. Therefore second quantity = 4×13 = 52.

id=79703 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21288 at 8% per annum for 3 years. | option_a=5109 | option_b=5209 | option_c=26397 | option_d=5009 | answer=A | explanation=SI = PRT/100 = 21288×8×3/100 = █5109.

id=79704 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=79705 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:8 and the first is 136, what is the second? | option_a=136 | option_b=272 | option_c=128 | option_d=144 | answer=A | explanation=Scale factor = 136/8 = 17. Therefore second quantity = 8×17 = 136.

id=79706 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=50 | option_d=100 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=79707 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:18 and the first is 66, what is the second? | option_a=264 | option_b=204 | option_c=198 | option_d=180 | answer=C | explanation=Scale factor = 66/6 = 11. Therefore second quantity = 18×11 = 198.

id=79708 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=50 | option_b=60 | option_c=40 | option_d=51 | answer=A | explanation=The common difference is 10. Therefore the next term is 40 + 10 = 50.

id=79709 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=W | option_c=V | option_d=T | answer=C | explanation=Move 1 positions forward from U; the resulting letter is V.

id=79710 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 28? | option_a=19 | option_b=15 | option_c=23 | option_d=28 | answer=D | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 28 is the odd one out.

Aptitude Questions — Records 79,711-79,740 of 100,000

id=79711 | topic=Percentages | difficulty=Easy | question=What is 20% of 1572? | option_a=314 | option_b=309 | option_c=628 | option_d=324 | answer=A | explanation=20% of 1572 = (20/100) × 1572 = 314.

id=79712 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=46 | option_b=38 | option_c=30 | option_d=39 | answer=B | explanation=The common difference is 8. Therefore the next term is 30 + 8 = 38.

id=79713 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 58? | option_a=58 | option_b=36 | option_c=26 | option_d=46 | answer=A | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 58 is the odd one out.

id=79714 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=D | option_b=G | option_c=E | option_d=F | answer=D | explanation=Move 1 positions forward from E; the resulting letter is F.

id=79715 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17469 at 10% per annum for 3 years. | option_a=5240 | option_b=5340 | option_c=5140 | option_d=22709 | answer=A | explanation=SI = PRT/100 = 17469×10×3/100 = **■**5240.

id=79716 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 23, 27, 32? | option_a=27 | option_b=23 | option_c=32 | option_d=19 | answer=C | explanation=The first three numbers increase by 4, so the next should be 31. Therefore 32 is the odd one out.

id=79717 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 18. | option_a=27 | option_b=162 | option_c=1 | option_d=18 | answer=D | explanation=LCM × HCF = 9×18; HCF(9,18) = 9, so LCM = 18.

id=79718 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37201 at 12% per annum for 2 years. | option_a=9028 | option_b=8928 | option_c=46129 | option_d=8828 | answer=B | explanation=SI = PRT/100 = 37201×12×2/100 = **■**8928.

id=79719 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=H | option_c=F | option_d=I | answer=B | explanation=Move 1 positions forward from G; the resulting letter is H.

id=79720 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=56 | option_b=48 | option_c=47 | option_d=38 | answer=C | explanation=The common difference is 9. Therefore the next term is 38 + 9 = 47.

id=79721 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=T | option_c=V | option_d=W | answer=C | explanation=Move 1 positions forward from U; the resulting letter is V.

id=79722 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=24 | option_b=19 | option_c=27 | option_d=23 | answer=D | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=79723 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=M | option_c=K | option_d=G | answer=C | explanation=Move 2 positions forward from I; the resulting letter is K.

id=79724 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3905. If it is sold at a profit of 15%, what is its selling price? | option_a=4490 | option_b=3920 | option_c=4880 | option_d=4100 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3905 × 115/100 = **■**4490.

id=79725 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=J | option_b=D | option_c=G | option_d=M | answer=A | explanation=Move 3 positions forward from G; the resulting letter is J.

id=79726 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=79727 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1258. If it is sold at a profit of 10%, what is its selling price? | option_a=1268 | option_b=1258 | option_c=1508 | option_d=1383 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1258 × 110/100 = **■**1383.

id=79728 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=79729 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=9 | option_b=18 | option_c=14 | option_d=4 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=79730 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=79731 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:4 and the first is 130, what is the second? | option_a=182 | option_b=62 | option_c=48 | option_d=52 | answer=D | explanation=Scale factor = 130/10 = 13. Therefore second quantity = 4×13 = 52.

id=79732 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=79733 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:6 and the first is 300, what is the second? | option_a=84 | option_b=110 | option_c=90 | option_d=390 | answer=C | explanation=Scale factor = 300/20 = 15. Therefore second quantity = 6×15 = 90.

id=79734 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=72 | option_c=36 | option_d=41 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=79735 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:4 and the first is 140, what is the second? | option_a=76 | option_b=220 | option_c=87 | option_d=80 | answer=D | explanation=Scale factor = 140/7 = 20. Therefore second quantity = 4×20 = 80.

id=79736 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 18. | option_a=36 | option_b=48 | option_c=18 | option_d=216 | answer=A | explanation=LCM × HCF = 12×18; HCF(12,18) = 6, so LCM = 36.

id=79737 | topic=Averages | difficulty=Easy | question=Find the average of 19, 41, 90, 62, 52, 39, 89, 65, 84, 89. | option_a=63 | option_b=64 | option_c=62 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 630 ÷ 10 = 63.

id=79738 | topic=Percentages | difficulty=Easy | question=What is 5% of 585? | option_a=9 | option_b=39 | option_c=29 | option_d=58 | answer=C | explanation=5% of 585 = (5/100) × 585 = 29.

id=79739 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34097 at 12% per annum for 4 years. | option_a=50463 | option_b=16266 | option_c=16366 | option_d=16466 | answer=C | explanation=SI = PRT/100 = 34097×12×4/100 = **■**16366.

id=79740 | topic=Averages | difficulty=Easy | question=Find the average of 97, 78, 64, 97, 71, 43, 56, 65, 78, 41. | option_a=70 | option_b=71 | option_c=69 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 690 ÷ 10 = 69.

Aptitude Questions — Records 79,741-79,770 of 100,000

id=79741 | topic=Percentages | difficulty=Easy | question=What is 5% of 469? | option_a=13 | option_b=28 | option_c=46 | option_d=23 | answer=D | explanation=5% of 469 = (5/100) × 469 = 23.

id=79742 | topic=Averages | difficulty=Easy | question=Find the average of 13, 77, 65, 91, 80, 75, 61. | option_a=68 | option_b=66 | option_c=67 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 462 ÷ 7 = 66.

id=79743 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19639 at 10% per annum for 1 years. | option_a=2063 | option_b=1863 | option_c=21602 | option_d=1963 | answer=D | explanation=SI = PRT/100 = 19639×10×1/100 = **■**1963.

id=79744 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 43? | option_a=43 | option_b=25 | option_c=17 | option_d=33 | answer=A | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 43 is the odd one out.

id=79745 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=79746 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=79747 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:6 and the first is 65, what is the second? | option_a=43 | option_b=95 | option_c=24 | option_d=30 | answer=D | explanation=Scale factor = 65/13 = 5. Therefore second quantity = 6×5 = 30.

id=79748 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 240, what is the second? | option_a=45 | option_b=63 | option_c=288 | option_d=48 | answer=D | explanation=Scale factor = 240/15 = 16. Therefore second quantity = 3×16 = 48.

id=79749 | topic=Percentages | difficulty=Easy | question=What is 12% of 468? | option_a=61 | option_b=112 | option_c=51 | option_d=56 | answer=D | explanation=12% of 468 = (12/100) × 468 = 56.

id=79750 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:6 and the first is 84, what is the second? | option_a=72 | option_b=79 | option_c=156 | option_d=66 | answer=A | explanation=Scale factor = 84/7 = 12. Therefore second quantity = 6×12 = 72.

id=79751 | topic=Percentages | difficulty=Easy | question=What is 15% of 761? | option_a=114 | option_b=134 | option_c=228 | option_d=104 | answer=A | explanation=15% of 761 = (15/100) × 761 = 114.

id=79752 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=N | option_b=P | option_c=R | option_d=T | answer=C | explanation=Move 2 positions forward from P; the resulting letter is R.

id=79753 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=E | option_b=P | option_c=U | option_d=Z | answer=D | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=79754 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 44? | option_a=30 | option_b=44 | option_c=38 | option_d=34 | answer=B | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 44 is the odd one out.

id=79755 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1530. If it is sold at a profit of 15%, what is its selling price? | option_a=1759 | option_b=1606 | option_c=1545 | option_d=1912 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1530 × 115/100 = **■**1759.

id=79756 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=79757 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2677. If it is sold at a profit of 25%, what is its selling price? | option_a=3613 | option_b=3079 | option_c=3346 | option_d=2702 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2677 × 125/100 = **■**3346.

id=79758 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**325. If it is sold at a profit of 20%, what is its selling price? | option_a=345 | option_b=358 | option_c=422 | option_d=390 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 325 × 120/100 = **■**390.

id=79759 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=79760 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=46 | option_b=66 | option_c=57 | option_d=56 | answer=D | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=79761 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 18. | option_a=216 | option_b=36 | option_c=48 | option_d=18 | answer=B | explanation=LCM × HCF = 12×18; HCF(12,18) = 6, so LCM = 36.

id=79762 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=79763 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4972. If it is sold at a profit of 15%, what is its selling price? | option_a=5220 | option_b=5717 | option_c=4987 | option_d=6214 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4972 × 115/100 = **■**5717.

id=79764 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 13, 18, 23, ? | option_a=23 | option_b=28 | option_c=33 | option_d=29 | answer=B | explanation=The common difference is 5. Therefore the next term is 23 + 5 = 28.

id=79765 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=79766 | topic=Percentages | difficulty=Easy | question=What is 5% of 1341? | option_a=134 | option_b=47 | option_c=67 | option_d=77 | answer=C | explanation=5% of 1341 = (5/100) × 1341 = 67.

id=79767 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 17, 27, 39? | option_a=7 | option_b=17 | option_c=39 | option_d=27 | answer=C | explanation=The first three numbers increase by 10, so the next should be 37. Therefore 39 is the odd one out.

id=79768 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 24, 34, 46? | option_a=14 | option_b=24 | option_c=34 | option_d=46 | answer=D | explanation=The first three numbers increase by 10, so the next should be 44. Therefore 46 is the odd one out.

id=79769 | topic=Averages | difficulty=Easy | question=Find the average of 89, 12, 15, 64, 15, 98, 92, 95. | option_a=62 | option_b=60 | option_c=61 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 480 ÷ 8 = 60.

id=79770 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 23, 30, 39? | option_a=23 | option_b=30 | option_c=16 | option_d=39 | answer=D | explanation=The first three numbers increase by 7, so the next should be 37. Therefore 39 is the odd one out.

Aptitude Questions — Records 79,771-79,800 of 100,000

id=79771 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=79772 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46934 at 10% per annum for 4 years. | option_a=18873 | option_b=18673 | option_c=65707 | option_d=18773 | answer=D | explanation=SI = PRT/100 = 46934×10×4/100 = **■**18773.

id=79773 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**324. If it is sold at a profit of 30%, what is its selling price? | option_a=389 | option_b=354 | option_c=453 | option_d=421 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 324 × 130/100 = **■**421.

id=79774 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**413. If it is sold at a profit of 25%, what is its selling price? | option_a=516 | option_b=438 | option_c=557 | option_d=475 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 413 × 125/100 = **■**516.

id=79775 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=I | option_b=R | option_c=O | option_d=L | answer=C | explanation=Move 3 positions forward from L; the resulting letter is O.

id=79776 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:7 and the first is 50, what is the second? | option_a=35 | option_b=28 | option_c=85 | option_d=45 | answer=A | explanation=Scale factor = 50/10 = 5. Therefore second quantity = 7×5 = 35.

id=79777 | topic=Percentages | difficulty=Easy | question=What is 30% of 1193? | option_a=352 | option_b=367 | option_c=714 | option_d=357 | answer=D | explanation=30% of 1193 = (30/100) × 1193 = 357.

id=79778 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 14, 18, 23? | option_a=14 | option_b=10 | option_c=23 | option_d=18 | answer=C | explanation=The first three numbers increase by 4, so the next should be 22. Therefore 23 is the odd one out.

id=79779 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 17, 25, 33, ? | option_a=33 | option_b=42 | option_c=49 | option_d=41 | answer=D | explanation=The common difference is 8. Therefore the next term is 33 + 8 = 41.

id=79780 | topic=Percentages | difficulty=Easy | question=What is 5% of 359? | option_a=17 | option_b=34 | option_c=12 | option_d=27 | answer=A | explanation=5% of 359 = (5/100) × 359 = 17.

id=79781 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=79782 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=M | option_c=L | option_d=J | answer=C | explanation=Move 1 positions forward from K; the resulting letter is L.

id=79783 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=W | option_c=O | option_d=A | answer=B | explanation=Move 4 positions forward from S; the resulting letter is W.

id=79784 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=79785 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 40? | option_a=22 | option_b=40 | option_c=14 | option_d=30 | answer=B | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 40 is the odd one out.

id=79786 | topic=Percentages | difficulty=Easy | question=What is 5% of 496? | option_a=34 | option_b=48 | option_c=24 | option_d=14 | answer=C | explanation=5% of 496 = (5/100) × 496 = 24.

id=79787 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:11 and the first is 18, what is the second? | option_a=198 | option_b=187 | option_c=199 | option_d=216 | answer=A | explanation=Scale factor = 18/1 = 18. Therefore second quantity = 11×18 = 198.

id=79788 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=79789 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47439 at 15% per annum for 3 years. | option_a=21347 | option_b=68786 | option_c=21447 | option_d=21247 | answer=A | explanation=SI = PRT/100 = 47439×15×3/100 = **■**21347.

id=79790 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2782. If it is sold at a profit of 40%, what is its selling price? | option_a=3894 | option_b=4172 | option_c=3616 | option_d=2822 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2782 × 140/100 = **■**3894.

id=79791 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:12 and the first is 110, what is the second? | option_a=131 | option_b=120 | option_c=108 | option_d=230 | answer=B | explanation=Scale factor = 110/11 = 10. Therefore second quantity = 12×10 = 120.

id=79792 | topic=Percentages | difficulty=Easy | question=What is 5% of 923? | option_a=92 | option_b=46 | option_c=26 | option_d=56 | answer=B | explanation=5% of 923 = (5/100) × 923 = 46.

id=79793 | topic=Averages | difficulty=Easy | question=Find the average of 83, 11, 19, 61, 97, 93, 21. | option_a=56 | option_b=57 | option_c=54 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 385 ÷ 7 = 55.

id=79794 | topic=Averages | difficulty=Easy | question=Find the average of 35, 34, 90, 62, 48, 90, 38, 19. | option_a=52 | option_b=54 | option_c=51 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=79795 | topic=Averages | difficulty=Easy | question=Find the average of 64, 42, 50. | option_a=51 | option_b=53 | option_c=52 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 156 ÷ 3 = 52.

id=79796 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=79797 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27057 at 10% per annum for 2 years. | option_a=5511 | option_b=5411 | option_c=5311 | option_d=32468 | answer=B | explanation=SI = PRT/100 = 27057×10×2/100 = **■**5411.

id=79798 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:19 and the first is 144, what is the second? | option_a=372 | option_b=240 | option_c=228 | option_d=209 | answer=C | explanation=Scale factor = 144/12 = 12. Therefore second quantity = 19×12 = 228.

id=79799 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=C | option_b=D | option_c=B | option_d=A | answer=A | explanation=Move 1 positions forward from B; the resulting letter is C.

id=79800 | topic=Percentages | difficulty=Easy | question=What is 25% of 1896? | option_a=474 | option_b=948 | option_c=484 | option_d=469 | answer=A | explanation=25% of 1896 = (25/100) × 1896 = 474.

Aptitude Questions — Records 79,801-79,830 of 100,000

id=79801 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 4. | option_a=72 | option_b=36 | option_c=54 | option_d=32 | answer=B | explanation=LCM × HCF = 18×4; HCF(18,4) = 2, so LCM = 36.

id=79802 | topic=Averages | difficulty=Easy | question=Find the average of 95, 73, 60, 83, 92, 42, 32, 99. | option_a=71 | option_b=72 | option_c=73 | option_d=74 | answer=B | explanation=Average = sum of values ÷ number of values = 576 ÷ 8 = 72.

id=79803 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**7664 at 6% per annum for 3 years. | option_a=1379 | option_b=1279 | option_c=9043 | option_d=1479 | answer=A | explanation=SI = PRT/100 = 7664×6×3/100 = **₹**1379.

id=79804 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**304. If it is sold at a profit of 5%, what is its selling price? | option_a=319 | option_b=289 | option_c=349 | option_d=309 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 304 × 105/100 = **₹**319.

id=79805 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2184. If it is sold at a profit of 50%, what is its selling price? | option_a=3058 | option_b=2234 | option_c=3276 | option_d=3494 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2184 × 150/100 = **₹**3276.

id=79806 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=20 | option_c=30 | option_d=25 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=79807 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=79808 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=H | option_b=L | option_c=P | option_d=T | answer=C | explanation=Move 4 positions forward from L; the resulting letter is P.

id=79809 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 4. | option_a=24 | option_b=112 | option_c=28 | option_d=56 | answer=C | explanation=LCM × HCF = 28×4; HCF(28,4) = 4, so LCM = 28.

id=79810 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**20115 at 10% per annum for 5 years. | option_a=10057 | option_b=10157 | option_c=9957 | option_d=30172 | answer=A | explanation=SI = PRT/100 = 20115×10×5/100 = **₹**10057.

id=79811 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=36 | option_c=18 | option_d=23 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=79812 | topic=Averages | difficulty=Easy | question=Find the average of 47, 69, 74, 50, 40, 88, 63, 93, 47, 29. | option_a=61 | option_b=60 | option_c=59 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=79813 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**18232 at 10% per annum for 5 years. | option_a=9016 | option_b=9116 | option_c=27348 | option_d=9216 | answer=B | explanation=SI = PRT/100 = 18232×10×5/100 = **₹**9116.

id=79814 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:4 and the first is 300, what is the second? | option_a=360 | option_b=80 | option_c=56 | option_d=60 | answer=D | explanation=Scale factor = 300/20 = 15. Therefore second quantity = 4×15 = 60.

id=79815 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:8 and the first is 360, what is the second? | option_a=164 | option_b=504 | option_c=144 | option_d=136 | answer=C | explanation=Scale factor = 360/20 = 18. Therefore second quantity = 8×18 = 144.

id=79816 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=79817 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 33? | option_a=30 | option_b=33 | option_c=28 | option_d=26 | answer=B | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 33 is the odd one out.

id=79818 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=J | option_b=R | option_c=V | option_d=N | answer=B | explanation=Move 4 positions forward from N; the resulting letter is R.

id=79819 | topic=Averages | difficulty=Easy | question=Find the average of 93, 99, 54, 90. | option_a=85 | option_b=83 | option_c=84 | option_d=86 | answer=C | explanation=Average = sum of values ÷ number of values = 336 ÷ 4 = 84.

id=79820 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=41 | option_b=40 | option_c=47 | option_d=33 | answer=B | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.

id=79821 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=E | option_b=J | option_c=O | option_d=T | answer=C | explanation=Move 5 positions forward from J; the resulting letter is O.

id=79822 | topic=Averages | difficulty=Easy | question=Find the average of 61, 11, 66, 69, 11, 82. | option_a=52 | option_b=49 | option_c=51 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 300 ÷ 6 = 50.

id=79823 | topic=Averages | difficulty=Easy | question=Find the average of 73, 65, 53, 90, 62, 12, 44, 21, 30, 40. | option_a=50 | option_b=49 | option_c=48 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 490 ÷ 10 = 49.

id=79824 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 17, 22, 29? | option_a=12 | option_b=17 | option_c=22 | option_d=29 | answer=D | explanation=The first three numbers increase by 5, so the next should be 27. Therefore 29 is the odd one out.

id=79825 | topic=Averages | difficulty=Easy | question=Find the average of 77, 18, 17, 11, 37. | option_a=33 | option_b=34 | option_c=31 | option_d=32 | answer=D | explanation=Average = sum of values ÷ number of values = 160 ÷ 5 = 32.

id=79826 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=T | option_b=R | option_c=P | option_d=V | answer=A | explanation=Move 2 positions forward from R; the resulting letter is T.

id=79827 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=43 | option_b=38 | option_c=31 | option_d=37 | answer=D | explanation=The common difference is 6. Therefore the next term is 31 + 6 = 37.

id=79828 | topic=Percentages | difficulty=Easy | question=What is 40% of 426? | option_a=340 | option_b=190 | option_c=150 | option_d=170 | answer=D | explanation=40% of 426 = (40/100) × 426 = 170.

id=79829 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=20 | option_b=21 | option_c=16 | option_d=24 | answer=A | explanation=The common difference is 4. Therefore the next term is 16 + 4 = 20.

id=79830 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 50? | option_a=41 | option_b=33 | option_c=25 | option_d=50 | answer=D | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 50 is the odd one out.

Aptitude Questions — Records 79,831-79,860 of 100,000

id=79831 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=46 | option_b=56 | option_c=55 | option_d=64 | answer=C | explanation=The common difference is 9. Therefore the next term is 46 + 9 = 55.

id=79832 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4658. If it is sold at a profit of 25%, what is its selling price? | option_a=5357 | option_b=6287 | option_c=5822 | option_d=4683 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4658 × 125/100 = █5822.

id=79833 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=U | option_c=R | option_d=T | answer=D | explanation=Move 1 positions forward from S; the resulting letter is T.

id=79834 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1398. If it is sold at a profit of 40%, what is its selling price? | option_a=2096 | option_b=1818 | option_c=1438 | option_d=1957 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1398 × 140/100 = █1957.

id=79835 | topic=Averages | difficulty=Easy | question=Find the average of 41, 33, 63, 61, 97. | option_a=61 | option_b=58 | option_c=59 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 295 ÷ 5 = 59.

id=79836 | topic=Percentages | difficulty=Easy | question=What is 50% of 1190? | option_a=595 | option_b=1190 | option_c=590 | option_d=615 | answer=A | explanation=50% of 1190 = (50/100) × 1190 = 595.

id=79837 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=G | option_c=E | option_d=I | answer=D | explanation=Move 2 positions forward from G; the resulting letter is I.

id=79838 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=12 | option_c=7 | option_d=24 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=79839 | topic=Percentages | difficulty=Easy | question=What is 25% of 416? | option_a=208 | option_b=99 | option_c=104 | option_d=124 | answer=C | explanation=25% of 416 = (25/100) × 416 = 104.

id=79840 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:7 and the first is 95, what is the second? | option_a=133 | option_b=228 | option_c=138 | option_d=126 | answer=A | explanation=Scale factor = 95/5 = 19. Therefore second quantity = 7×19 = 133.

id=79841 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3229. If it is sold at a profit of 20%, what is its selling price? | option_a=3874 | option_b=3552 | option_c=3249 | option_d=4196 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3229 × 120/100 = █3874.

id=79842 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 24. | option_a=150 | option_b=720 | option_c=120 | option_d=96 | answer=C | explanation=LCM × HCF = 30×24; HCF(30,24) = 6, so LCM = 120.

id=79843 | topic=Profit & Loss | difficulty=Easy | question=An article costs █209. If it is sold at a profit of 25%, what is its selling price? | option_a=281 | option_b=241 | option_c=234 | option_d=261 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 209 × 125/100 = █261.

id=79844 | topic=Averages | difficulty=Easy | question=Find the average of 56, 28, 42, 38, 91, 21. | option_a=47 | option_b=46 | option_c=48 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = 276 ÷ 6 = 46.

id=79845 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 32, 36, 42? | option_a=28 | option_b=32 | option_c=36 | option_d=42 | answer=D | explanation=The first three numbers increase by 4, so the next should be 40. Therefore 42 is the odd one out.

id=79846 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21674 at 6% per annum for 2 years. | option_a=2600 | option_b=24274 | option_c=2700 | option_d=2500 | answer=A | explanation=SI = PRT/100 = 21674×6×2/100 = █2600.

id=79847 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=Z | option_c=D | option_d=B | answer=C | explanation=Move 2 positions forward from B; the resulting letter is D.

id=79848 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 51? | option_a=51 | option_b=36 | option_c=30 | option_d=42 | answer=A | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 51 is the odd one out.

id=79849 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 36? | option_a=36 | option_b=6 | option_c=24 | option_d=15 | answer=A | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 36 is the odd one out.

id=79850 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1049. If it is sold at a profit of 30%, what is its selling price? | option_a=1363 | option_b=1259 | option_c=1467 | option_d=1079 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1049 × 130/100 = █1363.

id=79851 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:5 and the first is 152, what is the second? | option_a=40 | option_b=59 | option_c=192 | option_d=35 | answer=A | explanation=Scale factor = 152/19 = 8. Therefore second quantity = 5×8 = 40.

id=79852 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31917 at 15% per annum for 5 years. | option_a=23937 | option_b=23837 | option_c=24037 | option_d=55854 | answer=A | explanation=SI = PRT/100 = 31917×15×5/100 = █23937.

id=79853 | topic=Averages | difficulty=Easy | question=Find the average of 25, 35, 18, 76, 56. | option_a=43 | option_b=41 | option_c=44 | option_d=42 | answer=D | explanation=Average = sum of values ÷ number of values = 210 ÷ 5 = 42.

id=79854 | topic=Averages | difficulty=Easy | question=Find the average of 74, 92, 36, 26, 23, 24, 52, 49, 38, 96. | option_a=53 | option_b=51 | option_c=52 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

id=79855 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 12. | option_a=48 | option_b=60 | option_c=360 | option_d=90 | answer=B | explanation=LCM × HCF = 30×12; HCF(30,12) = 6, so LCM = 60.

id=79856 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=K | option_c=M | option_d=G | answer=B | explanation=Move 2 positions forward from I; the resulting letter is K.

id=79857 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=39 | option_b=40 | option_c=33 | option_d=45 | answer=A | explanation=The common difference is 6. Therefore the next term is 33 + 6 = 39.

id=79858 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=50 | option_b=51 | option_c=60 | option_d=40 | answer=A | explanation=The common difference is 10. Therefore the next term is 40 + 10 = 50.

id=79859 | topic=Averages | difficulty=Easy | question=Find the average of 84, 38, 81, 49, 10, 82, 39, 13, 18. | option_a=47 | option_b=46 | option_c=45 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 414 ÷ 9 = 46.

id=79860 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3677. If it is sold at a profit of 30%, what is its selling price? | option_a=4413 | option_b=4780 | option_c=5147 | option_d=3707 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3677 × 130/100 = █4780.

Aptitude Questions — Records 79,861-79,890 of 100,000

id=79861 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=38 | option_b=32 | option_c=44 | option_d=39 | answer=A | explanation=The common difference is 6. Therefore the next term is 32 + 6 = 38.

id=79862 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:1 and the first is 26, what is the second? | option_a=15 | option_b=2 | option_c=1 | option_d=28 | answer=B | explanation=Scale factor = 26/13 = 2. Therefore second quantity = 1×2 = 2.

id=79863 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=79864 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=43 | option_c=96 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=79865 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**268. If it is sold at a profit of 50%, what is its selling price? | option_a=376 | option_b=402 | option_c=318 | option_d=428 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 268 × 150/100 = **■**402.

id=79866 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32734 at 6% per annum for 3 years. | option_a=38626 | option_b=5892 | option_c=5992 | option_d=5792 | answer=B | explanation=SI = PRT/100 = 32734×6×3/100 = **■**5892.

id=79867 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=37 | option_b=31 | option_c=25 | option_d=32 | answer=B | explanation=The common difference is 6. Therefore the next term is 25 + 6 = 31.

id=79868 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=75 | option_d=150 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=79869 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 137 | option_a=6 | option_b=13 | option_c=4 | option_d=8 | answer=B | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 13 is the odd one out.

id=79870 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27345 at 10% per annum for 5 years. | option_a=13772 | option_b=13572 | option_c=41017 | option_d=13672 | answer=D | explanation=SI = PRT/100 = 27345×10×5/100 = **■**13672.

id=79871 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=79872 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=31 | option_b=21 | option_c=26 | option_d=27 | answer=C | explanation=The common difference is 5. Therefore the next term is 21 + 5 = 26.

id=79873 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2073. If it is sold at a profit of 50%, what is its selling price? | option_a=3109 | option_b=3316 | option_c=2123 | option_d=2902 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2073 × 150/100 = **■**3109.

id=79874 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**509. If it is sold at a profit of 5%, what is its selling price? | option_a=514 | option_b=534 | option_c=484 | option_d=584 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 509 × 105/100 = **■**534.

id=79875 | topic=Averages | difficulty=Easy | question=Find the average of 14, 67, 99, 45, 74, 81, 63, 67, 84. | option_a=65 | option_b=67 | option_c=68 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = 594 ÷ 9 = 66.

id=79876 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**661. If it is sold at a profit of 25%, what is its selling price? | option_a=826 | option_b=760 | option_c=686 | option_d=892 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 661 × 125/100 = **■**826.

id=79877 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:12 and the first is 112, what is the second? | option_a=156 | option_b=176 | option_c=280 | option_d=168 | answer=D | explanation=Scale factor = 112/8 = 14. Therefore second quantity = 12×14 = 168.

id=79878 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11149 at 15% per annum for 1 years. | option_a=1672 | option_b=1772 | option_c=1572 | option_d=12821 | answer=A | explanation=SI = PRT/100 = 11149×15×1/100 = **■**1672.

id=79879 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=29 | option_b=25 | option_c=33 | option_d=30 | answer=A | explanation=The common difference is 4. Therefore the next term is 25 + 4 = 29.

id=79880 | topic=Averages | difficulty=Easy | question=Find the average of 62, 66, 47, 41, 80, 48, 99, 23, 47. | option_a=56 | option_b=57 | option_c=59 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 513 ÷ 9 = 57.

id=79881 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32765 at 8% per annum for 2 years. | option_a=5142 | option_b=5242 | option_c=38007 | option_d=5342 | answer=B | explanation=SI = PRT/100 = 32765×8×2/100 = **■**5242.

id=79882 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=N | option_b=E | option_c=H | option_d=K | answer=D | explanation=Move 3 positions forward from H; the resulting letter is K.

id=79883 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 6. | option_a=36 | option_b=126 | option_c=42 | option_d=63 | answer=C | explanation=LCM × HCF = 21×6; HCF(21,6) = 3, so LCM = 42.

id=79884 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49802 at 8% per annum for 5 years. | option_a=20020 | option_b=69722 | option_c=19820 | option_d=19920 | answer=D | explanation=SI = PRT/100 = 49802×8×5/100 = **■**19920.

id=79885 | topic=Percentages | difficulty=Easy | question=What is 40% of 1548? | option_a=639 | option_b=609 | option_c=619 | option_d=1238 | answer=C | explanation=40% of 1548 = (40/100) × 1548 = 619.

id=79886 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1659. If it is sold at a profit of 10%, what is its selling price? | option_a=1989 | option_b=1669 | option_c=1824 | option_d=1659 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1659 × 110/100 = **■**1824.

id=79887 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 12. | option_a=45 | option_b=108 | option_c=24 | option_d=36 | answer=D | explanation=LCM × HCF = 9×12; HCF(9,12) = 3, so LCM = 36.

id=79888 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=20 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=79889 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=D | option_b=I | option_c=S | option_d=N | answer=D | explanation=Move 5 positions forward from I; the resulting letter is N.

id=79890 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

Aptitude Questions — Records 79,891-79,920 of 100,000

id=79891 | topic=Averages | difficulty=Easy | question=Find the average of 26, 61, 18, 19, 76. | option_a=42 | option_b=39 | option_c=40 | option_d=41 | answer=C | explanation=Average = sum of values ÷ number of values = 200 ÷ 5 = 40.

id=79892 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:3 and the first is 144, what is the second? | option_a=27 | option_b=171 | option_c=24 | option_d=43 | answer=A | explanation=Scale factor = 144/16 = 9. Therefore second quantity = 3×9 = 27.

id=79893 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=79894 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1619. If it is sold at a profit of 10%, what is its selling price? | option_a=1941 | option_b=1629 | option_c=1780 | option_d=1619 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1619 × 110/100 = █1780.

id=79895 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:7 and the first is 240, what is the second? | option_a=324 | option_b=77 | option_c=84 | option_d=104 | answer=C | explanation=Scale factor = 240/20 = 12. Therefore second quantity = 7×12 = 84.

id=79896 | topic=Averages | difficulty=Easy | question=Find the average of 61, 77, 68, 55, 95, 53, 46. | option_a=67 | option_b=64 | option_c=65 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = 455 ÷ 7 = 65.

id=79897 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 24, 30, 38? | option_a=18 | option_b=24 | option_c=38 | option_d=30 | answer=C | explanation=The first three numbers increase by 6, so the next should be 36. Therefore 38 is the odd one out.

id=79898 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=79899 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:17 and the first is 9, what is the second? | option_a=54 | option_b=51 | option_c=60 | option_d=34 | answer=B | explanation=Scale factor = 9/3 = 3. Therefore second quantity = 17×3 = 51.

id=79900 | topic=Percentages | difficulty=Easy | question=What is 20% of 894? | option_a=178 | option_b=173 | option_c=356 | option_d=183 | answer=A | explanation=20% of 894 = (20/100) × 894 = 178.

id=79901 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 14? | option_a=14 | option_b=9 | option_c=7 | option_d=5 | answer=A | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 14 is the odd one out.

id=79902 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 25, 30, 37? | option_a=37 | option_b=30 | option_c=20 | option_d=25 | answer=A | explanation=The first three numbers increase by 5, so the next should be 35. Therefore 37 is the odd one out.

id=79903 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=K | option_c=W | option_d=S | answer=D | explanation=Move 4 positions forward from O; the resulting letter is S.

id=79904 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=32 | option_b=40 | option_c=37 | option_d=36 | answer=D | explanation=The common difference is 4. Therefore the next term is 32 + 4 = 36.

id=79905 | topic=Profit & Loss | difficulty=Easy | question=An article costs █595. If it is sold at a profit of 25%, what is its selling price? | option_a=802 | option_b=620 | option_c=684 | option_d=743 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 595 × 125/100 = █743.

id=79906 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=48 | option_b=47 | option_c=58 | option_d=36 | answer=B | explanation=The common difference is 11. Therefore the next term is 36 + 11 = 47.

id=79907 | topic=Averages | difficulty=Easy | question=Find the average of 13, 94, 85, 10, 80, 75, 29, 64, 99. | option_a=61 | option_b=63 | option_c=62 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 549 ÷ 9 = 61.

id=79908 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=48 | option_c=19 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=79909 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=E | option_b=U | option_c=Z | option_d=P | answer=C | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=79910 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 13, 18, 26? | option_a=26 | option_b=8 | option_c=18 | option_d=13 | answer=A | explanation=The first three numbers increase by 5, so the next should be 23. Therefore 26 is the odd one out.

id=79911 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36894 at 12% per annum for 2 years. | option_a=45748 | option_b=8954 | option_c=8854 | option_d=8754 | answer=C | explanation=SI = PRT/100 = 36894×12×2/100 = █8854.

id=79912 | topic=Percentages | difficulty=Easy | question=What is 25% of 411? | option_a=204 | option_b=107 | option_c=82 | option_d=102 | answer=D | explanation=25% of 411 = (25/100) × 411 = 102.

id=79913 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15510 at 5% per annum for 4 years. | option_a=18612 | option_b=3002 | option_c=3202 | option_d=3102 | answer=D | explanation=SI = PRT/100 = 15510×5×4/100 = █3102.

id=79914 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=18 | option_c=23 | option_d=13 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=79915 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 33, 43, 54? | option_a=54 | option_b=23 | option_c=33 | option_d=43 | answer=A | explanation=The first three numbers increase by 10, so the next should be 53. Therefore 54 is the odd one out.

id=79916 | topic=Averages | difficulty=Easy | question=Find the average of 59, 82, 90. | option_a=79 | option_b=78 | option_c=77 | option_d=76 | answer=C | explanation=Average = sum of values ÷ number of values = 231 ÷ 3 = 77.

id=79917 | topic=Percentages | difficulty=Easy | question=What is 20% of 1237? | option_a=494 | option_b=237 | option_c=267 | option_d=247 | answer=D | explanation=20% of 1237 = (20/100) × 1237 = 247.

id=79918 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=20 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=79919 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31076 at 6% per annum for 5 years. | option_a=9322 | option_b=40398 | option_c=9422 | option_d=9222 | answer=A | explanation=SI = PRT/100 = 31076×6×5/100 = █9322.

id=79920 | topic=Averages | difficulty=Easy | question=Find the average of 72, 72, 89, 74, 64, 19. | option_a=67 | option_b=66 | option_c=65 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 390 ÷ 6 = 65.

Aptitude Questions — Records 79,921-79,950 of 100,000

id=79921 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3772. If it is sold at a profit of 20%, what is its selling price? | option_a=3792 | option_b=4149 | option_c=4903 | option_d=4526 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3772 × 120/100 = █4526.

id=79922 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34290 at 8% per annum for 2 years. | option_a=5386 | option_b=5586 | option_c=5486 | option_d=39776 | answer=C | explanation=SI = PRT/100 = 34290×8×2/100 = █5486.

id=79923 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=30 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=79924 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=20 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=79925 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:1 and the first is 7, what is the second? | option_a=7 | option_b=6 | option_c=8 | option_d=14 | answer=A | explanation=Scale factor = 7/1 = 7. Therefore second quantity = 1×7 = 7.

id=79926 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=79927 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2164. If it is sold at a profit of 5%, what is its selling price? | option_a=2169 | option_b=2488 | option_c=2056 | option_d=2272 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2164 × 105/100 = █2272.

id=79928 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=79929 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:4 and the first is 304, what is the second? | option_a=92 | option_b=380 | option_c=72 | option_d=76 | answer=D | explanation=Scale factor = 304/16 = 19. Therefore second quantity = 4×19 = 76.

id=79930 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=18 | option_b=19 | option_c=16 | option_d=20 | answer=A | explanation=The common difference is 2. Therefore the next term is 16 + 2 = 18.

id=79931 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 30, 32, 37? | option_a=32 | option_b=28 | option_c=30 | option_d=37 | answer=D | explanation=The first three numbers increase by 2, so the next should be 34. Therefore 37 is the odd one out.

id=79932 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 35, 45, 57? | option_a=35 | option_b=45 | option_c=57 | option_d=25 | answer=C | explanation=The first three numbers increase by 10, so the next should be 55. Therefore 57 is the odd one out.

id=79933 | topic=Averages | difficulty=Easy | question=Find the average of 63, 95, 65, 19, 18. | option_a=54 | option_b=52 | option_c=53 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 260 ÷ 5 = 52.

id=79934 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3345 at 10% per annum for 4 years. | option_a=1438 | option_b=1338 | option_c=4683 | option_d=1238 | answer=B | explanation=SI = PRT/100 = 3345×10×4/100 = █1338.

id=79935 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=I | option_c=G | option_d=M | answer=A | explanation=Move 2 positions forward from I; the resulting letter is K.

id=79936 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4477. If it is sold at a profit of 20%, what is its selling price? | option_a=4925 | option_b=5819 | option_c=5372 | option_d=4497 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4477 × 120/100 = █5372.

id=79937 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 12, 17, 23? | option_a=23 | option_b=17 | option_c=12 | option_d=7 | answer=A | explanation=The first three numbers increase by 5, so the next should be 22. Therefore 23 is the odd one out.

id=79938 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4060. If it is sold at a profit of 10%, what is its selling price? | option_a=4466 | option_b=4070 | option_c=4060 | option_d=4872 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4060 × 110/100 = █4466.

id=79939 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46566 at 5% per annum for 3 years. | option_a=6984 | option_b=7084 | option_c=53550 | option_d=6884 | answer=A | explanation=SI = PRT/100 = 46566×5×3/100 = █6984.

id=79940 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=27 | option_b=37 | option_c=33 | option_d=32 | answer=D | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

id=79941 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=39 | option_b=46 | option_c=30 | option_d=38 | answer=D | explanation=The common difference is 8. Therefore the next term is 30 + 8 = 38.

id=79942 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2428. If it is sold at a profit of 50%, what is its selling price? | option_a=3884 | option_b=3642 | option_c=2478 | option_d=3400 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2428 × 150/100 = █3642.

id=79943 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1166 at 6% per annum for 5 years. | option_a=249 | option_b=349 | option_c=449 | option_d=1515 | answer=B | explanation=SI = PRT/100 = 1166×6×5/100 = █349.

id=79944 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 24, 32, 40, ? | option_a=56 | option_b=48 | option_c=49 | option_d=40 | answer=B | explanation=The common difference is 8. Therefore the next term is 40 + 8 = 48.

id=79945 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=19 | option_b=23 | option_c=24 | option_d=27 | answer=B | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=79946 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27201 at 10% per annum for 4 years. | option_a=38081 | option_b=10980 | option_c=10780 | option_d=10880 | answer=D | explanation=SI = PRT/100 = 27201×10×4/100 = █10880.

id=79947 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7079 at 4% per annum for 4 years. | option_a=1132 | option_b=8211 | option_c=1232 | option_d=1032 | answer=A | explanation=SI = PRT/100 = 7079×4×4/100 = █1132.

id=79948 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=X | option_c=R | option_d=T | answer=A | explanation=Move 2 positions forward from T; the resulting letter is V.

id=79949 | topic=Averages | difficulty=Easy | question=Find the average of 30, 94, 83, 10, 57, 99, 36, 12, 36, 53. | option_a=50 | option_b=53 | option_c=52 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

id=79950 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 79,951-79,980 of 100,000

id=79951 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=39 | option_b=40 | option_c=47 | option_d=31 | answer=A | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

id=79952 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:9 and the first is 10, what is the second? | option_a=9 | option_b=23 | option_c=18 | option_d=28 | answer=C | explanation=Scale factor = 10/5 = 2. Therefore second quantity = 9×2 = 18.

id=79953 | topic=Averages | difficulty=Easy | question=Find the average of 91, 17, 18, 79, 74, 10, 43, 27, 100. | option_a=51 | option_b=53 | option_c=50 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 459 ÷ 9 = 51.

id=79954 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=W | option_b=R | option_c=H | option_d=M | answer=B | explanation=Move 5 positions forward from M; the resulting letter is R.

id=79955 | topic=Percentages | difficulty=Easy | question=What is 10% of 1107? | option_a=110 | option_b=130 | option_c=100 | option_d=220 | answer=A | explanation=10% of 1107 = (10/100) × 1107 = 110.

id=79956 | topic=Averages | difficulty=Easy | question=Find the average of 28, 87, 83, 51, 34, 24, 36. | option_a=48 | option_b=50 | option_c=49 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 343 ÷ 7 = 49.

id=79957 | topic=Percentages | difficulty=Easy | question=What is 15% of 1291? | option_a=386 | option_b=193 | option_c=173 | option_d=213 | answer=B | explanation=15% of 1291 = (15/100) × 1291 = 193.

id=79958 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40433 at 12% per annum for 4 years. | option_a=59840 | option_b=19307 | option_c=19507 | option_d=19407 | answer=D | explanation=SI = PRT/100 = 40433×12×4/100 = █19407.

id=79959 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 26. | option_a=78 | option_b=112 | option_c=104 | option_d=208 | answer=C | explanation=LCM × HCF = 8×26; HCF(8,26) = 2, so LCM = 104.

id=79960 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4953. If it is sold at a profit of 30%, what is its selling price? | option_a=6933 | option_b=6438 | option_c=4983 | option_d=5943 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4953 × 130/100 = █6438.

id=79961 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3799. If it is sold at a profit of 10%, what is its selling price? | option_a=4178 | option_b=3809 | option_c=3799 | option_d=4557 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3799 × 110/100 = █4178.

id=79962 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 34, 42, 52? | option_a=42 | option_b=52 | option_c=26 | option_d=34 | answer=B | explanation=The first three numbers increase by 8, so the next should be 50. Therefore 52 is the odd one out.

id=79963 | topic=Percentages | difficulty=Easy | question=What is 20% of 1058? | option_a=211 | option_b=206 | option_c=422 | option_d=216 | answer=A | explanation=20% of 1058 = (20/100) × 1058 = 211.

id=79964 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=Q | option_c=O | option_d=P | answer=B | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=79965 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=X | option_b=N | option_c=C | option_d=S | answer=A | explanation=Move 5 positions forward from S; the resulting letter is X.

id=79966 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2501. If it is sold at a profit of 50%, what is its selling price? | option_a=3501 | option_b=2551 | option_c=3751 | option_d=4001 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2501 × 150/100 = █3751.

id=79967 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11166 at 4% per annum for 4 years. | option_a=1886 | option_b=1786 | option_c=12952 | option_d=1686 | answer=B | explanation=SI = PRT/100 = 11166×4×4/100 = █1786.

id=79968 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=54 | option_b=65 | option_c=55 | option_d=43 | answer=A | explanation=The common difference is 11. Therefore the next term is 43 + 11 = 54.

id=79969 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 7. | option_a=56 | option_b=196 | option_c=28 | option_d=21 | answer=C | explanation=LCM × HCF = 28×7; HCF(28,7) = 7, so LCM = 28.

id=79970 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4980. If it is sold at a profit of 25%, what is its selling price? | option_a=6723 | option_b=5727 | option_c=5005 | option_d=6225 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4980 × 125/100 = █6225.

id=79971 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=35 | option_b=26 | option_c=34 | option_d=42 | answer=C | explanation=The common difference is 8. Therefore the next term is 26 + 8 = 34.

id=79972 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=79973 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=79974 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 33, 40, 48? | option_a=40 | option_b=48 | option_c=33 | option_d=26 | answer=B | explanation=The first three numbers increase by 7, so the next should be 47. Therefore 48 is the odd one out.

id=79975 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:12 and the first is 6, what is the second? | option_a=27 | option_b=24 | option_c=30 | option_d=12 | answer=B | explanation=Scale factor = 6/3 = 2. Therefore second quantity = 12×2 = 24.

id=79976 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=W | option_c=Y | option_d=S | answer=B | explanation=Move 2 positions forward from U; the resulting letter is W.

id=79977 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=79978 | topic=Averages | difficulty=Easy | question=Find the average of 94, 26, 57, 55. | option_a=59 | option_b=57 | option_c=58 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 232 ÷ 4 = 58.

id=79979 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:15 and the first is 34, what is the second? | option_a=255 | option_b=289 | option_c=257 | option_d=240 | answer=A | explanation=Scale factor = 34/2 = 17. Therefore second quantity = 15×17 = 255.

id=79980 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:8 and the first is 16, what is the second? | option_a=48 | option_b=32 | option_c=36 | option_d=24 | answer=B | explanation=Scale factor = 16/4 = 4. Therefore second quantity = 8×4 = 32.

Aptitude Questions — Records 79,981-80,010 of 100,000

id=79981 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=79982 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=30 | option_b=35 | option_c=23 | option_d=29 | answer=D | explanation=The common difference is 6. Therefore the next term is 23 + 6 = 29.

id=79983 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2156. If it is sold at a profit of 10%, what is its selling price? | option_a=2371 | option_b=2166 | option_c=2586 | option_d=2156 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2156 × 110/100 = █2371.

id=79984 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=W | option_b=M | option_c=B | option_d=R | answer=A | explanation=Move 5 positions forward from R; the resulting letter is W.

id=79985 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:3 and the first is 6, what is the second? | option_a=3 | option_b=9 | option_c=12 | option_d=6 | answer=D | explanation=Scale factor = 6/3 = 2. Therefore second quantity = 3×2 = 6.

id=79986 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 27, 39, 51, ? | option_a=64 | option_b=63 | option_c=75 | option_d=51 | answer=B | explanation=The common difference is 12. Therefore the next term is 51 + 12 = 63.

id=79987 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4156. If it is sold at a profit of 5%, what is its selling price? | option_a=4778 | option_b=3948 | option_c=4161 | option_d=4363 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4156 × 105/100 = █4363.

id=79988 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=T | option_b=L | option_c=P | option_d=H | answer=C | explanation=Move 4 positions forward from L; the resulting letter is P.

id=79989 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=Q | option_c=G | option_d=V | answer=B | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=79990 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=W | option_b=Z | option_c=T | option_d=Q | answer=A | explanation=Move 3 positions forward from T; the resulting letter is W.

id=79991 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1086. If it is sold at a profit of 40%, what is its selling price? | option_a=1126 | option_b=1412 | option_c=1628 | option_d=1520 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1086 × 140/100 = █1520.

id=79992 | topic=Profit & Loss | difficulty=Easy | question=An article costs █614. If it is sold at a profit of 15%, what is its selling price? | option_a=629 | option_b=767 | option_c=645 | option_d=706 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 614 × 115/100 = █706.

id=79993 | topic=Percentages | difficulty=Easy | question=What is 30% of 163? | option_a=96 | option_b=68 | option_c=43 | option_d=48 | answer=D | explanation=30% of 163 = (30/100) × 163 = 48.

id=79994 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3423. If it is sold at a profit of 50%, what is its selling price? | option_a=5476 | option_b=3473 | option_c=4792 | option_d=5134 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3423 × 150/100 = █5134.

id=79995 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=7 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=79996 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 27. | option_a=36 | option_b=1 | option_c=243 | option_d=27 | answer=D | explanation=LCM × HCF = 9×27; HCF(9,27) = 9, so LCM = 27.

id=79997 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=53 | option_b=45 | option_c=35 | option_d=44 | answer=D | explanation=The common difference is 9. Therefore the next term is 35 + 9 = 44.

id=79998 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3439. If it is sold at a profit of 15%, what is its selling price? | option_a=3954 | option_b=3454 | option_c=3611 | option_d=4297 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3439 × 115/100 = █3954.

id=79999 | topic=Averages | difficulty=Easy | question=Find the average of 32, 78, 58, 86, 88, 50, 98, 62. | option_a=70 | option_b=69 | option_c=71 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = 552 ÷ 8 = 69.

id=80000 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=80001 | topic=Percentages | difficulty=Easy | question=What is 40% of 1244? | option_a=477 | option_b=502 | option_c=994 | option_d=497 | answer=D | explanation=40% of 1244 = (40/100) × 1244 = 497.

id=80002 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=29 | option_c=24 | option_d=19 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=80003 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=35 | option_b=41 | option_c=45 | option_d=40 | answer=D | explanation=The common difference is 5. Therefore the next term is 35 + 5 = 40.

id=80004 | topic=Averages | difficulty=Easy | question=Find the average of 52, 36, 21, 31, 86, 12, 94, 84. | option_a=54 | option_b=51 | option_c=53 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=80005 | topic=Percentages | difficulty=Easy | question=What is 20% of 1184? | option_a=472 | option_b=226 | option_c=246 | option_d=236 | answer=D | explanation=20% of 1184 = (20/100) × 1184 = 236.

id=80006 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40965 at 5% per annum for 4 years. | option_a=8293 | option_b=49158 | option_c=8093 | option_d=8193 | answer=D | explanation=SI = PRT/100 = 40965×5×4/100 = █8193.

id=80007 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39935 at 4% per annum for 5 years. | option_a=7987 | option_b=47922 | option_c=7887 | option_d=8087 | answer=A | explanation=SI = PRT/100 = 39935×4×5/100 = █7987.

id=80008 | topic=Averages | difficulty=Easy | question=Find the average of 70, 37, 58, 40, 10, 12, 47, 78, 38, 60. | option_a=46 | option_b=45 | option_c=47 | option_d=44 | answer=B | explanation=Average = sum of values ÷ number of values = 450 ÷ 10 = 45.

id=80009 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=G | option_b=P | option_c=M | option_d=J | answer=C | explanation=Move 3 positions forward from J; the resulting letter is M.

id=80010 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=35 | option_b=40 | option_c=28 | option_d=34 | answer=D | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.

Aptitude Questions — Records 80,011-80,040 of 100,000

id=80011 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 21, 23, 25, ? | option_a=25 | option_b=29 | option_c=28 | option_d=27 | answer=D | explanation=The common difference is 2. Therefore the next term is 25 + 2 = 27.

id=80012 | topic=Averages | difficulty=Easy | question=Find the average of 74, 92, 61, 41, 62, 81, 37, 80. | option_a=65 | option_b=68 | option_c=66 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 528 ÷ 8 = 66.

id=80013 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 27, 36, 48? | option_a=36 | option_b=18 | option_c=27 | option_d=48 | answer=D | explanation=The first three numbers increase by 9, so the next should be 45. Therefore 48 is the odd one out.

id=80014 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=49 | option_b=60 | option_c=69 | option_d=59 | answer=D | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

id=80015 | topic=Percentages | difficulty=Easy | question=What is 40% of 1733? | option_a=673 | option_b=693 | option_c=1386 | option_d=703 | answer=B | explanation=40% of 1733 = (40/100) × 1733 = 693.

id=80016 | topic=Percentages | difficulty=Easy | question=What is 12% of 590? | option_a=70 | option_b=80 | option_c=140 | option_d=65 | answer=A | explanation=12% of 590 = (12/100) × 590 = 70.

id=80017 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 22, 31, 42? | option_a=13 | option_b=22 | option_c=31 | option_d=42 | answer=D | explanation=The first three numbers increase by 9, so the next should be 40. Therefore 42 is the odd one out.

id=80018 | topic=Profit & Loss | difficulty=Easy | question=An article costs █498. If it is sold at a profit of 25%, what is its selling price? | option_a=573 | option_b=622 | option_c=671 | option_d=523 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 498 × 125/100 = █622.

id=80019 | topic=Percentages | difficulty=Easy | question=What is 25% of 1623? | option_a=810 | option_b=395 | option_c=415 | option_d=405 | answer=D | explanation=25% of 1623 = (25/100) × 1623 = 405.

id=80020 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 31? | option_a=20 | option_b=25 | option_c=31 | option_d=15 | answer=C | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 31 is the odd one out.

id=80021 | topic=Averages | difficulty=Easy | question=Find the average of 86, 86, 91, 84, 30, 68, 101. | option_a=77 | option_b=78 | option_c=79 | option_d=80 | answer=B | explanation=Average = sum of values ÷ number of values = 546 ÷ 7 = 78.

id=80022 | topic=Profit & Loss | difficulty=Easy | question=An article costs █998. If it is sold at a profit of 40%, what is its selling price? | option_a=1038 | option_b=1397 | option_c=1496 | option_d=1298 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 998 × 140/100 = █1397.

id=80023 | topic=Percentages | difficulty=Easy | question=What is 25% of 660? | option_a=145 | option_b=170 | option_c=330 | option_d=165 | answer=D | explanation=25% of 660 = (25/100) × 660 = 165.

id=80024 | topic=Percentages | difficulty=Easy | question=What is 12% of 293? | option_a=55 | option_b=25 | option_c=70 | option_d=35 | answer=D | explanation=12% of 293 = (12/100) × 293 = 35.

id=80025 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7339 at 8% per annum for 1 years. | option_a=7926 | option_b=487 | option_c=587 | option_d=687 | answer=C | explanation=SI = PRT/100 = 7339×8×1/100 = █587.

id=80026 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 35, 42, 51? | option_a=42 | option_b=35 | option_c=28 | option_d=51 | answer=D | explanation=The first three numbers increase by 7, so the next should be 49. Therefore 51 is the odd one out.

id=80027 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 26, 36, 48? | option_a=48 | option_b=26 | option_c=16 | option_d=36 | answer=A | explanation=The first three numbers increase by 10, so the next should be 46. Therefore 48 is the odd one out.

id=80028 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:5 and the first is 52, what is the second? | option_a=60 | option_b=117 | option_c=69 | option_d=65 | answer=D | explanation=Scale factor = 52/4 = 13. Therefore second quantity = 5×13 = 65.

id=80029 | topic=Averages | difficulty=Easy | question=Find the average of 22, 60, 78, 45, 64, 29, 42, 50, 59, 31. | option_a=48 | option_b=50 | option_c=49 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 480 ÷ 10 = 48.

id=80030 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=23 | option_b=22 | option_c=21 | option_d=19 | answer=C | explanation=The common difference is 2. Therefore the next term is 19 + 2 = 21.

id=80031 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=80032 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=49 | option_b=48 | option_c=55 | option_d=41 | answer=B | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.

id=80033 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=80034 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=E | option_b=O | option_c=T | option_d=J | answer=B | explanation=Move 5 positions forward from J; the resulting letter is O.

id=80035 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 21, 30, 39, ? | option_a=49 | option_b=39 | option_c=57 | option_d=48 | answer=D | explanation=The common difference is 9. Therefore the next term is 39 + 9 = 48.

id=80036 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=T | option_b=K | option_c=Q | option_d=N | answer=C | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=80037 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=80038 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13837 at 15% per annum for 1 years. | option_a=15912 | option_b=2075 | option_c=2175 | option_d=1975 | answer=B | explanation=SI = PRT/100 = 13837×15×1/100 = █2075.

id=80039 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=80040 | topic=Profit & Loss | difficulty=Easy | question=An article costs █578. If it is sold at a profit of 25%, what is its selling price? | option_a=779 | option_b=722 | option_c=603 | option_d=665 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 578 × 125/100 = █722.

Aptitude Questions — Records 80,041-80,070 of 100,000

id=80041 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 20, 23, 27? | option_a=27 | option_b=20 | option_c=17 | option_d=23 | answer=A | explanation=The first three numbers increase by 3, so the next should be 26. Therefore 27 is the odd one out.

id=80042 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 18, 24, 30, ? | option_a=36 | option_b=30 | option_c=37 | option_d=42 | answer=A | explanation=The common difference is 6. Therefore the next term is 30 + 6 = 36.

id=80043 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 53? | option_a=53 | option_b=20 | option_c=40 | option_d=30 | answer=A | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 53 is the odd one out.

id=80044 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 7. | option_a=98 | option_b=28 | option_c=14 | option_d=7 | answer=C | explanation=LCM × HCF = 14×7; HCF(14,7) = 7, so LCM = 14.

id=80045 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2015. If it is sold at a profit of 5%, what is its selling price? | option_a=2316 | option_b=2115 | option_c=2020 | option_d=1914 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2015 × 105/100 = █2115.

id=80046 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 16, 26, 38? | option_a=26 | option_b=16 | option_c=38 | option_d=6 | answer=C | explanation=The first three numbers increase by 10, so the next should be 36. Therefore 38 is the odd one out.

id=80047 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37524 at 4% per annum for 5 years. | option_a=45028 | option_b=7604 | option_c=7404 | option_d=7504 | answer=D | explanation=SI = PRT/100 = 37524×4×5/100 = █7504.

id=80048 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=35 | option_b=42 | option_c=36 | option_d=28 | answer=A | explanation=The common difference is 7. Therefore the next term is 28 + 7 = 35.

id=80049 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1675 at 4% per annum for 2 years. | option_a=34 | option_b=234 | option_c=134 | option_d=1809 | answer=C | explanation=SI = PRT/100 = 1675×4×2/100 = █134.

id=80050 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 28? | option_a=4 | option_b=18 | option_c=28 | option_d=11 | answer=C | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 28 is the odd one out.

id=80051 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=80 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=80052 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3958 at 4% per annum for 3 years. | option_a=374 | option_b=4432 | option_c=474 | option_d=574 | answer=C | explanation=SI = PRT/100 = 3958×4×3/100 = █474.

id=80053 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=S | option_b=P | option_c=J | option_d=M | answer=B | explanation=Move 3 positions forward from M; the resulting letter is P.

id=80054 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=54 | option_b=46 | option_c=45 | option_d=36 | answer=C | explanation=The common difference is 9. Therefore the next term is 36 + 9 = 45.

id=80055 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=80056 | topic=Percentages | difficulty=Easy | question=What is 12% of 1756? | option_a=215 | option_b=420 | option_c=210 | option_d=200 | answer=C | explanation=12% of 1756 = (12/100) × 1756 = 210.

id=80057 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=36 | option_c=41 | option_d=72 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=80058 | topic=Averages | difficulty=Easy | question=Find the average of 29, 34, 75, 11, 99, 96, 73, 60, 88, 105. | option_a=66 | option_b=68 | option_c=67 | option_d=69 | answer=C | explanation=Average = sum of values ÷ number of values = 670 ÷ 10 = 67.

id=80059 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=80060 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 25, 34, 43, ? | option_a=43 | option_b=61 | option_c=52 | option_d=53 | answer=C | explanation=The common difference is 9. Therefore the next term is 43 + 9 = 52.

id=80061 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=P | option_c=S | option_d=R | answer=D | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=80062 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40531 at 4% per annum for 5 years. | option_a=8206 | option_b=8006 | option_c=48637 | option_d=8106 | answer=D | explanation=SI = PRT/100 = 40531×4×5/100 = █8106.

id=80063 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:17 and the first is 75, what is the second? | option_a=260 | option_b=330 | option_c=255 | option_d=238 | answer=C | explanation=Scale factor = 75/5 = 15. Therefore second quantity = 17×15 = 255.

id=80064 | topic=Averages | difficulty=Easy | question=Find the average of 62, 36, 53, 17. | option_a=41 | option_b=42 | option_c=43 | option_d=44 | answer=B | explanation=Average = sum of values ÷ number of values = 168 ÷ 4 = 42.

id=80065 | topic=Percentages | difficulty=Easy | question=What is 50% of 1907? | option_a=953 | option_b=963 | option_c=933 | option_d=1906 | answer=A | explanation=50% of 1907 = (50/100) × 1907 = 953.

id=80066 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=80067 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4933. If it is sold at a profit of 20%, what is its selling price? | option_a=5919 | option_b=4953 | option_c=5426 | option_d=6412 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4933 × 120/100 = █5919.

id=80068 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=M | option_b=R | option_c=C | option_d=H | answer=A | explanation=Move 5 positions forward from H; the resulting letter is M.

id=80069 | topic=Averages | difficulty=Easy | question=Find the average of 98, 74, 74, 95, 52, 56, 10, 35, 19. | option_a=58 | option_b=59 | option_c=57 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 513 ÷ 9 = 57.

id=80070 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 28? | option_a=12 | option_b=28 | option_c=5 | option_d=19 | answer=B | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 28 is the odd one out.

Aptitude Questions — Records 80,071-80,100 of 100,000

id=80071 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:3 and the first is 36, what is the second? | option_a=33 | option_b=72 | option_c=36 | option_d=39 | answer=C | explanation=Scale factor = 36/3 = 12. Therefore second quantity = 3×12 = 36.

id=80072 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=40 | option_b=36 | option_c=30 | option_d=35 | answer=D | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=80073 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does "T" become? | option_a=R | option_b=X | option_c=T | option_d=V | answer=D | explanation=Move 2 positions forward from T; the resulting letter is V.

id=80074 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:11 and the first is 60, what is the second? | option_a=220 | option_b=223 | option_c=209 | option_d=280 | answer=A | explanation=Scale factor = 60/3 = 20. Therefore second quantity = 11×20 = 220.

id=80075 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 11, 20, 31? | option_a=20 | option_b=11 | option_c=31 | option_d=2 | answer=C | explanation=The first three numbers increase by 9, so the next should be 29. Therefore 31 is the odd one out.

id=80076 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=80077 | topic=Percentages | difficulty=Easy | question=What is 25% of 626? | option_a=312 | option_b=161 | option_c=136 | option_d=156 | answer=D | explanation=25% of 626 = (25/100) × 626 = 156.

id=80078 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 23? | option_a=8 | option_b=14 | option_c=2 | option_d=23 | answer=D | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 23 is the odd one out.

id=80079 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=33 | option_b=32 | option_c=25 | option_d=39 | answer=B | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.

id=80080 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does "N" become? | option_a=N | option_b=P | option_c=M | option_d=O | answer=D | explanation=Move 1 positions forward from N; the resulting letter is O.

id=80081 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3625. If it is sold at a profit of 10%, what is its selling price? | option_a=3987 | option_b=3625 | option_c=4349 | option_d=3635 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3625 × 110/100 = █3987.

id=80082 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=26 | option_b=23 | option_c=22 | option_d=18 | answer=C | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

id=80083 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does "I" become? | option_a=E | option_b=I | option_c=M | option_d=Q | answer=C | explanation=Move 4 positions forward from I; the resulting letter is M.

id=80084 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 21. | option_a=147 | option_b=192 | option_c=168 | option_d=504 | answer=C | explanation=LCM × HCF = 24×21; HCF(24,21) = 3, so LCM = 168.

id=80085 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 4. | option_a=24 | option_b=56 | option_c=28 | option_d=112 | answer=C | explanation=LCM × HCF = 28×4; HCF(28,4) = 4, so LCM = 28.

id=80086 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=28 | option_b=34 | option_c=40 | option_d=35 | answer=B | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.

id=80087 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does "F" become? | option_a=F | option_b=L | option_c=I | option_d=C | answer=C | explanation=Move 3 positions forward from F; the resulting letter is I.

id=80088 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 21, 27, 34? | option_a=27 | option_b=21 | option_c=15 | option_d=34 | answer=D | explanation=The first three numbers increase by 6, so the next should be 33. Therefore 34 is the odd one out.

id=80089 | topic=Profit & Loss | difficulty=Easy | question=An article costs █879. If it is sold at a profit of 30%, what is its selling price? | option_a=1055 | option_b=909 | option_c=1142 | option_d=1229 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 879 × 130/100 = █1142.

id=80090 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:17 and the first is 40, what is the second? | option_a=68 | option_b=108 | option_c=51 | option_d=78 | answer=A | explanation=Scale factor = 40/10 = 4. Therefore second quantity = 17×4 = 68.

id=80091 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21691 at 15% per annum for 1 years. | option_a=3153 | option_b=3253 | option_c=24944 | option_d=3353 | answer=B | explanation=SI = PRT/100 = 21691×15×1/100 = █3253.

id=80092 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2622 at 6% per annum for 3 years. | option_a=471 | option_b=571 | option_c=3093 | option_d=371 | answer=A | explanation=SI = PRT/100 = 2622×6×3/100 = █471.

id=80093 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=80094 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1881. If it is sold at a profit of 40%, what is its selling price? | option_a=1921 | option_b=2821 | option_c=2633 | option_d=2445 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1881 × 140/100 = █2633.

id=80095 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=80096 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38639 at 10% per annum for 1 years. | option_a=3963 | option_b=42502 | option_c=3763 | option_d=3863 | answer=D | explanation=SI = PRT/100 = 38639×10×1/100 = █3863.

id=80097 | topic=Averages | difficulty=Easy | question=Find the average of 13, 16, 28, 11. | option_a=18 | option_b=17 | option_c=19 | option_d=16 | answer=B | explanation=Average = sum of values ÷ number of values = 68 ÷ 4 = 17.

id=80098 | topic=Percentages | difficulty=Easy | question=What is 5% of 880? | option_a=39 | option_b=44 | option_c=49 | option_d=88 | answer=B | explanation=5% of 880 = (5/100) × 880 = 44.

id=80099 | topic=Profit & Loss | difficulty=Easy | question=An article costs █951. If it is sold at a profit of 20%, what is its selling price? | option_a=1236 | option_b=971 | option_c=1141 | option_d=1046 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 951 × 120/100 = █1141.

id=80100 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:15 and the first is 60, what is the second? | option_a=240 | option_b=185 | option_c=180 | option_d=165 | answer=C | explanation=Scale factor = 60/5 = 12. Therefore second quantity = 15×12 = 180.

Aptitude Questions — Records 80,101-80,130 of 100,000

id=80101 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=K | option_b=M | option_c=N | option_d=L | answer=B | explanation=Move 1 positions forward from L; the resulting letter is M.

id=80102 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13428 at 5% per annum for 4 years. | option_a=2585 | option_b=2785 | option_c=2685 | option_d=16113 | answer=C | explanation=SI = PRT/100 = 13428×5×4/100 = **■**2685.

id=80103 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 38? | option_a=29 | option_b=26 | option_c=38 | option_d=32 | answer=C | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 38 is the odd one out.

id=80104 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 59? | option_a=47 | option_b=38 | option_c=29 | option_d=59 | answer=D | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 59 is the odd one out.

id=80105 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=80106 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=E | option_c=I | option_d=C | answer=A | explanation=Move 2 positions forward from E; the resulting letter is G.

id=80107 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:10 and the first is 30, what is the second? | option_a=180 | option_b=152 | option_c=150 | option_d=140 | answer=C | explanation=Scale factor = 30/2 = 15. Therefore second quantity = 10×15 = 150.

id=80108 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:8 and the first is 200, what is the second? | option_a=160 | option_b=360 | option_c=170 | option_d=152 | answer=A | explanation=Scale factor = 200/10 = 20. Therefore second quantity = 8×20 = 160.

id=80109 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=D | option_c=E | option_d=F | answer=D | explanation=Move 1 positions forward from E; the resulting letter is F.

id=80110 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3215. If it is sold at a profit of 5%, what is its selling price? | option_a=3696 | option_b=3054 | option_c=3220 | option_d=3375 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3215 × 105/100 = **■**3375.

id=80111 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=40 | option_b=45 | option_c=35 | option_d=41 | answer=A | explanation=The common difference is 5. Therefore the next term is 35 + 5 = 40.

id=80112 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=7 | option_c=24 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=80113 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1389. If it is sold at a profit of 10%, what is its selling price? | option_a=1665 | option_b=1399 | option_c=1527 | option_d=1389 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1389 × 110/100 = **■**1527.

id=80114 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=80115 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:17 and the first is 306, what is the second? | option_a=289 | option_b=612 | option_c=323 | option_d=306 | answer=D | explanation=Scale factor = 306/17 = 18. Therefore second quantity = 17×18 = 306.

id=80116 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21462 at 8% per annum for 1 years. | option_a=23178 | option_b=1816 | option_c=1716 | option_d=1616 | answer=C | explanation=SI = PRT/100 = 21462×8×1/100 = **■**1716.

id=80117 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=80118 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 24. | option_a=182 | option_b=144 | option_c=168 | option_d=336 | answer=C | explanation=LCM × HCF = 14×24; HCF(14,24) = 2, so LCM = 168.

id=80119 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:6 and the first is 36, what is the second? | option_a=102 | option_b=144 | option_c=108 | option_d=110 | answer=C | explanation=Scale factor = 36/2 = 18. Therefore second quantity = 6×18 = 108.

id=80120 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=80 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=80121 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3059. If it is sold at a profit of 50%, what is its selling price? | option_a=4588 | option_b=4893 | option_c=3109 | option_d=4283 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3059 × 150/100 = **■**4588.

id=80122 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3040. If it is sold at a profit of 10%, what is its selling price? | option_a=3648 | option_b=3050 | option_c=3344 | option_d=3040 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3040 × 110/100 = **■**3344.

id=80123 | topic=Percentages | difficulty=Easy | question=What is 30% of 1054? | option_a=326 | option_b=316 | option_c=632 | option_d=296 | answer=B | explanation=30% of 1054 = (30/100) × 1054 = 316.

id=80124 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4631. If it is sold at a profit of 25%, what is its selling price? | option_a=5325 | option_b=5788 | option_c=6251 | option_d=4656 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4631 × 125/100 = **■**5788.

id=80125 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=20 | option_b=16 | option_c=21 | option_d=24 | answer=A | explanation=The common difference is 4. Therefore the next term is 16 + 4 = 20.

id=80126 | topic=Percentages | difficulty=Easy | question=What is 12% of 1870? | option_a=224 | option_b=448 | option_c=244 | option_d=219 | answer=A | explanation=12% of 1870 = (12/100) × 1870 = 224.

id=80127 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=35 | option_b=57 | option_c=46 | option_d=47 | answer=C | explanation=The common difference is 11. Therefore the next term is 35 + 11 = 46.

id=80128 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:13 and the first is 40, what is the second? | option_a=46 | option_b=26 | option_c=13 | option_d=66 | answer=B | explanation=Scale factor = 40/20 = 2. Therefore second quantity = 13×2 = 26.

id=80129 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=80130 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**538. If it is sold at a profit of 15%, what is its selling price? | option_a=618 | option_b=671 | option_c=553 | option_d=565 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 538 × 115/100 = **■**618.

Aptitude Questions — Records 80,131-80,160 of 100,000

id=80131 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 30. | option_a=1 | option_b=30 | option_c=60 | option_d=32 | answer=B | explanation=LCM × HCF = 2×30; HCF(2,30) = 2, so LCM = 30.

id=80132 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=80133 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4408. If it is sold at a profit of 20%, what is its selling price? | option_a=5729 | option_b=4849 | option_c=5289 | option_d=4428 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4408 × 120/100 = █5289.

id=80134 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=L | option_b=O | option_c=F | option_d=I | answer=A | explanation=Move 3 positions forward from I; the resulting letter is L.

id=80135 | topic=Percentages | difficulty=Easy | question=What is 15% of 355? | option_a=53 | option_b=43 | option_c=106 | option_d=73 | answer=A | explanation=15% of 355 = (15/100) × 355 = 53.

id=80136 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:7 and the first is 112, what is the second? | option_a=210 | option_b=106 | option_c=91 | option_d=98 | answer=D | explanation=Scale factor = 112/8 = 14. Therefore second quantity = 7×14 = 98.

id=80137 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4506. If it is sold at a profit of 25%, what is its selling price? | option_a=5182 | option_b=4531 | option_c=5632 | option_d=6082 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4506 × 125/100 = █5632.

id=80138 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=80139 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1748. If it is sold at a profit of 50%, what is its selling price? | option_a=2796 | option_b=2448 | option_c=2622 | option_d=1798 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1748 × 150/100 = █2622.

id=80140 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:14 and the first is 91, what is the second? | option_a=189 | option_b=168 | option_c=182 | option_d=273 | answer=C | explanation=Scale factor = 91/7 = 13. Therefore second quantity = 14×13 = 182.

id=80141 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 26? | option_a=17 | option_b=26 | option_c=5 | option_d=11 | answer=B | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 26 is the odd one out.

id=80142 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 16. | option_a=234 | option_b=192 | option_c=416 | option_d=208 | answer=D | explanation=LCM × HCF = 26×16; HCF(26,16) = 2, so LCM = 208.

id=80143 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 33, 43, 55? | option_a=23 | option_b=43 | option_c=33 | option_d=55 | answer=D | explanation=The first three numbers increase by 10, so the next should be 53. Therefore 55 is the odd one out.

id=80144 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 18. | option_a=126 | option_b=378 | option_c=147 | option_d=108 | answer=A | explanation=LCM × HCF = 21×18; HCF(21,18) = 3, so LCM = 126.

id=80145 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 56? | option_a=29 | option_b=37 | option_c=45 | option_d=56 | answer=D | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 56 is the odd one out.

id=80146 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=M | option_c=N | option_d=K | answer=B | explanation=Move 1 positions forward from L; the resulting letter is M.

id=80147 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=80148 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2750. If it is sold at a profit of 5%, what is its selling price? | option_a=3162 | option_b=2755 | option_c=2887 | option_d=2612 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2750 × 105/100 = █2887.

id=80149 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28380 at 12% per annum for 3 years. | option_a=10316 | option_b=38596 | option_c=10116 | option_d=10216 | answer=D | explanation=SI = PRT/100 = 28380×12×3/100 = █10216.

id=80150 | topic=Percentages | difficulty=Easy | question=What is 20% of 1057? | option_a=211 | option_b=201 | option_c=216 | option_d=422 | answer=A | explanation=20% of 1057 = (20/100) × 1057 = 211.

id=80151 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=80152 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=80153 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=Q | option_b=U | option_c=S | option_d=W | answer=B | explanation=Move 2 positions forward from S; the resulting letter is U.

id=80154 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=L | option_b=D | option_c=Z | option_d=H | answer=D | explanation=Move 4 positions forward from D; the resulting letter is H.

id=80155 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2854. If it is sold at a profit of 15%, what is its selling price? | option_a=2997 | option_b=3282 | option_c=2869 | option_d=3567 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2854 × 115/100 = █3282.

id=80156 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=27 | option_b=39 | option_c=34 | option_d=33 | answer=D | explanation=The common difference is 6. Therefore the next term is 27 + 6 = 33.

id=80157 | topic=Averages | difficulty=Easy | question=Find the average of 97, 70, 90, 66, 93, 66, 78. | option_a=82 | option_b=80 | option_c=79 | option_d=81 | answer=B | explanation=Average = sum of values ÷ number of values = 560 ÷ 7 = 80.

id=80158 | topic=Profit & Loss | difficulty=Easy | question=An article costs █646. If it is sold at a profit of 40%, what is its selling price? | option_a=686 | option_b=968 | option_c=840 | option_d=904 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 646 × 140/100 = █904.

id=80159 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=80160 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 16, 23, 30, ? | option_a=44 | option_b=37 | option_c=30 | option_d=38 | answer=B | explanation=The common difference is 7. Therefore the next term is 30 + 7 = 37.

Aptitude Questions — Records 80,161-80,190 of 100,000

id=80161 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=N | option_b=H | option_c=K | option_d=Q | answer=A | explanation=Move 3 positions forward from K; the resulting letter is N.

id=80162 | topic=Percentages | difficulty=Easy | question=What is 12% of 74? | option_a=16 | option_b=8 | option_c=0 | option_d=13 | answer=B | explanation=12% of 74 = (12/100) × 74 = 8.

id=80163 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**6570 at 8% per annum for 5 years. | option_a=2528 | option_b=9198 | option_c=2628 | option_d=2728 | answer=C | explanation=SI = PRT/100 = 6570×8×5/100 = **₹**2628.

id=80164 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=V | option_c=S | option_d=U | answer=D | explanation=Move 1 positions forward from T; the resulting letter is U.

id=80165 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**9947 at 6% per annum for 2 years. | option_a=1193 | option_b=1293 | option_c=1093 | option_d=11140 | answer=A | explanation=SI = PRT/100 = 9947×6×2/100 = **₹**1193.

id=80166 | topic=Averages | difficulty=Easy | question=Find the average of 16, 53, 79, 68, 34, 74. | option_a=55 | option_b=53 | option_c=54 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 324 ÷ 6 = 54.

id=80167 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:11 and the first is 44, what is the second? | option_a=125 | option_b=121 | option_c=110 | option_d=165 | answer=B | explanation=Scale factor = 44/4 = 11. Therefore second quantity = 11×11 = 121.

id=80168 | topic=Averages | difficulty=Easy | question=Find the average of 44, 61, 63, 16. | option_a=45 | option_b=47 | option_c=48 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 184 ÷ 4 = 46.

id=80169 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=55 | option_b=47 | option_c=37 | option_d=46 | answer=D | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=80170 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:8 and the first is 380, what is the second? | option_a=540 | option_b=179 | option_c=160 | option_d=152 | answer=C | explanation=Scale factor = 380/19 = 20. Therefore second quantity = 8×20 = 160.

id=80171 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:18 and the first is 100, what is the second? | option_a=360 | option_b=460 | option_c=342 | option_d=365 | answer=A | explanation=Scale factor = 100/5 = 20. Therefore second quantity = 18×20 = 360.

id=80172 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3502. If it is sold at a profit of 20%, what is its selling price? | option_a=4202 | option_b=3522 | option_c=3852 | option_d=4552 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3502 × 120/100 = **₹**4202.

id=80173 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=80174 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=36 | option_b=46 | option_c=54 | option_d=45 | answer=D | explanation=The common difference is 9. Therefore the next term is 36 + 9 = 45.

id=80175 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1016. If it is sold at a profit of 25%, what is its selling price? | option_a=1041 | option_b=1169 | option_c=1371 | option_d=1270 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1016 × 125/100 = **₹**1270.

id=80176 | topic=Averages | difficulty=Easy | question=Find the average of 86, 64, 98, 72, 74, 23, 27, 52, 71. | option_a=62 | option_b=64 | option_c=65 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 567 ÷ 9 = 63.

id=80177 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**27965 at 8% per annum for 1 years. | option_a=2137 | option_b=2237 | option_c=2337 | option_d=30202 | answer=B | explanation=SI = PRT/100 = 27965×8×1/100 = **₹**2237.

id=80178 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=G | option_c=K | option_d=M | answer=C | explanation=Move 2 positions forward from I; the resulting letter is K.

id=80179 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**37274 at 5% per annum for 4 years. | option_a=44728 | option_b=7454 | option_c=7554 | option_d=7354 | answer=B | explanation=SI = PRT/100 = 37274×5×4/100 = **₹**7454.

id=80180 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 42? | option_a=42 | option_b=25 | option_c=32 | option_d=18 | answer=A | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 42 is the odd one out.

id=80181 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:9 and the first is 48, what is the second? | option_a=18 | option_b=43 | option_c=75 | option_d=27 | answer=D | explanation=Scale factor = 48/16 = 3. Therefore second quantity = 9×3 = 27.

id=80182 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 14, 19, 27? | option_a=19 | option_b=14 | option_c=27 | option_d=9 | answer=C | explanation=The first three numbers increase by 5, so the next should be 24. Therefore 27 is the odd one out.

id=80183 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2791. If it is sold at a profit of 10%, what is its selling price? | option_a=3349 | option_b=3070 | option_c=2801 | option_d=2791 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2791 × 110/100 = **₹**3070.

id=80184 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3248. If it is sold at a profit of 20%, what is its selling price? | option_a=3573 | option_b=3897 | option_c=4221 | option_d=3268 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3248 × 120/100 = **₹**3897.

id=80185 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:19 and the first is 102, what is the second? | option_a=114 | option_b=131 | option_c=95 | option_d=216 | answer=A | explanation=Scale factor = 102/17 = 6. Therefore second quantity = 19×6 = 114.

id=80186 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=50 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=80187 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 18, 28, 39? | option_a=8 | option_b=28 | option_c=18 | option_d=39 | answer=D | explanation=The first three numbers increase by 10, so the next should be 38. Therefore 39 is the odd one out.

id=80188 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 13? | option_a=5 | option_b=7 | option_c=9 | option_d=13 | answer=D | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 13 is the odd one out.

id=80189 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 27? | option_a=27 | option_b=18 | option_c=4 | option_d=11 | answer=A | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 27 is the odd one out.

id=80190 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3595. If it is sold at a profit of 20%, what is its selling price? | option_a=4673 | option_b=4314 | option_c=3955 | option_d=3615 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3595 × 120/100 = **₹**4314.

Aptitude Questions — Records 80,191-80,220 of 100,000

id=80191 | topic=Percentages | difficulty=Easy | question=What is 12% of 984? | option_a=108 | option_b=138 | option_c=118 | option_d=236 | answer=C | explanation=12% of 984 = (12/100) × 984 = 118.

id=80192 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34133 at 12% per annum for 4 years. | option_a=16283 | option_b=16483 | option_c=16383 | option_d=50516 | answer=C | explanation=SI = PRT/100 = 34133×12×4/100 = **■**16383.

id=80193 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=K | option_c=I | option_d=O | answer=A | explanation=Move 2 positions forward from K; the resulting letter is M.

id=80194 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 37? | option_a=4 | option_b=14 | option_c=37 | option_d=24 | answer=C | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 37 is the odd one out.

id=80195 | topic=Averages | difficulty=Easy | question=Find the average of 43, 89, 59, 11, 63, 15, 83, 56, 31. | option_a=50 | option_b=52 | option_c=51 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 450 ÷ 9 = 50.

id=80196 | topic=Averages | difficulty=Easy | question=Find the average of 64, 46, 20, 36, 37, 42, 48, 73, 96, 58. | option_a=54 | option_b=51 | option_c=53 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 520 ÷ 10 = 52.

id=80197 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3431. If it is sold at a profit of 10%, what is its selling price? | option_a=4117 | option_b=3441 | option_c=3774 | option_d=3431 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3431 × 110/100 = **■**3774.

id=80198 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=A | option_c=R | option_d=X | answer=D | explanation=Move 3 positions forward from U; the resulting letter is X.

id=80199 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 34? | option_a=24 | option_b=28 | option_c=20 | option_d=34 | answer=D | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 34 is the odd one out.

id=80200 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 34, 44, 57? | option_a=34 | option_b=44 | option_c=57 | option_d=24 | answer=C | explanation=The first three numbers increase by 10, so the next should be 54. Therefore 57 is the odd one out.

id=80201 | topic=Percentages | difficulty=Easy | question=What is 12% of 1189? | option_a=132 | option_b=152 | option_c=284 | option_d=142 | answer=D | explanation=12% of 1189 = (12/100) × 1189 = 142.

id=80202 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=80203 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:11 and the first is 182, what is the second? | option_a=157 | option_b=143 | option_c=132 | option_d=325 | answer=B | explanation=Scale factor = 182/14 = 13. Therefore second quantity = 11×13 = 143.

id=80204 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=O | option_c=A | option_d=S | answer=A | explanation=Move 4 positions forward from S; the resulting letter is W.

id=80205 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11880 at 15% per annum for 3 years. | option_a=5346 | option_b=5246 | option_c=5446 | option_d=17226 | answer=A | explanation=SI = PRT/100 = 11880×15×3/100 = **■**5346.

id=80206 | topic=Percentages | difficulty=Easy | question=What is 5% of 1517? | option_a=55 | option_b=95 | option_c=150 | option_d=75 | answer=D | explanation=5% of 1517 = (5/100) × 1517 = 75.

id=80207 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25756 at 12% per annum for 1 years. | option_a=28846 | option_b=2990 | option_c=3090 | option_d=3190 | answer=C | explanation=SI = PRT/100 = 25756×12×1/100 = **■**3090.

id=80208 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2225. If it is sold at a profit of 5%, what is its selling price? | option_a=2114 | option_b=2558 | option_c=2230 | option_d=2336 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2225 × 105/100 = **■**2336.

id=80209 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=12 | option_b=10 | option_c=13 | option_d=14 | answer=A | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.

id=80210 | topic=Averages | difficulty=Easy | question=Find the average of 71, 79, 66. | option_a=74 | option_b=73 | option_c=72 | option_d=71 | answer=C | explanation=Average = sum of values ÷ number of values = 216 ÷ 3 = 72.

id=80211 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=21 | option_b=26 | option_c=27 | option_d=31 | answer=B | explanation=The common difference is 5. Therefore the next term is 21 + 5 = 26.

id=80212 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=24 | option_b=30 | option_c=27 | option_d=28 | answer=C | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=80213 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=24 | option_c=29 | option_d=48 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=80214 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20426 at 5% per annum for 4 years. | option_a=3985 | option_b=4085 | option_c=24511 | option_d=4185 | answer=B | explanation=SI = PRT/100 = 20426×5×4/100 = **■**4085.

id=80215 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=6 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=80216 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=24 | option_c=17 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=80217 | topic=Percentages | difficulty=Easy | question=What is 25% of 243? | option_a=60 | option_b=65 | option_c=120 | option_d=50 | answer=A | explanation=25% of 243 = (25/100) × 243 = 60.

id=80218 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 35, 43, 54? | option_a=43 | option_b=54 | option_c=27 | option_d=35 | answer=B | explanation=The first three numbers increase by 8, so the next should be 51. Therefore 54 is the odd one out.

id=80219 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:19 and the first is 252, what is the second? | option_a=356 | option_b=594 | option_c=342 | option_d=323 | answer=C | explanation=Scale factor = 252/14 = 18. Therefore second quantity = 19×18 = 342.

id=80220 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

Aptitude Questions — Records 80,221-80,250 of 100,000

id=80221 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=60 | option_b=50 | option_c=51 | option_d=40 | answer=B | explanation=The common difference is 10. Therefore the next term is 40 + 10 = 50.

id=80222 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:4 and the first is 34, what is the second? | option_a=64 | option_b=68 | option_c=70 | option_d=102 | answer=B | explanation=Scale factor = 34/2 = 17. Therefore second quantity = 4×17 = 68.

id=80223 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=80224 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=61 | option_b=73 | option_c=62 | option_d=49 | answer=A | explanation=The common difference is 12. Therefore the next term is 49 + 12 = 61.

id=80225 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 22. | option_a=220 | option_b=110 | option_c=120 | option_d=88 | answer=B | explanation=LCM × HCF = 10×22; HCF(10,22) = 2, so LCM = 110.

id=80226 | topic=Percentages | difficulty=Easy | question=What is 30% of 251? | option_a=70 | option_b=85 | option_c=150 | option_d=75 | answer=D | explanation=30% of 251 = (30/100) × 251 = 75.

id=80227 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 10. | option_a=120 | option_b=50 | option_c=60 | option_d=72 | answer=C | explanation=LCM × HCF = 12×10; HCF(12,10) = 2, so LCM = 60.

id=80228 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10332 at 15% per annum for 4 years. | option_a=6299 | option_b=16531 | option_c=6199 | option_d=6099 | answer=C | explanation=SI = PRT/100 = 10332×15×4/100 = **■**6199.

id=80229 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24279 at 5% per annum for 2 years. | option_a=26706 | option_b=2527 | option_c=2327 | option_d=2427 | answer=D | explanation=SI = PRT/100 = 24279×5×2/100 = **■**2427.

id=80230 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=I | option_b=L | option_c=J | option_d=K | answer=D | explanation=Move 1 positions forward from J; the resulting letter is K.

id=80231 | topic=Averages | difficulty=Easy | question=Find the average of 16, 68, 75, 47, 39, 85, 20, 19, 18. | option_a=42 | option_b=45 | option_c=44 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = 387 ÷ 9 = 43.

id=80232 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=80233 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:13 and the first is 160, what is the second? | option_a=124 | option_b=264 | option_c=91 | option_d=104 | answer=D | explanation=Scale factor = 160/20 = 8. Therefore second quantity = 13×8 = 104.

id=80234 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3758. If it is sold at a profit of 5%, what is its selling price? | option_a=3945 | option_b=4320 | option_c=3570 | option_d=3763 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3758 × 105/100 = **■**3945.

id=80235 | topic=Averages | difficulty=Easy | question=Find the average of 99, 52, 13, 24, 30, 66, 96, 68. | option_a=55 | option_b=56 | option_c=58 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 448 ÷ 8 = 56.

id=80236 | topic=Percentages | difficulty=Easy | question=What is 50% of 749? | option_a=354 | option_b=748 | option_c=394 | option_d=374 | answer=D | explanation=50% of 749 = (50/100) × 749 = 374.

id=80237 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 38? | option_a=28 | option_b=10 | option_c=19 | option_d=38 | answer=D | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 38 is the odd one out.

id=80238 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:2 and the first is 85, what is the second? | option_a=8 | option_b=27 | option_c=10 | option_d=95 | answer=C | explanation=Scale factor = 85/17 = 5. Therefore second quantity = 2×5 = 10.

id=80239 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26057 at 12% per annum for 5 years. | option_a=41691 | option_b=15734 | option_c=15534 | option_d=15634 | answer=D | explanation=SI = PRT/100 = 26057×12×5/100 = **■**15634.

id=80240 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 9, 12, 17? | option_a=9 | option_b=17 | option_c=12 | option_d=6 | answer=B | explanation=The first three numbers increase by 3, so the next should be 15. Therefore 17 is the odd one out.

id=80241 | topic=Percentages | difficulty=Easy | question=What is 12% of 1998? | option_a=239 | option_b=244 | option_c=229 | option_d=478 | answer=A | explanation=12% of 1998 = (12/100) × 1998 = 239.

id=80242 | topic=Percentages | difficulty=Easy | question=What is 20% of 168? | option_a=66 | option_b=33 | option_c=23 | option_d=43 | answer=B | explanation=20% of 168 = (20/100) × 168 = 33.

id=80243 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 15? | option_a=12 | option_b=8 | option_c=15 | option_d=10 | answer=C | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 15 is the odd one out.

id=80244 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=80245 | topic=Percentages | difficulty=Easy | question=What is 5% of 793? | option_a=78 | option_b=39 | option_c=49 | option_d=19 | answer=B | explanation=5% of 793 = (5/100) × 793 = 39.

id=80246 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=E | option_b=F | option_c=G | option_d=H | answer=C | explanation=Move 1 positions forward from F; the resulting letter is G.

id=80247 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 34, 42, 52? | option_a=52 | option_b=34 | option_c=26 | option_d=42 | answer=A | explanation=The first three numbers increase by 8, so the next should be 50. Therefore 52 is the odd one out.

id=80248 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:9 and the first is 247, what is the second? | option_a=171 | option_b=184 | option_c=418 | option_d=162 | answer=A | explanation=Scale factor = 247/13 = 19. Therefore second quantity = 9×19 = 171.

id=80249 | topic=Percentages | difficulty=Easy | question=What is 20% of 1434? | option_a=281 | option_b=572 | option_c=291 | option_d=286 | answer=D | explanation=20% of 1434 = (20/100) × 1434 = 286.

id=80250 | topic=Averages | difficulty=Easy | question=Find the average of 74, 21, 95, 86, 85, 79, 71. | option_a=75 | option_b=74 | option_c=72 | option_d=73 | answer=D | explanation=Average = sum of values ÷ number of values = 511 ÷ 7 = 73.

Aptitude Questions — Records 80,251-80,280 of 100,000

id=80251 | topic=Percentages | difficulty=Easy | question=What is 20% of 1027? | option_a=205 | option_b=215 | option_c=410 | option_d=195 | answer=A | explanation=20% of 1027 = (20/100) × 1027 = 205.

id=80252 | topic=Averages | difficulty=Easy | question=Find the average of 10, 33, 29, 84, 64. | option_a=43 | option_b=44 | option_c=45 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 220 ÷ 5 = 44.

id=80253 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 27. | option_a=108 | option_b=150 | option_c=135 | option_d=405 | answer=C | explanation=LCM × HCF = 15×27; HCF(15,27) = 3, so LCM = 135.

id=80254 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=80255 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3640. If it is sold at a profit of 15%, what is its selling price? | option_a=4186 | option_b=4550 | option_c=3655 | option_d=3822 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3640 × 115/100 = █4186.

id=80256 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 15, 23, 33? | option_a=7 | option_b=23 | option_c=15 | option_d=33 | answer=D | explanation=The first three numbers increase by 8, so the next should be 31. Therefore 33 is the odd one out.

id=80257 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:15 and the first is 39, what is the second? | option_a=84 | option_b=30 | option_c=45 | option_d=58 | answer=C | explanation=Scale factor = 39/13 = 3. Therefore second quantity = 15×3 = 45.

id=80258 | topic=Percentages | difficulty=Easy | question=What is 15% of 389? | option_a=58 | option_b=116 | option_c=38 | option_d=68 | answer=A | explanation=15% of 389 = (15/100) × 389 = 58.

id=80259 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:12 and the first is 162, what is the second? | option_a=108 | option_b=96 | option_c=126 | option_d=270 | answer=A | explanation=Scale factor = 162/18 = 9. Therefore second quantity = 12×9 = 108.

id=80260 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=80261 | topic=Averages | difficulty=Easy | question=Find the average of 69, 81, 75, 93, 17, 15, 24, 39, 100, 87. | option_a=61 | option_b=62 | option_c=59 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=80262 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4663. If it is sold at a profit of 25%, what is its selling price? | option_a=5362 | option_b=6294 | option_c=4688 | option_d=5828 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4663 × 125/100 = █5828.

id=80263 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=1 | option_c=11 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=80264 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:12 and the first is 96, what is the second? | option_a=180 | option_b=192 | option_c=288 | option_d=198 | answer=B | explanation=Scale factor = 96/6 = 16. Therefore second quantity = 12×16 = 192.

id=80265 | topic=Averages | difficulty=Easy | question=Find the average of 27, 93, 41, 34, 29, 98, 14. | option_a=49 | option_b=48 | option_c=50 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 336 ÷ 7 = 48.

id=80266 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=80267 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 44, what is the second? | option_a=48 | option_b=108 | option_c=64 | option_d=75 | answer=C | explanation=Scale factor = 44/11 = 4. Therefore second quantity = 16×4 = 64.

id=80268 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=80269 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=80270 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=38 | option_b=33 | option_c=43 | option_d=39 | answer=A | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.

id=80271 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=19 | option_c=29 | option_d=48 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=80272 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34213 at 10% per annum for 5 years. | option_a=51319 | option_b=17206 | option_c=17106 | option_d=17006 | answer=C | explanation=SI = PRT/100 = 34213×10×5/100 = █17106.

id=80273 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 46? | option_a=46 | option_b=24 | option_c=31 | option_d=38 | answer=A | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 46 is the odd one out.

id=80274 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13387 at 6% per annum for 3 years. | option_a=2309 | option_b=2509 | option_c=15796 | option_d=2409 | answer=D | explanation=SI = PRT/100 = 13387×6×3/100 = █2409.

id=80275 | topic=Averages | difficulty=Easy | question=Find the average of 46, 87, 23. | option_a=54 | option_b=53 | option_c=51 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 156 ÷ 3 = 52.

id=80276 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37612 at 4% per annum for 5 years. | option_a=7522 | option_b=7622 | option_c=7422 | option_d=45134 | answer=A | explanation=SI = PRT/100 = 37612×4×5/100 = █7522.

id=80277 | topic=Averages | difficulty=Easy | question=Find the average of 26, 99, 36, 38, 36. | option_a=48 | option_b=49 | option_c=47 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 235 ÷ 5 = 47.

id=80278 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=C | option_c=O | option_d=G | answer=A | explanation=Move 4 positions forward from G; the resulting letter is K.

id=80279 | topic=Percentages | difficulty=Easy | question=What is 5% of 1414? | option_a=140 | option_b=80 | option_c=70 | option_d=50 | answer=C | explanation=5% of 1414 = (5/100) × 1414 = 70.

id=80280 | topic=Percentages | difficulty=Easy | question=What is 12% of 1352? | option_a=324 | option_b=142 | option_c=162 | option_d=167 | answer=C | explanation=12% of 1352 = (12/100) × 1352 = 162.

Aptitude Questions — Records 80,281-80,310 of 100,000

id=80281 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=360 | option_c=185 | option_d=175 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=80282 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:8 and the first is 75, what is the second? | option_a=55 | option_b=32 | option_c=115 | option_d=40 | answer=D | explanation=Scale factor = 75/15 = 5. Therefore second quantity = 8×5 = 40.

id=80283 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=80284 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2795. If it is sold at a profit of 30%, what is its selling price? | option_a=3912 | option_b=3354 | option_c=3633 | option_d=2825 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2795 × 130/100 = █3633.

id=80285 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=J | option_b=H | option_c=I | option_d=K | answer=A | explanation=Move 1 positions forward from I; the resulting letter is J.

id=80286 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1894. If it is sold at a profit of 30%, what is its selling price? | option_a=2462 | option_b=2651 | option_c=2273 | option_d=1924 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1894 × 130/100 = █2462.

id=80287 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:13 and the first is 32, what is the second? | option_a=91 | option_b=136 | option_c=108 | option_d=104 | answer=D | explanation=Scale factor = 32/4 = 8. Therefore second quantity = 13×8 = 104.

id=80288 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 37? | option_a=15 | option_b=25 | option_c=5 | option_d=37 | answer=D | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 37 is the odd one out.

id=80289 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4079. If it is sold at a profit of 50%, what is its selling price? | option_a=5711 | option_b=6525 | option_c=4129 | option_d=6118 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4079 × 150/100 = █6118.

id=80290 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=I | option_b=O | option_c=R | option_d=L | answer=B | explanation=Move 3 positions forward from L; the resulting letter is O.

id=80291 | topic=Averages | difficulty=Easy | question=Find the average of 93, 12, 61, 46. | option_a=53 | option_b=52 | option_c=54 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 212 ÷ 4 = 53.

id=80292 | topic=Percentages | difficulty=Easy | question=What is 25% of 1292? | option_a=343 | option_b=323 | option_c=646 | option_d=313 | answer=B | explanation=25% of 1292 = (25/100) × 1292 = 323.

id=80293 | topic=Averages | difficulty=Easy | question=Find the average of 71, 24, 86, 82, 43, 78, 12, 10, 98. | option_a=56 | option_b=58 | option_c=57 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=80294 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 22, 31, 42? | option_a=22 | option_b=42 | option_c=13 | option_d=31 | answer=B | explanation=The first three numbers increase by 9, so the next should be 40. Therefore 42 is the odd one out.

id=80295 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 22, 26, 33? | option_a=33 | option_b=22 | option_c=26 | option_d=18 | answer=A | explanation=The first three numbers increase by 4, so the next should be 30. Therefore 33 is the odd one out.

id=80296 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:2 and the first is 75, what is the second? | option_a=10 | option_b=8 | option_c=25 | option_d=85 | answer=A | explanation=Scale factor = 75/15 = 5. Therefore second quantity = 2×5 = 10.

id=80297 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 34? | option_a=21 | option_b=34 | option_c=29 | option_d=25 | answer=B | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 34 is the odd one out.

id=80298 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10374 at 10% per annum for 1 years. | option_a=1137 | option_b=937 | option_c=1037 | option_d=11411 | answer=C | explanation=SI = PRT/100 = 10374×10×1/100 = █1037.

id=80299 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=28 | option_b=31 | option_c=34 | option_d=32 | answer=B | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=80300 | topic=Averages | difficulty=Easy | question=Find the average of 27, 87, 16, 81, 70, 25. | option_a=50 | option_b=53 | option_c=52 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 306 ÷ 6 = 51.

id=80301 | topic=Profit & Loss | difficulty=Easy | question=An article costs █133. If it is sold at a profit of 10%, what is its selling price? | option_a=146 | option_b=133 | option_c=159 | option_d=143 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 133 × 110/100 = █146.

id=80302 | topic=Percentages | difficulty=Easy | question=What is 30% of 1270? | option_a=381 | option_b=376 | option_c=762 | option_d=391 | answer=A | explanation=30% of 1270 = (30/100) × 1270 = 381.

id=80303 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 12, 14, 18? | option_a=18 | option_b=14 | option_c=12 | option_d=10 | answer=A | explanation=The first three numbers increase by 2, so the next should be 16. Therefore 18 is the odd one out.

id=80304 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=W | option_c=Q | option_d=U | answer=D | explanation=Move 2 positions forward from S; the resulting letter is U.

id=80305 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 14, 23, 33? | option_a=5 | option_b=33 | option_c=23 | option_d=14 | answer=B | explanation=The first three numbers increase by 9, so the next should be 32. Therefore 33 is the odd one out.

id=80306 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48992 at 12% per annum for 4 years. | option_a=23516 | option_b=72508 | option_c=23616 | option_d=23416 | answer=A | explanation=SI = PRT/100 = 48992×12×4/100 = █23516.

id=80307 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2530. If it is sold at a profit of 5%, what is its selling price? | option_a=2909 | option_b=2403 | option_c=2535 | option_d=2656 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2530 × 105/100 = █2656.

id=80308 | topic=Percentages | difficulty=Easy | question=What is 50% of 728? | option_a=364 | option_b=374 | option_c=728 | option_d=344 | answer=A | explanation=50% of 728 = (50/100) × 728 = 364.

id=80309 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=80310 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17680 at 5% per annum for 4 years. | option_a=21216 | option_b=3536 | option_c=3436 | option_d=3636 | answer=B | explanation=SI = PRT/100 = 17680×5×4/100 = █3536.

Aptitude Questions — Records 80,311-80,340 of 100,000

id=80311 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 26. | option_a=338 | option_b=392 | option_c=364 | option_d=728 | answer=C | explanation=LCM × HCF = 28×26; HCF(28,26) = 2, so LCM = 364.

id=80312 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:11 and the first is 9, what is the second? | option_a=108 | option_b=88 | option_c=99 | option_d=100 | answer=C | explanation=Scale factor = 9/1 = 9. Therefore second quantity = 11×9 = 99.

id=80313 | topic=Percentages | difficulty=Easy | question=What is 12% of 1863? | option_a=243 | option_b=213 | option_c=446 | option_d=223 | answer=D | explanation=12% of 1863 = (12/100) × 1863 = 223.

id=80314 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=30 | option_b=33 | option_c=25 | option_d=29 | answer=D | explanation=The common difference is 4. Therefore the next term is 25 + 4 = 29.

id=80315 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1540. If it is sold at a profit of 5%, what is its selling price? | option_a=1463 | option_b=1617 | option_c=1545 | option_d=1771 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1540 × 105/100 = █1617.

id=80316 | topic=Averages | difficulty=Easy | question=Find the average of 34, 87, 93, 22, 71, 42, 48, 78, 29. | option_a=57 | option_b=58 | option_c=55 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=80317 | topic=Profit & Loss | difficulty=Easy | question=An article costs █731. If it is sold at a profit of 10%, what is its selling price? | option_a=741 | option_b=877 | option_c=804 | option_d=731 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 731 × 110/100 = █804.

id=80318 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2909. If it is sold at a profit of 5%, what is its selling price? | option_a=3344 | option_b=2764 | option_c=2914 | option_d=3054 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2909 × 105/100 = █3054.

id=80319 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 23, 26, 32? | option_a=32 | option_b=26 | option_c=20 | option_d=23 | answer=A | explanation=The first three numbers increase by 3, so the next should be 29. Therefore 32 is the odd one out.

id=80320 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=80321 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=80322 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=37 | option_b=31 | option_c=38 | option_d=43 | answer=A | explanation=The common difference is 6. Therefore the next term is 31 + 6 = 37.

id=80323 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=50 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=80324 | topic=Averages | difficulty=Easy | question=Find the average of 47, 25, 31, 66, 95, 70, 58, 85, 10, 43. | option_a=55 | option_b=53 | option_c=52 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=80325 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11637 at 6% per annum for 4 years. | option_a=2892 | option_b=2692 | option_c=2792 | option_d=14429 | answer=C | explanation=SI = PRT/100 = 11637×6×4/100 = █2792.

id=80326 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28967 at 6% per annum for 1 years. | option_a=1638 | option_b=1838 | option_c=1738 | option_d=30705 | answer=C | explanation=SI = PRT/100 = 28967×6×1/100 = █1738.

id=80327 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=36 | option_b=37 | option_c=31 | option_d=41 | answer=A | explanation=The common difference is 5. Therefore the next term is 31 + 5 = 36.

id=80328 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 16. | option_a=80 | option_b=100 | option_c=64 | option_d=320 | answer=A | explanation=LCM × HCF = 20×16; HCF(20,16) = 4, so LCM = 80.

id=80329 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 22, 25, 30? | option_a=30 | option_b=22 | option_c=19 | option_d=25 | answer=A | explanation=The first three numbers increase by 3, so the next should be 28. Therefore 30 is the odd one out.

id=80330 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=62 | option_b=51 | option_c=63 | option_d=73 | answer=A | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.

id=80331 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=80332 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 31, 40, 52? | option_a=22 | option_b=40 | option_c=52 | option_d=31 | answer=C | explanation=The first three numbers increase by 9, so the next should be 49. Therefore 52 is the odd one out.

id=80333 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3030. If it is sold at a profit of 10%, what is its selling price? | option_a=3636 | option_b=3030 | option_c=3040 | option_d=3333 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3030 × 110/100 = █3333.

id=80334 | topic=Percentages | difficulty=Easy | question=What is 10% of 146? | option_a=14 | option_b=28 | option_c=19 | option_d=0 | answer=A | explanation=10% of 146 = (10/100) × 146 = 14.

id=80335 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=35 | option_b=38 | option_c=30 | option_d=34 | answer=D | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.

id=80336 | topic=Profit & Loss | difficulty=Easy | question=An article costs █546. If it is sold at a profit of 20%, what is its selling price? | option_a=566 | option_b=601 | option_c=709 | option_d=655 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 546 × 120/100 = █655.

id=80337 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=F | option_b=O | option_c=L | option_d=I | answer=C | explanation=Move 3 positions forward from I; the resulting letter is L.

id=80338 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=H | option_b=E | option_c=B | option_d=Y | answer=B | explanation=Move 3 positions forward from B; the resulting letter is E.

id=80339 | topic=Percentages | difficulty=Easy | question=What is 15% of 1196? | option_a=184 | option_b=174 | option_c=358 | option_d=179 | answer=D | explanation=15% of 1196 = (15/100) × 1196 = 179.

id=80340 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 80,341-80,370 of 100,000

id=80341 | topic=Percentages | difficulty=Easy | question=What is 20% of 1342? | option_a=263 | option_b=268 | option_c=288 | option_d=536 | answer=B | explanation=20% of 1342 = (20/100) × 1342 = 268.

id=80342 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=8 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=80343 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40040 at 8% per annum for 1 years. | option_a=3303 | option_b=43243 | option_c=3103 | option_d=3203 | answer=D | explanation=SI = PRT/100 = 40040×8×1/100 = █3203.

id=80344 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:7 and the first is 33, what is the second? | option_a=80 | option_b=70 | option_c=77 | option_d=110 | answer=C | explanation=Scale factor = 33/3 = 11. Therefore second quantity = 7×11 = 77.

id=80345 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3018 at 5% per annum for 4 years. | option_a=703 | option_b=603 | option_c=3621 | option_d=503 | answer=B | explanation=SI = PRT/100 = 3018×5×4/100 = █603.

id=80346 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44193 at 5% per annum for 3 years. | option_a=6628 | option_b=6728 | option_c=50821 | option_d=6528 | answer=A | explanation=SI = PRT/100 = 44193×5×3/100 = █6628.

id=80347 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=80348 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=80349 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=24 | option_b=25 | option_c=21 | option_d=27 | answer=A | explanation=The common difference is 3. Therefore the next term is 21 + 3 = 24.

id=80350 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 60? | option_a=27 | option_b=37 | option_c=60 | option_d=47 | answer=C | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 60 is the odd one out.

id=80351 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 33, 39, 46? | option_a=46 | option_b=39 | option_c=33 | option_d=27 | answer=A | explanation=The first three numbers increase by 6, so the next should be 45. Therefore 46 is the odd one out.

id=80352 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38818 at 5% per annum for 4 years. | option_a=46581 | option_b=7863 | option_c=7663 | option_d=7763 | answer=D | explanation=SI = PRT/100 = 38818×5×4/100 = █7763.

id=80353 | topic=Averages | difficulty=Easy | question=Find the average of 91, 45, 17, 89, 39, 82, 92, 29, 89, 47. | option_a=61 | option_b=62 | option_c=64 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 620 ÷ 10 = 62.

id=80354 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 16? | option_a=3 | option_b=11 | option_c=16 | option_d=7 | answer=C | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 16 is the odd one out.

id=80355 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2135. If it is sold at a profit of 50%, what is its selling price? | option_a=3202 | option_b=2185 | option_c=2989 | option_d=3415 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2135 × 150/100 = █3202.

id=80356 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=20 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=80357 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 14, 18, 23? | option_a=14 | option_b=10 | option_c=23 | option_d=18 | answer=C | explanation=The first three numbers increase by 4, so the next should be 22. Therefore 23 is the odd one out.

id=80358 | topic=Percentages | difficulty=Easy | question=What is 12% of 1749? | option_a=418 | option_b=209 | option_c=219 | option_d=189 | answer=B | explanation=12% of 1749 = (12/100) × 1749 = 209.

id=80359 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=24 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=80360 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 37? | option_a=37 | option_b=34 | option_c=32 | option_d=30 | answer=A | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 37 is the odd one out.

id=80361 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=80362 | topic=Percentages | difficulty=Easy | question=What is 50% of 1296? | option_a=653 | option_b=1296 | option_c=628 | option_d=648 | answer=D | explanation=50% of 1296 = (50/100) × 1296 = 648.

id=80363 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 24. | option_a=120 | option_b=480 | option_c=96 | option_d=140 | answer=A | explanation=LCM × HCF = 20×24; HCF(20,24) = 4, so LCM = 120.

id=80364 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=100 | option_c=95 | option_d=105 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=80365 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 6. | option_a=12 | option_b=27 | option_c=54 | option_d=18 | answer=D | explanation=LCM × HCF = 9×6; HCF(9,6) = 3, so LCM = 18.

id=80366 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:12 and the first is 180, what is the second? | option_a=132 | option_b=159 | option_c=324 | option_d=144 | answer=D | explanation=Scale factor = 180/15 = 12. Therefore second quantity = 12×12 = 144.

id=80367 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 34, 39, 46? | option_a=34 | option_b=39 | option_c=29 | option_d=46 | answer=D | explanation=The first three numbers increase by 5, so the next should be 44. Therefore 46 is the odd one out.

id=80368 | topic=Averages | difficulty=Easy | question=Find the average of 95, 86, 23. | option_a=69 | option_b=70 | option_c=68 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 204 ÷ 3 = 68.

id=80369 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 10. | option_a=140 | option_b=60 | option_c=70 | option_d=84 | answer=C | explanation=LCM × HCF = 14×10; HCF(14,10) = 2, so LCM = 70.

id=80370 | topic=Averages | difficulty=Easy | question=Find the average of 41, 71, 93, 24, 46. | option_a=56 | option_b=55 | option_c=57 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 275 ÷ 5 = 55.

Aptitude Questions — Records 80,371-80,400 of 100,000

id=80371 | topic=Averages | difficulty=Easy | question=Find the average of 75, 87, 68, 58. | option_a=71 | option_b=72 | option_c=73 | option_d=74 | answer=B | explanation=Average = sum of values ÷ number of values = 288 ÷ 4 = 72.

id=80372 | topic=Averages | difficulty=Easy | question=Find the average of 31, 23, 69, 46, 73, 38, 87, 84, 35. | option_a=53 | option_b=55 | option_c=56 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 486 ÷ 9 = 54.

id=80373 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=40 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=80374 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=80375 | topic=Percentages | difficulty=Easy | question=What is 5% of 681? | option_a=29 | option_b=34 | option_c=44 | option_d=68 | answer=B | explanation=5% of 681 = (5/100) × 681 = 34.

id=80376 | topic=Percentages | difficulty=Easy | question=What is 30% of 1937? | option_a=601 | option_b=581 | option_c=561 | option_d=1162 | answer=B | explanation=30% of 1937 = (30/100) × 1937 = 581.

id=80377 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**29555 at 10% per annum for 3 years. | option_a=8966 | option_b=8766 | option_c=38421 | option_d=8866 | answer=D | explanation=SI = PRT/100 = 29555×10×3/100 = **₹**8866.

id=80378 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=40 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=80379 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=47 | option_b=48 | option_c=56 | option_d=38 | answer=A | explanation=The common difference is 9. Therefore the next term is 38 + 9 = 47.

id=80380 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=80381 | topic=Averages | difficulty=Easy | question=Find the average of 89, 91, 79, 75, 86. | option_a=86 | option_b=83 | option_c=85 | option_d=84 | answer=D | explanation=Average = sum of values ÷ number of values = 420 ÷ 5 = 84.

id=80382 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=R | option_b=J | option_c=F | option_d=N | answer=D | explanation=Move 4 positions forward from J; the resulting letter is N.

id=80383 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=K | option_c=I | option_d=M | answer=D | explanation=Move 2 positions forward from K; the resulting letter is M.

id=80384 | topic=Number System | difficulty=Easy | question=Find the LCM of 11 and 22. | option_a=1 | option_b=242 | option_c=22 | option_d=33 | answer=C | explanation=LCM × HCF = 11×22; HCF(11,22) = 11, so LCM = 22.

id=80385 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 35? | option_a=22 | option_b=2 | option_c=12 | option_d=35 | answer=D | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 35 is the odd one out.

id=80386 | topic=Averages | difficulty=Easy | question=Find the average of 16, 22, 92, 17, 59, 63, 44, 94, 79. | option_a=53 | option_b=55 | option_c=56 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 486 ÷ 9 = 54.

id=80387 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:15 and the first is 15, what is the second? | option_a=60 | option_b=75 | option_c=78 | option_d=90 | answer=B | explanation=Scale factor = 15/3 = 5. Therefore second quantity = 15×5 = 75.

id=80388 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:2 and the first is 40, what is the second? | option_a=4 | option_b=2 | option_c=24 | option_d=44 | answer=A | explanation=Scale factor = 40/20 = 2. Therefore second quantity = 2×2 = 4.

id=80389 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=80390 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=R | option_c=P | option_d=S | answer=B | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=80391 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=24 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=80392 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:18 and the first is 26, what is the second? | option_a=62 | option_b=36 | option_c=18 | option_d=49 | answer=B | explanation=Scale factor = 26/13 = 2. Therefore second quantity = 18×2 = 36.

id=80393 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**3560 at 4% per annum for 4 years. | option_a=469 | option_b=569 | option_c=669 | option_d=4129 | answer=B | explanation=SI = PRT/100 = 3560×4×4/100 = **₹**569.

id=80394 | topic=Percentages | difficulty=Easy | question=What is 15% of 683? | option_a=97 | option_b=204 | option_c=107 | option_d=102 | answer=D | explanation=15% of 683 = (15/100) × 683 = 102.

id=80395 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=60 | option_b=42 | option_c=52 | option_d=51 | answer=D | explanation=The common difference is 9. Therefore the next term is 42 + 9 = 51.

id=80396 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=35 | option_c=80 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=80397 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**48469 at 10% per annum for 3 years. | option_a=63009 | option_b=14540 | option_c=14440 | option_d=14640 | answer=B | explanation=SI = PRT/100 = 48469×10×3/100 = **₹**14540.

id=80398 | topic=Averages | difficulty=Easy | question=Find the average of 42, 30, 62, 53, 25, 25, 65, 76, 83, 99. | option_a=56 | option_b=57 | option_c=58 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 560 ÷ 10 = 56.

id=80399 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 29, 34, 40? | option_a=34 | option_b=24 | option_c=29 | option_d=40 | answer=D | explanation=The first three numbers increase by 5, so the next should be 39. Therefore 40 is the odd one out.

id=80400 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**35529 at 15% per annum for 4 years. | option_a=21317 | option_b=21217 | option_c=21417 | option_d=56846 | answer=A | explanation=SI = PRT/100 = 35529×15×4/100 = **₹**21317.

Aptitude Questions — Records 80,401-80,430 of 100,000

id=80401 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46208 at 5% per annum for 3 years. | option_a=6831 | option_b=7031 | option_c=53139 | option_d=6931 | answer=D | explanation=SI = $PRT/100 = 46208 \times 5 \times 3/100 = \text{■}6931$.

id=80402 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:11 and the first is 120, what is the second? | option_a=122 | option_b=110 | option_c=99 | option_d=230 | answer=B | explanation=Scale factor = $120/12 = 10$. Therefore second quantity = $11 \times 10 = 110$.

id=80403 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44887 at 5% per annum for 2 years. | option_a=4588 | option_b=4388 | option_c=49375 | option_d=4488 | answer=D | explanation=SI = $PRT/100 = 44887 \times 5 \times 2/100 = \text{■}4488$.

id=80404 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31050 at 10% per annum for 3 years. | option_a=40365 | option_b=9315 | option_c=9215 | option_d=9415 | answer=B | explanation=SI = $PRT/100 = 31050 \times 10 \times 3/100 = \text{■}9315$.

id=80405 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 14, 20, 27? | option_a=27 | option_b=8 | option_c=14 | option_d=20 | answer=A | explanation=The first three numbers increase by 6, so the next should be 26. Therefore 27 is the odd one out.

id=80406 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35059 at 5% per annum for 2 years. | option_a=3605 | option_b=38564 | option_c=3405 | option_d=3505 | answer=D | explanation=SI = $PRT/100 = 35059 \times 5 \times 2/100 = \text{■}3505$.

id=80407 | topic=Percentages | difficulty=Easy | question=What is 12% of 181? | option_a=21 | option_b=26 | option_c=42 | option_d=11 | answer=A | explanation=12% of 181 = $(12/100) \times 181 = 21$.

id=80408 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 10. | option_a=70 | option_b=60 | option_c=140 | option_d=84 | answer=A | explanation= $LCM \times HCF = 14 \times 10$; $HCF(14, 10) = 2$, so $LCM = 70$.

id=80409 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29537 at 12% per annum for 5 years. | option_a=17822 | option_b=47259 | option_c=17722 | option_d=17622 | answer=C | explanation=SI = $PRT/100 = 29537 \times 12 \times 5/100 = \text{■}17722$.

id=80410 | topic=Percentages | difficulty=Easy | question=What is 20% of 239? | option_a=52 | option_b=37 | option_c=47 | option_d=94 | answer=C | explanation=20% of 239 = $(20/100) \times 239 = 47$.

id=80411 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=80412 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 5, 8, 13? | option_a=13 | option_b=8 | option_c=5 | option_d=2 | answer=A | explanation=The first three numbers increase by 3, so the next should be 11. Therefore 13 is the odd one out.

id=80413 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=70 | option_b=60 | option_c=59 | option_d=48 | answer=C | explanation=The common difference is 11. Therefore the next term is $48 + 11 = 59$.

id=80414 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=67 | option_c=77 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = $360 \div 5 = 72$ km/h.

id=80415 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:7 and the first is 42, what is the second? | option_a=91 | option_b=49 | option_c=55 | option_d=42 | answer=B | explanation=Scale factor = $42/6 = 7$. Therefore second quantity = $7 \times 7 = 49$.

id=80416 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=80417 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=80418 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=O | option_b=T | option_c=E | option_d=J | answer=A | explanation=Move 5 positions forward from J; the resulting letter is O.

id=80419 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=80420 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:14 and the first is 38, what is the second? | option_a=28 | option_b=47 | option_c=14 | option_d=66 | answer=A | explanation=Scale factor = $38/19 = 2$. Therefore second quantity = $14 \times 2 = 28$.

id=80421 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = $360 \div 6 = 60$ km/h.

id=80422 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:11 and the first is 187, what is the second? | option_a=176 | option_b=198 | option_c=187 | option_d=374 | answer=C | explanation=Scale factor = $187/11 = 17$. Therefore second quantity = $11 \times 17 = 187$.

id=80423 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45333 at 12% per annum for 4 years. | option_a=21759 | option_b=67092 | option_c=21659 | option_d=21859 | answer=A | explanation=SI = $PRT/100 = 45333 \times 12 \times 4/100 = \text{■}21759$.

id=80424 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2467. If it is sold at a profit of 5%, what is its selling price? | option_a=2836 | option_b=2472 | option_c=2344 | option_d=2590 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2467 \times 105/100 = \text{■}2590$.

id=80425 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1517. If it is sold at a profit of 10%, what is its selling price? | option_a=1527 | option_b=1517 | option_c=1668 | option_d=1819 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1517 \times 110/100 = \text{■}1668$.

id=80426 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=47 | option_b=60 | option_c=71 | option_d=59 | answer=D | explanation=The common difference is 12. Therefore the next term is $47 + 12 = 59$.

id=80427 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=66 | option_b=46 | option_c=56 | option_d=57 | answer=C | explanation=The common difference is 10. Therefore the next term is $46 + 10 = 56$.

id=80428 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=28 | option_b=29 | option_c=22 | option_d=34 | answer=A | explanation=The common difference is 6. Therefore the next term is $22 + 6 = 28$.

id=80429 | topic=Percentages | difficulty=Easy | question=What is 30% of 1919? | option_a=585 | option_b=1150 | option_c=570 | option_d=575 | answer=D | explanation=30% of 1919 = $(30/100) \times 1919 = 575$.

id=80430 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:18 and the first is 234, what is the second? | option_a=252 | option_b=216 | option_c=234 | option_d=468 | answer=C | explanation=Scale factor = $234/18 = 13$. Therefore second quantity = $18 \times 13 = 234$.

Aptitude Questions — Records 80,431-80,460 of 100,000

id=80431 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 4. | option_a=8 | option_b=1 | option_c=4 | option_d=16 | answer=C | explanation=LCM × HCF = 4×4; HCF(4,4) = 4, so LCM = 4.

id=80432 | topic=Percentages | difficulty=Easy | question=What is 40% of 921? | option_a=363 | option_b=736 | option_c=368 | option_d=388 | answer=C | explanation=40% of 921 = (40/100) × 921 = 368.

id=80433 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 8. | option_a=40 | option_b=32 | option_c=160 | option_d=60 | answer=A | explanation=LCM × HCF = 20×8; HCF(20,8) = 4, so LCM = 40.

id=80434 | topic=Averages | difficulty=Easy | question=Find the average of 93, 24, 68, 47, 63. | option_a=58 | option_b=60 | option_c=61 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 295 ÷ 5 = 59.

id=80435 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=80436 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:13 and the first is 88, what is the second? | option_a=91 | option_b=104 | option_c=192 | option_d=115 | answer=B | explanation=Scale factor = 88/11 = 8. Therefore second quantity = 13×8 = 104.

id=80437 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:12 and the first is 135, what is the second? | option_a=315 | option_b=168 | option_c=189 | option_d=180 | answer=D | explanation=Scale factor = 135/9 = 15. Therefore second quantity = 12×15 = 180.

id=80438 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=F | option_b=L | option_c=H | option_d=J | answer=D | explanation=Move 2 positions forward from H; the resulting letter is J.

id=80439 | topic=Averages | difficulty=Easy | question=Find the average of 52, 90, 17, 89, 57, 13, 51, 40, 14, 97. | option_a=51 | option_b=52 | option_c=53 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 520 ÷ 10 = 52.

id=80440 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=7 | option_c=12 | option_d=17 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=80441 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 36? | option_a=19 | option_b=29 | option_c=36 | option_d=24 | answer=C | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 36 is the odd one out.

id=80442 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=80443 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 34, 39, 47? | option_a=39 | option_b=34 | option_c=47 | option_d=29 | answer=C | explanation=The first three numbers increase by 5, so the next should be 44. Therefore 47 is the odd one out.

id=80444 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19307 at 12% per annum for 2 years. | option_a=23940 | option_b=4733 | option_c=4533 | option_d=4633 | answer=D | explanation=SI = PRT/100 = 19307×12×2/100 = **■**4633.

id=80445 | topic=Averages | difficulty=Easy | question=Find the average of 74, 69, 58. | option_a=67 | option_b=69 | option_c=66 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = 201 ÷ 3 = 67.

id=80446 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=23 | option_b=31 | option_c=27 | option_d=28 | answer=C | explanation=The common difference is 4. Therefore the next term is 23 + 4 = 27.

id=80447 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36747 at 6% per annum for 4 years. | option_a=8719 | option_b=45566 | option_c=8919 | option_d=8819 | answer=D | explanation=SI = PRT/100 = 36747×6×4/100 = **■**8819.

id=80448 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=Q | option_b=N | option_c=K | option_d=H | answer=B | explanation=Move 3 positions forward from K; the resulting letter is N.

id=80449 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=17 | option_c=24 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=80450 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=6 | option_c=11 | option_d=1 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=80451 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 37, 46, 57? | option_a=57 | option_b=37 | option_c=28 | option_d=46 | answer=A | explanation=The first three numbers increase by 9, so the next should be 55. Therefore 57 is the odd one out.

id=80452 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 16? | option_a=11 | option_b=16 | option_c=8 | option_d=5 | answer=B | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 16 is the odd one out.

id=80453 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 33? | option_a=25 | option_b=33 | option_c=29 | option_d=27 | answer=B | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 33 is the odd one out.

id=80454 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 12. | option_a=60 | option_b=360 | option_c=90 | option_d=48 | answer=A | explanation=LCM × HCF = 30×12; HCF(30,12) = 6, so LCM = 60.

id=80455 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30493 at 10% per annum for 4 years. | option_a=12097 | option_b=12297 | option_c=12197 | option_d=42690 | answer=C | explanation=SI = PRT/100 = 30493×10×4/100 = **■**12197.

id=80456 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 34, 41, 50? | option_a=27 | option_b=50 | option_c=41 | option_d=34 | answer=B | explanation=The first three numbers increase by 7, so the next should be 48. Therefore 50 is the odd one out.

id=80457 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=80458 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=80459 | topic=Percentages | difficulty=Easy | question=What is 40% of 1037? | option_a=828 | option_b=404 | option_c=434 | option_d=414 | answer=D | explanation=40% of 1037 = (40/100) × 1037 = 414.

id=80460 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6349 at 8% per annum for 5 years. | option_a=8888 | option_b=2539 | option_c=2639 | option_d=2439 | answer=B | explanation=SI = PRT/100 = 6349×8×5/100 = **■**2539.

Aptitude Questions — Records 80,461-80,490 of 100,000

id=80461 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1310. If it is sold at a profit of 5%, what is its selling price? | option_a=1315 | option_b=1506 | option_c=1244 | option_d=1375 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1310 × 105/100 = █1375.

id=80462 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 36? | option_a=29 | option_b=19 | option_c=24 | option_d=36 | answer=D | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 36 is the odd one out.

id=80463 | topic=Percentages | difficulty=Easy | question=What is 12% of 523? | option_a=72 | option_b=62 | option_c=57 | option_d=124 | answer=B | explanation=12% of 523 = (12/100) × 523 = 62.

id=80464 | topic=Averages | difficulty=Easy | question=Find the average of 88, 13, 58. | option_a=52 | option_b=53 | option_c=55 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 159 ÷ 3 = 53.

id=80465 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:9 and the first is 20, what is the second? | option_a=28 | option_b=9 | option_c=38 | option_d=18 | answer=D | explanation=Scale factor = 20/10 = 2. Therefore second quantity = 9×2 = 18.

id=80466 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4631. If it is sold at a profit of 30%, what is its selling price? | option_a=5557 | option_b=4661 | option_c=6483 | option_d=6020 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4631 × 130/100 = █6020.

id=80467 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=80468 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22016 at 12% per annum for 3 years. | option_a=7925 | option_b=7825 | option_c=29941 | option_d=8025 | answer=A | explanation=SI = PRT/100 = 22016×12×3/100 = █7925.

id=80469 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2735. If it is sold at a profit of 50%, what is its selling price? | option_a=3829 | option_b=4375 | option_c=2785 | option_d=4102 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2735 × 150/100 = █4102.

id=80470 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=C | option_c=A | option_d=Y | answer=B | explanation=Move 2 positions forward from A; the resulting letter is C.

id=80471 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=80472 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=51 | option_b=43 | option_c=33 | option_d=42 | answer=D | explanation=The common difference is 9. Therefore the next term is 33 + 9 = 42.

id=80473 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 20. | option_a=140 | option_b=168 | option_c=120 | option_d=560 | answer=A | explanation=LCM × HCF = 28×20; HCF(28,20) = 4, so LCM = 140.

id=80474 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=144 | option_c=67 | option_d=77 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=80475 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:19 and the first is 176, what is the second? | option_a=285 | option_b=480 | option_c=315 | option_d=304 | answer=D | explanation=Scale factor = 176/11 = 16. Therefore second quantity = 19×16 = 304.

id=80476 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1196. If it is sold at a profit of 30%, what is its selling price? | option_a=1226 | option_b=1554 | option_c=1673 | option_d=1435 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1196 × 130/100 = █1554.

id=80477 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36850 at 6% per annum for 2 years. | option_a=4422 | option_b=4522 | option_c=4322 | option_d=41272 | answer=A | explanation=SI = PRT/100 = 36850×6×2/100 = █4422.

id=80478 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=240 | option_c=125 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=80479 | topic=Percentages | difficulty=Easy | question=What is 30% of 418? | option_a=120 | option_b=250 | option_c=125 | option_d=130 | answer=C | explanation=30% of 418 = (30/100) × 418 = 125.

id=80480 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=L | option_b=K | option_c=I | option_d=J | answer=B | explanation=Move 1 positions forward from J; the resulting letter is K.

id=80481 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 10, 15, 22? | option_a=10 | option_b=15 | option_c=5 | option_d=22 | answer=D | explanation=The first three numbers increase by 5, so the next should be 20. Therefore 22 is the odd one out.

id=80482 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=36 | option_b=43 | option_c=35 | option_d=27 | answer=C | explanation=The common difference is 8. Therefore the next term is 27 + 8 = 35.

id=80483 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8030 at 12% per annum for 4 years. | option_a=3954 | option_b=3754 | option_c=3854 | option_d=11884 | answer=C | explanation=SI = PRT/100 = 8030×12×4/100 = █3854.

id=80484 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 47? | option_a=47 | option_b=38 | option_c=24 | option_d=31 | answer=A | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 47 is the odd one out.

id=80485 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 30? | option_a=22 | option_b=26 | option_c=30 | option_d=24 | answer=C | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 30 is the odd one out.

id=80486 | topic=Averages | difficulty=Easy | question=Find the average of 95, 26, 38, 77, 99. | option_a=69 | option_b=66 | option_c=67 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 335 ÷ 5 = 67.

id=80487 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:20 and the first is 152, what is the second? | option_a=532 | option_b=388 | option_c=360 | option_d=380 | answer=D | explanation=Scale factor = 152/8 = 19. Therefore second quantity = 20×19 = 380.

id=80488 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16994 at 5% per annum for 5 years. | option_a=4248 | option_b=21242 | option_c=4348 | option_d=4148 | answer=A | explanation=SI = PRT/100 = 16994×5×5/100 = █4248.

id=80489 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=27 | option_b=32 | option_c=37 | option_d=33 | answer=B | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

id=80490 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 80,491-80,520 of 100,000

id=80491 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=80492 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:11 and the first is 54, what is the second? | option_a=51 | option_b=87 | option_c=22 | option_d=33 | answer=D | explanation=Scale factor = $\frac{54}{18} = 3$. Therefore second quantity = $11 \times 3 = 33$.

id=80493 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 15, 19, 25? | option_a=11 | option_b=19 | option_c=25 | option_d=15 | answer=C | explanation=The first three numbers increase by 4, so the next should be 23. Therefore 25 is the odd one out.

id=80494 | topic=Percentages | difficulty=Easy | question=What is 40% of 1114? | option_a=455 | option_b=890 | option_c=425 | option_d=445 | answer=D | explanation=40% of 1114 = $(\frac{40}{100}) \times 1114 = 445$.

id=80495 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=K | option_b=P | option_c=F | option_d=A | answer=A | explanation=Move 5 positions forward from F; the resulting letter is K.

id=80496 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=80497 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=M | option_b=E | option_c=Q | option_d=I | answer=A | explanation=Move 4 positions forward from I; the resulting letter is M.

id=80498 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 21, 30, 39, ? | option_a=57 | option_b=39 | option_c=49 | option_d=48 | answer=D | explanation=The common difference is 9. Therefore the next term is $39 + 9 = 48$.

id=80499 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 33? | option_a=33 | option_b=4 | option_c=13 | option_d=22 | answer=A | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 33 is the odd one out.

id=80500 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25605 at 6% per annum for 5 years. | option_a=33286 | option_b=7681 | option_c=7781 | option_d=7581 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{25605 \times 6 \times 5}{100} = \text{■}7681$.

id=80501 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=360 | option_c=185 | option_d=175 | answer=A | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{360}{2} = 180$ km/h.

id=80502 | topic=Averages | difficulty=Easy | question=Find the average of 22, 92, 56, 82. | option_a=62 | option_b=65 | option_c=64 | option_d=63 | answer=D | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{252}{4} = 63$.

id=80503 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6231 at 4% per annum for 1 years. | option_a=149 | option_b=6480 | option_c=249 | option_d=349 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{6231 \times 4 \times 1}{100} = \text{■}249$.

id=80504 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20701 at 12% per annum for 2 years. | option_a=25669 | option_b=5068 | option_c=4868 | option_d=4968 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{20701 \times 12 \times 2}{100} = \text{■}4968$.

id=80505 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=Z | option_b=O | option_c=E | option_d=J | answer=D | explanation=Move 5 positions forward from E; the resulting letter is J.

id=80506 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=6 | option_d=4 | answer=B | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.

id=80507 | topic=Percentages | difficulty=Easy | question=What is 40% of 1037? | option_a=404 | option_b=828 | option_c=414 | option_d=434 | answer=C | explanation=40% of 1037 = $(\frac{40}{100}) \times 1037 = 414$.

id=80508 | topic=Averages | difficulty=Easy | question=Find the average of 35, 52, 96. | option_a=62 | option_b=60 | option_c=61 | option_d=63 | answer=C | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{183}{3} = 61$.

id=80509 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3828. If it is sold at a profit of 40%, what is its selling price? | option_a=5359 | option_b=5741 | option_c=4977 | option_d=3868 | answer=A | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 3828 \times \frac{140}{100} = \text{■}5359$.

id=80510 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2321. If it is sold at a profit of 25%, what is its selling price? | option_a=2346 | option_b=2669 | option_c=2901 | option_d=3133 | answer=C | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 2321 \times \frac{125}{100} = \text{■}2901$.

id=80511 | topic=Averages | difficulty=Easy | question=Find the average of 30, 55, 39, 38, 27, 96, 95, 52. | option_a=56 | option_b=55 | option_c=54 | option_d=53 | answer=C | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{432}{8} = 54$.

id=80512 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=25 | option_b=28 | option_c=26 | option_d=22 | answer=A | explanation=The common difference is 3. Therefore the next term is $22 + 3 = 25$.

id=80513 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{120}{2} = 60$ km/h.

id=80514 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:8 and the first is 24, what is the second? | option_a=67 | option_b=56 | option_c=64 | option_d=88 | answer=C | explanation=Scale factor = $\frac{24}{3} = 8$. Therefore second quantity = $8 \times 8 = 64$.

id=80515 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:14 and the first is 64, what is the second? | option_a=72 | option_b=120 | option_c=56 | option_d=42 | answer=C | explanation=Scale factor = $\frac{64}{16} = 4$. Therefore second quantity = $14 \times 4 = 56$.

id=80516 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1228 at 12% per annum for 2 years. | option_a=194 | option_b=1522 | option_c=294 | option_d=394 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{1228 \times 12 \times 2}{100} = \text{■}294$.

id=80517 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:7 and the first is 288, what is the second? | option_a=105 | option_b=400 | option_c=130 | option_d=112 | answer=D | explanation=Scale factor = $\frac{288}{18} = 16$. Therefore second quantity = $7 \times 16 = 112$.

id=80518 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 22. | option_a=240 | option_b=220 | option_c=198 | option_d=440 | answer=B | explanation=LCM $\times$ HCF = 20×22 ; $\text{HCF}(20, 22) = 2$, so LCM = 220.

id=80519 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31012 at 12% per annum for 4 years. | option_a=45897 | option_b=14985 | option_c=14885 | option_d=14785 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{31012 \times 12 \times 4}{100} = \text{■}14885$.

id=80520 | topic=Percentages | difficulty=Easy | question=What is 30% of 893? | option_a=272 | option_b=534 | option_c=267 | option_d=257 | answer=C | explanation=30% of 893 = $(\frac{30}{100}) \times 893 = 267$.

Aptitude Questions — Records 80,521-80,550 of 100,000

id=80521 | topic=Percentages | difficulty=Easy | question=What is 25% of 1036? | option_a=264 | option_b=518 | option_c=249 | option_d=259 | answer=D | explanation=25% of 1036 = (25/100) × 1036 = 259.

id=80522 | topic=Profit & Loss | difficulty=Easy | question=An article costs █125. If it is sold at a profit of 15%, what is its selling price? | option_a=131 | option_b=140 | option_c=155 | option_d=143 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 125 × 115/100 = █143.

id=80523 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=L | option_c=G | option_d=W | answer=C | explanation=Move 5 positions forward from B; the resulting letter is G.

id=80524 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 40? | option_a=13 | option_b=40 | option_c=29 | option_d=21 | answer=B | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 40 is the odd one out.

id=80525 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27713 at 15% per annum for 1 years. | option_a=4256 | option_b=4056 | option_c=4156 | option_d=31869 | answer=C | explanation=SI = PRT/100 = 27713×15×1/100 = █4156.

id=80526 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31248 at 10% per annum for 5 years. | option_a=15524 | option_b=15724 | option_c=46872 | option_d=15624 | answer=D | explanation=SI = PRT/100 = 31248×10×5/100 = █15624.

id=80527 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3243. If it is sold at a profit of 5%, what is its selling price? | option_a=3405 | option_b=3729 | option_c=3081 | option_d=3248 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3243 × 105/100 = █3405.

id=80528 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=115 | option_c=125 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=80529 | topic=Averages | difficulty=Easy | question=Find the average of 56, 75, 10. | option_a=49 | option_b=47 | option_c=48 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 141 ÷ 3 = 47.

id=80530 | topic=Averages | difficulty=Easy | question=Find the average of 47, 41, 98, 70, 69, 72, 16. | option_a=58 | option_b=60 | option_c=59 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 413 ÷ 7 = 59.

id=80531 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:9 and the first is 12, what is the second? | option_a=30 | option_b=24 | option_c=18 | option_d=9 | answer=C | explanation=Scale factor = 12/6 = 2. Therefore second quantity = 9×2 = 18.

id=80532 | topic=Averages | difficulty=Easy | question=Find the average of 36, 55, 40, 40, 61, 100, 37, 47. | option_a=53 | option_b=51 | option_c=54 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=80533 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=80534 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 46? | option_a=26 | option_b=32 | option_c=46 | option_d=38 | answer=C | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 46 is the odd one out.

id=80535 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:1 and the first is 180, what is the second? | option_a=19 | option_b=200 | option_c=29 | option_d=20 | answer=D | explanation=Scale factor = 180/9 = 20. Therefore second quantity = 1×20 = 20.

id=80536 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=32 | option_b=41 | option_c=50 | option_d=42 | answer=B | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

id=80537 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=19 | option_b=20 | option_c=15 | option_d=23 | answer=A | explanation=The common difference is 4. Therefore the next term is 15 + 4 = 19.

id=80538 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 33, 43, 54? | option_a=54 | option_b=43 | option_c=33 | option_d=23 | answer=A | explanation=The first three numbers increase by 10, so the next should be 53. Therefore 54 is the odd one out.

id=80539 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=150 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=80540 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=R | option_c=N | option_d=T | answer=B | explanation=Move 2 positions forward from P; the resulting letter is R.

id=80541 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 19, 25, 33? | option_a=25 | option_b=33 | option_c=19 | option_d=13 | answer=B | explanation=The first three numbers increase by 6, so the next should be 31. Therefore 33 is the odd one out.

id=80542 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22519 at 10% per annum for 2 years. | option_a=4603 | option_b=4503 | option_c=4403 | option_d=27022 | answer=B | explanation=SI = PRT/100 = 22519×10×2/100 = █4503.

id=80543 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=27 | option_b=33 | option_c=21 | option_d=28 | answer=A | explanation=The common difference is 6. Therefore the next term is 21 + 6 = 27.

id=80544 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 105, what is the second? | option_a=21 | option_b=18 | option_c=36 | option_d=126 | answer=A | explanation=Scale factor = 105/15 = 7. Therefore second quantity = 3×7 = 21.

id=80545 | topic=Profit & Loss | difficulty=Easy | question=An article costs █716. If it is sold at a profit of 5%, what is its selling price? | option_a=751 | option_b=721 | option_c=680 | option_d=822 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 716 × 105/100 = █751.

id=80546 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=G | option_c=K | option_d=S | answer=A | explanation=Move 4 positions forward from K; the resulting letter is O.

id=80547 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=80548 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=24 | option_c=12 | option_d=7 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=80549 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3854. If it is sold at a profit of 20%, what is its selling price? | option_a=4624 | option_b=3874 | option_c=5009 | option_d=4239 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3854 × 120/100 = █4624.

id=80550 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1831 at 6% per annum for 3 years. | option_a=2160 | option_b=229 | option_c=429 | option_d=329 | answer=D | explanation=SI = PRT/100 = 1831×6×3/100 = █329.

Aptitude Questions — Records 80,551-80,580 of 100,000

id=80551 | topic=Averages | difficulty=Easy | question=Find the average of 40, 83, 77, 68, 69, 59, 88, 98, 30. | option_a=68 | option_b=69 | option_c=70 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = 612 ÷ 9 = 68.

id=80552 | topic=Averages | difficulty=Easy | question=Find the average of 58, 30, 32, 86, 13, 66, 90, 40, 71. | option_a=55 | option_b=54 | option_c=53 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 486 ÷ 9 = 54.

id=80553 | topic=Profit & Loss | difficulty=Easy | question=An article costs █665. If it is sold at a profit of 50%, what is its selling price? | option_a=931 | option_b=715 | option_c=997 | option_d=1063 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 665 × 150/100 = █997.

id=80554 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 39, 48, 58? | option_a=58 | option_b=48 | option_c=39 | option_d=30 | answer=A | explanation=The first three numbers increase by 9, so the next should be 57. Therefore 58 is the odd one out.

id=80555 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=20 | option_d=5 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=80556 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=20 | option_b=17 | option_c=23 | option_d=21 | answer=A | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=80557 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4447. If it is sold at a profit of 40%, what is its selling price? | option_a=4487 | option_b=6669 | option_c=6225 | option_d=5781 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4447 × 140/100 = █6225.

id=80558 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=120 | option_c=115 | option_d=240 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=80559 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4436. If it is sold at a profit of 50%, what is its selling price? | option_a=6654 | option_b=4486 | option_c=6211 | option_d=7097 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4436 × 150/100 = █6654.

id=80560 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36037 at 6% per annum for 4 years. | option_a=44685 | option_b=8548 | option_c=8748 | option_d=8648 | answer=D | explanation=SI = PRT/100 = 36037×6×4/100 = █8648.

id=80561 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=29 | option_b=39 | option_c=47 | option_d=38 | answer=D | explanation=The common difference is 9. Therefore the next term is 29 + 9 = 38.

id=80562 | topic=Averages | difficulty=Easy | question=Find the average of 17, 75, 69, 61, 53, 77, 72, 18, 44. | option_a=56 | option_b=55 | option_c=54 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 486 ÷ 9 = 54.

id=80563 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=19 | option_c=24 | option_d=29 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=80564 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=45 | option_b=55 | option_c=35 | option_d=46 | answer=A | explanation=The common difference is 10. Therefore the next term is 35 + 10 = 45.

id=80565 | topic=Percentages | difficulty=Easy | question=What is 15% of 1448? | option_a=222 | option_b=207 | option_c=217 | option_d=434 | answer=C | explanation=15% of 1448 = (15/100) × 1448 = 217.

id=80566 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49289 at 5% per annum for 4 years. | option_a=9957 | option_b=9757 | option_c=9857 | option_d=59146 | answer=C | explanation=SI = PRT/100 = 49289×5×4/100 = █9857.

id=80567 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=34 | option_b=35 | option_c=41 | option_d=27 | answer=A | explanation=The common difference is 7. Therefore the next term is 27 + 7 = 34.

id=80568 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=12 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=80569 | topic=Averages | difficulty=Easy | question=Find the average of 94, 38, 64, 91, 14, 17, 75, 55. | option_a=58 | option_b=56 | option_c=55 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 448 ÷ 8 = 56.

id=80570 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=80571 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=80572 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 105, what is the second? | option_a=21 | option_b=18 | option_c=126 | option_d=36 | answer=A | explanation=Scale factor = 105/15 = 7. Therefore second quantity = 3×7 = 21.

id=80573 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=80574 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46483 at 4% per annum for 2 years. | option_a=3818 | option_b=3718 | option_c=50201 | option_d=3618 | answer=B | explanation=SI = PRT/100 = 46483×4×2/100 = █3718.

id=80575 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=60 | option_b=61 | option_c=70 | option_d=50 | answer=A | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

id=80576 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=37 | option_b=49 | option_c=59 | option_d=48 | answer=D | explanation=The common difference is 11. Therefore the next term is 37 + 11 = 48.

id=80577 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=70 | option_c=75 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=80578 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 10. | option_a=240 | option_b=110 | option_c=144 | option_d=120 | answer=D | explanation=LCM × HCF = 24×10; HCF(24,10) = 2, so LCM = 120.

id=80579 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 3. | option_a=36 | option_b=24 | option_c=9 | option_d=12 | answer=D | explanation=LCM × HCF = 12×3; HCF(12,3) = 3, so LCM = 12.

id=80580 | topic=Averages | difficulty=Easy | question=Find the average of 47, 79, 33, 83, 80, 60, 74, 24. | option_a=62 | option_b=60 | option_c=59 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 480 ÷ 8 = 60.

Aptitude Questions — Records 80,581-80,610 of 100,000

id=80581 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=L | option_b=T | option_c=P | option_d=X | answer=B | explanation=Move 4 positions forward from P; the resulting letter is T.

id=80582 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1475. If it is sold at a profit of 25%, what is its selling price? | option_a=1500 | option_b=1696 | option_c=1990 | option_d=1843 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1475 × 125/100 = █1843.

id=80583 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=80584 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21292 at 10% per annum for 5 years. | option_a=10546 | option_b=10646 | option_c=31938 | option_d=10746 | answer=B | explanation=SI = PRT/100 = 21292×10×5/100 = █10646.

id=80585 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=40 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=80586 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=26 | option_b=33 | option_c=32 | option_d=38 | answer=C | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=80587 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=J | option_b=M | option_c=K | option_d=L | answer=D | explanation=Move 1 positions forward from K; the resulting letter is L.

id=80588 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=30 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=80589 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=J | option_c=G | option_d=A | answer=C | explanation=Move 3 positions forward from D; the resulting letter is G.

id=80590 | topic=Averages | difficulty=Easy | question=Find the average of 43, 17, 99, 22, 36, 49, 19, 73, 83. | option_a=49 | option_b=50 | option_c=51 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = 441 ÷ 9 = 49.

id=80591 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1507. If it is sold at a profit of 5%, what is its selling price? | option_a=1512 | option_b=1432 | option_c=1732 | option_d=1582 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1507 × 105/100 = █1582.

id=80592 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17390 at 15% per annum for 5 years. | option_a=30432 | option_b=13042 | option_c=12942 | option_d=13142 | answer=B | explanation=SI = PRT/100 = 17390×15×5/100 = █13042.

id=80593 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=80 | option_d=150 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=80594 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:11 and the first is 180, what is the second? | option_a=154 | option_b=345 | option_c=165 | option_d=177 | answer=C | explanation=Scale factor = 180/12 = 15. Therefore second quantity = 11×15 = 165.

id=80595 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=80596 | topic=Averages | difficulty=Easy | question=Find the average of 44, 63, 34, 96, 59, 22. | option_a=54 | option_b=53 | option_c=55 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 318 ÷ 6 = 53.

id=80597 | topic=Averages | difficulty=Easy | question=Find the average of 49, 92, 62, 79, 19, 83, 36. | option_a=61 | option_b=59 | option_c=60 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 420 ÷ 7 = 60.

id=80598 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28965 at 12% per annum for 2 years. | option_a=35916 | option_b=6951 | option_c=6851 | option_d=7051 | answer=B | explanation=SI = PRT/100 = 28965×12×2/100 = █6951.

id=80599 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=M | option_c=U | option_d=I | answer=A | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=80600 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=80601 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=160 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=80602 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=Q | option_b=I | option_c=M | option_d=E | answer=C | explanation=Move 4 positions forward from I; the resulting letter is M.

id=80603 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:7 and the first is 18, what is the second? | option_a=126 | option_b=144 | option_c=119 | option_d=127 | answer=A | explanation=Scale factor = 18/1 = 18. Therefore second quantity = 7×18 = 126.

id=80604 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=80605 | topic=Averages | difficulty=Easy | question=Find the average of 15, 57, 21, 12, 20, 19. | option_a=24 | option_b=25 | option_c=23 | option_d=26 | answer=A | explanation=Average = sum of values ÷ number of values = 144 ÷ 6 = 24.

id=80606 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=55 | option_c=45 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=80607 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:15 and the first is 140, what is the second? | option_a=90 | option_b=125 | option_c=105 | option_d=245 | answer=C | explanation=Scale factor = 140/20 = 7. Therefore second quantity = 15×7 = 105.

id=80608 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=24 | option_c=17 | option_d=7 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=80609 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:13 and the first is 120, what is the second? | option_a=156 | option_b=276 | option_c=143 | option_d=166 | answer=A | explanation=Scale factor = 120/10 = 12. Therefore second quantity = 13×12 = 156.

id=80610 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=61 | option_b=62 | option_c=50 | option_d=72 | answer=A | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.

Aptitude Questions — Records 80,611-80,640 of 100,000

id=80611 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=52 | option_b=60 | option_c=42 | option_d=51 | answer=D | explanation=The common difference is 9. Therefore the next term is 42 + 9 = 51.

id=80612 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49702 at 8% per annum for 4 years. | option_a=65606 | option_b=15804 | option_c=15904 | option_d=16004 | answer=C | explanation=SI = PRT/100 = 49702×8×4/100 = **■**15904.

id=80613 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=C | option_b=Y | option_c=U | option_d=Q | answer=B | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=80614 | topic=Percentages | difficulty=Easy | question=What is 20% of 674? | option_a=124 | option_b=268 | option_c=144 | option_d=134 | answer=D | explanation=20% of 674 = (20/100) × 674 = 134.

id=80615 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:7 and the first is 190, what is the second? | option_a=126 | option_b=133 | option_c=323 | option_d=143 | answer=B | explanation=Scale factor = 190/10 = 19. Therefore second quantity = 7×19 = 133.

id=80616 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=E | option_c=B | option_d=D | answer=D | explanation=Move 1 positions forward from C; the resulting letter is D.

id=80617 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=80618 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28314 at 8% per annum for 2 years. | option_a=4530 | option_b=4430 | option_c=32844 | option_d=4630 | answer=A | explanation=SI = PRT/100 = 28314×8×2/100 = **■**4530.

id=80619 | topic=Percentages | difficulty=Easy | question=What is 10% of 335? | option_a=33 | option_b=13 | option_c=53 | option_d=66 | answer=A | explanation=10% of 335 = (10/100) × 335 = 33.

id=80620 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 45? | option_a=45 | option_b=19 | option_c=35 | option_d=27 | answer=A | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 45 is the odd one out.

id=80621 | topic=Percentages | difficulty=Easy | question=What is 20% of 1694? | option_a=348 | option_b=333 | option_c=338 | option_d=676 | answer=C | explanation=20% of 1694 = (20/100) × 1694 = 338.

id=80622 | topic=Percentages | difficulty=Easy | question=What is 15% of 921? | option_a=276 | option_b=138 | option_c=143 | option_d=128 | answer=B | explanation=15% of 921 = (15/100) × 921 = 138.

id=80623 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 28. | option_a=35 | option_b=1 | option_c=28 | option_d=196 | answer=C | explanation=LCM × HCF = 7×28; HCF(7,28) = 7, so LCM = 28.

id=80624 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1057. If it is sold at a profit of 30%, what is its selling price? | option_a=1479 | option_b=1269 | option_c=1087 | option_d=1374 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1057 × 130/100 = **■**1374.

id=80625 | topic=Averages | difficulty=Easy | question=Find the average of 45, 11, 11, 53, 44, 56, 33, 35. | option_a=38 | option_b=37 | option_c=36 | option_d=35 | answer=C | explanation=Average = sum of values ÷ number of values = 288 ÷ 8 = 36.

id=80626 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=V | option_b=U | option_c=W | option_d=T | answer=A | explanation=Move 1 positions forward from U; the resulting letter is V.

id=80627 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 23, 26, 32? | option_a=23 | option_b=20 | option_c=32 | option_d=26 | answer=C | explanation=The first three numbers increase by 3, so the next should be 29. Therefore 32 is the odd one out.

id=80628 | topic=Percentages | difficulty=Easy | question=What is 12% of 278? | option_a=66 | option_b=33 | option_c=13 | option_d=43 | answer=B | explanation=12% of 278 = (12/100) × 278 = 33.

id=80629 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38908 at 12% per annum for 5 years. | option_a=23444 | option_b=23244 | option_c=23344 | option_d=62252 | answer=C | explanation=SI = PRT/100 = 38908×12×5/100 = **■**23344.

id=80630 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25399 at 10% per annum for 3 years. | option_a=33018 | option_b=7519 | option_c=7619 | option_d=7719 | answer=C | explanation=SI = PRT/100 = 25399×10×3/100 = **■**7619.

id=80631 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=80632 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3081. If it is sold at a profit of 15%, what is its selling price? | option_a=3096 | option_b=3235 | option_c=3543 | option_d=3851 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3081 × 115/100 = **■**3543.

id=80633 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=80634 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=12 | option_c=6 | option_d=1 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=80635 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=54 | option_b=46 | option_c=45 | option_d=36 | answer=C | explanation=The common difference is 9. Therefore the next term is 36 + 9 = 45.

id=80636 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 14, 22, 31? | option_a=22 | option_b=14 | option_c=6 | option_d=31 | answer=D | explanation=The first three numbers increase by 8, so the next should be 30. Therefore 31 is the odd one out.

id=80637 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:6 and the first is 165, what is the second? | option_a=101 | option_b=84 | option_c=90 | option_d=255 | answer=C | explanation=Scale factor = 165/11 = 15. Therefore second quantity = 6×15 = 90.

id=80638 | topic=Averages | difficulty=Easy | question=Find the average of 22, 73, 86, 62, 43, 30, 66, 97, 15, 96. | option_a=61 | option_b=60 | option_c=58 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 590 ÷ 10 = 59.

id=80639 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3228. If it is sold at a profit of 40%, what is its selling price? | option_a=4197 | option_b=4519 | option_c=4841 | option_d=3268 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3228 × 140/100 = **■**4519.

id=80640 | topic=Averages | difficulty=Easy | question=Find the average of 83, 55, 72, 18, 30, 36, 14, 20. | option_a=43 | option_b=40 | option_c=42 | option_d=41 | answer=D | explanation=Average = sum of values ÷ number of values = 328 ÷ 8 = 41.

Aptitude Questions — Records 80,641-80,670 of 100,000

id=80641 | topic=Averages | difficulty=Easy | question=Find the average of 53, 79, 87, 33, 65, 55, 56, 60. | option_a=61 | option_b=60 | option_c=63 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 488 ÷ 8 = 61.

id=80642 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=80643 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 3. | option_a=60 | option_b=27 | option_c=30 | option_d=90 | answer=C | explanation=LCM × HCF = 30×3; HCF(30,3) = 3, so LCM = 30.

id=80644 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:16 and the first is 13, what is the second? | option_a=192 | option_b=221 | option_c=208 | option_d=209 | answer=C | explanation=Scale factor = 13/1 = 13. Therefore second quantity = 16×13 = 208.

id=80645 | topic=Percentages | difficulty=Easy | question=What is 30% of 296? | option_a=78 | option_b=176 | option_c=88 | option_d=93 | answer=C | explanation=30% of 296 = (30/100) × 296 = 88.

id=80646 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=80647 | topic=Percentages | difficulty=Easy | question=What is 12% of 1760? | option_a=191 | option_b=211 | option_c=422 | option_d=231 | answer=B | explanation=12% of 1760 = (12/100) × 1760 = 211.

id=80648 | topic=Averages | difficulty=Easy | question=Find the average of 32, 68, 67, 33, 78, 24, 24, 58. | option_a=49 | option_b=47 | option_c=48 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 384 ÷ 8 = 48.

id=80649 | topic=Profit & Loss | difficulty=Easy | question=An article costs █352. If it is sold at a profit of 30%, what is its selling price? | option_a=457 | option_b=492 | option_c=382 | option_d=422 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 352 × 130/100 = █457.

id=80650 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16082 at 8% per annum for 4 years. | option_a=5246 | option_b=5146 | option_c=5046 | option_d=21228 | answer=B | explanation=SI = PRT/100 = 16082×8×4/100 = █5146.

id=80651 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2330. If it is sold at a profit of 40%, what is its selling price? | option_a=2370 | option_b=3262 | option_c=3029 | option_d=3495 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2330 × 140/100 = █3262.

id=80652 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 13, 17, 21, ? | option_a=26 | option_b=21 | option_c=25 | option_d=29 | answer=C | explanation=The common difference is 4. Therefore the next term is 21 + 4 = 25.

id=80653 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 10, 15, 22? | option_a=15 | option_b=10 | option_c=5 | option_d=22 | answer=D | explanation=The first three numbers increase by 5, so the next should be 20. Therefore 22 is the odd one out.

id=80654 | topic=Percentages | difficulty=Easy | question=What is 12% of 806? | option_a=192 | option_b=91 | option_c=116 | option_d=96 | answer=D | explanation=12% of 806 = (12/100) × 806 = 96.

id=80655 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 16, 21, 27? | option_a=21 | option_b=27 | option_c=16 | option_d=11 | answer=B | explanation=The first three numbers increase by 5, so the next should be 26. Therefore 27 is the odd one out.

id=80656 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 24? | option_a=9 | option_b=24 | option_c=15 | option_d=3 | answer=B | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 24 is the odd one out.

id=80657 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=180 | option_c=85 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=80658 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 51? | option_a=32 | option_b=51 | option_c=41 | option_d=23 | answer=B | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 51 is the odd one out.

id=80659 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4643. If it is sold at a profit of 25%, what is its selling price? | option_a=5803 | option_b=5339 | option_c=4668 | option_d=6267 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4643 × 125/100 = █5803.

id=80660 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=L | option_c=H | option_d=N | answer=B | explanation=Move 2 positions forward from J; the resulting letter is L.

id=80661 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39187 at 5% per annum for 5 years. | option_a=9796 | option_b=9896 | option_c=48983 | option_d=9696 | answer=A | explanation=SI = PRT/100 = 39187×5×5/100 = █9796.

id=80662 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4824. If it is sold at a profit of 25%, what is its selling price? | option_a=6512 | option_b=6030 | option_c=5548 | option_d=4849 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4824 × 125/100 = █6030.

id=80663 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22158 at 5% per annum for 5 years. | option_a=5639 | option_b=5439 | option_c=5539 | option_d=27697 | answer=C | explanation=SI = PRT/100 = 22158×5×5/100 = █5539.

id=80664 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=80665 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 10, 15, 20, ? | option_a=25 | option_b=30 | option_c=26 | option_d=20 | answer=A | explanation=The common difference is 5. Therefore the next term is 20 + 5 = 25.

id=80666 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=80667 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:10 and the first is 42, what is the second? | option_a=112 | option_b=70 | option_c=60 | option_d=76 | answer=B | explanation=Scale factor = 42/6 = 7. Therefore second quantity = 10×7 = 70.

id=80668 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=Q | option_b=L | option_c=V | option_d=G | answer=A | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=80669 | topic=Percentages | difficulty=Easy | question=What is 5% of 1236? | option_a=61 | option_b=56 | option_c=66 | option_d=122 | answer=A | explanation=5% of 1236 = (5/100) × 1236 = 61.

id=80670 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 12. | option_a=12 | option_b=24 | option_c=1 | option_d=144 | answer=A | explanation=LCM × HCF = 12×12; HCF(12,12) = 12, so LCM = 12.

Aptitude Questions — Records 80,671-80,700 of 100,000

- id=80671 | topic=Profit & Loss | difficulty=Easy | question=An article costs █969. If it is sold at a profit of 10%, what is its selling price? | option_a=1065 | option_b=969 | option_c=1161 | option_d=979 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 969 × 110/100 = █1065.
- id=80672 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:20 and the first is 7, what is the second? | option_a=120 | option_b=147 | option_c=141 | option_d=140 | answer=D | explanation=Scale factor = 7/1 = 7. Therefore second quantity = 20×7 = 140.
- id=80673 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 18? | option_a=18 | option_b=11 | option_c=3 | option_d=7 | answer=A | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 18 is the odd one out.
- id=80674 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=78 | option_b=66 | option_c=54 | option_d=67 | answer=B | explanation=The common difference is 12. Therefore the next term is 54 + 12 = 66.
- id=80675 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:1 and the first is 285, what is the second? | option_a=18 | option_b=19 | option_c=34 | option_d=304 | answer=B | explanation=Scale factor = 285/15 = 19. Therefore second quantity = 1×19 = 19.
- id=80676 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=L | option_b=P | option_c=X | option_d=T | answer=D | explanation=Move 4 positions forward from P; the resulting letter is T.
- id=80677 | topic=Averages | difficulty=Easy | question=Find the average of 49, 24, 37, 42, 95, 79, 65, 63, 77. | option_a=60 | option_b=61 | option_c=58 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 531 ÷ 9 = 59.
- id=80678 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=32 | option_b=41 | option_c=40 | option_d=48 | answer=C | explanation=The common difference is 8. Therefore the next term is 32 + 8 = 40.
- id=80679 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=67 | option_c=77 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.
- id=80680 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:17 and the first is 102, what is the second? | option_a=289 | option_b=391 | option_c=272 | option_d=295 | answer=A | explanation=Scale factor = 102/6 = 17. Therefore second quantity = 17×17 = 289.
- id=80681 | topic=Averages | difficulty=Easy | question=Find the average of 73, 15, 46, 65, 15, 96, 47. | option_a=53 | option_b=51 | option_c=52 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.
- id=80682 | topic=Percentages | difficulty=Easy | question=What is 40% of 1191? | option_a=476 | option_b=471 | option_c=952 | option_d=486 | answer=A | explanation=40% of 1191 = (40/100) × 1191 = 476.
- id=80683 | topic=Percentages | difficulty=Easy | question=What is 15% of 1612? | option_a=221 | option_b=241 | option_c=251 | option_d=482 | answer=B | explanation=15% of 1612 = (15/100) × 1612 = 241.
- id=80684 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 31? | option_a=20 | option_b=31 | option_c=25 | option_d=15 | answer=B | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 31 is the odd one out.
- id=80685 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=28 | option_b=23 | option_c=24 | option_d=18 | answer=B | explanation=The common difference is 5. Therefore the next term is 18 + 5 = 23.
- id=80686 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 8, 13, 19? | option_a=19 | option_b=13 | option_c=3 | option_d=8 | answer=A | explanation=The first three numbers increase by 5, so the next should be 18. Therefore 19 is the odd one out.
- id=80687 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=8 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=80688 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4685. If it is sold at a profit of 30%, what is its selling price? | option_a=6558 | option_b=4715 | option_c=5622 | option_d=6090 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4685 × 130/100 = █6090.
- id=80689 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=68 | option_b=58 | option_c=57 | option_d=46 | answer=C | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.
- id=80690 | topic=Percentages | difficulty=Easy | question=What is 40% of 999? | option_a=399 | option_b=379 | option_c=798 | option_d=404 | answer=A | explanation=40% of 999 = (40/100) × 999 = 399.
- id=80691 | topic=Percentages | difficulty=Easy | question=What is 20% of 265? | option_a=48 | option_b=106 | option_c=53 | option_d=58 | answer=C | explanation=20% of 265 = (20/100) × 265 = 53.
- id=80692 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48433 at 12% per annum for 4 years. | option_a=23347 | option_b=23247 | option_c=71680 | option_d=23147 | answer=B | explanation=SI = PRT/100 = 48433×12×4/100 = █23247.
- id=80693 | topic=Averages | difficulty=Easy | question=Find the average of 65, 19, 66, 73, 82, 71, 25, 91, 75. | option_a=62 | option_b=64 | option_c=65 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 567 ÷ 9 = 63.
- id=80694 | topic=Percentages | difficulty=Easy | question=What is 10% of 1606? | option_a=320 | option_b=180 | option_c=160 | option_d=140 | answer=C | explanation=10% of 1606 = (10/100) × 1606 = 160.
- id=80695 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:17 and the first is 60, what is the second? | option_a=204 | option_b=264 | option_c=209 | option_d=187 | answer=A | explanation=Scale factor = 60/5 = 12. Therefore second quantity = 17×12 = 204.
- id=80696 | topic=Percentages | difficulty=Easy | question=What is 40% of 1712? | option_a=1368 | option_b=684 | option_c=674 | option_d=704 | answer=B | explanation=40% of 1712 = (40/100) × 1712 = 684.
- id=80697 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=Y | option_c=S | option_d=W | answer=D | explanation=Move 2 positions forward from U; the resulting letter is W.
- id=80698 | topic=Percentages | difficulty=Easy | question=What is 30% of 473? | option_a=161 | option_b=131 | option_c=282 | option_d=141 | answer=D | explanation=30% of 473 = (30/100) × 473 = 141.
- id=80699 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 31, 39, 48? | option_a=31 | option_b=23 | option_c=48 | option_d=39 | answer=C | explanation=The first three numbers increase by 8, so the next should be 47. Therefore 48 is the odd one out.
- id=80700 | topic=Percentages | difficulty=Easy | question=What is 30% of 873? | option_a=266 | option_b=241 | option_c=522 | option_d=261 | answer=D | explanation=30% of 873 = (30/100) × 873 = 261.

Aptitude Questions — Records 80,701-80,730 of 100,000

id=80701 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=X | option_b=C | option_c=S | option_d=N | answer=A | explanation=Move 5 positions forward from S; the resulting letter is X.

id=80702 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2461. If it is sold at a profit of 15%, what is its selling price? | option_a=2830 | option_b=3076 | option_c=2584 | option_d=2476 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2461 \times 115/100 = \text{■}2830$.

id=80703 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4944. If it is sold at a profit of 10%, what is its selling price? | option_a=5932 | option_b=5438 | option_c=4954 | option_d=4944 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 4944 \times 110/100 = \text{■}5438$.

id=80704 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 22, 27, 32, ? | option_a=38 | option_b=37 | option_c=42 | option_d=32 | answer=B | explanation=The common difference is 5. Therefore the next term is $32 + 5 = 37$.

id=80705 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 18, 24, 30, ? | option_a=37 | option_b=30 | option_c=36 | option_d=42 | answer=C | explanation=The common difference is 6. Therefore the next term is $30 + 6 = 36$.

id=80706 | topic=Number System | difficulty=Easy | question=Find the LCM of 13 and 13. | option_a=13 | option_b=26 | option_c=169 | option_d=1 | answer=A | explanation= $LCM \times HCF = 13 \times 13$; $HCF(13,13) = 13$, so $LCM = 13$.

id=80707 | topic=Averages | difficulty=Easy | question=Find the average of 62, 55, 74, 70, 50, 61, 24, 92. | option_a=63 | option_b=60 | option_c=62 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = $488 \div 8 = 61$.

id=80708 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1278. If it is sold at a profit of 10%, what is its selling price? | option_a=1288 | option_b=1532 | option_c=1405 | option_d=1278 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 1278 \times 110/100 = \text{■}1405$.

id=80709 | topic=Percentages | difficulty=Easy | question=What is 40% of 1181? | option_a=944 | option_b=462 | option_c=472 | option_d=477 | answer=C | explanation=40% of 1181 = $(40/100) \times 1181 = 472$.

id=80710 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=25 | option_b=24 | option_c=26 | option_d=22 | answer=B | explanation=The common difference is 2. Therefore the next term is $22 + 2 = 24$.

id=80711 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 20, 28, 39? | option_a=28 | option_b=12 | option_c=39 | option_d=20 | answer=C | explanation=The first three numbers increase by 8, so the next should be 36. Therefore 39 is the odd one out.

id=80712 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28753 at 10% per annum for 1 years. | option_a=2775 | option_b=2875 | option_c=31628 | option_d=2975 | answer=B | explanation=SI = $PRT/100 = 28753 \times 10 \times 1/100 = \text{■}2875$.

id=80713 | topic=Percentages | difficulty=Easy | question=What is 50% of 1860? | option_a=925 | option_b=940 | option_c=1860 | option_d=930 | answer=D | explanation=50% of 1860 = $(50/100) \times 1860 = 930$.

id=80714 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4147. If it is sold at a profit of 50%, what is its selling price? | option_a=5806 | option_b=6634 | option_c=6220 | option_d=4197 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 4147 \times 150/100 = \text{■}6220$.

id=80715 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=W | option_c=N | option_d=T | answer=D | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=80716 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=1 | option_c=12 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = $60 \div 10 = 6$ km/h.

id=80717 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**529. If it is sold at a profit of 40%, what is its selling price? | option_a=569 | option_b=688 | option_c=740 | option_d=792 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 529 \times 140/100 = \text{■}740$.

id=80718 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**425. If it is sold at a profit of 10%, what is its selling price? | option_a=425 | option_b=435 | option_c=467 | option_d=509 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 425 \times 110/100 = \text{■}467$.

id=80719 | topic=Percentages | difficulty=Easy | question=What is 12% of 159? | option_a=38 | option_b=24 | option_c=14 | option_d=19 | answer=D | explanation=12% of 159 = $(12/100) \times 159 = 19$.

id=80720 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=Q | option_b=S | option_c=R | option_d=T | answer=B | explanation=Move 1 positions forward from R; the resulting letter is S.

id=80721 | topic=Percentages | difficulty=Easy | question=What is 10% of 1865? | option_a=196 | option_b=372 | option_c=176 | option_d=186 | answer=D | explanation=10% of 1865 = $(10/100) \times 1865 = 186$.

id=80722 | topic=Averages | difficulty=Easy | question=Find the average of 94, 82, 52, 56, 82, 77, 53, 65, 51. | option_a=68 | option_b=67 | option_c=70 | option_d=69 | answer=A | explanation=Average = sum of values ÷ number of values = $612 \div 9 = 68$.

id=80723 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:12 and the first is 27, what is the second? | option_a=135 | option_b=96 | option_c=108 | option_d=111 | answer=C | explanation=Scale factor = $27/3 = 9$. Therefore second quantity = $12 \times 9 = 108$.

id=80724 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=17 | option_b=19 | option_c=20 | option_d=21 | answer=B | explanation=The common difference is 2. Therefore the next term is $17 + 2 = 19$.

id=80725 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27416 at 12% per annum for 1 years. | option_a=30705 | option_b=3389 | option_c=3189 | option_d=3289 | answer=D | explanation=SI = $PRT/100 = 27416 \times 12 \times 1/100 = \text{■}3289$.

id=80726 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:8 and the first is 18, what is the second? | option_a=136 | option_b=144 | option_c=145 | option_d=162 | answer=B | explanation=Scale factor = $18/1 = 18$. Therefore second quantity = $8 \times 18 = 144$.

id=80727 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2463. If it is sold at a profit of 50%, what is its selling price? | option_a=3448 | option_b=2513 | option_c=3940 | option_d=3694 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2463 \times 150/100 = \text{■}3694$.

id=80728 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=19 | option_b=21 | option_c=18 | option_d=15 | answer=C | explanation=The common difference is 3. Therefore the next term is $15 + 3 = 18$.

id=80729 | topic=Percentages | difficulty=Easy | question=What is 25% of 721? | option_a=200 | option_b=175 | option_c=360 | option_d=180 | answer=D | explanation=25% of 721 = $(25/100) \times 721 = 180$.

id=80730 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=40 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = $120 \div 3 = 40$ km/h.

Aptitude Questions — Records 80,731-80,760 of 100,000

id=80731 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=X | option_b=S | option_c=N | option_d=C | answer=A | explanation=Move 5 positions forward from S; the resulting letter is X.

id=80732 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=R | option_c=P | option_d=Q | answer=B | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=80733 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:4 and the first is 57, what is the second? | option_a=72 | option_b=133 | option_c=76 | option_d=79 | answer=C | explanation=Scale factor = $57/3 = 19$. Therefore second quantity = $4 \times 19 = 76$.

id=80734 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=125 | option_b=115 | option_c=240 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = $240 \div 2 = 120$ km/h.

id=80735 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=E | option_b=K | option_c=G | option_d=I | answer=D | explanation=Move 2 positions forward from G; the resulting letter is I.

id=80736 | topic=Profit & Loss | difficulty=Easy | question=An article costs █303. If it is sold at a profit of 20%, what is its selling price? | option_a=333 | option_b=323 | option_c=363 | option_d=393 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 303 \times 120/100 = \text{█}363$.

id=80737 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4608. If it is sold at a profit of 30%, what is its selling price? | option_a=5990 | option_b=5530 | option_c=6450 | option_d=4638 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 4608 \times 130/100 = \text{█}5990$.

id=80738 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 15, 19, 24? | option_a=11 | option_b=15 | option_c=24 | option_d=19 | answer=C | explanation=The first three numbers increase by 4, so the next should be 23. Therefore 24 is the odd one out.

id=80739 | topic=Averages | difficulty=Easy | question=Find the average of 57, 46, 93, 67, 94, 10, 31, 90. | option_a=60 | option_b=61 | option_c=62 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = $488 \div 8 = 61$.

id=80740 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=80741 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=80742 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23411 at 12% per annum for 4 years. | option_a=11337 | option_b=11237 | option_c=11137 | option_d=34648 | answer=B | explanation=SI = $PRT/100 = 23411 \times 12 \times 4/100 = \text{█}11237$.

id=80743 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=240 | option_d=125 | answer=A | explanation=Speed = distance ÷ time = $240 \div 2 = 120$ km/h.

id=80744 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=E | option_b=D | option_c=F | option_d=C | answer=A | explanation=Move 1 positions forward from D; the resulting letter is E.

id=80745 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3927. If it is sold at a profit of 20%, what is its selling price? | option_a=5104 | option_b=3947 | option_c=4712 | option_d=4320 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 3927 \times 120/100 = \text{█}4712$.

id=80746 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=W | option_c=H | option_d=R | answer=D | explanation=Move 5 positions forward from M; the resulting letter is R.

id=80747 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.

id=80748 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=80749 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $300 \div 10 = 30$ km/h.

id=80750 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 285, what is the second? | option_a=72 | option_b=342 | option_c=54 | option_d=57 | answer=D | explanation=Scale factor = $285/15 = 19$. Therefore second quantity = $3 \times 19 = 57$.

id=80751 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27185 at 6% per annum for 4 years. | option_a=6424 | option_b=6624 | option_c=33709 | option_d=6524 | answer=D | explanation=SI = $PRT/100 = 27185 \times 6 \times 4/100 = \text{█}6524$.

id=80752 | topic=Averages | difficulty=Easy | question=Find the average of 42, 38, 29, 36, 22, 39, 98, 80, 16, 20. | option_a=41 | option_b=43 | option_c=42 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = $420 \div 10 = 42$.

id=80753 | topic=Percentages | difficulty=Easy | question=What is 15% of 412? | option_a=61 | option_b=122 | option_c=71 | option_d=51 | answer=A | explanation=15% of 412 = $(15/100) \times 412 = 61$.

id=80754 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49578 at 10% per annum for 1 years. | option_a=4957 | option_b=4857 | option_c=54535 | option_d=5057 | answer=A | explanation=SI = $PRT/100 = 49578 \times 10 \times 1/100 = \text{█}4957$.

id=80755 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=42 | option_b=55 | option_c=54 | option_d=66 | answer=C | explanation=The common difference is 12. Therefore the next term is $42 + 12 = 54$.

id=80756 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=80757 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 15, 22, 31? | option_a=8 | option_b=31 | option_c=15 | option_d=22 | answer=B | explanation=The first three numbers increase by 7, so the next should be 29. Therefore 31 is the odd one out.

id=80758 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=80759 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=144 | option_c=77 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = $360 \div 5 = 72$ km/h.

id=80760 | topic=Percentages | difficulty=Easy | question=What is 15% of 265? | option_a=78 | option_b=19 | option_c=49 | option_d=39 | answer=D | explanation=15% of 265 = $(15/100) \times 265 = 39$.

Aptitude Questions — Records 80,761-80,790 of 100,000

id=80761 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=39 | option_b=38 | option_c=33 | option_d=43 | answer=B | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.

id=80762 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33250 at 5% per annum for 1 years. | option_a=1662 | option_b=1762 | option_c=34912 | option_d=1562 | answer=A | explanation=SI = PRT/100 = 33250×5×1/100 = **■**1662.

id=80763 | topic=Averages | difficulty=Easy | question=Find the average of 86, 31, 23, 37, 49, 78, 82, 38. | option_a=53 | option_b=52 | option_c=54 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.

id=80764 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=A | option_c=S | option_d=O | answer=A | explanation=Move 4 positions forward from S; the resulting letter is W.

id=80765 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 15. | option_a=75 | option_b=15 | option_c=1 | option_d=20 | answer=B | explanation=LCM × HCF = 5×15; HCF(5,15) = 5, so LCM = 15.

id=80766 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:5 and the first is 180, what is the second? | option_a=255 | option_b=87 | option_c=70 | option_d=75 | answer=D | explanation=Scale factor = 180/12 = 15. Therefore second quantity = 5×15 = 75.

id=80767 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=27 | option_b=34 | option_c=33 | option_d=39 | answer=C | explanation=The common difference is 6. Therefore the next term is 27 + 6 = 33.

id=80768 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28738 at 4% per annum for 2 years. | option_a=2399 | option_b=31037 | option_c=2199 | option_d=2299 | answer=D | explanation=SI = PRT/100 = 28738×4×2/100 = **■**2299.

id=80769 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**919. If it is sold at a profit of 5%, what is its selling price? | option_a=873 | option_b=964 | option_c=1055 | option_d=924 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 919 × 105/100 = **■**964.

id=80770 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=N | option_b=S | option_c=X | option_d=C | answer=C | explanation=Move 5 positions forward from S; the resulting letter is X.

id=80771 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=67 | option_b=58 | option_c=47 | option_d=57 | answer=D | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

id=80772 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**884. If it is sold at a profit of 5%, what is its selling price? | option_a=1016 | option_b=928 | option_c=889 | option_d=840 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 884 × 105/100 = **■**928.

id=80773 | topic=Percentages | difficulty=Easy | question=What is 10% of 211? | option_a=42 | option_b=21 | option_c=11 | option_d=31 | answer=B | explanation=10% of 211 = (10/100) × 211 = 21.

id=80774 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=55 | option_c=50 | option_d=100 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=80775 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3207. If it is sold at a profit of 5%, what is its selling price? | option_a=3047 | option_b=3367 | option_c=3687 | option_d=3212 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3207 × 105/100 = **■**3367.

id=80776 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:20 and the first is 170, what is the second? | option_a=510 | option_b=350 | option_c=320 | option_d=340 | answer=D | explanation=Scale factor = 170/10 = 17. Therefore second quantity = 20×17 = 340.

id=80777 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=80778 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4886. If it is sold at a profit of 40%, what is its selling price? | option_a=6352 | option_b=4926 | option_c=7328 | option_d=6840 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4886 × 140/100 = **■**6840.

id=80779 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=28 | option_b=24 | option_c=30 | option_d=27 | answer=D | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=80780 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30218 at 4% per annum for 1 years. | option_a=1308 | option_b=1108 | option_c=1208 | option_d=31426 | answer=C | explanation=SI = PRT/100 = 30218×4×1/100 = **■**1208.

id=80781 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=80782 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 23? | option_a=19 | option_b=15 | option_c=17 | option_d=23 | answer=D | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 23 is the odd one out.

id=80783 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=80784 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 21, 28, 38? | option_a=38 | option_b=21 | option_c=14 | option_d=28 | answer=A | explanation=The first three numbers increase by 7, so the next should be 35. Therefore 38 is the odd one out.

id=80785 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 5, 7, 10? | option_a=7 | option_b=3 | option_c=5 | option_d=10 | answer=D | explanation=The first three numbers increase by 2, so the next should be 9. Therefore 10 is the odd one out.

id=80786 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=80787 | topic=Percentages | difficulty=Easy | question=What is 12% of 878? | option_a=100 | option_b=105 | option_c=115 | option_d=210 | answer=B | explanation=12% of 878 = (12/100) × 878 = 105.

id=80788 | topic=Percentages | difficulty=Easy | question=What is 30% of 1942? | option_a=1164 | option_b=602 | option_c=572 | option_d=582 | answer=D | explanation=30% of 1942 = (30/100) × 1942 = 582.

id=80789 | topic=Averages | difficulty=Easy | question=Find the average of 60, 56, 57, 48, 21, 44, 57, 49. | option_a=49 | option_b=50 | option_c=48 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 392 ÷ 8 = 49.

id=80790 | topic=Averages | difficulty=Easy | question=Find the average of 20, 52, 45, 27, 31. | option_a=35 | option_b=37 | option_c=34 | option_d=36 | answer=A | explanation=Average = sum of values ÷ number of values = 175 ÷ 5 = 35.

Aptitude Questions — Records 80,791-80,820 of 100,000

id=80791 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 38, 48, 60? | option_a=48 | option_b=38 | option_c=28 | option_d=60 | answer=D | explanation=The first three numbers increase by 10, so the next should be 58. Therefore 60 is the odd one out.

id=80792 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22075 at 5% per annum for 4 years. | option_a=4315 | option_b=26490 | option_c=4415 | option_d=4515 | answer=C | explanation=SI = PRT/100 = 22075×5×4/100 = **■**4415.

id=80793 | topic=Averages | difficulty=Easy | question=Find the average of 77, 28, 75, 47, 22, 82, 50, 83, 39, 67. | option_a=59 | option_b=58 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.

id=80794 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=23 | option_b=22 | option_c=17 | option_d=27 | answer=B | explanation=The common difference is 5. Therefore the next term is 17 + 5 = 22.

id=80795 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14373 at 15% per annum for 4 years. | option_a=22996 | option_b=8623 | option_c=8723 | option_d=8523 | answer=B | explanation=SI = PRT/100 = 14373×15×4/100 = **■**8623.

id=80796 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35722 at 6% per annum for 4 years. | option_a=44295 | option_b=8673 | option_c=8573 | option_d=8473 | answer=C | explanation=SI = PRT/100 = 35722×6×4/100 = **■**8573.

id=80797 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21328 at 5% per annum for 4 years. | option_a=4265 | option_b=25593 | option_c=4365 | option_d=4165 | answer=A | explanation=SI = PRT/100 = 21328×5×4/100 = **■**4265.

id=80798 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**290. If it is sold at a profit of 20%, what is its selling price? | option_a=348 | option_b=310 | option_c=377 | option_d=319 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 290 × 120/100 = **■**348.

id=80799 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:14 and the first is 8, what is the second? | option_a=42 | option_b=64 | option_c=56 | option_d=58 | answer=C | explanation=Scale factor = 8/2 = 4. Therefore second quantity = 14×4 = 56.

id=80800 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=80 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=80801 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=43 | option_b=42 | option_c=49 | option_d=35 | answer=B | explanation=The common difference is 7. Therefore the next term is 35 + 7 = 42.

id=80802 | topic=Averages | difficulty=Easy | question=Find the average of 54, 60, 100, 22, 68, 33, 38, 33. | option_a=53 | option_b=50 | option_c=52 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 408 ÷ 8 = 51.

id=80803 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=41 | option_b=47 | option_c=35 | option_d=42 | answer=A | explanation=The common difference is 6. Therefore the next term is 35 + 6 = 41.

id=80804 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:1 and the first is 60, what is the second? | option_a=16 | option_b=5 | option_c=6 | option_d=66 | answer=C | explanation=Scale factor = 60/10 = 6. Therefore second quantity = 1×6 = 6.

id=80805 | topic=Percentages | difficulty=Easy | question=What is 25% of 411? | option_a=82 | option_b=122 | option_c=204 | option_d=102 | answer=D | explanation=25% of 411 = (25/100) × 411 = 102.

id=80806 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 14. | option_a=56 | option_b=28 | option_c=14 | option_d=32 | answer=B | explanation=LCM × HCF = 4×14; HCF(4,14) = 2, so LCM = 28.

id=80807 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3737. If it is sold at a profit of 40%, what is its selling price? | option_a=5604 | option_b=4858 | option_c=5231 | option_d=3777 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3737 × 140/100 = **■**5231.

id=80808 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=80809 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:11 and the first is 143, what is the second? | option_a=143 | option_b=132 | option_c=286 | option_d=154 | answer=A | explanation=Scale factor = 143/11 = 13. Therefore second quantity = 11×13 = 143.

id=80810 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:3 and the first is 84, what is the second? | option_a=32 | option_b=18 | option_c=15 | option_d=102 | answer=B | explanation=Scale factor = 84/14 = 6. Therefore second quantity = 3×6 = 18.

id=80811 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 31, 40, 52? | option_a=31 | option_b=22 | option_c=52 | option_d=40 | answer=C | explanation=The first three numbers increase by 9, so the next should be 49. Therefore 52 is the odd one out.

id=80812 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=C | option_c=D | option_d=E | answer=D | explanation=Move 1 positions forward from D; the resulting letter is E.

id=80813 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=72 | option_c=36 | option_d=41 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=80814 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7269 at 8% per annum for 2 years. | option_a=1263 | option_b=1063 | option_c=8432 | option_d=1163 | answer=D | explanation=SI = PRT/100 = 7269×8×2/100 = **■**1163.

id=80815 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:17 and the first is 306, what is the second? | option_a=595 | option_b=272 | option_c=289 | option_d=307 | answer=C | explanation=Scale factor = 306/18 = 17. Therefore second quantity = 17×17 = 289.

id=80816 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=P | option_c=R | option_d=L | answer=B | explanation=Move 2 positions forward from N; the resulting letter is P.

id=80817 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 12. | option_a=48 | option_b=1 | option_c=12 | option_d=16 | answer=C | explanation=LCM × HCF = 4×12; HCF(4,12) = 4, so LCM = 12.

id=80818 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=19 | option_b=25 | option_c=22 | option_d=23 | answer=C | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.

id=80819 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13353 at 12% per annum for 1 years. | option_a=1702 | option_b=1502 | option_c=14955 | option_d=1602 | answer=D | explanation=SI = PRT/100 = 13353×12×1/100 = **■**1602.

id=80820 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**775. If it is sold at a profit of 50%, what is its selling price? | option_a=1085 | option_b=1162 | option_c=1239 | option_d=825 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 775 × 150/100 = **■**1162.

Aptitude Questions — Records 80,821-80,850 of 100,000

id=80821 | topic=Averages | difficulty=Easy | question=Find the average of 48, 42, 66, 94, 60, 56. | option_a=63 | option_b=62 | option_c=61 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 366 ÷ 6 = 61.

id=80822 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 26, 33, 43? | option_a=19 | option_b=33 | option_c=26 | option_d=43 | answer=D | explanation=The first three numbers increase by 7, so the next should be 40. Therefore 43 is the odd one out.

id=80823 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=B | option_c=J | option_d=N | answer=C | explanation=Move 4 positions forward from F; the resulting letter is J.

id=80824 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2785. If it is sold at a profit of 10%, what is its selling price? | option_a=2785 | option_b=3341 | option_c=2795 | option_d=3063 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2785 × 110/100 = **₹**3063.

id=80825 | topic=Percentages | difficulty=Easy | question=What is 20% of 1673? | option_a=329 | option_b=334 | option_c=344 | option_d=668 | answer=B | explanation=20% of 1673 = (20/100) × 1673 = 334.

id=80826 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**14658 at 6% per annum for 1 years. | option_a=779 | option_b=879 | option_c=979 | option_d=15537 | answer=B | explanation=SI = PRT/100 = 14658×6×1/100 = **₹**879.

id=80827 | topic=Percentages | difficulty=Easy | question=What is 20% of 166? | option_a=38 | option_b=33 | option_c=28 | option_d=66 | answer=B | explanation=20% of 166 = (20/100) × 166 = 33.

id=80828 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=O | option_b=C | option_c=G | option_d=K | answer=D | explanation=Move 4 positions forward from G; the resulting letter is K.

id=80829 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:6 and the first is 228, what is the second? | option_a=91 | option_b=66 | option_c=72 | option_d=300 | answer=C | explanation=Scale factor = 228/19 = 12. Therefore second quantity = 6×12 = 72.

id=80830 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:1 and the first is 252, what is the second? | option_a=270 | option_b=18 | option_c=32 | option_d=17 | answer=B | explanation=Scale factor = 252/14 = 18. Therefore second quantity = 1×18 = 18.

id=80831 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1594. If it is sold at a profit of 40%, what is its selling price? | option_a=1634 | option_b=2231 | option_c=2390 | option_d=2072 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1594 × 140/100 = **₹**2231.

id=80832 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=36 | option_b=72 | option_c=41 | option_d=31 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=80833 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=O | option_c=Q | option_d=S | answer=D | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=80834 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=47 | option_b=48 | option_c=55 | option_d=39 | answer=A | explanation=The common difference is 8. Therefore the next term is 39 + 8 = 47.

id=80835 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=80836 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=12 | option_c=7 | option_d=24 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=80837 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=18 | option_b=24 | option_c=23 | option_d=28 | answer=C | explanation=The common difference is 5. Therefore the next term is 18 + 5 = 23.

id=80838 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1941. If it is sold at a profit of 40%, what is its selling price? | option_a=2523 | option_b=2717 | option_c=2911 | option_d=1981 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1941 × 140/100 = **₹**2717.

id=80839 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43, ? | option_a=52 | option_b=59 | option_c=43 | option_d=51 | answer=D | explanation=The common difference is 8. Therefore the next term is 43 + 8 = 51.

id=80840 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:13 and the first is 342, what is the second? | option_a=234 | option_b=576 | option_c=253 | option_d=221 | answer=A | explanation=Scale factor = 342/19 = 18. Therefore second quantity = 13×18 = 234.

id=80841 | topic=Percentages | difficulty=Easy | question=What is 20% of 221? | option_a=24 | option_b=88 | option_c=44 | option_d=64 | answer=C | explanation=20% of 221 = (20/100) × 221 = 44.

id=80842 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 13, 23, 35? | option_a=13 | option_b=23 | option_c=35 | option_d=3 | answer=C | explanation=The first three numbers increase by 10, so the next should be 33. Therefore 35 is the odd one out.

id=80843 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=38 | option_b=43 | option_c=33 | option_d=39 | answer=A | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.

id=80844 | topic=Averages | difficulty=Easy | question=Find the average of 40, 37, 24, 19. | option_a=32 | option_b=30 | option_c=29 | option_d=31 | answer=B | explanation=Average = sum of values ÷ number of values = 120 ÷ 4 = 30.

id=80845 | topic=Averages | difficulty=Easy | question=Find the average of 70, 70, 38, 18. | option_a=49 | option_b=51 | option_c=48 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 196 ÷ 4 = 49.

id=80846 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**22328 at 15% per annum for 2 years. | option_a=6798 | option_b=6598 | option_c=29026 | option_d=6698 | answer=D | explanation=SI = PRT/100 = 22328×15×2/100 = **₹**6698.

id=80847 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4037. If it is sold at a profit of 50%, what is its selling price? | option_a=4087 | option_b=6055 | option_c=5652 | option_d=6458 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4037 × 150/100 = **₹**6055.

id=80848 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**4099 at 8% per annum for 4 years. | option_a=5410 | option_b=1411 | option_c=1311 | option_d=1211 | answer=C | explanation=SI = PRT/100 = 4099×8×4/100 = **₹**1311.

id=80849 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=40 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=80850 | topic=Percentages | difficulty=Easy | question=What is 40% of 1079? | option_a=426 | option_b=431 | option_c=441 | option_d=862 | answer=B | explanation=40% of 1079 = (40/100) × 1079 = 431.

Aptitude Questions — Records 80,851-80,880 of 100,000

id=80851 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:7 and the first is 400, what is the second? | option_a=160 | option_b=140 | option_c=133 | option_d=540 | answer=B | explanation=Scale factor = 400/20 = 20. Therefore second quantity = 7×20 = 140.

id=80852 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=80853 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:6 and the first is 36, what is the second? | option_a=36 | option_b=42 | option_c=72 | option_d=30 | answer=A | explanation=Scale factor = 36/6 = 6. Therefore second quantity = 6×6 = 36.

id=80854 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=80855 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 23, 27, 32? | option_a=23 | option_b=32 | option_c=27 | option_d=19 | answer=B | explanation=The first three numbers increase by 4, so the next should be 31. Therefore 32 is the odd one out.

id=80856 | topic=Averages | difficulty=Easy | question=Find the average of 65, 85, 47, 85, 97, 76, 12, 20, 55, 98. | option_a=64 | option_b=65 | option_c=66 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 640 ÷ 10 = 64.

id=80857 | topic=Percentages | difficulty=Easy | question=What is 25% of 1648? | option_a=432 | option_b=412 | option_c=824 | option_d=407 | answer=B | explanation=25% of 1648 = (25/100) × 1648 = 412.

id=80858 | topic=Averages | difficulty=Easy | question=Find the average of 100, 18, 42, 34, 12, 20, 103. | option_a=48 | option_b=47 | option_c=46 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 329 ÷ 7 = 47.

id=80859 | topic=Percentages | difficulty=Easy | question=What is 30% of 965? | option_a=289 | option_b=578 | option_c=279 | option_d=299 | answer=A | explanation=30% of 965 = (30/100) × 965 = 289.

id=80860 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1523. If it is sold at a profit of 25%, what is its selling price? | option_a=1548 | option_b=1751 | option_c=2055 | option_d=1903 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1523 × 125/100 = █1903.

id=80861 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 32, 36, 41? | option_a=28 | option_b=41 | option_c=32 | option_d=36 | answer=B | explanation=The first three numbers increase by 4, so the next should be 40. Therefore 41 is the odd one out.

id=80862 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=D | option_b=C | option_c=E | option_d=B | answer=A | explanation=Move 1 positions forward from C; the resulting letter is D.

id=80863 | topic=Averages | difficulty=Easy | question=Find the average of 49, 93, 19, 17, 61, 79. | option_a=53 | option_b=55 | option_c=52 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 318 ÷ 6 = 53.

id=80864 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=40 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=80865 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=20 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=80866 | topic=Percentages | difficulty=Easy | question=What is 10% of 1224? | option_a=102 | option_b=122 | option_c=244 | option_d=142 | answer=B | explanation=10% of 1224 = (10/100) × 1224 = 122.

id=80867 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=51 | option_b=63 | option_c=73 | option_d=62 | answer=D | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.

id=80868 | topic=Profit & Loss | difficulty=Easy | question=An article costs █865. If it is sold at a profit of 5%, what is its selling price? | option_a=822 | option_b=908 | option_c=870 | option_d=994 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 865 × 105/100 = █908.

id=80869 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=C | option_c=A | option_d=B | answer=B | explanation=Move 1 positions forward from B; the resulting letter is C.

id=80870 | topic=Percentages | difficulty=Easy | question=What is 25% of 1865? | option_a=466 | option_b=932 | option_c=461 | option_d=486 | answer=A | explanation=25% of 1865 = (25/100) × 1865 = 466.

id=80871 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=13 | option_b=17 | option_c=19 | option_d=16 | answer=D | explanation=The common difference is 3. Therefore the next term is 13 + 3 = 16.

id=80872 | topic=Percentages | difficulty=Easy | question=What is 50% of 701? | option_a=700 | option_b=330 | option_c=350 | option_d=355 | answer=C | explanation=50% of 701 = (50/100) × 701 = 350.

id=80873 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 28. | option_a=392 | option_b=450 | option_c=840 | option_d=420 | answer=D | explanation=LCM × HCF = 30×28; HCF(30,28) = 2, so LCM = 420.

id=80874 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=C | option_b=U | option_c=Y | option_d=Q | answer=C | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=80875 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3481 at 6% per annum for 4 years. | option_a=935 | option_b=735 | option_c=4316 | option_d=835 | answer=D | explanation=SI = PRT/100 = 3481×6×4/100 = █835.

id=80876 | topic=Profit & Loss | difficulty=Easy | question=An article costs █806. If it is sold at a profit of 40%, what is its selling price? | option_a=1048 | option_b=1128 | option_c=846 | option_d=1208 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 806 × 140/100 = █1128.

id=80877 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=31 | option_c=41 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=80878 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4673. If it is sold at a profit of 25%, what is its selling price? | option_a=4698 | option_b=6308 | option_c=5374 | option_d=5841 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4673 × 125/100 = █5841.

id=80879 | topic=Averages | difficulty=Easy | question=Find the average of 86, 72, 94, 60. | option_a=78 | option_b=77 | option_c=80 | option_d=79 | answer=A | explanation=Average = sum of values ÷ number of values = 312 ÷ 4 = 78.

id=80880 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:16 and the first is 48, what is the second? | option_a=176 | option_b=240 | option_c=192 | option_d=196 | answer=C | explanation=Scale factor = 48/4 = 12. Therefore second quantity = 16×12 = 192.

Aptitude Questions — Records 80,881-80,910 of 100,000

id=80881 | topic=Percentages | difficulty=Easy | question=What is 15% of 918? | option_a=137 | option_b=127 | option_c=274 | option_d=157 | answer=A | explanation=15% of 918 = $(15/100) \times 918 = 137$.

id=80882 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20626 at 10% per annum for 3 years. | option_a=6187 | option_b=26813 | option_c=6087 | option_d=6287 | answer=A | explanation=SI = $PRT/100 = 20626 \times 10 \times 3/100 = \text{■}6187$.

id=80883 | topic=Percentages | difficulty=Easy | question=What is 25% of 888? | option_a=222 | option_b=444 | option_c=242 | option_d=202 | answer=A | explanation=25% of 888 = $(25/100) \times 888 = 222$.

id=80884 | topic=Percentages | difficulty=Easy | question=What is 25% of 521? | option_a=140 | option_b=110 | option_c=130 | option_d=260 | answer=C | explanation=25% of 521 = $(25/100) \times 521 = 130$.

id=80885 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = $120 \div 8 = 15$ km/h.

id=80886 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=56 | option_b=46 | option_c=57 | option_d=66 | answer=A | explanation=The common difference is 10. Therefore the next term is $46 + 10 = 56$.

id=80887 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4522. If it is sold at a profit of 30%, what is its selling price? | option_a=6330 | option_b=5426 | option_c=4552 | option_d=5878 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4522 \times 130/100 = \text{■}5878$.

id=80888 | topic=Averages | difficulty=Easy | question=Find the average of 61, 94, 15, 65, 35, 38, 42, 39, 52. | option_a=51 | option_b=48 | option_c=50 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = $441 \div 9 = 49$.

id=80889 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=10 | option_c=15 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = $60 \div 6 = 10$ km/h.

id=80890 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=67 | option_b=43 | option_c=56 | option_d=55 | answer=D | explanation=The common difference is 12. Therefore the next term is $43 + 12 = 55$.

id=80891 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 24, 36, 48, ? | option_a=60 | option_b=72 | option_c=48 | option_d=61 | answer=A | explanation=The common difference is 12. Therefore the next term is $48 + 12 = 60$.

id=80892 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 39, 49, 60? | option_a=49 | option_b=29 | option_c=60 | option_d=39 | answer=C | explanation=The first three numbers increase by 10, so the next should be 59. Therefore 60 is the odd one out.

id=80893 | topic=Percentages | difficulty=Easy | question=What is 25% of 706? | option_a=171 | option_b=181 | option_c=352 | option_d=176 | answer=D | explanation=25% of 706 = $(25/100) \times 706 = 176$.

id=80894 | topic=Averages | difficulty=Easy | question=Find the average of 96, 83, 62, 42, 40, 28, 95, 74. | option_a=67 | option_b=65 | option_c=66 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = $520 \div 8 = 65$.

id=80895 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=34 | option_b=32 | option_c=31 | option_d=28 | answer=C | explanation=The common difference is 3. Therefore the next term is $28 + 3 = 31$.

id=80896 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=80897 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 15? | option_a=15 | option_b=9 | option_c=3 | option_d=6 | answer=A | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 15 is the odd one out.

id=80898 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:12 and the first is 320, what is the second? | option_a=512 | option_b=192 | option_c=212 | option_d=180 | answer=B | explanation=Scale factor = $320/20 = 16$. Therefore second quantity = $12 \times 16 = 192$.

id=80899 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10846 at 12% per annum for 2 years. | option_a=13449 | option_b=2603 | option_c=2703 | option_d=2503 | answer=B | explanation=SI = $PRT/100 = 10846 \times 12 \times 2/100 = \text{■}2603$.

id=80900 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=80901 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 28, 36, 47? | option_a=47 | option_b=20 | option_c=28 | option_d=36 | answer=A | explanation=The first three numbers increase by 8, so the next should be 44. Therefore 47 is the odd one out.

id=80902 | topic=Percentages | difficulty=Easy | question=What is 15% of 988? | option_a=153 | option_b=296 | option_c=143 | option_d=148 | answer=D | explanation=15% of 988 = $(15/100) \times 988 = 148$.

id=80903 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 22, 29, 39? | option_a=22 | option_b=15 | option_c=29 | option_d=39 | answer=D | explanation=The first three numbers increase by 7, so the next should be 36. Therefore 39 is the odd one out.

id=80904 | topic=Percentages | difficulty=Easy | question=What is 10% of 639? | option_a=126 | option_b=63 | option_c=53 | option_d=83 | answer=B | explanation=10% of 639 = $(10/100) \times 639 = 63$.

id=80905 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=J | option_b=H | option_c=F | option_d=D | answer=B | explanation=Move 2 positions forward from F; the resulting letter is H.

id=80906 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=80 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = $120 \div 3 = 40$ km/h.

id=80907 | topic=Averages | difficulty=Easy | question=Find the average of 58, 32, 18. | option_a=35 | option_b=38 | option_c=37 | option_d=36 | answer=D | explanation=Average = sum of values ÷ number of values = $108 \div 3 = 36$.

id=80908 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=200 | option_c=100 | option_d=105 | answer=C | explanation=Speed = distance ÷ time = $300 \div 3 = 100$ km/h.

id=80909 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1546 at 12% per annum for 4 years. | option_a=642 | option_b=2288 | option_c=742 | option_d=842 | answer=C | explanation=SI = $PRT/100 = 1546 \times 12 \times 4/100 = \text{■}742$.

id=80910 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = $60 \div 2 = 30$ km/h.

Aptitude Questions — Records 80,911-80,940 of 100,000

id=80911 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=Q | option_c=C | option_d=Y | answer=D | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=80912 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2610. If it is sold at a profit of 50%, what is its selling price? | option_a=2660 | option_b=4176 | option_c=3654 | option_d=3915 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2610 × 150/100 = █3915.

id=80913 | topic=Percentages | difficulty=Easy | question=What is 5% of 372? | option_a=36 | option_b=23 | option_c=18 | option_d=0 | answer=C | explanation=5% of 372 = (5/100) × 372 = 18.

id=80914 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:14 and the first is 2, what is the second? | option_a=28 | option_b=14 | option_c=29 | option_d=30 | answer=A | explanation=Scale factor = 2/1 = 2. Therefore second quantity = 14×2 = 28.

id=80915 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=25 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=80916 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 35? | option_a=19 | option_b=26 | option_c=12 | option_d=35 | answer=D | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 35 is the odd one out.

id=80917 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 27, 36, 47? | option_a=27 | option_b=18 | option_c=36 | option_d=47 | answer=D | explanation=The first three numbers increase by 9, so the next should be 45. Therefore 47 is the odd one out.

id=80918 | topic=Averages | difficulty=Easy | question=Find the average of 28, 95, 96, 17. | option_a=58 | option_b=59 | option_c=61 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 236 ÷ 4 = 59.

id=80919 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19463 at 8% per annum for 5 years. | option_a=7885 | option_b=27248 | option_c=7685 | option_d=7785 | answer=D | explanation=SI = PRT/100 = 19463×8×5/100 = █7785.

id=80920 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28827 at 5% per annum for 4 years. | option_a=34592 | option_b=5765 | option_c=5665 | option_d=5865 | answer=B | explanation=SI = PRT/100 = 28827×5×4/100 = █5765.

id=80921 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16912 at 5% per annum for 4 years. | option_a=3282 | option_b=20294 | option_c=3382 | option_d=3482 | answer=C | explanation=SI = PRT/100 = 16912×5×4/100 = █3382.

id=80922 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33473 at 12% per annum for 2 years. | option_a=8133 | option_b=7933 | option_c=41506 | option_d=8033 | answer=D | explanation=SI = PRT/100 = 33473×12×2/100 = █8033.

id=80923 | topic=Averages | difficulty=Easy | question=Find the average of 62, 41, 37, 19, 54, 22, 60, 49, 98, 78. | option_a=51 | option_b=54 | option_c=53 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 520 ÷ 10 = 52.

id=80924 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=71 | option_b=60 | option_c=49 | option_d=61 | answer=B | explanation=The common difference is 11. Therefore the next term is 49 + 11 = 60.

id=80925 | topic=Averages | difficulty=Easy | question=Find the average of 16, 77, 53, 83, 59, 27, 34, 75. | option_a=54 | option_b=52 | option_c=53 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.

id=80926 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=C | option_b=S | option_c=X | option_d=N | answer=C | explanation=Move 5 positions forward from S; the resulting letter is X.

id=80927 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=80928 | topic=Percentages | difficulty=Easy | question=What is 30% of 1835? | option_a=530 | option_b=1100 | option_c=550 | option_d=555 | answer=C | explanation=30% of 1835 = (30/100) × 1835 = 550.

id=80929 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=M | option_c=I | option_d=G | answer=A | explanation=Move 2 positions forward from I; the resulting letter is K.

id=80930 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=80931 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 19, 27, 36? | option_a=27 | option_b=19 | option_c=11 | option_d=36 | answer=D | explanation=The first three numbers increase by 8, so the next should be 35. Therefore 36 is the odd one out.

id=80932 | topic=Profit & Loss | difficulty=Easy | question=An article costs █676. If it is sold at a profit of 15%, what is its selling price? | option_a=844 | option_b=710 | option_c=691 | option_d=777 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 676 × 115/100 = █777.

id=80933 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=S | option_c=Y | option_d=W | answer=D | explanation=Move 2 positions forward from U; the resulting letter is W.

id=80934 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=7 | option_c=12 | option_d=17 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=80935 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 27? | option_a=18 | option_b=27 | option_c=21 | option_d=15 | answer=B | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 27 is the odd one out.

id=80936 | topic=Percentages | difficulty=Easy | question=What is 40% of 1786? | option_a=724 | option_b=714 | option_c=704 | option_d=1428 | answer=B | explanation=40% of 1786 = (40/100) × 1786 = 714.

id=80937 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=80938 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=80939 | topic=Averages | difficulty=Easy | question=Find the average of 48, 76, 38, 43, 11, 67, 26, 48, 100, 33. | option_a=48 | option_b=49 | option_c=51 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 490 ÷ 10 = 49.

id=80940 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3503. If it is sold at a profit of 40%, what is its selling price? | option_a=5254 | option_b=4554 | option_c=3543 | option_d=4904 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3503 × 140/100 = █4904.

Aptitude Questions — Records 80,941-80,970 of 100,000

id=80941 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=A | option_c=M | option_d=I | answer=D | explanation=Move 4 positions forward from E; the resulting letter is I.

id=80942 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43703 at 12% per annum for 4 years. | option_a=20877 | option_b=21077 | option_c=64680 | option_d=20977 | answer=D | explanation=SI = PRT/100 = 43703×12×4/100 = **■**20977.

id=80943 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**842. If it is sold at a profit of 40%, what is its selling price? | option_a=1094 | option_b=1262 | option_c=882 | option_d=1178 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 842 × 140/100 = **■**1178.

id=80944 | topic=Averages | difficulty=Easy | question=Find the average of 96, 38, 58, 23, 37, 69, 36. | option_a=53 | option_b=52 | option_c=50 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.

id=80945 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=96 | option_c=43 | option_d=53 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=80946 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=80947 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=8 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=80948 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 10. | option_a=50 | option_b=120 | option_c=60 | option_d=72 | answer=C | explanation=LCM × HCF = 12×10; HCF(12,10) = 2, so LCM = 60.

id=80949 | topic=Percentages | difficulty=Easy | question=What is 50% of 1749? | option_a=869 | option_b=874 | option_c=1748 | option_d=884 | answer=B | explanation=50% of 1749 = (50/100) × 1749 = 874.

id=80950 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37944 at 8% per annum for 5 years. | option_a=53121 | option_b=15177 | option_c=15077 | option_d=15277 | answer=B | explanation=SI = PRT/100 = 37944×8×5/100 = **■**15177.

id=80951 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=80952 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 176, what is the second? | option_a=267 | option_b=240 | option_c=256 | option_d=432 | answer=C | explanation=Scale factor = 176/11 = 16. Therefore second quantity = 16×16 = 256.

id=80953 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=43 | option_b=44 | option_c=34 | option_d=52 | answer=A | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

id=80954 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=E | option_b=P | option_c=Z | option_d=U | answer=C | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=80955 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5311 at 12% per annum for 3 years. | option_a=2011 | option_b=1911 | option_c=7222 | option_d=1811 | answer=B | explanation=SI = PRT/100 = 5311×12×3/100 = **■**1911.

id=80956 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:3 and the first is 143, what is the second? | option_a=33 | option_b=30 | option_c=176 | option_d=46 | answer=A | explanation=Scale factor = 143/13 = 11. Therefore second quantity = 3×11 = 33.

id=80957 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=J | option_c=L | option_d=M | answer=C | explanation=Move 1 positions forward from K; the resulting letter is L.

id=80958 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=80959 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=80960 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**889. If it is sold at a profit of 15%, what is its selling price? | option_a=1110 | option_b=934 | option_c=1022 | option_d=904 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 889 × 115/100 = **■**1022.

id=80961 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 32? | option_a=13 | option_b=32 | option_c=22 | option_d=4 | answer=B | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 32 is the odd one out.

id=80962 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=30 | option_b=34 | option_c=35 | option_d=38 | answer=B | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.

id=80963 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=80964 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 30, 38, 48? | option_a=38 | option_b=22 | option_c=48 | option_d=30 | answer=C | explanation=The first three numbers increase by 8, so the next should be 46. Therefore 48 is the odd one out.

id=80965 | topic=Percentages | difficulty=Easy | question=What is 50% of 1763? | option_a=881 | option_b=886 | option_c=871 | option_d=1762 | answer=A | explanation=50% of 1763 = (50/100) × 1763 = 881.

id=80966 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=G | option_c=W | option_d=L | answer=B | explanation=Move 5 positions forward from B; the resulting letter is G.

id=80967 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20692 at 6% per annum for 3 years. | option_a=24416 | option_b=3724 | option_c=3624 | option_d=3824 | answer=B | explanation=SI = PRT/100 = 20692×6×3/100 = **■**3724.

id=80968 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 35, 41, 50? | option_a=35 | option_b=29 | option_c=41 | option_d=50 | answer=D | explanation=The first three numbers increase by 6, so the next should be 47. Therefore 50 is the odd one out.

id=80969 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:12 and the first is 54, what is the second? | option_a=24 | option_b=54 | option_c=90 | option_d=36 | answer=D | explanation=Scale factor = 54/18 = 3. Therefore second quantity = 12×3 = 36.

id=80970 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35867 at 4% per annum for 3 years. | option_a=4404 | option_b=40171 | option_c=4204 | option_d=4304 | answer=D | explanation=SI = PRT/100 = 35867×4×3/100 = **■**4304.

Aptitude Questions — Records 80,971-81,000 of 100,000

id=80971 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4300. If it is sold at a profit of 10%, what is its selling price? | option_a=5160 | option_b=4310 | option_c=4300 | option_d=4730 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4300 × 110/100 = █4730.

id=80972 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:9 and the first is 72, what is the second? | option_a=234 | option_b=153 | option_c=162 | option_d=166 | answer=C | explanation=Scale factor = 72/4 = 18. Therefore second quantity = 9×18 = 162.

id=80973 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27694 at 5% per annum for 3 years. | option_a=4054 | option_b=4154 | option_c=4254 | option_d=31848 | answer=B | explanation=SI = PRT/100 = 27694×5×3/100 = █4154.

id=80974 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:18 and the first is 361, what is the second? | option_a=342 | option_b=703 | option_c=361 | option_d=324 | answer=A | explanation=Scale factor = 361/19 = 19. Therefore second quantity = 18×19 = 342.

id=80975 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=80976 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 24, 32, 40, ? | option_a=49 | option_b=40 | option_c=56 | option_d=48 | answer=D | explanation=The common difference is 8. Therefore the next term is 40 + 8 = 48.

id=80977 | topic=Averages | difficulty=Easy | question=Find the average of 78, 21, 79, 80, 37, 55, 63. | option_a=59 | option_b=61 | option_c=60 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 413 ÷ 7 = 59.

id=80978 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=80 | option_c=75 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=80979 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:4 and the first is 112, what is the second? | option_a=24 | option_b=44 | option_c=140 | option_d=28 | answer=D | explanation=Scale factor = 112/16 = 7. Therefore second quantity = 4×7 = 28.

id=80980 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=L | option_b=X | option_c=T | option_d=P | answer=C | explanation=Move 4 positions forward from P; the resulting letter is T.

id=80981 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28880 at 5% per annum for 1 years. | option_a=1444 | option_b=30324 | option_c=1544 | option_d=1344 | answer=A | explanation=SI = PRT/100 = 28880×5×1/100 = █1444.

id=80982 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=20 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=80983 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:12 and the first is 168, what is the second? | option_a=336 | option_b=180 | option_c=156 | option_d=168 | answer=D | explanation=Scale factor = 168/12 = 14. Therefore second quantity = 12×14 = 168.

id=80984 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4376. If it is sold at a profit of 5%, what is its selling price? | option_a=4594 | option_b=5031 | option_c=4381 | option_d=4157 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4376 × 105/100 = █4594.

id=80985 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=15 | option_b=19 | option_c=18 | option_d=17 | answer=D | explanation=The common difference is 2. Therefore the next term is 15 + 2 = 17.

id=80986 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:3 and the first is 220, what is the second? | option_a=71 | option_b=57 | option_c=280 | option_d=60 | answer=D | explanation=Scale factor = 220/11 = 20. Therefore second quantity = 3×20 = 60.

id=80987 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 23, 30, 37, ? | option_a=45 | option_b=37 | option_c=51 | option_d=44 | answer=D | explanation=The common difference is 7. Therefore the next term is 37 + 7 = 44.

id=80988 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2859. If it is sold at a profit of 30%, what is its selling price? | option_a=2889 | option_b=4001 | option_c=3431 | option_d=3716 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2859 × 130/100 = █3716.

id=80989 | topic=Percentages | difficulty=Easy | question=What is 12% of 1653? | option_a=396 | option_b=198 | option_c=178 | option_d=203 | answer=B | explanation=12% of 1653 = (12/100) × 1653 = 198.

id=80990 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=80991 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33549 at 8% per annum for 5 years. | option_a=13519 | option_b=13319 | option_c=46968 | option_d=13419 | answer=D | explanation=SI = PRT/100 = 33549×8×5/100 = █13419.

id=80992 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 20, 26, 34? | option_a=26 | option_b=14 | option_c=20 | option_d=34 | answer=D | explanation=The first three numbers increase by 6, so the next should be 32. Therefore 34 is the odd one out.

id=80993 | topic=Percentages | difficulty=Easy | question=What is 20% of 707? | option_a=282 | option_b=131 | option_c=141 | option_d=161 | answer=C | explanation=20% of 707 = (20/100) × 707 = 141.

id=80994 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25887 at 10% per annum for 3 years. | option_a=7666 | option_b=7866 | option_c=7766 | option_d=33653 | answer=C | explanation=SI = PRT/100 = 25887×10×3/100 = █7766.

id=80995 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=80996 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=V | option_b=L | option_c=Q | option_d=A | answer=A | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=80997 | topic=Percentages | difficulty=Easy | question=What is 15% of 1903? | option_a=285 | option_b=570 | option_c=305 | option_d=280 | answer=A | explanation=15% of 1903 = (15/100) × 1903 = 285.

id=80998 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=80999 | topic=Averages | difficulty=Easy | question=Find the average of 91, 66, 97, 38, 40, 52. | option_a=66 | option_b=63 | option_c=65 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 384 ÷ 6 = 64.

id=81000 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 38? | option_a=34 | option_b=32 | option_c=38 | option_d=30 | answer=C | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 38 is the odd one out.

Aptitude Questions — Records 81,001-81,030 of 100,000

id=81001 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=S | option_b=U | option_c=T | option_d=V | answer=B | explanation=Move 1 positions forward from T; the resulting letter is U.

id=81002 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=E | option_b=K | option_c=I | option_d=G | answer=C | explanation=Move 2 positions forward from G; the resulting letter is I.

id=81003 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**27561 at 15% per annum for 3 years. | option_a=12402 | option_b=12302 | option_c=12502 | option_d=39963 | answer=A | explanation=SI = $PRT/100 = 27561 \times 15 \times 3/100 = \text{₹}12402$.

id=81004 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = $60 \div 4 = 15$ km/h.

id=81005 | topic=Averages | difficulty=Easy | question=Find the average of 74, 71, 91, 95, 34. | option_a=72 | option_b=73 | option_c=74 | option_d=75 | answer=B | explanation=Average = sum of values ÷ number of values = $365 \div 5 = 73$.

id=81006 | topic=Percentages | difficulty=Easy | question=What is 10% of 1000? | option_a=110 | option_b=90 | option_c=100 | option_d=200 | answer=C | explanation=10% of 1000 = $(10/100) \times 1000 = 100$.

id=81007 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:2 and the first is 80, what is the second? | option_a=8 | option_b=6 | option_c=28 | option_d=88 | answer=A | explanation=Scale factor = $80/20 = 4$. Therefore second quantity = $2 \times 4 = 8$.

id=81008 | topic=Percentages | difficulty=Easy | question=What is 10% of 1524? | option_a=304 | option_b=152 | option_c=157 | option_d=132 | answer=B | explanation=10% of 1524 = $(10/100) \times 1524 = 152$.

id=81009 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=J | option_b=H | option_c=I | option_d=K | answer=A | explanation=Move 1 positions forward from I; the resulting letter is J.

id=81010 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 22? | option_a=15 | option_b=22 | option_c=17 | option_d=13 | answer=B | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 22 is the odd one out.

id=81011 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:3 and the first is 18, what is the second? | option_a=36 | option_b=18 | option_c=15 | option_d=21 | answer=B | explanation=Scale factor = $18/3 = 6$. Therefore second quantity = $3 \times 6 = 18$.

id=81012 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 33? | option_a=33 | option_b=24 | option_c=10 | option_d=17 | answer=A | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 33 is the odd one out.

id=81013 | topic=Percentages | difficulty=Easy | question=What is 20% of 413? | option_a=102 | option_b=82 | option_c=164 | option_d=62 | answer=B | explanation=20% of 413 = $(20/100) \times 413 = 82$.

id=81014 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2947. If it is sold at a profit of 40%, what is its selling price? | option_a=4125 | option_b=4419 | option_c=3831 | option_d=2987 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2947 \times 140/100 = \text{₹}4125$.

id=81015 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=81016 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 7, 12, 18? | option_a=18 | option_b=7 | option_c=12 | option_d=2 | answer=A | explanation=The first three numbers increase by 5, so the next should be 17. Therefore 18 is the odd one out.

id=81017 | topic=Percentages | difficulty=Easy | question=What is 20% of 1393? | option_a=278 | option_b=556 | option_c=273 | option_d=298 | answer=A | explanation=20% of 1393 = $(20/100) \times 1393 = 278$.

id=81018 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=81019 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=R | option_b=F | option_c=J | option_d=N | answer=D | explanation=Move 4 positions forward from J; the resulting letter is N.

id=81020 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 46? | option_a=38 | option_b=31 | option_c=46 | option_d=24 | answer=C | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 46 is the odd one out.

id=81021 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:19 and the first is 252, what is the second? | option_a=266 | option_b=247 | option_c=284 | option_d=518 | answer=A | explanation=Scale factor = $252/18 = 14$. Therefore second quantity = $19 \times 14 = 266$.

id=81022 | topic=Averages | difficulty=Easy | question=Find the average of 54, 81, 81. | option_a=73 | option_b=71 | option_c=72 | option_d=74 | answer=C | explanation=Average = sum of values ÷ number of values = $216 \div 3 = 72$.

id=81023 | topic=Averages | difficulty=Easy | question=Find the average of 25, 45, 50, 24. | option_a=37 | option_b=36 | option_c=38 | option_d=35 | answer=B | explanation=Average = sum of values ÷ number of values = $144 \div 4 = 36$.

id=81024 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2705. If it is sold at a profit of 5%, what is its selling price? | option_a=3110 | option_b=2570 | option_c=2840 | option_d=2710 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2705 \times 105/100 = \text{₹}2840$.

id=81025 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:15 and the first is 90, what is the second? | option_a=75 | option_b=60 | option_c=165 | option_d=93 | answer=A | explanation=Scale factor = $90/18 = 5$. Therefore second quantity = $15 \times 5 = 75$.

id=81026 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 21, 23, 27? | option_a=21 | option_b=19 | option_c=27 | option_d=23 | answer=C | explanation=The first three numbers increase by 2, so the next should be 25. Therefore 27 is the odd one out.

id=81027 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=O | option_c=P | option_d=Q | answer=D | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=81028 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 28. | option_a=784 | option_b=1 | option_c=28 | option_d=56 | answer=C | explanation= $LCM \times HCF = 28 \times 28$; $HCF(28, 28) = 28$, so $LCM = 28$.

id=81029 | topic=Averages | difficulty=Easy | question=Find the average of 72, 11, 56, 55, 29, 30, 93, 14. | option_a=44 | option_b=45 | option_c=47 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = $360 \div 8 = 45$.

id=81030 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:1 and the first is 33, what is the second? | option_a=3 | option_b=14 | option_c=36 | option_d=2 | answer=A | explanation=Scale factor = $33/11 = 3$. Therefore second quantity = $1 \times 3 = 3$.

Aptitude Questions — Records 81,031-81,060 of 100,000

id=81031 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4406. If it is sold at a profit of 5%, what is its selling price? | option_a=4186 | option_b=4626 | option_c=5066 | option_d=4411 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4406 × 105/100 = █4626.

id=81032 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 33, 42, 52? | option_a=52 | option_b=42 | option_c=33 | option_d=24 | answer=A | explanation=The first three numbers increase by 9, so the next should be 51. Therefore 52 is the odd one out.

id=81033 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=29 | option_b=39 | option_c=34 | option_d=35 | answer=C | explanation=The common difference is 5. Therefore the next term is 29 + 5 = 34.

id=81034 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42066 at 6% per annum for 3 years. | option_a=49637 | option_b=7471 | option_c=7571 | option_d=7671 | answer=C | explanation=SI = PRT/100 = 42066×6×3/100 = █7571.

id=81035 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=81036 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=C | option_c=B | option_d=D | answer=D | explanation=Move 1 positions forward from C; the resulting letter is D.

id=81037 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4950. If it is sold at a profit of 5%, what is its selling price? | option_a=4702 | option_b=5692 | option_c=4955 | option_d=5197 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4950 × 105/100 = █5197.

id=81038 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 12. | option_a=72 | option_b=18 | option_c=12 | option_d=1 | answer=C | explanation=LCM × HCF = 6×12; HCF(6,12) = 6, so LCM = 12.

id=81039 | topic=Percentages | difficulty=Easy | question=What is 20% of 1065? | option_a=218 | option_b=213 | option_c=426 | option_d=208 | answer=B | explanation=20% of 1065 = (20/100) × 1065 = 213.

id=81040 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=D | option_c=H | option_d=P | answer=A | explanation=Move 4 positions forward from H; the resulting letter is L.

id=81041 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 38, 46, 57? | option_a=30 | option_b=57 | option_c=38 | option_d=46 | answer=B | explanation=The first three numbers increase by 8, so the next should be 54. Therefore 57 is the odd one out.

id=81042 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17594 at 12% per annum for 5 years. | option_a=10656 | option_b=10456 | option_c=10556 | option_d=28150 | answer=C | explanation=SI = PRT/100 = 17594×12×5/100 = █10556.

id=81043 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=81044 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 35, 43, 54? | option_a=43 | option_b=54 | option_c=35 | option_d=27 | answer=B | explanation=The first three numbers increase by 8, so the next should be 51. Therefore 54 is the odd one out.

id=81045 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=34 | option_b=27 | option_c=41 | option_d=35 | answer=A | explanation=The common difference is 7. Therefore the next term is 27 + 7 = 34.

id=81046 | topic=Averages | difficulty=Easy | question=Find the average of 22, 42, 85, 31, 24, 38, 43, 75. | option_a=46 | option_b=44 | option_c=45 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 360 ÷ 8 = 45.

id=81047 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=34 | option_b=26 | option_c=40 | option_d=33 | answer=D | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

id=81048 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:5 and the first is 210, what is the second? | option_a=65 | option_b=70 | option_c=280 | option_d=85 | answer=B | explanation=Scale factor = 210/15 = 14. Therefore second quantity = 5×14 = 70.

id=81049 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:19 and the first is 88, what is the second? | option_a=297 | option_b=217 | option_c=209 | option_d=190 | answer=C | explanation=Scale factor = 88/8 = 11. Therefore second quantity = 19×11 = 209.

id=81050 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=D | option_b=G | option_c=M | option_d=J | answer=D | explanation=Move 3 positions forward from G; the resulting letter is J.

id=81051 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=100 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=81052 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3395. If it is sold at a profit of 15%, what is its selling price? | option_a=3904 | option_b=3410 | option_c=3565 | option_d=4243 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3395 × 115/100 = █3904.

id=81053 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3474. If it is sold at a profit of 20%, what is its selling price? | option_a=4168 | option_b=4515 | option_c=3821 | option_d=3494 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3474 × 120/100 = █4168.

id=81054 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=20 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=81055 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=81056 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 46? | option_a=46 | option_b=23 | option_c=30 | option_d=37 | answer=A | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 46 is the odd one out.

id=81057 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=81058 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=81059 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=7 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=81060 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=Y | option_b=E | option_c=A | option_d=C | answer=D | explanation=Move 2 positions forward from A; the resulting letter is C.

Aptitude Questions — Records 81,061-81,090 of 100,000

id=81061 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 17? | option_a=17 | option_b=3 | option_c=11 | option_d=7 | answer=A | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 17 is the odd one out.

id=81062 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=72 | option_c=67 | option_d=144 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=81063 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=54 | option_b=45 | option_c=44 | option_d=34 | answer=C | explanation=The common difference is 10. Therefore the next term is 34 + 10 = 44.

id=81064 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=81065 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■5253 at 10% per annum for 2 years. | option_a=1050 | option_b=950 | option_c=6303 | option_d=1150 | answer=A | explanation=SI = PRT/100 = 5253×10×2/100 = ■1050.

id=81066 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=50 | option_d=90 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=81067 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■937. If it is sold at a profit of 50%, what is its selling price? | option_a=1498 | option_b=1405 | option_c=1312 | option_d=987 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 937 × 150/100 = ■1405.

id=81068 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:16 and the first is 24, what is the second? | option_a=131 | option_b=128 | option_c=112 | option_d=152 | answer=B | explanation=Scale factor = 24/3 = 8. Therefore second quantity = 16×8 = 128.

id=81069 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■24249 at 5% per annum for 5 years. | option_a=6062 | option_b=5962 | option_c=6162 | option_d=30311 | answer=A | explanation=SI = PRT/100 = 24249×5×5/100 = ■6062.

id=81070 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=K | option_c=O | option_d=C | answer=B | explanation=Move 4 positions forward from G; the resulting letter is K.

id=81071 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=W | option_b=G | option_c=B | option_d=L | answer=B | explanation=Move 5 positions forward from B; the resulting letter is G.

id=81072 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:12 and the first is 26, what is the second? | option_a=50 | option_b=12 | option_c=37 | option_d=24 | answer=D | explanation=Scale factor = 26/13 = 2. Therefore second quantity = 12×2 = 24.

id=81073 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=81074 | topic=Averages | difficulty=Easy | question=Find the average of 34, 74, 77, 10, 88, 95, 18, 45, 67, 42. | option_a=57 | option_b=54 | option_c=56 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 550 ÷ 10 = 55.

id=81075 | topic=Percentages | difficulty=Easy | question=What is 40% of 1800? | option_a=710 | option_b=1440 | option_c=720 | option_d=725 | answer=C | explanation=40% of 1800 = (40/100) × 1800 = 720.

id=81076 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=C | option_b=O | option_c=K | option_d=G | answer=C | explanation=Move 4 positions forward from G; the resulting letter is K.

id=81077 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=100 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=81078 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:19 and the first is 13, what is the second? | option_a=260 | option_b=228 | option_c=248 | option_d=247 | answer=D | explanation=Scale factor = 13/1 = 13. Therefore second quantity = 19×13 = 247.

id=81079 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=O | option_b=A | option_c=W | option_d=S | answer=C | explanation=Move 4 positions forward from S; the resulting letter is W.

id=81080 | topic=Percentages | difficulty=Easy | question=What is 40% of 1170? | option_a=458 | option_b=478 | option_c=468 | option_d=936 | answer=C | explanation=40% of 1170 = (40/100) × 1170 = 468.

id=81081 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=H | option_b=N | option_c=K | option_d=Q | answer=B | explanation=Move 3 positions forward from K; the resulting letter is N.

id=81082 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4030. If it is sold at a profit of 40%, what is its selling price? | option_a=6045 | option_b=5642 | option_c=5239 | option_d=4070 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4030 × 140/100 = ■5642.

id=81083 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=A | option_b=C | option_c=E | option_d=G | answer=C | explanation=Move 2 positions forward from C; the resulting letter is E.

id=81084 | topic=Percentages | difficulty=Easy | question=What is 30% of 1275? | option_a=387 | option_b=377 | option_c=764 | option_d=382 | answer=D | explanation=30% of 1275 = (30/100) × 1275 = 382.

id=81085 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=81086 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=E | option_b=I | option_c=G | option_d=K | answer=B | explanation=Move 2 positions forward from G; the resulting letter is I.

id=81087 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=41 | option_b=42 | option_c=34 | option_d=48 | answer=A | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=81088 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=40 | option_c=25 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=81089 | topic=Percentages | difficulty=Easy | question=What is 12% of 1352? | option_a=152 | option_b=172 | option_c=162 | option_d=324 | answer=C | explanation=12% of 1352 = (12/100) × 1352 = 162.

id=81090 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 81,091-81,120 of 100,000

id=81091 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=81092 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=81093 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=M | option_b=N | option_c=L | option_d=K | answer=A | explanation=Move 1 positions forward from L; the resulting letter is M.

id=81094 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=24 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=81095 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=63 | option_b=53 | option_c=54 | option_d=43 | answer=B | explanation=The common difference is 10. Therefore the next term is 43 + 10 = 53.

id=81096 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=49 | option_b=62 | option_c=73 | option_d=61 | answer=D | explanation=The common difference is 12. Therefore the next term is 49 + 12 = 61.

id=81097 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=81098 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=81099 | topic=Averages | difficulty=Easy | question=Find the average of 98, 37, 76, 18, 51. | option_a=56 | option_b=57 | option_c=58 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 280 ÷ 5 = 56.

id=81100 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=81101 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=V | option_c=U | option_d=T | answer=B | explanation=Move 1 positions forward from U; the resulting letter is V.

id=81102 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=E | option_b=P | option_c=Z | option_d=U | answer=C | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=81103 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:6 and the first is 6, what is the second? | option_a=20 | option_b=24 | option_c=12 | option_d=18 | answer=D | explanation=Scale factor = 6/2 = 3. Therefore second quantity = 6×3 = 18.

id=81104 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 10, 13, 17? | option_a=13 | option_b=10 | option_c=17 | option_d=7 | answer=C | explanation=The first three numbers increase by 3, so the next should be 16. Therefore 17 is the odd one out.

id=81105 | topic=Percentages | difficulty=Easy | question=What is 12% of 257? | option_a=30 | option_b=60 | option_c=50 | option_d=20 | answer=A | explanation=12% of 257 = (12/100) × 257 = 30.

id=81106 | topic=Averages | difficulty=Easy | question=Find the average of 62, 19, 37, 94, 73. | option_a=58 | option_b=59 | option_c=57 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.

id=81107 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=81108 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 21. | option_a=147 | option_b=192 | option_c=168 | option_d=504 | answer=C | explanation=LCM × HCF = 24×21; HCF(24,21) = 3, so LCM = 168.

id=81109 | topic=Averages | difficulty=Easy | question=Find the average of 46, 43, 100, 42, 44. | option_a=57 | option_b=55 | option_c=56 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 275 ÷ 5 = 55.

id=81110 | topic=Percentages | difficulty=Easy | question=What is 50% of 1374? | option_a=707 | option_b=667 | option_c=687 | option_d=1374 | answer=C | explanation=50% of 1374 = (50/100) × 1374 = 687.

id=81111 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=81112 | topic=Percentages | difficulty=Easy | question=What is 25% of 305? | option_a=152 | option_b=76 | option_c=81 | option_d=71 | answer=B | explanation=25% of 305 = (25/100) × 305 = 76.

id=81113 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=20 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=81114 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=81115 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹3126. If it is sold at a profit of 25%, what is its selling price? | option_a=3595 | option_b=4219 | option_c=3151 | option_d=3907 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3126 × 125/100 = ₹3907.

id=81116 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=22 | option_b=23 | option_c=21 | option_d=19 | answer=C | explanation=The common difference is 2. Therefore the next term is 19 + 2 = 21.

id=81117 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹853. If it is sold at a profit of 15%, what is its selling price? | option_a=895 | option_b=868 | option_c=980 | option_d=1065 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 853 × 115/100 = ₹980.

id=81118 | topic=Percentages | difficulty=Easy | question=What is 10% of 1525? | option_a=304 | option_b=162 | option_c=147 | option_d=152 | answer=D | explanation=10% of 1525 = (10/100) × 1525 = 152.

id=81119 | topic=Percentages | difficulty=Easy | question=What is 50% of 368? | option_a=184 | option_b=368 | option_c=194 | option_d=174 | answer=A | explanation=50% of 368 = (50/100) × 368 = 184.

id=81120 | topic=Percentages | difficulty=Easy | question=What is 40% of 600? | option_a=230 | option_b=240 | option_c=480 | option_d=245 | answer=B | explanation=40% of 600 = (40/100) × 600 = 240.

Aptitude Questions — Records 81,121-81,150 of 100,000

id=81121 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 14, 16, 19? | option_a=19 | option_b=16 | option_c=14 | option_d=12 | answer=A | explanation=The first three numbers increase by 2, so the next should be 18. Therefore 19 is the odd one out.

id=81122 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12} = 3$ days.

id=81123 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:4 and the first is 54, what is the second? | option_a=20 | option_b=24 | option_c=78 | option_d=33 | answer=B | explanation=Scale factor = $\frac{54}{9} = 6$. Therefore second quantity = $4 \times 6 = 24$.

id=81124 | topic=Averages | difficulty=Easy | question=Find the average of 18, 19, 22, 82, 12, 93. | option_a=42 | option_b=40 | option_c=41 | option_d=43 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{246}{6} = 41$.

id=81125 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**47706 at 12% per annum for 4 years. | option_a=22998 | option_b=70604 | option_c=22898 | option_d=22798 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{47706 \times 12 \times 4}{100} = \text{₹}22898$.

id=81126 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3224. If it is sold at a profit of 30%, what is its selling price? | option_a=4513 | option_b=3254 | option_c=4191 | option_d=3869 | answer=C | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 3224 \times \frac{130}{100} = \text{₹}4191$.

id=81127 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3739. If it is sold at a profit of 20%, what is its selling price? | option_a=3759 | option_b=4859 | option_c=4486 | option_d=4113 | answer=C | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 3739 \times \frac{120}{100} = \text{₹}4486$.

id=81128 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**721. If it is sold at a profit of 40%, what is its selling price? | option_a=761 | option_b=1081 | option_c=1009 | option_d=937 | answer=C | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 721 \times \frac{140}{100} = \text{₹}1009$.

id=81129 | topic=Averages | difficulty=Easy | question=Find the average of 99, 28, 44, 96, 17, 37, 65, 68, 32. | option_a=56 | option_b=54 | option_c=55 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{486}{9} = 54$.

id=81130 | topic=Averages | difficulty=Easy | question=Find the average of 58, 56, 84. | option_a=67 | option_b=68 | option_c=65 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{198}{3} = 66$.

id=81131 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=81132 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=81133 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=P | option_b=F | option_c=K | option_d=U | answer=A | explanation=Move 5 positions forward from K; the resulting letter is P.

id=81134 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:18 and the first is 240, what is the second? | option_a=342 | option_b=600 | option_c=372 | option_d=360 | answer=D | explanation=Scale factor = $\frac{240}{12} = 20$. Therefore second quantity = $18 \times 20 = 360$.

id=81135 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 45? | option_a=26 | option_b=34 | option_c=45 | option_d=18 | answer=C | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 45 is the odd one out.

id=81136 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = $\frac{90}{3} = 30$ km/h.

id=81137 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4559. If it is sold at a profit of 15%, what is its selling price? | option_a=4574 | option_b=5697 | option_c=4787 | option_d=5242 | answer=D | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 4559 \times \frac{115}{100} = \text{₹}5242$.

id=81138 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1678. If it is sold at a profit of 30%, what is its selling price? | option_a=2348 | option_b=1708 | option_c=2181 | option_d=2014 | answer=C | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 1678 \times \frac{130}{100} = \text{₹}2181$.

id=81139 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=40 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = $\frac{360}{8} = 45$ km/h.

id=81140 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=39 | option_b=47 | option_c=29 | option_d=38 | answer=D | explanation=The common difference is 9. Therefore the next term is $29 + 9 = 38$.

id=81141 | topic=Percentages | difficulty=Easy | question=What is 50% of 1573? | option_a=796 | option_b=1572 | option_c=786 | option_d=776 | answer=C | explanation=50% of 1573 = $(\frac{50}{100}) \times 1573 = 786$.

id=81142 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3168. If it is sold at a profit of 10%, what is its selling price? | option_a=3800 | option_b=3484 | option_c=3178 | option_d=3168 | answer=B | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 3168 \times \frac{110}{100} = \text{₹}3484$.

id=81143 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2116. If it is sold at a profit of 50%, what is its selling price? | option_a=2166 | option_b=3174 | option_c=2963 | option_d=3385 | answer=B | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 2116 \times \frac{150}{100} = \text{₹}3174$.

id=81144 | topic=Percentages | difficulty=Easy | question=What is 50% of 1883? | option_a=931 | option_b=946 | option_c=1882 | option_d=941 | answer=D | explanation=50% of 1883 = $(\frac{50}{100}) \times 1883 = 941$.

id=81145 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:20 and the first is 300, what is the second? | option_a=300 | option_b=600 | option_c=320 | option_d=280 | answer=A | explanation=Scale factor = $\frac{300}{20} = 15$. Therefore second quantity = $20 \times 15 = 300$.

id=81146 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 50? | option_a=33 | option_b=41 | option_c=50 | option_d=25 | answer=C | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 50 is the odd one out.

id=81147 | topic=Percentages | difficulty=Easy | question=What is 25% of 434? | option_a=108 | option_b=113 | option_c=216 | option_d=98 | answer=A | explanation=25% of 434 = $(\frac{25}{100}) \times 434 = 108$.

id=81148 | topic=Percentages | difficulty=Easy | question=What is 25% of 1996? | option_a=489 | option_b=998 | option_c=504 | option_d=499 | answer=D | explanation=25% of 1996 = $(\frac{25}{100}) \times 1996 = 499$.

id=81149 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 27. | option_a=60 | option_b=27 | option_c=162 | option_d=54 | answer=D | explanation=LCM $\times$ HCF = 6×27 ; $\text{HCF}(6, 27) = 3$, so LCM = 54.

id=81150 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**7385 at 12% per annum for 2 years. | option_a=9157 | option_b=1672 | option_c=1772 | option_d=1872 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{7385 \times 12 \times 2}{100} = \text{₹}1772$.

Aptitude Questions — Records 81,151-81,180 of 100,000

id=811151 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=811152 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 16, 23, 30, ? | option_a=38 | option_b=30 | option_c=44 | option_d=37 | answer=D | explanation=The common difference is 7. Therefore the next term is 30 + 7 = 37.

id=811153 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:16 and the first is 380, what is the second? | option_a=304 | option_b=324 | option_c=684 | option_d=288 | answer=A | explanation=Scale factor = 380/20 = 19. Therefore second quantity = 16×19 = 304.

id=811154 | topic=Averages | difficulty=Easy | question=Find the average of 58, 40, 36, 15, 89, 14, 89, 93, 13, 93. | option_a=53 | option_b=54 | option_c=55 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

id=811155 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=32 | option_b=25 | option_c=31 | option_d=37 | answer=C | explanation=The common difference is 6. Therefore the next term is 25 + 6 = 31.

id=811156 | topic=Averages | difficulty=Easy | question=Find the average of 51, 77, 43, 17, 47. | option_a=49 | option_b=48 | option_c=47 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 235 ÷ 5 = 47.

id=811157 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 8, 11, 14, ? | option_a=17 | option_b=20 | option_c=18 | option_d=14 | answer=A | explanation=The common difference is 3. Therefore the next term is 14 + 3 = 17.

id=811158 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:8 and the first is 128, what is the second? | option_a=192 | option_b=56 | option_c=64 | option_d=80 | answer=C | explanation=Scale factor = 128/16 = 8. Therefore second quantity = 8×8 = 64.

id=811159 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:9 and the first is 220, what is the second? | option_a=180 | option_b=171 | option_c=400 | option_d=191 | answer=A | explanation=Scale factor = 220/11 = 20. Therefore second quantity = 9×20 = 180.

id=811160 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=4 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=811161 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26181 at 4% per annum for 4 years. | option_a=4288 | option_b=4188 | option_c=30369 | option_d=4088 | answer=B | explanation=SI = PRT/100 = 26181×4×4/100 = **■**4188.

id=811162 | topic=Averages | difficulty=Easy | question=Find the average of 18, 97, 100, 53. | option_a=69 | option_b=66 | option_c=67 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 268 ÷ 4 = 67.

id=811163 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:17 and the first is 72, what is the second? | option_a=114 | option_b=174 | option_c=85 | option_d=102 | answer=D | explanation=Scale factor = 72/12 = 6. Therefore second quantity = 17×6 = 102.

id=811164 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=71 | option_b=60 | option_c=47 | option_d=59 | answer=D | explanation=The common difference is 12. Therefore the next term is 47 + 12 = 59.

id=811165 | topic=Averages | difficulty=Easy | question=Find the average of 80, 51, 89, 13, 59, 53, 40, 43, 35, 107. | option_a=58 | option_b=57 | option_c=59 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.

id=811166 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31776 at 6% per annum for 4 years. | option_a=7626 | option_b=7726 | option_c=7526 | option_d=39402 | answer=A | explanation=SI = PRT/100 = 31776×6×4/100 = **■**7626.

id=811167 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 15, 23, 33? | option_a=33 | option_b=23 | option_c=7 | option_d=15 | answer=A | explanation=The first three numbers increase by 8, so the next should be 31. Therefore 33 is the odd one out.

id=811168 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=49 | option_b=41 | option_c=31 | option_d=40 | answer=D | explanation=The common difference is 9. Therefore the next term is 31 + 9 = 40.

id=811169 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1944. If it is sold at a profit of 15%, what is its selling price? | option_a=2235 | option_b=2429 | option_c=2041 | option_d=1959 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1944 × 115/100 = **■**2235.

id=811170 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=5 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=811171 | topic=Percentages | difficulty=Easy | question=What is 10% of 933? | option_a=103 | option_b=83 | option_c=93 | option_d=186 | answer=C | explanation=10% of 933 = (10/100) × 933 = 93.

id=811172 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=I | option_b=A | option_c=W | option_d=E | answer=D | explanation=Move 4 positions forward from A; the resulting letter is E.

id=811173 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4646. If it is sold at a profit of 20%, what is its selling price? | option_a=4666 | option_b=5111 | option_c=6039 | option_d=5575 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4646 × 120/100 = **■**5575.

id=811174 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=41 | option_b=55 | option_c=48 | option_d=49 | answer=C | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.

id=811175 | topic=Averages | difficulty=Easy | question=Find the average of 14, 22, 43, 81, 15, 33, 12, 36. | option_a=33 | option_b=32 | option_c=34 | option_d=31 | answer=B | explanation=Average = sum of values ÷ number of values = 256 ÷ 8 = 32.

id=811176 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=56 | option_b=65 | option_c=57 | option_d=47 | answer=A | explanation=The common difference is 9. Therefore the next term is 47 + 9 = 56.

id=811177 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 27, 36, 48? | option_a=27 | option_b=18 | option_c=48 | option_d=36 | answer=C | explanation=The first three numbers increase by 9, so the next should be 45. Therefore 48 is the odd one out.

id=811178 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=X | option_b=N | option_c=C | option_d=S | answer=A | explanation=Move 5 positions forward from S; the resulting letter is X.

id=811179 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=Z | option_b=D | option_c=H | option_d=L | answer=C | explanation=Move 4 positions forward from D; the resulting letter is H.

id=811180 | topic=Percentages | difficulty=Easy | question=What is 15% of 604? | option_a=90 | option_b=100 | option_c=85 | option_d=180 | answer=A | explanation=15% of 604 = (15/100) × 604 = 90.

Aptitude Questions — Records 81,181-81,210 of 100,000

id=81181 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 39? | option_a=20 | option_b=39 | option_c=11 | option_d=29 | answer=B | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 39 is the odd one out.

id=81182 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=81183 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 25, 31, 40? | option_a=31 | option_b=25 | option_c=19 | option_d=40 | answer=D | explanation=The first three numbers increase by 6, so the next should be 37. Therefore 40 is the odd one out.

id=81184 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=R | option_c=C | option_d=M | answer=D | explanation=Move 5 positions forward from H; the resulting letter is M.

id=81185 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 63? | option_a=63 | option_b=50 | option_c=40 | option_d=30 | answer=A | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 63 is the odd one out.

id=81186 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=M | option_c=O | option_d=K | answer=C | explanation=Move 2 positions forward from M; the resulting letter is O.

id=81187 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:9 and the first is 42, what is the second? | option_a=69 | option_b=18 | option_c=41 | option_d=27 | answer=D | explanation=Scale factor = 42/14 = 3. Therefore second quantity = 9×3 = 27.

id=81188 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2059. If it is sold at a profit of 5%, what is its selling price? | option_a=2366 | option_b=2161 | option_c=1956 | option_d=2064 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2059 × 105/100 = █2161.

id=81189 | topic=Percentages | difficulty=Easy | question=What is 40% of 211? | option_a=84 | option_b=94 | option_c=168 | option_d=64 | answer=A | explanation=40% of 211 = (40/100) × 211 = 84.

id=81190 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3439. If it is sold at a profit of 15%, what is its selling price? | option_a=3454 | option_b=3954 | option_c=4297 | option_d=3611 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3439 × 115/100 = █3954.

id=81191 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=20 | option_b=16 | option_c=24 | option_d=21 | answer=A | explanation=The common difference is 4. Therefore the next term is 16 + 4 = 20.

id=81192 | topic=Percentages | difficulty=Easy | question=What is 50% of 1006? | option_a=1006 | option_b=493 | option_c=508 | option_d=503 | answer=D | explanation=50% of 1006 = (50/100) × 1006 = 503.

id=81193 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22454 at 12% per annum for 2 years. | option_a=5488 | option_b=5288 | option_c=27842 | option_d=5388 | answer=D | explanation=SI = PRT/100 = 22454×12×2/100 = █5388.

id=81194 | topic=Averages | difficulty=Easy | question=Find the average of 13, 64, 83, 25, 71, 32, 19, 61. | option_a=48 | option_b=46 | option_c=47 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = 368 ÷ 8 = 46.

id=81195 | topic=Percentages | difficulty=Easy | question=What is 12% of 1860? | option_a=446 | option_b=213 | option_c=223 | option_d=243 | answer=C | explanation=12% of 1860 = (12/100) × 1860 = 223.

id=81196 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 22, 31, 41? | option_a=31 | option_b=41 | option_c=22 | option_d=13 | answer=B | explanation=The first three numbers increase by 9, so the next should be 40. Therefore 41 is the odd one out.

id=81197 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:18 and the first is 32, what is the second? | option_a=290 | option_b=288 | option_c=320 | option_d=270 | answer=B | explanation=Scale factor = 32/2 = 16. Therefore second quantity = 18×16 = 288.

id=81198 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:9 and the first is 40, what is the second? | option_a=58 | option_b=38 | option_c=18 | option_d=9 | answer=C | explanation=Scale factor = 40/20 = 2. Therefore second quantity = 9×2 = 18.

id=81199 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=V | option_b=A | option_c=L | option_d=Q | answer=A | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=81200 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2356. If it is sold at a profit of 20%, what is its selling price? | option_a=3062 | option_b=2376 | option_c=2827 | option_d=2592 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2356 × 120/100 = █2827.

id=81201 | topic=Averages | difficulty=Easy | question=Find the average of 63, 74, 46. | option_a=63 | option_b=62 | option_c=60 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 183 ÷ 3 = 61.

id=81202 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:11 and the first is 120, what is the second? | option_a=122 | option_b=230 | option_c=110 | option_d=99 | answer=C | explanation=Scale factor = 120/12 = 10. Therefore second quantity = 11×10 = 110.

id=81203 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8492 at 8% per annum for 4 years. | option_a=2717 | option_b=2617 | option_c=11209 | option_d=2817 | answer=A | explanation=SI = PRT/100 = 8492×8×4/100 = █2717.

id=81204 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=40 | option_b=39 | option_c=34 | option_d=44 | answer=B | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

id=81205 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1729. If it is sold at a profit of 10%, what is its selling price? | option_a=1729 | option_b=1739 | option_c=2073 | option_d=1901 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1729 × 110/100 = █1901.

id=81206 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20169 at 15% per annum for 5 years. | option_a=15026 | option_b=35295 | option_c=15226 | option_d=15126 | answer=D | explanation=SI = PRT/100 = 20169×15×5/100 = █15126.

id=81207 | topic=Percentages | difficulty=Easy | question=What is 40% of 166? | option_a=86 | option_b=56 | option_c=132 | option_d=66 | answer=D | explanation=40% of 166 = (40/100) × 166 = 66.

id=81208 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=T | option_c=S | option_d=Q | answer=C | explanation=Move 1 positions forward from R; the resulting letter is S.

id=81209 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 18? | option_a=9 | option_b=11 | option_c=18 | option_d=13 | answer=C | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 18 is the odd one out.

id=81210 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=I | option_b=Q | option_c=U | option_d=M | answer=B | explanation=Move 4 positions forward from M; the resulting letter is Q.

Aptitude Questions — Records 81,211-81,240 of 100,000

id=81211 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 34, 43, 55? | option_a=34 | option_b=43 | option_c=25 | option_d=55 | answer=D | explanation=The first three numbers increase by 9, so the next should be 52. Therefore 55 is the odd one out.

id=81212 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=81213 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=81214 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=81215 | topic=Averages | difficulty=Easy | question=Find the average of 79, 74, 77, 82. | option_a=80 | option_b=77 | option_c=79 | option_d=78 | answer=D | explanation=Average = sum of values ÷ number of values = 312 ÷ 4 = 78.

id=81216 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 31? | option_a=18 | option_b=13 | option_c=23 | option_d=31 | answer=D | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 31 is the odd one out.

id=81217 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29355 at 15% per annum for 2 years. | option_a=8706 | option_b=8806 | option_c=8906 | option_d=38161 | answer=B | explanation=SI = PRT/100 = 29355×15×2/100 = **■**8806.

id=81218 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2785. If it is sold at a profit of 15%, what is its selling price? | option_a=3480 | option_b=2800 | option_c=3202 | option_d=2924 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2785 × 115/100 = **■**3202.

id=81219 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=240 | option_c=125 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=81220 | topic=Averages | difficulty=Easy | question=Find the average of 41, 19, 91, 83, 21. | option_a=50 | option_b=52 | option_c=53 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 255 ÷ 5 = 51.

id=81221 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=26 | option_b=32 | option_c=20 | option_d=27 | answer=A | explanation=The common difference is 6. Therefore the next term is 20 + 6 = 26.

id=81222 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48038 at 6% per annum for 3 years. | option_a=56684 | option_b=8746 | option_c=8646 | option_d=8546 | answer=C | explanation=SI = PRT/100 = 48038×6×3/100 = **■**8646.

id=81223 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=81224 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=81225 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 27, 31, 37? | option_a=27 | option_b=23 | option_c=31 | option_d=37 | answer=D | explanation=The first three numbers increase by 4, so the next should be 35. Therefore 37 is the odd one out.

id=81226 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=T | option_b=V | option_c=U | option_d=W | answer=B | explanation=Move 1 positions forward from U; the resulting letter is V.

id=81227 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=105 | option_c=95 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=81228 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 50? | option_a=42 | option_b=36 | option_c=50 | option_d=30 | answer=C | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 50 is the odd one out.

id=81229 | topic=Percentages | difficulty=Easy | question=What is 15% of 1856? | option_a=298 | option_b=268 | option_c=278 | option_d=556 | answer=C | explanation=15% of 1856 = (15/100) × 1856 = 278.

id=81230 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=29 | option_b=19 | option_c=25 | option_d=24 | answer=D | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.

id=81231 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34795 at 5% per annum for 1 years. | option_a=36534 | option_b=1839 | option_c=1639 | option_d=1739 | answer=D | explanation=SI = PRT/100 = 34795×5×1/100 = **■**1739.

id=81232 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=81233 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:4 and the first is 180, what is the second? | option_a=220 | option_b=40 | option_c=58 | option_d=36 | answer=B | explanation=Scale factor = 180/18 = 10. Therefore second quantity = 4×10 = 40.

id=81234 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=81235 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=12 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=81236 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Y | option_b=U | option_c=Q | option_d=M | answer=B | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=81237 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=81238 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=81239 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:19 and the first is 48, what is the second? | option_a=57 | option_b=124 | option_c=76 | option_d=88 | answer=C | explanation=Scale factor = 48/12 = 4. Therefore second quantity = 19×4 = 76.

id=81240 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:6 and the first is 119, what is the second? | option_a=221 | option_b=102 | option_c=109 | option_d=96 | answer=B | explanation=Scale factor = 119/7 = 17. Therefore second quantity = 6×17 = 102.

Aptitude Questions — Records 81,241-81,270 of 100,000

id=81241 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 26? | option_a=17 | option_b=19 | option_c=21 | option_d=26 | answer=D | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 26 is the odd one out.

id=81242 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 22, 26, 33? | option_a=18 | option_b=26 | option_c=22 | option_d=33 | answer=D | explanation=The first three numbers increase by 4, so the next should be 30. Therefore 33 is the odd one out.

id=81243 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28480 at 5% per annum for 2 years. | option_a=2748 | option_b=31328 | option_c=2848 | option_d=2948 | answer=C | explanation=SI = $PRT/100 = 28480 \times 5 \times 2/100 = \text{■}2848$.

id=81244 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:12 and the first is 72, what is the second? | option_a=220 | option_b=204 | option_c=288 | option_d=216 | answer=D | explanation=Scale factor = $72/4 = 18$. Therefore second quantity = $12 \times 18 = 216$.

id=81245 | topic=Percentages | difficulty=Easy | question=What is 15% of 626? | option_a=93 | option_b=186 | option_c=98 | option_d=88 | answer=A | explanation= $15\% \text{ of } 626 = (15/100) \times 626 = 93$.

id=81246 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40959 at 15% per annum for 3 years. | option_a=18331 | option_b=18531 | option_c=18431 | option_d=59390 | answer=C | explanation=SI = $PRT/100 = 40959 \times 15 \times 3/100 = \text{■}18431$.

id=81247 | topic=Percentages | difficulty=Easy | question=What is 20% of 744? | option_a=158 | option_b=138 | option_c=148 | option_d=296 | answer=C | explanation= $20\% \text{ of } 744 = (20/100) \times 744 = 148$.

id=81248 | topic=Averages | difficulty=Easy | question=Find the average of 80, 33, 76, 60, 86, 97. | option_a=74 | option_b=71 | option_c=72 | option_d=73 | answer=C | explanation=Average = sum of values ÷ number of values = $432 \div 6 = 72$.

id=81249 | topic=Percentages | difficulty=Easy | question=What is 30% of 224? | option_a=134 | option_b=57 | option_c=67 | option_d=87 | answer=C | explanation= $30\% \text{ of } 224 = (30/100) \times 224 = 67$.

id=81250 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=34 | option_b=35 | option_c=40 | option_d=28 | answer=A | explanation=The common difference is 6. Therefore the next term is $28 + 6 = 34$.

id=81251 | topic=Averages | difficulty=Easy | question=Find the average of 11, 24, 58, 15, 35, 16, 65, 65, 53. | option_a=40 | option_b=38 | option_c=37 | option_d=39 | answer=B | explanation=Average = sum of values ÷ number of values = $342 \div 9 = 38$.

id=81252 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=81253 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4830. If it is sold at a profit of 25%, what is its selling price? | option_a=5554 | option_b=4855 | option_c=6520 | option_d=6037 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4830 \times 125/100 = \text{■}6037$.

id=81254 | topic=Averages | difficulty=Easy | question=Find the average of 60, 60, 20, 20, 85, 84, 48, 67, 51. | option_a=56 | option_b=55 | option_c=54 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = $495 \div 9 = 55$.

id=81255 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:20 and the first is 12, what is the second? | option_a=241 | option_b=240 | option_c=252 | option_d=220 | answer=B | explanation=Scale factor = $12/1 = 12$. Therefore second quantity = $20 \times 12 = 240$.

id=81256 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 12. | option_a=24 | option_b=12 | option_c=48 | option_d=288 | answer=A | explanation= $LCM \times HCF = 24 \times 12$; $HCF(24, 12) = 12$, so $LCM = 24$.

id=81257 | topic=Percentages | difficulty=Easy | question=What is 50% of 140? | option_a=75 | option_b=70 | option_c=140 | option_d=60 | answer=B | explanation= $50\% \text{ of } 140 = (50/100) \times 140 = 70$.

id=81258 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 39, 48, 59? | option_a=39 | option_b=30 | option_c=48 | option_d=59 | answer=D | explanation=The first three numbers increase by 9, so the next should be 57. Therefore 59 is the odd one out.

id=81259 | topic=Percentages | difficulty=Easy | question=What is 25% of 700? | option_a=350 | option_b=155 | option_c=180 | option_d=175 | answer=D | explanation= $25\% \text{ of } 700 = (25/100) \times 700 = 175$.

id=81260 | topic=Averages | difficulty=Easy | question=Find the average of 99, 73, 24, 75, 40, 61. | option_a=62 | option_b=61 | option_c=63 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = $372 \div 6 = 62$.

id=81261 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=81262 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=155 | option_c=300 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = $300 \div 2 = 150$ km/h.

id=81263 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:4 and the first is 78, what is the second? | option_a=58 | option_b=52 | option_c=48 | option_d=130 | answer=B | explanation=Scale factor = $78/6 = 13$. Therefore second quantity = $4 \times 13 = 52$.

id=81264 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=81265 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2579. If it is sold at a profit of 20%, what is its selling price? | option_a=2837 | option_b=3094 | option_c=3351 | option_d=2599 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2579 \times 120/100 = \text{■}3094$.

id=81266 | topic=Averages | difficulty=Easy | question=Find the average of 28, 81, 24, 88, 57, 10, 19, 53. | option_a=47 | option_b=46 | option_c=45 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = $360 \div 8 = 45$.

id=81267 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 20. | option_a=96 | option_b=80 | option_c=60 | option_d=320 | answer=B | explanation= $LCM \times HCF = 16 \times 20$; $HCF(16, 20) = 4$, so $LCM = 80$.

id=81268 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=50 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = $150 \div 6 = 25$ km/h.

id=81269 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:12 and the first is 12, what is the second? | option_a=74 | option_b=60 | option_c=84 | option_d=72 | answer=D | explanation=Scale factor = $12/2 = 6$. Therefore second quantity = $12 \times 6 = 72$.

id=81270 | topic=Averages | difficulty=Easy | question=Find the average of 37, 91, 48, 46, 17, 30, 99, 21, 25. | option_a=47 | option_b=48 | option_c=45 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = $414 \div 9 = 46$.

Aptitude Questions — Records 81,271-81,300 of 100,000

id=81271 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2536. If it is sold at a profit of 40%, what is its selling price? | option_a=3297 | option_b=2576 | option_c=3550 | option_d=3803 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2536 × 140/100 = ■3550.

id=81272 | topic=Averages | difficulty=Easy | question=Find the average of 61, 24, 53, 95, 58, 27. | option_a=52 | option_b=53 | option_c=54 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 318 ÷ 6 = 53.

id=81273 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■819. If it is sold at a profit of 10%, what is its selling price? | option_a=900 | option_b=819 | option_c=981 | option_d=829 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 819 × 110/100 = ■900.

id=81274 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 30, 34, 40? | option_a=34 | option_b=26 | option_c=30 | option_d=40 | answer=D | explanation=The first three numbers increase by 4, so the next should be 38. Therefore 40 is the odd one out.

id=81275 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=144 | option_c=77 | option_d=67 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=81276 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■12548 at 15% per annum for 4 years. | option_a=7628 | option_b=7528 | option_c=20076 | option_d=7428 | answer=B | explanation=SI = PRT/100 = 12548×15×4/100 = ■7528.

id=81277 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■176. If it is sold at a profit of 40%, what is its selling price? | option_a=246 | option_b=216 | option_c=229 | option_d=263 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 176 × 140/100 = ■246.

id=81278 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=81279 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=27 | option_b=21 | option_c=26 | option_d=31 | answer=C | explanation=The common difference is 5. Therefore the next term is 21 + 5 = 26.

id=81280 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=G | option_b=L | option_c=B | option_d=W | answer=A | explanation=Move 5 positions forward from B; the resulting letter is G.

id=81281 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1336. If it is sold at a profit of 30%, what is its selling price? | option_a=1869 | option_b=1366 | option_c=1603 | option_d=1736 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1336 × 130/100 = ■1736.

id=81282 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=N | option_b=J | option_c=B | option_d=F | answer=B | explanation=Move 4 positions forward from F; the resulting letter is J.

id=81283 | topic=Averages | difficulty=Easy | question=Find the average of 80, 46, 65, 93, 101. | option_a=76 | option_b=79 | option_c=77 | option_d=78 | answer=C | explanation=Average = sum of values ÷ number of values = 385 ÷ 5 = 77.

id=81284 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4252. If it is sold at a profit of 30%, what is its selling price? | option_a=5952 | option_b=4282 | option_c=5527 | option_d=5102 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4252 × 130/100 = ■5527.

id=81285 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■923. If it is sold at a profit of 5%, what is its selling price? | option_a=928 | option_b=877 | option_c=969 | option_d=1061 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 923 × 105/100 = ■969.

id=81286 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:15 and the first is 216, what is the second? | option_a=270 | option_b=255 | option_c=486 | option_d=282 | answer=A | explanation=Scale factor = 216/12 = 18. Therefore second quantity = 15×18 = 270.

id=81287 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=K | option_b=P | option_c=Z | option_d=U | answer=D | explanation=Move 5 positions forward from P; the resulting letter is U.

id=81288 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=V | option_c=G | option_d=Q | answer=D | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=81289 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=D | option_b=F | option_c=G | option_d=E | answer=B | explanation=Move 1 positions forward from E; the resulting letter is F.

id=81290 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■43696 at 8% per annum for 4 years. | option_a=57678 | option_b=13882 | option_c=13982 | option_d=14082 | answer=C | explanation=SI = PRT/100 = 43696×8×4/100 = ■13982.

id=81291 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=81292 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=90 | option_c=85 | option_d=180 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=81293 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=40 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=81294 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=81295 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=K | option_b=V | option_c=F | option_d=A | answer=C | explanation=Move 5 positions forward from A; the resulting letter is F.

id=81296 | topic=Percentages | difficulty=Easy | question=What is 15% of 1343? | option_a=201 | option_b=221 | option_c=402 | option_d=196 | answer=A | explanation=15% of 1343 = (15/100) × 1343 = 201.

id=81297 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=14 | option_b=11 | option_c=13 | option_d=15 | answer=C | explanation=The common difference is 2. Therefore the next term is 11 + 2 = 13.

id=81298 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:17 and the first is 120, what is the second? | option_a=324 | option_b=204 | option_c=214 | option_d=187 | answer=B | explanation=Scale factor = 120/10 = 12. Therefore second quantity = 17×12 = 204.

id=81299 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=F | option_c=G | option_d=H | answer=D | explanation=Move 1 positions forward from G; the resulting letter is H.

id=81300 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 81,301-81,330 of 100,000

id=81301 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 31, 40, 51? | option_a=31 | option_b=22 | option_c=40 | option_d=51 | answer=D | explanation=The first three numbers increase by 9, so the next should be 49. Therefore 51 is the odd one out.

id=81302 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=70 | option_b=150 | option_c=75 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=81303 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=R | option_c=J | option_d=F | answer=A | explanation=Move 4 positions forward from J; the resulting letter is N.

id=81304 | topic=Averages | difficulty=Easy | question=Find the average of 25, 74, 11, 63, 52, 34, 99, 71, 93. | option_a=58 | option_b=59 | option_c=60 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 522 ÷ 9 = 58.

id=81305 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 18, 28, 40? | option_a=40 | option_b=28 | option_c=18 | option_d=8 | answer=A | explanation=The first three numbers increase by 10, so the next should be 38. Therefore 40 is the odd one out.

id=81306 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=Q | option_c=T | option_d=S | answer=D | explanation=Move 1 positions forward from R; the resulting letter is S.

id=81307 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 24, 33, 43? | option_a=15 | option_b=43 | option_c=24 | option_d=33 | answer=B | explanation=The first three numbers increase by 9, so the next should be 42. Therefore 43 is the odd one out.

id=81308 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 46? | option_a=33 | option_b=46 | option_c=13 | option_d=23 | answer=B | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 46 is the odd one out.

id=81309 | topic=Percentages | difficulty=Easy | question=What is 40% of 1086? | option_a=424 | option_b=434 | option_c=868 | option_d=454 | answer=B | explanation=40% of 1086 = (40/100) × 1086 = 434.

id=81310 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=48 | option_b=34 | option_c=41 | option_d=42 | answer=C | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=81311 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3895. If it is sold at a profit of 40%, what is its selling price? | option_a=5064 | option_b=5453 | option_c=5842 | option_d=3935 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3895 × 140/100 = █5453.

id=81312 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27283 at 10% per annum for 1 years. | option_a=2828 | option_b=2628 | option_c=30011 | option_d=2728 | answer=D | explanation=SI = PRT/100 = 27283×10×1/100 = █2728.

id=81313 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 27, 31, 36? | option_a=31 | option_b=23 | option_c=36 | option_d=27 | answer=C | explanation=The first three numbers increase by 4, so the next should be 35. Therefore 36 is the odd one out.

id=81314 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=51 | option_b=43 | option_c=44 | option_d=35 | answer=B | explanation=The common difference is 8. Therefore the next term is 35 + 8 = 43.

id=81315 | topic=Percentages | difficulty=Easy | question=What is 40% of 875? | option_a=330 | option_b=350 | option_c=370 | option_d=700 | answer=B | explanation=40% of 875 = (40/100) × 875 = 350.

id=81316 | topic=Percentages | difficulty=Easy | question=What is 30% of 1286? | option_a=390 | option_b=385 | option_c=770 | option_d=375 | answer=B | explanation=30% of 1286 = (30/100) × 1286 = 385.

id=81317 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=D | option_c=E | option_d=C | answer=C | explanation=Move 1 positions forward from D; the resulting letter is E.

id=81318 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=150 | option_c=155 | option_d=145 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=81319 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:4 and the first is 27, what is the second? | option_a=63 | option_b=36 | option_c=39 | option_d=32 | answer=B | explanation=Scale factor = 27/3 = 9. Therefore second quantity = 4×9 = 36.

id=81320 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3248. If it is sold at a profit of 25%, what is its selling price? | option_a=3273 | option_b=3736 | option_c=4384 | option_d=4060 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3248 × 125/100 = █4060.

id=81321 | topic=Percentages | difficulty=Easy | question=What is 25% of 624? | option_a=136 | option_b=161 | option_c=156 | option_d=312 | answer=C | explanation=25% of 624 = (25/100) × 624 = 156.

id=81322 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:19 and the first is 160, what is the second? | option_a=304 | option_b=464 | option_c=285 | option_d=314 | answer=A | explanation=Scale factor = 160/10 = 16. Therefore second quantity = 19×16 = 304.

id=81323 | topic=Percentages | difficulty=Easy | question=What is 10% of 1364? | option_a=136 | option_b=156 | option_c=126 | option_d=272 | answer=A | explanation=10% of 1364 = (10/100) × 1364 = 136.

id=81324 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 22, 32, 45? | option_a=22 | option_b=12 | option_c=32 | option_d=45 | answer=D | explanation=The first three numbers increase by 10, so the next should be 42. Therefore 45 is the odd one out.

id=81325 | topic=Percentages | difficulty=Easy | question=What is 5% of 101? | option_a=5 | option_b=15 | option_c=10 | option_d=0 | answer=A | explanation=5% of 101 = (5/100) × 101 = 5.

id=81326 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=37 | option_b=43 | option_c=31 | option_d=38 | answer=A | explanation=The common difference is 6. Therefore the next term is 31 + 6 = 37.

id=81327 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4882. If it is sold at a profit of 50%, what is its selling price? | option_a=4932 | option_b=7323 | option_c=7811 | option_d=6835 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4882 × 150/100 = █7323.

id=81328 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:17 and the first is 68, what is the second? | option_a=51 | option_b=85 | option_c=68 | option_d=136 | answer=C | explanation=Scale factor = 68/17 = 4. Therefore second quantity = 17×4 = 68.

id=81329 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 29? | option_a=23 | option_b=13 | option_c=18 | option_d=29 | answer=D | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 29 is the odd one out.

id=81330 | topic=Percentages | difficulty=Easy | question=What is 40% of 563? | option_a=220 | option_b=225 | option_c=230 | option_d=450 | answer=B | explanation=40% of 563 = (40/100) × 563 = 225.

Aptitude Questions — Records 81,331-81,360 of 100,000

id=81331 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 15. | option_a=30 | option_b=40 | option_c=150 | option_d=15 | answer=A | explanation=LCM × HCF = 10×15; HCF(10,15) = 5, so LCM = 30.

id=81332 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=G | option_c=X | option_d=D | answer=D | explanation=Move 3 positions forward from A; the resulting letter is D.

id=81333 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:14 and the first is 240, what is the second? | option_a=210 | option_b=450 | option_c=196 | option_d=226 | answer=A | explanation=Scale factor = 240/16 = 15. Therefore second quantity = 14×15 = 210.

id=81334 | topic=Averages | difficulty=Easy | question=Find the average of 24, 90, 54, 12, 45. | option_a=47 | option_b=46 | option_c=45 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = 225 ÷ 5 = 45.

id=81335 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=Y | option_b=H | option_c=E | option_d=B | answer=C | explanation=Move 3 positions forward from B; the resulting letter is E.

id=81336 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1034. If it is sold at a profit of 50%, what is its selling price? | option_a=1551 | option_b=1654 | option_c=1448 | option_d=1084 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1034 × 150/100 = █1551.

id=81337 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=40 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=81338 | topic=Averages | difficulty=Easy | question=Find the average of 13, 54, 69, 84, 28, 62, 16, 42, 55. | option_a=46 | option_b=49 | option_c=47 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 423 ÷ 9 = 47.

id=81339 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=47 | option_b=42 | option_c=35 | option_d=41 | answer=D | explanation=The common difference is 6. Therefore the next term is 35 + 6 = 41.

id=81340 | topic=Averages | difficulty=Easy | question=Find the average of 66, 43, 42, 86, 84, 15, 63, 33. | option_a=55 | option_b=54 | option_c=56 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 432 ÷ 8 = 54.

id=81341 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 22, 32, 43? | option_a=22 | option_b=32 | option_c=12 | option_d=43 | answer=D | explanation=The first three numbers increase by 10, so the next should be 42. Therefore 43 is the odd one out.

id=81342 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1865. If it is sold at a profit of 25%, what is its selling price? | option_a=1890 | option_b=2331 | option_c=2145 | option_d=2517 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1865 × 125/100 = █2331.

id=81343 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=46 | option_b=38 | option_c=52 | option_d=45 | answer=D | explanation=The common difference is 7. Therefore the next term is 38 + 7 = 45.

id=81344 | topic=Percentages | difficulty=Easy | question=What is 10% of 57? | option_a=10 | option_b=0 | option_c=25 | option_d=5 | answer=D | explanation=10% of 57 = (10/100) × 57 = 5.

id=81345 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=N | option_b=T | option_c=Q | option_d=W | answer=B | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=81346 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1057. If it is sold at a profit of 40%, what is its selling price? | option_a=1097 | option_b=1374 | option_c=1584 | option_d=1479 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1057 × 140/100 = █1479.

id=81347 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=A | option_b=C | option_c=B | option_d=D | answer=B | explanation=Move 1 positions forward from B; the resulting letter is C.

id=81348 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=81349 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=X | option_b=B | option_c=T | option_d=P | answer=A | explanation=Move 4 positions forward from T; the resulting letter is X.

id=81350 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=39 | option_b=40 | option_c=33 | option_d=45 | answer=A | explanation=The common difference is 6. Therefore the next term is 33 + 6 = 39.

id=81351 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 22, 29, 37? | option_a=15 | option_b=37 | option_c=29 | option_d=22 | answer=B | explanation=The first three numbers increase by 7, so the next should be 36. Therefore 37 is the odd one out.

id=81352 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45712 at 6% per annum for 5 years. | option_a=13613 | option_b=13813 | option_c=13713 | option_d=59425 | answer=C | explanation=SI = PRT/100 = 45712×6×5/100 = █13713.

id=81353 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5369 at 15% per annum for 4 years. | option_a=3321 | option_b=8590 | option_c=3121 | option_d=3221 | answer=D | explanation=SI = PRT/100 = 5369×15×4/100 = █3221.

id=81354 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:14 and the first is 208, what is the second? | option_a=182 | option_b=390 | option_c=198 | option_d=168 | answer=A | explanation=Scale factor = 208/16 = 13. Therefore second quantity = 14×13 = 182.

id=81355 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 26? | option_a=26 | option_b=19 | option_c=22 | option_d=16 | answer=A | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 26 is the odd one out.

id=81356 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=81357 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2079. If it is sold at a profit of 10%, what is its selling price? | option_a=2493 | option_b=2079 | option_c=2089 | option_d=2286 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2079 × 110/100 = █2286.

id=81358 | topic=Percentages | difficulty=Easy | question=What is 25% of 909? | option_a=232 | option_b=217 | option_c=227 | option_d=454 | answer=C | explanation=25% of 909 = (25/100) × 909 = 227.

id=81359 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:8 and the first is 12, what is the second? | option_a=44 | option_b=24 | option_c=35 | option_d=32 | answer=D | explanation=Scale factor = 12/3 = 4. Therefore second quantity = 8×4 = 32.

id=81360 | topic=Profit & Loss | difficulty=Easy | question=An article costs █830. If it is sold at a profit of 10%, what is its selling price? | option_a=996 | option_b=840 | option_c=830 | option_d=913 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 830 × 110/100 = █913.

Aptitude Questions — Records 81,361-81,390 of 100,000

id=81361 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=81362 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=12 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=81363 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 13, 21, 30? | option_a=30 | option_b=5 | option_c=13 | option_d=21 | answer=A | explanation=The first three numbers increase by 8, so the next should be 29. Therefore 30 is the odd one out.

id=81364 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=81365 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:18 and the first is 90, what is the second? | option_a=72 | option_b=108 | option_c=180 | option_d=90 | answer=D | explanation=Scale factor = 90/18 = 5. Therefore second quantity = 18×5 = 90.

id=81366 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 12, 16, 23? | option_a=23 | option_b=8 | option_c=12 | option_d=16 | answer=A | explanation=The first three numbers increase by 4, so the next should be 20. Therefore 23 is the odd one out.

id=81367 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=F | option_b=I | option_c=G | option_d=H | answer=D | explanation=Move 1 positions forward from G; the resulting letter is H.

id=81368 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=81369 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=K | option_b=U | option_c=Z | option_d=P | answer=B | explanation=Move 5 positions forward from P; the resulting letter is U.

id=81370 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4481 at 8% per annum for 1 years. | option_a=358 | option_b=4839 | option_c=458 | option_d=258 | answer=A | explanation=SI = PRT/100 = 4481×8×1/100 = **■**358.

id=81371 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:14 and the first is 42, what is the second? | option_a=104 | option_b=84 | option_c=140 | option_d=98 | answer=D | explanation=Scale factor = 42/6 = 7. Therefore second quantity = 14×7 = 98.

id=81372 | topic=Averages | difficulty=Easy | question=Find the average of 65, 39, 25, 66, 50, 25, 68, 38. | option_a=49 | option_b=47 | option_c=46 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 376 ÷ 8 = 47.

id=81373 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=81374 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=A | option_b=L | option_c=V | option_d=Q | answer=C | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=81375 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=81376 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2406. If it is sold at a profit of 10%, what is its selling price? | option_a=2416 | option_b=2406 | option_c=2886 | option_d=2646 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2406 × 110/100 = **■**2646.

id=81377 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=81378 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3113 at 12% per annum for 3 years. | option_a=1120 | option_b=1220 | option_c=1020 | option_d=4233 | answer=A | explanation=SI = PRT/100 = 3113×12×3/100 = **■**1120.

id=81379 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:1 and the first is 15, what is the second? | option_a=15 | option_b=14 | option_c=16 | option_d=30 | answer=A | explanation=Scale factor = 15/1 = 15. Therefore second quantity = 1×15 = 15.

id=81380 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 22. | option_a=176 | option_b=96 | option_c=88 | option_d=66 | answer=C | explanation=LCM × HCF = 8×22; HCF(8,22) = 2, so LCM = 88.

id=81381 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:9 and the first is 35, what is the second? | option_a=63 | option_b=54 | option_c=68 | option_d=98 | answer=A | explanation=Scale factor = 35/5 = 7. Therefore second quantity = 9×7 = 63.

id=81382 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3533. If it is sold at a profit of 10%, what is its selling price? | option_a=4239 | option_b=3533 | option_c=3886 | option_d=3543 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3533 × 110/100 = **■**3886.

id=81383 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=50 | option_c=55 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=81384 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=R | option_b=L | option_c=I | option_d=O | answer=D | explanation=Move 3 positions forward from L; the resulting letter is O.

id=81385 | topic=Averages | difficulty=Easy | question=Find the average of 64, 13, 47, 95, 29, 80, 52, 80, 86, 64. | option_a=63 | option_b=61 | option_c=60 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 610 ÷ 10 = 61.

id=81386 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=50 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=81387 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=25 | option_c=20 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=81388 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=24 | option_c=12 | option_d=17 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=81389 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 40? | option_a=28 | option_b=40 | option_c=10 | option_d=19 | answer=B | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 40 is the odd one out.

id=81390 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1404. If it is sold at a profit of 50%, what is its selling price? | option_a=2106 | option_b=2246 | option_c=1966 | option_d=1454 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1404 × 150/100 = **■**2106.

Aptitude Questions — Records 81,391-81,420 of 100,000

id=81391 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 22? | option_a=15 | option_b=22 | option_c=3 | option_d=9 | answer=B | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 22 is the odd one out.

id=81392 | topic=Percentages | difficulty=Easy | question=What is 12% of 722? | option_a=172 | option_b=81 | option_c=96 | option_d=86 | answer=D | explanation=12% of 722 = (12/100) × 722 = 86.

id=81393 | topic=Averages | difficulty=Easy | question=Find the average of 22, 39, 19, 91, 21, 16, 28, 10, 21, 53. | option_a=33 | option_b=31 | option_c=34 | option_d=32 | answer=D | explanation=Average = sum of values ÷ number of values = 320 ÷ 10 = 32.

id=81394 | topic=Averages | difficulty=Easy | question=Find the average of 62, 81, 75, 90, 87. | option_a=80 | option_b=81 | option_c=78 | option_d=79 | answer=D | explanation=Average = sum of values ÷ number of values = 395 ÷ 5 = 79.

id=81395 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15420 at 8% per annum for 3 years. | option_a=3600 | option_b=3800 | option_c=19120 | option_d=3700 | answer=D | explanation=SI = PRT/100 = 15420×8×3/100 = **■**3700.

id=81396 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=31 | option_c=36 | option_d=72 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=81397 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=81398 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=81399 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2731. If it is sold at a profit of 30%, what is its selling price? | option_a=3823 | option_b=3550 | option_c=2761 | option_d=3277 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2731 × 130/100 = **■**3550.

id=81400 | topic=Averages | difficulty=Easy | question=Find the average of 59, 16, 89, 29, 69, 56. | option_a=55 | option_b=52 | option_c=53 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 318 ÷ 6 = 53.

id=81401 | topic=Percentages | difficulty=Easy | question=What is 10% of 1703? | option_a=160 | option_b=170 | option_c=175 | option_d=340 | answer=B | explanation=10% of 1703 = (10/100) × 1703 = 170.

id=81402 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=81403 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=X | option_b=N | option_c=I | option_d=S | answer=D | explanation=Move 5 positions forward from N; the resulting letter is S.

id=81404 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=X | option_b=T | option_c=B | option_d=P | answer=A | explanation=Move 4 positions forward from T; the resulting letter is X.

id=81405 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=81406 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 33, 40, 48? | option_a=48 | option_b=40 | option_c=26 | option_d=33 | answer=A | explanation=The first three numbers increase by 7, so the next should be 47. Therefore 48 is the odd one out.

id=81407 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=T | option_b=N | option_c=Q | option_d=K | answer=C | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=81408 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 21, 30, 42? | option_a=12 | option_b=21 | option_c=42 | option_d=30 | answer=C | explanation=The first three numbers increase by 9, so the next should be 39. Therefore 42 is the odd one out.

id=81409 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=18 | option_c=23 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=81410 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:19 and the first is 126, what is the second? | option_a=171 | option_b=185 | option_c=297 | option_d=152 | answer=A | explanation=Scale factor = 126/14 = 9. Therefore second quantity = 19×9 = 171.

id=81411 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=81412 | topic=Percentages | difficulty=Easy | question=What is 50% of 594? | option_a=297 | option_b=302 | option_c=277 | option_d=594 | answer=A | explanation=50% of 594 = (50/100) × 594 = 297.

id=81413 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13727 at 6% per annum for 1 years. | option_a=723 | option_b=14550 | option_c=823 | option_d=923 | answer=C | explanation=SI = PRT/100 = 13727×6×1/100 = **■**823.

id=81414 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=81415 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2322. If it is sold at a profit of 5%, what is its selling price? | option_a=2438 | option_b=2327 | option_c=2670 | option_d=2206 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2322 × 105/100 = **■**2438.

id=81416 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=K | option_b=A | option_c=P | option_d=F | answer=A | explanation=Move 5 positions forward from F; the resulting letter is K.

id=81417 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 53? | option_a=30 | option_b=53 | option_c=40 | option_d=20 | answer=B | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 53 is the odd one out.

id=81418 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=81419 | topic=Percentages | difficulty=Easy | question=What is 50% of 1462? | option_a=731 | option_b=736 | option_c=1462 | option_d=721 | answer=A | explanation=50% of 1462 = (50/100) × 1462 = 731.

id=81420 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

Aptitude Questions — Records 81,421-81,450 of 100,000

id=81421 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:10 and the first is 18, what is the second? | option_a=78 | option_b=63 | option_c=50 | option_d=60 | answer=D | explanation=Scale factor = 18/3 = 6. Therefore second quantity = 10×6 = 60.

id=81422 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=150 | option_c=155 | option_d=145 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=81423 | topic=Percentages | difficulty=Easy | question=What is 40% of 772? | option_a=318 | option_b=308 | option_c=298 | option_d=616 | answer=B | explanation=40% of 772 = (40/100) × 772 = 308.

id=81424 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=95 | option_c=100 | option_d=105 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=81425 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=A | option_b=K | option_c=F | option_d=P | answer=B | explanation=Move 5 positions forward from F; the resulting letter is K.

id=81426 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=N | option_b=E | option_c=H | option_d=K | answer=D | explanation=Move 3 positions forward from H; the resulting letter is K.

id=81427 | topic=Averages | difficulty=Easy | question=Find the average of 58, 73, 36, 86, 73, 28. | option_a=58 | option_b=59 | option_c=61 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.

id=81428 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24441 at 10% per annum for 2 years. | option_a=4788 | option_b=29329 | option_c=4888 | option_d=4988 | answer=C | explanation=SI = PRT/100 = 24441×10×2/100 = **■**4888.

id=81429 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21147 at 6% per annum for 5 years. | option_a=27491 | option_b=6444 | option_c=6244 | option_d=6344 | answer=D | explanation=SI = PRT/100 = 21147×6×5/100 = **■**6344.

id=81430 | topic=Averages | difficulty=Easy | question=Find the average of 56, 62, 18, 20, 14. | option_a=34 | option_b=33 | option_c=35 | option_d=36 | answer=A | explanation=Average = sum of values ÷ number of values = 170 ÷ 5 = 34.

id=81431 | topic=Percentages | difficulty=Easy | question=What is 50% of 1360? | option_a=690 | option_b=1360 | option_c=680 | option_d=675 | answer=C | explanation=50% of 1360 = (50/100) × 1360 = 680.

id=81432 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27167 at 6% per annum for 2 years. | option_a=3260 | option_b=3160 | option_c=30427 | option_d=3360 | answer=A | explanation=SI = PRT/100 = 27167×6×2/100 = **■**3260.

id=81433 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2296. If it is sold at a profit of 25%, what is its selling price? | option_a=3099 | option_b=2641 | option_c=2321 | option_d=2870 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2296 × 125/100 = **■**2870.

id=81434 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2699. If it is sold at a profit of 40%, what is its selling price? | option_a=4047 | option_b=3509 | option_c=3778 | option_d=2739 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2699 × 140/100 = **■**3778.

id=81435 | topic=Averages | difficulty=Easy | question=Find the average of 75, 56, 22, 15. | option_a=41 | option_b=43 | option_c=42 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = 168 ÷ 4 = 42.

id=81436 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 24. | option_a=182 | option_b=336 | option_c=168 | option_d=144 | answer=C | explanation=LCM × HCF = 14×24; HCF(14,24) = 2, so LCM = 168.

id=81437 | topic=Averages | difficulty=Easy | question=Find the average of 67, 49, 99, 64, 97, 92, 99. | option_a=82 | option_b=81 | option_c=83 | option_d=80 | answer=B | explanation=Average = sum of values ÷ number of values = 567 ÷ 7 = 81.

id=81438 | topic=Percentages | difficulty=Easy | question=What is 15% of 966? | option_a=288 | option_b=144 | option_c=149 | option_d=124 | answer=B | explanation=15% of 966 = (15/100) × 966 = 144.

id=81439 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21931 at 12% per annum for 4 years. | option_a=10526 | option_b=10426 | option_c=32457 | option_d=10626 | answer=A | explanation=SI = PRT/100 = 21931×12×4/100 = **■**10526.

id=81440 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2061. If it is sold at a profit of 20%, what is its selling price? | option_a=2267 | option_b=2473 | option_c=2679 | option_d=2081 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2061 × 120/100 = **■**2473.

id=81441 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14530 at 12% per annum for 5 years. | option_a=23248 | option_b=8818 | option_c=8618 | option_d=8718 | answer=D | explanation=SI = PRT/100 = 14530×12×5/100 = **■**8718.

id=81442 | topic=Averages | difficulty=Easy | question=Find the average of 45, 24, 58, 53, 82, 49, 10, 68, 88. | option_a=53 | option_b=54 | option_c=52 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 477 ÷ 9 = 53.

id=81443 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=57 | option_b=45 | option_c=69 | option_d=58 | answer=A | explanation=The common difference is 12. Therefore the next term is 45 + 12 = 57.

id=81444 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15690 at 4% per annum for 4 years. | option_a=2610 | option_b=2510 | option_c=18200 | option_d=2410 | answer=B | explanation=SI = PRT/100 = 15690×4×4/100 = **■**2510.

id=81445 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11981 at 15% per annum for 2 years. | option_a=15575 | option_b=3594 | option_c=3694 | option_d=3494 | answer=B | explanation=SI = PRT/100 = 11981×15×2/100 = **■**3594.

id=81446 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 38? | option_a=38 | option_b=32 | option_c=26 | option_d=29 | answer=A | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 38 is the odd one out.

id=81447 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 25. | option_a=90 | option_b=75 | option_c=50 | option_d=375 | answer=B | explanation=LCM × HCF = 15×25; HCF(15,25) = 5, so LCM = 75.

id=81448 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 34? | option_a=4 | option_b=34 | option_c=13 | option_d=22 | answer=B | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 34 is the odd one out.

id=81449 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 28, 33, 39? | option_a=33 | option_b=28 | option_c=39 | option_d=23 | answer=C | explanation=The first three numbers increase by 5, so the next should be 38. Therefore 39 is the odd one out.

id=81450 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=W | option_c=A | option_d=O | answer=B | explanation=Move 4 positions forward from S; the resulting letter is W.

Aptitude Questions — Records 81,451-81,480 of 100,000

id=81451 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 21, 30, 42? | option_a=21 | option_b=30 | option_c=42 | option_d=12 | answer=C | explanation=The first three numbers increase by 9, so the next should be 39. Therefore 42 is the odd one out.

id=81452 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 16. | option_a=112 | option_b=96 | option_c=140 | option_d=448 | answer=A | explanation=LCM × HCF = 28×16; HCF(28,16) = 4, so LCM = 112.

id=81453 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=81454 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 26. | option_a=182 | option_b=224 | option_c=416 | option_d=208 | answer=D | explanation=LCM × HCF = 16×26; HCF(16,26) = 2, so LCM = 208.

id=81455 | topic=Averages | difficulty=Easy | question=Find the average of 54, 20, 33, 83, 60, 14. | option_a=45 | option_b=43 | option_c=44 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 264 ÷ 6 = 44.

id=81456 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=81457 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=81458 | topic=Percentages | difficulty=Easy | question=What is 12% of 618? | option_a=84 | option_b=74 | option_c=54 | option_d=148 | answer=B | explanation=12% of 618 = (12/100) × 618 = 74.

id=81459 | topic=Averages | difficulty=Easy | question=Find the average of 15, 62, 71, 20. | option_a=44 | option_b=41 | option_c=42 | option_d=43 | answer=C | explanation=Average = sum of values ÷ number of values = 168 ÷ 4 = 42.

id=81460 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Z | option_b=Q | option_c=T | option_d=W | answer=D | explanation=Move 3 positions forward from T; the resulting letter is W.

id=81461 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=22 | option_b=23 | option_c=19 | option_d=25 | answer=A | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.

id=81462 | topic=Averages | difficulty=Easy | question=Find the average of 17, 47, 35, 25, 54, 74, 35, 43, 57. | option_a=42 | option_b=44 | option_c=45 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = 387 ÷ 9 = 43.

id=81463 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 38, 46, 56? | option_a=38 | option_b=56 | option_c=30 | option_d=46 | answer=B | explanation=The first three numbers increase by 8, so the next should be 54. Therefore 56 is the odd one out.

id=81464 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=81465 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=48 | option_b=41 | option_c=34 | option_d=42 | answer=B | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=81466 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 43? | option_a=29 | option_b=37 | option_c=33 | option_d=43 | answer=D | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 43 is the odd one out.

id=81467 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=81468 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 22, 32, 44? | option_a=32 | option_b=22 | option_c=12 | option_d=44 | answer=D | explanation=The first three numbers increase by 10, so the next should be 42. Therefore 44 is the odd one out.

id=81469 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1145. If it is sold at a profit of 10%, what is its selling price? | option_a=1145 | option_b=1155 | option_c=1259 | option_d=1373 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1145 × 110/100 = █1259.

id=81470 | topic=Percentages | difficulty=Easy | question=What is 5% of 530? | option_a=26 | option_b=21 | option_c=52 | option_d=46 | answer=A | explanation=5% of 530 = (5/100) × 530 = 26.

id=81471 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=81472 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=81473 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:11 and the first is 88, what is the second? | option_a=88 | option_b=176 | option_c=77 | option_d=99 | answer=A | explanation=Scale factor = 88/11 = 8. Therefore second quantity = 11×8 = 88.

id=81474 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 28, 32, 38? | option_a=38 | option_b=32 | option_c=24 | option_d=28 | answer=A | explanation=The first three numbers increase by 4, so the next should be 36. Therefore 38 is the odd one out.

id=81475 | topic=Averages | difficulty=Easy | question=Find the average of 22, 89, 17, 43, 27, 23, 24. | option_a=37 | option_b=34 | option_c=35 | option_d=36 | answer=C | explanation=Average = sum of values ÷ number of values = 245 ÷ 7 = 35.

id=81476 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=X | option_c=B | option_d=J | answer=A | explanation=Move 4 positions forward from B; the resulting letter is F.

id=81477 | topic=Profit & Loss | difficulty=Easy | question=An article costs █571. If it is sold at a profit of 15%, what is its selling price? | option_a=599 | option_b=586 | option_c=713 | option_d=656 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 571 × 115/100 = █656.

id=81478 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49161 at 4% per annum for 1 years. | option_a=1866 | option_b=51127 | option_c=1966 | option_d=2066 | answer=C | explanation=SI = PRT/100 = 49161×4×1/100 = █1966.

id=81479 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4811. If it is sold at a profit of 10%, what is its selling price? | option_a=5292 | option_b=4821 | option_c=4811 | option_d=5773 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4811 × 110/100 = █5292.

id=81480 | topic=Percentages | difficulty=Easy | question=What is 30% of 1838? | option_a=551 | option_b=541 | option_c=561 | option_d=1102 | answer=A | explanation=30% of 1838 = (30/100) × 1838 = 551.

Aptitude Questions — Records 81,481-81,510 of 100,000

id=81481 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 8. | option_a=16 | option_b=96 | option_c=36 | option_d=24 | answer=D | explanation=LCM × HCF = 12×8; HCF(12,8) = 4, so LCM = 24.

id=81482 | topic=Number System | difficulty=Easy | question=Find the LCM of 23 and 23. | option_a=529 | option_b=1 | option_c=23 | option_d=46 | answer=C | explanation=LCM × HCF = 23×23; HCF(23,23) = 23, so LCM = 23.

id=81483 | topic=Averages | difficulty=Easy | question=Find the average of 33, 44, 65, 53, 26, 26, 98, 79. | option_a=54 | option_b=53 | option_c=52 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.

id=81484 | topic=Averages | difficulty=Easy | question=Find the average of 38, 26, 58, 32, 68, 42. | option_a=44 | option_b=45 | option_c=46 | option_d=43 | answer=A | explanation=Average = sum of values ÷ number of values = 264 ÷ 6 = 44.

id=81485 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=T | option_c=P | option_d=R | answer=B | explanation=Move 2 positions forward from R; the resulting letter is T.

id=81486 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=90 | option_c=95 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=81487 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=8 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=81488 | topic=Percentages | difficulty=Easy | question=What is 25% of 1838? | option_a=918 | option_b=459 | option_c=439 | option_d=479 | answer=B | explanation=25% of 1838 = (25/100) × 1838 = 459.

id=81489 | topic=Averages | difficulty=Easy | question=Find the average of 46, 59, 24. | option_a=43 | option_b=44 | option_c=42 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 129 ÷ 3 = 43.

id=81490 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=A | option_b=C | option_c=B | option_d=D | answer=B | explanation=Move 1 positions forward from B; the resulting letter is C.

id=81491 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 19, 22, 25, ? | option_a=28 | option_b=25 | option_c=31 | option_d=29 | answer=A | explanation=The common difference is 3. Therefore the next term is 25 + 3 = 28.

id=81492 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=81493 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42699 at 10% per annum for 1 years. | option_a=4169 | option_b=46968 | option_c=4369 | option_d=4269 | answer=D | explanation=SI = PRT/100 = 42699×10×1/100 = **■**4269.

id=81494 | topic=Averages | difficulty=Easy | question=Find the average of 41, 91, 59, 89. | option_a=71 | option_b=69 | option_c=70 | option_d=72 | answer=C | explanation=Average = sum of values ÷ number of values = 280 ÷ 4 = 70.

id=81495 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=105 | option_c=200 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=81496 | topic=Averages | difficulty=Easy | question=Find the average of 48, 95, 88, 85. | option_a=81 | option_b=79 | option_c=78 | option_d=80 | answer=B | explanation=Average = sum of values ÷ number of values = 316 ÷ 4 = 79.

id=81497 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:14 and the first is 24, what is the second? | option_a=170 | option_b=168 | option_c=192 | option_d=154 | answer=B | explanation=Scale factor = 24/2 = 12. Therefore second quantity = 14×12 = 168.

id=81498 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=61 | option_b=51 | option_c=52 | option_d=41 | answer=B | explanation=The common difference is 10. Therefore the next term is 41 + 10 = 51.

id=81499 | topic=Averages | difficulty=Easy | question=Find the average of 14, 63, 86, 86, 35, 69, 24, 48, 76, 39. | option_a=53 | option_b=55 | option_c=54 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

id=81500 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=53 | option_b=45 | option_c=37 | option_d=46 | answer=B | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=81501 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 16. | option_a=160 | option_b=176 | option_c=352 | option_d=198 | answer=B | explanation=LCM × HCF = 22×16; HCF(22,16) = 2, so LCM = 176.

id=81502 | topic=Percentages | difficulty=Easy | question=What is 50% of 632? | option_a=632 | option_b=296 | option_c=316 | option_d=336 | answer=C | explanation=50% of 632 = (50/100) × 632 = 316.

id=81503 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 15. | option_a=1 | option_b=75 | option_c=15 | option_d=20 | answer=C | explanation=LCM × HCF = 5×15; HCF(5,15) = 5, so LCM = 15.

id=81504 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 14, 18, 25? | option_a=14 | option_b=18 | option_c=10 | option_d=25 | answer=D | explanation=The first three numbers increase by 4, so the next should be 22. Therefore 25 is the odd one out.

id=81505 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=81506 | topic=Percentages | difficulty=Easy | question=What is 5% of 305? | option_a=25 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation=5% of 305 = (5/100) × 305 = 15.

id=81507 | topic=Averages | difficulty=Easy | question=Find the average of 68, 72, 35, 13. | option_a=49 | option_b=46 | option_c=47 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 188 ÷ 4 = 47.

id=81508 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=81509 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=81510 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=1 | option_c=11 | option_d=12 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

Aptitude Questions — Records 81,511-81,540 of 100,000

id=81511 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2403. If it is sold at a profit of 10%, what is its selling price? | option_a=2413 | option_b=2643 | option_c=2403 | option_d=2883 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2403 × 110/100 = █2643.

id=81512 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7830 at 6% per annum for 1 years. | option_a=469 | option_b=569 | option_c=8299 | option_d=369 | answer=A | explanation=SI = PRT/100 = 7830×6×1/100 = █469.

id=81513 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3362 at 15% per annum for 2 years. | option_a=1108 | option_b=1008 | option_c=4370 | option_d=908 | answer=B | explanation=SI = PRT/100 = 3362×15×2/100 = █1008.

id=81514 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:3 and the first is 70, what is the second? | option_a=112 | option_b=47 | option_c=39 | option_d=42 | answer=D | explanation=Scale factor = 70/5 = 14. Therefore second quantity = 3×14 = 42.

id=81515 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 21. | option_a=21 | option_b=24 | option_c=1 | option_d=63 | answer=A | explanation=LCM × HCF = 3×21; HCF(3,21) = 3, so LCM = 21.

id=81516 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=81517 | topic=Averages | difficulty=Easy | question=Find the average of 76, 77, 54, 41, 77, 52, 56, 73, 48, 36. | option_a=61 | option_b=60 | option_c=58 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 590 ÷ 10 = 59.

id=81518 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 41? | option_a=41 | option_b=30 | option_c=22 | option_d=14 | answer=A | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 41 is the odd one out.

id=81519 | topic=Profit & Loss | difficulty=Easy | question=An article costs █611. If it is sold at a profit of 15%, what is its selling price? | option_a=763 | option_b=626 | option_c=641 | option_d=702 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 611 × 115/100 = █702.

id=81520 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 39? | option_a=39 | option_b=29 | option_c=11 | option_d=20 | answer=A | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 39 is the odd one out.

id=81521 | topic=Profit & Loss | difficulty=Easy | question=An article costs █735. If it is sold at a profit of 30%, what is its selling price? | option_a=765 | option_b=1028 | option_c=955 | option_d=882 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 735 × 130/100 = █955.

id=81522 | topic=Percentages | difficulty=Easy | question=What is 50% of 849? | option_a=424 | option_b=434 | option_c=404 | option_d=848 | answer=A | explanation=50% of 849 = (50/100) × 849 = 424.

id=81523 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:10 and the first is 126, what is the second? | option_a=130 | option_b=140 | option_c=266 | option_d=149 | answer=B | explanation=Scale factor = 126/9 = 14. Therefore second quantity = 10×14 = 140.

id=81524 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=4 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=81525 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=81526 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=50 | option_c=25 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=81527 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=N | option_c=P | option_d=T | answer=A | explanation=Move 2 positions forward from P; the resulting letter is R.

id=81528 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=81529 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 27? | option_a=18 | option_b=12 | option_c=6 | option_d=27 | answer=D | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 27 is the odd one out.

id=81530 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 5, 8, 11, ? | option_a=15 | option_b=14 | option_c=17 | option_d=11 | answer=B | explanation=The common difference is 3. Therefore the next term is 11 + 3 = 14.

id=81531 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 42? | option_a=22 | option_b=28 | option_c=34 | option_d=42 | answer=D | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 42 is the odd one out.

id=81532 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=81533 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=S | option_c=I | option_d=X | answer=B | explanation=Move 5 positions forward from N; the resulting letter is S.

id=81534 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=24 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=81535 | topic=Averages | difficulty=Easy | question=Find the average of 88, 68, 99, 32, 95, 85, 77, 56. | option_a=74 | option_b=76 | option_c=77 | option_d=75 | answer=D | explanation=Average = sum of values ÷ number of values = 600 ÷ 8 = 75.

id=81536 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=81537 | topic=Profit & Loss | difficulty=Easy | question=An article costs █255. If it is sold at a profit of 15%, what is its selling price? | option_a=268 | option_b=270 | option_c=318 | option_d=293 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 255 × 115/100 = █293.

id=81538 | topic=Percentages | difficulty=Easy | question=What is 10% of 867? | option_a=96 | option_b=172 | option_c=86 | option_d=76 | answer=C | explanation=10% of 867 = (10/100) × 867 = 86.

id=81539 | topic=Averages | difficulty=Easy | question=Find the average of 64, 65, 33, 78. | option_a=61 | option_b=59 | option_c=62 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 240 ÷ 4 = 60.

id=81540 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 38, 46, 56? | option_a=30 | option_b=46 | option_c=56 | option_d=38 | answer=C | explanation=The first three numbers increase by 8, so the next should be 54. Therefore 56 is the odd one out.

Aptitude Questions — Records 81,541-81,570 of 100,000

- id=81541 | topic=Averages | difficulty=Easy | question=Find the average of 73, 74, 84, 52, 65, 30. | option_a=62 | option_b=63 | option_c=65 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 378 ÷ 6 = 63.
- id=81542 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**931. If it is sold at a profit of 25%, what is its selling price? | option_a=1070 | option_b=1256 | option_c=1163 | option_d=956 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 931 × 125/100 = **■**1163.
- id=81543 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4748. If it is sold at a profit of 40%, what is its selling price? | option_a=6173 | option_b=6647 | option_c=7121 | option_d=4788 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4748 × 140/100 = **■**6647.
- id=81544 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:3 and the first is 24, what is the second? | option_a=38 | option_b=36 | option_c=33 | option_d=60 | answer=B | explanation=Scale factor = 24/2 = 12. Therefore second quantity = 3×12 = 36.
- id=81545 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 17, 25, 33, ? | option_a=33 | option_b=49 | option_c=42 | option_d=41 | answer=D | explanation=The common difference is 8. Therefore the next term is 33 + 8 = 41.
- id=81546 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=43 | option_b=36 | option_c=35 | option_d=27 | answer=C | explanation=The common difference is 8. Therefore the next term is 27 + 8 = 35.
- id=81547 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=17 | option_b=23 | option_c=21 | option_d=20 | answer=D | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.
- id=81548 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 10. | option_a=132 | option_b=220 | option_c=110 | option_d=100 | answer=C | explanation=LCM × HCF = 22×10; HCF(22,10) = 2, so LCM = 110.
- id=81549 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 22? | option_a=22 | option_b=15 | option_c=13 | option_d=17 | answer=A | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 22 is the odd one out.
- id=81550 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:16 and the first is 108, what is the second? | option_a=128 | option_b=156 | option_c=252 | option_d=144 | answer=D | explanation=Scale factor = 108/12 = 9. Therefore second quantity = 16×9 = 144.
- id=81551 | topic=Averages | difficulty=Easy | question=Find the average of 13, 73, 22. | option_a=36 | option_b=37 | option_c=35 | option_d=38 | answer=A | explanation=Average = sum of values ÷ number of values = 108 ÷ 3 = 36.
- id=81552 | topic=Percentages | difficulty=Easy | question=What is 20% of 699? | option_a=119 | option_b=149 | option_c=278 | option_d=139 | answer=D | explanation=20% of 699 = (20/100) × 699 = 139.
- id=81553 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=100 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.
- id=81554 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17194 at 10% per annum for 3 years. | option_a=5158 | option_b=5058 | option_c=5258 | option_d=22352 | answer=A | explanation=SI = PRT/100 = 17194×10×3/100 = **■**5158.
- id=81555 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=25 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.
- id=81556 | topic=Averages | difficulty=Easy | question=Find the average of 82, 84, 90, 99, 15. | option_a=76 | option_b=73 | option_c=74 | option_d=75 | answer=C | explanation=Average = sum of values ÷ number of values = 370 ÷ 5 = 74.
- id=81557 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=F | option_b=I | option_c=L | option_d=O | answer=C | explanation=Move 3 positions forward from I; the resulting letter is L.
- id=81558 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4759. If it is sold at a profit of 25%, what is its selling price? | option_a=5948 | option_b=4784 | option_c=6423 | option_d=5473 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4759 × 125/100 = **■**5948.
- id=81559 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.
- id=81560 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=K | option_b=F | option_c=P | option_d=A | answer=A | explanation=Move 5 positions forward from F; the resulting letter is K.
- id=81561 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17008 at 6% per annum for 2 years. | option_a=19048 | option_b=2040 | option_c=2140 | option_d=1940 | answer=B | explanation=SI = PRT/100 = 17008×6×2/100 = **■**2040.
- id=81562 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.
- id=81563 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:14 and the first is 228, what is the second? | option_a=252 | option_b=278 | option_c=266 | option_d=494 | answer=C | explanation=Scale factor = 228/12 = 19. Therefore second quantity = 14×19 = 266.
- id=81564 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=22 | option_b=25 | option_c=23 | option_d=19 | answer=A | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.
- id=81565 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=29 | option_b=23 | option_c=35 | option_d=30 | answer=A | explanation=The common difference is 6. Therefore the next term is 23 + 6 = 29.
- id=81566 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:17 and the first is 28, what is the second? | option_a=123 | option_b=119 | option_c=102 | option_d=147 | answer=B | explanation=Scale factor = 28/4 = 7. Therefore second quantity = 17×7 = 119.
- id=81567 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=12 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=81568 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=11 | option_b=13 | option_c=14 | option_d=15 | answer=B | explanation=The common difference is 2. Therefore the next term is 11 + 2 = 13.
- id=81569 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=48 | option_c=24 | option_d=19 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.
- id=81570 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=B | option_c=D | option_d=F | answer=D | explanation=Move 2 positions forward from D; the resulting letter is F.

Aptitude Questions — Records 81,571-81,600 of 100,000

id=81571 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4545. If it is sold at a profit of 40%, what is its selling price? | option_a=6363 | option_b=5909 | option_c=6817 | option_d=4585 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4545 × 140/100 = ■6363.

id=81572 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=C | option_b=I | option_c=E | option_d=G | answer=D | explanation=Move 2 positions forward from E; the resulting letter is G.

id=81573 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=L | option_c=J | option_d=H | answer=B | explanation=Move 2 positions forward from J; the resulting letter is L.

id=81574 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=81575 | topic=Averages | difficulty=Easy | question=Find the average of 12, 78, 15, 92, 15, 89, 56. | option_a=53 | option_b=51 | option_c=52 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.

id=81576 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=C | option_b=R | option_c=M | option_d=H | answer=C | explanation=Move 5 positions forward from H; the resulting letter is M.

id=81577 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:11 and the first is 18, what is the second? | option_a=84 | option_b=55 | option_c=69 | option_d=66 | answer=D | explanation=Scale factor = 18/3 = 6. Therefore second quantity = 11×6 = 66.

id=81578 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1102. If it is sold at a profit of 40%, what is its selling price? | option_a=1432 | option_b=1142 | option_c=1652 | option_d=1542 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1102 × 140/100 = ■1542.

id=81579 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■1005 at 8% per annum for 5 years. | option_a=302 | option_b=402 | option_c=502 | option_d=1407 | answer=B | explanation=SI = PRT/100 = 1005×8×5/100 = ■402.

id=81580 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=25 | option_c=15 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=81581 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=81582 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=72 | option_b=62 | option_c=61 | option_d=50 | answer=C | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.

id=81583 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:1 and the first is 114, what is the second? | option_a=120 | option_b=6 | option_c=25 | option_d=5 | answer=B | explanation=Scale factor = 114/19 = 6. Therefore second quantity = 1×6 = 6.

id=81584 | topic=Percentages | difficulty=Easy | question=What is 10% of 1867? | option_a=166 | option_b=191 | option_c=372 | option_d=186 | answer=D | explanation=10% of 1867 = (10/100) × 1867 = 186.

id=81585 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:13 and the first is 224, what is the second? | option_a=432 | option_b=208 | option_c=195 | option_d=222 | answer=B | explanation=Scale factor = 224/14 = 16. Therefore second quantity = 13×16 = 208.

id=81586 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■11061 at 15% per annum for 5 years. | option_a=8195 | option_b=8395 | option_c=8295 | option_d=19356 | answer=C | explanation=SI = PRT/100 = 11061×15×5/100 = ■8295.

id=81587 | topic=Averages | difficulty=Easy | question=Find the average of 92, 56, 84, 85, 38, 10, 90. | option_a=67 | option_b=66 | option_c=64 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 455 ÷ 7 = 65.

id=81588 | topic=Averages | difficulty=Easy | question=Find the average of 46, 70, 63, 47, 19. | option_a=48 | option_b=51 | option_c=49 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 245 ÷ 5 = 49.

id=81589 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 18, 27, 39? | option_a=27 | option_b=39 | option_c=9 | option_d=18 | answer=B | explanation=The first three numbers increase by 9, so the next should be 36. Therefore 39 is the odd one out.

id=81590 | topic=Averages | difficulty=Easy | question=Find the average of 29, 58, 24. | option_a=39 | option_b=38 | option_c=36 | option_d=37 | answer=D | explanation=Average = sum of values ÷ number of values = 111 ÷ 3 = 37.

id=81591 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■6406 at 6% per annum for 1 years. | option_a=384 | option_b=284 | option_c=484 | option_d=6790 | answer=A | explanation=SI = PRT/100 = 6406×6×1/100 = ■384.

id=81592 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=180 | option_c=90 | option_d=95 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=81593 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=64 | option_b=54 | option_c=42 | option_d=53 | answer=D | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.

id=81594 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=50 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=81595 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:11 and the first is 54, what is the second? | option_a=105 | option_b=99 | option_c=153 | option_d=88 | answer=B | explanation=Scale factor = 54/6 = 9. Therefore second quantity = 11×9 = 99.

id=81596 | topic=Percentages | difficulty=Easy | question=What is 50% of 1769? | option_a=884 | option_b=904 | option_c=879 | option_d=1768 | answer=A | explanation=50% of 1769 = (50/100) × 1769 = 884.

id=81597 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=24 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=81598 | topic=Percentages | difficulty=Easy | question=What is 25% of 408? | option_a=82 | option_b=204 | option_c=102 | option_d=112 | answer=C | explanation=25% of 408 = (25/100) × 408 = 102.

id=81599 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■9931 at 10% per annum for 2 years. | option_a=1986 | option_b=1886 | option_c=11917 | option_d=2086 | answer=A | explanation=SI = PRT/100 = 9931×10×2/100 = ■1986.

id=81600 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3860. If it is sold at a profit of 5%, what is its selling price? | option_a=4439 | option_b=3667 | option_c=3865 | option_d=4053 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3860 × 105/100 = ■4053.

Aptitude Questions — Records 81,601-81,630 of 100,000

id=81601 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 39, 48, 58? | option_a=30 | option_b=58 | option_c=39 | option_d=48 | answer=B | explanation=The first three numbers increase by 9, so the next should be 57. Therefore 58 is the odd one out.

id=81602 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4980. If it is sold at a profit of 50%, what is its selling price? | option_a=7470 | option_b=5030 | option_c=7968 | option_d=6972 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4980 × 150/100 = █7470.

id=81603 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=X | option_c=O | option_d=U | answer=D | explanation=Move 3 positions forward from R; the resulting letter is U.

id=81604 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:16 and the first is 72, what is the second? | option_a=108 | option_b=168 | option_c=80 | option_d=96 | answer=D | explanation=Scale factor = 72/12 = 6. Therefore second quantity = 16×6 = 96.

id=81605 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=J | option_c=F | option_d=D | answer=A | explanation=Move 2 positions forward from F; the resulting letter is H.

id=81606 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=11 | option_c=1 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=81607 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=73 | option_b=62 | option_c=63 | option_d=51 | answer=B | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.

id=81608 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:19 and the first is 42, what is the second? | option_a=247 | option_b=266 | option_c=269 | option_d=308 | answer=B | explanation=Scale factor = 42/3 = 14. Therefore second quantity = 19×14 = 266.

id=81609 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6264 at 4% per annum for 4 years. | option_a=1002 | option_b=7266 | option_c=902 | option_d=1102 | answer=A | explanation=SI = PRT/100 = 6264×4×4/100 = █1002.

id=81610 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19223 at 4% per annum for 3 years. | option_a=21529 | option_b=2306 | option_c=2406 | option_d=2206 | answer=B | explanation=SI = PRT/100 = 19223×4×3/100 = █2306.

id=81611 | topic=Percentages | difficulty=Easy | question=What is 12% of 959? | option_a=120 | option_b=230 | option_c=110 | option_d=115 | answer=D | explanation=12% of 959 = (12/100) × 959 = 115.

id=81612 | topic=Averages | difficulty=Easy | question=Find the average of 89, 11, 83. | option_a=63 | option_b=60 | option_c=61 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 183 ÷ 3 = 61.

id=81613 | topic=Averages | difficulty=Easy | question=Find the average of 90, 60, 80, 23, 10, 43, 59, 93, 46. | option_a=55 | option_b=57 | option_c=56 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=81614 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25919 at 12% per annum for 1 years. | option_a=3210 | option_b=3110 | option_c=29029 | option_d=3010 | answer=B | explanation=SI = PRT/100 = 25919×12×1/100 = █3110.

id=81615 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=B | option_b=E | option_c=H | option_d=K | answer=C | explanation=Move 3 positions forward from E; the resulting letter is H.

id=81616 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=N | option_b=O | option_c=P | option_d=Q | answer=C | explanation=Move 1 positions forward from O; the resulting letter is P.

id=81617 | topic=Averages | difficulty=Easy | question=Find the average of 63, 22, 15, 20. | option_a=29 | option_b=32 | option_c=31 | option_d=30 | answer=D | explanation=Average = sum of values ÷ number of values = 120 ÷ 4 = 30.

id=81618 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3329. If it is sold at a profit of 50%, what is its selling price? | option_a=4661 | option_b=4993 | option_c=3379 | option_d=5325 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3329 × 150/100 = █4993.

id=81619 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 22. | option_a=72 | option_b=66 | option_c=44 | option_d=132 | answer=B | explanation=LCM × HCF = 6×22; HCF(6,22) = 2, so LCM = 66.

id=81620 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=46 | option_b=58 | option_c=57 | option_d=68 | answer=C | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.

id=81621 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 44? | option_a=37 | option_b=32 | option_c=27 | option_d=44 | answer=D | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 44 is the odd one out.

id=81622 | topic=Percentages | difficulty=Easy | question=What is 5% of 1202? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=5% of 1202 = (5/100) × 1202 = 60.

id=81623 | topic=Averages | difficulty=Easy | question=Find the average of 75, 71, 38, 80. | option_a=65 | option_b=66 | option_c=67 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = 264 ÷ 4 = 66.

id=81624 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=81625 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44257 at 15% per annum for 5 years. | option_a=33292 | option_b=33092 | option_c=77449 | option_d=33192 | answer=D | explanation=SI = PRT/100 = 44257×15×5/100 = █33192.

id=81626 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=U | option_c=Q | option_d=W | answer=B | explanation=Move 2 positions forward from S; the resulting letter is U.

id=81627 | topic=Averages | difficulty=Easy | question=Find the average of 70, 65, 95, 76, 89, 32, 28, 57. | option_a=66 | option_b=63 | option_c=65 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 512 ÷ 8 = 64.

id=81628 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=81629 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 4. | option_a=48 | option_b=104 | option_c=52 | option_d=78 | answer=C | explanation=LCM × HCF = 26×4; HCF(26,4) = 2, so LCM = 52.

id=81630 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:13 and the first is 16, what is the second? | option_a=34 | option_b=13 | option_c=26 | option_d=42 | answer=C | explanation=Scale factor = 16/8 = 2. Therefore second quantity = 13×2 = 26.

Aptitude Questions — Records 81,631-81,660 of 100,000

id=81631 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17593 at 4% per annum for 5 years. | option_a=3618 | option_b=21111 | option_c=3518 | option_d=3418 | answer=C | explanation=SI = $PRT/100 = 17593 \times 4 \times 5/100 = \text{■}3518$.

id=81632 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**560. If it is sold at a profit of 20%, what is its selling price? | option_a=672 | option_b=616 | option_c=728 | option_d=580 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 560 \times 120/100 = \text{■}672$.

id=81633 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47087 at 10% per annum for 3 years. | option_a=14126 | option_b=61213 | option_c=14026 | option_d=14226 | answer=A | explanation=SI = $PRT/100 = 47087 \times 10 \times 3/100 = \text{■}14126$.

id=81634 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14928 at 15% per annum for 3 years. | option_a=6717 | option_b=6817 | option_c=21645 | option_d=6617 | answer=A | explanation=SI = $PRT/100 = 14928 \times 15 \times 3/100 = \text{■}6717$.

id=81635 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 34? | option_a=24 | option_b=28 | option_c=34 | option_d=20 | answer=C | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 34 is the odd one out.

id=81636 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=240 | option_c=125 | option_d=115 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 360 \div 3 = 120 \text{ km/h}$.

id=81637 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6321 at 12% per annum for 2 years. | option_a=1417 | option_b=1517 | option_c=7838 | option_d=1617 | answer=B | explanation=SI = $PRT/100 = 6321 \times 12 \times 2/100 = \text{■}1517$.

id=81638 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4003. If it is sold at a profit of 5%, what is its selling price? | option_a=4603 | option_b=4008 | option_c=4203 | option_d=3803 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4003 \times 105/100 = \text{■}4203$.

id=81639 | topic=Percentages | difficulty=Easy | question=What is 10% of 1393? | option_a=139 | option_b=278 | option_c=144 | option_d=129 | answer=A | explanation=10% of 1393 = $(10/100) \times 1393 = 139$.

id=81640 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4244. If it is sold at a profit of 50%, what is its selling price? | option_a=6790 | option_b=6366 | option_c=4294 | option_d=5942 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4244 \times 150/100 = \text{■}6366$.

id=81641 | topic=Averages | difficulty=Easy | question=Find the average of 40, 26, 14, 44. | option_a=33 | option_b=31 | option_c=30 | option_d=32 | answer=B | explanation=Average = $\text{sum of values} \div \text{number of values} = 124 \div 4 = 31$.

id=81642 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=81643 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3334 at 10% per annum for 3 years. | option_a=900 | option_b=1000 | option_c=1100 | option_d=4334 | answer=B | explanation=SI = $PRT/100 = 3334 \times 10 \times 3/100 = \text{■}1000$.

id=81644 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=81645 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2123 at 8% per annum for 3 years. | option_a=609 | option_b=409 | option_c=509 | option_d=2632 | answer=C | explanation=SI = $PRT/100 = 2123 \times 8 \times 3/100 = \text{■}509$.

id=81646 | topic=Percentages | difficulty=Easy | question=What is 10% of 466? | option_a=46 | option_b=56 | option_c=92 | option_d=36 | answer=A | explanation=10% of 466 = $(10/100) \times 466 = 46$.

id=81647 | topic=Percentages | difficulty=Easy | question=What is 15% of 1722? | option_a=268 | option_b=516 | option_c=258 | option_d=248 | answer=C | explanation=15% of 1722 = $(15/100) \times 1722 = 258$.

id=81648 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=81649 | topic=Percentages | difficulty=Easy | question=What is 5% of 1473? | option_a=83 | option_b=73 | option_c=146 | option_d=68 | answer=B | explanation=5% of 1473 = $(5/100) \times 1473 = 73$.

id=81650 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 24. | option_a=24 | option_b=48 | option_c=576 | option_d=1 | answer=A | explanation= $LCM \times HCF = 24 \times 24$; $HCF(24,24) = 24$, so $LCM = 24$.

id=81651 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 16, 23, 32? | option_a=9 | option_b=16 | option_c=23 | option_d=32 | answer=D | explanation=The first three numbers increase by 7, so the next should be 30. Therefore 32 is the odd one out.

id=81652 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 17, 29, 41, ? | option_a=65 | option_b=54 | option_c=41 | option_d=53 | answer=D | explanation=The common difference is 12. Therefore the next term is $41 + 12 = 53$.

id=81653 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10620 at 8% per annum for 2 years. | option_a=1599 | option_b=12319 | option_c=1799 | option_d=1699 | answer=D | explanation=SI = $PRT/100 = 10620 \times 8 \times 2/100 = \text{■}1699$.

id=81654 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:18 and the first is 91, what is the second? | option_a=139 | option_b=217 | option_c=108 | option_d=126 | answer=D | explanation=Scale factor = $91/13 = 7$. Therefore second quantity = $18 \times 7 = 126$.

id=81655 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48373 at 4% per annum for 3 years. | option_a=5904 | option_b=5704 | option_c=5804 | option_d=54177 | answer=C | explanation=SI = $PRT/100 = 48373 \times 4 \times 3/100 = \text{■}5804$.

id=81656 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=K | option_b=Q | option_c=T | option_d=N | answer=B | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=81657 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 20, 22, 27? | option_a=27 | option_b=22 | option_c=20 | option_d=18 | answer=A | explanation=The first three numbers increase by 2, so the next should be 24. Therefore 27 is the odd one out.

id=81658 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5498 at 12% per annum for 1 years. | option_a=6157 | option_b=759 | option_c=659 | option_d=559 | answer=C | explanation=SI = $PRT/100 = 5498 \times 12 \times 1/100 = \text{■}659$.

id=81659 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=S | option_c=Q | option_d=O | answer=B | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=81660 | topic=Averages | difficulty=Easy | question=Find the average of 58, 94, 40, 20. | option_a=55 | option_b=54 | option_c=52 | option_d=53 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 212 \div 4 = 53$.

Aptitude Questions — Records 81,661-81,690 of 100,000

- id=81661 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 14. | option_a=70 | option_b=96 | option_c=84 | option_d=168 | answer=C | explanation= $LCM \times HCF = 12 \times 14$; $HCF(12,14) = 2$, so $LCM = 84$.
- id=81662 | topic=Averages | difficulty=Easy | question=Find the average of 96, 34, 62, 75, 70, 29, 45, 24, 87. | option_a=60 | option_b=58 | option_c=59 | option_d=57 | answer=B | explanation= $Average = \text{sum of values} \div \text{number of values} = 522 \div 9 = 58$.
- id=81663 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1997. If it is sold at a profit of 50%, what is its selling price? | option_a=2796 | option_b=3194 | option_c=2047 | option_d=2995 | answer=D | explanation= $Selling\ price = CP \times (100 + \text{profit}\%)/100 = 1997 \times 150/100 = \text{█}2995$.
- id=81664 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15202 at 8% per annum for 2 years. | option_a=17634 | option_b=2332 | option_c=2532 | option_d=2432 | answer=D | explanation= $SI = PRT/100 = 15202 \times 8 \times 2/100 = \text{█}2432$.
- id=81665 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 20? | option_a=15 | option_b=13 | option_c=20 | option_d=11 | answer=C | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 20 is the odd one out.
- id=81666 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 29, 31, 34? | option_a=29 | option_b=31 | option_c=34 | option_d=27 | answer=C | explanation=The first three numbers increase by 2, so the next should be 33. Therefore 34 is the odd one out.
- id=81667 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation= $Combined\ rate = 1/3 + 1/6 = 9/18$. $Time = 18/9 = 2$ days.
- id=81668 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:15 and the first is 64, what is the second? | option_a=105 | option_b=128 | option_c=120 | option_d=184 | answer=C | explanation= $Scale\ factor = 64/8 = 8$. Therefore second quantity = $15 \times 8 = 120$.
- id=81669 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=36 | option_b=50 | option_c=44 | option_d=43 | answer=D | explanation=The common difference is 7. Therefore the next term is $36 + 7 = 43$.
- id=81670 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=V | option_c=J | option_d=R | answer=D | explanation=Move 4 positions forward from N; the resulting letter is R.
- id=81671 | topic=Averages | difficulty=Easy | question=Find the average of 30, 74, 67, 29, 86, 49, 37, 96, 81. | option_a=63 | option_b=60 | option_c=62 | option_d=61 | answer=D | explanation= $Average = \text{sum of values} \div \text{number of values} = 549 \div 9 = 61$.
- id=81672 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation= $Combined\ rate = 1/4 + 1/12 = 16/48$. $Time = 48/16 = 3$ days.
- id=81673 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 7, 10, 14? | option_a=14 | option_b=4 | option_c=7 | option_d=10 | answer=A | explanation=The first three numbers increase by 3, so the next should be 13. Therefore 14 is the odd one out.
- id=81674 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=M | option_b=A | option_c=E | option_d=I | answer=D | explanation=Move 4 positions forward from E; the resulting letter is I.
- id=81675 | topic=Averages | difficulty=Easy | question=Find the average of 12, 60, 45, 24, 71, 64, 49, 19, 34. | option_a=41 | option_b=43 | option_c=42 | option_d=44 | answer=C | explanation= $Average = \text{sum of values} \div \text{number of values} = 378 \div 9 = 42$.
- id=81676 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 18. | option_a=504 | option_b=234 | option_c=280 | option_d=252 | answer=D | explanation= $LCM \times HCF = 28 \times 18$; $HCF(28,18) = 2$, so $LCM = 252$.
- id=81677 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17926 at 8% per annum for 5 years. | option_a=7070 | option_b=7170 | option_c=25096 | option_d=7270 | answer=B | explanation= $SI = PRT/100 = 17926 \times 8 \times 5/100 = \text{█}7170$.
- id=81678 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation= $Speed = \text{distance} \div \text{time} = 90 \div 3 = 30$ km/h.
- id=81679 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=24 | option_d=7 | answer=B | explanation= $Combined\ rate = 1/12 + 1/12 = 24/144$. $Time = 144/24 = 6$ days.
- id=81680 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 33, 38, 45? | option_a=38 | option_b=33 | option_c=28 | option_d=45 | answer=D | explanation=The first three numbers increase by 5, so the next should be 43. Therefore 45 is the odd one out.
- id=81681 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3304. If it is sold at a profit of 10%, what is its selling price? | option_a=3964 | option_b=3634 | option_c=3314 | option_d=3304 | answer=B | explanation= $Selling\ price = CP \times (100 + \text{profit}\%)/100 = 3304 \times 110/100 = \text{█}3634$.
- id=81682 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 37, 44, 53? | option_a=53 | option_b=37 | option_c=30 | option_d=44 | answer=A | explanation=The first three numbers increase by 7, so the next should be 51. Therefore 53 is the odd one out.
- id=81683 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=21 | option_b=25 | option_c=27 | option_d=24 | answer=D | explanation=The common difference is 3. Therefore the next term is $21 + 3 = 24$.
- id=81684 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=30 | option_b=38 | option_c=46 | option_d=39 | answer=B | explanation=The common difference is 8. Therefore the next term is $30 + 8 = 38$.
- id=81685 | topic=Averages | difficulty=Easy | question=Find the average of 35, 18, 75, 18, 10, 22, 68, 37, 85, 32. | option_a=40 | option_b=42 | option_c=39 | option_d=41 | answer=A | explanation= $Average = \text{sum of values} \div \text{number of values} = 400 \div 10 = 40$.
- id=81686 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=29 | option_b=24 | option_c=19 | option_d=25 | answer=B | explanation=The common difference is 5. Therefore the next term is $19 + 5 = 24$.
- id=81687 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:2 and the first is 56, what is the second? | option_a=84 | option_b=28 | option_c=26 | option_d=32 | answer=B | explanation= $Scale\ factor = 56/4 = 14$. Therefore second quantity = $2 \times 14 = 28$.
- id=81688 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation= $Speed = \text{distance} \div \text{time} = 60 \div 2 = 30$ km/h.
- id=81689 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4167. If it is sold at a profit of 25%, what is its selling price? | option_a=4792 | option_b=5208 | option_c=5624 | option_d=4192 | answer=B | explanation= $Selling\ price = CP \times (100 + \text{profit}\%)/100 = 4167 \times 125/100 = \text{█}5208$.
- id=81690 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 38? | option_a=38 | option_b=29 | option_c=32 | option_d=26 | answer=A | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 38 is the odd one out.

Aptitude Questions — Records 81,691-81,720 of 100,000

id=81691 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:1 and the first is 7, what is the second? | option_a=8 | option_b=14 | option_c=6 | option_d=7 | answer=D | explanation=Scale factor = $7/1 = 7$. Therefore second quantity = $1 \times 7 = 7$.

id=81692 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=H | option_b=J | option_c=N | option_d=L | answer=D | explanation=Move 2 positions forward from J; the resulting letter is L.

id=81693 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 14. | option_a=420 | option_b=240 | option_c=196 | option_d=210 | answer=D | explanation= $LCM \times HCF = 30 \times 14$; $HCF(30,14) = 2$, so $LCM = 210$.

id=81694 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42139 at 6% per annum for 4 years. | option_a=10213 | option_b=10013 | option_c=52252 | option_d=10113 | answer=D | explanation= $SI = PRT/100 = 42139 \times 6 \times 4/100 = \text{■}10113$.

id=81695 | topic=Averages | difficulty=Easy | question=Find the average of 78, 36, 54, 92. | option_a=66 | option_b=67 | option_c=64 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = $260 \div 4 = 65$.

id=81696 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3652. If it is sold at a profit of 25%, what is its selling price? | option_a=4565 | option_b=4930 | option_c=4200 | option_d=3677 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3652 \times 125/100 = \text{■}4565$.

id=81697 | topic=Percentages | difficulty=Easy | question=What is 5% of 1526? | option_a=71 | option_b=152 | option_c=96 | option_d=76 | answer=D | explanation= $5\% \text{ of } 1526 = (5/100) \times 1526 = 76$.

id=81698 | topic=Percentages | difficulty=Easy | question=What is 10% of 1486? | option_a=296 | option_b=148 | option_c=153 | option_d=138 | answer=B | explanation= $10\% \text{ of } 1486 = (10/100) \times 1486 = 148$.

id=81699 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 10, 15, 20, ? | option_a=26 | option_b=25 | option_c=20 | option_d=30 | answer=B | explanation=The common difference is 5. Therefore the next term is $20 + 5 = 25$.

id=81700 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:18 and the first is 3, what is the second? | option_a=57 | option_b=36 | option_c=55 | option_d=54 | answer=D | explanation=Scale factor = $3/1 = 3$. Therefore second quantity = $18 \times 3 = 54$.

id=81701 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=16 | option_b=18 | option_c=15 | option_d=12 | answer=C | explanation=The common difference is 3. Therefore the next term is $12 + 3 = 15$.

id=81702 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2164. If it is sold at a profit of 40%, what is its selling price? | option_a=3245 | option_b=2813 | option_c=3029 | option_d=2204 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2164 \times 140/100 = \text{■}3029$.

id=81703 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:19 and the first is 90, what is the second? | option_a=76 | option_b=185 | option_c=113 | option_d=95 | answer=D | explanation=Scale factor = $90/18 = 5$. Therefore second quantity = $19 \times 5 = 95$.

id=81704 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=40 | option_c=15 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = $120 \div 6 = 20$ km/h.

id=81705 | topic=Averages | difficulty=Easy | question=Find the average of 45, 46, 61, 41, 42. | option_a=47 | option_b=48 | option_c=49 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = $235 \div 5 = 47$.

id=81706 | topic=Averages | difficulty=Easy | question=Find the average of 68, 45, 41, 47, 60, 98, 61. | option_a=61 | option_b=60 | option_c=62 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = $420 \div 7 = 60$.

id=81707 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=11 | option_b=8 | option_c=12 | option_d=10 | answer=D | explanation=The common difference is 2. Therefore the next term is $8 + 2 = 10$.

id=81708 | topic=Averages | difficulty=Easy | question=Find the average of 87, 33, 23, 13, 82, 73, 92, 94, 34. | option_a=60 | option_b=58 | option_c=59 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = $531 \div 9 = 59$.

id=81709 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=81710 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2323 at 15% per annum for 4 years. | option_a=3716 | option_b=1393 | option_c=1293 | option_d=1493 | answer=B | explanation= $SI = PRT/100 = 2323 \times 15 \times 4/100 = \text{■}1393$.

id=81711 | topic=Percentages | difficulty=Easy | question=What is 10% of 579? | option_a=62 | option_b=114 | option_c=57 | option_d=37 | answer=C | explanation= $10\% \text{ of } 579 = (10/100) \times 579 = 57$.

id=81712 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=29 | option_c=48 | option_d=19 | answer=A | explanation=Speed = distance ÷ time = $120 \div 5 = 24$ km/h.

id=81713 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=N | option_b=B | option_c=J | option_d=F | answer=C | explanation=Move 4 positions forward from F; the resulting letter is J.

id=81714 | topic=Percentages | difficulty=Easy | question=What is 40% of 106? | option_a=47 | option_b=84 | option_c=42 | option_d=32 | answer=C | explanation= $40\% \text{ of } 106 = (40/100) \times 106 = 42$.

id=81715 | topic=Percentages | difficulty=Easy | question=What is 30% of 1149? | option_a=344 | option_b=349 | option_c=688 | option_d=339 | answer=A | explanation= $30\% \text{ of } 1149 = (30/100) \times 1149 = 344$.

id=81716 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=96 | option_c=48 | option_d=53 | answer=C | explanation=Speed = distance ÷ time = $240 \div 5 = 48$ km/h.

id=81717 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=45 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = $300 \div 6 = 50$ km/h.

id=81718 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=81719 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**567. If it is sold at a profit of 40%, what is its selling price? | option_a=737 | option_b=849 | option_c=793 | option_d=607 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 567 \times 140/100 = \text{■}793$.

id=81720 | topic=Percentages | difficulty=Easy | question=What is 5% of 1010? | option_a=45 | option_b=100 | option_c=60 | option_d=50 | answer=D | explanation= $5\% \text{ of } 1010 = (5/100) \times 1010 = 50$.

Aptitude Questions — Records 81,721-81,750 of 100,000

id=81721 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3258. If it is sold at a profit of 5%, what is its selling price? | option_a=3095 | option_b=3745 | option_c=3263 | option_d=3420 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3258 × 105/100 = █3420.

id=81722 | topic=Averages | difficulty=Easy | question=Find the average of 22, 93, 14, 21, 35. | option_a=36 | option_b=37 | option_c=38 | option_d=39 | answer=B | explanation=Average = sum of values ÷ number of values = 185 ÷ 5 = 37.

id=81723 | topic=Percentages | difficulty=Easy | question=What is 12% of 244? | option_a=58 | option_b=49 | option_c=29 | option_d=9 | answer=C | explanation=12% of 244 = (12/100) × 244 = 29.

id=81724 | topic=Averages | difficulty=Easy | question=Find the average of 45, 13, 72, 59, 76, 14, 99. | option_a=53 | option_b=56 | option_c=55 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

id=81725 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 35? | option_a=30 | option_b=35 | option_c=22 | option_d=26 | answer=B | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 35 is the odd one out.

id=81726 | topic=Averages | difficulty=Easy | question=Find the average of 61, 42, 81, 33, 12, 53. | option_a=46 | option_b=49 | option_c=47 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 282 ÷ 6 = 47.

id=81727 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1348. If it is sold at a profit of 10%, what is its selling price? | option_a=1358 | option_b=1482 | option_c=1616 | option_d=1348 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1348 × 110/100 = █1482.

id=81728 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 22? | option_a=8 | option_b=22 | option_c=14 | option_d=2 | answer=B | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 22 is the odd one out.

id=81729 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 34, 43, 54? | option_a=54 | option_b=43 | option_c=25 | option_d=34 | answer=A | explanation=The first three numbers increase by 9, so the next should be 52. Therefore 54 is the odd one out.

id=81730 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=L | option_c=X | option_d=P | answer=A | explanation=Move 4 positions forward from P; the resulting letter is T.

id=81731 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30526 at 15% per annum for 1 years. | option_a=4478 | option_b=4678 | option_c=4578 | option_d=35104 | answer=C | explanation=SI = PRT/100 = 30526×15×1/100 = █4578.

id=81732 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=185 | option_c=360 | option_d=180 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=81733 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=80 | option_c=150 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=81734 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2048. If it is sold at a profit of 25%, what is its selling price? | option_a=2560 | option_b=2356 | option_c=2073 | option_d=2764 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2048 × 125/100 = █2560.

id=81735 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=26 | option_b=30 | option_c=22 | option_d=27 | answer=A | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.

id=81736 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 20? | option_a=15 | option_b=7 | option_c=20 | option_d=11 | answer=C | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 20 is the odd one out.

id=81737 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44487 at 15% per annum for 2 years. | option_a=13346 | option_b=13446 | option_c=13246 | option_d=57833 | answer=A | explanation=SI = PRT/100 = 44487×15×2/100 = █13346.

id=81738 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=81739 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 24? | option_a=17 | option_b=24 | option_c=5 | option_d=11 | answer=B | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 24 is the odd one out.

id=81740 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=81741 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=I | option_c=Q | option_d=U | answer=C | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=81742 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40255 at 15% per annum for 2 years. | option_a=12176 | option_b=52331 | option_c=12076 | option_d=11976 | answer=C | explanation=SI = PRT/100 = 40255×15×2/100 = █12076.

id=81743 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:19 and the first is 238, what is the second? | option_a=283 | option_b=247 | option_c=266 | option_d=504 | answer=C | explanation=Scale factor = 238/17 = 14. Therefore second quantity = 19×14 = 266.

id=81744 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1123. If it is sold at a profit of 50%, what is its selling price? | option_a=1796 | option_b=1684 | option_c=1572 | option_d=1173 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1123 × 150/100 = █1684.

id=81745 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=81746 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 8. | option_a=40 | option_b=80 | option_c=50 | option_d=32 | answer=A | explanation=LCM × HCF = 10×8; HCF(10,8) = 2, so LCM = 40.

id=81747 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=7 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=81748 | topic=Averages | difficulty=Easy | question=Find the average of 39, 57, 87. | option_a=62 | option_b=63 | option_c=60 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 183 ÷ 3 = 61.

id=81749 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=Q | option_c=Y | option_d=M | answer=A | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=81750 | topic=Percentages | difficulty=Easy | question=What is 15% of 250? | option_a=37 | option_b=17 | option_c=57 | option_d=74 | answer=A | explanation=15% of 250 = (15/100) × 250 = 37.

Aptitude Questions — Records 81,751-81,780 of 100,000

id=81751 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=81752 | topic=Averages | difficulty=Easy | question=Find the average of 27, 34, 52, 31, 48, 81, 70, 77, 75, 55. | option_a=54 | option_b=57 | option_c=55 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 550 ÷ 10 = 55.

id=81753 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=81754 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38960 at 4% per annum for 2 years. | option_a=3016 | option_b=3116 | option_c=42076 | option_d=3216 | answer=B | explanation=SI = PRT/100 = 38960×4×2/100 = **■**3116.

id=81755 | topic=Averages | difficulty=Easy | question=Find the average of 35, 15, 90, 77, 92, 51, 43, 93. | option_a=61 | option_b=62 | option_c=63 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 496 ÷ 8 = 62.

id=81756 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26315 at 10% per annum for 5 years. | option_a=39472 | option_b=13057 | option_c=13157 | option_d=13257 | answer=C | explanation=SI = PRT/100 = 26315×10×5/100 = **■**13157.

id=81757 | topic=Averages | difficulty=Easy | question=Find the average of 34, 14, 56, 49, 16, 72, 100, 60, 31. | option_a=48 | option_b=47 | option_c=49 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 432 ÷ 9 = 48.

id=81758 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=C | option_c=A | option_d=D | answer=B | explanation=Move 1 positions forward from B; the resulting letter is C.

id=81759 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 8, 12, 18? | option_a=4 | option_b=8 | option_c=12 | option_d=18 | answer=D | explanation=The first three numbers increase by 4, so the next should be 16. Therefore 18 is the odd one out.

id=81760 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28966 at 12% per annum for 4 years. | option_a=42869 | option_b=13903 | option_c=13803 | option_d=14003 | answer=B | explanation=SI = PRT/100 = 28966×12×4/100 = **■**13903.

id=81761 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=40 | option_b=41 | option_c=31 | option_d=49 | answer=A | explanation=The common difference is 9. Therefore the next term is 31 + 9 = 40.

id=81762 | topic=Percentages | difficulty=Easy | question=What is 40% of 1196? | option_a=488 | option_b=956 | option_c=473 | option_d=478 | answer=D | explanation=40% of 1196 = (40/100) × 1196 = 478.

id=81763 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:18 and the first is 342, what is the second? | option_a=360 | option_b=684 | option_c=324 | option_d=342 | answer=D | explanation=Scale factor = 342/18 = 19. Therefore second quantity = 18×19 = 342.

id=81764 | topic=Percentages | difficulty=Easy | question=What is 25% of 894? | option_a=446 | option_b=213 | option_c=223 | option_d=243 | answer=C | explanation=25% of 894 = (25/100) × 894 = 223.

id=81765 | topic=Averages | difficulty=Easy | question=Find the average of 96, 96, 58, 79, 76, 67, 67, 100, 28, 53. | option_a=73 | option_b=71 | option_c=74 | option_d=72 | answer=D | explanation=Average = sum of values ÷ number of values = 720 ÷ 10 = 72.

id=81766 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=19 | option_b=15 | option_c=17 | option_d=18 | answer=C | explanation=The common difference is 2. Therefore the next term is 15 + 2 = 17.

id=81767 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=81768 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=81769 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=12 | option_b=13 | option_c=9 | option_d=11 | answer=D | explanation=The common difference is 2. Therefore the next term is 9 + 2 = 11.

id=81770 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=12 | option_c=1 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=81771 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:9 and the first is 143, what is the second? | option_a=108 | option_b=128 | option_c=117 | option_d=260 | answer=C | explanation=Scale factor = 143/11 = 13. Therefore second quantity = 9×13 = 117.

id=81772 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 14, 19, 25? | option_a=25 | option_b=9 | option_c=19 | option_d=14 | answer=A | explanation=The first three numbers increase by 5, so the next should be 24. Therefore 25 is the odd one out.

id=81773 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9297 at 10% per annum for 4 years. | option_a=3718 | option_b=3618 | option_c=13015 | option_d=3818 | answer=A | explanation=SI = PRT/100 = 9297×10×4/100 = **■**3718.

id=81774 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2041. If it is sold at a profit of 25%, what is its selling price? | option_a=2755 | option_b=2066 | option_c=2347 | option_d=2551 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2041 × 125/100 = **■**2551.

id=81775 | topic=Percentages | difficulty=Easy | question=What is 50% of 60? | option_a=35 | option_b=10 | option_c=30 | option_d=60 | answer=C | explanation=50% of 60 = (50/100) × 60 = 30.

id=81776 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=A | option_b=G | option_c=C | option_d=E | answer=D | explanation=Move 2 positions forward from C; the resulting letter is E.

id=81777 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49876 at 8% per annum for 2 years. | option_a=8080 | option_b=57856 | option_c=7880 | option_d=7980 | answer=D | explanation=SI = PRT/100 = 49876×8×2/100 = **■**7980.

id=81778 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=155 | option_c=300 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=81779 | topic=Averages | difficulty=Easy | question=Find the average of 88, 26, 66, 38, 32. | option_a=51 | option_b=50 | option_c=52 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 250 ÷ 5 = 50.

id=81780 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 19, 22, 25, ? | option_a=31 | option_b=25 | option_c=28 | option_d=29 | answer=C | explanation=The common difference is 3. Therefore the next term is 25 + 3 = 28.

Aptitude Questions — Records 81,781-81,810 of 100,000

id=81781 | topic=Averages | difficulty=Easy | question=Find the average of 90, 61, 23, 31, 20, 27, 90, 90. | option_a=55 | option_b=54 | option_c=56 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 432 ÷ 8 = 54.

id=81782 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:17 and the first is 28, what is the second? | option_a=75 | option_b=96 | option_c=51 | option_d=68 | answer=D | explanation=Scale factor = 28/7 = 4. Therefore second quantity = 17×4 = 68.

id=81783 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=M | option_b=G | option_c=P | option_d=J | answer=A | explanation=Move 3 positions forward from J; the resulting letter is M.

id=81784 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 34? | option_a=28 | option_b=24 | option_c=20 | option_d=34 | answer=D | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 34 is the odd one out.

id=81785 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=14 | option_c=4 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=81786 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=81787 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11708 at 4% per annum for 4 years. | option_a=1873 | option_b=13581 | option_c=1773 | option_d=1973 | answer=A | explanation=SI = PRT/100 = 11708×4×4/100 = **■**1873.

id=81788 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 17, 21, 27? | option_a=17 | option_b=21 | option_c=27 | option_d=13 | answer=C | explanation=The first three numbers increase by 4, so the next should be 25. Therefore 27 is the odd one out.

id=81789 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 28? | option_a=18 | option_b=4 | option_c=11 | option_d=28 | answer=D | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 28 is the odd one out.

id=81790 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=J | option_b=Z | option_c=E | option_d=O | answer=A | explanation=Move 5 positions forward from E; the resulting letter is J.

id=81791 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4557. If it is sold at a profit of 20%, what is its selling price? | option_a=5468 | option_b=5923 | option_c=5013 | option_d=4577 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4557 × 120/100 = **■**5468.

id=81792 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 28, 33, 41? | option_a=33 | option_b=41 | option_c=28 | option_d=23 | answer=B | explanation=The first three numbers increase by 5, so the next should be 38. Therefore 41 is the odd one out.

id=81793 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=81794 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 15, 21, 29? | option_a=9 | option_b=21 | option_c=29 | option_d=15 | answer=C | explanation=The first three numbers increase by 6, so the next should be 27. Therefore 29 is the odd one out.

id=81795 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 6. | option_a=81 | option_b=54 | option_c=162 | option_d=48 | answer=B | explanation=LCM × HCF = 27×6; HCF(27,6) = 3, so LCM = 54.

id=81796 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=31 | option_b=36 | option_c=30 | option_d=24 | answer=C | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.

id=81797 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=81798 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=42 | option_b=35 | option_c=36 | option_d=28 | answer=B | explanation=The common difference is 7. Therefore the next term is 28 + 7 = 35.

id=81799 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=50 | option_b=42 | option_c=32 | option_d=41 | answer=D | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

id=81800 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=M | option_c=V | option_d=S | answer=D | explanation=Move 3 positions forward from P; the resulting letter is S.

id=81801 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 6. | option_a=81 | option_b=162 | option_c=48 | option_d=54 | answer=D | explanation=LCM × HCF = 27×6; HCF(27,6) = 3, so LCM = 54.

id=81802 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=81803 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 12. | option_a=36 | option_b=24 | option_c=216 | option_d=54 | answer=A | explanation=LCM × HCF = 18×12; HCF(18,12) = 6, so LCM = 36.

id=81804 | topic=Averages | difficulty=Easy | question=Find the average of 85, 65, 49, 72, 19, 23, 25, 81, 31. | option_a=51 | option_b=52 | option_c=50 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 450 ÷ 9 = 50.

id=81805 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=X | option_b=S | option_c=N | option_d=I | answer=B | explanation=Move 5 positions forward from N; the resulting letter is S.

id=81806 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=D | option_b=P | option_c=L | option_d=H | answer=C | explanation=Move 4 positions forward from H; the resulting letter is L.

id=81807 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=D | option_c=H | option_d=P | answer=A | explanation=Move 4 positions forward from H; the resulting letter is L.

id=81808 | topic=Percentages | difficulty=Easy | question=What is 12% of 1158? | option_a=276 | option_b=143 | option_c=138 | option_d=128 | answer=C | explanation=12% of 1158 = (12/100) × 1158 = 138.

id=81809 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:8 and the first is 168, what is the second? | option_a=124 | option_b=112 | option_c=280 | option_d=104 | answer=B | explanation=Scale factor = 168/12 = 14. Therefore second quantity = 8×14 = 112.

id=81810 | topic=Averages | difficulty=Easy | question=Find the average of 29, 61, 56, 40, 89, 80, 80, 69. | option_a=63 | option_b=62 | option_c=64 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 504 ÷ 8 = 63.

Aptitude Questions — Records 81,811-81,840 of 100,000

id=81811 | topic=Percentages | difficulty=Easy | question=What is 15% of 462? | option_a=138 | option_b=89 | option_c=69 | option_d=49 | answer=C | explanation=15% of 462 = $(15/100) \times 462 = 69$.

id=81812 | topic=Percentages | difficulty=Easy | question=What is 10% of 1529? | option_a=172 | option_b=142 | option_c=304 | option_d=152 | answer=D | explanation=10% of 1529 = $(10/100) \times 1529 = 152$.

id=81813 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**27029 at 15% per annum for 2 years. | option_a=35137 | option_b=8008 | option_c=8208 | option_d=8108 | answer=D | explanation=SI = $PRT/100 = 27029 \times 15 \times 2/100 = \text{₹}8108$.

id=81814 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**10941 at 5% per annum for 1 years. | option_a=547 | option_b=447 | option_c=11488 | option_d=647 | answer=A | explanation=SI = $PRT/100 = 10941 \times 5 \times 1/100 = \text{₹}547$.

id=81815 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=I | option_b=M | option_c=U | option_d=Q | answer=D | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=81816 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4782. If it is sold at a profit of 50%, what is its selling price? | option_a=6695 | option_b=4832 | option_c=7651 | option_d=7173 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4782 \times 150/100 = \text{₹}7173$.

id=81817 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:16 and the first is 48, what is the second? | option_a=259 | option_b=240 | option_c=256 | option_d=304 | answer=C | explanation=Scale factor = $48/3 = 16$. Therefore second quantity = $16 \times 16 = 256$.

id=81818 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=A | option_c=G | option_d=E | answer=D | explanation=Move 2 positions forward from C; the resulting letter is E.

id=81819 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**30838 at 15% per annum for 2 years. | option_a=9351 | option_b=9151 | option_c=40089 | option_d=9251 | answer=D | explanation=SI = $PRT/100 = 30838 \times 15 \times 2/100 = \text{₹}9251$.

id=81820 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=31 | option_b=37 | option_c=38 | option_d=43 | answer=B | explanation=The common difference is 6. Therefore the next term is $31 + 6 = 37$.

id=81821 | topic=Averages | difficulty=Easy | question=Find the average of 65, 35, 17. | option_a=38 | option_b=41 | option_c=39 | option_d=40 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 117 \div 3 = 39$.

id=81822 | topic=Averages | difficulty=Easy | question=Find the average of 73, 18, 76, 77. | option_a=60 | option_b=61 | option_c=62 | option_d=63 | answer=B | explanation=Average = $\text{sum of values} \div \text{number of values} = 244 \div 4 = 61$.

id=81823 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 24. | option_a=90 | option_b=432 | option_c=48 | option_d=72 | answer=D | explanation= $LCM \times HCF = 18 \times 24$; $HCF(18, 24) = 6$, so $LCM = 72$.

id=81824 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 17, 22, 29? | option_a=12 | option_b=29 | option_c=17 | option_d=22 | answer=B | explanation=The first three numbers increase by 5, so the next should be 27. Therefore 29 is the odd one out.

id=81825 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:3 and the first is 42, what is the second? | option_a=63 | option_b=21 | option_c=27 | option_d=18 | answer=B | explanation=Scale factor = $42/6 = 7$. Therefore second quantity = $3 \times 7 = 21$.

id=81826 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4943. If it is sold at a profit of 50%, what is its selling price? | option_a=4993 | option_b=7908 | option_c=6920 | option_d=7414 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4943 \times 150/100 = \text{₹}7414$.

id=81827 | topic=Percentages | difficulty=Easy | question=What is 10% of 375? | option_a=37 | option_b=74 | option_c=32 | option_d=57 | answer=A | explanation=10% of 375 = $(10/100) \times 375 = 37$.

id=81828 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=20 | option_c=30 | option_d=25 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 150 \div 6 = 25 \text{ km/h}$.

id=81829 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:1 and the first is 156, what is the second? | option_a=168 | option_b=11 | option_c=12 | option_d=25 | answer=C | explanation=Scale factor = $156/13 = 12$. Therefore second quantity = $1 \times 12 = 12$.

id=81830 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5 \text{ days}$.

id=81831 | topic=Percentages | difficulty=Easy | question=What is 15% of 1285? | option_a=187 | option_b=202 | option_c=384 | option_d=192 | answer=D | explanation=15% of 1285 = $(15/100) \times 1285 = 192$.

id=81832 | topic=Averages | difficulty=Easy | question=Find the average of 62, 69, 42, 19, 95, 64, 43, 57, 107. | option_a=62 | option_b=63 | option_c=64 | option_d=61 | answer=A | explanation=Average = $\text{sum of values} \div \text{number of values} = 558 \div 9 = 62$.

id=81833 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=Q | option_b=O | option_c=M | option_d=S | answer=A | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=81834 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3062. If it is sold at a profit of 15%, what is its selling price? | option_a=3521 | option_b=3215 | option_c=3077 | option_d=3827 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3062 \times 115/100 = \text{₹}3521$.

id=81835 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=22 | option_b=23 | option_c=21 | option_d=19 | answer=C | explanation=The common difference is 2. Therefore the next term is $19 + 2 = 21$.

id=81836 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 24, 36, 48, ? | option_a=60 | option_b=61 | option_c=48 | option_d=72 | answer=A | explanation=The common difference is 12. Therefore the next term is $48 + 12 = 60$.

id=81837 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**4747 at 5% per annum for 1 years. | option_a=4984 | option_b=337 | option_c=137 | option_d=237 | answer=D | explanation=SI = $PRT/100 = 4747 \times 5 \times 1/100 = \text{₹}237$.

id=81838 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 20. | option_a=40 | option_b=75 | option_c=60 | option_d=300 | answer=C | explanation= $LCM \times HCF = 15 \times 20$; $HCF(15, 20) = 5$, so $LCM = 60$.

id=81839 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2319. If it is sold at a profit of 10%, what is its selling price? | option_a=2550 | option_b=2781 | option_c=2319 | option_d=2329 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2319 \times 110/100 = \text{₹}2550$.

id=81840 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**45502 at 8% per annum for 3 years. | option_a=56422 | option_b=10820 | option_c=10920 | option_d=11020 | answer=C | explanation=SI = $PRT/100 = 45502 \times 8 \times 3/100 = \text{₹}10920$.

Aptitude Questions — Records 81,841-81,870 of 100,000

id=81841 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=81842 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 26. | option_a=336 | option_b=312 | option_c=286 | option_d=624 | answer=B | explanation=LCM × HCF = 24×26; HCF(24,26) = 2, so LCM = 312.

id=81843 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=81844 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**474. If it is sold at a profit of 20%, what is its selling price? | option_a=568 | option_b=494 | option_c=521 | option_d=615 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 474 × 120/100 = **■**568.

id=81845 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28554 at 12% per annum for 5 years. | option_a=17132 | option_b=17032 | option_c=45686 | option_d=17232 | answer=A | explanation=SI = PRT/100 = 28554×12×5/100 = **■**17132.

id=81846 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=81847 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=S | option_c=T | option_d=Q | answer=B | explanation=Move 1 positions forward from R; the resulting letter is S.

id=81848 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=W | option_b=T | option_c=Z | option_d=Q | answer=A | explanation=Move 3 positions forward from T; the resulting letter is W.

id=81849 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 18, 24, 30, ? | option_a=30 | option_b=42 | option_c=37 | option_d=36 | answer=D | explanation=The common difference is 6. Therefore the next term is 30 + 6 = 36.

id=81850 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1564. If it is sold at a profit of 25%, what is its selling price? | option_a=1955 | option_b=1799 | option_c=2111 | option_d=1589 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1564 × 125/100 = **■**1955.

id=81851 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=E | option_c=D | option_d=F | answer=D | explanation=Move 1 positions forward from E; the resulting letter is F.

id=81852 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=61 | option_b=50 | option_c=72 | option_d=62 | answer=A | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.

id=81853 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 24. | option_a=30 | option_b=144 | option_c=1 | option_d=24 | answer=D | explanation=LCM × HCF = 6×24; HCF(6,24) = 6, so LCM = 24.

id=81854 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8875 at 6% per annum for 1 years. | option_a=532 | option_b=9407 | option_c=432 | option_d=632 | answer=A | explanation=SI = PRT/100 = 8875×6×1/100 = **■**532.

id=81855 | topic=Percentages | difficulty=Easy | question=What is 30% of 781? | option_a=254 | option_b=234 | option_c=224 | option_d=468 | answer=B | explanation=30% of 781 = (30/100) × 781 = 234.

id=81856 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40802 at 6% per annum for 1 years. | option_a=2348 | option_b=2448 | option_c=43250 | option_d=2548 | answer=B | explanation=SI = PRT/100 = 40802×6×1/100 = **■**2448.

id=81857 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=28 | option_b=32 | option_c=34 | option_d=31 | answer=D | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=81858 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=G | option_b=S | option_c=O | option_d=K | answer=C | explanation=Move 4 positions forward from K; the resulting letter is O.

id=81859 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=81860 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=W | option_c=Z | option_d=Q | answer=B | explanation=Move 3 positions forward from T; the resulting letter is W.

id=81861 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1483. If it is sold at a profit of 20%, what is its selling price? | option_a=1779 | option_b=1927 | option_c=1503 | option_d=1631 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1483 × 120/100 = **■**1779.

id=81862 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=U | option_b=O | option_c=R | option_d=L | answer=C | explanation=Move 3 positions forward from O; the resulting letter is R.

id=81863 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=G | option_c=D | option_d=X | answer=C | explanation=Move 3 positions forward from A; the resulting letter is D.

id=81864 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2292. If it is sold at a profit of 25%, what is its selling price? | option_a=2865 | option_b=2317 | option_c=2636 | option_d=3094 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2292 × 125/100 = **■**2865.

id=81865 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=54 | option_b=55 | option_c=43 | option_d=65 | answer=A | explanation=The common difference is 11. Therefore the next term is 43 + 11 = 54.

id=81866 | topic=Percentages | difficulty=Easy | question=What is 30% of 1748? | option_a=1048 | option_b=544 | option_c=524 | option_d=519 | answer=C | explanation=30% of 1748 = (30/100) × 1748 = 524.

id=81867 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:14 and the first is 15, what is the second? | option_a=28 | option_b=57 | option_c=42 | option_d=47 | answer=C | explanation=Scale factor = 15/5 = 3. Therefore second quantity = 14×3 = 42.

id=81868 | topic=Averages | difficulty=Easy | question=Find the average of 78, 56, 28. | option_a=55 | option_b=56 | option_c=54 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 162 ÷ 3 = 54.

id=81869 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5647 at 12% per annum for 2 years. | option_a=1255 | option_b=7002 | option_c=1455 | option_d=1355 | answer=D | explanation=SI = PRT/100 = 5647×12×2/100 = **■**1355.

id=81870 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49478 at 12% per annum for 4 years. | option_a=23649 | option_b=23749 | option_c=73227 | option_d=23849 | answer=B | explanation=SI = PRT/100 = 49478×12×4/100 = **■**23749.

Aptitude Questions — Records 81,871-81,900 of 100,000

id=81871 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=81872 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4515. If it is sold at a profit of 5%, what is its selling price? | option_a=5191 | option_b=4520 | option_c=4289 | option_d=4740 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4515 × 105/100 = █4740.

id=81873 | topic=Percentages | difficulty=Easy | question=What is 10% of 654? | option_a=75 | option_b=130 | option_c=55 | option_d=65 | answer=D | explanation=10% of 654 = (10/100) × 654 = 65.

id=81874 | topic=Percentages | difficulty=Easy | question=What is 10% of 163? | option_a=16 | option_b=26 | option_c=32 | option_d=6 | answer=A | explanation=10% of 163 = (10/100) × 163 = 16.

id=81875 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=43 | option_b=35 | option_c=27 | option_d=36 | answer=B | explanation=The common difference is 8. Therefore the next term is 27 + 8 = 35.

id=81876 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22936 at 8% per annum for 3 years. | option_a=5504 | option_b=28440 | option_c=5604 | option_d=5404 | answer=A | explanation=SI = PRT/100 = 22936×8×3/100 = █5504.

id=81877 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=160 | option_c=80 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=81878 | topic=Averages | difficulty=Easy | question=Find the average of 64, 65, 87, 16, 89, 42, 21, 33, 51. | option_a=51 | option_b=52 | option_c=54 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 468 ÷ 9 = 52.

id=81879 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=80 | option_c=35 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=81880 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=E | option_c=T | option_d=O | answer=D | explanation=Move 5 positions forward from J; the resulting letter is O.

id=81881 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 33, 38, 46? | option_a=46 | option_b=33 | option_c=28 | option_d=38 | answer=A | explanation=The first three numbers increase by 5, so the next should be 43. Therefore 46 is the odd one out.

id=81882 | topic=Percentages | difficulty=Easy | question=What is 40% of 1536? | option_a=634 | option_b=1228 | option_c=609 | option_d=614 | answer=D | explanation=40% of 1536 = (40/100) × 1536 = 614.

id=81883 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1378. If it is sold at a profit of 50%, what is its selling price? | option_a=2067 | option_b=2204 | option_c=1930 | option_d=1428 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1378 × 150/100 = █2067.

id=81884 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=33 | option_b=30 | option_c=29 | option_d=25 | answer=C | explanation=The common difference is 4. Therefore the next term is 25 + 4 = 29.

id=81885 | topic=Averages | difficulty=Easy | question=Find the average of 90, 16, 42, 76. | option_a=57 | option_b=58 | option_c=56 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 224 ÷ 4 = 56.

id=81886 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4765. If it is sold at a profit of 50%, what is its selling price? | option_a=7623 | option_b=6671 | option_c=7147 | option_d=4815 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4765 × 150/100 = █7147.

id=81887 | topic=Percentages | difficulty=Easy | question=What is 12% of 1632? | option_a=390 | option_b=195 | option_c=175 | option_d=200 | answer=B | explanation=12% of 1632 = (12/100) × 1632 = 195.

id=81888 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=J | option_b=N | option_c=P | option_d=L | answer=B | explanation=Move 2 positions forward from L; the resulting letter is N.

id=81889 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48894 at 4% per annum for 3 years. | option_a=5967 | option_b=54761 | option_c=5767 | option_d=5867 | answer=D | explanation=SI = PRT/100 = 48894×4×3/100 = █5867.

id=81890 | topic=Profit & Loss | difficulty=Easy | question=An article costs █783. If it is sold at a profit of 40%, what is its selling price? | option_a=823 | option_b=1096 | option_c=1018 | option_d=1174 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 783 × 140/100 = █1096.

id=81891 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=81892 | topic=Percentages | difficulty=Easy | question=What is 50% of 1867? | option_a=953 | option_b=928 | option_c=1866 | option_d=933 | answer=D | explanation=50% of 1867 = (50/100) × 1867 = 933.

id=81893 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=81894 | topic=Averages | difficulty=Easy | question=Find the average of 48, 97, 61, 37, 59, 98, 18, 81, 23. | option_a=58 | option_b=60 | option_c=59 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 522 ÷ 9 = 58.

id=81895 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 31? | option_a=4 | option_b=31 | option_c=20 | option_d=12 | answer=B | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 31 is the odd one out.

id=81896 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4891. If it is sold at a profit of 25%, what is its selling price? | option_a=5624 | option_b=4916 | option_c=6113 | option_d=6602 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4891 × 125/100 = █6113.

id=81897 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 15. | option_a=60 | option_b=45 | option_c=80 | option_d=300 | answer=A | explanation=LCM × HCF = 20×15; HCF(20,15) = 5, so LCM = 60.

id=81898 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:2 and the first is 27, what is the second? | option_a=21 | option_b=16 | option_c=45 | option_d=18 | answer=D | explanation=Scale factor = 27/3 = 9. Therefore second quantity = 2×9 = 18.

id=81899 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=81900 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

Aptitude Questions — Records 81,901-81,930 of 100,000

id=81901 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■575. If it is sold at a profit of 50%, what is its selling price? | option_a=919 | option_b=862 | option_c=805 | option_d=625 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 575 × 150/100 = ■862.

id=81902 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=81903 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=81904 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■12728 at 8% per annum for 1 years. | option_a=1118 | option_b=918 | option_c=1018 | option_d=13746 | answer=C | explanation=SI = PRT/100 = 12728×8×1/100 = ■1018.

id=81905 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=81906 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 34, 43, 55? | option_a=55 | option_b=43 | option_c=34 | option_d=25 | answer=A | explanation=The first three numbers increase by 9, so the next should be 52. Therefore 55 is the odd one out.

id=81907 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=36 | option_c=13 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=81908 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=81909 | topic=Averages | difficulty=Easy | question=Find the average of 45, 86, 18, 31. | option_a=45 | option_b=44 | option_c=46 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 180 ÷ 4 = 45.

id=81910 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■12898 at 10% per annum for 4 years. | option_a=5259 | option_b=18057 | option_c=5159 | option_d=5059 | answer=C | explanation=SI = PRT/100 = 12898×10×4/100 = ■5159.

id=81911 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=44 | option_b=34 | option_c=45 | option_d=54 | answer=A | explanation=The common difference is 10. Therefore the next term is 34 + 10 = 44.

id=81912 | topic=Percentages | difficulty=Easy | question=What is 15% of 1904? | option_a=285 | option_b=290 | option_c=265 | option_d=570 | answer=A | explanation=15% of 1904 = (15/100) × 1904 = 285.

id=81913 | topic=Averages | difficulty=Easy | question=Find the average of 22, 99, 24, 55, 45, 97, 78, 79, 63, 28. | option_a=60 | option_b=61 | option_c=59 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 590 ÷ 10 = 59.

id=81914 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=43 | option_b=54 | option_c=63 | option_d=53 | answer=D | explanation=The common difference is 10. Therefore the next term is 43 + 10 = 53.

id=81915 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=39 | option_b=63 | option_c=52 | option_d=51 | answer=D | explanation=The common difference is 12. Therefore the next term is 39 + 12 = 51.

id=81916 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=81917 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:13 and the first is 27, what is the second? | option_a=104 | option_b=144 | option_c=120 | option_d=117 | answer=D | explanation=Scale factor = 27/3 = 9. Therefore second quantity = 13×9 = 117.

id=81918 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=45 | option_b=90 | option_c=40 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=81919 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 32? | option_a=32 | option_b=24 | option_c=19 | option_d=14 | answer=A | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 32 is the odd one out.

id=81920 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:12 and the first is 14, what is the second? | option_a=98 | option_b=84 | option_c=86 | option_d=72 | answer=B | explanation=Scale factor = 14/2 = 7. Therefore second quantity = 12×7 = 84.

id=81921 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=22 | option_b=24 | option_c=20 | option_d=23 | answer=A | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=81922 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=81923 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=35 | option_c=80 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=81924 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4180. If it is sold at a profit of 15%, what is its selling price? | option_a=4807 | option_b=4195 | option_c=4389 | option_d=5225 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4180 × 115/100 = ■4807.

id=81925 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=81926 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 34, 39, 47? | option_a=47 | option_b=29 | option_c=39 | option_d=34 | answer=A | explanation=The first three numbers increase by 5, so the next should be 44. Therefore 47 is the odd one out.

id=81927 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2036. If it is sold at a profit of 40%, what is its selling price? | option_a=3053 | option_b=2850 | option_c=2647 | option_d=2076 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2036 × 140/100 = ■2850.

id=81928 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:20 and the first is 28, what is the second? | option_a=168 | option_b=140 | option_c=120 | option_d=144 | answer=B | explanation=Scale factor = 28/4 = 7. Therefore second quantity = 20×7 = 140.

id=81929 | topic=Averages | difficulty=Easy | question=Find the average of 98, 97, 71, 36, 91, 35, 75, 38, 29, 60. | option_a=64 | option_b=63 | option_c=65 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 630 ÷ 10 = 63.

id=81930 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=67 | option_b=56 | option_c=57 | option_d=45 | answer=B | explanation=The common difference is 11. Therefore the next term is 45 + 11 = 56.

Aptitude Questions — Records 81,931-81,960 of 100,000

id=81931 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43, ? | option_a=51 | option_b=43 | option_c=59 | option_d=52 | answer=A | explanation=The common difference is 8. Therefore the next term is 43 + 8 = 51.

id=81932 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=21 | option_b=17 | option_c=23 | option_d=20 | answer=D | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=81933 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**32104 at 12% per annum for 5 years. | option_a=51366 | option_b=19262 | option_c=19162 | option_d=19362 | answer=B | explanation=SI = $PRT/100 = 32104 \times 12 \times 5/100 = \text{₹}19262$.

id=81934 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1126. If it is sold at a profit of 50%, what is its selling price? | option_a=1577 | option_b=1801 | option_c=1176 | option_d=1689 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1126 \times 150/100 = \text{₹}1689$.

id=81935 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=81936 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.

id=81937 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=U | option_b=K | option_c=F | option_d=P | answer=D | explanation=Move 5 positions forward from K; the resulting letter is P.

id=81938 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**10320 at 6% per annum for 1 years. | option_a=519 | option_b=619 | option_c=719 | option_d=10939 | answer=B | explanation=SI = $PRT/100 = 10320 \times 6 \times 1/100 = \text{₹}619$.

id=81939 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:5 and the first is 8, what is the second? | option_a=18 | option_b=5 | option_c=10 | option_d=14 | answer=C | explanation=Scale factor = $8/4 = 2$. Therefore second quantity = $5 \times 2 = 10$.

id=81940 | topic=Averages | difficulty=Easy | question=Find the average of 44, 80, 22, 37, 68, 43. | option_a=48 | option_b=51 | option_c=50 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = $294 \div 6 = 49$.

id=81941 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = $120 \div 4 = 30$ km/h.

id=81942 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 58? | option_a=27 | option_b=58 | option_c=37 | option_d=47 | answer=B | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 58 is the odd one out.

id=81943 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=81944 | topic=Averages | difficulty=Easy | question=Find the average of 89, 35, 60, 72. | option_a=66 | option_b=63 | option_c=64 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = $256 \div 4 = 64$.

id=81945 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=Z | option_b=R | option_c=N | option_d=V | answer=D | explanation=Move 4 positions forward from R; the resulting letter is V.

id=81946 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=Q | option_c=S | option_d=O | answer=C | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=81947 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 17, 29, 41, ? | option_a=41 | option_b=54 | option_c=53 | option_d=65 | answer=C | explanation=The common difference is 12. Therefore the next term is $41 + 12 = 53$.

id=81948 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2792. If it is sold at a profit of 20%, what is its selling price? | option_a=3629 | option_b=2812 | option_c=3071 | option_d=3350 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2792 \times 120/100 = \text{₹}3350$.

id=81949 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:15 and the first is 140, what is the second? | option_a=290 | option_b=164 | option_c=150 | option_d=135 | answer=C | explanation=Scale factor = $140/14 = 10$. Therefore second quantity = $15 \times 10 = 150$.

id=81950 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=A | option_b=B | option_c=C | option_d=D | answer=C | explanation=Move 1 positions forward from B; the resulting letter is C.

id=81951 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:1 and the first is 50, what is the second? | option_a=9 | option_b=10 | option_c=15 | option_d=60 | answer=B | explanation=Scale factor = $50/5 = 10$. Therefore second quantity = $1 \times 10 = 10$.

id=81952 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=81953 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:18 and the first is 180, what is the second? | option_a=360 | option_b=540 | option_c=342 | option_d=369 | answer=A | explanation=Scale factor = $180/9 = 20$. Therefore second quantity = $18 \times 20 = 360$.

id=81954 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:5 and the first is 128, what is the second? | option_a=40 | option_b=35 | option_c=56 | option_d=168 | answer=A | explanation=Scale factor = $128/16 = 8$. Therefore second quantity = $5 \times 8 = 40$.

id=81955 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=61 | option_b=50 | option_c=39 | option_d=51 | answer=B | explanation=The common difference is 11. Therefore the next term is $39 + 11 = 50$.

id=81956 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=B | option_b=D | option_c=F | option_d=H | answer=C | explanation=Move 2 positions forward from D; the resulting letter is F.

id=81957 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=16 | option_d=3 | answer=B | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=81958 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 34? | option_a=24 | option_b=34 | option_c=20 | option_d=28 | answer=B | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 34 is the odd one out.

id=81959 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**34821 at 10% per annum for 3 years. | option_a=45267 | option_b=10546 | option_c=10446 | option_d=10346 | answer=C | explanation=SI = $PRT/100 = 34821 \times 10 \times 3/100 = \text{₹}10446$.

id=81960 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 13, 17, 21, ? | option_a=29 | option_b=21 | option_c=26 | option_d=25 | answer=D | explanation=The common difference is 4. Therefore the next term is $21 + 4 = 25$.

Aptitude Questions — Records 81,961-81,990 of 100,000

id=81961 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 29, 38, 49? | option_a=49 | option_b=29 | option_c=20 | option_d=38 | answer=A | explanation=The first three numbers increase by 9, so the next should be 47. Therefore 49 is the odd one out.

id=81962 | topic=Percentages | difficulty=Easy | question=What is 20% of 373? | option_a=148 | option_b=74 | option_c=69 | option_d=84 | answer=B | explanation=20% of 373 = (20/100) × 373 = 74.

id=81963 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=11 | option_b=13 | option_c=9 | option_d=12 | answer=A | explanation=The common difference is 2. Therefore the next term is 9 + 2 = 11.

id=81964 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 8, 10, 14? | option_a=6 | option_b=10 | option_c=8 | option_d=14 | answer=D | explanation=The first three numbers increase by 2, so the next should be 12. Therefore 14 is the odd one out.

id=81965 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3332 at 15% per annum for 2 years. | option_a=1099 | option_b=999 | option_c=4331 | option_d=899 | answer=B | explanation=SI = $PRT/100 = 3332 \times 15 \times 2/100 = \text{■}999$.

id=81966 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1316. If it is sold at a profit of 20%, what is its selling price? | option_a=1336 | option_b=1448 | option_c=1710 | option_d=1579 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1316 \times 120/100 = \text{■}1579$.

id=81967 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=X | option_b=P | option_c=L | option_d=T | answer=D | explanation=Move 4 positions forward from P; the resulting letter is T.

id=81968 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=K | option_b=Q | option_c=O | option_d=M | answer=C | explanation=Move 2 positions forward from M; the resulting letter is O.

id=81969 | topic=Averages | difficulty=Easy | question=Find the average of 81, 75, 24, 96, 78, 74, 65, 83, 23, 101. | option_a=71 | option_b=70 | option_c=72 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = $700 \div 10 = 70$.

id=81970 | topic=Averages | difficulty=Easy | question=Find the average of 66, 100, 62. | option_a=77 | option_b=76 | option_c=75 | option_d=78 | answer=B | explanation=Average = sum of values ÷ number of values = $228 \div 3 = 76$.

id=81971 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=20 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = $150 \div 10 = 15$ km/h.

id=81972 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=W | option_c=L | option_d=G | answer=D | explanation=Move 5 positions forward from B; the resulting letter is G.

id=81973 | topic=Averages | difficulty=Easy | question=Find the average of 52, 75, 94, 38, 61. | option_a=63 | option_b=66 | option_c=65 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = $320 \div 5 = 64$.

id=81974 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:8 and the first is 18, what is the second? | option_a=40 | option_b=66 | option_c=48 | option_d=51 | answer=C | explanation=Scale factor = $18/3 = 6$. Therefore second quantity = $8 \times 6 = 48$.

id=81975 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4688. If it is sold at a profit of 20%, what is its selling price? | option_a=6093 | option_b=5625 | option_c=4708 | option_d=5157 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4688 \times 120/100 = \text{■}5625$.

id=81976 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4588. If it is sold at a profit of 20%, what is its selling price? | option_a=5505 | option_b=5047 | option_c=5963 | option_d=4608 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4588 \times 120/100 = \text{■}5505$.

id=81977 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:4 and the first is 180, what is the second? | option_a=48 | option_b=63 | option_c=228 | option_d=44 | answer=A | explanation=Scale factor = $180/15 = 12$. Therefore second quantity = $4 \times 12 = 48$.

id=81978 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 21. | option_a=48 | option_b=126 | option_c=42 | option_d=21 | answer=C | explanation= $LCM \times HCF = 6 \times 21$; $HCF(6,21) = 3$, so $LCM = 42$.

id=81979 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=30 | option_b=27 | option_c=31 | option_d=33 | answer=A | explanation=The common difference is 3. Therefore the next term is $27 + 3 = 30$.

id=81980 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=81981 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=25 | option_b=23 | option_c=27 | option_d=26 | answer=A | explanation=The common difference is 2. Therefore the next term is $23 + 2 = 25$.

id=81982 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 25, 31, 40? | option_a=31 | option_b=40 | option_c=25 | option_d=19 | answer=B | explanation=The first three numbers increase by 6, so the next should be 37. Therefore 40 is the odd one out.

id=81983 | topic=Percentages | difficulty=Easy | question=What is 50% of 1753? | option_a=881 | option_b=871 | option_c=876 | option_d=1752 | answer=C | explanation=50% of 1753 = $(50/100) \times 1753 = 876$.

id=81984 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:4 and the first is 162, what is the second? | option_a=72 | option_b=81 | option_c=68 | option_d=234 | answer=A | explanation=Scale factor = $162/9 = 18$. Therefore second quantity = $4 \times 18 = 72$.

id=81985 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=13 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = $90 \div 5 = 18$ km/h.

id=81986 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2039. If it is sold at a profit of 30%, what is its selling price? | option_a=2447 | option_b=2853 | option_c=2650 | option_d=2069 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2039 \times 130/100 = \text{■}2650$.

id=81987 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 28? | option_a=23 | option_b=28 | option_c=15 | option_d=19 | answer=B | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 28 is the odd one out.

id=81988 | topic=Percentages | difficulty=Easy | question=What is 30% of 1734? | option_a=510 | option_b=520 | option_c=1040 | option_d=530 | answer=B | explanation=30% of 1734 = $(30/100) \times 1734 = 520$.

id=81989 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=J | option_c=H | option_d=I | answer=B | explanation=Move 1 positions forward from I; the resulting letter is J.

id=81990 | topic=Percentages | difficulty=Easy | question=What is 12% of 1894? | option_a=222 | option_b=454 | option_c=247 | option_d=227 | answer=D | explanation=12% of 1894 = $(12/100) \times 1894 = 227$.

Aptitude Questions — Records 81,991-82,020 of 100,000

id=81991 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13217 at 6% per annum for 5 years. | option_a=3965 | option_b=4065 | option_c=17182 | option_d=3865 | answer=A | explanation=SI = PRT/100 = 13217×6×5/100 = **■**3965.

id=81992 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 23, 28, 34? | option_a=28 | option_b=34 | option_c=18 | option_d=23 | answer=B | explanation=The first three numbers increase by 5, so the next should be 33. Therefore 34 is the odd one out.

id=81993 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:14 and the first is 72, what is the second? | option_a=184 | option_b=121 | option_c=98 | option_d=112 | answer=D | explanation=Scale factor = 72/9 = 8. Therefore second quantity = 14×8 = 112.

id=81994 | topic=Percentages | difficulty=Easy | question=What is 12% of 856? | option_a=92 | option_b=204 | option_c=112 | option_d=102 | answer=D | explanation=12% of 856 = (12/100) × 856 = 102.

id=81995 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=72 | option_c=67 | option_d=144 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=81996 | topic=Averages | difficulty=Easy | question=Find the average of 79, 43, 13, 89. | option_a=55 | option_b=56 | option_c=57 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 224 ÷ 4 = 56.

id=81997 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=41 | option_c=72 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=81998 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 18. | option_a=90 | option_b=180 | option_c=72 | option_d=100 | answer=A | explanation=LCM × HCF = 10×18; HCF(10,18) = 2, so LCM = 90.

id=81999 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**939. If it is sold at a profit of 20%, what is its selling price? | option_a=1033 | option_b=1219 | option_c=959 | option_d=1126 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 939 × 120/100 = **■**1126.

id=82000 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=55 | option_c=100 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=82001 | topic=Percentages | difficulty=Easy | question=What is 12% of 1187? | option_a=284 | option_b=142 | option_c=162 | option_d=122 | answer=B | explanation=12% of 1187 = (12/100) × 1187 = 142.

id=82002 | topic=Percentages | difficulty=Easy | question=What is 20% of 1728? | option_a=690 | option_b=355 | option_c=345 | option_d=335 | answer=C | explanation=20% of 1728 = (20/100) × 1728 = 345.

id=82003 | topic=Averages | difficulty=Easy | question=Find the average of 85, 62, 68, 41. | option_a=63 | option_b=66 | option_c=65 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 256 ÷ 4 = 64.

id=82004 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=J | option_b=N | option_c=R | option_d=V | answer=C | explanation=Move 4 positions forward from N; the resulting letter is R.

id=82005 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1229. If it is sold at a profit of 20%, what is its selling price? | option_a=1249 | option_b=1352 | option_c=1596 | option_d=1474 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1229 × 120/100 = **■**1474.

id=82006 | topic=Percentages | difficulty=Easy | question=What is 30% of 206? | option_a=56 | option_b=122 | option_c=61 | option_d=81 | answer=C | explanation=30% of 206 = (30/100) × 206 = 61.

id=82007 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=O | option_b=R | option_c=L | option_d=I | answer=A | explanation=Move 3 positions forward from L; the resulting letter is O.

id=82008 | topic=Percentages | difficulty=Easy | question=What is 10% of 1760? | option_a=166 | option_b=176 | option_c=181 | option_d=352 | answer=B | explanation=10% of 1760 = (10/100) × 1760 = 176.

id=82009 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29241 at 10% per annum for 3 years. | option_a=8872 | option_b=8672 | option_c=8772 | option_d=38013 | answer=C | explanation=SI = PRT/100 = 29241×10×3/100 = **■**8772.

id=82010 | topic=Averages | difficulty=Easy | question=Find the average of 52, 67, 21, 49, 89, 30, 42. | option_a=50 | option_b=49 | option_c=51 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

id=82011 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=S | option_c=O | option_d=U | answer=B | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=82012 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=41 | option_b=61 | option_c=51 | option_d=52 | answer=C | explanation=The common difference is 10. Therefore the next term is 41 + 10 = 51.

id=82013 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=31 | option_b=32 | option_c=28 | option_d=34 | answer=A | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=82014 | topic=Averages | difficulty=Easy | question=Find the average of 16, 96, 11, 32, 65, 44, 86. | option_a=52 | option_b=49 | option_c=51 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

id=82015 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4236. If it is sold at a profit of 25%, what is its selling price? | option_a=5718 | option_b=5295 | option_c=4872 | option_d=4261 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4236 × 125/100 = **■**5295.

id=82016 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38986 at 8% per annum for 1 years. | option_a=3218 | option_b=42104 | option_c=3118 | option_d=3018 | answer=C | explanation=SI = PRT/100 = 38986×8×1/100 = **■**3118.

id=82017 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1223. If it is sold at a profit of 20%, what is its selling price? | option_a=1589 | option_b=1467 | option_c=1345 | option_d=1243 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1223 × 120/100 = **■**1467.

id=82018 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=82019 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=82020 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3580. If it is sold at a profit of 40%, what is its selling price? | option_a=4654 | option_b=3620 | option_c=5370 | option_d=5012 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3580 × 140/100 = **■**5012.

Aptitude Questions — Records 82,021-82,050 of 100,000

id=82021 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=82022 | topic=Percentages | difficulty=Easy | question=What is 20% of 1617? | option_a=313 | option_b=646 | option_c=323 | option_d=333 | answer=C | explanation=20% of 1617 = (20/100) × 1617 = 323.

id=82023 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 30. | option_a=90 | option_b=120 | option_c=144 | option_d=720 | answer=B | explanation=LCM × HCF = 24×30; HCF(24,30) = 6, so LCM = 120.

id=82024 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=33 | option_b=51 | option_c=43 | option_d=42 | answer=D | explanation=The common difference is 9. Therefore the next term is 33 + 9 = 42.

id=82025 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:13 and the first is 17, what is the second? | option_a=208 | option_b=238 | option_c=222 | option_d=221 | answer=D | explanation=Scale factor = 17/1 = 17. Therefore second quantity = 13×17 = 221.

id=82026 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:13 and the first is 44, what is the second? | option_a=143 | option_b=130 | option_c=187 | option_d=147 | answer=A | explanation=Scale factor = 44/4 = 11. Therefore second quantity = 13×11 = 143.

id=82027 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17811 at 6% per annum for 5 years. | option_a=5343 | option_b=23154 | option_c=5443 | option_d=5243 | answer=A | explanation=SI = PRT/100 = 17811×6×5/100 = **■**5343.

id=82028 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4769. If it is sold at a profit of 20%, what is its selling price? | option_a=5722 | option_b=4789 | option_c=6198 | option_d=5246 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4769 × 120/100 = **■**5722.

id=82029 | topic=Percentages | difficulty=Easy | question=What is 25% of 1469? | option_a=367 | option_b=734 | option_c=362 | option_d=372 | answer=A | explanation=25% of 1469 = (25/100) × 1469 = 367.

id=82030 | topic=Averages | difficulty=Easy | question=Find the average of 98, 34, 62, 52, 45, 94, 99, 87, 20, 69. | option_a=65 | option_b=66 | option_c=68 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = 660 ÷ 10 = 66.

id=82031 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=82032 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3776. If it is sold at a profit of 10%, what is its selling price? | option_a=4153 | option_b=3776 | option_c=4530 | option_d=3786 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3776 × 110/100 = **■**4153.

id=82033 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:19 and the first is 75, what is the second? | option_a=290 | option_b=360 | option_c=266 | option_d=285 | answer=D | explanation=Scale factor = 75/5 = 15. Therefore second quantity = 19×15 = 285.

id=82034 | topic=Percentages | difficulty=Easy | question=What is 5% of 1959? | option_a=194 | option_b=97 | option_c=77 | option_d=117 | answer=B | explanation=5% of 1959 = (5/100) × 1959 = 97.

id=82035 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 33, 42, 52? | option_a=33 | option_b=52 | option_c=42 | option_d=24 | answer=B | explanation=The first three numbers increase by 9, so the next should be 51. Therefore 52 is the odd one out.

id=82036 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=48 | option_c=43 | option_d=53 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=82037 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=56 | option_b=66 | option_c=55 | option_d=44 | answer=C | explanation=The common difference is 11. Therefore the next term is 44 + 11 = 55.

id=82038 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:2 and the first is 143, what is the second? | option_a=37 | option_b=26 | option_c=24 | option_d=169 | answer=B | explanation=Scale factor = 143/11 = 13. Therefore second quantity = 2×13 = 26.

id=82039 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3589. If it is sold at a profit of 15%, what is its selling price? | option_a=4485 | option_b=3604 | option_c=3769 | option_d=4127 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3589 × 115/100 = **■**4127.

id=82040 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4990. If it is sold at a profit of 25%, what is its selling price? | option_a=5738 | option_b=6237 | option_c=6736 | option_d=5015 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4990 × 125/100 = **■**6237.

id=82041 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=H | option_c=Z | option_d=L | answer=B | explanation=Move 4 positions forward from D; the resulting letter is H.

id=82042 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35466 at 8% per annum for 5 years. | option_a=14286 | option_b=14086 | option_c=14186 | option_d=49652 | answer=C | explanation=SI = PRT/100 = 35466×8×5/100 = **■**14186.

id=82043 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4247. If it is sold at a profit of 40%, what is its selling price? | option_a=6369 | option_b=4287 | option_c=5945 | option_d=5521 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4247 × 140/100 = **■**5945.

id=82044 | topic=Percentages | difficulty=Easy | question=What is 10% of 553? | option_a=60 | option_b=45 | option_c=110 | option_d=55 | answer=D | explanation=10% of 553 = (10/100) × 553 = 55.

id=82045 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 6. | option_a=36 | option_b=12 | option_c=18 | option_d=108 | answer=C | explanation=LCM × HCF = 18×6; HCF(18,6) = 6, so LCM = 18.

id=82046 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:12 and the first is 260, what is the second? | option_a=500 | option_b=240 | option_c=228 | option_d=253 | answer=B | explanation=Scale factor = 260/13 = 20. Therefore second quantity = 12×20 = 240.

id=82047 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:20 and the first is 55, what is the second? | option_a=100 | option_b=80 | option_c=155 | option_d=111 | answer=A | explanation=Scale factor = 55/11 = 5. Therefore second quantity = 20×5 = 100.

id=82048 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:17 and the first is 65, what is the second? | option_a=68 | option_b=150 | option_c=98 | option_d=85 | answer=D | explanation=Scale factor = 65/13 = 5. Therefore second quantity = 17×5 = 85.

id=82049 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=32 | option_b=50 | option_c=41 | option_d=42 | answer=C | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

id=82050 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=61 | option_b=60 | option_c=70 | option_d=50 | answer=B | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

Aptitude Questions — Records 82,051-82,080 of 100,000

id=82051 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=U | option_b=L | option_c=R | option_d=O | answer=C | explanation=Move 3 positions forward from O; the resulting letter is R.

id=82052 | topic=Percentages | difficulty=Easy | question=What is 10% of 1368? | option_a=156 | option_b=272 | option_c=136 | option_d=116 | answer=C | explanation=10% of 1368 = (10/100) × 1368 = 136.

id=82053 | topic=Averages | difficulty=Easy | question=Find the average of 58, 80, 71, 57, 12, 19, 66, 51, 91, 65. | option_a=59 | option_b=57 | option_c=58 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.

id=82054 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=82055 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31874 at 15% per annum for 2 years. | option_a=9562 | option_b=41436 | option_c=9662 | option_d=9462 | answer=A | explanation=SI = PRT/100 = 31874×15×2/100 = **■**9562.

id=82056 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 27. | option_a=300 | option_b=243 | option_c=810 | option_d=270 | answer=D | explanation=LCM × HCF = 30×27; HCF(30,27) = 3, so LCM = 270.

id=82057 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=200 | option_c=95 | option_d=105 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=82058 | topic=Percentages | difficulty=Easy | question=What is 40% of 1999? | option_a=1598 | option_b=794 | option_c=799 | option_d=819 | answer=C | explanation=40% of 1999 = (40/100) × 1999 = 799.

id=82059 | topic=Percentages | difficulty=Easy | question=What is 25% of 66? | option_a=21 | option_b=0 | option_c=32 | option_d=16 | answer=D | explanation=25% of 66 = (25/100) × 66 = 16.

id=82060 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=23 | option_b=27 | option_c=28 | option_d=31 | answer=B | explanation=The common difference is 4. Therefore the next term is 23 + 4 = 27.

id=82061 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=29 | option_b=26 | option_c=30 | option_d=32 | answer=A | explanation=The common difference is 3. Therefore the next term is 26 + 3 = 29.

id=82062 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 25. | option_a=100 | option_b=75 | option_c=500 | option_d=120 | answer=A | explanation=LCM × HCF = 20×25; HCF(20,25) = 5, so LCM = 100.

id=82063 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=12 | option_c=11 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=82064 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:5 and the first is 33, what is the second? | option_a=50 | option_b=88 | option_c=58 | option_d=55 | answer=D | explanation=Scale factor = 33/3 = 11. Therefore second quantity = 5×11 = 55.

id=82065 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11546 at 4% per annum for 4 years. | option_a=13393 | option_b=1947 | option_c=1747 | option_d=1847 | answer=D | explanation=SI = PRT/100 = 11546×4×4/100 = **■**1847.

id=82066 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:17 and the first is 80, what is the second? | option_a=323 | option_b=340 | option_c=344 | option_d=420 | answer=B | explanation=Scale factor = 80/4 = 20. Therefore second quantity = 17×20 = 340.

id=82067 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21831 at 6% per annum for 5 years. | option_a=6549 | option_b=6649 | option_c=6449 | option_d=28380 | answer=A | explanation=SI = PRT/100 = 21831×6×5/100 = **■**6549.

id=82068 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:18 and the first is 234, what is the second? | option_a=306 | option_b=558 | option_c=337 | option_d=324 | answer=D | explanation=Scale factor = 234/13 = 18. Therefore second quantity = 18×18 = 324.

id=82069 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=45 | option_b=69 | option_c=58 | option_d=57 | answer=D | explanation=The common difference is 12. Therefore the next term is 45 + 12 = 57.

id=82070 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=26 | option_b=25 | option_c=22 | option_d=28 | answer=B | explanation=The common difference is 3. Therefore the next term is 22 + 3 = 25.

id=82071 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=82072 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7291 at 4% per annum for 5 years. | option_a=1558 | option_b=8749 | option_c=1358 | option_d=1458 | answer=D | explanation=SI = PRT/100 = 7291×4×5/100 = **■**1458.

id=82073 | topic=Percentages | difficulty=Easy | question=What is 30% of 1535? | option_a=450 | option_b=460 | option_c=920 | option_d=480 | answer=B | explanation=30% of 1535 = (30/100) × 1535 = 460.

id=82074 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=62 | option_b=74 | option_c=63 | option_d=50 | answer=A | explanation=The common difference is 12. Therefore the next term is 50 + 12 = 62.

id=82075 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=20 | option_c=15 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=82076 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 16, 20, 25? | option_a=12 | option_b=25 | option_c=16 | option_d=20 | answer=B | explanation=The first three numbers increase by 4, so the next should be 24. Therefore 25 is the odd one out.

id=82077 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:8 and the first is 38, what is the second? | option_a=54 | option_b=8 | option_c=35 | option_d=16 | answer=D | explanation=Scale factor = 38/19 = 2. Therefore second quantity = 8×2 = 16.

id=82078 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=82079 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4548 at 10% per annum for 5 years. | option_a=2174 | option_b=2374 | option_c=2274 | option_d=6822 | answer=C | explanation=SI = PRT/100 = 4548×10×5/100 = **■**2274.

id=82080 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 30, 32, 35? | option_a=35 | option_b=30 | option_c=28 | option_d=32 | answer=A | explanation=The first three numbers increase by 2, so the next should be 34. Therefore 35 is the odd one out.

Aptitude Questions — Records 82,081-82,110 of 100,000

id=82081 | topic=Percentages | difficulty=Easy | question=What is 25% of 918? | option_a=229 | option_b=234 | option_c=224 | option_d=458 | answer=A | explanation=25% of 918 = (25/100) × 918 = 229.

id=82082 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=40 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=82083 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=K | option_c=Q | option_d=M | answer=A | explanation=Move 2 positions forward from M; the resulting letter is O.

id=82084 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=32 | option_b=35 | option_c=29 | option_d=33 | answer=A | explanation=The common difference is 3. Therefore the next term is 29 + 3 = 32.

id=82085 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3857. If it is sold at a profit of 25%, what is its selling price? | option_a=5206 | option_b=3882 | option_c=4821 | option_d=4436 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3857 × 125/100 = █4821.

id=82086 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:15 and the first is 48, what is the second? | option_a=60 | option_b=45 | option_c=72 | option_d=108 | answer=A | explanation=Scale factor = 48/12 = 4. Therefore second quantity = 15×4 = 60.

id=82087 | topic=Averages | difficulty=Easy | question=Find the average of 24, 51, 85, 80, 33, 46, 78, 80, 88, 65. | option_a=64 | option_b=62 | option_c=65 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 630 ÷ 10 = 63.

id=82088 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=82089 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=24 | option_b=22 | option_c=20 | option_d=23 | answer=B | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=82090 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37750 at 12% per annum for 5 years. | option_a=22750 | option_b=60400 | option_c=22550 | option_d=22650 | answer=D | explanation=SI = PRT/100 = 37750×12×5/100 = █22650.

id=82091 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=Q | option_c=M | option_d=E | answer=C | explanation=Move 4 positions forward from I; the resulting letter is M.

id=82092 | topic=Averages | difficulty=Easy | question=Find the average of 75, 95, 46. | option_a=73 | option_b=74 | option_c=72 | option_d=71 | answer=C | explanation=Average = sum of values ÷ number of values = 216 ÷ 3 = 72.

id=82093 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 14. | option_a=280 | option_b=126 | option_c=140 | option_d=160 | answer=C | explanation=LCM × HCF = 20×14; HCF(20,14) = 2, so LCM = 140.

id=82094 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 25, 31, 38? | option_a=31 | option_b=25 | option_c=38 | option_d=19 | answer=C | explanation=The first three numbers increase by 6, so the next should be 37. Therefore 38 is the odd one out.

id=82095 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31060 at 4% per annum for 4 years. | option_a=4969 | option_b=4869 | option_c=36029 | option_d=5069 | answer=A | explanation=SI = PRT/100 = 31060×4×4/100 = █4969.

id=82096 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 3. | option_a=36 | option_b=54 | option_c=15 | option_d=18 | answer=D | explanation=LCM × HCF = 18×3; HCF(18,3) = 3, so LCM = 18.

id=82097 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=19 | option_b=15 | option_c=18 | option_d=17 | answer=D | explanation=The common difference is 2. Therefore the next term is 15 + 2 = 17.

id=82098 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=82099 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19745 at 6% per annum for 1 years. | option_a=20929 | option_b=1184 | option_c=1084 | option_d=1284 | answer=B | explanation=SI = PRT/100 = 19745×6×1/100 = █1184.

id=82100 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 48? | option_a=37 | option_b=28 | option_c=19 | option_d=48 | answer=D | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 48 is the odd one out.

id=82101 | topic=Percentages | difficulty=Easy | question=What is 30% of 640? | option_a=197 | option_b=187 | option_c=384 | option_d=192 | answer=D | explanation=30% of 640 = (30/100) × 640 = 192.

id=82102 | topic=Averages | difficulty=Easy | question=Find the average of 45, 73, 34, 26, 42, 74. | option_a=51 | option_b=50 | option_c=48 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 294 ÷ 6 = 49.

id=82103 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=82104 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 36? | option_a=23 | option_b=36 | option_c=17 | option_d=29 | answer=B | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 36 is the odd one out.

id=82105 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=36 | option_b=43 | option_c=27 | option_d=35 | answer=D | explanation=The common difference is 8. Therefore the next term is 27 + 8 = 35.

id=82106 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:14 and the first is 45, what is the second? | option_a=28 | option_b=42 | option_c=87 | option_d=57 | answer=B | explanation=Scale factor = 45/15 = 3. Therefore second quantity = 14×3 = 42.

id=82107 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=82108 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26381 at 4% per annum for 5 years. | option_a=31657 | option_b=5276 | option_c=5376 | option_d=5176 | answer=B | explanation=SI = PRT/100 = 26381×4×5/100 = █5276.

id=82109 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=M | option_b=B | option_c=R | option_d=W | answer=D | explanation=Move 5 positions forward from R; the resulting letter is W.

id=82110 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=29 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

Aptitude Questions — Records 82,111-82,140 of 100,000

id=82111 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=U | option_b=V | option_c=S | option_d=T | answer=A | explanation=Move 1 positions forward from T; the resulting letter is U.

id=82112 | topic=Averages | difficulty=Easy | question=Find the average of 37, 77, 35, 53, 35, 37, 48, 28, 91. | option_a=49 | option_b=51 | option_c=48 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 441 ÷ 9 = 49.

id=82113 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=82114 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=L | option_c=M | option_d=N | answer=D | explanation=Move 1 positions forward from M; the resulting letter is N.

id=82115 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■8411 at 15% per annum for 1 years. | option_a=1161 | option_b=9672 | option_c=1261 | option_d=1361 | answer=C | explanation=SI = PRT/100 = 8411×15×1/100 = ■1261.

id=82116 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:3 and the first is 76, what is the second? | option_a=133 | option_b=61 | option_c=57 | option_d=54 | answer=C | explanation=Scale factor = 76/4 = 19. Therefore second quantity = 3×19 = 57.

id=82117 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 27? | option_a=18 | option_b=11 | option_c=27 | option_d=4 | answer=C | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 27 is the odd one out.

id=82118 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1973. If it is sold at a profit of 5%, what is its selling price? | option_a=2071 | option_b=1978 | option_c=2268 | option_d=1874 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1973 × 105/100 = ■2071.

id=82119 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=46 | option_b=56 | option_c=66 | option_d=57 | answer=B | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=82120 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 21, 25, 31? | option_a=31 | option_b=17 | option_c=25 | option_d=21 | answer=A | explanation=The first three numbers increase by 4, so the next should be 29. Therefore 31 is the odd one out.

id=82121 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 28. | option_a=28 | option_b=1 | option_c=784 | option_d=56 | answer=A | explanation=LCM × HCF = 28×28; HCF(28,28) = 28, so LCM = 28.

id=82122 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:1 and the first is 180, what is the second? | option_a=28 | option_b=198 | option_c=17 | option_d=18 | answer=D | explanation=Scale factor = 180/10 = 18. Therefore second quantity = 1×18 = 18.

id=82123 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■408. If it is sold at a profit of 50%, what is its selling price? | option_a=612 | option_b=572 | option_c=652 | option_d=458 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 408 × 150/100 = ■612.

id=82124 | topic=Percentages | difficulty=Easy | question=What is 30% of 498? | option_a=139 | option_b=169 | option_c=298 | option_d=149 | answer=D | explanation=30% of 498 = (30/100) × 498 = 149.

id=82125 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 57? | option_a=26 | option_b=46 | option_c=57 | option_d=36 | answer=C | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 57 is the odd one out.

id=82126 | topic=Percentages | difficulty=Easy | question=What is 5% of 1811? | option_a=180 | option_b=80 | option_c=95 | option_d=90 | answer=D | explanation=5% of 1811 = (5/100) × 1811 = 90.

id=82127 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4458. If it is sold at a profit of 50%, what is its selling price? | option_a=6242 | option_b=7132 | option_c=4508 | option_d=6687 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4458 × 150/100 = ■6687.

id=82128 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 17, 20, 24? | option_a=14 | option_b=17 | option_c=24 | option_d=20 | answer=C | explanation=The first three numbers increase by 3, so the next should be 23. Therefore 24 is the odd one out.

id=82129 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3203. If it is sold at a profit of 25%, what is its selling price? | option_a=4323 | option_b=3228 | option_c=4003 | option_d=3683 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3203 × 125/100 = ■4003.

id=82130 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:18 and the first is 187, what is the second? | option_a=493 | option_b=288 | option_c=306 | option_d=317 | answer=C | explanation=Scale factor = 187/11 = 17. Therefore second quantity = 18×17 = 306.

id=82131 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=24 | option_b=30 | option_c=27 | option_d=28 | answer=C | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=82132 | topic=Averages | difficulty=Easy | question=Find the average of 22, 16, 42, 99, 18, 100, 15, 78, 51. | option_a=48 | option_b=49 | option_c=50 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 441 ÷ 9 = 49.

id=82133 | topic=Averages | difficulty=Easy | question=Find the average of 69, 28, 59, 13, 17, 55, 18. | option_a=36 | option_b=37 | option_c=38 | option_d=39 | answer=B | explanation=Average = sum of values ÷ number of values = 259 ÷ 7 = 37.

id=82134 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=82135 | topic=Percentages | difficulty=Easy | question=What is 25% of 147? | option_a=16 | option_b=36 | option_c=56 | option_d=72 | answer=B | explanation=25% of 147 = (25/100) × 147 = 36.

id=82136 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=82137 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 38? | option_a=32 | option_b=29 | option_c=38 | option_d=26 | answer=C | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 38 is the odd one out.

id=82138 | topic=Percentages | difficulty=Easy | question=What is 15% of 1440? | option_a=196 | option_b=216 | option_c=432 | option_d=221 | answer=B | explanation=15% of 1440 = (15/100) × 1440 = 216.

id=82139 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:9 and the first is 32, what is the second? | option_a=34 | option_b=50 | option_c=18 | option_d=9 | answer=C | explanation=Scale factor = 32/16 = 2. Therefore second quantity = 9×2 = 18.

id=82140 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=15 | option_b=14 | option_c=16 | option_d=12 | answer=B | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

Aptitude Questions — Records 82,141-82,170 of 100,000

id=82141 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=57 | option_b=47 | option_c=35 | option_d=46 | answer=D | explanation=The common difference is 11. Therefore the next term is 35 + 11 = 46.

id=82142 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21667 at 10% per annum for 5 years. | option_a=10833 | option_b=32500 | option_c=10933 | option_d=10733 | answer=A | explanation=SI = $PRT/100 = 21667 \times 10 \times 5/100 = \blacksquare 10833$.

id=82143 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:11 and the first is 16, what is the second? | option_a=22 | option_b=38 | option_c=30 | option_d=11 | answer=A | explanation=Scale factor = $16/8 = 2$. Therefore second quantity = $11 \times 2 = 22$.

id=82144 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 9. | option_a=84 | option_b=189 | option_c=63 | option_d=54 | answer=C | explanation= $LCM \times HCF = 21 \times 9$; $HCF(21,9) = 3$, so $LCM = 63$.

id=82145 | topic=Averages | difficulty=Easy | question=Find the average of 74, 69, 68, 15, 40, 99, 41, 84, 33, 57. | option_a=57 | option_b=59 | option_c=58 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = $580 \div 10 = 58$.

id=82146 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=47 | option_b=57 | option_c=56 | option_d=65 | answer=C | explanation=The common difference is 9. Therefore the next term is 47 + 9 = 56.

id=82147 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4256. If it is sold at a profit of 5%, what is its selling price? | option_a=4043 | option_b=4261 | option_c=4893 | option_d=4468 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4256 \times 105/100 = \blacksquare 4468$.

id=82148 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:19 and the first is 81, what is the second? | option_a=152 | option_b=180 | option_c=252 | option_d=171 | answer=D | explanation=Scale factor = $81/9 = 9$. Therefore second quantity = $19 \times 9 = 171$.

id=82149 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39687 at 10% per annum for 2 years. | option_a=47624 | option_b=7837 | option_c=8037 | option_d=7937 | answer=D | explanation=SI = $PRT/100 = 39687 \times 10 \times 2/100 = \blacksquare 7937$.

id=82150 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=S | option_b=I | option_c=N | option_d=X | answer=A | explanation=Move 5 positions forward from N; the resulting letter is S.

id=82151 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=42 | option_b=51 | option_c=52 | option_d=60 | answer=B | explanation=The common difference is 9. Therefore the next term is 42 + 9 = 51.

id=82152 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=41 | option_c=31 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = $180 \div 5 = 36$ km/h.

id=82153 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=P | option_b=Z | option_c=E | option_d=U | answer=B | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=82154 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=82155 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:17 and the first is 260, what is the second? | option_a=353 | option_b=323 | option_c=600 | option_d=340 | answer=D | explanation=Scale factor = $260/13 = 20$. Therefore second quantity = $17 \times 20 = 340$.

id=82156 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=J | option_b=O | option_c=E | option_d=Z | answer=A | explanation=Move 5 positions forward from E; the resulting letter is J.

id=82157 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 28, 36, 46? | option_a=20 | option_b=36 | option_c=46 | option_d=28 | answer=C | explanation=The first three numbers increase by 8, so the next should be 44. Therefore 46 is the odd one out.

id=82158 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=82159 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:11 and the first is 143, what is the second? | option_a=286 | option_b=154 | option_c=132 | option_d=143 | answer=D | explanation=Scale factor = $143/11 = 13$. Therefore second quantity = $11 \times 13 = 143$.

id=82160 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=80 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = $120 \div 3 = 40$ km/h.

id=82161 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8237 at 5% per annum for 2 years. | option_a=723 | option_b=923 | option_c=823 | option_d=9060 | answer=C | explanation=SI = $PRT/100 = 8237 \times 5 \times 2/100 = \blacksquare 823$.

id=82162 | topic=Percentages | difficulty=Easy | question=What is 20% of 1248? | option_a=239 | option_b=249 | option_c=498 | option_d=254 | answer=B | explanation=20% of 1248 = $(20/100) \times 1248 = 249$.

id=82163 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:15 and the first is 16, what is the second? | option_a=15 | option_b=46 | option_c=30 | option_d=38 | answer=C | explanation=Scale factor = $16/8 = 2$. Therefore second quantity = $15 \times 2 = 30$.

id=82164 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24083 at 15% per annum for 4 years. | option_a=14349 | option_b=38532 | option_c=14449 | option_d=14549 | answer=C | explanation=SI = $PRT/100 = 24083 \times 15 \times 4/100 = \blacksquare 14449$.

id=82165 | topic=Percentages | difficulty=Easy | question=What is 50% of 1866? | option_a=1866 | option_b=953 | option_c=933 | option_d=923 | answer=C | explanation=50% of 1866 = $(50/100) \times 1866 = 933$.

id=82166 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25589 at 8% per annum for 5 years. | option_a=10135 | option_b=10335 | option_c=35824 | option_d=10235 | answer=D | explanation=SI = $PRT/100 = 25589 \times 8 \times 5/100 = \blacksquare 10235$.

id=82167 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=95 | option_c=200 | option_d=105 | answer=A | explanation=Speed = distance ÷ time = $300 \div 3 = 100$ km/h.

id=82168 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:16 and the first is 180, what is the second? | option_a=207 | option_b=372 | option_c=192 | option_d=176 | answer=C | explanation=Scale factor = $180/15 = 12$. Therefore second quantity = $16 \times 12 = 192$.

id=82169 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18194 at 15% per annum for 2 years. | option_a=5458 | option_b=5358 | option_c=23652 | option_d=5558 | answer=A | explanation=SI = $PRT/100 = 18194 \times 15 \times 2/100 = \blacksquare 5458$.

id=82170 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=25 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = $60 \div 3 = 20$ km/h.

Aptitude Questions — Records 82,171-82,200 of 100,000

id=82171 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 20, 28, 39? | option_a=39 | option_b=20 | option_c=28 | option_d=12 | answer=A | explanation=The first three numbers increase by 8, so the next should be 36. Therefore 39 is the odd one out.

id=82172 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48825 at 12% per annum for 4 years. | option_a=23436 | option_b=23336 | option_c=72261 | option_d=23536 | answer=A | explanation=SI = $PRT/100 = 48825 \times 12 \times 4 / 100 = \text{■}23436$.

id=82173 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3720. If it is sold at a profit of 30%, what is its selling price? | option_a=4464 | option_b=5208 | option_c=4836 | option_d=3750 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3720 \times 130 / 100 = \text{■}4836$.

id=82174 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=82175 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=9 | option_b=12 | option_c=13 | option_d=11 | answer=D | explanation=The common difference is 2. Therefore the next term is $9 + 2 = 11$.

id=82176 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33163 at 8% per annum for 2 years. | option_a=5406 | option_b=5306 | option_c=38469 | option_d=5206 | answer=B | explanation=SI = $PRT/100 = 33163 \times 8 \times 2 / 100 = \text{■}5306$.

id=82177 | topic=Percentages | difficulty=Easy | question=What is 25% of 1558? | option_a=389 | option_b=379 | option_c=409 | option_d=778 | answer=A | explanation=25% of 1558 = $(25/100) \times 1558 = 389$.

id=82178 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=20 | option_b=17 | option_c=21 | option_d=23 | answer=A | explanation=The common difference is 3. Therefore the next term is $17 + 3 = 20$.

id=82179 | topic=Averages | difficulty=Easy | question=Find the average of 61, 84, 75, 31, 34. | option_a=57 | option_b=56 | option_c=58 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = $285 \div 5 = 57$.

id=82180 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21158 at 5% per annum for 1 years. | option_a=1157 | option_b=22215 | option_c=957 | option_d=1057 | answer=D | explanation=SI = $PRT/100 = 21158 \times 5 \times 1 / 100 = \text{■}1057$.

id=82181 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12815 at 15% per annum for 4 years. | option_a=7589 | option_b=7689 | option_c=7789 | option_d=20504 | answer=B | explanation=SI = $PRT/100 = 12815 \times 15 \times 4 / 100 = \text{■}7689$.

id=82182 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2568. If it is sold at a profit of 50%, what is its selling price? | option_a=2618 | option_b=4108 | option_c=3596 | option_d=3852 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2568 \times 150 / 100 = \text{■}3852$.

id=82183 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=E | option_c=C | option_d=A | answer=B | explanation=Move 2 positions forward from C; the resulting letter is E.

id=82184 | topic=Averages | difficulty=Easy | question=Find the average of 45, 45, 11, 75. | option_a=44 | option_b=46 | option_c=43 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = $176 \div 4 = 44$.

id=82185 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=E | option_b=H | option_c=B | option_d=Y | answer=A | explanation=Move 3 positions forward from B; the resulting letter is E.

id=82186 | topic=Percentages | difficulty=Easy | question=What is 40% of 492? | option_a=392 | option_b=196 | option_c=176 | option_d=216 | answer=B | explanation=40% of 492 = $(40/100) \times 492 = 196$.

id=82187 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1515. If it is sold at a profit of 25%, what is its selling price? | option_a=1742 | option_b=2044 | option_c=1893 | option_d=1540 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1515 \times 125 / 100 = \text{■}1893$.

id=82188 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=10 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = $60 \div 4 = 15$ km/h.

id=82189 | topic=Percentages | difficulty=Easy | question=What is 12% of 215? | option_a=25 | option_b=5 | option_c=30 | option_d=50 | answer=A | explanation=12% of 215 = $(12/100) \times 215 = 25$.

id=82190 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 14, 16, 20? | option_a=20 | option_b=14 | option_c=12 | option_d=16 | answer=A | explanation=The first three numbers increase by 2, so the next should be 18. Therefore 20 is the odd one out.

id=82191 | topic=Averages | difficulty=Easy | question=Find the average of 74, 73, 51, 27, 56, 41, 30, 28, 33, 27. | option_a=43 | option_b=45 | option_c=44 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = $440 \div 10 = 44$.

id=82192 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23214 at 10% per annum for 5 years. | option_a=11707 | option_b=11607 | option_c=11507 | option_d=34821 | answer=B | explanation=SI = $PRT/100 = 23214 \times 10 \times 5 / 100 = \text{■}11607$.

id=82193 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13348 at 8% per annum for 5 years. | option_a=5439 | option_b=18687 | option_c=5339 | option_d=5239 | answer=C | explanation=SI = $PRT/100 = 13348 \times 8 \times 5 / 100 = \text{■}5339$.

id=82194 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=G | option_b=B | option_c=W | option_d=L | answer=A | explanation=Move 5 positions forward from B; the resulting letter is G.

id=82195 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**200. If it is sold at a profit of 30%, what is its selling price? | option_a=280 | option_b=240 | option_c=230 | option_d=260 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 200 \times 130 / 100 = \text{■}260$.

id=82196 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=8 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=82197 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:12 and the first is 57, what is the second? | option_a=231 | option_b=285 | option_c=216 | option_d=228 | answer=D | explanation=Scale factor = $57/3 = 19$. Therefore second quantity = $12 \times 19 = 228$.

id=82198 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11025 at 12% per annum for 1 years. | option_a=1223 | option_b=12348 | option_c=1423 | option_d=1323 | answer=D | explanation=SI = $PRT/100 = 11025 \times 12 \times 1 / 100 = \text{■}1323$.

id=82199 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = $300 \div 10 = 30$ km/h.

id=82200 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:2 and the first is 24, what is the second? | option_a=30 | option_b=6 | option_c=4 | option_d=14 | answer=B | explanation=Scale factor = $24/8 = 3$. Therefore second quantity = $2 \times 3 = 6$.

Aptitude Questions — Records 82,201-82,230 of 100,000

id=82201 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:9 and the first is 105, what is the second? | option_a=78 | option_b=54 | option_c=63 | option_d=168 | answer=C | explanation=Scale factor = 105/15 = 7. Therefore second quantity = 9×7 = 63.

id=82202 | topic=Percentages | difficulty=Easy | question=What is 15% of 303? | option_a=35 | option_b=50 | option_c=45 | option_d=90 | answer=C | explanation=15% of 303 = (15/100) × 303 = 45.

id=82203 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46328 at 8% per annum for 5 years. | option_a=18531 | option_b=18431 | option_c=18631 | option_d=64859 | answer=A | explanation=SI = PRT/100 = 46328×8×5/100 = **■**18531.

id=82204 | topic=Percentages | difficulty=Easy | question=What is 25% of 1015? | option_a=506 | option_b=253 | option_c=263 | option_d=243 | answer=B | explanation=25% of 1015 = (25/100) × 1015 = 253.

id=82205 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**864. If it is sold at a profit of 50%, what is its selling price? | option_a=1382 | option_b=914 | option_c=1296 | option_d=1210 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 864 × 150/100 = **■**1296.

id=82206 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=N | option_c=M | option_d=K | answer=C | explanation=Move 1 positions forward from L; the resulting letter is M.

id=82207 | topic=Averages | difficulty=Easy | question=Find the average of 84, 20, 83, 69, 88, 11, 15, 41, 39. | option_a=51 | option_b=49 | option_c=50 | option_d=52 | answer=C | explanation=Average = sum of values + number of values = 450 ÷ 9 = 50.

id=82208 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1874. If it is sold at a profit of 25%, what is its selling price? | option_a=2342 | option_b=2155 | option_c=2529 | option_d=1899 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1874 × 125/100 = **■**2342.

id=82209 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 24, 30, 38? | option_a=18 | option_b=38 | option_c=30 | option_d=24 | answer=B | explanation=The first three numbers increase by 6, so the next should be 36. Therefore 38 is the odd one out.

id=82210 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26966 at 15% per annum for 1 years. | option_a=3944 | option_b=4044 | option_c=4144 | option_d=31010 | answer=B | explanation=SI = PRT/100 = 26966×15×1/100 = **■**4044.

id=82211 | topic=Averages | difficulty=Easy | question=Find the average of 29, 75, 55, 49. | option_a=51 | option_b=54 | option_c=52 | option_d=53 | answer=C | explanation=Average = sum of values + number of values = 208 ÷ 4 = 52.

id=82212 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23375 at 8% per annum for 4 years. | option_a=7480 | option_b=7380 | option_c=30855 | option_d=7580 | answer=A | explanation=SI = PRT/100 = 23375×8×4/100 = **■**7480.

id=82213 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42863 at 8% per annum for 1 years. | option_a=3429 | option_b=46292 | option_c=3329 | option_d=3529 | answer=A | explanation=SI = PRT/100 = 42863×8×1/100 = **■**3429.

id=82214 | topic=Percentages | difficulty=Easy | question=What is 20% of 1929? | option_a=390 | option_b=770 | option_c=385 | option_d=380 | answer=C | explanation=20% of 1929 = (20/100) × 1929 = 385.

id=82215 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:1 and the first is 42, what is the second? | option_a=13 | option_b=14 | option_c=56 | option_d=17 | answer=B | explanation=Scale factor = 42/3 = 14. Therefore second quantity = 1×14 = 14.

id=82216 | topic=Averages | difficulty=Easy | question=Find the average of 27, 34, 31, 42, 64, 91, 92, 14, 64. | option_a=53 | option_b=51 | option_c=50 | option_d=52 | answer=B | explanation=Average = sum of values + number of values = 459 ÷ 9 = 51.

id=82217 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:3 and the first is 182, what is the second? | option_a=224 | option_b=55 | option_c=39 | option_d=42 | answer=D | explanation=Scale factor = 182/13 = 14. Therefore second quantity = 3×14 = 42.

id=82218 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**152. If it is sold at a profit of 40%, what is its selling price? | option_a=212 | option_b=192 | option_c=227 | option_d=197 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 152 × 140/100 = **■**212.

id=82219 | topic=Averages | difficulty=Easy | question=Find the average of 94, 70, 22, 85, 41, 29, 26, 70, 28, 55. | option_a=52 | option_b=53 | option_c=54 | option_d=51 | answer=A | explanation=Average = sum of values + number of values = 520 ÷ 10 = 52.

id=82220 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3249. If it is sold at a profit of 5%, what is its selling price? | option_a=3735 | option_b=3254 | option_c=3087 | option_d=3411 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3249 × 105/100 = **■**3411.

id=82221 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=82222 | topic=Averages | difficulty=Easy | question=Find the average of 10, 73, 53, 72. | option_a=54 | option_b=51 | option_c=53 | option_d=52 | answer=D | explanation=Average = sum of values + number of values = 208 ÷ 4 = 52.

id=82223 | topic=Percentages | difficulty=Easy | question=What is 15% of 267? | option_a=35 | option_b=80 | option_c=40 | option_d=60 | answer=C | explanation=15% of 267 = (15/100) × 267 = 40.

id=82224 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19156 at 12% per annum for 1 years. | option_a=21454 | option_b=2398 | option_c=2198 | option_d=2298 | answer=D | explanation=SI = PRT/100 = 19156×12×1/100 = **■**2298.

id=82225 | topic=Percentages | difficulty=Easy | question=What is 10% of 1833? | option_a=183 | option_b=203 | option_c=163 | option_d=366 | answer=A | explanation=10% of 1833 = (10/100) × 1833 = 183.

id=82226 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=61 | option_b=70 | option_c=50 | option_d=60 | answer=D | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

id=82227 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=F | option_b=R | option_c=N | option_d=J | answer=C | explanation=Move 4 positions forward from J; the resulting letter is N.

id=82228 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20184 at 15% per annum for 4 years. | option_a=12110 | option_b=12010 | option_c=12210 | option_d=32294 | answer=A | explanation=SI = PRT/100 = 20184×15×4/100 = **■**12110.

id=82229 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=30 | option_b=24 | option_c=36 | option_d=31 | answer=A | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.

id=82230 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46438 at 15% per annum for 1 years. | option_a=6965 | option_b=7065 | option_c=53403 | option_d=6865 | answer=A | explanation=SI = PRT/100 = 46438×15×1/100 = **■**6965.

Aptitude Questions — Records 82,231-82,260 of 100,000

id=82231 | topic=Percentages | difficulty=Easy | question=What is 40% of 1994? | option_a=807 | option_b=1594 | option_c=777 | option_d=797 | answer=D | explanation=40% of 1994 = (40/100) × 1994 = 797.

id=82232 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=82233 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=95 | option_c=180 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=82234 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 33? | option_a=22 | option_b=28 | option_c=33 | option_d=25 | answer=C | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 33 is the odd one out.

id=82235 | topic=Averages | difficulty=Easy | question=Find the average of 21, 27, 100, 94, 54, 64, 86, 10. | option_a=59 | option_b=58 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

id=82236 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33622 at 15% per annum for 2 years. | option_a=9986 | option_b=43708 | option_c=10086 | option_d=10186 | answer=C | explanation=SI = PRT/100 = 33622×15×2/100 = **■**10086.

id=82237 | topic=Percentages | difficulty=Easy | question=What is 30% of 1794? | option_a=1076 | option_b=548 | option_c=538 | option_d=518 | answer=C | explanation=30% of 1794 = (30/100) × 1794 = 538.

id=82238 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 21, 23, 25, ? | option_a=27 | option_b=28 | option_c=25 | option_d=29 | answer=A | explanation=The common difference is 2. Therefore the next term is 25 + 2 = 27.

id=82239 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=8 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=82240 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=82241 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2493. If it is sold at a profit of 20%, what is its selling price? | option_a=3240 | option_b=2991 | option_c=2513 | option_d=2742 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2493 × 120/100 = **■**2991.

id=82242 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=43 | option_b=44 | option_c=51 | option_d=35 | answer=A | explanation=The common difference is 8. Therefore the next term is 35 + 8 = 43.

id=82243 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=V | option_b=Q | option_c=L | option_d=A | answer=A | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=82244 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=44 | option_b=51 | option_c=35 | option_d=43 | answer=D | explanation=The common difference is 8. Therefore the next term is 35 + 8 = 43.

id=82245 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=55 | option_d=100 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=82246 | topic=Percentages | difficulty=Easy | question=What is 5% of 900? | option_a=90 | option_b=25 | option_c=50 | option_d=45 | answer=D | explanation=5% of 900 = (5/100) × 900 = 45.

id=82247 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29464 at 4% per annum for 5 years. | option_a=5992 | option_b=35356 | option_c=5892 | option_d=5792 | answer=C | explanation=SI = PRT/100 = 29464×4×5/100 = **■**5892.

id=82248 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=180 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=82249 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 36? | option_a=36 | option_b=32 | option_c=29 | option_d=26 | answer=A | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 36 is the odd one out.

id=82250 | topic=Averages | difficulty=Easy | question=Find the average of 21, 22, 30, 20, 21, 65, 86, 63. | option_a=41 | option_b=40 | option_c=43 | option_d=42 | answer=A | explanation=Average = sum of values ÷ number of values = 328 ÷ 8 = 41.

id=82251 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=82252 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=D | option_b=Y | option_c=T | option_d=O | answer=B | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=82253 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40440 at 4% per annum for 1 years. | option_a=42057 | option_b=1617 | option_c=1717 | option_d=1517 | answer=B | explanation=SI = PRT/100 = 40440×4×1/100 = **■**1617.

id=82254 | topic=Averages | difficulty=Easy | question=Find the average of 69, 92, 97. | option_a=87 | option_b=86 | option_c=85 | option_d=88 | answer=B | explanation=Average = sum of values ÷ number of values = 258 ÷ 3 = 86.

id=82255 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46657 at 5% per annum for 3 years. | option_a=53655 | option_b=7098 | option_c=6998 | option_d=6898 | answer=C | explanation=SI = PRT/100 = 46657×5×3/100 = **■**6998.

id=82256 | topic=Percentages | difficulty=Easy | question=What is 15% of 1129? | option_a=174 | option_b=338 | option_c=169 | option_d=164 | answer=C | explanation=15% of 1129 = (15/100) × 1129 = 169.

id=82257 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2688. If it is sold at a profit of 30%, what is its selling price? | option_a=3226 | option_b=3494 | option_c=3762 | option_d=2718 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2688 × 130/100 = **■**3494.

id=82258 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:3 and the first is 27, what is the second? | option_a=9 | option_b=6 | option_c=36 | option_d=18 | answer=A | explanation=Scale factor = 27/9 = 3. Therefore second quantity = 3×3 = 9.

id=82259 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=100 | option_c=95 | option_d=105 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=82260 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3582. If it is sold at a profit of 50%, what is its selling price? | option_a=5731 | option_b=3632 | option_c=5015 | option_d=5373 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3582 × 150/100 = **■**5373.

Aptitude Questions — Records 82,261-82,290 of 100,000

id=82261 | topic=Percentages | difficulty=Easy | question=What is 12% of 1509? | option_a=186 | option_b=171 | option_c=181 | option_d=362 | answer=C | explanation=12% of 1509 = (12/100) × 1509 = 181.

id=82262 | topic=Percentages | difficulty=Easy | question=What is 10% of 1667? | option_a=166 | option_b=332 | option_c=176 | option_d=156 | answer=A | explanation=10% of 1667 = (10/100) × 1667 = 166.

id=82263 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=68 | option_b=80 | option_c=69 | option_d=56 | answer=A | explanation=The common difference is 12. Therefore the next term is 56 + 12 = 68.

id=82264 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=C | option_b=I | option_c=E | option_d=G | answer=D | explanation=Move 2 positions forward from E; the resulting letter is G.

id=82265 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34437 at 4% per annum for 4 years. | option_a=5609 | option_b=5409 | option_c=39946 | option_d=5509 | answer=D | explanation=SI = $PRT/100 = 34437 \times 4 \times 4/100 = \text{■}5509$.

id=82266 | topic=Averages | difficulty=Easy | question=Find the average of 36, 84, 30. | option_a=52 | option_b=51 | option_c=50 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 150 ÷ 3 = 50.

id=82267 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=32 | option_b=40 | option_c=37 | option_d=36 | answer=D | explanation=The common difference is 4. Therefore the next term is 32 + 4 = 36.

id=82268 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=60 | option_b=50 | option_c=49 | option_d=38 | answer=C | explanation=The common difference is 11. Therefore the next term is 38 + 11 = 49.

id=82269 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 30. | option_a=72 | option_b=30 | option_c=360 | option_d=60 | answer=D | explanation=LCM × HCF = 12×30; HCF(12,30) = 6, so LCM = 60.

id=82270 | topic=Averages | difficulty=Easy | question=Find the average of 20, 94, 86, 31, 73, 51, 22, 71. | option_a=57 | option_b=58 | option_c=55 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 448 ÷ 8 = 56.

id=82271 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=E | option_c=H | option_d=Y | answer=B | explanation=Move 3 positions forward from B; the resulting letter is E.

id=82272 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22308 at 5% per annum for 4 years. | option_a=26769 | option_b=4561 | option_c=4361 | option_d=4461 | answer=D | explanation=SI = $PRT/100 = 22308 \times 5 \times 4/100 = \text{■}4461$.

id=82273 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=11 | option_c=12 | option_d=1 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=82274 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 35? | option_a=9 | option_b=17 | option_c=35 | option_d=25 | answer=C | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 35 is the odd one out.

id=82275 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=47 | option_b=40 | option_c=48 | option_d=54 | answer=A | explanation=The common difference is 7. Therefore the next term is 40 + 7 = 47.

id=82276 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2011. If it is sold at a profit of 5%, what is its selling price? | option_a=2016 | option_b=1910 | option_c=2312 | option_d=2111 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2011 × 105/100 = **■**2111.

id=82277 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3751. If it is sold at a profit of 5%, what is its selling price? | option_a=4313 | option_b=3938 | option_c=3756 | option_d=3563 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3751 × 105/100 = **■**3938.

id=82278 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8795 at 12% per annum for 1 years. | option_a=955 | option_b=1055 | option_c=9850 | option_d=1155 | answer=B | explanation=SI = $PRT/100 = 8795 \times 12 \times 1/100 = \text{■}1055$.

id=82279 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=M | option_b=I | option_c=G | option_d=K | answer=D | explanation=Move 2 positions forward from I; the resulting letter is K.

id=82280 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=E | option_b=J | option_c=O | option_d=T | answer=C | explanation=Move 5 positions forward from J; the resulting letter is O.

id=82281 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 28, 33, 39? | option_a=33 | option_b=23 | option_c=28 | option_d=39 | answer=D | explanation=The first three numbers increase by 5, so the next should be 38. Therefore 39 is the odd one out.

id=82282 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=14 | option_b=22 | option_c=19 | option_d=18 | answer=D | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.

id=82283 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=Z | option_b=U | option_c=E | option_d=P | answer=A | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=82284 | topic=Averages | difficulty=Easy | question=Find the average of 81, 57, 87. | option_a=75 | option_b=76 | option_c=77 | option_d=74 | answer=A | explanation=Average = sum of values ÷ number of values = 225 ÷ 3 = 75.

id=82285 | topic=Percentages | difficulty=Easy | question=What is 40% of 1673? | option_a=1338 | option_b=679 | option_c=669 | option_d=659 | answer=C | explanation=40% of 1673 = (40/100) × 1673 = 669.

id=82286 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=J | option_b=P | option_c=L | option_d=N | answer=D | explanation=Move 2 positions forward from L; the resulting letter is N.

id=82287 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=82288 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 20. | option_a=25 | option_b=1 | option_c=20 | option_d=100 | answer=C | explanation=LCM × HCF = 5×20; HCF(5,20) = 5, so LCM = 20.

id=82289 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=A | option_b=X | option_c=U | option_d=R | answer=B | explanation=Move 3 positions forward from U; the resulting letter is X.

id=82290 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46630 at 10% per annum for 4 years. | option_a=18652 | option_b=18752 | option_c=18552 | option_d=65282 | answer=A | explanation=SI = $PRT/100 = 46630 \times 10 \times 4/100 = \text{■}18652$.

Aptitude Questions — Records 82,291-82,320 of 100,000

id=82291 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 22. | option_a=240 | option_b=220 | option_c=440 | option_d=198 | answer=B | explanation=LCM × HCF = 20×22; HCF(20,22) = 2, so LCM = 220.

id=82292 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:8 and the first is 35, what is the second? | option_a=40 | option_b=47 | option_c=32 | option_d=75 | answer=A | explanation=Scale factor = 35/7 = 5. Therefore second quantity = 8×5 = 40.

id=82293 | topic=Percentages | difficulty=Easy | question=What is 50% of 850? | option_a=850 | option_b=435 | option_c=420 | option_d=425 | answer=D | explanation=50% of 850 = (50/100) × 850 = 425.

id=82294 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=82295 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 44? | option_a=44 | option_b=11 | option_c=21 | option_d=31 | answer=A | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 44 is the odd one out.

id=82296 | topic=Percentages | difficulty=Easy | question=What is 5% of 1324? | option_a=132 | option_b=71 | option_c=66 | option_d=46 | answer=C | explanation=5% of 1324 = (5/100) × 1324 = 66.

id=82297 | topic=Percentages | difficulty=Easy | question=What is 25% of 1524? | option_a=762 | option_b=381 | option_c=391 | option_d=371 | answer=B | explanation=25% of 1524 = (25/100) × 1524 = 381.

id=82298 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2429. If it is sold at a profit of 5%, what is its selling price? | option_a=2308 | option_b=2550 | option_c=2434 | option_d=2792 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2429 × 105/100 = █2550.

id=82299 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1005. If it is sold at a profit of 30%, what is its selling price? | option_a=1306 | option_b=1206 | option_c=1406 | option_d=1035 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1005 × 130/100 = █1306.

id=82300 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=82301 | topic=Averages | difficulty=Easy | question=Find the average of 11, 86, 76, 91. | option_a=67 | option_b=66 | option_c=68 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 264 ÷ 4 = 66.

id=82302 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=U | option_c=I | option_d=Q | answer=D | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=82303 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:2 and the first is 16, what is the second? | option_a=4 | option_b=2 | option_c=20 | option_d=12 | answer=A | explanation=Scale factor = 16/8 = 2. Therefore second quantity = 2×2 = 4.

id=82304 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=T | option_c=V | option_d=U | answer=C | explanation=Move 1 positions forward from U; the resulting letter is V.

id=82305 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=4 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=82306 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=L | option_b=J | option_c=I | option_d=K | answer=D | explanation=Move 1 positions forward from J; the resulting letter is K.

id=82307 | topic=Averages | difficulty=Easy | question=Find the average of 10, 28, 31, 65, 81, 11, 11, 43. | option_a=34 | option_b=35 | option_c=36 | option_d=37 | answer=B | explanation=Average = sum of values ÷ number of values = 280 ÷ 8 = 35.

id=82308 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=40 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=82309 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=H | option_c=J | option_d=L | answer=D | explanation=Move 2 positions forward from J; the resulting letter is L.

id=82310 | topic=Percentages | difficulty=Easy | question=What is 5% of 1873? | option_a=113 | option_b=83 | option_c=186 | option_d=93 | answer=D | explanation=5% of 1873 = (5/100) × 1873 = 93.

id=82311 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3751. If it is sold at a profit of 10%, what is its selling price? | option_a=3751 | option_b=4126 | option_c=4501 | option_d=3761 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3751 × 110/100 = █4126.

id=82312 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=82313 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44849 at 10% per annum for 3 years. | option_a=13354 | option_b=58303 | option_c=13554 | option_d=13454 | answer=D | explanation=SI = PRT/100 = 44849×10×3/100 = █13454.

id=82314 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35822 at 8% per annum for 2 years. | option_a=5831 | option_b=41553 | option_c=5631 | option_d=5731 | answer=D | explanation=SI = PRT/100 = 35822×8×2/100 = █5731.

id=82315 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=L | option_c=F | option_d=H | answer=A | explanation=Move 2 positions forward from H; the resulting letter is J.

id=82316 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=82317 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:18 and the first is 33, what is the second? | option_a=231 | option_b=198 | option_c=201 | option_d=180 | answer=B | explanation=Scale factor = 33/3 = 11. Therefore second quantity = 18×11 = 198.

id=82318 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16293 at 15% per annum for 5 years. | option_a=12119 | option_b=12319 | option_c=28512 | option_d=12219 | answer=D | explanation=SI = PRT/100 = 16293×15×5/100 = █12219.

id=82319 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=82320 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8444 at 4% per annum for 5 years. | option_a=1688 | option_b=1588 | option_c=1788 | option_d=10132 | answer=A | explanation=SI = PRT/100 = 8444×4×5/100 = █1688.

Aptitude Questions — Records 82,321-82,350 of 100,000

id=82321 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=21 | option_b=18 | option_c=15 | option_d=19 | answer=B | explanation=The common difference is 3. Therefore the next term is 15 + 3 = 18.

id=82322 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=78 | option_b=54 | option_c=66 | option_d=67 | answer=C | explanation=The common difference is 12. Therefore the next term is 54 + 12 = 66.

id=82323 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=82324 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 35? | option_a=28 | option_b=35 | option_c=26 | option_d=30 | answer=B | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 35 is the odd one out.

id=82325 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11946 at 12% per annum for 1 years. | option_a=1333 | option_b=1533 | option_c=13379 | option_d=1433 | answer=D | explanation=SI = PRT/100 = 11946×12×1/100 = **■**1433.

id=82326 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=P | option_c=L | option_d=J | answer=A | explanation=Move 2 positions forward from L; the resulting letter is N.

id=82327 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 4. | option_a=40 | option_b=16 | option_c=30 | option_d=20 | answer=D | explanation=LCM × HCF = 10×4; HCF(10,4) = 2, so LCM = 20.

id=82328 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=L | option_b=U | option_c=O | option_d=R | answer=D | explanation=Move 3 positions forward from O; the resulting letter is R.

id=82329 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=38 | option_b=45 | option_c=46 | option_d=52 | answer=B | explanation=The common difference is 7. Therefore the next term is 38 + 7 = 45.

id=82330 | topic=Averages | difficulty=Easy | question=Find the average of 84, 90, 90, 67, 37, 30, 77, 85. | option_a=71 | option_b=69 | option_c=70 | option_d=72 | answer=C | explanation=Average = sum of values ÷ number of values = 560 ÷ 8 = 70.

id=82331 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=6 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=82332 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15445 at 15% per annum for 2 years. | option_a=4533 | option_b=20078 | option_c=4633 | option_d=4733 | answer=C | explanation=SI = PRT/100 = 15445×15×2/100 = **■**4633.

id=82333 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=U | option_c=O | option_d=X | answer=B | explanation=Move 3 positions forward from R; the resulting letter is U.

id=82334 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=200 | option_c=105 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=82335 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=L | option_b=D | option_c=Z | option_d=H | answer=D | explanation=Move 4 positions forward from D; the resulting letter is H.

id=82336 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:10 and the first is 35, what is the second? | option_a=105 | option_b=70 | option_c=75 | option_d=60 | answer=B | explanation=Scale factor = 35/5 = 7. Therefore second quantity = 10×7 = 70.

id=82337 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=A | option_c=G | option_d=E | answer=D | explanation=Move 2 positions forward from C; the resulting letter is E.

id=82338 | topic=Percentages | difficulty=Easy | question=What is 25% of 1514? | option_a=373 | option_b=756 | option_c=388 | option_d=378 | answer=D | explanation=25% of 1514 = (25/100) × 1514 = 378.

id=82339 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 20. | option_a=40 | option_b=600 | option_c=90 | option_d=60 | answer=D | explanation=LCM × HCF = 30×20; HCF(30,20) = 10, so LCM = 60.

id=82340 | topic=Percentages | difficulty=Easy | question=What is 50% of 1071? | option_a=540 | option_b=515 | option_c=535 | option_d=1070 | answer=C | explanation=50% of 1071 = (50/100) × 1071 = 535.

id=82341 | topic=Averages | difficulty=Easy | question=Find the average of 44, 20, 19, 14, 77, 48. | option_a=38 | option_b=36 | option_c=39 | option_d=37 | answer=D | explanation=Average = sum of values ÷ number of values = 222 ÷ 6 = 37.

id=82342 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=50 | option_b=62 | option_c=38 | option_d=51 | answer=A | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=82343 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=22 | option_b=18 | option_c=23 | option_d=26 | answer=A | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

id=82344 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=T | option_b=P | option_c=H | option_d=L | answer=B | explanation=Move 4 positions forward from L; the resulting letter is P.

id=82345 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3585. If it is sold at a profit of 40%, what is its selling price? | option_a=4661 | option_b=5019 | option_c=5377 | option_d=3625 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3585 × 140/100 = **■**5019.

id=82346 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=82347 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 30, 38, 47? | option_a=22 | option_b=38 | option_c=30 | option_d=47 | answer=D | explanation=The first three numbers increase by 8, so the next should be 46. Therefore 47 is the odd one out.

id=82348 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22783 at 15% per annum for 4 years. | option_a=13669 | option_b=13769 | option_c=36452 | option_d=13569 | answer=A | explanation=SI = PRT/100 = 22783×15×4/100 = **■**13669.

id=82349 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=B | option_c=J | option_d=N | answer=C | explanation=Move 4 positions forward from F; the resulting letter is J.

id=82350 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

Aptitude Questions — Records 82,351-82,380 of 100,000

id=82351 | topic=Averages | difficulty=Easy | question=Find the average of 52, 50, 51, 28, 54, 22, 76, 78, 30. | option_a=48 | option_b=50 | option_c=51 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 441 ÷ 9 = 49.

id=82352 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=31 | option_b=45 | option_c=39 | option_d=38 | answer=D | explanation=The common difference is 7. Therefore the next term is 31 + 7 = 38.

id=82353 | topic=Averages | difficulty=Easy | question=Find the average of 12, 44, 89, 20, 65, 54, 80, 78, 62. | option_a=57 | option_b=55 | option_c=56 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=82354 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=13 | option_c=23 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=82355 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=82356 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=82357 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=29 | option_b=35 | option_c=34 | option_d=39 | answer=C | explanation=The common difference is 5. Therefore the next term is 29 + 5 = 34.

id=82358 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**37407 at 8% per annum for 2 years. | option_a=5985 | option_b=43392 | option_c=5885 | option_d=6085 | answer=A | explanation=SI = PRT/100 = 37407×8×2/100 = **₹**5985.

id=82359 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 31? | option_a=18 | option_b=31 | option_c=23 | option_d=13 | answer=B | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 31 is the odd one out.

id=82360 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**20341 at 5% per annum for 5 years. | option_a=5185 | option_b=4985 | option_c=5085 | option_d=25426 | answer=C | explanation=SI = PRT/100 = 20341×5×5/100 = **₹**5085.

id=82361 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**835. If it is sold at a profit of 10%, what is its selling price? | option_a=1001 | option_b=845 | option_c=835 | option_d=918 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 835 × 110/100 = **₹**918.

id=82362 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=82363 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:16 and the first is 9, what is the second? | option_a=145 | option_b=144 | option_c=128 | option_d=153 | answer=B | explanation=Scale factor = 9/1 = 9. Therefore second quantity = 16×9 = 144.

id=82364 | topic=Percentages | difficulty=Easy | question=What is 12% of 450? | option_a=64 | option_b=34 | option_c=54 | option_d=108 | answer=C | explanation=12% of 450 = (12/100) × 450 = 54.

id=82365 | topic=Percentages | difficulty=Easy | question=What is 50% of 1565? | option_a=1564 | option_b=762 | option_c=782 | option_d=802 | answer=C | explanation=50% of 1565 = (50/100) × 1565 = 782.

id=82366 | topic=Averages | difficulty=Easy | question=Find the average of 29, 17, 21, 23, 27, 69. | option_a=31 | option_b=30 | option_c=32 | option_d=33 | answer=A | explanation=Average = sum of values ÷ number of values = 186 ÷ 6 = 31.

id=82367 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 16. | option_a=64 | option_b=1 | option_c=20 | option_d=16 | answer=D | explanation=LCM × HCF = 4×16: HCF(4,16) = 4, so LCM = 16.

id=82368 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:15 and the first is 144, what is the second? | option_a=264 | option_b=105 | option_c=138 | option_d=120 | answer=D | explanation=Scale factor = 144/18 = 8. Therefore second quantity = 15×8 = 120.

id=82369 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3367. If it is sold at a profit of 30%, what is its selling price? | option_a=4713 | option_b=4041 | option_c=3397 | option_d=4377 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3367 × 130/100 = **₹**4377.

id=82370 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=72 | option_c=67 | option_d=144 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=82371 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=59 | option_b=49 | option_c=60 | option_d=69 | answer=A | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

id=82372 | topic=Averages | difficulty=Easy | question=Find the average of 39, 82, 59, 28. | option_a=51 | option_b=53 | option_c=52 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 208 ÷ 4 = 52.

id=82373 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**33640 at 12% per annum for 3 years. | option_a=45750 | option_b=12210 | option_c=12010 | option_d=12110 | answer=D | explanation=SI = PRT/100 = 33640×12×3/100 = **₹**12110.

id=82374 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:9 and the first is 140, what is the second? | option_a=136 | option_b=266 | option_c=126 | option_d=117 | answer=C | explanation=Scale factor = 140/10 = 14. Therefore second quantity = 9×14 = 126.

id=82375 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=19 | option_c=29 | option_d=48 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=82376 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**14953 at 5% per annum for 1 years. | option_a=647 | option_b=847 | option_c=747 | option_d=15700 | answer=C | explanation=SI = PRT/100 = 14953×5×1/100 = **₹**747.

id=82377 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:6 and the first is 171, what is the second? | option_a=123 | option_b=285 | option_c=114 | option_d=108 | answer=C | explanation=Scale factor = 171/9 = 19. Therefore second quantity = 6×19 = 114.

id=82378 | topic=Averages | difficulty=Easy | question=Find the average of 12, 36, 27. | option_a=27 | option_b=26 | option_c=24 | option_d=25 | answer=D | explanation=Average = sum of values ÷ number of values = 75 ÷ 3 = 25.

id=82379 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=36 | option_c=18 | option_d=13 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=82380 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=20 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

Aptitude Questions — Records 82,381-82,410 of 100,000

id=82381 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=82382 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:11 and the first is 60, what is the second? | option_a=170 | option_b=99 | option_c=116 | option_d=110 | answer=D | explanation=Scale factor = $60/6 = 10$. Therefore second quantity = $11 \times 10 = 110$.

id=82383 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=F | option_b=U | option_c=P | option_d=K | answer=C | explanation=Move 5 positions forward from K; the resulting letter is P.

id=82384 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 35, 45, 58? | option_a=25 | option_b=58 | option_c=35 | option_d=45 | answer=B | explanation=The first three numbers increase by 10, so the next should be 55. Therefore 58 is the odd one out.

id=82385 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46640 at 6% per annum for 4 years. | option_a=11093 | option_b=11293 | option_c=57833 | option_d=11193 | answer=D | explanation=SI = $\text{PRT}/100 = \frac{46640 \times 6 \times 4}{100} = \text{■}11193$.

id=82386 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49533 at 8% per annum for 5 years. | option_a=69346 | option_b=19913 | option_c=19713 | option_d=19813 | answer=D | explanation=SI = $\text{PRT}/100 = \frac{49533 \times 8 \times 5}{100} = \text{■}19813$.

id=82387 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=R | option_b=T | option_c=S | option_d=U | answer=B | explanation=Move 1 positions forward from S; the resulting letter is T.

id=82388 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=39 | option_b=51 | option_c=61 | option_d=50 | answer=D | explanation=The common difference is 11. Therefore the next term is $39 + 11 = 50$.

id=82389 | topic=Percentages | difficulty=Easy | question=What is 10% of 1260? | option_a=126 | option_b=252 | option_c=121 | option_d=136 | answer=A | explanation=10% of 1260 = $(\frac{10}{100}) \times 1260 = 126$.

id=82390 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:17 and the first is 44, what is the second? | option_a=79 | option_b=51 | option_c=112 | option_d=68 | answer=D | explanation=Scale factor = $44/11 = 4$. Therefore second quantity = $17 \times 4 = 68$.

id=82391 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 12, 21, 31? | option_a=3 | option_b=31 | option_c=21 | option_d=12 | answer=B | explanation=The first three numbers increase by 9, so the next should be 30. Therefore 31 is the odd one out.

id=82392 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=82393 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=360 | option_b=175 | option_c=185 | option_d=180 | answer=D | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{360}{2} = 180$ km/h.

id=82394 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=82395 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=50 | option_d=20 | answer=B | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{150}{6} = 25$ km/h.

id=82396 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=82397 | topic=Percentages | difficulty=Easy | question=What is 5% of 691? | option_a=39 | option_b=14 | option_c=34 | option_d=68 | answer=C | explanation=5% of 691 = $(\frac{5}{100}) \times 691 = 34$.

id=82398 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3704. If it is sold at a profit of 50%, what is its selling price? | option_a=5186 | option_b=3754 | option_c=5926 | option_d=5556 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 3704 \times \frac{150}{100} = \text{■}5556$.

id=82399 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 43? | option_a=43 | option_b=33 | option_c=37 | option_d=29 | answer=A | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 43 is the odd one out.

id=82400 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4080. If it is sold at a profit of 10%, what is its selling price? | option_a=4488 | option_b=4090 | option_c=4896 | option_d=4080 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 4080 \times \frac{110}{100} = \text{■}4488$.

id=82401 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:5 and the first is 96, what is the second? | option_a=55 | option_b=156 | option_c=60 | option_d=68 | answer=C | explanation=Scale factor = $96/8 = 12$. Therefore second quantity = $5 \times 12 = 60$.

id=82402 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43419 at 10% per annum for 4 years. | option_a=17367 | option_b=60786 | option_c=17467 | option_d=17267 | answer=A | explanation=SI = $\text{PRT}/100 = \frac{43419 \times 10 \times 4}{100} = \text{■}17367$.

id=82403 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24082 at 5% per annum for 5 years. | option_a=5920 | option_b=6120 | option_c=6020 | option_d=30102 | answer=C | explanation=SI = $\text{PRT}/100 = \frac{24082 \times 5 \times 5}{100} = \text{■}6020$.

id=82404 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2544. If it is sold at a profit of 50%, what is its selling price? | option_a=2594 | option_b=3816 | option_c=3562 | option_d=4070 | answer=B | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 2544 \times \frac{150}{100} = \text{■}3816$.

id=82405 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:2 and the first is 169, what is the second? | option_a=24 | option_b=195 | option_c=39 | option_d=26 | answer=D | explanation=Scale factor = $169/13 = 13$. Therefore second quantity = $2 \times 13 = 26$.

id=82406 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 10? | option_a=2 | option_b=4 | option_c=10 | option_d=6 | answer=C | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 10 is the odd one out.

id=82407 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=20 | option_d=6 | answer=A | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.

id=82408 | topic=Percentages | difficulty=Easy | question=What is 20% of 1080? | option_a=226 | option_b=432 | option_c=206 | option_d=216 | answer=D | explanation=20% of 1080 = $(\frac{20}{100}) \times 1080 = 216$.

id=82409 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 6. | option_a=60 | option_b=80 | option_c=54 | option_d=120 | answer=A | explanation=LCM $\times$ HCF = 20×6 ; HCF(20,6) = 2, so LCM = 60.

id=82410 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2111. If it is sold at a profit of 30%, what is its selling price? | option_a=2744 | option_b=2955 | option_c=2533 | option_d=2141 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 2111 \times \frac{130}{100} = \text{■}2744$.

Aptitude Questions — Records 82,411-82,440 of 100,000

id=82411 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=71 | option_b=60 | option_c=61 | option_d=49 | answer=B | explanation=The common difference is 11. Therefore the next term is 49 + 11 = 60.

id=82412 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=125 | option_b=240 | option_c=115 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=82413 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:9 and the first is 30, what is the second? | option_a=75 | option_b=36 | option_c=45 | option_d=51 | answer=C | explanation=Scale factor = 30/6 = 5. Therefore second quantity = 9×5 = 45.

id=82414 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=82415 | topic=Averages | difficulty=Easy | question=Find the average of 87, 86, 61, 40, 93, 64, 66. | option_a=71 | option_b=72 | option_c=70 | option_d=73 | answer=A | explanation=Average = sum of values ÷ number of values = 497 ÷ 7 = 71.

id=82416 | topic=Percentages | difficulty=Easy | question=What is 10% of 1884? | option_a=168 | option_b=188 | option_c=376 | option_d=208 | answer=B | explanation=10% of 1884 = (10/100) × 1884 = 188.

id=82417 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=82418 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 12, 17, 23? | option_a=17 | option_b=23 | option_c=12 | option_d=7 | answer=B | explanation=The first three numbers increase by 5, so the next should be 22. Therefore 23 is the odd one out.

id=82419 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 9, 14, 22? | option_a=9 | option_b=4 | option_c=14 | option_d=22 | answer=D | explanation=The first three numbers increase by 5, so the next should be 19. Therefore 22 is the odd one out.

id=82420 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:8 and the first is 32, what is the second? | option_a=40 | option_b=24 | option_c=64 | option_d=32 | answer=D | explanation=Scale factor = 32/8 = 4. Therefore second quantity = 8×4 = 32.

id=82421 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=26 | option_b=34 | option_c=42 | option_d=35 | answer=B | explanation=The common difference is 8. Therefore the next term is 26 + 8 = 34.

id=82422 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=N | option_b=C | option_c=S | option_d=X | answer=D | explanation=Move 5 positions forward from S; the resulting letter is X.

id=82423 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=15 | option_c=10 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=82424 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=J | option_c=H | option_d=F | answer=B | explanation=Move 2 positions forward from H; the resulting letter is J.

id=82425 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=S | option_b=R | option_c=T | option_d=Q | answer=A | explanation=Move 1 positions forward from R; the resulting letter is S.

id=82426 | topic=Averages | difficulty=Easy | question=Find the average of 17, 22, 36, 62, 28, 31, 20, 67, 87, 50. | option_a=44 | option_b=41 | option_c=43 | option_d=42 | answer=D | explanation=Average = sum of values ÷ number of values = 420 ÷ 10 = 42.

id=82427 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:9 and the first is 143, what is the second? | option_a=242 | option_b=99 | option_c=112 | option_d=90 | answer=B | explanation=Scale factor = 143/13 = 11. Therefore second quantity = 9×11 = 99.

id=82428 | topic=Averages | difficulty=Easy | question=Find the average of 53, 22, 58, 87. | option_a=57 | option_b=54 | option_c=55 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 220 ÷ 4 = 55.

id=82429 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=12 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=82430 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40138 at 8% per annum for 2 years. | option_a=6522 | option_b=6422 | option_c=6322 | option_d=46560 | answer=B | explanation=SI = PRT/100 = 40138×8×2/100 = **■**6422.

id=82431 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1891. If it is sold at a profit of 25%, what is its selling price? | option_a=2552 | option_b=2363 | option_c=2174 | option_d=1916 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1891 × 125/100 = **■**2363.

id=82432 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1044. If it is sold at a profit of 10%, what is its selling price? | option_a=1148 | option_b=1252 | option_c=1054 | option_d=1044 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1044 × 110/100 = **■**1148.

id=82433 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=I | option_c=H | option_d=G | answer=B | explanation=Move 1 positions forward from H; the resulting letter is I.

id=82434 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=47 | option_b=58 | option_c=48 | option_d=36 | answer=A | explanation=The common difference is 11. Therefore the next term is 36 + 11 = 47.

id=82435 | topic=Averages | difficulty=Easy | question=Find the average of 50, 83, 49, 78. | option_a=67 | option_b=66 | option_c=64 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 260 ÷ 4 = 65.

id=82436 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1185. If it is sold at a profit of 10%, what is its selling price? | option_a=1185 | option_b=1195 | option_c=1303 | option_d=1421 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1185 × 110/100 = **■**1303.

id=82437 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=160 | option_c=85 | option_d=75 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=82438 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=82439 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:9 and the first is 140, what is the second? | option_a=126 | option_b=117 | option_c=136 | option_d=266 | answer=A | explanation=Scale factor = 140/10 = 14. Therefore second quantity = 9×14 = 126.

id=82440 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4452. If it is sold at a profit of 30%, what is its selling price? | option_a=5787 | option_b=5342 | option_c=4482 | option_d=6232 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4452 × 130/100 = **■**5787.

Aptitude Questions — Records 82,441-82,470 of 100,000

- id=82441 | topic=Percentages | difficulty=Easy | question=What is 40% of 1643? | option_a=667 | option_b=647 | option_c=1314 | option_d=657 | answer=D | explanation=40% of 1643 = $(40/100) \times 1643 = 657$.
- id=82442 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4858. If it is sold at a profit of 25%, what is its selling price? | option_a=6557 | option_b=4883 | option_c=5587 | option_d=6072 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4858 \times 125/100 = \text{■}6072$.
- id=82443 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=C | option_b=A | option_c=D | option_d=B | answer=A | explanation=Move 1 positions forward from B; the resulting letter is C.
- id=82444 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=50 | option_b=62 | option_c=61 | option_d=72 | answer=C | explanation=The common difference is 11. Therefore the next term is $50 + 11 = 61$.
- id=82445 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=X | option_b=J | option_c=F | option_d=B | answer=C | explanation=Move 4 positions forward from B; the resulting letter is F.
- id=82446 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=L | option_c=M | option_d=N | answer=D | explanation=Move 1 positions forward from M; the resulting letter is N.
- id=82447 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 6. | option_a=18 | option_b=144 | option_c=24 | option_d=48 | answer=C | explanation= $LCM \times HCF = 24 \times 6$; $HCF(24,6) = 6$, so $LCM = 24$.
- id=82448 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=24 | option_c=19 | option_d=48 | answer=B | explanation=Speed = distance ÷ time = $240 \div 10 = 24$ km/h.
- id=82449 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.
- id=82450 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=32 | option_b=30 | option_c=29 | option_d=26 | answer=C | explanation=The common difference is 3. Therefore the next term is $26 + 3 = 29$.
- id=82451 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 23, 25, 30? | option_a=25 | option_b=30 | option_c=21 | option_d=23 | answer=B | explanation=The first three numbers increase by 2, so the next should be 27. Therefore 30 is the odd one out.
- id=82452 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:3 and the first is 50, what is the second? | option_a=80 | option_b=35 | option_c=27 | option_d=30 | answer=D | explanation=Scale factor = $50/5 = 10$. Therefore second quantity = $3 \times 10 = 30$.
- id=82453 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.
- id=82454 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2788. If it is sold at a profit of 10%, what is its selling price? | option_a=2798 | option_b=3066 | option_c=2788 | option_d=3344 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2788 \times 110/100 = \text{■}3066$.
- id=82455 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24786 at 5% per annum for 5 years. | option_a=30982 | option_b=6296 | option_c=6196 | option_d=6096 | answer=C | explanation= $SI = PRT/100 = 24786 \times 5 \times 5/100 = \text{■}6196$.
- id=82456 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 31? | option_a=31 | option_b=12 | option_c=24 | option_d=18 | answer=A | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 31 is the odd one out.
- id=82457 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:19 and the first is 90, what is the second? | option_a=171 | option_b=190 | option_c=199 | option_d=280 | answer=B | explanation=Scale factor = $90/9 = 10$. Therefore second quantity = $19 \times 10 = 190$.
- id=82458 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34225 at 5% per annum for 3 years. | option_a=5133 | option_b=5033 | option_c=39358 | option_d=5233 | answer=A | explanation= $SI = PRT/100 = 34225 \times 5 \times 3/100 = \text{■}5133$.
- id=82459 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.
- id=82460 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 11, 20, 30? | option_a=20 | option_b=11 | option_c=30 | option_d=2 | answer=C | explanation=The first three numbers increase by 9, so the next should be 29. Therefore 30 is the odd one out.
- id=82461 | topic=Percentages | difficulty=Easy | question=What is 5% of 1721? | option_a=81 | option_b=86 | option_c=172 | option_d=91 | answer=B | explanation=5% of 1721 = $(5/100) \times 1721 = 86$.
- id=82462 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3205. If it is sold at a profit of 30%, what is its selling price? | option_a=3846 | option_b=3235 | option_c=4166 | option_d=4486 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3205 \times 130/100 = \text{■}4166$.
- id=82463 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 45? | option_a=37 | option_b=45 | option_c=30 | option_d=23 | answer=B | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 45 is the odd one out.
- id=82464 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1052. If it is sold at a profit of 30%, what is its selling price? | option_a=1262 | option_b=1367 | option_c=1472 | option_d=1082 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1052 \times 130/100 = \text{■}1367$.
- id=82465 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 10, 15, 20, ? | option_a=20 | option_b=30 | option_c=25 | option_d=26 | answer=C | explanation=The common difference is 5. Therefore the next term is $20 + 5 = 25$.
- id=82466 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=50 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = $90 \div 2 = 45$ km/h.
- id=82467 | topic=Percentages | difficulty=Easy | question=What is 50% of 1484? | option_a=1484 | option_b=742 | option_c=732 | option_d=747 | answer=B | explanation=50% of 1484 = $(50/100) \times 1484 = 742$.
- id=82468 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=26 | option_b=23 | option_c=24 | option_d=20 | answer=B | explanation=The common difference is 3. Therefore the next term is $20 + 3 = 23$.
- id=82469 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=34 | option_b=26 | option_c=30 | option_d=31 | answer=C | explanation=The common difference is 4. Therefore the next term is $26 + 4 = 30$.
- id=82470 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2993. If it is sold at a profit of 5%, what is its selling price? | option_a=3142 | option_b=2998 | option_c=2843 | option_d=3441 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2993 \times 105/100 = \text{■}3142$.

Aptitude Questions — Records 82,471-82,500 of 100,000

id=82471 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=50 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=82472 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:3 and the first is 152, what is the second? | option_a=54 | option_b=65 | option_c=209 | option_d=57 | answer=D | explanation=Scale factor = 152/8 = 19. Therefore second quantity = 3×19 = 57.

id=82473 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=17 | option_c=12 | option_d=24 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=82474 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2715. If it is sold at a profit of 10%, what is its selling price? | option_a=2715 | option_b=2725 | option_c=3257 | option_d=2986 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2715 × 110/100 = **₹**2986.

id=82475 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=E | option_b=K | option_c=G | option_d=I | answer=D | explanation=Move 2 positions forward from G; the resulting letter is I.

id=82476 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=O | option_b=W | option_c=S | option_d=A | answer=B | explanation=Move 4 positions forward from S; the resulting letter is W.

id=82477 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=25 | option_b=32 | option_c=31 | option_d=37 | answer=C | explanation=The common difference is 6. Therefore the next term is 25 + 6 = 31.

id=82478 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=82479 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=69 | option_b=56 | option_c=68 | option_d=80 | answer=C | explanation=The common difference is 12. Therefore the next term is 56 + 12 = 68.

id=82480 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=39 | option_b=38 | option_c=43 | option_d=33 | answer=B | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.

id=82481 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=82482 | topic=Averages | difficulty=Easy | question=Find the average of 79, 71, 19, 51. | option_a=54 | option_b=56 | option_c=57 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 220 ÷ 4 = 55.

id=82483 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=82484 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**129. If it is sold at a profit of 15%, what is its selling price? | option_a=136 | option_b=160 | option_c=144 | option_d=148 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 129 × 115/100 = **₹**148.

id=82485 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:10 and the first is 72, what is the second? | option_a=89 | option_b=152 | option_c=80 | option_d=70 | answer=C | explanation=Scale factor = 72/9 = 8. Therefore second quantity = 10×8 = 80.

id=82486 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:4 and the first is 66, what is the second? | option_a=40 | option_b=44 | option_c=110 | option_d=50 | answer=B | explanation=Scale factor = 66/6 = 11. Therefore second quantity = 4×11 = 44.

id=82487 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=23 | option_b=20 | option_c=15 | option_d=19 | answer=D | explanation=The common difference is 4. Therefore the next term is 15 + 4 = 19.

id=82488 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:6 and the first is 104, what is the second? | option_a=61 | option_b=42 | option_c=48 | option_d=152 | answer=C | explanation=Scale factor = 104/13 = 8. Therefore second quantity = 6×8 = 48.

id=82489 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=82490 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:11 and the first is 72, what is the second? | option_a=77 | option_b=97 | option_c=160 | option_d=88 | answer=D | explanation=Scale factor = 72/9 = 8. Therefore second quantity = 11×8 = 88.

id=82491 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=82492 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=48 | option_b=47 | option_c=40 | option_d=54 | answer=B | explanation=The common difference is 7. Therefore the next term is 40 + 7 = 47.

id=82493 | topic=Percentages | difficulty=Easy | question=What is 12% of 810? | option_a=194 | option_b=97 | option_c=107 | option_d=77 | answer=B | explanation=12% of 810 = (12/100) × 810 = 97.

id=82494 | topic=Averages | difficulty=Easy | question=Find the average of 29, 75, 64. | option_a=57 | option_b=55 | option_c=58 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 168 ÷ 3 = 56.

id=82495 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2904. If it is sold at a profit of 50%, what is its selling price? | option_a=4066 | option_b=2954 | option_c=4356 | option_d=4646 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2904 × 150/100 = **₹**4356.

id=82496 | topic=Averages | difficulty=Easy | question=Find the average of 42, 28, 97, 26, 57, 18, 89. | option_a=52 | option_b=51 | option_c=50 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.

id=82497 | topic=Averages | difficulty=Easy | question=Find the average of 97, 14, 94, 32, 96, 20, 51, 64, 76, 86. | option_a=65 | option_b=62 | option_c=64 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 630 ÷ 10 = 63.

id=82498 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:9 and the first is 196, what is the second? | option_a=140 | option_b=322 | option_c=117 | option_d=126 | answer=D | explanation=Scale factor = 196/14 = 14. Therefore second quantity = 9×14 = 126.

id=82499 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=150 | option_c=75 | option_d=70 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=82500 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**715. If it is sold at a profit of 15%, what is its selling price? | option_a=730 | option_b=751 | option_c=893 | option_d=822 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 715 × 115/100 = **₹**822.

Aptitude Questions — Records 82,501-82,530 of 100,000

- id=82501 | topic=Percentages | difficulty=Easy | question=What is 12% of 733? | option_a=87 | option_b=174 | option_c=92 | option_d=77 | answer=A | explanation=12% of 733 = (12/100) × 733 = 87.
- id=82502 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=7 | option_c=24 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.
- id=82503 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 27. | option_a=162 | option_b=60 | option_c=54 | option_d=27 | answer=C | explanation=LCM × HCF = 6×27; HCF(6,27) = 3, so LCM = 54.
- id=82504 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 30? | option_a=24 | option_b=22 | option_c=30 | option_d=26 | answer=C | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 30 is the odd one out.
- id=82505 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=72 | option_c=36 | option_d=41 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.
- id=82506 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43407 at 6% per annum for 4 years. | option_a=10317 | option_b=10417 | option_c=53824 | option_d=10517 | answer=B | explanation=SI = PRT/100 = 43407×6×4/100 = **■**10417.
- id=82507 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2916. If it is sold at a profit of 30%, what is its selling price? | option_a=2946 | option_b=3790 | option_c=3499 | option_d=4081 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2916 × 130/100 = **■**3790.
- id=82508 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=82509 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.
- id=82510 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16800 at 10% per annum for 4 years. | option_a=6720 | option_b=6620 | option_c=6820 | option_d=23520 | answer=A | explanation=SI = PRT/100 = 16800×10×4/100 = **■**6720.
- id=82511 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=82512 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:19 and the first is 144, what is the second? | option_a=133 | option_b=296 | option_c=170 | option_d=152 | answer=D | explanation=Scale factor = 144/18 = 8. Therefore second quantity = 19×8 = 152.
- id=82513 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=22 | option_b=25 | option_c=17 | option_d=21 | answer=D | explanation=The common difference is 4. Therefore the next term is 17 + 4 = 21.
- id=82514 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 40? | option_a=14 | option_b=40 | option_c=22 | option_d=30 | answer=B | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 40 is the odd one out.
- id=82515 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:6 and the first is 45, what is the second? | option_a=99 | option_b=48 | option_c=59 | option_d=54 | answer=D | explanation=Scale factor = 45/5 = 9. Therefore second quantity = 6×9 = 54.
- id=82516 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=B | option_c=D | option_d=E | answer=C | explanation=Move 1 positions forward from C; the resulting letter is D.
- id=82517 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=Y | option_b=O | option_c=J | option_d=T | answer=D | explanation=Move 5 positions forward from O; the resulting letter is T.
- id=82518 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33768 at 6% per annum for 1 years. | option_a=2126 | option_b=2026 | option_c=35794 | option_d=1926 | answer=B | explanation=SI = PRT/100 = 33768×6×1/100 = **■**2026.
- id=82519 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 27, 30, 36? | option_a=30 | option_b=27 | option_c=36 | option_d=24 | answer=C | explanation=The first three numbers increase by 3, so the next should be 33. Therefore 36 is the odd one out.
- id=82520 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:11 and the first is 98, what is the second? | option_a=66 | option_b=175 | option_c=91 | option_d=77 | answer=D | explanation=Scale factor = 98/14 = 7. Therefore second quantity = 11×7 = 77.
- id=82521 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=V | option_c=A | option_d=L | answer=B | explanation=Move 5 positions forward from Q; the resulting letter is V.
- id=82522 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=J | option_b=X | option_c=F | option_d=B | answer=C | explanation=Move 4 positions forward from B; the resulting letter is F.
- id=82523 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.
- id=82524 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 15, 22, 29, ? | option_a=36 | option_b=37 | option_c=29 | option_d=43 | answer=A | explanation=The common difference is 7. Therefore the next term is 29 + 7 = 36.
- id=82525 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1554. If it is sold at a profit of 50%, what is its selling price? | option_a=2176 | option_b=1604 | option_c=2331 | option_d=2486 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1554 × 150/100 = **■**2331.
- id=82526 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=82527 | topic=Percentages | difficulty=Easy | question=What is 40% of 844? | option_a=337 | option_b=674 | option_c=317 | option_d=357 | answer=A | explanation=40% of 844 = (40/100) × 844 = 337.
- id=82528 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=72 | option_c=41 | option_d=31 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.
- id=82529 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24476 at 4% per annum for 4 years. | option_a=3916 | option_b=4016 | option_c=3816 | option_d=28392 | answer=A | explanation=SI = PRT/100 = 24476×4×4/100 = **■**3916.
- id=82530 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

Aptitude Questions — Records 82,531-82,560 of 100,000

id=82531 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=S | option_b=R | option_c=Q | option_d=T | answer=A | explanation=Move 1 positions forward from R; the resulting letter is S.

id=82532 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:18 and the first is 340, what is the second? | option_a=342 | option_b=377 | option_c=360 | option_d=700 | answer=C | explanation=Scale factor = $340/17 = 20$. Therefore second quantity = $18 \times 20 = 360$.

id=82533 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:13 and the first is 16, what is the second? | option_a=224 | option_b=195 | option_c=208 | option_d=209 | answer=C | explanation=Scale factor = $16/1 = 16$. Therefore second quantity = $13 \times 16 = 208$.

id=82534 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 20, 30, 43? | option_a=43 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation=The first three numbers increase by 10, so the next should be 40. Therefore 43 is the odd one out.

id=82535 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=47 | option_b=56 | option_c=36 | option_d=46 | answer=D | explanation=The common difference is 10. Therefore the next term is $36 + 10 = 46$.

id=82536 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 36? | option_a=36 | option_b=15 | option_c=5 | option_d=25 | answer=A | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 36 is the odd one out.

id=82537 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36349 at 6% per annum for 1 years. | option_a=2080 | option_b=2280 | option_c=38529 | option_d=2180 | answer=D | explanation=SI = $PRT/100 = 36349 \times 6 \times 1/100 = \text{■}2180$.

id=82538 | topic=Percentages | difficulty=Easy | question=What is 20% of 521? | option_a=124 | option_b=208 | option_c=104 | option_d=94 | answer=C | explanation=20% of 521 = $(20/100) \times 521 = 104$.

id=82539 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=J | option_c=L | option_d=F | answer=B | explanation=Move 2 positions forward from H; the resulting letter is J.

id=82540 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=82541 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 17, 29, 41, ? | option_a=65 | option_b=54 | option_c=41 | option_d=53 | answer=D | explanation=The common difference is 12. Therefore the next term is $41 + 12 = 53$.

id=82542 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=36 | option_b=28 | option_c=33 | option_d=32 | answer=D | explanation=The common difference is 4. Therefore the next term is $28 + 4 = 32$.

id=82543 | topic=Percentages | difficulty=Easy | question=What is 15% of 758? | option_a=118 | option_b=93 | option_c=113 | option_d=226 | answer=C | explanation=15% of 758 = $(15/100) \times 758 = 113$.

id=82544 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=44 | option_b=51 | option_c=35 | option_d=43 | answer=D | explanation=The common difference is 8. Therefore the next term is $35 + 8 = 43$.

id=82545 | topic=Percentages | difficulty=Easy | question=What is 10% of 1232? | option_a=246 | option_b=143 | option_c=103 | option_d=123 | answer=D | explanation=10% of 1232 = $(10/100) \times 1232 = 123$.

id=82546 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=O | option_b=Z | option_c=E | option_d=J | answer=D | explanation=Move 5 positions forward from E; the resulting letter is J.

id=82547 | topic=Averages | difficulty=Easy | question=Find the average of 33, 19, 85, 20, 59, 84, 85. | option_a=55 | option_b=57 | option_c=56 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = $385 \div 7 = 55$.

id=82548 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:20 and the first is 32, what is the second? | option_a=72 | option_b=40 | option_c=20 | option_d=56 | answer=B | explanation=Scale factor = $32/16 = 2$. Therefore second quantity = $20 \times 2 = 40$.

id=82549 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 33? | option_a=29 | option_b=33 | option_c=25 | option_d=27 | answer=B | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 33 is the odd one out.

id=82550 | topic=Averages | difficulty=Easy | question=Find the average of 70, 69, 90, 91. | option_a=82 | option_b=80 | option_c=79 | option_d=81 | answer=B | explanation=Average = sum of values ÷ number of values = $320 \div 4 = 80$.

id=82551 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2482 at 12% per annum for 1 years. | option_a=197 | option_b=297 | option_c=397 | option_d=2779 | answer=B | explanation=SI = $PRT/100 = 2482 \times 12 \times 1/100 = \text{■}297$.

id=82552 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:13 and the first is 24, what is the second? | option_a=78 | option_b=65 | option_c=102 | option_d=82 | answer=A | explanation=Scale factor = $24/4 = 6$. Therefore second quantity = $13 \times 6 = 78$.

id=82553 | topic=Averages | difficulty=Easy | question=Find the average of 50, 93, 50, 69, 23, 67, 18, 59, 57, 74. | option_a=55 | option_b=58 | option_c=56 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = $560 \div 10 = 56$.

id=82554 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 33, 39, 48? | option_a=39 | option_b=33 | option_c=27 | option_d=48 | answer=D | explanation=The first three numbers increase by 6, so the next should be 45. Therefore 48 is the odd one out.

id=82555 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 28? | option_a=28 | option_b=21 | option_c=18 | option_d=24 | answer=A | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 28 is the odd one out.

id=82556 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 26? | option_a=11 | option_b=26 | option_c=5 | option_d=17 | answer=B | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 26 is the odd one out.

id=82557 | topic=Averages | difficulty=Easy | question=Find the average of 23, 56, 20, 47, 81, 96, 59, 26. | option_a=52 | option_b=53 | option_c=51 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = $408 \div 8 = 51$.

id=82558 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24954 at 10% per annum for 1 years. | option_a=2595 | option_b=2395 | option_c=2495 | option_d=27449 | answer=C | explanation=SI = $PRT/100 = 24954 \times 10 \times 1/100 = \text{■}2495$.

id=82559 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=41 | option_c=31 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = $180 \div 5 = 36$ km/h.

id=82560 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=27 | option_b=31 | option_c=33 | option_d=30 | answer=D | explanation=The common difference is 3. Therefore the next term is $27 + 3 = 30$.

Aptitude Questions — Records 82,561-82,590 of 100,000

id=82561 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=59 | option_b=60 | option_c=48 | option_d=70 | answer=A | explanation=The common difference is 11. Therefore the next term is 48 + 11 = 59.

id=82562 | topic=Profit & Loss | difficulty=Easy | question=An article costs █812. If it is sold at a profit of 30%, what is its selling price? | option_a=1055 | option_b=842 | option_c=1136 | option_d=974 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 812 × 130/100 = █1055.

id=82563 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=25 | option_b=28 | option_c=22 | option_d=26 | answer=A | explanation=The common difference is 3. Therefore the next term is 22 + 3 = 25.

id=82564 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=82565 | topic=Percentages | difficulty=Easy | question=What is 40% of 360? | option_a=139 | option_b=144 | option_c=154 | option_d=288 | answer=B | explanation=40% of 360 = (40/100) × 360 = 144.

id=82566 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=82567 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 16. | option_a=24 | option_b=1 | option_c=16 | option_d=128 | answer=C | explanation=LCM × HCF = 8×16; HCF(8,16) = 8, so LCM = 16.

id=82568 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 47? | option_a=30 | option_b=23 | option_c=37 | option_d=47 | answer=D | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 47 is the odd one out.

id=82569 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1883. If it is sold at a profit of 30%, what is its selling price? | option_a=2635 | option_b=1913 | option_c=2259 | option_d=2447 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1883 × 130/100 = █2447.

id=82570 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=S | option_c=J | option_d=P | answer=D | explanation=Move 3 positions forward from M; the resulting letter is P.

id=82571 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45648 at 12% per annum for 1 years. | option_a=51125 | option_b=5577 | option_c=5477 | option_d=5377 | answer=C | explanation=SI = PRT/100 = 45648×12×1/100 = █5477.

id=82572 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 16. | option_a=96 | option_b=112 | option_c=140 | option_d=448 | answer=B | explanation=LCM × HCF = 28×16; HCF(28,16) = 4, so LCM = 112.

id=82573 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:1 and the first is 90, what is the second? | option_a=95 | option_b=4 | option_c=23 | option_d=5 | answer=D | explanation=Scale factor = 90/18 = 5. Therefore second quantity = 1×5 = 5.

id=82574 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=45 | option_b=55 | option_c=56 | option_d=65 | answer=B | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.

id=82575 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=8 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=82576 | topic=Averages | difficulty=Easy | question=Find the average of 24, 45, 75, 36, 95, 77, 100, 80, 44. | option_a=66 | option_b=64 | option_c=65 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 576 ÷ 9 = 64.

id=82577 | topic=Number System | difficulty=Easy | question=Find the LCM of 13 and 26. | option_a=1 | option_b=39 | option_c=26 | option_d=338 | answer=C | explanation=LCM × HCF = 13×26; HCF(13,26) = 13, so LCM = 26.

id=82578 | topic=Averages | difficulty=Easy | question=Find the average of 53, 87, 16, 35, 11, 48, 22, 42, 91. | option_a=47 | option_b=44 | option_c=45 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 405 ÷ 9 = 45.

id=82579 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=29 | option_c=48 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=82580 | topic=Profit & Loss | difficulty=Easy | question=An article costs █634. If it is sold at a profit of 40%, what is its selling price? | option_a=887 | option_b=950 | option_c=824 | option_d=674 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 634 × 140/100 = █887.

id=82581 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38903 at 10% per annum for 2 years. | option_a=7880 | option_b=46683 | option_c=7680 | option_d=7780 | answer=D | explanation=SI = PRT/100 = 38903×10×2/100 = █7780.

id=82582 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=200 | option_c=95 | option_d=105 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=82583 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19269 at 12% per annum for 2 years. | option_a=23893 | option_b=4524 | option_c=4624 | option_d=4724 | answer=C | explanation=SI = PRT/100 = 19269×12×2/100 = █4624.

id=82584 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=45 | option_b=57 | option_c=58 | option_d=69 | answer=B | explanation=The common difference is 12. Therefore the next term is 45 + 12 = 57.

id=82585 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=31 | option_c=41 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=82586 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=48 | option_b=57 | option_c=37 | option_d=47 | answer=D | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

id=82587 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=82588 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=36 | option_b=72 | option_c=31 | option_d=41 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=82589 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 18, 23, 28, ? | option_a=34 | option_b=28 | option_c=33 | option_d=38 | answer=C | explanation=The common difference is 5. Therefore the next term is 28 + 5 = 33.

id=82590 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=28 | option_b=35 | option_c=36 | option_d=42 | answer=B | explanation=The common difference is 7. Therefore the next term is 28 + 7 = 35.

Aptitude Questions — Records 82,591-82,620 of 100,000

id=82591 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=62 | option_b=52 | option_c=51 | option_d=40 | answer=C | explanation=The common difference is 11. Therefore the next term is $40 + 11 = 51$.

id=82592 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:1 and the first is 50, what is the second? | option_a=9 | option_b=60 | option_c=10 | option_d=15 | answer=C | explanation=Scale factor = $50/5 = 10$. Therefore second quantity = $1 \times 10 = 10$.

id=82593 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=77 | option_b=66 | option_c=53 | option_d=65 | answer=D | explanation=The common difference is 12. Therefore the next term is $53 + 12 = 65$.

id=82594 | topic=Percentages | difficulty=Easy | question=What is 40% of 405? | option_a=142 | option_b=162 | option_c=172 | option_d=324 | answer=B | explanation=40% of 405 = $(40/100) \times 405 = 162$.

id=82595 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:10 and the first is 247, what is the second? | option_a=130 | option_b=377 | option_c=120 | option_d=149 | answer=A | explanation=Scale factor = $247/19 = 13$. Therefore second quantity = $10 \times 13 = 130$.

id=82596 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3380. If it is sold at a profit of 15%, what is its selling price? | option_a=3395 | option_b=4225 | option_c=3887 | option_d=3549 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 3380 \times 115/100 = \text{█}3887$.

id=82597 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=S | option_b=R | option_c=T | option_d=Q | answer=A | explanation=Move 1 positions forward from R; the resulting letter is S.

id=82598 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=58 | option_b=47 | option_c=57 | option_d=67 | answer=C | explanation=The common difference is 10. Therefore the next term is $47 + 10 = 57$.

id=82599 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:11 and the first is 144, what is the second? | option_a=144 | option_b=121 | option_c=276 | option_d=132 | answer=D | explanation=Scale factor = $144/12 = 12$. Therefore second quantity = $11 \times 12 = 132$.

id=82600 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 8, 10, 14? | option_a=6 | option_b=14 | option_c=10 | option_d=8 | answer=B | explanation=The first three numbers increase by 2, so the next should be 12. Therefore 14 is the odd one out.

id=82601 | topic=Averages | difficulty=Easy | question=Find the average of 31, 54, 98, 83, 89, 11, 82. | option_a=66 | option_b=64 | option_c=63 | option_d=65 | answer=B | explanation=Average = sum of values $\div$ number of values = $448 \div 7 = 64$.

id=82602 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23595 at 10% per annum for 4 years. | option_a=9338 | option_b=33033 | option_c=9438 | option_d=9538 | answer=C | explanation=SI = $PRT/100 = 23595 \times 10 \times 4/100 = \text{█}9438$.

id=82603 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=V | option_b=L | option_c=Q | option_d=G | answer=C | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=82604 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:2 and the first is 126, what is the second? | option_a=144 | option_b=32 | option_c=18 | option_d=16 | answer=C | explanation=Scale factor = $126/14 = 9$. Therefore second quantity = $2 \times 9 = 18$.

id=82605 | topic=Averages | difficulty=Easy | question=Find the average of 93, 78, 76, 74, 64, 49, 55, 55. | option_a=67 | option_b=68 | option_c=70 | option_d=69 | answer=B | explanation=Average = sum of values $\div$ number of values = $544 \div 8 = 68$.

id=82606 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=82607 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=82608 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4176. If it is sold at a profit of 10%, what is its selling price? | option_a=4186 | option_b=5010 | option_c=4593 | option_d=4176 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 4176 \times 110/100 = \text{█}4593$.

id=82609 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=145 | option_c=150 | option_d=300 | answer=C | explanation=Speed = distance $\div$ time = $300 \div 2 = 150$ km/h.

id=82610 | topic=Percentages | difficulty=Easy | question=What is 12% of 1119? | option_a=154 | option_b=268 | option_c=134 | option_d=124 | answer=C | explanation=12% of 1119 = $(12/100) \times 1119 = 134$.

id=82611 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 34? | option_a=12 | option_b=2 | option_c=22 | option_d=34 | answer=D | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 34 is the odd one out.

id=82612 | topic=Percentages | difficulty=Easy | question=What is 5% of 576? | option_a=28 | option_b=23 | option_c=56 | option_d=38 | answer=A | explanation=5% of 576 = $(5/100) \times 576 = 28$.

id=82613 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1244. If it is sold at a profit of 25%, what is its selling price? | option_a=1431 | option_b=1555 | option_c=1679 | option_d=1269 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 1244 \times 125/100 = \text{█}1555$.

id=82614 | topic=Averages | difficulty=Easy | question=Find the average of 78, 40, 68, 46. | option_a=60 | option_b=58 | option_c=59 | option_d=57 | answer=B | explanation=Average = sum of values $\div$ number of values = $232 \div 4 = 58$.

id=82615 | topic=Percentages | difficulty=Easy | question=What is 10% of 1106? | option_a=220 | option_b=105 | option_c=110 | option_d=120 | answer=C | explanation=10% of 1106 = $(10/100) \times 1106 = 110$.

id=82616 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 6. | option_a=48 | option_b=24 | option_c=18 | option_d=32 | answer=B | explanation=LCM $\times$ HCF = 8×6 ; HCF(8,6) = 2, so LCM = 24.

id=82617 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 3. | option_a=30 | option_b=15 | option_c=12 | option_d=45 | answer=B | explanation=LCM $\times$ HCF = 15×3 ; HCF(15,3) = 3, so LCM = 15.

id=82618 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:6 and the first is 171, what is the second? | option_a=54 | option_b=73 | option_c=48 | option_d=225 | answer=A | explanation=Scale factor = $171/19 = 9$. Therefore second quantity = $6 \times 9 = 54$.

id=82619 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:13 and the first is 300, what is the second? | option_a=495 | option_b=182 | option_c=195 | option_d=215 | answer=C | explanation=Scale factor = $300/20 = 15$. Therefore second quantity = $13 \times 15 = 195$.

id=82620 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19026 at 4% per annum for 2 years. | option_a=20548 | option_b=1522 | option_c=1422 | option_d=1622 | answer=B | explanation=SI = $PRT/100 = 19026 \times 4 \times 2/100 = \text{█}1522$.

Aptitude Questions — Records 82,621-82,650 of 100,000

id=82621 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■32794 at 4% per annum for 4 years. | option_a=5247 | option_b=5147 | option_c=38041 | option_d=5347 | answer=A | explanation=SI = PRT/100 = 32794×4×4/100 = ■5247.

id=82622 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 46? | option_a=27 | option_b=19 | option_c=35 | option_d=46 | answer=D | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 46 is the odd one out.

id=82623 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 35, 45, 56? | option_a=56 | option_b=25 | option_c=45 | option_d=35 | answer=A | explanation=The first three numbers increase by 10, so the next should be 55. Therefore 56 is the odd one out.

id=82624 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=53 | option_b=65 | option_c=66 | option_d=77 | answer=B | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.

id=82625 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 22, 27, 32, ? | option_a=37 | option_b=32 | option_c=42 | option_d=38 | answer=A | explanation=The common difference is 5. Therefore the next term is 32 + 5 = 37.

id=82626 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 9, 14, 20? | option_a=20 | option_b=14 | option_c=9 | option_d=4 | answer=A | explanation=The first three numbers increase by 5, so the next should be 19. Therefore 20 is the odd one out.

id=82627 | topic=Percentages | difficulty=Easy | question=What is 50% of 1520? | option_a=780 | option_b=760 | option_c=740 | option_d=1520 | answer=B | explanation=50% of 1520 = (50/100) × 1520 = 760.

id=82628 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=F | option_c=B | option_d=Z | answer=A | explanation=Move 2 positions forward from B; the resulting letter is D.

id=82629 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 35? | option_a=19 | option_b=12 | option_c=26 | option_d=35 | answer=D | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 35 is the odd one out.

id=82630 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=33 | option_b=43 | option_c=42 | option_d=51 | answer=C | explanation=The common difference is 9. Therefore the next term is 33 + 9 = 42.

id=82631 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=82632 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=O | option_b=E | option_c=Z | option_d=J | answer=D | explanation=Move 5 positions forward from E; the resulting letter is J.

id=82633 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:13 and the first is 132, what is the second? | option_a=143 | option_b=130 | option_c=155 | option_d=275 | answer=A | explanation=Scale factor = 132/12 = 11. Therefore second quantity = 13×11 = 143.

id=82634 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=82635 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:16 and the first is 38, what is the second? | option_a=306 | option_b=288 | option_c=304 | option_d=342 | answer=C | explanation=Scale factor = 38/2 = 19. Therefore second quantity = 16×19 = 304.

id=82636 | topic=Averages | difficulty=Easy | question=Find the average of 16, 75, 76, 32, 40, 46, 23, 58, 93. | option_a=53 | option_b=52 | option_c=51 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 459 ÷ 9 = 51.

id=82637 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:12 and the first is 40, what is the second? | option_a=60 | option_b=68 | option_c=100 | option_d=48 | answer=A | explanation=Scale factor = 40/8 = 5. Therefore second quantity = 12×5 = 60.

id=82638 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■18776 at 4% per annum for 5 years. | option_a=22531 | option_b=3855 | option_c=3755 | option_d=3655 | answer=C | explanation=SI = PRT/100 = 18776×4×5/100 = ■3755.

id=82639 | topic=Percentages | difficulty=Easy | question=What is 12% of 1716? | option_a=410 | option_b=225 | option_c=200 | option_d=205 | answer=D | explanation=12% of 1716 = (12/100) × 1716 = 205.

id=82640 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 18, 23, 28, ? | option_a=34 | option_b=28 | option_c=33 | option_d=38 | answer=C | explanation=The common difference is 5. Therefore the next term is 28 + 5 = 33.

id=82641 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:8 and the first is 169, what is the second? | option_a=104 | option_b=96 | option_c=117 | option_d=273 | answer=A | explanation=Scale factor = 169/13 = 13. Therefore second quantity = 8×13 = 104.

id=82642 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=82643 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=42 | option_b=35 | option_c=36 | option_d=28 | answer=B | explanation=The common difference is 7. Therefore the next term is 28 + 7 = 35.

id=82644 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■25624 at 8% per annum for 5 years. | option_a=10149 | option_b=35873 | option_c=10249 | option_d=10349 | answer=C | explanation=SI = PRT/100 = 25624×8×5/100 = ■10249.

id=82645 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=O | option_c=R | option_d=Q | answer=D | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=82646 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Y | option_b=U | option_c=M | option_d=Q | answer=B | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=82647 | topic=Averages | difficulty=Easy | question=Find the average of 50, 74, 61, 65, 33, 44, 96, 17. | option_a=54 | option_b=56 | option_c=55 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 440 ÷ 8 = 55.

id=82648 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=50 | option_b=44 | option_c=36 | option_d=43 | answer=D | explanation=The common difference is 7. Therefore the next term is 36 + 7 = 43.

id=82649 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=27 | option_b=43 | option_c=36 | option_d=35 | answer=D | explanation=The common difference is 8. Therefore the next term is 27 + 8 = 35.

id=82650 | topic=Averages | difficulty=Easy | question=Find the average of 92, 75, 74, 79, 70. | option_a=77 | option_b=80 | option_c=79 | option_d=78 | answer=D | explanation=Average = sum of values ÷ number of values = 390 ÷ 5 = 78.

Aptitude Questions — Records 82,651-82,680 of 100,000

id=82651 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:20 and the first is 72, what is the second? | option_a=188 | option_b=160 | option_c=180 | option_d=252 | answer=C | explanation=Scale factor = $72/8 = 9$. Therefore second quantity = $20 \times 9 = 180$.

id=82652 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1586. If it is sold at a profit of 25%, what is its selling price? | option_a=1824 | option_b=1611 | option_c=2140 | option_d=1982 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1586 \times 125/100 = \text{█}1982$.

id=82653 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25039 at 12% per annum for 1 years. | option_a=28043 | option_b=3004 | option_c=3104 | option_d=2904 | answer=B | explanation=SI = $PRT/100 = 25039 \times 12 \times 1/100 = \text{█}3004$.

id=82654 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 21? | option_a=13 | option_b=17 | option_c=15 | option_d=21 | answer=D | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 21 is the odd one out.

id=82655 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 31, 43, 55, ? | option_a=79 | option_b=68 | option_c=67 | option_d=55 | answer=C | explanation=The common difference is 12. Therefore the next term is $55 + 12 = 67$.

id=82656 | topic=Averages | difficulty=Easy | question=Find the average of 54, 89, 16. | option_a=52 | option_b=53 | option_c=55 | option_d=54 | answer=B | explanation=Average = $\text{sum of values} \div \text{number of values} = 159 \div 3 = 53$.

id=82657 | topic=Percentages | difficulty=Easy | question=What is 30% of 1811? | option_a=538 | option_b=543 | option_c=548 | option_d=1086 | answer=B | explanation=30% of 1811 = $(30/100) \times 1811 = 543$.

id=82658 | topic=Averages | difficulty=Easy | question=Find the average of 99, 33, 87, 94, 91, 60, 36, 48, 11, 31. | option_a=58 | option_b=61 | option_c=59 | option_d=60 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 590 \div 10 = 59$.

id=82659 | topic=Percentages | difficulty=Easy | question=What is 50% of 1103? | option_a=571 | option_b=551 | option_c=1102 | option_d=541 | answer=B | explanation=50% of 1103 = $(50/100) \times 1103 = 551$.

id=82660 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=P | option_b=S | option_c=Q | option_d=R | answer=D | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=82661 | topic=Averages | difficulty=Easy | question=Find the average of 100, 13, 21, 93, 23, 69, 52, 37. | option_a=53 | option_b=51 | option_c=50 | option_d=52 | answer=B | explanation=Average = $\text{sum of values} \div \text{number of values} = 408 \div 8 = 51$.

id=82662 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:14 and the first is 54, what is the second? | option_a=255 | option_b=238 | option_c=252 | option_d=306 | answer=C | explanation=Scale factor = $54/3 = 18$. Therefore second quantity = $14 \times 18 = 252$.

id=82663 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1110. If it is sold at a profit of 15%, what is its selling price? | option_a=1276 | option_b=1165 | option_c=1387 | option_d=1125 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1110 \times 115/100 = \text{█}1276$.

id=82664 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=82665 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46587 at 5% per annum for 3 years. | option_a=6988 | option_b=53575 | option_c=7088 | option_d=6888 | answer=A | explanation=SI = $PRT/100 = 46587 \times 5 \times 3/100 = \text{█}6988$.

id=82666 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Q | option_b=Y | option_c=C | option_d=U | answer=B | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=82667 | topic=Percentages | difficulty=Easy | question=What is 5% of 1766? | option_a=93 | option_b=176 | option_c=88 | option_d=78 | answer=C | explanation=5% of 1766 = $(5/100) \times 1766 = 88$.

id=82668 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=47 | option_b=56 | option_c=57 | option_d=65 | answer=B | explanation=The common difference is 9. Therefore the next term is $47 + 9 = 56$.

id=82669 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:7 and the first is 38, what is the second? | option_a=14 | option_b=33 | option_c=7 | option_d=52 | answer=A | explanation=Scale factor = $38/19 = 2$. Therefore second quantity = $7 \times 2 = 14$.

id=82670 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=36 | option_b=72 | option_c=41 | option_d=31 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 360 \div 10 = 36$ km/h.

id=82671 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 24? | option_a=3 | option_b=15 | option_c=9 | option_d=24 | answer=D | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 24 is the odd one out.

id=82672 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=360 | option_b=180 | option_c=175 | option_d=185 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 360 \div 2 = 180$ km/h.

id=82673 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2985. If it is sold at a profit of 5%, what is its selling price? | option_a=2836 | option_b=3134 | option_c=2990 | option_d=3432 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2985 \times 105/100 = \text{█}3134$.

id=82674 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 22, 28, 36? | option_a=16 | option_b=22 | option_c=36 | option_d=28 | answer=C | explanation=The first three numbers increase by 6, so the next should be 34. Therefore 36 is the odd one out.

id=82675 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:7 and the first is 300, what is the second? | option_a=405 | option_b=125 | option_c=105 | option_d=98 | answer=C | explanation=Scale factor = $300/20 = 15$. Therefore second quantity = $7 \times 15 = 105$.

id=82676 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2406. If it is sold at a profit of 30%, what is its selling price? | option_a=3127 | option_b=2436 | option_c=2887 | option_d=3367 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2406 \times 130/100 = \text{█}3127$.

id=82677 | topic=Averages | difficulty=Easy | question=Find the average of 48, 70, 18, 74, 73, 17, 64, 92. | option_a=56 | option_b=58 | option_c=57 | option_d=59 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 456 \div 8 = 57$.

id=82678 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=64 | option_b=52 | option_c=63 | option_d=74 | answer=C | explanation=The common difference is 11. Therefore the next term is $52 + 11 = 63$.

id=82679 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=82680 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:13 and the first is 80, what is the second? | option_a=145 | option_b=52 | option_c=81 | option_d=65 | answer=D | explanation=Scale factor = $80/16 = 5$. Therefore second quantity = $13 \times 5 = 65$.

Aptitude Questions — Records 82,681-82,710 of 100,000

id=82681 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■5555 at 8% per annum for 1 years. | option_a=544 | option_b=444 | option_c=5999 | option_d=344 | answer=B | explanation=SI = $PRT/100 = 5555 \times 8 \times 1/100 = \blacksquare 444$.

id=82682 | topic=Averages | difficulty=Easy | question=Find the average of 90, 38, 28, 71, 69, 13, 25, 60, 48, 78. | option_a=52 | option_b=53 | option_c=54 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = $520 \div 10 = 52$.

id=82683 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:11 and the first is 266, what is the second? | option_a=173 | option_b=143 | option_c=154 | option_d=420 | answer=C | explanation=Scale factor = $266/19 = 14$. Therefore second quantity = $11 \times 14 = 154$.

id=82684 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = $150 \div 10 = 15$ km/h.

id=82685 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=55 | option_c=100 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = $300 \div 6 = 50$ km/h.

id=82686 | topic=Averages | difficulty=Easy | question=Find the average of 44, 26, 90, 74, 13, 83. | option_a=55 | option_b=54 | option_c=57 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = $330 \div 6 = 55$.

id=82687 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 14, 22, 32? | option_a=6 | option_b=32 | option_c=22 | option_d=14 | answer=B | explanation=The first three numbers increase by 8, so the next should be 30. Therefore 32 is the odd one out.

id=82688 | topic=Averages | difficulty=Easy | question=Find the average of 89, 60, 40, 75, 44, 66, 48, 100, 39, 29. | option_a=59 | option_b=61 | option_c=60 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = $590 \div 10 = 59$.

id=82689 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:15 and the first is 72, what is the second? | option_a=60 | option_b=45 | option_c=78 | option_d=132 | answer=A | explanation=Scale factor = $72/18 = 4$. Therefore second quantity = $15 \times 4 = 60$.

id=82690 | topic=Percentages | difficulty=Easy | question=What is 10% of 1569? | option_a=146 | option_b=312 | option_c=161 | option_d=156 | answer=D | explanation=10% of 1569 = $(10/100) \times 1569 = 156$.

id=82691 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=7 | option_d=24 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=82692 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 21. | option_a=147 | option_b=21 | option_c=28 | option_d=1 | answer=B | explanation=LCM $\times$ HCF = 7×21 ; HCF(7,21) = 7, so LCM = 21.

id=82693 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=150 | option_c=300 | option_d=145 | answer=B | explanation=Speed = distance ÷ time = $300 \div 2 = 150$ km/h.

id=82694 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 45? | option_a=45 | option_b=35 | option_c=19 | option_d=27 | answer=A | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 45 is the odd one out.

id=82695 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=Q | option_c=N | option_d=H | answer=C | explanation=Move 3 positions forward from K; the resulting letter is N.

id=82696 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 28. | option_a=364 | option_b=728 | option_c=336 | option_d=390 | answer=A | explanation=LCM $\times$ HCF = 26×28 ; HCF(26,28) = 2, so LCM = 364.

id=82697 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=200 | option_c=95 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = $300 \div 3 = 100$ km/h.

id=82698 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:13 and the first is 204, what is the second? | option_a=221 | option_b=233 | option_c=208 | option_d=425 | answer=A | explanation=Scale factor = $204/12 = 17$. Therefore second quantity = $13 \times 17 = 221$.

id=82699 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 30. | option_a=210 | option_b=630 | option_c=231 | option_d=180 | answer=A | explanation=LCM $\times$ HCF = 21×30 ; HCF(21,30) = 3, so LCM = 210.

id=82700 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=I | option_c=S | option_d=X | answer=C | explanation=Move 5 positions forward from N; the resulting letter is S.

id=82701 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2657. If it is sold at a profit of 5%, what is its selling price? | option_a=2789 | option_b=2662 | option_c=2524 | option_d=3054 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2657 \times 105/100 = \blacksquare 2789$.

id=82702 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■38018 at 12% per annum for 2 years. | option_a=9224 | option_b=9124 | option_c=47142 | option_d=9024 | answer=B | explanation=SI = $PRT/100 = 38018 \times 12 \times 2/100 = \blacksquare 9124$.

id=82703 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:1 and the first is 176, what is the second? | option_a=187 | option_b=27 | option_c=10 | option_d=11 | answer=D | explanation=Scale factor = $176/16 = 11$. Therefore second quantity = $1 \times 11 = 11$.

id=82704 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■466. If it is sold at a profit of 15%, what is its selling price? | option_a=535 | option_b=489 | option_c=481 | option_d=581 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 466 \times 115/100 = \blacksquare 535$.

id=82705 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1789. If it is sold at a profit of 5%, what is its selling price? | option_a=1878 | option_b=2056 | option_c=1700 | option_d=1794 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 1789 \times 105/100 = \blacksquare 1878$.

id=82706 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=49 | option_b=40 | option_c=58 | option_d=50 | answer=A | explanation=The common difference is 9. Therefore the next term is $40 + 9 = 49$.

id=82707 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■10658 at 15% per annum for 2 years. | option_a=3267 | option_b=13725 | option_c=3167 | option_d=3067 | answer=C | explanation=SI = $PRT/100 = 10558 \times 15 \times 2/100 = \blacksquare 3167$.

id=82708 | topic=Averages | difficulty=Easy | question=Find the average of 89, 77, 32, 97, 71, 92, 97, 13. | option_a=70 | option_b=71 | option_c=72 | option_d=73 | answer=B | explanation=Average = sum of values ÷ number of values = $568 \div 8 = 71$.

id=82709 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=82710 | topic=Averages | difficulty=Easy | question=Find the average of 45, 17, 100, 98. | option_a=67 | option_b=64 | option_c=66 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = $260 \div 4 = 65$.

Aptitude Questions — Records 82,711-82,740 of 100,000

id=82711 | topic=Profit & Loss | difficulty=Easy | question=An article costs █573. If it is sold at a profit of 30%, what is its selling price? | option_a=687 | option_b=744 | option_c=603 | option_d=801 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 573 × 130/100 = █744.

id=82712 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=82713 | topic=Percentages | difficulty=Easy | question=What is 15% of 1863? | option_a=279 | option_b=558 | option_c=284 | option_d=269 | answer=A | explanation=15% of 1863 = (15/100) × 1863 = 279.

id=82714 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 9, 13, 18? | option_a=9 | option_b=5 | option_c=18 | option_d=13 | answer=C | explanation=The first three numbers increase by 4, so the next should be 17. Therefore 18 is the odd one out.

id=82715 | topic=Profit & Loss | difficulty=Easy | question=An article costs █357. If it is sold at a profit of 20%, what is its selling price? | option_a=463 | option_b=428 | option_c=377 | option_d=393 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 357 × 120/100 = █428.

id=82716 | topic=Averages | difficulty=Easy | question=Find the average of 12, 21, 48. | option_a=28 | option_b=27 | option_c=26 | option_d=29 | answer=B | explanation=Average = sum of values ÷ number of values = 81 ÷ 3 = 27.

id=82717 | topic=Averages | difficulty=Easy | question=Find the average of 95, 16, 56, 101. | option_a=67 | option_b=68 | option_c=69 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 268 ÷ 4 = 67.

id=82718 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=59 | option_b=60 | option_c=70 | option_d=48 | answer=A | explanation=The common difference is 11. Therefore the next term is 48 + 11 = 59.

id=82719 | topic=Profit & Loss | difficulty=Easy | question=An article costs █652. If it is sold at a profit of 5%, what is its selling price? | option_a=619 | option_b=657 | option_c=749 | option_d=684 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 652 × 105/100 = █684.

id=82720 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 45? | option_a=37 | option_b=45 | option_c=25 | option_d=31 | answer=B | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 45 is the odd one out.

id=82721 | topic=Averages | difficulty=Easy | question=Find the average of 70, 79, 25. | option_a=60 | option_b=58 | option_c=57 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 174 ÷ 3 = 58.

id=82722 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=82723 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=82724 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=W | option_c=T | option_d=N | answer=C | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=82725 | topic=Percentages | difficulty=Easy | question=What is 15% of 210? | option_a=31 | option_b=62 | option_c=21 | option_d=36 | answer=A | explanation=15% of 210 = (15/100) × 210 = 31.

id=82726 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=82727 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:15 and the first is 300, what is the second? | option_a=210 | option_b=525 | option_c=245 | option_d=225 | answer=D | explanation=Scale factor = 300/20 = 15. Therefore second quantity = 15×15 = 225.

id=82728 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=L | option_c=N | option_d=J | answer=C | explanation=Move 2 positions forward from L; the resulting letter is N.

id=82729 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=9 | option_c=14 | option_d=4 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=82730 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=82731 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=62 | option_b=63 | option_c=51 | option_d=73 | answer=A | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.

id=82732 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 6. | option_a=16 | option_b=24 | option_c=12 | option_d=6 | answer=C | explanation=LCM × HCF = 4×6; HCF(4,6) = 2, so LCM = 12.

id=82733 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3345. If it is sold at a profit of 40%, what is its selling price? | option_a=5017 | option_b=4683 | option_c=4349 | option_d=3385 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3345 × 140/100 = █4683.

id=82734 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 34? | option_a=22 | option_b=34 | option_c=17 | option_d=27 | answer=B | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 34 is the odd one out.

id=82735 | topic=Percentages | difficulty=Easy | question=What is 40% of 1439? | option_a=575 | option_b=1150 | option_c=580 | option_d=570 | answer=A | explanation=40% of 1439 = (40/100) × 1439 = 575.

id=82736 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 14, 19, 26? | option_a=9 | option_b=14 | option_c=26 | option_d=19 | answer=C | explanation=The first three numbers increase by 5, so the next should be 24. Therefore 26 is the odd one out.

id=82737 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:7 and the first is 210, what is the second? | option_a=308 | option_b=91 | option_c=98 | option_d=113 | answer=C | explanation=Scale factor = 210/15 = 14. Therefore second quantity = 7×14 = 98.

id=82738 | topic=Percentages | difficulty=Easy | question=What is 40% of 1283? | option_a=503 | option_b=523 | option_c=1026 | option_d=513 | answer=D | explanation=40% of 1283 = (40/100) × 1283 = 513.

id=82739 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=23 | option_b=29 | option_c=35 | option_d=30 | answer=B | explanation=The common difference is 6. Therefore the next term is 23 + 6 = 29.

id=82740 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=46 | option_b=35 | option_c=55 | option_d=45 | answer=D | explanation=The common difference is 10. Therefore the next term is 35 + 10 = 45.

Aptitude Questions — Records 82,741-82,770 of 100,000

- id=82741 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 34? | option_a=34 | option_b=24 | option_c=20 | option_d=28 | answer=A | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 34 is the odd one out.
- id=82742 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.
- id=82743 | topic=Averages | difficulty=Easy | question=Find the average of 24, 77, 49, 36, 14. | option_a=39 | option_b=40 | option_c=42 | option_d=41 | answer=B | explanation=Average = sum of values ÷ number of values = $200 \div 5 = 40$.
- id=82744 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.
- id=82745 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14933 at 10% per annum for 2 years. | option_a=2886 | option_b=3086 | option_c=17919 | option_d=2986 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{14933 \times 10 \times 2}{100} = \text{■}2986$.
- id=82746 | topic=Percentages | difficulty=Easy | question=What is 30% of 100? | option_a=25 | option_b=30 | option_c=60 | option_d=50 | answer=B | explanation=30% of 100 = $(\frac{30}{100}) \times 100 = 30$.
- id=82747 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 28, 36, 44, ? | option_a=53 | option_b=44 | option_c=52 | option_d=60 | answer=C | explanation=The common difference is 8. Therefore the next term is $44 + 8 = 52$.
- id=82748 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=95 | option_c=100 | option_d=105 | answer=C | explanation=Speed = distance ÷ time = $300 \div 3 = 100$ km/h.
- id=82749 | topic=Percentages | difficulty=Easy | question=What is 40% of 1086? | option_a=414 | option_b=434 | option_c=444 | option_d=868 | answer=B | explanation=40% of 1086 = $(\frac{40}{100}) \times 1086 = 434$.
- id=82750 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=G | option_b=Q | option_c=L | option_d=V | answer=B | explanation=Move 5 positions forward from L; the resulting letter is Q.
- id=82751 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 36? | option_a=36 | option_b=12 | option_c=26 | option_d=19 | answer=A | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 36 is the odd one out.
- id=82752 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = $180 \div 6 = 30$ km/h.
- id=82753 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 21, 23, 28? | option_a=23 | option_b=19 | option_c=21 | option_d=28 | answer=D | explanation=The first three numbers increase by 2, so the next should be 25. Therefore 28 is the odd one out.
- id=82754 | topic=Percentages | difficulty=Easy | question=What is 10% of 1368? | option_a=136 | option_b=272 | option_c=146 | option_d=116 | answer=A | explanation=10% of 1368 = $(\frac{10}{100}) \times 1368 = 136$.
- id=82755 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:3 and the first is 320, what is the second? | option_a=76 | option_b=57 | option_c=380 | option_d=60 | answer=D | explanation=Scale factor = $\frac{320}{16} = 20$. Therefore second quantity = $3 \times 20 = 60$.
- id=82756 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=17 | option_c=12 | option_d=24 | answer=C | explanation=Speed = distance ÷ time = $120 \div 10 = 12$ km/h.
- id=82757 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=31 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=The common difference is 5. Therefore the next term is $25 + 5 = 30$.
- id=82758 | topic=Percentages | difficulty=Easy | question=What is 30% of 1922? | option_a=586 | option_b=576 | option_c=1152 | option_d=556 | answer=B | explanation=30% of 1922 = $(\frac{30}{100}) \times 1922 = 576$.
- id=82759 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:1 and the first is 247, what is the second? | option_a=260 | option_b=32 | option_c=12 | option_d=13 | answer=D | explanation=Scale factor = $\frac{247}{19} = 13$. Therefore second quantity = $1 \times 13 = 13$.
- id=82760 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=61 | option_b=51 | option_c=41 | option_d=52 | answer=B | explanation=The common difference is 10. Therefore the next term is $41 + 10 = 51$.
- id=82761 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 51? | option_a=51 | option_b=42 | option_c=36 | option_d=30 | answer=A | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 51 is the odd one out.
- id=82762 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 12. | option_a=264 | option_b=154 | option_c=132 | option_d=120 | answer=C | explanation=LCM × HCF = 22×12 ; $\text{HCF}(22, 12) = 2$, so LCM = 132.
- id=82763 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=54 | option_b=38 | option_c=46 | option_d=47 | answer=C | explanation=The common difference is 8. Therefore the next term is $38 + 8 = 46$.
- id=82764 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=77 | option_c=144 | option_d=67 | answer=A | explanation=Speed = distance ÷ time = $360 \div 5 = 72$ km/h.
- id=82765 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27927 at 4% per annum for 3 years. | option_a=3351 | option_b=3451 | option_c=3251 | option_d=31278 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{27927 \times 4 \times 3}{100} = \text{■}3351$.
- id=82766 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2893. If it is sold at a profit of 25%, what is its selling price? | option_a=3327 | option_b=2918 | option_c=3905 | option_d=3616 | answer=D | explanation=Selling price = $\text{CP} \times (\frac{100 + \text{profit}\%}{100}) = 2893 \times \frac{125}{100} = \text{■}3616$.
- id=82767 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=42 | option_b=26 | option_c=34 | option_d=35 | answer=C | explanation=The common difference is 8. Therefore the next term is $26 + 8 = 34$.
- id=82768 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 34, 44, 56? | option_a=56 | option_b=44 | option_c=34 | option_d=24 | answer=A | explanation=The first three numbers increase by 10, so the next should be 54. Therefore 56 is the odd one out.
- id=82769 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2675. If it is sold at a profit of 5%, what is its selling price? | option_a=2680 | option_b=2808 | option_c=3075 | option_d=2541 | answer=B | explanation=Selling price = $\text{CP} \times (\frac{100 + \text{profit}\%}{100}) = 2675 \times \frac{105}{100} = \text{■}2808$.
- id=82770 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38108 at 12% per annum for 2 years. | option_a=9145 | option_b=9245 | option_c=9045 | option_d=47253 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{38108 \times 12 \times 2}{100} = \text{■}9145$.

Aptitude Questions — Records 82,771-82,800 of 100,000

id=82771 | topic=Averages | difficulty=Easy | question=Find the average of 70, 43, 69, 90, 45, 56, 72, 35. | option_a=60 | option_b=59 | option_c=61 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 480 ÷ 8 = 60.

id=82772 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:15 and the first is 11, what is the second? | option_a=165 | option_b=166 | option_c=176 | option_d=150 | answer=A | explanation=Scale factor = 11/1 = 11. Therefore second quantity = 15×11 = 165.

id=82773 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=72 | option_c=31 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=82774 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1400. If it is sold at a profit of 10%, what is its selling price? | option_a=1680 | option_b=1410 | option_c=1400 | option_d=1540 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1400 × 110/100 = █1540.

id=82775 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3280. If it is sold at a profit of 50%, what is its selling price? | option_a=4920 | option_b=3330 | option_c=5248 | option_d=4592 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3280 × 150/100 = █4920.

id=82776 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 35? | option_a=24 | option_b=4 | option_c=35 | option_d=14 | answer=C | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 35 is the odd one out.

id=82777 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:9 and the first is 108, what is the second? | option_a=162 | option_b=45 | option_c=54 | option_d=72 | answer=C | explanation=Scale factor = 108/18 = 6. Therefore second quantity = 9×6 = 54.

id=82778 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=105 | option_c=200 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=82779 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=50 | option_b=60 | option_c=70 | option_d=61 | answer=B | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

id=82780 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=82781 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:7 and the first is 75, what is the second? | option_a=105 | option_b=180 | option_c=110 | option_d=98 | answer=A | explanation=Scale factor = 75/5 = 15. Therefore second quantity = 7×15 = 105.

id=82782 | topic=Averages | difficulty=Easy | question=Find the average of 55, 83, 15, 74, 63. | option_a=57 | option_b=60 | option_c=58 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 290 ÷ 5 = 58.

id=82783 | topic=Averages | difficulty=Easy | question=Find the average of 98, 70, 78, 46. | option_a=74 | option_b=73 | option_c=75 | option_d=72 | answer=B | explanation=Average = sum of values ÷ number of values = 292 ÷ 4 = 73.

id=82784 | topic=Averages | difficulty=Easy | question=Find the average of 13, 69, 17, 37, 69. | option_a=42 | option_b=41 | option_c=43 | option_d=40 | answer=B | explanation=Average = sum of values ÷ number of values = 205 ÷ 5 = 41.

id=82785 | topic=Averages | difficulty=Easy | question=Find the average of 91, 70, 99, 26, 34. | option_a=64 | option_b=63 | option_c=65 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 320 ÷ 5 = 64.

id=82786 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3828. If it is sold at a profit of 15%, what is its selling price? | option_a=4402 | option_b=4020 | option_c=3843 | option_d=4784 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3828 × 115/100 = █4402.

id=82787 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1678. If it is sold at a profit of 25%, what is its selling price? | option_a=1930 | option_b=2264 | option_c=1703 | option_d=2097 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1678 × 125/100 = █2097.

id=82788 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=U | option_b=F | option_c=P | option_d=K | answer=C | explanation=Move 5 positions forward from K; the resulting letter is P.

id=82789 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3462. If it is sold at a profit of 10%, what is its selling price? | option_a=3472 | option_b=3808 | option_c=3462 | option_d=4154 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3462 × 110/100 = █3808.

id=82790 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23103 at 10% per annum for 2 years. | option_a=4720 | option_b=4520 | option_c=27723 | option_d=4620 | answer=D | explanation=SI = PRT/100 = 23103×10×2/100 = █4620.

id=82791 | topic=Averages | difficulty=Easy | question=Find the average of 12, 76, 12, 94, 64, 20, 42, 69, 69, 12. | option_a=49 | option_b=46 | option_c=47 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 470 ÷ 10 = 47.

id=82792 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:5 and the first is 48, what is the second? | option_a=40 | option_b=46 | option_c=35 | option_d=88 | answer=A | explanation=Scale factor = 48/6 = 8. Therefore second quantity = 5×8 = 40.

id=82793 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4429. If it is sold at a profit of 30%, what is its selling price? | option_a=5315 | option_b=6199 | option_c=4459 | option_d=5757 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4429 × 130/100 = █5757.

id=82794 | topic=Percentages | difficulty=Easy | question=What is 5% of 68? | option_a=8 | option_b=3 | option_c=6 | option_d=0 | answer=B | explanation=5% of 68 = (5/100) × 68 = 3.

id=82795 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:3 and the first is 36, what is the second? | option_a=6 | option_b=9 | option_c=45 | option_d=21 | answer=B | explanation=Scale factor = 36/12 = 3. Therefore second quantity = 3×3 = 9.

id=82796 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=V | option_b=Q | option_c=A | option_d=L | answer=A | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=82797 | topic=Percentages | difficulty=Easy | question=What is 30% of 286? | option_a=65 | option_b=85 | option_c=105 | option_d=170 | answer=B | explanation=30% of 286 = (30/100) × 286 = 85.

id=82798 | topic=Averages | difficulty=Easy | question=Find the average of 64, 29, 66, 68, 61, 90. | option_a=63 | option_b=64 | option_c=62 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 378 ÷ 6 = 63.

id=82799 | topic=Percentages | difficulty=Easy | question=What is 50% of 1921? | option_a=955 | option_b=960 | option_c=965 | option_d=1920 | answer=B | explanation=50% of 1921 = (50/100) × 1921 = 960.

id=82800 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=54 | option_b=46 | option_c=45 | option_d=36 | answer=C | explanation=The common difference is 9. Therefore the next term is 36 + 9 = 45.

Aptitude Questions — Records 82,801-82,830 of 100,000

id=82801 | topic=Averages | difficulty=Easy | question=Find the average of 49, 34, 23, 18, 49, 81, 36, 100, 24, | option_a=47 | option_b=45 | option_c=46 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 414 ÷ 9 = 46.

id=82802 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:6 and the first is 208, what is the second? | option_a=78 | option_b=94 | option_c=286 | option_d=72 | answer=A | explanation=Scale factor = 208/16 = 13. Therefore second quantity = 6×13 = 78.

id=82803 | topic=Averages | difficulty=Easy | question=Find the average of 20, 96, 11, 39, 33, 14, 27, 88. | option_a=41 | option_b=42 | option_c=43 | option_d=40 | answer=A | explanation=Average = sum of values ÷ number of values = 328 ÷ 8 = 41.

id=82804 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=82805 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=82806 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=82807 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=Z | option_b=U | option_c=P | option_d=K | answer=B | explanation=Move 5 positions forward from P; the resulting letter is U.

id=82808 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=Y | option_b=I | option_c=D | option_d=N | answer=B | explanation=Move 5 positions forward from D; the resulting letter is I.

id=82809 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:19 and the first is 247, what is the second? | option_a=494 | option_b=228 | option_c=266 | option_d=247 | answer=D | explanation=Scale factor = 247/19 = 13. Therefore second quantity = 19×13 = 247.

id=82810 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=46 | option_b=36 | option_c=54 | option_d=45 | answer=D | explanation=The common difference is 9. Therefore the next term is 36 + 9 = 45.

id=82811 | topic=Averages | difficulty=Easy | question=Find the average of 24, 42, 81. | option_a=50 | option_b=48 | option_c=49 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 147 ÷ 3 = 49.

id=82812 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=37 | option_b=33 | option_c=34 | option_d=29 | answer=B | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=82813 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=58 | option_b=69 | option_c=47 | option_d=59 | answer=A | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.

id=82814 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3198. If it is sold at a profit of 40%, what is its selling price? | option_a=4477 | option_b=4158 | option_c=4796 | option_d=3238 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3198 × 140/100 = █4477.

id=82815 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=82816 | topic=Percentages | difficulty=Easy | question=What is 40% of 550? | option_a=440 | option_b=210 | option_c=220 | option_d=225 | answer=C | explanation=40% of 550 = (40/100) × 550 = 220.

id=82817 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=82818 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44627 at 12% per annum for 5 years. | option_a=71403 | option_b=26776 | option_c=26676 | option_d=26876 | answer=B | explanation=SI = PRT/100 = 44627×12×5/100 = █26776.

id=82819 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 25, 27, 32? | option_a=23 | option_b=32 | option_c=25 | option_d=27 | answer=B | explanation=The first three numbers increase by 2, so the next should be 29. Therefore 32 is the odd one out.

id=82820 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 26, 35, 46? | option_a=46 | option_b=35 | option_c=17 | option_d=26 | answer=A | explanation=The first three numbers increase by 9, so the next should be 44. Therefore 46 is the odd one out.

id=82821 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33020 at 12% per annum for 5 years. | option_a=52832 | option_b=19912 | option_c=19712 | option_d=19812 | answer=D | explanation=SI = PRT/100 = 33020×12×5/100 = █19812.

id=82822 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=28 | option_b=44 | option_c=37 | option_d=36 | answer=D | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=82823 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=82824 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=100 | option_c=45 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=82825 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 4. | option_a=28 | option_b=24 | option_c=42 | option_d=56 | answer=A | explanation=LCM × HCF = 14×4; HCF(14,4) = 2, so LCM = 28.

id=82826 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 15, 22, 30? | option_a=22 | option_b=8 | option_c=15 | option_d=30 | answer=D | explanation=The first three numbers increase by 7, so the next should be 29. Therefore 30 is the odd one out.

id=82827 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=Z | option_c=N | option_d=R | answer=A | explanation=Move 4 positions forward from R; the resulting letter is V.

id=82828 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16065 at 15% per annum for 5 years. | option_a=12048 | option_b=11948 | option_c=12148 | option_d=28113 | answer=A | explanation=SI = PRT/100 = 16065×15×5/100 = █12048.

id=82829 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=13 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=82830 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 14, 23, 33? | option_a=23 | option_b=33 | option_c=14 | option_d=5 | answer=B | explanation=The first three numbers increase by 9, so the next should be 32. Therefore 33 is the odd one out.

Aptitude Questions — Records 82,831-82,860 of 100,000

id=82831 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■29760 at 4% per annum for 3 years. | option_a=3471 | option_b=3571 | option_c=33331 | option_d=3671 | answer=B | explanation=SI = PRT/100 = 29760×4×3/100 = ■3571.

id=82832 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=48 | option_b=59 | option_c=60 | option_d=70 | answer=B | explanation=The common difference is 11. Therefore the next term is 48 + 11 = 59.

id=82833 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1506. If it is sold at a profit of 50%, what is its selling price? | option_a=2109 | option_b=2409 | option_c=2259 | option_d=1556 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1506 × 150/100 = ■2259.

id=82834 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does "T" become? | option_a=S | option_b=U | option_c=V | option_d=T | answer=B | explanation=Move 1 positions forward from T; the resulting letter is U.

id=82835 | topic=Averages | difficulty=Easy | question=Find the average of 56, 77, 32, 38, 14, 55, 10, 57, 24, 27. | option_a=41 | option_b=38 | option_c=40 | option_d=39 | answer=D | explanation=Average = sum of values ÷ number of values = 390 ÷ 10 = 39.

id=82836 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=82837 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4267. If it is sold at a profit of 40%, what is its selling price? | option_a=5973 | option_b=4307 | option_c=5547 | option_d=6399 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4267 × 140/100 = ■5973.

id=82838 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:15 and the first is 65, what is the second? | option_a=180 | option_b=195 | option_c=200 | option_d=260 | answer=B | explanation=Scale factor = 65/5 = 13. Therefore second quantity = 15×13 = 195.

id=82839 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4466. If it is sold at a profit of 10%, what is its selling price? | option_a=4912 | option_b=5358 | option_c=4476 | option_d=4466 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4466 × 110/100 = ■4912.

id=82840 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■15747 at 10% per annum for 5 years. | option_a=7973 | option_b=7873 | option_c=7773 | option_d=23620 | answer=B | explanation=SI = PRT/100 = 15747×10×5/100 = ■7873.

id=82841 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=82842 | topic=Averages | difficulty=Easy | question=Find the average of 85, 78, 32, 99, 80, 47, 20, 70, 29. | option_a=59 | option_b=60 | option_c=62 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 540 ÷ 9 = 60.

id=82843 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■36823 at 5% per annum for 4 years. | option_a=44187 | option_b=7464 | option_c=7364 | option_d=7264 | answer=C | explanation=SI = PRT/100 = 36823×5×4/100 = ■7364.

id=82844 | topic=Percentages | difficulty=Easy | question=What is 5% of 251? | option_a=24 | option_b=32 | option_c=12 | option_d=2 | answer=C | explanation=5% of 251 = (5/100) × 251 = 12.

id=82845 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■10656 at 8% per annum for 1 years. | option_a=11508 | option_b=852 | option_c=752 | option_d=952 | answer=B | explanation=SI = PRT/100 = 10656×8×1/100 = ■852.

id=82846 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=19 | option_b=14 | option_c=18 | option_d=22 | answer=C | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.

id=82847 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=33 | option_b=27 | option_c=30 | option_d=31 | answer=C | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.

id=82848 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3022. If it is sold at a profit of 25%, what is its selling price? | option_a=3475 | option_b=3777 | option_c=4079 | option_d=3047 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3022 × 125/100 = ■3777.

id=82849 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:18 and the first is 144, what is the second? | option_a=288 | option_b=297 | option_c=432 | option_d=270 | answer=A | explanation=Scale factor = 144/9 = 16. Therefore second quantity = 18×16 = 288.

id=82850 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:18 and the first is 45, what is the second? | option_a=315 | option_b=252 | option_c=270 | option_d=273 | answer=C | explanation=Scale factor = 45/3 = 15. Therefore second quantity = 18×15 = 270.

id=82851 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=M | option_b=Y | option_c=U | option_d=Q | answer=C | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=82852 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■765. If it is sold at a profit of 40%, what is its selling price? | option_a=995 | option_b=805 | option_c=1071 | option_d=1147 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 765 × 140/100 = ■1071.

id=82853 | topic=Percentages | difficulty=Easy | question=What is 50% of 1498? | option_a=749 | option_b=1498 | option_c=754 | option_d=739 | answer=A | explanation=50% of 1498 = (50/100) × 1498 = 749.

id=82854 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=82855 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=43 | option_b=44 | option_c=34 | option_d=52 | answer=A | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

id=82856 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does "P" become? | option_a=U | option_b=Z | option_c=P | option_d=K | answer=A | explanation=Move 5 positions forward from P; the resulting letter is U.

id=82857 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 8, 10, 13? | option_a=8 | option_b=6 | option_c=13 | option_d=10 | answer=C | explanation=The first three numbers increase by 2, so the next should be 12. Therefore 13 is the odd one out.

id=82858 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=82859 | topic=Percentages | difficulty=Easy | question=What is 10% of 1960? | option_a=196 | option_b=392 | option_c=191 | option_d=201 | answer=A | explanation=10% of 1960 = (10/100) × 1960 = 196.

id=82860 | topic=Averages | difficulty=Easy | question=Find the average of 90, 80, 71, 62, 77. | option_a=77 | option_b=75 | option_c=78 | option_d=76 | answer=D | explanation=Average = sum of values ÷ number of values = 380 ÷ 5 = 76.

Aptitude Questions — Records 82,861-82,890 of 100,000

id=82861 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=L | option_b=R | option_c=N | option_d=P | answer=D | explanation=Move 2 positions forward from N; the resulting letter is P.

id=82862 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 5, 8, 11, ? | option_a=17 | option_b=11 | option_c=15 | option_d=14 | answer=D | explanation=The common difference is 3. Therefore the next term is 11 + 3 = 14.

id=82863 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=82864 | topic=Percentages | difficulty=Easy | question=What is 10% of 806? | option_a=85 | option_b=70 | option_c=80 | option_d=160 | answer=C | explanation=10% of 806 = (10/100) × 806 = 80.

id=82865 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2032. If it is sold at a profit of 5%, what is its selling price? | option_a=2336 | option_b=1930 | option_c=2037 | option_d=2133 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2032 × 105/100 = █2133.

id=82866 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=N | option_c=P | option_d=J | answer=B | explanation=Move 2 positions forward from L; the resulting letter is N.

id=82867 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=I | option_c=L | option_d=C | answer=B | explanation=Move 3 positions forward from F; the resulting letter is I.

id=82868 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39333 at 10% per annum for 4 years. | option_a=15733 | option_b=15633 | option_c=15833 | option_d=55066 | answer=A | explanation=SI = PRT/100 = 39333×10×4/100 = █15733.

id=82869 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:13 and the first is 72, what is the second? | option_a=104 | option_b=176 | option_c=91 | option_d=113 | answer=A | explanation=Scale factor = 72/9 = 8. Therefore second quantity = 13×8 = 104.

id=82870 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33542 at 6% per annum for 3 years. | option_a=5937 | option_b=6137 | option_c=39579 | option_d=6037 | answer=D | explanation=SI = PRT/100 = 33542×6×3/100 = █6037.

id=82871 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=R | option_b=M | option_c=H | option_d=W | answer=A | explanation=Move 5 positions forward from M; the resulting letter is R.

id=82872 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=10 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=82873 | topic=Profit & Loss | difficulty=Easy | question=An article costs █944. If it is sold at a profit of 10%, what is its selling price? | option_a=944 | option_b=1132 | option_c=954 | option_d=1038 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 944 × 110/100 = █1038.

id=82874 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=82875 | topic=Percentages | difficulty=Easy | question=What is 12% of 1076? | option_a=129 | option_b=258 | option_c=149 | option_d=109 | answer=A | explanation=12% of 1076 = (12/100) × 1076 = 129.

id=82876 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=82877 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=23 | option_b=30 | option_c=31 | option_d=37 | answer=B | explanation=The common difference is 7. Therefore the next term is 23 + 7 = 30.

id=82878 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7022 at 15% per annum for 4 years. | option_a=4313 | option_b=4213 | option_c=4113 | option_d=11235 | answer=B | explanation=SI = PRT/100 = 7022×15×4/100 = █4213.

id=82879 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=N | option_c=L | option_d=J | answer=B | explanation=Move 2 positions forward from L; the resulting letter is N.

id=82880 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=82881 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=150 | option_c=70 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=82882 | topic=Percentages | difficulty=Easy | question=What is 25% of 570? | option_a=142 | option_b=137 | option_c=152 | option_d=284 | answer=A | explanation=25% of 570 = (25/100) × 570 = 142.

id=82883 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=82884 | topic=Percentages | difficulty=Easy | question=What is 15% of 1941? | option_a=281 | option_b=291 | option_c=311 | option_d=582 | answer=B | explanation=15% of 1941 = (15/100) × 1941 = 291.

id=82885 | topic=Averages | difficulty=Easy | question=Find the average of 31, 73, 68, 87, 16, 17, 93. | option_a=55 | option_b=56 | option_c=57 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 385 ÷ 7 = 55.

id=82886 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:2 and the first is 72, what is the second? | option_a=26 | option_b=6 | option_c=8 | option_d=80 | answer=C | explanation=Scale factor = 72/18 = 4. Therefore second quantity = 2×4 = 8.

id=82887 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:20 and the first is 60, what is the second? | option_a=300 | option_b=245 | option_c=220 | option_d=240 | answer=D | explanation=Scale factor = 60/5 = 12. Therefore second quantity = 20×12 = 240.

id=82888 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:13 and the first is 60, what is the second? | option_a=117 | option_b=130 | option_c=136 | option_d=190 | answer=B | explanation=Scale factor = 60/6 = 10. Therefore second quantity = 13×10 = 130.

id=82889 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 20, 28, 37? | option_a=20 | option_b=28 | option_c=12 | option_d=37 | answer=D | explanation=The first three numbers increase by 8, so the next should be 36. Therefore 37 is the odd one out.

id=82890 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

Aptitude Questions — Records 82,891-82,920 of 100,000

id=82891 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 26. | option_a=130 | option_b=168 | option_c=156 | option_d=312 | answer=C | explanation=LCM × HCF = 12×26; HCF(12,26) = 2, so LCM = 156.

id=82892 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=I | option_b=G | option_c=J | option_d=H | answer=A | explanation=Move 1 positions forward from H; the resulting letter is I.

id=82893 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=82894 | topic=Averages | difficulty=Easy | question=Find the average of 60, 76, 38. | option_a=58 | option_b=60 | option_c=59 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 174 ÷ 3 = 58.

id=82895 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**29482 at 5% per annum for 4 years. | option_a=35378 | option_b=5896 | option_c=5796 | option_d=5996 | answer=B | explanation=SI = PRT/100 = 29482×5×4/100 = **₹**5896.

id=82896 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 14, 20, 28? | option_a=28 | option_b=8 | option_c=14 | option_d=20 | answer=A | explanation=The first three numbers increase by 6, so the next should be 26. Therefore 28 is the odd one out.

id=82897 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 6. | option_a=84 | option_b=36 | option_c=56 | option_d=42 | answer=D | explanation=LCM × HCF = 14×6; HCF(14,6) = 2, so LCM = 42.

id=82898 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**3022 at 8% per annum for 1 years. | option_a=35663 | option_b=2541 | option_c=2641 | option_d=2741 | answer=C | explanation=SI = PRT/100 = 3022×8×1/100 = **₹**2641.

id=82899 | topic=Averages | difficulty=Easy | question=Find the average of 65, 77, 64, 42, 32. | option_a=58 | option_b=56 | option_c=57 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 280 ÷ 5 = 56.

id=82900 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:14 and the first is 198, what is the second? | option_a=263 | option_b=238 | option_c=252 | option_d=450 | answer=C | explanation=Scale factor = 198/11 = 18. Therefore second quantity = 14×18 = 252.

id=82901 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=Q | option_b=G | option_c=V | option_d=L | answer=A | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=82902 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=K | option_b=P | option_c=A | option_d=F | answer=A | explanation=Move 5 positions forward from F; the resulting letter is K.

id=82903 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**30761 at 10% per annum for 2 years. | option_a=6152 | option_b=6252 | option_c=36913 | option_d=6052 | answer=A | explanation=SI = PRT/100 = 30761×10×2/100 = **₹**6152.

id=82904 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:2 and the first is 22, what is the second? | option_a=4 | option_b=26 | option_c=15 | option_d=2 | answer=A | explanation=Scale factor = 22/11 = 2. Therefore second quantity = 2×2 = 4.

id=82905 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=27 | option_b=35 | option_c=43 | option_d=36 | answer=B | explanation=The common difference is 8. Therefore the next term is 27 + 8 = 35.

id=82906 | topic=Averages | difficulty=Easy | question=Find the average of 86, 99, 65, 22. | option_a=67 | option_b=68 | option_c=69 | option_d=70 | answer=B | explanation=Average = sum of values ÷ number of values = 272 ÷ 4 = 68.

id=82907 | topic=Averages | difficulty=Easy | question=Find the average of 27, 78, 35, 84, 44, 56. | option_a=55 | option_b=56 | option_c=54 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 324 ÷ 6 = 54.

id=82908 | topic=Averages | difficulty=Easy | question=Find the average of 72, 74, 35, 62, 62, 62, 36, 90, 41, 96. | option_a=65 | option_b=62 | option_c=64 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 630 ÷ 10 = 63.

id=82909 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=90 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=82910 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**18347 at 10% per annum for 5 years. | option_a=9273 | option_b=27520 | option_c=9073 | option_d=9173 | answer=D | explanation=SI = PRT/100 = 18347×10×5/100 = **₹**9173.

id=82911 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=43 | option_b=63 | option_c=53 | option_d=54 | answer=C | explanation=The common difference is 10. Therefore the next term is 43 + 10 = 53.

id=82912 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3890. If it is sold at a profit of 25%, what is its selling price? | option_a=4473 | option_b=4862 | option_c=5251 | option_d=3915 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3890 × 125/100 = **₹**4862.

id=82913 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3258. If it is sold at a profit of 40%, what is its selling price? | option_a=4236 | option_b=4886 | option_c=4561 | option_d=3298 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3258 × 140/100 = **₹**4561.

id=82914 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:16 and the first is 165, what is the second? | option_a=191 | option_b=341 | option_c=176 | option_d=160 | answer=C | explanation=Scale factor = 165/15 = 11. Therefore second quantity = 16×11 = 176.

id=82915 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=82916 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:2 and the first is 228, what is the second? | option_a=36 | option_b=50 | option_c=266 | option_d=38 | answer=D | explanation=Scale factor = 228/12 = 19. Therefore second quantity = 2×19 = 38.

id=82917 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 39? | option_a=19 | option_b=39 | option_c=28 | option_d=10 | answer=B | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 39 is the odd one out.

id=82918 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**43510 at 5% per annum for 5 years. | option_a=10977 | option_b=54387 | option_c=10777 | option_d=10877 | answer=D | explanation=SI = PRT/100 = 43510×5×5/100 = **₹**10877.

id=82919 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=28 | option_b=36 | option_c=32 | option_d=33 | answer=C | explanation=The common difference is 4. Therefore the next term is 28 + 4 = 32.

id=82920 | topic=Percentages | difficulty=Easy | question=What is 12% of 906? | option_a=88 | option_b=128 | option_c=216 | option_d=108 | answer=D | explanation=12% of 906 = (12/100) × 906 = 108.

Aptitude Questions — Records 82,921-82,950 of 100,000

id=82921 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 10. | option_a=108 | option_b=90 | option_c=180 | option_d=80 | answer=B | explanation=LCM × HCF = 18×10; HCF(18,10) = 2, so LCM = 90.

id=82922 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=82923 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=160 | option_c=85 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=82924 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10864 at 10% per annum for 2 years. | option_a=2272 | option_b=2072 | option_c=13036 | option_d=2172 | answer=D | explanation=SI = PRT/100 = 10864×10×2/100 = **■**2172.

id=82925 | topic=Averages | difficulty=Easy | question=Find the average of 67, 90, 72, 61, 36, 48, 44, 54. | option_a=60 | option_b=58 | option_c=61 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 472 ÷ 8 = 59.

id=82926 | topic=Averages | difficulty=Easy | question=Find the average of 41, 53, 33, 66, 63, 14. | option_a=44 | option_b=46 | option_c=47 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 270 ÷ 6 = 45.

id=82927 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=82928 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:3 and the first is 220, what is the second? | option_a=60 | option_b=57 | option_c=280 | option_d=71 | answer=A | explanation=Scale factor = 220/11 = 20. Therefore second quantity = 3×20 = 60.

id=82929 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:19 and the first is 224, what is the second? | option_a=318 | option_b=285 | option_c=528 | option_d=304 | answer=D | explanation=Scale factor = 224/14 = 16. Therefore second quantity = 19×16 = 304.

id=82930 | topic=Averages | difficulty=Easy | question=Find the average of 27, 82, 52, 33, 65, 96, 51. | option_a=57 | option_b=60 | option_c=59 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 406 ÷ 7 = 58.

id=82931 | topic=Percentages | difficulty=Easy | question=What is 5% of 1168? | option_a=38 | option_b=58 | option_c=116 | option_d=63 | answer=B | explanation=5% of 1168 = (5/100) × 1168 = 58.

id=82932 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=K | option_c=O | option_d=C | answer=B | explanation=Move 4 positions forward from G; the resulting letter is K.

id=82933 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 11, 14, 18? | option_a=14 | option_b=11 | option_c=18 | option_d=8 | answer=C | explanation=The first three numbers increase by 3, so the next should be 17. Therefore 18 is the odd one out.

id=82934 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=82935 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=82936 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42188 at 6% per annum for 3 years. | option_a=49781 | option_b=7593 | option_c=7693 | option_d=7493 | answer=B | explanation=SI = PRT/100 = 42188×6×3/100 = **■**7593.

id=82937 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=L | option_c=O | option_d=F | answer=B | explanation=Move 3 positions forward from I; the resulting letter is L.

id=82938 | topic=Percentages | difficulty=Easy | question=What is 30% of 864? | option_a=518 | option_b=264 | option_c=259 | option_d=239 | answer=C | explanation=30% of 864 = (30/100) × 864 = 259.

id=82939 | topic=Averages | difficulty=Easy | question=Find the average of 28, 20, 92, 37, 96, 92, 47, 26, 57. | option_a=56 | option_b=54 | option_c=57 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.

id=82940 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=82941 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 16. | option_a=320 | option_b=64 | option_c=100 | option_d=80 | answer=D | explanation=LCM × HCF = 20×16; HCF(20,16) = 4, so LCM = 80.

id=82942 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 13, 19, 28? | option_a=28 | option_b=7 | option_c=13 | option_d=19 | answer=A | explanation=The first three numbers increase by 6, so the next should be 25. Therefore 28 is the odd one out.

id=82943 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=7 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=82944 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=U | option_b=P | option_c=K | option_d=F | answer=B | explanation=Move 5 positions forward from K; the resulting letter is P.

id=82945 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=L | option_b=K | option_c=J | option_d=M | answer=A | explanation=Move 1 positions forward from K; the resulting letter is L.

id=82946 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:9 and the first is 80, what is the second? | option_a=27 | option_b=56 | option_c=116 | option_d=36 | answer=D | explanation=Scale factor = 80/20 = 4. Therefore second quantity = 9×4 = 36.

id=82947 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4386. If it is sold at a profit of 25%, what is its selling price? | option_a=4411 | option_b=5482 | option_c=5920 | option_d=5044 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4386 × 125/100 = **■**5482.

id=82948 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2765. If it is sold at a profit of 20%, what is its selling price? | option_a=3042 | option_b=3318 | option_c=2785 | option_d=3594 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2765 × 120/100 = **■**3318.

id=82949 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42749 at 6% per annum for 2 years. | option_a=5029 | option_b=5229 | option_c=5129 | option_d=47878 | answer=C | explanation=SI = PRT/100 = 42749×6×2/100 = **■**5129.

id=82950 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14001 at 10% per annum for 2 years. | option_a=2700 | option_b=2800 | option_c=2900 | option_d=16801 | answer=B | explanation=SI = PRT/100 = 14001×10×2/100 = **■**2800.

Aptitude Questions — Records 82,951-82,980 of 100,000

id=82951 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=16 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=82952 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=46 | option_b=37 | option_c=53 | option_d=45 | answer=D | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=82953 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=90 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=82954 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 27. | option_a=108 | option_b=81 | option_c=120 | option_d=324 | answer=A | explanation=LCM × HCF = 12×27; HCF(12,27) = 3, so LCM = 108.

id=82955 | topic=Percentages | difficulty=Easy | question=What is 5% of 1583? | option_a=158 | option_b=59 | option_c=79 | option_d=99 | answer=C | explanation=5% of 1583 = (5/100) × 1583 = 79.

id=82956 | topic=Averages | difficulty=Easy | question=Find the average of 49, 72, 48, 89, 85, 55, 23, 15, 79, 85. | option_a=60 | option_b=61 | option_c=59 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=82957 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=80 | option_c=85 | option_d=75 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=82958 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=J | option_c=H | option_d=F | answer=B | explanation=Move 2 positions forward from H; the resulting letter is J.

id=82959 | topic=Averages | difficulty=Easy | question=Find the average of 90, 20, 11, 71, 10, 67, 41, 82. | option_a=48 | option_b=50 | option_c=49 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 392 ÷ 8 = 49.

id=82960 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1300. If it is sold at a profit of 50%, what is its selling price? | option_a=1350 | option_b=1950 | option_c=1820 | option_d=2080 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1300 × 150/100 = █1950.

id=82961 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=4 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=82962 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 26. | option_a=52 | option_b=26 | option_c=1 | option_d=28 | answer=B | explanation=LCM × HCF = 2×26; HCF(2,26) = 2, so LCM = 26.

id=82963 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=27 | option_b=17 | option_c=23 | option_d=22 | answer=D | explanation=The common difference is 5. Therefore the next term is 17 + 5 = 22.

id=82964 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=28 | option_b=30 | option_c=29 | option_d=26 | answer=A | explanation=The common difference is 2. Therefore the next term is 26 + 2 = 28.

id=82965 | topic=Percentages | difficulty=Easy | question=What is 15% of 1384? | option_a=197 | option_b=227 | option_c=414 | option_d=207 | answer=D | explanation=15% of 1384 = (15/100) × 1384 = 207.

id=82966 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=82967 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:4 and the first is 112, what is the second? | option_a=44 | option_b=140 | option_c=28 | option_d=24 | answer=C | explanation=Scale factor = 112/16 = 7. Therefore second quantity = 4×7 = 28.

id=82968 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=53 | option_c=48 | option_d=43 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=82969 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41697 at 4% per annum for 4 years. | option_a=48368 | option_b=6671 | option_c=6771 | option_d=6571 | answer=B | explanation=SI = PRT/100 = 41697×4×4/100 = █6671.

id=82970 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=6 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=82971 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1886. If it is sold at a profit of 50%, what is its selling price? | option_a=3017 | option_b=1936 | option_c=2641 | option_d=2829 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1886 × 150/100 = █2829.

id=82972 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37603 at 8% per annum for 4 years. | option_a=49635 | option_b=12132 | option_c=12032 | option_d=11932 | answer=C | explanation=SI = PRT/100 = 37603×8×4/100 = █12032.

id=82973 | topic=Averages | difficulty=Easy | question=Find the average of 23, 49, 71, 17, 16, 94. | option_a=46 | option_b=47 | option_c=44 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 270 ÷ 6 = 45.

id=82974 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=I | option_c=G | option_d=H | answer=B | explanation=Move 1 positions forward from H; the resulting letter is I.

id=82975 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 7. | option_a=42 | option_b=147 | option_c=14 | option_d=21 | answer=D | explanation=LCM × HCF = 21×7; HCF(21,7) = 7, so LCM = 21.

id=82976 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 45, what is the second? | option_a=9 | option_b=6 | option_c=24 | option_d=54 | answer=A | explanation=Scale factor = 45/15 = 3. Therefore second quantity = 3×3 = 9.

id=82977 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16264 at 6% per annum for 2 years. | option_a=1951 | option_b=2051 | option_c=18215 | option_d=1851 | answer=A | explanation=SI = PRT/100 = 16264×6×2/100 = █1951.

id=82978 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 15. | option_a=30 | option_b=225 | option_c=15 | option_d=1 | answer=C | explanation=LCM × HCF = 15×15; HCF(15,15) = 15, so LCM = 15.

id=82979 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=13 | option_c=18 | option_d=36 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=82980 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=R | option_c=L | option_d=U | answer=B | explanation=Move 3 positions forward from O; the resulting letter is R.

Aptitude Questions — Records 82,981-83,010 of 100,000

- id=82981 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2485. If it is sold at a profit of 50%, what is its selling price? | option_a=3479 | option_b=3727 | option_c=2535 | option_d=3975 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2485 × 150/100 = █3727.
- id=82982 | topic=Percentages | difficulty=Easy | question=What is 12% of 1577? | option_a=378 | option_b=209 | option_c=189 | option_d=184 | answer=C | explanation=12% of 1577 = (12/100) × 1577 = 189.
- id=82983 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29154 at 6% per annum for 5 years. | option_a=37900 | option_b=8746 | option_c=8646 | option_d=8846 | answer=B | explanation=SI = PRT/100 = 29154×6×5/100 = █8746.
- id=82984 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.
- id=82985 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=20 | option_b=21 | option_c=19 | option_d=17 | answer=C | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.
- id=82986 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=G | option_b=E | option_c=F | option_d=H | answer=A | explanation=Move 1 positions forward from F; the resulting letter is G.
- id=82987 | topic=Percentages | difficulty=Easy | question=What is 15% of 165? | option_a=19 | option_b=24 | option_c=48 | option_d=44 | answer=B | explanation=15% of 165 = (15/100) × 165 = 24.
- id=82988 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=J | option_b=S | option_c=M | option_d=P | answer=D | explanation=Move 3 positions forward from M; the resulting letter is P.
- id=82989 | topic=Averages | difficulty=Easy | question=Find the average of 42, 12, 99, 19, 38. | option_a=43 | option_b=44 | option_c=42 | option_d=41 | answer=C | explanation=Average = sum of values ÷ number of values = 210 ÷ 5 = 42.
- id=82990 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=59 | option_b=37 | option_c=48 | option_d=49 | answer=C | explanation=The common difference is 11. Therefore the next term is 37 + 11 = 48.
- id=82991 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 22, 31, 43? | option_a=31 | option_b=13 | option_c=22 | option_d=43 | answer=D | explanation=The first three numbers increase by 9, so the next should be 40. Therefore 43 is the odd one out.
- id=82992 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 21, 30, 40? | option_a=21 | option_b=30 | option_c=40 | option_d=12 | answer=C | explanation=The first three numbers increase by 9, so the next should be 39. Therefore 40 is the odd one out.
- id=82993 | topic=Profit & Loss | difficulty=Easy | question=An article costs █920. If it is sold at a profit of 20%, what is its selling price? | option_a=1012 | option_b=1104 | option_c=1196 | option_d=940 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 920 × 120/100 = █1104.
- id=82994 | topic=Percentages | difficulty=Easy | question=What is 5% of 1015? | option_a=100 | option_b=45 | option_c=50 | option_d=60 | answer=C | explanation=5% of 1015 = (5/100) × 1015 = 50.
- id=82995 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.
- id=82996 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=50 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.
- id=82997 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1610 at 4% per annum for 1 years. | option_a=164 | option_b=0 | option_c=64 | option_d=1674 | answer=C | explanation=SI = PRT/100 = 1610×4×1/100 = █64.
- id=82998 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 14. | option_a=176 | option_b=140 | option_c=308 | option_d=154 | answer=D | explanation=LCM × HCF = 22×14; HCF(22,14) = 2, so LCM = 154.
- id=82999 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=Q | option_b=V | option_c=G | option_d=L | answer=A | explanation=Move 5 positions forward from L; the resulting letter is Q.
- id=83000 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=O | option_c=J | option_d=Z | answer=C | explanation=Move 5 positions forward from E; the resulting letter is J.
- id=83001 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=5 | option_c=10 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.
- id=83002 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=12 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=83003 | topic=Averages | difficulty=Easy | question=Find the average of 37, 69, 37, 18, 31, 46, 63. | option_a=42 | option_b=44 | option_c=45 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = 301 ÷ 7 = 43.
- id=83004 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25155 at 15% per annum for 1 years. | option_a=3873 | option_b=3773 | option_c=3673 | option_d=28928 | answer=B | explanation=SI = PRT/100 = 25155×15×1/100 = █3773.
- id=83005 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:10 and the first is 8, what is the second? | option_a=42 | option_b=48 | option_c=30 | option_d=40 | answer=D | explanation=Scale factor = 8/2 = 4. Therefore second quantity = 10×4 = 40.
- id=83006 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 23? | option_a=18 | option_b=23 | option_c=16 | option_d=20 | answer=B | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 23 is the odd one out.
- id=83007 | topic=Averages | difficulty=Easy | question=Find the average of 100, 17, 83, 63, 42. | option_a=63 | option_b=60 | option_c=62 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 305 ÷ 5 = 61.
- id=83008 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1970. If it is sold at a profit of 25%, what is its selling price? | option_a=2659 | option_b=2462 | option_c=1995 | option_d=2265 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1970 × 125/100 = █2462.
- id=83009 | topic=Averages | difficulty=Easy | question=Find the average of 30, 31, 11. | option_a=25 | option_b=24 | option_c=23 | option_d=26 | answer=B | explanation=Average = sum of values ÷ number of values = 72 ÷ 3 = 24.
- id=83010 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=7 | option_d=17 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

Aptitude Questions — Records 83,011-83,040 of 100,000

id=83011 | topic=Percentages | difficulty=Easy | question=What is 20% of 991? | option_a=396 | option_b=203 | option_c=198 | option_d=193 | answer=C | explanation=20% of 991 = (20/100) × 991 = 198.

id=83012 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=42 | option_b=35 | option_c=28 | option_d=36 | answer=B | explanation=The common difference is 7. Therefore the next term is 28 + 7 = 35.

id=83013 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=125 | option_d=240 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=83014 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1058. If it is sold at a profit of 50%, what is its selling price? | option_a=1692 | option_b=1108 | option_c=1482 | option_d=1587 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1058 × 150/100 = █1587.

id=83015 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=4 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=83016 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=18 | option_c=13 | option_d=23 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=83017 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=83018 | topic=Percentages | difficulty=Easy | question=What is 25% of 1738? | option_a=439 | option_b=434 | option_c=868 | option_d=429 | answer=B | explanation=25% of 1738 = (25/100) × 1738 = 434.

id=83019 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2633. If it is sold at a profit of 50%, what is its selling price? | option_a=2683 | option_b=3686 | option_c=3949 | option_d=4212 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2633 × 150/100 = █3949.

id=83020 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:4 and the first is 20, what is the second? | option_a=40 | option_b=20 | option_c=24 | option_d=16 | answer=B | explanation=Scale factor = 20/4 = 5. Therefore second quantity = 4×5 = 20.

id=83021 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31133 at 15% per annum for 3 years. | option_a=14109 | option_b=13909 | option_c=14009 | option_d=45142 | answer=C | explanation=SI = PRT/100 = 31133×15×3/100 = █14009.

id=83022 | topic=Averages | difficulty=Easy | question=Find the average of 89, 63, 75, 50, 58. | option_a=66 | option_b=67 | option_c=68 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 335 ÷ 5 = 67.

id=83023 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:18 and the first is 340, what is the second? | option_a=360 | option_b=342 | option_c=700 | option_d=377 | answer=A | explanation=Scale factor = 340/17 = 20. Therefore second quantity = 18×20 = 360.

id=83024 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=Z | option_b=D | option_c=F | option_d=B | answer=B | explanation=Move 2 positions forward from B; the resulting letter is D.

id=83025 | topic=Percentages | difficulty=Easy | question=What is 10% of 1387? | option_a=158 | option_b=138 | option_c=276 | option_d=133 | answer=B | explanation=10% of 1387 = (10/100) × 1387 = 138.

id=83026 | topic=Percentages | difficulty=Easy | question=What is 15% of 1902? | option_a=285 | option_b=570 | option_c=280 | option_d=290 | answer=A | explanation=15% of 1902 = (15/100) × 1902 = 285.

id=83027 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=83028 | topic=Averages | difficulty=Easy | question=Find the average of 42, 29, 60, 101. | option_a=58 | option_b=59 | option_c=60 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 232 ÷ 4 = 58.

id=83029 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:12 and the first is 204, what is the second? | option_a=216 | option_b=408 | option_c=204 | option_d=192 | answer=C | explanation=Scale factor = 204/12 = 17. Therefore second quantity = 12×17 = 204.

id=83030 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:20 and the first is 323, what is the second? | option_a=360 | option_b=397 | option_c=703 | option_d=380 | answer=D | explanation=Scale factor = 323/17 = 19. Therefore second quantity = 20×19 = 380.

id=83031 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49431 at 12% per annum for 1 years. | option_a=5931 | option_b=6031 | option_c=5831 | option_d=55362 | answer=A | explanation=SI = PRT/100 = 49431×12×1/100 = █5931.

id=83032 | topic=Averages | difficulty=Easy | question=Find the average of 86, 40, 66, 28, 96, 95, 10, 51. | option_a=59 | option_b=58 | option_c=61 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 472 ÷ 8 = 59.

id=83033 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=83034 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 26, 28, 31? | option_a=26 | option_b=24 | option_c=31 | option_d=28 | answer=C | explanation=The first three numbers increase by 2, so the next should be 30. Therefore 31 is the odd one out.

id=83035 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=18 | option_c=23 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=83036 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=40 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=83037 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 18. | option_a=1 | option_b=324 | option_c=18 | option_d=36 | answer=C | explanation=LCM × HCF = 18×18; HCF(18,18) = 18, so LCM = 18.

id=83038 | topic=Averages | difficulty=Easy | question=Find the average of 72, 81, 12. | option_a=55 | option_b=54 | option_c=56 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 165 ÷ 3 = 55.

id=83039 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=W | option_b=L | option_c=B | option_d=G | answer=D | explanation=Move 5 positions forward from B; the resulting letter is G.

id=83040 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=Y | option_b=H | option_c=E | option_d=B | answer=C | explanation=Move 3 positions forward from B; the resulting letter is E.

Aptitude Questions — Records 83,041-83,070 of 100,000

id=83041 | topic=Profit & Loss | difficulty=Easy | question=An article costs █167. If it is sold at a profit of 30%, what is its selling price? | option_a=197 | option_b=233 | option_c=217 | option_d=201 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 167 × 130/100 = █217.

id=83042 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 22. | option_a=44 | option_b=22 | option_c=1 | option_d=24 | answer=B | explanation=LCM × HCF = 2×22; HCF(2,22) = 2, so LCM = 22.

id=83043 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21. ? | option_a=21 | option_b=25 | option_c=27 | option_d=24 | answer=D | explanation=The common difference is 3. Therefore the next term is 21 + 3 = 24.

id=83044 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=83045 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16998 at 10% per annum for 3 years. | option_a=5099 | option_b=4999 | option_c=5199 | option_d=22097 | answer=A | explanation=SI = PRT/100 = 16998×10×3/100 = █5099.

id=83046 | topic=Averages | difficulty=Easy | question=Find the average of 24, 43, 64, 95, 46, 28. | option_a=51 | option_b=49 | option_c=52 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 300 ÷ 6 = 50.

id=83047 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=83048 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=S | option_b=M | option_c=J | option_d=P | answer=D | explanation=Move 3 positions forward from M; the resulting letter is P.

id=83049 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:9 and the first is 84, what is the second? | option_a=210 | option_b=117 | option_c=126 | option_d=132 | answer=C | explanation=Scale factor = 84/6 = 14. Therefore second quantity = 9×14 = 126.

id=83050 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20. ? | option_a=26 | option_b=24 | option_c=23 | option_d=20 | answer=C | explanation=The common difference is 3. Therefore the next term is 20 + 3 = 23.

id=83051 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=83052 | topic=Averages | difficulty=Easy | question=Find the average of 79, 93, 55, 48, 70. | option_a=71 | option_b=69 | option_c=68 | option_d=70 | answer=B | explanation=Average = sum of values ÷ number of values = 345 ÷ 5 = 69.

id=83053 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=6 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=83054 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47. ? | option_a=47 | option_b=69 | option_c=58 | option_d=59 | answer=C | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.

id=83055 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=O | option_b=U | option_c=R | option_d=X | answer=B | explanation=Move 3 positions forward from R; the resulting letter is U.

id=83056 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 43? | option_a=32 | option_b=27 | option_c=37 | option_d=43 | answer=D | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 43 is the odd one out.

id=83057 | topic=Averages | difficulty=Easy | question=Find the average of 63, 59, 36, 10, 77, 28, 73, 38. | option_a=49 | option_b=48 | option_c=50 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 384 ÷ 8 = 48.

id=83058 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27. ? | option_a=27 | option_b=32 | option_c=37 | option_d=33 | answer=B | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

id=83059 | topic=Percentages | difficulty=Easy | question=What is 20% of 1437? | option_a=277 | option_b=574 | option_c=307 | option_d=287 | answer=D | explanation=20% of 1437 = (20/100) × 1437 = 287.

id=83060 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:1 and the first is 380, what is the second? | option_a=39 | option_b=400 | option_c=19 | option_d=20 | answer=D | explanation=Scale factor = 380/19 = 20. Therefore second quantity = 1×20 = 20.

id=83061 | topic=Averages | difficulty=Easy | question=Find the average of 48, 25, 98. | option_a=57 | option_b=59 | option_c=58 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 171 ÷ 3 = 57.

id=83062 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=83063 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42. ? | option_a=42 | option_b=53 | option_c=52 | option_d=62 | answer=C | explanation=The common difference is 10. Therefore the next term is 42 + 10 = 52.

id=83064 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:10 and the first is 16, what is the second? | option_a=40 | option_b=30 | option_c=56 | option_d=44 | answer=A | explanation=Scale factor = 16/4 = 4. Therefore second quantity = 10×4 = 40.

id=83065 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37. ? | option_a=37 | option_b=43 | option_c=49 | option_d=44 | answer=B | explanation=The common difference is 6. Therefore the next term is 37 + 6 = 43.

id=83066 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=25 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=83067 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 21? | option_a=15 | option_b=21 | option_c=9 | option_d=12 | answer=B | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 21 is the odd one out.

id=83068 | topic=Averages | difficulty=Easy | question=Find the average of 65, 83, 33, 59, 65. | option_a=60 | option_b=63 | option_c=62 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 305 ÷ 5 = 61.

id=83069 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=83070 | topic=Percentages | difficulty=Easy | question=What is 12% of 622? | option_a=94 | option_b=74 | option_c=69 | option_d=148 | answer=B | explanation=12% of 622 = (12/100) × 622 = 74.

Aptitude Questions — Records 83,071-83,100 of 100,000

id=83071 | topic=Percentages | difficulty=Easy | question=What is 12% of 1305? | option_a=161 | option_b=312 | option_c=156 | option_d=146 | answer=C | explanation=12% of 1305 = (12/100) × 1305 = 156.

id=83072 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=24 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=83073 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■38389 at 10% per annum for 2 years. | option_a=7577 | option_b=7777 | option_c=7677 | option_d=46066 | answer=C | explanation=SI = PRT/100 = 38389×10×2/100 = ■7677.

id=83074 | topic=Percentages | difficulty=Easy | question=What is 20% of 1209? | option_a=482 | option_b=231 | option_c=246 | option_d=241 | answer=D | explanation=20% of 1209 = (20/100) × 1209 = 241.

id=83075 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=N | option_c=T | option_d=W | answer=C | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=83076 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 36? | option_a=24 | option_b=14 | option_c=4 | option_d=36 | answer=D | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 36 is the odd one out.

id=83077 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1617. If it is sold at a profit of 30%, what is its selling price? | option_a=2102 | option_b=1647 | option_c=1941 | option_d=2263 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1617 × 130/100 = ■2102.

id=83078 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:8 and the first is 300, what is the second? | option_a=160 | option_b=152 | option_c=175 | option_d=460 | answer=A | explanation=Scale factor = 300/15 = 20. Therefore second quantity = 8×20 = 160.

id=83079 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 18. | option_a=18 | option_b=1 | option_c=324 | option_d=36 | answer=A | explanation=LCM × HCF = 18×18; HCF(18,18) = 18, so LCM = 18.

id=83080 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=I | option_b=L | option_c=F | option_d=C | answer=A | explanation=Move 3 positions forward from F; the resulting letter is I.

id=83081 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=83082 | topic=Averages | difficulty=Easy | question=Find the average of 64, 81, 76, 20, 75, 44, 20, 62, 53. | option_a=54 | option_b=57 | option_c=55 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.

id=83083 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=H | option_c=F | option_d=I | answer=B | explanation=Move 1 positions forward from G; the resulting letter is H.

id=83084 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=46 | option_b=35 | option_c=57 | option_d=47 | answer=A | explanation=The common difference is 11. Therefore the next term is 35 + 11 = 46.

id=83085 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=83086 | topic=Averages | difficulty=Easy | question=Find the average of 74, 66, 37, 13, 55, 97, 23, 88, 21, 96. | option_a=58 | option_b=56 | option_c=57 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.

id=83087 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=83088 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■8916 at 5% per annum for 1 years. | option_a=345 | option_b=445 | option_c=545 | option_d=9361 | answer=B | explanation=SI = PRT/100 = 8916×5×1/100 = ■445.

id=83089 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 26, 34, 42, ? | option_a=51 | option_b=50 | option_c=58 | option_d=42 | answer=B | explanation=The common difference is 8. Therefore the next term is 42 + 8 = 50.

id=83090 | topic=Averages | difficulty=Easy | question=Find the average of 70, 96, 90, 29, 34, 17, 89, 24, 55. | option_a=55 | option_b=56 | option_c=58 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=83091 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=83092 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=70 | option_c=80 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=83093 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 13, 16, 21? | option_a=21 | option_b=13 | option_c=16 | option_d=10 | answer=A | explanation=The first three numbers increase by 3, so the next should be 19. Therefore 21 is the odd one out.

id=83094 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 23, 25, 29? | option_a=23 | option_b=21 | option_c=29 | option_d=25 | answer=C | explanation=The first three numbers increase by 2, so the next should be 27. Therefore 29 is the odd one out.

id=83095 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4617. If it is sold at a profit of 25%, what is its selling price? | option_a=5310 | option_b=6232 | option_c=5771 | option_d=4642 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4617 × 125/100 = ■5771.

id=83096 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■47632 at 15% per annum for 1 years. | option_a=7044 | option_b=7144 | option_c=7244 | option_d=54776 | answer=B | explanation=SI = PRT/100 = 47632×15×1/100 = ■7144.

id=83097 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 31, 39, 50? | option_a=39 | option_b=23 | option_c=31 | option_d=50 | answer=D | explanation=The first three numbers increase by 8, so the next should be 47. Therefore 50 is the odd one out.

id=83098 | topic=Averages | difficulty=Easy | question=Find the average of 95, 51, 78, 74, 12. | option_a=64 | option_b=61 | option_c=62 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = 310 ÷ 5 = 62.

id=83099 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=83100 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:9 and the first is 126, what is the second? | option_a=207 | option_b=95 | option_c=72 | option_d=81 | answer=D | explanation=Scale factor = 126/14 = 9. Therefore second quantity = 9×9 = 81.

Aptitude Questions — Records 83,101-83,130 of 100,000

id=83101 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1828. If it is sold at a profit of 10%, what is its selling price? | option_a=1828 | option_b=1838 | option_c=2010 | option_d=2192 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1828 × 110/100 = █2010.

id=83102 | topic=Percentages | difficulty=Easy | question=What is 30% of 131? | option_a=29 | option_b=59 | option_c=39 | option_d=78 | answer=C | explanation=30% of 131 = (30/100) × 131 = 39.

id=83103 | topic=Averages | difficulty=Easy | question=Find the average of 42, 99, 72. | option_a=70 | option_b=72 | option_c=73 | option_d=71 | answer=D | explanation=Average = sum of values ÷ number of values = 213 ÷ 3 = 71.

id=83104 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=83105 | topic=Averages | difficulty=Easy | question=Find the average of 74, 70, 36, 37, 43. | option_a=51 | option_b=52 | option_c=54 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 260 ÷ 5 = 52.

id=83106 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=C | option_c=A | option_d=B | answer=B | explanation=Move 1 positions forward from B; the resulting letter is C.

id=83107 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=M | option_b=Q | option_c=O | option_d=S | answer=B | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=83108 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5360 at 15% per annum for 5 years. | option_a=9380 | option_b=4020 | option_c=4120 | option_d=3920 | answer=B | explanation=SI = PRT/100 = 5360×15×5/100 = █4020.

id=83109 | topic=Percentages | difficulty=Easy | question=What is 50% of 936? | option_a=448 | option_b=468 | option_c=488 | option_d=936 | answer=B | explanation=50% of 936 = (50/100) × 936 = 468.

id=83110 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=56 | option_b=44 | option_c=57 | option_d=68 | answer=A | explanation=The common difference is 12. Therefore the next term is 44 + 12 = 56.

id=83111 | topic=Averages | difficulty=Easy | question=Find the average of 21, 93, 82, 23, 72, 72, 61, 72, 53. | option_a=62 | option_b=63 | option_c=60 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 549 ÷ 9 = 61.

id=83112 | topic=Profit & Loss | difficulty=Easy | question=An article costs █628. If it is sold at a profit of 40%, what is its selling price? | option_a=817 | option_b=879 | option_c=941 | option_d=668 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 628 × 140/100 = █879.

id=83113 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=23 | option_d=13 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=83114 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 33, 42, 54? | option_a=42 | option_b=33 | option_c=24 | option_d=54 | answer=D | explanation=The first three numbers increase by 9, so the next should be 51. Therefore 54 is the odd one out.

id=83115 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=77 | option_c=67 | option_d=144 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=83116 | topic=Percentages | difficulty=Easy | question=What is 5% of 236? | option_a=22 | option_b=0 | option_c=11 | option_d=31 | answer=C | explanation=5% of 236 = (5/100) × 236 = 11.

id=83117 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=115 | option_c=125 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=83118 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=19 | option_b=23 | option_c=21 | option_d=22 | answer=C | explanation=The common difference is 2. Therefore the next term is 19 + 2 = 21.

id=83119 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16235 at 5% per annum for 1 years. | option_a=17046 | option_b=911 | option_c=811 | option_d=711 | answer=C | explanation=SI = PRT/100 = 16235×5×1/100 = █811.

id=83120 | topic=Percentages | difficulty=Easy | question=What is 30% of 289? | option_a=172 | option_b=91 | option_c=86 | option_d=66 | answer=C | explanation=30% of 289 = (30/100) × 289 = 86.

id=83121 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=Y | option_c=G | option_d=K | answer=C | explanation=Move 4 positions forward from C; the resulting letter is G.

id=83122 | topic=Profit & Loss | difficulty=Easy | question=An article costs █598. If it is sold at a profit of 30%, what is its selling price? | option_a=628 | option_b=777 | option_c=836 | option_d=718 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 598 × 130/100 = █777.

id=83123 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 32? | option_a=32 | option_b=14 | option_c=24 | option_d=19 | answer=A | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 32 is the odd one out.

id=83124 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:4 and the first is 280, what is the second? | option_a=80 | option_b=94 | option_c=76 | option_d=360 | answer=A | explanation=Scale factor = 280/14 = 20. Therefore second quantity = 4×20 = 80.

id=83125 | topic=Averages | difficulty=Easy | question=Find the average of 28, 38, 54, 20, 78, 65, 55, 38. | option_a=48 | option_b=47 | option_c=49 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 376 ÷ 8 = 47.

id=83126 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=G | option_c=Y | option_d=K | answer=B | explanation=Move 4 positions forward from C; the resulting letter is G.

id=83127 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:16 and the first is 187, what is the second? | option_a=193 | option_b=160 | option_c=363 | option_d=176 | answer=D | explanation=Scale factor = 187/17 = 11. Therefore second quantity = 16×11 = 176.

id=83128 | topic=Percentages | difficulty=Easy | question=What is 40% of 1365? | option_a=536 | option_b=546 | option_c=566 | option_d=1092 | answer=B | explanation=40% of 1365 = (40/100) × 1365 = 546.

id=83129 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=83130 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 33? | option_a=28 | option_b=25 | option_c=22 | option_d=33 | answer=D | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 33 is the odd one out.

Aptitude Questions — Records 83,131-83,160 of 100,000

id=83131 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:4 and the first is 90, what is the second? | option_a=130 | option_b=36 | option_c=40 | option_d=49 | answer=C | explanation=Scale factor = 90/9 = 10. Therefore second quantity = 4×10 = 40.

id=83132 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=20 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=83133 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=25 | option_b=30 | option_c=35 | option_d=31 | answer=B | explanation=The common difference is 5. Therefore the next term is 25 + 5 = 30.

id=83134 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=54 | option_b=43 | option_c=63 | option_d=53 | answer=D | explanation=The common difference is 10. Therefore the next term is 43 + 10 = 53.

id=83135 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=24 | option_c=48 | option_d=29 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=83136 | topic=Averages | difficulty=Easy | question=Find the average of 50, 90, 97, 90, 16, 39, 27, 62, 96. | option_a=65 | option_b=64 | option_c=63 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 567 ÷ 9 = 63.

id=83137 | topic=Profit & Loss | difficulty=Easy | question=An article costs █450. If it is sold at a profit of 15%, what is its selling price? | option_a=517 | option_b=472 | option_c=562 | option_d=465 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 450 × 115/100 = █517.

id=83138 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:12 and the first is 176, what is the second? | option_a=132 | option_b=308 | option_c=120 | option_d=148 | answer=A | explanation=Scale factor = 176/16 = 11. Therefore second quantity = 12×11 = 132.

id=83139 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4669. If it is sold at a profit of 20%, what is its selling price? | option_a=5602 | option_b=4689 | option_c=5136 | option_d=6068 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4669 × 120/100 = █5602.

id=83140 | topic=Averages | difficulty=Easy | question=Find the average of 47, 79, 84. | option_a=72 | option_b=70 | option_c=71 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 210 ÷ 3 = 70.

id=83141 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=83142 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 30. | option_a=36 | option_b=1 | option_c=30 | option_d=180 | answer=C | explanation=LCM × HCF = 6×30; HCF(6,30) = 6, so LCM = 30.

id=83143 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45510 at 12% per annum for 5 years. | option_a=72816 | option_b=27406 | option_c=27306 | option_d=27206 | answer=C | explanation=SI = PRT/100 = 45510×12×5/100 = █27306.

id=83144 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:8 and the first is 234, what is the second? | option_a=104 | option_b=96 | option_c=338 | option_d=122 | answer=A | explanation=Scale factor = 234/18 = 13. Therefore second quantity = 8×13 = 104.

id=83145 | topic=Averages | difficulty=Easy | question=Find the average of 72, 46, 31, 31, 89, 93, 47, 71. | option_a=60 | option_b=62 | option_c=61 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 480 ÷ 8 = 60.

id=83146 | topic=Averages | difficulty=Easy | question=Find the average of 77, 93, 89, 97. | option_a=91 | option_b=89 | option_c=88 | option_d=90 | answer=B | explanation=Average = sum of values ÷ number of values = 356 ÷ 4 = 89.

id=83147 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 28? | option_a=5 | option_b=12 | option_c=19 | option_d=28 | answer=D | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 28 is the odd one out.

id=83148 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2928. If it is sold at a profit of 25%, what is its selling price? | option_a=3660 | option_b=3952 | option_c=2953 | option_d=3368 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2928 × 125/100 = █3660.

id=83149 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=40 | option_b=52 | option_c=51 | option_d=62 | answer=C | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=83150 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:13 and the first is 76, what is the second? | option_a=52 | option_b=39 | option_c=128 | option_d=71 | answer=A | explanation=Scale factor = 76/19 = 4. Therefore second quantity = 13×4 = 52.

id=83151 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:19 and the first is 12, what is the second? | option_a=88 | option_b=76 | option_c=57 | option_d=79 | answer=B | explanation=Scale factor = 12/3 = 4. Therefore second quantity = 19×4 = 76.

id=83152 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=83153 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2862. If it is sold at a profit of 25%, what is its selling price? | option_a=3291 | option_b=3863 | option_c=2887 | option_d=3577 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2862 × 125/100 = █3577.

id=83154 | topic=Averages | difficulty=Easy | question=Find the average of 97, 62, 77, 73, 70, 17. | option_a=68 | option_b=67 | option_c=65 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = 396 ÷ 6 = 66.

id=83155 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1106. If it is sold at a profit of 5%, what is its selling price? | option_a=1271 | option_b=1161 | option_c=1051 | option_d=1111 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1106 × 105/100 = █1161.

id=83156 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 13, 16, 20? | option_a=10 | option_b=16 | option_c=20 | option_d=13 | answer=C | explanation=The first three numbers increase by 3, so the next should be 19. Therefore 20 is the odd one out.

id=83157 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43152 at 15% per annum for 4 years. | option_a=25791 | option_b=69043 | option_c=25991 | option_d=25891 | answer=D | explanation=SI = PRT/100 = 43152×15×4/100 = █25891.

id=83158 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=83159 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=83160 | topic=Percentages | difficulty=Easy | question=What is 50% of 794? | option_a=417 | option_b=397 | option_c=377 | option_d=794 | answer=B | explanation=50% of 794 = (50/100) × 794 = 397.

Aptitude Questions — Records 83,161-83,190 of 100,000

id=83161 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25231 at 5% per annum for 5 years. | option_a=6207 | option_b=6407 | option_c=31538 | option_d=6307 | answer=D | explanation=SI = $PRT/100 = 25231 \times 5 \times 5/100 =$ **■**6307.

id=83162 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:10 and the first is 57, what is the second? | option_a=20 | option_b=30 | option_c=87 | option_d=49 | answer=B | explanation=Scale factor = $57/19 = 3$. Therefore second quantity = $10 \times 3 = 30$.

id=83163 | topic=Percentages | difficulty=Easy | question=What is 15% of 304? | option_a=45 | option_b=25 | option_c=90 | option_d=65 | answer=A | explanation=15% of 304 = $(15/100) \times 304 = 45$.

id=83164 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21481 at 15% per annum for 1 years. | option_a=24703 | option_b=3222 | option_c=3122 | option_d=3322 | answer=B | explanation=SI = $PRT/100 = 21481 \times 15 \times 1/100 =$ **■**3222.

id=83165 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4356 at 6% per annum for 5 years. | option_a=5662 | option_b=1206 | option_c=1406 | option_d=1306 | answer=D | explanation=SI = $PRT/100 = 4356 \times 6 \times 5/100 =$ **■**1306.

id=83166 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = $60 \div 4 = 15$ km/h.

id=83167 | topic=Averages | difficulty=Easy | question=Find the average of 59, 74, 17, 88, 58, 100, 94. | option_a=69 | option_b=70 | option_c=71 | option_d=72 | answer=B | explanation=Average = sum of values ÷ number of values = $490 \div 7 = 70$.

id=83168 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**301. If it is sold at a profit of 5%, what is its selling price? | option_a=346 | option_b=286 | option_c=306 | option_d=316 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 301 \times 105/100 =$ **■**316.

id=83169 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=83170 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=I | option_b=C | option_c=F | option_d=L | answer=A | explanation=Move 3 positions forward from F; the resulting letter is I.

id=83171 | topic=Averages | difficulty=Easy | question=Find the average of 25, 88, 76. | option_a=62 | option_b=65 | option_c=63 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = $189 \div 3 = 63$.

id=83172 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:15 and the first is 304, what is the second? | option_a=270 | option_b=285 | option_c=589 | option_d=301 | answer=B | explanation=Scale factor = $304/16 = 19$. Therefore second quantity = $15 \times 19 = 285$.

id=83173 | topic=Percentages | difficulty=Easy | question=What is 15% of 1743? | option_a=281 | option_b=261 | option_c=241 | option_d=522 | answer=B | explanation=15% of 1743 = $(15/100) \times 1743 = 261$.

id=83174 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:16 and the first is 36, what is the second? | option_a=180 | option_b=144 | option_c=128 | option_d=148 | answer=B | explanation=Scale factor = $36/4 = 9$. Therefore second quantity = $16 \times 9 = 144$.

id=83175 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=P | option_c=K | option_d=A | answer=C | explanation=Move 5 positions forward from F; the resulting letter is K.

id=83176 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:14 and the first is 112, what is the second? | option_a=98 | option_b=84 | option_c=210 | option_d=114 | answer=A | explanation=Scale factor = $112/16 = 7$. Therefore second quantity = $14 \times 7 = 98$.

id=83177 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=X | option_b=P | option_c=L | option_d=T | answer=D | explanation=Move 4 positions forward from P; the resulting letter is T.

id=83178 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 24? | option_a=5 | option_b=24 | option_c=17 | option_d=11 | answer=B | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 24 is the odd one out.

id=83179 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12470 at 4% per annum for 5 years. | option_a=2494 | option_b=2594 | option_c=14964 | option_d=2394 | answer=A | explanation=SI = $PRT/100 = 12470 \times 4 \times 5/100 =$ **■**2494.

id=83180 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=83181 | topic=Percentages | difficulty=Easy | question=What is 15% of 305? | option_a=55 | option_b=40 | option_c=90 | option_d=45 | answer=D | explanation=15% of 305 = $(15/100) \times 305 = 45$.

id=83182 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 16, 23, 30, ? | option_a=38 | option_b=30 | option_c=44 | option_d=37 | answer=D | explanation=The common difference is 7. Therefore the next term is $30 + 7 = 37$.

id=83183 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27818 at 15% per annum for 2 years. | option_a=36163 | option_b=8245 | option_c=8345 | option_d=8445 | answer=C | explanation=SI = $PRT/100 = 27818 \times 15 \times 2/100 =$ **■**8345.

id=83184 | topic=Percentages | difficulty=Easy | question=What is 5% of 640? | option_a=37 | option_b=64 | option_c=32 | option_d=12 | answer=C | explanation=5% of 640 = $(5/100) \times 640 = 32$.

id=83185 | topic=Averages | difficulty=Easy | question=Find the average of 36, 41, 87, 52, 43, 77. | option_a=56 | option_b=55 | option_c=57 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = $336 \div 6 = 56$.

id=83186 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=300 | option_c=145 | option_d=155 | answer=A | explanation=Speed = distance ÷ time = $300 \div 2 = 150$ km/h.

id=83187 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2540. If it is sold at a profit of 50%, what is its selling price? | option_a=4064 | option_b=3556 | option_c=2590 | option_d=3810 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2540 \times 150/100 =$ **■**3810.

id=83188 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4725. If it is sold at a profit of 20%, what is its selling price? | option_a=6142 | option_b=4745 | option_c=5198 | option_d=5670 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4725 \times 120/100 =$ **■**5670.

id=83189 | topic=Averages | difficulty=Easy | question=Find the average of 20, 53, 14, 22, 41. | option_a=31 | option_b=32 | option_c=29 | option_d=30 | answer=D | explanation=Average = sum of values ÷ number of values = $150 \div 5 = 30$.

id=83190 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

Aptitude Questions — Records 83,191-83,220 of 100,000

id=83191 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:5 and the first is 27, what is the second? | option_a=10 | option_b=42 | option_c=24 | option_d=15 | answer=D | explanation=Scale factor = 27/9 = 3. Therefore second quantity = 5×3 = 15.

id=83192 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=Z | option_c=L | option_d=H | answer=D | explanation=Move 4 positions forward from D; the resulting letter is H.

id=83193 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=83194 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=83195 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=K | option_c=A | option_d=P | answer=B | explanation=Move 5 positions forward from F; the resulting letter is K.

id=83196 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=83197 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=83198 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 28. | option_a=160 | option_b=112 | option_c=140 | option_d=560 | answer=C | explanation=LCM × HCF = 20×28; HCF(20,28) = 4, so LCM = 140.

id=83199 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 28, 38, 48, ? | option_a=48 | option_b=59 | option_c=58 | option_d=68 | answer=C | explanation=The common difference is 10. Therefore the next term is 48 + 10 = 58.

id=83200 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 21. | option_a=84 | option_b=112 | option_c=588 | option_d=63 | answer=A | explanation=LCM × HCF = 28×21; HCF(28,21) = 7, so LCM = 84.

id=83201 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 30? | option_a=19 | option_b=15 | option_c=30 | option_d=23 | answer=C | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 30 is the odd one out.

id=83202 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=Z | option_b=O | option_c=J | option_d=E | answer=C | explanation=Move 5 positions forward from E; the resulting letter is J.

id=83203 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:9 and the first is 28, what is the second? | option_a=64 | option_b=43 | option_c=27 | option_d=36 | answer=D | explanation=Scale factor = 28/7 = 4. Therefore second quantity = 9×4 = 36.

id=83204 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=95 | option_c=85 | option_d=180 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=83205 | topic=Averages | difficulty=Easy | question=Find the average of 79, 17, 20, 91, 35, 14, 90, 61, 43. | option_a=49 | option_b=50 | option_c=52 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 450 ÷ 9 = 50.

id=83206 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 23? | option_a=2 | option_b=8 | option_c=23 | option_d=14 | answer=C | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 23 is the odd one out.

id=83207 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2778. If it is sold at a profit of 25%, what is its selling price? | option_a=3749 | option_b=3195 | option_c=3472 | option_d=2803 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2778 × 125/100 = ₹3472.

id=83208 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 9, 13, 18? | option_a=5 | option_b=9 | option_c=18 | option_d=13 | answer=C | explanation=The first three numbers increase by 4, so the next should be 17. Therefore 18 is the odd one out.

id=83209 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹12356 at 5% per annum for 5 years. | option_a=3089 | option_b=3189 | option_c=15445 | option_d=2989 | answer=A | explanation=SI = PRT/100 = 12356×5×5/100 = ₹3089.

id=83210 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2810. If it is sold at a profit of 25%, what is its selling price? | option_a=2835 | option_b=3231 | option_c=3793 | option_d=3512 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2810 × 125/100 = ₹3512.

id=83211 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=31 | option_c=36 | option_d=72 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=83212 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:3 and the first is 16, what is the second? | option_a=26 | option_b=24 | option_c=40 | option_d=21 | answer=B | explanation=Scale factor = 16/2 = 8. Therefore second quantity = 3×8 = 24.

id=83213 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=B | option_c=K | option_d=H | answer=D | explanation=Move 3 positions forward from E; the resulting letter is H.

id=83214 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹4653. If it is sold at a profit of 40%, what is its selling price? | option_a=6514 | option_b=4693 | option_c=6979 | option_d=6049 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4653 × 140/100 = ₹6514.

id=83215 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=H | option_b=N | option_c=J | option_d=L | answer=D | explanation=Move 2 positions forward from J; the resulting letter is L.

id=83216 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=9 | option_c=4 | option_d=14 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=83217 | topic=Percentages | difficulty=Easy | question=What is 5% of 622? | option_a=62 | option_b=31 | option_c=26 | option_d=51 | answer=B | explanation=5% of 622 = (5/100) × 622 = 31.

id=83218 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 58? | option_a=47 | option_b=37 | option_c=58 | option_d=27 | answer=C | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 58 is the odd one out.

id=83219 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹21383 at 12% per annum for 1 years. | option_a=2465 | option_b=2565 | option_c=2665 | option_d=23948 | answer=B | explanation=SI = PRT/100 = 21383×12×1/100 = ₹2565.

id=83220 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 83,221-83,250 of 100,000

id=83221 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=83222 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 14. | option_a=364 | option_b=208 | option_c=182 | option_d=168 | answer=C | explanation=LCM × HCF = 26×14; HCF(26,14) = 2, so LCM = 182.

id=83223 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48997 at 10% per annum for 3 years. | option_a=14799 | option_b=14699 | option_c=63696 | option_d=14599 | answer=B | explanation=SI = PRT/100 = 48997×10×3/100 = █14699.

id=83224 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=35 | option_b=29 | option_c=39 | option_d=34 | answer=D | explanation=The common difference is 5. Therefore the next term is 29 + 5 = 34.

id=83225 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 16? | option_a=5 | option_b=11 | option_c=16 | option_d=8 | answer=C | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 16 is the odd one out.

id=83226 | topic=Percentages | difficulty=Easy | question=What is 12% of 106? | option_a=12 | option_b=7 | option_c=32 | option_d=24 | answer=A | explanation=12% of 106 = (12/100) × 106 = 12.

id=83227 | topic=Averages | difficulty=Easy | question=Find the average of 82, 79, 13, 54, 22. | option_a=49 | option_b=52 | option_c=51 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 250 ÷ 5 = 50.

id=83228 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2621. If it is sold at a profit of 15%, what is its selling price? | option_a=2636 | option_b=3014 | option_c=2752 | option_d=3276 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2621 × 115/100 = █3014.

id=83229 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:19 and the first is 64, what is the second? | option_a=304 | option_b=308 | option_c=368 | option_d=285 | answer=A | explanation=Scale factor = 64/4 = 16. Therefore second quantity = 19×16 = 304.

id=83230 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=L | option_b=G | option_c=B | option_d=Q | answer=A | explanation=Move 5 positions forward from G; the resulting letter is L.

id=83231 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=90 | option_c=40 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=83232 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=37 | option_b=48 | option_c=47 | option_d=57 | answer=C | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

id=83233 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=83234 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=83235 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:14 and the first is 21, what is the second? | option_a=101 | option_b=84 | option_c=119 | option_d=98 | answer=D | explanation=Scale factor = 21/3 = 7. Therefore second quantity = 14×7 = 98.

id=83236 | topic=Averages | difficulty=Easy | question=Find the average of 37, 20, 13, 26, 89. | option_a=39 | option_b=36 | option_c=37 | option_d=38 | answer=C | explanation=Average = sum of values ÷ number of values = 185 ÷ 5 = 37.

id=83237 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 26? | option_a=11 | option_b=4 | option_c=18 | option_d=26 | answer=D | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 26 is the odd one out.

id=83238 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:2 and the first is 6, what is the second? | option_a=18 | option_b=13 | option_c=12 | option_d=10 | answer=C | explanation=Scale factor = 6/1 = 6. Therefore second quantity = 2×6 = 12.

id=83239 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:10 and the first is 135, what is the second? | option_a=80 | option_b=90 | option_c=225 | option_d=105 | answer=B | explanation=Scale factor = 135/15 = 9. Therefore second quantity = 10×9 = 90.

id=83240 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 26, 28, 32? | option_a=24 | option_b=28 | option_c=32 | option_d=26 | answer=C | explanation=The first three numbers increase by 2, so the next should be 30. Therefore 32 is the odd one out.

id=83241 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=150 | option_c=155 | option_d=300 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=83242 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 16. | option_a=256 | option_b=32 | option_c=16 | option_d=1 | answer=C | explanation=LCM × HCF = 16×16; HCF(16,16) = 16, so LCM = 16.

id=83243 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2003. If it is sold at a profit of 30%, what is its selling price? | option_a=2033 | option_b=2603 | option_c=2403 | option_d=2803 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2003 × 130/100 = █2603.

id=83244 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:13 and the first is 112, what is the second? | option_a=169 | option_b=182 | option_c=190 | option_d=294 | answer=B | explanation=Scale factor = 112/8 = 14. Therefore second quantity = 13×14 = 182.

id=83245 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=K | option_b=U | option_c=Z | option_d=P | answer=B | explanation=Move 5 positions forward from P; the resulting letter is U.

id=83246 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=N | option_c=P | option_d=Q | answer=C | explanation=Move 1 positions forward from O; the resulting letter is P.

id=83247 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=83248 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:14 and the first is 4, what is the second? | option_a=42 | option_b=60 | option_c=57 | option_d=56 | answer=D | explanation=Scale factor = 4/1 = 4. Therefore second quantity = 14×4 = 56.

id=83249 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=55 | option_b=65 | option_c=56 | option_d=45 | answer=A | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.

id=83250 | topic=Percentages | difficulty=Easy | question=What is 10% of 56? | option_a=0 | option_b=5 | option_c=10 | option_d=15 | answer=B | explanation=10% of 56 = (10/100) × 56 = 5.

Aptitude Questions — Records 83,251-83,280 of 100,000

id=83251 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=24 | option_c=17 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=83252 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=23 | option_b=27 | option_c=22 | option_d=17 | answer=C | explanation=The common difference is 5. Therefore the next term is 17 + 5 = 22.

id=83253 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=83254 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**782. If it is sold at a profit of 20%, what is its selling price? | option_a=1016 | option_b=938 | option_c=802 | option_d=860 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 782 × 120/100 = **₹**938.

id=83255 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 10, 17, 27? | option_a=10 | option_b=27 | option_c=3 | option_d=17 | answer=B | explanation=The first three numbers increase by 7, so the next should be 24. Therefore 27 is the odd one out.

id=83256 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=83257 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=83258 | topic=Percentages | difficulty=Easy | question=What is 12% of 388? | option_a=92 | option_b=41 | option_c=51 | option_d=46 | answer=D | explanation=12% of 388 = (12/100) × 388 = 46.

id=83259 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=85 | option_c=80 | option_d=160 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=83260 | topic=Percentages | difficulty=Easy | question=What is 20% of 112? | option_a=12 | option_b=42 | option_c=44 | option_d=22 | answer=D | explanation=20% of 112 = (20/100) × 112 = 22.

id=83261 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=144 | option_c=67 | option_d=77 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=83262 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**49369 at 4% per annum for 3 years. | option_a=5924 | option_b=6024 | option_c=5824 | option_d=55293 | answer=A | explanation=SI = PRT/100 = 49369×4×3/100 = **₹**5924.

id=83263 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=M | option_b=D | option_c=J | option_d=G | answer=C | explanation=Move 3 positions forward from G; the resulting letter is J.

id=83264 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=90 | option_c=180 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=83265 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=150 | option_c=145 | option_d=300 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=83266 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 9, 16, 25? | option_a=2 | option_b=9 | option_c=16 | option_d=25 | answer=D | explanation=The first three numbers increase by 7, so the next should be 23. Therefore 25 is the odd one out.

id=83267 | topic=Averages | difficulty=Easy | question=Find the average of 13, 86, 81. | option_a=62 | option_b=60 | option_c=59 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 180 ÷ 3 = 60.

id=83268 | topic=Percentages | difficulty=Easy | question=What is 20% of 128? | option_a=45 | option_b=25 | option_c=15 | option_d=50 | answer=B | explanation=20% of 128 = (20/100) × 128 = 25.

id=83269 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=D | option_b=P | option_c=L | option_d=H | answer=C | explanation=Move 4 positions forward from H; the resulting letter is L.

id=83270 | topic=Percentages | difficulty=Easy | question=What is 40% of 1892? | option_a=756 | option_b=746 | option_c=1512 | option_d=766 | answer=A | explanation=40% of 1892 = (40/100) × 1892 = 756.

id=83271 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**29555 at 15% per annum for 1 years. | option_a=4433 | option_b=33988 | option_c=4333 | option_d=4533 | answer=A | explanation=SI = PRT/100 = 29555×15×1/100 = **₹**4433.

id=83272 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 30, 38, 48? | option_a=48 | option_b=38 | option_c=22 | option_d=30 | answer=A | explanation=The first three numbers increase by 8, so the next should be 46. Therefore 48 is the odd one out.

id=83273 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**13437 at 6% per annum for 4 years. | option_a=3224 | option_b=16661 | option_c=3124 | option_d=3324 | answer=A | explanation=SI = PRT/100 = 13437×6×4/100 = **₹**3224.

id=83274 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=B | option_c=C | option_d=D | answer=D | explanation=Move 1 positions forward from C; the resulting letter is D.

id=83275 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 26. | option_a=1 | option_b=26 | option_c=52 | option_d=676 | answer=B | explanation=LCM × HCF = 26×26; HCF(26,26) = 26, so LCM = 26.

id=83276 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:8 and the first is 77, what is the second? | option_a=133 | option_b=67 | option_c=56 | option_d=48 | answer=C | explanation=Scale factor = 77/11 = 7. Therefore second quantity = 8×7 = 56.

id=83277 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=83278 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=Z | option_b=D | option_c=L | option_d=H | answer=D | explanation=Move 4 positions forward from D; the resulting letter is H.

id=83279 | topic=Averages | difficulty=Easy | question=Find the average of 54, 58, 89, 41, 25, 69, 18, 48, 21, 37. | option_a=48 | option_b=47 | option_c=46 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = 460 ÷ 10 = 46.

id=83280 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:2 and the first is 132, what is the second? | option_a=24 | option_b=35 | option_c=22 | option_d=156 | answer=A | explanation=Scale factor = 132/11 = 12. Therefore second quantity = 2×12 = 24.

Aptitude Questions — Records 83,281-83,310 of 100,000

id=83281 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Q | option_b=C | option_c=U | option_d=Y | answer=D | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=83282 | topic=Averages | difficulty=Easy | question=Find the average of 73, 83, 40, 54, 79, 30, 77, 12. | option_a=58 | option_b=56 | option_c=57 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 448 ÷ 8 = 56.

id=83283 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=19 | option_b=18 | option_c=15 | option_d=21 | answer=B | explanation=The common difference is 3. Therefore the next term is 15 + 3 = 18.

id=83284 | topic=Averages | difficulty=Easy | question=Find the average of 92, 100, 26, 21, 71, 86, 59. | option_a=64 | option_b=66 | option_c=65 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 455 ÷ 7 = 65.

id=83285 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 31, 33, 36? | option_a=33 | option_b=36 | option_c=31 | option_d=29 | answer=B | explanation=The first three numbers increase by 2, so the next should be 35. Therefore 36 is the odd one out.

id=83286 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:18 and the first is 182, what is the second? | option_a=248 | option_b=234 | option_c=216 | option_d=416 | answer=B | explanation=Scale factor = 182/14 = 13. Therefore second quantity = 18×13 = 234.

id=83287 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4746. If it is sold at a profit of 25%, what is its selling price? | option_a=5458 | option_b=5932 | option_c=4771 | option_d=6406 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4746 × 125/100 = █5932.

id=83288 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17873 at 15% per annum for 4 years. | option_a=10623 | option_b=28596 | option_c=10823 | option_d=10723 | answer=D | explanation=SI = PRT/100 = 17873×15×4/100 = █10723.

id=83289 | topic=Averages | difficulty=Easy | question=Find the average of 54, 28, 32, 99, 57, 48. | option_a=53 | option_b=54 | option_c=55 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 318 ÷ 6 = 53.

id=83290 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=120 | option_c=125 | option_d=115 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=83291 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 8. | option_a=64 | option_b=1 | option_c=8 | option_d=16 | answer=C | explanation=LCM × HCF = 8×8; HCF(8,8) = 8, so LCM = 8.

id=83292 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 26? | option_a=26 | option_b=4 | option_c=11 | option_d=18 | answer=A | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 26 is the odd one out.

id=83293 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=83294 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=32 | option_b=36 | option_c=31 | option_d=26 | answer=C | explanation=The common difference is 5. Therefore the next term is 26 + 5 = 31.

id=83295 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=7 | option_c=12 | option_d=17 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=83296 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 26. | option_a=156 | option_b=84 | option_c=78 | option_d=52 | answer=C | explanation=LCM × HCF = 6×26; HCF(6,26) = 2, so LCM = 78.

id=83297 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=O | option_b=Q | option_c=P | option_d=R | answer=B | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=83298 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2490. If it is sold at a profit of 5%, what is its selling price? | option_a=2365 | option_b=2495 | option_c=2614 | option_d=2863 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2490 × 105/100 = █2614.

id=83299 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:11 and the first is 380, what is the second? | option_a=239 | option_b=600 | option_c=220 | option_d=209 | answer=C | explanation=Scale factor = 380/19 = 20. Therefore second quantity = 11×20 = 220.

id=83300 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42060 at 15% per annum for 1 years. | option_a=6209 | option_b=48369 | option_c=6309 | option_d=6409 | answer=C | explanation=SI = PRT/100 = 42060×15×1/100 = █6309.

id=83301 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=I | option_b=Y | option_c=D | option_d=N | answer=A | explanation=Move 5 positions forward from D; the resulting letter is I.

id=83302 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 17? | option_a=11 | option_b=3 | option_c=7 | option_d=17 | answer=D | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 17 is the odd one out.

id=83303 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=P | option_c=R | option_d=S | answer=C | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=83304 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43091 at 8% per annum for 5 years. | option_a=60327 | option_b=17336 | option_c=17136 | option_d=17236 | answer=D | explanation=SI = PRT/100 = 43091×8×5/100 = █17236.

id=83305 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3250. If it is sold at a profit of 30%, what is its selling price? | option_a=3900 | option_b=4550 | option_c=3280 | option_d=4225 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3250 × 130/100 = █4225.

id=83306 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25754 at 10% per annum for 2 years. | option_a=30904 | option_b=5250 | option_c=5150 | option_d=5050 | answer=C | explanation=SI = PRT/100 = 25754×10×2/100 = █5150.

id=83307 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22646 at 6% per annum for 1 years. | option_a=1258 | option_b=1458 | option_c=24004 | option_d=1358 | answer=D | explanation=SI = PRT/100 = 22646×6×1/100 = █1358.

id=83308 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2702. If it is sold at a profit of 20%, what is its selling price? | option_a=3512 | option_b=2722 | option_c=3242 | option_d=2972 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2702 × 120/100 = █3242.

id=83309 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=83310 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=30 | option_b=23 | option_c=37 | option_d=31 | answer=A | explanation=The common difference is 7. Therefore the next term is 23 + 7 = 30.

Aptitude Questions — Records 83,311-83,340 of 100,000

id=83311 | topic=Percentages | difficulty=Easy | question=What is 20% of 1118? | option_a=228 | option_b=213 | option_c=446 | option_d=223 | answer=D | explanation=20% of 1118 = (20/100) × 1118 = 223.

id=83312 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:9 and the first is 70, what is the second? | option_a=126 | option_b=131 | option_c=117 | option_d=196 | answer=A | explanation=Scale factor = 70/5 = 14. Therefore second quantity = 9×14 = 126.

id=83313 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=29 | option_b=23 | option_c=27 | option_d=26 | answer=D | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.

id=83314 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3102. If it is sold at a profit of 15%, what is its selling price? | option_a=3877 | option_b=3257 | option_c=3567 | option_d=3117 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3102 × 115/100 = **■**3567.

id=83315 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28754 at 12% per annum for 4 years. | option_a=13801 | option_b=42555 | option_c=13701 | option_d=13901 | answer=A | explanation=SI = PRT/100 = 28754×12×4/100 = **■**13801.

id=83316 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=N | option_c=Y | option_d=I | answer=D | explanation=Move 5 positions forward from D; the resulting letter is I.

id=83317 | topic=Averages | difficulty=Easy | question=Find the average of 90, 31, 98, 62, 46, 33. | option_a=60 | option_b=61 | option_c=62 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 360 ÷ 6 = 60.

id=83318 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 33? | option_a=33 | option_b=28 | option_c=22 | option_d=25 | answer=A | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 33 is the odd one out.

id=83319 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=32 | option_b=26 | option_c=29 | option_d=30 | answer=C | explanation=The common difference is 3. Therefore the next term is 26 + 3 = 29.

id=83320 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=77 | option_c=67 | option_d=144 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=83321 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=83322 | topic=Percentages | difficulty=Easy | question=What is 10% of 658? | option_a=130 | option_b=65 | option_c=60 | option_d=70 | answer=B | explanation=10% of 658 = (10/100) × 658 = 65.

id=83323 | topic=Averages | difficulty=Easy | question=Find the average of 97, 28, 65, 24, 41. | option_a=50 | option_b=52 | option_c=51 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 255 ÷ 5 = 51.

id=83324 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=13 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=83325 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4253 at 5% per annum for 5 years. | option_a=1063 | option_b=1163 | option_c=963 | option_d=5316 | answer=A | explanation=SI = PRT/100 = 4253×5×5/100 = **■**1063.

id=83326 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4326. If it is sold at a profit of 40%, what is its selling price? | option_a=6488 | option_b=4366 | option_c=5624 | option_d=6056 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4326 × 140/100 = **■**6056.

id=83327 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=83328 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 56? | option_a=37 | option_b=56 | option_c=45 | option_d=29 | answer=B | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 56 is the odd one out.

id=83329 | topic=Percentages | difficulty=Easy | question=What is 40% of 656? | option_a=272 | option_b=252 | option_c=524 | option_d=262 | answer=D | explanation=40% of 656 = (40/100) × 656 = 262.

id=83330 | topic=Averages | difficulty=Easy | question=Find the average of 11, 56, 37, 68, 96, 20. | option_a=48 | option_b=49 | option_c=47 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 288 ÷ 6 = 48.

id=83331 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=36 | option_b=54 | option_c=46 | option_d=45 | answer=D | explanation=The common difference is 9. Therefore the next term is 36 + 9 = 45.

id=83332 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:10 and the first is 153, what is the second? | option_a=160 | option_b=179 | option_c=170 | option_d=323 | answer=C | explanation=Scale factor = 153/9 = 17. Therefore second quantity = 10×17 = 170.

id=83333 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34154 at 5% per annum for 1 years. | option_a=1807 | option_b=35861 | option_c=1707 | option_d=1607 | answer=C | explanation=SI = PRT/100 = 34154×5×1/100 = **■**1707.

id=83334 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=40 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=83335 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=83336 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=39 | option_b=40 | option_c=31 | option_d=47 | answer=A | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

id=83337 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 29, 37, 47? | option_a=21 | option_b=37 | option_c=29 | option_d=47 | answer=D | explanation=The first three numbers increase by 8, so the next should be 45. Therefore 47 is the odd one out.

id=83338 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 25. | option_a=25 | option_b=625 | option_c=50 | option_d=1 | answer=A | explanation=LCM × HCF = 25×25; HCF(25,25) = 25, so LCM = 25.

id=83339 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=360 | option_b=180 | option_c=185 | option_d=175 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=83340 | topic=Percentages | difficulty=Easy | question=What is 15% of 1886? | option_a=564 | option_b=287 | option_c=282 | option_d=272 | answer=C | explanation=15% of 1886 = (15/100) × 1886 = 282.

Aptitude Questions — Records 83,341-83,370 of 100,000

id=83341 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=5 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=83342 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1428 at 5% per annum for 2 years. | option_a=242 | option_b=42 | option_c=1570 | option_d=142 | answer=D | explanation=SI = PRT/100 = 1428×5×2/100 = **■**142.

id=83343 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20384 at 15% per annum for 1 years. | option_a=2957 | option_b=3157 | option_c=3057 | option_d=23441 | answer=C | explanation=SI = PRT/100 = 20384×15×1/100 = **■**3057.

id=83344 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=83345 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 6. | option_a=36 | option_b=42 | option_c=56 | option_d=84 | answer=B | explanation=LCM × HCF = 14×6; HCF(14,6) = 2, so LCM = 42.

id=83346 | topic=Percentages | difficulty=Easy | question=What is 50% of 1514? | option_a=757 | option_b=737 | option_c=767 | option_d=1514 | answer=A | explanation=50% of 1514 = (50/100) × 1514 = 757.

id=83347 | topic=Percentages | difficulty=Easy | question=What is 30% of 635? | option_a=380 | option_b=190 | option_c=200 | option_d=185 | answer=B | explanation=30% of 635 = (30/100) × 635 = 190.

id=83348 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:13 and the first is 91, what is the second? | option_a=78 | option_b=104 | option_c=91 | option_d=182 | answer=C | explanation=Scale factor = 91/13 = 7. Therefore second quantity = 13×7 = 91.

id=83349 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=83350 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=L | option_b=J | option_c=H | option_d=N | answer=A | explanation=Move 2 positions forward from J; the resulting letter is L.

id=83351 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=27 | option_b=32 | option_c=33 | option_d=37 | answer=B | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

id=83352 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46427 at 6% per annum for 4 years. | option_a=11042 | option_b=57569 | option_c=11142 | option_d=11242 | answer=C | explanation=SI = PRT/100 = 46427×6×4/100 = **■**11142.

id=83353 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:9 and the first is 88, what is the second? | option_a=160 | option_b=83 | option_c=72 | option_d=63 | answer=C | explanation=Scale factor = 88/11 = 8. Therefore second quantity = 9×8 = 72.

id=83354 | topic=Averages | difficulty=Easy | question=Find the average of 90, 87, 44, 64, 10, 70, 66, 73. | option_a=65 | option_b=63 | option_c=64 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 504 ÷ 8 = 63.

id=83355 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=43 | option_b=37 | option_c=38 | option_d=31 | answer=B | explanation=The common difference is 6. Therefore the next term is 31 + 6 = 37.

id=83356 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49092 at 12% per annum for 4 years. | option_a=23564 | option_b=23664 | option_c=23464 | option_d=72656 | answer=A | explanation=SI = PRT/100 = 49092×12×4/100 = **■**23564.

id=83357 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11404 at 4% per annum for 4 years. | option_a=1924 | option_b=1724 | option_c=1824 | option_d=13228 | answer=C | explanation=SI = PRT/100 = 11404×4×4/100 = **■**1824.

id=83358 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=83359 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2034. If it is sold at a profit of 20%, what is its selling price? | option_a=2237 | option_b=2440 | option_c=2054 | option_d=2643 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2034 × 120/100 = **■**2440.

id=83360 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 25, 27, 30? | option_a=23 | option_b=27 | option_c=25 | option_d=30 | answer=D | explanation=The first three numbers increase by 2, so the next should be 29. Therefore 30 is the odd one out.

id=83361 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18066 at 6% per annum for 1 years. | option_a=1183 | option_b=19149 | option_c=1083 | option_d=983 | answer=C | explanation=SI = PRT/100 = 18066×6×1/100 = **■**1083.

id=83362 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:5 and the first is 24, what is the second? | option_a=5 | option_b=22 | option_c=34 | option_d=10 | answer=D | explanation=Scale factor = 24/12 = 2. Therefore second quantity = 5×2 = 10.

id=83363 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=83364 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33371 at 15% per annum for 1 years. | option_a=4905 | option_b=5005 | option_c=5105 | option_d=38376 | answer=B | explanation=SI = PRT/100 = 33371×15×1/100 = **■**5005.

id=83365 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 35? | option_a=15 | option_b=6 | option_c=24 | option_d=35 | answer=D | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 35 is the odd one out.

id=83366 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 12. | option_a=252 | option_b=105 | option_c=84 | option_d=72 | answer=C | explanation=LCM × HCF = 21×12; HCF(21,12) = 3, so LCM = 84.

id=83367 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15083 at 10% per annum for 1 years. | option_a=16591 | option_b=1508 | option_c=1408 | option_d=1608 | answer=B | explanation=SI = PRT/100 = 15083×10×1/100 = **■**1508.

id=83368 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:19 and the first is 54, what is the second? | option_a=396 | option_b=345 | option_c=323 | option_d=342 | answer=D | explanation=Scale factor = 54/3 = 18. Therefore second quantity = 19×18 = 342.

id=83369 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=Z | option_c=I | option_d=F | answer=D | explanation=Move 3 positions forward from C; the resulting letter is F.

id=83370 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 13? | option_a=7 | option_b=13 | option_c=9 | option_d=5 | answer=B | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 13 is the odd one out.

Aptitude Questions — Records 83,371-83,400 of 100,000

id=83371 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 46? | option_a=30 | option_b=23 | option_c=46 | option_d=37 | answer=C | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 46 is the odd one out.

id=83372 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=N | option_b=O | option_c=P | option_d=Q | answer=C | explanation=Move 1 positions forward from O; the resulting letter is P.

id=83373 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 25? | option_a=19 | option_b=21 | option_c=17 | option_d=25 | answer=D | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 25 is the odd one out.

id=83374 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:10 and the first is 40, what is the second? | option_a=190 | option_b=240 | option_c=200 | option_d=202 | answer=C | explanation=Scale factor = 40/2 = 20. Therefore second quantity = 10×20 = 200.

id=83375 | topic=Percentages | difficulty=Easy | question=What is 12% of 123? | option_a=28 | option_b=24 | option_c=14 | option_d=0 | answer=C | explanation=12% of 123 = (12/100) × 123 = 14.

id=83376 | topic=Averages | difficulty=Easy | question=Find the average of 54, 42, 78. | option_a=60 | option_b=59 | option_c=57 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 174 ÷ 3 = 58.

id=83377 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=32 | option_b=26 | option_c=36 | option_d=31 | answer=D | explanation=The common difference is 5. Therefore the next term is 26 + 5 = 31.

id=83378 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=C | option_c=B | option_d=A | answer=B | explanation=Move 1 positions forward from B; the resulting letter is C.

id=83379 | topic=Percentages | difficulty=Easy | question=What is 5% of 666? | option_a=66 | option_b=43 | option_c=28 | option_d=33 | answer=D | explanation=5% of 666 = (5/100) × 666 = 33.

id=83380 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 30. | option_a=600 | option_b=60 | option_c=80 | option_d=30 | answer=B | explanation=LCM × HCF = 20×30; HCF(20,30) = 10, so LCM = 60.

id=83381 | topic=Averages | difficulty=Easy | question=Find the average of 93, 33, 43, 27, 57, 17. | option_a=44 | option_b=46 | option_c=47 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 270 ÷ 6 = 45.

id=83382 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=36 | option_b=47 | option_c=56 | option_d=46 | answer=D | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.

id=83383 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2196. If it is sold at a profit of 50%, what is its selling price? | option_a=3075 | option_b=3294 | option_c=3513 | option_d=2246 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2196 × 150/100 = █3294.

id=83384 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10444 at 8% per annum for 4 years. | option_a=13786 | option_b=3242 | option_c=3442 | option_d=3342 | answer=D | explanation=SI = PRT/100 = 10444×8×4/100 = █3342.

id=83385 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=83386 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=29 | option_d=19 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=83387 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:7 and the first is 4, what is the second? | option_a=28 | option_b=21 | option_c=29 | option_d=32 | answer=A | explanation=Scale factor = 4/1 = 4. Therefore second quantity = 7×4 = 28.

id=83388 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=20 | option_b=26 | option_c=32 | option_d=27 | answer=B | explanation=The common difference is 6. Therefore the next term is 20 + 6 = 26.

id=83389 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=35 | option_b=44 | option_c=43 | option_d=51 | answer=C | explanation=The common difference is 8. Therefore the next term is 35 + 8 = 43.

id=83390 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:14 and the first is 152, what is the second? | option_a=266 | option_b=252 | option_c=274 | option_d=418 | answer=A | explanation=Scale factor = 152/8 = 19. Therefore second quantity = 14×19 = 266.

id=83391 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3951. If it is sold at a profit of 50%, what is its selling price? | option_a=6321 | option_b=5531 | option_c=5926 | option_d=4001 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3951 × 150/100 = █5926.

id=83392 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=41 | option_b=42 | option_c=32 | option_d=50 | answer=A | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

id=83393 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31946 at 15% per annum for 5 years. | option_a=23959 | option_b=24059 | option_c=23859 | option_d=55905 | answer=A | explanation=SI = PRT/100 = 31946×15×5/100 = █23959.

id=83394 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4904. If it is sold at a profit of 40%, what is its selling price? | option_a=7355 | option_b=4944 | option_c=6865 | option_d=6375 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4904 × 140/100 = █6865.

id=83395 | topic=Percentages | difficulty=Easy | question=What is 20% of 1500? | option_a=295 | option_b=310 | option_c=300 | option_d=600 | answer=C | explanation=20% of 1500 = (20/100) × 1500 = 300.

id=83396 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49918 at 4% per annum for 3 years. | option_a=5890 | option_b=55908 | option_c=5990 | option_d=6090 | answer=C | explanation=SI = PRT/100 = 49918×4×3/100 = █5990.

id=83397 | topic=Averages | difficulty=Easy | question=Find the average of 54, 67, 86. | option_a=71 | option_b=68 | option_c=69 | option_d=70 | answer=C | explanation=Average = sum of values ÷ number of values = 207 ÷ 3 = 69.

id=83398 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4671. If it is sold at a profit of 40%, what is its selling price? | option_a=6539 | option_b=4711 | option_c=7006 | option_d=6072 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4671 × 140/100 = █6539.

id=83399 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=O | option_b=I | option_c=L | option_d=F | answer=C | explanation=Move 3 positions forward from I; the resulting letter is L.

id=83400 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:13 and the first is 20, what is the second? | option_a=117 | option_b=150 | option_c=132 | option_d=130 | answer=D | explanation=Scale factor = 20/2 = 10. Therefore second quantity = 13×10 = 130.

Aptitude Questions — Records 83,401-83,430 of 100,000

id=83401 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 20, 27, 36? | option_a=27 | option_b=36 | option_c=20 | option_d=13 | answer=B | explanation=The first three numbers increase by 7, so the next should be 34. Therefore 36 is the odd one out.

id=83402 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=30 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=83403 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=29 | option_b=34 | option_c=35 | option_d=39 | answer=B | explanation=The common difference is 5. Therefore the next term is 29 + 5 = 34.

id=83404 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4403. If it is sold at a profit of 25%, what is its selling price? | option_a=5943 | option_b=4428 | option_c=5063 | option_d=5503 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4403 × 125/100 = █5503.

id=83405 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:4 and the first is 132, what is the second? | option_a=176 | option_b=40 | option_c=44 | option_d=56 | answer=C | explanation=Scale factor = 132/12 = 11. Therefore second quantity = 4×11 = 44.

id=83406 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=83407 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:6 and the first is 60, what is the second? | option_a=72 | option_b=66 | option_c=132 | option_d=77 | answer=A | explanation=Scale factor = 60/5 = 12. Therefore second quantity = 6×12 = 72.

id=83408 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 27? | option_a=19 | option_b=22 | option_c=16 | option_d=27 | answer=D | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 27 is the odd one out.

id=83409 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35716 at 5% per annum for 3 years. | option_a=5257 | option_b=5357 | option_c=41073 | option_d=5457 | answer=B | explanation=SI = PRT/100 = 35716×5×3/100 = █5357.

id=83410 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=31 | option_b=45 | option_c=39 | option_d=38 | answer=D | explanation=The common difference is 7. Therefore the next term is 31 + 7 = 38.

id=83411 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36885 at 12% per annum for 1 years. | option_a=4326 | option_b=4426 | option_c=4526 | option_d=41311 | answer=B | explanation=SI = PRT/100 = 36885×12×1/100 = █4426.

id=83412 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3343. If it is sold at a profit of 10%, what is its selling price? | option_a=3353 | option_b=4011 | option_c=3677 | option_d=3343 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3343 × 110/100 = █3677.

id=83413 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1670. If it is sold at a profit of 15%, what is its selling price? | option_a=2087 | option_b=1753 | option_c=1685 | option_d=1920 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1670 × 115/100 = █1920.

id=83414 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 36, 45, 55? | option_a=27 | option_b=55 | option_c=36 | option_d=45 | answer=B | explanation=The first three numbers increase by 9, so the next should be 54. Therefore 55 is the odd one out.

id=83415 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3497. If it is sold at a profit of 40%, what is its selling price? | option_a=5244 | option_b=3537 | option_c=4546 | option_d=4895 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3497 × 140/100 = █4895.

id=83416 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 25. | option_a=75 | option_b=50 | option_c=90 | option_d=375 | answer=A | explanation=LCM × HCF = 15×25; HCF(15,25) = 5, so LCM = 75.

id=83417 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 20. | option_a=1 | option_b=22 | option_c=40 | option_d=20 | answer=D | explanation=LCM × HCF = 2×20; HCF(2,20) = 2, so LCM = 20.

id=83418 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:8 and the first is 48, what is the second? | option_a=144 | option_b=100 | option_c=88 | option_d=96 | answer=D | explanation=Scale factor = 48/4 = 12. Therefore second quantity = 8×12 = 96.

id=83419 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=83420 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=200 | option_c=95 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=83421 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=83422 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:15 and the first is 9, what is the second? | option_a=54 | option_b=30 | option_c=48 | option_d=45 | answer=D | explanation=Scale factor = 9/3 = 3. Therefore second quantity = 15×3 = 45.

id=83423 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=83424 | topic=Averages | difficulty=Easy | question=Find the average of 31, 64, 51, 30. | option_a=43 | option_b=45 | option_c=46 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = 176 ÷ 4 = 44.

id=83425 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=O | option_b=J | option_c=E | option_d=Z | answer=B | explanation=Move 5 positions forward from E; the resulting letter is J.

id=83426 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 13, 18, 26? | option_a=18 | option_b=8 | option_c=26 | option_d=13 | answer=C | explanation=The first three numbers increase by 5, so the next should be 23. Therefore 26 is the odd one out.

id=83427 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=Q | option_b=L | option_c=G | option_d=V | answer=A | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=83428 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=P | option_b=H | option_c=L | option_d=D | answer=C | explanation=Move 4 positions forward from H; the resulting letter is L.

id=83429 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10667 at 15% per annum for 5 years. | option_a=18667 | option_b=8100 | option_c=8000 | option_d=7900 | answer=C | explanation=SI = PRT/100 = 10667×15×5/100 = █8000.

id=83430 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:2 and the first is 176, what is the second? | option_a=208 | option_b=32 | option_c=30 | option_d=43 | answer=B | explanation=Scale factor = 176/11 = 16. Therefore second quantity = 2×16 = 32.

Aptitude Questions — Records 83,431-83,460 of 100,000

- id=83431 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 44? | option_a=13 | option_b=33 | option_c=44 | option_d=23 | answer=C | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 44 is the odd one out.
- id=83432 | topic=Percentages | difficulty=Easy | question=What is 50% of 104? | option_a=72 | option_b=47 | option_c=104 | option_d=52 | answer=D | explanation=50% of 104 = $(50/100) \times 104 = 52$.
- id=83433 | topic=Percentages | difficulty=Easy | question=What is 15% of 1745? | option_a=271 | option_b=261 | option_c=522 | option_d=256 | answer=B | explanation=15% of 1745 = $(15/100) \times 1745 = 261$.
- id=83434 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.
- id=83435 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1181. If it is sold at a profit of 15%, what is its selling price? | option_a=1358 | option_b=1196 | option_c=1240 | option_d=1476 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1181 \times 115/100 = \text{█}1358$.
- id=83436 | topic=Percentages | difficulty=Easy | question=What is 40% of 626? | option_a=260 | option_b=230 | option_c=250 | option_d=500 | answer=C | explanation=40% of 626 = $(40/100) \times 626 = 250$.
- id=83437 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.
- id=83438 | topic=Averages | difficulty=Easy | question=Find the average of 82, 57, 67, 54. | option_a=64 | option_b=66 | option_c=67 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = $260 \div 4 = 65$.
- id=83439 | topic=Profit & Loss | difficulty=Easy | question=An article costs █567. If it is sold at a profit of 40%, what is its selling price? | option_a=793 | option_b=849 | option_c=737 | option_d=607 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 567 \times 140/100 = \text{█}793$.
- id=83440 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.
- id=83441 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 21, 30, 42? | option_a=12 | option_b=30 | option_c=42 | option_d=21 | answer=C | explanation=The first three numbers increase by 9, so the next should be 39. Therefore 42 is the odd one out.
- id=83442 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:4 and the first is 96, what is the second? | option_a=120 | option_b=40 | option_c=20 | option_d=24 | answer=D | explanation=Scale factor = $96/16 = 6$. Therefore second quantity = $4 \times 6 = 24$.
- id=83443 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=C | option_c=O | option_d=K | answer=D | explanation=Move 4 positions forward from G; the resulting letter is K.
- id=83444 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.
- id=83445 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=F | option_c=R | option_d=N | answer=D | explanation=Move 4 positions forward from J; the resulting letter is N.
- id=83446 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 32, 36, 42? | option_a=42 | option_b=36 | option_c=28 | option_d=32 | answer=A | explanation=The first three numbers increase by 4, so the next should be 40. Therefore 42 is the odd one out.
- id=83447 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=J | option_c=B | option_d=N | answer=B | explanation=Move 4 positions forward from F; the resulting letter is J.
- id=83448 | topic=Percentages | difficulty=Easy | question=What is 30% of 144? | option_a=23 | option_b=43 | option_c=86 | option_d=63 | answer=B | explanation=30% of 144 = $(30/100) \times 144 = 43$.
- id=83449 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=125 | option_c=120 | option_d=240 | answer=C | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.
- id=83450 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=L | option_b=F | option_c=I | option_d=C | answer=C | explanation=Move 3 positions forward from F; the resulting letter is I.
- id=83451 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3872. If it is sold at a profit of 20%, what is its selling price? | option_a=4646 | option_b=4259 | option_c=3892 | option_d=5033 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3872 \times 120/100 = \text{█}4646$.
- id=83452 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=T | option_b=J | option_c=Y | option_d=O | answer=A | explanation=Move 5 positions forward from O; the resulting letter is T.
- id=83453 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=28 | option_b=25 | option_c=26 | option_d=22 | answer=B | explanation=The common difference is 3. Therefore the next term is $22 + 3 = 25$.
- id=83454 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=63 | option_b=51 | option_c=62 | option_d=73 | answer=C | explanation=The common difference is 11. Therefore the next term is $51 + 11 = 62$.
- id=83455 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = $60 \div 4 = 15$ km/h.
- id=83456 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 24, 30, 36, ? | option_a=36 | option_b=42 | option_c=43 | option_d=48 | answer=B | explanation=The common difference is 6. Therefore the next term is $36 + 6 = 42$.
- id=83457 | topic=Averages | difficulty=Easy | question=Find the average of 13, 35, 71, 11, 47, 43, 49, 76, 93, 22. | option_a=46 | option_b=48 | option_c=47 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = $460 \div 10 = 46$.
- id=83458 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4410. If it is sold at a profit of 10%, what is its selling price? | option_a=4851 | option_b=5292 | option_c=4420 | option_d=4410 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4410 \times 110/100 = \text{█}4851$.
- id=83459 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=10 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = $120 \div 8 = 15$ km/h.
- id=83460 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43751 at 12% per annum for 2 years. | option_a=10500 | option_b=54251 | option_c=10600 | option_d=10400 | answer=A | explanation=SI = $PRT/100 = 43751 \times 12 \times 2/100 = \text{█}10500$.

Aptitude Questions — Records 83,461-83,490 of 100,000

id=83461 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4070. If it is sold at a profit of 30%, what is its selling price? | option_a=4884 | option_b=4100 | option_c=5291 | option_d=5698 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4070 × 130/100 = **■**5291.

id=83462 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:7 and the first is 133, what is the second? | option_a=68 | option_b=49 | option_c=42 | option_d=182 | answer=B | explanation=Scale factor = 133/19 = 7. Therefore second quantity = 7×7 = 49.

id=83463 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=41 | option_b=45 | option_c=40 | option_d=35 | answer=C | explanation=The common difference is 5. Therefore the next term is 35 + 5 = 40.

id=83464 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23198 at 4% per annum for 4 years. | option_a=26909 | option_b=3611 | option_c=3711 | option_d=3811 | answer=C | explanation=SI = PRT/100 = 23198×4×4/100 = **■**3711.

id=83465 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=V | option_b=T | option_c=W | option_d=U | answer=A | explanation=Move 1 positions forward from U; the resulting letter is V.

id=83466 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 49? | option_a=28 | option_b=49 | option_c=19 | option_d=37 | answer=B | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 49 is the odd one out.

id=83467 | topic=Averages | difficulty=Easy | question=Find the average of 10, 74, 76, 54, 46. | option_a=52 | option_b=53 | option_c=54 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 260 ÷ 5 = 52.

id=83468 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=55 | option_c=50 | option_d=100 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=83469 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44730 at 15% per annum for 3 years. | option_a=64858 | option_b=20028 | option_c=20128 | option_d=20228 | answer=C | explanation=SI = PRT/100 = 44730×15×3/100 = **■**20128.

id=83470 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 24, 32, 42? | option_a=16 | option_b=32 | option_c=24 | option_d=42 | answer=D | explanation=The first three numbers increase by 8, so the next should be 40. Therefore 42 is the odd one out.

id=83471 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 12. | option_a=72 | option_b=112 | option_c=84 | option_d=336 | answer=C | explanation=LCM × HCF = 28×12; HCF(28,12) = 4, so LCM = 84.

id=83472 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38894 at 6% per annum for 3 years. | option_a=7100 | option_b=7000 | option_c=45894 | option_d=6900 | answer=B | explanation=SI = PRT/100 = 38894×6×3/100 = **■**7000.

id=83473 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:8 and the first is 143, what is the second? | option_a=115 | option_b=247 | option_c=96 | option_d=104 | answer=D | explanation=Scale factor = 143/11 = 13. Therefore second quantity = 8×13 = 104.

id=83474 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 20, 26, 33? | option_a=33 | option_b=14 | option_c=26 | option_d=20 | answer=A | explanation=The first three numbers increase by 6, so the next should be 32. Therefore 33 is the odd one out.

id=83475 | topic=Averages | difficulty=Easy | question=Find the average of 90, 66, 17, 37, 82, 99, 28, 60, 52. | option_a=58 | option_b=59 | option_c=60 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 531 ÷ 9 = 59.

id=83476 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37421 at 12% per annum for 1 years. | option_a=4390 | option_b=4490 | option_c=41911 | option_d=4590 | answer=B | explanation=SI = PRT/100 = 37421×12×1/100 = **■**4490.

id=83477 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=42 | option_b=52 | option_c=32 | option_d=43 | answer=A | explanation=The common difference is 10. Therefore the next term is 32 + 10 = 42.

id=83478 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3033 at 12% per annum for 3 years. | option_a=991 | option_b=4124 | option_c=1091 | option_d=1191 | answer=C | explanation=SI = PRT/100 = 3033×12×3/100 = **■**1091.

id=83479 | topic=Percentages | difficulty=Easy | question=What is 30% of 1530? | option_a=479 | option_b=918 | option_c=459 | option_d=439 | answer=C | explanation=30% of 1530 = (30/100) × 1530 = 459.

id=83480 | topic=Averages | difficulty=Easy | question=Find the average of 32, 98, 91, 77, 97. | option_a=80 | option_b=79 | option_c=81 | option_d=78 | answer=B | explanation=Average = sum of values ÷ number of values = 395 ÷ 5 = 79.

id=83481 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**328. If it is sold at a profit of 50%, what is its selling price? | option_a=378 | option_b=460 | option_c=492 | option_d=524 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 328 × 150/100 = **■**492.

id=83482 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=83483 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=83484 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13568 at 10% per annum for 5 years. | option_a=6884 | option_b=6784 | option_c=20352 | option_d=6684 | answer=B | explanation=SI = PRT/100 = 13568×10×5/100 = **■**6784.

id=83485 | topic=Averages | difficulty=Easy | question=Find the average of 73, 63, 10, 76, 64, 68. | option_a=58 | option_b=60 | option_c=61 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.

id=83486 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 35? | option_a=9 | option_b=17 | option_c=35 | option_d=25 | answer=C | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 35 is the odd one out.

id=83487 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 16, 23, 30, ? | option_a=44 | option_b=38 | option_c=30 | option_d=37 | answer=D | explanation=The common difference is 7. Therefore the next term is 30 + 7 = 37.

id=83488 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 46? | option_a=35 | option_b=19 | option_c=46 | option_d=27 | answer=C | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 46 is the odd one out.

id=83489 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=27 | option_b=33 | option_c=32 | option_d=37 | answer=C | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

id=83490 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=150 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

Aptitude Questions — Records 83,491-83,520 of 100,000

id=83491 | topic=Percentages | difficulty=Easy | question=What is 10% of 961? | option_a=116 | option_b=96 | option_c=86 | option_d=192 | answer=B | explanation=10% of 961 = (10/100) × 961 = 96.

id=83492 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1265. If it is sold at a profit of 40%, what is its selling price? | option_a=1897 | option_b=1645 | option_c=1771 | option_d=1305 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1265 × 140/100 = █1771.

id=83493 | topic=Averages | difficulty=Easy | question=Find the average of 64, 16, 24, 82, 52, 93, 68, 33. | option_a=54 | option_b=53 | option_c=55 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 432 ÷ 8 = 54.

id=83494 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=33 | option_b=41 | option_c=47 | option_d=40 | answer=D | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.

id=83495 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=Z | option_c=U | option_d=K | answer=C | explanation=Move 5 positions forward from P; the resulting letter is U.

id=83496 | topic=Percentages | difficulty=Easy | question=What is 5% of 90? | option_a=4 | option_b=0 | option_c=14 | option_d=8 | answer=A | explanation=5% of 90 = (5/100) × 90 = 4.

id=83497 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=83498 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=7 | option_d=17 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=83499 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:20 and the first is 187, what is the second? | option_a=320 | option_b=527 | option_c=340 | option_d=351 | answer=C | explanation=Scale factor = 187/11 = 17. Therefore second quantity = 20×17 = 340.

id=83500 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=83501 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=83502 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=83503 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=M | option_b=I | option_c=E | option_d=A | answer=B | explanation=Move 4 positions forward from E; the resulting letter is I.

id=83504 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=O | option_b=F | option_c=L | option_d=I | answer=C | explanation=Move 3 positions forward from I; the resulting letter is L.

id=83505 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 4. | option_a=56 | option_b=24 | option_c=112 | option_d=28 | answer=D | explanation=LCM × HCF = 28×4; HCF(28,4) = 4, so LCM = 28.

id=83506 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=C | option_c=E | option_d=F | answer=C | explanation=Move 1 positions forward from D; the resulting letter is E.

id=83507 | topic=Averages | difficulty=Easy | question=Find the average of 68, 25, 56, 50, 78, 98, 87, 90. | option_a=68 | option_b=70 | option_c=71 | option_d=69 | answer=D | explanation=Average = sum of values ÷ number of values = 552 ÷ 8 = 69.

id=83508 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30463 at 4% per annum for 5 years. | option_a=6192 | option_b=36555 | option_c=6092 | option_d=5992 | answer=C | explanation=SI = PRT/100 = 30463×4×5/100 = █6092.

id=83509 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 23, 25, 30? | option_a=21 | option_b=30 | option_c=23 | option_d=25 | answer=B | explanation=The first three numbers increase by 2, so the next should be 27. Therefore 30 is the odd one out.

id=83510 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 45? | option_a=26 | option_b=32 | option_c=38 | option_d=45 | answer=D | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 45 is the odd one out.

id=83511 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:19 and the first is 144, what is the second? | option_a=350 | option_b=486 | option_c=323 | option_d=342 | answer=D | explanation=Scale factor = 144/8 = 18. Therefore second quantity = 19×18 = 342.

id=83512 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=I | option_c=L | option_d=K | answer=D | explanation=Move 1 positions forward from J; the resulting letter is K.

id=83513 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 18, 22, 29? | option_a=22 | option_b=18 | option_c=29 | option_d=14 | answer=C | explanation=The first three numbers increase by 4, so the next should be 26. Therefore 29 is the odd one out.

id=83514 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=F | option_b=I | option_c=G | option_d=H | answer=D | explanation=Move 1 positions forward from G; the resulting letter is H.

id=83515 | topic=Percentages | difficulty=Easy | question=What is 30% of 360? | option_a=108 | option_b=118 | option_c=98 | option_d=216 | answer=A | explanation=30% of 360 = (30/100) × 360 = 108.

id=83516 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=D | option_c=C | option_d=B | answer=B | explanation=Move 1 positions forward from C; the resulting letter is D.

id=83517 | topic=Averages | difficulty=Easy | question=Find the average of 75, 50, 32, 43, 64, 26, 49, 49, 83, 29. | option_a=51 | option_b=49 | option_c=52 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 500 ÷ 10 = 50.

id=83518 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18713 at 8% per annum for 4 years. | option_a=5988 | option_b=24701 | option_c=5888 | option_d=6088 | answer=A | explanation=SI = PRT/100 = 18713×8×4/100 = █5988.

id=83519 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=15 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=83520 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48618 at 15% per annum for 3 years. | option_a=21978 | option_b=21778 | option_c=70496 | option_d=21878 | answer=D | explanation=SI = PRT/100 = 48618×15×3/100 = █21878.

Aptitude Questions — Records 83,521-83,550 of 100,000

id=83521 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=18 | option_c=36 | option_d=23 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=83522 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=U | option_c=L | option_d=R | answer=D | explanation=Move 3 positions forward from O; the resulting letter is R.

id=83523 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=K | option_c=F | option_d=V | answer=C | explanation=Move 5 positions forward from A; the resulting letter is F.

id=83524 | topic=Percentages | difficulty=Easy | question=What is 30% of 165? | option_a=49 | option_b=98 | option_c=69 | option_d=44 | answer=A | explanation=30% of 165 = (30/100) × 165 = 49.

id=83525 | topic=Percentages | difficulty=Easy | question=What is 20% of 1006? | option_a=201 | option_b=211 | option_c=402 | option_d=191 | answer=A | explanation=20% of 1006 = (20/100) × 1006 = 201.

id=83526 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1120. If it is sold at a profit of 5%, what is its selling price? | option_a=1176 | option_b=1064 | option_c=1125 | option_d=1288 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1120 × 105/100 = █1176.

id=83527 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=83528 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27687 at 5% per annum for 4 years. | option_a=5637 | option_b=5537 | option_c=5437 | option_d=32324 | answer=B | explanation=SI = PRT/100 = 27687×5×4/100 = █5537.

id=83529 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 31, 35, 42? | option_a=27 | option_b=35 | option_c=42 | option_d=31 | answer=C | explanation=The first three numbers increase by 4, so the next should be 39. Therefore 42 is the odd one out.

id=83530 | topic=Averages | difficulty=Easy | question=Find the average of 89, 31, 83, 39, 23. | option_a=53 | option_b=54 | option_c=55 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 265 ÷ 5 = 53.

id=83531 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31304 at 15% per annum for 1 years. | option_a=4795 | option_b=4695 | option_c=4595 | option_d=35999 | answer=B | explanation=SI = PRT/100 = 31304×15×1/100 = █4695.

id=83532 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 10. | option_a=30 | option_b=20 | option_c=45 | option_d=150 | answer=A | explanation=LCM × HCF = 15×10; HCF(15,10) = 5, so LCM = 30.

id=83533 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=8 | option_b=10 | option_c=12 | option_d=11 | answer=B | explanation=The common difference is 2. Therefore the next term is 8 + 2 = 10.

id=83534 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 285, what is the second? | option_a=54 | option_b=342 | option_c=72 | option_d=57 | answer=D | explanation=Scale factor = 285/15 = 19. Therefore second quantity = 3×19 = 57.

id=83535 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=83536 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1673. If it is sold at a profit of 30%, what is its selling price? | option_a=2007 | option_b=2174 | option_c=1703 | option_d=2341 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1673 × 130/100 = █2174.

id=83537 | topic=Averages | difficulty=Easy | question=Find the average of 21, 22, 72, 86, 27, 75, 27, 36, 21. | option_a=43 | option_b=42 | option_c=44 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 387 ÷ 9 = 43.

id=83538 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 17, 21, 28? | option_a=13 | option_b=17 | option_c=21 | option_d=28 | answer=D | explanation=The first three numbers increase by 4, so the next should be 25. Therefore 28 is the odd one out.

id=83539 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=R | option_b=V | option_c=T | option_d=X | answer=B | explanation=Move 2 positions forward from T; the resulting letter is V.

id=83540 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=K | option_c=N | option_d=M | answer=D | explanation=Move 1 positions forward from L; the resulting letter is M.

id=83541 | topic=Averages | difficulty=Easy | question=Find the average of 65, 52, 25, 90, 38. | option_a=56 | option_b=55 | option_c=54 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 270 ÷ 5 = 54.

id=83542 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=45 | option_b=38 | option_c=39 | option_d=31 | answer=B | explanation=The common difference is 7. Therefore the next term is 31 + 7 = 38.

id=83543 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29466 at 4% per annum for 4 years. | option_a=4814 | option_b=4714 | option_c=4614 | option_d=34180 | answer=B | explanation=SI = PRT/100 = 29466×4×4/100 = █4714.

id=83544 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 30. | option_a=1 | option_b=900 | option_c=60 | option_d=30 | answer=D | explanation=LCM × HCF = 30×30; HCF(30,30) = 30, so LCM = 30.

id=83545 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=83546 | topic=Averages | difficulty=Easy | question=Find the average of 90, 48, 81, 85, 65, 99. | option_a=77 | option_b=80 | option_c=79 | option_d=78 | answer=D | explanation=Average = sum of values ÷ number of values = 468 ÷ 6 = 78.

id=83547 | topic=Averages | difficulty=Easy | question=Find the average of 66, 33, 92, 78, 81, 22. | option_a=64 | option_b=62 | option_c=63 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 372 ÷ 6 = 62.

id=83548 | topic=Percentages | difficulty=Easy | question=What is 50% of 1240? | option_a=600 | option_b=640 | option_c=620 | option_d=1240 | answer=C | explanation=50% of 1240 = (50/100) × 1240 = 620.

id=83549 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=L | option_c=N | option_d=O | answer=C | explanation=Move 1 positions forward from M; the resulting letter is N.

id=83550 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=50 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

Aptitude Questions — Records 83,551-83,580 of 100,000

id=83551 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:11 and the first is 6, what is the second? | option_a=66 | option_b=72 | option_c=67 | option_d=55 | answer=A | explanation=Scale factor = 6/1 = 6. Therefore second quantity = 11×6 = 66.

id=83552 | topic=Averages | difficulty=Easy | question=Find the average of 90, 88, 77, 92, 23. | option_a=75 | option_b=76 | option_c=74 | option_d=73 | answer=C | explanation=Average = sum of values ÷ number of values = 370 ÷ 5 = 74.

id=83553 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=69 | option_b=80 | option_c=68 | option_d=56 | answer=C | explanation=The common difference is 12. Therefore the next term is 56 + 12 = 68.

id=83554 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=35 | option_b=34 | option_c=28 | option_d=40 | answer=B | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.

id=83555 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=Z | option_b=O | option_c=E | option_d=J | answer=D | explanation=Move 5 positions forward from E; the resulting letter is J.

id=83556 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19615 at 5% per annum for 3 years. | option_a=22557 | option_b=2842 | option_c=2942 | option_d=3042 | answer=C | explanation=SI = PRT/100 = 19615×5×3/100 = **■**2942.

id=83557 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 59? | option_a=46 | option_b=26 | option_c=59 | option_d=36 | answer=C | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 59 is the odd one out.

id=83558 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=34 | option_b=35 | option_c=27 | option_d=41 | answer=A | explanation=The common difference is 7. Therefore the next term is 27 + 7 = 34.

id=83559 | topic=Percentages | difficulty=Easy | question=What is 12% of 1363? | option_a=143 | option_b=326 | option_c=163 | option_d=168 | answer=C | explanation=12% of 1363 = (12/100) × 1363 = 163.

id=83560 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=50 | option_b=62 | option_c=38 | option_d=51 | answer=A | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=83561 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2978. If it is sold at a profit of 50%, what is its selling price? | option_a=4764 | option_b=4467 | option_c=3028 | option_d=4170 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2978 × 150/100 = **■**4467.

id=83562 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1170. If it is sold at a profit of 15%, what is its selling price? | option_a=1345 | option_b=1228 | option_c=1462 | option_d=1185 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1170 × 115/100 = **■**1345.

id=83563 | topic=Averages | difficulty=Easy | question=Find the average of 11, 58, 81. | option_a=52 | option_b=51 | option_c=50 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 150 ÷ 3 = 50.

id=83564 | topic=Averages | difficulty=Easy | question=Find the average of 60, 64, 56, 78, 78, 47, 10, 51, 24. | option_a=51 | option_b=54 | option_c=53 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 468 ÷ 9 = 52.

id=83565 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:5 and the first is 88, what is the second? | option_a=63 | option_b=143 | option_c=50 | option_d=55 | answer=D | explanation=Scale factor = 88/8 = 11. Therefore second quantity = 5×11 = 55.

id=83566 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=7 | option_c=17 | option_d=24 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=83567 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 28? | option_a=28 | option_b=19 | option_c=16 | option_d=22 | answer=A | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 28 is the odd one out.

id=83568 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=S | option_b=T | option_c=U | option_d=V | answer=C | explanation=Move 1 positions forward from T; the resulting letter is U.

id=83569 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 16, 23, 30, ? | option_a=30 | option_b=37 | option_c=44 | option_d=38 | answer=B | explanation=The common difference is 7. Therefore the next term is 30 + 7 = 37.

id=83570 | topic=Percentages | difficulty=Easy | question=What is 15% of 513? | option_a=152 | option_b=86 | option_c=76 | option_d=71 | answer=C | explanation=15% of 513 = (15/100) × 513 = 76.

id=83571 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:4 and the first is 152, what is the second? | option_a=51 | option_b=184 | option_c=32 | option_d=28 | answer=C | explanation=Scale factor = 152/19 = 8. Therefore second quantity = 4×8 = 32.

id=83572 | topic=Averages | difficulty=Easy | question=Find the average of 36, 26, 62, 87, 26, 61, 52, 34. | option_a=47 | option_b=49 | option_c=48 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 384 ÷ 8 = 48.

id=83573 | topic=Averages | difficulty=Easy | question=Find the average of 68, 71, 65, 83, 86, 59, 28, 92, 86, 102. | option_a=75 | option_b=73 | option_c=76 | option_d=74 | answer=D | explanation=Average = sum of values ÷ number of values = 740 ÷ 10 = 74.

id=83574 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 12, 15, 18, ? | option_a=18 | option_b=22 | option_c=21 | option_d=24 | answer=C | explanation=The common difference is 3. Therefore the next term is 18 + 3 = 21.

id=83575 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=31 | option_b=35 | option_c=39 | option_d=36 | answer=B | explanation=The common difference is 4. Therefore the next term is 31 + 4 = 35.

id=83576 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43609 at 15% per annum for 2 years. | option_a=13182 | option_b=56691 | option_c=12982 | option_d=13082 | answer=D | explanation=SI = PRT/100 = 43609×15×2/100 = **■**13082.

id=83577 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=59 | option_b=49 | option_c=37 | option_d=48 | answer=D | explanation=The common difference is 11. Therefore the next term is 37 + 11 = 48.

id=83578 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 14. | option_a=128 | option_b=98 | option_c=112 | option_d=224 | answer=C | explanation=LCM × HCF = 16×14; HCF(16,14) = 2, so LCM = 112.

id=83579 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=83580 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 26, 33, 43? | option_a=33 | option_b=43 | option_c=26 | option_d=19 | answer=B | explanation=The first three numbers increase by 7, so the next should be 40. Therefore 43 is the odd one out.

Aptitude Questions — Records 83,581-83,610 of 100,000

id=83581 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1717. If it is sold at a profit of 25%, what is its selling price? | option_a=2317 | option_b=1975 | option_c=2146 | option_d=1742 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1717 × 125/100 = ■2146.

id=83582 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=E | option_b=G | option_c=F | option_d=H | answer=B | explanation=Move 1 positions forward from F; the resulting letter is G.

id=83583 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2864. If it is sold at a profit of 5%, what is its selling price? | option_a=2721 | option_b=3007 | option_c=3293 | option_d=2869 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2864 × 105/100 = ■3007.

id=83584 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1189. If it is sold at a profit of 50%, what is its selling price? | option_a=1901 | option_b=1665 | option_c=1783 | option_d=1239 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1189 × 150/100 = ■1783.

id=83585 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=83586 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=83587 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=S | option_c=Q | option_d=W | answer=A | explanation=Move 2 positions forward from S; the resulting letter is U.

id=83588 | topic=Percentages | difficulty=Easy | question=What is 30% of 1051? | option_a=310 | option_b=630 | option_c=335 | option_d=315 | answer=D | explanation=30% of 1051 = (30/100) × 1051 = 315.

id=83589 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■33671 at 5% per annum for 4 years. | option_a=6834 | option_b=6734 | option_c=40405 | option_d=6634 | answer=B | explanation=SI = PRT/100 = 33671×5×4/100 = ■6734.

id=83590 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=R | option_c=A | option_d=X | answer=D | explanation=Move 3 positions forward from U; the resulting letter is X.

id=83591 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 12, 17, 23? | option_a=7 | option_b=23 | option_c=12 | option_d=17 | answer=B | explanation=The first three numbers increase by 5, so the next should be 22. Therefore 23 is the odd one out.

id=83592 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 33, 42, 54? | option_a=42 | option_b=24 | option_c=54 | option_d=33 | answer=C | explanation=The first three numbers increase by 9, so the next should be 51. Therefore 54 is the odd one out.

id=83593 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■8328 at 12% per annum for 2 years. | option_a=1998 | option_b=2098 | option_c=10326 | option_d=1898 | answer=A | explanation=SI = PRT/100 = 8328×12×2/100 = ■1998.

id=83594 | topic=Averages | difficulty=Easy | question=Find the average of 17, 23, 61, 87. | option_a=48 | option_b=49 | option_c=46 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 188 ÷ 4 = 47.

id=83595 | topic=Averages | difficulty=Easy | question=Find the average of 43, 18, 11, 24, 78, 45, 89. | option_a=46 | option_b=43 | option_c=45 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = 308 ÷ 7 = 44.

id=83596 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 10, 15, 21? | option_a=5 | option_b=21 | option_c=10 | option_d=15 | answer=B | explanation=The first three numbers increase by 5, so the next should be 20. Therefore 21 is the odd one out.

id=83597 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■48663 at 15% per annum for 2 years. | option_a=14698 | option_b=14598 | option_c=14498 | option_d=63261 | answer=B | explanation=SI = PRT/100 = 48663×15×2/100 = ■14598.

id=83598 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■274. If it is sold at a profit of 20%, what is its selling price? | option_a=301 | option_b=328 | option_c=294 | option_d=355 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 274 × 120/100 = ■328.

id=83599 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=90 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=83600 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:16 and the first is 54, what is the second? | option_a=198 | option_b=144 | option_c=128 | option_d=150 | answer=B | explanation=Scale factor = 54/6 = 9. Therefore second quantity = 16×9 = 144.

id=83601 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 57? | option_a=47 | option_b=29 | option_c=57 | option_d=38 | answer=C | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 57 is the odd one out.

id=83602 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■10346 at 8% per annum for 3 years. | option_a=2483 | option_b=2383 | option_c=12829 | option_d=2583 | answer=A | explanation=SI = PRT/100 = 10346×8×3/100 = ■2483.

id=83603 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=83604 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=83605 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 24, 31, 39? | option_a=24 | option_b=17 | option_c=39 | option_d=31 | answer=C | explanation=The first three numbers increase by 7, so the next should be 38. Therefore 39 is the odd one out.

id=83606 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:9 and the first is 204, what is the second? | option_a=144 | option_b=165 | option_c=153 | option_d=357 | answer=C | explanation=Scale factor = 204/12 = 17. Therefore second quantity = 9×17 = 153.

id=83607 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:13 and the first is 9, what is the second? | option_a=104 | option_b=118 | option_c=126 | option_d=117 | answer=D | explanation=Scale factor = 9/1 = 9. Therefore second quantity = 13×9 = 117.

id=83608 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=83609 | topic=Percentages | difficulty=Easy | question=What is 40% of 1508? | option_a=1206 | option_b=623 | option_c=603 | option_d=593 | answer=C | explanation=40% of 1508 = (40/100) × 1508 = 603.

id=83610 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=25 | option_c=30 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

Aptitude Questions — Records 83,611-83,640 of 100,000

- id=83611 | topic=Profit & Loss | difficulty=Easy | question=An article costs █388. If it is sold at a profit of 30%, what is its selling price? | option_a=466 | option_b=504 | option_c=418 | option_d=542 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 388 × 130/100 = █504.
- id=83612 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=83613 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:19 and the first is 24, what is the second? | option_a=230 | option_b=228 | option_c=209 | option_d=252 | answer=B | explanation=Scale factor = 24/2 = 12. Therefore second quantity = 19×12 = 228.
- id=83614 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 21. | option_a=126 | option_b=48 | option_c=42 | option_d=21 | answer=C | explanation=LCM × HCF = 6×21; HCF(6,21) = 3, so LCM = 42.
- id=83615 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=53 | option_b=62 | option_c=42 | option_d=52 | answer=D | explanation=The common difference is 10. Therefore the next term is 42 + 10 = 52.
- id=83616 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=55 | option_d=100 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.
- id=83617 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27252 at 5% per annum for 3 years. | option_a=4087 | option_b=4187 | option_c=31339 | option_d=3987 | answer=A | explanation=SI = PRT/100 = 27252×5×3/100 = █4087.
- id=83618 | topic=Percentages | difficulty=Easy | question=What is 10% of 187? | option_a=18 | option_b=13 | option_c=36 | option_d=38 | answer=A | explanation=10% of 187 = (10/100) × 187 = 18.
- id=83619 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=53 | option_b=64 | option_c=52 | option_d=40 | answer=C | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.
- id=83620 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12182 at 6% per annum for 1 years. | option_a=730 | option_b=630 | option_c=12912 | option_d=830 | answer=A | explanation=SI = PRT/100 = 12182×6×1/100 = █730.
- id=83621 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:1 and the first is 105, what is the second? | option_a=120 | option_b=15 | option_c=14 | option_d=22 | answer=B | explanation=Scale factor = 105/7 = 15. Therefore second quantity = 1×15 = 15.
- id=83622 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=43 | option_b=34 | option_c=42 | option_d=50 | answer=C | explanation=The common difference is 8. Therefore the next term is 34 + 8 = 42.
- id=83623 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=R | option_b=H | option_c=M | option_d=W | answer=A | explanation=Move 5 positions forward from M; the resulting letter is R.
- id=83624 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:18 and the first is 91, what is the second? | option_a=108 | option_b=126 | option_c=217 | option_d=139 | answer=B | explanation=Scale factor = 91/13 = 7. Therefore second quantity = 18×7 = 126.
- id=83625 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42043 at 12% per annum for 5 years. | option_a=25325 | option_b=67268 | option_c=25125 | option_d=25225 | answer=D | explanation=SI = PRT/100 = 42043×12×5/100 = █25225.
- id=83626 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=83627 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=M | option_c=Y | option_d=Q | answer=A | explanation=Move 4 positions forward from Q; the resulting letter is U.
- id=83628 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27236 at 6% per annum for 5 years. | option_a=8270 | option_b=8170 | option_c=8070 | option_d=35406 | answer=B | explanation=SI = PRT/100 = 27236×6×5/100 = █8170.
- id=83629 | topic=Averages | difficulty=Easy | question=Find the average of 40, 40, 11, 95, 55, 40, 27, 44, 79, 29. | option_a=47 | option_b=48 | option_c=45 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 460 ÷ 10 = 46.
- id=83630 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=5 | option_c=20 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.
- id=83631 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=48 | option_b=41 | option_c=49 | option_d=55 | answer=A | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.
- id=83632 | topic=Percentages | difficulty=Easy | question=What is 20% of 1844? | option_a=368 | option_b=388 | option_c=348 | option_d=736 | answer=A | explanation=20% of 1844 = (20/100) × 1844 = 368.
- id=83633 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=S | option_c=Q | option_d=M | answer=C | explanation=Move 2 positions forward from O; the resulting letter is Q.
- id=83634 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:3 and the first is 256, what is the second? | option_a=304 | option_b=45 | option_c=64 | option_d=48 | answer=D | explanation=Scale factor = 256/16 = 16. Therefore second quantity = 3×16 = 48.
- id=83635 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1792. If it is sold at a profit of 20%, what is its selling price? | option_a=2329 | option_b=2150 | option_c=1971 | option_d=1812 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1792 × 120/100 = █2150.
- id=83636 | topic=Averages | difficulty=Easy | question=Find the average of 31, 38, 40, 65, 16. | option_a=39 | option_b=38 | option_c=40 | option_d=37 | answer=B | explanation=Average = sum of values ÷ number of values = 190 ÷ 5 = 38.
- id=83637 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:17 and the first is 192, what is the second? | option_a=464 | option_b=272 | option_c=284 | option_d=255 | answer=B | explanation=Scale factor = 192/12 = 16. Therefore second quantity = 17×16 = 272.
- id=83638 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:20 and the first is 51, what is the second? | option_a=111 | option_b=40 | option_c=60 | option_d=77 | answer=C | explanation=Scale factor = 51/17 = 3. Therefore second quantity = 20×3 = 60.
- id=83639 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1634. If it is sold at a profit of 40%, what is its selling price? | option_a=2287 | option_b=1674 | option_c=2450 | option_d=2124 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1634 × 140/100 = █2287.
- id=83640 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=I | option_b=M | option_c=Q | option_d=U | answer=C | explanation=Move 4 positions forward from M; the resulting letter is Q.

Aptitude Questions — Records 83,641-83,670 of 100,000

id=83641 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26557 at 6% per annum for 5 years. | option_a=7967 | option_b=7867 | option_c=8067 | option_d=34524 | answer=A | explanation=SI = $PRT/100 = 26557 \times 6 \times 5/100 = \text{■}7967$.

id=83642 | topic=Averages | difficulty=Easy | question=Find the average of 53, 94, 60. | option_a=70 | option_b=69 | option_c=71 | option_d=68 | answer=B | explanation=Average = sum of values + number of values = $207 \div 3 = 69$.

id=83643 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=36 | option_d=23 | answer=A | explanation=Speed = distance + time = $90 \div 5 = 18$ km/h.

id=83644 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=90 | option_d=50 | answer=B | explanation=Speed = distance + time = $360 \div 8 = 45$ km/h.

id=83645 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=17 | option_d=7 | answer=B | explanation=Speed = distance + time = $60 \div 5 = 12$ km/h.

id=83646 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=83647 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20171 at 10% per annum for 3 years. | option_a=6151 | option_b=5951 | option_c=26222 | option_d=6051 | answer=D | explanation=SI = $PRT/100 = 20171 \times 10 \times 3/100 = \text{■}6051$.

id=83648 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 36? | option_a=15 | option_b=36 | option_c=25 | option_d=5 | answer=B | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 36 is the odd one out.

id=83649 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=E | option_b=B | option_c=H | option_d=Y | answer=A | explanation=Move 3 positions forward from B; the resulting letter is E.

id=83650 | topic=Percentages | difficulty=Easy | question=What is 25% of 109? | option_a=27 | option_b=47 | option_c=54 | option_d=17 | answer=A | explanation=25% of 109 = $(25/100) \times 109 = 27$.

id=83651 | topic=Percentages | difficulty=Easy | question=What is 15% of 1748? | option_a=272 | option_b=257 | option_c=262 | option_d=524 | answer=C | explanation=15% of 1748 = $(15/100) \times 1748 = 262$.

id=83652 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2981. If it is sold at a profit of 10%, what is its selling price? | option_a=3577 | option_b=3279 | option_c=2981 | option_d=2991 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2981 \times 110/100 = \text{■}3279$.

id=83653 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2745 at 12% per annum for 1 years. | option_a=429 | option_b=329 | option_c=3074 | option_d=229 | answer=B | explanation=SI = $PRT/100 = 2745 \times 12 \times 1/100 = \text{■}329$.

id=83654 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 30. | option_a=60 | option_b=32 | option_c=1 | option_d=30 | answer=D | explanation=LCM $\times$ HCF = 2×30 : HCF(2,30) = 2, so LCM = 30.

id=83655 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39381 at 15% per annum for 2 years. | option_a=11814 | option_b=11714 | option_c=51195 | option_d=11914 | answer=A | explanation=SI = $PRT/100 = 39381 \times 15 \times 2/100 = \text{■}11814$.

id=83656 | topic=Percentages | difficulty=Easy | question=What is 25% of 1851? | option_a=924 | option_b=452 | option_c=462 | option_d=467 | answer=C | explanation=25% of 1851 = $(25/100) \times 1851 = 462$.

id=83657 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1435. If it is sold at a profit of 15%, what is its selling price? | option_a=1793 | option_b=1507 | option_c=1650 | option_d=1450 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1435 \times 115/100 = \text{■}1650$.

id=83658 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:4 and the first is 360, what is the second? | option_a=98 | option_b=440 | option_c=76 | option_d=80 | answer=D | explanation=Scale factor = $360/18 = 20$. Therefore second quantity = $4 \times 20 = 80$.

id=83659 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:16 and the first is 90, what is the second? | option_a=160 | option_b=144 | option_c=250 | option_d=169 | answer=A | explanation=Scale factor = $90/9 = 10$. Therefore second quantity = $16 \times 10 = 160$.

id=83660 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3802. If it is sold at a profit of 50%, what is its selling price? | option_a=3852 | option_b=5703 | option_c=5323 | option_d=6083 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3802 \times 150/100 = \text{■}5703$.

id=83661 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:15 and the first is 78, what is the second? | option_a=201 | option_b=180 | option_c=195 | option_d=273 | answer=C | explanation=Scale factor = $78/6 = 13$. Therefore second quantity = $15 \times 13 = 195$.

id=83662 | topic=Percentages | difficulty=Easy | question=What is 25% of 845? | option_a=211 | option_b=422 | option_c=231 | option_d=206 | answer=A | explanation=25% of 845 = $(25/100) \times 845 = 211$.

id=83663 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=40 | option_b=50 | option_c=51 | option_d=60 | answer=B | explanation=The common difference is 10. Therefore the next term is $40 + 10 = 50$.

id=83664 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=83665 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 7, 10, 16? | option_a=16 | option_b=7 | option_c=10 | option_d=4 | answer=A | explanation=The first three numbers increase by 3, so the next should be 13. Therefore 16 is the odd one out.

id=83666 | topic=Averages | difficulty=Easy | question=Find the average of 42, 75, 22, 68, 76, 47. | option_a=55 | option_b=57 | option_c=56 | option_d=54 | answer=A | explanation=Average = sum of values + number of values = $330 \div 6 = 55$.

id=83667 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 22, 26, 31? | option_a=26 | option_b=18 | option_c=22 | option_d=31 | answer=D | explanation=The first three numbers increase by 4, so the next should be 30. Therefore 31 is the odd one out.

id=83668 | topic=Averages | difficulty=Easy | question=Find the average of 52, 63, 92, 76, 28, 30, 80, 65, 90. | option_a=66 | option_b=63 | option_c=65 | option_d=64 | answer=D | explanation=Average = sum of values + number of values = $576 \div 9 = 64$.

id=83669 | topic=Percentages | difficulty=Easy | question=What is 30% of 1865? | option_a=579 | option_b=1118 | option_c=539 | option_d=559 | answer=D | explanation=30% of 1865 = $(30/100) \times 1865 = 559$.

id=83670 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1686. If it is sold at a profit of 5%, what is its selling price? | option_a=1938 | option_b=1602 | option_c=1691 | option_d=1770 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1686 \times 105/100 = \text{■}1770$.

Aptitude Questions — Records 83,671-83,700 of 100,000

id=83671 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=83672 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=47 | option_b=36 | option_c=46 | option_d=56 | answer=C | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.

id=83673 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Q | option_b=Z | option_c=W | option_d=T | answer=C | explanation=Move 3 positions forward from T; the resulting letter is W.

id=83674 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1818. If it is sold at a profit of 15%, what is its selling price? | option_a=2090 | option_b=1909 | option_c=1833 | option_d=2271 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1818 × 115/100 = █2090.

id=83675 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=G | option_b=J | option_c=A | option_d=D | answer=A | explanation=Move 3 positions forward from D; the resulting letter is G.

id=83676 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:9 and the first is 60, what is the second? | option_a=240 | option_b=180 | option_c=183 | option_d=171 | answer=B | explanation=Scale factor = 60/3 = 20. Therefore second quantity = 9×20 = 180.

id=83677 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 29? | option_a=29 | option_b=19 | option_c=5 | option_d=12 | answer=A | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 29 is the odd one out.

id=83678 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4171. If it is sold at a profit of 5%, what is its selling price? | option_a=3962 | option_b=4796 | option_c=4176 | option_d=4379 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4171 × 105/100 = █4379.

id=83679 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=83680 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=M | option_b=G | option_c=P | option_d=J | answer=A | explanation=Move 3 positions forward from J; the resulting letter is M.

id=83681 | topic=Percentages | difficulty=Easy | question=What is 40% of 711? | option_a=568 | option_b=294 | option_c=284 | option_d=279 | answer=C | explanation=40% of 711 = (40/100) × 711 = 284.

id=83682 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3381. If it is sold at a profit of 10%, what is its selling price? | option_a=3391 | option_b=3381 | option_c=4057 | option_d=3719 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3381 × 110/100 = █3719.

id=83683 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:14 and the first is 180, what is the second? | option_a=280 | option_b=289 | option_c=460 | option_d=266 | answer=A | explanation=Scale factor = 180/9 = 20. Therefore second quantity = 14×20 = 280.

id=83684 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:9 and the first is 65, what is the second? | option_a=36 | option_b=45 | option_c=58 | option_d=110 | answer=B | explanation=Scale factor = 65/13 = 5. Therefore second quantity = 9×5 = 45.

id=83685 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 30. | option_a=300 | option_b=40 | option_c=1 | option_d=30 | answer=D | explanation=LCM × HCF = 10×30; HCF(10,30) = 10, so LCM = 30.

id=83686 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=83687 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 50? | option_a=25 | option_b=41 | option_c=50 | option_d=33 | answer=C | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 50 is the odd one out.

id=83688 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:15 and the first is 50, what is the second? | option_a=155 | option_b=135 | option_c=150 | option_d=200 | answer=C | explanation=Scale factor = 50/5 = 10. Therefore second quantity = 15×10 = 150.

id=83689 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=S | option_c=T | option_d=R | answer=C | explanation=Move 1 positions forward from S; the resulting letter is T.

id=83690 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 27? | option_a=18 | option_b=4 | option_c=27 | option_d=11 | answer=C | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 27 is the odd one out.

id=83691 | topic=Percentages | difficulty=Easy | question=What is 10% of 1902? | option_a=190 | option_b=380 | option_c=185 | option_d=200 | answer=A | explanation=10% of 1902 = (10/100) × 1902 = 190.

id=83692 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=83693 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 28. | option_a=1 | option_b=42 | option_c=392 | option_d=28 | answer=D | explanation=LCM × HCF = 14×28; HCF(14,28) = 14, so LCM = 28.

id=83694 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=30 | option_b=35 | option_c=34 | option_d=38 | answer=C | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.

id=83695 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=83696 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1488. If it is sold at a profit of 10%, what is its selling price? | option_a=1636 | option_b=1488 | option_c=1498 | option_d=1784 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1488 × 110/100 = █1636.

id=83697 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 35, 43, 54? | option_a=54 | option_b=35 | option_c=43 | option_d=27 | answer=A | explanation=The first three numbers increase by 8, so the next should be 51. Therefore 54 is the odd one out.

id=83698 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=83699 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:12 and the first is 180, what is the second? | option_a=96 | option_b=288 | option_c=128 | option_d=108 | answer=D | explanation=Scale factor = 180/20 = 9. Therefore second quantity = 12×9 = 108.

id=83700 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39711 at 12% per annum for 5 years. | option_a=23926 | option_b=23726 | option_c=63537 | option_d=23826 | answer=D | explanation=SI = PRT/100 = 39711×12×5/100 = █23826.

Aptitude Questions — Records 83,701-83,730 of 100,000

id=83701 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=125 | option_c=120 | option_d=240 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=83702 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1710 at 6% per annum for 5 years. | option_a=2223 | option_b=513 | option_c=413 | option_d=613 | answer=B | explanation=SI = $\frac{PRT}{100}$ = $\frac{1710 \times 6 \times 5}{100}$ = **■**513.

id=83703 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=32 | option_b=31 | option_c=28 | option_d=34 | answer=B | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=83704 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $\frac{1}{4} + \frac{1}{4} = \frac{8}{16}$. Time = $\frac{16}{8}$ = 2 days.

id=83705 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=9 | option_c=4 | option_d=18 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=83706 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 12. | option_a=312 | option_b=182 | option_c=156 | option_d=144 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 26 \times 12$; $\text{HCF}(26,12) = 2$, so LCM = 156.

id=83707 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=Z | option_b=B | option_c=C | option_d=A | answer=B | explanation=Move 1 positions forward from A; the resulting letter is B.

id=83708 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:17 and the first is 65, what is the second? | option_a=98 | option_b=85 | option_c=68 | option_d=150 | answer=B | explanation=Scale factor = $\frac{65}{13} = 5$. Therefore second quantity = $17 \times 5 = 85$.

id=83709 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13296 at 4% per annum for 2 years. | option_a=963 | option_b=1163 | option_c=14359 | option_d=1063 | answer=D | explanation=SI = $\frac{PRT}{100}$ = $\frac{13296 \times 4 \times 2}{100}$ = **■**1063.

id=83710 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 21. | option_a=42 | option_b=48 | option_c=126 | option_d=21 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 6 \times 21$; $\text{HCF}(6,21) = 3$, so LCM = 42.

id=83711 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45236 at 8% per annum for 3 years. | option_a=10756 | option_b=10856 | option_c=56092 | option_d=10956 | answer=B | explanation=SI = $\frac{PRT}{100}$ = $\frac{45236 \times 8 \times 3}{100}$ = **■**10856.

id=83712 | topic=Percentages | difficulty=Easy | question=What is 50% of 499? | option_a=244 | option_b=259 | option_c=249 | option_d=498 | answer=C | explanation=50% of 499 = $\frac{50}{100} \times 499 = 249$.

id=83713 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 25. | option_a=25 | option_b=50 | option_c=1 | option_d=625 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 25 \times 25$; $\text{HCF}(25,25) = 25$, so LCM = 25.

id=83714 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 26. | option_a=260 | option_b=104 | option_c=140 | option_d=130 | answer=D | explanation= $\text{LCM} \times \text{HCF} = 10 \times 26$; $\text{HCF}(10,26) = 2$, so LCM = 130.

id=83715 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 21. | option_a=105 | option_b=315 | option_c=84 | option_d=120 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 15 \times 21$; $\text{HCF}(15,21) = 3$, so LCM = 105.

id=83716 | topic=Percentages | difficulty=Easy | question=What is 12% of 1811? | option_a=434 | option_b=237 | option_c=197 | option_d=217 | answer=D | explanation=12% of 1811 = $\frac{12}{100} \times 1811 = 217$.

id=83717 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=83718 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=D | option_c=Y | option_d=O | answer=C | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=83719 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=83720 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=56 | option_b=45 | option_c=57 | option_d=67 | answer=A | explanation=The common difference is 11. Therefore the next term is 45 + 11 = 56.

id=83721 | topic=Averages | difficulty=Easy | question=Find the average of 93, 91, 35, 98, 85, 79, 23. | option_a=73 | option_b=74 | option_c=72 | option_d=71 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{504}{7} = 72$.

id=83722 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = $\frac{300}{10} = 30$ km/h.

id=83723 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=G | option_b=V | option_c=L | option_d=Q | answer=D | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=83724 | topic=Percentages | difficulty=Easy | question=What is 25% of 1224? | option_a=612 | option_b=296 | option_c=326 | option_d=306 | answer=D | explanation=25% of 1224 = $\frac{25}{100} \times 1224 = 306$.

id=83725 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 49? | option_a=19 | option_b=28 | option_c=49 | option_d=37 | answer=C | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 49 is the odd one out.

id=83726 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12} = 3$ days.

id=83727 | topic=Averages | difficulty=Easy | question=Find the average of 73, 86, 73, 73, 86, 84, 30, 52, 68, 65. | option_a=69 | option_b=68 | option_c=71 | option_d=70 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{690}{10} = 69$.

id=83728 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=Z | option_c=N | option_d=R | answer=A | explanation=Move 4 positions forward from R; the resulting letter is V.

id=83729 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**203. If it is sold at a profit of 15%, what is its selling price? | option_a=253 | option_b=213 | option_c=233 | option_d=218 | answer=C | explanation=Selling price = $\text{CP} \times \frac{(100 + \text{profit}\%)}{100} = 203 \times \frac{115}{100} = \text{■}233$.

id=83730 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:17 and the first is 360, what is the second? | option_a=326 | option_b=306 | option_c=666 | option_d=289 | answer=B | explanation=Scale factor = $\frac{360}{20} = 18$. Therefore second quantity = $17 \times 18 = 306$.

Aptitude Questions — Records 83,731-83,760 of 100,000

id=83731 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=83732 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=83733 | topic=Profit & Loss | difficulty=Easy | question=An article costs █556. If it is sold at a profit of 50%, what is its selling price? | option_a=779 | option_b=889 | option_c=606 | option_d=834 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 556 × 150/100 = █834.

id=83734 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=83735 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 33, 39, 48? | option_a=33 | option_b=27 | option_c=39 | option_d=48 | answer=D | explanation=The first three numbers increase by 6, so the next should be 45. Therefore 48 is the odd one out.

id=83736 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18188 at 4% per annum for 2 years. | option_a=1355 | option_b=1555 | option_c=1455 | option_d=19643 | answer=C | explanation=SI = PRT/100 = 18188×4×2/100 = █1455.

id=83737 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=83738 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=22 | option_b=20 | option_c=23 | option_d=24 | answer=A | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=83739 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=83740 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=47 | option_b=59 | option_c=60 | option_d=71 | answer=B | explanation=The common difference is 12. Therefore the next term is 47 + 12 = 59.

id=83741 | topic=Averages | difficulty=Easy | question=Find the average of 85, 51, 13, 23, 23, 76, 37. | option_a=45 | option_b=46 | option_c=44 | option_d=43 | answer=C | explanation=Average = sum of values ÷ number of values = 308 ÷ 7 = 44.

id=83742 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=83743 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=P | option_b=J | option_c=M | option_d=S | answer=A | explanation=Move 3 positions forward from M; the resulting letter is P.

id=83744 | topic=Averages | difficulty=Easy | question=Find the average of 73, 39, 88, 54, 56. | option_a=64 | option_b=61 | option_c=63 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 310 ÷ 5 = 62.

id=83745 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1208 at 10% per annum for 2 years. | option_a=341 | option_b=241 | option_c=141 | option_d=1449 | answer=B | explanation=SI = PRT/100 = 1208×10×2/100 = █241.

id=83746 | topic=Averages | difficulty=Easy | question=Find the average of 69, 29, 79, 80, 18, 25. | option_a=51 | option_b=50 | option_c=49 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 300 ÷ 6 = 50.

id=83747 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23170 at 6% per annum for 3 years. | option_a=4170 | option_b=27340 | option_c=4270 | option_d=4070 | answer=A | explanation=SI = PRT/100 = 23170×6×3/100 = █4170.

id=83748 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41430 at 6% per annum for 4 years. | option_a=51373 | option_b=10043 | option_c=9943 | option_d=9843 | answer=C | explanation=SI = PRT/100 = 41430×6×4/100 = █9943.

id=83749 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 15, 20, 28? | option_a=15 | option_b=28 | option_c=20 | option_d=10 | answer=B | explanation=The first three numbers increase by 5, so the next should be 25. Therefore 28 is the odd one out.

id=83750 | topic=Percentages | difficulty=Easy | question=What is 30% of 1115? | option_a=668 | option_b=314 | option_c=334 | option_d=354 | answer=C | explanation=30% of 1115 = (30/100) × 1115 = 334.

id=83751 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=H | option_b=R | option_c=W | option_d=M | answer=B | explanation=Move 5 positions forward from M; the resulting letter is R.

id=83752 | topic=Percentages | difficulty=Easy | question=What is 5% of 574? | option_a=23 | option_b=56 | option_c=28 | option_d=48 | answer=C | explanation=5% of 574 = (5/100) × 574 = 28.

id=83753 | topic=Averages | difficulty=Easy | question=Find the average of 67, 97, 54, 41, 47, 66, 97. | option_a=68 | option_b=67 | option_c=66 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 469 ÷ 7 = 67.

id=83754 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 6. | option_a=168 | option_b=84 | option_c=78 | option_d=112 | answer=B | explanation=LCM × HCF = 28×6; HCF(28,6) = 2, so LCM = 84.

id=83755 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=A | option_c=C | option_d=D | answer=C | explanation=Move 1 positions forward from B; the resulting letter is C.

id=83756 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:6 and the first is 48, what is the second? | option_a=96 | option_b=99 | option_c=144 | option_d=90 | answer=A | explanation=Scale factor = 48/3 = 16. Therefore second quantity = 6×16 = 96.

id=83757 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=H | option_b=N | option_c=Q | option_d=K | answer=B | explanation=Move 3 positions forward from K; the resulting letter is N.

id=83758 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 43? | option_a=35 | option_b=28 | option_c=43 | option_d=21 | answer=C | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 43 is the odd one out.

id=83759 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 14. | option_a=28 | option_b=14 | option_c=1 | option_d=16 | answer=B | explanation=LCM × HCF = 2×14; HCF(2,14) = 2, so LCM = 14.

id=83760 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=45 | option_b=38 | option_c=52 | option_d=46 | answer=A | explanation=The common difference is 7. Therefore the next term is 38 + 7 = 45.

Aptitude Questions — Records 83,761-83,790 of 100,000

id=83761 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48297 at 12% per annum for 3 years. | option_a=17386 | option_b=17486 | option_c=65683 | option_d=17286 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{48297 \times 12 \times 3}{100} = \text{■}17386$.

id=83762 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 28? | option_a=4 | option_b=28 | option_c=18 | option_d=11 | answer=B | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 28 is the odd one out.

id=83763 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=57 | option_b=47 | option_c=35 | option_d=46 | answer=D | explanation=The common difference is 11. Therefore the next term is $35 + 11 = 46$.

id=83764 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 45? | option_a=26 | option_b=45 | option_c=38 | option_d=32 | answer=B | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 45 is the odd one out.

id=83765 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4009. If it is sold at a profit of 15%, what is its selling price? | option_a=5010 | option_b=4610 | option_c=4210 | option_d=4024 | answer=B | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%)/100 = 4009 \times 115/100 = \text{■}4610$.

id=83766 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18807 at 15% per annum for 5 years. | option_a=14005 | option_b=14205 | option_c=32912 | option_d=14105 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{18807 \times 15 \times 5}{100} = \text{■}14105$.

id=83767 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 28. | option_a=42 | option_b=1 | option_c=28 | option_d=392 | answer=C | explanation= $LCM \times HCF = 14 \times 28$; $HCF(14, 28) = 14$, so $LCM = 28$.

id=83768 | topic=Percentages | difficulty=Easy | question=What is 5% of 1000? | option_a=50 | option_b=100 | option_c=55 | option_d=30 | answer=A | explanation= $5\% \text{ of } 1000 = (5/100) \times 1000 = 50$.

id=83769 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9760 at 8% per annum for 1 years. | option_a=880 | option_b=680 | option_c=780 | option_d=10540 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{9760 \times 8 \times 1}{100} = \text{■}780$.

id=83770 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14436 at 8% per annum for 3 years. | option_a=3564 | option_b=3364 | option_c=3464 | option_d=17900 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{14436 \times 8 \times 3}{100} = \text{■}3464$.

id=83771 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 30. | option_a=240 | option_b=256 | option_c=210 | option_d=480 | answer=A | explanation= $LCM \times HCF = 16 \times 30$; $HCF(16, 30) = 2$, so $LCM = 240$.

id=83772 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 4. | option_a=56 | option_b=28 | option_c=42 | option_d=24 | answer=B | explanation= $LCM \times HCF = 14 \times 4$; $HCF(14, 4) = 2$, so $LCM = 28$.

id=83773 | topic=Percentages | difficulty=Easy | question=What is 12% of 1847? | option_a=241 | option_b=221 | option_c=201 | option_d=442 | answer=B | explanation= $12\% \text{ of } 1847 = (12/100) \times 1847 = 221$.

id=83774 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1091. If it is sold at a profit of 5%, what is its selling price? | option_a=1145 | option_b=1036 | option_c=1254 | option_d=1096 | answer=A | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%)/100 = 1091 \times 105/100 = \text{■}1145$.

id=83775 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48234 at 5% per annum for 4 years. | option_a=9546 | option_b=9646 | option_c=57880 | option_d=9746 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{48234 \times 5 \times 4}{100} = \text{■}9646$.

id=83776 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=125 | option_d=240 | answer=A | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{360}{3} = 120 \text{ km/h}$.

id=83777 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation= $\text{Combined rate} = \frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. $\text{Time} = \frac{72}{18} = 4 \text{ days}$.

id=83778 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1326. If it is sold at a profit of 40%, what is its selling price? | option_a=1724 | option_b=1856 | option_c=1366 | option_d=1988 | answer=B | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%)/100 = 1326 \times 140/100 = \text{■}1856$.

id=83779 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=43 | option_c=53 | option_d=48 | answer=D | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{240}{5} = 48 \text{ km/h}$.

id=83780 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=57 | option_b=46 | option_c=35 | option_d=47 | answer=B | explanation=The common difference is 11. Therefore the next term is $35 + 11 = 46$.

id=83781 | topic=Averages | difficulty=Easy | question=Find the average of 29, 73, 40, 30. | option_a=42 | option_b=43 | option_c=44 | option_d=45 | answer=B | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{172}{4} = 43$.

id=83782 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=H | option_c=T | option_d=L | answer=A | explanation=Move 4 positions forward from L; the resulting letter is P.

id=83783 | topic=Averages | difficulty=Easy | question=Find the average of 72, 64, 39, 56, 10, 98, 81. | option_a=61 | option_b=59 | option_c=60 | option_d=62 | answer=C | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{420}{7} = 60$.

id=83784 | topic=Averages | difficulty=Easy | question=Find the average of 74, 73, 53, 10, 63, 94, 25. | option_a=56 | option_b=58 | option_c=55 | option_d=57 | answer=A | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{392}{7} = 56$.

id=83785 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=O | option_c=Q | option_d=R | answer=C | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=83786 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=100 | option_d=55 | answer=B | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{150}{3} = 50 \text{ km/h}$.

id=83787 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=35 | option_b=31 | option_c=30 | option_d=25 | answer=C | explanation=The common difference is 5. Therefore the next term is $25 + 5 = 30$.

id=83788 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=G | option_c=Q | option_d=V | answer=C | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=83789 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=80 | option_d=150 | answer=A | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{300}{4} = 75 \text{ km/h}$.

id=83790 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:1 and the first is 42, what is the second? | option_a=17 | option_b=45 | option_c=3 | option_d=2 | answer=C | explanation= $\text{Scale factor} = \frac{42}{14} = 3$. Therefore second quantity = $1 \times 3 = 3$.

Aptitude Questions — Records 83,791-83,820 of 100,000

id=83791 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 23, 25, 30? | option_a=30 | option_b=21 | option_c=25 | option_d=23 | answer=A | explanation=The first three numbers increase by 2, so the next should be 27. Therefore 30 is the odd one out.

id=83792 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7004 at 5% per annum for 5 years. | option_a=8755 | option_b=1751 | option_c=1851 | option_d=1651 | answer=B | explanation=SI = $\text{PRT}/100 = 7004 \times 5 \times 5/100 = \text{■}1751$.

id=83793 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=96 | option_c=53 | option_d=43 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=83794 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=M | option_b=A | option_c=E | option_d=I | answer=D | explanation=Move 4 positions forward from E; the resulting letter is I.

id=83795 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=X | option_c=L | option_d=T | answer=D | explanation=Move 4 positions forward from P; the resulting letter is T.

id=83796 | topic=Percentages | difficulty=Easy | question=What is 12% of 263? | option_a=11 | option_b=31 | option_c=36 | option_d=62 | answer=B | explanation=12% of 263 = $(12/100) \times 263 = 31$.

id=83797 | topic=Percentages | difficulty=Easy | question=What is 5% of 348? | option_a=0 | option_b=22 | option_c=34 | option_d=17 | answer=D | explanation=5% of 348 = $(5/100) \times 348 = 17$.

id=83798 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:18 and the first is 288, what is the second? | option_a=612 | option_b=324 | option_c=306 | option_d=340 | answer=B | explanation=Scale factor = $288/16 = 18$. Therefore second quantity = $18 \times 18 = 324$.

id=83799 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24615 at 12% per annum for 1 years. | option_a=27568 | option_b=2953 | option_c=3053 | option_d=2853 | answer=B | explanation=SI = $\text{PRT}/100 = 24615 \times 12 \times 1/100 = \text{■}2953$.

id=83800 | topic=Averages | difficulty=Easy | question=Find the average of 100, 78, 83, 92, 34, 63. | option_a=75 | option_b=74 | option_c=76 | option_d=77 | answer=A | explanation=Average = sum of values ÷ number of values = $450 \div 6 = 75$.

id=83801 | topic=Percentages | difficulty=Easy | question=What is 50% of 654? | option_a=327 | option_b=347 | option_c=317 | option_d=654 | answer=A | explanation=50% of 654 = $(50/100) \times 654 = 327$.

id=83802 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=14 | option_b=12 | option_c=15 | option_d=16 | answer=A | explanation=The common difference is 2. Therefore the next term is $12 + 2 = 14$.

id=83803 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:13 and the first is 72, what is the second? | option_a=124 | option_b=52 | option_c=39 | option_d=70 | answer=B | explanation=Scale factor = $72/18 = 4$. Therefore second quantity = $13 \times 4 = 52$.

id=83804 | topic=Percentages | difficulty=Easy | question=What is 10% of 1577? | option_a=152 | option_b=314 | option_c=157 | option_d=167 | answer=C | explanation=10% of 1577 = $(10/100) \times 1577 = 157$.

id=83805 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3819. If it is sold at a profit of 5%, what is its selling price? | option_a=3824 | option_b=4009 | option_c=3628 | option_d=4390 | answer=B | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 3819 \times 105/100 = \text{■}4009$.

id=83806 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18998 at 15% per annum for 1 years. | option_a=2849 | option_b=21847 | option_c=2949 | option_d=2749 | answer=A | explanation=SI = $\text{PRT}/100 = 18998 \times 15 \times 1/100 = \text{■}2849$.

id=83807 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=83808 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4841 at 8% per annum for 4 years. | option_a=1549 | option_b=1449 | option_c=1649 | option_d=6390 | answer=A | explanation=SI = $\text{PRT}/100 = 4841 \times 8 \times 4/100 = \text{■}1549$.

id=83809 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:5 and the first is 36, what is the second? | option_a=10 | option_b=27 | option_c=15 | option_d=51 | answer=C | explanation=Scale factor = $36/12 = 3$. Therefore second quantity = $5 \times 3 = 15$.

id=83810 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=56 | option_b=67 | option_c=45 | option_d=57 | answer=A | explanation=The common difference is 11. Therefore the next term is $45 + 11 = 56$.

id=83811 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 61? | option_a=50 | option_b=40 | option_c=61 | option_d=30 | answer=C | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 61 is the odd one out.

id=83812 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:1 and the first is 48, what is the second? | option_a=14 | option_b=8 | option_c=56 | option_d=7 | answer=B | explanation=Scale factor = $48/6 = 8$. Therefore second quantity = $1 \times 8 = 8$.

id=83813 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 15, 23, 32? | option_a=7 | option_b=23 | option_c=15 | option_d=32 | answer=D | explanation=The first three numbers increase by 8, so the next should be 31. Therefore 32 is the odd one out.

id=83814 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:19 and the first is 117, what is the second? | option_a=256 | option_b=247 | option_c=228 | option_d=364 | answer=B | explanation=Scale factor = $117/9 = 13$. Therefore second quantity = $19 \times 13 = 247$.

id=83815 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=35 | option_b=27 | option_c=41 | option_d=34 | answer=D | explanation=The common difference is 7. Therefore the next term is $27 + 7 = 34$.

id=83816 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=J | option_b=F | option_c=X | option_d=B | answer=B | explanation=Move 4 positions forward from B; the resulting letter is F.

id=83817 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:12 and the first is 24, what is the second? | option_a=99 | option_b=120 | option_c=84 | option_d=96 | answer=D | explanation=Scale factor = $24/3 = 8$. Therefore second quantity = $12 \times 8 = 96$.

id=83818 | topic=Averages | difficulty=Easy | question=Find the average of 59, 85, 14, 33, 29, 83, 11, 26, 101. | option_a=50 | option_b=49 | option_c=51 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = $441 \div 9 = 49$.

id=83819 | topic=Averages | difficulty=Easy | question=Find the average of 52, 54, 95, 99, 68, 42, 33, 85. | option_a=66 | option_b=67 | option_c=65 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = $528 \div 8 = 66$.

id=83820 | topic=Percentages | difficulty=Easy | question=What is 50% of 586? | option_a=586 | option_b=293 | option_c=303 | option_d=273 | answer=B | explanation=50% of 586 = $(50/100) \times 586 = 293$.

Aptitude Questions — Records 83,821-83,850 of 100,000

id=83821 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=8 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=83822 | topic=Percentages | difficulty=Easy | question=What is 25% of 1925? | option_a=486 | option_b=962 | option_c=481 | option_d=461 | answer=C | explanation=25% of 1925 = (25/100) × 1925 = 481.

id=83823 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=46 | option_b=45 | option_c=54 | option_d=36 | answer=B | explanation=The common difference is 9. Therefore the next term is 36 + 9 = 45.

id=83824 | topic=Averages | difficulty=Easy | question=Find the average of 84, 49, 17, 32, 76, 35, 98, 25. | option_a=51 | option_b=54 | option_c=53 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=83825 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=24 | option_c=29 | option_d=19 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=83826 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=G | option_c=S | option_d=O | answer=D | explanation=Move 4 positions forward from K; the resulting letter is O.

id=83827 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:16 and the first is 54, what is the second? | option_a=32 | option_b=48 | option_c=102 | option_d=66 | answer=B | explanation=Scale factor = 54/18 = 3. Therefore second quantity = 16×3 = 48.

id=83828 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:14 and the first is 85, what is the second? | option_a=87 | option_b=155 | option_c=70 | option_d=56 | answer=C | explanation=Scale factor = 85/17 = 5. Therefore second quantity = 14×5 = 70.

id=83829 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=38 | option_b=50 | option_c=49 | option_d=60 | answer=C | explanation=The common difference is 11. Therefore the next term is 38 + 11 = 49.

id=83830 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=83831 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44976 at 15% per annum for 1 years. | option_a=6846 | option_b=6646 | option_c=6746 | option_d=51722 | answer=C | explanation=SI = PRT/100 = 44976×15×1/100 = █6746.

id=83832 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:7 and the first is 33, what is the second? | option_a=80 | option_b=77 | option_c=110 | option_d=70 | answer=B | explanation=Scale factor = 33/3 = 11. Therefore second quantity = 7×11 = 77.

id=83833 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:19 and the first is 64, what is the second? | option_a=160 | option_b=152 | option_c=216 | option_d=133 | answer=B | explanation=Scale factor = 64/8 = 8. Therefore second quantity = 19×8 = 152.

id=83834 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 40? | option_a=23 | option_b=31 | option_c=15 | option_d=40 | answer=D | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 40 is the odd one out.

id=83835 | topic=Averages | difficulty=Easy | question=Find the average of 17, 85, 28, 75, 47, 18, 38. | option_a=46 | option_b=43 | option_c=44 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = 308 ÷ 7 = 44.

id=83836 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2920 at 15% per annum for 1 years. | option_a=3358 | option_b=438 | option_c=538 | option_d=338 | answer=B | explanation=SI = PRT/100 = 2920×15×1/100 = █438.

id=83837 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=48 | option_b=49 | option_c=41 | option_d=55 | answer=A | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.

id=83838 | topic=Averages | difficulty=Easy | question=Find the average of 84, 36, 45, 79, 91. | option_a=66 | option_b=68 | option_c=69 | option_d=67 | answer=D | explanation=Average = sum of values ÷ number of values = 335 ÷ 5 = 67.

id=83839 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=15 | option_b=12 | option_c=14 | option_d=16 | answer=C | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=83840 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 38? | option_a=31 | option_b=38 | option_c=21 | option_d=26 | answer=B | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 38 is the odd one out.

id=83841 | topic=Percentages | difficulty=Easy | question=What is 10% of 371? | option_a=37 | option_b=27 | option_c=42 | option_d=74 | answer=A | explanation=10% of 371 = (10/100) × 371 = 37.

id=83842 | topic=Averages | difficulty=Easy | question=Find the average of 67, 53, 89, 91, 18, 64, 100, 73, 100, 25. | option_a=68 | option_b=69 | option_c=67 | option_d=70 | answer=A | explanation=Average = sum of values ÷ number of values = 680 ÷ 10 = 68.

id=83843 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=83844 | topic=Profit & Loss | difficulty=Easy | question=An article costs █529. If it is sold at a profit of 40%, what is its selling price? | option_a=740 | option_b=792 | option_c=688 | option_d=569 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 529 × 140/100 = █740.

id=83845 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3696. If it is sold at a profit of 5%, what is its selling price? | option_a=3701 | option_b=4249 | option_c=3511 | option_d=3880 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3696 × 105/100 = █3880.

id=83846 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 16? | option_a=16 | option_b=12 | option_c=8 | option_d=10 | answer=A | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 16 is the odd one out.

id=83847 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5312 at 10% per annum for 4 years. | option_a=7436 | option_b=2124 | option_c=2024 | option_d=2224 | answer=B | explanation=SI = PRT/100 = 5312×10×4/100 = █2124.

id=83848 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=19 | option_b=17 | option_c=21 | option_d=20 | answer=A | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=83849 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=V | option_b=Y | option_c=P | option_d=S | answer=A | explanation=Move 3 positions forward from S; the resulting letter is V.

id=83850 | topic=Profit & Loss | difficulty=Easy | question=An article costs █731. If it is sold at a profit of 40%, what is its selling price? | option_a=771 | option_b=1023 | option_c=950 | option_d=1096 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 731 × 140/100 = █1023.

Aptitude Questions — Records 83,851-83,880 of 100,000

id=83851 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=83852 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:1 and the first is 40, what is the second? | option_a=9 | option_b=14 | option_c=10 | option_d=50 | answer=C | explanation=Scale factor = 40/4 = 10. Therefore second quantity = 1×10 = 10.

id=83853 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4889. If it is sold at a profit of 30%, what is its selling price? | option_a=5867 | option_b=6843 | option_c=6355 | option_d=4919 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4889 × 130/100 = █6355.

id=83854 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=115 | option_c=120 | option_d=240 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=83855 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3452. If it is sold at a profit of 10%, what is its selling price? | option_a=3462 | option_b=3452 | option_c=4142 | option_d=3797 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3452 × 110/100 = █3797.

id=83856 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=X | option_b=H | option_c=C | option_d=M | answer=B | explanation=Move 5 positions forward from C; the resulting letter is H.

id=83857 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 21. | option_a=588 | option_b=112 | option_c=63 | option_d=84 | answer=D | explanation=LCM × HCF = 28×21; HCF(28,21) = 7, so LCM = 84.

id=83858 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=P | option_c=T | option_d=N | answer=A | explanation=Move 2 positions forward from P; the resulting letter is R.

id=83859 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=30 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=83860 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=83861 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 10, 13, 16, ? | option_a=22 | option_b=20 | option_c=19 | option_d=16 | answer=C | explanation=The common difference is 3. Therefore the next term is 16 + 3 = 19.

id=83862 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=80 | option_c=45 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=83863 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=83864 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=64 | option_b=44 | option_c=54 | option_d=55 | answer=C | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=83865 | topic=Averages | difficulty=Easy | question=Find the average of 62, 66, 72, 72, 33. | option_a=60 | option_b=61 | option_c=62 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 305 ÷ 5 = 61.

id=83866 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=83867 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=83868 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=64 | option_b=56 | option_c=46 | option_d=55 | answer=D | explanation=The common difference is 9. Therefore the next term is 46 + 9 = 55.

id=83869 | topic=Profit & Loss | difficulty=Easy | question=An article costs █155. If it is sold at a profit of 25%, what is its selling price? | option_a=193 | option_b=180 | option_c=178 | option_d=208 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 155 × 125/100 = █193.

id=83870 | topic=Averages | difficulty=Easy | question=Find the average of 24, 86, 14, 60. | option_a=45 | option_b=48 | option_c=46 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 184 ÷ 4 = 46.

id=83871 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 38? | option_a=31 | option_b=21 | option_c=38 | option_d=26 | answer=C | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 38 is the odd one out.

id=83872 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=83873 | topic=Averages | difficulty=Easy | question=Find the average of 41, 42, 61. | option_a=47 | option_b=48 | option_c=49 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 144 ÷ 3 = 48.

id=83874 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=83875 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=6 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=83876 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 31? | option_a=26 | option_b=22 | option_c=24 | option_d=31 | answer=D | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 31 is the odd one out.

id=83877 | topic=Percentages | difficulty=Easy | question=What is 25% of 1802? | option_a=460 | option_b=450 | option_c=445 | option_d=900 | answer=B | explanation=25% of 1802 = (25/100) × 1802 = 450.

id=83878 | topic=Averages | difficulty=Easy | question=Find the average of 10, 86, 19, 14, 76, 15, 81, 24, 79, 86. | option_a=50 | option_b=49 | option_c=51 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 490 ÷ 10 = 49.

id=83879 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=35 | option_b=45 | option_c=53 | option_d=44 | answer=D | explanation=The common difference is 9. Therefore the next term is 35 + 9 = 44.

id=83880 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11278 at 4% per annum for 1 years. | option_a=451 | option_b=551 | option_c=11729 | option_d=351 | answer=A | explanation=SI = PRT/100 = 11278×4×1/100 = █451.

Aptitude Questions — Records 83,881-83,910 of 100,000

id=83881 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=30 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=83882 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=9 | option_c=14 | option_d=4 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=83883 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■30021 at 5% per annum for 5 years. | option_a=37526 | option_b=7505 | option_c=7605 | option_d=7405 | answer=B | explanation=SI = PRT/100 = 30021×5×5/100 = ■7505.

id=83884 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=N | option_b=F | option_c=B | option_d=J | answer=D | explanation=Move 4 positions forward from F; the resulting letter is J.

id=83885 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3724. If it is sold at a profit of 20%, what is its selling price? | option_a=4840 | option_b=4096 | option_c=3744 | option_d=4468 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3724 × 120/100 = ■4468.

id=83886 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=44 | option_b=52 | option_c=34 | option_d=43 | answer=D | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

id=83887 | topic=Averages | difficulty=Easy | question=Find the average of 92, 17, 39, 52. | option_a=50 | option_b=52 | option_c=49 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 200 ÷ 4 = 50.

id=83888 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1604. If it is sold at a profit of 40%, what is its selling price? | option_a=2085 | option_b=2245 | option_c=1644 | option_d=2405 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1604 × 140/100 = ■2245.

id=83889 | topic=Averages | difficulty=Easy | question=Find the average of 29, 21, 52, 34, 85, 73, 56, 65, 89. | option_a=57 | option_b=58 | option_c=56 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=83890 | topic=Averages | difficulty=Easy | question=Find the average of 81, 13, 94, 76. | option_a=65 | option_b=68 | option_c=66 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 264 ÷ 4 = 66.

id=83891 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=45 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=83892 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=57 | option_b=47 | option_c=46 | option_d=35 | answer=C | explanation=The common difference is 11. Therefore the next term is 35 + 11 = 46.

id=83893 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=36 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=83894 | topic=Percentages | difficulty=Easy | question=What is 30% of 356? | option_a=126 | option_b=86 | option_c=212 | option_d=106 | answer=D | explanation=30% of 356 = (30/100) × 356 = 106.

id=83895 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 35? | option_a=15 | option_b=24 | option_c=35 | option_d=6 | answer=C | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 35 is the odd one out.

id=83896 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1424. If it is sold at a profit of 15%, what is its selling price? | option_a=1439 | option_b=1779 | option_c=1495 | option_d=1637 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1424 × 115/100 = ■1637.

id=83897 | topic=Averages | difficulty=Easy | question=Find the average of 98, 28, 42, 28, 69. | option_a=55 | option_b=52 | option_c=53 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 265 ÷ 5 = 53.

id=83898 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:20 and the first is 36, what is the second? | option_a=76 | option_b=20 | option_c=40 | option_d=58 | answer=C | explanation=Scale factor = 36/18 = 2. Therefore second quantity = 20×2 = 40.

id=83899 | topic=Percentages | difficulty=Easy | question=What is 10% of 1312? | option_a=121 | option_b=131 | option_c=262 | option_d=136 | answer=B | explanation=10% of 1312 = (10/100) × 1312 = 131.

id=83900 | topic=Percentages | difficulty=Easy | question=What is 50% of 1125? | option_a=1124 | option_b=567 | option_c=557 | option_d=562 | answer=D | explanation=50% of 1125 = (50/100) × 1125 = 562.

id=83901 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:6 and the first is 27, what is the second? | option_a=54 | option_b=57 | option_c=81 | option_d=48 | answer=A | explanation=Scale factor = 27/3 = 9. Therefore second quantity = 6×9 = 54.

id=83902 | topic=Percentages | difficulty=Easy | question=What is 5% of 811? | option_a=80 | option_b=30 | option_c=45 | option_d=40 | answer=D | explanation=5% of 811 = (5/100) × 811 = 40.

id=83903 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=J | option_c=P | option_d=N | answer=D | explanation=Move 2 positions forward from L; the resulting letter is N.

id=83904 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=21 | option_b=20 | option_c=17 | option_d=19 | answer=D | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=83905 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 43? | option_a=18 | option_b=26 | option_c=34 | option_d=43 | answer=D | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 43 is the odd one out.

id=83906 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:18 and the first is 65, what is the second? | option_a=103 | option_b=155 | option_c=90 | option_d=72 | answer=C | explanation=Scale factor = 65/13 = 5. Therefore second quantity = 18×5 = 90.

id=83907 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4123. If it is sold at a profit of 20%, what is its selling price? | option_a=4535 | option_b=4947 | option_c=4143 | option_d=5359 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4123 × 120/100 = ■4947.

id=83908 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=K | option_b=H | option_c=E | option_d=N | answer=A | explanation=Move 3 positions forward from H; the resulting letter is K.

id=83909 | topic=Averages | difficulty=Easy | question=Find the average of 27, 12, 89, 67, 43, 13, 33, 85, 84, 37. | option_a=51 | option_b=50 | option_c=48 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 490 ÷ 10 = 49.

id=83910 | topic=Percentages | difficulty=Easy | question=What is 5% of 1756? | option_a=67 | option_b=87 | option_c=97 | option_d=174 | answer=B | explanation=5% of 1756 = (5/100) × 1756 = 87.

Aptitude Questions — Records 83,911-83,940 of 100,000

id=83911 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33521 at 6% per annum for 2 years. | option_a=3922 | option_b=37543 | option_c=4122 | option_d=4022 | answer=D | explanation=SI = PRT/100 = 33521×6×2/100 = **■**4022.

id=83912 | topic=Percentages | difficulty=Easy | question=What is 20% of 529? | option_a=115 | option_b=105 | option_c=100 | option_d=210 | answer=B | explanation=20% of 529 = (20/100) × 529 = 105.

id=83913 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=M | option_b=D | option_c=G | option_d=J | answer=D | explanation=Move 3 positions forward from G; the resulting letter is J.

id=83914 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=L | option_b=P | option_c=X | option_d=T | answer=D | explanation=Move 4 positions forward from P; the resulting letter is T.

id=83915 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=83916 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=I | option_b=A | option_c=E | option_d=W | answer=C | explanation=Move 4 positions forward from A; the resulting letter is E.

id=83917 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:8 and the first is 143, what is the second? | option_a=88 | option_b=80 | option_c=231 | option_d=101 | answer=A | explanation=Scale factor = 143/13 = 11. Therefore second quantity = 8×11 = 88.

id=83918 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43743 at 15% per annum for 4 years. | option_a=69988 | option_b=26145 | option_c=26245 | option_d=26345 | answer=C | explanation=SI = PRT/100 = 43743×15×4/100 = **■**26245.

id=83919 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 16, 20, 27? | option_a=20 | option_b=27 | option_c=12 | option_d=16 | answer=B | explanation=The first three numbers increase by 4, so the next should be 24. Therefore 27 is the odd one out.

id=83920 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1634. If it is sold at a profit of 5%, what is its selling price? | option_a=1878 | option_b=1715 | option_c=1639 | option_d=1552 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1634 × 105/100 = **■**1715.

id=83921 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:17 and the first is 108, what is the second? | option_a=153 | option_b=261 | option_c=165 | option_d=136 | answer=A | explanation=Scale factor = 108/12 = 9. Therefore second quantity = 17×9 = 153.

id=83922 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=R | option_b=V | option_c=T | option_d=X | answer=B | explanation=Move 2 positions forward from T; the resulting letter is V.

id=83923 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=150 | option_d=70 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=83924 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27811 at 6% per annum for 1 years. | option_a=29479 | option_b=1768 | option_c=1568 | option_d=1668 | answer=D | explanation=SI = PRT/100 = 27811×6×1/100 = **■**1668.

id=83925 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:16 and the first is 16, what is the second? | option_a=80 | option_b=64 | option_c=68 | option_d=48 | answer=B | explanation=Scale factor = 16/4 = 4. Therefore second quantity = 16×4 = 64.

id=83926 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4771 at 4% per annum for 5 years. | option_a=1054 | option_b=854 | option_c=5725 | option_d=954 | answer=D | explanation=SI = PRT/100 = 4771×4×5/100 = **■**954.

id=83927 | topic=Averages | difficulty=Easy | question=Find the average of 12, 20, 69, 70, 67, 45, 60. | option_a=50 | option_b=48 | option_c=51 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 343 ÷ 7 = 49.

id=83928 | topic=Averages | difficulty=Easy | question=Find the average of 14, 29, 96, 46, 95, 82, 33, 71, 40, 54. | option_a=55 | option_b=58 | option_c=56 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 560 ÷ 10 = 56.

id=83929 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=40 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=83930 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=83931 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4942. If it is sold at a profit of 30%, what is its selling price? | option_a=6918 | option_b=6424 | option_c=4972 | option_d=5930 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4942 × 130/100 = **■**6424.

id=83932 | topic=Percentages | difficulty=Easy | question=What is 12% of 1609? | option_a=198 | option_b=193 | option_c=386 | option_d=173 | answer=B | explanation=12% of 1609 = (12/100) × 1609 = 193.

id=83933 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:11 and the first is 80, what is the second? | option_a=168 | option_b=88 | option_c=77 | option_d=98 | answer=B | explanation=Scale factor = 80/10 = 8. Therefore second quantity = 11×8 = 88.

id=83934 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 10. | option_a=300 | option_b=20 | option_c=30 | option_d=60 | answer=C | explanation=LCM × HCF = 30×10; HCF(30,10) = 10, so LCM = 30.

id=83935 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3824. If it is sold at a profit of 10%, what is its selling price? | option_a=4588 | option_b=3834 | option_c=3824 | option_d=4206 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3824 × 110/100 = **■**4206.

id=83936 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=28 | option_b=24 | option_c=29 | option_d=32 | answer=A | explanation=The common difference is 4. Therefore the next term is 24 + 4 = 28.

id=83937 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=49 | option_b=50 | option_c=40 | option_d=58 | answer=A | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

id=83938 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=83939 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=83940 | topic=Percentages | difficulty=Easy | question=What is 40% of 611? | option_a=234 | option_b=488 | option_c=254 | option_d=244 | answer=D | explanation=40% of 611 = (40/100) × 611 = 244.

Aptitude Questions — Records 83,941-83,970 of 100,000

id=83941 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■8378 at 5% per annum for 3 years. | option_a=1156 | option_b=1256 | option_c=9634 | option_d=1356 | answer=B | explanation=SI = $PRT/100 = 8378 \times 5 \times 3 / 100 = \blacksquare 1256$.

id=83942 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1239. If it is sold at a profit of 40%, what is its selling price? | option_a=1734 | option_b=1279 | option_c=1857 | option_d=1611 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1239 \times 140 / 100 = \blacksquare 1734$.

id=83943 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 26, 35, 46? | option_a=17 | option_b=26 | option_c=35 | option_d=46 | answer=D | explanation=The first three numbers increase by 9, so the next should be 44. Therefore 46 is the odd one out.

id=83944 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 25. | option_a=150 | option_b=125 | option_c=750 | option_d=180 | answer=A | explanation= $LCM \times HCF = 30 \times 25$; $HCF(30, 25) = 5$, so $LCM = 150$.

id=83945 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=44 | option_b=52 | option_c=45 | option_d=36 | answer=A | explanation=The common difference is 8. Therefore the next term is $36 + 8 = 44$.

id=83946 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■49017 at 5% per annum for 5 years. | option_a=12354 | option_b=12254 | option_c=12154 | option_d=61271 | answer=B | explanation=SI = $PRT/100 = 49017 \times 5 \times 5 / 100 = \blacksquare 12254$.

id=83947 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 120 \div 4 = 30 \text{ km/h}$.

id=83948 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=23 | option_b=30 | option_c=29 | option_d=35 | answer=C | explanation=The common difference is 6. Therefore the next term is $23 + 6 = 29$.

id=83949 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 14, 23, 34? | option_a=5 | option_b=23 | option_c=34 | option_d=14 | answer=C | explanation=The first three numbers increase by 9, so the next should be 32. Therefore 34 is the odd one out.

id=83950 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■909. If it is sold at a profit of 20%, what is its selling price? | option_a=1180 | option_b=1090 | option_c=929 | option_d=1000 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 909 \times 120 / 100 = \blacksquare 1090$.

id=83951 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 21? | option_a=15 | option_b=9 | option_c=21 | option_d=12 | answer=C | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 21 is the odd one out.

id=83952 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 8. | option_a=24 | option_b=16 | option_c=192 | option_d=48 | answer=A | explanation= $LCM \times HCF = 24 \times 8$; $HCF(24, 8) = 8$, so $LCM = 24$.

id=83953 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=N | option_b=S | option_c=C | option_d=X | answer=D | explanation=Move 5 positions forward from S; the resulting letter is X.

id=83954 | topic=Percentages | difficulty=Easy | question=What is 20% of 412? | option_a=82 | option_b=164 | option_c=77 | option_d=102 | answer=A | explanation= $20\% \text{ of } 412 = (20/100) \times 412 = 82$.

id=83955 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3796. If it is sold at a profit of 25%, what is its selling price? | option_a=4366 | option_b=5124 | option_c=4745 | option_d=3821 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3796 \times 125 / 100 = \blacksquare 4745$.

id=83956 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=12 | option_b=13 | option_c=14 | option_d=10 | answer=A | explanation=The common difference is 2. Therefore the next term is $10 + 2 = 12$.

id=83957 | topic=Percentages | difficulty=Easy | question=What is 10% of 1801? | option_a=200 | option_b=180 | option_c=360 | option_d=170 | answer=B | explanation= $10\% \text{ of } 1801 = (10/100) \times 1801 = 180$.

id=83958 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■12813 at 5% per annum for 4 years. | option_a=15375 | option_b=2662 | option_c=2562 | option_d=2462 | answer=C | explanation=SI = $PRT/100 = 12813 \times 5 \times 4 / 100 = \blacksquare 2562$.

id=83959 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=83960 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=25 | option_b=22 | option_c=19 | option_d=23 | answer=B | explanation=The common difference is 3. Therefore the next term is $19 + 3 = 22$.

id=83961 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 33, 40, 50? | option_a=40 | option_b=50 | option_c=26 | option_d=33 | answer=B | explanation=The first three numbers increase by 7, so the next should be 47. Therefore 50 is the odd one out.

id=83962 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:6 and the first is 90, what is the second? | option_a=144 | option_b=64 | option_c=54 | option_d=48 | answer=C | explanation=Scale factor = $90/10 = 9$. Therefore second quantity = $6 \times 9 = 54$.

id=83963 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 60 \div 2 = 30 \text{ km/h}$.

id=83964 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 42? | option_a=25 | option_b=42 | option_c=17 | option_d=33 | answer=B | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 42 is the odd one out.

id=83965 | topic=Percentages | difficulty=Easy | question=What is 5% of 1439? | option_a=76 | option_b=142 | option_c=71 | option_d=51 | answer=C | explanation= $5\% \text{ of } 1439 = (5/100) \times 1439 = 71$.

id=83966 | topic=Averages | difficulty=Easy | question=Find the average of 69, 78, 78, 27, 53. | option_a=61 | option_b=62 | option_c=60 | option_d=63 | answer=A | explanation=Average = $\text{sum of values} \div \text{number of values} = 305 \div 5 = 61$.

id=83967 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 36? | option_a=36 | option_b=30 | option_c=26 | option_d=22 | answer=A | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 36 is the odd one out.

id=83968 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■36066 at 12% per annum for 3 years. | option_a=12883 | option_b=13083 | option_c=12983 | option_d=49049 | answer=C | explanation=SI = $PRT/100 = 36066 \times 12 \times 3 / 100 = \blacksquare 12983$.

id=83969 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 47? | option_a=47 | option_b=38 | option_c=32 | option_d=26 | answer=A | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 47 is the odd one out.

id=83970 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=R | option_b=H | option_c=W | option_d=M | answer=A | explanation=Move 5 positions forward from M; the resulting letter is R.

Aptitude Questions — Records 83,971-84,000 of 100,000

id=83971 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:10 and the first is 38, what is the second? | option_a=10 | option_b=58 | option_c=20 | option_d=39 | answer=C | explanation=Scale factor = 38/19 = 2. Therefore second quantity = 10×2 = 20.

id=83972 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3146. If it is sold at a profit of 30%, what is its selling price? | option_a=4403 | option_b=3775 | option_c=3176 | option_d=4089 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3146 × 130/100 = █4089.

id=83973 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41036 at 5% per annum for 4 years. | option_a=8107 | option_b=49243 | option_c=8307 | option_d=8207 | answer=D | explanation=SI = PRT/100 = 41036×5×4/100 = █8207.

id=83974 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39911 at 10% per annum for 3 years. | option_a=51884 | option_b=11973 | option_c=11873 | option_d=12073 | answer=B | explanation=SI = PRT/100 = 39911×10×3/100 = █11973.

id=83975 | topic=Percentages | difficulty=Easy | question=What is 50% of 1017? | option_a=508 | option_b=1016 | option_c=498 | option_d=518 | answer=A | explanation=50% of 1017 = (50/100) × 1017 = 508.

id=83976 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1860. If it is sold at a profit of 25%, what is its selling price? | option_a=2511 | option_b=2139 | option_c=2325 | option_d=1885 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1860 × 125/100 = █2325.

id=83977 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=P | option_b=L | option_c=H | option_d=D | answer=B | explanation=Move 4 positions forward from H; the resulting letter is L.

id=83978 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:18 and the first is 306, what is the second? | option_a=324 | option_b=630 | option_c=306 | option_d=341 | answer=A | explanation=Scale factor = 306/17 = 18. Therefore second quantity = 18×18 = 324.

id=83979 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=48 | option_c=24 | option_d=19 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=83980 | topic=Percentages | difficulty=Easy | question=What is 20% of 1536? | option_a=614 | option_b=287 | option_c=327 | option_d=307 | answer=D | explanation=20% of 1536 = (20/100) × 1536 = 307.

id=83981 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:14 and the first is 36, what is the second? | option_a=78 | option_b=54 | option_c=42 | option_d=28 | answer=C | explanation=Scale factor = 36/12 = 3. Therefore second quantity = 14×3 = 42.

id=83982 | topic=Percentages | difficulty=Easy | question=What is 5% of 635? | option_a=51 | option_b=11 | option_c=62 | option_d=31 | answer=D | explanation=5% of 635 = (5/100) × 635 = 31.

id=83983 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=83984 | topic=Percentages | difficulty=Easy | question=What is 25% of 1820? | option_a=435 | option_b=465 | option_c=910 | option_d=455 | answer=D | explanation=25% of 1820 = (25/100) × 1820 = 455.

id=83985 | topic=Percentages | difficulty=Easy | question=What is 15% of 1445? | option_a=221 | option_b=206 | option_c=216 | option_d=432 | answer=C | explanation=15% of 1445 = (15/100) × 1445 = 216.

id=83986 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=E | option_c=A | option_d=Y | answer=A | explanation=Move 2 positions forward from A; the resulting letter is C.

id=83987 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=C | option_b=A | option_c=D | option_d=B | answer=A | explanation=Move 1 positions forward from B; the resulting letter is C.

id=83988 | topic=Averages | difficulty=Easy | question=Find the average of 65, 36, 91, 99, 48, 69, 88, 79, 64, 31. | option_a=69 | option_b=67 | option_c=68 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 670 ÷ 10 = 67.

id=83989 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:9 and the first is 182, what is the second? | option_a=308 | option_b=126 | option_c=139 | option_d=117 | answer=B | explanation=Scale factor = 182/13 = 14. Therefore second quantity = 9×14 = 126.

id=83990 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=83991 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=33 | option_b=25 | option_c=39 | option_d=32 | answer=D | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.

id=83992 | topic=Percentages | difficulty=Easy | question=What is 12% of 192? | option_a=46 | option_b=23 | option_c=33 | option_d=3 | answer=B | explanation=12% of 192 = (12/100) × 192 = 23.

id=83993 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=83994 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2689. If it is sold at a profit of 30%, what is its selling price? | option_a=2719 | option_b=3495 | option_c=3763 | option_d=3227 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2689 × 130/100 = █3495.

id=83995 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:6 and the first is 306, what is the second? | option_a=108 | option_b=102 | option_c=414 | option_d=125 | answer=A | explanation=Scale factor = 306/17 = 18. Therefore second quantity = 6×18 = 108.

id=83996 | topic=Percentages | difficulty=Easy | question=What is 12% of 1610? | option_a=386 | option_b=193 | option_c=213 | option_d=173 | answer=B | explanation=12% of 1610 = (12/100) × 1610 = 193.

id=83997 | topic=Averages | difficulty=Easy | question=Find the average of 12, 33, 34, 90, 41, 82, 42, 21, 86. | option_a=49 | option_b=50 | option_c=51 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = 441 ÷ 9 = 49.

id=83998 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47027 at 8% per annum for 5 years. | option_a=18810 | option_b=18910 | option_c=65837 | option_d=18710 | answer=A | explanation=SI = PRT/100 = 47027×8×5/100 = █18810.

id=83999 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=17 | option_c=24 | option_d=7 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=84000 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12425 at 5% per annum for 5 years. | option_a=3206 | option_b=15531 | option_c=3006 | option_d=3106 | answer=D | explanation=SI = PRT/100 = 12425×5×5/100 = █3106.

Aptitude Questions — Records 84,001-84,030 of 100,000

id=84001 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 44? | option_a=18 | option_b=26 | option_c=34 | option_d=44 | answer=D | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 44 is the odd one out.

id=84002 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 25, 34, 46? | option_a=25 | option_b=34 | option_c=16 | option_d=46 | answer=D | explanation=The first three numbers increase by 9, so the next should be 43. Therefore 46 is the odd one out.

id=84003 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=39 | option_b=46 | option_c=53 | option_d=47 | answer=B | explanation=The common difference is 7. Therefore the next term is $39 + 7 = 46$.

id=84004 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=24 | option_c=19 | option_d=29 | answer=B | explanation=Speed = distance ÷ time = $240 \div 10 = 24$ km/h.

id=84005 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 22. | option_a=110 | option_b=120 | option_c=220 | option_d=88 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 10 \times 22$; $\text{HCF}(10, 22) = 2$, so $\text{LCM} = 110$.

id=84006 | topic=Percentages | difficulty=Easy | question=What is 40% of 1938? | option_a=785 | option_b=1550 | option_c=775 | option_d=770 | answer=C | explanation= $40\% \text{ of } 1938 = (40/100) \times 1938 = 775$.

id=84007 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=150 | option_c=70 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = $300 \div 4 = 75$ km/h.

id=84008 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=240 | option_c=120 | option_d=125 | answer=C | explanation=Speed = distance ÷ time = $240 \div 2 = 120$ km/h.

id=84009 | topic=Averages | difficulty=Easy | question=Find the average of 83, 81, 89, 73, 70, 88, 95, 59, 46, 56. | option_a=74 | option_b=73 | option_c=76 | option_d=75 | answer=A | explanation=Average = sum of values ÷ number of values = $740 \div 10 = 74$.

id=84010 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=35 | option_b=46 | option_c=45 | option_d=55 | answer=C | explanation=The common difference is 10. Therefore the next term is $35 + 10 = 45$.

id=84011 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=J | option_b=F | option_c=D | option_d=H | answer=D | explanation=Move 2 positions forward from F; the resulting letter is H.

id=84012 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=40 | option_b=52 | option_c=64 | option_d=53 | answer=B | explanation=The common difference is 12. Therefore the next term is $40 + 12 = 52$.

id=84013 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21070 at 5% per annum for 3 years. | option_a=3260 | option_b=24230 | option_c=3160 | option_d=3060 | answer=C | explanation= $\text{SI} = \text{PRT}/100 = 21070 \times 5 \times 3 / 100 = \text{■}3160$.

id=84014 | topic=Averages | difficulty=Easy | question=Find the average of 16, 71, 44, 85, 64. | option_a=58 | option_b=56 | option_c=57 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = $280 \div 5 = 56$.

id=84015 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=84016 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=7 | option_c=17 | option_d=24 | answer=A | explanation=Speed = distance ÷ time = $60 \div 5 = 12$ km/h.

id=84017 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:5 and the first is 119, what is the second? | option_a=52 | option_b=154 | option_c=30 | option_d=35 | answer=D | explanation=Scale factor = $119/17 = 7$. Therefore second quantity = $5 \times 7 = 35$.

id=84018 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2946. If it is sold at a profit of 10%, what is its selling price? | option_a=2956 | option_b=3240 | option_c=2946 | option_d=3534 | answer=B | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 2946 \times 110 / 100 = \text{■}3240$.

id=84019 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:13 and the first is 51, what is the second? | option_a=90 | option_b=26 | option_c=39 | option_d=56 | answer=C | explanation=Scale factor = $51/17 = 3$. Therefore second quantity = $13 \times 3 = 39$.

id=84020 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=55 | option_c=100 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = $150 \div 3 = 50$ km/h.

id=84021 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=155 | option_c=150 | option_d=145 | answer=C | explanation=Speed = distance ÷ time = $300 \div 2 = 150$ km/h.

id=84022 | topic=Percentages | difficulty=Easy | question=What is 5% of 502? | option_a=20 | option_b=30 | option_c=50 | option_d=25 | answer=D | explanation= $5\% \text{ of } 502 = (5/100) \times 502 = 25$.

id=84023 | topic=Percentages | difficulty=Easy | question=What is 25% of 318? | option_a=158 | option_b=69 | option_c=79 | option_d=99 | answer=C | explanation= $25\% \text{ of } 318 = (25/100) \times 318 = 79$.

id=84024 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:12 and the first is 160, what is the second? | option_a=228 | option_b=248 | option_c=240 | option_d=400 | answer=C | explanation=Scale factor = $160/8 = 20$. Therefore second quantity = $12 \times 20 = 240$.

id=84025 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4546. If it is sold at a profit of 40%, what is its selling price? | option_a=6818 | option_b=5910 | option_c=6364 | option_d=4586 | answer=C | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 4546 \times 140 / 100 = \text{■}6364$.

id=84026 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:6 and the first is 228, what is the second? | option_a=108 | option_b=342 | option_c=114 | option_d=126 | answer=C | explanation=Scale factor = $228/12 = 19$. Therefore second quantity = $6 \times 19 = 114$.

id=84027 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 10, 18, 27? | option_a=27 | option_b=2 | option_c=18 | option_d=10 | answer=A | explanation=The first three numbers increase by 8, so the next should be 26. Therefore 27 is the odd one out.

id=84028 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 27, 36, 48? | option_a=18 | option_b=48 | option_c=36 | option_d=27 | answer=B | explanation=The first three numbers increase by 9, so the next should be 45. Therefore 48 is the odd one out.

id=84029 | topic=Percentages | difficulty=Easy | question=What is 30% of 550? | option_a=185 | option_b=155 | option_c=165 | option_d=330 | answer=C | explanation= $30\% \text{ of } 550 = (30/100) \times 550 = 165$.

id=84030 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:19 and the first is 26, what is the second? | option_a=51 | option_b=19 | option_c=38 | option_d=64 | answer=C | explanation=Scale factor = $26/13 = 2$. Therefore second quantity = $19 \times 2 = 38$.

Aptitude Questions — Records 84,031-84,060 of 100,000

id=84031 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=23 | option_b=35 | option_c=30 | option_d=29 | answer=D | explanation=The common difference is 6. Therefore the next term is 23 + 6 = 29.

id=84032 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=84033 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■2018 at 4% per annum for 3 years. | option_a=142 | option_b=342 | option_c=242 | option_d=2260 | answer=C | explanation=SI = PRT/100 = 2018×4×3/100 = ■242.

id=84034 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2630. If it is sold at a profit of 5%, what is its selling price? | option_a=2498 | option_b=2635 | option_c=2761 | option_d=3024 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2630 × 105/100 = ■2761.

id=84035 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 35, 40, 48? | option_a=40 | option_b=30 | option_c=35 | option_d=48 | answer=D | explanation=The first three numbers increase by 5, so the next should be 45. Therefore 48 is the odd one out.

id=84036 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=D | option_b=Y | option_c=T | option_d=O | answer=B | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=84037 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 51? | option_a=33 | option_b=25 | option_c=41 | option_d=51 | answer=D | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 51 is the odd one out.

id=84038 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4934. If it is sold at a profit of 30%, what is its selling price? | option_a=4964 | option_b=6907 | option_c=6414 | option_d=5921 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4934 × 130/100 = ■6414.

id=84039 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■319. If it is sold at a profit of 10%, what is its selling price? | option_a=381 | option_b=319 | option_c=329 | option_d=350 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 319 × 110/100 = ■350.

id=84040 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■440. If it is sold at a profit of 5%, what is its selling price? | option_a=418 | option_b=462 | option_c=506 | option_d=445 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 440 × 105/100 = ■462.

id=84041 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 27, 30, 35? | option_a=27 | option_b=30 | option_c=24 | option_d=35 | answer=D | explanation=The first three numbers increase by 3, so the next should be 33. Therefore 35 is the odd one out.

id=84042 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=84043 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=84044 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=32 | option_b=39 | option_c=33 | option_d=25 | answer=A | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.

id=84045 | topic=Percentages | difficulty=Easy | question=What is 5% of 1092? | option_a=108 | option_b=49 | option_c=54 | option_d=64 | answer=C | explanation=5% of 1092 = (5/100) × 1092 = 54.

id=84046 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 15, 21, 28? | option_a=15 | option_b=28 | option_c=9 | option_d=21 | answer=B | explanation=The first three numbers increase by 6, so the next should be 27. Therefore 28 is the odd one out.

id=84047 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=84048 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:12 and the first is 130, what is the second? | option_a=120 | option_b=250 | option_c=108 | option_d=133 | answer=A | explanation=Scale factor = 130/13 = 10. Therefore second quantity = 12×10 = 120.

id=84049 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■23913 at 10% per annum for 5 years. | option_a=11956 | option_b=11856 | option_c=12056 | option_d=35869 | answer=A | explanation=SI = PRT/100 = 23913×10×5/100 = ■11956.

id=84050 | topic=Percentages | difficulty=Easy | question=What is 50% of 96? | option_a=43 | option_b=53 | option_c=48 | option_d=96 | answer=C | explanation=50% of 96 = (50/100) × 96 = 48.

id=84051 | topic=Averages | difficulty=Easy | question=Find the average of 26, 58, 64, 47, 60. | option_a=50 | option_b=53 | option_c=52 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 255 ÷ 5 = 51.

id=84052 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■905. If it is sold at a profit of 20%, what is its selling price? | option_a=1086 | option_b=1176 | option_c=925 | option_d=996 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 905 × 120/100 = ■1086.

id=84053 | topic=Percentages | difficulty=Easy | question=What is 50% of 1992? | option_a=991 | option_b=996 | option_c=1016 | option_d=1992 | answer=B | explanation=50% of 1992 = (50/100) × 1992 = 996.

id=84054 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:9 and the first is 195, what is the second? | option_a=126 | option_b=148 | option_c=330 | option_d=135 | answer=D | explanation=Scale factor = 195/13 = 15. Therefore second quantity = 9×15 = 135.

id=84055 | topic=Percentages | difficulty=Easy | question=What is 10% of 1145? | option_a=228 | option_b=134 | option_c=114 | option_d=94 | answer=C | explanation=10% of 1145 = (10/100) × 1145 = 114.

id=84056 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■17245 at 8% per annum for 3 years. | option_a=4038 | option_b=4238 | option_c=21383 | option_d=4138 | answer=D | explanation=SI = PRT/100 = 17245×8×3/100 = ■4138.

id=84057 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:9 and the first is 361, what is the second? | option_a=162 | option_b=532 | option_c=171 | option_d=190 | answer=C | explanation=Scale factor = 361/19 = 19. Therefore second quantity = 9×19 = 171.

id=84058 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=G | option_c=K | option_d=Y | answer=B | explanation=Move 4 positions forward from C; the resulting letter is G.

id=84059 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■32685 at 10% per annum for 4 years. | option_a=12974 | option_b=13174 | option_c=13074 | option_d=45759 | answer=C | explanation=SI = PRT/100 = 32685×10×4/100 = ■13074.

id=84060 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■22830 at 4% per annum for 3 years. | option_a=25569 | option_b=2639 | option_c=2739 | option_d=2839 | answer=C | explanation=SI = PRT/100 = 22830×4×3/100 = ■2739.

Aptitude Questions — Records 84,061-84,090 of 100,000

id=84061 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=54 | option_b=66 | option_c=78 | option_d=67 | answer=B | explanation=The common difference is 12. Therefore the next term is $54 + 12 = 66$.

id=84062 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 28. | option_a=224 | option_b=270 | option_c=504 | option_d=252 | answer=D | explanation= $\text{LCM} \times \text{HCF} = 18 \times 28$; $\text{HCF}(18,28) = 2$, so $\text{LCM} = 252$.

id=84063 | topic=Percentages | difficulty=Easy | question=What is 30% of 1093? | option_a=347 | option_b=327 | option_c=654 | option_d=322 | answer=B | explanation= $30\% \text{ of } 1093 = (30/100) \times 1093 = 327$.

id=84064 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=38 | option_b=35 | option_c=34 | option_d=30 | answer=C | explanation=The common difference is 4. Therefore the next term is $30 + 4 = 34$.

id=84065 | topic=Averages | difficulty=Easy | question=Find the average of 31, 50, 60. | option_a=49 | option_b=47 | option_c=48 | option_d=46 | answer=B | explanation=Average = sum of values + number of values = $141 \div 3 = 47$.

id=84066 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 18. | option_a=378 | option_b=147 | option_c=108 | option_d=126 | answer=D | explanation= $\text{LCM} \times \text{HCF} = 21 \times 18$; $\text{HCF}(21,18) = 3$, so $\text{LCM} = 126$.

id=84067 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=K | option_b=M | option_c=O | option_d=Q | answer=C | explanation=Move 2 positions forward from M; the resulting letter is O.

id=84068 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 26, 28, 32? | option_a=26 | option_b=28 | option_c=32 | option_d=24 | answer=C | explanation=The first three numbers increase by 2, so the next should be 30. Therefore 32 is the odd one out.

id=84069 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=84070 | topic=Averages | difficulty=Easy | question=Find the average of 49, 16, 93, 35, 97. | option_a=57 | option_b=58 | option_c=59 | option_d=60 | answer=B | explanation=Average = sum of values + number of values = $290 \div 5 = 58$.

id=84071 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=X | option_c=F | option_d=J | answer=C | explanation=Move 4 positions forward from B; the resulting letter is F.

id=84072 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 18? | option_a=3 | option_b=11 | option_c=18 | option_d=7 | answer=C | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 18 is the odd one out.

id=84073 | topic=Averages | difficulty=Easy | question=Find the average of 24, 62, 81, 101. | option_a=67 | option_b=66 | option_c=68 | option_d=69 | answer=A | explanation=Average = sum of values + number of values = $268 \div 4 = 67$.

id=84074 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=84075 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3728. If it is sold at a profit of 10%, what is its selling price? | option_a=3738 | option_b=4472 | option_c=3728 | option_d=4100 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit\%})/100 = 3728 \times 110/100 = \text{■}4100$.

id=84076 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=55 | option_c=50 | option_d=100 | answer=C | explanation=Speed = distance + time = $300 \div 6 = 50$ km/h.

id=84077 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47059 at 6% per annum for 3 years. | option_a=8570 | option_b=55529 | option_c=8370 | option_d=8470 | answer=D | explanation= $\text{SI} = \text{PRT}/100 = 47059 \times 6 \times 3/100 = \text{■}8470$.

id=84078 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2742. If it is sold at a profit of 25%, what is its selling price? | option_a=3153 | option_b=3701 | option_c=3427 | option_d=2767 | answer=C | explanation=Selling price = $\text{CP} \times (100 + \text{profit\%})/100 = 2742 \times 125/100 = \text{■}3427$.

id=84079 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=77 | option_c=67 | option_d=72 | answer=D | explanation=Speed = distance + time = $360 \div 5 = 72$ km/h.

id=84080 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1144. If it is sold at a profit of 5%, what is its selling price? | option_a=1087 | option_b=1201 | option_c=1315 | option_d=1149 | answer=B | explanation=Selling price = $\text{CP} \times (100 + \text{profit\%})/100 = 1144 \times 105/100 = \text{■}1201$.

id=84081 | topic=Averages | difficulty=Easy | question=Find the average of 17, 67, 51, 25, 15, 29, 52, 11, 38, 105. | option_a=40 | option_b=41 | option_c=43 | option_d=42 | answer=B | explanation=Average = sum of values + number of values = $410 \div 10 = 41$.

id=84082 | topic=Percentages | difficulty=Easy | question=What is 40% of 1146? | option_a=438 | option_b=458 | option_c=478 | option_d=916 | answer=B | explanation= $40\% \text{ of } 1146 = (40/100) \times 1146 = 458$.

id=84083 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4335. If it is sold at a profit of 30%, what is its selling price? | option_a=5635 | option_b=6068 | option_c=5202 | option_d=4365 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit\%})/100 = 4335 \times 130/100 = \text{■}5635$.

id=84084 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=B | option_c=J | option_d=X | answer=A | explanation=Move 4 positions forward from B; the resulting letter is F.

id=84085 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20010 at 4% per annum for 2 years. | option_a=1500 | option_b=21610 | option_c=1700 | option_d=1600 | answer=D | explanation= $\text{SI} = \text{PRT}/100 = 20010 \times 4 \times 2/100 = \text{■}1600$.

id=84086 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:15 and the first is 99, what is the second? | option_a=146 | option_b=120 | option_c=135 | option_d=234 | answer=C | explanation=Scale factor = $99/11 = 9$. Therefore second quantity = $15 \times 9 = 135$.

id=84087 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 22, 32, 44? | option_a=22 | option_b=12 | option_c=32 | option_d=44 | answer=D | explanation=The first three numbers increase by 10, so the next should be 42. Therefore 44 is the odd one out.

id=84088 | topic=Averages | difficulty=Easy | question=Find the average of 58, 57, 17, 28. | option_a=42 | option_b=41 | option_c=40 | option_d=39 | answer=C | explanation=Average = sum of values + number of values = $160 \div 4 = 40$.

id=84089 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=S | option_b=T | option_c=Q | option_d=R | answer=A | explanation=Move 1 positions forward from R; the resulting letter is S.

id=84090 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=S | option_b=J | option_c=M | option_d=P | answer=D | explanation=Move 3 positions forward from M; the resulting letter is P.

Aptitude Questions — Records 84,091-84,120 of 100,000

id=84091 | topic=Averages | difficulty=Easy | question=Find the average of 81, 92, 57, 21, 88, 37, 69, 43, 88. | option_a=64 | option_b=63 | option_c=66 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 576 ÷ 9 = 64.

id=84092 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=84093 | topic=Averages | difficulty=Easy | question=Find the average of 29, 23, 47, 15, 63, 50, 64, 14, 37. | option_a=40 | option_b=38 | option_c=39 | option_d=37 | answer=B | explanation=Average = sum of values ÷ number of values = 342 ÷ 9 = 38.

id=84094 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:20 and the first is 78, what is the second? | option_a=338 | option_b=260 | option_c=240 | option_d=266 | answer=B | explanation=Scale factor = 78/6 = 13. Therefore second quantity = 20×13 = 260.

id=84095 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=50 | option_b=60 | option_c=38 | option_d=49 | answer=D | explanation=The common difference is 11. Therefore the next term is 38 + 11 = 49.

id=84096 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:2 and the first is 380, what is the second? | option_a=38 | option_b=59 | option_c=420 | option_d=40 | answer=D | explanation=Scale factor = 380/19 = 20. Therefore second quantity = 2×20 = 40.

id=84097 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=V | option_b=R | option_c=N | option_d=J | answer=B | explanation=Move 4 positions forward from N; the resulting letter is R.

id=84098 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=S | option_c=W | option_d=Y | answer=C | explanation=Move 2 positions forward from U; the resulting letter is W.

id=84099 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=D | option_b=J | option_c=H | option_d=F | answer=C | explanation=Move 2 positions forward from F; the resulting letter is H.

id=84100 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=49 | option_b=60 | option_c=69 | option_d=59 | answer=D | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

id=84101 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 12, 21, 32? | option_a=32 | option_b=12 | option_c=21 | option_d=3 | answer=A | explanation=The first three numbers increase by 9, so the next should be 30. Therefore 32 is the odd one out.

id=84102 | topic=Percentages | difficulty=Easy | question=What is 50% of 505? | option_a=252 | option_b=504 | option_c=232 | option_d=272 | answer=A | explanation=50% of 505 = (50/100) × 505 = 252.

id=84103 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=U | option_b=O | option_c=L | option_d=R | answer=D | explanation=Move 3 positions forward from O; the resulting letter is R.

id=84104 | topic=Percentages | difficulty=Easy | question=What is 15% of 606? | option_a=180 | option_b=90 | option_c=80 | option_d=100 | answer=B | explanation=15% of 606 = (15/100) × 606 = 90.

id=84105 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=15 | option_c=10 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=84106 | topic=Percentages | difficulty=Easy | question=What is 15% of 499? | option_a=84 | option_b=54 | option_c=74 | option_d=148 | answer=C | explanation=15% of 499 = (15/100) × 499 = 74.

id=84107 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2245. If it is sold at a profit of 40%, what is its selling price? | option_a=2919 | option_b=2285 | option_c=3367 | option_d=3143 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2245 × 140/100 = █3143.

id=84108 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4569. If it is sold at a profit of 50%, what is its selling price? | option_a=4619 | option_b=6853 | option_c=6397 | option_d=7309 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4569 × 150/100 = █6853.

id=84109 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38958 at 10% per annum for 4 years. | option_a=15683 | option_b=15583 | option_c=15483 | option_d=54541 | answer=B | explanation=SI = PRT/100 = 38958×10×4/100 = █15583.

id=84110 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=80 | option_c=85 | option_d=75 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=84111 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 13, 20, 30? | option_a=13 | option_b=6 | option_c=20 | option_d=30 | answer=D | explanation=The first three numbers increase by 7, so the next should be 27. Therefore 30 is the odd one out.

id=84112 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 21. | option_a=126 | option_b=144 | option_c=378 | option_d=105 | answer=A | explanation=LCM × HCF = 18×21; HCF(18,21) = 3, so LCM = 126.

id=84113 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=84114 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=84115 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:11 and the first is 117, what is the second? | option_a=88 | option_b=112 | option_c=99 | option_d=216 | answer=C | explanation=Scale factor = 117/13 = 9. Therefore second quantity = 11×9 = 99.

id=84116 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=180 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=84117 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=84118 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12215 at 4% per annum for 4 years. | option_a=1954 | option_b=2054 | option_c=14169 | option_d=1854 | answer=A | explanation=SI = PRT/100 = 12215×4×4/100 = █1954.

id=84119 | topic=Profit & Loss | difficulty=Easy | question=An article costs █518. If it is sold at a profit of 30%, what is its selling price? | option_a=724 | option_b=548 | option_c=673 | option_d=622 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 518 × 130/100 = █673.

id=84120 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:12 and the first is 152, what is the second? | option_a=96 | option_b=115 | option_c=248 | option_d=84 | answer=A | explanation=Scale factor = 152/19 = 8. Therefore second quantity = 12×8 = 96.

Aptitude Questions — Records 84,121-84,150 of 100,000

id=84121 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=40 | option_c=20 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=84122 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=H | option_b=X | option_c=M | option_d=C | answer=A | explanation=Move 5 positions forward from C; the resulting letter is H.

id=84123 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:9 and the first is 252, what is the second? | option_a=117 | option_b=378 | option_c=144 | option_d=126 | answer=D | explanation=Scale factor = 252/18 = 14. Therefore second quantity = 9×14 = 126.

id=84124 | topic=Averages | difficulty=Easy | question=Find the average of 83, 62, 70, 42, 55, 78. | option_a=65 | option_b=67 | option_c=66 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = 390 ÷ 6 = 65.

id=84125 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3200. If it is sold at a profit of 50%, what is its selling price? | option_a=4800 | option_b=4480 | option_c=5120 | option_d=3250 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3200 × 150/100 = █4800.

id=84126 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=84127 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=84128 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=X | option_c=J | option_d=F | answer=D | explanation=Move 4 positions forward from B; the resulting letter is F.

id=84129 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=84130 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=84131 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22129 at 6% per annum for 2 years. | option_a=2755 | option_b=2655 | option_c=24784 | option_d=2555 | answer=B | explanation=SI = PRT/100 = 22129×6×2/100 = █2655.

id=84132 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:4 and the first is 120, what is the second? | option_a=40 | option_b=52 | option_c=36 | option_d=160 | answer=A | explanation=Scale factor = 120/12 = 10. Therefore second quantity = 4×10 = 40.

id=84133 | topic=Averages | difficulty=Easy | question=Find the average of 58, 36, 94, 97, 25, 28, 23, 55. | option_a=54 | option_b=51 | option_c=52 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=84134 | topic=Percentages | difficulty=Easy | question=What is 10% of 1936? | option_a=183 | option_b=198 | option_c=193 | option_d=386 | answer=C | explanation=10% of 1936 = (10/100) × 1936 = 193.

id=84135 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=12 | option_c=6 | option_d=1 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=84136 | topic=Percentages | difficulty=Easy | question=What is 40% of 1586? | option_a=629 | option_b=654 | option_c=1268 | option_d=634 | answer=D | explanation=40% of 1586 = (40/100) × 1586 = 634.

id=84137 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=V | option_b=S | option_c=P | option_d=Y | answer=A | explanation=Move 3 positions forward from S; the resulting letter is V.

id=84138 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=300 | option_c=150 | option_d=155 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=84139 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 30. | option_a=1 | option_b=900 | option_c=30 | option_d=60 | answer=C | explanation=LCM × HCF = 30×30; HCF(30,30) = 30, so LCM = 30.

id=84140 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11187 at 15% per annum for 4 years. | option_a=6712 | option_b=6812 | option_c=17899 | option_d=6612 | answer=A | explanation=SI = PRT/100 = 11187×15×4/100 = █6712.

id=84141 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:18 and the first is 72, what is the second? | option_a=328 | option_b=306 | option_c=396 | option_d=324 | answer=D | explanation=Scale factor = 72/4 = 18. Therefore second quantity = 18×18 = 324.

id=84142 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:4 and the first is 252, what is the second? | option_a=56 | option_b=74 | option_c=308 | option_d=52 | answer=A | explanation=Scale factor = 252/18 = 14. Therefore second quantity = 4×14 = 56.

id=84143 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4079. If it is sold at a profit of 30%, what is its selling price? | option_a=4895 | option_b=5709 | option_c=5302 | option_d=4109 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4079 × 130/100 = █5302.

id=84144 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:1 and the first is 20, what is the second? | option_a=1 | option_b=2 | option_c=22 | option_d=12 | answer=B | explanation=Scale factor = 20/10 = 2. Therefore second quantity = 1×2 = 2.

id=84145 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=84146 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=M | option_b=R | option_c=B | option_d=W | answer=D | explanation=Move 5 positions forward from R; the resulting letter is W.

id=84147 | topic=Percentages | difficulty=Easy | question=What is 50% of 787? | option_a=373 | option_b=403 | option_c=786 | option_d=393 | answer=D | explanation=50% of 787 = (50/100) × 787 = 393.

id=84148 | topic=Percentages | difficulty=Easy | question=What is 12% of 1836? | option_a=220 | option_b=210 | option_c=440 | option_d=240 | answer=A | explanation=12% of 1836 = (12/100) × 1836 = 220.

id=84149 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=84150 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:17 and the first is 88, what is the second? | option_a=136 | option_b=147 | option_c=119 | option_d=224 | answer=A | explanation=Scale factor = 88/11 = 8. Therefore second quantity = 17×8 = 136.

Aptitude Questions — Records 84,151-84,180 of 100,000

id=84151 | topic=Percentages | difficulty=Easy | question=What is 15% of 733? | option_a=119 | option_b=218 | option_c=109 | option_d=104 | answer=C | explanation=15% of 733 = (15/100) × 733 = 109.

id=84152 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 49? | option_a=49 | option_b=28 | option_c=37 | option_d=19 | answer=A | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 49 is the odd one out.

id=84153 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 31, 34, 38? | option_a=28 | option_b=31 | option_c=34 | option_d=38 | answer=D | explanation=The first three numbers increase by 3, so the next should be 37. Therefore 38 is the odd one out.

id=84154 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41921 at 10% per annum for 3 years. | option_a=54497 | option_b=12576 | option_c=12676 | option_d=12476 | answer=B | explanation=SI = PRT/100 = 41921×10×3/100 = **■**12576.

id=84155 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18475 at 10% per annum for 1 years. | option_a=1747 | option_b=20322 | option_c=1847 | option_d=1947 | answer=C | explanation=SI = PRT/100 = 18475×10×1/100 = **■**1847.

id=84156 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46494 at 6% per annum for 3 years. | option_a=54862 | option_b=8368 | option_c=8268 | option_d=8468 | answer=B | explanation=SI = PRT/100 = 46494×6×3/100 = **■**8368.

id=84157 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=60 | option_b=50 | option_c=38 | option_d=49 | answer=D | explanation=The common difference is 11. Therefore the next term is 38 + 11 = 49.

id=84158 | topic=Percentages | difficulty=Easy | question=What is 50% of 682? | option_a=331 | option_b=341 | option_c=351 | option_d=682 | answer=B | explanation=50% of 682 = (50/100) × 682 = 341.

id=84159 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 29? | option_a=19 | option_b=29 | option_c=12 | option_d=5 | answer=B | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 29 is the odd one out.

id=84160 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3358. If it is sold at a profit of 20%, what is its selling price? | option_a=4364 | option_b=3694 | option_c=3378 | option_d=4029 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3358 × 120/100 = **■**4029.

id=84161 | topic=Percentages | difficulty=Easy | question=What is 25% of 1987? | option_a=496 | option_b=516 | option_c=491 | option_d=992 | answer=A | explanation=25% of 1987 = (25/100) × 1987 = 496.

id=84162 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 8. | option_a=240 | option_b=120 | option_c=112 | option_d=150 | answer=B | explanation=LCM × HCF = 30×8; HCF(30,8) = 2, so LCM = 120.

id=84163 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=G | option_b=E | option_c=F | option_d=H | answer=A | explanation=Move 1 positions forward from F; the resulting letter is G.

id=84164 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=120 | option_c=115 | option_d=240 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=84165 | topic=Percentages | difficulty=Easy | question=What is 5% of 522? | option_a=16 | option_b=31 | option_c=52 | option_d=26 | answer=D | explanation=5% of 522 = (5/100) × 522 = 26.

id=84166 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=T | option_c=V | option_d=U | answer=C | explanation=Move 1 positions forward from U; the resulting letter is V.

id=84167 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 13, 21, 30? | option_a=13 | option_b=30 | option_c=5 | option_d=21 | answer=B | explanation=The first three numbers increase by 8, so the next should be 29. Therefore 30 is the odd one out.

id=84168 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**240. If it is sold at a profit of 50%, what is its selling price? | option_a=290 | option_b=336 | option_c=384 | option_d=360 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 240 × 150/100 = **■**360.

id=84169 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4407. If it is sold at a profit of 25%, what is its selling price? | option_a=4432 | option_b=5068 | option_c=5948 | option_d=5508 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4407 × 125/100 = **■**5508.

id=84170 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=M | option_c=A | option_d=I | answer=D | explanation=Move 4 positions forward from E; the resulting letter is I.

id=84171 | topic=Percentages | difficulty=Easy | question=What is 12% of 1990? | option_a=238 | option_b=218 | option_c=476 | option_d=258 | answer=A | explanation=12% of 1990 = (12/100) × 1990 = 238.

id=84172 | topic=Averages | difficulty=Easy | question=Find the average of 19, 85, 71, 81, 41, 99. | option_a=68 | option_b=66 | option_c=65 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = 396 ÷ 6 = 66.

id=84173 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=W | option_b=B | option_c=G | option_d=L | answer=C | explanation=Move 5 positions forward from B; the resulting letter is G.

id=84174 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=48 | option_b=36 | option_c=47 | option_d=58 | answer=C | explanation=The common difference is 11. Therefore the next term is 36 + 11 = 47.

id=84175 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**854. If it is sold at a profit of 40%, what is its selling price? | option_a=894 | option_b=1195 | option_c=1280 | option_d=1110 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 854 × 140/100 = **■**1195.

id=84176 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=48 | option_c=43 | option_d=96 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=84177 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=D | option_c=F | option_d=B | answer=C | explanation=Move 2 positions forward from D; the resulting letter is F.

id=84178 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1362. If it is sold at a profit of 20%, what is its selling price? | option_a=1382 | option_b=1770 | option_c=1634 | option_d=1498 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1362 × 120/100 = **■**1634.

id=84179 | topic=Percentages | difficulty=Easy | question=What is 50% of 448? | option_a=204 | option_b=229 | option_c=224 | option_d=448 | answer=C | explanation=50% of 448 = (50/100) × 448 = 224.

id=84180 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=R | option_b=M | option_c=H | option_d=W | answer=A | explanation=Move 5 positions forward from M; the resulting letter is R.

Aptitude Questions — Records 84,181-84,210 of 100,000

id=84181 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=84182 | topic=Percentages | difficulty=Easy | question=What is 12% of 270? | option_a=27 | option_b=64 | option_c=32 | option_d=42 | answer=C | explanation=12% of 270 = (12/100) × 270 = 32.

id=84183 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=84184 | topic=Percentages | difficulty=Easy | question=What is 5% of 1547? | option_a=154 | option_b=97 | option_c=57 | option_d=77 | answer=D | explanation=5% of 1547 = (5/100) × 1547 = 77.

id=84185 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=40 | option_b=58 | option_c=50 | option_d=49 | answer=D | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

id=84186 | topic=Percentages | difficulty=Easy | question=What is 40% of 453? | option_a=362 | option_b=181 | option_c=171 | option_d=201 | answer=B | explanation=40% of 453 = (40/100) × 453 = 181.

id=84187 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=300 | option_c=145 | option_d=155 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=84188 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=38 | option_b=26 | option_c=32 | option_d=33 | answer=C | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=84189 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=17 | option_b=22 | option_c=25 | option_d=21 | answer=D | explanation=The common difference is 4. Therefore the next term is 17 + 4 = 21.

id=84190 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=S | option_c=O | option_d=Q | answer=B | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=84191 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27735 at 15% per annum for 3 years. | option_a=40215 | option_b=12580 | option_c=12380 | option_d=12480 | answer=D | explanation=SI = PRT/100 = 27735×15×3/100 = █12480.

id=84192 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=6 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=84193 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4289. If it is sold at a profit of 25%, what is its selling price? | option_a=5361 | option_b=5789 | option_c=4314 | option_d=4933 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4289 × 125/100 = █5361.

id=84194 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:14 and the first is 136, what is the second? | option_a=374 | option_b=224 | option_c=238 | option_d=246 | answer=C | explanation=Scale factor = 136/8 = 17. Therefore second quantity = 14×17 = 238.

id=84195 | topic=Percentages | difficulty=Easy | question=What is 10% of 1915? | option_a=171 | option_b=382 | option_c=191 | option_d=211 | answer=C | explanation=10% of 1915 = (10/100) × 1915 = 191.

id=84196 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=56 | option_b=67 | option_c=45 | option_d=57 | answer=A | explanation=The common difference is 11. Therefore the next term is 45 + 11 = 56.

id=84197 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=84198 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:12 and the first is 144, what is the second? | option_a=288 | option_b=132 | option_c=144 | option_d=156 | answer=C | explanation=Scale factor = 144/12 = 12. Therefore second quantity = 12×12 = 144.

id=84199 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41059 at 12% per annum for 2 years. | option_a=9754 | option_b=9854 | option_c=9954 | option_d=50913 | answer=B | explanation=SI = PRT/100 = 41059×12×2/100 = █9854.

id=84200 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=N | option_b=F | option_c=J | option_d=B | answer=C | explanation=Move 4 positions forward from F; the resulting letter is J.

id=84201 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 35, 41, 50? | option_a=29 | option_b=41 | option_c=35 | option_d=50 | answer=D | explanation=The first three numbers increase by 6, so the next should be 47. Therefore 50 is the odd one out.

id=84202 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=C | option_b=M | option_c=R | option_d=H | answer=B | explanation=Move 5 positions forward from H; the resulting letter is M.

id=84203 | topic=Percentages | difficulty=Easy | question=What is 25% of 652? | option_a=143 | option_b=163 | option_c=326 | option_d=173 | answer=B | explanation=25% of 652 = (25/100) × 652 = 163.

id=84204 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:9 and the first is 95, what is the second? | option_a=162 | option_b=176 | option_c=171 | option_d=266 | answer=C | explanation=Scale factor = 95/5 = 19. Therefore second quantity = 9×19 = 171.

id=84205 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=30 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=84206 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=L | option_c=H | option_d=J | answer=B | explanation=Move 2 positions forward from J; the resulting letter is L.

id=84207 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=M | option_b=A | option_c=E | option_d=I | answer=D | explanation=Move 4 positions forward from E; the resulting letter is I.

id=84208 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 32, 39, 47? | option_a=25 | option_b=32 | option_c=47 | option_d=39 | answer=C | explanation=The first three numbers increase by 7, so the next should be 46. Therefore 47 is the odd one out.

id=84209 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=84210 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2908. If it is sold at a profit of 30%, what is its selling price? | option_a=3490 | option_b=2938 | option_c=3780 | option_d=4070 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2908 × 130/100 = █3780.

Aptitude Questions — Records 84,211-84,240 of 100,000

- id=84211 | topic=Percentages | difficulty=Easy | question=What is 25% of 1646? | option_a=421 | option_b=401 | option_c=411 | option_d=822 | answer=C | explanation=25% of 1646 = $(25/100) \times 1646 = 411$.
- id=84212 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 10. | option_a=120 | option_b=72 | option_c=60 | option_d=50 | answer=C | explanation= $LCM \times HCF = 12 \times 10$; $HCF(12,10) = 2$, so $LCM = 60$.
- id=84213 | topic=Percentages | difficulty=Easy | question=What is 12% of 1887? | option_a=452 | option_b=231 | option_c=216 | option_d=226 | answer=D | explanation=12% of 1887 = $(12/100) \times 1887 = 226$.
- id=84214 | topic=Averages | difficulty=Easy | question=Find the average of 89, 31, 85, 12, 13. | option_a=46 | option_b=48 | option_c=47 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = $230 \div 5 = 46$.
- id=84215 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 44? | option_a=21 | option_b=44 | option_c=11 | option_d=31 | answer=B | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 44 is the odd one out.
- id=84216 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=30 | option_b=26 | option_c=34 | option_d=31 | answer=A | explanation=The common difference is 4. Therefore the next term is $26 + 4 = 30$.
- id=84217 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=52 | option_b=38 | option_c=46 | option_d=45 | answer=D | explanation=The common difference is 7. Therefore the next term is $38 + 7 = 45$.
- id=84218 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 28. | option_a=504 | option_b=270 | option_c=224 | option_d=252 | answer=D | explanation= $LCM \times HCF = 18 \times 28$; $HCF(18,28) = 2$, so $LCM = 252$.
- id=84219 | topic=Averages | difficulty=Easy | question=Find the average of 85, 22, 92, 29, 70, 47, 99, 28. | option_a=61 | option_b=59 | option_c=60 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = $472 \div 8 = 59$.
- id=84220 | topic=Percentages | difficulty=Easy | question=What is 15% of 1187? | option_a=178 | option_b=158 | option_c=356 | option_d=183 | answer=A | explanation=15% of 1187 = $(15/100) \times 1187 = 178$.
- id=84221 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=35 | option_b=45 | option_c=41 | option_d=40 | answer=D | explanation=The common difference is 5. Therefore the next term is $35 + 5 = 40$.
- id=84222 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1180. If it is sold at a profit of 10%, what is its selling price? | option_a=1180 | option_b=1298 | option_c=1190 | option_d=1416 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1180 \times 110/100 = \text{█}1298$.
- id=84223 | topic=Averages | difficulty=Easy | question=Find the average of 76, 62, 79, 58, 77, 91, 98, 30, 50. | option_a=71 | option_b=69 | option_c=70 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = $621 \div 9 = 69$.
- id=84224 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=15 | option_b=12 | option_c=16 | option_d=18 | answer=A | explanation=The common difference is 3. Therefore the next term is $12 + 3 = 15$.
- id=84225 | topic=Averages | difficulty=Easy | question=Find the average of 54, 44, 46. | option_a=47 | option_b=50 | option_c=48 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = $144 \div 3 = 48$.
- id=84226 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=75 | option_c=85 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = $240 \div 3 = 80$ km/h.
- id=84227 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:5 and the first is 256, what is the second? | option_a=80 | option_b=336 | option_c=75 | option_d=96 | answer=A | explanation=Scale factor = $256/16 = 16$. Therefore second quantity = $5 \times 16 = 80$.
- id=84228 | topic=Percentages | difficulty=Easy | question=What is 15% of 1060? | option_a=159 | option_b=179 | option_c=154 | option_d=318 | answer=A | explanation=15% of 1060 = $(15/100) \times 1060 = 159$.
- id=84229 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.
- id=84230 | topic=Percentages | difficulty=Easy | question=What is 10% of 1165? | option_a=116 | option_b=106 | option_c=126 | option_d=232 | answer=A | explanation=10% of 1165 = $(10/100) \times 1165 = 116$.
- id=84231 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 35? | option_a=22 | option_b=26 | option_c=30 | option_d=35 | answer=D | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 35 is the odd one out.
- id=84232 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:18 and the first is 51, what is the second? | option_a=357 | option_b=306 | option_c=309 | option_d=288 | answer=B | explanation=Scale factor = $51/3 = 17$. Therefore second quantity = $18 \times 17 = 306$.
- id=84233 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = $60 \div 3 = 20$ km/h.
- id=84234 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4412. If it is sold at a profit of 20%, what is its selling price? | option_a=4853 | option_b=5735 | option_c=5294 | option_d=4432 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4412 \times 120/100 = \text{█}5294$.
- id=84235 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.
- id=84236 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 40? | option_a=23 | option_b=31 | option_c=40 | option_d=15 | answer=C | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 40 is the odd one out.
- id=84237 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 15? | option_a=8 | option_b=15 | option_c=11 | option_d=5 | answer=B | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 15 is the odd one out.
- id=84238 | topic=Averages | difficulty=Easy | question=Find the average of 30, 87, 29, 39, 38, 73, 23, 30, 81, 20. | option_a=46 | option_b=44 | option_c=45 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = $450 \div 10 = 45$.
- id=84239 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1423. If it is sold at a profit of 10%, what is its selling price? | option_a=1433 | option_b=1565 | option_c=1423 | option_d=1707 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1423 \times 110/100 = \text{█}1565$.
- id=84240 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=48 | option_b=59 | option_c=37 | option_d=49 | answer=A | explanation=The common difference is 11. Therefore the next term is $37 + 11 = 48$.

Aptitude Questions — Records 84,241-84,270 of 100,000

id=84241 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=50 | option_b=61 | option_c=39 | option_d=51 | answer=A | explanation=The common difference is 11. Therefore the next term is 39 + 11 = 50.

id=84242 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=125 | option_d=240 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=84243 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=N | option_c=R | option_d=Z | answer=A | explanation=Move 4 positions forward from R; the resulting letter is V.

id=84244 | topic=Averages | difficulty=Easy | question=Find the average of 47, 40, 99, 13, 88, 100, 76, 56, 13, 68. | option_a=62 | option_b=61 | option_c=60 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=84245 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■6755 at 10% per annum for 4 years. | option_a=2602 | option_b=9457 | option_c=2702 | option_d=2802 | answer=C | explanation=SI = $PRT/100 = 6755 \times 10 \times 4 / 100 = \blacksquare 2702$.

id=84246 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=84247 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 8, 10, 14? | option_a=8 | option_b=6 | option_c=10 | option_d=14 | answer=D | explanation=The first three numbers increase by 2, so the next should be 12. Therefore 14 is the odd one out.

id=84248 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■5334 at 10% per annum for 5 years. | option_a=2567 | option_b=8001 | option_c=2767 | option_d=2667 | answer=D | explanation=SI = $PRT/100 = 5334 \times 10 \times 5 / 100 = \blacksquare 2667$.

id=84249 | topic=Percentages | difficulty=Easy | question=What is 15% of 1526? | option_a=456 | option_b=223 | option_c=233 | option_d=228 | answer=D | explanation=15% of 1526 = $(15/100) \times 1526 = 228$.

id=84250 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 4. | option_a=40 | option_b=66 | option_c=44 | option_d=88 | answer=C | explanation=LCM × HCF = 22×4 ; $HCF(22, 4) = 2$, so LCM = 44.

id=84251 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:6 and the first is 110, what is the second? | option_a=76 | option_b=60 | option_c=176 | option_d=66 | answer=D | explanation=Scale factor = $110/10 = 11$. Therefore second quantity = $6 \times 11 = 66$.

id=84252 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=H | option_b=L | option_c=P | option_d=T | answer=C | explanation=Move 4 positions forward from L; the resulting letter is P.

id=84253 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4044. If it is sold at a profit of 25%, what is its selling price? | option_a=4069 | option_b=5055 | option_c=4651 | option_d=5459 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4044 \times 125 / 100 = \blacksquare 5055$.

id=84254 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:8 and the first is 209, what is the second? | option_a=152 | option_b=361 | option_c=144 | option_d=163 | answer=A | explanation=Scale factor = $209/11 = 19$. Therefore second quantity = $8 \times 19 = 152$.

id=84255 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 21. | option_a=42 | option_b=63 | option_c=72 | option_d=189 | answer=B | explanation=LCM × HCF = 9×21 ; $HCF(9, 21) = 3$, so LCM = 63.

id=84256 | topic=Averages | difficulty=Easy | question=Find the average of 65, 29, 90, 14, 47, 67. | option_a=54 | option_b=51 | option_c=52 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = $312 \div 6 = 52$.

id=84257 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=240 | option_c=125 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = $240 \div 2 = 120$ km/h.

id=84258 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 15? | option_a=3 | option_b=6 | option_c=9 | option_d=15 | answer=D | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 15 is the odd one out.

id=84259 | topic=Percentages | difficulty=Easy | question=What is 12% of 1346? | option_a=322 | option_b=171 | option_c=161 | option_d=156 | answer=C | explanation=12% of 1346 = $(12/100) \times 1346 = 161$.

id=84260 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4825. If it is sold at a profit of 40%, what is its selling price? | option_a=7237 | option_b=4865 | option_c=6273 | option_d=6755 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4825 \times 140 / 100 = \blacksquare 6755$.

id=84261 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3152. If it is sold at a profit of 5%, what is its selling price? | option_a=2994 | option_b=3157 | option_c=3624 | option_d=3309 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3152 \times 105 / 100 = \blacksquare 3309$.

id=84262 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 24, 30, 38? | option_a=30 | option_b=18 | option_c=38 | option_d=24 | answer=C | explanation=The first three numbers increase by 6, so the next should be 36. Therefore 38 is the odd one out.

id=84263 | topic=Averages | difficulty=Easy | question=Find the average of 11, 98, 33, 42, 25, 23, 62. | option_a=44 | option_b=43 | option_c=41 | option_d=42 | answer=D | explanation=Average = sum of values ÷ number of values = $294 \div 7 = 42$.

id=84264 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=48 | option_b=49 | option_c=55 | option_d=41 | answer=A | explanation=The common difference is 7. Therefore the next term is $41 + 7 = 48$.

id=84265 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 26, 29, 33? | option_a=26 | option_b=23 | option_c=33 | option_d=29 | answer=C | explanation=The first three numbers increase by 3, so the next should be 32. Therefore 33 is the odd one out.

id=84266 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=O | option_b=U | option_c=R | option_d=X | answer=B | explanation=Move 3 positions forward from R; the resulting letter is U.

id=84267 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 41? | option_a=28 | option_b=22 | option_c=41 | option_d=34 | answer=C | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 41 is the odd one out.

id=84268 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 22, 29, 37? | option_a=29 | option_b=15 | option_c=22 | option_d=37 | answer=D | explanation=The first three numbers increase by 7, so the next should be 36. Therefore 37 is the odd one out.

id=84269 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $360 \div 6 = 60$ km/h.

id=84270 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=8 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

Aptitude Questions — Records 84,271-84,300 of 100,000

id=84271 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=84272 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=84273 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5658 at 5% per annum for 1 years. | option_a=282 | option_b=5940 | option_c=382 | option_d=182 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{5658 \times 5 \times 1}{100} = \text{■}282$.

id=84274 | topic=Averages | difficulty=Easy | question=Find the average of 67, 47, 70, 18, 71, 60, 38. ? | option_a=52 | option_b=54 | option_c=55 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{371}{7} = 53$.

id=84275 | topic=Averages | difficulty=Easy | question=Find the average of 51, 36, 11, 92, 45, 53. ? | option_a=48 | option_b=49 | option_c=47 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{288}{6} = 48$.

id=84276 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4458. If it is sold at a profit of 10%, what is its selling price? | option_a=4903 | option_b=4458 | option_c=4468 | option_d=5348 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4458 \times \frac{110}{100} = \text{■}4903$.

id=84277 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 30. | option_a=33 | option_b=30 | option_c=1 | option_d=90 | answer=B | explanation=LCM $\times$ HCF = 3×30 ; HCF(3,30) = 3, so LCM = 30.

id=84278 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=60 | option_b=48 | option_c=70 | option_d=59 | answer=D | explanation=The common difference is 11. Therefore the next term is $48 + 11 = 59$.

id=84279 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=23 | option_b=25 | option_c=27 | option_d=26 | answer=B | explanation=The common difference is 2. Therefore the next term is $23 + 2 = 25$.

id=84280 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**155. If it is sold at a profit of 10%, what is its selling price? | option_a=185 | option_b=165 | option_c=170 | option_d=155 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 155 \times \frac{110}{100} = \text{■}170$.

id=84281 | topic=Percentages | difficulty=Easy | question=What is 15% of 448? | option_a=47 | option_b=67 | option_c=134 | option_d=77 | answer=B | explanation=15% of 448 = $(\frac{15}{100}) \times 448 = 67$.

id=84282 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:15 and the first is 80, what is the second? | option_a=60 | option_b=75 | option_c=91 | option_d=155 | answer=B | explanation=Scale factor = $\frac{80}{16} = 5$. Therefore second quantity = $15 \times 5 = 75$.

id=84283 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:7 and the first is 144, what is the second? | option_a=49 | option_b=200 | option_c=74 | option_d=56 | answer=D | explanation=Scale factor = $\frac{144}{18} = 8$. Therefore second quantity = $7 \times 8 = 56$.

id=84284 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = $\frac{180}{3} = 60$ km/h.

id=84285 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = $\frac{120}{8} = 15$ km/h.

id=84286 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:18 and the first is 20, what is the second? | option_a=92 | option_b=77 | option_c=72 | option_d=54 | answer=C | explanation=Scale factor = $\frac{20}{5} = 4$. Therefore second quantity = $18 \times 4 = 72$.

id=84287 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=84288 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:6 and the first is 28, what is the second? | option_a=26 | option_b=6 | option_c=40 | option_d=12 | answer=D | explanation=Scale factor = $\frac{28}{14} = 2$. Therefore second quantity = $6 \times 2 = 12$.

id=84289 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=19 | option_b=15 | option_c=17 | option_d=18 | answer=C | explanation=The common difference is 2. Therefore the next term is $15 + 2 = 17$.

id=84290 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 16, 23, 30, ? | option_a=37 | option_b=38 | option_c=30 | option_d=44 | answer=A | explanation=The common difference is 7. Therefore the next term is $30 + 7 = 37$.

id=84291 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35067 at 12% per annum for 2 years. | option_a=43483 | option_b=8516 | option_c=8316 | option_d=8416 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{35067 \times 12 \times 2}{100} = \text{■}8416$.

id=84292 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=J | option_b=B | option_c=F | option_d=X | answer=C | explanation=Move 4 positions forward from B; the resulting letter is F.

id=84293 | topic=Averages | difficulty=Easy | question=Find the average of 38, 49, 69, 52, 61, 49, 67, 71, 39. | option_a=56 | option_b=57 | option_c=55 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{495}{9} = 55$.

id=84294 | topic=Percentages | difficulty=Easy | question=What is 20% of 321? | option_a=128 | option_b=54 | option_c=64 | option_d=74 | answer=C | explanation=20% of 321 = $(\frac{20}{100}) \times 321 = 64$.

id=84295 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47143 at 12% per annum for 4 years. | option_a=22628 | option_b=22728 | option_c=69771 | option_d=22528 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{47143 \times 12 \times 4}{100} = \text{■}22628$.

id=84296 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:18 and the first is 15, what is the second? | option_a=69 | option_b=59 | option_c=54 | option_d=36 | answer=C | explanation=Scale factor = $\frac{15}{5} = 3$. Therefore second quantity = $18 \times 3 = 54$.

id=84297 | topic=Averages | difficulty=Easy | question=Find the average of 67, 77, 90, 54, 98, 48, 49, 73, 34, 40. | option_a=65 | option_b=63 | option_c=62 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{630}{10} = 63$.

id=84298 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1467. If it is sold at a profit of 10%, what is its selling price? | option_a=1613 | option_b=1759 | option_c=1467 | option_d=1477 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1467 \times \frac{110}{100} = \text{■}1613$.

id=84299 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3607. If it is sold at a profit of 50%, what is its selling price? | option_a=3657 | option_b=5410 | option_c=5050 | option_d=5770 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3607 \times \frac{150}{100} = \text{■}5410$.

id=84300 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = $\frac{90}{3} = 30$ km/h.

Aptitude Questions — Records 84,301-84,330 of 100,000

id=84301 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=Y | option_c=P | option_d=V | answer=D | explanation=Move 3 positions forward from S; the resulting letter is V.

id=84302 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=84303 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 4. | option_a=64 | option_b=32 | option_c=16 | option_d=12 | answer=C | explanation=LCM × HCF = 16×4; HCF(16,4) = 4, so LCM = 16.

id=84304 | topic=Percentages | difficulty=Easy | question=What is 20% of 1232? | option_a=246 | option_b=492 | option_c=266 | option_d=236 | answer=A | explanation=20% of 1232 = (20/100) × 1232 = 246.

id=84305 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=50 | option_b=60 | option_c=70 | option_d=61 | answer=B | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

id=84306 | topic=Percentages | difficulty=Easy | question=What is 10% of 1102? | option_a=90 | option_b=120 | option_c=110 | option_d=220 | answer=C | explanation=10% of 1102 = (10/100) × 1102 = 110.

id=84307 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=84308 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 18. | option_a=252 | option_b=504 | option_c=234 | option_d=280 | answer=A | explanation=LCM × HCF = 28×18; HCF(28,18) = 2, so LCM = 252.

id=84309 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4712. If it is sold at a profit of 10%, what is its selling price? | option_a=4712 | option_b=5654 | option_c=5183 | option_d=4722 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4712 × 110/100 = █5183.

id=84310 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=6 | option_c=11 | option_d=12 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=84311 | topic=Percentages | difficulty=Easy | question=What is 20% of 1966? | option_a=413 | option_b=388 | option_c=786 | option_d=393 | answer=D | explanation=20% of 1966 = (20/100) × 1966 = 393.

id=84312 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=T | option_c=P | option_d=R | answer=B | explanation=Move 2 positions forward from R; the resulting letter is T.

id=84313 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:6 and the first is 120, what is the second? | option_a=126 | option_b=240 | option_c=114 | option_d=120 | answer=D | explanation=Scale factor = 120/6 = 20. Therefore second quantity = 6×20 = 120.

id=84314 | topic=Profit & Loss | difficulty=Easy | question=An article costs █749. If it is sold at a profit of 25%, what is its selling price? | option_a=774 | option_b=862 | option_c=1010 | option_d=936 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 749 × 125/100 = █936.

id=84315 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16601 at 8% per annum for 4 years. | option_a=21913 | option_b=5212 | option_c=5312 | option_d=5412 | answer=C | explanation=SI = PRT/100 = 16601×8×4/100 = █5312.

id=84316 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=84317 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1049 at 5% per annum for 4 years. | option_a=309 | option_b=209 | option_c=109 | option_d=1258 | answer=B | explanation=SI = PRT/100 = 1049×5×4/100 = █209.

id=84318 | topic=Averages | difficulty=Easy | question=Find the average of 40, 62, 69. | option_a=57 | option_b=58 | option_c=59 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 171 ÷ 3 = 57.

id=84319 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18976 at 8% per annum for 1 years. | option_a=1618 | option_b=20494 | option_c=1418 | option_d=1518 | answer=D | explanation=SI = PRT/100 = 18976×8×1/100 = █1518.

id=84320 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:11 and the first is 323, what is the second? | option_a=187 | option_b=206 | option_c=176 | option_d=510 | answer=A | explanation=Scale factor = 323/19 = 17. Therefore second quantity = 11×17 = 187.

id=84321 | topic=Averages | difficulty=Easy | question=Find the average of 94, 46, 60, 12, 90, 58. | option_a=61 | option_b=62 | option_c=59 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 360 ÷ 6 = 60.

id=84322 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 23, 32, 42? | option_a=42 | option_b=14 | option_c=32 | option_d=23 | answer=A | explanation=The first three numbers increase by 9, so the next should be 41. Therefore 42 is the odd one out.

id=84323 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=54 | option_b=64 | option_c=53 | option_d=42 | answer=C | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.

id=84324 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 6. | option_a=80 | option_b=60 | option_c=120 | option_d=54 | answer=B | explanation=LCM × HCF = 20×6; HCF(20,6) = 2, so LCM = 60.

id=84325 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:16 and the first is 40, what is the second? | option_a=72 | option_b=32 | option_c=16 | option_d=52 | answer=B | explanation=Scale factor = 40/20 = 2. Therefore second quantity = 16×2 = 32.

id=84326 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=84327 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=Y | option_b=E | option_c=B | option_d=H | answer=B | explanation=Move 3 positions forward from B; the resulting letter is E.

id=84328 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2534. If it is sold at a profit of 10%, what is its selling price? | option_a=3040 | option_b=2534 | option_c=2544 | option_d=2787 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2534 × 110/100 = █2787.

id=84329 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18184 at 10% per annum for 2 years. | option_a=3536 | option_b=3736 | option_c=3636 | option_d=21820 | answer=C | explanation=SI = PRT/100 = 18184×10×2/100 = █3636.

id=84330 | topic=Percentages | difficulty=Easy | question=What is 40% of 1826? | option_a=720 | option_b=735 | option_c=730 | option_d=1460 | answer=C | explanation=40% of 1826 = (40/100) × 1826 = 730.

Aptitude Questions — Records 84,331-84,360 of 100,000

id=84331 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=22 | option_b=21 | option_c=19 | option_d=23 | answer=B | explanation=The common difference is 2. Therefore the next term is 19 + 2 = 21.

id=84332 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=24 | option_b=22 | option_c=26 | option_d=25 | answer=A | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.

id=84333 | topic=Percentages | difficulty=Easy | question=What is 15% of 792? | option_a=236 | option_b=108 | option_c=118 | option_d=138 | answer=C | explanation=15% of 792 = (15/100) × 792 = 118.

id=84334 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 22? | option_a=16 | option_b=22 | option_c=18 | option_d=14 | answer=B | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 22 is the odd one out.

id=84335 | topic=Averages | difficulty=Easy | question=Find the average of 72, 14, 31, 47. | option_a=40 | option_b=41 | option_c=42 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = 164 ÷ 4 = 41.

id=84336 | topic=Profit & Loss | difficulty=Easy | question=An article costs █167. If it is sold at a profit of 40%, what is its selling price? | option_a=217 | option_b=233 | option_c=249 | option_d=207 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 167 × 140/100 = █233.

id=84337 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18055 at 6% per annum for 4 years. | option_a=4233 | option_b=4333 | option_c=4433 | option_d=22388 | answer=B | explanation=SI = PRT/100 = 18055×6×4/100 = █4333.

id=84338 | topic=Averages | difficulty=Easy | question=Find the average of 31, 94, 58, 48, 37, 62. | option_a=56 | option_b=57 | option_c=55 | option_d=54 | answer=C | explanation=Average = sum of values + number of values = 330 ÷ 6 = 55.

id=84339 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=84340 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=N | option_b=P | option_c=O | option_d=Q | answer=B | explanation=Move 1 positions forward from O; the resulting letter is P.

id=84341 | topic=Profit & Loss | difficulty=Easy | question=An article costs █547. If it is sold at a profit of 40%, what is its selling price? | option_a=711 | option_b=587 | option_c=819 | option_d=765 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 547 × 140/100 = █765.

id=84342 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=84343 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45945 at 8% per annum for 3 years. | option_a=11126 | option_b=56971 | option_c=10926 | option_d=11026 | answer=D | explanation=SI = PRT/100 = 45945×8×3/100 = █11026.

id=84344 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 39? | option_a=19 | option_b=28 | option_c=39 | option_d=10 | answer=C | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 39 is the odd one out.

id=84345 | topic=Averages | difficulty=Easy | question=Find the average of 92, 26, 42, 32, 19, 13, 50, 62, 69. | option_a=44 | option_b=46 | option_c=47 | option_d=45 | answer=D | explanation=Average = sum of values + number of values = 405 ÷ 9 = 45.

id=84346 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 13, 21, 31? | option_a=31 | option_b=5 | option_c=13 | option_d=21 | answer=A | explanation=The first three numbers increase by 8, so the next should be 29. Therefore 31 is the odd one out.

id=84347 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10786 at 12% per annum for 3 years. | option_a=3982 | option_b=3782 | option_c=3882 | option_d=14668 | answer=C | explanation=SI = PRT/100 = 10786×12×3/100 = █3882.

id=84348 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1684. If it is sold at a profit of 15%, what is its selling price? | option_a=2104 | option_b=1936 | option_c=1699 | option_d=1768 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1684 × 115/100 = █1936.

id=84349 | topic=Averages | difficulty=Easy | question=Find the average of 68, 96, 74, 68, 40, 38. | option_a=64 | option_b=65 | option_c=66 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 384 ÷ 6 = 64.

id=84350 | topic=Averages | difficulty=Easy | question=Find the average of 75, 85, 31, 37. | option_a=58 | option_b=56 | option_c=57 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 228 ÷ 4 = 57.

id=84351 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=C | option_b=G | option_c=K | option_d=O | answer=C | explanation=Move 4 positions forward from G; the resulting letter is K.

id=84352 | topic=Averages | difficulty=Easy | question=Find the average of 26, 57, 97, 41, 42, 87, 42, 11, 74. | option_a=55 | option_b=52 | option_c=54 | option_d=53 | answer=D | explanation=Average = sum of values + number of values = 477 ÷ 9 = 53.

id=84353 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22180 at 5% per annum for 5 years. | option_a=27725 | option_b=5645 | option_c=5545 | option_d=5445 | answer=C | explanation=SI = PRT/100 = 22180×5×5/100 = █5545.

id=84354 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=84355 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=P | option_b=R | option_c=Q | option_d=S | answer=B | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=84356 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 18, 22, 29? | option_a=29 | option_b=22 | option_c=18 | option_d=14 | answer=A | explanation=The first three numbers increase by 4, so the next should be 26. Therefore 29 is the odd one out.

id=84357 | topic=Profit & Loss | difficulty=Easy | question=An article costs █890. If it is sold at a profit of 5%, what is its selling price? | option_a=895 | option_b=934 | option_c=845 | option_d=1023 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 890 × 105/100 = █934.

id=84358 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 45? | option_a=38 | option_b=30 | option_c=45 | option_d=34 | answer=C | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 45 is the odd one out.

id=84359 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:15 and the first is 20, what is the second? | option_a=300 | option_b=320 | option_c=285 | option_d=301 | answer=A | explanation=Scale factor = 20/1 = 20. Therefore second quantity = 15×20 = 300.

id=84360 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=Z | option_c=W | option_d=Q | answer=C | explanation=Move 3 positions forward from T; the resulting letter is W.

Aptitude Questions — Records 84,361-84,390 of 100,000

id=84361 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=360 | option_c=175 | option_d=185 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=84362 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=H | option_c=R | option_d=W | answer=C | explanation=Move 5 positions forward from M; the resulting letter is R.

id=84363 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=P | option_b=R | option_c=S | option_d=Q | answer=B | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=84364 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=150 | option_c=145 | option_d=155 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=84365 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=84366 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=O | option_b=Q | option_c=U | option_d=S | answer=D | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=84367 | topic=Averages | difficulty=Easy | question=Find the average of 74, 94, 81. | option_a=82 | option_b=83 | option_c=85 | option_d=84 | answer=B | explanation=Average = sum of values ÷ number of values = 249 ÷ 3 = 83.

id=84368 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:17 and the first is 182, what is the second? | option_a=221 | option_b=403 | option_c=235 | option_d=204 | answer=A | explanation=Scale factor = 182/14 = 13. Therefore second quantity = 17×13 = 221.

id=84369 | topic=Percentages | difficulty=Easy | question=What is 20% of 714? | option_a=142 | option_b=284 | option_c=122 | option_d=147 | answer=A | explanation=20% of 714 = (20/100) × 714 = 142.

id=84370 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 24. | option_a=1 | option_b=27 | option_c=24 | option_d=72 | answer=C | explanation=LCM × HCF = 3×24; HCF(3,24) = 3, so LCM = 24.

id=84371 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=U | option_b=S | option_c=V | option_d=T | answer=A | explanation=Move 1 positions forward from T; the resulting letter is U.

id=84372 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1557. If it is sold at a profit of 5%, what is its selling price? | option_a=1789 | option_b=1634 | option_c=1562 | option_d=1479 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1557 × 105/100 = █1634.

id=84373 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=F | option_c=H | option_d=L | answer=A | explanation=Move 2 positions forward from H; the resulting letter is J.

id=84374 | topic=Averages | difficulty=Easy | question=Find the average of 54, 20, 61. | option_a=47 | option_b=44 | option_c=46 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 135 ÷ 3 = 45.

id=84375 | topic=Averages | difficulty=Easy | question=Find the average of 79, 85, 45, 67, 79. | option_a=72 | option_b=73 | option_c=70 | option_d=71 | answer=D | explanation=Average = sum of values ÷ number of values = 355 ÷ 5 = 71.

id=84376 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=W | option_c=R | option_d=H | answer=C | explanation=Move 5 positions forward from M; the resulting letter is R.

id=84377 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 12. | option_a=70 | option_b=120 | option_c=60 | option_d=48 | answer=C | explanation=LCM × HCF = 10×12; HCF(10,12) = 2, so LCM = 60.

id=84378 | topic=Percentages | difficulty=Easy | question=What is 25% of 403? | option_a=200 | option_b=95 | option_c=100 | option_d=120 | answer=C | explanation=25% of 403 = (25/100) × 403 = 100.

id=84379 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=X | option_b=P | option_c=T | option_d=L | answer=C | explanation=Move 4 positions forward from P; the resulting letter is T.

id=84380 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=23 | option_b=37 | option_c=30 | option_d=31 | answer=C | explanation=The common difference is 7. Therefore the next term is 23 + 7 = 30.

id=84381 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=84382 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 33? | option_a=2 | option_b=12 | option_c=33 | option_d=22 | answer=C | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 33 is the odd one out.

id=84383 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=Y | option_b=T | option_c=J | option_d=O | answer=B | explanation=Move 5 positions forward from O; the resulting letter is T.

id=84384 | topic=Averages | difficulty=Easy | question=Find the average of 67, 74, 59, 15, 95, 33, 27, 84, 59. | option_a=56 | option_b=58 | option_c=57 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 513 ÷ 9 = 57.

id=84385 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15356 at 15% per annum for 5 years. | option_a=11417 | option_b=11617 | option_c=11517 | option_d=26873 | answer=C | explanation=SI = PRT/100 = 15356×15×5/100 = █11517.

id=84386 | topic=Averages | difficulty=Easy | question=Find the average of 83, 78, 43, 83, 99, 20, 37, 16, 54. | option_a=56 | option_b=58 | option_c=59 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 513 ÷ 9 = 57.

id=84387 | topic=Averages | difficulty=Easy | question=Find the average of 58, 56, 21. | option_a=44 | option_b=45 | option_c=46 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 135 ÷ 3 = 45.

id=84388 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:2 and the first is 9, what is the second? | option_a=19 | option_b=16 | option_c=18 | option_d=27 | answer=C | explanation=Scale factor = 9/1 = 9. Therefore second quantity = 2×9 = 18.

id=84389 | topic=Averages | difficulty=Easy | question=Find the average of 23, 37, 96. | option_a=51 | option_b=54 | option_c=52 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 156 ÷ 3 = 52.

id=84390 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 25, 30, 36? | option_a=25 | option_b=30 | option_c=36 | option_d=20 | answer=C | explanation=The first three numbers increase by 5, so the next should be 35. Therefore 36 is the odd one out.

Aptitude Questions — Records 84,391-84,420 of 100,000

id=84391 | topic=Averages | difficulty=Easy | question=Find the average of 20, 95, 56, 97. | option_a=68 | option_b=67 | option_c=66 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 268 ÷ 4 = 67.

id=84392 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 17, 21, 28? | option_a=28 | option_b=21 | option_c=13 | option_d=17 | answer=A | explanation=The first three numbers increase by 4, so the next should be 25. Therefore 28 is the odd one out.

id=84393 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:11 and the first is 27, what is the second? | option_a=99 | option_b=126 | option_c=102 | option_d=88 | answer=A | explanation=Scale factor = 27/3 = 9. Therefore second quantity = 11×9 = 99.

id=84394 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=24 | option_b=22 | option_c=25 | option_d=26 | answer=A | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.

id=84395 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 30. | option_a=450 | option_b=30 | option_c=1 | option_d=45 | answer=B | explanation=LCM × HCF = 15×30; HCF(15,30) = 15, so LCM = 30.

id=84396 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14983 at 6% per annum for 2 years. | option_a=1697 | option_b=16780 | option_c=1797 | option_d=1897 | answer=C | explanation=SI = PRT/100 = 14983×6×2/100 = ■1797.

id=84397 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=A | option_c=O | option_d=S | answer=A | explanation=Move 4 positions forward from S; the resulting letter is W.

id=84398 | topic=Averages | difficulty=Easy | question=Find the average of 85, 31, 69, 14, 75, 47, 99, 12, 90. | option_a=60 | option_b=57 | option_c=58 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 522 ÷ 9 = 58.

id=84399 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=34 | option_b=29 | option_c=35 | option_d=39 | answer=A | explanation=The common difference is 5. Therefore the next term is 29 + 5 = 34.

id=84400 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■3567 at 10% per annum for 3 years. | option_a=970 | option_b=4637 | option_c=1070 | option_d=1170 | answer=C | explanation=SI = PRT/100 = 3567×10×3/100 = ■1070.

id=84401 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 14, 21, 31? | option_a=14 | option_b=31 | option_c=7 | option_d=21 | answer=B | explanation=The first three numbers increase by 7, so the next should be 28. Therefore 31 is the odd one out.

id=84402 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:9 and the first is 48, what is the second? | option_a=120 | option_b=72 | option_c=63 | option_d=78 | answer=B | explanation=Scale factor = 48/6 = 8. Therefore second quantity = 9×8 = 72.

id=84403 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=84404 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=53 | option_b=44 | option_c=54 | option_d=62 | answer=A | explanation=The common difference is 9. Therefore the next term is 44 + 9 = 53.

id=84405 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2231. If it is sold at a profit of 50%, what is its selling price? | option_a=3123 | option_b=3346 | option_c=2281 | option_d=3569 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2231 × 150/100 = ■3346.

id=84406 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2190. If it is sold at a profit of 15%, what is its selling price? | option_a=2518 | option_b=2299 | option_c=2737 | option_d=2205 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2190 × 115/100 = ■2518.

id=84407 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=84408 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1220. If it is sold at a profit of 15%, what is its selling price? | option_a=1281 | option_b=1403 | option_c=1235 | option_d=1525 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1220 × 115/100 = ■1403.

id=84409 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 25. | option_a=625 | option_b=1 | option_c=25 | option_d=50 | answer=C | explanation=LCM × HCF = 25×25; HCF(25,25) = 25, so LCM = 25.

id=84410 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1860. If it is sold at a profit of 25%, what is its selling price? | option_a=2139 | option_b=1885 | option_c=2325 | option_d=2511 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1860 × 125/100 = ■2325.

id=84411 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■19714 at 12% per annum for 5 years. | option_a=11728 | option_b=31542 | option_c=11928 | option_d=11828 | answer=D | explanation=SI = PRT/100 = 19714×12×5/100 = ■11828.

id=84412 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 12? | option_a=4 | option_b=6 | option_c=8 | option_d=12 | answer=D | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 12 is the odd one out.

id=84413 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2647. If it is sold at a profit of 25%, what is its selling price? | option_a=3308 | option_b=3572 | option_c=3044 | option_d=2672 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2647 × 125/100 = ■3308.

id=84414 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=84415 | topic=Percentages | difficulty=Easy | question=What is 12% of 1949? | option_a=223 | option_b=233 | option_c=466 | option_d=243 | answer=B | explanation=12% of 1949 = (12/100) × 1949 = 233.

id=84416 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:13 and the first is 304, what is the second? | option_a=234 | option_b=263 | option_c=551 | option_d=247 | answer=D | explanation=Scale factor = 304/16 = 19. Therefore second quantity = 13×19 = 247.

id=84417 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:14 and the first is 45, what is the second? | option_a=28 | option_b=87 | option_c=42 | option_d=57 | answer=C | explanation=Scale factor = 45/15 = 3. Therefore second quantity = 14×3 = 42.

id=84418 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 29, 33, 39? | option_a=33 | option_b=25 | option_c=39 | option_d=29 | answer=C | explanation=The first three numbers increase by 4, so the next should be 37. Therefore 39 is the odd one out.

id=84419 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=84420 | topic=Percentages | difficulty=Easy | question=What is 10% of 259? | option_a=50 | option_b=35 | option_c=20 | option_d=25 | answer=D | explanation=10% of 259 = (10/100) × 259 = 25.

Aptitude Questions — Records 84,421-84,450 of 100,000

id=84421 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4065. If it is sold at a profit of 30%, what is its selling price? | option_a=5690 | option_b=5284 | option_c=4878 | option_d=4095 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4065 × 130/100 = ■5284.

id=84422 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2746. If it is sold at a profit of 15%, what is its selling price? | option_a=2761 | option_b=3157 | option_c=2883 | option_d=3431 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2746 × 115/100 = ■3157.

id=84423 | topic=Averages | difficulty=Easy | question=Find the average of 32, 28, 19, 47, 43, 90, 33, 97, 64, 77. | option_a=53 | option_b=55 | option_c=54 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=84424 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 26? | option_a=12 | option_b=18 | option_c=6 | option_d=26 | answer=D | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 26 is the odd one out.

id=84425 | topic=Percentages | difficulty=Easy | question=What is 25% of 1705? | option_a=421 | option_b=426 | option_c=436 | option_d=852 | answer=B | explanation=25% of 1705 = (25/100) × 1705 = 426.

id=84426 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=180 | option_c=90 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=84427 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=26 | option_b=30 | option_c=32 | option_d=29 | answer=D | explanation=The common difference is 3. Therefore the next term is 26 + 3 = 29.

id=84428 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=84429 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=100 | option_c=95 | option_d=105 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=84430 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 18. | option_a=36 | option_b=54 | option_c=81 | option_d=486 | answer=B | explanation=LCM × HCF = 27×18; HCF(27,18) = 9, so LCM = 54.

id=84431 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 33? | option_a=24 | option_b=18 | option_c=33 | option_d=12 | answer=C | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 33 is the odd one out.

id=84432 | topic=Percentages | difficulty=Easy | question=What is 12% of 161? | option_a=29 | option_b=9 | option_c=19 | option_d=38 | answer=C | explanation=12% of 161 = (12/100) × 161 = 19.

id=84433 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=84434 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=84435 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=84436 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=47 | option_b=48 | option_c=38 | option_d=56 | answer=A | explanation=The common difference is 9. Therefore the next term is 38 + 9 = 47.

id=84437 | topic=Averages | difficulty=Easy | question=Find the average of 15, 80, 91, 66, 88. | option_a=68 | option_b=70 | option_c=67 | option_d=69 | answer=A | explanation=Average = sum of values ÷ number of values = 340 ÷ 5 = 68.

id=84438 | topic=Averages | difficulty=Easy | question=Find the average of 10, 30, 64, 85, 51, 79, 31. | option_a=49 | option_b=51 | option_c=52 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

id=84439 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 29? | option_a=24 | option_b=20 | option_c=16 | option_d=29 | answer=D | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 29 is the odd one out.

id=84440 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=4 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=84441 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:12 and the first is 36, what is the second? | option_a=252 | option_b=218 | option_c=204 | option_d=216 | answer=D | explanation=Scale factor = 36/2 = 18. Therefore second quantity = 12×18 = 216.

id=84442 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2199. If it is sold at a profit of 25%, what is its selling price? | option_a=2967 | option_b=2529 | option_c=2224 | option_d=2748 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2199 × 125/100 = ■2748.

id=84443 | topic=Percentages | difficulty=Easy | question=What is 12% of 1956? | option_a=224 | option_b=234 | option_c=244 | option_d=468 | answer=B | explanation=12% of 1956 = (12/100) × 1956 = 234.

id=84444 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=D | option_b=C | option_c=E | option_d=B | answer=A | explanation=Move 1 positions forward from C; the resulting letter is D.

id=84445 | topic=Percentages | difficulty=Easy | question=What is 5% of 1742? | option_a=87 | option_b=67 | option_c=97 | option_d=174 | answer=A | explanation=5% of 1742 = (5/100) × 1742 = 87.

id=84446 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=43 | option_c=53 | option_d=96 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=84447 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:13 and the first is 12, what is the second? | option_a=26 | option_b=38 | option_c=13 | option_d=32 | answer=A | explanation=Scale factor = 12/6 = 2. Therefore second quantity = 13×2 = 26.

id=84448 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:18 and the first is 224, what is the second? | option_a=270 | option_b=302 | option_c=512 | option_d=288 | answer=D | explanation=Scale factor = 224/14 = 16. Therefore second quantity = 18×16 = 288.

id=84449 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■15712 at 4% per annum for 4 years. | option_a=2513 | option_b=2413 | option_c=2613 | option_d=18225 | answer=A | explanation=SI = PRT/100 = 15712×4×4/100 = ■2513.

id=84450 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=55 | option_b=56 | option_c=44 | option_d=66 | answer=A | explanation=The common difference is 11. Therefore the next term is 44 + 11 = 55.

Aptitude Questions — Records 84,451-84,480 of 100,000

id=84451 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=P | option_b=Y | option_c=S | option_d=V | answer=D | explanation=Move 3 positions forward from S; the resulting letter is V.

id=84452 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**547. If it is sold at a profit of 30%, what is its selling price? | option_a=711 | option_b=577 | option_c=657 | option_d=765 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 547 × 130/100 = **■**711.

id=84453 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 39? | option_a=34 | option_b=30 | option_c=39 | option_d=32 | answer=C | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 39 is the odd one out.

id=84454 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:6 and the first is 247, what is the second? | option_a=361 | option_b=114 | option_c=127 | option_d=108 | answer=B | explanation=Scale factor = 247/13 = 19. Therefore second quantity = 6×19 = 114.

id=84455 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=20 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=84456 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=Y | option_b=B | option_c=H | option_d=E | answer=D | explanation=Move 3 positions forward from B; the resulting letter is E.

id=84457 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=J | option_b=Y | option_c=T | option_d=O | answer=C | explanation=Move 5 positions forward from O; the resulting letter is T.

id=84458 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:4 and the first is 98, what is the second? | option_a=63 | option_b=56 | option_c=52 | option_d=154 | answer=B | explanation=Scale factor = 98/7 = 14. Therefore second quantity = 4×14 = 56.

id=84459 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=M | option_c=A | option_d=I | answer=D | explanation=Move 4 positions forward from E; the resulting letter is I.

id=84460 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27518 at 8% per annum for 3 years. | option_a=6704 | option_b=34122 | option_c=6604 | option_d=6504 | answer=C | explanation=SI = PRT/100 = 27518×8×3/100 = **■**6604.

id=84461 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=I | option_b=H | option_c=J | option_d=G | answer=A | explanation=Move 1 positions forward from H; the resulting letter is I.

id=84462 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 14, 16, 19? | option_a=12 | option_b=14 | option_c=19 | option_d=16 | answer=C | explanation=The first three numbers increase by 2, so the next should be 18. Therefore 19 is the odd one out.

id=84463 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 15, 22, 29, ? | option_a=29 | option_b=36 | option_c=37 | option_d=43 | answer=B | explanation=The common difference is 7. Therefore the next term is 29 + 7 = 36.

id=84464 | topic=Percentages | difficulty=Easy | question=What is 20% of 1660? | option_a=352 | option_b=332 | option_c=327 | option_d=664 | answer=B | explanation=20% of 1660 = (20/100) × 1660 = 332.

id=84465 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40609 at 6% per annum for 2 years. | option_a=4873 | option_b=4973 | option_c=4773 | option_d=45482 | answer=A | explanation=SI = PRT/100 = 40609×6×2/100 = **■**4873.

id=84466 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46004 at 15% per annum for 2 years. | option_a=13801 | option_b=13901 | option_c=13701 | option_d=59805 | answer=A | explanation=SI = PRT/100 = 46004×15×2/100 = **■**13801.

id=84467 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=84468 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2207. If it is sold at a profit of 50%, what is its selling price? | option_a=3310 | option_b=3530 | option_c=2257 | option_d=3090 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2207 × 150/100 = **■**3310.

id=84469 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 39, 49, 62? | option_a=62 | option_b=29 | option_c=39 | option_d=49 | answer=A | explanation=The first three numbers increase by 10, so the next should be 59. Therefore 62 is the odd one out.

id=84470 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=84471 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=20 | option_c=15 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=84472 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=18 | option_c=13 | option_d=23 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=84473 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=S | option_b=N | option_c=I | option_d=D | answer=B | explanation=Move 5 positions forward from I; the resulting letter is N.

id=84474 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:8 and the first is 126, what is the second? | option_a=74 | option_b=182 | option_c=48 | option_d=56 | answer=D | explanation=Scale factor = 126/18 = 7. Therefore second quantity = 8×7 = 56.

id=84475 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 43? | option_a=28 | option_b=21 | option_c=35 | option_d=43 | answer=D | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 43 is the odd one out.

id=84476 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=58 | option_b=46 | option_c=59 | option_d=70 | answer=A | explanation=The common difference is 12. Therefore the next term is 46 + 12 = 58.

id=84477 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15557 at 12% per annum for 3 years. | option_a=5600 | option_b=5500 | option_c=21157 | option_d=5700 | answer=A | explanation=SI = PRT/100 = 15557×12×3/100 = **■**5600.

id=84478 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=N | option_b=D | option_c=I | option_d=Y | answer=C | explanation=Move 5 positions forward from D; the resulting letter is I.

id=84479 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:19 and the first is 108, what is the second? | option_a=95 | option_b=222 | option_c=132 | option_d=114 | answer=D | explanation=Scale factor = 108/18 = 6. Therefore second quantity = 19×6 = 114.

id=84480 | topic=Averages | difficulty=Easy | question=Find the average of 99, 28, 11, 10, 24, 53, 83. | option_a=46 | option_b=43 | option_c=45 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = 308 ÷ 7 = 44.

Aptitude Questions — Records 84,481-84,510 of 100,000

id=84481 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 28, 33, 39? | option_a=28 | option_b=23 | option_c=33 | option_d=39 | answer=D | explanation=The first three numbers increase by 5, so the next should be 38. Therefore 39 is the odd one out.

id=84482 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=J | option_b=P | option_c=L | option_d=N | answer=D | explanation=Move 2 positions forward from L; the resulting letter is N.

id=84483 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26783 at 5% per annum for 5 years. | option_a=6595 | option_b=6795 | option_c=6695 | option_d=33478 | answer=C | explanation=SI = PRT/100 = 26783×5×5/100 = **■**6695.

id=84484 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3510. If it is sold at a profit of 30%, what is its selling price? | option_a=3540 | option_b=4212 | option_c=4914 | option_d=4563 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3510 × 130/100 = **■**4563.

id=84485 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=80 | option_c=45 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=84486 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 23, 30, 39? | option_a=30 | option_b=23 | option_c=39 | option_d=16 | answer=C | explanation=The first three numbers increase by 7, so the next should be 37. Therefore 39 is the odd one out.

id=84487 | topic=Percentages | difficulty=Easy | question=What is 40% of 1495? | option_a=578 | option_b=1196 | option_c=618 | option_d=598 | answer=D | explanation=40% of 1495 = (40/100) × 1495 = 598.

id=84488 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:3 and the first is 176, what is the second? | option_a=224 | option_b=48 | option_c=59 | option_d=45 | answer=B | explanation=Scale factor = 176/11 = 16. Therefore second quantity = 3×16 = 48.

id=84489 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 16, 19, 23? | option_a=13 | option_b=16 | option_c=19 | option_d=23 | answer=D | explanation=The first three numbers increase by 3, so the next should be 22. Therefore 23 is the odd one out.

id=84490 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=25 | option_c=30 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=84491 | topic=Percentages | difficulty=Easy | question=What is 20% of 801? | option_a=320 | option_b=170 | option_c=160 | option_d=140 | answer=C | explanation=20% of 801 = (20/100) × 801 = 160.

id=84492 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=Z | option_c=U | option_d=K | answer=C | explanation=Move 5 positions forward from P; the resulting letter is U.

id=84493 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**368. If it is sold at a profit of 30%, what is its selling price? | option_a=478 | option_b=514 | option_c=398 | option_d=442 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 368 × 130/100 = **■**478.

id=84494 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 22, 31, 43? | option_a=43 | option_b=13 | option_c=31 | option_d=22 | answer=A | explanation=The first three numbers increase by 9, so the next should be 40. Therefore 43 is the odd one out.

id=84495 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=12 | option_c=6 | option_d=1 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=84496 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=48 | option_c=43 | option_d=96 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=84497 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=1 | option_c=6 | option_d=12 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=84498 | topic=Averages | difficulty=Easy | question=Find the average of 18, 27, 88, 95, 36, 40, 50, 35, 70. | option_a=52 | option_b=51 | option_c=50 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 459 ÷ 9 = 51.

id=84499 | topic=Averages | difficulty=Easy | question=Find the average of 85, 14, 89, 78, 76, 60. | option_a=69 | option_b=67 | option_c=68 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 402 ÷ 6 = 67.

id=84500 | topic=Percentages | difficulty=Easy | question=What is 25% of 1723? | option_a=860 | option_b=435 | option_c=420 | option_d=430 | answer=D | explanation=25% of 1723 = (25/100) × 1723 = 430.

id=84501 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1243 at 6% per annum for 1 years. | option_a=0 | option_b=74 | option_c=1317 | option_d=174 | answer=B | explanation=SI = PRT/100 = 1243×6×1/100 = **■**74.

id=84502 | topic=Percentages | difficulty=Easy | question=What is 20% of 1833? | option_a=376 | option_b=732 | option_c=366 | option_d=361 | answer=C | explanation=20% of 1833 = (20/100) × 1833 = 366.

id=84503 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=45 | option_b=53 | option_c=44 | option_d=35 | answer=C | explanation=The common difference is 9. Therefore the next term is 35 + 9 = 44.

id=84504 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9001 at 4% per annum for 3 years. | option_a=980 | option_b=1080 | option_c=10081 | option_d=1180 | answer=B | explanation=SI = PRT/100 = 9001×4×3/100 = **■**1080.

id=84505 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=5 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=84506 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=51 | option_b=52 | option_c=60 | option_d=42 | answer=A | explanation=The common difference is 9. Therefore the next term is 42 + 9 = 51.

id=84507 | topic=Percentages | difficulty=Easy | question=What is 30% of 1779? | option_a=523 | option_b=1066 | option_c=543 | option_d=533 | answer=D | explanation=30% of 1779 = (30/100) × 1779 = 533.

id=84508 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=I | option_b=O | option_c=M | option_d=K | answer=C | explanation=Move 2 positions forward from K; the resulting letter is M.

id=84509 | topic=Averages | difficulty=Easy | question=Find the average of 34, 99, 78, 54, 54, 32, 16, 25. | option_a=49 | option_b=51 | option_c=48 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 392 ÷ 8 = 49.

id=84510 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

Aptitude Questions — Records 84,511-84,540 of 100,000

id=84511 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■26859 at 8% per annum for 4 years. | option_a=8494 | option_b=8594 | option_c=35453 | option_d=8694 | answer=B | explanation=SI = PRT/100 = 26859×8×4/100 = ■8594.

id=84512 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 30. | option_a=180 | option_b=30 | option_c=36 | option_d=1 | answer=B | explanation=LCM × HCF = 6×30; HCF(6,30) = 6, so LCM = 30.

id=84513 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=51 | option_b=52 | option_c=39 | option_d=63 | answer=A | explanation=The common difference is 12. Therefore the next term is 39 + 12 = 51.

id=84514 | topic=Percentages | difficulty=Easy | question=What is 10% of 76? | option_a=2 | option_b=14 | option_c=7 | option_d=12 | answer=C | explanation=10% of 76 = (10/100) × 76 = 7.

id=84515 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2375. If it is sold at a profit of 5%, what is its selling price? | option_a=2730 | option_b=2380 | option_c=2493 | option_d=2256 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2375 × 105/100 = ■2493.

id=84516 | topic=Averages | difficulty=Easy | question=Find the average of 74, 75, 93, 21, 45, 63, 29, 54, 99, 37. | option_a=59 | option_b=58 | option_c=61 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 590 ÷ 10 = 59.

id=84517 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:20 and the first is 49, what is the second? | option_a=189 | option_b=120 | option_c=140 | option_d=147 | answer=C | explanation=Scale factor = 49/7 = 7. Therefore second quantity = 20×7 = 140.

id=84518 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=49 | option_b=61 | option_c=73 | option_d=62 | answer=B | explanation=The common difference is 12. Therefore the next term is 49 + 12 = 61.

id=84519 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=84520 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 31, 33, 38? | option_a=33 | option_b=31 | option_c=29 | option_d=38 | answer=D | explanation=The first three numbers increase by 2, so the next should be 35. Therefore 38 is the odd one out.

id=84521 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=84522 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1907. If it is sold at a profit of 20%, what is its selling price? | option_a=2098 | option_b=2478 | option_c=2288 | option_d=1927 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1907 × 120/100 = ■2288.

id=84523 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:9 and the first is 44, what is the second? | option_a=143 | option_b=90 | option_c=99 | option_d=103 | answer=C | explanation=Scale factor = 44/4 = 11. Therefore second quantity = 9×11 = 99.

id=84524 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=5 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=84525 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 12. | option_a=182 | option_b=144 | option_c=312 | option_d=156 | answer=D | explanation=LCM × HCF = 26×12; HCF(26,12) = 2, so LCM = 156.

id=84526 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 16, 23, 30, ? | option_a=37 | option_b=30 | option_c=44 | option_d=38 | answer=A | explanation=The common difference is 7. Therefore the next term is 30 + 7 = 37.

id=84527 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:12 and the first is 220, what is the second? | option_a=251 | option_b=240 | option_c=228 | option_d=460 | answer=B | explanation=Scale factor = 220/11 = 20. Therefore second quantity = 12×20 = 240.

id=84528 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=125 | option_c=240 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=84529 | topic=Percentages | difficulty=Easy | question=What is 40% of 631? | option_a=252 | option_b=272 | option_c=242 | option_d=504 | answer=A | explanation=40% of 631 = (40/100) × 631 = 252.

id=84530 | topic=Averages | difficulty=Easy | question=Find the average of 51, 92, 29, 87, 76, 35, 32, 70. | option_a=58 | option_b=59 | option_c=61 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 472 ÷ 8 = 59.

id=84531 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■39835 at 5% per annum for 1 years. | option_a=1891 | option_b=2091 | option_c=41826 | option_d=1991 | answer=D | explanation=SI = PRT/100 = 39835×5×1/100 = ■1991.

id=84532 | topic=Percentages | difficulty=Easy | question=What is 12% of 203? | option_a=48 | option_b=29 | option_c=24 | option_d=14 | answer=C | explanation=12% of 203 = (12/100) × 203 = 24.

id=84533 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 10? | option_a=2 | option_b=4 | option_c=6 | option_d=10 | answer=D | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 10 is the odd one out.

id=84534 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=27 | option_b=23 | option_c=26 | option_d=25 | answer=D | explanation=The common difference is 2. Therefore the next term is 23 + 2 = 25.

id=84535 | topic=Percentages | difficulty=Easy | question=What is 30% of 1770? | option_a=536 | option_b=531 | option_c=526 | option_d=1062 | answer=B | explanation=30% of 1770 = (30/100) × 1770 = 531.

id=84536 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=84537 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=8 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=84538 | topic=Percentages | difficulty=Easy | question=What is 25% of 981? | option_a=490 | option_b=235 | option_c=245 | option_d=250 | answer=C | explanation=25% of 981 = (25/100) × 981 = 245.

id=84539 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1331. If it is sold at a profit of 25%, what is its selling price? | option_a=1663 | option_b=1356 | option_c=1530 | option_d=1796 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1331 × 125/100 = ■1663.

id=84540 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=96 | option_c=43 | option_d=53 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

Aptitude Questions — Records 84,541-84,570 of 100,000

id=84541 | topic=Percentages | difficulty=Easy | question=What is 50% of 1763? | option_a=881 | option_b=901 | option_c=1762 | option_d=876 | answer=A | explanation=50% of 1763 = (50/100) × 1763 = 881.

id=84542 | topic=Averages | difficulty=Easy | question=Find the average of 45, 81, 38, 76. | option_a=62 | option_b=60 | option_c=59 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 240 ÷ 4 = 60.

id=84543 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=50 | option_b=36 | option_c=44 | option_d=43 | answer=D | explanation=The common difference is 7. Therefore the next term is 36 + 7 = 43.

id=84544 | topic=Averages | difficulty=Easy | question=Find the average of 69, 11, 31, 25. | option_a=35 | option_b=36 | option_c=33 | option_d=34 | answer=D | explanation=Average = sum of values ÷ number of values = 136 ÷ 4 = 34.

id=84545 | topic=Percentages | difficulty=Easy | question=What is 25% of 777? | option_a=189 | option_b=388 | option_c=214 | option_d=194 | answer=D | explanation=25% of 777 = (25/100) × 777 = 194.

id=84546 | topic=Percentages | difficulty=Easy | question=What is 5% of 689? | option_a=68 | option_b=39 | option_c=34 | option_d=14 | answer=C | explanation=5% of 689 = (5/100) × 689 = 34.

id=84547 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2696. If it is sold at a profit of 5%, what is its selling price? | option_a=3099 | option_b=2561 | option_c=2830 | option_d=2701 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2696 × 105/100 = **₹**2830.

id=84548 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=26 | option_b=30 | option_c=31 | option_d=34 | answer=B | explanation=The common difference is 4. Therefore the next term is 26 + 4 = 30.

id=84549 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**27789 at 4% per annum for 1 years. | option_a=28900 | option_b=1211 | option_c=1111 | option_d=1011 | answer=C | explanation=SI = PRT/100 = 27789×4×1/100 = **₹**1111.

id=84550 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=V | option_b=N | option_c=R | option_d=J | answer=C | explanation=Move 4 positions forward from N; the resulting letter is R.

id=84551 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**7573 at 5% per annum for 4 years. | option_a=1514 | option_b=9087 | option_c=1614 | option_d=1414 | answer=A | explanation=SI = PRT/100 = 7573×5×4/100 = **₹**1514.

id=84552 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=44 | option_b=55 | option_c=54 | option_d=64 | answer=C | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=84553 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 29? | option_a=29 | option_b=26 | option_c=24 | option_d=22 | answer=A | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 29 is the odd one out.

id=84554 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=84555 | topic=Percentages | difficulty=Easy | question=What is 10% of 1174? | option_a=234 | option_b=117 | option_c=137 | option_d=107 | answer=B | explanation=10% of 1174 = (10/100) × 1174 = 117.

id=84556 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 10, 17, 25? | option_a=25 | option_b=17 | option_c=10 | option_d=3 | answer=A | explanation=The first three numbers increase by 7, so the next should be 24. Therefore 25 is the odd one out.

id=84557 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 13, 16, 20? | option_a=10 | option_b=20 | option_c=13 | option_d=16 | answer=B | explanation=The first three numbers increase by 3, so the next should be 19. Therefore 20 is the odd one out.

id=84558 | topic=Percentages | difficulty=Easy | question=What is 40% of 964? | option_a=395 | option_b=385 | option_c=770 | option_d=365 | answer=B | explanation=40% of 964 = (40/100) × 964 = 385.

id=84559 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**35605 at 10% per annum for 5 years. | option_a=17802 | option_b=53407 | option_c=17902 | option_d=17702 | answer=A | explanation=SI = PRT/100 = 35605×10×5/100 = **₹**17802.

id=84560 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 32, 40, 50? | option_a=32 | option_b=40 | option_c=50 | option_d=24 | answer=C | explanation=The first three numbers increase by 8, so the next should be 48. Therefore 50 is the odd one out.

id=84561 | topic=Percentages | difficulty=Easy | question=What is 10% of 1750? | option_a=175 | option_b=165 | option_c=350 | option_d=195 | answer=A | explanation=10% of 1750 = (10/100) × 1750 = 175.

id=84562 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=150 | option_c=145 | option_d=300 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=84563 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=84564 | topic=Percentages | difficulty=Easy | question=What is 40% of 684? | option_a=263 | option_b=546 | option_c=283 | option_d=273 | answer=D | explanation=40% of 684 = (40/100) × 684 = 273.

id=84565 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=17 | option_c=7 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=84566 | topic=Averages | difficulty=Easy | question=Find the average of 63, 75, 90, 84, 27, 98, 44, 41, 26, 72. | option_a=61 | option_b=63 | option_c=62 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 620 ÷ 10 = 62.

id=84567 | topic=Averages | difficulty=Easy | question=Find the average of 78, 42, 91, 29, 71, 68, 34. | option_a=58 | option_b=60 | option_c=59 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 413 ÷ 7 = 59.

id=84568 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:20 and the first is 240, what is the second? | option_a=400 | option_b=640 | option_c=380 | option_d=412 | answer=A | explanation=Scale factor = 240/12 = 20. Therefore second quantity = 20×20 = 400.

id=84569 | topic=Averages | difficulty=Easy | question=Find the average of 28, 16, 39, 99, 68. | option_a=50 | option_b=52 | option_c=51 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 250 ÷ 5 = 50.

id=84570 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**19203 at 15% per annum for 2 years. | option_a=5660 | option_b=5860 | option_c=24963 | option_d=5760 | answer=D | explanation=SI = PRT/100 = 19203×15×2/100 = **₹**5760.

Aptitude Questions — Records 84,571-84,600 of 100,000

id=84571 | topic=Percentages | difficulty=Easy | question=What is 12% of 1893? | option_a=222 | option_b=454 | option_c=227 | option_d=247 | answer=C | explanation=12% of 1893 = (12/100) × 1893 = 227.

id=84572 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45738 at 5% per annum for 3 years. | option_a=52598 | option_b=6760 | option_c=6960 | option_d=6860 | answer=D | explanation=SI = PRT/100 = 45738×5×3/100 = **■**6860.

id=84573 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=84574 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=84575 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=84576 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 25, 34, 43, ? | option_a=61 | option_b=52 | option_c=43 | option_d=53 | answer=B | explanation=The common difference is 9. Therefore the next term is 43 + 9 = 52.

id=84577 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1342. If it is sold at a profit of 25%, what is its selling price? | option_a=1677 | option_b=1367 | option_c=1543 | option_d=1811 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1342 × 125/100 = **■**1677.

id=84578 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20893 at 6% per annum for 3 years. | option_a=3760 | option_b=24653 | option_c=3860 | option_d=3660 | answer=A | explanation=SI = PRT/100 = 20893×6×3/100 = **■**3760.

id=84579 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 5, 8, 11, ? | option_a=17 | option_b=11 | option_c=15 | option_d=14 | answer=D | explanation=The common difference is 3. Therefore the next term is 11 + 3 = 14.

id=84580 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3890. If it is sold at a profit of 15%, what is its selling price? | option_a=4473 | option_b=4084 | option_c=3905 | option_d=4862 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3890 × 115/100 = **■**4473.

id=84581 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=84582 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=84583 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:1 and the first is 12, what is the second? | option_a=3 | option_b=15 | option_c=7 | option_d=2 | answer=A | explanation=Scale factor = 12/4 = 3. Therefore second quantity = 1×3 = 3.

id=84584 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4449. If it is sold at a profit of 20%, what is its selling price? | option_a=5338 | option_b=4469 | option_c=5782 | option_d=4894 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4449 × 120/100 = **■**5338.

id=84585 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=A | option_c=E | option_d=M | answer=A | explanation=Move 4 positions forward from E; the resulting letter is I.

id=84586 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=R | option_b=O | option_c=I | option_d=L | answer=B | explanation=Move 3 positions forward from L; the resulting letter is O.

id=84587 | topic=Percentages | difficulty=Easy | question=What is 15% of 782? | option_a=234 | option_b=127 | option_c=112 | option_d=117 | answer=D | explanation=15% of 782 = (15/100) × 782 = 117.

id=84588 | topic=Averages | difficulty=Easy | question=Find the average of 100, 83, 74, 43, 53, 73. | option_a=70 | option_b=71 | option_c=73 | option_d=72 | answer=B | explanation=Average = sum of values ÷ number of values = 426 ÷ 6 = 71.

id=84589 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 21, 27, 35? | option_a=21 | option_b=35 | option_c=27 | option_d=15 | answer=B | explanation=The first three numbers increase by 6, so the next should be 33. Therefore 35 is the odd one out.

id=84590 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39696 at 6% per annum for 3 years. | option_a=7045 | option_b=7145 | option_c=46841 | option_d=7245 | answer=B | explanation=SI = PRT/100 = 39696×6×3/100 = **■**7145.

id=84591 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=36 | option_c=18 | option_d=23 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=84592 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1155. If it is sold at a profit of 50%, what is its selling price? | option_a=1732 | option_b=1617 | option_c=1847 | option_d=1205 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1155 × 150/100 = **■**1732.

id=84593 | topic=Percentages | difficulty=Easy | question=What is 25% of 906? | option_a=221 | option_b=236 | option_c=226 | option_d=452 | answer=C | explanation=25% of 906 = (25/100) × 906 = 226.

id=84594 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=B | option_b=A | option_c=C | option_d=Z | answer=A | explanation=Move 1 positions forward from A; the resulting letter is B.

id=84595 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=71 | option_b=61 | option_c=60 | option_d=49 | answer=C | explanation=The common difference is 11. Therefore the next term is 49 + 11 = 60.

id=84596 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=N | option_c=E | option_d=K | answer=D | explanation=Move 3 positions forward from H; the resulting letter is K.

id=84597 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11364 at 5% per annum for 4 years. | option_a=2172 | option_b=2372 | option_c=2272 | option_d=13636 | answer=C | explanation=SI = PRT/100 = 11364×5×4/100 = **■**2272.

id=84598 | topic=Averages | difficulty=Easy | question=Find the average of 92, 42, 84, 42, 57, 67. | option_a=66 | option_b=65 | option_c=63 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 384 ÷ 6 = 64.

id=84599 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:16 and the first is 50, what is the second? | option_a=80 | option_b=130 | option_c=90 | option_d=64 | answer=A | explanation=Scale factor = 50/10 = 5. Therefore second quantity = 16×5 = 80.

id=84600 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:9 and the first is 70, what is the second? | option_a=36 | option_b=59 | option_c=115 | option_d=45 | answer=D | explanation=Scale factor = 70/14 = 5. Therefore second quantity = 9×5 = 45.

Aptitude Questions — Records 84,601-84,630 of 100,000

id=84601 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:17 and the first is 20, what is the second? | option_a=17 | option_b=54 | option_c=44 | option_d=34 | answer=D | explanation=Scale factor = 20/10 = 2. Therefore second quantity = 17×2 = 34.

id=84602 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:12 and the first is 126, what is the second? | option_a=234 | option_b=96 | option_c=108 | option_d=122 | answer=C | explanation=Scale factor = 126/14 = 9. Therefore second quantity = 12×9 = 108.

id=84603 | topic=Averages | difficulty=Easy | question=Find the average of 97, 84, 32. | option_a=72 | option_b=73 | option_c=70 | option_d=71 | answer=D | explanation=Average = sum of values ÷ number of values = 213 ÷ 3 = 71.

id=84604 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=24 | option_c=48 | option_d=29 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=84605 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2854. If it is sold at a profit of 5%, what is its selling price? | option_a=2996 | option_b=2859 | option_c=2711 | option_d=3281 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2854 × 105/100 = █2996.

id=84606 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=22 | option_b=23 | option_c=27 | option_d=17 | answer=A | explanation=The common difference is 5. Therefore the next term is 17 + 5 = 22.

id=84607 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3112. If it is sold at a profit of 15%, what is its selling price? | option_a=3127 | option_b=3267 | option_c=3889 | option_d=3578 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3112 × 115/100 = █3578.

id=84608 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=41 | option_c=31 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=84609 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1191. If it is sold at a profit of 50%, what is its selling price? | option_a=1786 | option_b=1905 | option_c=1667 | option_d=1241 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1191 × 150/100 = █1786.

id=84610 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=84611 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=Z | option_b=N | option_c=R | option_d=V | answer=D | explanation=Move 4 positions forward from R; the resulting letter is V.

id=84612 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=10 | option_c=15 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=84613 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=58 | option_b=47 | option_c=36 | option_d=48 | answer=B | explanation=The common difference is 11. Therefore the next term is 36 + 11 = 47.

id=84614 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14781 at 10% per annum for 1 years. | option_a=1478 | option_b=1578 | option_c=16259 | option_d=1378 | answer=A | explanation=SI = PRT/100 = 14781×10×1/100 = █1478.

id=84615 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 29, 37, 47? | option_a=29 | option_b=37 | option_c=47 | option_d=21 | answer=C | explanation=The first three numbers increase by 8, so the next should be 45. Therefore 47 is the odd one out.

id=84616 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25526 at 8% per annum for 5 years. | option_a=10110 | option_b=10210 | option_c=10310 | option_d=35736 | answer=B | explanation=SI = PRT/100 = 25526×8×5/100 = █10210.

id=84617 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=A | option_b=C | option_c=B | option_d=D | answer=B | explanation=Move 1 positions forward from B; the resulting letter is C.

id=84618 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 21, 27, 34? | option_a=21 | option_b=34 | option_c=15 | option_d=27 | answer=B | explanation=The first three numbers increase by 6, so the next should be 33. Therefore 34 is the odd one out.

id=84619 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=18 | option_c=23 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=84620 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=68 | option_b=56 | option_c=57 | option_d=44 | answer=B | explanation=The common difference is 12. Therefore the next term is 44 + 12 = 56.

id=84621 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=84622 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=84623 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=84624 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 15. | option_a=36 | option_b=15 | option_c=30 | option_d=90 | answer=C | explanation=LCM × HCF = 6×15; HCF(6,15) = 3, so LCM = 30.

id=84625 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1876 at 8% per annum for 1 years. | option_a=150 | option_b=2026 | option_c=250 | option_d=50 | answer=A | explanation=SI = PRT/100 = 1876×8×1/100 = █150.

id=84626 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=Z | option_c=D | option_d=B | answer=C | explanation=Move 2 positions forward from B; the resulting letter is D.

id=84627 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=96 | option_c=53 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=84628 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=35 | option_b=29 | option_c=33 | option_d=32 | answer=D | explanation=The common difference is 3. Therefore the next term is 29 + 3 = 32.

id=84629 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=45 | option_c=50 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=84630 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=41 | option_c=36 | option_d=31 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

Aptitude Questions — Records 84,631-84,660 of 100,000

id=84631 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=90 | option_c=40 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=84632 | topic=Percentages | difficulty=Easy | question=What is 5% of 679? | option_a=66 | option_b=33 | option_c=28 | option_d=43 | answer=B | explanation=5% of 679 = (5/100) × 679 = 33.

id=84633 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=Q | option_c=S | option_d=W | answer=A | explanation=Move 2 positions forward from S; the resulting letter is U.

id=84634 | topic=Averages | difficulty=Easy | question=Find the average of 67, 78, 77, 31, 55, 57, 14, 37. | option_a=51 | option_b=54 | option_c=52 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=84635 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 12? | option_a=4 | option_b=6 | option_c=8 | option_d=12 | answer=D | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 12 is the odd one out.

id=84636 | topic=Percentages | difficulty=Easy | question=What is 15% of 396? | option_a=118 | option_b=39 | option_c=59 | option_d=79 | answer=C | explanation=15% of 396 = (15/100) × 396 = 59.

id=84637 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=84638 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 10, 16, 25? | option_a=4 | option_b=16 | option_c=10 | option_d=25 | answer=D | explanation=The first three numbers increase by 6, so the next should be 22. Therefore 25 is the odd one out.

id=84639 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 27? | option_a=27 | option_b=12 | option_c=5 | option_d=19 | answer=A | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 27 is the odd one out.

id=84640 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21711 at 6% per annum for 3 years. | option_a=25618 | option_b=3807 | option_c=3907 | option_d=4007 | answer=C | explanation=SI = PRT/100 = 21711×6×3/100 = **■**3907.

id=84641 | topic=Averages | difficulty=Easy | question=Find the average of 79, 53, 32, 57, 83, 38. | option_a=56 | option_b=57 | option_c=59 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 342 ÷ 6 = 57.

id=84642 | topic=Percentages | difficulty=Easy | question=What is 10% of 479? | option_a=94 | option_b=47 | option_c=37 | option_d=52 | answer=B | explanation=10% of 479 = (10/100) × 479 = 47.

id=84643 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 45? | option_a=45 | option_b=13 | option_c=23 | option_d=33 | answer=A | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 45 is the odd one out.

id=84644 | topic=Averages | difficulty=Easy | question=Find the average of 74, 78, 99, 54, 47, 96, 73, 20, 47, 62. | option_a=66 | option_b=65 | option_c=64 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = 650 ÷ 10 = 65.

id=84645 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 16. | option_a=352 | option_b=198 | option_c=160 | option_d=176 | answer=D | explanation=LCM × HCF = 22×16; HCF(22,16) = 2, so LCM = 176.

id=84646 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 13, 17, 24? | option_a=9 | option_b=13 | option_c=17 | option_d=24 | answer=D | explanation=The first three numbers increase by 4, so the next should be 21. Therefore 24 is the odd one out.

id=84647 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=84648 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33210 at 10% per annum for 1 years. | option_a=36531 | option_b=3321 | option_c=3221 | option_d=3421 | answer=B | explanation=SI = PRT/100 = 33210×10×1/100 = **■**3321.

id=84649 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=160 | option_c=75 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=84650 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=84651 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:10 and the first is 220, what is the second? | option_a=200 | option_b=211 | option_c=420 | option_d=190 | answer=A | explanation=Scale factor = 220/11 = 20. Therefore second quantity = 10×20 = 200.

id=84652 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:8 and the first is 272, what is the second? | option_a=400 | option_b=128 | option_c=120 | option_d=145 | answer=B | explanation=Scale factor = 272/17 = 16. Therefore second quantity = 8×16 = 128.

id=84653 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=7 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=84654 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=72 | option_c=144 | option_d=77 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=84655 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2584. If it is sold at a profit of 30%, what is its selling price? | option_a=3101 | option_b=2614 | option_c=3359 | option_d=3617 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2584 × 130/100 = **■**3359.

id=84656 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48610 at 6% per annum for 2 years. | option_a=5833 | option_b=5733 | option_c=54443 | option_d=5933 | answer=A | explanation=SI = PRT/100 = 48610×6×2/100 = **■**5833.

id=84657 | topic=Averages | difficulty=Easy | question=Find the average of 48, 42, 53, 89. | option_a=58 | option_b=60 | option_c=57 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 232 ÷ 4 = 58.

id=84658 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:19 and the first is 90, what is the second? | option_a=266 | option_b=291 | option_c=375 | option_d=285 | answer=D | explanation=Scale factor = 90/6 = 15. Therefore second quantity = 19×15 = 285.

id=84659 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6314 at 4% per annum for 1 years. | option_a=152 | option_b=6566 | option_c=352 | option_d=252 | answer=D | explanation=SI = PRT/100 = 6314×4×1/100 = **■**252.

id=84660 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34069 at 4% per annum for 1 years. | option_a=35431 | option_b=1462 | option_c=1362 | option_d=1262 | answer=C | explanation=SI = PRT/100 = 34069×4×1/100 = **■**1362.

Aptitude Questions — Records 84,661-84,690 of 100,000

id=84661 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=84662 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=O | option_c=C | option_d=K | answer=D | explanation=Move 4 positions forward from G; the resulting letter is K.

id=84663 | topic=Averages | difficulty=Easy | question=Find the average of 46, 61, 56, 80, 95, 22. | option_a=60 | option_b=61 | option_c=59 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 360 ÷ 6 = 60.

id=84664 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3463. If it is sold at a profit of 30%, what is its selling price? | option_a=4847 | option_b=3493 | option_c=4155 | option_d=4501 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3463 × 130/100 = █4501.

id=84665 | topic=Profit & Loss | difficulty=Easy | question=An article costs █599. If it is sold at a profit of 30%, what is its selling price? | option_a=837 | option_b=629 | option_c=719 | option_d=778 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 599 × 130/100 = █778.

id=84666 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 27, 31, 37? | option_a=37 | option_b=23 | option_c=27 | option_d=31 | answer=A | explanation=The first three numbers increase by 4, so the next should be 35. Therefore 37 is the odd one out.

id=84667 | topic=Profit & Loss | difficulty=Easy | question=An article costs █563. If it is sold at a profit of 15%, what is its selling price? | option_a=647 | option_b=591 | option_c=578 | option_d=703 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 563 × 115/100 = █647.

id=84668 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 44? | option_a=20 | option_b=34 | option_c=44 | option_d=27 | answer=C | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 44 is the odd one out.

id=84669 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1696. If it is sold at a profit of 15%, what is its selling price? | option_a=1950 | option_b=1781 | option_c=2119 | option_d=1711 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1696 × 115/100 = █1950.

id=84670 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=34 | option_b=40 | option_c=44 | option_d=39 | answer=D | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

id=84671 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=37 | option_b=29 | option_c=33 | option_d=34 | answer=C | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=84672 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1413. If it is sold at a profit of 10%, what is its selling price? | option_a=1554 | option_b=1413 | option_c=1423 | option_d=1695 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1413 × 110/100 = █1554.

id=84673 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=16 | option_b=15 | option_c=12 | option_d=18 | answer=B | explanation=The common difference is 3. Therefore the next term is 12 + 3 = 15.

id=84674 | topic=Percentages | difficulty=Easy | question=What is 12% of 1333? | option_a=318 | option_b=164 | option_c=159 | option_d=139 | answer=C | explanation=12% of 1333 = (12/100) × 1333 = 159.

id=84675 | topic=Profit & Loss | difficulty=Easy | question=An article costs █714. If it is sold at a profit of 50%, what is its selling price? | option_a=1000 | option_b=1142 | option_c=764 | option_d=1071 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 714 × 150/100 = █1071.

id=84676 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 46? | option_a=46 | option_b=33 | option_c=23 | option_d=13 | answer=A | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 46 is the odd one out.

id=84677 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3476. If it is sold at a profit of 25%, what is its selling price? | option_a=4692 | option_b=3998 | option_c=3501 | option_d=4345 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3476 × 125/100 = █4345.

id=84678 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=25 | option_b=29 | option_c=33 | option_d=30 | answer=B | explanation=The common difference is 4. Therefore the next term is 25 + 4 = 29.

id=84679 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=14 | option_b=15 | option_c=16 | option_d=12 | answer=A | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=84680 | topic=Percentages | difficulty=Easy | question=What is 50% of 914? | option_a=457 | option_b=914 | option_c=447 | option_d=462 | answer=A | explanation=50% of 914 = (50/100) × 914 = 457.

id=84681 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5812 at 4% per annum for 3 years. | option_a=797 | option_b=6509 | option_c=597 | option_d=697 | answer=D | explanation=SI = PRT/100 = 5812×4×3/100 = █697.

id=84682 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=84683 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:2 and the first is 26, what is the second? | option_a=28 | option_b=24 | option_c=52 | option_d=26 | answer=D | explanation=Scale factor = 26/2 = 13. Therefore second quantity = 2×13 = 26.

id=84684 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=40 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=84685 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 17, 29, 41, ? | option_a=41 | option_b=53 | option_c=65 | option_d=54 | answer=B | explanation=The common difference is 12. Therefore the next term is 41 + 12 = 53.

id=84686 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=84687 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:7 and the first is 16, what is the second? | option_a=21 | option_b=32 | option_c=28 | option_d=44 | answer=C | explanation=Scale factor = 16/4 = 4. Therefore second quantity = 7×4 = 28.

id=84688 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=T | option_b=V | option_c=W | option_d=U | answer=B | explanation=Move 1 positions forward from U; the resulting letter is V.

id=84689 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=28 | option_b=35 | option_c=36 | option_d=42 | answer=B | explanation=The common difference is 7. Therefore the next term is 28 + 7 = 35.

id=84690 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 84,691-84,720 of 100,000

id=84691 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:2 and the first is 30, what is the second? | option_a=16 | option_b=8 | option_c=40 | option_d=10 | answer=D | explanation=Scale factor = 30/6 = 5. Therefore second quantity = 2×5 = 10.

id=84692 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=84693 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=49 | option_b=38 | option_c=50 | option_d=60 | answer=A | explanation=The common difference is 11. Therefore the next term is 38 + 11 = 49.

id=84694 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=18 | option_c=9 | option_d=4 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=84695 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1327. If it is sold at a profit of 15%, what is its selling price? | option_a=1394 | option_b=1342 | option_c=1658 | option_d=1526 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1327 × 115/100 = █1526.

id=84696 | topic=Percentages | difficulty=Easy | question=What is 12% of 189? | option_a=42 | option_b=12 | option_c=22 | option_d=44 | answer=C | explanation=12% of 189 = (12/100) × 189 = 22.

id=84697 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40155 at 12% per annum for 2 years. | option_a=9637 | option_b=49792 | option_c=9737 | option_d=9537 | answer=A | explanation=SI = PRT/100 = 40155×12×2/100 = █9637.

id=84698 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26563 at 12% per annum for 3 years. | option_a=9662 | option_b=9562 | option_c=9462 | option_d=36125 | answer=B | explanation=SI = PRT/100 = 26563×12×3/100 = █9562.

id=84699 | topic=Averages | difficulty=Easy | question=Find the average of 73, 32, 48. | option_a=50 | option_b=53 | option_c=51 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 153 ÷ 3 = 51.

id=84700 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:3 and the first is 198, what is the second? | option_a=252 | option_b=51 | option_c=65 | option_d=54 | answer=D | explanation=Scale factor = 198/11 = 18. Therefore second quantity = 3×18 = 54.

id=84701 | topic=Percentages | difficulty=Easy | question=What is 25% of 255? | option_a=53 | option_b=73 | option_c=126 | option_d=63 | answer=D | explanation=25% of 255 = (25/100) × 255 = 63.

id=84702 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34739 at 8% per annum for 3 years. | option_a=8437 | option_b=8337 | option_c=43076 | option_d=8237 | answer=B | explanation=SI = PRT/100 = 34739×8×3/100 = █8337.

id=84703 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2371 at 12% per annum for 4 years. | option_a=3509 | option_b=1038 | option_c=1238 | option_d=1138 | answer=D | explanation=SI = PRT/100 = 2371×12×4/100 = █1138.

id=84704 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:19 and the first is 126, what is the second? | option_a=468 | option_b=349 | option_c=342 | option_d=323 | answer=C | explanation=Scale factor = 126/7 = 18. Therefore second quantity = 19×18 = 342.

id=84705 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11555 at 10% per annum for 4 years. | option_a=4622 | option_b=16177 | option_c=4522 | option_d=4722 | answer=A | explanation=SI = PRT/100 = 11555×10×4/100 = █4622.

id=84706 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=21 | option_b=25 | option_c=24 | option_d=27 | answer=C | explanation=The common difference is 3. Therefore the next term is 21 + 3 = 24.

id=84707 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=84708 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4371. If it is sold at a profit of 30%, what is its selling price? | option_a=6119 | option_b=5245 | option_c=5682 | option_d=4401 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4371 × 130/100 = █5682.

id=84709 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=84710 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20679 at 6% per annum for 4 years. | option_a=4862 | option_b=5062 | option_c=4962 | option_d=25641 | answer=C | explanation=SI = PRT/100 = 20679×6×4/100 = █4962.

id=84711 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 21, 30, 40? | option_a=40 | option_b=30 | option_c=12 | option_d=21 | answer=A | explanation=The first three numbers increase by 9, so the next should be 39. Therefore 40 is the odd one out.

id=84712 | topic=Averages | difficulty=Easy | question=Find the average of 35, 83, 98, 96. | option_a=78 | option_b=79 | option_c=77 | option_d=80 | answer=A | explanation=Average = sum of values ÷ number of values = 312 ÷ 4 = 78.

id=84713 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=100 | option_c=95 | option_d=105 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=84714 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=24 | option_c=12 | option_d=17 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=84715 | topic=Percentages | difficulty=Easy | question=What is 25% of 1853? | option_a=926 | option_b=473 | option_c=463 | option_d=453 | answer=C | explanation=25% of 1853 = (25/100) × 1853 = 463.

id=84716 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36030 at 12% per annum for 1 years. | option_a=4323 | option_b=40353 | option_c=4223 | option_d=4423 | answer=A | explanation=SI = PRT/100 = 36030×12×1/100 = █4323.

id=84717 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=20 | option_c=10 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=84718 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4823. If it is sold at a profit of 20%, what is its selling price? | option_a=5787 | option_b=4843 | option_c=6269 | option_d=5305 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4823 × 120/100 = █5787.

id=84719 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=25 | option_b=28 | option_c=22 | option_d=26 | answer=A | explanation=The common difference is 3. Therefore the next term is 22 + 3 = 25.

id=84720 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3877. If it is sold at a profit of 50%, what is its selling price? | option_a=5815 | option_b=6202 | option_c=5428 | option_d=3927 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3877 × 150/100 = █5815.

Aptitude Questions — Records 84,721-84,750 of 100,000

id=84721 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3072. If it is sold at a profit of 25%, what is its selling price? | option_a=3840 | option_b=4147 | option_c=3097 | option_d=3533 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3072 × 125/100 = ■3840.

id=84722 | topic=Averages | difficulty=Easy | question=Find the average of 39, 35, 73, 28, 69, 41, 56, 75. | option_a=54 | option_b=53 | option_c=51 | option_d=52 | answer=D | explanation=Average = sum of values + number of values = 416 ÷ 8 = 52.

id=84723 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=24 | option_b=29 | option_c=34 | option_d=30 | answer=B | explanation=The common difference is 5. Therefore the next term is 24 + 5 = 29.

id=84724 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 19, 29, 41? | option_a=9 | option_b=29 | option_c=19 | option_d=41 | answer=D | explanation=The first three numbers increase by 10, so the next should be 39. Therefore 41 is the odd one out.

id=84725 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4790. If it is sold at a profit of 10%, what is its selling price? | option_a=4800 | option_b=5269 | option_c=5748 | option_d=4790 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4790 × 110/100 = ■5269.

id=84726 | topic=Averages | difficulty=Easy | question=Find the average of 83, 39, 67, 22, 93, 45, 62, 15, 28, 76. | option_a=52 | option_b=55 | option_c=53 | option_d=54 | answer=C | explanation=Average = sum of values + number of values = 530 ÷ 10 = 53.

id=84727 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=33 | option_b=32 | option_c=25 | option_d=39 | answer=B | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.

id=84728 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=X | option_b=O | option_c=R | option_d=U | answer=D | explanation=Move 3 positions forward from R; the resulting letter is U.

id=84729 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2324. If it is sold at a profit of 50%, what is its selling price? | option_a=3718 | option_b=3254 | option_c=3486 | option_d=2374 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2324 × 150/100 = ■3486.

id=84730 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=24 | option_c=48 | option_d=29 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=84731 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=50 | option_c=20 | option_d=25 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=84732 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2207. If it is sold at a profit of 15%, what is its selling price? | option_a=2758 | option_b=2538 | option_c=2222 | option_d=2318 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2207 × 115/100 = ■2538.

id=84733 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=84734 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=43 | option_b=34 | option_c=42 | option_d=50 | answer=C | explanation=The common difference is 8. Therefore the next term is 34 + 8 = 42.

id=84735 | topic=Percentages | difficulty=Easy | question=What is 10% of 1692? | option_a=149 | option_b=338 | option_c=169 | option_d=179 | answer=C | explanation=10% of 1692 = (10/100) × 1692 = 169.

id=84736 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:6 and the first is 210, what is the second? | option_a=90 | option_b=104 | option_c=84 | option_d=300 | answer=A | explanation=Scale factor = 210/14 = 15. Therefore second quantity = 6×15 = 90.

id=84737 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:18 and the first is 340, what is the second? | option_a=342 | option_b=377 | option_c=360 | option_d=700 | answer=C | explanation=Scale factor = 340/17 = 20. Therefore second quantity = 18×20 = 360.

id=84738 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 41? | option_a=35 | option_b=25 | option_c=30 | option_d=41 | answer=D | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 41 is the odd one out.

id=84739 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=F | option_c=Z | option_d=B | answer=A | explanation=Move 2 positions forward from B; the resulting letter is D.

id=84740 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■8339 at 4% per annum for 5 years. | option_a=1767 | option_b=10006 | option_c=1667 | option_d=1567 | answer=C | explanation=SI = PRT/100 = 8339×4×5/100 = ■1667.

id=84741 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=D | option_b=G | option_c=M | option_d=J | answer=D | explanation=Move 3 positions forward from G; the resulting letter is J.

id=84742 | topic=Averages | difficulty=Easy | question=Find the average of 21, 65, 47, 49, 17, 69, 74, 92, 25. | option_a=51 | option_b=53 | option_c=50 | option_d=52 | answer=A | explanation=Average = sum of values + number of values = 459 ÷ 9 = 51.

id=84743 | topic=Averages | difficulty=Easy | question=Find the average of 66, 44, 99, 78, 46, 75. | option_a=67 | option_b=70 | option_c=68 | option_d=69 | answer=C | explanation=Average = sum of values + number of values = 408 ÷ 6 = 68.

id=84744 | topic=Averages | difficulty=Easy | question=Find the average of 20, 65, 64, 69, 100, 57, 74, 68, 97, 76. | option_a=68 | option_b=70 | option_c=69 | option_d=71 | answer=C | explanation=Average = sum of values + number of values = 690 ÷ 10 = 69.

id=84745 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=C | option_c=B | option_d=D | answer=D | explanation=Move 1 positions forward from C; the resulting letter is D.

id=84746 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=K | option_b=V | option_c=A | option_d=F | answer=D | explanation=Move 5 positions forward from A; the resulting letter is F.

id=84747 | topic=Percentages | difficulty=Easy | question=What is 10% of 1643? | option_a=159 | option_b=169 | option_c=328 | option_d=164 | answer=D | explanation=10% of 1643 = (10/100) × 1643 = 164.

id=84748 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4895. If it is sold at a profit of 50%, what is its selling price? | option_a=6853 | option_b=7342 | option_c=7831 | option_d=4945 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4895 × 150/100 = ■7342.

id=84749 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■4170 at 6% per annum for 3 years. | option_a=750 | option_b=650 | option_c=850 | option_d=4920 | answer=A | explanation=SI = PRT/100 = 4170×6×3/100 = ■750.

id=84750 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 13, 23, 35? | option_a=35 | option_b=13 | option_c=23 | option_d=3 | answer=A | explanation=The first three numbers increase by 10, so the next should be 33. Therefore 35 is the odd one out.

Aptitude Questions — Records 84,751-84,780 of 100,000

id=84751 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 27, 33, 41? | option_a=21 | option_b=33 | option_c=27 | option_d=41 | answer=D | explanation=The first three numbers increase by 6, so the next should be 39. Therefore 41 is the odd one out.

id=84752 | topic=Averages | difficulty=Easy | question=Find the average of 38, 87, 97, 36, 62. | option_a=64 | option_b=66 | option_c=65 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = $320 \div 5 = 64$.

id=84753 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16803 at 10% per annum for 3 years. | option_a=21843 | option_b=5140 | option_c=4940 | option_d=5040 | answer=D | explanation=SI = $PRT/100 = 16803 \times 10 \times 3/100 = \text{■}5040$.

id=84754 | topic=Percentages | difficulty=Easy | question=What is 12% of 351? | option_a=52 | option_b=42 | option_c=84 | option_d=37 | answer=B | explanation=12% of 351 = $(12/100) \times 351 = 42$.

id=84755 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=E | option_c=C | option_d=D | answer=B | explanation=Move 1 positions forward from D; the resulting letter is E.

id=84756 | topic=Averages | difficulty=Easy | question=Find the average of 54, 95, 35, 23, 65, 53, 99, 30, 61, 65. | option_a=60 | option_b=57 | option_c=59 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = $580 \div 10 = 58$.

id=84757 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = $60 \div 3 = 20$ km/h.

id=84758 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5957 at 15% per annum for 1 years. | option_a=993 | option_b=893 | option_c=793 | option_d=6850 | answer=B | explanation=SI = $PRT/100 = 5957 \times 15 \times 1/100 = \text{■}893$.

id=84759 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=35 | option_b=36 | option_c=40 | option_d=30 | answer=A | explanation=The common difference is 5. Therefore the next term is $30 + 5 = 35$.

id=84760 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = $120 \div 2 = 60$ km/h.

id=84761 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**285. If it is sold at a profit of 15%, what is its selling price? | option_a=300 | option_b=299 | option_c=327 | option_d=355 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 285 \times 115/100 = \text{■}327$.

id=84762 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1045. If it is sold at a profit of 30%, what is its selling price? | option_a=1075 | option_b=1462 | option_c=1254 | option_d=1358 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1045 \times 130/100 = \text{■}1358$.

id=84763 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=P | option_c=L | option_d=N | answer=B | explanation=Move 2 positions forward from N; the resulting letter is P.

id=84764 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:19 and the first is 360, what is the second? | option_a=362 | option_b=342 | option_c=702 | option_d=323 | answer=B | explanation=Scale factor = $360/20 = 18$. Therefore second quantity = $19 \times 18 = 342$.

id=84765 | topic=Averages | difficulty=Easy | question=Find the average of 86, 55, 42, 24, 81, 96, 71. | option_a=66 | option_b=65 | option_c=64 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = $455 \div 7 = 65$.

id=84766 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=24 | option_c=48 | option_d=29 | answer=B | explanation=Speed = distance ÷ time = $120 \div 5 = 24$ km/h.

id=84767 | topic=Percentages | difficulty=Easy | question=What is 30% of 1917? | option_a=585 | option_b=555 | option_c=575 | option_d=1150 | answer=C | explanation=30% of 1917 = $(30/100) \times 1917 = 575$.

id=84768 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=84769 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 23, 30, 40? | option_a=30 | option_b=40 | option_c=23 | option_d=16 | answer=B | explanation=The first three numbers increase by 7, so the next should be 37. Therefore 40 is the odd one out.

id=84770 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 13. | option_a=13 | option_b=338 | option_c=26 | option_d=52 | answer=C | explanation=LCM $\times$ HCF = 26×13 ; HCF(26,13) = 13, so LCM = 26.

id=84771 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:17 and the first is 48, what is the second? | option_a=68 | option_b=80 | option_c=116 | option_d=51 | answer=A | explanation=Scale factor = $48/12 = 4$. Therefore second quantity = $17 \times 4 = 68$.

id=84772 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:20 and the first is 9, what is the second? | option_a=60 | option_b=63 | option_c=69 | option_d=40 | answer=A | explanation=Scale factor = $9/3 = 3$. Therefore second quantity = $20 \times 3 = 60$.

id=84773 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=57 | option_b=44 | option_c=68 | option_d=56 | answer=D | explanation=The common difference is 12. Therefore the next term is $44 + 12 = 56$.

id=84774 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13466 at 15% per annum for 4 years. | option_a=7979 | option_b=8179 | option_c=8079 | option_d=21545 | answer=C | explanation=SI = $PRT/100 = 13466 \times 15 \times 4/100 = \text{■}8079$.

id=84775 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 10. | option_a=120 | option_b=130 | option_c=260 | option_d=156 | answer=B | explanation=LCM $\times$ HCF = 26×10 ; HCF(26,10) = 2, so LCM = 130.

id=84776 | topic=Averages | difficulty=Easy | question=Find the average of 94, 29, 39, 30. | option_a=49 | option_b=48 | option_c=47 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = $192 \div 4 = 48$.

id=84777 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:17 and the first is 42, what is the second? | option_a=144 | option_b=109 | option_c=85 | option_d=102 | answer=D | explanation=Scale factor = $42/7 = 6$. Therefore second quantity = $17 \times 6 = 102$.

id=84778 | topic=Percentages | difficulty=Easy | question=What is 40% of 801? | option_a=320 | option_b=640 | option_c=325 | option_d=310 | answer=A | explanation=40% of 801 = $(40/100) \times 801 = 320$.

id=84779 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4352. If it is sold at a profit of 50%, what is its selling price? | option_a=6963 | option_b=6093 | option_c=4402 | option_d=6528 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4352 \times 150/100 = \text{■}6528$.

id=84780 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:2 and the first is 180, what is the second? | option_a=24 | option_b=22 | option_c=204 | option_d=39 | answer=A | explanation=Scale factor = $180/15 = 12$. Therefore second quantity = $2 \times 12 = 24$.

Aptitude Questions — Records 84,781-84,810 of 100,000

id=84781 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=84782 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38143 at 12% per annum for 2 years. | option_a=47297 | option_b=9054 | option_c=9154 | option_d=9254 | answer=C | explanation=SI = PRT/100 = 38143×12×2/100 = **■**9154.

id=84783 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=T | option_b=L | option_c=P | option_d=H | answer=C | explanation=Move 4 positions forward from L; the resulting letter is P.

id=84784 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=R | option_b=W | option_c=M | option_d=H | answer=A | explanation=Move 5 positions forward from M; the resulting letter is R.

id=84785 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 27, 31, 38? | option_a=38 | option_b=27 | option_c=23 | option_d=31 | answer=A | explanation=The first three numbers increase by 4, so the next should be 35. Therefore 38 is the odd one out.

id=84786 | topic=Averages | difficulty=Easy | question=Find the average of 25, 38, 63. | option_a=43 | option_b=42 | option_c=41 | option_d=44 | answer=B | explanation=Average = sum of values ÷ number of values = 126 ÷ 3 = 42.

id=84787 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1179. If it is sold at a profit of 30%, what is its selling price? | option_a=1649 | option_b=1209 | option_c=1415 | option_d=1532 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1179 × 130/100 = **■**1532.

id=84788 | topic=Percentages | difficulty=Easy | question=What is 25% of 1958? | option_a=469 | option_b=489 | option_c=978 | option_d=499 | answer=B | explanation=25% of 1958 = (25/100) × 1958 = 489.

id=84789 | topic=Percentages | difficulty=Easy | question=What is 25% of 657? | option_a=174 | option_b=154 | option_c=328 | option_d=164 | answer=D | explanation=25% of 657 = (25/100) × 657 = 164.

id=84790 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2387. If it is sold at a profit of 25%, what is its selling price? | option_a=2412 | option_b=2983 | option_c=2745 | option_d=3221 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2387 × 125/100 = **■**2983.

id=84791 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 33, 39, 46? | option_a=27 | option_b=39 | option_c=33 | option_d=46 | answer=D | explanation=The first three numbers increase by 6, so the next should be 45. Therefore 46 is the odd one out.

id=84792 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=41 | option_b=63 | option_c=52 | option_d=53 | answer=C | explanation=The common difference is 11. Therefore the next term is 41 + 11 = 52.

id=84793 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45759 at 8% per annum for 3 years. | option_a=10882 | option_b=56741 | option_c=11082 | option_d=10982 | answer=D | explanation=SI = PRT/100 = 45759×8×3/100 = **■**10982.

id=84794 | topic=Percentages | difficulty=Easy | question=What is 40% of 323? | option_a=258 | option_b=129 | option_c=134 | option_d=109 | answer=B | explanation=40% of 323 = (40/100) × 323 = 129.

id=84795 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=84796 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:16 and the first is 120, what is the second? | option_a=144 | option_b=172 | option_c=160 | option_d=280 | answer=C | explanation=Scale factor = 120/12 = 10. Therefore second quantity = 16×10 = 160.

id=84797 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4738. If it is sold at a profit of 20%, what is its selling price? | option_a=5212 | option_b=4758 | option_c=5685 | option_d=6158 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4738 × 120/100 = **■**5685.

id=84798 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 13, 16, 20? | option_a=10 | option_b=20 | option_c=13 | option_d=16 | answer=B | explanation=The first three numbers increase by 3, so the next should be 19. Therefore 20 is the odd one out.

id=84799 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4889. If it is sold at a profit of 20%, what is its selling price? | option_a=5866 | option_b=4909 | option_c=5378 | option_d=6354 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4889 × 120/100 = **■**5866.

id=84800 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=84801 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5063 at 8% per annum for 3 years. | option_a=1215 | option_b=1115 | option_c=6278 | option_d=1315 | answer=A | explanation=SI = PRT/100 = 5063×8×3/100 = **■**1215.

id=84802 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=19 | option_c=29 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=84803 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=M | option_b=E | option_c=I | option_d=A | answer=C | explanation=Move 4 positions forward from E; the resulting letter is I.

id=84804 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 31, 39, 48? | option_a=48 | option_b=23 | option_c=31 | option_d=39 | answer=A | explanation=The first three numbers increase by 8, so the next should be 47. Therefore 48 is the odd one out.

id=84805 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24204 at 8% per annum for 1 years. | option_a=2036 | option_b=1936 | option_c=1836 | option_d=26140 | answer=B | explanation=SI = PRT/100 = 24204×8×1/100 = **■**1936.

id=84806 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=84807 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 48? | option_a=40 | option_b=28 | option_c=34 | option_d=48 | answer=D | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 48 is the odd one out.

id=84808 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=H | option_b=N | option_c=K | option_d=Q | answer=B | explanation=Move 3 positions forward from K; the resulting letter is N.

id=84809 | topic=Percentages | difficulty=Easy | question=What is 5% of 169? | option_a=8 | option_b=16 | option_c=13 | option_d=0 | answer=A | explanation=5% of 169 = (5/100) × 169 = 8.

id=84810 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=36 | option_b=45 | option_c=46 | option_d=54 | answer=B | explanation=The common difference is 9. Therefore the next term is 36 + 9 = 45.

Aptitude Questions — Records 84,811-84,840 of 100,000

id=84811 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=V | option_b=M | option_c=P | option_d=S | answer=D | explanation=Move 3 positions forward from P; the resulting letter is S.

id=84812 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36521 at 5% per annum for 4 years. | option_a=43825 | option_b=7404 | option_c=7304 | option_d=7204 | answer=C | explanation=SI = $PRT/100 = 36521 \times 5 \times 4 / 100 =$ **■**7304.

id=84813 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:7 and the first is 100, what is the second? | option_a=55 | option_b=35 | option_c=135 | option_d=28 | answer=B | explanation=Scale factor = $100/20 = 5$. Therefore second quantity = $7 \times 5 = 35$.

id=84814 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4187. If it is sold at a profit of 15%, what is its selling price? | option_a=5233 | option_b=4202 | option_c=4815 | option_d=4397 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4187 \times 115 / 100 =$ **■**4815.

id=84815 | topic=Averages | difficulty=Easy | question=Find the average of 44, 32, 38, 76, 65. | option_a=50 | option_b=52 | option_c=53 | option_d=51 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 255 \div 5 = 51$.

id=84816 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=9 | option_b=11 | option_c=13 | option_d=12 | answer=B | explanation=The common difference is 2. Therefore the next term is $9 + 2 = 11$.

id=84817 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=84818 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38746 at 8% per annum for 4 years. | option_a=12298 | option_b=12498 | option_c=12398 | option_d=51144 | answer=C | explanation=SI = $PRT/100 = 38746 \times 8 \times 4 / 100 =$ **■**12398.

id=84819 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:2 and the first is 120, what is the second? | option_a=30 | option_b=28 | option_c=150 | option_d=38 | answer=A | explanation=Scale factor = $120/8 = 15$. Therefore second quantity = $2 \times 15 = 30$.

id=84820 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=15 | option_d=20 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 60 \div 4 = 15$ km/h.

id=84821 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:3 and the first is 238, what is the second? | option_a=289 | option_b=51 | option_c=65 | option_d=48 | answer=B | explanation=Scale factor = $238/14 = 17$. Therefore second quantity = $3 \times 17 = 51$.

id=84822 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=5 | option_c=15 | option_d=10 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 60 \div 6 = 10$ km/h.

id=84823 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 29, 37, 48? | option_a=48 | option_b=21 | option_c=37 | option_d=29 | answer=A | explanation=The first three numbers increase by 8, so the next should be 45. Therefore 48 is the odd one out.

id=84824 | topic=Percentages | difficulty=Easy | question=What is 50% of 78? | option_a=44 | option_b=39 | option_c=34 | option_d=78 | answer=B | explanation=50% of $78 = (50/100) \times 78 = 39$.

id=84825 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=39 | option_b=45 | option_c=31 | option_d=38 | answer=D | explanation=The common difference is 7. Therefore the next term is $31 + 7 = 38$.

id=84826 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=24 | option_b=29 | option_c=34 | option_d=30 | answer=B | explanation=The common difference is 5. Therefore the next term is $24 + 5 = 29$.

id=84827 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:2 and the first is 126, what is the second? | option_a=28 | option_b=26 | option_c=37 | option_d=154 | answer=A | explanation=Scale factor = $126/9 = 14$. Therefore second quantity = $2 \times 14 = 28$.

id=84828 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=240 | option_d=125 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 360 \div 3 = 120$ km/h.

id=84829 | topic=Averages | difficulty=Easy | question=Find the average of 94, 38, 21, 45, 70, 74. | option_a=57 | option_b=58 | option_c=56 | option_d=59 | answer=A | explanation=Average = $\text{sum of values} \div \text{number of values} = 342 \div 6 = 57$.

id=84830 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=49 | option_b=44 | option_c=37 | option_d=43 | answer=D | explanation=The common difference is 6. Therefore the next term is $37 + 6 = 43$.

id=84831 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11235 at 4% per annum for 1 years. | option_a=549 | option_b=449 | option_c=11684 | option_d=349 | answer=B | explanation=SI = $PRT/100 = 11235 \times 4 \times 1 / 100 =$ **■**449.

id=84832 | topic=Averages | difficulty=Easy | question=Find the average of 74, 21, 18, 10, 74, 91, 25, 23. | option_a=41 | option_b=44 | option_c=43 | option_d=42 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 336 \div 8 = 42$.

id=84833 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=19 | option_b=14 | option_c=22 | option_d=18 | answer=D | explanation=The common difference is 4. Therefore the next term is $14 + 4 = 18$.

id=84834 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 36, 43, 52? | option_a=36 | option_b=43 | option_c=52 | option_d=29 | answer=C | explanation=The first three numbers increase by 7, so the next should be 50. Therefore 52 is the odd one out.

id=84835 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36795 at 5% per annum for 3 years. | option_a=42314 | option_b=5519 | option_c=5419 | option_d=5619 | answer=B | explanation=SI = $PRT/100 = 36795 \times 5 \times 3 / 100 =$ **■**5519.

id=84836 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 41? | option_a=15 | option_b=31 | option_c=41 | option_d=23 | answer=C | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 41 is the odd one out.

id=84837 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 60 \div 4 = 15$ km/h.

id=84838 | topic=Percentages | difficulty=Easy | question=What is 40% of 1695? | option_a=678 | option_b=673 | option_c=683 | option_d=1356 | answer=A | explanation=40% of $1695 = (40/100) \times 1695 = 678$.

id=84839 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=80 | option_d=45 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 120 \div 3 = 40$ km/h.

id=84840 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:15 and the first is 48, what is the second? | option_a=288 | option_b=225 | option_c=240 | option_d=243 | answer=C | explanation=Scale factor = $48/3 = 16$. Therefore second quantity = $15 \times 16 = 240$.

Aptitude Questions — Records 84,841-84,870 of 100,000

id=84841 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49199 at 15% per annum for 2 years. | option_a=14759 | option_b=63958 | option_c=14859 | option_d=14659 | answer=A | explanation=SI = PRT/100 = 49199×15×2/100 = **■**14759.

id=84842 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=84843 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=84844 | topic=Averages | difficulty=Easy | question=Find the average of 65, 73, 85, 61. | option_a=70 | option_b=72 | option_c=71 | option_d=73 | answer=C | explanation=Average = sum of values ÷ number of values = 284 ÷ 4 = 71.

id=84845 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:17 and the first is 76, what is the second? | option_a=87 | option_b=68 | option_c=51 | option_d=144 | answer=B | explanation=Scale factor = 76/19 = 4. Therefore second quantity = 17×4 = 68.

id=84846 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=84847 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=Z | option_b=C | option_c=F | option_d=I | answer=C | explanation=Move 3 positions forward from C; the resulting letter is F.

id=84848 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 18. | option_a=1 | option_b=36 | option_c=18 | option_d=324 | answer=C | explanation=LCM × HCF = 18×18; HCF(18,18) = 18, so LCM = 18.

id=84849 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=84850 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:2 and the first is 20, what is the second? | option_a=18 | option_b=40 | option_c=20 | option_d=22 | answer=C | explanation=Scale factor = 20/2 = 10. Therefore second quantity = 2×10 = 20.

id=84851 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38938 at 5% per annum for 2 years. | option_a=42831 | option_b=3793 | option_c=3993 | option_d=3893 | answer=D | explanation=SI = PRT/100 = 38938×5×2/100 = **■**3893.

id=84852 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=84853 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:6 and the first is 150, what is the second? | option_a=75 | option_b=210 | option_c=54 | option_d=60 | answer=D | explanation=Scale factor = 150/15 = 10. Therefore second quantity = 6×10 = 60.

id=84854 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=Q | option_b=P | option_c=O | option_d=R | answer=A | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=84855 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=29 | option_b=33 | option_c=30 | option_d=25 | answer=A | explanation=The common difference is 4. Therefore the next term is 25 + 4 = 29.

id=84856 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3546. If it is sold at a profit of 10%, what is its selling price? | option_a=3900 | option_b=4254 | option_c=3546 | option_d=3556 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3546 × 110/100 = **■**3900.

id=84857 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=I | option_b=D | option_c=Y | option_d=N | answer=A | explanation=Move 5 positions forward from D; the resulting letter is I.

id=84858 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:10 and the first is 120, what is the second? | option_a=150 | option_b=270 | option_c=158 | option_d=140 | answer=A | explanation=Scale factor = 120/8 = 15. Therefore second quantity = 10×15 = 150.

id=84859 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**879. If it is sold at a profit of 30%, what is its selling price? | option_a=1142 | option_b=1229 | option_c=909 | option_d=1055 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 879 × 130/100 = **■**1142.

id=84860 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=84861 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=45 | option_b=58 | option_c=69 | option_d=57 | answer=D | explanation=The common difference is 12. Therefore the next term is 45 + 12 = 57.

id=84862 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 24. | option_a=120 | option_b=150 | option_c=96 | option_d=720 | answer=A | explanation=LCM × HCF = 30×24; HCF(30,24) = 6, so LCM = 120.

id=84863 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8028 at 6% per annum for 2 years. | option_a=1063 | option_b=863 | option_c=963 | option_d=8991 | answer=C | explanation=SI = PRT/100 = 8028×6×2/100 = **■**963.

id=84864 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**246. If it is sold at a profit of 40%, what is its selling price? | option_a=344 | option_b=286 | option_c=320 | option_d=368 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 246 × 140/100 = **■**344.

id=84865 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:2 and the first is 361, what is the second? | option_a=36 | option_b=57 | option_c=38 | option_d=399 | answer=C | explanation=Scale factor = 361/19 = 19. Therefore second quantity = 2×19 = 38.

id=84866 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=44 | option_b=34 | option_c=45 | option_d=54 | answer=A | explanation=The common difference is 10. Therefore the next term is 34 + 10 = 44.

id=84867 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 45? | option_a=37 | option_b=31 | option_c=45 | option_d=25 | answer=C | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 45 is the odd one out.

id=84868 | topic=Percentages | difficulty=Easy | question=What is 20% of 1386? | option_a=272 | option_b=277 | option_c=554 | option_d=287 | answer=B | explanation=20% of 1386 = (20/100) × 1386 = 277.

id=84869 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=84870 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29578 at 4% per annum for 1 years. | option_a=1083 | option_b=1283 | option_c=1183 | option_d=30761 | answer=C | explanation=SI = PRT/100 = 29578×4×1/100 = **■**1183.

Aptitude Questions — Records 84,871-84,900 of 100,000

id=84871 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=50 | option_c=100 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=84872 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=84873 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4806. If it is sold at a profit of 40%, what is its selling price? | option_a=6728 | option_b=7208 | option_c=6248 | option_d=4846 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4806 × 140/100 = █6728.

id=84874 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4187. If it is sold at a profit of 25%, what is its selling price? | option_a=4212 | option_b=4815 | option_c=5233 | option_d=5651 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4187 × 125/100 = █5233.

id=84875 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:20 and the first is 72, what is the second? | option_a=188 | option_b=180 | option_c=160 | option_d=252 | answer=B | explanation=Scale factor = 72/8 = 9. Therefore second quantity = 20×9 = 180.

id=84876 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=10 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=84877 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=28 | option_b=21 | option_c=27 | option_d=33 | answer=C | explanation=The common difference is 6. Therefore the next term is 21 + 6 = 27.

id=84878 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=9 | option_c=4 | option_d=18 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=84879 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:5 and the first is 18, what is the second? | option_a=10 | option_b=19 | option_c=28 | option_d=5 | answer=A | explanation=Scale factor = 18/9 = 2. Therefore second quantity = 5×2 = 10.

id=84880 | topic=Averages | difficulty=Easy | question=Find the average of 67, 83, 55, 31, 56, 44, 91. | option_a=62 | option_b=61 | option_c=60 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 427 ÷ 7 = 61.

id=84881 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=150 | option_c=145 | option_d=300 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=84882 | topic=Percentages | difficulty=Easy | question=What is 10% of 131? | option_a=0 | option_b=23 | option_c=13 | option_d=26 | answer=C | explanation=10% of 131 = (10/100) × 131 = 13.

id=84883 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=Q | option_b=H | option_c=N | option_d=K | answer=C | explanation=Move 3 positions forward from K; the resulting letter is N.

id=84884 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=55 | option_c=45 | option_d=100 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=84885 | topic=Averages | difficulty=Easy | question=Find the average of 95, 39, 67, 47. | option_a=62 | option_b=64 | option_c=63 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 248 ÷ 4 = 62.

id=84886 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=20 | option_b=17 | option_c=19 | option_d=21 | answer=C | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=84887 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1276. If it is sold at a profit of 15%, what is its selling price? | option_a=1594 | option_b=1340 | option_c=1467 | option_d=1291 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1276 × 115/100 = █1467.

id=84888 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=42 | option_b=41 | option_c=48 | option_d=34 | answer=B | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=84889 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=33 | option_b=27 | option_c=34 | option_d=39 | answer=A | explanation=The common difference is 6. Therefore the next term is 27 + 6 = 33.

id=84890 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1452. If it is sold at a profit of 30%, what is its selling price? | option_a=2032 | option_b=1482 | option_c=1887 | option_d=1742 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1452 × 130/100 = █1887.

id=84891 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 24, 34, 45? | option_a=34 | option_b=45 | option_c=14 | option_d=24 | answer=B | explanation=The first three numbers increase by 10, so the next should be 44. Therefore 45 is the odd one out.

id=84892 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23579 at 4% per annum for 5 years. | option_a=28294 | option_b=4815 | option_c=4715 | option_d=4615 | answer=C | explanation=SI = PRT/100 = 23579×4×5/100 = █4715.

id=84893 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=84894 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=P | option_b=R | option_c=Q | option_d=S | answer=B | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=84895 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 28. | option_a=96 | option_b=56 | option_c=84 | option_d=336 | answer=C | explanation=LCM × HCF = 12×28; HCF(12,28) = 4, so LCM = 84.

id=84896 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:7 and the first is 64, what is the second? | option_a=120 | option_b=56 | option_c=49 | option_d=64 | answer=B | explanation=Scale factor = 64/8 = 8. Therefore second quantity = 7×8 = 56.

id=84897 | topic=Percentages | difficulty=Easy | question=What is 20% of 283? | option_a=112 | option_b=76 | option_c=46 | option_d=56 | answer=D | explanation=20% of 283 = (20/100) × 283 = 56.

id=84898 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=84899 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 8, 12, 18? | option_a=18 | option_b=4 | option_c=8 | option_d=12 | answer=A | explanation=The first three numbers increase by 4, so the next should be 16. Therefore 18 is the odd one out.

id=84900 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:10 and the first is 180, what is the second? | option_a=270 | option_b=110 | option_c=90 | option_d=80 | answer=C | explanation=Scale factor = 180/20 = 9. Therefore second quantity = 10×9 = 90.

Aptitude Questions — Records 84,901-84,930 of 100,000

id=84901 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2112 at 15% per annum for 1 years. | option_a=216 | option_b=416 | option_c=316 | option_d=2428 | answer=C | explanation=SI = $PRT/100 = 2112 \times 15 \times 1/100 = \text{■}316$.

id=84902 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 35? | option_a=35 | option_b=21 | option_c=29 | option_d=25 | answer=A | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 35 is the odd one out.

id=84903 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4997. If it is sold at a profit of 30%, what is its selling price? | option_a=6995 | option_b=5997 | option_c=6496 | option_d=5027 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4997 \times 130/100 = \text{■}6496$.

id=84904 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=18 | option_d=13 | answer=C | explanation=Speed = distance ÷ time = $180 \div 10 = 18$ km/h.

id=84905 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:2 and the first is 240, what is the second? | option_a=40 | option_b=52 | option_c=38 | option_d=280 | answer=A | explanation=Scale factor = $240/12 = 20$. Therefore second quantity = $2 \times 20 = 40$.

id=84906 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40167 at 4% per annum for 4 years. | option_a=46593 | option_b=6526 | option_c=6326 | option_d=6426 | answer=D | explanation=SI = $PRT/100 = 40167 \times 4 \times 4/100 = \text{■}6426$.

id=84907 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20445 at 6% per annum for 3 years. | option_a=3780 | option_b=3580 | option_c=3680 | option_d=24125 | answer=C | explanation=SI = $PRT/100 = 20445 \times 6 \times 3/100 = \text{■}3680$.

id=84908 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:1 and the first is 105, what is the second? | option_a=7 | option_b=22 | option_c=112 | option_d=6 | answer=A | explanation=Scale factor = $105/15 = 7$. Therefore second quantity = $1 \times 7 = 7$.

id=84909 | topic=Percentages | difficulty=Easy | question=What is 25% of 68? | option_a=12 | option_b=17 | option_c=34 | option_d=27 | answer=B | explanation=25% of 68 = $(25/100) \times 68 = 17$.

id=84910 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=53 | option_c=96 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = $240 \div 5 = 48$ km/h.

id=84911 | topic=Percentages | difficulty=Easy | question=What is 30% of 1030? | option_a=314 | option_b=309 | option_c=289 | option_d=618 | answer=B | explanation=30% of 1030 = $(30/100) \times 1030 = 309$.

id=84912 | topic=Percentages | difficulty=Easy | question=What is 20% of 377? | option_a=70 | option_b=75 | option_c=95 | option_d=150 | answer=B | explanation=20% of 377 = $(20/100) \times 377 = 75$.

id=84913 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=84914 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:12 and the first is 72, what is the second? | option_a=180 | option_b=96 | option_c=108 | option_d=116 | answer=C | explanation=Scale factor = $72/8 = 9$. Therefore second quantity = $12 \times 9 = 108$.

id=84915 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=23 | option_d=36 | answer=A | explanation=Speed = distance ÷ time = $180 \div 10 = 18$ km/h.

id=84916 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32509 at 15% per annum for 5 years. | option_a=56890 | option_b=24481 | option_c=24281 | option_d=24381 | answer=D | explanation=SI = $PRT/100 = 32509 \times 15 \times 5/100 = \text{■}24381$.

id=84917 | topic=Averages | difficulty=Easy | question=Find the average of 74, 48, 23, 25, 91, 66, 16, 25. | option_a=47 | option_b=45 | option_c=48 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = $368 \div 8 = 46$.

id=84918 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1987. If it is sold at a profit of 40%, what is its selling price? | option_a=2979 | option_b=2583 | option_c=2781 | option_d=2027 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1987 \times 140/100 = \text{■}2781$.

id=84919 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=J | option_c=D | option_d=M | answer=B | explanation=Move 3 positions forward from G; the resulting letter is J.

id=84920 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=I | option_b=Q | option_c=U | option_d=M | answer=B | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=84921 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 10. | option_a=40 | option_b=20 | option_c=10 | option_d=200 | answer=B | explanation=LCM $\times$ HCF = 20×10 ; HCF(20,10) = 10, so LCM = 20.

id=84922 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=84923 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=M | option_b=N | option_c=P | option_d=O | answer=D | explanation=Move 1 positions forward from N; the resulting letter is O.

id=84924 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = $180 \div 6 = 30$ km/h.

id=84925 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:18 and the first is 176, what is the second? | option_a=299 | option_b=270 | option_c=464 | option_d=288 | answer=D | explanation=Scale factor = $176/11 = 16$. Therefore second quantity = $18 \times 16 = 288$.

id=84926 | topic=Averages | difficulty=Easy | question=Find the average of 99, 16, 83. | option_a=67 | option_b=68 | option_c=65 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = $198 \div 3 = 66$.

id=84927 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 34, 44, 56? | option_a=44 | option_b=34 | option_c=56 | option_d=24 | answer=C | explanation=The first three numbers increase by 10, so the next should be 54. Therefore 56 is the odd one out.

id=84928 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 27, 30, 36? | option_a=24 | option_b=36 | option_c=27 | option_d=30 | answer=B | explanation=The first three numbers increase by 3, so the next should be 33. Therefore 36 is the odd one out.

id=84929 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36997 at 4% per annum for 2 years. | option_a=3059 | option_b=39956 | option_c=2859 | option_d=2959 | answer=D | explanation=SI = $PRT/100 = 36997 \times 4 \times 2/100 = \text{■}2959$.

id=84930 | topic=Percentages | difficulty=Easy | question=What is 25% of 1096? | option_a=548 | option_b=264 | option_c=284 | option_d=274 | answer=D | explanation=25% of 1096 = $(25/100) \times 1096 = 274$.

Aptitude Questions — Records 84,931-84,960 of 100,000

id=84931 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4289. If it is sold at a profit of 10%, what is its selling price? | option_a=5145 | option_b=4289 | option_c=4717 | option_d=4299 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4289 × 110/100 = **■**4717.

id=84932 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=34 | option_b=31 | option_c=30 | option_d=26 | answer=C | explanation=The common difference is 4. Therefore the next term is 26 + 4 = 30.

id=84933 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:8 and the first is 220, what is the second? | option_a=308 | option_b=80 | option_c=88 | option_d=108 | answer=C | explanation=Scale factor = 220/20 = 11. Therefore second quantity = 8×11 = 88.

id=84934 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=36 | option_b=32 | option_c=31 | option_d=26 | answer=C | explanation=The common difference is 5. Therefore the next term is 26 + 5 = 31.

id=84935 | topic=Percentages | difficulty=Easy | question=What is 5% of 97? | option_a=0 | option_b=8 | option_c=4 | option_d=14 | answer=C | explanation=5% of 97 = (5/100) × 97 = 4.

id=84936 | topic=Percentages | difficulty=Easy | question=What is 50% of 987? | option_a=493 | option_b=503 | option_c=986 | option_d=488 | answer=A | explanation=50% of 987 = (50/100) × 987 = 493.

id=84937 | topic=Averages | difficulty=Easy | question=Find the average of 99, 85, 63, 96, 30, 16, 95, 60, 77, 39. | option_a=65 | option_b=68 | option_c=66 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 660 ÷ 10 = 66.

id=84938 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4631. If it is sold at a profit of 10%, what is its selling price? | option_a=4641 | option_b=5557 | option_c=5094 | option_d=4631 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4631 × 110/100 = **■**5094.

id=84939 | topic=Percentages | difficulty=Easy | question=What is 40% of 930? | option_a=372 | option_b=382 | option_c=744 | option_d=362 | answer=A | explanation=40% of 930 = (40/100) × 930 = 372.

id=84940 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=84941 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=84942 | topic=Averages | difficulty=Easy | question=Find the average of 18, 57, 81, 89, 15, 70, 13, 37, 25, 95. | option_a=51 | option_b=49 | option_c=52 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 500 ÷ 10 = 50.

id=84943 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=E | option_b=K | option_c=G | option_d=I | answer=D | explanation=Move 2 positions forward from G; the resulting letter is I.

id=84944 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**924. If it is sold at a profit of 20%, what is its selling price? | option_a=944 | option_b=1200 | option_c=1016 | option_d=1108 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 924 × 120/100 = **■**1108.

id=84945 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=15 | option_d=5 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=84946 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=24 | option_c=19 | option_d=48 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=84947 | topic=Averages | difficulty=Easy | question=Find the average of 67, 69, 26, 58. | option_a=56 | option_b=54 | option_c=57 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 220 ÷ 4 = 55.

id=84948 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=84949 | topic=Averages | difficulty=Easy | question=Find the average of 59, 78, 41, 68, 83, 72, 12. | option_a=61 | option_b=58 | option_c=59 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 413 ÷ 7 = 59.

id=84950 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42392 at 10% per annum for 1 years. | option_a=4239 | option_b=46631 | option_c=4339 | option_d=4139 | answer=A | explanation=SI = PRT/100 = 42392×10×1/100 = **■**4239.

id=84951 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 31, 43, 55, ? | option_a=55 | option_b=68 | option_c=67 | option_d=79 | answer=C | explanation=The common difference is 12. Therefore the next term is 55 + 12 = 67.

id=84952 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=84953 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=62 | option_b=40 | option_c=51 | option_d=52 | answer=C | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=84954 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=84955 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:18 and the first is 182, what is the second? | option_a=248 | option_b=216 | option_c=416 | option_d=234 | answer=D | explanation=Scale factor = 182/14 = 13. Therefore second quantity = 18×13 = 234.

id=84956 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22139 at 4% per annum for 5 years. | option_a=26566 | option_b=4327 | option_c=4427 | option_d=4527 | answer=C | explanation=SI = PRT/100 = 22139×4×5/100 = **■**4427.

id=84957 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=84958 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=84959 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=23 | option_b=19 | option_c=24 | option_d=27 | answer=A | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=84960 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18262 at 12% per annum for 3 years. | option_a=6574 | option_b=6474 | option_c=24836 | option_d=6674 | answer=A | explanation=SI = PRT/100 = 18262×12×3/100 = **■**6574.

Aptitude Questions — Records 84,961-84,990 of 100,000

id=84961 | topic=Percentages | difficulty=Easy | question=What is 30% of 334? | option_a=105 | option_b=100 | option_c=90 | option_d=200 | answer=B | explanation=30% of 334 = (30/100) × 334 = 100.

id=84962 | topic=Averages | difficulty=Easy | question=Find the average of 57, 59, 80, 91, 34, 34, 30, 17, 37, 31. | option_a=48 | option_b=47 | option_c=49 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 470 ÷ 10 = 47.

id=84963 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=84964 | topic=Percentages | difficulty=Easy | question=What is 25% of 1943? | option_a=970 | option_b=495 | option_c=480 | option_d=485 | answer=D | explanation=25% of 1943 = (25/100) × 1943 = 485.

id=84965 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 47? | option_a=47 | option_b=26 | option_c=32 | option_d=38 | answer=A | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 47 is the odd one out.

id=84966 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=F | option_c=B | option_d=H | answer=B | explanation=Move 2 positions forward from D; the resulting letter is F.

id=84967 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 28. | option_a=96 | option_b=56 | option_c=336 | option_d=84 | answer=D | explanation=LCM × HCF = 12×28; HCF(12,28) = 4, so LCM = 84.

id=84968 | topic=Percentages | difficulty=Easy | question=What is 12% of 1591? | option_a=180 | option_b=210 | option_c=380 | option_d=190 | answer=D | explanation=12% of 1591 = (12/100) × 1591 = 190.

id=84969 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31948 at 15% per annum for 2 years. | option_a=9584 | option_b=9684 | option_c=9484 | option_d=41532 | answer=A | explanation=SI = PRT/100 = 31948×15×2/100 = **■**9584.

id=84970 | topic=Percentages | difficulty=Easy | question=What is 20% of 1280? | option_a=512 | option_b=266 | option_c=256 | option_d=236 | answer=C | explanation=20% of 1280 = (20/100) × 1280 = 256.

id=84971 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:6 and the first is 48, what is the second? | option_a=120 | option_b=76 | option_c=72 | option_d=66 | answer=C | explanation=Scale factor = 48/4 = 12. Therefore second quantity = 6×12 = 72.

id=84972 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=84973 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=L | option_c=N | option_d=M | answer=C | explanation=Move 1 positions forward from M; the resulting letter is N.

id=84974 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:10 and the first is 182, what is the second? | option_a=130 | option_b=140 | option_c=153 | option_d=322 | answer=B | explanation=Scale factor = 182/13 = 14. Therefore second quantity = 10×14 = 140.

id=84975 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=84976 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18399 at 10% per annum for 5 years. | option_a=9099 | option_b=27598 | option_c=9199 | option_d=9299 | answer=C | explanation=SI = PRT/100 = 18399×10×5/100 = **■**9199.

id=84977 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=28 | option_b=22 | option_c=32 | option_d=27 | answer=D | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.

id=84978 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=8 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=84979 | topic=Averages | difficulty=Easy | question=Find the average of 41, 13, 67, 31, 83. | option_a=48 | option_b=46 | option_c=49 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 235 ÷ 5 = 47.

id=84980 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=84981 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=84982 | topic=Averages | difficulty=Easy | question=Find the average of 96, 93, 56, 83, 27, 17, 34, 18. | option_a=55 | option_b=53 | option_c=54 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.

id=84983 | topic=Averages | difficulty=Easy | question=Find the average of 48, 98, 71, 21, 21, 16, 87, 22, 88, 88. | option_a=58 | option_b=55 | option_c=56 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 560 ÷ 10 = 56.

id=84984 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=95 | option_c=90 | option_d=180 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=84985 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1570. If it is sold at a profit of 15%, what is its selling price? | option_a=1962 | option_b=1585 | option_c=1648 | option_d=1805 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1570 × 115/100 = **■**1805.

id=84986 | topic=Percentages | difficulty=Easy | question=What is 15% of 980? | option_a=294 | option_b=152 | option_c=147 | option_d=137 | answer=C | explanation=15% of 980 = (15/100) × 980 = 147.

id=84987 | topic=Averages | difficulty=Easy | question=Find the average of 95, 34, 57, 60, 82, 45, 34, 97. | option_a=65 | option_b=64 | option_c=62 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 504 ÷ 8 = 63.

id=84988 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:10 and the first is 192, what is the second? | option_a=110 | option_b=136 | option_c=120 | option_d=312 | answer=C | explanation=Scale factor = 192/16 = 12. Therefore second quantity = 10×12 = 120.

id=84989 | topic=Averages | difficulty=Easy | question=Find the average of 38, 15, 31, 55, 43, 28. | option_a=37 | option_b=34 | option_c=36 | option_d=35 | answer=D | explanation=Average = sum of values ÷ number of values = 210 ÷ 6 = 35.

id=84990 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:19 and the first is 198, what is the second? | option_a=353 | option_b=342 | option_c=323 | option_d=540 | answer=B | explanation=Scale factor = 198/11 = 18. Therefore second quantity = 19×18 = 342.

Aptitude Questions — Records 84,991-85,020 of 100,000

id=84991 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3422. If it is sold at a profit of 30%, what is its selling price? | option_a=4448 | option_b=4790 | option_c=4106 | option_d=3452 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3422 × 130/100 = █4448.

id=84992 | topic=Percentages | difficulty=Easy | question=What is 25% of 881? | option_a=440 | option_b=220 | option_c=240 | option_d=210 | answer=B | explanation=25% of 881 = (25/100) × 881 = 220.

id=84993 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43185 at 10% per annum for 4 years. | option_a=17374 | option_b=17174 | option_c=60459 | option_d=17274 | answer=D | explanation=SI = PRT/100 = 43185×10×4/100 = █17274.

id=84994 | topic=Averages | difficulty=Easy | question=Find the average of 34, 47, 91, 22, 38, 27, 26, 59. | option_a=45 | option_b=42 | option_c=44 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = 344 ÷ 8 = 43.

id=84995 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:11 and the first is 66, what is the second? | option_a=66 | option_b=77 | option_c=132 | option_d=55 | answer=A | explanation=Scale factor = 66/11 = 6. Therefore second quantity = 11×6 = 66.

id=84996 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=36 | option_b=40 | option_c=37 | option_d=32 | answer=A | explanation=The common difference is 4. Therefore the next term is 32 + 4 = 36.

id=84997 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38978 at 12% per annum for 1 years. | option_a=4777 | option_b=4677 | option_c=43655 | option_d=4577 | answer=B | explanation=SI = PRT/100 = 38978×12×1/100 = █4677.

id=84998 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 13? | option_a=8 | option_b=6 | option_c=4 | option_d=13 | answer=D | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 13 is the odd one out.

id=84999 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=85000 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24105 at 4% per annum for 3 years. | option_a=2992 | option_b=2892 | option_c=26997 | option_d=2792 | answer=B | explanation=SI = PRT/100 = 24105×4×3/100 = █2892.

id=85001 | topic=Averages | difficulty=Easy | question=Find the average of 38, 18, 85, 96, 21, 33, 38. | option_a=47 | option_b=48 | option_c=49 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 329 ÷ 7 = 47.

id=85002 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:4 and the first is 57, what is the second? | option_a=8 | option_b=12 | option_c=31 | option_d=69 | answer=B | explanation=Scale factor = 57/19 = 3. Therefore second quantity = 4×3 = 12.

id=85003 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=45 | option_c=50 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=85004 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=85005 | topic=Averages | difficulty=Easy | question=Find the average of 56, 64, 60, 84, 31, 47. | option_a=59 | option_b=56 | option_c=58 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 342 ÷ 6 = 57.

id=85006 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=Q | option_b=P | option_c=O | option_d=N | answer=B | explanation=Move 1 positions forward from O; the resulting letter is P.

id=85007 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23201 at 12% per annum for 3 years. | option_a=8452 | option_b=8352 | option_c=8252 | option_d=31553 | answer=B | explanation=SI = PRT/100 = 23201×12×3/100 = █8352.

id=85008 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=85009 | topic=Averages | difficulty=Easy | question=Find the average of 95, 100, 91, 45, 26, 42, 13, 33, 97, 58. | option_a=59 | option_b=61 | option_c=60 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=85010 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=40 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=85011 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:1 and the first is 42, what is the second? | option_a=56 | option_b=13 | option_c=14 | option_d=17 | answer=C | explanation=Scale factor = 42/3 = 14. Therefore second quantity = 1×14 = 14.

id=85012 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=85013 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23033 at 8% per annum for 2 years. | option_a=3585 | option_b=3685 | option_c=26718 | option_d=3785 | answer=B | explanation=SI = PRT/100 = 23033×8×2/100 = █3685.

id=85014 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42371 at 12% per annum for 5 years. | option_a=25522 | option_b=25322 | option_c=25422 | option_d=67793 | answer=C | explanation=SI = PRT/100 = 42371×12×5/100 = █25422.

id=85015 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2330. If it is sold at a profit of 30%, what is its selling price? | option_a=2796 | option_b=2360 | option_c=3262 | option_d=3029 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2330 × 130/100 = █3029.

id=85016 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 29, 37, 46? | option_a=29 | option_b=37 | option_c=46 | option_d=21 | answer=C | explanation=The first three numbers increase by 8, so the next should be 45. Therefore 46 is the odd one out.

id=85017 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=95 | option_c=90 | option_d=180 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=85018 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:2 and the first is 70, what is the second? | option_a=98 | option_b=28 | option_c=26 | option_d=33 | answer=B | explanation=Scale factor = 70/5 = 14. Therefore second quantity = 2×14 = 28.

id=85019 | topic=Averages | difficulty=Easy | question=Find the average of 75, 34, 98. | option_a=69 | option_b=71 | option_c=68 | option_d=70 | answer=A | explanation=Average = sum of values ÷ number of values = 207 ÷ 3 = 69.

id=85020 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=40 | option_b=39 | option_c=31 | option_d=47 | answer=B | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

Aptitude Questions — Records 85,021-85,050 of 100,000

id=85021 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:11 and the first is 16, what is the second? | option_a=90 | option_b=104 | option_c=88 | option_d=77 | answer=C | explanation=Scale factor = 16/2 = 8. Therefore second quantity = 11×8 = 88.

id=85022 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2607. If it is sold at a profit of 40%, what is its selling price? | option_a=2647 | option_b=3649 | option_c=3389 | option_d=3909 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2607 × 140/100 = █3649.

id=85023 | topic=Profit & Loss | difficulty=Easy | question=An article costs █416. If it is sold at a profit of 15%, what is its selling price? | option_a=478 | option_b=431 | option_c=437 | option_d=519 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 416 × 115/100 = █478.

id=85024 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2382. If it is sold at a profit of 10%, what is its selling price? | option_a=2382 | option_b=2392 | option_c=2620 | option_d=2858 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2382 × 110/100 = █2620.

id=85025 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2171. If it is sold at a profit of 50%, what is its selling price? | option_a=2221 | option_b=3256 | option_c=3473 | option_d=3039 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2171 × 150/100 = █3256.

id=85026 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 24. | option_a=168 | option_b=336 | option_c=144 | option_d=182 | answer=A | explanation=LCM × HCF = 14×24; HCF(14,24) = 2, so LCM = 168.

id=85027 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 30, 33, 38? | option_a=33 | option_b=27 | option_c=38 | option_d=30 | answer=C | explanation=The first three numbers increase by 3, so the next should be 36. Therefore 38 is the odd one out.

id=85028 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=E | option_c=H | option_d=Y | answer=B | explanation=Move 3 positions forward from B; the resulting letter is E.

id=85029 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=4 | option_c=9 | option_d=18 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=85030 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=12 | option_c=7 | option_d=24 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=85031 | topic=Percentages | difficulty=Easy | question=What is 30% of 687? | option_a=412 | option_b=226 | option_c=206 | option_d=196 | answer=C | explanation=30% of 687 = (30/100) × 687 = 206.

id=85032 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18735 at 5% per annum for 3 years. | option_a=21545 | option_b=2910 | option_c=2810 | option_d=2710 | answer=C | explanation=SI = PRT/100 = 18735×5×3/100 = █2810.

id=85033 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:20 and the first is 54, what is the second? | option_a=120 | option_b=174 | option_c=100 | option_d=129 | answer=A | explanation=Scale factor = 54/9 = 6. Therefore second quantity = 20×6 = 120.

id=85034 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 43? | option_a=43 | option_b=34 | option_c=20 | option_d=27 | answer=A | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 43 is the odd one out.

id=85035 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 23, 28, 36? | option_a=18 | option_b=36 | option_c=28 | option_d=23 | answer=B | explanation=The first three numbers increase by 5, so the next should be 33. Therefore 36 is the odd one out.

id=85036 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Z | option_b=T | option_c=Q | option_d=W | answer=D | explanation=Move 3 positions forward from T; the resulting letter is W.

id=85037 | topic=Percentages | difficulty=Easy | question=What is 12% of 51? | option_a=1 | option_b=11 | option_c=12 | option_d=6 | answer=D | explanation=12% of 51 = (12/100) × 51 = 6.

id=85038 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 9, 14, 22? | option_a=4 | option_b=9 | option_c=22 | option_d=14 | answer=C | explanation=The first three numbers increase by 5, so the next should be 19. Therefore 22 is the odd one out.

id=85039 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1480. If it is sold at a profit of 50%, what is its selling price? | option_a=2368 | option_b=1530 | option_c=2220 | option_d=2072 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1480 × 150/100 = █2220.

id=85040 | topic=Averages | difficulty=Easy | question=Find the average of 55, 62, 18. | option_a=46 | option_b=47 | option_c=44 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 135 ÷ 3 = 45.

id=85041 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=85042 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=30 | option_b=26 | option_c=27 | option_d=22 | answer=B | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.

id=85043 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3999. If it is sold at a profit of 15%, what is its selling price? | option_a=4199 | option_b=4014 | option_c=4997 | option_d=4598 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3999 × 115/100 = █4598.

id=85044 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 10, 16, 25? | option_a=25 | option_b=4 | option_c=10 | option_d=16 | answer=A | explanation=The first three numbers increase by 6, so the next should be 22. Therefore 25 is the odd one out.

id=85045 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=25 | option_c=40 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=85046 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47102 at 5% per annum for 5 years. | option_a=11675 | option_b=58877 | option_c=11875 | option_d=11775 | answer=D | explanation=SI = PRT/100 = 47102×5×5/100 = █11775.

id=85047 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=20 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=85048 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=U | option_c=I | option_d=Q | answer=D | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=85049 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=19 | option_b=20 | option_c=23 | option_d=15 | answer=A | explanation=The common difference is 4. Therefore the next term is 15 + 4 = 19.

id=85050 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

Aptitude Questions — Records 85,051-85,080 of 100,000

id=85051 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=85052 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=I | option_c=G | option_d=C | answer=C | explanation=Move 2 positions forward from E; the resulting letter is G.

id=85053 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:18 and the first is 99, what is the second? | option_a=297 | option_b=207 | option_c=180 | option_d=198 | answer=D | explanation=Scale factor = 99/9 = 11. Therefore second quantity = 18×11 = 198.

id=85054 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 33? | option_a=13 | option_b=22 | option_c=4 | option_d=33 | answer=D | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 33 is the odd one out.

id=85055 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6868 at 10% per annum for 2 years. | option_a=1273 | option_b=1373 | option_c=1473 | option_d=8241 | answer=B | explanation=SI = PRT/100 = 6868×10×2/100 = **■**1373.

id=85056 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35869 at 10% per annum for 2 years. | option_a=7173 | option_b=7073 | option_c=43042 | option_d=7273 | answer=A | explanation=SI = PRT/100 = 35869×10×2/100 = **■**7173.

id=85057 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**162. If it is sold at a profit of 40%, what is its selling price? | option_a=242 | option_b=226 | option_c=202 | option_d=210 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 162 × 140/100 = **■**226.

id=85058 | topic=Percentages | difficulty=Easy | question=What is 5% of 466? | option_a=23 | option_b=43 | option_c=13 | option_d=46 | answer=A | explanation=5% of 466 = (5/100) × 466 = 23.

id=85059 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2810. If it is sold at a profit of 5%, what is its selling price? | option_a=2669 | option_b=3231 | option_c=2950 | option_d=2815 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2810 × 105/100 = **■**2950.

id=85060 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=15 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=85061 | topic=Percentages | difficulty=Easy | question=What is 15% of 807? | option_a=121 | option_b=111 | option_c=131 | option_d=242 | answer=A | explanation=15% of 807 = (15/100) × 807 = 121.

id=85062 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=36 | option_c=18 | option_d=13 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=85063 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 28. | option_a=96 | option_b=56 | option_c=336 | option_d=84 | answer=D | explanation=LCM × HCF = 12×28; HCF(12,28) = 4, so LCM = 84.

id=85064 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=L | option_c=M | option_d=N | answer=D | explanation=Move 1 positions forward from M; the resulting letter is N.

id=85065 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=85066 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1553. If it is sold at a profit of 25%, what is its selling price? | option_a=2096 | option_b=1941 | option_c=1578 | option_d=1786 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1553 × 125/100 = **■**1941.

id=85067 | topic=Percentages | difficulty=Easy | question=What is 40% of 347? | option_a=138 | option_b=158 | option_c=128 | option_d=276 | answer=A | explanation=40% of 347 = (40/100) × 347 = 138.

id=85068 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=53 | option_c=43 | option_d=96 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=85069 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=H | option_b=G | option_c=F | option_d=I | answer=A | explanation=Move 1 positions forward from G; the resulting letter is H.

id=85070 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=L | option_b=G | option_c=B | option_d=W | answer=B | explanation=Move 5 positions forward from B; the resulting letter is G.

id=85071 | topic=Percentages | difficulty=Easy | question=What is 20% of 59? | option_a=0 | option_b=16 | option_c=11 | option_d=22 | answer=C | explanation=20% of 59 = (20/100) × 59 = 11.

id=85072 | topic=Averages | difficulty=Easy | question=Find the average of 57, 97, 81, 49, 30, 88. | option_a=69 | option_b=67 | option_c=68 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 402 ÷ 6 = 67.

id=85073 | topic=Averages | difficulty=Easy | question=Find the average of 100, 58, 45, 45, 25, 61, 79. | option_a=59 | option_b=61 | option_c=60 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 413 ÷ 7 = 59.

id=85074 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 42? | option_a=37 | option_b=33 | option_c=42 | option_d=29 | answer=C | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 42 is the odd one out.

id=85075 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=36 | option_c=18 | option_d=23 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=85076 | topic=Averages | difficulty=Easy | question=Find the average of 50, 59, 69, 41, 17, 98, 58, 81, 49. | option_a=59 | option_b=58 | option_c=57 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 522 ÷ 9 = 58.

id=85077 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:17 and the first is 126, what is the second? | option_a=136 | option_b=153 | option_c=279 | option_d=167 | answer=B | explanation=Scale factor = 126/14 = 9. Therefore second quantity = 17×9 = 153.

id=85078 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18966 at 8% per annum for 5 years. | option_a=7486 | option_b=26552 | option_c=7686 | option_d=7586 | answer=D | explanation=SI = PRT/100 = 18966×8×5/100 = **■**7586.

id=85079 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=30 | option_b=23 | option_c=37 | option_d=31 | answer=A | explanation=The common difference is 7. Therefore the next term is 23 + 7 = 30.

id=85080 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40031 at 15% per annum for 2 years. | option_a=52040 | option_b=12109 | option_c=11909 | option_d=12009 | answer=D | explanation=SI = PRT/100 = 40031×15×2/100 = **■**12009.

Aptitude Questions — Records 85,081-85,110 of 100,000

id=85081 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■24640 at 10% per annum for 5 years. | option_a=36960 | option_b=12420 | option_c=12220 | option_d=12320 | answer=D | explanation=SI = $PRT/100 = 24640 \times 10 \times 5/100 = \blacksquare 12320$.

id=85082 | topic=Number System | difficulty=Easy | question=Find the LCM of 17 and 17. | option_a=34 | option_b=17 | option_c=1 | option_d=289 | answer=B | explanation=LCM $\times$ HCF = 17×17 ; HCF(17,17) = 17, so LCM = 17.

id=85083 | topic=Averages | difficulty=Easy | question=Find the average of 63, 97, 62, 42, 96. | option_a=71 | option_b=72 | option_c=74 | option_d=73 | answer=B | explanation=Average = sum of values $\div$ number of values = $360 \div 5 = 72$.

id=85084 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=X | option_b=B | option_c=J | option_d=F | answer=D | explanation=Move 4 positions forward from B; the resulting letter is F.

id=85085 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:9 and the first is 240, what is the second? | option_a=192 | option_b=171 | option_c=420 | option_d=180 | answer=D | explanation=Scale factor = $240/12 = 20$. Therefore second quantity = $9 \times 20 = 180$.

id=85086 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2166. If it is sold at a profit of 20%, what is its selling price? | option_a=2383 | option_b=2186 | option_c=2599 | option_d=2815 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2166 \times 120/100 = \blacksquare 2599$.

id=85087 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2292. If it is sold at a profit of 10%, what is its selling price? | option_a=2302 | option_b=2521 | option_c=2750 | option_d=2292 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2292 \times 110/100 = \blacksquare 2521$.

id=85088 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 42? | option_a=34 | option_b=27 | option_c=20 | option_d=42 | answer=D | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 42 is the odd one out.

id=85089 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 10, 13, 16, ? | option_a=19 | option_b=16 | option_c=22 | option_d=20 | answer=A | explanation=The common difference is 3. Therefore the next term is $16 + 3 = 19$.

id=85090 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=G | option_c=M | option_d=K | answer=D | explanation=Move 2 positions forward from I; the resulting letter is K.

id=85091 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=35 | option_c=40 | option_d=80 | answer=C | explanation=Speed = distance $\div$ time = $240 \div 6 = 40$ km/h.

id=85092 | topic=Averages | difficulty=Easy | question=Find the average of 90, 59, 85, 17, 58, 50, 96, 33. | option_a=61 | option_b=62 | option_c=63 | option_d=60 | answer=A | explanation=Average = sum of values $\div$ number of values = $488 \div 8 = 61$.

id=85093 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 15, 20, 27? | option_a=27 | option_b=20 | option_c=10 | option_d=15 | answer=A | explanation=The first three numbers increase by 5, so the next should be 25. Therefore 27 is the odd one out.

id=85094 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:4 and the first is 48, what is the second? | option_a=48 | option_b=44 | option_c=96 | option_d=52 | answer=A | explanation=Scale factor = $48/4 = 12$. Therefore second quantity = $4 \times 12 = 48$.

id=85095 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=35 | option_b=27 | option_c=32 | option_d=31 | answer=D | explanation=The common difference is 4. Therefore the next term is $27 + 4 = 31$.

id=85096 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=38 | option_b=34 | option_c=35 | option_d=30 | answer=B | explanation=The common difference is 4. Therefore the next term is $30 + 4 = 34$.

id=85097 | topic=Percentages | difficulty=Easy | question=What is 25% of 101? | option_a=30 | option_b=25 | option_c=50 | option_d=15 | answer=B | explanation=25% of 101 = $(25/100) \times 101 = 25$.

id=85098 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=50 | option_d=45 | answer=D | explanation=Speed = distance $\div$ time = $90 \div 2 = 45$ km/h.

id=85099 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=26 | option_b=27 | option_c=31 | option_d=21 | answer=A | explanation=The common difference is 5. Therefore the next term is $21 + 5 = 26$.

id=85100 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance $\div$ time = $60 \div 4 = 15$ km/h.

id=85101 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance $\div$ time = $240 \div 4 = 60$ km/h.

id=85102 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=20 | option_d=6 | answer=A | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=85103 | topic=Percentages | difficulty=Easy | question=What is 30% of 1857? | option_a=562 | option_b=552 | option_c=1114 | option_d=557 | answer=D | explanation=30% of 1857 = $(30/100) \times 1857 = 557$.

id=85104 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance $\div$ time = $90 \div 3 = 30$ km/h.

id=85105 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=85106 | topic=Percentages | difficulty=Easy | question=What is 50% of 1703? | option_a=1702 | option_b=841 | option_c=851 | option_d=871 | answer=C | explanation=50% of 1703 = $(50/100) \times 1703 = 851$.

id=85107 | topic=Averages | difficulty=Easy | question=Find the average of 38, 96, 33, 21, 77. | option_a=52 | option_b=54 | option_c=53 | option_d=55 | answer=C | explanation=Average = sum of values $\div$ number of values = $265 \div 5 = 53$.

id=85108 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=85109 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:2 and the first is 27, what is the second? | option_a=15 | option_b=6 | option_c=4 | option_d=33 | answer=B | explanation=Scale factor = $27/9 = 3$. Therefore second quantity = $2 \times 3 = 6$.

id=85110 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=40 | option_d=90 | answer=B | explanation=Speed = distance $\div$ time = $360 \div 8 = 45$ km/h.

Aptitude Questions — Records 85,111-85,140 of 100,000

- id=85111 | topic=Percentages | difficulty=Easy | question=What is 50% of 147? | option_a=53 | option_b=146 | option_c=73 | option_d=78 | answer=C | explanation=50% of 147 = (50/100) × 147 = 73.
- id=85112 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=85113 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=M | option_c=R | option_d=C | answer=B | explanation=Move 5 positions forward from H; the resulting letter is M.
- id=85114 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.
- id=85115 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=U | option_c=S | option_d=O | answer=C | explanation=Move 2 positions forward from Q; the resulting letter is S.
- id=85116 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:10 and the first is 160, what is the second? | option_a=208 | option_b=190 | option_c=360 | option_d=200 | answer=D | explanation=Scale factor = 160/8 = 20. Therefore second quantity = 10×20 = 200.
- id=85117 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.
- id=85118 | topic=Averages | difficulty=Easy | question=Find the average of 86, 32, 44. | option_a=56 | option_b=53 | option_c=54 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 162 ÷ 3 = 54.
- id=85119 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 20. | option_a=25 | option_b=1 | option_c=20 | option_d=100 | answer=C | explanation=LCM × HCF = 5×20; HCF(5,20) = 5, so LCM = 20.
- id=85120 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 5. | option_a=5 | option_b=20 | option_c=50 | option_d=10 | answer=D | explanation=LCM × HCF = 10×5; HCF(10,5) = 5, so LCM = 10.
- id=85121 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.
- id=85122 | topic=Percentages | difficulty=Easy | question=What is 40% of 1555? | option_a=622 | option_b=617 | option_c=1244 | option_d=627 | answer=A | explanation=40% of 1555 = (40/100) × 1555 = 622.
- id=85123 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:17 and the first is 208, what is the second? | option_a=429 | option_b=221 | option_c=237 | option_d=204 | answer=B | explanation=Scale factor = 208/16 = 13. Therefore second quantity = 17×13 = 221.
- id=85124 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:19 and the first is 200, what is the second? | option_a=210 | option_b=190 | option_c=171 | option_d=390 | answer=B | explanation=Scale factor = 200/20 = 10. Therefore second quantity = 19×10 = 190.
- id=85125 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12580 at 5% per annum for 2 years. | option_a=1358 | option_b=13838 | option_c=1258 | option_d=1158 | answer=C | explanation=SI = PRT/100 = 12580×5×2/100 = **■**1258.
- id=85126 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=85127 | topic=Averages | difficulty=Easy | question=Find the average of 41, 97, 11, 49, 71, 16, 59, 16. | option_a=47 | option_b=46 | option_c=45 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = 360 ÷ 8 = 45.
- id=85128 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**245. If it is sold at a profit of 5%, what is its selling price? | option_a=257 | option_b=281 | option_c=233 | option_d=250 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 245 × 105/100 = **■**257.
- id=85129 | topic=Percentages | difficulty=Easy | question=What is 15% of 596? | option_a=79 | option_b=109 | option_c=89 | option_d=178 | answer=C | explanation=15% of 596 = (15/100) × 596 = 89.
- id=85130 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:20 and the first is 150, what is the second? | option_a=215 | option_b=350 | option_c=200 | option_d=180 | answer=C | explanation=Scale factor = 150/15 = 10. Therefore second quantity = 20×10 = 200.
- id=85131 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.
- id=85132 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=35 | option_b=29 | option_c=41 | option_d=36 | answer=A | explanation=The common difference is 6. Therefore the next term is 29 + 6 = 35.
- id=85133 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=14 | option_b=11 | option_c=13 | option_d=15 | answer=C | explanation=The common difference is 2. Therefore the next term is 11 + 2 = 13.
- id=85134 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:5 and the first is 234, what is the second? | option_a=103 | option_b=324 | option_c=85 | option_d=90 | answer=D | explanation=Scale factor = 234/13 = 18. Therefore second quantity = 5×18 = 90.
- id=85135 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 41? | option_a=22 | option_b=30 | option_c=14 | option_d=41 | answer=D | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 41 is the odd one out.
- id=85136 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=36 | option_b=31 | option_c=26 | option_d=32 | answer=B | explanation=The common difference is 5. Therefore the next term is 26 + 5 = 31.
- id=85137 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 24. | option_a=216 | option_b=648 | option_c=192 | option_d=243 | answer=A | explanation=LCM × HCF = 27×24; HCF(27,24) = 3, so LCM = 216.
- id=85138 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32677 at 8% per annum for 4 years. | option_a=10556 | option_b=10356 | option_c=10456 | option_d=43133 | answer=C | explanation=SI = PRT/100 = 32677×8×4/100 = **■**10456.
- id=85139 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=49 | option_b=59 | option_c=60 | option_d=69 | answer=B | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.
- id=85140 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2756 at 4% per annum for 2 years. | option_a=2976 | option_b=320 | option_c=220 | option_d=120 | answer=C | explanation=SI = PRT/100 = 2756×4×2/100 = **■**220.

Aptitude Questions — Records 85,141-85,170 of 100,000

id=85141 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=85142 | topic=Averages | difficulty=Easy | question=Find the average of 25, 25, 72, 27, 21, 72, 46, 96, 21. | option_a=44 | option_b=47 | option_c=46 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 405 ÷ 9 = 45.

id=85143 | topic=Profit & Loss | difficulty=Easy | question=An article costs █154. If it is sold at a profit of 30%, what is its selling price? | option_a=185 | option_b=184 | option_c=200 | option_d=215 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 154 × 130/100 = █200.

id=85144 | topic=Averages | difficulty=Easy | question=Find the average of 32, 19, 82, 93, 39, 75, 73, 64, 27. | option_a=58 | option_b=57 | option_c=56 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=85145 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=16 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=85146 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=85147 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24104 at 4% per annum for 3 years. | option_a=26996 | option_b=2992 | option_c=2792 | option_d=2892 | answer=D | explanation=SI = PRT/100 = 24104×4×3/100 = █2892.

id=85148 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:13 and the first is 140, what is the second? | option_a=231 | option_b=91 | option_c=111 | option_d=78 | answer=B | explanation=Scale factor = 140/20 = 7. Therefore second quantity = 13×7 = 91.

id=85149 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 9, 13, 18? | option_a=5 | option_b=18 | option_c=9 | option_d=13 | answer=B | explanation=The first three numbers increase by 4, so the next should be 17. Therefore 18 is the odd one out.

id=85150 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38256 at 15% per annum for 3 years. | option_a=55471 | option_b=17315 | option_c=17115 | option_d=17215 | answer=D | explanation=SI = PRT/100 = 38256×15×3/100 = █17215.

id=85151 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=43 | option_c=48 | option_d=96 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=85152 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=E | option_b=D | option_c=F | option_d=C | answer=A | explanation=Move 1 positions forward from D; the resulting letter is E.

id=85153 | topic=Profit & Loss | difficulty=Easy | question=An article costs █735. If it is sold at a profit of 30%, what is its selling price? | option_a=882 | option_b=1028 | option_c=765 | option_d=955 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 735 × 130/100 = █955.

id=85154 | topic=Percentages | difficulty=Easy | question=What is 15% of 777? | option_a=121 | option_b=116 | option_c=111 | option_d=232 | answer=B | explanation=15% of 777 = (15/100) × 777 = 116.

id=85155 | topic=Percentages | difficulty=Easy | question=What is 30% of 1299? | option_a=384 | option_b=409 | option_c=389 | option_d=778 | answer=C | explanation=30% of 1299 = (30/100) × 1299 = 389.

id=85156 | topic=Averages | difficulty=Easy | question=Find the average of 62, 54, 81, 100, 70, 16, 86. | option_a=69 | option_b=67 | option_c=68 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 469 ÷ 7 = 67.

id=85157 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 49? | option_a=49 | option_b=17 | option_c=27 | option_d=37 | answer=A | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 49 is the odd one out.

id=85158 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 23, 28, 35? | option_a=18 | option_b=35 | option_c=28 | option_d=23 | answer=B | explanation=The first three numbers increase by 5, so the next should be 33. Therefore 35 is the odd one out.

id=85159 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:13 and the first is 57, what is the second? | option_a=26 | option_b=58 | option_c=96 | option_d=39 | answer=D | explanation=Scale factor = 57/19 = 3. Therefore second quantity = 13×3 = 39.

id=85160 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=90 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=85161 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42042 at 5% per annum for 4 years. | option_a=8408 | option_b=50450 | option_c=8308 | option_d=8508 | answer=A | explanation=SI = PRT/100 = 42042×5×4/100 = █8408.

id=85162 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=16 | option_b=12 | option_c=18 | option_d=15 | answer=D | explanation=The common difference is 3. Therefore the next term is 12 + 3 = 15.

id=85163 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:7 and the first is 90, what is the second? | option_a=28 | option_b=125 | option_c=53 | option_d=35 | answer=D | explanation=Scale factor = 90/18 = 5. Therefore second quantity = 7×5 = 35.

id=85164 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29079 at 12% per annum for 4 years. | option_a=43036 | option_b=13957 | option_c=14057 | option_d=13857 | answer=B | explanation=SI = PRT/100 = 29079×12×4/100 = █13957.

id=85165 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 18, 23, 28, ? | option_a=38 | option_b=34 | option_c=33 | option_d=28 | answer=C | explanation=The common difference is 5. Therefore the next term is 28 + 5 = 33.

id=85166 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:3 and the first is 228, what is the second? | option_a=264 | option_b=33 | option_c=36 | option_d=55 | answer=C | explanation=Scale factor = 228/19 = 12. Therefore second quantity = 3×12 = 36.

id=85167 | topic=Percentages | difficulty=Easy | question=What is 25% of 1182? | option_a=285 | option_b=590 | option_c=305 | option_d=295 | answer=D | explanation=25% of 1182 = (25/100) × 1182 = 295.

id=85168 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 4. | option_a=12 | option_b=32 | option_c=64 | option_d=16 | answer=D | explanation=LCM × HCF = 16×4; HCF(16,4) = 4, so LCM = 16.

id=85169 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=49 | option_b=40 | option_c=50 | option_d=58 | answer=A | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

id=85170 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

Aptitude Questions — Records 85,171-85,200 of 100,000

id=85171 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=27 | option_b=32 | option_c=26 | option_d=20 | answer=C | explanation=The common difference is 6. Therefore the next term is 20 + 6 = 26.

id=85172 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1188. If it is sold at a profit of 30%, what is its selling price? | option_a=1218 | option_b=1426 | option_c=1544 | option_d=1662 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1188 × 130/100 = █1544.

id=85173 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=P | option_b=K | option_c=F | option_d=A | answer=B | explanation=Move 5 positions forward from F; the resulting letter is K.

id=85174 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=85175 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=85176 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=Q | option_c=P | option_d=O | answer=B | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=85177 | topic=Percentages | difficulty=Easy | question=What is 5% of 537? | option_a=52 | option_b=31 | option_c=26 | option_d=16 | answer=C | explanation=5% of 537 = (5/100) × 537 = 26.

id=85178 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=85179 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=75 | option_c=85 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=85180 | topic=Averages | difficulty=Easy | question=Find the average of 49, 38, 71, 31, 98, 65, 54. | option_a=60 | option_b=57 | option_c=58 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 406 ÷ 7 = 58.

id=85181 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 12, 15, 18, ? | option_a=22 | option_b=21 | option_c=24 | option_d=18 | answer=B | explanation=The common difference is 3. Therefore the next term is 18 + 3 = 21.

id=85182 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 32, 35, 40? | option_a=40 | option_b=32 | option_c=29 | option_d=35 | answer=A | explanation=The first three numbers increase by 3, so the next should be 38. Therefore 40 is the odd one out.

id=85183 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:2 and the first is 126, what is the second? | option_a=32 | option_b=12 | option_c=14 | option_d=140 | answer=C | explanation=Scale factor = 126/18 = 7. Therefore second quantity = 2×7 = 14.

id=85184 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 26, 36, 47? | option_a=36 | option_b=26 | option_c=47 | option_d=16 | answer=C | explanation=The first three numbers increase by 10, so the next should be 46. Therefore 47 is the odd one out.

id=85185 | topic=Averages | difficulty=Easy | question=Find the average of 79, 17, 18, 63, 28. | option_a=40 | option_b=42 | option_c=43 | option_d=41 | answer=D | explanation=Average = sum of values ÷ number of values = 205 ÷ 5 = 41.

id=85186 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 24, 32, 40, ? | option_a=40 | option_b=48 | option_c=56 | option_d=49 | answer=B | explanation=The common difference is 8. Therefore the next term is 40 + 8 = 48.

id=85187 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=17 | option_b=20 | option_c=19 | option_d=21 | answer=C | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=85188 | topic=Percentages | difficulty=Easy | question=What is 25% of 359? | option_a=178 | option_b=84 | option_c=109 | option_d=89 | answer=D | explanation=25% of 359 = (25/100) × 359 = 89.

id=85189 | topic=Averages | difficulty=Easy | question=Find the average of 44, 16, 76, 82, 75, 25. | option_a=54 | option_b=53 | option_c=55 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 318 ÷ 6 = 53.

id=85190 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:18 and the first is 6, what is the second? | option_a=54 | option_b=56 | option_c=60 | option_d=36 | answer=A | explanation=Scale factor = 6/2 = 3. Therefore second quantity = 18×3 = 54.

id=85191 | topic=Percentages | difficulty=Easy | question=What is 10% of 1169? | option_a=106 | option_b=116 | option_c=121 | option_d=232 | answer=B | explanation=10% of 1169 = (10/100) × 1169 = 116.

id=85192 | topic=Profit & Loss | difficulty=Easy | question=An article costs █766. If it is sold at a profit of 25%, what is its selling price? | option_a=791 | option_b=881 | option_c=957 | option_d=1033 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 766 × 125/100 = █957.

id=85193 | topic=Percentages | difficulty=Easy | question=What is 30% of 1022? | option_a=311 | option_b=612 | option_c=296 | option_d=306 | answer=D | explanation=30% of 1022 = (30/100) × 1022 = 306.

id=85194 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24970 at 4% per annum for 1 years. | option_a=25968 | option_b=998 | option_c=1098 | option_d=898 | answer=B | explanation=SI = PRT/100 = 24970×4×1/100 = █998.

id=85195 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4867. If it is sold at a profit of 30%, what is its selling price? | option_a=4897 | option_b=6327 | option_c=5841 | option_d=6813 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4867 × 130/100 = █6327.

id=85196 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=85197 | topic=Percentages | difficulty=Easy | question=What is 30% of 196? | option_a=58 | option_b=78 | option_c=116 | option_d=53 | answer=A | explanation=30% of 196 = (30/100) × 196 = 58.

id=85198 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:17 and the first is 195, what is the second? | option_a=416 | option_b=204 | option_c=236 | option_d=221 | answer=D | explanation=Scale factor = 195/15 = 13. Therefore second quantity = 17×13 = 221.

id=85199 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=30 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=85200 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=12 | option_c=1 | option_d=11 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

Aptitude Questions — Records 85,201-85,230 of 100,000

id=85201 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=160 | option_c=85 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=85202 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:2 and the first is 240, what is the second? | option_a=44 | option_b=264 | option_c=24 | option_d=22 | answer=C | explanation=Scale factor = 240/20 = 12. Therefore second quantity = 2×12 = 24.

id=85203 | topic=Percentages | difficulty=Easy | question=What is 20% of 1669? | option_a=333 | option_b=666 | option_c=313 | option_d=338 | answer=A | explanation=20% of 1669 = (20/100) × 1669 = 333.

id=85204 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1145. If it is sold at a profit of 40%, what is its selling price? | option_a=1185 | option_b=1717 | option_c=1489 | option_d=1603 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1145 × 140/100 = █1603.

id=85205 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=85206 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=85207 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 15. | option_a=135 | option_b=120 | option_c=405 | option_d=162 | answer=A | explanation=LCM × HCF = 27×15; HCF(27,15) = 3, so LCM = 135.

id=85208 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:11 and the first is 38, what is the second? | option_a=211 | option_b=247 | option_c=198 | option_d=209 | answer=D | explanation=Scale factor = 38/2 = 19. Therefore second quantity = 11×19 = 209.

id=85209 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45979 at 10% per annum for 5 years. | option_a=23089 | option_b=22889 | option_c=68968 | option_d=22989 | answer=D | explanation=SI = PRT/100 = 45979×10×5/100 = █22989.

id=85210 | topic=Percentages | difficulty=Easy | question=What is 12% of 962? | option_a=110 | option_b=135 | option_c=115 | option_d=230 | answer=C | explanation=12% of 962 = (12/100) × 962 = 115.

id=85211 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 14, 20, 29? | option_a=8 | option_b=20 | option_c=14 | option_d=29 | answer=D | explanation=The first three numbers increase by 6, so the next should be 26. Therefore 29 is the odd one out.

id=85212 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=85213 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=85214 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=69 | option_b=47 | option_c=58 | option_d=59 | answer=C | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.

id=85215 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38300 at 5% per annum for 1 years. | option_a=1815 | option_b=40215 | option_c=2015 | option_d=1915 | answer=D | explanation=SI = PRT/100 = 38300×5×1/100 = █1915.

id=85216 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=20 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=85217 | topic=Profit & Loss | difficulty=Easy | question=An article costs █893. If it is sold at a profit of 25%, what is its selling price? | option_a=1205 | option_b=1116 | option_c=1027 | option_d=918 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 893 × 125/100 = █1116.

id=85218 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=40 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=85219 | topic=Percentages | difficulty=Easy | question=What is 40% of 1513? | option_a=610 | option_b=605 | option_c=1210 | option_d=595 | answer=B | explanation=40% of 1513 = (40/100) × 1513 = 605.

id=85220 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19724 at 6% per annum for 3 years. | option_a=23274 | option_b=3450 | option_c=3550 | option_d=3650 | answer=C | explanation=SI = PRT/100 = 19724×6×3/100 = █3550.

id=85221 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3070. If it is sold at a profit of 50%, what is its selling price? | option_a=4298 | option_b=3120 | option_c=4605 | option_d=4912 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3070 × 150/100 = █4605.

id=85222 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:13 and the first is 36, what is the second? | option_a=61 | option_b=39 | option_c=88 | option_d=52 | answer=D | explanation=Scale factor = 36/9 = 4. Therefore second quantity = 13×4 = 52.

id=85223 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:2 and the first is 33, what is the second? | option_a=6 | option_b=17 | option_c=39 | option_d=4 | answer=A | explanation=Scale factor = 33/11 = 3. Therefore second quantity = 2×3 = 6.

id=85224 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=43 | option_b=35 | option_c=44 | option_d=51 | answer=A | explanation=The common difference is 8. Therefore the next term is 35 + 8 = 43.

id=85225 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=85226 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:11 and the first is 133, what is the second? | option_a=216 | option_b=209 | option_c=342 | option_d=198 | answer=B | explanation=Scale factor = 133/7 = 19. Therefore second quantity = 11×19 = 209.

id=85227 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4245. If it is sold at a profit of 30%, what is its selling price? | option_a=5942 | option_b=5094 | option_c=4275 | option_d=5518 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4245 × 130/100 = █5518.

id=85228 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:12 and the first is 8, what is the second? | option_a=97 | option_b=84 | option_c=104 | option_d=96 | answer=D | explanation=Scale factor = 8/1 = 8. Therefore second quantity = 12×8 = 96.

id=85229 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=85230 | topic=Percentages | difficulty=Easy | question=What is 20% of 154? | option_a=50 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=20% of 154 = (20/100) × 154 = 30.

Aptitude Questions — Records 85,231-85,260 of 100,000

id=85231 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2788. If it is sold at a profit of 10%, what is its selling price? | option_a=3066 | option_b=2788 | option_c=2798 | option_d=3344 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2788 × 110/100 = █3066.

id=85232 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:20 and the first is 12, what is the second? | option_a=83 | option_b=60 | option_c=92 | option_d=80 | answer=D | explanation=Scale factor = 12/3 = 4. Therefore second quantity = 20×4 = 80.

id=85233 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=155 | option_c=145 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=85234 | topic=Averages | difficulty=Easy | question=Find the average of 27, 34, 54, 72, 50, 40, 24. | option_a=43 | option_b=45 | option_c=44 | option_d=42 | answer=A | explanation=Average = sum of values ÷ number of values = 301 ÷ 7 = 43.

id=85235 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=Y | option_b=E | option_c=H | option_d=B | answer=B | explanation=Move 3 positions forward from B; the resulting letter is E.

id=85236 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=85237 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=85238 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42388 at 5% per annum for 2 years. | option_a=4238 | option_b=46626 | option_c=4138 | option_d=4338 | answer=A | explanation=SI = PRT/100 = 42388×5×2/100 = █4238.

id=85239 | topic=Percentages | difficulty=Easy | question=What is 20% of 1189? | option_a=217 | option_b=237 | option_c=247 | option_d=474 | answer=B | explanation=20% of 1189 = (20/100) × 1189 = 237.

id=85240 | topic=Percentages | difficulty=Easy | question=What is 15% of 1262? | option_a=184 | option_b=194 | option_c=378 | option_d=189 | answer=D | explanation=15% of 1262 = (15/100) × 1262 = 189.

id=85241 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2318. If it is sold at a profit of 30%, what is its selling price? | option_a=3013 | option_b=3244 | option_c=2782 | option_d=2348 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2318 × 130/100 = █3013.

id=85242 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=Q | option_c=P | option_d=R | answer=D | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=85243 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=55 | option_c=100 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=85244 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36085 at 4% per annum for 4 years. | option_a=5673 | option_b=5873 | option_c=41858 | option_d=5773 | answer=D | explanation=SI = PRT/100 = 36085×4×4/100 = █5773.

id=85245 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 16, 23, 30, ? | option_a=30 | option_b=44 | option_c=38 | option_d=37 | answer=D | explanation=The common difference is 7. Therefore the next term is 30 + 7 = 37.

id=85246 | topic=Averages | difficulty=Easy | question=Find the average of 32, 85, 49, 83, 21, 63, 51, 64. | option_a=56 | option_b=57 | option_c=55 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 448 ÷ 8 = 56.

id=85247 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2799 at 15% per annum for 1 years. | option_a=3218 | option_b=519 | option_c=419 | option_d=319 | answer=C | explanation=SI = PRT/100 = 2799×15×1/100 = █419.

id=85248 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=85249 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:20 and the first is 54, what is the second? | option_a=234 | option_b=186 | option_c=180 | option_d=160 | answer=C | explanation=Scale factor = 54/6 = 9. Therefore second quantity = 20×9 = 180.

id=85250 | topic=Averages | difficulty=Easy | question=Find the average of 97, 32, 18, 21. | option_a=44 | option_b=41 | option_c=42 | option_d=43 | answer=C | explanation=Average = sum of values ÷ number of values = 168 ÷ 4 = 42.

id=85251 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1901. If it is sold at a profit of 20%, what is its selling price? | option_a=2281 | option_b=1921 | option_c=2471 | option_d=2091 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1901 × 120/100 = █2281.

id=85252 | topic=Averages | difficulty=Easy | question=Find the average of 76, 14, 27. | option_a=40 | option_b=38 | option_c=41 | option_d=39 | answer=D | explanation=Average = sum of values ÷ number of values = 117 ÷ 3 = 39.

id=85253 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49336 at 12% per annum for 1 years. | option_a=6020 | option_b=5820 | option_c=5920 | option_d=55256 | answer=C | explanation=SI = PRT/100 = 49336×12×1/100 = █5920.

id=85254 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4380 at 12% per annum for 1 years. | option_a=425 | option_b=4905 | option_c=525 | option_d=625 | answer=C | explanation=SI = PRT/100 = 4380×12×1/100 = █525.

id=85255 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4711. If it is sold at a profit of 30%, what is its selling price? | option_a=4741 | option_b=6124 | option_c=5653 | option_d=6595 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4711 × 130/100 = █6124.

id=85256 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=I | option_b=H | option_c=J | option_d=G | answer=A | explanation=Move 1 positions forward from H; the resulting letter is I.

id=85257 | topic=Percentages | difficulty=Easy | question=What is 10% of 1804? | option_a=180 | option_b=360 | option_c=170 | option_d=185 | answer=A | explanation=10% of 1804 = (10/100) × 1804 = 180.

id=85258 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=85259 | topic=Averages | difficulty=Easy | question=Find the average of 57, 24, 93. | option_a=57 | option_b=60 | option_c=58 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 174 ÷ 3 = 58.

id=85260 | topic=Averages | difficulty=Easy | question=Find the average of 90, 30, 24. | option_a=47 | option_b=50 | option_c=48 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 144 ÷ 3 = 48.

Aptitude Questions — Records 85,261-85,290 of 100,000

id=85261 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=I | option_b=J | option_c=L | option_d=K | answer=D | explanation=Move 1 positions forward from J; the resulting letter is K.

id=85262 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:6 and the first is 30, what is the second? | option_a=41 | option_b=30 | option_c=66 | option_d=36 | answer=D | explanation=Scale factor = 30/5 = 6. Therefore second quantity = 6×6 = 36.

id=85263 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=85264 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 7, 12, 19? | option_a=7 | option_b=12 | option_c=2 | option_d=19 | answer=D | explanation=The first three numbers increase by 5, so the next should be 17. Therefore 19 is the odd one out.

id=85265 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=36 | option_c=72 | option_d=31 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=85266 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹509. If it is sold at a profit of 20%, what is its selling price? | option_a=610 | option_b=529 | option_c=560 | option_d=660 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 509 × 120/100 = ₹610.

id=85267 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=85268 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:11 and the first is 54, what is the second? | option_a=51 | option_b=22 | option_c=87 | option_d=33 | answer=D | explanation=Scale factor = 54/18 = 3. Therefore second quantity = 11×3 = 33.

id=85269 | topic=Averages | difficulty=Easy | question=Find the average of 81, 32, 99, 30, 78. | option_a=66 | option_b=63 | option_c=65 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 320 ÷ 5 = 64.

id=85270 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=U | option_c=W | option_d=Q | answer=B | explanation=Move 2 positions forward from S; the resulting letter is U.

id=85271 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 22. | option_a=242 | option_b=528 | option_c=264 | option_d=288 | answer=C | explanation=LCM × HCF = 24×22; HCF(24,22) = 2, so LCM = 264.

id=85272 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 22, 26, 31? | option_a=26 | option_b=18 | option_c=22 | option_d=31 | answer=D | explanation=The first three numbers increase by 4, so the next should be 30. Therefore 31 is the odd one out.

id=85273 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹5767 at 4% per annum for 5 years. | option_a=1153 | option_b=1253 | option_c=6920 | option_d=1053 | answer=A | explanation=SI = PRT/100 = 5767×4×5/100 = ₹1153.

id=85274 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=85275 | topic=Averages | difficulty=Easy | question=Find the average of 22, 58, 16, 53, 71, 38. | option_a=45 | option_b=42 | option_c=44 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = 258 ÷ 6 = 43.

id=85276 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=U | option_c=R | option_d=T | answer=D | explanation=Move 1 positions forward from S; the resulting letter is T.

id=85277 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=44 | option_b=64 | option_c=55 | option_d=54 | answer=D | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=85278 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=65 | option_b=43 | option_c=55 | option_d=54 | answer=D | explanation=The common difference is 11. Therefore the next term is 43 + 11 = 54.

id=85279 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 6. | option_a=78 | option_b=104 | option_c=156 | option_d=72 | answer=A | explanation=LCM × HCF = 26×6; HCF(26,6) = 2, so LCM = 78.

id=85280 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=36 | option_b=40 | option_c=30 | option_d=35 | answer=D | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=85281 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:16 and the first is 34, what is the second? | option_a=49 | option_b=16 | option_c=32 | option_d=66 | answer=C | explanation=Scale factor = 34/17 = 2. Therefore second quantity = 16×2 = 32.

id=85282 | topic=Percentages | difficulty=Easy | question=What is 5% of 1104? | option_a=50 | option_b=65 | option_c=55 | option_d=110 | answer=C | explanation=5% of 1104 = (5/100) × 1104 = 55.

id=85283 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹7442 at 4% per annum for 4 years. | option_a=8632 | option_b=1290 | option_c=1090 | option_d=1190 | answer=D | explanation=SI = PRT/100 = 7442×4×4/100 = ₹1190.

id=85284 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=15 | option_b=14 | option_c=16 | option_d=12 | answer=B | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=85285 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:20 and the first is 30, what is the second? | option_a=90 | option_b=60 | option_c=70 | option_d=40 | answer=B | explanation=Scale factor = 30/10 = 3. Therefore second quantity = 20×3 = 60.

id=85286 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 20. | option_a=240 | option_b=72 | option_c=40 | option_d=60 | answer=D | explanation=LCM × HCF = 12×20; HCF(12,20) = 4, so LCM = 60.

id=85287 | topic=Percentages | difficulty=Easy | question=What is 20% of 1827? | option_a=370 | option_b=360 | option_c=730 | option_d=365 | answer=D | explanation=20% of 1827 = (20/100) × 1827 = 365.

id=85288 | topic=Percentages | difficulty=Easy | question=What is 25% of 830? | option_a=227 | option_b=207 | option_c=187 | option_d=414 | answer=B | explanation=25% of 830 = (25/100) × 830 = 207.

id=85289 | topic=Averages | difficulty=Easy | question=Find the average of 25, 68, 94, 80, 10, 96, 40, 84, 38, 95. | option_a=62 | option_b=63 | option_c=65 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 630 ÷ 10 = 63.

id=85290 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 15, 22, 31? | option_a=8 | option_b=15 | option_c=31 | option_d=22 | answer=C | explanation=The first three numbers increase by 7, so the next should be 29. Therefore 31 is the odd one out.

Aptitude Questions — Records 85,291-85,320 of 100,000

id=85291 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=85292 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=85293 | topic=Averages | difficulty=Easy | question=Find the average of 89, 59, 17, 99. | option_a=65 | option_b=66 | option_c=67 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = 264 ÷ 4 = 66.

id=85294 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=85295 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2910. If it is sold at a profit of 20%, what is its selling price? | option_a=3492 | option_b=3201 | option_c=3783 | option_d=2930 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2910 × 120/100 = █3492.

id=85296 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=85297 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:4 and the first is 132, what is the second? | option_a=44 | option_b=180 | option_c=48 | option_d=59 | answer=C | explanation=Scale factor = 132/11 = 12. Therefore second quantity = 4×12 = 48.

id=85298 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 27, 36, 48? | option_a=48 | option_b=27 | option_c=36 | option_d=18 | answer=A | explanation=The first three numbers increase by 9, so the next should be 45. Therefore 48 is the odd one out.

id=85299 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=85300 | topic=Percentages | difficulty=Easy | question=What is 40% of 854? | option_a=682 | option_b=321 | option_c=346 | option_d=341 | answer=D | explanation=40% of 854 = (40/100) × 854 = 341.

id=85301 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=35 | option_b=27 | option_c=41 | option_d=34 | answer=D | explanation=The common difference is 7. Therefore the next term is 27 + 7 = 34.

id=85302 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:10 and the first is 380, what is the second? | option_a=190 | option_b=180 | option_c=210 | option_d=570 | answer=A | explanation=Scale factor = 380/20 = 19. Therefore second quantity = 10×19 = 190.

id=85303 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 28. | option_a=168 | option_b=56 | option_c=90 | option_d=84 | answer=D | explanation=LCM × HCF = 6×28; HCF(6,28) = 2, so LCM = 84.

id=85304 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41439 at 6% per annum for 1 years. | option_a=2586 | option_b=43925 | option_c=2386 | option_d=2486 | answer=D | explanation=SI = PRT/100 = 41439×6×1/100 = █2486.

id=85305 | topic=Averages | difficulty=Easy | question=Find the average of 61, 65, 38, 67, 82, 83. | option_a=68 | option_b=65 | option_c=66 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 396 ÷ 6 = 66.

id=85306 | topic=Percentages | difficulty=Easy | question=What is 40% of 455? | option_a=364 | option_b=182 | option_c=162 | option_d=187 | answer=B | explanation=40% of 455 = (40/100) × 455 = 182.

id=85307 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=85308 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:8 and the first is 126, what is the second? | option_a=238 | option_b=104 | option_c=112 | option_d=121 | answer=C | explanation=Scale factor = 126/9 = 14. Therefore second quantity = 8×14 = 112.

id=85309 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=66 | option_b=54 | option_c=67 | option_d=78 | answer=A | explanation=The common difference is 12. Therefore the next term is 54 + 12 = 66.

id=85310 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:3 and the first is 100, what is the second? | option_a=30 | option_b=130 | option_c=27 | option_d=40 | answer=A | explanation=Scale factor = 100/10 = 10. Therefore second quantity = 3×10 = 30.

id=85311 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:18 and the first is 78, what is the second? | option_a=216 | option_b=234 | option_c=240 | option_d=312 | answer=B | explanation=Scale factor = 78/6 = 13. Therefore second quantity = 18×13 = 234.

id=85312 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=M | option_b=X | option_c=H | option_d=C | answer=C | explanation=Move 5 positions forward from C; the resulting letter is H.

id=85313 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=85314 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=85315 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 8. | option_a=32 | option_b=160 | option_c=40 | option_d=60 | answer=C | explanation=LCM × HCF = 20×8; HCF(20,8) = 4, so LCM = 40.

id=85316 | topic=Averages | difficulty=Easy | question=Find the average of 57, 52, 83. | option_a=66 | option_b=63 | option_c=65 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 192 ÷ 3 = 64.

id=85317 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41949 at 6% per annum for 2 years. | option_a=46982 | option_b=5133 | option_c=5033 | option_d=4933 | answer=C | explanation=SI = PRT/100 = 41949×6×2/100 = █5033.

id=85318 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:19 and the first is 42, what is the second? | option_a=269 | option_b=247 | option_c=266 | option_d=308 | answer=C | explanation=Scale factor = 42/3 = 14. Therefore second quantity = 19×14 = 266.

id=85319 | topic=Averages | difficulty=Easy | question=Find the average of 32, 54, 22, 44, 55, 51, 22. | option_a=39 | option_b=42 | option_c=41 | option_d=40 | answer=D | explanation=Average = sum of values ÷ number of values = 280 ÷ 7 = 40.

id=85320 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 28, 32, 38? | option_a=38 | option_b=24 | option_c=32 | option_d=28 | answer=A | explanation=The first three numbers increase by 4, so the next should be 36. Therefore 38 is the odd one out.

Aptitude Questions — Records 85,321-85,350 of 100,000

id=85321 | topic=Averages | difficulty=Easy | question=Find the average of 35, 73, 66. | option_a=60 | option_b=59 | option_c=58 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = $174 \div 3 = 58$.

id=85322 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 14. | option_a=28 | option_b=56 | option_c=14 | option_d=392 | answer=A | explanation= $LCM \times HCF = 28 \times 14$; $HCF(28,14) = 14$, so $LCM = 28$.

id=85323 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=R | option_c=P | option_d=Q | answer=B | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=85324 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 10. | option_a=30 | option_b=20 | option_c=60 | option_d=300 | answer=A | explanation= $LCM \times HCF = 30 \times 10$; $HCF(30,10) = 10$, so $LCM = 30$.

id=85325 | topic=Percentages | difficulty=Easy | question=What is 15% of 1532? | option_a=229 | option_b=458 | option_c=209 | option_d=234 | answer=A | explanation= $15\% \text{ of } 1532 = (15/100) \times 1532 = 229$.

id=85326 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=85327 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 10, 13, 16, ? | option_a=20 | option_b=22 | option_c=19 | option_d=16 | answer=C | explanation=The common difference is 3. Therefore the next term is $16 + 3 = 19$.

id=85328 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3079. If it is sold at a profit of 15%, what is its selling price? | option_a=3094 | option_b=3233 | option_c=3540 | option_d=3847 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3079 \times 115/100 = \text{█}3540$.

id=85329 | topic=Percentages | difficulty=Easy | question=What is 20% of 1910? | option_a=362 | option_b=382 | option_c=402 | option_d=764 | answer=B | explanation= $20\% \text{ of } 1910 = (20/100) \times 1910 = 382$.

id=85330 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10684 at 10% per annum for 2 years. | option_a=2036 | option_b=2236 | option_c=12820 | option_d=2136 | answer=D | explanation= $SI = PRT/100 = 10684 \times 10 \times 2/100 = \text{█}2136$.

id=85331 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=K | option_b=W | option_c=O | option_d=S | answer=D | explanation=Move 4 positions forward from O; the resulting letter is S.

id=85332 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 19, 25, 33? | option_a=33 | option_b=13 | option_c=19 | option_d=25 | answer=A | explanation=The first three numbers increase by 6, so the next should be 31. Therefore 33 is the odd one out.

id=85333 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=45 | option_b=44 | option_c=35 | option_d=53 | answer=B | explanation=The common difference is 9. Therefore the next term is $35 + 9 = 44$.

id=85334 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27518 at 8% per annum for 2 years. | option_a=4502 | option_b=4302 | option_c=31920 | option_d=4402 | answer=D | explanation= $SI = PRT/100 = 27518 \times 8 \times 2/100 = \text{█}4402$.

id=85335 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=51 | option_b=35 | option_c=44 | option_d=43 | answer=D | explanation=The common difference is 8. Therefore the next term is $35 + 8 = 43$.

id=85336 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=100 | option_c=105 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = $300 \div 3 = 100$ km/h.

id=85337 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=44 | option_b=40 | option_c=34 | option_d=39 | answer=D | explanation=The common difference is 5. Therefore the next term is $34 + 5 = 39$.

id=85338 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=U | option_c=R | option_d=T | answer=D | explanation=Move 1 positions forward from S; the resulting letter is T.

id=85339 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3806 at 15% per annum for 3 years. | option_a=5518 | option_b=1612 | option_c=1712 | option_d=1812 | answer=C | explanation= $SI = PRT/100 = 3806 \times 15 \times 3/100 = \text{█}1712$.

id=85340 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=36 | option_b=28 | option_c=32 | option_d=33 | answer=C | explanation=The common difference is 4. Therefore the next term is $28 + 4 = 32$.

id=85341 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:19 and the first is 42, what is the second? | option_a=175 | option_b=114 | option_c=139 | option_d=133 | answer=D | explanation=Scale factor = $42/6 = 7$. Therefore second quantity = $19 \times 7 = 133$.

id=85342 | topic=Percentages | difficulty=Easy | question=What is 12% of 1481? | option_a=354 | option_b=167 | option_c=182 | option_d=177 | answer=D | explanation= $12\% \text{ of } 1481 = (12/100) \times 1481 = 177$.

id=85343 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:13 and the first is 54, what is the second? | option_a=123 | option_b=104 | option_c=117 | option_d=171 | answer=C | explanation=Scale factor = $54/6 = 9$. Therefore second quantity = $13 \times 9 = 117$.

id=85344 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3515. If it is sold at a profit of 15%, what is its selling price? | option_a=4042 | option_b=4393 | option_c=3691 | option_d=3530 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3515 \times 115/100 = \text{█}4042$.

id=85345 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=5 | option_d=24 | answer=A | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=85346 | topic=Averages | difficulty=Easy | question=Find the average of 25, 89, 74, 60. | option_a=61 | option_b=62 | option_c=63 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = $248 \div 4 = 62$.

id=85347 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 21, 30, 41? | option_a=41 | option_b=30 | option_c=12 | option_d=21 | answer=A | explanation=The first three numbers increase by 9, so the next should be 39. Therefore 41 is the odd one out.

id=85348 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=45 | option_b=55 | option_c=63 | option_d=54 | answer=D | explanation=The common difference is 9. Therefore the next term is $45 + 9 = 54$.

id=85349 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = $240 \div 6 = 40$ km/h.

id=85350 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19293 at 15% per annum for 2 years. | option_a=5887 | option_b=5687 | option_c=5787 | option_d=25080 | answer=C | explanation= $SI = PRT/100 = 19293 \times 15 \times 2/100 = \text{█}5787$.

Aptitude Questions — Records 85,351-85,380 of 100,000

id=85351 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=85352 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=43 | option_b=49 | option_c=37 | option_d=44 | answer=A | explanation=The common difference is 6. Therefore the next term is 37 + 6 = 43.

id=85353 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=N | option_b=B | option_c=F | option_d=J | answer=D | explanation=Move 4 positions forward from F; the resulting letter is J.

id=85354 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 35? | option_a=28 | option_b=26 | option_c=30 | option_d=35 | answer=D | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 35 is the odd one out.

id=85355 | topic=Averages | difficulty=Easy | question=Find the average of 69, 34, 49, 52. | option_a=53 | option_b=50 | option_c=52 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 204 ÷ 4 = 51.

id=85356 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 33, 38, 44? | option_a=28 | option_b=44 | option_c=38 | option_d=33 | answer=B | explanation=The first three numbers increase by 5, so the next should be 43. Therefore 44 is the odd one out.

id=85357 | topic=Percentages | difficulty=Easy | question=What is 5% of 535? | option_a=26 | option_b=52 | option_c=6 | option_d=46 | answer=A | explanation=5% of 535 = (5/100) × 535 = 26.

id=85358 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 30? | option_a=30 | option_b=16 | option_c=10 | option_d=22 | answer=A | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 30 is the odd one out.

id=85359 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=G | option_b=S | option_c=O | option_d=K | answer=C | explanation=Move 4 positions forward from K; the resulting letter is O.

id=85360 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=240 | option_c=125 | option_d=115 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=85361 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=L | option_c=F | option_d=O | answer=B | explanation=Move 3 positions forward from I; the resulting letter is L.

id=85362 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39716 at 5% per annum for 5 years. | option_a=10029 | option_b=49645 | option_c=9829 | option_d=9929 | answer=D | explanation=SI = PRT/100 = 39716×5×5/100 = **■**9929.

id=85363 | topic=Percentages | difficulty=Easy | question=What is 10% of 764? | option_a=96 | option_b=66 | option_c=152 | option_d=76 | answer=D | explanation=10% of 764 = (10/100) × 764 = 76.

id=85364 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 31, 35, 42? | option_a=35 | option_b=27 | option_c=42 | option_d=31 | answer=C | explanation=The first three numbers increase by 4, so the next should be 39. Therefore 42 is the odd one out.

id=85365 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=25 | option_b=24 | option_c=29 | option_d=19 | answer=B | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.

id=85366 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:16 and the first is 342, what is the second? | option_a=272 | option_b=288 | option_c=307 | option_d=630 | answer=B | explanation=Scale factor = 342/19 = 18. Therefore second quantity = 16×18 = 288.

id=85367 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3012. If it is sold at a profit of 10%, what is its selling price? | option_a=3012 | option_b=3022 | option_c=3313 | option_d=3614 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3012 × 110/100 = **■**3313.

id=85368 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=85369 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 22? | option_a=22 | option_b=14 | option_c=2 | option_d=8 | answer=A | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 22 is the odd one out.

id=85370 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:15 and the first is 56, what is the second? | option_a=74 | option_b=45 | option_c=60 | option_d=116 | answer=C | explanation=Scale factor = 56/14 = 4. Therefore second quantity = 15×4 = 60.

id=85371 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 18. | option_a=72 | option_b=105 | option_c=270 | option_d=90 | answer=D | explanation=LCM × HCF = 15×18; HCF(15,18) = 3, so LCM = 90.

id=85372 | topic=Percentages | difficulty=Easy | question=What is 50% of 1612? | option_a=816 | option_b=801 | option_c=1612 | option_d=806 | answer=D | explanation=50% of 1612 = (50/100) × 1612 = 806.

id=85373 | topic=Percentages | difficulty=Easy | question=What is 10% of 797? | option_a=158 | option_b=99 | option_c=74 | option_d=79 | answer=D | explanation=10% of 797 = (10/100) × 797 = 79.

id=85374 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 4. | option_a=56 | option_b=42 | option_c=28 | option_d=24 | answer=C | explanation=LCM × HCF = 14×4; HCF(14,4) = 2, so LCM = 28.

id=85375 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2747. If it is sold at a profit of 50%, what is its selling price? | option_a=4394 | option_b=3846 | option_c=4120 | option_d=2797 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2747 × 150/100 = **■**4120.

id=85376 | topic=Percentages | difficulty=Easy | question=What is 30% of 1091? | option_a=332 | option_b=327 | option_c=654 | option_d=307 | answer=B | explanation=30% of 1091 = (30/100) × 1091 = 327.

id=85377 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 47? | option_a=31 | option_b=38 | option_c=47 | option_d=24 | answer=C | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 47 is the odd one out.

id=85378 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 18, 22, 27? | option_a=18 | option_b=14 | option_c=22 | option_d=27 | answer=D | explanation=The first three numbers increase by 4, so the next should be 26. Therefore 27 is the odd one out.

id=85379 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36346 at 12% per annum for 4 years. | option_a=53792 | option_b=17546 | option_c=17446 | option_d=17346 | answer=C | explanation=SI = PRT/100 = 36346×12×4/100 = **■**17446.

id=85380 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 85,381-85,410 of 100,000

id=85381 | topic=Percentages | difficulty=Easy | question=What is 25% of 1060? | option_a=530 | option_b=265 | option_c=285 | option_d=255 | answer=B | explanation=25% of 1060 = (25/100) × 1060 = 265.

id=85382 | topic=Percentages | difficulty=Easy | question=What is 12% of 1144? | option_a=127 | option_b=274 | option_c=137 | option_d=157 | answer=C | explanation=12% of 1144 = (12/100) × 1144 = 137.

id=85383 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=85384 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=Y | option_b=O | option_c=T | option_d=J | answer=C | explanation=Move 5 positions forward from O; the resulting letter is T.

id=85385 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:8 and the first is 48, what is the second? | option_a=32 | option_b=24 | option_c=44 | option_d=80 | answer=A | explanation=Scale factor = 48/12 = 4. Therefore second quantity = 8×4 = 32.

id=85386 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 21. | option_a=210 | option_b=630 | option_c=240 | option_d=189 | answer=A | explanation=LCM × HCF = 30×21; HCF(30,21) = 3, so LCM = 210.

id=85387 | topic=Percentages | difficulty=Easy | question=What is 20% of 1234? | option_a=236 | option_b=246 | option_c=256 | option_d=492 | answer=B | explanation=20% of 1234 = (20/100) × 1234 = 246.

id=85388 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 18, 23, 28, ? | option_a=38 | option_b=28 | option_c=34 | option_d=33 | answer=D | explanation=The common difference is 5. Therefore the next term is 28 + 5 = 33.

id=85389 | topic=Number System | difficulty=Easy | question=Find the LCM of 11 and 22. | option_a=1 | option_b=22 | option_c=242 | option_d=33 | answer=B | explanation=LCM × HCF = 11×22; HCF(11,22) = 11, so LCM = 22.

id=85390 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=85391 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=34 | option_b=26 | option_c=40 | option_d=33 | answer=D | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

id=85392 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1256. If it is sold at a profit of 20%, what is its selling price? | option_a=1632 | option_b=1382 | option_c=1507 | option_d=1276 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1256 × 120/100 = ₹1507.

id=85393 | topic=Percentages | difficulty=Easy | question=What is 12% of 1909? | option_a=229 | option_b=234 | option_c=458 | option_d=219 | answer=A | explanation=12% of 1909 = (12/100) × 1909 = 229.

id=85394 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=Y | option_b=E | option_c=B | option_d=H | answer=B | explanation=Move 3 positions forward from B; the resulting letter is E.

id=85395 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹17702 at 6% per annum for 2 years. | option_a=2124 | option_b=2024 | option_c=19826 | option_d=2224 | answer=A | explanation=SI = PRT/100 = 17702×6×2/100 = ₹2124.

id=85396 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 18, 27, 37? | option_a=9 | option_b=37 | option_c=18 | option_d=27 | answer=B | explanation=The first three numbers increase by 9, so the next should be 36. Therefore 37 is the odd one out.

id=85397 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 52? | option_a=41 | option_b=25 | option_c=52 | option_d=33 | answer=C | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 52 is the odd one out.

id=85398 | topic=Averages | difficulty=Easy | question=Find the average of 99, 34, 39, 13, 65. | option_a=49 | option_b=50 | option_c=52 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 250 ÷ 5 = 50.

id=85399 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹20927 at 10% per annum for 4 years. | option_a=8470 | option_b=29297 | option_c=8270 | option_d=8370 | answer=D | explanation=SI = PRT/100 = 20927×10×4/100 = ₹8370.

id=85400 | topic=Percentages | difficulty=Easy | question=What is 25% of 1842? | option_a=920 | option_b=470 | option_c=440 | option_d=460 | answer=D | explanation=25% of 1842 = (25/100) × 1842 = 460.

id=85401 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 19, 27, 36? | option_a=19 | option_b=36 | option_c=27 | option_d=11 | answer=B | explanation=The first three numbers increase by 8, so the next should be 35. Therefore 36 is the odd one out.

id=85402 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=27 | option_b=30 | option_c=33 | option_d=31 | answer=B | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.

id=85403 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=A | option_b=U | option_c=X | option_d=R | answer=C | explanation=Move 3 positions forward from U; the resulting letter is X.

id=85404 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=85405 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 43? | option_a=43 | option_b=35 | option_c=21 | option_d=28 | answer=A | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 43 is the odd one out.

id=85406 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 24. | option_a=120 | option_b=96 | option_c=150 | option_d=720 | answer=A | explanation=LCM × HCF = 30×24; HCF(30,24) = 6, so LCM = 120.

id=85407 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=125 | option_d=240 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=85408 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 22, 25, 31? | option_a=25 | option_b=22 | option_c=31 | option_d=19 | answer=C | explanation=The first three numbers increase by 3, so the next should be 28. Therefore 31 is the odd one out.

id=85409 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 35, 44, 56? | option_a=35 | option_b=26 | option_c=44 | option_d=56 | answer=D | explanation=The first three numbers increase by 9, so the next should be 53. Therefore 56 is the odd one out.

id=85410 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=13 | option_b=9 | option_c=12 | option_d=11 | answer=D | explanation=The common difference is 2. Therefore the next term is 9 + 2 = 11.

Aptitude Questions — Records 85,411-85,440 of 100,000

id=85411 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■44243 at 12% per annum for 5 years. | option_a=26445 | option_b=26645 | option_c=70788 | option_d=26545 | answer=D | explanation=SI = PRT/100 = 44243×12×5/100 = ■26545.

id=85412 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=15 | option_b=17 | option_c=16 | option_d=13 | answer=A | explanation=The common difference is 2. Therefore the next term is 13 + 2 = 15.

id=85413 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■45658 at 5% per annum for 2 years. | option_a=50223 | option_b=4565 | option_c=4465 | option_d=4665 | answer=B | explanation=SI = PRT/100 = 45658×5×2/100 = ■4565.

id=85414 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:8 and the first is 55, what is the second? | option_a=80 | option_b=143 | option_c=93 | option_d=88 | answer=D | explanation=Scale factor = 55/5 = 11. Therefore second quantity = 8×11 = 88.

id=85415 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=39 | option_b=63 | option_c=51 | option_d=52 | answer=C | explanation=The common difference is 12. Therefore the next term is 39 + 12 = 51.

id=85416 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=49 | option_b=44 | option_c=43 | option_d=37 | answer=C | explanation=The common difference is 6. Therefore the next term is 37 + 6 = 43.

id=85417 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=9 | option_c=14 | option_d=4 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=85418 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=J | option_b=L | option_c=K | option_d=M | answer=B | explanation=Move 1 positions forward from K, the resulting letter is L.

id=85419 | topic=Averages | difficulty=Easy | question=Find the average of 11, 36, 100. | option_a=51 | option_b=50 | option_c=49 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 147 ÷ 3 = 49.

id=85420 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 24. | option_a=168 | option_b=144 | option_c=672 | option_d=196 | answer=A | explanation=LCM × HCF = 28×24; HCF(28,24) = 4, so LCM = 168.

id=85421 | topic=Averages | difficulty=Easy | question=Find the average of 58, 45, 37, 100, 30. | option_a=55 | option_b=53 | option_c=54 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 270 ÷ 5 = 54.

id=85422 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1149. If it is sold at a profit of 40%, what is its selling price? | option_a=1722 | option_b=1189 | option_c=1494 | option_d=1608 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1149 × 140/100 = ■1608.

id=85423 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=85424 | topic=Percentages | difficulty=Easy | question=What is 15% of 128? | option_a=19 | option_b=9 | option_c=29 | option_d=38 | answer=A | explanation=15% of 128 = (15/100) × 128 = 19.

id=85425 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=30 | option_b=24 | option_c=28 | option_d=27 | answer=D | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=85426 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=115 | option_d=240 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=85427 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 30. | option_a=1 | option_b=450 | option_c=30 | option_d=45 | answer=C | explanation=LCM × HCF = 15×30; HCF(15,30) = 15, so LCM = 30.

id=85428 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:20 and the first is 70, what is the second? | option_a=180 | option_b=270 | option_c=207 | option_d=200 | answer=D | explanation=Scale factor = 70/7 = 10. Therefore second quantity = 20×10 = 200.

id=85429 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 4. | option_a=48 | option_b=8 | option_c=24 | option_d=12 | answer=D | explanation=LCM × HCF = 12×4; HCF(12,4) = 4, so LCM = 12.

id=85430 | topic=Percentages | difficulty=Easy | question=What is 12% of 338? | option_a=50 | option_b=80 | option_c=20 | option_d=40 | answer=D | explanation=12% of 338 = (12/100) × 338 = 40.

id=85431 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3096. If it is sold at a profit of 5%, what is its selling price? | option_a=3101 | option_b=3559 | option_c=2941 | option_d=3250 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3096 × 105/100 = ■3250.

id=85432 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=85433 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=85434 | topic=Percentages | difficulty=Easy | question=What is 30% of 1489? | option_a=892 | option_b=456 | option_c=426 | option_d=446 | answer=D | explanation=30% of 1489 = (30/100) × 1489 = 446.

id=85435 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1326. If it is sold at a profit of 30%, what is its selling price? | option_a=1723 | option_b=1356 | option_c=1855 | option_d=1591 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1326 × 130/100 = ■1723.

id=85436 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 8, 12, 17? | option_a=17 | option_b=4 | option_c=8 | option_d=12 | answer=A | explanation=The first three numbers increase by 4, so the next should be 16. Therefore 17 is the odd one out.

id=85437 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■1597 at 10% per annum for 3 years. | option_a=2076 | option_b=579 | option_c=479 | option_d=379 | answer=C | explanation=SI = PRT/100 = 1597×10×3/100 = ■479.

id=85438 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=90 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=85439 | topic=Averages | difficulty=Easy | question=Find the average of 85, 96, 65, 67, 54, 32, 17, 19, 47, 88. | option_a=56 | option_b=57 | option_c=59 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.

id=85440 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=J | option_c=R | option_d=F | answer=A | explanation=Move 4 positions forward from J; the resulting letter is N.

Aptitude Questions — Records 85,441-85,470 of 100,000

id=85441 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1193. If it is sold at a profit of 30%, what is its selling price? | option_a=1669 | option_b=1223 | option_c=1431 | option_d=1550 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1193 \times 130/100 = \blacksquare1550$.

id=85442 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=85443 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4465. If it is sold at a profit of 30%, what is its selling price? | option_a=5358 | option_b=6250 | option_c=4495 | option_d=5804 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4465 \times 130/100 = \blacksquare5804$.

id=85444 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■24359 at 10% per annum for 5 years. | option_a=12179 | option_b=12079 | option_c=12279 | option_d=36538 | answer=A | explanation=SI = $PRT/100 = 24359 \times 10 \times 5/100 = \blacksquare12179$.

id=85445 | topic=Averages | difficulty=Easy | question=Find the average of 23, 17, 76, 88, 54, 92, 13, 14, 100. | option_a=55 | option_b=54 | option_c=53 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = $477 \div 9 = 53$.

id=85446 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=85447 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=63 | option_b=52 | option_c=41 | option_d=53 | answer=B | explanation=The common difference is 11. Therefore the next term is $41 + 11 = 52$.

id=85448 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 13, 17, 22? | option_a=9 | option_b=22 | option_c=17 | option_d=13 | answer=B | explanation=The first three numbers increase by 4, so the next should be 21. Therefore 22 is the odd one out.

id=85449 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=20 | option_d=6 | answer=B | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=85450 | topic=Averages | difficulty=Easy | question=Find the average of 61, 99, 100, 82, 24, 57, 25. | option_a=63 | option_b=65 | option_c=64 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = $448 \div 7 = 64$.

id=85451 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=150 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = $300 \div 4 = 75$ km/h.

id=85452 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = $120 \div 2 = 60$ km/h.

id=85453 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1525. If it is sold at a profit of 30%, what is its selling price? | option_a=1830 | option_b=1555 | option_c=1982 | option_d=2134 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1525 \times 130/100 = \blacksquare1982$.

id=85454 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:8 and the first is 10, what is the second? | option_a=90 | option_b=81 | option_c=72 | option_d=80 | answer=D | explanation=Scale factor = $10/1 = 10$. Therefore second quantity = $8 \times 10 = 80$.

id=85455 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=31 | option_b=32 | option_c=36 | option_d=26 | answer=A | explanation=The common difference is 5. Therefore the next term is $26 + 5 = 31$.

id=85456 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■28788 at 4% per annum for 2 years. | option_a=2203 | option_b=2303 | option_c=31091 | option_d=2403 | answer=B | explanation=SI = $PRT/100 = 28788 \times 4 \times 2/100 = \blacksquare2303$.

id=85457 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=50 | option_b=61 | option_c=72 | option_d=62 | answer=B | explanation=The common difference is 11. Therefore the next term is $50 + 11 = 61$.

id=85458 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:13 and the first is 216, what is the second? | option_a=174 | option_b=372 | option_c=143 | option_d=156 | answer=D | explanation=Scale factor = $216/18 = 12$. Therefore second quantity = $13 \times 12 = 156$.

id=85459 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:19 and the first is 72, what is the second? | option_a=228 | option_b=300 | option_c=209 | option_d=234 | answer=A | explanation=Scale factor = $72/6 = 12$. Therefore second quantity = $19 \times 12 = 228$.

id=85460 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■389. If it is sold at a profit of 30%, what is its selling price? | option_a=543 | option_b=505 | option_c=419 | option_d=467 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 389 \times 130/100 = \blacksquare505$.

id=85461 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14700 at 12% per annum for 1 years. | option_a=16464 | option_b=1764 | option_c=1664 | option_d=1864 | answer=B | explanation=SI = $PRT/100 = 14700 \times 12 \times 1/100 = \blacksquare1764$.

id=85462 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■24232 at 8% per annum for 3 years. | option_a=5815 | option_b=30047 | option_c=5715 | option_d=5915 | answer=A | explanation=SI = $PRT/100 = 24232 \times 8 \times 3/100 = \blacksquare5815$.

id=85463 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 28, 33, 40? | option_a=40 | option_b=28 | option_c=33 | option_d=23 | answer=A | explanation=The first three numbers increase by 5, so the next should be 38. Therefore 40 is the odd one out.

id=85464 | topic=Percentages | difficulty=Easy | question=What is 50% of 290? | option_a=145 | option_b=135 | option_c=290 | option_d=155 | answer=A | explanation=50% of 290 = $(50/100) \times 290 = 145$.

id=85465 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=45 | option_b=69 | option_c=58 | option_d=57 | answer=D | explanation=The common difference is 12. Therefore the next term is $45 + 12 = 57$.

id=85466 | topic=Averages | difficulty=Easy | question=Find the average of 58, 50, 15, 69. | option_a=49 | option_b=47 | option_c=48 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = $192 \div 4 = 48$.

id=85467 | topic=Averages | difficulty=Easy | question=Find the average of 33, 58, 100, 25, 94, 96, 15, 27. | option_a=55 | option_b=56 | option_c=57 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = $448 \div 8 = 56$.

id=85468 | topic=Percentages | difficulty=Easy | question=What is 40% of 767? | option_a=316 | option_b=286 | option_c=306 | option_d=612 | answer=C | explanation=40% of 767 = $(40/100) \times 767 = 306$.

id=85469 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=P | option_c=O | option_d=M | answer=C | explanation=Move 1 positions forward from N; the resulting letter is O.

id=85470 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=61 | option_b=71 | option_c=60 | option_d=49 | answer=C | explanation=The common difference is 11. Therefore the next term is $49 + 11 = 60$.

Aptitude Questions — Records 85,471-85,500 of 100,000

id=85471 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=85472 | topic=Profit & Loss | difficulty=Easy | question=An article costs █183. If it is sold at a profit of 15%, what is its selling price? | option_a=228 | option_b=192 | option_c=198 | option_d=210 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 183 × 115/100 = █210.

id=85473 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:6 and the first is 152, what is the second? | option_a=48 | option_b=200 | option_c=42 | option_d=67 | answer=A | explanation=Scale factor = 152/19 = 8. Therefore second quantity = 6×8 = 48.

id=85474 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11557 at 12% per annum for 4 years. | option_a=17104 | option_b=5547 | option_c=5647 | option_d=5447 | answer=B | explanation=SI = PRT/100 = 11557×12×4/100 = █5547.

id=85475 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4328. If it is sold at a profit of 5%, what is its selling price? | option_a=4333 | option_b=4976 | option_c=4112 | option_d=4544 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4328 × 105/100 = █4544.

id=85476 | topic=Percentages | difficulty=Easy | question=What is 5% of 1354? | option_a=47 | option_b=134 | option_c=67 | option_d=77 | answer=C | explanation=5% of 1354 = (5/100) × 1354 = 67.

id=85477 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=85478 | topic=Percentages | difficulty=Easy | question=What is 5% of 189? | option_a=9 | option_b=18 | option_c=4 | option_d=29 | answer=A | explanation=5% of 189 = (5/100) × 189 = 9.

id=85479 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3137. If it is sold at a profit of 20%, what is its selling price? | option_a=3764 | option_b=3157 | option_c=3451 | option_d=4077 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3137 × 120/100 = █3764.

id=85480 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 28? | option_a=28 | option_b=18 | option_c=21 | option_d=24 | answer=A | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 28 is the odd one out.

id=85481 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=85482 | topic=Averages | difficulty=Easy | question=Find the average of 48, 98, 53, 17. | option_a=56 | option_b=55 | option_c=54 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 216 ÷ 4 = 54.

id=85483 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=70 | option_b=80 | option_c=150 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=85484 | topic=Percentages | difficulty=Easy | question=What is 5% of 1476? | option_a=78 | option_b=73 | option_c=53 | option_d=146 | answer=B | explanation=5% of 1476 = (5/100) × 1476 = 73.

id=85485 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:6 and the first is 72, what is the second? | option_a=62 | option_b=48 | option_c=126 | option_d=54 | answer=D | explanation=Scale factor = 72/8 = 9. Therefore second quantity = 6×9 = 54.

id=85486 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1155. If it is sold at a profit of 40%, what is its selling price? | option_a=1732 | option_b=1617 | option_c=1195 | option_d=1502 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1155 × 140/100 = █1617.

id=85487 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=X | option_b=A | option_c=G | option_d=D | answer=D | explanation=Move 3 positions forward from A; the resulting letter is D.

id=85488 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1903. If it is sold at a profit of 40%, what is its selling price? | option_a=2854 | option_b=1943 | option_c=2664 | option_d=2474 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1903 × 140/100 = █2664.

id=85489 | topic=Percentages | difficulty=Easy | question=What is 25% of 83? | option_a=40 | option_b=30 | option_c=20 | option_d=15 | answer=C | explanation=25% of 83 = (25/100) × 83 = 20.

id=85490 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=85491 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:19 and the first is 36, what is the second? | option_a=264 | option_b=209 | option_c=228 | option_d=231 | answer=C | explanation=Scale factor = 36/3 = 12. Therefore second quantity = 19×12 = 228.

id=85492 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4926. If it is sold at a profit of 15%, what is its selling price? | option_a=4941 | option_b=5172 | option_c=5664 | option_d=6156 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4926 × 115/100 = █5664.

id=85493 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=85494 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35382 at 15% per annum for 5 years. | option_a=26536 | option_b=26636 | option_c=26436 | option_d=61918 | answer=A | explanation=SI = PRT/100 = 35382×15×5/100 = █26536.

id=85495 | topic=Percentages | difficulty=Easy | question=What is 10% of 260? | option_a=52 | option_b=46 | option_c=26 | option_d=16 | answer=C | explanation=10% of 260 = (10/100) × 260 = 26.

id=85496 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=16 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=85497 | topic=Percentages | difficulty=Easy | question=What is 10% of 1518? | option_a=151 | option_b=171 | option_c=302 | option_d=141 | answer=A | explanation=10% of 1518 = (10/100) × 1518 = 151.

id=85498 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12086 at 8% per annum for 5 years. | option_a=16920 | option_b=4834 | option_c=4734 | option_d=4934 | answer=B | explanation=SI = PRT/100 = 12086×8×5/100 = █4834.

id=85499 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=85500 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

Aptitude Questions — Records 85,501-85,530 of 100,000

id=85501 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=85502 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=18 | option_d=13 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=85503 | topic=Averages | difficulty=Easy | question=Find the average of 93, 65, 30, 41, 92, 18, 18. | option_a=52 | option_b=51 | option_c=50 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.

id=85504 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=34 | option_b=32 | option_c=28 | option_d=31 | answer=D | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=85505 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 24, 33, 44? | option_a=33 | option_b=24 | option_c=44 | option_d=15 | answer=C | explanation=The first three numbers increase by 9, so the next should be 42. Therefore 44 is the odd one out.

id=85506 | topic=Averages | difficulty=Easy | question=Find the average of 10, 26, 11, 78, 95. | option_a=45 | option_b=46 | option_c=43 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = 220 ÷ 5 = 44.

id=85507 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=16 | option_b=12 | option_c=14 | option_d=15 | answer=C | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=85508 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 21, 30, 39, ? | option_a=49 | option_b=57 | option_c=48 | option_d=39 | answer=C | explanation=The common difference is 9. Therefore the next term is 39 + 9 = 48.

id=85509 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1248. If it is sold at a profit of 30%, what is its selling price? | option_a=1746 | option_b=1278 | option_c=1622 | option_d=1498 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1248 × 130/100 = █1622.

id=85510 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=40 | option_c=45 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=85511 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:11 and the first is 88, what is the second? | option_a=77 | option_b=88 | option_c=99 | option_d=176 | answer=B | explanation=Scale factor = 88/11 = 8. Therefore second quantity = 11×8 = 88.

id=85512 | topic=Averages | difficulty=Easy | question=Find the average of 46, 13, 15, 86, 91, 79. | option_a=57 | option_b=55 | option_c=54 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 330 ÷ 6 = 55.

id=85513 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12142 at 4% per annum for 5 years. | option_a=2428 | option_b=2528 | option_c=2328 | option_d=14570 | answer=A | explanation=SI = PRT/100 = 12142×4×5/100 = █2428.

id=85514 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=23 | option_c=36 | option_d=13 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=85515 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 36? | option_a=29 | option_b=26 | option_c=32 | option_d=36 | answer=D | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 36 is the odd one out.

id=85516 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=F | option_c=B | option_d=D | answer=B | explanation=Move 2 positions forward from D; the resulting letter is F.

id=85517 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 25, 34, 43, ? | option_a=52 | option_b=43 | option_c=53 | option_d=61 | answer=A | explanation=The common difference is 9. Therefore the next term is 43 + 9 = 52.

id=85518 | topic=Averages | difficulty=Easy | question=Find the average of 65, 38, 95, 41, 11, 20. | option_a=45 | option_b=44 | option_c=47 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 270 ÷ 6 = 45.

id=85519 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=85520 | topic=Profit & Loss | difficulty=Easy | question=An article costs █373. If it is sold at a profit of 20%, what is its selling price? | option_a=484 | option_b=410 | option_c=447 | option_d=393 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 373 × 120/100 = █447.

id=85521 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 29, 31, 36? | option_a=29 | option_b=27 | option_c=31 | option_d=36 | answer=D | explanation=The first three numbers increase by 2, so the next should be 33. Therefore 36 is the odd one out.

id=85522 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:15 and the first is 48, what is the second? | option_a=180 | option_b=184 | option_c=165 | option_d=228 | answer=A | explanation=Scale factor = 48/4 = 12. Therefore second quantity = 15×12 = 180.

id=85523 | topic=Percentages | difficulty=Easy | question=What is 5% of 1051? | option_a=62 | option_b=42 | option_c=104 | option_d=52 | answer=D | explanation=5% of 1051 = (5/100) × 1051 = 52.

id=85524 | topic=Averages | difficulty=Easy | question=Find the average of 37, 62, 16, 90, 23, 102. | option_a=55 | option_b=56 | option_c=57 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 330 ÷ 6 = 55.

id=85525 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 32, 39, 49? | option_a=25 | option_b=39 | option_c=32 | option_d=49 | answer=D | explanation=The first three numbers increase by 7, so the next should be 46. Therefore 49 is the odd one out.

id=85526 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=25 | option_b=26 | option_c=24 | option_d=22 | answer=C | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.

id=85527 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 24, 32, 40, ? | option_a=40 | option_b=48 | option_c=49 | option_d=56 | answer=B | explanation=The common difference is 8. Therefore the next term is 40 + 8 = 48.

id=85528 | topic=Averages | difficulty=Easy | question=Find the average of 94, 59, 22, 94, 33, 42, 86, 50. | option_a=59 | option_b=61 | option_c=62 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 480 ÷ 8 = 60.

id=85529 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1729. If it is sold at a profit of 10%, what is its selling price? | option_a=1739 | option_b=2073 | option_c=1729 | option_d=1901 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1729 × 110/100 = █1901.

id=85530 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 37, 44, 52? | option_a=44 | option_b=30 | option_c=52 | option_d=37 | answer=C | explanation=The first three numbers increase by 7, so the next should be 51. Therefore 52 is the odd one out.

Aptitude Questions — Records 85,531-85,560 of 100,000

id=85531 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:18 and the first is 60, what is the second? | option_a=186 | option_b=162 | option_c=180 | option_d=240 | answer=C | explanation=Scale factor = 60/6 = 10. Therefore second quantity = 18×10 = 180.

id=85532 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 42? | option_a=15 | option_b=23 | option_c=31 | option_d=42 | answer=D | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 42 is the odd one out.

id=85533 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=O | option_b=A | option_c=W | option_d=S | answer=C | explanation=Move 4 positions forward from S; the resulting letter is W.

id=85534 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=30 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=85535 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:17 and the first is 66, what is the second? | option_a=102 | option_b=113 | option_c=85 | option_d=168 | answer=A | explanation=Scale factor = 66/11 = 6. Therefore second quantity = 17×6 = 102.

id=85536 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=10 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=85537 | topic=Percentages | difficulty=Easy | question=What is 40% of 1759? | option_a=708 | option_b=703 | option_c=693 | option_d=1406 | answer=B | explanation=40% of 1759 = (40/100) × 1759 = 703.

id=85538 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 8. | option_a=56 | option_b=48 | option_c=84 | option_d=224 | answer=A | explanation=LCM × HCF = 28×8; HCF(28,8) = 4, so LCM = 56.

id=85539 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=95 | option_c=90 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=85540 | topic=Profit & Loss | difficulty=Easy | question=An article costs █361. If it is sold at a profit of 30%, what is its selling price? | option_a=469 | option_b=433 | option_c=505 | option_d=391 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 361 × 130/100 = █469.

id=85541 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45900 at 4% per annum for 3 years. | option_a=5508 | option_b=51408 | option_c=5408 | option_d=5608 | answer=A | explanation=SI = PRT/100 = 45900×4×3/100 = █5508.

id=85542 | topic=Percentages | difficulty=Easy | question=What is 5% of 1573? | option_a=156 | option_b=78 | option_c=68 | option_d=83 | answer=B | explanation=5% of 1573 = (5/100) × 1573 = 78.

id=85543 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=85544 | topic=Averages | difficulty=Easy | question=Find the average of 43, 56, 83, 83, 30, 96, 44, 30, 53, 82. | option_a=60 | option_b=59 | option_c=61 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=85545 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=85546 | topic=Averages | difficulty=Easy | question=Find the average of 92, 85, 35, 14, 65, 15. | option_a=53 | option_b=52 | option_c=50 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 306 ÷ 6 = 51.

id=85547 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=19 | option_c=48 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=85548 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=G | option_b=V | option_c=L | option_d=Q | answer=D | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=85549 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=43 | option_b=52 | option_c=32 | option_d=42 | answer=D | explanation=The common difference is 10. Therefore the next term is 32 + 10 = 42.

id=85550 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=I | option_b=L | option_c=F | option_d=C | answer=A | explanation=Move 3 positions forward from F; the resulting letter is I.

id=85551 | topic=Percentages | difficulty=Easy | question=What is 15% of 209? | option_a=62 | option_b=41 | option_c=31 | option_d=26 | answer=C | explanation=15% of 209 = (15/100) × 209 = 31.

id=85552 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=85553 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 23, 27, 32? | option_a=27 | option_b=19 | option_c=32 | option_d=23 | answer=C | explanation=The first three numbers increase by 4, so the next should be 31. Therefore 32 is the odd one out.

id=85554 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:12 and the first is 72, what is the second? | option_a=120 | option_b=66 | option_c=36 | option_d=48 | answer=D | explanation=Scale factor = 72/18 = 4. Therefore second quantity = 12×4 = 48.

id=85555 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=61 | option_b=72 | option_c=62 | option_d=50 | answer=A | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.

id=85556 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 22. | option_a=220 | option_b=198 | option_c=240 | option_d=440 | answer=A | explanation=LCM × HCF = 20×22; HCF(20,22) = 2, so LCM = 220.

id=85557 | topic=Averages | difficulty=Easy | question=Find the average of 41, 44, 24, 92, 51, 31, 90, 99, 23. | option_a=57 | option_b=56 | option_c=54 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.

id=85558 | topic=Percentages | difficulty=Easy | question=What is 15% of 411? | option_a=122 | option_b=61 | option_c=51 | option_d=71 | answer=B | explanation=15% of 411 = (15/100) × 411 = 61.

id=85559 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40529 at 12% per annum for 3 years. | option_a=55119 | option_b=14490 | option_c=14590 | option_d=14690 | answer=C | explanation=SI = PRT/100 = 40529×12×3/100 = █14590.

id=85560 | topic=Percentages | difficulty=Easy | question=What is 20% of 1202? | option_a=230 | option_b=240 | option_c=260 | option_d=480 | answer=B | explanation=20% of 1202 = (20/100) × 1202 = 240.

Aptitude Questions — Records 85,561-85,590 of 100,000

id=85561 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=57 | option_b=58 | option_c=45 | option_d=69 | answer=A | explanation=The common difference is 12. Therefore the next term is 45 + 12 = 57.

id=85562 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4566. If it is sold at a profit of 50%, what is its selling price? | option_a=4616 | option_b=7305 | option_c=6393 | option_d=6849 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4566 × 150/100 = █6849.

id=85563 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1111. If it is sold at a profit of 20%, what is its selling price? | option_a=1222 | option_b=1131 | option_c=1333 | option_d=1444 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1111 × 120/100 = █1333.

id=85564 | topic=Percentages | difficulty=Easy | question=What is 50% of 1989? | option_a=974 | option_b=1004 | option_c=1988 | option_d=994 | answer=D | explanation=50% of 1989 = (50/100) × 1989 = 994.

id=85565 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=85566 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:1 and the first is 72, what is the second? | option_a=18 | option_b=5 | option_c=78 | option_d=6 | answer=D | explanation=Scale factor = 72/12 = 6. Therefore second quantity = 1×6 = 6.

id=85567 | topic=Percentages | difficulty=Easy | question=What is 20% of 457? | option_a=91 | option_b=96 | option_c=182 | option_d=86 | answer=A | explanation=20% of 457 = (20/100) × 457 = 91.

id=85568 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=36 | option_b=54 | option_c=46 | option_d=45 | answer=D | explanation=The common difference is 9. Therefore the next term is 36 + 9 = 45.

id=85569 | topic=Averages | difficulty=Easy | question=Find the average of 58, 86, 60. | option_a=70 | option_b=69 | option_c=68 | option_d=67 | answer=C | explanation=Average = sum of values + number of values = 204 ÷ 3 = 68.

id=85570 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:18 and the first is 100, what is the second? | option_a=280 | option_b=190 | option_c=180 | option_d=162 | answer=C | explanation=Scale factor = 100/10 = 10. Therefore second quantity = 18×10 = 180.

id=85571 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34493 at 4% per annum for 2 years. | option_a=2659 | option_b=2759 | option_c=2859 | option_d=37252 | answer=B | explanation=SI = PRT/100 = 34493×4×2/100 = █2759.

id=85572 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4606. If it is sold at a profit of 5%, what is its selling price? | option_a=4611 | option_b=5296 | option_c=4836 | option_d=4376 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4606 × 105/100 = █4836.

id=85573 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2202 at 4% per annum for 3 years. | option_a=2466 | option_b=364 | option_c=264 | option_d=164 | answer=C | explanation=SI = PRT/100 = 2202×4×3/100 = █264.

id=85574 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 14, 18, 24? | option_a=18 | option_b=24 | option_c=10 | option_d=14 | answer=B | explanation=The first three numbers increase by 4, so the next should be 22. Therefore 24 is the odd one out.

id=85575 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=85576 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 30. | option_a=60 | option_b=360 | option_c=72 | option_d=30 | answer=A | explanation=LCM × HCF = 12×30; HCF(12,30) = 6, so LCM = 60.

id=85577 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=P | option_b=R | option_c=V | option_d=T | answer=D | explanation=Move 2 positions forward from R; the resulting letter is T.

id=85578 | topic=Percentages | difficulty=Easy | question=What is 15% of 917? | option_a=137 | option_b=132 | option_c=157 | option_d=274 | answer=A | explanation=15% of 917 = (15/100) × 917 = 137.

id=85579 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=T | option_c=S | option_d=R | answer=B | explanation=Move 1 positions forward from S; the resulting letter is T.

id=85580 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:19 and the first is 80, what is the second? | option_a=304 | option_b=309 | option_c=285 | option_d=384 | answer=A | explanation=Scale factor = 80/5 = 16. Therefore second quantity = 19×16 = 304.

id=85581 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=85582 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44474 at 4% per annum for 1 years. | option_a=1878 | option_b=1678 | option_c=46252 | option_d=1778 | answer=D | explanation=SI = PRT/100 = 44474×4×1/100 = █1778.

id=85583 | topic=Averages | difficulty=Easy | question=Find the average of 78, 22, 22, 47, 81, 78, 65, 29, 73. | option_a=55 | option_b=56 | option_c=57 | option_d=54 | answer=A | explanation=Average = sum of values + number of values = 495 ÷ 9 = 55.

id=85584 | topic=Averages | difficulty=Easy | question=Find the average of 43, 71, 24, 83, 64, 27. | option_a=51 | option_b=54 | option_c=52 | option_d=53 | answer=C | explanation=Average = sum of values + number of values = 312 ÷ 6 = 52.

id=85585 | topic=Percentages | difficulty=Easy | question=What is 30% of 1475? | option_a=452 | option_b=432 | option_c=884 | option_d=442 | answer=D | explanation=30% of 1475 = (30/100) × 1475 = 442.

id=85586 | topic=Profit & Loss | difficulty=Easy | question=An article costs █263. If it is sold at a profit of 25%, what is its selling price? | option_a=328 | option_b=302 | option_c=288 | option_d=354 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 263 × 125/100 = █328.

id=85587 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=80 | option_c=75 | option_d=70 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=85588 | topic=Averages | difficulty=Easy | question=Find the average of 45, 82, 53, 29, 70, 48, 83, 14. | option_a=54 | option_b=53 | option_c=55 | option_d=52 | answer=B | explanation=Average = sum of values + number of values = 424 ÷ 8 = 53.

id=85589 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=90 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=85590 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=72 | option_c=31 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

Aptitude Questions — Records 85,591-85,620 of 100,000

id=85591 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2136. If it is sold at a profit of 30%, what is its selling price? | option_a=2776 | option_b=2563 | option_c=2989 | option_d=2166 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2136 × 130/100 = █2776.

id=85592 | topic=Percentages | difficulty=Easy | question=What is 20% of 536? | option_a=127 | option_b=107 | option_c=102 | option_d=214 | answer=B | explanation=20% of 536 = (20/100) × 536 = 107.

id=85593 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=85594 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 13, 17, 21, ? | option_a=21 | option_b=29 | option_c=26 | option_d=25 | answer=D | explanation=The common difference is 4. Therefore the next term is 21 + 4 = 25.

id=85595 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=62 | option_b=51 | option_c=63 | option_d=73 | answer=A | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.

id=85596 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=85597 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=85598 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=E | option_c=A | option_d=M | answer=A | explanation=Move 4 positions forward from E; the resulting letter is I.

id=85599 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:9 and the first is 50, what is the second? | option_a=55 | option_b=45 | option_c=95 | option_d=36 | answer=B | explanation=Scale factor = 50/10 = 5. Therefore second quantity = 9×5 = 45.

id=85600 | topic=Averages | difficulty=Easy | question=Find the average of 11, 37, 10, 26, 27, 39. | option_a=26 | option_b=27 | option_c=24 | option_d=25 | answer=D | explanation=Average = sum of values ÷ number of values = 150 ÷ 6 = 25.

id=85601 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23850 at 5% per annum for 1 years. | option_a=1192 | option_b=25042 | option_c=1292 | option_d=1092 | answer=A | explanation=SI = PRT/100 = 23850×5×1/100 = █1192.

id=85602 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 25, 27, 30? | option_a=27 | option_b=30 | option_c=25 | option_d=23 | answer=B | explanation=The first three numbers increase by 2, so the next should be 29. Therefore 30 is the odd one out.

id=85603 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 39? | option_a=10 | option_b=28 | option_c=39 | option_d=19 | answer=C | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 39 is the odd one out.

id=85604 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:9 and the first is 85, what is the second? | option_a=158 | option_b=153 | option_c=144 | option_d=238 | answer=B | explanation=Scale factor = 85/5 = 17. Therefore second quantity = 9×17 = 153.

id=85605 | topic=Percentages | difficulty=Easy | question=What is 15% of 994? | option_a=149 | option_b=139 | option_c=169 | option_d=298 | answer=A | explanation=15% of 994 = (15/100) × 994 = 149.

id=85606 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=85 | option_c=80 | option_d=160 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=85607 | topic=Averages | difficulty=Easy | question=Find the average of 57, 48, 21, 57, 48, 95, 52. | option_a=54 | option_b=55 | option_c=56 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

id=85608 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45094 at 10% per annum for 2 years. | option_a=9118 | option_b=8918 | option_c=9018 | option_d=54112 | answer=C | explanation=SI = PRT/100 = 45094×10×2/100 = █9018.

id=85609 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 9. | option_a=12 | option_b=9 | option_c=27 | option_d=1 | answer=B | explanation=LCM × HCF = 3×9; HCF(3,9) = 3, so LCM = 9.

id=85610 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=85611 | topic=Percentages | difficulty=Easy | question=What is 20% of 606? | option_a=242 | option_b=121 | option_c=141 | option_d=116 | answer=B | explanation=20% of 606 = (20/100) × 606 = 121.

id=85612 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=G | option_b=J | option_c=H | option_d=I | answer=D | explanation=Move 1 positions forward from H; the resulting letter is I.

id=85613 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=35 | option_b=45 | option_c=40 | option_d=41 | answer=C | explanation=The common difference is 5. Therefore the next term is 35 + 5 = 40.

id=85614 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:4 and the first is 171, what is the second? | option_a=207 | option_b=36 | option_c=32 | option_d=55 | answer=B | explanation=Scale factor = 171/19 = 9. Therefore second quantity = 4×9 = 36.

id=85615 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=85616 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 9. | option_a=216 | option_b=96 | option_c=72 | option_d=63 | answer=C | explanation=LCM × HCF = 24×9; HCF(24,9) = 3, so LCM = 72.

id=85617 | topic=Number System | difficulty=Easy | question=Find the LCM of 11 and 22. | option_a=242 | option_b=33 | option_c=1 | option_d=22 | answer=D | explanation=LCM × HCF = 11×22; HCF(11,22) = 11, so LCM = 22.

id=85618 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=25 | option_b=29 | option_c=24 | option_d=19 | answer=C | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.

id=85619 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:15 and the first is 63, what is the second? | option_a=135 | option_b=198 | option_c=142 | option_d=120 | answer=A | explanation=Scale factor = 63/7 = 9. Therefore second quantity = 15×9 = 135.

id=85620 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=51 | option_b=63 | option_c=39 | option_d=52 | answer=A | explanation=The common difference is 12. Therefore the next term is 39 + 12 = 51.

Aptitude Questions — Records 85,621-85,650 of 100,000

id=85621 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:2 and the first is 68, what is the second? | option_a=34 | option_b=38 | option_c=102 | option_d=32 | answer=A | explanation=Scale factor = 68/4 = 17. Therefore second quantity = 2×17 = 34.

id=85622 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=85623 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 36, 44, 53? | option_a=53 | option_b=28 | option_c=36 | option_d=44 | answer=A | explanation=The first three numbers increase by 8, so the next should be 52. Therefore 53 is the odd one out.

id=85624 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=7 | option_c=24 | option_d=17 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=85625 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 24? | option_a=5 | option_b=17 | option_c=24 | option_d=11 | answer=C | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 24 is the odd one out.

id=85626 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=34 | option_b=30 | option_c=29 | option_d=24 | answer=C | explanation=The common difference is 5. Therefore the next term is 24 + 5 = 29.

id=85627 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=85628 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3459. If it is sold at a profit of 30%, what is its selling price? | option_a=3489 | option_b=4496 | option_c=4841 | option_d=4151 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3459 × 130/100 = █4496.

id=85629 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 27, 39, 51, ? | option_a=51 | option_b=64 | option_c=75 | option_d=63 | answer=D | explanation=The common difference is 12. Therefore the next term is 51 + 12 = 63.

id=85630 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 34, 39, 47? | option_a=47 | option_b=34 | option_c=29 | option_d=39 | answer=A | explanation=The first three numbers increase by 5, so the next should be 44. Therefore 47 is the odd one out.

id=85631 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40591 at 6% per annum for 4 years. | option_a=9741 | option_b=50332 | option_c=9641 | option_d=9841 | answer=A | explanation=SI = PRT/100 = 40591×6×4/100 = █9741.

id=85632 | topic=Averages | difficulty=Easy | question=Find the average of 56, 69, 37, 84, 59, 17, 66, 36. | option_a=52 | option_b=53 | option_c=55 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.

id=85633 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44929 at 12% per annum for 2 years. | option_a=10882 | option_b=55711 | option_c=10682 | option_d=10782 | answer=D | explanation=SI = PRT/100 = 44929×12×2/100 = █10782.

id=85634 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4406. If it is sold at a profit of 20%, what is its selling price? | option_a=5272 | option_b=4426 | option_c=5287 | option_d=4847 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4406 × 120/100 = █5287.

id=85635 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=67 | option_c=144 | option_d=77 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=85636 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=K | option_b=M | option_c=Q | option_d=O | answer=D | explanation=Move 2 positions forward from M; the resulting letter is O.

id=85637 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=M | option_b=N | option_c=P | option_d=O | answer=D | explanation=Move 1 positions forward from N; the resulting letter is O.

id=85638 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 9, 11, 16? | option_a=16 | option_b=11 | option_c=7 | option_d=9 | answer=A | explanation=The first three numbers increase by 2, so the next should be 13. Therefore 16 is the odd one out.

id=85639 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3653. If it is sold at a profit of 50%, what is its selling price? | option_a=3703 | option_b=5114 | option_c=5844 | option_d=5479 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3653 × 150/100 = █5479.

id=85640 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22249 at 8% per annum for 4 years. | option_a=7119 | option_b=29368 | option_c=7219 | option_d=7019 | answer=A | explanation=SI = PRT/100 = 22249×8×4/100 = █7119.

id=85641 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=8 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=85642 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=68 | option_b=56 | option_c=69 | option_d=80 | answer=A | explanation=The common difference is 12. Therefore the next term is 56 + 12 = 68.

id=85643 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=G | option_b=P | option_c=M | option_d=J | answer=C | explanation=Move 3 positions forward from J; the resulting letter is M.

id=85644 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=A | option_c=I | option_d=W | answer=A | explanation=Move 4 positions forward from A; the resulting letter is E.

id=85645 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=20 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=85646 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 24, 32, 43? | option_a=32 | option_b=24 | option_c=16 | option_d=43 | answer=D | explanation=The first three numbers increase by 8, so the next should be 40. Therefore 43 is the odd one out.

id=85647 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30984 at 5% per annum for 5 years. | option_a=38730 | option_b=7746 | option_c=7846 | option_d=7646 | answer=B | explanation=SI = PRT/100 = 30984×5×5/100 = █7746.

id=85648 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29953 at 15% per annum for 4 years. | option_a=47924 | option_b=17871 | option_c=18071 | option_d=17971 | answer=D | explanation=SI = PRT/100 = 29953×15×4/100 = █17971.

id=85649 | topic=Percentages | difficulty=Easy | question=What is 30% of 691? | option_a=197 | option_b=414 | option_c=212 | option_d=207 | answer=D | explanation=30% of 691 = (30/100) × 691 = 207.

id=85650 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7736 at 6% per annum for 3 years. | option_a=1292 | option_b=1492 | option_c=1392 | option_d=9128 | answer=C | explanation=SI = PRT/100 = 7736×6×3/100 = █1392.

Aptitude Questions — Records 85,651-85,680 of 100,000

id=85651 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=S | option_c=U | option_d=Q | answer=C | explanation=Move 2 positions forward from S; the resulting letter is U.

id=85652 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 30. | option_a=120 | option_b=150 | option_c=750 | option_d=175 | answer=B | explanation=LCM × HCF = 25×30; HCF(25,30) = 5, so LCM = 150.

id=85653 | topic=Averages | difficulty=Easy | question=Find the average of 59, 65, 93, 26, 25, 72, 43, 81. | option_a=57 | option_b=60 | option_c=58 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 464 ÷ 8 = 58.

id=85654 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=96 | option_c=43 | option_d=53 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=85655 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=39 | option_b=47 | option_c=55 | option_d=48 | answer=B | explanation=The common difference is 8. Therefore the next term is 39 + 8 = 47.

id=85656 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=D | option_c=C | option_d=B | answer=B | explanation=Move 1 positions forward from C; the resulting letter is D.

id=85657 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3063. If it is sold at a profit of 40%, what is its selling price? | option_a=3103 | option_b=4594 | option_c=3982 | option_d=4288 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3063 × 140/100 = █4288.

id=85658 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9934 at 15% per annum for 3 years. | option_a=4470 | option_b=4570 | option_c=4370 | option_d=14404 | answer=A | explanation=SI = PRT/100 = 9934×15×3/100 = █4470.

id=85659 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:16 and the first is 52, what is the second? | option_a=48 | option_b=77 | option_c=64 | option_d=116 | answer=C | explanation=Scale factor = 52/13 = 4. Therefore second quantity = 16×4 = 64.

id=85660 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19060 at 10% per annum for 1 years. | option_a=2006 | option_b=20966 | option_c=1906 | option_d=1806 | answer=C | explanation=SI = PRT/100 = 19060×10×1/100 = █1906.

id=85661 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 16, 25, 36? | option_a=16 | option_b=36 | option_c=25 | option_d=7 | answer=B | explanation=The first three numbers increase by 9, so the next should be 34. Therefore 36 is the odd one out.

id=85662 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 4. | option_a=8 | option_b=4 | option_c=1 | option_d=16 | answer=B | explanation=LCM × HCF = 4×4; HCF(4,4) = 4, so LCM = 4.

id=85663 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 21, 23, 25, ? | option_a=29 | option_b=25 | option_c=27 | option_d=28 | answer=C | explanation=The common difference is 2. Therefore the next term is 25 + 2 = 27.

id=85664 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=85665 | topic=Averages | difficulty=Easy | question=Find the average of 77, 12, 77, 32, 80, 28. | option_a=53 | option_b=52 | option_c=50 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 306 ÷ 6 = 51.

id=85666 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39106 at 5% per annum for 5 years. | option_a=9776 | option_b=48882 | option_c=9676 | option_d=9876 | answer=A | explanation=SI = PRT/100 = 39106×5×5/100 = █9776.

id=85667 | topic=Averages | difficulty=Easy | question=Find the average of 42, 85, 71. | option_a=65 | option_b=68 | option_c=66 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 198 ÷ 3 = 66.

id=85668 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=22 | option_b=25 | option_c=19 | option_d=23 | answer=A | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.

id=85669 | topic=Averages | difficulty=Easy | question=Find the average of 97, 59, 51, 24, 14, 97, 61, 42, 46, 99. | option_a=59 | option_b=60 | option_c=58 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 590 ÷ 10 = 59.

id=85670 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:2 and the first is 84, what is the second? | option_a=96 | option_b=26 | option_c=12 | option_d=10 | answer=C | explanation=Scale factor = 84/14 = 6. Therefore second quantity = 2×6 = 12.

id=85671 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=12 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=85672 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 24. | option_a=144 | option_b=168 | option_c=336 | option_d=182 | answer=B | explanation=LCM × HCF = 14×24; HCF(14,24) = 2, so LCM = 168.

id=85673 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=85674 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3254. If it is sold at a profit of 10%, what is its selling price? | option_a=3904 | option_b=3264 | option_c=3254 | option_d=3579 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3254 × 110/100 = █3579.

id=85675 | topic=Profit & Loss | difficulty=Easy | question=An article costs █579. If it is sold at a profit of 40%, what is its selling price? | option_a=619 | option_b=867 | option_c=753 | option_d=810 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 579 × 140/100 = █810.

id=85676 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4755 at 10% per annum for 5 years. | option_a=2377 | option_b=7132 | option_c=2277 | option_d=2477 | answer=A | explanation=SI = PRT/100 = 4755×10×5/100 = █2377.

id=85677 | topic=Percentages | difficulty=Easy | question=What is 30% of 551? | option_a=165 | option_b=185 | option_c=330 | option_d=145 | answer=A | explanation=30% of 551 = (30/100) × 551 = 165.

id=85678 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=85679 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 18. | option_a=108 | option_b=126 | option_c=252 | option_d=140 | answer=B | explanation=LCM × HCF = 14×18; HCF(14,18) = 2, so LCM = 126.

id=85680 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=25 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

Aptitude Questions — Records 85,681-85,710 of 100,000

id=85681 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48970 at 12% per annum for 3 years. | option_a=17729 | option_b=17529 | option_c=66599 | option_d=17629 | answer=D | explanation=SI = PRT/100 = 48970×12×3/100 = **■**17629.

id=85682 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**452. If it is sold at a profit of 30%, what is its selling price? | option_a=632 | option_b=542 | option_c=482 | option_d=587 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 452 × 130/100 = **■**587.

id=85683 | topic=Percentages | difficulty=Easy | question=What is 15% of 714? | option_a=107 | option_b=127 | option_c=87 | option_d=214 | answer=A | explanation=15% of 714 = (15/100) × 714 = 107.

id=85684 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=1 | option_c=12 | option_d=11 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=85685 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11714 at 15% per annum for 1 years. | option_a=1857 | option_b=13471 | option_c=1757 | option_d=1657 | answer=C | explanation=SI = PRT/100 = 11714×15×1/100 = **■**1757.

id=85686 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=L | option_c=P | option_d=J | answer=A | explanation=Move 2 positions forward from L; the resulting letter is N.

id=85687 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 31, 39, 50? | option_a=23 | option_b=50 | option_c=31 | option_d=39 | answer=B | explanation=The first three numbers increase by 8, so the next should be 47. Therefore 50 is the odd one out.

id=85688 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4090. If it is sold at a profit of 20%, what is its selling price? | option_a=4908 | option_b=4110 | option_c=4499 | option_d=5317 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4090 × 120/100 = **■**4908.

id=85689 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17893 at 5% per annum for 1 years. | option_a=18787 | option_b=794 | option_c=894 | option_d=994 | answer=C | explanation=SI = PRT/100 = 17893×5×1/100 = **■**894.

id=85690 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=85691 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:14 and the first is 34, what is the second? | option_a=62 | option_b=45 | option_c=14 | option_d=28 | answer=D | explanation=Scale factor = 34/17 = 2. Therefore second quantity = 14×2 = 28.

id=85692 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1957. If it is sold at a profit of 20%, what is its selling price? | option_a=2348 | option_b=2543 | option_c=2153 | option_d=1977 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1957 × 120/100 = **■**2348.

id=85693 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=P | option_b=O | option_c=N | option_d=Q | answer=A | explanation=Move 1 positions forward from O; the resulting letter is P.

id=85694 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=85695 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**564. If it is sold at a profit of 40%, what is its selling price? | option_a=789 | option_b=845 | option_c=604 | option_d=733 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 564 × 140/100 = **■**789.

id=85696 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34383 at 12% per annum for 3 years. | option_a=12477 | option_b=12277 | option_c=12377 | option_d=46760 | answer=C | explanation=SI = PRT/100 = 34383×12×3/100 = **■**12377.

id=85697 | topic=Averages | difficulty=Easy | question=Find the average of 13, 67, 85. | option_a=55 | option_b=57 | option_c=56 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 165 ÷ 3 = 55.

id=85698 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=85699 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=36 | option_b=29 | option_c=41 | option_d=35 | answer=D | explanation=The common difference is 6. Therefore the next term is 29 + 6 = 35.

id=85700 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=J | option_c=S | option_d=P | answer=D | explanation=Move 3 positions forward from M; the resulting letter is P.

id=85701 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**315. If it is sold at a profit of 40%, what is its selling price? | option_a=472 | option_b=441 | option_c=355 | option_d=410 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 315 × 140/100 = **■**441.

id=85702 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 45? | option_a=24 | option_b=45 | option_c=36 | option_d=30 | answer=B | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 45 is the odd one out.

id=85703 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=85704 | topic=Percentages | difficulty=Easy | question=What is 12% of 385? | option_a=46 | option_b=92 | option_c=41 | option_d=56 | answer=A | explanation=12% of 385 = (12/100) × 385 = 46.

id=85705 | topic=Averages | difficulty=Easy | question=Find the average of 78, 70, 53, 17, 13, 94, 88. | option_a=61 | option_b=59 | option_c=60 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 413 ÷ 7 = 59.

id=85706 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2211. If it is sold at a profit of 15%, what is its selling price? | option_a=2542 | option_b=2226 | option_c=2321 | option_d=2763 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2211 × 115/100 = **■**2542.

id=85707 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:1 and the first is 76, what is the second? | option_a=19 | option_b=23 | option_c=18 | option_d=95 | answer=A | explanation=Scale factor = 76/4 = 19. Therefore second quantity = 1×19 = 19.

id=85708 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=150 | option_d=70 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=85709 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=85710 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 10. | option_a=20 | option_b=30 | option_c=60 | option_d=36 | answer=B | explanation=LCM × HCF = 6×10; HCF(6,10) = 2, so LCM = 30.

Aptitude Questions — Records 85,711-85,740 of 100,000

id=85711 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=85712 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=38 | option_b=32 | option_c=44 | option_d=39 | answer=A | explanation=The common difference is 6. Therefore the next term is 32 + 6 = 38.

id=85713 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=38 | option_b=60 | option_c=49 | option_d=50 | answer=C | explanation=The common difference is 11. Therefore the next term is 38 + 11 = 49.

id=85714 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:10 and the first is 39, what is the second? | option_a=133 | option_b=169 | option_c=130 | option_d=120 | answer=C | explanation=Scale factor = 39/3 = 13. Therefore second quantity = 10×13 = 130.

id=85715 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=B | option_c=D | option_d=E | answer=C | explanation=Move 1 positions forward from C; the resulting letter is D.

id=85716 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=15 | option_b=18 | option_c=12 | option_d=16 | answer=A | explanation=The common difference is 3. Therefore the next term is 12 + 3 = 15.

id=85717 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28904 at 12% per annum for 5 years. | option_a=17442 | option_b=17242 | option_c=46246 | option_d=17342 | answer=D | explanation=SI = PRT/100 = 28904×12×5/100 = **■**17342.

id=85718 | topic=Averages | difficulty=Easy | question=Find the average of 68, 52, 57, 72, 40, 53. | option_a=59 | option_b=56 | option_c=57 | option_d=58 | answer=C | explanation=Average = sum of values + number of values = 342 ÷ 6 = 57.

id=85719 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=85720 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=Z | option_b=B | option_c=C | option_d=A | answer=B | explanation=Move 1 positions forward from A; the resulting letter is B.

id=85721 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:15 and the first is 10, what is the second? | option_a=160 | option_b=151 | option_c=135 | option_d=150 | answer=D | explanation=Scale factor = 10/1 = 10. Therefore second quantity = 15×10 = 150.

id=85722 | topic=Averages | difficulty=Easy | question=Find the average of 68, 23, 24, 73. | option_a=47 | option_b=49 | option_c=46 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = 188 ÷ 4 = 47.

id=85723 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=54 | option_b=64 | option_c=44 | option_d=55 | answer=A | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=85724 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=5 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=85725 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8461 at 8% per annum for 4 years. | option_a=11168 | option_b=2607 | option_c=2807 | option_d=2707 | answer=D | explanation=SI = PRT/100 = 8461×8×4/100 = **■**2707.

id=85726 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=85727 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=185 | option_c=180 | option_d=360 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=85728 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 20. | option_a=400 | option_b=1 | option_c=20 | option_d=40 | answer=C | explanation=LCM × HCF = 20×20; HCF(20,20) = 20, so LCM = 20.

id=85729 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3093. If it is sold at a profit of 40%, what is its selling price? | option_a=4330 | option_b=3133 | option_c=4021 | option_d=4639 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3093 × 140/100 = **■**4330.

id=85730 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 17? | option_a=17 | option_b=13 | option_c=9 | option_d=11 | answer=A | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 17 is the odd one out.

id=85731 | topic=Percentages | difficulty=Easy | question=What is 40% of 1660? | option_a=669 | option_b=659 | option_c=664 | option_d=1328 | answer=C | explanation=40% of 1660 = (40/100) × 1660 = 664.

id=85732 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23526 at 15% per annum for 3 years. | option_a=10486 | option_b=10586 | option_c=34112 | option_d=10686 | answer=B | explanation=SI = PRT/100 = 23526×15×3/100 = **■**10586.

id=85733 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=S | option_c=N | option_d=D | answer=C | explanation=Move 5 positions forward from I; the resulting letter is N.

id=85734 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3127. If it is sold at a profit of 10%, what is its selling price? | option_a=3137 | option_b=3439 | option_c=3751 | option_d=3127 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3127 × 110/100 = **■**3439.

id=85735 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=M | option_b=S | option_c=P | option_d=V | answer=B | explanation=Move 3 positions forward from P; the resulting letter is S.

id=85736 | topic=Percentages | difficulty=Easy | question=What is 25% of 90? | option_a=44 | option_b=22 | option_c=32 | option_d=2 | answer=B | explanation=25% of 90 = (25/100) × 90 = 22.

id=85737 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 30? | option_a=16 | option_b=24 | option_c=30 | option_d=20 | answer=C | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 30 is the odd one out.

id=85738 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 35, 40, 48? | option_a=35 | option_b=40 | option_c=48 | option_d=30 | answer=C | explanation=The first three numbers increase by 5, so the next should be 45. Therefore 48 is the odd one out.

id=85739 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=85740 | topic=Percentages | difficulty=Easy | question=What is 40% of 1032? | option_a=422 | option_b=412 | option_c=407 | option_d=824 | answer=B | explanation=40% of 1032 = (40/100) × 1032 = 412.

Aptitude Questions — Records 85,741-85,770 of 100,000

id=85741 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 18, 25, 33? | option_a=25 | option_b=11 | option_c=33 | option_d=18 | answer=C | explanation=The first three numbers increase by 7, so the next should be 32. Therefore 33 is the odd one out.

id=85742 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 10. | option_a=20 | option_b=300 | option_c=30 | option_d=60 | answer=C | explanation=LCM × HCF = 30×10; HCF(30,10) = 10, so LCM = 30.

id=85743 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=6 | option_c=11 | option_d=1 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=85744 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 16. | option_a=64 | option_b=1 | option_c=20 | option_d=16 | answer=D | explanation=LCM × HCF = 4×16; HCF(4,16) = 4, so LCM = 16.

id=85745 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 29? | option_a=24 | option_b=20 | option_c=29 | option_d=16 | answer=C | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 29 is the odd one out.

id=85746 | topic=Averages | difficulty=Easy | question=Find the average of 98, 23, 85, 30, 44. | option_a=55 | option_b=56 | option_c=58 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 280 ÷ 5 = 56.

id=85747 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=51 | option_b=39 | option_c=61 | option_d=50 | answer=D | explanation=The common difference is 11. Therefore the next term is 39 + 11 = 50.

id=85748 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=D | option_b=O | option_c=Y | option_d=T | answer=C | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=85749 | topic=Percentages | difficulty=Easy | question=What is 15% of 1019? | option_a=142 | option_b=162 | option_c=304 | option_d=152 | answer=D | explanation=15% of 1019 = (15/100) × 1019 = 152.

id=85750 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21986 at 6% per annum for 3 years. | option_a=25943 | option_b=3857 | option_c=4057 | option_d=3957 | answer=D | explanation=SI = PRT/100 = 21986×6×3/100 = **■**3957.

id=85751 | topic=Averages | difficulty=Easy | question=Find the average of 46, 17, 55, 24, 53, 63, 57. | option_a=45 | option_b=47 | option_c=44 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 315 ÷ 7 = 45.

id=85752 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=85753 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3547. If it is sold at a profit of 30%, what is its selling price? | option_a=3577 | option_b=4257 | option_c=4611 | option_d=4965 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3547 × 130/100 = **■**4611.

id=85754 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=N | option_c=L | option_d=O | answer=B | explanation=Move 1 positions forward from M; the resulting letter is N.

id=85755 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=33 | option_b=27 | option_c=39 | option_d=34 | answer=A | explanation=The common difference is 6. Therefore the next term is 27 + 6 = 33.

id=85756 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=12 | option_b=9 | option_c=13 | option_d=11 | answer=D | explanation=The common difference is 2. Therefore the next term is 9 + 2 = 11.

id=85757 | topic=Averages | difficulty=Easy | question=Find the average of 73, 84, 12, 43, 16, 68, 19. | option_a=46 | option_b=47 | option_c=44 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 315 ÷ 7 = 45.

id=85758 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 6. | option_a=56 | option_b=84 | option_c=36 | option_d=42 | answer=D | explanation=LCM × HCF = 14×6; HCF(14,6) = 2, so LCM = 42.

id=85759 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 18, 28, 38, ? | option_a=49 | option_b=48 | option_c=58 | option_d=38 | answer=B | explanation=The common difference is 10. Therefore the next term is 38 + 10 = 48.

id=85760 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 38? | option_a=31 | option_b=21 | option_c=38 | option_d=26 | answer=C | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 38 is the odd one out.

id=85761 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:6 and the first is 24, what is the second? | option_a=96 | option_b=72 | option_c=66 | option_d=74 | answer=B | explanation=Scale factor = 24/2 = 12. Therefore second quantity = 6×12 = 72.

id=85762 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:4 and the first is 49, what is the second? | option_a=77 | option_b=24 | option_c=28 | option_d=35 | answer=C | explanation=Scale factor = 49/7 = 7. Therefore second quantity = 4×7 = 28.

id=85763 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44760 at 10% per annum for 4 years. | option_a=18004 | option_b=17804 | option_c=17904 | option_d=62664 | answer=C | explanation=SI = PRT/100 = 44760×10×4/100 = **■**17904.

id=85764 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 21, 27, 35? | option_a=35 | option_b=27 | option_c=21 | option_d=15 | answer=A | explanation=The first three numbers increase by 6, so the next should be 33. Therefore 35 is the odd one out.

id=85765 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=85766 | topic=Percentages | difficulty=Easy | question=What is 30% of 1764? | option_a=549 | option_b=1058 | option_c=529 | option_d=519 | answer=C | explanation=30% of 1764 = (30/100) × 1764 = 529.

id=85767 | topic=Averages | difficulty=Easy | question=Find the average of 92, 63, 79, 66. | option_a=75 | option_b=74 | option_c=76 | option_d=77 | answer=A | explanation=Average = sum of values ÷ number of values = 300 ÷ 4 = 75.

id=85768 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3826 at 12% per annum for 2 years. | option_a=4744 | option_b=918 | option_c=818 | option_d=1018 | answer=B | explanation=SI = PRT/100 = 3826×12×2/100 = **■**918.

id=85769 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3490. If it is sold at a profit of 30%, what is its selling price? | option_a=4537 | option_b=4886 | option_c=3520 | option_d=4188 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3490 × 130/100 = **■**4537.

id=85770 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:18 and the first is 112, what is the second? | option_a=126 | option_b=256 | option_c=158 | option_d=144 | answer=D | explanation=Scale factor = 112/14 = 8. Therefore second quantity = 18×8 = 144.

Aptitude Questions — Records 85,771-85,800 of 100,000

id=85771 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=85772 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3319. If it is sold at a profit of 15%, what is its selling price? | option_a=4147 | option_b=3334 | option_c=3485 | option_d=3816 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3319 × 115/100 = █3816.

id=85773 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=M | option_b=N | option_c=K | option_d=L | answer=A | explanation=Move 1 positions forward from L; the resulting letter is M.

id=85774 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=4 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=85775 | topic=Averages | difficulty=Easy | question=Find the average of 61, 56, 75. | option_a=64 | option_b=66 | option_c=63 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 192 ÷ 3 = 64.

id=85776 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4496. If it is sold at a profit of 10%, what is its selling price? | option_a=4496 | option_b=4945 | option_c=5394 | option_d=4506 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4496 × 110/100 = █4945.

id=85777 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=C | option_b=E | option_c=F | option_d=D | answer=B | explanation=Move 1 positions forward from D; the resulting letter is E.

id=85778 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1090 at 6% per annum for 2 years. | option_a=230 | option_b=1220 | option_c=30 | option_d=130 | answer=D | explanation=SI = PRT/100 = 1090×6×2/100 = █130.

id=85779 | topic=Percentages | difficulty=Easy | question=What is 15% of 1603? | option_a=230 | option_b=240 | option_c=480 | option_d=260 | answer=B | explanation=15% of 1603 = (15/100) × 1603 = 240.

id=85780 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=K | option_b=I | option_c=L | option_d=J | answer=A | explanation=Move 1 positions forward from J; the resulting letter is K.

id=85781 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=85782 | topic=Averages | difficulty=Easy | question=Find the average of 74, 91, 72. | option_a=81 | option_b=78 | option_c=80 | option_d=79 | answer=D | explanation=Average = sum of values ÷ number of values = 237 ÷ 3 = 79.

id=85783 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 22, 27, 32, ? | option_a=32 | option_b=37 | option_c=38 | option_d=42 | answer=B | explanation=The common difference is 5. Therefore the next term is 32 + 5 = 37.

id=85784 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1344. If it is sold at a profit of 25%, what is its selling price? | option_a=1369 | option_b=1680 | option_c=1814 | option_d=1546 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1344 × 125/100 = █1680.

id=85785 | topic=Percentages | difficulty=Easy | question=What is 25% of 250? | option_a=67 | option_b=52 | option_c=124 | option_d=62 | answer=D | explanation=25% of 250 = (25/100) × 250 = 62.

id=85786 | topic=Averages | difficulty=Easy | question=Find the average of 54, 99, 10, 34, 78, 96, 52, 33. | option_a=57 | option_b=59 | option_c=58 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

id=85787 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4580. If it is sold at a profit of 5%, what is its selling price? | option_a=4585 | option_b=4351 | option_c=4809 | option_d=5267 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4580 × 105/100 = █4809.

id=85788 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 10, 18, 27? | option_a=2 | option_b=18 | option_c=27 | option_d=10 | answer=C | explanation=The first three numbers increase by 8, so the next should be 26. Therefore 27 is the odd one out.

id=85789 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 20, 28, 37? | option_a=12 | option_b=20 | option_c=28 | option_d=37 | answer=D | explanation=The first three numbers increase by 8, so the next should be 36. Therefore 37 is the odd one out.

id=85790 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=X | option_c=C | option_d=N | answer=B | explanation=Move 5 positions forward from S; the resulting letter is X.

id=85791 | topic=Averages | difficulty=Easy | question=Find the average of 81, 100, 84, 10, 90, 17, 94. | option_a=68 | option_b=67 | option_c=70 | option_d=69 | answer=A | explanation=Average = sum of values ÷ number of values = 476 ÷ 7 = 68.

id=85792 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=85793 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34983 at 12% per annum for 2 years. | option_a=43378 | option_b=8295 | option_c=8495 | option_d=8395 | answer=D | explanation=SI = PRT/100 = 34983×12×2/100 = █8395.

id=85794 | topic=Percentages | difficulty=Easy | question=What is 30% of 1814? | option_a=524 | option_b=544 | option_c=549 | option_d=1088 | answer=B | explanation=30% of 1814 = (30/100) × 1814 = 544.

id=85795 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:8 and the first is 70, what is the second? | option_a=104 | option_b=182 | option_c=117 | option_d=112 | answer=D | explanation=Scale factor = 70/5 = 14. Therefore second quantity = 8×14 = 112.

id=85796 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=K | option_b=W | option_c=O | option_d=S | answer=D | explanation=Move 4 positions forward from O; the resulting letter is S.

id=85797 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=R | option_c=U | option_d=T | answer=D | explanation=Move 1 positions forward from S; the resulting letter is T.

id=85798 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=B | option_c=K | option_d=H | answer=D | explanation=Move 3 positions forward from E; the resulting letter is H.

id=85799 | topic=Percentages | difficulty=Easy | question=What is 40% of 615? | option_a=266 | option_b=492 | option_c=241 | option_d=246 | answer=D | explanation=40% of 615 = (40/100) × 615 = 246.

id=85800 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 17, 23, 31? | option_a=11 | option_b=17 | option_c=31 | option_d=23 | answer=C | explanation=The first three numbers increase by 6, so the next should be 29. Therefore 31 is the odd one out.

Aptitude Questions — Records 85,801-85,830 of 100,000

id=85801 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=H | option_b=M | option_c=W | option_d=R | answer=D | explanation=Move 5 positions forward from M; the resulting letter is R.

id=85802 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=Z | option_c=F | option_d=I | answer=C | explanation=Move 3 positions forward from C; the resulting letter is F.

id=85803 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=21 | option_b=27 | option_c=25 | option_d=24 | answer=D | explanation=The common difference is 3. Therefore the next term is 21 + 3 = 24.

id=85804 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 20, 22, 25? | option_a=20 | option_b=25 | option_c=18 | option_d=22 | answer=B | explanation=The first three numbers increase by 2, so the next should be 24. Therefore 25 is the odd one out.

id=85805 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 20, 30, 43? | option_a=30 | option_b=20 | option_c=10 | option_d=43 | answer=D | explanation=The first three numbers increase by 10, so the next should be 40. Therefore 43 is the odd one out.

id=85806 | topic=Averages | difficulty=Easy | question=Find the average of 44, 45, 15, 72, 51, 49. | option_a=47 | option_b=45 | option_c=48 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 276 ÷ 6 = 46.

id=85807 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44303 at 10% per annum for 3 years. | option_a=57593 | option_b=13190 | option_c=13290 | option_d=13390 | answer=C | explanation=SI = PRT/100 = 44303×10×3/100 = **■**13290.

id=85808 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=10 | option_c=15 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=85809 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 34, 44, 57? | option_a=34 | option_b=57 | option_c=44 | option_d=24 | answer=B | explanation=The first three numbers increase by 10, so the next should be 54. Therefore 57 is the odd one out.

id=85810 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**434. If it is sold at a profit of 10%, what is its selling price? | option_a=520 | option_b=434 | option_c=477 | option_d=444 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 434 × 110/100 = **■**477.

id=85811 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 22, 29, 37? | option_a=22 | option_b=29 | option_c=15 | option_d=37 | answer=D | explanation=The first three numbers increase by 7, so the next should be 36. Therefore 37 is the odd one out.

id=85812 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:7 and the first is 234, what is the second? | option_a=126 | option_b=139 | option_c=119 | option_d=360 | answer=A | explanation=Scale factor = 234/13 = 18. Therefore second quantity = 7×18 = 126.

id=85813 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=S | option_c=T | option_d=R | answer=C | explanation=Move 1 positions forward from S; the resulting letter is T.

id=85814 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=H | option_c=N | option_d=L | answer=D | explanation=Move 2 positions forward from J; the resulting letter is L.

id=85815 | topic=Averages | difficulty=Easy | question=Find the average of 50, 67, 22, 97. | option_a=59 | option_b=60 | option_c=61 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 236 ÷ 4 = 59.

id=85816 | topic=Averages | difficulty=Easy | question=Find the average of 68, 49, 24. | option_a=48 | option_b=47 | option_c=49 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 141 ÷ 3 = 47.

id=85817 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**648. If it is sold at a profit of 15%, what is its selling price? | option_a=745 | option_b=809 | option_c=681 | option_d=663 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 648 × 115/100 = **■**745.

id=85818 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=36 | option_b=45 | option_c=44 | option_d=52 | answer=C | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.

id=85819 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=85820 | topic=Percentages | difficulty=Easy | question=What is 25% of 453? | option_a=118 | option_b=226 | option_c=108 | option_d=113 | answer=D | explanation=25% of 453 = (25/100) × 453 = 113.

id=85821 | topic=Percentages | difficulty=Easy | question=What is 20% of 1491? | option_a=293 | option_b=298 | option_c=308 | option_d=596 | answer=B | explanation=20% of 1491 = (20/100) × 1491 = 298.

id=85822 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26836 at 8% per annum for 4 years. | option_a=8687 | option_b=8487 | option_c=8587 | option_d=35423 | answer=C | explanation=SI = PRT/100 = 26836×8×4/100 = **■**8587.

id=85823 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15362 at 6% per annum for 3 years. | option_a=2865 | option_b=2765 | option_c=2665 | option_d=18127 | answer=B | explanation=SI = PRT/100 = 15362×6×3/100 = **■**2765.

id=85824 | topic=Averages | difficulty=Easy | question=Find the average of 34, 97, 38, 65, 88, 66, 86, 42, 87. | option_a=67 | option_b=69 | option_c=66 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = 603 ÷ 9 = 67.

id=85825 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 10. | option_a=110 | option_b=240 | option_c=144 | option_d=120 | answer=D | explanation=LCM × HCF = 24×10; HCF(24,10) = 2, so LCM = 120.

id=85826 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=37 | option_b=49 | option_c=43 | option_d=44 | answer=C | explanation=The common difference is 6. Therefore the next term is 37 + 6 = 43.

id=85827 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 32? | option_a=29 | option_b=25 | option_c=27 | option_d=32 | answer=D | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 32 is the odd one out.

id=85828 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=E | option_b=I | option_c=Q | option_d=M | answer=D | explanation=Move 4 positions forward from I; the resulting letter is M.

id=85829 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 19, 25, 33? | option_a=19 | option_b=25 | option_c=13 | option_d=33 | answer=D | explanation=The first three numbers increase by 6, so the next should be 31. Therefore 33 is the odd one out.

id=85830 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 17, 22, 28? | option_a=17 | option_b=28 | option_c=22 | option_d=12 | answer=B | explanation=The first three numbers increase by 5, so the next should be 27. Therefore 28 is the odd one out.

Aptitude Questions — Records 85,831-85,860 of 100,000

id=85831 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4875. If it is sold at a profit of 5%, what is its selling price? | option_a=4631 | option_b=5605 | option_c=4880 | option_d=5118 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4875 × 105/100 = ■5118.

id=85832 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=29 | option_d=19 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=85833 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=85834 | topic=Percentages | difficulty=Easy | question=What is 20% of 1226? | option_a=240 | option_b=490 | option_c=245 | option_d=250 | answer=C | explanation=20% of 1226 = (20/100) × 1226 = 245.

id=85835 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=18 | option_d=13 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=85836 | topic=Percentages | difficulty=Easy | question=What is 40% of 219? | option_a=87 | option_b=67 | option_c=174 | option_d=97 | answer=A | explanation=40% of 219 = (40/100) × 219 = 87.

id=85837 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■46920 at 8% per annum for 4 years. | option_a=15014 | option_b=61934 | option_c=15114 | option_d=14914 | answer=A | explanation=SI = PRT/100 = 46920×8×4/100 = ■15014.

id=85838 | topic=Averages | difficulty=Easy | question=Find the average of 78, 78, 99, 25, 60. | option_a=68 | option_b=67 | option_c=70 | option_d=69 | answer=A | explanation=Average = sum of values ÷ number of values = 340 ÷ 5 = 68.

id=85839 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=51 | option_b=43 | option_c=35 | option_d=44 | answer=B | explanation=The common difference is 8. Therefore the next term is 35 + 8 = 43.

id=85840 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1569. If it is sold at a profit of 50%, what is its selling price? | option_a=2197 | option_b=2353 | option_c=1619 | option_d=2509 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1569 × 150/100 = ■2353.

id=85841 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=85842 | topic=Averages | difficulty=Easy | question=Find the average of 81, 27, 53, 33, 88, 14, 89. | option_a=55 | option_b=54 | option_c=56 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 385 ÷ 7 = 55.

id=85843 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=40 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=85844 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=85845 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 9. | option_a=54 | option_b=18 | option_c=243 | option_d=27 | answer=D | explanation=LCM × HCF = 27×9; HCF(27,9) = 9, so LCM = 27.

id=85846 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=85847 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=K | option_c=L | option_d=J | answer=C | explanation=Move 1 positions forward from K; the resulting letter is L.

id=85848 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=D | option_b=C | option_c=E | option_d=B | answer=A | explanation=Move 1 positions forward from C; the resulting letter is D.

id=85849 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=T | option_c=L | option_d=X | answer=B | explanation=Move 4 positions forward from P; the resulting letter is T.

id=85850 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1611. If it is sold at a profit of 50%, what is its selling price? | option_a=2255 | option_b=2416 | option_c=1661 | option_d=2577 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1611 × 150/100 = ■2416.

id=85851 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=85852 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:17 and the first is 100, what is the second? | option_a=323 | option_b=440 | option_c=340 | option_d=345 | answer=C | explanation=Scale factor = 100/5 = 20. Therefore second quantity = 17×20 = 340.

id=85853 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2582. If it is sold at a profit of 5%, what is its selling price? | option_a=2969 | option_b=2711 | option_c=2453 | option_d=2587 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2582 × 105/100 = ■2711.

id=85854 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■47449 at 4% per annum for 5 years. | option_a=9589 | option_b=9389 | option_c=9489 | option_d=56938 | answer=C | explanation=SI = PRT/100 = 47449×4×5/100 = ■9489.

id=85855 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 21. | option_a=63 | option_b=84 | option_c=96 | option_d=252 | answer=B | explanation=LCM × HCF = 12×21; HCF(12,21) = 3, so LCM = 84.

id=85856 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:5 and the first is 150, what is the second? | option_a=50 | option_b=45 | option_c=200 | option_d=65 | answer=A | explanation=Scale factor = 150/15 = 10. Therefore second quantity = 5×10 = 50.

id=85857 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■31902 at 5% per annum for 5 years. | option_a=39877 | option_b=7875 | option_c=8075 | option_d=7975 | answer=D | explanation=SI = PRT/100 = 31902×5×5/100 = ■7975.

id=85858 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=85859 | topic=Percentages | difficulty=Easy | question=What is 40% of 979? | option_a=396 | option_b=371 | option_c=782 | option_d=391 | answer=D | explanation=40% of 979 = (40/100) × 979 = 391.

id=85860 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14450 at 8% per annum for 3 years. | option_a=3568 | option_b=17918 | option_c=3368 | option_d=3468 | answer=D | explanation=SI = PRT/100 = 14450×8×3/100 = ■3468.

Aptitude Questions — Records 85,861-85,890 of 100,000

id=85861 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3904. If it is sold at a profit of 20%, what is its selling price? | option_a=4684 | option_b=5074 | option_c=3924 | option_d=4294 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3904 × 120/100 = █4684.

id=85862 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35746 at 5% per annum for 1 years. | option_a=1787 | option_b=1887 | option_c=37533 | option_d=1687 | answer=A | explanation=SI = PRT/100 = 35746×5×1/100 = █1787.

id=85863 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2927. If it is sold at a profit of 25%, what is its selling price? | option_a=3658 | option_b=3950 | option_c=2952 | option_d=3366 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2927 × 125/100 = █3658.

id=85864 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2585. If it is sold at a profit of 30%, what is its selling price? | option_a=3360 | option_b=2615 | option_c=3618 | option_d=3102 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2585 × 130/100 = █3360.

id=85865 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 37? | option_a=32 | option_b=37 | option_c=26 | option_d=29 | answer=B | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 37 is the odd one out.

id=85866 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=85867 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 24. | option_a=26 | option_b=1 | option_c=24 | option_d=48 | answer=C | explanation=LCM × HCF = 2×24; HCF(2,24) = 2, so LCM = 24.

id=85868 | topic=Profit & Loss | difficulty=Easy | question=An article costs █928. If it is sold at a profit of 40%, what is its selling price? | option_a=1207 | option_b=968 | option_c=1299 | option_d=1391 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 928 × 140/100 = █1299.

id=85869 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=34 | option_b=30 | option_c=24 | option_d=29 | answer=D | explanation=The common difference is 5. Therefore the next term is 24 + 5 = 29.

id=85870 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 31? | option_a=20 | option_b=31 | option_c=15 | option_d=25 | answer=B | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 31 is the odd one out.

id=85871 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=53 | option_c=96 | option_d=43 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=85872 | topic=Averages | difficulty=Easy | question=Find the average of 88, 69, 91, 20, 95, 78, 67, 34, 43. | option_a=64 | option_b=65 | option_c=66 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = 585 ÷ 9 = 65.

id=85873 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:13 and the first is 270, what is the second? | option_a=213 | option_b=182 | option_c=465 | option_d=195 | answer=D | explanation=Scale factor = 270/18 = 15. Therefore second quantity = 13×15 = 195.

id=85874 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=I | option_b=R | option_c=O | option_d=L | answer=C | explanation=Move 3 positions forward from L; the resulting letter is O.

id=85875 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=17 | option_c=12 | option_d=24 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=85876 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=40 | option_b=39 | option_c=47 | option_d=31 | answer=B | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

id=85877 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 35? | option_a=27 | option_b=22 | option_c=17 | option_d=35 | answer=D | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 35 is the odd one out.

id=85878 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=85879 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21159 at 5% per annum for 4 years. | option_a=4131 | option_b=25390 | option_c=4331 | option_d=4231 | answer=D | explanation=SI = PRT/100 = 21159×5×4/100 = █4231.

id=85880 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:4 and the first is 8, what is the second? | option_a=33 | option_b=28 | option_c=40 | option_d=32 | answer=D | explanation=Scale factor = 8/1 = 8. Therefore second quantity = 4×8 = 32.

id=85881 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=75 | option_c=160 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=85882 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 4. | option_a=32 | option_b=8 | option_c=16 | option_d=4 | answer=B | explanation=LCM × HCF = 8×4; HCF(8,4) = 4, so LCM = 8.

id=85883 | topic=Percentages | difficulty=Easy | question=What is 12% of 136? | option_a=32 | option_b=16 | option_c=11 | option_d=21 | answer=B | explanation=12% of 136 = (12/100) × 136 = 16.

id=85884 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=55 | option_c=45 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=85885 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3322. If it is sold at a profit of 50%, what is its selling price? | option_a=4651 | option_b=4983 | option_c=5315 | option_d=3372 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3322 × 150/100 = █4983.

id=85886 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=25 | option_b=22 | option_c=28 | option_d=26 | answer=A | explanation=The common difference is 3. Therefore the next term is 22 + 3 = 25.

id=85887 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 13, 18, 24? | option_a=8 | option_b=13 | option_c=24 | option_d=18 | answer=C | explanation=The first three numbers increase by 5, so the next should be 23. Therefore 24 is the odd one out.

id=85888 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 9, 14, 20? | option_a=4 | option_b=20 | option_c=14 | option_d=9 | answer=B | explanation=The first three numbers increase by 5, so the next should be 19. Therefore 20 is the odd one out.

id=85889 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=22 | option_b=18 | option_c=20 | option_d=21 | answer=C | explanation=The common difference is 2. Therefore the next term is 18 + 2 = 20.

id=85890 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 22. | option_a=66 | option_b=96 | option_c=88 | option_d=176 | answer=C | explanation=LCM × HCF = 8×22; HCF(8,22) = 2, so LCM = 88.

Aptitude Questions — Records 85,891-85,920 of 100,000

id=85891 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=85892 | topic=Averages | difficulty=Easy | question=Find the average of 53, 23, 89, 27, 91, 66, 19, 21, 26, 95. | option_a=50 | option_b=52 | option_c=53 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

id=85893 | topic=Averages | difficulty=Easy | question=Find the average of 69, 33, 53, 53, 92, 23, 82, 58, 58, 19. | option_a=55 | option_b=53 | option_c=54 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

id=85894 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=X | option_b=F | option_c=J | option_d=B | answer=B | explanation=Move 4 positions forward from B; the resulting letter is F.

id=85895 | topic=Percentages | difficulty=Easy | question=What is 10% of 1433? | option_a=143 | option_b=153 | option_c=286 | option_d=133 | answer=A | explanation=10% of 1433 = (10/100) × 1433 = 143.

id=85896 | topic=Averages | difficulty=Easy | question=Find the average of 82, 15, 64, 36, 18. | option_a=42 | option_b=43 | option_c=44 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = 215 ÷ 5 = 43.

id=85897 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3916. If it is sold at a profit of 40%, what is its selling price? | option_a=3956 | option_b=5482 | option_c=5873 | option_d=5091 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3916 × 140/100 = █5482.

id=85898 | topic=Percentages | difficulty=Easy | question=What is 30% of 403? | option_a=120 | option_b=110 | option_c=240 | option_d=140 | answer=A | explanation=30% of 403 = (30/100) × 403 = 120.

id=85899 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=180 | option_c=90 | option_d=95 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=85900 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 33, 43, 56? | option_a=43 | option_b=56 | option_c=23 | option_d=33 | answer=B | explanation=The first three numbers increase by 10, so the next should be 53. Therefore 56 is the odd one out.

id=85901 | topic=Percentages | difficulty=Easy | question=What is 20% of 1118? | option_a=446 | option_b=228 | option_c=218 | option_d=223 | answer=D | explanation=20% of 1118 = (20/100) × 1118 = 223.

id=85902 | topic=Averages | difficulty=Easy | question=Find the average of 12, 25, 44, 43. | option_a=32 | option_b=30 | option_c=31 | option_d=33 | answer=C | explanation=Average = sum of values ÷ number of values = 124 ÷ 4 = 31.

id=85903 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:16 and the first is 38, what is the second? | option_a=304 | option_b=306 | option_c=288 | option_d=342 | answer=A | explanation=Scale factor = 38/2 = 19. Therefore second quantity = 16×19 = 304.

id=85904 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=D | option_b=X | option_c=A | option_d=G | answer=A | explanation=Move 3 positions forward from A; the resulting letter is D.

id=85905 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=85906 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=100 | option_c=45 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=85907 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34650 at 5% per annum for 2 years. | option_a=3365 | option_b=3565 | option_c=3465 | option_d=38115 | answer=C | explanation=SI = PRT/100 = 34650×5×2/100 = █3465.

id=85908 | topic=Averages | difficulty=Easy | question=Find the average of 79, 88, 31. | option_a=68 | option_b=65 | option_c=66 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 198 ÷ 3 = 66.

id=85909 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=X | option_b=P | option_c=L | option_d=T | answer=D | explanation=Move 4 positions forward from P; the resulting letter is T.

id=85910 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23634 at 10% per annum for 2 years. | option_a=4726 | option_b=4626 | option_c=28360 | option_d=4826 | answer=A | explanation=SI = PRT/100 = 23634×10×2/100 = █4726.

id=85911 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=Z | option_c=E | option_d=P | answer=B | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=85912 | topic=Percentages | difficulty=Easy | question=What is 40% of 1932? | option_a=1544 | option_b=762 | option_c=777 | option_d=772 | answer=D | explanation=40% of 1932 = (40/100) × 1932 = 772.

id=85913 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15039 at 5% per annum for 5 years. | option_a=3759 | option_b=3659 | option_c=3859 | option_d=18798 | answer=A | explanation=SI = PRT/100 = 15039×5×5/100 = █3759.

id=85914 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 14. | option_a=98 | option_b=1 | option_c=14 | option_d=21 | answer=C | explanation=LCM × HCF = 7×14; HCF(7,14) = 7, so LCM = 14.

id=85915 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26281 at 15% per annum for 5 years. | option_a=19610 | option_b=45991 | option_c=19710 | option_d=19810 | answer=C | explanation=SI = PRT/100 = 26281×15×5/100 = █19710.

id=85916 | topic=Percentages | difficulty=Easy | question=What is 15% of 1145? | option_a=342 | option_b=171 | option_c=166 | option_d=191 | answer=B | explanation=15% of 1145 = (15/100) × 1145 = 171.

id=85917 | topic=Averages | difficulty=Easy | question=Find the average of 39, 19, 46, 97, 69. | option_a=54 | option_b=55 | option_c=56 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 270 ÷ 5 = 54.

id=85918 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 16. | option_a=96 | option_b=54 | option_c=32 | option_d=48 | answer=D | explanation=LCM × HCF = 6×16; HCF(6,16) = 2, so LCM = 48.

id=85919 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:14 and the first is 60, what is the second? | option_a=340 | option_b=280 | option_c=283 | option_d=266 | answer=B | explanation=Scale factor = 60/3 = 20. Therefore second quantity = 14×20 = 280.

id=85920 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47349 at 12% per annum for 5 years. | option_a=28509 | option_b=28309 | option_c=28409 | option_d=75758 | answer=C | explanation=SI = PRT/100 = 47349×12×5/100 = █28409.

Aptitude Questions — Records 85,921-85,950 of 100,000

id=85921 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=85922 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=30 | option_b=31 | option_c=25 | option_d=35 | answer=A | explanation=The common difference is 5. Therefore the next term is 25 + 5 = 30.

id=85923 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=18 | option_c=23 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=85924 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:10 and the first is 81, what is the second? | option_a=90 | option_b=171 | option_c=99 | option_d=80 | answer=A | explanation=Scale factor = 81/9 = 9. Therefore second quantity = 10×9 = 90.

id=85925 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=27 | option_b=28 | option_c=33 | option_d=21 | answer=A | explanation=The common difference is 6. Therefore the next term is 21 + 6 = 27.

id=85926 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=85927 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:11 and the first is 136, what is the second? | option_a=176 | option_b=187 | option_c=323 | option_d=195 | answer=B | explanation=Scale factor = 136/8 = 17. Therefore second quantity = 11×17 = 187.

id=85928 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=85929 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=85930 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=15 | option_b=23 | option_c=19 | option_d=20 | answer=C | explanation=The common difference is 4. Therefore the next term is 15 + 4 = 19.

id=85931 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■43692 at 12% per annum for 1 years. | option_a=5243 | option_b=5343 | option_c=48935 | option_d=5143 | answer=A | explanation=SI = PRT/100 = 43692×12×1/100 = ■5243.

id=85932 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 20? | option_a=13 | option_b=20 | option_c=17 | option_d=15 | answer=B | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 20 is the odd one out.

id=85933 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=E | option_c=C | option_d=I | answer=A | explanation=Move 2 positions forward from E; the resulting letter is G.

id=85934 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=H | option_b=N | option_c=L | option_d=J | answer=C | explanation=Move 2 positions forward from J; the resulting letter is L.

id=85935 | topic=Percentages | difficulty=Easy | question=What is 50% of 1972? | option_a=986 | option_b=1972 | option_c=966 | option_d=996 | answer=A | explanation=50% of 1972 = (50/100) × 1972 = 986.

id=85936 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=M | option_b=N | option_c=K | option_d=L | answer=A | explanation=Move 1 positions forward from L; the resulting letter is M.

id=85937 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=O | option_c=P | option_d=Q | answer=D | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=85938 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=85939 | topic=Averages | difficulty=Easy | question=Find the average of 97, 43, 90, 71, 17, 67, 39, 57, 65, 54, | option_a=61 | option_b=62 | option_c=59 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=85940 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4910. If it is sold at a profit of 40%, what is its selling price? | option_a=7365 | option_b=6383 | option_c=4950 | option_d=6874 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4910 × 140/100 = ■6874.

id=85941 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:14 and the first is 66, what is the second? | option_a=70 | option_b=95 | option_c=84 | option_d=150 | answer=C | explanation=Scale factor = 66/11 = 6. Therefore second quantity = 14×6 = 84.

id=85942 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=85943 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=N | option_b=S | option_c=I | option_d=D | answer=A | explanation=Move 5 positions forward from I; the resulting letter is N.

id=85944 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=85945 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=X | option_b=L | option_c=P | option_d=T | answer=D | explanation=Move 4 positions forward from P; the resulting letter is T.

id=85946 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2290. If it is sold at a profit of 10%, what is its selling price? | option_a=2290 | option_b=2519 | option_c=2300 | option_d=2748 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2290 × 110/100 = ■2519.

id=85947 | topic=Percentages | difficulty=Easy | question=What is 12% of 1315? | option_a=157 | option_b=147 | option_c=314 | option_d=162 | answer=A | explanation=12% of 1315 = (12/100) × 1315 = 157.

id=85948 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=27 | option_b=43 | option_c=36 | option_d=35 | answer=D | explanation=The common difference is 8. Therefore the next term is 27 + 8 = 35.

id=85949 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 29, 33, 38? | option_a=29 | option_b=25 | option_c=38 | option_d=33 | answer=C | explanation=The first three numbers increase by 4, so the next should be 37. Therefore 38 is the odd one out.

id=85950 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 85,951-85,980 of 100,000

id=85951 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■28647 at 5% per annum for 1 years. | option_a=1432 | option_b=30079 | option_c=1332 | option_d=1532 | answer=A | explanation=SI = PRT/100 = 28647×5×1/100 = ■1432.

id=85952 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=55 | option_b=41 | option_c=48 | option_d=49 | answer=C | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.

id=85953 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■37431 at 12% per annum for 5 years. | option_a=22558 | option_b=22358 | option_c=59889 | option_d=22458 | answer=D | explanation=SI = PRT/100 = 37431×12×5/100 = ■22458.

id=85954 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=85955 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 23, 25, 29? | option_a=25 | option_b=29 | option_c=23 | option_d=21 | answer=B | explanation=The first three numbers increase by 2, so the next should be 27. Therefore 29 is the odd one out.

id=85956 | topic=Percentages | difficulty=Easy | question=What is 20% of 1393? | option_a=288 | option_b=556 | option_c=268 | option_d=278 | answer=D | explanation=20% of 1393 = (20/100) × 1393 = 278.

id=85957 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:11 and the first is 6, what is the second? | option_a=67 | option_b=66 | option_c=55 | option_d=72 | answer=B | explanation=Scale factor = 6/1 = 6. Therefore second quantity = 11×6 = 66.

id=85958 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 14, 17, 22? | option_a=11 | option_b=17 | option_c=22 | option_d=14 | answer=C | explanation=The first three numbers increase by 3, so the next should be 20. Therefore 22 is the odd one out.

id=85959 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:2 and the first is 288, what is the second? | option_a=36 | option_b=324 | option_c=34 | option_d=52 | answer=A | explanation=Scale factor = 288/16 = 18. Therefore second quantity = 2×18 = 36.

id=85960 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 18, 28, 39? | option_a=8 | option_b=18 | option_c=39 | option_d=28 | answer=C | explanation=The first three numbers increase by 10, so the next should be 38. Therefore 39 is the odd one out.

id=85961 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=85962 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3041. If it is sold at a profit of 20%, what is its selling price? | option_a=3649 | option_b=3953 | option_c=3345 | option_d=3061 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3041 × 120/100 = ■3649.

id=85963 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=85964 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 21, 25, 31? | option_a=17 | option_b=31 | option_c=21 | option_d=25 | answer=B | explanation=The first three numbers increase by 4, so the next should be 29. Therefore 31 is the odd one out.

id=85965 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■42185 at 12% per annum for 5 years. | option_a=25211 | option_b=67496 | option_c=25411 | option_d=25311 | answer=D | explanation=SI = PRT/100 = 42185×12×5/100 = ■25311.

id=85966 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=85967 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=H | option_c=D | option_d=J | answer=B | explanation=Move 2 positions forward from F; the resulting letter is H.

id=85968 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 35? | option_a=35 | option_b=22 | option_c=2 | option_d=12 | answer=A | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 35 is the odd one out.

id=85969 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 14. | option_a=32 | option_b=28 | option_c=56 | option_d=14 | answer=B | explanation=LCM × HCF = 4×14; HCF(4,14) = 2, so LCM = 28.

id=85970 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1920. If it is sold at a profit of 50%, what is its selling price? | option_a=3072 | option_b=2880 | option_c=2688 | option_d=1970 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1920 × 150/100 = ■2880.

id=85971 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=40 | option_b=47 | option_c=48 | option_d=54 | answer=B | explanation=The common difference is 7. Therefore the next term is 40 + 7 = 47.

id=85972 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=85973 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=M | option_b=Q | option_c=U | option_d=Y | answer=C | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=85974 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=38 | option_b=54 | option_c=47 | option_d=46 | answer=D | explanation=The common difference is 8. Therefore the next term is 38 + 8 = 46.

id=85975 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1666. If it is sold at a profit of 40%, what is its selling price? | option_a=1706 | option_b=2498 | option_c=2332 | option_d=2166 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1666 × 140/100 = ■2332.

id=85976 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 40? | option_a=40 | option_b=22 | option_c=14 | option_d=30 | answer=A | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 40 is the odd one out.

id=85977 | topic=Percentages | difficulty=Easy | question=What is 20% of 684? | option_a=156 | option_b=136 | option_c=272 | option_d=116 | answer=B | explanation=20% of 684 = (20/100) × 684 = 136.

id=85978 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=Y | option_c=G | option_d=K | answer=C | explanation=Move 4 positions forward from C; the resulting letter is G.

id=85979 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=Y | option_b=C | option_c=K | option_d=G | answer=D | explanation=Move 4 positions forward from C; the resulting letter is G.

id=85980 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

Aptitude Questions — Records 85,981-86,010 of 100,000

id=85981 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 18. | option_a=220 | option_b=180 | option_c=396 | option_d=198 | answer=D | explanation=LCM × HCF = 22×18; HCF(22,18) = 2, so LCM = 198.

id=85982 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 13, 17, 21, ? | option_a=26 | option_b=29 | option_c=25 | option_d=21 | answer=C | explanation=The common difference is 4. Therefore the next term is 21 + 4 = 25.

id=85983 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■48406 at 4% per annum for 3 years. | option_a=5708 | option_b=5808 | option_c=5908 | option_d=54214 | answer=B | explanation=SI = PRT/100 = 48406×4×3/100 = ■5808.

id=85984 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:4 and the first is 64, what is the second? | option_a=28 | option_b=40 | option_c=96 | option_d=32 | answer=D | explanation=Scale factor = 64/8 = 8. Therefore second quantity = 4×8 = 32.

id=85985 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=35 | option_b=49 | option_c=42 | option_d=43 | answer=C | explanation=The common difference is 7. Therefore the next term is 35 + 7 = 42.

id=85986 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=34 | option_b=52 | option_c=44 | option_d=43 | answer=D | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

id=85987 | topic=Percentages | difficulty=Easy | question=What is 5% of 1349? | option_a=67 | option_b=57 | option_c=134 | option_d=77 | answer=A | explanation=5% of 1349 = (5/100) × 1349 = 67.

id=85988 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 14, 17, 21? | option_a=14 | option_b=21 | option_c=11 | option_d=17 | answer=B | explanation=The first three numbers increase by 3, so the next should be 20. Therefore 21 is the odd one out.

id=85989 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 20. | option_a=75 | option_b=60 | option_c=300 | option_d=40 | answer=B | explanation=LCM × HCF = 15×20; HCF(15,20) = 5, so LCM = 60.

id=85990 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 22. | option_a=132 | option_b=308 | option_c=168 | option_d=154 | answer=D | explanation=LCM × HCF = 14×22; HCF(14,22) = 2, so LCM = 154.

id=85991 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2753. If it is sold at a profit of 25%, what is its selling price? | option_a=3441 | option_b=3166 | option_c=2778 | option_d=3716 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2753 × 125/100 = ■3441.

id=85992 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:11 and the first is 48, what is the second? | option_a=88 | option_b=77 | option_c=136 | option_d=94 | answer=A | explanation=Scale factor = 48/6 = 8. Therefore second quantity = 11×8 = 88.

id=85993 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:4 and the first is 220, what is the second? | option_a=44 | option_b=40 | option_c=64 | option_d=264 | answer=A | explanation=Scale factor = 220/20 = 11. Therefore second quantity = 4×11 = 44.

id=85994 | topic=Percentages | difficulty=Easy | question=What is 25% of 1017? | option_a=254 | option_b=508 | option_c=264 | option_d=234 | answer=A | explanation=25% of 1017 = (25/100) × 1017 = 254.

id=85995 | topic=Percentages | difficulty=Easy | question=What is 5% of 1890? | option_a=114 | option_b=188 | option_c=84 | option_d=94 | answer=D | explanation=5% of 1890 = (5/100) × 1890 = 94.

id=85996 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=85997 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:1 and the first is 60, what is the second? | option_a=3 | option_b=63 | option_c=2 | option_d=23 | answer=A | explanation=Scale factor = 60/20 = 3. Therefore second quantity = 1×3 = 3.

id=85998 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 5, 8, 12? | option_a=12 | option_b=2 | option_c=8 | option_d=5 | answer=A | explanation=The first three numbers increase by 3, so the next should be 11. Therefore 12 is the odd one out.

id=85999 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2511. If it is sold at a profit of 30%, what is its selling price? | option_a=3264 | option_b=3013 | option_c=3515 | option_d=2541 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2511 × 130/100 = ■3264.

id=86000 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=G | option_c=J | option_d=I | answer=D | explanation=Move 1 positions forward from H; the resulting letter is I.

id=86001 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=86002 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 36, 45, 57? | option_a=36 | option_b=45 | option_c=57 | option_d=27 | answer=C | explanation=The first three numbers increase by 9, so the next should be 54. Therefore 57 is the odd one out.

id=86003 | topic=Averages | difficulty=Easy | question=Find the average of 96, 52, 69, 71, 52, 104. | option_a=73 | option_b=74 | option_c=75 | option_d=76 | answer=B | explanation=Average = sum of values ÷ number of values = 444 ÷ 6 = 74.

id=86004 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:14 and the first is 114, what is the second? | option_a=84 | option_b=198 | option_c=103 | option_d=70 | answer=A | explanation=Scale factor = 114/19 = 6. Therefore second quantity = 14×6 = 84.

id=86005 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2641. If it is sold at a profit of 25%, what is its selling price? | option_a=3037 | option_b=3301 | option_c=2666 | option_d=3565 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2641 × 125/100 = ■3301.

id=86006 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=13 | option_b=16 | option_c=17 | option_d=15 | answer=D | explanation=The common difference is 2. Therefore the next term is 13 + 2 = 15.

id=86007 | topic=Averages | difficulty=Easy | question=Find the average of 69, 83, 100. | option_a=83 | option_b=85 | option_c=84 | option_d=86 | answer=C | explanation=Average = sum of values ÷ number of values = 252 ÷ 3 = 84.

id=86008 | topic=Averages | difficulty=Easy | question=Find the average of 97, 60, 26. | option_a=61 | option_b=63 | option_c=60 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 183 ÷ 3 = 61.

id=86009 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■48024 at 4% per annum for 1 years. | option_a=1920 | option_b=1820 | option_c=2020 | option_d=49944 | answer=A | explanation=SI = PRT/100 = 48024×4×1/100 = ■1920.

id=86010 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 86,011-86,040 of 100,000

- id=86011 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=86012 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=100 | option_c=50 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.
- id=86013 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1066 at 15% per annum for 4 years. | option_a=739 | option_b=1705 | option_c=639 | option_d=539 | answer=C | explanation=SI = PRT/100 = 1066×15×4/100 = **■**639.
- id=86014 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.
- id=86015 | topic=Averages | difficulty=Easy | question=Find the average of 53, 20, 26, 85. | option_a=47 | option_b=45 | option_c=48 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 184 ÷ 4 = 46.
- id=86016 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:1 and the first is 20, what is the second? | option_a=12 | option_b=22 | option_c=1 | option_d=2 | answer=D | explanation=Scale factor = 20/10 = 2. Therefore second quantity = 1×2 = 2.
- id=86017 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=32 | option_b=44 | option_c=39 | option_d=38 | answer=D | explanation=The common difference is 6. Therefore the next term is 32 + 6 = 38.
- id=86018 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 20, 27, 36? | option_a=13 | option_b=36 | option_c=27 | option_d=20 | answer=B | explanation=The first three numbers increase by 7, so the next should be 34. Therefore 36 is the odd one out.
- id=86019 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6003 at 12% per annum for 3 years. | option_a=8164 | option_b=2061 | option_c=2161 | option_d=2261 | answer=C | explanation=SI = PRT/100 = 6003×12×3/100 = **■**2161.
- id=86020 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=72 | option_c=67 | option_d=144 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.
- id=86021 | topic=Averages | difficulty=Easy | question=Find the average of 37, 72, 96, 78, 44, 18, 61, 81, 50, 53. | option_a=58 | option_b=61 | option_c=59 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 590 ÷ 10 = 59.
- id=86022 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=M | option_b=D | option_c=J | option_d=G | answer=C | explanation=Move 3 positions forward from G; the resulting letter is J.
- id=86023 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 20. | option_a=440 | option_b=242 | option_c=200 | option_d=220 | answer=D | explanation=LCM × HCF = 22×20; HCF(22,20) = 2, so LCM = 220.
- id=86024 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3099 at 10% per annum for 3 years. | option_a=1029 | option_b=4028 | option_c=829 | option_d=929 | answer=D | explanation=SI = PRT/100 = 3099×10×3/100 = **■**929.
- id=86025 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 34? | option_a=25 | option_b=34 | option_c=27 | option_d=29 | answer=B | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 34 is the odd one out.
- id=86026 | topic=Percentages | difficulty=Easy | question=What is 30% of 1436? | option_a=440 | option_b=430 | option_c=420 | option_d=860 | answer=B | explanation=30% of 1436 = (30/100) × 1436 = 430.
- id=86027 | topic=Percentages | difficulty=Easy | question=What is 10% of 1006? | option_a=90 | option_b=100 | option_c=200 | option_d=120 | answer=B | explanation=10% of 1006 = (10/100) × 1006 = 100.
- id=86028 | topic=Averages | difficulty=Easy | question=Find the average of 65, 11, 55, 82, 17, 17, 103. | option_a=49 | option_b=51 | option_c=50 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.
- id=86029 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=86030 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=8 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=86031 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3762. If it is sold at a profit of 20%, what is its selling price? | option_a=4514 | option_b=4890 | option_c=3782 | option_d=4138 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3762 × 120/100 = **■**4514.
- id=86032 | topic=Percentages | difficulty=Easy | question=What is 40% of 1559? | option_a=1246 | option_b=623 | option_c=633 | option_d=618 | answer=B | explanation=40% of 1559 = (40/100) × 1559 = 623.
- id=86033 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:7 and the first is 20, what is the second? | option_a=33 | option_b=21 | option_c=48 | option_d=28 | answer=D | explanation=Scale factor = 20/5 = 4. Therefore second quantity = 7×4 = 28.
- id=86034 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:13 and the first is 64, what is the second? | option_a=272 | option_b=195 | option_c=208 | option_d=212 | answer=C | explanation=Scale factor = 64/4 = 16. Therefore second quantity = 13×16 = 208.
- id=86035 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=K | option_b=G | option_c=C | option_d=Y | answer=B | explanation=Move 4 positions forward from C; the resulting letter is G.
- id=86036 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=33 | option_b=32 | option_c=37 | option_d=27 | answer=B | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.
- id=86037 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=Q | option_b=O | option_c=S | option_d=M | answer=A | explanation=Move 2 positions forward from O; the resulting letter is Q.
- id=86038 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=38 | option_b=39 | option_c=43 | option_d=33 | answer=A | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.
- id=86039 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 22. | option_a=44 | option_b=1 | option_c=24 | option_d=22 | answer=D | explanation=LCM × HCF = 2×22; HCF(2,22) = 2, so LCM = 22.
- id=86040 | topic=Percentages | difficulty=Easy | question=What is 15% of 1968? | option_a=295 | option_b=290 | option_c=305 | option_d=590 | answer=A | explanation=15% of 1968 = (15/100) × 1968 = 295.

Aptitude Questions — Records 86,041-86,070 of 100,000

- id=86041 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=80 | option_c=75 | option_d=70 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.
- id=86042 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2130. If it is sold at a profit of 50%, what is its selling price? | option_a=2180 | option_b=2982 | option_c=3408 | option_d=3195 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2130 × 150/100 = ■3195.
- id=86043 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=24 | option_b=19 | option_c=25 | option_d=29 | answer=A | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.
- id=86044 | topic=Percentages | difficulty=Easy | question=What is 5% of 228? | option_a=31 | option_b=11 | option_c=6 | option_d=22 | answer=B | explanation=5% of 228 = (5/100) × 228 = 11.
- id=86045 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=90 | option_c=85 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.
- id=86046 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=32 | option_b=28 | option_c=36 | option_d=33 | answer=A | explanation=The common difference is 4. Therefore the next term is 28 + 4 = 32.
- id=86047 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 22, 29, 37? | option_a=29 | option_b=15 | option_c=37 | option_d=22 | answer=C | explanation=The first three numbers increase by 7, so the next should be 36. Therefore 37 is the odd one out.
- id=86048 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=S | option_b=P | option_c=V | option_d=M | answer=A | explanation=Move 3 positions forward from P; the resulting letter is S.
- id=86049 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3838. If it is sold at a profit of 10%, what is its selling price? | option_a=4221 | option_b=3838 | option_c=4604 | option_d=3848 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3838 × 110/100 = ■4221.
- id=86050 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 31, 42, 53, ? | option_a=65 | option_b=64 | option_c=53 | option_d=75 | answer=B | explanation=The common difference is 11. Therefore the next term is 53 + 11 = 64.
- id=86051 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=24 | option_b=20 | option_c=23 | option_d=26 | answer=C | explanation=The common difference is 3. Therefore the next term is 20 + 3 = 23.
- id=86052 | topic=Averages | difficulty=Easy | question=Find the average of 47, 79, 72, 16, 12, 71, 20, 87, 67, 69. | option_a=55 | option_b=56 | option_c=53 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.
- id=86053 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■23762 at 12% per annum for 2 years. | option_a=5802 | option_b=29464 | option_c=5602 | option_d=5702 | answer=D | explanation=SI = PRT/100 = 23762×12×2/100 = ■5702.
- id=86054 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=180 | option_c=90 | option_d=95 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.
- id=86055 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:17 and the first is 112, what is the second? | option_a=221 | option_b=238 | option_c=350 | option_d=246 | answer=B | explanation=Scale factor = 112/8 = 14. Therefore second quantity = 17×14 = 238.
- id=86056 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 12, 17, 25? | option_a=7 | option_b=25 | option_c=12 | option_d=17 | answer=B | explanation=The first three numbers increase by 5, so the next should be 22. Therefore 25 is the odd one out.
- id=86057 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4796. If it is sold at a profit of 40%, what is its selling price? | option_a=4836 | option_b=7193 | option_c=6714 | option_d=6235 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4796 × 140/100 = ■6714.
- id=86058 | topic=Percentages | difficulty=Easy | question=What is 12% of 653? | option_a=98 | option_b=58 | option_c=156 | option_d=78 | answer=D | explanation=12% of 653 = (12/100) × 653 = 78.
- id=86059 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 20. | option_a=520 | option_b=260 | option_c=286 | option_d=240 | answer=B | explanation=LCM × HCF = 26×20; HCF(26,20) = 2, so LCM = 260.
- id=86060 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=39 | option_b=47 | option_c=53 | option_d=46 | answer=D | explanation=The common difference is 7. Therefore the next term is 39 + 7 = 46.
- id=86061 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.
- id=86062 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=X | option_b=R | option_c=U | option_d=A | answer=A | explanation=Move 3 positions forward from U; the resulting letter is X.
- id=86063 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:1 and the first is 76, what is the second? | option_a=80 | option_b=4 | option_c=3 | option_d=23 | answer=B | explanation=Scale factor = 76/19 = 4. Therefore second quantity = 1×4 = 4.
- id=86064 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■47428 at 5% per annum for 2 years. | option_a=4742 | option_b=4642 | option_c=52170 | option_d=4842 | answer=A | explanation=SI = PRT/100 = 47428×5×2/100 = ■4742.
- id=86065 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=90 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.
- id=86066 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.
- id=86067 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 21, 23, 26? | option_a=26 | option_b=23 | option_c=21 | option_d=19 | answer=A | explanation=The first three numbers increase by 2, so the next should be 25. Therefore 26 is the odd one out.
- id=86068 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.
- id=86069 | topic=Percentages | difficulty=Easy | question=What is 40% of 86? | option_a=34 | option_b=44 | option_c=68 | option_d=29 | answer=A | explanation=40% of 86 = (40/100) × 86 = 34.
- id=86070 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=43 | option_b=53 | option_c=44 | option_d=33 | answer=A | explanation=The common difference is 10. Therefore the next term is 33 + 10 = 43.

Aptitude Questions — Records 86,071-86,100 of 100,000

id=86071 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 31, 40, 52? | option_a=22 | option_b=40 | option_c=31 | option_d=52 | answer=D | explanation=The first three numbers increase by 9, so the next should be 49. Therefore 52 is the odd one out.

id=86072 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25612 at 15% per annum for 5 years. | option_a=19109 | option_b=19309 | option_c=19209 | option_d=44821 | answer=C | explanation=SI = $PRT/100 = 25612 \times 15 \times 5 / 100 = \blacksquare 19209$.

id=86073 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:5 and the first is 78, what is the second? | option_a=65 | option_b=60 | option_c=143 | option_d=71 | answer=A | explanation=Scale factor = $78/6 = 13$. Therefore second quantity = $5 \times 13 = 65$.

id=86074 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = $180 \div 6 = 30$ km/h.

id=86075 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:19 and the first is 252, what is the second? | option_a=356 | option_b=323 | option_c=594 | option_d=342 | answer=D | explanation=Scale factor = $252/14 = 18$. Therefore second quantity = $19 \times 18 = 342$.

id=86076 | topic=Averages | difficulty=Easy | question=Find the average of 90, 20, 93, 74, 38, 90, 61, 89, 39. | option_a=66 | option_b=67 | option_c=65 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = $594 \div 9 = 66$.

id=86077 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**349. If it is sold at a profit of 5%, what is its selling price? | option_a=400 | option_b=354 | option_c=366 | option_d=332 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 349 \times 105 / 100 = \blacksquare 366$.

id=86078 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32181 at 8% per annum for 2 years. | option_a=37329 | option_b=5148 | option_c=5248 | option_d=5048 | answer=B | explanation=SI = $PRT/100 = 32181 \times 8 \times 2 / 100 = \blacksquare 5148$.

id=86079 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=40 | option_c=80 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = $120 \div 3 = 40$ km/h.

id=86080 | topic=Averages | difficulty=Easy | question=Find the average of 40, 20, 98, 61, 91. | option_a=62 | option_b=64 | option_c=63 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = $310 \div 5 = 62$.

id=86081 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=D | option_b=O | option_c=Y | option_d=T | answer=C | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=86082 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=53 | option_b=65 | option_c=77 | option_d=66 | answer=B | explanation=The common difference is 12. Therefore the next term is $53 + 12 = 65$.

id=86083 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:13 and the first is 152, what is the second? | option_a=234 | option_b=399 | option_c=247 | option_d=255 | answer=C | explanation=Scale factor = $152/8 = 19$. Therefore second quantity = $13 \times 19 = 247$.

id=86084 | topic=Percentages | difficulty=Easy | question=What is 12% of 424? | option_a=50 | option_b=45 | option_c=100 | option_d=60 | answer=A | explanation=12% of 424 = $(12/100) \times 424 = 50$.

id=86085 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3762 at 8% per annum for 1 years. | option_a=4062 | option_b=300 | option_c=200 | option_d=400 | answer=B | explanation=SI = $PRT/100 = 3762 \times 8 \times 1 / 100 = \blacksquare 300$.

id=86086 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=S | option_b=P | option_c=M | option_d=V | answer=A | explanation=Move 3 positions forward from P; the resulting letter is S.

id=86087 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 28. | option_a=32 | option_b=28 | option_c=1 | option_d=112 | answer=B | explanation= $LCM \times HCF = 4 \times 28$; $HCF(4, 28) = 4$, so $LCM = 28$.

id=86088 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=240 | option_d=115 | answer=A | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.

id=86089 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:9 and the first is 209, what is the second? | option_a=380 | option_b=182 | option_c=171 | option_d=162 | answer=C | explanation=Scale factor = $209/11 = 19$. Therefore second quantity = $9 \times 19 = 171$.

id=86090 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1742. If it is sold at a profit of 50%, what is its selling price? | option_a=2439 | option_b=2787 | option_c=1792 | option_d=2613 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1742 \times 150 / 100 = \blacksquare 2613$.

id=86091 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49555 at 12% per annum for 4 years. | option_a=23786 | option_b=23686 | option_c=73341 | option_d=23886 | answer=A | explanation=SI = $PRT/100 = 49555 \times 12 \times 4 / 100 = \blacksquare 23786$.

id=86092 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=W | option_b=K | option_c=O | option_d=S | answer=D | explanation=Move 4 positions forward from O; the resulting letter is S.

id=86093 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:9 and the first is 380, what is the second? | option_a=180 | option_b=199 | option_c=171 | option_d=560 | answer=A | explanation=Scale factor = $380/19 = 20$. Therefore second quantity = $9 \times 20 = 180$.

id=86094 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = $300 \div 10 = 30$ km/h.

id=86095 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=90 | option_c=95 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = $180 \div 2 = 90$ km/h.

id=86096 | topic=Percentages | difficulty=Easy | question=What is 25% of 797? | option_a=398 | option_b=199 | option_c=194 | option_d=204 | answer=B | explanation= $25\% \text{ of } 797 = (25/100) \times 797 = 199$.

id=86097 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=86098 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = $150 \div 10 = 15$ km/h.

id=86099 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = $360 \div 6 = 60$ km/h.

id=86100 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=55 | option_b=54 | option_c=45 | option_d=63 | answer=B | explanation=The common difference is 9. Therefore the next term is $45 + 9 = 54$.

Aptitude Questions — Records 86,101-86,130 of 100,000

- id=86101 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 15, 22, 30? | option_a=8 | option_b=22 | option_c=30 | option_d=15 | answer=C | explanation=The first three numbers increase by 7, so the next should be 29. Therefore 30 is the odd one out.
- id=86102 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $\frac{1}{4} + \frac{1}{4} = \frac{8}{16}$. Time = $\frac{16}{8} = 2$ days.
- id=86103 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49109 at 15% per annum for 1 years. | option_a=56475 | option_b=7366 | option_c=7466 | option_d=7266 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{49109 \times 15 \times 1}{100} = \text{■}7366$.
- id=86104 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=V | option_b=A | option_c=F | option_d=K | answer=C | explanation=Move 5 positions forward from A; the resulting letter is F.
- id=86105 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 31, 40, 51? | option_a=31 | option_b=51 | option_c=22 | option_d=40 | answer=B | explanation=The first three numbers increase by 9, so the next should be 49. Therefore 51 is the odd one out.
- id=86106 | topic=Percentages | difficulty=Easy | question=What is 30% of 838? | option_a=502 | option_b=231 | option_c=251 | option_d=271 | answer=C | explanation=30% of 838 = $(\frac{30}{100}) \times 838 = 251$.
- id=86107 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**255. If it is sold at a profit of 15%, what is its selling price? | option_a=268 | option_b=270 | option_c=293 | option_d=318 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 255 \times \frac{115}{100} = \text{■}293$.
- id=86108 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=24 | option_d=7 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.
- id=86109 | topic=Averages | difficulty=Easy | question=Find the average of 19, 66, 47, 54, 88, 93, 39. | option_a=57 | option_b=60 | option_c=59 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{406}{7} = 58$.
- id=86110 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=Z | option_b=O | option_c=J | option_d=E | answer=C | explanation=Move 5 positions forward from E; the resulting letter is J.
- id=86111 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2916. If it is sold at a profit of 30%, what is its selling price? | option_a=4081 | option_b=3499 | option_c=3790 | option_d=2946 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2916 \times \frac{130}{100} = \text{■}3790$.
- id=86112 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:7 and the first is 34, what is the second? | option_a=153 | option_b=112 | option_c=119 | option_d=121 | answer=C | explanation=Scale factor = $\frac{34}{2} = 17$. Therefore second quantity = $7 \times 17 = 119$.
- id=86113 | topic=Percentages | difficulty=Easy | question=What is 15% of 1915? | option_a=574 | option_b=267 | option_c=307 | option_d=287 | answer=D | explanation=15% of 1915 = $(\frac{15}{100}) \times 1915 = 287$.
- id=86114 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.
- id=86115 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=125 | option_c=120 | option_d=240 | answer=C | explanation=Speed = distance ÷ time = $\frac{240}{2} = 120$ km/h.
- id=86116 | topic=Averages | difficulty=Easy | question=Find the average of 100, 42, 53, 69. | option_a=67 | option_b=66 | option_c=68 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{264}{4} = 66$.
- id=86117 | topic=Averages | difficulty=Easy | question=Find the average of 91, 38, 40, 29, 70, 22, 67, 28, 74. | option_a=52 | option_b=53 | option_c=51 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{459}{9} = 51$.
- id=86118 | topic=Percentages | difficulty=Easy | question=What is 10% of 1391? | option_a=139 | option_b=278 | option_c=149 | option_d=119 | answer=A | explanation=10% of 1391 = $(\frac{10}{100}) \times 1391 = 139$.
- id=86119 | topic=Averages | difficulty=Easy | question=Find the average of 28, 63, 92, 37, 27, 18, 71, 37, 14. | option_a=45 | option_b=42 | option_c=43 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{387}{9} = 43$.
- id=86120 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=20 | option_c=10 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = $\frac{60}{6} = 10$ km/h.
- id=86121 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29645 at 10% per annum for 4 years. | option_a=41503 | option_b=11858 | option_c=11958 | option_d=11758 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{29645 \times 10 \times 4}{100} = \text{■}11858$.
- id=86122 | topic=Percentages | difficulty=Easy | question=What is 50% of 241? | option_a=120 | option_b=140 | option_c=100 | option_d=240 | answer=A | explanation=50% of 241 = $(\frac{50}{100}) \times 241 = 120$.
- id=86123 | topic=Averages | difficulty=Easy | question=Find the average of 74, 88, 55, 83, 20, 30, 79, 35. | option_a=60 | option_b=57 | option_c=59 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{464}{8} = 58$.
- id=86124 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 28, 32, 37? | option_a=28 | option_b=24 | option_c=32 | option_d=37 | answer=D | explanation=The first three numbers increase by 4, so the next should be 36. Therefore 37 is the odd one out.
- id=86125 | topic=Averages | difficulty=Easy | question=Find the average of 14, 78, 89, 71. | option_a=64 | option_b=65 | option_c=63 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{252}{4} = 63$.
- id=86126 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.
- id=86127 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=23 | option_b=21 | option_c=20 | option_d=17 | answer=C | explanation=The common difference is 3. Therefore the next term is $17 + 3 = 20$.
- id=86128 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=48 | option_b=57 | option_c=47 | option_d=37 | answer=C | explanation=The common difference is 10. Therefore the next term is $37 + 10 = 47$.
- id=86129 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**748. If it is sold at a profit of 5%, what is its selling price? | option_a=753 | option_b=711 | option_c=859 | option_d=785 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 748 \times \frac{105}{100} = \text{■}785$.
- id=86130 | topic=Averages | difficulty=Easy | question=Find the average of 24, 97, 26. | option_a=50 | option_b=49 | option_c=48 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{147}{3} = 49$.

Aptitude Questions — Records 86,131-86,160 of 100,000

id=86131 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=B | option_c=F | option_d=H | answer=C | explanation=Move 2 positions forward from D; the resulting letter is F.

id=86132 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:8 and the first is 60, what is the second? | option_a=80 | option_b=86 | option_c=140 | option_d=72 | answer=A | explanation=Scale factor = 60/6 = 10. Therefore second quantity = 8×10 = 80.

id=86133 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=20 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=86134 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11157 at 10% per annum for 5 years. | option_a=5478 | option_b=5678 | option_c=5578 | option_d=16735 | answer=C | explanation=SI = PRT/100 = 11157×10×5/100 = **■**5578.

id=86135 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=120 | option_c=240 | option_d=115 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=86136 | topic=Averages | difficulty=Easy | question=Find the average of 100, 51, 78, 95, 69, 43, 57, 95, 42. | option_a=70 | option_b=71 | option_c=69 | option_d=72 | answer=A | explanation=Average = sum of values ÷ number of values = 630 ÷ 9 = 70.

id=86137 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=X | option_c=B | option_d=P | answer=B | explanation=Move 4 positions forward from T; the resulting letter is X.

id=86138 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=86139 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1513 at 15% per annum for 4 years. | option_a=807 | option_b=907 | option_c=2420 | option_d=1007 | answer=B | explanation=SI = PRT/100 = 1513×15×4/100 = **■**907.

id=86140 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3762. If it is sold at a profit of 10%, what is its selling price? | option_a=4138 | option_b=3762 | option_c=3772 | option_d=4514 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3762 × 110/100 = **■**4138.

id=86141 | topic=Averages | difficulty=Easy | question=Find the average of 64, 20, 56, 32, 38, 21, 28. | option_a=37 | option_b=39 | option_c=36 | option_d=38 | answer=A | explanation=Average = sum of values ÷ number of values = 259 ÷ 7 = 37.

id=86142 | topic=Percentages | difficulty=Easy | question=What is 20% of 69? | option_a=26 | option_b=0 | option_c=13 | option_d=33 | answer=C | explanation=20% of 69 = (20/100) × 69 = 13.

id=86143 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=D | option_b=F | option_c=J | option_d=H | answer=D | explanation=Move 2 positions forward from F; the resulting letter is H.

id=86144 | topic=Averages | difficulty=Easy | question=Find the average of 52, 99, 50, 55, 33, 18, 92. | option_a=57 | option_b=56 | option_c=59 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 399 ÷ 7 = 57.

id=86145 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 24, 30, 36, ? | option_a=36 | option_b=48 | option_c=43 | option_d=42 | answer=D | explanation=The common difference is 6. Therefore the next term is 36 + 6 = 42.

id=86146 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 35? | option_a=25 | option_b=17 | option_c=35 | option_d=9 | answer=C | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 35 is the odd one out.

id=86147 | topic=Percentages | difficulty=Easy | question=What is 10% of 1403? | option_a=130 | option_b=280 | option_c=150 | option_d=140 | answer=D | explanation=10% of 1403 = (10/100) × 1403 = 140.

id=86148 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=14 | option_c=4 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=86149 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=44 | option_b=33 | option_c=43 | option_d=53 | answer=C | explanation=The common difference is 10. Therefore the next term is 33 + 10 = 43.

id=86150 | topic=Averages | difficulty=Easy | question=Find the average of 94, 39, 62. | option_a=65 | option_b=67 | option_c=64 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 195 ÷ 3 = 65.

id=86151 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49555 at 6% per annum for 4 years. | option_a=11993 | option_b=11893 | option_c=11793 | option_d=61448 | answer=B | explanation=SI = PRT/100 = 49555×6×4/100 = **■**11893.

id=86152 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 29? | option_a=12 | option_b=29 | option_c=20 | option_d=4 | answer=B | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 29 is the odd one out.

id=86153 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:4 and the first is 112, what is the second? | option_a=64 | option_b=56 | option_c=168 | option_d=52 | answer=B | explanation=Scale factor = 112/8 = 14. Therefore second quantity = 4×14 = 56.

id=86154 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 27? | option_a=15 | option_b=21 | option_c=18 | option_d=27 | answer=D | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 27 is the odd one out.

id=86155 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=H | option_b=J | option_c=I | option_d=K | answer=B | explanation=Move 1 positions forward from I; the resulting letter is J.

id=86156 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=86157 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2429. If it is sold at a profit of 20%, what is its selling price? | option_a=2672 | option_b=2449 | option_c=3156 | option_d=2914 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2429 × 120/100 = **■**2914.

id=86158 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=40 | option_c=15 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=86159 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 35, 44, 54? | option_a=54 | option_b=26 | option_c=35 | option_d=44 | answer=A | explanation=The first three numbers increase by 9, so the next should be 53. Therefore 54 is the odd one out.

id=86160 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2975. If it is sold at a profit of 5%, what is its selling price? | option_a=2826 | option_b=3123 | option_c=3420 | option_d=2980 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2975 × 105/100 = **■**3123.

Aptitude Questions — Records 86,161-86,190 of 100,000

id=86161 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=86162 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=Z | option_b=F | option_c=B | option_d=D | answer=D | explanation=Move 2 positions forward from B; the resulting letter is D.

id=86163 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=K | option_c=M | option_d=Q | answer=A | explanation=Move 2 positions forward from M; the resulting letter is O.

id=86164 | topic=Percentages | difficulty=Easy | question=What is 15% of 1250? | option_a=167 | option_b=187 | option_c=197 | option_d=374 | answer=B | explanation=15% of 1250 = (15/100) × 1250 = 187.

id=86165 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:6 and the first is 255, what is the second? | option_a=96 | option_b=117 | option_c=102 | option_d=357 | answer=C | explanation=Scale factor = 255/15 = 17. Therefore second quantity = 6×17 = 102.

id=86166 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 11? | option_a=2 | option_b=11 | option_c=4 | option_d=6 | answer=B | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 11 is the odd one out.

id=86167 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:3 and the first is 14, what is the second? | option_a=6 | option_b=3 | option_c=13 | option_d=20 | answer=A | explanation=Scale factor = 14/7 = 2. Therefore second quantity = 3×2 = 6.

id=86168 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=30 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=86169 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1939. If it is sold at a profit of 20%, what is its selling price? | option_a=1959 | option_b=2133 | option_c=2519 | option_d=2326 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1939 × 120/100 = █2326.

id=86170 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=86171 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4920. If it is sold at a profit of 30%, what is its selling price? | option_a=6888 | option_b=6396 | option_c=4950 | option_d=5904 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4920 × 130/100 = █6396.

id=86172 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1016. If it is sold at a profit of 25%, what is its selling price? | option_a=1270 | option_b=1169 | option_c=1371 | option_d=1041 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1016 × 125/100 = █1270.

id=86173 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 14. | option_a=280 | option_b=140 | option_c=126 | option_d=160 | answer=B | explanation=LCM × HCF = 20×14; HCF(20,14) = 2, so LCM = 140.

id=86174 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20728 at 6% per annum for 2 years. | option_a=2587 | option_b=2387 | option_c=2487 | option_d=23215 | answer=C | explanation=SI = PRT/100 = 20728×6×2/100 = █2487.

id=86175 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8258 at 12% per annum for 1 years. | option_a=1090 | option_b=890 | option_c=9248 | option_d=990 | answer=D | explanation=SI = PRT/100 = 8258×12×1/100 = █990.

id=86176 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34630 at 5% per annum for 4 years. | option_a=41556 | option_b=6926 | option_c=6826 | option_d=7026 | answer=B | explanation=SI = PRT/100 = 34630×5×4/100 = █6926.

id=86177 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=Y | option_c=M | option_d=U | answer=D | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=86178 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=40 | option_b=37 | option_c=36 | option_d=32 | answer=C | explanation=The common difference is 4. Therefore the next term is 32 + 4 = 36.

id=86179 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=86180 | topic=Averages | difficulty=Easy | question=Find the average of 55, 89, 87, 73, 99, 88, 96, 71, 53, 69. | option_a=77 | option_b=78 | option_c=79 | option_d=80 | answer=B | explanation=Average = sum of values ÷ number of values = 780 ÷ 10 = 78.

id=86181 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=180 | option_c=95 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=86182 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4094 at 15% per annum for 5 years. | option_a=3170 | option_b=3070 | option_c=7164 | option_d=2970 | answer=B | explanation=SI = PRT/100 = 4094×15×5/100 = █3070.

id=86183 | topic=Averages | difficulty=Easy | question=Find the average of 87, 60, 50, 54, 19. | option_a=54 | option_b=56 | option_c=53 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 270 ÷ 5 = 54.

id=86184 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 31? | option_a=31 | option_b=18 | option_c=13 | option_d=23 | answer=A | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 31 is the odd one out.

id=86185 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=20 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=86186 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=D | option_b=G | option_c=F | option_d=E | answer=C | explanation=Move 1 positions forward from E; the resulting letter is F.

id=86187 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48325 at 15% per annum for 3 years. | option_a=70071 | option_b=21846 | option_c=21746 | option_d=21646 | answer=C | explanation=SI = PRT/100 = 48325×15×3/100 = █21746.

id=86188 | topic=Percentages | difficulty=Easy | question=What is 12% of 1515? | option_a=362 | option_b=181 | option_c=201 | option_d=176 | answer=B | explanation=12% of 1515 = (12/100) × 1515 = 181.

id=86189 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45328 at 5% per annum for 4 years. | option_a=9065 | option_b=9165 | option_c=54393 | option_d=8965 | answer=A | explanation=SI = PRT/100 = 45328×5×4/100 = █9065.

id=86190 | topic=Percentages | difficulty=Easy | question=What is 10% of 576? | option_a=114 | option_b=62 | option_c=37 | option_d=57 | answer=D | explanation=10% of 576 = (10/100) × 576 = 57.

Aptitude Questions — Records 86,191-86,220 of 100,000

id=86191 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 24. | option_a=96 | option_b=1 | option_c=24 | option_d=28 | answer=C | explanation=LCM × HCF = 4×24; HCF(4,24) = 4, so LCM = 24.

id=86192 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 36, 44, 54? | option_a=54 | option_b=44 | option_c=36 | option_d=28 | answer=A | explanation=The first three numbers increase by 8, so the next should be 52. Therefore 54 is the odd one out.

id=86193 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 31, 35, 42? | option_a=42 | option_b=35 | option_c=27 | option_d=31 | answer=A | explanation=The first three numbers increase by 4, so the next should be 39. Therefore 42 is the odd one out.

id=86194 | topic=Averages | difficulty=Easy | question=Find the average of 55, 85, 54, 84, 65, 14, 72, 11, 29, 101. | option_a=59 | option_b=58 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.

id=86195 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=86196 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=86197 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16537 at 4% per annum for 2 years. | option_a=17859 | option_b=1322 | option_c=1422 | option_d=1222 | answer=B | explanation=SI = PRT/100 = 16537×4×2/100 = **■**1322.

id=86198 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4538. If it is sold at a profit of 25%, what is its selling price? | option_a=5672 | option_b=5219 | option_c=6125 | option_d=4563 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4538 × 125/100 = **■**5672.

id=86199 | topic=Percentages | difficulty=Easy | question=What is 25% of 670? | option_a=157 | option_b=334 | option_c=167 | option_d=187 | answer=C | explanation=25% of 670 = (25/100) × 670 = 167.

id=86200 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 28. | option_a=150 | option_b=280 | option_c=112 | option_d=140 | answer=D | explanation=LCM × HCF = 10×28; HCF(10,28) = 2, so LCM = 140.

id=86201 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=A | option_c=Z | option_d=B | answer=D | explanation=Move 1 positions forward from A; the resulting letter is B.

id=86202 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=M | option_b=R | option_c=B | option_d=W | answer=D | explanation=Move 5 positions forward from R; the resulting letter is W.

id=86203 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=86204 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1451. If it is sold at a profit of 20%, what is its selling price? | option_a=1741 | option_b=1471 | option_c=1886 | option_d=1596 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1451 × 120/100 = **■**1741.

id=86205 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 20, 28, 37? | option_a=20 | option_b=12 | option_c=28 | option_d=37 | answer=D | explanation=The first three numbers increase by 8, so the next should be 36. Therefore 37 is the odd one out.

id=86206 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=W | option_b=R | option_c=M | option_d=B | answer=A | explanation=Move 5 positions forward from R; the resulting letter is W.

id=86207 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1023. If it is sold at a profit of 30%, what is its selling price? | option_a=1431 | option_b=1053 | option_c=1329 | option_d=1227 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1023 × 130/100 = **■**1329.

id=86208 | topic=Averages | difficulty=Easy | question=Find the average of 47, 98, 99, 98, 96, 23, 71. | option_a=75 | option_b=78 | option_c=77 | option_d=76 | answer=D | explanation=Average = sum of values ÷ number of values = 532 ÷ 7 = 76.

id=86209 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=29 | option_b=22 | option_c=28 | option_d=34 | answer=C | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.

id=86210 | topic=Percentages | difficulty=Easy | question=What is 50% of 1698? | option_a=829 | option_b=859 | option_c=849 | option_d=1698 | answer=C | explanation=50% of 1698 = (50/100) × 1698 = 849.

id=86211 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=49 | option_b=40 | option_c=41 | option_d=31 | answer=B | explanation=The common difference is 9. Therefore the next term is 31 + 9 = 40.

id=86212 | topic=Percentages | difficulty=Easy | question=What is 50% of 266? | option_a=133 | option_b=113 | option_c=138 | option_d=266 | answer=A | explanation=50% of 266 = (50/100) × 266 = 133.

id=86213 | topic=Percentages | difficulty=Easy | question=What is 25% of 269? | option_a=134 | option_b=87 | option_c=67 | option_d=47 | answer=C | explanation=25% of 269 = (25/100) × 269 = 67.

id=86214 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2158. If it is sold at a profit of 40%, what is its selling price? | option_a=2198 | option_b=3236 | option_c=2806 | option_d=3021 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2158 × 140/100 = **■**3021.

id=86215 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:13 and the first is 108, what is the second? | option_a=65 | option_b=78 | option_c=186 | option_d=96 | answer=B | explanation=Scale factor = 108/18 = 6. Therefore second quantity = 13×6 = 78.

id=86216 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 10, 15, 20, ? | option_a=20 | option_b=30 | option_c=25 | option_d=26 | answer=C | explanation=The common difference is 5. Therefore the next term is 20 + 5 = 25.

id=86217 | topic=Percentages | difficulty=Easy | question=What is 25% of 273? | option_a=68 | option_b=78 | option_c=48 | option_d=136 | answer=A | explanation=25% of 273 = (25/100) × 273 = 68.

id=86218 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:7 and the first is 84, what is the second? | option_a=61 | option_b=133 | option_c=42 | option_d=49 | answer=D | explanation=Scale factor = 84/12 = 7. Therefore second quantity = 7×7 = 49.

id=86219 | topic=Averages | difficulty=Easy | question=Find the average of 82, 55, 38, 57. | option_a=57 | option_b=59 | option_c=58 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 232 ÷ 4 = 58.

id=86220 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:1 and the first is 221, what is the second? | option_a=30 | option_b=234 | option_c=12 | option_d=13 | answer=D | explanation=Scale factor = 221/17 = 13. Therefore second quantity = 1×13 = 13.

Aptitude Questions — Records 86,221-86,250 of 100,000

- id=86221 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=44 | option_b=45 | option_c=53 | option_d=35 | answer=A | explanation=The common difference is 9. Therefore the next term is 35 + 9 = 44.
- id=86222 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 24. | option_a=144 | option_b=30 | option_c=1 | option_d=24 | answer=D | explanation=LCM × HCF = 6×24; HCF(6,24) = 6, so LCM = 24.
- id=86223 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:10 and the first is 105, what is the second? | option_a=175 | option_b=60 | option_c=70 | option_d=85 | answer=C | explanation=Scale factor = 105/15 = 7. Therefore second quantity = 10×7 = 70.
- id=86224 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=90 | option_c=180 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.
- id=86225 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.
- id=86226 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 26. | option_a=28 | option_b=1 | option_c=26 | option_d=52 | answer=C | explanation=LCM × HCF = 2×26; HCF(2,26) = 2, so LCM = 26.
- id=86227 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14486 at 4% per annum for 4 years. | option_a=2417 | option_b=2317 | option_c=16803 | option_d=2217 | answer=B | explanation=SI = PRT/100 = 14486×4×4/100 = **■**2317.
- id=86228 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=R | option_b=W | option_c=H | option_d=M | answer=A | explanation=Move 5 positions forward from M; the resulting letter is R.
- id=86229 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2895. If it is sold at a profit of 30%, what is its selling price? | option_a=3763 | option_b=3474 | option_c=2925 | option_d=4052 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2895 × 130/100 = **■**3763.
- id=86230 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.
- id=86231 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=K | option_c=M | option_d=Q | answer=A | explanation=Move 2 positions forward from M; the resulting letter is O.
- id=86232 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:20 and the first is 153, what is the second? | option_a=180 | option_b=333 | option_c=160 | option_d=197 | answer=A | explanation=Scale factor = 153/17 = 9. Therefore second quantity = 20×9 = 180.
- id=86233 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.
- id=86234 | topic=Percentages | difficulty=Easy | question=What is 50% of 190? | option_a=190 | option_b=100 | option_c=90 | option_d=95 | answer=D | explanation=50% of 190 = (50/100) × 190 = 95.
- id=86235 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2289. If it is sold at a profit of 10%, what is its selling price? | option_a=2289 | option_b=2517 | option_c=2299 | option_d=2745 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2289 × 110/100 = **■**2517.
- id=86236 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 22? | option_a=14 | option_b=22 | option_c=16 | option_d=18 | answer=B | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 22 is the odd one out.
- id=86237 | topic=Averages | difficulty=Easy | question=Find the average of 38, 93, 61, 82, 40, 89, 18, 14, 60. | option_a=56 | option_b=54 | option_c=57 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.
- id=86238 | topic=Percentages | difficulty=Easy | question=What is 20% of 930? | option_a=372 | option_b=206 | option_c=166 | option_d=186 | answer=D | explanation=20% of 930 = (20/100) × 930 = 186.
- id=86239 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=B | option_b=D | option_c=E | option_d=C | answer=B | explanation=Move 1 positions forward from C; the resulting letter is D.
- id=86240 | topic=Percentages | difficulty=Easy | question=What is 5% of 1722? | option_a=76 | option_b=172 | option_c=86 | option_d=96 | answer=C | explanation=5% of 1722 = (5/100) × 1722 = 86.
- id=86241 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.
- id=86242 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=86243 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:1 and the first is 266, what is the second? | option_a=285 | option_b=18 | option_c=19 | option_d=33 | answer=C | explanation=Scale factor = 266/14 = 19. Therefore second quantity = 1×19 = 19.
- id=86244 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2825. If it is sold at a profit of 30%, what is its selling price? | option_a=3672 | option_b=2855 | option_c=3954 | option_d=3390 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2825 × 130/100 = **■**3672.
- id=86245 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.
- id=86246 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 6. | option_a=90 | option_b=45 | option_c=24 | option_d=30 | answer=D | explanation=LCM × HCF = 15×6; HCF(15,6) = 3, so LCM = 30.
- id=86247 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 16? | option_a=16 | option_b=11 | option_c=7 | option_d=3 | answer=A | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 16 is the odd one out.
- id=86248 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:20 and the first is 266, what is the second? | option_a=380 | option_b=394 | option_c=646 | option_d=360 | answer=A | explanation=Scale factor = 266/14 = 19. Therefore second quantity = 20×19 = 380.
- id=86249 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42470 at 4% per annum for 3 years. | option_a=5196 | option_b=5096 | option_c=47566 | option_d=4996 | answer=B | explanation=SI = PRT/100 = 42470×4×3/100 = **■**5096.
- id=86250 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14973 at 4% per annum for 5 years. | option_a=3094 | option_b=2894 | option_c=2994 | option_d=17967 | answer=C | explanation=SI = PRT/100 = 14973×4×5/100 = **■**2994.

Aptitude Questions — Records 86,251-86,280 of 100,000

id=86251 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■1653 at 10% per annum for 3 years. | option_a=2148 | option_b=595 | option_c=395 | option_d=495 | answer=D | explanation=SI = PRT/100 = 1653×10×3/100 = ■495.

id=86252 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3396. If it is sold at a profit of 5%, what is its selling price? | option_a=3226 | option_b=3904 | option_c=3401 | option_d=3565 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3396 × 105/100 = ■3565.

id=86253 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=86254 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 25. | option_a=100 | option_b=500 | option_c=75 | option_d=120 | answer=A | explanation=LCM × HCF = 20×25; HCF(20,25) = 5, so LCM = 100.

id=86255 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=D | option_b=Y | option_c=T | option_d=O | answer=B | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=86256 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=39 | option_b=47 | option_c=55 | option_d=48 | answer=B | explanation=The common difference is 8. Therefore the next term is 39 + 8 = 47.

id=86257 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:2 and the first is 56, what is the second? | option_a=6 | option_b=8 | option_c=64 | option_d=22 | answer=B | explanation=Scale factor = 56/14 = 4. Therefore second quantity = 2×4 = 8.

id=86258 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=I | option_c=M | option_d=U | answer=A | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=86259 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=86260 | topic=Averages | difficulty=Easy | question=Find the average of 82, 70, 62, 38, 64, 82, 89, 49. | option_a=68 | option_b=66 | option_c=69 | option_d=67 | answer=D | explanation=Average = sum of values ÷ number of values = 536 ÷ 8 = 67.

id=86261 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=18 | option_b=20 | option_c=16 | option_d=19 | answer=A | explanation=The common difference is 2. Therefore the next term is 16 + 2 = 18.

id=86262 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 31, 36, 44? | option_a=26 | option_b=44 | option_c=31 | option_d=36 | answer=B | explanation=The first three numbers increase by 5, so the next should be 41. Therefore 44 is the odd one out.

id=86263 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=86264 | topic=Averages | difficulty=Easy | question=Find the average of 37, 82, 96, 13, 66, 68, 48, 27, 49, 24. | option_a=52 | option_b=50 | option_c=51 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

id=86265 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1473. If it is sold at a profit of 40%, what is its selling price? | option_a=1513 | option_b=1915 | option_c=2209 | option_d=2062 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1473 × 140/100 = ■2062.

id=86266 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■15309 at 4% per annum for 2 years. | option_a=16533 | option_b=1124 | option_c=1324 | option_d=1224 | answer=D | explanation=SI = PRT/100 = 15309×4×2/100 = ■1224.

id=86267 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:20 and the first is 21, what is the second? | option_a=67 | option_b=40 | option_c=81 | option_d=60 | answer=D | explanation=Scale factor = 21/7 = 3. Therefore second quantity = 20×3 = 60.

id=86268 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 9. | option_a=243 | option_b=54 | option_c=27 | option_d=18 | answer=C | explanation=LCM × HCF = 27×9; HCF(27,9) = 9, so LCM = 27.

id=86269 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:11 and the first is 65, what is the second? | option_a=148 | option_b=208 | option_c=132 | option_d=143 | answer=D | explanation=Scale factor = 65/5 = 13. Therefore second quantity = 11×13 = 143.

id=86270 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:12 and the first is 150, what is the second? | option_a=190 | option_b=180 | option_c=168 | option_d=330 | answer=B | explanation=Scale factor = 150/10 = 15. Therefore second quantity = 12×15 = 180.

id=86271 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=105 | option_c=100 | option_d=200 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=86272 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■32788 at 6% per annum for 1 years. | option_a=1867 | option_b=34755 | option_c=1967 | option_d=2067 | answer=C | explanation=SI = PRT/100 = 32788×6×1/100 = ■1967.

id=86273 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=50 | option_c=55 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=86274 | topic=Averages | difficulty=Easy | question=Find the average of 49, 94, 20, 87, 23, 96, 58, 48, 36, 79. | option_a=59 | option_b=58 | option_c=61 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 590 ÷ 10 = 59.

id=86275 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=M | option_b=Y | option_c=Q | option_d=U | answer=D | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=86276 | topic=Averages | difficulty=Easy | question=Find the average of 65, 61, 83, 82, 24. | option_a=65 | option_b=64 | option_c=62 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 315 ÷ 5 = 63.

id=86277 | topic=Averages | difficulty=Easy | question=Find the average of 36, 56, 15, 33, 73, 10, 70, 88, 77, 62. | option_a=54 | option_b=51 | option_c=53 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 520 ÷ 10 = 52.

id=86278 | topic=Percentages | difficulty=Easy | question=What is 15% of 1101? | option_a=145 | option_b=185 | option_c=165 | option_d=330 | answer=C | explanation=15% of 1101 = (15/100) × 1101 = 165.

id=86279 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■787. If it is sold at a profit of 25%, what is its selling price? | option_a=905 | option_b=812 | option_c=983 | option_d=1061 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 787 × 125/100 = ■983.

id=86280 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■6713 at 12% per annum for 3 years. | option_a=2516 | option_b=9129 | option_c=2316 | option_d=2416 | answer=D | explanation=SI = PRT/100 = 6713×12×3/100 = ■2416.

Aptitude Questions — Records 86,281-86,310 of 100,000

id=86281 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=22 | option_b=21 | option_c=20 | option_d=18 | answer=C | explanation=The common difference is 2. Therefore the next term is 18 + 2 = 20.

id=86282 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 26, 34, 42, ? | option_a=51 | option_b=58 | option_c=42 | option_d=50 | answer=D | explanation=The common difference is 8. Therefore the next term is 42 + 8 = 50.

id=86283 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 12. | option_a=60 | option_b=48 | option_c=75 | option_d=180 | answer=A | explanation=LCM × HCF = 15×12; HCF(15,12) = 3, so LCM = 60.

id=86284 | topic=Averages | difficulty=Easy | question=Find the average of 61, 53, 23, 31, 91, 39, 80. | option_a=54 | option_b=56 | option_c=53 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

id=86285 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1312. If it is sold at a profit of 30%, what is its selling price? | option_a=1705 | option_b=1342 | option_c=1574 | option_d=1836 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1312 × 130/100 = █1705.

id=86286 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=86287 | topic=Percentages | difficulty=Easy | question=What is 20% of 1705? | option_a=361 | option_b=321 | option_c=341 | option_d=682 | answer=C | explanation=20% of 1705 = (20/100) × 1705 = 341.

id=86288 | topic=Percentages | difficulty=Easy | question=What is 5% of 1169? | option_a=116 | option_b=58 | option_c=48 | option_d=78 | answer=B | explanation=5% of 1169 = (5/100) × 1169 = 58.

id=86289 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=86290 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=86291 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3871. If it is sold at a profit of 5%, what is its selling price? | option_a=4451 | option_b=3677 | option_c=4064 | option_d=3876 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3871 × 105/100 = █4064.

id=86292 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=X | option_b=H | option_c=C | option_d=M | answer=B | explanation=Move 5 positions forward from C; the resulting letter is H.

id=86293 | topic=Percentages | difficulty=Easy | question=What is 20% of 1505? | option_a=306 | option_b=602 | option_c=301 | option_d=281 | answer=C | explanation=20% of 1505 = (20/100) × 1505 = 301.

id=86294 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 29? | option_a=26 | option_b=29 | option_c=24 | option_d=22 | answer=B | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 29 is the odd one out.

id=86295 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 22, 25, 31? | option_a=19 | option_b=25 | option_c=31 | option_d=22 | answer=C | explanation=The first three numbers increase by 3, so the next should be 28. Therefore 31 is the odd one out.

id=86296 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=86297 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=17 | option_b=22 | option_c=25 | option_d=21 | answer=D | explanation=The common difference is 4. Therefore the next term is 17 + 4 = 21.

id=86298 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 27. | option_a=27 | option_b=1 | option_c=81 | option_d=30 | answer=A | explanation=LCM × HCF = 3×27; HCF(3,27) = 3, so LCM = 27.

id=86299 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=12 | option_c=6 | option_d=1 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=86300 | topic=Percentages | difficulty=Easy | question=What is 20% of 1997? | option_a=399 | option_b=419 | option_c=379 | option_d=798 | answer=A | explanation=20% of 1997 = (20/100) × 1997 = 399.

id=86301 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 21, 23, 28? | option_a=23 | option_b=28 | option_c=19 | option_d=21 | answer=B | explanation=The first three numbers increase by 2, so the next should be 25. Therefore 28 is the odd one out.

id=86302 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=86303 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:11 and the first is 198, what is the second? | option_a=121 | option_b=110 | option_c=319 | option_d=139 | answer=A | explanation=Scale factor = 198/18 = 11. Therefore second quantity = 11×11 = 121.

id=86304 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=M | option_b=J | option_c=D | option_d=G | answer=B | explanation=Move 3 positions forward from G; the resulting letter is J.

id=86305 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 20? | option_a=11 | option_b=13 | option_c=20 | option_d=15 | answer=C | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 20 is the odd one out.

id=86306 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=22 | option_b=18 | option_c=14 | option_d=19 | answer=B | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.

id=86307 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=86308 | topic=Percentages | difficulty=Easy | question=What is 50% of 837? | option_a=836 | option_b=438 | option_c=398 | option_d=418 | answer=D | explanation=50% of 837 = (50/100) × 837 = 418.

id=86309 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34102 at 8% per annum for 3 years. | option_a=8184 | option_b=42286 | option_c=8284 | option_d=8084 | answer=A | explanation=SI = PRT/100 = 34102×8×3/100 = █8184.

id=86310 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 22. | option_a=176 | option_b=96 | option_c=66 | option_d=88 | answer=D | explanation=LCM × HCF = 8×22; HCF(8,22) = 2, so LCM = 88.

Aptitude Questions — Records 86,311-86,340 of 100,000

id=86311 | topic=Averages | difficulty=Easy | question=Find the average of 95, 36, 17, 76, 31. | option_a=52 | option_b=51 | option_c=53 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 255 ÷ 5 = 51.

id=86312 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=86313 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 42? | option_a=20 | option_b=34 | option_c=27 | option_d=42 | answer=D | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 42 is the odd one out.

id=86314 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5329 at 15% per annum for 5 years. | option_a=9325 | option_b=3896 | option_c=3996 | option_d=4096 | answer=C | explanation=SI = $PRT/100 = 5329 \times 15 \times 5/100 = \text{■}3996$.

id=86315 | topic=Percentages | difficulty=Easy | question=What is 50% of 1956? | option_a=973 | option_b=1956 | option_c=978 | option_d=988 | answer=C | explanation=50% of 1956 = $(50/100) \times 1956 = 978$.

id=86316 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 47? | option_a=47 | option_b=19 | option_c=28 | option_d=37 | answer=A | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 47 is the odd one out.

id=86317 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=W | option_b=M | option_c=H | option_d=R | answer=D | explanation=Move 5 positions forward from M; the resulting letter is R.

id=86318 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=16 | option_b=14 | option_c=15 | option_d=12 | answer=B | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=86319 | topic=Percentages | difficulty=Easy | question=What is 15% of 1181? | option_a=177 | option_b=172 | option_c=354 | option_d=182 | answer=A | explanation=15% of 1181 = $(15/100) \times 1181 = 177$.

id=86320 | topic=Averages | difficulty=Easy | question=Find the average of 49, 75, 48, 71, 39, 22, 95. | option_a=57 | option_b=59 | option_c=58 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = $399 \div 7 = 57$.

id=86321 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:3 and the first is 208, what is the second? | option_a=45 | option_b=61 | option_c=48 | option_d=256 | answer=C | explanation=Scale factor = $208/13 = 16$. Therefore second quantity = $3 \times 16 = 48$.

id=86322 | topic=Averages | difficulty=Easy | question=Find the average of 81, 75, 52, 71, 19, 11, 76. | option_a=57 | option_b=54 | option_c=56 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = $385 \div 7 = 55$.

id=86323 | topic=Percentages | difficulty=Easy | question=What is 12% of 1584? | option_a=195 | option_b=190 | option_c=380 | option_d=185 | answer=B | explanation=12% of 1584 = $(12/100) \times 1584 = 190$.

id=86324 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=T | option_b=J | option_c=Y | option_d=O | answer=A | explanation=Move 5 positions forward from O; the resulting letter is T.

id=86325 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49086 at 15% per annum for 1 years. | option_a=7262 | option_b=7362 | option_c=7462 | option_d=56448 | answer=B | explanation=SI = $PRT/100 = 49086 \times 15 \times 1/100 = \text{■}7362$.

id=86326 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45309 at 8% per annum for 4 years. | option_a=14598 | option_b=59807 | option_c=14498 | option_d=14398 | answer=C | explanation=SI = $PRT/100 = 45309 \times 8 \times 4/100 = \text{■}14498$.

id=86327 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 27, 32, 39? | option_a=39 | option_b=22 | option_c=27 | option_d=32 | answer=A | explanation=The first three numbers increase by 5, so the next should be 37. Therefore 39 is the odd one out.

id=86328 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=86329 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=23 | option_b=24 | option_c=19 | option_d=27 | answer=A | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=86330 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 13, 18, 23, ? | option_a=23 | option_b=28 | option_c=33 | option_d=29 | answer=B | explanation=The common difference is 5. Therefore the next term is 23 + 5 = 28.

id=86331 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4595. If it is sold at a profit of 5%, what is its selling price? | option_a=4824 | option_b=4365 | option_c=4600 | option_d=5283 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4595 \times 105/100 = \text{■}4824$.

id=86332 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=105 | option_c=100 | option_d=95 | answer=C | explanation=Speed = distance ÷ time = $300 \div 3 = 100$ km/h.

id=86333 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:4 and the first is 28, what is the second? | option_a=44 | option_b=16 | option_c=12 | option_d=23 | answer=B | explanation=Scale factor = $28/7 = 4$. Therefore second quantity = $4 \times 4 = 16$.

id=86334 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3445. If it is sold at a profit of 30%, what is its selling price? | option_a=4478 | option_b=4134 | option_c=4822 | option_d=3475 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3445 \times 130/100 = \text{■}4478$.

id=86335 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=Q | option_b=R | option_c=O | option_d=P | answer=A | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=86336 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=62 | option_b=73 | option_c=61 | option_d=49 | answer=C | explanation=The common difference is 12. Therefore the next term is 49 + 12 = 61.

id=86337 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=35 | option_b=46 | option_c=47 | option_d=57 | answer=B | explanation=The common difference is 11. Therefore the next term is 35 + 11 = 46.

id=86338 | topic=Averages | difficulty=Easy | question=Find the average of 61, 42, 27, 29, 12, 77, 88. | option_a=50 | option_b=47 | option_c=49 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = $336 \div 7 = 48$.

id=86339 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 33? | option_a=20 | option_b=24 | option_c=33 | option_d=28 | answer=C | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 33 is the odd one out.

id=86340 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3800. If it is sold at a profit of 40%, what is its selling price? | option_a=5700 | option_b=3840 | option_c=4940 | option_d=5320 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3800 \times 140/100 = \text{■}5320$.

Aptitude Questions — Records 86,341-86,370 of 100,000

id=86341 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 19, 25, 33? | option_a=13 | option_b=33 | option_c=25 | option_d=19 | answer=B | explanation=The first three numbers increase by 6, so the next should be 31. Therefore 33 is the odd one out.

id=86342 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:5 and the first is 70, what is the second? | option_a=120 | option_b=45 | option_c=50 | option_d=57 | answer=C | explanation=Scale factor = 70/7 = 10. Therefore second quantity = 5×10 = 50.

id=86343 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=32 | option_b=34 | option_c=28 | option_d=31 | answer=D | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=86344 | topic=Averages | difficulty=Easy | question=Find the average of 74, 31, 95, 52. | option_a=63 | option_b=62 | option_c=65 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = 252 ÷ 4 = 63.

id=86345 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4376 at 6% per annum for 3 years. | option_a=687 | option_b=787 | option_c=5163 | option_d=887 | answer=B | explanation=SI = $\frac{PRT}{100}$ = $\frac{4376 \times 6 \times 3}{100}$ = **■**787.

id=86346 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33224 at 4% per annum for 2 years. | option_a=2557 | option_b=2757 | option_c=2657 | option_d=35881 | answer=C | explanation=SI = $\frac{PRT}{100}$ = $\frac{33224 \times 4 \times 2}{100}$ = **■**2657.

id=86347 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=86348 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=16 | option_b=15 | option_c=12 | option_d=18 | answer=B | explanation=The common difference is 3. Therefore the next term is 12 + 3 = 15.

id=86349 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 33, 42, 53? | option_a=42 | option_b=53 | option_c=33 | option_d=24 | answer=B | explanation=The first three numbers increase by 9, so the next should be 51. Therefore 53 is the odd one out.

id=86350 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 4. | option_a=28 | option_b=56 | option_c=24 | option_d=112 | answer=A | explanation=LCM × HCF = 28×4; HCF(28,4) = 4, so LCM = 28.

id=86351 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=85 | option_c=160 | option_d=75 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=86352 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 36, 45, 55? | option_a=55 | option_b=27 | option_c=45 | option_d=36 | answer=A | explanation=The first three numbers increase by 9, so the next should be 54. Therefore 55 is the odd one out.

id=86353 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10956 at 5% per annum for 3 years. | option_a=12599 | option_b=1743 | option_c=1643 | option_d=1543 | answer=C | explanation=SI = $\frac{PRT}{100}$ = $\frac{10956 \times 5 \times 3}{100}$ = **■**1643.

id=86354 | topic=Averages | difficulty=Easy | question=Find the average of 68, 14, 48, 82. | option_a=54 | option_b=53 | option_c=52 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 212 ÷ 4 = 53.

id=86355 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=O | option_b=L | option_c=R | option_d=I | answer=A | explanation=Move 3 positions forward from L; the resulting letter is O.

id=86356 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=Y | option_c=P | option_d=V | answer=D | explanation=Move 3 positions forward from S; the resulting letter is V.

id=86357 | topic=Averages | difficulty=Easy | question=Find the average of 36, 72, 47, 68, 16, 100, 65, 52. | option_a=57 | option_b=58 | option_c=59 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

id=86358 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=86359 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=E | option_b=F | option_c=C | option_d=D | answer=A | explanation=Move 1 positions forward from D; the resulting letter is E.

id=86360 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 22. | option_a=132 | option_b=110 | option_c=144 | option_d=264 | answer=A | explanation=LCM × HCF = 12×22; HCF(12,22) = 2, so LCM = 132.

id=86361 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**499. If it is sold at a profit of 10%, what is its selling price? | option_a=509 | option_b=548 | option_c=597 | option_d=499 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 499 × 110/100 = **■**548.

id=86362 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 29? | option_a=21 | option_b=29 | option_c=18 | option_d=24 | answer=B | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 29 is the odd one out.

id=86363 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 28, 36, 44, ? | option_a=60 | option_b=44 | option_c=52 | option_d=53 | answer=C | explanation=The common difference is 8. Therefore the next term is 44 + 8 = 52.

id=86364 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=Z | option_b=D | option_c=L | option_d=H | answer=D | explanation=Move 4 positions forward from D; the resulting letter is H.

id=86365 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=86366 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 22, 28, 37? | option_a=37 | option_b=22 | option_c=16 | option_d=28 | answer=A | explanation=The first three numbers increase by 6, so the next should be 34. Therefore 37 is the odd one out.

id=86367 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:17 and the first is 60, what is the second? | option_a=264 | option_b=204 | option_c=209 | option_d=187 | answer=B | explanation=Scale factor = 60/5 = 12. Therefore second quantity = 17×12 = 204.

id=86368 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:8 and the first is 176, what is the second? | option_a=88 | option_b=80 | option_c=264 | option_d=104 | answer=A | explanation=Scale factor = 176/16 = 11. Therefore second quantity = 8×11 = 88.

id=86369 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=86370 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=F | option_b=R | option_c=J | option_d=N | answer=D | explanation=Move 4 positions forward from J; the resulting letter is N.

Aptitude Questions — Records 86,371-86,400 of 100,000

id=86371 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=32 | option_b=36 | option_c=37 | option_d=40 | answer=B | explanation=The common difference is 4. Therefore the next term is 32 + 4 = 36.

id=86372 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 21. | option_a=84 | option_b=96 | option_c=63 | option_d=252 | answer=A | explanation=LCM × HCF = 12×21; HCF(12,21) = 3, so LCM = 84.

id=86373 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**23615 at 12% per annum for 4 years. | option_a=11335 | option_b=11235 | option_c=11435 | option_d=34950 | answer=A | explanation=SI = PRT/100 = 23615×12×4/100 = **₹**11335.

id=86374 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=V | option_c=R | option_d=X | answer=B | explanation=Move 2 positions forward from T; the resulting letter is V.

id=86375 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=86376 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=H | option_b=Y | option_c=B | option_d=E | answer=D | explanation=Move 3 positions forward from B; the resulting letter is E.

id=86377 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=J | option_c=V | option_d=R | answer=D | explanation=Move 4 positions forward from N; the resulting letter is R.

id=86378 | topic=Averages | difficulty=Easy | question=Find the average of 99, 45, 56, 83, 100, 96, 88. | option_a=83 | option_b=82 | option_c=80 | option_d=81 | answer=D | explanation=Average = sum of values ÷ number of values = 567 ÷ 7 = 81.

id=86379 | topic=Percentages | difficulty=Easy | question=What is 12% of 347? | option_a=41 | option_b=51 | option_c=82 | option_d=21 | answer=A | explanation=12% of 347 = (12/100) × 347 = 41.

id=86380 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=86381 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**9818 at 15% per annum for 3 years. | option_a=4318 | option_b=4518 | option_c=4418 | option_d=14236 | answer=C | explanation=SI = PRT/100 = 9818×15×3/100 = **₹**4418.

id=86382 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=90 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=86383 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3005. If it is sold at a profit of 20%, what is its selling price? | option_a=3906 | option_b=3606 | option_c=3025 | option_d=3306 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3005 × 120/100 = **₹**3606.

id=86384 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3884. If it is sold at a profit of 25%, what is its selling price? | option_a=4467 | option_b=3909 | option_c=4855 | option_d=5243 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3884 × 125/100 = **₹**4855.

id=86385 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=Q | option_c=U | option_d=O | answer=A | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=86386 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:4 and the first is 260, what is the second? | option_a=48 | option_b=312 | option_c=52 | option_d=72 | answer=C | explanation=Scale factor = 260/20 = 13. Therefore second quantity = 4×13 = 52.

id=86387 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**561. If it is sold at a profit of 5%, what is its selling price? | option_a=589 | option_b=566 | option_c=645 | option_d=533 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 561 × 105/100 = **₹**589.

id=86388 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 21, 27, 35? | option_a=27 | option_b=35 | option_c=21 | option_d=15 | answer=B | explanation=The first three numbers increase by 6, so the next should be 33. Therefore 35 is the odd one out.

id=86389 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=86390 | topic=Averages | difficulty=Easy | question=Find the average of 30, 30, 93, 51, 53, 60, 93, 98, 41. | option_a=62 | option_b=61 | option_c=60 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 549 ÷ 9 = 61.

id=86391 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:14 and the first is 210, what is the second? | option_a=406 | option_b=211 | option_c=182 | option_d=196 | answer=D | explanation=Scale factor = 210/15 = 14. Therefore second quantity = 14×14 = 196.

id=86392 | topic=Percentages | difficulty=Easy | question=What is 10% of 1554? | option_a=310 | option_b=155 | option_c=150 | option_d=160 | answer=B | explanation=10% of 1554 = (10/100) × 1554 = 155.

id=86393 | topic=Percentages | difficulty=Easy | question=What is 40% of 506? | option_a=202 | option_b=222 | option_c=404 | option_d=197 | answer=A | explanation=40% of 506 = (40/100) × 506 = 202.

id=86394 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=86395 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=38 | option_b=43 | option_c=33 | option_d=39 | answer=A | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.

id=86396 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=77 | option_c=67 | option_d=144 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=86397 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:18 and the first is 102, what is the second? | option_a=108 | option_b=210 | option_c=90 | option_d=125 | answer=A | explanation=Scale factor = 102/17 = 6. Therefore second quantity = 18×6 = 108.

id=86398 | topic=Averages | difficulty=Easy | question=Find the average of 57, 17, 79, 96, 41. | option_a=59 | option_b=57 | option_c=58 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 290 ÷ 5 = 58.

id=86399 | topic=Averages | difficulty=Easy | question=Find the average of 18, 59, 30, 61, 65, 91. | option_a=56 | option_b=55 | option_c=54 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 324 ÷ 6 = 54.

id=86400 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=40 | option_c=20 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

Aptitude Questions — Records 86,401-86,430 of 100,000

id=86401 | topic=Averages | difficulty=Easy | question=Find the average of 47, 38, 11, 100, 50, 84, | option_a=57 | option_b=55 | option_c=54 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 330 ÷ 6 = 55.

id=86402 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=X | option_b=U | option_c=A | option_d=R | answer=A | explanation=Move 3 positions forward from U; the resulting letter is X.

id=86403 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:14 and the first is 108, what is the second? | option_a=102 | option_b=70 | option_c=84 | option_d=192 | answer=C | explanation=Scale factor = 108/18 = 6. Therefore second quantity = 14×6 = 84.

id=86404 | topic=Percentages | difficulty=Easy | question=What is 10% of 1907? | option_a=190 | option_b=195 | option_c=185 | option_d=380 | answer=A | explanation=10% of 1907 = (10/100) × 1907 = 190.

id=86405 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=C | option_c=L | option_d=I | answer=D | explanation=Move 3 positions forward from F; the resulting letter is I.

id=86406 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:9 and the first is 143, what is the second? | option_a=128 | option_b=260 | option_c=108 | option_d=117 | answer=D | explanation=Scale factor = 143/11 = 13. Therefore second quantity = 9×13 = 117.

id=86407 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=155 | option_c=150 | option_d=300 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=86408 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:8 and the first is 10, what is the second? | option_a=32 | option_b=42 | option_c=40 | option_d=50 | answer=C | explanation=Scale factor = 10/2 = 5. Therefore second quantity = 8×5 = 40.

id=86409 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=G | option_b=K | option_c=M | option_d=I | answer=B | explanation=Move 2 positions forward from I; the resulting letter is K.

id=86410 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2669. If it is sold at a profit of 10%, what is its selling price? | option_a=2679 | option_b=2935 | option_c=3201 | option_d=2669 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2669 × 110/100 = █2935.

id=86411 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2668. If it is sold at a profit of 20%, what is its selling price? | option_a=2935 | option_b=2688 | option_c=3201 | option_d=3467 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2668 × 120/100 = █3201.

id=86412 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:18 and the first is 42, what is the second? | option_a=54 | option_b=36 | option_c=68 | option_d=96 | answer=A | explanation=Scale factor = 42/14 = 3. Therefore second quantity = 18×3 = 54.

id=86413 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 6, 10, 15? | option_a=6 | option_b=10 | option_c=15 | option_d=2 | answer=C | explanation=The first three numbers increase by 4, so the next should be 14. Therefore 15 is the odd one out.

id=86414 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=23 | option_b=24 | option_c=26 | option_d=20 | answer=A | explanation=The common difference is 3. Therefore the next term is 20 + 3 = 23.

id=86415 | topic=Percentages | difficulty=Easy | question=What is 20% of 199? | option_a=29 | option_b=59 | option_c=78 | option_d=39 | answer=D | explanation=20% of 199 = (20/100) × 199 = 39.

id=86416 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=86417 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=43 | option_b=53 | option_c=44 | option_d=33 | answer=A | explanation=The common difference is 10. Therefore the next term is 33 + 10 = 43.

id=86418 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:12 and the first is 171, what is the second? | option_a=279 | option_b=108 | option_c=127 | option_d=96 | answer=B | explanation=Scale factor = 171/19 = 9. Therefore second quantity = 12×9 = 108.

id=86419 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36751 at 12% per annum for 2 years. | option_a=8720 | option_b=8820 | option_c=45571 | option_d=8920 | answer=B | explanation=SI = PRT/100 = 36751×12×2/100 = █8820.

id=86420 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=D | option_c=Y | option_d=O | answer=C | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=86421 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 28. | option_a=672 | option_b=192 | option_c=140 | option_d=168 | answer=D | explanation=LCM × HCF = 24×28; HCF(24,28) = 4, so LCM = 168.

id=86422 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:4 and the first is 140, what is the second? | option_a=87 | option_b=76 | option_c=80 | option_d=220 | answer=C | explanation=Scale factor = 140/7 = 20. Therefore second quantity = 4×20 = 80.

id=86423 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8018 at 5% per annum for 3 years. | option_a=9220 | option_b=1202 | option_c=1302 | option_d=1102 | answer=B | explanation=SI = PRT/100 = 8018×5×3/100 = █1202.

id=86424 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=44 | option_b=54 | option_c=45 | option_d=34 | answer=A | explanation=The common difference is 10. Therefore the next term is 34 + 10 = 44.

id=86425 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21715 at 12% per annum for 3 years. | option_a=7917 | option_b=7817 | option_c=7717 | option_d=29532 | answer=B | explanation=SI = PRT/100 = 21715×12×3/100 = █7817.

id=86426 | topic=Averages | difficulty=Easy | question=Find the average of 97, 35, 53, 15. | option_a=49 | option_b=52 | option_c=50 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 200 ÷ 4 = 50.

id=86427 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=L | option_b=N | option_c=M | option_d=O | answer=B | explanation=Move 1 positions forward from M; the resulting letter is N.

id=86428 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=38 | option_b=45 | option_c=29 | option_d=37 | answer=D | explanation=The common difference is 8. Therefore the next term is 29 + 8 = 37.

id=86429 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=6 | option_c=12 | option_d=11 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=86430 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=43 | option_b=42 | option_c=52 | option_d=32 | answer=B | explanation=The common difference is 10. Therefore the next term is 32 + 10 = 42.

Aptitude Questions — Records 86,431-86,460 of 100,000

id=86431 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■35875 at 15% per annum for 3 years. | option_a=16043 | option_b=16143 | option_c=52018 | option_d=16243 | answer=B | explanation=SI = PRT/100 = 35875×15×3/100 = ■16143.

id=86432 | topic=Percentages | difficulty=Easy | question=What is 30% of 1182? | option_a=708 | option_b=354 | option_c=374 | option_d=344 | answer=B | explanation=30% of 1182 = (30/100) × 1182 = 354.

id=86433 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=23 | option_b=18 | option_c=22 | option_d=26 | answer=C | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

id=86434 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=86435 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=B | option_c=H | option_d=F | answer=D | explanation=Move 2 positions forward from D; the resulting letter is F.

id=86436 | topic=Percentages | difficulty=Easy | question=What is 30% of 1764? | option_a=509 | option_b=1058 | option_c=529 | option_d=539 | answer=C | explanation=30% of 1764 = (30/100) × 1764 = 529.

id=86437 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=D | option_b=C | option_c=E | option_d=B | answer=A | explanation=Move 1 positions forward from C; the resulting letter is D.

id=86438 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 17, 23, 31? | option_a=11 | option_b=17 | option_c=23 | option_d=31 | answer=D | explanation=The first three numbers increase by 6, so the next should be 29. Therefore 31 is the odd one out.

id=86439 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=43 | option_c=48 | option_d=96 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=86440 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3560. If it is sold at a profit of 40%, what is its selling price? | option_a=5340 | option_b=4628 | option_c=4984 | option_d=3600 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3560 × 140/100 = ■4984.

id=86441 | topic=Averages | difficulty=Easy | question=Find the average of 22, 15, 32. | option_a=24 | option_b=22 | option_c=23 | option_d=25 | answer=C | explanation=Average = sum of values ÷ number of values = 69 ÷ 3 = 23.

id=86442 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 27, 30, 34? | option_a=34 | option_b=24 | option_c=30 | option_d=27 | answer=A | explanation=The first three numbers increase by 3, so the next should be 33. Therefore 34 is the odd one out.

id=86443 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4478. If it is sold at a profit of 50%, what is its selling price? | option_a=6717 | option_b=6270 | option_c=4528 | option_d=7164 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4478 × 150/100 = ■6717.

id=86444 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■22212 at 12% per annum for 3 years. | option_a=7996 | option_b=8096 | option_c=30208 | option_d=7896 | answer=A | explanation=SI = PRT/100 = 22212×12×3/100 = ■7996.

id=86445 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=86446 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 28, 36, 44, ? | option_a=44 | option_b=52 | option_c=60 | option_d=53 | answer=B | explanation=The common difference is 8. Therefore the next term is 44 + 8 = 52.

id=86447 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=P | option_b=V | option_c=R | option_d=T | answer=D | explanation=Move 2 positions forward from R; the resulting letter is T.

id=86448 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=86449 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=U | option_c=V | option_d=T | answer=C | explanation=Move 1 positions forward from U; the resulting letter is V.

id=86450 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 16? | option_a=8 | option_b=10 | option_c=12 | option_d=16 | answer=D | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 16 is the odd one out.

id=86451 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 27, 39, 51, ? | option_a=63 | option_b=51 | option_c=75 | option_d=64 | answer=A | explanation=The common difference is 12. Therefore the next term is 51 + 12 = 63.

id=86452 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=27 | option_b=26 | option_c=24 | option_d=28 | answer=B | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.

id=86453 | topic=Averages | difficulty=Easy | question=Find the average of 64, 70, 13, 21. | option_a=41 | option_b=42 | option_c=44 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = 168 ÷ 4 = 42.

id=86454 | topic=Averages | difficulty=Easy | question=Find the average of 90, 54, 81. | option_a=75 | option_b=77 | option_c=76 | option_d=74 | answer=A | explanation=Average = sum of values ÷ number of values = 225 ÷ 3 = 75.

id=86455 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 8, 13, 20? | option_a=13 | option_b=8 | option_c=3 | option_d=20 | answer=D | explanation=The first three numbers increase by 5, so the next should be 18. Therefore 20 is the odd one out.

id=86456 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■32251 at 5% per annum for 1 years. | option_a=1612 | option_b=33863 | option_c=1512 | option_d=1712 | answer=A | explanation=SI = PRT/100 = 32251×5×1/100 = ■1612.

id=86457 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=24 | option_c=12 | option_d=17 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=86458 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=49 | option_b=42 | option_c=35 | option_d=43 | answer=B | explanation=The common difference is 7. Therefore the next term is 35 + 7 = 42.

id=86459 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=21 | option_b=20 | option_c=23 | option_d=17 | answer=B | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=86460 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■15667 at 8% per annum for 5 years. | option_a=6366 | option_b=6266 | option_c=21933 | option_d=6166 | answer=B | explanation=SI = PRT/100 = 15667×8×5/100 = ■6266.

Aptitude Questions — Records 86,461-86,490 of 100,000

id=86461 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22939 at 8% per annum for 3 years. | option_a=5605 | option_b=28444 | option_c=5505 | option_d=5405 | answer=C | explanation=SI = $PRT/100 = 22939 \times 8 \times 3 / 100 =$ **■**5505.

id=86462 | topic=Averages | difficulty=Easy | question=Find the average of 35, 23, 66, 100, 93, 68, 11, 52, 101. | option_a=62 | option_b=63 | option_c=61 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = $549 \div 9 = 61$.

id=86463 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = $150 \div 10 = 15$ km/h.

id=86464 | topic=Averages | difficulty=Easy | question=Find the average of 99, 62, 94, | option_a=87 | option_b=84 | option_c=86 | option_d=85 | answer=D | explanation=Average = sum of values ÷ number of values = $255 \div 3 = 85$.

id=86465 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=47 | option_b=56 | option_c=48 | option_d=38 | answer=A | explanation=The common difference is 9. Therefore the next term is $38 + 9 = 47$.

id=86466 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=T | option_c=W | option_d=N | answer=B | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=86467 | topic=Percentages | difficulty=Easy | question=What is 20% of 1055? | option_a=422 | option_b=206 | option_c=211 | option_d=221 | answer=C | explanation=20% of 1055 = $(20/100) \times 1055 = 211$.

id=86468 | topic=Percentages | difficulty=Easy | question=What is 12% of 1523? | option_a=364 | option_b=202 | option_c=172 | option_d=182 | answer=D | explanation=12% of 1523 = $(12/100) \times 1523 = 182$.

id=86469 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:19 and the first is 76, what is the second? | option_a=95 | option_b=152 | option_c=76 | option_d=57 | answer=C | explanation=Scale factor = $76/19 = 4$. Therefore second quantity = $19 \times 4 = 76$.

id=86470 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:12 and the first is 224, what is the second? | option_a=392 | option_b=156 | option_c=184 | option_d=168 | answer=D | explanation=Scale factor = $224/16 = 14$. Therefore second quantity = $12 \times 14 = 168$.

id=86471 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=86472 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2153 at 12% per annum for 1 years. | option_a=358 | option_b=2411 | option_c=158 | option_d=258 | answer=D | explanation=SI = $PRT/100 = 2153 \times 12 \times 1 / 100 =$ **■**258.

id=86473 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 3. | option_a=9 | option_b=36 | option_c=12 | option_d=24 | answer=C | explanation=LCM $\times$ HCF = 12×3 ; HCF(12,3) = 3, so LCM = 12.

id=86474 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=37 | option_b=41 | option_c=31 | option_d=36 | answer=D | explanation=The common difference is 5. Therefore the next term is $31 + 5 = 36$.

id=86475 | topic=Percentages | difficulty=Easy | question=What is 5% of 755? | option_a=74 | option_b=57 | option_c=37 | option_d=17 | answer=C | explanation=5% of 755 = $(5/100) \times 755 = 37$.

id=86476 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:17 and the first is 84, what is the second? | option_a=119 | option_b=102 | option_c=131 | option_d=203 | answer=A | explanation=Scale factor = $84/12 = 7$. Therefore second quantity = $17 \times 7 = 119$.

id=86477 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3908. If it is sold at a profit of 50%, what is its selling price? | option_a=6252 | option_b=5862 | option_c=5472 | option_d=3958 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3908 \times 150 / 100 =$ **■**5862.

id=86478 | topic=Percentages | difficulty=Easy | question=What is 25% of 704? | option_a=186 | option_b=166 | option_c=176 | option_d=352 | answer=C | explanation=25% of 704 = $(25/100) \times 704 = 176$.

id=86479 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4139. If it is sold at a profit of 25%, what is its selling price? | option_a=5586 | option_b=4760 | option_c=5173 | option_d=4164 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4139 \times 125 / 100 =$ **■**5173.

id=86480 | topic=Percentages | difficulty=Easy | question=What is 30% of 1938? | option_a=581 | option_b=601 | option_c=561 | option_d=1162 | answer=A | explanation=30% of 1938 = $(30/100) \times 1938 = 581$.

id=86481 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=86482 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:8 and the first is 136, what is the second? | option_a=272 | option_b=144 | option_c=136 | option_d=128 | answer=C | explanation=Scale factor = $136/8 = 17$. Therefore second quantity = $8 \times 17 = 136$.

id=86483 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:13 and the first is 84, what is the second? | option_a=162 | option_b=78 | option_c=65 | option_d=92 | answer=B | explanation=Scale factor = $84/14 = 6$. Therefore second quantity = $13 \times 6 = 78$.

id=86484 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4159. If it is sold at a profit of 15%, what is its selling price? | option_a=4174 | option_b=4782 | option_c=5197 | option_d=4367 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4159 \times 115 / 100 =$ **■**4782.

id=86485 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=J | option_c=N | option_d=V | answer=A | explanation=Move 4 positions forward from N; the resulting letter is R.

id=86486 | topic=Percentages | difficulty=Easy | question=What is 12% of 1128? | option_a=270 | option_b=145 | option_c=135 | option_d=130 | answer=C | explanation=12% of 1128 = $(12/100) \times 1128 = 135$.

id=86487 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1577 at 15% per annum for 3 years. | option_a=2286 | option_b=809 | option_c=609 | option_d=709 | answer=D | explanation=SI = $PRT/100 = 1577 \times 15 \times 3 / 100 =$ **■**709.

id=86488 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=86489 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 13, 16, 22? | option_a=22 | option_b=10 | option_c=16 | option_d=13 | answer=A | explanation=The first three numbers increase by 3, so the next should be 19. Therefore 22 is the odd one out.

id=86490 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=V | option_b=N | option_c=J | option_d=R | answer=D | explanation=Move 4 positions forward from N; the resulting letter is R.

Aptitude Questions — Records 86,491-86,520 of 100,000

id=86491 | topic=Percentages | difficulty=Easy | question=What is 25% of 922? | option_a=250 | option_b=460 | option_c=230 | option_d=220 | answer=C | explanation=25% of 922 = (25/100) × 922 = 230.

id=86492 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 10, 15, 23? | option_a=23 | option_b=5 | option_c=10 | option_d=15 | answer=A | explanation=The first three numbers increase by 5, so the next should be 20. Therefore 23 is the odd one out.

id=86493 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2497. If it is sold at a profit of 20%, what is its selling price? | option_a=2517 | option_b=3245 | option_c=2747 | option_d=2996 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2497 × 120/100 = **₹**2996.

id=86494 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=W | option_c=Z | option_d=Q | answer=B | explanation=Move 3 positions forward from T; the resulting letter is W.

id=86495 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3185. If it is sold at a profit of 40%, what is its selling price? | option_a=4777 | option_b=3225 | option_c=4141 | option_d=4459 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3185 × 140/100 = **₹**4459.

id=86496 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=40 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=86497 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=86498 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:16 and the first is 304, what is the second? | option_a=240 | option_b=275 | option_c=560 | option_d=256 | answer=D | explanation=Scale factor = 304/19 = 16. Therefore second quantity = 16×16 = 256.

id=86499 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3858. If it is sold at a profit of 30%, what is its selling price? | option_a=3888 | option_b=5400 | option_c=5015 | option_d=4630 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3858 × 130/100 = **₹**5015.

id=86500 | topic=Averages | difficulty=Easy | question=Find the average of 25, 17, 84, 82, 18, 24, 16, 61, 84, 39. | option_a=47 | option_b=45 | option_c=44 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 450 ÷ 10 = 45.

id=86501 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**7460 at 5% per annum for 5 years. | option_a=1965 | option_b=9325 | option_c=1765 | option_d=1865 | answer=D | explanation=SI = PRT/100 = 7460×5×5/100 = **₹**1865.

id=86502 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**30599 at 8% per annum for 2 years. | option_a=4895 | option_b=4995 | option_c=4795 | option_d=35494 | answer=A | explanation=SI = PRT/100 = 30599×8×2/100 = **₹**4895.

id=86503 | topic=Percentages | difficulty=Easy | question=What is 40% of 70? | option_a=18 | option_b=48 | option_c=56 | option_d=28 | answer=D | explanation=40% of 70 = (40/100) × 70 = 28.

id=86504 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**43025 at 4% per annum for 4 years. | option_a=6984 | option_b=6884 | option_c=6784 | option_d=49909 | answer=B | explanation=SI = PRT/100 = 43025×4×4/100 = **₹**6884.

id=86505 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=18 | option_c=23 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=86506 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=I | option_c=G | option_d=H | answer=B | explanation=Move 1 positions forward from H; the resulting letter is I.

id=86507 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=17 | option_b=18 | option_c=15 | option_d=19 | answer=A | explanation=The common difference is 2. Therefore the next term is 15 + 2 = 17.

id=86508 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=6 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=86509 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=36 | option_b=29 | option_c=35 | option_d=41 | answer=C | explanation=The common difference is 6. Therefore the next term is 29 + 6 = 35.

id=86510 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:17 and the first is 120, what is the second? | option_a=122 | option_b=222 | option_c=85 | option_d=102 | answer=D | explanation=Scale factor = 120/20 = 6. Therefore second quantity = 17×6 = 102.

id=86511 | topic=Percentages | difficulty=Easy | question=What is 12% of 57? | option_a=12 | option_b=26 | option_c=0 | option_d=6 | answer=D | explanation=12% of 57 = (12/100) × 57 = 6.

id=86512 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:14 and the first is 180, what is the second? | option_a=348 | option_b=154 | option_c=168 | option_d=183 | answer=C | explanation=Scale factor = 180/15 = 12. Therefore second quantity = 14×12 = 168.

id=86513 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=5 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=86514 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**16282 at 4% per annum for 4 years. | option_a=18887 | option_b=2705 | option_c=2505 | option_d=2605 | answer=D | explanation=SI = PRT/100 = 16282×4×4/100 = **₹**2605.

id=86515 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=36 | option_b=33 | option_c=28 | option_d=32 | answer=D | explanation=The common difference is 4. Therefore the next term is 28 + 4 = 32.

id=86516 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=F | option_c=H | option_d=I | answer=C | explanation=Move 1 positions forward from G; the resulting letter is H.

id=86517 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 21. | option_a=240 | option_b=210 | option_c=189 | option_d=630 | answer=B | explanation=LCM × HCF = 30×21; HCF(30,21) = 3, so LCM = 210.

id=86518 | topic=Percentages | difficulty=Easy | question=What is 12% of 1237? | option_a=168 | option_b=296 | option_c=138 | option_d=148 | answer=D | explanation=12% of 1237 = (12/100) × 1237 = 148.

id=86519 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 30? | option_a=30 | option_b=4 | option_c=12 | option_d=20 | answer=A | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 30 is the odd one out.

id=86520 | topic=Percentages | difficulty=Easy | question=What is 10% of 1903? | option_a=170 | option_b=380 | option_c=190 | option_d=210 | answer=C | explanation=10% of 1903 = (10/100) × 1903 = 190.

Aptitude Questions — Records 86,521-86,550 of 100,000

id=86521 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=D | option_b=G | option_c=X | option_d=A | answer=A | explanation=Move 3 positions forward from A; the resulting letter is D.

id=86522 | topic=Averages | difficulty=Easy | question=Find the average of 33, 29, 63, 34, 44, 42, 98, 73. | option_a=53 | option_b=54 | option_c=52 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=86523 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=86524 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=86525 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=86526 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:4 and the first is 2, what is the second? | option_a=9 | option_b=4 | option_c=10 | option_d=8 | answer=D | explanation=Scale factor = 2/1 = 2. Therefore second quantity = 4×2 = 8.

id=86527 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=O | option_b=Y | option_c=T | option_d=D | answer=B | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=86528 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 42? | option_a=34 | option_b=20 | option_c=27 | option_d=42 | answer=D | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 42 is the odd one out.

id=86529 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=I | option_b=N | option_c=X | option_d=S | answer=D | explanation=Move 5 positions forward from N; the resulting letter is S.

id=86530 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=86531 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:9 and the first is 17, what is the second? | option_a=154 | option_b=170 | option_c=153 | option_d=144 | answer=C | explanation=Scale factor = 17/1 = 17. Therefore second quantity = 9×17 = 153.

id=86532 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 31? | option_a=24 | option_b=22 | option_c=26 | option_d=31 | answer=D | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 31 is the odd one out.

id=86533 | topic=Percentages | difficulty=Easy | question=What is 15% of 260? | option_a=78 | option_b=44 | option_c=39 | option_d=34 | answer=C | explanation=15% of 260 = (15/100) × 260 = 39.

id=86534 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 44? | option_a=27 | option_b=34 | option_c=20 | option_d=44 | answer=D | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 44 is the odd one out.

id=86535 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=86536 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19638 at 8% per annum for 3 years. | option_a=24351 | option_b=4713 | option_c=4613 | option_d=4813 | answer=B | explanation=SI = PRT/100 = 19638×8×3/100 = **■**4713.

id=86537 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4280. If it is sold at a profit of 30%, what is its selling price? | option_a=4310 | option_b=5992 | option_c=5564 | option_d=5136 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4280 × 130/100 = **■**5564.

id=86538 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 10, 13, 17? | option_a=17 | option_b=10 | option_c=13 | option_d=7 | answer=A | explanation=The first three numbers increase by 3, so the next should be 16. Therefore 17 is the odd one out.

id=86539 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=24 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=86540 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=4 | option_c=9 | option_d=14 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=86541 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 35? | option_a=17 | option_b=9 | option_c=35 | option_d=25 | answer=C | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 35 is the odd one out.

id=86542 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29624 at 12% per annum for 2 years. | option_a=7109 | option_b=7209 | option_c=36733 | option_d=7009 | answer=A | explanation=SI = PRT/100 = 29624×12×2/100 = **■**7109.

id=86543 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33149 at 10% per annum for 5 years. | option_a=16674 | option_b=16574 | option_c=49723 | option_d=16474 | answer=B | explanation=SI = PRT/100 = 33149×10×5/100 = **■**16574.

id=86544 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=86545 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38558 at 5% per annum for 3 years. | option_a=5883 | option_b=44341 | option_c=5683 | option_d=5783 | answer=D | explanation=SI = PRT/100 = 38558×5×3/100 = **■**5783.

id=86546 | topic=Percentages | difficulty=Easy | question=What is 40% of 1177? | option_a=475 | option_b=470 | option_c=460 | option_d=940 | answer=B | explanation=40% of 1177 = (40/100) × 1177 = 470.

id=86547 | topic=Percentages | difficulty=Easy | question=What is 10% of 1225? | option_a=132 | option_b=122 | option_c=117 | option_d=244 | answer=B | explanation=10% of 1225 = (10/100) × 1225 = 122.

id=86548 | topic=Percentages | difficulty=Easy | question=What is 15% of 1098? | option_a=164 | option_b=169 | option_c=154 | option_d=328 | answer=A | explanation=15% of 1098 = (15/100) × 1098 = 164.

id=86549 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:9 and the first is 12, what is the second? | option_a=39 | option_b=18 | option_c=27 | option_d=31 | answer=C | explanation=Scale factor = 12/4 = 3. Therefore second quantity = 9×3 = 27.

id=86550 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4492. If it is sold at a profit of 30%, what is its selling price? | option_a=5390 | option_b=6288 | option_c=4522 | option_d=5839 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4492 × 130/100 = **■**5839.

Aptitude Questions — Records 86,551-86,580 of 100,000

id=86551 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2298. If it is sold at a profit of 5%, what is its selling price? | option_a=2303 | option_b=2641 | option_c=2412 | option_d=2183 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2298 × 105/100 = █2412.

id=86552 | topic=Percentages | difficulty=Easy | question=What is 40% of 1185? | option_a=454 | option_b=479 | option_c=948 | option_d=474 | answer=D | explanation=40% of 1185 = (40/100) × 1185 = 474.

id=86553 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=Q | option_c=W | option_d=S | answer=A | explanation=Move 2 positions forward from S; the resulting letter is U.

id=86554 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4706. If it is sold at a profit of 15%, what is its selling price? | option_a=5411 | option_b=4721 | option_c=4941 | option_d=5881 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4706 × 115/100 = █5411.

id=86555 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 12, 14, 18? | option_a=18 | option_b=14 | option_c=12 | option_d=10 | answer=A | explanation=The first three numbers increase by 2, so the next should be 16. Therefore 18 is the odd one out.

id=86556 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:17 and the first is 400, what is the second? | option_a=340 | option_b=740 | option_c=323 | option_d=360 | answer=A | explanation=Scale factor = 400/20 = 20. Therefore second quantity = 17×20 = 340.

id=86557 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:6 and the first is 44, what is the second? | option_a=35 | option_b=24 | option_c=18 | option_d=68 | answer=B | explanation=Scale factor = 44/11 = 4. Therefore second quantity = 6×4 = 24.

id=86558 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2407. If it is sold at a profit of 5%, what is its selling price? | option_a=2287 | option_b=2412 | option_c=2527 | option_d=2767 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2407 × 105/100 = █2527.

id=86559 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=86560 | topic=Percentages | difficulty=Easy | question=What is 25% of 77? | option_a=39 | option_b=9 | option_c=19 | option_d=38 | answer=C | explanation=25% of 77 = (25/100) × 77 = 19.

id=86561 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=86562 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 37? | option_a=19 | option_b=37 | option_c=24 | option_d=29 | answer=B | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 37 is the odd one out.

id=86563 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 13, 18, 23, ? | option_a=29 | option_b=23 | option_c=28 | option_d=33 | answer=C | explanation=The common difference is 5. Therefore the next term is 23 + 5 = 28.

id=86564 | topic=Percentages | difficulty=Easy | question=What is 40% of 899? | option_a=349 | option_b=359 | option_c=364 | option_d=718 | answer=B | explanation=40% of 899 = (40/100) × 899 = 359.

id=86565 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=E | option_c=O | option_d=T | answer=C | explanation=Move 5 positions forward from J; the resulting letter is O.

id=86566 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:3 and the first is 102, what is the second? | option_a=18 | option_b=120 | option_c=15 | option_d=35 | answer=A | explanation=Scale factor = 102/17 = 6. Therefore second quantity = 3×6 = 18.

id=86567 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=X | option_b=V | option_c=R | option_d=T | answer=B | explanation=Move 2 positions forward from T; the resulting letter is V.

id=86568 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:11 and the first is 324, what is the second? | option_a=187 | option_b=198 | option_c=216 | option_d=522 | answer=B | explanation=Scale factor = 324/18 = 18. Therefore second quantity = 11×18 = 198.

id=86569 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 47? | option_a=34 | option_b=40 | option_c=47 | option_d=28 | answer=C | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 47 is the odd one out.

id=86570 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=86571 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=86572 | topic=Percentages | difficulty=Easy | question=What is 50% of 1953? | option_a=966 | option_b=1952 | option_c=976 | option_d=996 | answer=C | explanation=50% of 1953 = (50/100) × 1953 = 976.

id=86573 | topic=Percentages | difficulty=Easy | question=What is 15% of 1609? | option_a=482 | option_b=251 | option_c=236 | option_d=241 | answer=D | explanation=15% of 1609 = (15/100) × 1609 = 241.

id=86574 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30779 at 15% per annum for 5 years. | option_a=53863 | option_b=23084 | option_c=22984 | option_d=23184 | answer=B | explanation=SI = PRT/100 = 30779×15×5/100 = █23084.

id=86575 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=J | option_c=M | option_d=D | answer=B | explanation=Move 3 positions forward from G; the resulting letter is J.

id=86576 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4778. If it is sold at a profit of 40%, what is its selling price? | option_a=6689 | option_b=4818 | option_c=6212 | option_d=7166 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4778 × 140/100 = █6689.

id=86577 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=J | option_c=D | option_d=M | answer=B | explanation=Move 3 positions forward from G; the resulting letter is J.

id=86578 | topic=Averages | difficulty=Easy | question=Find the average of 30, 100, 23, 72, 11, 76, 47, 74, 80. | option_a=57 | option_b=58 | option_c=59 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 513 ÷ 9 = 57.

id=86579 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=X | option_b=S | option_c=N | option_d=I | answer=B | explanation=Move 5 positions forward from N; the resulting letter is S.

id=86580 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:13 and the first is 56, what is the second? | option_a=99 | option_b=78 | option_c=147 | option_d=91 | answer=D | explanation=Scale factor = 56/8 = 7. Therefore second quantity = 13×7 = 91.

Aptitude Questions — Records 86,581-86,610 of 100,000

id=86581 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 20, 23, 28? | option_a=23 | option_b=28 | option_c=20 | option_d=17 | answer=B | explanation=The first three numbers increase by 3, so the next should be 26. Therefore 28 is the odd one out.

id=86582 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=J | option_b=L | option_c=P | option_d=N | answer=D | explanation=Move 2 positions forward from L; the resulting letter is N.

id=86583 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=W | option_b=E | option_c=I | option_d=A | answer=B | explanation=Move 4 positions forward from A; the resulting letter is E.

id=86584 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3505. If it is sold at a profit of 30%, what is its selling price? | option_a=4206 | option_b=4906 | option_c=4556 | option_d=3535 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3505 × 130/100 = █4556.

id=86585 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25703 at 15% per annum for 5 years. | option_a=19377 | option_b=19177 | option_c=19277 | option_d=44980 | answer=C | explanation=SI = PRT/100 = 25703×15×5/100 = █19277.

id=86586 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=N | option_b=W | option_c=T | option_d=Q | answer=C | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=86587 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 29? | option_a=29 | option_b=23 | option_c=15 | option_d=19 | answer=A | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 29 is the odd one out.

id=86588 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4548. If it is sold at a profit of 5%, what is its selling price? | option_a=5229 | option_b=4553 | option_c=4321 | option_d=4775 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4548 × 105/100 = █4775.

id=86589 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=86590 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 35, 42, 51? | option_a=51 | option_b=35 | option_c=42 | option_d=28 | answer=A | explanation=The first three numbers increase by 7, so the next should be 49. Therefore 51 is the odd one out.

id=86591 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 14. | option_a=192 | option_b=336 | option_c=154 | option_d=168 | answer=D | explanation=LCM × HCF = 24×14; HCF(24,14) = 2, so LCM = 168.

id=86592 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1731. If it is sold at a profit of 10%, what is its selling price? | option_a=1731 | option_b=1904 | option_c=1741 | option_d=2077 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1731 × 110/100 = █1904.

id=86593 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 26. | option_a=156 | option_b=196 | option_c=182 | option_d=364 | answer=C | explanation=LCM × HCF = 14×26; HCF(14,26) = 2, so LCM = 182.

id=86594 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1921 at 6% per annum for 2 years. | option_a=230 | option_b=130 | option_c=330 | option_d=2151 | answer=A | explanation=SI = PRT/100 = 1921×6×2/100 = █230.

id=86595 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=86596 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=41 | option_b=35 | option_c=27 | option_d=34 | answer=D | explanation=The common difference is 7. Therefore the next term is 27 + 7 = 34.

id=86597 | topic=Averages | difficulty=Easy | question=Find the average of 85, 94, 82, 23, 40, 15, 35, 26. | option_a=51 | option_b=50 | option_c=52 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 400 ÷ 8 = 50.

id=86598 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 7, 12, 19? | option_a=19 | option_b=2 | option_c=12 | option_d=7 | answer=A | explanation=The first three numbers increase by 5, so the next should be 17. Therefore 19 is the odd one out.

id=86599 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=45 | option_b=37 | option_c=53 | option_d=46 | answer=A | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=86600 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=51 | option_b=52 | option_c=61 | option_d=41 | answer=A | explanation=The common difference is 10. Therefore the next term is 41 + 10 = 51.

id=86601 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 12. | option_a=1 | option_b=72 | option_c=12 | option_d=18 | answer=C | explanation=LCM × HCF = 6×12; HCF(6,12) = 6, so LCM = 12.

id=86602 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=F | option_c=R | option_d=J | answer=A | explanation=Move 4 positions forward from J; the resulting letter is N.

id=86603 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:18 and the first is 60, what is the second? | option_a=168 | option_b=108 | option_c=118 | option_d=90 | answer=B | explanation=Scale factor = 60/10 = 6. Therefore second quantity = 18×6 = 108.

id=86604 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=D | option_c=A | option_d=C | answer=D | explanation=Move 1 positions forward from B; the resulting letter is C.

id=86605 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:18 and the first is 9, what is the second? | option_a=57 | option_b=54 | option_c=63 | option_d=36 | answer=B | explanation=Scale factor = 9/3 = 3. Therefore second quantity = 18×3 = 54.

id=86606 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:2 and the first is 57, what is the second? | option_a=36 | option_b=38 | option_c=95 | option_d=41 | answer=B | explanation=Scale factor = 57/3 = 19. Therefore second quantity = 2×19 = 38.

id=86607 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:17 and the first is 6, what is the second? | option_a=108 | option_b=102 | option_c=103 | option_d=85 | answer=B | explanation=Scale factor = 6/1 = 6. Therefore second quantity = 17×6 = 102.

id=86608 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3084. If it is sold at a profit of 50%, what is its selling price? | option_a=3134 | option_b=4318 | option_c=4626 | option_d=4934 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3084 × 150/100 = █4626.

id=86609 | topic=Percentages | difficulty=Easy | question=What is 30% of 887? | option_a=246 | option_b=271 | option_c=266 | option_d=532 | answer=C | explanation=30% of 887 = (30/100) × 887 = 266.

id=86610 | topic=Percentages | difficulty=Easy | question=What is 20% of 1645? | option_a=329 | option_b=324 | option_c=349 | option_d=658 | answer=A | explanation=20% of 1645 = (20/100) × 1645 = 329.

Aptitude Questions — Records 86,611-86,640 of 100,000

id=86611 | topic=Averages | difficulty=Easy | question=Find the average of 60, 94, 82, 100. | option_a=86 | option_b=85 | option_c=83 | option_d=84 | answer=D | explanation=Average = sum of values ÷ number of values = 336 ÷ 4 = 84.

id=86612 | topic=Averages | difficulty=Easy | question=Find the average of 59, 24, 35, 14, 49, 38, 26. | option_a=35 | option_b=37 | option_c=34 | option_d=36 | answer=A | explanation=Average = sum of values ÷ number of values = 245 ÷ 7 = 35.

id=86613 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:5 and the first is 52, what is the second? | option_a=117 | option_b=69 | option_c=65 | option_d=60 | answer=C | explanation=Scale factor = 52/4 = 13. Therefore second quantity = 5×13 = 65.

id=86614 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1028 at 5% per annum for 1 years. | option_a=0 | option_b=151 | option_c=51 | option_d=1079 | answer=C | explanation=SI = $PRT/100 = 1028 \times 5 \times 1/100 = \text{■}51$.

id=86615 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=39 | option_b=32 | option_c=40 | option_d=46 | answer=A | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.

id=86616 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11370 at 4% per annum for 2 years. | option_a=909 | option_b=12279 | option_c=809 | option_d=1009 | answer=A | explanation=SI = $PRT/100 = 11370 \times 4 \times 2/100 = \text{■}909$.

id=86617 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 12. | option_a=45 | option_b=36 | option_c=108 | option_d=24 | answer=B | explanation=LCM × HCF = 9×12; HCF(9,12) = 3, so LCM = 36.

id=86618 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=12 | option_c=24 | option_d=7 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=86619 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=86620 | topic=Averages | difficulty=Easy | question=Find the average of 24, 14, 16, 100, 86, 74, 16, 78. | option_a=53 | option_b=52 | option_c=51 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 408 ÷ 8 = 51.

id=86621 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 28, 33, 40? | option_a=28 | option_b=23 | option_c=40 | option_d=33 | answer=C | explanation=The first three numbers increase by 5, so the next should be 38. Therefore 40 is the odd one out.

id=86622 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=34 | option_b=35 | option_c=39 | option_d=29 | answer=A | explanation=The common difference is 5. Therefore the next term is 29 + 5 = 34.

id=86623 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=I | option_c=W | option_d=E | answer=D | explanation=Move 4 positions forward from A; the resulting letter is E.

id=86624 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 32? | option_a=16 | option_b=26 | option_c=32 | option_d=21 | answer=C | explanation=The first three numbers increase by 5, so the next should be 31. Therefore 32 is the odd one out.

id=86625 | topic=Percentages | difficulty=Easy | question=What is 10% of 1070? | option_a=102 | option_b=214 | option_c=112 | option_d=107 | answer=D | explanation=10% of 1070 = $(10/100) \times 1070 = 107$.

id=86626 | topic=Percentages | difficulty=Easy | question=What is 40% of 1164? | option_a=485 | option_b=455 | option_c=930 | option_d=465 | answer=D | explanation=40% of 1164 = $(40/100) \times 1164 = 465$.

id=86627 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2859. If it is sold at a profit of 20%, what is its selling price? | option_a=3430 | option_b=3145 | option_c=3715 | option_d=2879 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2859 \times 120/100 = \text{■}3430$.

id=86628 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=40 | option_c=15 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=86629 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=20 | option_b=17 | option_c=21 | option_d=23 | answer=A | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=86630 | topic=Percentages | difficulty=Easy | question=What is 12% of 1705? | option_a=184 | option_b=408 | option_c=204 | option_d=224 | answer=C | explanation=12% of 1705 = $(12/100) \times 1705 = 204$.

id=86631 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:11 and the first is 140, what is the second? | option_a=66 | option_b=77 | option_c=97 | option_d=217 | answer=B | explanation=Scale factor = 140/20 = 7. Therefore second quantity = 11×7 = 77.

id=86632 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=86633 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=F | option_c=E | option_d=D | answer=B | explanation=Move 1 positions forward from E; the resulting letter is F.

id=86634 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**702. If it is sold at a profit of 10%, what is its selling price? | option_a=842 | option_b=712 | option_c=702 | option_d=772 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 702 \times 110/100 = \text{■}772$.

id=86635 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17117 at 5% per annum for 1 years. | option_a=17972 | option_b=855 | option_c=955 | option_d=755 | answer=B | explanation=SI = $PRT/100 = 17117 \times 5 \times 1/100 = \text{■}855$.

id=86636 | topic=Averages | difficulty=Easy | question=Find the average of 92, 31, 71, 14. | option_a=54 | option_b=53 | option_c=51 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 208 ÷ 4 = 52.

id=86637 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=38 | option_b=31 | option_c=32 | option_d=24 | answer=B | explanation=The common difference is 7. Therefore the next term is 24 + 7 = 31.

id=86638 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 45? | option_a=32 | option_b=45 | option_c=37 | option_d=27 | answer=B | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 45 is the odd one out.

id=86639 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=29 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=86640 | topic=Percentages | difficulty=Easy | question=What is 15% of 1291? | option_a=386 | option_b=183 | option_c=203 | option_d=193 | answer=D | explanation=15% of 1291 = $(15/100) \times 1291 = 193$.

Aptitude Questions — Records 86,641-86,670 of 100,000

- id=86641 | topic=Percentages | difficulty=Easy | question=What is 10% of 486? | option_a=48 | option_b=58 | option_c=96 | option_d=38 | answer=A | explanation=10% of 486 = (10/100) × 486 = 48.
- id=86642 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:9 and the first is 39, what is the second? | option_a=18 | option_b=66 | option_c=40 | option_d=27 | answer=D | explanation=Scale factor = 39/13 = 3. Therefore second quantity = 9×3 = 27.
- id=86643 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.
- id=86644 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=7 | option_d=17 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.
- id=86645 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**933. If it is sold at a profit of 15%, what is its selling price? | option_a=1165 | option_b=948 | option_c=979 | option_d=1072 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 933 × 115/100 = **₹**1072.
- id=86646 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=86647 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.
- id=86648 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**36753 at 5% per annum for 1 years. | option_a=1837 | option_b=1737 | option_c=1937 | option_d=38590 | answer=A | explanation=SI = PRT/100 = 36753×5×1/100 = **₹**1837.
- id=86649 | topic=Percentages | difficulty=Easy | question=What is 10% of 480? | option_a=43 | option_b=48 | option_c=53 | option_d=96 | answer=B | explanation=10% of 480 = (10/100) × 480 = 48.
- id=86650 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.
- id=86651 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:4 and the first is 90, what is the second? | option_a=110 | option_b=38 | option_c=16 | option_d=20 | answer=D | explanation=Scale factor = 90/18 = 5. Therefore second quantity = 4×5 = 20.
- id=86652 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=C | option_c=A | option_d=G | answer=A | explanation=Move 2 positions forward from C; the resulting letter is E.
- id=86653 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=145 | option_c=300 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.
- id=86654 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:17 and the first is 360, what is the second? | option_a=326 | option_b=666 | option_c=306 | option_d=289 | answer=C | explanation=Scale factor = 360/20 = 18. Therefore second quantity = 17×18 = 306.
- id=86655 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=30 | option_b=38 | option_c=35 | option_d=34 | answer=D | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.
- id=86656 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=5 | option_c=20 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.
- id=86657 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**2693 at 4% per annum for 3 years. | option_a=3016 | option_b=223 | option_c=323 | option_d=423 | answer=C | explanation=SI = PRT/100 = 2693×4×3/100 = **₹**323.
- id=86658 | topic=Number System | difficulty=Easy | question=Find the LCM of 13 and 13. | option_a=13 | option_b=26 | option_c=1 | option_d=169 | answer=A | explanation=LCM × HCF = 13×13; HCF(13,13) = 13, so LCM = 13.
- id=86659 | topic=Percentages | difficulty=Easy | question=What is 10% of 654? | option_a=65 | option_b=85 | option_c=45 | option_d=130 | answer=A | explanation=10% of 654 = (10/100) × 654 = 65.
- id=86660 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 21, 28, 36? | option_a=28 | option_b=36 | option_c=21 | option_d=14 | answer=B | explanation=The first three numbers increase by 7, so the next should be 35. Therefore 36 is the odd one out.
- id=86661 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1545. If it is sold at a profit of 40%, what is its selling price? | option_a=2317 | option_b=2163 | option_c=2009 | option_d=1585 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1545 × 140/100 = **₹**2163.
- id=86662 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 22. | option_a=22 | option_b=88 | option_c=48 | option_d=44 | answer=D | explanation=LCM × HCF = 4×22; HCF(4,22) = 2, so LCM = 44.
- id=86663 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=U | option_c=S | option_d=T | answer=B | explanation=Move 1 positions forward from T; the resulting letter is U.
- id=86664 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 31, 41, 54? | option_a=21 | option_b=41 | option_c=31 | option_d=54 | answer=D | explanation=The first three numbers increase by 10, so the next should be 51. Therefore 54 is the odd one out.
- id=86665 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=86666 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 18. | option_a=90 | option_b=120 | option_c=72 | option_d=540 | answer=A | explanation=LCM × HCF = 30×18; HCF(30,18) = 6, so LCM = 90.
- id=86667 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2560. If it is sold at a profit of 15%, what is its selling price? | option_a=3200 | option_b=2688 | option_c=2944 | option_d=2575 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2560 × 115/100 = **₹**2944.
- id=86668 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:17 and the first is 99, what is the second? | option_a=196 | option_b=187 | option_c=170 | option_d=286 | answer=B | explanation=Scale factor = 99/9 = 11. Therefore second quantity = 17×11 = 187.
- id=86669 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 255, what is the second? | option_a=48 | option_b=66 | option_c=306 | option_d=51 | answer=D | explanation=Scale factor = 255/15 = 17. Therefore second quantity = 3×17 = 51.
- id=86670 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**42258 at 5% per annum for 2 years. | option_a=4125 | option_b=4325 | option_c=46483 | option_d=4225 | answer=D | explanation=SI = PRT/100 = 42258×5×2/100 = **₹**4225.

Aptitude Questions — Records 86,671-86,700 of 100,000

id=86671 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=K | option_b=A | option_c=P | option_d=F | answer=A | explanation=Move 5 positions forward from F; the resulting letter is K.

id=86672 | topic=Percentages | difficulty=Easy | question=What is 40% of 1009? | option_a=806 | option_b=398 | option_c=423 | option_d=403 | answer=D | explanation=40% of 1009 = (40/100) × 1009 = 403.

id=86673 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**120 at 12% per annum for 3 years. | option_a=12403 | option_b=3383 | option_c=3283 | option_d=3183 | answer=C | explanation=SI = PRT/100 = 9120×12×3/100 = **₹**3283.

id=86674 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 11, 19, 30? | option_a=11 | option_b=30 | option_c=19 | option_d=3 | answer=B | explanation=The first three numbers increase by 8, so the next should be 27. Therefore 30 is the odd one out.

id=86675 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**36595 at 10% per annum for 2 years. | option_a=7319 | option_b=43914 | option_c=7419 | option_d=7219 | answer=A | explanation=SI = PRT/100 = 36595×10×2/100 = **₹**7319.

id=86676 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=19 | option_c=29 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=86677 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3279. If it is sold at a profit of 10%, what is its selling price? | option_a=3289 | option_b=3606 | option_c=3279 | option_d=3933 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3279 × 110/100 = **₹**3606.

id=86678 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=20 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=86679 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:14 and the first is 24, what is the second? | option_a=80 | option_b=62 | option_c=42 | option_d=56 | answer=D | explanation=Scale factor = 24/6 = 4. Therefore second quantity = 14×4 = 56.

id=86680 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**20743 at 5% per annum for 2 years. | option_a=1974 | option_b=22817 | option_c=2174 | option_d=2074 | answer=D | explanation=SI = PRT/100 = 20743×5×2/100 = **₹**2074.

id=86681 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 46? | option_a=37 | option_b=46 | option_c=31 | option_d=25 | answer=B | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 46 is the odd one out.

id=86682 | topic=Percentages | difficulty=Easy | question=What is 30% of 168? | option_a=100 | option_b=50 | option_c=45 | option_d=60 | answer=B | explanation=30% of 168 = (30/100) × 168 = 50.

id=86683 | topic=Percentages | difficulty=Easy | question=What is 5% of 1766? | option_a=176 | option_b=98 | option_c=68 | option_d=88 | answer=D | explanation=5% of 1766 = (5/100) × 1766 = 88.

id=86684 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 24. | option_a=576 | option_b=48 | option_c=1 | option_d=24 | answer=D | explanation=LCM × HCF = 24×24; HCF(24,24) = 24, so LCM = 24.

id=86685 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**24803 at 4% per annum for 4 years. | option_a=4068 | option_b=3968 | option_c=3868 | option_d=28771 | answer=B | explanation=SI = PRT/100 = 24803×4×4/100 = **₹**3968.

id=86686 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=86687 | topic=Percentages | difficulty=Easy | question=What is 20% of 1555? | option_a=622 | option_b=301 | option_c=316 | option_d=311 | answer=D | explanation=20% of 1555 = (20/100) × 1555 = 311.

id=86688 | topic=Percentages | difficulty=Easy | question=What is 15% of 338? | option_a=50 | option_b=100 | option_c=55 | option_d=40 | answer=A | explanation=15% of 338 = (15/100) × 338 = 50.

id=86689 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=86690 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=86691 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=U | option_b=M | option_c=I | option_d=Q | answer=D | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=86692 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 22? | option_a=17 | option_b=15 | option_c=13 | option_d=22 | answer=D | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 22 is the odd one out.

id=86693 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=42 | option_b=52 | option_c=43 | option_d=32 | answer=A | explanation=The common difference is 10. Therefore the next term is 32 + 10 = 42.

id=86694 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 30, 34, 39? | option_a=39 | option_b=34 | option_c=30 | option_d=26 | answer=A | explanation=The first three numbers increase by 4, so the next should be 38. Therefore 39 is the odd one out.

id=86695 | topic=Percentages | difficulty=Easy | question=What is 10% of 228? | option_a=27 | option_b=44 | option_c=17 | option_d=22 | answer=D | explanation=10% of 228 = (10/100) × 228 = 22.

id=86696 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=50 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=86697 | topic=Averages | difficulty=Easy | question=Find the average of 65, 38, 18, 27, 25, 97. | option_a=45 | option_b=47 | option_c=46 | option_d=44 | answer=A | explanation=Average = sum of values ÷ number of values = 270 ÷ 6 = 45.

id=86698 | topic=Averages | difficulty=Easy | question=Find the average of 63, 48, 84, 38, 16, 63. | option_a=51 | option_b=53 | option_c=54 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 312 ÷ 6 = 52.

id=86699 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 9. | option_a=36 | option_b=18 | option_c=162 | option_d=9 | answer=B | explanation=LCM × HCF = 18×9; HCF(18,9) = 9, so LCM = 18.

id=86700 | topic=Percentages | difficulty=Easy | question=What is 50% of 467? | option_a=253 | option_b=466 | option_c=223 | option_d=233 | answer=D | explanation=50% of 467 = (50/100) × 467 = 233.

Aptitude Questions — Records 86,701-86,730 of 100,000

id=86701 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=86702 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=45 | option_b=56 | option_c=67 | option_d=57 | answer=B | explanation=The common difference is 11. Therefore the next term is 45 + 11 = 56.

id=86703 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:3 and the first is 108, what is the second? | option_a=126 | option_b=15 | option_c=36 | option_d=18 | answer=D | explanation=Scale factor = 108/18 = 6. Therefore second quantity = 3×6 = 18.

id=86704 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=37 | option_b=29 | option_c=33 | option_d=34 | answer=C | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=86705 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21628 at 5% per annum for 4 years. | option_a=4325 | option_b=4225 | option_c=4425 | option_d=25953 | answer=A | explanation=SI = PRT/100 = 21628×5×4/100 = **■**4325.

id=86706 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:17 and the first is 104, what is the second? | option_a=149 | option_b=240 | option_c=119 | option_d=136 | answer=D | explanation=Scale factor = 104/13 = 8. Therefore second quantity = 17×8 = 136.

id=86707 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 18, 25, 33? | option_a=33 | option_b=25 | option_c=18 | option_d=11 | answer=A | explanation=The first three numbers increase by 7, so the next should be 32. Therefore 33 is the odd one out.

id=86708 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=86709 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:19 and the first is 176, what is the second? | option_a=225 | option_b=190 | option_c=385 | option_d=209 | answer=D | explanation=Scale factor = 176/16 = 11. Therefore second quantity = 19×11 = 209.

id=86710 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=D | option_c=Y | option_d=O | answer=C | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=86711 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3626. If it is sold at a profit of 30%, what is its selling price? | option_a=3656 | option_b=4713 | option_c=5075 | option_d=4351 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3626 × 130/100 = **■**4713.

id=86712 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=86713 | topic=Averages | difficulty=Easy | question=Find the average of 80, 53, 58, 70, 63, 21, 87, 79, 92. | option_a=66 | option_b=69 | option_c=67 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 603 ÷ 9 = 67.

id=86714 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 9. | option_a=54 | option_b=189 | option_c=84 | option_d=63 | answer=D | explanation=LCM × HCF = 21×9; HCF(21,9) = 3, so LCM = 63.

id=86715 | topic=Averages | difficulty=Easy | question=Find the average of 71, 47, 51, 14, 68, 85. | option_a=57 | option_b=56 | option_c=55 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 336 ÷ 6 = 56.

id=86716 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=W | option_b=Q | option_c=T | option_d=Z | answer=A | explanation=Move 3 positions forward from T; the resulting letter is W.

id=86717 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=72 | option_c=144 | option_d=67 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=86718 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 20, 22, 26? | option_a=20 | option_b=18 | option_c=22 | option_d=26 | answer=D | explanation=The first three numbers increase by 2, so the next should be 24. Therefore 26 is the odd one out.

id=86719 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13013 at 10% per annum for 1 years. | option_a=14314 | option_b=1201 | option_c=1301 | option_d=1401 | answer=C | explanation=SI = PRT/100 = 13013×10×1/100 = **■**1301.

id=86720 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=K | option_b=N | option_c=M | option_d=L | answer=C | explanation=Move 1 positions forward from L; the resulting letter is M.

id=86721 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=49 | option_b=40 | option_c=50 | option_d=58 | answer=A | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

id=86722 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=S | option_c=U | option_d=Q | answer=C | explanation=Move 2 positions forward from S; the resulting letter is U.

id=86723 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=N | option_c=C | option_d=X | answer=D | explanation=Move 5 positions forward from S; the resulting letter is X.

id=86724 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2193. If it is sold at a profit of 10%, what is its selling price? | option_a=2193 | option_b=2203 | option_c=2412 | option_d=2631 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2193 × 110/100 = **■**2412.

id=86725 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25004 at 10% per annum for 4 years. | option_a=35005 | option_b=9901 | option_c=10001 | option_d=10101 | answer=C | explanation=SI = PRT/100 = 25004×10×4/100 = **■**10001.

id=86726 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1947. If it is sold at a profit of 15%, what is its selling price? | option_a=2433 | option_b=2239 | option_c=2045 | option_d=1962 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1947 × 115/100 = **■**2239.

id=86727 | topic=Averages | difficulty=Easy | question=Find the average of 27, 30, 93, 59, 16. | option_a=46 | option_b=44 | option_c=45 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 225 ÷ 5 = 45.

id=86728 | topic=Percentages | difficulty=Easy | question=What is 12% of 836? | option_a=105 | option_b=200 | option_c=100 | option_d=95 | answer=C | explanation=12% of 836 = (12/100) × 836 = 100.

id=86729 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=E | option_c=F | option_d=C | answer=B | explanation=Move 1 positions forward from D; the resulting letter is E.

id=86730 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=K | option_b=N | option_c=T | option_d=Q | answer=D | explanation=Move 3 positions forward from N; the resulting letter is Q.

Aptitude Questions — Records 86,731-86,760 of 100,000

id=86731 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 30. | option_a=630 | option_b=180 | option_c=231 | option_d=210 | answer=D | explanation= $LCM \times HCF = 21 \times 30$; $HCF(21,30) = 3$, so $LCM = 210$.

id=86732 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 16, 21, 27? | option_a=11 | option_b=16 | option_c=21 | option_d=27 | answer=D | explanation=The first three numbers increase by 5, so the next should be 26. Therefore 27 is the odd one out.

id=86733 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12} = 3$ days.

id=86734 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:3 and the first is 360, what is the second? | option_a=420 | option_b=57 | option_c=78 | option_d=60 | answer=D | explanation=Scale factor = $\frac{360}{18} = 20$. Therefore second quantity = $3 \times 20 = 60$.

id=86735 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=86736 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=B | option_c=X | option_d=J | answer=A | explanation=Move 4 positions forward from B; the resulting letter is F.

id=86737 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 58? | option_a=47 | option_b=37 | option_c=58 | option_d=27 | answer=C | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 58 is the odd one out.

id=86738 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**9779 at 6% per annum for 1 years. | option_a=586 | option_b=686 | option_c=486 | option_d=10365 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{9779 \times 6 \times 1}{100} = \text{₹}586$.

id=86739 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=X | option_b=D | option_c=A | option_d=G | answer=B | explanation=Move 3 positions forward from A; the resulting letter is D.

id=86740 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=40 | option_c=25 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = $\frac{120}{6} = 20$ km/h.

id=86741 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:2 and the first is 190, what is the second? | option_a=36 | option_b=38 | option_c=48 | option_d=228 | answer=B | explanation=Scale factor = $\frac{190}{10} = 19$. Therefore second quantity = $2 \times 19 = 38$.

id=86742 | topic=Averages | difficulty=Easy | question=Find the average of 57, 32, 31, 39, 69, 36. | option_a=44 | option_b=46 | option_c=45 | option_d=43 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{264}{6} = 44$.

id=86743 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 14, 23, 34? | option_a=23 | option_b=5 | option_c=14 | option_d=34 | answer=D | explanation=The first three numbers increase by 9, so the next should be 32. Therefore 34 is the odd one out.

id=86744 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=56 | option_b=45 | option_c=55 | option_d=65 | answer=C | explanation=The common difference is 10. Therefore the next term is $45 + 10 = 55$.

id=86745 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=86746 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:20 and the first is 119, what is the second? | option_a=347 | option_b=320 | option_c=340 | option_d=459 | answer=C | explanation=Scale factor = $\frac{119}{7} = 17$. Therefore second quantity = $20 \times 17 = 340$.

id=86747 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**32992 at 5% per annum for 3 years. | option_a=5048 | option_b=4948 | option_c=4848 | option_d=37940 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{32992 \times 5 \times 3}{100} = \text{₹}4948$.

id=86748 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 28. | option_a=56 | option_b=28 | option_c=1 | option_d=30 | answer=B | explanation= $LCM \times HCF = 2 \times 28$; $HCF(2,28) = 2$, so $LCM = 28$.

id=86749 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:7 and the first is 56, what is the second? | option_a=91 | option_b=98 | option_c=102 | option_d=154 | answer=B | explanation=Scale factor = $\frac{56}{4} = 14$. Therefore second quantity = $7 \times 14 = 98$.

id=86750 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 32? | option_a=20 | option_b=15 | option_c=25 | option_d=32 | answer=D | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 32 is the odd one out.

id=86751 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**319. If it is sold at a profit of 50%, what is its selling price? | option_a=369 | option_b=447 | option_c=478 | option_d=509 | answer=C | explanation=Selling price = $CP \times \frac{(100 + \text{profit}\%)}{100} = 319 \times \frac{150}{100} = \text{₹}478$.

id=86752 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 11. | option_a=11 | option_b=242 | option_c=44 | option_d=22 | answer=D | explanation= $LCM \times HCF = 22 \times 11$; $HCF(22,11) = 11$, so $LCM = 22$.

id=86753 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4462. If it is sold at a profit of 10%, what is its selling price? | option_a=4908 | option_b=4472 | option_c=5354 | option_d=4462 | answer=A | explanation=Selling price = $CP \times \frac{(100 + \text{profit}\%)}{100} = 4462 \times \frac{110}{100} = \text{₹}4908$.

id=86754 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 33? | option_a=25 | option_b=15 | option_c=33 | option_d=20 | answer=C | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 33 is the odd one out.

id=86755 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 18, 25, 33? | option_a=11 | option_b=33 | option_c=18 | option_d=25 | answer=B | explanation=The first three numbers increase by 7, so the next should be 32. Therefore 33 is the odd one out.

id=86756 | topic=Averages | difficulty=Easy | question=Find the average of 81, 17, 92, 23, 78, 85, 65. | option_a=63 | option_b=64 | option_c=62 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{441}{7} = 63$.

id=86757 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**2097 at 15% per annum for 4 years. | option_a=1258 | option_b=3355 | option_c=1358 | option_d=1158 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{2097 \times 15 \times 4}{100} = \text{₹}1258$.

id=86758 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 21, 30, 39, ? | option_a=49 | option_b=57 | option_c=48 | option_d=39 | answer=C | explanation=The common difference is 9. Therefore the next term is $39 + 9 = 48$.

id=86759 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:9 and the first is 168, what is the second? | option_a=117 | option_b=138 | option_c=126 | option_d=294 | answer=C | explanation=Scale factor = $\frac{168}{12} = 14$. Therefore second quantity = $9 \times 14 = 126$.

id=86760 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=7 | option_c=12 | option_d=17 | answer=C | explanation=Speed = distance ÷ time = $\frac{60}{5} = 12$ km/h.

Aptitude Questions — Records 86,761-86,790 of 100,000

- id=86761 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1095. If it is sold at a profit of 5%, what is its selling price? | option_a=1100 | option_b=1149 | option_c=1258 | option_d=1040 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1095 × 105/100 = █1149.
- id=86762 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=31 | option_b=23 | option_c=30 | option_d=37 | answer=C | explanation=The common difference is 7. Therefore the next term is 23 + 7 = 30.
- id=86763 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=47 | option_b=55 | option_c=48 | option_d=39 | answer=A | explanation=The common difference is 8. Therefore the next term is 39 + 8 = 47.
- id=86764 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=30 | option_b=38 | option_c=39 | option_d=46 | answer=B | explanation=The common difference is 8. Therefore the next term is 30 + 8 = 38.
- id=86765 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4029. If it is sold at a profit of 20%, what is its selling price? | option_a=4432 | option_b=5236 | option_c=4049 | option_d=4834 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4029 × 120/100 = █4834.
- id=86766 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 59? | option_a=47 | option_b=37 | option_c=27 | option_d=59 | answer=D | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 59 is the odd one out.
- id=86767 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 28. | option_a=504 | option_b=270 | option_c=224 | option_d=252 | answer=D | explanation=LCM × HCF = 18×28; HCF(18,28) = 2, so LCM = 252.
- id=86768 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=L | option_b=O | option_c=N | option_d=M | answer=C | explanation=Move 1 positions forward from M; the resulting letter is N.
- id=86769 | topic=Averages | difficulty=Easy | question=Find the average of 31, 70, 48, 23, 100, 70, 53, 101. | option_a=64 | option_b=63 | option_c=61 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 496 ÷ 8 = 62.
- id=86770 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 21, 30, 41? | option_a=21 | option_b=30 | option_c=41 | option_d=12 | answer=C | explanation=The first three numbers increase by 9, so the next should be 39. Therefore 41 is the odd one out.
- id=86771 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2019. If it is sold at a profit of 25%, what is its selling price? | option_a=2044 | option_b=2523 | option_c=2724 | option_d=2322 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2019 × 125/100 = █2523.
- id=86772 | topic=Averages | difficulty=Easy | question=Find the average of 33, 96, 43, 64, 67, 78, 95. | option_a=68 | option_b=69 | option_c=70 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = 476 ÷ 7 = 68.
- id=86773 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30813 at 4% per annum for 5 years. | option_a=36975 | option_b=6162 | option_c=6062 | option_d=6262 | answer=B | explanation=SI = PRT/100 = 30813×4×5/100 = █6162.
- id=86774 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.
- id=86775 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:13 and the first is 360, what is the second? | option_a=247 | option_b=278 | option_c=260 | option_d=620 | answer=C | explanation=Scale factor = 360/18 = 20. Therefore second quantity = 13×20 = 260.
- id=86776 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 36? | option_a=23 | option_b=17 | option_c=36 | option_d=29 | answer=C | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 36 is the odd one out.
- id=86777 | topic=Percentages | difficulty=Easy | question=What is 12% of 1325? | option_a=164 | option_b=318 | option_c=149 | option_d=159 | answer=D | explanation=12% of 1325 = (12/100) × 1325 = 159.
- id=86778 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=Q | option_b=I | option_c=E | option_d=M | answer=D | explanation=Move 4 positions forward from I; the resulting letter is M.
- id=86779 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2659. If it is sold at a profit of 15%, what is its selling price? | option_a=2792 | option_b=3322 | option_c=3057 | option_d=2674 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2659 × 115/100 = █3057.
- id=86780 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=51 | option_b=52 | option_c=62 | option_d=40 | answer=A | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.
- id=86781 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=T | option_c=R | option_d=S | answer=B | explanation=Move 1 positions forward from S; the resulting letter is T.
- id=86782 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 14, 20, 28? | option_a=28 | option_b=20 | option_c=8 | option_d=14 | answer=A | explanation=The first three numbers increase by 6, so the next should be 26. Therefore 28 is the odd one out.
- id=86783 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:12 and the first is 26, what is the second? | option_a=50 | option_b=24 | option_c=12 | option_d=37 | answer=B | explanation=Scale factor = 26/13 = 2. Therefore second quantity = 12×2 = 24.
- id=86784 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=30 | option_b=33 | option_c=27 | option_d=31 | answer=A | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.
- id=86785 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 24, 36, 48, ? | option_a=60 | option_b=61 | option_c=72 | option_d=48 | answer=A | explanation=The common difference is 12. Therefore the next term is 48 + 12 = 60.
- id=86786 | topic=Averages | difficulty=Easy | question=Find the average of 26, 65, 94, 86, 89, 64, 23, 37, 83. | option_a=62 | option_b=65 | option_c=64 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 567 ÷ 9 = 63.
- id=86787 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 14, 20, 29? | option_a=8 | option_b=20 | option_c=29 | option_d=14 | answer=C | explanation=The first three numbers increase by 6, so the next should be 26. Therefore 29 is the odd one out.
- id=86788 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 24? | option_a=15 | option_b=19 | option_c=24 | option_d=17 | answer=C | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 24 is the odd one out.
- id=86789 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=10 | option_b=11 | option_c=12 | option_d=8 | answer=A | explanation=The common difference is 2. Therefore the next term is 8 + 2 = 10.
- id=86790 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=58 | option_b=46 | option_c=59 | option_d=70 | answer=A | explanation=The common difference is 12. Therefore the next term is 46 + 12 = 58.

Aptitude Questions — Records 86,791-86,820 of 100,000

id=86791 | topic=Averages | difficulty=Easy | question=Find the average of 89, 41, 44, 97, 75, 27, 27, 90, 59. | option_a=60 | option_b=61 | option_c=62 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 549 ÷ 9 = 61.

id=86792 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 13, 19, 28? | option_a=28 | option_b=7 | option_c=13 | option_d=19 | answer=A | explanation=The first three numbers increase by 6, so the next should be 25. Therefore 28 is the odd one out.

id=86793 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36054 at 5% per annum for 2 years. | option_a=3505 | option_b=3605 | option_c=39659 | option_d=3705 | answer=B | explanation=SI = PRT/100 = 36054×5×2/100 = **■**3605.

id=86794 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3062. If it is sold at a profit of 30%, what is its selling price? | option_a=3092 | option_b=3674 | option_c=4286 | option_d=3980 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3062 × 130/100 = **■**3980.

id=86795 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26651 at 5% per annum for 2 years. | option_a=2765 | option_b=2665 | option_c=2565 | option_d=29316 | answer=B | explanation=SI = PRT/100 = 26651×5×2/100 = **■**2665.

id=86796 | topic=Averages | difficulty=Easy | question=Find the average of 93, 11, 82, 21, 21, 73, 61, 54. | option_a=51 | option_b=52 | option_c=54 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=86797 | topic=Percentages | difficulty=Easy | question=What is 40% of 1557? | option_a=1244 | option_b=602 | option_c=622 | option_d=632 | answer=C | explanation=40% of 1557 = (40/100) × 1557 = 622.

id=86798 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29553 at 4% per annum for 3 years. | option_a=3546 | option_b=3646 | option_c=33099 | option_d=3446 | answer=A | explanation=SI = PRT/100 = 29553×4×3/100 = **■**3546.

id=86799 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3543 at 8% per annum for 4 years. | option_a=4676 | option_b=1233 | option_c=1033 | option_d=1133 | answer=D | explanation=SI = PRT/100 = 3543×8×4/100 = **■**1133.

id=86800 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:14 and the first is 114, what is the second? | option_a=103 | option_b=198 | option_c=84 | option_d=70 | answer=C | explanation=Scale factor = 114/19 = 6. Therefore second quantity = 14×6 = 84.

id=86801 | topic=Percentages | difficulty=Easy | question=What is 20% of 1549? | option_a=299 | option_b=309 | option_c=319 | option_d=618 | answer=B | explanation=20% of 1549 = (20/100) × 1549 = 309.

id=86802 | topic=Percentages | difficulty=Easy | question=What is 50% of 836? | option_a=836 | option_b=418 | option_c=398 | option_d=423 | answer=B | explanation=50% of 836 = (50/100) × 836 = 418.

id=86803 | topic=Averages | difficulty=Easy | question=Find the average of 53, 98, 15, 58. | option_a=58 | option_b=55 | option_c=56 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 224 ÷ 4 = 56.

id=86804 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=55 | option_d=100 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=86805 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=80 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=86806 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=86807 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:1 and the first is 85, what is the second? | option_a=90 | option_b=22 | option_c=5 | option_d=4 | answer=C | explanation=Scale factor = 85/17 = 5. Therefore second quantity = 1×5 = 5.

id=86808 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 36, 43, 51? | option_a=43 | option_b=51 | option_c=36 | option_d=29 | answer=B | explanation=The first three numbers increase by 7, so the next should be 50. Therefore 51 is the odd one out.

id=86809 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35661 at 8% per annum for 1 years. | option_a=2752 | option_b=38513 | option_c=2952 | option_d=2852 | answer=D | explanation=SI = PRT/100 = 35661×8×1/100 = **■**2852.

id=86810 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3433. If it is sold at a profit of 10%, what is its selling price? | option_a=3433 | option_b=4119 | option_c=3776 | option_d=3443 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3433 × 110/100 = **■**3776.

id=86811 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=R | option_c=J | option_d=V | answer=B | explanation=Move 4 positions forward from N; the resulting letter is R.

id=86812 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=86813 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=86814 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 59? | option_a=26 | option_b=46 | option_c=36 | option_d=59 | answer=D | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 59 is the odd one out.

id=86815 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**671. If it is sold at a profit of 10%, what is its selling price? | option_a=805 | option_b=681 | option_c=738 | option_d=671 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 671 × 110/100 = **■**738.

id=86816 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:17 and the first is 35, what is the second? | option_a=102 | option_b=119 | option_c=124 | option_d=154 | answer=B | explanation=Scale factor = 35/5 = 7. Therefore second quantity = 17×7 = 119.

id=86817 | topic=Averages | difficulty=Easy | question=Find the average of 23, 59, 13, 33. | option_a=33 | option_b=31 | option_c=32 | option_d=34 | answer=C | explanation=Average = sum of values ÷ number of values = 128 ÷ 4 = 32.

id=86818 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**597. If it is sold at a profit of 25%, what is its selling price? | option_a=746 | option_b=805 | option_c=622 | option_d=687 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 597 × 125/100 = **■**746.

id=86819 | topic=Percentages | difficulty=Easy | question=What is 40% of 1935? | option_a=1548 | option_b=794 | option_c=774 | option_d=754 | answer=C | explanation=40% of 1935 = (40/100) × 1935 = 774.

id=86820 | topic=Averages | difficulty=Easy | question=Find the average of 23, 85, 19, 39, 45, 83, 99, 13, 89. | option_a=56 | option_b=57 | option_c=54 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.

Aptitude Questions — Records 86,821-86,850 of 100,000

id=86821 | topic=Averages | difficulty=Easy | question=Find the average of 15, 28, 35. | option_a=28 | option_b=26 | option_c=25 | option_d=27 | answer=B | explanation=Average = sum of values + number of values = $78 \div 3 = 26$.

id=86822 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 18, 26, 37? | option_a=10 | option_b=26 | option_c=37 | option_d=18 | answer=C | explanation=The first three numbers increase by 8, so the next should be 34. Therefore 37 is the odd one out.

id=86823 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 11, 14, 19? | option_a=8 | option_b=14 | option_c=11 | option_d=19 | answer=D | explanation=The first three numbers increase by 3, so the next should be 17. Therefore 19 is the odd one out.

id=86824 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=13 | option_b=19 | option_c=16 | option_d=17 | answer=C | explanation=The common difference is 3. Therefore the next term is $13 + 3 = 16$.

id=86825 | topic=Percentages | difficulty=Easy | question=What is 50% of 216? | option_a=128 | option_b=103 | option_c=216 | option_d=108 | answer=D | explanation=50% of 216 = $(50/100) \times 216 = 108$.

id=86826 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 3. | option_a=36 | option_b=12 | option_c=24 | option_d=9 | answer=B | explanation= $\text{LCM} \times \text{HCF} = 12 \times 3$; $\text{HCF}(12,3) = 3$, so $\text{LCM} = 12$.

id=86827 | topic=Averages | difficulty=Easy | question=Find the average of 35, 17, 96, 31, 21. | option_a=42 | option_b=41 | option_c=39 | option_d=40 | answer=D | explanation=Average = sum of values + number of values = $200 \div 5 = 40$.

id=86828 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=180 | option_c=95 | option_d=90 | answer=D | explanation=Speed = distance $\div$ time = $180 \div 2 = 90$ km/h.

id=86829 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47927 at 8% per annum for 4 years. | option_a=63263 | option_b=15336 | option_c=15436 | option_d=15236 | answer=B | explanation= $\text{SI} = \text{PRT}/100 = 47927 \times 8 \times 4 / 100 = \text{■}15336$.

id=86830 | topic=Averages | difficulty=Easy | question=Find the average of 75, 85, 89. | option_a=82 | option_b=83 | option_c=84 | option_d=85 | answer=B | explanation=Average = sum of values + number of values = $249 \div 3 = 83$.

id=86831 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=86832 | topic=Percentages | difficulty=Easy | question=What is 40% of 1992? | option_a=1592 | option_b=776 | option_c=796 | option_d=806 | answer=C | explanation=40% of 1992 = $(40/100) \times 1992 = 796$.

id=86833 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=86834 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 11. | option_a=44 | option_b=11 | option_c=242 | option_d=22 | answer=D | explanation= $\text{LCM} \times \text{HCF} = 22 \times 11$; $\text{HCF}(22,11) = 11$, so $\text{LCM} = 22$.

id=86835 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2118. If it is sold at a profit of 5%, what is its selling price? | option_a=2223 | option_b=2123 | option_c=2012 | option_d=2434 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 2118 \times 105 / 100 = \text{■}2223$.

id=86836 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1164 at 6% per annum for 1 years. | option_a=169 | option_b=0 | option_c=1233 | option_d=69 | answer=D | explanation= $\text{SI} = \text{PRT}/100 = 1164 \times 6 \times 1 / 100 = \text{■}69$.

id=86837 | topic=Averages | difficulty=Easy | question=Find the average of 52, 81, 65, 14. | option_a=55 | option_b=53 | option_c=54 | option_d=52 | answer=B | explanation=Average = sum of values + number of values = $212 \div 4 = 53$.

id=86838 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 35, 42, 52? | option_a=35 | option_b=42 | option_c=28 | option_d=52 | answer=D | explanation=The first three numbers increase by 7, so the next should be 49. Therefore 52 is the odd one out.

id=86839 | topic=Averages | difficulty=Easy | question=Find the average of 91, 61, 97. | option_a=83 | option_b=84 | option_c=82 | option_d=85 | answer=A | explanation=Average = sum of values + number of values = $249 \div 3 = 83$.

id=86840 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3393 at 15% per annum for 4 years. | option_a=2135 | option_b=2035 | option_c=5428 | option_d=1935 | answer=B | explanation= $\text{SI} = \text{PRT}/100 = 3393 \times 15 \times 4 / 100 = \text{■}2035$.

id=86841 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:1 and the first is 30, what is the second? | option_a=17 | option_b=15 | option_c=14 | option_d=45 | answer=B | explanation=Scale factor = $30/2 = 15$. Therefore second quantity = $1 \times 15 = 15$.

id=86842 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4443. If it is sold at a profit of 30%, what is its selling price? | option_a=6219 | option_b=5775 | option_c=4473 | option_d=5331 | answer=B | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 4443 \times 130 / 100 = \text{■}5775$.

id=86843 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:16 and the first is 18, what is the second? | option_a=66 | option_b=48 | option_c=54 | option_d=32 | answer=B | explanation=Scale factor = $18/6 = 3$. Therefore second quantity = $16 \times 3 = 48$.

id=86844 | topic=Averages | difficulty=Easy | question=Find the average of 28, 49, 64. | option_a=48 | option_b=47 | option_c=46 | option_d=49 | answer=B | explanation=Average = sum of values + number of values = $141 \div 3 = 47$.

id=86845 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**703. If it is sold at a profit of 40%, what is its selling price? | option_a=1054 | option_b=743 | option_c=914 | option_d=984 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 703 \times 140 / 100 = \text{■}984$.

id=86846 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=28 | option_b=23 | option_c=18 | option_d=24 | answer=B | explanation=The common difference is 5. Therefore the next term is $18 + 5 = 23$.

id=86847 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1952. If it is sold at a profit of 20%, what is its selling price? | option_a=2537 | option_b=2147 | option_c=1972 | option_d=2342 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 1952 \times 120 / 100 = \text{■}2342$.

id=86848 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=40 | option_c=45 | option_d=35 | answer=B | explanation=Speed = distance $\div$ time = $120 \div 3 = 40$ km/h.

id=86849 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance $\div$ time = $90 \div 3 = 30$ km/h.

id=86850 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 34? | option_a=12 | option_b=26 | option_c=19 | option_d=34 | answer=D | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 34 is the odd one out.

Aptitude Questions — Records 86,851-86,880 of 100,000

- id=86851 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 22, 28, 36? | option_a=22 | option_b=28 | option_c=16 | option_d=36 | answer=D | explanation=The first three numbers increase by 6, so the next should be 34. Therefore 36 is the odd one out.
- id=86852 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 16. | option_a=144 | option_b=128 | option_c=162 | option_d=288 | answer=A | explanation=LCM × HCF = 18×16; HCF(18,16) = 2, so LCM = 144.
- id=86853 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3941. If it is sold at a profit of 20%, what is its selling price? | option_a=4729 | option_b=5123 | option_c=3961 | option_d=4335 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3941 × 120/100 = █4729.
- id=86854 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:4 and the first is 28, what is the second? | option_a=56 | option_b=52 | option_c=58 | option_d=84 | answer=A | explanation=Scale factor = 28/2 = 14. Therefore second quantity = 4×14 = 56.
- id=86855 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:11 and the first is 200, what is the second? | option_a=420 | option_b=220 | option_c=209 | option_d=230 | answer=B | explanation=Scale factor = 200/10 = 20. Therefore second quantity = 11×20 = 220.
- id=86856 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=33 | option_b=27 | option_c=34 | option_d=39 | answer=A | explanation=The common difference is 6. Therefore the next term is 27 + 6 = 33.
- id=86857 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2706. If it is sold at a profit of 20%, what is its selling price? | option_a=2726 | option_b=2977 | option_c=3517 | option_d=3247 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2706 × 120/100 = █3247.
- id=86858 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=86859 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=40 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.
- id=86860 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 19? | option_a=11 | option_b=19 | option_c=13 | option_d=15 | answer=B | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 19 is the odd one out.
- id=86861 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=56 | option_b=57 | option_c=44 | option_d=68 | answer=A | explanation=The common difference is 12. Therefore the next term is 44 + 12 = 56.
- id=86862 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:4 and the first is 140, what is the second? | option_a=220 | option_b=87 | option_c=80 | option_d=76 | answer=C | explanation=Scale factor = 140/7 = 20. Therefore second quantity = 4×20 = 80.
- id=86863 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43, ? | option_a=43 | option_b=51 | option_c=59 | option_d=52 | answer=B | explanation=The common difference is 8. Therefore the next term is 43 + 8 = 51.
- id=86864 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=37 | option_b=46 | option_c=53 | option_d=45 | answer=D | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.
- id=86865 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 38? | option_a=38 | option_b=34 | option_c=30 | option_d=32 | answer=A | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 38 is the odd one out.
- id=86866 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:9 and the first is 105, what is the second? | option_a=135 | option_b=240 | option_c=142 | option_d=126 | answer=A | explanation=Scale factor = 105/7 = 15. Therefore second quantity = 9×15 = 135.
- id=86867 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:3 and the first is 70, what is the second? | option_a=30 | option_b=27 | option_c=37 | option_d=100 | answer=A | explanation=Scale factor = 70/7 = 10. Therefore second quantity = 3×10 = 30.
- id=86868 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 31, 41, 54? | option_a=41 | option_b=54 | option_c=31 | option_d=21 | answer=B | explanation=The first three numbers increase by 10, so the next should be 51. Therefore 54 is the odd one out.
- id=86869 | topic=Averages | difficulty=Easy | question=Find the average of 66, 45, 12, 32, 47, 80. | option_a=49 | option_b=48 | option_c=46 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 282 ÷ 6 = 47.
- id=86870 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15631 at 4% per annum for 5 years. | option_a=3226 | option_b=3026 | option_c=3126 | option_d=18757 | answer=C | explanation=SI = PRT/100 = 15631×4×5/100 = █3126.
- id=86871 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21616 at 5% per annum for 3 years. | option_a=3342 | option_b=3242 | option_c=3142 | option_d=24858 | answer=B | explanation=SI = PRT/100 = 21616×5×3/100 = █3242.
- id=86872 | topic=Averages | difficulty=Easy | question=Find the average of 28, 38, 39, 28, 87, 24, 83, 47, 67. | option_a=48 | option_b=49 | option_c=51 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 441 ÷ 9 = 49.
- id=86873 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 25? | option_a=12 | option_b=25 | option_c=18 | option_d=6 | answer=B | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 25 is the odd one out.
- id=86874 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.
- id=86875 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:20 and the first is 187, what is the second? | option_a=237 | option_b=200 | option_c=220 | option_d=407 | answer=C | explanation=Scale factor = 187/17 = 11. Therefore second quantity = 20×11 = 220.
- id=86876 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=D | option_b=J | option_c=M | option_d=G | answer=B | explanation=Move 3 positions forward from G; the resulting letter is J.
- id=86877 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=30 | option_b=23 | option_c=35 | option_d=29 | answer=D | explanation=The common difference is 6. Therefore the next term is 23 + 6 = 29.
- id=86878 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1009 at 4% per annum for 3 years. | option_a=121 | option_b=21 | option_c=221 | option_d=1130 | answer=A | explanation=SI = PRT/100 = 1009×4×3/100 = █121.
- id=86879 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=150 | option_c=300 | option_d=145 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.
- id=86880 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 25. | option_a=90 | option_b=75 | option_c=375 | option_d=50 | answer=B | explanation=LCM × HCF = 15×25; HCF(15,25) = 5, so LCM = 75.

Aptitude Questions — Records 86,881-86,910 of 100,000

id=86881 | topic=Percentages | difficulty=Easy | question=What is 10% of 1882? | option_a=198 | option_b=178 | option_c=188 | option_d=376 | answer=C | explanation=10% of 1882 = (10/100) × 1882 = 188.

id=86882 | topic=Averages | difficulty=Easy | question=Find the average of 14, 65, 43, 65, 72, 98, 56. | option_a=60 | option_b=59 | option_c=58 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 413 ÷ 7 = 59.

id=86883 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=90 | option_c=180 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=86884 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 17, 27, 40? | option_a=7 | option_b=40 | option_c=27 | option_d=17 | answer=B | explanation=The first three numbers increase by 10, so the next should be 37. Therefore 40 is the odd one out.

id=86885 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 18, 23, 28, ? | option_a=33 | option_b=34 | option_c=38 | option_d=28 | answer=A | explanation=The common difference is 5. Therefore the next term is 28 + 5 = 33.

id=86886 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2055. If it is sold at a profit of 40%, what is its selling price? | option_a=2877 | option_b=2672 | option_c=3082 | option_d=2095 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2055 × 140/100 = █2877.

id=86887 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4247. If it is sold at a profit of 10%, what is its selling price? | option_a=4257 | option_b=4671 | option_c=4247 | option_d=5095 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4247 × 110/100 = █4671.

id=86888 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 16, 26, 39? | option_a=39 | option_b=16 | option_c=26 | option_d=6 | answer=A | explanation=The first three numbers increase by 10, so the next should be 36. Therefore 39 is the odd one out.

id=86889 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23879 at 12% per annum for 1 years. | option_a=2965 | option_b=2865 | option_c=2765 | option_d=26744 | answer=B | explanation=SI = PRT/100 = 23879×12×1/100 = █2865.

id=86890 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9699 at 6% per annum for 3 years. | option_a=11444 | option_b=1845 | option_c=1645 | option_d=1745 | answer=D | explanation=SI = PRT/100 = 9699×6×3/100 = █1745.

id=86891 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=36 | option_c=72 | option_d=41 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=86892 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=86893 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 26, 34, 42, ? | option_a=58 | option_b=51 | option_c=42 | option_d=50 | answer=D | explanation=The common difference is 8. Therefore the next term is 42 + 8 = 50.

id=86894 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=P | option_c=T | option_d=V | answer=C | explanation=Move 2 positions forward from R; the resulting letter is T.

id=86895 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=86896 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=4 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=86897 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=86898 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=86899 | topic=Percentages | difficulty=Easy | question=What is 20% of 1449? | option_a=289 | option_b=279 | option_c=309 | option_d=578 | answer=A | explanation=20% of 1449 = (20/100) × 1449 = 289.

id=86900 | topic=Averages | difficulty=Easy | question=Find the average of 69, 52, 68. | option_a=65 | option_b=62 | option_c=63 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 189 ÷ 3 = 63.

id=86901 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=86902 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2551. If it is sold at a profit of 40%, what is its selling price? | option_a=3571 | option_b=3316 | option_c=3826 | option_d=2591 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2551 × 140/100 = █3571.

id=86903 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 5. | option_a=10 | option_b=5 | option_c=50 | option_d=20 | answer=A | explanation=LCM × HCF = 10×5; HCF(10,5) = 5, so LCM = 10.

id=86904 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=43 | option_b=39 | option_c=33 | option_d=38 | answer=D | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.

id=86905 | topic=Percentages | difficulty=Easy | question=What is 5% of 331? | option_a=0 | option_b=21 | option_c=32 | option_d=16 | answer=D | explanation=5% of 331 = (5/100) × 331 = 16.

id=86906 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=9 | option_b=4 | option_c=18 | option_d=14 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=86907 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40173 at 6% per annum for 2 years. | option_a=4720 | option_b=4820 | option_c=4920 | option_d=44993 | answer=B | explanation=SI = PRT/100 = 40173×6×2/100 = █4820.

id=86908 | topic=Averages | difficulty=Easy | question=Find the average of 100, 11, 17, 41, 68, 67, 17, 66, 30, 93. | option_a=53 | option_b=52 | option_c=51 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

id=86909 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:4 and the first is 306, what is the second? | option_a=86 | option_b=64 | option_c=374 | option_d=68 | answer=D | explanation=Scale factor = 306/18 = 17. Therefore second quantity = 4×17 = 68.

id=86910 | topic=Percentages | difficulty=Easy | question=What is 20% of 710? | option_a=152 | option_b=132 | option_c=142 | option_d=284 | answer=C | explanation=20% of 710 = (20/100) × 710 = 142.

Aptitude Questions — Records 86,911-86,940 of 100,000

id=86911 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=86912 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 13, 17, 23? | option_a=17 | option_b=23 | option_c=9 | option_d=13 | answer=B | explanation=The first three numbers increase by 4, so the next should be 21. Therefore 23 is the odd one out.

id=86913 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 14, 22, 31? | option_a=22 | option_b=14 | option_c=6 | option_d=31 | answer=D | explanation=The first three numbers increase by 8, so the next should be 30. Therefore 31 is the odd one out.

id=86914 | topic=Percentages | difficulty=Easy | question=What is 20% of 697? | option_a=134 | option_b=139 | option_c=149 | option_d=278 | answer=B | explanation=20% of 697 = (20/100) × 697 = 139.

id=86915 | topic=Percentages | difficulty=Easy | question=What is 20% of 942? | option_a=376 | option_b=178 | option_c=188 | option_d=193 | answer=C | explanation=20% of 942 = (20/100) × 942 = 188.

id=86916 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:2 and the first is 26, what is the second? | option_a=4 | option_b=17 | option_c=2 | option_d=30 | answer=A | explanation=Scale factor = 26/13 = 2. Therefore second quantity = 2×2 = 4.

id=86917 | topic=Averages | difficulty=Easy | question=Find the average of 66, 99, 37, 75, 53, 16, 63, 86, 86, 79. | option_a=67 | option_b=66 | option_c=65 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = 660 ÷ 10 = 66.

id=86918 | topic=Profit & Loss | difficulty=Easy | question=An article costs █396. If it is sold at a profit of 40%, what is its selling price? | option_a=593 | option_b=436 | option_c=554 | option_d=515 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 396 × 140/100 = █554.

id=86919 | topic=Percentages | difficulty=Easy | question=What is 25% of 1427? | option_a=361 | option_b=356 | option_c=712 | option_d=351 | answer=B | explanation=25% of 1427 = (25/100) × 1427 = 356.

id=86920 | topic=Percentages | difficulty=Easy | question=What is 5% of 707? | option_a=70 | option_b=15 | option_c=45 | option_d=35 | answer=D | explanation=5% of 707 = (5/100) × 707 = 35.

id=86921 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 10, 15, 22? | option_a=22 | option_b=15 | option_c=10 | option_d=5 | answer=A | explanation=The first three numbers increase by 5, so the next should be 20. Therefore 22 is the odd one out.

id=86922 | topic=Averages | difficulty=Easy | question=Find the average of 77, 16, 60. | option_a=51 | option_b=53 | option_c=50 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 153 ÷ 3 = 51.

id=86923 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=72 | option_c=67 | option_d=144 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=86924 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1700. If it is sold at a profit of 20%, what is its selling price? | option_a=2040 | option_b=1870 | option_c=1720 | option_d=2210 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1700 × 120/100 = █2040.

id=86925 | topic=Averages | difficulty=Easy | question=Find the average of 87, 44, 26, 62, 101. | option_a=64 | option_b=65 | option_c=63 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = 320 ÷ 5 = 64.

id=86926 | topic=Percentages | difficulty=Easy | question=What is 15% of 1620? | option_a=486 | option_b=233 | option_c=243 | option_d=248 | answer=C | explanation=15% of 1620 = (15/100) × 1620 = 243.

id=86927 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=E | option_c=Y | option_d=H | answer=B | explanation=Move 3 positions forward from B; the resulting letter is E.

id=86928 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=86929 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=12 | option_c=17 | option_d=24 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=86930 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=P | option_b=V | option_c=R | option_d=T | answer=D | explanation=Move 2 positions forward from R; the resulting letter is T.

id=86931 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=J | option_b=B | option_c=F | option_d=X | answer=C | explanation=Move 4 positions forward from B; the resulting letter is F.

id=86932 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=86933 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=95 | option_c=105 | option_d=200 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=86934 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=K | option_b=H | option_c=N | option_d=E | answer=A | explanation=Move 3 positions forward from H; the resulting letter is K.

id=86935 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3012. If it is sold at a profit of 40%, what is its selling price? | option_a=4517 | option_b=4216 | option_c=3915 | option_d=3052 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3012 × 140/100 = █4216.

id=86936 | topic=Averages | difficulty=Easy | question=Find the average of 50, 96, 31. | option_a=60 | option_b=58 | option_c=59 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 177 ÷ 3 = 59.

id=86937 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=86938 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3972. If it is sold at a profit of 25%, what is its selling price? | option_a=4568 | option_b=3997 | option_c=5362 | option_d=4965 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3972 × 125/100 = █4965.

id=86939 | topic=Percentages | difficulty=Easy | question=What is 5% of 772? | option_a=38 | option_b=33 | option_c=76 | option_d=48 | answer=A | explanation=5% of 772 = (5/100) × 772 = 38.

id=86940 | topic=Averages | difficulty=Easy | question=Find the average of 67, 76, 43, 92, 17. | option_a=61 | option_b=58 | option_c=59 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 295 ÷ 5 = 59.

Aptitude Questions — Records 86,941-86,970 of 100,000

id=86941 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 33? | option_a=20 | option_b=28 | option_c=33 | option_d=24 | answer=C | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 33 is the odd one out.

id=86942 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:7 and the first is 126, what is the second? | option_a=67 | option_b=42 | option_c=175 | option_d=49 | answer=D | explanation=Scale factor = $126/18 = 7$. Therefore second quantity = $7 \times 7 = 49$.

id=86943 | topic=Profit & Loss | difficulty=Easy | question=An article costs █621. If it is sold at a profit of 10%, what is its selling price? | option_a=631 | option_b=621 | option_c=683 | option_d=745 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 621 \times 110/100 = \text{█}683$.

id=86944 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=96 | option_c=43 | option_d=53 | answer=A | explanation=Speed = distance ÷ time = $240 \div 5 = 48$ km/h.

id=86945 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:3 and the first is 30, what is the second? | option_a=48 | option_b=23 | option_c=18 | option_d=15 | answer=C | explanation=Scale factor = $30/5 = 6$. Therefore second quantity = $3 \times 6 = 18$.

id=86946 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=56 | option_b=47 | option_c=57 | option_d=65 | answer=A | explanation=The common difference is 9. Therefore the next term is $47 + 9 = 56$.

id=86947 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6525 at 12% per annum for 1 years. | option_a=7308 | option_b=783 | option_c=683 | option_d=883 | answer=B | explanation=SI = $PRT/100 = 6525 \times 12 \times 1/100 = \text{█}783$.

id=86948 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=86949 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29057 at 8% per annum for 3 years. | option_a=7073 | option_b=6873 | option_c=6973 | option_d=36030 | answer=C | explanation=SI = $PRT/100 = 29057 \times 8 \times 3/100 = \text{█}6973$.

id=86950 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=34 | option_b=41 | option_c=40 | option_d=46 | answer=C | explanation=The common difference is 6. Therefore the next term is $34 + 6 = 40$.

id=86951 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=U | option_c=S | option_d=V | answer=B | explanation=Move 1 positions forward from T; the resulting letter is U.

id=86952 | topic=Percentages | difficulty=Easy | question=What is 5% of 669? | option_a=13 | option_b=33 | option_c=43 | option_d=66 | answer=B | explanation=5% of 669 = $(5/100) \times 669 = 33$.

id=86953 | topic=Percentages | difficulty=Easy | question=What is 12% of 1075? | option_a=258 | option_b=119 | option_c=149 | option_d=129 | answer=D | explanation=12% of 1075 = $(12/100) \times 1075 = 129$.

id=86954 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 16? | option_a=16 | option_b=13 | option_c=11 | option_d=9 | answer=A | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 16 is the odd one out.

id=86955 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=X | option_c=R | option_d=V | answer=D | explanation=Move 2 positions forward from T; the resulting letter is V.

id=86956 | topic=Percentages | difficulty=Easy | question=What is 5% of 1342? | option_a=87 | option_b=67 | option_c=134 | option_d=57 | answer=B | explanation=5% of 1342 = $(5/100) \times 1342 = 67$.

id=86957 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=6 | option_d=4 | answer=B | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=86958 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:7 and the first is 200, what is the second? | option_a=70 | option_b=270 | option_c=90 | option_d=63 | answer=A | explanation=Scale factor = $200/20 = 10$. Therefore second quantity = $7 \times 10 = 70$.

id=86959 | topic=Percentages | difficulty=Easy | question=What is 40% of 1071? | option_a=856 | option_b=433 | option_c=423 | option_d=428 | answer=D | explanation=40% of 1071 = $(40/100) \times 1071 = 428$.

id=86960 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 30? | option_a=18 | option_b=13 | option_c=23 | option_d=30 | answer=D | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 30 is the odd one out.

id=86961 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 22, 31, 43? | option_a=22 | option_b=43 | option_c=13 | option_d=31 | answer=B | explanation=The first three numbers increase by 9, so the next should be 40. Therefore 43 is the odd one out.

id=86962 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=75 | option_d=150 | answer=C | explanation=Speed = distance ÷ time = $150 \div 2 = 75$ km/h.

id=86963 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 14? | option_a=7 | option_b=14 | option_c=5 | option_d=9 | answer=B | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 14 is the odd one out.

id=86964 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2055. If it is sold at a profit of 30%, what is its selling price? | option_a=2085 | option_b=2876 | option_c=2671 | option_d=2466 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2055 \times 130/100 = \text{█}2671$.

id=86965 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16955 at 15% per annum for 2 years. | option_a=4986 | option_b=5186 | option_c=5086 | option_d=22041 | answer=C | explanation=SI = $PRT/100 = 16955 \times 15 \times 2/100 = \text{█}5086$.

id=86966 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=H | option_b=I | option_c=F | option_d=G | answer=A | explanation=Move 1 positions forward from G; the resulting letter is H.

id=86967 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 30. | option_a=720 | option_b=144 | option_c=120 | option_d=90 | answer=C | explanation= $LCM \times HCF = 24 \times 30$; $HCF(24,30) = 6$, so $LCM = 120$.

id=86968 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 5, 8, 13? | option_a=13 | option_b=5 | option_c=8 | option_d=2 | answer=A | explanation=The first three numbers increase by 3, so the next should be 11. Therefore 13 is the odd one out.

id=86969 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1517. If it is sold at a profit of 25%, what is its selling price? | option_a=1745 | option_b=1896 | option_c=2047 | option_d=1542 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1517 \times 125/100 = \text{█}1896$.

id=86970 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 28, 32, 39? | option_a=28 | option_b=24 | option_c=32 | option_d=39 | answer=D | explanation=The first three numbers increase by 4, so the next should be 36. Therefore 39 is the odd one out.

Aptitude Questions — Records 86,971-87,000 of 100,000

id=86971 | topic=Averages | difficulty=Easy | question=Find the average of 23, 18, 50, 96, 55, 68, 76, 44, 92. | option_a=58 | option_b=59 | option_c=57 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 522 ÷ 9 = 58.

id=86972 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 18, 23, 28, ? | option_a=33 | option_b=38 | option_c=34 | option_d=28 | answer=A | explanation=The common difference is 5. Therefore the next term is 28 + 5 = 33.

id=86973 | topic=Averages | difficulty=Easy | question=Find the average of 57, 46, 35. | option_a=46 | option_b=48 | option_c=47 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 138 ÷ 3 = 46.

id=86974 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:4 and the first is 342, what is the second? | option_a=68 | option_b=91 | option_c=414 | option_d=72 | answer=D | explanation=Scale factor = 342/19 = 18. Therefore second quantity = 4×18 = 72.

id=86975 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1920. If it is sold at a profit of 15%, what is its selling price? | option_a=2016 | option_b=2400 | option_c=1935 | option_d=2208 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1920 × 115/100 = █2208.

id=86976 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=58 | option_b=50 | option_c=40 | option_d=49 | answer=D | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

id=86977 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=86978 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=86979 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14975 at 5% per annum for 2 years. | option_a=16472 | option_b=1397 | option_c=1597 | option_d=1497 | answer=D | explanation=SI = PRT/100 = 14975×5×2/100 = █1497.

id=86980 | topic=Number System | difficulty=Easy | question=Find the LCM of 11 and 11. | option_a=11 | option_b=121 | option_c=1 | option_d=22 | answer=A | explanation=LCM × HCF = 11×11; HCF(11,11) = 11, so LCM = 11.

id=86981 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:10 and the first is 168, what is the second? | option_a=120 | option_b=110 | option_c=134 | option_d=288 | answer=A | explanation=Scale factor = 168/14 = 12. Therefore second quantity = 10×12 = 120.

id=86982 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2721 at 15% per annum for 4 years. | option_a=1532 | option_b=1732 | option_c=4353 | option_d=1632 | answer=D | explanation=SI = PRT/100 = 2721×15×4/100 = █1632.

id=86983 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:12 and the first is 77, what is the second? | option_a=132 | option_b=139 | option_c=120 | option_d=209 | answer=A | explanation=Scale factor = 77/7 = 11. Therefore second quantity = 12×11 = 132.

id=86984 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=E | option_b=H | option_c=Y | option_d=B | answer=A | explanation=Move 3 positions forward from B; the resulting letter is E.

id=86985 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=21 | option_b=27 | option_c=25 | option_d=24 | answer=D | explanation=The common difference is 3. Therefore the next term is 21 + 3 = 24.

id=86986 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 31, 43, 55, ? | option_a=68 | option_b=67 | option_c=79 | option_d=55 | answer=B | explanation=The common difference is 12. Therefore the next term is 55 + 12 = 67.

id=86987 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=86988 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1164. If it is sold at a profit of 25%, what is its selling price? | option_a=1455 | option_b=1339 | option_c=1571 | option_d=1189 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1164 × 125/100 = █1455.

id=86989 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=6 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=86990 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=86991 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=53 | option_c=96 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=86992 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=86993 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2974. If it is sold at a profit of 30%, what is its selling price? | option_a=4163 | option_b=3004 | option_c=3866 | option_d=3569 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2974 × 130/100 = █3866.

id=86994 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=86995 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2538 at 10% per annum for 5 years. | option_a=1369 | option_b=1169 | option_c=3807 | option_d=1269 | answer=D | explanation=SI = PRT/100 = 2538×10×5/100 = █1269.

id=86996 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 22, 31, 41? | option_a=13 | option_b=22 | option_c=31 | option_d=41 | answer=D | explanation=The first three numbers increase by 9, so the next should be 40. Therefore 41 is the odd one out.

id=86997 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=86998 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:11 and the first is 40, what is the second? | option_a=44 | option_b=63 | option_c=95 | option_d=55 | answer=D | explanation=Scale factor = 40/8 = 5. Therefore second quantity = 11×5 = 55.

id=86999 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=32 | option_b=42 | option_c=52 | option_d=43 | answer=B | explanation=The common difference is 10. Therefore the next term is 32 + 10 = 42.

id=87000 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 87,001-87,030 of 100,000

id=87001 | topic=Averages | difficulty=Easy | question=Find the average of 71, 98, 98, 53, 34, 41, 67. | option_a=68 | option_b=67 | option_c=66 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = 462 ÷ 7 = 66.

id=87002 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=42 | option_b=34 | option_c=26 | option_d=35 | answer=B | explanation=The common difference is 8. Therefore the next term is 26 + 8 = 34.

id=87003 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3956. If it is sold at a profit of 30%, what is its selling price? | option_a=3986 | option_b=4747 | option_c=5537 | option_d=5142 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3956 × 130/100 = █5142.

id=87004 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=P | option_b=M | option_c=J | option_d=S | answer=A | explanation=Move 3 positions forward from M; the resulting letter is P.

id=87005 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=87006 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:14 and the first is 108, what is the second? | option_a=84 | option_b=192 | option_c=102 | option_d=70 | answer=A | explanation=Scale factor = 108/18 = 6. Therefore second quantity = 14×6 = 84.

id=87007 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=87008 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=87009 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=21 | option_b=17 | option_c=19 | option_d=20 | answer=C | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=87010 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:5 and the first is 16, what is the second? | option_a=42 | option_b=40 | option_c=35 | option_d=56 | answer=B | explanation=Scale factor = 16/2 = 8. Therefore second quantity = 5×8 = 40.

id=87011 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=6 | option_c=1 | option_d=12 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=87012 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=75 | option_c=70 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=87013 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:13 and the first is 266, what is the second? | option_a=448 | option_b=169 | option_c=201 | option_d=182 | answer=D | explanation=Scale factor = 266/19 = 14. Therefore second quantity = 13×14 = 182.

id=87014 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 25? | option_a=25 | option_b=21 | option_c=17 | option_d=19 | answer=A | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 25 is the odd one out.

id=87015 | topic=Percentages | difficulty=Easy | question=What is 20% of 1326? | option_a=265 | option_b=270 | option_c=245 | option_d=530 | answer=A | explanation=20% of 1326 = (20/100) × 1326 = 265.

id=87016 | topic=Percentages | difficulty=Easy | question=What is 30% of 1504? | option_a=902 | option_b=461 | option_c=451 | option_d=446 | answer=C | explanation=30% of 1504 = (30/100) × 1504 = 451.

id=87017 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43152 at 12% per annum for 2 years. | option_a=10356 | option_b=53508 | option_c=10456 | option_d=10256 | answer=A | explanation=SI = PRT/100 = 43152×12×2/100 = █10356.

id=87018 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:11 and the first is 209, what is the second? | option_a=110 | option_b=330 | option_c=121 | option_d=140 | answer=C | explanation=Scale factor = 209/19 = 11. Therefore second quantity = 11×11 = 121.

id=87019 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=87020 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:8 and the first is 57, what is the second? | option_a=152 | option_b=155 | option_c=209 | option_d=144 | answer=A | explanation=Scale factor = 57/3 = 19. Therefore second quantity = 8×19 = 152.

id=87021 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 20. | option_a=240 | option_b=60 | option_c=72 | option_d=40 | answer=B | explanation=LCM × HCF = 12×20; HCF(12,20) = 4, so LCM = 60.

id=87022 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 36, 45, 56? | option_a=45 | option_b=27 | option_c=56 | option_d=36 | answer=C | explanation=The first three numbers increase by 9, so the next should be 54. Therefore 56 is the odd one out.

id=87023 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=X | option_b=G | option_c=A | option_d=D | answer=D | explanation=Move 3 positions forward from A; the resulting letter is D.

id=87024 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:17 and the first is 190, what is the second? | option_a=189 | option_b=170 | option_c=360 | option_d=153 | answer=B | explanation=Scale factor = 190/19 = 10. Therefore second quantity = 17×10 = 170.

id=87025 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 3. | option_a=18 | option_b=54 | option_c=15 | option_d=36 | answer=A | explanation=LCM × HCF = 18×3; HCF(18,3) = 3, so LCM = 18.

id=87026 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=24 | option_b=28 | option_c=23 | option_d=18 | answer=C | explanation=The common difference is 5. Therefore the next term is 18 + 5 = 23.

id=87027 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34595 at 15% per annum for 2 years. | option_a=10378 | option_b=10478 | option_c=44973 | option_d=10278 | answer=A | explanation=SI = PRT/100 = 34595×15×2/100 = █10378.

id=87028 | topic=Averages | difficulty=Easy | question=Find the average of 80, 42, 49, 17. | option_a=46 | option_b=48 | option_c=47 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 188 ÷ 4 = 47.

id=87029 | topic=Averages | difficulty=Easy | question=Find the average of 90, 71, 52, 60, 52. | option_a=64 | option_b=65 | option_c=67 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 325 ÷ 5 = 65.

id=87030 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

Aptitude Questions — Records 87,031-87,060 of 100,000

id=87031 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 58? | option_a=26 | option_b=58 | option_c=36 | option_d=46 | answer=B | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 58 is the odd one out.

id=87032 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 33? | option_a=33 | option_b=24 | option_c=10 | option_d=17 | answer=A | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 33 is the odd one out.

id=87033 | topic=Percentages | difficulty=Easy | question=What is 12% of 595? | option_a=142 | option_b=51 | option_c=91 | option_d=71 | answer=D | explanation=12% of 595 = (12/100) × 595 = 71.

id=87034 | topic=Averages | difficulty=Easy | question=Find the average of 48, 36, 14, 41, 86, 67, 65. | option_a=51 | option_b=52 | option_c=50 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.

id=87035 | topic=Averages | difficulty=Easy | question=Find the average of 73, 11, 18, 18. | option_a=32 | option_b=30 | option_c=29 | option_d=31 | answer=B | explanation=Average = sum of values ÷ number of values = 120 ÷ 4 = 30.

id=87036 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=M | option_b=Y | option_c=Q | option_d=U | answer=D | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=87037 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=64 | option_b=63 | option_c=52 | option_d=74 | answer=B | explanation=The common difference is 11. Therefore the next term is 52 + 11 = 63.

id=87038 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33352 at 10% per annum for 1 years. | option_a=3335 | option_b=3235 | option_c=3435 | option_d=36687 | answer=A | explanation=SI = PRT/100 = 33352×10×1/100 = **■**3335.

id=87039 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23496 at 5% per annum for 5 years. | option_a=5874 | option_b=5974 | option_c=5774 | option_d=29370 | answer=A | explanation=SI = PRT/100 = 23496×5×5/100 = **■**5874.

id=87040 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=87041 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 25. | option_a=50 | option_b=75 | option_c=375 | option_d=90 | answer=B | explanation=LCM × HCF = 15×25; HCF(15,25) = 5, so LCM = 75.

id=87042 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:6 and the first is 156, what is the second? | option_a=90 | option_b=78 | option_c=72 | option_d=234 | answer=B | explanation=Scale factor = 156/12 = 13. Therefore second quantity = 6×13 = 78.

id=87043 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:12 and the first is 63, what is the second? | option_a=93 | option_b=72 | option_c=84 | option_d=147 | answer=C | explanation=Scale factor = 63/9 = 7. Therefore second quantity = 12×7 = 84.

id=87044 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:5 and the first is 66, what is the second? | option_a=30 | option_b=25 | option_c=41 | option_d=96 | answer=A | explanation=Scale factor = 66/11 = 6. Therefore second quantity = 5×6 = 30.

id=87045 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:14 and the first is 285, what is the second? | option_a=281 | option_b=252 | option_c=266 | option_d=551 | answer=C | explanation=Scale factor = 285/15 = 19. Therefore second quantity = 14×19 = 266.

id=87046 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=42 | option_b=41 | option_c=47 | option_d=35 | answer=B | explanation=The common difference is 6. Therefore the next term is 35 + 6 = 41.

id=87047 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:13 and the first is 324, what is the second? | option_a=558 | option_b=221 | option_c=252 | option_d=234 | answer=D | explanation=Scale factor = 324/18 = 18. Therefore second quantity = 13×18 = 234.

id=87048 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1015. If it is sold at a profit of 50%, what is its selling price? | option_a=1522 | option_b=1065 | option_c=1623 | option_d=1421 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1015 × 150/100 = **■**1522.

id=87049 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=87050 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2986. If it is sold at a profit of 40%, what is its selling price? | option_a=3882 | option_b=3026 | option_c=4478 | option_d=4180 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2986 × 140/100 = **■**4180.

id=87051 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35409 at 15% per annum for 1 years. | option_a=40720 | option_b=5211 | option_c=5411 | option_d=5311 | answer=D | explanation=SI = PRT/100 = 35409×15×1/100 = **■**5311.

id=87052 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1284. If it is sold at a profit of 40%, what is its selling price? | option_a=1925 | option_b=1669 | option_c=1324 | option_d=1797 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1284 × 140/100 = **■**1797.

id=87053 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:11 and the first is 20, what is the second? | option_a=59 | option_b=55 | option_c=44 | option_d=75 | answer=B | explanation=Scale factor = 20/4 = 5. Therefore second quantity = 11×5 = 55.

id=87054 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=87055 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=41 | option_c=72 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=87056 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=50 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=87057 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=87058 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=65 | option_b=54 | option_c=55 | option_d=43 | answer=B | explanation=The common difference is 11. Therefore the next term is 43 + 11 = 54.

id=87059 | topic=Percentages | difficulty=Easy | question=What is 10% of 1659? | option_a=175 | option_b=330 | option_c=165 | option_d=155 | answer=C | explanation=10% of 1659 = (10/100) × 1659 = 165.

id=87060 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=37 | option_b=27 | option_c=33 | option_d=32 | answer=D | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

Aptitude Questions — Records 87,061-87,090 of 100,000

id=87061 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=14 | option_c=18 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=87062 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=11 | option_c=6 | option_d=12 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=87063 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=80 | option_c=40 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=87064 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:5 and the first is 75, what is the second? | option_a=75 | option_b=150 | option_c=80 | option_d=70 | answer=A | explanation=Scale factor = 75/5 = 15. Therefore second quantity = 5×15 = 75.

id=87065 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=87066 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=16 | option_b=15 | option_c=14 | option_d=12 | answer=C | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=87067 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 9, 12, 18? | option_a=9 | option_b=12 | option_c=18 | option_d=6 | answer=C | explanation=The first three numbers increase by 3, so the next should be 15. Therefore 18 is the odd one out.

id=87068 | topic=Percentages | difficulty=Easy | question=What is 25% of 1401? | option_a=350 | option_b=345 | option_c=700 | option_d=355 | answer=A | explanation=25% of 1401 = (25/100) × 1401 = 350.

id=87069 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**9919 at 15% per annum for 1 years. | option_a=11406 | option_b=1487 | option_c=1587 | option_d=1387 | answer=B | explanation=SI = PRT/100 = 9919×15×1/100 = **₹**1487.

id=87070 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1180. If it is sold at a profit of 5%, what is its selling price? | option_a=1357 | option_b=1121 | option_c=1239 | option_d=1185 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1180 × 105/100 = **₹**1239.

id=87071 | topic=Percentages | difficulty=Easy | question=What is 50% of 795? | option_a=794 | option_b=417 | option_c=387 | option_d=397 | answer=D | explanation=50% of 795 = (50/100) × 795 = 397.

id=87072 | topic=Percentages | difficulty=Easy | question=What is 10% of 204? | option_a=40 | option_b=20 | option_c=30 | option_d=0 | answer=B | explanation=10% of 204 = (10/100) × 204 = 20.

id=87073 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**8415 at 12% per annum for 5 years. | option_a=5049 | option_b=4949 | option_c=13464 | option_d=5149 | answer=A | explanation=SI = PRT/100 = 8415×12×5/100 = **₹**5049.

id=87074 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=58 | option_b=57 | option_c=68 | option_d=46 | answer=B | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.

id=87075 | topic=Averages | difficulty=Easy | question=Find the average of 26, 22, 94, 98, 55. | option_a=59 | option_b=58 | option_c=60 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 295 ÷ 5 = 59.

id=87076 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=87077 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=12 | option_b=17 | option_c=24 | option_d=7 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=87078 | topic=Averages | difficulty=Easy | question=Find the average of 99, 11, 75, 80, 49, 35, 45, 22. | option_a=53 | option_b=52 | option_c=54 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=87079 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**17652 at 15% per annum for 5 years. | option_a=13339 | option_b=13139 | option_c=30891 | option_d=13239 | answer=D | explanation=SI = PRT/100 = 17652×15×5/100 = **₹**13239.

id=87080 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:17 and the first is 39, what is the second? | option_a=51 | option_b=90 | option_c=34 | option_d=64 | answer=A | explanation=Scale factor = 39/13 = 3. Therefore second quantity = 17×3 = 51.

id=87081 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=87082 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=27 | option_b=36 | option_c=43 | option_d=35 | answer=D | explanation=The common difference is 8. Therefore the next term is 27 + 8 = 35.

id=87083 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:4 and the first is 182, what is the second? | option_a=48 | option_b=52 | option_c=234 | option_d=66 | answer=B | explanation=Scale factor = 182/14 = 13. Therefore second quantity = 4×13 = 52.

id=87084 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**598. If it is sold at a profit of 25%, what is its selling price? | option_a=688 | option_b=747 | option_c=623 | option_d=806 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 598 × 125/100 = **₹**747.

id=87085 | topic=Averages | difficulty=Easy | question=Find the average of 20, 62, 81, 49. | option_a=54 | option_b=55 | option_c=53 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 212 ÷ 4 = 53.

id=87086 | topic=Averages | difficulty=Easy | question=Find the average of 40, 20, 29, 24, 42. | option_a=30 | option_b=33 | option_c=32 | option_d=31 | answer=D | explanation=Average = sum of values ÷ number of values = 155 ÷ 5 = 31.

id=87087 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**47725 at 10% per annum for 4 years. | option_a=19090 | option_b=66815 | option_c=19190 | option_d=18990 | answer=A | explanation=SI = PRT/100 = 47725×10×4/100 = **₹**19090.

id=87088 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:3 and the first is 91, what is the second? | option_a=34 | option_b=112 | option_c=21 | option_d=18 | answer=C | explanation=Scale factor = 91/13 = 7. Therefore second quantity = 3×7 = 21.

id=87089 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**13565 at 12% per annum for 2 years. | option_a=16820 | option_b=3355 | option_c=3255 | option_d=3155 | answer=C | explanation=SI = PRT/100 = 13565×12×2/100 = **₹**3255.

id=87090 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=150 | option_c=145 | option_d=155 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

Aptitude Questions — Records 87,091-87,120 of 100,000

id=87091 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 25, 31, 40? | option_a=31 | option_b=19 | option_c=40 | option_d=25 | answer=C | explanation=The first three numbers increase by 6, so the next should be 37. Therefore 40 is the odd one out.

id=87092 | topic=Percentages | difficulty=Easy | question=What is 25% of 274? | option_a=136 | option_b=48 | option_c=68 | option_d=78 | answer=C | explanation=25% of 274 = (25/100) × 274 = 68.

id=87093 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 37? | option_a=15 | option_b=25 | option_c=37 | option_d=5 | answer=C | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 37 is the odd one out.

id=87094 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 37, 44, 54? | option_a=44 | option_b=54 | option_c=30 | option_d=37 | answer=B | explanation=The first three numbers increase by 7, so the next should be 51. Therefore 54 is the odd one out.

id=87095 | topic=Percentages | difficulty=Easy | question=What is 25% of 719? | option_a=189 | option_b=174 | option_c=358 | option_d=179 | answer=D | explanation=25% of 719 = (25/100) × 719 = 179.

id=87096 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=49 | option_b=37 | option_c=43 | option_d=44 | answer=C | explanation=The common difference is 6. Therefore the next term is 37 + 6 = 43.

id=87097 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2273. If it is sold at a profit of 5%, what is its selling price? | option_a=2613 | option_b=2159 | option_c=2386 | option_d=2278 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2273 × 105/100 = **₹**2386.

id=87098 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=37 | option_b=38 | option_c=43 | option_d=31 | answer=A | explanation=The common difference is 6. Therefore the next term is 31 + 6 = 37.

id=87099 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:14 and the first is 260, what is the second? | option_a=168 | option_b=182 | option_c=442 | option_d=202 | answer=B | explanation=Scale factor = 260/20 = 13. Therefore second quantity = 14×13 = 182.

id=87100 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=L | option_c=M | option_d=J | answer=B | explanation=Move 1 positions forward from K; the resulting letter is L.

id=87101 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**25651 at 15% per annum for 1 years. | option_a=29498 | option_b=3847 | option_c=3947 | option_d=3747 | answer=B | explanation=SI = PRT/100 = 25651×15×1/100 = **₹**3847.

id=87102 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 25. | option_a=25 | option_b=30 | option_c=125 | option_d=1 | answer=A | explanation=LCM × HCF = 5×25; HCF(5,25) = 5, so LCM = 25.

id=87103 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:5 and the first is 72, what is the second? | option_a=15 | option_b=38 | option_c=20 | option_d=92 | answer=C | explanation=Scale factor = 72/18 = 4. Therefore second quantity = 5×4 = 20.

id=87104 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 12, 21, 32, ? | option_a=32 | option_b=3 | option_c=21 | option_d=12 | answer=A | explanation=The first three numbers increase by 9, so the next should be 30. Therefore 32 is the odd one out.

id=87105 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**13213 at 15% per annum for 1 years. | option_a=1881 | option_b=2081 | option_c=15194 | option_d=1981 | answer=D | explanation=SI = PRT/100 = 13213×15×1/100 = **₹**1981.

id=87106 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**929. If it is sold at a profit of 40%, what is its selling price? | option_a=1208 | option_b=1392 | option_c=969 | option_d=1300 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 929 × 140/100 = **₹**1300.

id=87107 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4242. If it is sold at a profit of 10%, what is its selling price? | option_a=5090 | option_b=4252 | option_c=4242 | option_d=4666 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4242 × 110/100 = **₹**4666.

id=87108 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:1 and the first is 65, what is the second? | option_a=18 | option_b=4 | option_c=5 | option_d=70 | answer=C | explanation=Scale factor = 65/13 = 5. Therefore second quantity = 1×5 = 5.

id=87109 | topic=Percentages | difficulty=Easy | question=What is 40% of 129? | option_a=71 | option_b=102 | option_c=51 | option_d=46 | answer=C | explanation=40% of 129 = (40/100) × 129 = 51.

id=87110 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=87111 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**951. If it is sold at a profit of 20%, what is its selling price? | option_a=1141 | option_b=1046 | option_c=971 | option_d=1236 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 951 × 120/100 = **₹**1141.

id=87112 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=58 | option_b=50 | option_c=49 | option_d=40 | answer=C | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

id=87113 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:16 and the first is 96, what is the second? | option_a=262 | option_b=256 | option_c=352 | option_d=240 | answer=B | explanation=Scale factor = 96/6 = 16. Therefore second quantity = 16×16 = 256.

id=87114 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=G | option_c=C | option_d=O | answer=A | explanation=Move 4 positions forward from G; the resulting letter is K.

id=87115 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:12 and the first is 9, what is the second? | option_a=109 | option_b=117 | option_c=96 | option_d=108 | answer=D | explanation=Scale factor = 9/1 = 9. Therefore second quantity = 12×9 = 108.

id=87116 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=63 | option_b=51 | option_c=39 | option_d=52 | answer=B | explanation=The common difference is 12. Therefore the next term is 39 + 12 = 51.

id=87117 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4346. If it is sold at a profit of 20%, what is its selling price? | option_a=5215 | option_b=4366 | option_c=5649 | option_d=4781 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4346 × 120/100 = **₹**5215.

id=87118 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 11, 20, 31? | option_a=31 | option_b=2 | option_c=20 | option_d=11 | answer=A | explanation=The first three numbers increase by 9, so the next should be 29. Therefore 31 is the odd one out.

id=87119 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=21 | option_b=31 | option_c=26 | option_d=27 | answer=C | explanation=The common difference is 5. Therefore the next term is 21 + 5 = 26.

id=87120 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

Aptitude Questions — Records 87,121-87,150 of 100,000

id=87121 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=87122 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=80 | option_c=75 | option_d=160 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=87123 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=87124 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28182 at 5% per annum for 4 years. | option_a=5536 | option_b=5736 | option_c=33818 | option_d=5636 | answer=D | explanation=SI = PRT/100 = 28182×5×4/100 = **■**5636.

id=87125 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=35 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=87126 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=87127 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 21. | option_a=105 | option_b=144 | option_c=126 | option_d=378 | answer=C | explanation=LCM × HCF = 18×21; HCF(18,21) = 3, so LCM = 126.

id=87128 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5987 at 5% per annum for 1 years. | option_a=199 | option_b=299 | option_c=399 | option_d=6286 | answer=B | explanation=SI = PRT/100 = 5987×5×1/100 = **■**299.

id=87129 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 14. | option_a=98 | option_b=1 | option_c=21 | option_d=14 | answer=D | explanation=LCM × HCF = 7×14; HCF(7,14) = 7, so LCM = 14.

id=87130 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3171. If it is sold at a profit of 20%, what is its selling price? | option_a=3805 | option_b=4122 | option_c=3488 | option_d=3191 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3171 × 120/100 = **■**3805.

id=87131 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=90 | option_c=180 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=87132 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:13 and the first is 12, what is the second? | option_a=156 | option_b=143 | option_c=157 | option_d=168 | answer=A | explanation=Scale factor = 12/1 = 12. Therefore second quantity = 13×12 = 156.

id=87133 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 18. | option_a=20 | option_b=18 | option_c=36 | option_d=1 | answer=B | explanation=LCM × HCF = 2×18; HCF(2,18) = 2, so LCM = 18.

id=87134 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:9 and the first is 72, what is the second? | option_a=72 | option_b=63 | option_c=81 | option_d=144 | answer=A | explanation=Scale factor = 72/9 = 8. Therefore second quantity = 9×8 = 72.

id=87135 | topic=Averages | difficulty=Easy | question=Find the average of 11, 40, 71, 58. | option_a=46 | option_b=44 | option_c=47 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 180 ÷ 4 = 45.

id=87136 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20934 at 8% per annum for 4 years. | option_a=27632 | option_b=6598 | option_c=6798 | option_d=6698 | answer=D | explanation=SI = PRT/100 = 20934×8×4/100 = **■**6698.

id=87137 | topic=Averages | difficulty=Easy | question=Find the average of 86, 33, 24, 61, 74, 29, 67, 22, 74, 80. | option_a=56 | option_b=55 | option_c=57 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 550 ÷ 10 = 55.

id=87138 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1419. If it is sold at a profit of 25%, what is its selling price? | option_a=1632 | option_b=1914 | option_c=1773 | option_d=1444 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1419 × 125/100 = **■**1773.

id=87139 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1272. If it is sold at a profit of 50%, what is its selling price? | option_a=1781 | option_b=1322 | option_c=1908 | option_d=2035 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1272 × 150/100 = **■**1908.

id=87140 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=85 | option_d=160 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=87141 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=87142 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=34 | option_b=43 | option_c=42 | option_d=50 | answer=C | explanation=The common difference is 8. Therefore the next term is 34 + 8 = 42.

id=87143 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 19, 25, 34? | option_a=25 | option_b=19 | option_c=34 | option_d=13 | answer=C | explanation=The first three numbers increase by 6, so the next should be 31. Therefore 34 is the odd one out.

id=87144 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=52 | option_b=53 | option_c=40 | option_d=64 | answer=A | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.

id=87145 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 21? | option_a=9 | option_b=21 | option_c=15 | option_d=12 | answer=B | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 21 is the odd one out.

id=87146 | topic=Averages | difficulty=Easy | question=Find the average of 22, 53, 59, 12, 40, 74, 63, 29. | option_a=45 | option_b=44 | option_c=43 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 352 ÷ 8 = 44.

id=87147 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8948 at 6% per annum for 2 years. | option_a=973 | option_b=1173 | option_c=10021 | option_d=1073 | answer=D | explanation=SI = PRT/100 = 8948×6×2/100 = **■**1073.

id=87148 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4208. If it is sold at a profit of 15%, what is its selling price? | option_a=4223 | option_b=5259 | option_c=4839 | option_d=4419 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4208 × 115/100 = **■**4839.

id=87149 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=87150 | topic=Averages | difficulty=Easy | question=Find the average of 26, 41, 63, 46. | option_a=46 | option_b=45 | option_c=43 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = 176 ÷ 4 = 44.

Aptitude Questions — Records 87,151-87,180 of 100,000

id=87151 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:6 and the first is 180, what is the second? | option_a=252 | option_b=66 | option_c=72 | option_d=87 | answer=C | explanation=Scale factor = 180/15 = 12. Therefore second quantity = 6×12 = 72.

id=87152 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 37? | option_a=26 | option_b=37 | option_c=32 | option_d=29 | answer=B | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 37 is the odd one out.

id=87153 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1231. If it is sold at a profit of 30%, what is its selling price? | option_a=1477 | option_b=1600 | option_c=1723 | option_d=1261 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1231 × 130/100 = █1600.

id=87154 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 31, 34, 38? | option_a=31 | option_b=38 | option_c=34 | option_d=28 | answer=B | explanation=The first three numbers increase by 3, so the next should be 37. Therefore 38 is the odd one out.

id=87155 | topic=Averages | difficulty=Easy | question=Find the average of 74, 44, 91, 91, 14, 64. | option_a=64 | option_b=62 | option_c=65 | option_d=63 | answer=D | explanation=Average = sum of values + number of values = 378 ÷ 6 = 63.

id=87156 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=90 | option_c=40 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=87157 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=W | option_b=M | option_c=B | option_d=R | answer=A | explanation=Move 5 positions forward from R; the resulting letter is W.

id=87158 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 23, 25, 29? | option_a=25 | option_b=29 | option_c=23 | option_d=21 | answer=B | explanation=The first three numbers increase by 2, so the next should be 27. Therefore 29 is the odd one out.

id=87159 | topic=Averages | difficulty=Easy | question=Find the average of 36, 74, 82, 68, 64, 66. | option_a=64 | option_b=66 | option_c=67 | option_d=65 | answer=D | explanation=Average = sum of values + number of values = 390 ÷ 6 = 65.

id=87160 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45511 at 10% per annum for 2 years. | option_a=9002 | option_b=9102 | option_c=9202 | option_d=54613 | answer=B | explanation=SI = PRT/100 = 45511×10×2/100 = █9102.

id=87161 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=71 | option_b=47 | option_c=60 | option_d=59 | answer=D | explanation=The common difference is 12. Therefore the next term is 47 + 12 = 59.

id=87162 | topic=Percentages | difficulty=Easy | question=What is 10% of 445? | option_a=39 | option_b=44 | option_c=49 | option_d=88 | answer=B | explanation=10% of 445 = (10/100) × 445 = 44.

id=87163 | topic=Percentages | difficulty=Easy | question=What is 50% of 291? | option_a=145 | option_b=140 | option_c=155 | option_d=290 | answer=A | explanation=50% of 291 = (50/100) × 291 = 145.

id=87164 | topic=Percentages | difficulty=Easy | question=What is 10% of 460? | option_a=26 | option_b=51 | option_c=46 | option_d=92 | answer=C | explanation=10% of 460 = (10/100) × 460 = 46.

id=87165 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=87166 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=36 | option_b=58 | option_c=48 | option_d=47 | answer=D | explanation=The common difference is 11. Therefore the next term is 36 + 11 = 47.

id=87167 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 28, 31, 35? | option_a=35 | option_b=28 | option_c=31 | option_d=25 | answer=A | explanation=The first three numbers increase by 3, so the next should be 34. Therefore 35 is the odd one out.

id=87168 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7029 at 15% per annum for 5 years. | option_a=5271 | option_b=12300 | option_c=5171 | option_d=5371 | answer=A | explanation=SI = PRT/100 = 7029×15×5/100 = █5271.

id=87169 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=45 | option_b=44 | option_c=54 | option_d=34 | answer=B | explanation=The common difference is 10. Therefore the next term is 34 + 10 = 44.

id=87170 | topic=Averages | difficulty=Easy | question=Find the average of 16, 14, 97, 57, 100, 21, 33, 30, 70, 32. | option_a=49 | option_b=46 | option_c=47 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 470 ÷ 10 = 47.

id=87171 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 3. | option_a=15 | option_b=30 | option_c=12 | option_d=45 | answer=A | explanation=LCM × HCF = 15×3; HCF(15,3) = 3, so LCM = 15.

id=87172 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=47 | option_b=48 | option_c=39 | option_d=55 | answer=A | explanation=The common difference is 8. Therefore the next term is 39 + 8 = 47.

id=87173 | topic=Percentages | difficulty=Easy | question=What is 5% of 1805? | option_a=180 | option_b=90 | option_c=110 | option_d=80 | answer=B | explanation=5% of 1805 = (5/100) × 1805 = 90.

id=87174 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 21, 25, 32? | option_a=21 | option_b=32 | option_c=17 | option_d=25 | answer=B | explanation=The first three numbers increase by 4, so the next should be 29. Therefore 32 is the odd one out.

id=87175 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2115. If it is sold at a profit of 25%, what is its selling price? | option_a=2432 | option_b=2140 | option_c=2854 | option_d=2643 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2115 × 125/100 = █2643.

id=87176 | topic=Averages | difficulty=Easy | question=Find the average of 72, 23, 44, 31, 91, 19, 72, 94, 78, 26. | option_a=54 | option_b=55 | option_c=57 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 550 ÷ 10 = 55.

id=87177 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:20 and the first is 5, what is the second? | option_a=80 | option_b=101 | option_c=100 | option_d=105 | answer=C | explanation=Scale factor = 5/1 = 5. Therefore second quantity = 20×5 = 100.

id=87178 | topic=Averages | difficulty=Easy | question=Find the average of 97, 65, 21, 26, 30, 20, 59, 18, 23, 31. | option_a=38 | option_b=40 | option_c=41 | option_d=39 | answer=D | explanation=Average = sum of values ÷ number of values = 390 ÷ 10 = 39.

id=87179 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 15, 21, 30? | option_a=9 | option_b=15 | option_c=21 | option_d=30 | answer=D | explanation=The first three numbers increase by 6, so the next should be 27. Therefore 30 is the odd one out.

id=87180 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=5 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

Aptitude Questions — Records 87,181-87,210 of 100,000

id=87181 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=87182 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=E | option_c=F | option_d=D | answer=C | explanation=Move 1 positions forward from E; the resulting letter is F.

id=87183 | topic=Averages | difficulty=Easy | question=Find the average of 67, 73, 34, 66. | option_a=60 | option_b=61 | option_c=62 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 240 ÷ 4 = 60.

id=87184 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11067 at 15% per annum for 5 years. | option_a=19367 | option_b=8400 | option_c=8300 | option_d=8200 | answer=C | explanation=SI = PRT/100 = 11067×15×5/100 = **■**8300.

id=87185 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:8 and the first is 16, what is the second? | option_a=32 | option_b=8 | option_c=16 | option_d=24 | answer=C | explanation=Scale factor = 16/8 = 2. Therefore second quantity = 8×2 = 16.

id=87186 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6421 at 12% per annum for 3 years. | option_a=2311 | option_b=2411 | option_c=8732 | option_d=2211 | answer=A | explanation=SI = PRT/100 = 6421×12×3/100 = **■**2311.

id=87187 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:13 and the first is 4, what is the second? | option_a=39 | option_b=53 | option_c=56 | option_d=52 | answer=D | explanation=Scale factor = 4/1 = 4. Therefore second quantity = 13×4 = 52.

id=87188 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=87189 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4888. If it is sold at a profit of 30%, what is its selling price? | option_a=6354 | option_b=5866 | option_c=6842 | option_d=4918 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4888 × 130/100 = **■**6354.

id=87190 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3471. If it is sold at a profit of 20%, what is its selling price? | option_a=4512 | option_b=3818 | option_c=4165 | option_d=3491 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3471 × 120/100 = **■**4165.

id=87191 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 27, 36, 48? | option_a=48 | option_b=18 | option_c=36 | option_d=27 | answer=A | explanation=The first three numbers increase by 9, so the next should be 45. Therefore 48 is the odd one out.

id=87192 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=90 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=87193 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=R | option_c=P | option_d=Q | answer=B | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=87194 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**278. If it is sold at a profit of 20%, what is its selling price? | option_a=333 | option_b=306 | option_c=360 | option_d=298 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 278 × 120/100 = **■**333.

id=87195 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 16. | option_a=48 | option_b=32 | option_c=72 | option_d=384 | answer=A | explanation=LCM × HCF = 24×16; HCF(24,16) = 8, so LCM = 48.

id=87196 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=24 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=87197 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1086. If it is sold at a profit of 15%, what is its selling price? | option_a=1248 | option_b=1101 | option_c=1140 | option_d=1356 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1086 × 115/100 = **■**1248.

id=87198 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:9 and the first is 30, what is the second? | option_a=59 | option_b=84 | option_c=54 | option_d=45 | answer=C | explanation=Scale factor = 30/5 = 6. Therefore second quantity = 9×6 = 54.

id=87199 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:17 and the first is 165, what is the second? | option_a=202 | option_b=352 | option_c=170 | option_d=187 | answer=D | explanation=Scale factor = 165/15 = 11. Therefore second quantity = 17×11 = 187.

id=87200 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=100 | option_c=50 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=87201 | topic=Percentages | difficulty=Easy | question=What is 10% of 672? | option_a=67 | option_b=47 | option_c=77 | option_d=134 | answer=A | explanation=10% of 672 = (10/100) × 672 = 67.

id=87202 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:17 and the first is 128, what is the second? | option_a=400 | option_b=255 | option_c=280 | option_d=272 | answer=D | explanation=Scale factor = 128/8 = 16. Therefore second quantity = 17×16 = 272.

id=87203 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 23, 30, 39? | option_a=30 | option_b=23 | option_c=39 | option_d=16 | answer=C | explanation=The first three numbers increase by 7, so the next should be 37. Therefore 39 is the odd one out.

id=87204 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 13? | option_a=9 | option_b=13 | option_c=6 | option_d=3 | answer=B | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 13 is the odd one out.

id=87205 | topic=Averages | difficulty=Easy | question=Find the average of 12, 56, 40. | option_a=37 | option_b=35 | option_c=38 | option_d=36 | answer=D | explanation=Average = sum of values ÷ number of values = 108 ÷ 3 = 36.

id=87206 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:11 and the first is 192, what is the second? | option_a=165 | option_b=176 | option_c=368 | option_d=188 | answer=B | explanation=Scale factor = 192/12 = 16. Therefore second quantity = 11×16 = 176.

id=87207 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 32, 42, 54? | option_a=54 | option_b=22 | option_c=42 | option_d=32 | answer=A | explanation=The first three numbers increase by 10, so the next should be 52. Therefore 54 is the odd one out.

id=87208 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7590 at 15% per annum for 2 years. | option_a=2277 | option_b=2377 | option_c=9867 | option_d=2177 | answer=A | explanation=SI = PRT/100 = 7590×15×2/100 = **■**2277.

id=87209 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43397 at 6% per annum for 5 years. | option_a=13119 | option_b=13019 | option_c=12919 | option_d=56416 | answer=B | explanation=SI = PRT/100 = 43397×6×5/100 = **■**13019.

id=87210 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=20 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

Aptitude Questions — Records 87,211-87,240 of 100,000

id=87211 | topic=Percentages | difficulty=Easy | question=What is 40% of 1356? | option_a=542 | option_b=522 | option_c=547 | option_d=1084 | answer=A | explanation=40% of 1356 = $(40/100) \times 1356 = 542$.

id=87212 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31797 at 10% per annum for 3 years. | option_a=9539 | option_b=9639 | option_c=9439 | option_d=41336 | answer=A | explanation=SI = $PRT/100 = 31797 \times 10 \times 3/100 = \text{■}9539$.

id=87213 | topic=Percentages | difficulty=Easy | question=What is 20% of 299? | option_a=118 | option_b=69 | option_c=54 | option_d=59 | answer=D | explanation=20% of 299 = $(20/100) \times 299 = 59$.

id=87214 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4069. If it is sold at a profit of 40%, what is its selling price? | option_a=4109 | option_b=6102 | option_c=5290 | option_d=5696 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4069 \times 140/100 = \text{■}5696$.

id=87215 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18109 at 6% per annum for 4 years. | option_a=4246 | option_b=4346 | option_c=4446 | option_d=22455 | answer=B | explanation=SI = $PRT/100 = 18109 \times 6 \times 4/100 = \text{■}4346$.

id=87216 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:13 and the first is 80, what is the second? | option_a=145 | option_b=81 | option_c=52 | option_d=65 | answer=D | explanation=Scale factor = $80/16 = 5$. Therefore second quantity = $13 \times 5 = 65$.

id=87217 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:15 and the first is 224, what is the second? | option_a=254 | option_b=240 | option_c=225 | option_d=464 | answer=B | explanation=Scale factor = $224/14 = 16$. Therefore second quantity = $15 \times 16 = 240$.

id=87218 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**203. If it is sold at a profit of 10%, what is its selling price? | option_a=213 | option_b=243 | option_c=203 | option_d=223 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 203 \times 110/100 = \text{■}223$.

id=87219 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=61 | option_b=60 | option_c=71 | option_d=49 | answer=B | explanation=The common difference is 11. Therefore the next term is $49 + 11 = 60$.

id=87220 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=60 | option_b=47 | option_c=59 | option_d=71 | answer=C | explanation=The common difference is 12. Therefore the next term is $47 + 12 = 59$.

id=87221 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=49 | option_b=39 | option_c=59 | option_d=50 | answer=A | explanation=The common difference is 10. Therefore the next term is $39 + 10 = 49$.

id=87222 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 14? | option_a=6 | option_b=9 | option_c=3 | option_d=14 | answer=D | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 14 is the odd one out.

id=87223 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=D | option_b=P | option_c=H | option_d=L | answer=D | explanation=Move 4 positions forward from H; the resulting letter is L.

id=87224 | topic=Averages | difficulty=Easy | question=Find the average of 70, 85, 93, 32, 23, 19, 98. | option_a=61 | option_b=59 | option_c=60 | option_d=62 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 420 \div 7 = 60$.

id=87225 | topic=Percentages | difficulty=Easy | question=What is 15% of 1707? | option_a=512 | option_b=256 | option_c=261 | option_d=236 | answer=B | explanation=15% of 1707 = $(15/100) \times 1707 = 256$.

id=87226 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=U | option_b=P | option_c=F | option_d=K | answer=B | explanation=Move 5 positions forward from K; the resulting letter is P.

id=87227 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 11, 20, 31? | option_a=31 | option_b=11 | option_c=2 | option_d=20 | answer=A | explanation=The first three numbers increase by 9, so the next should be 29. Therefore 31 is the odd one out.

id=87228 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=87229 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=K | option_c=W | option_d=S | answer=D | explanation=Move 4 positions forward from O; the resulting letter is S.

id=87230 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36957 at 4% per annum for 3 years. | option_a=4334 | option_b=41391 | option_c=4534 | option_d=4434 | answer=D | explanation=SI = $PRT/100 = 36957 \times 4 \times 3/100 = \text{■}4434$.

id=87231 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4822. If it is sold at a profit of 50%, what is its selling price? | option_a=4872 | option_b=6751 | option_c=7715 | option_d=7233 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4822 \times 150/100 = \text{■}7233$.

id=87232 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:1 and the first is 20, what is the second? | option_a=22 | option_b=1 | option_c=12 | option_d=2 | answer=D | explanation=Scale factor = $20/10 = 2$. Therefore second quantity = $1 \times 2 = 2$.

id=87233 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=87234 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41937 at 8% per annum for 2 years. | option_a=6609 | option_b=6809 | option_c=6709 | option_d=48646 | answer=C | explanation=SI = $PRT/100 = 41937 \times 8 \times 2/100 = \text{■}6709$.

id=87235 | topic=Averages | difficulty=Easy | question=Find the average of 41, 10, 54. | option_a=36 | option_b=34 | option_c=37 | option_d=35 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 105 \div 3 = 35$.

id=87236 | topic=Averages | difficulty=Easy | question=Find the average of 34, 69, 96, 69, 52, 30, 66, 80, 26. | option_a=57 | option_b=60 | option_c=59 | option_d=58 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 522 \div 9 = 58$.

id=87237 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=40 | option_d=50 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 180 \div 4 = 45$ km/h.

id=87238 | topic=Averages | difficulty=Easy | question=Find the average of 82, 32, 50, 56. | option_a=55 | option_b=57 | option_c=54 | option_d=56 | answer=A | explanation=Average = $\text{sum of values} \div \text{number of values} = 220 \div 4 = 55$.

id=87239 | topic=Percentages | difficulty=Easy | question=What is 10% of 340? | option_a=24 | option_b=34 | option_c=54 | option_d=68 | answer=B | explanation=10% of 340 = $(10/100) \times 340 = 34$.

id=87240 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37431 at 8% per annum for 2 years. | option_a=5988 | option_b=5888 | option_c=43419 | option_d=6088 | answer=A | explanation=SI = $PRT/100 = 37431 \times 8 \times 2/100 = \text{■}5988$.

Aptitude Questions — Records 87,241-87,270 of 100,000

id=87241 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=87242 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 32? | option_a=32 | option_b=10 | option_c=24 | option_d=17 | answer=A | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 32 is the odd one out.

id=87243 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2335. If it is sold at a profit of 50%, what is its selling price? | option_a=3735 | option_b=3502 | option_c=3269 | option_d=2385 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2335 × 150/100 = █3502.

id=87244 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:15 and the first is 84, what is the second? | option_a=216 | option_b=195 | option_c=294 | option_d=210 | answer=D | explanation=Scale factor = 84/6 = 14. Therefore second quantity = 15×14 = 210.

id=87245 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=85 | option_d=160 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=87246 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2930. If it is sold at a profit of 15%, what is its selling price? | option_a=3076 | option_b=3369 | option_c=3662 | option_d=2945 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2930 × 115/100 = █3369.

id=87247 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=87248 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22679 at 4% per annum for 2 years. | option_a=1714 | option_b=24493 | option_c=1814 | option_d=1914 | answer=C | explanation=SI = PRT/100 = 22679×4×2/100 = █1814.

id=87249 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=12 | option_b=13 | option_c=14 | option_d=10 | answer=A | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.

id=87250 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=87251 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=87252 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=87253 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36802 at 10% per annum for 3 years. | option_a=10940 | option_b=11140 | option_c=11040 | option_d=47842 | answer=C | explanation=SI = PRT/100 = 36802×10×3/100 = █11040.

id=87254 | topic=Averages | difficulty=Easy | question=Find the average of 84, 69, 40, 59. | option_a=62 | option_b=65 | option_c=63 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 252 ÷ 4 = 63.

id=87255 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3083 at 4% per annum for 4 years. | option_a=393 | option_b=593 | option_c=493 | option_d=3576 | answer=C | explanation=SI = PRT/100 = 3083×4×4/100 = █493.

id=87256 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3516. If it is sold at a profit of 30%, what is its selling price? | option_a=4921 | option_b=4219 | option_c=4570 | option_d=3546 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3516 × 130/100 = █4570.

id=87257 | topic=Averages | difficulty=Easy | question=Find the average of 28, 83, 24. | option_a=47 | option_b=46 | option_c=44 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 135 ÷ 3 = 45.

id=87258 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=19 | option_b=24 | option_c=23 | option_d=27 | answer=C | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=87259 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:15 and the first is 98, what is the second? | option_a=195 | option_b=210 | option_c=308 | option_d=217 | answer=B | explanation=Scale factor = 98/7 = 14. Therefore second quantity = 15×14 = 210.

id=87260 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40560 at 10% per annum for 5 years. | option_a=20180 | option_b=20380 | option_c=60840 | option_d=20280 | answer=D | explanation=SI = PRT/100 = 40560×10×5/100 = █20280.

id=87261 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1133. If it is sold at a profit of 25%, what is its selling price? | option_a=1416 | option_b=1158 | option_c=1529 | option_d=1303 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1133 × 125/100 = █1416.

id=87262 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=25 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=87263 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:14 and the first is 112, what is the second? | option_a=126 | option_b=224 | option_c=112 | option_d=98 | answer=C | explanation=Scale factor = 112/14 = 8. Therefore second quantity = 14×8 = 112.

id=87264 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49107 at 4% per annum for 5 years. | option_a=9821 | option_b=9721 | option_c=58928 | option_d=9921 | answer=A | explanation=SI = PRT/100 = 49107×4×5/100 = █9821.

id=87265 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4489. If it is sold at a profit of 15%, what is its selling price? | option_a=5162 | option_b=5610 | option_c=4504 | option_d=4714 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4489 × 115/100 = █5162.

id=87266 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:12 and the first is 64, what is the second? | option_a=84 | option_b=104 | option_c=160 | option_d=96 | answer=D | explanation=Scale factor = 64/8 = 8. Therefore second quantity = 12×8 = 96.

id=87267 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 19, 29, 40? | option_a=9 | option_b=40 | option_c=29 | option_d=19 | answer=B | explanation=The first three numbers increase by 10, so the next should be 39. Therefore 40 is the odd one out.

id=87268 | topic=Averages | difficulty=Easy | question=Find the average of 79, 31, 85. | option_a=67 | option_b=66 | option_c=64 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 195 ÷ 3 = 65.

id=87269 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:1 and the first is 22, what is the second? | option_a=11 | option_b=13 | option_c=33 | option_d=10 | answer=A | explanation=Scale factor = 22/2 = 11. Therefore second quantity = 1×11 = 11.

id=87270 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24384 at 12% per annum for 4 years. | option_a=11604 | option_b=11804 | option_c=36088 | option_d=11704 | answer=D | explanation=SI = PRT/100 = 24384×12×4/100 = █11704.

Aptitude Questions — Records 87,271-87,300 of 100,000

id=87271 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=72 | option_c=41 | option_d=31 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=87272 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 25, 34, 43, ? | option_a=61 | option_b=43 | option_c=52 | option_d=53 | answer=C | explanation=The common difference is 9. Therefore the next term is 43 + 9 = 52.

id=87273 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**7064 at 10% per annum for 5 years. | option_a=10596 | option_b=3532 | option_c=3632 | option_d=3432 | answer=B | explanation=SI = PRT/100 = 7064×10×5/100 = **₹**3532.

id=87274 | topic=Percentages | difficulty=Easy | question=What is 20% of 868? | option_a=193 | option_b=168 | option_c=346 | option_d=173 | answer=D | explanation=20% of 868 = (20/100) × 868 = 173.

id=87275 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=26 | option_b=22 | option_c=23 | option_d=18 | answer=B | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

id=87276 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=P | option_b=V | option_c=T | option_d=R | answer=C | explanation=Move 2 positions forward from R; the resulting letter is T.

id=87277 | topic=Averages | difficulty=Easy | question=Find the average of 22, 80, 11, 85, 26, 66, 88. | option_a=54 | option_b=56 | option_c=53 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

id=87278 | topic=Percentages | difficulty=Easy | question=What is 50% of 1758? | option_a=879 | option_b=1758 | option_c=884 | option_d=869 | answer=A | explanation=50% of 1758 = (50/100) × 1758 = 879.

id=87279 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:5 and the first is 99, what is the second? | option_a=154 | option_b=64 | option_c=50 | option_d=55 | answer=D | explanation=Scale factor = 99/9 = 11. Therefore second quantity = 5×11 = 55.

id=87280 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 5. | option_a=40 | option_b=100 | option_c=20 | option_d=15 | answer=C | explanation=LCM × HCF = 20×5; HCF(20,5) = 5, so LCM = 20.

id=87281 | topic=Averages | difficulty=Easy | question=Find the average of 66, 25, 30, 28, 66. | option_a=45 | option_b=43 | option_c=44 | option_d=42 | answer=B | explanation=Average = sum of values ÷ number of values = 215 ÷ 5 = 43.

id=87282 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**18570 at 15% per annum for 2 years. | option_a=5571 | option_b=24141 | option_c=5671 | option_d=5471 | answer=A | explanation=SI = PRT/100 = 18570×15×2/100 = **₹**5571.

id=87283 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3723. If it is sold at a profit of 10%, what is its selling price? | option_a=3733 | option_b=3723 | option_c=4467 | option_d=4095 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3723 × 110/100 = **₹**4095.

id=87284 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**16584 at 6% per annum for 3 years. | option_a=2985 | option_b=3085 | option_c=2885 | option_d=19569 | answer=A | explanation=SI = PRT/100 = 16584×6×3/100 = **₹**2985.

id=87285 | topic=Percentages | difficulty=Easy | question=What is 50% of 1466? | option_a=733 | option_b=713 | option_c=738 | option_d=1466 | answer=A | explanation=50% of 1466 = (50/100) × 1466 = 733.

id=87286 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=Z | option_b=O | option_c=J | option_d=E | answer=C | explanation=Move 5 positions forward from E; the resulting letter is J.

id=87287 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=87288 | topic=Percentages | difficulty=Easy | question=What is 5% of 1702? | option_a=65 | option_b=170 | option_c=85 | option_d=90 | answer=C | explanation=5% of 1702 = (5/100) × 1702 = 85.

id=87289 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:7 and the first is 320, what is the second? | option_a=140 | option_b=460 | option_c=133 | option_d=156 | answer=A | explanation=Scale factor = 320/16 = 20. Therefore second quantity = 7×20 = 140.

id=87290 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 35, 45, 57? | option_a=25 | option_b=35 | option_c=57 | option_d=45 | answer=C | explanation=The first three numbers increase by 10, so the next should be 55. Therefore 57 is the odd one out.

id=87291 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3706. If it is sold at a profit of 20%, what is its selling price? | option_a=4447 | option_b=3726 | option_c=4077 | option_d=4817 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3706 × 120/100 = **₹**4447.

id=87292 | topic=Percentages | difficulty=Easy | question=What is 10% of 203? | option_a=20 | option_b=25 | option_c=40 | option_d=0 | answer=A | explanation=10% of 203 = (10/100) × 203 = 20.

id=87293 | topic=Averages | difficulty=Easy | question=Find the average of 58, 37, 94, 35, 24, 27, 53, 96, 71. | option_a=56 | option_b=54 | option_c=55 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.

id=87294 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=57 | option_b=68 | option_c=56 | option_d=44 | answer=C | explanation=The common difference is 12. Therefore the next term is 44 + 12 = 56.

id=87295 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 16. | option_a=144 | option_b=162 | option_c=128 | option_d=288 | answer=A | explanation=LCM × HCF = 18×16; HCF(18,16) = 2, so LCM = 144.

id=87296 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=87297 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=O | option_b=L | option_c=R | option_d=I | answer=A | explanation=Move 3 positions forward from L; the resulting letter is O.

id=87298 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=I | option_b=S | option_c=N | option_d=X | answer=B | explanation=Move 5 positions forward from N; the resulting letter is S.

id=87299 | topic=Percentages | difficulty=Easy | question=What is 10% of 1653? | option_a=145 | option_b=185 | option_c=165 | option_d=330 | answer=C | explanation=10% of 1653 = (10/100) × 1653 = 165.

id=87300 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2827. If it is sold at a profit of 30%, what is its selling price? | option_a=3675 | option_b=3393 | option_c=3957 | option_d=2857 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2827 × 130/100 = **₹**3675.

Aptitude Questions — Records 87,301-87,330 of 100,000

id=87301 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=50 | option_b=49 | option_c=39 | option_d=59 | answer=B | explanation=The common difference is 10. Therefore the next term is 39 + 10 = 49.

id=87302 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39898 at 5% per annum for 2 years. | option_a=3889 | option_b=43887 | option_c=3989 | option_d=4089 | answer=C | explanation=SI = $\text{PRT}/100 = 39898 \times 5 \times 2 / 100 = \text{■}3989$.

id=87303 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=I | option_c=E | option_d=W | answer=C | explanation=Move 4 positions forward from A; the resulting letter is E.

id=87304 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 24? | option_a=19 | option_b=17 | option_c=24 | option_d=21 | answer=C | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 24 is the odd one out.

id=87305 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=41 | option_b=45 | option_c=35 | option_d=40 | answer=D | explanation=The common difference is 5. Therefore the next term is 35 + 5 = 40.

id=87306 | topic=Percentages | difficulty=Easy | question=What is 40% of 648? | option_a=279 | option_b=518 | option_c=249 | option_d=259 | answer=D | explanation=40% of 648 = $(40/100) \times 648 = 259$.

id=87307 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=50 | option_b=41 | option_c=42 | option_d=32 | answer=B | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

id=87308 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=Q | option_c=K | option_d=O | answer=D | explanation=Move 2 positions forward from M; the resulting letter is O.

id=87309 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4914. If it is sold at a profit of 50%, what is its selling price? | option_a=6880 | option_b=7371 | option_c=4964 | option_d=7862 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4914 \times 150 / 100 = \text{■}7371$.

id=87310 | topic=Averages | difficulty=Easy | question=Find the average of 96, 10, 30, 22, 96, 86, 91, 17, 34, 38. | option_a=54 | option_b=52 | option_c=51 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = $520 \div 10 = 52$.

id=87311 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:1 and the first is 54, what is the second? | option_a=17 | option_b=72 | option_c=18 | option_d=21 | answer=C | explanation=Scale factor = $54/3 = 18$. Therefore second quantity = $1 \times 18 = 18$.

id=87312 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 21? | option_a=9 | option_b=12 | option_c=15 | option_d=21 | answer=D | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 21 is the odd one out.

id=87313 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:7 and the first is 98, what is the second? | option_a=98 | option_b=105 | option_c=91 | option_d=196 | answer=A | explanation=Scale factor = $98/7 = 14$. Therefore second quantity = $7 \times 14 = 98$.

id=87314 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=115 | option_c=120 | option_d=125 | answer=C | explanation=Speed = distance ÷ time = $240 \div 2 = 120$ km/h.

id=87315 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = $120 \div 4 = 30$ km/h.

id=87316 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:6 and the first is 72, what is the second? | option_a=108 | option_b=180 | option_c=102 | option_d=112 | answer=A | explanation=Scale factor = $72/4 = 18$. Therefore second quantity = $6 \times 18 = 108$.

id=87317 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 8, 13, 21? | option_a=8 | option_b=3 | option_c=21 | option_d=13 | answer=C | explanation=The first three numbers increase by 5, so the next should be 18. Therefore 21 is the odd one out.

id=87318 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=D | option_c=G | option_d=F | answer=D | explanation=Move 1 positions forward from E; the resulting letter is F.

id=87319 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=S | option_c=N | option_d=D | answer=C | explanation=Move 5 positions forward from I; the resulting letter is N.

id=87320 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:9 and the first is 14, what is the second? | option_a=9 | option_b=18 | option_c=25 | option_d=32 | answer=B | explanation=Scale factor = $14/7 = 2$. Therefore second quantity = $9 \times 2 = 18$.

id=87321 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=22 | option_b=18 | option_c=26 | option_d=23 | answer=A | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

id=87322 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=87323 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29786 at 6% per annum for 1 years. | option_a=1687 | option_b=1887 | option_c=1787 | option_d=31573 | answer=C | explanation=SI = $\text{PRT}/100 = 29786 \times 6 \times 1 / 100 = \text{■}1787$.

id=87324 | topic=Averages | difficulty=Easy | question=Find the average of 13, 77, 93, 19, 80, 77, 29, 63, 43, 56. | option_a=54 | option_b=57 | option_c=56 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = $550 \div 10 = 55$.

id=87325 | topic=Averages | difficulty=Easy | question=Find the average of 46, 100, 73, 93. | option_a=80 | option_b=78 | option_c=77 | option_d=79 | answer=B | explanation=Average = sum of values ÷ number of values = $312 \div 4 = 78$.

id=87326 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2968. If it is sold at a profit of 30%, what is its selling price? | option_a=3562 | option_b=2998 | option_c=3858 | option_d=4154 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2968 \times 130 / 100 = \text{■}3858$.

id=87327 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=12 | answer=A | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=87328 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = $240 \div 8 = 30$ km/h.

id=87329 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 28, 38, 48, ? | option_a=59 | option_b=68 | option_c=58 | option_d=48 | answer=C | explanation=The common difference is 10. Therefore the next term is 48 + 10 = 58.

id=87330 | topic=Percentages | difficulty=Easy | question=What is 30% of 1857? | option_a=567 | option_b=1114 | option_c=557 | option_d=537 | answer=C | explanation=30% of 1857 = $(30/100) \times 1857 = 557$.

Aptitude Questions — Records 87,331-87,360 of 100,000

id=87331 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4877. If it is sold at a profit of 50%, what is its selling price? | option_a=7315 | option_b=7802 | option_c=4927 | option_d=6828 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4877 × 150/100 = ■7315.

id=87332 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=87333 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=E | option_c=P | option_d=Z | answer=D | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=87334 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 12. | option_a=12 | option_b=24 | option_c=1 | option_d=144 | answer=A | explanation=LCM × HCF = 12×12; HCF(12,12) = 12, so LCM = 12.

id=87335 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=31 | option_b=41 | option_c=36 | option_d=37 | answer=C | explanation=The common difference is 5. Therefore the next term is 31 + 5 = 36.

id=87336 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 43? | option_a=29 | option_b=43 | option_c=35 | option_d=23 | answer=B | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 43 is the odd one out.

id=87337 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=34 | option_b=28 | option_c=35 | option_d=40 | answer=A | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.

id=87338 | topic=Averages | difficulty=Easy | question=Find the average of 84, 90, 43, 55, 23, 47. | option_a=56 | option_b=57 | option_c=58 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 342 ÷ 6 = 57.

id=87339 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■28664 at 6% per annum for 2 years. | option_a=32103 | option_b=3539 | option_c=3439 | option_d=3339 | answer=C | explanation=SI = PRT/100 = 28664×6×2/100 = ■3439.

id=87340 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 14, 20, 29? | option_a=20 | option_b=8 | option_c=14 | option_d=29 | answer=D | explanation=The first three numbers increase by 6, so the next should be 26. Therefore 29 is the odd one out.

id=87341 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=E | option_b=U | option_c=Z | option_d=P | answer=C | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=87342 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 33? | option_a=33 | option_b=27 | option_c=25 | option_d=29 | answer=A | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 33 is the odd one out.

id=87343 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=I | option_b=Y | option_c=D | option_d=N | answer=A | explanation=Move 5 positions forward from D; the resulting letter is I.

id=87344 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=L | option_b=D | option_c=Z | option_d=H | answer=D | explanation=Move 4 positions forward from D; the resulting letter is H.

id=87345 | topic=Percentages | difficulty=Easy | question=What is 25% of 974? | option_a=238 | option_b=263 | option_c=243 | option_d=486 | answer=C | explanation=25% of 974 = (25/100) × 974 = 243.

id=87346 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=W | option_b=R | option_c=B | option_d=M | answer=A | explanation=Move 5 positions forward from R; the resulting letter is W.

id=87347 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=W | option_b=Q | option_c=T | option_d=N | answer=C | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=87348 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2368. If it is sold at a profit of 20%, what is its selling price? | option_a=2388 | option_b=2841 | option_c=2605 | option_d=3077 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2368 × 120/100 = ■2841.

id=87349 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=87350 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 41? | option_a=22 | option_b=41 | option_c=34 | option_d=28 | answer=B | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 41 is the odd one out.

id=87351 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=60 | option_b=51 | option_c=50 | option_d=40 | answer=C | explanation=The common difference is 10. Therefore the next term is 40 + 10 = 50.

id=87352 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=87353 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■6404 at 8% per annum for 4 years. | option_a=1949 | option_b=2149 | option_c=2049 | option_d=8453 | answer=C | explanation=SI = PRT/100 = 6404×8×4/100 = ■2049.

id=87354 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=H | option_c=I | option_d=G | answer=C | explanation=Move 1 positions forward from H; the resulting letter is I.

id=87355 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 6. | option_a=30 | option_b=40 | option_c=60 | option_d=24 | answer=A | explanation=LCM × HCF = 10×6; HCF(10,6) = 2, so LCM = 30.

id=87356 | topic=Percentages | difficulty=Easy | question=What is 50% of 1044? | option_a=522 | option_b=517 | option_c=1044 | option_d=527 | answer=A | explanation=50% of 1044 = (50/100) × 1044 = 522.

id=87357 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=87358 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=240 | option_d=115 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=87359 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■29427 at 15% per annum for 3 years. | option_a=13342 | option_b=42669 | option_c=13242 | option_d=13142 | answer=C | explanation=SI = PRT/100 = 29427×15×3/100 = ■13242.

id=87360 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2091. If it is sold at a profit of 40%, what is its selling price? | option_a=3136 | option_b=2718 | option_c=2131 | option_d=2927 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2091 × 140/100 = ■2927.

Aptitude Questions — Records 87,361-87,390 of 100,000

id=87361 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:5 and the first is 40, what is the second? | option_a=54 | option_b=90 | option_c=45 | option_d=50 | answer=D | explanation=Scale factor = 40/4 = 10. Therefore second quantity = 5×10 = 50.

id=87362 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5441 at 6% per annum for 3 years. | option_a=6420 | option_b=979 | option_c=1079 | option_d=879 | answer=B | explanation=SI = PRT/100 = 5441×6×3/100 = **■**979.

id=87363 | topic=Averages | difficulty=Easy | question=Find the average of 42, 26, 13, 81, 73, 83, 54, 96, 98, 94. | option_a=68 | option_b=66 | option_c=65 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = 660 ÷ 10 = 66.

id=87364 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1856. If it is sold at a profit of 15%, what is its selling price? | option_a=2319 | option_b=1949 | option_c=2134 | option_d=1871 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1856 × 115/100 = **■**2134.

id=87365 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 24. | option_a=140 | option_b=96 | option_c=480 | option_d=120 | answer=D | explanation=LCM × HCF = 20×24; HCF(20,24) = 4, so LCM = 120.

id=87366 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=40 | option_d=90 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=87367 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:10 and the first is 196, what is the second? | option_a=130 | option_b=154 | option_c=336 | option_d=140 | answer=D | explanation=Scale factor = 196/14 = 14. Therefore second quantity = 10×14 = 140.

id=87368 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:3 and the first is 126, what is the second? | option_a=41 | option_b=153 | option_c=27 | option_d=24 | answer=C | explanation=Scale factor = 126/14 = 9. Therefore second quantity = 3×9 = 27.

id=87369 | topic=Averages | difficulty=Easy | question=Find the average of 70, 72, 100, 65, 13, 85, 76, 47. | option_a=66 | option_b=65 | option_c=68 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = 528 ÷ 8 = 66.

id=87370 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=66 | option_b=46 | option_c=56 | option_d=57 | answer=C | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=87371 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3942. If it is sold at a profit of 5%, what is its selling price? | option_a=4533 | option_b=3745 | option_c=3947 | option_d=4139 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3942 × 105/100 = **■**4139.

id=87372 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6167 at 10% per annum for 4 years. | option_a=8633 | option_b=2366 | option_c=2566 | option_d=2466 | answer=D | explanation=SI = PRT/100 = 6167×10×4/100 = **■**2466.

id=87373 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46476 at 10% per annum for 2 years. | option_a=9295 | option_b=9395 | option_c=55771 | option_d=9195 | answer=A | explanation=SI = PRT/100 = 46476×10×2/100 = **■**9295.

id=87374 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=125 | option_b=115 | option_c=240 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=87375 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=F | option_b=P | option_c=U | option_d=K | answer=B | explanation=Move 5 positions forward from K; the resulting letter is P.

id=87376 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 17, 27, 39? | option_a=39 | option_b=17 | option_c=27 | option_d=7 | answer=A | explanation=The first three numbers increase by 10, so the next should be 37. Therefore 39 is the odd one out.

id=87377 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 17? | option_a=5 | option_b=8 | option_c=11 | option_d=17 | answer=D | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 17 is the odd one out.

id=87378 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=L | option_b=H | option_c=D | option_d=Z | answer=B | explanation=Move 4 positions forward from D; the resulting letter is H.

id=87379 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2735. If it is sold at a profit of 30%, what is its selling price? | option_a=3828 | option_b=3555 | option_c=3282 | option_d=2765 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2735 × 130/100 = **■**3555.

id=87380 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11894 at 12% per annum for 2 years. | option_a=2754 | option_b=14748 | option_c=2954 | option_d=2854 | answer=D | explanation=SI = PRT/100 = 11894×12×2/100 = **■**2854.

id=87381 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 5, 7, 10? | option_a=3 | option_b=5 | option_c=10 | option_d=7 | answer=C | explanation=The first three numbers increase by 2, so the next should be 9. Therefore 10 is the odd one out.

id=87382 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 22? | option_a=22 | option_b=16 | option_c=18 | option_d=14 | answer=A | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 22 is the odd one out.

id=87383 | topic=Averages | difficulty=Easy | question=Find the average of 23, 30, 68, 91. | option_a=52 | option_b=53 | option_c=54 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 212 ÷ 4 = 53.

id=87384 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2465. If it is sold at a profit of 10%, what is its selling price? | option_a=2465 | option_b=2711 | option_c=2475 | option_d=2957 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2465 × 110/100 = **■**2711.

id=87385 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 4. | option_a=8 | option_b=24 | option_c=12 | option_d=18 | answer=C | explanation=LCM × HCF = 6×4; HCF(6,4) = 2, so LCM = 12.

id=87386 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3971. If it is sold at a profit of 15%, what is its selling price? | option_a=4963 | option_b=3986 | option_c=4566 | option_d=4169 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3971 × 115/100 = **■**4566.

id=87387 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 33, 43, 55? | option_a=55 | option_b=33 | option_c=43 | option_d=23 | answer=A | explanation=The first three numbers increase by 10, so the next should be 53. Therefore 55 is the odd one out.

id=87388 | topic=Percentages | difficulty=Easy | question=What is 20% of 586? | option_a=112 | option_b=234 | option_c=117 | option_d=127 | answer=C | explanation=20% of 586 = (20/100) × 586 = 117.

id=87389 | topic=Percentages | difficulty=Easy | question=What is 25% of 1165? | option_a=286 | option_b=301 | option_c=582 | option_d=291 | answer=D | explanation=25% of 1165 = (25/100) × 1165 = 291.

id=87390 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32068 at 6% per annum for 5 years. | option_a=9720 | option_b=9620 | option_c=41688 | option_d=9520 | answer=B | explanation=SI = PRT/100 = 32068×6×5/100 = **■**9620.

Aptitude Questions — Records 87,391-87,420 of 100,000

id=87391 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=S | option_c=K | option_d=W | answer=B | explanation=Move 4 positions forward from O, the resulting letter is S.

id=87392 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:18 and the first is 28, what is the second? | option_a=36 | option_b=18 | option_c=50 | option_d=64 | answer=A | explanation=Scale factor = 28/14 = 2. Therefore second quantity = 18×2 = 36.

id=87393 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=100 | option_c=55 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=87394 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 10. | option_a=30 | option_b=60 | option_c=20 | option_d=36 | answer=A | explanation=LCM × HCF = 6×10; HCF(6,10) = 2, so LCM = 30.

id=87395 | topic=Percentages | difficulty=Easy | question=What is 50% of 1447? | option_a=733 | option_b=703 | option_c=723 | option_d=1446 | answer=C | explanation=50% of 1447 = (50/100) × 1447 = 723.

id=87396 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 13, 20, 28? | option_a=28 | option_b=20 | option_c=6 | option_d=13 | answer=A | explanation=The first three numbers increase by 7, so the next should be 27. Therefore 28 is the odd one out.

id=87397 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5841 at 15% per annum for 2 years. | option_a=7593 | option_b=1652 | option_c=1752 | option_d=1852 | answer=C | explanation=SI = PRT/100 = 5841×15×2/100 = **■**1752.

id=87398 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:17 and the first is 119, what is the second? | option_a=289 | option_b=408 | option_c=272 | option_d=296 | answer=A | explanation=Scale factor = 119/7 = 17. Therefore second quantity = 17×17 = 289.

id=87399 | topic=Averages | difficulty=Easy | question=Find the average of 48, 44, 35, 37, 36. | option_a=41 | option_b=42 | option_c=40 | option_d=39 | answer=C | explanation=Average = sum of values ÷ number of values = 200 ÷ 5 = 40.

id=87400 | topic=Averages | difficulty=Easy | question=Find the average of 61, 53, 35, 27, 41, 97, 34, 96, 87. | option_a=61 | option_b=58 | option_c=59 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 531 ÷ 9 = 59.

id=87401 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=87402 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21703 at 5% per annum for 3 years. | option_a=3355 | option_b=3155 | option_c=3255 | option_d=24958 | answer=C | explanation=SI = PRT/100 = 21703×5×3/100 = **■**3255.

id=87403 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4928. If it is sold at a profit of 40%, what is its selling price? | option_a=6899 | option_b=4968 | option_c=7391 | option_d=6407 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4928 × 140/100 = **■**6899.

id=87404 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**964. If it is sold at a profit of 25%, what is its selling price? | option_a=1109 | option_b=1301 | option_c=1205 | option_d=989 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 964 × 125/100 = **■**1205.

id=87405 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=54 | option_b=53 | option_c=64 | option_d=42 | answer=B | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.

id=87406 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**823. If it is sold at a profit of 5%, what is its selling price? | option_a=828 | option_b=782 | option_c=864 | option_d=946 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 823 × 105/100 = **■**864.

id=87407 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43674 at 6% per annum for 4 years. | option_a=54155 | option_b=10381 | option_c=10581 | option_d=10481 | answer=D | explanation=SI = PRT/100 = 43674×6×4/100 = **■**10481.

id=87408 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:2 and the first is 285, what is the second? | option_a=28 | option_b=315 | option_c=49 | option_d=30 | answer=D | explanation=Scale factor = 285/19 = 15. Therefore second quantity = 2×15 = 30.

id=87409 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=62 | option_b=53 | option_c=54 | option_d=44 | answer=B | explanation=The common difference is 9. Therefore the next term is 44 + 9 = 53.

id=87410 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Y | option_b=U | option_c=Q | option_d=C | answer=A | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=87411 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 33? | option_a=25 | option_b=28 | option_c=33 | option_d=22 | answer=C | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 33 is the odd one out.

id=87412 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=23 | option_b=29 | option_c=27 | option_d=26 | answer=D | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.

id=87413 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 28, 33, 41? | option_a=41 | option_b=33 | option_c=28 | option_d=23 | answer=A | explanation=The first three numbers increase by 5, so the next should be 38. Therefore 41 is the odd one out.

id=87414 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=N | option_c=R | option_d=Z | answer=A | explanation=Move 4 positions forward from R; the resulting letter is V.

id=87415 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46754 at 8% per annum for 2 years. | option_a=7580 | option_b=7380 | option_c=54234 | option_d=7480 | answer=D | explanation=SI = PRT/100 = 46754×8×2/100 = **■**7480.

id=87416 | topic=Averages | difficulty=Easy | question=Find the average of 38, 87, 67. | option_a=63 | option_b=64 | option_c=66 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 192 ÷ 3 = 64.

id=87417 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=87418 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 63? | option_a=50 | option_b=40 | option_c=63 | option_d=30 | answer=C | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 63 is the odd one out.

id=87419 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=87420 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=27 | option_b=33 | option_c=28 | option_d=21 | answer=A | explanation=The common difference is 6. Therefore the next term is 21 + 6 = 27.

Aptitude Questions — Records 87,421-87,450 of 100,000

id=87421 | topic=Averages | difficulty=Easy | question=Find the average of 55, 50, 54, 40, 58, 43. | option_a=49 | option_b=52 | option_c=50 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 300 ÷ 6 = 50.

id=87422 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 30. | option_a=72 | option_b=60 | option_c=360 | option_d=30 | answer=B | explanation=LCM × HCF = 12×30; HCF(12,30) = 6, so LCM = 60.

id=87423 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 33, 40, 49? | option_a=33 | option_b=40 | option_c=26 | option_d=49 | answer=D | explanation=The first three numbers increase by 7, so the next should be 47. Therefore 49 is the odd one out.

id=87424 | topic=Percentages | difficulty=Easy | question=What is 10% of 1413? | option_a=282 | option_b=146 | option_c=141 | option_d=131 | answer=C | explanation=10% of 1413 = (10/100) × 1413 = 141.

id=87425 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=21 | option_b=15 | option_c=19 | option_d=18 | answer=D | explanation=The common difference is 3. Therefore the next term is 15 + 3 = 18.

id=87426 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=L | option_c=P | option_d=J | answer=A | explanation=Move 2 positions forward from L; the resulting letter is N.

id=87427 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=T | option_b=W | option_c=V | option_d=U | answer=C | explanation=Move 1 positions forward from U; the resulting letter is V.

id=87428 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=A | option_c=C | option_d=G | answer=A | explanation=Move 2 positions forward from C; the resulting letter is E.

id=87429 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**27344 at 4% per annum for 1 years. | option_a=28437 | option_b=1093 | option_c=993 | option_d=1193 | answer=B | explanation=SI = PRT/100 = 27344×4×1/100 = **₹**1093.

id=87430 | topic=Percentages | difficulty=Easy | question=What is 50% of 1520? | option_a=750 | option_b=780 | option_c=760 | option_d=1520 | answer=C | explanation=50% of 1520 = (50/100) × 1520 = 760.

id=87431 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=43 | option_c=48 | option_d=96 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=87432 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 12, 21, 30, ? | option_a=30 | option_b=40 | option_c=48 | option_d=39 | answer=D | explanation=The common difference is 9. Therefore the next term is 30 + 9 = 39.

id=87433 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=23 | option_d=36 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=87434 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3946. If it is sold at a profit of 25%, what is its selling price? | option_a=3971 | option_b=4538 | option_c=4932 | option_d=5326 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3946 × 125/100 = **₹**4932.

id=87435 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 12, 16, 21? | option_a=16 | option_b=21 | option_c=12 | option_d=8 | answer=B | explanation=The first three numbers increase by 4, so the next should be 20. Therefore 21 is the odd one out.

id=87436 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**36664 at 10% per annum for 1 years. | option_a=3766 | option_b=3566 | option_c=3666 | option_d=40330 | answer=C | explanation=SI = PRT/100 = 36664×10×1/100 = **₹**3666.

id=87437 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=G | option_c=H | option_d=I | answer=D | explanation=Move 1 positions forward from H; the resulting letter is I.

id=87438 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**32517 at 6% per annum for 2 years. | option_a=4002 | option_b=3902 | option_c=36419 | option_d=3802 | answer=B | explanation=SI = PRT/100 = 32517×6×2/100 = **₹**3902.

id=87439 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=D | option_b=H | option_c=L | option_d=P | answer=C | explanation=Move 4 positions forward from H; the resulting letter is L.

id=87440 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=87441 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=12 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=87442 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 20, 22, 26? | option_a=22 | option_b=18 | option_c=26 | option_d=20 | answer=C | explanation=The first three numbers increase by 2, so the next should be 24. Therefore 26 is the odd one out.

id=87443 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 28, 36, 46? | option_a=28 | option_b=36 | option_c=20 | option_d=46 | answer=D | explanation=The first three numbers increase by 8, so the next should be 44. Therefore 46 is the odd one out.

id=87444 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=20 | option_b=26 | option_c=24 | option_d=23 | answer=D | explanation=The common difference is 3. Therefore the next term is 20 + 3 = 23.

id=87445 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:15 and the first is 76, what is the second? | option_a=136 | option_b=79 | option_c=45 | option_d=60 | answer=D | explanation=Scale factor = 76/19 = 4. Therefore second quantity = 15×4 = 60.

id=87446 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:19 and the first is 12, what is the second? | option_a=228 | option_b=229 | option_c=240 | option_d=209 | answer=A | explanation=Scale factor = 12/1 = 12. Therefore second quantity = 19×12 = 228.

id=87447 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**9811 at 10% per annum for 1 years. | option_a=981 | option_b=881 | option_c=10792 | option_d=1081 | answer=A | explanation=SI = PRT/100 = 9811×10×1/100 = **₹**981.

id=87448 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=87449 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 22? | option_a=22 | option_b=18 | option_c=16 | option_d=14 | answer=A | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 22 is the odd one out.

id=87450 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 14, 19, 26? | option_a=9 | option_b=14 | option_c=26 | option_d=19 | answer=C | explanation=The first three numbers increase by 5, so the next should be 24. Therefore 26 is the odd one out.

Aptitude Questions — Records 87,451-87,480 of 100,000

id=87451 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=24 | option_c=29 | option_d=48 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=87452 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=Z | option_b=D | option_c=H | option_d=L | answer=C | explanation=Move 4 positions forward from D; the resulting letter is H.

id=87453 | topic=Percentages | difficulty=Easy | question=What is 25% of 1849? | option_a=472 | option_b=924 | option_c=457 | option_d=462 | answer=D | explanation=25% of 1849 = (25/100) × 1849 = 462.

id=87454 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3174. If it is sold at a profit of 40%, what is its selling price? | option_a=4760 | option_b=4443 | option_c=4126 | option_d=3214 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3174 × 140/100 = █4443.

id=87455 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17054 at 8% per annum for 1 years. | option_a=1364 | option_b=1264 | option_c=1464 | option_d=18418 | answer=A | explanation=SI = PRT/100 = 17054×8×1/100 = █1364.

id=87456 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=300 | option_c=155 | option_d=145 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=87457 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:10 and the first is 119, what is the second? | option_a=170 | option_b=289 | option_c=177 | option_d=160 | answer=A | explanation=Scale factor = 119/7 = 17. Therefore second quantity = 10×17 = 170.

id=87458 | topic=Averages | difficulty=Easy | question=Find the average of 37, 95, 75, 49, 42, 69, 57, 80. | option_a=64 | option_b=62 | option_c=65 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 504 ÷ 8 = 63.

id=87459 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=V | option_c=F | option_d=K | answer=C | explanation=Move 5 positions forward from A; the resulting letter is F.

id=87460 | topic=Percentages | difficulty=Easy | question=What is 12% of 1682? | option_a=206 | option_b=402 | option_c=201 | option_d=196 | answer=C | explanation=12% of 1682 = (12/100) × 1682 = 201.

id=87461 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=30 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=87462 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45940 at 15% per annum for 2 years. | option_a=13682 | option_b=13882 | option_c=13782 | option_d=59722 | answer=C | explanation=SI = PRT/100 = 45940×15×2/100 = █13782.

id=87463 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1312. If it is sold at a profit of 40%, what is its selling price? | option_a=1967 | option_b=1705 | option_c=1836 | option_d=1352 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1312 × 140/100 = █1836.

id=87464 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 10, 12, 14, ? | option_a=16 | option_b=17 | option_c=14 | option_d=18 | answer=A | explanation=The common difference is 2. Therefore the next term is 14 + 2 = 16.

id=87465 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 18. | option_a=144 | option_b=288 | option_c=126 | option_d=160 | answer=A | explanation=LCM × HCF = 16×18; HCF(16,18) = 2, so LCM = 144.

id=87466 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:19 and the first is 52, what is the second? | option_a=128 | option_b=89 | option_c=76 | option_d=57 | answer=C | explanation=Scale factor = 52/13 = 4. Therefore second quantity = 19×4 = 76.

id=87467 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=87468 | topic=Percentages | difficulty=Easy | question=What is 10% of 827? | option_a=164 | option_b=87 | option_c=82 | option_d=77 | answer=C | explanation=10% of 827 = (10/100) × 827 = 82.

id=87469 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=50 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=87470 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 29? | option_a=21 | option_b=24 | option_c=29 | option_d=18 | answer=C | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 29 is the odd one out.

id=87471 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:20 and the first is 30, what is the second? | option_a=70 | option_b=20 | option_c=40 | option_d=55 | answer=C | explanation=Scale factor = 30/15 = 2. Therefore second quantity = 20×2 = 40.

id=87472 | topic=Averages | difficulty=Easy | question=Find the average of 37, 65, 48. | option_a=52 | option_b=50 | option_c=49 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 150 ÷ 3 = 50.

id=87473 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:2 and the first is 136, what is the second? | option_a=33 | option_b=16 | option_c=14 | option_d=152 | answer=B | explanation=Scale factor = 136/17 = 8. Therefore second quantity = 2×8 = 16.

id=87474 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=87475 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=87476 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=87477 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 27? | option_a=19 | option_b=27 | option_c=16 | option_d=22 | answer=B | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 27 is the odd one out.

id=87478 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 33? | option_a=21 | option_b=16 | option_c=26 | option_d=33 | answer=D | explanation=The first three numbers increase by 5, so the next should be 31. Therefore 33 is the odd one out.

id=87479 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=Y | option_c=C | option_d=A | answer=C | explanation=Move 2 positions forward from A; the resulting letter is C.

id=87480 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 26, 36, 48? | option_a=36 | option_b=26 | option_c=16 | option_d=48 | answer=D | explanation=The first three numbers increase by 10, so the next should be 46. Therefore 48 is the odd one out.

Aptitude Questions — Records 87,481-87,510 of 100,000

id=87481 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3190. If it is sold at a profit of 40%, what is its selling price? | option_a=3230 | option_b=4785 | option_c=4466 | option_d=4147 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3190 × 140/100 = █4466.

id=87482 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 6. | option_a=36 | option_b=12 | option_c=18 | option_d=108 | answer=C | explanation=LCM × HCF = 18×6; HCF(18,6) = 6, so LCM = 18.

id=87483 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19438 at 8% per annum for 3 years. | option_a=24103 | option_b=4565 | option_c=4765 | option_d=4665 | answer=D | explanation=SI = PRT/100 = 19438×8×3/100 = █4665.

id=87484 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=87485 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=87486 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1311. If it is sold at a profit of 10%, what is its selling price? | option_a=1311 | option_b=1321 | option_c=1573 | option_d=1442 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1311 × 110/100 = █1442.

id=87487 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=87488 | topic=Profit & Loss | difficulty=Easy | question=An article costs █383. If it is sold at a profit of 20%, what is its selling price? | option_a=421 | option_b=403 | option_c=459 | option_d=497 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 383 × 120/100 = █459.

id=87489 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=77 | option_c=144 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=87490 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3209. If it is sold at a profit of 5%, what is its selling price? | option_a=3214 | option_b=3049 | option_c=3369 | option_d=3689 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3209 × 105/100 = █3369.

id=87491 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:14 and the first is 180, what is the second? | option_a=196 | option_b=390 | option_c=210 | option_d=222 | answer=C | explanation=Scale factor = 180/12 = 15. Therefore second quantity = 14×15 = 210.

id=87492 | topic=Averages | difficulty=Easy | question=Find the average of 31, 21, 49, 51, 18, 94. | option_a=46 | option_b=45 | option_c=44 | option_d=43 | answer=C | explanation=Average = sum of values + number of values = 264 ÷ 6 = 44.

id=87493 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3016. If it is sold at a profit of 30%, what is its selling price? | option_a=3046 | option_b=3619 | option_c=3920 | option_d=4221 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3016 × 130/100 = █3920.

id=87494 | topic=Percentages | difficulty=Easy | question=What is 40% of 1756? | option_a=702 | option_b=722 | option_c=692 | option_d=1404 | answer=A | explanation=40% of 1756 = (40/100) × 1756 = 702.

id=87495 | topic=Averages | difficulty=Easy | question=Find the average of 87, 79, 65. | option_a=77 | option_b=79 | option_c=76 | option_d=78 | answer=A | explanation=Average = sum of values + number of values = 231 ÷ 3 = 77.

id=87496 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=48 | option_b=40 | option_c=47 | option_d=54 | answer=C | explanation=The common difference is 7. Therefore the next term is 40 + 7 = 47.

id=87497 | topic=Averages | difficulty=Easy | question=Find the average of 49, 91, 70. | option_a=71 | option_b=69 | option_c=70 | option_d=72 | answer=C | explanation=Average = sum of values + number of values = 210 ÷ 3 = 70.

id=87498 | topic=Percentages | difficulty=Easy | question=What is 12% of 583? | option_a=89 | option_b=59 | option_c=69 | option_d=138 | answer=C | explanation=12% of 583 = (12/100) × 583 = 69.

id=87499 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 18, 28, 38, ? | option_a=48 | option_b=58 | option_c=38 | option_d=49 | answer=A | explanation=The common difference is 10. Therefore the next term is 38 + 10 = 48.

id=87500 | topic=Percentages | difficulty=Easy | question=What is 20% of 660? | option_a=112 | option_b=264 | option_c=132 | option_d=152 | answer=C | explanation=20% of 660 = (20/100) × 660 = 132.

id=87501 | topic=Averages | difficulty=Easy | question=Find the average of 12, 89, 72, 41, 47, 72, 19, 97, 84, 17. | option_a=56 | option_b=57 | option_c=55 | option_d=54 | answer=C | explanation=Average = sum of values + number of values = 550 ÷ 10 = 55.

id=87502 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 7, 12, 18? | option_a=18 | option_b=2 | option_c=12 | option_d=7 | answer=A | explanation=The first three numbers increase by 5, so the next should be 17. Therefore 18 is the odd one out.

id=87503 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=M | option_c=Q | option_d=K | answer=A | explanation=Move 2 positions forward from M; the resulting letter is O.

id=87504 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1829. If it is sold at a profit of 5%, what is its selling price? | option_a=1834 | option_b=2102 | option_c=1738 | option_d=1920 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1829 × 105/100 = █1920.

id=87505 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=12 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=87506 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46555 at 4% per annum for 1 years. | option_a=48417 | option_b=1962 | option_c=1862 | option_d=1762 | answer=C | explanation=SI = PRT/100 = 46555×4×1/100 = █1862.

id=87507 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23054 at 8% per annum for 3 years. | option_a=5532 | option_b=28586 | option_c=5432 | option_d=5632 | answer=A | explanation=SI = PRT/100 = 23054×8×3/100 = █5532.

id=87508 | topic=Percentages | difficulty=Easy | question=What is 5% of 1814? | option_a=90 | option_b=100 | option_c=80 | option_d=180 | answer=A | explanation=5% of 1814 = (5/100) × 1814 = 90.

id=87509 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17371 at 4% per annum for 1 years. | option_a=594 | option_b=694 | option_c=18065 | option_d=794 | answer=B | explanation=SI = PRT/100 = 17371×4×1/100 = █694.

id=87510 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=9 | option_c=14 | option_d=4 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

Aptitude Questions — Records 87,511-87,540 of 100,000

id=87511 | topic=Averages | difficulty=Easy | question=Find the average of 87, 26, 75, 44. | option_a=57 | option_b=58 | option_c=59 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = $232 \div 4 = 58$.

id=87512 | topic=Averages | difficulty=Easy | question=Find the average of 52, 19, 18, 60, 10, 33, 61, 40, 35, 72. | option_a=42 | option_b=41 | option_c=39 | option_d=40 | answer=D | explanation=Average = sum of values ÷ number of values = $400 \div 10 = 40$.

id=87513 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 14. | option_a=126 | option_b=280 | option_c=140 | option_d=160 | answer=C | explanation= $LCM \times HCF = 20 \times 14$; $HCF(20,14) = 2$, so $LCM = 140$.

id=87514 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**37973 at 8% per annum for 5 years. | option_a=15089 | option_b=53162 | option_c=15289 | option_d=15189 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{37973 \times 8 \times 5}{100} = \text{₹}15189$.

id=87515 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**18697 at 8% per annum for 2 years. | option_a=2991 | option_b=21688 | option_c=2891 | option_d=3091 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{18697 \times 8 \times 2}{100} = \text{₹}2991$.

id=87516 | topic=Averages | difficulty=Easy | question=Find the average of 20, 28, 50, 21, 17, 28, 43, 13, 86. | option_a=35 | option_b=34 | option_c=36 | option_d=33 | answer=B | explanation=Average = sum of values ÷ number of values = $306 \div 9 = 34$.

id=87517 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=23 | option_c=36 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = $180 \div 10 = 18$ km/h.

id=87518 | topic=Averages | difficulty=Easy | question=Find the average of 28, 94, 34, 60. | option_a=54 | option_b=53 | option_c=55 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = $216 \div 4 = 54$.

id=87519 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3387. If it is sold at a profit of 10%, what is its selling price? | option_a=3387 | option_b=4063 | option_c=3397 | option_d=3725 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3387 \times 110 / 100 = \text{₹}3725$.

id=87520 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**12831 at 10% per annum for 1 years. | option_a=1183 | option_b=1283 | option_c=1383 | option_d=14114 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{12831 \times 10 \times 1}{100} = \text{₹}1283$.

id=87521 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=62 | option_b=53 | option_c=52 | option_d=42 | answer=C | explanation=The common difference is 10. Therefore the next term is $42 + 10 = 52$.

id=87522 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=N | option_b=T | option_c=Q | option_d=W | answer=B | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=87523 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=O | option_b=U | option_c=R | option_d=X | answer=B | explanation=Move 3 positions forward from R; the resulting letter is U.

id=87524 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 13? | option_a=6 | option_b=3 | option_c=13 | option_d=9 | answer=C | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 13 is the odd one out.

id=87525 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 23, 30, 39? | option_a=23 | option_b=30 | option_c=16 | option_d=39 | answer=D | explanation=The first three numbers increase by 7, so the next should be 37. Therefore 39 is the odd one out.

id=87526 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{2}{12} = \frac{1}{6}$. Time = $\frac{1}{1/6} = 6$ days.

id=87527 | topic=Averages | difficulty=Easy | question=Find the average of 49, 41, 18. | option_a=38 | option_b=35 | option_c=36 | option_d=37 | answer=C | explanation=Average = sum of values ÷ number of values = $108 \div 3 = 36$.

id=87528 | topic=Percentages | difficulty=Easy | question=What is 40% of 569? | option_a=207 | option_b=454 | option_c=247 | option_d=227 | answer=D | explanation= $40\% \text{ of } 569 = \frac{40}{100} \times 569 = 227$.

id=87529 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{2}{8} = \frac{1}{4}$. Time = $\frac{1}{1/4} = 4$ days.

id=87530 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=80 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = $240 \div 6 = 40$ km/h.

id=87531 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3034. If it is sold at a profit of 50%, what is its selling price? | option_a=4854 | option_b=4248 | option_c=3084 | option_d=4551 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3034 \times 150 / 100 = \text{₹}4551$.

id=87532 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=Z | option_b=K | option_c=P | option_d=U | answer=D | explanation=Move 5 positions forward from P; the resulting letter is U.

id=87533 | topic=Averages | difficulty=Easy | question=Find the average of 16, 77, 12, 53, 97, 51, 51, 19. | option_a=47 | option_b=49 | option_c=46 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = $376 \div 8 = 47$.

id=87534 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 34? | option_a=34 | option_b=17 | option_c=25 | option_d=9 | answer=A | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 34 is the odd one out.

id=87535 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 12, 16, 23? | option_a=8 | option_b=23 | option_c=16 | option_d=12 | answer=B | explanation=The first three numbers increase by 4, so the next should be 20. Therefore 23 is the odd one out.

id=87536 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 35, 43, 54? | option_a=35 | option_b=43 | option_c=54 | option_d=27 | answer=C | explanation=The first three numbers increase by 8, so the next should be 51. Therefore 54 is the odd one out.

id=87537 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:10 and the first is 187, what is the second? | option_a=100 | option_b=297 | option_c=110 | option_d=127 | answer=C | explanation=Scale factor = $187 / 17 = 11$. Therefore second quantity = $10 \times 11 = 110$.

id=87538 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=H | option_b=I | option_c=K | option_d=J | answer=D | explanation=Move 1 positions forward from I; the resulting letter is J.

id=87539 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**22824 at 15% per annum for 2 years. | option_a=29671 | option_b=6947 | option_c=6847 | option_d=6747 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{22824 \times 15 \times 2}{100} = \text{₹}6847$.

id=87540 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 21, 27, 34? | option_a=21 | option_b=15 | option_c=27 | option_d=34 | answer=D | explanation=The first three numbers increase by 6, so the next should be 33. Therefore 34 is the odd one out.

Aptitude Questions — Records 87,541-87,570 of 100,000

id=87541 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=20 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=87542 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=K | option_c=E | option_d=N | answer=B | explanation=Move 3 positions forward from H; the resulting letter is K.

id=87543 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 30. | option_a=420 | option_b=180 | option_c=210 | option_d=224 | answer=C | explanation=LCM × HCF = 14×30; HCF(14,30) = 2, so LCM = 210.

id=87544 | topic=Percentages | difficulty=Easy | question=What is 50% of 1047? | option_a=543 | option_b=1046 | option_c=523 | option_d=513 | answer=C | explanation=50% of 1047 = (50/100) × 1047 = 523.

id=87545 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=8 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=87546 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=41 | option_b=52 | option_c=53 | option_d=63 | answer=B | explanation=The common difference is 11. Therefore the next term is 41 + 11 = 52.

id=87547 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=18 | option_c=14 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=87548 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=Y | option_c=J | option_d=T | answer=D | explanation=Move 5 positions forward from O; the resulting letter is T.

id=87549 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4196. If it is sold at a profit of 25%, what is its selling price? | option_a=4221 | option_b=4826 | option_c=5664 | option_d=5245 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4196 × 125/100 = █5245.

id=87550 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 38? | option_a=25 | option_b=15 | option_c=38 | option_d=5 | answer=C | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 38 is the odd one out.

id=87551 | topic=Percentages | difficulty=Easy | question=What is 25% of 498? | option_a=248 | option_b=124 | option_c=119 | option_d=129 | answer=B | explanation=25% of 498 = (25/100) × 498 = 124.

id=87552 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=87553 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=87554 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=T | option_c=E | option_d=O | answer=D | explanation=Move 5 positions forward from J; the resulting letter is O.

id=87555 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=45 | option_b=46 | option_c=38 | option_d=52 | answer=A | explanation=The common difference is 7. Therefore the next term is 38 + 7 = 45.

id=87556 | topic=Percentages | difficulty=Easy | question=What is 12% of 1135? | option_a=136 | option_b=146 | option_c=116 | option_d=272 | answer=A | explanation=12% of 1135 = (12/100) × 1135 = 136.

id=87557 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:19 and the first is 300, what is the second? | option_a=361 | option_b=380 | option_c=395 | option_d=680 | answer=B | explanation=Scale factor = 300/15 = 20. Therefore second quantity = 19×20 = 380.

id=87558 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4379 at 8% per annum for 2 years. | option_a=700 | option_b=800 | option_c=5079 | option_d=600 | answer=A | explanation=SI = PRT/100 = 4379×8×2/100 = █700.

id=87559 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=O | option_b=U | option_c=S | option_d=Q | answer=C | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=87560 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27363 at 15% per annum for 1 years. | option_a=4004 | option_b=4204 | option_c=31467 | option_d=4104 | answer=D | explanation=SI = PRT/100 = 27363×15×1/100 = █4104.

id=87561 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:17 and the first is 99, what is the second? | option_a=170 | option_b=187 | option_c=196 | option_d=286 | answer=B | explanation=Scale factor = 99/9 = 11. Therefore second quantity = 17×11 = 187.

id=87562 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 30, 38, 49? | option_a=30 | option_b=22 | option_c=49 | option_d=38 | answer=C | explanation=The first three numbers increase by 8, so the next should be 46. Therefore 49 is the odd one out.

id=87563 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41640 at 15% per annum for 2 years. | option_a=12392 | option_b=54132 | option_c=12492 | option_d=12592 | answer=C | explanation=SI = PRT/100 = 41640×15×2/100 = █12492.

id=87564 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2687 at 8% per annum for 5 years. | option_a=1174 | option_b=1074 | option_c=3761 | option_d=974 | answer=B | explanation=SI = PRT/100 = 2687×8×5/100 = █1074.

id=87565 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=200 | option_c=105 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=87566 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18340 at 4% per annum for 5 years. | option_a=3668 | option_b=3568 | option_c=22008 | option_d=3768 | answer=A | explanation=SI = PRT/100 = 18340×4×5/100 = █3668.

id=87567 | topic=Percentages | difficulty=Easy | question=What is 10% of 1191? | option_a=119 | option_b=139 | option_c=238 | option_d=99 | answer=A | explanation=10% of 1191 = (10/100) × 1191 = 119.

id=87568 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3541. If it is sold at a profit of 25%, what is its selling price? | option_a=4426 | option_b=4072 | option_c=4780 | option_d=3566 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3541 × 125/100 = █4426.

id=87569 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1286. If it is sold at a profit of 40%, what is its selling price? | option_a=1326 | option_b=1928 | option_c=1800 | option_d=1672 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1286 × 140/100 = █1800.

id=87570 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3474. If it is sold at a profit of 15%, what is its selling price? | option_a=3648 | option_b=3432 | option_c=3489 | option_d=3995 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3474 × 115/100 = █3995.

Aptitude Questions — Records 87,571-87,600 of 100,000

id=87571 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=87572 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:7 and the first is 361, what is the second? | option_a=133 | option_b=494 | option_c=152 | option_d=126 | answer=A | explanation=Scale factor = 361/19 = 19. Therefore second quantity = 7×19 = 133.

id=87573 | topic=Percentages | difficulty=Easy | question=What is 30% of 530? | option_a=169 | option_b=139 | option_c=318 | option_d=159 | answer=D | explanation=30% of 530 = (30/100) × 530 = 159.

id=87574 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1408. If it is sold at a profit of 50%, what is its selling price? | option_a=2252 | option_b=2112 | option_c=1458 | option_d=1972 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1408 × 150/100 = █2112.

id=87575 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4199. If it is sold at a profit of 30%, what is its selling price? | option_a=5458 | option_b=4229 | option_c=5877 | option_d=5039 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4199 × 130/100 = █5458.

id=87576 | topic=Percentages | difficulty=Easy | question=What is 10% of 1864? | option_a=186 | option_b=191 | option_c=166 | option_d=372 | answer=A | explanation=10% of 1864 = (10/100) × 1864 = 186.

id=87577 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=12 | option_c=24 | option_d=17 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=87578 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=7 | option_d=17 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=87579 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=38 | option_b=39 | option_c=31 | option_d=45 | answer=A | explanation=The common difference is 7. Therefore the next term is 31 + 7 = 38.

id=87580 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4122. If it is sold at a profit of 50%, what is its selling price? | option_a=6183 | option_b=5771 | option_c=4172 | option_d=6595 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4122 × 150/100 = █6183.

id=87581 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:10 and the first is 70, what is the second? | option_a=170 | option_b=100 | option_c=107 | option_d=90 | answer=B | explanation=Scale factor = 70/7 = 10. Therefore second quantity = 10×10 = 100.

id=87582 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1810. If it is sold at a profit of 20%, what is its selling price? | option_a=1830 | option_b=2172 | option_c=1991 | option_d=2353 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1810 × 120/100 = █2172.

id=87583 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=G | option_b=J | option_c=H | option_d=I | answer=D | explanation=Move 1 positions forward from H; the resulting letter is I.

id=87584 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=180 | option_c=175 | option_d=360 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=87585 | topic=Number System | difficulty=Easy | question=Find the LCM of 13 and 13. | option_a=26 | option_b=169 | option_c=13 | option_d=1 | answer=C | explanation=LCM × HCF = 13×13; HCF(13,13) = 13, so LCM = 13.

id=87586 | topic=Profit & Loss | difficulty=Easy | question=An article costs █943. If it is sold at a profit of 15%, what is its selling price? | option_a=1084 | option_b=958 | option_c=1178 | option_d=990 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 943 × 115/100 = █1084.

id=87587 | topic=Averages | difficulty=Easy | question=Find the average of 33, 91, 86, 12, 29, 44, 23, 57, 102. | option_a=53 | option_b=54 | option_c=55 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 477 ÷ 9 = 53.

id=87588 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 10, 13, 16, ? | option_a=20 | option_b=22 | option_c=19 | option_d=16 | answer=C | explanation=The common difference is 3. Therefore the next term is 16 + 3 = 19.

id=87589 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=M | option_b=V | option_c=S | option_d=P | answer=C | explanation=Move 3 positions forward from P; the resulting letter is S.

id=87590 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:2 and the first is 117, what is the second? | option_a=26 | option_b=35 | option_c=24 | option_d=143 | answer=A | explanation=Scale factor = 117/9 = 13. Therefore second quantity = 2×13 = 26.

id=87591 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=7 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=87592 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:17 and the first is 8, what is the second? | option_a=119 | option_b=137 | option_c=136 | option_d=144 | answer=C | explanation=Scale factor = 8/1 = 8. Therefore second quantity = 17×8 = 136.

id=87593 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2395. If it is sold at a profit of 5%, what is its selling price? | option_a=2753 | option_b=2275 | option_c=2400 | option_d=2514 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2395 × 105/100 = █2514.

id=87594 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=87595 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=87596 | topic=Percentages | difficulty=Easy | question=What is 25% of 1075? | option_a=273 | option_b=268 | option_c=536 | option_d=258 | answer=B | explanation=25% of 1075 = (25/100) × 1075 = 268.

id=87597 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=35 | option_b=32 | option_c=27 | option_d=31 | answer=D | explanation=The common difference is 4. Therefore the next term is 27 + 4 = 31.

id=87598 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=C | option_b=I | option_c=E | option_d=G | answer=D | explanation=Move 2 positions forward from E; the resulting letter is G.

id=87599 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 28, 38, 48, ? | option_a=59 | option_b=68 | option_c=48 | option_d=58 | answer=D | explanation=The common difference is 10. Therefore the next term is 48 + 10 = 58.

id=87600 | topic=Percentages | difficulty=Easy | question=What is 40% of 286? | option_a=104 | option_b=114 | option_c=228 | option_d=119 | answer=B | explanation=40% of 286 = (40/100) × 286 = 114.

Aptitude Questions — Records 87,601-87,630 of 100,000

id=87601 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=5 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=87602 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=H | option_c=K | option_d=B | answer=B | explanation=Move 3 positions forward from E; the resulting letter is H.

id=87603 | topic=Percentages | difficulty=Easy | question=What is 12% of 626? | option_a=80 | option_b=150 | option_c=55 | option_d=75 | answer=D | explanation=12% of 626 = (12/100) × 626 = 75.

id=87604 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:7 and the first is 17, what is the second? | option_a=136 | option_b=119 | option_c=120 | option_d=112 | answer=B | explanation=Scale factor = 17/1 = 17. Therefore second quantity = 7×17 = 119.

id=87605 | topic=Percentages | difficulty=Easy | question=What is 10% of 1841? | option_a=184 | option_b=164 | option_c=189 | option_d=368 | answer=A | explanation=10% of 1841 = (10/100) × 1841 = 184.

id=87606 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 42? | option_a=31 | option_b=23 | option_c=42 | option_d=15 | answer=C | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 42 is the odd one out.

id=87607 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=87608 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2294. If it is sold at a profit of 30%, what is its selling price? | option_a=2753 | option_b=3211 | option_c=2982 | option_d=2324 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2294 × 130/100 = █2982.

id=87609 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=38 | option_b=44 | option_c=39 | option_d=32 | answer=A | explanation=The common difference is 6. Therefore the next term is 32 + 6 = 38.

id=87610 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 8, 10, 15? | option_a=10 | option_b=6 | option_c=8 | option_d=15 | answer=D | explanation=The first three numbers increase by 2, so the next should be 12. Therefore 15 is the odd one out.

id=87611 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6651 at 6% per annum for 3 years. | option_a=7848 | option_b=1297 | option_c=1197 | option_d=1097 | answer=C | explanation=SI = PRT/100 = 6651×6×3/100 = █1197.

id=87612 | topic=Profit & Loss | difficulty=Easy | question=An article costs █709. If it is sold at a profit of 5%, what is its selling price? | option_a=744 | option_b=814 | option_c=714 | option_d=674 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 709 × 105/100 = █744.

id=87613 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16380 at 15% per annum for 5 years. | option_a=12385 | option_b=28665 | option_c=12185 | option_d=12285 | answer=D | explanation=SI = PRT/100 = 16380×15×5/100 = █12285.

id=87614 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=X | option_c=I | option_d=S | answer=D | explanation=Move 5 positions forward from N; the resulting letter is S.

id=87615 | topic=Percentages | difficulty=Easy | question=What is 50% of 131? | option_a=65 | option_b=55 | option_c=75 | option_d=130 | answer=A | explanation=50% of 131 = (50/100) × 131 = 65.

id=87616 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 15, 20, 27? | option_a=20 | option_b=10 | option_c=27 | option_d=15 | answer=C | explanation=The first three numbers increase by 5, so the next should be 25. Therefore 27 is the odd one out.

id=87617 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=87618 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=28 | option_b=30 | option_c=26 | option_d=29 | answer=A | explanation=The common difference is 2. Therefore the next term is 26 + 2 = 28.

id=87619 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 36? | option_a=9 | option_b=17 | option_c=36 | option_d=25 | answer=C | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 36 is the odd one out.

id=87620 | topic=Percentages | difficulty=Easy | question=What is 40% of 892? | option_a=712 | option_b=376 | option_c=356 | option_d=351 | answer=C | explanation=40% of 892 = (40/100) × 892 = 356.

id=87621 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=87622 | topic=Averages | difficulty=Easy | question=Find the average of 64, 60, 45, 27, 10, 75, 13, 40, 89. | option_a=48 | option_b=46 | option_c=49 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 423 ÷ 9 = 47.

id=87623 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:18 and the first is 8, what is the second? | option_a=152 | option_b=144 | option_c=145 | option_d=126 | answer=B | explanation=Scale factor = 8/1 = 8. Therefore second quantity = 18×8 = 144.

id=87624 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1771. If it is sold at a profit of 25%, what is its selling price? | option_a=2036 | option_b=2213 | option_c=2390 | option_d=1796 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1771 × 125/100 = █2213.

id=87625 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=87626 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Q | option_b=Z | option_c=T | option_d=W | answer=D | explanation=Move 3 positions forward from T; the resulting letter is W.

id=87627 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=36 | option_b=72 | option_c=31 | option_d=41 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=87628 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=P | option_b=L | option_c=D | option_d=H | answer=B | explanation=Move 4 positions forward from H; the resulting letter is L.

id=87629 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3411. If it is sold at a profit of 30%, what is its selling price? | option_a=4093 | option_b=3441 | option_c=4775 | option_d=4434 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3411 × 130/100 = █4434.

id=87630 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 12. | option_a=112 | option_b=84 | option_c=336 | option_d=72 | answer=B | explanation=LCM × HCF = 28×12; HCF(28,12) = 4, so LCM = 84.

Aptitude Questions — Records 87,631-87,660 of 100,000

id=87631 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=23 | option_c=18 | option_d=36 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=87632 | topic=Profit & Loss | difficulty=Easy | question=An article costs █760. If it is sold at a profit of 15%, what is its selling price? | option_a=775 | option_b=874 | option_c=798 | option_d=950 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 760 × 115/100 = █874.

id=87633 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=40 | option_b=62 | option_c=52 | option_d=51 | answer=D | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=87634 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=87635 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2165. If it is sold at a profit of 50%, what is its selling price? | option_a=3463 | option_b=2215 | option_c=3247 | option_d=3031 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2165 × 150/100 = █3247.

id=87636 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15435 at 15% per annum for 5 years. | option_a=11476 | option_b=11576 | option_c=11676 | option_d=27011 | answer=B | explanation=SI = PRT/100 = 15435×15×5/100 = █11576.

id=87637 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=87638 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1747. If it is sold at a profit of 50%, what is its selling price? | option_a=2794 | option_b=2620 | option_c=2446 | option_d=1797 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1747 × 150/100 = █2620.

id=87639 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49493 at 6% per annum for 2 years. | option_a=5939 | option_b=6039 | option_c=55432 | option_d=5839 | answer=A | explanation=SI = PRT/100 = 49493×6×2/100 = █5939.

id=87640 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5540 at 4% per annum for 1 years. | option_a=321 | option_b=5761 | option_c=221 | option_d=121 | answer=C | explanation=SI = PRT/100 = 5540×4×1/100 = █221.

id=87641 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:3 and the first is 39, what is the second? | option_a=9 | option_b=48 | option_c=22 | option_d=6 | answer=A | explanation=Scale factor = 39/13 = 3. Therefore second quantity = 3×3 = 9.

id=87642 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=50 | option_b=62 | option_c=72 | option_d=61 | answer=D | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.

id=87643 | topic=Percentages | difficulty=Easy | question=What is 15% of 1422? | option_a=218 | option_b=213 | option_c=426 | option_d=208 | answer=B | explanation=15% of 1422 = (15/100) × 1422 = 213.

id=87644 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30394 at 15% per annum for 5 years. | option_a=22895 | option_b=22795 | option_c=22695 | option_d=53189 | answer=B | explanation=SI = PRT/100 = 30394×15×5/100 = █22795.

id=87645 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 51? | option_a=30 | option_b=42 | option_c=51 | option_d=36 | answer=C | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 51 is the odd one out.

id=87646 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1834 at 5% per annum for 3 years. | option_a=175 | option_b=375 | option_c=275 | option_d=2109 | answer=C | explanation=SI = PRT/100 = 1834×5×3/100 = █275.

id=87647 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30331 at 15% per annum for 4 years. | option_a=18198 | option_b=18098 | option_c=48529 | option_d=18298 | answer=A | explanation=SI = PRT/100 = 30331×15×4/100 = █18198.

id=87648 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3711. If it is sold at a profit of 50%, what is its selling price? | option_a=5937 | option_b=5195 | option_c=5566 | option_d=3761 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3711 × 150/100 = █5566.

id=87649 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3596. If it is sold at a profit of 10%, what is its selling price? | option_a=4314 | option_b=3606 | option_c=3596 | option_d=3955 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3596 × 110/100 = █3955.

id=87650 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:7 and the first is 40, what is the second? | option_a=96 | option_b=56 | option_c=49 | option_d=61 | answer=B | explanation=Scale factor = 40/5 = 8. Therefore second quantity = 7×8 = 56.

id=87651 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=51 | option_b=50 | option_c=40 | option_d=60 | answer=B | explanation=The common difference is 10. Therefore the next term is 40 + 10 = 50.

id=87652 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43820 at 6% per annum for 2 years. | option_a=5358 | option_b=49078 | option_c=5258 | option_d=5158 | answer=C | explanation=SI = PRT/100 = 43820×6×2/100 = █5258.

id=87653 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=36 | option_b=27 | option_c=35 | option_d=43 | answer=C | explanation=The common difference is 8. Therefore the next term is 27 + 8 = 35.

id=87654 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=E | option_c=I | option_d=W | answer=B | explanation=Move 4 positions forward from A; the resulting letter is E.

id=87655 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1493. If it is sold at a profit of 50%, what is its selling price? | option_a=2090 | option_b=2239 | option_c=1543 | option_d=2388 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1493 × 150/100 = █2239.

id=87656 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=87657 | topic=Averages | difficulty=Easy | question=Find the average of 18, 72, 64, 97, 36, 33, 51, 93. | option_a=57 | option_b=60 | option_c=59 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 464 ÷ 8 = 58.

id=87658 | topic=Averages | difficulty=Easy | question=Find the average of 64, 29, 65, 37, 65, 11, 65. | option_a=48 | option_b=50 | option_c=49 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 336 ÷ 7 = 48.

id=87659 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 10, 15, 21? | option_a=15 | option_b=10 | option_c=21 | option_d=5 | answer=C | explanation=The first three numbers increase by 5, so the next should be 20. Therefore 21 is the odd one out.

id=87660 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=65 | option_b=77 | option_c=66 | option_d=53 | answer=A | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.

Aptitude Questions — Records 87,661-87,690 of 100,000

id=87661 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 17, 22, 30? | option_a=17 | option_b=12 | option_c=22 | option_d=30 | answer=D | explanation=The first three numbers increase by 5, so the next should be 27. Therefore 30 is the odd one out.

id=87662 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4670. If it is sold at a profit of 30%, what is its selling price? | option_a=6071 | option_b=4700 | option_c=6538 | option_d=5604 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4670 × 130/100 = █6071.

id=87663 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=30 | option_b=31 | option_c=36 | option_d=24 | answer=A | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.

id=87664 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 10, 14, 20? | option_a=14 | option_b=10 | option_c=20 | option_d=6 | answer=C | explanation=The first three numbers increase by 4, so the next should be 18. Therefore 20 is the odd one out.

id=87665 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=87666 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 18, 23, 28, ? | option_a=33 | option_b=28 | option_c=38 | option_d=34 | answer=A | explanation=The common difference is 5. Therefore the next term is 28 + 5 = 33.

id=87667 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=58 | option_b=57 | option_c=46 | option_d=68 | answer=B | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.

id=87668 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2065. If it is sold at a profit of 50%, what is its selling price? | option_a=2115 | option_b=3097 | option_c=2891 | option_d=3303 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2065 × 150/100 = █3097.

id=87669 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=87670 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=U | option_b=O | option_c=X | option_d=R | answer=A | explanation=Move 3 positions forward from R; the resulting letter is U.

id=87671 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=S | option_b=V | option_c=U | option_d=T | answer=C | explanation=Move 1 positions forward from T; the resulting letter is U.

id=87672 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=87673 | topic=Percentages | difficulty=Easy | question=What is 15% of 841? | option_a=131 | option_b=121 | option_c=126 | option_d=252 | answer=C | explanation=15% of 841 = (15/100) × 841 = 126.

id=87674 | topic=Averages | difficulty=Easy | question=Find the average of 35, 29, 40, 47, 24, 61, 75, 82, 90, 77. | option_a=58 | option_b=56 | option_c=57 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 560 ÷ 10 = 56.

id=87675 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 17, 22, 30? | option_a=22 | option_b=17 | option_c=30 | option_d=12 | answer=C | explanation=The first three numbers increase by 5, so the next should be 27. Therefore 30 is the odd one out.

id=87676 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3594. If it is sold at a profit of 5%, what is its selling price? | option_a=4132 | option_b=3599 | option_c=3773 | option_d=3414 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3594 × 105/100 = █3773.

id=87677 | topic=Percentages | difficulty=Easy | question=What is 12% of 828? | option_a=198 | option_b=109 | option_c=89 | option_d=99 | answer=D | explanation=12% of 828 = (12/100) × 828 = 99.

id=87678 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:8 and the first is 182, what is the second? | option_a=286 | option_b=104 | option_c=118 | option_d=96 | answer=B | explanation=Scale factor = 182/14 = 13. Therefore second quantity = 8×13 = 104.

id=87679 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 43? | option_a=29 | option_b=37 | option_c=33 | option_d=43 | answer=D | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 43 is the odd one out.

id=87680 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=I | option_c=Q | option_d=U | answer=C | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=87681 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48187 at 6% per annum for 2 years. | option_a=5682 | option_b=5882 | option_c=53969 | option_d=5782 | answer=D | explanation=SI = PRT/100 = 48187×6×2/100 = █5782.

id=87682 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=87683 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 36? | option_a=25 | option_b=5 | option_c=36 | option_d=15 | answer=C | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 36 is the odd one out.

id=87684 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:6 and the first is 96, what is the second? | option_a=52 | option_b=132 | option_c=36 | option_d=30 | answer=C | explanation=Scale factor = 96/16 = 6. Therefore second quantity = 6×6 = 36.

id=87685 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2691. If it is sold at a profit of 15%, what is its selling price? | option_a=3363 | option_b=3094 | option_c=2706 | option_d=2825 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2691 × 115/100 = █3094.

id=87686 | topic=Profit & Loss | difficulty=Easy | question=An article costs █414. If it is sold at a profit of 25%, what is its selling price? | option_a=476 | option_b=558 | option_c=439 | option_d=517 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 414 × 125/100 = █517.

id=87687 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=S | option_c=X | option_d=I | answer=B | explanation=Move 5 positions forward from N; the resulting letter is S.

id=87688 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=M | option_b=N | option_c=K | option_d=L | answer=A | explanation=Move 1 positions forward from L; the resulting letter is M.

id=87689 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=87690 | topic=Percentages | difficulty=Easy | question=What is 15% of 278? | option_a=31 | option_b=61 | option_c=82 | option_d=41 | answer=D | explanation=15% of 278 = (15/100) × 278 = 41.

Aptitude Questions — Records 87,691-87,720 of 100,000

id=87691 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 15, 21, 28? | option_a=15 | option_b=21 | option_c=28 | option_d=9 | answer=C | explanation=The first three numbers increase by 6, so the next should be 27. Therefore 28 is the odd one out.

id=87692 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 28. | option_a=420 | option_b=840 | option_c=392 | option_d=450 | answer=A | explanation= $LCM \times HCF = 30 \times 28$; $HCF(30,28) = 2$, so $LCM = 420$.

id=87693 | topic=Averages | difficulty=Easy | question=Find the average of 67, 45, 74. | option_a=64 | option_b=63 | option_c=61 | option_d=62 | answer=D | explanation= $Average = \text{sum of values} \div \text{number of values} = 186 \div 3 = 62$.

id=87694 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=U | option_c=M | option_d=I | answer=A | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=87695 | topic=Percentages | difficulty=Easy | question=What is 25% of 1416? | option_a=334 | option_b=359 | option_c=354 | option_d=708 | answer=C | explanation= $25\% \text{ of } 1416 = (25/100) \times 1416 = 354$.

id=87696 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=95 | option_d=180 | answer=A | explanation= $Speed = \text{distance} \div \text{time} = 180 \div 2 = 90 \text{ km/h}$.

id=87697 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=34 | option_b=29 | option_c=22 | option_d=28 | answer=D | explanation=The common difference is 6. Therefore the next term is $22 + 6 = 28$.

id=87698 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation= $Speed = \text{distance} \div \text{time} = 90 \div 3 = 30 \text{ km/h}$.

id=87699 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=C | option_c=F | option_d=E | answer=D | explanation=Move 1 positions forward from D; the resulting letter is E.

id=87700 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3640. If it is sold at a profit of 5%, what is its selling price? | option_a=3645 | option_b=4186 | option_c=3458 | option_d=3822 | answer=D | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%)/100 = 3640 \times 105/100 = \text{█}3822$.

id=87701 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=36 | option_b=26 | option_c=31 | option_d=32 | answer=C | explanation=The common difference is 5. Therefore the next term is $26 + 5 = 31$.

id=87702 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27399 at 8% per annum for 3 years. | option_a=6575 | option_b=6675 | option_c=6475 | option_d=33974 | answer=A | explanation= $SI = PRT/100 = 27399 \times 8 \times 3/100 = \text{█}6575$.

id=87703 | topic=Percentages | difficulty=Easy | question=What is 25% of 1661? | option_a=410 | option_b=435 | option_c=415 | option_d=830 | answer=C | explanation= $25\% \text{ of } 1661 = (25/100) \times 1661 = 415$.

id=87704 | topic=Percentages | difficulty=Easy | question=What is 12% of 1681? | option_a=196 | option_b=201 | option_c=206 | option_d=402 | answer=B | explanation= $12\% \text{ of } 1681 = (12/100) \times 1681 = 201$.

id=87705 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 24. | option_a=648 | option_b=216 | option_c=243 | option_d=192 | answer=B | explanation= $LCM \times HCF = 27 \times 24$; $HCF(27,24) = 3$, so $LCM = 216$.

id=87706 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:15 and the first is 12, what is the second? | option_a=75 | option_b=90 | option_c=92 | option_d=102 | answer=B | explanation= $\text{Scale factor} = 12/2 = 6$. Therefore second quantity = $15 \times 6 = 90$.

id=87707 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 30. | option_a=150 | option_b=175 | option_c=120 | option_d=750 | answer=A | explanation= $LCM \times HCF = 25 \times 30$; $HCF(25,30) = 5$, so $LCM = 150$.

id=87708 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 24. | option_a=528 | option_b=264 | option_c=286 | option_d=240 | answer=B | explanation= $LCM \times HCF = 22 \times 24$; $HCF(22,24) = 2$, so $LCM = 264$.

id=87709 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37808 at 4% per annum for 5 years. | option_a=45369 | option_b=7661 | option_c=7461 | option_d=7561 | answer=D | explanation= $SI = PRT/100 = 37808 \times 4 \times 5/100 = \text{█}7561$.

id=87710 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 42? | option_a=42 | option_b=23 | option_c=15 | option_d=31 | answer=A | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 42 is the odd one out.

id=87711 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=42 | option_b=34 | option_c=50 | option_d=43 | answer=A | explanation=The common difference is 8. Therefore the next term is $34 + 8 = 42$.

id=87712 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1592. If it is sold at a profit of 20%, what is its selling price? | option_a=1910 | option_b=2069 | option_c=1612 | option_d=1751 | answer=A | explanation= $\text{Selling price} = CP \times (100 + \text{profit}\%)/100 = 1592 \times 120/100 = \text{█}1910$.

id=87713 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16689 at 5% per annum for 2 years. | option_a=1768 | option_b=1668 | option_c=1568 | option_d=18357 | answer=B | explanation= $SI = PRT/100 = 16689 \times 5 \times 2/100 = \text{█}1668$.

id=87714 | topic=Percentages | difficulty=Easy | question=What is 15% of 1044? | option_a=136 | option_b=156 | option_c=312 | option_d=161 | answer=B | explanation= $15\% \text{ of } 1044 = (15/100) \times 1044 = 156$.

id=87715 | topic=Averages | difficulty=Easy | question=Find the average of 100, 65, 12. | option_a=60 | option_b=61 | option_c=58 | option_d=59 | answer=D | explanation= $Average = \text{sum of values} \div \text{number of values} = 177 \div 3 = 59$.

id=87716 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=28 | option_b=25 | option_c=26 | option_d=22 | answer=B | explanation=The common difference is 3. Therefore the next term is $22 + 3 = 25$.

id=87717 | topic=Percentages | difficulty=Easy | question=What is 40% of 1877? | option_a=730 | option_b=1500 | option_c=750 | option_d=770 | answer=C | explanation= $40\% \text{ of } 1877 = (40/100) \times 1877 = 750$.

id=87718 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=20 | option_b=24 | option_c=16 | option_d=21 | answer=A | explanation=The common difference is 4. Therefore the next term is $16 + 4 = 20$.

id=87719 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation= $\text{Combined rate} = 1/4 + 1/12 = 16/48$. Time = $48/16 = 3 \text{ days}$.

id=87720 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=B | option_c=M | option_d=W | answer=D | explanation=Move 5 positions forward from R; the resulting letter is W.

Aptitude Questions — Records 87,721-87,750 of 100,000

id=87721 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=19 | option_d=29 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=87722 | topic=Averages | difficulty=Easy | question=Find the average of 31, 15, 10, 38, 13, 12, 90, 93, 49. | option_a=41 | option_b=38 | option_c=40 | option_d=39 | answer=D | explanation=Average = sum of values ÷ number of values = 351 ÷ 9 = 39.

id=87723 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=87724 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43541 at 8% per annum for 4 years. | option_a=13833 | option_b=57474 | option_c=14033 | option_d=13933 | answer=D | explanation=SI = PRT/100 = 43541×8×4/100 = █13933.

id=87725 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3675. If it is sold at a profit of 10%, what is its selling price? | option_a=3685 | option_b=4042 | option_c=3675 | option_d=4409 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3675 × 110/100 = █4042.

id=87726 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3778. If it is sold at a profit of 10%, what is its selling price? | option_a=3788 | option_b=4532 | option_c=3778 | option_d=4155 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3778 × 110/100 = █4155.

id=87727 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=87728 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:1 and the first is 143, what is the second? | option_a=154 | option_b=10 | option_c=24 | option_d=11 | answer=D | explanation=Scale factor = 143/13 = 11. Therefore second quantity = 1×11 = 11.

id=87729 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=26 | option_b=40 | option_c=34 | option_d=33 | answer=D | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

id=87730 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2948. If it is sold at a profit of 40%, what is its selling price? | option_a=2988 | option_b=4421 | option_c=4127 | option_d=3833 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2948 × 140/100 = █4127.

id=87731 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43816 at 6% per annum for 2 years. | option_a=5257 | option_b=49073 | option_c=5357 | option_d=5157 | answer=A | explanation=SI = PRT/100 = 43816×6×2/100 = █5257.

id=87732 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=87733 | topic=Percentages | difficulty=Easy | question=What is 30% of 409? | option_a=102 | option_b=122 | option_c=127 | option_d=244 | answer=B | explanation=30% of 409 = (30/100) × 409 = 122.

id=87734 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=87735 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 14. | option_a=140 | option_b=80 | option_c=70 | option_d=56 | answer=C | explanation=LCM × HCF = 10×14; HCF(10,14) = 2, so LCM = 70.

id=87736 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=150 | option_c=145 | option_d=155 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=87737 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 34? | option_a=34 | option_b=15 | option_c=6 | option_d=24 | answer=A | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 34 is the odd one out.

id=87738 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=60 | option_b=47 | option_c=71 | option_d=59 | answer=D | explanation=The common difference is 12. Therefore the next term is 47 + 12 = 59.

id=87739 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'i' become? | option_a=J | option_b=H | option_c=K | option_d=I | answer=A | explanation=Move 1 positions forward from i; the resulting letter is J.

id=87740 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=50 | option_c=100 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=87741 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=R | option_c=N | option_d=P | answer=B | explanation=Move 2 positions forward from P; the resulting letter is R.

id=87742 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=87743 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 16. | option_a=72 | option_b=48 | option_c=384 | option_d=32 | answer=B | explanation=LCM × HCF = 24×16; HCF(24,16) = 8, so LCM = 48.

id=87744 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2270. If it is sold at a profit of 50%, what is its selling price? | option_a=3632 | option_b=3178 | option_c=3405 | option_d=2320 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2270 × 150/100 = █3405.

id=87745 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3428. If it is sold at a profit of 10%, what is its selling price? | option_a=3438 | option_b=3770 | option_c=3428 | option_d=4112 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3428 × 110/100 = █3770.

id=87746 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=120 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=87747 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1223. If it is sold at a profit of 5%, what is its selling price? | option_a=1284 | option_b=1162 | option_c=1406 | option_d=1228 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1223 × 105/100 = █1284.

id=87748 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 28. | option_a=336 | option_b=364 | option_c=728 | option_d=390 | answer=B | explanation=LCM × HCF = 26×28; HCF(26,28) = 2, so LCM = 364.

id=87749 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2278. If it is sold at a profit of 40%, what is its selling price? | option_a=3189 | option_b=2962 | option_c=2318 | option_d=3416 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2278 × 140/100 = █3189.

id=87750 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=55 | option_c=100 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

Aptitude Questions — Records 87,751-87,780 of 100,000

id=87751 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 26, 32, 41? | option_a=20 | option_b=26 | option_c=32 | option_d=41 | answer=D | explanation=The first three numbers increase by 6, so the next should be 38. Therefore 41 is the odd one out.

id=87752 | topic=Averages | difficulty=Easy | question=Find the average of 84, 94, 76, 29, 34, 55. | option_a=61 | option_b=63 | option_c=62 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 372 ÷ 6 = 62.

id=87753 | topic=Percentages | difficulty=Easy | question=What is 25% of 810? | option_a=207 | option_b=404 | option_c=202 | option_d=192 | answer=C | explanation=25% of 810 = (25/100) × 810 = 202.

id=87754 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 58? | option_a=58 | option_b=46 | option_c=26 | option_d=36 | answer=A | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 58 is the odd one out.

id=87755 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=43 | option_b=34 | option_c=50 | option_d=42 | answer=D | explanation=The common difference is 8. Therefore the next term is 34 + 8 = 42.

id=87756 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=25 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=87757 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=31 | option_b=32 | option_c=37 | option_d=25 | answer=A | explanation=The common difference is 6. Therefore the next term is 25 + 6 = 31.

id=87758 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=20 | option_c=15 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=87759 | topic=Percentages | difficulty=Easy | question=What is 30% of 411? | option_a=103 | option_b=246 | option_c=123 | option_d=128 | answer=C | explanation=30% of 411 = (30/100) × 411 = 123.

id=87760 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 14. | option_a=144 | option_b=252 | option_c=126 | option_d=112 | answer=C | explanation=LCM × HCF = 18×14; HCF(18,14) = 2, so LCM = 126.

id=87761 | topic=Percentages | difficulty=Easy | question=What is 10% of 873? | option_a=82 | option_b=92 | option_c=174 | option_d=87 | answer=D | explanation=10% of 873 = (10/100) × 873 = 87.

id=87762 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=M | option_c=I | option_d=K | answer=B | explanation=Move 2 positions forward from K; the resulting letter is M.

id=87763 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=59 | option_b=39 | option_c=50 | option_d=49 | answer=D | explanation=The common difference is 10. Therefore the next term is 39 + 10 = 49.

id=87764 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=77 | option_c=144 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=87765 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=24 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=87766 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=57 | option_b=67 | option_c=47 | option_d=58 | answer=A | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

id=87767 | topic=Averages | difficulty=Easy | question=Find the average of 11, 29, 38. | option_a=28 | option_b=25 | option_c=26 | option_d=27 | answer=C | explanation=Average = sum of values ÷ number of values = 78 ÷ 3 = 26.

id=87768 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=B | option_b=P | option_c=X | option_d=T | answer=C | explanation=Move 4 positions forward from T; the resulting letter is X.

id=87769 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=Z | option_c=K | option_d=U | answer=D | explanation=Move 5 positions forward from P; the resulting letter is U.

id=87770 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=87771 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 29, 33, 38? | option_a=33 | option_b=38 | option_c=25 | option_d=29 | answer=B | explanation=The first three numbers increase by 4, so the next should be 37. Therefore 38 is the odd one out.

id=87772 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=44 | option_b=55 | option_c=54 | option_d=64 | answer=C | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=87773 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:19 and the first is 120, what is the second? | option_a=95 | option_b=114 | option_c=134 | option_d=234 | answer=B | explanation=Scale factor = 120/20 = 6. Therefore second quantity = 19×6 = 114.

id=87774 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=87775 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■4346 at 4% per annum for 4 years. | option_a=795 | option_b=695 | option_c=595 | option_d=5041 | answer=B | explanation=SI = PRT/100 = 4346×4×4/100 = ■695.

id=87776 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=V | option_b=Y | option_c=P | option_d=S | answer=A | explanation=Move 3 positions forward from S; the resulting letter is V.

id=87777 | topic=Averages | difficulty=Easy | question=Find the average of 28, 41, 27. | option_a=31 | option_b=33 | option_c=34 | option_d=32 | answer=D | explanation=Average = sum of values ÷ number of values = 96 ÷ 3 = 32.

id=87778 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 22, 28, 35? | option_a=28 | option_b=16 | option_c=22 | option_d=35 | answer=D | explanation=The first three numbers increase by 6, so the next should be 34. Therefore 35 is the odd one out.

id=87779 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=100 | option_c=95 | option_d=200 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=87780 | topic=Percentages | difficulty=Easy | question=What is 20% of 973? | option_a=194 | option_b=204 | option_c=388 | option_d=174 | answer=A | explanation=20% of 973 = (20/100) × 973 = 194.

Aptitude Questions — Records 87,781-87,810 of 100,000

id=87781 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=87782 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:5 and the first is 154, what is the second? | option_a=209 | option_b=55 | option_c=50 | option_d=69 | answer=B | explanation=Scale factor = 154/14 = 11. Therefore second quantity = 5×11 = 55.

id=87783 | topic=Percentages | difficulty=Easy | question=What is 15% of 1683? | option_a=504 | option_b=247 | option_c=252 | option_d=272 | answer=C | explanation=15% of 1683 = (15/100) × 1683 = 252.

id=87784 | topic=Averages | difficulty=Easy | question=Find the average of 98, 39, 25, 32, 73, 61, 81, 45, 68. | option_a=57 | option_b=59 | option_c=58 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 522 ÷ 9 = 58.

id=87785 | topic=Averages | difficulty=Easy | question=Find the average of 16, 26, 47, 43, 43, 61, 72. | option_a=43 | option_b=45 | option_c=46 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = 308 ÷ 7 = 44.

id=87786 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=I | option_b=X | option_c=N | option_d=S | answer=D | explanation=Move 5 positions forward from N; the resulting letter is S.

id=87787 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=43 | option_b=49 | option_c=44 | option_d=37 | answer=A | explanation=The common difference is 6. Therefore the next term is 37 + 6 = 43.

id=87788 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=27 | option_b=35 | option_c=31 | option_d=32 | answer=C | explanation=The common difference is 4. Therefore the next term is 27 + 4 = 31.

id=87789 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:5 and the first is 66, what is the second? | option_a=55 | option_b=61 | option_c=121 | option_d=50 | answer=A | explanation=Scale factor = 66/6 = 11. Therefore second quantity = 5×11 = 55.

id=87790 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38777 at 6% per annum for 3 years. | option_a=45756 | option_b=6879 | option_c=7079 | option_d=6979 | answer=D | explanation=SI = PRT/100 = 38777×6×3/100 = **■**6979.

id=87791 | topic=Percentages | difficulty=Easy | question=What is 5% of 448? | option_a=32 | option_b=22 | option_c=44 | option_d=2 | answer=B | explanation=5% of 448 = (5/100) × 448 = 22.

id=87792 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 4. | option_a=8 | option_b=32 | option_c=16 | option_d=4 | answer=A | explanation=LCM × HCF = 8×4; HCF(8,4) = 4, so LCM = 8.

id=87793 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=X | option_c=G | option_d=D | answer=D | explanation=Move 3 positions forward from A; the resulting letter is D.

id=87794 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=5 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=87795 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=87796 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:5 and the first is 102, what is the second? | option_a=25 | option_b=132 | option_c=30 | option_d=47 | answer=C | explanation=Scale factor = 102/17 = 6. Therefore second quantity = 5×6 = 30.

id=87797 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:6 and the first is 266, what is the second? | option_a=103 | option_b=78 | option_c=84 | option_d=350 | answer=C | explanation=Scale factor = 266/19 = 14. Therefore second quantity = 6×14 = 84.

id=87798 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 12. | option_a=156 | option_b=182 | option_c=312 | option_d=144 | answer=A | explanation=LCM × HCF = 26×12; HCF(26,12) = 2, so LCM = 156.

id=87799 | topic=Percentages | difficulty=Easy | question=What is 30% of 1447? | option_a=868 | option_b=434 | option_c=424 | option_d=444 | answer=B | explanation=30% of 1447 = (30/100) × 1447 = 434.

id=87800 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=87801 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4237. If it is sold at a profit of 30%, what is its selling price? | option_a=5508 | option_b=5085 | option_c=5931 | option_d=4267 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4237 × 130/100 = **■**5508.

id=87802 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27989 at 5% per annum for 5 years. | option_a=7097 | option_b=34986 | option_c=6897 | option_d=6997 | answer=D | explanation=SI = PRT/100 = 27989×5×5/100 = **■**6997.

id=87803 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35358 at 4% per annum for 2 years. | option_a=2728 | option_b=2828 | option_c=2928 | option_d=38186 | answer=B | explanation=SI = PRT/100 = 35358×4×2/100 = **■**2828.

id=87804 | topic=Percentages | difficulty=Easy | question=What is 20% of 1603? | option_a=320 | option_b=640 | option_c=310 | option_d=330 | answer=A | explanation=20% of 1603 = (20/100) × 1603 = 320.

id=87805 | topic=Averages | difficulty=Easy | question=Find the average of 62, 97, 48, 68, 55. | option_a=67 | option_b=65 | option_c=68 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = 330 ÷ 5 = 66.

id=87806 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=Z | option_c=U | option_d=K | answer=C | explanation=Move 5 positions forward from P; the resulting letter is U.

id=87807 | topic=Percentages | difficulty=Easy | question=What is 25% of 1995? | option_a=503 | option_b=498 | option_c=996 | option_d=488 | answer=B | explanation=25% of 1995 = (25/100) × 1995 = 498.

id=87808 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 51? | option_a=30 | option_b=21 | option_c=51 | option_d=39 | answer=C | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 51 is the odd one out.

id=87809 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=O | option_b=L | option_c=F | option_d=I | answer=B | explanation=Move 3 positions forward from I; the resulting letter is L.

id=87810 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 87,811-87,840 of 100,000

id=87811 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=87812 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=I | option_b=Q | option_c=U | option_d=M | answer=B | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=87813 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=87814 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2963. If it is sold at a profit of 5%, what is its selling price? | option_a=3407 | option_b=2968 | option_c=3111 | option_d=2815 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2963 × 105/100 = █3111.

id=87815 | topic=Percentages | difficulty=Easy | question=What is 25% of 888? | option_a=217 | option_b=232 | option_c=444 | option_d=222 | answer=D | explanation=25% of 888 = (25/100) × 888 = 222.

id=87816 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=87817 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:8 and the first is 190, what is the second? | option_a=270 | option_b=80 | option_c=99 | option_d=72 | answer=B | explanation=Scale factor = 190/19 = 10. Therefore second quantity = 8×10 = 80.

id=87818 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=87819 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2844. If it is sold at a profit of 15%, what is its selling price? | option_a=3270 | option_b=2986 | option_c=3554 | option_d=2859 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2844 × 115/100 = █3270.

id=87820 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18732 at 8% per annum for 4 years. | option_a=24726 | option_b=5894 | option_c=5994 | option_d=6094 | answer=C | explanation=SI = PRT/100 = 18732×8×4/100 = █5994.

id=87821 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=52 | option_b=65 | option_c=76 | option_d=64 | answer=D | explanation=The common difference is 12. Therefore the next term is 52 + 12 = 64.

id=87822 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3988. If it is sold at a profit of 50%, what is its selling price? | option_a=6380 | option_b=5584 | option_c=4038 | option_d=5982 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3988 × 150/100 = █5982.

id=87823 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:2 and the first is 10, what is the second? | option_a=10 | option_b=20 | option_c=12 | option_d=8 | answer=A | explanation=Scale factor = 10/2 = 5. Therefore second quantity = 2×5 = 10.

id=87824 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46970 at 6% per annum for 1 years. | option_a=2818 | option_b=49788 | option_c=2718 | option_d=2918 | answer=A | explanation=SI = PRT/100 = 46970×6×1/100 = █2818.

id=87825 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 176, what is the second? | option_a=240 | option_b=267 | option_c=432 | option_d=256 | answer=D | explanation=Scale factor = 176/11 = 16. Therefore second quantity = 16×16 = 256.

id=87826 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2451. If it is sold at a profit of 40%, what is its selling price? | option_a=3676 | option_b=3186 | option_c=2491 | option_d=3431 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2451 × 140/100 = █3431.

id=87827 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=P | option_b=V | option_c=T | option_d=R | answer=C | explanation=Move 2 positions forward from R; the resulting letter is T.

id=87828 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 40? | option_a=36 | option_b=40 | option_c=33 | option_d=30 | answer=B | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 40 is the odd one out.

id=87829 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:15 and the first is 65, what is the second? | option_a=260 | option_b=180 | option_c=195 | option_d=200 | answer=C | explanation=Scale factor = 65/5 = 13. Therefore second quantity = 15×13 = 195.

id=87830 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=K | option_b=F | option_c=A | option_d=P | answer=A | explanation=Move 5 positions forward from F; the resulting letter is K.

id=87831 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=17 | option_b=25 | option_c=21 | option_d=22 | answer=C | explanation=The common difference is 4. Therefore the next term is 17 + 4 = 21.

id=87832 | topic=Averages | difficulty=Easy | question=Find the average of 42, 21, 73, 88. | option_a=58 | option_b=56 | option_c=55 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 224 ÷ 4 = 56.

id=87833 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=87834 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 26. | option_a=130 | option_b=168 | option_c=312 | option_d=156 | answer=D | explanation=LCM × HCF = 12×26; HCF(12,26) = 2, so LCM = 156.

id=87835 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=63 | option_b=74 | option_c=50 | option_d=62 | answer=D | explanation=The common difference is 12. Therefore the next term is 50 + 12 = 62.

id=87836 | topic=Averages | difficulty=Easy | question=Find the average of 81, 17, 67, 11, 44. | option_a=46 | option_b=43 | option_c=45 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = 220 ÷ 5 = 44.

id=87837 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:12 and the first is 221, what is the second? | option_a=144 | option_b=156 | option_c=377 | option_d=173 | answer=B | explanation=Scale factor = 221/17 = 13. Therefore second quantity = 12×13 = 156.

id=87838 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=87839 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:14 and the first is 72, what is the second? | option_a=128 | option_b=74 | option_c=56 | option_d=42 | answer=C | explanation=Scale factor = 72/18 = 4. Therefore second quantity = 14×4 = 56.

id=87840 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=50 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

Aptitude Questions — Records 87,841-87,870 of 100,000

id=87841 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=180 | option_c=360 | option_d=185 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=87842 | topic=Averages | difficulty=Easy | question=Find the average of 32, 59, 46, 27. | option_a=41 | option_b=43 | option_c=42 | option_d=40 | answer=A | explanation=Average = sum of values ÷ number of values = 164 ÷ 4 = 41.

id=87843 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:13 and the first is 324, what is the second? | option_a=252 | option_b=558 | option_c=234 | option_d=221 | answer=C | explanation=Scale factor = 324/18 = 18. Therefore second quantity = 13×18 = 234.

id=87844 | topic=Percentages | difficulty=Easy | question=What is 30% of 635? | option_a=190 | option_b=210 | option_c=380 | option_d=180 | answer=A | explanation=30% of 635 = (30/100) × 635 = 190.

id=87845 | topic=Percentages | difficulty=Easy | question=What is 5% of 1921? | option_a=86 | option_b=101 | option_c=192 | option_d=96 | answer=D | explanation=5% of 1921 = (5/100) × 1921 = 96.

id=87846 | topic=Percentages | difficulty=Easy | question=What is 50% of 781? | option_a=780 | option_b=400 | option_c=380 | option_d=390 | answer=D | explanation=50% of 781 = (50/100) × 781 = 390.

id=87847 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=87848 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8622 at 10% per annum for 4 years. | option_a=3448 | option_b=3548 | option_c=12070 | option_d=3348 | answer=A | explanation=SI = PRT/100 = 8622×10×4/100 = **■**3448.

id=87849 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:3 and the first is 15, what is the second? | option_a=46 | option_b=45 | option_c=60 | option_d=42 | answer=B | explanation=Scale factor = 15/1 = 15. Therefore second quantity = 3×15 = 45.

id=87850 | topic=Averages | difficulty=Easy | question=Find the average of 20, 21, 13. | option_a=17 | option_b=20 | option_c=18 | option_d=19 | answer=C | explanation=Average = sum of values ÷ number of values = 54 ÷ 3 = 18.

id=87851 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3769. If it is sold at a profit of 40%, what is its selling price? | option_a=5276 | option_b=5652 | option_c=3809 | option_d=4900 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3769 × 140/100 = **■**5276.

id=87852 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13790 at 5% per annum for 3 years. | option_a=2168 | option_b=15858 | option_c=2068 | option_d=1968 | answer=C | explanation=SI = PRT/100 = 13790×5×3/100 = **■**2068.

id=87853 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=22 | option_b=20 | option_c=24 | option_d=23 | answer=A | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=87854 | topic=Averages | difficulty=Easy | question=Find the average of 90, 57, 78. | option_a=74 | option_b=75 | option_c=77 | option_d=76 | answer=B | explanation=Average = sum of values ÷ number of values = 225 ÷ 3 = 75.

id=87855 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does "T" become? | option_a=U | option_b=V | option_c=S | option_d=T | answer=A | explanation=Move 1 positions forward from T; the resulting letter is U.

id=87856 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 51? | option_a=39 | option_b=51 | option_c=21 | option_d=30 | answer=B | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 51 is the odd one out.

id=87857 | topic=Averages | difficulty=Easy | question=Find the average of 77, 22, 34, 65, 71, 95, 52, 88. | option_a=64 | option_b=63 | option_c=65 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 504 ÷ 8 = 63.

id=87858 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=87859 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=175 | option_c=360 | option_d=185 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=87860 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=21 | option_b=17 | option_c=20 | option_d=19 | answer=D | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=87861 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 16, 26, 38? | option_a=38 | option_b=6 | option_c=26 | option_d=16 | answer=A | explanation=The first three numbers increase by 10, so the next should be 36. Therefore 38 is the odd one out.

id=87862 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1598. If it is sold at a profit of 50%, what is its selling price? | option_a=1648 | option_b=2397 | option_c=2238 | option_d=2556 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1598 × 150/100 = **■**2397.

id=87863 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=48 | option_b=32 | option_c=40 | option_d=41 | answer=C | explanation=The common difference is 8. Therefore the next term is 32 + 8 = 40.

id=87864 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=87865 | topic=Percentages | difficulty=Easy | question=What is 5% of 358? | option_a=22 | option_b=0 | option_c=17 | option_d=34 | answer=C | explanation=5% of 358 = (5/100) × 358 = 17.

id=87866 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:5 and the first is 56, what is the second? | option_a=43 | option_b=30 | option_c=91 | option_d=35 | answer=D | explanation=Scale factor = 56/8 = 7. Therefore second quantity = 5×7 = 35.

id=87867 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 17, 19, 21, ? | option_a=23 | option_b=25 | option_c=24 | option_d=21 | answer=A | explanation=The common difference is 2. Therefore the next term is 21 + 2 = 23.

id=87868 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42628 at 15% per annum for 1 years. | option_a=49022 | option_b=6494 | option_c=6394 | option_d=6294 | answer=C | explanation=SI = PRT/100 = 42628×15×1/100 = **■**6394.

id=87869 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4140 at 4% per annum for 1 years. | option_a=265 | option_b=65 | option_c=4305 | option_d=165 | answer=D | explanation=SI = PRT/100 = 4140×4×1/100 = **■**165.

id=87870 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 40? | option_a=31 | option_b=23 | option_c=15 | option_d=40 | answer=D | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 40 is the odd one out.

Aptitude Questions — Records 87,871-87,900 of 100,000

id=87871 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 42? | option_a=42 | option_b=18 | option_c=25 | option_d=32 | answer=A | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 42 is the odd one out.

id=87872 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 14, 18, 25? | option_a=10 | option_b=18 | option_c=25 | option_d=14 | answer=C | explanation=The first three numbers increase by 4, so the next should be 22. Therefore 25 is the odd one out.

id=87873 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=185 | option_c=360 | option_d=180 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=87874 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:5 and the first is 210, what is the second? | option_a=89 | option_b=75 | option_c=285 | option_d=70 | answer=B | explanation=Scale factor = 210/14 = 15. Therefore second quantity = 5×15 = 75.

id=87875 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 12, 21, 32? | option_a=32 | option_b=21 | option_c=3 | option_d=12 | answer=A | explanation=The first three numbers increase by 9, so the next should be 30. Therefore 32 is the odd one out.

id=87876 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:5 and the first is 221, what is the second? | option_a=60 | option_b=286 | option_c=82 | option_d=65 | answer=D | explanation=Scale factor = 221/17 = 13. Therefore second quantity = 5×13 = 65.

id=87877 | topic=Averages | difficulty=Easy | question=Find the average of 76, 48, 54, 82, 58, 42. | option_a=62 | option_b=60 | option_c=61 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 360 ÷ 6 = 60.

id=87878 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 24, 30, 37? | option_a=37 | option_b=30 | option_c=24 | option_d=18 | answer=A | explanation=The first three numbers increase by 6, so the next should be 36. Therefore 37 is the odd one out.

id=87879 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 44? | option_a=21 | option_b=31 | option_c=11 | option_d=44 | answer=D | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 44 is the odd one out.

id=87880 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=17 | option_b=21 | option_c=23 | option_d=20 | answer=D | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=87881 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43557 at 15% per annum for 5 years. | option_a=76224 | option_b=32567 | option_c=32767 | option_d=32667 | answer=D | explanation=SI = PRT/100 = 43557×15×5/100 = **■**32667.

id=87882 | topic=Percentages | difficulty=Easy | question=What is 30% of 95? | option_a=8 | option_b=28 | option_c=38 | option_d=56 | answer=B | explanation=30% of 95 = (30/100) × 95 = 28.

id=87883 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 14, 18, 24? | option_a=10 | option_b=24 | option_c=18 | option_d=14 | answer=B | explanation=The first three numbers increase by 4, so the next should be 22. Therefore 24 is the odd one out.

id=87884 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:7 and the first is 8, what is the second? | option_a=56 | option_b=49 | option_c=57 | option_d=64 | answer=A | explanation=Scale factor = 8/1 = 8. Therefore second quantity = 7×8 = 56.

id=87885 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:1 and the first is 12, what is the second? | option_a=3 | option_b=7 | option_c=2 | option_d=15 | answer=A | explanation=Scale factor = 12/4 = 3. Therefore second quantity = 1×3 = 3.

id=87886 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=16 | option_b=13 | option_c=17 | option_d=15 | answer=D | explanation=The common difference is 2. Therefore the next term is 13 + 2 = 15.

id=87887 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3002. If it is sold at a profit of 10%, what is its selling price? | option_a=3302 | option_b=3012 | option_c=3602 | option_d=3002 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3002 × 110/100 = **■**3302.

id=87888 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:7 and the first is 180, what is the second? | option_a=119 | option_b=126 | option_c=306 | option_d=136 | answer=B | explanation=Scale factor = 180/10 = 18. Therefore second quantity = 7×18 = 126.

id=87889 | topic=Percentages | difficulty=Easy | question=What is 12% of 1293? | option_a=145 | option_b=175 | option_c=155 | option_d=310 | answer=C | explanation=12% of 1293 = (12/100) × 1293 = 155.

id=87890 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 14, 22, 33? | option_a=33 | option_b=14 | option_c=22 | option_d=6 | answer=A | explanation=The first three numbers increase by 8, so the next should be 30. Therefore 33 is the odd one out.

id=87891 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:10 and the first is 42, what is the second? | option_a=60 | option_b=112 | option_c=76 | option_d=70 | answer=D | explanation=Scale factor = 42/6 = 7. Therefore second quantity = 10×7 = 70.

id=87892 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=M | option_b=S | option_c=O | option_d=Q | answer=D | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=87893 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6999 at 15% per annum for 5 years. | option_a=12248 | option_b=5349 | option_c=5249 | option_d=5149 | answer=C | explanation=SI = PRT/100 = 6999×15×5/100 = **■**5249.

id=87894 | topic=Percentages | difficulty=Easy | question=What is 20% of 975? | option_a=190 | option_b=195 | option_c=390 | option_d=200 | answer=B | explanation=20% of 975 = (20/100) × 975 = 195.

id=87895 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19419 at 5% per annum for 5 years. | option_a=4854 | option_b=24273 | option_c=4754 | option_d=4954 | answer=A | explanation=SI = PRT/100 = 19419×5×5/100 = **■**4854.

id=87896 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 45? | option_a=23 | option_b=45 | option_c=13 | option_d=33 | answer=B | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 45 is the odd one out.

id=87897 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4519. If it is sold at a profit of 5%, what is its selling price? | option_a=4524 | option_b=4744 | option_c=4293 | option_d=5195 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4519 × 105/100 = **■**4744.

id=87898 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=63 | option_b=54 | option_c=53 | option_d=43 | answer=C | explanation=The common difference is 10. Therefore the next term is 43 + 10 = 53.

id=87899 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 30. | option_a=120 | option_b=175 | option_c=150 | option_d=750 | answer=C | explanation=LCM × HCF = 25×30; HCF(25,30) = 5, so LCM = 150.

id=87900 | topic=Averages | difficulty=Easy | question=Find the average of 75, 23, 76. | option_a=59 | option_b=58 | option_c=57 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 174 ÷ 3 = 58.

Aptitude Questions — Records 87,901-87,930 of 100,000

id=87901 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■21467 at 10% per annum for 1 years. | option_a=23613 | option_b=2146 | option_c=2246 | option_d=2046 | answer=B | explanation=SI = PRT/100 = 21467×10×1/100 = ■2146.

id=87902 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=39 | option_b=51 | option_c=52 | option_d=63 | answer=B | explanation=The common difference is 12. Therefore the next term is 39 + 12 = 51.

id=87903 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:12 and the first is 112, what is the second? | option_a=199 | option_b=180 | option_c=304 | option_d=192 | answer=D | explanation=Scale factor = 112/7 = 16. Therefore second quantity = 12×16 = 192.

id=87904 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=87905 | topic=Averages | difficulty=Easy | question=Find the average of 36, 78, 36, 15, 79, 14. | option_a=44 | option_b=42 | option_c=43 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = 258 ÷ 6 = 43.

id=87906 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=87907 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:1 and the first is 209, what is the second? | option_a=10 | option_b=220 | option_c=30 | option_d=11 | answer=D | explanation=Scale factor = 209/19 = 11. Therefore second quantity = 1×11 = 11.

id=87908 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=87909 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 10. | option_a=36 | option_b=60 | option_c=20 | option_d=30 | answer=D | explanation=LCM × HCF = 6×10; HCF(6,10) = 2, so LCM = 30.

id=87910 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=23 | option_b=35 | option_c=29 | option_d=30 | answer=C | explanation=The common difference is 6. Therefore the next term is 23 + 6 = 29.

id=87911 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 23, 26, 32? | option_a=20 | option_b=23 | option_c=26 | option_d=32 | answer=D | explanation=The first three numbers increase by 3, so the next should be 29. Therefore 32 is the odd one out.

id=87912 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=13 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=87913 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:15 and the first is 42, what is the second? | option_a=30 | option_b=45 | option_c=87 | option_d=59 | answer=B | explanation=Scale factor = 42/14 = 3. Therefore second quantity = 15×3 = 45.

id=87914 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=87915 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:20 and the first is 288, what is the second? | option_a=608 | option_b=320 | option_c=338 | option_d=300 | answer=B | explanation=Scale factor = 288/18 = 16. Therefore second quantity = 20×16 = 320.

id=87916 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=87917 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=87918 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=33 | option_b=27 | option_c=30 | option_d=31 | answer=C | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.

id=87919 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=4 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=87920 | topic=Percentages | difficulty=Easy | question=What is 30% of 380? | option_a=228 | option_b=114 | option_c=104 | option_d=134 | answer=B | explanation=30% of 380 = (30/100) × 380 = 114.

id=87921 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 9, 11, 14? | option_a=14 | option_b=7 | option_c=11 | option_d=9 | answer=A | explanation=The first three numbers increase by 2, so the next should be 13. Therefore 14 is the odd one out.

id=87922 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=150 | option_c=155 | option_d=300 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=87923 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=H | option_c=D | option_d=P | answer=A | explanation=Move 4 positions forward from H; the resulting letter is L.

id=87924 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=90 | option_c=95 | option_d=180 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=87925 | topic=Percentages | difficulty=Easy | question=What is 30% of 449? | option_a=134 | option_b=268 | option_c=139 | option_d=114 | answer=A | explanation=30% of 449 = (30/100) × 449 = 134.

id=87926 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=87927 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 10, 14, 21? | option_a=6 | option_b=10 | option_c=14 | option_d=21 | answer=D | explanation=The first three numbers increase by 4, so the next should be 18. Therefore 21 is the odd one out.

id=87928 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 27. | option_a=27 | option_b=1 | option_c=36 | option_d=243 | answer=A | explanation=LCM × HCF = 9×27; HCF(9,27) = 9, so LCM = 27.

id=87929 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 44? | option_a=44 | option_b=11 | option_c=31 | option_d=21 | answer=A | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 44 is the odd one out.

id=87930 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 34? | option_a=25 | option_b=9 | option_c=34 | option_d=17 | answer=C | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 34 is the odd one out.

Aptitude Questions — Records 87,931-87,960 of 100,000

id=87931 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 22? | option_a=14 | option_b=8 | option_c=22 | option_d=2 | answer=C | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 22 is the odd one out.

id=87932 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4014. If it is sold at a profit of 30%, what is its selling price? | option_a=5218 | option_b=4817 | option_c=5619 | option_d=4044 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4014 × 130/100 = █5218.

id=87933 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=87934 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:12 and the first is 225, what is the second? | option_a=195 | option_b=405 | option_c=180 | option_d=168 | answer=C | explanation=Scale factor = 225/15 = 15. Therefore second quantity = 12×15 = 180.

id=87935 | topic=Percentages | difficulty=Easy | question=What is 25% of 1056? | option_a=528 | option_b=264 | option_c=259 | option_d=284 | answer=B | explanation=25% of 1056 = (25/100) × 1056 = 264.

id=87936 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6758 at 6% per annum for 5 years. | option_a=2027 | option_b=8785 | option_c=1927 | option_d=2127 | answer=A | explanation=SI = PRT/100 = 6758×6×5/100 = █2027.

id=87937 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=51 | option_b=61 | option_c=50 | option_d=39 | answer=C | explanation=The common difference is 11. Therefore the next term is 39 + 11 = 50.

id=87938 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 42? | option_a=23 | option_b=42 | option_c=35 | option_d=29 | answer=B | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 42 is the odd one out.

id=87939 | topic=Averages | difficulty=Easy | question=Find the average of 31, 19, 64, 43, 39, 78, 56, 98, 40. | option_a=53 | option_b=54 | option_c=52 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 468 ÷ 9 = 52.

id=87940 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4221 at 12% per annum for 2 years. | option_a=5234 | option_b=913 | option_c=1113 | option_d=1013 | answer=D | explanation=SI = PRT/100 = 4221×12×2/100 = █1013.

id=87941 | topic=Percentages | difficulty=Easy | question=What is 30% of 1335? | option_a=400 | option_b=420 | option_c=800 | option_d=395 | answer=A | explanation=30% of 1335 = (30/100) × 1335 = 400.

id=87942 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36044 at 15% per annum for 5 years. | option_a=27133 | option_b=26933 | option_c=27033 | option_d=63077 | answer=C | explanation=SI = PRT/100 = 36044×15×5/100 = █27033.

id=87943 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 21. | option_a=144 | option_b=126 | option_c=105 | option_d=378 | answer=B | explanation=LCM × HCF = 18×21; HCF(18,21) = 3, so LCM = 126.

id=87944 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 34? | option_a=34 | option_b=20 | option_c=28 | option_d=24 | answer=A | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 34 is the odd one out.

id=87945 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=Y | option_c=S | option_d=U | answer=A | explanation=Move 2 positions forward from U; the resulting letter is W.

id=87946 | topic=Percentages | difficulty=Easy | question=What is 50% of 1490? | option_a=725 | option_b=750 | option_c=745 | option_d=1490 | answer=C | explanation=50% of 1490 = (50/100) × 1490 = 745.

id=87947 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 34, 41, 49? | option_a=27 | option_b=49 | option_c=41 | option_d=34 | answer=B | explanation=The first three numbers increase by 7, so the next should be 48. Therefore 49 is the odd one out.

id=87948 | topic=Percentages | difficulty=Easy | question=What is 10% of 317? | option_a=41 | option_b=62 | option_c=31 | option_d=11 | answer=C | explanation=10% of 317 = (10/100) × 317 = 31.

id=87949 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=50 | option_c=100 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=87950 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2831 at 5% per annum for 2 years. | option_a=183 | option_b=283 | option_c=3114 | option_d=383 | answer=B | explanation=SI = PRT/100 = 2831×5×2/100 = █283.

id=87951 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 21? | option_a=15 | option_b=21 | option_c=9 | option_d=12 | answer=B | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 21 is the odd one out.

id=87952 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=125 | option_b=240 | option_c=120 | option_d=115 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=87953 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19011 at 4% per annum for 5 years. | option_a=3702 | option_b=22813 | option_c=3902 | option_d=3802 | answer=D | explanation=SI = PRT/100 = 19011×4×5/100 = █3802.

id=87954 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=D | option_c=H | option_d=P | answer=A | explanation=Move 4 positions forward from H; the resulting letter is L.

id=87955 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=87956 | topic=Averages | difficulty=Easy | question=Find the average of 13, 50, 24, 22, 31. | option_a=29 | option_b=30 | option_c=28 | option_d=27 | answer=C | explanation=Average = sum of values ÷ number of values = 140 ÷ 5 = 28.

id=87957 | topic=Averages | difficulty=Easy | question=Find the average of 41, 64, 53, 72, 34, 84. | option_a=57 | option_b=58 | option_c=60 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 348 ÷ 6 = 58.

id=87958 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4335. If it is sold at a profit of 40%, what is its selling price? | option_a=6502 | option_b=5636 | option_c=4375 | option_d=6069 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4335 × 140/100 = █6069.

id=87959 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=I | option_b=Y | option_c=D | option_d=N | answer=A | explanation=Move 5 positions forward from D; the resulting letter is I.

id=87960 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 21. | option_a=1 | option_b=24 | option_c=63 | option_d=21 | answer=D | explanation=LCM × HCF = 3×21; HCF(3,21) = 3, so LCM = 21.

Aptitude Questions — Records 87,961-87,990 of 100,000

id=87961 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:9 and the first is 42, what is the second? | option_a=105 | option_b=69 | option_c=63 | option_d=54 | answer=C | explanation=Scale factor = 42/6 = 7. Therefore second quantity = 9×7 = 63.

id=87962 | topic=Percentages | difficulty=Easy | question=What is 12% of 333? | option_a=78 | option_b=39 | option_c=49 | option_d=29 | answer=B | explanation=12% of 333 = (12/100) × 333 = 39.

id=87963 | topic=Profit & Loss | difficulty=Easy | question=An article costs █377. If it is sold at a profit of 25%, what is its selling price? | option_a=402 | option_b=508 | option_c=434 | option_d=471 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 377 × 125/100 = █471.

id=87964 | topic=Averages | difficulty=Easy | question=Find the average of 73, 48, 21, 76, 77, 66, 29, 26, 68, 96. | option_a=60 | option_b=59 | option_c=57 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 580 ÷ 10 = 58.

id=87965 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=70 | option_b=75 | option_c=150 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=87966 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:5 and the first is 120, what is the second? | option_a=40 | option_b=35 | option_c=160 | option_d=55 | answer=A | explanation=Scale factor = 120/15 = 8. Therefore second quantity = 5×8 = 40.

id=87967 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=P | option_b=Y | option_c=S | option_d=V | answer=D | explanation=Move 3 positions forward from S; the resulting letter is V.

id=87968 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=42 | option_b=49 | option_c=35 | option_d=43 | answer=A | explanation=The common difference is 7. Therefore the next term is 35 + 7 = 42.

id=87969 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=29 | option_c=48 | option_d=19 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=87970 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=87971 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1383. If it is sold at a profit of 25%, what is its selling price? | option_a=1590 | option_b=1866 | option_c=1728 | option_d=1408 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1383 × 125/100 = █1728.

id=87972 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=R | option_c=N | option_d=P | answer=B | explanation=Move 2 positions forward from P; the resulting letter is R.

id=87973 | topic=Percentages | difficulty=Easy | question=What is 15% of 1837? | option_a=275 | option_b=550 | option_c=280 | option_d=270 | answer=A | explanation=15% of 1837 = (15/100) × 1837 = 275.

id=87974 | topic=Profit & Loss | difficulty=Easy | question=An article costs █965. If it is sold at a profit of 5%, what is its selling price? | option_a=917 | option_b=1109 | option_c=970 | option_d=1013 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 965 × 105/100 = █1013.

id=87975 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=Z | option_c=F | option_d=D | answer=D | explanation=Move 2 positions forward from B; the resulting letter is D.

id=87976 | topic=Percentages | difficulty=Easy | question=What is 50% of 1704? | option_a=842 | option_b=852 | option_c=857 | option_d=1704 | answer=B | explanation=50% of 1704 = (50/100) × 1704 = 852.

id=87977 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 36? | option_a=25 | option_b=21 | option_c=29 | option_d=36 | answer=D | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 36 is the odd one out.

id=87978 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:16 and the first is 153, what is the second? | option_a=128 | option_b=161 | option_c=297 | option_d=144 | answer=D | explanation=Scale factor = 153/17 = 9. Therefore second quantity = 16×9 = 144.

id=87979 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=62 | option_b=38 | option_c=50 | option_d=51 | answer=C | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=87980 | topic=Averages | difficulty=Easy | question=Find the average of 100, 28, 81, 29, 47. | option_a=57 | option_b=56 | option_c=58 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.

id=87981 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 62? | option_a=30 | option_b=62 | option_c=40 | option_d=50 | answer=B | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 62 is the odd one out.

id=87982 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3854. If it is sold at a profit of 40%, what is its selling price? | option_a=3894 | option_b=5395 | option_c=5780 | option_d=5010 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3854 × 140/100 = █5395.

id=87983 | topic=Averages | difficulty=Easy | question=Find the average of 71, 57, 51, 54, 55, 17, 73. | option_a=56 | option_b=55 | option_c=53 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

id=87984 | topic=Percentages | difficulty=Easy | question=What is 15% of 372? | option_a=35 | option_b=110 | option_c=60 | option_d=55 | answer=D | explanation=15% of 372 = (15/100) × 372 = 55.

id=87985 | topic=Averages | difficulty=Easy | question=Find the average of 20, 75, 61, 41, 64, 51. | option_a=52 | option_b=51 | option_c=53 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 312 ÷ 6 = 52.

id=87986 | topic=Averages | difficulty=Easy | question=Find the average of 87, 56, 64, 91, 31, 13. | option_a=57 | option_b=56 | option_c=59 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 342 ÷ 6 = 57.

id=87987 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39919 at 4% per annum for 1 years. | option_a=1496 | option_b=41515 | option_c=1696 | option_d=1596 | answer=D | explanation=SI = PRT/100 = 39919×4×1/100 = █1596.

id=87988 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 19, 22, 25, ? | option_a=31 | option_b=29 | option_c=25 | option_d=28 | answer=D | explanation=The common difference is 3. Therefore the next term is 25 + 3 = 28.

id=87989 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=87990 | topic=Percentages | difficulty=Easy | question=What is 25% of 1014? | option_a=506 | option_b=273 | option_c=243 | option_d=253 | answer=D | explanation=25% of 1014 = (25/100) × 1014 = 253.

Aptitude Questions — Records 87,991-88,020 of 100,000

id=87991 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=87992 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:14 and the first is 130, what is the second? | option_a=312 | option_b=192 | option_c=182 | option_d=168 | answer=C | explanation=Scale factor = 130/10 = 13. Therefore second quantity = 14×13 = 182.

id=87993 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■48474 at 10% per annum for 5 years. | option_a=72711 | option_b=24237 | option_c=24337 | option_d=24137 | answer=B | explanation=SI = PRT/100 = 48474×10×5/100 = ■24237.

id=87994 | topic=Percentages | difficulty=Easy | question=What is 5% of 476? | option_a=18 | option_b=46 | option_c=23 | option_d=43 | answer=C | explanation=5% of 476 = (5/100) × 476 = 23.

id=87995 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 16, 25, 37? | option_a=25 | option_b=37 | option_c=16 | option_d=7 | answer=B | explanation=The first three numbers increase by 9, so the next should be 34. Therefore 37 is the odd one out.

id=87996 | topic=Averages | difficulty=Easy | question=Find the average of 32, 73, 51. | option_a=54 | option_b=52 | option_c=51 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 156 ÷ 3 = 52.

id=87997 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 53? | option_a=20 | option_b=40 | option_c=30 | option_d=53 | answer=D | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 53 is the odd one out.

id=87998 | topic=Averages | difficulty=Easy | question=Find the average of 26, 21, 11, 37, 35, 50, 54, 65, 16. | option_a=37 | option_b=34 | option_c=36 | option_d=35 | answer=D | explanation=Average = sum of values ÷ number of values = 315 ÷ 9 = 35.

id=87999 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=19 | option_d=29 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=88000 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=J | option_b=P | option_c=L | option_d=N | answer=D | explanation=Move 2 positions forward from L; the resulting letter is N.

id=88001 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=88002 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=25 | option_b=27 | option_c=23 | option_d=26 | answer=A | explanation=The common difference is 2. Therefore the next term is 23 + 2 = 25.

id=88003 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:9 and the first is 132, what is the second? | option_a=111 | option_b=90 | option_c=99 | option_d=231 | answer=C | explanation=Scale factor = 132/12 = 11. Therefore second quantity = 9×11 = 99.

id=88004 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 31? | option_a=31 | option_b=24 | option_c=16 | option_d=20 | answer=A | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 31 is the odd one out.

id=88005 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=X | option_b=U | option_c=R | option_d=A | answer=A | explanation=Move 3 positions forward from U; the resulting letter is X.

id=88006 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 21, 30, 40? | option_a=12 | option_b=30 | option_c=21 | option_d=40 | answer=D | explanation=The first three numbers increase by 9, so the next should be 39. Therefore 40 is the odd one out.

id=88007 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 37, 44, 52? | option_a=30 | option_b=52 | option_c=44 | option_d=37 | answer=B | explanation=The first three numbers increase by 7, so the next should be 51. Therefore 52 is the odd one out.

id=88008 | topic=Averages | difficulty=Easy | question=Find the average of 61, 68, 13, 35, 70, 29. | option_a=46 | option_b=45 | option_c=48 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 276 ÷ 6 = 46.

id=88009 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=24 | option_c=48 | option_d=19 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=88010 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 18, 24, 30, ? | option_a=37 | option_b=30 | option_c=36 | option_d=42 | answer=C | explanation=The common difference is 6. Therefore the next term is 30 + 6 = 36.

id=88011 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 30. | option_a=99 | option_b=90 | option_c=60 | option_d=270 | answer=B | explanation=LCM × HCF = 9×30; HCF(9,30) = 3, so LCM = 90.

id=88012 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2031. If it is sold at a profit of 20%, what is its selling price? | option_a=2234 | option_b=2437 | option_c=2051 | option_d=2640 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2031 × 120/100 = ■2437.

id=88013 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=Q | option_c=O | option_d=U | answer=A | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=88014 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 15, 19, 26? | option_a=11 | option_b=15 | option_c=19 | option_d=26 | answer=D | explanation=The first three numbers increase by 4, so the next should be 23. Therefore 26 is the odd one out.

id=88015 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3545. If it is sold at a profit of 10%, what is its selling price? | option_a=3545 | option_b=3899 | option_c=4253 | option_d=3555 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3545 × 110/100 = ■3899.

id=88016 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=88017 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=52 | option_b=44 | option_c=45 | option_d=36 | answer=B | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.

id=88018 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■46739 at 6% per annum for 4 years. | option_a=11217 | option_b=11117 | option_c=11317 | option_d=57956 | answer=A | explanation=SI = PRT/100 = 46739×6×4/100 = ■11217.

id=88019 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=15 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=88020 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 22? | option_a=14 | option_b=8 | option_c=2 | option_d=22 | answer=D | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 22 is the odd one out.

Aptitude Questions — Records 88,021-88,050 of 100,000

- id=88021 | topic=Percentages | difficulty=Easy | question=What is 50% of 1991? | option_a=1990 | option_b=1000 | option_c=995 | option_d=975 | answer=C | explanation=50% of 1991 = $(50/100) \times 1991 = 995$.
- id=88022 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=K | option_b=M | option_c=Q | option_d=O | answer=D | explanation=Move 2 positions forward from M; the resulting letter is O.
- id=88023 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.
- id=88024 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = $240 \div 8 = 30$ km/h.
- id=88025 | topic=Averages | difficulty=Easy | question=Find the average of 13, 88, 13, 54, 26, 88, 99, 13, 45, 21. | option_a=45 | option_b=46 | option_c=48 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = $460 \div 10 = 46$.
- id=88026 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.
- id=88027 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=6 | option_c=11 | option_d=1 | answer=B | explanation=Speed = distance ÷ time = $60 \div 10 = 6$ km/h.
- id=88028 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=180 | option_c=95 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = $180 \div 2 = 90$ km/h.
- id=88029 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2171. If it is sold at a profit of 15%, what is its selling price? | option_a=2186 | option_b=2279 | option_c=2713 | option_d=2496 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2171 \times 115/100 = \text{█}2496$.
- id=88030 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=9 | option_b=4 | option_c=18 | option_d=14 | answer=A | explanation=Speed = distance ÷ time = $90 \div 10 = 9$ km/h.
- id=88031 | topic=Profit & Loss | difficulty=Easy | question=An article costs █770. If it is sold at a profit of 25%, what is its selling price? | option_a=885 | option_b=1039 | option_c=962 | option_d=795 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 770 \times 125/100 = \text{█}962$.
- id=88032 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.
- id=88033 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48784 at 4% per annum for 4 years. | option_a=7805 | option_b=7705 | option_c=56589 | option_d=7905 | answer=A | explanation=SI = $PRT/100 = 48784 \times 4 \times 4/100 = \text{█}7805$.
- id=88034 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=X | option_c=L | option_d=T | answer=D | explanation=Move 4 positions forward from P; the resulting letter is T.
- id=88035 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 23? | option_a=3 | option_b=23 | option_c=9 | option_d=15 | answer=B | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 23 is the odd one out.
- id=88036 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=17 | option_b=20 | option_c=19 | option_d=21 | answer=C | explanation=The common difference is 2. Therefore the next term is $17 + 2 = 19$.
- id=88037 | topic=Percentages | difficulty=Easy | question=What is 40% of 1644? | option_a=1314 | option_b=657 | option_c=667 | option_d=637 | answer=B | explanation=40% of 1644 = $(40/100) \times 1644 = 657$.
- id=88038 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 11, 18, 27? | option_a=4 | option_b=18 | option_c=11 | option_d=27 | answer=D | explanation=The first three numbers increase by 7, so the next should be 25. Therefore 27 is the odd one out.
- id=88039 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:19 and the first is 2, what is the second? | option_a=40 | option_b=19 | option_c=38 | option_d=39 | answer=C | explanation=Scale factor = $2/1 = 2$. Therefore second quantity = $19 \times 2 = 38$.
- id=88040 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:16 and the first is 50, what is the second? | option_a=160 | option_b=165 | option_c=210 | option_d=144 | answer=A | explanation=Scale factor = $50/5 = 10$. Therefore second quantity = $16 \times 10 = 160$.
- id=88041 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=M | option_c=U | option_d=I | answer=A | explanation=Move 4 positions forward from M; the resulting letter is Q.
- id=88042 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=40 | option_c=45 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = $240 \div 6 = 40$ km/h.
- id=88043 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:6 and the first is 33, what is the second? | option_a=51 | option_b=29 | option_c=12 | option_d=18 | answer=D | explanation=Scale factor = $33/11 = 3$. Therefore second quantity = $6 \times 3 = 18$.
- id=88044 | topic=Percentages | difficulty=Easy | question=What is 20% of 1107? | option_a=442 | option_b=221 | option_c=201 | option_d=241 | answer=B | explanation=20% of 1107 = $(20/100) \times 1107 = 221$.
- id=88045 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.
- id=88046 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3872. If it is sold at a profit of 40%, what is its selling price? | option_a=5033 | option_b=3912 | option_c=5807 | option_d=5420 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3872 \times 140/100 = \text{█}5420$.
- id=88047 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2959. If it is sold at a profit of 5%, what is its selling price? | option_a=3106 | option_b=3401 | option_c=2811 | option_d=2964 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2959 \times 105/100 = \text{█}3106$.
- id=88048 | topic=Percentages | difficulty=Easy | question=What is 15% of 952? | option_a=122 | option_b=142 | option_c=162 | option_d=284 | answer=B | explanation=15% of 952 = $(15/100) \times 952 = 142$.
- id=88049 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 22, 26, 33? | option_a=33 | option_b=22 | option_c=18 | option_d=26 | answer=A | explanation=The first three numbers increase by 4, so the next should be 30. Therefore 33 is the odd one out.
- id=88050 | topic=Percentages | difficulty=Easy | question=What is 10% of 1281? | option_a=148 | option_b=256 | option_c=128 | option_d=108 | answer=C | explanation=10% of 1281 = $(10/100) \times 1281 = 128$.

Aptitude Questions — Records 88,051-88,080 of 100,000

id=88051 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:18 and the first is 108, what is the second? | option_a=144 | option_b=270 | option_c=162 | option_d=174 | answer=C | explanation=Scale factor = $108/12 = 9$. Therefore second quantity = $18 \times 9 = 162$.

id=88052 | topic=Percentages | difficulty=Easy | question=What is 25% of 152? | option_a=43 | option_b=76 | option_c=33 | option_d=38 | answer=D | explanation=25% of 152 = $(25/100) \times 152 = 38$.

id=88053 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=70 | option_c=75 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = $300 \div 4 = 75$ km/h.

id=88054 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=41 | option_b=50 | option_c=59 | option_d=51 | answer=B | explanation=The common difference is 9. Therefore the next term is $41 + 9 = 50$.

id=88055 | topic=Averages | difficulty=Easy | question=Find the average of 47, 60, 77, 43, 18. | option_a=50 | option_b=48 | option_c=49 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = $245 \div 5 = 49$.

id=88056 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = $240 \div 8 = 30$ km/h.

id=88057 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 25. | option_a=25 | option_b=50 | option_c=60 | option_d=250 | answer=B | explanation= $LCM \times HCF = 10 \times 25$; $HCF(10, 25) = 5$, so $LCM = 50$.

id=88058 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=48 | option_b=55 | option_c=49 | option_d=41 | answer=A | explanation=The common difference is 7. Therefore the next term is $41 + 7 = 48$.

id=88059 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 16. | option_a=48 | option_b=96 | option_c=32 | option_d=54 | answer=A | explanation= $LCM \times HCF = 6 \times 16$; $HCF(6, 16) = 2$, so $LCM = 48$.

id=88060 | topic=Profit & Loss | difficulty=Easy | question=An article costs █783. If it is sold at a profit of 15%, what is its selling price? | option_a=978 | option_b=900 | option_c=798 | option_d=822 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 783 \times 115/100 = \text{█}900$.

id=88061 | topic=Averages | difficulty=Easy | question=Find the average of 41, 76, 39. | option_a=54 | option_b=51 | option_c=52 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = $156 \div 3 = 52$.

id=88062 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2861. If it is sold at a profit of 25%, what is its selling price? | option_a=3576 | option_b=2886 | option_c=3290 | option_d=3862 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2861 \times 125/100 = \text{█}3576$.

id=88063 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 23, 30, 37, ? | option_a=51 | option_b=44 | option_c=45 | option_d=37 | answer=B | explanation=The common difference is 7. Therefore the next term is $37 + 7 = 44$.

id=88064 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16503 at 12% per annum for 4 years. | option_a=7921 | option_b=24424 | option_c=8021 | option_d=7821 | answer=A | explanation=SI = $PRT/100 = 16503 \times 12 \times 4/100 = \text{█}7921$.

id=88065 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 3. | option_a=15 | option_b=45 | option_c=12 | option_d=30 | answer=A | explanation= $LCM \times HCF = 15 \times 3$; $HCF(15, 3) = 3$, so $LCM = 15$.

id=88066 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=88067 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 31, 36, 43? | option_a=36 | option_b=43 | option_c=31 | option_d=26 | answer=B | explanation=The first three numbers increase by 5, so the next should be 41. Therefore 43 is the odd one out.

id=88068 | topic=Percentages | difficulty=Easy | question=What is 20% of 1600? | option_a=330 | option_b=310 | option_c=640 | option_d=320 | answer=D | explanation=20% of 1600 = $(20/100) \times 1600 = 320$.

id=88069 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=40 | option_c=25 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = $120 \div 6 = 20$ km/h.

id=88070 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 11, 14, 18? | option_a=18 | option_b=11 | option_c=8 | option_d=14 | answer=A | explanation=The first three numbers increase by 3, so the next should be 17. Therefore 18 is the odd one out.

id=88071 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 46? | option_a=24 | option_b=31 | option_c=38 | option_d=46 | answer=D | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 46 is the odd one out.

id=88072 | topic=Averages | difficulty=Easy | question=Find the average of 65, 80, 80, 47, 38. | option_a=64 | option_b=63 | option_c=61 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = $310 \div 5 = 62$.

id=88073 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:19 and the first is 60, what is the second? | option_a=136 | option_b=57 | option_c=76 | option_d=91 | answer=C | explanation=Scale factor = $60/15 = 4$. Therefore second quantity = $19 \times 4 = 76$.

id=88074 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:10 and the first is 126, what is the second? | option_a=104 | option_b=216 | option_c=80 | option_d=90 | answer=D | explanation=Scale factor = $126/14 = 9$. Therefore second quantity = $10 \times 9 = 90$.

id=88075 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=12 | option_b=7 | option_c=24 | option_d=17 | answer=A | explanation=Speed = distance ÷ time = $120 \div 10 = 12$ km/h.

id=88076 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=50 | option_b=38 | option_c=60 | option_d=49 | answer=D | explanation=The common difference is 11. Therefore the next term is $38 + 11 = 49$.

id=88077 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=80 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = $240 \div 6 = 40$ km/h.

id=88078 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=I | option_b=C | option_c=L | option_d=F | answer=A | explanation=Move 3 positions forward from F; the resulting letter is I.

id=88079 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=H | option_c=J | option_d=F | answer=C | explanation=Move 2 positions forward from H; the resulting letter is J.

id=88080 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:18 and the first is 20, what is the second? | option_a=162 | option_b=182 | option_c=180 | option_d=200 | answer=C | explanation=Scale factor = $20/2 = 10$. Therefore second quantity = $18 \times 10 = 180$.

Aptitude Questions — Records 88,081-88,110 of 100,000

id=88081 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=19 | option_b=27 | option_c=24 | option_d=23 | answer=D | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=88082 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=88083 | topic=Averages | difficulty=Easy | question=Find the average of 61, 46, 50, 13, 52, 48. | option_a=45 | option_b=46 | option_c=44 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 270 ÷ 6 = 45.

id=88084 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:2 and the first is 187, what is the second? | option_a=209 | option_b=39 | option_c=22 | option_d=20 | answer=C | explanation=Scale factor = 187/17 = 11. Therefore second quantity = 2×11 = 22.

id=88085 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■31907 at 5% per annum for 4 years. | option_a=6381 | option_b=6281 | option_c=38288 | option_d=6481 | answer=A | explanation=SI = PRT/100 = 31907×5×4/100 = ■6381.

id=88086 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:20 and the first is 342, what is the second? | option_a=702 | option_b=379 | option_c=360 | option_d=340 | answer=C | explanation=Scale factor = 342/19 = 18. Therefore second quantity = 20×18 = 360.

id=88087 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:9 and the first is 72, what is the second? | option_a=114 | option_b=99 | option_c=108 | option_d=180 | answer=C | explanation=Scale factor = 72/6 = 12. Therefore second quantity = 9×12 = 108.

id=88088 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 32? | option_a=27 | option_b=32 | option_c=29 | option_d=25 | answer=B | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 32 is the odd one out.

id=88089 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=88090 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=120 | option_c=125 | option_d=115 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=88091 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■20723 at 5% per annum for 5 years. | option_a=5080 | option_b=5180 | option_c=5280 | option_d=25903 | answer=B | explanation=SI = PRT/100 = 20723×5×5/100 = ■5180.

id=88092 | topic=Averages | difficulty=Easy | question=Find the average of 96, 99, 26, 61, 78, 97, 67, 90, 64, 92. | option_a=77 | option_b=78 | option_c=76 | option_d=79 | answer=A | explanation=Average = sum of values ÷ number of values = 770 ÷ 10 = 77.

id=88093 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■39346 at 6% per annum for 4 years. | option_a=9543 | option_b=9443 | option_c=9343 | option_d=48789 | answer=B | explanation=SI = PRT/100 = 39346×6×4/100 = ■9443.

id=88094 | topic=Averages | difficulty=Easy | question=Find the average of 68, 39, 93, 88, 62, 46. | option_a=67 | option_b=66 | option_c=68 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 396 ÷ 6 = 66.

id=88095 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:17 and the first is 20, what is the second? | option_a=170 | option_b=153 | option_c=172 | option_d=190 | answer=A | explanation=Scale factor = 20/2 = 10. Therefore second quantity = 17×10 = 170.

id=88096 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:19 and the first is 56, what is the second? | option_a=266 | option_b=322 | option_c=270 | option_d=247 | answer=A | explanation=Scale factor = 56/4 = 14. Therefore second quantity = 19×14 = 266.

id=88097 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=13 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=88098 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2781. If it is sold at a profit of 25%, what is its selling price? | option_a=3198 | option_b=3754 | option_c=3476 | option_d=2806 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2781 × 125/100 = ■3476.

id=88099 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=52 | option_b=39 | option_c=63 | option_d=51 | answer=D | explanation=The common difference is 12. Therefore the next term is 39 + 12 = 51.

id=88100 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=G | option_c=S | option_d=K | answer=A | explanation=Move 4 positions forward from K; the resulting letter is O.

id=88101 | topic=Percentages | difficulty=Easy | question=What is 15% of 443? | option_a=86 | option_b=132 | option_c=66 | option_d=61 | answer=C | explanation=15% of 443 = (15/100) × 443 = 66.

id=88102 | topic=Averages | difficulty=Easy | question=Find the average of 23, 39, 67, 34, 56, 18, 72, 53, 62, 106. | option_a=55 | option_b=54 | option_c=52 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=88103 | topic=Averages | difficulty=Easy | question=Find the average of 16, 18, 79, 54, 18, 23, 38, 66, 66. | option_a=41 | option_b=43 | option_c=42 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = 378 ÷ 9 = 42.

id=88104 | topic=Averages | difficulty=Easy | question=Find the average of 67, 53, 95, 94, 53, 66, 97. | option_a=74 | option_b=76 | option_c=77 | option_d=75 | answer=D | explanation=Average = sum of values ÷ number of values = 525 ÷ 7 = 75.

id=88105 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 26. | option_a=624 | option_b=286 | option_c=336 | option_d=312 | answer=D | explanation=LCM × HCF = 24×26; HCF(24,26) = 2, so LCM = 312.

id=88106 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=88107 | topic=Percentages | difficulty=Easy | question=What is 20% of 1658? | option_a=662 | option_b=321 | option_c=336 | option_d=331 | answer=D | explanation=20% of 1658 = (20/100) × 1658 = 331.

id=88108 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 18, 25, 33? | option_a=11 | option_b=33 | option_c=18 | option_d=25 | answer=B | explanation=The first three numbers increase by 7, so the next should be 32. Therefore 33 is the odd one out.

id=88109 | topic=Percentages | difficulty=Easy | question=What is 50% of 287? | option_a=143 | option_b=148 | option_c=286 | option_d=123 | answer=A | explanation=50% of 287 = (50/100) × 287 = 143.

id=88110 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=41 | option_b=40 | option_c=47 | option_d=33 | answer=B | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.

Aptitude Questions — Records 88,111-88,140 of 100,000

- id=88111 | topic=Profit & Loss | difficulty=Easy | question=An article costs █701. If it is sold at a profit of 10%, what is its selling price? | option_a=841 | option_b=771 | option_c=701 | option_d=711 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 701 × 110/100 = █771.
- id=88112 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 44? | option_a=29 | option_b=33 | option_c=37 | option_d=44 | answer=D | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 44 is the odd one out.
- id=88113 | topic=Percentages | difficulty=Easy | question=What is 30% of 131? | option_a=39 | option_b=59 | option_c=78 | option_d=34 | answer=A | explanation=30% of 131 = (30/100) × 131 = 39.
- id=88114 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 34? | option_a=21 | option_b=26 | option_c=34 | option_d=16 | answer=C | explanation=The first three numbers increase by 5, so the next should be 31. Therefore 34 is the odd one out.
- id=88115 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 6. | option_a=104 | option_b=156 | option_c=78 | option_d=72 | answer=C | explanation=LCM × HCF = 26×6; HCF(26,6) = 2, so LCM = 78.
- id=88116 | topic=Averages | difficulty=Easy | question=Find the average of 68, 83, 80, 51, 52, 52, 78, 48. | option_a=66 | option_b=65 | option_c=64 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = 512 ÷ 8 = 64.
- id=88117 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=53 | option_c=96 | option_d=43 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.
- id=88118 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=90 | option_c=40 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.
- id=88119 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 9, 16, 24? | option_a=16 | option_b=9 | option_c=2 | option_d=24 | answer=D | explanation=The first three numbers increase by 7, so the next should be 23. Therefore 24 is the odd one out.
- id=88120 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 12. | option_a=36 | option_b=192 | option_c=64 | option_d=48 | answer=D | explanation=LCM × HCF = 16×12; HCF(16,12) = 4, so LCM = 48.
- id=88121 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=88122 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=88123 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=40 | option_b=49 | option_c=58 | option_d=50 | answer=B | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.
- id=88124 | topic=Averages | difficulty=Easy | question=Find the average of 65, 18, 22, 97, 63. | option_a=55 | option_b=52 | option_c=53 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 265 ÷ 5 = 53.
- id=88125 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=11 | option_c=6 | option_d=12 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.
- id=88126 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=88127 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:6 and the first is 7, what is the second? | option_a=43 | option_b=49 | option_c=36 | option_d=42 | answer=D | explanation=Scale factor = 7/1 = 7. Therefore second quantity = 6×7 = 42.
- id=88128 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:1 and the first is 56, what is the second? | option_a=63 | option_b=7 | option_c=6 | option_d=15 | answer=B | explanation=Scale factor = 56/8 = 7. Therefore second quantity = 1×7 = 7.
- id=88129 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=41 | option_b=51 | option_c=50 | option_d=59 | answer=C | explanation=The common difference is 9. Therefore the next term is 41 + 9 = 50.
- id=88130 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 26, 35, 46? | option_a=46 | option_b=26 | option_c=35 | option_d=17 | answer=A | explanation=The first three numbers increase by 9, so the next should be 44. Therefore 46 is the odd one out.
- id=88131 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 25, 27, 31? | option_a=27 | option_b=25 | option_c=23 | option_d=31 | answer=D | explanation=The first three numbers increase by 2, so the next should be 29. Therefore 31 is the odd one out.
- id=88132 | topic=Averages | difficulty=Easy | question=Find the average of 54, 67, 100, 73, 84, 61, 77, 100. | option_a=78 | option_b=76 | option_c=79 | option_d=77 | answer=D | explanation=Average = sum of values ÷ number of values = 616 ÷ 8 = 77.
- id=88133 | topic=Percentages | difficulty=Easy | question=What is 15% of 1402? | option_a=190 | option_b=230 | option_c=420 | option_d=210 | answer=D | explanation=15% of 1402 = (15/100) × 1402 = 210.
- id=88134 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=45 | option_b=44 | option_c=50 | option_d=38 | answer=B | explanation=The common difference is 6. Therefore the next term is 38 + 6 = 44.
- id=88135 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:15 and the first is 120, what is the second? | option_a=300 | option_b=190 | option_c=165 | option_d=180 | answer=D | explanation=Scale factor = 120/10 = 12. Therefore second quantity = 15×12 = 180.
- id=88136 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=27 | option_b=30 | option_c=31 | option_d=33 | answer=B | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.
- id=88137 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 15, 22, 29, ? | option_a=36 | option_b=43 | option_c=37 | option_d=29 | answer=A | explanation=The common difference is 7. Therefore the next term is 29 + 7 = 36.
- id=88138 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=90 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.
- id=88139 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3036. If it is sold at a profit of 30%, what is its selling price? | option_a=4249 | option_b=3066 | option_c=3643 | option_d=3946 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3036 × 130/100 = █3946.
- id=88140 | topic=Percentages | difficulty=Easy | question=What is 5% of 76? | option_a=0 | option_b=8 | option_c=3 | option_d=6 | answer=C | explanation=5% of 76 = (5/100) × 76 = 3.

Aptitude Questions — Records 88,141-88,170 of 100,000

id=88141 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 12, 21, 32? | option_a=12 | option_b=21 | option_c=3 | option_d=32 | answer=D | explanation=The first three numbers increase by 9, so the next should be 30. Therefore 32 is the odd one out.

id=88142 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1145. If it is sold at a profit of 5%, what is its selling price? | option_a=1150 | option_b=1088 | option_c=1202 | option_d=1316 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1145 × 105/100 = █1202.

id=88143 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=100 | option_c=95 | option_d=200 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=88144 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29181 at 4% per annum for 2 years. | option_a=2234 | option_b=2434 | option_c=2334 | option_d=31515 | answer=C | explanation=SI = PRT/100 = 29181×4×2/100 = █2334.

id=88145 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:12 and the first is 15, what is the second? | option_a=60 | option_b=48 | option_c=75 | option_d=63 | answer=A | explanation=Scale factor = 15/3 = 5. Therefore second quantity = 12×5 = 60.

id=88146 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 19, 27, 35, ? | option_a=51 | option_b=35 | option_c=44 | option_d=43 | answer=D | explanation=The common difference is 8. Therefore the next term is 35 + 8 = 43.

id=88147 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6586 at 10% per annum for 3 years. | option_a=2075 | option_b=1975 | option_c=8561 | option_d=1875 | answer=B | explanation=SI = PRT/100 = 6586×10×3/100 = █1975.

id=88148 | topic=Profit & Loss | difficulty=Easy | question=An article costs █579. If it is sold at a profit of 40%, what is its selling price? | option_a=619 | option_b=753 | option_c=867 | option_d=810 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 579 × 140/100 = █810.

id=88149 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4769. If it is sold at a profit of 5%, what is its selling price? | option_a=5007 | option_b=4531 | option_c=4774 | option_d=5483 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4769 × 105/100 = █5007.

id=88150 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=43 | option_b=44 | option_c=49 | option_d=37 | answer=A | explanation=The common difference is 6. Therefore the next term is 37 + 6 = 43.

id=88151 | topic=Averages | difficulty=Easy | question=Find the average of 12, 47, 10, 62, 74, 72, 100, 95, 81, 47. | option_a=62 | option_b=61 | option_c=60 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=88152 | topic=Percentages | difficulty=Easy | question=What is 10% of 987? | option_a=93 | option_b=196 | option_c=98 | option_d=108 | answer=C | explanation=10% of 987 = (10/100) × 987 = 98.

id=88153 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29564 at 4% per annum for 5 years. | option_a=35476 | option_b=5912 | option_c=5812 | option_d=6012 | answer=B | explanation=SI = PRT/100 = 29564×4×5/100 = █5912.

id=88154 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=88155 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 20. | option_a=20 | option_b=1 | option_c=30 | option_d=200 | answer=A | explanation=LCM × HCF = 10×20; HCF(10,20) = 10, so LCM = 20.

id=88156 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=88157 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22171 at 5% per annum for 5 years. | option_a=5642 | option_b=5542 | option_c=5442 | option_d=27713 | answer=B | explanation=SI = PRT/100 = 22171×5×5/100 = █5542.

id=88158 | topic=Averages | difficulty=Easy | question=Find the average of 20, 65, 10, 80, 70, 57, 34. | option_a=48 | option_b=50 | option_c=47 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 336 ÷ 7 = 48.

id=88159 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=88160 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=150 | option_c=145 | option_d=300 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=88161 | topic=Averages | difficulty=Easy | question=Find the average of 12, 42, 100, 69, 57. | option_a=58 | option_b=55 | option_c=57 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 280 ÷ 5 = 56.

id=88162 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=41 | option_b=63 | option_c=53 | option_d=52 | answer=D | explanation=The common difference is 11. Therefore the next term is 41 + 11 = 52.

id=88163 | topic=Averages | difficulty=Easy | question=Find the average of 28, 91, 11, 13, 57, 94. | option_a=49 | option_b=50 | option_c=51 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = 294 ÷ 6 = 49.

id=88164 | topic=Averages | difficulty=Easy | question=Find the average of 44, 32, 34, 53, 47, 30. | option_a=40 | option_b=39 | option_c=42 | option_d=41 | answer=A | explanation=Average = sum of values ÷ number of values = 240 ÷ 6 = 40.

id=88165 | topic=Percentages | difficulty=Easy | question=What is 20% of 1170? | option_a=254 | option_b=234 | option_c=468 | option_d=214 | answer=B | explanation=20% of 1170 = (20/100) × 1170 = 234.

id=88166 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=36 | option_c=13 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=88167 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 27, 36, 47? | option_a=18 | option_b=47 | option_c=27 | option_d=36 | answer=B | explanation=The first three numbers increase by 9, so the next should be 45. Therefore 47 is the odd one out.

id=88168 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=R | option_b=M | option_c=C | option_d=H | answer=B | explanation=Move 5 positions forward from H; the resulting letter is M.

id=88169 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:1 and the first is 38, what is the second? | option_a=2 | option_b=1 | option_c=21 | option_d=40 | answer=A | explanation=Scale factor = 38/19 = 2. Therefore second quantity = 1×2 = 2.

id=88170 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13511 at 5% per annum for 2 years. | option_a=1251 | option_b=1351 | option_c=14862 | option_d=1451 | answer=B | explanation=SI = PRT/100 = 13511×5×2/100 = █1351.

Aptitude Questions — Records 88,171-88,200 of 100,000

id=88171 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=P | option_c=D | option_d=L | answer=D | explanation=Move 4 positions forward from H; the resulting letter is L.

id=88172 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 26? | option_a=15 | option_b=26 | option_c=21 | option_d=18 | answer=B | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 26 is the odd one out.

id=88173 | topic=Percentages | difficulty=Easy | question=What is 15% of 1100? | option_a=145 | option_b=185 | option_c=165 | option_d=330 | answer=C | explanation=15% of 1100 = (15/100) × 1100 = 165.

id=88174 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=88175 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1203. If it is sold at a profit of 20%, what is its selling price? | option_a=1223 | option_b=1563 | option_c=1323 | option_d=1443 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1203 × 120/100 = █1443.

id=88176 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:2 and the first is 12, what is the second? | option_a=24 | option_b=14 | option_c=10 | option_d=12 | answer=D | explanation=Scale factor = 12/2 = 6. Therefore second quantity = 2×6 = 12.

id=88177 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 46? | option_a=46 | option_b=27 | option_c=35 | option_d=19 | answer=A | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 46 is the odd one out.

id=88178 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=11 | option_c=12 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=88179 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=88180 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=42 | option_b=43 | option_c=32 | option_d=52 | answer=A | explanation=The common difference is 10. Therefore the next term is 32 + 10 = 42.

id=88181 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42451 at 8% per annum for 1 years. | option_a=3496 | option_b=45847 | option_c=3296 | option_d=3396 | answer=D | explanation=SI = PRT/100 = 42451×8×1/100 = █3396.

id=88182 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25812 at 15% per annum for 2 years. | option_a=33555 | option_b=7643 | option_c=7743 | option_d=7843 | answer=C | explanation=SI = PRT/100 = 25812×15×2/100 = █7743.

id=88183 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:8 and the first is 72, what is the second? | option_a=168 | option_b=102 | option_c=96 | option_d=88 | answer=C | explanation=Scale factor = 72/6 = 12. Therefore second quantity = 8×12 = 96.

id=88184 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=24 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=88185 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4389. If it is sold at a profit of 15%, what is its selling price? | option_a=5485 | option_b=4609 | option_c=4404 | option_d=5047 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4389 × 115/100 = █5047.

id=88186 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=88187 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=38 | option_b=32 | option_c=31 | option_d=24 | answer=C | explanation=The common difference is 7. Therefore the next term is 24 + 7 = 31.

id=88188 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49395 at 6% per annum for 1 years. | option_a=3063 | option_b=2863 | option_c=52358 | option_d=2963 | answer=D | explanation=SI = PRT/100 = 49395×6×1/100 = █2963.

id=88189 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 45? | option_a=32 | option_b=27 | option_c=45 | option_d=37 | answer=C | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 45 is the odd one out.

id=88190 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 16, 25, 36? | option_a=36 | option_b=16 | option_c=7 | option_d=25 | answer=A | explanation=The first three numbers increase by 9, so the next should be 34. Therefore 36 is the odd one out.

id=88191 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:6 and the first is 14, what is the second? | option_a=98 | option_b=84 | option_c=85 | option_d=78 | answer=B | explanation=Scale factor = 14/1 = 14. Therefore second quantity = 6×14 = 84.

id=88192 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 13, 16, 20? | option_a=20 | option_b=10 | option_c=16 | option_d=13 | answer=A | explanation=The first three numbers increase by 3, so the next should be 19. Therefore 20 is the odd one out.

id=88193 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4997. If it is sold at a profit of 40%, what is its selling price? | option_a=5037 | option_b=7494 | option_c=6995 | option_d=6496 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4997 × 140/100 = █6995.

id=88194 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=55 | option_d=100 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=88195 | topic=Averages | difficulty=Easy | question=Find the average of 92, 22, 52, 59, 36, 69. | option_a=54 | option_b=57 | option_c=55 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 330 ÷ 6 = 55.

id=88196 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 51? | option_a=51 | option_b=30 | option_c=21 | option_d=39 | answer=A | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 51 is the odd one out.

id=88197 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 30? | option_a=22 | option_b=10 | option_c=16 | option_d=30 | answer=D | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 30 is the odd one out.

id=88198 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12619 at 15% per annum for 5 years. | option_a=9364 | option_b=9464 | option_c=9564 | option_d=22083 | answer=B | explanation=SI = PRT/100 = 12619×15×5/100 = █9464.

id=88199 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2275. If it is sold at a profit of 5%, what is its selling price? | option_a=2280 | option_b=2161 | option_c=2615 | option_d=2388 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2275 × 105/100 = █2388.

id=88200 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=I | option_c=L | option_d=C | answer=B | explanation=Move 3 positions forward from F; the resulting letter is I.

Aptitude Questions — Records 88,201-88,230 of 100,000

id=88201 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=17 | option_c=24 | option_d=7 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=88202 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:9 and the first is 72, what is the second? | option_a=99 | option_b=108 | option_c=114 | option_d=180 | answer=B | explanation=Scale factor = 72/6 = 12. Therefore second quantity = 9×12 = 108.

id=88203 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 31, 41, 52? | option_a=21 | option_b=52 | option_c=41 | option_d=31 | answer=B | explanation=The first three numbers increase by 10, so the next should be 51. Therefore 52 is the odd one out.

id=88204 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4093. If it is sold at a profit of 15%, what is its selling price? | option_a=4108 | option_b=4706 | option_c=4297 | option_d=5115 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4093 × 115/100 = █4706.

id=88205 | topic=Percentages | difficulty=Easy | question=What is 40% of 1376? | option_a=545 | option_b=1100 | option_c=560 | option_d=550 | answer=D | explanation=40% of 1376 = (40/100) × 1376 = 550.

id=88206 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 40? | option_a=21 | option_b=29 | option_c=13 | option_d=40 | answer=D | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 40 is the odd one out.

id=88207 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45065 at 5% per annum for 5 years. | option_a=11266 | option_b=11166 | option_c=56331 | option_d=11366 | answer=A | explanation=SI = PRT/100 = 45065×5×5/100 = █11266.

id=88208 | topic=Percentages | difficulty=Easy | question=What is 20% of 1809? | option_a=722 | option_b=361 | option_c=381 | option_d=351 | answer=B | explanation=20% of 1809 = (20/100) × 1809 = 361.

id=88209 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=88210 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=W | option_c=R | option_d=H | answer=C | explanation=Move 5 positions forward from M; the resulting letter is R.

id=88211 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45674 at 8% per annum for 3 years. | option_a=11061 | option_b=10861 | option_c=56635 | option_d=10961 | answer=D | explanation=SI = PRT/100 = 45674×8×3/100 = █10961.

id=88212 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=120 | option_c=240 | option_d=125 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=88213 | topic=Percentages | difficulty=Easy | question=What is 12% of 1386? | option_a=332 | option_b=176 | option_c=166 | option_d=161 | answer=C | explanation=12% of 1386 = (12/100) × 1386 = 166.

id=88214 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=88215 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:15 and the first is 132, what is the second? | option_a=165 | option_b=297 | option_c=150 | option_d=177 | answer=A | explanation=Scale factor = 132/12 = 11. Therefore second quantity = 15×11 = 165.

id=88216 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=18 | option_c=23 | option_d=13 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=88217 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 14? | option_a=6 | option_b=3 | option_c=14 | option_d=9 | answer=C | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 14 is the odd one out.

id=88218 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28118 at 4% per annum for 1 years. | option_a=1124 | option_b=29242 | option_c=1224 | option_d=1024 | answer=A | explanation=SI = PRT/100 = 28118×4×1/100 = █1124.

id=88219 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2569. If it is sold at a profit of 5%, what is its selling price? | option_a=2441 | option_b=2697 | option_c=2574 | option_d=2953 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2569 × 105/100 = █2697.

id=88220 | topic=Percentages | difficulty=Easy | question=What is 5% of 1007? | option_a=100 | option_b=40 | option_c=50 | option_d=60 | answer=C | explanation=5% of 1007 = (5/100) × 1007 = 50.

id=88221 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25867 at 6% per annum for 1 years. | option_a=1452 | option_b=27419 | option_c=1552 | option_d=1652 | answer=C | explanation=SI = PRT/100 = 25867×6×1/100 = █1552.

id=88222 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=28 | option_b=24 | option_c=20 | option_d=25 | answer=B | explanation=The common difference is 4. Therefore the next term is 20 + 4 = 24.

id=88223 | topic=Averages | difficulty=Easy | question=Find the average of 74, 80, 39, 99, 36, 26. | option_a=61 | option_b=60 | option_c=59 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.

id=88224 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:1 and the first is 126, what is the second? | option_a=13 | option_b=14 | option_c=140 | option_d=23 | answer=B | explanation=Scale factor = 126/9 = 14. Therefore second quantity = 1×14 = 14.

id=88225 | topic=Averages | difficulty=Easy | question=Find the average of 98, 36, 38, 42, 98, 21, 16, 59, 68, 94. | option_a=58 | option_b=56 | option_c=57 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.

id=88226 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=A | option_c=G | option_d=J | answer=C | explanation=Move 3 positions forward from D; the resulting letter is G.

id=88227 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=H | option_b=Q | option_c=N | option_d=K | answer=C | explanation=Move 3 positions forward from K; the resulting letter is N.

id=88228 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49866 at 4% per annum for 2 years. | option_a=53855 | option_b=3889 | option_c=3989 | option_d=4089 | answer=C | explanation=SI = PRT/100 = 49866×4×2/100 = █3989.

id=88229 | topic=Percentages | difficulty=Easy | question=What is 12% of 1025? | option_a=113 | option_b=123 | option_c=246 | option_d=143 | answer=B | explanation=12% of 1025 = (12/100) × 1025 = 123.

id=88230 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 24, 30, 36, ? | option_a=42 | option_b=43 | option_c=48 | option_d=36 | answer=A | explanation=The common difference is 6. Therefore the next term is 36 + 6 = 42.

Aptitude Questions — Records 88,231-88,260 of 100,000

id=88231 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:12 and the first is 198, what is the second? | option_a=330 | option_b=132 | option_c=120 | option_d=150 | answer=B | explanation=Scale factor = $198/18 = 11$. Therefore second quantity = $12 \times 11 = 132$.

id=88232 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32526 at 12% per annum for 5 years. | option_a=19615 | option_b=19415 | option_c=19515 | option_d=52041 | answer=C | explanation=SI = $PRT/100 = 32526 \times 12 \times 5/100 = \text{■}19515$.

id=88233 | topic=Averages | difficulty=Easy | question=Find the average of 75, 54, 12. | option_a=49 | option_b=47 | option_c=48 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = $141 \div 3 = 47$.

id=88234 | topic=Percentages | difficulty=Easy | question=What is 10% of 165?? | option_a=160 | option_b=330 | option_c=170 | option_d=165 | answer=D | explanation=10% of 1657 = $(10/100) \times 1657 = 165$.

id=88235 | topic=Averages | difficulty=Easy | question=Find the average of 73, 39, 61, 88, 47, 54, 92, 35, 96. | option_a=67 | option_b=65 | option_c=64 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = $585 \div 9 = 65$.

id=88236 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=200 | option_c=100 | option_d=95 | answer=C | explanation=Speed = distance ÷ time = $300 \div 3 = 100$ km/h.

id=88237 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=6 | option_d=4 | answer=B | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=88238 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 3. | option_a=9 | option_b=12 | option_c=24 | option_d=36 | answer=B | explanation=LCM $\times$ HCF = 12×3 ; HCF(12,3) = 3, so LCM = 12.

id=88239 | topic=Averages | difficulty=Easy | question=Find the average of 95, 76, 39, 52, 13, 30, 80. | option_a=56 | option_b=54 | option_c=55 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = $385 \div 7 = 55$.

id=88240 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:11 and the first is 112, what is the second? | option_a=77 | option_b=88 | option_c=102 | option_d=200 | answer=B | explanation=Scale factor = $112/14 = 8$. Therefore second quantity = $11 \times 8 = 88$.

id=88241 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13427 at 12% per annum for 2 years. | option_a=3122 | option_b=3322 | option_c=16649 | option_d=3222 | answer=D | explanation=SI = $PRT/100 = 13427 \times 12 \times 2/100 = \text{■}3222$.

id=88242 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 37? | option_a=37 | option_b=32 | option_c=34 | option_d=30 | answer=A | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 37 is the odd one out.

id=88243 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=88244 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28451 at 5% per annum for 1 years. | option_a=29873 | option_b=1322 | option_c=1522 | option_d=1422 | answer=D | explanation=SI = $PRT/100 = 28451 \times 5 \times 1/100 = \text{■}1422$.

id=88245 | topic=Percentages | difficulty=Easy | question=What is 10% of 1430? | option_a=286 | option_b=133 | option_c=153 | option_d=143 | answer=D | explanation=10% of 1430 = $(10/100) \times 1430 = 143$.

id=88246 | topic=Averages | difficulty=Easy | question=Find the average of 99, 85, 64, 51, 12, 53, 25, 39, 40. | option_a=53 | option_b=51 | option_c=54 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = $468 \div 9 = 52$.

id=88247 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:4 and the first is 26, what is the second? | option_a=21 | option_b=4 | option_c=34 | option_d=8 | answer=D | explanation=Scale factor = $26/13 = 2$. Therefore second quantity = $4 \times 2 = 8$.

id=88248 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=26 | option_b=23 | option_c=29 | option_d=27 | answer=A | explanation=The common difference is 3. Therefore the next term is $23 + 3 = 26$.

id=88249 | topic=Percentages | difficulty=Easy | question=What is 30% of 523? | option_a=151 | option_b=312 | option_c=156 | option_d=161 | answer=C | explanation=30% of 523 = $(30/100) \times 523 = 156$.

id=88250 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=27 | option_b=22 | option_c=28 | option_d=32 | answer=A | explanation=The common difference is 5. Therefore the next term is $22 + 5 = 27$.

id=88251 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=31 | option_b=45 | option_c=39 | option_d=38 | answer=D | explanation=The common difference is 7. Therefore the next term is $31 + 7 = 38$.

id=88252 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=88253 | topic=Percentages | difficulty=Easy | question=What is 20% of 918? | option_a=183 | option_b=203 | option_c=366 | option_d=173 | answer=A | explanation=20% of 918 = $(20/100) \times 918 = 183$.

id=88254 | topic=Percentages | difficulty=Easy | question=What is 15% of 1179? | option_a=171 | option_b=181 | option_c=176 | option_d=352 | answer=C | explanation=15% of 1179 = $(15/100) \times 1179 = 176$.

id=88255 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=62 | option_b=38 | option_c=50 | option_d=51 | answer=C | explanation=The common difference is 12. Therefore the next term is $38 + 12 = 50$.

id=88256 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=12 | option_c=1 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = $60 \div 10 = 6$ km/h.

id=88257 | topic=Percentages | difficulty=Easy | question=What is 15% of 295? | option_a=88 | option_b=39 | option_c=44 | option_d=49 | answer=C | explanation=15% of 295 = $(15/100) \times 295 = 44$.

id=88258 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 24. | option_a=216 | option_b=72 | option_c=48 | option_d=81 | answer=B | explanation=LCM $\times$ HCF = 9×24 ; HCF(9,24) = 3, so LCM = 72.

id=88259 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 35, 42, 50? | option_a=28 | option_b=35 | option_c=42 | option_d=50 | answer=D | explanation=The first three numbers increase by 7, so the next should be 49. Therefore 50 is the odd one out.

id=88260 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=U | option_c=V | option_d=T | answer=C | explanation=Move 1 positions forward from U; the resulting letter is V.

Aptitude Questions — Records 88,261-88,290 of 100,000

id=88261 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 28, 36, 46? | option_a=28 | option_b=36 | option_c=46 | option_d=20 | answer=C | explanation=The first three numbers increase by 8, so the next should be 44. Therefore 46 is the odd one out.

id=88262 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2736 at 6% per annum for 3 years. | option_a=492 | option_b=592 | option_c=392 | option_d=3228 | answer=A | explanation=SI = $PRT/100 = 2736 \times 6 \times 3/100 = \blacksquare 492$.

id=88263 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45419 at 15% per annum for 2 years. | option_a=13625 | option_b=59044 | option_c=13725 | option_d=13525 | answer=A | explanation=SI = $PRT/100 = 45419 \times 15 \times 2/100 = \blacksquare 13625$.

id=88264 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 13, 17, 22? | option_a=17 | option_b=13 | option_c=9 | option_d=22 | answer=D | explanation=The first three numbers increase by 4, so the next should be 21. Therefore 22 is the odd one out.

id=88265 | topic=Percentages | difficulty=Easy | question=What is 30% of 866? | option_a=259 | option_b=518 | option_c=249 | option_d=279 | answer=A | explanation=30% of 866 = $(30/100) \times 866 = 259$.

id=88266 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 33, 39, 47? | option_a=33 | option_b=39 | option_c=27 | option_d=47 | answer=D | explanation=The first three numbers increase by 6, so the next should be 45. Therefore 47 is the odd one out.

id=88267 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2491. If it is sold at a profit of 5%, what is its selling price? | option_a=2366 | option_b=2864 | option_c=2615 | option_d=2496 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2491 \times 105/100 = \blacksquare 2615$.

id=88268 | topic=Percentages | difficulty=Easy | question=What is 25% of 1993? | option_a=478 | option_b=996 | option_c=518 | option_d=498 | answer=D | explanation=25% of 1993 = $(25/100) \times 1993 = 498$.

id=88269 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=30 | option_b=35 | option_c=36 | option_d=40 | answer=B | explanation=The common difference is 5. Therefore the next term is $30 + 5 = 35$.

id=88270 | topic=Percentages | difficulty=Easy | question=What is 30% of 1462? | option_a=876 | option_b=448 | option_c=433 | option_d=438 | answer=D | explanation=30% of 1462 = $(30/100) \times 1462 = 438$.

id=88271 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=88272 | topic=Percentages | difficulty=Easy | question=What is 50% of 151? | option_a=95 | option_b=65 | option_c=75 | option_d=150 | answer=C | explanation=50% of 151 = $(50/100) \times 151 = 75$.

id=88273 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:11 and the first is 180, what is the second? | option_a=198 | option_b=378 | option_c=187 | option_d=208 | answer=A | explanation=Scale factor = $180/10 = 18$. Therefore second quantity = $11 \times 18 = 198$.

id=88274 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32314 at 8% per annum for 5 years. | option_a=12825 | option_b=45239 | option_c=13025 | option_d=12925 | answer=D | explanation=SI = $PRT/100 = 32314 \times 8 \times 5/100 = \blacksquare 12925$.

id=88275 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46110 at 4% per annum for 4 years. | option_a=7477 | option_b=7377 | option_c=53487 | option_d=7277 | answer=B | explanation=SI = $PRT/100 = 46110 \times 4 \times 4/100 = \blacksquare 7377$.

id=88276 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:10 and the first is 221, what is the second? | option_a=391 | option_b=160 | option_c=183 | option_d=170 | answer=D | explanation=Scale factor = $221/13 = 17$. Therefore second quantity = $10 \times 17 = 170$.

id=88277 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=20 | option_d=6 | answer=B | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=88278 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:19 and the first is 90, what is the second? | option_a=285 | option_b=266 | option_c=375 | option_d=291 | answer=A | explanation=Scale factor = $90/6 = 15$. Therefore second quantity = $19 \times 15 = 285$.

id=88279 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1854. If it is sold at a profit of 40%, what is its selling price? | option_a=1894 | option_b=2595 | option_c=2780 | option_d=2410 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1854 \times 140/100 = \blacksquare 2595$.

id=88280 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 39? | option_a=26 | option_b=39 | option_c=31 | option_d=21 | answer=B | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 39 is the odd one out.

id=88281 | topic=Averages | difficulty=Easy | question=Find the average of 22, 61, 78, 67, 78, 74, 53, 31. | option_a=57 | option_b=60 | option_c=59 | option_d=58 | answer=D | explanation=Average = $\text{sum of values} / \text{number of values} = 464 / 8 = 58$.

id=88282 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=23 | option_b=29 | option_c=26 | option_d=27 | answer=C | explanation=The common difference is 3. Therefore the next term is $23 + 3 = 26$.

id=88283 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1176. If it is sold at a profit of 40%, what is its selling price? | option_a=1529 | option_b=1646 | option_c=1763 | option_d=1216 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1176 \times 140/100 = \blacksquare 1646$.

id=88284 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 25, 35, 47? | option_a=47 | option_b=35 | option_c=15 | option_d=25 | answer=A | explanation=The first three numbers increase by 10, so the next should be 45. Therefore 47 is the odd one out.

id=88285 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=K | option_c=M | option_d=O | answer=D | explanation=Move 2 positions forward from M; the resulting letter is O.

id=88286 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=88287 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:3 and the first is 40, what is the second? | option_a=6 | option_b=46 | option_c=26 | option_d=3 | answer=A | explanation=Scale factor = $40/20 = 2$. Therefore second quantity = $3 \times 2 = 6$.

id=88288 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42937 at 4% per annum for 4 years. | option_a=6869 | option_b=6969 | option_c=49806 | option_d=6769 | answer=A | explanation=SI = $PRT/100 = 42937 \times 4 \times 4/100 = \blacksquare 6869$.

id=88289 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:12 and the first is 60, what is the second? | option_a=180 | option_b=184 | option_c=240 | option_d=168 | answer=A | explanation=Scale factor = $60/4 = 15$. Therefore second quantity = $12 \times 15 = 180$.

id=88290 | topic=Averages | difficulty=Easy | question=Find the average of 86, 86, 86. | option_a=87 | option_b=86 | option_c=88 | option_d=85 | answer=B | explanation=Average = $\text{sum of values} / \text{number of values} = 258 / 3 = 86$.

Aptitude Questions — Records 88,291-88,320 of 100,000

id=88291 | topic=Averages | difficulty=Easy | question=Find the average of 13, 13, 93, 17, 13, 89, 70, 88, 45. | option_a=51 | option_b=50 | option_c=48 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 441 ÷ 9 = 49.

id=88292 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=88293 | topic=Averages | difficulty=Easy | question=Find the average of 72, 64, 94, 20, 21, 95. | option_a=62 | option_b=63 | option_c=60 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 366 ÷ 6 = 61.

id=88294 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41096 at 10% per annum for 1 years. | option_a=4109 | option_b=45205 | option_c=4209 | option_d=4009 | answer=A | explanation=SI = PRT/100 = 41096×10×1/100 = **■**4109.

id=88295 | topic=Averages | difficulty=Easy | question=Find the average of 65, 90, 88, 74, 77, 86, 59. | option_a=78 | option_b=76 | option_c=79 | option_d=77 | answer=D | explanation=Average = sum of values ÷ number of values = 539 ÷ 7 = 77.

id=88296 | topic=Averages | difficulty=Easy | question=Find the average of 81, 13, 60, 44, 93, 79, 64, 22, 41, 63. | option_a=55 | option_b=56 | option_c=58 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 560 ÷ 10 = 56.

id=88297 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=88298 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=B | option_c=C | option_d=A | answer=C | explanation=Move 1 positions forward from B; the resulting letter is C.

id=88299 | topic=Averages | difficulty=Easy | question=Find the average of 61, 65, 55, 39, 88, 60, 53, 41, 69. | option_a=61 | option_b=60 | option_c=59 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 531 ÷ 9 = 59.

id=88300 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=J | option_b=G | option_c=A | option_d=D | answer=B | explanation=Move 3 positions forward from D; the resulting letter is G.

id=88301 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 21. | option_a=21 | option_b=24 | option_c=63 | option_d=1 | answer=A | explanation=LCM × HCF = 3×21; HCF(3,21) = 3, so LCM = 21.

id=88302 | topic=Averages | difficulty=Easy | question=Find the average of 41, 28, 73, 70, 43. | option_a=53 | option_b=52 | option_c=50 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 255 ÷ 5 = 51.

id=88303 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:6 and the first is 224, what is the second? | option_a=308 | option_b=78 | option_c=100 | option_d=84 | answer=D | explanation=Scale factor = 224/16 = 14. Therefore second quantity = 6×14 = 84.

id=88304 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:7 and the first is 95, what is the second? | option_a=54 | option_b=28 | option_c=130 | option_d=35 | answer=D | explanation=Scale factor = 95/19 = 5. Therefore second quantity = 7×5 = 35.

id=88305 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=29 | option_d=19 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=88306 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=Y | option_b=E | option_c=H | option_d=B | answer=B | explanation=Move 3 positions forward from B; the resulting letter is E.

id=88307 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=62 | option_b=49 | option_c=73 | option_d=61 | answer=D | explanation=The common difference is 12. Therefore the next term is 49 + 12 = 61.

id=88308 | topic=Percentages | difficulty=Easy | question=What is 10% of 790? | option_a=99 | option_b=158 | option_c=69 | option_d=79 | answer=D | explanation=10% of 790 = (10/100) × 790 = 79.

id=88309 | topic=Averages | difficulty=Easy | question=Find the average of 10, 42, 77, 67. | option_a=49 | option_b=48 | option_c=51 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 196 ÷ 4 = 49.

id=88310 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 33? | option_a=33 | option_b=20 | option_c=28 | option_d=24 | answer=A | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 33 is the odd one out.

id=88311 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=26 | option_b=24 | option_c=25 | option_d=22 | answer=B | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.

id=88312 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 12. | option_a=36 | option_b=216 | option_c=54 | option_d=24 | answer=A | explanation=LCM × HCF = 18×12; HCF(18,12) = 6, so LCM = 36.

id=88313 | topic=Percentages | difficulty=Easy | question=What is 5% of 493? | option_a=48 | option_b=29 | option_c=24 | option_d=14 | answer=C | explanation=5% of 493 = (5/100) × 493 = 24.

id=88314 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=115 | option_c=240 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=88315 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 9, 12, 16? | option_a=12 | option_b=9 | option_c=16 | option_d=6 | answer=C | explanation=The first three numbers increase by 3, so the next should be 15. Therefore 16 is the odd one out.

id=88316 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=88317 | topic=Percentages | difficulty=Easy | question=What is 12% of 1703? | option_a=199 | option_b=408 | option_c=204 | option_d=214 | answer=C | explanation=12% of 1703 = (12/100) × 1703 = 204.

id=88318 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=88319 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=10 | option_c=15 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=88320 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=C | option_c=E | option_d=A | answer=C | explanation=Move 2 positions forward from C; the resulting letter is E.

Aptitude Questions — Records 88,321-88,350 of 100,000

id=88321 | topic=Percentages | difficulty=Easy | question=What is 10% of 1657? | option_a=155 | option_b=330 | option_c=175 | option_d=165 | answer=D | explanation=10% of 1657 = (10/100) × 1657 = 165.

id=88322 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:18 and the first is 195, what is the second? | option_a=249 | option_b=216 | option_c=429 | option_d=234 | answer=D | explanation=Scale factor = 195/15 = 13. Therefore second quantity = 18×13 = 234.

id=88323 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■44509 at 15% per annum for 1 years. | option_a=6676 | option_b=51185 | option_c=6576 | option_d=6776 | answer=A | explanation=SI = PRT/100 = 44509×15×1/100 = ■6676.

id=88324 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=105 | option_c=100 | option_d=200 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=88325 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■950. If it is sold at a profit of 50%, what is its selling price? | option_a=1000 | option_b=1330 | option_c=1520 | option_d=1425 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 950 × 150/100 = ■1425.

id=88326 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3223. If it is sold at a profit of 50%, what is its selling price? | option_a=4834 | option_b=3273 | option_c=5156 | option_d=4512 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3223 × 150/100 = ■4834.

id=88327 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3165. If it is sold at a profit of 30%, what is its selling price? | option_a=4114 | option_b=4430 | option_c=3798 | option_d=3195 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3165 × 130/100 = ■4114.

id=88328 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■623. If it is sold at a profit of 20%, what is its selling price? | option_a=809 | option_b=747 | option_c=685 | option_d=643 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 623 × 120/100 = ■747.

id=88329 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:13 and the first is 108, what is the second? | option_a=225 | option_b=104 | option_c=129 | option_d=117 | answer=D | explanation=Scale factor = 108/12 = 9. Therefore second quantity = 13×9 = 117.

id=88330 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1731. If it is sold at a profit of 25%, what is its selling price? | option_a=1990 | option_b=1756 | option_c=2163 | option_d=2336 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1731 × 125/100 = ■2163.

id=88331 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=N | option_c=Y | option_d=I | answer=D | explanation=Move 5 positions forward from D; the resulting letter is I.

id=88332 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:8 and the first is 135, what is the second? | option_a=72 | option_b=64 | option_c=207 | option_d=87 | answer=A | explanation=Scale factor = 135/15 = 9. Therefore second quantity = 8×9 = 72.

id=88333 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=88334 | topic=Percentages | difficulty=Easy | question=What is 25% of 362? | option_a=180 | option_b=85 | option_c=90 | option_d=95 | answer=C | explanation=25% of 362 = (25/100) × 362 = 90.

id=88335 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■536. If it is sold at a profit of 30%, what is its selling price? | option_a=566 | option_b=749 | option_c=643 | option_d=696 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 536 × 130/100 = ■696.

id=88336 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■290. If it is sold at a profit of 10%, what is its selling price? | option_a=290 | option_b=300 | option_c=348 | option_d=319 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 290 × 110/100 = ■319.

id=88337 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■9450 at 10% per annum for 2 years. | option_a=1890 | option_b=11340 | option_c=1990 | option_d=1790 | answer=A | explanation=SI = PRT/100 = 9450×10×2/100 = ■1890.

id=88338 | topic=Averages | difficulty=Easy | question=Find the average of 71, 92, 77, 44, 36, 74, 10, 59, 17, 100. | option_a=58 | option_b=57 | option_c=60 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 580 ÷ 10 = 58.

id=88339 | topic=Averages | difficulty=Easy | question=Find the average of 100, 21, 57, 33, 86, 15, 38. | option_a=51 | option_b=49 | option_c=50 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

id=88340 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3556. If it is sold at a profit of 15%, what is its selling price? | option_a=4089 | option_b=3571 | option_c=4444 | option_d=3734 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3556 × 115/100 = ■4089.

id=88341 | topic=Averages | difficulty=Easy | question=Find the average of 69, 53, 94. | option_a=71 | option_b=74 | option_c=72 | option_d=73 | answer=C | explanation=Average = sum of values ÷ number of values = 216 ÷ 3 = 72.

id=88342 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=M | option_b=N | option_c=K | option_d=L | answer=A | explanation=Move 1 positions forward from L; the resulting letter is M.

id=88343 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2437. If it is sold at a profit of 5%, what is its selling price? | option_a=2442 | option_b=2558 | option_c=2801 | option_d=2315 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2437 × 105/100 = ■2558.

id=88344 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■43067 at 5% per annum for 5 years. | option_a=53833 | option_b=10866 | option_c=10766 | option_d=10666 | answer=C | explanation=SI = PRT/100 = 43067×5×5/100 = ■10766.

id=88345 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=45 | option_b=65 | option_c=55 | option_d=56 | answer=C | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.

id=88346 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■19223 at 6% per annum for 1 years. | option_a=1153 | option_b=1053 | option_c=20376 | option_d=1253 | answer=A | explanation=SI = PRT/100 = 19223×6×1/100 = ■1153.

id=88347 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■5740 at 4% per annum for 3 years. | option_a=588 | option_b=6428 | option_c=788 | option_d=688 | answer=D | explanation=SI = PRT/100 = 5740×4×3/100 = ■688.

id=88348 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3184. If it is sold at a profit of 25%, what is its selling price? | option_a=4298 | option_b=3980 | option_c=3662 | option_d=3209 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3184 × 125/100 = ■3980.

id=88349 | topic=Percentages | difficulty=Easy | question=What is 10% of 1304? | option_a=140 | option_b=260 | option_c=130 | option_d=110 | answer=C | explanation=10% of 1304 = (10/100) × 1304 = 130.

id=88350 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=54 | option_b=64 | option_c=53 | option_d=42 | answer=C | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.

Aptitude Questions — Records 88,351-88,380 of 100,000

id=88351 | topic=Averages | difficulty=Easy | question=Find the average of 29, 38, 93, 32, 83. | option_a=55 | option_b=56 | option_c=54 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 275 ÷ 5 = 55.

id=88352 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=88353 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=88354 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 22. | option_a=176 | option_b=198 | option_c=396 | option_d=216 | answer=B | explanation=LCM × HCF = 18×22; HCF(18,22) = 2, so LCM = 198.

id=88355 | topic=Averages | difficulty=Easy | question=Find the average of 87, 35, 58, 11, 52, 62, 45. | option_a=50 | option_b=49 | option_c=51 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

id=88356 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2296. If it is sold at a profit of 10%, what is its selling price? | option_a=2306 | option_b=2296 | option_c=2525 | option_d=2754 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2296 × 110/100 = █2525.

id=88357 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29775 at 8% per annum for 5 years. | option_a=11910 | option_b=11810 | option_c=41685 | option_d=12010 | answer=A | explanation=SI = PRT/100 = 29775×8×5/100 = █11910.

id=88358 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:9 and the first is 38, what is the second? | option_a=18 | option_b=37 | option_c=9 | option_d=56 | answer=A | explanation=Scale factor = 38/19 = 2. Therefore second quantity = 9×2 = 18.

id=88359 | topic=Percentages | difficulty=Easy | question=What is 15% of 1651? | option_a=247 | option_b=494 | option_c=252 | option_d=227 | answer=A | explanation=15% of 1651 = (15/100) × 1651 = 247.

id=88360 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 24, 33, 43? | option_a=24 | option_b=33 | option_c=15 | option_d=43 | answer=D | explanation=The first three numbers increase by 9, so the next should be 42. Therefore 43 is the odd one out.

id=88361 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=15 | option_c=40 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=88362 | topic=Averages | difficulty=Easy | question=Find the average of 89, 79, 93, 27. | option_a=71 | option_b=73 | option_c=74 | option_d=72 | answer=D | explanation=Average = sum of values ÷ number of values = 288 ÷ 4 = 72.

id=88363 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46711 at 8% per annum for 2 years. | option_a=54184 | option_b=7473 | option_c=7373 | option_d=7573 | answer=B | explanation=SI = PRT/100 = 46711×8×2/100 = █7473.

id=88364 | topic=Averages | difficulty=Easy | question=Find the average of 63, 80, 15, 73, 96, 44, 35. | option_a=57 | option_b=58 | option_c=60 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 406 ÷ 7 = 58.

id=88365 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1394. If it is sold at a profit of 15%, what is its selling price? | option_a=1742 | option_b=1603 | option_c=1464 | option_d=1409 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1394 × 115/100 = █1603.

id=88366 | topic=Averages | difficulty=Easy | question=Find the average of 97, 41, 75, 51. | option_a=66 | option_b=67 | option_c=68 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 264 ÷ 4 = 66.

id=88367 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=36 | option_b=32 | option_c=37 | option_d=40 | answer=A | explanation=The common difference is 4. Therefore the next term is 32 + 4 = 36.

id=88368 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 36? | option_a=4 | option_b=24 | option_c=14 | option_d=36 | answer=D | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 36 is the odd one out.

id=88369 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1746. If it is sold at a profit of 15%, what is its selling price? | option_a=1761 | option_b=1833 | option_c=2007 | option_d=2181 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1746 × 115/100 = █2007.

id=88370 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=100 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=88371 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=88372 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=43 | option_c=53 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=88373 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=88374 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=K | option_b=V | option_c=A | option_d=F | answer=D | explanation=Move 5 positions forward from A; the resulting letter is F.

id=88375 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 21, 23, 25, ? | option_a=27 | option_b=29 | option_c=28 | option_d=25 | answer=A | explanation=The common difference is 2. Therefore the next term is 25 + 2 = 27.

id=88376 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39767 at 10% per annum for 4 years. | option_a=16006 | option_b=15806 | option_c=55673 | option_d=15906 | answer=D | explanation=SI = PRT/100 = 39767×10×4/100 = █15906.

id=88377 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=45 | option_b=38 | option_c=31 | option_d=39 | answer=B | explanation=The common difference is 7. Therefore the next term is 31 + 7 = 38.

id=88378 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=34 | option_b=28 | option_c=22 | option_d=29 | answer=B | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.

id=88379 | topic=Profit & Loss | difficulty=Easy | question=An article costs █313. If it is sold at a profit of 25%, what is its selling price? | option_a=391 | option_b=422 | option_c=360 | option_d=338 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 313 × 125/100 = █391.

id=88380 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=40 | option_c=25 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

Aptitude Questions — Records 88,381-88,410 of 100,000

id=88381 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 30? | option_a=12 | option_b=30 | option_c=4 | option_d=20 | answer=B | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 30 is the odd one out.

id=88382 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:10 and the first is 120, what is the second? | option_a=180 | option_b=80 | option_c=60 | option_d=50 | answer=C | explanation=Scale factor = 120/20 = 6. Therefore second quantity = 10×6 = 60.

id=88383 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 27, 30, 34? | option_a=24 | option_b=34 | option_c=30 | option_d=27 | answer=B | explanation=The first three numbers increase by 3, so the next should be 33. Therefore 34 is the odd one out.

id=88384 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=X | option_b=B | option_c=T | option_d=P | answer=A | explanation=Move 4 positions forward from T; the resulting letter is X.

id=88385 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 45? | option_a=19 | option_b=27 | option_c=35 | option_d=45 | answer=D | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 45 is the odd one out.

id=88386 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1299 at 5% per annum for 2 years. | option_a=229 | option_b=1428 | option_c=29 | option_d=129 | answer=D | explanation=SI = $PRT/100 = 1299 \times 5 \times 2/100 = \text{■}129$.

id=88387 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2522. If it is sold at a profit of 50%, what is its selling price? | option_a=2572 | option_b=4035 | option_c=3783 | option_d=3531 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2522 \times 150/100 = \text{■}3783$.

id=88388 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=88389 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=N | option_c=E | option_d=K | answer=D | explanation=Move 3 positions forward from H; the resulting letter is K.

id=88390 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=88391 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4618. If it is sold at a profit of 5%, what is its selling price? | option_a=4623 | option_b=4848 | option_c=5309 | option_d=4387 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4618 \times 105/100 = \text{■}4848$.

id=88392 | topic=Averages | difficulty=Easy | question=Find the average of 70, 60, 79, 100, 91, 37, 25. | option_a=68 | option_b=66 | option_c=65 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = $462 \div 7 = 66$.

id=88393 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:3 and the first is 27, what is the second? | option_a=54 | option_b=24 | option_c=27 | option_d=30 | answer=C | explanation=Scale factor = $27/3 = 9$. Therefore second quantity = $3 \times 9 = 27$.

id=88394 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=36 | option_b=54 | option_c=45 | option_d=46 | answer=C | explanation=The common difference is 9. Therefore the next term is $36 + 9 = 45$.

id=88395 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=88396 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=115 | option_d=240 | answer=A | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.

id=88397 | topic=Averages | difficulty=Easy | question=Find the average of 36, 16, 65, 42, 92, 69, 19, 52, 23. | option_a=48 | option_b=45 | option_c=46 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = $414 \div 9 = 46$.

id=88398 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 23, 28, 36? | option_a=18 | option_b=28 | option_c=23 | option_d=36 | answer=D | explanation=The first three numbers increase by 5, so the next should be 33. Therefore 36 is the odd one out.

id=88399 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=27 | option_b=20 | option_c=32 | option_d=26 | answer=D | explanation=The common difference is 6. Therefore the next term is $20 + 6 = 26$.

id=88400 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:17 and the first is 323, what is the second? | option_a=323 | option_b=340 | option_c=306 | option_d=646 | answer=A | explanation=Scale factor = $323/17 = 19$. Therefore second quantity = $17 \times 19 = 323$.

id=88401 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=E | option_c=G | option_d=H | answer=C | explanation=Move 1 positions forward from F; the resulting letter is G.

id=88402 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=150 | option_d=70 | answer=B | explanation=Speed = distance ÷ time = $150 \div 2 = 75$ km/h.

id=88403 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = $180 \div 6 = 30$ km/h.

id=88404 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 24, 31, 39? | option_a=39 | option_b=17 | option_c=31 | option_d=24 | answer=A | explanation=The first three numbers increase by 7, so the next should be 38. Therefore 39 is the odd one out.

id=88405 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=C | option_b=L | option_c=F | option_d=I | answer=D | explanation=Move 3 positions forward from F; the resulting letter is I.

id=88406 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 21. | option_a=112 | option_b=84 | option_c=588 | option_d=63 | answer=B | explanation= $LCM \times HCF = 28 \times 21$; $HCF(28,21) = 7$, so $LCM = 84$.

id=88407 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=V | option_c=S | option_d=M | answer=C | explanation=Move 3 positions forward from P; the resulting letter is S.

id=88408 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46077 at 12% per annum for 5 years. | option_a=27546 | option_b=27646 | option_c=27746 | option_d=73723 | answer=B | explanation=SI = $PRT/100 = 46077 \times 12 \times 5/100 = \text{■}27646$.

id=88409 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=36 | option_c=18 | option_d=23 | answer=C | explanation=Speed = distance ÷ time = $180 \div 10 = 18$ km/h.

id=88410 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=B | option_b=J | option_c=N | option_d=F | answer=B | explanation=Move 4 positions forward from F; the resulting letter is J.

Aptitude Questions — Records 88,411-88,440 of 100,000

id=88411 | topic=Averages | difficulty=Easy | question=Find the average of 97, 45, 24, 29, 50. | option_a=49 | option_b=50 | option_c=51 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = 245 ÷ 5 = 49.

id=88412 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3984. If it is sold at a profit of 30%, what is its selling price? | option_a=5577 | option_b=5179 | option_c=4014 | option_d=4781 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3984 × 130/100 = █5179.

id=88413 | topic=Percentages | difficulty=Easy | question=What is 50% of 1198? | option_a=604 | option_b=589 | option_c=599 | option_d=1198 | answer=C | explanation=50% of 1198 = (50/100) × 1198 = 599.

id=88414 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=75 | option_c=70 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=88415 | topic=Averages | difficulty=Easy | question=Find the average of 10, 39, 94, 61. | option_a=53 | option_b=51 | option_c=52 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 204 ÷ 4 = 51.

id=88416 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 16. | option_a=234 | option_b=416 | option_c=208 | option_d=192 | answer=C | explanation=LCM × HCF = 26×16; HCF(26,16) = 2, so LCM = 208.

id=88417 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3596. If it is sold at a profit of 15%, what is its selling price? | option_a=3776 | option_b=4135 | option_c=3611 | option_d=4494 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3596 × 115/100 = █4135.

id=88418 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2443. If it is sold at a profit of 5%, what is its selling price? | option_a=2321 | option_b=2448 | option_c=2809 | option_d=2565 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2443 × 105/100 = █2565.

id=88419 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=88420 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3713. If it is sold at a profit of 5%, what is its selling price? | option_a=4269 | option_b=3527 | option_c=3718 | option_d=3898 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3713 × 105/100 = █3898.

id=88421 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:8 and the first is 42, what is the second? | option_a=16 | option_b=38 | option_c=24 | option_d=66 | answer=C | explanation=Scale factor = 42/14 = 3. Therefore second quantity = 8×3 = 24.

id=88422 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=33 | option_b=42 | option_c=43 | option_d=51 | answer=B | explanation=The common difference is 9. Therefore the next term is 33 + 9 = 42.

id=88423 | topic=Percentages | difficulty=Easy | question=What is 10% of 1353? | option_a=130 | option_b=135 | option_c=155 | option_d=270 | answer=B | explanation=10% of 1353 = (10/100) × 1353 = 135.

id=88424 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=80 | option_c=45 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=88425 | topic=Percentages | difficulty=Easy | question=What is 50% of 782? | option_a=401 | option_b=386 | option_c=391 | option_d=782 | answer=C | explanation=50% of 782 = (50/100) × 782 = 391.

id=88426 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=88427 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:4 and the first is 136, what is the second? | option_a=28 | option_b=168 | option_c=49 | option_d=32 | answer=D | explanation=Scale factor = 136/17 = 8. Therefore second quantity = 4×8 = 32.

id=88428 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 50? | option_a=42 | option_b=30 | option_c=50 | option_d=36 | answer=C | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 50 is the odd one out.

id=88429 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=150 | option_c=75 | option_d=70 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=88430 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19676 at 10% per annum for 2 years. | option_a=4035 | option_b=3835 | option_c=3935 | option_d=23611 | answer=C | explanation=SI = PRT/100 = 19676×10×2/100 = █3935.

id=88431 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=34 | option_b=26 | option_c=31 | option_d=30 | answer=D | explanation=The common difference is 4. Therefore the next term is 26 + 4 = 30.

id=88432 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=64 | option_b=54 | option_c=42 | option_d=53 | answer=D | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.

id=88433 | topic=Averages | difficulty=Easy | question=Find the average of 27, 46, 20, 99. | option_a=50 | option_b=48 | option_c=47 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 192 ÷ 4 = 48.

id=88434 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 10. | option_a=60 | option_b=30 | option_c=36 | option_d=20 | answer=B | explanation=LCM × HCF = 6×10; HCF(6,10) = 2, so LCM = 30.

id=88435 | topic=Averages | difficulty=Easy | question=Find the average of 36, 98, 92, 72, 66, 62. | option_a=70 | option_b=72 | option_c=71 | option_d=73 | answer=C | explanation=Average = sum of values ÷ number of values = 426 ÷ 6 = 71.

id=88436 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=32 | option_b=35 | option_c=29 | option_d=33 | answer=A | explanation=The common difference is 3. Therefore the next term is 29 + 3 = 32.

id=88437 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1032. If it is sold at a profit of 20%, what is its selling price? | option_a=1052 | option_b=1135 | option_c=1238 | option_d=1341 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1032 × 120/100 = █1238.

id=88438 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=J | option_b=D | option_c=H | option_d=F | answer=C | explanation=Move 2 positions forward from F; the resulting letter is H.

id=88439 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=12 | option_b=24 | option_c=7 | option_d=17 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=88440 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41179 at 10% per annum for 2 years. | option_a=8235 | option_b=49414 | option_c=8135 | option_d=8335 | answer=A | explanation=SI = PRT/100 = 41179×10×2/100 = █8235.

Aptitude Questions — Records 88,441-88,470 of 100,000

id=88441 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=29 | option_b=24 | option_c=32 | option_d=28 | answer=D | explanation=The common difference is 4. Therefore the next term is 24 + 4 = 28.

id=88442 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 37? | option_a=26 | option_b=32 | option_c=37 | option_d=29 | answer=C | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 37 is the odd one out.

id=88443 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=F | option_b=I | option_c=G | option_d=H | answer=D | explanation=Move 1 positions forward from G; the resulting letter is H.

id=88444 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=53 | option_c=43 | option_d=96 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=88445 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=M | option_c=W | option_d=B | answer=C | explanation=Move 5 positions forward from R; the resulting letter is W.

id=88446 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:4 and the first is 80, what is the second? | option_a=144 | option_b=60 | option_c=69 | option_d=64 | answer=D | explanation=Scale factor = 80/5 = 16. Therefore second quantity = 4×16 = 64.

id=88447 | topic=Profit & Loss | difficulty=Easy | question=An article costs █354. If it is sold at a profit of 50%, what is its selling price? | option_a=566 | option_b=531 | option_c=404 | option_d=496 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 354 × 150/100 = █531.

id=88448 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:2 and the first is 144, what is the second? | option_a=41 | option_b=30 | option_c=32 | option_d=176 | answer=C | explanation=Scale factor = 144/9 = 16. Therefore second quantity = 2×16 = 32.

id=88449 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=88450 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2587. If it is sold at a profit of 30%, what is its selling price? | option_a=2617 | option_b=3105 | option_c=3621 | option_d=3363 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2587 × 130/100 = █3363.

id=88451 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1728. If it is sold at a profit of 40%, what is its selling price? | option_a=1768 | option_b=2247 | option_c=2419 | option_d=2591 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1728 × 140/100 = █2419.

id=88452 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 33, 39, 47? | option_a=33 | option_b=27 | option_c=39 | option_d=47 | answer=D | explanation=The first three numbers increase by 6, so the next should be 45. Therefore 47 is the odd one out.

id=88453 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40457 at 4% per annum for 1 years. | option_a=42075 | option_b=1718 | option_c=1518 | option_d=1618 | answer=D | explanation=SI = PRT/100 = 40457×4×1/100 = █1618.

id=88454 | topic=Averages | difficulty=Easy | question=Find the average of 19, 78, 15, 61, 42. | option_a=44 | option_b=45 | option_c=43 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = 215 ÷ 5 = 43.

id=88455 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1095. If it is sold at a profit of 30%, what is its selling price? | option_a=1423 | option_b=1532 | option_c=1314 | option_d=1125 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1095 × 130/100 = █1423.

id=88456 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31419 at 8% per annum for 5 years. | option_a=12667 | option_b=12567 | option_c=12467 | option_d=43986 | answer=B | explanation=SI = PRT/100 = 31419×8×5/100 = █12567.

id=88457 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:5 and the first is 342, what is the second? | option_a=95 | option_b=113 | option_c=90 | option_d=437 | answer=A | explanation=Scale factor = 342/18 = 19. Therefore second quantity = 5×19 = 95.

id=88458 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=J | option_c=N | option_d=L | answer=C | explanation=Move 2 positions forward from L; the resulting letter is N.

id=88459 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=42 | option_b=35 | option_c=49 | option_d=43 | answer=A | explanation=The common difference is 7. Therefore the next term is 35 + 7 = 42.

id=88460 | topic=Averages | difficulty=Easy | question=Find the average of 72, 55, 38. | option_a=55 | option_b=57 | option_c=56 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 165 ÷ 3 = 55.

id=88461 | topic=Profit & Loss | difficulty=Easy | question=An article costs █780. If it is sold at a profit of 15%, what is its selling price? | option_a=897 | option_b=975 | option_c=819 | option_d=795 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 780 × 115/100 = █897.

id=88462 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=M | option_c=L | option_d=J | answer=C | explanation=Move 1 positions forward from K; the resulting letter is L.

id=88463 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41234 at 5% per annum for 4 years. | option_a=8246 | option_b=8146 | option_c=49480 | option_d=8346 | answer=A | explanation=SI = PRT/100 = 41234×5×4/100 = █8246.

id=88464 | topic=Percentages | difficulty=Easy | question=What is 40% of 1235? | option_a=489 | option_b=494 | option_c=514 | option_d=988 | answer=B | explanation=40% of 1235 = (40/100) × 1235 = 494.

id=88465 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=88466 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=40 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=88467 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:7 and the first is 150, what is the second? | option_a=115 | option_b=98 | option_c=255 | option_d=105 | answer=D | explanation=Scale factor = 150/10 = 15. Therefore second quantity = 7×15 = 105.

id=88468 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=V | option_c=Q | option_d=G | answer=C | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=88469 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:15 and the first is 195, what is the second? | option_a=195 | option_b=210 | option_c=390 | option_d=180 | answer=A | explanation=Scale factor = 195/15 = 13. Therefore second quantity = 15×13 = 195.

id=88470 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36553 at 8% per annum for 1 years. | option_a=3024 | option_b=2824 | option_c=2924 | option_d=39477 | answer=C | explanation=SI = PRT/100 = 36553×8×1/100 = █2924.

Aptitude Questions — Records 88,471-88,500 of 100,000

id=88471 | topic=Percentages | difficulty=Easy | question=What is 15% of 148? | option_a=27 | option_b=44 | option_c=22 | option_d=2 | answer=C | explanation=15% of 148 = (15/100) × 148 = 22.

id=88472 | topic=Averages | difficulty=Easy | question=Find the average of 80, 96, 56, 49, 78, 66, 34, 21. | option_a=61 | option_b=59 | option_c=60 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 480 ÷ 8 = 60.

id=88473 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=100 | option_c=50 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=88474 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2458. If it is sold at a profit of 25%, what is its selling price? | option_a=3317 | option_b=2827 | option_c=3072 | option_d=2483 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2458 × 125/100 = ₹3072.

id=88475 | topic=Percentages | difficulty=Easy | question=What is 5% of 312? | option_a=5 | option_b=30 | option_c=25 | option_d=15 | answer=D | explanation=5% of 312 = (5/100) × 312 = 15.

id=88476 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=35 | option_b=40 | option_c=41 | option_d=45 | answer=B | explanation=The common difference is 5. Therefore the next term is 35 + 5 = 40.

id=88477 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹27049 at 15% per annum for 3 years. | option_a=39221 | option_b=12272 | option_c=12172 | option_d=12072 | answer=C | explanation=SI = PRT/100 = 27049×15×3/100 = ₹12172.

id=88478 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 8. | option_a=40 | option_b=32 | option_c=160 | option_d=60 | answer=A | explanation=LCM × HCF = 20×8; HCF(20,8) = 4, so LCM = 40.

id=88479 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 44? | option_a=44 | option_b=33 | option_c=37 | option_d=29 | answer=A | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 44 is the odd one out.

id=88480 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=6 | option_c=1 | option_d=12 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=88481 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:5 and the first is 40, what is the second? | option_a=45 | option_b=90 | option_c=50 | option_d=54 | answer=C | explanation=Scale factor = 40/4 = 10. Therefore second quantity = 5×10 = 50.

id=88482 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=24 | option_c=29 | option_d=19 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=88483 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=88484 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 34, 43, 53? | option_a=34 | option_b=43 | option_c=53 | option_d=25 | answer=C | explanation=The first three numbers increase by 9, so the next should be 52. Therefore 53 is the odd one out.

id=88485 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹35864 at 8% per annum for 2 years. | option_a=41602 | option_b=5838 | option_c=5638 | option_d=5738 | answer=D | explanation=SI = PRT/100 = 35864×8×2/100 = ₹5738.

id=88486 | topic=Percentages | difficulty=Easy | question=What is 20% of 1601? | option_a=640 | option_b=315 | option_c=340 | option_d=320 | answer=D | explanation=20% of 1601 = (20/100) × 1601 = 320.

id=88487 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=L | option_c=H | option_d=J | answer=B | explanation=Move 2 positions forward from J; the resulting letter is L.

id=88488 | topic=Percentages | difficulty=Easy | question=What is 25% of 502? | option_a=125 | option_b=120 | option_c=250 | option_d=135 | answer=A | explanation=25% of 502 = (25/100) × 502 = 125.

id=88489 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹46649 at 8% per annum for 4 years. | option_a=14827 | option_b=15027 | option_c=14927 | option_d=61576 | answer=C | explanation=SI = PRT/100 = 46649×8×4/100 = ₹14927.

id=88490 | topic=Averages | difficulty=Easy | question=Find the average of 12, 40, 12, 43, 81, 54, 51, 35. | option_a=42 | option_b=43 | option_c=41 | option_d=40 | answer=C | explanation=Average = sum of values ÷ number of values = 328 ÷ 8 = 41.

id=88491 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=31 | option_b=34 | option_c=26 | option_d=30 | answer=D | explanation=The common difference is 4. Therefore the next term is 26 + 4 = 30.

id=88492 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:12 and the first is 156, what is the second? | option_a=132 | option_b=300 | option_c=157 | option_d=144 | answer=D | explanation=Scale factor = 156/13 = 12. Therefore second quantity = 12×12 = 144.

id=88493 | topic=Averages | difficulty=Easy | question=Find the average of 19, 89, 55, 11, 97, 22, 30, 19, 63, 105. | option_a=51 | option_b=52 | option_c=50 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

id=88494 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 23, 26, 31? | option_a=31 | option_b=20 | option_c=26 | option_d=23 | answer=A | explanation=The first three numbers increase by 3, so the next should be 29. Therefore 31 is the odd one out.

id=88495 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=O | option_b=P | option_c=M | option_d=N | answer=A | explanation=Move 1 positions forward from N; the resulting letter is O.

id=88496 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=88497 | topic=Percentages | difficulty=Easy | question=What is 40% of 1691? | option_a=676 | option_b=671 | option_c=681 | option_d=1352 | answer=A | explanation=40% of 1691 = (40/100) × 1691 = 676.

id=88498 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹41004 at 10% per annum for 3 years. | option_a=12301 | option_b=53305 | option_c=12201 | option_d=12401 | answer=A | explanation=SI = PRT/100 = 41004×10×3/100 = ₹12301.

id=88499 | topic=Averages | difficulty=Easy | question=Find the average of 33, 44, 46. | option_a=41 | option_b=43 | option_c=42 | option_d=40 | answer=A | explanation=Average = sum of values ÷ number of values = 123 ÷ 3 = 41.

id=88500 | topic=Percentages | difficulty=Easy | question=What is 15% of 714? | option_a=107 | option_b=214 | option_c=117 | option_d=97 | answer=A | explanation=15% of 714 = (15/100) × 714 = 107.

Aptitude Questions — Records 88,501-88,530 of 100,000

- id=88501 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=42 | option_b=34 | option_c=43 | option_d=50 | answer=A | explanation=The common difference is 8. Therefore the next term is 34 + 8 = 42.
- id=88502 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1821. If it is sold at a profit of 10%, what is its selling price? | option_a=1831 | option_b=2185 | option_c=2003 | option_d=1821 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1821 × 110/100 = █2003.
- id=88503 | topic=Percentages | difficulty=Easy | question=What is 40% of 1092? | option_a=436 | option_b=446 | option_c=426 | option_d=872 | answer=A | explanation=40% of 1092 = (40/100) × 1092 = 436.
- id=88504 | topic=Averages | difficulty=Easy | question=Find the average of 47, 33, 53, 39, 18. | option_a=39 | option_b=37 | option_c=38 | option_d=40 | answer=C | explanation=Average = sum of values ÷ number of values = 190 ÷ 5 = 38.
- id=88505 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15066 at 15% per annum for 1 years. | option_a=2359 | option_b=2159 | option_c=17325 | option_d=2259 | answer=D | explanation=SI = PRT/100 = 15066×15×1/100 = █2259.
- id=88506 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=13 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.
- id=88507 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:6 and the first is 70, what is the second? | option_a=30 | option_b=24 | option_c=44 | option_d=100 | answer=A | explanation=Scale factor = 70/14 = 5. Therefore second quantity = 6×5 = 30.
- id=88508 | topic=Averages | difficulty=Easy | question=Find the average of 87, 79, 62, 80. | option_a=79 | option_b=76 | option_c=78 | option_d=77 | answer=D | explanation=Average = sum of values ÷ number of values = 308 ÷ 4 = 77.
- id=88509 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.
- id=88510 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3212. If it is sold at a profit of 20%, what is its selling price? | option_a=3854 | option_b=4175 | option_c=3232 | option_d=3533 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3212 × 120/100 = █3854.
- id=88511 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4379. If it is sold at a profit of 5%, what is its selling price? | option_a=4384 | option_b=4160 | option_c=5034 | option_d=4597 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4379 × 105/100 = █4597.
- id=88512 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=W | option_c=S | option_d=Y | answer=B | explanation=Move 2 positions forward from U; the resulting letter is W.
- id=88513 | topic=Averages | difficulty=Easy | question=Find the average of 88, 12, 86, 74. | option_a=64 | option_b=66 | option_c=67 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 260 ÷ 4 = 65.
- id=88514 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.
- id=88515 | topic=Averages | difficulty=Easy | question=Find the average of 79, 21, 97, 90, 56, 79, 79, 80, 76. | option_a=73 | option_b=74 | option_c=75 | option_d=72 | answer=A | explanation=Average = sum of values ÷ number of values = 657 ÷ 9 = 73.
- id=88516 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 14, 17, 22? | option_a=22 | option_b=17 | option_c=14 | option_d=11 | answer=A | explanation=The first three numbers increase by 3, so the next should be 20. Therefore 22 is the odd one out.
- id=88517 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:10 and the first is 180, what is the second? | option_a=90 | option_b=270 | option_c=80 | option_d=110 | answer=A | explanation=Scale factor = 180/20 = 9. Therefore second quantity = 10×9 = 90.
- id=88518 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 48? | option_a=28 | option_b=48 | option_c=19 | option_d=37 | answer=B | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 48 is the odd one out.
- id=88519 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.
- id=88520 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39092 at 12% per annum for 1 years. | option_a=4791 | option_b=4691 | option_c=43783 | option_d=4591 | answer=B | explanation=SI = PRT/100 = 39092×12×1/100 = █4691.
- id=88521 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=56 | option_b=47 | option_c=65 | option_d=57 | answer=A | explanation=The common difference is 9. Therefore the next term is 47 + 9 = 56.
- id=88522 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=145 | option_c=300 | option_d=155 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.
- id=88523 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4475. If it is sold at a profit of 40%, what is its selling price? | option_a=5818 | option_b=6265 | option_c=4515 | option_d=6712 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4475 × 140/100 = █6265.
- id=88524 | topic=Percentages | difficulty=Easy | question=What is 50% of 618? | option_a=329 | option_b=309 | option_c=304 | option_d=618 | answer=B | explanation=50% of 618 = (50/100) × 618 = 309.
- id=88525 | topic=Percentages | difficulty=Easy | question=What is 5% of 829? | option_a=61 | option_b=21 | option_c=41 | option_d=82 | answer=C | explanation=5% of 829 = (5/100) × 829 = 41.
- id=88526 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.
- id=88527 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2122 at 8% per annum for 3 years. | option_a=409 | option_b=2631 | option_c=509 | option_d=609 | answer=C | explanation=SI = PRT/100 = 2122×8×3/100 = █509.
- id=88528 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2944. If it is sold at a profit of 30%, what is its selling price? | option_a=3827 | option_b=4121 | option_c=2974 | option_d=3533 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2944 × 130/100 = █3827.
- id=88529 | topic=Averages | difficulty=Easy | question=Find the average of 58, 18, 42, 61, 44, 77. | option_a=52 | option_b=51 | option_c=49 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 300 ÷ 6 = 50.
- id=88530 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 88,531-88,560 of 100,000

id=88531 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■28590 at 15% per annum for 1 years. | option_a=4188 | option_b=32878 | option_c=4388 | option_d=4288 | answer=D | explanation=SI = PRT/100 = 28590×15×1/100 = ■4288.

id=88532 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=50 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=88533 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=54 | option_b=44 | option_c=62 | option_d=53 | answer=D | explanation=The common difference is 9. Therefore the next term is 44 + 9 = 53.

id=88534 | topic=Percentages | difficulty=Easy | question=What is 50% of 222? | option_a=131 | option_b=222 | option_c=101 | option_d=111 | answer=D | explanation=50% of 222 = (50/100) × 222 = 111.

id=88535 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=88536 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■817. If it is sold at a profit of 25%, what is its selling price? | option_a=842 | option_b=1021 | option_c=1102 | option_d=940 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 817 × 125/100 = ■1021.

id=88537 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 8. | option_a=10 | option_b=1 | option_c=8 | option_d=16 | answer=C | explanation=LCM × HCF = 2×8; HCF(2,8) = 2, so LCM = 8.

id=88538 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 10, 13, 16, ? | option_a=19 | option_b=20 | option_c=16 | option_d=22 | answer=A | explanation=The common difference is 3. Therefore the next term is 16 + 3 = 19.

id=88539 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=88540 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■35929 at 4% per annum for 2 years. | option_a=2974 | option_b=2874 | option_c=38803 | option_d=2774 | answer=B | explanation=SI = PRT/100 = 35929×4×2/100 = ■2874.

id=88541 | topic=Averages | difficulty=Easy | question=Find the average of 88, 81, 63, 54, 24, 54, 40, 61, 18, 67. | option_a=54 | option_b=56 | option_c=55 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 550 ÷ 10 = 55.

id=88542 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=88543 | topic=Averages | difficulty=Easy | question=Find the average of 24, 24, 48, 34, 32, 92, 89, 69, 48, 30. | option_a=49 | option_b=50 | option_c=51 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = 490 ÷ 10 = 49.

id=88544 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:1 and the first is 24, what is the second? | option_a=32 | option_b=11 | option_c=8 | option_d=7 | answer=C | explanation=Scale factor = 24/3 = 8. Therefore second quantity = 1×8 = 8.

id=88545 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=88546 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:16 and the first is 280, what is the second? | option_a=504 | option_b=224 | option_c=244 | option_d=208 | answer=B | explanation=Scale factor = 280/20 = 14. Therefore second quantity = 16×14 = 224.

id=88547 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 9, 16, 25? | option_a=16 | option_b=25 | option_c=2 | option_d=9 | answer=B | explanation=The first three numbers increase by 7, so the next should be 23. Therefore 25 is the odd one out.

id=88548 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:1 and the first is 60, what is the second? | option_a=14 | option_b=15 | option_c=19 | option_d=75 | answer=B | explanation=Scale factor = 60/4 = 15. Therefore second quantity = 1×15 = 15.

id=88549 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=N | option_c=T | option_d=P | answer=A | explanation=Move 2 positions forward from P; the resulting letter is R.

id=88550 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=88551 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=88552 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 31, 36, 42? | option_a=42 | option_b=26 | option_c=31 | option_d=36 | answer=A | explanation=The first three numbers increase by 5, so the next should be 41. Therefore 42 is the odd one out.

id=88553 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=37 | option_b=29 | option_c=45 | option_d=38 | answer=A | explanation=The common difference is 8. Therefore the next term is 29 + 8 = 37.

id=88554 | topic=Percentages | difficulty=Easy | question=What is 5% of 413? | option_a=30 | option_b=20 | option_c=0 | option_d=40 | answer=B | explanation=5% of 413 = (5/100) × 413 = 20.

id=88555 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=50 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=88556 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:19 and the first is 32, what is the second? | option_a=76 | option_b=108 | option_c=84 | option_d=57 | answer=A | explanation=Scale factor = 32/8 = 4. Therefore second quantity = 19×4 = 76.

id=88557 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=88558 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=88559 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=360 | option_c=180 | option_d=185 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=88560 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=P | option_b=K | option_c=U | option_d=F | answer=A | explanation=Move 5 positions forward from K; the resulting letter is P.

Aptitude Questions — Records 88,561-88,590 of 100,000

id=88561 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=36 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=88562 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=D | option_c=C | option_d=B | answer=B | explanation=Move 1 positions forward from C; the resulting letter is D.

id=88563 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=20 | option_b=23 | option_c=24 | option_d=22 | answer=D | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=88564 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=88565 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40570 at 15% per annum for 5 years. | option_a=30527 | option_b=70997 | option_c=30427 | option_d=30327 | answer=C | explanation=SI = PRT/100 = 40570×15×5/100 = **■**30427.

id=88566 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=A | option_c=W | option_d=I | answer=A | explanation=Move 4 positions forward from A; the resulting letter is E.

id=88567 | topic=Percentages | difficulty=Easy | question=What is 40% of 904? | option_a=341 | option_b=361 | option_c=381 | option_d=722 | answer=B | explanation=40% of 904 = (40/100) × 904 = 361.

id=88568 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 12, 16, 21? | option_a=16 | option_b=21 | option_c=12 | option_d=8 | answer=B | explanation=The first three numbers increase by 4, so the next should be 20. Therefore 21 is the odd one out.

id=88569 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=88570 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3282. If it is sold at a profit of 20%, what is its selling price? | option_a=3938 | option_b=4266 | option_c=3610 | option_d=3302 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3282 × 120/100 = **■**3938.

id=88571 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=54 | option_b=42 | option_c=66 | option_d=55 | answer=A | explanation=The common difference is 12. Therefore the next term is 42 + 12 = 54.

id=88572 | topic=Averages | difficulty=Easy | question=Find the average of 13, 23, 42, 55, 51, 17, 58, 45. | option_a=38 | option_b=40 | option_c=39 | option_d=37 | answer=A | explanation=Average = sum of values ÷ number of values = 304 ÷ 8 = 38.

id=88573 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=29 | option_d=19 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=88574 | topic=Averages | difficulty=Easy | question=Find the average of 14, 69, 58, 40, 48, 16, 70. | option_a=44 | option_b=45 | option_c=47 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 315 ÷ 7 = 45.

id=88575 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4758. If it is sold at a profit of 30%, what is its selling price? | option_a=5710 | option_b=6185 | option_c=6660 | option_d=4788 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4758 × 130/100 = **■**6185.

id=88576 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=88577 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=360 | option_c=180 | option_d=185 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=88578 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=88579 | topic=Percentages | difficulty=Easy | question=What is 10% of 453? | option_a=40 | option_b=90 | option_c=45 | option_d=65 | answer=C | explanation=10% of 453 = (10/100) × 453 = 45.

id=88580 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=88581 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 15. | option_a=60 | option_b=45 | option_c=300 | option_d=80 | answer=A | explanation=LCM × HCF = 20×15; HCF(20,15) = 5, so LCM = 60.

id=88582 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=14 | option_c=9 | option_d=4 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=88583 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:13 and the first is 170, what is the second? | option_a=130 | option_b=147 | option_c=117 | option_d=300 | answer=A | explanation=Scale factor = 170/17 = 10. Therefore second quantity = 13×10 = 130.

id=88584 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 30. | option_a=150 | option_b=120 | option_c=175 | option_d=750 | answer=A | explanation=LCM × HCF = 25×30; HCF(25,30) = 5, so LCM = 150.

id=88585 | topic=Averages | difficulty=Easy | question=Find the average of 38, 82, 67, 90, 63, 28, 24, 72. | option_a=57 | option_b=60 | option_c=58 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 464 ÷ 8 = 58.

id=88586 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 12, 15, 18, ? | option_a=21 | option_b=24 | option_c=18 | option_d=22 | answer=A | explanation=The common difference is 3. Therefore the next term is 18 + 3 = 21.

id=88587 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=88588 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36837 at 15% per annum for 3 years. | option_a=16576 | option_b=16476 | option_c=16676 | option_d=53413 | answer=A | explanation=SI = PRT/100 = 36837×15×3/100 = **■**16576.

id=88589 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36191 at 10% per annum for 2 years. | option_a=43429 | option_b=7238 | option_c=7338 | option_d=7138 | answer=B | explanation=SI = PRT/100 = 36191×10×2/100 = **■**7238.

id=88590 | topic=Percentages | difficulty=Easy | question=What is 30% of 923? | option_a=276 | option_b=266 | option_c=286 | option_d=552 | answer=A | explanation=30% of 923 = (30/100) × 923 = 276.

Aptitude Questions — Records 88,591-88,620 of 100,000

id=88591 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■19935 at 4% per annum for 1 years. | option_a=697 | option_b=797 | option_c=897 | option_d=20732 | answer=B | explanation=SI = $PRT/100 = 19935 \times 4 \times 1/100 = \blacksquare 797$.

id=88592 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=88593 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=88594 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1686. If it is sold at a profit of 5%, what is its selling price? | option_a=1691 | option_b=1938 | option_c=1602 | option_d=1770 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 1686 \times 105/100 = \blacksquare 1770$.

id=88595 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=64 | option_b=65 | option_c=52 | option_d=76 | answer=A | explanation=The common difference is 12. Therefore the next term is $52 + 12 = 64$.

id=88596 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = $90 \div 6 = 15$ km/h.

id=88597 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=88598 | topic=Percentages | difficulty=Easy | question=What is 40% of 150? | option_a=40 | option_b=60 | option_c=80 | option_d=120 | answer=B | explanation=40% of 150 = $(40/100) \times 150 = 60$.

id=88599 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=88600 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3836. If it is sold at a profit of 25%, what is its selling price? | option_a=5178 | option_b=3861 | option_c=4412 | option_d=4795 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 3836 \times 125/100 = \blacksquare 4795$.

id=88601 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=62 | option_b=74 | option_c=50 | option_d=63 | answer=A | explanation=The common difference is 12. Therefore the next term is $50 + 12 = 62$.

id=88602 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=180 | option_c=360 | option_d=185 | answer=B | explanation=Speed = distance ÷ time = $360 \div 2 = 180$ km/h.

id=88603 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=45 | option_b=35 | option_c=40 | option_d=41 | answer=C | explanation=The common difference is 5. Therefore the next term is $35 + 5 = 40$.

id=88604 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=20 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = $150 \div 10 = 15$ km/h.

id=88605 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = $150 \div 5 = 30$ km/h.

id=88606 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:1 and the first is 20, what is the second? | option_a=4 | option_b=5 | option_c=9 | option_d=25 | answer=B | explanation=Scale factor = $20/4 = 5$. Therefore second quantity = $1 \times 5 = 5$.

id=88607 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 13, 21, 30? | option_a=21 | option_b=5 | option_c=13 | option_d=30 | answer=D | explanation=The first three numbers increase by 8, so the next should be 29. Therefore 30 is the odd one out.

id=88608 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:9 and the first is 99, what is the second? | option_a=99 | option_b=108 | option_c=198 | option_d=90 | answer=A | explanation=Scale factor = $99/9 = 11$. Therefore second quantity = $9 \times 11 = 99$.

id=88609 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■867. If it is sold at a profit of 10%, what is its selling price? | option_a=877 | option_b=1039 | option_c=867 | option_d=953 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 867 \times 110/100 = \blacksquare 953$.

id=88610 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 25, 31, 40? | option_a=31 | option_b=40 | option_c=25 | option_d=19 | answer=B | explanation=The first three numbers increase by 6, so the next should be 37. Therefore 40 is the odd one out.

id=88611 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=B | option_b=D | option_c=H | option_d=F | answer=D | explanation=Move 2 positions forward from D; the resulting letter is F.

id=88612 | topic=Percentages | difficulty=Easy | question=What is 30% of 672? | option_a=201 | option_b=181 | option_c=402 | option_d=211 | answer=A | explanation=30% of 672 = $(30/100) \times 672 = 201$.

id=88613 | topic=Percentages | difficulty=Easy | question=What is 30% of 1287? | option_a=376 | option_b=396 | option_c=386 | option_d=772 | answer=C | explanation=30% of 1287 = $(30/100) \times 1287 = 386$.

id=88614 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■300. If it is sold at a profit of 50%, what is its selling price? | option_a=420 | option_b=450 | option_c=480 | option_d=350 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 300 \times 150/100 = \blacksquare 450$.

id=88615 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■33920 at 5% per annum for 3 years. | option_a=5188 | option_b=5088 | option_c=39008 | option_d=4988 | answer=B | explanation=SI = $PRT/100 = 33920 \times 5 \times 3/100 = \blacksquare 5088$.

id=88616 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■31392 at 4% per annum for 3 years. | option_a=3867 | option_b=3767 | option_c=35159 | option_d=3667 | answer=B | explanation=SI = $PRT/100 = 31392 \times 4 \times 3/100 = \blacksquare 3767$.

id=88617 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■17985 at 8% per annum for 1 years. | option_a=1538 | option_b=19423 | option_c=1438 | option_d=1338 | answer=C | explanation=SI = $PRT/100 = 17985 \times 8 \times 1/100 = \blacksquare 1438$.

id=88618 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=37 | option_b=29 | option_c=34 | option_d=33 | answer=D | explanation=The common difference is 4. Therefore the next term is $29 + 4 = 33$.

id=88619 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■45588 at 5% per annum for 5 years. | option_a=11297 | option_b=56985 | option_c=11497 | option_d=11397 | answer=D | explanation=SI = $PRT/100 = 45588 \times 5 \times 5/100 = \blacksquare 11397$.

id=88620 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

Aptitude Questions — Records 88,621-88,650 of 100,000

id=88621 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=88622 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:6 and the first is 289, what is the second? | option_a=96 | option_b=391 | option_c=102 | option_d=119 | answer=C | explanation=Scale factor = 289/17 = 17. Therefore second quantity = 6×17 = 102.

id=88623 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 22? | option_a=15 | option_b=19 | option_c=22 | option_d=17 | answer=C | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 22 is the odd one out.

id=88624 | topic=Averages | difficulty=Easy | question=Find the average of 45, 84, 49, 79, 30, 25. | option_a=52 | option_b=54 | option_c=51 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 312 ÷ 6 = 52.

id=88625 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=I | option_c=J | option_d=G | answer=B | explanation=Move 1 positions forward from H; the resulting letter is I.

id=88626 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:12 and the first is 126, what is the second? | option_a=342 | option_b=204 | option_c=216 | option_d=223 | answer=C | explanation=Scale factor = 126/7 = 18. Therefore second quantity = 12×18 = 216.

id=88627 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=88628 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 41? | option_a=41 | option_b=30 | option_c=22 | option_d=14 | answer=A | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 41 is the odd one out.

id=88629 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=88630 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 6, 10, 16? | option_a=2 | option_b=10 | option_c=6 | option_d=16 | answer=D | explanation=The first three numbers increase by 4, so the next should be 14. Therefore 16 is the odd one out.

id=88631 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14842 at 15% per annum for 1 years. | option_a=17068 | option_b=2226 | option_c=2326 | option_d=2126 | answer=B | explanation=SI = PRT/100 = 14842×15×1/100 = **■**2226.

id=88632 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:8 and the first is 180, what is the second? | option_a=92 | option_b=252 | option_c=64 | option_d=72 | answer=D | explanation=Scale factor = 180/20 = 9. Therefore second quantity = 8×9 = 72.

id=88633 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 35, 40, 47? | option_a=40 | option_b=47 | option_c=35 | option_d=30 | answer=B | explanation=The first three numbers increase by 5, so the next should be 45. Therefore 47 is the odd one out.

id=88634 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:10 and the first is 38, what is the second? | option_a=192 | option_b=190 | option_c=180 | option_d=228 | answer=B | explanation=Scale factor = 38/2 = 19. Therefore second quantity = 10×19 = 190.

id=88635 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 42? | option_a=42 | option_b=11 | option_c=21 | option_d=31 | answer=A | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 42 is the odd one out.

id=88636 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=27 | option_b=23 | option_c=31 | option_d=28 | answer=A | explanation=The common difference is 4. Therefore the next term is 23 + 4 = 27.

id=88637 | topic=Percentages | difficulty=Easy | question=What is 12% of 1930? | option_a=211 | option_b=462 | option_c=251 | option_d=231 | answer=D | explanation=12% of 1930 = (12/100) × 1930 = 231.

id=88638 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=88639 | topic=Percentages | difficulty=Easy | question=What is 10% of 238? | option_a=46 | option_b=13 | option_c=28 | option_d=23 | answer=D | explanation=10% of 238 = (10/100) × 238 = 23.

id=88640 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=38 | option_b=48 | option_c=56 | option_d=47 | answer=D | explanation=The common difference is 9. Therefore the next term is 38 + 9 = 47.

id=88641 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:16 and the first is 84, what is the second? | option_a=224 | option_b=308 | option_c=208 | option_d=230 | answer=A | explanation=Scale factor = 84/6 = 14. Therefore second quantity = 16×14 = 224.

id=88642 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=88643 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2527. If it is sold at a profit of 30%, what is its selling price? | option_a=2557 | option_b=3537 | option_c=3033 | option_d=3285 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2527 × 130/100 = **■**3285.

id=88644 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 10, 18, 29? | option_a=2 | option_b=18 | option_c=29 | option_d=10 | answer=C | explanation=The first three numbers increase by 8, so the next should be 26. Therefore 29 is the odd one out.

id=88645 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=V | option_b=Q | option_c=L | option_d=G | answer=B | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=88646 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 16. | option_a=32 | option_b=1 | option_c=16 | option_d=18 | answer=C | explanation=LCM × HCF = 2×16; HCF(2,16) = 2, so LCM = 16.

id=88647 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:12 and the first is 3, what is the second? | option_a=36 | option_b=24 | option_c=39 | option_d=37 | answer=A | explanation=Scale factor = 3/1 = 3. Therefore second quantity = 12×3 = 36.

id=88648 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3879. If it is sold at a profit of 15%, what is its selling price? | option_a=3894 | option_b=4847 | option_c=4073 | option_d=4460 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3879 × 115/100 = **■**4460.

id=88649 | topic=Percentages | difficulty=Easy | question=What is 20% of 997? | option_a=199 | option_b=189 | option_c=398 | option_d=204 | answer=A | explanation=20% of 997 = (20/100) × 997 = 199.

id=88650 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=F | option_b=K | option_c=U | option_d=P | answer=D | explanation=Move 5 positions forward from K; the resulting letter is P.

Aptitude Questions — Records 88,651-88,680 of 100,000

id=88651 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:13 and the first is 240, what is the second? | option_a=500 | option_b=247 | option_c=260 | option_d=272 | answer=C | explanation=Scale factor = $240/12 = 20$. Therefore second quantity = $13 \times 20 = 260$.

id=88652 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:9 and the first is 90, what is the second? | option_a=81 | option_b=171 | option_c=72 | option_d=91 | answer=A | explanation=Scale factor = $90/10 = 9$. Therefore second quantity = $9 \times 9 = 81$.

id=88653 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2333. If it is sold at a profit of 30%, what is its selling price? | option_a=2799 | option_b=3265 | option_c=2363 | option_d=3032 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2333 \times 130/100 = \text{█}3032$.

id=88654 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 28. | option_a=84 | option_b=588 | option_c=56 | option_d=105 | answer=A | explanation= $LCM \times HCF = 21 \times 28$; $HCF(21,28) = 7$, so $LCM = 84$.

id=88655 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=A | option_b=M | option_c=E | option_d=I | answer=D | explanation=Move 4 positions forward from E; the resulting letter is I.

id=88656 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=43 | option_b=37 | option_c=49 | option_d=44 | answer=A | explanation=The common difference is 6. Therefore the next term is $37 + 6 = 43$.

id=88657 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=55 | option_b=44 | option_c=66 | option_d=56 | answer=A | explanation=The common difference is 11. Therefore the next term is $44 + 11 = 55$.

id=88658 | topic=Percentages | difficulty=Easy | question=What is 12% of 112? | option_a=18 | option_b=13 | option_c=3 | option_d=26 | answer=B | explanation= $12\% \text{ of } 112 = (12/100) \times 112 = 13$.

id=88659 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:11 and the first is 170, what is the second? | option_a=280 | option_b=99 | option_c=110 | option_d=127 | answer=C | explanation=Scale factor = $170/17 = 10$. Therefore second quantity = $11 \times 10 = 110$.

id=88660 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=88661 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=27 | option_b=22 | option_c=23 | option_d=17 | answer=B | explanation=The common difference is 5. Therefore the next term is $17 + 5 = 22$.

id=88662 | topic=Averages | difficulty=Easy | question=Find the average of 33, 38, 60, 59, 43, 46, 29. | option_a=44 | option_b=43 | option_c=45 | option_d=46 | answer=A | explanation=Average = $\text{sum of values} \div \text{number of values} = 308 \div 7 = 44$.

id=88663 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:19 and the first is 180, what is the second? | option_a=351 | option_b=152 | option_c=171 | option_d=191 | answer=C | explanation=Scale factor = $180/20 = 9$. Therefore second quantity = $19 \times 9 = 171$.

id=88664 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1018. If it is sold at a profit of 15%, what is its selling price? | option_a=1069 | option_b=1033 | option_c=1271 | option_d=1170 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1018 \times 115/100 = \text{█}1170$.

id=88665 | topic=Averages | difficulty=Easy | question=Find the average of 100, 81, 53, 19, 37. | option_a=57 | option_b=58 | option_c=60 | option_d=59 | answer=B | explanation=Average = $\text{sum of values} \div \text{number of values} = 290 \div 5 = 58$.

id=88666 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=55 | option_c=100 | option_d=50 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 300 \div 6 = 50$ km/h.

id=88667 | topic=Percentages | difficulty=Easy | question=What is 30% of 1679? | option_a=1006 | option_b=503 | option_c=483 | option_d=513 | answer=B | explanation= $30\% \text{ of } 1679 = (30/100) \times 1679 = 503$.

id=88668 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=80 | option_d=45 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 240 \div 6 = 40$ km/h.

id=88669 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1059. If it is sold at a profit of 25%, what is its selling price? | option_a=1428 | option_b=1218 | option_c=1084 | option_d=1323 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1059 \times 125/100 = \text{█}1323$.

id=88670 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:15 and the first is 18, what is the second? | option_a=63 | option_b=45 | option_c=30 | option_d=51 | answer=B | explanation=Scale factor = $18/6 = 3$. Therefore second quantity = $15 \times 3 = 45$.

id=88671 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=88672 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 150 \div 5 = 30$ km/h.

id=88673 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 42? | option_a=35 | option_b=25 | option_c=42 | option_d=30 | answer=C | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 42 is the odd one out.

id=88674 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4266. If it is sold at a profit of 20%, what is its selling price? | option_a=5119 | option_b=4286 | option_c=4693 | option_d=5545 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4266 \times 120/100 = \text{█}5119$.

id=88675 | topic=Percentages | difficulty=Easy | question=What is 5% of 271? | option_a=0 | option_b=13 | option_c=18 | option_d=26 | answer=B | explanation= $5\% \text{ of } 271 = (5/100) \times 271 = 13$.

id=88676 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=O | option_b=T | option_c=J | option_d=E | answer=A | explanation=Move 5 positions forward from J; the resulting letter is O.

id=88677 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1732. If it is sold at a profit of 40%, what is its selling price? | option_a=1772 | option_b=2251 | option_c=2424 | option_d=2597 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1732 \times 140/100 = \text{█}2424$.

id=88678 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=20 | option_d=30 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 150 \div 10 = 15$ km/h.

id=88679 | topic=Averages | difficulty=Easy | question=Find the average of 85, 16, 12, 79. | option_a=49 | option_b=47 | option_c=50 | option_d=48 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 192 \div 4 = 48$.

id=88680 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 8. | option_a=1 | option_b=8 | option_c=12 | option_d=32 | answer=B | explanation= $LCM \times HCF = 4 \times 8$; $HCF(4,8) = 4$, so $LCM = 8$.

Aptitude Questions — Records 88,681-88,710 of 100,000

id=88681 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 16, 25, 37? | option_a=25 | option_b=37 | option_c=16 | option_d=7 | answer=B | explanation=The first three numbers increase by 9, so the next should be 34. Therefore 37 is the odd one out.

id=88682 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=88683 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:4 and the first is 165, what is the second? | option_a=59 | option_b=40 | option_c=209 | option_d=44 | answer=D | explanation=Scale factor = 165/15 = 11. Therefore second quantity = 4×11 = 44.

id=88684 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 31, 39, 48? | option_a=39 | option_b=48 | option_c=23 | option_d=31 | answer=B | explanation=The first three numbers increase by 8, so the next should be 47. Therefore 48 is the odd one out.

id=88685 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=88686 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=25 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=88687 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3111. If it is sold at a profit of 20%, what is its selling price? | option_a=3422 | option_b=3131 | option_c=4044 | option_d=3733 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3111 × 120/100 = █3733.

id=88688 | topic=Averages | difficulty=Easy | question=Find the average of 95, 94, 82, 52, 27. | option_a=71 | option_b=72 | option_c=70 | option_d=69 | answer=C | explanation=Average = sum of values ÷ number of values = 350 ÷ 5 = 70.

id=88689 | topic=Percentages | difficulty=Easy | question=What is 10% of 1979? | option_a=394 | option_b=207 | option_c=197 | option_d=187 | answer=C | explanation=10% of 1979 = (10/100) × 1979 = 197.

id=88690 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 62? | option_a=50 | option_b=62 | option_c=30 | option_d=40 | answer=B | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 62 is the odd one out.

id=88691 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=36 | option_c=18 | option_d=13 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=88692 | topic=Percentages | difficulty=Easy | question=What is 10% of 851? | option_a=80 | option_b=85 | option_c=170 | option_d=105 | answer=B | explanation=10% of 851 = (10/100) × 851 = 85.

id=88693 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=88694 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=80 | option_c=35 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=88695 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 41? | option_a=22 | option_b=14 | option_c=30 | option_d=41 | answer=D | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 41 is the odd one out.

id=88696 | topic=Averages | difficulty=Easy | question=Find the average of 27, 18, 99, 77, 25, 79, 29, 78. | option_a=56 | option_b=55 | option_c=54 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 432 ÷ 8 = 54.

id=88697 | topic=Averages | difficulty=Easy | question=Find the average of 38, 67, 41, 102. | option_a=62 | option_b=64 | option_c=63 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 248 ÷ 4 = 62.

id=88698 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=88699 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=G | option_c=M | option_d=P | answer=C | explanation=Move 3 positions forward from J; the resulting letter is M.

id=88700 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=D | option_b=L | option_c=P | option_d=H | answer=B | explanation=Move 4 positions forward from H; the resulting letter is L.

id=88701 | topic=Averages | difficulty=Easy | question=Find the average of 78, 73, 59, 94, 11, 95, 93, 88, 66. | option_a=74 | option_b=73 | option_c=72 | option_d=75 | answer=B | explanation=Average = sum of values ÷ number of values = 657 ÷ 9 = 73.

id=88702 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 30, 38, 47? | option_a=47 | option_b=38 | option_c=22 | option_d=30 | answer=A | explanation=The first three numbers increase by 8, so the next should be 46. Therefore 47 is the odd one out.

id=88703 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 17? | option_a=17 | option_b=10 | option_c=12 | option_d=8 | answer=A | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 17 is the odd one out.

id=88704 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:7 and the first is 84, what is the second? | option_a=104 | option_b=98 | option_c=91 | option_d=182 | answer=B | explanation=Scale factor = 84/6 = 14. Therefore second quantity = 7×14 = 98.

id=88705 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 28, 38, 51? | option_a=28 | option_b=51 | option_c=38 | option_d=18 | answer=B | explanation=The first three numbers increase by 10, so the next should be 48. Therefore 51 is the odd one out.

id=88706 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=88707 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=88708 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3769. If it is sold at a profit of 15%, what is its selling price? | option_a=3784 | option_b=4334 | option_c=3958 | option_d=4710 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3769 × 115/100 = █4334.

id=88709 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 18. | option_a=140 | option_b=108 | option_c=252 | option_d=126 | answer=D | explanation=LCM × HCF = 14×18; HCF(14,18) = 2, so LCM = 126.

id=88710 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49431 at 5% per annum for 3 years. | option_a=7514 | option_b=7314 | option_c=56845 | option_d=7414 | answer=D | explanation=SI = PRT/100 = 49431×5×3/100 = █7414.

Aptitude Questions — Records 88,711-88,740 of 100,000

id=88711 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=N | option_c=Z | option_d=R | answer=A | explanation=Move 4 positions forward from R; the resulting letter is V.

id=88712 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 35? | option_a=12 | option_b=22 | option_c=35 | option_d=2 | answer=C | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 35 is the odd one out.

id=88713 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=45 | option_b=57 | option_c=67 | option_d=56 | answer=D | explanation=The common difference is 11. Therefore the next term is 45 + 11 = 56.

id=88714 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=31 | option_b=34 | option_c=32 | option_d=28 | answer=A | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=88715 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1341. If it is sold at a profit of 50%, what is its selling price? | option_a=2145 | option_b=1391 | option_c=2011 | option_d=1877 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1341 × 150/100 = █2011.

id=88716 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=29 | option_c=24 | option_d=48 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=88717 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:10 and the first is 88, what is the second? | option_a=118 | option_b=198 | option_c=110 | option_d=100 | answer=C | explanation=Scale factor = 88/8 = 11. Therefore second quantity = 10×11 = 110.

id=88718 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=88719 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7046 at 10% per annum for 5 years. | option_a=3523 | option_b=3623 | option_c=3423 | option_d=10569 | answer=A | explanation=SI = PRT/100 = 7046×10×5/100 = █3523.

id=88720 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19886 at 12% per annum for 5 years. | option_a=11831 | option_b=11931 | option_c=12031 | option_d=31817 | answer=B | explanation=SI = PRT/100 = 19886×12×5/100 = █11931.

id=88721 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=24 | option_c=19 | option_d=29 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=88722 | topic=Percentages | difficulty=Easy | question=What is 15% of 1302? | option_a=195 | option_b=190 | option_c=200 | option_d=390 | answer=A | explanation=15% of 1302 = (15/100) × 1302 = 195.

id=88723 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=U | option_c=O | option_d=S | answer=D | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=88724 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45590 at 15% per annum for 1 years. | option_a=52428 | option_b=6838 | option_c=6738 | option_d=6938 | answer=B | explanation=SI = PRT/100 = 45590×15×1/100 = █6838.

id=88725 | topic=Averages | difficulty=Easy | question=Find the average of 93, 12, 15, 54, 47, 19, 68. | option_a=44 | option_b=43 | option_c=45 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 308 ÷ 7 = 44.

id=88726 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=40 | option_c=35 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=88727 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 31, 40, 50? | option_a=50 | option_b=40 | option_c=31 | option_d=22 | answer=A | explanation=The first three numbers increase by 9, so the next should be 49. Therefore 50 is the odd one out.

id=88728 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44352 at 15% per annum for 1 years. | option_a=6552 | option_b=51004 | option_c=6752 | option_d=6652 | answer=D | explanation=SI = PRT/100 = 44352×15×1/100 = █6652.

id=88729 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4393. If it is sold at a profit of 30%, what is its selling price? | option_a=5710 | option_b=5271 | option_c=6149 | option_d=4423 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4393 × 130/100 = █5710.

id=88730 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2103. If it is sold at a profit of 25%, what is its selling price? | option_a=2838 | option_b=2418 | option_c=2128 | option_d=2628 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2103 × 125/100 = █2628.

id=88731 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4135 at 10% per annum for 3 years. | option_a=1140 | option_b=5375 | option_c=1240 | option_d=1340 | answer=C | explanation=SI = PRT/100 = 4135×10×3/100 = █1240.

id=88732 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=88733 | topic=Percentages | difficulty=Easy | question=What is 40% of 307? | option_a=127 | option_b=117 | option_c=122 | option_d=244 | answer=C | explanation=40% of 307 = (40/100) × 307 = 122.

id=88734 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=Q | option_b=S | option_c=U | option_d=W | answer=C | explanation=Move 2 positions forward from S; the resulting letter is U.

id=88735 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=P | option_b=X | option_c=B | option_d=T | answer=B | explanation=Move 4 positions forward from T; the resulting letter is X.

id=88736 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29668 at 8% per annum for 2 years. | option_a=4846 | option_b=34414 | option_c=4646 | option_d=4746 | answer=D | explanation=SI = PRT/100 = 29668×8×2/100 = █4746.

id=88737 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=88738 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=10 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=88739 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45910 at 10% per annum for 3 years. | option_a=13673 | option_b=59683 | option_c=13873 | option_d=13773 | answer=D | explanation=SI = PRT/100 = 45910×10×3/100 = █13773.

id=88740 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:11 and the first is 154, what is the second? | option_a=143 | option_b=308 | option_c=154 | option_d=165 | answer=C | explanation=Scale factor = 154/11 = 14. Therefore second quantity = 11×14 = 154.

Aptitude Questions — Records 88,741-88,770 of 100,000

id=88741 | topic=Averages | difficulty=Easy | question=Find the average of 74, 24, 44, 34. | option_a=44 | option_b=45 | option_c=46 | option_d=43 | answer=A | explanation=Average = sum of values ÷ number of values = $176 \div 4 = 44$.

id=88742 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8013 at 10% per annum for 1 years. | option_a=801 | option_b=701 | option_c=8814 | option_d=901 | answer=A | explanation=SI = $PRT/100 = 8013 \times 10 \times 1/100 = \text{■}801$.

id=88743 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:10 and the first is 72, what is the second? | option_a=80 | option_b=90 | option_c=162 | option_d=98 | answer=B | explanation=Scale factor = $72/8 = 9$. Therefore second quantity = $10 \times 9 = 90$.

id=88744 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 31? | option_a=24 | option_b=26 | option_c=22 | option_d=31 | answer=D | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 31 is the odd one out.

id=88745 | topic=Averages | difficulty=Easy | question=Find the average of 62, 82, 59, 37. | option_a=60 | option_b=62 | option_c=61 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = $240 \div 4 = 60$.

id=88746 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=48 | option_b=40 | option_c=47 | option_d=54 | answer=C | explanation=The common difference is 7. Therefore the next term is $40 + 7 = 47$.

id=88747 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 22. | option_a=88 | option_b=48 | option_c=44 | option_d=22 | answer=C | explanation= $LCM \times HCF = 4 \times 22$; $HCF(4,22) = 2$, so $LCM = 44$.

id=88748 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4375. If it is sold at a profit of 20%, what is its selling price? | option_a=4813 | option_b=5250 | option_c=5687 | option_d=4395 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4375 \times 120/100 = \text{■}5250$.

id=88749 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=37 | option_b=36 | option_c=31 | option_d=41 | answer=B | explanation=The common difference is 5. Therefore the next term is $31 + 5 = 36$.

id=88750 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=E | option_b=T | option_c=O | option_d=J | answer=C | explanation=Move 5 positions forward from J; the resulting letter is O.

id=88751 | topic=Percentages | difficulty=Easy | question=What is 50% of 482? | option_a=231 | option_b=482 | option_c=241 | option_d=251 | answer=C | explanation= $50\% \text{ of } 482 = (50/100) \times 482 = 241$.

id=88752 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2629. If it is sold at a profit of 30%, what is its selling price? | option_a=3679 | option_b=2659 | option_c=3417 | option_d=3155 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2629 \times 130/100 = \text{■}3417$.

id=88753 | topic=Percentages | difficulty=Easy | question=What is 30% of 1500? | option_a=445 | option_b=900 | option_c=455 | option_d=450 | answer=D | explanation= $30\% \text{ of } 1500 = (30/100) \times 1500 = 450$.

id=88754 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=F | option_b=L | option_c=H | option_d=J | answer=D | explanation=Move 2 positions forward from H; the resulting letter is J.

id=88755 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27143 at 6% per annum for 5 years. | option_a=8142 | option_b=8242 | option_c=8042 | option_d=35285 | answer=A | explanation=SI = $PRT/100 = 27143 \times 6 \times 5/100 = \text{■}8142$.

id=88756 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15796 at 8% per annum for 1 years. | option_a=1163 | option_b=1363 | option_c=17059 | option_d=1263 | answer=D | explanation=SI = $PRT/100 = 15796 \times 8 \times 1/100 = \text{■}1263$.

id=88757 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=39 | option_b=59 | option_c=50 | option_d=49 | answer=D | explanation=The common difference is 10. Therefore the next term is $39 + 10 = 49$.

id=88758 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 12. | option_a=72 | option_b=112 | option_c=84 | option_d=336 | answer=C | explanation= $LCM \times HCF = 28 \times 12$; $HCF(28,12) = 4$, so $LCM = 84$.

id=88759 | topic=Averages | difficulty=Easy | question=Find the average of 77, 84, 49, 74, 46. | option_a=67 | option_b=68 | option_c=65 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = $330 \div 5 = 66$.

id=88760 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=34 | option_b=26 | option_c=35 | option_d=42 | answer=A | explanation=The common difference is 8. Therefore the next term is $26 + 8 = 34$.

id=88761 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=41 | option_b=47 | option_c=35 | option_d=42 | answer=A | explanation=The common difference is 6. Therefore the next term is $35 + 6 = 41$.

id=88762 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40555 at 15% per annum for 1 years. | option_a=6083 | option_b=46638 | option_c=6183 | option_d=5983 | answer=A | explanation=SI = $PRT/100 = 40555 \times 15 \times 1/100 = \text{■}6083$.

id=88763 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 24. | option_a=36 | option_b=24 | option_c=288 | option_d=1 | answer=B | explanation= $LCM \times HCF = 12 \times 24$; $HCF(12,24) = 12$, so $LCM = 24$.

id=88764 | topic=Percentages | difficulty=Easy | question=What is 15% of 1445? | option_a=216 | option_b=226 | option_c=196 | option_d=432 | answer=A | explanation= $15\% \text{ of } 1445 = (15/100) \times 1445 = 216$.

id=88765 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=27 | option_b=35 | option_c=31 | option_d=32 | answer=C | explanation=The common difference is 4. Therefore the next term is $27 + 4 = 31$.

id=88766 | topic=Averages | difficulty=Easy | question=Find the average of 68, 29, 98, 77, 42, 51, 15, 40, 16, 34. | option_a=46 | option_b=47 | option_c=48 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = $470 \div 10 = 47$.

id=88767 | topic=Averages | difficulty=Easy | question=Find the average of 96, 99, 84, 22, 84. | option_a=79 | option_b=77 | option_c=76 | option_d=78 | answer=B | explanation=Average = sum of values ÷ number of values = $385 \div 5 = 77$.

id=88768 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:3 and the first is 117, what is the second? | option_a=144 | option_b=24 | option_c=27 | option_d=40 | answer=C | explanation=Scale factor = $117/13 = 9$. Therefore second quantity = $3 \times 9 = 27$.

id=88769 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4102. If it is sold at a profit of 20%, what is its selling price? | option_a=4122 | option_b=4512 | option_c=5332 | option_d=4922 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4102 \times 120/100 = \text{■}4922$.

id=88770 | topic=Averages | difficulty=Easy | question=Find the average of 34, 50, 44, 25, 45, 90, 13, 74, 30, 105. | option_a=52 | option_b=53 | option_c=51 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = $510 \div 10 = 51$.

Aptitude Questions — Records 88,771-88,800 of 100,000

id=88771 | topic=Averages | difficulty=Easy | question=Find the average of 30, 77, 34, 11. | option_a=40 | option_b=37 | option_c=39 | option_d=38 | answer=D | explanation=Average = sum of values ÷ number of values = 152 ÷ 4 = 38.

id=88772 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31023 at 12% per annum for 2 years. | option_a=7445 | option_b=38468 | option_c=7345 | option_d=7545 | answer=A | explanation=SI = PRT/100 = 31023×12×2/100 = **■**7445.

id=88773 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=N | option_c=T | option_d=P | answer=A | explanation=Move 2 positions forward from P; the resulting letter is R.

id=88774 | topic=Averages | difficulty=Easy | question=Find the average of 13, 56, 39, 84, 15, 85, 61, 103. | option_a=56 | option_b=57 | option_c=59 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

id=88775 | topic=Percentages | difficulty=Easy | question=What is 5% of 182? | option_a=18 | option_b=9 | option_c=0 | option_d=14 | answer=B | explanation=5% of 182 = (5/100) × 182 = 9.

id=88776 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 12, 15, 18, ? | option_a=22 | option_b=21 | option_c=24 | option_d=18 | answer=B | explanation=The common difference is 3. Therefore the next term is 18 + 3 = 21.

id=88777 | topic=Averages | difficulty=Easy | question=Find the average of 40, 76, 86, 43, 34, 21. | option_a=49 | option_b=51 | option_c=50 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 300 ÷ 6 = 50.

id=88778 | topic=Averages | difficulty=Easy | question=Find the average of 71, 16, 32, 17, 70, 65, 69, 24, 23. | option_a=43 | option_b=44 | option_c=45 | option_d=42 | answer=A | explanation=Average = sum of values ÷ number of values = 387 ÷ 9 = 43.

id=88779 | topic=Averages | difficulty=Easy | question=Find the average of 18, 33, 39, 13, 49, 56, 86, 74, 19. | option_a=42 | option_b=44 | option_c=45 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = 387 ÷ 9 = 43.

id=88780 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=H | option_c=P | option_d=T | answer=C | explanation=Move 4 positions forward from L; the resulting letter is P.

id=88781 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=88782 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Q | option_b=T | option_c=W | option_d=Z | answer=C | explanation=Move 3 positions forward from T; the resulting letter is W.

id=88783 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5332 at 4% per annum for 5 years. | option_a=966 | option_b=1166 | option_c=6398 | option_d=1066 | answer=D | explanation=SI = PRT/100 = 5332×4×5/100 = **■**1066.

id=88784 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 13, 18, 26? | option_a=18 | option_b=13 | option_c=8 | option_d=26 | answer=D | explanation=The first three numbers increase by 5, so the next should be 23. Therefore 26 is the odd one out.

id=88785 | topic=Percentages | difficulty=Easy | question=What is 20% of 1487? | option_a=277 | option_b=302 | option_c=297 | option_d=594 | answer=C | explanation=20% of 1487 = (20/100) × 1487 = 297.

id=88786 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1927. If it is sold at a profit of 20%, what is its selling price? | option_a=2504 | option_b=2120 | option_c=1947 | option_d=2312 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1927 × 120/100 = **■**2312.

id=88787 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:10 and the first is 182, what is the second? | option_a=130 | option_b=322 | option_c=153 | option_d=140 | answer=D | explanation=Scale factor = 182/13 = 14. Therefore second quantity = 10×14 = 140.

id=88788 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4135. If it is sold at a profit of 30%, what is its selling price? | option_a=4962 | option_b=5788 | option_c=4165 | option_d=5375 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4135 × 130/100 = **■**5375.

id=88789 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41058 at 5% per annum for 4 years. | option_a=8111 | option_b=8211 | option_c=49269 | option_d=8311 | answer=B | explanation=SI = PRT/100 = 41058×5×4/100 = **■**8211.

id=88790 | topic=Percentages | difficulty=Easy | question=What is 25% of 68? | option_a=7 | option_b=34 | option_c=22 | option_d=17 | answer=D | explanation=25% of 68 = (25/100) × 68 = 17.

id=88791 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=24 | option_c=29 | option_d=48 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=88792 | topic=Percentages | difficulty=Easy | question=What is 5% of 1172? | option_a=116 | option_b=58 | option_c=78 | option_d=53 | answer=B | explanation=5% of 1172 = (5/100) × 1172 = 58.

id=88793 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=88794 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 15, 19, 25? | option_a=15 | option_b=19 | option_c=11 | option_d=25 | answer=D | explanation=The first three numbers increase by 4, so the next should be 23. Therefore 25 is the odd one out.

id=88795 | topic=Averages | difficulty=Easy | question=Find the average of 54, 100, 92, 38, 25, 98, 83. | option_a=69 | option_b=71 | option_c=72 | option_d=70 | answer=D | explanation=Average = sum of values ÷ number of values = 490 ÷ 7 = 70.

id=88796 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:12 and the first is 117, what is the second? | option_a=225 | option_b=121 | option_c=108 | option_d=96 | answer=C | explanation=Scale factor = 117/13 = 9. Therefore second quantity = 12×9 = 108.

id=88797 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 24, 27, 32? | option_a=21 | option_b=24 | option_c=27 | option_d=32 | answer=D | explanation=The first three numbers increase by 3, so the next should be 30. Therefore 32 is the odd one out.

id=88798 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 21, 23, 26? | option_a=23 | option_b=19 | option_c=26 | option_d=21 | answer=C | explanation=The first three numbers increase by 2, so the next should be 25. Therefore 26 is the odd one out.

id=88799 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=88800 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4719. If it is sold at a profit of 25%, what is its selling price? | option_a=6369 | option_b=5898 | option_c=4744 | option_d=5427 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4719 × 125/100 = **■**5898.

Aptitude Questions — Records 88,801-88,830 of 100,000

id=88801 | topic=Averages | difficulty=Easy | question=Find the average of 39, 54, 85, 88, 74, 68, 13, 59. | option_a=60 | option_b=62 | option_c=59 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 480 ÷ 8 = 60.

id=88802 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■5991 at 8% per annum for 3 years. | option_a=1437 | option_b=1537 | option_c=1337 | option_d=7428 | answer=A | explanation=SI = PRT/100 = 5991×8×3/100 = ■1437.

id=88803 | topic=Averages | difficulty=Easy | question=Find the average of 40, 86, 11, 75. | option_a=52 | option_b=53 | option_c=55 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 212 ÷ 4 = 53.

id=88804 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=100 | option_c=200 | option_d=105 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=88805 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:2 and the first is 50, what is the second? | option_a=60 | option_b=20 | option_c=10 | option_d=8 | answer=C | explanation=Scale factor = 50/10 = 5. Therefore second quantity = 2×5 = 10.

id=88806 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 7, 10, 16? | option_a=4 | option_b=16 | option_c=10 | option_d=7 | answer=B | explanation=The first three numbers increase by 3, so the next should be 13. Therefore 16 is the odd one out.

id=88807 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=N | option_c=X | option_d=C | answer=C | explanation=Move 5 positions forward from S; the resulting letter is X.

id=88808 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4831. If it is sold at a profit of 40%, what is its selling price? | option_a=6763 | option_b=6280 | option_c=7246 | option_d=4871 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4831 × 140/100 = ■6763.

id=88809 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=88810 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=55 | option_b=44 | option_c=54 | option_d=64 | answer=C | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=88811 | topic=Averages | difficulty=Easy | question=Find the average of 48, 56, 46. | option_a=49 | option_b=51 | option_c=52 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 150 ÷ 3 = 50.

id=88812 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 13? | option_a=3 | option_b=6 | option_c=9 | option_d=13 | answer=D | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 13 is the odd one out.

id=88813 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=56 | option_b=46 | option_c=66 | option_d=57 | answer=A | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=88814 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=18 | option_c=23 | option_d=13 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=88815 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:4 and the first is 195, what is the second? | option_a=56 | option_b=60 | option_c=73 | option_d=255 | answer=B | explanation=Scale factor = 195/13 = 15. Therefore second quantity = 4×15 = 60.

id=88816 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4143. If it is sold at a profit of 15%, what is its selling price? | option_a=5178 | option_b=4350 | option_c=4764 | option_d=4158 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4143 × 115/100 = ■4764.

id=88817 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=19 | option_b=15 | option_c=23 | option_d=20 | answer=A | explanation=The common difference is 4. Therefore the next term is 15 + 4 = 19.

id=88818 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■39547 at 10% per annum for 1 years. | option_a=3954 | option_b=43501 | option_c=4054 | option_d=3854 | answer=A | explanation=SI = PRT/100 = 39547×10×1/100 = ■3954.

id=88819 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=54 | option_b=44 | option_c=34 | option_d=45 | answer=B | explanation=The common difference is 10. Therefore the next term is 34 + 10 = 44.

id=88820 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=M | option_b=N | option_c=P | option_d=O | answer=D | explanation=Move 1 positions forward from N; the resulting letter is O.

id=88821 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=125 | option_c=120 | option_d=115 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=88822 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■34740 at 6% per annum for 3 years. | option_a=40993 | option_b=6153 | option_c=6353 | option_d=6253 | answer=D | explanation=SI = PRT/100 = 34740×6×3/100 = ■6253.

id=88823 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 4. | option_a=24 | option_b=112 | option_c=56 | option_d=28 | answer=D | explanation=LCM × HCF = 28×4; HCF(28,4) = 4, so LCM = 28.

id=88824 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=88825 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■24875 at 10% per annum for 2 years. | option_a=29850 | option_b=5075 | option_c=4875 | option_d=4975 | answer=D | explanation=SI = PRT/100 = 24875×10×2/100 = ■4975.

id=88826 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 6. | option_a=64 | option_b=48 | option_c=96 | option_d=42 | answer=B | explanation=LCM × HCF = 16×6; HCF(16,6) = 2, so LCM = 48.

id=88827 | topic=Percentages | difficulty=Easy | question=What is 12% of 1050? | option_a=252 | option_b=126 | option_c=121 | option_d=136 | answer=B | explanation=12% of 1050 = (12/100) × 1050 = 126.

id=88828 | topic=Percentages | difficulty=Easy | question=What is 10% of 1997? | option_a=204 | option_b=179 | option_c=398 | option_d=199 | answer=B | explanation=10% of 1997 = (10/100) × 1997 = 199.

id=88829 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2745. If it is sold at a profit of 30%, what is its selling price? | option_a=3568 | option_b=3294 | option_c=3842 | option_d=2775 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2745 × 130/100 = ■3568.

id=88830 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=O | option_b=Z | option_c=J | option_d=E | answer=C | explanation=Move 5 positions forward from E; the resulting letter is J.

Aptitude Questions — Records 88,831-88,860 of 100,000

id=88831 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=33 | option_b=43 | option_c=42 | option_d=51 | answer=C | explanation=The common difference is 9. Therefore the next term is 33 + 9 = 42.

id=88832 | topic=Averages | difficulty=Easy | question=Find the average of 11, 61, 48, 28. | option_a=37 | option_b=39 | option_c=38 | option_d=36 | answer=A | explanation=Average = sum of values ÷ number of values = 148 ÷ 4 = 37.

id=88833 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 30, 34, 40? | option_a=40 | option_b=26 | option_c=34 | option_d=30 | answer=A | explanation=The first three numbers increase by 4, so the next should be 38. Therefore 40 is the odd one out.

id=88834 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3174. If it is sold at a profit of 40%, what is its selling price? | option_a=4126 | option_b=4760 | option_c=4443 | option_d=3214 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3174 × 140/100 = █4443.

id=88835 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=88836 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33469 at 6% per annum for 1 years. | option_a=1908 | option_b=2108 | option_c=2008 | option_d=35477 | answer=C | explanation=SI = PRT/100 = 33469×6×1/100 = █2008.

id=88837 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 20, 23, 27? | option_a=23 | option_b=17 | option_c=20 | option_d=27 | answer=D | explanation=The first three numbers increase by 3, so the next should be 26. Therefore 27 is the odd one out.

id=88838 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=88839 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=15 | option_c=40 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=88840 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=36 | option_c=72 | option_d=31 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=88841 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 20? | option_a=20 | option_b=15 | option_c=11 | option_d=7 | answer=A | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 20 is the odd one out.

id=88842 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=A | option_c=Z | option_d=B | answer=D | explanation=Move 1 positions forward from A; the resulting letter is B.

id=88843 | topic=Percentages | difficulty=Easy | question=What is 20% of 1002? | option_a=210 | option_b=200 | option_c=180 | option_d=400 | answer=B | explanation=20% of 1002 = (20/100) × 1002 = 200.

id=88844 | topic=Profit & Loss | difficulty=Easy | question=An article costs █148. If it is sold at a profit of 15%, what is its selling price? | option_a=156 | option_b=163 | option_c=184 | option_d=170 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 148 × 115/100 = █170.

id=88845 | topic=Percentages | difficulty=Easy | question=What is 15% of 1878? | option_a=562 | option_b=291 | option_c=271 | option_d=281 | answer=D | explanation=15% of 1878 = (15/100) × 1878 = 281.

id=88846 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=88847 | topic=Percentages | difficulty=Easy | question=What is 40% of 1493? | option_a=602 | option_b=1194 | option_c=587 | option_d=597 | answer=D | explanation=40% of 1493 = (40/100) × 1493 = 597.

id=88848 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29462 at 15% per annum for 1 years. | option_a=33881 | option_b=4319 | option_c=4419 | option_d=4519 | answer=C | explanation=SI = PRT/100 = 29462×15×1/100 = █4419.

id=88849 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:14 and the first is 42, what is the second? | option_a=56 | option_b=42 | option_c=84 | option_d=28 | answer=B | explanation=Scale factor = 42/14 = 3. Therefore second quantity = 14×3 = 42.

id=88850 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:15 and the first is 70, what is the second? | option_a=215 | option_b=195 | option_c=280 | option_d=210 | answer=D | explanation=Scale factor = 70/5 = 14. Therefore second quantity = 15×14 = 210.

id=88851 | topic=Averages | difficulty=Easy | question=Find the average of 43, 26, 24, 22, 56, 81, 28, 32. | option_a=38 | option_b=40 | option_c=41 | option_d=39 | answer=D | explanation=Average = sum of values ÷ number of values = 312 ÷ 8 = 39.

id=88852 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=68 | option_b=57 | option_c=58 | option_d=46 | answer=B | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.

id=88853 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=U | option_c=S | option_d=Q | answer=B | explanation=Move 2 positions forward from S; the resulting letter is U.

id=88854 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33901 at 6% per annum for 2 years. | option_a=37969 | option_b=3968 | option_c=4068 | option_d=4168 | answer=C | explanation=SI = PRT/100 = 33901×6×2/100 = █4068.

id=88855 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=14 | option_b=12 | option_c=10 | option_d=13 | answer=B | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.

id=88856 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:8 and the first is 360, what is the second? | option_a=520 | option_b=152 | option_c=160 | option_d=178 | answer=C | explanation=Scale factor = 360/18 = 20. Therefore second quantity = 8×20 = 160.

id=88857 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=G | option_b=A | option_c=D | option_d=J | answer=A | explanation=Move 3 positions forward from D; the resulting letter is G.

id=88858 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=18 | option_c=13 | option_d=23 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=88859 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=88860 | topic=Profit & Loss | difficulty=Easy | question=An article costs █536. If it is sold at a profit of 5%, what is its selling price? | option_a=509 | option_b=615 | option_c=562 | option_d=541 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 536 × 105/100 = █562.

Aptitude Questions — Records 88,861-88,890 of 100,000

- id=88861 | topic=Percentages | difficulty=Easy | question=What is 40% of 1981? | option_a=1584 | option_b=802 | option_c=787 | option_d=792 | answer=D | explanation=40% of 1981 = $(40/100) \times 1981 = 792$.
- id=88862 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.
- id=88863 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 17? | option_a=3 | option_b=7 | option_c=17 | option_d=11 | answer=C | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 17 is the odd one out.
- id=88864 | topic=Percentages | difficulty=Easy | question=What is 15% of 1927? | option_a=578 | option_b=289 | option_c=309 | option_d=279 | answer=B | explanation=15% of 1927 = $(15/100) \times 1927 = 289$.
- id=88865 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**22060 at 6% per annum for 3 years. | option_a=3970 | option_b=26030 | option_c=4070 | option_d=3870 | answer=A | explanation=SI = $PRT/100 = 22060 \times 6 \times 3/100 = \text{₹}3970$.
- id=88866 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3723. If it is sold at a profit of 50%, what is its selling price? | option_a=5212 | option_b=5956 | option_c=3773 | option_d=5584 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3723 \times 150/100 = \text{₹}5584$.
- id=88867 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.
- id=88868 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 62? | option_a=62 | option_b=40 | option_c=30 | option_d=50 | answer=A | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 62 is the odd one out.
- id=88869 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=300 | option_c=150 | option_d=145 | answer=C | explanation=Speed = distance ÷ time = $300 \div 2 = 150$ km/h.
- id=88870 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=7 | option_d=5 | answer=A | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.
- id=88871 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=Q | option_c=T | option_d=K | answer=B | explanation=Move 3 positions forward from N; the resulting letter is Q.
- id=88872 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**2009 at 15% per annum for 5 years. | option_a=1606 | option_b=3515 | option_c=1406 | option_d=1506 | answer=D | explanation=SI = $PRT/100 = 2009 \times 15 \times 5/100 = \text{₹}1506$.
- id=88873 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:19 and the first is 44, what is the second? | option_a=120 | option_b=76 | option_c=57 | option_d=87 | answer=B | explanation=Scale factor = $44/11 = 4$. Therefore second quantity = $19 \times 4 = 76$.
- id=88874 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:20 and the first is 12, what is the second? | option_a=72 | option_b=64 | option_c=40 | option_d=60 | answer=D | explanation=Scale factor = $12/4 = 3$. Therefore second quantity = $20 \times 3 = 60$.
- id=88875 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.
- id=88876 | topic=Percentages | difficulty=Easy | question=What is 20% of 1049? | option_a=229 | option_b=199 | option_c=209 | option_d=418 | answer=C | explanation=20% of 1049 = $(20/100) \times 1049 = 209$.
- id=88877 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2432. If it is sold at a profit of 10%, what is its selling price? | option_a=2442 | option_b=2675 | option_c=2918 | option_d=2432 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2432 \times 110/100 = \text{₹}2675$.
- id=88878 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=19 | option_c=48 | option_d=29 | answer=A | explanation=Speed = distance ÷ time = $120 \div 5 = 24$ km/h.
- id=88879 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 45? | option_a=31 | option_b=25 | option_c=37 | option_d=45 | answer=D | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 45 is the odd one out.
- id=88880 | topic=Percentages | difficulty=Easy | question=What is 25% of 314? | option_a=156 | option_b=83 | option_c=78 | option_d=73 | answer=C | explanation=25% of 314 = $(25/100) \times 314 = 78$.
- id=88881 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=7 | option_d=17 | answer=B | explanation=Speed = distance ÷ time = $60 \div 5 = 12$ km/h.
- id=88882 | topic=Percentages | difficulty=Easy | question=What is 25% of 725? | option_a=362 | option_b=171 | option_c=186 | option_d=181 | answer=D | explanation=25% of 725 = $(25/100) \times 725 = 181$.
- id=88883 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 19, 25, 34? | option_a=25 | option_b=13 | option_c=19 | option_d=34 | answer=D | explanation=The first three numbers increase by 6, so the next should be 31. Therefore 34 is the odd one out.
- id=88884 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**12089 at 12% per annum for 4 years. | option_a=17891 | option_b=5902 | option_c=5802 | option_d=5702 | answer=C | explanation=SI = $PRT/100 = 12089 \times 12 \times 4/100 = \text{₹}5802$.
- id=88885 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**22639 at 5% per annum for 2 years. | option_a=2163 | option_b=2363 | option_c=2263 | option_d=24902 | answer=C | explanation=SI = $PRT/100 = 22639 \times 5 \times 2/100 = \text{₹}2263$.
- id=88886 | topic=Percentages | difficulty=Easy | question=What is 10% of 1261? | option_a=126 | option_b=116 | option_c=252 | option_d=146 | answer=A | explanation=10% of 1261 = $(10/100) \times 1261 = 126$.
- id=88887 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1542. If it is sold at a profit of 30%, what is its selling price? | option_a=2158 | option_b=1572 | option_c=1850 | option_d=2004 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1542 \times 130/100 = \text{₹}2004$.
- id=88888 | topic=Averages | difficulty=Easy | question=Find the average of 56, 41, 10, 54, 26, 64, 36, 25. | option_a=39 | option_b=40 | option_c=38 | option_d=41 | answer=A | explanation=Average = sum of values ÷ number of values = $312 \div 8 = 39$.
- id=88889 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 21? | option_a=11 | option_b=7 | option_c=15 | option_d=21 | answer=D | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 21 is the odd one out.
- id=88890 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 21. | option_a=42 | option_b=21 | option_c=56 | option_d=294 | answer=A | explanation=LCM $\times$ HCF = 14×21 ; HCF(14,21) = 7, so LCM = 42.

Aptitude Questions — Records 88,891-88,920 of 100,000

id=88891 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=88892 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=88893 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2211. If it is sold at a profit of 40%, what is its selling price? | option_a=3095 | option_b=3316 | option_c=2874 | option_d=2251 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2211 × 140/100 = █3095.

id=88894 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:2 and the first is 187, what is the second? | option_a=45 | option_b=221 | option_c=34 | option_d=32 | answer=C | explanation=Scale factor = 187/11 = 17. Therefore second quantity = 2×17 = 34.

id=88895 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=I | option_b=K | option_c=M | option_d=O | answer=C | explanation=Move 2 positions forward from K; the resulting letter is M.

id=88896 | topic=Percentages | difficulty=Easy | question=What is 10% of 1359? | option_a=140 | option_b=270 | option_c=130 | option_d=135 | answer=D | explanation=10% of 1359 = (10/100) × 1359 = 135.

id=88897 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1408. If it is sold at a profit of 5%, what is its selling price? | option_a=1478 | option_b=1618 | option_c=1338 | option_d=1413 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1408 × 105/100 = █1478.

id=88898 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=23 | option_b=22 | option_c=20 | option_d=24 | answer=B | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=88899 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=88900 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3838. If it is sold at a profit of 20%, what is its selling price? | option_a=4605 | option_b=3858 | option_c=4222 | option_d=4988 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3838 × 120/100 = █4605.

id=88901 | topic=Averages | difficulty=Easy | question=Find the average of 19, 50, 53, 93, 77, 49, 89, 18, 96, 106. | option_a=67 | option_b=64 | option_c=66 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 650 ÷ 10 = 65.

id=88902 | topic=Percentages | difficulty=Easy | question=What is 50% of 1662? | option_a=811 | option_b=851 | option_c=1662 | option_d=831 | answer=D | explanation=50% of 1662 = (50/100) × 1662 = 831.

id=88903 | topic=Percentages | difficulty=Easy | question=What is 25% of 836? | option_a=204 | option_b=209 | option_c=229 | option_d=418 | answer=B | explanation=25% of 836 = (25/100) × 836 = 209.

id=88904 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2818. If it is sold at a profit of 50%, what is its selling price? | option_a=2868 | option_b=4227 | option_c=3946 | option_d=4508 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2818 × 150/100 = █4227.

id=88905 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37131 at 10% per annum for 2 years. | option_a=7326 | option_b=7526 | option_c=7426 | option_d=44557 | answer=C | explanation=SI = PRT/100 = 37131×10×2/100 = █7426.

id=88906 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:6 and the first is 39, what is the second? | option_a=57 | option_b=18 | option_c=31 | option_d=12 | answer=B | explanation=Scale factor = 39/13 = 3. Therefore second quantity = 6×3 = 18.

id=88907 | topic=Averages | difficulty=Easy | question=Find the average of 18, 32, 22, 43, 59, 66. | option_a=42 | option_b=39 | option_c=41 | option_d=40 | answer=D | explanation=Average = sum of values ÷ number of values = 240 ÷ 6 = 40.

id=88908 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 29, 36, 45? | option_a=36 | option_b=29 | option_c=22 | option_d=45 | answer=D | explanation=The first three numbers increase by 7, so the next should be 43. Therefore 45 is the odd one out.

id=88909 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22862 at 12% per annum for 5 years. | option_a=13617 | option_b=13717 | option_c=36579 | option_d=13817 | answer=B | explanation=SI = PRT/100 = 22862×12×5/100 = █13717.

id=88910 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=54 | option_b=38 | option_c=46 | option_d=47 | answer=C | explanation=The common difference is 8. Therefore the next term is 38 + 8 = 46.

id=88911 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=63 | option_b=51 | option_c=39 | option_d=52 | answer=B | explanation=The common difference is 12. Therefore the next term is 39 + 12 = 51.

id=88912 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=88913 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=88914 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=95 | option_c=200 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=88915 | topic=Percentages | difficulty=Easy | question=What is 12% of 1582? | option_a=169 | option_b=199 | option_c=378 | option_d=189 | answer=D | explanation=12% of 1582 = (12/100) × 1582 = 189.

id=88916 | topic=Averages | difficulty=Easy | question=Find the average of 13, 96, 22, 96, 50, 29. | option_a=50 | option_b=51 | option_c=52 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 306 ÷ 6 = 51.

id=88917 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=88918 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4651. If it is sold at a profit of 20%, what is its selling price? | option_a=5581 | option_b=5116 | option_c=6046 | option_d=4671 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4651 × 120/100 = █5581.

id=88919 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=88920 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 88,921-88,950 of 100,000

id=88921 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=88922 | topic=Averages | difficulty=Easy | question=Find the average of 14, 24, 19, 49, 91, 96, 20, 22, 52. | option_a=45 | option_b=43 | option_c=42 | option_d=44 | answer=B | explanation=Average = sum of values ÷ number of values = 387 ÷ 9 = 43.

id=88923 | topic=Percentages | difficulty=Easy | question=What is 15% of 608? | option_a=182 | option_b=91 | option_c=86 | option_d=101 | answer=B | explanation=15% of 608 = (15/100) × 608 = 91.

id=88924 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=22 | option_b=18 | option_c=21 | option_d=20 | answer=D | explanation=The common difference is 2. Therefore the next term is 18 + 2 = 20.

id=88925 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■41268 at 12% per annum for 2 years. | option_a=10004 | option_b=51172 | option_c=9804 | option_d=9904 | answer=D | explanation=SI = PRT/100 = 41268×12×2/100 = ■9904.

id=88926 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=A | option_b=G | option_c=C | option_d=E | answer=D | explanation=Move 2 positions forward from C; the resulting letter is E.

id=88927 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2450. If it is sold at a profit of 50%, what is its selling price? | option_a=2500 | option_b=3675 | option_c=3920 | option_d=3430 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2450 × 150/100 = ■3675.

id=88928 | topic=Averages | difficulty=Easy | question=Find the average of 97, 32, 36. | option_a=55 | option_b=56 | option_c=57 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 165 ÷ 3 = 55.

id=88929 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:17 and the first is 228, what is the second? | option_a=335 | option_b=323 | option_c=551 | option_d=306 | answer=B | explanation=Scale factor = 228/12 = 19. Therefore second quantity = 17×19 = 323.

id=88930 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=27 | option_b=32 | option_c=28 | option_d=22 | answer=A | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.

id=88931 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=35 | option_b=34 | option_c=38 | option_d=30 | answer=B | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.

id=88932 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=31 | option_b=39 | option_c=40 | option_d=47 | answer=B | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

id=88933 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=88934 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:3 and the first is 133, what is the second? | option_a=64 | option_b=54 | option_c=190 | option_d=57 | answer=D | explanation=Scale factor = 133/7 = 19. Therefore second quantity = 3×19 = 57.

id=88935 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:12 and the first is 98, what is the second? | option_a=182 | option_b=72 | option_c=98 | option_d=84 | answer=D | explanation=Scale factor = 98/14 = 7. Therefore second quantity = 12×7 = 84.

id=88936 | topic=Averages | difficulty=Easy | question=Find the average of 23, 64, 36. | option_a=43 | option_b=41 | option_c=40 | option_d=42 | answer=B | explanation=Average = sum of values ÷ number of values = 123 ÷ 3 = 41.

id=88937 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=V | option_b=W | option_c=T | option_d=U | answer=A | explanation=Move 1 positions forward from U; the resulting letter is V.

id=88938 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4605. If it is sold at a profit of 20%, what is its selling price? | option_a=5526 | option_b=5986 | option_c=4625 | option_d=5066 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4605 × 120/100 = ■5526.

id=88939 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 46? | option_a=46 | option_b=19 | option_c=35 | option_d=27 | answer=A | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 46 is the odd one out.

id=88940 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■23721 at 10% per annum for 1 years. | option_a=2472 | option_b=26093 | option_c=2272 | option_d=2372 | answer=D | explanation=SI = PRT/100 = 23721×10×1/100 = ■2372.

id=88941 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 34, 42, 53? | option_a=53 | option_b=42 | option_c=26 | option_d=34 | answer=A | explanation=The first three numbers increase by 8, so the next should be 50. Therefore 53 is the odd one out.

id=88942 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=E | option_b=K | option_c=N | option_d=H | answer=B | explanation=Move 3 positions forward from H; the resulting letter is K.

id=88943 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4998. If it is sold at a profit of 20%, what is its selling price? | option_a=5997 | option_b=5498 | option_c=6496 | option_d=5018 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4998 × 120/100 = ■5997.

id=88944 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:19 and the first is 64, what is the second? | option_a=285 | option_b=368 | option_c=308 | option_d=304 | answer=D | explanation=Scale factor = 64/4 = 16. Therefore second quantity = 19×16 = 304.

id=88945 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■38983 at 8% per annum for 2 years. | option_a=6137 | option_b=45220 | option_c=6337 | option_d=6237 | answer=D | explanation=SI = PRT/100 = 38983×8×2/100 = ■6237.

id=88946 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=36 | option_b=26 | option_c=32 | option_d=31 | answer=D | explanation=The common difference is 5. Therefore the next term is 26 + 5 = 31.

id=88947 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=88948 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=40 | option_c=15 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=88949 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 8, 11, 14, ? | option_a=20 | option_b=14 | option_c=17 | option_d=18 | answer=C | explanation=The common difference is 3. Therefore the next term is 14 + 3 = 17.

id=88950 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■9753 at 5% per annum for 1 years. | option_a=387 | option_b=587 | option_c=10240 | option_d=487 | answer=D | explanation=SI = PRT/100 = 9753×5×1/100 = ■487.

Aptitude Questions — Records 88,951-88,980 of 100,000

- id=88951 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 23, 30, 38? | option_a=38 | option_b=23 | option_c=16 | option_d=30 | answer=A | explanation=The first three numbers increase by 7, so the next should be 37. Therefore 38 is the odd one out.
- id=88952 | topic=Averages | difficulty=Easy | question=Find the average of 67, 30, 47, 26, 15, 19, 60, 32. | option_a=38 | option_b=39 | option_c=36 | option_d=37 | answer=D | explanation=Average = sum of values ÷ number of values = 296 ÷ 8 = 37.
- id=88953 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.
- id=88954 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=31 | option_c=41 | option_d=72 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.
- id=88955 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=Z | option_b=H | option_c=L | option_d=D | answer=B | explanation=Move 4 positions forward from D; the resulting letter is H.
- id=88956 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=45 | option_b=55 | option_c=35 | option_d=46 | answer=A | explanation=The common difference is 10. Therefore the next term is 35 + 10 = 45.
- id=88957 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**23887 at 4% per annum for 3 years. | option_a=26753 | option_b=2966 | option_c=2766 | option_d=2866 | answer=D | explanation=SI = PRT/100 = 23887×4×3/100 = **₹**2866.
- id=88958 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=I | option_b=E | option_c=W | option_d=A | answer=B | explanation=Move 4 positions forward from A; the resulting letter is E.
- id=88959 | topic=Percentages | difficulty=Easy | question=What is 25% of 853? | option_a=213 | option_b=223 | option_c=426 | option_d=208 | answer=A | explanation=25% of 853 = (25/100) × 853 = 213.
- id=88960 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:13 and the first is 100, what is the second? | option_a=230 | option_b=140 | option_c=117 | option_d=130 | answer=D | explanation=Scale factor = 100/10 = 10. Therefore second quantity = 13×10 = 130.
- id=88961 | topic=Percentages | difficulty=Easy | question=What is 50% of 453? | option_a=226 | option_b=231 | option_c=206 | option_d=452 | answer=A | explanation=50% of 453 = (50/100) × 453 = 226.
- id=88962 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=74 | option_b=50 | option_c=63 | option_d=62 | answer=D | explanation=The common difference is 12. Therefore the next term is 50 + 12 = 62.
- id=88963 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=J | option_c=K | option_d=H | answer=B | explanation=Move 1 positions forward from I; the resulting letter is J.
- id=88964 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2823. If it is sold at a profit of 25%, what is its selling price? | option_a=3810 | option_b=2848 | option_c=3246 | option_d=3528 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2823 × 125/100 = **₹**3528.
- id=88965 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=24 | option_c=17 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.
- id=88966 | topic=Percentages | difficulty=Easy | question=What is 5% of 1953? | option_a=77 | option_b=194 | option_c=102 | option_d=97 | answer=D | explanation=5% of 1953 = (5/100) × 1953 = 97.
- id=88967 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=45 | option_b=46 | option_c=55 | option_d=35 | answer=A | explanation=The common difference is 10. Therefore the next term is 35 + 10 = 45.
- id=88968 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4769. If it is sold at a profit of 15%, what is its selling price? | option_a=4784 | option_b=5008 | option_c=5960 | option_d=5484 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4769 × 115/100 = **₹**5484.
- id=88969 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 25? | option_a=6 | option_b=12 | option_c=25 | option_d=18 | answer=C | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 25 is the odd one out.
- id=88970 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=360 | option_c=180 | option_d=185 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.
- id=88971 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43, ? | option_a=52 | option_b=43 | option_c=59 | option_d=51 | answer=D | explanation=The common difference is 8. Therefore the next term is 43 + 8 = 51.
- id=88972 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2692. If it is sold at a profit of 15%, what is its selling price? | option_a=2826 | option_b=2707 | option_c=3364 | option_d=3095 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2692 × 115/100 = **₹**3095.
- id=88973 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1529. If it is sold at a profit of 20%, what is its selling price? | option_a=1986 | option_b=1834 | option_c=1682 | option_d=1549 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1529 × 120/100 = **₹**1834.
- id=88974 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:6 and the first is 160, what is the second? | option_a=76 | option_b=54 | option_c=60 | option_d=220 | answer=C | explanation=Scale factor = 160/16 = 10. Therefore second quantity = 6×10 = 60.
- id=88975 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 20, 28, 38? | option_a=12 | option_b=20 | option_c=28 | option_d=38 | answer=D | explanation=The first three numbers increase by 8, so the next should be 36. Therefore 38 is the odd one out.
- id=88976 | topic=Percentages | difficulty=Easy | question=What is 12% of 1197? | option_a=143 | option_b=286 | option_c=163 | option_d=138 | answer=A | explanation=12% of 1197 = (12/100) × 1197 = 143.
- id=88977 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=88978 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**46916 at 5% per annum for 4 years. | option_a=9283 | option_b=9483 | option_c=9383 | option_d=56299 | answer=C | explanation=SI = PRT/100 = 46916×5×4/100 = **₹**9383.
- id=88979 | topic=Percentages | difficulty=Easy | question=What is 5% of 471? | option_a=23 | option_b=33 | option_c=46 | option_d=18 | answer=A | explanation=5% of 471 = (5/100) × 471 = 23.
- id=88980 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1742. If it is sold at a profit of 50%, what is its selling price? | option_a=2787 | option_b=2439 | option_c=2613 | option_d=1792 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1742 × 150/100 = **₹**2613.

Aptitude Questions — Records 88,981-89,010 of 100,000

id=88981 | topic=Averages | difficulty=Easy | question=Find the average of 18, 14, 97, 48, 29, 34. | option_a=39 | option_b=40 | option_c=42 | option_d=41 | answer=B | explanation=Average = sum of values ÷ number of values = 240 ÷ 6 = 40.

id=88982 | topic=Percentages | difficulty=Easy | question=What is 25% of 1810? | option_a=452 | option_b=904 | option_c=442 | option_d=472 | answer=A | explanation=25% of 1810 = (25/100) × 1810 = 452.

id=88983 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1716. If it is sold at a profit of 15%, what is its selling price? | option_a=1731 | option_b=1802 | option_c=1973 | option_d=2144 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1716 × 115/100 = █1973.

id=88984 | topic=Averages | difficulty=Easy | question=Find the average of 22, 10, 43. | option_a=26 | option_b=27 | option_c=24 | option_d=25 | answer=D | explanation=Average = sum of values ÷ number of values = 75 ÷ 3 = 25.

id=88985 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 41? | option_a=30 | option_b=25 | option_c=35 | option_d=41 | answer=D | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 41 is the odd one out.

id=88986 | topic=Percentages | difficulty=Easy | question=What is 50% of 1421? | option_a=705 | option_b=1420 | option_c=710 | option_d=730 | answer=C | explanation=50% of 1421 = (50/100) × 1421 = 710.

id=88987 | topic=Percentages | difficulty=Easy | question=What is 15% of 1529? | option_a=219 | option_b=229 | option_c=458 | option_d=239 | answer=B | explanation=15% of 1529 = (15/100) × 1529 = 229.

id=88988 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=27 | option_b=30 | option_c=33 | option_d=31 | answer=B | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.

id=88989 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:5 and the first is 60, what is the second? | option_a=40 | option_b=25 | option_c=30 | option_d=90 | answer=C | explanation=Scale factor = 60/10 = 6. Therefore second quantity = 5×6 = 30.

id=88990 | topic=Averages | difficulty=Easy | question=Find the average of 72, 74, 27, 11, 51, 91, 88, 28, 71. | option_a=57 | option_b=56 | option_c=59 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 513 ÷ 9 = 57.

id=88991 | topic=Percentages | difficulty=Easy | question=What is 40% of 1336? | option_a=554 | option_b=534 | option_c=1068 | option_d=514 | answer=B | explanation=40% of 1336 = (40/100) × 1336 = 534.

id=88992 | topic=Percentages | difficulty=Easy | question=What is 5% of 274? | option_a=13 | option_b=26 | option_c=23 | option_d=3 | answer=A | explanation=5% of 274 = (5/100) × 274 = 13.

id=88993 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=88994 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 21, 25, 32? | option_a=17 | option_b=32 | option_c=25 | option_d=21 | answer=B | explanation=The first three numbers increase by 4, so the next should be 29. Therefore 32 is the odd one out.

id=88995 | topic=Percentages | difficulty=Easy | question=What is 20% of 135? | option_a=54 | option_b=22 | option_c=47 | option_d=27 | answer=D | explanation=20% of 135 = (20/100) × 135 = 27.

id=88996 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=88997 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:13 and the first is 143, what is the second? | option_a=169 | option_b=180 | option_c=312 | option_d=156 | answer=A | explanation=Scale factor = 143/11 = 13. Therefore second quantity = 13×13 = 169.

id=88998 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=15 | option_b=11 | option_c=13 | option_d=14 | answer=C | explanation=The common difference is 2. Therefore the next term is 11 + 2 = 13.

id=88999 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7590 at 8% per annum for 4 years. | option_a=2528 | option_b=10018 | option_c=2328 | option_d=2428 | answer=D | explanation=SI = PRT/100 = 7590×8×4/100 = █2428.

id=89000 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=89001 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=29 | option_c=24 | option_d=19 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=89002 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:15 and the first is 26, what is the second? | option_a=56 | option_b=43 | option_c=30 | option_d=15 | answer=C | explanation=Scale factor = 26/13 = 2. Therefore second quantity = 15×2 = 30.

id=89003 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=H | option_c=M | option_d=X | answer=B | explanation=Move 5 positions forward from C; the resulting letter is H.

id=89004 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41625 at 15% per annum for 3 years. | option_a=18731 | option_b=18631 | option_c=60356 | option_d=18831 | answer=A | explanation=SI = PRT/100 = 41625×15×3/100 = █18731.

id=89005 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2511. If it is sold at a profit of 25%, what is its selling price? | option_a=3138 | option_b=2887 | option_c=2536 | option_d=3389 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2511 × 125/100 = █3138.

id=89006 | topic=Profit & Loss | difficulty=Easy | question=An article costs █812. If it is sold at a profit of 30%, what is its selling price? | option_a=1055 | option_b=842 | option_c=974 | option_d=1136 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 812 × 130/100 = █1055.

id=89007 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=53 | option_c=43 | option_d=96 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=89008 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=41 | option_b=33 | option_c=40 | option_d=47 | answer=C | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.

id=89009 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2426. If it is sold at a profit of 15%, what is its selling price? | option_a=2441 | option_b=3031 | option_c=2547 | option_d=2789 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2426 × 115/100 = █2789.

id=89010 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=29 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

Aptitude Questions — Records 89,011-89,040 of 100,000

id=89011 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=R | option_c=S | option_d=P | answer=B | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=89012 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:20 and the first is 20, what is the second? | option_a=100 | option_b=104 | option_c=120 | option_d=80 | answer=A | explanation=Scale factor = 20/4 = 5. Therefore second quantity = 20×5 = 100.

id=89013 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4798. If it is sold at a profit of 20%, what is its selling price? | option_a=5757 | option_b=5278 | option_c=6236 | option_d=4818 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4798 × 120/100 = █5757.

id=89014 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1367. If it is sold at a profit of 30%, what is its selling price? | option_a=1641 | option_b=1777 | option_c=1913 | option_d=1397 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1367 × 130/100 = █1777.

id=89015 | topic=Profit & Loss | difficulty=Easy | question=An article costs █468. If it is sold at a profit of 40%, what is its selling price? | option_a=655 | option_b=508 | option_c=609 | option_d=701 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 468 × 140/100 = █655.

id=89016 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 26? | option_a=26 | option_b=12 | option_c=18 | option_d=6 | answer=A | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 26 is the odd one out.

id=89017 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 29? | option_a=29 | option_b=16 | option_c=20 | option_d=24 | answer=A | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 29 is the odd one out.

id=89018 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28758 at 4% per annum for 1 years. | option_a=1150 | option_b=1250 | option_c=29908 | option_d=1050 | answer=A | explanation=SI = PRT/100 = 28758×4×1/100 = █1150.

id=89019 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=U | option_b=S | option_c=V | option_d=T | answer=A | explanation=Move 1 positions forward from T; the resulting letter is U.

id=89020 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=89021 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 23? | option_a=2 | option_b=23 | option_c=8 | option_d=14 | answer=B | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 23 is the odd one out.

id=89022 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:4 and the first is 48, what is the second? | option_a=24 | option_b=72 | option_c=20 | option_d=32 | answer=A | explanation=Scale factor = 48/8 = 6. Therefore second quantity = 4×6 = 24.

id=89023 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 28, 36, 44, ? | option_a=60 | option_b=52 | option_c=44 | option_d=53 | answer=B | explanation=The common difference is 8. Therefore the next term is 44 + 8 = 52.

id=89024 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 24, 32, 40, ? | option_a=40 | option_b=56 | option_c=49 | option_d=48 | answer=D | explanation=The common difference is 8. Therefore the next term is 40 + 8 = 48.

id=89025 | topic=Profit & Loss | difficulty=Easy | question=An article costs █722. If it is sold at a profit of 25%, what is its selling price? | option_a=902 | option_b=974 | option_c=747 | option_d=830 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 722 × 125/100 = █902.

id=89026 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10863 at 6% per annum for 3 years. | option_a=1955 | option_b=1855 | option_c=12818 | option_d=2055 | answer=A | explanation=SI = PRT/100 = 10863×6×3/100 = █1955.

id=89027 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:13 and the first is 400, what is the second? | option_a=247 | option_b=280 | option_c=260 | option_d=660 | answer=C | explanation=Scale factor = 400/20 = 20. Therefore second quantity = 13×20 = 260.

id=89028 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2684. If it is sold at a profit of 25%, what is its selling price? | option_a=2709 | option_b=3623 | option_c=3087 | option_d=3355 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2684 × 125/100 = █3355.

id=89029 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 55? | option_a=29 | option_b=45 | option_c=37 | option_d=55 | answer=D | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 55 is the odd one out.

id=89030 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:12 and the first is 76, what is the second? | option_a=304 | option_b=228 | option_c=232 | option_d=216 | answer=B | explanation=Scale factor = 76/4 = 19. Therefore second quantity = 12×19 = 228.

id=89031 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=M | option_b=B | option_c=R | option_d=W | answer=D | explanation=Move 5 positions forward from R; the resulting letter is W.

id=89032 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=41 | option_b=31 | option_c=36 | option_d=37 | answer=C | explanation=The common difference is 5. Therefore the next term is 31 + 5 = 36.

id=89033 | topic=Percentages | difficulty=Easy | question=What is 40% of 1177? | option_a=470 | option_b=940 | option_c=480 | option_d=460 | answer=A | explanation=40% of 1177 = (40/100) × 1177 = 470.

id=89034 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=360 | option_c=175 | option_d=180 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=89035 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=14 | option_b=13 | option_c=11 | option_d=15 | answer=B | explanation=The common difference is 2. Therefore the next term is 11 + 2 = 13.

id=89036 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 21, 30, 39, ? | option_a=57 | option_b=39 | option_c=49 | option_d=48 | answer=D | explanation=The common difference is 9. Therefore the next term is 39 + 9 = 48.

id=89037 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=89038 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 21? | option_a=16 | option_b=18 | option_c=14 | option_d=21 | answer=D | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 21 is the odd one out.

id=89039 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 31, 33, 36? | option_a=33 | option_b=29 | option_c=31 | option_d=36 | answer=D | explanation=The first three numbers increase by 2, so the next should be 35. Therefore 36 is the odd one out.

id=89040 | topic=Percentages | difficulty=Easy | question=What is 20% of 348? | option_a=69 | option_b=64 | option_c=89 | option_d=138 | answer=A | explanation=20% of 348 = (20/100) × 348 = 69.

Aptitude Questions — Records 89,041-89,070 of 100,000

id=89041 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:3 and the first is 320, what is the second? | option_a=68 | option_b=45 | option_c=48 | option_d=368 | answer=C | explanation=Scale factor = 320/20 = 16. Therefore second quantity = 3×16 = 48.

id=89042 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=63 | option_b=74 | option_c=64 | option_d=52 | answer=A | explanation=The common difference is 11. Therefore the next term is 52 + 11 = 63.

id=89043 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=89044 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=25 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=89045 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:12 and the first is 32, what is the second? | option_a=100 | option_b=96 | option_c=84 | option_d=128 | answer=B | explanation=Scale factor = 32/4 = 8. Therefore second quantity = 12×8 = 96.

id=89046 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3298. If it is sold at a profit of 50%, what is its selling price? | option_a=5276 | option_b=4618 | option_c=4947 | option_d=3348 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3298 × 150/100 = █4947.

id=89047 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=95 | option_c=85 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=89048 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=55 | option_c=45 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=89049 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3199. If it is sold at a profit of 40%, what is its selling price? | option_a=3239 | option_b=4797 | option_c=4159 | option_d=4478 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3199 × 140/100 = █4478.

id=89050 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:8 and the first is 102, what is the second? | option_a=128 | option_b=238 | option_c=142 | option_d=136 | answer=D | explanation=Scale factor = 102/6 = 17. Therefore second quantity = 8×17 = 136.

id=89051 | topic=Percentages | difficulty=Easy | question=What is 25% of 1990? | option_a=492 | option_b=517 | option_c=994 | option_d=497 | answer=D | explanation=25% of 1990 = (25/100) × 1990 = 497.

id=89052 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=D | option_c=F | option_d=E | answer=C | explanation=Move 1 positions forward from E; the resulting letter is F.

id=89053 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 33? | option_a=18 | option_b=24 | option_c=33 | option_d=12 | answer=C | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 33 is the odd one out.

id=89054 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44286 at 12% per annum for 1 years. | option_a=5314 | option_b=5214 | option_c=49600 | option_d=5414 | answer=A | explanation=SI = PRT/100 = 44286×12×1/100 = █5314.

id=89055 | topic=Averages | difficulty=Easy | question=Find the average of 55, 76, 94. | option_a=76 | option_b=75 | option_c=74 | option_d=77 | answer=B | explanation=Average = sum of values ÷ number of values = 225 ÷ 3 = 75.

id=89056 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:17 and the first is 10, what is the second? | option_a=34 | option_b=44 | option_c=39 | option_d=17 | answer=A | explanation=Scale factor = 10/5 = 2. Therefore second quantity = 17×2 = 34.

id=89057 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:1 and the first is 14, what is the second? | option_a=28 | option_b=14 | option_c=13 | option_d=15 | answer=B | explanation=Scale factor = 14/1 = 14. Therefore second quantity = 1×14 = 14.

id=89058 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:15 and the first is 108, what is the second? | option_a=108 | option_b=75 | option_c=198 | option_d=90 | answer=D | explanation=Scale factor = 108/18 = 6. Therefore second quantity = 15×6 = 90.

id=89059 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=89060 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:9 and the first is 30, what is the second? | option_a=51 | option_b=36 | option_c=45 | option_d=75 | answer=C | explanation=Scale factor = 30/6 = 5. Therefore second quantity = 9×5 = 45.

id=89061 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=89062 | topic=Percentages | difficulty=Easy | question=What is 30% of 1311? | option_a=393 | option_b=373 | option_c=398 | option_d=786 | answer=A | explanation=30% of 1311 = (30/100) × 1311 = 393.

id=89063 | topic=Averages | difficulty=Easy | question=Find the average of 50, 14, 50. | option_a=39 | option_b=40 | option_c=38 | option_d=37 | answer=C | explanation=Average = sum of values ÷ number of values = 114 ÷ 3 = 38.

id=89064 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=E | option_b=H | option_c=Y | option_d=B | answer=A | explanation=Move 3 positions forward from B; the resulting letter is E.

id=89065 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:17 and the first is 210, what is the second? | option_a=253 | option_b=448 | option_c=221 | option_d=238 | answer=D | explanation=Scale factor = 210/15 = 14. Therefore second quantity = 17×14 = 238.

id=89066 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=42 | option_b=49 | option_c=43 | option_d=35 | answer=A | explanation=The common difference is 7. Therefore the next term is 35 + 7 = 42.

id=89067 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=11 | option_b=9 | option_c=12 | option_d=13 | answer=A | explanation=The common difference is 2. Therefore the next term is 9 + 2 = 11.

id=89068 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=28 | option_b=25 | option_c=22 | option_d=26 | answer=B | explanation=The common difference is 3. Therefore the next term is 22 + 3 = 25.

id=89069 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1898. If it is sold at a profit of 15%, what is its selling price? | option_a=2182 | option_b=1993 | option_c=1913 | option_d=2371 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1898 × 115/100 = █2182.

id=89070 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6033 at 15% per annum for 4 years. | option_a=3719 | option_b=9652 | option_c=3619 | option_d=3519 | answer=C | explanation=SI = PRT/100 = 6033×15×4/100 = █3619.

Aptitude Questions — Records 89,071-89,100 of 100,000

id=89071 | topic=Percentages | difficulty=Easy | question=What is 10% of 1803? | option_a=180 | option_b=170 | option_c=200 | option_d=360 | answer=A | explanation=10% of 1803 = (10/100) × 1803 = 180.

id=89072 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=31 | option_b=25 | option_c=32 | option_d=37 | answer=A | explanation=The common difference is 6. Therefore the next term is 25 + 6 = 31.

id=89073 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=89074 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1481. If it is sold at a profit of 5%, what is its selling price? | option_a=1555 | option_b=1407 | option_c=1486 | option_d=1703 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1481 × 105/100 = █1555.

id=89075 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 17, 20, 24? | option_a=14 | option_b=17 | option_c=24 | option_d=20 | answer=C | explanation=The first three numbers increase by 3, so the next should be 23. Therefore 24 is the odd one out.

id=89076 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18403 at 4% per annum for 1 years. | option_a=19139 | option_b=636 | option_c=736 | option_d=836 | answer=C | explanation=SI = PRT/100 = 18403×4×1/100 = █736.

id=89077 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26312 at 8% per annum for 1 years. | option_a=2004 | option_b=2204 | option_c=2104 | option_d=28416 | answer=C | explanation=SI = PRT/100 = 26312×8×1/100 = █2104.

id=89078 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:7 and the first is 102, what is the second? | option_a=112 | option_b=221 | option_c=125 | option_d=119 | answer=D | explanation=Scale factor = 102/6 = 17. Therefore second quantity = 7×17 = 119.

id=89079 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=H | option_b=N | option_c=Q | option_d=K | answer=B | explanation=Move 3 positions forward from K; the resulting letter is N.

id=89080 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=55 | option_b=48 | option_c=41 | option_d=49 | answer=B | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.

id=89081 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28801 at 6% per annum for 2 years. | option_a=32257 | option_b=3456 | option_c=3556 | option_d=3356 | answer=B | explanation=SI = PRT/100 = 28801×6×2/100 = █3456.

id=89082 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=24 | option_c=29 | option_d=48 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=89083 | topic=Percentages | difficulty=Easy | question=What is 25% of 1584? | option_a=792 | option_b=386 | option_c=396 | option_d=416 | answer=C | explanation=25% of 1584 = (25/100) × 1584 = 396.

id=89084 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4434. If it is sold at a profit of 25%, what is its selling price? | option_a=5985 | option_b=5099 | option_c=4459 | option_d=5542 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4434 × 125/100 = █5542.

id=89085 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=89086 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=89087 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=89088 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=47 | option_b=54 | option_c=38 | option_d=46 | answer=D | explanation=The common difference is 8. Therefore the next term is 38 + 8 = 46.

id=89089 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1182. If it is sold at a profit of 5%, what is its selling price? | option_a=1187 | option_b=1359 | option_c=1241 | option_d=1123 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1182 × 105/100 = █1241.

id=89090 | topic=Averages | difficulty=Easy | question=Find the average of 39, 18, 93, 46. | option_a=51 | option_b=49 | option_c=50 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 196 ÷ 4 = 49.

id=89091 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26436 at 6% per annum for 5 years. | option_a=7930 | option_b=7830 | option_c=34366 | option_d=8030 | answer=A | explanation=SI = PRT/100 = 26436×6×5/100 = █7930.

id=89092 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=89093 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=40 | option_b=28 | option_c=35 | option_d=34 | answer=D | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.

id=89094 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=89095 | topic=Averages | difficulty=Easy | question=Find the average of 63, 81, 39, 75, 82, 50. | option_a=66 | option_b=64 | option_c=65 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 390 ÷ 6 = 65.

id=89096 | topic=Averages | difficulty=Easy | question=Find the average of 48, 29, 51, 11, 33, 22, 39, 77, 59. | option_a=42 | option_b=41 | option_c=43 | option_d=40 | answer=B | explanation=Average = sum of values ÷ number of values = 369 ÷ 9 = 41.

id=89097 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=89098 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=89099 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 51? | option_a=41 | option_b=23 | option_c=32 | option_d=51 | answer=D | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 51 is the odd one out.

id=89100 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:3 and the first is 132, what is the second? | option_a=36 | option_b=47 | option_c=168 | option_d=33 | answer=A | explanation=Scale factor = 132/11 = 12. Therefore second quantity = 3×12 = 36.

Aptitude Questions — Records 89,101-89,130 of 100,000

id=89101 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=95 | option_d=180 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=89102 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11492 at 10% per annum for 4 years. | option_a=4596 | option_b=4696 | option_c=4496 | option_d=16088 | answer=A | explanation=SI = $PRT/100 = 11492 \times 10 \times 4/100 =$ **■**4596.

id=89103 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=X | option_b=S | option_c=C | option_d=N | answer=A | explanation=Move 5 positions forward from S; the resulting letter is X.

id=89104 | topic=Percentages | difficulty=Easy | question=What is 15% of 1352? | option_a=222 | option_b=404 | option_c=197 | option_d=202 | answer=D | explanation=15% of 1352 = $(15/100) \times 1352 = 202$.

id=89105 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=89106 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 51? | option_a=36 | option_b=51 | option_c=30 | option_d=42 | answer=B | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 51 is the odd one out.

id=89107 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1330. If it is sold at a profit of 20%, what is its selling price? | option_a=1350 | option_b=1729 | option_c=1463 | option_d=1596 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1330 \times 120/100 =$ **■**1596.

id=89108 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=23 | option_b=24 | option_c=18 | option_d=28 | answer=A | explanation=The common difference is 5. Therefore the next term is $18 + 5 = 23$.

id=89109 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3952. If it is sold at a profit of 10%, what is its selling price? | option_a=3962 | option_b=4347 | option_c=3952 | option_d=4742 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3952 \times 110/100 =$ **■**4347.

id=89110 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 49? | option_a=17 | option_b=49 | option_c=27 | option_d=37 | answer=B | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 49 is the odd one out.

id=89111 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43691 at 8% per annum for 1 years. | option_a=47186 | option_b=3395 | option_c=3495 | option_d=3595 | answer=C | explanation=SI = $PRT/100 = 43691 \times 8 \times 1/100 =$ **■**3495.

id=89112 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=55 | option_c=100 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = $150 \div 3 = 50$ km/h.

id=89113 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23790 at 12% per annum for 5 years. | option_a=38064 | option_b=14274 | option_c=14174 | option_d=14374 | answer=B | explanation=SI = $PRT/100 = 23790 \times 12 \times 5/100 =$ **■**14274.

id=89114 | topic=Percentages | difficulty=Easy | question=What is 20% of 967? | option_a=193 | option_b=188 | option_c=198 | option_d=386 | answer=A | explanation=20% of 967 = $(20/100) \times 967 = 193$.

id=89115 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2458. If it is sold at a profit of 25%, what is its selling price? | option_a=3317 | option_b=2827 | option_c=2483 | option_d=3072 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2458 \times 125/100 =$ **■**3072.

id=89116 | topic=Averages | difficulty=Easy | question=Find the average of 79, 74, 37, 25, 38, 91, 76. | option_a=59 | option_b=60 | option_c=62 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = $420 \div 7 = 60$.

id=89117 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2068. If it is sold at a profit of 10%, what is its selling price? | option_a=2274 | option_b=2068 | option_c=2480 | option_d=2078 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2068 \times 110/100 =$ **■**2274.

id=89118 | topic=Averages | difficulty=Easy | question=Find the average of 94, 34, 15, 100, 69, 79, 43. | option_a=61 | option_b=64 | option_c=63 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = $434 \div 7 = 62$.

id=89119 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3750. If it is sold at a profit of 15%, what is its selling price? | option_a=3937 | option_b=4312 | option_c=4687 | option_d=3765 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3750 \times 115/100 =$ **■**4312.

id=89120 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=89121 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26283 at 4% per annum for 4 years. | option_a=4205 | option_b=4305 | option_c=4105 | option_d=30488 | answer=A | explanation=SI = $PRT/100 = 26283 \times 4 \times 4/100 =$ **■**4205.

id=89122 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=Y | option_b=P | option_c=S | option_d=V | answer=D | explanation=Move 3 positions forward from S; the resulting letter is V.

id=89123 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 31, 35, 40? | option_a=27 | option_b=35 | option_c=31 | option_d=40 | answer=D | explanation=The first three numbers increase by 4, so the next should be 39. Therefore 40 is the odd one out.

id=89124 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**172. If it is sold at a profit of 15%, what is its selling price? | option_a=197 | option_b=214 | option_c=187 | option_d=180 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 172 \times 115/100 =$ **■**197.

id=89125 | topic=Percentages | difficulty=Easy | question=What is 20% of 109? | option_a=16 | option_b=41 | option_c=42 | option_d=21 | answer=D | explanation=20% of 109 = $(20/100) \times 109 = 21$.

id=89126 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2700. If it is sold at a profit of 40%, what is its selling price? | option_a=3510 | option_b=3780 | option_c=2740 | option_d=4050 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2700 \times 140/100 =$ **■**3780.

id=89127 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 16, 21, 29? | option_a=16 | option_b=21 | option_c=29 | option_d=11 | answer=C | explanation=The first three numbers increase by 5, so the next should be 26. Therefore 29 is the odd one out.

id=89128 | topic=Percentages | difficulty=Easy | question=What is 40% of 1034? | option_a=413 | option_b=403 | option_c=423 | option_d=826 | answer=A | explanation=40% of 1034 = $(40/100) \times 1034 = 413$.

id=89129 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=89130 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = $90 \div 2 = 45$ km/h.

Aptitude Questions — Records 89,131-89,160 of 100,000

id=89131 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■29696 at 6% per annum for 3 years. | option_a=35041 | option_b=5245 | option_c=5345 | option_d=5445 | answer=C | explanation=SI = $PRT/100 = 29696 \times 6 \times 3/100 = \blacksquare 5345$.

id=89132 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=L | option_b=Q | option_c=V | option_d=A | answer=C | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=89133 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=24 | option_b=29 | option_c=19 | option_d=25 | answer=A | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.

id=89134 | topic=Percentages | difficulty=Easy | question=What is 30% of 1285? | option_a=365 | option_b=385 | option_c=405 | option_d=770 | answer=B | explanation=30% of 1285 = $(30/100) \times 1285 = 385$.

id=89135 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 28. | option_a=42 | option_b=1 | option_c=28 | option_d=392 | answer=C | explanation=LCM $\times$ HCF = 14×28 ; HCF(14,28) = 14, so LCM = 28.

id=89136 | topic=Percentages | difficulty=Easy | question=What is 40% of 204? | option_a=81 | option_b=162 | option_c=76 | option_d=101 | answer=A | explanation=40% of 204 = $(40/100) \times 204 = 81$.

id=89137 | topic=Percentages | difficulty=Easy | question=What is 25% of 911? | option_a=454 | option_b=222 | option_c=247 | option_d=227 | answer=D | explanation=25% of 911 = $(25/100) \times 911 = 227$.

id=89138 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=50 | option_b=51 | option_c=60 | option_d=40 | answer=A | explanation=The common difference is 10. Therefore the next term is 40 + 10 = 50.

id=89139 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance $\div$ time = $300 \div 10 = 30$ km/h.

id=89140 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:13 and the first is 18, what is the second? | option_a=235 | option_b=234 | option_c=252 | option_d=221 | answer=B | explanation=Scale factor = $18/1 = 18$. Therefore second quantity = $13 \times 18 = 234$.

id=89141 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 26, 36, 47? | option_a=36 | option_b=47 | option_c=26 | option_d=16 | answer=B | explanation=The first three numbers increase by 10, so the next should be 46. Therefore 47 is the odd one out.

id=89142 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:3 and the first is 36, what is the second? | option_a=18 | option_b=54 | option_c=24 | option_d=15 | answer=A | explanation=Scale factor = $36/6 = 6$. Therefore second quantity = $3 \times 6 = 18$.

id=89143 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=I | option_b=L | option_c=O | option_d=R | answer=C | explanation=Move 3 positions forward from L; the resulting letter is O.

id=89144 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 38, 46, 57? | option_a=57 | option_b=46 | option_c=30 | option_d=38 | answer=A | explanation=The first three numbers increase by 8, so the next should be 54. Therefore 57 is the odd one out.

id=89145 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=24 | option_c=29 | option_d=48 | answer=B | explanation=Speed = distance $\div$ time = $240 \div 10 = 24$ km/h.

id=89146 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3502. If it is sold at a profit of 50%, what is its selling price? | option_a=3552 | option_b=4903 | option_c=5603 | option_d=5253 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3502 \times 150/100 = \blacksquare 5253$.

id=89147 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=X | option_b=T | option_c=L | option_d=P | answer=B | explanation=Move 4 positions forward from P; the resulting letter is T.

id=89148 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 37, 44, 54? | option_a=30 | option_b=54 | option_c=44 | option_d=37 | answer=B | explanation=The first three numbers increase by 7, so the next should be 51. Therefore 54 is the odd one out.

id=89149 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■361. If it is sold at a profit of 50%, what is its selling price? | option_a=577 | option_b=411 | option_c=505 | option_d=541 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 361 \times 150/100 = \blacksquare 541$.

id=89150 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 4. | option_a=24 | option_b=20 | option_c=96 | option_d=48 | answer=A | explanation=LCM $\times$ HCF = 24×4 ; HCF(24,4) = 4, so LCM = 24.

id=89151 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 31, 41, 54? | option_a=41 | option_b=21 | option_c=54 | option_d=31 | answer=C | explanation=The first three numbers increase by 10, so the next should be 51. Therefore 54 is the odd one out.

id=89152 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=13 | option_b=11 | option_c=14 | option_d=15 | answer=A | explanation=The common difference is 2. Therefore the next term is 11 + 2 = 13.

id=89153 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 14, 21, 29? | option_a=21 | option_b=14 | option_c=29 | option_d=7 | answer=C | explanation=The first three numbers increase by 7, so the next should be 28. Therefore 29 is the odd one out.

id=89154 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=6 | option_d=4 | answer=A | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=89155 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:7 and the first is 126, what is the second? | option_a=56 | option_b=189 | option_c=63 | option_d=77 | answer=C | explanation=Scale factor = $126/14 = 9$. Therefore second quantity = $7 \times 9 = 63$.

id=89156 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=89157 | topic=Averages | difficulty=Easy | question=Find the average of 40, 16, 86, 94, 98, 50, 71. | option_a=67 | option_b=65 | option_c=64 | option_d=66 | answer=B | explanation=Average = sum of values $\div$ number of values = $455 \div 7 = 65$.

id=89158 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■36170 at 12% per annum for 3 years. | option_a=12921 | option_b=13121 | option_c=49191 | option_d=13021 | answer=D | explanation=SI = $PRT/100 = 36170 \times 12 \times 3/100 = \blacksquare 13021$.

id=89159 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=89160 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

Aptitude Questions — Records 89,161-89,190 of 100,000

id=89161 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=89162 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:3 and the first is 18, what is the second? | option_a=6 | option_b=15 | option_c=24 | option_d=3 | answer=A | explanation=Scale factor = 18/9 = 2. Therefore second quantity = 3×2 = 6.

id=89163 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:7 and the first is 4, what is the second? | option_a=14 | option_b=18 | option_c=16 | option_d=7 | answer=A | explanation=Scale factor = 4/2 = 2. Therefore second quantity = 7×2 = 14.

id=89164 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=40 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=89165 | topic=Percentages | difficulty=Easy | question=What is 15% of 1863? | option_a=558 | option_b=259 | option_c=284 | option_d=279 | answer=D | explanation=15% of 1863 = (15/100) × 1863 = 279.

id=89166 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■43587 at 5% per annum for 3 years. | option_a=6438 | option_b=6538 | option_c=50125 | option_d=6638 | answer=B | explanation=SI = PRT/100 = 43587×5×3/100 = ■6538.

id=89167 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=M | option_c=H | option_d=X | answer=C | explanation=Move 5 positions forward from C; the resulting letter is H.

id=89168 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4464. If it is sold at a profit of 40%, what is its selling price? | option_a=6249 | option_b=6695 | option_c=4504 | option_d=5803 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4464 × 140/100 = ■6249.

id=89169 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=U | option_c=K | option_d=Z | answer=B | explanation=Move 5 positions forward from P; the resulting letter is U.

id=89170 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=89171 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 42? | option_a=35 | option_b=23 | option_c=29 | option_d=42 | answer=D | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 42 is the odd one out.

id=89172 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:7 and the first is 204, what is the second? | option_a=119 | option_b=323 | option_c=131 | option_d=112 | answer=A | explanation=Scale factor = 204/12 = 17. Therefore second quantity = 7×17 = 119.

id=89173 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=H | option_b=I | option_c=K | option_d=J | answer=D | explanation=Move 1 positions forward from I; the resulting letter is J.

id=89174 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=89175 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=20 | option_c=25 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=89176 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=46 | option_b=53 | option_c=47 | option_d=39 | answer=A | explanation=The common difference is 7. Therefore the next term is 39 + 7 = 46.

id=89177 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=89178 | topic=Averages | difficulty=Easy | question=Find the average of 31, 56, 44, 57, 67. | option_a=50 | option_b=52 | option_c=51 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 255 ÷ 5 = 51.

id=89179 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 22, 26, 32? | option_a=22 | option_b=26 | option_c=18 | option_d=32 | answer=D | explanation=The first three numbers increase by 4, so the next should be 30. Therefore 32 is the odd one out.

id=89180 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■875. If it is sold at a profit of 20%, what is its selling price? | option_a=1050 | option_b=1137 | option_c=963 | option_d=895 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 875 × 120/100 = ■1050.

id=89181 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 15, 22, 31? | option_a=15 | option_b=22 | option_c=8 | option_d=31 | answer=D | explanation=The first three numbers increase by 7, so the next should be 29. Therefore 31 is the odd one out.

id=89182 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=89183 | topic=Percentages | difficulty=Easy | question=What is 10% of 1933? | option_a=198 | option_b=193 | option_c=386 | option_d=183 | answer=B | explanation=10% of 1933 = (10/100) × 1933 = 193.

id=89184 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■47535 at 8% per annum for 3 years. | option_a=11408 | option_b=11508 | option_c=58943 | option_d=11308 | answer=A | explanation=SI = PRT/100 = 47535×8×3/100 = ■11408.

id=89185 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=45 | option_b=35 | option_c=41 | option_d=40 | answer=D | explanation=The common difference is 5. Therefore the next term is 35 + 5 = 40.

id=89186 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=41 | option_c=36 | option_d=72 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=89187 | topic=Averages | difficulty=Easy | question=Find the average of 36, 51, 17, 69, 37. | option_a=42 | option_b=44 | option_c=41 | option_d=43 | answer=A | explanation=Average = sum of values ÷ number of values = 210 ÷ 5 = 42.

id=89188 | topic=Averages | difficulty=Easy | question=Find the average of 11, 15, 20, 56, 27, 71, 89, 85, 31, 15. | option_a=41 | option_b=43 | option_c=42 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = 420 ÷ 10 = 42.

id=89189 | topic=Percentages | difficulty=Easy | question=What is 25% of 1614? | option_a=383 | option_b=403 | option_c=413 | option_d=806 | answer=B | explanation=25% of 1614 = (25/100) × 1614 = 403.

id=89190 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 89,191-89,220 of 100,000

id=89191 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 20. | option_a=520 | option_b=286 | option_c=240 | option_d=260 | answer=D | explanation=LCM × HCF = 26×20; HCF(26,20) = 2, so LCM = 260.

id=89192 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 13, 17, 24? | option_a=13 | option_b=24 | option_c=17 | option_d=9 | answer=B | explanation=The first three numbers increase by 4, so the next should be 21. Therefore 24 is the odd one out.

id=89193 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'i' become? | option_a=S | option_b=D | option_c=N | option_d=I | answer=C | explanation=Move 5 positions forward from I; the resulting letter is N.

id=89194 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 17, 23, 30? | option_a=17 | option_b=30 | option_c=23 | option_d=11 | answer=B | explanation=The first three numbers increase by 6, so the next should be 29. Therefore 30 is the odd one out.

id=89195 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 26? | option_a=26 | option_b=17 | option_c=11 | option_d=5 | answer=A | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 26 is the odd one out.

id=89196 | topic=Percentages | difficulty=Easy | question=What is 40% of 1956? | option_a=802 | option_b=762 | option_c=1564 | option_d=782 | answer=D | explanation=40% of 1956 = (40/100) × 1956 = 782.

id=89197 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 10. | option_a=180 | option_b=108 | option_c=90 | option_d=80 | answer=C | explanation=LCM × HCF = 18×10; HCF(18,10) = 2, so LCM = 90.

id=89198 | topic=Averages | difficulty=Easy | question=Find the average of 54, 85, 47, 91, 18. | option_a=59 | option_b=61 | option_c=58 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 295 ÷ 5 = 59.

id=89199 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**9090 at 6% per annum for 1 years. | option_a=9635 | option_b=445 | option_c=545 | option_d=645 | answer=C | explanation=SI = PRT/100 = 9090×6×1/100 = **₹**545.

id=89200 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 44? | option_a=44 | option_b=23 | option_c=13 | option_d=33 | answer=A | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 44 is the odd one out.

id=89201 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=53 | option_b=46 | option_c=39 | option_d=47 | answer=B | explanation=The common difference is 7. Therefore the next term is 39 + 7 = 46.

id=89202 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=89203 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=24 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=89204 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=6 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=89205 | topic=Percentages | difficulty=Easy | question=What is 5% of 692? | option_a=39 | option_b=34 | option_c=14 | option_d=68 | answer=B | explanation=5% of 692 = (5/100) × 692 = 34.

id=89206 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=89207 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 27? | option_a=12 | option_b=18 | option_c=27 | option_d=6 | answer=C | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 27 is the odd one out.

id=89208 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=89209 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**412. If it is sold at a profit of 20%, what is its selling price? | option_a=494 | option_b=453 | option_c=432 | option_d=535 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 412 × 120/100 = **₹**494.

id=89210 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=89211 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 27, 36, 47? | option_a=36 | option_b=47 | option_c=18 | option_d=27 | answer=B | explanation=The first three numbers increase by 9, so the next should be 45. Therefore 47 is the odd one out.

id=89212 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**146. If it is sold at a profit of 20%, what is its selling price? | option_a=189 | option_b=161 | option_c=175 | option_d=166 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 146 × 120/100 = **₹**175.

id=89213 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=89214 | topic=Percentages | difficulty=Easy | question=What is 40% of 1169? | option_a=472 | option_b=462 | option_c=467 | option_d=934 | answer=C | explanation=40% of 1169 = (40/100) × 1169 = 467.

id=89215 | topic=Percentages | difficulty=Easy | question=What is 25% of 1994? | option_a=493 | option_b=498 | option_c=996 | option_d=503 | answer=B | explanation=25% of 1994 = (25/100) × 1994 = 498.

id=89216 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=19 | option_b=15 | option_c=20 | option_d=23 | answer=A | explanation=The common difference is 4. Therefore the next term is 15 + 4 = 19.

id=89217 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=18 | option_c=23 | option_d=13 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=89218 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4339. If it is sold at a profit of 10%, what is its selling price? | option_a=4339 | option_b=4772 | option_c=4349 | option_d=5205 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4339 × 110/100 = **₹**4772.

id=89219 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 28. | option_a=96 | option_b=56 | option_c=336 | option_d=84 | answer=D | explanation=LCM × HCF = 12×28; HCF(12,28) = 4, so LCM = 84.

id=89220 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**36198 at 5% per annum for 2 years. | option_a=3719 | option_b=39817 | option_c=3519 | option_d=3619 | answer=D | explanation=SI = PRT/100 = 36198×5×2/100 = **₹**3619.

Aptitude Questions — Records 89,221-89,250 of 100,000

id=89221 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=89222 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=R | option_b=H | option_c=M | option_d=C | answer=C | explanation=Move 5 positions forward from H; the resulting letter is M.

id=89223 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3236. If it is sold at a profit of 40%, what is its selling price? | option_a=4530 | option_b=3276 | option_c=4853 | option_d=4207 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3236 × 140/100 = █4530.

id=89224 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=E | option_b=F | option_c=G | option_d=H | answer=C | explanation=Move 1 positions forward from F; the resulting letter is G.

id=89225 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=89226 | topic=Percentages | difficulty=Easy | question=What is 25% of 204? | option_a=51 | option_b=41 | option_c=102 | option_d=61 | answer=A | explanation=25% of 204 = (25/100) × 204 = 51.

id=89227 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:13 and the first is 234, what is the second? | option_a=221 | option_b=234 | option_c=247 | option_d=468 | answer=B | explanation=Scale factor = 234/13 = 18. Therefore second quantity = 13×18 = 234.

id=89228 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 26, 28, 32? | option_a=32 | option_b=28 | option_c=24 | option_d=26 | answer=A | explanation=The first three numbers increase by 2, so the next should be 30. Therefore 32 is the odd one out.

id=89229 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 31, 43, 55, ? | option_a=67 | option_b=79 | option_c=68 | option_d=55 | answer=A | explanation=The common difference is 12. Therefore the next term is 55 + 12 = 67.

id=89230 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3628. If it is sold at a profit of 15%, what is its selling price? | option_a=4534 | option_b=4172 | option_c=3810 | option_d=3643 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3628 × 115/100 = █4172.

id=89231 | topic=Averages | difficulty=Easy | question=Find the average of 12, 87, 51, 92, 17, 66, 27, 19, 17, 72. | option_a=46 | option_b=47 | option_c=45 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = 460 ÷ 10 = 46.

id=89232 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 24. | option_a=288 | option_b=624 | option_c=338 | option_d=312 | answer=D | explanation=LCM × HCF = 26×24; HCF(26,24) = 2, so LCM = 312.

id=89233 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=150 | option_c=75 | option_d=70 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=89234 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:2 and the first is 180, what is the second? | option_a=204 | option_b=22 | option_c=39 | option_d=24 | answer=D | explanation=Scale factor = 180/15 = 12. Therefore second quantity = 2×12 = 24.

id=89235 | topic=Averages | difficulty=Easy | question=Find the average of 50, 48, 94. | option_a=65 | option_b=63 | option_c=64 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = 192 ÷ 3 = 64.

id=89236 | topic=Averages | difficulty=Easy | question=Find the average of 55, 42, 53, 47, 73. | option_a=53 | option_b=55 | option_c=54 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 270 ÷ 5 = 54.

id=89237 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=62 | option_b=50 | option_c=61 | option_d=72 | answer=C | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.

id=89238 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2015. If it is sold at a profit of 25%, what is its selling price? | option_a=2719 | option_b=2040 | option_c=2518 | option_d=2317 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2015 × 125/100 = █2518.

id=89239 | topic=Percentages | difficulty=Easy | question=What is 40% of 1399? | option_a=564 | option_b=1118 | option_c=539 | option_d=559 | answer=D | explanation=40% of 1399 = (40/100) × 1399 = 559.

id=89240 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 37? | option_a=25 | option_b=15 | option_c=37 | option_d=5 | answer=C | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 37 is the odd one out.

id=89241 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 10, 15, 20, ? | option_a=25 | option_b=30 | option_c=26 | option_d=20 | answer=A | explanation=The common difference is 5. Therefore the next term is 20 + 5 = 25.

id=89242 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34551 at 4% per annum for 4 years. | option_a=5528 | option_b=40079 | option_c=5428 | option_d=5628 | answer=A | explanation=SI = PRT/100 = 34551×4×4/100 = █5528.

id=89243 | topic=Percentages | difficulty=Easy | question=What is 40% of 1114? | option_a=445 | option_b=890 | option_c=425 | option_d=465 | answer=A | explanation=40% of 1114 = (40/100) × 1114 = 445.

id=89244 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36235 at 12% per annum for 3 years. | option_a=13044 | option_b=13144 | option_c=12944 | option_d=49279 | answer=A | explanation=SI = PRT/100 = 36235×12×3/100 = █13044.

id=89245 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:2 and the first is 80, what is the second? | option_a=32 | option_b=37 | option_c=112 | option_d=30 | answer=A | explanation=Scale factor = 80/5 = 16. Therefore second quantity = 2×16 = 32.

id=89246 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 23, 30, 38? | option_a=23 | option_b=38 | option_c=16 | option_d=30 | answer=B | explanation=The first three numbers increase by 7, so the next should be 37. Therefore 38 is the odd one out.

id=89247 | topic=Percentages | difficulty=Easy | question=What is 20% of 583? | option_a=116 | option_b=126 | option_c=232 | option_d=106 | answer=A | explanation=20% of 583 = (20/100) × 583 = 116.

id=89248 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43865 at 5% per annum for 1 years. | option_a=46058 | option_b=2293 | option_c=2093 | option_d=2193 | answer=D | explanation=SI = PRT/100 = 43865×5×1/100 = █2193.

id=89249 | topic=Averages | difficulty=Easy | question=Find the average of 33, 25, 43, 30, 25, 90. | option_a=43 | option_b=40 | option_c=41 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = 246 ÷ 6 = 41.

id=89250 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9397 at 5% per annum for 3 years. | option_a=1509 | option_b=1309 | option_c=1409 | option_d=10806 | answer=C | explanation=SI = PRT/100 = 9397×5×3/100 = █1409.

Aptitude Questions — Records 89,251-89,280 of 100,000

id=89251 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 24. | option_a=24 | option_b=1 | option_c=96 | option_d=28 | answer=A | explanation=LCM × HCF = 4×24; HCF(4,24) = 4, so LCM = 24.

id=89252 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25234 at 6% per annum for 3 years. | option_a=4442 | option_b=29776 | option_c=4642 | option_d=4542 | answer=D | explanation=SI = PRT/100 = 25234×6×3/100 = **■**4542.

id=89253 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=37 | option_b=32 | option_c=40 | option_d=36 | answer=D | explanation=The common difference is 4. Therefore the next term is 32 + 4 = 36.

id=89254 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12920 at 8% per annum for 2 years. | option_a=14987 | option_b=2067 | option_c=1967 | option_d=2167 | answer=B | explanation=SI = PRT/100 = 12920×8×2/100 = **■**2067.

id=89255 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=47 | option_b=48 | option_c=55 | option_d=39 | answer=A | explanation=The common difference is 8. Therefore the next term is 39 + 8 = 47.

id=89256 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 23, 28, 34? | option_a=28 | option_b=18 | option_c=34 | option_d=23 | answer=C | explanation=The first three numbers increase by 5, so the next should be 33. Therefore 34 is the odd one out.

id=89257 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:17 and the first is 24, what is the second? | option_a=68 | option_b=51 | option_c=92 | option_d=74 | answer=A | explanation=Scale factor = 24/6 = 4. Therefore second quantity = 17×4 = 68.

id=89258 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 8. | option_a=40 | option_b=32 | option_c=60 | option_d=160 | answer=A | explanation=LCM × HCF = 20×8; HCF(20,8) = 4, so LCM = 40.

id=89259 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=89260 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=N | option_b=L | option_c=O | option_d=M | answer=A | explanation=Move 1 positions forward from M; the resulting letter is N.

id=89261 | topic=Percentages | difficulty=Easy | question=What is 15% of 1696? | option_a=254 | option_b=234 | option_c=274 | option_d=508 | answer=A | explanation=15% of 1696 = (15/100) × 1696 = 254.

id=89262 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2251. If it is sold at a profit of 20%, what is its selling price? | option_a=2701 | option_b=2476 | option_c=2271 | option_d=2926 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2251 × 120/100 = **■**2701.

id=89263 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 19? | option_a=13 | option_b=11 | option_c=19 | option_d=15 | answer=C | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 19 is the odd one out.

id=89264 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=89265 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40672 at 10% per annum for 5 years. | option_a=20436 | option_b=20336 | option_c=61008 | option_d=20236 | answer=B | explanation=SI = PRT/100 = 40672×10×5/100 = **■**20336.

id=89266 | topic=Averages | difficulty=Easy | question=Find the average of 85, 95, 78. | option_a=85 | option_b=87 | option_c=88 | option_d=86 | answer=D | explanation=Average = sum of values ÷ number of values = 258 ÷ 3 = 86.

id=89267 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=31 | option_b=45 | option_c=38 | option_d=39 | answer=C | explanation=The common difference is 7. Therefore the next term is 31 + 7 = 38.

id=89268 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=I | option_b=H | option_c=J | option_d=G | answer=A | explanation=Move 1 positions forward from H; the resulting letter is I.

id=89269 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 44? | option_a=21 | option_b=44 | option_c=35 | option_d=28 | answer=B | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 44 is the odd one out.

id=89270 | topic=Averages | difficulty=Easy | question=Find the average of 11, 93, 96, 16. | option_a=54 | option_b=53 | option_c=55 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 216 ÷ 4 = 54.

id=89271 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=89272 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30468 at 8% per annum for 1 years. | option_a=2437 | option_b=32905 | option_c=2337 | option_d=2537 | answer=A | explanation=SI = PRT/100 = 30468×8×1/100 = **■**2437.

id=89273 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46222 at 8% per annum for 5 years. | option_a=64710 | option_b=18588 | option_c=18488 | option_d=18388 | answer=C | explanation=SI = PRT/100 = 46222×8×5/100 = **■**18488.

id=89274 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:12 and the first is 28, what is the second? | option_a=48 | option_b=55 | option_c=36 | option_d=76 | answer=A | explanation=Scale factor = 28/7 = 4. Therefore second quantity = 12×4 = 48.

id=89275 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=V | option_b=G | option_c=Q | option_d=L | answer=C | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=89276 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=L | option_c=N | option_d=H | answer=B | explanation=Move 2 positions forward from J; the resulting letter is L.

id=89277 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49821 at 5% per annum for 4 years. | option_a=59785 | option_b=9964 | option_c=10064 | option_d=9864 | answer=B | explanation=SI = PRT/100 = 49821×5×4/100 = **■**9964.

id=89278 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30046 at 6% per annum for 4 years. | option_a=7111 | option_b=7211 | option_c=7311 | option_d=37257 | answer=B | explanation=SI = PRT/100 = 30046×6×4/100 = **■**7211.

id=89279 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=90 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=89280 | topic=Percentages | difficulty=Easy | question=What is 30% of 1290? | option_a=774 | option_b=377 | option_c=387 | option_d=392 | answer=C | explanation=30% of 1290 = (30/100) × 1290 = 387.

Aptitude Questions — Records 89,281-89,310 of 100,000

id=89281 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1359. If it is sold at a profit of 20%, what is its selling price? | option_a=1495 | option_b=1630 | option_c=1765 | option_d=1379 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1359 × 120/100 = ■1630.

id=89282 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=H | option_b=M | option_c=R | option_d=W | answer=C | explanation=Move 5 positions forward from M; the resulting letter is R.

id=89283 | topic=Averages | difficulty=Easy | question=Find the average of 87, 40, 78, 79. | option_a=71 | option_b=73 | option_c=70 | option_d=72 | answer=A | explanation=Average = sum of values ÷ number of values = 284 ÷ 4 = 71.

id=89284 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1289. If it is sold at a profit of 25%, what is its selling price? | option_a=1314 | option_b=1739 | option_c=1483 | option_d=1611 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1289 × 125/100 = ■1611.

id=89285 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4929. If it is sold at a profit of 40%, what is its selling price? | option_a=7392 | option_b=4969 | option_c=6900 | option_d=6408 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4929 × 140/100 = ■6900.

id=89286 | topic=Averages | difficulty=Easy | question=Find the average of 69, 77, 60, 67, 97. | option_a=76 | option_b=75 | option_c=73 | option_d=74 | answer=D | explanation=Average = sum of values ÷ number of values = 370 ÷ 5 = 74.

id=89287 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=K | option_c=I | option_d=M | answer=D | explanation=Move 2 positions forward from K; the resulting letter is M.

id=89288 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:10 and the first is 224, what is the second? | option_a=160 | option_b=384 | option_c=150 | option_d=174 | answer=A | explanation=Scale factor = 224/14 = 16. Therefore second quantity = 10×16 = 160.

id=89289 | topic=Averages | difficulty=Easy | question=Find the average of 51, 48, 65, 27, 44. | option_a=48 | option_b=47 | option_c=49 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 235 ÷ 5 = 47.

id=89290 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 10. | option_a=60 | option_b=30 | option_c=36 | option_d=20 | answer=B | explanation=LCM × HCF = 6×10; HCF(6,10) = 2, so LCM = 30.

id=89291 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=89292 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=48 | option_c=96 | option_d=53 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=89293 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=J | option_b=D | option_c=G | option_d=M | answer=A | explanation=Move 3 positions forward from G; the resulting letter is J.

id=89294 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■790. If it is sold at a profit of 40%, what is its selling price? | option_a=1027 | option_b=1106 | option_c=830 | option_d=1185 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 790 × 140/100 = ■1106.

id=89295 | topic=Averages | difficulty=Easy | question=Find the average of 50, 13, 84, 63, 25. | option_a=48 | option_b=47 | option_c=46 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 235 ÷ 5 = 47.

id=89296 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1571. If it is sold at a profit of 5%, what is its selling price? | option_a=1649 | option_b=1806 | option_c=1492 | option_d=1576 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1571 × 105/100 = ■1649.

id=89297 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=I | option_c=E | option_d=G | answer=B | explanation=Move 2 positions forward from G; the resulting letter is I.

id=89298 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 187, what is the second? | option_a=272 | option_b=283 | option_c=256 | option_d=459 | answer=A | explanation=Scale factor = 187/11 = 17. Therefore second quantity = 16×17 = 272.

id=89299 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=S | option_b=M | option_c=V | option_d=P | answer=A | explanation=Move 3 positions forward from P; the resulting letter is S.

id=89300 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=Y | option_b=C | option_c=E | option_d=A | answer=B | explanation=Move 2 positions forward from A; the resulting letter is C.

id=89301 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 27, 33, 41? | option_a=21 | option_b=27 | option_c=33 | option_d=41 | answer=D | explanation=The first three numbers increase by 6, so the next should be 39. Therefore 41 is the odd one out.

id=89302 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 20, 27, 35? | option_a=13 | option_b=20 | option_c=35 | option_d=27 | answer=C | explanation=The first three numbers increase by 7, so the next should be 34. Therefore 35 is the odd one out.

id=89303 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=21 | option_b=20 | option_c=16 | option_d=24 | answer=B | explanation=The common difference is 4. Therefore the next term is 16 + 4 = 20.

id=89304 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■20141 at 8% per annum for 4 years. | option_a=26586 | option_b=6345 | option_c=6445 | option_d=6545 | answer=C | explanation=SI = PRT/100 = 20141×8×4/100 = ■6445.

id=89305 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=89306 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 39, 49, 62? | option_a=62 | option_b=49 | option_c=39 | option_d=29 | answer=A | explanation=The first three numbers increase by 10, so the next should be 59. Therefore 62 is the odd one out.

id=89307 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 18, 23, 28, ? | option_a=33 | option_b=34 | option_c=38 | option_d=28 | answer=A | explanation=The common difference is 5. Therefore the next term is 28 + 5 = 33.

id=89308 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=30 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=89309 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 14, 21, 30? | option_a=7 | option_b=14 | option_c=21 | option_d=30 | answer=D | explanation=The first three numbers increase by 7, so the next should be 28. Therefore 30 is the odd one out.

id=89310 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=53 | option_c=43 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

Aptitude Questions — Records 89,311-89,340 of 100,000

id=89311 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6669 at 12% per annum for 5 years. | option_a=10670 | option_b=4001 | option_c=3901 | option_d=4101 | answer=B | explanation=SI = PRT/100 = 6669×12×5/100 = **■**4001.

id=89312 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=89313 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 59? | option_a=38 | option_b=47 | option_c=59 | option_d=29 | answer=C | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 59 is the odd one out.

id=89314 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=D | option_b=H | option_c=P | option_d=L | answer=D | explanation=Move 4 positions forward from H; the resulting letter is L.

id=89315 | topic=Averages | difficulty=Easy | question=Find the average of 17, 14, 30, 100, 30, 16, 66. | option_a=39 | option_b=41 | option_c=40 | option_d=38 | answer=A | explanation=Average = sum of values ÷ number of values = 273 ÷ 7 = 39.

id=89316 | topic=Averages | difficulty=Easy | question=Find the average of 63, 92, 21, 19, 55. | option_a=49 | option_b=52 | option_c=51 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 250 ÷ 5 = 50.

id=89317 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=36 | option_c=18 | option_d=13 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=89318 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=89319 | topic=Percentages | difficulty=Easy | question=What is 5% of 1410? | option_a=75 | option_b=70 | option_c=140 | option_d=50 | answer=B | explanation=5% of 1410 = (5/100) × 1410 = 70.

id=89320 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:15 and the first is 14, what is the second? | option_a=44 | option_b=15 | option_c=37 | option_d=30 | answer=D | explanation=Scale factor = 14/7 = 2. Therefore second quantity = 15×2 = 30.

id=89321 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49657 at 4% per annum for 3 years. | option_a=6058 | option_b=5858 | option_c=5958 | option_d=55615 | answer=C | explanation=SI = PRT/100 = 49657×4×3/100 = **■**5958.

id=89322 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=40 | option_b=41 | option_c=31 | option_d=49 | answer=A | explanation=The common difference is 9. Therefore the next term is 31 + 9 = 40.

id=89323 | topic=Averages | difficulty=Easy | question=Find the average of 10, 13, 64, 53. | option_a=36 | option_b=35 | option_c=34 | option_d=37 | answer=B | explanation=Average = sum of values ÷ number of values = 140 ÷ 4 = 35.

id=89324 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3158. If it is sold at a profit of 40%, what is its selling price? | option_a=4736 | option_b=3198 | option_c=4106 | option_d=4421 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3158 × 140/100 = **■**4421.

id=89325 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 22, 28, 37? | option_a=22 | option_b=16 | option_c=37 | option_d=28 | answer=C | explanation=The first three numbers increase by 6, so the next should be 34. Therefore 37 is the odd one out.

id=89326 | topic=Averages | difficulty=Easy | question=Find the average of 48, 27, 26, 97, 59, 67, 26, 75, 43. | option_a=54 | option_b=51 | option_c=53 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 468 ÷ 9 = 52.

id=89327 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1935. If it is sold at a profit of 40%, what is its selling price? | option_a=2709 | option_b=2902 | option_c=2516 | option_d=1975 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1935 × 140/100 = **■**2709.

id=89328 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=89329 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=53 | option_b=44 | option_c=62 | option_d=54 | answer=A | explanation=The common difference is 9. Therefore the next term is 44 + 9 = 53.

id=89330 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1371. If it is sold at a profit of 20%, what is its selling price? | option_a=1782 | option_b=1508 | option_c=1391 | option_d=1645 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1371 × 120/100 = **■**1645.

id=89331 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:14 and the first is 187, what is the second? | option_a=238 | option_b=249 | option_c=224 | option_d=425 | answer=A | explanation=Scale factor = 187/11 = 17. Therefore second quantity = 14×17 = 238.

id=89332 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=89333 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 24, 31, 39? | option_a=39 | option_b=17 | option_c=31 | option_d=24 | answer=A | explanation=The first three numbers increase by 7, so the next should be 38. Therefore 39 is the odd one out.

id=89334 | topic=Averages | difficulty=Easy | question=Find the average of 26, 95, 37, 15, 69, 64, 34, 52. | option_a=50 | option_b=48 | option_c=49 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 392 ÷ 8 = 49.

id=89335 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=54 | option_b=45 | option_c=34 | option_d=44 | answer=D | explanation=The common difference is 10. Therefore the next term is 34 + 10 = 44.

id=89336 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=175 | option_c=180 | option_d=360 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=89337 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15422 at 4% per annum for 4 years. | option_a=2467 | option_b=2567 | option_c=17889 | option_d=2367 | answer=A | explanation=SI = PRT/100 = 15422×4×4/100 = **■**2467.

id=89338 | topic=Percentages | difficulty=Easy | question=What is 25% of 756? | option_a=378 | option_b=189 | option_c=194 | option_d=179 | answer=B | explanation=25% of 756 = (25/100) × 756 = 189.

id=89339 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=27 | option_b=30 | option_c=24 | option_d=28 | answer=A | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=89340 | topic=Averages | difficulty=Easy | question=Find the average of 32, 18, 40, 48, 64, 26. | option_a=40 | option_b=39 | option_c=37 | option_d=38 | answer=D | explanation=Average = sum of values ÷ number of values = 228 ÷ 6 = 38.

Aptitude Questions — Records 89,341-89,370 of 100,000

id=89341 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=240 | option_c=120 | option_d=115 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=89342 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=89343 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does "T" become? | option_a=U | option_b=S | option_c=T | option_d=V | answer=A | explanation=Move 1 positions forward from T; the resulting letter is U.

id=89344 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:9 and the first is 30, what is the second? | option_a=45 | option_b=51 | option_c=36 | option_d=75 | answer=A | explanation=Scale factor = 30/6 = 5. Therefore second quantity = 9×5 = 45.

id=89345 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:4 and the first is 77, what is the second? | option_a=40 | option_b=51 | option_c=121 | option_d=44 | answer=D | explanation=Scale factor = 77/7 = 11. Therefore second quantity = 4×11 = 44.

id=89346 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=72 | option_c=144 | option_d=67 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=89347 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2394 at 15% per annum for 1 years. | option_a=359 | option_b=459 | option_c=259 | option_d=2753 | answer=A | explanation=SI = PRT/100 = 2394×15×1/100 = **■**359.

id=89348 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=16 | option_b=24 | option_c=20 | option_d=21 | answer=C | explanation=The common difference is 4. Therefore the next term is 16 + 4 = 20.

id=89349 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 5, 8, 11, ? | option_a=11 | option_b=14 | option_c=15 | option_d=17 | answer=B | explanation=The common difference is 3. Therefore the next term is 11 + 3 = 14.

id=89350 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=12 | option_c=24 | option_d=17 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=89351 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35521 at 12% per annum for 2 years. | option_a=8625 | option_b=8425 | option_c=44046 | option_d=8525 | answer=D | explanation=SI = PRT/100 = 35521×12×2/100 = **■**8525.

id=89352 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3546. If it is sold at a profit of 25%, what is its selling price? | option_a=4786 | option_b=3571 | option_c=4078 | option_d=4432 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3546 × 125/100 = **■**4432.

id=89353 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=65 | option_b=45 | option_c=55 | option_d=56 | answer=C | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.

id=89354 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:9 and the first is 70, what is the second? | option_a=131 | option_b=117 | option_c=126 | option_d=196 | answer=C | explanation=Scale factor = 70/5 = 14. Therefore second quantity = 9×14 = 126.

id=89355 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42255 at 6% per annum for 1 years. | option_a=2535 | option_b=2435 | option_c=2635 | option_d=44790 | answer=A | explanation=SI = PRT/100 = 42255×6×1/100 = **■**2535.

id=89356 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 33? | option_a=33 | option_b=20 | option_c=15 | option_d=25 | answer=A | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 33 is the odd one out.

id=89357 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=38 | option_b=62 | option_c=51 | option_d=50 | answer=D | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=89358 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15273 at 10% per annum for 2 years. | option_a=3054 | option_b=3154 | option_c=2954 | option_d=18327 | answer=A | explanation=SI = PRT/100 = 15273×10×2/100 = **■**3054.

id=89359 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 24, 31, 39? | option_a=24 | option_b=39 | option_c=31 | option_d=17 | answer=B | explanation=The first three numbers increase by 7, so the next should be 38. Therefore 39 is the odd one out.

id=89360 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:12 and the first is 280, what is the second? | option_a=188 | option_b=448 | option_c=156 | option_d=168 | answer=D | explanation=Scale factor = 280/20 = 14. Therefore second quantity = 12×14 = 168.

id=89361 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49338 at 4% per annum for 5 years. | option_a=9867 | option_b=9767 | option_c=9967 | option_d=59205 | answer=A | explanation=SI = PRT/100 = 49338×4×5/100 = **■**9867.

id=89362 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does "T" become? | option_a=R | option_b=V | option_c=T | option_d=X | answer=B | explanation=Move 2 positions forward from T; the resulting letter is V.

id=89363 | topic=Averages | difficulty=Easy | question=Find the average of 64, 22, 72, 70, 27, 51. | option_a=53 | option_b=52 | option_c=51 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 306 ÷ 6 = 51.

id=89364 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 44? | option_a=35 | option_b=44 | option_c=27 | option_d=19 | answer=B | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 44 is the odd one out.

id=89365 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does "N" become? | option_a=T | option_b=N | option_c=Q | option_d=K | answer=C | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=89366 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 28. | option_a=84 | option_b=112 | option_c=448 | option_d=128 | answer=B | explanation=LCM × HCF = 16×28; HCF(16,28) = 4, so LCM = 112.

id=89367 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3691. If it is sold at a profit of 25%, what is its selling price? | option_a=3716 | option_b=4982 | option_c=4244 | option_d=4613 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3691 × 125/100 = **■**4613.

id=89368 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 11, 14, 20? | option_a=8 | option_b=20 | option_c=14 | option_d=11 | answer=B | explanation=The first three numbers increase by 3, so the next should be 17. Therefore 20 is the odd one out.

id=89369 | topic=Percentages | difficulty=Easy | question=What is 12% of 310? | option_a=37 | option_b=74 | option_c=47 | option_d=32 | answer=A | explanation=12% of 310 = (12/100) × 310 = 37.

id=89370 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

Aptitude Questions — Records 89,371-89,400 of 100,000

id=89371 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=115 | option_c=125 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=89372 | topic=Averages | difficulty=Easy | question=Find the average of 11, 88, 82, 46, 30, 52, 41. | option_a=52 | option_b=51 | option_c=50 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

id=89373 | topic=Averages | difficulty=Easy | question=Find the average of 15, 25, 20, 64. | option_a=33 | option_b=32 | option_c=31 | option_d=30 | answer=C | explanation=Average = sum of values ÷ number of values = 124 ÷ 4 = 31.

id=89374 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=89375 | topic=Averages | difficulty=Easy | question=Find the average of 45, 94, 20, 21, 35. | option_a=44 | option_b=42 | option_c=43 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = 215 ÷ 5 = 43.

id=89376 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1871. If it is sold at a profit of 30%, what is its selling price? | option_a=1901 | option_b=2432 | option_c=2619 | option_d=2245 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1871 × 130/100 = █2432.

id=89377 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 35, 42, 51? | option_a=51 | option_b=42 | option_c=28 | option_d=35 | answer=A | explanation=The first three numbers increase by 7, so the next should be 49. Therefore 51 is the odd one out.

id=89378 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=24 | option_c=19 | option_d=48 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=89379 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 24? | option_a=18 | option_b=16 | option_c=24 | option_d=20 | answer=C | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 24 is the odd one out.

id=89380 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:5 and the first is 260, what is the second? | option_a=95 | option_b=360 | option_c=113 | option_d=100 | answer=D | explanation=Scale factor = 260/13 = 20. Therefore second quantity = 5×20 = 100.

id=89381 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39497 at 8% per annum for 1 years. | option_a=3059 | option_b=3159 | option_c=3259 | option_d=42656 | answer=B | explanation=SI = PRT/100 = 39497×8×1/100 = █3159.

id=89382 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 24. | option_a=96 | option_b=150 | option_c=120 | option_d=720 | answer=C | explanation=LCM × HCF = 30×24; HCF(30,24) = 6, so LCM = 120.

id=89383 | topic=Averages | difficulty=Easy | question=Find the average of 67, 11, 66, 69, 61, 23, 28, 19. | option_a=44 | option_b=42 | option_c=43 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = 344 ÷ 8 = 43.

id=89384 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 8. | option_a=88 | option_b=110 | option_c=176 | option_d=80 | answer=A | explanation=LCM × HCF = 22×8; HCF(22,8) = 2, so LCM = 88.

id=89385 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1593. If it is sold at a profit of 15%, what is its selling price? | option_a=1608 | option_b=1831 | option_c=1990 | option_d=1672 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1593 × 115/100 = █1831.

id=89386 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=8 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=89387 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=C | option_c=Y | option_d=E | answer=B | explanation=Move 2 positions forward from A; the resulting letter is C.

id=89388 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=44 | option_b=36 | option_c=37 | option_d=28 | answer=B | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=89389 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:5 and the first is 57, what is the second? | option_a=72 | option_b=10 | option_c=34 | option_d=15 | answer=D | explanation=Scale factor = 57/19 = 3. Therefore second quantity = 5×3 = 15.

id=89390 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=32 | option_b=28 | option_c=34 | option_d=31 | answer=D | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=89391 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:9 and the first is 44, what is the second? | option_a=27 | option_b=36 | option_c=47 | option_d=80 | answer=B | explanation=Scale factor = 44/11 = 4. Therefore second quantity = 9×4 = 36.

id=89392 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=T | option_b=L | option_c=H | option_d=P | answer=D | explanation=Move 4 positions forward from L; the resulting letter is P.

id=89393 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=18 | option_d=13 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=89394 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=M | option_c=Q | option_d=O | answer=C | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=89395 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=89396 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 20. | option_a=100 | option_b=480 | option_c=120 | option_d=144 | answer=C | explanation=LCM × HCF = 24×20; HCF(24,20) = 4, so LCM = 120.

id=89397 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=P | option_b=Q | option_c=O | option_d=N | answer=A | explanation=Move 1 positions forward from O; the resulting letter is P.

id=89398 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=89399 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=K | option_b=N | option_c=H | option_d=E | answer=A | explanation=Move 3 positions forward from H; the resulting letter is K.

id=89400 | topic=Averages | difficulty=Easy | question=Find the average of 74, 95, 44, 12, 87, 96, 89. | option_a=73 | option_b=71 | option_c=72 | option_d=70 | answer=B | explanation=Average = sum of values ÷ number of values = 497 ÷ 7 = 71.

Aptitude Questions — Records 89,401-89,430 of 100,000

id=89401 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=45 | option_b=54 | option_c=46 | option_d=36 | answer=A | explanation=The common difference is 9. Therefore the next term is 36 + 9 = 45.

id=89402 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=28 | option_b=29 | option_c=22 | option_d=34 | answer=A | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.

id=89403 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=89404 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=29 | option_b=23 | option_c=30 | option_d=35 | answer=A | explanation=The common difference is 6. Therefore the next term is 23 + 6 = 29.

id=89405 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12} = 3$ days.

id=89406 | topic=Percentages | difficulty=Easy | question=What is 40% of 723? | option_a=578 | option_b=269 | option_c=299 | option_d=289 | answer=D | explanation=40% of 723 = $(40/100) \times 723 = 289$.

id=89407 | topic=Percentages | difficulty=Easy | question=What is 10% of 1998? | option_a=204 | option_b=398 | option_c=194 | option_d=199 | answer=D | explanation=10% of 1998 = $(10/100) \times 1998 = 199$.

id=89408 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18024 at 4% per annum for 1 years. | option_a=620 | option_b=18744 | option_c=820 | option_d=720 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{18024 \times 4 \times 1}{100} = \text{■}720$.

id=89409 | topic=Averages | difficulty=Easy | question=Find the average of 59, 10, 36. | option_a=35 | option_b=34 | option_c=37 | option_d=36 | answer=A | explanation=Average = sum of values ÷ number of values = $105 \div 3 = 35$.

id=89410 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=39 | option_b=50 | option_c=61 | option_d=51 | answer=B | explanation=The common difference is 11. Therefore the next term is 39 + 11 = 50.

id=89411 | topic=Percentages | difficulty=Easy | question=What is 15% of 918? | option_a=147 | option_b=137 | option_c=274 | option_d=127 | answer=B | explanation=15% of 918 = $(15/100) \times 918 = 137$.

id=89412 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 21, 23, 25, ? | option_a=29 | option_b=28 | option_c=25 | option_d=27 | answer=D | explanation=The common difference is 2. Therefore the next term is 25 + 2 = 27.

id=89413 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 28. | option_a=840 | option_b=392 | option_c=450 | option_d=420 | answer=D | explanation=LCM $\times$ HCF = 30×28 ; HCF(30,28) = 2, so LCM = 420.

id=89414 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=89415 | topic=Averages | difficulty=Easy | question=Find the average of 73, 33, 82, 84, 62, 12, 93, 75, 35. | option_a=63 | option_b=61 | option_c=62 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = $549 \div 9 = 61$.

id=89416 | topic=Averages | difficulty=Easy | question=Find the average of 91, 38, 60, 30, 24, 76, 63, 78, 80, 90. | option_a=62 | option_b=64 | option_c=63 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = $630 \div 10 = 63$.

id=89417 | topic=Percentages | difficulty=Easy | question=What is 25% of 1872? | option_a=936 | option_b=448 | option_c=468 | option_d=488 | answer=C | explanation=25% of 1872 = $(25/100) \times 1872 = 468$.

id=89418 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 22, 27, 32, ? | option_a=42 | option_b=37 | option_c=38 | option_d=32 | answer=B | explanation=The common difference is 5. Therefore the next term is 32 + 5 = 37.

id=89419 | topic=Percentages | difficulty=Easy | question=What is 25% of 143? | option_a=70 | option_b=35 | option_c=55 | option_d=15 | answer=B | explanation=25% of 143 = $(25/100) \times 143 = 35$.

id=89420 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=89421 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=61 | option_b=72 | option_c=50 | option_d=62 | answer=A | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.

id=89422 | topic=Averages | difficulty=Easy | question=Find the average of 53, 41, 81, 41, 60, 32, 63, 101. | option_a=58 | option_b=61 | option_c=60 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = $472 \div 8 = 59$.

id=89423 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4228. If it is sold at a profit of 25%, what is its selling price? | option_a=5707 | option_b=4863 | option_c=5285 | option_d=4253 | answer=C | explanation=Selling price = CP $\times$ $(100 + \text{profit}\%)/100 = 4228 \times \frac{125}{100} = \text{■}5285$.

id=89424 | topic=Averages | difficulty=Easy | question=Find the average of 92, 36, 60, 13, 70, 78, 73, 23, 33, 42. | option_a=54 | option_b=51 | option_c=52 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = $520 \div 10 = 52$.

id=89425 | topic=Averages | difficulty=Easy | question=Find the average of 71, 67, 91, 14, 26, 43, 39, 33. | option_a=47 | option_b=49 | option_c=50 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = $384 \div 8 = 48$.

id=89426 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 42? | option_a=29 | option_b=35 | option_c=23 | option_d=42 | answer=D | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 42 is the odd one out.

id=89427 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=89428 | topic=Percentages | difficulty=Easy | question=What is 30% of 1597? | option_a=499 | option_b=469 | option_c=958 | option_d=479 | answer=D | explanation=30% of 1597 = $(30/100) \times 1597 = 479$.

id=89429 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=85 | option_c=75 | option_d=160 | answer=A | explanation=Speed = distance ÷ time = $240 \div 3 = 80$ km/h.

id=89430 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17399 at 8% per annum for 5 years. | option_a=7059 | option_b=6859 | option_c=24358 | option_d=6959 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{17399 \times 8 \times 5}{100} = \text{■}6959$.

Aptitude Questions — Records 89,431-89,460 of 100,000

id=89431 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=89432 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=34 | option_b=39 | option_c=29 | option_d=35 | answer=A | explanation=The common difference is 5. Therefore the next term is 29 + 5 = 34.

id=89433 | topic=Averages | difficulty=Easy | question=Find the average of 94, 70, 69, 100, 98, 91, 34, 82, 28. | option_a=75 | option_b=74 | option_c=76 | option_d=73 | answer=B | explanation=Average = sum of values ÷ number of values = 666 ÷ 9 = 74.

id=89434 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 41? | option_a=25 | option_b=41 | option_c=30 | option_d=35 | answer=B | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 41 is the odd one out.

id=89435 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:12 and the first is 170, what is the second? | option_a=108 | option_b=120 | option_c=137 | option_d=290 | answer=B | explanation=Scale factor = 170/17 = 10. Therefore second quantity = 12×10 = 120.

id=89436 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=89437 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3258 at 12% per annum for 4 years. | option_a=1463 | option_b=1663 | option_c=4821 | option_d=1563 | answer=D | explanation=SI = PRT/100 = 3258×12×4/100 = **■**1563.

id=89438 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=48 | option_b=47 | option_c=57 | option_d=37 | answer=B | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

id=89439 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=9 | option_c=14 | option_d=4 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=89440 | topic=Percentages | difficulty=Easy | question=What is 25% of 648? | option_a=152 | option_b=172 | option_c=324 | option_d=162 | answer=D | explanation=25% of 648 = (25/100) × 648 = 162.

id=89441 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=N | option_b=I | option_c=D | option_d=S | answer=A | explanation=Move 5 positions forward from I; the resulting letter is N.

id=89442 | topic=Averages | difficulty=Easy | question=Find the average of 46, 29, 43, 97, 93, 57, 68, 32, 81, 64. | option_a=62 | option_b=61 | option_c=63 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 610 ÷ 10 = 61.

id=89443 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 10, 13, 18? | option_a=18 | option_b=13 | option_c=7 | option_d=10 | answer=A | explanation=The first three numbers increase by 3, so the next should be 16. Therefore 18 is the odd one out.

id=89444 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4295. If it is sold at a profit of 5%, what is its selling price? | option_a=4938 | option_b=4509 | option_c=4300 | option_d=4080 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4295 × 105/100 = **■**4509.

id=89445 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=I | option_c=J | option_d=H | answer=C | explanation=Move 1 positions forward from I; the resulting letter is J.

id=89446 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=89447 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=52 | option_b=51 | option_c=39 | option_d=63 | answer=B | explanation=The common difference is 12. Therefore the next term is 39 + 12 = 51.

id=89448 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=89449 | topic=Averages | difficulty=Easy | question=Find the average of 29, 98, 64, 31, 87, 49, 83, 15. | option_a=57 | option_b=56 | option_c=58 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

id=89450 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=89451 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17727 at 6% per annum for 2 years. | option_a=19854 | option_b=2027 | option_c=2227 | option_d=2127 | answer=D | explanation=SI = PRT/100 = 17727×6×2/100 = **■**2127.

id=89452 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=90 | option_c=180 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=89453 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:5 and the first is 42, what is the second? | option_a=77 | option_b=35 | option_c=41 | option_d=30 | answer=B | explanation=Scale factor = 42/6 = 7. Therefore second quantity = 5×7 = 35.

id=89454 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=90 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=89455 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 22. | option_a=308 | option_b=330 | option_c=660 | option_d=360 | answer=B | explanation=LCM × HCF = 30×22; HCF(30,22) = 2, so LCM = 330.

id=89456 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=H | option_c=N | option_d=Q | answer=C | explanation=Move 3 positions forward from K; the resulting letter is N.

id=89457 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1265. If it is sold at a profit of 15%, what is its selling price? | option_a=1454 | option_b=1580 | option_c=1280 | option_d=1328 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1265 × 115/100 = **■**1454.

id=89458 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=89459 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3724. If it is sold at a profit of 50%, what is its selling price? | option_a=3774 | option_b=5958 | option_c=5214 | option_d=5586 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3724 × 150/100 = **■**5586.

id=89460 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 89,461-89,490 of 100,000

id=89461 | topic=Averages | difficulty=Easy | question=Find the average of 81, 39, 60, 54, 54, 88, 33, 79. | option_a=60 | option_b=61 | option_c=62 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 488 ÷ 8 = 61.

id=89462 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 27, 36, 47? | option_a=36 | option_b=47 | option_c=27 | option_d=18 | answer=B | explanation=The first three numbers increase by 9, so the next should be 45. Therefore 47 is the odd one out.

id=89463 | topic=Averages | difficulty=Easy | question=Find the average of 95, 90, 51, 38, 27, 65, 75. | option_a=62 | option_b=63 | option_c=64 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 441 ÷ 7 = 63.

id=89464 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=V | option_b=L | option_c=Q | option_d=G | answer=C | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=89465 | topic=Averages | difficulty=Easy | question=Find the average of 20, 19, 92, 25, 32, 94. | option_a=47 | option_b=46 | option_c=48 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 282 ÷ 6 = 47.

id=89466 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2932. If it is sold at a profit of 40%, what is its selling price? | option_a=2972 | option_b=3811 | option_c=4104 | option_d=4397 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2932 × 140/100 = █4104.

id=89467 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 26, 32, 41? | option_a=32 | option_b=26 | option_c=41 | option_d=20 | answer=C | explanation=The first three numbers increase by 6, so the next should be 38. Therefore 41 is the odd one out.

id=89468 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=89469 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:4 and the first is 266, what is the second? | option_a=56 | option_b=322 | option_c=75 | option_d=52 | answer=A | explanation=Scale factor = 266/19 = 14. Therefore second quantity = 4×14 = 56.

id=89470 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8508 at 4% per annum for 1 years. | option_a=8848 | option_b=340 | option_c=240 | option_d=440 | answer=B | explanation=SI = PRT/100 = 8508×4×1/100 = █340.

id=89471 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 23, 30, 38? | option_a=23 | option_b=30 | option_c=38 | option_d=16 | answer=C | explanation=The first three numbers increase by 7, so the next should be 37. Therefore 38 is the odd one out.

id=89472 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 27, 32, 38? | option_a=27 | option_b=32 | option_c=22 | option_d=38 | answer=D | explanation=The first three numbers increase by 5, so the next should be 37. Therefore 38 is the odd one out.

id=89473 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 13, 19, 26? | option_a=13 | option_b=19 | option_c=7 | option_d=26 | answer=D | explanation=The first three numbers increase by 6, so the next should be 25. Therefore 26 is the odd one out.

id=89474 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 34, 43, 53? | option_a=25 | option_b=43 | option_c=34 | option_d=53 | answer=D | explanation=The first three numbers increase by 9, so the next should be 52. Therefore 53 is the odd one out.

id=89475 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=89476 | topic=Averages | difficulty=Easy | question=Find the average of 43, 19, 29, 80, 86, 41, 47, 96, 48, 61. | option_a=55 | option_b=57 | option_c=54 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 550 ÷ 10 = 55.

id=89477 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 43? | option_a=43 | option_b=21 | option_c=31 | option_d=11 | answer=A | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 43 is the odd one out.

id=89478 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 33? | option_a=33 | option_b=24 | option_c=12 | option_d=18 | answer=A | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 33 is the odd one out.

id=89479 | topic=Averages | difficulty=Easy | question=Find the average of 18, 69, 39, 100, 22, 43, 93, 104. | option_a=61 | option_b=60 | option_c=62 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 488 ÷ 8 = 61.

id=89480 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2321. If it is sold at a profit of 20%, what is its selling price? | option_a=2785 | option_b=2553 | option_c=2341 | option_d=3017 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2321 × 120/100 = █2785.

id=89481 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46485 at 5% per annum for 5 years. | option_a=11521 | option_b=11721 | option_c=11621 | option_d=58106 | answer=C | explanation=SI = PRT/100 = 46485×5×5/100 = █11621.

id=89482 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=N | option_b=X | option_c=S | option_d=C | answer=B | explanation=Move 5 positions forward from S; the resulting letter is X.

id=89483 | topic=Percentages | difficulty=Easy | question=What is 10% of 484? | option_a=58 | option_b=43 | option_c=96 | option_d=48 | answer=D | explanation=10% of 484 = (10/100) × 484 = 48.

id=89484 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22496 at 6% per annum for 4 years. | option_a=5399 | option_b=5499 | option_c=5299 | option_d=27895 | answer=A | explanation=SI = PRT/100 = 22496×6×4/100 = █5399.

id=89485 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4987. If it is sold at a profit of 40%, what is its selling price? | option_a=7479 | option_b=5027 | option_c=6981 | option_d=6483 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4987 × 140/100 = █6981.

id=89486 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=120 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=89487 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17188 at 6% per annum for 2 years. | option_a=2162 | option_b=19250 | option_c=2062 | option_d=1962 | answer=C | explanation=SI = PRT/100 = 17188×6×2/100 = █2062.

id=89488 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43, ? | option_a=51 | option_b=43 | option_c=52 | option_d=59 | answer=A | explanation=The common difference is 8. Therefore the next term is 43 + 8 = 51.

id=89489 | topic=Percentages | difficulty=Easy | question=What is 30% of 533? | option_a=169 | option_b=159 | option_c=154 | option_d=318 | answer=B | explanation=30% of 533 = (30/100) × 533 = 159.

id=89490 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=13 | option_c=18 | option_d=36 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

Aptitude Questions — Records 89,491-89,520 of 100,000

id=89491 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■23152 at 6% per annum for 1 years. | option_a=1389 | option_b=1489 | option_c=24541 | option_d=1289 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{23152 \times 6 \times 1}{100} = \blacksquare 1389$.

id=89492 | topic=Percentages | difficulty=Easy | question=What is 25% of 785? | option_a=196 | option_b=392 | option_c=191 | option_d=201 | answer=A | explanation= $25\% \text{ of } 785 = \frac{(25/100) \times 785}{1} = 196$.

id=89493 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=18 | option_b=19 | option_c=21 | option_d=15 | answer=A | explanation=The common difference is 3. Therefore the next term is $15 + 3 = 18$.

id=89494 | topic=Percentages | difficulty=Easy | question=What is 50% of 1151? | option_a=565 | option_b=580 | option_c=1150 | option_d=575 | answer=D | explanation= $50\% \text{ of } 1151 = \frac{(50/100) \times 1151}{1} = 575$.

id=89495 | topic=Percentages | difficulty=Easy | question=What is 15% of 506? | option_a=75 | option_b=95 | option_c=70 | option_d=150 | answer=A | explanation= $15\% \text{ of } 506 = \frac{(15/100) \times 506}{1} = 75$.

id=89496 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:18 and the first is 34, what is the second? | option_a=306 | option_b=288 | option_c=308 | option_d=340 | answer=A | explanation=Scale factor = $34/2 = 17$. Therefore second quantity = $18 \times 17 = 306$.

id=89497 | topic=Percentages | difficulty=Easy | question=What is 30% of 1815? | option_a=544 | option_b=1088 | option_c=549 | option_d=534 | answer=A | explanation= $30\% \text{ of } 1815 = \frac{(30/100) \times 1815}{1} = 544$.

id=89498 | topic=Percentages | difficulty=Easy | question=What is 12% of 1238? | option_a=158 | option_b=296 | option_c=128 | option_d=148 | answer=D | explanation= $12\% \text{ of } 1238 = \frac{(12/100) \times 1238}{1} = 148$.

id=89499 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 20. | option_a=20 | option_b=25 | option_c=100 | option_d=1 | answer=A | explanation= $LCM \times HCF = 5 \times 20$; $HCF(5,20) = 5$, so $LCM = 20$.

id=89500 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=89501 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:3 and the first is 38, what is the second? | option_a=6 | option_b=25 | option_c=3 | option_d=44 | answer=A | explanation=Scale factor = $38/19 = 2$. Therefore second quantity = $3 \times 2 = 6$.

id=89502 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=89503 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4841. If it is sold at a profit of 20%, what is its selling price? | option_a=5809 | option_b=6293 | option_c=5325 | option_d=4861 | answer=A | explanation= $Selling \text{ price} = CP \times \frac{(100 + \text{profit}\%)}{100} = 4841 \times \frac{120}{100} = \blacksquare 5809$.

id=89504 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=S | option_b=N | option_c=I | option_d=X | answer=A | explanation=Move 5 positions forward from N; the resulting letter is S.

id=89505 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=B | option_c=P | option_d=X | answer=D | explanation=Move 4 positions forward from T; the resulting letter is X.

id=89506 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■41862 at 15% per annum for 3 years. | option_a=18937 | option_b=18737 | option_c=18837 | option_d=60699 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{41862 \times 15 \times 3}{100} = \blacksquare 18837$.

id=89507 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■45940 at 4% per annum for 4 years. | option_a=7450 | option_b=7350 | option_c=7250 | option_d=53290 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{45940 \times 4 \times 4}{100} = \blacksquare 7350$.

id=89508 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 6. | option_a=6 | option_b=1 | option_c=12 | option_d=36 | answer=A | explanation= $LCM \times HCF = 6 \times 6$; $HCF(6,6) = 6$, so $LCM = 6$.

id=89509 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 38? | option_a=32 | option_b=38 | option_c=26 | option_d=29 | answer=B | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 38 is the odd one out.

id=89510 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=N | option_b=I | option_c=Y | option_d=D | answer=B | explanation=Move 5 positions forward from D; the resulting letter is I.

id=89511 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:5 and the first is 96, what is the second? | option_a=55 | option_b=60 | option_c=68 | option_d=156 | answer=B | explanation=Scale factor = $96/8 = 12$. Therefore second quantity = $5 \times 12 = 60$.

id=89512 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 15. | option_a=75 | option_b=270 | option_c=90 | option_d=108 | answer=C | explanation= $LCM \times HCF = 18 \times 15$; $HCF(18,15) = 3$, so $LCM = 90$.

id=89513 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=69 | option_b=68 | option_c=56 | option_d=80 | answer=B | explanation=The common difference is 12. Therefore the next term is $56 + 12 = 68$.

id=89514 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:11 and the first is 50, what is the second? | option_a=105 | option_b=55 | option_c=65 | option_d=44 | answer=B | explanation=Scale factor = $50/10 = 5$. Therefore second quantity = $11 \times 5 = 55$.

id=89515 | topic=Averages | difficulty=Easy | question=Find the average of 92, 48, 37. | option_a=59 | option_b=60 | option_c=61 | option_d=58 | answer=A | explanation= $Average = \frac{\text{sum of values}}{\text{number of values}} = \frac{177}{3} = 59$.

id=89516 | topic=Percentages | difficulty=Easy | question=What is 12% of 1696? | option_a=203 | option_b=213 | option_c=406 | option_d=198 | answer=A | explanation= $12\% \text{ of } 1696 = \frac{(12/100) \times 1696}{1} = 203$.

id=89517 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=36 | option_b=44 | option_c=52 | option_d=45 | answer=B | explanation=The common difference is 8. Therefore the next term is $36 + 8 = 44$.

id=89518 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 33, 39, 47? | option_a=27 | option_b=33 | option_c=39 | option_d=47 | answer=D | explanation=The first three numbers increase by 6, so the next should be 45. Therefore 47 is the odd one out.

id=89519 | topic=Averages | difficulty=Easy | question=Find the average of 33, 33, 57, 64, 23. | option_a=43 | option_b=44 | option_c=42 | option_d=41 | answer=C | explanation= $Average = \frac{\text{sum of values}}{\text{number of values}} = \frac{210}{5} = 42$.

id=89520 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

Aptitude Questions — Records 89,521-89,550 of 100,000

id=89521 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=120 | option_c=125 | option_d=115 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=89522 | topic=Averages | difficulty=Easy | question=Find the average of 59, 64, 29, 86, 30, 29, 80, 73, 74, 96. | option_a=62 | option_b=63 | option_c=61 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = 620 ÷ 10 = 62.

id=89523 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=S | option_c=Q | option_d=T | answer=B | explanation=Move 1 positions forward from R; the resulting letter is S.

id=89524 | topic=Averages | difficulty=Easy | question=Find the average of 25, 43, 29, 47, 66, 24. | option_a=41 | option_b=40 | option_c=39 | option_d=38 | answer=C | explanation=Average = sum of values ÷ number of values = 234 ÷ 6 = 39.

id=89525 | topic=Percentages | difficulty=Easy | question=What is 10% of 301? | option_a=30 | option_b=50 | option_c=60 | option_d=25 | answer=A | explanation=10% of 301 = (10/100) × 301 = 30.

id=89526 | topic=Percentages | difficulty=Easy | question=What is 25% of 1120? | option_a=300 | option_b=280 | option_c=275 | option_d=560 | answer=B | explanation=25% of 1120 = (25/100) × 1120 = 280.

id=89527 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:3 and the first is 32, what is the second? | option_a=28 | option_b=24 | option_c=56 | option_d=21 | answer=B | explanation=Scale factor = 32/4 = 8. Therefore second quantity = 3×8 = 24.

id=89528 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 49? | option_a=37 | option_b=28 | option_c=19 | option_d=49 | answer=D | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 49 is the odd one out.

id=89529 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:1 and the first is 32, what is the second? | option_a=48 | option_b=16 | option_c=18 | option_d=15 | answer=B | explanation=Scale factor = 32/2 = 16. Therefore second quantity = 1×16 = 16.

id=89530 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=Z | option_c=A | option_d=B | answer=D | explanation=Move 1 positions forward from A; the resulting letter is B.

id=89531 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=U | option_c=W | option_d=Q | answer=B | explanation=Move 2 positions forward from S; the resulting letter is U.

id=89532 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 19? | option_a=15 | option_b=11 | option_c=19 | option_d=13 | answer=C | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 19 is the odd one out.

id=89533 | topic=Averages | difficulty=Easy | question=Find the average of 19, 91, 61. | option_a=58 | option_b=59 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 171 ÷ 3 = 57.

id=89534 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 4. | option_a=44 | option_b=88 | option_c=66 | option_d=40 | answer=A | explanation=LCM × HCF = 22×4; HCF(22,4) = 2, so LCM = 44.

id=89535 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=10 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=89536 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37732 at 5% per annum for 5 years. | option_a=9433 | option_b=9533 | option_c=47165 | option_d=9333 | answer=A | explanation=SI = PRT/100 = 37732×5×5/100 = **■**9433.

id=89537 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:2 and the first is 95, what is the second? | option_a=38 | option_b=36 | option_c=43 | option_d=133 | answer=A | explanation=Scale factor = 95/5 = 19. Therefore second quantity = 2×19 = 38.

id=89538 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=89539 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18442 at 12% per annum for 1 years. | option_a=2113 | option_b=2213 | option_c=20655 | option_d=2313 | answer=B | explanation=SI = PRT/100 = 18442×12×1/100 = **■**2213.

id=89540 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:6 and the first is 72, what is the second? | option_a=108 | option_b=112 | option_c=102 | option_d=180 | answer=A | explanation=Scale factor = 72/4 = 18. Therefore second quantity = 6×18 = 108.

id=89541 | topic=Averages | difficulty=Easy | question=Find the average of 25, 43, 85, 92, 32, 35. | option_a=53 | option_b=52 | option_c=51 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 312 ÷ 6 = 52.

id=89542 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=360 | option_b=180 | option_c=185 | option_d=175 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=89543 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**900. If it is sold at a profit of 10%, what is its selling price? | option_a=880 | option_b=810 | option_c=960 | option_d=800 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 800 × 110/100 = **■**880.

id=89544 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 30. | option_a=420 | option_b=448 | option_c=840 | option_d=390 | answer=A | explanation=LCM × HCF = 28×30; HCF(28,30) = 2, so LCM = 420.

id=89545 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33897 at 15% per annum for 4 years. | option_a=20338 | option_b=20238 | option_c=54235 | option_d=20438 | answer=A | explanation=SI = PRT/100 = 33897×15×4/100 = **■**20338.

id=89546 | topic=Percentages | difficulty=Easy | question=What is 40% of 1885? | option_a=1508 | option_b=749 | option_c=764 | option_d=754 | answer=D | explanation=40% of 1885 = (40/100) × 1885 = 754.

id=89547 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3811 at 10% per annum for 4 years. | option_a=1524 | option_b=1624 | option_c=5335 | option_d=1424 | answer=A | explanation=SI = PRT/100 = 3811×10×4/100 = **■**1524.

id=89548 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39068 at 12% per annum for 2 years. | option_a=9276 | option_b=48444 | option_c=9476 | option_d=9376 | answer=D | explanation=SI = PRT/100 = 39068×12×2/100 = **■**9376.

id=89549 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=C | option_c=A | option_d=D | answer=B | explanation=Move 1 positions forward from B; the resulting letter is C.

id=89550 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=7 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

Aptitude Questions — Records 89,551-89,580 of 100,000

id=89551 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=H | option_b=F | option_c=I | option_d=G | answer=A | explanation=Move 1 positions forward from G; the resulting letter is H.

id=89552 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=R | option_c=O | option_d=I | answer=C | explanation=Move 3 positions forward from L; the resulting letter is O.

id=89553 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 31, 41, 53? | option_a=21 | option_b=53 | option_c=31 | option_d=41 | answer=B | explanation=The first three numbers increase by 10, so the next should be 51. Therefore 53 is the odd one out.

id=89554 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=H | option_b=X | option_c=M | option_d=C | answer=A | explanation=Move 5 positions forward from C; the resulting letter is H.

id=89555 | topic=Averages | difficulty=Easy | question=Find the average of 75, 58, 25, 66. | option_a=55 | option_b=57 | option_c=58 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = $224 \div 4 = 56$.

id=89556 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=55 | option_b=49 | option_c=41 | option_d=48 | answer=D | explanation=The common difference is 7. Therefore the next term is $41 + 7 = 48$.

id=89557 | topic=Percentages | difficulty=Easy | question=What is 20% of 1918? | option_a=766 | option_b=383 | option_c=373 | option_d=403 | answer=B | explanation= $20\% \text{ of } 1918 = (20/100) \times 1918 = 383$.

id=89558 | topic=Percentages | difficulty=Easy | question=What is 30% of 1994? | option_a=578 | option_b=598 | option_c=1196 | option_d=603 | answer=B | explanation= $30\% \text{ of } 1994 = (30/100) \times 1994 = 598$.

id=89559 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 12, 15, 18, ? | option_a=24 | option_b=18 | option_c=21 | option_d=22 | answer=C | explanation=The common difference is 3. Therefore the next term is $18 + 3 = 21$.

id=89560 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 34? | option_a=25 | option_b=28 | option_c=22 | option_d=34 | answer=D | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 34 is the odd one out.

id=89561 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=89562 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 27. | option_a=300 | option_b=810 | option_c=270 | option_d=243 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 30 \times 27$; $\text{HCF}(30,27) = 3$, so $\text{LCM} = 270$.

id=89563 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:19 and the first is 64, what is the second? | option_a=133 | option_b=216 | option_c=152 | option_d=160 | answer=C | explanation=Scale factor = $64/8 = 8$. Therefore second quantity = $19 \times 8 = 152$.

id=89564 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=P | option_b=S | option_c=M | option_d=J | answer=A | explanation=Move 3 positions forward from M; the resulting letter is P.

id=89565 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=89566 | topic=Averages | difficulty=Easy | question=Find the average of 78, 60, 54, 45, 35, 22, 97, 25. | option_a=51 | option_b=52 | option_c=53 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = $416 \div 8 = 52$.

id=89567 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=E | option_b=M | option_c=I | option_d=Q | answer=B | explanation=Move 4 positions forward from I; the resulting letter is M.

id=89568 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30271 at 5% per annum for 5 years. | option_a=7567 | option_b=7667 | option_c=7467 | option_d=37838 | answer=A | explanation= $\text{SI} = \text{PRT}/100 = 30271 \times 5 \times 5/100 = \text{■}7567$.

id=89569 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 25. | option_a=120 | option_b=100 | option_c=75 | option_d=500 | answer=B | explanation= $\text{LCM} \times \text{HCF} = 20 \times 25$; $\text{HCF}(20,25) = 5$, so $\text{LCM} = 100$.

id=89570 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=89571 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40923 at 5% per annum for 3 years. | option_a=6038 | option_b=47061 | option_c=6138 | option_d=6238 | answer=C | explanation= $\text{SI} = \text{PRT}/100 = 40923 \times 5 \times 3/100 = \text{■}6138$.

id=89572 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=40 | option_c=15 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = $120 \div 6 = 20$ km/h.

id=89573 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=W | option_c=K | option_d=S | answer=D | explanation=Move 4 positions forward from O; the resulting letter is S.

id=89574 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 14? | option_a=9 | option_b=6 | option_c=3 | option_d=14 | answer=D | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 14 is the odd one out.

id=89575 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48053 at 10% per annum for 1 years. | option_a=4905 | option_b=52858 | option_c=4805 | option_d=4705 | answer=C | explanation= $\text{SI} = \text{PRT}/100 = 48053 \times 10 \times 1/100 = \text{■}4805$.

id=89576 | topic=Percentages | difficulty=Easy | question=What is 5% of 1101? | option_a=55 | option_b=110 | option_c=65 | option_d=35 | answer=A | explanation= $5\% \text{ of } 1101 = (5/100) \times 1101 = 55$.

id=89577 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9194 at 6% per annum for 1 years. | option_a=651 | option_b=9745 | option_c=451 | option_d=551 | answer=D | explanation= $\text{SI} = \text{PRT}/100 = 9194 \times 6 \times 1/100 = \text{■}551$.

id=89578 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 5. | option_a=10 | option_b=50 | option_c=5 | option_d=20 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 10 \times 5$; $\text{HCF}(10,5) = 5$, so $\text{LCM} = 10$.

id=89579 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=76 | option_b=65 | option_c=52 | option_d=64 | answer=D | explanation=The common difference is 12. Therefore the next term is $52 + 12 = 64$.

id=89580 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1468. If it is sold at a profit of 20%, what is its selling price? | option_a=1615 | option_b=1488 | option_c=1761 | option_d=1907 | answer=C | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 1468 \times 120/100 = \text{■}1761$.

Aptitude Questions — Records 89,581-89,610 of 100,000

id=89581 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 20, 27, 36? | option_a=27 | option_b=20 | option_c=36 | option_d=13 | answer=C | explanation=The first three numbers increase by 7, so the next should be 34. Therefore 36 is the odd one out.

id=89582 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:3 and the first is 54, what is the second? | option_a=27 | option_b=72 | option_c=18 | option_d=15 | answer=C | explanation=Scale factor = 54/9 = 6. Therefore second quantity = 3×6 = 18.

id=89583 | topic=Percentages | difficulty=Easy | question=What is 12% of 659? | option_a=158 | option_b=59 | option_c=89 | option_d=79 | answer=D | explanation=12% of 659 = (12/100) × 659 = 79.

id=89584 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 30. | option_a=33 | option_b=30 | option_c=90 | option_d=1 | answer=B | explanation=LCM × HCF = 3×30; HCF(3,30) = 3, so LCM = 30.

id=89585 | topic=Percentages | difficulty=Easy | question=What is 12% of 1694? | option_a=203 | option_b=213 | option_c=406 | option_d=198 | answer=A | explanation=12% of 1694 = (12/100) × 1694 = 203.

id=89586 | topic=Averages | difficulty=Easy | question=Find the average of 87, 82, 92, 37, 17. | option_a=64 | option_b=63 | option_c=65 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 315 ÷ 5 = 63.

id=89587 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3692. If it is sold at a profit of 10%, what is its selling price? | option_a=4061 | option_b=3702 | option_c=4430 | option_d=3692 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3692 × 110/100 = **₹**4061.

id=89588 | topic=Percentages | difficulty=Easy | question=What is 5% of 1332? | option_a=66 | option_b=46 | option_c=132 | option_d=86 | answer=A | explanation=5% of 1332 = (5/100) × 1332 = 66.

id=89589 | topic=Averages | difficulty=Easy | question=Find the average of 22, 23, 91, 68, 81, 80, 25, 63, 42. | option_a=56 | option_b=55 | option_c=54 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.

id=89590 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 28. | option_a=84 | option_b=105 | option_c=588 | option_d=56 | answer=A | explanation=LCM × HCF = 21×28; HCF(21,28) = 7, so LCM = 84.

id=89591 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=89592 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**46726 at 12% per annum for 5 years. | option_a=28135 | option_b=27935 | option_c=74761 | option_d=28035 | answer=D | explanation=SI = PRT/100 = 46726×12×5/100 = **₹**28035.

id=89593 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 34? | option_a=16 | option_b=34 | option_c=8 | option_d=24 | answer=B | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 34 is the odd one out.

id=89594 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4509. If it is sold at a profit of 25%, what is its selling price? | option_a=5186 | option_b=5636 | option_c=4534 | option_d=6086 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4509 × 125/100 = **₹**5636.

id=89595 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2114. If it is sold at a profit of 10%, what is its selling price? | option_a=2114 | option_b=2536 | option_c=2124 | option_d=2325 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2114 × 110/100 = **₹**2325.

id=89596 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=24 | option_c=48 | option_d=29 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=89597 | topic=Percentages | difficulty=Easy | question=What is 50% of 1716? | option_a=848 | option_b=878 | option_c=1716 | option_d=858 | answer=D | explanation=50% of 1716 = (50/100) × 1716 = 858.

id=89598 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=P | option_c=H | option_d=D | answer=A | explanation=Move 4 positions forward from H; the resulting letter is L.

id=89599 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=P | option_b=R | option_c=T | option_d=V | answer=C | explanation=Move 2 positions forward from R; the resulting letter is T.

id=89600 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 20. | option_a=60 | option_b=320 | option_c=96 | option_d=80 | answer=D | explanation=LCM × HCF = 16×20; HCF(16,20) = 4, so LCM = 80.

id=89601 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=180 | option_c=95 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=89602 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4506. If it is sold at a profit of 5%, what is its selling price? | option_a=4281 | option_b=4511 | option_c=5181 | option_d=4731 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4506 × 105/100 = **₹**4731.

id=89603 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 35, 44, 55? | option_a=35 | option_b=55 | option_c=26 | option_d=44 | answer=B | explanation=The first three numbers increase by 9, so the next should be 53. Therefore 55 is the odd one out.

id=89604 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=89605 | topic=Percentages | difficulty=Easy | question=What is 10% of 181? | option_a=8 | option_b=18 | option_c=23 | option_d=36 | answer=B | explanation=10% of 181 = (10/100) × 181 = 18.

id=89606 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**32445 at 10% per annum for 4 years. | option_a=12978 | option_b=45423 | option_c=13078 | option_d=12878 | answer=A | explanation=SI = PRT/100 = 32445×10×4/100 = **₹**12978.

id=89607 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=89608 | topic=Percentages | difficulty=Easy | question=What is 20% of 1774? | option_a=374 | option_b=708 | option_c=349 | option_d=354 | answer=D | explanation=20% of 1774 = (20/100) × 1774 = 354.

id=89609 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 18, 27, 38? | option_a=38 | option_b=18 | option_c=27 | option_d=9 | answer=A | explanation=The first three numbers increase by 9, so the next should be 36. Therefore 38 is the odd one out.

id=89610 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=39 | option_b=45 | option_c=33 | option_d=40 | answer=A | explanation=The common difference is 6. Therefore the next term is 33 + 6 = 39.

Aptitude Questions — Records 89,611-89,640 of 100,000

id=89611 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=R | option_b=U | option_c=X | option_d=A | answer=C | explanation=Move 3 positions forward from U; the resulting letter is X.

id=89612 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 11, 14, 19? | option_a=14 | option_b=19 | option_c=11 | option_d=8 | answer=B | explanation=The first three numbers increase by 3, so the next should be 17. Therefore 19 is the odd one out.

id=89613 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=J | option_c=B | option_d=N | answer=B | explanation=Move 4 positions forward from F; the resulting letter is J.

id=89614 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:12 and the first is 54, what is the second? | option_a=126 | option_b=60 | option_c=81 | option_d=72 | answer=D | explanation=Scale factor = 54/9 = 6. Therefore second quantity = 12×6 = 72.

id=89615 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14526 at 12% per annum for 2 years. | option_a=3486 | option_b=3386 | option_c=3586 | option_d=18012 | answer=A | explanation=SI = $PRT/100 = 14526 \times 12 \times 2/100 = \text{■}3486$.

id=89616 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37249 at 10% per annum for 3 years. | option_a=11274 | option_b=11074 | option_c=11174 | option_d=48423 | answer=C | explanation=SI = $PRT/100 = 37249 \times 10 \times 3/100 = \text{■}11174$.

id=89617 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 17, 22, 28? | option_a=22 | option_b=12 | option_c=28 | option_d=17 | answer=C | explanation=The first three numbers increase by 5, so the next should be 27. Therefore 28 is the odd one out.

id=89618 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46457 at 10% per annum for 5 years. | option_a=23328 | option_b=23128 | option_c=23228 | option_d=69685 | answer=C | explanation=SI = $PRT/100 = 46457 \times 10 \times 5/100 = \text{■}23228$.

id=89619 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 28. | option_a=192 | option_b=168 | option_c=672 | option_d=140 | answer=B | explanation=LCM × HCF = 24×28; HCF(24,28) = 4, so LCM = 168.

id=89620 | topic=Percentages | difficulty=Easy | question=What is 15% of 595? | option_a=89 | option_b=69 | option_c=178 | option_d=99 | answer=A | explanation=15% of 595 = $(15/100) \times 595 = 89$.

id=89621 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 31, 36, 43? | option_a=26 | option_b=31 | option_c=43 | option_d=36 | answer=C | explanation=The first three numbers increase by 5, so the next should be 41. Therefore 43 is the odd one out.

id=89622 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 19? | option_a=12 | option_b=9 | option_c=19 | option_d=15 | answer=C | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 19 is the odd one out.

id=89623 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=40 | option_c=25 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=89624 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2775 at 12% per annum for 5 years. | option_a=1665 | option_b=4440 | option_c=1565 | option_d=1765 | answer=A | explanation=SI = $PRT/100 = 2775 \times 12 \times 5/100 = \text{■}1665$.

id=89625 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:6 and the first is 120, what is the second? | option_a=98 | option_b=84 | option_c=210 | option_d=90 | answer=D | explanation=Scale factor = 120/8 = 15. Therefore second quantity = 6×15 = 90.

id=89626 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=89627 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 13, 21, 31? | option_a=21 | option_b=13 | option_c=31 | option_d=5 | answer=C | explanation=The first three numbers increase by 8, so the next should be 29. Therefore 31 is the odd one out.

id=89628 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 14, 20, 28? | option_a=14 | option_b=8 | option_c=28 | option_d=20 | answer=C | explanation=The first three numbers increase by 6, so the next should be 26. Therefore 28 is the odd one out.

id=89629 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=W | option_b=O | option_c=A | option_d=S | answer=A | explanation=Move 4 positions forward from S; the resulting letter is W.

id=89630 | topic=Averages | difficulty=Easy | question=Find the average of 67, 46, 77, 30. | option_a=56 | option_b=54 | option_c=57 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 220 ÷ 4 = 55.

id=89631 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 14. | option_a=21 | option_b=14 | option_c=1 | option_d=98 | answer=B | explanation=LCM × HCF = 7×14; HCF(7,14) = 7, so LCM = 14.

id=89632 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:11 and the first is 70, what is the second? | option_a=147 | option_b=66 | option_c=87 | option_d=77 | answer=D | explanation=Scale factor = 70/10 = 7. Therefore second quantity = 11×7 = 77.

id=89633 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 39? | option_a=21 | option_b=39 | option_c=26 | option_d=31 | answer=B | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 39 is the odd one out.

id=89634 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 8. | option_a=88 | option_b=110 | option_c=176 | option_d=80 | answer=A | explanation=LCM × HCF = 22×8; HCF(22,8) = 2, so LCM = 88.

id=89635 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=53 | option_b=46 | option_c=37 | option_d=45 | answer=D | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=89636 | topic=Percentages | difficulty=Easy | question=What is 30% of 1720? | option_a=1032 | option_b=536 | option_c=496 | option_d=516 | answer=D | explanation=30% of 1720 = $(30/100) \times 1720 = 516$.

id=89637 | topic=Percentages | difficulty=Easy | question=What is 40% of 683? | option_a=546 | option_b=283 | option_c=268 | option_d=273 | answer=D | explanation=40% of 683 = $(40/100) \times 683 = 273$.

id=89638 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=Z | option_b=K | option_c=U | option_d=P | answer=C | explanation=Move 5 positions forward from P; the resulting letter is U.

id=89639 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4441. If it is sold at a profit of 50%, what is its selling price? | option_a=4491 | option_b=6661 | option_c=7105 | option_d=6217 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4441 × 150/100 = **■**6661.

id=89640 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 9, 14, 21? | option_a=21 | option_b=4 | option_c=9 | option_d=14 | answer=A | explanation=The first three numbers increase by 5, so the next should be 19. Therefore 21 is the odd one out.

Aptitude Questions — Records 89,641-89,670 of 100,000

id=89641 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=89642 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5299 at 12% per annum for 4 years. | option_a=2543 | option_b=2643 | option_c=7842 | option_d=2443 | answer=A | explanation=SI = PRT/100 = 5299×12×4/100 = **■**2543.

id=89643 | topic=Averages | difficulty=Easy | question=Find the average of 17, 75, 45, 58, 79, 65, 67, 87, 55, 42. | option_a=58 | option_b=61 | option_c=59 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 590 ÷ 10 = 59.

id=89644 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=E | option_c=O | option_d=T | answer=C | explanation=Move 5 positions forward from J; the resulting letter is O.

id=89645 | topic=Averages | difficulty=Easy | question=Find the average of 74, 28, 59, 17, 45, 71. | option_a=50 | option_b=51 | option_c=49 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 294 ÷ 6 = 49.

id=89646 | topic=Percentages | difficulty=Easy | question=What is 50% of 1145? | option_a=572 | option_b=1144 | option_c=562 | option_d=582 | answer=A | explanation=50% of 1145 = (50/100) × 1145 = 572.

id=89647 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=89648 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:17 and the first is 32, what is the second? | option_a=100 | option_b=76 | option_c=68 | option_d=51 | answer=C | explanation=Scale factor = 32/8 = 4. Therefore second quantity = 17×4 = 68.

id=89649 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=89650 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=Q | option_b=E | option_c=M | option_d=I | answer=C | explanation=Move 4 positions forward from I; the resulting letter is M.

id=89651 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**282. If it is sold at a profit of 25%, what is its selling price? | option_a=352 | option_b=324 | option_c=380 | option_d=307 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 282 × 125/100 = **■**352.

id=89652 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 31, 41, 54? | option_a=31 | option_b=21 | option_c=41 | option_d=54 | answer=D | explanation=The first three numbers increase by 10, so the next should be 51. Therefore 54 is the odd one out.

id=89653 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 10. | option_a=60 | option_b=84 | option_c=140 | option_d=70 | answer=D | explanation=LCM × HCF = 14×10; HCF(14,10) = 2, so LCM = 70.

id=89654 | topic=Averages | difficulty=Easy | question=Find the average of 37, 15, 58, 36, 27, 43. | option_a=36 | option_b=37 | option_c=38 | option_d=35 | answer=A | explanation=Average = sum of values ÷ number of values = 216 ÷ 6 = 36.

id=89655 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=37 | option_b=46 | option_c=47 | option_d=55 | answer=B | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=89656 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:3 and the first is 153, what is the second? | option_a=51 | option_b=48 | option_c=204 | option_d=60 | answer=A | explanation=Scale factor = 153/9 = 17. Therefore second quantity = 3×17 = 51.

id=89657 | topic=Percentages | difficulty=Easy | question=What is 15% of 895? | option_a=124 | option_b=268 | option_c=134 | option_d=154 | answer=C | explanation=15% of 895 = (15/100) × 895 = 134.

id=89658 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4365. If it is sold at a profit of 10%, what is its selling price? | option_a=5237 | option_b=4375 | option_c=4801 | option_d=4365 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4365 × 110/100 = **■**4801.

id=89659 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=89660 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42555 at 5% per annum for 1 years. | option_a=2027 | option_b=44682 | option_c=2127 | option_d=2227 | answer=C | explanation=SI = PRT/100 = 42555×5×1/100 = **■**2127.

id=89661 | topic=Averages | difficulty=Easy | question=Find the average of 55, 68, 93, 40. | option_a=63 | option_b=66 | option_c=65 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 256 ÷ 4 = 64.

id=89662 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=J | option_b=F | option_c=B | option_d=X | answer=B | explanation=Move 4 positions forward from B; the resulting letter is F.

id=89663 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=89664 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 18, 27, 39? | option_a=27 | option_b=9 | option_c=39 | option_d=18 | answer=C | explanation=The first three numbers increase by 9, so the next should be 36. Therefore 39 is the odd one out.

id=89665 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=89666 | topic=Averages | difficulty=Easy | question=Find the average of 40, 41, 90, 28, 78, 75, 54. | option_a=59 | option_b=58 | option_c=57 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 406 ÷ 7 = 58.

id=89667 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36993 at 10% per annum for 2 years. | option_a=7398 | option_b=7298 | option_c=44391 | option_d=7498 | answer=A | explanation=SI = PRT/100 = 36993×10×2/100 = **■**7398.

id=89668 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2198. If it is sold at a profit of 15%, what is its selling price? | option_a=2213 | option_b=2527 | option_c=2746 | option_d=2308 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2198 × 115/100 = **■**2527.

id=89669 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 38? | option_a=13 | option_b=21 | option_c=29 | option_d=38 | answer=D | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 38 is the odd one out.

id=89670 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39457 at 4% per annum for 1 years. | option_a=1478 | option_b=1578 | option_c=1678 | option_d=41035 | answer=B | explanation=SI = PRT/100 = 39457×4×1/100 = **■**1578.

Aptitude Questions — Records 89,671-89,700 of 100,000

id=89671 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11247 at 4% per annum for 2 years. | option_a=799 | option_b=999 | option_c=899 | option_d=12146 | answer=C | explanation=SI = $PRT/100 = 11247 \times 4 \times 2/100 = \text{■}899$.

id=89672 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16430 at 4% per annum for 1 years. | option_a=657 | option_b=17087 | option_c=757 | option_d=557 | answer=A | explanation=SI = $PRT/100 = 16430 \times 4 \times 1/100 = \text{■}657$.

id=89673 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 26, 32, 40? | option_a=26 | option_b=32 | option_c=20 | option_d=40 | answer=D | explanation=The first three numbers increase by 6, so the next should be 38. Therefore 40 is the odd one out.

id=89674 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=37 | option_b=48 | option_c=59 | option_d=49 | answer=B | explanation=The common difference is 11. Therefore the next term is $37 + 11 = 48$.

id=89675 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 45? | option_a=30 | option_b=45 | option_c=37 | option_d=23 | answer=B | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 45 is the odd one out.

id=89676 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 39? | option_a=20 | option_b=39 | option_c=29 | option_d=11 | answer=B | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 39 is the odd one out.

id=89677 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 20. | option_a=60 | option_b=120 | option_c=66 | option_d=40 | answer=A | explanation= $LCM \times HCF = 6 \times 20$; $HCF(6,20) = 2$, so $LCM = 60$.

id=89678 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=240 | option_d=125 | answer=A | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.

id=89679 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:11 and the first is 216, what is the second? | option_a=348 | option_b=121 | option_c=132 | option_d=150 | answer=C | explanation=Scale factor = $216/18 = 12$. Therefore second quantity = $11 \times 12 = 132$.

id=89680 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8846 at 8% per annum for 4 years. | option_a=2830 | option_b=11676 | option_c=2930 | option_d=2730 | answer=A | explanation=SI = $PRT/100 = 8846 \times 8 \times 4/100 = \text{■}2830$.

id=89681 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=89682 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 32, 40, 51? | option_a=51 | option_b=40 | option_c=24 | option_d=32 | answer=A | explanation=The first three numbers increase by 8, so the next should be 48. Therefore 51 is the odd one out.

id=89683 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=43 | option_b=39 | option_c=38 | option_d=33 | answer=C | explanation=The common difference is 5. Therefore the next term is $33 + 5 = 38$.

id=89684 | topic=Averages | difficulty=Easy | question=Find the average of 48, 30, 93. | option_a=59 | option_b=58 | option_c=56 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = $171 \div 3 = 57$.

id=89685 | topic=Percentages | difficulty=Easy | question=What is 5% of 157? | option_a=14 | option_b=12 | option_c=7 | option_d=2 | answer=C | explanation=5% of 157 = $(5/100) \times 157 = 7$.

id=89686 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47760 at 10% per annum for 2 years. | option_a=9552 | option_b=9452 | option_c=57312 | option_d=9652 | answer=A | explanation=SI = $PRT/100 = 47760 \times 10 \times 2/100 = \text{■}9552$.

id=89687 | topic=Percentages | difficulty=Easy | question=What is 40% of 1065? | option_a=431 | option_b=406 | option_c=426 | option_d=852 | answer=C | explanation=40% of 1065 = $(40/100) \times 1065 = 426$.

id=89688 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45485 at 12% per annum for 5 years. | option_a=27391 | option_b=27291 | option_c=27191 | option_d=72776 | answer=B | explanation=SI = $PRT/100 = 45485 \times 12 \times 5/100 = \text{■}27291$.

id=89689 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=31 | option_c=41 | option_d=72 | answer=A | explanation=Speed = distance ÷ time = $180 \div 5 = 36$ km/h.

id=89690 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=89691 | topic=Percentages | difficulty=Easy | question=What is 20% of 196? | option_a=19 | option_b=78 | option_c=39 | option_d=59 | answer=C | explanation=20% of 196 = $(20/100) \times 196 = 39$.

id=89692 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $360 \div 6 = 60$ km/h.

id=89693 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 25. | option_a=50 | option_b=25 | option_c=250 | option_d=60 | answer=A | explanation= $LCM \times HCF = 10 \times 25$; $HCF(10,25) = 5$, so $LCM = 50$.

id=89694 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 40? | option_a=13 | option_b=21 | option_c=29 | option_d=40 | answer=D | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 40 is the odd one out.

id=89695 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 24, 30, 39? | option_a=39 | option_b=30 | option_c=24 | option_d=18 | answer=A | explanation=The first three numbers increase by 6, so the next should be 36. Therefore 39 is the odd one out.

id=89696 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=41 | option_b=45 | option_c=35 | option_d=40 | answer=D | explanation=The common difference is 5. Therefore the next term is $35 + 5 = 40$.

id=89697 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=45 | option_c=50 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = $300 \div 6 = 50$ km/h.

id=89698 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 4. | option_a=48 | option_b=78 | option_c=52 | option_d=104 | answer=C | explanation= $LCM \times HCF = 26 \times 4$; $HCF(26,4) = 2$, so $LCM = 52$.

id=89699 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=12 | answer=A | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=89700 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

Aptitude Questions — Records 89,701-89,730 of 100,000

id=89701 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=75 | option_d=150 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=89702 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3875. If it is sold at a profit of 10%, what is its selling price? | option_a=3885 | option_b=4649 | option_c=3875 | option_d=4262 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3875 × 110/100 = █4262.

id=89703 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=13 | option_c=36 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=89704 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 4. | option_a=16 | option_b=20 | option_c=80 | option_d=40 | answer=B | explanation=LCM × HCF = 20×4; HCF(20,4) = 4, so LCM = 20.

id=89705 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 20. | option_a=120 | option_b=168 | option_c=140 | option_d=560 | answer=C | explanation=LCM × HCF = 28×20; HCF(28,20) = 4, so LCM = 140.

id=89706 | topic=Percentages | difficulty=Easy | question=What is 10% of 443? | option_a=88 | option_b=64 | option_c=24 | option_d=44 | answer=D | explanation=10% of 443 = (10/100) × 443 = 44.

id=89707 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=89708 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9682 at 6% per annum for 1 years. | option_a=10262 | option_b=480 | option_c=580 | option_d=680 | answer=C | explanation=SI = PRT/100 = 9682×6×1/100 = █580.

id=89709 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 15, 18, 24? | option_a=24 | option_b=15 | option_c=12 | option_d=18 | answer=A | explanation=The first three numbers increase by 3, so the next should be 21. Therefore 24 is the odd one out.

id=89710 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=5 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=89711 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=55 | option_b=46 | option_c=64 | option_d=56 | answer=A | explanation=The common difference is 9. Therefore the next term is 46 + 9 = 55.

id=89712 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:2 and the first is 60, what is the second? | option_a=24 | option_b=84 | option_c=29 | option_d=22 | answer=A | explanation=Scale factor = 60/5 = 12. Therefore second quantity = 2×12 = 24.

id=89713 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38507 at 6% per annum for 3 years. | option_a=45438 | option_b=6831 | option_c=6931 | option_d=7031 | answer=C | explanation=SI = PRT/100 = 38507×6×3/100 = █6931.

id=89714 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=13 | option_b=11 | option_c=15 | option_d=14 | answer=A | explanation=The common difference is 2. Therefore the next term is 11 + 2 = 13.

id=89715 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17255 at 5% per annum for 5 years. | option_a=4213 | option_b=4313 | option_c=4413 | option_d=21568 | answer=B | explanation=SI = PRT/100 = 17255×5×5/100 = █4313.

id=89716 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=89717 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49716 at 10% per annum for 5 years. | option_a=24758 | option_b=24958 | option_c=74574 | option_d=24858 | answer=D | explanation=SI = PRT/100 = 49716×10×5/100 = █24858.

id=89718 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 5, 7, 12? | option_a=5 | option_b=7 | option_c=3 | option_d=12 | answer=D | explanation=The first three numbers increase by 2, so the next should be 9. Therefore 12 is the odd one out.

id=89719 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=41 | option_b=49 | option_c=55 | option_d=48 | answer=D | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.

id=89720 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42290 at 10% per annum for 5 years. | option_a=21245 | option_b=21145 | option_c=21045 | option_d=63435 | answer=B | explanation=SI = PRT/100 = 42290×10×5/100 = █21145.

id=89721 | topic=Percentages | difficulty=Easy | question=What is 15% of 1751? | option_a=262 | option_b=267 | option_c=524 | option_d=257 | answer=A | explanation=15% of 1751 = (15/100) × 1751 = 262.

id=89722 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=17 | option_b=16 | option_c=15 | option_d=13 | answer=C | explanation=The common difference is 2. Therefore the next term is 13 + 2 = 15.

id=89723 | topic=Averages | difficulty=Easy | question=Find the average of 24, 71, 66, 75, 99. | option_a=66 | option_b=67 | option_c=69 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = 335 ÷ 5 = 67.

id=89724 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=50 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=89725 | topic=Percentages | difficulty=Easy | question=What is 12% of 1153? | option_a=158 | option_b=138 | option_c=276 | option_d=128 | answer=B | explanation=12% of 1153 = (12/100) × 1153 = 138.

id=89726 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 19, 22, 25, ? | option_a=28 | option_b=31 | option_c=29 | option_d=25 | answer=A | explanation=The common difference is 3. Therefore the next term is 25 + 3 = 28.

id=89727 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=P | option_b=V | option_c=Y | option_d=S | answer=B | explanation=Move 3 positions forward from S; the resulting letter is V.

id=89728 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 25, 34, 46? | option_a=25 | option_b=34 | option_c=46 | option_d=16 | answer=C | explanation=The first three numbers increase by 9, so the next should be 43. Therefore 46 is the odd one out.

id=89729 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=21 | option_b=17 | option_c=20 | option_d=19 | answer=D | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=89730 | topic=Averages | difficulty=Easy | question=Find the average of 62, 78, 66, 34, 49, 23. | option_a=52 | option_b=51 | option_c=53 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 312 ÷ 6 = 52.

Aptitude Questions — Records 89,731-89,760 of 100,000

id=89731 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=32 | option_b=26 | option_c=33 | option_d=38 | answer=A | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=89732 | topic=Averages | difficulty=Easy | question=Find the average of 21, 58, 42, 21, 46, 83, 67, 38, 92. | option_a=51 | option_b=53 | option_c=52 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 468 ÷ 9 = 52.

id=89733 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2889. If it is sold at a profit of 30%, what is its selling price? | option_a=3755 | option_b=4043 | option_c=3467 | option_d=2919 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2889 × 130/100 = █3755.

id=89734 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=89735 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=P | option_b=R | option_c=V | option_d=T | answer=D | explanation=Move 2 positions forward from R; the resulting letter is T.

id=89736 | topic=Percentages | difficulty=Easy | question=What is 20% of 1022? | option_a=194 | option_b=224 | option_c=408 | option_d=204 | answer=D | explanation=20% of 1022 = (20/100) × 1022 = 204.

id=89737 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24990 at 8% per annum for 5 years. | option_a=9896 | option_b=9996 | option_c=34986 | option_d=10096 | answer=B | explanation=SI = PRT/100 = 24990×8×5/100 = █9996.

id=89738 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44410 at 15% per annum for 5 years. | option_a=33407 | option_b=33307 | option_c=77717 | option_d=33207 | answer=B | explanation=SI = PRT/100 = 44410×15×5/100 = █33307.

id=89739 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4275. If it is sold at a profit of 50%, what is its selling price? | option_a=4325 | option_b=6839 | option_c=6412 | option_d=5985 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4275 × 150/100 = █6412.

id=89740 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 35, 42, 51? | option_a=51 | option_b=42 | option_c=35 | option_d=28 | answer=A | explanation=The first three numbers increase by 7, so the next should be 49. Therefore 51 is the odd one out.

id=89741 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3438. If it is sold at a profit of 20%, what is its selling price? | option_a=4468 | option_b=3782 | option_c=4125 | option_d=3458 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3438 × 120/100 = █4125.

id=89742 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=89743 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=D | option_b=Y | option_c=O | option_d=T | answer=B | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=89744 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=M | option_c=J | option_d=L | answer=D | explanation=Move 1 positions forward from K; the resulting letter is L.

id=89745 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8356 at 12% per annum for 1 years. | option_a=9358 | option_b=902 | option_c=1002 | option_d=1102 | answer=C | explanation=SI = PRT/100 = 8356×12×1/100 = █1002.

id=89746 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1871. If it is sold at a profit of 50%, what is its selling price? | option_a=2619 | option_b=1921 | option_c=2993 | option_d=2806 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1871 × 150/100 = █2806.

id=89747 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37349 at 5% per annum for 5 years. | option_a=9437 | option_b=9337 | option_c=9237 | option_d=46686 | answer=B | explanation=SI = PRT/100 = 37349×5×5/100 = █9337.

id=89748 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 12, 17, 25? | option_a=25 | option_b=7 | option_c=17 | option_d=12 | answer=A | explanation=The first three numbers increase by 5, so the next should be 22. Therefore 25 is the odd one out.

id=89749 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4363. If it is sold at a profit of 5%, what is its selling price? | option_a=4145 | option_b=4581 | option_c=4368 | option_d=5017 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4363 × 105/100 = █4581.

id=89750 | topic=Averages | difficulty=Easy | question=Find the average of 49, 36, 11, 17, 68, 99, 71, 92, 57, 100. | option_a=60 | option_b=59 | option_c=62 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=89751 | topic=Averages | difficulty=Easy | question=Find the average of 77, 44, 46, 18, 64, 23, 92. | option_a=52 | option_b=54 | option_c=51 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 364 ÷ 7 = 52.

id=89752 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 41? | option_a=41 | option_b=33 | option_c=36 | option_d=30 | answer=A | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 41 is the odd one out.

id=89753 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3179. If it is sold at a profit of 40%, what is its selling price? | option_a=4133 | option_b=4450 | option_c=3219 | option_d=4767 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3179 × 140/100 = █4450.

id=89754 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=12 | option_b=16 | option_c=15 | option_d=18 | answer=C | explanation=The common difference is 3. Therefore the next term is 12 + 3 = 15.

id=89755 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=53 | option_c=96 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=89756 | topic=Averages | difficulty=Easy | question=Find the average of 95, 30, 96, 100, 20, 49. | option_a=64 | option_b=66 | option_c=67 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 390 ÷ 6 = 65.

id=89757 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 16. | option_a=352 | option_b=160 | option_c=176 | option_d=198 | answer=C | explanation=LCM × HCF = 22×16; HCF(22,16) = 2, so LCM = 176.

id=89758 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3208. If it is sold at a profit of 40%, what is its selling price? | option_a=4171 | option_b=4491 | option_c=4811 | option_d=3248 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3208 × 140/100 = █4491.

id=89759 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:16 and the first is 160, what is the second? | option_a=128 | option_b=288 | option_c=112 | option_d=148 | answer=A | explanation=Scale factor = 160/20 = 8. Therefore second quantity = 16×8 = 128.

id=89760 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:7 and the first is 165, what is the second? | option_a=77 | option_b=92 | option_c=242 | option_d=70 | answer=A | explanation=Scale factor = 165/15 = 11. Therefore second quantity = 7×11 = 77.

Aptitude Questions — Records 89,761-89,790 of 100,000

id=89761 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=36 | option_c=41 | option_d=31 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=89762 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=45 | option_b=44 | option_c=38 | option_d=50 | answer=B | explanation=The common difference is 6. Therefore the next term is 38 + 6 = 44.

id=89763 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=Y | option_c=C | option_d=K | answer=A | explanation=Move 4 positions forward from C; the resulting letter is G.

id=89764 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26465 at 10% per annum for 2 years. | option_a=5193 | option_b=5293 | option_c=5393 | option_d=31758 | answer=B | explanation=SI = $PRT/100 = 26465 \times 10 \times 2/100 = \text{■}5293$.

id=89765 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**789. If it is sold at a profit of 30%, what is its selling price? | option_a=1103 | option_b=947 | option_c=819 | option_d=1025 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 789 \times 130/100 = \text{■}1025$.

id=89766 | topic=Averages | difficulty=Easy | question=Find the average of 35, 83, 12, 45, 29, 67, 98, 95. | option_a=59 | option_b=57 | option_c=60 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 464 ÷ 8 = 58.

id=89767 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:8 and the first is 48, what is the second? | option_a=176 | option_b=128 | option_c=131 | option_d=120 | answer=B | explanation=Scale factor = $48/3 = 16$. Therefore second quantity = $8 \times 16 = 128$.

id=89768 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=K | option_b=F | option_c=A | option_d=P | answer=A | explanation=Move 5 positions forward from F; the resulting letter is K.

id=89769 | topic=Percentages | difficulty=Easy | question=What is 10% of 320? | option_a=27 | option_b=37 | option_c=32 | option_d=64 | answer=C | explanation=10% of 320 = $(10/100) \times 320 = 32$.

id=89770 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=175 | option_c=360 | option_d=185 | answer=A | explanation=Speed = distance ÷ time = $360 \div 2 = 180$ km/h.

id=89771 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 45? | option_a=33 | option_b=23 | option_c=45 | option_d=13 | answer=C | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 45 is the odd one out.

id=89772 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=89773 | topic=Percentages | difficulty=Easy | question=What is 40% of 960? | option_a=379 | option_b=394 | option_c=768 | option_d=384 | answer=D | explanation=40% of 960 = $(40/100) \times 960 = 384$.

id=89774 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1393. If it is sold at a profit of 15%, what is its selling price? | option_a=1408 | option_b=1740 | option_c=1601 | option_d=1462 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1393 \times 115/100 = \text{■}1601$.

id=89775 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 23, 32, 42? | option_a=23 | option_b=14 | option_c=42 | option_d=32 | answer=C | explanation=The first three numbers increase by 9, so the next should be 41. Therefore 42 is the odd one out.

id=89776 | topic=Percentages | difficulty=Easy | question=What is 12% of 1559? | option_a=187 | option_b=192 | option_c=177 | option_d=374 | answer=A | explanation=12% of 1559 = $(12/100) \times 1559 = 187$.

id=89777 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=89778 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=J | option_c=L | option_d=N | answer=D | explanation=Move 2 positions forward from L; the resulting letter is N.

id=89779 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 28, 32, 37? | option_a=32 | option_b=24 | option_c=28 | option_d=37 | answer=D | explanation=The first three numbers increase by 4, so the next should be 36. Therefore 37 is the odd one out.

id=89780 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 30, 38, 47? | option_a=47 | option_b=30 | option_c=38 | option_d=22 | answer=A | explanation=The first three numbers increase by 8, so the next should be 46. Therefore 47 is the odd one out.

id=89781 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=60 | option_b=61 | option_c=50 | option_d=70 | answer=A | explanation=The common difference is 10. Therefore the next term is $50 + 10 = 60$.

id=89782 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:1 and the first is 85, what is the second? | option_a=4 | option_b=5 | option_c=90 | option_d=22 | answer=B | explanation=Scale factor = $85/17 = 5$. Therefore second quantity = $1 \times 5 = 5$.

id=89783 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 31, 39, 48? | option_a=31 | option_b=48 | option_c=39 | option_d=23 | answer=B | explanation=The first three numbers increase by 8, so the next should be 47. Therefore 48 is the odd one out.

id=89784 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 5, 7, 12? | option_a=7 | option_b=3 | option_c=5 | option_d=12 | answer=D | explanation=The first three numbers increase by 2, so the next should be 9. Therefore 12 is the odd one out.

id=89785 | topic=Averages | difficulty=Easy | question=Find the average of 55, 88, 86, 75. | option_a=76 | option_b=75 | option_c=78 | option_d=77 | answer=A | explanation=Average = sum of values ÷ number of values = $304 \div 4 = 76$.

id=89786 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=M | option_c=I | option_d=G | answer=A | explanation=Move 2 positions forward from I; the resulting letter is K.

id=89787 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=55 | option_d=100 | answer=A | explanation=Speed = distance ÷ time = $300 \div 6 = 50$ km/h.

id=89788 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=17 | option_c=12 | option_d=24 | answer=C | explanation=Speed = distance ÷ time = $120 \div 10 = 12$ km/h.

id=89789 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38807 at 15% per annum for 2 years. | option_a=11742 | option_b=50449 | option_c=11542 | option_d=11642 | answer=D | explanation=SI = $PRT/100 = 38807 \times 15 \times 2/100 = \text{■}11642$.

id=89790 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

Aptitude Questions — Records 89,791-89,820 of 100,000

id=89791 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=360 | option_c=175 | option_d=180 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=89792 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=36 | option_b=32 | option_c=31 | option_d=26 | answer=C | explanation=The common difference is 5. Therefore the next term is 26 + 5 = 31.

id=89793 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=89794 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 17, 20, 24? | option_a=20 | option_b=24 | option_c=17 | option_d=14 | answer=B | explanation=The first three numbers increase by 3, so the next should be 23. Therefore 24 is the odd one out.

id=89795 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=S | option_b=T | option_c=V | option_d=U | answer=D | explanation=Move 1 positions forward from T; the resulting letter is U.

id=89796 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=27 | option_b=43 | option_c=35 | option_d=36 | answer=C | explanation=The common difference is 8. Therefore the next term is 27 + 8 = 35.

id=89797 | topic=Averages | difficulty=Easy | question=Find the average of 37, 39, 75, 77, 32. | option_a=51 | option_b=53 | option_c=54 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 260 ÷ 5 = 52.

id=89798 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1070. If it is sold at a profit of 15%, what is its selling price? | option_a=1337 | option_b=1123 | option_c=1085 | option_d=1230 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1070 × 115/100 = █1230.

id=89799 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 30? | option_a=26 | option_b=24 | option_c=22 | option_d=30 | answer=D | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 30 is the odd one out.

id=89800 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=89801 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=29 | option_c=19 | option_d=48 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=89802 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=20 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=89803 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=90 | option_c=85 | option_d=180 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=89804 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=89805 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=40 | option_b=47 | option_c=31 | option_d=39 | answer=D | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

id=89806 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:11 and the first is 36, what is the second? | option_a=80 | option_b=53 | option_c=33 | option_d=44 | answer=D | explanation=Scale factor = 36/9 = 4. Therefore second quantity = 11×4 = 44.

id=89807 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1548. If it is sold at a profit of 10%, what is its selling price? | option_a=1856 | option_b=1548 | option_c=1558 | option_d=1702 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1548 × 110/100 = █1702.

id=89808 | topic=Averages | difficulty=Easy | question=Find the average of 73, 20, 24, 59. | option_a=43 | option_b=44 | option_c=45 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 176 ÷ 4 = 44.

id=89809 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 37, 46, 57? | option_a=46 | option_b=37 | option_c=28 | option_d=57 | answer=D | explanation=The first three numbers increase by 9, so the next should be 55. Therefore 57 is the odd one out.

id=89810 | topic=Averages | difficulty=Easy | question=Find the average of 56, 14, 71, 32, 30, 37. | option_a=41 | option_b=39 | option_c=40 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = 240 ÷ 6 = 40.

id=89811 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 15. | option_a=60 | option_b=15 | option_c=30 | option_d=450 | answer=C | explanation=LCM × HCF = 30×15; HCF(30,15) = 15, so LCM = 30.

id=89812 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19657 at 10% per annum for 2 years. | option_a=23588 | option_b=3931 | option_c=3831 | option_d=4031 | answer=B | explanation=SI = PRT/100 = 19657×10×2/100 = █3931.

id=89813 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=23 | option_b=19 | option_c=22 | option_d=21 | answer=D | explanation=The common difference is 2. Therefore the next term is 19 + 2 = 21.

id=89814 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=50 | option_b=44 | option_c=43 | option_d=36 | answer=C | explanation=The common difference is 7. Therefore the next term is 36 + 7 = 43.

id=89815 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=G | option_b=F | option_c=H | option_d=E | answer=A | explanation=Move 1 positions forward from F; the resulting letter is G.

id=89816 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 25. | option_a=125 | option_b=25 | option_c=30 | option_d=1 | answer=B | explanation=LCM × HCF = 5×25; HCF(5,25) = 5, so LCM = 25.

id=89817 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=41 | option_b=59 | option_c=51 | option_d=50 | answer=D | explanation=The common difference is 9. Therefore the next term is 41 + 9 = 50.

id=89818 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=P | option_b=M | option_c=S | option_d=J | answer=A | explanation=Move 3 positions forward from M; the resulting letter is P.

id=89819 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:2 and the first is 154, what is the second? | option_a=36 | option_b=22 | option_c=20 | option_d=176 | answer=B | explanation=Scale factor = 154/14 = 11. Therefore second quantity = 2×11 = 22.

id=89820 | topic=Percentages | difficulty=Easy | question=What is 5% of 1239? | option_a=61 | option_b=71 | option_c=56 | option_d=122 | answer=A | explanation=5% of 1239 = (5/100) × 1239 = 61.

Aptitude Questions — Records 89,821-89,850 of 100,000

id=89821 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 47? | option_a=31 | option_b=38 | option_c=24 | option_d=47 | answer=D | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 47 is the odd one out.

id=89822 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=89823 | topic=Percentages | difficulty=Easy | question=What is 50% of 393? | option_a=196 | option_b=176 | option_c=201 | option_d=392 | answer=A | explanation=50% of 393 = (50/100) × 393 = 196.

id=89824 | topic=Percentages | difficulty=Easy | question=What is 5% of 1025? | option_a=102 | option_b=31 | option_c=51 | option_d=61 | answer=C | explanation=5% of 1025 = (5/100) × 1025 = 51.

id=89825 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=36 | option_b=28 | option_c=42 | option_d=35 | answer=D | explanation=The common difference is 7. Therefore the next term is 28 + 7 = 35.

id=89826 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=15 | option_b=13 | option_c=11 | option_d=14 | answer=B | explanation=The common difference is 2. Therefore the next term is 11 + 2 = 13.

id=89827 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=32 | option_b=27 | option_c=22 | option_d=28 | answer=B | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.

id=89828 | topic=Profit & Loss | difficulty=Easy | question=An article costs █529. If it is sold at a profit of 40%, what is its selling price? | option_a=740 | option_b=688 | option_c=792 | option_d=569 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 529 × 140/100 = █740.

id=89829 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 10, 18, 29? | option_a=18 | option_b=10 | option_c=2 | option_d=29 | answer=D | explanation=The first three numbers increase by 8, so the next should be 26. Therefore 29 is the odd one out.

id=89830 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=21 | option_b=22 | option_c=18 | option_d=20 | answer=D | explanation=The common difference is 2. Therefore the next term is 18 + 2 = 20.

id=89831 | topic=Averages | difficulty=Easy | question=Find the average of 78, 58, 92, 98, 83, 59. | option_a=80 | option_b=79 | option_c=77 | option_d=78 | answer=D | explanation=Average = sum of values ÷ number of values = 468 ÷ 6 = 78.

id=89832 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=27 | option_b=28 | option_c=31 | option_d=23 | answer=A | explanation=The common difference is 4. Therefore the next term is 23 + 4 = 27.

id=89833 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=T | option_b=U | option_c=R | option_d=S | answer=A | explanation=Move 1 positions forward from S; the resulting letter is T.

id=89834 | topic=Percentages | difficulty=Easy | question=What is 30% of 790? | option_a=474 | option_b=242 | option_c=237 | option_d=227 | answer=C | explanation=30% of 790 = (30/100) × 790 = 237.

id=89835 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=50 | option_c=55 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=89836 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=39 | option_b=32 | option_c=44 | option_d=38 | answer=D | explanation=The common difference is 6. Therefore the next term is 32 + 6 = 38.

id=89837 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:12 and the first is 28, what is the second? | option_a=52 | option_b=24 | option_c=38 | option_d=12 | answer=B | explanation=Scale factor = 28/14 = 2. Therefore second quantity = 12×2 = 24.

id=89838 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18021 at 12% per annum for 3 years. | option_a=24508 | option_b=6587 | option_c=6387 | option_d=6487 | answer=D | explanation=SI = PRT/100 = 18021×12×3/100 = █6487.

id=89839 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1096. If it is sold at a profit of 30%, what is its selling price? | option_a=1315 | option_b=1126 | option_c=1424 | option_d=1533 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1096 × 130/100 = █1424.

id=89840 | topic=Averages | difficulty=Easy | question=Find the average of 10, 82, 93, 11, 90, 81, 52, 15, 52. | option_a=56 | option_b=55 | option_c=53 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 486 ÷ 9 = 54.

id=89841 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36397 at 12% per annum for 3 years. | option_a=13202 | option_b=13102 | option_c=49499 | option_d=13002 | answer=B | explanation=SI = PRT/100 = 36397×12×3/100 = █13102.

id=89842 | topic=Percentages | difficulty=Easy | question=What is 15% of 185? | option_a=27 | option_b=54 | option_c=22 | option_d=47 | answer=A | explanation=15% of 185 = (15/100) × 185 = 27.

id=89843 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 44? | option_a=37 | option_b=25 | option_c=44 | option_d=31 | answer=C | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 44 is the odd one out.

id=89844 | topic=Averages | difficulty=Easy | question=Find the average of 92, 26, 23, 23, 53, 14, 35, 102. | option_a=48 | option_b=46 | option_c=47 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = 368 ÷ 8 = 46.

id=89845 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=K | option_c=I | option_d=O | answer=A | explanation=Move 2 positions forward from K; the resulting letter is M.

id=89846 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=27 | option_b=33 | option_c=21 | option_d=28 | answer=A | explanation=The common difference is 6. Therefore the next term is 21 + 6 = 27.

id=89847 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:7 and the first is 112, what is the second? | option_a=42 | option_b=161 | option_c=49 | option_d=65 | answer=C | explanation=Scale factor = 112/16 = 7. Therefore second quantity = 7×7 = 49.

id=89848 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 33, 43, 54? | option_a=54 | option_b=23 | option_c=43 | option_d=33 | answer=A | explanation=The first three numbers increase by 10, so the next should be 53. Therefore 54 is the odd one out.

id=89849 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 13, 17, 21, ? | option_a=21 | option_b=29 | option_c=26 | option_d=25 | answer=D | explanation=The common difference is 4. Therefore the next term is 21 + 4 = 25.

id=89850 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4520. If it is sold at a profit of 10%, what is its selling price? | option_a=4972 | option_b=4520 | option_c=5424 | option_d=4530 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4520 × 110/100 = █4972.

Aptitude Questions — Records 89,851-89,880 of 100,000

id=89851 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=X | option_b=M | option_c=C | option_d=H | answer=D | explanation=Move 5 positions forward from C; the resulting letter is H.

id=89852 | topic=Percentages | difficulty=Easy | question=What is 50% of 744? | option_a=392 | option_b=744 | option_c=367 | option_d=372 | answer=D | explanation=50% of 744 = (50/100) × 744 = 372.

id=89853 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=89854 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=47 | option_b=58 | option_c=48 | option_d=36 | answer=A | explanation=The common difference is 11. Therefore the next term is 36 + 11 = 47.

id=89855 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=I | option_b=W | option_c=E | option_d=A | answer=C | explanation=Move 4 positions forward from A; the resulting letter is E.

id=89856 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=B | option_b=M | option_c=W | option_d=R | answer=C | explanation=Move 5 positions forward from R; the resulting letter is W.

id=89857 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=6 | option_c=12 | option_d=1 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=89858 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 28? | option_a=12 | option_b=19 | option_c=5 | option_d=28 | answer=D | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 28 is the odd one out.

id=89859 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=57 | option_b=56 | option_c=46 | option_d=66 | answer=B | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=89860 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=S | option_c=P | option_d=R | answer=D | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=89861 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹34916 at 5% per annum for 5 years. | option_a=43645 | option_b=8829 | option_c=8729 | option_d=8629 | answer=C | explanation=SI = PRT/100 = 34916×5×5/100 = ₹8729.

id=89862 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:14 and the first is 272, what is the second? | option_a=224 | option_b=496 | option_c=210 | option_d=241 | answer=A | explanation=Scale factor = 272/17 = 16. Therefore second quantity = 14×16 = 224.

id=89863 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹13309 at 4% per annum for 5 years. | option_a=15970 | option_b=2561 | option_c=2761 | option_d=2661 | answer=D | explanation=SI = PRT/100 = 13309×4×5/100 = ₹2661.

id=89864 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=89865 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=P | option_b=A | option_c=K | option_d=F | answer=C | explanation=Move 5 positions forward from F; the resulting letter is K.

id=89866 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 16. | option_a=96 | option_b=448 | option_c=112 | option_d=140 | answer=C | explanation=LCM × HCF = 28×16; HCF(28,16) = 4, so LCM = 112.

id=89867 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹4162. If it is sold at a profit of 30%, what is its selling price? | option_a=5826 | option_b=4994 | option_c=5410 | option_d=4192 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4162 × 130/100 = ₹5410.

id=89868 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹4266. If it is sold at a profit of 25%, what is its selling price? | option_a=5758 | option_b=4906 | option_c=4291 | option_d=5332 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4266 × 125/100 = ₹5332.

id=89869 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 35? | option_a=12 | option_b=35 | option_c=19 | option_d=26 | answer=B | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 35 is the odd one out.

id=89870 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1749. If it is sold at a profit of 40%, what is its selling price? | option_a=1789 | option_b=2448 | option_c=2274 | option_d=2622 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1749 × 140/100 = ₹2448.

id=89871 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=44 | option_b=55 | option_c=54 | option_d=64 | answer=C | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=89872 | topic=Percentages | difficulty=Easy | question=What is 25% of 350? | option_a=77 | option_b=174 | option_c=87 | option_d=92 | answer=C | explanation=25% of 350 = (25/100) × 350 = 87.

id=89873 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 30? | option_a=10 | option_b=22 | option_c=16 | option_d=30 | answer=D | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 30 is the odd one out.

id=89874 | topic=Percentages | difficulty=Easy | question=What is 10% of 153? | option_a=5 | option_b=30 | option_c=15 | option_d=35 | answer=C | explanation=10% of 153 = (10/100) × 153 = 15.

id=89875 | topic=Percentages | difficulty=Easy | question=What is 10% of 1897? | option_a=194 | option_b=189 | option_c=184 | option_d=378 | answer=B | explanation=10% of 1897 = (10/100) × 1897 = 189.

id=89876 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=89877 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹49736 at 4% per annum for 1 years. | option_a=2089 | option_b=1989 | option_c=51725 | option_d=1889 | answer=B | explanation=SI = PRT/100 = 49736×4×1/100 = ₹1989.

id=89878 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 21, 23, 25, ? | option_a=28 | option_b=29 | option_c=27 | option_d=25 | answer=C | explanation=The common difference is 2. Therefore the next term is 25 + 2 = 27.

id=89879 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 21? | option_a=14 | option_b=2 | option_c=21 | option_d=8 | answer=C | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 21 is the odd one out.

id=89880 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 89,881-89,910 of 100,000

id=89881 | topic=Percentages | difficulty=Easy | question=What is 40% of 716? | option_a=572 | option_b=296 | option_c=281 | option_d=286 | answer=D | explanation=40% of 716 = (40/100) × 716 = 286.

id=89882 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=32 | option_b=38 | option_c=24 | option_d=31 | answer=D | explanation=The common difference is 7. Therefore the next term is 24 + 7 = 31.

id=89883 | topic=Percentages | difficulty=Easy | question=What is 40% of 1796? | option_a=713 | option_b=718 | option_c=723 | option_d=1436 | answer=B | explanation=40% of 1796 = (40/100) × 1796 = 718.

id=89884 | topic=Averages | difficulty=Easy | question=Find the average of 44, 50, 81, 66, 94, 95, 44, 16, 10, 50. | option_a=56 | option_b=54 | option_c=55 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 550 ÷ 10 = 55.

id=89885 | topic=Percentages | difficulty=Easy | question=What is 12% of 1214? | option_a=125 | option_b=145 | option_c=290 | option_d=165 | answer=B | explanation=12% of 1214 = (12/100) × 1214 = 145.

id=89886 | topic=Averages | difficulty=Easy | question=Find the average of 24, 95, 89, 69, 23. | option_a=61 | option_b=59 | option_c=60 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 300 ÷ 5 = 60.

id=89887 | topic=Percentages | difficulty=Easy | question=What is 30% of 534? | option_a=150 | option_b=165 | option_c=320 | option_d=160 | answer=D | explanation=30% of 534 = (30/100) × 534 = 160.

id=89888 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=71 | option_b=61 | option_c=60 | option_d=49 | answer=C | explanation=The common difference is 11. Therefore the next term is 49 + 11 = 60.

id=89889 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 22. | option_a=44 | option_b=1 | option_c=22 | option_d=484 | answer=C | explanation=LCM × HCF = 22×22; HCF(22,22) = 22, so LCM = 22.

id=89890 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=89891 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 15, 23, 32? | option_a=32 | option_b=15 | option_c=23 | option_d=7 | answer=A | explanation=The first three numbers increase by 8, so the next should be 31. Therefore 32 is the odd one out.

id=89892 | topic=Averages | difficulty=Easy | question=Find the average of 19, 26, 42, 65. | option_a=40 | option_b=39 | option_c=38 | option_d=37 | answer=C | explanation=Average = sum of values ÷ number of values = 152 ÷ 4 = 38.

id=89893 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 13, 17, 23? | option_a=23 | option_b=13 | option_c=17 | option_d=9 | answer=A | explanation=The first three numbers increase by 4, so the next should be 21. Therefore 23 is the odd one out.

id=89894 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4069. If it is sold at a profit of 15%, what is its selling price? | option_a=4679 | option_b=4084 | option_c=4273 | option_d=5085 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4069 × 115/100 = █4679.

id=89895 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=89896 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47989 at 6% per annum for 2 years. | option_a=5758 | option_b=53747 | option_c=5658 | option_d=5858 | answer=A | explanation=SI = PRT/100 = 47989×6×2/100 = █5758.

id=89897 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=37 | option_b=31 | option_c=36 | option_d=41 | answer=C | explanation=The common difference is 5. Therefore the next term is 31 + 5 = 36.

id=89898 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=H | option_c=K | option_d=J | answer=D | explanation=Move 1 positions forward from I; the resulting letter is J.

id=89899 | topic=Averages | difficulty=Easy | question=Find the average of 12, 82, 88, 16, 12, 68, 76, 78. | option_a=55 | option_b=54 | option_c=53 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 432 ÷ 8 = 54.

id=89900 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=43 | option_b=54 | option_c=55 | option_d=65 | answer=B | explanation=The common difference is 11. Therefore the next term is 43 + 11 = 54.

id=89901 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38962 at 15% per annum for 2 years. | option_a=11588 | option_b=11688 | option_c=50650 | option_d=11788 | answer=B | explanation=SI = PRT/100 = 38962×15×2/100 = █11688.

id=89902 | topic=Percentages | difficulty=Easy | question=What is 12% of 1241? | option_a=296 | option_b=158 | option_c=128 | option_d=148 | answer=D | explanation=12% of 1241 = (12/100) × 1241 = 148.

id=89903 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:14 and the first is 72, what is the second? | option_a=134 | option_b=112 | option_c=198 | option_d=126 | answer=D | explanation=Scale factor = 72/8 = 9. Therefore second quantity = 14×9 = 126.

id=89904 | topic=Percentages | difficulty=Easy | question=What is 15% of 1174? | option_a=352 | option_b=156 | option_c=196 | option_d=176 | answer=D | explanation=15% of 1174 = (15/100) × 1174 = 176.

id=89905 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=28 | option_b=27 | option_c=23 | option_d=31 | answer=B | explanation=The common difference is 4. Therefore the next term is 23 + 4 = 27.

id=89906 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=89907 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 15, 20, 27? | option_a=15 | option_b=27 | option_c=20 | option_d=10 | answer=B | explanation=The first three numbers increase by 5, so the next should be 25. Therefore 27 is the odd one out.

id=89908 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 28. | option_a=224 | option_b=270 | option_c=504 | option_d=252 | answer=D | explanation=LCM × HCF = 18×28; HCF(18,28) = 2, so LCM = 252.

id=89909 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=70 | option_b=50 | option_c=60 | option_d=61 | answer=C | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

id=89910 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:2 and the first is 60, what is the second? | option_a=8 | option_b=70 | option_c=10 | option_d=22 | answer=C | explanation=Scale factor = 60/12 = 5. Therefore second quantity = 2×5 = 10.

Aptitude Questions — Records 89,911-89,940 of 100,000

id=89911 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4901. If it is sold at a profit of 20%, what is its selling price? | option_a=5881 | option_b=6371 | option_c=5391 | option_d=4921 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4901 \times 120/100 = \text{█}5881$.

id=89912 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 27, 32, 40? | option_a=40 | option_b=32 | option_c=22 | option_d=27 | answer=A | explanation=The first three numbers increase by 5, so the next should be 37. Therefore 40 is the odd one out.

id=89913 | topic=Averages | difficulty=Easy | question=Find the average of 64, 19, 13. | option_a=31 | option_b=34 | option_c=33 | option_d=32 | answer=D | explanation=Average = sum of values ÷ number of values = $96 \div 3 = 32$.

id=89914 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44252 at 10% per annum for 3 years. | option_a=13275 | option_b=13175 | option_c=13375 | option_d=57527 | answer=A | explanation=SI = $PRT/100 = 44252 \times 10 \times 3/100 = \text{█}13275$.

id=89915 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=33 | option_b=32 | option_c=26 | option_d=38 | answer=B | explanation=The common difference is 6. Therefore the next term is $26 + 6 = 32$.

id=89916 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 11, 16, 24? | option_a=24 | option_b=6 | option_c=16 | option_d=11 | answer=A | explanation=The first three numbers increase by 5, so the next should be 21. Therefore 24 is the odd one out.

id=89917 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=28 | option_b=40 | option_c=35 | option_d=34 | answer=D | explanation=The common difference is 6. Therefore the next term is $28 + 6 = 34$.

id=89918 | topic=Averages | difficulty=Easy | question=Find the average of 11, 29, 94, 81, 59, 75, 96, 28, 13. | option_a=54 | option_b=53 | option_c=55 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = $486 \div 9 = 54$.

id=89919 | topic=Averages | difficulty=Easy | question=Find the average of 88, 30, 23, 58, 15, 38. | option_a=44 | option_b=41 | option_c=43 | option_d=42 | answer=D | explanation=Average = sum of values ÷ number of values = $252 \div 6 = 42$.

id=89920 | topic=Percentages | difficulty=Easy | question=What is 30% of 1890? | option_a=567 | option_b=577 | option_c=562 | option_d=1134 | answer=A | explanation=30% of 1890 = $(30/100) \times 1890 = 567$.

id=89921 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=R | option_b=I | option_c=L | option_d=O | answer=D | explanation=Move 3 positions forward from L; the resulting letter is O.

id=89922 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:7 and the first is 60, what is the second? | option_a=95 | option_b=47 | option_c=35 | option_d=28 | answer=C | explanation=Scale factor = $60/12 = 5$. Therefore second quantity = $7 \times 5 = 35$.

id=89923 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=28 | option_b=26 | option_c=25 | option_d=22 | answer=C | explanation=The common difference is 3. Therefore the next term is $22 + 3 = 25$.

id=89924 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=89925 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 8, 13, 20? | option_a=8 | option_b=20 | option_c=13 | option_d=3 | answer=B | explanation=The first three numbers increase by 5, so the next should be 18. Therefore 20 is the odd one out.

id=89926 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=12 | option_c=6 | option_d=11 | answer=C | explanation=Speed = distance ÷ time = $60 \div 10 = 6$ km/h.

id=89927 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=89928 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3210. If it is sold at a profit of 50%, what is its selling price? | option_a=3260 | option_b=4494 | option_c=4815 | option_d=5136 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3210 \times 150/100 = \text{█}4815$.

id=89929 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=34 | option_b=43 | option_c=50 | option_d=42 | answer=D | explanation=The common difference is 8. Therefore the next term is $34 + 8 = 42$.

id=89930 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=90 | option_c=95 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = $360 \div 4 = 90$ km/h.

id=89931 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = $360 \div 6 = 60$ km/h.

id=89932 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5829 at 8% per annum for 1 years. | option_a=6295 | option_b=566 | option_c=366 | option_d=466 | answer=D | explanation=SI = $PRT/100 = 5829 \times 8 \times 1/100 = \text{█}466$.

id=89933 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 15, 22, 29, ? | option_a=37 | option_b=29 | option_c=43 | option_d=36 | answer=D | explanation=The common difference is 7. Therefore the next term is $29 + 7 = 36$.

id=89934 | topic=Profit & Loss | difficulty=Easy | question=An article costs █276. If it is sold at a profit of 40%, what is its selling price? | option_a=359 | option_b=386 | option_c=316 | option_d=413 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 276 \times 140/100 = \text{█}386$.

id=89935 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:9 and the first is 119, what is the second? | option_a=63 | option_b=80 | option_c=182 | option_d=54 | answer=A | explanation=Scale factor = $119/17 = 7$. Therefore second quantity = $9 \times 7 = 63$.

id=89936 | topic=Averages | difficulty=Easy | question=Find the average of 50, 36, 83, 12, 66, 100, 78, 47, 46, 82. | option_a=59 | option_b=61 | option_c=60 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = $600 \div 10 = 60$.

id=89937 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=80 | option_b=69 | option_c=68 | option_d=56 | answer=C | explanation=The common difference is 12. Therefore the next term is $56 + 12 = 68$.

id=89938 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=L | option_b=N | option_c=R | option_d=P | answer=D | explanation=Move 2 positions forward from N; the resulting letter is P.

id=89939 | topic=Percentages | difficulty=Easy | question=What is 5% of 87? | option_a=8 | option_b=0 | option_c=24 | option_d=4 | answer=D | explanation=5% of 87 = $(5/100) \times 87 = 4$.

id=89940 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1360. If it is sold at a profit of 30%, what is its selling price? | option_a=1768 | option_b=1390 | option_c=1632 | option_d=1904 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1360 \times 130/100 = \text{█}1768$.

Aptitude Questions — Records 89,941-89,970 of 100,000

id=89941 | topic=Percentages | difficulty=Easy | question=What is 25% of 1824? | option_a=456 | option_b=912 | option_c=451 | option_d=466 | answer=A | explanation=25% of 1824 = (25/100) × 1824 = 456.

id=89942 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=67 | option_b=56 | option_c=55 | option_d=43 | answer=C | explanation=The common difference is 12. Therefore the next term is 43 + 12 = 55.

id=89943 | topic=Percentages | difficulty=Easy | question=What is 25% of 1848? | option_a=472 | option_b=462 | option_c=924 | option_d=442 | answer=B | explanation=25% of 1848 = (25/100) × 1848 = 462.

id=89944 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23602 at 15% per annum for 2 years. | option_a=7180 | option_b=7080 | option_c=30682 | option_d=6980 | answer=B | explanation=SI = PRT/100 = 23602×15×2/100 = █7080.

id=89945 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 12. | option_a=144 | option_b=182 | option_c=156 | option_d=312 | answer=C | explanation=LCM × HCF = 26×12; HCF(26,12) = 2, so LCM = 156.

id=89946 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=D | option_c=J | option_d=M | answer=C | explanation=Move 3 positions forward from G; the resulting letter is J.

id=89947 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:7 and the first is 30, what is the second? | option_a=107 | option_b=135 | option_c=105 | option_d=98 | answer=C | explanation=Scale factor = 30/2 = 15. Therefore second quantity = 7×15 = 105.

id=89948 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27537 at 6% per annum for 3 years. | option_a=4856 | option_b=5056 | option_c=32493 | option_d=4956 | answer=D | explanation=SI = PRT/100 = 27537×6×3/100 = █4956.

id=89949 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3256. If it is sold at a profit of 50%, what is its selling price? | option_a=4559 | option_b=3306 | option_c=5209 | option_d=4884 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3256 × 150/100 = █4884.

id=89950 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 32, 35, 39? | option_a=39 | option_b=35 | option_c=29 | option_d=32 | answer=A | explanation=The first three numbers increase by 3, so the next should be 38. Therefore 39 is the odd one out.

id=89951 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=S | option_c=R | option_d=P | answer=C | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=89952 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=50 | option_c=30 | option_d=25 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=89953 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28553 at 12% per annum for 4 years. | option_a=42258 | option_b=13605 | option_c=13705 | option_d=13805 | answer=C | explanation=SI = PRT/100 = 28553×12×4/100 = █13705.

id=89954 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=89955 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=80 | option_c=70 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=89956 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=J | option_b=F | option_c=H | option_d=D | answer=C | explanation=Move 2 positions forward from F; the resulting letter is H.

id=89957 | topic=Averages | difficulty=Easy | question=Find the average of 36, 63, 21. | option_a=40 | option_b=41 | option_c=42 | option_d=39 | answer=A | explanation=Average = sum of values ÷ number of values = 120 ÷ 3 = 40.

id=89958 | topic=Percentages | difficulty=Easy | question=What is 50% of 1391? | option_a=675 | option_b=695 | option_c=1390 | option_d=715 | answer=B | explanation=50% of 1391 = (50/100) × 1391 = 695.

id=89959 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 29? | option_a=29 | option_b=18 | option_c=24 | option_d=21 | answer=A | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 29 is the odd one out.

id=89960 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 13, 19, 26? | option_a=26 | option_b=7 | option_c=19 | option_d=13 | answer=A | explanation=The first three numbers increase by 6, so the next should be 25. Therefore 26 is the odd one out.

id=89961 | topic=Averages | difficulty=Easy | question=Find the average of 26, 76, 75, 46, 87. | option_a=61 | option_b=63 | option_c=62 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 310 ÷ 5 = 62.

id=89962 | topic=Averages | difficulty=Easy | question=Find the average of 82, 40, 17, 86, 84, 11, 21, 86, 59, 84. | option_a=57 | option_b=59 | option_c=56 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.

id=89963 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 10, 16, 25? | option_a=4 | option_b=10 | option_c=25 | option_d=16 | answer=C | explanation=The first three numbers increase by 6, so the next should be 22. Therefore 25 is the odd one out.

id=89964 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=D | option_b=X | option_c=A | option_d=G | answer=A | explanation=Move 3 positions forward from A; the resulting letter is D.

id=89965 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=89966 | topic=Averages | difficulty=Easy | question=Find the average of 39, 100, 62, 43. | option_a=60 | option_b=63 | option_c=62 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 244 ÷ 4 = 61.

id=89967 | topic=Averages | difficulty=Easy | question=Find the average of 89, 80, 30, 91, 28, 37, 83, 54, 53, 65. | option_a=62 | option_b=60 | option_c=61 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = 610 ÷ 10 = 61.

id=89968 | topic=Percentages | difficulty=Easy | question=What is 10% of 1105? | option_a=130 | option_b=90 | option_c=110 | option_d=220 | answer=C | explanation=10% of 1105 = (10/100) × 1105 = 110.

id=89969 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 31, 35, 41? | option_a=35 | option_b=41 | option_c=31 | option_d=27 | answer=B | explanation=The first three numbers increase by 4, so the next should be 39. Therefore 41 is the odd one out.

id=89970 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4108. If it is sold at a profit of 10%, what is its selling price? | option_a=4108 | option_b=4928 | option_c=4518 | option_d=4118 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4108 × 110/100 = █4518.

Aptitude Questions — Records 89,971-90,000 of 100,000

id=89971 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:3 and the first is 77, what is the second? | option_a=18 | option_b=32 | option_c=98 | option_d=21 | answer=D | explanation=Scale factor = 77/11 = 7. Therefore second quantity = 3×7 = 21.

id=89972 | topic=Profit & Loss | difficulty=Easy | question=An article costs █587. If it is sold at a profit of 25%, what is its selling price? | option_a=675 | option_b=733 | option_c=612 | option_d=791 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 587 × 125/100 = █733.

id=89973 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=360 | option_c=180 | option_d=175 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=89974 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30546 at 12% per annum for 1 years. | option_a=34211 | option_b=3665 | option_c=3765 | option_d=3565 | answer=B | explanation=SI = PRT/100 = 30546×12×1/100 = █3665.

id=89975 | topic=Percentages | difficulty=Easy | question=What is 50% of 711? | option_a=350 | option_b=355 | option_c=710 | option_d=360 | answer=B | explanation=50% of 711 = (50/100) × 711 = 355.

id=89976 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:14 and the first is 44, what is the second? | option_a=56 | option_b=100 | option_c=42 | option_d=67 | answer=A | explanation=Scale factor = 44/11 = 4. Therefore second quantity = 14×4 = 56.

id=89977 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 24. | option_a=96 | option_b=720 | option_c=120 | option_d=150 | answer=C | explanation=LCM × HCF = 30×24; HCF(30,24) = 6, so LCM = 120.

id=89978 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=89979 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=89980 | topic=Percentages | difficulty=Easy | question=What is 10% of 686? | option_a=73 | option_b=63 | option_c=68 | option_d=136 | answer=C | explanation=10% of 686 = (10/100) × 686 = 68.

id=89981 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 22. | option_a=528 | option_b=264 | option_c=288 | option_d=242 | answer=B | explanation=LCM × HCF = 24×22; HCF(24,22) = 2, so LCM = 264.

id=89982 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1413. If it is sold at a profit of 15%, what is its selling price? | option_a=1765 | option_b=1483 | option_c=1624 | option_d=1428 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1413 × 115/100 = █1624.

id=89983 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=85 | option_c=75 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=89984 | topic=Percentages | difficulty=Easy | question=What is 10% of 1202? | option_a=100 | option_b=240 | option_c=125 | option_d=120 | answer=D | explanation=10% of 1202 = (10/100) × 1202 = 120.

id=89985 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=17 | option_c=7 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=89986 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=S | option_b=R | option_c=T | option_d=Q | answer=A | explanation=Move 1 positions forward from R; the resulting letter is S.

id=89987 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 27, 39, 51, ? | option_a=64 | option_b=63 | option_c=75 | option_d=51 | answer=B | explanation=The common difference is 12. Therefore the next term is 51 + 12 = 63.

id=89988 | topic=Profit & Loss | difficulty=Easy | question=An article costs █536. If it is sold at a profit of 50%, what is its selling price? | option_a=586 | option_b=751 | option_c=857 | option_d=804 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 536 × 150/100 = █804.

id=89989 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=T | option_b=P | option_c=R | option_d=V | answer=A | explanation=Move 2 positions forward from R; the resulting letter is T.

id=89990 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:9 and the first is 30, what is the second? | option_a=18 | option_b=9 | option_c=48 | option_d=33 | answer=A | explanation=Scale factor = 30/15 = 2. Therefore second quantity = 9×2 = 18.

id=89991 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Q | option_b=U | option_c=C | option_d=Y | answer=D | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=89992 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 50? | option_a=39 | option_b=19 | option_c=50 | option_d=29 | answer=C | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 50 is the odd one out.

id=89993 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=J | option_c=P | option_d=L | answer=A | explanation=Move 2 positions forward from L; the resulting letter is N.

id=89994 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 33? | option_a=18 | option_b=12 | option_c=33 | option_d=24 | answer=C | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 33 is the odd one out.

id=89995 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Z | option_b=Q | option_c=W | option_d=T | answer=C | explanation=Move 3 positions forward from T; the resulting letter is W.

id=89996 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=20 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=89997 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4791. If it is sold at a profit of 40%, what is its selling price? | option_a=6228 | option_b=4831 | option_c=7186 | option_d=6707 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4791 × 140/100 = █6707.

id=89998 | topic=Profit & Loss | difficulty=Easy | question=An article costs █775. If it is sold at a profit of 40%, what is its selling price? | option_a=1008 | option_b=815 | option_c=1162 | option_d=1085 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 775 × 140/100 = █1085.

id=89999 | topic=Averages | difficulty=Easy | question=Find the average of 99, 74, 37. | option_a=70 | option_b=71 | option_c=72 | option_d=69 | answer=A | explanation=Average = sum of values ÷ number of values = 210 ÷ 3 = 70.

id=90000 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:8 and the first is 32, what is the second? | option_a=16 | option_b=32 | option_c=8 | option_d=48 | answer=A | explanation=Scale factor = 32/16 = 2. Therefore second quantity = 8×2 = 16.

Aptitude Questions — Records 90,001-90,030 of 100,000

id=90001 | topic=Percentages | difficulty=Easy | question=What is 15% of 164? | option_a=24 | option_b=34 | option_c=14 | option_d=48 | answer=A | explanation=15% of 164 = $(15/100) \times 164 = 24$.

id=90002 | topic=Percentages | difficulty=Easy | question=What is 10% of 1864? | option_a=186 | option_b=176 | option_c=191 | option_d=372 | answer=A | explanation=10% of 1864 = $(10/100) \times 1864 = 186$.

id=90003 | topic=Profit & Loss | difficulty=Easy | question=An article costs █892. If it is sold at a profit of 50%, what is its selling price? | option_a=1338 | option_b=942 | option_c=1427 | option_d=1249 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 892 \times 150/100 = \text{█}1338$.

id=90004 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = $360 \div 8 = 45$ km/h.

id=90005 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:1 and the first is 20, what is the second? | option_a=24 | option_b=9 | option_c=3 | option_d=4 | answer=D | explanation=Scale factor = $20/5 = 4$. Therefore second quantity = $1 \times 4 = 4$.

id=90006 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35578 at 15% per annum for 2 years. | option_a=46251 | option_b=10673 | option_c=10573 | option_d=10773 | answer=B | explanation=SI = $PRT/100 = 35578 \times 15 \times 2/100 = \text{█}10673$.

id=90007 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2585. If it is sold at a profit of 50%, what is its selling price? | option_a=4135 | option_b=3877 | option_c=3619 | option_d=2635 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2585 \times 150/100 = \text{█}3877$.

id=90008 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3643. If it is sold at a profit of 20%, what is its selling price? | option_a=3663 | option_b=4007 | option_c=4371 | option_d=4735 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3643 \times 120/100 = \text{█}4371$.

id=90009 | topic=Profit & Loss | difficulty=Easy | question=An article costs █661. If it is sold at a profit of 50%, what is its selling price? | option_a=711 | option_b=1057 | option_c=991 | option_d=925 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 661 \times 150/100 = \text{█}991$.

id=90010 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=M | option_b=C | option_c=X | option_d=H | answer=D | explanation=Move 5 positions forward from C; the resulting letter is H.

id=90011 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=8 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=90012 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 45? | option_a=45 | option_b=24 | option_c=30 | option_d=36 | answer=A | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 45 is the odd one out.

id=90013 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 59? | option_a=59 | option_b=36 | option_c=46 | option_d=26 | answer=A | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 59 is the odd one out.

id=90014 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 33, 40, 48? | option_a=40 | option_b=33 | option_c=26 | option_d=48 | answer=D | explanation=The first three numbers increase by 7, so the next should be 47. Therefore 48 is the odd one out.

id=90015 | topic=Averages | difficulty=Easy | question=Find the average of 24, 90, 79, 93, 75, 59. | option_a=69 | option_b=71 | option_c=72 | option_d=70 | answer=D | explanation=Average = sum of values ÷ number of values = $420 \div 6 = 70$.

id=90016 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=F | option_c=N | option_d=R | answer=C | explanation=Move 4 positions forward from J; the resulting letter is N.

id=90017 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 44? | option_a=24 | option_b=36 | option_c=30 | option_d=44 | answer=D | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 44 is the odd one out.

id=90018 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 29, 33, 39? | option_a=25 | option_b=29 | option_c=33 | option_d=39 | answer=D | explanation=The first three numbers increase by 4, so the next should be 37. Therefore 39 is the odd one out.

id=90019 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=N | option_b=P | option_c=O | option_d=Q | answer=B | explanation=Move 1 positions forward from O; the resulting letter is P.

id=90020 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=R | option_b=A | option_c=U | option_d=X | answer=D | explanation=Move 3 positions forward from U; the resulting letter is X.

id=90021 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=I | option_b=W | option_c=A | option_d=E | answer=D | explanation=Move 4 positions forward from A; the resulting letter is E.

id=90022 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 18. | option_a=90 | option_b=120 | option_c=540 | option_d=72 | answer=A | explanation= $LCM \times HCF = 30 \times 18$; $HCF(30,18) = 6$, so $LCM = 90$.

id=90023 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=57 | option_b=56 | option_c=67 | option_d=45 | answer=B | explanation=The common difference is 11. Therefore the next term is $45 + 11 = 56$.

id=90024 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=J | option_c=V | option_d=R | answer=D | explanation=Move 4 positions forward from N; the resulting letter is R.

id=90025 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=56 | option_b=36 | option_c=47 | option_d=46 | answer=D | explanation=The common difference is 10. Therefore the next term is $36 + 10 = 46$.

id=90026 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 30. | option_a=60 | option_b=80 | option_c=600 | option_d=30 | answer=A | explanation= $LCM \times HCF = 20 \times 30$; $HCF(20,30) = 10$, so $LCM = 60$.

id=90027 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 24. | option_a=120 | option_b=240 | option_c=130 | option_d=96 | answer=A | explanation= $LCM \times HCF = 10 \times 24$; $HCF(10,24) = 2$, so $LCM = 120$.

id=90028 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=90029 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44792 at 10% per annum for 3 years. | option_a=58229 | option_b=13337 | option_c=13537 | option_d=13437 | answer=D | explanation=SI = $PRT/100 = 44792 \times 10 \times 3/100 = \text{█}13437$.

id=90030 | topic=Averages | difficulty=Easy | question=Find the average of 51, 80, 83, 88, 70, 24, 64, 92. | option_a=69 | option_b=71 | option_c=68 | option_d=70 | answer=A | explanation=Average = sum of values ÷ number of values = $552 \div 8 = 69$.

Aptitude Questions — Records 90,031-90,060 of 100,000

id=90031 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=41 | option_c=31 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=90032 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3913. If it is sold at a profit of 15%, what is its selling price? | option_a=4890 | option_b=3928 | option_c=4499 | option_d=4108 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3913 × 115/100 = █4499.

id=90033 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41245 at 15% per annum for 1 years. | option_a=6086 | option_b=47431 | option_c=6186 | option_d=6286 | answer=C | explanation=SI = PRT/100 = 41245×15×1/100 = █6186.

id=90034 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1464. If it is sold at a profit of 30%, what is its selling price? | option_a=1494 | option_b=1903 | option_c=1757 | option_d=2049 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1464 × 130/100 = █1903.

id=90035 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=90036 | topic=Averages | difficulty=Easy | question=Find the average of 60, 54, 94, 89, 68, 31. | option_a=67 | option_b=68 | option_c=65 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = 396 ÷ 6 = 66.

id=90037 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=B | option_b=L | option_c=G | option_d=Q | answer=B | explanation=Move 5 positions forward from G; the resulting letter is L.

id=90038 | topic=Percentages | difficulty=Easy | question=What is 30% of 557? | option_a=172 | option_b=167 | option_c=334 | option_d=157 | answer=B | explanation=30% of 557 = (30/100) × 557 = 167.

id=90039 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 13, 18, 24? | option_a=24 | option_b=8 | option_c=13 | option_d=18 | answer=A | explanation=The first three numbers increase by 5, so the next should be 23. Therefore 24 is the odd one out.

id=90040 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=P | option_c=F | option_d=U | answer=B | explanation=Move 5 positions forward from K; the resulting letter is P.

id=90041 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:2 and the first is 9, what is the second? | option_a=9 | option_b=4 | option_c=6 | option_d=15 | answer=C | explanation=Scale factor = 9/3 = 3. Therefore second quantity = 2×3 = 6.

id=90042 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3936. If it is sold at a profit of 20%, what is its selling price? | option_a=3956 | option_b=4723 | option_c=4330 | option_d=5116 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3936 × 120/100 = █4723.

id=90043 | topic=Percentages | difficulty=Easy | question=What is 20% of 101? | option_a=15 | option_b=30 | option_c=40 | option_d=20 | answer=D | explanation=20% of 101 = (20/100) × 101 = 20.

id=90044 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=90045 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4579 at 12% per annum for 5 years. | option_a=2647 | option_b=7326 | option_c=2847 | option_d=2747 | answer=D | explanation=SI = PRT/100 = 4579×12×5/100 = █2747.

id=90046 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 24, 30, 39? | option_a=39 | option_b=18 | option_c=24 | option_d=30 | answer=A | explanation=The first three numbers increase by 6, so the next should be 36. Therefore 39 is the odd one out.

id=90047 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=90048 | topic=Profit & Loss | difficulty=Easy | question=An article costs █484. If it is sold at a profit of 30%, what is its selling price? | option_a=581 | option_b=514 | option_c=629 | option_d=677 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 484 × 130/100 = █629.

id=90049 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 31, 34, 40? | option_a=28 | option_b=34 | option_c=40 | option_d=31 | answer=C | explanation=The first three numbers increase by 3, so the next should be 37. Therefore 40 is the odd one out.

id=90050 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:12 and the first is 85, what is the second? | option_a=60 | option_b=77 | option_c=145 | option_d=48 | answer=A | explanation=Scale factor = 85/17 = 5. Therefore second quantity = 12×5 = 60.

id=90051 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=24 | option_b=20 | option_c=23 | option_d=26 | answer=C | explanation=The common difference is 3. Therefore the next term is 20 + 3 = 23.

id=90052 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=31 | option_c=36 | option_d=72 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=90053 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:11 and the first is 140, what is the second? | option_a=227 | option_b=220 | option_c=209 | option_d=360 | answer=B | explanation=Scale factor = 140/7 = 20. Therefore second quantity = 11×20 = 220.

id=90054 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=45 | option_c=50 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=90055 | topic=Averages | difficulty=Easy | question=Find the average of 37, 89, 60. | option_a=62 | option_b=64 | option_c=61 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 186 ÷ 3 = 62.

id=90056 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=51 | option_b=40 | option_c=52 | option_d=62 | answer=A | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=90057 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=N | option_c=T | option_d=P | answer=A | explanation=Move 2 positions forward from P; the resulting letter is R.

id=90058 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=48 | option_c=96 | option_d=53 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=90059 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=I | option_c=E | option_d=G | answer=B | explanation=Move 2 positions forward from G; the resulting letter is I.

id=90060 | topic=Averages | difficulty=Easy | question=Find the average of 93, 68, 49, 52, 71, 94, 77. | option_a=71 | option_b=72 | option_c=74 | option_d=73 | answer=B | explanation=Average = sum of values ÷ number of values = 504 ÷ 7 = 72.

Aptitude Questions — Records 90,061-90,090 of 100,000

id=90061 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 38? | option_a=15 | option_b=5 | option_c=38 | option_d=25 | answer=C | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 38 is the odd one out.

id=90062 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1784. If it is sold at a profit of 10%, what is its selling price? | option_a=1784 | option_b=2140 | option_c=1794 | option_d=1962 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1784 × 110/100 = █1962.

id=90063 | topic=Averages | difficulty=Easy | question=Find the average of 46, 48, 71, 51. | option_a=54 | option_b=56 | option_c=55 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 216 ÷ 4 = 54.

id=90064 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=39 | option_b=47 | option_c=53 | option_d=46 | answer=D | explanation=The common difference is 7. Therefore the next term is 39 + 7 = 46.

id=90065 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=M | option_b=L | option_c=N | option_d=K | answer=A | explanation=Move 1 positions forward from L; the resulting letter is M.

id=90066 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 22? | option_a=14 | option_b=22 | option_c=8 | option_d=2 | answer=B | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 22 is the odd one out.

id=90067 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44081 at 5% per annum for 2 years. | option_a=4408 | option_b=48489 | option_c=4508 | option_d=4308 | answer=A | explanation=SI = PRT/100 = 44081×5×2/100 = █4408.

id=90068 | topic=Averages | difficulty=Easy | question=Find the average of 40, 89, 90, 65. | option_a=70 | option_b=72 | option_c=73 | option_d=71 | answer=D | explanation=Average = sum of values ÷ number of values = 284 ÷ 4 = 71.

id=90069 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:20 and the first is 198, what is the second? | option_a=418 | option_b=238 | option_c=200 | option_d=220 | answer=D | explanation=Scale factor = 198/18 = 11. Therefore second quantity = 20×11 = 220.

id=90070 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=62 | option_b=42 | option_c=52 | option_d=53 | answer=C | explanation=The common difference is 10. Therefore the next term is 42 + 10 = 52.

id=90071 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=90072 | topic=Averages | difficulty=Easy | question=Find the average of 48, 12, 56, 15, 52, 90, 15, 79, 56. | option_a=47 | option_b=49 | option_c=46 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = 423 ÷ 9 = 47.

id=90073 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=H | option_c=I | option_d=F | answer=B | explanation=Move 1 positions forward from G; the resulting letter is H.

id=90074 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 38? | option_a=29 | option_b=23 | option_c=17 | option_d=38 | answer=D | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 38 is the odd one out.

id=90075 | topic=Averages | difficulty=Easy | question=Find the average of 28, 67, 18, 95, 26, 42, 25. | option_a=43 | option_b=45 | option_c=44 | option_d=42 | answer=A | explanation=Average = sum of values ÷ number of values = 301 ÷ 7 = 43.

id=90076 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35130 at 5% per annum for 2 years. | option_a=38643 | option_b=3413 | option_c=3613 | option_d=3513 | answer=D | explanation=SI = PRT/100 = 35130×5×2/100 = █3513.

id=90077 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 28. | option_a=96 | option_b=84 | option_c=56 | option_d=336 | answer=B | explanation=LCM × HCF = 12×28; HCF(12,28) = 4, so LCM = 84.

id=90078 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44552 at 10% per annum for 2 years. | option_a=53462 | option_b=8810 | option_c=8910 | option_d=9010 | answer=C | explanation=SI = PRT/100 = 44552×10×2/100 = █8910.

id=90079 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 14. | option_a=196 | option_b=240 | option_c=210 | option_d=420 | answer=C | explanation=LCM × HCF = 30×14; HCF(30,14) = 2, so LCM = 210.

id=90080 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36479 at 15% per annum for 1 years. | option_a=5571 | option_b=41950 | option_c=5371 | option_d=5471 | answer=D | explanation=SI = PRT/100 = 36479×15×1/100 = █5471.

id=90081 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=115 | option_d=240 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=90082 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3208. If it is sold at a profit of 15%, what is its selling price? | option_a=3223 | option_b=3369 | option_c=3689 | option_d=4009 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3208 × 115/100 = █3689.

id=90083 | topic=Averages | difficulty=Easy | question=Find the average of 62, 34, 86, 94, 104. | option_a=75 | option_b=78 | option_c=77 | option_d=76 | answer=D | explanation=Average = sum of values ÷ number of values = 380 ÷ 5 = 76.

id=90084 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1014. If it is sold at a profit of 5%, what is its selling price? | option_a=1064 | option_b=1019 | option_c=1165 | option_d=963 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1014 × 105/100 = █1064.

id=90085 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=43 | option_b=35 | option_c=27 | option_d=36 | answer=B | explanation=The common difference is 8. Therefore the next term is 27 + 8 = 35.

id=90086 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2545. If it is sold at a profit of 25%, what is its selling price? | option_a=3435 | option_b=3181 | option_c=2570 | option_d=2927 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2545 × 125/100 = █3181.

id=90087 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=90088 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=G | option_b=D | option_c=J | option_d=A | answer=A | explanation=Move 3 positions forward from D; the resulting letter is G.

id=90089 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=90090 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=X | option_c=R | option_d=A | answer=B | explanation=Move 3 positions forward from U; the resulting letter is X.

Aptitude Questions — Records 90,091-90,120 of 100,000

id=90091 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2834. If it is sold at a profit of 10%, what is its selling price? | option_a=2834 | option_b=2844 | option_c=3400 | option_d=3117 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2834 × 110/100 = █3117.

id=90092 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4043. If it is sold at a profit of 40%, what is its selling price? | option_a=6064 | option_b=5256 | option_c=4083 | option_d=5660 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4043 × 140/100 = █5660.

id=90093 | topic=Averages | difficulty=Easy | question=Find the average of 35, 21, 36, 70, 33, 42, 29, 70. | option_a=43 | option_b=41 | option_c=42 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = 336 ÷ 8 = 42.

id=90094 | topic=Percentages | difficulty=Easy | question=What is 20% of 1822? | option_a=728 | option_b=359 | option_c=364 | option_d=374 | answer=C | explanation=20% of 1822 = (20/100) × 1822 = 364.

id=90095 | topic=Profit & Loss | difficulty=Easy | question=An article costs █719. If it is sold at a profit of 10%, what is its selling price? | option_a=719 | option_b=861 | option_c=790 | option_d=729 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 719 × 110/100 = █790.

id=90096 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14481 at 10% per annum for 1 years. | option_a=15929 | option_b=1348 | option_c=1548 | option_d=1448 | answer=D | explanation=SI = PRT/100 = 14481×10×1/100 = █1448.

id=90097 | topic=Percentages | difficulty=Easy | question=What is 25% of 1413? | option_a=706 | option_b=363 | option_c=333 | option_d=353 | answer=D | explanation=25% of 1413 = (25/100) × 1413 = 353.

id=90098 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40684 at 12% per annum for 3 years. | option_a=55330 | option_b=14746 | option_c=14646 | option_d=14546 | answer=C | explanation=SI = PRT/100 = 40684×12×3/100 = █14646.

id=90099 | topic=Percentages | difficulty=Easy | question=What is 20% of 1941? | option_a=368 | option_b=776 | option_c=393 | option_d=388 | answer=D | explanation=20% of 1941 = (20/100) × 1941 = 388.

id=90100 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=32 | option_b=26 | option_c=38 | option_d=33 | answer=A | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=90101 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 63? | option_a=40 | option_b=50 | option_c=30 | option_d=63 | answer=D | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 63 is the odd one out.

id=90102 | topic=Averages | difficulty=Easy | question=Find the average of 80, 18, 79, 14, 78, 25, 31, 59. | option_a=49 | option_b=47 | option_c=48 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 384 ÷ 8 = 48.

id=90103 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=50 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=90104 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:14 and the first is 238, what is the second? | option_a=224 | option_b=476 | option_c=252 | option_d=238 | answer=D | explanation=Scale factor = 238/14 = 17. Therefore second quantity = 14×17 = 238.

id=90105 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 14, 19, 26? | option_a=19 | option_b=14 | option_c=26 | option_d=9 | answer=C | explanation=The first three numbers increase by 5, so the next should be 24. Therefore 26 is the odd one out.

id=90106 | topic=Percentages | difficulty=Easy | question=What is 15% of 1021? | option_a=306 | option_b=153 | option_c=143 | option_d=163 | answer=B | explanation=15% of 1021 = (15/100) × 1021 = 153.

id=90107 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46833 at 10% per annum for 4 years. | option_a=65566 | option_b=18733 | option_c=18833 | option_d=18633 | answer=B | explanation=SI = PRT/100 = 46833×10×4/100 = █18733.

id=90108 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 59? | option_a=47 | option_b=29 | option_c=38 | option_d=59 | answer=D | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 59 is the odd one out.

id=90109 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=90110 | topic=Percentages | difficulty=Easy | question=What is 50% of 1386? | option_a=693 | option_b=698 | option_c=688 | option_d=1386 | answer=A | explanation=50% of 1386 = (50/100) × 1386 = 693.

id=90111 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 24. | option_a=26 | option_b=1 | option_c=24 | option_d=48 | answer=C | explanation=LCM × HCF = 2×24; HCF(2,24) = 2, so LCM = 24.

id=90112 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:11 and the first is 238, what is the second? | option_a=187 | option_b=176 | option_c=425 | option_d=201 | answer=A | explanation=Scale factor = 238/14 = 17. Therefore second quantity = 11×17 = 187.

id=90113 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 29, 37, 46? | option_a=37 | option_b=29 | option_c=46 | option_d=21 | answer=C | explanation=The first three numbers increase by 8, so the next should be 45. Therefore 46 is the odd one out.

id=90114 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 10. | option_a=60 | option_b=120 | option_c=50 | option_d=72 | answer=A | explanation=LCM × HCF = 12×10; HCF(12,10) = 2, so LCM = 60.

id=90115 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3501 at 8% per annum for 5 years. | option_a=1300 | option_b=4901 | option_c=1500 | option_d=1400 | answer=D | explanation=SI = PRT/100 = 3501×8×5/100 = █1400.

id=90116 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=90117 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=40 | option_b=34 | option_c=44 | option_d=39 | answer=D | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

id=90118 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=18 | option_d=13 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=90119 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1365 at 15% per annum for 2 years. | option_a=509 | option_b=409 | option_c=309 | option_d=1774 | answer=B | explanation=SI = PRT/100 = 1365×15×2/100 = █409.

id=90120 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=33 | option_b=29 | option_c=35 | option_d=32 | answer=D | explanation=The common difference is 3. Therefore the next term is 29 + 3 = 32.

Aptitude Questions — Records 90,121-90,150 of 100,000

id=90121 | topic=Percentages | difficulty=Easy | question=What is 20% of 296? | option_a=54 | option_b=118 | option_c=59 | option_d=64 | answer=C | explanation=20% of 296 = (20/100) × 296 = 59.

id=90122 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2849. If it is sold at a profit of 15%, what is its selling price? | option_a=3560 | option_b=3276 | option_c=2992 | option_d=2864 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2849 × 115/100 = █3276.

id=90123 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3828. If it is sold at a profit of 20%, what is its selling price? | option_a=4975 | option_b=4211 | option_c=3848 | option_d=4593 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3828 × 120/100 = █4593.

id=90124 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 16? | option_a=16 | option_b=5 | option_c=11 | option_d=8 | answer=A | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 16 is the odd one out.

id=90125 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=17 | option_b=21 | option_c=20 | option_d=23 | answer=C | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=90126 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=H | option_b=J | option_c=N | option_d=L | answer=D | explanation=Move 2 positions forward from J; the resulting letter is L.

id=90127 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4029. If it is sold at a profit of 40%, what is its selling price? | option_a=4069 | option_b=6042 | option_c=5238 | option_d=5640 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4029 × 140/100 = █5640.

id=90128 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:16 and the first is 360, what is the second? | option_a=320 | option_b=680 | option_c=338 | option_d=304 | answer=A | explanation=Scale factor = 360/18 = 20. Therefore second quantity = 16×20 = 320.

id=90129 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 24, 27, 33? | option_a=27 | option_b=21 | option_c=33 | option_d=24 | answer=C | explanation=The first three numbers increase by 3, so the next should be 30. Therefore 33 is the odd one out.

id=90130 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4359. If it is sold at a profit of 25%, what is its selling price? | option_a=4384 | option_b=5883 | option_c=5013 | option_d=5448 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4359 × 125/100 = █5448.

id=90131 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=I | option_b=L | option_c=O | option_d=R | answer=C | explanation=Move 3 positions forward from L; the resulting letter is O.

id=90132 | topic=Averages | difficulty=Easy | question=Find the average of 72, 59, 91, 14, 34, 73, 49. | option_a=55 | option_b=58 | option_c=57 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 392 ÷ 7 = 56.

id=90133 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 34? | option_a=25 | option_b=9 | option_c=17 | option_d=34 | answer=D | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 34 is the odd one out.

id=90134 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1842. If it is sold at a profit of 10%, what is its selling price? | option_a=1842 | option_b=2210 | option_c=2026 | option_d=1852 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1842 × 110/100 = █2026.

id=90135 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 49? | option_a=28 | option_b=19 | option_c=49 | option_d=37 | answer=C | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 49 is the odd one out.

id=90136 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37184 at 15% per annum for 4 years. | option_a=59494 | option_b=22410 | option_c=22310 | option_d=22210 | answer=C | explanation=SI = PRT/100 = 37184×15×4/100 = █22310.

id=90137 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=90138 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:18 and the first is 70, what is the second? | option_a=252 | option_b=257 | option_c=322 | option_d=234 | answer=A | explanation=Scale factor = 70/5 = 14. Therefore second quantity = 18×14 = 252.

id=90139 | topic=Averages | difficulty=Easy | question=Find the average of 97, 24, 63, 61, 99, 31, 92, 77. | option_a=70 | option_b=68 | option_c=69 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = 544 ÷ 8 = 68.

id=90140 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=90141 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:1 and the first is 70, what is the second? | option_a=5 | option_b=4 | option_c=75 | option_d=19 | answer=A | explanation=Scale factor = 70/14 = 5. Therefore second quantity = 1×5 = 5.

id=90142 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:2 and the first is 48, what is the second? | option_a=20 | option_b=60 | option_c=10 | option_d=12 | answer=D | explanation=Scale factor = 48/8 = 6. Therefore second quantity = 2×6 = 12.

id=90143 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=90144 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=Q | option_b=K | option_c=T | option_d=N | answer=A | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=90145 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=24 | option_b=25 | option_c=21 | option_d=27 | answer=A | explanation=The common difference is 3. Therefore the next term is 21 + 3 = 24.

id=90146 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 16. | option_a=256 | option_b=32 | option_c=16 | option_d=1 | answer=C | explanation=LCM × HCF = 16×16; HCF(16,16) = 16, so LCM = 16.

id=90147 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=90148 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:13 and the first is 196, what is the second? | option_a=196 | option_b=169 | option_c=378 | option_d=182 | answer=D | explanation=Scale factor = 196/14 = 14. Therefore second quantity = 13×14 = 182.

id=90149 | topic=Averages | difficulty=Easy | question=Find the average of 72, 79, 69, 85, 34, 25, 92, 88. | option_a=67 | option_b=70 | option_c=69 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = 544 ÷ 8 = 68.

id=90150 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:12 and the first is 190, what is the second? | option_a=139 | option_b=310 | option_c=108 | option_d=120 | answer=D | explanation=Scale factor = 190/19 = 10. Therefore second quantity = 12×10 = 120.

Aptitude Questions — Records 90,151-90,180 of 100,000

id=90151 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32902 at 6% per annum for 2 years. | option_a=3948 | option_b=4048 | option_c=3848 | option_d=36850 | answer=A | explanation=SI = PRT/100 = 32902×6×2/100 = **■**3948.

id=90152 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=E | option_b=H | option_c=F | option_d=G | answer=D | explanation=Move 1 positions forward from F; the resulting letter is G.

id=90153 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 31? | option_a=31 | option_b=12 | option_c=4 | option_d=20 | answer=A | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 31 is the odd one out.

id=90154 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=12 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=90155 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=29 | option_b=27 | option_c=26 | option_d=23 | answer=C | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.

id=90156 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:4 and the first is 220, what is the second? | option_a=300 | option_b=80 | option_c=91 | option_d=76 | answer=B | explanation=Scale factor = 220/11 = 20. Therefore second quantity = 4×20 = 80.

id=90157 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=O | option_c=W | option_d=K | answer=A | explanation=Move 4 positions forward from O; the resulting letter is S.

id=90158 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 20, 27, 36? | option_a=13 | option_b=20 | option_c=27 | option_d=36 | answer=D | explanation=The first three numbers increase by 7, so the next should be 34. Therefore 36 is the odd one out.

id=90159 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 33, 38, 46? | option_a=38 | option_b=46 | option_c=33 | option_d=28 | answer=B | explanation=The first three numbers increase by 5, so the next should be 43. Therefore 46 is the odd one out.

id=90160 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1128. If it is sold at a profit of 50%, what is its selling price? | option_a=1692 | option_b=1178 | option_c=1580 | option_d=1804 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1128 × 150/100 = **■**1692.

id=90161 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 165, what is the second? | option_a=30 | option_b=48 | option_c=33 | option_d=198 | answer=C | explanation=Scale factor = 165/15 = 11. Therefore second quantity = 3×11 = 33.

id=90162 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 22? | option_a=15 | option_b=11 | option_c=7 | option_d=22 | answer=D | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 22 is the odd one out.

id=90163 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=90164 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4877 at 4% per annum for 5 years. | option_a=975 | option_b=5852 | option_c=875 | option_d=1075 | answer=A | explanation=SI = PRT/100 = 4877×4×5/100 = **■**975.

id=90165 | topic=Percentages | difficulty=Easy | question=What is 15% of 1243? | option_a=166 | option_b=196 | option_c=186 | option_d=372 | answer=C | explanation=15% of 1243 = (15/100) × 1243 = 186.

id=90166 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=90167 | topic=Percentages | difficulty=Easy | question=What is 25% of 177? | option_a=88 | option_b=44 | option_c=39 | option_d=64 | answer=B | explanation=25% of 177 = (25/100) × 177 = 44.

id=90168 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33105 at 8% per annum for 2 years. | option_a=5196 | option_b=5396 | option_c=5296 | option_d=38401 | answer=C | explanation=SI = PRT/100 = 33105×8×2/100 = **■**5296.

id=90169 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 20. | option_a=220 | option_b=200 | option_c=440 | option_d=242 | answer=A | explanation=LCM × HCF = 22×20; HCF(22,20) = 2, so LCM = 220.

id=90170 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9287 at 8% per annum for 5 years. | option_a=3814 | option_b=3714 | option_c=13001 | option_d=3614 | answer=B | explanation=SI = PRT/100 = 9287×8×5/100 = **■**3714.

id=90171 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=90172 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=53 | option_b=46 | option_c=47 | option_d=39 | answer=B | explanation=The common difference is 7. Therefore the next term is 39 + 7 = 46.

id=90173 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=35 | option_c=80 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=90174 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 4. | option_a=1 | option_b=6 | option_c=8 | option_d=4 | answer=D | explanation=LCM × HCF = 2×4; HCF(2,4) = 2, so LCM = 4.

id=90175 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=E | option_b=G | option_c=I | option_d=K | answer=C | explanation=Move 2 positions forward from G; the resulting letter is I.

id=90176 | topic=Averages | difficulty=Easy | question=Find the average of 31, 80, 35, 71, 81, 65, 88, 29. | option_a=59 | option_b=61 | option_c=60 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 480 ÷ 8 = 60.

id=90177 | topic=Percentages | difficulty=Easy | question=What is 10% of 485? | option_a=96 | option_b=58 | option_c=28 | option_d=48 | answer=D | explanation=10% of 485 = (10/100) × 485 = 48.

id=90178 | topic=Averages | difficulty=Easy | question=Find the average of 22, 89, 37, 86, 46. | option_a=55 | option_b=56 | option_c=57 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 280 ÷ 5 = 56.

id=90179 | topic=Averages | difficulty=Easy | question=Find the average of 30, 11, 52, 26, 94, 85, 18, 12. | option_a=40 | option_b=41 | option_c=42 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = 328 ÷ 8 = 41.

id=90180 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=10 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

Aptitude Questions — Records 90,181-90,210 of 100,000

id=90181 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=90182 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = $360 \div 8 = 45$ km/h.

id=90183 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=38 | option_b=24 | option_c=31 | option_d=32 | answer=C | explanation=The common difference is 7. Therefore the next term is $24 + 7 = 31$.

id=90184 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:8 and the first is 72, what is the second? | option_a=24 | option_b=50 | option_c=104 | option_d=32 | answer=D | explanation=Scale factor = $\frac{72}{18} = 4$. Therefore second quantity = $8 \times 4 = 32$.

id=90185 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=C | option_c=F | option_d=E | answer=D | explanation=Move 1 positions forward from D; the resulting letter is E.

id=90186 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4160. If it is sold at a profit of 5%, what is its selling price? | option_a=4165 | option_b=4784 | option_c=4368 | option_d=3952 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 4160 \times 105/100 = \text{█}4368$.

id=90187 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=18 | option_b=23 | option_c=28 | option_d=24 | answer=B | explanation=The common difference is 5. Therefore the next term is $18 + 5 = 23$.

id=90188 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1216 at 8% per annum for 4 years. | option_a=1605 | option_b=389 | option_c=489 | option_d=289 | answer=B | explanation=SI = $PRT/100 = 1216 \times 8 \times 4/100 = \text{█}389$.

id=90189 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=G | option_c=K | option_d=M | answer=C | explanation=Move 2 positions forward from I; the resulting letter is K.

id=90190 | topic=Averages | difficulty=Easy | question=Find the average of 22, 20, 72. | option_a=37 | option_b=38 | option_c=39 | option_d=40 | answer=B | explanation=Average = sum of values ÷ number of values = $114 \div 3 = 38$.

id=90191 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $120 \div 2 = 60$ km/h.

id=90192 | topic=Percentages | difficulty=Easy | question=What is 40% of 620? | option_a=248 | option_b=253 | option_c=238 | option_d=496 | answer=A | explanation=40% of 620 = $(40/100) \times 620 = 248$.

id=90193 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:14 and the first is 39, what is the second? | option_a=182 | option_b=168 | option_c=221 | option_d=185 | answer=A | explanation=Scale factor = $39/3 = 13$. Therefore second quantity = $14 \times 13 = 182$.

id=90194 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=P | option_b=U | option_c=F | option_d=K | answer=A | explanation=Move 5 positions forward from K; the resulting letter is P.

id=90195 | topic=Profit & Loss | difficulty=Easy | question=An article costs █696. If it is sold at a profit of 30%, what is its selling price? | option_a=973 | option_b=904 | option_c=726 | option_d=835 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 696 \times 130/100 = \text{█}904$.

id=90196 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=F | option_b=D | option_c=G | option_d=E | answer=A | explanation=Move 1 positions forward from E; the resulting letter is F.

id=90197 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=A | option_b=R | option_c=U | option_d=X | answer=D | explanation=Move 3 positions forward from U; the resulting letter is X.

id=90198 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=360 | option_b=175 | option_c=180 | option_d=185 | answer=C | explanation=Speed = distance ÷ time = $360 \div 2 = 180$ km/h.

id=90199 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 37? | option_a=37 | option_b=30 | option_c=26 | option_d=22 | answer=A | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 37 is the odd one out.

id=90200 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=50 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = $150 \div 6 = 25$ km/h.

id=90201 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 37, 44, 53? | option_a=53 | option_b=37 | option_c=30 | option_d=44 | answer=A | explanation=The first three numbers increase by 7, so the next should be 51. Therefore 53 is the odd one out.

id=90202 | topic=Averages | difficulty=Easy | question=Find the average of 64, 62, 20, 78. | option_a=58 | option_b=56 | option_c=57 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = $224 \div 4 = 56$.

id=90203 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=34 | option_b=30 | option_c=26 | option_d=31 | answer=B | explanation=The common difference is 4. Therefore the next term is $26 + 4 = 30$.

id=90204 | topic=Averages | difficulty=Easy | question=Find the average of 16, 67, 42, 89, 63, 37, 36, 74, 75, 101. | option_a=62 | option_b=60 | option_c=59 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = $600 \div 10 = 60$.

id=90205 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=33 | option_b=40 | option_c=34 | option_d=26 | answer=A | explanation=The common difference is 7. Therefore the next term is $26 + 7 = 33$.

id=90206 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19301 at 8% per annum for 2 years. | option_a=2988 | option_b=22389 | option_c=3088 | option_d=3188 | answer=C | explanation=SI = $PRT/100 = 19301 \times 8 \times 2/100 = \text{█}3088$.

id=90207 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=240 | option_c=125 | option_d=115 | answer=A | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.

id=90208 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41597 at 10% per annum for 3 years. | option_a=12379 | option_b=12479 | option_c=12579 | option_d=54076 | answer=B | explanation=SI = $PRT/100 = 41597 \times 10 \times 3/100 = \text{█}12479$.

id=90209 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2161. If it is sold at a profit of 40%, what is its selling price? | option_a=3025 | option_b=2809 | option_c=2201 | option_d=3241 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2161 \times 140/100 = \text{█}3025$.

id=90210 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2078. If it is sold at a profit of 50%, what is its selling price? | option_a=2128 | option_b=3117 | option_c=3324 | option_d=2910 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2078 \times 150/100 = \text{█}3117$.

Aptitude Questions — Records 90,211-90,240 of 100,000

id=90211 | topic=Averages | difficulty=Easy | question=Find the average of 67, 29, 36, 34, 31, 79. | option_a=45 | option_b=46 | option_c=48 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 276 ÷ 6 = 46.

id=90212 | topic=Percentages | difficulty=Easy | question=What is 25% of 1877? | option_a=489 | option_b=469 | option_c=938 | option_d=449 | answer=B | explanation=25% of 1877 = (25/100) × 1877 = 469.

id=90213 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 35, 40, 46? | option_a=46 | option_b=35 | option_c=40 | option_d=30 | answer=A | explanation=The first three numbers increase by 5, so the next should be 45. Therefore 46 is the odd one out.

id=90214 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=S | option_b=O | option_c=G | option_d=K | answer=B | explanation=Move 4 positions forward from K; the resulting letter is O.

id=90215 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 37, 44, 52? | option_a=52 | option_b=30 | option_c=44 | option_d=37 | answer=A | explanation=The first three numbers increase by 7, so the next should be 51. Therefore 52 is the odd one out.

id=90216 | topic=Averages | difficulty=Easy | question=Find the average of 81, 81, 87, 21, 85, 65, 33, 32, 19. | option_a=57 | option_b=58 | option_c=55 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=90217 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1361. If it is sold at a profit of 5%, what is its selling price? | option_a=1429 | option_b=1366 | option_c=1293 | option_d=1565 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1361 × 105/100 = █1429.

id=90218 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:6 and the first is 153, what is the second? | option_a=111 | option_b=255 | option_c=102 | option_d=96 | answer=C | explanation=Scale factor = 153/9 = 17. Therefore second quantity = 6×17 = 102.

id=90219 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=17 | option_b=20 | option_c=19 | option_d=21 | answer=C | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=90220 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:20 and the first is 90, what is the second? | option_a=100 | option_b=118 | option_c=80 | option_d=190 | answer=A | explanation=Scale factor = 90/18 = 5. Therefore second quantity = 20×5 = 100.

id=90221 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=90222 | topic=Averages | difficulty=Easy | question=Find the average of 77, 86, 90, 40, 77. | option_a=75 | option_b=73 | option_c=74 | option_d=76 | answer=C | explanation=Average = sum of values ÷ number of values = 370 ÷ 5 = 74.

id=90223 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4036. If it is sold at a profit of 5%, what is its selling price? | option_a=4041 | option_b=4640 | option_c=3834 | option_d=4237 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4036 × 105/100 = █4237.

id=90224 | topic=Averages | difficulty=Easy | question=Find the average of 62, 69, 42, 67. | option_a=61 | option_b=59 | option_c=60 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = 240 ÷ 4 = 60.

id=90225 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=90226 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3615. If it is sold at a profit of 50%, what is its selling price? | option_a=3665 | option_b=5422 | option_c=5061 | option_d=5783 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3615 × 150/100 = █5422.

id=90227 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30605 at 4% per annum for 4 years. | option_a=4796 | option_b=4996 | option_c=4896 | option_d=35501 | answer=C | explanation=SI = PRT/100 = 30605×4×4/100 = █4896.

id=90228 | topic=Percentages | difficulty=Easy | question=What is 25% of 728? | option_a=172 | option_b=182 | option_c=364 | option_d=202 | answer=B | explanation=25% of 728 = (25/100) × 728 = 182.

id=90229 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=20 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=90230 | topic=Percentages | difficulty=Easy | question=What is 30% of 1268? | option_a=760 | option_b=380 | option_c=385 | option_d=360 | answer=B | explanation=30% of 1268 = (30/100) × 1268 = 380.

id=90231 | topic=Profit & Loss | difficulty=Easy | question=An article costs █997. If it is sold at a profit of 5%, what is its selling price? | option_a=1002 | option_b=1046 | option_c=947 | option_d=1145 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 997 × 105/100 = █1046.

id=90232 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 34, 44, 56? | option_a=44 | option_b=56 | option_c=24 | option_d=34 | answer=B | explanation=The first three numbers increase by 10, so the next should be 54. Therefore 56 is the odd one out.

id=90233 | topic=Percentages | difficulty=Easy | question=What is 50% of 1225? | option_a=612 | option_b=607 | option_c=1224 | option_d=617 | answer=A | explanation=50% of 1225 = (50/100) × 1225 = 612.

id=90234 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=28 | option_b=24 | option_c=20 | option_d=25 | answer=B | explanation=The common difference is 4. Therefore the next term is 20 + 4 = 24.

id=90235 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=90236 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1077. If it is sold at a profit of 50%, what is its selling price? | option_a=1508 | option_b=1722 | option_c=1615 | option_d=1127 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1077 × 150/100 = █1615.

id=90237 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2731. If it is sold at a profit of 20%, what is its selling price? | option_a=3277 | option_b=2751 | option_c=3550 | option_d=3004 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2731 × 120/100 = █3277.

id=90238 | topic=Profit & Loss | difficulty=Easy | question=An article costs █740. If it is sold at a profit of 10%, what is its selling price? | option_a=750 | option_b=740 | option_c=814 | option_d=888 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 740 × 110/100 = █814.

id=90239 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=96 | option_c=53 | option_d=43 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=90240 | topic=Profit & Loss | difficulty=Easy | question=An article costs █749. If it is sold at a profit of 30%, what is its selling price? | option_a=899 | option_b=1047 | option_c=973 | option_d=779 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 749 × 130/100 = █973.

Aptitude Questions — Records 90,241-90,270 of 100,000

id=90241 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=90242 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=70 | option_d=150 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=90243 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 10, 13, 16, ? | option_a=19 | option_b=22 | option_c=16 | option_d=20 | answer=A | explanation=The common difference is 3. Therefore the next term is 16 + 3 = 19.

id=90244 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=34 | option_b=40 | option_c=26 | option_d=33 | answer=D | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

id=90245 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=90246 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=90247 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:7 and the first is 153, what is the second? | option_a=272 | option_b=119 | option_c=128 | option_d=112 | answer=B | explanation=Scale factor = 153/9 = 17. Therefore second quantity = 7×17 = 119.

id=90248 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7952 at 15% per annum for 4 years. | option_a=4771 | option_b=4671 | option_c=4871 | option_d=12723 | answer=A | explanation=SI = PRT/100 = 7952×15×4/100 = **■**4771.

id=90249 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:19 and the first is 342, what is the second? | option_a=684 | option_b=361 | option_c=342 | option_d=323 | answer=C | explanation=Scale factor = 342/19 = 18. Therefore second quantity = 19×18 = 342.

id=90250 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=38 | option_b=62 | option_c=51 | option_d=50 | answer=D | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=90251 | topic=Averages | difficulty=Easy | question=Find the average of 83, 55, 21, 30, 56, 53, 80, 17, 82, 63. | option_a=55 | option_b=56 | option_c=54 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

id=90252 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3805. If it is sold at a profit of 40%, what is its selling price? | option_a=5707 | option_b=5327 | option_c=3845 | option_d=4947 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3805 × 140/100 = **■**5327.

id=90253 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:5 and the first is 25, what is the second? | option_a=50 | option_b=25 | option_c=30 | option_d=20 | answer=B | explanation=Scale factor = 25/5 = 5. Therefore second quantity = 5×5 = 25.

id=90254 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=30 | option_b=28 | option_c=26 | option_d=29 | answer=B | explanation=The common difference is 2. Therefore the next term is 26 + 2 = 28.

id=90255 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 27? | option_a=22 | option_b=27 | option_c=24 | option_d=20 | answer=B | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 27 is the odd one out.

id=90256 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=50 | option_b=49 | option_c=60 | option_d=38 | answer=B | explanation=The common difference is 11. Therefore the next term is 38 + 11 = 49.

id=90257 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=240 | option_c=125 | option_d=115 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=90258 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4013. If it is sold at a profit of 5%, what is its selling price? | option_a=4213 | option_b=3812 | option_c=4018 | option_d=4614 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4013 × 105/100 = **■**4213.

id=90259 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28490 at 15% per annum for 4 years. | option_a=17094 | option_b=17194 | option_c=45584 | option_d=16994 | answer=A | explanation=SI = PRT/100 = 28490×15×4/100 = **■**17094.

id=90260 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=29 | option_b=26 | option_c=27 | option_d=23 | answer=B | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.

id=90261 | topic=Averages | difficulty=Easy | question=Find the average of 30, 14, 93, 15. | option_a=39 | option_b=37 | option_c=40 | option_d=38 | answer=D | explanation=Average = sum of values ÷ number of values = 152 ÷ 4 = 38.

id=90262 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:10 and the first is 24, what is the second? | option_a=144 | option_b=110 | option_c=122 | option_d=120 | answer=D | explanation=Scale factor = 24/2 = 12. Therefore second quantity = 10×12 = 120.

id=90263 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=55 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=90264 | topic=Percentages | difficulty=Easy | question=What is 40% of 1208? | option_a=966 | option_b=473 | option_c=493 | option_d=483 | answer=D | explanation=40% of 1208 = (40/100) × 1208 = 483.

id=90265 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=77 | option_c=72 | option_d=144 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=90266 | topic=Averages | difficulty=Easy | question=Find the average of 78, 38, 63, 53. | option_a=60 | option_b=58 | option_c=59 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 232 ÷ 4 = 58.

id=90267 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:5 and the first is 45, what is the second? | option_a=78 | option_b=75 | option_c=120 | option_d=70 | answer=B | explanation=Scale factor = 45/3 = 15. Therefore second quantity = 5×15 = 75.

id=90268 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 21. | option_a=63 | option_b=84 | option_c=588 | option_d=112 | answer=B | explanation=LCM × HCF = 28×21; HCF(28,21) = 7, so LCM = 84.

id=90269 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 21? | option_a=21 | option_b=14 | option_c=2 | option_d=8 | answer=A | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 21 is the odd one out.

id=90270 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 36? | option_a=36 | option_b=25 | option_c=17 | option_d=9 | answer=A | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 36 is the odd one out.

Aptitude Questions — Records 90,271-90,300 of 100,000

id=90271 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 15, 23, 32? | option_a=15 | option_b=32 | option_c=23 | option_d=7 | answer=B | explanation=The first three numbers increase by 8, so the next should be 31. Therefore 32 is the odd one out.

id=90272 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 18. | option_a=468 | option_b=216 | option_c=260 | option_d=234 | answer=D | explanation= $LCM \times HCF = 26 \times 18$; $HCF(26,18) = 2$, so $LCM = 234$.

id=90273 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=34 | option_b=30 | option_c=24 | option_d=29 | answer=D | explanation=The common difference is 5. Therefore the next term is $24 + 5 = 29$.

id=90274 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=J | option_c=H | option_d=F | answer=B | explanation=Move 2 positions forward from H; the resulting letter is J.

id=90275 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 25, 27, 31? | option_a=23 | option_b=31 | option_c=25 | option_d=27 | answer=B | explanation=The first three numbers increase by 2, so the next should be 29. Therefore 31 is the odd one out.

id=90276 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3751. If it is sold at a profit of 15%, what is its selling price? | option_a=3766 | option_b=4313 | option_c=4688 | option_d=3938 | answer=B | explanation= $Selling\ price = CP \times (100 + profit\%)/100 = 3751 \times 115/100 = \text{█}4313$.

id=90277 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=90278 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation= $Speed = distance \div time = 90 \div 3 = 30$ km/h.

id=90279 | topic=Percentages | difficulty=Easy | question=What is 12% of 289? | option_a=14 | option_b=68 | option_c=34 | option_d=54 | answer=C | explanation= $12\% \text{ of } 289 = (12/100) \times 289 = 34$.

id=90280 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=J | option_c=T | option_d=Y | answer=C | explanation=Move 5 positions forward from O; the resulting letter is T.

id=90281 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2560. If it is sold at a profit of 20%, what is its selling price? | option_a=3328 | option_b=2580 | option_c=2816 | option_d=3072 | answer=D | explanation= $Selling\ price = CP \times (100 + profit\%)/100 = 2560 \times 120/100 = \text{█}3072$.

id=90282 | topic=Percentages | difficulty=Easy | question=What is 20% of 1268? | option_a=253 | option_b=248 | option_c=273 | option_d=506 | answer=A | explanation= $20\% \text{ of } 1268 = (20/100) \times 1268 = 253$.

id=90283 | topic=Percentages | difficulty=Easy | question=What is 20% of 558? | option_a=111 | option_b=222 | option_c=106 | option_d=121 | answer=A | explanation= $20\% \text{ of } 558 = (20/100) \times 558 = 111$.

id=90284 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4235. If it is sold at a profit of 5%, what is its selling price? | option_a=4023 | option_b=4240 | option_c=4869 | option_d=4446 | answer=D | explanation= $Selling\ price = CP \times (100 + profit\%)/100 = 4235 \times 105/100 = \text{█}4446$.

id=90285 | topic=Averages | difficulty=Easy | question=Find the average of 29, 62, 30, 54, 37, 76. | option_a=50 | option_b=49 | option_c=48 | option_d=47 | answer=C | explanation= $Average = \text{sum of values} \div \text{number of values} = 288 \div 6 = 48$.

id=90286 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1576. If it is sold at a profit of 30%, what is its selling price? | option_a=1606 | option_b=2048 | option_c=2205 | option_d=1891 | answer=B | explanation= $Selling\ price = CP \times (100 + profit\%)/100 = 1576 \times 130/100 = \text{█}2048$.

id=90287 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 26. | option_a=728 | option_b=392 | option_c=364 | option_d=338 | answer=C | explanation= $LCM \times HCF = 28 \times 26$; $HCF(28,26) = 2$, so $LCM = 364$.

id=90288 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 36? | option_a=36 | option_b=19 | option_c=24 | option_d=29 | answer=A | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 36 is the odd one out.

id=90289 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2330. If it is sold at a profit of 50%, what is its selling price? | option_a=3728 | option_b=2380 | option_c=3262 | option_d=3495 | answer=D | explanation= $Selling\ price = CP \times (100 + profit\%)/100 = 2330 \times 150/100 = \text{█}3495$.

id=90290 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=15 | option_b=13 | option_c=16 | option_d=17 | answer=A | explanation=The common difference is 2. Therefore the next term is $13 + 2 = 15$.

id=90291 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:7 and the first is 6, what is the second? | option_a=20 | option_b=7 | option_c=17 | option_d=14 | answer=D | explanation= $Scale\ factor = 6/3 = 2$. Therefore second quantity = $7 \times 2 = 14$.

id=90292 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:13 and the first is 50, what is the second? | option_a=180 | option_b=130 | option_c=117 | option_d=135 | answer=B | explanation= $Scale\ factor = 50/5 = 10$. Therefore second quantity = $13 \times 10 = 130$.

id=90293 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=75 | option_c=160 | option_d=80 | answer=D | explanation= $Speed = distance \div time = 240 \div 3 = 80$ km/h.

id=90294 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=29 | option_b=39 | option_c=47 | option_d=38 | answer=D | explanation=The common difference is 9. Therefore the next term is $29 + 9 = 38$.

id=90295 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=F | option_c=D | option_d=E | answer=B | explanation=Move 1 positions forward from E; the resulting letter is F.

id=90296 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=90297 | topic=Averages | difficulty=Easy | question=Find the average of 27, 64, 42, 85, 74, 70, 58. | option_a=60 | option_b=61 | option_c=62 | option_d=59 | answer=A | explanation= $Average = \text{sum of values} \div \text{number of values} = 420 \div 7 = 60$.

id=90298 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=28 | option_b=24 | option_c=27 | option_d=26 | answer=D | explanation=The common difference is 2. Therefore the next term is $24 + 2 = 26$.

id=90299 | topic=Percentages | difficulty=Easy | question=What is 50% of 1179? | option_a=1178 | option_b=579 | option_c=599 | option_d=589 | answer=D | explanation= $50\% \text{ of } 1179 = (50/100) \times 1179 = 589$.

id=90300 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1192. If it is sold at a profit of 15%, what is its selling price? | option_a=1251 | option_b=1207 | option_c=1489 | option_d=1370 | answer=D | explanation= $Selling\ price = CP \times (100 + profit\%)/100 = 1192 \times 115/100 = \text{█}1370$.

Aptitude Questions — Records 90,301-90,330 of 100,000

id=90301 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23904 at 12% per annum for 1 years. | option_a=2868 | option_b=26772 | option_c=2768 | option_d=2968 | answer=A | explanation=SI = PRT/100 = 23904×12×1/100 = **■**2868.

id=90302 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=90303 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=59 | option_b=69 | option_c=47 | option_d=58 | answer=D | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.

id=90304 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=95 | option_c=85 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=90305 | topic=Percentages | difficulty=Easy | question=What is 10% of 1868? | option_a=206 | option_b=372 | option_c=181 | option_d=186 | answer=D | explanation=10% of 1868 = (10/100) × 1868 = 186.

id=90306 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10767 at 12% per annum for 4 years. | option_a=5268 | option_b=5068 | option_c=5168 | option_d=15935 | answer=C | explanation=SI = PRT/100 = 10767×12×4/100 = **■**5168.

id=90307 | topic=Percentages | difficulty=Easy | question=What is 10% of 1530? | option_a=153 | option_b=148 | option_c=163 | option_d=306 | answer=A | explanation=10% of 1530 = (10/100) × 1530 = 153.

id=90308 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17738 at 5% per annum for 1 years. | option_a=786 | option_b=986 | option_c=886 | option_d=18624 | answer=C | explanation=SI = PRT/100 = 17738×5×1/100 = **■**886.

id=90309 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 33, 38, 45? | option_a=33 | option_b=38 | option_c=28 | option_d=45 | answer=D | explanation=The first three numbers increase by 5, so the next should be 43. Therefore 45 is the odd one out.

id=90310 | topic=Percentages | difficulty=Easy | question=What is 40% of 865? | option_a=346 | option_b=692 | option_c=326 | option_d=351 | answer=A | explanation=40% of 865 = (40/100) × 865 = 346.

id=90311 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=40 | option_c=45 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=90312 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 27? | option_a=27 | option_b=21 | option_c=15 | option_d=18 | answer=A | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 27 is the odd one out.

id=90313 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=26 | option_b=38 | option_c=32 | option_d=33 | answer=C | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=90314 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does "T" become? | option_a=V | option_b=R | option_c=X | option_d=T | answer=A | explanation=Move 2 positions forward from T; the resulting letter is V.

id=90315 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=90316 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=50 | option_b=51 | option_c=39 | option_d=61 | answer=A | explanation=The common difference is 11. Therefore the next term is 39 + 11 = 50.

id=90317 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=85 | option_d=160 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=90318 | topic=Percentages | difficulty=Easy | question=What is 10% of 1928? | option_a=192 | option_b=384 | option_c=182 | option_d=202 | answer=A | explanation=10% of 1928 = (10/100) × 1928 = 192.

id=90319 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**909. If it is sold at a profit of 10%, what is its selling price? | option_a=999 | option_b=919 | option_c=909 | option_d=1089 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 909 × 110/100 = **■**999.

id=90320 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=95 | option_c=200 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=90321 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2864. If it is sold at a profit of 40%, what is its selling price? | option_a=3723 | option_b=4009 | option_c=4295 | option_d=2904 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2864 × 140/100 = **■**4009.

id=90322 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 43? | option_a=37 | option_b=27 | option_c=43 | option_d=32 | answer=C | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 43 is the odd one out.

id=90323 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 28. | option_a=168 | option_b=56 | option_c=84 | option_d=90 | answer=C | explanation=LCM × HCF = 6×28; HCF(6,28) = 2, so LCM = 84.

id=90324 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=90325 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:13 and the first is 260, what is the second? | option_a=169 | option_b=189 | option_c=429 | option_d=156 | answer=A | explanation=Scale factor = 260/20 = 13. Therefore second quantity = 13×13 = 169.

id=90326 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19047 at 4% per annum for 4 years. | option_a=2947 | option_b=22094 | option_c=3147 | option_d=3047 | answer=D | explanation=SI = PRT/100 = 19047×4×4/100 = **■**3047.

id=90327 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=90328 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**862. If it is sold at a profit of 10%, what is its selling price? | option_a=862 | option_b=948 | option_c=872 | option_d=1034 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 862 × 110/100 = **■**948.

id=90329 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49280 at 4% per annum for 4 years. | option_a=57164 | option_b=7884 | option_c=7984 | option_d=7784 | answer=B | explanation=SI = PRT/100 = 49280×4×4/100 = **■**7884.

id=90330 | topic=Averages | difficulty=Easy | question=Find the average of 75, 21, 76, 62, 88, 46, 25, 23. | option_a=51 | option_b=54 | option_c=53 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

Aptitude Questions — Records 90,331-90,360 of 100,000

id=90331 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=37 | option_b=49 | option_c=43 | option_d=44 | answer=C | explanation=The common difference is 6. Therefore the next term is 37 + 6 = 43.

id=90332 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1714. If it is sold at a profit of 20%, what is its selling price? | option_a=1734 | option_b=1885 | option_c=2056 | option_d=2227 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1714 × 120/100 = █2056.

id=90333 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 10, 12, 14, ? | option_a=18 | option_b=14 | option_c=17 | option_d=16 | answer=D | explanation=The common difference is 2. Therefore the next term is 14 + 2 = 16.

id=90334 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:12 and the first is 320, what is the second? | option_a=240 | option_b=560 | option_c=228 | option_d=256 | answer=A | explanation=Scale factor = 320/16 = 20. Therefore second quantity = 12×20 = 240.

id=90335 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=K | option_b=P | option_c=U | option_d=Z | answer=C | explanation=Move 5 positions forward from P; the resulting letter is U.

id=90336 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:5 and the first is 240, what is the second? | option_a=112 | option_b=340 | option_c=95 | option_d=100 | answer=D | explanation=Scale factor = 240/12 = 20. Therefore second quantity = 5×20 = 100.

id=90337 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=90338 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2668 at 5% per annum for 1 years. | option_a=2801 | option_b=33 | option_c=133 | option_d=233 | answer=C | explanation=SI = PRT/100 = 2668×5×1/100 = █133.

id=90339 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 42? | option_a=11 | option_b=31 | option_c=42 | option_d=21 | answer=C | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 42 is the odd one out.

id=90340 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=4 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=90341 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15521 at 4% per annum for 3 years. | option_a=1962 | option_b=1862 | option_c=1762 | option_d=17383 | answer=B | explanation=SI = PRT/100 = 15521×4×3/100 = █1862.

id=90342 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=90343 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 15, 22, 29, ? | option_a=36 | option_b=37 | option_c=43 | option_d=29 | answer=A | explanation=The common difference is 7. Therefore the next term is 29 + 7 = 36.

id=90344 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:19 and the first is 30, what is the second? | option_a=114 | option_b=95 | option_c=144 | option_d=119 | answer=A | explanation=Scale factor = 30/5 = 6. Therefore second quantity = 19×6 = 114.

id=90345 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=48 | option_c=43 | option_d=53 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=90346 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3945. If it is sold at a profit of 30%, what is its selling price? | option_a=5128 | option_b=3975 | option_c=4734 | option_d=5522 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3945 × 130/100 = █5128.

id=90347 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:15 and the first is 240, what is the second? | option_a=465 | option_b=241 | option_c=225 | option_d=210 | answer=C | explanation=Scale factor = 240/16 = 15. Therefore second quantity = 15×15 = 225.

id=90348 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16104 at 12% per annum for 4 years. | option_a=7729 | option_b=7629 | option_c=23833 | option_d=7829 | answer=A | explanation=SI = PRT/100 = 16104×12×4/100 = █7729.

id=90349 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=85 | option_d=160 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=90350 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 28. | option_a=64 | option_b=28 | option_c=56 | option_d=224 | answer=C | explanation=LCM × HCF = 8×28; HCF(8,28) = 4, so LCM = 56.

id=90351 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:8 and the first is 133, what is the second? | option_a=48 | option_b=189 | option_c=56 | option_d=75 | answer=C | explanation=Scale factor = 133/19 = 7. Therefore second quantity = 8×7 = 56.

id=90352 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10616 at 12% per annum for 3 years. | option_a=14437 | option_b=3721 | option_c=3921 | option_d=3821 | answer=D | explanation=SI = PRT/100 = 10616×12×3/100 = █3821.

id=90353 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=21 | option_b=27 | option_c=25 | option_d=24 | answer=D | explanation=The common difference is 3. Therefore the next term is 21 + 3 = 24.

id=90354 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 23, 32, 43? | option_a=23 | option_b=32 | option_c=43 | option_d=14 | answer=C | explanation=The first three numbers increase by 9, so the next should be 41. Therefore 43 is the odd one out.

id=90355 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=80 | option_c=35 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=90356 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=90357 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=Y | option_b=N | option_c=D | option_d=I | answer=D | explanation=Move 5 positions forward from D; the resulting letter is I.

id=90358 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 28. | option_a=330 | option_b=280 | option_c=616 | option_d=308 | answer=D | explanation=LCM × HCF = 22×28; HCF(22,28) = 2, so LCM = 308.

id=90359 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:10 and the first is 156, what is the second? | option_a=133 | option_b=276 | option_c=110 | option_d=120 | answer=D | explanation=Scale factor = 156/13 = 12. Therefore second quantity = 10×12 = 120.

id=90360 | topic=Percentages | difficulty=Easy | question=What is 12% of 656? | option_a=58 | option_b=156 | option_c=83 | option_d=78 | answer=D | explanation=12% of 656 = (12/100) × 656 = 78.

Aptitude Questions — Records 90,361-90,390 of 100,000

id=90361 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=Y | option_c=N | option_d=I | answer=D | explanation=Move 5 positions forward from D; the resulting letter is I.

id=90362 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 31? | option_a=24 | option_b=20 | option_c=16 | option_d=31 | answer=D | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 31 is the odd one out.

id=90363 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=90364 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=5 | option_c=20 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=90365 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=P | option_b=R | option_c=S | option_d=Q | answer=B | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=90366 | topic=Averages | difficulty=Easy | question=Find the average of 11, 96, 32, 29. | option_a=44 | option_b=41 | option_c=42 | option_d=43 | answer=C | explanation=Average = sum of values ÷ number of values = 168 ÷ 4 = 42.

id=90367 | topic=Averages | difficulty=Easy | question=Find the average of 22, 75, 80. | option_a=58 | option_b=60 | option_c=61 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 177 ÷ 3 = 59.

id=90368 | topic=Percentages | difficulty=Easy | question=What is 15% of 807? | option_a=126 | option_b=242 | option_c=121 | option_d=111 | answer=C | explanation=15% of 807 = (15/100) × 807 = 121.

id=90369 | topic=Averages | difficulty=Easy | question=Find the average of 34, 68, 39, 11, 94, 97, 93, 36. | option_a=58 | option_b=59 | option_c=61 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 472 ÷ 8 = 59.

id=90370 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹3299. If it is sold at a profit of 15%, what is its selling price? | option_a=4122 | option_b=3464 | option_c=3793 | option_d=3314 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3299 × 115/100 = ₹3793.

id=90371 | topic=Averages | difficulty=Easy | question=Find the average of 91, 69, 55, 29, 96, 64, 81, 31, 11, 93. | option_a=63 | option_b=62 | option_c=61 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 620 ÷ 10 = 62.

id=90372 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=90373 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=5 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=90374 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=O | option_b=Q | option_c=P | option_d=R | answer=B | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=90375 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=18 | option_c=9 | option_d=4 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=90376 | topic=Percentages | difficulty=Easy | question=What is 5% of 191? | option_a=18 | option_b=9 | option_c=19 | option_d=0 | answer=B | explanation=5% of 191 = (5/100) × 191 = 9.

id=90377 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 16, 20, 26? | option_a=20 | option_b=12 | option_c=16 | option_d=26 | answer=D | explanation=The first three numbers increase by 4, so the next should be 24. Therefore 26 is the odd one out.

id=90378 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=22 | option_b=25 | option_c=19 | option_d=23 | answer=A | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.

id=90379 | topic=Percentages | difficulty=Easy | question=What is 25% of 1059? | option_a=528 | option_b=269 | option_c=264 | option_d=244 | answer=C | explanation=25% of 1059 = (25/100) × 1059 = 264.

id=90380 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1660. If it is sold at a profit of 10%, what is its selling price? | option_a=1992 | option_b=1660 | option_c=1670 | option_d=1826 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1660 × 110/100 = ₹1826.

id=90381 | topic=Averages | difficulty=Easy | question=Find the average of 43, 49, 36, 78, 34. | option_a=49 | option_b=48 | option_c=47 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 240 ÷ 5 = 48.

id=90382 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 42? | option_a=31 | option_b=23 | option_c=15 | option_d=42 | answer=D | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 42 is the odd one out.

id=90383 | topic=Averages | difficulty=Easy | question=Find the average of 88, 22, 22, 96. | option_a=56 | option_b=59 | option_c=57 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 228 ÷ 4 = 57.

id=90384 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=66 | option_b=78 | option_c=54 | option_d=67 | answer=A | explanation=The common difference is 12. Therefore the next term is 54 + 12 = 66.

id=90385 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹604. If it is sold at a profit of 25%, what is its selling price? | option_a=815 | option_b=695 | option_c=629 | option_d=755 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 604 × 125/100 = ₹755.

id=90386 | topic=Averages | difficulty=Easy | question=Find the average of 44, 87, 28, 46, 42, 44, 99, 46, 72, 92. | option_a=59 | option_b=60 | option_c=62 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=90387 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 8. | option_a=144 | option_b=90 | option_c=72 | option_d=64 | answer=C | explanation=LCM × HCF = 18×8; HCF(18,8) = 2, so LCM = 72.

id=90388 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=X | option_b=B | option_c=J | option_d=F | answer=D | explanation=Move 4 positions forward from B; the resulting letter is F.

id=90389 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=105 | option_c=100 | option_d=95 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=90390 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 43? | option_a=25 | option_b=35 | option_c=43 | option_d=30 | answer=C | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 43 is the odd one out.

Aptitude Questions — Records 90,391-90,420 of 100,000

id=90391 | topic=Percentages | difficulty=Easy | question=What is 20% of 1447? | option_a=309 | option_b=284 | option_c=289 | option_d=578 | answer=C | explanation=20% of 1447 = (20/100) × 1447 = 289.

id=90392 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=24 | option_c=7 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=90393 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=29 | option_d=19 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=90394 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17467 at 4% per annum for 2 years. | option_a=1397 | option_b=1497 | option_c=18864 | option_d=1297 | answer=A | explanation=SI = PRT/100 = 17467×4×2/100 = **■**1397.

id=90395 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39417 at 15% per annum for 1 years. | option_a=5812 | option_b=6012 | option_c=45329 | option_d=5912 | answer=D | explanation=SI = PRT/100 = 39417×15×1/100 = **■**5912.

id=90396 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2725. If it is sold at a profit of 20%, what is its selling price? | option_a=2998 | option_b=2745 | option_c=3270 | option_d=3542 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2725 × 120/100 = **■**3270.

id=90397 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 13, 17, 21, ? | option_a=29 | option_b=26 | option_c=21 | option_d=25 | answer=D | explanation=The common difference is 4. Therefore the next term is 21 + 4 = 25.

id=90398 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 28. | option_a=56 | option_b=336 | option_c=84 | option_d=96 | answer=C | explanation=LCM × HCF = 12×28; HCF(12,28) = 4, so LCM = 84.

id=90399 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=90400 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=B | option_c=J | option_d=X | answer=A | explanation=Move 4 positions forward from B; the resulting letter is F.

id=90401 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**771. If it is sold at a profit of 15%, what is its selling price? | option_a=786 | option_b=809 | option_c=886 | option_d=963 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 771 × 115/100 = **■**886.

id=90402 | topic=Averages | difficulty=Easy | question=Find the average of 37, 27, 18, 26, 15, 78, 73, 43, 34. | option_a=40 | option_b=39 | option_c=38 | option_d=41 | answer=B | explanation=Average = sum of values ÷ number of values = 351 ÷ 9 = 39.

id=90403 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=Q | option_b=B | option_c=G | option_d=L | answer=D | explanation=Move 5 positions forward from G; the resulting letter is L.

id=90404 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=63 | option_b=54 | option_c=45 | option_d=55 | answer=B | explanation=The common difference is 9. Therefore the next term is 45 + 9 = 54.

id=90405 | topic=Averages | difficulty=Easy | question=Find the average of 80, 100, 82, 96, 95, 19, 82, 92, 65. | option_a=79 | option_b=81 | option_c=80 | option_d=78 | answer=A | explanation=Average = sum of values ÷ number of values = 711 ÷ 9 = 79.

id=90406 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5470 at 15% per annum for 5 years. | option_a=4202 | option_b=4102 | option_c=4002 | option_d=9572 | answer=B | explanation=SI = PRT/100 = 5470×15×5/100 = **■**4102.

id=90407 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=90408 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=44 | option_b=49 | option_c=43 | option_d=37 | answer=C | explanation=The common difference is 6. Therefore the next term is 37 + 6 = 43.

id=90409 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=100 | option_c=200 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=90410 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=40 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=90411 | topic=Percentages | difficulty=Easy | question=What is 5% of 1802? | option_a=100 | option_b=90 | option_c=85 | option_d=180 | answer=B | explanation=5% of 1802 = (5/100) × 1802 = 90.

id=90412 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**904. If it is sold at a profit of 20%, what is its selling price? | option_a=994 | option_b=924 | option_c=1084 | option_d=1174 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 904 × 120/100 = **■**1084.

id=90413 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=360 | option_c=185 | option_d=175 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=90414 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=J | option_b=I | option_c=K | option_d=H | answer=A | explanation=Move 1 positions forward from I; the resulting letter is J.

id=90415 | topic=Percentages | difficulty=Easy | question=What is 30% of 1727? | option_a=508 | option_b=528 | option_c=518 | option_d=1036 | answer=C | explanation=30% of 1727 = (30/100) × 1727 = 518.

id=90416 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=Z | option_c=E | option_d=P | answer=B | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=90417 | topic=Averages | difficulty=Easy | question=Find the average of 65, 31, 85, 41, 13, 97, 32. | option_a=54 | option_b=53 | option_c=52 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 364 ÷ 7 = 52.

id=90418 | topic=Percentages | difficulty=Easy | question=What is 20% of 493? | option_a=93 | option_b=98 | option_c=196 | option_d=118 | answer=B | explanation=20% of 493 = (20/100) × 493 = 98.

id=90419 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=29 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=90420 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 90,421-90,450 of 100,000

id=90421 | topic=Percentages | difficulty=Easy | question=What is 10% of 1924? | option_a=187 | option_b=384 | option_c=192 | option_d=212 | answer=C | explanation=10% of 1924 = (10/100) × 1924 = 192.

id=90422 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=20 | option_c=25 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=90423 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=21 | option_b=17 | option_c=23 | option_d=20 | answer=D | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=90424 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=90425 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3285. If it is sold at a profit of 25%, what is its selling price? | option_a=4434 | option_b=3310 | option_c=4106 | option_d=3778 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3285 × 125/100 = █4106.

id=90426 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=25 | option_b=27 | option_c=23 | option_d=26 | answer=A | explanation=The common difference is 2. Therefore the next term is 23 + 2 = 25.

id=90427 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1273. If it is sold at a profit of 40%, what is its selling price? | option_a=1909 | option_b=1313 | option_c=1782 | option_d=1655 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1273 × 140/100 = █1782.

id=90428 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:1 and the first is 48, what is the second? | option_a=51 | option_b=3 | option_c=2 | option_d=19 | answer=B | explanation=Scale factor = 48/16 = 3. Therefore second quantity = 1×3 = 3.

id=90429 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 30. | option_a=480 | option_b=240 | option_c=210 | option_d=256 | answer=B | explanation=LCM × HCF = 16×30; HCF(16,30) = 2, so LCM = 240.

id=90430 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:15 and the first is 360, what is the second? | option_a=630 | option_b=270 | option_c=255 | option_d=290 | answer=B | explanation=Scale factor = 360/20 = 18. Therefore second quantity = 15×18 = 270.

id=90431 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=72 | option_c=36 | option_d=31 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=90432 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=E | option_c=G | option_d=F | answer=C | explanation=Move 1 positions forward from F; the resulting letter is G.

id=90433 | topic=Averages | difficulty=Easy | question=Find the average of 77, 100, 41, 14. | option_a=57 | option_b=60 | option_c=59 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 232 ÷ 4 = 58.

id=90434 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=13 | option_b=9 | option_c=11 | option_d=12 | answer=C | explanation=The common difference is 2. Therefore the next term is 9 + 2 = 11.

id=90435 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 47? | option_a=30 | option_b=37 | option_c=23 | option_d=47 | answer=D | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 47 is the odd one out.

id=90436 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=13 | option_c=36 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=90437 | topic=Profit & Loss | difficulty=Easy | question=An article costs █210. If it is sold at a profit of 25%, what is its selling price? | option_a=262 | option_b=241 | option_c=283 | option_d=235 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 210 × 125/100 = █262.

id=90438 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:1 and the first is 96, what is the second? | option_a=16 | option_b=22 | option_c=112 | option_d=15 | answer=A | explanation=Scale factor = 96/6 = 16. Therefore second quantity = 1×16 = 16.

id=90439 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 27. | option_a=120 | option_b=108 | option_c=324 | option_d=81 | answer=B | explanation=LCM × HCF = 12×27; HCF(12,27) = 3, so LCM = 108.

id=90440 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=32 | option_b=35 | option_c=31 | option_d=27 | answer=C | explanation=The common difference is 4. Therefore the next term is 27 + 4 = 31.

id=90441 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 10. | option_a=10 | option_b=15 | option_c=1 | option_d=50 | answer=A | explanation=LCM × HCF = 5×10; HCF(5,10) = 5, so LCM = 10.

id=90442 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26937 at 4% per annum for 1 years. | option_a=1077 | option_b=977 | option_c=28014 | option_d=1177 | answer=A | explanation=SI = PRT/100 = 26937×4×1/100 = █1077.

id=90443 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4882. If it is sold at a profit of 40%, what is its selling price? | option_a=6346 | option_b=4922 | option_c=7322 | option_d=6834 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4882 × 140/100 = █6834.

id=90444 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:4 and the first is 16, what is the second? | option_a=32 | option_b=16 | option_c=20 | option_d=12 | answer=B | explanation=Scale factor = 16/4 = 4. Therefore second quantity = 4×4 = 16.

id=90445 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13137 at 8% per annum for 1 years. | option_a=950 | option_b=1050 | option_c=14187 | option_d=1150 | answer=B | explanation=SI = PRT/100 = 13137×8×1/100 = █1050.

id=90446 | topic=Averages | difficulty=Easy | question=Find the average of 11, 92, 69, 31, 92, 95, 68, 30. | option_a=62 | option_b=63 | option_c=61 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 488 ÷ 8 = 61.

id=90447 | topic=Averages | difficulty=Easy | question=Find the average of 18, 16, 28, 35, 10, 53, 13, 21, 76, 20. | option_a=29 | option_b=31 | option_c=28 | option_d=30 | answer=A | explanation=Average = sum of values ÷ number of values = 290 ÷ 10 = 29.

id=90448 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=35 | option_c=40 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=90449 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:2 and the first is 42, what is the second? | option_a=56 | option_b=14 | option_c=12 | option_d=20 | answer=B | explanation=Scale factor = 42/6 = 7. Therefore second quantity = 2×7 = 14.

id=90450 | topic=Percentages | difficulty=Easy | question=What is 10% of 1209? | option_a=100 | option_b=125 | option_c=120 | option_d=240 | answer=C | explanation=10% of 1209 = (10/100) × 1209 = 120.

Aptitude Questions — Records 90,451-90,480 of 100,000

id=90451 | topic=Averages | difficulty=Easy | question=Find the average of 51, 41, 22. | option_a=38 | option_b=37 | option_c=40 | option_d=39 | answer=A | explanation=Average = sum of values ÷ number of values = 114 ÷ 3 = 38.

id=90452 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=90 | option_c=180 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=90453 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:5 and the first is 260, what is the second? | option_a=100 | option_b=95 | option_c=113 | option_d=360 | answer=A | explanation=Scale factor = 260/13 = 20. Therefore second quantity = 5×20 = 100.

id=90454 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=S | option_b=N | option_c=I | option_d=D | answer=B | explanation=Move 5 positions forward from I; the resulting letter is N.

id=90455 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=X | option_b=I | option_c=S | option_d=N | answer=C | explanation=Move 5 positions forward from N; the resulting letter is S.

id=90456 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=90457 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=90458 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=40 | option_b=30 | option_c=36 | option_d=35 | answer=D | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=90459 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:15 and the first is 228, what is the second? | option_a=180 | option_b=408 | option_c=199 | option_d=165 | answer=A | explanation=Scale factor = 228/19 = 12. Therefore second quantity = 15×12 = 180.

id=90460 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 24. | option_a=1 | option_b=24 | option_c=28 | option_d=96 | answer=B | explanation=LCM × HCF = 4×24; HCF(4,24) = 4, so LCM = 24.

id=90461 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3405. If it is sold at a profit of 30%, what is its selling price? | option_a=4086 | option_b=4766 | option_c=3435 | option_d=4426 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3405 × 130/100 = █4426.

id=90462 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4162. If it is sold at a profit of 50%, what is its selling price? | option_a=4212 | option_b=5827 | option_c=6243 | option_d=6659 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4162 × 150/100 = █6243.

id=90463 | topic=Percentages | difficulty=Easy | question=What is 20% of 1606? | option_a=321 | option_b=311 | option_c=642 | option_d=326 | answer=A | explanation=20% of 1606 = (20/100) × 1606 = 321.

id=90464 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1289. If it is sold at a profit of 15%, what is its selling price? | option_a=1354 | option_b=1482 | option_c=1304 | option_d=1610 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1289 × 115/100 = █1482.

id=90465 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=S | option_b=I | option_c=N | option_d=D | answer=C | explanation=Move 5 positions forward from I; the resulting letter is N.

id=90466 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=33 | option_b=29 | option_c=32 | option_d=35 | answer=C | explanation=The common difference is 3. Therefore the next term is 29 + 3 = 32.

id=90467 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 9, 14, 21? | option_a=9 | option_b=4 | option_c=14 | option_d=21 | answer=D | explanation=The first three numbers increase by 5, so the next should be 19. Therefore 21 is the odd one out.

id=90468 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=90469 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:10 and the first is 16, what is the second? | option_a=10 | option_b=28 | option_c=36 | option_d=20 | answer=D | explanation=Scale factor = 16/8 = 2. Therefore second quantity = 10×2 = 20.

id=90470 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=O | option_b=X | option_c=U | option_d=R | answer=C | explanation=Move 3 positions forward from R; the resulting letter is U.

id=90471 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=O | option_c=E | option_d=T | answer=B | explanation=Move 5 positions forward from J; the resulting letter is O.

id=90472 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=180 | option_c=90 | option_d=95 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=90473 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=27 | option_b=22 | option_c=30 | option_d=26 | answer=D | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.

id=90474 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:17 and the first is 54, what is the second? | option_a=207 | option_b=136 | option_c=159 | option_d=153 | answer=D | explanation=Scale factor = 54/6 = 9. Therefore second quantity = 17×9 = 153.

id=90475 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 25. | option_a=50 | option_b=1 | option_c=625 | option_d=25 | answer=D | explanation=LCM × HCF = 25×25; HCF(25,25) = 25, so LCM = 25.

id=90476 | topic=Percentages | difficulty=Easy | question=What is 50% of 542? | option_a=276 | option_b=266 | option_c=542 | option_d=271 | answer=D | explanation=50% of 542 = (50/100) × 542 = 271.

id=90477 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2704 at 10% per annum for 3 years. | option_a=3515 | option_b=811 | option_c=911 | option_d=711 | answer=B | explanation=SI = PRT/100 = 2704×10×3/100 = █811.

id=90478 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=90479 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:14 and the first is 135, what is the second? | option_a=196 | option_b=210 | option_c=345 | option_d=219 | answer=B | explanation=Scale factor = 135/9 = 15. Therefore second quantity = 14×15 = 210.

id=90480 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=35 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

Aptitude Questions — Records 90,481-90,510 of 100,000

id=90481 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27279 at 10% per annum for 1 years. | option_a=2827 | option_b=2727 | option_c=30006 | option_d=2627 | answer=B | explanation=SI = PRT/100 = 27279×10×1/100 = **■**2727.

id=90482 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25327 at 12% per annum for 3 years. | option_a=34444 | option_b=9117 | option_c=9017 | option_d=9217 | answer=B | explanation=SI = PRT/100 = 25327×12×3/100 = **■**9117.

id=90483 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=90484 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 8. | option_a=120 | option_b=150 | option_c=240 | option_d=112 | answer=A | explanation=LCM × HCF = 30×8; HCF(30,8) = 2, so LCM = 120.

id=90485 | topic=Averages | difficulty=Easy | question=Find the average of 21, 17, 77, 31, 10, 26, 83, 47, 15, 23. | option_a=36 | option_b=35 | option_c=34 | option_d=37 | answer=B | explanation=Average = sum of values ÷ number of values = 350 ÷ 10 = 35.

id=90486 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:15 and the first is 6, what is the second? | option_a=33 | option_b=30 | option_c=36 | option_d=15 | answer=B | explanation=Scale factor = 6/3 = 2. Therefore second quantity = 15×2 = 30.

id=90487 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=M | option_c=N | option_d=K | answer=B | explanation=Move 1 positions forward from L; the resulting letter is M.

id=90488 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=V | option_b=L | option_c=A | option_d=Q | answer=A | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=90489 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=150 | option_d=70 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=90490 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=19 | option_c=48 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=90491 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:10 and the first is 35, what is the second? | option_a=105 | option_b=75 | option_c=70 | option_d=60 | answer=C | explanation=Scale factor = 35/5 = 7. Therefore second quantity = 10×7 = 70.

id=90492 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=I | option_b=H | option_c=J | option_d=G | answer=A | explanation=Move 1 positions forward from H; the resulting letter is I.

id=90493 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=11 | option_c=1 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=90494 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=N | option_b=K | option_c=E | option_d=H | answer=B | explanation=Move 3 positions forward from H; the resulting letter is K.

id=90495 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=Y | option_c=Q | option_d=M | answer=A | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=90496 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=17 | option_b=23 | option_c=27 | option_d=22 | answer=D | explanation=The common difference is 5. Therefore the next term is 17 + 5 = 22.

id=90497 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 12? | option_a=4 | option_b=6 | option_c=8 | option_d=12 | answer=D | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 12 is the odd one out.

id=90498 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**502. If it is sold at a profit of 40%, what is its selling price? | option_a=542 | option_b=652 | option_c=702 | option_d=752 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 502 × 140/100 = **■**702.

id=90499 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40573 at 4% per annum for 5 years. | option_a=48687 | option_b=8014 | option_c=8214 | option_d=8114 | answer=D | explanation=SI = PRT/100 = 40573×4×5/100 = **■**8114.

id=90500 | topic=Averages | difficulty=Easy | question=Find the average of 49, 46, 25, 98, 27, 87, 95. | option_a=60 | option_b=62 | option_c=61 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = 427 ÷ 7 = 61.

id=90501 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=X | option_b=P | option_c=T | option_d=B | answer=A | explanation=Move 4 positions forward from T; the resulting letter is X.

id=90502 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=H | option_b=K | option_c=N | option_d=Q | answer=C | explanation=Move 3 positions forward from K; the resulting letter is N.

id=90503 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=E | option_c=G | option_d=I | answer=D | explanation=Move 2 positions forward from G; the resulting letter is I.

id=90504 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 15? | option_a=8 | option_b=11 | option_c=5 | option_d=15 | answer=D | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 15 is the odd one out.

id=90505 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34494 at 12% per annum for 4 years. | option_a=16457 | option_b=16557 | option_c=16657 | option_d=51051 | answer=B | explanation=SI = PRT/100 = 34494×12×4/100 = **■**16557.

id=90506 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=90507 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=90508 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=C | option_c=M | option_d=R | answer=C | explanation=Move 5 positions forward from H; the resulting letter is M.

id=90509 | topic=Percentages | difficulty=Easy | question=What is 20% of 644? | option_a=128 | option_b=256 | option_c=138 | option_d=118 | answer=A | explanation=20% of 644 = (20/100) × 644 = 128.

id=90510 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=A | option_b=D | option_c=C | option_d=B | answer=C | explanation=Move 1 positions forward from B; the resulting letter is C.

Aptitude Questions — Records 90,511-90,540 of 100,000

id=90511 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=90512 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=W | option_c=A | option_d=L | answer=A | explanation=Move 4 positions forward from A; the resulting letter is E.

id=90513 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=29 | option_b=34 | option_c=39 | option_d=35 | answer=B | explanation=The common difference is 5. Therefore the next term is 29 + 5 = 34.

id=90514 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4612. If it is sold at a profit of 40%, what is its selling price? | option_a=4652 | option_b=5995 | option_c=6917 | option_d=6456 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4612 × 140/100 = █6456.

id=90515 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=B | option_c=Q | option_d=L | answer=D | explanation=Move 5 positions forward from G; the resulting letter is L.

id=90516 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=90517 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:10 and the first is 100, what is the second? | option_a=40 | option_b=70 | option_c=50 | option_d=150 | answer=C | explanation=Scale factor = 100/20 = 5. Therefore second quantity = 10×5 = 50.

id=90518 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45747 at 6% per annum for 3 years. | option_a=53981 | option_b=8234 | option_c=8334 | option_d=8134 | answer=B | explanation=SI = PRT/100 = 45747×6×3/100 = █8234.

id=90519 | topic=Profit & Loss | difficulty=Easy | question=An article costs █139. If it is sold at a profit of 15%, what is its selling price? | option_a=146 | option_b=154 | option_c=172 | option_d=159 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 139 × 115/100 = █159.

id=90520 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:18 and the first is 42, what is the second? | option_a=54 | option_b=96 | option_c=36 | option_d=68 | answer=A | explanation=Scale factor = 42/14 = 3. Therefore second quantity = 18×3 = 54.

id=90521 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4171. If it is sold at a profit of 5%, what is its selling price? | option_a=4796 | option_b=4176 | option_c=4379 | option_d=3962 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4171 × 105/100 = █4379.

id=90522 | topic=Averages | difficulty=Easy | question=Find the average of 39, 15, 84. | option_a=48 | option_b=45 | option_c=47 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 138 ÷ 3 = 46.

id=90523 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1478. If it is sold at a profit of 25%, what is its selling price? | option_a=1503 | option_b=1847 | option_c=1994 | option_d=1700 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1478 × 125/100 = █1847.

id=90524 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:5 and the first is 225, what is the second? | option_a=70 | option_b=300 | option_c=75 | option_d=90 | answer=C | explanation=Scale factor = 225/15 = 15. Therefore second quantity = 5×15 = 75.

id=90525 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=39 | option_b=44 | option_c=32 | option_d=38 | answer=D | explanation=The common difference is 6. Therefore the next term is 32 + 6 = 38.

id=90526 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 43? | option_a=25 | option_b=30 | option_c=35 | option_d=43 | answer=D | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 43 is the odd one out.

id=90527 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=33 | option_b=53 | option_c=44 | option_d=43 | answer=D | explanation=The common difference is 10. Therefore the next term is 33 + 10 = 43.

id=90528 | topic=Percentages | difficulty=Easy | question=What is 15% of 1796? | option_a=538 | option_b=269 | option_c=289 | option_d=249 | answer=B | explanation=15% of 1796 = (15/100) × 1796 = 269.

id=90529 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:7 and the first is 14, what is the second? | option_a=98 | option_b=112 | option_c=99 | option_d=91 | answer=A | explanation=Scale factor = 14/1 = 14. Therefore second quantity = 7×14 = 98.

id=90530 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 15, 22, 31? | option_a=31 | option_b=8 | option_c=22 | option_d=15 | answer=A | explanation=The first three numbers increase by 7, so the next should be 29. Therefore 31 is the odd one out.

id=90531 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4850. If it is sold at a profit of 5%, what is its selling price? | option_a=4607 | option_b=4855 | option_c=5092 | option_d=5577 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4850 × 105/100 = █5092.

id=90532 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4414. If it is sold at a profit of 20%, what is its selling price? | option_a=5296 | option_b=4855 | option_c=5737 | option_d=4434 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4414 × 120/100 = █5296.

id=90533 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=67 | option_b=57 | option_c=56 | option_d=45 | answer=C | explanation=The common difference is 11. Therefore the next term is 45 + 11 = 56.

id=90534 | topic=Percentages | difficulty=Easy | question=What is 5% of 1296? | option_a=69 | option_b=64 | option_c=59 | option_d=128 | answer=B | explanation=5% of 1296 = (5/100) × 1296 = 64.

id=90535 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 18. | option_a=48 | option_b=18 | option_c=36 | option_d=216 | answer=C | explanation=LCM × HCF = 12×18; HCF(12,18) = 6, so LCM = 36.

id=90536 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=6 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=90537 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36599 at 10% per annum for 2 years. | option_a=7319 | option_b=7219 | option_c=43918 | option_d=7419 | answer=A | explanation=SI = PRT/100 = 36599×10×2/100 = █7319.

id=90538 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=14 | option_c=18 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=90539 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 27. | option_a=405 | option_b=135 | option_c=108 | option_d=150 | answer=B | explanation=LCM × HCF = 15×27; HCF(15,27) = 3, so LCM = 135.

id=90540 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

Aptitude Questions — Records 90,541-90,570 of 100,000

id=90541 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 29, 31, 34? | option_a=34 | option_b=29 | option_c=27 | option_d=31 | answer=A | explanation=The first three numbers increase by 2, so the next should be 33. Therefore 34 is the odd one out.

id=90542 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=T | option_b=E | option_c=O | option_d=J | answer=C | explanation=Move 5 positions forward from J; the resulting letter is O.

id=90543 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:12 and the first is 96, what is the second? | option_a=240 | option_b=132 | option_c=144 | option_d=152 | answer=C | explanation=Scale factor = 96/8 = 12. Therefore second quantity = 12×12 = 144.

id=90544 | topic=Averages | difficulty=Easy | question=Find the average of 87, 63, 86, 65, 35, 29, 69. | option_a=64 | option_b=63 | option_c=61 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 434 ÷ 7 = 62.

id=90545 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24634 at 4% per annum for 4 years. | option_a=3841 | option_b=4041 | option_c=3941 | option_d=28575 | answer=C | explanation=SI = PRT/100 = 24634×4×4/100 = **■**3941.

id=90546 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 20, 28, 37? | option_a=37 | option_b=28 | option_c=12 | option_d=20 | answer=A | explanation=The first three numbers increase by 8, so the next should be 36. Therefore 37 is the odd one out.

id=90547 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8606 at 8% per annum for 4 years. | option_a=2753 | option_b=2653 | option_c=2853 | option_d=11359 | answer=A | explanation=SI = PRT/100 = 8606×8×4/100 = **■**2753.

id=90548 | topic=Percentages | difficulty=Easy | question=What is 5% of 287? | option_a=19 | option_b=14 | option_c=4 | option_d=28 | answer=B | explanation=5% of 287 = (5/100) × 287 = 14.

id=90549 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 9, 16, 26? | option_a=2 | option_b=26 | option_c=16 | option_d=9 | answer=B | explanation=The first three numbers increase by 7, so the next should be 23. Therefore 26 is the odd one out.

id=90550 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=G | option_c=P | option_d=M | answer=D | explanation=Move 3 positions forward from J; the resulting letter is M.

id=90551 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45186 at 12% per annum for 4 years. | option_a=21789 | option_b=66875 | option_c=21689 | option_d=21589 | answer=C | explanation=SI = PRT/100 = 45186×12×4/100 = **■**21689.

id=90552 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=90553 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:9 and the first is 90, what is the second? | option_a=162 | option_b=167 | option_c=153 | option_d=252 | answer=A | explanation=Scale factor = 90/5 = 18. Therefore second quantity = 9×18 = 162.

id=90554 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=90555 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=L | option_c=I | option_d=K | answer=D | explanation=Move 1 positions forward from J; the resulting letter is K.

id=90556 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Q | option_b=Y | option_c=U | option_d=C | answer=B | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=90557 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=35 | option_b=57 | option_c=46 | option_d=47 | answer=C | explanation=The common difference is 11. Therefore the next term is 35 + 11 = 46.

id=90558 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=38 | option_b=35 | option_c=34 | option_d=30 | answer=C | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.

id=90559 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4686. If it is sold at a profit of 25%, what is its selling price? | option_a=5389 | option_b=5857 | option_c=6325 | option_d=4711 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4686 × 125/100 = **■**5857.

id=90560 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=53 | option_c=96 | option_d=43 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=90561 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:14 and the first is 91, what is the second? | option_a=189 | option_b=84 | option_c=98 | option_d=111 | answer=C | explanation=Scale factor = 91/13 = 7. Therefore second quantity = 14×7 = 98.

id=90562 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 20? | option_a=15 | option_b=20 | option_c=11 | option_d=7 | answer=B | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 20 is the odd one out.

id=90563 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 24, 32, 40, ? | option_a=49 | option_b=40 | option_c=56 | option_d=48 | answer=D | explanation=The common difference is 8. Therefore the next term is 40 + 8 = 48.

id=90564 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:13 and the first is 208, what is the second? | option_a=185 | option_b=377 | option_c=156 | option_d=169 | answer=D | explanation=Scale factor = 208/16 = 13. Therefore second quantity = 13×13 = 169.

id=90565 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=O | option_c=N | option_d=L | answer=C | explanation=Move 1 positions forward from M; the resulting letter is N.

id=90566 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:15 and the first is 35, what is the second? | option_a=110 | option_b=90 | option_c=105 | option_d=140 | answer=C | explanation=Scale factor = 35/5 = 7. Therefore second quantity = 15×7 = 105.

id=90567 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 16, 23, 30, ? | option_a=37 | option_b=44 | option_c=30 | option_d=38 | answer=A | explanation=The common difference is 7. Therefore the next term is 30 + 7 = 37.

id=90568 | topic=Averages | difficulty=Easy | question=Find the average of 55, 29, 21. | option_a=35 | option_b=36 | option_c=37 | option_d=34 | answer=A | explanation=Average = sum of values ÷ number of values = 105 ÷ 3 = 35.

id=90569 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=90570 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42618 at 4% per annum for 5 years. | option_a=8423 | option_b=8523 | option_c=8623 | option_d=51141 | answer=B | explanation=SI = PRT/100 = 42618×4×5/100 = **■**8523.

Aptitude Questions — Records 90,571-90,600 of 100,000

id=90571 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:6 and the first is 160, what is the second? | option_a=42 | option_b=208 | option_c=68 | option_d=48 | answer=D | explanation=Scale factor = 160/20 = 8. Therefore second quantity = 6×8 = 48.

id=90572 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 23, 25, 29? | option_a=29 | option_b=21 | option_c=25 | option_d=23 | answer=A | explanation=The first three numbers increase by 2, so the next should be 27. Therefore 29 is the odd one out.

id=90573 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■11135 at 6% per annum for 5 years. | option_a=3240 | option_b=14475 | option_c=3440 | option_d=3340 | answer=D | explanation=SI = PRT/100 = 11135×6×5/100 = ■3340.

id=90574 | topic=Percentages | difficulty=Easy | question=What is 15% of 930? | option_a=139 | option_b=278 | option_c=144 | option_d=119 | answer=A | explanation=15% of 930 = (15/100) × 930 = 139.

id=90575 | topic=Percentages | difficulty=Easy | question=What is 15% of 1298? | option_a=194 | option_b=388 | option_c=204 | option_d=189 | answer=A | explanation=15% of 1298 = (15/100) × 1298 = 194.

id=90576 | topic=Percentages | difficulty=Easy | question=What is 12% of 211? | option_a=35 | option_b=25 | option_c=50 | option_d=20 | answer=B | explanation=12% of 211 = (12/100) × 211 = 25.

id=90577 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 21, 28, 38? | option_a=38 | option_b=28 | option_c=21 | option_d=14 | answer=A | explanation=The first three numbers increase by 7, so the next should be 35. Therefore 38 is the odd one out.

id=90578 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 4. | option_a=12 | option_b=48 | option_c=24 | option_d=8 | answer=A | explanation=LCM × HCF = 12×4; HCF(12,4) = 4, so LCM = 12.

id=90579 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 31, 41, 53? | option_a=31 | option_b=41 | option_c=21 | option_d=53 | answer=D | explanation=The first three numbers increase by 10, so the next should be 51. Therefore 53 is the odd one out.

id=90580 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■752. If it is sold at a profit of 50%, what is its selling price? | option_a=1128 | option_b=1203 | option_c=1053 | option_d=802 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 752 × 150/100 = ■1128.

id=90581 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=90582 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■15130 at 6% per annum for 2 years. | option_a=1815 | option_b=1715 | option_c=16945 | option_d=1915 | answer=A | explanation=SI = PRT/100 = 15130×6×2/100 = ■1815.

id=90583 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=M | option_b=P | option_c=N | option_d=O | answer=D | explanation=Move 1 positions forward from N; the resulting letter is O.

id=90584 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=I | option_c=J | option_d=G | answer=B | explanation=Move 1 positions forward from H; the resulting letter is I.

id=90585 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2950. If it is sold at a profit of 25%, what is its selling price? | option_a=3392 | option_b=3982 | option_c=2975 | option_d=3687 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2950 × 125/100 = ■3687.

id=90586 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:19 and the first is 60, what is the second? | option_a=383 | option_b=440 | option_c=361 | option_d=380 | answer=D | explanation=Scale factor = 60/3 = 20. Therefore second quantity = 19×20 = 380.

id=90587 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:6 and the first is 9, what is the second? | option_a=54 | option_b=48 | option_c=63 | option_d=55 | answer=A | explanation=Scale factor = 9/1 = 9. Therefore second quantity = 6×9 = 54.

id=90588 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 28, 38, 48, ? | option_a=68 | option_b=48 | option_c=58 | option_d=59 | answer=C | explanation=The common difference is 10. Therefore the next term is 48 + 10 = 58.

id=90589 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=90590 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■41429 at 4% per annum for 1 years. | option_a=43086 | option_b=1757 | option_c=1657 | option_d=1557 | answer=C | explanation=SI = PRT/100 = 41429×4×1/100 = ■1657.

id=90591 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 31, 35, 40? | option_a=40 | option_b=27 | option_c=35 | option_d=31 | answer=A | explanation=The first three numbers increase by 4, so the next should be 39. Therefore 40 is the odd one out.

id=90592 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 14, 18, 25? | option_a=10 | option_b=25 | option_c=18 | option_d=14 | answer=B | explanation=The first three numbers increase by 4, so the next should be 22. Therefore 25 is the odd one out.

id=90593 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:12 and the first is 60, what is the second? | option_a=120 | option_b=72 | option_c=48 | option_d=60 | answer=D | explanation=Scale factor = 60/12 = 5. Therefore second quantity = 12×5 = 60.

id=90594 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 24. | option_a=144 | option_b=189 | option_c=504 | option_d=168 | answer=D | explanation=LCM × HCF = 21×24; HCF(21,24) = 3, so LCM = 168.

id=90595 | topic=Percentages | difficulty=Easy | question=What is 20% of 1534? | option_a=311 | option_b=306 | option_c=612 | option_d=301 | answer=B | explanation=20% of 1534 = (20/100) × 1534 = 306.

id=90596 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 26. | option_a=286 | option_b=312 | option_c=624 | option_d=336 | answer=B | explanation=LCM × HCF = 24×26; HCF(24,26) = 2, so LCM = 312.

id=90597 | topic=Averages | difficulty=Easy | question=Find the average of 40, 89, 23, 25, 92, 43, 31. | option_a=51 | option_b=49 | option_c=48 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 343 ÷ 7 = 49.

id=90598 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=90599 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 42? | option_a=33 | option_b=25 | option_c=17 | option_d=42 | answer=D | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 42 is the odd one out.

id=90600 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 27, 31, 37? | option_a=27 | option_b=37 | option_c=23 | option_d=31 | answer=B | explanation=The first three numbers increase by 4, so the next should be 35. Therefore 37 is the odd one out.

Aptitude Questions — Records 90,601-90,630 of 100,000

- id=90601 | topic=Averages | difficulty=Easy | question=Find the average of 29, 38, 65, 43, 70. | option_a=49 | option_b=48 | option_c=51 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 245 ÷ 5 = 49.
- id=90602 | topic=Percentages | difficulty=Easy | question=What is 25% of 1556? | option_a=389 | option_b=379 | option_c=778 | option_d=399 | answer=A | explanation=25% of 1556 = (25/100) × 1556 = 389.
- id=90603 | topic=Percentages | difficulty=Easy | question=What is 15% of 472? | option_a=65 | option_b=70 | option_c=80 | option_d=140 | answer=B | explanation=15% of 472 = (15/100) × 472 = 70.
- id=90604 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=70 | option_b=61 | option_c=60 | option_d=50 | answer=C | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.
- id=90605 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=U | option_c=Q | option_d=O | answer=A | explanation=Move 2 positions forward from Q; the resulting letter is S.
- id=90606 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=R | option_c=F | option_d=N | answer=D | explanation=Move 4 positions forward from J; the resulting letter is N.
- id=90607 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=28 | option_b=33 | option_c=27 | option_d=21 | answer=C | explanation=The common difference is 6. Therefore the next term is 21 + 6 = 27.
- id=90608 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:11 and the first is 180, what is the second? | option_a=147 | option_b=121 | option_c=132 | option_d=312 | answer=C | explanation=Scale factor = 180/15 = 12. Therefore second quantity = 11×12 = 132.
- id=90609 | topic=Percentages | difficulty=Easy | question=What is 50% of 1768? | option_a=894 | option_b=884 | option_c=864 | option_d=1768 | answer=B | explanation=50% of 1768 = (50/100) × 1768 = 884.
- id=90610 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=60 | option_b=71 | option_c=47 | option_d=59 | answer=D | explanation=The common difference is 12. Therefore the next term is 47 + 12 = 59.
- id=90611 | topic=Averages | difficulty=Easy | question=Find the average of 46, 83, 90, 85. | option_a=75 | option_b=77 | option_c=76 | option_d=78 | answer=C | explanation=Average = sum of values ÷ number of values = 304 ÷ 4 = 76.
- id=90612 | topic=Percentages | difficulty=Easy | question=What is 25% of 261? | option_a=65 | option_b=70 | option_c=130 | option_d=55 | answer=A | explanation=25% of 261 = (25/100) × 261 = 65.
- id=90613 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=34 | option_b=26 | option_c=30 | option_d=31 | answer=C | explanation=The common difference is 4. Therefore the next term is 26 + 4 = 30.
- id=90614 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2308. If it is sold at a profit of 15%, what is its selling price? | option_a=2424 | option_b=2654 | option_c=2884 | option_d=2323 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2308 × 115/100 = ₹2654.
- id=90615 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 34? | option_a=19 | option_b=34 | option_c=26 | option_d=12 | answer=B | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 34 is the odd one out.
- id=90616 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=Z | option_b=K | option_c=U | option_d=P | answer=C | explanation=Move 5 positions forward from P; the resulting letter is U.
- id=90617 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=7 | option_c=17 | option_d=24 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.
- id=90618 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=K | option_b=V | option_c=G | option_d=C | answer=C | explanation=Move 4 positions forward from C; the resulting letter is G.
- id=90619 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 35? | option_a=24 | option_b=35 | option_c=28 | option_d=20 | answer=B | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 35 is the odd one out.
- id=90620 | topic=Percentages | difficulty=Easy | question=What is 30% of 701? | option_a=210 | option_b=215 | option_c=420 | option_d=205 | answer=A | explanation=30% of 701 = (30/100) × 701 = 210.
- id=90621 | topic=Percentages | difficulty=Easy | question=What is 12% of 214? | option_a=25 | option_b=50 | option_c=5 | option_d=35 | answer=A | explanation=12% of 214 = (12/100) × 214 = 25.
- id=90622 | topic=Averages | difficulty=Easy | question=Find the average of 43, 87, 78, 25, 45, 92, 15, 92, 99, 44. | option_a=61 | option_b=64 | option_c=62 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = 620 ÷ 10 = 62.
- id=90623 | topic=Percentages | difficulty=Easy | question=What is 40% of 1662? | option_a=664 | option_b=1328 | option_c=669 | option_d=659 | answer=A | explanation=40% of 1662 = (40/100) × 1662 = 664.
- id=90624 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:18 and the first is 56, what is the second? | option_a=126 | option_b=182 | option_c=108 | option_d=134 | answer=A | explanation=Scale factor = 56/8 = 7. Therefore second quantity = 18×7 = 126.
- id=90625 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 6. | option_a=24 | option_b=48 | option_c=18 | option_d=144 | answer=A | explanation=LCM × HCF = 24×6; HCF(24,6) = 6, so LCM = 24.
- id=90626 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 28, 36, 44, ? | option_a=53 | option_b=60 | option_c=52 | option_d=44 | answer=C | explanation=The common difference is 8. Therefore the next term is 44 + 8 = 52.
- id=90627 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=31 | option_b=32 | option_c=25 | option_d=37 | answer=A | explanation=The common difference is 6. Therefore the next term is 25 + 6 = 31.
- id=90628 | topic=Percentages | difficulty=Easy | question=What is 40% of 652? | option_a=265 | option_b=260 | option_c=255 | option_d=520 | answer=B | explanation=40% of 652 = (40/100) × 652 = 260.
- id=90629 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 25? | option_a=25 | option_b=5 | option_c=11 | option_d=17 | answer=A | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 25 is the odd one out.
- id=90630 | topic=Percentages | difficulty=Easy | question=What is 10% of 504? | option_a=70 | option_b=40 | option_c=100 | option_d=50 | answer=D | explanation=10% of 504 = (10/100) × 504 = 50.

Aptitude Questions — Records 90,631-90,660 of 100,000

id=90631 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=F | option_b=I | option_c=H | option_d=G | answer=C | explanation=Move 1 positions forward from G; the resulting letter is H.

id=90632 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=E | option_b=O | option_c=J | option_d=T | answer=B | explanation=Move 5 positions forward from J; the resulting letter is O.

id=90633 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=90634 | topic=Profit & Loss | difficulty=Easy | question=An article costs █933. If it is sold at a profit of 25%, what is its selling price? | option_a=1166 | option_b=1073 | option_c=958 | option_d=1259 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 933 × 125/100 = █1166.

id=90635 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 24. | option_a=72 | option_b=90 | option_c=432 | option_d=48 | answer=A | explanation=LCM × HCF = 18×24; HCF(18,24) = 6, so LCM = 72.

id=90636 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3890. If it is sold at a profit of 10%, what is its selling price? | option_a=4279 | option_b=4668 | option_c=3900 | option_d=3890 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3890 × 110/100 = █4279.

id=90637 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=90638 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=90639 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=90640 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 10, 15, 20, ? | option_a=25 | option_b=30 | option_c=20 | option_d=26 | answer=A | explanation=The common difference is 5. Therefore the next term is 20 + 5 = 25.

id=90641 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=72 | option_c=36 | option_d=31 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=90642 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=90643 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=90644 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=90645 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=90646 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=90647 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=31 | option_b=36 | option_c=39 | option_d=35 | answer=D | explanation=The common difference is 4. Therefore the next term is 31 + 4 = 35.

id=90648 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 24. | option_a=1 | option_b=576 | option_c=24 | option_d=48 | answer=C | explanation=LCM × HCF = 24×24; HCF(24,24) = 24, so LCM = 24.

id=90649 | topic=Percentages | difficulty=Easy | question=What is 50% of 1349? | option_a=1348 | option_b=664 | option_c=679 | option_d=674 | answer=D | explanation=50% of 1349 = (50/100) × 1349 = 674.

id=90650 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=C | option_c=I | option_d=L | answer=C | explanation=Move 3 positions forward from F; the resulting letter is I.

id=90651 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 19, 27, 38? | option_a=11 | option_b=38 | option_c=27 | option_d=19 | answer=B | explanation=The first three numbers increase by 8, so the next should be 35. Therefore 38 is the odd one out.

id=90652 | topic=Percentages | difficulty=Easy | question=What is 10% of 425? | option_a=42 | option_b=84 | option_c=52 | option_d=37 | answer=A | explanation=10% of 425 = (10/100) × 425 = 42.

id=90653 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:8 and the first is 304, what is the second? | option_a=432 | option_b=120 | option_c=128 | option_d=147 | answer=C | explanation=Scale factor = 304/19 = 16. Therefore second quantity = 8×16 = 128.

id=90654 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 23? | option_a=17 | option_b=23 | option_c=15 | option_d=19 | answer=B | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 23 is the odd one out.

id=90655 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 22. | option_a=1 | option_b=44 | option_c=22 | option_d=484 | answer=C | explanation=LCM × HCF = 22×22; HCF(22,22) = 22, so LCM = 22.

id=90656 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 30, 38, 48? | option_a=30 | option_b=48 | option_c=38 | option_d=22 | answer=B | explanation=The first three numbers increase by 8, so the next should be 46. Therefore 48 is the odd one out.

id=90657 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=68 | option_b=57 | option_c=44 | option_d=56 | answer=D | explanation=The common difference is 12. Therefore the next term is 44 + 12 = 56.

id=90658 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 19, 27, 36? | option_a=11 | option_b=27 | option_c=36 | option_d=19 | answer=C | explanation=The first three numbers increase by 8, so the next should be 35. Therefore 36 is the odd one out.

id=90659 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38700 at 8% per annum for 4 years. | option_a=12484 | option_b=12384 | option_c=51084 | option_d=12284 | answer=B | explanation=SI = PRT/100 = 38700×8×4/100 = █12384.

id=90660 | topic=Averages | difficulty=Easy | question=Find the average of 71, 62, 94, 37, 65, 13. | option_a=57 | option_b=56 | option_c=59 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 342 ÷ 6 = 57.

Aptitude Questions — Records 90,661-90,690 of 100,000

- id=90661 | topic=Percentages | difficulty=Easy | question=What is 10% of 1706? | option_a=175 | option_b=150 | option_c=170 | option_d=340 | answer=C | explanation=10% of 1706 = $(10/100) \times 1706 = 170$.
- id=90662 | topic=Percentages | difficulty=Easy | question=What is 40% of 1071? | option_a=428 | option_b=438 | option_c=856 | option_d=408 | answer=A | explanation=40% of 1071 = $(40/100) \times 1071 = 428$.
- id=90663 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 40? | option_a=29 | option_b=11 | option_c=40 | option_d=20 | answer=C | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 40 is the odd one out.
- id=90664 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38511 at 6% per annum for 4 years. | option_a=9242 | option_b=9342 | option_c=9142 | option_d=47753 | answer=A | explanation=SI = $PRT/100 = 38511 \times 6 \times 4/100 = \text{■}9242$.
- id=90665 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=150 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = $150 \div 2 = 75$ km/h.
- id=90666 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=C | option_b=G | option_c=O | option_d=K | answer=D | explanation=Move 4 positions forward from G; the resulting letter is K.
- id=90667 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:10 and the first is 238, what is the second? | option_a=157 | option_b=140 | option_c=130 | option_d=378 | answer=B | explanation=Scale factor = $238/17 = 14$. Therefore second quantity = $10 \times 14 = 140$.
- id=90668 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=55 | option_b=35 | option_c=45 | option_d=46 | answer=C | explanation=The common difference is 10. Therefore the next term is $35 + 10 = 45$.
- id=90669 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=44 | option_b=43 | option_c=53 | option_d=33 | answer=B | explanation=The common difference is 10. Therefore the next term is $33 + 10 = 43$.
- id=90670 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35991 at 8% per annum for 2 years. | option_a=5758 | option_b=5658 | option_c=41749 | option_d=5858 | answer=A | explanation=SI = $PRT/100 = 35991 \times 8 \times 2/100 = \text{■}5758$.
- id=90671 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = $240 \div 8 = 30$ km/h.
- id=90672 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38023 at 12% per annum for 5 years. | option_a=60836 | option_b=22713 | option_c=22813 | option_d=22913 | answer=C | explanation=SI = $PRT/100 = 38023 \times 12 \times 5/100 = \text{■}22813$.
- id=90673 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23952 at 4% per annum for 5 years. | option_a=4690 | option_b=4790 | option_c=4890 | option_d=28742 | answer=B | explanation=SI = $PRT/100 = 23952 \times 4 \times 5/100 = \text{■}4790$.
- id=90674 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=L | option_b=N | option_c=M | option_d=O | answer=B | explanation=Move 1 positions forward from M; the resulting letter is N.
- id=90675 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=M | option_c=G | option_d=P | answer=B | explanation=Move 3 positions forward from J; the resulting letter is M.
- id=90676 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36238 at 10% per annum for 4 years. | option_a=50733 | option_b=14395 | option_c=14595 | option_d=14495 | answer=D | explanation=SI = $PRT/100 = 36238 \times 10 \times 4/100 = \text{■}14495$.
- id=90677 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=5 | answer=A | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.
- id=90678 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = $180 \div 3 = 60$ km/h.
- id=90679 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=16 | answer=A | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.
- id=90680 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.
- id=90681 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.
- id=90682 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:13 and the first is 24, what is the second? | option_a=39 | option_b=76 | option_c=52 | option_d=58 | answer=C | explanation=Scale factor = $24/6 = 4$. Therefore second quantity = $13 \times 4 = 52$.
- id=90683 | topic=Percentages | difficulty=Easy | question=What is 40% of 458? | option_a=173 | option_b=203 | option_c=183 | option_d=366 | answer=C | explanation=40% of 458 = $(40/100) \times 458 = 183$.
- id=90684 | topic=Percentages | difficulty=Easy | question=What is 30% of 1187? | option_a=712 | option_b=351 | option_c=376 | option_d=356 | answer=D | explanation=30% of 1187 = $(30/100) \times 1187 = 356$.
- id=90685 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=12 | option_d=4 | answer=B | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.
- id=90686 | topic=Percentages | difficulty=Easy | question=What is 25% of 1994? | option_a=996 | option_b=503 | option_c=498 | option_d=488 | answer=C | explanation=25% of 1994 = $(25/100) \times 1994 = 498$.
- id=90687 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 24, 34, 45? | option_a=24 | option_b=45 | option_c=14 | option_d=34 | answer=B | explanation=The first three numbers increase by 10, so the next should be 44. Therefore 45 is the odd one out.
- id=90688 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7261 at 8% per annum for 4 years. | option_a=9584 | option_b=2223 | option_c=2423 | option_d=2323 | answer=D | explanation=SI = $PRT/100 = 7261 \times 8 \times 4/100 = \text{■}2323$.
- id=90689 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=37 | option_b=41 | option_c=31 | option_d=36 | answer=D | explanation=The common difference is 5. Therefore the next term is $31 + 5 = 36$.
- id=90690 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=35 | option_c=80 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = $120 \div 3 = 40$ km/h.

Aptitude Questions — Records 90,691-90,720 of 100,000

id=90691 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 6, 10, 17? | option_a=2 | option_b=10 | option_c=6 | option_d=17 | answer=D | explanation=The first three numbers increase by 4, so the next should be 14. Therefore 17 is the odd one out.

id=90692 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=90693 | topic=Percentages | difficulty=Easy | question=What is 10% of 1061? | option_a=106 | option_b=111 | option_c=212 | option_d=86 | answer=A | explanation=10% of 1061 = (10/100) × 1061 = 106.

id=90694 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16824 at 12% per annum for 3 years. | option_a=22880 | option_b=5956 | option_c=6056 | option_d=6156 | answer=C | explanation=SI = PRT/100 = 16824×12×3/100 = **■**6056.

id=90695 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 33? | option_a=24 | option_b=28 | option_c=33 | option_d=20 | answer=C | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 33 is the odd one out.

id=90696 | topic=Averages | difficulty=Easy | question=Find the average of 81, 75, 78, 54, 59, 100, 94, 25, 52, 52. | option_a=68 | option_b=67 | option_c=69 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 670 ÷ 10 = 67.

id=90697 | topic=Percentages | difficulty=Easy | question=What is 15% of 1461? | option_a=214 | option_b=219 | option_c=239 | option_d=438 | answer=B | explanation=15% of 1461 = (15/100) × 1461 = 219.

id=90698 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39907 at 15% per annum for 5 years. | option_a=30030 | option_b=69837 | option_c=29930 | option_d=29830 | answer=C | explanation=SI = PRT/100 = 39907×15×5/100 = **■**29930.

id=90699 | topic=Averages | difficulty=Easy | question=Find the average of 14, 72, 81, 99, 77, 11, 16, 46. | option_a=52 | option_b=53 | option_c=51 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=90700 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 10. | option_a=260 | option_b=120 | option_c=156 | option_d=130 | answer=D | explanation=LCM × HCF = 26×10; HCF(26,10) = 2, so LCM = 130.

id=90701 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 21, 30, 39, ? | option_a=49 | option_b=57 | option_c=48 | option_d=39 | answer=C | explanation=The common difference is 9. Therefore the next term is 39 + 9 = 48.

id=90702 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 31? | option_a=31 | option_b=24 | option_c=18 | option_d=12 | answer=A | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 31 is the odd one out.

id=90703 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=180 | option_c=175 | option_d=360 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=90704 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=90705 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=38 | option_b=32 | option_c=31 | option_d=24 | answer=C | explanation=The common difference is 7. Therefore the next term is 24 + 7 = 31.

id=90706 | topic=Percentages | difficulty=Easy | question=What is 20% of 1394? | option_a=288 | option_b=556 | option_c=258 | option_d=278 | answer=D | explanation=20% of 1394 = (20/100) × 1394 = 278.

id=90707 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20293 at 12% per annum for 1 years. | option_a=2335 | option_b=2435 | option_c=2535 | option_d=22728 | answer=B | explanation=SI = PRT/100 = 20293×12×1/100 = **■**2435.

id=90708 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=90709 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=90710 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19310 at 10% per annum for 1 years. | option_a=1831 | option_b=21241 | option_c=2031 | option_d=1931 | answer=D | explanation=SI = PRT/100 = 19310×10×1/100 = **■**1931.

id=90711 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:10 and the first is 80, what is the second? | option_a=165 | option_b=160 | option_c=240 | option_d=150 | answer=B | explanation=Scale factor = 80/5 = 16. Therefore second quantity = 10×16 = 160.

id=90712 | topic=Percentages | difficulty=Easy | question=What is 25% of 1227? | option_a=306 | option_b=316 | option_c=612 | option_d=296 | answer=A | explanation=25% of 1227 = (25/100) × 1227 = 306.

id=90713 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36701 at 12% per annum for 3 years. | option_a=13112 | option_b=13212 | option_c=49913 | option_d=13312 | answer=B | explanation=SI = PRT/100 = 36701×12×3/100 = **■**13212.

id=90714 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:12 and the first is 140, what is the second? | option_a=134 | option_b=120 | option_c=108 | option_d=260 | answer=B | explanation=Scale factor = 140/14 = 10. Therefore second quantity = 12×10 = 120.

id=90715 | topic=Averages | difficulty=Easy | question=Find the average of 53, 41, 32. | option_a=41 | option_b=43 | option_c=44 | option_d=42 | answer=D | explanation=Average = sum of values ÷ number of values = 126 ÷ 3 = 42.

id=90716 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2151. If it is sold at a profit of 5%, what is its selling price? | option_a=2473 | option_b=2043 | option_c=2156 | option_d=2258 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2151 × 105/100 = **■**2258.

id=90717 | topic=Averages | difficulty=Easy | question=Find the average of 100, 18, 14, 40, 51, 74, 53. | option_a=49 | option_b=50 | option_c=51 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 350 ÷ 7 = 50.

id=90718 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31342 at 15% per annum for 2 years. | option_a=9302 | option_b=40744 | option_c=9502 | option_d=9402 | answer=D | explanation=SI = PRT/100 = 31342×15×2/100 = **■**9402.

id=90719 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:13 and the first is 288, what is the second? | option_a=208 | option_b=195 | option_c=226 | option_d=496 | answer=A | explanation=Scale factor = 288/18 = 16. Therefore second quantity = 13×16 = 208.

id=90720 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=P | option_c=H | option_d=T | answer=B | explanation=Move 4 positions forward from L; the resulting letter is P.

Aptitude Questions — Records 90,721-90,750 of 100,000

id=90721 | topic=Profit & Loss | difficulty=Easy | question=An article costs █198. If it is sold at a profit of 10%, what is its selling price? | option_a=217 | option_b=198 | option_c=208 | option_d=236 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 198 × 110/100 = █217.

id=90722 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=44 | option_b=37 | option_c=36 | option_d=28 | answer=C | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=90723 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16949 at 15% per annum for 3 years. | option_a=24576 | option_b=7527 | option_c=7727 | option_d=7627 | answer=D | explanation=SI = PRT/100 = 16949×15×3/100 = █7627.

id=90724 | topic=Percentages | difficulty=Easy | question=What is 40% of 93? | option_a=37 | option_b=32 | option_c=74 | option_d=42 | answer=A | explanation=40% of 93 = (40/100) × 93 = 37.

id=90725 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3268. If it is sold at a profit of 25%, what is its selling price? | option_a=4411 | option_b=4085 | option_c=3759 | option_d=3293 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3268 × 125/100 = █4085.

id=90726 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=63 | option_b=52 | option_c=53 | option_d=41 | answer=B | explanation=The common difference is 11. Therefore the next term is 41 + 11 = 52.

id=90727 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=T | option_c=X | option_d=R | answer=A | explanation=Move 2 positions forward from T; the resulting letter is V.

id=90728 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:17 and the first is 42, what is the second? | option_a=51 | option_b=65 | option_c=93 | option_d=34 | answer=A | explanation=Scale factor = 42/14 = 3. Therefore second quantity = 17×3 = 51.

id=90729 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=90730 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:4 and the first is 260, what is the second? | option_a=52 | option_b=72 | option_c=312 | option_d=48 | answer=A | explanation=Scale factor = 260/20 = 13. Therefore second quantity = 4×13 = 52.

id=90731 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47185 at 15% per annum for 5 years. | option_a=82573 | option_b=35488 | option_c=35288 | option_d=35388 | answer=D | explanation=SI = PRT/100 = 47185×15×5/100 = █35388.

id=90732 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25718 at 6% per annum for 5 years. | option_a=33433 | option_b=7715 | option_c=7815 | option_d=7615 | answer=B | explanation=SI = PRT/100 = 25718×6×5/100 = █7715.

id=90733 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=33 | option_b=32 | option_c=26 | option_d=38 | answer=B | explanation=The common difference is 6. Therefore the next term is 26 + 6 = 32.

id=90734 | topic=Averages | difficulty=Easy | question=Find the average of 52, 30, 54, 20. | option_a=39 | option_b=41 | option_c=40 | option_d=38 | answer=A | explanation=Average = sum of values ÷ number of values = 156 ÷ 4 = 39.

id=90735 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43, ? | option_a=51 | option_b=59 | option_c=52 | option_d=43 | answer=A | explanation=The common difference is 8. Therefore the next term is 43 + 8 = 51.

id=90736 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 13, 21, 32? | option_a=21 | option_b=5 | option_c=32 | option_d=13 | answer=C | explanation=The first three numbers increase by 8, so the next should be 29. Therefore 32 is the odd one out.

id=90737 | topic=Percentages | difficulty=Easy | question=What is 30% of 797? | option_a=478 | option_b=259 | option_c=229 | option_d=239 | answer=D | explanation=30% of 797 = (30/100) × 797 = 239.

id=90738 | topic=Percentages | difficulty=Easy | question=What is 5% of 1042? | option_a=104 | option_b=57 | option_c=52 | option_d=42 | answer=C | explanation=5% of 1042 = (5/100) × 1042 = 52.

id=90739 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=90740 | topic=Percentages | difficulty=Easy | question=What is 10% of 1245? | option_a=114 | option_b=248 | option_c=124 | option_d=134 | answer=C | explanation=10% of 1245 = (10/100) × 1245 = 124.

id=90741 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=90742 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=H | option_b=N | option_c=Q | option_d=K | answer=B | explanation=Move 3 positions forward from K; the resulting letter is N.

id=90743 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=90744 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1131 at 10% per annum for 2 years. | option_a=126 | option_b=1357 | option_c=326 | option_d=226 | answer=D | explanation=SI = PRT/100 = 1131×10×2/100 = █226.

id=90745 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2244. If it is sold at a profit of 10%, what is its selling price? | option_a=2254 | option_b=2692 | option_c=2468 | option_d=2244 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2244 × 110/100 = █2468.

id=90746 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=90747 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 23? | option_a=9 | option_b=23 | option_c=15 | option_d=3 | answer=B | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 23 is the odd one out.

id=90748 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=33 | option_b=26 | option_c=34 | option_d=40 | answer=A | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

id=90749 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 38? | option_a=10 | option_b=28 | option_c=19 | option_d=38 | answer=D | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 38 is the odd one out.

id=90750 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4965. If it is sold at a profit of 20%, what is its selling price? | option_a=5958 | option_b=5462 | option_c=4985 | option_d=6454 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4965 × 120/100 = █5958.

Aptitude Questions — Records 90,751-90,780 of 100,000

id=90751 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=1 | option_c=12 | option_d=11 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=90752 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=46 | option_b=38 | option_c=39 | option_d=30 | answer=B | explanation=The common difference is 8. Therefore the next term is 30 + 8 = 38.

id=90753 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12935 at 6% per annum for 2 years. | option_a=1552 | option_b=1652 | option_c=1452 | option_d=14487 | answer=A | explanation=SI = $PRT/100 = 12935 \times 6 \times 2/100 = \text{■}1552$.

id=90754 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=38 | option_b=46 | option_c=30 | option_d=39 | answer=A | explanation=The common difference is 8. Therefore the next term is 30 + 8 = 38.

id=90755 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=41 | option_b=34 | option_c=48 | option_d=42 | answer=A | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=90756 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14330 at 6% per annum for 5 years. | option_a=4299 | option_b=4199 | option_c=4399 | option_d=18629 | answer=A | explanation=SI = $PRT/100 = 14330 \times 6 \times 5/100 = \text{■}4299$.

id=90757 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=22 | option_b=20 | option_c=21 | option_d=18 | answer=B | explanation=The common difference is 2. Therefore the next term is 18 + 2 = 20.

id=90758 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 135, what is the second? | option_a=42 | option_b=24 | option_c=27 | option_d=162 | answer=C | explanation=Scale factor = $135/15 = 9$. Therefore second quantity = $3 \times 9 = 27$.

id=90759 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:8 and the first is 228, what is the second? | option_a=380 | option_b=164 | option_c=152 | option_d=144 | answer=C | explanation=Scale factor = $228/12 = 19$. Therefore second quantity = $8 \times 19 = 152$.

id=90760 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12683 at 6% per annum for 1 years. | option_a=860 | option_b=760 | option_c=660 | option_d=13443 | answer=B | explanation=SI = $PRT/100 = 12683 \times 6 \times 1/100 = \text{■}760$.

id=90761 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=90762 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=90763 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=8 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=90764 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=34 | option_b=44 | option_c=39 | option_d=40 | answer=C | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

id=90765 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=125 | option_c=120 | option_d=240 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=90766 | topic=Percentages | difficulty=Easy | question=What is 15% of 584? | option_a=174 | option_b=82 | option_c=97 | option_d=87 | answer=D | explanation=15% of 584 = $(15/100) \times 584 = 87$.

id=90767 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=B | option_b=D | option_c=E | option_d=C | answer=B | explanation=Move 1 positions forward from C; the resulting letter is D.

id=90768 | topic=Percentages | difficulty=Easy | question=What is 40% of 428? | option_a=151 | option_b=191 | option_c=342 | option_d=171 | answer=D | explanation=40% of 428 = $(40/100) \times 428 = 171$.

id=90769 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 12, 14, 19? | option_a=10 | option_b=19 | option_c=14 | option_d=12 | answer=B | explanation=The first three numbers increase by 2, so the next should be 16. Therefore 19 is the odd one out.

id=90770 | topic=Averages | difficulty=Easy | question=Find the average of 67, 84, 49, 66, 48, 76. | option_a=64 | option_b=65 | option_c=67 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = $390 \div 6 = 65$.

id=90771 | topic=Percentages | difficulty=Easy | question=What is 40% of 1320? | option_a=518 | option_b=1056 | option_c=528 | option_d=533 | answer=C | explanation=40% of 1320 = $(40/100) \times 1320 = 528$.

id=90772 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2567. If it is sold at a profit of 5%, what is its selling price? | option_a=2951 | option_b=2439 | option_c=2572 | option_d=2695 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2567 \times 105/100 = \text{■}2695$.

id=90773 | topic=Averages | difficulty=Easy | question=Find the average of 73, 96, 22, 23, 96, 68. | option_a=63 | option_b=64 | option_c=62 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = $378 \div 6 = 63$.

id=90774 | topic=Percentages | difficulty=Easy | question=What is 20% of 306? | option_a=51 | option_b=122 | option_c=71 | option_d=61 | answer=D | explanation=20% of 306 = $(20/100) \times 306 = 61$.

id=90775 | topic=Percentages | difficulty=Easy | question=What is 20% of 1175? | option_a=225 | option_b=235 | option_c=245 | option_d=470 | answer=B | explanation=20% of 1175 = $(20/100) \times 1175 = 235$.

id=90776 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=V | option_c=U | option_d=S | answer=C | explanation=Move 1 positions forward from T; the resulting letter is U.

id=90777 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 12, 16, 21? | option_a=16 | option_b=8 | option_c=12 | option_d=21 | answer=D | explanation=The first three numbers increase by 4, so the next should be 20. Therefore 21 is the odd one out.

id=90778 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45065 at 12% per annum for 1 years. | option_a=5407 | option_b=50472 | option_c=5307 | option_d=5507 | answer=A | explanation=SI = $PRT/100 = 45065 \times 12 \times 1/100 = \text{■}5407$.

id=90779 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 10. | option_a=80 | option_b=48 | option_c=40 | option_d=30 | answer=C | explanation=LCM × HCF = 8×10 ; $HCF(8,10) = 2$, so LCM = 40.

id=90780 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $150 \div 5 = 30$ km/h.

Aptitude Questions — Records 90,781-90,810 of 100,000

id=90781 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=38 | option_b=24 | option_c=32 | option_d=31 | answer=D | explanation=The common difference is 7. Therefore the next term is 24 + 7 = 31.

id=90782 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=62 | option_b=38 | option_c=51 | option_d=50 | answer=D | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=90783 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14033 at 4% per annum for 4 years. | option_a=2145 | option_b=2345 | option_c=16278 | option_d=2245 | answer=D | explanation=SI = $PRT/100 = 14033 \times 4 \times 4/100 = \text{■}2245$.

id=90784 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2349. If it is sold at a profit of 40%, what is its selling price? | option_a=3288 | option_b=3522 | option_c=3054 | option_d=2389 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2349 \times 140/100 = \text{■}3288$.

id=90785 | topic=Percentages | difficulty=Easy | question=What is 40% of 404? | option_a=181 | option_b=151 | option_c=322 | option_d=161 | answer=D | explanation=40% of 404 = $(40/100) \times 404 = 161$.

id=90786 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=95 | option_c=85 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = $360 \div 4 = 90$ km/h.

id=90787 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1484. If it is sold at a profit of 50%, what is its selling price? | option_a=2226 | option_b=2374 | option_c=2078 | option_d=1534 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1484 \times 150/100 = \text{■}2226$.

id=90788 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=90789 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11903 at 5% per annum for 4 years. | option_a=14283 | option_b=2280 | option_c=2480 | option_d=2380 | answer=D | explanation=SI = $PRT/100 = 11903 \times 5 \times 4/100 = \text{■}2380$.

id=90790 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40170 at 15% per annum for 4 years. | option_a=24202 | option_b=24002 | option_c=64272 | option_d=24102 | answer=D | explanation=SI = $PRT/100 = 40170 \times 15 \times 4/100 = \text{■}24102$.

id=90791 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = $90 \div 3 = 30$ km/h.

id=90792 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4842. If it is sold at a profit of 20%, what is its selling price? | option_a=5326 | option_b=4862 | option_c=6294 | option_d=5810 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4842 \times 120/100 = \text{■}5810$.

id=90793 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=40 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = $180 \div 4 = 45$ km/h.

id=90794 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=62 | option_b=50 | option_c=61 | option_d=72 | answer=C | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.

id=90795 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=14 | option_b=13 | option_c=11 | option_d=15 | answer=B | explanation=The common difference is 2. Therefore the next term is 11 + 2 = 13.

id=90796 | topic=Percentages | difficulty=Easy | question=What is 40% of 1987? | option_a=1588 | option_b=774 | option_c=799 | option_d=794 | answer=D | explanation=40% of 1987 = $(40/100) \times 1987 = 794$.

id=90797 | topic=Percentages | difficulty=Easy | question=What is 10% of 693? | option_a=79 | option_b=64 | option_c=138 | option_d=69 | answer=D | explanation=10% of 693 = $(10/100) \times 693 = 69$.

id=90798 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=5 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = $60 \div 6 = 10$ km/h.

id=90799 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=L | option_b=N | option_c=R | option_d=P | answer=D | explanation=Move 2 positions forward from N; the resulting letter is P.

id=90800 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2176. If it is sold at a profit of 50%, what is its selling price? | option_a=3264 | option_b=3481 | option_c=3047 | option_d=2226 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2176 \times 150/100 = \text{■}3264$.

id=90801 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 29, 33, 39? | option_a=33 | option_b=39 | option_c=25 | option_d=29 | answer=B | explanation=The first three numbers increase by 4, so the next should be 37. Therefore 39 is the odd one out.

id=90802 | topic=Percentages | difficulty=Easy | question=What is 40% of 1856? | option_a=1484 | option_b=742 | option_c=752 | option_d=737 | answer=B | explanation=40% of 1856 = $(40/100) \times 1856 = 742$.

id=90803 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=C | option_b=K | option_c=G | option_d=O | answer=B | explanation=Move 4 positions forward from G; the resulting letter is K.

id=90804 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:15 and the first is 75, what is the second? | option_a=300 | option_b=230 | option_c=225 | option_d=210 | answer=C | explanation=Scale factor = $75/5 = 15$. Therefore second quantity = $15 \times 15 = 225$.

id=90805 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 26. | option_a=286 | option_b=624 | option_c=336 | option_d=312 | answer=D | explanation=LCM $\times$ HCF = 24×26 ; $\text{HCF}(24, 26) = 2$, so LCM = 312.

id=90806 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=U | option_c=Q | option_d=I | answer=C | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=90807 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:19 and the first is 12, what is the second? | option_a=57 | option_b=76 | option_c=79 | option_d=88 | answer=B | explanation=Scale factor = $12/3 = 4$. Therefore second quantity = $19 \times 4 = 76$.

id=90808 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:12 and the first is 76, what is the second? | option_a=36 | option_b=48 | option_c=67 | option_d=124 | answer=B | explanation=Scale factor = $76/19 = 4$. Therefore second quantity = $12 \times 4 = 48$.

id=90809 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=N | option_b=T | option_c=P | option_d=R | answer=D | explanation=Move 2 positions forward from P; the resulting letter is R.

id=90810 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 24, 32, 41? | option_a=24 | option_b=41 | option_c=32 | option_d=16 | answer=B | explanation=The first three numbers increase by 8, so the next should be 40. Therefore 41 is the odd one out.

Aptitude Questions — Records 90,811-90,840 of 100,000

id=90811 | topic=Averages | difficulty=Easy | question=Find the average of 95, 78, 88, 48, 46, 78, 55, 40. | option_a=68 | option_b=65 | option_c=66 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 528 ÷ 8 = 66.

id=90812 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=19 | option_b=29 | option_c=25 | option_d=24 | answer=D | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.

id=90813 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**6513 at 15% per annum for 4 years. | option_a=10420 | option_b=4007 | option_c=3907 | option_d=3807 | answer=C | explanation=SI = $PRT/100 = 6513 \times 15 \times 4 / 100 = \text{₹}3907$.

id=90814 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 3. | option_a=36 | option_b=24 | option_c=9 | option_d=12 | answer=D | explanation= $LCM \times HCF = 12 \times 3$; $HCF(12,3) = 3$, so $LCM = 12$.

id=90815 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**31300 at 15% per annum for 4 years. | option_a=18780 | option_b=18880 | option_c=18680 | option_d=50080 | answer=A | explanation=SI = $PRT/100 = 31300 \times 15 \times 4 / 100 = \text{₹}18780$.

id=90816 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 18? | option_a=11 | option_b=13 | option_c=9 | option_d=18 | answer=D | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 18 is the odd one out.

id=90817 | topic=Percentages | difficulty=Easy | question=What is 25% of 1377? | option_a=354 | option_b=688 | option_c=334 | option_d=344 | answer=D | explanation= $25\% \text{ of } 1377 = (25/100) \times 1377 = 344$.

id=90818 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 33, 40, 49? | option_a=33 | option_b=342 | option_c=40 | option_d=26 | answer=B | explanation=The first three numbers increase by 7, so the next should be 47. Therefore 49 is the odd one out.

id=90819 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**15510 at 8% per annum for 3 years. | option_a=3822 | option_b=3722 | option_c=3622 | option_d=19232 | answer=B | explanation=SI = $PRT/100 = 15510 \times 8 \times 3 / 100 = \text{₹}3722$.

id=90820 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 11? | option_a=11 | option_b=8 | option_c=6 | option_d=4 | answer=A | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 11 is the odd one out.

id=90821 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 21, 30, 39, ? | option_a=39 | option_b=49 | option_c=57 | option_d=48 | answer=D | explanation=The common difference is 9. Therefore the next term is 39 + 9 = 48.

id=90822 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=H | option_b=N | option_c=J | option_d=L | answer=D | explanation=Move 2 positions forward from J; the resulting letter is L.

id=90823 | topic=Percentages | difficulty=Easy | question=What is 50% of 807? | option_a=403 | option_b=806 | option_c=413 | option_d=393 | answer=A | explanation= $50\% \text{ of } 807 = (50/100) \times 807 = 403$.

id=90824 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**19386 at 10% per annum for 5 years. | option_a=9793 | option_b=9693 | option_c=9593 | option_d=29079 | answer=B | explanation=SI = $PRT/100 = 19386 \times 10 \times 5 / 100 = \text{₹}9693$.

id=90825 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=31 | option_c=36 | option_d=41 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=90826 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2446. If it is sold at a profit of 40%, what is its selling price? | option_a=3424 | option_b=3180 | option_c=2486 | option_d=3668 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2446 \times 140 / 100 = \text{₹}3424$.

id=90827 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 5. | option_a=20 | option_b=40 | option_c=100 | option_d=15 | answer=A | explanation= $LCM \times HCF = 20 \times 5$; $HCF(20,5) = 5$, so $LCM = 20$.

id=90828 | topic=Percentages | difficulty=Easy | question=What is 40% of 1014? | option_a=405 | option_b=810 | option_c=410 | option_d=385 | answer=A | explanation= $40\% \text{ of } 1014 = (40/100) \times 1014 = 405$.

id=90829 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=51 | option_b=62 | option_c=73 | option_d=63 | answer=B | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.

id=90830 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=90831 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 13, 18, 25? | option_a=25 | option_b=8 | option_c=13 | option_d=18 | answer=A | explanation=The first three numbers increase by 5, so the next should be 23. Therefore 25 is the odd one out.

id=90832 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2541. If it is sold at a profit of 10%, what is its selling price? | option_a=2551 | option_b=3049 | option_c=2795 | option_d=2541 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2541 \times 110 / 100 = \text{₹}2795$.

id=90833 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=17 | option_b=16 | option_c=13 | option_d=15 | answer=D | explanation=The common difference is 2. Therefore the next term is 13 + 2 = 15.

id=90834 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:16 and the first is 65, what is the second? | option_a=192 | option_b=213 | option_c=273 | option_d=208 | answer=D | explanation=Scale factor = $65/5 = 13$. Therefore second quantity = $16 \times 13 = 208$.

id=90835 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=90836 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3121. If it is sold at a profit of 25%, what is its selling price? | option_a=4213 | option_b=3901 | option_c=3589 | option_d=3146 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3121 \times 125 / 100 = \text{₹}3901$.

id=90837 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=7 | option_d=24 | answer=A | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=90838 | topic=Percentages | difficulty=Easy | question=What is 15% of 1869? | option_a=560 | option_b=285 | option_c=260 | option_d=280 | answer=D | explanation= $15\% \text{ of } 1869 = (15/100) \times 1869 = 280$.

id=90839 | topic=Averages | difficulty=Easy | question=Find the average of 36, 77, 94, 69, 87, 73, 51, 22, 81, 50. | option_a=63 | option_b=66 | option_c=65 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 640 ÷ 10 = 64.

id=90840 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**37667 at 8% per annum for 3 years. | option_a=46707 | option_b=9140 | option_c=8940 | option_d=9040 | answer=D | explanation=SI = $PRT/100 = 37667 \times 8 \times 3 / 100 = \text{₹}9040$.

Aptitude Questions — Records 90,841-90,870 of 100,000

id=90841 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=90842 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=240 | option_d=125 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=90843 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=7 | option_c=24 | option_d=17 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=90844 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 14, 19, 26? | option_a=19 | option_b=14 | option_c=26 | option_d=9 | answer=C | explanation=The first three numbers increase by 5, so the next should be 24. Therefore 26 is the odd one out.

id=90845 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 59? | option_a=59 | option_b=46 | option_c=36 | option_d=26 | answer=A | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 59 is the odd one out.

id=90846 | topic=Percentages | difficulty=Easy | question=What is 30% of 1685? | option_a=495 | option_b=505 | option_c=1010 | option_d=515 | answer=B | explanation=30% of 1685 = (30/100) × 1685 = 505.

id=90847 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=35 | option_b=47 | option_c=57 | option_d=46 | answer=D | explanation=The common difference is 11. Therefore the next term is 35 + 11 = 46.

id=90848 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=90849 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:11 and the first is 169, what is the second? | option_a=132 | option_b=156 | option_c=143 | option_d=312 | answer=C | explanation=Scale factor = 169/13 = 13. Therefore second quantity = 11×13 = 143.

id=90850 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=20 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=90851 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 32? | option_a=32 | option_b=13 | option_c=4 | option_d=22 | answer=A | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 32 is the odd one out.

id=90852 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25118 at 12% per annum for 2 years. | option_a=31146 | option_b=6028 | option_c=6128 | option_d=5928 | answer=B | explanation=SI = PRT/100 = 25118×12×2/100 = **■**6028.

id=90853 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 12. | option_a=240 | option_b=80 | option_c=60 | option_d=48 | answer=C | explanation=LCM × HCF = 20×12; HCF(20,12) = 4, so LCM = 60.

id=90854 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=90855 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 10, 12, 14, ? | option_a=18 | option_b=14 | option_c=17 | option_d=16 | answer=D | explanation=The common difference is 2. Therefore the next term is 14 + 2 = 16.

id=90856 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=37 | option_b=23 | option_c=30 | option_d=31 | answer=C | explanation=The common difference is 7. Therefore the next term is 23 + 7 = 30.

id=90857 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=36 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=90858 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3523. If it is sold at a profit of 10%, what is its selling price? | option_a=3533 | option_b=3875 | option_c=3523 | option_d=4227 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3523 × 110/100 = **■**3875.

id=90859 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27875 at 12% per annum for 3 years. | option_a=10135 | option_b=37910 | option_c=9935 | option_d=10035 | answer=D | explanation=SI = PRT/100 = 27875×12×3/100 = **■**10035.

id=90860 | topic=Percentages | difficulty=Easy | question=What is 5% of 1328? | option_a=66 | option_b=132 | option_c=46 | option_d=76 | answer=A | explanation=5% of 1328 = (5/100) × 1328 = 66.

id=90861 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=90862 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 28, 31, 35? | option_a=31 | option_b=25 | option_c=28 | option_d=35 | answer=D | explanation=The first three numbers increase by 3, so the next should be 34. Therefore 35 is the odd one out.

id=90863 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38654 at 8% per annum for 3 years. | option_a=9276 | option_b=47930 | option_c=9376 | option_d=9176 | answer=A | explanation=SI = PRT/100 = 38654×8×3/100 = **■**9276.

id=90864 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=90865 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 37? | option_a=29 | option_b=19 | option_c=24 | option_d=37 | answer=D | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 37 is the odd one out.

id=90866 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=24 | option_b=32 | option_c=31 | option_d=38 | answer=C | explanation=The common difference is 7. Therefore the next term is 24 + 7 = 31.

id=90867 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1951. If it is sold at a profit of 10%, what is its selling price? | option_a=2341 | option_b=1951 | option_c=2146 | option_d=1961 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1951 × 110/100 = **■**2146.

id=90868 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=H | option_b=P | option_c=T | option_d=L | answer=B | explanation=Move 4 positions forward from L; the resulting letter is P.

id=90869 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41091 at 8% per annum for 2 years. | option_a=6474 | option_b=6574 | option_c=6674 | option_d=47665 | answer=B | explanation=SI = PRT/100 = 41091×8×2/100 = **■**6574.

id=90870 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 33? | option_a=33 | option_b=24 | option_c=8 | option_d=16 | answer=A | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 33 is the odd one out.

Aptitude Questions — Records 90,871-90,900 of 100,000

id=90871 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=150 | option_c=75 | option_d=70 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=90872 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=36 | option_c=13 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=90873 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=90874 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=G | option_c=W | option_d=L | answer=B | explanation=Move 5 positions forward from B; the resulting letter is G.

id=90875 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 12. | option_a=16 | option_b=1 | option_c=12 | option_d=48 | answer=C | explanation=LCM × HCF = 4×12; HCF(4,12) = 4, so LCM = 12.

id=90876 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**180. If it is sold at a profit of 10%, what is its selling price? | option_a=198 | option_b=180 | option_c=216 | option_d=190 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 180 × 110/100 = **■**198.

id=90877 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:12 and the first is 28, what is the second? | option_a=12 | option_b=24 | option_c=52 | option_d=38 | answer=B | explanation=Scale factor = 28/14 = 2. Therefore second quantity = 12×2 = 24.

id=90878 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:3 and the first is 255, what is the second? | option_a=45 | option_b=300 | option_c=62 | option_d=42 | answer=A | explanation=Scale factor = 255/17 = 15. Therefore second quantity = 3×15 = 45.

id=90879 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 10? | option_a=6 | option_b=10 | option_c=2 | option_d=4 | answer=B | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 10 is the odd one out.

id=90880 | topic=Percentages | difficulty=Easy | question=What is 10% of 1185? | option_a=118 | option_b=98 | option_c=128 | option_d=236 | answer=A | explanation=10% of 1185 = (10/100) × 1185 = 118.

id=90881 | topic=Percentages | difficulty=Easy | question=What is 40% of 327? | option_a=260 | option_b=130 | option_c=140 | option_d=110 | answer=B | explanation=40% of 327 = (40/100) × 327 = 130.

id=90882 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39488 at 10% per annum for 1 years. | option_a=3848 | option_b=43436 | option_c=3948 | option_d=4048 | answer=C | explanation=SI = PRT/100 = 39488×10×1/100 = **■**3948.

id=90883 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 50? | option_a=39 | option_b=19 | option_c=29 | option_d=50 | answer=D | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 50 is the odd one out.

id=90884 | topic=Percentages | difficulty=Easy | question=What is 25% of 628? | option_a=147 | option_b=177 | option_c=314 | option_d=157 | answer=D | explanation=25% of 628 = (25/100) × 628 = 157.

id=90885 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6567 at 6% per annum for 3 years. | option_a=7749 | option_b=1082 | option_c=1182 | option_d=1282 | answer=C | explanation=SI = PRT/100 = 6567×6×3/100 = **■**1182.

id=90886 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 18. | option_a=252 | option_b=504 | option_c=234 | option_d=280 | answer=A | explanation=LCM × HCF = 28×18; HCF(28,18) = 2, so LCM = 252.

id=90887 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1286. If it is sold at a profit of 30%, what is its selling price? | option_a=1671 | option_b=1316 | option_c=1543 | option_d=1799 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1286 × 130/100 = **■**1671.

id=90888 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=7 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=90889 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=Q | option_b=M | option_c=E | option_d=I | answer=B | explanation=Move 4 positions forward from I; the resulting letter is M.

id=90890 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 7. | option_a=28 | option_b=14 | option_c=7 | option_d=98 | answer=B | explanation=LCM × HCF = 14×7; HCF(14,7) = 7, so LCM = 14.

id=90891 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=59 | option_b=69 | option_c=58 | option_d=47 | answer=C | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.

id=90892 | topic=Percentages | difficulty=Easy | question=What is 30% of 678? | option_a=183 | option_b=223 | option_c=203 | option_d=406 | answer=C | explanation=30% of 678 = (30/100) × 678 = 203.

id=90893 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=95 | option_c=90 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=90894 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:16 and the first is 228, what is the second? | option_a=304 | option_b=532 | option_c=316 | option_d=288 | answer=A | explanation=Scale factor = 228/12 = 19. Therefore second quantity = 16×19 = 304.

id=90895 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 27, 32, 40? | option_a=27 | option_b=22 | option_c=40 | option_d=32 | answer=C | explanation=The first three numbers increase by 5, so the next should be 37. Therefore 40 is the odd one out.

id=90896 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1033 at 15% per annum for 4 years. | option_a=619 | option_b=1652 | option_c=519 | option_d=719 | answer=A | explanation=SI = PRT/100 = 1033×15×4/100 = **■**619.

id=90897 | topic=Percentages | difficulty=Easy | question=What is 5% of 483? | option_a=24 | option_b=19 | option_c=34 | option_d=48 | answer=A | explanation=5% of 483 = (5/100) × 483 = 24.

id=90898 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:3 and the first is 143, what is the second? | option_a=182 | option_b=36 | option_c=39 | option_d=50 | answer=C | explanation=Scale factor = 143/11 = 13. Therefore second quantity = 3×13 = 39.

id=90899 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45635 at 6% per annum for 1 years. | option_a=48373 | option_b=2638 | option_c=2738 | option_d=2838 | answer=C | explanation=SI = PRT/100 = 45635×6×1/100 = **■**2738.

id=90900 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18660 at 10% per annum for 5 years. | option_a=27990 | option_b=9330 | option_c=9430 | option_d=9230 | answer=B | explanation=SI = PRT/100 = 18660×10×5/100 = **■**9330.

Aptitude Questions — Records 90,901-90,930 of 100,000

id=90901 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=125 | option_d=240 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=90902 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=29 | option_b=37 | option_c=33 | option_d=34 | answer=C | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=90903 | topic=Averages | difficulty=Easy | question=Find the average of 85, 72, 72, 38, 36, 63. | option_a=63 | option_b=61 | option_c=60 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 366 ÷ 6 = 61.

id=90904 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**25993 at 15% per annum for 2 years. | option_a=7697 | option_b=7797 | option_c=33790 | option_d=7897 | answer=B | explanation=SI = PRT/100 = 25993×15×2/100 = **₹**7797.

id=90905 | topic=Percentages | difficulty=Easy | question=What is 25% of 580? | option_a=145 | option_b=290 | option_c=140 | option_d=165 | answer=A | explanation=25% of 580 = (25/100) × 580 = 145.

id=90906 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:12 and the first is 165, what is the second? | option_a=168 | option_b=191 | option_c=345 | option_d=180 | answer=D | explanation=Scale factor = 165/11 = 15. Therefore second quantity = 12×15 = 180.

id=90907 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**15417 at 12% per annum for 5 years. | option_a=9350 | option_b=9250 | option_c=9150 | option_d=24667 | answer=B | explanation=SI = PRT/100 = 15417×12×5/100 = **₹**9250.

id=90908 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=90909 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**3942 at 6% per annum for 4 years. | option_a=846 | option_b=4888 | option_c=1046 | option_d=946 | answer=D | explanation=SI = PRT/100 = 3942×6×4/100 = **₹**946.

id=90910 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2398. If it is sold at a profit of 20%, what is its selling price? | option_a=2877 | option_b=2638 | option_c=3116 | option_d=2418 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2398 × 120/100 = **₹**2877.

id=90911 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3593. If it is sold at a profit of 30%, what is its selling price? | option_a=4670 | option_b=3623 | option_c=5029 | option_d=4311 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3593 × 130/100 = **₹**4670.

id=90912 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=41 | option_b=59 | option_c=51 | option_d=50 | answer=D | explanation=The common difference is 9. Therefore the next term is 41 + 9 = 50.

id=90913 | topic=Averages | difficulty=Easy | question=Find the average of 55, 59, 78. | option_a=65 | option_b=64 | option_c=66 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 192 ÷ 3 = 64.

id=90914 | topic=Percentages | difficulty=Easy | question=What is 12% of 54? | option_a=12 | option_b=11 | option_c=6 | option_d=0 | answer=C | explanation=12% of 54 = (12/100) × 54 = 6.

id=90915 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=90916 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:11 and the first is 75, what is the second? | option_a=130 | option_b=55 | option_c=44 | option_d=70 | answer=B | explanation=Scale factor = 75/15 = 5. Therefore second quantity = 11×5 = 55.

id=90917 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=240 | option_c=115 | option_d=125 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=90918 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=31 | option_b=33 | option_c=27 | option_d=30 | answer=D | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.

id=90919 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**13944 at 10% per annum for 3 years. | option_a=4183 | option_b=18127 | option_c=4083 | option_d=4283 | answer=A | explanation=SI = PRT/100 = 13944×10×3/100 = **₹**4183.

id=90920 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3086. If it is sold at a profit of 15%, what is its selling price? | option_a=3856 | option_b=3240 | option_c=3101 | option_d=3548 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3086 × 115/100 = **₹**3548.

id=90921 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=45 | option_c=35 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=90922 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=S | option_c=U | option_d=Y | answer=A | explanation=Move 2 positions forward from U; the resulting letter is W.

id=90923 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=90924 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=50 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=90925 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=155 | option_c=145 | option_d=300 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=90926 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=H | option_b=L | option_c=J | option_d=N | answer=B | explanation=Move 2 positions forward from J; the resulting letter is L.

id=90927 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 28, 33, 40? | option_a=40 | option_b=28 | option_c=23 | option_d=33 | answer=A | explanation=The first three numbers increase by 5, so the next should be 38. Therefore 40 is the odd one out.

id=90928 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 17, 27, 40? | option_a=27 | option_b=7 | option_c=17 | option_d=40 | answer=D | explanation=The first three numbers increase by 10, so the next should be 37. Therefore 40 is the odd one out.

id=90929 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 25? | option_a=17 | option_b=25 | option_c=5 | option_d=11 | answer=B | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 25 is the odd one out.

id=90930 | topic=Percentages | difficulty=Easy | question=What is 12% of 273? | option_a=64 | option_b=27 | option_c=32 | option_d=37 | answer=C | explanation=12% of 273 = (12/100) × 273 = 32.

Aptitude Questions — Records 90,931-90,960 of 100,000

id=90931 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 198, what is the second? | option_a=288 | option_b=299 | option_c=272 | option_d=486 | answer=A | explanation=Scale factor = $198/11 = 18$. Therefore second quantity = $16 \times 18 = 288$.

id=90932 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=31 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=The common difference is 5. Therefore the next term is $25 + 5 = 30$.

id=90933 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3093. If it is sold at a profit of 10%, what is its selling price? | option_a=3093 | option_b=3711 | option_c=3103 | option_d=3402 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 3093 \times 110/100 = \text{█}3402$.

id=90934 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2890. If it is sold at a profit of 15%, what is its selling price? | option_a=3323 | option_b=3612 | option_c=2905 | option_d=3034 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2890 \times 115/100 = \text{█}3323$.

id=90935 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=90936 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43111 at 4% per annum for 4 years. | option_a=6897 | option_b=50008 | option_c=6997 | option_d=6797 | answer=A | explanation=SI = $PRT/100 = 43111 \times 4 \times 4/100 = \text{█}6897$.

id=90937 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=X | option_b=R | option_c=A | option_d=U | answer=A | explanation=Move 3 positions forward from U; the resulting letter is X.

id=90938 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:18 and the first is 169, what is the second? | option_a=216 | option_b=247 | option_c=234 | option_d=403 | answer=C | explanation=Scale factor = $169/13 = 13$. Therefore second quantity = $18 \times 13 = 234$.

id=90939 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=90940 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=90941 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:2 and the first is 208, what is the second? | option_a=24 | option_b=26 | option_c=234 | option_d=42 | answer=B | explanation=Scale factor = $208/16 = 13$. Therefore second quantity = $2 \times 13 = 26$.

id=90942 | topic=Percentages | difficulty=Easy | question=What is 15% of 1589? | option_a=476 | option_b=248 | option_c=228 | option_d=238 | answer=D | explanation=15% of 1589 = $(15/100) \times 1589 = 238$.

id=90943 | topic=Percentages | difficulty=Easy | question=What is 12% of 1587? | option_a=185 | option_b=200 | option_c=190 | option_d=380 | answer=C | explanation=12% of 1587 = $(12/100) \times 1587 = 190$.

id=90944 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=17 | option_c=24 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = $120 \div 10 = 12$ km/h.

id=90945 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3096. If it is sold at a profit of 50%, what is its selling price? | option_a=4953 | option_b=3146 | option_c=4644 | option_d=4335 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 3096 \times 150/100 = \text{█}4644$.

id=90946 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 28, 36, 44, ? | option_a=44 | option_b=53 | option_c=60 | option_d=52 | answer=D | explanation=The common difference is 8. Therefore the next term is $44 + 8 = 52$.

id=90947 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 51? | option_a=40 | option_b=20 | option_c=30 | option_d=51 | answer=D | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 51 is the odd one out.

id=90948 | topic=Percentages | difficulty=Easy | question=What is 12% of 647? | option_a=154 | option_b=77 | option_c=67 | option_d=97 | answer=B | explanation=12% of 647 = $(12/100) \times 647 = 77$.

id=90949 | topic=Averages | difficulty=Easy | question=Find the average of 94, 76, 90, 70, 65. | option_a=79 | option_b=80 | option_c=78 | option_d=81 | answer=A | explanation=Average = sum of values ÷ number of values = $395 \div 5 = 79$.

id=90950 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 15. | option_a=45 | option_b=1 | option_c=18 | option_d=15 | answer=D | explanation=LCM $\times$ HCF = 3×15 ; HCF(3,15) = 3, so LCM = 15.

id=90951 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:11 and the first is 27, what is the second? | option_a=22 | option_b=42 | option_c=33 | option_d=60 | answer=C | explanation=Scale factor = $27/9 = 3$. Therefore second quantity = $11 \times 3 = 33$.

id=90952 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=36 | option_c=18 | option_d=23 | answer=C | explanation=Speed = distance ÷ time = $180 \div 10 = 18$ km/h.

id=90953 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4932. If it is sold at a profit of 10%, what is its selling price? | option_a=4942 | option_b=5918 | option_c=4932 | option_d=5425 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 4932 \times 110/100 = \text{█}5425$.

id=90954 | topic=Averages | difficulty=Easy | question=Find the average of 64, 27, 11, 42. | option_a=36 | option_b=35 | option_c=38 | option_d=37 | answer=A | explanation=Average = sum of values ÷ number of values = $144 \div 4 = 36$.

id=90955 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=D | option_b=O | option_c=Y | option_d=T | answer=C | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=90956 | topic=Averages | difficulty=Easy | question=Find the average of 60, 83, 56, 28, 96, 51, 87, 43. | option_a=63 | option_b=64 | option_c=65 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = $504 \div 8 = 63$.

id=90957 | topic=Percentages | difficulty=Easy | question=What is 12% of 1702? | option_a=408 | option_b=209 | option_c=199 | option_d=204 | answer=D | explanation=12% of 1702 = $(12/100) \times 1702 = 204$.

id=90958 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=44 | option_b=52 | option_c=43 | option_d=34 | answer=C | explanation=The common difference is 9. Therefore the next term is $34 + 9 = 43$.

id=90959 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 13, 18, 23, ? | option_a=28 | option_b=23 | option_c=33 | option_d=29 | answer=A | explanation=The common difference is 5. Therefore the next term is $23 + 5 = 28$.

id=90960 | topic=Percentages | difficulty=Easy | question=What is 25% of 1106? | option_a=552 | option_b=281 | option_c=276 | option_d=256 | answer=C | explanation=25% of 1106 = $(25/100) \times 1106 = 276$.

Aptitude Questions — Records 90,961-90,990 of 100,000

id=90961 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:11 and the first is 78, what is the second? | option_a=149 | option_b=143 | option_c=132 | option_d=221 | answer=B | explanation=Scale factor = $78/6 = 13$. Therefore second quantity = $11 \times 13 = 143$.

id=90962 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=J | option_b=G | option_c=D | option_d=M | answer=A | explanation=Move 3 positions forward from G; the resulting letter is J.

id=90963 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $120 \div 4 = 30$ km/h.

id=90964 | topic=Profit & Loss | difficulty=Easy | question=An article costs █448. If it is sold at a profit of 10%, what is its selling price? | option_a=536 | option_b=458 | option_c=492 | option_d=448 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 448 \times 110/100 = \text{█}492$.

id=90965 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:8 and the first is 132, what is the second? | option_a=80 | option_b=220 | option_c=88 | option_d=100 | answer=C | explanation=Scale factor = $132/12 = 11$. Therefore second quantity = $8 \times 11 = 88$.

id=90966 | topic=Percentages | difficulty=Easy | question=What is 50% of 619? | option_a=304 | option_b=618 | option_c=309 | option_d=314 | answer=C | explanation=50% of 619 = $(50/100) \times 619 = 309$.

id=90967 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2520. If it is sold at a profit of 10%, what is its selling price? | option_a=2772 | option_b=2520 | option_c=3024 | option_d=2530 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2520 \times 110/100 = \text{█}2772$.

id=90968 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39251 at 15% per annum for 3 years. | option_a=17762 | option_b=56913 | option_c=17662 | option_d=17562 | answer=C | explanation=SI = $PRT/100 = 39251 \times 15 \times 3/100 = \text{█}17662$.

id=90969 | topic=Percentages | difficulty=Easy | question=What is 25% of 1177? | option_a=294 | option_b=304 | option_c=289 | option_d=588 | answer=A | explanation=25% of 1177 = $(25/100) \times 1177 = 294$.

id=90970 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=75 | option_c=85 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = $240 \div 3 = 80$ km/h.

id=90971 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=H | option_c=L | option_d=F | answer=A | explanation=Move 2 positions forward from H; the resulting letter is J.

id=90972 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=54 | option_b=53 | option_c=62 | option_d=44 | answer=B | explanation=The common difference is 9. Therefore the next term is $44 + 9 = 53$.

id=90973 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=90974 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=160 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = $240 \div 3 = 80$ km/h.

id=90975 | topic=Profit & Loss | difficulty=Easy | question=An article costs █629. If it is sold at a profit of 10%, what is its selling price? | option_a=639 | option_b=691 | option_c=753 | option_d=629 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 629 \times 110/100 = \text{█}691$.

id=90976 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3842. If it is sold at a profit of 20%, what is its selling price? | option_a=4994 | option_b=3862 | option_c=4610 | option_d=4226 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 3842 \times 120/100 = \text{█}4610$.

id=90977 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 18, 27, 38? | option_a=27 | option_b=18 | option_c=38 | option_d=9 | answer=C | explanation=The first three numbers increase by 9, so the next should be 36. Therefore 38 is the odd one out.

id=90978 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=6 | option_d=20 | answer=B | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=90979 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=90980 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=360 | option_b=175 | option_c=180 | option_d=185 | answer=C | explanation=Speed = distance ÷ time = $360 \div 2 = 180$ km/h.

id=90981 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=50 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = $90 \div 2 = 45$ km/h.

id=90982 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=18 | option_b=12 | option_c=15 | option_d=16 | answer=C | explanation=The common difference is 3. Therefore the next term is $12 + 3 = 15$.

id=90983 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 13. | option_a=26 | option_b=338 | option_c=52 | option_d=13 | answer=A | explanation= $LCM \times HCF = 26 \times 13$; $HCF(26,13) = 13$, so $LCM = 26$.

id=90984 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=17 | option_c=7 | option_d=24 | answer=A | explanation=Speed = distance ÷ time = $60 \div 5 = 12$ km/h.

id=90985 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33955 at 15% per annum for 5 years. | option_a=59421 | option_b=25566 | option_c=25466 | option_d=25366 | answer=C | explanation=SI = $PRT/100 = 33955 \times 15 \times 5/100 = \text{█}25466$.

id=90986 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=N | option_b=P | option_c=T | option_d=R | answer=D | explanation=Move 2 positions forward from P; the resulting letter is R.

id=90987 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=90988 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=90989 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:16 and the first is 36, what is the second? | option_a=48 | option_b=32 | option_c=60 | option_d=84 | answer=A | explanation=Scale factor = $36/12 = 3$. Therefore second quantity = $16 \times 3 = 48$.

id=90990 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 40? | option_a=14 | option_b=22 | option_c=30 | option_d=40 | answer=D | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 40 is the odd one out.

Aptitude Questions — Records 90,991-91,020 of 100,000

id=90991 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=90992 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48374 at 12% per annum for 3 years. | option_a=17414 | option_b=17314 | option_c=65788 | option_d=17514 | answer=A | explanation=SI = $PRT/100 = 48374 \times 12 \times 3/100 = \text{■}17414$.

id=90993 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=4 | option_d=6 | answer=A | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=90994 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4072. If it is sold at a profit of 30%, what is its selling price? | option_a=5700 | option_b=4886 | option_c=4102 | option_d=5293 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4072 \times 130/100 = \text{■}5293$.

id=90995 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 20, 26, 35? | option_a=35 | option_b=26 | option_c=20 | option_d=14 | answer=A | explanation=The first three numbers increase by 6, so the next should be 32. Therefore 35 is the odd one out.

id=90996 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:18 and the first is 48, what is the second? | option_a=291 | option_b=336 | option_c=270 | option_d=288 | answer=D | explanation=Scale factor = $48/3 = 16$. Therefore second quantity = $18 \times 16 = 288$.

id=90997 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=36 | option_c=72 | option_d=31 | answer=B | explanation=Speed = distance ÷ time = $180 \div 5 = 36$ km/h.

id=90998 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 46? | option_a=31 | option_b=24 | option_c=38 | option_d=46 | answer=D | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 46 is the odd one out.

id=90999 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=V | option_b=S | option_c=M | option_d=P | answer=B | explanation=Move 3 positions forward from P; the resulting letter is S.

id=91000 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 27, 39, 51, ? | option_a=64 | option_b=63 | option_c=51 | option_d=75 | answer=B | explanation=The common difference is 12. Therefore the next term is $51 + 12 = 63$.

id=91001 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34255 at 12% per annum for 2 years. | option_a=8321 | option_b=42476 | option_c=8221 | option_d=8121 | answer=C | explanation=SI = $PRT/100 = 34255 \times 12 \times 2/100 = \text{■}8221$.

id=91002 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**152. If it is sold at a profit of 10%, what is its selling price? | option_a=152 | option_b=167 | option_c=182 | option_d=162 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 152 \times 110/100 = \text{■}167$.

id=91003 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=18 | option_d=13 | answer=C | explanation=Speed = distance ÷ time = $180 \div 10 = 18$ km/h.

id=91004 | topic=Averages | difficulty=Easy | question=Find the average of 70, 83, 86, 77, 79. | option_a=79 | option_b=80 | option_c=81 | option_d=78 | answer=A | explanation=Average = sum of values ÷ number of values = $395 \div 5 = 79$.

id=91005 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=150 | option_c=70 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = $300 \div 4 = 75$ km/h.

id=91006 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=120 | option_c=240 | option_d=115 | answer=B | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.

id=91007 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15354 at 5% per annum for 3 years. | option_a=2303 | option_b=2403 | option_c=17657 | option_d=2203 | answer=A | explanation=SI = $PRT/100 = 15354 \times 5 \times 3/100 = \text{■}2303$.

id=91008 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=K | option_c=E | option_d=N | answer=B | explanation=Move 3 positions forward from H; the resulting letter is K.

id=91009 | topic=Percentages | difficulty=Easy | question=What is 5% of 259? | option_a=12 | option_b=17 | option_c=0 | option_d=24 | answer=A | explanation=5% of 259 = $(5/100) \times 259 = 12$.

id=91010 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 23, 25, 28? | option_a=21 | option_b=23 | option_c=28 | option_d=25 | answer=C | explanation=The first three numbers increase by 2, so the next should be 27. Therefore 28 is the odd one out.

id=91011 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11146 at 15% per annum for 4 years. | option_a=6787 | option_b=6587 | option_c=6687 | option_d=17833 | answer=C | explanation=SI = $PRT/100 = 11146 \times 15 \times 4/100 = \text{■}6687$.

id=91012 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24487 at 12% per annum for 2 years. | option_a=5776 | option_b=5976 | option_c=30363 | option_d=5876 | answer=D | explanation=SI = $PRT/100 = 24487 \times 12 \times 2/100 = \text{■}5876$.

id=91013 | topic=Percentages | difficulty=Easy | question=What is 15% of 1629? | option_a=244 | option_b=488 | option_c=249 | option_d=234 | answer=A | explanation=15% of 1629 = $(15/100) \times 1629 = 244$.

id=91014 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=16 | option_d=3 | answer=A | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=91015 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=F | option_b=L | option_c=O | option_d=I | answer=B | explanation=Move 3 positions forward from I; the resulting letter is L.

id=91016 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=95 | option_c=90 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = $360 \div 4 = 90$ km/h.

id=91017 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:18 and the first is 80, what is the second? | option_a=72 | option_b=152 | option_c=54 | option_d=92 | answer=A | explanation=Scale factor = $80/20 = 4$. Therefore second quantity = $18 \times 4 = 72$.

id=91018 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=39 | option_b=45 | option_c=40 | option_d=33 | answer=A | explanation=The common difference is 6. Therefore the next term is $33 + 6 = 39$.

id=91019 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:2 and the first is 108, what is the second? | option_a=10 | option_b=12 | option_c=120 | option_d=30 | answer=B | explanation=Scale factor = $108/18 = 6$. Therefore second quantity = $2 \times 6 = 12$.

id=91020 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = $90 \div 3 = 30$ km/h.

Aptitude Questions — Records 91,021-91,050 of 100,000

id=91021 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=91022 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:3 and the first is 52, what is the second? | option_a=12 | option_b=64 | option_c=25 | option_d=9 | answer=A | explanation=Scale factor = 52/13 = 4. Therefore second quantity = 3×4 = 12.

id=91023 | topic=Percentages | difficulty=Easy | question=What is 10% of 1449? | option_a=134 | option_b=154 | option_c=144 | option_d=288 | answer=C | explanation=10% of 1449 = (10/100) × 1449 = 144.

id=91024 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=91025 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=54 | option_b=66 | option_c=78 | option_d=67 | answer=B | explanation=The common difference is 12. Therefore the next term is 54 + 12 = 66.

id=91026 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 9, 16, 26? | option_a=16 | option_b=26 | option_c=2 | option_d=9 | answer=B | explanation=The first three numbers increase by 7, so the next should be 23. Therefore 26 is the odd one out.

id=91027 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 16. | option_a=224 | option_b=96 | option_c=112 | option_d=126 | answer=C | explanation=LCM × HCF = 14×16; HCF(14,16) = 2, so LCM = 112.

id=91028 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=72 | option_c=31 | option_d=41 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=91029 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 21, 23, 27? | option_a=19 | option_b=27 | option_c=21 | option_d=23 | answer=B | explanation=The first three numbers increase by 2, so the next should be 25. Therefore 27 is the odd one out.

id=91030 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2099. If it is sold at a profit of 5%, what is its selling price? | option_a=1994 | option_b=2412 | option_c=2203 | option_d=2104 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2099 × 105/100 = ₹2203.

id=91031 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 35, 44, 55? | option_a=35 | option_b=44 | option_c=55 | option_d=26 | answer=C | explanation=The first three numbers increase by 9, so the next should be 53. Therefore 55 is the odd one out.

id=91032 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=G | option_b=I | option_c=K | option_d=M | answer=C | explanation=Move 2 positions forward from I; the resulting letter is K.

id=91033 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=11 | option_b=9 | option_c=13 | option_d=12 | answer=A | explanation=The common difference is 2. Therefore the next term is 9 + 2 = 11.

id=91034 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=22 | option_b=25 | option_c=24 | option_d=26 | answer=C | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.

id=91035 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=T | option_c=U | option_d=S | answer=C | explanation=Move 1 positions forward from T; the resulting letter is U.

id=91036 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 48? | option_a=40 | option_b=48 | option_c=28 | option_d=34 | answer=B | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 48 is the odd one out.

id=91037 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=91038 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=26 | option_b=34 | option_c=42 | option_d=35 | answer=B | explanation=The common difference is 8. Therefore the next term is 26 + 8 = 34.

id=91039 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=91040 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=91041 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 11? | option_a=11 | option_b=6 | option_c=2 | option_d=4 | answer=A | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 11 is the odd one out.

id=91042 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=D | option_b=I | option_c=S | option_d=N | answer=D | explanation=Move 5 positions forward from I; the resulting letter is N.

id=91043 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=E | option_b=K | option_c=I | option_d=G | answer=C | explanation=Move 2 positions forward from G; the resulting letter is I.

id=91044 | topic=Percentages | difficulty=Easy | question=What is 5% of 1824? | option_a=71 | option_b=91 | option_c=111 | option_d=182 | answer=B | explanation=5% of 1824 = (5/100) × 1824 = 91.

id=91045 | topic=Percentages | difficulty=Easy | question=What is 25% of 202? | option_a=50 | option_b=100 | option_c=55 | option_d=30 | answer=A | explanation=25% of 202 = (25/100) × 202 = 50.

id=91046 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 29? | option_a=4 | option_b=29 | option_c=12 | option_d=20 | answer=B | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 29 is the odd one out.

id=91047 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:14 and the first is 216, what is the second? | option_a=238 | option_b=264 | option_c=252 | option_d=468 | answer=C | explanation=Scale factor = 216/12 = 18. Therefore second quantity = 14×18 = 252.

id=91048 | topic=Averages | difficulty=Easy | question=Find the average of 98, 20, 41. | option_a=55 | option_b=54 | option_c=53 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 159 ÷ 3 = 53.

id=91049 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=12 | option_b=7 | option_c=17 | option_d=24 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=91050 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 18, 22, 27? | option_a=14 | option_b=22 | option_c=27 | option_d=18 | answer=C | explanation=The first three numbers increase by 4, so the next should be 26. Therefore 27 is the odd one out.

Aptitude Questions — Records 91,051-91,080 of 100,000

id=91051 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=O | option_b=U | option_c=X | option_d=R | answer=B | explanation=Move 3 positions forward from R; the resulting letter is U.

id=91052 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=S | option_b=T | option_c=U | option_d=V | answer=C | explanation=Move 1 positions forward from T; the resulting letter is U.

id=91053 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 32? | option_a=27 | option_b=32 | option_c=25 | option_d=29 | answer=B | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 32 is the odd one out.

id=91054 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 19, 29, 41? | option_a=29 | option_b=19 | option_c=41 | option_d=9 | answer=C | explanation=The first three numbers increase by 10, so the next should be 39. Therefore 41 is the odd one out.

id=91055 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32253 at 8% per annum for 4 years. | option_a=10220 | option_b=42573 | option_c=10420 | option_d=10320 | answer=D | explanation=SI = $PRT/100 = 32253 \times 8 \times 4 / 100 = \blacksquare 10320$.

id=91056 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6905 at 10% per annum for 4 years. | option_a=9667 | option_b=2662 | option_c=2862 | option_d=2762 | answer=D | explanation=SI = $PRT/100 = 6905 \times 10 \times 4 / 100 = \blacksquare 2762$.

id=91057 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 35? | option_a=17 | option_b=22 | option_c=27 | option_d=35 | answer=D | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 35 is the odd one out.

id=91058 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:17 and the first is 112, what is the second? | option_a=246 | option_b=350 | option_c=221 | option_d=238 | answer=D | explanation=Scale factor = $112/8 = 14$. Therefore second quantity = $17 \times 14 = 238$.

id=91059 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=91060 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:13 and the first is 216, what is the second? | option_a=372 | option_b=143 | option_c=156 | option_d=174 | answer=C | explanation=Scale factor = $216/18 = 12$. Therefore second quantity = $13 \times 12 = 156$.

id=91061 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 51? | option_a=42 | option_b=30 | option_c=36 | option_d=51 | answer=D | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 51 is the odd one out.

id=91062 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:9 and the first is 30, what is the second? | option_a=165 | option_b=137 | option_c=126 | option_d=135 | answer=D | explanation=Scale factor = $30/2 = 15$. Therefore second quantity = $9 \times 15 = 135$.

id=91063 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=S | option_b=N | option_c=I | option_d=D | answer=B | explanation=Move 5 positions forward from I; the resulting letter is N.

id=91064 | topic=Averages | difficulty=Easy | question=Find the average of 89, 66, 86, 84, 74, 32, 35, 52, 55, 37. | option_a=61 | option_b=60 | option_c=63 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = $610 \div 10 = 61$.

id=91065 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31406 at 10% per annum for 4 years. | option_a=12662 | option_b=12562 | option_c=43968 | option_d=12462 | answer=B | explanation=SI = $PRT/100 = 31406 \times 10 \times 4 / 100 = \blacksquare 12562$.

id=91066 | topic=Percentages | difficulty=Easy | question=What is 25% of 124? | option_a=21 | option_b=51 | option_c=31 | option_d=62 | answer=C | explanation=25% of 124 = $(25/100) \times 124 = 31$.

id=91067 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=K | option_c=T | option_d=Q | answer=D | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=91068 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=F | option_c=G | option_d=E | answer=C | explanation=Move 1 positions forward from F; the resulting letter is G.

id=91069 | topic=Averages | difficulty=Easy | question=Find the average of 24, 100, 17. | option_a=46 | option_b=47 | option_c=49 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = $141 \div 3 = 47$.

id=91070 | topic=Averages | difficulty=Easy | question=Find the average of 84, 37, 73, 88, 34, 14. | option_a=55 | option_b=54 | option_c=57 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = $330 \div 6 = 55$.

id=91071 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:1 and the first is 120, what is the second? | option_a=140 | option_b=19 | option_c=26 | option_d=20 | answer=D | explanation=Scale factor = $120/6 = 20$. Therefore second quantity = $1 \times 20 = 20$.

id=91072 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=36 | option_b=40 | option_c=35 | option_d=30 | answer=C | explanation=The common difference is 5. Therefore the next term is $30 + 5 = 35$.

id=91073 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=15 | option_b=14 | option_c=16 | option_d=12 | answer=B | explanation=The common difference is 2. Therefore the next term is $12 + 2 = 14$.

id=91074 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 6. | option_a=42 | option_b=48 | option_c=64 | option_d=96 | answer=B | explanation= $LCM \times HCF = 16 \times 6$; $HCF(16,6) = 2$, so $LCM = 48$.

id=91075 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=95 | option_c=90 | option_d=180 | answer=C | explanation=Speed = distance ÷ time = $180 \div 2 = 90$ km/h.

id=91076 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=13 | option_c=36 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = $180 \div 10 = 18$ km/h.

id=91077 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 30. | option_a=60 | option_b=120 | option_c=30 | option_d=64 | answer=A | explanation= $LCM \times HCF = 4 \times 30$; $HCF(4,30) = 2$, so $LCM = 60$.

id=91078 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=91079 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=U | option_b=Z | option_c=K | option_d=P | answer=A | explanation=Move 5 positions forward from P; the resulting letter is U.

id=91080 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2328. If it is sold at a profit of 5%, what is its selling price? | option_a=2444 | option_b=2212 | option_c=2676 | option_d=2333 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2328 \times 105 / 100 = \blacksquare 2444$.

Aptitude Questions — Records 91,081-91,110 of 100,000

id=91081 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=Q | option_c=C | option_d=Y | answer=D | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=91082 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=25 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=91083 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=I | option_b=C | option_c=F | option_d=Z | answer=C | explanation=Move 3 positions forward from C; the resulting letter is F.

id=91084 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 28. | option_a=504 | option_b=270 | option_c=224 | option_d=252 | answer=D | explanation=LCM × HCF = 18×28; HCF(18,28) = 2, so LCM = 252.

id=91085 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=6 | option_c=12 | option_d=11 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=91086 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 18. | option_a=324 | option_b=18 | option_c=1 | option_d=36 | answer=B | explanation=LCM × HCF = 18×18; HCF(18,18) = 18, so LCM = 18.

id=91087 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=M | option_c=Q | option_d=S | answer=C | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=91088 | topic=Averages | difficulty=Easy | question=Find the average of 34, 12, 33, 13, 28, 66, 59. | option_a=35 | option_b=36 | option_c=34 | option_d=37 | answer=A | explanation=Average = sum of values ÷ number of values = 245 ÷ 7 = 35.

id=91089 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=26 | option_b=18 | option_c=22 | option_d=23 | answer=C | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

id=91090 | topic=Averages | difficulty=Easy | question=Find the average of 57, 45, 62, 73, 10, 18, 44, 91, 16, 24. | option_a=45 | option_b=44 | option_c=43 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 440 ÷ 10 = 44.

id=91091 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13711 at 4% per annum for 2 years. | option_a=1096 | option_b=996 | option_c=14807 | option_d=1196 | answer=A | explanation=SI = PRT/100 = 13711×4×2/100 = **■**1096.

id=91092 | topic=Percentages | difficulty=Easy | question=What is 10% of 1412? | option_a=121 | option_b=282 | option_c=146 | option_d=141 | answer=D | explanation=10% of 1412 = (10/100) × 1412 = 141.

id=91093 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=33 | option_b=37 | option_c=32 | option_d=27 | answer=C | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

id=91094 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:20 and the first is 224, what is the second? | option_a=504 | option_b=260 | option_c=280 | option_d=296 | answer=C | explanation=Scale factor = 224/16 = 14. Therefore second quantity = 20×14 = 280.

id=91095 | topic=Percentages | difficulty=Easy | question=What is 15% of 1060? | option_a=159 | option_b=179 | option_c=318 | option_d=149 | answer=A | explanation=15% of 1060 = (15/100) × 1060 = 159.

id=91096 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=54 | option_b=64 | option_c=55 | option_d=44 | answer=A | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=91097 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 18. | option_a=54 | option_b=144 | option_c=80 | option_d=72 | answer=D | explanation=LCM × HCF = 8×18; HCF(8,18) = 2, so LCM = 72.

id=91098 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 53? | option_a=53 | option_b=20 | option_c=40 | option_d=30 | answer=A | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 53 is the odd one out.

id=91099 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:10 and the first is 220, what is the second? | option_a=200 | option_b=420 | option_c=190 | option_d=211 | answer=A | explanation=Scale factor = 220/11 = 20. Therefore second quantity = 10×20 = 200.

id=91100 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:4 and the first is 33, what is the second? | option_a=23 | option_b=45 | option_c=8 | option_d=12 | answer=D | explanation=Scale factor = 33/11 = 3. Therefore second quantity = 4×3 = 12.

id=91101 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=30 | option_b=24 | option_c=36 | option_d=31 | answer=A | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.

id=91102 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8995 at 6% per annum for 1 years. | option_a=9534 | option_b=439 | option_c=539 | option_d=639 | answer=C | explanation=SI = PRT/100 = 8995×6×1/100 = **■**539.

id=91103 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1917. If it is sold at a profit of 50%, what is its selling price? | option_a=3066 | option_b=1967 | option_c=2684 | option_d=2875 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1917 × 150/100 = **■**2875.

id=91104 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38767 at 5% per annum for 4 years. | option_a=7853 | option_b=7653 | option_c=7753 | option_d=46520 | answer=C | explanation=SI = PRT/100 = 38767×5×4/100 = **■**7753.

id=91105 | topic=Percentages | difficulty=Easy | question=What is 20% of 630? | option_a=126 | option_b=136 | option_c=252 | option_d=121 | answer=A | explanation=20% of 630 = (20/100) × 630 = 126.

id=91106 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 21, 28, 36? | option_a=28 | option_b=21 | option_c=14 | option_d=36 | answer=D | explanation=The first three numbers increase by 7, so the next should be 35. Therefore 36 is the odd one out.

id=91107 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=47 | option_b=38 | option_c=48 | option_d=56 | answer=A | explanation=The common difference is 9. Therefore the next term is 38 + 9 = 47.

id=91108 | topic=Percentages | difficulty=Easy | question=What is 10% of 553? | option_a=65 | option_b=110 | option_c=55 | option_d=50 | answer=C | explanation=10% of 553 = (10/100) × 553 = 55.

id=91109 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 15. | option_a=15 | option_b=450 | option_c=30 | option_d=60 | answer=C | explanation=LCM × HCF = 30×15; HCF(30,15) = 15, so LCM = 30.

id=91110 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2034. If it is sold at a profit of 30%, what is its selling price? | option_a=2847 | option_b=2441 | option_c=2064 | option_d=2644 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2034 × 130/100 = **■**2644.

Aptitude Questions — Records 91,111-91,140 of 100,000

id=91111 | topic=Averages | difficulty=Easy | question=Find the average of 47, 32, 31, 28, 94, 37, 25. | option_a=43 | option_b=44 | option_c=42 | option_d=41 | answer=C | explanation=Average = sum of values ÷ number of values = 294 ÷ 7 = 42.

id=91112 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=L | option_c=H | option_d=J | answer=B | explanation=Move 2 positions forward from J; the resulting letter is L.

id=91113 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:8 and the first is 80, what is the second? | option_a=32 | option_b=112 | option_c=52 | option_d=24 | answer=A | explanation=Scale factor = 80/20 = 4. Therefore second quantity = 8×4 = 32.

id=91114 | topic=Averages | difficulty=Easy | question=Find the average of 95, 81, 35, 44, 14, 37. | option_a=52 | option_b=53 | option_c=51 | option_d=50 | answer=C | explanation=Average = sum of values + number of values = 306 ÷ 6 = 51.

id=91115 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:11 and the first is 200, what is the second? | option_a=209 | option_b=230 | option_c=220 | option_d=420 | answer=C | explanation=Scale factor = 200/10 = 20. Therefore second quantity = 11×20 = 220.

id=91116 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■40388 at 8% per annum for 5 years. | option_a=16155 | option_b=16055 | option_c=16255 | option_d=56543 | answer=A | explanation=SI = PRT/100 = 40388×8×5/100 = ■16155.

id=91117 | topic=Percentages | difficulty=Easy | question=What is 40% of 1093? | option_a=457 | option_b=874 | option_c=417 | option_d=437 | answer=D | explanation=40% of 1093 = (40/100) × 1093 = 437.

id=91118 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=160 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=91119 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4739. If it is sold at a profit of 20%, what is its selling price? | option_a=5213 | option_b=6159 | option_c=4759 | option_d=5686 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4739 × 120/100 = ■5686.

id=91120 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 32, 35, 41? | option_a=29 | option_b=35 | option_c=32 | option_d=41 | answer=D | explanation=The first three numbers increase by 3, so the next should be 38. Therefore 41 is the odd one out.

id=91121 | topic=Percentages | difficulty=Easy | question=What is 15% of 1907? | option_a=306 | option_b=286 | option_c=572 | option_d=281 | answer=B | explanation=15% of 1907 = (15/100) × 1907 = 286.

id=91122 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:6 and the first is 15, what is the second? | option_a=30 | option_b=33 | option_c=45 | option_d=24 | answer=A | explanation=Scale factor = 15/3 = 5. Therefore second quantity = 6×5 = 30.

id=91123 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■42444 at 4% per annum for 4 years. | option_a=6791 | option_b=6891 | option_c=49235 | option_d=6691 | answer=A | explanation=SI = PRT/100 = 42444×4×4/100 = ■6791.

id=91124 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■35190 at 15% per annum for 1 years. | option_a=5278 | option_b=5378 | option_c=5178 | option_d=40468 | answer=A | explanation=SI = PRT/100 = 35190×15×1/100 = ■5278.

id=91125 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 39? | option_a=13 | option_b=39 | option_c=21 | option_d=29 | answer=B | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 39 is the odd one out.

id=91126 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 29, 38, 49? | option_a=29 | option_b=38 | option_c=49 | option_d=20 | answer=C | explanation=The first three numbers increase by 9, so the next should be 47. Therefore 49 is the odd one out.

id=91127 | topic=Percentages | difficulty=Easy | question=What is 50% of 1650? | option_a=1650 | option_b=830 | option_c=825 | option_d=805 | answer=C | explanation=50% of 1650 = (50/100) × 1650 = 825.

id=91128 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=P | option_b=T | option_c=V | option_d=R | answer=B | explanation=Move 2 positions forward from R; the resulting letter is T.

id=91129 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4637. If it is sold at a profit of 15%, what is its selling price? | option_a=4652 | option_b=4869 | option_c=5332 | option_d=5795 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4637 × 115/100 = ■5332.

id=91130 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=O | option_b=L | option_c=I | option_d=R | answer=A | explanation=Move 3 positions forward from L; the resulting letter is O.

id=91131 | topic=Averages | difficulty=Easy | question=Find the average of 97, 38, 48, 89, 70, 48. | option_a=67 | option_b=64 | option_c=66 | option_d=65 | answer=D | explanation=Average = sum of values + number of values = 390 ÷ 6 = 65.

id=91132 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=J | option_b=L | option_c=M | option_d=K | answer=B | explanation=Move 1 positions forward from K; the resulting letter is L.

id=91133 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=40 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=91134 | topic=Percentages | difficulty=Easy | question=What is 10% of 262? | option_a=26 | option_b=52 | option_c=36 | option_d=6 | answer=A | explanation=10% of 262 = (10/100) × 262 = 26.

id=91135 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=6 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=91136 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=W | option_c=Q | option_d=S | answer=A | explanation=Move 2 positions forward from S; the resulting letter is U.

id=91137 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:9 and the first is 200, what is the second? | option_a=380 | option_b=171 | option_c=190 | option_d=180 | answer=D | explanation=Scale factor = 200/10 = 20. Therefore second quantity = 9×20 = 180.

id=91138 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:6 and the first is 27, what is the second? | option_a=18 | option_b=12 | option_c=45 | option_d=27 | answer=A | explanation=Scale factor = 27/9 = 3. Therefore second quantity = 6×3 = 18.

id=91139 | topic=Percentages | difficulty=Easy | question=What is 30% of 268? | option_a=85 | option_b=160 | option_c=80 | option_d=70 | answer=C | explanation=30% of 268 = (30/100) × 268 = 80.

id=91140 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 91,141-91,170 of 100,000

id=91141 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:6 and the first is 270, what is the second? | option_a=123 | option_b=378 | option_c=108 | option_d=102 | answer=C | explanation=Scale factor = $270/15 = 18$. Therefore second quantity = $6 \times 18 = 108$.

id=91142 | topic=Percentages | difficulty=Easy | question=What is 50% of 1544? | option_a=1544 | option_b=782 | option_c=762 | option_d=772 | answer=D | explanation=50% of 1544 = $(50/100) \times 1544 = 772$.

id=91143 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=40 | option_c=15 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = $120 \div 6 = 20$ km/h.

id=91144 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=91145 | topic=Percentages | difficulty=Easy | question=What is 12% of 1038? | option_a=114 | option_b=248 | option_c=129 | option_d=124 | answer=D | explanation=12% of 1038 = $(12/100) \times 1038 = 124$.

id=91146 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=16 | option_b=12 | option_c=18 | option_d=15 | answer=D | explanation=The common difference is 3. Therefore the next term is $12 + 3 = 15$.

id=91147 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=91148 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2586. If it is sold at a profit of 10%, what is its selling price? | option_a=2596 | option_b=3102 | option_c=2844 | option_d=2586 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2586 \times 110/100 = \text{₹}2844$.

id=91149 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=6 | option_d=20 | answer=B | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=91150 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=R | option_b=L | option_c=O | option_d=U | answer=A | explanation=Move 3 positions forward from O; the resulting letter is R.

id=91151 | topic=Percentages | difficulty=Easy | question=What is 10% of 1848? | option_a=368 | option_b=179 | option_c=184 | option_d=189 | answer=C | explanation=10% of 1848 = $(10/100) \times 1848 = 184$.

id=91152 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 25, 27, 31? | option_a=23 | option_b=27 | option_c=31 | option_d=25 | answer=C | explanation=The first three numbers increase by 2, so the next should be 29. Therefore 31 is the odd one out.

id=91153 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=91154 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=91155 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=40 | option_d=90 | answer=B | explanation=Speed = distance ÷ time = $180 \div 4 = 45$ km/h.

id=91156 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**8323 at 12% per annum for 4 years. | option_a=12318 | option_b=3895 | option_c=4095 | option_d=3995 | answer=D | explanation=SI = $PRT/100 = 8323 \times 12 \times 4/100 = \text{₹}3995$.

id=91157 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:5 and the first is 90, what is the second? | option_a=30 | option_b=120 | option_c=45 | option_d=25 | answer=A | explanation=Scale factor = $90/15 = 6$. Therefore second quantity = $5 \times 6 = 30$.

id=91158 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 18. | option_a=252 | option_b=234 | option_c=280 | option_d=504 | answer=A | explanation=LCM $\times$ HCF = 28×18 ; $HCF(28,18) = 2$, so LCM = 252.

id=91159 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:11 and the first is 190, what is the second? | option_a=300 | option_b=129 | option_c=110 | option_d=99 | answer=C | explanation=Scale factor = $190/19 = 10$. Therefore second quantity = $11 \times 10 = 110$.

id=91160 | topic=Percentages | difficulty=Easy | question=What is 50% of 594? | option_a=277 | option_b=594 | option_c=297 | option_d=302 | answer=C | explanation=50% of 594 = $(50/100) \times 594 = 297$.

id=91161 | topic=Percentages | difficulty=Easy | question=What is 50% of 1023? | option_a=516 | option_b=511 | option_c=501 | option_d=1022 | answer=B | explanation=50% of 1023 = $(50/100) \times 1023 = 511$.

id=91162 | topic=Averages | difficulty=Easy | question=Find the average of 41, 71, 44, 93, 26, 58, 16, 91. | option_a=56 | option_b=57 | option_c=54 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = $440 \div 8 = 55$.

id=91163 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=91164 | topic=Averages | difficulty=Easy | question=Find the average of 81, 61, 14. | option_a=51 | option_b=53 | option_c=52 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = $156 \div 3 = 52$.

id=91165 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 27, 31, 38? | option_a=38 | option_b=27 | option_c=31 | option_d=23 | answer=A | explanation=The first three numbers increase by 4, so the next should be 35. Therefore 38 is the odd one out.

id=91166 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**14183 at 8% per annum for 2 years. | option_a=2169 | option_b=16452 | option_c=2369 | option_d=2269 | answer=D | explanation=SI = $PRT/100 = 14183 \times 8 \times 2/100 = \text{₹}2269$.

id=91167 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=35 | option_b=57 | option_c=46 | option_d=47 | answer=C | explanation=The common difference is 11. Therefore the next term is $35 + 11 = 46$.

id=91168 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**33973 at 8% per annum for 5 years. | option_a=13489 | option_b=47562 | option_c=13589 | option_d=13689 | answer=C | explanation=SI = $PRT/100 = 33973 \times 8 \times 5/100 = \text{₹}13589$.

id=91169 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**13250 at 12% per annum for 1 years. | option_a=1690 | option_b=1490 | option_c=14840 | option_d=1590 | answer=D | explanation=SI = $PRT/100 = 13250 \times 12 \times 1/100 = \text{₹}1590$.

id=91170 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 28, 38, 48, ? | option_a=59 | option_b=48 | option_c=58 | option_d=68 | answer=C | explanation=The common difference is 10. Therefore the next term is $48 + 10 = 58$.

Aptitude Questions — Records 91,171-91,200 of 100,000

id=91171 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=91172 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=O | option_c=M | option_d=N | answer=B | explanation=Move 1 positions forward from N; the resulting letter is O.

id=91173 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=91174 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=W | option_c=R | option_d=H | answer=C | explanation=Move 5 positions forward from M; the resulting letter is R.

id=91175 | topic=Averages | difficulty=Easy | question=Find the average of 41, 64, 99. | option_a=68 | option_b=69 | option_c=70 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = 204 ÷ 3 = 68.

id=91176 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=45 | option_c=40 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=91177 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=67 | option_c=72 | option_d=77 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=91178 | topic=Averages | difficulty=Easy | question=Find the average of 87, 22, 75, 66, 68, 53, 10, 99, 105. | option_a=67 | option_b=66 | option_c=65 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 585 ÷ 9 = 65.

id=91179 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=N | option_c=L | option_d=J | answer=B | explanation=Move 2 positions forward from L; the resulting letter is N.

id=91180 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 18, 28, 38, ? | option_a=49 | option_b=58 | option_c=38 | option_d=48 | answer=D | explanation=The common difference is 10. Therefore the next term is 38 + 10 = 48.

id=91181 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46122 at 10% per annum for 1 years. | option_a=4512 | option_b=4612 | option_c=4712 | option_d=50734 | answer=B | explanation=SI = PRT/100 = 46122×10×1/100 = **■**4612.

id=91182 | topic=Percentages | difficulty=Easy | question=What is 5% of 770? | option_a=38 | option_b=18 | option_c=43 | option_d=76 | answer=A | explanation=5% of 770 = (5/100) × 770 = 38.

id=91183 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=120 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=91184 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:8 and the first is 54, what is the second? | option_a=16 | option_b=24 | option_c=78 | option_d=42 | answer=B | explanation=Scale factor = 54/18 = 3. Therefore second quantity = 8×3 = 24.

id=91185 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:16 and the first is 247, what is the second? | option_a=304 | option_b=551 | option_c=317 | option_d=288 | answer=A | explanation=Scale factor = 247/13 = 19. Therefore second quantity = 16×19 = 304.

id=91186 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35634 at 4% per annum for 4 years. | option_a=5701 | option_b=41335 | option_c=5601 | option_d=5801 | answer=A | explanation=SI = PRT/100 = 35634×4×4/100 = **■**5701.

id=91187 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3093. If it is sold at a profit of 25%, what is its selling price? | option_a=3866 | option_b=4175 | option_c=3557 | option_d=3118 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3093 × 125/100 = **■**3866.

id=91188 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=49 | option_b=50 | option_c=58 | option_d=40 | answer=A | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

id=91189 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:1 and the first is 361, what is the second? | option_a=380 | option_b=38 | option_c=19 | option_d=18 | answer=C | explanation=Scale factor = 361/19 = 19. Therefore second quantity = 1×19 = 19.

id=91190 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=40 | option_c=20 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=91191 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16150 at 8% per annum for 3 years. | option_a=3776 | option_b=3876 | option_c=20026 | option_d=3976 | answer=B | explanation=SI = PRT/100 = 16150×8×3/100 = **■**3876.

id=91192 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 14, 19, 25? | option_a=9 | option_b=19 | option_c=25 | option_d=14 | answer=C | explanation=The first three numbers increase by 5, so the next should be 24. Therefore 25 is the odd one out.

id=91193 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 3. | option_a=15 | option_b=54 | option_c=36 | option_d=18 | answer=D | explanation=LCM × HCF = 18×3; HCF(18,3) = 3, so LCM = 18.

id=91194 | topic=Percentages | difficulty=Easy | question=What is 40% of 1314? | option_a=1050 | option_b=545 | option_c=525 | option_d=520 | answer=C | explanation=40% of 1314 = (40/100) × 1314 = 525.

id=91195 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=55 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=91196 | topic=Averages | difficulty=Easy | question=Find the average of 39, 42, 83, 62, 51, 61, 89. | option_a=61 | option_b=63 | option_c=62 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 427 ÷ 7 = 61.

id=91197 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=H | option_c=F | option_d=I | answer=B | explanation=Move 1 positions forward from G; the resulting letter is H.

id=91198 | topic=Averages | difficulty=Easy | question=Find the average of 73, 16, 32, 79. | option_a=50 | option_b=49 | option_c=51 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 200 ÷ 4 = 50.

id=91199 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:11 and the first is 48, what is the second? | option_a=94 | option_b=88 | option_c=136 | option_d=77 | answer=B | explanation=Scale factor = 48/6 = 8. Therefore second quantity = 11×8 = 88.

id=91200 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

Aptitude Questions — Records 91,201-91,230 of 100,000

id=91201 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 21, 23, 26? | option_a=26 | option_b=23 | option_c=21 | option_d=19 | answer=A | explanation=The first three numbers increase by 2, so the next should be 25. Therefore 26 is the odd one out.

id=91202 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=91203 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=23 | option_d=36 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=91204 | topic=Averages | difficulty=Easy | question=Find the average of 76, 12, 31, 61. | option_a=44 | option_b=47 | option_c=46 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 180 ÷ 4 = 45.

id=91205 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=36 | option_c=23 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=91206 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4657. If it is sold at a profit of 15%, what is its selling price? | option_a=4672 | option_b=5355 | option_c=5820 | option_d=4890 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4657 × 115/100 = █5355.

id=91207 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 27, 30, 35? | option_a=35 | option_b=27 | option_c=30 | option_d=24 | answer=A | explanation=The first three numbers increase by 3, so the next should be 33. Therefore 35 is the odd one out.

id=91208 | topic=Percentages | difficulty=Easy | question=What is 40% of 568? | option_a=227 | option_b=454 | option_c=217 | option_d=237 | answer=A | explanation=40% of 568 = (40/100) × 568 = 227.

id=91209 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2256. If it is sold at a profit of 15%, what is its selling price? | option_a=2369 | option_b=2271 | option_c=2594 | option_d=2819 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2256 × 115/100 = █2594.

id=91210 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=91211 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=K | option_c=H | option_d=B | answer=C | explanation=Move 3 positions forward from E; the resulting letter is H.

id=91212 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:12 and the first is 380, what is the second? | option_a=240 | option_b=259 | option_c=228 | option_d=620 | answer=A | explanation=Scale factor = 380/19 = 20. Therefore second quantity = 12×20 = 240.

id=91213 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 18. | option_a=252 | option_b=234 | option_c=280 | option_d=504 | answer=A | explanation=LCM × HCF = 28×18; HCF(28,18) = 2, so LCM = 252.

id=91214 | topic=Percentages | difficulty=Easy | question=What is 50% of 1130? | option_a=1130 | option_b=560 | option_c=570 | option_d=565 | answer=D | explanation=50% of 1130 = (50/100) × 1130 = 565.

id=91215 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=69 | option_b=59 | option_c=60 | option_d=49 | answer=B | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

id=91216 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=15 | option_b=16 | option_c=12 | option_d=14 | answer=D | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=91217 | topic=Averages | difficulty=Easy | question=Find the average of 34, 57, 39, 81, 62, 74, 15, 64, 87. | option_a=58 | option_b=56 | option_c=57 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 513 ÷ 9 = 57.

id=91218 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 19, 26, 33, ? | option_a=47 | option_b=41 | option_c=33 | option_d=40 | answer=D | explanation=The common difference is 7. Therefore the next term is 33 + 7 = 40.

id=91219 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:2 and the first is 340, what is the second? | option_a=54 | option_b=32 | option_c=34 | option_d=374 | answer=C | explanation=Scale factor = 340/20 = 17. Therefore second quantity = 2×17 = 34.

id=91220 | topic=Percentages | difficulty=Easy | question=What is 12% of 1722? | option_a=412 | option_b=226 | option_c=206 | option_d=196 | answer=C | explanation=12% of 1722 = (12/100) × 1722 = 206.

id=91221 | topic=Averages | difficulty=Easy | question=Find the average of 23, 79, 80, 12, 10, 53, 64, 47. | option_a=47 | option_b=46 | option_c=48 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = 368 ÷ 8 = 46.

id=91222 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=91223 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 31? | option_a=10 | option_b=16 | option_c=31 | option_d=22 | answer=C | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 31 is the odd one out.

id=91224 | topic=Percentages | difficulty=Easy | question=What is 25% of 1942? | option_a=970 | option_b=485 | option_c=475 | option_d=505 | answer=B | explanation=25% of 1942 = (25/100) × 1942 = 485.

id=91225 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=26 | option_b=25 | option_c=22 | option_d=28 | answer=B | explanation=The common difference is 3. Therefore the next term is 22 + 3 = 25.

id=91226 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:8 and the first is 45, what is the second? | option_a=40 | option_b=49 | option_c=85 | option_d=32 | answer=A | explanation=Scale factor = 45/9 = 5. Therefore second quantity = 8×5 = 40.

id=91227 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 25, 34, 45? | option_a=16 | option_b=34 | option_c=45 | option_d=25 | answer=C | explanation=The first three numbers increase by 9, so the next should be 43. Therefore 45 is the odd one out.

id=91228 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:6 and the first is 210, what is the second? | option_a=84 | option_b=300 | option_c=104 | option_d=90 | answer=D | explanation=Scale factor = 210/14 = 15. Therefore second quantity = 6×15 = 90.

id=91229 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 21, 23, 25, ? | option_a=28 | option_b=25 | option_c=27 | option_d=29 | answer=C | explanation=The common difference is 2. Therefore the next term is 25 + 2 = 27.

id=91230 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2792. If it is sold at a profit of 50%, what is its selling price? | option_a=3909 | option_b=4467 | option_c=4188 | option_d=2842 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2792 × 150/100 = █4188.

Aptitude Questions — Records 91,231-91,260 of 100,000

id=91231 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=19 | option_c=24 | option_d=48 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=91232 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=36 | option_b=41 | option_c=72 | option_d=31 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=91233 | topic=Percentages | difficulty=Easy | question=What is 50% of 1302? | option_a=656 | option_b=651 | option_c=631 | option_d=1302 | answer=B | explanation=50% of 1302 = (50/100) × 1302 = 651.

id=91234 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=240 | option_c=125 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=91235 | topic=Averages | difficulty=Easy | question=Find the average of 44, 36, 39, 49, 67, 18, 31, 23, 62. | option_a=41 | option_b=40 | option_c=43 | option_d=42 | answer=A | explanation=Average = sum of values ÷ number of values = 369 ÷ 9 = 41.

id=91236 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=H | option_c=T | option_d=L | answer=A | explanation=Move 4 positions forward from L; the resulting letter is P.

id=91237 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=8 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=91238 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:2 and the first is 121, what is the second? | option_a=33 | option_b=143 | option_c=22 | option_d=20 | answer=C | explanation=Scale factor = 121/11 = 11. Therefore second quantity = 2×11 = 22.

id=91239 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=70 | option_d=150 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=91240 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=18 | option_c=13 | option_d=23 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=91241 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2803. If it is sold at a profit of 5%, what is its selling price? | option_a=3223 | option_b=2943 | option_c=2808 | option_d=2663 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2803 × 105/100 = █2943.

id=91242 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 23, 28, 35? | option_a=35 | option_b=23 | option_c=28 | option_d=18 | answer=A | explanation=The first three numbers increase by 5, so the next should be 33. Therefore 35 is the odd one out.

id=91243 | topic=Profit & Loss | difficulty=Easy | question=An article costs █757. If it is sold at a profit of 25%, what is its selling price? | option_a=782 | option_b=946 | option_c=1021 | option_d=871 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 757 × 125/100 = █946.

id=91244 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=20 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=91245 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=48 | option_b=42 | option_c=34 | option_d=41 | answer=D | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=91246 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:8 and the first is 204, what is the second? | option_a=113 | option_b=300 | option_c=88 | option_d=96 | answer=D | explanation=Scale factor = 204/17 = 12. Therefore second quantity = 8×12 = 96.

id=91247 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 38, 48, 59? | option_a=28 | option_b=48 | option_c=38 | option_d=59 | answer=D | explanation=The first three numbers increase by 10, so the next should be 58. Therefore 59 is the odd one out.

id=91248 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 23, 28, 34? | option_a=18 | option_b=23 | option_c=28 | option_d=34 | answer=D | explanation=The first three numbers increase by 5, so the next should be 33. Therefore 34 is the odd one out.

id=91249 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1916. If it is sold at a profit of 50%, what is its selling price? | option_a=2874 | option_b=3065 | option_c=1966 | option_d=2683 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1916 × 150/100 = █2874.

id=91250 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=29 | option_c=24 | option_d=19 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=91251 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=40 | option_c=20 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=91252 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=L | option_c=N | option_d=R | answer=A | explanation=Move 2 positions forward from N; the resulting letter is P.

id=91253 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=W | option_c=I | option_d=A | answer=A | explanation=Move 4 positions forward from A; the resulting letter is E.

id=91254 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=29 | option_c=48 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=91255 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8066 at 6% per annum for 3 years. | option_a=9517 | option_b=1351 | option_c=1451 | option_d=1551 | answer=C | explanation=SI = PRT/100 = 8066×6×3/100 = █1451.

id=91256 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23435 at 10% per annum for 2 years. | option_a=4787 | option_b=4687 | option_c=4587 | option_d=28122 | answer=B | explanation=SI = PRT/100 = 23435×10×2/100 = █4687.

id=91257 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 20, 23, 27? | option_a=23 | option_b=17 | option_c=20 | option_d=27 | answer=D | explanation=The first three numbers increase by 3, so the next should be 26. Therefore 27 is the odd one out.

id=91258 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=91259 | topic=Averages | difficulty=Easy | question=Find the average of 28, 83, 40, 94, 97, 28, 100, 33, 82. | option_a=66 | option_b=65 | option_c=67 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 585 ÷ 9 = 65.

id=91260 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 22? | option_a=13 | option_b=22 | option_c=17 | option_d=15 | answer=B | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 22 is the odd one out.

Aptitude Questions — Records 91,261-91,290 of 100,000

id=91261 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=36 | option_c=31 | option_d=41 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=91262 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=91263 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=91264 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=E | option_c=D | option_d=F | answer=D | explanation=Move 1 positions forward from E; the resulting letter is F.

id=91265 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2956. If it is sold at a profit of 5%, what is its selling price? | option_a=2808 | option_b=3103 | option_c=2961 | option_d=3398 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2956 × 105/100 = **₹**3103.

id=91266 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 8, 11, 14, ? | option_a=18 | option_b=14 | option_c=17 | option_d=20 | answer=C | explanation=The common difference is 3. Therefore the next term is 14 + 3 = 17.

id=91267 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4899. If it is sold at a profit of 5%, what is its selling price? | option_a=5632 | option_b=5143 | option_c=4654 | option_d=4904 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4899 × 105/100 = **₹**5143.

id=91268 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 31, 43, 55, ? | option_a=55 | option_b=79 | option_c=67 | option_d=68 | answer=C | explanation=The common difference is 12. Therefore the next term is 55 + 12 = 67.

id=91269 | topic=Percentages | difficulty=Easy | question=What is 25% of 1904? | option_a=466 | option_b=476 | option_c=481 | option_d=952 | answer=B | explanation=25% of 1904 = (25/100) × 1904 = 476.

id=91270 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=N | option_b=Z | option_c=V | option_d=R | answer=C | explanation=Move 4 positions forward from R; the resulting letter is V.

id=91271 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=10 | option_b=11 | option_c=12 | option_d=8 | answer=A | explanation=The common difference is 2. Therefore the next term is 8 + 2 = 10.

id=91272 | topic=Averages | difficulty=Easy | question=Find the average of 56, 60, 56, 40. | option_a=54 | option_b=53 | option_c=55 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 212 ÷ 4 = 53.

id=91273 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=91274 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=T | option_b=W | option_c=N | option_d=Q | answer=A | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=91275 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=20 | option_b=24 | option_c=23 | option_d=22 | answer=D | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=91276 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=M | option_c=U | option_d=Y | answer=C | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=91277 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2900. If it is sold at a profit of 40%, what is its selling price? | option_a=3770 | option_b=4350 | option_c=2940 | option_d=4060 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2900 × 140/100 = **₹**4060.

id=91278 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=91279 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=29 | option_b=34 | option_c=28 | option_d=22 | answer=C | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.

id=91280 | topic=Averages | difficulty=Easy | question=Find the average of 18, 10, 63, 22, 48, 16, 81, 30. | option_a=37 | option_b=35 | option_c=36 | option_d=38 | answer=C | explanation=Average = sum of values ÷ number of values = 288 ÷ 8 = 36.

id=91281 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=91282 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**40451 at 5% per annum for 4 years. | option_a=48541 | option_b=8190 | option_c=8090 | option_d=7990 | answer=C | explanation=SI = PRT/100 = 40451×5×4/100 = **₹**8090.

id=91283 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=M | option_c=P | option_d=O | answer=D | explanation=Move 1 positions forward from N; the resulting letter is O.

id=91284 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 30. | option_a=180 | option_b=224 | option_c=210 | option_d=420 | answer=C | explanation=LCM × HCF = 14×30; HCF(14,30) = 2, so LCM = 210.

id=91285 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**46758 at 6% per annum for 3 years. | option_a=8516 | option_b=55174 | option_c=8316 | option_d=8416 | answer=D | explanation=SI = PRT/100 = 46758×6×3/100 = **₹**8416.

id=91286 | topic=Percentages | difficulty=Easy | question=What is 50% of 1098? | option_a=554 | option_b=549 | option_c=1098 | option_d=544 | answer=B | explanation=50% of 1098 = (50/100) × 1098 = 549.

id=91287 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**38713 at 12% per annum for 1 years. | option_a=4545 | option_b=4745 | option_c=43358 | option_d=4645 | answer=D | explanation=SI = PRT/100 = 38713×12×1/100 = **₹**4645.

id=91288 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=45 | option_c=35 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=91289 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=51 | option_b=41 | option_c=61 | option_d=52 | answer=A | explanation=The common difference is 10. Therefore the next term is 41 + 10 = 51.

id=91290 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 38, 48, 61? | option_a=28 | option_b=38 | option_c=61 | option_d=48 | answer=C | explanation=The first three numbers increase by 10, so the next should be 58. Therefore 61 is the odd one out.

Aptitude Questions — Records 91,291-91,320 of 100,000

id=91291 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=50 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=91292 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=18 | option_b=23 | option_c=22 | option_d=26 | answer=C | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

id=91293 | topic=Percentages | difficulty=Easy | question=What is 50% of 1779? | option_a=884 | option_b=894 | option_c=1778 | option_d=889 | answer=D | explanation=50% of 1779 = (50/100) × 1779 = 889.

id=91294 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=7 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=91295 | topic=Averages | difficulty=Easy | question=Find the average of 93, 75, 22, 38. | option_a=57 | option_b=56 | option_c=59 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 228 ÷ 4 = 57.

id=91296 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32229 at 4% per annum for 4 years. | option_a=5056 | option_b=5256 | option_c=37385 | option_d=5156 | answer=D | explanation=SI = PRT/100 = 32229×4×4/100 = **■**5156.

id=91297 | topic=Percentages | difficulty=Easy | question=What is 25% of 1907? | option_a=952 | option_b=466 | option_c=476 | option_d=486 | answer=C | explanation=25% of 1907 = (25/100) × 1907 = 476.

id=91298 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=300 | option_c=145 | option_d=155 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=91299 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 20, 23, 29? | option_a=17 | option_b=20 | option_c=23 | option_d=29 | answer=D | explanation=The first three numbers increase by 3, so the next should be 26. Therefore 29 is the odd one out.

id=91300 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=C | option_c=K | option_d=O | answer=C | explanation=Move 4 positions forward from G; the resulting letter is K.

id=91301 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=48 | option_b=41 | option_c=32 | option_d=40 | answer=D | explanation=The common difference is 8. Therefore the next term is 32 + 8 = 40.

id=91302 | topic=Averages | difficulty=Easy | question=Find the average of 70, 92, 58, 80. | option_a=75 | option_b=74 | option_c=77 | option_d=76 | answer=A | explanation=Average = sum of values ÷ number of values = 300 ÷ 4 = 75.

id=91303 | topic=Averages | difficulty=Easy | question=Find the average of 84, 14, 65, 92, 34, 82, 35. | option_a=58 | option_b=59 | option_c=57 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 406 ÷ 7 = 58.

id=91304 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=91305 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=91306 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:10 and the first is 136, what is the second? | option_a=178 | option_b=170 | option_c=306 | option_d=160 | answer=B | explanation=Scale factor = 136/8 = 17. Therefore second quantity = 10×17 = 170.

id=91307 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:2 and the first is 64, what is the second? | option_a=24 | option_b=16 | option_c=14 | option_d=80 | answer=B | explanation=Scale factor = 64/8 = 8. Therefore second quantity = 2×8 = 16.

id=91308 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:17 and the first is 300, what is the second? | option_a=355 | option_b=340 | option_c=640 | option_d=323 | answer=B | explanation=Scale factor = 300/15 = 20. Therefore second quantity = 17×20 = 340.

id=91309 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**376. If it is sold at a profit of 10%, what is its selling price? | option_a=376 | option_b=386 | option_c=413 | option_d=450 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 376 × 110/100 = **■**413.

id=91310 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=I | option_c=E | option_d=K | answer=B | explanation=Move 2 positions forward from G; the resulting letter is I.

id=91311 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 40? | option_a=30 | option_b=36 | option_c=33 | option_d=40 | answer=D | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 40 is the odd one out.

id=91312 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25576 at 10% per annum for 1 years. | option_a=2557 | option_b=2657 | option_c=2457 | option_d=28133 | answer=A | explanation=SI = PRT/100 = 25576×10×1/100 = **■**2557.

id=91313 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 12, 14, 17? | option_a=17 | option_b=10 | option_c=14 | option_d=12 | answer=A | explanation=The first three numbers increase by 2, so the next should be 16. Therefore 17 is the odd one out.

id=91314 | topic=Averages | difficulty=Easy | question=Find the average of 46, 71, 68, 66, 23, 20. | option_a=50 | option_b=49 | option_c=48 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 294 ÷ 6 = 49.

id=91315 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25440 at 12% per annum for 3 years. | option_a=9158 | option_b=9058 | option_c=34598 | option_d=9258 | answer=A | explanation=SI = PRT/100 = 25440×12×3/100 = **■**9158.

id=91316 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=33 | option_b=35 | option_c=29 | option_d=32 | answer=D | explanation=The common difference is 3. Therefore the next term is 29 + 3 = 32.

id=91317 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:9 and the first is 30, what is the second? | option_a=27 | option_b=18 | option_c=57 | option_d=37 | answer=A | explanation=Scale factor = 30/10 = 3. Therefore second quantity = 9×3 = 27.

id=91318 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=17 | option_c=24 | option_d=7 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=91319 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=50 | option_c=45 | option_d=100 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=91320 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48840 at 8% per annum for 4 years. | option_a=15528 | option_b=15728 | option_c=64468 | option_d=15628 | answer=D | explanation=SI = PRT/100 = 48840×8×4/100 = **■**15628.

Aptitude Questions — Records 91,321-91,350 of 100,000

id=91321 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 24. | option_a=1 | option_b=28 | option_c=24 | option_d=96 | answer=C | explanation= $LCM \times HCF = 4 \times 24$; $HCF(4,24) = 4$, so $LCM = 24$.

id=91322 | topic=Averages | difficulty=Easy | question=Find the average of 85, 70, 54, 72, 94. | option_a=77 | option_b=74 | option_c=76 | option_d=75 | answer=D | explanation= $Average = \text{sum of values} \div \text{number of values} = 375 \div 5 = 75$.

id=91323 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 21. | option_a=441 | option_b=42 | option_c=1 | option_d=21 | answer=D | explanation= $LCM \times HCF = 21 \times 21$; $HCF(21,21) = 21$, so $LCM = 21$.

id=91324 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=6 | option_d=20 | answer=A | explanation= $Combined\ rate = \frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. $Time = \frac{100}{20} = 5$ days.

id=91325 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=19 | option_b=25 | option_c=23 | option_d=22 | answer=D | explanation=The common difference is 3. Therefore the next term is $19 + 3 = 22$.

id=91326 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=55 | option_d=45 | answer=A | explanation= $Speed = \text{distance} \div \text{time} = 150 \div 3 = 50$ km/h.

id=91327 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=P | option_c=T | option_d=V | answer=C | explanation=Move 2 positions forward from R; the resulting letter is T.

id=91328 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 16, 23, 32? | option_a=9 | option_b=32 | option_c=23 | option_d=16 | answer=B | explanation=The first three numbers increase by 7, so the next should be 30. Therefore 32 is the odd one out.

id=91329 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4133. If it is sold at a profit of 40%, what is its selling price? | option_a=5373 | option_b=6199 | option_c=4173 | option_d=5786 | answer=D | explanation= $Selling\ price = CP \times (100 + \text{profit}\%) / 100 = 4133 \times 140 / 100 = \text{█}5786$.

id=91330 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=D | option_c=Z | option_d=F | answer=B | explanation=Move 2 positions forward from B; the resulting letter is D.

id=91331 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=I | option_c=O | option_d=R | answer=C | explanation=Move 3 positions forward from L; the resulting letter is O.

id=91332 | topic=Percentages | difficulty=Easy | question=What is 20% of 506? | option_a=121 | option_b=91 | option_c=101 | option_d=202 | answer=C | explanation= $20\% \text{ of } 506 = (20/100) \times 506 = 101$.

id=91333 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation= $Combined\ rate = \frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. $Time = \frac{48}{16} = 3$ days.

id=91334 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4443. If it is sold at a profit of 25%, what is its selling price? | option_a=5109 | option_b=5997 | option_c=4468 | option_d=5553 | answer=D | explanation= $Selling\ price = CP \times (100 + \text{profit}\%) / 100 = 4443 \times 125 / 100 = \text{█}5553$.

id=91335 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation= $Combined\ rate = \frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. $Time = \frac{48}{16} = 3$ days.

id=91336 | topic=Percentages | difficulty=Easy | question=What is 25% of 761? | option_a=190 | option_b=195 | option_c=180 | option_d=380 | answer=A | explanation= $25\% \text{ of } 761 = (25/100) \times 761 = 190$.

id=91337 | topic=Percentages | difficulty=Easy | question=What is 30% of 1394? | option_a=408 | option_b=418 | option_c=438 | option_d=836 | answer=B | explanation= $30\% \text{ of } 1394 = (30/100) \times 1394 = 418$.

id=91338 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4635 at 5% per annum for 5 years. | option_a=1058 | option_b=1258 | option_c=5793 | option_d=1158 | answer=D | explanation= $SI = PRT / 100 = 4635 \times 5 \times 5 / 100 = \text{█}1158$.

id=91339 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=F | option_c=I | option_d=H | answer=D | explanation=Move 1 positions forward from G; the resulting letter is H.

id=91340 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:2 and the first is 165, what is the second? | option_a=20 | option_b=22 | option_c=187 | option_d=37 | answer=B | explanation= $Scale\ factor = 165 / 15 = 11$. Therefore second quantity = $2 \times 11 = 22$.

id=91341 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 24, 27, 33? | option_a=21 | option_b=24 | option_c=27 | option_d=33 | answer=D | explanation=The first three numbers increase by 3, so the next should be 30. Therefore 33 is the odd one out.

id=91342 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=K | option_b=M | option_c=N | option_d=L | answer=B | explanation=Move 1 positions forward from L; the resulting letter is M.

id=91343 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45982 at 10% per annum for 1 years. | option_a=50580 | option_b=4698 | option_c=4498 | option_d=4598 | answer=D | explanation= $SI = PRT / 100 = 45982 \times 10 \times 1 / 100 = \text{█}4598$.

id=91344 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 6. | option_a=42 | option_b=84 | option_c=36 | option_d=56 | answer=A | explanation= $LCM \times HCF = 14 \times 6$; $HCF(14,6) = 2$, so $LCM = 42$.

id=91345 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=90 | option_c=40 | option_d=50 | answer=A | explanation= $Speed = \text{distance} \div \text{time} = 90 \div 2 = 45$ km/h.

id=91346 | topic=Averages | difficulty=Easy | question=Find the average of 82, 78, 67, 19, 71, 37, 57, 70, 72, 37. | option_a=59 | option_b=61 | option_c=58 | option_d=60 | answer=A | explanation= $Average = \text{sum of values} \div \text{number of values} = 590 \div 10 = 59$.

id=91347 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 29, 37, 46? | option_a=29 | option_b=46 | option_c=21 | option_d=37 | answer=B | explanation=The first three numbers increase by 8, so the next should be 45. Therefore 46 is the odd one out.

id=91348 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17700 at 5% per annum for 2 years. | option_a=1670 | option_b=1870 | option_c=19470 | option_d=1770 | answer=D | explanation= $SI = PRT / 100 = 17700 \times 5 \times 2 / 100 = \text{█}1770$.

id=91349 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=G | option_b=O | option_c=K | option_d=S | answer=B | explanation=Move 4 positions forward from K; the resulting letter is O.

id=91350 | topic=Averages | difficulty=Easy | question=Find the average of 41, 25, 43, 23, 23. | option_a=32 | option_b=31 | option_c=30 | option_d=33 | answer=B | explanation= $Average = \text{sum of values} \div \text{number of values} = 155 \div 5 = 31$.

Aptitude Questions — Records 91,351-91,380 of 100,000

id=91351 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:16 and the first is 18, what is the second? | option_a=54 | option_b=66 | option_c=48 | option_d=32 | answer=C | explanation=Scale factor = 18/6 = 3. Therefore second quantity = 16×3 = 48.

id=91352 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=37 | option_b=32 | option_c=36 | option_d=40 | answer=C | explanation=The common difference is 4. Therefore the next term is 32 + 4 = 36.

id=91353 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23738 at 15% per annum for 2 years. | option_a=7221 | option_b=7021 | option_c=30859 | option_d=7121 | answer=D | explanation=SI = PRT/100 = 23738×15×2/100 = **■**7121.

id=91354 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=T | option_b=Q | option_c=N | option_d=K | answer=B | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=91355 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29501 at 5% per annum for 5 years. | option_a=7475 | option_b=7275 | option_c=7375 | option_d=36876 | answer=C | explanation=SI = PRT/100 = 29501×5×5/100 = **■**7375.

id=91356 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 29, 37, 47? | option_a=37 | option_b=47 | option_c=29 | option_d=21 | answer=B | explanation=The first three numbers increase by 8, so the next should be 45. Therefore 47 is the odd one out.

id=91357 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=48 | option_b=49 | option_c=59 | option_d=37 | answer=A | explanation=The common difference is 11. Therefore the next term is 37 + 11 = 48.

id=91358 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=Q | option_b=W | option_c=Z | option_d=T | answer=B | explanation=Move 3 positions forward from T; the resulting letter is W.

id=91359 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 36? | option_a=36 | option_b=24 | option_c=6 | option_d=15 | answer=A | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 36 is the odd one out.

id=91360 | topic=Averages | difficulty=Easy | question=Find the average of 23, 91, 88, 25, 86, 53, 42, 32. | option_a=56 | option_b=55 | option_c=57 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 440 ÷ 8 = 55.

id=91361 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**351. If it is sold at a profit of 30%, what is its selling price? | option_a=491 | option_b=456 | option_c=421 | option_d=381 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 351 × 130/100 = **■**456.

id=91362 | topic=Averages | difficulty=Easy | question=Find the average of 86, 80, 28, 93, 79, 42. | option_a=67 | option_b=70 | option_c=69 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = 408 ÷ 6 = 68.

id=91363 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=U | option_b=X | option_c=R | option_d=O | answer=A | explanation=Move 3 positions forward from R; the resulting letter is U.

id=91364 | topic=Averages | difficulty=Easy | question=Find the average of 87, 97, 24, 87, 33, 26. | option_a=59 | option_b=58 | option_c=61 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.

id=91365 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=85 | option_c=90 | option_d=95 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=91366 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=91367 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 21, 30, 40? | option_a=40 | option_b=12 | option_c=30 | option_d=21 | answer=A | explanation=The first three numbers increase by 9, so the next should be 39. Therefore 40 is the odd one out.

id=91368 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=10 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=91369 | topic=Percentages | difficulty=Easy | question=What is 12% of 61? | option_a=17 | option_b=7 | option_c=14 | option_d=2 | answer=B | explanation=12% of 61 = (12/100) × 61 = 7.

id=91370 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:19 and the first is 72, what is the second? | option_a=186 | option_b=114 | option_c=95 | option_d=126 | answer=B | explanation=Scale factor = 72/12 = 6. Therefore second quantity = 19×6 = 114.

id=91371 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=39 | option_b=40 | option_c=32 | option_d=46 | answer=A | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.

id=91372 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42447 at 10% per annum for 3 years. | option_a=55181 | option_b=12634 | option_c=12834 | option_d=12734 | answer=D | explanation=SI = PRT/100 = 42447×10×3/100 = **■**12734.

id=91373 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:4 and the first is 225, what is the second? | option_a=56 | option_b=75 | option_c=285 | option_d=60 | answer=D | explanation=Scale factor = 225/15 = 15. Therefore second quantity = 4×15 = 60.

id=91374 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=91375 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43926 at 4% per annum for 5 years. | option_a=52711 | option_b=8885 | option_c=8785 | option_d=8685 | answer=C | explanation=SI = PRT/100 = 43926×4×5/100 = **■**8785.

id=91376 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 34? | option_a=22 | option_b=34 | option_c=17 | option_d=27 | answer=B | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 34 is the odd one out.

id=91377 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:7 and the first is 340, what is the second? | option_a=480 | option_b=157 | option_c=133 | option_d=140 | answer=D | explanation=Scale factor = 340/17 = 20. Therefore second quantity = 7×20 = 140.

id=91378 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44298 at 15% per annum for 2 years. | option_a=57587 | option_b=13289 | option_c=13189 | option_d=13389 | answer=B | explanation=SI = PRT/100 = 44298×15×2/100 = **■**13289.

id=91379 | topic=Percentages | difficulty=Easy | question=What is 50% of 703? | option_a=346 | option_b=702 | option_c=351 | option_d=371 | answer=C | explanation=50% of 703 = (50/100) × 703 = 351.

id=91380 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=30 | option_b=33 | option_c=25 | option_d=29 | answer=D | explanation=The common difference is 4. Therefore the next term is 25 + 4 = 29.

Aptitude Questions — Records 91,381-91,410 of 100,000

id=91381 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3900. If it is sold at a profit of 50%, what is its selling price? | option_a=6240 | option_b=5460 | option_c=5850 | option_d=3950 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3900 × 150/100 = █5850.

id=91382 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=34 | option_b=29 | option_c=24 | option_d=30 | answer=B | explanation=The common difference is 5. Therefore the next term is 24 + 5 = 29.

id=91383 | topic=Percentages | difficulty=Easy | question=What is 25% of 265? | option_a=66 | option_b=56 | option_c=71 | option_d=132 | answer=A | explanation=25% of 265 = (25/100) × 265 = 66.

id=91384 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:17 and the first is 208, what is the second? | option_a=285 | option_b=480 | option_c=272 | option_d=255 | answer=C | explanation=Scale factor = 208/13 = 16. Therefore second quantity = 17×16 = 272.

id=91385 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=91386 | topic=Averages | difficulty=Easy | question=Find the average of 99, 41, 77, 29, 15, 90, 95, 58. | option_a=65 | option_b=62 | option_c=63 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 504 ÷ 8 = 63.

id=91387 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17324 at 5% per annum for 1 years. | option_a=18190 | option_b=866 | option_c=766 | option_d=966 | answer=B | explanation=SI = PRT/100 = 17324×5×1/100 = █866.

id=91388 | topic=Percentages | difficulty=Easy | question=What is 20% of 1102? | option_a=440 | option_b=200 | option_c=220 | option_d=230 | answer=C | explanation=20% of 1102 = (20/100) × 1102 = 220.

id=91389 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:1 and the first is 99, what is the second? | option_a=8 | option_b=9 | option_c=20 | option_d=108 | answer=B | explanation=Scale factor = 99/11 = 9. Therefore second quantity = 1×9 = 9.

id=91390 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4447. If it is sold at a profit of 15%, what is its selling price? | option_a=4670 | option_b=5558 | option_c=4462 | option_d=5114 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4447 × 115/100 = █5114.

id=91391 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=24 | option_b=20 | option_c=25 | option_d=28 | answer=A | explanation=The common difference is 4. Therefore the next term is 20 + 4 = 24.

id=91392 | topic=Percentages | difficulty=Easy | question=What is 30% of 908? | option_a=544 | option_b=292 | option_c=272 | option_d=252 | answer=C | explanation=30% of 908 = (30/100) × 908 = 272.

id=91393 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42548 at 15% per annum for 3 years. | option_a=19146 | option_b=61694 | option_c=19046 | option_d=19246 | answer=A | explanation=SI = PRT/100 = 42548×15×3/100 = █19146.

id=91394 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=91395 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=91396 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=19 | option_c=24 | option_d=29 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=91397 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 10? | option_a=6 | option_b=2 | option_c=4 | option_d=10 | answer=D | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 10 is the odd one out.

id=91398 | topic=Averages | difficulty=Easy | question=Find the average of 51, 90, 57. | option_a=67 | option_b=65 | option_c=68 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = 198 ÷ 3 = 66.

id=91399 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=91400 | topic=Averages | difficulty=Easy | question=Find the average of 55, 64, 28. | option_a=48 | option_b=51 | option_c=49 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 147 ÷ 3 = 49.

id=91401 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42749 at 8% per annum for 5 years. | option_a=16999 | option_b=59848 | option_c=17199 | option_d=17099 | answer=D | explanation=SI = PRT/100 = 42749×8×5/100 = █17099.

id=91402 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=S | option_c=Q | option_d=T | answer=B | explanation=Move 1 positions forward from R; the resulting letter is S.

id=91403 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=91404 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:14 and the first is 240, what is the second? | option_a=266 | option_b=520 | option_c=280 | option_d=292 | answer=C | explanation=Scale factor = 240/12 = 20. Therefore second quantity = 14×20 = 280.

id=91405 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=91406 | topic=Percentages | difficulty=Easy | question=What is 12% of 365? | option_a=38 | option_b=53 | option_c=96 | option_d=43 | answer=D | explanation=12% of 365 = (12/100) × 365 = 43.

id=91407 | topic=Averages | difficulty=Easy | question=Find the average of 45, 66, 43, 97, 19. | option_a=54 | option_b=55 | option_c=56 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 270 ÷ 5 = 54.

id=91408 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=J | option_b=H | option_c=D | option_d=F | answer=B | explanation=Move 2 positions forward from F; the resulting letter is H.

id=91409 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 8, 12, 19? | option_a=8 | option_b=4 | option_c=19 | option_d=12 | answer=C | explanation=The first three numbers increase by 4, so the next should be 16. Therefore 19 is the odd one out.

id=91410 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 91,411-91,440 of 100,000

id=91411 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 20. | option_a=280 | option_b=154 | option_c=140 | option_d=120 | answer=C | explanation=LCM × HCF = 14×20; HCF(14,20) = 2, so LCM = 140.

id=91412 | topic=Averages | difficulty=Easy | question=Find the average of 71, 67, 74, 76. | option_a=71 | option_b=73 | option_c=72 | option_d=74 | answer=C | explanation=Average = sum of values ÷ number of values = 288 ÷ 4 = 72.

id=91413 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 26, 32, 40? | option_a=32 | option_b=20 | option_c=26 | option_d=40 | answer=D | explanation=The first three numbers increase by 6, so the next should be 38. Therefore 40 is the odd one out.

id=91414 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2829. If it is sold at a profit of 25%, what is its selling price? | option_a=3254 | option_b=2854 | option_c=3536 | option_d=3818 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2829 × 125/100 = █3536.

id=91415 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4212. If it is sold at a profit of 30%, what is its selling price? | option_a=5475 | option_b=4242 | option_c=5054 | option_d=5896 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4212 × 130/100 = █5475.

id=91416 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2814. If it is sold at a profit of 50%, what is its selling price? | option_a=3940 | option_b=4221 | option_c=4502 | option_d=2864 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2814 × 150/100 = █4221.

id=91417 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=25 | option_b=23 | option_c=19 | option_d=22 | answer=D | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.

id=91418 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:9 and the first is 27, what is the second? | option_a=27 | option_b=18 | option_c=36 | option_d=54 | answer=A | explanation=Scale factor = 27/9 = 3. Therefore second quantity = 9×3 = 27.

id=91419 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=R | option_b=Q | option_c=P | option_d=S | answer=A | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=91420 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 30? | option_a=30 | option_b=23 | option_c=18 | option_d=13 | answer=A | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 30 is the odd one out.

id=91421 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:10 and the first is 105, what is the second? | option_a=140 | option_b=150 | option_c=255 | option_d=157 | answer=B | explanation=Scale factor = 105/7 = 15. Therefore second quantity = 10×15 = 150.

id=91422 | topic=Percentages | difficulty=Easy | question=What is 30% of 1855? | option_a=1112 | option_b=546 | option_c=561 | option_d=556 | answer=D | explanation=30% of 1855 = (30/100) × 1855 = 556.

id=91423 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2929. If it is sold at a profit of 15%, what is its selling price? | option_a=3660 | option_b=3368 | option_c=3076 | option_d=2944 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2929 × 115/100 = █3368.

id=91424 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 25, 30, 38? | option_a=25 | option_b=30 | option_c=38 | option_d=20 | answer=C | explanation=The first three numbers increase by 5, so the next should be 35. Therefore 38 is the odd one out.

id=91425 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:3 and the first is 126, what is the second? | option_a=18 | option_b=147 | option_c=21 | option_d=39 | answer=C | explanation=Scale factor = 126/18 = 7. Therefore second quantity = 3×7 = 21.

id=91426 | topic=Averages | difficulty=Easy | question=Find the average of 27, 60, 76, 77, 46, 93, 30, 87. | option_a=61 | option_b=63 | option_c=64 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 496 ÷ 8 = 62.

id=91427 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=34 | option_b=42 | option_c=48 | option_d=41 | answer=D | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=91428 | topic=Percentages | difficulty=Easy | question=What is 40% of 1507? | option_a=612 | option_b=1204 | option_c=602 | option_d=592 | answer=C | explanation=40% of 1507 = (40/100) × 1507 = 602.

id=91429 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=M | option_c=E | option_d=A | answer=A | explanation=Move 4 positions forward from E; the resulting letter is I.

id=91430 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=91431 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39604 at 4% per annum for 5 years. | option_a=8020 | option_b=7920 | option_c=7820 | option_d=47524 | answer=B | explanation=SI = PRT/100 = 39604×4×5/100 = █7920.

id=91432 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 47? | option_a=37 | option_b=47 | option_c=23 | option_d=30 | answer=B | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 47 is the odd one out.

id=91433 | topic=Percentages | difficulty=Easy | question=What is 10% of 254? | option_a=20 | option_b=25 | option_c=50 | option_d=30 | answer=B | explanation=10% of 254 = (10/100) × 254 = 25.

id=91434 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=91435 | topic=Percentages | difficulty=Easy | question=What is 30% of 1574? | option_a=944 | option_b=452 | option_c=472 | option_d=492 | answer=C | explanation=30% of 1574 = (30/100) × 1574 = 472.

id=91436 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=91437 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:9 and the first is 240, what is the second? | option_a=171 | option_b=180 | option_c=192 | option_d=420 | answer=B | explanation=Scale factor = 240/12 = 20. Therefore second quantity = 9×20 = 180.

id=91438 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7956 at 12% per annum for 2 years. | option_a=1909 | option_b=9865 | option_c=1809 | option_d=2009 | answer=A | explanation=SI = PRT/100 = 7956×12×2/100 = █1909.

id=91439 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=S | option_b=D | option_c=N | option_d=I | answer=C | explanation=Move 5 positions forward from I; the resulting letter is N.

id=91440 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:3 and the first is 72, what is the second? | option_a=58 | option_b=126 | option_c=54 | option_d=51 | answer=C | explanation=Scale factor = 72/4 = 18. Therefore second quantity = 3×18 = 54.

Aptitude Questions — Records 91,441-91,470 of 100,000

id=91441 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 28. | option_a=140 | option_b=150 | option_c=112 | option_d=280 | answer=A | explanation=LCM × HCF = 10×28; HCF(10,28) = 2, so LCM = 140.

id=91442 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:8 and the first is 342, what is the second? | option_a=144 | option_b=486 | option_c=163 | option_d=136 | answer=A | explanation=Scale factor = 342/19 = 18. Therefore second quantity = 8×18 = 144.

id=91443 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30638 at 12% per annum for 5 years. | option_a=18282 | option_b=18382 | option_c=18482 | option_d=49020 | answer=B | explanation=SI = PRT/100 = 30638×12×5/100 = █18382.

id=91444 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=B | option_c=C | option_d=D | answer=D | explanation=Move 1 positions forward from C; the resulting letter is D.

id=91445 | topic=Averages | difficulty=Easy | question=Find the average of 67, 95, 90, 81, 92, 13, 71, 83, 68, 30. | option_a=68 | option_b=71 | option_c=69 | option_d=70 | answer=C | explanation=Average = sum of values ÷ number of values = 690 ÷ 10 = 69.

id=91446 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 38? | option_a=5 | option_b=15 | option_c=25 | option_d=38 | answer=D | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 38 is the odd one out.

id=91447 | topic=Percentages | difficulty=Easy | question=What is 25% of 1276? | option_a=339 | option_b=319 | option_c=638 | option_d=314 | answer=B | explanation=25% of 1276 = (25/100) × 1276 = 319.

id=91448 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=14 | option_c=18 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=91449 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=91450 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4597. If it is sold at a profit of 15%, what is its selling price? | option_a=4612 | option_b=4827 | option_c=5286 | option_d=5745 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4597 × 115/100 = █5286.

id=91451 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=36 | option_c=72 | option_d=31 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=91452 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=91453 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1589. If it is sold at a profit of 15%, what is its selling price? | option_a=1669 | option_b=1985 | option_c=1604 | option_d=1827 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1589 × 115/100 = █1827.

id=91454 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:15 and the first is 10, what is the second? | option_a=35 | option_b=40 | option_c=30 | option_d=15 | answer=C | explanation=Scale factor = 10/5 = 2. Therefore second quantity = 15×2 = 30.

id=91455 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=36 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=91456 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=6 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=91457 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=M | option_c=D | option_d=J | answer=D | explanation=Move 3 positions forward from G; the resulting letter is J.

id=91458 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1077 at 12% per annum for 2 years. | option_a=1335 | option_b=358 | option_c=158 | option_d=258 | answer=D | explanation=SI = PRT/100 = 1077×12×2/100 = █258.

id=91459 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 23, 32, 44? | option_a=14 | option_b=23 | option_c=32 | option_d=44 | answer=D | explanation=The first three numbers increase by 9, so the next should be 41. Therefore 44 is the odd one out.

id=91460 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=O | option_b=Q | option_c=U | option_d=S | answer=D | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=91461 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=H | option_c=F | option_d=I | answer=B | explanation=Move 1 positions forward from G; the resulting letter is H.

id=91462 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2859. If it is sold at a profit of 50%, what is its selling price? | option_a=4288 | option_b=2909 | option_c=4573 | option_d=4003 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2859 × 150/100 = █4288.

id=91463 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 31? | option_a=14 | option_b=19 | option_c=24 | option_d=31 | answer=D | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 31 is the odd one out.

id=91464 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:20 and the first is 15, what is the second? | option_a=60 | option_b=65 | option_c=75 | option_d=40 | answer=A | explanation=Scale factor = 15/5 = 3. Therefore second quantity = 20×3 = 60.

id=91465 | topic=Averages | difficulty=Easy | question=Find the average of 78, 22, 95, 25, 70. | option_a=57 | option_b=59 | option_c=58 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 290 ÷ 5 = 58.

id=91466 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4154. If it is sold at a profit of 30%, what is its selling price? | option_a=4985 | option_b=5815 | option_c=4184 | option_d=5400 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4154 × 130/100 = █5400.

id=91467 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:13 and the first is 288, what is the second? | option_a=195 | option_b=226 | option_c=208 | option_d=496 | answer=C | explanation=Scale factor = 288/18 = 16. Therefore second quantity = 13×16 = 208.

id=91468 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=I | option_c=U | option_d=Q | answer=D | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=91469 | topic=Percentages | difficulty=Easy | question=What is 40% of 1815? | option_a=1452 | option_b=726 | option_c=721 | option_d=731 | answer=B | explanation=40% of 1815 = (40/100) × 1815 = 726.

id=91470 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47479 at 5% per annum for 1 years. | option_a=49852 | option_b=2473 | option_c=2373 | option_d=2273 | answer=C | explanation=SI = PRT/100 = 47479×5×1/100 = █2373.

Aptitude Questions — Records 91,471-91,500 of 100,000

id=91471 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3844. If it is sold at a profit of 25%, what is its selling price? | option_a=4421 | option_b=4805 | option_c=3869 | option_d=5189 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3844 × 125/100 = █4805.

id=91472 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29775 at 10% per annum for 4 years. | option_a=12010 | option_b=41685 | option_c=11910 | option_d=11810 | answer=C | explanation=SI = PRT/100 = 29775×10×4/100 = █11910.

id=91473 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=52 | option_b=62 | option_c=53 | option_d=42 | answer=A | explanation=The common difference is 10. Therefore the next term is 42 + 10 = 52.

id=91474 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11135 at 8% per annum for 1 years. | option_a=990 | option_b=12025 | option_c=790 | option_d=890 | answer=D | explanation=SI = PRT/100 = 11135×8×1/100 = █890.

id=91475 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2312 at 8% per annum for 3 years. | option_a=654 | option_b=2866 | option_c=554 | option_d=454 | answer=C | explanation=SI = PRT/100 = 2312×8×3/100 = █554.

id=91476 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=28 | option_b=32 | option_c=22 | option_d=27 | answer=D | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.

id=91477 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=5 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=91478 | topic=Averages | difficulty=Easy | question=Find the average of 60, 67, 42, 46, 78, 13, 90, 21, 58, 55. | option_a=55 | option_b=52 | option_c=54 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=91479 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:13 and the first is 70, what is the second? | option_a=182 | option_b=187 | option_c=252 | option_d=169 | answer=A | explanation=Scale factor = 70/5 = 14. Therefore second quantity = 13×14 = 182.

id=91480 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=33 | option_b=29 | option_c=30 | option_d=25 | answer=B | explanation=The common difference is 4. Therefore the next term is 25 + 4 = 29.

id=91481 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=26 | option_b=18 | option_c=23 | option_d=22 | answer=D | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

id=91482 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 8, 10, 14? | option_a=10 | option_b=6 | option_c=14 | option_d=8 | answer=C | explanation=The first three numbers increase by 2, so the next should be 12. Therefore 14 is the odd one out.

id=91483 | topic=Percentages | difficulty=Easy | question=What is 40% of 1312? | option_a=519 | option_b=534 | option_c=1048 | option_d=524 | answer=D | explanation=40% of 1312 = (40/100) × 1312 = 524.

id=91484 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=91485 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=80 | option_d=150 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=91486 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=17 | option_c=24 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=91487 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:5 and the first is 52, what is the second? | option_a=33 | option_b=20 | option_c=72 | option_d=15 | answer=B | explanation=Scale factor = 52/13 = 4. Therefore second quantity = 5×4 = 20.

id=91488 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'i' become? | option_a=D | option_b=I | option_c=S | option_d=N | answer=D | explanation=Move 5 positions forward from i; the resulting letter is N.

id=91489 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 23, 32, 44? | option_a=32 | option_b=14 | option_c=23 | option_d=44 | answer=D | explanation=The first three numbers increase by 9, so the next should be 41. Therefore 44 is the odd one out.

id=91490 | topic=Percentages | difficulty=Easy | question=What is 25% of 563? | option_a=280 | option_b=145 | option_c=120 | option_d=140 | answer=D | explanation=25% of 563 = (25/100) × 563 = 140.

id=91491 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=J | option_c=N | option_d=P | answer=C | explanation=Move 2 positions forward from L; the resulting letter is N.

id=91492 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26500 at 12% per annum for 2 years. | option_a=6360 | option_b=6460 | option_c=32860 | option_d=6260 | answer=A | explanation=SI = PRT/100 = 26500×12×2/100 = █6360.

id=91493 | topic=Percentages | difficulty=Easy | question=What is 20% of 1980? | option_a=376 | option_b=396 | option_c=792 | option_d=406 | answer=B | explanation=20% of 1980 = (20/100) × 1980 = 396.

id=91494 | topic=Percentages | difficulty=Easy | question=What is 40% of 1922? | option_a=768 | option_b=1536 | option_c=758 | option_d=788 | answer=A | explanation=40% of 1922 = (40/100) × 1922 = 768.

id=91495 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30578 at 6% per annum for 3 years. | option_a=5604 | option_b=5504 | option_c=5404 | option_d=36082 | answer=B | explanation=SI = PRT/100 = 30578×6×3/100 = █5504.

id=91496 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=23 | option_c=36 | option_d=13 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=91497 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11310 at 15% per annum for 2 years. | option_a=3293 | option_b=3393 | option_c=3493 | option_d=14703 | answer=B | explanation=SI = PRT/100 = 11310×15×2/100 = █3393.

id=91498 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=6 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=91499 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 41? | option_a=20 | option_b=11 | option_c=41 | option_d=29 | answer=C | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 41 is the odd one out.

id=91500 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:16 and the first is 208, what is the second? | option_a=240 | option_b=464 | option_c=269 | option_d=256 | answer=D | explanation=Scale factor = 208/13 = 16. Therefore second quantity = 16×16 = 256.

Aptitude Questions — Records 91,501-91,530 of 100,000

- id=91501 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 28. | option_a=364 | option_b=336 | option_c=390 | option_d=728 | answer=A | explanation=LCM × HCF = 26×28; HCF(26,28) = 2, so LCM = 364.
- id=91502 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:19 and the first is 247, what is the second? | option_a=247 | option_b=494 | option_c=228 | option_d=266 | answer=A | explanation=Scale factor = 247/19 = 13. Therefore second quantity = 19×13 = 247.
- id=91503 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=B | option_c=X | option_d=J | answer=A | explanation=Move 4 positions forward from B; the resulting letter is F.
- id=91504 | topic=Percentages | difficulty=Easy | question=What is 5% of 381? | option_a=19 | option_b=14 | option_c=39 | option_d=38 | answer=A | explanation=5% of 381 = (5/100) × 381 = 19.
- id=91505 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 13, 17, 22? | option_a=13 | option_b=22 | option_c=9 | option_d=17 | answer=B | explanation=The first three numbers increase by 4, so the next should be 21. Therefore 22 is the odd one out.
- id=91506 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47432 at 5% per annum for 3 years. | option_a=54546 | option_b=7014 | option_c=7114 | option_d=7214 | answer=C | explanation=SI = PRT/100 = 47432×5×3/100 = **■**7114.
- id=91507 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35191 at 4% per annum for 3 years. | option_a=4222 | option_b=39413 | option_c=4322 | option_d=4122 | answer=A | explanation=SI = PRT/100 = 35191×4×3/100 = **■**4222.
- id=91508 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14183 at 10% per annum for 3 years. | option_a=4354 | option_b=4254 | option_c=18437 | option_d=4154 | answer=B | explanation=SI = PRT/100 = 14183×10×3/100 = **■**4254.
- id=91509 | topic=Percentages | difficulty=Easy | question=What is 12% of 73? | option_a=8 | option_b=0 | option_c=28 | option_d=16 | answer=A | explanation=12% of 73 = (12/100) × 73 = 8.
- id=91510 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=39 | option_b=34 | option_c=29 | option_d=35 | answer=B | explanation=The common difference is 5. Therefore the next term is 29 + 5 = 34.
- id=91511 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=19 | option_b=21 | option_c=18 | option_d=15 | answer=C | explanation=The common difference is 3. Therefore the next term is 15 + 3 = 18.
- id=91512 | topic=Percentages | difficulty=Easy | question=What is 15% of 481? | option_a=92 | option_b=72 | option_c=67 | option_d=144 | answer=B | explanation=15% of 481 = (15/100) × 481 = 72.
- id=91513 | topic=Percentages | difficulty=Easy | question=What is 15% of 392? | option_a=78 | option_b=116 | option_c=58 | option_d=48 | answer=C | explanation=15% of 392 = (15/100) × 392 = 58.
- id=91514 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=91515 | topic=Percentages | difficulty=Easy | question=What is 5% of 1927? | option_a=192 | option_b=116 | option_c=86 | option_d=96 | answer=D | explanation=5% of 1927 = (5/100) × 1927 = 96.
- id=91516 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=T | option_b=R | option_c=S | option_d=Q | answer=C | explanation=Move 1 positions forward from R; the resulting letter is S.
- id=91517 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 18, 28, 40? | option_a=28 | option_b=40 | option_c=18 | option_d=8 | answer=B | explanation=The first three numbers increase by 10, so the next should be 38. Therefore 40 is the odd one out.
- id=91518 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 30, 33, 38? | option_a=33 | option_b=38 | option_c=27 | option_d=30 | answer=B | explanation=The first three numbers increase by 3, so the next should be 36. Therefore 38 is the odd one out.
- id=91519 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**946. If it is sold at a profit of 10%, what is its selling price? | option_a=1040 | option_b=1134 | option_c=946 | option_d=956 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 946 × 110/100 = **■**1040.
- id=91520 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=180 | option_c=90 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.
- id=91521 | topic=Percentages | difficulty=Easy | question=What is 30% of 1870? | option_a=581 | option_b=1122 | option_c=556 | option_d=561 | answer=D | explanation=30% of 1870 = (30/100) × 1870 = 561.
- id=91522 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 21, 30, 40? | option_a=40 | option_b=21 | option_c=30 | option_d=12 | answer=A | explanation=The first three numbers increase by 9, so the next should be 39. Therefore 40 is the odd one out.
- id=91523 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 16, 21, 27? | option_a=21 | option_b=11 | option_c=16 | option_d=27 | answer=D | explanation=The first three numbers increase by 5, so the next should be 26. Therefore 27 is the odd one out.
- id=91524 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 15? | option_a=15 | option_b=11 | option_c=5 | option_d=8 | answer=A | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 15 is the odd one out.
- id=91525 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:7 and the first is 45, what is the second? | option_a=108 | option_b=105 | option_c=98 | option_d=150 | answer=B | explanation=Scale factor = 45/3 = 15. Therefore second quantity = 7×15 = 105.
- id=91526 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3140. If it is sold at a profit of 10%, what is its selling price? | option_a=3454 | option_b=3768 | option_c=3140 | option_d=3150 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3140 × 110/100 = **■**3454.
- id=91527 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.
- id=91528 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=12 | option_c=7 | option_d=24 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.
- id=91529 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=31 | option_b=30 | option_c=37 | option_d=23 | answer=B | explanation=The common difference is 7. Therefore the next term is 23 + 7 = 30.
- id=91530 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=O | option_b=U | option_c=X | option_d=R | answer=B | explanation=Move 3 positions forward from R; the resulting letter is U.

Aptitude Questions — Records 91,531-91,560 of 100,000

id=91531 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:15 and the first is 96, what is the second? | option_a=336 | option_b=246 | option_c=240 | option_d=225 | answer=C | explanation=Scale factor = $96/6 = 16$. Therefore second quantity = $15 \times 16 = 240$.

id=91532 | topic=Averages | difficulty=Easy | question=Find the average of 97, 53, 90. | option_a=81 | option_b=82 | option_c=79 | option_d=80 | answer=D | explanation=Average = sum of values ÷ number of values = $240 \div 3 = 80$.

id=91533 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:15 and the first is 361, what is the second? | option_a=270 | option_b=646 | option_c=285 | option_d=304 | answer=C | explanation=Scale factor = $361/19 = 19$. Therefore second quantity = $15 \times 19 = 285$.

id=91534 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=17 | option_c=12 | option_d=24 | answer=C | explanation=Speed = distance ÷ time = $120 \div 10 = 12$ km/h.

id=91535 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=91536 | topic=Percentages | difficulty=Easy | question=What is 20% of 996? | option_a=189 | option_b=209 | option_c=199 | option_d=398 | answer=C | explanation=20% of 996 = $(20/100) \times 996 = 199$.

id=91537 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=91538 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 35, 44, 55? | option_a=26 | option_b=44 | option_c=55 | option_d=35 | answer=C | explanation=The first three numbers increase by 9, so the next should be 53. Therefore 55 is the odd one out.

id=91539 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5753 at 4% per annum for 3 years. | option_a=590 | option_b=790 | option_c=6443 | option_d=690 | answer=D | explanation=SI = $PRT/100 = 5753 \times 4 \times 3/100 = \text{■}690$.

id=91540 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=180 | option_c=85 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = $180 \div 2 = 90$ km/h.

id=91541 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**328. If it is sold at a profit of 5%, what is its selling price? | option_a=312 | option_b=344 | option_c=333 | option_d=376 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 328 \times 105/100 = \text{■}344$.

id=91542 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:7 and the first is 18, what is the second? | option_a=45 | option_b=42 | option_c=60 | option_d=35 | answer=B | explanation=Scale factor = $18/3 = 6$. Therefore second quantity = $7 \times 6 = 42$.

id=91543 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4794. If it is sold at a profit of 30%, what is its selling price? | option_a=6232 | option_b=5753 | option_c=6711 | option_d=4824 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4794 \times 130/100 = \text{■}6232$.

id=91544 | topic=Percentages | difficulty=Easy | question=What is 5% of 508? | option_a=20 | option_b=25 | option_c=50 | option_d=30 | answer=B | explanation=5% of 508 = $(5/100) \times 508 = 25$.

id=91545 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 35, 44, 56? | option_a=26 | option_b=44 | option_c=56 | option_d=35 | answer=C | explanation=The first three numbers increase by 9, so the next should be 53. Therefore 56 is the odd one out.

id=91546 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=41 | option_b=63 | option_c=52 | option_d=53 | answer=C | explanation=The common difference is 11. Therefore the next term is $41 + 11 = 52$.

id=91547 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1519. If it is sold at a profit of 25%, what is its selling price? | option_a=2049 | option_b=1747 | option_c=1898 | option_d=1544 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1519 \times 125/100 = \text{■}1898$.

id=91548 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29962 at 10% per annum for 4 years. | option_a=11884 | option_b=41946 | option_c=11984 | option_d=12084 | answer=C | explanation=SI = $PRT/100 = 29962 \times 10 \times 4/100 = \text{■}11984$.

id=91549 | topic=Percentages | difficulty=Easy | question=What is 30% of 1525? | option_a=914 | option_b=447 | option_c=462 | option_d=457 | answer=D | explanation=30% of 1525 = $(30/100) \times 1525 = 457$.

id=91550 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=58 | option_b=57 | option_c=46 | option_d=68 | answer=B | explanation=The common difference is 11. Therefore the next term is $46 + 11 = 57$.

id=91551 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=F | option_c=V | option_d=K | answer=B | explanation=Move 5 positions forward from A; the resulting letter is F.

id=91552 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40054 at 10% per annum for 3 years. | option_a=52070 | option_b=11916 | option_c=12016 | option_d=12116 | answer=C | explanation=SI = $PRT/100 = 40054 \times 10 \times 3/100 = \text{■}12016$.

id=91553 | topic=Percentages | difficulty=Easy | question=What is 12% of 376? | option_a=90 | option_b=25 | option_c=45 | option_d=65 | answer=C | explanation=12% of 376 = $(12/100) \times 376 = 45$.

id=91554 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=W | option_b=L | option_c=B | option_d=G | answer=D | explanation=Move 5 positions forward from B; the resulting letter is G.

id=91555 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=16 | option_d=3 | answer=A | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=91556 | topic=Percentages | difficulty=Easy | question=What is 12% of 162? | option_a=19 | option_b=0 | option_c=39 | option_d=38 | answer=A | explanation=12% of 162 = $(12/100) \times 162 = 19$.

id=91557 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=X | option_b=V | option_c=T | option_d=R | answer=B | explanation=Move 2 positions forward from T; the resulting letter is V.

id=91558 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=145 | option_c=155 | option_d=300 | answer=A | explanation=Speed = distance ÷ time = $300 \div 2 = 150$ km/h.

id=91559 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3738. If it is sold at a profit of 40%, what is its selling price? | option_a=3778 | option_b=4860 | option_c=5606 | option_d=5233 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3738 \times 140/100 = \text{■}5233$.

id=91560 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3176 at 5% per annum for 4 years. | option_a=735 | option_b=535 | option_c=635 | option_d=3811 | answer=C | explanation=SI = $PRT/100 = 3176 \times 5 \times 4/100 = \text{■}635$.

Aptitude Questions — Records 91,561-91,590 of 100,000

id=91561 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1097. If it is sold at a profit of 50%, what is its selling price? | option_a=1645 | option_b=1536 | option_c=1754 | option_d=1147 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1097 \times 150/100 = \text{█1645}$.

id=91562 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:4 and the first is 210, what is the second? | option_a=52 | option_b=266 | option_c=71 | option_d=56 | answer=D | explanation=Scale factor = $210/15 = 14$. Therefore second quantity = $4 \times 14 = 56$.

id=91563 | topic=Averages | difficulty=Easy | question=Find the average of 25, 81, 84, 87, 48. | option_a=64 | option_b=67 | option_c=65 | option_d=66 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 325 \div 5 = 65$.

id=91564 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=C | option_c=A | option_d=B | answer=B | explanation=Move 1 positions forward from B; the resulting letter is C.

id=91565 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=85 | option_c=95 | option_d=90 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 360 \div 4 = 90 \text{ km/h}$.

id=91566 | topic=Percentages | difficulty=Easy | question=What is 20% of 54? | option_a=20 | option_b=15 | option_c=10 | option_d=0 | answer=C | explanation=20% of 54 = $(20/100) \times 54 = 10$.

id=91567 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:19 and the first is 340, what is the second? | option_a=343 | option_b=304 | option_c=663 | option_d=323 | answer=D | explanation=Scale factor = $340/20 = 17$. Therefore second quantity = $19 \times 17 = 323$.

id=91568 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4677. If it is sold at a profit of 50%, what is its selling price? | option_a=4727 | option_b=7482 | option_c=6548 | option_d=7015 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4677 \times 150/100 = \text{█7015}$.

id=91569 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 8, 13, 21? | option_a=8 | option_b=3 | option_c=13 | option_d=21 | answer=D | explanation=The first three numbers increase by 5, so the next should be 18. Therefore 21 is the odd one out.

id=91570 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=W | option_b=Q | option_c=T | option_d=N | answer=C | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=91571 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4829. If it is sold at a profit of 5%, what is its selling price? | option_a=5552 | option_b=4588 | option_c=5070 | option_d=4834 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4829 \times 105/100 = \text{█5070}$.

id=91572 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=33 | option_b=27 | option_c=39 | option_d=34 | answer=A | explanation=The common difference is 6. Therefore the next term is $27 + 6 = 33$.

id=91573 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=240 | option_c=125 | option_d=115 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 240 \div 2 = 120 \text{ km/h}$.

id=91574 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 38, 48, 60? | option_a=48 | option_b=28 | option_c=38 | option_d=60 | answer=D | explanation=The first three numbers increase by 10, so the next should be 58. Therefore 60 is the odd one out.

id=91575 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=F | option_b=I | option_c=O | option_d=L | answer=D | explanation=Move 3 positions forward from I; the resulting letter is L.

id=91576 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 14, 16, 21? | option_a=12 | option_b=16 | option_c=14 | option_d=21 | answer=D | explanation=The first three numbers increase by 2, so the next should be 18. Therefore 21 is the odd one out.

id=91577 | topic=Averages | difficulty=Easy | question=Find the average of 79, 84, 91, 14, 98, 52, 98, 28. | option_a=69 | option_b=70 | option_c=68 | option_d=67 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 544 \div 8 = 68$.

id=91578 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=53 | option_b=52 | option_c=41 | option_d=63 | answer=B | explanation=The common difference is 11. Therefore the next term is $41 + 11 = 52$.

id=91579 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:11 and the first is 45, what is the second? | option_a=165 | option_b=168 | option_c=154 | option_d=210 | answer=A | explanation=Scale factor = $45/3 = 15$. Therefore second quantity = $11 \times 15 = 165$.

id=91580 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=40 | option_d=15 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 120 \div 6 = 20 \text{ km/h}$.

id=91581 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1716. If it is sold at a profit of 10%, what is its selling price? | option_a=1726 | option_b=1887 | option_c=2058 | option_d=1716 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1716 \times 110/100 = \text{█1887}$.

id=91582 | topic=Averages | difficulty=Easy | question=Find the average of 46, 57, 22, 10, 23, 34, 102. | option_a=42 | option_b=44 | option_c=43 | option_d=41 | answer=A | explanation=Average = $\text{sum of values} \div \text{number of values} = 294 \div 7 = 42$.

id=91583 | topic=Averages | difficulty=Easy | question=Find the average of 91, 50, 18. | option_a=52 | option_b=54 | option_c=53 | option_d=55 | answer=C | explanation=Average = $\text{sum of values} \div \text{number of values} = 159 \div 3 = 53$.

id=91584 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=D | option_c=B | option_d=H | answer=A | explanation=Move 2 positions forward from D; the resulting letter is F.

id=91585 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 36, 44, 55? | option_a=28 | option_b=36 | option_c=55 | option_d=44 | answer=C | explanation=The first three numbers increase by 8, so the next should be 52. Therefore 55 is the odd one out.

id=91586 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=91587 | topic=Averages | difficulty=Easy | question=Find the average of 12, 45, 31, 99, 20, 11, 33, 81, 82. | option_a=45 | option_b=47 | option_c=48 | option_d=46 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 414 \div 9 = 46$.

id=91588 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 8. | option_a=150 | option_b=120 | option_c=112 | option_d=240 | answer=B | explanation= $LCM \times HCF = 30 \times 8$; $HCF(30,8) = 2$, so $LCM = 120$.

id=91589 | topic=Percentages | difficulty=Easy | question=What is 5% of 348? | option_a=17 | option_b=37 | option_c=34 | option_d=0 | answer=A | explanation=5% of 348 = $(5/100) \times 348 = 17$.

id=91590 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3933. If it is sold at a profit of 20%, what is its selling price? | option_a=4326 | option_b=4719 | option_c=5112 | option_d=3953 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3933 \times 120/100 = \text{█4719}$.

Aptitude Questions — Records 91,591-91,620 of 100,000

id=91591 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=91592 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=Q | option_b=H | option_c=K | option_d=N | answer=D | explanation=Move 3 positions forward from K; the resulting letter is N.

id=91593 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:13 and the first is 216, what is the second? | option_a=450 | option_b=221 | option_c=234 | option_d=246 | answer=C | explanation=Scale factor = 216/12 = 18. Therefore second quantity = 13×18 = 234.

id=91594 | topic=Percentages | difficulty=Easy | question=What is 12% of 1844? | option_a=211 | option_b=221 | option_c=442 | option_d=231 | answer=B | explanation=12% of 1844 = (12/100) × 1844 = 221.

id=91595 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=L | option_c=K | option_d=J | answer=B | explanation=Move 1 positions forward from K; the resulting letter is L.

id=91596 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:12 and the first is 9, what is the second? | option_a=117 | option_b=109 | option_c=108 | option_d=96 | answer=C | explanation=Scale factor = 9/1 = 9. Therefore second quantity = 12×9 = 108.

id=91597 | topic=Averages | difficulty=Easy | question=Find the average of 55, 71, 72, 57, 20. | option_a=57 | option_b=56 | option_c=54 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 275 ÷ 5 = 55.

id=91598 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=91599 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2330. If it is sold at a profit of 25%, what is its selling price? | option_a=2679 | option_b=2912 | option_c=2355 | option_d=3145 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2330 × 125/100 = █2912.

id=91600 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=8 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=91601 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=16 | option_b=20 | option_c=18 | option_d=19 | answer=C | explanation=The common difference is 2. Therefore the next term is 16 + 2 = 18.

id=91602 | topic=Averages | difficulty=Easy | question=Find the average of 50, 75, 83, 76. | option_a=73 | option_b=70 | option_c=71 | option_d=72 | answer=C | explanation=Average = sum of values ÷ number of values = 284 ÷ 4 = 71.

id=91603 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=36 | option_b=40 | option_c=30 | option_d=35 | answer=D | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=91604 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 44? | option_a=37 | option_b=25 | option_c=44 | option_d=31 | answer=C | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 44 is the odd one out.

id=91605 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:2 and the first is 120, what is the second? | option_a=16 | option_b=14 | option_c=136 | option_d=31 | answer=A | explanation=Scale factor = 120/15 = 8. Therefore second quantity = 2×8 = 16.

id=91606 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17928 at 6% per annum for 1 years. | option_a=975 | option_b=1075 | option_c=19003 | option_d=1175 | answer=B | explanation=SI = PRT/100 = 17928×6×1/100 = █1075.

id=91607 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4386. If it is sold at a profit of 5%, what is its selling price? | option_a=4167 | option_b=5043 | option_c=4391 | option_d=4605 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4386 × 105/100 = █4605.

id=91608 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4893. If it is sold at a profit of 25%, what is its selling price? | option_a=5627 | option_b=6116 | option_c=6605 | option_d=4918 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4893 × 125/100 = █6116.

id=91609 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=46 | option_b=55 | option_c=37 | option_d=47 | answer=A | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=91610 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26250 at 15% per annum for 5 years. | option_a=19787 | option_b=19687 | option_c=19587 | option_d=45937 | answer=B | explanation=SI = PRT/100 = 26250×15×5/100 = █19687.

id=91611 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 18. | option_a=72 | option_b=180 | option_c=100 | option_d=90 | answer=D | explanation=LCM × HCF = 10×18; HCF(10,18) = 2, so LCM = 90.

id=91612 | topic=Percentages | difficulty=Easy | question=What is 12% of 925? | option_a=106 | option_b=222 | option_c=131 | option_d=111 | answer=D | explanation=12% of 925 = (12/100) × 925 = 111.

id=91613 | topic=Averages | difficulty=Easy | question=Find the average of 11, 46, 52, 15. | option_a=31 | option_b=32 | option_c=30 | option_d=33 | answer=A | explanation=Average = sum of values ÷ number of values = 124 ÷ 4 = 31.

id=91614 | topic=Percentages | difficulty=Easy | question=What is 10% of 1501? | option_a=150 | option_b=300 | option_c=130 | option_d=170 | answer=A | explanation=10% of 1501 = (10/100) × 1501 = 150.

id=91615 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2506. If it is sold at a profit of 15%, what is its selling price? | option_a=2631 | option_b=3131 | option_c=2521 | option_d=2881 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2506 × 115/100 = █2881.

id=91616 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=N | option_c=L | option_d=H | answer=C | explanation=Move 2 positions forward from J; the resulting letter is L.

id=91617 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 13, 17, 24? | option_a=13 | option_b=24 | option_c=9 | option_d=17 | answer=B | explanation=The first three numbers increase by 4, so the next should be 21. Therefore 24 is the odd one out.

id=91618 | topic=Percentages | difficulty=Easy | question=What is 12% of 350? | option_a=62 | option_b=84 | option_c=37 | option_d=42 | answer=D | explanation=12% of 350 = (12/100) × 350 = 42.

id=91619 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14798 at 12% per annum for 4 years. | option_a=21901 | option_b=7203 | option_c=7003 | option_d=7103 | answer=D | explanation=SI = PRT/100 = 14798×12×4/100 = █7103.

id=91620 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=17 | option_b=22 | option_c=25 | option_d=21 | answer=D | explanation=The common difference is 4. Therefore the next term is 17 + 4 = 21.

Aptitude Questions — Records 91,621-91,650 of 100,000

- id=91621 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=95 | option_c=100 | option_d=105 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.
- id=91622 | topic=Averages | difficulty=Easy | question=Find the average of 89, 90, 31, 30, 44, 14, 24. | option_a=45 | option_b=46 | option_c=47 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 322 ÷ 7 = 46.
- id=91623 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=70 | option_d=150 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.
- id=91624 | topic=Averages | difficulty=Easy | question=Find the average of 85, 69, 20, 42, 78, 95, 50, 77, 29, 75. | option_a=62 | option_b=64 | option_c=63 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 620 ÷ 10 = 62.
- id=91625 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:7 and the first is 272, what is the second? | option_a=112 | option_b=135 | option_c=391 | option_d=119 | answer=D | explanation=Scale factor = 272/16 = 17. Therefore second quantity = 7×17 = 119.
- id=91626 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 50? | option_a=21 | option_b=30 | option_c=50 | option_d=39 | answer=C | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 50 is the odd one out.
- id=91627 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3022. If it is sold at a profit of 25%, what is its selling price? | option_a=3777 | option_b=3047 | option_c=4079 | option_d=3475 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3022 × 125/100 = █3777.
- id=91628 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=L | option_b=T | option_c=P | option_d=X | answer=B | explanation=Move 4 positions forward from P; the resulting letter is T.
- id=91629 | topic=Percentages | difficulty=Easy | question=What is 10% of 1945? | option_a=388 | option_b=204 | option_c=194 | option_d=189 | answer=C | explanation=10% of 1945 = (10/100) × 1945 = 194.
- id=91630 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4761. If it is sold at a profit of 15%, what is its selling price? | option_a=4776 | option_b=5951 | option_c=4999 | option_d=5475 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4761 × 115/100 = █5475.
- id=91631 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=I | option_b=Q | option_c=U | option_d=M | answer=B | explanation=Move 4 positions forward from M; the resulting letter is Q.
- id=91632 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 35, 42, 52? | option_a=42 | option_b=35 | option_c=52 | option_d=28 | answer=C | explanation=The first three numbers increase by 7, so the next should be 49. Therefore 52 is the odd one out.
- id=91633 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2282. If it is sold at a profit of 25%, what is its selling price? | option_a=2307 | option_b=2624 | option_c=3080 | option_d=2852 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2282 × 125/100 = █2852.
- id=91634 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:14 and the first is 72, what is the second? | option_a=128 | option_b=56 | option_c=42 | option_d=74 | answer=B | explanation=Scale factor = 72/18 = 4. Therefore second quantity = 14×4 = 56.
- id=91635 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=19 | option_b=22 | option_c=21 | option_d=23 | answer=C | explanation=The common difference is 2. Therefore the next term is 19 + 2 = 21.
- id=91636 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:20 and the first is 252, what is the second? | option_a=298 | option_b=260 | option_c=280 | option_d=532 | answer=C | explanation=Scale factor = 252/18 = 14. Therefore second quantity = 20×14 = 280.
- id=91637 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=55 | option_b=66 | option_c=42 | option_d=54 | answer=D | explanation=The common difference is 12. Therefore the next term is 42 + 12 = 54.
- id=91638 | topic=Averages | difficulty=Easy | question=Find the average of 68, 90, 42, 34, 26. | option_a=53 | option_b=51 | option_c=54 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 260 ÷ 5 = 52.
- id=91639 | topic=Percentages | difficulty=Easy | question=What is 50% of 1205? | option_a=607 | option_b=592 | option_c=602 | option_d=1204 | answer=C | explanation=50% of 1205 = (50/100) × 1205 = 602.
- id=91640 | topic=Percentages | difficulty=Easy | question=What is 12% of 709? | option_a=170 | option_b=75 | option_c=85 | option_d=90 | answer=C | explanation=12% of 709 = (12/100) × 709 = 85.
- id=91641 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 33? | option_a=28 | option_b=33 | option_c=22 | option_d=25 | answer=B | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 33 is the odd one out.
- id=91642 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=28 | option_b=24 | option_c=29 | option_d=32 | answer=A | explanation=The common difference is 4. Therefore the next term is 24 + 4 = 28.
- id=91643 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 18, 27, 37? | option_a=18 | option_b=27 | option_c=9 | option_d=37 | answer=D | explanation=The first three numbers increase by 9, so the next should be 36. Therefore 37 is the odd one out.
- id=91644 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=C | option_c=Z | option_d=B | answer=D | explanation=Move 1 positions forward from A; the resulting letter is B.
- id=91645 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=25 | option_c=40 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.
- id=91646 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:19 and the first is 57, what is the second? | option_a=57 | option_b=76 | option_c=38 | option_d=114 | answer=A | explanation=Scale factor = 57/19 = 3. Therefore second quantity = 19×3 = 57.
- id=91647 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.
- id=91648 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=34 | option_b=42 | option_c=26 | option_d=35 | answer=A | explanation=The common difference is 8. Therefore the next term is 26 + 8 = 34.
- id=91649 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=43 | option_b=38 | option_c=33 | option_d=39 | answer=B | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.
- id=91650 | topic=Percentages | difficulty=Easy | question=What is 15% of 319? | option_a=42 | option_b=94 | option_c=67 | option_d=47 | answer=D | explanation=15% of 319 = (15/100) × 319 = 47.

Aptitude Questions — Records 91,651-91,680 of 100,000

id=91651 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:7 and the first is 209, what is the second? | option_a=77 | option_b=96 | option_c=286 | option_d=70 | answer=A | explanation=Scale factor = 209/19 = 11. Therefore second quantity = 7×11 = 77.

id=91652 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=D | option_b=F | option_c=J | option_d=H | answer=D | explanation=Move 2 positions forward from F; the resulting letter is H.

id=91653 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=5 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=91654 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1835. If it is sold at a profit of 15%, what is its selling price? | option_a=1927 | option_b=2110 | option_c=2293 | option_d=1850 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1835 × 115/100 = █2110.

id=91655 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:13 and the first is 5, what is the second? | option_a=70 | option_b=65 | option_c=52 | option_d=66 | answer=B | explanation=Scale factor = 5/1 = 5. Therefore second quantity = 13×5 = 65.

id=91656 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 31? | option_a=20 | option_b=31 | option_c=24 | option_d=16 | answer=B | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 31 is the odd one out.

id=91657 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=T | option_b=S | option_c=U | option_d=R | answer=A | explanation=Move 1 positions forward from S; the resulting letter is T.

id=91658 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=91659 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=91660 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=50 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=91661 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=91662 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=45 | option_b=65 | option_c=55 | option_d=56 | answer=C | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.

id=91663 | topic=Percentages | difficulty=Easy | question=What is 12% of 155? | option_a=28 | option_b=36 | option_c=0 | option_d=18 | answer=D | explanation=12% of 155 = (12/100) × 155 = 18.

id=91664 | topic=Percentages | difficulty=Easy | question=What is 20% of 345? | option_a=138 | option_b=79 | option_c=59 | option_d=69 | answer=D | explanation=20% of 345 = (20/100) × 345 = 69.

id=91665 | topic=Averages | difficulty=Easy | question=Find the average of 52, 43, 16, 70, 69, 36, 17, 17. | option_a=41 | option_b=42 | option_c=39 | option_d=40 | answer=D | explanation=Average = sum of values ÷ number of values = 320 ÷ 8 = 40.

id=91666 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:8 and the first is 180, what is the second? | option_a=136 | option_b=154 | option_c=144 | option_d=324 | answer=C | explanation=Scale factor = 180/10 = 18. Therefore second quantity = 8×18 = 144.

id=91667 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 12, 21, 30, ? | option_a=39 | option_b=48 | option_c=30 | option_d=40 | answer=A | explanation=The common difference is 9. Therefore the next term is 30 + 9 = 39.

id=91668 | topic=Averages | difficulty=Easy | question=Find the average of 66, 27, 90, 76, 96, 62, 15, 75, 69. | option_a=66 | option_b=64 | option_c=65 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 576 ÷ 9 = 64.

id=91669 | topic=Averages | difficulty=Easy | question=Find the average of 15, 66, 74, 22, 97, 74, 49, 98, 20, 75. | option_a=58 | option_b=61 | option_c=60 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 590 ÷ 10 = 59.

id=91670 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=53 | option_b=40 | option_c=52 | option_d=64 | answer=C | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.

id=91671 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2903. If it is sold at a profit of 40%, what is its selling price? | option_a=4354 | option_b=2943 | option_c=4064 | option_d=3774 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2903 × 140/100 = █4064.

id=91672 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:2 and the first is 195, what is the second? | option_a=26 | option_b=221 | option_c=24 | option_d=41 | answer=A | explanation=Scale factor = 195/15 = 13. Therefore second quantity = 2×13 = 26.

id=91673 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 28? | option_a=28 | option_b=20 | option_c=22 | option_d=24 | answer=A | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 28 is the odd one out.

id=91674 | topic=Profit & Loss | difficulty=Easy | question=An article costs █463. If it is sold at a profit of 5%, what is its selling price? | option_a=532 | option_b=440 | option_c=486 | option_d=468 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 463 × 105/100 = █486.

id=91675 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=A | option_c=E | option_d=Y | answer=A | explanation=Move 2 positions forward from A; the resulting letter is C.

id=91676 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=91677 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 32, 35, 41? | option_a=29 | option_b=32 | option_c=41 | option_d=35 | answer=C | explanation=The first three numbers increase by 3, so the next should be 38. Therefore 41 is the odd one out.

id=91678 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=B | option_c=D | option_d=E | answer=C | explanation=Move 1 positions forward from C; the resulting letter is D.

id=91679 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13646 at 15% per annum for 5 years. | option_a=23880 | option_b=10134 | option_c=10234 | option_d=10334 | answer=C | explanation=SI = PRT/100 = 13646×15×5/100 = █10234.

id=91680 | topic=Averages | difficulty=Easy | question=Find the average of 31, 16, 99, 63, 51. | option_a=53 | option_b=54 | option_c=52 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 260 ÷ 5 = 52.

Aptitude Questions — Records 91,681-91,710 of 100,000

id=91681 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:2 and the first is 144, what is the second? | option_a=168 | option_b=22 | option_c=24 | option_d=36 | answer=C | explanation=Scale factor = 144/12 = 12. Therefore second quantity = 2×12 = 24.

id=91682 | topic=Percentages | difficulty=Easy | question=What is 25% of 957? | option_a=239 | option_b=478 | option_c=229 | option_d=244 | answer=A | explanation=25% of 957 = (25/100) × 957 = 239.

id=91683 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=36 | option_b=42 | option_c=28 | option_d=35 | answer=D | explanation=The common difference is 7. Therefore the next term is 28 + 7 = 35.

id=91684 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=9 | option_c=18 | option_d=14 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=91685 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=Q | option_b=S | option_c=O | option_d=M | answer=A | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=91686 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=80 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=91687 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹37311 at 10% per annum for 3 years. | option_a=48504 | option_b=11193 | option_c=11293 | option_d=11093 | answer=B | explanation=SI = PRT/100 = 37311×10×3/100 = ₹11193.

id=91688 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=59 | option_b=41 | option_c=51 | option_d=50 | answer=D | explanation=The common difference is 9. Therefore the next term is 41 + 9 = 50.

id=91689 | topic=Percentages | difficulty=Easy | question=What is 10% of 280? | option_a=38 | option_b=8 | option_c=56 | option_d=28 | answer=D | explanation=10% of 280 = (10/100) × 280 = 28.

id=91690 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:13 and the first is 26, what is the second? | option_a=156 | option_b=171 | option_c=169 | option_d=195 | answer=C | explanation=Scale factor = 26/2 = 13. Therefore second quantity = 13×13 = 169.

id=91691 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=19 | option_b=13 | option_c=16 | option_d=17 | answer=C | explanation=The common difference is 3. Therefore the next term is 13 + 3 = 16.

id=91692 | topic=Averages | difficulty=Easy | question=Find the average of 88, 81, 20. | option_a=62 | option_b=63 | option_c=64 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 189 ÷ 3 = 63.

id=91693 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 30? | option_a=18 | option_b=13 | option_c=30 | option_d=23 | answer=C | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 30 is the odd one out.

id=91694 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:8 and the first is 54, what is the second? | option_a=48 | option_b=102 | option_c=40 | option_d=57 | answer=A | explanation=Scale factor = 54/9 = 6. Therefore second quantity = 8×6 = 48.

id=91695 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=S | option_b=O | option_c=K | option_d=G | answer=B | explanation=Move 4 positions forward from K; the resulting letter is O.

id=91696 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 16. | option_a=288 | option_b=144 | option_c=162 | option_d=128 | answer=B | explanation=LCM × HCF = 18×16; HCF(18,16) = 2, so LCM = 144.

id=91697 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=19 | option_b=18 | option_c=17 | option_d=15 | answer=C | explanation=The common difference is 2. Therefore the next term is 15 + 2 = 17.

id=91698 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 99, what is the second? | option_a=155 | option_b=144 | option_c=128 | option_d=243 | answer=B | explanation=Scale factor = 99/11 = 9. Therefore second quantity = 16×9 = 144.

id=91699 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=Q | option_c=M | option_d=S | answer=B | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=91700 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=Z | option_c=Q | option_d=W | answer=D | explanation=Move 3 positions forward from T; the resulting letter is W.

id=91701 | topic=Percentages | difficulty=Easy | question=What is 10% of 765? | option_a=86 | option_b=152 | option_c=71 | option_d=76 | answer=D | explanation=10% of 765 = (10/100) × 765 = 76.

id=91702 | topic=Percentages | difficulty=Easy | question=What is 25% of 957? | option_a=259 | option_b=478 | option_c=239 | option_d=234 | answer=C | explanation=25% of 957 = (25/100) × 957 = 239.

id=91703 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:6 and the first is 8, what is the second? | option_a=16 | option_b=20 | option_c=12 | option_d=6 | answer=C | explanation=Scale factor = 8/4 = 2. Therefore second quantity = 6×2 = 12.

id=91704 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 43? | option_a=43 | option_b=24 | option_c=30 | option_d=36 | answer=A | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 43 is the odd one out.

id=91705 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=N | option_c=M | option_d=L | answer=B | explanation=Move 1 positions forward from M; the resulting letter is N.

id=91706 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:14 and the first is 30, what is the second? | option_a=76 | option_b=56 | option_c=100 | option_d=70 | answer=D | explanation=Scale factor = 30/6 = 5. Therefore second quantity = 14×5 = 70.

id=91707 | topic=Averages | difficulty=Easy | question=Find the average of 13, 44, 50, 39, 39, 52, 26, 97. | option_a=46 | option_b=47 | option_c=45 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = 360 ÷ 8 = 45.

id=91708 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 29, 37, 46? | option_a=46 | option_b=37 | option_c=29 | option_d=21 | answer=A | explanation=The first three numbers increase by 8, so the next should be 45. Therefore 46 is the odd one out.

id=91709 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=L | option_c=N | option_d=J | answer=C | explanation=Move 2 positions forward from L; the resulting letter is N.

id=91710 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:12 and the first is 171, what is the second? | option_a=228 | option_b=237 | option_c=399 | option_d=216 | answer=A | explanation=Scale factor = 171/9 = 19. Therefore second quantity = 12×19 = 228.

Aptitude Questions — Records 91,711-91,740 of 100,000

id=91711 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=E | option_b=D | option_c=C | option_d=F | answer=A | explanation=Move 1 positions forward from D; the resulting letter is E.

id=91712 | topic=Percentages | difficulty=Easy | question=What is 15% of 1812? | option_a=271 | option_b=542 | option_c=281 | option_d=266 | answer=A | explanation=15% of 1812 = (15/100) × 1812 = 271.

id=91713 | topic=Percentages | difficulty=Easy | question=What is 12% of 1404? | option_a=168 | option_b=148 | option_c=188 | option_d=336 | answer=A | explanation=12% of 1404 = (12/100) × 1404 = 168.

id=91714 | topic=Averages | difficulty=Easy | question=Find the average of 13, 70, 86, 61, 78, 72, 30, 62. | option_a=58 | option_b=60 | option_c=59 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 472 ÷ 8 = 59.

id=91715 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39626 at 12% per annum for 3 years. | option_a=14165 | option_b=14365 | option_c=53891 | option_d=14265 | answer=D | explanation=SI = PRT/100 = 39626×12×3/100 = **■**14265.

id=91716 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=80 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=91717 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=91718 | topic=Averages | difficulty=Easy | question=Find the average of 78, 84, 72, 50. | option_a=73 | option_b=72 | option_c=71 | option_d=70 | answer=C | explanation=Average = sum of values ÷ number of values = 284 ÷ 4 = 71.

id=91719 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 27, 36, 48? | option_a=27 | option_b=36 | option_c=18 | option_d=48 | answer=D | explanation=The first three numbers increase by 9, so the next should be 45. Therefore 48 is the odd one out.

id=91720 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=Y | option_b=A | option_c=C | option_d=E | answer=C | explanation=Move 2 positions forward from A; the resulting letter is C.

id=91721 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=27 | option_b=43 | option_c=35 | option_d=36 | answer=C | explanation=The common difference is 8. Therefore the next term is 27 + 8 = 35.

id=91722 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 15, 19, 24? | option_a=11 | option_b=19 | option_c=24 | option_d=15 | answer=C | explanation=The first three numbers increase by 4, so the next should be 23. Therefore 24 is the odd one out.

id=91723 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20941 at 5% per annum for 4 years. | option_a=4188 | option_b=4288 | option_c=4088 | option_d=25129 | answer=A | explanation=SI = PRT/100 = 20941×5×4/100 = **■**4188.

id=91724 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=O | option_b=A | option_c=S | option_d=W | answer=D | explanation=Move 4 positions forward from S; the resulting letter is W.

id=91725 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=L | option_c=G | option_d=W | answer=C | explanation=Move 5 positions forward from B; the resulting letter is G.

id=91726 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=95 | option_c=85 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=91727 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37186 at 6% per annum for 3 years. | option_a=6793 | option_b=6593 | option_c=6693 | option_d=43879 | answer=C | explanation=SI = PRT/100 = 37186×6×3/100 = **■**6693.

id=91728 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=14 | option_b=12 | option_c=10 | option_d=13 | answer=B | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.

id=91729 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 24, 34, 45? | option_a=45 | option_b=14 | option_c=34 | option_d=24 | answer=A | explanation=The first three numbers increase by 10, so the next should be 44. Therefore 45 is the odd one out.

id=91730 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:15 and the first is 18, what is the second? | option_a=45 | option_b=63 | option_c=30 | option_d=51 | answer=A | explanation=Scale factor = 18/6 = 3. Therefore second quantity = 15×3 = 45.

id=91731 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 16. | option_a=32 | option_b=96 | option_c=48 | option_d=54 | answer=C | explanation=LCM × HCF = 6×16; HCF(6,16) = 2, so LCM = 48.

id=91732 | topic=Averages | difficulty=Easy | question=Find the average of 38, 52, 67, 15. | option_a=44 | option_b=43 | option_c=45 | option_d=42 | answer=B | explanation=Average = sum of values ÷ number of values = 172 ÷ 4 = 43.

id=91733 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14778 at 5% per annum for 2 years. | option_a=1577 | option_b=1477 | option_c=16255 | option_d=1377 | answer=B | explanation=SI = PRT/100 = 14778×5×2/100 = **■**1477.

id=91734 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2284 at 6% per annum for 3 years. | option_a=511 | option_b=2695 | option_c=411 | option_d=311 | answer=C | explanation=SI = PRT/100 = 2284×6×3/100 = **■**411.

id=91735 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4584. If it is sold at a profit of 5%, what is its selling price? | option_a=4355 | option_b=5271 | option_c=4813 | option_d=4589 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4584 × 105/100 = **■**4813.

id=91736 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 16. | option_a=48 | option_b=32 | option_c=54 | option_d=96 | answer=A | explanation=LCM × HCF = 6×16; HCF(6,16) = 2, so LCM = 48.

id=91737 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1311 at 15% per annum for 2 years. | option_a=293 | option_b=393 | option_c=493 | option_d=1704 | answer=B | explanation=SI = PRT/100 = 1311×15×2/100 = **■**393.

id=91738 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40172 at 10% per annum for 5 years. | option_a=20086 | option_b=60258 | option_c=20186 | option_d=19986 | answer=A | explanation=SI = PRT/100 = 40172×10×5/100 = **■**20086.

id=91739 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=80 | option_d=150 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=91740 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45517 at 12% per annum for 5 years. | option_a=27410 | option_b=27310 | option_c=72827 | option_d=27210 | answer=B | explanation=SI = PRT/100 = 45517×12×5/100 = **■**27310.

Aptitude Questions — Records 91,741-91,770 of 100,000

id=91741 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 15, 19, 24? | option_a=24 | option_b=19 | option_c=15 | option_d=11 | answer=A | explanation=The first three numbers increase by 4, so the next should be 23. Therefore 24 is the odd one out.

id=91742 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=D | option_b=N | option_c=I | option_d=S | answer=B | explanation=Move 5 positions forward from I; the resulting letter is N.

id=91743 | topic=Profit & Loss | difficulty=Easy | question=An article costs █510. If it is sold at a profit of 25%, what is its selling price? | option_a=535 | option_b=688 | option_c=637 | option_d=586 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 510 × 125/100 = █637.

id=91744 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22992 at 5% per annum for 5 years. | option_a=28740 | option_b=5848 | option_c=5648 | option_d=5748 | answer=D | explanation=SI = PRT/100 = 22992×5×5/100 = █5748.

id=91745 | topic=Profit & Loss | difficulty=Easy | question=An article costs █366. If it is sold at a profit of 5%, what is its selling price? | option_a=348 | option_b=420 | option_c=384 | option_d=371 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 366 × 105/100 = █384.

id=91746 | topic=Averages | difficulty=Easy | question=Find the average of 36, 26, 98, 39, 53, 28, 79, 11, 35. | option_a=46 | option_b=47 | option_c=44 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 405 ÷ 9 = 45.

id=91747 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 26, 33, 43? | option_a=33 | option_b=19 | option_c=26 | option_d=43 | answer=D | explanation=The first three numbers increase by 7, so the next should be 40. Therefore 43 is the odd one out.

id=91748 | topic=Averages | difficulty=Easy | question=Find the average of 95, 72, 11, 13, 88, 24, 39, 90. | option_a=55 | option_b=53 | option_c=56 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 432 ÷ 8 = 54.

id=91749 | topic=Percentages | difficulty=Easy | question=What is 20% of 422? | option_a=84 | option_b=168 | option_c=104 | option_d=64 | answer=A | explanation=20% of 422 = (20/100) × 422 = 84.

id=91750 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:9 and the first is 256, what is the second? | option_a=400 | option_b=135 | option_c=144 | option_d=160 | answer=C | explanation=Scale factor = 256/16 = 16. Therefore second quantity = 9×16 = 144.

id=91751 | topic=Percentages | difficulty=Easy | question=What is 15% of 240? | option_a=41 | option_b=36 | option_c=72 | option_d=16 | answer=B | explanation=15% of 240 = (15/100) × 240 = 36.

id=91752 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 35? | option_a=28 | option_b=20 | option_c=35 | option_d=24 | answer=C | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 35 is the odd one out.

id=91753 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=35 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=91754 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 42? | option_a=42 | option_b=33 | option_c=30 | option_d=36 | answer=A | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 42 is the odd one out.

id=91755 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=91756 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 3. | option_a=63 | option_b=42 | option_c=18 | option_d=21 | answer=D | explanation=LCM × HCF = 21×3; HCF(21,3) = 3, so LCM = 21.

id=91757 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4009. If it is sold at a profit of 25%, what is its selling price? | option_a=4611 | option_b=4034 | option_c=5011 | option_d=5411 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4009 × 125/100 = █5011.

id=91758 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:18 and the first is 24, what is the second? | option_a=218 | option_b=198 | option_c=216 | option_d=240 | answer=C | explanation=Scale factor = 24/2 = 12. Therefore second quantity = 18×12 = 216.

id=91759 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 7, 10, 15? | option_a=10 | option_b=7 | option_c=15 | option_d=4 | answer=C | explanation=The first three numbers increase by 3, so the next should be 13. Therefore 15 is the odd one out.

id=91760 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:10 and the first is 32, what is the second? | option_a=30 | option_b=48 | option_c=40 | option_d=72 | answer=C | explanation=Scale factor = 32/8 = 4. Therefore second quantity = 10×4 = 40.

id=91761 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=55 | option_c=50 | option_d=100 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=91762 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 8, 13, 20? | option_a=20 | option_b=3 | option_c=13 | option_d=8 | answer=A | explanation=The first three numbers increase by 5, so the next should be 18. Therefore 20 is the odd one out.

id=91763 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=91764 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=91765 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4478. If it is sold at a profit of 50%, what is its selling price? | option_a=6270 | option_b=6717 | option_c=7164 | option_d=4528 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4478 × 150/100 = █6717.

id=91766 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=91767 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=23 | option_c=13 | option_d=36 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=91768 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:8 and the first is 10, what is the second? | option_a=8 | option_b=16 | option_c=26 | option_d=21 | answer=B | explanation=Scale factor = 10/5 = 2. Therefore second quantity = 8×2 = 16.

id=91769 | topic=Averages | difficulty=Easy | question=Find the average of 98, 24, 97, 93, 16, 23, 77, 100. | option_a=65 | option_b=66 | option_c=67 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = 528 ÷ 8 = 66.

id=91770 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

Aptitude Questions — Records 91,771-91,800 of 100,000

id=91771 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4408. If it is sold at a profit of 50%, what is its selling price? | option_a=6612 | option_b=4458 | option_c=7052 | option_d=6172 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4408 \times 150/100 = \text{█}6612$.

id=91772 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:4 and the first is 360, what is the second? | option_a=92 | option_b=432 | option_c=72 | option_d=68 | answer=C | explanation=Scale factor = $360/20 = 18$. Therefore second quantity = $4 \times 18 = 72$.

id=91773 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=27 | option_b=24 | option_c=28 | option_d=30 | answer=A | explanation=The common difference is 3. Therefore the next term is $24 + 3 = 27$.

id=91774 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=50 | option_b=38 | option_c=49 | option_d=60 | answer=C | explanation=The common difference is 11. Therefore the next term is $38 + 11 = 49$.

id=91775 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 3. | option_a=21 | option_b=42 | option_c=18 | option_d=63 | answer=A | explanation= $LCM \times HCF = 21 \times 3$; $HCF(21,3) = 3$, so $LCM = 21$.

id=91776 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=91777 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 30. | option_a=231 | option_b=630 | option_c=180 | option_d=210 | answer=D | explanation= $LCM \times HCF = 21 \times 30$; $HCF(21,30) = 3$, so $LCM = 210$.

id=91778 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 120 \div 2 = 60$ km/h.

id=91779 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 19, 22, 25, ? | option_a=28 | option_b=25 | option_c=29 | option_d=31 | answer=A | explanation=The common difference is 3. Therefore the next term is $25 + 3 = 28$.

id=91780 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10203 at 10% per annum for 4 years. | option_a=14284 | option_b=4081 | option_c=4181 | option_d=3981 | answer=B | explanation= $SI = PRT/100 = 10203 \times 10 \times 4/100 = \text{█}4081$.

id=91781 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 14. | option_a=1 | option_b=28 | option_c=14 | option_d=196 | answer=C | explanation= $LCM \times HCF = 14 \times 14$; $HCF(14,14) = 14$, so $LCM = 14$.

id=91782 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 4. | option_a=32 | option_b=16 | option_c=64 | option_d=12 | answer=B | explanation= $LCM \times HCF = 16 \times 4$; $HCF(16,4) = 4$, so $LCM = 16$.

id=91783 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=91784 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=S | option_b=X | option_c=I | option_d=N | answer=A | explanation=Move 5 positions forward from N; the resulting letter is S.

id=91785 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=G | option_b=K | option_c=I | option_d=M | answer=B | explanation=Move 2 positions forward from I; the resulting letter is K.

id=91786 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2279 at 4% per annum for 3 years. | option_a=2552 | option_b=373 | option_c=273 | option_d=173 | answer=C | explanation= $SI = PRT/100 = 2279 \times 4 \times 3/100 = \text{█}273$.

id=91787 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13958 at 10% per annum for 2 years. | option_a=2791 | option_b=2691 | option_c=2891 | option_d=16749 | answer=A | explanation= $SI = PRT/100 = 13958 \times 10 \times 2/100 = \text{█}2791$.

id=91788 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:20 and the first is 20, what is the second? | option_a=220 | option_b=202 | option_c=180 | option_d=200 | answer=D | explanation=Scale factor = $20/2 = 10$. Therefore second quantity = $20 \times 10 = 200$.

id=91789 | topic=Percentages | difficulty=Easy | question=What is 50% of 100? | option_a=100 | option_b=50 | option_c=45 | option_d=60 | answer=B | explanation= $50\% \text{ of } 100 = (50/100) \times 100 = 50$.

id=91790 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=Y | option_b=D | option_c=I | option_d=N | answer=C | explanation=Move 5 positions forward from D; the resulting letter is I.

id=91791 | topic=Profit & Loss | difficulty=Easy | question=An article costs █869. If it is sold at a profit of 25%, what is its selling price? | option_a=1172 | option_b=1086 | option_c=894 | option_d=1000 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 869 \times 125/100 = \text{█}1086$.

id=91792 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=40 | option_c=25 | option_d=20 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 120 \div 6 = 20$ km/h.

id=91793 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 12? | option_a=8 | option_b=6 | option_c=12 | option_d=4 | answer=C | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 12 is the odd one out.

id=91794 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=49 | option_b=58 | option_c=50 | option_d=40 | answer=A | explanation=The common difference is 9. Therefore the next term is $40 + 9 = 49$.

id=91795 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=30 | option_d=50 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 150 \div 6 = 25$ km/h.

id=91796 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4372. If it is sold at a profit of 5%, what is its selling price? | option_a=4590 | option_b=4377 | option_c=5027 | option_d=4153 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4372 \times 105/100 = \text{█}4590$.

id=91797 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=65 | option_d=60 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 120 \div 2 = 60$ km/h.

id=91798 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=69 | option_b=58 | option_c=59 | option_d=47 | answer=B | explanation=The common difference is 11. Therefore the next term is $47 + 11 = 58$.

id=91799 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 25. | option_a=50 | option_b=250 | option_c=25 | option_d=60 | answer=A | explanation= $LCM \times HCF = 10 \times 25$; $HCF(10,25) = 5$, so $LCM = 50$.

id=91800 | topic=Averages | difficulty=Easy | question=Find the average of 90, 36, 11, 98, 46, 24, 66, 86, 74. | option_a=61 | option_b=60 | option_c=58 | option_d=59 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 531 \div 9 = 59$.

Aptitude Questions — Records 91,801-91,830 of 100,000

id=91801 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=91802 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:9 and the first is 240, what is the second? | option_a=375 | option_b=135 | option_c=151 | option_d=126 | answer=B | explanation=Scale factor = $\frac{240}{16} = 15$. Therefore second quantity = $9 \times 15 = 135$.

id=91803 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=46 | option_b=55 | option_c=35 | option_d=45 | answer=D | explanation=The common difference is 10. Therefore the next term is $35 + 10 = 45$.

id=91804 | topic=Percentages | difficulty=Easy | question=What is 30% of 1989? | option_a=616 | option_b=596 | option_c=586 | option_d=1192 | answer=B | explanation= $30\% \text{ of } 1989 = (\frac{30}{100}) \times 1989 = 596$.

id=91805 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=34 | option_b=39 | option_c=40 | option_d=44 | answer=B | explanation=The common difference is 5. Therefore the next term is $34 + 5 = 39$.

id=91806 | topic=Profit & Loss | difficulty=Easy | question=An article costs █735. If it is sold at a profit of 40%, what is its selling price? | option_a=956 | option_b=1102 | option_c=775 | option_d=1029 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 735 \times \frac{140}{100} = \text{█}1029$.

id=91807 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=12 | answer=A | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12} = 3$ days.

id=91808 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=25 | option_b=26 | option_c=22 | option_d=24 | answer=D | explanation=The common difference is 2. Therefore the next term is $22 + 2 = 24$.

id=91809 | topic=Averages | difficulty=Easy | question=Find the average of 69, 14, 54, 64, 94, 59, 26, 71, 44. | option_a=55 | option_b=57 | option_c=56 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{495}{9} = 55$.

id=91810 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:10 and the first is 204, what is the second? | option_a=110 | option_b=120 | option_c=324 | option_d=137 | answer=B | explanation=Scale factor = $\frac{204}{17} = 12$. Therefore second quantity = $10 \times 12 = 120$.

id=91811 | topic=Percentages | difficulty=Easy | question=What is 30% of 1607? | option_a=462 | option_b=964 | option_c=482 | option_d=487 | answer=C | explanation= $30\% \text{ of } 1607 = (\frac{30}{100}) \times 1607 = 482$.

id=91812 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=T | option_c=U | option_d=V | answer=D | explanation=Move 1 positions forward from U; the resulting letter is V.

id=91813 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=45 | option_b=40 | option_c=41 | option_d=35 | answer=B | explanation=The common difference is 5. Therefore the next term is $35 + 5 = 40$.

id=91814 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:18 and the first is 289, what is the second? | option_a=306 | option_b=323 | option_c=288 | option_d=595 | answer=A | explanation=Scale factor = $\frac{289}{17} = 17$. Therefore second quantity = $18 \times 17 = 306$.

id=91815 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=90 | option_c=180 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = $\frac{180}{2} = 90$ km/h.

id=91816 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=18 | option_c=9 | option_d=4 | answer=C | explanation=Speed = distance ÷ time = $\frac{90}{10} = 9$ km/h.

id=91817 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=37 | option_b=32 | option_c=33 | option_d=27 | answer=B | explanation=The common difference is 5. Therefore the next term is $27 + 5 = 32$.

id=91818 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.

id=91819 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=19 | option_c=48 | option_d=29 | answer=A | explanation=Speed = distance ÷ time = $\frac{240}{10} = 24$ km/h.

id=91820 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=Y | option_c=N | option_d=I | answer=D | explanation=Move 5 positions forward from D; the resulting letter is I.

id=91821 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 37? | option_a=31 | option_b=21 | option_c=37 | option_d=26 | answer=C | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 37 is the odd one out.

id=91822 | topic=Percentages | difficulty=Easy | question=What is 15% of 855? | option_a=128 | option_b=118 | option_c=133 | option_d=256 | answer=A | explanation= $15\% \text{ of } 855 = (\frac{15}{100}) \times 855 = 128$.

id=91823 | topic=Percentages | difficulty=Easy | question=What is 50% of 131? | option_a=60 | option_b=65 | option_c=130 | option_d=70 | answer=B | explanation= $50\% \text{ of } 131 = (\frac{50}{100}) \times 131 = 65$.

id=91824 | topic=Averages | difficulty=Easy | question=Find the average of 46, 12, 74, 19, 31, 58, 24, 81, 48, 37. | option_a=42 | option_b=44 | option_c=43 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{430}{10} = 43$.

id=91825 | topic=Percentages | difficulty=Easy | question=What is 5% of 1080? | option_a=59 | option_b=54 | option_c=108 | option_d=44 | answer=B | explanation= $5\% \text{ of } 1080 = (\frac{5}{100}) \times 1080 = 54$.

id=91826 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3482. If it is sold at a profit of 10%, what is its selling price? | option_a=3492 | option_b=3830 | option_c=3482 | option_d=4178 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3482 \times \frac{110}{100} = \text{█}3830$.

id=91827 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=P | option_c=L | option_d=X | answer=A | explanation=Move 4 positions forward from P; the resulting letter is T.

id=91828 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47707 at 4% per annum for 4 years. | option_a=7733 | option_b=7633 | option_c=7533 | option_d=55340 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{47707 \times 4 \times 4}{100} = \text{█}7633$.

id=91829 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:3 and the first is 44, what is the second? | option_a=33 | option_b=37 | option_c=30 | option_d=77 | answer=A | explanation=Scale factor = $\frac{44}{4} = 11$. Therefore second quantity = $3 \times 11 = 33$.

id=91830 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 20. | option_a=200 | option_b=220 | option_c=440 | option_d=242 | answer=B | explanation= $LCM \times HCF = 22 \times 20$; $HCF(22,20) = 2$, so $LCM = 220$.

Aptitude Questions — Records 91,831-91,860 of 100,000

id=91831 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 35? | option_a=35 | option_b=12 | option_c=22 | option_d=2 | answer=A | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 35 is the odd one out.

id=91832 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=91833 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=91834 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=22 | option_b=26 | option_c=24 | option_d=25 | answer=C | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.

id=91835 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:15 and the first is 16, what is the second? | option_a=136 | option_b=120 | option_c=122 | option_d=105 | answer=B | explanation=Scale factor = 16/2 = 8. Therefore second quantity = 15×8 = 120.

id=91836 | topic=Averages | difficulty=Easy | question=Find the average of 55, 66, 38, 58, 49, 22. | option_a=48 | option_b=50 | option_c=49 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 288 ÷ 6 = 48.

id=91837 | topic=Averages | difficulty=Easy | question=Find the average of 33, 56, 16. | option_a=34 | option_b=36 | option_c=37 | option_d=35 | answer=D | explanation=Average = sum of values ÷ number of values = 105 ÷ 3 = 35.

id=91838 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=14 | option_b=12 | option_c=13 | option_d=10 | answer=B | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.

id=91839 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=M | option_c=V | option_d=S | answer=D | explanation=Move 3 positions forward from P; the resulting letter is S.

id=91840 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=52 | option_b=53 | option_c=41 | option_d=63 | answer=A | explanation=The common difference is 11. Therefore the next term is 41 + 11 = 52.

id=91841 | topic=Averages | difficulty=Easy | question=Find the average of 12, 39, 52, 58, 28, 43, 26, 34, 104. | option_a=44 | option_b=43 | option_c=46 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 396 ÷ 9 = 44.

id=91842 | topic=Averages | difficulty=Easy | question=Find the average of 38, 74, 69, 13, 45, 93, 20, 32. | option_a=50 | option_b=48 | option_c=47 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 384 ÷ 8 = 48.

id=91843 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:19 and the first is 144, what is the second? | option_a=187 | option_b=152 | option_c=171 | option_d=315 | answer=C | explanation=Scale factor = 144/16 = 9. Therefore second quantity = 19×9 = 171.

id=91844 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=L | option_b=J | option_c=N | option_d=H | answer=A | explanation=Move 2 positions forward from J; the resulting letter is L.

id=91845 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 10, 15, 22? | option_a=22 | option_b=5 | option_c=10 | option_d=15 | answer=A | explanation=The first three numbers increase by 5, so the next should be 20. Therefore 22 is the odd one out.

id=91846 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=48 | option_c=24 | option_d=19 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=91847 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:5 and the first is 288, what is the second? | option_a=85 | option_b=106 | option_c=378 | option_d=90 | answer=D | explanation=Scale factor = 288/16 = 18. Therefore second quantity = 5×18 = 90.

id=91848 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=72 | option_c=31 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=91849 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=42 | option_b=50 | option_c=32 | option_d=41 | answer=D | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

id=91850 | topic=Percentages | difficulty=Easy | question=What is 5% of 827? | option_a=82 | option_b=41 | option_c=21 | option_d=61 | answer=B | explanation=5% of 827 = (5/100) × 827 = 41.

id=91851 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=24 | option_b=32 | option_c=38 | option_d=31 | answer=D | explanation=The common difference is 7. Therefore the next term is 24 + 7 = 31.

id=91852 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 19? | option_a=15 | option_b=11 | option_c=13 | option_d=19 | answer=D | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 19 is the odd one out.

id=91853 | topic=Averages | difficulty=Easy | question=Find the average of 30, 17, 76, 93, 22, 32. | option_a=47 | option_b=45 | option_c=46 | option_d=44 | answer=B | explanation=Average = sum of values ÷ number of values = 270 ÷ 6 = 45.

id=91854 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18277 at 10% per annum for 3 years. | option_a=23760 | option_b=5583 | option_c=5383 | option_d=5483 | answer=D | explanation=SI = PRT/100 = 18277×10×3/100 = **■**5483.

id=91855 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=85 | option_c=180 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=91856 | topic=Averages | difficulty=Easy | question=Find the average of 84, 62, 10, 34, 24, 83, 36, 94, 68. | option_a=55 | option_b=56 | option_c=57 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.

id=91857 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=39 | option_b=31 | option_c=45 | option_d=38 | answer=D | explanation=The common difference is 7. Therefore the next term is 31 + 7 = 38.

id=91858 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:9 and the first is 280, what is the second? | option_a=460 | option_b=180 | option_c=171 | option_d=194 | answer=B | explanation=Scale factor = 280/14 = 20. Therefore second quantity = 9×20 = 180.

id=91859 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 11, 16, 22? | option_a=6 | option_b=11 | option_c=22 | option_d=16 | answer=C | explanation=The first three numbers increase by 5, so the next should be 21. Therefore 22 is the odd one out.

id=91860 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=B | option_b=A | option_c=Z | option_d=C | answer=A | explanation=Move 1 positions forward from A; the resulting letter is B.

Aptitude Questions — Records 91,861-91,890 of 100,000

id=91861 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1831. If it is sold at a profit of 20%, what is its selling price? | option_a=1851 | option_b=2380 | option_c=2014 | option_d=2197 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1831 × 120/100 = █2197.

id=91862 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=91863 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=62 | option_b=51 | option_c=52 | option_d=40 | answer=B | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=91864 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=100 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=91865 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 19? | option_a=15 | option_b=12 | option_c=9 | option_d=19 | answer=D | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 19 is the odd one out.

id=91866 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44786 at 6% per annum for 1 years. | option_a=2787 | option_b=2687 | option_c=47473 | option_d=2587 | answer=B | explanation=SI = PRT/100 = 44786×6×1/100 = █2687.

id=91867 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:10 and the first is 3, what is the second? | option_a=20 | option_b=30 | option_c=31 | option_d=33 | answer=B | explanation=Scale factor = 3/1 = 3. Therefore second quantity = 10×3 = 30.

id=91868 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=90 | option_c=85 | option_d=180 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=91869 | topic=Averages | difficulty=Easy | question=Find the average of 41, 100, 97, 17, 64, 62, 63, 13, 83. | option_a=61 | option_b=59 | option_c=62 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 540 ÷ 9 = 60.

id=91870 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 9, 14, 20? | option_a=9 | option_b=4 | option_c=20 | option_d=14 | answer=C | explanation=The first three numbers increase by 5, so the next should be 19. Therefore 20 is the odd one out.

id=91871 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:13 and the first is 70, what is the second? | option_a=78 | option_b=101 | option_c=161 | option_d=91 | answer=D | explanation=Scale factor = 70/10 = 7. Therefore second quantity = 13×7 = 91.

id=91872 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:15 and the first is 209, what is the second? | option_a=150 | option_b=374 | option_c=184 | option_d=165 | answer=D | explanation=Scale factor = 209/19 = 11. Therefore second quantity = 15×11 = 165.

id=91873 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:12 and the first is 6, what is the second? | option_a=24 | option_b=30 | option_c=27 | option_d=12 | answer=A | explanation=Scale factor = 6/3 = 2. Therefore second quantity = 12×2 = 24.

id=91874 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 28. | option_a=448 | option_b=84 | option_c=128 | option_d=112 | answer=D | explanation=LCM × HCF = 16×28; HCF(16,28) = 4, so LCM = 112.

id=91875 | topic=Percentages | difficulty=Easy | question=What is 20% of 361? | option_a=67 | option_b=72 | option_c=92 | option_d=144 | answer=B | explanation=20% of 361 = (20/100) × 361 = 72.

id=91876 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=91877 | topic=Percentages | difficulty=Easy | question=What is 25% of 596? | option_a=139 | option_b=154 | option_c=298 | option_d=149 | answer=D | explanation=25% of 596 = (25/100) × 596 = 149.

id=91878 | topic=Percentages | difficulty=Easy | question=What is 15% of 739? | option_a=220 | option_b=110 | option_c=130 | option_d=90 | answer=B | explanation=15% of 739 = (15/100) × 739 = 110.

id=91879 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=D | option_b=T | option_c=O | option_d=Y | answer=D | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=91880 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18567 at 15% per annum for 2 years. | option_a=5470 | option_b=5570 | option_c=5670 | option_d=24137 | answer=B | explanation=SI = PRT/100 = 18567×15×2/100 = █5570.

id=91881 | topic=Averages | difficulty=Easy | question=Find the average of 38, 16, 50, 49, 100, 47. | option_a=51 | option_b=50 | option_c=52 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 300 ÷ 6 = 50.

id=91882 | topic=Percentages | difficulty=Easy | question=What is 10% of 1519? | option_a=131 | option_b=156 | option_c=302 | option_d=151 | answer=D | explanation=10% of 1519 = (10/100) × 1519 = 151.

id=91883 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=46 | option_b=57 | option_c=66 | option_d=56 | answer=D | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=91884 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 21. | option_a=112 | option_b=588 | option_c=63 | option_d=84 | answer=D | explanation=LCM × HCF = 28×21; HCF(28,21) = 7, so LCM = 84.

id=91885 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:5 and the first is 80, what is the second? | option_a=20 | option_b=41 | option_c=25 | option_d=105 | answer=C | explanation=Scale factor = 80/16 = 5. Therefore second quantity = 5×5 = 25.

id=91886 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=24 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=91887 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=54 | option_b=43 | option_c=53 | option_d=63 | answer=C | explanation=The common difference is 10. Therefore the next term is 43 + 10 = 53.

id=91888 | topic=Percentages | difficulty=Easy | question=What is 20% of 1889? | option_a=397 | option_b=377 | option_c=357 | option_d=754 | answer=B | explanation=20% of 1889 = (20/100) × 1889 = 377.

id=91889 | topic=Profit & Loss | difficulty=Easy | question=An article costs █254. If it is sold at a profit of 10%, what is its selling price? | option_a=254 | option_b=279 | option_c=304 | option_d=264 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 254 × 110/100 = █279.

id=91890 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:8 and the first is 21, what is the second? | option_a=24 | option_b=31 | option_c=16 | option_d=45 | answer=A | explanation=Scale factor = 21/7 = 3. Therefore second quantity = 8×3 = 24.

Aptitude Questions — Records 91,891-91,920 of 100,000

id=91891 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=91892 | topic=Averages | difficulty=Easy | question=Find the average of 84, 33, 66, 24, 87, 99, 93, 97, 52, 25. | option_a=68 | option_b=67 | option_c=65 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = 660 ÷ 10 = 66.

id=91893 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 9, 12, 17? | option_a=17 | option_b=9 | option_c=6 | option_d=12 | answer=A | explanation=The first three numbers increase by 3, so the next should be 15. Therefore 17 is the odd one out.

id=91894 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=91895 | topic=Averages | difficulty=Easy | question=Find the average of 87, 61, 14, 43, 85. | option_a=60 | option_b=58 | option_c=59 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 290 ÷ 5 = 58.

id=91896 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47394 at 12% per annum for 1 years. | option_a=5787 | option_b=53081 | option_c=5687 | option_d=5587 | answer=C | explanation=SI = PRT/100 = 47394×12×1/100 = **■**5687.

id=91897 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=45 | option_b=46 | option_c=54 | option_d=36 | answer=A | explanation=The common difference is 9. Therefore the next term is 36 + 9 = 45.

id=91898 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:13 and the first is 224, what is the second? | option_a=198 | option_b=406 | option_c=182 | option_d=169 | answer=C | explanation=Scale factor = 224/16 = 14. Therefore second quantity = 13×14 = 182.

id=91899 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2876. If it is sold at a profit of 50%, what is its selling price? | option_a=4601 | option_b=4027 | option_c=4314 | option_d=2926 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2876 × 150/100 = **■**4314.

id=91900 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:14 and the first is 126, what is the second? | option_a=84 | option_b=98 | option_c=116 | option_d=224 | answer=B | explanation=Scale factor = 126/18 = 7. Therefore second quantity = 14×7 = 98.

id=91901 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=91902 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=91903 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 7, 10, 15? | option_a=10 | option_b=15 | option_c=4 | option_d=7 | answer=B | explanation=The first three numbers increase by 3, so the next should be 13. Therefore 15 is the odd one out.

id=91904 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 24, 31, 40? | option_a=31 | option_b=40 | option_c=24 | option_d=17 | answer=B | explanation=The first three numbers increase by 7, so the next should be 38. Therefore 40 is the odd one out.

id=91905 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:1 and the first is 16, what is the second? | option_a=20 | option_b=3 | option_c=8 | option_d=4 | answer=D | explanation=Scale factor = 16/4 = 4. Therefore second quantity = 1×4 = 4.

id=91906 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=62 | option_b=53 | option_c=54 | option_d=44 | answer=B | explanation=The common difference is 9. Therefore the next term is 44 + 9 = 53.

id=91907 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=B | option_b=E | option_c=K | option_d=H | answer=D | explanation=Move 3 positions forward from E; the resulting letter is H.

id=91908 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:2 and the first is 300, what is the second? | option_a=28 | option_b=330 | option_c=50 | option_d=30 | answer=D | explanation=Scale factor = 300/20 = 15. Therefore second quantity = 2×15 = 30.

id=91909 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19477 at 6% per annum for 3 years. | option_a=3405 | option_b=3605 | option_c=22982 | option_d=3505 | answer=D | explanation=SI = PRT/100 = 19477×6×3/100 = **■**3505.

id=91910 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=52 | option_b=32 | option_c=42 | option_d=43 | answer=C | explanation=The common difference is 10. Therefore the next term is 32 + 10 = 42.

id=91911 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:8 and the first is 2, what is the second? | option_a=16 | option_b=8 | option_c=18 | option_d=17 | answer=A | explanation=Scale factor = 2/1 = 2. Therefore second quantity = 8×2 = 16.

id=91912 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=18 | option_c=4 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=91913 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37777 at 12% per annum for 3 years. | option_a=13699 | option_b=13599 | option_c=51376 | option_d=13499 | answer=B | explanation=SI = PRT/100 = 37777×12×3/100 = **■**13599.

id=91914 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=B | option_b=Z | option_c=C | option_d=A | answer=A | explanation=Move 1 positions forward from A; the resulting letter is B.

id=91915 | topic=Percentages | difficulty=Easy | question=What is 12% of 1391? | option_a=156 | option_b=186 | option_c=332 | option_d=166 | answer=D | explanation=12% of 1391 = (12/100) × 1391 = 166.

id=91916 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4373 at 4% per annum for 1 years. | option_a=4547 | option_b=274 | option_c=174 | option_d=74 | answer=C | explanation=SI = PRT/100 = 4373×4×1/100 = **■**174.

id=91917 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43347 at 10% per annum for 5 years. | option_a=21673 | option_b=65020 | option_c=21573 | option_d=21773 | answer=A | explanation=SI = PRT/100 = 43347×10×5/100 = **■**21673.

id=91918 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16934 at 4% per annum for 2 years. | option_a=18288 | option_b=1254 | option_c=1454 | option_d=1354 | answer=D | explanation=SI = PRT/100 = 16934×4×2/100 = **■**1354.

id=91919 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40831 at 15% per annum for 5 years. | option_a=30623 | option_b=30523 | option_c=30723 | option_d=71454 | answer=A | explanation=SI = PRT/100 = 40831×15×5/100 = **■**30623.

id=91920 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:13 and the first is 16, what is the second? | option_a=42 | option_b=26 | option_c=13 | option_d=34 | answer=B | explanation=Scale factor = 16/8 = 2. Therefore second quantity = 13×2 = 26.

Aptitude Questions — Records 91,921-91,950 of 100,000

id=91921 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=41 | option_c=36 | option_d=72 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=91922 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4372. If it is sold at a profit of 30%, what is its selling price? | option_a=4402 | option_b=6120 | option_c=5683 | option_d=5246 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4372 × 130/100 = █5683.

id=91923 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 6. | option_a=48 | option_b=24 | option_c=144 | option_d=18 | answer=B | explanation=LCM × HCF = 24×6; HCF(24,6) = 6, so LCM = 24.

id=91924 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=61 | option_b=60 | option_c=50 | option_d=70 | answer=B | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

id=91925 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=29 | option_b=24 | option_c=19 | option_d=25 | answer=B | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.

id=91926 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=91927 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=96 | option_c=53 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=91928 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 45? | option_a=36 | option_b=30 | option_c=24 | option_d=45 | answer=D | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 45 is the odd one out.

id=91929 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 15, 23, 33? | option_a=23 | option_b=33 | option_c=7 | option_d=15 | answer=B | explanation=The first three numbers increase by 8, so the next should be 31. Therefore 33 is the odd one out.

id=91930 | topic=Percentages | difficulty=Easy | question=What is 30% of 1529? | option_a=916 | option_b=438 | option_c=463 | option_d=458 | answer=D | explanation=30% of 1529 = (30/100) × 1529 = 458.

id=91931 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2737. If it is sold at a profit of 30%, what is its selling price? | option_a=3831 | option_b=3558 | option_c=3285 | option_d=2767 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2737 × 130/100 = █3558.

id=91932 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=Q | option_b=H | option_c=N | option_d=K | answer=C | explanation=Move 3 positions forward from K; the resulting letter is N.

id=91933 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 44? | option_a=23 | option_b=33 | option_c=13 | option_d=44 | answer=D | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 44 is the odd one out.

id=91934 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=24 | option_d=29 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=91935 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=91936 | topic=Averages | difficulty=Easy | question=Find the average of 23, 28, 84. | option_a=47 | option_b=45 | option_c=44 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 135 ÷ 3 = 45.

id=91937 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=91938 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 33? | option_a=33 | option_b=27 | option_c=17 | option_d=22 | answer=A | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 33 is the odd one out.

id=91939 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 17? | option_a=17 | option_b=13 | option_c=9 | option_d=11 | answer=A | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 17 is the odd one out.

id=91940 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 18, 26, 36? | option_a=10 | option_b=18 | option_c=36 | option_d=26 | answer=C | explanation=The first three numbers increase by 8, so the next should be 34. Therefore 36 is the odd one out.

id=91941 | topic=Averages | difficulty=Easy | question=Find the average of 53, 66, 66, 65, 42, 12, 88. | option_a=58 | option_b=56 | option_c=55 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 392 ÷ 7 = 56.

id=91942 | topic=Percentages | difficulty=Easy | question=What is 15% of 1385? | option_a=202 | option_b=227 | option_c=414 | option_d=207 | answer=D | explanation=15% of 1385 = (15/100) × 1385 = 207.

id=91943 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 29, 36, 46? | option_a=29 | option_b=46 | option_c=22 | option_d=36 | answer=B | explanation=The first three numbers increase by 7, so the next should be 43. Therefore 46 is the odd one out.

id=91944 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=33 | option_b=29 | option_c=37 | option_d=34 | answer=A | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=91945 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6118 at 12% per annum for 2 years. | option_a=1468 | option_b=1368 | option_c=1568 | option_d=7586 | answer=A | explanation=SI = PRT/100 = 6118×12×2/100 = █1468.

id=91946 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=48 | option_c=53 | option_d=43 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=91947 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=91948 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=40 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=91949 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:20 and the first is 15, what is the second? | option_a=115 | option_b=80 | option_c=100 | option_d=103 | answer=C | explanation=Scale factor = 15/3 = 5. Therefore second quantity = 20×5 = 100.

id=91950 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

Aptitude Questions — Records 91,951-91,980 of 100,000

id=91951 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=C | option_c=E | option_d=I | answer=A | explanation=Move 2 positions forward from E; the resulting letter is G.

id=91952 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=125 | option_c=120 | option_d=240 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=91953 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=91954 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=26 | option_b=23 | option_c=27 | option_d=29 | answer=A | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.

id=91955 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4361. If it is sold at a profit of 15%, what is its selling price? | option_a=5451 | option_b=4376 | option_c=5015 | option_d=4579 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4361 × 115/100 = █5015.

id=91956 | topic=Averages | difficulty=Easy | question=Find the average of 26, 99, 80, 78, 15, 32, 55. | option_a=55 | option_b=54 | option_c=56 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 385 ÷ 7 = 55.

id=91957 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3970. If it is sold at a profit of 15%, what is its selling price? | option_a=4962 | option_b=3985 | option_c=4565 | option_d=4168 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3970 × 115/100 = █4565.

id=91958 | topic=Averages | difficulty=Easy | question=Find the average of 30, 78, 47, 22, 52, 98, 50, 78, 69, 26. | option_a=55 | option_b=54 | option_c=57 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 550 ÷ 10 = 55.

id=91959 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:4 and the first is 8, what is the second? | option_a=16 | option_b=4 | option_c=12 | option_d=8 | answer=D | explanation=Scale factor = 8/4 = 2. Therefore second quantity = 4×2 = 8.

id=91960 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=Q | option_b=G | option_c=L | option_d=V | answer=A | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=91961 | topic=Averages | difficulty=Easy | question=Find the average of 60, 53, 46. | option_a=53 | option_b=52 | option_c=55 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 159 ÷ 3 = 53.

id=91962 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45340 at 12% per annum for 1 years. | option_a=5540 | option_b=5340 | option_c=5440 | option_d=50780 | answer=C | explanation=SI = PRT/100 = 45340×12×1/100 = █5440.

id=91963 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:14 and the first is 36, what is the second? | option_a=126 | option_b=112 | option_c=162 | option_d=130 | answer=A | explanation=Scale factor = 36/4 = 9. Therefore second quantity = 14×9 = 126.

id=91964 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=35 | option_b=27 | option_c=31 | option_d=32 | answer=C | explanation=The common difference is 4. Therefore the next term is 27 + 4 = 31.

id=91965 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=91966 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 15. | option_a=30 | option_b=225 | option_c=15 | option_d=1 | answer=C | explanation=LCM × HCF = 15×15; HCF(15,15) = 15, so LCM = 15.

id=91967 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=A | option_c=C | option_d=B | answer=C | explanation=Move 1 positions forward from B; the resulting letter is C.

id=91968 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=91969 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9178 at 4% per annum for 5 years. | option_a=11013 | option_b=1735 | option_c=1935 | option_d=1835 | answer=D | explanation=SI = PRT/100 = 9178×4×5/100 = █1835.

id=91970 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 28, 31, 37? | option_a=37 | option_b=31 | option_c=25 | option_d=28 | answer=A | explanation=The first three numbers increase by 3, so the next should be 34. Therefore 37 is the odd one out.

id=91971 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 24. | option_a=28 | option_b=96 | option_c=24 | option_d=1 | answer=C | explanation=LCM × HCF = 4×24; HCF(4,24) = 4, so LCM = 24.

id=91972 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 24. | option_a=360 | option_b=96 | option_c=120 | option_d=135 | answer=C | explanation=LCM × HCF = 15×24; HCF(15,24) = 3, so LCM = 120.

id=91973 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=91974 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38729 at 12% per annum for 3 years. | option_a=52671 | option_b=14042 | option_c=13842 | option_d=13942 | answer=D | explanation=SI = PRT/100 = 38729×12×3/100 = █13942.

id=91975 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=37 | option_b=49 | option_c=43 | option_d=44 | answer=C | explanation=The common difference is 6. Therefore the next term is 37 + 6 = 43.

id=91976 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:17 and the first is 168, what is the second? | option_a=218 | option_b=372 | option_c=187 | option_d=204 | answer=D | explanation=Scale factor = 168/14 = 12. Therefore second quantity = 17×12 = 204.

id=91977 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31200 at 15% per annum for 5 years. | option_a=54600 | option_b=23400 | option_c=23300 | option_d=23500 | answer=B | explanation=SI = PRT/100 = 31200×15×5/100 = █23400.

id=91978 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:6 and the first is 135, what is the second? | option_a=99 | option_b=90 | option_c=225 | option_d=84 | answer=B | explanation=Scale factor = 135/9 = 15. Therefore second quantity = 6×15 = 90.

id=91979 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44808 at 12% per annum for 2 years. | option_a=10753 | option_b=10653 | option_c=55561 | option_d=10853 | answer=A | explanation=SI = PRT/100 = 44808×12×2/100 = █10753.

id=91980 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 91,981-92,010 of 100,000

id=91981 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■45813 at 6% per annum for 1 years. | option_a=2848 | option_b=48561 | option_c=2648 | option_d=2748 | answer=D | explanation=SI = PRT/100 = 45813×6×1/100 = ■2748.

id=91982 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=180 | option_c=90 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=91983 | topic=Percentages | difficulty=Easy | question=What is 5% of 486? | option_a=29 | option_b=4 | option_c=48 | option_d=24 | answer=D | explanation=5% of 486 = (5/100) × 486 = 24.

id=91984 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 31, 41, 53? | option_a=53 | option_b=41 | option_c=21 | option_d=31 | answer=A | explanation=The first three numbers increase by 10, so the next should be 51. Therefore 53 is the odd one out.

id=91985 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=91986 | topic=Percentages | difficulty=Easy | question=What is 40% of 770? | option_a=318 | option_b=616 | option_c=308 | option_d=298 | answer=C | explanation=40% of 770 = (40/100) × 770 = 308.

id=91987 | topic=Averages | difficulty=Easy | question=Find the average of 43, 25, 30, 45, 19, 73, 69, 11, 45. | option_a=39 | option_b=40 | option_c=42 | option_d=41 | answer=B | explanation=Average = sum of values ÷ number of values = 360 ÷ 9 = 40.

id=91988 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1500. If it is sold at a profit of 30%, what is its selling price? | option_a=2100 | option_b=1530 | option_c=1950 | option_d=1800 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1500 × 130/100 = ■1950.

id=91989 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=M | option_c=E | option_d=A | answer=A | explanation=Move 4 positions forward from E; the resulting letter is I.

id=91990 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:19 and the first is 40, what is the second? | option_a=58 | option_b=78 | option_c=38 | option_d=19 | answer=C | explanation=Scale factor = 40/20 = 2. Therefore second quantity = 19×2 = 38.

id=91991 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=91992 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=I | option_c=G | option_d=H | answer=B | explanation=Move 1 positions forward from H; the resulting letter is I.

id=91993 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=46 | option_b=58 | option_c=70 | option_d=59 | answer=B | explanation=The common difference is 12. Therefore the next term is 46 + 12 = 58.

id=91994 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=90 | option_c=85 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=91995 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=12 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=91996 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:10 and the first is 54, what is the second? | option_a=96 | option_b=144 | option_c=80 | option_d=90 | answer=D | explanation=Scale factor = 54/6 = 9. Therefore second quantity = 10×9 = 90.

id=91997 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 18, 26, 35? | option_a=35 | option_b=18 | option_c=10 | option_d=26 | answer=A | explanation=The first three numbers increase by 8, so the next should be 34. Therefore 35 is the odd one out.

id=91998 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 27? | option_a=19 | option_b=12 | option_c=5 | option_d=27 | answer=D | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 27 is the odd one out.

id=91999 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=92000 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 35? | option_a=21 | option_b=29 | option_c=35 | option_d=25 | answer=C | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 35 is the odd one out.

id=92001 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:3 and the first is 96, what is the second? | option_a=36 | option_b=132 | option_c=44 | option_d=33 | answer=A | explanation=Scale factor = 96/8 = 12. Therefore second quantity = 3×12 = 36.

id=92002 | topic=Averages | difficulty=Easy | question=Find the average of 49, 72, 101. | option_a=75 | option_b=74 | option_c=76 | option_d=73 | answer=B | explanation=Average = sum of values ÷ number of values = 222 ÷ 3 = 74.

id=92003 | topic=Percentages | difficulty=Easy | question=What is 12% of 568? | option_a=88 | option_b=68 | option_c=136 | option_d=58 | answer=B | explanation=12% of 568 = (12/100) × 568 = 68.

id=92004 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■26510 at 12% per annum for 2 years. | option_a=6262 | option_b=6362 | option_c=32872 | option_d=6462 | answer=B | explanation=SI = PRT/100 = 26510×12×2/100 = ■6362.

id=92005 | topic=Averages | difficulty=Easy | question=Find the average of 56, 10, 94, 70, 10, 73, 65. | option_a=54 | option_b=56 | option_c=55 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

id=92006 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=92007 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=U | option_b=S | option_c=V | option_d=T | answer=A | explanation=Move 1 positions forward from T; the resulting letter is U.

id=92008 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=92009 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=G | option_c=C | option_d=E | answer=B | explanation=Move 2 positions forward from E; the resulting letter is G.

id=92010 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 35? | option_a=35 | option_b=17 | option_c=25 | option_d=9 | answer=A | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 35 is the odd one out.

Aptitude Questions — Records 92,011-92,040 of 100,000

id=92011 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 14. | option_a=308 | option_b=176 | option_c=154 | option_d=140 | answer=C | explanation=LCM × HCF = 22×14; HCF(22,14) = 2, so LCM = 154.

id=92012 | topic=Percentages | difficulty=Easy | question=What is 50% of 1248? | option_a=634 | option_b=604 | option_c=1248 | option_d=624 | answer=D | explanation=50% of 1248 = (50/100) × 1248 = 624.

id=92013 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 22, 25, 30? | option_a=22 | option_b=30 | option_c=25 | option_d=19 | answer=B | explanation=The first three numbers increase by 3, so the next should be 28. Therefore 30 is the odd one out.

id=92014 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=K | option_b=W | option_c=O | option_d=S | answer=D | explanation=Move 4 positions forward from O; the resulting letter is S.

id=92015 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=I | option_c=J | option_d=H | answer=C | explanation=Move 1 positions forward from I; the resulting letter is J.

id=92016 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=50 | option_d=90 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=92017 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=92018 | topic=Percentages | difficulty=Easy | question=What is 15% of 534? | option_a=75 | option_b=160 | option_c=80 | option_d=100 | answer=C | explanation=15% of 534 = (15/100) × 534 = 80.

id=92019 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=92020 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=92021 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹55. If it is sold at a profit of 15%, what is its selling price? | option_a=583 | option_b=638 | option_c=570 | option_d=693 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 55 × 115/100 = ₹638.

id=92022 | topic=Percentages | difficulty=Easy | question=What is 40% of 821? | option_a=656 | option_b=333 | option_c=328 | option_d=308 | answer=C | explanation=40% of 821 = (40/100) × 821 = 328.

id=92023 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=92024 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=V | option_b=L | option_c=A | option_d=Q | answer=A | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=92025 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:8 and the first is 35, what is the second? | option_a=61 | option_b=91 | option_c=56 | option_d=48 | answer=C | explanation=Scale factor = 35/5 = 7. Therefore second quantity = 8×7 = 56.

id=92026 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 33, 43, 54? | option_a=33 | option_b=43 | option_c=23 | option_d=54 | answer=D | explanation=The first three numbers increase by 10, so the next should be 53. Therefore 54 is the odd one out.

id=92027 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:6 and the first is 35, what is the second? | option_a=30 | option_b=65 | option_c=24 | option_d=37 | answer=A | explanation=Scale factor = 35/7 = 5. Therefore second quantity = 6×5 = 30.

id=92028 | topic=Averages | difficulty=Easy | question=Find the average of 13, 39, 18, 16, 47, 54, 72. | option_a=39 | option_b=38 | option_c=36 | option_d=37 | answer=D | explanation=Average = sum of values ÷ number of values = 259 ÷ 7 = 37.

id=92029 | topic=Averages | difficulty=Easy | question=Find the average of 61, 60, 87, 70, 63, 81, 59, 33, 78, 88. | option_a=69 | option_b=68 | option_c=70 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = 680 ÷ 10 = 68.

id=92030 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=92031 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=44 | option_b=32 | option_c=38 | option_d=39 | answer=C | explanation=The common difference is 6. Therefore the next term is 32 + 6 = 38.

id=92032 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=R | option_c=N | option_d=T | answer=B | explanation=Move 2 positions forward from P; the resulting letter is R.

id=92033 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 37? | option_a=26 | option_b=32 | option_c=37 | option_d=29 | answer=C | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 37 is the odd one out.

id=92034 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 21, 23, 27? | option_a=19 | option_b=21 | option_c=23 | option_d=27 | answer=D | explanation=The first three numbers increase by 2, so the next should be 25. Therefore 27 is the odd one out.

id=92035 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=92036 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹44042 at 12% per annum for 4 years. | option_a=65182 | option_b=21240 | option_c=21140 | option_d=21040 | answer=C | explanation=SI = PRT/100 = 44042×12×4/100 = ₹21140.

id=92037 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 40? | option_a=29 | option_b=11 | option_c=40 | option_d=20 | answer=C | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 40 is the odd one out.

id=92038 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹5990 at 12% per annum for 3 years. | option_a=2156 | option_b=2056 | option_c=2256 | option_d=8146 | answer=A | explanation=SI = PRT/100 = 5990×12×3/100 = ₹2156.

id=92039 | topic=Percentages | difficulty=Easy | question=What is 5% of 1522? | option_a=96 | option_b=152 | option_c=66 | option_d=76 | answer=D | explanation=5% of 1522 = (5/100) × 1522 = 76.

id=92040 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 27, 33, 40? | option_a=40 | option_b=27 | option_c=21 | option_d=33 | answer=A | explanation=The first three numbers increase by 6, so the next should be 39. Therefore 40 is the odd one out.

Aptitude Questions — Records 92,041-92,070 of 100,000

id=92041 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=92042 | topic=Averages | difficulty=Easy | question=Find the average of 25, 93, 59. | option_a=61 | option_b=60 | option_c=58 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 177 ÷ 3 = 59.

id=92043 | topic=Averages | difficulty=Easy | question=Find the average of 27, 64, 68, 15, 96, 92, 99, 99. | option_a=69 | option_b=70 | option_c=72 | option_d=71 | answer=B | explanation=Average = sum of values ÷ number of values = 560 ÷ 8 = 70.

id=92044 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 27. | option_a=120 | option_b=108 | option_c=324 | option_d=81 | answer=B | explanation=LCM × HCF = 12×27; HCF(12,27) = 3, so LCM = 108.

id=92045 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23261 at 15% per annum for 1 years. | option_a=26750 | option_b=3389 | option_c=3589 | option_d=3489 | answer=D | explanation=SI = PRT/100 = 23261×15×1/100 = █3489.

id=92046 | topic=Percentages | difficulty=Easy | question=What is 50% of 1066? | option_a=543 | option_b=1066 | option_c=533 | option_d=528 | answer=C | explanation=50% of 1066 = (50/100) × 1066 = 533.

id=92047 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1508 at 6% per annum for 2 years. | option_a=280 | option_b=80 | option_c=1688 | option_d=180 | answer=D | explanation=SI = PRT/100 = 1508×6×2/100 = █180.

id=92048 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:13 and the first is 117, what is the second? | option_a=104 | option_b=234 | option_c=130 | option_d=117 | answer=D | explanation=Scale factor = 117/13 = 9. Therefore second quantity = 13×9 = 117.

id=92049 | topic=Percentages | difficulty=Easy | question=What is 25% of 968? | option_a=262 | option_b=484 | option_c=242 | option_d=232 | answer=C | explanation=25% of 968 = (25/100) × 968 = 242.

id=92050 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 10, 13, 16, ? | option_a=16 | option_b=19 | option_c=22 | option_d=20 | answer=B | explanation=The common difference is 3. Therefore the next term is 16 + 3 = 19.

id=92051 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=92052 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=41 | option_b=47 | option_c=35 | option_d=42 | answer=A | explanation=The common difference is 6. Therefore the next term is 35 + 6 = 41.

id=92053 | topic=Averages | difficulty=Easy | question=Find the average of 97, 78, 85, 73, 63, 56, 50, 50. | option_a=68 | option_b=70 | option_c=69 | option_d=71 | answer=C | explanation=Average = sum of values ÷ number of values = 552 ÷ 8 = 69.

id=92054 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:8 and the first is 195, what is the second? | option_a=112 | option_b=133 | option_c=315 | option_d=120 | answer=D | explanation=Scale factor = 195/13 = 15. Therefore second quantity = 8×15 = 120.

id=92055 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=43 | option_c=96 | option_d=53 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=92056 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=41 | option_b=42 | option_c=47 | option_d=35 | answer=A | explanation=The common difference is 6. Therefore the next term is 35 + 6 = 41.

id=92057 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 36? | option_a=36 | option_b=24 | option_c=19 | option_d=29 | answer=A | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 36 is the odd one out.

id=92058 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1233. If it is sold at a profit of 25%, what is its selling price? | option_a=1664 | option_b=1418 | option_c=1541 | option_d=1258 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1233 × 125/100 = █1541.

id=92059 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 30? | option_a=30 | option_b=20 | option_c=4 | option_d=12 | answer=A | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 30 is the odd one out.

id=92060 | topic=Profit & Loss | difficulty=Easy | question=An article costs █975. If it is sold at a profit of 30%, what is its selling price? | option_a=1267 | option_b=1005 | option_c=1364 | option_d=1170 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 975 × 130/100 = █1267.

id=92061 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=Q | option_c=W | option_d=Z | answer=C | explanation=Move 3 positions forward from T; the resulting letter is W.

id=92062 | topic=Percentages | difficulty=Easy | question=What is 50% of 1894? | option_a=952 | option_b=937 | option_c=1894 | option_d=947 | answer=D | explanation=50% of 1894 = (50/100) × 1894 = 947.

id=92063 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 17, 29, 41, ? | option_a=54 | option_b=53 | option_c=41 | option_d=65 | answer=B | explanation=The common difference is 12. Therefore the next term is 41 + 12 = 53.

id=92064 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=47 | option_b=39 | option_c=40 | option_d=31 | answer=B | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

id=92065 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3357. If it is sold at a profit of 20%, what is its selling price? | option_a=3377 | option_b=4363 | option_c=4028 | option_d=3693 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3357 × 120/100 = █4028.

id=92066 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:5 and the first is 60, what is the second? | option_a=35 | option_b=80 | option_c=15 | option_d=20 | answer=D | explanation=Scale factor = 60/15 = 4. Therefore second quantity = 5×4 = 20.

id=92067 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 15. | option_a=1 | option_b=15 | option_c=75 | option_d=20 | answer=B | explanation=LCM × HCF = 5×15; HCF(5,15) = 5, so LCM = 15.

id=92068 | topic=Percentages | difficulty=Easy | question=What is 20% of 1717? | option_a=353 | option_b=686 | option_c=333 | option_d=343 | answer=D | explanation=20% of 1717 = (20/100) × 1717 = 343.

id=92069 | topic=Averages | difficulty=Easy | question=Find the average of 32, 60, 83, 97, 18, 68, 43, 103. | option_a=64 | option_b=62 | option_c=65 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 504 ÷ 8 = 63.

id=92070 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=62 | option_b=63 | option_c=74 | option_d=50 | answer=A | explanation=The common difference is 12. Therefore the next term is 50 + 12 = 62.

Aptitude Questions — Records 92,071-92,100 of 100,000

id=92071 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49151 at 15% per annum for 1 years. | option_a=7372 | option_b=7272 | option_c=56523 | option_d=7472 | answer=A | explanation=SI = PRT/100 = 49151×15×1/100 = **■**7372.

id=92072 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1309. If it is sold at a profit of 20%, what is its selling price? | option_a=1570 | option_b=1700 | option_c=1440 | option_d=1329 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1309 × 120/100 = **■**1570.

id=92073 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=56 | option_b=68 | option_c=57 | option_d=44 | answer=A | explanation=The common difference is 12. Therefore the next term is 44 + 12 = 56.

id=92074 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=92075 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:2 and the first is 44, what is the second? | option_a=20 | option_b=22 | option_c=26 | option_d=66 | answer=B | explanation=Scale factor = 44/4 = 11. Therefore second quantity = 2×11 = 22.

id=92076 | topic=Percentages | difficulty=Easy | question=What is 25% of 877? | option_a=199 | option_b=224 | option_c=438 | option_d=219 | answer=D | explanation=25% of 877 = (25/100) × 877 = 219.

id=92077 | topic=Averages | difficulty=Easy | question=Find the average of 99, 34, 74, 70, 56, 80, 48, 91, 15, 13. | option_a=57 | option_b=59 | option_c=58 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 580 ÷ 10 = 58.

id=92078 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=Q | option_b=S | option_c=R | option_d=T | answer=B | explanation=Move 1 positions forward from R; the resulting letter is S.

id=92079 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=150 | option_c=80 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=92080 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=7 | option_c=17 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=92081 | topic=Averages | difficulty=Easy | question=Find the average of 70, 96, 11, 89, 35, 34, 99, 37, 13, 96. | option_a=60 | option_b=57 | option_c=59 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 580 ÷ 10 = 58.

id=92082 | topic=Percentages | difficulty=Easy | question=What is 10% of 1764? | option_a=176 | option_b=196 | option_c=352 | option_d=171 | answer=A | explanation=10% of 1764 = (10/100) × 1764 = 176.

id=92083 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=92084 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 44? | option_a=27 | option_b=37 | option_c=44 | option_d=32 | answer=C | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 44 is the odd one out.

id=92085 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=18 | option_b=22 | option_c=19 | option_d=14 | answer=A | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.

id=92086 | topic=Averages | difficulty=Easy | question=Find the average of 69, 82, 53, 52. | option_a=64 | option_b=65 | option_c=66 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 256 ÷ 4 = 64.

id=92087 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49231 at 8% per annum for 5 years. | option_a=19592 | option_b=19792 | option_c=68923 | option_d=19692 | answer=D | explanation=SI = PRT/100 = 49231×8×5/100 = **■**19692.

id=92088 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 42? | option_a=33 | option_b=29 | option_c=37 | option_d=42 | answer=D | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 42 is the odd one out.

id=92089 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=36 | option_c=72 | option_d=31 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=92090 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=95 | option_c=200 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=92091 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3483. If it is sold at a profit of 20%, what is its selling price? | option_a=3831 | option_b=3503 | option_c=4179 | option_d=4527 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3483 × 120/100 = **■**4179.

id=92092 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=92093 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 17, 21, 28? | option_a=21 | option_b=28 | option_c=13 | option_d=17 | answer=B | explanation=The first three numbers increase by 4, so the next should be 25. Therefore 28 is the odd one out.

id=92094 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=20 | option_b=26 | option_c=24 | option_d=23 | answer=D | explanation=The common difference is 3. Therefore the next term is 20 + 3 = 23.

id=92095 | topic=Percentages | difficulty=Easy | question=What is 12% of 810? | option_a=97 | option_b=194 | option_c=77 | option_d=117 | answer=A | explanation=12% of 810 = (12/100) × 810 = 97.

id=92096 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1461. If it is sold at a profit of 15%, what is its selling price? | option_a=1476 | option_b=1534 | option_c=1680 | option_d=1826 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1461 × 115/100 = **■**1680.

id=92097 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:4 and the first is 280, what is the second? | option_a=94 | option_b=360 | option_c=76 | option_d=80 | answer=D | explanation=Scale factor = 280/14 = 20. Therefore second quantity = 4×20 = 80.

id=92098 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:16 and the first is 64, what is the second? | option_a=128 | option_b=48 | option_c=80 | option_d=64 | answer=D | explanation=Scale factor = 64/16 = 4. Therefore second quantity = 16×4 = 64.

id=92099 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=92100 | topic=Percentages | difficulty=Easy | question=What is 50% of 1798? | option_a=889 | option_b=1798 | option_c=899 | option_d=904 | answer=C | explanation=50% of 1798 = (50/100) × 1798 = 899.

Aptitude Questions — Records 92,101-92,130 of 100,000

id=92101 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 26. | option_a=260 | option_b=572 | option_c=286 | option_d=308 | answer=C | explanation=LCM × HCF = 22×26; HCF(22,26) = 2, so LCM = 286.

id=92102 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=36 | option_b=27 | option_c=43 | option_d=35 | answer=D | explanation=The common difference is 8. Therefore the next term is 27 + 8 = 35.

id=92103 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 26. | option_a=52 | option_b=84 | option_c=156 | option_d=78 | answer=D | explanation=LCM × HCF = 6×26; HCF(6,26) = 2, so LCM = 78.

id=92104 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=S | option_b=P | option_c=M | option_d=V | answer=A | explanation=Move 3 positions forward from P; the resulting letter is S.

id=92105 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2463. If it is sold at a profit of 10%, what is its selling price? | option_a=2955 | option_b=2473 | option_c=2709 | option_d=2463 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2463 × 110/100 = █2709.

id=92106 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 23, 26, 31? | option_a=26 | option_b=20 | option_c=23 | option_d=31 | answer=D | explanation=The first three numbers increase by 3, so the next should be 29. Therefore 31 is the odd one out.

id=92107 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:18 and the first is 10, what is the second? | option_a=90 | option_b=92 | option_c=100 | option_d=72 | answer=A | explanation=Scale factor = 10/2 = 5. Therefore second quantity = 18×5 = 90.

id=92108 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=Y | option_c=C | option_d=K | answer=A | explanation=Move 4 positions forward from C; the resulting letter is G.

id=92109 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 28, 31, 35? | option_a=31 | option_b=28 | option_c=25 | option_d=35 | answer=D | explanation=The first three numbers increase by 3, so the next should be 34. Therefore 35 is the odd one out.

id=92110 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=92111 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=60 | option_b=49 | option_c=71 | option_d=61 | answer=A | explanation=The common difference is 11. Therefore the next term is 49 + 11 = 60.

id=92112 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3794. If it is sold at a profit of 40%, what is its selling price? | option_a=5690 | option_b=3834 | option_c=5311 | option_d=4932 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3794 × 140/100 = █5311.

id=92113 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3480. If it is sold at a profit of 5%, what is its selling price? | option_a=3485 | option_b=3654 | option_c=4002 | option_d=3306 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3480 × 105/100 = █3654.

id=92114 | topic=Averages | difficulty=Easy | question=Find the average of 41, 38, 66, 44, 31. | option_a=45 | option_b=44 | option_c=46 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = 220 ÷ 5 = 44.

id=92115 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=55 | option_b=54 | option_c=43 | option_d=65 | answer=B | explanation=The common difference is 11. Therefore the next term is 43 + 11 = 54.

id=92116 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=19 | option_c=29 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=92117 | topic=Percentages | difficulty=Easy | question=What is 50% of 551? | option_a=280 | option_b=255 | option_c=550 | option_d=275 | answer=D | explanation=50% of 551 = (50/100) × 551 = 275.

id=92118 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32358 at 10% per annum for 4 years. | option_a=45301 | option_b=13043 | option_c=12943 | option_d=12843 | answer=C | explanation=SI = PRT/100 = 32358×10×4/100 = █12943.

id=92119 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 17, 21, 28? | option_a=17 | option_b=13 | option_c=28 | option_d=21 | answer=C | explanation=The first three numbers increase by 4, so the next should be 25. Therefore 28 is the odd one out.

id=92120 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=9 | option_b=11 | option_c=12 | option_d=13 | answer=B | explanation=The common difference is 2. Therefore the next term is 9 + 2 = 11.

id=92121 | topic=Averages | difficulty=Easy | question=Find the average of 94, 80, 36. | option_a=69 | option_b=70 | option_c=71 | option_d=72 | answer=B | explanation=Average = sum of values ÷ number of values = 210 ÷ 3 = 70.

id=92122 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4812. If it is sold at a profit of 20%, what is its selling price? | option_a=4832 | option_b=5774 | option_c=6255 | option_d=5293 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4812 × 120/100 = █5774.

id=92123 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=Q | option_b=N | option_c=K | option_d=T | answer=A | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=92124 | topic=Percentages | difficulty=Easy | question=What is 5% of 184? | option_a=0 | option_b=9 | option_c=29 | option_d=18 | answer=B | explanation=5% of 184 = (5/100) × 184 = 9.

id=92125 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 8. | option_a=64 | option_b=72 | option_c=90 | option_d=144 | answer=B | explanation=LCM × HCF = 18×8; HCF(18,8) = 2, so LCM = 72.

id=92126 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=10 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=92127 | topic=Percentages | difficulty=Easy | question=What is 10% of 1624? | option_a=172 | option_b=162 | option_c=324 | option_d=157 | answer=B | explanation=10% of 1624 = (10/100) × 1624 = 162.

id=92128 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:4 and the first is 112, what is the second? | option_a=64 | option_b=71 | option_c=60 | option_d=176 | answer=A | explanation=Scale factor = 112/7 = 16. Therefore second quantity = 4×16 = 64.

id=92129 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=92130 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

Aptitude Questions — Records 92,131-92,160 of 100,000

id=92131 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=92132 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 13, 18, 26? | option_a=13 | option_b=26 | option_c=18 | option_d=8 | answer=B | explanation=The first three numbers increase by 5, so the next should be 23. Therefore 26 is the odd one out.

id=92133 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 31, 40, 50? | option_a=50 | option_b=22 | option_c=31 | option_d=40 | answer=A | explanation=The first three numbers increase by 9, so the next should be 49. Therefore 50 is the odd one out.

id=92134 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2363. If it is sold at a profit of 30%, what is its selling price? | option_a=2835 | option_b=3307 | option_c=2393 | option_d=3071 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2363 × 130/100 = █3071.

id=92135 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=92136 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=55 | option_c=100 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=92137 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=A | option_b=F | option_c=K | option_d=P | answer=C | explanation=Move 5 positions forward from F; the resulting letter is K.

id=92138 | topic=Percentages | difficulty=Easy | question=What is 5% of 1648? | option_a=102 | option_b=62 | option_c=164 | option_d=82 | answer=D | explanation=5% of 1648 = (5/100) × 1648 = 82.

id=92139 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25891 at 15% per annum for 4 years. | option_a=41425 | option_b=15534 | option_c=15434 | option_d=15634 | answer=B | explanation=SI = PRT/100 = 25891×15×4/100 = █15534.

id=92140 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32960 at 6% per annum for 2 years. | option_a=36915 | option_b=3855 | option_c=3955 | option_d=4055 | answer=C | explanation=SI = PRT/100 = 32960×6×2/100 = █3955.

id=92141 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 39, 48, 58? | option_a=39 | option_b=58 | option_c=30 | option_d=48 | answer=B | explanation=The first three numbers increase by 9, so the next should be 57. Therefore 58 is the odd one out.

id=92142 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=G | option_b=H | option_c=I | option_d=J | answer=C | explanation=Move 1 positions forward from H; the resulting letter is I.

id=92143 | topic=Averages | difficulty=Easy | question=Find the average of 98, 91, 20, 33, 84, 88, 34, 55, 55. | option_a=63 | option_b=62 | option_c=64 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 558 ÷ 9 = 62.

id=92144 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:1 and the first is 228, what is the second? | option_a=31 | option_b=240 | option_c=12 | option_d=11 | answer=C | explanation=Scale factor = 228/19 = 12. Therefore second quantity = 1×12 = 12.

id=92145 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4128. If it is sold at a profit of 50%, what is its selling price? | option_a=5780 | option_b=4178 | option_c=6604 | option_d=6192 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4128 × 150/100 = █6192.

id=92146 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2457. If it is sold at a profit of 40%, what is its selling price? | option_a=2497 | option_b=3439 | option_c=3194 | option_d=3684 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2457 × 140/100 = █3439.

id=92147 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:1 and the first is 96, what is the second? | option_a=15 | option_b=112 | option_c=16 | option_d=22 | answer=C | explanation=Scale factor = 96/6 = 16. Therefore second quantity = 1×16 = 16.

id=92148 | topic=Averages | difficulty=Easy | question=Find the average of 83, 59, 55, 43, 80, 29, 88, 96, 43. | option_a=63 | option_b=65 | option_c=64 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = 576 ÷ 9 = 64.

id=92149 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=46 | option_b=40 | option_c=39 | option_d=32 | answer=C | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.

id=92150 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28306 at 8% per annum for 4 years. | option_a=8957 | option_b=37363 | option_c=9057 | option_d=9157 | answer=C | explanation=SI = PRT/100 = 28306×8×4/100 = █9057.

id=92151 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=72 | option_b=50 | option_c=61 | option_d=62 | answer=C | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.

id=92152 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=15 | option_d=5 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=92153 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=D | option_c=L | option_d=Z | answer=A | explanation=Move 4 positions forward from D; the resulting letter is H.

id=92154 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1659 at 12% per annum for 3 years. | option_a=597 | option_b=697 | option_c=497 | option_d=2256 | answer=A | explanation=SI = PRT/100 = 1659×12×3/100 = █597.

id=92155 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 38? | option_a=26 | option_b=32 | option_c=29 | option_d=38 | answer=D | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 38 is the odd one out.

id=92156 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 23? | option_a=23 | option_b=18 | option_c=14 | option_d=16 | answer=A | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 23 is the odd one out.

id=92157 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 45? | option_a=24 | option_b=45 | option_c=30 | option_d=36 | answer=B | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 45 is the odd one out.

id=92158 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=38 | option_b=43 | option_c=33 | option_d=39 | answer=A | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.

id=92159 | topic=Percentages | difficulty=Easy | question=What is 15% of 822? | option_a=118 | option_b=123 | option_c=246 | option_d=133 | answer=B | explanation=15% of 822 = (15/100) × 822 = 123.

id=92160 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34331 at 12% per annum for 5 years. | option_a=20598 | option_b=20498 | option_c=54929 | option_d=20698 | answer=A | explanation=SI = PRT/100 = 34331×12×5/100 = █20598.

Aptitude Questions — Records 92,161-92,190 of 100,000

id=92161 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=92162 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3814. If it is sold at a profit of 20%, what is its selling price? | option_a=4576 | option_b=3834 | option_c=4195 | option_d=4957 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3814 × 120/100 = █4576.

id=92163 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:7 and the first is 132, what is the second? | option_a=95 | option_b=84 | option_c=216 | option_d=77 | answer=B | explanation=Scale factor = 132/11 = 12. Therefore second quantity = 7×12 = 84.

id=92164 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=I | option_c=U | option_d=M | answer=A | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=92165 | topic=Profit & Loss | difficulty=Easy | question=An article costs █353. If it is sold at a profit of 15%, what is its selling price? | option_a=370 | option_b=368 | option_c=405 | option_d=440 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 353 × 115/100 = █405.

id=92166 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40456 at 10% per annum for 5 years. | option_a=60684 | option_b=20328 | option_c=20228 | option_d=20128 | answer=C | explanation=SI = PRT/100 = 40456×10×5/100 = █20228.

id=92167 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43161 at 12% per annum for 3 years. | option_a=15437 | option_b=58698 | option_c=15537 | option_d=15637 | answer=C | explanation=SI = PRT/100 = 43161×12×3/100 = █15537.

id=92168 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4997. If it is sold at a profit of 20%, what is its selling price? | option_a=5017 | option_b=5497 | option_c=6495 | option_d=5996 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4997 × 120/100 = █5996.

id=92169 | topic=Percentages | difficulty=Easy | question=What is 10% of 1588? | option_a=168 | option_b=138 | option_c=158 | option_d=316 | answer=C | explanation=10% of 1588 = (10/100) × 1588 = 158.

id=92170 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 12. | option_a=1 | option_b=12 | option_c=24 | option_d=144 | answer=B | explanation=LCM × HCF = 12×12; HCF(12,12) = 12, so LCM = 12.

id=92171 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=6 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=92172 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 8, 13, 19? | option_a=8 | option_b=13 | option_c=19 | option_d=3 | answer=C | explanation=The first three numbers increase by 5, so the next should be 18. Therefore 19 is the odd one out.

id=92173 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31339 at 8% per annum for 4 years. | option_a=10128 | option_b=41367 | option_c=10028 | option_d=9928 | answer=C | explanation=SI = PRT/100 = 31339×8×4/100 = █10028.

id=92174 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=26 | option_b=34 | option_c=40 | option_d=33 | answer=D | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

id=92175 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=120 | option_c=115 | option_d=125 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=92176 | topic=Percentages | difficulty=Easy | question=What is 25% of 932? | option_a=223 | option_b=233 | option_c=466 | option_d=253 | answer=B | explanation=25% of 932 = (25/100) × 932 = 233.

id=92177 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=X | option_c=L | option_d=T | answer=D | explanation=Move 4 positions forward from P; the resulting letter is T.

id=92178 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=V | option_c=A | option_d=L | answer=B | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=92179 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=92180 | topic=Percentages | difficulty=Easy | question=What is 40% of 477? | option_a=210 | option_b=190 | option_c=380 | option_d=180 | answer=B | explanation=40% of 477 = (40/100) × 477 = 190.

id=92181 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=92182 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13062 at 6% per annum for 4 years. | option_a=16196 | option_b=3234 | option_c=3134 | option_d=3034 | answer=C | explanation=SI = PRT/100 = 13062×6×4/100 = █3134.

id=92183 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=80 | option_d=150 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=92184 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=R | option_c=L | option_d=U | answer=B | explanation=Move 3 positions forward from O; the resulting letter is R.

id=92185 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=P | option_b=R | option_c=T | option_d=V | answer=C | explanation=Move 2 positions forward from R; the resulting letter is T.

id=92186 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4501. If it is sold at a profit of 30%, what is its selling price? | option_a=4531 | option_b=5401 | option_c=5851 | option_d=6301 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4501 × 130/100 = █5851.

id=92187 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20604 at 8% per annum for 5 years. | option_a=8141 | option_b=8341 | option_c=8241 | option_d=28845 | answer=C | explanation=SI = PRT/100 = 20604×8×5/100 = █8241.

id=92188 | topic=Averages | difficulty=Easy | question=Find the average of 56, 27, 48, 82, 67, 45, 13, 14. | option_a=44 | option_b=43 | option_c=45 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 352 ÷ 8 = 44.

id=92189 | topic=Averages | difficulty=Easy | question=Find the average of 81, 39, 28, 16, 69, 85. | option_a=52 | option_b=55 | option_c=54 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = 318 ÷ 6 = 53.

id=92190 | topic=Averages | difficulty=Easy | question=Find the average of 76, 81, 55, 16. | option_a=56 | option_b=58 | option_c=59 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 228 ÷ 4 = 57.

Aptitude Questions — Records 92,191-92,220 of 100,000

id=92191 | topic=Percentages | difficulty=Easy | question=What is 40% of 1147? | option_a=448 | option_b=478 | option_c=458 | option_d=916 | answer=C | explanation=40% of 1147 = (40/100) × 1147 = 458.

id=92192 | topic=Profit & Loss | difficulty=Easy | question=An article costs █706. If it is sold at a profit of 10%, what is its selling price? | option_a=716 | option_b=706 | option_c=846 | option_d=776 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 706 × 110/100 = █776.

id=92193 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=92194 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 33, 39, 46? | option_a=27 | option_b=33 | option_c=46 | option_d=39 | answer=C | explanation=The first three numbers increase by 6, so the next should be 45. Therefore 46 is the odd one out.

id=92195 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=B | option_c=P | option_d=X | answer=D | explanation=Move 4 positions forward from T; the resulting letter is X.

id=92196 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38055 at 5% per annum for 3 years. | option_a=5708 | option_b=43763 | option_c=5608 | option_d=5808 | answer=A | explanation=SI = PRT/100 = 38055×5×3/100 = █5708.

id=92197 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=17 | option_c=12 | option_d=24 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=92198 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=50 | option_c=55 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=92199 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36553 at 10% per annum for 4 years. | option_a=14621 | option_b=51174 | option_c=14721 | option_d=14521 | answer=A | explanation=SI = PRT/100 = 36553×10×4/100 = █14621.

id=92200 | topic=Averages | difficulty=Easy | question=Find the average of 47, 48, 95, 66, 84, 44, 92, 52. | option_a=68 | option_b=65 | option_c=66 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 528 ÷ 8 = 66.

id=92201 | topic=Averages | difficulty=Easy | question=Find the average of 73, 94, 10, 79, 91, 31, 45, 38, 29, 90. | option_a=60 | option_b=58 | option_c=59 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 580 ÷ 10 = 58.

id=92202 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=50 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=92203 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40853 at 6% per annum for 3 years. | option_a=7453 | option_b=7353 | option_c=48206 | option_d=7253 | answer=B | explanation=SI = PRT/100 = 40853×6×3/100 = █7353.

id=92204 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 34, 39, 45? | option_a=45 | option_b=39 | option_c=34 | option_d=29 | answer=A | explanation=The first three numbers increase by 5, so the next should be 44. Therefore 45 is the odd one out.

id=92205 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4157. If it is sold at a profit of 10%, what is its selling price? | option_a=4572 | option_b=4157 | option_c=4167 | option_d=4987 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4157 × 110/100 = █4572.

id=92206 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3134. If it is sold at a profit of 5%, what is its selling price? | option_a=2977 | option_b=3139 | option_c=3290 | option_d=3603 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3134 × 105/100 = █3290.

id=92207 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=7 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=92208 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:8 and the first is 44, what is the second? | option_a=32 | option_b=43 | option_c=76 | option_d=24 | answer=A | explanation=Scale factor = 44/11 = 4. Therefore second quantity = 8×4 = 32.

id=92209 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21790 at 6% per annum for 2 years. | option_a=2514 | option_b=24404 | option_c=2614 | option_d=2714 | answer=C | explanation=SI = PRT/100 = 21790×6×2/100 = █2614.

id=92210 | topic=Percentages | difficulty=Easy | question=What is 40% of 1097? | option_a=418 | option_b=876 | option_c=448 | option_d=438 | answer=D | explanation=40% of 1097 = (40/100) × 1097 = 438.

id=92211 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4191. If it is sold at a profit of 50%, what is its selling price? | option_a=6286 | option_b=4241 | option_c=5867 | option_d=6705 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4191 × 150/100 = █6286.

id=92212 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=92213 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=43 | option_b=50 | option_c=34 | option_d=42 | answer=D | explanation=The common difference is 8. Therefore the next term is 34 + 8 = 42.

id=92214 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=23 | option_b=20 | option_c=24 | option_d=22 | answer=D | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=92215 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=160 | option_c=80 | option_d=75 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=92216 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 22, 29, 38? | option_a=29 | option_b=22 | option_c=38 | option_d=15 | answer=C | explanation=The first three numbers increase by 7, so the next should be 36. Therefore 38 is the odd one out.

id=92217 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=92218 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 21. | option_a=441 | option_b=21 | option_c=1 | option_d=42 | answer=B | explanation=LCM × HCF = 21×21; HCF(21,21) = 21, so LCM = 21.

id=92219 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=D | option_c=E | option_d=C | answer=C | explanation=Move 1 positions forward from D; the resulting letter is E.

id=92220 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1373. If it is sold at a profit of 10%, what is its selling price? | option_a=1383 | option_b=1373 | option_c=1510 | option_d=1647 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1373 × 110/100 = █1510.

Aptitude Questions — Records 92,221-92,250 of 100,000

id=92221 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8804 at 8% per annum for 3 years. | option_a=2012 | option_b=2112 | option_c=2212 | option_d=10916 | answer=B | explanation=SI = PRT/100 = 8804×8×3/100 = **■**2112.

id=92222 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1482 at 10% per annum for 1 years. | option_a=148 | option_b=1630 | option_c=48 | option_d=248 | answer=A | explanation=SI = PRT/100 = 1482×10×1/100 = **■**148.

id=92223 | topic=Averages | difficulty=Easy | question=Find the average of 20, 90, 17, 37, 96. | option_a=54 | option_b=51 | option_c=53 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 260 ÷ 5 = 52.

id=92224 | topic=Averages | difficulty=Easy | question=Find the average of 66, 42, 81, 91, 80, 91, 75, 82. | option_a=77 | option_b=76 | option_c=75 | option_d=78 | answer=B | explanation=Average = sum of values ÷ number of values = 608 ÷ 8 = 76.

id=92225 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30373 at 4% per annum for 2 years. | option_a=32802 | option_b=2429 | option_c=2529 | option_d=2329 | answer=B | explanation=SI = PRT/100 = 30373×4×2/100 = **■**2429.

id=92226 | topic=Averages | difficulty=Easy | question=Find the average of 92, 22, 56, 64, 79, 35. | option_a=58 | option_b=59 | option_c=57 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 348 ÷ 6 = 58.

id=92227 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=Z | option_b=D | option_c=F | option_d=B | answer=B | explanation=Move 2 positions forward from B; the resulting letter is D.

id=92228 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:19 and the first is 228, what is the second? | option_a=361 | option_b=589 | option_c=373 | option_d=342 | answer=A | explanation=Scale factor = 228/12 = 19. Therefore second quantity = 19×19 = 361.

id=92229 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 26, 32, 40? | option_a=40 | option_b=20 | option_c=32 | option_d=26 | answer=A | explanation=The first three numbers increase by 6, so the next should be 38. Therefore 40 is the odd one out.

id=92230 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2309. If it is sold at a profit of 15%, what is its selling price? | option_a=2655 | option_b=2324 | option_c=2885 | option_d=2425 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2309 × 115/100 = **■**2655.

id=92231 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=F | option_b=D | option_c=E | option_d=G | answer=A | explanation=Move 1 positions forward from E; the resulting letter is F.

id=92232 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=14 | option_c=9 | option_d=4 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=92233 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 5, 8, 11, ? | option_a=15 | option_b=17 | option_c=11 | option_d=14 | answer=D | explanation=The common difference is 3. Therefore the next term is 11 + 3 = 14.

id=92234 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4192. If it is sold at a profit of 30%, what is its selling price? | option_a=5449 | option_b=5868 | option_c=5030 | option_d=4222 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4192 × 130/100 = **■**5449.

id=92235 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29677 at 8% per annum for 5 years. | option_a=11870 | option_b=41547 | option_c=11770 | option_d=11970 | answer=A | explanation=SI = PRT/100 = 29677×8×5/100 = **■**11870.

id=92236 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14103 at 12% per annum for 5 years. | option_a=8361 | option_b=8561 | option_c=22564 | option_d=8461 | answer=D | explanation=SI = PRT/100 = 14103×12×5/100 = **■**8461.

id=92237 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 18, 27, 39? | option_a=9 | option_b=27 | option_c=18 | option_d=39 | answer=D | explanation=The first three numbers increase by 9, so the next should be 36. Therefore 39 is the odd one out.

id=92238 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=92239 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=T | option_c=S | option_d=R | answer=B | explanation=Move 1 positions forward from S; the resulting letter is T.

id=92240 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=92241 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=45 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=92242 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45601 at 15% per annum for 5 years. | option_a=79801 | option_b=34200 | option_c=34300 | option_d=34100 | answer=B | explanation=SI = PRT/100 = 45601×15×5/100 = **■**34200.

id=92243 | topic=Averages | difficulty=Easy | question=Find the average of 75, 65, 83, 79, 66, 84, 96, 100. | option_a=82 | option_b=81 | option_c=83 | option_d=80 | answer=B | explanation=Average = sum of values ÷ number of values = 648 ÷ 8 = 81.

id=92244 | topic=Averages | difficulty=Easy | question=Find the average of 11, 88, 51. | option_a=49 | option_b=50 | option_c=52 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 150 ÷ 3 = 50.

id=92245 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=50 | option_c=45 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=92246 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=Y | option_c=H | option_d=E | answer=D | explanation=Move 3 positions forward from B; the resulting letter is E.

id=92247 | topic=Percentages | difficulty=Easy | question=What is 50% of 52? | option_a=16 | option_b=26 | option_c=31 | option_d=52 | answer=B | explanation=50% of 52 = (50/100) × 52 = 26.

id=92248 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=92249 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 21? | option_a=9 | option_b=15 | option_c=12 | option_d=21 | answer=D | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 21 is the odd one out.

id=92250 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=P | option_b=S | option_c=Y | option_d=V | answer=D | explanation=Move 3 positions forward from S; the resulting letter is V.

Aptitude Questions — Records 92,251-92,280 of 100,000

id=92251 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 31? | option_a=20 | option_b=16 | option_c=24 | option_d=31 | answer=D | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 31 is the odd one out.

id=92252 | topic=Profit & Loss | difficulty=Easy | question=An article costs █773. If it is sold at a profit of 50%, what is its selling price? | option_a=823 | option_b=1082 | option_c=1159 | option_d=1236 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 773 × 150/100 = █1159.

id=92253 | topic=Averages | difficulty=Easy | question=Find the average of 27, 56, 76. | option_a=52 | option_b=53 | option_c=54 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 159 ÷ 3 = 53.

id=92254 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=M | option_b=N | option_c=O | option_d=P | answer=C | explanation=Move 1 positions forward from N; the resulting letter is O.

id=92255 | topic=Percentages | difficulty=Easy | question=What is 10% of 482? | option_a=58 | option_b=48 | option_c=96 | option_d=28 | answer=B | explanation=10% of 482 = (10/100) × 482 = 48.

id=92256 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=92257 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=80 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=92258 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:15 and the first is 13, what is the second? | option_a=208 | option_b=180 | option_c=195 | option_d=196 | answer=C | explanation=Scale factor = 13/1 = 13. Therefore second quantity = 15×13 = 195.

id=92259 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4428. If it is sold at a profit of 40%, what is its selling price? | option_a=6641 | option_b=6199 | option_c=4468 | option_d=5757 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4428 × 140/100 = █6199.

id=92260 | topic=Percentages | difficulty=Easy | question=What is 40% of 927? | option_a=740 | option_b=370 | option_c=375 | option_d=350 | answer=B | explanation=40% of 927 = (40/100) × 927 = 370.

id=92261 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31134 at 6% per annum for 5 years. | option_a=40474 | option_b=9240 | option_c=9340 | option_d=9440 | answer=C | explanation=SI = PRT/100 = 31134×6×5/100 = █9340.

id=92262 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:14 and the first is 98, what is the second? | option_a=84 | option_b=196 | option_c=98 | option_d=112 | answer=C | explanation=Scale factor = 98/14 = 7. Therefore second quantity = 14×7 = 98.

id=92263 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3029. If it is sold at a profit of 30%, what is its selling price? | option_a=3059 | option_b=4239 | option_c=3635 | option_d=3937 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3029 × 130/100 = █3937.

id=92264 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=Z | option_c=R | option_d=N | answer=A | explanation=Move 4 positions forward from R; the resulting letter is V.

id=92265 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 62? | option_a=62 | option_b=40 | option_c=50 | option_d=30 | answer=A | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 62 is the odd one out.

id=92266 | topic=Percentages | difficulty=Easy | question=What is 25% of 465? | option_a=136 | option_b=116 | option_c=111 | option_d=232 | answer=B | explanation=25% of 465 = (25/100) × 465 = 116.

id=92267 | topic=Averages | difficulty=Easy | question=Find the average of 48, 21, 94, 76, 13, 16, 86, 43, 11, 72. | option_a=47 | option_b=48 | option_c=49 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 480 ÷ 10 = 48.

id=92268 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=92269 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4564. If it is sold at a profit of 30%, what is its selling price? | option_a=6389 | option_b=5933 | option_c=5477 | option_d=4594 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4564 × 130/100 = █5933.

id=92270 | topic=Percentages | difficulty=Easy | question=What is 10% of 1305? | option_a=260 | option_b=150 | option_c=130 | option_d=110 | answer=C | explanation=10% of 1305 = (10/100) × 1305 = 130.

id=92271 | topic=Averages | difficulty=Easy | question=Find the average of 95, 46, 100, 35, 52, 85, 34, 14, 97. | option_a=62 | option_b=63 | option_c=64 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 558 ÷ 9 = 62.

id=92272 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=O | option_b=I | option_c=R | option_d=L | answer=A | explanation=Move 3 positions forward from L; the resulting letter is O.

id=92273 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=17 | option_d=7 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=92274 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3455. If it is sold at a profit of 30%, what is its selling price? | option_a=4836 | option_b=4146 | option_c=3485 | option_d=4491 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3455 × 130/100 = █4491.

id=92275 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 10. | option_a=130 | option_b=156 | option_c=120 | option_d=260 | answer=A | explanation=LCM × HCF = 26×10; HCF(26,10) = 2, so LCM = 130.

id=92276 | topic=Percentages | difficulty=Easy | question=What is 15% of 1634? | option_a=250 | option_b=490 | option_c=245 | option_d=235 | answer=C | explanation=15% of 1634 = (15/100) × 1634 = 245.

id=92277 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 29, 39, 49, ? | option_a=49 | option_b=59 | option_c=60 | option_d=69 | answer=B | explanation=The common difference is 10. Therefore the next term is 49 + 10 = 59.

id=92278 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=40 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=92279 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=92280 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2719. If it is sold at a profit of 20%, what is its selling price? | option_a=2739 | option_b=3262 | option_c=3533 | option_d=2991 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2719 × 120/100 = █3262.

Aptitude Questions — Records 92,281-92,310 of 100,000

id=92281 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:7 and the first is 144, what is the second? | option_a=126 | option_b=119 | option_c=134 | option_d=270 | answer=A | explanation=Scale factor = 144/8 = 18. Therefore second quantity = 7×18 = 126.

id=92282 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:13 and the first is 126, what is the second? | option_a=182 | option_b=169 | option_c=308 | option_d=191 | answer=A | explanation=Scale factor = 126/9 = 14. Therefore second quantity = 13×14 = 182.

id=92283 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1240 at 8% per annum for 2 years. | option_a=1438 | option_b=198 | option_c=98 | option_d=298 | answer=B | explanation=SI = PRT/100 = 1240×8×2/100 = **■**198.

id=92284 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:6 and the first is 45, what is the second? | option_a=30 | option_b=75 | option_c=24 | option_d=39 | answer=A | explanation=Scale factor = 45/9 = 5. Therefore second quantity = 6×5 = 30.

id=92285 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:17 and the first is 36, what is the second? | option_a=153 | option_b=157 | option_c=189 | option_d=136 | answer=A | explanation=Scale factor = 36/4 = 9. Therefore second quantity = 17×9 = 153.

id=92286 | topic=Percentages | difficulty=Easy | question=What is 10% of 543? | option_a=54 | option_b=64 | option_c=108 | option_d=49 | answer=A | explanation=10% of 543 = (10/100) × 543 = 54.

id=92287 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=X | option_b=J | option_c=F | option_d=B | answer=C | explanation=Move 4 positions forward from B; the resulting letter is F.

id=92288 | topic=Percentages | difficulty=Easy | question=What is 5% of 1563? | option_a=58 | option_b=88 | option_c=78 | option_d=156 | answer=C | explanation=5% of 1563 = (5/100) × 1563 = 78.

id=92289 | topic=Percentages | difficulty=Easy | question=What is 12% of 101? | option_a=22 | option_b=24 | option_c=12 | option_d=7 | answer=C | explanation=12% of 101 = (12/100) × 101 = 12.

id=92290 | topic=Averages | difficulty=Easy | question=Find the average of 39, 99, 93. | option_a=77 | option_b=78 | option_c=76 | option_d=79 | answer=A | explanation=Average = sum of values + number of values = 231 ÷ 3 = 77.

id=92291 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=92292 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29100 at 5% per annum for 4 years. | option_a=34920 | option_b=5920 | option_c=5820 | option_d=5720 | answer=C | explanation=SI = PRT/100 = 29100×5×4/100 = **■**5820.

id=92293 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=92294 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=A | option_b=O | option_c=S | option_d=W | answer=D | explanation=Move 4 positions forward from S; the resulting letter is W.

id=92295 | topic=Percentages | difficulty=Easy | question=What is 15% of 1169? | option_a=350 | option_b=180 | option_c=175 | option_d=165 | answer=C | explanation=15% of 1169 = (15/100) × 1169 = 175.

id=92296 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 24. | option_a=28 | option_b=24 | option_c=96 | option_d=1 | answer=B | explanation=LCM × HCF = 4×24; HCF(4,24) = 4, so LCM = 24.

id=92297 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 28? | option_a=19 | option_b=23 | option_c=28 | option_d=15 | answer=C | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 28 is the odd one out.

id=92298 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=35 | option_b=40 | option_c=30 | option_d=36 | answer=A | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=92299 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39121 at 12% per annum for 2 years. | option_a=9389 | option_b=9289 | option_c=48510 | option_d=9489 | answer=A | explanation=SI = PRT/100 = 39121×12×2/100 = **■**9389.

id=92300 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:1 and the first is 221, what is the second? | option_a=30 | option_b=234 | option_c=12 | option_d=13 | answer=D | explanation=Scale factor = 221/17 = 13. Therefore second quantity = 1×13 = 13.

id=92301 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=V | option_b=G | option_c=L | option_d=Q | answer=D | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=92302 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:2 and the first is 7, what is the second? | option_a=12 | option_b=21 | option_c=14 | option_d=15 | answer=C | explanation=Scale factor = 7/1 = 7. Therefore second quantity = 2×7 = 14.

id=92303 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=O | option_b=R | option_c=P | option_d=Q | answer=D | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=92304 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=35 | option_b=27 | option_c=32 | option_d=31 | answer=D | explanation=The common difference is 4. Therefore the next term is 27 + 4 = 31.

id=92305 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3917. If it is sold at a profit of 50%, what is its selling price? | option_a=6266 | option_b=3967 | option_c=5484 | option_d=5875 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3917 × 150/100 = **■**5875.

id=92306 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10441 at 4% per annum for 1 years. | option_a=10858 | option_b=417 | option_c=317 | option_d=517 | answer=B | explanation=SI = PRT/100 = 10441×4×1/100 = **■**417.

id=92307 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10592 at 5% per annum for 4 years. | option_a=2018 | option_b=2218 | option_c=12710 | option_d=2118 | answer=D | explanation=SI = PRT/100 = 10592×5×4/100 = **■**2118.

id=92308 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=15 | option_b=20 | option_c=23 | option_d=19 | answer=D | explanation=The common difference is 4. Therefore the next term is 15 + 4 = 19.

id=92309 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:14 and the first is 70, what is the second? | option_a=266 | option_b=182 | option_c=196 | option_d=201 | answer=C | explanation=Scale factor = 70/5 = 14. Therefore second quantity = 14×14 = 196.

id=92310 | topic=Percentages | difficulty=Easy | question=What is 12% of 475? | option_a=67 | option_b=114 | option_c=52 | option_d=57 | answer=D | explanation=12% of 475 = (12/100) × 475 = 57.

Aptitude Questions — Records 92,311-92,340 of 100,000

id=92311 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 24, 36, 48, ? | option_a=61 | option_b=72 | option_c=60 | option_d=48 | answer=C | explanation=The common difference is 12. Therefore the next term is 48 + 12 = 60.

id=92312 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=40 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=92313 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2595. If it is sold at a profit of 50%, what is its selling price? | option_a=3892 | option_b=3633 | option_c=2645 | option_d=4151 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2595 × 150/100 = █3892.

id=92314 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=92315 | topic=Averages | difficulty=Easy | question=Find the average of 31, 83, 91, 42, 21, 65, 49, 21, 83. | option_a=54 | option_b=55 | option_c=53 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 486 ÷ 9 = 54.

id=92316 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=K | option_c=Y | option_d=G | answer=D | explanation=Move 4 positions forward from C; the resulting letter is G.

id=92317 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 12. | option_a=84 | option_b=336 | option_c=112 | option_d=72 | answer=A | explanation=LCM × HCF = 28×12; HCF(28,12) = 4, so LCM = 84.

id=92318 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2863. If it is sold at a profit of 40%, what is its selling price? | option_a=4008 | option_b=3722 | option_c=4294 | option_d=2903 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2863 × 140/100 = █4008.

id=92319 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=X | option_c=D | option_d=G | answer=C | explanation=Move 3 positions forward from A; the resulting letter is D.

id=92320 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=A | option_b=D | option_c=J | option_d=G | answer=D | explanation=Move 3 positions forward from D; the resulting letter is G.

id=92321 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=175 | option_c=185 | option_d=360 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=92322 | topic=Percentages | difficulty=Easy | question=What is 20% of 195? | option_a=44 | option_b=19 | option_c=78 | option_d=39 | answer=D | explanation=20% of 195 = (20/100) × 195 = 39.

id=92323 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 10, 13, 18? | option_a=7 | option_b=18 | option_c=13 | option_d=10 | answer=B | explanation=The first three numbers increase by 3, so the next should be 16. Therefore 18 is the odd one out.

id=92324 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1110. If it is sold at a profit of 20%, what is its selling price? | option_a=1443 | option_b=1130 | option_c=1221 | option_d=1332 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1110 × 120/100 = █1332.

id=92325 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14342 at 12% per annum for 4 years. | option_a=6884 | option_b=21226 | option_c=6984 | option_d=6784 | answer=A | explanation=SI = PRT/100 = 14342×12×4/100 = █6884.

id=92326 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31718 at 4% per annum for 5 years. | option_a=6443 | option_b=6243 | option_c=38061 | option_d=6343 | answer=D | explanation=SI = PRT/100 = 31718×4×5/100 = █6343.

id=92327 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 30, 34, 40? | option_a=40 | option_b=26 | option_c=30 | option_d=34 | answer=A | explanation=The first three numbers increase by 4, so the next should be 38. Therefore 40 is the odd one out.

id=92328 | topic=Profit & Loss | difficulty=Easy | question=An article costs █579. If it is sold at a profit of 20%, what is its selling price? | option_a=637 | option_b=751 | option_c=694 | option_d=599 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 579 × 120/100 = █694.

id=92329 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:20 and the first is 38, what is the second? | option_a=418 | option_b=382 | option_c=380 | option_d=360 | answer=C | explanation=Scale factor = 38/2 = 19. Therefore second quantity = 20×19 = 380.

id=92330 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1356. If it is sold at a profit of 20%, what is its selling price? | option_a=1376 | option_b=1627 | option_c=1492 | option_d=1762 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1356 × 120/100 = █1627.

id=92331 | topic=Averages | difficulty=Easy | question=Find the average of 87, 13, 54, 81, 76, 19. | option_a=56 | option_b=54 | option_c=55 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 330 ÷ 6 = 55.

id=92332 | topic=Percentages | difficulty=Easy | question=What is 50% of 828? | option_a=424 | option_b=394 | option_c=828 | option_d=414 | answer=D | explanation=50% of 828 = (50/100) × 828 = 414.

id=92333 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=47 | option_b=42 | option_c=41 | option_d=35 | answer=C | explanation=The common difference is 6. Therefore the next term is 35 + 6 = 41.

id=92334 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=G | option_b=J | option_c=H | option_d=I | answer=D | explanation=Move 1 positions forward from H; the resulting letter is I.

id=92335 | topic=Averages | difficulty=Easy | question=Find the average of 24, 96, 92, 40, 22, 40, 15. | option_a=47 | option_b=48 | option_c=46 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 329 ÷ 7 = 47.

id=92336 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32362 at 8% per annum for 5 years. | option_a=12944 | option_b=45306 | option_c=12844 | option_d=13044 | answer=A | explanation=SI = PRT/100 = 32362×8×5/100 = █12944.

id=92337 | topic=Percentages | difficulty=Easy | question=What is 50% of 1379? | option_a=689 | option_b=694 | option_c=669 | option_d=1378 | answer=A | explanation=50% of 1379 = (50/100) × 1379 = 689.

id=92338 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1260 at 10% per annum for 4 years. | option_a=504 | option_b=604 | option_c=404 | option_d=1764 | answer=A | explanation=SI = PRT/100 = 1260×10×4/100 = █504.

id=92339 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=300 | option_c=150 | option_d=145 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=92340 | topic=Averages | difficulty=Easy | question=Find the average of 31, 100, 16, 100, 78. | option_a=67 | option_b=64 | option_c=65 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = 325 ÷ 5 = 65.

Aptitude Questions — Records 92,341-92,370 of 100,000

id=92341 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=92342 | topic=Averages | difficulty=Easy | question=Find the average of 89, 74, 57, 58, 89, 35, 79, 21, 23, 105. | option_a=63 | option_b=62 | option_c=64 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 630 ÷ 10 = 63.

id=92343 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=105 | option_c=95 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=92344 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=92345 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 16? | option_a=12 | option_b=10 | option_c=16 | option_d=8 | answer=C | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 16 is the odd one out.

id=92346 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:14 and the first is 40, what is the second? | option_a=126 | option_b=144 | option_c=140 | option_d=180 | answer=C | explanation=Scale factor = 40/4 = 10. Therefore second quantity = 14×10 = 140.

id=92347 | topic=Averages | difficulty=Easy | question=Find the average of 95, 13, 99, 41, 67. | option_a=63 | option_b=62 | option_c=65 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = 315 ÷ 5 = 63.

id=92348 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=19 | option_c=48 | option_d=29 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=92349 | topic=Percentages | difficulty=Easy | question=What is 10% of 1224? | option_a=117 | option_b=244 | option_c=122 | option_d=132 | answer=C | explanation=10% of 1224 = (10/100) × 1224 = 122.

id=92350 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 33, 43, 54? | option_a=43 | option_b=23 | option_c=54 | option_d=33 | answer=C | explanation=The first three numbers increase by 10, so the next should be 53. Therefore 54 is the odd one out.

id=92351 | topic=Percentages | difficulty=Easy | question=What is 40% of 335? | option_a=129 | option_b=154 | option_c=268 | option_d=134 | answer=D | explanation=40% of 335 = (40/100) × 335 = 134.

id=92352 | topic=Averages | difficulty=Easy | question=Find the average of 92, 35, 46, 60, 26, 53. | option_a=53 | option_b=51 | option_c=52 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 312 ÷ 6 = 52.

id=92353 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=Q | option_b=W | option_c=U | option_d=S | answer=C | explanation=Move 2 positions forward from S; the resulting letter is U.

id=92354 | topic=Percentages | difficulty=Easy | question=What is 40% of 702? | option_a=280 | option_b=260 | option_c=285 | option_d=560 | answer=A | explanation=40% of 702 = (40/100) × 702 = 280.

id=92355 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 35? | option_a=35 | option_b=22 | option_c=30 | option_d=26 | answer=A | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 35 is the odd one out.

id=92356 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:19 and the first is 160, what is the second? | option_a=171 | option_b=206 | option_c=190 | option_d=350 | answer=C | explanation=Scale factor = 160/16 = 10. Therefore second quantity = 19×10 = 190.

id=92357 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:15 and the first is 380, what is the second? | option_a=270 | option_b=665 | option_c=305 | option_d=285 | answer=D | explanation=Scale factor = 380/20 = 19. Therefore second quantity = 15×19 = 285.

id=92358 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=57 | option_b=46 | option_c=58 | option_d=68 | answer=A | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.

id=92359 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=S | option_c=O | option_d=U | answer=B | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=92360 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 34, 41, 49? | option_a=41 | option_b=34 | option_c=49 | option_d=27 | answer=C | explanation=The first three numbers increase by 7, so the next should be 48. Therefore 49 is the odd one out.

id=92361 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=92362 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=92363 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 22, 26, 31? | option_a=26 | option_b=22 | option_c=18 | option_d=31 | answer=D | explanation=The first three numbers increase by 4, so the next should be 30. Therefore 31 is the odd one out.

id=92364 | topic=Percentages | difficulty=Easy | question=What is 10% of 1506? | option_a=150 | option_b=170 | option_c=300 | option_d=145 | answer=A | explanation=10% of 1506 = (10/100) × 1506 = 150.

id=92365 | topic=Percentages | difficulty=Easy | question=What is 15% of 1723? | option_a=516 | option_b=258 | option_c=278 | option_d=253 | answer=B | explanation=15% of 1723 = (15/100) × 1723 = 258.

id=92366 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3103. If it is sold at a profit of 5%, what is its selling price? | option_a=3568 | option_b=3108 | option_c=2949 | option_d=3258 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3103 × 105/100 = █3258.

id=92367 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 13? | option_a=7 | option_b=9 | option_c=13 | option_d=5 | answer=C | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 13 is the odd one out.

id=92368 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=80 | option_c=35 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=92369 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=8 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=92370 | topic=Profit & Loss | difficulty=Easy | question=An article costs █481. If it is sold at a profit of 15%, what is its selling price? | option_a=496 | option_b=553 | option_c=601 | option_d=505 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 481 × 115/100 = █553.

Aptitude Questions — Records 92,371-92,400 of 100,000

id=92371 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 14. | option_a=14 | option_b=32 | option_c=28 | option_d=56 | answer=C | explanation=LCM × HCF = 4×14; HCF(4,14) = 2, so LCM = 28.

id=92372 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:2 and the first is 266, what is the second? | option_a=52 | option_b=38 | option_c=304 | option_d=36 | answer=B | explanation=Scale factor = 266/14 = 19. Therefore second quantity = 2×19 = 38.

id=92373 | topic=Percentages | difficulty=Easy | question=What is 25% of 1632? | option_a=413 | option_b=816 | option_c=408 | option_d=398 | answer=C | explanation=25% of 1632 = (25/100) × 1632 = 408.

id=92374 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 30. | option_a=1 | option_b=40 | option_c=300 | option_d=30 | answer=D | explanation=LCM × HCF = 10×30; HCF(10,30) = 10, so LCM = 30.

id=92375 | topic=Percentages | difficulty=Easy | question=What is 20% of 1658? | option_a=351 | option_b=321 | option_c=662 | option_d=331 | answer=D | explanation=20% of 1658 = (20/100) × 1658 = 331.

id=92376 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 34? | option_a=20 | option_b=28 | option_c=24 | option_d=34 | answer=D | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 34 is the odd one out.

id=92377 | topic=Percentages | difficulty=Easy | question=What is 20% of 748? | option_a=129 | option_b=149 | option_c=298 | option_d=154 | answer=B | explanation=20% of 748 = (20/100) × 748 = 149.

id=92378 | topic=Averages | difficulty=Easy | question=Find the average of 22, 56, 81, 81. | option_a=62 | option_b=59 | option_c=60 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 240 ÷ 4 = 60.

id=92379 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=300 | option_c=155 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=92380 | topic=Percentages | difficulty=Easy | question=What is 10% of 1010? | option_a=101 | option_b=111 | option_c=96 | option_d=202 | answer=A | explanation=10% of 1010 = (10/100) × 1010 = 101.

id=92381 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 33, 43, 55? | option_a=43 | option_b=23 | option_c=33 | option_d=55 | answer=D | explanation=The first three numbers increase by 10, so the next should be 53. Therefore 55 is the odd one out.

id=92382 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 36, 43, 52? | option_a=36 | option_b=52 | option_c=29 | option_d=43 | answer=B | explanation=The first three numbers increase by 7, so the next should be 50. Therefore 52 is the odd one out.

id=92383 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 11, 14, 18? | option_a=18 | option_b=11 | option_c=8 | option_d=14 | answer=A | explanation=The first three numbers increase by 3, so the next should be 17. Therefore 18 is the odd one out.

id=92384 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2467 at 15% per annum for 4 years. | option_a=1380 | option_b=1480 | option_c=3947 | option_d=1580 | answer=B | explanation=SI = PRT/100 = 2467×15×4/100 = **■**1480.

id=92385 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=S | option_b=U | option_c=V | option_d=T | answer=B | explanation=Move 1 positions forward from T; the resulting letter is U.

id=92386 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2119. If it is sold at a profit of 40%, what is its selling price? | option_a=2966 | option_b=3177 | option_c=2755 | option_d=2159 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2119 × 140/100 = **■**2966.

id=92387 | topic=Percentages | difficulty=Easy | question=What is 25% of 268? | option_a=57 | option_b=77 | option_c=134 | option_d=67 | answer=D | explanation=25% of 268 = (25/100) × 268 = 67.

id=92388 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4985. If it is sold at a profit of 40%, what is its selling price? | option_a=7477 | option_b=5025 | option_c=6979 | option_d=6481 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4985 × 140/100 = **■**6979.

id=92389 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=92390 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 30, 38, 48? | option_a=30 | option_b=48 | option_c=22 | option_d=38 | answer=B | explanation=The first three numbers increase by 8, so the next should be 46. Therefore 48 is the odd one out.

id=92391 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=Q | option_c=T | option_d=K | answer=B | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=92392 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44858 at 5% per annum for 4 years. | option_a=53829 | option_b=8871 | option_c=8971 | option_d=9071 | answer=C | explanation=SI = PRT/100 = 44858×5×4/100 = **■**8971.

id=92393 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 22. | option_a=572 | option_b=264 | option_c=286 | option_d=312 | answer=C | explanation=LCM × HCF = 26×22; HCF(26,22) = 2, so LCM = 286.

id=92394 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=240 | option_d=115 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=92395 | topic=Percentages | difficulty=Easy | question=What is 25% of 1373? | option_a=348 | option_b=343 | option_c=686 | option_d=323 | answer=B | explanation=25% of 1373 = (25/100) × 1373 = 343.

id=92396 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3035. If it is sold at a profit of 15%, what is its selling price? | option_a=3050 | option_b=3187 | option_c=3793 | option_d=3490 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3035 × 115/100 = **■**3490.

id=92397 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:2 and the first is 55, what is the second? | option_a=10 | option_b=21 | option_c=65 | option_d=8 | answer=A | explanation=Scale factor = 55/11 = 5. Therefore second quantity = 2×5 = 10.

id=92398 | topic=Averages | difficulty=Easy | question=Find the average of 72, 75, 47, 41, 35. | option_a=55 | option_b=56 | option_c=54 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 270 ÷ 5 = 54.

id=92399 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49180 at 12% per annum for 1 years. | option_a=6001 | option_b=5901 | option_c=5801 | option_d=55081 | answer=B | explanation=SI = PRT/100 = 49180×12×1/100 = **■**5901.

id=92400 | topic=Averages | difficulty=Easy | question=Find the average of 69, 47, 99, 72, 37, 66, 64, 50. | option_a=63 | option_b=65 | option_c=64 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 504 ÷ 8 = 63.

Aptitude Questions — Records 92,401-92,430 of 100,000

id=92401 | topic=Percentages | difficulty=Easy | question=What is 25% of 1025? | option_a=256 | option_b=266 | option_c=512 | option_d=236 | answer=A | explanation=25% of 1025 = (25/100) × 1025 = 256.

id=92402 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does "I" become? | option_a=K | option_b=J | option_c=I | option_d=H | answer=B | explanation=Move 1 positions forward from I; the resulting letter is J.

id=92403 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=92404 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=92405 | topic=Averages | difficulty=Easy | question=Find the average of 92, 40, 22, 65, 51. | option_a=53 | option_b=55 | option_c=54 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 270 ÷ 5 = 54.

id=92406 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=92407 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 35? | option_a=35 | option_b=24 | option_c=19 | option_d=29 | answer=A | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 35 is the odd one out.

id=92408 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=92409 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:19 and the first is 72, what is the second? | option_a=126 | option_b=95 | option_c=186 | option_d=114 | answer=D | explanation=Scale factor = 72/12 = 6. Therefore second quantity = 19×6 = 114.

id=92410 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4976. If it is sold at a profit of 20%, what is its selling price? | option_a=5474 | option_b=4996 | option_c=6468 | option_d=5971 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4976 × 120/100 = █5971.

id=92411 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 30. | option_a=35 | option_b=1 | option_c=150 | option_d=30 | answer=D | explanation=LCM × HCF = 5×30; HCF(5,30) = 5, so LCM = 30.

id=92412 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=29 | option_c=24 | option_d=48 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=92413 | topic=Percentages | difficulty=Easy | question=What is 25% of 1096? | option_a=548 | option_b=274 | option_c=264 | option_d=294 | answer=B | explanation=25% of 1096 = (25/100) × 1096 = 274.

id=92414 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3480. If it is sold at a profit of 10%, what is its selling price? | option_a=4176 | option_b=3828 | option_c=3480 | option_d=3490 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3480 × 110/100 = █3828.

id=92415 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=92416 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=92417 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8841 at 12% per annum for 3 years. | option_a=3182 | option_b=12023 | option_c=3082 | option_d=3282 | answer=A | explanation=SI = PRT/100 = 8841×12×3/100 = █3182.

id=92418 | topic=Percentages | difficulty=Easy | question=What is 10% of 1171? | option_a=112 | option_b=117 | option_c=234 | option_d=127 | answer=B | explanation=10% of 1171 = (10/100) × 1171 = 117.

id=92419 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34252 at 4% per annum for 1 years. | option_a=1470 | option_b=35622 | option_c=1270 | option_d=1370 | answer=D | explanation=SI = PRT/100 = 34252×4×1/100 = █1370.

id=92420 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40808 at 12% per annum for 2 years. | option_a=9893 | option_b=9793 | option_c=50601 | option_d=9693 | answer=B | explanation=SI = PRT/100 = 40808×12×2/100 = █9793.

id=92421 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12779 at 4% per annum for 5 years. | option_a=15334 | option_b=2455 | option_c=2555 | option_d=2655 | answer=C | explanation=SI = PRT/100 = 12779×4×5/100 = █2555.

id=92422 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:12 and the first is 126, what is the second? | option_a=108 | option_b=234 | option_c=122 | option_d=96 | answer=A | explanation=Scale factor = 126/14 = 9. Therefore second quantity = 12×9 = 108.

id=92423 | topic=Averages | difficulty=Easy | question=Find the average of 71, 31, 52, 92, 75, 27, 44, 80. | option_a=59 | option_b=60 | option_c=58 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 472 ÷ 8 = 59.

id=92424 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=15 | option_c=20 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=92425 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 16, 21, 29? | option_a=29 | option_b=21 | option_c=11 | option_d=16 | answer=A | explanation=The first three numbers increase by 5, so the next should be 26. Therefore 29 is the odd one out.

id=92426 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=300 | option_c=155 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=92427 | topic=Percentages | difficulty=Easy | question=What is 50% of 1615? | option_a=787 | option_b=807 | option_c=1614 | option_d=827 | answer=B | explanation=50% of 1615 = (50/100) × 1615 = 807.

id=92428 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1835. If it is sold at a profit of 20%, what is its selling price? | option_a=2019 | option_b=2202 | option_c=1855 | option_d=2385 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1835 × 120/100 = █2202.

id=92429 | topic=Profit & Loss | difficulty=Easy | question=An article costs █777. If it is sold at a profit of 5%, what is its selling price? | option_a=738 | option_b=782 | option_c=815 | option_d=892 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 777 × 105/100 = █815.

id=92430 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 10. | option_a=168 | option_b=140 | option_c=280 | option_d=130 | answer=B | explanation=LCM × HCF = 28×10; HCF(28,10) = 2, so LCM = 140.

Aptitude Questions — Records 92,431-92,460 of 100,000

id=92431 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=C | option_c=L | option_d=I | answer=D | explanation=Move 3 positions forward from F; the resulting letter is I.

id=92432 | topic=Percentages | difficulty=Easy | question=What is 10% of 1507? | option_a=145 | option_b=300 | option_c=160 | option_d=150 | answer=D | explanation=10% of 1507 = (10/100) × 1507 = 150.

id=92433 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:6 and the first is 266, what is the second? | option_a=103 | option_b=84 | option_c=350 | option_d=78 | answer=B | explanation=Scale factor = 266/19 = 14. Therefore second quantity = 6×14 = 84.

id=92434 | topic=Profit & Loss | difficulty=Easy | question=An article costs █237. If it is sold at a profit of 10%, what is its selling price? | option_a=260 | option_b=283 | option_c=247 | option_d=237 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 237 × 110/100 = █260.

id=92435 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4563 at 5% per annum for 1 years. | option_a=4791 | option_b=128 | option_c=328 | option_d=228 | answer=D | explanation=SI = PRT/100 = 4563×5×1/100 = █228.

id=92436 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=J | option_c=B | option_d=X | answer=A | explanation=Move 4 positions forward from B; the resulting letter is F.

id=92437 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=20 | option_c=15 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=92438 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=92439 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:20 and the first is 36, what is the second? | option_a=160 | option_b=184 | option_c=216 | option_d=180 | answer=D | explanation=Scale factor = 36/4 = 9. Therefore second quantity = 20×9 = 180.

id=92440 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4160. If it is sold at a profit of 25%, what is its selling price? | option_a=5200 | option_b=5616 | option_c=4784 | option_d=4185 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4160 × 125/100 = █5200.

id=92441 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=92442 | topic=Percentages | difficulty=Easy | question=What is 15% of 1704? | option_a=250 | option_b=260 | option_c=510 | option_d=255 | answer=D | explanation=15% of 1704 = (15/100) × 1704 = 255.

id=92443 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1314. If it is sold at a profit of 20%, what is its selling price? | option_a=1576 | option_b=1445 | option_c=1334 | option_d=1707 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1314 × 120/100 = █1576.

id=92444 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=92445 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=F | option_b=P | option_c=U | option_d=K | answer=B | explanation=Move 5 positions forward from K; the resulting letter is P.

id=92446 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=92447 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 11? | option_a=6 | option_b=11 | option_c=8 | option_d=4 | answer=B | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 11 is the odd one out.

id=92448 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=92449 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 33? | option_a=20 | option_b=28 | option_c=24 | option_d=33 | answer=D | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 33 is the odd one out.

id=92450 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=I | option_b=J | option_c=G | option_d=H | answer=A | explanation=Move 1 positions forward from H; the resulting letter is I.

id=92451 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=92452 | topic=Averages | difficulty=Easy | question=Find the average of 53, 91, 76, 19, 66, 23, 71. | option_a=57 | option_b=56 | option_c=59 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 399 ÷ 7 = 57.

id=92453 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27088 at 4% per annum for 5 years. | option_a=5517 | option_b=5417 | option_c=5317 | option_d=32505 | answer=B | explanation=SI = PRT/100 = 27088×4×5/100 = █5417.

id=92454 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=56 | option_b=57 | option_c=44 | option_d=68 | answer=A | explanation=The common difference is 12. Therefore the next term is 44 + 12 = 56.

id=92455 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=70 | option_c=80 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=92456 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=92457 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=92458 | topic=Percentages | difficulty=Easy | question=What is 50% of 605? | option_a=322 | option_b=604 | option_c=302 | option_d=292 | answer=C | explanation=50% of 605 = (50/100) × 605 = 302.

id=92459 | topic=Percentages | difficulty=Easy | question=What is 20% of 1715? | option_a=363 | option_b=686 | option_c=343 | option_d=338 | answer=C | explanation=20% of 1715 = (20/100) × 1715 = 343.

id=92460 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=28 | option_b=44 | option_c=37 | option_d=36 | answer=D | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

Aptitude Questions — Records 92,461-92,490 of 100,000

id=92461 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=U | option_b=K | option_c=P | option_d=Z | answer=A | explanation=Move 5 positions forward from P; the resulting letter is U.

id=92462 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=C | option_b=L | option_c=F | option_d=I | answer=D | explanation=Move 3 positions forward from F; the resulting letter is I.

id=92463 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1912. If it is sold at a profit of 10%, what is its selling price? | option_a=1912 | option_b=1922 | option_c=2294 | option_d=2103 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1912 × 110/100 = █2103.

id=92464 | topic=Percentages | difficulty=Easy | question=What is 5% of 923? | option_a=26 | option_b=46 | option_c=66 | option_d=92 | answer=B | explanation=5% of 923 = (5/100) × 923 = 46.

id=92465 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=J | option_b=S | option_c=P | option_d=M | answer=C | explanation=Move 3 positions forward from M; the resulting letter is P.

id=92466 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 41? | option_a=36 | option_b=30 | option_c=41 | option_d=33 | answer=C | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 41 is the odd one out.

id=92467 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3227. If it is sold at a profit of 15%, what is its selling price? | option_a=3711 | option_b=3389 | option_c=3242 | option_d=4033 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3227 × 115/100 = █3711.

id=92468 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3503. If it is sold at a profit of 15%, what is its selling price? | option_a=3518 | option_b=4028 | option_c=3678 | option_d=4378 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3503 × 115/100 = █4028.

id=92469 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 16. | option_a=140 | option_b=112 | option_c=96 | option_d=448 | answer=B | explanation=LCM × HCF = 28×16; HCF(28,16) = 4, so LCM = 112.

id=92470 | topic=Averages | difficulty=Easy | question=Find the average of 24, 61, 73, 14, 32, 89, 72, 23, 87, 25. | option_a=52 | option_b=50 | option_c=51 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 500 ÷ 10 = 50.

id=92471 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=26 | option_b=18 | option_c=23 | option_d=22 | answer=D | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

id=92472 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 32, 40, 50? | option_a=24 | option_b=40 | option_c=50 | option_d=32 | answer=C | explanation=The first three numbers increase by 8, so the next should be 48. Therefore 50 is the odd one out.

id=92473 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12634 at 5% per annum for 1 years. | option_a=631 | option_b=13265 | option_c=531 | option_d=731 | answer=A | explanation=SI = PRT/100 = 12634×5×1/100 = █631.

id=92474 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=80 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=92475 | topic=Percentages | difficulty=Easy | question=What is 40% of 893? | option_a=347 | option_b=714 | option_c=357 | option_d=367 | answer=C | explanation=40% of 893 = (40/100) × 893 = 357.

id=92476 | topic=Averages | difficulty=Easy | question=Find the average of 74, 35, 70, 93. | option_a=69 | option_b=67 | option_c=68 | option_d=70 | answer=C | explanation=Average = sum of values ÷ number of values = 272 ÷ 4 = 68.

id=92477 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=92478 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=92479 | topic=Averages | difficulty=Easy | question=Find the average of 32, 57, 19, 72. | option_a=45 | option_b=46 | option_c=47 | option_d=44 | answer=A | explanation=Average = sum of values ÷ number of values = 180 ÷ 4 = 45.

id=92480 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:4 and the first is 15, what is the second? | option_a=23 | option_b=35 | option_c=20 | option_d=16 | answer=C | explanation=Scale factor = 15/3 = 5. Therefore second quantity = 4×5 = 20.

id=92481 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=50 | option_d=90 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=92482 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=T | option_b=J | option_c=Y | option_d=O | answer=A | explanation=Move 5 positions forward from O; the resulting letter is T.

id=92483 | topic=Averages | difficulty=Easy | question=Find the average of 30, 81, 16, 80, 77, 46. | option_a=54 | option_b=57 | option_c=56 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 330 ÷ 6 = 55.

id=92484 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 25. | option_a=75 | option_b=500 | option_c=120 | option_d=100 | answer=D | explanation=LCM × HCF = 20×25; HCF(20,25) = 5, so LCM = 100.

id=92485 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:15 and the first is 153, what is the second? | option_a=408 | option_b=240 | option_c=255 | option_d=264 | answer=C | explanation=Scale factor = 153/9 = 17. Therefore second quantity = 15×17 = 255.

id=92486 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25705 at 12% per annum for 3 years. | option_a=9253 | option_b=9153 | option_c=9353 | option_d=34958 | answer=A | explanation=SI = PRT/100 = 25705×12×3/100 = █9253.

id=92487 | topic=Percentages | difficulty=Easy | question=What is 20% of 1661? | option_a=312 | option_b=337 | option_c=332 | option_d=664 | answer=C | explanation=20% of 1661 = (20/100) × 1661 = 332.

id=92488 | topic=Averages | difficulty=Easy | question=Find the average of 87, 47, 84, 77, 87, 36, 58. | option_a=67 | option_b=68 | option_c=69 | option_d=70 | answer=B | explanation=Average = sum of values ÷ number of values = 476 ÷ 7 = 68.

id=92489 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=M | option_b=S | option_c=Q | option_d=O | answer=C | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=92490 | topic=Profit & Loss | difficulty=Easy | question=An article costs █624. If it is sold at a profit of 40%, what is its selling price? | option_a=873 | option_b=935 | option_c=811 | option_d=664 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 624 × 140/100 = █873.

Aptitude Questions — Records 92,491-92,520 of 100,000

id=92491 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=30 | option_b=35 | option_c=36 | option_d=40 | answer=B | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=92492 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=92493 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 14, 22, 32? | option_a=32 | option_b=14 | option_c=22 | option_d=6 | answer=A | explanation=The first three numbers increase by 8, so the next should be 30. Therefore 32 is the odd one out.

id=92494 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2321 at 15% per annum for 1 years. | option_a=248 | option_b=448 | option_c=348 | option_d=2669 | answer=C | explanation=SI = PRT/100 = 2321×15×1/100 = **■**348.

id=92495 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3248. If it is sold at a profit of 10%, what is its selling price? | option_a=3572 | option_b=3248 | option_c=3896 | option_d=3258 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3248 × 110/100 = **■**3572.

id=92496 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:3 and the first is 78, what is the second? | option_a=31 | option_b=15 | option_c=18 | option_d=96 | answer=C | explanation=Scale factor = 78/13 = 6. Therefore second quantity = 3×6 = 18.

id=92497 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=22 | option_b=27 | option_c=30 | option_d=26 | answer=D | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.

id=92498 | topic=Averages | difficulty=Easy | question=Find the average of 48, 64, 58, 66. | option_a=60 | option_b=59 | option_c=58 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 236 ÷ 4 = 59.

id=92499 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=92500 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 6. | option_a=104 | option_b=72 | option_c=78 | option_d=156 | answer=C | explanation=LCM × HCF = 26×6; HCF(26,6) = 2, so LCM = 78.

id=92501 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:12 and the first is 52, what is the second? | option_a=36 | option_b=100 | option_c=61 | option_d=48 | answer=D | explanation=Scale factor = 52/13 = 4. Therefore second quantity = 12×4 = 48.

id=92502 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=240 | option_d=115 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=92503 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 10. | option_a=60 | option_b=70 | option_c=84 | option_d=140 | answer=B | explanation=LCM × HCF = 14×10; HCF(14,10) = 2, so LCM = 70.

id=92504 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 26, 34, 42, ? | option_a=51 | option_b=58 | option_c=50 | option_d=42 | answer=C | explanation=The common difference is 8. Therefore the next term is 42 + 8 = 50.

id=92505 | topic=Percentages | difficulty=Easy | question=What is 12% of 1122? | option_a=124 | option_b=144 | option_c=134 | option_d=268 | answer=C | explanation=12% of 1122 = (12/100) × 1122 = 134.

id=92506 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=92507 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4225 at 6% per annum for 5 years. | option_a=1267 | option_b=5492 | option_c=1367 | option_d=1167 | answer=A | explanation=SI = PRT/100 = 4225×6×5/100 = **■**1267.

id=92508 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1591. If it is sold at a profit of 40%, what is its selling price? | option_a=2386 | option_b=2227 | option_c=2068 | option_d=1631 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1591 × 140/100 = **■**2227.

id=92509 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 38, 46, 57? | option_a=38 | option_b=57 | option_c=46 | option_d=30 | answer=B | explanation=The first three numbers increase by 8, so the next should be 54. Therefore 57 is the odd one out.

id=92510 | topic=Averages | difficulty=Easy | question=Find the average of 54, 31, 13, 70, 45, 21. | option_a=38 | option_b=41 | option_c=40 | option_d=39 | answer=D | explanation=Average = sum of values ÷ number of values = 234 ÷ 6 = 39.

id=92511 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 30. | option_a=30 | option_b=120 | option_c=64 | option_d=60 | answer=D | explanation=LCM × HCF = 4×30; HCF(4,30) = 2, so LCM = 60.

id=92512 | topic=Averages | difficulty=Easy | question=Find the average of 56, 53, 48, 52, 83, 74. | option_a=62 | option_b=63 | option_c=60 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 366 ÷ 6 = 61.

id=92513 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 42? | option_a=32 | option_b=25 | option_c=42 | option_d=18 | answer=C | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 42 is the odd one out.

id=92514 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=43 | option_c=48 | option_d=53 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=92515 | topic=Averages | difficulty=Easy | question=Find the average of 68, 17, 83, 44, 78. | option_a=58 | option_b=60 | option_c=57 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 290 ÷ 5 = 58.

id=92516 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2973. If it is sold at a profit of 50%, what is its selling price? | option_a=4756 | option_b=4162 | option_c=3023 | option_d=4459 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2973 × 150/100 = **■**4459.

id=92517 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=8 | option_b=12 | option_c=11 | option_d=10 | answer=D | explanation=The common difference is 2. Therefore the next term is 8 + 2 = 10.

id=92518 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 16, 21, 27? | option_a=11 | option_b=21 | option_c=16 | option_d=27 | answer=D | explanation=The first three numbers increase by 5, so the next should be 26. Therefore 27 is the odd one out.

id=92519 | topic=Averages | difficulty=Easy | question=Find the average of 79, 15, 80, 61, 90, 19, 49, 44, 49. | option_a=54 | option_b=55 | option_c=56 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 486 ÷ 9 = 54.

id=92520 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=V | option_b=L | option_c=Q | option_d=A | answer=A | explanation=Move 5 positions forward from Q; the resulting letter is V.

Aptitude Questions — Records 92,521-92,550 of 100,000

id=92521 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=92522 | topic=Averages | difficulty=Easy | question=Find the average of 95, 86, 46, 10, 98. | option_a=67 | option_b=68 | option_c=66 | option_d=69 | answer=A | explanation=Average = sum of values ÷ number of values = 335 ÷ 5 = 67.

id=92523 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=32 | option_b=27 | option_c=20 | option_d=26 | answer=D | explanation=The common difference is 6. Therefore the next term is 20 + 6 = 26.

id=92524 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=62 | option_b=50 | option_c=63 | option_d=74 | answer=A | explanation=The common difference is 12. Therefore the next term is 50 + 12 = 62.

id=92525 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■23771 at 15% per annum for 3 years. | option_a=10796 | option_b=34467 | option_c=10596 | option_d=10696 | answer=D | explanation=SI = PRT/100 = 23771×15×3/100 = ■10696.

id=92526 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 21, 25, 31? | option_a=25 | option_b=21 | option_c=31 | option_d=17 | answer=C | explanation=The first three numbers increase by 4, so the next should be 29. Therefore 31 is the odd one out.

id=92527 | topic=Averages | difficulty=Easy | question=Find the average of 22, 45, 46, 69, 15, 16, 66, 84, 60. | option_a=46 | option_b=47 | option_c=48 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 423 ÷ 9 = 47.

id=92528 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=36 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=92529 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 41? | option_a=41 | option_b=25 | option_c=30 | option_d=35 | answer=A | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 41 is the odd one out.

id=92530 | topic=Percentages | difficulty=Easy | question=What is 50% of 931? | option_a=930 | option_b=475 | option_c=465 | option_d=455 | answer=C | explanation=50% of 931 = (50/100) × 931 = 465.

id=92531 | topic=Percentages | difficulty=Easy | question=What is 5% of 899? | option_a=54 | option_b=88 | option_c=44 | option_d=39 | answer=C | explanation=5% of 899 = (5/100) × 899 = 44.

id=92532 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=55 | option_c=100 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=92533 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3805. If it is sold at a profit of 5%, what is its selling price? | option_a=3615 | option_b=3810 | option_c=4375 | option_d=3995 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3805 × 105/100 = ■3995.

id=92534 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 17, 29, 41, ? | option_a=54 | option_b=53 | option_c=41 | option_d=65 | answer=B | explanation=The common difference is 12. Therefore the next term is 41 + 12 = 53.

id=92535 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2007. If it is sold at a profit of 30%, what is its selling price? | option_a=2409 | option_b=2037 | option_c=2609 | option_d=2809 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2007 × 130/100 = ■2609.

id=92536 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■6027 at 10% per annum for 1 years. | option_a=502 | option_b=702 | option_c=602 | option_d=6629 | answer=C | explanation=SI = PRT/100 = 6027×10×1/100 = ■602.

id=92537 | topic=Percentages | difficulty=Easy | question=What is 12% of 1792? | option_a=235 | option_b=215 | option_c=210 | option_d=430 | answer=B | explanation=12% of 1792 = (12/100) × 1792 = 215.

id=92538 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=45 | option_c=50 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=92539 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:20 and the first is 182, what is the second? | option_a=462 | option_b=260 | option_c=280 | option_d=293 | answer=C | explanation=Scale factor = 182/13 = 14. Therefore second quantity = 20×14 = 280.

id=92540 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 29, 38, 49? | option_a=29 | option_b=20 | option_c=49 | option_d=38 | answer=C | explanation=The first three numbers increase by 9, so the next should be 47. Therefore 49 is the odd one out.

id=92541 | topic=Averages | difficulty=Easy | question=Find the average of 14, 34, 69. | option_a=40 | option_b=41 | option_c=38 | option_d=39 | answer=D | explanation=Average = sum of values ÷ number of values = 117 ÷ 3 = 39.

id=92542 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1281. If it is sold at a profit of 50%, what is its selling price? | option_a=1331 | option_b=1793 | option_c=2049 | option_d=1921 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1281 × 150/100 = ■1921.

id=92543 | topic=Percentages | difficulty=Easy | question=What is 15% of 766? | option_a=134 | option_b=94 | option_c=114 | option_d=228 | answer=C | explanation=15% of 766 = (15/100) × 766 = 114.

id=92544 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 18. | option_a=90 | option_b=120 | option_c=72 | option_d=540 | answer=A | explanation=LCM × HCF = 30×18; HCF(30,18) = 6, so LCM = 90.

id=92545 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=6 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=92546 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=92547 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■27050 at 12% per annum for 4 years. | option_a=12884 | option_b=40034 | option_c=12984 | option_d=13084 | answer=C | explanation=SI = PRT/100 = 27050×12×4/100 = ■12984.

id=92548 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=G | option_c=C | option_d=I | answer=B | explanation=Move 2 positions forward from E; the resulting letter is G.

id=92549 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=92550 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=150 | option_c=80 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

Aptitude Questions — Records 92,551-92,580 of 100,000

id=92551 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:5 and the first is 8, what is the second? | option_a=5 | option_b=18 | option_c=10 | option_d=14 | answer=C | explanation=Scale factor = $\frac{8}{4} = 2$. Therefore second quantity = $5 \times 2 = 10$.

id=92552 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=23 | option_b=20 | option_c=26 | option_d=24 | answer=A | explanation=The common difference is 3. Therefore the next term is $20 + 3 = 23$.

id=92553 | topic=Averages | difficulty=Easy | question=Find the average of 41, 94, 74, 36, 53, 50. | option_a=57 | option_b=58 | option_c=59 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = $348 \div 6 = 58$.

id=92554 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2154. If it is sold at a profit of 15%, what is its selling price? | option_a=2262 | option_b=2477 | option_c=2169 | option_d=2692 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2154 \times 115 / 100 = \text{₹}2477$.

id=92555 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $64 / 16 = 4$ days.

id=92556 | topic=Averages | difficulty=Easy | question=Find the average of 79, 19, 28, 18. | option_a=35 | option_b=38 | option_c=36 | option_d=37 | answer=C | explanation=Average = sum of values ÷ number of values = $144 \div 4 = 36$.

id=92557 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $48 / 16 = 3$ days.

id=92558 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=T | option_b=N | option_c=Q | option_d=K | answer=C | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=92559 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=U | option_c=S | option_d=T | answer=B | explanation=Move 1 positions forward from T; the resulting letter is U.

id=92560 | topic=Averages | difficulty=Easy | question=Find the average of 79, 13, 97. | option_a=63 | option_b=64 | option_c=62 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = $189 \div 3 = 63$.

id=92561 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 39? | option_a=39 | option_b=28 | option_c=10 | option_d=19 | answer=A | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 39 is the odd one out.

id=92562 | topic=Averages | difficulty=Easy | question=Find the average of 45, 81, 67, 73, 19. | option_a=58 | option_b=57 | option_c=59 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = $285 \div 5 = 57$.

id=92563 | topic=Averages | difficulty=Easy | question=Find the average of 61, 12, 87, 15, 30. | option_a=41 | option_b=43 | option_c=40 | option_d=42 | answer=A | explanation=Average = sum of values ÷ number of values = $205 \div 5 = 41$.

id=92564 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = $\frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $72 / 18 = 4$ days.

id=92565 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=L | option_c=V | option_d=A | answer=C | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=92566 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:13 and the first is 240, what is the second? | option_a=223 | option_b=195 | option_c=208 | option_d=448 | answer=C | explanation=Scale factor = $\frac{240}{15} = 16$. Therefore second quantity = $13 \times 16 = 208$.

id=92567 | topic=Percentages | difficulty=Easy | question=What is 50% of 546? | option_a=293 | option_b=273 | option_c=546 | option_d=268 | answer=B | explanation=50% of 546 = $(50/100) \times 546 = 273$.

id=92568 | topic=Percentages | difficulty=Easy | question=What is 15% of 1994? | option_a=294 | option_b=598 | option_c=299 | option_d=319 | answer=C | explanation=15% of 1994 = $(15/100) \times 1994 = 299$.

id=92569 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = $\frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $72 / 18 = 4$ days.

id=92570 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹21048 at 12% per annum for 2 years. | option_a=26099 | option_b=4951 | option_c=5051 | option_d=5151 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{21048 \times 12 \times 2}{100} = \text{₹}5051$.

id=92571 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:1 and the first is 72, what is the second? | option_a=18 | option_b=6 | option_c=5 | option_d=78 | answer=B | explanation=Scale factor = $\frac{72}{12} = 6$. Therefore second quantity = $1 \times 6 = 6$.

id=92572 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=55 | option_b=48 | option_c=47 | option_d=39 | answer=C | explanation=The common difference is 8. Therefore the next term is $39 + 8 = 47$.

id=92573 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2440. If it is sold at a profit of 40%, what is its selling price? | option_a=2480 | option_b=3416 | option_c=3660 | option_d=3172 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2440 \times 140 / 100 = \text{₹}3416$.

id=92574 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹40832 at 5% per annum for 3 years. | option_a=6224 | option_b=46956 | option_c=6024 | option_d=6124 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{40832 \times 5 \times 3}{100} = \text{₹}6124$.

id=92575 | topic=Averages | difficulty=Easy | question=Find the average of 22, 58, 28, 82, 81, 47. | option_a=53 | option_b=54 | option_c=55 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = $318 \div 6 = 53$.

id=92576 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 18, 25, 34? | option_a=18 | option_b=11 | option_c=34 | option_d=25 | answer=C | explanation=The first three numbers increase by 7, so the next should be 32. Therefore 34 is the odd one out.

id=92577 | topic=Percentages | difficulty=Easy | question=What is 15% of 382? | option_a=47 | option_b=57 | option_c=77 | option_d=114 | answer=B | explanation=15% of 382 = $(15/100) \times 382 = 57$.

id=92578 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=N | option_c=V | option_d=Z | answer=C | explanation=Move 4 positions forward from R; the resulting letter is V.

id=92579 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $36 / 12 = 3$ days.

id=92580 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 30. | option_a=180 | option_b=420 | option_c=224 | option_d=210 | answer=D | explanation=LCM $\times$ HCF = 14×30 ; $\text{HCF}(14, 30) = 2$, so LCM = 210.

Aptitude Questions — Records 92,581-92,610 of 100,000

id=92581 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 15, 21, 30? | option_a=30 | option_b=9 | option_c=21 | option_d=15 | answer=A | explanation=The first three numbers increase by 6, so the next should be 27. Therefore 30 is the odd one out.

id=92582 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=K | option_b=N | option_c=E | option_d=H | answer=A | explanation=Move 3 positions forward from H; the resulting letter is K.

id=92583 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1248. If it is sold at a profit of 15%, what is its selling price? | option_a=1263 | option_b=1311 | option_c=1435 | option_d=1559 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1248 × 115/100 = █1435.

id=92584 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:1 and the first is 18, what is the second? | option_a=9 | option_b=21 | option_c=3 | option_d=2 | answer=C | explanation=Scale factor = 18/6 = 3. Therefore second quantity = 1×3 = 3.

id=92585 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=A | option_b=X | option_c=R | option_d=U | answer=B | explanation=Move 3 positions forward from U; the resulting letter is X.

id=92586 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=40 | option_c=20 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=92587 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 30? | option_a=24 | option_b=19 | option_c=14 | option_d=30 | answer=D | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 30 is the odd one out.

id=92588 | topic=Averages | difficulty=Easy | question=Find the average of 38, 86, 53, 32, 42, 48, 50, 100, 28. | option_a=55 | option_b=54 | option_c=53 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 477 ÷ 9 = 53.

id=92589 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=92590 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 42? | option_a=34 | option_b=28 | option_c=42 | option_d=22 | answer=C | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 42 is the odd one out.

id=92591 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:5 and the first is 304, what is the second? | option_a=111 | option_b=399 | option_c=95 | option_d=90 | answer=C | explanation=Scale factor = 304/16 = 19. Therefore second quantity = 5×19 = 95.

id=92592 | topic=Percentages | difficulty=Easy | question=What is 12% of 694? | option_a=103 | option_b=166 | option_c=83 | option_d=78 | answer=C | explanation=12% of 694 = (12/100) × 694 = 83.

id=92593 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1243. If it is sold at a profit of 10%, what is its selling price? | option_a=1367 | option_b=1253 | option_c=1243 | option_d=1491 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1243 × 110/100 = █1367.

id=92594 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=O | option_c=P | option_d=M | answer=B | explanation=Move 1 positions forward from N; the resulting letter is O.

id=92595 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 14. | option_a=154 | option_b=168 | option_c=336 | option_d=192 | answer=B | explanation=LCM × HCF = 24×14; HCF(24,14) = 2, so LCM = 168.

id=92596 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 8. | option_a=72 | option_b=64 | option_c=90 | option_d=144 | answer=A | explanation=LCM × HCF = 18×8; HCF(18,8) = 2, so LCM = 72.

id=92597 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=U | option_c=Y | option_d=M | answer=B | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=92598 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 35, 40, 47? | option_a=35 | option_b=47 | option_c=40 | option_d=30 | answer=B | explanation=The first three numbers increase by 5, so the next should be 45. Therefore 47 is the odd one out.

id=92599 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=35 | option_b=27 | option_c=41 | option_d=34 | answer=D | explanation=The common difference is 7. Therefore the next term is 27 + 7 = 34.

id=92600 | topic=Averages | difficulty=Easy | question=Find the average of 76, 15, 33, 32, 39, 54, 59, 70, 56, 106. | option_a=53 | option_b=56 | option_c=54 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

id=92601 | topic=Percentages | difficulty=Easy | question=What is 30% of 1129? | option_a=338 | option_b=328 | option_c=348 | option_d=676 | answer=A | explanation=30% of 1129 = (30/100) × 1129 = 338.

id=92602 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:1 and the first is 288, what is the second? | option_a=18 | option_b=306 | option_c=34 | option_d=17 | answer=A | explanation=Scale factor = 288/16 = 18. Therefore second quantity = 1×18 = 18.

id=92603 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 49? | option_a=34 | option_b=28 | option_c=49 | option_d=40 | answer=C | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 49 is the odd one out.

id=92604 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 20, 26, 34? | option_a=14 | option_b=34 | option_c=26 | option_d=20 | answer=B | explanation=The first three numbers increase by 6, so the next should be 32. Therefore 34 is the odd one out.

id=92605 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 32, 35, 41? | option_a=35 | option_b=32 | option_c=41 | option_d=29 | answer=C | explanation=The first three numbers increase by 3, so the next should be 38. Therefore 41 is the odd one out.

id=92606 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 14, 16, 19? | option_a=12 | option_b=14 | option_c=16 | option_d=19 | answer=D | explanation=The first three numbers increase by 2, so the next should be 18. Therefore 19 is the odd one out.

id=92607 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2873. If it is sold at a profit of 15%, what is its selling price? | option_a=2888 | option_b=3303 | option_c=3016 | option_d=3590 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2873 × 115/100 = █3303.

id=92608 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=72 | option_c=77 | option_d=67 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=92609 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=4 | option_c=9 | option_d=18 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=92610 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:9 and the first is 20, what is the second? | option_a=56 | option_b=27 | option_c=36 | option_d=41 | answer=C | explanation=Scale factor = 20/5 = 4. Therefore second quantity = 9×4 = 36.

Aptitude Questions — Records 92,611-92,640 of 100,000

id=92611 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=T | option_c=V | option_d=W | answer=C | explanation=Move 1 positions forward from U; the resulting letter is V.

id=92612 | topic=Averages | difficulty=Easy | question=Find the average of 85, 20, 66, 93, 46. | option_a=63 | option_b=62 | option_c=64 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 310 ÷ 5 = 62.

id=92613 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=41 | option_b=48 | option_c=34 | option_d=42 | answer=A | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=92614 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20149 at 8% per annum for 2 years. | option_a=23372 | option_b=3323 | option_c=3223 | option_d=3123 | answer=C | explanation=SI = PRT/100 = 20149×8×2/100 = **■**3223.

id=92615 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=92616 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=36 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=92617 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=I | option_c=U | option_d=M | answer=A | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=92618 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:13 and the first is 117, what is the second? | option_a=178 | option_b=286 | option_c=169 | option_d=156 | answer=C | explanation=Scale factor = 117/9 = 13. Therefore second quantity = 13×13 = 169.

id=92619 | topic=Averages | difficulty=Easy | question=Find the average of 28, 61, 71, 26, 14, 50, 93, 75, 27, 85. | option_a=52 | option_b=53 | option_c=54 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=92620 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=38 | option_b=31 | option_c=43 | option_d=37 | answer=D | explanation=The common difference is 6. Therefore the next term is 31 + 6 = 37.

id=92621 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30660 at 6% per annum for 2 years. | option_a=3679 | option_b=3779 | option_c=34339 | option_d=3579 | answer=A | explanation=SI = PRT/100 = 30660×6×2/100 = **■**3679.

id=92622 | topic=Averages | difficulty=Easy | question=Find the average of 57, 69, 89, 94, 47, 59, 58, 79, 78. | option_a=72 | option_b=70 | option_c=71 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 630 ÷ 9 = 70.

id=92623 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:6 and the first is 187, what is the second? | option_a=66 | option_b=253 | option_c=83 | option_d=60 | answer=A | explanation=Scale factor = 187/17 = 11. Therefore second quantity = 6×11 = 66.

id=92624 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:1 and the first is 68, what is the second? | option_a=4 | option_b=21 | option_c=3 | option_d=72 | answer=A | explanation=Scale factor = 68/17 = 4. Therefore second quantity = 1×4 = 4.

id=92625 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 30. | option_a=240 | option_b=90 | option_c=128 | option_d=120 | answer=D | explanation=LCM × HCF = 8×30; HCF(8,30) = 2, so LCM = 120.

id=92626 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 10, 13, 16, ? | option_a=22 | option_b=16 | option_c=20 | option_d=19 | answer=D | explanation=The common difference is 3. Therefore the next term is 16 + 3 = 19.

id=92627 | topic=Percentages | difficulty=Easy | question=What is 40% of 1947? | option_a=778 | option_b=783 | option_c=758 | option_d=1556 | answer=A | explanation=40% of 1947 = (40/100) × 1947 = 778.

id=92628 | topic=Percentages | difficulty=Easy | question=What is 30% of 1174? | option_a=347 | option_b=352 | option_c=372 | option_d=704 | answer=B | explanation=30% of 1174 = (30/100) × 1174 = 352.

id=92629 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:5 and the first is 144, what is the second? | option_a=89 | option_b=224 | option_c=80 | option_d=75 | answer=C | explanation=Scale factor = 144/9 = 16. Therefore second quantity = 5×16 = 80.

id=92630 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:13 and the first is 96, what is the second? | option_a=156 | option_b=252 | option_c=164 | option_d=143 | answer=A | explanation=Scale factor = 96/8 = 12. Therefore second quantity = 13×12 = 156.

id=92631 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=92632 | topic=Percentages | difficulty=Easy | question=What is 50% of 1887? | option_a=963 | option_b=933 | option_c=943 | option_d=1886 | answer=C | explanation=50% of 1887 = (50/100) × 1887 = 943.

id=92633 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=L | option_b=H | option_c=N | option_d=J | answer=A | explanation=Move 2 positions forward from J; the resulting letter is L.

id=92634 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 44? | option_a=44 | option_b=33 | option_c=29 | option_d=37 | answer=A | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 44 is the odd one out.

id=92635 | topic=Averages | difficulty=Easy | question=Find the average of 92, 98, 31, 25, 89. | option_a=66 | option_b=67 | option_c=69 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = 335 ÷ 5 = 67.

id=92636 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 10. | option_a=30 | option_b=80 | option_c=40 | option_d=48 | answer=C | explanation=LCM × HCF = 8×10; HCF(8,10) = 2, so LCM = 40.

id=92637 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 33? | option_a=12 | option_b=33 | option_c=24 | option_d=18 | answer=B | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 33 is the odd one out.

id=92638 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**730. If it is sold at a profit of 15%, what is its selling price? | option_a=766 | option_b=912 | option_c=839 | option_d=745 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 730 × 115/100 = **■**839.

id=92639 | topic=Averages | difficulty=Easy | question=Find the average of 79, 68, 10, 47, 89, 74, 34, 39. | option_a=57 | option_b=55 | option_c=56 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 440 ÷ 8 = 55.

id=92640 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8895 at 10% per annum for 3 years. | option_a=2568 | option_b=2668 | option_c=11563 | option_d=2768 | answer=B | explanation=SI = PRT/100 = 8895×10×3/100 = **■**2668.

Aptitude Questions — Records 92,641-92,670 of 100,000

id=92641 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■22267 at 12% per annum for 3 years. | option_a=7916 | option_b=30283 | option_c=8116 | option_d=8016 | answer=D | explanation=SI = PRT/100 = 22267×12×3/100 = ■8016.

id=92642 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=92643 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=S | option_c=N | option_d=D | answer=C | explanation=Move 5 positions forward from I; the resulting letter is N.

id=92644 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=90 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=92645 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=51 | option_b=62 | option_c=40 | option_d=52 | answer=A | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=92646 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■20779 at 12% per annum for 5 years. | option_a=12367 | option_b=12467 | option_c=33246 | option_d=12567 | answer=B | explanation=SI = PRT/100 = 20779×12×5/100 = ■12467.

id=92647 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=13 | option_c=18 | option_d=36 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=92648 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 26, 28, 33? | option_a=33 | option_b=26 | option_c=28 | option_d=24 | answer=A | explanation=The first three numbers increase by 2, so the next should be 30. Therefore 33 is the odd one out.

id=92649 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 23, 30, 37, ? | option_a=37 | option_b=44 | option_c=45 | option_d=51 | answer=B | explanation=The common difference is 7. Therefore the next term is 37 + 7 = 44.

id=92650 | topic=Percentages | difficulty=Easy | question=What is 40% of 899? | option_a=718 | option_b=364 | option_c=359 | option_d=339 | answer=C | explanation=40% of 899 = (40/100) × 899 = 359.

id=92651 | topic=Averages | difficulty=Easy | question=Find the average of 68, 62, 74. | option_a=69 | option_b=68 | option_c=70 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = 204 ÷ 3 = 68.

id=92652 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3139. If it is sold at a profit of 30%, what is its selling price? | option_a=3767 | option_b=3169 | option_c=4080 | option_d=4393 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3139 × 130/100 = ■4080.

id=92653 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 21, 30, 39, ? | option_a=48 | option_b=39 | option_c=57 | option_d=49 | answer=A | explanation=The common difference is 9. Therefore the next term is 39 + 9 = 48.

id=92654 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=11 | option_b=12 | option_c=1 | option_d=6 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=92655 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=Q | option_c=S | option_d=W | answer=A | explanation=Move 2 positions forward from S; the resulting letter is U.

id=92656 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■12152 at 5% per annum for 2 years. | option_a=1315 | option_b=1215 | option_c=13367 | option_d=1115 | answer=B | explanation=SI = PRT/100 = 12152×5×2/100 = ■1215.

id=92657 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=30 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=92658 | topic=Averages | difficulty=Easy | question=Find the average of 78, 96, 69, 75, 52, 50. | option_a=71 | option_b=69 | option_c=70 | option_d=72 | answer=C | explanation=Average = sum of values ÷ number of values = 420 ÷ 6 = 70.

id=92659 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 16? | option_a=16 | option_b=12 | option_c=10 | option_d=8 | answer=A | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 16 is the odd one out.

id=92660 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=47 | option_b=37 | option_c=57 | option_d=48 | answer=A | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

id=92661 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=55 | option_d=100 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=92662 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=K | option_b=Z | option_c=P | option_d=U | answer=D | explanation=Move 5 positions forward from P; the resulting letter is U.

id=92663 | topic=Averages | difficulty=Easy | question=Find the average of 55, 84, 18, 50, 63, 18, 57, 103. | option_a=56 | option_b=58 | option_c=57 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 448 ÷ 8 = 56.

id=92664 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=92665 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=46 | option_b=54 | option_c=38 | option_d=47 | answer=A | explanation=The common difference is 8. Therefore the next term is 38 + 8 = 46.

id=92666 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=92667 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=W | option_c=N | option_d=T | answer=D | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=92668 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2957. If it is sold at a profit of 20%, what is its selling price? | option_a=3843 | option_b=3253 | option_c=2977 | option_d=3548 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2957 × 120/100 = ■3548.

id=92669 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=63 | option_b=50 | option_c=62 | option_d=74 | answer=C | explanation=The common difference is 12. Therefore the next term is 50 + 12 = 62.

id=92670 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=12 | option_b=11 | option_c=9 | option_d=13 | answer=B | explanation=The common difference is 2. Therefore the next term is 9 + 2 = 11.

Aptitude Questions — Records 92,671-92,700 of 100,000

id=92671 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=175 | option_c=360 | option_d=185 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=92672 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 16. | option_a=60 | option_b=192 | option_c=32 | option_d=48 | answer=D | explanation=LCM × HCF = 12×16; HCF(12,16) = 4, so LCM = 48.

id=92673 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■36527 at 5% per annum for 4 years. | option_a=43832 | option_b=7405 | option_c=7205 | option_d=7305 | answer=D | explanation=SI = PRT/100 = 36527×5×4/100 = ■7305.

id=92674 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=D | option_b=O | option_c=Y | option_d=T | answer=C | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=92675 | topic=Averages | difficulty=Easy | question=Find the average of 12, 48, 64, 51, 11, 72. | option_a=45 | option_b=44 | option_c=42 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = 258 ÷ 6 = 43.

id=92676 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 4. | option_a=32 | option_b=54 | option_c=72 | option_d=36 | answer=D | explanation=LCM × HCF = 18×4; HCF(18,4) = 2, so LCM = 36.

id=92677 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4728. If it is sold at a profit of 25%, what is its selling price? | option_a=5438 | option_b=6382 | option_c=4753 | option_d=5910 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4728 × 125/100 = ■5910.

id=92678 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■9217 at 8% per annum for 3 years. | option_a=2212 | option_b=2112 | option_c=11429 | option_d=2312 | answer=A | explanation=SI = PRT/100 = 9217×8×3/100 = ■2212.

id=92679 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=X | option_b=C | option_c=M | option_d=H | answer=D | explanation=Move 5 positions forward from C; the resulting letter is H.

id=92680 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 25, 31, 38? | option_a=19 | option_b=25 | option_c=31 | option_d=38 | answer=D | explanation=The first three numbers increase by 6, so the next should be 37. Therefore 38 is the odd one out.

id=92681 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=K | option_b=H | option_c=N | option_d=E | answer=A | explanation=Move 3 positions forward from H; the resulting letter is K.

id=92682 | topic=Percentages | difficulty=Easy | question=What is 5% of 299? | option_a=28 | option_b=34 | option_c=9 | option_d=14 | answer=D | explanation=5% of 299 = (5/100) × 299 = 14.

id=92683 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 23? | option_a=23 | option_b=16 | option_c=14 | option_d=18 | answer=A | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 23 is the odd one out.

id=92684 | topic=Averages | difficulty=Easy | question=Find the average of 84, 79, 41. | option_a=69 | option_b=68 | option_c=67 | option_d=70 | answer=B | explanation=Average = sum of values ÷ number of values = 204 ÷ 3 = 68.

id=92685 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 29? | option_a=29 | option_b=18 | option_c=21 | option_d=24 | answer=A | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 29 is the odd one out.

id=92686 | topic=Averages | difficulty=Easy | question=Find the average of 63, 10, 89, 10, 30, 71, 98, 23, 20. | option_a=45 | option_b=46 | option_c=47 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 414 ÷ 9 = 46.

id=92687 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=M | option_b=B | option_c=R | option_d=W | answer=D | explanation=Move 5 positions forward from R; the resulting letter is W.

id=92688 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=46 | option_b=57 | option_c=68 | option_d=58 | answer=B | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.

id=92689 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=75 | option_d=150 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=92690 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=92691 | topic=Percentages | difficulty=Easy | question=What is 15% of 1705? | option_a=260 | option_b=250 | option_c=255 | option_d=510 | answer=C | explanation=15% of 1705 = (15/100) × 1705 = 255.

id=92692 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2995. If it is sold at a profit of 40%, what is its selling price? | option_a=3035 | option_b=3894 | option_c=4492 | option_d=4193 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2995 × 140/100 = ■4193.

id=92693 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:17 and the first is 221, what is the second? | option_a=442 | option_b=238 | option_c=204 | option_d=221 | answer=D | explanation=Scale factor = 221/17 = 13. Therefore second quantity = 17×13 = 221.

id=92694 | topic=Averages | difficulty=Easy | question=Find the average of 88, 76, 68, 36, 68, 59, 21, 96, 80, 28. | option_a=61 | option_b=62 | option_c=64 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 620 ÷ 10 = 62.

id=92695 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■273. If it is sold at a profit of 25%, what is its selling price? | option_a=368 | option_b=314 | option_c=298 | option_d=341 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 273 × 125/100 = ■341.

id=92696 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=M | option_b=K | option_c=L | option_d=N | answer=A | explanation=Move 1 positions forward from L; the resulting letter is M.

id=92697 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■29281 at 5% per annum for 4 years. | option_a=5956 | option_b=5756 | option_c=35137 | option_d=5856 | answer=D | explanation=SI = PRT/100 = 29281×5×4/100 = ■5856.

id=92698 | topic=Percentages | difficulty=Easy | question=What is 5% of 1550? | option_a=87 | option_b=77 | option_c=72 | option_d=154 | answer=B | explanation=5% of 1550 = (5/100) × 1550 = 77.

id=92699 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=D | option_c=F | option_d=Z | answer=B | explanation=Move 2 positions forward from B; the resulting letter is D.

id=92700 | topic=Percentages | difficulty=Easy | question=What is 30% of 1381? | option_a=409 | option_b=419 | option_c=828 | option_d=414 | answer=D | explanation=30% of 1381 = (30/100) × 1381 = 414.

Aptitude Questions — Records 92,701-92,730 of 100,000

id=92701 | topic=Percentages | difficulty=Easy | question=What is 25% of 208? | option_a=104 | option_b=52 | option_c=42 | option_d=57 | answer=B | explanation=25% of 208 = (25/100) × 208 = 52.

id=92702 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3777. If it is sold at a profit of 40%, what is its selling price? | option_a=5287 | option_b=4910 | option_c=3817 | option_d=5664 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3777 × 140/100 = █5287.

id=92703 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=92704 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4325. If it is sold at a profit of 25%, what is its selling price? | option_a=4974 | option_b=5838 | option_c=5406 | option_d=4350 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4325 × 125/100 = █5406.

id=92705 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47554 at 10% per annum for 5 years. | option_a=23677 | option_b=23777 | option_c=71331 | option_d=23877 | answer=B | explanation=SI = PRT/100 = 47554×10×5/100 = █23777.

id=92706 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4752. If it is sold at a profit of 5%, what is its selling price? | option_a=4989 | option_b=4514 | option_c=5464 | option_d=4757 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4752 × 105/100 = █4989.

id=92707 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=92708 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 27? | option_a=24 | option_b=27 | option_c=20 | option_d=22 | answer=B | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 27 is the odd one out.

id=92709 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=92710 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=160 | option_c=75 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=92711 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 14. | option_a=126 | option_b=280 | option_c=160 | option_d=140 | answer=D | explanation=LCM × HCF = 20×14; HCF(20,14) = 2, so LCM = 140.

id=92712 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=62 | option_b=38 | option_c=51 | option_d=50 | answer=D | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=92713 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=92714 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 27, 31, 38? | option_a=31 | option_b=27 | option_c=23 | option_d=38 | answer=D | explanation=The first three numbers increase by 4, so the next should be 35. Therefore 38 is the odd one out.

id=92715 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=92716 | topic=Percentages | difficulty=Easy | question=What is 15% of 1949? | option_a=292 | option_b=584 | option_c=287 | option_d=302 | answer=A | explanation=15% of 1949 = (15/100) × 1949 = 292.

id=92717 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46426 at 6% per annum for 3 years. | option_a=8256 | option_b=8356 | option_c=8456 | option_d=54782 | answer=B | explanation=SI = PRT/100 = 46426×6×3/100 = █8356.

id=92718 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27850 at 8% per annum for 4 years. | option_a=8812 | option_b=8912 | option_c=9012 | option_d=36762 | answer=B | explanation=SI = PRT/100 = 27850×8×4/100 = █8912.

id=92719 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 38? | option_a=32 | option_b=30 | option_c=34 | option_d=38 | answer=D | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 38 is the odd one out.

id=92720 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=92721 | topic=Percentages | difficulty=Easy | question=What is 40% of 865? | option_a=366 | option_b=346 | option_c=692 | option_d=341 | answer=B | explanation=40% of 865 = (40/100) × 865 = 346.

id=92722 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:15 and the first is 36, what is the second? | option_a=120 | option_b=171 | option_c=139 | option_d=135 | answer=D | explanation=Scale factor = 36/4 = 9. Therefore second quantity = 15×9 = 135.

id=92723 | topic=Averages | difficulty=Easy | question=Find the average of 36, 89, 36, 94, 65. | option_a=65 | option_b=64 | option_c=63 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 320 ÷ 5 = 64.

id=92724 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=M | option_c=Q | option_d=K | answer=A | explanation=Move 2 positions forward from M; the resulting letter is O.

id=92725 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=92726 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 18. | option_a=120 | option_b=72 | option_c=90 | option_d=540 | answer=C | explanation=LCM × HCF = 30×18; HCF(30,18) = 6, so LCM = 90.

id=92727 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14584 at 4% per annum for 1 years. | option_a=15167 | option_b=483 | option_c=683 | option_d=583 | answer=D | explanation=SI = PRT/100 = 14584×4×1/100 = █583.

id=92728 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 27, 32, 39? | option_a=27 | option_b=32 | option_c=22 | option_d=39 | answer=D | explanation=The first three numbers increase by 5, so the next should be 37. Therefore 39 is the odd one out.

id=92729 | topic=Percentages | difficulty=Easy | question=What is 15% of 1188? | option_a=178 | option_b=356 | option_c=158 | option_d=198 | answer=A | explanation=15% of 1188 = (15/100) × 1188 = 178.

id=92730 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=J | option_c=Y | option_d=T | answer=D | explanation=Move 5 positions forward from O; the resulting letter is T.

Aptitude Questions — Records 92,731-92,760 of 100,000

id=92731 | topic=Averages | difficulty=Easy | question=Find the average of 30, 51, 19, 19, 76. | option_a=38 | option_b=40 | option_c=39 | option_d=41 | answer=C | explanation=Average = sum of values ÷ number of values = 195 ÷ 5 = 39.

id=92732 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■2355 at 5% per annum for 5 years. | option_a=2943 | option_b=588 | option_c=488 | option_d=688 | answer=B | explanation=SI = PRT/100 = 2355×5×5/100 = ■588.

id=92733 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 12, 17, 24? | option_a=7 | option_b=12 | option_c=17 | option_d=24 | answer=D | explanation=The first three numbers increase by 5, so the next should be 22. Therefore 24 is the odd one out.

id=92734 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=90 | option_c=95 | option_d=180 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=92735 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 35, 45, 56? | option_a=25 | option_b=56 | option_c=35 | option_d=45 | answer=B | explanation=The first three numbers increase by 10, so the next should be 55. Therefore 56 is the odd one out.

id=92736 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=16 | option_b=19 | option_c=20 | option_d=18 | answer=D | explanation=The common difference is 2. Therefore the next term is 16 + 2 = 18.

id=92737 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=92738 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:5 and the first is 96, what is the second? | option_a=25 | option_b=126 | option_c=30 | option_d=46 | answer=C | explanation=Scale factor = 96/16 = 6. Therefore second quantity = 5×6 = 30.

id=92739 | topic=Percentages | difficulty=Easy | question=What is 5% of 1756? | option_a=174 | option_b=87 | option_c=107 | option_d=77 | answer=B | explanation=5% of 1756 = (5/100) × 1756 = 87.

id=92740 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 33, 39, 48? | option_a=27 | option_b=39 | option_c=33 | option_d=48 | answer=D | explanation=The first three numbers increase by 6, so the next should be 45. Therefore 48 is the odd one out.

id=92741 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=92742 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 22? | option_a=13 | option_b=15 | option_c=17 | option_d=22 | answer=D | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 22 is the odd one out.

id=92743 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 9. | option_a=120 | option_b=81 | option_c=270 | option_d=90 | answer=D | explanation=LCM × HCF = 30×9; HCF(30,9) = 3, so LCM = 90.

id=92744 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=J | option_b=M | option_c=G | option_d=D | answer=A | explanation=Move 3 positions forward from G; the resulting letter is J.

id=92745 | topic=Percentages | difficulty=Easy | question=What is 50% of 1865? | option_a=932 | option_b=1864 | option_c=922 | option_d=952 | answer=A | explanation=50% of 1865 = (50/100) × 1865 = 932.

id=92746 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 25, 33, 41, ? | option_a=41 | option_b=57 | option_c=49 | option_d=50 | answer=C | explanation=The common difference is 8. Therefore the next term is 41 + 8 = 49.

id=92747 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:20 and the first is 120, what is the second? | option_a=212 | option_b=200 | option_c=320 | option_d=180 | answer=B | explanation=Scale factor = 120/12 = 10. Therefore second quantity = 20×10 = 200.

id=92748 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=Y | option_b=W | option_c=U | option_d=S | answer=B | explanation=Move 2 positions forward from U; the resulting letter is W.

id=92749 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=20 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=92750 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:12 and the first is 24, what is the second? | option_a=144 | option_b=132 | option_c=168 | option_d=146 | answer=A | explanation=Scale factor = 24/2 = 12. Therefore second quantity = 12×12 = 144.

id=92751 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■294. If it is sold at a profit of 40%, what is its selling price? | option_a=440 | option_b=334 | option_c=411 | option_d=382 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 294 × 140/100 = ■411.

id=92752 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=23 | option_b=22 | option_c=21 | option_d=19 | answer=C | explanation=The common difference is 2. Therefore the next term is 19 + 2 = 21.

id=92753 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■7774 at 5% per annum for 5 years. | option_a=9717 | option_b=2043 | option_c=1843 | option_d=1943 | answer=D | explanation=SI = PRT/100 = 7774×5×5/100 = ■1943.

id=92754 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:1 and the first is 45, what is the second? | option_a=3 | option_b=48 | option_c=2 | option_d=18 | answer=A | explanation=Scale factor = 45/15 = 3. Therefore second quantity = 1×3 = 3.

id=92755 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=92756 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■44235 at 15% per annum for 4 years. | option_a=26541 | option_b=26441 | option_c=26641 | option_d=70776 | answer=A | explanation=SI = PRT/100 = 44235×15×4/100 = ■26541.

id=92757 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=90 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=92758 | topic=Averages | difficulty=Easy | question=Find the average of 93, 52, 80, 100, 75, 15, 31, 10, 12. | option_a=51 | option_b=54 | option_c=53 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 468 ÷ 9 = 52.

id=92759 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=S | option_b=U | option_c=W | option_d=Y | answer=C | explanation=Move 2 positions forward from U; the resulting letter is W.

id=92760 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:11 and the first is 44, what is the second? | option_a=125 | option_b=121 | option_c=110 | option_d=165 | answer=B | explanation=Scale factor = 44/4 = 11. Therefore second quantity = 11×11 = 121.

Aptitude Questions — Records 92,761-92,790 of 100,000

id=92761 | topic=Averages | difficulty=Easy | question=Find the average of 95, 86, 59, 63, 80, 57, 57, 20, 14, 49. | option_a=57 | option_b=59 | option_c=60 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = $580 \div 10 = 58$.

id=92762 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:6 and the first is 60, what is the second? | option_a=12 | option_b=78 | option_c=18 | option_d=38 | answer=C | explanation=Scale factor = $60/20 = 3$. Therefore second quantity = $6 \times 3 = 18$.

id=92763 | topic=Averages | difficulty=Easy | question=Find the average of 17, 33, 25. | option_a=26 | option_b=24 | option_c=27 | option_d=25 | answer=D | explanation=Average = sum of values ÷ number of values = $75 \div 3 = 25$.

id=92764 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4470 at 15% per annum for 5 years. | option_a=3252 | option_b=3452 | option_c=3352 | option_d=7822 | answer=C | explanation=SI = $PRT/100 = 4470 \times 15 \times 5/100 = \text{■}3352$.

id=92765 | topic=Averages | difficulty=Easy | question=Find the average of 90, 63, 90, 77. | option_a=80 | option_b=82 | option_c=81 | option_d=79 | answer=A | explanation=Average = sum of values ÷ number of values = $320 \div 4 = 80$.

id=92766 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 31, 39, 48? | option_a=31 | option_b=48 | option_c=23 | option_d=39 | answer=B | explanation=The first three numbers increase by 8, so the next should be 47. Therefore 48 is the odd one out.

id=92767 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=23 | option_b=19 | option_c=22 | option_d=25 | answer=C | explanation=The common difference is 3. Therefore the next term is $19 + 3 = 22$.

id=92768 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15122 at 8% per annum for 3 years. | option_a=3729 | option_b=3629 | option_c=3529 | option_d=18751 | answer=B | explanation=SI = $PRT/100 = 15122 \times 8 \times 3/100 = \text{■}3629$.

id=92769 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2568. If it is sold at a profit of 40%, what is its selling price? | option_a=2608 | option_b=3339 | option_c=3595 | option_d=3851 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2568 \times 140/100 = \text{■}3595$.

id=92770 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=G | option_c=P | option_d=M | answer=D | explanation=Move 3 positions forward from J; the resulting letter is M.

id=92771 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 48? | option_a=40 | option_b=34 | option_c=28 | option_d=48 | answer=D | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 48 is the odd one out.

id=92772 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1067. If it is sold at a profit of 10%, what is its selling price? | option_a=1077 | option_b=1067 | option_c=1279 | option_d=1173 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1067 \times 110/100 = \text{■}1173$.

id=92773 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=8 | option_d=3 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=92774 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 52? | option_a=23 | option_b=32 | option_c=41 | option_d=52 | answer=D | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 52 is the odd one out.

id=92775 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:5 and the first is 99, what is the second? | option_a=55 | option_b=154 | option_c=50 | option_d=64 | answer=A | explanation=Scale factor = $99/9 = 11$. Therefore second quantity = $5 \times 11 = 55$.

id=92776 | topic=Percentages | difficulty=Easy | question=What is 40% of 1993? | option_a=792 | option_b=1594 | option_c=817 | option_d=797 | answer=D | explanation= 40% of 1993 = $(40/100) \times 1993 = 797$.

id=92777 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 19? | option_a=9 | option_b=12 | option_c=15 | option_d=19 | answer=D | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 19 is the odd one out.

id=92778 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=92779 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6922 at 10% per annum for 4 years. | option_a=2668 | option_b=2768 | option_c=2868 | option_d=9690 | answer=B | explanation=SI = $PRT/100 = 6922 \times 10 \times 4/100 = \text{■}2768$.

id=92780 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 26, 34, 42, ? | option_a=50 | option_b=51 | option_c=42 | option_d=58 | answer=A | explanation=The common difference is 8. Therefore the next term is $42 + 8 = 50$.

id=92781 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 15. | option_a=360 | option_b=105 | option_c=120 | option_d=144 | answer=C | explanation= $LCM \times HCF = 24 \times 15$; $HCF(24, 15) = 3$, so $LCM = 120$.

id=92782 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1800. If it is sold at a profit of 20%, what is its selling price? | option_a=2340 | option_b=1980 | option_c=1820 | option_d=2160 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1800 \times 120/100 = \text{■}2160$.

id=92783 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=13 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = $180 \div 10 = 18$ km/h.

id=92784 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=35 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = $240 \div 6 = 40$ km/h.

id=92785 | topic=Averages | difficulty=Easy | question=Find the average of 13, 85, 31, 100, 67, 37, 26, 35, 92. | option_a=53 | option_b=55 | option_c=54 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = $498 \div 9 = 54$.

id=92786 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=32 | option_b=48 | option_c=40 | option_d=41 | answer=C | explanation=The common difference is 8. Therefore the next term is $32 + 8 = 40$.

id=92787 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=X | option_b=T | option_c=L | option_d=P | answer=B | explanation=Move 4 positions forward from P; the resulting letter is T.

id=92788 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=S | option_c=M | option_d=V | answer=B | explanation=Move 3 positions forward from P; the resulting letter is S.

id=92789 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9904 at 12% per annum for 2 years. | option_a=12280 | option_b=2276 | option_c=2376 | option_d=2476 | answer=C | explanation=SI = $PRT/100 = 9904 \times 12 \times 2/100 = \text{■}2376$.

id=92790 | topic=Averages | difficulty=Easy | question=Find the average of 44, 53, 27, 55, 74, 35. | option_a=49 | option_b=47 | option_c=50 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = $288 \div 6 = 48$.

Aptitude Questions — Records 92,791-92,820 of 100,000

id=92791 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:17 and the first is 25, what is the second? | option_a=110 | option_b=85 | option_c=90 | option_d=68 | answer=B | explanation=Scale factor = 25/5 = 5. Therefore second quantity = 17×5 = 85.

id=92792 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13816 at 8% per annum for 3 years. | option_a=17131 | option_b=3215 | option_c=3315 | option_d=3415 | answer=C | explanation=SI = PRT/100 = 13816×8×3/100 = **■**3315.

id=92793 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=N | option_c=R | option_d=L | answer=A | explanation=Move 2 positions forward from N; the resulting letter is P.

id=92794 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=65 | option_b=54 | option_c=43 | option_d=55 | answer=B | explanation=The common difference is 11. Therefore the next term is 43 + 11 = 54.

id=92795 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38883 at 10% per annum for 4 years. | option_a=15553 | option_b=15453 | option_c=54436 | option_d=15653 | answer=A | explanation=SI = PRT/100 = 38883×10×4/100 = **■**15553.

id=92796 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40800 at 4% per annum for 4 years. | option_a=6628 | option_b=6528 | option_c=6428 | option_d=47328 | answer=B | explanation=SI = PRT/100 = 40800×4×4/100 = **■**6528.

id=92797 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19531 at 6% per annum for 4 years. | option_a=4687 | option_b=24218 | option_c=4787 | option_d=4587 | answer=A | explanation=SI = PRT/100 = 19531×6×4/100 = **■**4687.

id=92798 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=55 | option_b=39 | option_c=48 | option_d=47 | answer=D | explanation=The common difference is 8. Therefore the next term is 39 + 8 = 47.

id=92799 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 26. | option_a=390 | option_b=420 | option_c=364 | option_d=780 | answer=A | explanation=LCM × HCF = 30×26; HCF(30,26) = 2, so LCM = 390.

id=92800 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:4 and the first is 63, what is the second? | option_a=37 | option_b=28 | option_c=24 | option_d=91 | answer=B | explanation=Scale factor = 63/9 = 7. Therefore second quantity = 4×7 = 28.

id=92801 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32299 at 15% per annum for 5 years. | option_a=56523 | option_b=24124 | option_c=24324 | option_d=24224 | answer=D | explanation=SI = PRT/100 = 32299×15×5/100 = **■**24224.

id=92802 | topic=Percentages | difficulty=Easy | question=What is 50% of 1865? | option_a=927 | option_b=932 | option_c=952 | option_d=1864 | answer=B | explanation=50% of 1865 = (50/100) × 1865 = 932.

id=92803 | topic=Percentages | difficulty=Easy | question=What is 30% of 1857? | option_a=557 | option_b=1114 | option_c=537 | option_d=577 | answer=A | explanation=30% of 1857 = (30/100) × 1857 = 557.

id=92804 | topic=Averages | difficulty=Easy | question=Find the average of 84, 30, 75, 35. | option_a=57 | option_b=58 | option_c=55 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 224 ÷ 4 = 56.

id=92805 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1862. If it is sold at a profit of 5%, what is its selling price? | option_a=1955 | option_b=1769 | option_c=2141 | option_d=1867 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1862 × 105/100 = **■**1955.

id=92806 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=T | option_b=Q | option_c=R | option_d=S | answer=D | explanation=Move 1 positions forward from R; the resulting letter is S.

id=92807 | topic=Percentages | difficulty=Easy | question=What is 20% of 1937? | option_a=774 | option_b=382 | option_c=392 | option_d=387 | answer=D | explanation=20% of 1937 = (20/100) × 1937 = 387.

id=92808 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33535 at 8% per annum for 3 years. | option_a=8048 | option_b=7948 | option_c=41583 | option_d=8148 | answer=A | explanation=SI = PRT/100 = 33535×8×3/100 = **■**8048.

id=92809 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=37 | option_b=29 | option_c=45 | option_d=38 | answer=A | explanation=The common difference is 8. Therefore the next term is 29 + 8 = 37.

id=92810 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=92811 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19129 at 6% per annum for 4 years. | option_a=4490 | option_b=4690 | option_c=4590 | option_d=23719 | answer=C | explanation=SI = PRT/100 = 19129×6×4/100 = **■**4590.

id=92812 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=180 | option_c=95 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=92813 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43825 at 8% per annum for 1 years. | option_a=3406 | option_b=3506 | option_c=3606 | option_d=47331 | answer=B | explanation=SI = PRT/100 = 43825×8×1/100 = **■**3506.

id=92814 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=I | option_b=O | option_c=R | option_d=L | answer=B | explanation=Move 3 positions forward from L; the resulting letter is O.

id=92815 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=19 | option_d=29 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=92816 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=92817 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:3 and the first is 342, what is the second? | option_a=73 | option_b=51 | option_c=396 | option_d=54 | answer=D | explanation=Scale factor = 342/19 = 18. Therefore second quantity = 3×18 = 54.

id=92818 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=B | option_c=Z | option_d=C | answer=B | explanation=Move 1 positions forward from A; the resulting letter is B.

id=92819 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=F | option_b=C | option_c=I | option_d=Z | answer=A | explanation=Move 3 positions forward from C; the resulting letter is F.

id=92820 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:7 and the first is 40, what is the second? | option_a=61 | option_b=56 | option_c=49 | option_d=96 | answer=B | explanation=Scale factor = 40/5 = 8. Therefore second quantity = 7×8 = 56.

Aptitude Questions — Records 92,821-92,850 of 100,000

id=92821 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:16 and the first is 270, what is the second? | option_a=303 | option_b=558 | option_c=288 | option_d=272 | answer=C | explanation=Scale factor = 270/15 = 18. Therefore second quantity = 16×18 = 288.

id=92822 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=92823 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=J | option_b=Z | option_c=O | option_d=E | answer=A | explanation=Move 5 positions forward from E; the resulting letter is J.

id=92824 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 33? | option_a=33 | option_b=30 | option_c=28 | option_d=26 | answer=A | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 33 is the odd one out.

id=92825 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=D | option_c=B | option_d=C | answer=B | explanation=Move 1 positions forward from C; the resulting letter is D.

id=92826 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 25. | option_a=90 | option_b=75 | option_c=50 | option_d=375 | answer=B | explanation=LCM × HCF = 15×25; HCF(15,25) = 5, so LCM = 75.

id=92827 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3426. If it is sold at a profit of 15%, what is its selling price? | option_a=3441 | option_b=3939 | option_c=4281 | option_d=3597 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3426 × 115/100 = █3939.

id=92828 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:9 and the first is 140, what is the second? | option_a=320 | option_b=180 | option_c=171 | option_d=187 | answer=B | explanation=Scale factor = 140/7 = 20. Therefore second quantity = 9×20 = 180.

id=92829 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=D | option_b=O | option_c=Y | option_d=T | answer=C | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=92830 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:8 and the first is 20, what is the second? | option_a=161 | option_b=152 | option_c=180 | option_d=160 | answer=D | explanation=Scale factor = 20/1 = 20. Therefore second quantity = 8×20 = 160.

id=92831 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 41? | option_a=32 | option_b=18 | option_c=41 | option_d=25 | answer=C | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 41 is the odd one out.

id=92832 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=92833 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37428 at 10% per annum for 3 years. | option_a=11128 | option_b=48656 | option_c=11228 | option_d=11328 | answer=C | explanation=SI = PRT/100 = 37428×10×3/100 = █11228.

id=92834 | topic=Averages | difficulty=Easy | question=Find the average of 92, 31, 96, 84, 34, 83. | option_a=71 | option_b=70 | option_c=69 | option_d=72 | answer=B | explanation=Average = sum of values ÷ number of values = 420 ÷ 6 = 70.

id=92835 | topic=Percentages | difficulty=Easy | question=What is 15% of 225? | option_a=53 | option_b=66 | option_c=28 | option_d=33 | answer=D | explanation=15% of 225 = (15/100) × 225 = 33.

id=92836 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=92837 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 25, 34, 45? | option_a=25 | option_b=34 | option_c=45 | option_d=16 | answer=C | explanation=The first three numbers increase by 9, so the next should be 43. Therefore 45 is the odd one out.

id=92838 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=55 | option_b=46 | option_c=37 | option_d=47 | answer=B | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=92839 | topic=Averages | difficulty=Easy | question=Find the average of 62, 94, 59, 100, 47, 72, 21. | option_a=64 | option_b=65 | option_c=66 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = 455 ÷ 7 = 65.

id=92840 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 15, 23, 34? | option_a=23 | option_b=15 | option_c=34 | option_d=7 | answer=C | explanation=The first three numbers increase by 8, so the next should be 31. Therefore 34 is the odd one out.

id=92841 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 22, 31, 42? | option_a=22 | option_b=13 | option_c=31 | option_d=42 | answer=D | explanation=The first three numbers increase by 9, so the next should be 40. Therefore 42 is the odd one out.

id=92842 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=29 | option_b=37 | option_c=38 | option_d=45 | answer=B | explanation=The common difference is 8. Therefore the next term is 29 + 8 = 37.

id=92843 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=J | option_b=H | option_c=I | option_d=K | answer=A | explanation=Move 1 positions forward from I; the resulting letter is J.

id=92844 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=P | option_b=L | option_c=D | option_d=H | answer=B | explanation=Move 4 positions forward from H; the resulting letter is L.

id=92845 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=N | option_b=K | option_c=H | option_d=E | answer=B | explanation=Move 3 positions forward from H; the resulting letter is K.

id=92846 | topic=Percentages | difficulty=Easy | question=What is 50% of 1582? | option_a=791 | option_b=781 | option_c=796 | option_d=1582 | answer=A | explanation=50% of 1582 = (50/100) × 1582 = 791.

id=92847 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 38? | option_a=13 | option_b=38 | option_c=29 | option_d=21 | answer=B | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 38 is the odd one out.

id=92848 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=15 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=92849 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 12. | option_a=18 | option_b=1 | option_c=72 | option_d=12 | answer=D | explanation=LCM × HCF = 6×12; HCF(6,12) = 6, so LCM = 12.

id=92850 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=N | option_b=P | option_c=T | option_d=R | answer=D | explanation=Move 2 positions forward from P; the resulting letter is R.

Aptitude Questions — Records 92,851-92,880 of 100,000

id=92851 | topic=Percentages | difficulty=Easy | question=What is 40% of 1676? | option_a=1340 | option_b=660 | option_c=670 | option_d=675 | answer=C | explanation=40% of 1676 = (40/100) × 1676 = 670.

id=92852 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3732. If it is sold at a profit of 20%, what is its selling price? | option_a=4478 | option_b=4105 | option_c=4851 | option_d=3752 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3732 × 120/100 = █4478.

id=92853 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 34? | option_a=12 | option_b=26 | option_c=34 | option_d=19 | answer=C | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 34 is the odd one out.

id=92854 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:1 and the first is 77, what is the second? | option_a=88 | option_b=11 | option_c=18 | option_d=10 | answer=B | explanation=Scale factor = 77/7 = 11. Therefore second quantity = 1×11 = 11.

id=92855 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3274. If it is sold at a profit of 50%, what is its selling price? | option_a=5238 | option_b=3324 | option_c=4911 | option_d=4584 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3274 × 150/100 = █4911.

id=92856 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=37 | option_b=27 | option_c=32 | option_d=33 | answer=C | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

id=92857 | topic=Averages | difficulty=Easy | question=Find the average of 36, 83, 48, 45, 28, 100, 87, 10, 46, 47. | option_a=53 | option_b=55 | option_c=52 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=92858 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:19 and the first is 56, what is the second? | option_a=159 | option_b=152 | option_c=133 | option_d=208 | answer=B | explanation=Scale factor = 56/7 = 8. Therefore second quantity = 19×8 = 152.

id=92859 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4051. If it is sold at a profit of 40%, what is its selling price? | option_a=4091 | option_b=6076 | option_c=5671 | option_d=5266 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4051 × 140/100 = █5671.

id=92860 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3320. If it is sold at a profit of 40%, what is its selling price? | option_a=4316 | option_b=3360 | option_c=4648 | option_d=4980 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3320 × 140/100 = █4648.

id=92861 | topic=Percentages | difficulty=Easy | question=What is 40% of 1060? | option_a=434 | option_b=424 | option_c=404 | option_d=848 | answer=B | explanation=40% of 1060 = (40/100) × 1060 = 424.

id=92862 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=150 | option_c=80 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=92863 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:1 and the first is 90, what is the second? | option_a=19 | option_b=99 | option_c=8 | option_d=9 | answer=D | explanation=Scale factor = 90/10 = 9. Therefore second quantity = 1×9 = 9.

id=92864 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=S | option_c=J | option_d=P | answer=D | explanation=Move 3 positions forward from M; the resulting letter is P.

id=92865 | topic=Profit & Loss | difficulty=Easy | question=An article costs █533. If it is sold at a profit of 50%, what is its selling price? | option_a=583 | option_b=799 | option_c=746 | option_d=852 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 533 × 150/100 = █799.

id=92866 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=92867 | topic=Percentages | difficulty=Easy | question=What is 50% of 1765? | option_a=882 | option_b=1764 | option_c=877 | option_d=902 | answer=A | explanation=50% of 1765 = (50/100) × 1765 = 882.

id=92868 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=20 | option_c=25 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=92869 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 38, 46, 57? | option_a=57 | option_b=38 | option_c=46 | option_d=30 | answer=A | explanation=The first three numbers increase by 8, so the next should be 54. Therefore 57 is the odd one out.

id=92870 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=92871 | topic=Averages | difficulty=Easy | question=Find the average of 41, 35, 60, 16. | option_a=40 | option_b=38 | option_c=37 | option_d=39 | answer=B | explanation=Average = sum of values ÷ number of values = 152 ÷ 4 = 38.

id=92872 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:13 and the first is 128, what is the second? | option_a=195 | option_b=216 | option_c=208 | option_d=336 | answer=C | explanation=Scale factor = 128/8 = 16. Therefore second quantity = 13×16 = 208.

id=92873 | topic=Percentages | difficulty=Easy | question=What is 25% of 796? | option_a=199 | option_b=179 | option_c=398 | option_d=204 | answer=A | explanation=25% of 796 = (25/100) × 796 = 199.

id=92874 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:19 and the first is 240, what is the second? | option_a=304 | option_b=319 | option_c=544 | option_d=285 | answer=A | explanation=Scale factor = 240/15 = 16. Therefore second quantity = 19×16 = 304.

id=92875 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4423. If it is sold at a profit of 50%, what is its selling price? | option_a=6634 | option_b=6192 | option_c=7076 | option_d=4473 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4423 × 150/100 = █6634.

id=92876 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:2 and the first is 15, what is the second? | option_a=13 | option_b=25 | option_c=10 | option_d=8 | answer=C | explanation=Scale factor = 15/3 = 5. Therefore second quantity = 2×5 = 10.

id=92877 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:10 and the first is 360, what is the second? | option_a=560 | option_b=200 | option_c=190 | option_d=218 | answer=B | explanation=Scale factor = 360/18 = 20. Therefore second quantity = 10×20 = 200.

id=92878 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=35 | option_b=40 | option_c=34 | option_d=28 | answer=C | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.

id=92879 | topic=Averages | difficulty=Easy | question=Find the average of 61, 27, 89, 25, 54, 88, 20. | option_a=53 | option_b=52 | option_c=51 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 364 ÷ 7 = 52.

id=92880 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 40? | option_a=29 | option_b=20 | option_c=11 | option_d=40 | answer=D | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 40 is the odd one out.

Aptitude Questions — Records 92,881-92,910 of 100,000

id=92881 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=35 | option_b=43 | option_c=49 | option_d=42 | answer=D | explanation=The common difference is 7. Therefore the next term is 35 + 7 = 42.

id=92882 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=Y | option_b=S | option_c=V | option_d=P | answer=C | explanation=Move 3 positions forward from S; the resulting letter is V.

id=92883 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:12 and the first is 112, what is the second? | option_a=100 | option_b=84 | option_c=196 | option_d=72 | answer=B | explanation=Scale factor = 112/16 = 7. Therefore second quantity = 12×7 = 84.

id=92884 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=36 | option_c=31 | option_d=72 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=92885 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1706. If it is sold at a profit of 30%, what is its selling price? | option_a=2217 | option_b=2047 | option_c=2387 | option_d=1736 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1706 × 130/100 = █2217.

id=92886 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=44 | option_b=66 | option_c=56 | option_d=55 | answer=D | explanation=The common difference is 11. Therefore the next term is 44 + 11 = 55.

id=92887 | topic=Percentages | difficulty=Easy | question=What is 20% of 310? | option_a=62 | option_b=82 | option_c=124 | option_d=42 | answer=A | explanation=20% of 310 = (20/100) × 310 = 62.

id=92888 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 22. | option_a=440 | option_b=240 | option_c=198 | option_d=220 | answer=D | explanation=LCM × HCF = 20×22; HCF(20,22) = 2, so LCM = 220.

id=92889 | topic=Averages | difficulty=Easy | question=Find the average of 52, 36, 98, 74. | option_a=64 | option_b=67 | option_c=66 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 260 ÷ 4 = 65.

id=92890 | topic=Averages | difficulty=Easy | question=Find the average of 61, 26, 74, 45, 13, 93, 14, 67, 73, 74. | option_a=53 | option_b=55 | option_c=54 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

id=92891 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=27 | option_b=26 | option_c=23 | option_d=29 | answer=B | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.

id=92892 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=92893 | topic=Averages | difficulty=Easy | question=Find the average of 86, 55, 49, 39, 74, 52, 37. | option_a=58 | option_b=57 | option_c=55 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 392 ÷ 7 = 56.

id=92894 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=50 | option_b=45 | option_c=38 | option_d=44 | answer=D | explanation=The common difference is 6. Therefore the next term is 38 + 6 = 44.

id=92895 | topic=Averages | difficulty=Easy | question=Find the average of 51, 58, 71, 56, 87, 23, 46. | option_a=57 | option_b=56 | option_c=58 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 392 ÷ 7 = 56.

id=92896 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3134. If it is sold at a profit of 40%, what is its selling price? | option_a=4387 | option_b=4074 | option_c=3174 | option_d=4700 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3134 × 140/100 = █4387.

id=92897 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=150 | option_c=155 | option_d=300 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=92898 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=G | option_c=M | option_d=K | answer=D | explanation=Move 2 positions forward from I; the resulting letter is K.

id=92899 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 34, 41, 51? | option_a=41 | option_b=51 | option_c=34 | option_d=27 | answer=B | explanation=The first three numbers increase by 7, so the next should be 48. Therefore 51 is the odd one out.

id=92900 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=Z | option_c=L | option_d=D | answer=A | explanation=Move 4 positions forward from D; the resulting letter is H.

id=92901 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=92902 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:12 and the first is 95, what is the second? | option_a=155 | option_b=79 | option_c=48 | option_d=60 | answer=D | explanation=Scale factor = 95/19 = 5. Therefore second quantity = 12×5 = 60.

id=92903 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=68 | option_b=57 | option_c=56 | option_d=44 | answer=C | explanation=The common difference is 12. Therefore the next term is 44 + 12 = 56.

id=92904 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 5, 8, 12? | option_a=5 | option_b=8 | option_c=2 | option_d=12 | answer=D | explanation=The first three numbers increase by 3, so the next should be 11. Therefore 12 is the odd one out.

id=92905 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=92906 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=92907 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2044. If it is sold at a profit of 20%, what is its selling price? | option_a=2064 | option_b=2452 | option_c=2248 | option_d=2656 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2044 × 120/100 = █2452.

id=92908 | topic=Averages | difficulty=Easy | question=Find the average of 18, 68, 28, 20, 85, 63, 26. | option_a=44 | option_b=45 | option_c=43 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 308 ÷ 7 = 44.

id=92909 | topic=Percentages | difficulty=Easy | question=What is 25% of 1734? | option_a=866 | option_b=433 | option_c=423 | option_d=443 | answer=B | explanation=25% of 1734 = (25/100) × 1734 = 433.

id=92910 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 92,911-92,940 of 100,000

id=92911 | topic=Percentages | difficulty=Easy | question=What is 25% of 1064? | option_a=261 | option_b=532 | option_c=286 | option_d=266 | answer=D | explanation=25% of 1064 = (25/100) × 1064 = 266.

id=92912 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1616. If it is sold at a profit of 10%, what is its selling price? | option_a=1626 | option_b=1938 | option_c=1777 | option_d=1616 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1616 × 110/100 = █1777.

id=92913 | topic=Averages | difficulty=Easy | question=Find the average of 13, 26, 57. | option_a=32 | option_b=34 | option_c=33 | option_d=31 | answer=A | explanation=Average = sum of values ÷ number of values = 96 ÷ 3 = 32.

id=92914 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 10, 18, 28? | option_a=2 | option_b=28 | option_c=18 | option_d=10 | answer=B | explanation=The first three numbers increase by 8, so the next should be 26. Therefore 28 is the odd one out.

id=92915 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 20? | option_a=11 | option_b=20 | option_c=7 | option_d=15 | answer=B | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 20 is the odd one out.

id=92916 | topic=Percentages | difficulty=Easy | question=What is 25% of 596? | option_a=298 | option_b=144 | option_c=149 | option_d=154 | answer=C | explanation=25% of 596 = (25/100) × 596 = 149.

id=92917 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 10, 13, 17? | option_a=7 | option_b=17 | option_c=10 | option_d=13 | answer=B | explanation=The first three numbers increase by 3, so the next should be 16. Therefore 17 is the odd one out.

id=92918 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=O | option_c=D | option_d=Y | answer=D | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=92919 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40713 at 8% per annum for 5 years. | option_a=16285 | option_b=56998 | option_c=16385 | option_d=16185 | answer=A | explanation=SI = PRT/100 = 40713×8×5/100 = █16285.

id=92920 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=150 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=92921 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=M | option_c=I | option_d=O | answer=B | explanation=Move 2 positions forward from K; the resulting letter is M.

id=92922 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=40 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=92923 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:7 and the first is 30, what is the second? | option_a=28 | option_b=41 | option_c=65 | option_d=35 | answer=D | explanation=Scale factor = 30/6 = 5. Therefore second quantity = 7×5 = 35.

id=92924 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 33, 42, 54? | option_a=33 | option_b=24 | option_c=54 | option_d=42 | answer=C | explanation=The first three numbers increase by 9, so the next should be 51. Therefore 54 is the odd one out.

id=92925 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 35, 45, 57? | option_a=35 | option_b=25 | option_c=45 | option_d=57 | answer=D | explanation=The first three numbers increase by 10, so the next should be 55. Therefore 57 is the odd one out.

id=92926 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=92927 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=30 | option_b=39 | option_c=46 | option_d=38 | answer=D | explanation=The common difference is 8. Therefore the next term is 30 + 8 = 38.

id=92928 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=40 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=92929 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2948. If it is sold at a profit of 15%, what is its selling price? | option_a=3684 | option_b=3096 | option_c=2963 | option_d=3390 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2948 × 115/100 = █3390.

id=92930 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=36 | option_b=37 | option_c=44 | option_d=28 | answer=A | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=92931 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 21. | option_a=84 | option_b=96 | option_c=63 | option_d=252 | answer=A | explanation=LCM × HCF = 12×21; HCF(12,21) = 3, so LCM = 84.

id=92932 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=92933 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:2 and the first is 156, what is the second? | option_a=37 | option_b=24 | option_c=180 | option_d=22 | answer=B | explanation=Scale factor = 156/13 = 12. Therefore second quantity = 2×12 = 24.

id=92934 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31696 at 5% per annum for 5 years. | option_a=7824 | option_b=7924 | option_c=8024 | option_d=39620 | answer=B | explanation=SI = PRT/100 = 31696×5×5/100 = █7924.

id=92935 | topic=Percentages | difficulty=Easy | question=What is 50% of 1094? | option_a=557 | option_b=1094 | option_c=527 | option_d=547 | answer=D | explanation=50% of 1094 = (50/100) × 1094 = 547.

id=92936 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=62 | option_b=49 | option_c=61 | option_d=73 | answer=C | explanation=The common difference is 12. Therefore the next term is 49 + 12 = 61.

id=92937 | topic=Profit & Loss | difficulty=Easy | question=An article costs █509. If it is sold at a profit of 25%, what is its selling price? | option_a=686 | option_b=586 | option_c=636 | option_d=534 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 509 × 125/100 = █636.

id=92938 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:9 and the first is 133, what is the second? | option_a=54 | option_b=196 | option_c=82 | option_d=63 | answer=D | explanation=Scale factor = 133/19 = 7. Therefore second quantity = 9×7 = 63.

id=92939 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25112 at 10% per annum for 4 years. | option_a=10144 | option_b=9944 | option_c=10044 | option_d=35156 | answer=C | explanation=SI = PRT/100 = 25112×10×4/100 = █10044.

id=92940 | topic=Averages | difficulty=Easy | question=Find the average of 91, 24, 36, 60, 53, 55, 54, 27. | option_a=49 | option_b=50 | option_c=51 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 400 ÷ 8 = 50.

Aptitude Questions — Records 92,941-92,970 of 100,000

id=92941 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=45 | option_b=67 | option_c=57 | option_d=56 | answer=D | explanation=The common difference is 11. Therefore the next term is 45 + 11 = 56.

id=92942 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 16, 23, 30, ? | option_a=37 | option_b=30 | option_c=44 | option_d=38 | answer=A | explanation=The common difference is 7. Therefore the next term is 30 + 7 = 37.

id=92943 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=L | option_b=K | option_c=J | option_d=M | answer=A | explanation=Move 1 positions forward from K; the resulting letter is L.

id=92944 | topic=Averages | difficulty=Easy | question=Find the average of 85, 74, 15, 17, 66, 98, 65. | option_a=61 | option_b=60 | option_c=59 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 420 ÷ 7 = 60.

id=92945 | topic=Percentages | difficulty=Easy | question=What is 10% of 1244? | option_a=144 | option_b=248 | option_c=119 | option_d=124 | answer=D | explanation=10% of 1244 = (10/100) × 1244 = 124.

id=92946 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 15, 20, 28? | option_a=15 | option_b=20 | option_c=28 | option_d=10 | answer=C | explanation=The first three numbers increase by 5, so the next should be 25. Therefore 28 is the odd one out.

id=92947 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 33, 43, 54? | option_a=33 | option_b=54 | option_c=43 | option_d=23 | answer=B | explanation=The first three numbers increase by 10, so the next should be 53. Therefore 54 is the odd one out.

id=92948 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1493. If it is sold at a profit of 10%, what is its selling price? | option_a=1493 | option_b=1791 | option_c=1503 | option_d=1642 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1493 × 110/100 = █1642.

id=92949 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=O | option_c=Z | option_d=J | answer=D | explanation=Move 5 positions forward from E; the resulting letter is J.

id=92950 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=31 | option_c=36 | option_d=72 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=92951 | topic=Percentages | difficulty=Easy | question=What is 25% of 1955? | option_a=488 | option_b=508 | option_c=976 | option_d=483 | answer=A | explanation=25% of 1955 = (25/100) × 1955 = 488.

id=92952 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=C | option_c=D | option_d=E | answer=D | explanation=Move 1 positions forward from D; the resulting letter is E.

id=92953 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=27 | option_b=32 | option_c=26 | option_d=20 | answer=C | explanation=The common difference is 6. Therefore the next term is 20 + 6 = 26.

id=92954 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=31 | option_b=45 | option_c=39 | option_d=38 | answer=D | explanation=The common difference is 7. Therefore the next term is 31 + 7 = 38.

id=92955 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 22, 31, 42? | option_a=42 | option_b=22 | option_c=31 | option_d=13 | answer=A | explanation=The first three numbers increase by 9, so the next should be 40. Therefore 42 is the odd one out.

id=92956 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=O | option_b=X | option_c=U | option_d=R | answer=C | explanation=Move 3 positions forward from R; the resulting letter is U.

id=92957 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=B | option_b=C | option_c=E | option_d=D | answer=D | explanation=Move 1 positions forward from C; the resulting letter is D.

id=92958 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=92959 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43567 at 5% per annum for 2 years. | option_a=4456 | option_b=4256 | option_c=47923 | option_d=4356 | answer=D | explanation=SI = PRT/100 = 43567×5×2/100 = █4356.

id=92960 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=F | option_b=I | option_c=L | option_d=O | answer=C | explanation=Move 3 positions forward from I; the resulting letter is L.

id=92961 | topic=Percentages | difficulty=Easy | question=What is 15% of 458? | option_a=48 | option_b=136 | option_c=68 | option_d=78 | answer=C | explanation=15% of 458 = (15/100) × 458 = 68.

id=92962 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=92963 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:14 and the first is 165, what is the second? | option_a=169 | option_b=319 | option_c=154 | option_d=140 | answer=C | explanation=Scale factor = 165/15 = 11. Therefore second quantity = 14×11 = 154.

id=92964 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34460 at 5% per annum for 2 years. | option_a=3546 | option_b=37906 | option_c=3346 | option_d=3446 | answer=D | explanation=SI = PRT/100 = 34460×5×2/100 = █3446.

id=92965 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3078. If it is sold at a profit of 15%, what is its selling price? | option_a=3232 | option_b=3846 | option_c=3093 | option_d=3539 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3078 × 115/100 = █3539.

id=92966 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=92967 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=X | option_b=G | option_c=D | option_d=A | answer=C | explanation=Move 3 positions forward from A; the resulting letter is D.

id=92968 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=92969 | topic=Percentages | difficulty=Easy | question=What is 10% of 1582? | option_a=153 | option_b=316 | option_c=158 | option_d=168 | answer=C | explanation=10% of 1582 = (10/100) × 1582 = 158.

id=92970 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

Aptitude Questions — Records 92,971-93,000 of 100,000

id=92971 | topic=Percentages | difficulty=Easy | question=What is 20% of 1705? | option_a=341 | option_b=682 | option_c=331 | option_d=361 | answer=A | explanation=20% of 1705 = (20/100) × 1705 = 341.

id=92972 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1263. If it is sold at a profit of 20%, what is its selling price? | option_a=1641 | option_b=1283 | option_c=1515 | option_d=1389 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1263 × 120/100 = █1515.

id=92973 | topic=Averages | difficulty=Easy | question=Find the average of 73, 41, 99, 41, 99, 41, 71, 20, 70, 33, 50, 32. | option_a=52 | option_b=53 | option_c=55 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=92974 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=D | option_c=E | option_d=F | answer=D | explanation=Move 1 positions forward from E; the resulting letter is F.

id=92975 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=92976 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1535. If it is sold at a profit of 50%, what is its selling price? | option_a=1585 | option_b=2302 | option_c=2455 | option_d=2149 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1535 × 150/100 = █2302.

id=92977 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38882 at 10% per annum for 1 years. | option_a=3888 | option_b=3788 | option_c=3988 | option_d=42770 | answer=A | explanation=SI = PRT/100 = 38882×10×1/100 = █3888.

id=92978 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 34? | option_a=9 | option_b=17 | option_c=25 | option_d=34 | answer=D | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 34 is the odd one out.

id=92979 | topic=Averages | difficulty=Easy | question=Find the average of 66, 31, 17, 74, 97, 58, 89, 104. | option_a=66 | option_b=67 | option_c=68 | option_d=69 | answer=B | explanation=Average = sum of values ÷ number of values = 536 ÷ 8 = 67.

id=92980 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=92981 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2563. If it is sold at a profit of 10%, what is its selling price? | option_a=2819 | option_b=2573 | option_c=2563 | option_d=3075 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2563 × 110/100 = █2819.

id=92982 | topic=Percentages | difficulty=Easy | question=What is 40% of 584? | option_a=213 | option_b=238 | option_c=233 | option_d=466 | answer=C | explanation=40% of 584 = (40/100) × 584 = 233.

id=92983 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2063 at 5% per annum for 1 years. | option_a=103 | option_b=3 | option_c=2166 | option_d=203 | answer=A | explanation=SI = PRT/100 = 2063×5×1/100 = █103.

id=92984 | topic=Percentages | difficulty=Easy | question=What is 20% of 1494? | option_a=293 | option_b=298 | option_c=318 | option_d=596 | answer=B | explanation=20% of 1494 = (20/100) × 1494 = 298.

id=92985 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:4 and the first is 9, what is the second? | option_a=8 | option_b=12 | option_c=21 | option_d=15 | answer=B | explanation=Scale factor = 9/3 = 3. Therefore second quantity = 4×3 = 12.

id=92986 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1983. If it is sold at a profit of 25%, what is its selling price? | option_a=2280 | option_b=2478 | option_c=2008 | option_d=2676 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1983 × 125/100 = █2478.

id=92987 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4042. If it is sold at a profit of 50%, what is its selling price? | option_a=5659 | option_b=4092 | option_c=6467 | option_d=6063 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4042 × 150/100 = █6063.

id=92988 | topic=Percentages | difficulty=Easy | question=What is 12% of 856? | option_a=102 | option_b=97 | option_c=204 | option_d=122 | answer=A | explanation=12% of 856 = (12/100) × 856 = 102.

id=92989 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=48 | option_b=42 | option_c=34 | option_d=41 | answer=D | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=92990 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49317 at 10% per annum for 4 years. | option_a=19726 | option_b=19826 | option_c=69043 | option_d=19626 | answer=A | explanation=SI = PRT/100 = 49317×10×4/100 = █19726.

id=92991 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:9 and the first is 42, what is the second? | option_a=54 | option_b=96 | option_c=61 | option_d=45 | answer=A | explanation=Scale factor = 42/7 = 6. Therefore second quantity = 9×6 = 54.

id=92992 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=T | option_b=S | option_c=R | option_d=Q | answer=B | explanation=Move 1 positions forward from R; the resulting letter is S.

id=92993 | topic=Averages | difficulty=Easy | question=Find the average of 80, 82, 45, 57, 13, 50, 30. | option_a=52 | option_b=50 | option_c=53 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.

id=92994 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:1 and the first is 15, what is the second? | option_a=8 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Scale factor = 15/3 = 5. Therefore second quantity = 1×5 = 5.

id=92995 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=29 | option_d=19 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=92996 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4966 at 12% per annum for 5 years. | option_a=2879 | option_b=2979 | option_c=7945 | option_d=3079 | answer=B | explanation=SI = PRT/100 = 4966×12×5/100 = █2979.

id=92997 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43071 at 6% per annum for 1 years. | option_a=45655 | option_b=2584 | option_c=2484 | option_d=2684 | answer=B | explanation=SI = PRT/100 = 43071×6×1/100 = █2584.

id=92998 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8722 at 8% per annum for 5 years. | option_a=3488 | option_b=3388 | option_c=3588 | option_d=12210 | answer=A | explanation=SI = PRT/100 = 8722×8×5/100 = █3488.

id=92999 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=40 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=93000 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=M | option_c=Q | option_d=K | answer=A | explanation=Move 2 positions forward from M; the resulting letter is O.

Aptitude Questions — Records 93,001-93,030 of 100,000

id=93001 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1776. If it is sold at a profit of 50%, what is its selling price? | option_a=2487 | option_b=2664 | option_c=1826 | option_d=2841 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1776 × 150/100 = █2664.

id=93002 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=93003 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=44 | option_b=55 | option_c=64 | option_d=54 | answer=D | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=93004 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:10 and the first is 70, what is the second? | option_a=80 | option_b=70 | option_c=140 | option_d=60 | answer=B | explanation=Scale factor = 70/10 = 7. Therefore second quantity = 10×7 = 70.

id=93005 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=93006 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=13 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=93007 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 5, 8, 11, ? | option_a=17 | option_b=14 | option_c=11 | option_d=15 | answer=B | explanation=The common difference is 3. Therefore the next term is 11 + 3 = 14.

id=93008 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3508. If it is sold at a profit of 10%, what is its selling price? | option_a=4208 | option_b=3858 | option_c=3518 | option_d=3508 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3508 × 110/100 = █3858.

id=93009 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=E | option_b=K | option_c=N | option_d=H | answer=B | explanation=Move 3 positions forward from H; the resulting letter is K.

id=93010 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:7 and the first is 95, what is the second? | option_a=54 | option_b=35 | option_c=28 | option_d=130 | answer=B | explanation=Scale factor = 95/19 = 5. Therefore second quantity = 7×5 = 35.

id=93011 | topic=Percentages | difficulty=Easy | question=What is 12% of 674? | option_a=80 | option_b=85 | option_c=160 | option_d=60 | answer=A | explanation=12% of 674 = (12/100) × 674 = 80.

id=93012 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 44? | option_a=33 | option_b=17 | option_c=44 | option_d=25 | answer=C | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 44 is the odd one out.

id=93013 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20719 at 15% per annum for 2 years. | option_a=26934 | option_b=6315 | option_c=6115 | option_d=6215 | answer=D | explanation=SI = PRT/100 = 20719×15×2/100 = █6215.

id=93014 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1919. If it is sold at a profit of 30%, what is its selling price? | option_a=2685 | option_b=1949 | option_c=2494 | option_d=2303 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1919 × 130/100 = █2494.

id=93015 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4943. If it is sold at a profit of 50%, what is its selling price? | option_a=7908 | option_b=6920 | option_c=4993 | option_d=7414 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4943 × 150/100 = █7414.

id=93016 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:3 and the first is 280, what is the second? | option_a=60 | option_b=74 | option_c=340 | option_d=57 | answer=A | explanation=Scale factor = 280/14 = 20. Therefore second quantity = 3×20 = 60.

id=93017 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 27. | option_a=27 | option_b=486 | option_c=54 | option_d=72 | answer=C | explanation=LCM × HCF = 18×27; HCF(18,27) = 9, so LCM = 54.

id=93018 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 23, 26, 29, ? | option_a=33 | option_b=29 | option_c=35 | option_d=32 | answer=D | explanation=The common difference is 3. Therefore the next term is 29 + 3 = 32.

id=93019 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:3 and the first is 32, what is the second? | option_a=21 | option_b=28 | option_c=24 | option_d=56 | answer=C | explanation=Scale factor = 32/4 = 8. Therefore second quantity = 3×8 = 24.

id=93020 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=23 | option_b=18 | option_c=28 | option_d=24 | answer=A | explanation=The common difference is 5. Therefore the next term is 18 + 5 = 23.

id=93021 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7723 at 12% per annum for 2 years. | option_a=9576 | option_b=1953 | option_c=1853 | option_d=1753 | answer=C | explanation=SI = PRT/100 = 7723×12×2/100 = █1853.

id=93022 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:20 and the first is 126, what is the second? | option_a=266 | option_b=140 | option_c=158 | option_d=120 | answer=B | explanation=Scale factor = 126/18 = 7. Therefore second quantity = 20×7 = 140.

id=93023 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=I | option_b=Z | option_c=C | option_d=F | answer=D | explanation=Move 3 positions forward from C; the resulting letter is F.

id=93024 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=28 | option_b=26 | option_c=24 | option_d=27 | answer=B | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.

id=93025 | topic=Percentages | difficulty=Easy | question=What is 12% of 364? | option_a=43 | option_b=86 | option_c=48 | option_d=33 | answer=A | explanation=12% of 364 = (12/100) × 364 = 43.

id=93026 | topic=Averages | difficulty=Easy | question=Find the average of 62, 68, 51, 19. | option_a=49 | option_b=50 | option_c=51 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 200 ÷ 4 = 50.

id=93027 | topic=Averages | difficulty=Easy | question=Find the average of 68, 52, 90. | option_a=71 | option_b=72 | option_c=70 | option_d=69 | answer=C | explanation=Average = sum of values ÷ number of values = 210 ÷ 3 = 70.

id=93028 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=93029 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:11 and the first is 24, what is the second? | option_a=112 | option_b=88 | option_c=77 | option_d=91 | answer=B | explanation=Scale factor = 24/3 = 8. Therefore second quantity = 11×8 = 88.

id=93030 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=34 | option_b=40 | option_c=44 | option_d=39 | answer=D | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

Aptitude Questions — Records 93,031-93,060 of 100,000

id=93031 | topic=Percentages | difficulty=Easy | question=What is 30% of 1659? | option_a=507 | option_b=497 | option_c=994 | option_d=492 | answer=B | explanation=30% of 1659 = (30/100) × 1659 = 497.

id=93032 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:12 and the first is 32, what is the second? | option_a=12 | option_b=24 | option_c=40 | option_d=56 | answer=B | explanation=Scale factor = 32/16 = 2. Therefore second quantity = 12×2 = 24.

id=93033 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=100 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=93034 | topic=Averages | difficulty=Easy | question=Find the average of 22, 39, 95, 49, 76, 55. | option_a=56 | option_b=58 | option_c=57 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 336 ÷ 6 = 56.

id=93035 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=93036 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45913 at 6% per annum for 2 years. | option_a=5509 | option_b=51422 | option_c=5609 | option_d=5409 | answer=A | explanation=SI = PRT/100 = 45913×6×2/100 = **■**5509.

id=93037 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=20 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=93038 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42305 at 15% per annum for 5 years. | option_a=31628 | option_b=31728 | option_c=74033 | option_d=31828 | answer=B | explanation=SI = PRT/100 = 42305×15×5/100 = **■**31728.

id=93039 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2256. If it is sold at a profit of 20%, what is its selling price? | option_a=2932 | option_b=2276 | option_c=2482 | option_d=2707 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2256 × 120/100 = **■**2707.

id=93040 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=93041 | topic=Percentages | difficulty=Easy | question=What is 20% of 1591? | option_a=636 | option_b=318 | option_c=308 | option_d=328 | answer=B | explanation=20% of 1591 = (20/100) × 1591 = 318.

id=93042 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=40 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=93043 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=93044 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=H | option_b=Q | option_c=N | option_d=K | answer=C | explanation=Move 3 positions forward from K; the resulting letter is N.

id=93045 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=93046 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=21 | option_b=17 | option_c=20 | option_d=23 | answer=C | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=93047 | topic=Averages | difficulty=Easy | question=Find the average of 30, 61, 61, 19, 74, 57, 61, 37. | option_a=51 | option_b=52 | option_c=50 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 400 ÷ 8 = 50.

id=93048 | topic=Percentages | difficulty=Easy | question=What is 5% of 62? | option_a=6 | option_b=0 | option_c=3 | option_d=13 | answer=C | explanation=5% of 62 = (5/100) × 62 = 3.

id=93049 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15088 at 4% per annum for 4 years. | option_a=2314 | option_b=2414 | option_c=17502 | option_d=2514 | answer=B | explanation=SI = PRT/100 = 15088×4×4/100 = **■**2414.

id=93050 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33998 at 10% per annum for 1 years. | option_a=3299 | option_b=37397 | option_c=3499 | option_d=3399 | answer=D | explanation=SI = PRT/100 = 33998×10×1/100 = **■**3399.

id=93051 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3398. If it is sold at a profit of 20%, what is its selling price? | option_a=3418 | option_b=3738 | option_c=4416 | option_d=4077 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3398 × 120/100 = **■**4077.

id=93052 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=Y | option_b=O | option_c=T | option_d=D | answer=A | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=93053 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=B | option_b=H | option_c=F | option_d=D | answer=C | explanation=Move 2 positions forward from D; the resulting letter is F.

id=93054 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22464 at 15% per annum for 4 years. | option_a=13478 | option_b=13578 | option_c=35942 | option_d=13378 | answer=A | explanation=SI = PRT/100 = 22464×15×4/100 = **■**13478.

id=93055 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:3 and the first is 152, what is the second? | option_a=65 | option_b=57 | option_c=54 | option_d=209 | answer=B | explanation=Scale factor = 152/8 = 19. Therefore second quantity = 3×19 = 57.

id=93056 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29371 at 8% per annum for 2 years. | option_a=34070 | option_b=4699 | option_c=4599 | option_d=4799 | answer=B | explanation=SI = PRT/100 = 29371×8×2/100 = **■**4699.

id=93057 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 10. | option_a=50 | option_b=250 | option_c=40 | option_d=75 | answer=A | explanation=LCM × HCF = 25×10; HCF(25,10) = 5, so LCM = 50.

id=93058 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2246. If it is sold at a profit of 50%, what is its selling price? | option_a=3145 | option_b=3369 | option_c=3593 | option_d=2296 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2246 × 150/100 = **■**3369.

id=93059 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=93060 | topic=Percentages | difficulty=Easy | question=What is 5% of 1817? | option_a=90 | option_b=70 | option_c=100 | option_d=180 | answer=A | explanation=5% of 1817 = (5/100) × 1817 = 90.

Aptitude Questions — Records 93,061-93,090 of 100,000

id=93061 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=47 | option_b=31 | option_c=39 | option_d=40 | answer=C | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

id=93062 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:7 and the first is 140, what is the second? | option_a=210 | option_b=63 | option_c=84 | option_d=70 | answer=D | explanation=Scale factor = 140/14 = 10. Therefore second quantity = 7×10 = 70.

id=93063 | topic=Averages | difficulty=Easy | question=Find the average of 84, 74, 80, 82, 42, 90, 101. | option_a=80 | option_b=78 | option_c=79 | option_d=81 | answer=C | explanation=Average = sum of values ÷ number of values = 553 ÷ 7 = 79.

id=93064 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:14 and the first is 210, what is the second? | option_a=210 | option_b=420 | option_c=196 | option_d=224 | answer=A | explanation=Scale factor = 210/14 = 15. Therefore second quantity = 14×15 = 210.

id=93065 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=93066 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=93067 | topic=Percentages | difficulty=Easy | question=What is 25% of 1297? | option_a=334 | option_b=648 | option_c=314 | option_d=324 | answer=D | explanation=25% of 1297 = (25/100) × 1297 = 324.

id=93068 | topic=Averages | difficulty=Easy | question=Find the average of 15, 25, 42, 20, 34, 87, 79, 45, 58. | option_a=46 | option_b=47 | option_c=44 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 405 ÷ 9 = 45.

id=93069 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=6 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=93070 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41103 at 15% per annum for 3 years. | option_a=18496 | option_b=18596 | option_c=18396 | option_d=59599 | answer=A | explanation=SI = PRT/100 = 41103×15×3/100 = **■**18496.

id=93071 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 36, 44, 54? | option_a=36 | option_b=44 | option_c=28 | option_d=54 | answer=D | explanation=The first three numbers increase by 8, so the next should be 52. Therefore 54 is the odd one out.

id=93072 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=95 | option_c=200 | option_d=105 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=93073 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=H | option_c=L | option_d=F | answer=A | explanation=Move 2 positions forward from H; the resulting letter is J.

id=93074 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47260 at 10% per annum for 3 years. | option_a=14178 | option_b=14078 | option_c=61438 | option_d=14278 | answer=A | explanation=SI = PRT/100 = 47260×10×3/100 = **■**14178.

id=93075 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 21, 30, 39, ? | option_a=39 | option_b=48 | option_c=57 | option_d=49 | answer=B | explanation=The common difference is 9. Therefore the next term is 39 + 9 = 48.

id=93076 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=23 | option_b=19 | option_c=25 | option_d=22 | answer=D | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.

id=93077 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12373 at 6% per annum for 2 years. | option_a=1384 | option_b=1484 | option_c=13857 | option_d=1584 | answer=B | explanation=SI = PRT/100 = 12373×6×2/100 = **■**1484.

id=93078 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=17 | option_c=12 | option_d=24 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=93079 | topic=Averages | difficulty=Easy | question=Find the average of 98, 43, 44, 103. | option_a=72 | option_b=74 | option_c=73 | option_d=71 | answer=A | explanation=Average = sum of values ÷ number of values = 288 ÷ 4 = 72.

id=93080 | topic=Percentages | difficulty=Easy | question=What is 15% of 673? | option_a=110 | option_b=95 | option_c=100 | option_d=200 | answer=C | explanation=15% of 673 = (15/100) × 673 = 100.

id=93081 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=12 | option_c=24 | option_d=17 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=93082 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=93083 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2802 at 10% per annum for 2 years. | option_a=560 | option_b=660 | option_c=3362 | option_d=460 | answer=A | explanation=SI = PRT/100 = 2802×10×2/100 = **■**560.

id=93084 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3880. If it is sold at a profit of 40%, what is its selling price? | option_a=5432 | option_b=3920 | option_c=5044 | option_d=5820 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3880 × 140/100 = **■**5432.

id=93085 | topic=Percentages | difficulty=Easy | question=What is 30% of 172? | option_a=46 | option_b=102 | option_c=56 | option_d=51 | answer=D | explanation=30% of 172 = (30/100) × 172 = 51.

id=93086 | topic=Averages | difficulty=Easy | question=Find the average of 72, 44, 42, 89, 35, 12. | option_a=48 | option_b=50 | option_c=51 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 294 ÷ 6 = 49.

id=93087 | topic=Percentages | difficulty=Easy | question=What is 30% of 1487? | option_a=446 | option_b=892 | option_c=456 | option_d=441 | answer=A | explanation=30% of 1487 = (30/100) × 1487 = 446.

id=93088 | topic=Averages | difficulty=Easy | question=Find the average of 93, 36, 78, 30, 92, 31, 25. | option_a=56 | option_b=54 | option_c=55 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 385 ÷ 7 = 55.

id=93089 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4286. If it is sold at a profit of 25%, what is its selling price? | option_a=4929 | option_b=5357 | option_c=5785 | option_d=4311 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4286 × 125/100 = **■**5357.

id=93090 | topic=Percentages | difficulty=Easy | question=What is 10% of 1527? | option_a=152 | option_b=162 | option_c=304 | option_d=142 | answer=A | explanation=10% of 1527 = (10/100) × 1527 = 152.

Aptitude Questions — Records 93,091-93,120 of 100,000

id=93091 | topic=Percentages | difficulty=Easy | question=What is 50% of 1245? | option_a=617 | option_b=622 | option_c=1244 | option_d=642 | answer=B | explanation=50% of 1245 = (50/100) × 1245 = 622.

id=93092 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3744. If it is sold at a profit of 50%, what is its selling price? | option_a=3794 | option_b=5616 | option_c=5990 | option_d=5242 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3744 × 150/100 = █5616.

id=93093 | topic=Averages | difficulty=Easy | question=Find the average of 62, 49, 74, 99. | option_a=70 | option_b=71 | option_c=73 | option_d=72 | answer=B | explanation=Average = sum of values ÷ number of values = 284 ÷ 4 = 71.

id=93094 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=F | option_c=D | option_d=J | answer=A | explanation=Move 2 positions forward from F; the resulting letter is H.

id=93095 | topic=Averages | difficulty=Easy | question=Find the average of 34, 68, 96. | option_a=68 | option_b=65 | option_c=66 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 198 ÷ 3 = 66.

id=93096 | topic=Percentages | difficulty=Easy | question=What is 15% of 353? | option_a=52 | option_b=62 | option_c=104 | option_d=47 | answer=A | explanation=15% of 353 = (15/100) × 353 = 52.

id=93097 | topic=Percentages | difficulty=Easy | question=What is 25% of 531? | option_a=264 | option_b=137 | option_c=112 | option_d=132 | answer=D | explanation=25% of 531 = (25/100) × 531 = 132.

id=93098 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:12 and the first is 36, what is the second? | option_a=147 | option_b=132 | option_c=144 | option_d=180 | answer=C | explanation=Scale factor = 36/3 = 12. Therefore second quantity = 12×12 = 144.

id=93099 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=O | option_b=Q | option_c=U | option_d=S | answer=D | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=93100 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=93101 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=5 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=93102 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=L | option_c=M | option_d=J | answer=B | explanation=Move 1 positions forward from K; the resulting letter is L.

id=93103 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=93104 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=V | option_b=N | option_c=R | option_d=J | answer=C | explanation=Move 4 positions forward from N; the resulting letter is R.

id=93105 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=93106 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16028 at 8% per annum for 4 years. | option_a=5228 | option_b=5028 | option_c=21156 | option_d=5128 | answer=D | explanation=SI = PRT/100 = 16028×8×4/100 = █5128.

id=93107 | topic=Percentages | difficulty=Easy | question=What is 30% of 352? | option_a=210 | option_b=125 | option_c=100 | option_d=105 | answer=D | explanation=30% of 352 = (30/100) × 352 = 105.

id=93108 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=29 | option_b=38 | option_c=47 | option_d=39 | answer=B | explanation=The common difference is 9. Therefore the next term is 29 + 9 = 38.

id=93109 | topic=Averages | difficulty=Easy | question=Find the average of 78, 37, 26, 15, 89. | option_a=50 | option_b=49 | option_c=48 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 245 ÷ 5 = 49.

id=93110 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=50 | option_d=90 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=93111 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=31 | option_b=27 | option_c=35 | option_d=32 | answer=A | explanation=The common difference is 4. Therefore the next term is 27 + 4 = 31.

id=93112 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 33? | option_a=22 | option_b=2 | option_c=12 | option_d=33 | answer=D | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 33 is the odd one out.

id=93113 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 14. | option_a=182 | option_b=208 | option_c=168 | option_d=364 | answer=A | explanation=LCM × HCF = 26×14; HCF(26,14) = 2, so LCM = 182.

id=93114 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 36? | option_a=15 | option_b=24 | option_c=6 | option_d=36 | answer=D | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 36 is the odd one out.

id=93115 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:2 and the first is 220, what is the second? | option_a=38 | option_b=51 | option_c=40 | option_d=260 | answer=C | explanation=Scale factor = 220/11 = 20. Therefore second quantity = 2×20 = 40.

id=93116 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=L | option_b=Z | option_c=D | option_d=H | answer=D | explanation=Move 4 positions forward from D; the resulting letter is H.

id=93117 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 45? | option_a=37 | option_b=45 | option_c=23 | option_d=30 | answer=B | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 45 is the odd one out.

id=93118 | topic=Percentages | difficulty=Easy | question=What is 30% of 776? | option_a=232 | option_b=212 | option_c=464 | option_d=242 | answer=A | explanation=30% of 776 = (30/100) × 776 = 232.

id=93119 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 4. | option_a=4 | option_b=8 | option_c=16 | option_d=1 | answer=A | explanation=LCM × HCF = 4×4; HCF(4,4) = 4, so LCM = 4.

id=93120 | topic=Percentages | difficulty=Easy | question=What is 15% of 1491? | option_a=446 | option_b=218 | option_c=223 | option_d=228 | answer=C | explanation=15% of 1491 = (15/100) × 1491 = 223.

Aptitude Questions — Records 93,121-93,150 of 100,000

id=93121 | topic=Averages | difficulty=Easy | question=Find the average of 34, 77, 10, 39, 12, 38, 63. | option_a=39 | option_b=40 | option_c=41 | option_d=38 | answer=A | explanation=Average = sum of values ÷ number of values = $273 \div 7 = 39$.

id=93122 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $120 \div 2 = 60$ km/h.

id=93123 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■8481 at 6% per annum for 5 years. | option_a=11025 | option_b=2444 | option_c=2644 | option_d=2544 | answer=D | explanation=SI = $PRT/100 = 8481 \times 6 \times 5/100 = \blacksquare 2544$.

id=93124 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■6072 at 15% per annum for 4 years. | option_a=3643 | option_b=9715 | option_c=3543 | option_d=3743 | answer=A | explanation=SI = $PRT/100 = 6072 \times 15 \times 4/100 = \blacksquare 3643$.

id=93125 | topic=Averages | difficulty=Easy | question=Find the average of 64, 50, 92, 67, 77. | option_a=70 | option_b=71 | option_c=72 | option_d=69 | answer=A | explanation=Average = sum of values ÷ number of values = $350 \div 5 = 70$.

id=93126 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=85 | option_c=180 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = $180 \div 2 = 90$ km/h.

id=93127 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=D | option_c=B | option_d=Z | answer=B | explanation=Move 2 positions forward from B; the resulting letter is D.

id=93128 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=93129 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=61 | option_b=50 | option_c=51 | option_d=39 | answer=B | explanation=The common difference is 11. Therefore the next term is $39 + 11 = 50$.

id=93130 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=46 | option_b=45 | option_c=52 | option_d=38 | answer=B | explanation=The common difference is 7. Therefore the next term is $38 + 7 = 45$.

id=93131 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2514. If it is sold at a profit of 10%, what is its selling price? | option_a=3016 | option_b=2524 | option_c=2514 | option_d=2765 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2514 \times 110/100 = \blacksquare 2765$.

id=93132 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=93133 | topic=Percentages | difficulty=Easy | question=What is 10% of 811? | option_a=86 | option_b=162 | option_c=61 | option_d=81 | answer=D | explanation=10% of 811 = $(10/100) \times 811 = 81$.

id=93134 | topic=Percentages | difficulty=Easy | question=What is 15% of 1981? | option_a=297 | option_b=292 | option_c=317 | option_d=594 | answer=A | explanation=15% of 1981 = $(15/100) \times 1981 = 297$.

id=93135 | topic=Averages | difficulty=Easy | question=Find the average of 83, 60, 79, 80, 75, 55. | option_a=73 | option_b=71 | option_c=72 | option_d=74 | answer=C | explanation=Average = sum of values ÷ number of values = $432 \div 6 = 72$.

id=93136 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4862. If it is sold at a profit of 50%, what is its selling price? | option_a=6807 | option_b=4912 | option_c=7779 | option_d=7293 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4862 \times 150/100 = \blacksquare 7293$.

id=93137 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:11 and the first is 57, what is the second? | option_a=198 | option_b=209 | option_c=212 | option_d=266 | answer=B | explanation=Scale factor = $57/3 = 19$. Therefore second quantity = $11 \times 19 = 209$.

id=93138 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=93139 | topic=Percentages | difficulty=Easy | question=What is 12% of 1430? | option_a=166 | option_b=171 | option_c=342 | option_d=191 | answer=B | explanation=12% of 1430 = $(12/100) \times 1430 = 171$.

id=93140 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=125 | option_c=115 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.

id=93141 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=D | option_b=X | option_c=G | option_d=A | answer=A | explanation=Move 3 positions forward from A; the resulting letter is D.

id=93142 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=O | option_b=E | option_c=J | option_d=Z | answer=C | explanation=Move 5 positions forward from E; the resulting letter is J.

id=93143 | topic=Percentages | difficulty=Easy | question=What is 25% of 130? | option_a=52 | option_b=22 | option_c=32 | option_d=64 | answer=C | explanation=25% of 130 = $(25/100) \times 130 = 32$.

id=93144 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 12. | option_a=180 | option_b=60 | option_c=48 | option_d=75 | answer=B | explanation= $LCM \times HCF = 15 \times 12$; $HCF(15, 12) = 3$, so $LCM = 60$.

id=93145 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 34, 44, 56? | option_a=34 | option_b=56 | option_c=44 | option_d=24 | answer=B | explanation=The first three numbers increase by 10, so the next should be 54. Therefore 56 is the odd one out.

id=93146 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 22? | option_a=17 | option_b=13 | option_c=22 | option_d=15 | answer=C | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 22 is the odd one out.

id=93147 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=Y | option_b=U | option_c=W | option_d=S | answer=C | explanation=Move 2 positions forward from U; the resulting letter is W.

id=93148 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=62 | option_b=44 | option_c=54 | option_d=53 | answer=D | explanation=The common difference is 9. Therefore the next term is $44 + 9 = 53$.

id=93149 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=21 | option_b=20 | option_c=16 | option_d=24 | answer=B | explanation=The common difference is 4. Therefore the next term is $16 + 4 = 20$.

id=93150 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=L | option_c=W | option_d=G | answer=D | explanation=Move 5 positions forward from B; the resulting letter is G.

Aptitude Questions — Records 93,151-93,180 of 100,000

id=93151 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=A | option_c=W | option_d=O | answer=C | explanation=Move 4 positions forward from S; the resulting letter is W.

id=93152 | topic=Averages | difficulty=Easy | question=Find the average of 26, 67, 59, 88, 22, 92. | option_a=60 | option_b=58 | option_c=59 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.

id=93153 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=18 | option_b=16 | option_c=19 | option_d=20 | answer=A | explanation=The common difference is 2. Therefore the next term is 16 + 2 = 18.

id=93154 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4162. If it is sold at a profit of 20%, what is its selling price? | option_a=4578 | option_b=4994 | option_c=5410 | option_d=4182 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4162 × 120/100 = █4994.

id=93155 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 30, 33, 37? | option_a=37 | option_b=30 | option_c=27 | option_d=33 | answer=A | explanation=The first three numbers increase by 3, so the next should be 36. Therefore 37 is the odd one out.

id=93156 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14681 at 10% per annum for 4 years. | option_a=20553 | option_b=5872 | option_c=5772 | option_d=5972 | answer=B | explanation=SI = PRT/100 = 14681×10×4/100 = █5872.

id=93157 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43396 at 4% per annum for 1 years. | option_a=1635 | option_b=1835 | option_c=45131 | option_d=1735 | answer=D | explanation=SI = PRT/100 = 43396×4×1/100 = █1735.

id=93158 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:8 and the first is 7, what is the second? | option_a=48 | option_b=57 | option_c=63 | option_d=56 | answer=D | explanation=Scale factor = 7/1 = 7. Therefore second quantity = 8×7 = 56.

id=93159 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 43? | option_a=22 | option_b=28 | option_c=34 | option_d=43 | answer=D | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 43 is the odd one out.

id=93160 | topic=Averages | difficulty=Easy | question=Find the average of 34, 56, 75, 23. | option_a=47 | option_b=46 | option_c=49 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = 188 ÷ 4 = 47.

id=93161 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49932 at 10% per annum for 5 years. | option_a=24866 | option_b=24966 | option_c=25066 | option_d=74898 | answer=B | explanation=SI = PRT/100 = 49932×10×5/100 = █24966.

id=93162 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=93163 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 45? | option_a=35 | option_b=28 | option_c=45 | option_d=21 | answer=C | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 45 is the odd one out.

id=93164 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:9 and the first is 40, what is the second? | option_a=182 | option_b=180 | option_c=220 | option_d=171 | answer=B | explanation=Scale factor = 40/2 = 20. Therefore second quantity = 9×20 = 180.

id=93165 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 22. | option_a=88 | option_b=66 | option_c=96 | option_d=176 | answer=A | explanation=LCM × HCF = 8×22; HCF(8,22) = 2, so LCM = 88.

id=93166 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48804 at 5% per annum for 1 years. | option_a=2340 | option_b=2440 | option_c=2540 | option_d=51244 | answer=B | explanation=SI = PRT/100 = 48804×5×1/100 = █2440.

id=93167 | topic=Percentages | difficulty=Easy | question=What is 5% of 435? | option_a=21 | option_b=42 | option_c=41 | option_d=16 | answer=A | explanation=5% of 435 = (5/100) × 435 = 21.

id=93168 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:9 and the first is 196, what is the second? | option_a=322 | option_b=117 | option_c=140 | option_d=126 | answer=D | explanation=Scale factor = 196/14 = 14. Therefore second quantity = 9×14 = 126.

id=93169 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42683 at 6% per annum for 3 years. | option_a=7582 | option_b=7682 | option_c=50365 | option_d=7782 | answer=B | explanation=SI = PRT/100 = 42683×6×3/100 = █7682.

id=93170 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=93171 | topic=Profit & Loss | difficulty=Easy | question=An article costs █965. If it is sold at a profit of 5%, what is its selling price? | option_a=1013 | option_b=917 | option_c=970 | option_d=1109 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 965 × 105/100 = █1013.

id=93172 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=93173 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14417 at 8% per annum for 1 years. | option_a=1153 | option_b=15570 | option_c=1253 | option_d=1053 | answer=A | explanation=SI = PRT/100 = 14417×8×1/100 = █1153.

id=93174 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18483 at 4% per annum for 5 years. | option_a=3796 | option_b=3696 | option_c=22179 | option_d=3596 | answer=B | explanation=SI = PRT/100 = 18483×4×5/100 = █3696.

id=93175 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=G | option_b=I | option_c=H | option_d=J | answer=B | explanation=Move 1 positions forward from H; the resulting letter is I.

id=93176 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25913 at 8% per annum for 3 years. | option_a=32132 | option_b=6219 | option_c=6119 | option_d=6319 | answer=B | explanation=SI = PRT/100 = 25913×8×3/100 = █6219.

id=93177 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:2 and the first is 60, what is the second? | option_a=72 | option_b=12 | option_c=22 | option_d=10 | answer=B | explanation=Scale factor = 60/10 = 6. Therefore second quantity = 2×6 = 12.

id=93178 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2815. If it is sold at a profit of 10%, what is its selling price? | option_a=2815 | option_b=3096 | option_c=3377 | option_d=2825 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2815 × 110/100 = █3096.

id=93179 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=E | option_b=C | option_c=D | option_d=F | answer=A | explanation=Move 1 positions forward from D; the resulting letter is E.

id=93180 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45608 at 12% per annum for 2 years. | option_a=11045 | option_b=56553 | option_c=10845 | option_d=10945 | answer=D | explanation=SI = PRT/100 = 45608×12×2/100 = █10945.

Aptitude Questions — Records 93,181-93,210 of 100,000

id=93181 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15683 at 5% per annum for 3 years. | option_a=2452 | option_b=2352 | option_c=18035 | option_d=2252 | answer=B | explanation=SI = PRT/100 = 15683×5×3/100 = **■**2352.

id=93182 | topic=Percentages | difficulty=Easy | question=What is 30% of 1235? | option_a=390 | option_b=740 | option_c=370 | option_d=365 | answer=C | explanation=30% of 1235 = (30/100) × 1235 = 370.

id=93183 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 30? | option_a=23 | option_b=30 | option_c=19 | option_d=15 | answer=B | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 30 is the odd one out.

id=93184 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=47 | option_b=46 | option_c=35 | option_d=57 | answer=B | explanation=The common difference is 11. Therefore the next term is 35 + 11 = 46.

id=93185 | topic=Averages | difficulty=Easy | question=Find the average of 79, 15, 56. | option_a=50 | option_b=49 | option_c=52 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 150 ÷ 3 = 50.

id=93186 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:6 and the first is 28, what is the second? | option_a=12 | option_b=26 | option_c=40 | option_d=6 | answer=A | explanation=Scale factor = 28/14 = 2. Therefore second quantity = 6×2 = 12.

id=93187 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=93188 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:16 and the first is 30, what is the second? | option_a=163 | option_b=144 | option_c=190 | option_d=160 | answer=D | explanation=Scale factor = 30/3 = 10. Therefore second quantity = 16×10 = 160.

id=93189 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39747 at 5% per annum for 1 years. | option_a=41734 | option_b=1987 | option_c=2087 | option_d=1887 | answer=B | explanation=SI = PRT/100 = 39747×5×1/100 = **■**1987.

id=93190 | topic=Averages | difficulty=Easy | question=Find the average of 84, 52, 25, 91, 58. | option_a=63 | option_b=64 | option_c=62 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 310 ÷ 5 = 62.

id=93191 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:3 and the first is 117, what is the second? | option_a=24 | option_b=40 | option_c=144 | option_d=27 | answer=D | explanation=Scale factor = 117/13 = 9. Therefore second quantity = 3×9 = 27.

id=93192 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1930. If it is sold at a profit of 25%, what is its selling price? | option_a=2605 | option_b=2412 | option_c=1955 | option_d=2219 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1930 × 125/100 = **■**2412.

id=93193 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2071. If it is sold at a profit of 15%, what is its selling price? | option_a=2588 | option_b=2086 | option_c=2174 | option_d=2381 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2071 × 115/100 = **■**2381.

id=93194 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19341 at 5% per annum for 5 years. | option_a=24176 | option_b=4935 | option_c=4835 | option_d=4735 | answer=C | explanation=SI = PRT/100 = 19341×5×5/100 = **■**4835.

id=93195 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**472. If it is sold at a profit of 40%, what is its selling price? | option_a=512 | option_b=660 | option_c=707 | option_d=613 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 472 × 140/100 = **■**660.

id=93196 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3775. If it is sold at a profit of 30%, what is its selling price? | option_a=5284 | option_b=3805 | option_c=4907 | option_d=4530 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3775 × 130/100 = **■**4907.

id=93197 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4142. If it is sold at a profit of 25%, what is its selling price? | option_a=4763 | option_b=4167 | option_c=5177 | option_d=5591 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4142 × 125/100 = **■**5177.

id=93198 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=93199 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=44 | option_b=32 | option_c=38 | option_d=39 | answer=C | explanation=The common difference is 6. Therefore the next term is 32 + 6 = 38.

id=93200 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19671 at 6% per annum for 1 years. | option_a=1280 | option_b=1080 | option_c=1180 | option_d=20851 | answer=C | explanation=SI = PRT/100 = 19671×6×1/100 = **■**1180.

id=93201 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=40 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=93202 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2742. If it is sold at a profit of 15%, what is its selling price? | option_a=2879 | option_b=3153 | option_c=2757 | option_d=3427 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2742 × 115/100 = **■**3153.

id=93203 | topic=Percentages | difficulty=Easy | question=What is 40% of 982? | option_a=412 | option_b=784 | option_c=382 | option_d=392 | answer=D | explanation=40% of 982 = (40/100) × 982 = 392.

id=93204 | topic=Averages | difficulty=Easy | question=Find the average of 10, 55, 18, 53, 12, 72, 33, 83. | option_a=43 | option_b=44 | option_c=42 | option_d=41 | answer=C | explanation=Average = sum of values ÷ number of values = 336 ÷ 8 = 42.

id=93205 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 15? | option_a=8 | option_b=11 | option_c=5 | option_d=15 | answer=D | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 15 is the odd one out.

id=93206 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=A | option_c=M | option_d=E | answer=A | explanation=Move 4 positions forward from E; the resulting letter is I.

id=93207 | topic=Averages | difficulty=Easy | question=Find the average of 58, 40, 50, 84, 47, 74, 63, 32, 14, 28. | option_a=50 | option_b=51 | option_c=48 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 490 ÷ 10 = 49.

id=93208 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2106. If it is sold at a profit of 5%, what is its selling price? | option_a=2111 | option_b=2421 | option_c=2211 | option_d=2001 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2106 × 105/100 = **■**2211.

id=93209 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4168. If it is sold at a profit of 20%, what is its selling price? | option_a=5417 | option_b=4585 | option_c=5001 | option_d=4188 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4168 × 120/100 = **■**5001.

id=93210 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

Aptitude Questions — Records 93,211-93,240 of 100,000

id=93211 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15860 at 15% per annum for 3 years. | option_a=7237 | option_b=22997 | option_c=7137 | option_d=7037 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{15860 \times 15 \times 3}{100} = \text{■}7137$.

id=93212 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=42 | option_b=28 | option_c=36 | option_d=35 | answer=D | explanation=The common difference is 7. Therefore the next term is $28 + 7 = 35$.

id=93213 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7843 at 5% per annum for 4 years. | option_a=1568 | option_b=1468 | option_c=1668 | option_d=9411 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{7843 \times 5 \times 4}{100} = \text{■}1568$.

id=93214 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 17? | option_a=7 | option_b=3 | option_c=17 | option_d=11 | answer=C | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 17 is the odd one out.

id=93215 | topic=Averages | difficulty=Easy | question=Find the average of 13, 36, 56, 39, 46. | option_a=38 | option_b=40 | option_c=39 | option_d=37 | answer=A | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{190}{5} = 38$.

id=93216 | topic=Percentages | difficulty=Easy | question=What is 25% of 203? | option_a=50 | option_b=55 | option_c=45 | option_d=100 | answer=A | explanation= $25\% \text{ of } 203 = \left(\frac{25}{100}\right) \times 203 = 50$.

id=93217 | topic=Averages | difficulty=Easy | question=Find the average of 50, 70, 43, 42, 45. | option_a=50 | option_b=51 | option_c=49 | option_d=52 | answer=A | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{250}{5} = 50$.

id=93218 | topic=Averages | difficulty=Easy | question=Find the average of 96, 17, 16. | option_a=45 | option_b=42 | option_c=44 | option_d=43 | answer=D | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{129}{3} = 43$.

id=93219 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 28, 36, 47? | option_a=47 | option_b=20 | option_c=36 | option_d=28 | answer=A | explanation=The first three numbers increase by 8, so the next should be 44. Therefore 47 is the odd one out.

id=93220 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=160 | option_c=85 | option_d=80 | answer=D | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{240}{3} = 80 \text{ km/h}$.

id=93221 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 9, 13, 19? | option_a=13 | option_b=5 | option_c=9 | option_d=19 | answer=D | explanation=The first three numbers increase by 4, so the next should be 17. Therefore 19 is the odd one out.

id=93222 | topic=Averages | difficulty=Easy | question=Find the average of 55, 45, 59. | option_a=54 | option_b=52 | option_c=55 | option_d=53 | answer=D | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{159}{3} = 53$.

id=93223 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 22. | option_a=264 | option_b=242 | option_c=528 | option_d=288 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 24 \times 22$; $\text{HCF}(24, 22) = 2$, so $\text{LCM} = 264$.

id=93224 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 23, 30, 37, ? | option_a=45 | option_b=51 | option_c=44 | option_d=37 | answer=C | explanation=The common difference is 7. Therefore the next term is $37 + 7 = 44$.

id=93225 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=38 | option_b=46 | option_c=47 | option_d=54 | answer=B | explanation=The common difference is 8. Therefore the next term is $38 + 8 = 46$.

id=93226 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 12. | option_a=108 | option_b=96 | option_c=135 | option_d=324 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 27 \times 12$; $\text{HCF}(27, 12) = 3$, so $\text{LCM} = 108$.

id=93227 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 39? | option_a=39 | option_b=13 | option_c=21 | option_d=29 | answer=A | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 39 is the odd one out.

id=93228 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=5 | option_c=10 | option_d=20 | answer=C | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{60}{6} = 10 \text{ km/h}$.

id=93229 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=30 | option_d=50 | answer=B | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{150}{6} = 25 \text{ km/h}$.

id=93230 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=59 | option_b=37 | option_c=49 | option_d=48 | answer=D | explanation=The common difference is 11. Therefore the next term is $37 + 11 = 48$.

id=93231 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=Z | option_b=V | option_c=R | option_d=N | answer=B | explanation=Move 4 positions forward from R; the resulting letter is V.

id=93232 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45418 at 4% per annum for 5 years. | option_a=9083 | option_b=8983 | option_c=54501 | option_d=9183 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{45418 \times 4 \times 5}{100} = \text{■}9083$.

id=93233 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:13 and the first is 63, what is the second? | option_a=124 | option_b=180 | option_c=104 | option_d=117 | answer=D | explanation= $\text{Scale factor} = \frac{63}{7} = 9$. Therefore second quantity = $13 \times 9 = 117$.

id=93234 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41969 at 10% per annum for 5 years. | option_a=62953 | option_b=20884 | option_c=21084 | option_d=20984 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{41969 \times 10 \times 5}{100} = \text{■}20984$.

id=93235 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=35 | option_b=30 | option_c=34 | option_d=38 | answer=C | explanation=The common difference is 4. Therefore the next term is $30 + 4 = 34$.

id=93236 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=N | option_b=D | option_c=I | option_d=Y | answer=C | explanation=Move 5 positions forward from D; the resulting letter is I.

id=93237 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 12. | option_a=60 | option_b=48 | option_c=240 | option_d=80 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 20 \times 12$; $\text{HCF}(20, 12) = 4$, so $\text{LCM} = 60$.

id=93238 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16386 at 5% per annum for 2 years. | option_a=1638 | option_b=18024 | option_c=1738 | option_d=1538 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{16386 \times 5 \times 2}{100} = \text{■}1638$.

id=93239 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 21? | option_a=14 | option_b=21 | option_c=18 | option_d=16 | answer=B | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 21 is the odd one out.

id=93240 | topic=Percentages | difficulty=Easy | question=What is 30% of 921? | option_a=276 | option_b=296 | option_c=266 | option_d=552 | answer=A | explanation= $30\% \text{ of } 921 = \left(\frac{30}{100}\right) \times 921 = 276$.

Aptitude Questions — Records 93,241-93,270 of 100,000

id=93241 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48299 at 12% per annum for 3 years. | option_a=17387 | option_b=65686 | option_c=17487 | option_d=17287 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{48299 \times 12 \times 3}{100} = \text{■}17387$.

id=93242 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 28, 32, 39? | option_a=28 | option_b=32 | option_c=39 | option_d=24 | answer=C | explanation=The first three numbers increase by 4, so the next should be 36. Therefore 39 is the odd one out.

id=93243 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=93244 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1550. If it is sold at a profit of 20%, what is its selling price? | option_a=1860 | option_b=1705 | option_c=1570 | option_d=2015 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1550 \times \frac{120}{100} = \text{■}1860$.

id=93245 | topic=Number System | difficulty=Easy | question=Find the LCM of 13 and 13. | option_a=1 | option_b=13 | option_c=26 | option_d=169 | answer=B | explanation= $LCM \times HCF = 13 \times 13$; $HCF(13,13) = 13$, so $LCM = 13$.

id=93246 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 35, 41, 50? | option_a=35 | option_b=29 | option_c=41 | option_d=50 | answer=D | explanation=The first three numbers increase by 6, so the next should be 47. Therefore 50 is the odd one out.

id=93247 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=40 | option_b=39 | option_c=32 | option_d=46 | answer=B | explanation=The common difference is 7. Therefore the next term is $32 + 7 = 39$.

id=93248 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 26, 35, 47? | option_a=35 | option_b=26 | option_c=17 | option_d=47 | answer=D | explanation=The first three numbers increase by 9, so the next should be 44. Therefore 47 is the odd one out.

id=93249 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 35, 41, 49? | option_a=29 | option_b=35 | option_c=41 | option_d=49 | answer=D | explanation=The first three numbers increase by 6, so the next should be 47. Therefore 49 is the odd one out.

id=93250 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 41? | option_a=22 | option_b=30 | option_c=14 | option_d=41 | answer=D | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 41 is the odd one out.

id=93251 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2193. If it is sold at a profit of 40%, what is its selling price? | option_a=2233 | option_b=3289 | option_c=3070 | option_d=2851 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2193 \times \frac{140}{100} = \text{■}3070$.

id=93252 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:3 and the first is 75, what is the second? | option_a=50 | option_b=45 | option_c=120 | option_d=42 | answer=B | explanation=Scale factor = $\frac{75}{5} = 15$. Therefore second quantity = $3 \times 15 = 45$.

id=93253 | topic=Averages | difficulty=Easy | question=Find the average of 66, 100, 20, 39, 15. | option_a=48 | option_b=50 | option_c=47 | option_d=49 | answer=A | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{240}{5} = 48$.

id=93254 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4147. If it is sold at a profit of 25%, what is its selling price? | option_a=5597 | option_b=5183 | option_c=4769 | option_d=4172 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4147 \times \frac{125}{100} = \text{■}5183$.

id=93255 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 30? | option_a=24 | option_b=30 | option_c=22 | option_d=26 | answer=B | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 30 is the odd one out.

id=93256 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=93257 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=25 | option_b=33 | option_c=30 | option_d=29 | answer=D | explanation=The common difference is 4. Therefore the next term is $25 + 4 = 29$.

id=93258 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2777. If it is sold at a profit of 10%, what is its selling price? | option_a=2787 | option_b=3331 | option_c=2777 | option_d=3054 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2777 \times \frac{110}{100} = \text{■}3054$.

id=93259 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=93260 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=80 | option_d=35 | answer=A | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{240}{6} = 40$ km/h.

id=93261 | topic=Percentages | difficulty=Easy | question=What is 12% of 1753? | option_a=220 | option_b=210 | option_c=420 | option_d=200 | answer=B | explanation= $12\% \text{ of } 1753 = (\frac{12}{100}) \times 1753 = 210$.

id=93262 | topic=Averages | difficulty=Easy | question=Find the average of 67, 57, 98, 94, 84. | option_a=82 | option_b=80 | option_c=81 | option_d=79 | answer=B | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{400}{5} = 80$.

id=93263 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:15 and the first is 220, what is the second? | option_a=311 | option_b=520 | option_c=285 | option_d=300 | answer=D | explanation=Scale factor = $\frac{220}{11} = 20$. Therefore second quantity = $15 \times 20 = 300$.

id=93264 | topic=Averages | difficulty=Easy | question=Find the average of 78, 74, 17, 54, 47. | option_a=56 | option_b=55 | option_c=54 | option_d=53 | answer=C | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{270}{5} = 54$.

id=93265 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=62 | option_b=74 | option_c=50 | option_d=63 | answer=A | explanation=The common difference is 12. Therefore the next term is $50 + 12 = 62$.

id=93266 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{180}{3} = 60$ km/h.

id=93267 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41916 at 10% per annum for 5 years. | option_a=62874 | option_b=21058 | option_c=20958 | option_d=20858 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{41916 \times 10 \times 5}{100} = \text{■}20958$.

id=93268 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1585. If it is sold at a profit of 15%, what is its selling price? | option_a=1600 | option_b=1980 | option_c=1664 | option_d=1822 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1585 \times \frac{115}{100} = \text{■}1822$.

id=93269 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 30, 34, 40? | option_a=26 | option_b=40 | option_c=30 | option_d=34 | answer=B | explanation=The first three numbers increase by 4, so the next should be 38. Therefore 40 is the odd one out.

id=93270 | topic=Averages | difficulty=Easy | question=Find the average of 47, 10, 47, 74, 38, 25, 44, 58, 62. | option_a=47 | option_b=44 | option_c=46 | option_d=45 | answer=D | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{405}{9} = 45$.

Aptitude Questions — Records 93,271-93,300 of 100,000

id=93271 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=42 | option_b=35 | option_c=34 | option_d=26 | answer=C | explanation=The common difference is 8. Therefore the next term is 26 + 8 = 34.

id=93272 | topic=Averages | difficulty=Easy | question=Find the average of 91, 97, 58, 77, 48, 13, 99, 57, 90. | option_a=72 | option_b=71 | option_c=70 | option_d=69 | answer=C | explanation=Average = sum of values ÷ number of values = 630 ÷ 9 = 70.

id=93273 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=93274 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 24, 30, 36, ? | option_a=36 | option_b=48 | option_c=43 | option_d=42 | answer=D | explanation=The common difference is 6. Therefore the next term is 36 + 6 = 42.

id=93275 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3251. If it is sold at a profit of 25%, what is its selling price? | option_a=4063 | option_b=4388 | option_c=3276 | option_d=3738 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3251 × 125/100 = █4063.

id=93276 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 19, 29, 40? | option_a=29 | option_b=40 | option_c=9 | option_d=19 | answer=B | explanation=The first three numbers increase by 10, so the next should be 39. Therefore 40 is the odd one out.

id=93277 | topic=Percentages | difficulty=Easy | question=What is 30% of 1579? | option_a=493 | option_b=468 | option_c=473 | option_d=946 | answer=C | explanation=30% of 1579 = (30/100) × 1579 = 473.

id=93278 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=25 | option_c=20 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=93279 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=X | option_c=G | option_d=D | answer=D | explanation=Move 3 positions forward from A; the resulting letter is D.

id=93280 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4929. If it is sold at a profit of 10%, what is its selling price? | option_a=5913 | option_b=4939 | option_c=5421 | option_d=4929 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4929 × 110/100 = █5421.

id=93281 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40236 at 12% per annum for 5 years. | option_a=64377 | option_b=24241 | option_c=24041 | option_d=24141 | answer=D | explanation=SI = PRT/100 = 40236×12×5/100 = █24141.

id=93282 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:5 and the first is 238, what is the second? | option_a=323 | option_b=80 | option_c=99 | option_d=85 | answer=D | explanation=Scale factor = 238/14 = 17. Therefore second quantity = 5×17 = 85.

id=93283 | topic=Profit & Loss | difficulty=Easy | question=An article costs █455. If it is sold at a profit of 20%, what is its selling price? | option_a=546 | option_b=475 | option_c=591 | option_d=501 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 455 × 120/100 = █546.

id=93284 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 34? | option_a=26 | option_b=19 | option_c=12 | option_d=34 | answer=D | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 34 is the odd one out.

id=93285 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=93286 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 33, 42, 54? | option_a=24 | option_b=33 | option_c=54 | option_d=42 | answer=C | explanation=The first three numbers increase by 9, so the next should be 51. Therefore 54 is the odd one out.

id=93287 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4488. If it is sold at a profit of 25%, what is its selling price? | option_a=5610 | option_b=5162 | option_c=4513 | option_d=6058 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4488 × 125/100 = █5610.

id=93288 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:2 and the first is 320, what is the second? | option_a=352 | option_b=52 | option_c=32 | option_d=30 | answer=C | explanation=Scale factor = 320/20 = 16. Therefore second quantity = 2×16 = 32.

id=93289 | topic=Profit & Loss | difficulty=Easy | question=An article costs █966. If it is sold at a profit of 25%, what is its selling price? | option_a=1207 | option_b=1303 | option_c=1111 | option_d=991 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 966 × 125/100 = █1207.

id=93290 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33836 at 8% per annum for 3 years. | option_a=41956 | option_b=8220 | option_c=8020 | option_d=8120 | answer=D | explanation=SI = PRT/100 = 33836×8×3/100 = █8120.

id=93291 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4245. If it is sold at a profit of 40%, what is its selling price? | option_a=5519 | option_b=4285 | option_c=6367 | option_d=5943 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4245 × 140/100 = █5943.

id=93292 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34852 at 6% per annum for 2 years. | option_a=4082 | option_b=4182 | option_c=4282 | option_d=39034 | answer=B | explanation=SI = PRT/100 = 34852×6×2/100 = █4182.

id=93293 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=93294 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=R | option_b=Q | option_c=S | option_d=P | answer=A | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=93295 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=93296 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=D | option_b=A | option_c=X | option_d=G | answer=A | explanation=Move 3 positions forward from A; the resulting letter is D.

id=93297 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:9 and the first is 20, what is the second? | option_a=38 | option_b=9 | option_c=28 | option_d=18 | answer=D | explanation=Scale factor = 20/10 = 2. Therefore second quantity = 9×2 = 18.

id=93298 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 36? | option_a=30 | option_b=26 | option_c=22 | option_d=36 | answer=D | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 36 is the odd one out.

id=93299 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 38? | option_a=29 | option_b=38 | option_c=21 | option_d=13 | answer=B | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 38 is the odd one out.

id=93300 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 93,301-93,330 of 100,000

id=93301 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=93302 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=47 | option_b=54 | option_c=38 | option_d=46 | answer=D | explanation=The common difference is 8. Therefore the next term is 38 + 8 = 46.

id=93303 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1994. If it is sold at a profit of 30%, what is its selling price? | option_a=2393 | option_b=2592 | option_c=2791 | option_d=2024 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1994 × 130/100 = █2592.

id=93304 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=93305 | topic=Averages | difficulty=Easy | question=Find the average of 29, 31, 80, 15, 58, 18, 92, 76, 42. | option_a=51 | option_b=48 | option_c=50 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 441 ÷ 9 = 49.

id=93306 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:15 and the first is 72, what is the second? | option_a=90 | option_b=102 | option_c=162 | option_d=75 | answer=A | explanation=Scale factor = 72/12 = 6. Therefore second quantity = 15×6 = 90.

id=93307 | topic=Percentages | difficulty=Easy | question=What is 10% of 991? | option_a=99 | option_b=79 | option_c=109 | option_d=198 | answer=A | explanation=10% of 991 = (10/100) × 991 = 99.

id=93308 | topic=Percentages | difficulty=Easy | question=What is 12% of 1874? | option_a=448 | option_b=219 | option_c=224 | option_d=229 | answer=C | explanation=12% of 1874 = (12/100) × 1874 = 224.

id=93309 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28897 at 15% per annum for 4 years. | option_a=46235 | option_b=17438 | option_c=17338 | option_d=17238 | answer=C | explanation=SI = PRT/100 = 28897×15×4/100 = █17338.

id=93310 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=93311 | topic=Percentages | difficulty=Easy | question=What is 50% of 1220? | option_a=610 | option_b=620 | option_c=590 | option_d=1220 | answer=A | explanation=50% of 1220 = (50/100) × 1220 = 610.

id=93312 | topic=Averages | difficulty=Easy | question=Find the average of 20, 50, 70, 56, 28, 86, 68. | option_a=56 | option_b=54 | option_c=55 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

id=93313 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=240 | option_c=115 | option_d=125 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=93314 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:2 and the first is 130, what is the second? | option_a=150 | option_b=33 | option_c=20 | option_d=18 | answer=C | explanation=Scale factor = 130/13 = 10. Therefore second quantity = 2×10 = 20.

id=93315 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=16 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=93316 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42507 at 6% per annum for 4 years. | option_a=10201 | option_b=10301 | option_c=10101 | option_d=52708 | answer=A | explanation=SI = PRT/100 = 42507×6×4/100 = █10201.

id=93317 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=F | option_c=H | option_d=B | answer=B | explanation=Move 2 positions forward from D; the resulting letter is F.

id=93318 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 30. | option_a=45 | option_b=1 | option_c=450 | option_d=30 | answer=D | explanation=LCM × HCF = 15×30; HCF(15,30) = 15, so LCM = 30.

id=93319 | topic=Averages | difficulty=Easy | question=Find the average of 16, 21, 35, 24, 65, 22, 57, 85, 71. | option_a=44 | option_b=45 | option_c=46 | option_d=43 | answer=A | explanation=Average = sum of values ÷ number of values = 396 ÷ 9 = 44.

id=93320 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=X | option_c=J | option_d=F | answer=D | explanation=Move 4 positions forward from B; the resulting letter is F.

id=93321 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 27. | option_a=729 | option_b=1 | option_c=54 | option_d=27 | answer=D | explanation=LCM × HCF = 27×27; HCF(27,27) = 27, so LCM = 27.

id=93322 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=93323 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=16 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=93324 | topic=Percentages | difficulty=Easy | question=What is 30% of 858? | option_a=514 | option_b=277 | option_c=257 | option_d=237 | answer=C | explanation=30% of 858 = (30/100) × 858 = 257.

id=93325 | topic=Profit & Loss | difficulty=Easy | question=An article costs █544. If it is sold at a profit of 50%, what is its selling price? | option_a=762 | option_b=594 | option_c=816 | option_d=870 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 544 × 150/100 = █816.

id=93326 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 19, 27, 38? | option_a=27 | option_b=38 | option_c=19 | option_d=11 | answer=B | explanation=The first three numbers increase by 8, so the next should be 35. Therefore 38 is the odd one out.

id=93327 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=F | option_c=J | option_d=D | answer=A | explanation=Move 2 positions forward from F; the resulting letter is H.

id=93328 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=93329 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=20 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=93330 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:6 and the first is 51, what is the second? | option_a=102 | option_b=153 | option_c=96 | option_d=105 | answer=A | explanation=Scale factor = 51/3 = 17. Therefore second quantity = 6×17 = 102.

Aptitude Questions — Records 93,331-93,360 of 100,000

id=93331 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=8 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=93332 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=X | option_c=L | option_d=P | answer=A | explanation=Move 4 positions forward from P; the resulting letter is T.

id=93333 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=39 | option_b=35 | option_c=31 | option_d=36 | answer=B | explanation=The common difference is 4. Therefore the next term is 31 + 4 = 35.

id=93334 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 35, 40, 47? | option_a=35 | option_b=40 | option_c=30 | option_d=47 | answer=D | explanation=The first three numbers increase by 5, so the next should be 45. Therefore 47 is the odd one out.

id=93335 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=93336 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=80 | option_c=75 | option_d=70 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=93337 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1430. If it is sold at a profit of 50%, what is its selling price? | option_a=1480 | option_b=2002 | option_c=2288 | option_d=2145 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1430 × 150/100 = █2145.

id=93338 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46520 at 5% per annum for 3 years. | option_a=7078 | option_b=6978 | option_c=6878 | option_d=53498 | answer=B | explanation=SI = PRT/100 = 46520×5×3/100 = █6978.

id=93339 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4630. If it is sold at a profit of 15%, what is its selling price? | option_a=4861 | option_b=5787 | option_c=4645 | option_d=5324 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4630 × 115/100 = █5324.

id=93340 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2552. If it is sold at a profit of 15%, what is its selling price? | option_a=2567 | option_b=3189 | option_c=2934 | option_d=2679 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2552 × 115/100 = █2934.

id=93341 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=K | option_b=A | option_c=V | option_d=F | answer=D | explanation=Move 5 positions forward from A; the resulting letter is F.

id=93342 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:10 and the first is 39, what is the second? | option_a=169 | option_b=130 | option_c=133 | option_d=120 | answer=B | explanation=Scale factor = 39/3 = 13. Therefore second quantity = 10×13 = 130.

id=93343 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:16 and the first is 216, what is the second? | option_a=210 | option_b=192 | option_c=176 | option_d=408 | answer=B | explanation=Scale factor = 216/18 = 12. Therefore second quantity = 16×12 = 192.

id=93344 | topic=Percentages | difficulty=Easy | question=What is 20% of 702? | option_a=280 | option_b=160 | option_c=135 | option_d=140 | answer=D | explanation=20% of 702 = (20/100) × 702 = 140.

id=93345 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3731. If it is sold at a profit of 10%, what is its selling price? | option_a=4104 | option_b=4477 | option_c=3731 | option_d=3741 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3731 × 110/100 = █4104.

id=93346 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=23 | option_b=24 | option_c=28 | option_d=18 | answer=A | explanation=The common difference is 5. Therefore the next term is 18 + 5 = 23.

id=93347 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=4 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=93348 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2235. If it is sold at a profit of 50%, what is its selling price? | option_a=3575 | option_b=3352 | option_c=2285 | option_d=3129 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2235 × 150/100 = █3352.

id=93349 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=43 | option_b=44 | option_c=53 | option_d=33 | answer=A | explanation=The common difference is 10. Therefore the next term is 33 + 10 = 43.

id=93350 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=93351 | topic=Percentages | difficulty=Easy | question=What is 12% of 94? | option_a=16 | option_b=6 | option_c=22 | option_d=11 | answer=D | explanation=12% of 94 = (12/100) × 94 = 11.

id=93352 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39838 at 10% per annum for 2 years. | option_a=8067 | option_b=7967 | option_c=47805 | option_d=7867 | answer=B | explanation=SI = PRT/100 = 39838×10×2/100 = █7967.

id=93353 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38343 at 8% per annum for 3 years. | option_a=9202 | option_b=47545 | option_c=9302 | option_d=9102 | answer=A | explanation=SI = PRT/100 = 38343×8×3/100 = █9202.

id=93354 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:13 and the first is 176, what is the second? | option_a=143 | option_b=159 | option_c=130 | option_d=319 | answer=A | explanation=Scale factor = 176/16 = 11. Therefore second quantity = 13×11 = 143.

id=93355 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:2 and the first is 180, what is the second? | option_a=46 | option_b=36 | option_c=34 | option_d=216 | answer=B | explanation=Scale factor = 180/10 = 18. Therefore second quantity = 2×18 = 36.

id=93356 | topic=Profit & Loss | difficulty=Easy | question=An article costs █563. If it is sold at a profit of 20%, what is its selling price? | option_a=675 | option_b=619 | option_c=731 | option_d=583 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 563 × 120/100 = █675.

id=93357 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=24 | option_b=26 | option_c=25 | option_d=22 | answer=A | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.

id=93358 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=144 | option_c=72 | option_d=67 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=93359 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=4 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=93360 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=69 | option_b=58 | option_c=57 | option_d=45 | answer=C | explanation=The common difference is 12. Therefore the next term is 45 + 12 = 57.

Aptitude Questions — Records 93,361-93,390 of 100,000

id=93361 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 15, 18, 23? | option_a=23 | option_b=12 | option_c=15 | option_d=18 | answer=A | explanation=The first three numbers increase by 3, so the next should be 21. Therefore 23 is the odd one out.

id=93362 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:12 and the first is 8, what is the second? | option_a=50 | option_b=48 | option_c=56 | option_d=36 | answer=B | explanation=Scale factor = $\frac{8}{2} = 4$. Therefore second quantity = $12 \times 4 = 48$.

id=93363 | topic=Percentages | difficulty=Easy | question=What is 40% of 1168? | option_a=934 | option_b=472 | option_c=467 | option_d=457 | answer=C | explanation= $40\% \text{ of } 1168 = (\frac{40}{100}) \times 1168 = 467$.

id=93364 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4697. If it is sold at a profit of 20%, what is its selling price? | option_a=6105 | option_b=5167 | option_c=4717 | option_d=5636 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4697 \times 120/100 = \text{█}5636$.

id=93365 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3128. If it is sold at a profit of 10%, what is its selling price? | option_a=3752 | option_b=3440 | option_c=3128 | option_d=3138 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3128 \times 110/100 = \text{█}3440$.

id=93366 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:1 and the first is 136, what is the second? | option_a=17 | option_b=153 | option_c=25 | option_d=16 | answer=A | explanation=Scale factor = $136/8 = 17$. Therefore second quantity = $1 \times 17 = 17$.

id=93367 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26457 at 6% per annum for 2 years. | option_a=29631 | option_b=3074 | option_c=3274 | option_d=3174 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{26457 \times 6 \times 2}{100} = \text{█}3174$.

id=93368 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = $180 \div 4 = 45$ km/h.

id=93369 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=G | option_c=H | option_d=I | answer=D | explanation=Move 1 positions forward from H; the resulting letter is I.

id=93370 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=35 | option_b=34 | option_c=30 | option_d=38 | answer=B | explanation=The common difference is 4. Therefore the next term is $30 + 4 = 34$.

id=93371 | topic=Averages | difficulty=Easy | question=Find the average of 27, 83, 53, 85, 28, 99, 88, 49. | option_a=66 | option_b=64 | option_c=63 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = $512 \div 8 = 64$.

id=93372 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=24 | option_d=29 | answer=C | explanation=Speed = distance ÷ time = $240 \div 10 = 24$ km/h.

id=93373 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=180 | option_c=85 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = $180 \div 2 = 90$ km/h.

id=93374 | topic=Percentages | difficulty=Easy | question=What is 25% of 1623? | option_a=410 | option_b=385 | option_c=810 | option_d=405 | answer=D | explanation= $25\% \text{ of } 1623 = (\frac{25}{100}) \times 1623 = 405$.

id=93375 | topic=Averages | difficulty=Easy | question=Find the average of 75, 95, 97, 24, 40, 83. | option_a=70 | option_b=68 | option_c=69 | option_d=71 | answer=C | explanation=Average = sum of values ÷ number of values = $414 \div 6 = 69$.

id=93376 | topic=Averages | difficulty=Easy | question=Find the average of 54, 21, 51, 11, 55, 69, 33, 18, 16, 42. | option_a=36 | option_b=39 | option_c=37 | option_d=38 | answer=C | explanation=Average = sum of values ÷ number of values = $370 \div 10 = 37$.

id=93377 | topic=Percentages | difficulty=Easy | question=What is 30% of 347? | option_a=84 | option_b=208 | option_c=114 | option_d=104 | answer=D | explanation= $30\% \text{ of } 347 = (\frac{30}{100}) \times 347 = 104$.

id=93378 | topic=Averages | difficulty=Easy | question=Find the average of 34, 19, 16. | option_a=24 | option_b=22 | option_c=25 | option_d=23 | answer=D | explanation=Average = sum of values ÷ number of values = $69 \div 3 = 23$.

id=93379 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38037 at 8% per annum for 5 years. | option_a=53251 | option_b=15114 | option_c=15314 | option_d=15214 | answer=D | explanation= $SI = \frac{PRT}{100} = \frac{38037 \times 8 \times 5}{100} = \text{█}15214$.

id=93380 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 8, 11, 14, ? | option_a=14 | option_b=17 | option_c=20 | option_d=18 | answer=B | explanation=The common difference is 3. Therefore the next term is $14 + 3 = 17$.

id=93381 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 25, 27, 32? | option_a=25 | option_b=27 | option_c=23 | option_d=32 | answer=D | explanation=The first three numbers increase by 2, so the next should be 29. Therefore 32 is the odd one out.

id=93382 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:4 and the first is 130, what is the second? | option_a=40 | option_b=36 | option_c=53 | option_d=170 | answer=A | explanation=Scale factor = $130/13 = 10$. Therefore second quantity = $4 \times 10 = 40$.

id=93383 | topic=Percentages | difficulty=Easy | question=What is 10% of 1548? | option_a=164 | option_b=308 | option_c=134 | option_d=154 | answer=D | explanation= $10\% \text{ of } 1548 = (\frac{10}{100}) \times 1548 = 154$.

id=93384 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

id=93385 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=W | option_b=E | option_c=I | option_d=A | answer=B | explanation=Move 4 positions forward from A; the resulting letter is E.

id=93386 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37531 at 4% per annum for 1 years. | option_a=1401 | option_b=39032 | option_c=1501 | option_d=1601 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{37531 \times 4 \times 1}{100} = \text{█}1501$.

id=93387 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=48 | option_c=96 | option_d=53 | answer=B | explanation=Speed = distance ÷ time = $240 \div 5 = 48$ km/h.

id=93388 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22848 at 10% per annum for 1 years. | option_a=2284 | option_b=2384 | option_c=2184 | option_d=25132 | answer=A | explanation= $SI = \frac{PRT}{100} = \frac{22848 \times 10 \times 1}{100} = \text{█}2284$.

id=93389 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1285. If it is sold at a profit of 20%, what is its selling price? | option_a=1414 | option_b=1542 | option_c=1305 | option_d=1670 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1285 \times 120/100 = \text{█}1542$.

id=93390 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47332 at 6% per annum for 1 years. | option_a=2739 | option_b=2839 | option_c=2939 | option_d=50171 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{47332 \times 6 \times 1}{100} = \text{█}2839$.

Aptitude Questions — Records 93,391-93,420 of 100,000

id=93391 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 24, 36, 48, ? | option_a=61 | option_b=48 | option_c=60 | option_d=72 | answer=C | explanation=The common difference is 12. Therefore the next term is $48 + 12 = 60$.

id=93392 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 33, 39, 46? | option_a=39 | option_b=46 | option_c=27 | option_d=33 | answer=B | explanation=The first three numbers increase by 6, so the next should be 45. Therefore 46 is the odd one out.

id=93393 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=93394 | topic=Averages | difficulty=Easy | question=Find the average of 23, 25, 75, 36, 44, 45, 21, 68, 77. | option_a=47 | option_b=45 | option_c=48 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{414}{9} = 46$.

id=93395 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=24 | option_b=22 | option_c=25 | option_d=26 | answer=A | explanation=The common difference is 2. Therefore the next term is $22 + 2 = 24$.

id=93396 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = $\frac{120}{4} = 30$ km/h.

id=93397 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 18, 22, 27? | option_a=14 | option_b=22 | option_c=27 | option_d=18 | answer=C | explanation=The first three numbers increase by 4, so the next should be 26. Therefore 27 is the odd one out.

id=93398 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1624. If it is sold at a profit of 50%, what is its selling price? | option_a=2598 | option_b=2274 | option_c=1674 | option_d=2436 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = \frac{1624 \times 150}{100} = \text{█}2436$.

id=93399 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

id=93400 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6120 at 5% per annum for 4 years. | option_a=1324 | option_b=7344 | option_c=1224 | option_d=1124 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{6120 \times 5 \times 4}{100} = \text{█}1224$.

id=93401 | topic=Averages | difficulty=Easy | question=Find the average of 47, 93, 78, 92, 29, 75, 62. | option_a=70 | option_b=67 | option_c=69 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{476}{7} = 68$.

id=93402 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=93403 | topic=Averages | difficulty=Easy | question=Find the average of 58, 22, 61, 80, 54, 77, 56, 79, 17, 76. | option_a=59 | option_b=58 | option_c=57 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{580}{10} = 58$.

id=93404 | topic=Percentages | difficulty=Easy | question=What is 40% of 1566? | option_a=626 | option_b=1252 | option_c=646 | option_d=606 | answer=A | explanation=40% of 1566 = $(\frac{40}{100}) \times 1566 = 626$.

id=93405 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=5 | answer=B | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

id=93406 | topic=Percentages | difficulty=Easy | question=What is 5% of 543? | option_a=54 | option_b=32 | option_c=22 | option_d=27 | answer=D | explanation=5% of 543 = $(\frac{5}{100}) \times 543 = 27$.

id=93407 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3772. If it is sold at a profit of 25%, what is its selling price? | option_a=4338 | option_b=5092 | option_c=4715 | option_d=3797 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = \frac{3772 \times 125}{100} = \text{█}4715$.

id=93408 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=X | option_b=N | option_c=S | option_d=C | answer=A | explanation=Move 5 positions forward from S; the resulting letter is X.

id=93409 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 17? | option_a=17 | option_b=12 | option_c=10 | option_d=8 | answer=A | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 17 is the odd one out.

id=93410 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:3 and the first is 21, what is the second? | option_a=21 | option_b=24 | option_c=18 | option_d=42 | answer=A | explanation=Scale factor = $\frac{21}{3} = 7$. Therefore second quantity = $3 \times 7 = 21$.

id=93411 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 9, 14, 20? | option_a=14 | option_b=4 | option_c=9 | option_d=20 | answer=D | explanation=The first three numbers increase by 5, so the next should be 19. Therefore 20 is the odd one out.

id=93412 | topic=Percentages | difficulty=Easy | question=What is 20% of 649? | option_a=134 | option_b=109 | option_c=129 | option_d=258 | answer=C | explanation=20% of 649 = $(\frac{20}{100}) \times 649 = 129$.

id=93413 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:7 and the first is 27, what is the second? | option_a=66 | option_b=56 | option_c=63 | option_d=90 | answer=C | explanation=Scale factor = $\frac{27}{3} = 9$. Therefore second quantity = $7 \times 9 = 63$.

id=93414 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=I | option_b=S | option_c=N | option_d=X | answer=B | explanation=Move 5 positions forward from N; the resulting letter is S.

id=93415 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32846 at 4% per annum for 3 years. | option_a=36787 | option_b=4041 | option_c=3941 | option_d=3841 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{32846 \times 4 \times 3}{100} = \text{█}3941$.

id=93416 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9552 at 5% per annum for 2 years. | option_a=855 | option_b=10507 | option_c=1055 | option_d=955 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{9552 \times 5 \times 2}{100} = \text{█}955$.

id=93417 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3224 at 5% per annum for 2 years. | option_a=422 | option_b=222 | option_c=322 | option_d=3546 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{3224 \times 5 \times 2}{100} = \text{█}322$.

id=93418 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=155 | option_c=150 | option_d=300 | answer=C | explanation=Speed = distance ÷ time = $\frac{300}{2} = 150$ km/h.

id=93419 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=93420 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30874 at 15% per annum for 1 years. | option_a=4631 | option_b=4531 | option_c=35505 | option_d=4731 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{30874 \times 15 \times 1}{100} = \text{█}4631$.

Aptitude Questions — Records 93,421-93,450 of 100,000

id=93421 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=26 | option_b=22 | option_c=25 | option_d=28 | answer=C | explanation=The common difference is 3. Therefore the next term is 22 + 3 = 25.

id=93422 | topic=Percentages | difficulty=Easy | question=What is 12% of 1810? | option_a=217 | option_b=212 | option_c=434 | option_d=227 | answer=A | explanation=12% of 1810 = $(12/100) \times 1810 = 217$.

id=93423 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Q | option_b=Y | option_c=C | option_d=U | answer=B | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=93424 | topic=Percentages | difficulty=Easy | question=What is 10% of 955? | option_a=95 | option_b=90 | option_c=190 | option_d=105 | answer=A | explanation=10% of 955 = $(10/100) \times 955 = 95$.

id=93425 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**39502 at 15% per annum for 1 years. | option_a=5825 | option_b=45427 | option_c=6025 | option_d=5925 | answer=D | explanation=SI = $PRT/100 = 39502 \times 15 \times 1/100 = \text{₹}5925$.

id=93426 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**215. If it is sold at a profit of 15%, what is its selling price? | option_a=226 | option_b=268 | option_c=230 | option_d=247 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 215 \times 115/100 = \text{₹}247$.

id=93427 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = $360 \div 6 = 60$ km/h.

id=93428 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 25, 31, 38? | option_a=25 | option_b=38 | option_c=31 | option_d=19 | answer=B | explanation=The first three numbers increase by 6, so the next should be 37. Therefore 38 is the odd one out.

id=93429 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=47 | option_b=58 | option_c=67 | option_d=57 | answer=D | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

id=93430 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 14, 17, 22? | option_a=17 | option_b=11 | option_c=14 | option_d=22 | answer=D | explanation=The first three numbers increase by 3, so the next should be 20. Therefore 22 is the odd one out.

id=93431 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**13239 at 8% per annum for 4 years. | option_a=4136 | option_b=4236 | option_c=4336 | option_d=17475 | answer=B | explanation=SI = $PRT/100 = 13239 \times 8 \times 4/100 = \text{₹}4236$.

id=93432 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**14688 at 12% per annum for 5 years. | option_a=8812 | option_b=8712 | option_c=8912 | option_d=23500 | answer=A | explanation=SI = $PRT/100 = 14688 \times 12 \times 5/100 = \text{₹}8812$.

id=93433 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:13 and the first is 224, what is the second? | option_a=195 | option_b=432 | option_c=222 | option_d=208 | answer=D | explanation=Scale factor = $224/14 = 16$. Therefore second quantity = $13 \times 16 = 208$.

id=93434 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=Z | option_b=P | option_c=U | option_d=K | answer=C | explanation=Move 5 positions forward from P; the resulting letter is U.

id=93435 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:10 and the first is 112, what is the second? | option_a=86 | option_b=70 | option_c=60 | option_d=182 | answer=B | explanation=Scale factor = $112/16 = 7$. Therefore second quantity = $10 \times 7 = 70$.

id=93436 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:2 and the first is 220, what is the second? | option_a=38 | option_b=40 | option_c=51 | option_d=260 | answer=B | explanation=Scale factor = $220/11 = 20$. Therefore second quantity = $2 \times 20 = 40$.

id=93437 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 6. | option_a=60 | option_b=80 | option_c=120 | option_d=54 | answer=A | explanation= $LCM \times HCF = 20 \times 6$; $HCF(20,6) = 2$, so $LCM = 60$.

id=93438 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2708. If it is sold at a profit of 5%, what is its selling price? | option_a=2573 | option_b=2713 | option_c=2843 | option_d=3113 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2708 \times 105/100 = \text{₹}2843$.

id=93439 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 13, 16, 21? | option_a=13 | option_b=16 | option_c=21 | option_d=10 | answer=C | explanation=The first three numbers increase by 3, so the next should be 19. Therefore 21 is the odd one out.

id=93440 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 30. | option_a=120 | option_b=175 | option_c=150 | option_d=750 | answer=C | explanation= $LCM \times HCF = 25 \times 30$; $HCF(25,30) = 5$, so $LCM = 150$.

id=93441 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=Y | option_b=S | option_c=U | option_d=W | answer=D | explanation=Move 2 positions forward from U; the resulting letter is W.

id=93442 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 7, 12, 20? | option_a=2 | option_b=20 | option_c=12 | option_d=7 | answer=B | explanation=The first three numbers increase by 5, so the next should be 17. Therefore 20 is the odd one out.

id=93443 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:13 and the first is 126, what is the second? | option_a=234 | option_b=241 | option_c=221 | option_d=360 | answer=A | explanation=Scale factor = $126/7 = 18$. Therefore second quantity = $13 \times 18 = 234$.

id=93444 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=93445 | topic=Averages | difficulty=Easy | question=Find the average of 62, 39, 19. | option_a=40 | option_b=41 | option_c=42 | option_d=39 | answer=A | explanation=Average = sum of values ÷ number of values = $120 \div 3 = 40$.

id=93446 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=49 | option_b=55 | option_c=41 | option_d=48 | answer=D | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.

id=93447 | topic=Averages | difficulty=Easy | question=Find the average of 93, 71, 14, 49, 98, 97, 82. | option_a=73 | option_b=74 | option_c=71 | option_d=72 | answer=D | explanation=Average = sum of values ÷ number of values = $504 \div 7 = 72$.

id=93448 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=52 | option_b=40 | option_c=62 | option_d=51 | answer=D | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=93449 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 10, 13, 19? | option_a=19 | option_b=7 | option_c=10 | option_d=13 | answer=A | explanation=The first three numbers increase by 3, so the next should be 16. Therefore 19 is the odd one out.

id=93450 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:5 and the first is 42, what is the second? | option_a=73 | option_b=70 | option_c=112 | option_d=65 | answer=B | explanation=Scale factor = $42/3 = 14$. Therefore second quantity = $5 \times 14 = 70$.

Aptitude Questions — Records 93,451-93,480 of 100,000

id=93451 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=R | option_b=T | option_c=U | option_d=S | answer=B | explanation=Move 1 positions forward from S; the resulting letter is T.

id=93452 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=93453 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=40 | option_c=35 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=93454 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:6 and the first is 110, what is the second? | option_a=60 | option_b=170 | option_c=54 | option_d=71 | answer=A | explanation=Scale factor = 110/11 = 10. Therefore second quantity = 6×10 = 60.

id=93455 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7551 at 6% per annum for 3 years. | option_a=1359 | option_b=1259 | option_c=1459 | option_d=8910 | answer=A | explanation=SI = PRT/100 = 7551×6×3/100 = **■**1359.

id=93456 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10350 at 15% per annum for 1 years. | option_a=1552 | option_b=1652 | option_c=1452 | option_d=11902 | answer=A | explanation=SI = PRT/100 = 10350×15×1/100 = **■**1552.

id=93457 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=20 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=93458 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=93459 | topic=Percentages | difficulty=Easy | question=What is 30% of 161? | option_a=48 | option_b=58 | option_c=43 | option_d=96 | answer=A | explanation=30% of 161 = (30/100) × 161 = 48.

id=93460 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:5 and the first is 171, what is the second? | option_a=266 | option_b=90 | option_c=104 | option_d=95 | answer=D | explanation=Scale factor = 171/9 = 19. Therefore second quantity = 5×19 = 95.

id=93461 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 21, 28, 38? | option_a=21 | option_b=38 | option_c=28 | option_d=14 | answer=B | explanation=The first three numbers increase by 7, so the next should be 35. Therefore 38 is the odd one out.

id=93462 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=93463 | topic=Averages | difficulty=Easy | question=Find the average of 11, 86, 19, 12. | option_a=34 | option_b=32 | option_c=33 | option_d=31 | answer=B | explanation=Average = sum of values ÷ number of values = 128 ÷ 4 = 32.

id=93464 | topic=Percentages | difficulty=Easy | question=What is 5% of 1664? | option_a=83 | option_b=166 | option_c=73 | option_d=103 | answer=A | explanation=5% of 1664 = (5/100) × 1664 = 83.

id=93465 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=T | option_b=R | option_c=U | option_d=S | answer=A | explanation=Move 1 positions forward from S; the resulting letter is T.

id=93466 | topic=Averages | difficulty=Easy | question=Find the average of 31, 64, 21, 100. | option_a=56 | option_b=54 | option_c=53 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 216 ÷ 4 = 54.

id=93467 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=180 | option_c=90 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=93468 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:10 and the first is 50, what is the second? | option_a=40 | option_b=60 | option_c=50 | option_d=100 | answer=C | explanation=Scale factor = 50/10 = 5. Therefore second quantity = 10×5 = 50.

id=93469 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=39 | option_b=34 | option_c=27 | option_d=33 | answer=D | explanation=The common difference is 6. Therefore the next term is 27 + 6 = 33.

id=93470 | topic=Percentages | difficulty=Easy | question=What is 5% of 1874? | option_a=93 | option_b=83 | option_c=186 | option_d=98 | answer=A | explanation=5% of 1874 = (5/100) × 1874 = 93.

id=93471 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42348 at 4% per annum for 1 years. | option_a=1593 | option_b=1693 | option_c=1793 | option_d=44041 | answer=B | explanation=SI = PRT/100 = 42348×4×1/100 = **■**1693.

id=93472 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=93473 | topic=Averages | difficulty=Easy | question=Find the average of 89, 82, 38, 51. | option_a=67 | option_b=65 | option_c=64 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 260 ÷ 4 = 65.

id=93474 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=93475 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 45? | option_a=45 | option_b=32 | option_c=26 | option_d=38 | answer=A | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 45 is the odd one out.

id=93476 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 12, 15, 18, ? | option_a=18 | option_b=24 | option_c=21 | option_d=22 | answer=C | explanation=The common difference is 3. Therefore the next term is 18 + 3 = 21.

id=93477 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=64 | option_b=40 | option_c=52 | option_d=53 | answer=C | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.

id=93478 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=25 | option_c=15 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=93479 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=93480 | topic=Percentages | difficulty=Easy | question=What is 10% of 1615? | option_a=166 | option_b=141 | option_c=322 | option_d=161 | answer=D | explanation=10% of 1615 = (10/100) × 1615 = 161.

Aptitude Questions — Records 93,481-93,510 of 100,000

id=93481 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 12, 16, 22? | option_a=12 | option_b=22 | option_c=16 | option_d=8 | answer=B | explanation=The first three numbers increase by 4, so the next should be 20. Therefore 22 is the odd one out.

id=93482 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 39, 48, 60? | option_a=60 | option_b=30 | option_c=48 | option_d=39 | answer=A | explanation=The first three numbers increase by 9, so the next should be 57. Therefore 60 is the odd one out.

id=93483 | topic=Percentages | difficulty=Easy | question=What is 10% of 1920? | option_a=182 | option_b=384 | option_c=202 | option_d=192 | answer=D | explanation=10% of 1920 = (10/100) × 1920 = 192.

id=93484 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=93485 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:12 and the first is 80, what is the second? | option_a=48 | option_b=76 | option_c=60 | option_d=140 | answer=C | explanation=Scale factor = 80/16 = 5. Therefore second quantity = 12×5 = 60.

id=93486 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:3 and the first is 36, what is the second? | option_a=9 | option_b=48 | option_c=21 | option_d=12 | answer=D | explanation=Scale factor = 36/9 = 4. Therefore second quantity = 3×4 = 12.

id=93487 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=93488 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=93489 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=24 | option_d=29 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=93490 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=93491 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:8 and the first is 105, what is the second? | option_a=56 | option_b=161 | option_c=48 | option_d=71 | answer=A | explanation=Scale factor = 105/15 = 7. Therefore second quantity = 8×7 = 56.

id=93492 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=93493 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=93494 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=X | option_b=T | option_c=P | option_d=L | answer=B | explanation=Move 4 positions forward from P; the resulting letter is T.

id=93495 | topic=Percentages | difficulty=Easy | question=What is 50% of 817? | option_a=428 | option_b=816 | option_c=398 | option_d=408 | answer=D | explanation=50% of 817 = (50/100) × 817 = 408.

id=93496 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 30? | option_a=20 | option_b=12 | option_c=30 | option_d=4 | answer=C | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 30 is the odd one out.

id=93497 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 13, 17, 21, ? | option_a=29 | option_b=21 | option_c=26 | option_d=25 | answer=D | explanation=The common difference is 4. Therefore the next term is 21 + 4 = 25.

id=93498 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:3 and the first is 75, what is the second? | option_a=45 | option_b=120 | option_c=50 | option_d=42 | answer=A | explanation=Scale factor = 75/5 = 15. Therefore second quantity = 3×15 = 45.

id=93499 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=13 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=93500 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=T | option_c=V | option_d=W | answer=C | explanation=Move 1 positions forward from U; the resulting letter is V.

id=93501 | topic=Averages | difficulty=Easy | question=Find the average of 25, 21, 43, 70, 65, 76. | option_a=51 | option_b=50 | option_c=49 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 300 ÷ 6 = 50.

id=93502 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17871 at 12% per annum for 3 years. | option_a=6333 | option_b=6533 | option_c=24304 | option_d=6433 | answer=D | explanation=SI = PRT/100 = 17871×12×3/100 = **■**6433.

id=93503 | topic=Percentages | difficulty=Easy | question=What is 30% of 937? | option_a=562 | option_b=281 | option_c=301 | option_d=276 | answer=B | explanation=30% of 937 = (30/100) × 937 = 281.

id=93504 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:9 and the first is 320, what is the second? | option_a=164 | option_b=464 | option_c=144 | option_d=135 | answer=C | explanation=Scale factor = 320/20 = 16. Therefore second quantity = 9×16 = 144.

id=93505 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=47 | option_b=59 | option_c=71 | option_d=60 | answer=B | explanation=The common difference is 12. Therefore the next term is 47 + 12 = 59.

id=93506 | topic=Averages | difficulty=Easy | question=Find the average of 75, 46, 29, 68, 27. | option_a=49 | option_b=48 | option_c=50 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 245 ÷ 5 = 49.

id=93507 | topic=Averages | difficulty=Easy | question=Find the average of 88, 56, 23, 14, 99. | option_a=55 | option_b=56 | option_c=57 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 280 ÷ 5 = 56.

id=93508 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=27 | option_b=32 | option_c=37 | option_d=33 | answer=B | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

id=93509 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:18 and the first is 30, what is the second? | option_a=272 | option_b=252 | option_c=300 | option_d=270 | answer=D | explanation=Scale factor = 30/2 = 15. Therefore second quantity = 18×15 = 270.

id=93510 | topic=Percentages | difficulty=Easy | question=What is 5% of 1944? | option_a=92 | option_b=107 | option_c=194 | option_d=97 | answer=D | explanation=5% of 1944 = (5/100) × 1944 = 97.

Aptitude Questions — Records 93,511-93,540 of 100,000

- id=93511 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11727 at 4% per annum for 3 years. | option_a=1407 | option_b=1307 | option_c=13134 | option_d=1507 | answer=A | explanation=SI = PRT/100 = 11727×4×3/100 = **■**1407.
- id=93512 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 40? | option_a=40 | option_b=15 | option_c=31 | option_d=23 | answer=A | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 40 is the odd one out.
- id=93513 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:20 and the first is 192, what is the second? | option_a=300 | option_b=512 | option_c=320 | option_d=332 | answer=C | explanation=Scale factor = 192/12 = 16. Therefore second quantity = 20×16 = 320.
- id=93514 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.
- id=93515 | topic=Averages | difficulty=Easy | question=Find the average of 19, 55, 30, 30, 48, 53, 84, 81. | option_a=52 | option_b=51 | option_c=50 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 400 ÷ 8 = 50.
- id=93516 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=X | option_b=U | option_c=R | option_d=A | answer=A | explanation=Move 3 positions forward from U; the resulting letter is X.
- id=93517 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=93518 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=Q | option_b=O | option_c=M | option_d=S | answer=A | explanation=Move 2 positions forward from O; the resulting letter is Q.
- id=93519 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 41? | option_a=41 | option_b=33 | option_c=30 | option_d=36 | answer=A | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 41 is the odd one out.
- id=93520 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=56 | option_b=65 | option_c=55 | option_d=45 | answer=C | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.
- id=93521 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=Z | option_c=B | option_d=F | answer=A | explanation=Move 2 positions forward from B; the resulting letter is D.
- id=93522 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=45 | option_b=36 | option_c=52 | option_d=44 | answer=D | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.
- id=93523 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:5 and the first is 32, what is the second? | option_a=75 | option_b=82 | option_c=80 | option_d=112 | answer=C | explanation=Scale factor = 32/2 = 16. Therefore second quantity = 5×16 = 80.
- id=93524 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=49 | option_b=43 | option_c=44 | option_d=37 | answer=B | explanation=The common difference is 6. Therefore the next term is 37 + 6 = 43.
- id=93525 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Y | option_b=Q | option_c=U | option_d=M | answer=C | explanation=Move 4 positions forward from Q; the resulting letter is U.
- id=93526 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=105 | option_c=95 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.
- id=93527 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=38 | option_b=44 | option_c=32 | option_d=39 | answer=A | explanation=The common difference is 6. Therefore the next term is 32 + 6 = 38.
- id=93528 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3752. If it is sold at a profit of 20%, what is its selling price? | option_a=4502 | option_b=4127 | option_c=3772 | option_d=4877 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3752 × 120/100 = **■**4502.
- id=93529 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=360 | option_b=175 | option_c=180 | option_d=185 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.
- id=93530 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 25, 33, 41, ? | option_a=41 | option_b=50 | option_c=49 | option_d=57 | answer=C | explanation=The common difference is 8. Therefore the next term is 41 + 8 = 49.
- id=93531 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=20 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=93532 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3119 at 6% per annum for 2 years. | option_a=274 | option_b=374 | option_c=3493 | option_d=474 | answer=B | explanation=SI = PRT/100 = 3119×6×2/100 = **■**374.
- id=93533 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:4 and the first is 108, what is the second? | option_a=72 | option_b=68 | option_c=180 | option_d=78 | answer=A | explanation=Scale factor = 108/6 = 18. Therefore second quantity = 4×18 = 72.
- id=93534 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:18 and the first is 16, what is the second? | option_a=126 | option_b=146 | option_c=144 | option_d=160 | answer=C | explanation=Scale factor = 16/2 = 8. Therefore second quantity = 18×8 = 144.
- id=93535 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=47 | option_b=37 | option_c=55 | option_d=46 | answer=D | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.
- id=93536 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=J | option_c=I | option_d=G | answer=C | explanation=Move 1 positions forward from H; the resulting letter is I.
- id=93537 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49665 at 4% per annum for 4 years. | option_a=8046 | option_b=7846 | option_c=7946 | option_d=57611 | answer=C | explanation=SI = PRT/100 = 49665×4×4/100 = **■**7946.
- id=93538 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=75 | option_c=70 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.
- id=93539 | topic=Percentages | difficulty=Easy | question=What is 10% of 868? | option_a=96 | option_b=81 | option_c=86 | option_d=172 | answer=C | explanation=10% of 868 = (10/100) × 868 = 86.
- id=93540 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 3. | option_a=21 | option_b=24 | option_c=48 | option_d=72 | answer=B | explanation=LCM × HCF = 24×3; HCF(24,3) = 3, so LCM = 24.

Aptitude Questions — Records 93,541-93,570 of 100,000

id=93541 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 38, 48, 59? | option_a=28 | option_b=38 | option_c=48 | option_d=59 | answer=D | explanation=The first three numbers increase by 10, so the next should be 58. Therefore 59 is the odd one out.

id=93542 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3747. If it is sold at a profit of 25%, what is its selling price? | option_a=3772 | option_b=4683 | option_c=5057 | option_d=4309 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3747 × 125/100 = █4683.

id=93543 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=L | option_b=M | option_c=O | option_d=N | answer=D | explanation=Move 1 positions forward from M; the resulting letter is N.

id=93544 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:2 and the first is 8, what is the second? | option_a=12 | option_b=2 | option_c=8 | option_d=4 | answer=D | explanation=Scale factor = 8/4 = 2. Therefore second quantity = 2×2 = 4.

id=93545 | topic=Percentages | difficulty=Easy | question=What is 5% of 1011? | option_a=45 | option_b=55 | option_c=50 | option_d=100 | answer=C | explanation=5% of 1011 = (5/100) × 1011 = 50.

id=93546 | topic=Averages | difficulty=Easy | question=Find the average of 89, 24, 19, 100. | option_a=59 | option_b=57 | option_c=58 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 232 ÷ 4 = 58.

id=93547 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4925. If it is sold at a profit of 15%, what is its selling price? | option_a=6155 | option_b=5663 | option_c=5171 | option_d=4940 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4925 × 115/100 = █5663.

id=93548 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=31 | option_b=30 | option_c=23 | option_d=37 | answer=B | explanation=The common difference is 7. Therefore the next term is 23 + 7 = 30.

id=93549 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26152 at 15% per annum for 4 years. | option_a=41843 | option_b=15791 | option_c=15691 | option_d=15591 | answer=C | explanation=SI = PRT/100 = 26152×15×4/100 = █15691.

id=93550 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 12. | option_a=36 | option_b=216 | option_c=24 | option_d=54 | answer=A | explanation=LCM × HCF = 18×12; HCF(18,12) = 6, so LCM = 36.

id=93551 | topic=Percentages | difficulty=Easy | question=What is 25% of 267? | option_a=66 | option_b=132 | option_c=61 | option_d=76 | answer=A | explanation=25% of 267 = (25/100) × 267 = 66.

id=93552 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=93553 | topic=Averages | difficulty=Easy | question=Find the average of 30, 86, 34, 71, 94. | option_a=63 | option_b=65 | option_c=62 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = 315 ÷ 5 = 63.

id=93554 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=H | option_b=K | option_c=E | option_d=B | answer=A | explanation=Move 3 positions forward from E; the resulting letter is H.

id=93555 | topic=Averages | difficulty=Easy | question=Find the average of 54, 65, 31. | option_a=49 | option_b=51 | option_c=52 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 150 ÷ 3 = 50.

id=93556 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=V | option_b=P | option_c=S | option_d=Y | answer=A | explanation=Move 3 positions forward from S; the resulting letter is V.

id=93557 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=T | option_c=X | option_d=L | answer=B | explanation=Move 4 positions forward from P; the resulting letter is T.

id=93558 | topic=Averages | difficulty=Easy | question=Find the average of 30, 11, 16, 18, 23, 24, 19, 36, 21. | option_a=22 | option_b=24 | option_c=21 | option_d=23 | answer=A | explanation=Average = sum of values ÷ number of values = 198 ÷ 9 = 22.

id=93559 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=N | option_b=H | option_c=Q | option_d=K | answer=A | explanation=Move 3 positions forward from K; the resulting letter is N.

id=93560 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2967. If it is sold at a profit of 40%, what is its selling price? | option_a=3857 | option_b=4449 | option_c=4153 | option_d=3007 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2967 × 140/100 = █4153.

id=93561 | topic=Averages | difficulty=Easy | question=Find the average of 80, 51, 91. | option_a=73 | option_b=75 | option_c=76 | option_d=74 | answer=D | explanation=Average = sum of values ÷ number of values = 222 ÷ 3 = 74.

id=93562 | topic=Percentages | difficulty=Easy | question=What is 5% of 1471? | option_a=73 | option_b=78 | option_c=146 | option_d=53 | answer=A | explanation=5% of 1471 = (5/100) × 1471 = 73.

id=93563 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=58 | option_b=36 | option_c=48 | option_d=47 | answer=D | explanation=The common difference is 11. Therefore the next term is 36 + 11 = 47.

id=93564 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=5 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=93565 | topic=Profit & Loss | difficulty=Easy | question=An article costs █784. If it is sold at a profit of 5%, what is its selling price? | option_a=789 | option_b=901 | option_c=745 | option_d=823 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 784 × 105/100 = █823.

id=93566 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1397 at 4% per annum for 3 years. | option_a=167 | option_b=67 | option_c=267 | option_d=1564 | answer=A | explanation=SI = PRT/100 = 1397×4×3/100 = █167.

id=93567 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=46 | option_b=47 | option_c=55 | option_d=37 | answer=A | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=93568 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=47 | option_b=59 | option_c=58 | option_d=69 | answer=C | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.

id=93569 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 35, 44, 55? | option_a=44 | option_b=35 | option_c=26 | option_d=55 | answer=D | explanation=The first three numbers increase by 9, so the next should be 53. Therefore 55 is the odd one out.

id=93570 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41172 at 8% per annum for 1 years. | option_a=3393 | option_b=3193 | option_c=3293 | option_d=44465 | answer=C | explanation=SI = PRT/100 = 41172×8×1/100 = █3293.

Aptitude Questions — Records 93,571-93,600 of 100,000

id=93571 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30728 at 4% per annum for 1 years. | option_a=1329 | option_b=1129 | option_c=31957 | option_d=1229 | answer=D | explanation=SI = $\text{PRT}/100 = 30728 \times 4 \times 1/100 = \text{■}1229$.

id=93572 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:2 and the first is 108, what is the second? | option_a=16 | option_b=126 | option_c=30 | option_d=18 | answer=D | explanation=Scale factor = $108/12 = 9$. Therefore second quantity = $2 \times 9 = 18$.

id=93573 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36865 at 5% per annum for 1 years. | option_a=1743 | option_b=1843 | option_c=38708 | option_d=1943 | answer=B | explanation=SI = $\text{PRT}/100 = 36865 \times 5 \times 1/100 = \text{■}1843$.

id=93574 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=93575 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:17 and the first is 340, what is the second? | option_a=340 | option_b=323 | option_c=357 | option_d=680 | answer=A | explanation=Scale factor = $340/17 = 20$. Therefore second quantity = $17 \times 20 = 340$.

id=93576 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:19 and the first is 104, what is the second? | option_a=256 | option_b=152 | option_c=165 | option_d=133 | answer=B | explanation=Scale factor = $104/13 = 8$. Therefore second quantity = $19 \times 8 = 152$.

id=93577 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10199 at 10% per annum for 3 years. | option_a=2959 | option_b=3159 | option_c=3059 | option_d=13258 | answer=C | explanation=SI = $\text{PRT}/100 = 10199 \times 10 \times 3/100 = \text{■}3059$.

id=93578 | topic=Percentages | difficulty=Easy | question=What is 40% of 1825? | option_a=730 | option_b=740 | option_c=720 | option_d=1460 | answer=A | explanation=40% of 1825 = $(40/100) \times 1825 = 730$.

id=93579 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4724. If it is sold at a profit of 50%, what is its selling price? | option_a=6614 | option_b=7558 | option_c=7086 | option_d=4774 | answer=C | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 4724 \times 150/100 = \text{■}7086$.

id=93580 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=93581 | topic=Averages | difficulty=Easy | question=Find the average of 85, 98, 13, 48, 84, 74. | option_a=68 | option_b=66 | option_c=69 | option_d=67 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 402 \div 6 = 67$.

id=93582 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 10. | option_a=130 | option_b=260 | option_c=120 | option_d=156 | answer=A | explanation=LCM $\times$ HCF = 26×10 ; $\text{HCF}(26, 10) = 2$, so LCM = 130.

id=93583 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=10 | option_c=20 | option_d=15 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 60 \div 6 = 10$ km/h.

id=93584 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=N | option_c=V | option_d=J | answer=A | explanation=Move 4 positions forward from N; the resulting letter is R.

id=93585 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=29 | option_b=28 | option_c=24 | option_d=32 | answer=B | explanation=The common difference is 4. Therefore the next term is $24 + 4 = 28$.

id=93586 | topic=Percentages | difficulty=Easy | question=What is 50% of 747? | option_a=383 | option_b=746 | option_c=368 | option_d=373 | answer=D | explanation=50% of 747 = $(50/100) \times 747 = 373$.

id=93587 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=M | option_b=J | option_c=P | option_d=G | answer=A | explanation=Move 3 positions forward from J; the resulting letter is M.

id=93588 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4467 at 12% per annum for 4 years. | option_a=6611 | option_b=2044 | option_c=2244 | option_d=2144 | answer=D | explanation=SI = $\text{PRT}/100 = 4467 \times 12 \times 4/100 = \text{■}2144$.

id=93589 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=42 | option_b=66 | option_c=54 | option_d=55 | answer=C | explanation=The common difference is 12. Therefore the next term is $42 + 12 = 54$.

id=93590 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=L | option_b=I | option_c=F | option_d=C | answer=B | explanation=Move 3 positions forward from F; the resulting letter is I.

id=93591 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=50 | option_b=36 | option_c=43 | option_d=44 | answer=C | explanation=The common difference is 7. Therefore the next term is $36 + 7 = 43$.

id=93592 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=Z | option_c=F | option_d=I | answer=C | explanation=Move 3 positions forward from C; the resulting letter is F.

id=93593 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=8 | option_d=3 | answer=B | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=93594 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:10 and the first is 180, what is the second? | option_a=150 | option_b=140 | option_c=330 | option_d=162 | answer=A | explanation=Scale factor = $180/12 = 15$. Therefore second quantity = $10 \times 15 = 150$.

id=93595 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1092. If it is sold at a profit of 40%, what is its selling price? | option_a=1528 | option_b=1132 | option_c=1419 | option_d=1637 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 1092 \times 140/100 = \text{■}1528$.

id=93596 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=36 | option_b=31 | option_c=35 | option_d=39 | answer=C | explanation=The common difference is 4. Therefore the next term is $31 + 4 = 35$.

id=93597 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37456 at 8% per annum for 5 years. | option_a=15082 | option_b=52438 | option_c=14982 | option_d=14882 | answer=C | explanation=SI = $\text{PRT}/100 = 37456 \times 8 \times 5/100 = \text{■}14982$.

id=93598 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=93599 | topic=Averages | difficulty=Easy | question=Find the average of 99, 60, 18, 72, 51, 68, 11, 20, 33, 28. | option_a=46 | option_b=48 | option_c=45 | option_d=47 | answer=A | explanation=Average = $\text{sum of values} \div \text{number of values} = 460 \div 10 = 46$.

id=93600 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3265. If it is sold at a profit of 10%, what is its selling price? | option_a=3591 | option_b=3265 | option_c=3917 | option_d=3275 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 3265 \times 110/100 = \text{■}3591$.

Aptitude Questions — Records 93,601-93,630 of 100,000

id=93601 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=93602 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 22, 32, 44? | option_a=22 | option_b=12 | option_c=44 | option_d=32 | answer=C | explanation=The first three numbers increase by 10, so the next should be 42. Therefore 44 is the odd one out.

id=93603 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:11 and the first is 195, what is the second? | option_a=132 | option_b=158 | option_c=143 | option_d=338 | answer=C | explanation=Scale factor = 195/15 = 13. Therefore second quantity = 11×13 = 143.

id=93604 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=13 | option_c=18 | option_d=23 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=93605 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=74 | option_b=63 | option_c=50 | option_d=62 | answer=D | explanation=The common difference is 12. Therefore the next term is 50 + 12 = 62.

id=93606 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=72 | option_c=144 | option_d=77 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=93607 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=93608 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=6 | option_c=1 | option_d=11 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=93609 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 13, 18, 23, ? | option_a=29 | option_b=33 | option_c=28 | option_d=23 | answer=C | explanation=The common difference is 5. Therefore the next term is 23 + 5 = 28.

id=93610 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 35, 43, 53? | option_a=43 | option_b=27 | option_c=35 | option_d=53 | answer=D | explanation=The first three numbers increase by 8, so the next should be 51. Therefore 53 is the odd one out.

id=93611 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=95 | option_b=200 | option_c=100 | option_d=105 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=93612 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=A | option_b=Q | option_c=V | option_d=L | answer=C | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=93613 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:16 and the first is 216, what is the second? | option_a=504 | option_b=272 | option_c=288 | option_d=300 | answer=C | explanation=Scale factor = 216/12 = 18. Therefore second quantity = 16×18 = 288.

id=93614 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=47 | option_b=54 | option_c=40 | option_d=48 | answer=A | explanation=The common difference is 7. Therefore the next term is 40 + 7 = 47.

id=93615 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=J | option_c=P | option_d=N | answer=D | explanation=Move 2 positions forward from L; the resulting letter is N.

id=93616 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 4. | option_a=88 | option_b=40 | option_c=66 | option_d=44 | answer=D | explanation=LCM × HCF = 22×4; HCF(22,4) = 2, so LCM = 44.

id=93617 | topic=Percentages | difficulty=Easy | question=What is 10% of 612? | option_a=61 | option_b=122 | option_c=81 | option_d=51 | answer=A | explanation=10% of 612 = (10/100) × 612 = 61.

id=93618 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:2 and the first is 81, what is the second? | option_a=16 | option_b=27 | option_c=99 | option_d=18 | answer=D | explanation=Scale factor = 81/9 = 9. Therefore second quantity = 2×9 = 18.

id=93619 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9815 at 10% per annum for 3 years. | option_a=2944 | option_b=12759 | option_c=3044 | option_d=2844 | answer=A | explanation=SI = PRT/100 = 9815×10×3/100 = **■**2944.

id=93620 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 18, 22, 29? | option_a=14 | option_b=22 | option_c=18 | option_d=29 | answer=D | explanation=The first three numbers increase by 4, so the next should be 26. Therefore 29 is the odd one out.

id=93621 | topic=Percentages | difficulty=Easy | question=What is 5% of 256? | option_a=12 | option_b=2 | option_c=24 | option_d=22 | answer=A | explanation=5% of 256 = (5/100) × 256 = 12.

id=93622 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:6 and the first is 81, what is the second? | option_a=54 | option_b=63 | option_c=48 | option_d=135 | answer=A | explanation=Scale factor = 81/9 = 9. Therefore second quantity = 6×9 = 54.

id=93623 | topic=Percentages | difficulty=Easy | question=What is 12% of 112? | option_a=26 | option_b=13 | option_c=33 | option_d=8 | answer=B | explanation=12% of 112 = (12/100) × 112 = 13.

id=93624 | topic=Averages | difficulty=Easy | question=Find the average of 40, 71, 64, 73. | option_a=61 | option_b=63 | option_c=64 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 248 ÷ 4 = 62.

id=93625 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=33 | option_b=51 | option_c=42 | option_d=43 | answer=C | explanation=The common difference is 9. Therefore the next term is 33 + 9 = 42.

id=93626 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2501. If it is sold at a profit of 20%, what is its selling price? | option_a=3251 | option_b=3001 | option_c=2521 | option_d=2751 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2501 × 120/100 = **■**3001.

id=93627 | topic=Averages | difficulty=Easy | question=Find the average of 92, 15, 83, 50, 100. | option_a=67 | option_b=70 | option_c=69 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = 340 ÷ 5 = 68.

id=93628 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=43 | option_c=48 | option_d=96 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=93629 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3334. If it is sold at a profit of 30%, what is its selling price? | option_a=4001 | option_b=4667 | option_c=3364 | option_d=4334 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3334 × 130/100 = **■**4334.

id=93630 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1148. If it is sold at a profit of 40%, what is its selling price? | option_a=1493 | option_b=1721 | option_c=1607 | option_d=1188 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1148 × 140/100 = **■**1607.

Aptitude Questions — Records 93,631-93,660 of 100,000

id=93631 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=93632 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=93633 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=55 | option_c=100 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = $300 \div 6 = 50$ km/h.

id=93634 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=F | option_b=R | option_c=N | option_d=J | answer=C | explanation=Move 4 positions forward from J; the resulting letter is N.

id=93635 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Y | option_b=U | option_c=C | option_d=Q | answer=A | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=93636 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=J | option_c=D | option_d=F | answer=A | explanation=Move 2 positions forward from F; the resulting letter is H.

id=93637 | topic=Percentages | difficulty=Easy | question=What is 20% of 914? | option_a=187 | option_b=364 | option_c=182 | option_d=172 | answer=C | explanation=20% of 914 = $(20/100) \times 914 = 182$.

id=93638 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=15 | option_b=12 | option_c=18 | option_d=16 | answer=A | explanation=The common difference is 3. Therefore the next term is $12 + 3 = 15$.

id=93639 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=93640 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:13 and the first is 42, what is the second? | option_a=169 | option_b=224 | option_c=185 | option_d=182 | answer=D | explanation=Scale factor = $\frac{42}{3} = 14$. Therefore second quantity = $13 \times 14 = 182$.

id=93641 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4299. If it is sold at a profit of 5%, what is its selling price? | option_a=4513 | option_b=4304 | option_c=4942 | option_d=4084 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4299 \times \frac{105}{100} = \text{█}4513$.

id=93642 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14176 at 10% per annum for 5 years. | option_a=7088 | option_b=21264 | option_c=6988 | option_d=7188 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{14176 \times 10 \times 5}{100} = \text{█}7088$.

id=93643 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48998 at 4% per annum for 1 years. | option_a=50957 | option_b=1959 | option_c=2059 | option_d=1859 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{48998 \times 4 \times 1}{100} = \text{█}1959$.

id=93644 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=12 | answer=B | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12} = 3$ days.

id=93645 | topic=Averages | difficulty=Easy | question=Find the average of 88, 26, 67, 34, 46, 18, 64, 98, 62, 17. | option_a=52 | option_b=54 | option_c=53 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{520}{10} = 52$.

id=93646 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=150 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = $150 \div 2 = 75$ km/h.

id=93647 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=Q | option_b=U | option_c=S | option_d=M | answer=B | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=93648 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=93649 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 10, 15, 22? | option_a=22 | option_b=10 | option_c=15 | option_d=5 | answer=A | explanation=The first three numbers increase by 5, so the next should be 20. Therefore 22 is the odd one out.

id=93650 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=11 | option_b=14 | option_c=15 | option_d=13 | answer=D | explanation=The common difference is 2. Therefore the next term is $11 + 2 = 13$.

id=93651 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=66 | option_b=54 | option_c=42 | option_d=55 | answer=B | explanation=The common difference is 12. Therefore the next term is $42 + 12 = 54$.

id=93652 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=49 | option_b=71 | option_c=60 | option_d=61 | answer=C | explanation=The common difference is 11. Therefore the next term is $49 + 11 = 60$.

id=93653 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:16 and the first is 15, what is the second? | option_a=224 | option_b=255 | option_c=241 | option_d=240 | answer=D | explanation=Scale factor = $\frac{15}{1} = 15$. Therefore second quantity = $16 \times 15 = 240$.

id=93654 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4401. If it is sold at a profit of 5%, what is its selling price? | option_a=5061 | option_b=4406 | option_c=4181 | option_d=4621 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4401 \times \frac{105}{100} = \text{█}4621$.

id=93655 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=90 | option_c=95 | option_d=85 | answer=B | explanation=Speed = distance ÷ time = $360 \div 4 = 90$ km/h.

id=93656 | topic=Percentages | difficulty=Easy | question=What is 15% of 658? | option_a=93 | option_b=196 | option_c=103 | option_d=98 | answer=D | explanation=15% of 658 = $(15/100) \times 658 = 98$.

id=93657 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $300 \div 10 = 30$ km/h.

id=93658 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1157. If it is sold at a profit of 50%, what is its selling price? | option_a=1620 | option_b=1207 | option_c=1850 | option_d=1735 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1157 \times \frac{150}{100} = \text{█}1735$.

id=93659 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4149. If it is sold at a profit of 30%, what is its selling price? | option_a=5393 | option_b=4979 | option_c=4179 | option_d=5807 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4149 \times \frac{130}{100} = \text{█}5393$.

id=93660 | topic=Averages | difficulty=Easy | question=Find the average of 92, 54, 14, 88. | option_a=64 | option_b=61 | option_c=62 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{248}{4} = 62$.

Aptitude Questions — Records 93,661-93,690 of 100,000

id=93661 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 8. | option_a=48 | option_b=112 | option_c=70 | option_d=56 | answer=D | explanation=LCM × HCF = 14×8; HCF(14,8) = 2, so LCM = 56.

id=93662 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:15 and the first is 78, what is the second? | option_a=90 | option_b=168 | option_c=103 | option_d=75 | answer=A | explanation=Scale factor = 78/13 = 6. Therefore second quantity = 15×6 = 90.

id=93663 | topic=Percentages | difficulty=Easy | question=What is 10% of 848? | option_a=84 | option_b=64 | option_c=168 | option_d=104 | answer=A | explanation=10% of 848 = (10/100) × 848 = 84.

id=93664 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=28 | option_b=26 | option_c=27 | option_d=24 | answer=B | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.

id=93665 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 35, 40, 47? | option_a=40 | option_b=47 | option_c=30 | option_d=35 | answer=B | explanation=The first three numbers increase by 5, so the next should be 45. Therefore 47 is the odd one out.

id=93666 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:6 and the first is 153, what is the second? | option_a=255 | option_b=111 | option_c=96 | option_d=102 | answer=D | explanation=Scale factor = 153/9 = 17. Therefore second quantity = 6×17 = 102.

id=93667 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=93668 | topic=Averages | difficulty=Easy | question=Find the average of 33, 31, 93, 20, 75, 48, 71. | option_a=52 | option_b=54 | option_c=55 | option_d=53 | answer=D | explanation=Average = sum of values + number of values = 371 ÷ 7 = 53.

id=93669 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=L | option_c=F | option_d=O | answer=B | explanation=Move 3 positions forward from I; the resulting letter is L.

id=93670 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=45 | option_b=34 | option_c=44 | option_d=54 | answer=C | explanation=The common difference is 10. Therefore the next term is 34 + 10 = 44.

id=93671 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4568. If it is sold at a profit of 15%, what is its selling price? | option_a=4583 | option_b=5709 | option_c=5253 | option_d=4797 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4568 × 115/100 = █5253.

id=93672 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=13 | option_c=18 | option_d=36 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=93673 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:16 and the first is 35, what is the second? | option_a=64 | option_b=115 | option_c=80 | option_d=87 | answer=C | explanation=Scale factor = 35/7 = 5. Therefore second quantity = 16×5 = 80.

id=93674 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=93675 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=M | option_c=K | option_d=Q | answer=A | explanation=Move 2 positions forward from M; the resulting letter is O.

id=93676 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26950 at 12% per annum for 4 years. | option_a=12836 | option_b=12936 | option_c=13036 | option_d=39886 | answer=B | explanation=SI = PRT/100 = 26950×12×4/100 = █12936.

id=93677 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=23 | option_b=25 | option_c=22 | option_d=19 | answer=C | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.

id=93678 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=40 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=93679 | topic=Percentages | difficulty=Easy | question=What is 50% of 384? | option_a=384 | option_b=197 | option_c=172 | option_d=192 | answer=D | explanation=50% of 384 = (50/100) × 384 = 192.

id=93680 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 13, 17, 23? | option_a=13 | option_b=9 | option_c=23 | option_d=17 | answer=C | explanation=The first three numbers increase by 4, so the next should be 21. Therefore 23 is the odd one out.

id=93681 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=93682 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12020 at 10% per annum for 1 years. | option_a=1302 | option_b=1202 | option_c=1102 | option_d=13222 | answer=B | explanation=SI = PRT/100 = 12020×10×1/100 = █1202.

id=93683 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=93684 | topic=Percentages | difficulty=Easy | question=What is 40% of 1360? | option_a=1088 | option_b=544 | option_c=564 | option_d=524 | answer=B | explanation=40% of 1360 = (40/100) × 1360 = 544.

id=93685 | topic=Percentages | difficulty=Easy | question=What is 30% of 543? | option_a=167 | option_b=152 | option_c=162 | option_d=324 | answer=C | explanation=30% of 543 = (30/100) × 543 = 162.

id=93686 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=30 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=93687 | topic=Profit & Loss | difficulty=Easy | question=An article costs █684. If it is sold at a profit of 30%, what is its selling price? | option_a=889 | option_b=714 | option_c=821 | option_d=957 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 684 × 130/100 = █889.

id=93688 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=49 | option_b=61 | option_c=73 | option_d=62 | answer=B | explanation=The common difference is 12. Therefore the next term is 49 + 12 = 61.

id=93689 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=S | option_c=W | option_d=Q | answer=A | explanation=Move 2 positions forward from S; the resulting letter is U.

id=93690 | topic=Percentages | difficulty=Easy | question=What is 12% of 302? | option_a=72 | option_b=31 | option_c=36 | option_d=41 | answer=C | explanation=12% of 302 = (12/100) × 302 = 36.

Aptitude Questions — Records 93,691-93,720 of 100,000

id=93691 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=C | option_b=D | option_c=A | option_d=B | answer=A | explanation=Move 1 positions forward from B; the resulting letter is C.

id=93692 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 20. | option_a=80 | option_b=125 | option_c=500 | option_d=100 | answer=D | explanation=LCM × HCF = 25×20; HCF(25,20) = 5, so LCM = 100.

id=93693 | topic=Averages | difficulty=Easy | question=Find the average of 18, 28, 60, 12, 69, 23, 63. | option_a=38 | option_b=39 | option_c=40 | option_d=41 | answer=B | explanation=Average = sum of values ÷ number of values = 273 ÷ 7 = 39.

id=93694 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=45 | option_c=55 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=93695 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:6 and the first is 40, what is the second? | option_a=64 | option_b=60 | option_c=100 | option_d=54 | answer=B | explanation=Scale factor = 40/4 = 10. Therefore second quantity = 6×10 = 60.

id=93696 | topic=Percentages | difficulty=Easy | question=What is 10% of 1623? | option_a=167 | option_b=152 | option_c=162 | option_d=324 | answer=C | explanation=10% of 1623 = (10/100) × 1623 = 162.

id=93697 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=35 | option_b=27 | option_c=32 | option_d=31 | answer=D | explanation=The common difference is 4. Therefore the next term is 27 + 4 = 31.

id=93698 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=Q | option_c=P | option_d=S | answer=B | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=93699 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24912 at 5% per annum for 3 years. | option_a=28648 | option_b=3636 | option_c=3836 | option_d=3736 | answer=D | explanation=SI = PRT/100 = 24912×5×3/100 = **■**3736.

id=93700 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:4 and the first is 120, what is the second? | option_a=48 | option_b=44 | option_c=168 | option_d=58 | answer=A | explanation=Scale factor = 120/10 = 12. Therefore second quantity = 4×12 = 48.

id=93701 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=V | option_b=W | option_c=U | option_d=T | answer=A | explanation=Move 1 positions forward from U; the resulting letter is V.

id=93702 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=R | option_b=Q | option_c=P | option_d=S | answer=A | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=93703 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42102 at 6% per annum for 1 years. | option_a=44628 | option_b=2526 | option_c=2426 | option_d=2626 | answer=B | explanation=SI = PRT/100 = 42102×6×1/100 = **■**2526.

id=93704 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 8. | option_a=110 | option_b=80 | option_c=88 | option_d=176 | answer=C | explanation=LCM × HCF = 22×8; HCF(22,8) = 2, so LCM = 88.

id=93705 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=X | option_b=C | option_c=S | option_d=N | answer=A | explanation=Move 5 positions forward from S; the resulting letter is X.

id=93706 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=72 | option_c=144 | option_d=77 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=93707 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2331. If it is sold at a profit of 30%, what is its selling price? | option_a=3263 | option_b=2361 | option_c=3030 | option_d=2797 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2331 × 130/100 = **■**3030.

id=93708 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:4 and the first is 36, what is the second? | option_a=108 | option_b=68 | option_c=74 | option_d=72 | answer=D | explanation=Scale factor = 36/2 = 18. Therefore second quantity = 4×18 = 72.

id=93709 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:2 and the first is 32, what is the second? | option_a=48 | option_b=14 | option_c=20 | option_d=16 | answer=D | explanation=Scale factor = 32/4 = 8. Therefore second quantity = 2×8 = 16.

id=93710 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29700 at 6% per annum for 3 years. | option_a=5446 | option_b=5346 | option_c=35046 | option_d=5246 | answer=B | explanation=SI = PRT/100 = 29700×6×3/100 = **■**5346.

id=93711 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13057 at 10% per annum for 1 years. | option_a=1405 | option_b=14362 | option_c=1305 | option_d=1205 | answer=C | explanation=SI = PRT/100 = 13057×10×1/100 = **■**1305.

id=93712 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6135 at 10% per annum for 4 years. | option_a=8589 | option_b=2454 | option_c=2354 | option_d=2554 | answer=B | explanation=SI = PRT/100 = 6135×10×4/100 = **■**2454.

id=93713 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 21, 30, 41? | option_a=21 | option_b=30 | option_c=12 | option_d=41 | answer=D | explanation=The first three numbers increase by 9, so the next should be 39. Therefore 41 is the odd one out.

id=93714 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 14? | option_a=5 | option_b=7 | option_c=14 | option_d=9 | answer=C | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 14 is the odd one out.

id=93715 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 52? | option_a=52 | option_b=30 | option_c=40 | option_d=20 | answer=A | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 52 is the odd one out.

id=93716 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=45 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=93717 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=44 | option_b=53 | option_c=54 | option_d=62 | answer=B | explanation=The common difference is 9. Therefore the next term is 44 + 9 = 53.

id=93718 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2717. If it is sold at a profit of 25%, what is its selling price? | option_a=3667 | option_b=2742 | option_c=3396 | option_d=3125 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2717 × 125/100 = **■**3396.

id=93719 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4620. If it is sold at a profit of 50%, what is its selling price? | option_a=4670 | option_b=6930 | option_c=7392 | option_d=6468 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4620 × 150/100 = **■**6930.

id=93720 | topic=Averages | difficulty=Easy | question=Find the average of 99, 92, 47, 64, 26, 21, 44, 55. | option_a=56 | option_b=57 | option_c=55 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 448 ÷ 8 = 56.

Aptitude Questions — Records 93,721-93,750 of 100,000

id=93721 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 8, 10, 14? | option_a=6 | option_b=10 | option_c=8 | option_d=14 | answer=D | explanation=The first three numbers increase by 2, so the next should be 12. Therefore 14 is the odd one out.

id=93722 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3103. If it is sold at a profit of 30%, what is its selling price? | option_a=4343 | option_b=3133 | option_c=3723 | option_d=4033 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3103 × 130/100 = █4033.

id=93723 | topic=Averages | difficulty=Easy | question=Find the average of 46, 81, 77, 41, 10. | option_a=52 | option_b=53 | option_c=51 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 255 ÷ 5 = 51.

id=93724 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=240 | option_c=115 | option_d=125 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=93725 | topic=Averages | difficulty=Easy | question=Find the average of 89, 95, 79, 33. | option_a=74 | option_b=75 | option_c=76 | option_d=73 | answer=A | explanation=Average = sum of values ÷ number of values = 296 ÷ 4 = 74.

id=93726 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4557. If it is sold at a profit of 50%, what is its selling price? | option_a=7290 | option_b=4607 | option_c=6835 | option_d=6380 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4557 × 150/100 = █6835.

id=93727 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44246 at 5% per annum for 2 years. | option_a=4524 | option_b=4424 | option_c=4324 | option_d=48670 | answer=B | explanation=SI = PRT/100 = 44246×5×2/100 = █4424.

id=93728 | topic=Percentages | difficulty=Easy | question=What is 12% of 635? | option_a=152 | option_b=86 | option_c=71 | option_d=76 | answer=D | explanation=12% of 635 = (12/100) × 635 = 76.

id=93729 | topic=Averages | difficulty=Easy | question=Find the average of 46, 98, 69, 23. | option_a=60 | option_b=59 | option_c=58 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 236 ÷ 4 = 59.

id=93730 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=93731 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 18, 22, 27? | option_a=18 | option_b=22 | option_c=27 | option_d=14 | answer=C | explanation=The first three numbers increase by 4, so the next should be 26. Therefore 27 is the odd one out.

id=93732 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=P | option_b=K | option_c=F | option_d=U | answer=A | explanation=Move 5 positions forward from K; the resulting letter is P.

id=93733 | topic=Percentages | difficulty=Easy | question=What is 50% of 148? | option_a=148 | option_b=84 | option_c=54 | option_d=74 | answer=D | explanation=50% of 148 = (50/100) × 148 = 74.

id=93734 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 26, 33, 43? | option_a=26 | option_b=33 | option_c=19 | option_d=43 | answer=D | explanation=The first three numbers increase by 7, so the next should be 40. Therefore 43 is the odd one out.

id=93735 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=62 | option_b=52 | option_c=40 | option_d=51 | answer=D | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=93736 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=93737 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:16 and the first is 56, what is the second? | option_a=78 | option_b=120 | option_c=48 | option_d=64 | answer=D | explanation=Scale factor = 56/14 = 4. Therefore second quantity = 16×4 = 64.

id=93738 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=90 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=93739 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=49 | option_b=73 | option_c=62 | option_d=61 | answer=D | explanation=The common difference is 12. Therefore the next term is 49 + 12 = 61.

id=93740 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 21, 31, 42? | option_a=42 | option_b=21 | option_c=11 | option_d=31 | answer=A | explanation=The first three numbers increase by 10, so the next should be 41. Therefore 42 is the odd one out.

id=93741 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37651 at 8% per annum for 2 years. | option_a=6124 | option_b=6024 | option_c=5924 | option_d=43675 | answer=B | explanation=SI = PRT/100 = 37651×8×2/100 = █6024.

id=93742 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 43? | option_a=38 | option_b=34 | option_c=43 | option_d=30 | answer=C | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 43 is the odd one out.

id=93743 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=N | option_b=P | option_c=R | option_d=T | answer=C | explanation=Move 2 positions forward from P; the resulting letter is R.

id=93744 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 30, 33, 38? | option_a=30 | option_b=27 | option_c=38 | option_d=33 | answer=C | explanation=The first three numbers increase by 3, so the next should be 36. Therefore 38 is the odd one out.

id=93745 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:2 and the first is 40, what is the second? | option_a=14 | option_b=21 | option_c=56 | option_d=16 | answer=D | explanation=Scale factor = 40/5 = 8. Therefore second quantity = 2×8 = 16.

id=93746 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 12? | option_a=4 | option_b=8 | option_c=12 | option_d=6 | answer=C | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 12 is the odd one out.

id=93747 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:5 and the first is 204, what is the second? | option_a=77 | option_b=264 | option_c=55 | option_d=60 | answer=D | explanation=Scale factor = 204/17 = 12. Therefore second quantity = 5×12 = 60.

id=93748 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 34? | option_a=22 | option_b=12 | option_c=2 | option_d=34 | answer=D | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 34 is the odd one out.

id=93749 | topic=Percentages | difficulty=Easy | question=What is 12% of 1594? | option_a=382 | option_b=171 | option_c=191 | option_d=196 | answer=C | explanation=12% of 1594 = (12/100) × 1594 = 191.

id=93750 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █35227 at 6% per annum for 3 years. | option_a=41567 | option_b=6240 | option_c=6440 | option_d=6340 | answer=D | explanation=SI = PRT/100 = 35227×6×3/100 = █6340.

Aptitude Questions — Records 93,751-93,780 of 100,000

id=93751 | topic=Percentages | difficulty=Easy | question=What is 12% of 291? | option_a=39 | option_b=68 | option_c=34 | option_d=14 | answer=C | explanation=12% of 291 = (12/100) × 291 = 34.

id=93752 | topic=Averages | difficulty=Easy | question=Find the average of 85, 51, 37, 31, 60, 10, 13, 47, 83, 73. | option_a=51 | option_b=48 | option_c=49 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 490 ÷ 10 = 49.

id=93753 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=93754 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=93755 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 22? | option_a=15 | option_b=9 | option_c=22 | option_d=3 | answer=C | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 22 is the odd one out.

id=93756 | topic=Averages | difficulty=Easy | question=Find the average of 39, 64, 29. | option_a=44 | option_b=46 | option_c=45 | option_d=43 | answer=A | explanation=Average = sum of values ÷ number of values = 132 ÷ 3 = 44.

id=93757 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=16 | option_b=15 | option_c=18 | option_d=12 | answer=B | explanation=The common difference is 3. Therefore the next term is 12 + 3 = 15.

id=93758 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:17 and the first is 90, what is the second? | option_a=103 | option_b=85 | option_c=175 | option_d=68 | answer=B | explanation=Scale factor = 90/18 = 5. Therefore second quantity = 17×5 = 85.

id=93759 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=77 | option_b=66 | option_c=53 | option_d=65 | answer=D | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.

id=93760 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=N | option_b=J | option_c=H | option_d=L | answer=D | explanation=Move 2 positions forward from J; the resulting letter is L.

id=93761 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=O | option_c=Q | option_d=M | answer=C | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=93762 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=M | option_c=G | option_d=K | answer=D | explanation=Move 2 positions forward from I; the resulting letter is K.

id=93763 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=93764 | topic=Percentages | difficulty=Easy | question=What is 50% of 766? | option_a=373 | option_b=388 | option_c=383 | option_d=766 | answer=C | explanation=50% of 766 = (50/100) × 766 = 383.

id=93765 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=40 | option_c=15 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=93766 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 25, 34, 46? | option_a=46 | option_b=25 | option_c=16 | option_d=34 | answer=A | explanation=The first three numbers increase by 9, so the next should be 43. Therefore 46 is the odd one out.

id=93767 | topic=Percentages | difficulty=Easy | question=What is 50% of 887? | option_a=886 | option_b=463 | option_c=443 | option_d=423 | answer=C | explanation=50% of 887 = (50/100) × 887 = 443.

id=93768 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 18. | option_a=540 | option_b=72 | option_c=90 | option_d=120 | answer=C | explanation=LCM × HCF = 30×18; HCF(30,18) = 6, so LCM = 90.

id=93769 | topic=Averages | difficulty=Easy | question=Find the average of 55, 18, 19, 85, 98. | option_a=55 | option_b=54 | option_c=56 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 275 ÷ 5 = 55.

id=93770 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=H | option_b=J | option_c=N | option_d=L | answer=D | explanation=Move 2 positions forward from J; the resulting letter is L.

id=93771 | topic=Averages | difficulty=Easy | question=Find the average of 77, 42, 19, 38, 17, 23. | option_a=37 | option_b=35 | option_c=36 | option_d=38 | answer=C | explanation=Average = sum of values ÷ number of values = 216 ÷ 6 = 36.

id=93772 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 39? | option_a=31 | option_b=39 | option_c=26 | option_d=21 | answer=B | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 39 is the odd one out.

id=93773 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=93774 | topic=Averages | difficulty=Easy | question=Find the average of 46, 27, 32. | option_a=36 | option_b=37 | option_c=35 | option_d=34 | answer=C | explanation=Average = sum of values ÷ number of values = 105 ÷ 3 = 35.

id=93775 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:17 and the first is 99, what is the second? | option_a=153 | option_b=252 | option_c=136 | option_d=164 | answer=A | explanation=Scale factor = 99/11 = 9. Therefore second quantity = 17×9 = 153.

id=93776 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹3199. If it is sold at a profit of 50%, what is its selling price? | option_a=3249 | option_b=4479 | option_c=5117 | option_d=4798 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3199 × 150/100 = ₹4798.

id=93777 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:9 and the first is 140, what is the second? | option_a=320 | option_b=171 | option_c=187 | option_d=180 | answer=D | explanation=Scale factor = 140/7 = 20. Therefore second quantity = 9×20 = 180.

id=93778 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:6 and the first is 90, what is the second? | option_a=96 | option_b=90 | option_c=84 | option_d=180 | answer=B | explanation=Scale factor = 90/6 = 15. Therefore second quantity = 6×15 = 90.

id=93779 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=93780 | topic=Averages | difficulty=Easy | question=Find the average of 72, 11, 36, 79, 60, 86, 41. | option_a=57 | option_b=56 | option_c=54 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 385 ÷ 7 = 55.

Aptitude Questions — Records 93,781-93,810 of 100,000

id=93781 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=20 | option_b=17 | option_c=23 | option_d=21 | answer=A | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=93782 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■19473 at 12% per annum for 4 years. | option_a=9247 | option_b=9347 | option_c=28820 | option_d=9447 | answer=B | explanation=SI = PRT/100 = 19473×12×4/100 = ■9347.

id=93783 | topic=Averages | difficulty=Easy | question=Find the average of 23, 14, 79, 16, 26, 88, 20. | option_a=40 | option_b=37 | option_c=38 | option_d=39 | answer=C | explanation=Average = sum of values ÷ number of values = 266 ÷ 7 = 38.

id=93784 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=29 | option_b=32 | option_c=26 | option_d=30 | answer=A | explanation=The common difference is 3. Therefore the next term is 26 + 3 = 29.

id=93785 | topic=Averages | difficulty=Easy | question=Find the average of 57, 62, 58, 52, 64, 55, 60, 13, 20. | option_a=50 | option_b=49 | option_c=51 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 441 ÷ 9 = 49.

id=93786 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:3 and the first is 18, what is the second? | option_a=15 | option_b=24 | option_c=3 | option_d=6 | answer=D | explanation=Scale factor = 18/9 = 2. Therefore second quantity = 3×2 = 6.

id=93787 | topic=Averages | difficulty=Easy | question=Find the average of 30, 36, 84, 89, 41. | option_a=55 | option_b=58 | option_c=56 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 280 ÷ 5 = 56.

id=93788 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=48 | option_b=37 | option_c=57 | option_d=47 | answer=D | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

id=93789 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:16 and the first is 48, what is the second? | option_a=134 | option_b=128 | option_c=112 | option_d=176 | answer=B | explanation=Scale factor = 48/6 = 8. Therefore second quantity = 16×8 = 128.

id=93790 | topic=Percentages | difficulty=Easy | question=What is 20% of 958? | option_a=382 | option_b=191 | option_c=181 | option_d=211 | answer=B | explanation=20% of 958 = (20/100) × 958 = 191.

id=93791 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=Q | option_c=M | option_d=E | answer=C | explanation=Move 4 positions forward from I; the resulting letter is M.

id=93792 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 19, 25, 33? | option_a=33 | option_b=13 | option_c=25 | option_d=19 | answer=A | explanation=The first three numbers increase by 6, so the next should be 31. Therefore 33 is the odd one out.

id=93793 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 20. | option_a=160 | option_b=40 | option_c=20 | option_d=48 | answer=B | explanation=LCM × HCF = 8×20; HCF(8,20) = 4, so LCM = 40.

id=93794 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=93795 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 22. | option_a=144 | option_b=264 | option_c=110 | option_d=132 | answer=D | explanation=LCM × HCF = 12×22; HCF(12,22) = 2, so LCM = 132.

id=93796 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 14. | option_a=28 | option_b=63 | option_c=42 | option_d=294 | answer=C | explanation=LCM × HCF = 21×14; HCF(21,14) = 7, so LCM = 42.

id=93797 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 10, 12, 14, ? | option_a=17 | option_b=18 | option_c=14 | option_d=16 | answer=D | explanation=The common difference is 2. Therefore the next term is 14 + 2 = 16.

id=93798 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 31, 33, 38? | option_a=38 | option_b=31 | option_c=29 | option_d=33 | answer=A | explanation=The first three numbers increase by 2, so the next should be 35. Therefore 38 is the odd one out.

id=93799 | topic=Averages | difficulty=Easy | question=Find the average of 44, 98, 40, 86. | option_a=67 | option_b=68 | option_c=66 | option_d=69 | answer=A | explanation=Average = sum of values ÷ number of values = 268 ÷ 4 = 67.

id=93800 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=36 | option_c=72 | option_d=31 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=93801 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=Y | option_b=S | option_c=U | option_d=W | answer=D | explanation=Move 2 positions forward from U; the resulting letter is W.

id=93802 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:5 and the first is 272, what is the second? | option_a=80 | option_b=97 | option_c=75 | option_d=352 | answer=A | explanation=Scale factor = 272/17 = 16. Therefore second quantity = 5×16 = 80.

id=93803 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 19, 22, 26? | option_a=16 | option_b=19 | option_c=26 | option_d=22 | answer=C | explanation=The first three numbers increase by 3, so the next should be 25. Therefore 26 is the odd one out.

id=93804 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 30. | option_a=180 | option_b=210 | option_c=224 | option_d=420 | answer=B | explanation=LCM × HCF = 14×30; HCF(14,30) = 2, so LCM = 210.

id=93805 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=93806 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=L | option_b=G | option_c=B | option_d=W | answer=B | explanation=Move 5 positions forward from B; the resulting letter is G.

id=93807 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1586. If it is sold at a profit of 25%, what is its selling price? | option_a=1824 | option_b=1982 | option_c=1611 | option_d=2140 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1586 × 125/100 = ■1982.

id=93808 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 20. | option_a=22 | option_b=40 | option_c=1 | option_d=20 | answer=D | explanation=LCM × HCF = 2×20; HCF(2,20) = 2, so LCM = 20.

id=93809 | topic=Averages | difficulty=Easy | question=Find the average of 94, 89, 79, 17, 51, 41, 13, 80. | option_a=57 | option_b=58 | option_c=59 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 464 ÷ 8 = 58.

id=93810 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=32 | option_b=37 | option_c=27 | option_d=33 | answer=A | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

Aptitude Questions — Records 93,811-93,840 of 100,000

id=93811 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=O | option_b=M | option_c=N | option_d=P | answer=A | explanation=Move 1 positions forward from N; the resulting letter is O.

id=93812 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32036 at 5% per annum for 1 years. | option_a=33637 | option_b=1601 | option_c=1701 | option_d=1501 | answer=B | explanation=SI = PRT/100 = 32036×5×1/100 = **■**1601.

id=93813 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=25 | option_b=37 | option_c=32 | option_d=31 | answer=D | explanation=The common difference is 6. Therefore the next term is 25 + 6 = 31.

id=93814 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 24? | option_a=19 | option_b=24 | option_c=17 | option_d=15 | answer=B | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 24 is the odd one out.

id=93815 | topic=Averages | difficulty=Easy | question=Find the average of 31, 37, 15, 21, 32, 80. | option_a=35 | option_b=37 | option_c=38 | option_d=36 | answer=D | explanation=Average = sum of values ÷ number of values = 216 ÷ 6 = 36.

id=93816 | topic=Percentages | difficulty=Easy | question=What is 50% of 1091? | option_a=1090 | option_b=550 | option_c=545 | option_d=525 | answer=C | explanation=50% of 1091 = (50/100) × 1091 = 545.

id=93817 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=9 | option_c=14 | option_d=4 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=93818 | topic=Percentages | difficulty=Easy | question=What is 20% of 1135? | option_a=227 | option_b=222 | option_c=454 | option_d=237 | answer=A | explanation=20% of 1135 = (20/100) × 1135 = 227.

id=93819 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3580. If it is sold at a profit of 25%, what is its selling price? | option_a=4475 | option_b=4833 | option_c=4117 | option_d=3605 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3580 × 125/100 = **■**4475.

id=93820 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=46 | option_b=32 | option_c=39 | option_d=40 | answer=C | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.

id=93821 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 209, what is the second? | option_a=304 | option_b=315 | option_c=513 | option_d=288 | answer=A | explanation=Scale factor = 209/11 = 19. Therefore second quantity = 16×19 = 304.

id=93822 | topic=Averages | difficulty=Easy | question=Find the average of 40, 48, 44, 34, 18, 56. | option_a=40 | option_b=42 | option_c=41 | option_d=39 | answer=A | explanation=Average = sum of values ÷ number of values = 240 ÷ 6 = 40.

id=93823 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 43? | option_a=30 | option_b=43 | option_c=38 | option_d=34 | answer=B | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 43 is the odd one out.

id=93824 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=D | option_b=G | option_c=E | option_d=F | answer=D | explanation=Move 1 positions forward from E; the resulting letter is F.

id=93825 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=18 | option_c=23 | option_d=13 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=93826 | topic=Averages | difficulty=Easy | question=Find the average of 67, 18, 11, 61, 86, 59, 62. | option_a=51 | option_b=53 | option_c=52 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 364 ÷ 7 = 52.

id=93827 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:12 and the first is 195, what is the second? | option_a=144 | option_b=171 | option_c=351 | option_d=156 | answer=D | explanation=Scale factor = 195/15 = 13. Therefore second quantity = 12×13 = 156.

id=93828 | topic=Averages | difficulty=Easy | question=Find the average of 44, 92, 11, 46, 66, 61, 98, 84, 41, 17. | option_a=55 | option_b=58 | option_c=57 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 560 ÷ 10 = 56.

id=93829 | topic=Averages | difficulty=Easy | question=Find the average of 40, 86, 14, 35, 89, 36. | option_a=51 | option_b=52 | option_c=49 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 300 ÷ 6 = 50.

id=93830 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 7, 11, 17? | option_a=11 | option_b=17 | option_c=3 | option_d=7 | answer=B | explanation=The first three numbers increase by 4, so the next should be 15. Therefore 17 is the odd one out.

id=93831 | topic=Averages | difficulty=Easy | question=Find the average of 61, 39, 45, 84, 81, 98, 66, 48, 53, 25. | option_a=62 | option_b=61 | option_c=59 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 600 ÷ 10 = 60.

id=93832 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=93833 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3184. If it is sold at a profit of 50%, what is its selling price? | option_a=5094 | option_b=4776 | option_c=3234 | option_d=4458 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3184 × 150/100 = **■**4776.

id=93834 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3581. If it is sold at a profit of 40%, what is its selling price? | option_a=3621 | option_b=4655 | option_c=5013 | option_d=5371 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3581 × 140/100 = **■**5013.

id=93835 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 57? | option_a=47 | option_b=57 | option_c=29 | option_d=38 | answer=B | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 57 is the odd one out.

id=93836 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=F | option_b=L | option_c=I | option_d=O | answer=B | explanation=Move 3 positions forward from I; the resulting letter is L.

id=93837 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:6 and the first is 26, what is the second? | option_a=104 | option_b=78 | option_c=80 | option_d=72 | answer=B | explanation=Scale factor = 26/2 = 13. Therefore second quantity = 6×13 = 78.

id=93838 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=54 | option_b=45 | option_c=34 | option_d=44 | answer=D | explanation=The common difference is 10. Therefore the next term is 34 + 10 = 44.

id=93839 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=85 | option_c=95 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=93840 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

Aptitude Questions — Records 93,841-93,870 of 100,000

id=93841 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 29, 36, 44? | option_a=44 | option_b=36 | option_c=22 | option_d=29 | answer=A | explanation=The first three numbers increase by 7, so the next should be 43. Therefore 44 is the odd one out.

id=93842 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2973. If it is sold at a profit of 5%, what is its selling price? | option_a=3121 | option_b=2978 | option_c=2824 | option_d=3418 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2973 \times 105/100 = \text{█}3121$.

id=93843 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 15, 23, 33? | option_a=33 | option_b=15 | option_c=7 | option_d=23 | answer=A | explanation=The first three numbers increase by 8, so the next should be 31. Therefore 33 is the odd one out.

id=93844 | topic=Profit & Loss | difficulty=Easy | question=An article costs █955. If it is sold at a profit of 10%, what is its selling price? | option_a=1145 | option_b=965 | option_c=1050 | option_d=955 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 955 \times 110/100 = \text{█}1050$.

id=93845 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=57 | option_b=47 | option_c=37 | option_d=48 | answer=B | explanation=The common difference is 10. Therefore the next term is $37 + 10 = 47$.

id=93846 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = $360 \div 6 = 60$ km/h.

id=93847 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 30. | option_a=210 | option_b=224 | option_c=420 | option_d=180 | answer=A | explanation= $LCM \times HCF = 14 \times 30$; $HCF(14, 30) = 2$, so $LCM = 210$.

id=93848 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 39, 49, 62? | option_a=62 | option_b=29 | option_c=49 | option_d=39 | answer=A | explanation=The first three numbers increase by 10, so the next should be 59. Therefore 62 is the odd one out.

id=93849 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2043. If it is sold at a profit of 20%, what is its selling price? | option_a=2247 | option_b=2063 | option_c=2451 | option_d=2655 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2043 \times 120/100 = \text{█}2451$.

id=93850 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1790. If it is sold at a profit of 20%, what is its selling price? | option_a=1969 | option_b=2148 | option_c=2327 | option_d=1810 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 1790 \times 120/100 = \text{█}2148$.

id=93851 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19158 at 12% per annum for 3 years. | option_a=6996 | option_b=6796 | option_c=26054 | option_d=6896 | answer=D | explanation= $SI = PRT/100 = 19158 \times 12 \times 3/100 = \text{█}6896$.

id=93852 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:12 and the first is 36, what is the second? | option_a=60 | option_b=24 | option_c=12 | option_d=42 | answer=B | explanation=Scale factor = $36/18 = 2$. Therefore second quantity = $12 \times 2 = 24$.

id=93853 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:7 and the first is 130, what is the second? | option_a=84 | option_b=91 | option_c=221 | option_d=101 | answer=B | explanation=Scale factor = $130/10 = 13$. Therefore second quantity = $7 \times 13 = 91$.

id=93854 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 32? | option_a=32 | option_b=17 | option_c=24 | option_d=10 | answer=A | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 32 is the odd one out.

id=93855 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=L | option_c=P | option_d=X | answer=A | explanation=Move 4 positions forward from P; the resulting letter is T.

id=93856 | topic=Averages | difficulty=Easy | question=Find the average of 64, 52, 36, 40, 90, 37, 25, 85, 30, 101. | option_a=57 | option_b=56 | option_c=58 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = $560 \div 10 = 56$.

id=93857 | topic=Percentages | difficulty=Easy | question=What is 50% of 1011? | option_a=500 | option_b=1010 | option_c=505 | option_d=525 | answer=C | explanation= $50\% \text{ of } 1011 = (50/100) \times 1011 = 505$.

id=93858 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 17? | option_a=12 | option_b=10 | option_c=8 | option_d=17 | answer=D | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 17 is the odd one out.

id=93859 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 24, 34, 46? | option_a=34 | option_b=24 | option_c=14 | option_d=46 | answer=D | explanation=The first three numbers increase by 10, so the next should be 44. Therefore 46 is the odd one out.

id=93860 | topic=Averages | difficulty=Easy | question=Find the average of 71, 32, 30, 63, 11, 21. | option_a=37 | option_b=38 | option_c=40 | option_d=39 | answer=B | explanation=Average = sum of values ÷ number of values = $228 \div 6 = 38$.

id=93861 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=93862 | topic=Averages | difficulty=Easy | question=Find the average of 56, 73, 55, 88, 68, 20, 95. | option_a=65 | option_b=67 | option_c=66 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = $455 \div 7 = 65$.

id=93863 | topic=Averages | difficulty=Easy | question=Find the average of 67, 44, 16, 43, 40, 51, 76, 103. | option_a=55 | option_b=54 | option_c=56 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = $440 \div 8 = 55$.

id=93864 | topic=Profit & Loss | difficulty=Easy | question=An article costs █169. If it is sold at a profit of 50%, what is its selling price? | option_a=269 | option_b=219 | option_c=237 | option_d=253 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 169 \times 150/100 = \text{█}253$.

id=93865 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=93866 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=27 | option_b=29 | option_c=23 | option_d=26 | answer=D | explanation=The common difference is 3. Therefore the next term is $23 + 3 = 26$.

id=93867 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49292 at 6% per annum for 4 years. | option_a=61122 | option_b=11730 | option_c=11830 | option_d=11930 | answer=C | explanation= $SI = PRT/100 = 49292 \times 6 \times 4/100 = \text{█}11830$.

id=93868 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 23, 30, 37, ? | option_a=44 | option_b=37 | option_c=45 | option_d=51 | answer=A | explanation=The common difference is 7. Therefore the next term is $37 + 7 = 44$.

id=93869 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2273. If it is sold at a profit of 20%, what is its selling price? | option_a=2954 | option_b=2293 | option_c=2500 | option_d=2727 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2273 \times 120/100 = \text{█}2727$.

id=93870 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:4 and the first is 6, what is the second? | option_a=8 | option_b=18 | option_c=12 | option_d=14 | answer=C | explanation=Scale factor = $6/2 = 3$. Therefore second quantity = $4 \times 3 = 12$.

Aptitude Questions — Records 93,871-93,900 of 100,000

- id=93871 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.
- id=93872 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=20 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=93873 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:11 and the first is 169, what is the second? | option_a=132 | option_b=143 | option_c=312 | option_d=156 | answer=B | explanation=Scale factor = 169/13 = 13. Therefore second quantity = 11×13 = 143.
- id=93874 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 38, 46, 56? | option_a=56 | option_b=46 | option_c=38 | option_d=30 | answer=A | explanation=The first three numbers increase by 8, so the next should be 54. Therefore 56 is the odd one out.
- id=93875 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.
- id=93876 | topic=Averages | difficulty=Easy | question=Find the average of 12, 10, 35, 48, 59, 60, 57, 15. | option_a=39 | option_b=38 | option_c=36 | option_d=37 | answer=D | explanation=Average = sum of values ÷ number of values = 296 ÷ 8 = 37.
- id=93877 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:9 and the first is 102, what is the second? | option_a=156 | option_b=45 | option_c=71 | option_d=54 | answer=D | explanation=Scale factor = 102/17 = 6. Therefore second quantity = 9×6 = 54.
- id=93878 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28133 at 12% per annum for 3 years. | option_a=10127 | option_b=10027 | option_c=38260 | option_d=10227 | answer=A | explanation=SI = PRT/100 = 28133×12×3/100 = **■**10127.
- id=93879 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3957. If it is sold at a profit of 25%, what is its selling price? | option_a=4946 | option_b=3982 | option_c=4551 | option_d=5341 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3957 × 125/100 = **■**4946.
- id=93880 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3994. If it is sold at a profit of 20%, what is its selling price? | option_a=4792 | option_b=4014 | option_c=4393 | option_d=5191 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3994 × 120/100 = **■**4792.
- id=93881 | topic=Averages | difficulty=Easy | question=Find the average of 95, 87, 57, 61. | option_a=76 | option_b=75 | option_c=77 | option_d=74 | answer=B | explanation=Average = sum of values ÷ number of values = 300 ÷ 4 = 75.
- id=93882 | topic=Percentages | difficulty=Easy | question=What is 40% of 171? | option_a=136 | option_b=78 | option_c=48 | option_d=68 | answer=D | explanation=40% of 171 = (40/100) × 171 = 68.
- id=93883 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**112. If it is sold at a profit of 20%, what is its selling price? | option_a=145 | option_b=132 | option_c=123 | option_d=134 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 112 × 120/100 = **■**134.
- id=93884 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=12 | option_c=7 | option_d=24 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.
- id=93885 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 18, 27, 39? | option_a=27 | option_b=39 | option_c=18 | option_d=9 | answer=B | explanation=The first three numbers increase by 9, so the next should be 36. Therefore 39 is the odd one out.
- id=93886 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**737. If it is sold at a profit of 25%, what is its selling price? | option_a=921 | option_b=994 | option_c=848 | option_d=762 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 737 × 125/100 = **■**921.
- id=93887 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2394 at 5% per annum for 5 years. | option_a=698 | option_b=2992 | option_c=498 | option_d=598 | answer=D | explanation=SI = PRT/100 = 2394×5×5/100 = **■**598.
- id=93888 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1853. If it is sold at a profit of 50%, what is its selling price? | option_a=2964 | option_b=1903 | option_c=2594 | option_d=2779 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1853 × 150/100 = **■**2779.
- id=93889 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48833 at 5% per annum for 5 years. | option_a=61041 | option_b=12208 | option_c=12108 | option_d=12308 | answer=B | explanation=SI = PRT/100 = 48833×5×5/100 = **■**12208.
- id=93890 | topic=Percentages | difficulty=Easy | question=What is 15% of 823? | option_a=246 | option_b=143 | option_c=118 | option_d=123 | answer=D | explanation=15% of 823 = (15/100) × 823 = 123.
- id=93891 | topic=Percentages | difficulty=Easy | question=What is 12% of 1106? | option_a=132 | option_b=152 | option_c=264 | option_d=122 | answer=A | explanation=12% of 1106 = (12/100) × 1106 = 132.
- id=93892 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:14 and the first is 50, what is the second? | option_a=140 | option_b=145 | option_c=190 | option_d=126 | answer=A | explanation=Scale factor = 50/5 = 10. Therefore second quantity = 14×10 = 140.
- id=93893 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9887 at 4% per annum for 4 years. | option_a=1681 | option_b=1581 | option_c=11468 | option_d=1481 | answer=B | explanation=SI = PRT/100 = 9887×4×4/100 = **■**1581.
- id=93894 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=39 | option_b=35 | option_c=36 | option_d=31 | answer=B | explanation=The common difference is 4. Therefore the next term is 31 + 4 = 35.
- id=93895 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23401 at 10% per annum for 3 years. | option_a=7020 | option_b=30421 | option_c=6920 | option_d=7120 | answer=A | explanation=SI = PRT/100 = 23401×10×3/100 = **■**7020.
- id=93896 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=40 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.
- id=93897 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:4 and the first is 95, what is the second? | option_a=76 | option_b=72 | option_c=171 | option_d=81 | answer=A | explanation=Scale factor = 95/5 = 19. Therefore second quantity = 4×19 = 76.
- id=93898 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=X | option_c=S | option_d=I | answer=C | explanation=Move 5 positions forward from N; the resulting letter is S.
- id=93899 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=46 | option_b=34 | option_c=41 | option_d=40 | answer=D | explanation=The common difference is 6. Therefore the next term is 34 + 6 = 40.
- id=93900 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2148. If it is sold at a profit of 25%, what is its selling price? | option_a=2471 | option_b=2899 | option_c=2685 | option_d=2173 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2148 × 125/100 = **■**2685.

Aptitude Questions — Records 93,901-93,930 of 100,000

id=93901 | topic=Profit & Loss | difficulty=Easy | question=An article costs █469. If it is sold at a profit of 20%, what is its selling price? | option_a=608 | option_b=489 | option_c=516 | option_d=562 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 469 × 120/100 = █562.

id=93902 | topic=Profit & Loss | difficulty=Easy | question=An article costs █572. If it is sold at a profit of 40%, what is its selling price? | option_a=857 | option_b=612 | option_c=800 | option_d=743 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 572 × 140/100 = █800.

id=93903 | topic=Percentages | difficulty=Easy | question=What is 12% of 719? | option_a=106 | option_b=172 | option_c=66 | option_d=86 | answer=D | explanation=12% of 719 = (12/100) × 719 = 86.

id=93904 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 17, 23, 32? | option_a=17 | option_b=32 | option_c=11 | option_d=23 | answer=B | explanation=The first three numbers increase by 6, so the next should be 29. Therefore 32 is the odd one out.

id=93905 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2815 at 8% per annum for 4 years. | option_a=800 | option_b=3715 | option_c=900 | option_d=1000 | answer=C | explanation=SI = PRT/100 = 2815×8×4/100 = █900.

id=93906 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2404. If it is sold at a profit of 15%, what is its selling price? | option_a=2764 | option_b=3004 | option_c=2524 | option_d=2419 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2404 × 115/100 = █2764.

id=93907 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=93908 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 7. | option_a=21 | option_b=28 | option_c=56 | option_d=196 | answer=B | explanation=LCM × HCF = 28×7; HCF(28,7) = 7, so LCM = 28.

id=93909 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:11 and the first is 4, what is the second? | option_a=11 | option_b=22 | option_c=24 | option_d=26 | answer=B | explanation=Scale factor = 4/2 = 2. Therefore second quantity = 11×2 = 22.

id=93910 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 33? | option_a=2 | option_b=33 | option_c=22 | option_d=12 | answer=B | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 33 is the odd one out.

id=93911 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=65 | option_b=47 | option_c=57 | option_d=56 | answer=D | explanation=The common difference is 9. Therefore the next term is 47 + 9 = 56.

id=93912 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39609 at 8% per annum for 3 years. | option_a=9406 | option_b=9606 | option_c=9506 | option_d=49115 | answer=C | explanation=SI = PRT/100 = 39609×8×3/100 = █9506.

id=93913 | topic=Averages | difficulty=Easy | question=Find the average of 43, 86, 90, 26, 46, 15. | option_a=51 | option_b=52 | option_c=50 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 306 ÷ 6 = 51.

id=93914 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 25. | option_a=375 | option_b=50 | option_c=75 | option_d=90 | answer=C | explanation=LCM × HCF = 15×25; HCF(15,25) = 5, so LCM = 75.

id=93915 | topic=Averages | difficulty=Easy | question=Find the average of 53, 52, 11, 55, 64, 49, 18, 83, 53, 72. | option_a=51 | option_b=52 | option_c=50 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

id=93916 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=93917 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:1 and the first is 84, what is the second? | option_a=14 | option_b=13 | option_c=20 | option_d=98 | answer=A | explanation=Scale factor = 84/6 = 14. Therefore second quantity = 1×14 = 14.

id=93918 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=155 | option_c=150 | option_d=300 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=93919 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1692. If it is sold at a profit of 20%, what is its selling price? | option_a=2199 | option_b=2030 | option_c=1712 | option_d=1861 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1692 × 120/100 = █2030.

id=93920 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:19 and the first is 42, what is the second? | option_a=308 | option_b=269 | option_c=247 | option_d=266 | answer=D | explanation=Scale factor = 42/3 = 14. Therefore second quantity = 19×14 = 266.

id=93921 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=150 | option_c=70 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=93922 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26978 at 4% per annum for 1 years. | option_a=979 | option_b=28057 | option_c=1079 | option_d=1179 | answer=C | explanation=SI = PRT/100 = 26978×4×1/100 = █1079.

id=93923 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=28 | option_b=42 | option_c=35 | option_d=36 | answer=C | explanation=The common difference is 7. Therefore the next term is 28 + 7 = 35.

id=93924 | topic=Averages | difficulty=Easy | question=Find the average of 70, 76, 70. | option_a=73 | option_b=74 | option_c=72 | option_d=71 | answer=C | explanation=Average = sum of values ÷ number of values = 216 ÷ 3 = 72.

id=93925 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=93926 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=27 | option_b=26 | option_c=23 | option_d=25 | answer=D | explanation=The common difference is 2. Therefore the next term is 23 + 2 = 25.

id=93927 | topic=Averages | difficulty=Easy | question=Find the average of 63, 56, 19, 84, 66, 60. | option_a=60 | option_b=57 | option_c=58 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 348 ÷ 6 = 58.

id=93928 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:9 and the first is 120, what is the second? | option_a=63 | option_b=192 | option_c=72 | option_d=87 | answer=C | explanation=Scale factor = 120/15 = 8. Therefore second quantity = 9×8 = 72.

id=93929 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 13, 16, 22? | option_a=22 | option_b=13 | option_c=10 | option_d=16 | answer=A | explanation=The first three numbers increase by 3, so the next should be 19. Therefore 22 is the odd one out.

id=93930 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3218. If it is sold at a profit of 5%, what is its selling price? | option_a=3057 | option_b=3223 | option_c=3378 | option_d=3699 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3218 × 105/100 = █3378.

Aptitude Questions — Records 93,931-93,960 of 100,000

id=93931 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=16 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=93932 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 14, 17, 20, ? | option_a=26 | option_b=24 | option_c=20 | option_d=23 | answer=D | explanation=The common difference is 3. Therefore the next term is 20 + 3 = 23.

id=93933 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3292. If it is sold at a profit of 25%, what is its selling price? | option_a=4444 | option_b=4115 | option_c=3317 | option_d=3786 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3292 × 125/100 = █4115.

id=93934 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=93935 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3251. If it is sold at a profit of 20%, what is its selling price? | option_a=3901 | option_b=3271 | option_c=4226 | option_d=3576 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3251 × 120/100 = █3901.

id=93936 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 56? | option_a=56 | option_b=37 | option_c=45 | option_d=29 | answer=A | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 56 is the odd one out.

id=93937 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=93938 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4222. If it is sold at a profit of 30%, what is its selling price? | option_a=4252 | option_b=5066 | option_c=5488 | option_d=5910 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4222 × 130/100 = █5488.

id=93939 | topic=Percentages | difficulty=Easy | question=What is 5% of 672? | option_a=66 | option_b=53 | option_c=13 | option_d=33 | answer=D | explanation=5% of 672 = (5/100) × 672 = 33.

id=93940 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=93941 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=45 | option_b=33 | option_c=40 | option_d=39 | answer=D | explanation=The common difference is 6. Therefore the next term is 33 + 6 = 39.

id=93942 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=28 | option_b=29 | option_c=34 | option_d=22 | answer=A | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.

id=93943 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=27 | option_b=23 | option_c=26 | option_d=29 | answer=C | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.

id=93944 | topic=Percentages | difficulty=Easy | question=What is 40% of 674? | option_a=274 | option_b=259 | option_c=269 | option_d=538 | answer=C | explanation=40% of 674 = (40/100) × 674 = 269.

id=93945 | topic=Percentages | difficulty=Easy | question=What is 12% of 1562? | option_a=177 | option_b=187 | option_c=374 | option_d=197 | answer=B | explanation=12% of 1562 = (12/100) × 1562 = 187.

id=93946 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:10 and the first is 340, what is the second? | option_a=190 | option_b=540 | option_c=200 | option_d=217 | answer=C | explanation=Scale factor = 340/17 = 20. Therefore second quantity = 10×20 = 200.

id=93947 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:19 and the first is 40, what is the second? | option_a=190 | option_b=230 | option_c=171 | option_d=194 | answer=A | explanation=Scale factor = 40/4 = 10. Therefore second quantity = 19×10 = 190.

id=93948 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=93949 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'r' become? | option_a=M | option_b=Q | option_c=I | option_d=E | answer=A | explanation=Move 4 positions forward from 'r', the resulting letter is M.

id=93950 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:20 and the first is 152, what is the second? | option_a=179 | option_b=312 | option_c=140 | option_d=160 | answer=D | explanation=Scale factor = 152/19 = 8. Therefore second quantity = 20×8 = 160.

id=93951 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 37? | option_a=37 | option_b=31 | option_c=21 | option_d=26 | answer=A | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 37 is the odd one out.

id=93952 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 20? | option_a=12 | option_b=20 | option_c=15 | option_d=9 | answer=B | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 20 is the odd one out.

id=93953 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=46 | option_b=66 | option_c=56 | option_d=57 | answer=C | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=93954 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=36 | option_b=46 | option_c=45 | option_d=54 | answer=C | explanation=The common difference is 9. Therefore the next term is 36 + 9 = 45.

id=93955 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=31 | option_b=47 | option_c=40 | option_d=39 | answer=D | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

id=93956 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 22, 31, 41? | option_a=13 | option_b=22 | option_c=31 | option_d=41 | answer=D | explanation=The first three numbers increase by 9, so the next should be 40. Therefore 41 is the odd one out.

id=93957 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 14, 24, 34, ? | option_a=34 | option_b=54 | option_c=44 | option_d=45 | answer=C | explanation=The common difference is 10. Therefore the next term is 34 + 10 = 44.

id=93958 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:19 and the first is 26, what is the second? | option_a=247 | option_b=273 | option_c=228 | option_d=249 | answer=A | explanation=Scale factor = 26/2 = 13. Therefore second quantity = 19×13 = 247.

id=93959 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1484. If it is sold at a profit of 5%, what is its selling price? | option_a=1410 | option_b=1706 | option_c=1558 | option_d=1489 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1484 × 105/100 = █1558.

id=93960 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32222 at 6% per annum for 3 years. | option_a=5699 | option_b=5899 | option_c=5799 | option_d=38021 | answer=C | explanation=SI = PRT/100 = 32222×6×3/100 = █5799.

Aptitude Questions — Records 93,961-93,990 of 100,000

id=93961 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=95 | option_c=105 | option_d=200 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=93962 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 26. | option_a=26 | option_b=1 | option_c=52 | option_d=676 | answer=A | explanation=LCM × HCF = 26×26; HCF(26,26) = 26, so LCM = 26.

id=93963 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:17 and the first is 33, what is the second? | option_a=220 | option_b=187 | option_c=190 | option_d=170 | answer=B | explanation=Scale factor = 33/3 = 11. Therefore second quantity = 17×11 = 187.

id=93964 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20047 at 8% per annum for 5 years. | option_a=28065 | option_b=7918 | option_c=8018 | option_d=8118 | answer=C | explanation=SI = $PRT/100$ = 20047×8×5/100 = █8018.

id=93965 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=13 | option_b=17 | option_c=16 | option_d=15 | answer=D | explanation=The common difference is 2. Therefore the next term is 13 + 2 = 15.

id=93966 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=K | option_c=N | option_d=M | answer=D | explanation=Move 1 positions forward from L; the resulting letter is M.

id=93967 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11718 at 15% per annum for 4 years. | option_a=6930 | option_b=7030 | option_c=18748 | option_d=7130 | answer=B | explanation=SI = $PRT/100$ = 11718×15×4/100 = █7030.

id=93968 | topic=Profit & Loss | difficulty=Easy | question=An article costs █989. If it is sold at a profit of 50%, what is its selling price? | option_a=1581 | option_b=1483 | option_c=1039 | option_d=1385 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 989 × 150/100 = █1483.

id=93969 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=125 | option_d=240 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=93970 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37034 at 5% per annum for 5 years. | option_a=9258 | option_b=46292 | option_c=9158 | option_d=9358 | answer=A | explanation=SI = $PRT/100$ = 37034×5×5/100 = █9258.

id=93971 | topic=Percentages | difficulty=Easy | question=What is 10% of 272? | option_a=17 | option_b=27 | option_c=47 | option_d=54 | answer=B | explanation=10% of 272 = (10/100) × 272 = 27.

id=93972 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13679 at 10% per annum for 1 years. | option_a=15046 | option_b=1267 | option_c=1467 | option_d=1367 | answer=D | explanation=SI = $PRT/100$ = 13679×10×1/100 = █1367.

id=93973 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2299. If it is sold at a profit of 40%, what is its selling price? | option_a=2989 | option_b=3218 | option_c=3447 | option_d=2339 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2299 × 140/100 = █3218.

id=93974 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2479. If it is sold at a profit of 5%, what is its selling price? | option_a=2355 | option_b=2484 | option_c=2849 | option_d=2602 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2479 × 105/100 = █2602.

id=93975 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:7 and the first is 225, what is the second? | option_a=120 | option_b=98 | option_c=330 | option_d=105 | answer=D | explanation=Scale factor = 225/15 = 15. Therefore second quantity = 7×15 = 105.

id=93976 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=180 | option_c=85 | option_d=95 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=93977 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 10. | option_a=20 | option_b=60 | option_c=30 | option_d=36 | answer=C | explanation=LCM × HCF = 6×10; HCF(6,10) = 2, so LCM = 30.

id=93978 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=38 | option_b=52 | option_c=45 | option_d=46 | answer=C | explanation=The common difference is 7. Therefore the next term is 38 + 7 = 45.

id=93979 | topic=Percentages | difficulty=Easy | question=What is 40% of 1506? | option_a=1204 | option_b=602 | option_c=622 | option_d=592 | answer=B | explanation=40% of 1506 = (40/100) × 1506 = 602.

id=93980 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=93981 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=93982 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=93983 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2053. If it is sold at a profit of 20%, what is its selling price? | option_a=2463 | option_b=2073 | option_c=2258 | option_d=2668 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2053 × 120/100 = █2463.

id=93984 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=E | option_b=Y | option_c=H | option_d=B | answer=A | explanation=Move 3 positions forward from B; the resulting letter is E.

id=93985 | topic=Percentages | difficulty=Easy | question=What is 20% of 74? | option_a=24 | option_b=14 | option_c=0 | option_d=28 | answer=B | explanation=20% of 74 = (20/100) × 74 = 14.

id=93986 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=J | option_b=F | option_c=B | option_d=X | answer=B | explanation=Move 4 positions forward from B; the resulting letter is F.

id=93987 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:7 and the first is 128, what is the second? | option_a=184 | option_b=72 | option_c=56 | option_d=49 | answer=C | explanation=Scale factor = 128/16 = 8. Therefore second quantity = 7×8 = 56.

id=93988 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=51 | option_b=73 | option_c=62 | option_d=63 | answer=C | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.

id=93989 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=72 | option_c=41 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=93990 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=M | option_b=A | option_c=E | option_d=I | answer=D | explanation=Move 4 positions forward from E; the resulting letter is I.

Aptitude Questions — Records 93,991-94,020 of 100,000

id=93991 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=35 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=93992 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 5, 8, 14? | option_a=5 | option_b=14 | option_c=2 | option_d=8 | answer=B | explanation=The first three numbers increase by 3, so the next should be 11. Therefore 14 is the odd one out.

id=93993 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=67 | option_c=72 | option_d=77 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=93994 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:17 and the first is 156, what is the second? | option_a=377 | option_b=233 | option_c=204 | option_d=221 | answer=D | explanation=Scale factor = 156/12 = 13. Therefore second quantity = 17×13 = 221.

id=93995 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=J | option_b=F | option_c=N | option_d=B | answer=A | explanation=Move 4 positions forward from F; the resulting letter is J.

id=93996 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=17 | option_b=22 | option_c=23 | option_d=27 | answer=B | explanation=The common difference is 5. Therefore the next term is 17 + 5 = 22.

id=93997 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:1 and the first is 90, what is the second? | option_a=99 | option_b=8 | option_c=19 | option_d=9 | answer=D | explanation=Scale factor = 90/10 = 9. Therefore second quantity = 1×9 = 9.

id=93998 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=23 | option_b=31 | option_c=37 | option_d=30 | answer=D | explanation=The common difference is 7. Therefore the next term is 23 + 7 = 30.

id=93999 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=E | option_c=W | option_d=I | answer=B | explanation=Move 4 positions forward from A; the resulting letter is E.

id=94000 | topic=Averages | difficulty=Easy | question=Find the average of 21, 25, 30, 83, 51. | option_a=42 | option_b=43 | option_c=41 | option_d=44 | answer=A | explanation=Average = sum of values ÷ number of values = 210 ÷ 5 = 42.

id=94001 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=95 | option_c=90 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=94002 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:20 and the first is 35, what is the second? | option_a=145 | option_b=140 | option_c=120 | option_d=175 | answer=B | explanation=Scale factor = 35/5 = 7. Therefore second quantity = 20×7 = 140.

id=94003 | topic=Percentages | difficulty=Easy | question=What is 15% of 1738? | option_a=520 | option_b=260 | option_c=280 | option_d=250 | answer=B | explanation=15% of 1738 = (15/100) × 1738 = 260.

id=94004 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:4 and the first is 224, what is the second? | option_a=52 | option_b=56 | option_c=72 | option_d=280 | answer=B | explanation=Scale factor = 224/16 = 14. Therefore second quantity = 4×14 = 56.

id=94005 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 63? | option_a=40 | option_b=30 | option_c=50 | option_d=63 | answer=D | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 63 is the odd one out.

id=94006 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=94007 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=90 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=94008 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Y | option_b=Q | option_c=U | option_d=M | answer=C | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=94009 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14339 at 10% per annum for 4 years. | option_a=20074 | option_b=5635 | option_c=5835 | option_d=5735 | answer=D | explanation=SI = PRT/100 = 14339×10×4/100 = █5735.

id=94010 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=94011 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19917 at 4% per annum for 1 years. | option_a=896 | option_b=796 | option_c=696 | option_d=20713 | answer=B | explanation=SI = PRT/100 = 19917×4×1/100 = █796.

id=94012 | topic=Percentages | difficulty=Easy | question=What is 12% of 761? | option_a=71 | option_b=182 | option_c=111 | option_d=91 | answer=D | explanation=12% of 761 = (12/100) × 761 = 91.

id=94013 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13863 at 8% per annum for 2 years. | option_a=16081 | option_b=2218 | option_c=2318 | option_d=2118 | answer=B | explanation=SI = PRT/100 = 13863×8×2/100 = █2218.

id=94014 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=5 | option_d=7 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=94015 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4320 at 15% per annum for 1 years. | option_a=548 | option_b=4968 | option_c=648 | option_d=748 | answer=C | explanation=SI = PRT/100 = 4320×15×1/100 = █648.

id=94016 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:4 and the first is 32, what is the second? | option_a=64 | option_b=60 | option_c=96 | option_d=66 | answer=A | explanation=Scale factor = 32/2 = 16. Therefore second quantity = 4×16 = 64.

id=94017 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=12 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=94018 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1304. If it is sold at a profit of 50%, what is its selling price? | option_a=1354 | option_b=1956 | option_c=1826 | option_d=2086 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1304 × 150/100 = █1956.

id=94019 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7554 at 15% per annum for 4 years. | option_a=12086 | option_b=4632 | option_c=4432 | option_d=4532 | answer=D | explanation=SI = PRT/100 = 7554×15×4/100 = █4532.

id=94020 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=Y | option_b=T | option_c=D | option_d=O | answer=A | explanation=Move 5 positions forward from T; the resulting letter is Y.

Aptitude Questions — Records 94,021-94,050 of 100,000

id=94021 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=85 | option_c=160 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=94022 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:13 and the first is 252, what is the second? | option_a=434 | option_b=169 | option_c=200 | option_d=182 | answer=D | explanation=Scale factor = 252/18 = 14. Therefore second quantity = 13×14 = 182.

id=94023 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=94024 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=R | option_b=J | option_c=F | option_d=N | answer=D | explanation=Move 4 positions forward from J; the resulting letter is N.

id=94025 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 18. | option_a=1 | option_b=21 | option_c=54 | option_d=18 | answer=D | explanation=LCM × HCF = 3×18. HCF(3,18) = 3, so LCM = 18.

id=94026 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:18 and the first is 54, what is the second? | option_a=324 | option_b=378 | option_c=306 | option_d=327 | answer=A | explanation=Scale factor = 54/3 = 18. Therefore second quantity = 18×18 = 324.

id=94027 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=240 | option_d=125 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=94028 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:5 and the first is 51, what is the second? | option_a=136 | option_b=80 | option_c=85 | option_d=88 | answer=C | explanation=Scale factor = 51/3 = 17. Therefore second quantity = 5×17 = 85.

id=94029 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 25, 34, 43, ? | option_a=53 | option_b=61 | option_c=43 | option_d=52 | answer=D | explanation=The common difference is 9. Therefore the next term is 43 + 9 = 52.

id=94030 | topic=Averages | difficulty=Easy | question=Find the average of 39, 62, 93, 66. | option_a=67 | option_b=66 | option_c=65 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 260 ÷ 4 = 65.

id=94031 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=37 | option_b=32 | option_c=40 | option_d=36 | answer=D | explanation=The common difference is 4. Therefore the next term is 32 + 4 = 36.

id=94032 | topic=Percentages | difficulty=Easy | question=What is 10% of 413? | option_a=36 | option_b=82 | option_c=41 | option_d=46 | answer=C | explanation=10% of 413 = (10/100) × 413 = 41.

id=94033 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2179. If it is sold at a profit of 40%, what is its selling price? | option_a=3267 | option_b=2833 | option_c=2219 | option_d=3050 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2179 × 140/100 = █3050.

id=94034 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 23, 32, 44? | option_a=32 | option_b=14 | option_c=44 | option_d=23 | answer=C | explanation=The first three numbers increase by 9, so the next should be 41. Therefore 44 is the odd one out.

id=94035 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=N | option_c=K | option_d=M | answer=D | explanation=Move 1 positions forward from L; the resulting letter is M.

id=94036 | topic=Averages | difficulty=Easy | question=Find the average of 43, 36, 44. | option_a=43 | option_b=42 | option_c=40 | option_d=41 | answer=D | explanation=Average = sum of values ÷ number of values = 123 ÷ 3 = 41.

id=94037 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=31 | option_b=32 | option_c=34 | option_d=28 | answer=A | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=94038 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=69 | option_b=56 | option_c=80 | option_d=68 | answer=D | explanation=The common difference is 12. Therefore the next term is 56 + 12 = 68.

id=94039 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4423. If it is sold at a profit of 5%, what is its selling price? | option_a=4428 | option_b=4644 | option_c=5086 | option_d=4202 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4423 × 105/100 = █4644.

id=94040 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=94041 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=G | option_c=K | option_d=Y | answer=B | explanation=Move 4 positions forward from C; the resulting letter is G.

id=94042 | topic=Profit & Loss | difficulty=Easy | question=An article costs █874. If it is sold at a profit of 40%, what is its selling price? | option_a=1136 | option_b=1223 | option_c=914 | option_d=1310 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 874 × 140/100 = █1223.

id=94043 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 22. | option_a=88 | option_b=96 | option_c=66 | option_d=176 | answer=A | explanation=LCM × HCF = 8×22; HCF(8,22) = 2, so LCM = 88.

id=94044 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=94045 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=94046 | topic=Percentages | difficulty=Easy | question=What is 25% of 334? | option_a=166 | option_b=63 | option_c=103 | option_d=83 | answer=D | explanation=25% of 334 = (25/100) × 334 = 83.

id=94047 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 16. | option_a=64 | option_b=80 | option_c=100 | option_d=320 | answer=B | explanation=LCM × HCF = 20×16; HCF(20,16) = 4, so LCM = 80.

id=94048 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=24 | option_c=7 | option_d=17 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=94049 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 15, 22, 29, ? | option_a=36 | option_b=37 | option_c=43 | option_d=29 | answer=A | explanation=The common difference is 7. Therefore the next term is 29 + 7 = 36.

id=94050 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=36 | option_c=13 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

Aptitude Questions — Records 94,051-94,080 of 100,000

id=94051 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=23 | option_d=13 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=94052 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=94053 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=94054 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30566 at 8% per annum for 4 years. | option_a=40347 | option_b=9881 | option_c=9781 | option_d=9681 | answer=C | explanation=SI = PRT/100 = 30566×8×4/100 = **■**9781.

id=94055 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=43 | option_b=52 | option_c=32 | option_d=52 | answer=B | explanation=The common difference is 10. Therefore the next term is 32 + 10 = 42.

id=94056 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=94057 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=44 | option_b=64 | option_c=54 | option_d=55 | answer=C | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=94058 | topic=Averages | difficulty=Easy | question=Find the average of 56, 29, 34, 23, 72, 48, 80, 48, 42. | option_a=48 | option_b=50 | option_c=47 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 432 ÷ 9 = 48.

id=94059 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=43 | option_b=52 | option_c=32 | option_d=42 | answer=D | explanation=The common difference is 10. Therefore the next term is 32 + 10 = 42.

id=94060 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4150. If it is sold at a profit of 5%, what is its selling price? | option_a=4357 | option_b=3942 | option_c=4772 | option_d=4155 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4150 × 105/100 = **■**4357.

id=94061 | topic=Averages | difficulty=Easy | question=Find the average of 14, 14, 22, 72, 44, 39, 29, 62. | option_a=36 | option_b=38 | option_c=37 | option_d=39 | answer=C | explanation=Average = sum of values ÷ number of values = 296 ÷ 8 = 37.

id=94062 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=21 | option_b=27 | option_c=25 | option_d=24 | answer=D | explanation=The common difference is 3. Therefore the next term is 21 + 3 = 24.

id=94063 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=48 | option_b=32 | option_c=41 | option_d=40 | answer=D | explanation=The common difference is 8. Therefore the next term is 32 + 8 = 40.

id=94064 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42265 at 6% per annum for 5 years. | option_a=12779 | option_b=12679 | option_c=12579 | option_d=54944 | answer=B | explanation=SI = PRT/100 = 42265×6×5/100 = **■**12679.

id=94065 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 22. | option_a=22 | option_b=48 | option_c=88 | option_d=44 | answer=D | explanation=LCM × HCF = 4×22; HCF(4,22) = 2, so LCM = 44.

id=94066 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=22 | option_b=24 | option_c=26 | option_d=25 | answer=B | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.

id=94067 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=S | option_c=W | option_d=Q | answer=A | explanation=Move 2 positions forward from S; the resulting letter is U.

id=94068 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=94069 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:19 and the first is 98, what is the second? | option_a=273 | option_b=364 | option_c=247 | option_d=266 | answer=D | explanation=Scale factor = 98/7 = 14. Therefore second quantity = 19×14 = 266.

id=94070 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:11 and the first is 64, what is the second? | option_a=60 | option_b=44 | option_c=33 | option_d=108 | answer=B | explanation=Scale factor = 64/16 = 4. Therefore second quantity = 11×4 = 44.

id=94071 | topic=Percentages | difficulty=Easy | question=What is 20% of 1910? | option_a=382 | option_b=764 | option_c=362 | option_d=392 | answer=A | explanation=20% of 1910 = (20/100) × 1910 = 382.

id=94072 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=94073 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=94074 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12905 at 15% per annum for 3 years. | option_a=18712 | option_b=5807 | option_c=5907 | option_d=5707 | answer=B | explanation=SI = PRT/100 = 12905×15×3/100 = **■**5807.

id=94075 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4007. If it is sold at a profit of 25%, what is its selling price? | option_a=5008 | option_b=4032 | option_c=5408 | option_d=4608 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4007 × 125/100 = **■**5008.

id=94076 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:5 and the first is 98, what is the second? | option_a=65 | option_b=168 | option_c=77 | option_d=70 | answer=D | explanation=Scale factor = 98/7 = 14. Therefore second quantity = 5×14 = 70.

id=94077 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2012. If it is sold at a profit of 30%, what is its selling price? | option_a=2615 | option_b=2414 | option_c=2042 | option_d=2816 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2012 × 130/100 = **■**2615.

id=94078 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=V | option_c=P | option_d=Y | answer=B | explanation=Move 3 positions forward from S; the resulting letter is V.

id=94079 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=A | option_c=K | option_d=P | answer=C | explanation=Move 5 positions forward from F; the resulting letter is K.

id=94080 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=O | option_c=S | option_d=G | answer=B | explanation=Move 4 positions forward from K; the resulting letter is O.

Aptitude Questions — Records 94,081-94,110 of 100,000

id=94081 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=59 | option_b=58 | option_c=46 | option_d=70 | answer=B | explanation=The common difference is 12. Therefore the next term is $46 + 12 = 58$.

id=94082 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=94083 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=36 | option_b=31 | option_c=35 | option_d=39 | answer=C | explanation=The common difference is 4. Therefore the next term is $31 + 4 = 35$.

id=94084 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = $60 \div 4 = 15$ km/h.

id=94085 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=C | option_b=G | option_c=I | option_d=E | answer=B | explanation=Move 2 positions forward from E; the resulting letter is G.

id=94086 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=19 | option_c=29 | option_d=48 | answer=A | explanation=Speed = distance ÷ time = $120 \div 5 = 24$ km/h.

id=94087 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=5 | option_d=24 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=94088 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 14. | option_a=14 | option_b=28 | option_c=56 | option_d=32 | answer=B | explanation=LCM × HCF = 4×14 ; $\text{HCF}(4,14) = 2$, so LCM = 28.

id=94089 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2591. If it is sold at a profit of 15%, what is its selling price? | option_a=2606 | option_b=2720 | option_c=2979 | option_d=3238 | answer=C | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 2591 \times \frac{115}{100} = \text{█}2979$.

id=94090 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=94091 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12736 at 10% per annum for 3 years. | option_a=16556 | option_b=3820 | option_c=3920 | option_d=3720 | answer=B | explanation=SI = $\text{PRT} / 100 = \frac{12736 \times 10 \times 3}{100} = \text{█}3820$.

id=94092 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47992 at 5% per annum for 5 years. | option_a=12098 | option_b=59990 | option_c=11898 | option_d=11998 | answer=D | explanation=SI = $\text{PRT} / 100 = \frac{47992 \times 5 \times 5}{100} = \text{█}11998$.

id=94093 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $\frac{1}{4} + \frac{1}{4} = \frac{8}{16}$. Time = $\frac{16}{8} = 2$ days.

id=94094 | topic=Averages | difficulty=Easy | question=Find the average of 41, 55, 42. | option_a=47 | option_b=45 | option_c=46 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = $138 \div 3 = 46$.

id=94095 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = $150 \div 10 = 15$ km/h.

id=94096 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1189. If it is sold at a profit of 25%, what is its selling price? | option_a=1486 | option_b=1604 | option_c=1214 | option_d=1368 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 1189 \times \frac{125}{100} = \text{█}1486$.

id=94097 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=25 | option_c=20 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = $120 \div 6 = 20$ km/h.

id=94098 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=94099 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=85 | option_c=80 | option_d=75 | answer=C | explanation=Speed = distance ÷ time = $240 \div 3 = 80$ km/h.

id=94100 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:11 and the first is 80, what is the second? | option_a=118 | option_b=110 | option_c=190 | option_d=99 | answer=B | explanation=Scale factor = $80 / 8 = 10$. Therefore second quantity = $11 \times 10 = 110$.

id=94101 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=36 | option_b=28 | option_c=32 | option_d=33 | answer=C | explanation=The common difference is 4. Therefore the next term is $28 + 4 = 32$.

id=94102 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=Q | option_c=M | option_d=Y | answer=A | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=94103 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=Q | option_b=G | option_c=L | option_d=B | answer=C | explanation=Move 5 positions forward from G; the resulting letter is L.

id=94104 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27659 at 5% per annum for 3 years. | option_a=4048 | option_b=4148 | option_c=4248 | option_d=31807 | answer=B | explanation=SI = $\text{PRT} / 100 = \frac{27659 \times 5 \times 3}{100} = \text{█}4148$.

id=94105 | topic=Averages | difficulty=Easy | question=Find the average of 70, 77, 12, 87, 74, 22, 91, 63, 73, 81. | option_a=66 | option_b=64 | option_c=65 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = $650 \div 10 = 65$.

id=94106 | topic=Averages | difficulty=Easy | question=Find the average of 13, 22, 61, 26, 73. | option_a=39 | option_b=41 | option_c=38 | option_d=40 | answer=A | explanation=Average = sum of values ÷ number of values = $195 \div 5 = 39$.

id=94107 | topic=Averages | difficulty=Easy | question=Find the average of 54, 66, 42, 25, 62, 61, 83, 69, 78. | option_a=61 | option_b=62 | option_c=60 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = $540 \div 9 = 60$.

id=94108 | topic=Averages | difficulty=Easy | question=Find the average of 10, 14, 86, 75, 47, 38. | option_a=47 | option_b=44 | option_c=46 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = $270 \div 6 = 45$.

id=94109 | topic=Percentages | difficulty=Easy | question=What is 30% of 772? | option_a=221 | option_b=241 | option_c=462 | option_d=231 | answer=D | explanation=30% of 772 = $(\frac{30}{100}) \times 772 = 231$.

id=94110 | topic=Averages | difficulty=Easy | question=Find the average of 69, 16, 67, 58, 28, 85, 60, 57. | option_a=56 | option_b=57 | option_c=54 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = $440 \div 8 = 55$.

Aptitude Questions — Records 94,111-94,140 of 100,000

id=94111 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 14. | option_a=42 | option_b=112 | option_c=56 | option_d=64 | answer=C | explanation=LCM × HCF = 8×14; HCF(8,14) = 2, so LCM = 56.

id=94112 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=O | option_c=L | option_d=F | answer=C | explanation=Move 3 positions forward from I; the resulting letter is L.

id=94113 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:14 and the first is 30, what is the second? | option_a=70 | option_b=76 | option_c=100 | option_d=56 | answer=A | explanation=Scale factor = 30/6 = 5. Therefore second quantity = 14×5 = 70.

id=94114 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:20 and the first is 4, what is the second? | option_a=60 | option_b=84 | option_c=80 | option_d=81 | answer=C | explanation=Scale factor = 4/1 = 4. Therefore second quantity = 20×4 = 80.

id=94115 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45379 at 4% per annum for 2 years. | option_a=3630 | option_b=3730 | option_c=3530 | option_d=49009 | answer=A | explanation=SI = $\text{PRT}/100 = 45379 \times 4 \times 2 / 100 = \text{■}3630$.

id=94116 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42255 at 4% per annum for 5 years. | option_a=50706 | option_b=8351 | option_c=8551 | option_d=8451 | answer=D | explanation=SI = $\text{PRT}/100 = 42255 \times 4 \times 5 / 100 = \text{■}8451$.

id=94117 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 22? | option_a=18 | option_b=14 | option_c=22 | option_d=16 | answer=C | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 22 is the odd one out.

id=94118 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=24 | option_c=48 | option_d=29 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=94119 | topic=Averages | difficulty=Easy | question=Find the average of 67, 80, 70, 87. | option_a=75 | option_b=76 | option_c=78 | option_d=77 | answer=B | explanation=Average = sum of values ÷ number of values = 304 ÷ 4 = 76.

id=94120 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=O | option_b=T | option_c=D | option_d=Y | answer=D | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=94121 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=94122 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1326. If it is sold at a profit of 40%, what is its selling price? | option_a=1366 | option_b=1724 | option_c=1988 | option_d=1856 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 1326 \times 140 / 100 = \text{■}1856$.

id=94123 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=S | option_b=R | option_c=Q | option_d=T | answer=A | explanation=Move 1 positions forward from R; the resulting letter is S.

id=94124 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4729. If it is sold at a profit of 25%, what is its selling price? | option_a=4754 | option_b=5911 | option_c=6383 | option_d=5439 | answer=B | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 4729 \times 125 / 100 = \text{■}5911$.

id=94125 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1650. If it is sold at a profit of 50%, what is its selling price? | option_a=2475 | option_b=2640 | option_c=1700 | option_d=2310 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 1650 \times 150 / 100 = \text{■}2475$.

id=94126 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Y | option_b=U | option_c=Q | option_d=M | answer=B | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=94127 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34686 at 6% per annum for 1 years. | option_a=2081 | option_b=2181 | option_c=36767 | option_d=1981 | answer=A | explanation=SI = $\text{PRT}/100 = 34686 \times 6 \times 1 / 100 = \text{■}2081$.

id=94128 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:17 and the first is 36, what is the second? | option_a=308 | option_b=289 | option_c=342 | option_d=306 | answer=D | explanation=Scale factor = 36/2 = 18. Therefore second quantity = 17×18 = 306.

id=94129 | topic=Averages | difficulty=Easy | question=Find the average of 47, 18, 56, 29, 16, 18, 38, 42. | option_a=32 | option_b=34 | option_c=33 | option_d=35 | answer=C | explanation=Average = sum of values ÷ number of values = 264 ÷ 8 = 33.

id=94130 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31333 at 10% per annum for 3 years. | option_a=40732 | option_b=9299 | option_c=9499 | option_d=9399 | answer=D | explanation=SI = $\text{PRT}/100 = 31333 \times 10 \times 3 / 100 = \text{■}9399$.

id=94131 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=O | option_c=I | option_d=K | answer=A | explanation=Move 2 positions forward from K; the resulting letter is M.

id=94132 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 32? | option_a=32 | option_b=10 | option_c=24 | option_d=17 | answer=A | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 32 is the odd one out.

id=94133 | topic=Averages | difficulty=Easy | question=Find the average of 48, 62, 34. | option_a=50 | option_b=48 | option_c=49 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 144 ÷ 3 = 48.

id=94134 | topic=Percentages | difficulty=Easy | question=What is 5% of 638? | option_a=31 | option_b=36 | option_c=21 | option_d=62 | answer=A | explanation=5% of 638 = $(5/100) \times 638 = 31$.

id=94135 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 29? | option_a=15 | option_b=19 | option_c=23 | option_d=29 | answer=D | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 29 is the odd one out.

id=94136 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:7 and the first is 78, what is the second? | option_a=42 | option_b=55 | option_c=120 | option_d=35 | answer=A | explanation=Scale factor = 78/13 = 6. Therefore second quantity = 7×6 = 42.

id=94137 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4984. If it is sold at a profit of 40%, what is its selling price? | option_a=6479 | option_b=6977 | option_c=5024 | option_d=7475 | answer=B | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 4984 \times 140 / 100 = \text{■}6977$.

id=94138 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=30 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=94139 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 24, 31, 41? | option_a=31 | option_b=41 | option_c=24 | option_d=17 | answer=B | explanation=The first three numbers increase by 7, so the next should be 38. Therefore 41 is the odd one out.

id=94140 | topic=Averages | difficulty=Easy | question=Find the average of 13, 19, 48, 44. | option_a=33 | option_b=31 | option_c=30 | option_d=32 | answer=B | explanation=Average = sum of values ÷ number of values = 124 ÷ 4 = 31.

Aptitude Questions — Records 94,141-94,170 of 100,000

id=94141 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=P | option_b=A | option_c=K | option_d=F | answer=C | explanation=Move 5 positions forward from F; the resulting letter is K.

id=94142 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=33 | option_b=27 | option_c=21 | option_d=28 | answer=B | explanation=The common difference is 6. Therefore the next term is 21 + 6 = 27.

id=94143 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**1632 at 4% per annum for 1 years. | option_a=65 | option_b=165 | option_c=1697 | option_d=0 | answer=A | explanation=SI = PRT/100 = 1632×4×1/100 = **₹**65.

id=94144 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=K | option_c=O | option_d=C | answer=B | explanation=Move 4 positions forward from G; the resulting letter is K.

id=94145 | topic=Percentages | difficulty=Easy | question=What is 25% of 204? | option_a=51 | option_b=71 | option_c=102 | option_d=46 | answer=A | explanation=25% of 204 = (25/100) × 204 = 51.

id=94146 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 17, 19, 21, ? | option_a=25 | option_b=23 | option_c=24 | option_d=21 | answer=B | explanation=The common difference is 2. Therefore the next term is 21 + 2 = 23.

id=94147 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=36 | option_b=35 | option_c=42 | option_d=28 | answer=B | explanation=The common difference is 7. Therefore the next term is 28 + 7 = 35.

id=94148 | topic=Percentages | difficulty=Easy | question=What is 30% of 549? | option_a=164 | option_b=154 | option_c=174 | option_d=328 | answer=A | explanation=30% of 549 = (30/100) × 549 = 164.

id=94149 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=94150 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 21, 28, 36? | option_a=36 | option_b=21 | option_c=28 | option_d=14 | answer=A | explanation=The first three numbers increase by 7, so the next should be 35. Therefore 36 is the odd one out.

id=94151 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=H | option_b=N | option_c=K | option_d=Q | answer=B | explanation=Move 3 positions forward from K; the resulting letter is N.

id=94152 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 13, 18, 26? | option_a=13 | option_b=18 | option_c=8 | option_d=26 | answer=D | explanation=The first three numbers increase by 5, so the next should be 23. Therefore 26 is the odd one out.

id=94153 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=B | option_c=M | option_d=W | answer=D | explanation=Move 5 positions forward from R; the resulting letter is W.

id=94154 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:18 and the first is 120, what is the second? | option_a=366 | option_b=480 | option_c=342 | option_d=360 | answer=D | explanation=Scale factor = 120/6 = 20. Therefore second quantity = 18×20 = 360.

id=94155 | topic=Averages | difficulty=Easy | question=Find the average of 23, 32, 64, 30, 38, 17. | option_a=34 | option_b=35 | option_c=33 | option_d=36 | answer=A | explanation=Average = sum of values ÷ number of values = 204 ÷ 6 = 34.

id=94156 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=175 | option_c=185 | option_d=360 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=94157 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=94158 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=94159 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=94160 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=7 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=94161 | topic=Averages | difficulty=Easy | question=Find the average of 88, 10, 89, 13, 92, 20, 29, 95, 97, 57. | option_a=60 | option_b=58 | option_c=61 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 590 ÷ 10 = 59.

id=94162 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=24 | option_c=19 | option_d=29 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=94163 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:18 and the first is 14, what is the second? | option_a=234 | option_b=253 | option_c=252 | option_d=266 | answer=C | explanation=Scale factor = 14/1 = 14. Therefore second quantity = 18×14 = 252.

id=94164 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4825. If it is sold at a profit of 40%, what is its selling price? | option_a=6755 | option_b=7237 | option_c=6273 | option_d=4865 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4825 × 140/100 = **₹**6755.

id=94165 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=45 | option_b=57 | option_c=56 | option_d=67 | answer=C | explanation=The common difference is 11. Therefore the next term is 45 + 11 = 56.

id=94166 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:13 and the first is 9, what is the second? | option_a=104 | option_b=118 | option_c=126 | option_d=117 | answer=D | explanation=Scale factor = 9/1 = 9. Therefore second quantity = 13×9 = 117.

id=94167 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=94168 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=94169 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2164. If it is sold at a profit of 25%, what is its selling price? | option_a=2189 | option_b=2489 | option_c=2921 | option_d=2705 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2164 × 125/100 = **₹**2705.

id=94170 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=H | option_b=J | option_c=I | option_d=K | answer=B | explanation=Move 1 positions forward from I; the resulting letter is J.

Aptitude Questions — Records 94,171-94,200 of 100,000

id=94171 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4898. If it is sold at a profit of 5%, what is its selling price? | option_a=4653 | option_b=5142 | option_c=5631 | option_d=4903 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4898 × 105/100 = ■5142.

id=94172 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=35 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=94173 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■1637 at 10% per annum for 5 years. | option_a=2455 | option_b=818 | option_c=718 | option_d=918 | answer=B | explanation=SI = PRT/100 = 1637×10×5/100 = ■818.

id=94174 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=150 | option_c=155 | option_d=145 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=94175 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=94176 | topic=Averages | difficulty=Easy | question=Find the average of 74, 20, 66, 32. | option_a=49 | option_b=48 | option_c=50 | option_d=47 | answer=B | explanation=Average = sum of values ÷ number of values = 192 ÷ 4 = 48.

id=94177 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1022. If it is sold at a profit of 40%, what is its selling price? | option_a=1062 | option_b=1430 | option_c=1328 | option_d=1532 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1022 × 140/100 = ■1430.

id=94178 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14462 at 10% per annum for 1 years. | option_a=1346 | option_b=15908 | option_c=1446 | option_d=1546 | answer=C | explanation=SI = PRT/100 = 14462×10×1/100 = ■1446.

id=94179 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=94180 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=22 | option_b=21 | option_c=20 | option_d=18 | answer=C | explanation=The common difference is 2. Therefore the next term is 18 + 2 = 20.

id=94181 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=94182 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=A | option_c=O | option_d=W | answer=D | explanation=Move 4 positions forward from S; the resulting letter is W.

id=94183 | topic=Averages | difficulty=Easy | question=Find the average of 82, 62, 66, 82, 86, 33, 64, 53. | option_a=66 | option_b=68 | option_c=67 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 528 ÷ 8 = 66.

id=94184 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2288. If it is sold at a profit of 25%, what is its selling price? | option_a=2860 | option_b=3088 | option_c=2313 | option_d=2632 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2288 × 125/100 = ■2860.

id=94185 | topic=Averages | difficulty=Easy | question=Find the average of 15, 20, 76. | option_a=36 | option_b=37 | option_c=39 | option_d=38 | answer=B | explanation=Average = sum of values ÷ number of values = 111 ÷ 3 = 37.

id=94186 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=94187 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=94188 | topic=Averages | difficulty=Easy | question=Find the average of 74, 42, 69, 85, 55. | option_a=67 | option_b=64 | option_c=66 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 325 ÷ 5 = 65.

id=94189 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 16. | option_a=16 | option_b=128 | option_c=24 | option_d=1 | answer=A | explanation=LCM × HCF = 8×16; HCF(8,16) = 8, so LCM = 16.

id=94190 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=115 | option_c=120 | option_d=125 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=94191 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■7528 at 10% per annum for 5 years. | option_a=3864 | option_b=3664 | option_c=11292 | option_d=3764 | answer=D | explanation=SI = PRT/100 = 7528×10×5/100 = ■3764.

id=94192 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=240 | option_d=125 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=94193 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=28 | option_b=18 | option_c=24 | option_d=23 | answer=D | explanation=The common difference is 5. Therefore the next term is 18 + 5 = 23.

id=94194 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3887. If it is sold at a profit of 25%, what is its selling price? | option_a=4858 | option_b=5246 | option_c=3912 | option_d=4470 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3887 × 125/100 = ■4858.

id=94195 | topic=Averages | difficulty=Easy | question=Find the average of 35, 46, 10, 79, 33, 22, 99, 41, 103. | option_a=51 | option_b=54 | option_c=52 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 468 ÷ 9 = 52.

id=94196 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=94197 | topic=Number System | difficulty=Easy | question=Find the LCM of 19 and 19. | option_a=361 | option_b=19 | option_c=38 | option_d=1 | answer=B | explanation=LCM × HCF = 19×19; HCF(19,19) = 19, so LCM = 19.

id=94198 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2832. If it is sold at a profit of 10%, what is its selling price? | option_a=3115 | option_b=2832 | option_c=3398 | option_d=2842 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2832 × 110/100 = ■3115.

id=94199 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 8, 10, 15? | option_a=8 | option_b=15 | option_c=10 | option_d=6 | answer=B | explanation=The first three numbers increase by 2, so the next should be 12. Therefore 15 is the odd one out.

id=94200 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■3930 at 12% per annum for 3 years. | option_a=1514 | option_b=5344 | option_c=1414 | option_d=1314 | answer=C | explanation=SI = PRT/100 = 3930×12×3/100 = ■1414.

Aptitude Questions — Records 94,201-94,230 of 100,000

id=94201 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=24 | option_b=26 | option_c=28 | option_d=27 | answer=B | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.

id=94202 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 10, 12, 14, ? | option_a=18 | option_b=17 | option_c=16 | option_d=14 | answer=C | explanation=The common difference is 2. Therefore the next term is 14 + 2 = 16.

id=94203 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 22? | option_a=9 | option_b=15 | option_c=3 | option_d=22 | answer=D | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 22 is the odd one out.

id=94204 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=54 | option_b=46 | option_c=38 | option_d=47 | answer=B | explanation=The common difference is 8. Therefore the next term is 38 + 8 = 46.

id=94205 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27919 at 5% per annum for 3 years. | option_a=4287 | option_b=4187 | option_c=4087 | option_d=32106 | answer=B | explanation=SI = PRT/100 = 27919×5×3/100 = **■**4187.

id=94206 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**609. If it is sold at a profit of 15%, what is its selling price? | option_a=760 | option_b=640 | option_c=624 | option_d=700 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 609 × 115/100 = **■**700.

id=94207 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=S | option_b=V | option_c=M | option_d=P | answer=A | explanation=Move 3 positions forward from P; the resulting letter is S.

id=94208 | topic=Percentages | difficulty=Easy | question=What is 20% of 51? | option_a=20 | option_b=10 | option_c=30 | option_d=5 | answer=B | explanation=20% of 51 = (20/100) × 51 = 10.

id=94209 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 3. | option_a=3 | option_b=9 | option_c=1 | option_d=6 | answer=A | explanation=LCM × HCF = 3×3; HCF(3,3) = 3, so LCM = 3.

id=94210 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=Q | option_b=I | option_c=M | option_d=E | answer=C | explanation=Move 4 positions forward from I; the resulting letter is M.

id=94211 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=R | option_c=L | option_d=N | answer=A | explanation=Move 2 positions forward from N; the resulting letter is P.

id=94212 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**287. If it is sold at a profit of 40%, what is its selling price? | option_a=401 | option_b=429 | option_c=327 | option_d=373 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 287 × 140/100 = **■**401.

id=94213 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=94214 | topic=Percentages | difficulty=Easy | question=What is 20% of 1024? | option_a=194 | option_b=408 | option_c=209 | option_d=204 | answer=D | explanation=20% of 1024 = (20/100) × 1024 = 204.

id=94215 | topic=Averages | difficulty=Easy | question=Find the average of 20, 48, 71, 32, 28, 71, 23, 37, 30. | option_a=39 | option_b=42 | option_c=41 | option_d=40 | answer=D | explanation=Average = sum of values ÷ number of values = 360 ÷ 9 = 40.

id=94216 | topic=Percentages | difficulty=Easy | question=What is 50% of 1243? | option_a=611 | option_b=621 | option_c=626 | option_d=1242 | answer=B | explanation=50% of 1243 = (50/100) × 1243 = 621.

id=94217 | topic=Averages | difficulty=Easy | question=Find the average of 35, 60, 69, 24. | option_a=47 | option_b=46 | option_c=49 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = 188 ÷ 4 = 47.

id=94218 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 15? | option_a=3 | option_b=9 | option_c=6 | option_d=15 | answer=D | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 15 is the odd one out.

id=94219 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=94220 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 6. | option_a=18 | option_b=108 | option_c=36 | option_d=12 | answer=A | explanation=LCM × HCF = 18×6; HCF(18,6) = 6, so LCM = 18.

id=94221 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=W | option_b=H | option_c=R | option_d=M | answer=C | explanation=Move 5 positions forward from M; the resulting letter is R.

id=94222 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:10 and the first is 96, what is the second? | option_a=150 | option_b=166 | option_c=256 | option_d=160 | answer=D | explanation=Scale factor = 96/6 = 16. Therefore second quantity = 10×16 = 160.

id=94223 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=180 | option_c=85 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=94224 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1781. If it is sold at a profit of 20%, what is its selling price? | option_a=2315 | option_b=2137 | option_c=1959 | option_d=1801 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1781 × 120/100 = **■**2137.

id=94225 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 30, 36, 43? | option_a=30 | option_b=43 | option_c=36 | option_d=24 | answer=B | explanation=The first three numbers increase by 6, so the next should be 42. Therefore 43 is the odd one out.

id=94226 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**24751 at 4% per annum for 5 years. | option_a=4850 | option_b=5050 | option_c=4950 | option_d=29701 | answer=C | explanation=SI = PRT/100 = 24751×4×5/100 = **■**4950.

id=94227 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1737. If it is sold at a profit of 10%, what is its selling price? | option_a=1747 | option_b=2083 | option_c=1737 | option_d=1910 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1737 × 110/100 = **■**1910.

id=94228 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=94229 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=28 | option_b=21 | option_c=33 | option_d=27 | answer=D | explanation=The common difference is 6. Therefore the next term is 21 + 6 = 27.

id=94230 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:5 and the first is 70, what is the second? | option_a=25 | option_b=39 | option_c=20 | option_d=95 | answer=A | explanation=Scale factor = 70/14 = 5. Therefore second quantity = 5×5 = 25.

Aptitude Questions — Records 94,231-94,260 of 100,000

id=94231 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=34 | option_b=40 | option_c=39 | option_d=44 | answer=C | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

id=94232 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29496 at 4% per annum for 3 years. | option_a=3439 | option_b=3639 | option_c=3539 | option_d=33035 | answer=C | explanation=SI = $PRT/100 = 29496 \times 4 \times 3/100 = \text{■}3539$.

id=94233 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**545. If it is sold at a profit of 20%, what is its selling price? | option_a=708 | option_b=600 | option_c=654 | option_d=565 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 545 \times 120/100 = \text{■}654$.

id=94234 | topic=Averages | difficulty=Easy | question=Find the average of 71, 36, 85, 68, 93, 55, 49, 100, 37. | option_a=65 | option_b=67 | option_c=68 | option_d=66 | answer=D | explanation=Average = sum of values ÷ number of values = $594 \div 9 = 66$.

id=94235 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=W | option_b=L | option_c=G | option_d=B | answer=C | explanation=Move 5 positions forward from B; the resulting letter is G.

id=94236 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 53? | option_a=20 | option_b=40 | option_c=53 | option_d=30 | answer=C | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 53 is the odd one out.

id=94237 | topic=Percentages | difficulty=Easy | question=What is 20% of 1544? | option_a=616 | option_b=308 | option_c=313 | option_d=288 | answer=B | explanation=20% of 1544 = $(20/100) \times 1544 = 308$.

id=94238 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = $120 \div 8 = 15$ km/h.

id=94239 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 11, 16, 22? | option_a=11 | option_b=16 | option_c=6 | option_d=22 | answer=D | explanation=The first three numbers increase by 5, so the next should be 21. Therefore 22 is the odd one out.

id=94240 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:6 and the first is 108, what is the second? | option_a=102 | option_b=216 | option_c=114 | option_d=108 | answer=D | explanation=Scale factor = $108/6 = 18$. Therefore second quantity = $6 \times 18 = 108$.

id=94241 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2406. If it is sold at a profit of 40%, what is its selling price? | option_a=2446 | option_b=3608 | option_c=3368 | option_d=3128 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2406 \times 140/100 = \text{■}3368$.

id=94242 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 8. | option_a=120 | option_b=112 | option_c=240 | option_d=150 | answer=A | explanation=LCM $\times$ HCF = 30×8 ; $HCF(30,8) = 2$, so LCM = 120.

id=94243 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 30? | option_a=24 | option_b=30 | option_c=22 | option_d=26 | answer=B | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 30 is the odd one out.

id=94244 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=94245 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2691. If it is sold at a profit of 40%, what is its selling price? | option_a=3498 | option_b=2731 | option_c=4036 | option_d=3767 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2691 \times 140/100 = \text{■}3767$.

id=94246 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:16 and the first is 30, what is the second? | option_a=80 | option_b=86 | option_c=110 | option_d=64 | answer=A | explanation=Scale factor = $30/6 = 5$. Therefore second quantity = $16 \times 5 = 80$.

id=94247 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=21 | option_b=18 | option_c=20 | option_d=22 | answer=C | explanation=The common difference is 2. Therefore the next term is $18 + 2 = 20$.

id=94248 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2676. If it is sold at a profit of 20%, what is its selling price? | option_a=2944 | option_b=3478 | option_c=3211 | option_d=2696 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2676 \times 120/100 = \text{■}3211$.

id=94249 | topic=Averages | difficulty=Easy | question=Find the average of 50, 86, 56, 92. | option_a=71 | option_b=73 | option_c=70 | option_d=72 | answer=A | explanation=Average = sum of values ÷ number of values = $284 \div 4 = 71$.

id=94250 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:15 and the first is 96, what is the second? | option_a=240 | option_b=336 | option_c=246 | option_d=225 | answer=A | explanation=Scale factor = $96/6 = 16$. Therefore second quantity = $15 \times 16 = 240$.

id=94251 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=K | option_c=E | option_d=N | answer=B | explanation=Move 3 positions forward from H; the resulting letter is K.

id=94252 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4811. If it is sold at a profit of 25%, what is its selling price? | option_a=6494 | option_b=5532 | option_c=6013 | option_d=4836 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4811 \times 125/100 = \text{■}6013$.

id=94253 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=X | option_b=G | option_c=A | option_d=D | answer=D | explanation=Move 3 positions forward from A; the resulting letter is D.

id=94254 | topic=Averages | difficulty=Easy | question=Find the average of 67, 99, 10, 91, 61, 14, 33, 37, 56. | option_a=52 | option_b=53 | option_c=54 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = $468 \div 9 = 52$.

id=94255 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=16 | answer=A | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=94256 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:17 and the first is 140, what is the second? | option_a=248 | option_b=238 | option_c=221 | option_d=378 | answer=B | explanation=Scale factor = $140/10 = 14$. Therefore second quantity = $17 \times 14 = 238$.

id=94257 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=G | option_c=I | option_d=M | answer=A | explanation=Move 2 positions forward from I; the resulting letter is K.

id=94258 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=27 | option_b=21 | option_c=33 | option_d=28 | answer=A | explanation=The common difference is 6. Therefore the next term is $21 + 6 = 27$.

id=94259 | topic=Percentages | difficulty=Easy | question=What is 20% of 1555? | option_a=622 | option_b=331 | option_c=311 | option_d=291 | answer=C | explanation=20% of 1555 = $(20/100) \times 1555 = 311$.

id=94260 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=51 | option_b=52 | option_c=62 | option_d=40 | answer=A | explanation=The common difference is 11. Therefore the next term is $40 + 11 = 51$.

Aptitude Questions — Records 94,261-94,290 of 100,000

id=94261 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■24973 at 10% per annum for 2 years. | option_a=4894 | option_b=4994 | option_c=29967 | option_d=5094 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{24973 \times 10 \times 2}{100} = \blacksquare 4994$.

id=94262 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 6. | option_a=78 | option_b=112 | option_c=168 | option_d=84 | answer=D | explanation= $LCM \times HCF = 28 \times 6$; $HCF(28,6) = 2$, so $LCM = 84$.

id=94263 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 16, 25, 36? | option_a=16 | option_b=36 | option_c=25 | option_d=7 | answer=B | explanation=The first three numbers increase by 9, so the next should be 34. Therefore 36 is the odd one out.

id=94264 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■47847 at 12% per annum for 2 years. | option_a=11383 | option_b=59330 | option_c=11483 | option_d=11583 | answer=C | explanation= $SI = \frac{PRT}{100} = \frac{47847 \times 12 \times 2}{100} = \blacksquare 11483$.

id=94265 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 21, 28, 36? | option_a=36 | option_b=21 | option_c=28 | option_d=14 | answer=A | explanation=The first three numbers increase by 7, so the next should be 35. Therefore 36 is the odd one out.

id=94266 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:12 and the first is 85, what is the second? | option_a=209 | option_b=192 | option_c=204 | option_d=289 | answer=C | explanation=Scale factor = $\frac{85}{5} = 17$. Therefore second quantity = $12 \times 17 = 204$.

id=94267 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=R | option_c=L | option_d=N | answer=A | explanation=Move 2 positions forward from N; the resulting letter is P.

id=94268 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 19, 25, 32? | option_a=32 | option_b=19 | option_c=13 | option_d=25 | answer=A | explanation=The first three numbers increase by 6, so the next should be 31. Therefore 32 is the odd one out.

id=94269 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=160 | option_c=80 | option_d=75 | answer=C | explanation=Speed = distance ÷ time = $\frac{240}{3} = 80$ km/h.

id=94270 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=Z | option_c=P | option_d=E | answer=B | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=94271 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = $\frac{60}{2} = 30$ km/h.

id=94272 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=15 | option_c=10 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = $\frac{60}{6} = 10$ km/h.

id=94273 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $\frac{60}{2} = 30$ km/h.

id=94274 | topic=Percentages | difficulty=Easy | question=What is 12% of 1755? | option_a=220 | option_b=190 | option_c=420 | option_d=210 | answer=D | explanation=12% of 1755 = $(\frac{12}{100}) \times 1755 = 210$.

id=94275 | topic=Percentages | difficulty=Easy | question=What is 40% of 555? | option_a=217 | option_b=444 | option_c=222 | option_d=227 | answer=C | explanation=40% of 555 = $(\frac{40}{100}) \times 555 = 222$.

id=94276 | topic=Averages | difficulty=Easy | question=Find the average of 100, 38, 21. | option_a=53 | option_b=52 | option_c=54 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{159}{3} = 53$.

id=94277 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $\frac{180}{3} = 60$ km/h.

id=94278 | topic=Percentages | difficulty=Easy | question=What is 12% of 449? | option_a=53 | option_b=58 | option_c=106 | option_d=43 | answer=A | explanation=12% of 449 = $(\frac{12}{100}) \times 449 = 53$.

id=94279 | topic=Percentages | difficulty=Easy | question=What is 40% of 449? | option_a=199 | option_b=179 | option_c=358 | option_d=174 | answer=B | explanation=40% of 449 = $(\frac{40}{100}) \times 449 = 179$.

id=94280 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 23, 30, 40? | option_a=30 | option_b=16 | option_c=23 | option_d=40 | answer=D | explanation=The first three numbers increase by 7, so the next should be 37. Therefore 40 is the odd one out.

id=94281 | topic=Averages | difficulty=Easy | question=Find the average of 62, 60, 43, 63, 67. | option_a=59 | option_b=60 | option_c=61 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{295}{5} = 59$.

id=94282 | topic=Percentages | difficulty=Easy | question=What is 25% of 1813? | option_a=458 | option_b=906 | option_c=443 | option_d=453 | answer=D | explanation=25% of 1813 = $(\frac{25}{100}) \times 1813 = 453$.

id=94283 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 18, 23, 28, ? | option_a=38 | option_b=28 | option_c=34 | option_d=33 | answer=D | explanation=The common difference is 5. Therefore the next term is $28 + 5 = 33$.

id=94284 | topic=Percentages | difficulty=Easy | question=What is 40% of 118? | option_a=52 | option_b=94 | option_c=47 | option_d=37 | answer=C | explanation=40% of 118 = $(\frac{40}{100}) \times 118 = 47$.

id=94285 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:10 and the first is 60, what is the second? | option_a=40 | option_b=100 | option_c=30 | option_d=55 | answer=A | explanation=Scale factor = $\frac{60}{15} = 4$. Therefore second quantity = $10 \times 4 = 40$.

id=94286 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=H | option_c=F | option_d=B | answer=C | explanation=Move 2 positions forward from D; the resulting letter is F.

id=94287 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:20 and the first is 39, what is the second? | option_a=263 | option_b=240 | option_c=299 | option_d=260 | answer=D | explanation=Scale factor = $\frac{39}{3} = 13$. Therefore second quantity = $20 \times 13 = 260$.

id=94288 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:10 and the first is 110, what is the second? | option_a=100 | option_b=90 | option_c=210 | option_d=111 | answer=A | explanation=Scale factor = $\frac{110}{11} = 10$. Therefore second quantity = $10 \times 10 = 100$.

id=94289 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:14 and the first is 76, what is the second? | option_a=270 | option_b=266 | option_c=252 | option_d=342 | answer=B | explanation=Scale factor = $\frac{76}{4} = 19$. Therefore second quantity = $14 \times 19 = 266$.

id=94290 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:18 and the first is 18, what is the second? | option_a=45 | option_b=18 | option_c=36 | option_d=54 | answer=C | explanation=Scale factor = $\frac{18}{9} = 2$. Therefore second quantity = $18 \times 2 = 36$.

Aptitude Questions — Records 94,291-94,320 of 100,000

id=94291 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=W | option_c=Q | option_d=U | answer=D | explanation=Move 2 positions forward from S; the resulting letter is U.

id=94292 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 45? | option_a=35 | option_b=45 | option_c=19 | option_d=27 | answer=B | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 45 is the odd one out.

id=94293 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=25 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=94294 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=94295 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**17807 at 4% per annum for 4 years. | option_a=2849 | option_b=2749 | option_c=2949 | option_d=20656 | answer=A | explanation=SI = PRT/100 = 17807×4×4/100 = **₹**2849.

id=94296 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1471. If it is sold at a profit of 30%, what is its selling price? | option_a=1912 | option_b=1501 | option_c=1765 | option_d=2059 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1471 × 130/100 = **₹**1912.

id=94297 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=K | option_b=L | option_c=N | option_d=M | answer=D | explanation=Move 1 positions forward from L; the resulting letter is M.

id=94298 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:11 and the first is 196, what is the second? | option_a=154 | option_b=143 | option_c=350 | option_d=168 | answer=A | explanation=Scale factor = 196/14 = 14. Therefore second quantity = 11×14 = 154.

id=94299 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=F | option_c=J | option_d=H | answer=C | explanation=Move 2 positions forward from H; the resulting letter is J.

id=94300 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 27, 32, 39? | option_a=32 | option_b=39 | option_c=27 | option_d=22 | answer=B | explanation=The first three numbers increase by 5, so the next should be 37. Therefore 39 is the odd one out.

id=94301 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=P | option_b=N | option_c=L | option_d=R | answer=A | explanation=Move 2 positions forward from N; the resulting letter is P.

id=94302 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**31488 at 10% per annum for 1 years. | option_a=3048 | option_b=3148 | option_c=3248 | option_d=34636 | answer=B | explanation=SI = PRT/100 = 31488×10×1/100 = **₹**3148.

id=94303 | topic=Percentages | difficulty=Easy | question=What is 20% of 1917? | option_a=766 | option_b=393 | option_c=363 | option_d=383 | answer=D | explanation=20% of 1917 = (20/100) × 1917 = 383.

id=94304 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 36? | option_a=36 | option_b=17 | option_c=25 | option_d=9 | answer=A | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 36 is the odd one out.

id=94305 | topic=Percentages | difficulty=Easy | question=What is 12% of 935? | option_a=107 | option_b=224 | option_c=112 | option_d=132 | answer=C | explanation=12% of 935 = (12/100) × 935 = 112.

id=94306 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 34, 42, 52? | option_a=34 | option_b=42 | option_c=52 | option_d=26 | answer=C | explanation=The first three numbers increase by 8, so the next should be 50. Therefore 52 is the odd one out.

id=94307 | topic=Averages | difficulty=Easy | question=Find the average of 17, 47, 98, 21, 60, 97, 17. | option_a=51 | option_b=52 | option_c=53 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 357 ÷ 7 = 51.

id=94308 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=175 | option_c=360 | option_d=185 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=94309 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=D | option_b=T | option_c=Y | option_d=O | answer=C | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=94310 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=32 | option_b=35 | option_c=31 | option_d=27 | answer=C | explanation=The common difference is 4. Therefore the next term is 27 + 4 = 31.

id=94311 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=94312 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=90 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=94313 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 15, 24, 33, ? | option_a=51 | option_b=33 | option_c=43 | option_d=42 | answer=D | explanation=The common difference is 9. Therefore the next term is 33 + 9 = 42.

id=94314 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 20. | option_a=20 | option_b=1 | option_c=80 | option_d=24 | answer=A | explanation=LCM × HCF = 4×20; HCF(4,20) = 4, so LCM = 20.

id=94315 | topic=Averages | difficulty=Easy | question=Find the average of 61, 52, 72, 43, 43, 35. | option_a=50 | option_b=52 | option_c=51 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 306 ÷ 6 = 51.

id=94316 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=6 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=94317 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 8, 13, 20? | option_a=8 | option_b=13 | option_c=3 | option_d=20 | answer=D | explanation=The first three numbers increase by 5, so the next should be 18. Therefore 20 is the odd one out.

id=94318 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=B | option_b=C | option_c=A | option_d=Z | answer=A | explanation=Move 1 positions forward from A; the resulting letter is B.

id=94319 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 50? | option_a=21 | option_b=39 | option_c=50 | option_d=30 | answer=C | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 50 is the odd one out.

id=94320 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=16 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

Aptitude Questions — Records 94,321-94,350 of 100,000

id=94321 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3174. If it is sold at a profit of 50%, what is its selling price? | option_a=5078 | option_b=4444 | option_c=3224 | option_d=4761 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3174 × 150/100 = █4761.

id=94322 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=25 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=94323 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 15. | option_a=75 | option_b=90 | option_c=270 | option_d=108 | answer=B | explanation=LCM × HCF = 18×15; HCF(18,15) = 3, so LCM = 90.

id=94324 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:13 and the first is 81, what is the second? | option_a=126 | option_b=198 | option_c=104 | option_d=117 | answer=D | explanation=Scale factor = 81/9 = 9. Therefore second quantity = 13×9 = 117.

id=94325 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=94326 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4887. If it is sold at a profit of 25%, what is its selling price? | option_a=4912 | option_b=6596 | option_c=5620 | option_d=6108 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4887 × 125/100 = █6108.

id=94327 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=N | option_b=S | option_c=X | option_d=C | answer=C | explanation=Move 5 positions forward from S; the resulting letter is X.

id=94328 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=24 | option_c=17 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=94329 | topic=Percentages | difficulty=Easy | question=What is 25% of 312? | option_a=58 | option_b=78 | option_c=98 | option_d=156 | answer=B | explanation=25% of 312 = (25/100) × 312 = 78.

id=94330 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=12 | option_c=24 | option_d=7 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=94331 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:13 and the first is 70, what is the second? | option_a=91 | option_b=78 | option_c=101 | option_d=161 | answer=A | explanation=Scale factor = 70/10 = 7. Therefore second quantity = 13×7 = 91.

id=94332 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:20 and the first is 70, what is the second? | option_a=170 | option_b=80 | option_c=100 | option_d=114 | answer=C | explanation=Scale factor = 70/14 = 5. Therefore second quantity = 20×5 = 100.

id=94333 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25482 at 5% per annum for 4 years. | option_a=5096 | option_b=4996 | option_c=30578 | option_d=5196 | answer=A | explanation=SI = PRT/100 = 25482×5×4/100 = █5096.

id=94334 | topic=Percentages | difficulty=Easy | question=What is 10% of 317? | option_a=62 | option_b=41 | option_c=31 | option_d=11 | answer=C | explanation=10% of 317 = (10/100) × 317 = 31.

id=94335 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49742 at 8% per annum for 5 years. | option_a=19896 | option_b=69638 | option_c=19796 | option_d=19996 | answer=A | explanation=SI = PRT/100 = 49742×8×5/100 = █19896.

id=94336 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 19, 29, 39, ? | option_a=50 | option_b=59 | option_c=39 | option_d=49 | answer=D | explanation=The common difference is 10. Therefore the next term is 39 + 10 = 49.

id=94337 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4597. If it is sold at a profit of 40%, what is its selling price? | option_a=4637 | option_b=5976 | option_c=6435 | option_d=6894 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4597 × 140/100 = █6435.

id=94338 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3064. If it is sold at a profit of 30%, what is its selling price? | option_a=3677 | option_b=3094 | option_c=4289 | option_d=3983 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3064 × 130/100 = █3983.

id=94339 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4765 at 10% per annum for 5 years. | option_a=2282 | option_b=2382 | option_c=2482 | option_d=7147 | answer=B | explanation=SI = PRT/100 = 4765×10×5/100 = █2382.

id=94340 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=68 | option_b=58 | option_c=57 | option_d=46 | answer=C | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.

id=94341 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3836. If it is sold at a profit of 30%, what is its selling price? | option_a=4603 | option_b=3866 | option_c=4986 | option_d=5369 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3836 × 130/100 = █4986.

id=94342 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45791 at 6% per annum for 4 years. | option_a=10989 | option_b=56780 | option_c=11089 | option_d=10889 | answer=A | explanation=SI = PRT/100 = 45791×6×4/100 = █10989.

id=94343 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 23, 25, 30? | option_a=25 | option_b=30 | option_c=21 | option_d=23 | answer=B | explanation=The first three numbers increase by 2, so the next should be 27. Therefore 30 is the odd one out.

id=94344 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=94345 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=94346 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:5 and the first is 51, what is the second? | option_a=32 | option_b=66 | option_c=15 | option_d=10 | answer=C | explanation=Scale factor = 51/17 = 3. Therefore second quantity = 5×3 = 15.

id=94347 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=94348 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=240 | option_b=115 | option_c=120 | option_d=125 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=94349 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:13 and the first is 234, what is the second? | option_a=234 | option_b=221 | option_c=247 | option_d=468 | answer=A | explanation=Scale factor = 234/13 = 18. Therefore second quantity = 13×18 = 234.

id=94350 | topic=Averages | difficulty=Easy | question=Find the average of 43, 89, 10, 98. | option_a=61 | option_b=62 | option_c=59 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 240 ÷ 4 = 60.

Aptitude Questions — Records 94,351-94,380 of 100,000

id=94351 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■16746 at 5% per annum for 5 years. | option_a=4186 | option_b=4086 | option_c=20932 | option_d=4286 | answer=A | explanation=SI = PRT/100 = 16746×5×5/100 = ■4186.

id=94352 | topic=Percentages | difficulty=Easy | question=What is 30% of 1077? | option_a=343 | option_b=318 | option_c=646 | option_d=323 | answer=D | explanation=30% of 1077 = (30/100) × 1077 = 323.

id=94353 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=22 | option_b=26 | option_c=18 | option_d=23 | answer=A | explanation=The common difference is 4. Therefore the next term is 18 + 4 = 22.

id=94354 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 28? | option_a=15 | option_b=23 | option_c=28 | option_d=19 | answer=C | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 28 is the odd one out.

id=94355 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■410. If it is sold at a profit of 10%, what is its selling price? | option_a=492 | option_b=451 | option_c=410 | option_d=420 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 410 × 110/100 = ■451.

id=94356 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:10 and the first is 320, what is the second? | option_a=200 | option_b=520 | option_c=216 | option_d=190 | answer=A | explanation=Scale factor = 320/16 = 20. Therefore second quantity = 10×20 = 200.

id=94357 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 34, 39, 47? | option_a=39 | option_b=47 | option_c=34 | option_d=29 | answer=B | explanation=The first three numbers increase by 5, so the next should be 44. Therefore 47 is the odd one out.

id=94358 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 7, 10, 13, ? | option_a=19 | option_b=17 | option_c=16 | option_d=13 | answer=C | explanation=The common difference is 3. Therefore the next term is 13 + 3 = 16.

id=94359 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:15 and the first is 6, what is the second? | option_a=51 | option_b=47 | option_c=45 | option_d=30 | answer=C | explanation=Scale factor = 6/2 = 3. Therefore second quantity = 15×3 = 45.

id=94360 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=49 | option_b=62 | option_c=73 | option_d=61 | answer=D | explanation=The common difference is 12. Therefore the next term is 49 + 12 = 61.

id=94361 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 11, 19, 30? | option_a=3 | option_b=11 | option_c=30 | option_d=19 | answer=C | explanation=The first three numbers increase by 8, so the next should be 27. Therefore 30 is the odd one out.

id=94362 | topic=Averages | difficulty=Easy | question=Find the average of 29, 28, 66. | option_a=42 | option_b=41 | option_c=40 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = 123 ÷ 3 = 41.

id=94363 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1517. If it is sold at a profit of 5%, what is its selling price? | option_a=1441 | option_b=1743 | option_c=1522 | option_d=1592 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1517 × 105/100 = ■1592.

id=94364 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=H | option_b=L | option_c=T | option_d=P | answer=D | explanation=Move 4 positions forward from L; the resulting letter is P.

id=94365 | topic=Averages | difficulty=Easy | question=Find the average of 64, 97, 31, 99, 89. | option_a=76 | option_b=75 | option_c=78 | option_d=77 | answer=A | explanation=Average = sum of values ÷ number of values = 380 ÷ 5 = 76.

id=94366 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4580. If it is sold at a profit of 15%, what is its selling price? | option_a=5725 | option_b=5267 | option_c=4809 | option_d=4595 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4580 × 115/100 = ■5267.

id=94367 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■15185 at 5% per annum for 2 years. | option_a=1618 | option_b=1418 | option_c=1518 | option_d=16703 | answer=C | explanation=SI = PRT/100 = 15185×5×2/100 = ■1518.

id=94368 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■19018 at 12% per annum for 1 years. | option_a=2182 | option_b=2382 | option_c=2282 | option_d=21300 | answer=C | explanation=SI = PRT/100 = 19018×12×1/100 = ■2282.

id=94369 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■7054 at 4% per annum for 1 years. | option_a=7336 | option_b=182 | option_c=282 | option_d=382 | answer=C | explanation=SI = PRT/100 = 7054×4×1/100 = ■282.

id=94370 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:9 and the first is 72, what is the second? | option_a=45 | option_b=66 | option_c=54 | option_d=126 | answer=C | explanation=Scale factor = 72/12 = 6. Therefore second quantity = 9×6 = 54.

id=94371 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=94372 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=94373 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=M | option_b=O | option_c=S | option_d=Q | answer=D | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=94374 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 50? | option_a=50 | option_b=25 | option_c=33 | option_d=41 | answer=A | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 50 is the odd one out.

id=94375 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:4 and the first is 240, what is the second? | option_a=92 | option_b=80 | option_c=320 | option_d=76 | answer=B | explanation=Scale factor = 240/12 = 20. Therefore second quantity = 4×20 = 80.

id=94376 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3004. If it is sold at a profit of 40%, what is its selling price? | option_a=4505 | option_b=3905 | option_c=3044 | option_d=4205 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3004 × 140/100 = ■4205.

id=94377 | topic=Percentages | difficulty=Easy | question=What is 5% of 940? | option_a=27 | option_b=94 | option_c=67 | option_d=47 | answer=D | explanation=5% of 940 = (5/100) × 940 = 47.

id=94378 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=94379 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 14. | option_a=252 | option_b=144 | option_c=112 | option_d=126 | answer=D | explanation=LCM × HCF = 18×14; HCF(18,14) = 2, so LCM = 126.

id=94380 | topic=Number System | difficulty=Easy | question=Find the LCM of 19 and 19. | option_a=19 | option_b=38 | option_c=1 | option_d=361 | answer=A | explanation=LCM × HCF = 19×19; HCF(19,19) = 19, so LCM = 19.

Aptitude Questions — Records 94,381-94,410 of 100,000

id=94381 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=94382 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 41? | option_a=29 | option_b=11 | option_c=41 | option_d=20 | answer=C | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 41 is the odd one out.

id=94383 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'i' become? | option_a=M | option_b=Q | option_c=I | option_d=E | answer=A | explanation=Move 4 positions forward from i; the resulting letter is M.

id=94384 | topic=Averages | difficulty=Easy | question=Find the average of 86, 32, 53. | option_a=58 | option_b=56 | option_c=57 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 171 ÷ 3 = 57.

id=94385 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8675 at 10% per annum for 5 years. | option_a=13012 | option_b=4437 | option_c=4237 | option_d=4337 | answer=D | explanation=SI = PRT/100 = 8675×10×5/100 = **■**4337.

id=94386 | topic=Averages | difficulty=Easy | question=Find the average of 29, 61, 96, 14, 48, 48, 19. | option_a=45 | option_b=44 | option_c=47 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 315 ÷ 7 = 45.

id=94387 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3823. If it is sold at a profit of 10%, what is its selling price? | option_a=3833 | option_b=4205 | option_c=4587 | option_d=3823 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3823 × 110/100 = **■**4205.

id=94388 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4002. If it is sold at a profit of 20%, what is its selling price? | option_a=5202 | option_b=4022 | option_c=4802 | option_d=4402 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4002 × 120/100 = **■**4802.

id=94389 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:17 and the first is 36, what is the second? | option_a=157 | option_b=153 | option_c=189 | option_d=136 | answer=B | explanation=Scale factor = 36/4 = 9. Therefore second quantity = 17×9 = 153.

id=94390 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3860. If it is sold at a profit of 20%, what is its selling price? | option_a=4246 | option_b=5018 | option_c=4632 | option_d=3880 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3860 × 120/100 = **■**4632.

id=94391 | topic=Percentages | difficulty=Easy | question=What is 15% of 1268? | option_a=380 | option_b=190 | option_c=185 | option_d=210 | answer=B | explanation=15% of 1268 = (15/100) × 1268 = 190.

id=94392 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=94393 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 6, 10, 14, ? | option_a=14 | option_b=19 | option_c=22 | option_d=18 | answer=D | explanation=The common difference is 4. Therefore the next term is 14 + 4 = 18.

id=94394 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2505. If it is sold at a profit of 10%, what is its selling price? | option_a=2505 | option_b=2755 | option_c=3005 | option_d=2515 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2505 × 110/100 = **■**2755.

id=94395 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 18, 26, 36? | option_a=10 | option_b=26 | option_c=36 | option_d=18 | answer=C | explanation=The first three numbers increase by 8, so the next should be 34. Therefore 36 is the odd one out.

id=94396 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:9 and the first is 136, what is the second? | option_a=289 | option_b=144 | option_c=161 | option_d=153 | answer=D | explanation=Scale factor = 136/8 = 17. Therefore second quantity = 9×17 = 153.

id=94397 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=70 | option_b=75 | option_c=150 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=94398 | topic=Averages | difficulty=Easy | question=Find the average of 73, 69, 98, 49, 17, 77, 65. | option_a=64 | option_b=66 | option_c=63 | option_d=65 | answer=A | explanation=Average = sum of values ÷ number of values = 448 ÷ 7 = 64.

id=94399 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 21, 28, 37? | option_a=14 | option_b=28 | option_c=37 | option_d=21 | answer=C | explanation=The first three numbers increase by 7, so the next should be 35. Therefore 37 is the odd one out.

id=94400 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13254 at 10% per annum for 1 years. | option_a=1225 | option_b=14579 | option_c=1425 | option_d=1325 | answer=D | explanation=SI = PRT/100 = 13254×10×1/100 = **■**1325.

id=94401 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=94402 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31683 at 6% per annum for 2 years. | option_a=35484 | option_b=3801 | option_c=3701 | option_d=3901 | answer=B | explanation=SI = PRT/100 = 31683×6×2/100 = **■**3801.

id=94403 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=25 | option_c=30 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=94404 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=H | option_b=E | option_c=Y | option_d=B | answer=B | explanation=Move 3 positions forward from B; the resulting letter is E.

id=94405 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 12. | option_a=105 | option_b=252 | option_c=72 | option_d=84 | answer=D | explanation=LCM × HCF = 21×12; HCF(21,12) = 3, so LCM = 84.

id=94406 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 7, 10, 16? | option_a=16 | option_b=4 | option_c=10 | option_d=7 | answer=A | explanation=The first three numbers increase by 3, so the next should be 13. Therefore 16 is the odd one out.

id=94407 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3838. If it is sold at a profit of 30%, what is its selling price? | option_a=3868 | option_b=4989 | option_c=4606 | option_d=5372 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3838 × 130/100 = **■**4989.

id=94408 | topic=Percentages | difficulty=Easy | question=What is 12% of 54? | option_a=12 | option_b=6 | option_c=11 | option_d=0 | answer=B | explanation=12% of 54 = (12/100) × 54 = 6.

id=94409 | topic=Percentages | difficulty=Easy | question=What is 25% of 1170? | option_a=584 | option_b=282 | option_c=292 | option_d=302 | answer=C | explanation=25% of 1170 = (25/100) × 1170 = 292.

id=94410 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1301. If it is sold at a profit of 20%, what is its selling price? | option_a=1691 | option_b=1321 | option_c=1561 | option_d=1431 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1301 × 120/100 = **■**1561.

Aptitude Questions — Records 94,411-94,440 of 100,000

id=94411 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27347 at 8% per annum for 4 years. | option_a=36098 | option_b=8651 | option_c=8751 | option_d=8851 | answer=C | explanation=SI = $PRT/100 = 27347 \times 8 \times 4 / 100 = \text{■}8751$.

id=94412 | topic=Averages | difficulty=Easy | question=Find the average of 56, 84, 40, 100. | option_a=70 | option_b=71 | option_c=72 | option_d=69 | answer=A | explanation=Average = sum of values ÷ number of values = $280 \div 4 = 70$.

id=94413 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=31 | option_b=32 | option_c=25 | option_d=37 | answer=A | explanation=The common difference is 6. Therefore the next term is $25 + 6 = 31$.

id=94414 | topic=Percentages | difficulty=Easy | question=What is 20% of 1446? | option_a=578 | option_b=294 | option_c=289 | option_d=284 | answer=C | explanation=20% of 1446 = $(20/100) \times 1446 = 289$.

id=94415 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=33 | option_b=39 | option_c=45 | option_d=40 | answer=B | explanation=The common difference is 6. Therefore the next term is $33 + 6 = 39$.

id=94416 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=29 | option_c=19 | option_d=48 | answer=A | explanation=Speed = distance ÷ time = $120 \div 5 = 24$ km/h.

id=94417 | topic=Averages | difficulty=Easy | question=Find the average of 64, 15, 43, 41, 41, 43, 26. | option_a=41 | option_b=39 | option_c=38 | option_d=40 | answer=B | explanation=Average = sum of values ÷ number of values = $273 \div 7 = 39$.

id=94418 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $120 \div 4 = 30$ km/h.

id=94419 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = $300 \div 10 = 30$ km/h.

id=94420 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.

id=94421 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = $180 \div 6 = 30$ km/h.

id=94422 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1486 at 6% per annum for 2 years. | option_a=1664 | option_b=278 | option_c=78 | option_d=178 | answer=D | explanation=SI = $PRT/100 = 1486 \times 6 \times 2 / 100 = \text{■}178$.

id=94423 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:4 and the first is 75, what is the second? | option_a=56 | option_b=60 | option_c=65 | option_d=135 | answer=B | explanation=Scale factor = $75/5 = 15$. Therefore second quantity = $4 \times 15 = 60$.

id=94424 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:17 and the first is 77, what is the second? | option_a=194 | option_b=264 | option_c=187 | option_d=170 | answer=C | explanation=Scale factor = $77/7 = 11$. Therefore second quantity = $17 \times 11 = 187$.

id=94425 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31936 at 6% per annum for 3 years. | option_a=5748 | option_b=5648 | option_c=37684 | option_d=5848 | answer=A | explanation=SI = $PRT/100 = 31936 \times 6 \times 3 / 100 = \text{■}5748$.

id=94426 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41125 at 15% per annum for 4 years. | option_a=65800 | option_b=24675 | option_c=24775 | option_d=24575 | answer=B | explanation=SI = $PRT/100 = 41125 \times 15 \times 4 / 100 = \text{■}24675$.

id=94427 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=94428 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.

id=94429 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=100 | option_c=50 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = $300 \div 6 = 50$ km/h.

id=94430 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 30. | option_a=180 | option_b=1 | option_c=30 | option_d=36 | answer=C | explanation=LCM $\times$ HCF = 6×30 ; HCF(6,30) = 6, so LCM = 30.

id=94431 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=E | option_b=I | option_c=K | option_d=G | answer=B | explanation=Move 2 positions forward from G; the resulting letter is I.

id=94432 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6429 at 4% per annum for 3 years. | option_a=671 | option_b=871 | option_c=771 | option_d=7200 | answer=C | explanation=SI = $PRT/100 = 6429 \times 4 \times 3 / 100 = \text{■}771$.

id=94433 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44856 at 6% per annum for 2 years. | option_a=5482 | option_b=5282 | option_c=5382 | option_d=50238 | answer=C | explanation=SI = $PRT/100 = 44856 \times 6 \times 2 / 100 = \text{■}5382$.

id=94434 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=94435 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=F | option_b=A | option_c=K | option_d=V | answer=A | explanation=Move 5 positions forward from A; the resulting letter is F.

id=94436 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22770 at 15% per annum for 2 years. | option_a=6831 | option_b=29601 | option_c=6731 | option_d=6931 | answer=A | explanation=SI = $PRT/100 = 22770 \times 15 \times 2 / 100 = \text{■}6831$.

id=94437 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27134 at 6% per annum for 4 years. | option_a=6612 | option_b=6512 | option_c=6412 | option_d=33646 | answer=B | explanation=SI = $PRT/100 = 27134 \times 6 \times 4 / 100 = \text{■}6512$.

id=94438 | topic=Percentages | difficulty=Easy | question=What is 30% of 1272? | option_a=401 | option_b=361 | option_c=762 | option_d=381 | answer=D | explanation=30% of 1272 = $(30/100) \times 1272 = 381$.

id=94439 | topic=Averages | difficulty=Easy | question=Find the average of 50, 42, 34, 15, 79, 70, 15, 72, 84, 99. | option_a=55 | option_b=58 | option_c=56 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = $560 \div 10 = 56$.

id=94440 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**193. If it is sold at a profit of 15%, what is its selling price? | option_a=240 | option_b=221 | option_c=208 | option_d=202 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 193 \times 115 / 100 = \text{■}221$.

Aptitude Questions — Records 94,441-94,470 of 100,000

id=94441 | topic=Percentages | difficulty=Easy | question=What is 25% of 529? | option_a=264 | option_b=142 | option_c=112 | option_d=132 | answer=D | explanation=25% of 529 = (25/100) × 529 = 132.

id=94442 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1469. If it is sold at a profit of 5%, what is its selling price? | option_a=1396 | option_b=1474 | option_c=1542 | option_d=1688 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1469 × 105/100 = █1542.

id=94443 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=40 | option_c=20 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=94444 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=H | option_b=M | option_c=X | option_d=C | answer=A | explanation=Move 5 positions forward from C; the resulting letter is H.

id=94445 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=24 | option_b=32 | option_c=28 | option_d=29 | answer=C | explanation=The common difference is 4. Therefore the next term is 24 + 4 = 28.

id=94446 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 9, 16, 24? | option_a=24 | option_b=16 | option_c=9 | option_d=2 | answer=A | explanation=The first three numbers increase by 7, so the next should be 23. Therefore 24 is the odd one out.

id=94447 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 31? | option_a=20 | option_b=31 | option_c=15 | option_d=25 | answer=B | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 31 is the odd one out.

id=94448 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=Q | option_c=O | option_d=P | answer=B | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=94449 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=94450 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=M | option_c=J | option_d=D | answer=C | explanation=Move 3 positions forward from G; the resulting letter is J.

id=94451 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2291. If it is sold at a profit of 15%, what is its selling price? | option_a=2306 | option_b=2863 | option_c=2634 | option_d=2405 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2291 × 115/100 = █2634.

id=94452 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7381 at 15% per annum for 5 years. | option_a=5435 | option_b=5535 | option_c=5635 | option_d=12916 | answer=B | explanation=SI = PRT/100 = 7381×15×5/100 = █5535.

id=94453 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=45 | option_b=54 | option_c=63 | option_d=55 | answer=B | explanation=The common difference is 9. Therefore the next term is 45 + 9 = 54.

id=94454 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3950 at 8% per annum for 3 years. | option_a=948 | option_b=848 | option_c=4898 | option_d=1048 | answer=A | explanation=SI = PRT/100 = 3950×8×3/100 = █948.

id=94455 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 44? | option_a=17 | option_b=33 | option_c=44 | option_d=25 | answer=C | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 44 is the odd one out.

id=94456 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=94457 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3885. If it is sold at a profit of 15%, what is its selling price? | option_a=3900 | option_b=4079 | option_c=4855 | option_d=4467 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3885 × 115/100 = █4467.

id=94458 | topic=Percentages | difficulty=Easy | question=What is 20% of 1705? | option_a=682 | option_b=341 | option_c=336 | option_d=351 | answer=B | explanation=20% of 1705 = (20/100) × 1705 = 341.

id=94459 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2931. If it is sold at a profit of 50%, what is its selling price? | option_a=4103 | option_b=4396 | option_c=4689 | option_d=2981 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2931 × 150/100 = █4396.

id=94460 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:9 and the first is 90, what is the second? | option_a=36 | option_b=135 | option_c=45 | option_d=63 | answer=C | explanation=Scale factor = 90/18 = 5. Therefore second quantity = 9×5 = 45.

id=94461 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=24 | option_c=48 | option_d=29 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=94462 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=94463 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 32, 36, 42? | option_a=32 | option_b=28 | option_c=36 | option_d=42 | answer=D | explanation=The first three numbers increase by 4, so the next should be 40. Therefore 42 is the odd one out.

id=94464 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1966. If it is sold at a profit of 15%, what is its selling price? | option_a=1981 | option_b=2064 | option_c=2456 | option_d=2260 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1966 × 115/100 = █2260.

id=94465 | topic=Percentages | difficulty=Easy | question=What is 15% of 319? | option_a=37 | option_b=52 | option_c=94 | option_d=47 | answer=D | explanation=15% of 319 = (15/100) × 319 = 47.

id=94466 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=12 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=94467 | topic=Averages | difficulty=Easy | question=Find the average of 100, 76, 57, 35, 47, 34, 40, 99. | option_a=61 | option_b=62 | option_c=63 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 488 ÷ 8 = 61.

id=94468 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=46 | option_b=45 | option_c=36 | option_d=54 | answer=B | explanation=The common difference is 9. Therefore the next term is 36 + 9 = 45.

id=94469 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=L | option_b=I | option_c=F | option_d=C | answer=B | explanation=Move 3 positions forward from F; the resulting letter is I.

id=94470 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49138 at 4% per annum for 2 years. | option_a=3831 | option_b=4031 | option_c=53069 | option_d=3931 | answer=D | explanation=SI = PRT/100 = 49138×4×2/100 = █3931.

Aptitude Questions — Records 94,471-94,500 of 100,000

id=94471 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:16 and the first is 180, what is the second? | option_a=192 | option_b=207 | option_c=176 | option_d=372 | answer=A | explanation=Scale factor = 180/15 = 12. Therefore second quantity = 16×12 = 192.

id=94472 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40780 at 6% per annum for 5 years. | option_a=12334 | option_b=12134 | option_c=12234 | option_d=53014 | answer=C | explanation=SI = PRT/100 = 40780×6×5/100 = **■**12234.

id=94473 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 15. | option_a=75 | option_b=90 | option_c=108 | option_d=270 | answer=B | explanation=LCM × HCF = 18×15; HCF(18,15) = 3, so LCM = 90.

id=94474 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 23? | option_a=2 | option_b=8 | option_c=14 | option_d=23 | answer=D | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 23 is the odd one out.

id=94475 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37896 at 8% per annum for 1 years. | option_a=40927 | option_b=2931 | option_c=3031 | option_d=3131 | answer=C | explanation=SI = PRT/100 = 37896×8×1/100 = **■**3031.

id=94476 | topic=Averages | difficulty=Easy | question=Find the average of 54, 73, 47, 86, 27, 63, 72, 15, 58. | option_a=54 | option_b=55 | option_c=56 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.

id=94477 | topic=Averages | difficulty=Easy | question=Find the average of 20, 67, 42, 96, 70, 94, 36, 78, 37. | option_a=60 | option_b=62 | option_c=61 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 540 ÷ 9 = 60.

id=94478 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2264. If it is sold at a profit of 5%, what is its selling price? | option_a=2377 | option_b=2151 | option_c=2269 | option_d=2603 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2264 × 105/100 = **■**2377.

id=94479 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=F | option_b=E | option_c=G | option_d=D | answer=A | explanation=Move 1 positions forward from E; the resulting letter is F.

id=94480 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=6 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=94481 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=94482 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=94483 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 26, 34, 42, ? | option_a=50 | option_b=42 | option_c=58 | option_d=51 | answer=A | explanation=The common difference is 8. Therefore the next term is 42 + 8 = 50.

id=94484 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=46 | option_b=45 | option_c=38 | option_d=52 | answer=B | explanation=The common difference is 7. Therefore the next term is 38 + 7 = 45.

id=94485 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:9 and the first is 120, what is the second? | option_a=72 | option_b=63 | option_c=87 | option_d=192 | answer=A | explanation=Scale factor = 120/15 = 8. Therefore second quantity = 9×8 = 72.

id=94486 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=94487 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=C | option_c=K | option_d=Y | answer=A | explanation=Move 4 positions forward from C; the resulting letter is G.

id=94488 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1363. If it is sold at a profit of 30%, what is its selling price? | option_a=1393 | option_b=1907 | option_c=1771 | option_d=1635 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1363 × 130/100 = **■**1771.

id=94489 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1400. If it is sold at a profit of 10%, what is its selling price? | option_a=1400 | option_b=1680 | option_c=1410 | option_d=1540 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1400 × 110/100 = **■**1540.

id=94490 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:13 and the first is 192, what is the second? | option_a=195 | option_b=208 | option_c=400 | option_d=220 | answer=B | explanation=Scale factor = 192/12 = 16. Therefore second quantity = 13×16 = 208.

id=94491 | topic=Averages | difficulty=Easy | question=Find the average of 91, 49, 31. | option_a=59 | option_b=56 | option_c=57 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 171 ÷ 3 = 57.

id=94492 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=43 | option_c=96 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=94493 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=39 | option_b=51 | option_c=50 | option_d=61 | answer=C | explanation=The common difference is 11. Therefore the next term is 39 + 11 = 50.

id=94494 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 26. | option_a=312 | option_b=168 | option_c=156 | option_d=130 | answer=C | explanation=LCM × HCF = 12×26; HCF(12,26) = 2, so LCM = 156.

id=94495 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2934 at 8% per annum for 5 years. | option_a=1173 | option_b=4107 | option_c=1273 | option_d=1073 | answer=A | explanation=SI = PRT/100 = 2934×8×5/100 = **■**1173.

id=94496 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=94497 | topic=Percentages | difficulty=Easy | question=What is 12% of 685? | option_a=72 | option_b=82 | option_c=102 | option_d=164 | answer=B | explanation=12% of 685 = (12/100) × 685 = 82.

id=94498 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 9, 11, 14? | option_a=11 | option_b=7 | option_c=14 | option_d=9 | answer=C | explanation=The first three numbers increase by 2, so the next should be 13. Therefore 14 is the odd one out.

id=94499 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4538. If it is sold at a profit of 50%, what is its selling price? | option_a=7260 | option_b=4588 | option_c=6807 | option_d=6354 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4538 × 150/100 = **■**6807.

id=94500 | topic=Percentages | difficulty=Easy | question=What is 10% of 1288? | option_a=118 | option_b=128 | option_c=256 | option_d=148 | answer=B | explanation=10% of 1288 = (10/100) × 1288 = 128.

Aptitude Questions — Records 94,501-94,530 of 100,000

- id=94501 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 15, 21, 29? | option_a=29 | option_b=9 | option_c=21 | option_d=15 | answer=A | explanation=The first three numbers increase by 6, so the next should be 27. Therefore 29 is the odd one out.
- id=94502 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=16 | option_d=3 | answer=A | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.
- id=94503 | topic=Averages | difficulty=Easy | question=Find the average of 16, 55, 46, 99, 36, 73, 43, 32. | option_a=50 | option_b=51 | option_c=49 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = $400 \div 8 = 50$.
- id=94504 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33996 at 5% per annum for 5 years. | option_a=8499 | option_b=42495 | option_c=8599 | option_d=8399 | answer=A | explanation=SI = $\text{PRT}/100 = 33996 \times 5 \times 5 / 100 = \text{■}$ 8499.
- id=94505 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=33 | option_b=34 | option_c=40 | option_d=26 | answer=A | explanation=The common difference is 7. Therefore the next term is $26 + 7 = 33$.
- id=94506 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=95 | option_c=90 | option_d=180 | answer=C | explanation=Speed = distance ÷ time = $360 \div 4 = 90$ km/h.
- id=94507 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:10 and the first is 90, what is the second? | option_a=150 | option_b=240 | option_c=140 | option_d=156 | answer=A | explanation=Scale factor = $90/6 = 15$. Therefore second quantity = $10 \times 15 = 150$.
- id=94508 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:5 and the first is 6, what is the second? | option_a=31 | option_b=25 | option_c=30 | option_d=36 | answer=C | explanation=Scale factor = $6/1 = 6$. Therefore second quantity = $5 \times 6 = 30$.
- id=94509 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 7. | option_a=28 | option_b=21 | option_c=56 | option_d=196 | answer=A | explanation=LCM $\times$ HCF = 28×7 ; HCF(28,7) = 7, so LCM = 28.
- id=94510 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**731. If it is sold at a profit of 20%, what is its selling price? | option_a=877 | option_b=950 | option_c=804 | option_d=751 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit\%})/100 = 731 \times 120/100 = \text{■}$ 877.
- id=94511 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 34? | option_a=24 | option_b=6 | option_c=34 | option_d=15 | answer=C | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 34 is the odd one out.
- id=94512 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3173. If it is sold at a profit of 40%, what is its selling price? | option_a=4759 | option_b=4125 | option_c=3213 | option_d=4442 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit\%})/100 = 3173 \times 140/100 = \text{■}$ 4442.
- id=94513 | topic=Averages | difficulty=Easy | question=Find the average of 28, 69, 79, 37, 42. | option_a=52 | option_b=50 | option_c=53 | option_d=51 | answer=D | explanation=Average = sum of values ÷ number of values = $255 \div 5 = 51$.
- id=94514 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.
- id=94515 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=N | option_c=O | option_d=L | answer=B | explanation=Move 1 positions forward from M; the resulting letter is N.
- id=94516 | topic=Percentages | difficulty=Easy | question=What is 10% of 1067? | option_a=212 | option_b=111 | option_c=96 | option_d=106 | answer=D | explanation=10% of 1067 = $(10/100) \times 1067 = 106$.
- id=94517 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 33? | option_a=18 | option_b=12 | option_c=24 | option_d=33 | answer=D | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 33 is the odd one out.
- id=94518 | topic=Averages | difficulty=Easy | question=Find the average of 26, 87, 43, 34, 62, 17, 79, 23, 59, 80. | option_a=51 | option_b=50 | option_c=52 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = $510 \div 10 = 51$.
- id=94519 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=75 | option_c=85 | option_d=80 | answer=D | explanation=Speed = distance ÷ time = $240 \div 3 = 80$ km/h.
- id=94520 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.
- id=94521 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 17, 22, 30? | option_a=12 | option_b=22 | option_c=17 | option_d=30 | answer=D | explanation=The first three numbers increase by 5, so the next should be 27. Therefore 30 is the odd one out.
- id=94522 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=L | option_b=B | option_c=G | option_d=W | answer=C | explanation=Move 5 positions forward from B; the resulting letter is G.
- id=94523 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 39? | option_a=13 | option_b=39 | option_c=29 | option_d=21 | answer=B | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 39 is the odd one out.
- id=94524 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=27 | option_b=33 | option_c=28 | option_d=21 | answer=A | explanation=The common difference is 6. Therefore the next term is $21 + 6 = 27$.
- id=94525 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**169. If it is sold at a profit of 30%, what is its selling price? | option_a=235 | option_b=199 | option_c=219 | option_d=203 | answer=C | explanation=Selling price = $\text{CP} \times (100 + \text{profit\%})/100 = 169 \times 130/100 = \text{■}$ 219.
- id=94526 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47733 at 12% per annum for 4 years. | option_a=22911 | option_b=70644 | option_c=23011 | option_d=22811 | answer=A | explanation=SI = $\text{PRT}/100 = 47733 \times 12 \times 4 / 100 = \text{■}$ 22911.
- id=94527 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:8 and the first is 99, what is the second? | option_a=88 | option_b=97 | option_c=80 | option_d=187 | answer=A | explanation=Scale factor = $99/9 = 11$. Therefore second quantity = $8 \times 11 = 88$.
- id=94528 | topic=Averages | difficulty=Easy | question=Find the average of 47, 27, 23, 46, 15, 88, 27. | option_a=39 | option_b=41 | option_c=40 | option_d=38 | answer=A | explanation=Average = sum of values ÷ number of values = $273 \div 7 = 39$.
- id=94529 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=H | option_c=T | option_d=L | answer=A | explanation=Move 4 positions forward from L; the resulting letter is P.
- id=94530 | topic=Averages | difficulty=Easy | question=Find the average of 59, 45, 27, 71, 70, 32, 27, 91, 74, 44. | option_a=56 | option_b=53 | option_c=54 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = $540 \div 10 = 54$.

Aptitude Questions — Records 94,531-94,560 of 100,000

id=94531 | topic=Averages | difficulty=Easy | question=Find the average of 18, 81, 95, 85, 44, 32, 96, 29. | option_a=61 | option_b=60 | option_c=62 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 480 ÷ 8 = 60.

id=94532 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■5580 at 15% per annum for 3 years. | option_a=8091 | option_b=2411 | option_c=2611 | option_d=2511 | answer=D | explanation=SI = PRT/100 = 5580×15×3/100 = ■2511.

id=94533 | topic=Percentages | difficulty=Easy | question=What is 30% of 232? | option_a=79 | option_b=64 | option_c=69 | option_d=138 | answer=C | explanation=30% of 232 = (30/100) × 232 = 69.

id=94534 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=Z | option_b=P | option_c=U | option_d=K | answer=C | explanation=Move 5 positions forward from P; the resulting letter is U.

id=94535 | topic=Percentages | difficulty=Easy | question=What is 12% of 1844? | option_a=442 | option_b=241 | option_c=201 | option_d=221 | answer=D | explanation=12% of 1844 = (12/100) × 1844 = 221.

id=94536 | topic=Averages | difficulty=Easy | question=Find the average of 21, 21, 68, 11, 34. | option_a=33 | option_b=30 | option_c=32 | option_d=31 | answer=D | explanation=Average = sum of values ÷ number of values = 155 ÷ 5 = 31.

id=94537 | topic=Percentages | difficulty=Easy | question=What is 25% of 471? | option_a=117 | option_b=127 | option_c=234 | option_d=107 | answer=A | explanation=25% of 471 = (25/100) × 471 = 117.

id=94538 | topic=Averages | difficulty=Easy | question=Find the average of 45, 52, 68, 11, 62, 21, 76, 13, 93. | option_a=49 | option_b=50 | option_c=48 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 441 ÷ 9 = 49.

id=94539 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=63 | option_b=52 | option_c=51 | option_d=39 | answer=C | explanation=The common difference is 12. Therefore the next term is 39 + 12 = 51.

id=94540 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 21, 30, 41? | option_a=12 | option_b=21 | option_c=41 | option_d=30 | answer=C | explanation=The first three numbers increase by 9, so the next should be 39. Therefore 41 is the odd one out.

id=94541 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■9445. If it is sold at a profit of 25%, what is its selling price? | option_a=6181 | option_b=6675 | option_c=4970 | option_d=5687 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4945 × 125/100 = ■6181.

id=94542 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=K | option_c=I | option_d=E | answer=C | explanation=Move 2 positions forward from G; the resulting letter is I.

id=94543 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 9, 14, 22? | option_a=9 | option_b=4 | option_c=22 | option_d=14 | answer=C | explanation=The first three numbers increase by 5, so the next should be 19. Therefore 22 is the odd one out.

id=94544 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:2 and the first is 198, what is the second? | option_a=36 | option_b=47 | option_c=234 | option_d=34 | answer=A | explanation=Scale factor = 198/11 = 18. Therefore second quantity = 2×18 = 36.

id=94545 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3727. If it is sold at a profit of 10%, what is its selling price? | option_a=4099 | option_b=3737 | option_c=4471 | option_d=3727 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3727 × 110/100 = ■4099.

id=94546 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■569. If it is sold at a profit of 20%, what is its selling price? | option_a=589 | option_b=626 | option_c=738 | option_d=682 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 569 × 120/100 = ■682.

id=94547 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4807. If it is sold at a profit of 15%, what is its selling price? | option_a=6008 | option_b=5528 | option_c=5048 | option_d=4822 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4807 × 115/100 = ■5528.

id=94548 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 22, 25, 29? | option_a=22 | option_b=29 | option_c=19 | option_d=25 | answer=B | explanation=The first three numbers increase by 3, so the next should be 28. Therefore 29 is the odd one out.

id=94549 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 37? | option_a=31 | option_b=21 | option_c=26 | option_d=37 | answer=D | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 37 is the odd one out.

id=94550 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2466. If it is sold at a profit of 40%, what is its selling price? | option_a=3698 | option_b=3206 | option_c=2506 | option_d=3452 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2466 × 140/100 = ■3452.

id=94551 | topic=Percentages | difficulty=Easy | question=What is 15% of 513? | option_a=71 | option_b=152 | option_c=96 | option_d=76 | answer=D | explanation=15% of 513 = (15/100) × 513 = 76.

id=94552 | topic=Percentages | difficulty=Easy | question=What is 50% of 1139? | option_a=589 | option_b=569 | option_c=1138 | option_d=559 | answer=B | explanation=50% of 1139 = (50/100) × 1139 = 569.

id=94553 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43, ? | option_a=51 | option_b=43 | option_c=52 | option_d=59 | answer=A | explanation=The common difference is 8. Therefore the next term is 43 + 8 = 51.

id=94554 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=94555 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:17 and the first is 150, what is the second? | option_a=405 | option_b=255 | option_c=238 | option_d=265 | answer=B | explanation=Scale factor = 150/10 = 15. Therefore second quantity = 17×15 = 255.

id=94556 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=94557 | topic=Percentages | difficulty=Easy | question=What is 5% of 90? | option_a=4 | option_b=8 | option_c=14 | option_d=0 | answer=A | explanation=5% of 90 = (5/100) × 90 = 4.

id=94558 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=94559 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 28, 32, 39? | option_a=32 | option_b=39 | option_c=24 | option_d=28 | answer=B | explanation=The first three numbers increase by 4, so the next should be 36. Therefore 39 is the odd one out.

id=94560 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

Aptitude Questions — Records 94,561-94,590 of 100,000

id=94561 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47064 at 12% per annum for 3 years. | option_a=17043 | option_b=16943 | option_c=64007 | option_d=16843 | answer=B | explanation=SI = PRT/100 = 47064×12×3/100 = **■**16943.

id=94562 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 5, 8, 12? | option_a=5 | option_b=2 | option_c=12 | option_d=8 | answer=C | explanation=The first three numbers increase by 3, so the next should be 11. Therefore 12 is the odd one out.

id=94563 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37908 at 10% per annum for 5 years. | option_a=19054 | option_b=56862 | option_c=18954 | option_d=18854 | answer=C | explanation=SI = PRT/100 = 37908×10×5/100 = **■**18954.

id=94564 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=K | option_c=P | option_d=A | answer=B | explanation=Move 5 positions forward from F; the resulting letter is K.

id=94565 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:18 and the first is 17, what is the second? | option_a=288 | option_b=307 | option_c=323 | option_d=306 | answer=D | explanation=Scale factor = 17/1 = 17. Therefore second quantity = 18×17 = 306.

id=94566 | topic=Averages | difficulty=Easy | question=Find the average of 20, 67, 27, 32, 11, 36, 13, 74. | option_a=35 | option_b=36 | option_c=34 | option_d=37 | answer=A | explanation=Average = sum of values ÷ number of values = 280 ÷ 8 = 35.

id=94567 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=F | option_c=E | option_d=G | answer=D | explanation=Move 1 positions forward from F; the resulting letter is G.

id=94568 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=24 | option_c=7 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=94569 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=94570 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=94571 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=43 | option_c=96 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=94572 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 18. | option_a=504 | option_b=234 | option_c=252 | option_d=280 | answer=C | explanation=LCM × HCF = 28×18; HCF(28,18) = 2, so LCM = 252.

id=94573 | topic=Percentages | difficulty=Easy | question=What is 25% of 855? | option_a=218 | option_b=426 | option_c=193 | option_d=213 | answer=D | explanation=25% of 855 = (25/100) × 855 = 213.

id=94574 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:6 and the first is 192, what is the second? | option_a=264 | option_b=88 | option_c=72 | option_d=66 | answer=C | explanation=Scale factor = 192/16 = 12. Therefore second quantity = 6×12 = 72.

id=94575 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=L | option_b=C | option_c=F | option_d=I | answer=D | explanation=Move 3 positions forward from F; the resulting letter is I.

id=94576 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 58? | option_a=26 | option_b=36 | option_c=58 | option_d=46 | answer=C | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 58 is the odd one out.

id=94577 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=94578 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=94579 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:20 and the first is 210, what is the second? | option_a=280 | option_b=260 | option_c=490 | option_d=295 | answer=A | explanation=Scale factor = 210/15 = 14. Therefore second quantity = 20×14 = 280.

id=94580 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 16, 20, 26? | option_a=26 | option_b=12 | option_c=16 | option_d=20 | answer=A | explanation=The first three numbers increase by 4, so the next should be 24. Therefore 26 is the odd one out.

id=94581 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=94582 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=66 | option_b=55 | option_c=42 | option_d=54 | answer=D | explanation=The common difference is 12. Therefore the next term is 42 + 12 = 54.

id=94583 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:5 and the first is 180, what is the second? | option_a=100 | option_b=90 | option_c=85 | option_d=270 | answer=B | explanation=Scale factor = 180/10 = 18. Therefore second quantity = 5×18 = 90.

id=94584 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1965 at 12% per annum for 5 years. | option_a=1079 | option_b=1279 | option_c=3144 | option_d=1179 | answer=D | explanation=SI = PRT/100 = 1965×12×5/100 = **■**1179.

id=94585 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1500. If it is sold at a profit of 20%, what is its selling price? | option_a=1650 | option_b=1520 | option_c=1800 | option_d=1950 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1500 × 120/100 = **■**1800.

id=94586 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21180 at 15% per annum for 1 years. | option_a=24357 | option_b=3177 | option_c=3277 | option_d=3077 | answer=B | explanation=SI = PRT/100 = 21180×15×1/100 = **■**3177.

id=94587 | topic=Averages | difficulty=Easy | question=Find the average of 82, 44, 46, 78, 88, 85, 100, 100, 82, 25. | option_a=74 | option_b=75 | option_c=73 | option_d=72 | answer=C | explanation=Average = sum of values ÷ number of values = 730 ÷ 10 = 73.

id=94588 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=94589 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1952. If it is sold at a profit of 50%, what is its selling price? | option_a=2928 | option_b=2733 | option_c=3123 | option_d=2002 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1952 × 150/100 = **■**2928.

id=94590 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2157. If it is sold at a profit of 40%, what is its selling price? | option_a=2804 | option_b=3234 | option_c=2197 | option_d=3019 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2157 × 140/100 = **■**3019.

Aptitude Questions — Records 94,591-94,620 of 100,000

id=94591 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=D | option_b=O | option_c=Y | option_d=T | answer=C | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=94592 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:12 and the first is 6, what is the second? | option_a=73 | option_b=78 | option_c=72 | option_d=60 | answer=C | explanation=Scale factor = 6/1 = 6. Therefore second quantity = 12×6 = 72.

id=94593 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=39 | option_b=38 | option_c=44 | option_d=32 | answer=B | explanation=The common difference is 6. Therefore the next term is 32 + 6 = 38.

id=94594 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=6 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=94595 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=56 | option_b=65 | option_c=47 | option_d=57 | answer=A | explanation=The common difference is 9. Therefore the next term is 47 + 9 = 56.

id=94596 | topic=Averages | difficulty=Easy | question=Find the average of 15, 40, 85, 16, 94, 94, 27. | option_a=53 | option_b=52 | option_c=55 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 371 ÷ 7 = 53.

id=94597 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=94598 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=C | option_c=R | option_d=M | answer=D | explanation=Move 5 positions forward from H; the resulting letter is M.

id=94599 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**20800 at 8% per annum for 4 years. | option_a=6656 | option_b=6556 | option_c=6756 | option_d=27456 | answer=A | explanation=SI = PRT/100 = 20800×8×4/100 = **₹**6656.

id=94600 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=46 | option_b=37 | option_c=53 | option_d=45 | answer=D | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=94601 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**46942 at 5% per annum for 1 years. | option_a=2447 | option_b=2247 | option_c=49289 | option_d=2347 | answer=D | explanation=SI = PRT/100 = 46942×5×1/100 = **₹**2347.

id=94602 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=25 | option_c=40 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=94603 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**10682 at 4% per annum for 1 years. | option_a=527 | option_b=11109 | option_c=327 | option_d=427 | answer=D | explanation=SI = PRT/100 = 10682×4×1/100 = **₹**427.

id=94604 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=Q | option_c=V | option_d=G | answer=B | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=94605 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=54 | option_b=64 | option_c=42 | option_d=53 | answer=D | explanation=The common difference is 11. Therefore the next term is 42 + 11 = 53.

id=94606 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 14. | option_a=192 | option_b=154 | option_c=168 | option_d=336 | answer=C | explanation=LCM × HCF = 24×14; HCF(24,14) = 2, so LCM = 168.

id=94607 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 15, 20, 26? | option_a=26 | option_b=15 | option_c=10 | option_d=20 | answer=A | explanation=The first three numbers increase by 5, so the next should be 25. Therefore 26 is the odd one out.

id=94608 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=7 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=94609 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=40 | option_b=52 | option_c=51 | option_d=62 | answer=C | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=94610 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=94611 | topic=Averages | difficulty=Easy | question=Find the average of 31, 18, 42, 58, 71. | option_a=45 | option_b=46 | option_c=43 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = 220 ÷ 5 = 44.

id=94612 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:4 and the first is 270, what is the second? | option_a=78 | option_b=56 | option_c=330 | option_d=60 | answer=D | explanation=Scale factor = 270/18 = 15. Therefore second quantity = 4×15 = 60.

id=94613 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:17 and the first is 224, what is the second? | option_a=238 | option_b=221 | option_c=462 | option_d=254 | answer=A | explanation=Scale factor = 224/16 = 14. Therefore second quantity = 17×14 = 238.

id=94614 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=16 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=94615 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 50? | option_a=30 | option_b=42 | option_c=50 | option_d=36 | answer=C | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 50 is the odd one out.

id=94616 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:12 and the first is 144, what is the second? | option_a=84 | option_b=96 | option_c=114 | option_d=240 | answer=B | explanation=Scale factor = 144/18 = 8. Therefore second quantity = 12×8 = 96.

id=94617 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 38? | option_a=25 | option_b=5 | option_c=38 | option_d=15 | answer=C | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 38 is the odd one out.

id=94618 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 20. | option_a=320 | option_b=96 | option_c=80 | option_d=60 | answer=C | explanation=LCM × HCF = 16×20; HCF(16,20) = 4, so LCM = 80.

id=94619 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 22, 27, 32, ? | option_a=42 | option_b=32 | option_c=37 | option_d=38 | answer=C | explanation=The common difference is 5. Therefore the next term is 32 + 5 = 37.

id=94620 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=100 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

Aptitude Questions — Records 94,621-94,650 of 100,000

id=94621 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 24? | option_a=19 | option_b=24 | option_c=15 | option_d=17 | answer=B | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 24 is the odd one out.

id=94622 | topic=Percentages | difficulty=Easy | question=What is 30% of 1370? | option_a=391 | option_b=411 | option_c=822 | option_d=421 | answer=B | explanation=30% of 1370 = (30/100) × 1370 = 411.

id=94623 | topic=Averages | difficulty=Easy | question=Find the average of 51, 65, 85, 44, 52, 27, 54, 82, 44. | option_a=58 | option_b=56 | option_c=57 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=94624 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=94625 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3941. If it is sold at a profit of 30%, what is its selling price? | option_a=4729 | option_b=3971 | option_c=5517 | option_d=5123 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3941 × 130/100 = █5123.

id=94626 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3141. If it is sold at a profit of 20%, what is its selling price? | option_a=4083 | option_b=3769 | option_c=3161 | option_d=3455 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3141 × 120/100 = █3769.

id=94627 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:3 and the first is 171, what is the second? | option_a=24 | option_b=198 | option_c=27 | option_d=46 | answer=C | explanation=Scale factor = 171/19 = 9. Therefore second quantity = 3×9 = 27.

id=94628 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=94629 | topic=Percentages | difficulty=Easy | question=What is 50% of 1208? | option_a=604 | option_b=594 | option_c=1208 | option_d=614 | answer=A | explanation=50% of 1208 = (50/100) × 1208 = 604.

id=94630 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10774 at 5% per annum for 3 years. | option_a=1516 | option_b=1616 | option_c=1716 | option_d=12390 | answer=B | explanation=SI = PRT/100 = 10774×5×3/100 = █1616.

id=94631 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 22? | option_a=22 | option_b=15 | option_c=11 | option_d=7 | answer=A | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 22 is the odd one out.

id=94632 | topic=Percentages | difficulty=Easy | question=What is 20% of 1927? | option_a=405 | option_b=375 | option_c=385 | option_d=770 | answer=C | explanation=20% of 1927 = (20/100) × 1927 = 385.

id=94633 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23481 at 8% per annum for 4 years. | option_a=7413 | option_b=30994 | option_c=7513 | option_d=7613 | answer=C | explanation=SI = PRT/100 = 23481×8×4/100 = █7513.

id=94634 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8721 at 15% per annum for 5 years. | option_a=6440 | option_b=6540 | option_c=15261 | option_d=6640 | answer=B | explanation=SI = PRT/100 = 8721×15×5/100 = █6540.

id=94635 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 13, 21, 32? | option_a=21 | option_b=5 | option_c=13 | option_d=32 | answer=D | explanation=The first three numbers increase by 8, so the next should be 29. Therefore 32 is the odd one out.

id=94636 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31217 at 12% per annum for 4 years. | option_a=14884 | option_b=14984 | option_c=46201 | option_d=15084 | answer=B | explanation=SI = PRT/100 = 31217×12×4/100 = █14984.

id=94637 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1250 at 5% per annum for 3 years. | option_a=187 | option_b=87 | option_c=287 | option_d=1437 | answer=A | explanation=SI = PRT/100 = 1250×5×3/100 = █187.

id=94638 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=18 | option_c=9 | option_d=4 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=94639 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2802. If it is sold at a profit of 15%, what is its selling price? | option_a=3222 | option_b=3502 | option_c=2817 | option_d=2942 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2802 × 115/100 = █3222.

id=94640 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=49 | option_b=40 | option_c=58 | option_d=50 | answer=A | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

id=94641 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1437. If it is sold at a profit of 5%, what is its selling price? | option_a=1442 | option_b=1365 | option_c=1651 | option_d=1508 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1437 × 105/100 = █1508.

id=94642 | topic=Profit & Loss | difficulty=Easy | question=An article costs █499. If it is sold at a profit of 30%, what is its selling price? | option_a=648 | option_b=697 | option_c=599 | option_d=529 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 499 × 130/100 = █648.

id=94643 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=94644 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=94645 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 30. | option_a=224 | option_b=210 | option_c=420 | option_d=180 | answer=B | explanation=LCM × HCF = 14×30; HCF(14,30) = 2, so LCM = 210.

id=94646 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=94647 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3570. If it is sold at a profit of 5%, what is its selling price? | option_a=3391 | option_b=3575 | option_c=4105 | option_d=3748 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3570 × 105/100 = █3748.

id=94648 | topic=Percentages | difficulty=Easy | question=What is 15% of 1791? | option_a=248 | option_b=536 | option_c=273 | option_d=268 | answer=D | explanation=15% of 1791 = (15/100) × 1791 = 268.

id=94649 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=94650 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █20894 at 4% per annum for 5 years. | option_a=4078 | option_b=25072 | option_c=4278 | option_d=4178 | answer=D | explanation=SI = PRT/100 = 20894×4×5/100 = █4178.

Aptitude Questions — Records 94,651-94,680 of 100,000

id=94651 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:5 and the first is 24, what is the second? | option_a=15 | option_b=26 | option_c=20 | option_d=44 | answer=C | explanation=Scale factor = $24/6 = 4$. Therefore second quantity = $5 \times 4 = 20$.

id=94652 | topic=Averages | difficulty=Easy | question=Find the average of 44, 44, 52, 84. | option_a=57 | option_b=58 | option_c=56 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = $224 \div 4 = 56$.

id=94653 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 17, 29, 41, ? | option_a=65 | option_b=41 | option_c=54 | option_d=53 | answer=D | explanation=The common difference is 12. Therefore the next term is $41 + 12 = 53$.

id=94654 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=80 | option_c=45 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = $240 \div 6 = 40$ km/h.

id=94655 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:20 and the first is 247, what is the second? | option_a=360 | option_b=627 | option_c=393 | option_d=380 | answer=D | explanation=Scale factor = $247/13 = 19$. Therefore second quantity = $20 \times 19 = 380$.

id=94656 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=94657 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:6 and the first is 72, what is the second? | option_a=57 | option_b=42 | option_c=120 | option_d=48 | answer=D | explanation=Scale factor = $72/9 = 8$. Therefore second quantity = $6 \times 8 = 48$.

id=94658 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=38 | option_b=50 | option_c=62 | option_d=51 | answer=B | explanation=The common difference is 12. Therefore the next term is $38 + 12 = 50$.

id=94659 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1378. If it is sold at a profit of 25%, what is its selling price? | option_a=1859 | option_b=1722 | option_c=1403 | option_d=1585 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1378 \times 125/100 = \text{■}1722$.

id=94660 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 34, 42, 53? | option_a=26 | option_b=34 | option_c=42 | option_d=53 | answer=D | explanation=The first three numbers increase by 8, so the next should be 50. Therefore 53 is the odd one out.

id=94661 | topic=Percentages | difficulty=Easy | question=What is 5% of 1526? | option_a=152 | option_b=81 | option_c=76 | option_d=71 | answer=C | explanation=5% of 1526 = $(5/100) \times 1526 = 76$.

id=94662 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:17 and the first is 221, what is the second? | option_a=238 | option_b=221 | option_c=204 | option_d=442 | answer=B | explanation=Scale factor = $221/17 = 13$. Therefore second quantity = $17 \times 13 = 221$.

id=94663 | topic=Percentages | difficulty=Easy | question=What is 25% of 1610? | option_a=804 | option_b=407 | option_c=402 | option_d=382 | answer=C | explanation=25% of 1610 = $(25/100) \times 1610 = 402$.

id=94664 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:20 and the first is 153, what is the second? | option_a=333 | option_b=180 | option_c=197 | option_d=160 | answer=B | explanation=Scale factor = $153/17 = 9$. Therefore second quantity = $20 \times 9 = 180$.

id=94665 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = $120 \div 2 = 60$ km/h.

id=94666 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=36 | option_b=31 | option_c=41 | option_d=37 | answer=A | explanation=The common difference is 5. Therefore the next term is $31 + 5 = 36$.

id=94667 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=15 | option_c=10 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = $60 \div 6 = 10$ km/h.

id=94668 | topic=Averages | difficulty=Easy | question=Find the average of 33, 33, 77, 35, 49, 71, 100, 24, 46. | option_a=51 | option_b=54 | option_c=53 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = $468 \div 9 = 52$.

id=94669 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 8. | option_a=48 | option_b=112 | option_c=70 | option_d=56 | answer=D | explanation=LCM $\times$ HCF = 14×8 , HCF(14,8) = 2, so LCM = 56.

id=94670 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1536. If it is sold at a profit of 10%, what is its selling price? | option_a=1689 | option_b=1546 | option_c=1842 | option_d=1536 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1536 \times 110/100 = \text{■}1689$.

id=94671 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.

id=94672 | topic=Averages | difficulty=Easy | question=Find the average of 49, 89, 20, 28, 69, 81, 91, 82, 76. | option_a=66 | option_b=67 | option_c=65 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = $585 \div 9 = 65$.

id=94673 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does "T" become? | option_a=V | option_b=T | option_c=S | option_d=U | answer=D | explanation=Move 1 positions forward from T; the resulting letter is U.

id=94674 | topic=Averages | difficulty=Easy | question=Find the average of 28, 46, 50, 16, 24, 89, 70, 61. | option_a=50 | option_b=48 | option_c=47 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = $384 \div 8 = 48$.

id=94675 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:2 and the first is 63, what is the second? | option_a=25 | option_b=16 | option_c=18 | option_d=81 | answer=C | explanation=Scale factor = $63/7 = 9$. Therefore second quantity = $2 \times 9 = 18$.

id=94676 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does "P" become? | option_a=M | option_b=S | option_c=V | option_d=P | answer=B | explanation=Move 3 positions forward from P; the resulting letter is S.

id=94677 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does "H" become? | option_a=I | option_b=J | option_c=H | option_d=G | answer=A | explanation=Move 1 positions forward from H; the resulting letter is I.

id=94678 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=31 | option_b=27 | option_c=33 | option_d=30 | answer=D | explanation=The common difference is 3. Therefore the next term is $27 + 3 = 30$.

id=94679 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27248 at 10% per annum for 4 years. | option_a=10899 | option_b=10799 | option_c=10999 | option_d=38147 | answer=A | explanation=SI = $PRT/100 = 27248 \times 10 \times 4/100 = \text{■}10899$.

id=94680 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:3 and the first is 48, what is the second? | option_a=25 | option_b=6 | option_c=9 | option_d=57 | answer=C | explanation=Scale factor = $48/16 = 3$. Therefore second quantity = $3 \times 3 = 9$.

Aptitude Questions — Records 94,681-94,710 of 100,000

id=94681 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4002. If it is sold at a profit of 30%, what is its selling price? | option_a=4802 | option_b=4032 | option_c=5602 | option_d=5202 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4002 \times 130/100 = \blacksquare 5202$.

id=94682 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:2 and the first is 25, what is the second? | option_a=15 | option_b=10 | option_c=8 | option_d=35 | answer=B | explanation=Scale factor = $25/5 = 5$. Therefore second quantity = $2 \times 5 = 10$.

id=94683 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4103. If it is sold at a profit of 5%, what is its selling price? | option_a=4108 | option_b=4308 | option_c=4718 | option_d=3898 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4103 \times 105/100 = \blacksquare 4308$.

id=94684 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 23, 26, 32? | option_a=26 | option_b=32 | option_c=20 | option_d=23 | answer=B | explanation=The first three numbers increase by 3, so the next should be 29. Therefore 32 is the odd one out.

id=94685 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 15, 23, 33? | option_a=33 | option_b=7 | option_c=15 | option_d=23 | answer=A | explanation=The first three numbers increase by 8, so the next should be 31. Therefore 33 is the odd one out.

id=94686 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=35 | option_b=39 | option_c=34 | option_d=29 | answer=C | explanation=The common difference is 5. Therefore the next term is $29 + 5 = 34$.

id=94687 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=5 | answer=B | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=94688 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2994. If it is sold at a profit of 5%, what is its selling price? | option_a=3143 | option_b=3442 | option_c=2844 | option_d=2999 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2994 \times 105/100 = \blacksquare 3143$.

id=94689 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■34662 at 4% per annum for 1 years. | option_a=1486 | option_b=36048 | option_c=1386 | option_d=1286 | answer=C | explanation=SI = $PRT/100 = 34662 \times 4 \times 1/100 = \blacksquare 1386$.

id=94690 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■36725 at 12% per annum for 3 years. | option_a=13221 | option_b=49946 | option_c=13121 | option_d=13321 | answer=A | explanation=SI = $PRT/100 = 36725 \times 12 \times 3/100 = \blacksquare 13221$.

id=94691 | topic=Averages | difficulty=Easy | question=Find the average of 87, 33, 26, 82. | option_a=57 | option_b=59 | option_c=56 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = $228 \div 4 = 57$.

id=94692 | topic=Percentages | difficulty=Easy | question=What is 12% of 1104? | option_a=112 | option_b=132 | option_c=152 | option_d=264 | answer=B | explanation=12% of 1104 = $(12/100) \times 1104 = 132$.

id=94693 | topic=Averages | difficulty=Easy | question=Find the average of 83, 12, 84, 67, 29. | option_a=55 | option_b=54 | option_c=56 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = $275 \div 5 = 55$.

id=94694 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=H | option_c=L | option_d=N | answer=C | explanation=Move 2 positions forward from J; the resulting letter is L.

id=94695 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=W | option_b=Q | option_c=Z | option_d=T | answer=A | explanation=Move 3 positions forward from T; the resulting letter is W.

id=94696 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=F | option_b=A | option_c=V | option_d=K | answer=A | explanation=Move 5 positions forward from A; the resulting letter is F.

id=94697 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = $120 \div 3 = 40$ km/h.

id=94698 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=N | option_c=S | option_d=D | answer=B | explanation=Move 5 positions forward from I; the resulting letter is N.

id=94699 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=41 | option_c=31 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = $360 \div 10 = 36$ km/h.

id=94700 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1075. If it is sold at a profit of 10%, what is its selling price? | option_a=1182 | option_b=1085 | option_c=1075 | option_d=1289 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1075 \times 110/100 = \blacksquare 1182$.

id=94701 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 13, 18, 23, ? | option_a=33 | option_b=28 | option_c=23 | option_d=29 | answer=B | explanation=The common difference is 5. Therefore the next term is $23 + 5 = 28$.

id=94702 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=94703 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=C | option_c=B | option_d=Z | answer=C | explanation=Move 1 positions forward from A; the resulting letter is B.

id=94704 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=26 | option_b=28 | option_c=30 | option_d=29 | answer=B | explanation=The common difference is 2. Therefore the next term is $26 + 2 = 28$.

id=94705 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 27, 31, 38? | option_a=31 | option_b=27 | option_c=23 | option_d=38 | answer=D | explanation=The first three numbers increase by 4, so the next should be 35. Therefore 38 is the odd one out.

id=94706 | topic=Percentages | difficulty=Easy | question=What is 10% of 1112? | option_a=101 | option_b=222 | option_c=111 | option_d=116 | answer=C | explanation=10% of 1112 = $(10/100) \times 1112 = 111$.

id=94707 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=94708 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=40 | option_b=35 | option_c=30 | option_d=36 | answer=B | explanation=The common difference is 5. Therefore the next term is $30 + 5 = 35$.

id=94709 | topic=Percentages | difficulty=Easy | question=What is 5% of 478? | option_a=18 | option_b=43 | option_c=23 | option_d=46 | answer=C | explanation=5% of 478 = $(5/100) \times 478 = 23$.

id=94710 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

Aptitude Questions — Records 94,711-94,740 of 100,000

id=94711 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:18 and the first is 169, what is the second? | option_a=216 | option_b=234 | option_c=247 | option_d=403 | answer=B | explanation=Scale factor = $169/13 = 13$. Therefore second quantity = $18 \times 13 = 234$.

id=94712 | topic=Profit & Loss | difficulty=Easy | question=An article costs █469. If it is sold at a profit of 5%, what is its selling price? | option_a=492 | option_b=446 | option_c=474 | option_d=538 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 469 \times 105/100 = \text{█}492$.

id=94713 | topic=Averages | difficulty=Easy | question=Find the average of 18, 72, 77, 36, 64, 97, 68, 99, 10, 109. | option_a=64 | option_b=66 | option_c=67 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = $650 \div 10 = 65$.

id=94714 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $120 \div 4 = 30$ km/h.

id=94715 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:16 and the first is 110, what is the second? | option_a=286 | option_b=186 | option_c=160 | option_d=176 | answer=D | explanation=Scale factor = $110/10 = 11$. Therefore second quantity = $16 \times 11 = 176$.

id=94716 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6357 at 12% per annum for 3 years. | option_a=2188 | option_b=2288 | option_c=2388 | option_d=8645 | answer=B | explanation=SI = $PRT/100 = 6357 \times 12 \times 3/100 = \text{█}2288$.

id=94717 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1174. If it is sold at a profit of 30%, what is its selling price? | option_a=1643 | option_b=1526 | option_c=1204 | option_d=1409 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1174 \times 130/100 = \text{█}1526$.

id=94718 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:13 and the first is 70, what is the second? | option_a=78 | option_b=161 | option_c=101 | option_d=91 | answer=D | explanation=Scale factor = $70/10 = 7$. Therefore second quantity = $13 \times 7 = 91$.

id=94719 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 33, 38, 46? | option_a=46 | option_b=33 | option_c=28 | option_d=38 | answer=A | explanation=The first three numbers increase by 5, so the next should be 43. Therefore 46 is the odd one out.

id=94720 | topic=Percentages | difficulty=Easy | question=What is 25% of 1517? | option_a=374 | option_b=399 | option_c=379 | option_d=758 | answer=C | explanation=25% of 1517 = $(25/100) \times 1517 = 379$.

id=94721 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 38, 46, 57? | option_a=30 | option_b=57 | option_c=46 | option_d=38 | answer=B | explanation=The first three numbers increase by 8, so the next should be 54. Therefore 57 is the odd one out.

id=94722 | topic=Number System | difficulty=Easy | question=Find the LCM of 7 and 28. | option_a=196 | option_b=35 | option_c=1 | option_d=28 | answer=D | explanation= $LCM \times HCF = 7 \times 28$; $HCF(7, 28) = 7$, so $LCM = 28$.

id=94723 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 14, 21, 28, ? | option_a=42 | option_b=35 | option_c=28 | option_d=36 | answer=B | explanation=The common difference is 7. Therefore the next term is $28 + 7 = 35$.

id=94724 | topic=Averages | difficulty=Easy | question=Find the average of 99, 22, 46, 28, 51, 99, 13, 90. | option_a=55 | option_b=56 | option_c=58 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = $448 \div 8 = 56$.

id=94725 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:13 and the first is 180, what is the second? | option_a=234 | option_b=244 | option_c=221 | option_d=414 | answer=A | explanation=Scale factor = $180/10 = 18$. Therefore second quantity = $13 \times 18 = 234$.

id=94726 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=P | option_b=S | option_c=R | option_d=Q | answer=C | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=94727 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2339. If it is sold at a profit of 15%, what is its selling price? | option_a=2354 | option_b=2456 | option_c=2689 | option_d=2922 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2339 \times 115/100 = \text{█}2689$.

id=94728 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 21. | option_a=252 | option_b=63 | option_c=84 | option_d=96 | answer=C | explanation= $LCM \times HCF = 12 \times 21$; $HCF(12, 21) = 3$, so $LCM = 84$.

id=94729 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = $180 \div 6 = 30$ km/h.

id=94730 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2941. If it is sold at a profit of 30%, what is its selling price? | option_a=3823 | option_b=3529 | option_c=2971 | option_d=4117 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2941 \times 130/100 = \text{█}3823$.

id=94731 | topic=Percentages | difficulty=Easy | question=What is 40% of 1742? | option_a=706 | option_b=696 | option_c=686 | option_d=1392 | answer=B | explanation=40% of 1742 = $(40/100) \times 1742 = 696$.

id=94732 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30800 at 10% per annum for 3 years. | option_a=9240 | option_b=40040 | option_c=9140 | option_d=9340 | answer=A | explanation=SI = $PRT/100 = 30800 \times 10 \times 3/100 = \text{█}9240$.

id=94733 | topic=Percentages | difficulty=Easy | question=What is 10% of 903? | option_a=180 | option_b=110 | option_c=90 | option_d=85 | answer=C | explanation=10% of 903 = $(10/100) \times 903 = 90$.

id=94734 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31121 at 12% per annum for 3 years. | option_a=11203 | option_b=11303 | option_c=11103 | option_d=42324 | answer=A | explanation=SI = $PRT/100 = 31121 \times 12 \times 3/100 = \text{█}11203$.

id=94735 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:11 and the first is 209, what is the second? | option_a=209 | option_b=418 | option_c=198 | option_d=220 | answer=A | explanation=Scale factor = $209/11 = 19$. Therefore second quantity = $11 \times 19 = 209$.

id=94736 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 8. | option_a=50 | option_b=40 | option_c=80 | option_d=32 | answer=B | explanation= $LCM \times HCF = 10 \times 8$; $HCF(10, 8) = 2$, so $LCM = 40$.

id=94737 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 35, 42, 52? | option_a=35 | option_b=42 | option_c=28 | option_d=52 | answer=D | explanation=The first three numbers increase by 7, so the next should be 49. Therefore 52 is the odd one out.

id=94738 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 25, 30, 37? | option_a=20 | option_b=37 | option_c=30 | option_d=25 | answer=B | explanation=The first three numbers increase by 5, so the next should be 35. Therefore 37 is the odd one out.

id=94739 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=49 | option_b=31 | option_c=40 | option_d=41 | answer=C | explanation=The common difference is 9. Therefore the next term is $31 + 9 = 40$.

id=94740 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=15 | option_b=13 | option_c=14 | option_d=11 | answer=B | explanation=The common difference is 2. Therefore the next term is $11 + 2 = 13$.

Aptitude Questions — Records 94,741-94,770 of 100,000

id=94741 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=D | option_b=G | option_c=M | option_d=J | answer=D | explanation=Move 3 positions forward from G; the resulting letter is J.

id=94742 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:18 and the first is 170, what is the second? | option_a=350 | option_b=162 | option_c=180 | option_d=197 | answer=C | explanation=Scale factor = 170/17 = 10. Therefore second quantity = 18×10 = 180.

id=94743 | topic=Averages | difficulty=Easy | question=Find the average of 21, 84, 24, 73, 90, 53, 68. | option_a=60 | option_b=58 | option_c=61 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 413 ÷ 7 = 59.

id=94744 | topic=Averages | difficulty=Easy | question=Find the average of 46, 73, 48, 34, 55, 10, 45, 59, 71. | option_a=49 | option_b=50 | option_c=51 | option_d=48 | answer=A | explanation=Average = sum of values ÷ number of values = 441 ÷ 9 = 49.

id=94745 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2233. If it is sold at a profit of 10%, what is its selling price? | option_a=2679 | option_b=2456 | option_c=2233 | option_d=2243 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2233 × 110/100 = █2456.

id=94746 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=43 | option_b=53 | option_c=44 | option_d=33 | answer=A | explanation=The common difference is 10. Therefore the next term is 33 + 10 = 43.

id=94747 | topic=Averages | difficulty=Easy | question=Find the average of 24, 70, 69, 16, 72, 32, 66, 53, 80, 58. | option_a=53 | option_b=54 | option_c=55 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

id=94748 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:14 and the first is 51, what is the second? | option_a=238 | option_b=224 | option_c=241 | option_d=289 | answer=A | explanation=Scale factor = 51/3 = 17. Therefore second quantity = 14×17 = 238.

id=94749 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=94750 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43102 at 10% per annum for 1 years. | option_a=4310 | option_b=4410 | option_c=4210 | option_d=47412 | answer=A | explanation=SI = PRT/100 = 43102×10×1/100 = █4310.

id=94751 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 10, 14, 20? | option_a=10 | option_b=14 | option_c=6 | option_d=20 | answer=D | explanation=The first three numbers increase by 4, so the next should be 18. Therefore 20 is the odd one out.

id=94752 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 13, 23, 35? | option_a=35 | option_b=13 | option_c=23 | option_d=3 | answer=A | explanation=The first three numbers increase by 10, so the next should be 33. Therefore 35 is the odd one out.

id=94753 | topic=Percentages | difficulty=Easy | question=What is 15% of 387? | option_a=116 | option_b=58 | option_c=38 | option_d=68 | answer=B | explanation=15% of 387 = (15/100) × 387 = 58.

id=94754 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=55 | option_b=47 | option_c=46 | option_d=37 | answer=C | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=94755 | topic=Percentages | difficulty=Easy | question=What is 40% of 162? | option_a=84 | option_b=64 | option_c=128 | option_d=54 | answer=B | explanation=40% of 162 = (40/100) × 162 = 64.

id=94756 | topic=Percentages | difficulty=Easy | question=What is 25% of 433? | option_a=216 | option_b=128 | option_c=98 | option_d=108 | answer=D | explanation=25% of 433 = (25/100) × 433 = 108.

id=94757 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4419 at 4% per annum for 4 years. | option_a=707 | option_b=807 | option_c=607 | option_d=5126 | answer=A | explanation=SI = PRT/100 = 4419×4×4/100 = █707.

id=94758 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:5 and the first is 75, what is the second? | option_a=75 | option_b=80 | option_c=150 | option_d=70 | answer=A | explanation=Scale factor = 75/5 = 15. Therefore second quantity = 5×15 = 75.

id=94759 | topic=Averages | difficulty=Easy | question=Find the average of 40, 34, 15, 90, 56. | option_a=49 | option_b=46 | option_c=47 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 235 ÷ 5 = 47.

id=94760 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 24. | option_a=576 | option_b=48 | option_c=1 | option_d=24 | answer=D | explanation=LCM × HCF = 24×24; HCF(24,24) = 24, so LCM = 24.

id=94761 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=I | option_b=U | option_c=Q | option_d=M | answer=C | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=94762 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=94763 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=Z | option_c=D | option_d=L | answer=A | explanation=Move 4 positions forward from D; the resulting letter is H.

id=94764 | topic=Percentages | difficulty=Easy | question=What is 20% of 1346? | option_a=259 | option_b=538 | option_c=269 | option_d=289 | answer=C | explanation=20% of 1346 = (20/100) × 1346 = 269.

id=94765 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 13, 23, 36? | option_a=23 | option_b=36 | option_c=13 | option_d=3 | answer=B | explanation=The first three numbers increase by 10, so the next should be 33. Therefore 36 is the odd one out.

id=94766 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=Q | option_c=W | option_d=Z | answer=C | explanation=Move 3 positions forward from T; the resulting letter is W.

id=94767 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=94768 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:2 and the first is 8, what is the second? | option_a=2 | option_b=8 | option_c=4 | option_d=12 | answer=C | explanation=Scale factor = 8/4 = 2. Therefore second quantity = 2×2 = 4.

id=94769 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=P | option_b=E | option_c=Z | option_d=U | answer=C | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=94770 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2833. If it is sold at a profit of 25%, what is its selling price? | option_a=3541 | option_b=2858 | option_c=3824 | option_d=3258 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2833 × 125/100 = █3541.

Aptitude Questions — Records 94,771-94,800 of 100,000

id=94771 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=A | option_c=I | option_d=W | answer=A | explanation=Move 4 positions forward from A; the resulting letter is E.

id=94772 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=94773 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=F | option_c=J | option_d=X | answer=B | explanation=Move 4 positions forward from B; the resulting letter is F.

id=94774 | topic=Averages | difficulty=Easy | question=Find the average of 22, 27, 96, 11, 94. | option_a=49 | option_b=50 | option_c=52 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = $250 \div 5 = 50$.

id=94775 | topic=Averages | difficulty=Easy | question=Find the average of 44, 48, 53, 64, 12, 51, 95, 62. | option_a=55 | option_b=53 | option_c=52 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = $477 \div 9 = 53$.

id=94776 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 35, 41, 50? | option_a=35 | option_b=41 | option_c=50 | option_d=29 | answer=C | explanation=The first three numbers increase by 6, so the next should be 47. Therefore 50 is the odd one out.

id=94777 | topic=Averages | difficulty=Easy | question=Find the average of 38, 67, 48. | option_a=53 | option_b=50 | option_c=51 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = $153 \div 3 = 51$.

id=94778 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 13, 19, 28? | option_a=7 | option_b=19 | option_c=13 | option_d=28 | answer=D | explanation=The first three numbers increase by 6, so the next should be 25. Therefore 28 is the odd one out.

id=94779 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=40 | option_b=41 | option_c=34 | option_d=46 | answer=A | explanation=The common difference is 6. Therefore the next term is $34 + 6 = 40$.

id=94780 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 23, 30, 40? | option_a=30 | option_b=23 | option_c=16 | option_d=40 | answer=D | explanation=The first three numbers increase by 7, so the next should be 37. Therefore 40 is the odd one out.

id=94781 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 46? | option_a=35 | option_b=19 | option_c=27 | option_d=46 | answer=D | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 46 is the odd one out.

id=94782 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2434 at 12% per annum for 1 years. | option_a=292 | option_b=192 | option_c=2726 | option_d=392 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{2434 \times 12 \times 1}{100} = \text{■}292$.

id=94783 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1717. If it is sold at a profit of 30%, what is its selling price? | option_a=2232 | option_b=2061 | option_c=1747 | option_d=2403 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1717 \times 130 / 100 = \text{■}2232$.

id=94784 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 14, 25, 36, ? | option_a=36 | option_b=47 | option_c=58 | option_d=48 | answer=B | explanation=The common difference is 11. Therefore the next term is $36 + 11 = 47$.

id=94785 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=55 | option_d=100 | answer=B | explanation=Speed = distance ÷ time = $150 \div 3 = 50$ km/h.

id=94786 | topic=Averages | difficulty=Easy | question=Find the average of 96, 72, 49, 92, 42, 25, 79. | option_a=64 | option_b=66 | option_c=67 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = $455 \div 7 = 65$.

id=94787 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:18 and the first is 13, what is the second? | option_a=235 | option_b=216 | option_c=247 | option_d=234 | answer=D | explanation=Scale factor = $13 / 1 = 13$. Therefore second quantity = $18 \times 13 = 234$.

id=94788 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4873. If it is sold at a profit of 50%, what is its selling price? | option_a=7309 | option_b=4923 | option_c=7796 | option_d=6822 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4873 \times 150 / 100 = \text{■}7309$.

id=94789 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3820 at 15% per annum for 5 years. | option_a=2865 | option_b=2965 | option_c=6685 | option_d=2765 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{3820 \times 15 \times 5}{100} = \text{■}2865$.

id=94790 | topic=Percentages | difficulty=Easy | question=What is 25% of 804? | option_a=402 | option_b=221 | option_c=201 | option_d=181 | answer=C | explanation=25% of 804 = $(25 / 100) \times 804 = 201$.

id=94791 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=A | option_c=C | option_d=G | answer=A | explanation=Move 2 positions forward from C; the resulting letter is E.

id=94792 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12} = 3$ days.

id=94793 | topic=Averages | difficulty=Easy | question=Find the average of 52, 90, 30, 32, 74, 13, 94. | option_a=54 | option_b=56 | option_c=55 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = $385 \div 7 = 55$.

id=94794 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2926 at 5% per annum for 1 years. | option_a=146 | option_b=246 | option_c=3072 | option_d=46 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{2926 \times 5 \times 1}{100} = \text{■}146$.

id=94795 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:18 and the first is 100, what is the second? | option_a=280 | option_b=162 | option_c=190 | option_d=180 | answer=D | explanation=Scale factor = $100 / 10 = 10$. Therefore second quantity = $18 \times 10 = 180$.

id=94796 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=F | option_b=H | option_c=G | option_d=I | answer=B | explanation=Move 1 positions forward from G; the resulting letter is H.

id=94797 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:9 and the first is 30, what is the second? | option_a=126 | option_b=135 | option_c=137 | option_d=165 | answer=B | explanation=Scale factor = $30 / 2 = 15$. Therefore second quantity = $9 \times 15 = 135$.

id=94798 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=16 | option_b=18 | option_c=15 | option_d=12 | answer=C | explanation=The common difference is 3. Therefore the next term is $12 + 3 = 15$.

id=94799 | topic=Averages | difficulty=Easy | question=Find the average of 63, 93, 80, 26, 46, 36, 48. | option_a=55 | option_b=56 | option_c=58 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = $392 \div 7 = 56$.

id=94800 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 16. | option_a=64 | option_b=160 | option_c=90 | option_d=80 | answer=D | explanation= $LCM \times HCF = 10 \times 16$; $HCF(10, 16) = 2$, so $LCM = 80$.

Aptitude Questions — Records 94,801-94,830 of 100,000

id=94801 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:1 and the first is 210, what is the second? | option_a=15 | option_b=225 | option_c=14 | option_d=29 | answer=A | explanation=Scale factor = 210/14 = 15. Therefore second quantity = 1×15 = 15.

id=94802 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17329 at 10% per annum for 5 years. | option_a=8764 | option_b=8564 | option_c=25993 | option_d=8664 | answer=D | explanation=SI = PRT/100 = 17329×10×5/100 = **■**8664.

id=94803 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29893 at 12% per annum for 3 years. | option_a=10661 | option_b=40654 | option_c=10861 | option_d=10761 | answer=D | explanation=SI = PRT/100 = 29893×12×3/100 = **■**10761.

id=94804 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=48 | option_b=96 | option_c=53 | option_d=43 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=94805 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 14. | option_a=16 | option_b=1 | option_c=14 | option_d=28 | answer=C | explanation=LCM × HCF = 2×14; HCF(2,14) = 2, so LCM = 14.

id=94806 | topic=Averages | difficulty=Easy | question=Find the average of 38, 83, 97, 75, 43, 76, 90, 93, 89. | option_a=76 | option_b=77 | option_c=78 | option_d=75 | answer=A | explanation=Average = sum of values ÷ number of values = 684 ÷ 9 = 76.

id=94807 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=40 | option_b=41 | option_c=32 | option_d=48 | answer=A | explanation=The common difference is 8. Therefore the next term is 32 + 8 = 40.

id=94808 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6475 at 8% per annum for 3 years. | option_a=8029 | option_b=1554 | option_c=1654 | option_d=1454 | answer=B | explanation=SI = PRT/100 = 6475×8×3/100 = **■**1554.

id=94809 | topic=Averages | difficulty=Easy | question=Find the average of 76, 26, 22, 89, 102. | option_a=65 | option_b=62 | option_c=64 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 315 ÷ 5 = 63.

id=94810 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:13 and the first is 140, what is the second? | option_a=91 | option_b=231 | option_c=78 | option_d=111 | answer=A | explanation=Scale factor = 140/20 = 7. Therefore second quantity = 13×7 = 91.

id=94811 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=94812 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 23, 25, 29? | option_a=21 | option_b=29 | option_c=23 | option_d=25 | answer=B | explanation=The first three numbers increase by 2, so the next should be 27. Therefore 29 is the odd one out.

id=94813 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 28. | option_a=112 | option_b=280 | option_c=150 | option_d=140 | answer=D | explanation=LCM × HCF = 10×28; HCF(10,28) = 2, so LCM = 140.

id=94814 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=47 | option_b=58 | option_c=69 | option_d=59 | answer=B | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.

id=94815 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=L | option_c=Z | option_d=D | answer=A | explanation=Move 4 positions forward from D; the resulting letter is H.

id=94816 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=145 | option_c=150 | option_d=155 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=94817 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=51 | option_b=63 | option_c=39 | option_d=52 | answer=A | explanation=The common difference is 12. Therefore the next term is 39 + 12 = 51.

id=94818 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8902 at 5% per annum for 1 years. | option_a=9347 | option_b=345 | option_c=445 | option_d=545 | answer=C | explanation=SI = PRT/100 = 8902×5×1/100 = **■**445.

id=94819 | topic=Averages | difficulty=Easy | question=Find the average of 74, 41, 52, 10, 41, 93, 90, 71, 23. | option_a=57 | option_b=55 | option_c=56 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.

id=94820 | topic=Percentages | difficulty=Easy | question=What is 20% of 212? | option_a=62 | option_b=84 | option_c=32 | option_d=42 | answer=D | explanation=20% of 212 = (20/100) × 212 = 42.

id=94821 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 25? | option_a=17 | option_b=25 | option_c=5 | option_d=11 | answer=B | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 25 is the odd one out.

id=94822 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=65 | option_b=77 | option_c=53 | option_d=66 | answer=A | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.

id=94823 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38253 at 4% per annum for 2 years. | option_a=41313 | option_b=2960 | option_c=3060 | option_d=3160 | answer=C | explanation=SI = PRT/100 = 38253×4×2/100 = **■**3060.

id=94824 | topic=Averages | difficulty=Easy | question=Find the average of 82, 67, 58. | option_a=71 | option_b=68 | option_c=69 | option_d=70 | answer=C | explanation=Average = sum of values ÷ number of values = 207 ÷ 3 = 69.

id=94825 | topic=Percentages | difficulty=Easy | question=What is 30% of 1836? | option_a=530 | option_b=560 | option_c=550 | option_d=1100 | answer=C | explanation=30% of 1836 = (30/100) × 1836 = 550.

id=94826 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=94827 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30450 at 12% per annum for 5 years. | option_a=48720 | option_b=18370 | option_c=18170 | option_d=18270 | answer=D | explanation=SI = PRT/100 = 30450×12×5/100 = **■**18270.

id=94828 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=90 | option_c=180 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=94829 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 27, 38, 49, ? | option_a=49 | option_b=61 | option_c=71 | option_d=60 | answer=D | explanation=The common difference is 11. Therefore the next term is 49 + 11 = 60.

id=94830 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1350. If it is sold at a profit of 5%, what is its selling price? | option_a=1355 | option_b=1552 | option_c=1417 | option_d=1282 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1350 × 105/100 = **■**1417.

Aptitude Questions — Records 94,831-94,860 of 100,000

id=94831 | topic=Percentages | difficulty=Easy | question=What is 50% of 1759? | option_a=874 | option_b=1758 | option_c=879 | option_d=889 | answer=C | explanation=50% of 1759 = $(50/100) \times 1759 = 879$.

id=94832 | topic=Averages | difficulty=Easy | question=Find the average of 92, 35, 47, 24, 72. | option_a=55 | option_b=53 | option_c=54 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = $270 \div 5 = 54$.

id=94833 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:12 and the first is 112, what is the second? | option_a=208 | option_b=84 | option_c=110 | option_d=96 | answer=D | explanation=Scale factor = $112/14 = 8$. Therefore second quantity = $12 \times 8 = 96$.

id=94834 | topic=Averages | difficulty=Easy | question=Find the average of 13, 89, 43, 89, 55, 23. | option_a=53 | option_b=51 | option_c=52 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = $312 \div 6 = 52$.

id=94835 | topic=Profit & Loss | difficulty=Easy | question=An article costs █244. If it is sold at a profit of 30%, what is its selling price? | option_a=317 | option_b=274 | option_c=293 | option_d=341 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 244 \times 130/100 = \text{█}317$.

id=94836 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46093 at 6% per annum for 2 years. | option_a=5631 | option_b=5531 | option_c=51624 | option_d=5431 | answer=B | explanation=SI = $PRT/100 = 46093 \times 6 \times 2/100 = \text{█}5531$.

id=94837 | topic=Percentages | difficulty=Easy | question=What is 25% of 851? | option_a=424 | option_b=212 | option_c=217 | option_d=207 | answer=B | explanation=25% of 851 = $(25/100) \times 851 = 212$.

id=94838 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 9. | option_a=135 | option_b=60 | option_c=36 | option_d=45 | answer=D | explanation=LCM $\times$ HCF = 15×9 ; $HCF(15,9) = 3$, so LCM = 45.

id=94839 | topic=Percentages | difficulty=Easy | question=What is 10% of 342? | option_a=68 | option_b=34 | option_c=54 | option_d=14 | answer=B | explanation=10% of 342 = $(10/100) \times 342 = 34$.

id=94840 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 16. | option_a=256 | option_b=16 | option_c=32 | option_d=1 | answer=B | explanation=LCM $\times$ HCF = 16×16 ; $HCF(16,16) = 16$, so LCM = 16.

id=94841 | topic=Percentages | difficulty=Easy | question=What is 50% of 460? | option_a=460 | option_b=240 | option_c=225 | option_d=230 | answer=D | explanation=50% of 460 = $(50/100) \times 460 = 230$.

id=94842 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 22, 31, 41? | option_a=41 | option_b=22 | option_c=31 | option_d=13 | answer=A | explanation=The first three numbers increase by 9, so the next should be 40. Therefore 41 is the odd one out.

id=94843 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 39, 48, 60? | option_a=39 | option_b=48 | option_c=30 | option_d=60 | answer=D | explanation=The first three numbers increase by 9, so the next should be 57. Therefore 60 is the odd one out.

id=94844 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=C | option_b=F | option_c=E | option_d=D | answer=C | explanation=Move 1 positions forward from D; the resulting letter is E.

id=94845 | topic=Averages | difficulty=Easy | question=Find the average of 78, 32, 48, 58, 47, 27, 23, 47. | option_a=44 | option_b=47 | option_c=45 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = $360 \div 8 = 45$.

id=94846 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 18. | option_a=260 | option_b=216 | option_c=234 | option_d=468 | answer=C | explanation=LCM $\times$ HCF = 26×18 ; $HCF(26,18) = 2$, so LCM = 234.

id=94847 | topic=Averages | difficulty=Easy | question=Find the average of 71, 46, 17, 58. | option_a=47 | option_b=48 | option_c=49 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = $192 \div 4 = 48$.

id=94848 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = $90 \div 3 = 30$ km/h.

id=94849 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 8. | option_a=24 | option_b=30 | option_c=48 | option_d=16 | answer=A | explanation=LCM $\times$ HCF = 6×8 ; $HCF(6,8) = 2$, so LCM = 24.

id=94850 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=94851 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4628 at 6% per annum for 2 years. | option_a=555 | option_b=655 | option_c=455 | option_d=5183 | answer=A | explanation=SI = $PRT/100 = 4628 \times 6 \times 2/100 = \text{█}555$.

id=94852 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=G | option_c=P | option_d=M | answer=D | explanation=Move 3 positions forward from J; the resulting letter is M.

id=94853 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47832 at 4% per annum for 1 years. | option_a=1913 | option_b=1813 | option_c=2013 | option_d=49745 | answer=A | explanation=SI = $PRT/100 = 47832 \times 4 \times 1/100 = \text{█}1913$.

id=94854 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 12, 15, 18, ? | option_a=18 | option_b=24 | option_c=22 | option_d=21 | answer=D | explanation=The common difference is 3. Therefore the next term is $18 + 3 = 21$.

id=94855 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1903. If it is sold at a profit of 40%, what is its selling price? | option_a=2854 | option_b=1943 | option_c=2474 | option_d=2664 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 1903 \times 140/100 = \text{█}2664$.

id=94856 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 28, 31, 37? | option_a=25 | option_b=37 | option_c=28 | option_d=31 | answer=B | explanation=The first three numbers increase by 3, so the next should be 34. Therefore 37 is the odd one out.

id=94857 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1144. If it is sold at a profit of 40%, what is its selling price? | option_a=1715 | option_b=1601 | option_c=1184 | option_d=1487 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 1144 \times 140/100 = \text{█}1601$.

id=94858 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:3 and the first is 72, what is the second? | option_a=35 | option_b=24 | option_c=99 | option_d=27 | answer=D | explanation=Scale factor = $72/8 = 9$. Therefore second quantity = $3 \times 9 = 27$.

id=94859 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 18. | option_a=36 | option_b=1 | option_c=18 | option_d=324 | answer=C | explanation=LCM $\times$ HCF = 18×18 ; $HCF(18,18) = 18$, so LCM = 18.

id=94860 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=180 | option_c=85 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = $360 \div 4 = 90$ km/h.

Aptitude Questions — Records 94,861-94,890 of 100,000

id=94861 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19845 at 15% per annum for 3 years. | option_a=9030 | option_b=8930 | option_c=28775 | option_d=8830 | answer=B | explanation=SI = PRT/100 = 19845×15×3/100 = **■**8930.

id=94862 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=18 | option_b=22 | option_c=21 | option_d=20 | answer=D | explanation=The common difference is 2. Therefore the next term is 18 + 2 = 20.

id=94863 | topic=Percentages | difficulty=Easy | question=What is 25% of 1511? | option_a=377 | option_b=382 | option_c=372 | option_d=754 | answer=A | explanation=25% of 1511 = (25/100) × 1511 = 377.

id=94864 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=O | option_b=L | option_c=R | option_d=I | answer=A | explanation=Move 3 positions forward from L; the resulting letter is O.

id=94865 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:10 and the first is 288, what is the second? | option_a=448 | option_b=178 | option_c=160 | option_d=150 | answer=C | explanation=Scale factor = 288/18 = 16. Therefore second quantity = 10×16 = 160.

id=94866 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 21, 23, 28? | option_a=23 | option_b=19 | option_c=28 | option_d=21 | answer=C | explanation=The first three numbers increase by 2, so the next should be 25. Therefore 28 is the odd one out.

id=94867 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 51? | option_a=20 | option_b=51 | option_c=30 | option_d=40 | answer=B | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 51 is the odd one out.

id=94868 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=23 | option_c=13 | option_d=36 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=94869 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=94870 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 24, 36, 48, ? | option_a=61 | option_b=72 | option_c=60 | option_d=48 | answer=C | explanation=The common difference is 12. Therefore the next term is 48 + 12 = 60.

id=94871 | topic=Percentages | difficulty=Easy | question=What is 15% of 753? | option_a=112 | option_b=224 | option_c=122 | option_d=107 | answer=A | explanation=15% of 753 = (15/100) × 753 = 112.

id=94872 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=94873 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 26, 35, 46? | option_a=46 | option_b=17 | option_c=35 | option_d=26 | answer=A | explanation=The first three numbers increase by 9, so the next should be 44. Therefore 46 is the odd one out.

id=94874 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=94875 | topic=Averages | difficulty=Easy | question=Find the average of 94, 16, 100. | option_a=69 | option_b=70 | option_c=72 | option_d=71 | answer=B | explanation=Average = sum of values ÷ number of values = 210 ÷ 3 = 70.

id=94876 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48272 at 6% per annum for 1 years. | option_a=2896 | option_b=51168 | option_c=2996 | option_d=2796 | answer=A | explanation=SI = PRT/100 = 48272×6×1/100 = **■**2896.

id=94877 | topic=Averages | difficulty=Easy | question=Find the average of 70, 16, 83, 97, 99. | option_a=75 | option_b=73 | option_c=74 | option_d=72 | answer=B | explanation=Average = sum of values ÷ number of values = 365 ÷ 5 = 73.

id=94878 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=94879 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 13, 23, 34? | option_a=3 | option_b=13 | option_c=34 | option_d=23 | answer=C | explanation=The first three numbers increase by 10, so the next should be 33. Therefore 34 is the odd one out.

id=94880 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=94881 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 6. | option_a=36 | option_b=63 | option_c=126 | option_d=42 | answer=D | explanation=LCM × HCF = 21×6; HCF(21,6) = 3, so LCM = 42.

id=94882 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:7 and the first is 361, what is the second? | option_a=126 | option_b=494 | option_c=133 | option_d=152 | answer=C | explanation=Scale factor = 361/19 = 19. Therefore second quantity = 7×19 = 133.

id=94883 | topic=Percentages | difficulty=Easy | question=What is 20% of 169? | option_a=28 | option_b=66 | option_c=38 | option_d=33 | answer=D | explanation=20% of 169 = (20/100) × 169 = 33.

id=94884 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:19 and the first is 105, what is the second? | option_a=238 | option_b=114 | option_c=148 | option_d=133 | answer=D | explanation=Scale factor = 105/15 = 7. Therefore second quantity = 19×7 = 133.

id=94885 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 46? | option_a=32 | option_b=38 | option_c=46 | option_d=26 | answer=C | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 46 is the odd one out.

id=94886 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=120 | option_c=240 | option_d=125 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=94887 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4182. If it is sold at a profit of 50%, what is its selling price? | option_a=6691 | option_b=4232 | option_c=6273 | option_d=5855 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4182 × 150/100 = **■**6273.

id=94888 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=D | option_b=H | option_c=J | option_d=F | answer=B | explanation=Move 2 positions forward from F; the resulting letter is H.

id=94889 | topic=Averages | difficulty=Easy | question=Find the average of 77, 72, 69, 53, 52, 83, 100, 24, 55. | option_a=67 | option_b=64 | option_c=66 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 585 ÷ 9 = 65.

id=94890 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4876. If it is sold at a profit of 20%, what is its selling price? | option_a=4896 | option_b=5851 | option_c=6338 | option_d=5364 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4876 × 120/100 = **■**5851.

Aptitude Questions — Records 94,891-94,920 of 100,000

id=94891 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 42? | option_a=23 | option_b=35 | option_c=29 | option_d=42 | answer=D | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 42 is the odd one out.

id=94892 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11904 at 8% per annum for 4 years. | option_a=15713 | option_b=3909 | option_c=3709 | option_d=3809 | answer=D | explanation=SI = $PRT/100 = 11904 \times 8 \times 4/100 = \text{■}3809$.

id=94893 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:6 and the first is 40, what is the second? | option_a=52 | option_b=6 | option_c=32 | option_d=12 | answer=D | explanation=Scale factor = $40/20 = 2$. Therefore second quantity = $6 \times 2 = 12$.

id=94894 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 55? | option_a=29 | option_b=55 | option_c=37 | option_d=45 | answer=B | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 55 is the odd one out.

id=94895 | topic=Averages | difficulty=Easy | question=Find the average of 52, 99, 89, 52, 18. | option_a=63 | option_b=62 | option_c=61 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = $310 \div 5 = 62$.

id=94896 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=36 | option_b=35 | option_c=43 | option_d=27 | answer=B | explanation=The common difference is 8. Therefore the next term is $27 + 8 = 35$.

id=94897 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:16 and the first is 240, what is the second? | option_a=304 | option_b=320 | option_c=560 | option_d=332 | answer=B | explanation=Scale factor = $240/12 = 20$. Therefore second quantity = $16 \times 20 = 320$.

id=94898 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=94899 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 35? | option_a=35 | option_b=19 | option_c=12 | option_d=26 | answer=A | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 35 is the odd one out.

id=94900 | topic=Averages | difficulty=Easy | question=Find the average of 80, 32, 94, 53, 23, 48, 55. | option_a=57 | option_b=56 | option_c=54 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = $385 \div 7 = 55$.

id=94901 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=27 | option_b=28 | option_c=21 | option_d=33 | answer=A | explanation=The common difference is 6. Therefore the next term is $21 + 6 = 27$.

id=94902 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=94903 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:9 and the first is 100, what is the second? | option_a=81 | option_b=90 | option_c=190 | option_d=100 | answer=B | explanation=Scale factor = $100/10 = 10$. Therefore second quantity = $9 \times 10 = 90$.

id=94904 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 25? | option_a=25 | option_b=5 | option_c=11 | option_d=17 | answer=A | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 25 is the odd one out.

id=94905 | topic=Percentages | difficulty=Easy | question=What is 25% of 469? | option_a=234 | option_b=122 | option_c=117 | option_d=112 | answer=C | explanation=25% of 469 = $(25/100) \times 469 = 117$.

id=94906 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13459 at 12% per annum for 4 years. | option_a=6560 | option_b=6460 | option_c=19919 | option_d=6360 | answer=B | explanation=SI = $PRT/100 = 13459 \times 12 \times 4/100 = \text{■}6460$.

id=94907 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = $90 \div 3 = 30$ km/h.

id=94908 | topic=Percentages | difficulty=Easy | question=What is 30% of 1964? | option_a=579 | option_b=609 | option_c=1178 | option_d=589 | answer=D | explanation=30% of 1964 = $(30/100) \times 1964 = 589$.

id=94909 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 26. | option_a=728 | option_b=392 | option_c=338 | option_d=364 | answer=D | explanation= $LCM \times HCF = 28 \times 26$; $HCF(28, 26) = 2$, so $LCM = 364$.

id=94910 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=Q | option_c=U | option_d=W | answer=C | explanation=Move 2 positions forward from S; the resulting letter is U.

id=94911 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4542. If it is sold at a profit of 15%, what is its selling price? | option_a=5223 | option_b=4769 | option_c=4557 | option_d=5677 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4542 \times 115/100 = \text{■}5223$.

id=94912 | topic=Averages | difficulty=Easy | question=Find the average of 49, 89, 64, 66, 89, 51. | option_a=68 | option_b=69 | option_c=67 | option_d=70 | answer=A | explanation=Average = sum of values ÷ number of values = $408 \div 6 = 68$.

id=94913 | topic=Percentages | difficulty=Easy | question=What is 50% of 1937? | option_a=1936 | option_b=978 | option_c=963 | option_d=968 | answer=D | explanation=50% of 1937 = $(50/100) \times 1937 = 968$.

id=94914 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46234 at 12% per annum for 2 years. | option_a=57330 | option_b=10996 | option_c=11096 | option_d=11196 | answer=C | explanation=SI = $PRT/100 = 46234 \times 12 \times 2/100 = \text{■}11096$.

id=94915 | topic=Averages | difficulty=Easy | question=Find the average of 75, 85, 41, 68, 76, 27, 76. | option_a=66 | option_b=64 | option_c=63 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = $448 \div 7 = 64$.

id=94916 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=R | option_b=I | option_c=L | option_d=O | answer=D | explanation=Move 3 positions forward from L; the resulting letter is O.

id=94917 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=41 | option_b=48 | option_c=42 | option_d=34 | answer=A | explanation=The common difference is 7. Therefore the next term is $34 + 7 = 41$.

id=94918 | topic=Percentages | difficulty=Easy | question=What is 10% of 1989? | option_a=188 | option_b=218 | option_c=198 | option_d=396 | answer=C | explanation=10% of 1989 = $(10/100) \times 1989 = 198$.

id=94919 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=94920 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=Q | option_b=B | option_c=L | option_d=G | answer=C | explanation=Move 5 positions forward from G; the resulting letter is L.

Aptitude Questions — Records 94,921-94,950 of 100,000

id=94921 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:12 and the first is 14, what is the second? | option_a=182 | option_b=168 | option_c=169 | option_d=156 | answer=B | explanation=Scale factor = 14/1 = 14. Therefore second quantity = 12×14 = 168.

id=94922 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=39 | option_b=38 | option_c=29 | option_d=47 | answer=B | explanation=The common difference is 9. Therefore the next term is 29 + 9 = 38.

id=94923 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14768 at 12% per annum for 3 years. | option_a=20084 | option_b=5316 | option_c=5416 | option_d=5216 | answer=B | explanation=SI = PRT/100 = 14768×12×3/100 = █5316.

id=94924 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:10 and the first is 252, what is the second? | option_a=392 | option_b=130 | option_c=140 | option_d=158 | answer=C | explanation=Scale factor = 252/18 = 14. Therefore second quantity = 10×14 = 140.

id=94925 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=94926 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=94927 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42452 at 5% per annum for 5 years. | option_a=10713 | option_b=10513 | option_c=53065 | option_d=10613 | answer=D | explanation=SI = PRT/100 = 42452×5×5/100 = █10613.

id=94928 | topic=Averages | difficulty=Easy | question=Find the average of 34, 98, 22, 94. | option_a=62 | option_b=61 | option_c=63 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = 248 ÷ 4 = 62.

id=94929 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=36 | option_b=30 | option_c=40 | option_d=35 | answer=D | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=94930 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=80 | option_c=35 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=94931 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=94932 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=15 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=94933 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 17, 26, 38? | option_a=38 | option_b=17 | option_c=8 | option_d=26 | answer=A | explanation=The first three numbers increase by 9, so the next should be 35. Therefore 38 is the odd one out.

id=94934 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=94935 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:8 and the first is 240, what is the second? | option_a=88 | option_b=336 | option_c=96 | option_d=116 | answer=C | explanation=Scale factor = 240/20 = 12. Therefore second quantity = 8×12 = 96.

id=94936 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=24 | option_c=12 | option_d=7 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=94937 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=94938 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=M | option_b=P | option_c=V | option_d=S | answer=D | explanation=Move 3 positions forward from P; the resulting letter is S.

id=94939 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 24? | option_a=24 | option_b=9 | option_c=15 | option_d=3 | answer=A | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 24 is the odd one out.

id=94940 | topic=Percentages | difficulty=Easy | question=What is 5% of 1073? | option_a=106 | option_b=73 | option_c=53 | option_d=48 | answer=C | explanation=5% of 1073 = (5/100) × 1073 = 53.

id=94941 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3990. If it is sold at a profit of 25%, what is its selling price? | option_a=4987 | option_b=4588 | option_c=5386 | option_d=4015 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3990 × 125/100 = █4987.

id=94942 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3602. If it is sold at a profit of 15%, what is its selling price? | option_a=4502 | option_b=3782 | option_c=3617 | option_d=4142 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3602 × 115/100 = █4142.

id=94943 | topic=Percentages | difficulty=Easy | question=What is 40% of 149? | option_a=39 | option_b=59 | option_c=69 | option_d=118 | answer=B | explanation=40% of 149 = (40/100) × 149 = 59.

id=94944 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3235. If it is sold at a profit of 5%, what is its selling price? | option_a=3719 | option_b=3073 | option_c=3240 | option_d=3396 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3235 × 105/100 = █3396.

id=94945 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=94946 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=94947 | topic=Averages | difficulty=Easy | question=Find the average of 78, 46, 45, 14, 55, 51, 40. | option_a=48 | option_b=49 | option_c=47 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 329 ÷ 7 = 47.

id=94948 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14828 at 15% per annum for 1 years. | option_a=2124 | option_b=2224 | option_c=17052 | option_d=2324 | answer=B | explanation=SI = PRT/100 = 14828×15×1/100 = █2224.

id=94949 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=94950 | topic=Percentages | difficulty=Easy | question=What is 20% of 881? | option_a=166 | option_b=352 | option_c=196 | option_d=176 | answer=D | explanation=20% of 881 = (20/100) × 881 = 176.

Aptitude Questions — Records 94,951-94,980 of 100,000

id=94951 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 9? | option_a=9 | option_b=4 | option_c=2 | option_d=6 | answer=A | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 9 is the odd one out.

id=94952 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 15, 20, 27? | option_a=15 | option_b=27 | option_c=20 | option_d=10 | answer=B | explanation=The first three numbers increase by 5, so the next should be 25. Therefore 27 is the odd one out.

id=94953 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:16 and the first is 20, what is the second? | option_a=42 | option_b=52 | option_c=32 | option_d=16 | answer=C | explanation=Scale factor = 20/10 = 2. Therefore second quantity = 16×2 = 32.

id=94954 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=94955 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=94956 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2427. If it is sold at a profit of 5%, what is its selling price? | option_a=2306 | option_b=2548 | option_c=2790 | option_d=2432 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2427 × 105/100 = █2548.

id=94957 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=94958 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44671 at 4% per annum for 5 years. | option_a=9034 | option_b=8834 | option_c=8934 | option_d=53605 | answer=C | explanation=SI = PRT/100 = 44671×4×5/100 = █8934.

id=94959 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 3. | option_a=12 | option_b=15 | option_c=30 | option_d=45 | answer=B | explanation=LCM × HCF = 15×3; HCF(15,3) = 3, so LCM = 15.

id=94960 | topic=Profit & Loss | difficulty=Easy | question=An article costs █467. If it is sold at a profit of 30%, what is its selling price? | option_a=561 | option_b=607 | option_c=653 | option_d=497 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 467 × 130/100 = █607.

id=94961 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=53 | option_b=62 | option_c=54 | option_d=44 | answer=A | explanation=The common difference is 9. Therefore the next term is 44 + 9 = 53.

id=94962 | topic=Percentages | difficulty=Easy | question=What is 5% of 1752? | option_a=97 | option_b=87 | option_c=174 | option_d=67 | answer=B | explanation=5% of 1752 = (5/100) × 1752 = 87.

id=94963 | topic=Percentages | difficulty=Easy | question=What is 20% of 562? | option_a=112 | option_b=92 | option_c=132 | option_d=224 | answer=A | explanation=20% of 562 = (20/100) × 562 = 112.

id=94964 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3855. If it is sold at a profit of 50%, what is its selling price? | option_a=3905 | option_b=5782 | option_c=5397 | option_d=6167 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3855 × 150/100 = █5782.

id=94965 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=94966 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=94967 | topic=Averages | difficulty=Easy | question=Find the average of 35, 96, 37, 54, 33, 64, 94. | option_a=59 | option_b=61 | option_c=58 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = 413 ÷ 7 = 59.

id=94968 | topic=Percentages | difficulty=Easy | question=What is 12% of 629? | option_a=75 | option_b=150 | option_c=70 | option_d=80 | answer=A | explanation=12% of 629 = (12/100) × 629 = 75.

id=94969 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 15, 22, 31? | option_a=31 | option_b=22 | option_c=15 | option_d=8 | answer=A | explanation=The first three numbers increase by 7, so the next should be 29. Therefore 31 is the odd one out.

id=94970 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 43? | option_a=30 | option_b=43 | option_c=34 | option_d=38 | answer=B | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 43 is the odd one out.

id=94971 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4984. If it is sold at a profit of 10%, what is its selling price? | option_a=5980 | option_b=4994 | option_c=4984 | option_d=5482 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4984 × 110/100 = █5482.

id=94972 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=94973 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=46 | option_b=53 | option_c=37 | option_d=45 | answer=D | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=94974 | topic=Averages | difficulty=Easy | question=Find the average of 89, 28, 93, 92, 94, 81, 90. | option_a=82 | option_b=81 | option_c=83 | option_d=80 | answer=B | explanation=Average = sum of values ÷ number of values = 567 ÷ 7 = 81.

id=94975 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=M | option_c=I | option_d=U | answer=A | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=94976 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=58 | option_b=50 | option_c=49 | option_d=40 | answer=C | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

id=94977 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=P | option_c=Z | option_d=E | answer=C | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=94978 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1556. If it is sold at a profit of 15%, what is its selling price? | option_a=1634 | option_b=1944 | option_c=1571 | option_d=1789 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1556 × 115/100 = █1789.

id=94979 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:13 and the first is 95, what is the second? | option_a=160 | option_b=65 | option_c=52 | option_d=84 | answer=B | explanation=Scale factor = 95/19 = 5. Therefore second quantity = 13×5 = 65.

id=94980 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42310 at 4% per annum for 1 years. | option_a=44002 | option_b=1592 | option_c=1692 | option_d=1792 | answer=C | explanation=SI = PRT/100 = 42310×4×1/100 = █1692.

Aptitude Questions — Records 94,981-95,010 of 100,000

id=94981 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=20 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=94982 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 16, 18, 20, ? | option_a=22 | option_b=23 | option_c=20 | option_d=24 | answer=A | explanation=The common difference is 2. Therefore the next term is 20 + 2 = 22.

id=94983 | topic=Averages | difficulty=Easy | question=Find the average of 86, 68, 59. | option_a=70 | option_b=71 | option_c=73 | option_d=72 | answer=B | explanation=Average = sum of values ÷ number of values = 213 ÷ 3 = 71.

id=94984 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**792 at 15% per annum for 4 years. | option_a=4775 | option_b=4675 | option_c=12467 | option_d=4575 | answer=B | explanation=SI = PRT/100 = 7792×15×4/100 = **₹**4675.

id=94985 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=90 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=94986 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=94987 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=36 | option_b=26 | option_c=31 | option_d=32 | answer=C | explanation=The common difference is 5. Therefore the next term is 26 + 5 = 31.

id=94988 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**42477 at 15% per annum for 3 years. | option_a=19014 | option_b=19214 | option_c=19114 | option_d=61591 | answer=C | explanation=SI = PRT/100 = 42477×15×3/100 = **₹**19114.

id=94989 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=26 | option_b=32 | option_c=30 | option_d=29 | answer=D | explanation=The common difference is 3. Therefore the next term is 26 + 3 = 29.

id=94990 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=11 | option_c=1 | option_d=12 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=94991 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1706. If it is sold at a profit of 30%, what is its selling price? | option_a=2387 | option_b=2047 | option_c=1736 | option_d=2217 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1706 × 130/100 = **₹**2217.

id=94992 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=94993 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=J | option_c=L | option_d=F | answer=B | explanation=Move 2 positions forward from H; the resulting letter is J.

id=94994 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 33? | option_a=16 | option_b=21 | option_c=33 | option_d=26 | answer=C | explanation=The first three numbers increase by 5, so the next should be 33. Therefore 33 is the odd one out.

id=94995 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=94996 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=32 | option_b=31 | option_c=25 | option_d=37 | answer=B | explanation=The common difference is 6. Therefore the next term is 25 + 6 = 31.

id=94997 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 12, 14, 17? | option_a=12 | option_b=17 | option_c=10 | option_d=14 | answer=B | explanation=The first three numbers increase by 2, so the next should be 16. Therefore 17 is the odd one out.

id=94998 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:13 and the first is 64, what is the second? | option_a=116 | option_b=39 | option_c=68 | option_d=52 | answer=D | explanation=Scale factor = 64/16 = 4. Therefore second quantity = 13×4 = 52.

id=94999 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**23217 at 12% per annum for 2 years. | option_a=5572 | option_b=5472 | option_c=5672 | option_d=28789 | answer=A | explanation=SI = PRT/100 = 23217×12×2/100 = **₹**5572.

id=95000 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 21, 28, 37? | option_a=14 | option_b=37 | option_c=21 | option_d=28 | answer=B | explanation=The first three numbers increase by 7, so the next should be 35. Therefore 37 is the odd one out.

id=95001 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 29? | option_a=26 | option_b=29 | option_c=22 | option_d=24 | answer=B | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 29 is the odd one out.

id=95002 | topic=Percentages | difficulty=Easy | question=What is 30% of 1304? | option_a=391 | option_b=381 | option_c=782 | option_d=396 | answer=A | explanation=30% of 1304 = (30/100) × 1304 = 391.

id=95003 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=E | option_c=K | option_d=G | answer=A | explanation=Move 2 positions forward from G; the resulting letter is I.

id=95004 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 15, 23, 32? | option_a=23 | option_b=32 | option_c=7 | option_d=15 | answer=B | explanation=The first three numbers increase by 8, so the next should be 31. Therefore 32 is the odd one out.

id=95005 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:9 and the first is 84, what is the second? | option_a=126 | option_b=132 | option_c=210 | option_d=117 | answer=A | explanation=Scale factor = 84/6 = 14. Therefore second quantity = 9×14 = 126.

id=95006 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 11, 14, 18? | option_a=14 | option_b=11 | option_c=18 | option_d=8 | answer=C | explanation=The first three numbers increase by 3, so the next should be 17. Therefore 18 is the odd one out.

id=95007 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 4. | option_a=36 | option_b=72 | option_c=54 | option_d=32 | answer=A | explanation=LCM × HCF = 18×4; HCF(18,4) = 2, so LCM = 36.

id=95008 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3622. If it is sold at a profit of 30%, what is its selling price? | option_a=4346 | option_b=4708 | option_c=3652 | option_d=5070 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3622 × 130/100 = **₹**4708.

id=95009 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=60 | option_b=71 | option_c=59 | option_d=47 | answer=C | explanation=The common difference is 12. Therefore the next term is 47 + 12 = 59.

id=95010 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 95,011-95,040 of 100,000

id=95011 | topic=Percentages | difficulty=Easy | question=What is 20% of 1848? | option_a=369 | option_b=738 | option_c=379 | option_d=359 | answer=A | explanation=20% of 1848 = (20/100) × 1848 = 369.

id=95012 | topic=Averages | difficulty=Easy | question=Find the average of 77, 11, 78, 44, 23, 90, 86, 87. | option_a=63 | option_b=61 | option_c=64 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 496 ÷ 8 = 62.

id=95013 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30331 at 12% per annum for 3 years. | option_a=10819 | option_b=11019 | option_c=10919 | option_d=41250 | answer=C | explanation=SI = PRT/100 = 30331×12×3/100 = **■**10919.

id=95014 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1055. If it is sold at a profit of 5%, what is its selling price? | option_a=1107 | option_b=1212 | option_c=1002 | option_d=1060 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1055 × 105/100 = **■**1107.

id=95015 | topic=Percentages | difficulty=Easy | question=What is 25% of 1113? | option_a=556 | option_b=273 | option_c=283 | option_d=278 | answer=D | explanation=25% of 1113 = (25/100) × 1113 = 278.

id=95016 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1139. If it is sold at a profit of 50%, what is its selling price? | option_a=1189 | option_b=1821 | option_c=1595 | option_d=1708 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1139 × 150/100 = **■**1708.

id=95017 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=90 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=95018 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1841. If it is sold at a profit of 10%, what is its selling price? | option_a=2025 | option_b=1841 | option_c=1851 | option_d=2209 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1841 × 110/100 = **■**2025.

id=95019 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 14? | option_a=5 | option_b=9 | option_c=14 | option_d=7 | answer=C | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 14 is the odd one out.

id=95020 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 33? | option_a=22 | option_b=13 | option_c=4 | option_d=33 | answer=D | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 33 is the odd one out.

id=95021 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=95022 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:17 and the first is 80, what is the second? | option_a=420 | option_b=323 | option_c=344 | option_d=340 | answer=D | explanation=Scale factor = 80/4 = 20. Therefore second quantity = 17×20 = 340.

id=95023 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40923 at 15% per annum for 1 years. | option_a=47061 | option_b=6038 | option_c=6138 | option_d=6238 | answer=C | explanation=SI = PRT/100 = 40923×15×1/100 = **■**6138.

id=95024 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 26, 31, 39? | option_a=21 | option_b=26 | option_c=39 | option_d=31 | answer=C | explanation=The first three numbers increase by 5, so the next should be 36. Therefore 39 is the odd one out.

id=95025 | topic=Averages | difficulty=Easy | question=Find the average of 55, 92, 21, 76, 23, 64, 85, 24. | option_a=55 | option_b=56 | option_c=54 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 440 ÷ 8 = 55.

id=95026 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:11 and the first is 110, what is the second? | option_a=131 | option_b=231 | option_c=121 | option_d=110 | answer=C | explanation=Scale factor = 110/10 = 11. Therefore second quantity = 11×11 = 121.

id=95027 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 25, 35, 46? | option_a=25 | option_b=15 | option_c=46 | option_d=35 | answer=C | explanation=The first three numbers increase by 10, so the next should be 45. Therefore 46 is the odd one out.

id=95028 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 6. | option_a=45 | option_b=30 | option_c=24 | option_d=90 | answer=B | explanation=LCM × HCF = 15×6; HCF(15,6) = 3, so LCM = 30.

id=95029 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=95030 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=I | option_b=Z | option_c=C | option_d=F | answer=D | explanation=Move 3 positions forward from C; the resulting letter is F.

id=95031 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 16, 20, 24, ? | option_a=29 | option_b=24 | option_c=32 | option_d=28 | answer=D | explanation=The common difference is 4. Therefore the next term is 24 + 4 = 28.

id=95032 | topic=Percentages | difficulty=Easy | question=What is 40% of 1351? | option_a=530 | option_b=1080 | option_c=545 | option_d=540 | answer=D | explanation=40% of 1351 = (40/100) × 1351 = 540.

id=95033 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 35? | option_a=8 | option_b=24 | option_c=35 | option_d=16 | answer=C | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 35 is the odd one out.

id=95034 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=41 | option_b=35 | option_c=45 | option_d=40 | answer=D | explanation=The common difference is 5. Therefore the next term is 35 + 5 = 40.

id=95035 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=95036 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=95037 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=C | option_b=M | option_c=H | option_d=R | answer=B | explanation=Move 5 positions forward from H; the resulting letter is M.

id=95038 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=95039 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8748 at 10% per annum for 5 years. | option_a=4374 | option_b=4274 | option_c=4474 | option_d=13122 | answer=A | explanation=SI = PRT/100 = 8748×10×5/100 = **■**4374.

id=95040 | topic=Percentages | difficulty=Easy | question=What is 12% of 274? | option_a=52 | option_b=64 | option_c=32 | option_d=27 | answer=C | explanation=12% of 274 = (12/100) × 274 = 32.

Aptitude Questions — Records 95,041-95,070 of 100,000

id=95041 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=30 | option_b=26 | option_c=29 | option_d=28 | answer=D | explanation=The common difference is 2. Therefore the next term is 26 + 2 = 28.

id=95042 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1511. If it is sold at a profit of 15%, what is its selling price? | option_a=1586 | option_b=1888 | option_c=1526 | option_d=1737 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1511 × 115/100 = █1737.

id=95043 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=95044 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:15 and the first is 272, what is the second? | option_a=225 | option_b=512 | option_c=257 | option_d=240 | answer=D | explanation=Scale factor = 272/17 = 16. Therefore second quantity = 15×16 = 240.

id=95045 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=33 | option_b=28 | option_c=32 | option_d=36 | answer=C | explanation=The common difference is 4. Therefore the next term is 28 + 4 = 32.

id=95046 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16630 at 10% per annum for 1 years. | option_a=1763 | option_b=1563 | option_c=1663 | option_d=18293 | answer=C | explanation=SI = PRT/100 = 16630×10×1/100 = █1663.

id=95047 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=53 | option_b=43 | option_c=33 | option_d=44 | answer=B | explanation=The common difference is 10. Therefore the next term is 33 + 10 = 43.

id=95048 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 25, 34, 46? | option_a=34 | option_b=46 | option_c=16 | option_d=25 | answer=B | explanation=The first three numbers increase by 9, so the next should be 43. Therefore 46 is the odd one out.

id=95049 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1149. If it is sold at a profit of 5%, what is its selling price? | option_a=1092 | option_b=1206 | option_c=1320 | option_d=1154 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1149 × 105/100 = █1206.

id=95050 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3980. If it is sold at a profit of 40%, what is its selling price? | option_a=5572 | option_b=4020 | option_c=5970 | option_d=5174 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3980 × 140/100 = █5572.

id=95051 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:18 and the first is 72, what is the second? | option_a=54 | option_b=72 | option_c=90 | option_d=144 | answer=B | explanation=Scale factor = 72/18 = 4. Therefore second quantity = 18×4 = 72.

id=95052 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 32? | option_a=4 | option_b=32 | option_c=13 | option_d=22 | answer=B | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 32 is the odd one out.

id=95053 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 39, 48, 59? | option_a=30 | option_b=48 | option_c=59 | option_d=39 | answer=C | explanation=The first three numbers increase by 9, so the next should be 57. Therefore 59 is the odd one out.

id=95054 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=N | option_c=P | option_d=Q | answer=C | explanation=Move 1 positions forward from O; the resulting letter is P.

id=95055 | topic=Averages | difficulty=Easy | question=Find the average of 14, 59, 86, 17. | option_a=44 | option_b=43 | option_c=45 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 176 ÷ 4 = 44.

id=95056 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:11 and the first is 85, what is the second? | option_a=176 | option_b=187 | option_c=272 | option_d=192 | answer=B | explanation=Scale factor = 85/5 = 17. Therefore second quantity = 11×17 = 187.

id=95057 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:2 and the first is 51, what is the second? | option_a=37 | option_b=85 | option_c=32 | option_d=34 | answer=D | explanation=Scale factor = 51/3 = 17. Therefore second quantity = 2×17 = 34.

id=95058 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 25, 27, 31? | option_a=23 | option_b=27 | option_c=31 | option_d=25 | answer=C | explanation=The first three numbers increase by 2, so the next should be 29. Therefore 31 is the odd one out.

id=95059 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=95060 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:7 and the first is 180, what is the second? | option_a=88 | option_b=250 | option_c=63 | option_d=70 | answer=D | explanation=Scale factor = 180/18 = 10. Therefore second quantity = 7×10 = 70.

id=95061 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=Q | option_c=Z | option_d=W | answer=D | explanation=Move 3 positions forward from T; the resulting letter is W.

id=95062 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21315 at 6% per annum for 5 years. | option_a=6394 | option_b=6494 | option_c=27709 | option_d=6294 | answer=A | explanation=SI = PRT/100 = 21315×6×5/100 = █6394.

id=95063 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 27, 36, 48? | option_a=27 | option_b=18 | option_c=48 | option_d=36 | answer=C | explanation=The first three numbers increase by 9, so the next should be 45. Therefore 48 is the odd one out.

id=95064 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=95065 | topic=Averages | difficulty=Easy | question=Find the average of 69, 24, 32, 65, 85. | option_a=55 | option_b=56 | option_c=57 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 275 ÷ 5 = 55.

id=95066 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=95 | option_c=100 | option_d=105 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=95067 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 18, 26, 35? | option_a=26 | option_b=10 | option_c=18 | option_d=35 | answer=D | explanation=The first three numbers increase by 8, so the next should be 34. Therefore 35 is the odd one out.

id=95068 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=48 | option_c=24 | option_d=29 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=95069 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=200 | option_b=100 | option_c=95 | option_d=105 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=95070 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=H | option_b=B | option_c=E | option_d=K | answer=A | explanation=Move 3 positions forward from E; the resulting letter is H.

Aptitude Questions — Records 95,071-95,100 of 100,000

id=95071 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=150 | option_c=80 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=95072 | topic=Profit & Loss | difficulty=Easy | question=An article costs █251. If it is sold at a profit of 15%, what is its selling price? | option_a=266 | option_b=288 | option_c=313 | option_d=263 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 251 × 115/100 = █288.

id=95073 | topic=Averages | difficulty=Easy | question=Find the average of 55, 21, 34, 35, 20, 67, 22, 98. | option_a=45 | option_b=43 | option_c=44 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 352 ÷ 8 = 44.

id=95074 | topic=Percentages | difficulty=Easy | question=What is 20% of 869? | option_a=346 | option_b=178 | option_c=168 | option_d=173 | answer=D | explanation=20% of 869 = (20/100) × 869 = 173.

id=95075 | topic=Averages | difficulty=Easy | question=Find the average of 26, 75, 64. | option_a=57 | option_b=56 | option_c=54 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 165 ÷ 3 = 55.

id=95076 | topic=Averages | difficulty=Easy | question=Find the average of 25, 25, 66, 15, 64. | option_a=41 | option_b=39 | option_c=38 | option_d=40 | answer=B | explanation=Average = sum of values ÷ number of values = 195 ÷ 5 = 39.

id=95077 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=95078 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:9 and the first is 204, what is the second? | option_a=99 | option_b=125 | option_c=312 | option_d=108 | answer=D | explanation=Scale factor = 204/17 = 12. Therefore second quantity = 9×12 = 108.

id=95079 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 10, 13, 16, ?. | option_a=19 | option_b=22 | option_c=20 | option_d=16 | answer=A | explanation=The common difference is 3. Therefore the next term is 16 + 3 = 19.

id=95080 | topic=Averages | difficulty=Easy | question=Find the average of 52, 61, 43, 70, 34. | option_a=54 | option_b=51 | option_c=53 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 260 ÷ 5 = 52.

id=95081 | topic=Percentages | difficulty=Easy | question=What is 30% of 1455? | option_a=431 | option_b=872 | option_c=446 | option_d=436 | answer=D | explanation=30% of 1455 = (30/100) × 1455 = 436.

id=95082 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 35, 45, 56? | option_a=45 | option_b=35 | option_c=25 | option_d=56 | answer=D | explanation=The first three numbers increase by 10, so the next should be 55. Therefore 56 is the odd one out.

id=95083 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3420. If it is sold at a profit of 40%, what is its selling price? | option_a=3460 | option_b=4788 | option_c=4446 | option_d=5130 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3420 × 140/100 = █4788.

id=95084 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43, ?. | option_a=52 | option_b=43 | option_c=59 | option_d=51 | answer=D | explanation=The common difference is 8. Therefore the next term is 43 + 8 = 51.

id=95085 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ?. | option_a=39 | option_b=33 | option_c=38 | option_d=43 | answer=C | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.

id=95086 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:15 and the first is 44, what is the second? | option_a=60 | option_b=104 | option_c=71 | option_d=45 | answer=A | explanation=Scale factor = 44/11 = 4. Therefore second quantity = 15×4 = 60.

id=95087 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=G | option_b=K | option_c=C | option_d=Y | answer=A | explanation=Move 4 positions forward from C; the resulting letter is G.

id=95088 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 18. | option_a=360 | option_b=162 | option_c=180 | option_d=200 | answer=C | explanation=LCM × HCF = 20×18; HCF(20,18) = 2, so LCM = 180.

id=95089 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38469 at 6% per annum for 2 years. | option_a=43085 | option_b=4716 | option_c=4516 | option_d=4616 | answer=D | explanation=SI = PRT/100 = 38469×6×2/100 = █4616.

id=95090 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21231 at 6% per annum for 2 years. | option_a=2647 | option_b=23778 | option_c=2447 | option_d=2547 | answer=D | explanation=SI = PRT/100 = 21231×6×2/100 = █2547.

id=95091 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:13 and the first is 180, what is the second? | option_a=269 | option_b=260 | option_c=247 | option_d=440 | answer=B | explanation=Scale factor = 180/9 = 20. Therefore second quantity = 13×20 = 260.

id=95092 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 21, 23, 25, ?. | option_a=29 | option_b=27 | option_c=25 | option_d=28 | answer=B | explanation=The common difference is 2. Therefore the next term is 25 + 2 = 27.

id=95093 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ?. | option_a=38 | option_b=50 | option_c=49 | option_d=60 | answer=C | explanation=The common difference is 11. Therefore the next term is 38 + 11 = 49.

id=95094 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=95095 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=95096 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 12. | option_a=1 | option_b=12 | option_c=15 | option_d=36 | answer=B | explanation=LCM × HCF = 3×12; HCF(3,12) = 3, so LCM = 12.

id=95097 | topic=Percentages | difficulty=Easy | question=What is 50% of 1257? | option_a=638 | option_b=1256 | option_c=608 | option_d=628 | answer=D | explanation=50% of 1257 = (50/100) × 1257 = 628.

id=95098 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 20. | option_a=300 | option_b=60 | option_c=40 | option_d=75 | answer=B | explanation=LCM × HCF = 15×20; HCF(15,20) = 5, so LCM = 60.

id=95099 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:13 and the first is 75, what is the second? | option_a=200 | option_b=270 | option_c=182 | option_d=195 | answer=D | explanation=Scale factor = 75/5 = 15. Therefore second quantity = 13×15 = 195.

id=95100 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=S | option_b=W | option_c=U | option_d=Y | answer=B | explanation=Move 2 positions forward from U; the resulting letter is W.

Aptitude Questions — Records 95,101-95,130 of 100,000

id=95101 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=24 | option_b=23 | option_c=19 | option_d=27 | answer=B | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=95102 | topic=Percentages | difficulty=Easy | question=What is 20% of 1791? | option_a=716 | option_b=348 | option_c=358 | option_d=368 | answer=C | explanation=20% of 1791 = (20/100) × 1791 = 358.

id=95103 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=H | option_b=I | option_c=K | option_d=J | answer=D | explanation=Move 1 positions forward from I; the resulting letter is J.

id=95104 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4474. If it is sold at a profit of 20%, what is its selling price? | option_a=5368 | option_b=5815 | option_c=4494 | option_d=4921 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4474 × 120/100 = █5368.

id=95105 | topic=Averages | difficulty=Easy | question=Find the average of 87, 97, 13, 26, 48, 35. | option_a=52 | option_b=51 | option_c=53 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 306 ÷ 6 = 51.

id=95106 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37560 at 5% per annum for 4 years. | option_a=7612 | option_b=7412 | option_c=45072 | option_d=7512 | answer=D | explanation=SI = PRT/100 = 37560×5×4/100 = █7512.

id=95107 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=59 | option_b=46 | option_c=58 | option_d=70 | answer=C | explanation=The common difference is 12. Therefore the next term is 46 + 12 = 58.

id=95108 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=52 | option_b=39 | option_c=63 | option_d=51 | answer=D | explanation=The common difference is 12. Therefore the next term is 39 + 12 = 51.

id=95109 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=95110 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16181 at 4% per annum for 2 years. | option_a=17475 | option_b=1194 | option_c=1294 | option_d=1394 | answer=C | explanation=SI = PRT/100 = 16181×4×2/100 = █1294.

id=95111 | topic=Percentages | difficulty=Easy | question=What is 20% of 316? | option_a=63 | option_b=43 | option_c=126 | option_d=68 | answer=A | explanation=20% of 316 = (20/100) × 316 = 63.

id=95112 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 46? | option_a=23 | option_b=37 | option_c=30 | option_d=46 | answer=D | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 46 is the odd one out.

id=95113 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 6. | option_a=24 | option_b=180 | option_c=60 | option_d=30 | answer=D | explanation=LCM × HCF = 30×6; HCF(30,6) = 6, so LCM = 30.

id=95114 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4235. If it is sold at a profit of 5%, what is its selling price? | option_a=4869 | option_b=4240 | option_c=4446 | option_d=4023 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4235 × 105/100 = █4446.

id=95115 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2526. If it is sold at a profit of 10%, what is its selling price? | option_a=3030 | option_b=2526 | option_c=2536 | option_d=2778 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2526 × 110/100 = █2778.

id=95116 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=I | option_b=L | option_c=J | option_d=K | answer=D | explanation=Move 1 positions forward from J; the resulting letter is K.

id=95117 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=95118 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:2 and the first is 32, what is the second? | option_a=20 | option_b=48 | option_c=14 | option_d=16 | answer=D | explanation=Scale factor = 32/4 = 8. Therefore second quantity = 2×8 = 16.

id=95119 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=95120 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:13 and the first is 64, what is the second? | option_a=212 | option_b=272 | option_c=208 | option_d=195 | answer=C | explanation=Scale factor = 64/4 = 16. Therefore second quantity = 13×16 = 208.

id=95121 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=95122 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=95123 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:1 and the first is 57, what is the second? | option_a=60 | option_b=2 | option_c=3 | option_d=22 | answer=C | explanation=Scale factor = 57/19 = 3. Therefore second quantity = 1×3 = 3.

id=95124 | topic=Percentages | difficulty=Easy | question=What is 40% of 1599? | option_a=1278 | option_b=639 | option_c=629 | option_d=649 | answer=B | explanation=40% of 1599 = (40/100) × 1599 = 639.

id=95125 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 32, 39, 47? | option_a=47 | option_b=25 | option_c=39 | option_d=32 | answer=A | explanation=The first three numbers increase by 7, so the next should be 46. Therefore 47 is the odd one out.

id=95126 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3406. If it is sold at a profit of 10%, what is its selling price? | option_a=4086 | option_b=3416 | option_c=3746 | option_d=3406 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3406 × 110/100 = █3746.

id=95127 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:18 and the first is 153, what is the second? | option_a=315 | option_b=288 | option_c=306 | option_d=459 | answer=C | explanation=Scale factor = 153/9 = 17. Therefore second quantity = 18×17 = 306.

id=95128 | topic=Averages | difficulty=Easy | question=Find the average of 62, 69, 12, 62, 66, 26, 54, 78, 30. | option_a=53 | option_b=51 | option_c=50 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 459 ÷ 9 = 51.

id=95129 | topic=Percentages | difficulty=Easy | question=What is 40% of 1355? | option_a=532 | option_b=562 | option_c=1084 | option_d=542 | answer=D | explanation=40% of 1355 = (40/100) × 1355 = 542.

id=95130 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=T | option_b=W | option_c=N | option_d=Q | answer=A | explanation=Move 3 positions forward from Q; the resulting letter is T.

Aptitude Questions — Records 95,131-95,160 of 100,000

id=95131 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=45 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=95132 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=H | option_b=D | option_c=L | option_d=Z | answer=A | explanation=Move 4 positions forward from D; the resulting letter is H.

id=95133 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 15? | option_a=9 | option_b=3 | option_c=6 | option_d=15 | answer=D | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 15 is the odd one out.

id=95134 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=L | option_b=P | option_c=N | option_d=R | answer=B | explanation=Move 2 positions forward from N; the resulting letter is P.

id=95135 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47130 at 8% per annum for 2 years. | option_a=7440 | option_b=54670 | option_c=7640 | option_d=7540 | answer=D | explanation=SI = PRT/100 = 47130×8×2/100 = **■**7540.

id=95136 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3013. If it is sold at a profit of 25%, what is its selling price? | option_a=3766 | option_b=3465 | option_c=3038 | option_d=4067 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3013 × 125/100 = **■**3766.

id=95137 | topic=Percentages | difficulty=Easy | question=What is 30% of 230? | option_a=138 | option_b=89 | option_c=64 | option_d=69 | answer=D | explanation=30% of 230 = (30/100) × 230 = 69.

id=95138 | topic=Averages | difficulty=Easy | question=Find the average of 41, 47, 89, 83. | option_a=64 | option_b=67 | option_c=65 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = 260 ÷ 4 = 65.

id=95139 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=K | option_b=A | option_c=V | option_d=F | answer=D | explanation=Move 5 positions forward from A; the resulting letter is F.

id=95140 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45488 at 6% per annum for 5 years. | option_a=13746 | option_b=13546 | option_c=59134 | option_d=13646 | answer=D | explanation=SI = PRT/100 = 45488×6×5/100 = **■**13646.

id=95141 | topic=Percentages | difficulty=Easy | question=What is 10% of 1362? | option_a=146 | option_b=272 | option_c=116 | option_d=136 | answer=D | explanation=10% of 1362 = (10/100) × 1362 = 136.

id=95142 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=34 | option_b=35 | option_c=39 | option_d=29 | answer=A | explanation=The common difference is 5. Therefore the next term is 29 + 5 = 34.

id=95143 | topic=Averages | difficulty=Easy | question=Find the average of 13, 97, 96, 14, 69, 54, 92, 86, 46. | option_a=63 | option_b=64 | option_c=65 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 567 ÷ 9 = 63.

id=95144 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 6. | option_a=36 | option_b=12 | option_c=6 | option_d=1 | answer=C | explanation=LCM × HCF = 6×6; HCF(6,6) = 6, so LCM = 6.

id=95145 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30460 at 4% per annum for 4 years. | option_a=4873 | option_b=4973 | option_c=4773 | option_d=35333 | answer=A | explanation=SI = PRT/100 = 30460×4×4/100 = **■**4873.

id=95146 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:4 and the first is 42, what is the second? | option_a=66 | option_b=24 | option_c=20 | option_d=31 | answer=B | explanation=Scale factor = 42/7 = 6. Therefore second quantity = 4×6 = 24.

id=95147 | topic=Averages | difficulty=Easy | question=Find the average of 83, 31, 12, 33, 76. | option_a=47 | option_b=48 | option_c=49 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 235 ÷ 5 = 47.

id=95148 | topic=Percentages | difficulty=Easy | question=What is 40% of 1206? | option_a=462 | option_b=964 | option_c=482 | option_d=492 | answer=C | explanation=40% of 1206 = (40/100) × 1206 = 482.

id=95149 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19749 at 10% per annum for 1 years. | option_a=1974 | option_b=1874 | option_c=2074 | option_d=21723 | answer=A | explanation=SI = PRT/100 = 19749×10×1/100 = **■**1974.

id=95150 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=95151 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 14. | option_a=144 | option_b=112 | option_c=252 | option_d=126 | answer=D | explanation=LCM × HCF = 18×14; HCF(18,14) = 2, so LCM = 126.

id=95152 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10883 at 10% per annum for 4 years. | option_a=4453 | option_b=4353 | option_c=15236 | option_d=4253 | answer=B | explanation=SI = PRT/100 = 10883×10×4/100 = **■**4353.

id=95153 | topic=Percentages | difficulty=Easy | question=What is 10% of 1736? | option_a=178 | option_b=173 | option_c=153 | option_d=346 | answer=B | explanation=10% of 1736 = (10/100) × 1736 = 173.

id=95154 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=95155 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 42? | option_a=34 | option_b=28 | option_c=22 | option_d=42 | answer=D | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 42 is the odd one out.

id=95156 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:11 and the first is 180, what is the second? | option_a=208 | option_b=187 | option_c=198 | option_d=378 | answer=C | explanation=Scale factor = 180/10 = 18. Therefore second quantity = 11×18 = 198.

id=95157 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23807 at 6% per annum for 4 years. | option_a=5813 | option_b=29520 | option_c=5713 | option_d=5613 | answer=C | explanation=SI = PRT/100 = 23807×6×4/100 = **■**5713.

id=95158 | topic=Percentages | difficulty=Easy | question=What is 12% of 447? | option_a=33 | option_b=53 | option_c=73 | option_d=106 | answer=B | explanation=12% of 447 = (12/100) × 447 = 53.

id=95159 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28818 at 8% per annum for 2 years. | option_a=4610 | option_b=33428 | option_c=4710 | option_d=4510 | answer=A | explanation=SI = PRT/100 = 28818×8×2/100 = **■**4610.

id=95160 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=37 | option_b=47 | option_c=57 | option_d=48 | answer=B | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

Aptitude Questions — Records 95,161-95,190 of 100,000

id=95161 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:12 and the first is 160, what is the second? | option_a=120 | option_b=108 | option_c=136 | option_d=280 | answer=A | explanation=Scale factor = 160/16 = 10. Therefore second quantity = 12×10 = 120.

id=95162 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4369. If it is sold at a profit of 30%, what is its selling price? | option_a=5243 | option_b=4399 | option_c=6115 | option_d=5679 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4369 × 130/100 = █5679.

id=95163 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:6 and the first is 80, what is the second? | option_a=48 | option_b=42 | option_c=58 | option_d=128 | answer=A | explanation=Scale factor = 80/10 = 8. Therefore second quantity = 6×8 = 48.

id=95164 | topic=Percentages | difficulty=Easy | question=What is 5% of 1292? | option_a=69 | option_b=64 | option_c=128 | option_d=59 | answer=B | explanation=5% of 1292 = (5/100) × 1292 = 64.

id=95165 | topic=Percentages | difficulty=Easy | question=What is 10% of 1873? | option_a=374 | option_b=167 | option_c=187 | option_d=197 | answer=C | explanation=10% of 1873 = (10/100) × 1873 = 187.

id=95166 | topic=Percentages | difficulty=Easy | question=What is 12% of 266? | option_a=62 | option_b=41 | option_c=21 | option_d=31 | answer=D | explanation=12% of 266 = (12/100) × 266 = 31.

id=95167 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27493 at 5% per annum for 5 years. | option_a=6873 | option_b=6773 | option_c=34366 | option_d=6973 | answer=A | explanation=SI = PRT/100 = 27493×5×5/100 = █6873.

id=95168 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 5, 7, 12? | option_a=5 | option_b=12 | option_c=7 | option_d=3 | answer=B | explanation=The first three numbers increase by 2, so the next should be 9. Therefore 12 is the odd one out.

id=95169 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 29, 31, 36? | option_a=31 | option_b=36 | option_c=29 | option_d=27 | answer=B | explanation=The first three numbers increase by 2, so the next should be 33. Therefore 36 is the odd one out.

id=95170 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=I | option_b=S | option_c=N | option_d=X | answer=B | explanation=Move 5 positions forward from N; the resulting letter is S.

id=95171 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:10 and the first is 18, what is the second? | option_a=181 | option_b=170 | option_c=198 | option_d=180 | answer=D | explanation=Scale factor = 18/1 = 18. Therefore second quantity = 10×18 = 180.

id=95172 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 33? | option_a=24 | option_b=20 | option_c=28 | option_d=33 | answer=D | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 33 is the odd one out.

id=95173 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24858 at 6% per annum for 5 years. | option_a=7357 | option_b=32315 | option_c=7457 | option_d=7557 | answer=C | explanation=SI = PRT/100 = 24858×6×5/100 = █7457.

id=95174 | topic=Percentages | difficulty=Easy | question=What is 12% of 1324? | option_a=153 | option_b=158 | option_c=178 | option_d=316 | answer=B | explanation=12% of 1324 = (12/100) × 1324 = 158.

id=95175 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 18? | option_a=13 | option_b=15 | option_c=18 | option_d=11 | answer=C | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 18 is the odd one out.

id=95176 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=S | option_c=V | option_d=U | answer=D | explanation=Move 1 positions forward from T; the resulting letter is U.

id=95177 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2408. If it is sold at a profit of 50%, what is its selling price? | option_a=3372 | option_b=3852 | option_c=3612 | option_d=2458 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2408 × 150/100 = █3612.

id=95178 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2088. If it is sold at a profit of 10%, what is its selling price? | option_a=2296 | option_b=2504 | option_c=2098 | option_d=2088 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2088 × 110/100 = █2296.

id=95179 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14310 at 15% per annum for 3 years. | option_a=6539 | option_b=6439 | option_c=6339 | option_d=20749 | answer=B | explanation=SI = PRT/100 = 14310×15×3/100 = █6439.

id=95180 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=13 | option_b=12 | option_c=10 | option_d=14 | answer=B | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.

id=95181 | topic=Percentages | difficulty=Easy | question=What is 5% of 195? | option_a=9 | option_b=14 | option_c=0 | option_d=18 | answer=A | explanation=5% of 195 = (5/100) × 195 = 9.

id=95182 | topic=Percentages | difficulty=Easy | question=What is 40% of 1414? | option_a=555 | option_b=585 | option_c=565 | option_d=1130 | answer=C | explanation=40% of 1414 = (40/100) × 1414 = 565.

id=95183 | topic=Averages | difficulty=Easy | question=Find the average of 20, 81, 27, 88, 76, 30, 54, 26, 66. | option_a=52 | option_b=53 | option_c=51 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 468 ÷ 9 = 52.

id=95184 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=P | option_b=S | option_c=J | option_d=M | answer=A | explanation=Move 3 positions forward from M; the resulting letter is P.

id=95185 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 21? | option_a=17 | option_b=15 | option_c=13 | option_d=21 | answer=D | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 21 is the odd one out.

id=95186 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=34 | option_b=33 | option_c=29 | option_d=37 | answer=B | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=95187 | topic=Averages | difficulty=Easy | question=Find the average of 75, 37, 15, 65, 57, 11, 10, 34. | option_a=37 | option_b=39 | option_c=40 | option_d=38 | answer=D | explanation=Average = sum of values ÷ number of values = 304 ÷ 8 = 38.

id=95188 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Q | option_b=C | option_c=U | option_d=Y | answer=D | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=95189 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 16, 23, 30, ? | option_a=37 | option_b=38 | option_c=30 | option_d=44 | answer=A | explanation=The common difference is 7. Therefore the next term is 30 + 7 = 37.

id=95190 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=E | option_b=F | option_c=C | option_d=D | answer=A | explanation=Move 1 positions forward from D; the resulting letter is E.

Aptitude Questions — Records 95,191-95,220 of 100,000

id=95191 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:18 and the first is 220, what is the second? | option_a=198 | option_b=180 | option_c=218 | option_d=418 | answer=A | explanation=Scale factor = 220/20 = 11. Therefore second quantity = 18×11 = 198.

id=95192 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 16. | option_a=224 | option_b=240 | option_c=480 | option_d=270 | answer=B | explanation=LCM × HCF = 30×16; HCF(30,16) = 2, so LCM = 240.

id=95193 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹343. If it is sold at a profit of 10%, what is its selling price? | option_a=411 | option_b=343 | option_c=353 | option_d=377 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 343 × 110/100 = ₹377.

id=95194 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 15. | option_a=30 | option_b=225 | option_c=15 | option_d=1 | answer=C | explanation=LCM × HCF = 15×15; HCF(15,15) = 15, so LCM = 15.

id=95195 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=J | option_b=O | option_c=E | option_d=Z | answer=A | explanation=Move 5 positions forward from E; the resulting letter is J.

id=95196 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=13 | option_c=36 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=95197 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 27, 36, 48? | option_a=27 | option_b=18 | option_c=36 | option_d=48 | answer=D | explanation=The first three numbers increase by 9, so the next should be 45. Therefore 48 is the odd one out.

id=95198 | topic=Percentages | difficulty=Easy | question=What is 40% of 464? | option_a=180 | option_b=195 | option_c=370 | option_d=185 | answer=D | explanation=40% of 464 = (40/100) × 464 = 185.

id=95199 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=27 | option_b=32 | option_c=20 | option_d=26 | answer=D | explanation=The common difference is 6. Therefore the next term is 20 + 6 = 26.

id=95200 | topic=Percentages | difficulty=Easy | question=What is 50% of 918? | option_a=479 | option_b=439 | option_c=918 | option_d=459 | answer=D | explanation=50% of 918 = (50/100) × 918 = 459.

id=95201 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 22. | option_a=192 | option_b=352 | option_c=176 | option_d=154 | answer=C | explanation=LCM × HCF = 16×22; HCF(16,22) = 2, so LCM = 176.

id=95202 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=145 | option_c=150 | option_d=155 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=95203 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:20 and the first is 72, what is the second? | option_a=240 | option_b=220 | option_c=312 | option_d=246 | answer=A | explanation=Scale factor = 72/6 = 12. Therefore second quantity = 20×12 = 240.

id=95204 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:9 and the first is 72, what is the second? | option_a=81 | option_b=89 | option_c=72 | option_d=153 | answer=A | explanation=Scale factor = 72/8 = 9. Therefore second quantity = 9×9 = 81.

id=95205 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=F | option_b=K | option_c=P | option_d=U | answer=C | explanation=Move 5 positions forward from K; the resulting letter is P.

id=95206 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 35? | option_a=29 | option_b=24 | option_c=35 | option_d=19 | answer=C | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 35 is the odd one out.

id=95207 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=95208 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 34, 41, 49? | option_a=27 | option_b=41 | option_c=34 | option_d=49 | answer=D | explanation=The first three numbers increase by 7, so the next should be 48. Therefore 49 is the odd one out.

id=95209 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 13, 19, 27? | option_a=27 | option_b=13 | option_c=19 | option_d=7 | answer=A | explanation=The first three numbers increase by 6, so the next should be 25. Therefore 27 is the odd one out.

id=95210 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 37? | option_a=37 | option_b=26 | option_c=29 | option_d=32 | answer=A | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 37 is the odd one out.

id=95211 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=95212 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 12. | option_a=24 | option_b=144 | option_c=12 | option_d=1 | answer=C | explanation=LCM × HCF = 12×12; HCF(12,12) = 12, so LCM = 12.

id=95213 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=A | option_c=W | option_d=O | answer=C | explanation=Move 4 positions forward from S; the resulting letter is W.

id=95214 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=62 | option_b=73 | option_c=49 | option_d=61 | answer=D | explanation=The common difference is 12. Therefore the next term is 49 + 12 = 61.

id=95215 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=39 | option_b=52 | option_c=51 | option_d=63 | answer=C | explanation=The common difference is 12. Therefore the next term is 39 + 12 = 51.

id=95216 | topic=Percentages | difficulty=Easy | question=What is 5% of 1671? | option_a=93 | option_b=166 | option_c=83 | option_d=63 | answer=C | explanation=5% of 1671 = (5/100) × 1671 = 83.

id=95217 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=Z | option_c=D | option_d=B | answer=C | explanation=Move 2 positions forward from B; the resulting letter is D.

id=95218 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=M | option_b=H | option_c=C | option_d=R | answer=A | explanation=Move 5 positions forward from H; the resulting letter is M.

id=95219 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=72 | option_c=144 | option_d=67 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=95220 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=F | option_b=E | option_c=C | option_d=D | answer=B | explanation=Move 1 positions forward from D; the resulting letter is E.

Aptitude Questions — Records 95,221-95,250 of 100,000

id=95221 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=95222 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=95223 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 10. | option_a=75 | option_b=40 | option_c=250 | option_d=50 | answer=D | explanation=LCM × HCF = 25×10; HCF(25,10) = 5, so LCM = 50.

id=95224 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=41 | option_c=72 | option_d=31 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=95225 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41120 at 5% per annum for 5 years. | option_a=10180 | option_b=10280 | option_c=51400 | option_d=10380 | answer=B | explanation=SI = PRT/100 = 41120×5×5/100 = **■**10280.

id=95226 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=53 | option_c=48 | option_d=96 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=95227 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47142 at 12% per annum for 5 years. | option_a=28185 | option_b=28285 | option_c=75427 | option_d=28385 | answer=B | explanation=SI = PRT/100 = 47142×12×5/100 = **■**28285.

id=95228 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 18. | option_a=108 | option_b=126 | option_c=140 | option_d=252 | answer=B | explanation=LCM × HCF = 14×18; HCF(14,18) = 2, so LCM = 126.

id=95229 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=95230 | topic=Averages | difficulty=Easy | question=Find the average of 90, 94, 95, 52, 24. | option_a=72 | option_b=73 | option_c=70 | option_d=71 | answer=D | explanation=Average = sum of values ÷ number of values = 355 ÷ 5 = 71.

id=95231 | topic=Percentages | difficulty=Easy | question=What is 25% of 1999? | option_a=998 | option_b=499 | option_c=509 | option_d=479 | answer=B | explanation=25% of 1999 = (25/100) × 1999 = 499.

id=95232 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34353 at 5% per annum for 3 years. | option_a=5052 | option_b=39505 | option_c=5252 | option_d=5152 | answer=D | explanation=SI = PRT/100 = 34353×5×3/100 = **■**5152.

id=95233 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 6. | option_a=84 | option_b=78 | option_c=112 | option_d=168 | answer=A | explanation=LCM × HCF = 28×6; HCF(28,6) = 2, so LCM = 84.

id=95234 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=19 | option_c=24 | option_d=29 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=95235 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 15, 20, 25, ? | option_a=25 | option_b=35 | option_c=30 | option_d=31 | answer=C | explanation=The common difference is 5. Therefore the next term is 25 + 5 = 30.

id=95236 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=T | option_c=R | option_d=S | answer=B | explanation=Move 1 positions forward from S; the resulting letter is T.

id=95237 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:6 and the first is 90, what is the second? | option_a=96 | option_b=84 | option_c=180 | option_d=90 | answer=D | explanation=Scale factor = 90/6 = 15. Therefore second quantity = 6×15 = 90.

id=95238 | topic=Averages | difficulty=Easy | question=Find the average of 14, 98, 20, 57, 100, 92, 35, 68, 38. | option_a=59 | option_b=58 | option_c=57 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 522 ÷ 9 = 58.

id=95239 | topic=Percentages | difficulty=Easy | question=What is 5% of 1477? | option_a=73 | option_b=53 | option_c=146 | option_d=93 | answer=A | explanation=5% of 1477 = (5/100) × 1477 = 73.

id=95240 | topic=Percentages | difficulty=Easy | question=What is 20% of 404? | option_a=75 | option_b=85 | option_c=80 | option_d=160 | answer=C | explanation=20% of 404 = (20/100) × 404 = 80.

id=95241 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=Y | option_b=U | option_c=Q | option_d=M | answer=B | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=95242 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3258. If it is sold at a profit of 30%, what is its selling price? | option_a=4560 | option_b=3910 | option_c=4235 | option_d=3288 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3258 × 130/100 = **■**4235.

id=95243 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=95244 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28452 at 6% per annum for 1 years. | option_a=1607 | option_b=1807 | option_c=1707 | option_d=30159 | answer=C | explanation=SI = PRT/100 = 28452×6×1/100 = **■**1707.

id=95245 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**663. If it is sold at a profit of 25%, what is its selling price? | option_a=762 | option_b=828 | option_c=688 | option_d=894 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 663 × 125/100 = **■**828.

id=95246 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=B | option_c=A | option_d=Z | answer=B | explanation=Move 1 positions forward from A; the resulting letter is B.

id=95247 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 14, 18, 23? | option_a=18 | option_b=14 | option_c=10 | option_d=23 | answer=D | explanation=The first three numbers increase by 4, so the next should be 22. Therefore 23 is the odd one out.

id=95248 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**333. If it is sold at a profit of 10%, what is its selling price? | option_a=366 | option_b=333 | option_c=399 | option_d=343 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 333 × 110/100 = **■**366.

id=95249 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31428 at 8% per annum for 5 years. | option_a=12471 | option_b=12671 | option_c=43999 | option_d=12571 | answer=D | explanation=SI = PRT/100 = 31428×8×5/100 = **■**12571.

id=95250 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:19 and the first is 100, what is the second? | option_a=95 | option_b=115 | option_c=195 | option_d=76 | answer=A | explanation=Scale factor = 100/20 = 5. Therefore second quantity = 19×5 = 95.

Aptitude Questions — Records 95,251-95,280 of 100,000

id=95251 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1592. If it is sold at a profit of 25%, what is its selling price? | option_a=1990 | option_b=2149 | option_c=1617 | option_d=1831 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1592 × 125/100 = █1990.

id=95252 | topic=Averages | difficulty=Easy | question=Find the average of 35, 26, 85, 56, 58. | option_a=53 | option_b=54 | option_c=52 | option_d=51 | answer=C | explanation=Average = sum of values + number of values = 260 ÷ 5 = 52.

id=95253 | topic=Percentages | difficulty=Easy | question=What is 5% of 341? | option_a=17 | option_b=27 | option_c=7 | option_d=34 | answer=A | explanation=5% of 341 = (5/100) × 341 = 17.

id=95254 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=95255 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=X | option_b=S | option_c=N | option_d=C | answer=A | explanation=Move 5 positions forward from S; the resulting letter is X.

id=95256 | topic=Profit & Loss | difficulty=Easy | question=An article costs █464. If it is sold at a profit of 30%, what is its selling price? | option_a=557 | option_b=649 | option_c=603 | option_d=494 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 464 × 130/100 = █603.

id=95257 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=47 | option_b=37 | option_c=46 | option_d=55 | answer=C | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=95258 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 9. | option_a=18 | option_b=9 | option_c=1 | option_d=81 | answer=B | explanation=LCM × HCF = 9×9; HCF(9,9) = 9, so LCM = 9.

id=95259 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=145 | option_c=155 | option_d=300 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=95260 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5749 at 6% per annum for 5 years. | option_a=7473 | option_b=1624 | option_c=1724 | option_d=1824 | answer=C | explanation=SI = PRT/100 = 5749×6×5/100 = █1724.

id=95261 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=95262 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=95263 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3479. If it is sold at a profit of 10%, what is its selling price? | option_a=4173 | option_b=3489 | option_c=3826 | option_d=3479 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3479 × 110/100 = █3826.

id=95264 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 5. | option_a=50 | option_b=10 | option_c=20 | option_d=5 | answer=B | explanation=LCM × HCF = 10×5; HCF(10,5) = 5, so LCM = 10.

id=95265 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 20. | option_a=125 | option_b=500 | option_c=100 | option_d=80 | answer=C | explanation=LCM × HCF = 25×20; HCF(25,20) = 5, so LCM = 100.

id=95266 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18525 at 10% per annum for 3 years. | option_a=5457 | option_b=5557 | option_c=24082 | option_d=5657 | answer=B | explanation=SI = PRT/100 = 18525×10×3/100 = █5557.

id=95267 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=95268 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:18 and the first is 4, what is the second? | option_a=18 | option_b=38 | option_c=40 | option_d=36 | answer=D | explanation=Scale factor = 4/2 = 2. Therefore second quantity = 18×2 = 36.

id=95269 | topic=Averages | difficulty=Easy | question=Find the average of 75, 77, 10, 78, 17, 56, 41, 70. | option_a=54 | option_b=53 | option_c=52 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.

id=95270 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 31? | option_a=16 | option_b=20 | option_c=24 | option_d=31 | answer=D | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 31 is the odd one out.

id=95271 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2330. If it is sold at a profit of 20%, what is its selling price? | option_a=2796 | option_b=3029 | option_c=2563 | option_d=2350 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2330 × 120/100 = █2796.

id=95272 | topic=Percentages | difficulty=Easy | question=What is 15% of 1053? | option_a=157 | option_b=314 | option_c=177 | option_d=152 | answer=A | explanation=15% of 1053 = (15/100) × 1053 = 157.

id=95273 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24885 at 10% per annum for 2 years. | option_a=4977 | option_b=4877 | option_c=5077 | option_d=29862 | answer=A | explanation=SI = PRT/100 = 24885×10×2/100 = █4977.

id=95274 | topic=Percentages | difficulty=Easy | question=What is 30% of 544? | option_a=143 | option_b=326 | option_c=173 | option_d=163 | answer=D | explanation=30% of 544 = (30/100) × 544 = 163.

id=95275 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4870. If it is sold at a profit of 10%, what is its selling price? | option_a=5844 | option_b=5357 | option_c=4870 | option_d=4880 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4870 × 110/100 = █5357.

id=95276 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27824 at 15% per annum for 2 years. | option_a=36171 | option_b=8247 | option_c=8447 | option_d=8347 | answer=D | explanation=SI = PRT/100 = 27824×15×2/100 = █8347.

id=95277 | topic=Averages | difficulty=Easy | question=Find the average of 79, 51, 52, 52, 55, 62, 41. | option_a=58 | option_b=57 | option_c=56 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 392 ÷ 7 = 56.

id=95278 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 19, 22, 25, ? | option_a=28 | option_b=31 | option_c=29 | option_d=25 | answer=A | explanation=The common difference is 3. Therefore the next term is 25 + 3 = 28.

id=95279 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2824. If it is sold at a profit of 20%, what is its selling price? | option_a=2844 | option_b=3388 | option_c=3670 | option_d=3106 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2824 × 120/100 = █3388.

id=95280 | topic=Percentages | difficulty=Easy | question=What is 30% of 1245? | option_a=368 | option_b=373 | option_c=746 | option_d=383 | answer=B | explanation=30% of 1245 = (30/100) × 1245 = 373.

Aptitude Questions — Records 95,281-95,310 of 100,000

id=95281 | topic=Averages | difficulty=Easy | question=Find the average of 74, 37, 30. | option_a=49 | option_b=47 | option_c=46 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 141 ÷ 3 = 47.

id=95282 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=95283 | topic=Averages | difficulty=Easy | question=Find the average of 26, 80, 80. | option_a=64 | option_b=63 | option_c=62 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 186 ÷ 3 = 62.

id=95284 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:20 and the first is 18, what is the second? | option_a=60 | option_b=66 | option_c=40 | option_d=78 | answer=A | explanation=Scale factor = 18/6 = 3. Therefore second quantity = 20×3 = 60.

id=95285 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1588. If it is sold at a profit of 20%, what is its selling price? | option_a=1608 | option_b=2063 | option_c=1747 | option_d=1905 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1588 × 120/100 = █1905.

id=95286 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28239 at 5% per annum for 1 years. | option_a=1311 | option_b=1411 | option_c=29650 | option_d=1511 | answer=B | explanation=SI = PRT/100 = 28239×5×1/100 = █1411.

id=95287 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=R | option_c=Q | option_d=P | answer=B | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=95288 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=40 | option_b=52 | option_c=64 | option_d=53 | answer=B | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.

id=95289 | topic=Averages | difficulty=Easy | question=Find the average of 51, 49, 48, 24, 58, 64. | option_a=50 | option_b=51 | option_c=48 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 294 ÷ 6 = 49.

id=95290 | topic=Averages | difficulty=Easy | question=Find the average of 82, 21, 85, 31, 45, 32, 82. | option_a=54 | option_b=53 | option_c=55 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

id=95291 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=36 | option_c=31 | option_d=72 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=95292 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 20. | option_a=560 | option_b=140 | option_c=120 | option_d=168 | answer=B | explanation=LCM × HCF = 28×20; HCF(28,20) = 4, so LCM = 140.

id=95293 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:7 and the first is 17, what is the second? | option_a=120 | option_b=119 | option_c=136 | option_d=112 | answer=B | explanation=Scale factor = 17/1 = 17. Therefore second quantity = 7×17 = 119.

id=95294 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1898. If it is sold at a profit of 50%, what is its selling price? | option_a=1948 | option_b=2658 | option_c=3036 | option_d=2847 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1898 × 150/100 = █2847.

id=95295 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=24 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=95296 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4925. If it is sold at a profit of 20%, what is its selling price? | option_a=5418 | option_b=4945 | option_c=5910 | option_d=6402 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4925 × 120/100 = █5910.

id=95297 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=55 | option_b=43 | option_c=67 | option_d=56 | answer=A | explanation=The common difference is 12. Therefore the next term is 43 + 12 = 55.

id=95298 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=18 | option_c=9 | option_d=14 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=95299 | topic=Averages | difficulty=Easy | question=Find the average of 52, 10, 31, 98, 89. | option_a=57 | option_b=58 | option_c=56 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 280 ÷ 5 = 56.

id=95300 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=30 | option_b=31 | option_c=23 | option_d=37 | answer=A | explanation=The common difference is 7. Therefore the next term is 23 + 7 = 30.

id=95301 | topic=Percentages | difficulty=Easy | question=What is 20% of 1647? | option_a=329 | option_b=339 | option_c=319 | option_d=658 | answer=A | explanation=20% of 1647 = (20/100) × 1647 = 329.

id=95302 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 23, 28, 35? | option_a=28 | option_b=23 | option_c=35 | option_d=18 | answer=C | explanation=The first three numbers increase by 5, so the next should be 33. Therefore 35 is the odd one out.

id=95303 | topic=Averages | difficulty=Easy | question=Find the average of 28, 46, 59, 87, 93, 22, 49, 11, 37. | option_a=50 | option_b=47 | option_c=49 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = 432 ÷ 9 = 48.

id=95304 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:18 and the first is 180, what is the second? | option_a=282 | option_b=270 | option_c=450 | option_d=252 | answer=B | explanation=Scale factor = 180/12 = 15. Therefore second quantity = 18×15 = 270.

id=95305 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=I | option_c=H | option_d=J | answer=D | explanation=Move 1 positions forward from I; the resulting letter is J.

id=95306 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:13 and the first is 90, what is the second? | option_a=104 | option_b=117 | option_c=207 | option_d=127 | answer=B | explanation=Scale factor = 90/10 = 9. Therefore second quantity = 13×9 = 117.

id=95307 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=95308 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1632. If it is sold at a profit of 40%, what is its selling price? | option_a=2121 | option_b=2284 | option_c=2447 | option_d=1672 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1632 × 140/100 = █2284.

id=95309 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 13? | option_a=9 | option_b=13 | option_c=7 | option_d=5 | answer=B | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 13 is the odd one out.

id=95310 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27012 at 8% per annum for 2 years. | option_a=4221 | option_b=4321 | option_c=4421 | option_d=31333 | answer=B | explanation=SI = PRT/100 = 27012×8×2/100 = █4321.

Aptitude Questions — Records 95,311-95,340 of 100,000

id=95311 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 5. | option_a=40 | option_b=20 | option_c=100 | option_d=15 | answer=B | explanation=LCM × HCF = 20×5; HCF(20,5) = 5, so LCM = 20.

id=95312 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 35, 45, 57? | option_a=25 | option_b=45 | option_c=57 | option_d=35 | answer=C | explanation=The first three numbers increase by 10, so the next should be 55. Therefore 57 is the odd one out.

id=95313 | topic=Averages | difficulty=Easy | question=Find the average of 67, 92, 30, 12, 63, 28, 16. | option_a=45 | option_b=44 | option_c=43 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 308 ÷ 7 = 44.

id=95314 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=95315 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=M | option_b=L | option_c=K | option_d=N | answer=A | explanation=Move 1 positions forward from L; the resulting letter is M.

id=95316 | topic=Percentages | difficulty=Easy | question=What is 50% of 1079? | option_a=1078 | option_b=529 | option_c=549 | option_d=539 | answer=D | explanation=50% of 1079 = (50/100) × 1079 = 539.

id=95317 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 20. | option_a=260 | option_b=240 | option_c=520 | option_d=286 | answer=A | explanation=LCM × HCF = 26×20; HCF(26,20) = 2, so LCM = 260.

id=95318 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:7 and the first is 238, what is the second? | option_a=119 | option_b=112 | option_c=133 | option_d=357 | answer=A | explanation=Scale factor = 238/14 = 17. Therefore second quantity = 7×17 = 119.

id=95319 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=95320 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 21, 25, 32? | option_a=32 | option_b=17 | option_c=21 | option_d=25 | answer=A | explanation=The first three numbers increase by 4, so the next should be 29. Therefore 32 is the odd one out.

id=95321 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=12 | option_b=24 | option_c=17 | option_d=7 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=95322 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:12 and the first is 12, what is the second? | option_a=84 | option_b=72 | option_c=60 | option_d=74 | answer=B | explanation=Scale factor = 12/2 = 6. Therefore second quantity = 12×6 = 72.

id=95323 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=30 | option_b=29 | option_c=26 | option_d=32 | answer=B | explanation=The common difference is 3. Therefore the next term is 26 + 3 = 29.

id=95324 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4721. If it is sold at a profit of 10%, what is its selling price? | option_a=4731 | option_b=5193 | option_c=5665 | option_d=4721 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4721 × 110/100 = █5193.

id=95325 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=17 | option_c=24 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=95326 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=95327 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24879 at 6% per annum for 3 years. | option_a=4378 | option_b=29357 | option_c=4478 | option_d=4578 | answer=C | explanation=SI = PRT/100 = 24879×6×3/100 = █4478.

id=95328 | topic=Percentages | difficulty=Easy | question=What is 10% of 156? | option_a=15 | option_b=10 | option_c=20 | option_d=30 | answer=A | explanation=10% of 156 = (10/100) × 156 = 15.

id=95329 | topic=Percentages | difficulty=Easy | question=What is 40% of 1524? | option_a=619 | option_b=1218 | option_c=609 | option_d=589 | answer=C | explanation=40% of 1524 = (40/100) × 1524 = 609.

id=95330 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=38 | option_b=30 | option_c=46 | option_d=39 | answer=A | explanation=The common difference is 8. Therefore the next term is 30 + 8 = 38.

id=95331 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=B | option_b=Q | option_c=G | option_d=L | answer=D | explanation=Move 5 positions forward from G; the resulting letter is L.

id=95332 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=O | option_c=Q | option_d=M | answer=C | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=95333 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 49? | option_a=49 | option_b=37 | option_c=28 | option_d=19 | answer=A | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 49 is the odd one out.

id=95334 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=80 | option_c=70 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=95335 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 28? | option_a=22 | option_b=24 | option_c=20 | option_d=28 | answer=D | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 28 is the odd one out.

id=95336 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=95337 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 13, 18, 25? | option_a=13 | option_b=18 | option_c=25 | option_d=8 | answer=C | explanation=The first three numbers increase by 5, so the next should be 23. Therefore 25 is the odd one out.

id=95338 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=95339 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=J | option_b=K | option_c=M | option_d=L | answer=D | explanation=Move 1 positions forward from K; the resulting letter is L.

id=95340 | topic=Averages | difficulty=Easy | question=Find the average of 43, 31, 89, 79, 81, 15, 77, 22, 76, 47. | option_a=57 | option_b=55 | option_c=56 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 560 ÷ 10 = 56.

Aptitude Questions — Records 95,341-95,370 of 100,000

id=95341 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:1 and the first is 34, what is the second? | option_a=36 | option_b=19 | option_c=2 | option_d=1 | answer=C | explanation=Scale factor = $34/17 = 2$. Therefore second quantity = $1 \times 2 = 2$.

id=95342 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1143. If it is sold at a profit of 20%, what is its selling price? | option_a=1371 | option_b=1257 | option_c=1485 | option_d=1163 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1143 \times 120/100 = \text{█}1371$.

id=95343 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 33, 42, 52? | option_a=24 | option_b=52 | option_c=33 | option_d=42 | answer=B | explanation=The first three numbers increase by 9, so the next should be 51. Therefore 52 is the odd one out.

id=95344 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=46 | option_b=39 | option_c=47 | option_d=53 | answer=A | explanation=The common difference is 7. Therefore the next term is $39 + 7 = 46$.

id=95345 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 10. | option_a=50 | option_b=15 | option_c=1 | option_d=10 | answer=D | explanation= $LCM \times HCF = 5 \times 10$: $HCF(5,10) = 5$, so $LCM = 10$.

id=95346 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=W | option_c=A | option_d=I | answer=A | explanation=Move 4 positions forward from A; the resulting letter is E.

id=95347 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=F | option_b=C | option_c=I | option_d=Z | answer=A | explanation=Move 3 positions forward from C; the resulting letter is F.

id=95348 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:7 and the first is 144, what is the second? | option_a=105 | option_b=256 | option_c=121 | option_d=112 | answer=D | explanation=Scale factor = $144/9 = 16$. Therefore second quantity = $7 \times 16 = 112$.

id=95349 | topic=Percentages | difficulty=Easy | question=What is 10% of 373? | option_a=32 | option_b=42 | option_c=37 | option_d=74 | answer=C | explanation= 10% of 373 = $(10/100) \times 373 = 37$.

id=95350 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3844. If it is sold at a profit of 40%, what is its selling price? | option_a=4997 | option_b=5765 | option_c=5381 | option_d=3884 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3844 \times 140/100 = \text{█}5381$.

id=95351 | topic=Averages | difficulty=Easy | question=Find the average of 100, 66, 11, 87, 26. | option_a=58 | option_b=60 | option_c=57 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = $290 \div 5 = 58$.

id=95352 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=95353 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'Q' become? | option_a=O | option_b=U | option_c=Q | option_d=S | answer=D | explanation=Move 2 positions forward from Q; the resulting letter is S.

id=95354 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=O | option_b=R | option_c=L | option_d=I | answer=A | explanation=Move 3 positions forward from L; the resulting letter is O.

id=95355 | topic=Profit & Loss | difficulty=Easy | question=An article costs █987. If it is sold at a profit of 50%, what is its selling price? | option_a=1480 | option_b=1578 | option_c=1382 | option_d=1037 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 987 \times 150/100 = \text{█}1480$.

id=95356 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=95357 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = $360 \div 6 = 60$ km/h.

id=95358 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4937. If it is sold at a profit of 30%, what is its selling price? | option_a=6911 | option_b=5925 | option_c=4967 | option_d=6418 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4937 \times 130/100 = \text{█}6418$.

id=95359 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=95360 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=58 | option_b=59 | option_c=46 | option_d=70 | answer=A | explanation=The common difference is 12. Therefore the next term is $46 + 12 = 58$.

id=95361 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=95362 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = $120 \div 4 = 30$ km/h.

id=95363 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=O | option_c=Q | option_d=M | answer=C | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=95364 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=80 | option_c=70 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = $300 \div 4 = 75$ km/h.

id=95365 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=J | option_b=S | option_c=P | option_d=M | answer=C | explanation=Move 3 positions forward from M; the resulting letter is P.

id=95366 | topic=Averages | difficulty=Easy | question=Find the average of 29, 36, 20, 95, 70, 20. | option_a=44 | option_b=47 | option_c=46 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = $270 \div 6 = 45$.

id=95367 | topic=Percentages | difficulty=Easy | question=What is 12% of 793? | option_a=95 | option_b=190 | option_c=100 | option_d=75 | answer=A | explanation= 12% of 793 = $(12/100) \times 793 = 95$.

id=95368 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=20 | option_d=4 | answer=A | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=95369 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 34? | option_a=24 | option_b=6 | option_c=34 | option_d=15 | answer=C | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 34 is the odd one out.

id=95370 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2470. If it is sold at a profit of 25%, what is its selling price? | option_a=2840 | option_b=2495 | option_c=3087 | option_d=3334 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2470 \times 125/100 = \text{█}3087$.

Aptitude Questions — Records 95,371-95,400 of 100,000

id=95371 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■47662 at 5% per annum for 2 years. | option_a=4866 | option_b=4766 | option_c=52428 | option_d=4666 | answer=B | explanation=SI = PRT/100 = 47662×5×2/100 = ■4766.

id=95372 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=95373 | topic=Averages | difficulty=Easy | question=Find the average of 35, 56, 72, 31, 61. | option_a=52 | option_b=51 | option_c=53 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = 255 ÷ 5 = 51.

id=95374 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:5 and the first is 90, what is the second? | option_a=45 | option_b=50 | option_c=59 | option_d=140 | answer=B | explanation=Scale factor = 90/9 = 10. Therefore second quantity = 5×10 = 50.

id=95375 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=95376 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:5 and the first is 36, what is the second? | option_a=96 | option_b=55 | option_c=63 | option_d=60 | answer=D | explanation=Scale factor = 36/3 = 12. Therefore second quantity = 5×12 = 60.

id=95377 | topic=Averages | difficulty=Easy | question=Find the average of 35, 58, 82, 31, 32, 95, 62, 97, 92, 36. | option_a=61 | option_b=64 | option_c=62 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = 620 ÷ 10 = 62.

id=95378 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 22? | option_a=22 | option_b=16 | option_c=18 | option_d=14 | answer=A | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 22 is the odd one out.

id=95379 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=95380 | topic=Percentages | difficulty=Easy | question=What is 12% of 1242? | option_a=149 | option_b=169 | option_c=144 | option_d=298 | answer=A | explanation=12% of 1242 = (12/100) × 1242 = 149.

id=95381 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:18 and the first is 144, what is the second? | option_a=432 | option_b=270 | option_c=297 | option_d=288 | answer=D | explanation=Scale factor = 144/9 = 16. Therefore second quantity = 18×16 = 288.

id=95382 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=I | option_b=F | option_c=Z | option_d=C | answer=B | explanation=Move 3 positions forward from C; the resulting letter is F.

id=95383 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 10, 16, 24? | option_a=16 | option_b=4 | option_c=10 | option_d=24 | answer=D | explanation=The first three numbers increase by 6, so the next should be 22. Therefore 24 is the odd one out.

id=95384 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=95385 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1797. If it is sold at a profit of 30%, what is its selling price? | option_a=2515 | option_b=2157 | option_c=2336 | option_d=1827 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1797 × 130/100 = ■2336.

id=95386 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 32, 35, 41? | option_a=29 | option_b=35 | option_c=41 | option_d=32 | answer=C | explanation=The first three numbers increase by 3, so the next should be 38. Therefore 41 is the odd one out.

id=95387 | topic=Averages | difficulty=Easy | question=Find the average of 81, 65, 100, 66. | option_a=79 | option_b=80 | option_c=77 | option_d=78 | answer=D | explanation=Average = sum of values ÷ number of values = 312 ÷ 4 = 78.

id=95388 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■36683 at 8% per annum for 2 years. | option_a=5969 | option_b=42552 | option_c=5869 | option_d=5769 | answer=C | explanation=SI = PRT/100 = 36683×8×2/100 = ■5869.

id=95389 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■7364 at 10% per annum for 2 years. | option_a=1572 | option_b=8836 | option_c=1472 | option_d=1372 | answer=C | explanation=SI = PRT/100 = 7364×10×2/100 = ■1472.

id=95390 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1626. If it is sold at a profit of 15%, what is its selling price? | option_a=1869 | option_b=1707 | option_c=2031 | option_d=1641 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1626 × 115/100 = ■1869.

id=95391 | topic=Percentages | difficulty=Easy | question=What is 50% of 1567? | option_a=783 | option_b=1566 | option_c=763 | option_d=803 | answer=A | explanation=50% of 1567 = (50/100) × 1567 = 783.

id=95392 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 16, 23, 30, ? | option_a=44 | option_b=38 | option_c=30 | option_d=37 | answer=D | explanation=The common difference is 7. Therefore the next term is 30 + 7 = 37.

id=95393 | topic=Averages | difficulty=Easy | question=Find the average of 91, 66, 89. | option_a=82 | option_b=83 | option_c=81 | option_d=84 | answer=A | explanation=Average = sum of values ÷ number of values = 246 ÷ 3 = 82.

id=95394 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=H | option_b=M | option_c=R | option_d=W | answer=C | explanation=Move 5 positions forward from M; the resulting letter is R.

id=95395 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=6 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=95396 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=P | option_b=Z | option_c=E | option_d=U | answer=B | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=95397 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=55 | option_c=50 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=95398 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:11 and the first is 266, what is the second? | option_a=420 | option_b=154 | option_c=143 | option_d=173 | answer=B | explanation=Scale factor = 266/19 = 14. Therefore second quantity = 11×14 = 154.

id=95399 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=95400 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■43932 at 8% per annum for 4 years. | option_a=13958 | option_b=14058 | option_c=57990 | option_d=14158 | answer=B | explanation=SI = PRT/100 = 43932×8×4/100 = ■14058.

Aptitude Questions — Records 95,401-95,430 of 100,000

id=95401 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=180 | option_c=90 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=95402 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 8. | option_a=208 | option_b=104 | option_c=130 | option_d=96 | answer=B | explanation=LCM × HCF = 26×8; HCF(26,8) = 2, so LCM = 104.

id=95403 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=72 | option_b=77 | option_c=144 | option_d=67 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=95404 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1019. If it is sold at a profit of 50%, what is its selling price? | option_a=1427 | option_b=1069 | option_c=1629 | option_d=1528 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1019 × 150/100 = █1528.

id=95405 | topic=Percentages | difficulty=Easy | question=What is 10% of 423? | option_a=84 | option_b=47 | option_c=42 | option_d=37 | answer=C | explanation=10% of 423 = (10/100) × 423 = 42.

id=95406 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 55? | option_a=29 | option_b=37 | option_c=55 | option_d=45 | answer=C | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 55 is the odd one out.

id=95407 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=95408 | topic=Averages | difficulty=Easy | question=Find the average of 60, 45, 84. | option_a=62 | option_b=65 | option_c=63 | option_d=64 | answer=C | explanation=Average = sum of values + number of values = 189 ÷ 3 = 63.

id=95409 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=36 | option_b=44 | option_c=43 | option_d=50 | answer=C | explanation=The common difference is 7. Therefore the next term is 36 + 7 = 43.

id=95410 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=Z | option_b=E | option_c=U | option_d=P | answer=A | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=95411 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Q | option_b=C | option_c=Y | option_d=U | answer=C | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=95412 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 18, 25, 32, ? | option_a=40 | option_b=46 | option_c=39 | option_d=32 | answer=C | explanation=The common difference is 7. Therefore the next term is 32 + 7 = 39.

id=95413 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:19 and the first is 200, what is the second? | option_a=380 | option_b=390 | option_c=580 | option_d=361 | answer=A | explanation=Scale factor = 200/10 = 20. Therefore second quantity = 19×20 = 380.

id=95414 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=I | option_c=W | option_d=A | answer=A | explanation=Move 4 positions forward from A; the resulting letter is E.

id=95415 | topic=Percentages | difficulty=Easy | question=What is 5% of 445? | option_a=44 | option_b=32 | option_c=22 | option_d=2 | answer=C | explanation=5% of 445 = (5/100) × 445 = 22.

id=95416 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:8 and the first is 255, what is the second? | option_a=375 | option_b=120 | option_c=137 | option_d=112 | answer=B | explanation=Scale factor = 255/17 = 15. Therefore second quantity = 8×15 = 120.

id=95417 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 20. | option_a=20 | option_b=48 | option_c=40 | option_d=160 | answer=C | explanation=LCM × HCF = 8×20; HCF(8,20) = 4, so LCM = 40.

id=95418 | topic=Averages | difficulty=Easy | question=Find the average of 71, 73, 51, 26, 99, 46. | option_a=62 | option_b=61 | option_c=63 | option_d=60 | answer=B | explanation=Average = sum of values + number of values = 366 ÷ 6 = 61.

id=95419 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43739 at 6% per annum for 3 years. | option_a=7973 | option_b=7773 | option_c=7873 | option_d=51612 | answer=C | explanation=SI = PRT/100 = 43739×6×3/100 = █7873.

id=95420 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=71 | option_b=59 | option_c=47 | option_d=60 | answer=B | explanation=The common difference is 12. Therefore the next term is 47 + 12 = 59.

id=95421 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36069 at 5% per annum for 1 years. | option_a=1903 | option_b=37872 | option_c=1703 | option_d=1803 | answer=D | explanation=SI = PRT/100 = 36069×5×1/100 = █1803.

id=95422 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:17 and the first is 12, what is the second? | option_a=85 | option_b=114 | option_c=104 | option_d=102 | answer=D | explanation=Scale factor = 12/2 = 6. Therefore second quantity = 17×6 = 102.

id=95423 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=C | option_b=E | option_c=F | option_d=D | answer=B | explanation=Move 1 positions forward from D; the resulting letter is E.

id=95424 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:18 and the first is 32, what is the second? | option_a=288 | option_b=320 | option_c=290 | option_d=270 | answer=A | explanation=Scale factor = 32/2 = 16. Therefore second quantity = 18×16 = 288.

id=95425 | topic=Averages | difficulty=Easy | question=Find the average of 28, 79, 73, 97, 53. | option_a=67 | option_b=68 | option_c=65 | option_d=66 | answer=D | explanation=Average = sum of values + number of values = 330 ÷ 5 = 66.

id=95426 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=S | option_b=K | option_c=G | option_d=O | answer=D | explanation=Move 4 positions forward from K; the resulting letter is O.

id=95427 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=N | option_b=T | option_c=W | option_d=Q | answer=B | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=95428 | topic=Percentages | difficulty=Easy | question=What is 5% of 1294? | option_a=128 | option_b=54 | option_c=69 | option_d=64 | answer=D | explanation=5% of 1294 = (5/100) × 1294 = 64.

id=95429 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28588 at 10% per annum for 3 years. | option_a=8476 | option_b=8676 | option_c=37164 | option_d=8576 | answer=D | explanation=SI = PRT/100 = 28588×10×3/100 = █8576.

id=95430 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46769 at 4% per annum for 3 years. | option_a=5712 | option_b=52381 | option_c=5612 | option_d=5512 | answer=C | explanation=SI = PRT/100 = 46769×4×3/100 = █5612.

Aptitude Questions — Records 95,431-95,460 of 100,000

id=95431 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45378 at 8% per annum for 5 years. | option_a=63529 | option_b=18151 | option_c=18051 | option_d=18251 | answer=B | explanation=SI = PRT/100 = 45378×8×5/100 = **■**18151.

id=95432 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 24. | option_a=96 | option_b=120 | option_c=130 | option_d=240 | answer=B | explanation=LCM × HCF = 10×24; HCF(10,24) = 2, so LCM = 120.

id=95433 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49538 at 4% per annum for 1 years. | option_a=1881 | option_b=1981 | option_c=51519 | option_d=2081 | answer=B | explanation=SI = PRT/100 = 49538×4×1/100 = **■**1981.

id=95434 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23991 at 12% per annum for 3 years. | option_a=8536 | option_b=8636 | option_c=32627 | option_d=8736 | answer=B | explanation=SI = PRT/100 = 23991×12×3/100 = **■**8636.

id=95435 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2646 at 4% per annum for 5 years. | option_a=3175 | option_b=629 | option_c=529 | option_d=429 | answer=C | explanation=SI = PRT/100 = 2646×4×5/100 = **■**529.

id=95436 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 48? | option_a=27 | option_b=17 | option_c=37 | option_d=48 | answer=D | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 48 is the odd one out.

id=95437 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1487. If it is sold at a profit of 25%, what is its selling price? | option_a=1512 | option_b=1858 | option_c=2006 | option_d=1710 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1487 × 125/100 = **■**1858.

id=95438 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=D | option_b=E | option_c=F | option_d=G | answer=C | explanation=Move 1 positions forward from E; the resulting letter is F.

id=95439 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 51? | option_a=41 | option_b=23 | option_c=51 | option_d=32 | answer=C | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 51 is the odd one out.

id=95440 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=6 | option_c=5 | option_d=24 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=95441 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9425 at 8% per annum for 4 years. | option_a=3016 | option_b=2916 | option_c=12441 | option_d=3116 | answer=A | explanation=SI = PRT/100 = 9425×8×4/100 = **■**3016.

id=95442 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=M | option_b=D | option_c=G | option_d=J | answer=D | explanation=Move 3 positions forward from G; the resulting letter is J.

id=95443 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3477. If it is sold at a profit of 15%, what is its selling price? | option_a=3492 | option_b=3435 | option_c=3651 | option_d=3998 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3477 × 115/100 = **■**3998.

id=95444 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=125 | option_d=240 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=95445 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 12, 21, 30, ? | option_a=39 | option_b=30 | option_c=40 | option_d=48 | answer=A | explanation=The common difference is 9. Therefore the next term is 30 + 9 = 39.

id=95446 | topic=Percentages | difficulty=Easy | question=What is 50% of 1874? | option_a=917 | option_b=937 | option_c=947 | option_d=1874 | answer=B | explanation=50% of 1874 = (50/100) × 1874 = 937.

id=95447 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:19 and the first is 187, what is the second? | option_a=190 | option_b=209 | option_c=396 | option_d=226 | answer=B | explanation=Scale factor = 187/17 = 11. Therefore second quantity = 19×11 = 209.

id=95448 | topic=Averages | difficulty=Easy | question=Find the average of 11, 47, 77, 48, 15, 46, 13, 83, 101. | option_a=51 | option_b=50 | option_c=48 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 441 ÷ 9 = 49.

id=95449 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=22 | option_b=21 | option_c=25 | option_d=17 | answer=B | explanation=The common difference is 4. Therefore the next term is 17 + 4 = 21.

id=95450 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13003 at 12% per annum for 5 years. | option_a=20804 | option_b=7901 | option_c=7701 | option_d=7801 | answer=D | explanation=SI = PRT/100 = 13003×12×5/100 = **■**7801.

id=95451 | topic=Percentages | difficulty=Easy | question=What is 15% of 1597? | option_a=478 | option_b=259 | option_c=229 | option_d=239 | answer=D | explanation=15% of 1597 = (15/100) × 1597 = 239.

id=95452 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 37? | option_a=30 | option_b=26 | option_c=37 | option_d=22 | answer=C | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 37 is the odd one out.

id=95453 | topic=Averages | difficulty=Easy | question=Find the average of 67, 67, 58, 50, 86, 76, 21, 103. | option_a=68 | option_b=66 | option_c=67 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 528 ÷ 8 = 66.

id=95454 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4326. If it is sold at a profit of 50%, what is its selling price? | option_a=6921 | option_b=6057 | option_c=6489 | option_d=4376 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4326 × 150/100 = **■**6489.

id=95455 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4843. If it is sold at a profit of 20%, what is its selling price? | option_a=4863 | option_b=6295 | option_c=5811 | option_d=5327 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4843 × 120/100 = **■**5811.

id=95456 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 34, 42, 53? | option_a=34 | option_b=53 | option_c=26 | option_d=42 | answer=B | explanation=The first three numbers increase by 8, so the next should be 50. Therefore 53 is the odd one out.

id=95457 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:14 and the first is 110, what is the second? | option_a=264 | option_b=140 | option_c=154 | option_d=164 | answer=C | explanation=Scale factor = 110/10 = 11. Therefore second quantity = 14×11 = 154.

id=95458 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 31, 41, 53? | option_a=53 | option_b=31 | option_c=21 | option_d=41 | answer=A | explanation=The first three numbers increase by 10, so the next should be 51. Therefore 53 is the odd one out.

id=95459 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:8 and the first is 300, what is the second? | option_a=160 | option_b=152 | option_c=175 | option_d=460 | answer=A | explanation=Scale factor = 300/15 = 20. Therefore second quantity = 8×20 = 160.

id=95460 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 6. | option_a=120 | option_b=60 | option_c=54 | option_d=80 | answer=B | explanation=LCM × HCF = 20×6; HCF(20,6) = 2, so LCM = 60.

Aptitude Questions — Records 95,461-95,490 of 100,000

- id=95461 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.
- id=95462 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.
- id=95463 | topic=Percentages | difficulty=Easy | question=What is 20% of 221? | option_a=88 | option_b=49 | option_c=34 | option_d=44 | answer=D | explanation=20% of 221 = (20/100) × 221 = 44.
- id=95464 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:15 and the first is 20, what is the second? | option_a=40 | option_b=50 | option_c=30 | option_d=15 | answer=C | explanation=Scale factor = 20/10 = 2. Therefore second quantity = 15×2 = 30.
- id=95465 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 17, 25, 33, ? | option_a=41 | option_b=49 | option_c=42 | option_d=33 | answer=A | explanation=The common difference is 8. Therefore the next term is 33 + 8 = 41.
- id=95466 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3492. If it is sold at a profit of 25%, what is its selling price? | option_a=4016 | option_b=4714 | option_c=3517 | option_d=4365 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3492 × 125/100 = █4365.
- id=95467 | topic=Percentages | difficulty=Easy | question=What is 40% of 1862? | option_a=744 | option_b=1488 | option_c=764 | option_d=739 | answer=A | explanation=40% of 1862 = (40/100) × 1862 = 744.
- id=95468 | topic=Averages | difficulty=Easy | question=Find the average of 21, 39, 16, 57, 77, 34, 22. | option_a=39 | option_b=40 | option_c=38 | option_d=37 | answer=C | explanation=Average = sum of values ÷ number of values = 266 ÷ 7 = 38.
- id=95469 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23718 at 8% per annum for 1 years. | option_a=1997 | option_b=25615 | option_c=1797 | option_d=1897 | answer=D | explanation=SI = PRT/100 = 23718×8×1/100 = █1897.
- id=95470 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.
- id=95471 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 43? | option_a=34 | option_b=38 | option_c=43 | option_d=30 | answer=C | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 43 is the odd one out.
- id=95472 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=36 | option_c=23 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.
- id=95473 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3956. If it is sold at a profit of 5%, what is its selling price? | option_a=4548 | option_b=3758 | option_c=4153 | option_d=3961 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3956 × 105/100 = █4153.
- id=95474 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:14 and the first is 18, what is the second? | option_a=28 | option_b=46 | option_c=37 | option_d=14 | answer=A | explanation=Scale factor = 18/9 = 2. Therefore second quantity = 14×2 = 28.
- id=95475 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.
- id=95476 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=18 | option_c=23 | option_d=13 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.
- id=95477 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:6 and the first is 75, what is the second? | option_a=90 | option_b=165 | option_c=95 | option_d=84 | answer=A | explanation=Scale factor = 75/5 = 15. Therefore second quantity = 6×15 = 90.
- id=95478 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=T | option_b=Q | option_c=W | option_d=N | answer=A | explanation=Move 3 positions forward from Q; the resulting letter is T.
- id=95479 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=100 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.
- id=95480 | topic=Averages | difficulty=Easy | question=Find the average of 94, 24, 56. | option_a=60 | option_b=57 | option_c=59 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 174 ÷ 3 = 58.
- id=95481 | topic=Averages | difficulty=Easy | question=Find the average of 31, 37, 41, 47, 55, 41. | option_a=42 | option_b=43 | option_c=44 | option_d=41 | answer=A | explanation=Average = sum of values ÷ number of values = 252 ÷ 6 = 42.
- id=95482 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=C | option_b=M | option_c=R | option_d=H | answer=B | explanation=Move 5 positions forward from H; the resulting letter is M.
- id=95483 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=N | option_b=O | option_c=M | option_d=L | answer=A | explanation=Move 1 positions forward from M; the resulting letter is N.
- id=95484 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 13, 17, 22? | option_a=9 | option_b=22 | option_c=17 | option_d=13 | answer=B | explanation=The first three numbers increase by 4, so the next should be 21. Therefore 22 is the odd one out.
- id=95485 | topic=Percentages | difficulty=Easy | question=What is 10% of 326? | option_a=32 | option_b=64 | option_c=42 | option_d=27 | answer=A | explanation=10% of 326 = (10/100) × 326 = 32.
- id=95486 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11814 at 6% per annum for 5 years. | option_a=3444 | option_b=15358 | option_c=3644 | option_d=3544 | answer=D | explanation=SI = PRT/100 = 11814×6×5/100 = █3544.
- id=95487 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=G | option_b=J | option_c=A | option_d=D | answer=A | explanation=Move 3 positions forward from D; the resulting letter is G.
- id=95488 | topic=Percentages | difficulty=Easy | question=What is 5% of 589? | option_a=58 | option_b=24 | option_c=49 | option_d=29 | answer=D | explanation=5% of 589 = (5/100) × 589 = 29.
- id=95489 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=U | option_b=I | option_c=M | option_d=Q | answer=D | explanation=Move 4 positions forward from M; the resulting letter is Q.
- id=95490 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

Aptitude Questions — Records 95,491-95,520 of 100,000

id=95491 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=23 | option_d=13 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=95492 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=50 | option_d=100 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=95493 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=95494 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=95495 | topic=Averages | difficulty=Easy | question=Find the average of 36, 20, 17, 48, 99, 36, 55, 43, 87. | option_a=51 | option_b=50 | option_c=48 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 441 ÷ 9 = 49.

id=95496 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4117. If it is sold at a profit of 5%, what is its selling price? | option_a=4322 | option_b=4122 | option_c=3911 | option_d=4733 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4117 × 105/100 = █4322.

id=95497 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=25 | option_d=40 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=95498 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:10 and the first is 112, what is the second? | option_a=130 | option_b=140 | option_c=252 | option_d=148 | answer=B | explanation=Scale factor = 112/8 = 14. Therefore second quantity = 10×14 = 140.

id=95499 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 15. | option_a=1 | option_b=20 | option_c=75 | option_d=15 | answer=D | explanation=LCM × HCF = 5×15; HCF(5,15) = 5, so LCM = 15.

id=95500 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 30? | option_a=10 | option_b=22 | option_c=16 | option_d=30 | answer=D | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 30 is the odd one out.

id=95501 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:18 and the first is 17, what is the second? | option_a=307 | option_b=323 | option_c=288 | option_d=306 | answer=D | explanation=Scale factor = 17/1 = 17. Therefore second quantity = 18×17 = 306.

id=95502 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:20 and the first is 196, what is the second? | option_a=280 | option_b=260 | option_c=476 | option_d=294 | answer=A | explanation=Scale factor = 196/14 = 14. Therefore second quantity = 20×14 = 280.

id=95503 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:9 and the first is 56, what is the second? | option_a=117 | option_b=182 | option_c=126 | option_d=130 | answer=C | explanation=Scale factor = 56/4 = 14. Therefore second quantity = 9×14 = 126.

id=95504 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:9 and the first is 288, what is the second? | option_a=162 | option_b=450 | option_c=178 | option_d=153 | answer=A | explanation=Scale factor = 288/16 = 18. Therefore second quantity = 9×18 = 162.

id=95505 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43857 at 12% per annum for 3 years. | option_a=15688 | option_b=15788 | option_c=15888 | option_d=59645 | answer=B | explanation=SI = PRT/100 = 43857×12×3/100 = █15788.

id=95506 | topic=Percentages | difficulty=Easy | question=What is 50% of 1357? | option_a=678 | option_b=683 | option_c=1356 | option_d=673 | answer=A | explanation=50% of 1357 = (50/100) × 1357 = 678.

id=95507 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=C | option_c=O | option_d=K | answer=D | explanation=Move 4 positions forward from G; the resulting letter is K.

id=95508 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:19 and the first is 18, what is the second? | option_a=38 | option_b=75 | option_c=57 | option_d=63 | answer=C | explanation=Scale factor = 18/6 = 3. Therefore second quantity = 19×3 = 57.

id=95509 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 33, 43, 54? | option_a=54 | option_b=43 | option_c=33 | option_d=23 | answer=A | explanation=The first three numbers increase by 10, so the next should be 53. Therefore 54 is the odd one out.

id=95510 | topic=Percentages | difficulty=Easy | question=What is 10% of 1901? | option_a=170 | option_b=190 | option_c=210 | option_d=380 | answer=B | explanation=10% of 1901 = (10/100) × 1901 = 190.

id=95511 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 14, 19, 24, ? | option_a=34 | option_b=29 | option_c=24 | option_d=30 | answer=B | explanation=The common difference is 5. Therefore the next term is 24 + 5 = 29.

id=95512 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:13 and the first is 192, what is the second? | option_a=400 | option_b=195 | option_c=220 | option_d=208 | answer=D | explanation=Scale factor = 192/12 = 16. Therefore second quantity = 13×16 = 208.

id=95513 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=72 | option_c=144 | option_d=77 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=95514 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=95515 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=90 | option_c=85 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=95516 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=95517 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 26. | option_a=52 | option_b=28 | option_c=1 | option_d=26 | answer=D | explanation=LCM × HCF = 2×26; HCF(2,26) = 2, so LCM = 26.

id=95518 | topic=Percentages | difficulty=Easy | question=What is 50% of 1894? | option_a=937 | option_b=947 | option_c=957 | option_d=1894 | answer=B | explanation=50% of 1894 = (50/100) × 1894 = 947.

id=95519 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=95520 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49393 at 8% per annum for 5 years. | option_a=69150 | option_b=19757 | option_c=19657 | option_d=19857 | answer=B | explanation=SI = PRT/100 = 49393×8×5/100 = █19757.

Aptitude Questions — Records 95,521-95,550 of 100,000

id=95521 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=Z | option_b=P | option_c=U | option_d=E | answer=A | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=95522 | topic=Percentages | difficulty=Easy | question=What is 25% of 603? | option_a=170 | option_b=145 | option_c=150 | option_d=300 | answer=C | explanation=25% of 603 = (25/100) × 603 = 150.

id=95523 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=39 | option_b=31 | option_c=40 | option_d=47 | answer=A | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

id=95524 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3210. If it is sold at a profit of 30%, what is its selling price? | option_a=3240 | option_b=4494 | option_c=4173 | option_d=3852 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3210 × 130/100 = █4173.

id=95525 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=160 | option_c=85 | option_d=75 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=95526 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4859. If it is sold at a profit of 40%, what is its selling price? | option_a=7287 | option_b=4899 | option_c=6317 | option_d=6802 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4859 × 140/100 = █6802.

id=95527 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=18 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=95528 | topic=Percentages | difficulty=Easy | question=What is 20% of 73? | option_a=14 | option_b=9 | option_c=19 | option_d=28 | answer=A | explanation=20% of 73 = (20/100) × 73 = 14.

id=95529 | topic=Averages | difficulty=Easy | question=Find the average of 13, 91, 85, 48, 88. | option_a=67 | option_b=66 | option_c=64 | option_d=65 | answer=D | explanation=Average = sum of values ÷ number of values = 325 ÷ 5 = 65.

id=95530 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=67 | option_b=58 | option_c=47 | option_d=57 | answer=D | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

id=95531 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:3 and the first is 80, what is the second? | option_a=9 | option_b=12 | option_c=32 | option_d=92 | answer=B | explanation=Scale factor = 80/20 = 4. Therefore second quantity = 3×4 = 12.

id=95532 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1067. If it is sold at a profit of 15%, what is its selling price? | option_a=1227 | option_b=1121 | option_c=1082 | option_d=1333 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1067 × 115/100 = █1227.

id=95533 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6350 at 8% per annum for 4 years. | option_a=2032 | option_b=8382 | option_c=1932 | option_d=2132 | answer=A | explanation=SI = PRT/100 = 6350×8×4/100 = █2032.

id=95534 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=66 | option_b=65 | option_c=53 | option_d=77 | answer=B | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.

id=95535 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4774. If it is sold at a profit of 50%, what is its selling price? | option_a=7161 | option_b=4824 | option_c=6684 | option_d=7638 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4774 × 150/100 = █7161.

id=95536 | topic=Percentages | difficulty=Easy | question=What is 50% of 721? | option_a=360 | option_b=355 | option_c=720 | option_d=365 | answer=A | explanation=50% of 721 = (50/100) × 721 = 360.

id=95537 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=37 | option_b=34 | option_c=29 | option_d=33 | answer=D | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=95538 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=95539 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1148 at 6% per annum for 3 years. | option_a=206 | option_b=306 | option_c=1354 | option_d=106 | answer=A | explanation=SI = PRT/100 = 1148×6×3/100 = █206.

id=95540 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=95541 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=150 | option_c=80 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=95542 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9685 at 10% per annum for 1 years. | option_a=10653 | option_b=968 | option_c=1068 | option_d=868 | answer=B | explanation=SI = PRT/100 = 9685×10×1/100 = █968.

id=95543 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 22. | option_a=120 | option_b=88 | option_c=220 | option_d=110 | answer=D | explanation=LCM × HCF = 10×22; HCF(10,22) = 2, so LCM = 110.

id=95544 | topic=Percentages | difficulty=Easy | question=What is 25% of 1328? | option_a=664 | option_b=352 | option_c=312 | option_d=332 | answer=D | explanation=25% of 1328 = (25/100) × 1328 = 332.

id=95545 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=6 | option_d=20 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=95546 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36676 at 4% per annum for 4 years. | option_a=5968 | option_b=42544 | option_c=5868 | option_d=5768 | answer=C | explanation=SI = PRT/100 = 36676×4×4/100 = █5868.

id=95547 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=49 | option_b=40 | option_c=31 | option_d=41 | answer=B | explanation=The common difference is 9. Therefore the next term is 31 + 9 = 40.

id=95548 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 31, 41, 52? | option_a=31 | option_b=52 | option_c=41 | option_d=21 | answer=B | explanation=The first three numbers increase by 10, so the next should be 51. Therefore 52 is the odd one out.

id=95549 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=95550 | topic=Averages | difficulty=Easy | question=Find the average of 25, 80, 28, 87. | option_a=56 | option_b=54 | option_c=57 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 220 ÷ 4 = 55.

Aptitude Questions — Records 95,551-95,580 of 100,000

id=95551 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=41 | option_c=72 | option_d=31 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=95552 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4923. If it is sold at a profit of 25%, what is its selling price? | option_a=6153 | option_b=4948 | option_c=6645 | option_d=5661 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4923 × 125/100 = █6153.

id=95553 | topic=Averages | difficulty=Easy | question=Find the average of 98, 38, 27, 44, 79, 65, 72, 65. | option_a=61 | option_b=62 | option_c=60 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 488 ÷ 8 = 61.

id=95554 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=95555 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10936 at 6% per annum for 3 years. | option_a=2068 | option_b=12904 | option_c=1968 | option_d=1868 | answer=C | explanation=SI = PRT/100 = 10936×6×3/100 = █1968.

id=95556 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=95557 | topic=Averages | difficulty=Easy | question=Find the average of 87, 90, 16, 94, 70, 80, 22, 37. | option_a=62 | option_b=64 | option_c=63 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 496 ÷ 8 = 62.

id=95558 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does "T" become? | option_a=T | option_b=B | option_c=X | option_d=P | answer=C | explanation=Move 4 positions forward from T; the resulting letter is X.

id=95559 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 24, 30, 36, ? | option_a=36 | option_b=43 | option_c=48 | option_d=42 | answer=D | explanation=The common difference is 6. Therefore the next term is 36 + 6 = 42.

id=95560 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=50 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=95561 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=41 | option_c=72 | option_d=31 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=95562 | topic=Percentages | difficulty=Easy | question=What is 40% of 645? | option_a=258 | option_b=516 | option_c=263 | option_d=253 | answer=A | explanation=40% of 645 = (40/100) × 645 = 258.

id=95563 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 24. | option_a=192 | option_b=648 | option_c=243 | option_d=216 | answer=D | explanation=LCM × HCF = 27×24; HCF(27,24) = 3, so LCM = 216.

id=95564 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 21. | option_a=42 | option_b=441 | option_c=1 | option_d=21 | answer=D | explanation=LCM × HCF = 21×21; HCF(21,21) = 21. so LCM = 21.

id=95565 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:8 and the first is 20, what is the second? | option_a=152 | option_b=161 | option_c=160 | option_d=180 | answer=C | explanation=Scale factor = 20/1 = 20. Therefore second quantity = 8×20 = 160.

id=95566 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 20, 27, 37? | option_a=27 | option_b=20 | option_c=37 | option_d=13 | answer=C | explanation=The first three numbers increase by 7, so the next should be 34. Therefore 37 is the odd one out.

id=95567 | topic=Averages | difficulty=Easy | question=Find the average of 25, 52, 73, 31, 12, 68, 62, 26, 74. | option_a=46 | option_b=47 | option_c=48 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 423 ÷ 9 = 47.

id=95568 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=35 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=95569 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2039. If it is sold at a profit of 30%, what is its selling price? | option_a=2447 | option_b=2853 | option_c=2069 | option_d=2650 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2039 × 130/100 = █2650.

id=95570 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 47? | option_a=26 | option_b=47 | option_c=32 | option_d=38 | answer=B | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 47 is the odd one out.

id=95571 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=95572 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=95573 | topic=Percentages | difficulty=Easy | question=What is 12% of 435? | option_a=104 | option_b=57 | option_c=32 | option_d=52 | answer=D | explanation=12% of 435 = (12/100) × 435 = 52.

id=95574 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=95575 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:14 and the first is 182, what is the second? | option_a=209 | option_b=378 | option_c=182 | option_d=196 | answer=D | explanation=Scale factor = 182/13 = 14. Therefore second quantity = 14×14 = 196.

id=95576 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=95577 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3283. If it is sold at a profit of 25%, what is its selling price? | option_a=3775 | option_b=4431 | option_c=3308 | option_d=4103 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3283 × 125/100 = █4103.

id=95578 | topic=Averages | difficulty=Easy | question=Find the average of 73, 27, 33, 44, 34, 77. | option_a=49 | option_b=47 | option_c=48 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 288 ÷ 6 = 48.

id=95579 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=40 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=95580 | topic=Profit & Loss | difficulty=Easy | question=An article costs █925. If it is sold at a profit of 5%, what is its selling price? | option_a=971 | option_b=1063 | option_c=930 | option_d=879 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 925 × 105/100 = █971.

Aptitude Questions — Records 95,581-95,610 of 100,000

- id=95581 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 21, 28, 36? | option_a=21 | option_b=28 | option_c=14 | option_d=36 | answer=D | explanation=The first three numbers increase by 7, so the next should be 35. Therefore 36 is the odd one out.
- id=95582 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=60 | option_b=61 | option_c=50 | option_d=70 | answer=A | explanation=The common difference is 10. Therefore the next term is $50 + 10 = 60$.
- id=95583 | topic=Percentages | difficulty=Easy | question=What is 40% of 1667? | option_a=1332 | option_b=666 | option_c=686 | option_d=656 | answer=B | explanation= $40\% \text{ of } 1667 = (40/100) \times 1667 = 666$.
- id=95584 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=25 | option_d=50 | answer=C | explanation= $\text{Speed} = \text{distance} \div \text{time} = 150 \div 6 = 25 \text{ km/h}$.
- id=95585 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=90 | option_b=85 | option_c=95 | option_d=180 | answer=A | explanation= $\text{Speed} = \text{distance} \div \text{time} = 360 \div 4 = 90 \text{ km/h}$.
- id=95586 | topic=Percentages | difficulty=Easy | question=What is 10% of 1965? | option_a=206 | option_b=196 | option_c=392 | option_d=186 | answer=B | explanation= $10\% \text{ of } 1965 = (10/100) \times 1965 = 196$.
- id=95587 | topic=Percentages | difficulty=Easy | question=What is 12% of 1806? | option_a=221 | option_b=432 | option_c=216 | option_d=211 | answer=C | explanation= $12\% \text{ of } 1806 = (12/100) \times 1806 = 216$.
- id=95588 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=C | option_c=A | option_d=G | answer=A | explanation=Move 2 positions forward from C; the resulting letter is E.
- id=95589 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=Y | option_b=U | option_c=W | option_d=S | answer=C | explanation=Move 2 positions forward from U; the resulting letter is W.
- id=95590 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=H | option_c=G | option_d=F | answer=B | explanation=Move 1 positions forward from G; the resulting letter is H.
- id=95591 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=17 | option_b=7 | option_c=24 | option_d=12 | answer=D | explanation= $\text{Speed} = \text{distance} \div \text{time} = 120 \div 10 = 12 \text{ km/h}$.
- id=95592 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1272. If it is sold at a profit of 15%, what is its selling price? | option_a=1462 | option_b=1335 | option_c=1287 | option_d=1589 | answer=A | explanation= $\text{Selling price} = \text{CP} \times (100 + \text{profit}\%)/100 = 1272 \times 115/100 = \text{■}1462$.
- id=95593 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=50 | option_b=60 | option_c=40 | option_d=51 | answer=A | explanation=The common difference is 10. Therefore the next term is $40 + 10 = 50$.
- id=95594 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 29, 36, 45? | option_a=28 | option_b=34 | option_c=40 | option_d=31 | answer=B | explanation=The first three numbers increase by 7, so the next should be 43. Therefore 45 is the odd one out.
- id=95595 | topic=Averages | difficulty=Easy | question=Find the average of 17, 29, 37, 61, 42, 31, 35, 99, 94, 75. | option_a=53 | option_b=51 | option_c=52 | option_d=54 | answer=C | explanation= $\text{Average} = \text{sum of values} \div \text{number of values} = 520 \div 10 = 52$.
- id=95596 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 31, 34, 40? | option_a=28 | option_b=34 | option_c=40 | option_d=31 | answer=C | explanation=The first three numbers increase by 3, so the next should be 37. Therefore 40 is the odd one out.
- id=95597 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=46 | option_b=56 | option_c=55 | option_d=64 | answer=C | explanation=The common difference is 9. Therefore the next term is $46 + 9 = 55$.
- id=95598 | topic=Percentages | difficulty=Easy | question=What is 5% of 487? | option_a=34 | option_b=48 | option_c=24 | option_d=19 | answer=C | explanation= $5\% \text{ of } 487 = (5/100) \times 487 = 24$.
- id=95599 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40916 at 4% per annum for 3 years. | option_a=4909 | option_b=4809 | option_c=45825 | option_d=5009 | answer=A | explanation= $\text{SI} = \text{PRT}/100 = 40916 \times 4 \times 3/100 = \text{■}4909$.
- id=95600 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation= $\text{Combined rate} = 1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.
- id=95601 | topic=Percentages | difficulty=Easy | question=What is 30% of 571? | option_a=181 | option_b=342 | option_c=171 | option_d=161 | answer=C | explanation= $30\% \text{ of } 571 = (30/100) \times 571 = 171$.
- id=95602 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:18 and the first is 255, what is the second? | option_a=561 | option_b=321 | option_c=288 | option_d=306 | answer=D | explanation= $\text{Scale factor} = 255/15 = 17$. Therefore second quantity = $18 \times 17 = 306$.
- id=95603 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:5 and the first is 80, what is the second? | option_a=160 | option_b=75 | option_c=80 | option_d=85 | answer=C | explanation= $\text{Scale factor} = 80/5 = 16$. Therefore second quantity = $5 \times 16 = 80$.
- id=95604 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:17 and the first is 48, what is the second? | option_a=51 | option_b=99 | option_c=34 | option_d=67 | answer=A | explanation= $\text{Scale factor} = 48/16 = 3$. Therefore second quantity = $17 \times 3 = 51$.
- id=95605 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=8 | option_d=2 | answer=D | explanation= $\text{Combined rate} = 1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.
- id=95606 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:1 and the first is 42, what is the second? | option_a=17 | option_b=14 | option_c=13 | option_d=56 | answer=B | explanation= $\text{Scale factor} = 42/3 = 14$. Therefore second quantity = $1 \times 14 = 14$.
- id=95607 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=O | option_c=M | option_d=Q | answer=D | explanation=Move 2 positions forward from O; the resulting letter is Q.
- id=95608 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2133. If it is sold at a profit of 30%, what is its selling price? | option_a=2163 | option_b=2772 | option_c=2985 | option_d=2559 | answer=B | explanation= $\text{Selling price} = \text{CP} \times (100 + \text{profit}\%)/100 = 2133 \times 130/100 = \text{■}2772$.
- id=95609 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation= $\text{Speed} = \text{distance} \div \text{time} = 150 \div 5 = 30 \text{ km/h}$.
- id=95610 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=31 | option_b=47 | option_c=40 | option_d=39 | answer=D | explanation=The common difference is 8. Therefore the next term is $31 + 8 = 39$.

Aptitude Questions — Records 95,611-95,640 of 100,000

id=95611 | topic=Percentages | difficulty=Easy | question=What is 10% of 335? | option_a=13 | option_b=33 | option_c=38 | option_d=66 | answer=B | explanation=10% of 335 = (10/100) × 335 = 33.

id=95612 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 35, 40, 47? | option_a=47 | option_b=40 | option_c=35 | option_d=30 | answer=A | explanation=The first three numbers increase by 5, so the next should be 45. Therefore 47 is the odd one out.

id=95613 | topic=Percentages | difficulty=Easy | question=What is 20% of 1976? | option_a=395 | option_b=790 | option_c=405 | option_d=390 | answer=A | explanation=20% of 1976 = (20/100) × 1976 = 395.

id=95614 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4558. If it is sold at a profit of 25%, what is its selling price? | option_a=5697 | option_b=5242 | option_c=4583 | option_d=6152 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4558 × 125/100 = █5697.

id=95615 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █17929 at 4% per annum for 5 years. | option_a=3485 | option_b=21514 | option_c=3585 | option_d=3685 | answer=C | explanation=SI = PRT/100 = 17929×4×5/100 = █3585.

id=95616 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 15, 19, 23, ? | option_a=31 | option_b=28 | option_c=27 | option_d=23 | answer=C | explanation=The common difference is 4. Therefore the next term is 23 + 4 = 27.

id=95617 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:12 and the first is 52, what is the second? | option_a=48 | option_b=100 | option_c=61 | option_d=36 | answer=A | explanation=Scale factor = 52/13 = 4. Therefore second quantity = 12×4 = 48.

id=95618 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=T | option_b=J | option_c=E | option_d=O | answer=D | explanation=Move 5 positions forward from J; the resulting letter is O.

id=95619 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1638. If it is sold at a profit of 25%, what is its selling price? | option_a=1663 | option_b=1884 | option_c=2210 | option_d=2047 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1638 × 125/100 = █2047.

id=95620 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=95621 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=R | option_c=F | option_d=N | answer=D | explanation=Move 4 positions forward from J; the resulting letter is N.

id=95622 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44587 at 10% per annum for 5 years. | option_a=22293 | option_b=22193 | option_c=66880 | option_d=22393 | answer=A | explanation=SI = PRT/100 = 44587×10×5/100 = █22293.

id=95623 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 9, 13, 18? | option_a=13 | option_b=5 | option_c=9 | option_d=18 | answer=D | explanation=The first three numbers increase by 4, so the next should be 17. Therefore 18 is the odd one out.

id=95624 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 34? | option_a=22 | option_b=12 | option_c=2 | option_d=34 | answer=D | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 34 is the odd one out.

id=95625 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2535 at 4% per annum for 5 years. | option_a=607 | option_b=407 | option_c=507 | option_d=3042 | answer=C | explanation=SI = PRT/100 = 2535×4×5/100 = █507.

id=95626 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11109 at 5% per annum for 4 years. | option_a=13330 | option_b=2321 | option_c=2221 | option_d=2121 | answer=C | explanation=SI = PRT/100 = 11109×5×4/100 = █2221.

id=95627 | topic=Percentages | difficulty=Easy | question=What is 12% of 1576? | option_a=184 | option_b=189 | option_c=209 | option_d=378 | answer=B | explanation=12% of 1576 = (12/100) × 1576 = 189.

id=95628 | topic=Averages | difficulty=Easy | question=Find the average of 64, 39, 75, 27, 85. | option_a=60 | option_b=57 | option_c=59 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 290 ÷ 5 = 58.

id=95629 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=20 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=95630 | topic=Percentages | difficulty=Easy | question=What is 15% of 128? | option_a=38 | option_b=29 | option_c=19 | option_d=14 | answer=C | explanation=15% of 128 = (15/100) × 128 = 19.

id=95631 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=95632 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=50 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=95633 | topic=Averages | difficulty=Easy | question=Find the average of 61, 49, 62, 25, 46, 19, 25. | option_a=42 | option_b=43 | option_c=40 | option_d=41 | answer=D | explanation=Average = sum of values ÷ number of values = 287 ÷ 7 = 41.

id=95634 | topic=Percentages | difficulty=Easy | question=What is 10% of 1091? | option_a=129 | option_b=109 | option_c=218 | option_d=104 | answer=B | explanation=10% of 1091 = (10/100) × 1091 = 109.

id=95635 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=U | option_b=O | option_c=R | option_d=X | answer=A | explanation=Move 3 positions forward from R; the resulting letter is U.

id=95636 | topic=Averages | difficulty=Easy | question=Find the average of 64, 23, 99, 66, 73. | option_a=64 | option_b=65 | option_c=67 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 325 ÷ 5 = 65.

id=95637 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=H | option_b=J | option_c=K | option_d=I | answer=B | explanation=Move 1 positions forward from I; the resulting letter is J.

id=95638 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=J | option_b=F | option_c=D | option_d=H | answer=D | explanation=Move 2 positions forward from F; the resulting letter is H.

id=95639 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4678. If it is sold at a profit of 50%, what is its selling price? | option_a=4728 | option_b=7484 | option_c=6550 | option_d=7017 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4678 × 150/100 = █7017.

id=95640 | topic=Averages | difficulty=Easy | question=Find the average of 54, 86, 79, 39, 76, 65, 88, 89. | option_a=71 | option_b=73 | option_c=72 | option_d=74 | answer=C | explanation=Average = sum of values ÷ number of values = 576 ÷ 8 = 72.

Aptitude Questions — Records 95,641-95,670 of 100,000

id=95641 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=95642 | topic=Percentages | difficulty=Easy | question=What is 15% of 1954? | option_a=293 | option_b=303 | option_c=586 | option_d=273 | answer=A | explanation=15% of 1954 = (15/100) × 1954 = 293.

id=95643 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=L | option_b=J | option_c=F | option_d=H | answer=B | explanation=Move 2 positions forward from H; the resulting letter is J.

id=95644 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:15 and the first is 209, what is the second? | option_a=165 | option_b=150 | option_c=374 | option_d=184 | answer=A | explanation=Scale factor = 209/19 = 11. Therefore second quantity = 15×11 = 165.

id=95645 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3270. If it is sold at a profit of 30%, what is its selling price? | option_a=3924 | option_b=4251 | option_c=4578 | option_d=3300 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3270 × 130/100 = █4251.

id=95646 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1465. If it is sold at a profit of 25%, what is its selling price? | option_a=1831 | option_b=1977 | option_c=1490 | option_d=1685 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1465 × 125/100 = █1831.

id=95647 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:11 and the first is 144, what is the second? | option_a=77 | option_b=106 | option_c=88 | option_d=232 | answer=C | explanation=Scale factor = 144/18 = 8. Therefore second quantity = 11×8 = 88.

id=95648 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5863 at 10% per annum for 4 years. | option_a=2445 | option_b=8208 | option_c=2245 | option_d=2345 | answer=D | explanation=SI = PRT/100 = 5863×10×4/100 = █2345.

id=95649 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2643. If it is sold at a profit of 50%, what is its selling price? | option_a=4228 | option_b=3964 | option_c=3700 | option_d=2693 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2643 × 150/100 = █3964.

id=95650 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=E | option_b=G | option_c=F | option_d=H | answer=B | explanation=Move 1 positions forward from F; the resulting letter is G.

id=95651 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=300 | option_c=145 | option_d=155 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=95652 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2480. If it is sold at a profit of 15%, what is its selling price? | option_a=3100 | option_b=2604 | option_c=2852 | option_d=2495 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2480 × 115/100 = █2852.

id=95653 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=21 | option_b=22 | option_c=19 | option_d=23 | answer=A | explanation=The common difference is 2. Therefore the next term is 19 + 2 = 21.

id=95654 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3327. If it is sold at a profit of 15%, what is its selling price? | option_a=4158 | option_b=3826 | option_c=3342 | option_d=3494 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3327 × 115/100 = █3826.

id=95655 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=49 | option_b=38 | option_c=50 | option_d=60 | answer=A | explanation=The common difference is 11. Therefore the next term is 38 + 11 = 49.

id=95656 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=20 | option_b=17 | option_c=23 | option_d=21 | answer=A | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=95657 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 24, 34, 44, ? | option_a=64 | option_b=54 | option_c=44 | option_d=55 | answer=B | explanation=The common difference is 10. Therefore the next term is 44 + 10 = 54.

id=95658 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=F | option_b=E | option_c=D | option_d=G | answer=A | explanation=Move 1 positions forward from E; the resulting letter is F.

id=95659 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 27? | option_a=6 | option_b=27 | option_c=18 | option_d=12 | answer=B | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 27 is the odd one out.

id=95660 | topic=Averages | difficulty=Easy | question=Find the average of 44, 17, 75, 88, 23, 12, 48, 88, 19. | option_a=47 | option_b=48 | option_c=45 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 414 ÷ 9 = 46.

id=95661 | topic=Percentages | difficulty=Easy | question=What is 20% of 1003? | option_a=200 | option_b=220 | option_c=190 | option_d=400 | answer=A | explanation=20% of 1003 = (20/100) × 1003 = 200.

id=95662 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=23 | option_b=25 | option_c=27 | option_d=26 | answer=B | explanation=The common difference is 2. Therefore the next term is 23 + 2 = 25.

id=95663 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=46 | option_b=30 | option_c=38 | option_d=39 | answer=C | explanation=The common difference is 8. Therefore the next term is 30 + 8 = 38.

id=95664 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=49 | option_b=55 | option_c=48 | option_d=41 | answer=C | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.

id=95665 | topic=Averages | difficulty=Easy | question=Find the average of 54, 43, 47, 36. | option_a=46 | option_b=47 | option_c=44 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 180 ÷ 4 = 45.

id=95666 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:5 and the first is 168, what is the second? | option_a=70 | option_b=82 | option_c=238 | option_d=65 | answer=A | explanation=Scale factor = 168/12 = 14. Therefore second quantity = 5×14 = 70.

id=95667 | topic=Percentages | difficulty=Easy | question=What is 25% of 168? | option_a=52 | option_b=42 | option_c=22 | option_d=84 | answer=B | explanation=25% of 168 = (25/100) × 168 = 42.

id=95668 | topic=Percentages | difficulty=Easy | question=What is 30% of 1233? | option_a=389 | option_b=369 | option_c=738 | option_d=359 | answer=B | explanation=30% of 1233 = (30/100) × 1233 = 369.

id=95669 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16200 at 8% per annum for 4 years. | option_a=5184 | option_b=5084 | option_c=21384 | option_d=5284 | answer=A | explanation=SI = PRT/100 = 16200×8×4/100 = █5184.

id=95670 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=90 | option_c=45 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

Aptitude Questions — Records 95,671-95,700 of 100,000

id=95671 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3596. If it is sold at a profit of 10%, what is its selling price? | option_a=3606 | option_b=3955 | option_c=4314 | option_d=3596 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3596 × 110/100 = █3955.

id=95672 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1665. If it is sold at a profit of 20%, what is its selling price? | option_a=1685 | option_b=1832 | option_c=1998 | option_d=2164 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1665 × 120/100 = █1998.

id=95673 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=95674 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=V | option_b=M | option_c=S | option_d=P | answer=C | explanation=Move 3 positions forward from P; the resulting letter is S.

id=95675 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=5 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=95676 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=72 | option_c=67 | option_d=77 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=95677 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40352 at 6% per annum for 3 years. | option_a=7263 | option_b=7363 | option_c=7163 | option_d=47615 | answer=A | explanation=SI = PRT/100 = 40352×6×3/100 = █7263.

id=95678 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=6 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=95679 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=95680 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=95681 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=95682 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:1 and the first is 100, what is the second? | option_a=20 | option_b=110 | option_c=9 | option_d=10 | answer=D | explanation=Scale factor = 100/10 = 10. Therefore second quantity = 1×10 = 10.

id=95683 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 16, 21, 29? | option_a=16 | option_b=29 | option_c=21 | option_d=11 | answer=B | explanation=The first three numbers increase by 5, so the next should be 26. Therefore 29 is the odd one out.

id=95684 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=95685 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:18 and the first is 65, what is the second? | option_a=155 | option_b=90 | option_c=103 | option_d=72 | answer=B | explanation=Scale factor = 65/13 = 5. Therefore second quantity = 18×5 = 90.

id=95686 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=95687 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25412 at 10% per annum for 5 years. | option_a=12706 | option_b=38118 | option_c=12806 | option_d=12606 | answer=A | explanation=SI = PRT/100 = 25412×10×5/100 = █12706.

id=95688 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=45 | option_c=40 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=95689 | topic=Averages | difficulty=Easy | question=Find the average of 97, 87, 60, 20, 67, 99, 71, 57, 99. | option_a=73 | option_b=74 | option_c=72 | option_d=75 | answer=A | explanation=Average = sum of values ÷ number of values = 657 ÷ 9 = 73.

id=95690 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 25, 34, 43, ? | option_a=61 | option_b=53 | option_c=52 | option_d=43 | answer=C | explanation=The common difference is 9. Therefore the next term is 43 + 9 = 52.

id=95691 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 14. | option_a=56 | option_b=112 | option_c=42 | option_d=64 | answer=A | explanation=LCM × HCF = 8×14; HCF(8,14) = 2, so LCM = 56.

id=95692 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=25 | option_c=20 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=95693 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:8 and the first is 9, what is the second? | option_a=73 | option_b=81 | option_c=72 | option_d=64 | answer=C | explanation=Scale factor = 9/1 = 9. Therefore second quantity = 8×9 = 72.

id=95694 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=47 | option_b=58 | option_c=69 | option_d=59 | answer=B | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.

id=95695 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=95696 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9269 at 15% per annum for 2 years. | option_a=2680 | option_b=2780 | option_c=12049 | option_d=2880 | answer=B | explanation=SI = PRT/100 = 9269×15×2/100 = █2780.

id=95697 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4896. If it is sold at a profit of 10%, what is its selling price? | option_a=4906 | option_b=4896 | option_c=5874 | option_d=5385 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4896 × 110/100 = █5385.

id=95698 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=29 | option_b=32 | option_c=26 | option_d=30 | answer=A | explanation=The common difference is 3. Therefore the next term is 26 + 3 = 29.

id=95699 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:16 and the first is 18, what is the second? | option_a=54 | option_b=32 | option_c=48 | option_d=66 | answer=C | explanation=Scale factor = 18/6 = 3. Therefore second quantity = 16×3 = 48.

id=95700 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1529 at 10% per annum for 1 years. | option_a=52 | option_b=1681 | option_c=252 | option_d=152 | answer=D | explanation=SI = PRT/100 = 1529×10×1/100 = █152.

Aptitude Questions — Records 95,701-95,730 of 100,000

id=95701 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=51 | option_b=60 | option_c=42 | option_d=52 | answer=A | explanation=The common difference is 9. Therefore the next term is 42 + 9 = 51.

id=95702 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1071. If it is sold at a profit of 30%, what is its selling price? | option_a=1499 | option_b=1392 | option_c=1101 | option_d=1285 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1071 × 130/100 = █1392.

id=95703 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=33 | option_b=43 | option_c=53 | option_d=44 | answer=B | explanation=The common difference is 10. Therefore the next term is 33 + 10 = 43.

id=95704 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=40 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=95705 | topic=Averages | difficulty=Easy | question=Find the average of 65, 21, 99, 42, 10, 94, 40, 11, 14. | option_a=45 | option_b=44 | option_c=43 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 396 ÷ 9 = 44.

id=95706 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=I | option_b=W | option_c=A | option_d=E | answer=D | explanation=Move 4 positions forward from A; the resulting letter is E.

id=95707 | topic=Percentages | difficulty=Easy | question=What is 20% of 1949? | option_a=389 | option_b=409 | option_c=384 | option_d=778 | answer=A | explanation=20% of 1949 = (20/100) × 1949 = 389.

id=95708 | topic=Averages | difficulty=Easy | question=Find the average of 71, 32, 76, 65. | option_a=61 | option_b=60 | option_c=62 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 244 ÷ 4 = 61.

id=95709 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3267 at 6% per annum for 1 years. | option_a=96 | option_b=196 | option_c=296 | option_d=3463 | answer=B | explanation=SI = PRT/100 = 3267×6×1/100 = █196.

id=95710 | topic=Percentages | difficulty=Easy | question=What is 25% of 1430? | option_a=714 | option_b=347 | option_c=367 | option_d=357 | answer=D | explanation=25% of 1430 = (25/100) × 1430 = 357.

id=95711 | topic=Percentages | difficulty=Easy | question=What is 10% of 1806? | option_a=360 | option_b=180 | option_c=175 | option_d=190 | answer=B | explanation=10% of 1806 = (10/100) × 1806 = 180.

id=95712 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=95713 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=95714 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █38991 at 8% per annum for 3 years. | option_a=48348 | option_b=9457 | option_c=9357 | option_d=9257 | answer=C | explanation=SI = PRT/100 = 38991×8×3/100 = █9357.

id=95715 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 12, 16, 21? | option_a=16 | option_b=8 | option_c=12 | option_d=21 | answer=D | explanation=The first three numbers increase by 4, so the next should be 20. Therefore 21 is the odd one out.

id=95716 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:12 and the first is 30, what is the second? | option_a=66 | option_b=48 | option_c=60 | option_d=90 | answer=C | explanation=Scale factor = 30/6 = 5. Therefore second quantity = 12×5 = 60.

id=95717 | topic=Percentages | difficulty=Easy | question=What is 5% of 1088? | option_a=74 | option_b=108 | option_c=54 | option_d=49 | answer=C | explanation=5% of 1088 = (5/100) × 1088 = 54.

id=95718 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=C | option_c=O | option_d=K | answer=D | explanation=Move 4 positions forward from G; the resulting letter is K.

id=95719 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=95720 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=18 | option_b=23 | option_c=13 | option_d=36 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=95721 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:15 and the first is 40, what is the second? | option_a=83 | option_b=60 | option_c=115 | option_d=75 | answer=D | explanation=Scale factor = 40/8 = 5. Therefore second quantity = 15×5 = 75.

id=95722 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=95723 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 36? | option_a=26 | option_b=19 | option_c=36 | option_d=12 | answer=C | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 36 is the odd one out.

id=95724 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:12 and the first is 216, what is the second? | option_a=144 | option_b=360 | option_c=162 | option_d=132 | answer=A | explanation=Scale factor = 216/18 = 12. Therefore second quantity = 12×12 = 144.

id=95725 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4518. If it is sold at a profit of 20%, what is its selling price? | option_a=5421 | option_b=5872 | option_c=4970 | option_d=4538 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4518 × 120/100 = █5421.

id=95726 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:10 and the first is 144, what is the second? | option_a=234 | option_b=106 | option_c=80 | option_d=90 | answer=D | explanation=Scale factor = 144/16 = 9. Therefore second quantity = 10×9 = 90.

id=95727 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █23981 at 12% per annum for 4 years. | option_a=11510 | option_b=35491 | option_c=11610 | option_d=11410 | answer=A | explanation=SI = PRT/100 = 23981×12×4/100 = █11510.

id=95728 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=I | option_b=O | option_c=M | option_d=K | answer=C | explanation=Move 2 positions forward from K; the resulting letter is M.

id=95729 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=95730 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 28, 33, 41? | option_a=41 | option_b=23 | option_c=28 | option_d=33 | answer=A | explanation=The first three numbers increase by 5, so the next should be 38. Therefore 41 is the odd one out.

Aptitude Questions — Records 95,731-95,760 of 100,000

- id=95731 | topic=Percentages | difficulty=Easy | question=What is 15% of 1780? | option_a=257 | option_b=534 | option_c=277 | option_d=267 | answer=D | explanation=15% of 1780 = $(15/100) \times 1780 = 267$.
- id=95732 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:19 and the first is 225, what is the second? | option_a=285 | option_b=510 | option_c=300 | option_d=266 | answer=A | explanation=Scale factor = $225/15 = 15$. Therefore second quantity = $19 \times 15 = 285$.
- id=95733 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 32, 35, 41? | option_a=41 | option_b=35 | option_c=32 | option_d=29 | answer=A | explanation=The first three numbers increase by 3, so the next should be 38. Therefore 41 is the odd one out.
- id=95734 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 15, 19, 26? | option_a=19 | option_b=15 | option_c=26 | option_d=11 | answer=C | explanation=The first three numbers increase by 4, so the next should be 23. Therefore 26 is the odd one out.
- id=95735 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=4 | option_d=20 | answer=A | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.
- id=95736 | topic=Percentages | difficulty=Easy | question=What is 40% of 1690? | option_a=1352 | option_b=681 | option_c=666 | option_d=676 | answer=D | explanation=40% of 1690 = $(40/100) \times 1690 = 676$.
- id=95737 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3021. If it is sold at a profit of 50%, what is its selling price? | option_a=4833 | option_b=4531 | option_c=3071 | option_d=4229 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3021 \times 150/100 = \text{█}4531$.
- id=95738 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9788 at 5% per annum for 3 years. | option_a=1568 | option_b=1468 | option_c=1368 | option_d=11256 | answer=B | explanation=SI = $PRT/100 = 9788 \times 5 \times 3/100 = \text{█}1468$.
- id=95739 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=45 | option_c=40 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = $240 \div 6 = 40$ km/h.
- id=95740 | topic=Averages | difficulty=Easy | question=Find the average of 66, 71, 63, 44. | option_a=62 | option_b=61 | option_c=63 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = $244 \div 4 = 61$.
- id=95741 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=48 | option_b=55 | option_c=39 | option_d=47 | answer=D | explanation=The common difference is 8. Therefore the next term is $39 + 8 = 47$.
- id=95742 | topic=Percentages | difficulty=Easy | question=What is 10% of 461? | option_a=51 | option_b=92 | option_c=36 | option_d=46 | answer=D | explanation=10% of 461 = $(10/100) \times 461 = 46$.
- id=95743 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1569. If it is sold at a profit of 15%, what is its selling price? | option_a=1960 | option_b=1584 | option_c=1648 | option_d=1804 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1569 \times 115/100 = \text{█}1804$.
- id=95744 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:15 and the first is 234, what is the second? | option_a=283 | option_b=504 | option_c=255 | option_d=270 | answer=D | explanation=Scale factor = $234/13 = 18$. Therefore second quantity = $15 \times 18 = 270$.
- id=95745 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=5 | option_d=7 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.
- id=95746 | topic=Percentages | difficulty=Easy | question=What is 10% of 844? | option_a=74 | option_b=84 | option_c=168 | option_d=89 | answer=B | explanation=10% of 844 = $(10/100) \times 844 = 84$.
- id=95747 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=H | option_c=X | option_d=M | answer=B | explanation=Move 5 positions forward from C; the resulting letter is H.
- id=95748 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:13 and the first is 126, what is the second? | option_a=234 | option_b=241 | option_c=360 | option_d=221 | answer=A | explanation=Scale factor = $126/7 = 18$. Therefore second quantity = $13 \times 18 = 234$.
- id=95749 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44253 at 5% per annum for 3 years. | option_a=6637 | option_b=6737 | option_c=50890 | option_d=6537 | answer=A | explanation=SI = $PRT/100 = 44253 \times 5 \times 3/100 = \text{█}6637$.
- id=95750 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:1 and the first is 270, what is the second? | option_a=17 | option_b=288 | option_c=18 | option_d=33 | answer=C | explanation=Scale factor = $270/15 = 18$. Therefore second quantity = $1 \times 18 = 18$.
- id=95751 | topic=Averages | difficulty=Easy | question=Find the average of 88, 16, 40, 66, 52, 32. | option_a=49 | option_b=51 | option_c=48 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = $294 \div 6 = 49$.
- id=95752 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2609. If it is sold at a profit of 25%, what is its selling price? | option_a=3001 | option_b=3261 | option_c=2634 | option_d=3521 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2609 \times 125/100 = \text{█}3261$.
- id=95753 | topic=Averages | difficulty=Easy | question=Find the average of 50, 34, 46, 37, 26, 76, 78, 82, 30. | option_a=51 | option_b=52 | option_c=50 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = $459 \div 9 = 51$.
- id=95754 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 39, 49, 60? | option_a=49 | option_b=60 | option_c=29 | option_d=39 | answer=B | explanation=The first three numbers increase by 10, so the next should be 59. Therefore 60 is the odd one out.
- id=95755 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=8 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.
- id=95756 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1956. If it is sold at a profit of 30%, what is its selling price? | option_a=2737 | option_b=2542 | option_c=1986 | option_d=2347 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1956 \times 130/100 = \text{█}2542$.
- id=95757 | topic=Averages | difficulty=Easy | question=Find the average of 78, 15, 18, 65. | option_a=46 | option_b=44 | option_c=45 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = $176 \div 4 = 44$.
- id=95758 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=19 | option_d=29 | answer=A | explanation=Speed = distance ÷ time = $240 \div 10 = 24$ km/h.
- id=95759 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 38? | option_a=5 | option_b=38 | option_c=25 | option_d=15 | answer=B | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 38 is the odd one out.
- id=95760 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.

Aptitude Questions — Records 95,761-95,790 of 100,000

id=95761 | topic=Averages | difficulty=Easy | question=Find the average of 50, 62, 65, 75. | option_a=64 | option_b=62 | option_c=63 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = 252 ÷ 4 = 63.

id=95762 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=47 | option_b=71 | option_c=59 | option_d=60 | answer=C | explanation=The common difference is 12. Therefore the next term is 47 + 12 = 59.

id=95763 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 10, 17, 25? | option_a=25 | option_b=17 | option_c=3 | option_d=10 | answer=A | explanation=The first three numbers increase by 7, so the next should be 24. Therefore 25 is the odd one out.

id=95764 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 29, 38, 47, ? | option_a=47 | option_b=65 | option_c=56 | option_d=57 | answer=C | explanation=The common difference is 9. Therefore the next term is 47 + 9 = 56.

id=95765 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 50? | option_a=30 | option_b=36 | option_c=42 | option_d=50 | answer=D | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 50 is the odd one out.

id=95766 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14464 at 8% per annum for 4 years. | option_a=4528 | option_b=4628 | option_c=19092 | option_d=4728 | answer=B | explanation=SI = $PRT/100 = 14464 \times 8 \times 4 / 100 = \text{■}4628$.

id=95767 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 14, 22, 31? | option_a=22 | option_b=6 | option_c=14 | option_d=31 | answer=D | explanation=The first three numbers increase by 8, so the next should be 30. Therefore 31 is the odd one out.

id=95768 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=95769 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43342 at 12% per annum for 5 years. | option_a=26005 | option_b=69347 | option_c=26105 | option_d=25905 | answer=A | explanation=SI = $PRT/100 = 43342 \times 12 \times 5 / 100 = \text{■}26005$.

id=95770 | topic=Percentages | difficulty=Easy | question=What is 15% of 142? | option_a=21 | option_b=16 | option_c=31 | option_d=42 | answer=A | explanation=15% of 142 = $(15/100) \times 142 = 21$.

id=95771 | topic=Percentages | difficulty=Easy | question=What is 50% of 1784? | option_a=1784 | option_b=882 | option_c=902 | option_d=892 | answer=D | explanation=50% of 1784 = $(50/100) \times 1784 = 892$.

id=95772 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=150 | option_c=155 | option_d=300 | answer=B | explanation=Speed = distance ÷ time = $300 \div 2 = 150$ km/h.

id=95773 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=O | option_c=C | option_d=K | answer=D | explanation=Move 4 positions forward from G; the resulting letter is K.

id=95774 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 10. | option_a=20 | option_b=10 | option_c=200 | option_d=40 | answer=A | explanation= $LCM \times HCF = 20 \times 10$; $HCF(20,10) = 10$, so $LCM = 20$.

id=95775 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=55 | option_b=39 | option_c=48 | option_d=47 | answer=D | explanation=The common difference is 8. Therefore the next term is 39 + 8 = 47.

id=95776 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=85 | option_c=180 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = $360 \div 4 = 90$ km/h.

id=95777 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 28, 36, 44, ? | option_a=53 | option_b=44 | option_c=52 | option_d=60 | answer=C | explanation=The common difference is 8. Therefore the next term is 44 + 8 = 52.

id=95778 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 32, 36, 43? | option_a=43 | option_b=28 | option_c=32 | option_d=36 | answer=A | explanation=The first three numbers increase by 4, so the next should be 40. Therefore 43 is the odd one out.

id=95779 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = $150 \div 10 = 15$ km/h.

id=95780 | topic=Percentages | difficulty=Easy | question=What is 20% of 681? | option_a=136 | option_b=141 | option_c=131 | option_d=272 | answer=A | explanation=20% of 681 = $(20/100) \times 681 = 136$.

id=95781 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 14. | option_a=98 | option_b=224 | option_c=128 | option_d=112 | answer=D | explanation= $LCM \times HCF = 16 \times 14$; $HCF(16,14) = 2$, so $LCM = 112$.

id=95782 | topic=Averages | difficulty=Easy | question=Find the average of 21, 37, 63, 83, 101. | option_a=63 | option_b=60 | option_c=61 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = $305 \div 5 = 61$.

id=95783 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2309. If it is sold at a profit of 30%, what is its selling price? | option_a=2339 | option_b=2771 | option_c=3001 | option_d=3231 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2309 \times 130 / 100 = \text{■}3001$.

id=95784 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 31, 34, 38? | option_a=28 | option_b=31 | option_c=38 | option_d=34 | answer=C | explanation=The first three numbers increase by 3, so the next should be 37. Therefore 38 is the odd one out.

id=95785 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1624. If it is sold at a profit of 5%, what is its selling price? | option_a=1867 | option_b=1629 | option_c=1705 | option_d=1543 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1624 \times 105 / 100 = \text{■}1705$.

id=95786 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 23, 26, 31? | option_a=31 | option_b=23 | option_c=20 | option_d=26 | answer=A | explanation=The first three numbers increase by 3, so the next should be 29. Therefore 31 is the odd one out.

id=95787 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=95788 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 31, 43, 55, ? | option_a=67 | option_b=55 | option_c=68 | option_d=79 | answer=A | explanation=The common difference is 12. Therefore the next term is 55 + 12 = 67.

id=95789 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.

id=95790 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=43 | option_b=35 | option_c=36 | option_d=27 | answer=B | explanation=The common difference is 8. Therefore the next term is 27 + 8 = 35.

Aptitude Questions — Records 95,791-95,820 of 100,000

id=95791 | topic=Percentages | difficulty=Easy | question=What is 10% of 353? | option_a=35 | option_b=45 | option_c=70 | option_d=25 | answer=A | explanation=10% of 353 = (10/100) × 353 = 35.

id=95792 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=30 | option_b=34 | option_c=38 | option_d=35 | answer=B | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.

id=95793 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 12, 14, 17? | option_a=12 | option_b=10 | option_c=14 | option_d=17 | answer=D | explanation=The first three numbers increase by 2, so the next should be 16. Therefore 17 is the odd one out.

id=95794 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 18, 28, 40? | option_a=40 | option_b=18 | option_c=8 | option_d=28 | answer=A | explanation=The first three numbers increase by 10, so the next should be 38. Therefore 40 is the odd one out.

id=95795 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=95796 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1919. If it is sold at a profit of 20%, what is its selling price? | option_a=2302 | option_b=2111 | option_c=2493 | option_d=1939 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1919 × 120/100 = █2302.

id=95797 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4769 at 15% per annum for 4 years. | option_a=2761 | option_b=2961 | option_c=7630 | option_d=2861 | answer=D | explanation=SI = PRT/100 = 4769×15×4/100 = █2861.

id=95798 | topic=Averages | difficulty=Easy | question=Find the average of 89, 38, 66, 91, 86. | option_a=74 | option_b=73 | option_c=76 | option_d=75 | answer=A | explanation=Average = sum of values ÷ number of values = 370 ÷ 5 = 74.

id=95799 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22656 at 10% per annum for 3 years. | option_a=6896 | option_b=29452 | option_c=6696 | option_d=6796 | answer=D | explanation=SI = PRT/100 = 22656×10×3/100 = █6796.

id=95800 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33417 at 12% per annum for 3 years. | option_a=45447 | option_b=12030 | option_c=11930 | option_d=12130 | answer=B | explanation=SI = PRT/100 = 33417×12×3/100 = █12030.

id=95801 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:8 and the first is 19, what is the second? | option_a=144 | option_b=153 | option_c=171 | option_d=152 | answer=D | explanation=Scale factor = 19/1 = 19. Therefore second quantity = 8×19 = 152.

id=95802 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 24. | option_a=120 | option_b=96 | option_c=360 | option_d=135 | answer=A | explanation=LCM × HCF = 15×24; HCF(15,24) = 3, so LCM = 120.

id=95803 | topic=Averages | difficulty=Easy | question=Find the average of 28, 76, 19, 45. | option_a=41 | option_b=43 | option_c=42 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = 168 ÷ 4 = 42.

id=95804 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=38 | option_b=32 | option_c=24 | option_d=31 | answer=D | explanation=The common difference is 7. Therefore the next term is 24 + 7 = 31.

id=95805 | topic=Percentages | difficulty=Easy | question=What is 10% of 1954? | option_a=390 | option_b=175 | option_c=195 | option_d=215 | answer=C | explanation=10% of 1954 = (10/100) × 1954 = 195.

id=95806 | topic=Averages | difficulty=Easy | question=Find the average of 77, 25, 82, 86, 52, 30, 29, 52, 12, 75. | option_a=54 | option_b=53 | option_c=51 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 520 ÷ 10 = 52.

id=95807 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3936. If it is sold at a profit of 15%, what is its selling price? | option_a=4526 | option_b=4133 | option_c=3951 | option_d=4919 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3936 × 115/100 = █4526.

id=95808 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=P | option_c=R | option_d=T | answer=D | explanation=Move 2 positions forward from R; the resulting letter is T.

id=95809 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=53 | option_b=37 | option_c=46 | option_d=45 | answer=D | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=95810 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 30. | option_a=120 | option_b=60 | option_c=30 | option_d=64 | answer=B | explanation=LCM × HCF = 4×30; HCF(4,30) = 2, so LCM = 60.

id=95811 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 25. | option_a=625 | option_b=1 | option_c=25 | option_d=50 | answer=C | explanation=LCM × HCF = 25×25; HCF(25,25) = 25, so LCM = 25.

id=95812 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 25? | option_a=25 | option_b=5 | option_c=17 | option_d=11 | answer=A | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 25 is the odd one out.

id=95813 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4322. If it is sold at a profit of 5%, what is its selling price? | option_a=4538 | option_b=4327 | option_c=4106 | option_d=4970 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4322 × 105/100 = █4538.

id=95814 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45801 at 5% per annum for 5 years. | option_a=11350 | option_b=11550 | option_c=57251 | option_d=11450 | answer=D | explanation=SI = PRT/100 = 45801×5×5/100 = █11450.

id=95815 | topic=Averages | difficulty=Easy | question=Find the average of 46, 26, 52, 99, 37, 16, 66. | option_a=48 | option_b=46 | option_c=47 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = 368 ÷ 8 = 46.

id=95816 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=40 | option_d=15 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=95817 | topic=Percentages | difficulty=Easy | question=What is 12% of 664? | option_a=59 | option_b=158 | option_c=79 | option_d=99 | answer=C | explanation=12% of 664 = (12/100) × 664 = 79.

id=95818 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=B | option_b=F | option_c=J | option_d=N | answer=C | explanation=Move 4 positions forward from F; the resulting letter is J.

id=95819 | topic=Averages | difficulty=Easy | question=Find the average of 71, 10, 45, 71, 90, 60, 73. | option_a=60 | option_b=61 | option_c=59 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 420 ÷ 7 = 60.

id=95820 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 95,821-95,850 of 100,000

id=95821 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 33? | option_a=27 | option_b=22 | option_c=17 | option_d=33 | answer=D | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 33 is the odd one out.

id=95822 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 20. | option_a=60 | option_b=75 | option_c=300 | option_d=40 | answer=A | explanation= $LCM \times HCF = 15 \times 20$; $HCF(15,20) = 5$, so $LCM = 60$.

id=95823 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 16, 23, 33? | option_a=16 | option_b=23 | option_c=33 | option_d=9 | answer=C | explanation=The first three numbers increase by 7, so the next should be 30. Therefore 33 is the odd one out.

id=95824 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=E | option_b=K | option_c=G | option_d=I | answer=D | explanation=Move 2 positions forward from G; the resulting letter is I.

id=95825 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1911. If it is sold at a profit of 50%, what is its selling price? | option_a=3057 | option_b=2675 | option_c=2866 | option_d=1961 | answer=C | explanation= $Selling\ price = CP \times (100 + profit\%)/100 = 1911 \times 150/100 = \text{■}2866$.

id=95826 | topic=Percentages | difficulty=Easy | question=What is 12% of 781? | option_a=186 | option_b=98 | option_c=93 | option_d=83 | answer=C | explanation= $12\% \text{ of } 781 = (12/100) \times 781 = 93$.

id=95827 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2565. If it is sold at a profit of 40%, what is its selling price? | option_a=3847 | option_b=3591 | option_c=3335 | option_d=2605 | answer=B | explanation= $Selling\ price = CP \times (100 + profit\%)/100 = 2565 \times 140/100 = \text{■}3591$.

id=95828 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3476. If it is sold at a profit of 5%, what is its selling price? | option_a=3649 | option_b=3481 | option_c=3996 | option_d=3302 | answer=A | explanation= $Selling\ price = CP \times (100 + profit\%)/100 = 3476 \times 105/100 = \text{■}3649$.

id=95829 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38644 at 6% per annum for 1 years. | option_a=2318 | option_b=2418 | option_c=40962 | option_d=2218 | answer=A | explanation= $SI = PRT/100 = 38644 \times 6 \times 1/100 = \text{■}2318$.

id=95830 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation= $Speed = distance \div time = 120 \div 2 = 60\ km/h$.

id=95831 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=66 | option_b=57 | option_c=46 | option_d=56 | answer=D | explanation=The common difference is 10. Therefore the next term is $46 + 10 = 56$.

id=95832 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=20 | option_d=10 | answer=B | explanation= $Speed = distance \div time = 120 \div 8 = 15\ km/h$.

id=95833 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 14, 17, 22? | option_a=17 | option_b=22 | option_c=14 | option_d=11 | answer=B | explanation=The first three numbers increase by 3, so the next should be 20. Therefore 22 is the odd one out.

id=95834 | topic=Percentages | difficulty=Easy | question=What is 5% of 1376? | option_a=68 | option_b=63 | option_c=78 | option_d=136 | answer=A | explanation= $5\% \text{ of } 1376 = (5/100) \times 1376 = 68$.

id=95835 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**916. If it is sold at a profit of 30%, what is its selling price? | option_a=946 | option_b=1281 | option_c=1190 | option_d=1099 | answer=C | explanation= $Selling\ price = CP \times (100 + profit\%)/100 = 916 \times 130/100 = \text{■}1190$.

id=95836 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 10. | option_a=110 | option_b=132 | option_c=100 | option_d=220 | answer=A | explanation= $LCM \times HCF = 22 \times 10$; $HCF(22,10) = 2$, so $LCM = 110$.

id=95837 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35280 at 6% per annum for 1 years. | option_a=2216 | option_b=37396 | option_c=2016 | option_d=2116 | answer=D | explanation= $SI = PRT/100 = 35280 \times 6 \times 1/100 = \text{■}2116$.

id=95838 | topic=Averages | difficulty=Easy | question=Find the average of 87, 14, 36, 90, 37, 89, 23, 40. | option_a=51 | option_b=54 | option_c=53 | option_d=52 | answer=D | explanation= $Average = sum\ of\ values \div number\ of\ values = 416 \div 8 = 52$.

id=95839 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=360 | option_c=180 | option_d=175 | answer=C | explanation= $Speed = distance \div time = 360 \div 2 = 180\ km/h$.

id=95840 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=35 | option_c=40 | option_d=80 | answer=C | explanation= $Speed = distance \div time = 120 \div 3 = 40\ km/h$.

id=95841 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=49 | option_b=41 | option_c=55 | option_d=48 | answer=D | explanation=The common difference is 7. Therefore the next term is $41 + 7 = 48$.

id=95842 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=360 | option_c=185 | option_d=175 | answer=A | explanation= $Speed = distance \div time = 360 \div 2 = 180\ km/h$.

id=95843 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation= $Speed = distance \div time = 120 \div 2 = 60\ km/h$.

id=95844 | topic=Averages | difficulty=Easy | question=Find the average of 46, 71, 90, 92, 86. | option_a=79 | option_b=77 | option_c=76 | option_d=78 | answer=B | explanation= $Average = sum\ of\ values \div number\ of\ values = 385 \div 5 = 77$.

id=95845 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 13? | option_a=8 | option_b=6 | option_c=4 | option_d=13 | answer=D | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 13 is the odd one out.

id=95846 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 7, 10, 14? | option_a=14 | option_b=10 | option_c=4 | option_d=7 | answer=A | explanation=The first three numbers increase by 3, so the next should be 13. Therefore 14 is the odd one out.

id=95847 | topic=Averages | difficulty=Easy | question=Find the average of 86, 89, 47, 26, 50, 38, 30, 93, 45. | option_a=55 | option_b=56 | option_c=58 | option_d=57 | answer=B | explanation= $Average = sum\ of\ values \div number\ of\ values = 504 \div 9 = 56$.

id=95848 | topic=Percentages | difficulty=Easy | question=What is 15% of 645? | option_a=86 | option_b=192 | option_c=96 | option_d=116 | answer=C | explanation= $15\% \text{ of } 645 = (15/100) \times 645 = 96$.

id=95849 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=150 | option_d=70 | answer=B | explanation= $Speed = distance \div time = 300 \div 4 = 75\ km/h$.

id=95850 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=40 | option_d=45 | answer=C | explanation= $Speed = distance \div time = 120 \div 3 = 40\ km/h$.

Aptitude Questions — Records 95,851-95,880 of 100,000

id=95851 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=H | option_b=E | option_c=K | option_d=B | answer=A | explanation=Move 3 positions forward from E; the resulting letter is H.

id=95852 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:20 and the first is 240, what is the second? | option_a=260 | option_b=220 | option_c=240 | option_d=480 | answer=C | explanation=Scale factor = $240/20 = 12$. Therefore second quantity = $20 \times 12 = 240$.

id=95853 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=69 | option_b=56 | option_c=80 | option_d=68 | answer=D | explanation=The common difference is 12. Therefore the next term is $56 + 12 = 68$.

id=95854 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 25, 34, 44? | option_a=25 | option_b=44 | option_c=16 | option_d=34 | answer=B | explanation=The first three numbers increase by 9, so the next should be 43. Therefore 44 is the odd one out.

id=95855 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=R | option_b=A | option_c=X | option_d=U | answer=C | explanation=Move 3 positions forward from U; the resulting letter is X.

id=95856 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=F | option_b=E | option_c=D | option_d=G | answer=A | explanation=Move 1 positions forward from E; the resulting letter is F.

id=95857 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:4 and the first is 210, what is the second? | option_a=56 | option_b=270 | option_c=74 | option_d=60 | answer=D | explanation=Scale factor = $210/14 = 15$. Therefore second quantity = $4 \times 15 = 60$.

id=95858 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=13 | option_c=23 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = $180 \div 10 = 18$ km/h.

id=95859 | topic=Percentages | difficulty=Easy | question=What is 10% of 1606? | option_a=160 | option_b=320 | option_c=155 | option_d=180 | answer=A | explanation=10% of 1606 = $(10/100) \times 1606 = 160$.

id=95860 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 12, 15, 18, ? | option_a=24 | option_b=21 | option_c=22 | option_d=18 | answer=B | explanation=The common difference is 3. Therefore the next term is $18 + 3 = 21$.

id=95861 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1710. If it is sold at a profit of 5%, what is its selling price? | option_a=1715 | option_b=1624 | option_c=1795 | option_d=1966 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 1710 \times 105/100 = \text{█}1795$.

id=95862 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7290 at 8% per annum for 4 years. | option_a=2432 | option_b=2232 | option_c=9622 | option_d=2332 | answer=D | explanation=SI = $PRT/100 = 7290 \times 8 \times 4/100 = \text{█}2332$.

id=95863 | topic=Percentages | difficulty=Easy | question=What is 20% of 1005? | option_a=196 | option_b=402 | option_c=206 | option_d=201 | answer=D | explanation=20% of 1005 = $(20/100) \times 1005 = 201$.

id=95864 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=54 | option_b=45 | option_c=55 | option_d=63 | answer=A | explanation=The common difference is 9. Therefore the next term is $45 + 9 = 54$.

id=95865 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:10 and the first is 54, what is the second? | option_a=50 | option_b=114 | option_c=60 | option_d=69 | answer=C | explanation=Scale factor = $54/9 = 6$. Therefore second quantity = $10 \times 6 = 60$.

id=95866 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29965 at 6% per annum for 5 years. | option_a=8989 | option_b=8889 | option_c=9089 | option_d=38954 | answer=A | explanation=SI = $PRT/100 = 29965 \times 6 \times 5/100 = \text{█}8989$.

id=95867 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=75 | option_c=80 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = $240 \div 3 = 80$ km/h.

id=95868 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=40 | option_c=25 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = $60 \div 3 = 20$ km/h.

id=95869 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $60 \div 2 = 30$ km/h.

id=95870 | topic=Percentages | difficulty=Easy | question=What is 30% of 103? | option_a=35 | option_b=10 | option_c=30 | option_d=60 | answer=C | explanation=30% of 103 = $(30/100) \times 103 = 30$.

id=95871 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = $180 \div 3 = 60$ km/h.

id=95872 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=G | option_c=Q | option_d=V | answer=C | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=95873 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=G | option_c=K | option_d=S | answer=A | explanation=Move 4 positions forward from K; the resulting letter is O.

id=95874 | topic=Averages | difficulty=Easy | question=Find the average of 88, 52, 59, 68, 99, 30. | option_a=65 | option_b=66 | option_c=68 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = $396 \div 6 = 66$.

id=95875 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3942. If it is sold at a profit of 5%, what is its selling price? | option_a=4533 | option_b=3745 | option_c=4139 | option_d=3947 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 3942 \times 105/100 = \text{█}4139$.

id=95876 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3717. If it is sold at a profit of 30%, what is its selling price? | option_a=3747 | option_b=5203 | option_c=4832 | option_d=4461 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 3717 \times 130/100 = \text{█}4832$.

id=95877 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:5 and the first is 20, what is the second? | option_a=20 | option_b=5 | option_c=30 | option_d=10 | answer=D | explanation=Scale factor = $20/10 = 2$. Therefore second quantity = $5 \times 2 = 10$.

id=95878 | topic=Percentages | difficulty=Easy | question=What is 30% of 55? | option_a=32 | option_b=16 | option_c=26 | option_d=6 | answer=B | explanation=30% of 55 = $(30/100) \times 55 = 16$.

id=95879 | topic=Profit & Loss | difficulty=Easy | question=An article costs █572. If it is sold at a profit of 20%, what is its selling price? | option_a=743 | option_b=592 | option_c=686 | option_d=629 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 572 \times 120/100 = \text{█}686$.

id=95880 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 25? | option_a=25 | option_b=21 | option_c=17 | option_d=19 | answer=A | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 25 is the odd one out.

Aptitude Questions — Records 95,881-95,910 of 100,000

id=95881 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:12 and the first is 300, what is the second? | option_a=180 | option_b=480 | option_c=200 | option_d=168 | answer=A | explanation=Scale factor = 300/20 = 15. Therefore second quantity = 12×15 = 180.

id=95882 | topic=Averages | difficulty=Easy | question=Find the average of 16, 55, 25, 11, 26, 23, 40. | option_a=28 | option_b=27 | option_c=29 | option_d=30 | answer=A | explanation=Average = sum of values ÷ number of values = 196 ÷ 7 = 28.

id=95883 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34473 at 6% per annum for 1 years. | option_a=1968 | option_b=2068 | option_c=36541 | option_d=2168 | answer=B | explanation=SI = PRT/100 = 34473×6×1/100 = **■**2068.

id=95884 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=18 | option_b=9 | option_c=14 | option_d=4 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=95885 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 12. | option_a=105 | option_b=252 | option_c=84 | option_d=72 | answer=C | explanation=LCM × HCF = 21×12; HCF(21,12) = 3, so LCM = 84.

id=95886 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ? | option_a=16 | option_b=15 | option_c=12 | option_d=14 | answer=D | explanation=The common difference is 2. Therefore the next term is 12 + 2 = 14.

id=95887 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 29? | option_a=12 | option_b=20 | option_c=29 | option_d=4 | answer=C | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 29 is the odd one out.

id=95888 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1039. If it is sold at a profit of 50%, what is its selling price? | option_a=1661 | option_b=1558 | option_c=1089 | option_d=1455 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1039 × 150/100 = **■**1558.

id=95889 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=34 | option_b=43 | option_c=44 | option_d=52 | answer=B | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

id=95890 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=E | option_c=G | option_d=A | answer=B | explanation=Move 2 positions forward from C; the resulting letter is E.

id=95891 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=24 | option_c=17 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=95892 | topic=Percentages | difficulty=Easy | question=What is 5% of 1344? | option_a=67 | option_b=77 | option_c=57 | option_d=134 | answer=A | explanation=5% of 1344 = (5/100) × 1344 = 67.

id=95893 | topic=Averages | difficulty=Easy | question=Find the average of 14, 33, 22, 36, 18, 38, 71, 70, 16, 102. | option_a=43 | option_b=42 | option_c=44 | option_d=41 | answer=B | explanation=Average = sum of values ÷ number of values = 420 ÷ 10 = 42.

id=95894 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 19, 22, 25, ? | option_a=28 | option_b=29 | option_c=25 | option_d=31 | answer=A | explanation=The common difference is 3. Therefore the next term is 25 + 3 = 28.

id=95895 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 14. | option_a=336 | option_b=168 | option_c=154 | option_d=192 | answer=B | explanation=LCM × HCF = 24×14; HCF(24,14) = 2, so LCM = 168.

id=95896 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=155 | option_c=150 | option_d=145 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=95897 | topic=Averages | difficulty=Easy | question=Find the average of 45, 92, 17, 97, 88, 12, 81, 41, 67, 90. | option_a=63 | option_b=62 | option_c=65 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = 630 ÷ 10 = 63.

id=95898 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29940 at 10% per annum for 3 years. | option_a=8982 | option_b=9082 | option_c=8882 | option_d=38922 | answer=A | explanation=SI = PRT/100 = 29940×10×3/100 = **■**8982.

id=95899 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26661 at 10% per annum for 4 years. | option_a=10664 | option_b=10564 | option_c=37325 | option_d=10764 | answer=A | explanation=SI = PRT/100 = 26661×10×4/100 = **■**10664.

id=95900 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37387 at 15% per annum for 5 years. | option_a=28140 | option_b=27940 | option_c=65427 | option_d=28040 | answer=D | explanation=SI = PRT/100 = 37387×15×5/100 = **■**28040.

id=95901 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23215 at 12% per annum for 3 years. | option_a=31572 | option_b=8457 | option_c=8257 | option_d=8357 | answer=D | explanation=SI = PRT/100 = 23215×12×3/100 = **■**8357.

id=95902 | topic=Averages | difficulty=Easy | question=Find the average of 52, 99, 80, 24, 49, 58, 49, 34, 90, 105. | option_a=63 | option_b=65 | option_c=66 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 640 ÷ 10 = 64.

id=95903 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 11, 19, 29? | option_a=29 | option_b=19 | option_c=3 | option_d=11 | answer=A | explanation=The first three numbers increase by 8, so the next should be 27. Therefore 29 is the odd one out.

id=95904 | topic=Averages | difficulty=Easy | question=Find the average of 45, 79, 73, 51, 12. | option_a=52 | option_b=53 | option_c=54 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 260 ÷ 5 = 52.

id=95905 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=44 | option_b=36 | option_c=28 | option_d=37 | answer=B | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=95906 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=95907 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=27 | option_b=32 | option_c=37 | option_d=33 | answer=B | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

id=95908 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**49606 at 4% per annum for 2 years. | option_a=4068 | option_b=3868 | option_c=53574 | option_d=3968 | answer=D | explanation=SI = PRT/100 = 49606×4×2/100 = **■**3968.

id=95909 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 43? | option_a=43 | option_b=30 | option_c=34 | option_d=38 | answer=A | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 43 is the odd one out.

id=95910 | topic=Averages | difficulty=Easy | question=Find the average of 20, 30, 44, 27, 60, 55, 93. | option_a=49 | option_b=48 | option_c=47 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 329 ÷ 7 = 47.

Aptitude Questions — Records 95,911-95,940 of 100,000

id=95911 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=25 | option_b=17 | option_c=21 | option_d=22 | answer=C | explanation=The common difference is 4. Therefore the next term is 17 + 4 = 21.

id=95912 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:5 and the first is 121, what is the second? | option_a=50 | option_b=55 | option_c=66 | option_d=176 | answer=B | explanation=Scale factor = 121/11 = 11. Therefore second quantity = 5×11 = 55.

id=95913 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=95914 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48739 at 12% per annum for 5 years. | option_a=29243 | option_b=29343 | option_c=77982 | option_d=29143 | answer=A | explanation=SI = PRT/100 = 48739×12×5/100 = **■**29243.

id=95915 | topic=Percentages | difficulty=Easy | question=What is 12% of 54? | option_a=6 | option_b=12 | option_c=1 | option_d=11 | answer=A | explanation=12% of 54 = (12/100) × 54 = 6.

id=95916 | topic=Percentages | difficulty=Easy | question=What is 20% of 1053? | option_a=220 | option_b=190 | option_c=210 | option_d=420 | answer=C | explanation=20% of 1053 = (20/100) × 1053 = 210.

id=95917 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4082. If it is sold at a profit of 20%, what is its selling price? | option_a=4490 | option_b=4102 | option_c=4898 | option_d=5306 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4082 × 120/100 = **■**4898.

id=95918 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3435. If it is sold at a profit of 10%, what is its selling price? | option_a=4121 | option_b=3778 | option_c=3445 | option_d=3435 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3435 × 110/100 = **■**3778.

id=95919 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=Y | option_c=C | option_d=Q | answer=B | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=95920 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 49? | option_a=37 | option_b=49 | option_c=19 | option_d=28 | answer=B | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 49 is the odd one out.

id=95921 | topic=Percentages | difficulty=Easy | question=What is 25% of 197? | option_a=49 | option_b=29 | option_c=69 | option_d=98 | answer=A | explanation=25% of 197 = (25/100) × 197 = 49.

id=95922 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4626. If it is sold at a profit of 30%, what is its selling price? | option_a=5551 | option_b=4656 | option_c=6475 | option_d=6013 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4626 × 130/100 = **■**6013.

id=95923 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=18 | option_c=23 | option_d=13 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=95924 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11915 at 5% per annum for 2 years. | option_a=1191 | option_b=1091 | option_c=13106 | option_d=1291 | answer=A | explanation=SI = PRT/100 = 11915×5×2/100 = **■**1191.

id=95925 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 24. | option_a=189 | option_b=504 | option_c=144 | option_d=168 | answer=D | explanation=LCM × HCF = 21×24; HCF(21,24) = 3, so LCM = 168.

id=95926 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=95927 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:20 and the first is 143, what is the second? | option_a=363 | option_b=233 | option_c=200 | option_d=220 | answer=D | explanation=Scale factor = 143/13 = 11. Therefore second quantity = 20×11 = 220.

id=95928 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:18 and the first is 126, what is the second? | option_a=331 | option_b=306 | option_c=450 | option_d=324 | answer=D | explanation=Scale factor = 126/7 = 18. Therefore second quantity = 18×18 = 324.

id=95929 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1979. If it is sold at a profit of 20%, what is its selling price? | option_a=1999 | option_b=2177 | option_c=2374 | option_d=2571 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1979 × 120/100 = **■**2374.

id=95930 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=95931 | topic=Averages | difficulty=Easy | question=Find the average of 62, 29, 48, 33. | option_a=42 | option_b=44 | option_c=43 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = 172 ÷ 4 = 43.

id=95932 | topic=Percentages | difficulty=Easy | question=What is 12% of 837? | option_a=200 | option_b=105 | option_c=100 | option_d=95 | answer=C | explanation=12% of 837 = (12/100) × 837 = 100.

id=95933 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6222 at 5% per annum for 1 years. | option_a=211 | option_b=311 | option_c=411 | option_d=6533 | answer=B | explanation=SI = PRT/100 = 6222×5×1/100 = **■**311.

id=95934 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=95935 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=O | option_b=Z | option_c=J | option_d=E | answer=C | explanation=Move 5 positions forward from E; the resulting letter is J.

id=95936 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1355. If it is sold at a profit of 5%, what is its selling price? | option_a=1557 | option_b=1360 | option_c=1287 | option_d=1422 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1355 × 105/100 = **■**1422.

id=95937 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=95938 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=55 | option_b=65 | option_c=54 | option_d=43 | answer=C | explanation=The common difference is 11. Therefore the next term is 43 + 11 = 54.

id=95939 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=95940 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1174. If it is sold at a profit of 5%, what is its selling price? | option_a=1349 | option_b=1179 | option_c=1115 | option_d=1232 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1174 × 105/100 = **■**1232.

Aptitude Questions — Records 95,941-95,970 of 100,000

id=95941 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 18, 25, 33? | option_a=18 | option_b=33 | option_c=25 | option_d=11 | answer=B | explanation=The first three numbers increase by 7, so the next should be 32. Therefore 33 is the odd one out.

id=95942 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11312 at 15% per annum for 5 years. | option_a=19796 | option_b=8484 | option_c=8384 | option_d=8584 | answer=B | explanation=SI = $PRT/100 = 11312 \times 15 \times 5/100 = \text{■}8484$.

id=95943 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 18, 22, 29? | option_a=18 | option_b=29 | option_c=22 | option_d=14 | answer=B | explanation=The first three numbers increase by 4, so the next should be 26. Therefore 29 is the odd one out.

id=95944 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 23, 30, 38? | option_a=16 | option_b=38 | option_c=23 | option_d=30 | answer=B | explanation=The first three numbers increase by 7, so the next should be 37. Therefore 38 is the odd one out.

id=95945 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 44? | option_a=37 | option_b=25 | option_c=44 | option_d=31 | answer=C | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 44 is the odd one out.

id=95946 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:10 and the first is 255, what is the second? | option_a=167 | option_b=140 | option_c=405 | option_d=150 | answer=D | explanation=Scale factor = $255/17 = 15$. Therefore second quantity = $10 \times 15 = 150$.

id=95947 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=95948 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=26 | option_b=18 | option_c=22 | option_d=23 | answer=C | explanation=The common difference is 4. Therefore the next term is $18 + 4 = 22$.

id=95949 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3932. If it is sold at a profit of 10%, what is its selling price? | option_a=4718 | option_b=3942 | option_c=4325 | option_d=3932 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3932 \times 110/100 = \text{■}4325$.

id=95950 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1515. If it is sold at a profit of 40%, what is its selling price? | option_a=1970 | option_b=1555 | option_c=2121 | option_d=2272 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1515 \times 140/100 = \text{■}2121$.

id=95951 | topic=Averages | difficulty=Easy | question=Find the average of 29, 38, 15, 65, 20, 40, 45. | option_a=35 | option_b=36 | option_c=37 | option_d=38 | answer=B | explanation=Average = sum of values ÷ number of values = $252 \div 7 = 36$.

id=95952 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:11 and the first is 220, what is the second? | option_a=341 | option_b=110 | option_c=141 | option_d=121 | answer=D | explanation=Scale factor = $220/20 = 11$. Therefore second quantity = $11 \times 11 = 121$.

id=95953 | topic=Percentages | difficulty=Easy | question=What is 10% of 1475? | option_a=294 | option_b=147 | option_c=137 | option_d=152 | answer=B | explanation=10% of 1475 = $(10/100) \times 1475 = 147$.

id=95954 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 35, 42, 51? | option_a=51 | option_b=35 | option_c=28 | option_d=42 | answer=A | explanation=The first three numbers increase by 7, so the next should be 49. Therefore 51 is the odd one out.

id=95955 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2352. If it is sold at a profit of 30%, what is its selling price? | option_a=2382 | option_b=3292 | option_c=2822 | option_d=3057 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2352 \times 130/100 = \text{■}3057$.

id=95956 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29699 at 8% per annum for 2 years. | option_a=34450 | option_b=4651 | option_c=4751 | option_d=4851 | answer=C | explanation=SI = $PRT/100 = 29699 \times 8 \times 2/100 = \text{■}4751$.

id=95957 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2294 at 4% per annum for 3 years. | option_a=375 | option_b=275 | option_c=2569 | option_d=175 | answer=B | explanation=SI = $PRT/100 = 2294 \times 4 \times 3/100 = \text{■}275$.

id=95958 | topic=Averages | difficulty=Easy | question=Find the average of 85, 56, 92, 39. | option_a=70 | option_b=69 | option_c=68 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = $272 \div 4 = 68$.

id=95959 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3934. If it is sold at a profit of 40%, what is its selling price? | option_a=5114 | option_b=5900 | option_c=3974 | option_d=5507 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3934 \times 140/100 = \text{■}5507$.

id=95960 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:5 and the first is 98, what is the second? | option_a=133 | option_b=49 | option_c=30 | option_d=35 | answer=D | explanation=Scale factor = $98/14 = 7$. Therefore second quantity = $5 \times 7 = 35$.

id=95961 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:8 and the first is 35, what is the second? | option_a=56 | option_b=48 | option_c=91 | option_d=61 | answer=A | explanation=Scale factor = $35/5 = 7$. Therefore second quantity = $8 \times 7 = 56$.

id=95962 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 32, 35, 40? | option_a=40 | option_b=32 | option_c=29 | option_d=35 | answer=A | explanation=The first three numbers increase by 3, so the next should be 38. Therefore 40 is the odd one out.

id=95963 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1274. If it is sold at a profit of 50%, what is its selling price? | option_a=2038 | option_b=1324 | option_c=1784 | option_d=1911 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1274 \times 150/100 = \text{■}1911$.

id=95964 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10910 at 15% per annum for 2 years. | option_a=14183 | option_b=3173 | option_c=3373 | option_d=3273 | answer=D | explanation=SI = $PRT/100 = 10910 \times 15 \times 2/100 = \text{■}3273$.

id=95965 | topic=Percentages | difficulty=Easy | question=What is 10% of 1769? | option_a=176 | option_b=156 | option_c=186 | option_d=352 | answer=A | explanation=10% of 1769 = $(10/100) \times 1769 = 176$.

id=95966 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:12 and the first is 200, what is the second? | option_a=240 | option_b=228 | option_c=440 | option_d=250 | answer=A | explanation=Scale factor = $200/10 = 20$. Therefore second quantity = $12 \times 20 = 240$.

id=95967 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=144 | option_c=72 | option_d=77 | answer=C | explanation=Speed = distance ÷ time = $360 \div 5 = 72$ km/h.

id=95968 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=E | option_b=U | option_c=P | option_d=Z | answer=D | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=95969 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17065 at 4% per annum for 2 years. | option_a=1465 | option_b=1365 | option_c=18430 | option_d=1265 | answer=B | explanation=SI = $PRT/100 = 17065 \times 4 \times 2/100 = \text{■}1365$.

id=95970 | topic=Percentages | difficulty=Easy | question=What is 50% of 531? | option_a=245 | option_b=265 | option_c=275 | option_d=530 | answer=B | explanation=50% of 531 = $(50/100) \times 531 = 265$.

Aptitude Questions — Records 95,971-96,000 of 100,000

id=95971 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 35, 45, 56? | option_a=45 | option_b=56 | option_c=35 | option_d=25 | answer=B | explanation=The first three numbers increase by 10, so the next should be 55. Therefore 56 is the odd one out.

id=95972 | topic=Averages | difficulty=Easy | question=Find the average of 39, 29, 13, 46, 80, 21, 82, 50. | option_a=46 | option_b=45 | option_c=47 | option_d=44 | answer=B | explanation=Average = sum of values ÷ number of values = 360 ÷ 8 = 45.

id=95973 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18843 at 5% per annum for 4 years. | option_a=3768 | option_b=3868 | option_c=3668 | option_d=22611 | answer=A | explanation=Si = PRT/100 = 18843×5×4/100 = █3768.

id=95974 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1902. If it is sold at a profit of 40%, what is its selling price? | option_a=2662 | option_b=2472 | option_c=2852 | option_d=1942 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1902 × 140/100 = █2662.

id=95975 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 16, 26, 36, ? | option_a=46 | option_b=36 | option_c=56 | option_d=47 | answer=A | explanation=The common difference is 10. Therefore the next term is 36 + 10 = 46.

id=95976 | topic=Profit & Loss | difficulty=Easy | question=An article costs █461. If it is sold at a profit of 30%, what is its selling price? | option_a=553 | option_b=645 | option_c=491 | option_d=599 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 461 × 130/100 = █599.

id=95977 | topic=Percentages | difficulty=Easy | question=What is 20% of 1993? | option_a=398 | option_b=388 | option_c=418 | option_d=796 | answer=A | explanation=20% of 1993 = (20/100) × 1993 = 398.

id=95978 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=95979 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2551. If it is sold at a profit of 20%, what is its selling price? | option_a=3316 | option_b=3061 | option_c=2571 | option_d=2806 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2551 × 120/100 = █3061.

id=95980 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3197. If it is sold at a profit of 15%, what is its selling price? | option_a=3357 | option_b=3676 | option_c=3212 | option_d=3995 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3197 × 115/100 = █3676.

id=95981 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:18 and the first is 4, what is the second? | option_a=36 | option_b=18 | option_c=38 | option_d=40 | answer=A | explanation=Scale factor = 4/2 = 2. Therefore second quantity = 18×2 = 36.

id=95982 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=70 | option_b=80 | option_c=75 | option_d=150 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=95983 | topic=Averages | difficulty=Easy | question=Find the average of 81, 31, 62. | option_a=59 | option_b=58 | option_c=60 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 174 ÷ 3 = 58.

id=95984 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 52? | option_a=33 | option_b=25 | option_c=41 | option_d=52 | answer=D | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 52 is the odd one out.

id=95985 | topic=Averages | difficulty=Easy | question=Find the average of 47, 20, 44, 81, 86, 38, 21, 24, 44. | option_a=45 | option_b=44 | option_c=47 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 405 ÷ 9 = 45.

id=95986 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=Y | option_b=O | option_c=T | option_d=J | answer=C | explanation=Move 5 positions forward from O; the resulting letter is T.

id=95987 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 29? | option_a=29 | option_b=24 | option_c=16 | option_d=20 | answer=A | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 29 is the odd one out.

id=95988 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 27. | option_a=27 | option_b=30 | option_c=1 | option_d=81 | answer=A | explanation=LCM × HCF = 3×27; HCF(3,27) = 3, so LCM = 27.

id=95989 | topic=Averages | difficulty=Easy | question=Find the average of 94, 59, 89, 65, 49, 58. | option_a=69 | option_b=71 | option_c=70 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = 414 ÷ 6 = 69.

id=95990 | topic=Percentages | difficulty=Easy | question=What is 40% of 727? | option_a=290 | option_b=580 | option_c=280 | option_d=295 | answer=A | explanation=40% of 727 = (40/100) × 727 = 290.

id=95991 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 26, 29, 34? | option_a=34 | option_b=23 | option_c=29 | option_d=26 | answer=A | explanation=The first three numbers increase by 3, so the next should be 32. Therefore 34 is the odd one out.

id=95992 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:4 and the first is 8, what is the second? | option_a=12 | option_b=8 | option_c=16 | option_d=4 | answer=B | explanation=Scale factor = 8/4 = 2. Therefore second quantity = 4×2 = 8.

id=95993 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=M | option_b=E | option_c=A | option_d=I | answer=D | explanation=Move 4 positions forward from E; the resulting letter is I.

id=95994 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4892. If it is sold at a profit of 40%, what is its selling price? | option_a=6359 | option_b=6848 | option_c=4932 | option_d=7337 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4892 × 140/100 = █6848.

id=95995 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 34, 39, 45? | option_a=29 | option_b=34 | option_c=39 | option_d=45 | answer=D | explanation=The first three numbers increase by 5, so the next should be 44. Therefore 45 is the odd one out.

id=95996 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=N | option_b=L | option_c=P | option_d=J | answer=A | explanation=Move 2 positions forward from L; the resulting letter is N.

id=95997 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4107. If it is sold at a profit of 40%, what is its selling price? | option_a=6159 | option_b=4147 | option_c=5339 | option_d=5749 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4107 × 140/100 = █5749.

id=95998 | topic=Percentages | difficulty=Easy | question=What is 10% of 1878? | option_a=187 | option_b=374 | option_c=182 | option_d=207 | answer=A | explanation=10% of 1878 = (10/100) × 1878 = 187.

id=95999 | topic=Percentages | difficulty=Easy | question=What is 15% of 322? | option_a=96 | option_b=48 | option_c=38 | option_d=68 | answer=B | explanation=15% of 322 = (15/100) × 322 = 48.

id=96000 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 96,001-96,030 of 100,000

id=96001 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 19, 28, 39? | option_a=10 | option_b=19 | option_c=39 | option_d=28 | answer=C | explanation=The first three numbers increase by 9, so the next should be 37. Therefore 39 is the odd one out.

id=96002 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10071 at 12% per annum for 1 years. | option_a=1308 | option_b=11279 | option_c=1108 | option_d=1208 | answer=D | explanation=SI = PRT/100 = 10071×12×1/100 = **■**1208.

id=96003 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 29? | option_a=29 | option_b=24 | option_c=18 | option_d=21 | answer=A | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 29 is the odd one out.

id=96004 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=95 | option_c=200 | option_d=105 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=96005 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2955. If it is sold at a profit of 20%, what is its selling price? | option_a=2975 | option_b=3841 | option_c=3251 | option_d=3546 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2955 × 120/100 = **■**3546.

id=96006 | topic=Averages | difficulty=Easy | question=Find the average of 16, 65, 71, 69, 16, 45. | option_a=46 | option_b=48 | option_c=47 | option_d=49 | answer=C | explanation=Average = sum of values ÷ number of values = 282 ÷ 6 = 47.

id=96007 | topic=Averages | difficulty=Easy | question=Find the average of 37, 74, 78, 26, 71, 47, 80, 91. | option_a=65 | option_b=63 | option_c=62 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 504 ÷ 8 = 63.

id=96008 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=185 | option_c=175 | option_d=360 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=96009 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:11 and the first is 75, what is the second? | option_a=130 | option_b=55 | option_c=44 | option_d=70 | answer=B | explanation=Scale factor = 75/15 = 5. Therefore second quantity = 11×5 = 55.

id=96010 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38127 at 5% per annum for 5 years. | option_a=9631 | option_b=9531 | option_c=9431 | option_d=47658 | answer=B | explanation=SI = PRT/100 = 38127×5×5/100 = **■**9531.

id=96011 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 24, 27, 32? | option_a=21 | option_b=27 | option_c=24 | option_d=32 | answer=D | explanation=The first three numbers increase by 3, so the next should be 30. Therefore 32 is the odd one out.

id=96012 | topic=Averages | difficulty=Easy | question=Find the average of 65, 12, 55. | option_a=45 | option_b=46 | option_c=43 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = 132 ÷ 3 = 44.

id=96013 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2814. If it is sold at a profit of 15%, what is its selling price? | option_a=3236 | option_b=3517 | option_c=2955 | option_d=2829 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2814 × 115/100 = **■**3236.

id=96014 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 43? | option_a=17 | option_b=25 | option_c=43 | option_d=33 | answer=C | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 43 is the odd one out.

id=96015 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19005 at 4% per annum for 2 years. | option_a=20525 | option_b=1520 | option_c=1420 | option_d=1620 | answer=B | explanation=SI = PRT/100 = 19005×4×2/100 = **■**1520.

id=96016 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=40 | option_c=45 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=96017 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**478. If it is sold at a profit of 40%, what is its selling price? | option_a=716 | option_b=518 | option_c=669 | option_d=622 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 478 × 140/100 = **■**669.

id=96018 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4677. If it is sold at a profit of 20%, what is its selling price? | option_a=4697 | option_b=6079 | option_c=5145 | option_d=5612 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4677 × 120/100 = **■**5612.

id=96019 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:7 and the first is 49, what is the second? | option_a=56 | option_b=42 | option_c=49 | option_d=98 | answer=C | explanation=Scale factor = 49/7 = 7. Therefore second quantity = 7×7 = 49.

id=96020 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 12, 21, 30, ? | option_a=48 | option_b=40 | option_c=39 | option_d=30 | answer=C | explanation=The common difference is 9. Therefore the next term is 30 + 9 = 39.

id=96021 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=K | option_c=O | option_d=I | answer=A | explanation=Move 2 positions forward from K; the resulting letter is M.

id=96022 | topic=Percentages | difficulty=Easy | question=What is 40% of 1632? | option_a=672 | option_b=652 | option_c=1304 | option_d=632 | answer=B | explanation=40% of 1632 = (40/100) × 1632 = 652.

id=96023 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=12 | option_c=17 | option_d=7 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=96024 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=96025 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 37? | option_a=32 | option_b=37 | option_c=26 | option_d=29 | answer=B | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 37 is the odd one out.

id=96026 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1494. If it is sold at a profit of 15%, what is its selling price? | option_a=1867 | option_b=1718 | option_c=1569 | option_d=1509 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1494 × 115/100 = **■**1718.

id=96027 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 24, 26, 31? | option_a=24 | option_b=31 | option_c=26 | option_d=22 | answer=B | explanation=The first three numbers increase by 2, so the next should be 28. Therefore 31 is the odd one out.

id=96028 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13235 at 6% per annum for 1 years. | option_a=794 | option_b=694 | option_c=14029 | option_d=894 | answer=A | explanation=SI = PRT/100 = 13235×6×1/100 = **■**794.

id=96029 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 34? | option_a=16 | option_b=8 | option_c=34 | option_d=24 | answer=C | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 34 is the odd one out.

id=96030 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**164. If it is sold at a profit of 40%, what is its selling price? | option_a=245 | option_b=213 | option_c=229 | option_d=204 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 164 × 140/100 = **■**229.

Aptitude Questions — Records 96,031-96,060 of 100,000

- id=96031 | topic=Averages | difficulty=Easy | question=Find the average of 98, 14, 100, 60, 51, 15, 60, 56, 16, 40. | option_a=50 | option_b=51 | option_c=53 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.
- id=96032 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 30, 33, 38? | option_a=33 | option_b=38 | option_c=27 | option_d=30 | answer=B | explanation=The first three numbers increase by 3, so the next should be 36. Therefore 38 is the odd one out.
- id=96033 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40955 at 10% per annum for 5 years. | option_a=20577 | option_b=20477 | option_c=61432 | option_d=20377 | answer=B | explanation=SI = $PRT/100 = 40955 \times 10 \times 5/100 =$ **■**20477.
- id=96034 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46566 at 6% per annum for 2 years. | option_a=5487 | option_b=52153 | option_c=5587 | option_d=5687 | answer=C | explanation=SI = $PRT/100 = 46566 \times 6 \times 2/100 =$ **■**5587.
- id=96035 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27047 at 5% per annum for 3 years. | option_a=31104 | option_b=4057 | option_c=3957 | option_d=4157 | answer=B | explanation=SI = $PRT/100 = 27047 \times 5 \times 3/100 =$ **■**4057.
- id=96036 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9984 at 4% per annum for 3 years. | option_a=1298 | option_b=11182 | option_c=1098 | option_d=1198 | answer=D | explanation=SI = $PRT/100 = 9984 \times 4 \times 3/100 =$ **■**1198.
- id=96037 | topic=Averages | difficulty=Easy | question=Find the average of 76, 43, 50, 17, 79. | option_a=54 | option_b=53 | option_c=55 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 265 ÷ 5 = 53.
- id=96038 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4657. If it is sold at a profit of 20%, what is its selling price? | option_a=6053 | option_b=5588 | option_c=4677 | option_d=5123 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4657 \times 120/100 =$ **■**5588.
- id=96039 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5953 at 4% per annum for 5 years. | option_a=1290 | option_b=1190 | option_c=7143 | option_d=1090 | answer=B | explanation=SI = $PRT/100 = 5953 \times 4 \times 5/100 =$ **■**1190.
- id=96040 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=62 | option_b=63 | option_c=50 | option_d=74 | answer=A | explanation=The common difference is 12. Therefore the next term is 50 + 12 = 62.
- id=96041 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3182. If it is sold at a profit of 20%, what is its selling price? | option_a=4136 | option_b=3500 | option_c=3818 | option_d=3202 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3182 \times 120/100 =$ **■**3818.
- id=96042 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 25, 35, 47? | option_a=25 | option_b=15 | option_c=35 | option_d=47 | answer=D | explanation=The first three numbers increase by 10, so the next should be 45. Therefore 47 is the odd one out.
- id=96043 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.
- id=96044 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 34, 42, 53? | option_a=34 | option_b=26 | option_c=42 | option_d=53 | answer=D | explanation=The first three numbers increase by 8, so the next should be 50. Therefore 53 is the odd one out.
- id=96045 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 6, 9, 12, ? | option_a=18 | option_b=15 | option_c=12 | option_d=16 | answer=B | explanation=The common difference is 3. Therefore the next term is 12 + 3 = 15.
- id=96046 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:9 and the first is 104, what is the second? | option_a=125 | option_b=221 | option_c=108 | option_d=117 | answer=D | explanation=Scale factor = 104/8 = 13. Therefore second quantity = 9×13 = 117.
- id=96047 | topic=Percentages | difficulty=Easy | question=What is 30% of 1846? | option_a=1106 | option_b=548 | option_c=563 | option_d=553 | answer=D | explanation=30% of 1846 = (30/100) × 1846 = 553.
- id=96048 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.
- id=96049 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 29, 37, 46? | option_a=29 | option_b=46 | option_c=21 | option_d=37 | answer=B | explanation=The first three numbers increase by 8, so the next should be 45. Therefore 46 is the odd one out.
- id=96050 | topic=Averages | difficulty=Easy | question=Find the average of 56, 71, 74, 34, 60. | option_a=59 | option_b=60 | option_c=61 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 295 ÷ 5 = 59.
- id=96051 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:4 and the first is 208, what is the second? | option_a=52 | option_b=68 | option_c=260 | option_d=48 | answer=A | explanation=Scale factor = 208/16 = 13. Therefore second quantity = 4×13 = 52.
- id=96052 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 21, 23, 28? | option_a=19 | option_b=21 | option_c=23 | option_d=28 | answer=D | explanation=The first three numbers increase by 2, so the next should be 25. Therefore 28 is the odd one out.
- id=96053 | topic=Percentages | difficulty=Easy | question=What is 12% of 1839? | option_a=220 | option_b=440 | option_c=200 | option_d=230 | answer=A | explanation=12% of 1839 = (12/100) × 1839 = 220.
- id=96054 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 8. | option_a=1 | option_b=10 | option_c=16 | option_d=8 | answer=D | explanation=LCM × HCF = 2×8; HCF(2,8) = 2, so LCM = 8.
- id=96055 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 14. | option_a=240 | option_b=210 | option_c=420 | option_d=196 | answer=B | explanation=LCM × HCF = 30×14; HCF(30,14) = 2, so LCM = 210.
- id=96056 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=38 | option_b=56 | option_c=48 | option_d=47 | answer=D | explanation=The common difference is 9. Therefore the next term is 38 + 9 = 47.
- id=96057 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=J | option_b=T | option_c=O | option_d=Y | answer=B | explanation=Move 5 positions forward from O; the resulting letter is T.
- id=96058 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.
- id=96059 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:11 and the first is 96, what is the second? | option_a=77 | option_b=184 | option_c=88 | option_d=100 | answer=C | explanation=Scale factor = 96/12 = 8. Therefore second quantity = 11×8 = 88.
- id=96060 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 96,061-96,090 of 100,000

id=96061 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=12 | option_b=10 | option_c=14 | option_d=13 | answer=A | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.

id=96062 | topic=Percentages | difficulty=Easy | question=What is 5% of 1560? | option_a=88 | option_b=78 | option_c=68 | option_d=156 | answer=B | explanation=5% of 1560 = (5/100) × 1560 = 78.

id=96063 | topic=Averages | difficulty=Easy | question=Find the average of 86, 35, 32, 45, 92, 36, 66. | option_a=57 | option_b=58 | option_c=55 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 392 ÷ 7 = 56.

id=96064 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=150 | option_d=70 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=96065 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=A | option_b=V | option_c=L | option_d=Q | answer=B | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=96066 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=O | option_b=J | option_c=T | option_d=E | answer=A | explanation=Move 5 positions forward from J; the resulting letter is O.

id=96067 | topic=Percentages | difficulty=Easy | question=What is 20% of 74? | option_a=0 | option_b=14 | option_c=28 | option_d=34 | answer=B | explanation=20% of 74 = (20/100) × 74 = 14.

id=96068 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 23, 31, 41? | option_a=23 | option_b=41 | option_c=31 | option_d=15 | answer=B | explanation=The first three numbers increase by 8, so the next should be 39. Therefore 41 is the odd one out.

id=96069 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=39 | option_b=27 | option_c=33 | option_d=34 | answer=C | explanation=The common difference is 6. Therefore the next term is 27 + 6 = 33.

id=96070 | topic=Averages | difficulty=Easy | question=Find the average of 45, 85, 26. | option_a=53 | option_b=54 | option_c=52 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = 156 ÷ 3 = 52.

id=96071 | topic=Percentages | difficulty=Easy | question=What is 30% of 744? | option_a=223 | option_b=243 | option_c=213 | option_d=446 | answer=A | explanation=30% of 744 = (30/100) × 744 = 223.

id=96072 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:2 and the first is 270, what is the second? | option_a=30 | option_b=300 | option_c=48 | option_d=28 | answer=A | explanation=Scale factor = 270/18 = 15. Therefore second quantity = 2×15 = 30.

id=96073 | topic=Averages | difficulty=Easy | question=Find the average of 15, 19, 54, 70, 73, 33. | option_a=46 | option_b=43 | option_c=44 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = 264 ÷ 6 = 44.

id=96074 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=42 | option_b=43 | option_c=35 | option_d=49 | answer=A | explanation=The common difference is 7. Therefore the next term is 35 + 7 = 42.

id=96075 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=30 | option_b=31 | option_c=36 | option_d=24 | answer=A | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.

id=96076 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=46 | option_b=37 | option_c=55 | option_d=47 | answer=A | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=96077 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=96078 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=R | option_b=T | option_c=S | option_d=U | answer=B | explanation=Move 1 positions forward from S; the resulting letter is T.

id=96079 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**28303 at 12% per annum for 5 years. | option_a=16881 | option_b=17081 | option_c=45284 | option_d=16981 | answer=D | explanation=SI = PRT/100 = 28303×12×5/100 = **₹**16981.

id=96080 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**11190 at 12% per annum for 3 years. | option_a=4128 | option_b=15218 | option_c=4028 | option_d=3928 | answer=C | explanation=SI = PRT/100 = 11190×12×3/100 = **₹**4028.

id=96081 | topic=Percentages | difficulty=Easy | question=What is 20% of 179? | option_a=15 | option_b=55 | option_c=35 | option_d=70 | answer=C | explanation=20% of 179 = (20/100) × 179 = 35.

id=96082 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=90 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=96083 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:6 and the first is 120, what is the second? | option_a=48 | option_b=42 | option_c=63 | option_d=168 | answer=A | explanation=Scale factor = 120/15 = 8. Therefore second quantity = 6×8 = 48.

id=96084 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=M | option_b=L | option_c=J | option_d=K | answer=B | explanation=Move 1 positions forward from K; the resulting letter is L.

id=96085 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=L | option_c=R | option_d=P | answer=D | explanation=Move 2 positions forward from N; the resulting letter is P.

id=96086 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=19 | option_b=25 | option_c=24 | option_d=29 | answer=C | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.

id=96087 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 18. | option_a=18 | option_b=24 | option_c=1 | option_d=108 | answer=A | explanation=LCM × HCF = 6×18; HCF(6,18) = 6, so LCM = 18.

id=96088 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=M | option_c=Q | option_d=E | answer=B | explanation=Move 4 positions forward from I; the resulting letter is M.

id=96089 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=8 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=96090 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**10272 at 15% per annum for 3 years. | option_a=4722 | option_b=14894 | option_c=4622 | option_d=4522 | answer=C | explanation=SI = PRT/100 = 10272×15×3/100 = **₹**4622.

Aptitude Questions — Records 96,091-96,120 of 100,000

id=96091 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=72 | option_c=41 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=96092 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=15 | option_d=5 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=96093 | topic=Percentages | difficulty=Easy | question=What is 15% of 1601? | option_a=480 | option_b=245 | option_c=240 | option_d=235 | answer=C | explanation=15% of 1601 = (15/100) × 1601 = 240.

id=96094 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3590 at 5% per annum for 1 years. | option_a=179 | option_b=279 | option_c=79 | option_d=3769 | answer=A | explanation=SI = PRT/100 = 3590×5×1/100 = **■**179.

id=96095 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1528. If it is sold at a profit of 20%, what is its selling price? | option_a=1681 | option_b=1985 | option_c=1548 | option_d=1833 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1528 × 120/100 = **■**1833.

id=96096 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17781 at 15% per annum for 4 years. | option_a=10768 | option_b=10668 | option_c=28449 | option_d=10568 | answer=B | explanation=SI = PRT/100 = 17781×15×4/100 = **■**10668.

id=96097 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 44? | option_a=33 | option_b=37 | option_c=29 | option_d=44 | answer=D | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 44 is the odd one out.

id=96098 | topic=Averages | difficulty=Easy | question=Find the average of 58, 81, 79, 14, 36, 52, 79. | option_a=56 | option_b=59 | option_c=58 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = 399 ÷ 7 = 57.

id=96099 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=24 | option_c=19 | option_d=29 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=96100 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 22, 32, 43? | option_a=12 | option_b=22 | option_c=43 | option_d=32 | answer=C | explanation=The first three numbers increase by 10, so the next should be 42. Therefore 43 is the odd one out.

id=96101 | topic=Percentages | difficulty=Easy | question=What is 5% of 1059? | option_a=62 | option_b=52 | option_c=42 | option_d=104 | answer=B | explanation=5% of 1059 = (5/100) × 1059 = 52.

id=96102 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 9, 11, 15? | option_a=15 | option_b=7 | option_c=11 | option_d=9 | answer=A | explanation=The first three numbers increase by 2, so the next should be 13. Therefore 15 is the odd one out.

id=96103 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 21, 25, 31? | option_a=31 | option_b=17 | option_c=21 | option_d=25 | answer=A | explanation=The first three numbers increase by 4, so the next should be 29. Therefore 31 is the odd one out.

id=96104 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=96105 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=41 | option_b=72 | option_c=31 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=96106 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 11, 16, 22? | option_a=16 | option_b=11 | option_c=22 | option_d=6 | answer=C | explanation=The first three numbers increase by 5, so the next should be 21. Therefore 22 is the odd one out.

id=96107 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=N | option_c=Q | option_d=H | answer=B | explanation=Move 3 positions forward from K; the resulting letter is N.

id=96108 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 19, 28, 37, ? | option_a=47 | option_b=37 | option_c=55 | option_d=46 | answer=D | explanation=The common difference is 9. Therefore the next term is 37 + 9 = 46.

id=96109 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3976. If it is sold at a profit of 10%, what is its selling price? | option_a=4770 | option_b=4373 | option_c=3986 | option_d=3976 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3976 × 110/100 = **■**4373.

id=96110 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=96111 | topic=Averages | difficulty=Easy | question=Find the average of 67, 27, 25, 72, 70, 21. | option_a=48 | option_b=46 | option_c=49 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 282 ÷ 6 = 47.

id=96112 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=R | option_b=S | option_c=P | option_d=Q | answer=A | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=96113 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=G | option_b=J | option_c=P | option_d=M | answer=D | explanation=Move 3 positions forward from J; the resulting letter is M.

id=96114 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3398. If it is sold at a profit of 50%, what is its selling price? | option_a=5097 | option_b=5436 | option_c=4758 | option_d=3448 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3398 × 150/100 = **■**5097.

id=96115 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=96116 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=160 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=96117 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 9, 13, 17, ? | option_a=25 | option_b=17 | option_c=21 | option_d=22 | answer=C | explanation=The common difference is 4. Therefore the next term is 17 + 4 = 21.

id=96118 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34178 at 8% per annum for 5 years. | option_a=13771 | option_b=47849 | option_c=13571 | option_d=13671 | answer=D | explanation=SI = PRT/100 = 34178×8×5/100 = **■**13671.

id=96119 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=31 | option_b=38 | option_c=45 | option_d=39 | answer=B | explanation=The common difference is 7. Therefore the next term is 31 + 7 = 38.

id=96120 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=50 | option_c=100 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

Aptitude Questions — Records 96,121-96,150 of 100,000

id=96121 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=K | option_b=C | option_c=G | option_d=Y | answer=C | explanation=Move 4 positions forward from C; the resulting letter is G.

id=96122 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■43291 at 15% per annum for 4 years. | option_a=69265 | option_b=26074 | option_c=25974 | option_d=25874 | answer=C | explanation=SI = $PRT/100 = 43291 \times 15 \times 4 / 100 = \blacksquare 25974$.

id=96123 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=30 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=96124 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 28, 36, 44, ? | option_a=53 | option_b=60 | option_c=44 | option_d=52 | answer=D | explanation=The common difference is 8. Therefore the next term is 44 + 8 = 52.

id=96125 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1886. If it is sold at a profit of 10%, what is its selling price? | option_a=1896 | option_b=1886 | option_c=2074 | option_d=2262 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1886 \times 110 / 100 = \blacksquare 2074$.

id=96126 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■20817 at 15% per annum for 1 years. | option_a=3022 | option_b=3222 | option_c=23939 | option_d=3122 | answer=D | explanation=SI = $PRT/100 = 20817 \times 15 \times 1 / 100 = \blacksquare 3122$.

id=96127 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 22, 29, 38? | option_a=38 | option_b=22 | option_c=15 | option_d=29 | answer=A | explanation=The first three numbers increase by 7, so the next should be 36. Therefore 38 is the odd one out.

id=96128 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'J' become? | option_a=H | option_b=J | option_c=N | option_d=L | answer=D | explanation=Move 2 positions forward from J; the resulting letter is L.

id=96129 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 32, 39, 48? | option_a=48 | option_b=32 | option_c=39 | option_d=25 | answer=A | explanation=The first three numbers increase by 7, so the next should be 46. Therefore 48 is the odd one out.

id=96130 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:13 and the first is 84, what is the second? | option_a=175 | option_b=78 | option_c=103 | option_d=91 | answer=D | explanation=Scale factor = $84 / 12 = 7$. Therefore second quantity = $13 \times 7 = 91$.

id=96131 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=29 | option_c=19 | option_d=48 | answer=A | explanation=Speed = distance ÷ time = $120 \div 5 = 24$ km/h.

id=96132 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4333. If it is sold at a profit of 20%, what is its selling price? | option_a=5199 | option_b=4766 | option_c=4353 | option_d=5632 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4333 \times 120 / 100 = \blacksquare 5199$.

id=96133 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2441. If it is sold at a profit of 20%, what is its selling price? | option_a=2461 | option_b=2929 | option_c=3173 | option_d=2685 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2441 \times 120 / 100 = \blacksquare 2929$.

id=96134 | topic=Percentages | difficulty=Easy | question=What is 10% of 152? | option_a=20 | option_b=30 | option_c=5 | option_d=15 | answer=D | explanation=10% of 152 = $(10/100) \times 152 = 15$.

id=96135 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=125 | option_d=240 | answer=A | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.

id=96136 | topic=Percentages | difficulty=Easy | question=What is 15% of 1063? | option_a=318 | option_b=159 | option_c=154 | option_d=169 | answer=B | explanation=15% of 1063 = $(15/100) \times 1063 = 159$.

id=96137 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:17 and the first is 8, what is the second? | option_a=51 | option_b=76 | option_c=68 | option_d=70 | answer=C | explanation=Scale factor = $8 / 2 = 4$. Therefore second quantity = $17 \times 4 = 68$.

id=96138 | topic=Percentages | difficulty=Easy | question=What is 12% of 846? | option_a=202 | option_b=101 | option_c=81 | option_d=121 | answer=B | explanation=12% of 846 = $(12/100) \times 846 = 101$.

id=96139 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 23, 27, 33? | option_a=33 | option_b=27 | option_c=23 | option_d=19 | answer=A | explanation=The first three numbers increase by 4, so the next should be 31. Therefore 33 is the odd one out.

id=96140 | topic=Percentages | difficulty=Easy | question=What is 15% of 1471? | option_a=215 | option_b=240 | option_c=220 | option_d=440 | answer=C | explanation=15% of 1471 = $(15/100) \times 1471 = 220$.

id=96141 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=48 | option_c=19 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = $240 \div 10 = 24$ km/h.

id=96142 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:3 and the first is 80, what is the second? | option_a=12 | option_b=95 | option_c=31 | option_d=15 | answer=D | explanation=Scale factor = $80 / 16 = 5$. Therefore second quantity = $3 \times 5 = 15$.

id=96143 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 26, 33, 42? | option_a=19 | option_b=26 | option_c=42 | option_d=33 | answer=C | explanation=The first three numbers increase by 7, so the next should be 40. Therefore 42 is the odd one out.

id=96144 | topic=Averages | difficulty=Easy | question=Find the average of 61, 94, 84, 49. | option_a=73 | option_b=74 | option_c=71 | option_d=72 | answer=D | explanation=Average = sum of values ÷ number of values = $288 \div 4 = 72$.

id=96145 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=17 | option_c=24 | option_d=7 | answer=A | explanation=Speed = distance ÷ time = $60 \div 5 = 12$ km/h.

id=96146 | topic=Averages | difficulty=Easy | question=Find the average of 91, 17, 83, 78, 94, 87. | option_a=76 | option_b=74 | option_c=75 | option_d=77 | answer=C | explanation=Average = sum of values ÷ number of values = $450 \div 6 = 75$.

id=96147 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=50 | option_c=45 | option_d=100 | answer=B | explanation=Speed = distance ÷ time = $150 \div 3 = 50$ km/h.

id=96148 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=96149 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=G | option_c=J | option_d=A | answer=B | explanation=Move 3 positions forward from D; the resulting letter is G.

id=96150 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=12 | option_d=4 | answer=A | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

Aptitude Questions — Records 96,151-96,180 of 100,000

id=96151 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**318. If it is sold at a profit of 5%, what is its selling price? | option_a=333 | option_b=364 | option_c=302 | option_d=323 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 318 \times 105/100 = \text{■}333$.

id=96152 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1370. If it is sold at a profit of 50%, what is its selling price? | option_a=1918 | option_b=2192 | option_c=1420 | option_d=2055 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1370 \times 150/100 = \text{■}2055$.

id=96153 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 14. | option_a=28 | option_b=56 | option_c=32 | option_d=14 | answer=A | explanation= $LCM \times HCF = 4 \times 14$; $HCF(4,14) = 2$, so $LCM = 28$.

id=96154 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10973 at 8% per annum for 4 years. | option_a=14484 | option_b=3511 | option_c=3611 | option_d=3411 | answer=B | explanation= $SI = PRT/100 = 10973 \times 8 \times 4/100 = \text{■}3511$.

id=96155 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=67 | option_b=144 | option_c=77 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = $360 \div 5 = 72$ km/h.

id=96156 | topic=Percentages | difficulty=Easy | question=What is 5% of 1506? | option_a=65 | option_b=150 | option_c=75 | option_d=95 | answer=C | explanation=5% of 1506 = $(5/100) \times 1506 = 75$.

id=96157 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=S | option_b=O | option_c=G | option_d=K | answer=B | explanation=Move 4 positions forward from K; the resulting letter is O.

id=96158 | topic=Percentages | difficulty=Easy | question=What is 40% of 1223? | option_a=509 | option_b=479 | option_c=489 | option_d=978 | answer=C | explanation=40% of 1223 = $(40/100) \times 1223 = 489$.

id=96159 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 18. | option_a=180 | option_b=90 | option_c=72 | option_d=100 | answer=B | explanation= $LCM \times HCF = 10 \times 18$; $HCF(10,18) = 2$, so $LCM = 90$.

id=96160 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:7 and the first is 27, what is the second? | option_a=56 | option_b=63 | option_c=66 | option_d=90 | answer=B | explanation=Scale factor = $27/3 = 9$. Therefore second quantity = $7 \times 9 = 63$.

id=96161 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3988. If it is sold at a profit of 10%, what is its selling price? | option_a=3988 | option_b=3998 | option_c=4784 | option_d=4386 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3988 \times 110/100 = \text{■}4386$.

id=96162 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=96163 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=37 | option_b=46 | option_c=45 | option_d=53 | answer=C | explanation=The common difference is 8. Therefore the next term is $37 + 8 = 45$.

id=96164 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=B | option_c=J | option_d=X | answer=A | explanation=Move 4 positions forward from B; the resulting letter is F.

id=96165 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=C | option_c=E | option_d=I | answer=A | explanation=Move 2 positions forward from E; the resulting letter is G.

id=96166 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=X | option_b=T | option_c=P | option_d=L | answer=B | explanation=Move 4 positions forward from P; the resulting letter is T.

id=96167 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=45 | option_d=90 | answer=C | explanation=Speed = distance ÷ time = $360 \div 8 = 45$ km/h.

id=96168 | topic=Averages | difficulty=Easy | question=Find the average of 61, 61, 15, 79. | option_a=55 | option_b=56 | option_c=54 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = $216 \div 4 = 54$.

id=96169 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=32 | option_b=37 | option_c=40 | option_d=36 | answer=D | explanation=The common difference is 4. Therefore the next term is $32 + 4 = 36$.

id=96170 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:3 and the first is 36, what is the second? | option_a=56 | option_b=51 | option_c=54 | option_d=90 | answer=C | explanation=Scale factor = $36/2 = 18$. Therefore second quantity = $3 \times 18 = 54$.

id=96171 | topic=Averages | difficulty=Easy | question=Find the average of 14, 27, 97. | option_a=46 | option_b=47 | option_c=48 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = $138 \div 3 = 46$.

id=96172 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=96173 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=28 | option_b=24 | option_c=23 | option_d=18 | answer=C | explanation=The common difference is 5. Therefore the next term is $18 + 5 = 23$.

id=96174 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=43 | option_b=53 | option_c=44 | option_d=33 | answer=A | explanation=The common difference is 10. Therefore the next term is $33 + 10 = 43$.

id=96175 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=D | option_b=T | option_c=Y | option_d=O | answer=C | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=96176 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 29, 37, 46? | option_a=46 | option_b=29 | option_c=21 | option_d=37 | answer=A | explanation=The first three numbers increase by 8, so the next should be 45. Therefore 46 is the odd one out.

id=96177 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $180 \div 6 = 30$ km/h.

id=96178 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 5. | option_a=75 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation= $LCM \times HCF = 15 \times 5$; $HCF(15,5) = 5$, so $LCM = 15$.

id=96179 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2086 at 4% per annum for 5 years. | option_a=417 | option_b=317 | option_c=517 | option_d=2503 | answer=A | explanation= $SI = PRT/100 = 2086 \times 4 \times 5/100 = \text{■}417$.

id=96180 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**686. If it is sold at a profit of 25%, what is its selling price? | option_a=711 | option_b=925 | option_c=857 | option_d=789 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 686 \times 125/100 = \text{■}857$.

Aptitude Questions — Records 96,181-96,210 of 100,000

id=96181 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■29740 at 6% per annum for 3 years. | option_a=5253 | option_b=35093 | option_c=5453 | option_d=5353 | answer=D | explanation=SI = $PRT/100 = 29740 \times 6 \times 3 / 100 = \blacksquare 5353$.

id=96182 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=125 | option_d=240 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=96183 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=96184 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 22, 32, 43? | option_a=12 | option_b=22 | option_c=43 | option_d=32 | answer=C | explanation=The first three numbers increase by 10, so the next should be 42. Therefore 43 is the odd one out.

id=96185 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=D | option_b=F | option_c=J | option_d=H | answer=D | explanation=Move 2 positions forward from F; the resulting letter is H.

id=96186 | topic=Percentages | difficulty=Easy | question=What is 20% of 968? | option_a=213 | option_b=193 | option_c=386 | option_d=183 | answer=B | explanation=20% of 968 = $(20/100) \times 968 = 193$.

id=96187 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=E | option_c=H | option_d=Y | answer=B | explanation=Move 3 positions forward from B; the resulting letter is E.

id=96188 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2388. If it is sold at a profit of 25%, what is its selling price? | option_a=3223 | option_b=2985 | option_c=2747 | option_d=2413 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2388 \times 125 / 100 = \blacksquare 2985$.

id=96189 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:16 and the first is 323, what is the second? | option_a=304 | option_b=627 | option_c=288 | option_d=321 | answer=A | explanation=Scale factor = $323 / 17 = 19$. Therefore second quantity = $16 \times 19 = 304$.

id=96190 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■9333 at 15% per annum for 1 years. | option_a=1399 | option_b=1299 | option_c=1499 | option_d=10732 | answer=A | explanation=SI = $PRT/100 = 9333 \times 15 \times 1 / 100 = \blacksquare 1399$.

id=96191 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=96192 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=96193 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=48 | option_b=70 | option_c=59 | option_d=60 | answer=C | explanation=The common difference is 11. Therefore the next term is 48 + 11 = 59.

id=96194 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:12 and the first is 140, what is the second? | option_a=240 | option_b=247 | option_c=228 | option_d=380 | answer=A | explanation=Scale factor = $140 / 7 = 20$. Therefore second quantity = $12 \times 20 = 240$.

id=96195 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 14, 23, 34? | option_a=34 | option_b=23 | option_c=14 | option_d=5 | answer=A | explanation=The first three numbers increase by 9, so the next should be 32. Therefore 34 is the odd one out.

id=96196 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 18. | option_a=72 | option_b=270 | option_c=105 | option_d=90 | answer=D | explanation= $LCM \times HCF = 15 \times 18$; $HCF(15,18) = 3$, so $LCM = 90$.

id=96197 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=54 | option_b=45 | option_c=63 | option_d=55 | answer=A | explanation=The common difference is 9. Therefore the next term is 45 + 9 = 54.

id=96198 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=Q | option_b=P | option_c=N | option_d=O | answer=B | explanation=Move 1 positions forward from O; the resulting letter is P.

id=96199 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2356. If it is sold at a profit of 40%, what is its selling price? | option_a=2396 | option_b=3298 | option_c=3533 | option_d=3063 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 2356 \times 140 / 100 = \blacksquare 3298$.

id=96200 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=M | option_c=K | option_d=O | answer=D | explanation=Move 2 positions forward from M; the resulting letter is O.

id=96201 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:9 and the first is 11, what is the second? | option_a=110 | option_b=99 | option_c=100 | option_d=90 | answer=B | explanation=Scale factor = $11 / 1 = 11$. Therefore second quantity = $9 \times 11 = 99$.

id=96202 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=72 | option_b=31 | option_c=41 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=96203 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=K | option_b=T | option_c=N | option_d=Q | answer=D | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=96204 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 46? | option_a=35 | option_b=27 | option_c=19 | option_d=46 | answer=D | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 46 is the odd one out.

id=96205 | topic=Percentages | difficulty=Easy | question=What is 5% of 1651? | option_a=82 | option_b=72 | option_c=164 | option_d=87 | answer=A | explanation=5% of 1651 = $(5/100) \times 1651 = 82$.

id=96206 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1179. If it is sold at a profit of 5%, what is its selling price? | option_a=1237 | option_b=1120 | option_c=1184 | option_d=1354 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1179 \times 105 / 100 = \blacksquare 1237$.

id=96207 | topic=Averages | difficulty=Easy | question=Find the average of 97, 24, 75, 64, 16, 76, 64, 42, 73. | option_a=61 | option_b=60 | option_c=58 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = $531 \div 9 = 59$.

id=96208 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 22. | option_a=308 | option_b=660 | option_c=360 | option_d=330 | answer=D | explanation= $LCM \times HCF = 30 \times 22$; $HCF(30,22) = 2$, so $LCM = 330$.

id=96209 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:15 and the first is 64, what is the second? | option_a=128 | option_b=105 | option_c=184 | option_d=120 | answer=D | explanation=Scale factor = $64 / 8 = 8$. Therefore second quantity = $15 \times 8 = 120$.

id=96210 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:2 and the first is 280, what is the second? | option_a=54 | option_b=320 | option_c=40 | option_d=38 | answer=C | explanation=Scale factor = $280 / 14 = 20$. Therefore second quantity = $2 \times 20 = 40$.

Aptitude Questions — Records 96,211-96,240 of 100,000

id=96211 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:9 and the first is 39, what is the second? | option_a=108 | option_b=156 | option_c=120 | option_d=117 | answer=D | explanation=Scale factor = 39/3 = 13. Therefore second quantity = 9×13 = 117.

id=96212 | topic=Number System | difficulty=Easy | question=Find the LCM of 13 and 26. | option_a=1 | option_b=338 | option_c=26 | option_d=39 | answer=C | explanation=LCM × HCF = 13×26; HCF(13,26) = 13, so LCM = 26.

id=96213 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46927 at 10% per annum for 2 years. | option_a=9285 | option_b=9385 | option_c=56312 | option_d=9485 | answer=B | explanation=SI = PRT/100 = 46927×10×2/100 = █9385.

id=96214 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=42 | option_b=34 | option_c=35 | option_d=26 | answer=B | explanation=The common difference is 8. Therefore the next term is 26 + 8 = 34.

id=96215 | topic=Profit & Loss | difficulty=Easy | question=An article costs █471. If it is sold at a profit of 15%, what is its selling price? | option_a=494 | option_b=541 | option_c=588 | option_d=486 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 471 × 115/100 = █541.

id=96216 | topic=Averages | difficulty=Easy | question=Find the average of 71, 15, 12, 52, 81, 15. | option_a=43 | option_b=40 | option_c=41 | option_d=42 | answer=C | explanation=Average = sum of values ÷ number of values = 246 ÷ 6 = 41.

id=96217 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=58 | option_b=40 | option_c=49 | option_d=50 | answer=C | explanation=The common difference is 9. Therefore the next term is 26 + 9 = 49.

id=96218 | topic=Percentages | difficulty=Easy | question=What is 12% of 156? | option_a=8 | option_b=36 | option_c=28 | option_d=18 | answer=D | explanation=12% of 156 = (12/100) × 156 = 18.

id=96219 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=96220 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=31 | option_b=37 | option_c=30 | option_d=23 | answer=C | explanation=The common difference is 7. Therefore the next term is 23 + 7 = 30.

id=96221 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 20, 27, 35? | option_a=35 | option_b=13 | option_c=27 | option_d=20 | answer=A | explanation=The first three numbers increase by 7, so the next should be 34. Therefore 35 is the odd one out.

id=96222 | topic=Percentages | difficulty=Easy | question=What is 10% of 605? | option_a=40 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=10% of 605 = (10/100) × 605 = 60.

id=96223 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=96224 | topic=Averages | difficulty=Easy | question=Find the average of 32, 99, 19. | option_a=52 | option_b=50 | option_c=49 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 150 ÷ 3 = 50.

id=96225 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19602 at 5% per annum for 4 years. | option_a=23522 | option_b=4020 | option_c=3820 | option_d=3920 | answer=D | explanation=SI = PRT/100 = 19602×5×4/100 = █3920.

id=96226 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18663 at 8% per annum for 1 years. | option_a=1393 | option_b=1493 | option_c=1593 | option_d=20156 | answer=B | explanation=SI = PRT/100 = 18663×8×1/100 = █1493.

id=96227 | topic=Averages | difficulty=Easy | question=Find the average of 84, 24, 27, 77, 92, 15, 74, 56, 91. | option_a=60 | option_b=62 | option_c=59 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 540 ÷ 9 = 60.

id=96228 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 6 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 6 = 60 km/h.

id=96229 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 20, 30, 41? | option_a=41 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation=The first three numbers increase by 10, so the next should be 40. Therefore 41 is the odd one out.

id=96230 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=18 | option_b=15 | option_c=21 | option_d=19 | answer=A | explanation=The common difference is 3. Therefore the next term is 15 + 3 = 18.

id=96231 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27163 at 6% per annum for 1 years. | option_a=1729 | option_b=28792 | option_c=1529 | option_d=1629 | answer=D | explanation=SI = PRT/100 = 27163×6×1/100 = █1629.

id=96232 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:4 and the first is 10, what is the second? | option_a=4 | option_b=8 | option_c=13 | option_d=18 | answer=B | explanation=Scale factor = 10/5 = 2. Therefore second quantity = 4×2 = 8.

id=96233 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40165 at 15% per annum for 2 years. | option_a=52214 | option_b=12149 | option_c=12049 | option_d=11949 | answer=C | explanation=SI = PRT/100 = 40165×15×2/100 = █12049.

id=96234 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 28, 39, 50, ? | option_a=72 | option_b=50 | option_c=61 | option_d=62 | answer=C | explanation=The common difference is 11. Therefore the next term is 50 + 11 = 61.

id=96235 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15257 at 15% per annum for 5 years. | option_a=11342 | option_b=26699 | option_c=11442 | option_d=11542 | answer=C | explanation=SI = PRT/100 = 15257×15×5/100 = █11442.

id=96236 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=96237 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █7044 at 12% per annum for 3 years. | option_a=2635 | option_b=9579 | option_c=2435 | option_d=2535 | answer=D | explanation=SI = PRT/100 = 7044×12×3/100 = █2535.

id=96238 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:19 and the first is 221, what is the second? | option_a=323 | option_b=336 | option_c=544 | option_d=304 | answer=A | explanation=Scale factor = 221/13 = 17. Therefore second quantity = 19×17 = 323.

id=96239 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=10 | option_b=8 | option_c=11 | option_d=12 | answer=A | explanation=The common difference is 2. Therefore the next term is 8 + 2 = 10.

id=96240 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:18 and the first is 77, what is the second? | option_a=126 | option_b=108 | option_c=203 | option_d=137 | answer=A | explanation=Scale factor = 77/11 = 7. Therefore second quantity = 18×7 = 126.

Aptitude Questions — Records 96,241-96,270 of 100,000

id=96241 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=F | option_b=O | option_c=I | option_d=L | answer=D | explanation=Move 3 positions forward from I; the resulting letter is L.

id=96242 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 36, 44, 53? | option_a=28 | option_b=44 | option_c=36 | option_d=53 | answer=D | explanation=The first three numbers increase by 8, so the next should be 52. Therefore 53 is the odd one out.

id=96243 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8441 at 5% per annum for 2 years. | option_a=744 | option_b=9285 | option_c=844 | option_d=944 | answer=C | explanation=SI = $PRT/100 = 8441 \times 5 \times 2/100 = \text{■}844$.

id=96244 | topic=Percentages | difficulty=Easy | question=What is 5% of 934? | option_a=51 | option_b=46 | option_c=36 | option_d=92 | answer=B | explanation=5% of 934 = $(5/100) \times 934 = 46$.

id=96245 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13694 at 6% per annum for 1 years. | option_a=921 | option_b=821 | option_c=14515 | option_d=721 | answer=B | explanation=SI = $PRT/100 = 13694 \times 6 \times 1/100 = \text{■}821$.

id=96246 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1982. If it is sold at a profit of 20%, what is its selling price? | option_a=2180 | option_b=2002 | option_c=2378 | option_d=2576 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1982 \times 120/100 = \text{■}2378$.

id=96247 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=96248 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22020 at 6% per annum for 5 years. | option_a=28626 | option_b=6706 | option_c=6506 | option_d=6606 | answer=D | explanation=SI = $PRT/100 = 22020 \times 6 \times 5/100 = \text{■}6606$.

id=96249 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=16 | answer=A | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=96250 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 34, 42, 53? | option_a=53 | option_b=42 | option_c=34 | option_d=26 | answer=A | explanation=The first three numbers increase by 8, so the next should be 50. Therefore 53 is the odd one out.

id=96251 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 16, 26, 37? | option_a=6 | option_b=26 | option_c=37 | option_d=16 | answer=C | explanation=The first three numbers increase by 10, so the next should be 36. Therefore 37 is the odd one out.

id=96252 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42007 at 8% per annum for 2 years. | option_a=6721 | option_b=6821 | option_c=6621 | option_d=48728 | answer=A | explanation=SI = $PRT/100 = 42007 \times 8 \times 2/100 = \text{■}6721$.

id=96253 | topic=Averages | difficulty=Easy | question=Find the average of 28, 57, 23. | option_a=37 | option_b=36 | option_c=35 | option_d=38 | answer=B | explanation=Average = sum of values + number of values = $108 \div 3 = 36$.

id=96254 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=40 | option_c=45 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = $120 \div 3 = 40$ km/h.

id=96255 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 31, 38, 46? | option_a=38 | option_b=24 | option_c=31 | option_d=46 | answer=D | explanation=The first three numbers increase by 7, so the next should be 45. Therefore 46 is the odd one out.

id=96256 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26197 at 4% per annum for 2 years. | option_a=2195 | option_b=28292 | option_c=1995 | option_d=2095 | answer=D | explanation=SI = $PRT/100 = 26197 \times 4 \times 2/100 = \text{■}2095$.

id=96257 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=49 | option_b=50 | option_c=38 | option_d=60 | answer=A | explanation=The common difference is 11. Therefore the next term is $38 + 11 = 49$.

id=96258 | topic=Percentages | difficulty=Easy | question=What is 15% of 1919? | option_a=287 | option_b=292 | option_c=267 | option_d=574 | answer=A | explanation=15% of 1919 = $(15/100) \times 1919 = 287$.

id=96259 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2571. If it is sold at a profit of 50%, what is its selling price? | option_a=3599 | option_b=4113 | option_c=2621 | option_d=3856 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2571 \times 150/100 = \text{■}3856$.

id=96260 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=29 | option_b=25 | option_c=19 | option_d=24 | answer=D | explanation=The common difference is 5. Therefore the next term is $19 + 5 = 24$.

id=96261 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**811. If it is sold at a profit of 30%, what is its selling price? | option_a=841 | option_b=973 | option_c=1135 | option_d=1054 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 811 \times 130/100 = \text{■}1054$.

id=96262 | topic=Averages | difficulty=Easy | question=Find the average of 14, 96, 45, 61. | option_a=53 | option_b=56 | option_c=55 | option_d=54 | answer=D | explanation=Average = sum of values + number of values = $216 \div 4 = 54$.

id=96263 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = $150 \div 5 = 30$ km/h.

id=96264 | topic=Averages | difficulty=Easy | question=Find the average of 43, 22, 91, 79, 16, 31. | option_a=47 | option_b=48 | option_c=46 | option_d=49 | answer=A | explanation=Average = sum of values + number of values = $282 \div 6 = 47$.

id=96265 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=96266 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=X | option_b=N | option_c=S | option_d=I | answer=C | explanation=Move 5 positions forward from N; the resulting letter is S.

id=96267 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:1 and the first is 300, what is the second? | option_a=15 | option_b=315 | option_c=35 | option_d=14 | answer=A | explanation=Scale factor = $300/20 = 15$. Therefore second quantity = $1 \times 15 = 15$.

id=96268 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:9 and the first is 54, what is the second? | option_a=108 | option_b=54 | option_c=45 | option_d=63 | answer=B | explanation=Scale factor = $54/9 = 6$. Therefore second quantity = $9 \times 6 = 54$.

id=96269 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2310. If it is sold at a profit of 40%, what is its selling price? | option_a=3465 | option_b=2350 | option_c=3234 | option_d=3003 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2310 \times 140/100 = \text{■}3234$.

id=96270 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2373. If it is sold at a profit of 50%, what is its selling price? | option_a=3322 | option_b=3559 | option_c=2423 | option_d=3796 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2373 \times 150/100 = \text{■}3559$.

Aptitude Questions — Records 96,271-96,300 of 100,000

id=96271 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=96272 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 12. | option_a=360 | option_b=60 | option_c=48 | option_d=90 | answer=B | explanation=LCM × HCF = 30×12. HCF(30,12) = 6, so LCM = 60.

id=96273 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■30161 at 4% per annum for 4 years. | option_a=4725 | option_b=4925 | option_c=4825 | option_d=34986 | answer=C | explanation=SI = PRT/100 = 30161×4×4/100 = ■4825.

id=96274 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:13 and the first is 32, what is the second? | option_a=91 | option_b=136 | option_c=104 | option_d=108 | answer=C | explanation=Scale factor = 32/4 = 8. Therefore second quantity = 13×8 = 104.

id=96275 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=24 | option_c=12 | option_d=17 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=96276 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=90 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=96277 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■36892 at 6% per annum for 3 years. | option_a=6740 | option_b=6640 | option_c=43532 | option_d=6540 | answer=B | explanation=SI = PRT/100 = 36892×6×3/100 = ■6640.

id=96278 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=70 | option_c=80 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=96279 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=96280 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 26. | option_a=234 | option_b=280 | option_c=520 | option_d=260 | answer=D | explanation=LCM × HCF = 20×26; HCF(20,26) = 2, so LCM = 260.

id=96281 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■43682 at 10% per annum for 4 years. | option_a=17372 | option_b=17572 | option_c=17472 | option_d=61154 | answer=C | explanation=SI = PRT/100 = 43682×10×4/100 = ■17472.

id=96282 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=29 | option_b=24 | option_c=48 | option_d=19 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=96283 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 26, 37, 48, ? | option_a=70 | option_b=59 | option_c=60 | option_d=48 | answer=B | explanation=The common difference is 11. Therefore the next term is 48 + 11 = 59.

id=96284 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 11, 19, 30? | option_a=11 | option_b=3 | option_c=19 | option_d=30 | answer=D | explanation=The first three numbers increase by 8, so the next should be 27. Therefore 30 is the odd one out.

id=96285 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2316. If it is sold at a profit of 10%, what is its selling price? | option_a=2547 | option_b=2326 | option_c=2778 | option_d=2316 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2316 × 110/100 = ■2547.

id=96286 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=15 | option_b=21 | option_c=18 | option_d=19 | answer=C | explanation=The common difference is 3. Therefore the next term is 15 + 3 = 18.

id=96287 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 20, 28, 39? | option_a=39 | option_b=12 | option_c=28 | option_d=20 | answer=A | explanation=The first three numbers increase by 8, so the next should be 36. Therefore 39 is the odd one out.

id=96288 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 35? | option_a=2 | option_b=35 | option_c=12 | option_d=22 | answer=B | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 35 is the odd one out.

id=96289 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 220, what is the second? | option_a=540 | option_b=320 | option_c=304 | option_d=331 | answer=B | explanation=Scale factor = 220/11 = 20. Therefore second quantity = 16×20 = 320.

id=96290 | topic=Averages | difficulty=Easy | question=Find the average of 44, 15, 91, 81, 59, 80, 57. | option_a=60 | option_b=61 | option_c=63 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 427 ÷ 7 = 61.

id=96291 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=N | option_b=F | option_c=J | option_d=B | answer=C | explanation=Move 4 positions forward from F; the resulting letter is J.

id=96292 | topic=Percentages | difficulty=Easy | question=What is 15% of 522? | option_a=68 | option_b=98 | option_c=78 | option_d=156 | answer=C | explanation=15% of 522 = (15/100) × 522 = 78.

id=96293 | topic=Percentages | difficulty=Easy | question=What is 25% of 570? | option_a=122 | option_b=147 | option_c=142 | option_d=284 | answer=C | explanation=25% of 570 = (25/100) × 570 = 142.

id=96294 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=96295 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=26 | option_b=22 | option_c=30 | option_d=27 | answer=A | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.

id=96296 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:2 and the first is 30, what is the second? | option_a=10 | option_b=16 | option_c=8 | option_d=40 | answer=A | explanation=Scale factor = 30/6 = 5. Therefore second quantity = 2×5 = 10.

id=96297 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:1 and the first is 195, what is the second? | option_a=208 | option_b=13 | option_c=12 | option_d=28 | answer=B | explanation=Scale factor = 195/15 = 13. Therefore second quantity = 1×13 = 13.

id=96298 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■261. If it is sold at a profit of 15%, what is its selling price? | option_a=326 | option_b=300 | option_c=274 | option_d=276 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 261 × 115/100 = ■300.

id=96299 | topic=Percentages | difficulty=Easy | question=What is 15% of 398? | option_a=39 | option_b=59 | option_c=118 | option_d=64 | answer=B | explanation=15% of 398 = (15/100) × 398 = 59.

id=96300 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:14 and the first is 72, what is the second? | option_a=56 | option_b=74 | option_c=42 | option_d=128 | answer=A | explanation=Scale factor = 72/18 = 4. Therefore second quantity = 14×4 = 56.

Aptitude Questions — Records 96,301-96,330 of 100,000

id=96301 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=32 | option_b=52 | option_c=42 | option_d=43 | answer=C | explanation=The common difference is 10. Therefore the next term is 32 + 10 = 42.

id=96302 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=17 | option_b=13 | option_c=15 | option_d=16 | answer=C | explanation=The common difference is 2. Therefore the next term is 13 + 2 = 15.

id=96303 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=75 | option_d=150 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=96304 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2772. If it is sold at a profit of 30%, what is its selling price? | option_a=2802 | option_b=3880 | option_c=3603 | option_d=3326 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2772 × 130/100 = █3603.

id=96305 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=47 | option_b=38 | option_c=56 | option_d=48 | answer=A | explanation=The common difference is 9. Therefore the next term is 38 + 9 = 47.

id=96306 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=55 | option_b=100 | option_c=50 | option_d=45 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=96307 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=55 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=96308 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 24. | option_a=24 | option_b=1 | option_c=30 | option_d=144 | answer=A | explanation=LCM × HCF = 6×24; HCF(6,24) = 6, so LCM = 24.

id=96309 | topic=Percentages | difficulty=Easy | question=What is 15% of 975? | option_a=156 | option_b=146 | option_c=292 | option_d=141 | answer=B | explanation=15% of 975 = (15/100) × 975 = 146.

id=96310 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3761. If it is sold at a profit of 25%, what is its selling price? | option_a=4701 | option_b=3786 | option_c=5077 | option_d=4325 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3761 × 125/100 = █4701.

id=96311 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=H | option_c=J | option_d=I | answer=C | explanation=Move 1 positions forward from I; the resulting letter is J.

id=96312 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=96313 | topic=Averages | difficulty=Easy | question=Find the average of 84, 86, 46. | option_a=73 | option_b=74 | option_c=72 | option_d=71 | answer=C | explanation=Average = sum of values ÷ number of values = 216 ÷ 3 = 72.

id=96314 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=85 | option_c=90 | option_d=95 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=96315 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 39, 48, 58? | option_a=30 | option_b=58 | option_c=48 | option_d=39 | answer=B | explanation=The first three numbers increase by 9, so the next should be 57. Therefore 58 is the odd one out.

id=96316 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=W | option_b=T | option_c=Q | option_d=N | answer=B | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=96317 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3266. If it is sold at a profit of 50%, what is its selling price? | option_a=3316 | option_b=4573 | option_c=5225 | option_d=4899 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3266 × 150/100 = █4899.

id=96318 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 21. | option_a=48 | option_b=126 | option_c=21 | option_d=42 | answer=D | explanation=LCM × HCF = 6×21; HCF(6,21) = 3, so LCM = 42.

id=96319 | topic=Percentages | difficulty=Easy | question=What is 50% of 904? | option_a=442 | option_b=904 | option_c=472 | option_d=452 | answer=D | explanation=50% of 904 = (50/100) × 904 = 452.

id=96320 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:15 and the first is 22, what is the second? | option_a=15 | option_b=41 | option_c=52 | option_d=30 | answer=D | explanation=Scale factor = 22/11 = 2. Therefore second quantity = 15×2 = 30.

id=96321 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2135. If it is sold at a profit of 10%, what is its selling price? | option_a=2135 | option_b=2348 | option_c=2145 | option_d=2561 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2135 × 110/100 = █2348.

id=96322 | topic=Averages | difficulty=Easy | question=Find the average of 87, 81, 76, 88. | option_a=82 | option_b=83 | option_c=85 | option_d=84 | answer=B | explanation=Average = sum of values ÷ number of values = 332 ÷ 4 = 83.

id=96323 | topic=Averages | difficulty=Easy | question=Find the average of 63, 80, 14, 58, 60. | option_a=57 | option_b=54 | option_c=56 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 275 ÷ 5 = 55.

id=96324 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=96325 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:18 and the first is 100, what is the second? | option_a=460 | option_b=365 | option_c=360 | option_d=342 | answer=C | explanation=Scale factor = 100/5 = 20. Therefore second quantity = 18×20 = 360.

id=96326 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=33 | option_b=32 | option_c=36 | option_d=28 | answer=B | explanation=The common difference is 4. Therefore the next term is 28 + 4 = 32.

id=96327 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 43? | option_a=17 | option_b=43 | option_c=33 | option_d=25 | answer=B | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 43 is the odd one out.

id=96328 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 36, 46, 58? | option_a=36 | option_b=26 | option_c=58 | option_d=46 | answer=C | explanation=The first three numbers increase by 10, so the next should be 56. Therefore 58 is the odd one out.

id=96329 | topic=Percentages | difficulty=Easy | question=What is 40% of 680? | option_a=277 | option_b=544 | option_c=272 | option_d=262 | answer=C | explanation=40% of 680 = (40/100) × 680 = 272.

id=96330 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:4 and the first is 24, what is the second? | option_a=36 | option_b=8 | option_c=20 | option_d=12 | answer=D | explanation=Scale factor = 24/8 = 3. Therefore second quantity = 4×3 = 12.

Aptitude Questions — Records 96,331-96,360 of 100,000

id=96331 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=96332 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 29, 33, 40? | option_a=33 | option_b=25 | option_c=40 | option_d=29 | answer=C | explanation=The first three numbers increase by 4, so the next should be 37. Therefore 40 is the odd one out.

id=96333 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=30 | option_b=23 | option_c=31 | option_d=37 | answer=A | explanation=The common difference is 7. Therefore the next term is 23 + 7 = 30.

id=96334 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=96335 | topic=Percentages | difficulty=Easy | question=What is 5% of 382? | option_a=24 | option_b=19 | option_c=14 | option_d=38 | answer=B | explanation=5% of 382 = (5/100) × 382 = 19.

id=96336 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 22, 32, 42, ? | option_a=52 | option_b=42 | option_c=62 | option_d=53 | answer=A | explanation=The common difference is 10. Therefore the next term is 42 + 10 = 52.

id=96337 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 33, 40, 49? | option_a=33 | option_b=49 | option_c=40 | option_d=26 | answer=B | explanation=The first three numbers increase by 7, so the next should be 47. Therefore 49 is the odd one out.

id=96338 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 32, 42, 53? | option_a=53 | option_b=32 | option_c=22 | option_d=42 | answer=A | explanation=The first three numbers increase by 10, so the next should be 52. Therefore 53 is the odd one out.

id=96339 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=96340 | topic=Averages | difficulty=Easy | question=Find the average of 100, 81, 46, 58, 33, 87, 78. | option_a=70 | option_b=71 | option_c=69 | option_d=68 | answer=C | explanation=Average = sum of values ÷ number of values = 483 ÷ 7 = 69.

id=96341 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4377. If it is sold at a profit of 25%, what is its selling price? | option_a=5471 | option_b=5908 | option_c=5034 | option_d=4402 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4377 × 125/100 = █5471.

id=96342 | topic=Percentages | difficulty=Easy | question=What is 25% of 1454? | option_a=353 | option_b=726 | option_c=363 | option_d=368 | answer=C | explanation=25% of 1454 = (25/100) × 1454 = 363.

id=96343 | topic=Averages | difficulty=Easy | question=Find the average of 19, 56, 55, 42, 11, 48, 52, 61. | option_a=45 | option_b=42 | option_c=43 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = 344 ÷ 8 = 43.

id=96344 | topic=Averages | difficulty=Easy | question=Find the average of 28, 16, 66, 58, 55, 99, 81, 11, 80, 26. | option_a=51 | option_b=53 | option_c=52 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 520 ÷ 10 = 52.

id=96345 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=90 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=96346 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=25 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=96347 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3101. If it is sold at a profit of 30%, what is its selling price? | option_a=3131 | option_b=3721 | option_c=4341 | option_d=4031 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3101 × 130/100 = █4031.

id=96348 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 21, 27, 33, ? | option_a=40 | option_b=33 | option_c=39 | option_d=45 | answer=C | explanation=The common difference is 6. Therefore the next term is 33 + 6 = 39.

id=96349 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=28 | option_b=22 | option_c=34 | option_d=29 | answer=A | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.

id=96350 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4733. If it is sold at a profit of 20%, what is its selling price? | option_a=5679 | option_b=5206 | option_c=4753 | option_d=6152 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4733 × 120/100 = █5679.

id=96351 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1416. If it is sold at a profit of 50%, what is its selling price? | option_a=1466 | option_b=1983 | option_c=2265 | option_d=2124 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1416 × 150/100 = █2124.

id=96352 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:8 and the first is 154, what is the second? | option_a=104 | option_b=112 | option_c=123 | option_d=266 | answer=B | explanation=Scale factor = 154/11 = 14. Therefore second quantity = 8×14 = 112.

id=96353 | topic=Profit & Loss | difficulty=Easy | question=An article costs █571. If it is sold at a profit of 25%, what is its selling price? | option_a=713 | option_b=656 | option_c=770 | option_d=596 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 571 × 125/100 = █713.

id=96354 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:17 and the first is 180, what is the second? | option_a=204 | option_b=219 | option_c=384 | option_d=187 | answer=A | explanation=Scale factor = 180/15 = 12. Therefore second quantity = 17×12 = 204.

id=96355 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=47 | option_b=54 | option_c=38 | option_d=46 | answer=D | explanation=The common difference is 8. Therefore the next term is 38 + 8 = 46.

id=96356 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=155 | option_c=300 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=96357 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 47? | option_a=26 | option_b=38 | option_c=47 | option_d=32 | answer=C | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 47 is the odd one out.

id=96358 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 9. | option_a=12 | option_b=9 | option_c=27 | option_d=1 | answer=B | explanation=LCM × HCF = 3×9; HCF(3,9) = 3, so LCM = 9.

id=96359 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=H | option_b=M | option_c=C | option_d=X | answer=A | explanation=Move 5 positions forward from C; the resulting letter is H.

id=96360 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33438 at 12% per annum for 4 years. | option_a=16050 | option_b=15950 | option_c=49488 | option_d=16150 | answer=A | explanation=SI = PRT/100 = 33438×12×4/100 = █16050.

Aptitude Questions — Records 96,361-96,390 of 100,000

id=96361 | topic=Percentages | difficulty=Easy | question=What is 25% of 1026? | option_a=256 | option_b=512 | option_c=246 | option_d=261 | answer=A | explanation=25% of 1026 = (25/100) × 1026 = 256.

id=96362 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 17, 21, 26? | option_a=26 | option_b=21 | option_c=13 | option_d=17 | answer=A | explanation=The first three numbers increase by 4, so the next should be 25. Therefore 26 is the odd one out.

id=96363 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=96364 | topic=Profit & Loss | difficulty=Easy | question=An article costs █839. If it is sold at a profit of 10%, what is its selling price? | option_a=922 | option_b=1005 | option_c=849 | option_d=839 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 839 × 110/100 = █922.

id=96365 | topic=Percentages | difficulty=Easy | question=What is 5% of 627? | option_a=11 | option_b=31 | option_c=62 | option_d=41 | answer=B | explanation=5% of 627 = (5/100) × 627 = 31.

id=96366 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=40 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=96367 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 28. | option_a=56 | option_b=168 | option_c=84 | option_d=90 | answer=C | explanation=LCM × HCF = 6×28; HCF(6,28) = 2, so LCM = 84.

id=96368 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 29, 31, 35? | option_a=35 | option_b=31 | option_c=29 | option_d=27 | answer=A | explanation=The first three numbers increase by 2, so the next should be 33. Therefore 35 is the odd one out.

id=96369 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:9 and the first is 140, what is the second? | option_a=230 | option_b=104 | option_c=81 | option_d=90 | answer=D | explanation=Scale factor = 140/14 = 10. Therefore second quantity = 9×10 = 90.

id=96370 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=X | option_b=O | option_c=U | option_d=R | answer=C | explanation=Move 3 positions forward from R; the resulting letter is U.

id=96371 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 18. | option_a=140 | option_b=252 | option_c=126 | option_d=108 | answer=C | explanation=LCM × HCF = 14×18; HCF(14,18) = 2, so LCM = 126.

id=96372 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3635. If it is sold at a profit of 30%, what is its selling price? | option_a=5088 | option_b=3665 | option_c=4725 | option_d=4362 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3635 × 130/100 = █4725.

id=96373 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=96374 | topic=Percentages | difficulty=Easy | question=What is 20% of 1668? | option_a=313 | option_b=333 | option_c=666 | option_d=343 | answer=B | explanation=20% of 1668 = (20/100) × 1668 = 333.

id=96375 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 8, 13, 21? | option_a=13 | option_b=3 | option_c=8 | option_d=21 | answer=D | explanation=The first three numbers increase by 5, so the next should be 18. Therefore 21 is the odd one out.

id=96376 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2717. If it is sold at a profit of 5%, what is its selling price? | option_a=2722 | option_b=2581 | option_c=3123 | option_d=2852 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2717 × 105/100 = █2852.

id=96377 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=16 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=96378 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=96379 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 11, 14, 18? | option_a=11 | option_b=14 | option_c=18 | option_d=8 | answer=C | explanation=The first three numbers increase by 3, so the next should be 17. Therefore 18 is the odd one out.

id=96380 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=96381 | topic=Averages | difficulty=Easy | question=Find the average of 79, 55, 54, 23, 88, 19. | option_a=52 | option_b=55 | option_c=53 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 318 ÷ 6 = 53.

id=96382 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:19 and the first is 190, what is the second? | option_a=361 | option_b=342 | option_c=551 | option_d=371 | answer=A | explanation=Scale factor = 190/10 = 19. Therefore second quantity = 19×19 = 361.

id=96383 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29866 at 5% per annum for 3 years. | option_a=34345 | option_b=4479 | option_c=4379 | option_d=4579 | answer=B | explanation=SI = PRT/100 = 29866×5×3/100 = █4479.

id=96384 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=40 | option_c=35 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=96385 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=E | option_b=F | option_c=H | option_d=G | answer=D | explanation=Move 1 positions forward from F; the resulting letter is G.

id=96386 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=M | option_b=N | option_c=L | option_d=K | answer=A | explanation=Move 1 positions forward from L; the resulting letter is M.

id=96387 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=30 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=96388 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31732 at 4% per annum for 3 years. | option_a=3807 | option_b=35539 | option_c=3907 | option_d=3707 | answer=A | explanation=SI = PRT/100 = 31732×4×3/100 = █3807.

id=96389 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 26. | option_a=780 | option_b=390 | option_c=364 | option_d=420 | answer=B | explanation=LCM × HCF = 30×26; HCF(30,26) = 2, so LCM = 390.

id=96390 | topic=Averages | difficulty=Easy | question=Find the average of 79, 45, 87, 21. | option_a=57 | option_b=59 | option_c=58 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 232 ÷ 4 = 58.

Aptitude Questions — Records 96,391-96,420 of 100,000

id=96391 | topic=Averages | difficulty=Easy | question=Find the average of 36, 28, 65, 32, 45, 55, 63, 21, 49, 36. | option_a=45 | option_b=42 | option_c=43 | option_d=44 | answer=C | explanation=Average = sum of values ÷ number of values = 430 ÷ 10 = 43.

id=96392 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:10 and the first is 20, what is the second? | option_a=45 | option_b=60 | option_c=40 | option_d=30 | answer=C | explanation=Scale factor = 20/5 = 4. Therefore second quantity = 10×4 = 40.

id=96393 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=L | option_b=F | option_c=C | option_d=I | answer=D | explanation=Move 3 positions forward from F; the resulting letter is I.

id=96394 | topic=Percentages | difficulty=Easy | question=What is 30% of 92? | option_a=27 | option_b=17 | option_c=32 | option_d=54 | answer=A | explanation=30% of 92 = (30/100) × 92 = 27.

id=96395 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=96396 | topic=Percentages | difficulty=Easy | question=What is 10% of 977? | option_a=194 | option_b=117 | option_c=97 | option_d=77 | answer=C | explanation=10% of 977 = (10/100) × 977 = 97.

id=96397 | topic=Percentages | difficulty=Easy | question=What is 30% of 1563? | option_a=488 | option_b=936 | option_c=468 | option_d=448 | answer=C | explanation=30% of 1563 = (30/100) × 1563 = 468.

id=96398 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=G | option_c=C | option_d=E | answer=B | explanation=Move 2 positions forward from E; the resulting letter is G.

id=96399 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 12, 17, 22, ? | option_a=27 | option_b=28 | option_c=32 | option_d=22 | answer=A | explanation=The common difference is 5. Therefore the next term is 22 + 5 = 27.

id=96400 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39865 at 4% per annum for 4 years. | option_a=6478 | option_b=46243 | option_c=6378 | option_d=6278 | answer=C | explanation=SI = PRT/100 = 39865×4×4/100 = **■**6378.

id=96401 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=K | option_b=L | option_c=J | option_d=I | answer=A | explanation=Move 1 positions forward from J; the resulting letter is K.

id=96402 | topic=Averages | difficulty=Easy | question=Find the average of 49, 94, 100, 30, 73, 56, 39. | option_a=64 | option_b=65 | option_c=62 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 441 ÷ 7 = 63.

id=96403 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 35? | option_a=19 | option_b=35 | option_c=12 | option_d=26 | answer=B | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 35 is the odd one out.

id=96404 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45722 at 10% per annum for 2 years. | option_a=9244 | option_b=54866 | option_c=9044 | option_d=9144 | answer=D | explanation=SI = PRT/100 = 45722×10×2/100 = **■**9144.

id=96405 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=55 | option_b=66 | option_c=42 | option_d=54 | answer=D | explanation=The common difference is 12. Therefore the next term is 42 + 12 = 54.

id=96406 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=50 | option_d=90 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=96407 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=29 | option_b=41 | option_c=35 | option_d=36 | answer=C | explanation=The common difference is 6. Therefore the next term is 29 + 6 = 35.

id=96408 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 12, 14, 19? | option_a=12 | option_b=19 | option_c=10 | option_d=14 | answer=B | explanation=The first three numbers increase by 2, so the next should be 16. Therefore 19 is the odd one out.

id=96409 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=96410 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:17 and the first is 36, what is the second? | option_a=51 | option_b=68 | option_c=104 | option_d=77 | answer=B | explanation=Scale factor = 36/9 = 4. Therefore second quantity = 17×4 = 68.

id=96411 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 27, 31, 37? | option_a=23 | option_b=37 | option_c=27 | option_d=31 | answer=B | explanation=The first three numbers increase by 4, so the next should be 35. Therefore 37 is the odd one out.

id=96412 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 51? | option_a=23 | option_b=32 | option_c=51 | option_d=41 | answer=C | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 51 is the odd one out.

id=96413 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 10, 18, 29? | option_a=18 | option_b=29 | option_c=2 | option_d=10 | answer=B | explanation=The first three numbers increase by 8, so the next should be 26. Therefore 29 is the odd one out.

id=96414 | topic=Percentages | difficulty=Easy | question=What is 20% of 781? | option_a=166 | option_b=151 | option_c=312 | option_d=156 | answer=D | explanation=20% of 781 = (20/100) × 781 = 156.

id=96415 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2640. If it is sold at a profit of 50%, what is its selling price? | option_a=2690 | option_b=3960 | option_c=4224 | option_d=3696 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2640 × 150/100 = **■**3960.

id=96416 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=K | option_b=G | option_c=Y | option_d=C | answer=B | explanation=Move 4 positions forward from C; the resulting letter is G.

id=96417 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38293 at 15% per annum for 4 years. | option_a=22875 | option_b=23075 | option_c=61268 | option_d=22975 | answer=D | explanation=SI = PRT/100 = 38293×15×4/100 = **■**22975.

id=96418 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=96419 | topic=Averages | difficulty=Easy | question=Find the average of 55, 79, 94. | option_a=75 | option_b=77 | option_c=78 | option_d=76 | answer=D | explanation=Average = sum of values ÷ number of values = 228 ÷ 3 = 76.

id=96420 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=8 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

Aptitude Questions — Records 96,421-96,450 of 100,000

id=96421 | topic=Averages | difficulty=Easy | question=Find the average of 24, 33, 47, 29, 92. | option_a=46 | option_b=44 | option_c=47 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 225 ÷ 5 = 45.

id=96422 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=52 | option_b=34 | option_c=44 | option_d=43 | answer=D | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

id=96423 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 29, 38, 50? | option_a=38 | option_b=50 | option_c=29 | option_d=20 | answer=B | explanation=The first three numbers increase by 9, so the next should be 47. Therefore 50 is the odd one out.

id=96424 | topic=Percentages | difficulty=Easy | question=What is 12% of 905? | option_a=216 | option_b=108 | option_c=88 | option_d=128 | answer=B | explanation=12% of 905 = (12/100) × 905 = 108.

id=96425 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 14, 17, 21? | option_a=17 | option_b=21 | option_c=14 | option_d=11 | answer=B | explanation=The first three numbers increase by 3, so the next should be 20. Therefore 21 is the odd one out.

id=96426 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=96427 | topic=Percentages | difficulty=Easy | question=What is 40% of 515? | option_a=196 | option_b=206 | option_c=226 | option_d=412 | answer=B | explanation=40% of 515 = (40/100) × 515 = 206.

id=96428 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=96429 | topic=Averages | difficulty=Easy | question=Find the average of 25, 99, 98, 14. | option_a=61 | option_b=58 | option_c=59 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 236 ÷ 4 = 59.

id=96430 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=96431 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34659 at 15% per annum for 5 years. | option_a=25994 | option_b=60653 | option_c=25894 | option_d=26094 | answer=A | explanation=SI = PRT/100 = 34659×15×5/100 = **■**25994.

id=96432 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1965. If it is sold at a profit of 15%, what is its selling price? | option_a=2259 | option_b=2455 | option_c=2063 | option_d=1980 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1965 × 115/100 = **■**2259.

id=96433 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42616 at 8% per annum for 4 years. | option_a=56253 | option_b=13537 | option_c=13637 | option_d=13737 | answer=C | explanation=SI = PRT/100 = 42616×8×4/100 = **■**13637.

id=96434 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 30. | option_a=1 | option_b=40 | option_c=300 | option_d=30 | answer=D | explanation=LCM × HCF = 10×30; HCF(10,30) = 10, so LCM = 30.

id=96435 | topic=Percentages | difficulty=Easy | question=What is 50% of 1751? | option_a=885 | option_b=875 | option_c=870 | option_d=1750 | answer=B | explanation=50% of 1751 = (50/100) × 1751 = 875.

id=96436 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 42? | option_a=36 | option_b=42 | option_c=30 | option_d=33 | answer=B | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 42 is the odd one out.

id=96437 | topic=Percentages | difficulty=Easy | question=What is 12% of 1160? | option_a=129 | option_b=139 | option_c=278 | option_d=159 | answer=B | explanation=12% of 1160 = (12/100) × 1160 = 139.

id=96438 | topic=Percentages | difficulty=Easy | question=What is 15% of 1672? | option_a=500 | option_b=270 | option_c=230 | option_d=250 | answer=D | explanation=15% of 1672 = (15/100) × 1672 = 250.

id=96439 | topic=Averages | difficulty=Easy | question=Find the average of 98, 22, 39, 13. | option_a=42 | option_b=45 | option_c=44 | option_d=43 | answer=D | explanation=Average = sum of values ÷ number of values = 172 ÷ 4 = 43.

id=96440 | topic=Averages | difficulty=Easy | question=Find the average of 60, 34, 30, 38, 87, 67, 57, 66, 65. | option_a=57 | option_b=58 | option_c=56 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=96441 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=N | option_b=S | option_c=I | option_d=D | answer=A | explanation=Move 5 positions forward from I; the resulting letter is N.

id=96442 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 23, 28, 33, ? | option_a=33 | option_b=43 | option_c=38 | option_d=39 | answer=C | explanation=The common difference is 5. Therefore the next term is 33 + 5 = 38.

id=96443 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=35 | option_b=40 | option_c=30 | option_d=36 | answer=A | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=96444 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=125 | option_c=240 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=96445 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 24. | option_a=130 | option_b=120 | option_c=96 | option_d=240 | answer=B | explanation=LCM × HCF = 10×24; HCF(10,24) = 2, so LCM = 120.

id=96446 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=56 | option_b=66 | option_c=55 | option_d=44 | answer=C | explanation=The common difference is 11. Therefore the next term is 44 + 11 = 55.

id=96447 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:16 and the first is 100, what is the second? | option_a=80 | option_b=64 | option_c=180 | option_d=100 | answer=A | explanation=Scale factor = 100/20 = 5. Therefore second quantity = 16×5 = 80.

id=96448 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=15 | option_b=18 | option_c=21 | option_d=19 | answer=B | explanation=The common difference is 3. Therefore the next term is 15 + 3 = 18.

id=96449 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=6 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=96450 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=16 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

Aptitude Questions — Records 96,451-96,480 of 100,000

id=96451 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=96452 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=35 | option_b=45 | option_c=44 | option_d=53 | answer=C | explanation=The common difference is 9. Therefore the next term is $35 + 9 = 44$.

id=96453 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:19 and the first is 36, what is the second? | option_a=175 | option_b=152 | option_c=171 | option_d=207 | answer=C | explanation=Scale factor = $\frac{36}{4} = 9$. Therefore second quantity = $19 \times 9 = 171$.

id=96454 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46184 at 4% per annum for 3 years. | option_a=5642 | option_b=51726 | option_c=5442 | option_d=5542 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{46184 \times 4 \times 3}{100} = \text{■}5542$.

id=96455 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:9 and the first is 48, what is the second? | option_a=72 | option_b=120 | option_c=63 | option_d=78 | answer=A | explanation=Scale factor = $\frac{48}{6} = 8$. Therefore second quantity = $9 \times 8 = 72$.

id=96456 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=I | option_c=K | option_d=M | answer=D | explanation=Move 2 positions forward from K; the resulting letter is M.

id=96457 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=6 | option_d=20 | answer=A | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.

id=96458 | topic=Percentages | difficulty=Easy | question=What is 50% of 731? | option_a=355 | option_b=365 | option_c=730 | option_d=370 | answer=B | explanation=50% of 731 = $(\frac{50}{100}) \times 731 = 365$.

id=96459 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33955 at 10% per annum for 5 years. | option_a=16877 | option_b=16977 | option_c=17077 | option_d=50932 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{33955 \times 10 \times 5}{100} = \text{■}16977$.

id=96460 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27324 at 6% per annum for 1 years. | option_a=1739 | option_b=1539 | option_c=1639 | option_d=28963 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{27324 \times 6 \times 1}{100} = \text{■}1639$.

id=96461 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=175 | option_c=360 | option_d=185 | answer=A | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{360}{2} = 180$ km/h.

id=96462 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45216 at 6% per annum for 2 years. | option_a=5525 | option_b=5325 | option_c=5425 | option_d=50641 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{45216 \times 6 \times 2}{100} = \text{■}5425$.

id=96463 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:17 and the first is 150, what is the second? | option_a=185 | option_b=153 | option_c=170 | option_d=320 | answer=C | explanation=Scale factor = $\frac{150}{15} = 10$. Therefore second quantity = $17 \times 10 = 170$.

id=96464 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 9? | option_a=2 | option_b=6 | option_c=9 | option_d=4 | answer=C | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 9 is the odd one out.

id=96465 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=96466 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = $\frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=96467 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=26 | option_b=35 | option_c=34 | option_d=42 | answer=C | explanation=The common difference is 8. Therefore the next term is $26 + 8 = 34$.

id=96468 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=H | option_c=E | option_d=G | answer=D | explanation=Move 1 positions forward from F; the resulting letter is G.

id=96469 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=96470 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=9 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=96471 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43037 at 4% per annum for 1 years. | option_a=1621 | option_b=44758 | option_c=1821 | option_d=1721 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{43037 \times 4 \times 1}{100} = \text{■}1721$.

id=96472 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=B | option_b=G | option_c=Q | option_d=L | answer=D | explanation=Move 5 positions forward from G; the resulting letter is L.

id=96473 | topic=Averages | difficulty=Easy | question=Find the average of 88, 48, 74, 16, 94, 91, 79, 38, 75. | option_a=68 | option_b=67 | option_c=69 | option_d=66 | answer=B | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{603}{9} = 67$.

id=96474 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 30, 35, 43? | option_a=43 | option_b=25 | option_c=35 | option_d=30 | answer=A | explanation=The first three numbers increase by 5, so the next should be 40. Therefore 43 is the odd one out.

id=96475 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=75 | option_c=85 | option_d=80 | answer=D | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{240}{3} = 80$ km/h.

id=96476 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4795. If it is sold at a profit of 50%, what is its selling price? | option_a=7192 | option_b=6713 | option_c=4845 | option_d=7671 | answer=A | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 4795 \times \frac{150}{100} = \text{■}7192$.

id=96477 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 22, 29, 38? | option_a=38 | option_b=22 | option_c=15 | option_d=29 | answer=A | explanation=The first three numbers increase by 7, so the next should be 36. Therefore 38 is the odd one out.

id=96478 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:18 and the first is 18, what is the second? | option_a=342 | option_b=306 | option_c=324 | option_d=325 | answer=C | explanation=Scale factor = $\frac{18}{1} = 18$. Therefore second quantity = $18 \times 18 = 324$.

id=96479 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=F | option_c=U | option_d=P | answer=D | explanation=Move 5 positions forward from K; the resulting letter is P.

id=96480 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 39, 48, 59? | option_a=30 | option_b=48 | option_c=59 | option_d=39 | answer=C | explanation=The first three numbers increase by 9, so the next should be 57. Therefore 59 is the odd one out.

Aptitude Questions — Records 96,481-96,510 of 100,000

id=96481 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=U | option_b=R | option_c=L | option_d=O | answer=B | explanation=Move 3 positions forward from O; the resulting letter is R.

id=96482 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=20 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=96483 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

id=96484 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 51? | option_a=25 | option_b=41 | option_c=33 | option_d=51 | answer=D | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 51 is the odd one out.

id=96485 | topic=Averages | difficulty=Easy | question=Find the average of 48, 30, 54, 80, 52, 71, 86, 10, 64. | option_a=56 | option_b=57 | option_c=55 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{495}{9} = 55$.

id=96486 | topic=Percentages | difficulty=Easy | question=What is 50% of 915? | option_a=914 | option_b=457 | option_c=467 | option_d=452 | answer=B | explanation=50% of 915 = $(50/100) \times 915 = 457$.

id=96487 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4377. If it is sold at a profit of 20%, what is its selling price? | option_a=4397 | option_b=4815 | option_c=5689 | option_d=5252 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4377 \times \frac{120}{100} = \text{█}5252$.

id=96488 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=64 | option_b=65 | option_c=52 | option_d=76 | answer=A | explanation=The common difference is 12. Therefore the next term is $52 + 12 = 64$.

id=96489 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 7. | option_a=98 | option_b=28 | option_c=7 | option_d=14 | answer=D | explanation=LCM $\times$ HCF = 14×7 ; HCF(14, 7) = 7, so LCM = 14.

id=96490 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8660 at 10% per annum for 1 years. | option_a=766 | option_b=866 | option_c=9526 | option_d=966 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{8660 \times 10 \times 1}{100} = \text{█}866$.

id=96491 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=96492 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24532 at 8% per annum for 1 years. | option_a=2062 | option_b=1862 | option_c=1962 | option_d=26494 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{24532 \times 8 \times 1}{100} = \text{█}1962$.

id=96493 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 23, 29, 38? | option_a=23 | option_b=17 | option_c=38 | option_d=29 | answer=C | explanation=The first three numbers increase by 6, so the next should be 35. Therefore 38 is the odd one out.

id=96494 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=96495 | topic=Percentages | difficulty=Easy | question=What is 50% of 1420? | option_a=690 | option_b=730 | option_c=710 | option_d=1420 | answer=C | explanation=50% of 1420 = $(50/100) \times 1420 = 710$.

id=96496 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=55 | option_c=100 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = $\frac{150}{3} = 50$ km/h.

id=96497 | topic=Profit & Loss | difficulty=Easy | question=An article costs █960. If it is sold at a profit of 15%, what is its selling price? | option_a=1075 | option_b=989 | option_c=903 | option_d=875 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 860 \times \frac{115}{100} = \text{█}989$.

id=96498 | topic=Percentages | difficulty=Easy | question=What is 12% of 807? | option_a=192 | option_b=86 | option_c=96 | option_d=106 | answer=C | explanation=12% of 807 = $(12/100) \times 807 = 96$.

id=96499 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 20. | option_a=1 | option_b=80 | option_c=24 | option_d=20 | answer=D | explanation=LCM $\times$ HCF = 4×20 ; HCF(4, 20) = 4, so LCM = 20.

id=96500 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=77 | option_c=72 | option_d=67 | answer=C | explanation=Speed = distance ÷ time = $\frac{360}{5} = 72$ km/h.

id=96501 | topic=Percentages | difficulty=Easy | question=What is 15% of 1275? | option_a=382 | option_b=171 | option_c=191 | option_d=196 | answer=C | explanation=15% of 1275 = $(15/100) \times 1275 = 191$.

id=96502 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:17 and the first is 6, what is the second? | option_a=57 | option_b=53 | option_c=51 | option_d=34 | answer=C | explanation=Scale factor = $\frac{6}{2} = 3$. Therefore second quantity = $17 \times 3 = 51$.

id=96503 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=20 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = $\frac{150}{6} = 25$ km/h.

id=96504 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=K | option_b=C | option_c=Y | option_d=G | answer=D | explanation=Move 4 positions forward from C; the resulting letter is G.

id=96505 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=7 | option_d=24 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=96506 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=96507 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=96508 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:19 and the first is 24, what is the second? | option_a=133 | option_b=152 | option_c=176 | option_d=155 | answer=B | explanation=Scale factor = $\frac{24}{3} = 8$. Therefore second quantity = $19 \times 8 = 152$.

id=96509 | topic=Averages | difficulty=Easy | question=Find the average of 56, 10, 84, 83, 38, 40, 60. | option_a=52 | option_b=54 | option_c=55 | option_d=53 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{371}{7} = 53$.

id=96510 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:11 and the first is 108, what is the second? | option_a=207 | option_b=99 | option_c=111 | option_d=88 | answer=B | explanation=Scale factor = $\frac{108}{12} = 9$. Therefore second quantity = $11 \times 9 = 99$.

Aptitude Questions — Records 96,511-96,540 of 100,000

id=96511 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=H | option_b=X | option_c=C | option_d=M | answer=A | explanation=Move 5 positions forward from C; the resulting letter is H.

id=96512 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 17, 29, 41, ? | option_a=53 | option_b=54 | option_c=41 | option_d=65 | answer=A | explanation=The common difference is 12. Therefore the next term is 41 + 12 = 53.

id=96513 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43908 at 5% per annum for 2 years. | option_a=4390 | option_b=48298 | option_c=4490 | option_d=4290 | answer=A | explanation=SI = $PRT/100 = 43908 \times 5 \times 2 / 100 = \text{█}4390$.

id=96514 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=R | option_b=M | option_c=H | option_d=C | answer=B | explanation=Move 5 positions forward from H; the resulting letter is M.

id=96515 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:13 and the first is 136, what is the second? | option_a=121 | option_b=91 | option_c=240 | option_d=104 | answer=D | explanation=Scale factor = $136/17 = 8$. Therefore second quantity = $13 \times 8 = 104$.

id=96516 | topic=Averages | difficulty=Easy | question=Find the average of 34, 56, 43, 37, 53, 14, 99, 88. | option_a=54 | option_b=55 | option_c=53 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = $424 \div 8 = 53$.

id=96517 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4338. If it is sold at a profit of 20%, what is its selling price? | option_a=5205 | option_b=4772 | option_c=4358 | option_d=5638 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4338 \times 120 / 100 = \text{█}5205$.

id=96518 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1350. If it is sold at a profit of 25%, what is its selling price? | option_a=1687 | option_b=1822 | option_c=1375 | option_d=1552 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1350 \times 125 / 100 = \text{█}1687$.

id=96519 | topic=Percentages | difficulty=Easy | question=What is 40% of 1985? | option_a=794 | option_b=814 | option_c=784 | option_d=1588 | answer=A | explanation=40% of 1985 = $(40/100) \times 1985 = 794$.

id=96520 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=C | option_b=O | option_c=K | option_d=G | answer=C | explanation=Move 4 positions forward from G; the resulting letter is K.

id=96521 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:10 and the first is 3, what is the second? | option_a=20 | option_b=30 | option_c=31 | option_d=33 | answer=B | explanation=Scale factor = $3/1 = 3$. Therefore second quantity = $10 \times 3 = 30$.

id=96522 | topic=Percentages | difficulty=Easy | question=What is 50% of 836? | option_a=418 | option_b=836 | option_c=428 | option_d=413 | answer=A | explanation=50% of 836 = $(50/100) \times 836 = 418$.

id=96523 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=G | option_c=D | option_d=X | answer=C | explanation=Move 3 positions forward from A; the resulting letter is D.

id=96524 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41429 at 10% per annum for 2 years. | option_a=49714 | option_b=8285 | option_c=8385 | option_d=8185 | answer=B | explanation=SI = $PRT/100 = 41429 \times 10 \times 2 / 100 = \text{█}8285$.

id=96525 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 17, 27, 38? | option_a=38 | option_b=17 | option_c=7 | option_d=27 | answer=A | explanation=The first three numbers increase by 10, so the next should be 37. Therefore 38 is the odd one out.

id=96526 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █2236 at 10% per annum for 1 years. | option_a=223 | option_b=2459 | option_c=323 | option_d=123 | answer=A | explanation=SI = $PRT/100 = 2236 \times 10 \times 1 / 100 = \text{█}223$.

id=96527 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █12951 at 5% per annum for 5 years. | option_a=3237 | option_b=16188 | option_c=3137 | option_d=3337 | answer=A | explanation=SI = $PRT/100 = 12951 \times 5 \times 5 / 100 = \text{█}3237$.

id=96528 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=240 | option_c=115 | option_d=125 | answer=A | explanation=Speed = distance ÷ time = $240 \div 2 = 120$ km/h.

id=96529 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=40 | option_c=80 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = $120 \div 3 = 40$ km/h.

id=96530 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4973. If it is sold at a profit of 10%, what is its selling price? | option_a=5470 | option_b=4983 | option_c=4973 | option_d=5967 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4973 \times 110 / 100 = \text{█}5470$.

id=96531 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:10 and the first is 39, what is the second? | option_a=130 | option_b=133 | option_c=169 | option_d=120 | answer=A | explanation=Scale factor = $39/3 = 13$. Therefore second quantity = $10 \times 13 = 130$.

id=96532 | topic=Percentages | difficulty=Easy | question=What is 30% of 438? | option_a=262 | option_b=131 | option_c=121 | option_d=151 | answer=B | explanation=30% of 438 = $(30/100) \times 438 = 131$.

id=96533 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37181 at 15% per annum for 4 years. | option_a=59489 | option_b=22408 | option_c=22308 | option_d=22208 | answer=C | explanation=SI = $PRT/100 = 37181 \times 15 \times 4 / 100 = \text{█}22308$.

id=96534 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3869. If it is sold at a profit of 5%, what is its selling price? | option_a=3676 | option_b=4448 | option_c=4062 | option_d=3874 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 3869 \times 105 / 100 = \text{█}4062$.

id=96535 | topic=Percentages | difficulty=Easy | question=What is 10% of 1761? | option_a=352 | option_b=176 | option_c=181 | option_d=171 | answer=B | explanation=10% of 1761 = $(10/100) \times 1761 = 176$.

id=96536 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=120 | option_b=125 | option_c=240 | option_d=115 | answer=A | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.

id=96537 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 23, 28, 36? | option_a=36 | option_b=23 | option_c=28 | option_d=18 | answer=A | explanation=The first three numbers increase by 5, so the next should be 33. Therefore 36 is the odd one out.

id=96538 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 24, 32, 40, ? | option_a=49 | option_b=40 | option_c=56 | option_d=48 | answer=D | explanation=The common difference is 8. Therefore the next term is $40 + 8 = 48$.

id=96539 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=36 | option_b=31 | option_c=24 | option_d=30 | answer=D | explanation=The common difference is 6. Therefore the next term is $24 + 6 = 30$.

id=96540 | topic=Percentages | difficulty=Easy | question=What is 20% of 950? | option_a=380 | option_b=185 | option_c=200 | option_d=190 | answer=D | explanation=20% of 950 = $(20/100) \times 950 = 190$.

Aptitude Questions — Records 96,541-96,570 of 100,000

id=96541 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=96542 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 15, 19, 24? | option_a=24 | option_b=19 | option_c=15 | option_d=11 | answer=A | explanation=The first three numbers increase by 4, so the next should be 23. Therefore 24 is the odd one out.

id=96543 | topic=Averages | difficulty=Easy | question=Find the average of 55, 93, 26. | option_a=60 | option_b=59 | option_c=58 | option_d=57 | answer=C | explanation=Average = sum of values + number of values = 174 ÷ 3 = 58.

id=96544 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=O | option_c=C | option_d=G | answer=A | explanation=Move 4 positions forward from G; the resulting letter is K.

id=96545 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=96546 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2843. If it is sold at a profit of 5%, what is its selling price? | option_a=3269 | option_b=2985 | option_c=2848 | option_d=2701 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2843 × 105/100 = █2985.

id=96547 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=96548 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:2 and the first is 39, what is the second? | option_a=6 | option_b=45 | option_c=4 | option_d=19 | answer=A | explanation=Scale factor = 39/13 = 3. Therefore second quantity = 2×3 = 6.

id=96549 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=96550 | topic=Percentages | difficulty=Easy | question=What is 40% of 1869? | option_a=1494 | option_b=767 | option_c=742 | option_d=747 | answer=D | explanation=40% of 1869 = (40/100) × 1869 = 747.

id=96551 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 13, 18, 23, ? | option_a=33 | option_b=23 | option_c=28 | option_d=29 | answer=C | explanation=The common difference is 5. Therefore the next term is 23 + 5 = 28.

id=96552 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:13 and the first is 36, what is the second? | option_a=84 | option_b=78 | option_c=65 | option_d=114 | answer=B | explanation=Scale factor = 36/6 = 6. Therefore second quantity = 13×6 = 78.

id=96553 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=6 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=96554 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39377 at 8% per annum for 3 years. | option_a=9550 | option_b=9350 | option_c=48827 | option_d=9450 | answer=D | explanation=SI = PRT/100 = 39377×8×3/100 = █9450.

id=96555 | topic=Averages | difficulty=Easy | question=Find the average of 10, 15, 59. | option_a=30 | option_b=29 | option_c=28 | option_d=27 | answer=C | explanation=Average = sum of values + number of values = 84 ÷ 3 = 28.

id=96556 | topic=Percentages | difficulty=Easy | question=What is 50% of 1528? | option_a=764 | option_b=774 | option_c=1528 | option_d=754 | answer=A | explanation=50% of 1528 = (50/100) × 1528 = 764.

id=96557 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=M | option_b=N | option_c=L | option_d=K | answer=A | explanation=Move 1 positions forward from L; the resulting letter is M.

id=96558 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:11 and the first is 144, what is the second? | option_a=121 | option_b=144 | option_c=276 | option_d=132 | answer=D | explanation=Scale factor = 144/12 = 12. Therefore second quantity = 11×12 = 132.

id=96559 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=96560 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=24 | option_b=30 | option_c=31 | option_d=36 | answer=B | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.

id=96561 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=65 | option_b=45 | option_c=55 | option_d=56 | answer=C | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.

id=96562 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 4. | option_a=24 | option_b=8 | option_c=48 | option_d=12 | answer=D | explanation=LCM × HCF = 12×4; HCF(12,4) = 4, so LCM = 12.

id=96563 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=G | option_b=B | option_c=W | option_d=L | answer=A | explanation=Move 5 positions forward from B; the resulting letter is G.

id=96564 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=48 | option_b=47 | option_c=37 | option_d=57 | answer=B | explanation=The common difference is 10. Therefore the next term is 37 + 10 = 47.

id=96565 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 32, 40, 51? | option_a=32 | option_b=40 | option_c=51 | option_d=24 | answer=C | explanation=The first three numbers increase by 8, so the next should be 48. Therefore 51 is the odd one out.

id=96566 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1708. If it is sold at a profit of 30%, what is its selling price? | option_a=2220 | option_b=2390 | option_c=1738 | option_d=2050 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1708 × 130/100 = █2220.

id=96567 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █29368 at 8% per annum for 2 years. | option_a=4698 | option_b=4798 | option_c=34066 | option_d=4598 | answer=A | explanation=SI = PRT/100 = 29368×8×2/100 = █4698.

id=96568 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1540 at 6% per annum for 2 years. | option_a=1724 | option_b=284 | option_c=184 | option_d=84 | answer=C | explanation=SI = PRT/100 = 1540×6×2/100 = █184.

id=96569 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=H | option_b=B | option_c=E | option_d=Y | answer=C | explanation=Move 3 positions forward from B; the resulting letter is E.

id=96570 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4909. If it is sold at a profit of 30%, what is its selling price? | option_a=5891 | option_b=4939 | option_c=6871 | option_d=6381 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4909 × 130/100 = █6381.

Aptitude Questions — Records 96,571-96,600 of 100,000

id=96571 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■4479 at 6% per annum for 3 years. | option_a=906 | option_b=5285 | option_c=706 | option_d=806 | answer=D | explanation=SI = $PRT/100 = 4479 \times 6 \times 3/100 = \blacksquare 806$.

id=96572 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=48 | option_c=53 | option_d=43 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=96573 | topic=Percentages | difficulty=Easy | question=What is 30% of 668? | option_a=190 | option_b=220 | option_c=400 | option_d=200 | answer=D | explanation=30% of 668 = $(30/100) \times 668 = 200$.

id=96574 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=H | option_c=G | option_d=F | answer=B | explanation=Move 1 positions forward from G; the resulting letter is H.

id=96575 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:12 and the first is 32, what is the second? | option_a=192 | option_b=180 | option_c=224 | option_d=194 | answer=A | explanation=Scale factor = $32/2 = 16$. Therefore second quantity = $12 \times 16 = 192$.

id=96576 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:13 and the first is 340, what is the second? | option_a=561 | option_b=208 | option_c=221 | option_d=241 | answer=C | explanation=Scale factor = $340/20 = 17$. Therefore second quantity = $13 \times 17 = 221$.

id=96577 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=A | option_b=M | option_c=I | option_d=E | answer=C | explanation=Move 4 positions forward from E; the resulting letter is I.

id=96578 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=96579 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 20, 31, 42, ? | option_a=53 | option_b=64 | option_c=42 | option_d=54 | answer=A | explanation=The common difference is 11. Therefore the next term is $42 + 11 = 53$.

id=96580 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 13, 19, 27? | option_a=13 | option_b=7 | option_c=19 | option_d=27 | answer=D | explanation=The first three numbers increase by 6, so the next should be 25. Therefore 27 is the odd one out.

id=96581 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = $120 \div 4 = 30$ km/h.

id=96582 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=96583 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=22 | option_b=23 | option_c=25 | option_d=19 | answer=A | explanation=The common difference is 3. Therefore the next term is $19 + 3 = 22$.

id=96584 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=N | option_b=M | option_c=L | option_d=O | answer=A | explanation=Move 1 positions forward from M; the resulting letter is N.

id=96585 | topic=Percentages | difficulty=Easy | question=What is 20% of 542? | option_a=118 | option_b=216 | option_c=103 | option_d=108 | answer=D | explanation=20% of 542 = $(20/100) \times 542 = 108$.

id=96586 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=W | option_b=Q | option_c=S | option_d=K | answer=C | explanation=Move 4 positions forward from O; the resulting letter is S.

id=96587 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = $60 \div 4 = 15$ km/h.

id=96588 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'H' become? | option_a=F | option_b=L | option_c=H | option_d=J | answer=D | explanation=Move 2 positions forward from H; the resulting letter is J.

id=96589 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■44307 at 6% per annum for 5 years. | option_a=13192 | option_b=57599 | option_c=13392 | option_d=13292 | answer=D | explanation=SI = $PRT/100 = 44307 \times 6 \times 5/100 = \blacksquare 13292$.

id=96590 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=40 | option_c=90 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = $180 \div 4 = 45$ km/h.

id=96591 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■16185 at 10% per annum for 4 years. | option_a=6374 | option_b=6474 | option_c=22659 | option_d=6574 | answer=B | explanation=SI = $PRT/100 = 16185 \times 10 \times 4/100 = \blacksquare 6474$.

id=96592 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3529. If it is sold at a profit of 40%, what is its selling price? | option_a=5292 | option_b=4588 | option_c=4940 | option_d=3569 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3529 \times 140/100 = \blacksquare 4940$.

id=96593 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1514. If it is sold at a profit of 20%, what is its selling price? | option_a=1967 | option_b=1534 | option_c=1816 | option_d=1665 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1514 \times 120/100 = \blacksquare 1816$.

id=96594 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=Z | option_c=O | option_d=J | answer=D | explanation=Move 5 positions forward from E; the resulting letter is J.

id=96595 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=62 | option_b=52 | option_c=40 | option_d=51 | answer=D | explanation=The common difference is 11. Therefore the next term is $40 + 11 = 51$.

id=96596 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 30. | option_a=1 | option_b=30 | option_c=32 | option_d=60 | answer=B | explanation=LCM $\times$ HCF = 2×30 ; HCF(2,30) = 2, so LCM = 30.

id=96597 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=96598 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=90 | option_c=85 | option_d=180 | answer=B | explanation=Speed = distance ÷ time = $360 \div 4 = 90$ km/h.

id=96599 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 32, 35, 39? | option_a=35 | option_b=29 | option_c=32 | option_d=39 | answer=D | explanation=The first three numbers increase by 3, so the next should be 38. Therefore 39 is the odd one out.

id=96600 | topic=Percentages | difficulty=Easy | question=What is 5% of 233? | option_a=11 | option_b=1 | option_c=22 | option_d=21 | answer=A | explanation=5% of 233 = $(5/100) \times 233 = 11$.

Aptitude Questions — Records 96,601-96,630 of 100,000

id=96601 | topic=Averages | difficulty=Easy | question=Find the average of 53, 63, 69, 21, 12, 22, 29, 89, 29, 93. | option_a=49 | option_b=47 | option_c=48 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 480 ÷ 10 = 48.

id=96602 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 28. | option_a=56 | option_b=784 | option_c=28 | option_d=1 | answer=C | explanation=LCM × HCF = 28×28; HCF(28,28) = 28, so LCM = 28.

id=96603 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'N' become? | option_a=M | option_b=N | option_c=O | option_d=P | answer=C | explanation=Move 1 positions forward from N; the resulting letter is O.

id=96604 | topic=Profit & Loss | difficulty=Easy | question=An article costs █555. If it is sold at a profit of 40%, what is its selling price? | option_a=777 | option_b=722 | option_c=832 | option_d=595 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 555 × 140/100 = █777.

id=96605 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=G | option_c=X | option_d=D | answer=D | explanation=Move 3 positions forward from A; the resulting letter is D.

id=96606 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 14. | option_a=56 | option_b=64 | option_c=112 | option_d=42 | answer=A | explanation=LCM × HCF = 8×14; HCF(8,14) = 2, so LCM = 56.

id=96607 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=120 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=96608 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 22. | option_a=330 | option_b=360 | option_c=660 | option_d=308 | answer=A | explanation=LCM × HCF = 30×22; HCF(30,22) = 2, so LCM = 330.

id=96609 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 37? | option_a=15 | option_b=5 | option_c=37 | option_d=25 | answer=C | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 37 is the odd one out.

id=96610 | topic=Averages | difficulty=Easy | question=Find the average of 85, 21, 20, 18. | option_a=35 | option_b=38 | option_c=37 | option_d=36 | answer=D | explanation=Average = sum of values ÷ number of values = 144 ÷ 4 = 36.

id=96611 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40263 at 8% per annum for 4 years. | option_a=12884 | option_b=12784 | option_c=53147 | option_d=12984 | answer=A | explanation=SI = PRT/100 = 40263×8×4/100 = █12884.

id=96612 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 9, 16, 24? | option_a=24 | option_b=9 | option_c=16 | option_d=2 | answer=A | explanation=The first three numbers increase by 7, so the next should be 23. Therefore 24 is the odd one out.

id=96613 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4754. If it is sold at a profit of 25%, what is its selling price? | option_a=4779 | option_b=6417 | option_c=5942 | option_d=5467 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4754 × 125/100 = █5942.

id=96614 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:13 and the first is 126, what is the second? | option_a=308 | option_b=191 | option_c=182 | option_d=169 | answer=C | explanation=Scale factor = 126/9 = 14. Therefore second quantity = 13×14 = 182.

id=96615 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25439 at 5% per annum for 5 years. | option_a=6459 | option_b=6359 | option_c=6259 | option_d=31798 | answer=B | explanation=SI = PRT/100 = 25439×5×5/100 = █6359.

id=96616 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4648. If it is sold at a profit of 20%, what is its selling price? | option_a=6041 | option_b=4668 | option_c=5577 | option_d=5113 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4648 × 120/100 = █5577.

id=96617 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █11552 at 4% per annum for 1 years. | option_a=562 | option_b=462 | option_c=362 | option_d=12014 | answer=B | explanation=SI = PRT/100 = 11552×4×1/100 = █462.

id=96618 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:9 and the first is 40, what is the second? | option_a=220 | option_b=180 | option_c=182 | option_d=171 | answer=B | explanation=Scale factor = 40/2 = 20. Therefore second quantity = 9×20 = 180.

id=96619 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=K | option_b=I | option_c=J | option_d=H | answer=C | explanation=Move 1 positions forward from I; the resulting letter is J.

id=96620 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3046. If it is sold at a profit of 5%, what is its selling price? | option_a=3051 | option_b=3502 | option_c=2894 | option_d=3198 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3046 × 105/100 = █3198.

id=96621 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:13 and the first is 160, what is the second? | option_a=208 | option_b=218 | option_c=195 | option_d=368 | answer=A | explanation=Scale factor = 160/10 = 16. Therefore second quantity = 13×16 = 208.

id=96622 | topic=Averages | difficulty=Easy | question=Find the average of 39, 64, 11, 90, 23, 73. | option_a=49 | option_b=52 | option_c=51 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 300 ÷ 6 = 50.

id=96623 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:18 and the first is 64, what is the second? | option_a=208 | option_b=152 | option_c=126 | option_d=144 | answer=D | explanation=Scale factor = 64/8 = 8. Therefore second quantity = 18×8 = 144.

id=96624 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=96625 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=96626 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Y | option_b=C | option_c=U | option_d=Q | answer=A | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=96627 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 4, 6, 9? | option_a=9 | option_b=4 | option_c=2 | option_d=6 | answer=A | explanation=The first three numbers increase by 2, so the next should be 8. Therefore 9 is the odd one out.

id=96628 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4620. If it is sold at a profit of 15%, what is its selling price? | option_a=4851 | option_b=4635 | option_c=5775 | option_d=5313 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4620 × 115/100 = █5313.

id=96629 | topic=Percentages | difficulty=Easy | question=What is 25% of 1455? | option_a=363 | option_b=373 | option_c=726 | option_d=353 | answer=A | explanation=25% of 1455 = (25/100) × 1455 = 363.

id=96630 | topic=Percentages | difficulty=Easy | question=What is 20% of 1451? | option_a=285 | option_b=580 | option_c=295 | option_d=290 | answer=D | explanation=20% of 1451 = (20/100) × 1451 = 290.

Aptitude Questions — Records 96,631-96,660 of 100,000

id=96631 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=F | option_b=U | option_c=P | option_d=K | answer=C | explanation=Move 5 positions forward from K; the resulting letter is P.

id=96632 | topic=Percentages | difficulty=Easy | question=What is 15% of 1213? | option_a=181 | option_b=191 | option_c=161 | option_d=362 | answer=A | explanation=15% of 1213 = (15/100) × 1213 = 181.

id=96633 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=96634 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2927. If it is sold at a profit of 5%, what is its selling price? | option_a=3073 | option_b=2781 | option_c=3365 | option_d=2932 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2927 × 105/100 = **₹**3073.

id=96635 | topic=Averages | difficulty=Easy | question=Find the average of 57, 36, 45, 60, 17, 80, 20. | option_a=45 | option_b=44 | option_c=46 | option_d=47 | answer=A | explanation=Average = sum of values ÷ number of values = 315 ÷ 7 = 45.

id=96636 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2384. If it is sold at a profit of 20%, what is its selling price? | option_a=2404 | option_b=2622 | option_c=3098 | option_d=2860 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2384 × 120/100 = **₹**2860.

id=96637 | topic=Percentages | difficulty=Easy | question=What is 15% of 1488? | option_a=223 | option_b=233 | option_c=203 | option_d=446 | answer=A | explanation=15% of 1488 = (15/100) × 1488 = 223.

id=96638 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 18? | option_a=11 | option_b=9 | option_c=13 | option_d=18 | answer=D | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 18 is the odd one out.

id=96639 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**8582 at 8% per annum for 1 years. | option_a=586 | option_b=786 | option_c=686 | option_d=9268 | answer=C | explanation=SI = PRT/100 = 8582×8×1/100 = **₹**686.

id=96640 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 22, 32, 43? | option_a=22 | option_b=12 | option_c=32 | option_d=43 | answer=D | explanation=The first three numbers increase by 10, so the next should be 42. Therefore 43 is the odd one out.

id=96641 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 16, 26, 39? | option_a=26 | option_b=39 | option_c=16 | option_d=6 | answer=B | explanation=The first three numbers increase by 10, so the next should be 36. Therefore 39 is the odd one out.

id=96642 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=Y | option_c=V | option_d=P | answer=C | explanation=Move 3 positions forward from S; the resulting letter is V.

id=96643 | topic=Percentages | difficulty=Easy | question=What is 5% of 1215? | option_a=120 | option_b=50 | option_c=60 | option_d=80 | answer=C | explanation=5% of 1215 = (5/100) × 1215 = 60.

id=96644 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**41574 at 10% per annum for 2 years. | option_a=49888 | option_b=8214 | option_c=8414 | option_d=8314 | answer=D | explanation=SI = PRT/100 = 41574×10×2/100 = **₹**8314.

id=96645 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:3 and the first is 44, what is the second? | option_a=9 | option_b=12 | option_c=23 | option_d=56 | answer=B | explanation=Scale factor = 44/11 = 4. Therefore second quantity = 3×4 = 12.

id=96646 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=P | option_b=H | option_c=L | option_d=D | answer=C | explanation=Move 4 positions forward from H; the resulting letter is L.

id=96647 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=96648 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**11605 at 12% per annum for 2 years. | option_a=2685 | option_b=2885 | option_c=2785 | option_d=14390 | answer=C | explanation=SI = PRT/100 = 11605×12×2/100 = **₹**2785.

id=96649 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**22194 at 10% per annum for 2 years. | option_a=4438 | option_b=4338 | option_c=26632 | option_d=4538 | answer=A | explanation=SI = PRT/100 = 22194×10×2/100 = **₹**4438.

id=96650 | topic=Percentages | difficulty=Easy | question=What is 15% of 1768? | option_a=260 | option_b=265 | option_c=285 | option_d=530 | answer=B | explanation=15% of 1768 = (15/100) × 1768 = 265.

id=96651 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=U | option_b=K | option_c=P | option_d=Z | answer=A | explanation=Move 5 positions forward from P; the resulting letter is U.

id=96652 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**49770 at 5% per annum for 1 years. | option_a=52258 | option_b=2388 | option_c=2588 | option_d=2488 | answer=D | explanation=SI = PRT/100 = 49770×5×1/100 = **₹**2488.

id=96653 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 20, 22, 27? | option_a=18 | option_b=27 | option_c=22 | option_d=20 | answer=B | explanation=The first three numbers increase by 2, so the next should be 24. Therefore 27 is the odd one out.

id=96654 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:17 and the first is 198, what is the second? | option_a=205 | option_b=187 | option_c=170 | option_d=385 | answer=B | explanation=Scale factor = 198/18 = 11. Therefore second quantity = 17×11 = 187.

id=96655 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3816. If it is sold at a profit of 15%, what is its selling price? | option_a=3831 | option_b=4007 | option_c=4388 | option_d=4769 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3816 × 115/100 = **₹**4388.

id=96656 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=D | option_c=N | option_d=S | answer=C | explanation=Move 5 positions forward from I; the resulting letter is N.

id=96657 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=96658 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=80 | option_c=70 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=96659 | topic=Percentages | difficulty=Easy | question=What is 40% of 1088? | option_a=430 | option_b=870 | option_c=455 | option_d=435 | answer=D | explanation=40% of 1088 = (40/100) × 1088 = 435.

id=96660 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**9064 at 10% per annum for 1 years. | option_a=906 | option_b=1006 | option_c=9970 | option_d=806 | answer=A | explanation=SI = PRT/100 = 9064×10×1/100 = **₹**906.

Aptitude Questions — Records 96,661-96,690 of 100,000

id=96661 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=96662 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 13, 15, 18? | option_a=15 | option_b=11 | option_c=13 | option_d=18 | answer=D | explanation=The first three numbers increase by 2, so the next should be 17. Therefore 18 is the odd one out.

id=96663 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=58 | option_b=40 | option_c=50 | option_d=49 | answer=D | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

id=96664 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 31? | option_a=31 | option_b=25 | option_c=20 | option_d=15 | answer=A | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 31 is the odd one out.

id=96665 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=27 | option_b=33 | option_c=31 | option_d=30 | answer=D | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.

id=96666 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=96667 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=96668 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14700 at 15% per annum for 5 years. | option_a=25725 | option_b=11025 | option_c=11125 | option_d=10925 | answer=B | explanation=SI = $\frac{PRT}{100}$ = $\frac{14700 \times 15 \times 5}{100}$ = **■**11025.

id=96669 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=100 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=96670 | topic=Averages | difficulty=Easy | question=Find the average of 90, 77, 58. | option_a=77 | option_b=74 | option_c=76 | option_d=75 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{225}{3}$ = 75.

id=96671 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:1 and the first is 108, what is the second? | option_a=17 | option_b=126 | option_c=24 | option_d=18 | answer=D | explanation=Scale factor = $\frac{108}{6}$ = 18. Therefore second quantity = 1×18 = 18.

id=96672 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=175 | option_c=180 | option_d=360 | answer=C | explanation=Speed = distance ÷ time = $\frac{360}{2}$ = 180 km/h.

id=96673 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=I | option_b=M | option_c=Q | option_d=U | answer=C | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=96674 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12} = 3$ days.

id=96675 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=70 | option_b=150 | option_c=75 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = $\frac{300}{4}$ = 75 km/h.

id=96676 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=45 | option_d=50 | answer=C | explanation=Speed = distance ÷ time = $\frac{360}{8}$ = 45 km/h.

id=96677 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 33, 43, 54? | option_a=33 | option_b=54 | option_c=23 | option_d=43 | answer=B | explanation=The first three numbers increase by 10, so the next should be 53. Therefore 54 is the odd one out.

id=96678 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17955 at 6% per annum for 4 years. | option_a=22264 | option_b=4309 | option_c=4209 | option_d=4409 | answer=B | explanation=SI = $\frac{PRT}{100}$ = $\frac{17955 \times 6 \times 4}{100}$ = **■**4309.

id=96679 | topic=Percentages | difficulty=Easy | question=What is 25% of 1689? | option_a=844 | option_b=432 | option_c=402 | option_d=422 | answer=D | explanation=25% of 1689 = $\frac{25}{100} \times 1689$ = 422.

id=96680 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = $\frac{1}{4} + \frac{1}{4} = \frac{8}{16}$. Time = $\frac{16}{8} = 2$ days.

id=96681 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 27? | option_a=21 | option_b=18 | option_c=27 | option_d=15 | answer=C | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 27 is the odd one out.

id=96682 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3361. If it is sold at a profit of 15%, what is its selling price? | option_a=3376 | option_b=3529 | option_c=3865 | option_d=4201 | answer=C | explanation=Selling price = $CP \times \frac{(100 + \text{profit}\%)}{100}$ = $3361 \times \frac{115}{100}$ = **■**3865.

id=96683 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = $\frac{240}{4}$ = 60 km/h.

id=96684 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25943 at 15% per annum for 2 years. | option_a=7782 | option_b=7682 | option_c=7882 | option_d=33725 | answer=A | explanation=SI = $\frac{PRT}{100}$ = $\frac{25943 \times 15 \times 2}{100}$ = **■**7782.

id=96685 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=P | option_c=L | option_d=N | answer=B | explanation=Move 2 positions forward from N; the resulting letter is P.

id=96686 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 54? | option_a=54 | option_b=29 | option_c=37 | option_d=45 | answer=A | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 54 is the odd one out.

id=96687 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 9, 14, 22? | option_a=14 | option_b=22 | option_c=9 | option_d=4 | answer=B | explanation=The first three numbers increase by 5, so the next should be 19. Therefore 22 is the odd one out.

id=96688 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**452. If it is sold at a profit of 20%, what is its selling price? | option_a=587 | option_b=472 | option_c=497 | option_d=542 | answer=D | explanation=Selling price = $CP \times \frac{(100 + \text{profit}\%)}{100}$ = $452 \times \frac{120}{100}$ = **■**542.

id=96689 | topic=Percentages | difficulty=Easy | question=What is 30% of 1979? | option_a=588 | option_b=1186 | option_c=593 | option_d=603 | answer=C | explanation=30% of 1979 = $\frac{30}{100} \times 1979$ = 593.

id=96690 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10052 at 6% per annum for 3 years. | option_a=11861 | option_b=1709 | option_c=1809 | option_d=1909 | answer=C | explanation=SI = $\frac{PRT}{100}$ = $\frac{10052 \times 6 \times 3}{100}$ = **■**1809.

Aptitude Questions — Records 96,691-96,720 of 100,000

id=96691 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=96692 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=59 | option_b=70 | option_c=58 | option_d=46 | answer=C | explanation=The common difference is 12. Therefore the next term is 46 + 12 = 58.

id=96693 | topic=Averages | difficulty=Easy | question=Find the average of 47, 93, 25. | option_a=56 | option_b=55 | option_c=54 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 165 ÷ 3 = 55.

id=96694 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=96695 | topic=Averages | difficulty=Easy | question=Find the average of 70, 81, 47, 21, 76. | option_a=60 | option_b=61 | option_c=58 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 295 ÷ 5 = 59.

id=96696 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=4 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=96697 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**37330 at 8% per annum for 3 years. | option_a=8859 | option_b=8959 | option_c=46289 | option_d=9059 | answer=B | explanation=SI = PRT/100 = 37330×8×3/100 = **₹**8959.

id=96698 | topic=Averages | difficulty=Easy | question=Find the average of 92, 85, 68, 39. | option_a=73 | option_b=70 | option_c=71 | option_d=72 | answer=C | explanation=Average = sum of values ÷ number of values = 284 ÷ 4 = 71.

id=96699 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 20. | option_a=24 | option_b=80 | option_c=1 | option_d=20 | answer=D | explanation=LCM × HCF = 4×20; HCF(4,20) = 4, so LCM = 20.

id=96700 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 24, 32, 40, ? | option_a=49 | option_b=40 | option_c=48 | option_d=56 | answer=C | explanation=The common difference is 8. Therefore the next term is 40 + 8 = 48.

id=96701 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 18, 28, 40? | option_a=18 | option_b=28 | option_c=8 | option_d=40 | answer=D | explanation=The first three numbers increase by 10, so the next should be 38. Therefore 40 is the odd one out.

id=96702 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**30138 at 10% per annum for 3 years. | option_a=9141 | option_b=8941 | option_c=9041 | option_d=39179 | answer=C | explanation=SI = PRT/100 = 30138×10×3/100 = **₹**9041.

id=96703 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=B | option_b=J | option_c=F | option_d=N | answer=B | explanation=Move 4 positions forward from F; the resulting letter is J.

id=96704 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=96705 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**10921 at 12% per annum for 5 years. | option_a=6652 | option_b=6552 | option_c=17473 | option_d=6452 | answer=B | explanation=SI = PRT/100 = 10921×12×5/100 = **₹**6552.

id=96706 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**34974 at 8% per annum for 2 years. | option_a=40569 | option_b=5495 | option_c=5595 | option_d=5695 | answer=C | explanation=SI = PRT/100 = 34974×8×2/100 = **₹**5595.

id=96707 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 10, 14, 21? | option_a=10 | option_b=6 | option_c=21 | option_d=14 | answer=C | explanation=The first three numbers increase by 4, so the next should be 18. Therefore 21 is the odd one out.

id=96708 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 35? | option_a=22 | option_b=27 | option_c=35 | option_d=17 | answer=C | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 35 is the odd one out.

id=96709 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4229. If it is sold at a profit of 30%, what is its selling price? | option_a=5075 | option_b=5919 | option_c=4259 | option_d=5497 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4229 × 130/100 = **₹**5497.

id=96710 | topic=Percentages | difficulty=Easy | question=What is 30% of 1067? | option_a=320 | option_b=315 | option_c=640 | option_d=340 | answer=A | explanation=30% of 1067 = (30/100) × 1067 = 320.

id=96711 | topic=Averages | difficulty=Easy | question=Find the average of 64, 27, 41, 72, 34, 51, 69, 57, 53. | option_a=54 | option_b=52 | option_c=51 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 468 ÷ 9 = 52.

id=96712 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:9 and the first is 70, what is the second? | option_a=73 | option_b=54 | option_c=63 | option_d=133 | answer=C | explanation=Scale factor = 70/10 = 7. Therefore second quantity = 9×7 = 63.

id=96713 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=62 | option_b=40 | option_c=51 | option_d=52 | answer=C | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=96714 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=44 | option_b=45 | option_c=36 | option_d=52 | answer=A | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.

id=96715 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 17, 22, 30? | option_a=12 | option_b=22 | option_c=30 | option_d=17 | answer=C | explanation=The first three numbers increase by 5, so the next should be 27. Therefore 30 is the odd one out.

id=96716 | topic=Percentages | difficulty=Easy | question=What is 40% of 113? | option_a=45 | option_b=25 | option_c=55 | option_d=90 | answer=A | explanation=40% of 113 = (40/100) × 113 = 45.

id=96717 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=K | option_c=B | option_d=H | answer=D | explanation=Move 3 positions forward from E; the resulting letter is H.

id=96718 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 54? | option_a=54 | option_b=45 | option_c=29 | option_d=37 | answer=A | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 54 is the odd one out.

id=96719 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**9764 at 6% per annum for 1 years. | option_a=485 | option_b=10349 | option_c=585 | option_d=685 | answer=C | explanation=SI = PRT/100 = 9764×6×1/100 = **₹**585.

id=96720 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**341. If it is sold at a profit of 25%, what is its selling price? | option_a=426 | option_b=392 | option_c=366 | option_d=460 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 341 × 125/100 = **₹**426.

Aptitude Questions — Records 96,721-96,750 of 100,000

- id=96721 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41212 at 12% per annum for 2 years. | option_a=9890 | option_b=9790 | option_c=9990 | option_d=51102 | answer=A | explanation=SI = PRT/100 = 41212×12×2/100 = **■**9890.
- id=96722 | topic=Averages | difficulty=Easy | question=Find the average of 41, 32, 52, 13, 87, 34, 27, 61, 103. | option_a=50 | option_b=52 | option_c=51 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 450 ÷ 9 = 50.
- id=96723 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 23, 28, 34? | option_a=28 | option_b=18 | option_c=23 | option_d=34 | answer=D | explanation=The first three numbers increase by 5, so the next should be 33. Therefore 34 is the odd one out.
- id=96724 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 37? | option_a=26 | option_b=22 | option_c=37 | option_d=30 | answer=C | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 37 is the odd one out.
- id=96725 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27512 at 5% per annum for 4 years. | option_a=5402 | option_b=33014 | option_c=5502 | option_d=5602 | answer=C | explanation=SI = PRT/100 = 27512×5×4/100 = **■**5502.
- id=96726 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**344. If it is sold at a profit of 10%, what is its selling price? | option_a=412 | option_b=378 | option_c=354 | option_d=344 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 344 × 110/100 = **■**378.
- id=96727 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 17, 20, 25? | option_a=17 | option_b=20 | option_c=25 | option_d=14 | answer=C | explanation=The first three numbers increase by 3, so the next should be 23. Therefore 25 is the odd one out.
- id=96728 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3984. If it is sold at a profit of 15%, what is its selling price? | option_a=4183 | option_b=3999 | option_c=4979 | option_d=4581 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3984 × 115/100 = **■**4581.
- id=96729 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**28682 at 6% per annum for 2 years. | option_a=3541 | option_b=32123 | option_c=3441 | option_d=3341 | answer=C | explanation=SI = PRT/100 = 28682×6×2/100 = **■**3441.
- id=96730 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=12 | option_c=24 | option_d=7 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.
- id=96731 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.
- id=96732 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**45691 at 15% per annum for 5 years. | option_a=34368 | option_b=34268 | option_c=79959 | option_d=34168 | answer=B | explanation=SI = PRT/100 = 45691×15×5/100 = **■**34268.
- id=96733 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=61 | option_b=60 | option_c=70 | option_d=50 | answer=B | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.
- id=96734 | topic=Number System | difficulty=Easy | question=Find the LCM of 11 and 11. | option_a=121 | option_b=11 | option_c=22 | option_d=1 | answer=B | explanation=LCM × HCF = 11×11; HCF(11,11) = 11, so LCM = 11.
- id=96735 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:8 and the first is 21, what is the second? | option_a=56 | option_b=59 | option_c=48 | option_d=77 | answer=A | explanation=Scale factor = 21/3 = 7. Therefore second quantity = 8×7 = 56.
- id=96736 | topic=Averages | difficulty=Easy | question=Find the average of 40, 15, 36, 85, 80, 27, 11. | option_a=43 | option_b=44 | option_c=42 | option_d=41 | answer=C | explanation=Average = sum of values ÷ number of values = 294 ÷ 7 = 42.
- id=96737 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**640. If it is sold at a profit of 15%, what is its selling price? | option_a=655 | option_b=736 | option_c=672 | option_d=800 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 640 × 115/100 = **■**736.
- id=96738 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.
- id=96739 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 14. | option_a=28 | option_b=1 | option_c=14 | option_d=196 | answer=C | explanation=LCM × HCF = 14×14; HCF(14,14) = 14, so LCM = 14.
- id=96740 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:8 and the first is 117, what is the second? | option_a=96 | option_b=104 | option_c=113 | option_d=221 | answer=B | explanation=Scale factor = 117/9 = 13. Therefore second quantity = 8×13 = 104.
- id=96741 | topic=Averages | difficulty=Easy | question=Find the average of 48, 21, 13, 26. | option_a=28 | option_b=26 | option_c=29 | option_d=27 | answer=D | explanation=Average = sum of values ÷ number of values = 108 ÷ 4 = 27.
- id=96742 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.
- id=96743 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.
- id=96744 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 38? | option_a=29 | option_b=38 | option_c=32 | option_d=26 | answer=B | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 38 is the odd one out.
- id=96745 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:3 and the first is 140, what is the second? | option_a=30 | option_b=44 | option_c=27 | option_d=170 | answer=A | explanation=Scale factor = 140/14 = 10. Therefore second quantity = 3×10 = 30.
- id=96746 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2096. If it is sold at a profit of 10%, what is its selling price? | option_a=2096 | option_b=2106 | option_c=2514 | option_d=2305 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2096 × 110/100 = **■**2305.
- id=96747 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=34 | option_b=35 | option_c=30 | option_d=38 | answer=A | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.
- id=96748 | topic=Averages | difficulty=Easy | question=Find the average of 14, 96, 67. | option_a=60 | option_b=59 | option_c=58 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 177 ÷ 3 = 59.
- id=96749 | topic=Percentages | difficulty=Easy | question=What is 12% of 1705? | option_a=204 | option_b=408 | option_c=209 | option_d=199 | answer=A | explanation=12% of 1705 = (12/100) × 1705 = 204.
- id=96750 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=Q | option_b=L | option_c=V | option_d=G | answer=A | explanation=Move 5 positions forward from L; the resulting letter is Q.

Aptitude Questions — Records 96,751-96,780 of 100,000

id=96751 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3993. If it is sold at a profit of 40%, what is its selling price? | option_a=5191 | option_b=5989 | option_c=4033 | option_d=5590 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3993 \times 140/100 = \text{█}5590$.

id=96752 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 26, 32, 41? | option_a=20 | option_b=26 | option_c=41 | option_d=32 | answer=C | explanation=The first three numbers increase by 6, so the next should be 38. Therefore 41 is the odd one out.

id=96753 | topic=Percentages | difficulty=Easy | question=What is 30% of 705? | option_a=211 | option_b=221 | option_c=422 | option_d=206 | answer=A | explanation=30% of 705 = $(30/100) \times 705 = 211$.

id=96754 | topic=Averages | difficulty=Easy | question=Find the average of 77, 69, 81, 38, 76, 23, 66, 42, 10, 38. | option_a=54 | option_b=52 | option_c=53 | option_d=51 | answer=B | explanation=Average = $\text{sum of values} \div \text{number of values} = 520 \div 10 = 52$.

id=96755 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=45 | option_b=50 | option_c=100 | option_d=55 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 150 \div 3 = 50 \text{ km/h}$.

id=96756 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 17, 27, 37, ? | option_a=37 | option_b=47 | option_c=48 | option_d=57 | answer=B | explanation=The common difference is 10. Therefore the next term is $37 + 10 = 47$.

id=96757 | topic=Percentages | difficulty=Easy | question=What is 15% of 1339? | option_a=220 | option_b=190 | option_c=200 | option_d=400 | answer=C | explanation=15% of 1339 = $(15/100) \times 1339 = 200$.

id=96758 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:16 and the first is 105, what is the second? | option_a=345 | option_b=240 | option_c=247 | option_d=224 | answer=B | explanation=Scale factor = $105/7 = 15$. Therefore second quantity = $16 \times 15 = 240$.

id=96759 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1116. If it is sold at a profit of 25%, what is its selling price? | option_a=1141 | option_b=1506 | option_c=1284 | option_d=1395 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1116 \times 125/100 = \text{█}1395$.

id=96760 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:17 and the first is 70, what is the second? | option_a=119 | option_b=102 | option_c=189 | option_d=129 | answer=A | explanation=Scale factor = $70/10 = 7$. Therefore second quantity = $17 \times 7 = 119$.

id=96761 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 10. | option_a=20 | option_b=60 | option_c=300 | option_d=30 | answer=D | explanation= $LCM \times HCF = 30 \times 10$; $HCF(30,10) = 10$, so $LCM = 30$.

id=96762 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:15 and the first is 9, what is the second? | option_a=135 | option_b=144 | option_c=136 | option_d=120 | answer=A | explanation=Scale factor = $9/1 = 9$. Therefore second quantity = $15 \times 9 = 135$.

id=96763 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 29? | option_a=23 | option_b=19 | option_c=15 | option_d=29 | answer=D | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 29 is the odd one out.

id=96764 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=E | option_b=H | option_c=N | option_d=K | answer=D | explanation=Move 3 positions forward from H; the resulting letter is K.

id=96765 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4831. If it is sold at a profit of 5%, what is its selling price? | option_a=4589 | option_b=4836 | option_c=5555 | option_d=5072 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4831 \times 105/100 = \text{█}5072$.

id=96766 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 13. | option_a=338 | option_b=52 | option_c=13 | option_d=26 | answer=D | explanation= $LCM \times HCF = 26 \times 13$; $HCF(26,13) = 13$, so $LCM = 26$.

id=96767 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=20 | option_d=30 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 120 \div 8 = 15 \text{ km/h}$.

id=96768 | topic=Percentages | difficulty=Easy | question=What is 12% of 1029? | option_a=143 | option_b=246 | option_c=123 | option_d=103 | answer=C | explanation=12% of 1029 = $(12/100) \times 1029 = 123$.

id=96769 | topic=Averages | difficulty=Easy | question=Find the average of 17, 22, 12, 61, 58, 90, 62, 31, 10, 17. | option_a=38 | option_b=37 | option_c=39 | option_d=40 | answer=A | explanation=Average = $\text{sum of values} \div \text{number of values} = 380 \div 10 = 38$.

id=96770 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=K | option_c=G | option_d=S | answer=A | explanation=Move 4 positions forward from K; the resulting letter is O.

id=96771 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:1 and the first is 18, what is the second? | option_a=11 | option_b=27 | option_c=8 | option_d=9 | answer=D | explanation=Scale factor = $18/2 = 9$. Therefore second quantity = $1 \times 9 = 9$.

id=96772 | topic=Averages | difficulty=Easy | question=Find the average of 26, 51, 17, 83, 79, 44. | option_a=51 | option_b=50 | option_c=52 | option_d=49 | answer=B | explanation=Average = $\text{sum of values} \div \text{number of values} = 300 \div 6 = 50$.

id=96773 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:16 and the first is 48, what is the second? | option_a=128 | option_b=112 | option_c=176 | option_d=134 | answer=A | explanation=Scale factor = $48/6 = 8$. Therefore second quantity = $16 \times 8 = 128$.

id=96774 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:1 and the first is 50, what is the second? | option_a=15 | option_b=5 | option_c=4 | option_d=55 | answer=B | explanation=Scale factor = $50/10 = 5$. Therefore second quantity = $1 \times 5 = 5$.

id=96775 | topic=Profit & Loss | difficulty=Easy | question=An article costs █809. If it is sold at a profit of 30%, what is its selling price? | option_a=839 | option_b=1051 | option_c=1131 | option_d=971 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 809 \times 130/100 = \text{█}1051$.

id=96776 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:9 and the first is 80, what is the second? | option_a=184 | option_b=260 | option_c=180 | option_d=171 | answer=C | explanation=Scale factor = $80/4 = 20$. Therefore second quantity = $9 \times 20 = 180$.

id=96777 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=25 | option_b=33 | option_c=32 | option_d=39 | answer=C | explanation=The common difference is 7. Therefore the next term is $25 + 7 = 32$.

id=96778 | topic=Profit & Loss | difficulty=Easy | question=An article costs █568. If it is sold at a profit of 20%, what is its selling price? | option_a=737 | option_b=625 | option_c=681 | option_d=588 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 568 \times 120/100 = \text{█}681$.

id=96779 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=C | option_b=B | option_c=A | option_d=D | answer=A | explanation=Move 1 positions forward from B; the resulting letter is C.

id=96780 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2 \text{ days}$.

Aptitude Questions — Records 96,781-96,810 of 100,000

id=96781 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1583. If it is sold at a profit of 25%, what is its selling price? | option_a=2136 | option_b=1978 | option_c=1820 | option_d=1608 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1583 × 125/100 = █1978.

id=96782 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=R | option_c=N | option_d=F | answer=C | explanation=Move 4 positions forward from J; the resulting letter is N.

id=96783 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:1 and the first is 152, what is the second? | option_a=7 | option_b=160 | option_c=27 | option_d=8 | answer=D | explanation=Scale factor = 152/19 = 8. Therefore second quantity = 1×8 = 8.

id=96784 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=E | option_b=I | option_c=G | option_d=K | answer=B | explanation=Move 2 positions forward from G; the resulting letter is I.

id=96785 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46379 at 5% per annum for 2 years. | option_a=51016 | option_b=4737 | option_c=4637 | option_d=4537 | answer=C | explanation=SI = PRT/100 = 46379×5×2/100 = █4637.

id=96786 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47015 at 12% per annum for 2 years. | option_a=11183 | option_b=58298 | option_c=11383 | option_d=11283 | answer=D | explanation=SI = PRT/100 = 47015×12×2/100 = █11283.

id=96787 | topic=Percentages | difficulty=Easy | question=What is 25% of 277? | option_a=49 | option_b=138 | option_c=69 | option_d=89 | answer=C | explanation=25% of 277 = (25/100) × 277 = 69.

id=96788 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 17, 29, 41, ? | option_a=41 | option_b=65 | option_c=54 | option_d=53 | answer=D | explanation=The common difference is 12. Therefore the next term is 41 + 12 = 53.

id=96789 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=I | option_b=G | option_c=H | option_d=J | answer=A | explanation=Move 1 positions forward from H; the resulting letter is I.

id=96790 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6500 at 10% per annum for 4 years. | option_a=9100 | option_b=2600 | option_c=2700 | option_d=2500 | answer=B | explanation=SI = PRT/100 = 6500×10×4/100 = █2600.

id=96791 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 46? | option_a=46 | option_b=37 | option_c=30 | option_d=23 | answer=A | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 46 is the odd one out.

id=96792 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █27324 at 6% per annum for 4 years. | option_a=6457 | option_b=6557 | option_c=33881 | option_d=6657 | answer=B | explanation=SI = PRT/100 = 27324×6×4/100 = █6557.

id=96793 | topic=Percentages | difficulty=Easy | question=What is 40% of 889? | option_a=710 | option_b=350 | option_c=365 | option_d=355 | answer=D | explanation=40% of 889 = (40/100) × 889 = 355.

id=96794 | topic=Percentages | difficulty=Easy | question=What is 25% of 1019? | option_a=508 | option_b=254 | option_c=274 | option_d=249 | answer=B | explanation=25% of 1019 = (25/100) × 1019 = 254.

id=96795 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3926. If it is sold at a profit of 30%, what is its selling price? | option_a=4711 | option_b=3956 | option_c=5495 | option_d=5103 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3926 × 130/100 = █5103.

id=96796 | topic=Averages | difficulty=Easy | question=Find the average of 48, 29, 37, 62. | option_a=44 | option_b=46 | option_c=45 | option_d=43 | answer=A | explanation=Average = sum of values ÷ number of values = 176 ÷ 4 = 44.

id=96797 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=96798 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:15 and the first is 39, what is the second? | option_a=180 | option_b=234 | option_c=195 | option_d=198 | answer=C | explanation=Scale factor = 39/3 = 13. Therefore second quantity = 15×13 = 195.

id=96799 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=96800 | topic=Averages | difficulty=Easy | question=Find the average of 15, 32, 17, 86, 98, 97, 15, 54, 90. | option_a=57 | option_b=56 | option_c=58 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=96801 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=96802 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 34, 41, 49? | option_a=41 | option_b=34 | option_c=27 | option_d=49 | answer=D | explanation=The first three numbers increase by 7, so the next should be 48. Therefore 49 is the odd one out.

id=96803 | topic=Percentages | difficulty=Easy | question=What is 15% of 1534? | option_a=460 | option_b=235 | option_c=230 | option_d=225 | answer=C | explanation=15% of 1534 = (15/100) × 1534 = 230.

id=96804 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=18 | option_c=13 | option_d=23 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=96805 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=O | option_b=C | option_c=K | option_d=G | answer=C | explanation=Move 4 positions forward from G; the resulting letter is K.

id=96806 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=90 | option_c=85 | option_d=180 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=96807 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=12 | option_d=2 | answer=A | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=96808 | topic=Averages | difficulty=Easy | question=Find the average of 41, 75, 23, 55, 30, 33, 65. | option_a=48 | option_b=47 | option_c=46 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = 322 ÷ 7 = 46.

id=96809 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=I | option_b=M | option_c=U | option_d=Q | answer=D | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=96810 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=70 | option_c=75 | option_d=150 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

Aptitude Questions — Records 96,811-96,840 of 100,000

id=96811 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=96812 | topic=Percentages | difficulty=Easy | question=What is 25% of 552? | option_a=276 | option_b=138 | option_c=158 | option_d=128 | answer=B | explanation=25% of 552 = (25/100) × 552 = 138.

id=96813 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=96814 | topic=Percentages | difficulty=Easy | question=What is 50% of 1646? | option_a=823 | option_b=843 | option_c=803 | option_d=1646 | answer=A | explanation=50% of 1646 = (50/100) × 1646 = 823.

id=96815 | topic=Percentages | difficulty=Easy | question=What is 40% of 1888? | option_a=755 | option_b=760 | option_c=745 | option_d=1510 | answer=A | explanation=40% of 1888 = (40/100) × 1888 = 755.

id=96816 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1510. If it is sold at a profit of 15%, what is its selling price? | option_a=1887 | option_b=1736 | option_c=1525 | option_d=1585 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1510 × 115/100 = █1736.

id=96817 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3256. If it is sold at a profit of 50%, what is its selling price? | option_a=3306 | option_b=5209 | option_c=4884 | option_d=4559 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3256 × 150/100 = █4884.

id=96818 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:18 and the first is 160, what is the second? | option_a=144 | option_b=164 | option_c=126 | option_d=304 | answer=A | explanation=Scale factor = 160/20 = 8. Therefore second quantity = 18×8 = 144.

id=96819 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2930. If it is sold at a profit of 50%, what is its selling price? | option_a=4395 | option_b=4688 | option_c=2980 | option_d=4102 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2930 × 150/100 = █4395.

id=96820 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2167. If it is sold at a profit of 10%, what is its selling price? | option_a=2599 | option_b=2167 | option_c=2177 | option_d=2383 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2167 × 110/100 = █2383.

id=96821 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39432 at 10% per annum for 5 years. | option_a=19816 | option_b=19616 | option_c=19716 | option_d=59148 | answer=C | explanation=SI = PRT/100 = 39432×10×5/100 = █19716.

id=96822 | topic=Percentages | difficulty=Easy | question=What is 50% of 689? | option_a=344 | option_b=688 | option_c=349 | option_d=339 | answer=A | explanation=50% of 689 = (50/100) × 689 = 344.

id=96823 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3131. If it is sold at a profit of 30%, what is its selling price? | option_a=3161 | option_b=4070 | option_c=3757 | option_d=4383 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3131 × 130/100 = █4070.

id=96824 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 11, 16, 21, ? | option_a=26 | option_b=21 | option_c=31 | option_d=27 | answer=A | explanation=The common difference is 5. Therefore the next term is 21 + 5 = 26.

id=96825 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28883 at 15% per annum for 3 years. | option_a=12997 | option_b=41880 | option_c=13097 | option_d=12897 | answer=A | explanation=SI = PRT/100 = 28883×15×3/100 = █12997.

id=96826 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=12 | option_c=17 | option_d=24 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=96827 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=60 | option_b=38 | option_c=49 | option_d=50 | answer=C | explanation=The common difference is 11. Therefore the next term is 38 + 11 = 49.

id=96828 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1535. If it is sold at a profit of 20%, what is its selling price? | option_a=1555 | option_b=1995 | option_c=1689 | option_d=1842 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1535 × 120/100 = █1842.

id=96829 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:2 and the first is 130, what is the second? | option_a=18 | option_b=20 | option_c=33 | option_d=150 | answer=B | explanation=Scale factor = 130/13 = 10. Therefore second quantity = 2×10 = 20.

id=96830 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:13 and the first is 72, what is the second? | option_a=156 | option_b=143 | option_c=228 | option_d=162 | answer=A | explanation=Scale factor = 72/6 = 12. Therefore second quantity = 13×12 = 156.

id=96831 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:5 and the first is 75, what is the second? | option_a=40 | option_b=25 | option_c=100 | option_d=20 | answer=B | explanation=Scale factor = 75/15 = 5. Therefore second quantity = 5×5 = 25.

id=96832 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 26. | option_a=56 | option_b=52 | option_c=26 | option_d=104 | answer=B | explanation=LCM × HCF = 4×26; HCF(4,26) = 2, so LCM = 52.

id=96833 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 35? | option_a=17 | option_b=25 | option_c=9 | option_d=35 | answer=D | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 35 is the odd one out.

id=96834 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:11 and the first is 40, what is the second? | option_a=44 | option_b=95 | option_c=63 | option_d=55 | answer=D | explanation=Scale factor = 40/8 = 5. Therefore second quantity = 11×5 = 55.

id=96835 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=12 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=96836 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:19 and the first is 120, what is the second? | option_a=152 | option_b=167 | option_c=133 | option_d=272 | answer=A | explanation=Scale factor = 120/15 = 8. Therefore second quantity = 19×8 = 152.

id=96837 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15060 at 8% per annum for 1 years. | option_a=1104 | option_b=1204 | option_c=1304 | option_d=16264 | answer=B | explanation=SI = PRT/100 = 15060×8×1/100 = █1204.

id=96838 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 8. | option_a=120 | option_b=112 | option_c=150 | option_d=240 | answer=A | explanation=LCM × HCF = 30×8; HCF(30,8) = 2, so LCM = 120.

id=96839 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=F | option_c=H | option_d=B | answer=B | explanation=Move 2 positions forward from D; the resulting letter is F.

id=96840 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:2 and the first is 88, what is the second? | option_a=30 | option_b=20 | option_c=22 | option_d=110 | answer=C | explanation=Scale factor = 88/8 = 11. Therefore second quantity = 2×11 = 22.

Aptitude Questions — Records 96,841-96,870 of 100,000

id=96841 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 8. | option_a=56 | option_b=224 | option_c=84 | option_d=48 | answer=A | explanation=LCM × HCF = 28×8; HCF(28,8) = 4, so LCM = 56.

id=96842 | topic=Percentages | difficulty=Easy | question=What is 25% of 884? | option_a=442 | option_b=221 | option_c=201 | option_d=231 | answer=B | explanation=25% of 884 = (25/100) × 884 = 221.

id=96843 | topic=Averages | difficulty=Easy | question=Find the average of 89, 73, 13, 55, 53, 89. | option_a=61 | option_b=63 | option_c=62 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 372 ÷ 6 = 62.

id=96844 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 10, 15, 21? | option_a=5 | option_b=21 | option_c=10 | option_d=15 | answer=B | explanation=The first three numbers increase by 5, so the next should be 20. Therefore 21 is the odd one out.

id=96845 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=D | option_b=G | option_c=J | option_d=M | answer=C | explanation=Move 3 positions forward from G; the resulting letter is J.

id=96846 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**33932 at 15% per annum for 3 years. | option_a=15269 | option_b=15169 | option_c=15369 | option_d=49201 | answer=A | explanation=SI = PRT/100 = 33932×15×3/100 = **₹**15269.

id=96847 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 23, 25, 29? | option_a=29 | option_b=25 | option_c=23 | option_d=21 | answer=A | explanation=The first three numbers increase by 2, so the next should be 27. Therefore 29 is the odd one out.

id=96848 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=8 | option_d=3 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=96849 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 20. | option_a=520 | option_b=260 | option_c=286 | option_d=240 | answer=B | explanation=LCM × HCF = 26×20; HCF(26,20) = 2, so LCM = 260.

id=96850 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1519. If it is sold at a profit of 25%, what is its selling price? | option_a=1544 | option_b=2049 | option_c=1747 | option_d=1898 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1519 × 125/100 = **₹**1898.

id=96851 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 18, 25, 34? | option_a=25 | option_b=34 | option_c=18 | option_d=11 | answer=B | explanation=The first three numbers increase by 7, so the next should be 32. Therefore 34 is the odd one out.

id=96852 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=96853 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=18 | option_b=17 | option_c=15 | option_d=19 | answer=B | explanation=The common difference is 2. Therefore the next term is 15 + 2 = 17.

id=96854 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**5315 at 4% per annum for 4 years. | option_a=750 | option_b=950 | option_c=850 | option_d=6165 | answer=C | explanation=SI = PRT/100 = 5315×4×4/100 = **₹**850.

id=96855 | topic=Averages | difficulty=Easy | question=Find the average of 11, 21, 65, 23, 40. | option_a=34 | option_b=31 | option_c=33 | option_d=32 | answer=D | explanation=Average = sum of values ÷ number of values = 160 ÷ 5 = 32.

id=96856 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=18 | option_c=36 | option_d=23 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=96857 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**40656 at 15% per annum for 1 years. | option_a=46754 | option_b=6098 | option_c=5998 | option_d=6198 | answer=B | explanation=SI = PRT/100 = 40656×15×1/100 = **₹**6098.

id=96858 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=T | option_b=R | option_c=S | option_d=Q | answer=C | explanation=Move 1 positions forward from R; the resulting letter is S.

id=96859 | topic=Averages | difficulty=Easy | question=Find the average of 71, 71, 47, 56, 44, 25, 35, 27. | option_a=48 | option_b=49 | option_c=47 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 376 ÷ 8 = 47.

id=96860 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 16, 20, 26? | option_a=20 | option_b=12 | option_c=16 | option_d=26 | answer=D | explanation=The first three numbers increase by 4, so the next should be 24. Therefore 26 is the odd one out.

id=96861 | topic=Percentages | difficulty=Easy | question=What is 12% of 507? | option_a=40 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=12% of 507 = (12/100) × 507 = 60.

id=96862 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=120 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=96863 | topic=Percentages | difficulty=Easy | question=What is 10% of 689? | option_a=136 | option_b=68 | option_c=48 | option_d=88 | answer=B | explanation=10% of 689 = (10/100) × 689 = 68.

id=96864 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:13 and the first is 12, what is the second? | option_a=39 | option_b=43 | option_c=51 | option_d=26 | answer=A | explanation=Scale factor = 12/4 = 3. Therefore second quantity = 13×3 = 39.

id=96865 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=20 | option_b=15 | option_c=19 | option_d=23 | answer=C | explanation=The common difference is 4. Therefore the next term is 15 + 4 = 19.

id=96866 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 15, 21, 29? | option_a=15 | option_b=21 | option_c=29 | option_d=9 | answer=C | explanation=The first three numbers increase by 6, so the next should be 27. Therefore 29 is the odd one out.

id=96867 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3712. If it is sold at a profit of 25%, what is its selling price? | option_a=3737 | option_b=5011 | option_c=4269 | option_d=4640 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3712 × 125/100 = **₹**4640.

id=96868 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 34? | option_a=19 | option_b=12 | option_c=34 | option_d=26 | answer=C | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 34 is the odd one out.

id=96869 | topic=Averages | difficulty=Easy | question=Find the average of 18, 73, 44, 38, 17. | option_a=39 | option_b=37 | option_c=40 | option_d=38 | answer=D | explanation=Average = sum of values ÷ number of values = 190 ÷ 5 = 38.

id=96870 | topic=Percentages | difficulty=Easy | question=What is 15% of 1473? | option_a=215 | option_b=440 | option_c=220 | option_d=225 | answer=C | explanation=15% of 1473 = (15/100) × 1473 = 220.

Aptitude Questions — Records 96,871-96,900 of 100,000

id=96871 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3246. If it is sold at a profit of 15%, what is its selling price? | option_a=4056 | option_b=3408 | option_c=3732 | option_d=3261 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3246 × 115/100 = ■3732.

id=96872 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=18 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=96873 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=J | option_b=P | option_c=L | option_d=N | answer=D | explanation=Move 2 positions forward from L; the resulting letter is N.

id=96874 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1840. If it is sold at a profit of 50%, what is its selling price? | option_a=2576 | option_b=2944 | option_c=2760 | option_d=1890 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1840 × 150/100 = ■2760.

id=96875 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■30431 at 4% per annum for 5 years. | option_a=5986 | option_b=6186 | option_c=36517 | option_d=6086 | answer=D | explanation=SI = PRT/100 = 30431×4×5/100 = ■6086.

id=96876 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■20750 at 15% per annum for 3 years. | option_a=9437 | option_b=9337 | option_c=30087 | option_d=9237 | answer=B | explanation=SI = PRT/100 = 20750×15×3/100 = ■9337.

id=96877 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=39 | option_b=44 | option_c=40 | option_d=34 | answer=A | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

id=96878 | topic=Averages | difficulty=Easy | question=Find the average of 31, 13, 82, 75, 93, 90. | option_a=63 | option_b=66 | option_c=65 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 384 ÷ 6 = 64.

id=96879 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=96880 | topic=Percentages | difficulty=Easy | question=What is 30% of 579? | option_a=178 | option_b=173 | option_c=163 | option_d=346 | answer=B | explanation=30% of 579 = (30/100) × 579 = 173.

id=96881 | topic=Percentages | difficulty=Easy | question=What is 50% of 1636? | option_a=1636 | option_b=808 | option_c=818 | option_d=838 | answer=C | explanation=50% of 1636 = (50/100) × 1636 = 818.

id=96882 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3148. If it is sold at a profit of 15%, what is its selling price? | option_a=3934 | option_b=3163 | option_c=3620 | option_d=3306 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3148 × 115/100 = ■3620.

id=96883 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=64 | option_b=53 | option_c=52 | option_d=40 | answer=C | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.

id=96884 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=23 | option_b=20 | option_c=17 | option_d=21 | answer=B | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=96885 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 31? | option_a=20 | option_b=24 | option_c=16 | option_d=31 | answer=D | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 31 is the odd one out.

id=96886 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■8199 at 8% per annum for 5 years. | option_a=3179 | option_b=3379 | option_c=3279 | option_d=11478 | answer=C | explanation=SI = PRT/100 = 8199×8×5/100 = ■3279.

id=96887 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=96888 | topic=Averages | difficulty=Easy | question=Find the average of 79, 93, 93, 12, 23. | option_a=59 | option_b=60 | option_c=61 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 300 ÷ 5 = 60.

id=96889 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=77 | option_b=53 | option_c=66 | option_d=65 | answer=D | explanation=The common difference is 12. Therefore the next term is 53 + 12 = 65.

id=96890 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■622. If it is sold at a profit of 20%, what is its selling price? | option_a=642 | option_b=808 | option_c=746 | option_d=684 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 622 × 120/100 = ■746.

id=96891 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■25833 at 15% per annum for 5 years. | option_a=19474 | option_b=19374 | option_c=45207 | option_d=19274 | answer=B | explanation=SI = PRT/100 = 25833×15×5/100 = ■19374.

id=96892 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=96893 | topic=Percentages | difficulty=Easy | question=What is 12% of 622? | option_a=148 | option_b=54 | option_c=84 | option_d=74 | answer=D | explanation=12% of 622 = (12/100) × 622 = 74.

id=96894 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4590. If it is sold at a profit of 40%, what is its selling price? | option_a=6426 | option_b=5967 | option_c=6885 | option_d=4630 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4590 × 140/100 = ■6426.

id=96895 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1586. If it is sold at a profit of 40%, what is its selling price? | option_a=2062 | option_b=2378 | option_c=2220 | option_d=1626 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1586 × 140/100 = ■2220.

id=96896 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3424. If it is sold at a profit of 30%, what is its selling price? | option_a=3454 | option_b=4451 | option_c=4109 | option_d=4793 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3424 × 130/100 = ■4451.

id=96897 | topic=Percentages | difficulty=Easy | question=What is 50% of 1016? | option_a=498 | option_b=1016 | option_c=508 | option_d=528 | answer=C | explanation=50% of 1016 = (50/100) × 1016 = 508.

id=96898 | topic=Averages | difficulty=Easy | question=Find the average of 94, 75, 16, 87. | option_a=69 | option_b=70 | option_c=67 | option_d=68 | answer=D | explanation=Average = sum of values ÷ number of values = 272 ÷ 4 = 68.

id=96899 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■17772 at 4% per annum for 2 years. | option_a=1421 | option_b=1521 | option_c=19193 | option_d=1321 | answer=A | explanation=SI = PRT/100 = 17772×4×2/100 = ■1421.

id=96900 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1792. If it is sold at a profit of 30%, what is its selling price? | option_a=2150 | option_b=2508 | option_c=1822 | option_d=2329 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1792 × 130/100 = ■2329.

Aptitude Questions — Records 96,901-96,930 of 100,000

id=96901 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 32, 37, 44? | option_a=44 | option_b=37 | option_c=27 | option_d=32 | answer=A | explanation=The first three numbers increase by 5, so the next should be 42. Therefore 44 is the odd one out.

id=96902 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=70 | option_b=75 | option_c=150 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=96903 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■31333 at 8% per annum for 1 years. | option_a=2506 | option_b=33839 | option_c=2406 | option_d=2606 | answer=A | explanation=SI = PRT/100 = 31333×8×1/100 = ■2506.

id=96904 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=33 | option_b=36 | option_c=32 | option_d=28 | answer=C | explanation=The common difference is 4. Therefore the next term is 28 + 4 = 32.

id=96905 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=28 | option_b=27 | option_c=26 | option_d=24 | answer=C | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.

id=96906 | topic=Averages | difficulty=Easy | question=Find the average of 13, 79, 23, 62, 53. | option_a=47 | option_b=45 | option_c=46 | option_d=48 | answer=C | explanation=Average = sum of values ÷ number of values = 230 ÷ 5 = 46.

id=96907 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2001. If it is sold at a profit of 40%, what is its selling price? | option_a=2801 | option_b=3001 | option_c=2041 | option_d=2601 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2001 × 140/100 = ■2801.

id=96908 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=96909 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=R | option_c=M | option_d=C | answer=C | explanation=Move 5 positions forward from H; the resulting letter is M.

id=96910 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1707. If it is sold at a profit of 5%, what is its selling price? | option_a=1962 | option_b=1792 | option_c=1622 | option_d=1712 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1707 × 105/100 = ■1792.

id=96911 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=96912 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=23 | option_c=18 | option_d=36 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=96913 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=80 | option_c=45 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=96914 | topic=Averages | difficulty=Easy | question=Find the average of 44, 16, 52, 62, 21, 53, 81, 39. | option_a=47 | option_b=45 | option_c=48 | option_d=46 | answer=D | explanation=Average = sum of values ÷ number of values = 368 ÷ 8 = 46.

id=96915 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:19 and the first is 18, what is the second? | option_a=360 | option_b=342 | option_c=343 | option_d=323 | answer=B | explanation=Scale factor = 18/1 = 18. Therefore second quantity = 19×18 = 342.

id=96916 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:6 and the first is 288, what is the second? | option_a=90 | option_b=384 | option_c=96 | option_d=114 | answer=C | explanation=Scale factor = 288/18 = 16. Therefore second quantity = 6×16 = 96.

id=96917 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=Y | option_b=K | option_c=G | option_d=C | answer=C | explanation=Move 4 positions forward from C; the resulting letter is G.

id=96918 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1371. If it is sold at a profit of 30%, what is its selling price? | option_a=1401 | option_b=1782 | option_c=1919 | option_d=1645 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1371 × 130/100 = ■1782.

id=96919 | topic=Percentages | difficulty=Easy | question=What is 20% of 1428? | option_a=285 | option_b=275 | option_c=295 | option_d=570 | answer=A | explanation=20% of 1428 = (20/100) × 1428 = 285.

id=96920 | topic=Percentages | difficulty=Easy | question=What is 50% of 1514? | option_a=1514 | option_b=747 | option_c=767 | option_d=757 | answer=D | explanation=50% of 1514 = (50/100) × 1514 = 757.

id=96921 | topic=Percentages | difficulty=Easy | question=What is 40% of 755? | option_a=312 | option_b=302 | option_c=292 | option_d=604 | answer=B | explanation=40% of 755 = (40/100) × 755 = 302.

id=96922 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:14 and the first is 84, what is the second? | option_a=70 | option_b=84 | option_c=98 | option_d=168 | answer=B | explanation=Scale factor = 84/14 = 6. Therefore second quantity = 14×6 = 84.

id=96923 | topic=Percentages | difficulty=Easy | question=What is 15% of 1270? | option_a=380 | option_b=190 | option_c=195 | option_d=180 | answer=B | explanation=15% of 1270 = (15/100) × 1270 = 190.

id=96924 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=25 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=96925 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 27. | option_a=240 | option_b=189 | option_c=216 | option_d=648 | answer=C | explanation=LCM × HCF = 24×27; HCF(24,27) = 3, so LCM = 216.

id=96926 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:13 and the first is 289, what is the second? | option_a=208 | option_b=510 | option_c=221 | option_d=238 | answer=C | explanation=Scale factor = 289/17 = 17. Therefore second quantity = 13×17 = 221.

id=96927 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■22795 at 15% per annum for 4 years. | option_a=13777 | option_b=13677 | option_c=36472 | option_d=13577 | answer=B | explanation=SI = PRT/100 = 22795×15×4/100 = ■13677.

id=96928 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=23 | option_b=22 | option_c=17 | option_d=27 | answer=B | explanation=The common difference is 5. Therefore the next term is 17 + 5 = 22.

id=96929 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=15 | option_c=20 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=96930 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=44 | option_b=52 | option_c=34 | option_d=43 | answer=D | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

Aptitude Questions — Records 96,931-96,960 of 100,000

id=96931 | topic=Averages | difficulty=Easy | question=Find the average of 13, 24, 28, 87. | option_a=40 | option_b=39 | option_c=37 | option_d=38 | answer=D | explanation=Average = sum of values ÷ number of values = 152 ÷ 4 = 38.

id=96932 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=N | option_b=B | option_c=F | option_d=J | answer=D | explanation=Move 4 positions forward from F; the resulting letter is J.

id=96933 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**6841 at 10% per annum for 3 years. | option_a=8893 | option_b=2052 | option_c=2152 | option_d=1952 | answer=B | explanation=SI = PRT/100 = 6841×10×3/100 = **₹**2052.

id=96934 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 26. | option_a=104 | option_b=26 | option_c=56 | option_d=52 | answer=D | explanation=LCM × HCF = 4×26; HCF(4,26) = 2, so LCM = 52.

id=96935 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=W | option_b=B | option_c=M | option_d=R | answer=A | explanation=Move 5 positions forward from R; the resulting letter is W.

id=96936 | topic=Averages | difficulty=Easy | question=Find the average of 85, 42, 38, 83. | option_a=64 | option_b=62 | option_c=63 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = 248 ÷ 4 = 62.

id=96937 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4937. If it is sold at a profit of 40%, what is its selling price? | option_a=4977 | option_b=6418 | option_c=6911 | option_d=7404 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4937 × 140/100 = **₹**6911.

id=96938 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=35 | option_b=38 | option_c=30 | option_d=34 | answer=D | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.

id=96939 | topic=Percentages | difficulty=Easy | question=What is 25% of 1382? | option_a=340 | option_b=345 | option_c=690 | option_d=350 | answer=B | explanation=25% of 1382 = (25/100) × 1382 = 345.

id=96940 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 14, 16, 19? | option_a=19 | option_b=16 | option_c=12 | option_d=14 | answer=A | explanation=The first three numbers increase by 2, so the next should be 18. Therefore 19 is the odd one out.

id=96941 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=J | option_b=H | option_c=F | option_d=D | answer=B | explanation=Move 2 positions forward from F; the resulting letter is H.

id=96942 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 26. | option_a=364 | option_b=156 | option_c=196 | option_d=182 | answer=D | explanation=LCM × HCF = 14×26; HCF(14,26) = 2, so LCM = 182.

id=96943 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**49860 at 8% per annum for 1 years. | option_a=3988 | option_b=53848 | option_c=3888 | option_d=4088 | answer=A | explanation=SI = PRT/100 = 49860×8×1/100 = **₹**3988.

id=96944 | topic=Percentages | difficulty=Easy | question=What is 30% of 1448? | option_a=434 | option_b=429 | option_c=868 | option_d=439 | answer=A | explanation=30% of 1448 = (30/100) × 1448 = 434.

id=96945 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=20 | option_d=4 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=96946 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=17 | option_b=23 | option_c=22 | option_d=27 | answer=C | explanation=The common difference is 5. Therefore the next term is 17 + 5 = 22.

id=96947 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:11 and the first is 360, what is the second? | option_a=558 | option_b=198 | option_c=187 | option_d=218 | answer=B | explanation=Scale factor = 360/20 = 18. Therefore second quantity = 11×18 = 198.

id=96948 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 13, 23, 35? | option_a=13 | option_b=35 | option_c=3 | option_d=23 | answer=B | explanation=The first three numbers increase by 10, so the next should be 33. Therefore 35 is the odd one out.

id=96949 | topic=Averages | difficulty=Easy | question=Find the average of 50, 25, 76, 26, 68, 22, 56, 53. | option_a=46 | option_b=47 | option_c=48 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 376 ÷ 8 = 47.

id=96950 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 25? | option_a=25 | option_b=6 | option_c=18 | option_d=12 | answer=A | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 25 is the odd one out.

id=96951 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3284. If it is sold at a profit of 40%, what is its selling price? | option_a=4269 | option_b=4597 | option_c=4925 | option_d=3324 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3284 × 140/100 = **₹**4597.

id=96952 | topic=Averages | difficulty=Easy | question=Find the average of 93, 35, 16, 49, 32, 98, 82, 18, 54. | option_a=55 | option_b=52 | option_c=53 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 477 ÷ 9 = 53.

id=96953 | topic=Percentages | difficulty=Easy | question=What is 12% of 1888? | option_a=226 | option_b=231 | option_c=452 | option_d=221 | answer=A | explanation=12% of 1888 = (12/100) × 1888 = 226.

id=96954 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=44 | option_b=34 | option_c=43 | option_d=52 | answer=C | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

id=96955 | topic=Averages | difficulty=Easy | question=Find the average of 61, 87, 45, 39, 62, 60. | option_a=61 | option_b=58 | option_c=60 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.

id=96956 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 17? | option_a=8 | option_b=11 | option_c=5 | option_d=17 | answer=D | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 17 is the odd one out.

id=96957 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:7 and the first is 98, what is the second? | option_a=91 | option_b=105 | option_c=196 | option_d=98 | answer=D | explanation=Scale factor = 98/7 = 14. Therefore second quantity = 7×14 = 98.

id=96958 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**19104 at 8% per annum for 2 years. | option_a=3056 | option_b=22160 | option_c=2956 | option_d=3156 | answer=A | explanation=SI = PRT/100 = 19104×8×2/100 = **₹**3056.

id=96959 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=4 | option_b=9 | option_c=18 | option_d=14 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=96960 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:13 and the first is 5, what is the second? | option_a=52 | option_b=66 | option_c=65 | option_d=70 | answer=C | explanation=Scale factor = 5/1 = 5. Therefore second quantity = 13×5 = 65.

Aptitude Questions — Records 96,961-96,990 of 100,000

id=96961 | topic=Percentages | difficulty=Easy | question=What is 5% of 536? | option_a=52 | option_b=21 | option_c=46 | option_d=26 | answer=D | explanation=5% of 536 = (5/100) × 536 = 26.

id=96962 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=85 | option_b=80 | option_c=75 | option_d=160 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=96963 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:2 and the first is 32, what is the second? | option_a=36 | option_b=2 | option_c=4 | option_d=20 | answer=C | explanation=Scale factor = 32/16 = 2. Therefore second quantity = 2×2 = 4.

id=96964 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4354. If it is sold at a profit of 30%, what is its selling price? | option_a=5660 | option_b=4384 | option_c=5225 | option_d=6095 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4354 × 130/100 = █5660.

id=96965 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=96966 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █34294 at 12% per annum for 5 years. | option_a=54870 | option_b=20676 | option_c=20476 | option_d=20576 | answer=D | explanation=SI = PRT/100 = 34294×12×5/100 = █20576.

id=96967 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=7 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=96968 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=96969 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=N | option_b=I | option_c=Y | option_d=D | answer=B | explanation=Move 5 positions forward from D; the resulting letter is I.

id=96970 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=360 | option_b=185 | option_c=180 | option_d=175 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=96971 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:7 and the first is 36, what is the second? | option_a=78 | option_b=35 | option_c=42 | option_d=48 | answer=C | explanation=Scale factor = 36/6 = 6. Therefore second quantity = 7×6 = 42.

id=96972 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 21, 23, 25, ? | option_a=27 | option_b=29 | option_c=28 | option_d=25 | answer=A | explanation=The common difference is 2. Therefore the next term is 25 + 2 = 27.

id=96973 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=10 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=96974 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=40 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=96975 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 29, 32, 37? | option_a=37 | option_b=32 | option_c=26 | option_d=29 | answer=A | explanation=The first three numbers increase by 3, so the next should be 35. Therefore 37 is the odd one out.

id=96976 | topic=Averages | difficulty=Easy | question=Find the average of 11, 87, 22. | option_a=42 | option_b=41 | option_c=40 | option_d=39 | answer=C | explanation=Average = sum of values ÷ number of values = 120 ÷ 3 = 40.

id=96977 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=E | option_b=I | option_c=Q | option_d=M | answer=D | explanation=Move 4 positions forward from I; the resulting letter is M.

id=96978 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:6 and the first is 324, what is the second? | option_a=432 | option_b=108 | option_c=126 | option_d=102 | answer=B | explanation=Scale factor = 324/18 = 18. Therefore second quantity = 6×18 = 108.

id=96979 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 39? | option_a=30 | option_b=32 | option_c=34 | option_d=39 | answer=D | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 39 is the odd one out.

id=96980 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=25 | option_b=28 | option_c=22 | option_d=26 | answer=A | explanation=The common difference is 3. Therefore the next term is 22 + 3 = 25.

id=96981 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=E | option_c=I | option_d=W | answer=B | explanation=Move 4 positions forward from A; the resulting letter is E.

id=96982 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █43917 at 5% per annum for 1 years. | option_a=2295 | option_b=2195 | option_c=46112 | option_d=2095 | answer=B | explanation=SI = PRT/100 = 43917×5×1/100 = █2195.

id=96983 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:5 and the first is 204, what is the second? | option_a=77 | option_b=55 | option_c=60 | option_d=264 | answer=C | explanation=Scale factor = 204/17 = 12. Therefore second quantity = 5×12 = 60.

id=96984 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=96985 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 41? | option_a=41 | option_b=30 | option_c=14 | option_d=22 | answer=A | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 41 is the odd one out.

id=96986 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=96987 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=52 | option_b=51 | option_c=63 | option_d=39 | answer=B | explanation=The common difference is 12. Therefore the next term is 39 + 12 = 51.

id=96988 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2831. If it is sold at a profit of 40%, what is its selling price? | option_a=3963 | option_b=4246 | option_c=2871 | option_d=3680 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2831 × 140/100 = █3963.

id=96989 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16407 at 10% per annum for 1 years. | option_a=1540 | option_b=1640 | option_c=18047 | option_d=1740 | answer=B | explanation=SI = PRT/100 = 16407×10×1/100 = █1640.

id=96990 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 16. | option_a=384 | option_b=72 | option_c=48 | option_d=32 | answer=C | explanation=LCM × HCF = 24×16; HCF(24,16) = 8, so LCM = 48.

Aptitude Questions — Records 96,991-97,020 of 100,000

id=96991 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4118. If it is sold at a profit of 15%, what is its selling price? | option_a=4133 | option_b=5146 | option_c=4735 | option_d=4324 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4118 × 115/100 = █4735.

id=96992 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 32? | option_a=32 | option_b=10 | option_c=24 | option_d=17 | answer=A | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 32 is the odd one out.

id=96993 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=42 | option_b=34 | option_c=48 | option_d=41 | answer=D | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=96994 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 12, 14, 17? | option_a=17 | option_b=12 | option_c=10 | option_d=14 | answer=A | explanation=The first three numbers increase by 2, so the next should be 16. Therefore 17 is the odd one out.

id=96995 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=150 | option_c=75 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=96996 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=29 | option_c=24 | option_d=48 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=96997 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:11 and the first is 39, what is the second? | option_a=33 | option_b=72 | option_c=46 | option_d=22 | answer=A | explanation=Scale factor = 39/13 = 3. Therefore second quantity = 11×3 = 33.

id=96998 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 13, 20, 27, ? | option_a=35 | option_b=27 | option_c=41 | option_d=34 | answer=D | explanation=The common difference is 7. Therefore the next term is 27 + 7 = 34.

id=96999 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 40? | option_a=30 | option_b=40 | option_c=14 | option_d=22 | answer=B | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 40 is the odd one out.

id=97000 | topic=Averages | difficulty=Easy | question=Find the average of 24, 11, 66, 92, 45, 69, 63, 52, 64. | option_a=56 | option_b=53 | option_c=54 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 486 ÷ 9 = 54.

id=97001 | topic=Profit & Loss | difficulty=Easy | question=An article costs █592. If it is sold at a profit of 20%, what is its selling price? | option_a=710 | option_b=612 | option_c=769 | option_d=651 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 592 × 120/100 = █710.

id=97002 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 6. | option_a=45 | option_b=90 | option_c=30 | option_d=24 | answer=C | explanation=LCM × HCF = 15×6; HCF(15,6) = 3, so LCM = 30.

id=97003 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=25 | option_b=27 | option_c=24 | option_d=21 | answer=C | explanation=The common difference is 3. Therefore the next term is 21 + 3 = 24.

id=97004 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=P | option_b=F | option_c=U | option_d=K | answer=A | explanation=Move 5 positions forward from K; the resulting letter is P.

id=97005 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=97006 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=65 | option_b=56 | option_c=55 | option_d=45 | answer=C | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.

id=97007 | topic=Averages | difficulty=Easy | question=Find the average of 71, 41, 71, 53, 61, 30, 86. | option_a=58 | option_b=60 | option_c=59 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 413 ÷ 7 = 59.

id=97008 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=N | option_b=C | option_c=S | option_d=X | answer=D | explanation=Move 5 positions forward from S; the resulting letter is X.

id=97009 | topic=Averages | difficulty=Easy | question=Find the average of 33, 70, 85, 97, 84, 61, 67, 27, 79. | option_a=69 | option_b=67 | option_c=66 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = 603 ÷ 9 = 67.

id=97010 | topic=Percentages | difficulty=Easy | question=What is 12% of 1129? | option_a=135 | option_b=130 | option_c=270 | option_d=155 | answer=A | explanation=12% of 1129 = (12/100) × 1129 = 135.

id=97011 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=50 | option_b=51 | option_c=41 | option_d=59 | answer=A | explanation=The common difference is 9. Therefore the next term is 41 + 9 = 50.

id=97012 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=97013 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3601. If it is sold at a profit of 20%, what is its selling price? | option_a=3961 | option_b=3621 | option_c=4681 | option_d=4321 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3601 × 120/100 = █4321.

id=97014 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 7, 12, 18? | option_a=7 | option_b=2 | option_c=18 | option_d=12 | answer=C | explanation=The first three numbers increase by 5, so the next should be 17. Therefore 18 is the odd one out.

id=97015 | topic=Percentages | difficulty=Easy | question=What is 12% of 1392? | option_a=167 | option_b=334 | option_c=162 | option_d=172 | answer=A | explanation=12% of 1392 = (12/100) × 1392 = 167.

id=97016 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 36? | option_a=36 | option_b=24 | option_c=6 | option_d=15 | answer=A | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 36 is the odd one out.

id=97017 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 15, 21, 27, ? | option_a=27 | option_b=33 | option_c=34 | option_d=39 | answer=B | explanation=The common difference is 6. Therefore the next term is 27 + 6 = 33.

id=97018 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 12, 20, 28, ? | option_a=44 | option_b=37 | option_c=28 | option_d=36 | answer=D | explanation=The common difference is 8. Therefore the next term is 28 + 8 = 36.

id=97019 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=97020 | topic=Averages | difficulty=Easy | question=Find the average of 17, 27, 27, 101. | option_a=43 | option_b=45 | option_c=44 | option_d=42 | answer=A | explanation=Average = sum of values ÷ number of values = 172 ÷ 4 = 43.

Aptitude Questions — Records 97,021-97,050 of 100,000

id=97021 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=S | option_c=P | option_d=J | answer=C | explanation=Move 3 positions forward from M; the resulting letter is P.

id=97022 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 14. | option_a=42 | option_b=56 | option_c=112 | option_d=64 | answer=B | explanation=LCM × HCF = 8×14; HCF(8,14) = 2, so LCM = 56.

id=97023 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:5 and the first is 76, what is the second? | option_a=15 | option_b=96 | option_c=39 | option_d=20 | answer=D | explanation=Scale factor = 76/19 = 4. Therefore second quantity = 5×4 = 20.

id=97024 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4482. If it is sold at a profit of 40%, what is its selling price? | option_a=4522 | option_b=5826 | option_c=6274 | option_d=6722 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4482 × 140/100 = █6274.

id=97025 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:12 and the first is 136, what is the second? | option_a=113 | option_b=232 | option_c=84 | option_d=96 | answer=D | explanation=Scale factor = 136/17 = 8. Therefore second quantity = 12×8 = 96.

id=97026 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13760 at 8% per annum for 4 years. | option_a=18163 | option_b=4503 | option_c=4303 | option_d=4403 | answer=D | explanation=SI = PRT/100 = 13760×8×4/100 = █4403.

id=97027 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:10 and the first is 64, what is the second? | option_a=30 | option_b=104 | option_c=56 | option_d=40 | answer=D | explanation=Scale factor = 64/16 = 4. Therefore second quantity = 10×4 = 40.

id=97028 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=97029 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 40? | option_a=40 | option_b=33 | option_c=36 | option_d=30 | answer=A | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 40 is the odd one out.

id=97030 | topic=Averages | difficulty=Easy | question=Find the average of 43, 17, 92, 14, 29. | option_a=41 | option_b=38 | option_c=39 | option_d=40 | answer=C | explanation=Average = sum of values ÷ number of values = 195 ÷ 5 = 39.

id=97031 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3786. If it is sold at a profit of 5%, what is its selling price? | option_a=3791 | option_b=3975 | option_c=4353 | option_d=3597 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3786 × 105/100 = █3975.

id=97032 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=I | option_c=K | option_d=E | answer=B | explanation=Move 2 positions forward from G; the resulting letter is I.

id=97033 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42841 at 12% per annum for 2 years. | option_a=10381 | option_b=10281 | option_c=53122 | option_d=10181 | answer=B | explanation=SI = PRT/100 = 42841×12×2/100 = █10281.

id=97034 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █14648 at 10% per annum for 5 years. | option_a=7424 | option_b=7224 | option_c=21972 | option_d=7324 | answer=D | explanation=SI = PRT/100 = 14648×10×5/100 = █7324.

id=97035 | topic=Averages | difficulty=Easy | question=Find the average of 33, 72, 92, 39, 38, 55, 38, 14, 42. | option_a=47 | option_b=48 | option_c=49 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 423 ÷ 9 = 47.

id=97036 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31460 at 10% per annum for 3 years. | option_a=40898 | option_b=9538 | option_c=9338 | option_d=9438 | answer=D | explanation=SI = PRT/100 = 31460×10×3/100 = █9438.

id=97037 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2539. If it is sold at a profit of 5%, what is its selling price? | option_a=2544 | option_b=2665 | option_c=2918 | option_d=2412 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2539 × 105/100 = █2665.

id=97038 | topic=Averages | difficulty=Easy | question=Find the average of 27, 20, 49, 28. | option_a=31 | option_b=30 | option_c=32 | option_d=33 | answer=A | explanation=Average = sum of values ÷ number of values = 124 ÷ 4 = 31.

id=97039 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=31 | option_b=45 | option_c=39 | option_d=38 | answer=D | explanation=The common difference is 7. Therefore the next term is 31 + 7 = 38.

id=97040 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=97041 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=L | option_c=M | option_d=N | answer=D | explanation=Move 1 positions forward from M; the resulting letter is N.

id=97042 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=N | option_c=J | option_d=L | answer=B | explanation=Move 2 positions forward from L; the resulting letter is N.

id=97043 | topic=Profit & Loss | difficulty=Easy | question=An article costs █109. If it is sold at a profit of 15%, what is its selling price? | option_a=135 | option_b=124 | option_c=125 | option_d=115 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 109 × 115/100 = █125.

id=97044 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=45 | option_c=55 | option_d=50 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=97045 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 14, 18, 24? | option_a=14 | option_b=24 | option_c=10 | option_d=18 | answer=B | explanation=The first three numbers increase by 4, so the next should be 22. Therefore 24 is the odd one out.

id=97046 | topic=Averages | difficulty=Easy | question=Find the average of 18, 36, 47, 52, 59, 83, 34. | option_a=49 | option_b=48 | option_c=47 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 329 ÷ 7 = 47.

id=97047 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=C | option_b=X | option_c=S | option_d=N | answer=B | explanation=Move 5 positions forward from S; the resulting letter is X.

id=97048 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=97049 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 23, 30, 37, ? | option_a=37 | option_b=45 | option_c=44 | option_d=51 | answer=C | explanation=The common difference is 7. Therefore the next term is 37 + 7 = 44.

id=97050 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4670. If it is sold at a profit of 25%, what is its selling price? | option_a=6304 | option_b=5370 | option_c=5837 | option_d=4695 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4670 × 125/100 = █5837.

Aptitude Questions — Records 97,051-97,080 of 100,000

id=97051 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=97052 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=115 | option_c=240 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=97053 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=45 | option_b=90 | option_c=40 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=97054 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:1 and the first is 42, what is the second? | option_a=14 | option_b=17 | option_c=13 | option_d=56 | answer=A | explanation=Scale factor = 42/3 = 14. Therefore second quantity = 1×14 = 14.

id=97055 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 16. | option_a=96 | option_b=54 | option_c=32 | option_d=48 | answer=D | explanation=LCM × HCF = 6×16; HCF(6,16) = 2, so LCM = 48.

id=97056 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 31? | option_a=24 | option_b=12 | option_c=18 | option_d=31 | answer=D | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 31 is the odd one out.

id=97057 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■20364 at 8% per annum for 2 years. | option_a=3158 | option_b=3258 | option_c=3358 | option_d=23622 | answer=B | explanation=SI = PRT/100 = 20364×8×2/100 = ■3258.

id=97058 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=25 | option_b=29 | option_c=19 | option_d=24 | answer=D | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.

id=97059 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 4. | option_a=20 | option_b=48 | option_c=96 | option_d=24 | answer=D | explanation=LCM × HCF = 24×4; HCF(24,4) = 4, so LCM = 24.

id=97060 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 34, 41, 49? | option_a=49 | option_b=34 | option_c=27 | option_d=41 | answer=A | explanation=The first three numbers increase by 7, so the next should be 48. Therefore 49 is the odd one out.

id=97061 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 26, 32, 38, ? | option_a=44 | option_b=50 | option_c=45 | option_d=38 | answer=A | explanation=The common difference is 6. Therefore the next term is 38 + 6 = 44.

id=97062 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2394. If it is sold at a profit of 10%, what is its selling price? | option_a=2633 | option_b=2404 | option_c=2872 | option_d=2394 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2394 × 110/100 = ■2633.

id=97063 | topic=Averages | difficulty=Easy | question=Find the average of 24, 33, 44, 57, 74, 71, 79, 31, 35, 92. | option_a=56 | option_b=55 | option_c=54 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

id=97064 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=P | option_b=T | option_c=L | option_d=H | answer=A | explanation=Move 4 positions forward from L; the resulting letter is P.

id=97065 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=95 | option_b=180 | option_c=85 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=97066 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:5 and the first is 180, what is the second? | option_a=95 | option_b=100 | option_c=280 | option_d=109 | answer=B | explanation=Scale factor = 180/9 = 20. Therefore second quantity = 5×20 = 100.

id=97067 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3274. If it is sold at a profit of 25%, what is its selling price? | option_a=3765 | option_b=4092 | option_c=4419 | option_d=3299 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3274 × 125/100 = ■4092.

id=97068 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2374. If it is sold at a profit of 50%, what is its selling price? | option_a=2424 | option_b=3798 | option_c=3324 | option_d=3561 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2374 × 150/100 = ■3561.

id=97069 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2457. If it is sold at a profit of 20%, what is its selling price? | option_a=2477 | option_b=3193 | option_c=2703 | option_d=2948 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2457 × 120/100 = ■2948.

id=97070 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■44305 at 15% per annum for 1 years. | option_a=50950 | option_b=6645 | option_c=6745 | option_d=6545 | answer=B | explanation=SI = PRT/100 = 44305×15×1/100 = ■6645.

id=97071 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14786 at 4% per annum for 3 years. | option_a=1674 | option_b=1874 | option_c=1774 | option_d=16560 | answer=C | explanation=SI = PRT/100 = 14786×4×3/100 = ■1774.

id=97072 | topic=Percentages | difficulty=Easy | question=What is 50% of 87? | option_a=43 | option_b=86 | option_c=53 | option_d=33 | answer=A | explanation=50% of 87 = (50/100) × 87 = 43.

id=97073 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4478. If it is sold at a profit of 10%, what is its selling price? | option_a=4478 | option_b=5372 | option_c=4488 | option_d=4925 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4478 × 110/100 = ■4925.

id=97074 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=P | option_c=Q | option_d=N | answer=B | explanation=Move 1 positions forward from O; the resulting letter is P.

id=97075 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=42 | option_b=66 | option_c=54 | option_d=55 | answer=C | explanation=The common difference is 12. Therefore the next term is 42 + 12 = 54.

id=97076 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 8, 13, 19? | option_a=19 | option_b=13 | option_c=8 | option_d=3 | answer=A | explanation=The first three numbers increase by 5, so the next should be 18. Therefore 19 is the odd one out.

id=97077 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:16 and the first is 48, what is the second? | option_a=96 | option_b=144 | option_c=80 | option_d=104 | answer=A | explanation=Scale factor = 48/8 = 6. Therefore second quantity = 16×6 = 96.

id=97078 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1512. If it is sold at a profit of 5%, what is its selling price? | option_a=1738 | option_b=1517 | option_c=1436 | option_d=1587 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1512 × 105/100 = ■1587.

id=97079 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 33? | option_a=8 | option_b=16 | option_c=24 | option_d=33 | answer=D | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 33 is the odd one out.

id=97080 | topic=Averages | difficulty=Easy | question=Find the average of 56, 35, 79, 87, 71, 89, 18, 21. | option_a=59 | option_b=57 | option_c=56 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

Aptitude Questions — Records 97,081-97,110 of 100,000

id=97081 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=37 | option_b=43 | option_c=44 | option_d=49 | answer=B | explanation=The common difference is 6. Therefore the next term is 37 + 6 = 43.

id=97082 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 14? | option_a=6 | option_b=9 | option_c=14 | option_d=3 | answer=C | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 14 is the odd one out.

id=97083 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:18 and the first is 72, what is the second? | option_a=90 | option_b=54 | option_c=144 | option_d=72 | answer=D | explanation=Scale factor = 72/18 = 4. Therefore second quantity = 18×4 = 72.

id=97084 | topic=Averages | difficulty=Easy | question=Find the average of 67, 56, 40, 31, 26, 74. | option_a=49 | option_b=48 | option_c=51 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 294 ÷ 6 = 49.

id=97085 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=31 | option_b=39 | option_c=47 | option_d=40 | answer=B | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

id=97086 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=40 | option_b=44 | option_c=39 | option_d=34 | answer=C | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

id=97087 | topic=Percentages | difficulty=Easy | question=What is 50% of 956? | option_a=483 | option_b=956 | option_c=478 | option_d=473 | answer=C | explanation=50% of 956 = (50/100) × 956 = 478.

id=97088 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:14 and the first is 323, what is the second? | option_a=561 | option_b=257 | option_c=224 | option_d=238 | answer=D | explanation=Scale factor = 323/19 = 17. Therefore second quantity = 14×17 = 238.

id=97089 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35348 at 4% per annum for 3 years. | option_a=4341 | option_b=39589 | option_c=4241 | option_d=4141 | answer=C | explanation=SI = PRT/100 = 35348×4×3/100 = **■**4241.

id=97090 | topic=Percentages | difficulty=Easy | question=What is 30% of 842? | option_a=252 | option_b=504 | option_c=262 | option_d=232 | answer=A | explanation=30% of 842 = (30/100) × 842 = 252.

id=97091 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**3637 at 15% per annum for 5 years. | option_a=2827 | option_b=2727 | option_c=2627 | option_d=6364 | answer=B | explanation=SI = PRT/100 = 3637×15×5/100 = **■**2727.

id=97092 | topic=Averages | difficulty=Easy | question=Find the average of 35, 65, 26, 99, 35. | option_a=51 | option_b=52 | option_c=53 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 260 ÷ 5 = 52.

id=97093 | topic=Percentages | difficulty=Easy | question=What is 50% of 1415? | option_a=712 | option_b=1414 | option_c=707 | option_d=702 | answer=C | explanation=50% of 1415 = (50/100) × 1415 = 707.

id=97094 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:3 and the first is 14, what is the second? | option_a=21 | option_b=18 | option_c=35 | option_d=23 | answer=A | explanation=Scale factor = 14/2 = 7. Therefore second quantity = 3×7 = 21.

id=97095 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=75 | option_b=160 | option_c=80 | option_d=85 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=97096 | topic=Percentages | difficulty=Easy | question=What is 40% of 710? | option_a=294 | option_b=284 | option_c=568 | option_d=279 | answer=B | explanation=40% of 710 = (40/100) × 710 = 284.

id=97097 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2531. If it is sold at a profit of 10%, what is its selling price? | option_a=3037 | option_b=2784 | option_c=2541 | option_d=2531 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2531 × 110/100 = **■**2784.

id=97098 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 36, 43, 53? | option_a=53 | option_b=29 | option_c=36 | option_d=43 | answer=A | explanation=The first three numbers increase by 7, so the next should be 50. Therefore 53 is the odd one out.

id=97099 | topic=Percentages | difficulty=Easy | question=What is 25% of 192? | option_a=43 | option_b=96 | option_c=58 | option_d=48 | answer=D | explanation=25% of 192 = (25/100) × 192 = 48.

id=97100 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=97101 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 3 hours. What is its average speed? | option_a=160 | option_b=85 | option_c=80 | option_d=75 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 3 = 80 km/h.

id=97102 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:1 and the first is 27, what is the second? | option_a=30 | option_b=12 | option_c=2 | option_d=3 | answer=D | explanation=Scale factor = 27/9 = 3. Therefore second quantity = 1×3 = 3.

id=97103 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=43 | option_b=27 | option_c=35 | option_d=36 | answer=C | explanation=The common difference is 8. Therefore the next term is 27 + 8 = 35.

id=97104 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:10 and the first is 30, what is the second? | option_a=130 | option_b=100 | option_c=103 | option_d=90 | answer=B | explanation=Scale factor = 30/3 = 10. Therefore second quantity = 10×10 = 100.

id=97105 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:8 and the first is 120, what is the second? | option_a=240 | option_b=120 | option_c=128 | option_d=112 | answer=B | explanation=Scale factor = 120/8 = 15. Therefore second quantity = 8×15 = 120.

id=97106 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=Z | option_c=U | option_d=K | answer=C | explanation=Move 5 positions forward from P; the resulting letter is U.

id=97107 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=97108 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=E | option_c=K | option_d=N | answer=C | explanation=Move 3 positions forward from H; the resulting letter is K.

id=97109 | topic=Percentages | difficulty=Easy | question=What is 20% of 1626? | option_a=315 | option_b=650 | option_c=330 | option_d=325 | answer=D | explanation=20% of 1626 = (20/100) × 1626 = 325.

id=97110 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 26? | option_a=26 | option_b=5 | option_c=11 | option_d=17 | answer=A | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 26 is the odd one out.

Aptitude Questions — Records 97,111-97,140 of 100,000

id=97111 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3739. If it is sold at a profit of 30%, what is its selling price? | option_a=5233 | option_b=4860 | option_c=4487 | option_d=3769 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3739 × 130/100 = █4860.

id=97112 | topic=Percentages | difficulty=Easy | question=What is 20% of 1735? | option_a=367 | option_b=694 | option_c=337 | option_d=347 | answer=D | explanation=20% of 1735 = (20/100) × 1735 = 347.

id=97113 | topic=Percentages | difficulty=Easy | question=What is 50% of 99? | option_a=59 | option_b=98 | option_c=49 | option_d=39 | answer=C | explanation=50% of 99 = (50/100) × 99 = 49.

id=97114 | topic=Profit & Loss | difficulty=Easy | question=An article costs █636. If it is sold at a profit of 15%, what is its selling price? | option_a=668 | option_b=731 | option_c=794 | option_d=651 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 636 × 115/100 = █731.

id=97115 | topic=Averages | difficulty=Easy | question=Find the average of 98, 42, 46, 34, | option_a=56 | option_b=55 | option_c=57 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 220 ÷ 4 = 55.

id=97116 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 32, 35, 40? | option_a=29 | option_b=35 | option_c=32 | option_d=40 | answer=D | explanation=The first three numbers increase by 3, so the next should be 38. Therefore 40 is the odd one out.

id=97117 | topic=Averages | difficulty=Easy | question=Find the average of 94, 87, 63, 56, 97, 55, 101. | option_a=80 | option_b=78 | option_c=79 | option_d=81 | answer=C | explanation=Average = sum of values ÷ number of values = 553 ÷ 7 = 79.

id=97118 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:3 and the first is 7, what is the second? | option_a=22 | option_b=18 | option_c=28 | option_d=21 | answer=D | explanation=Scale factor = 7/1 = 7. Therefore second quantity = 3×7 = 21.

id=97119 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=97120 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=40 | option_b=32 | option_c=48 | option_d=41 | answer=A | explanation=The common difference is 8. Therefore the next term is 32 + 8 = 40.

id=97121 | topic=Averages | difficulty=Easy | question=Find the average of 98, 62, 39, 64, 31, 55, 82, 34, 57. | option_a=59 | option_b=58 | option_c=57 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 522 ÷ 9 = 58.

id=97122 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=24 | option_b=38 | option_c=31 | option_d=32 | answer=C | explanation=The common difference is 7. Therefore the next term is 24 + 7 = 31.

id=97123 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=180 | option_c=360 | option_d=185 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=97124 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:20 and the first is 34, what is the second? | option_a=374 | option_b=340 | option_c=342 | option_d=320 | answer=B | explanation=Scale factor = 34/2 = 17. Therefore second quantity = 20×17 = 340.

id=97125 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=L | option_b=G | option_c=Q | option_d=B | answer=A | explanation=Move 5 positions forward from G; the resulting letter is L.

id=97126 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=9 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=97127 | topic=Averages | difficulty=Easy | question=Find the average of 57, 24, 57, 66, 69, 57, 96, 36, 11, 57. | option_a=52 | option_b=54 | option_c=53 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=97128 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36764 at 12% per annum for 1 years. | option_a=4311 | option_b=41175 | option_c=4411 | option_d=4511 | answer=C | explanation=SI = PRT/100 = 36764×12×1/100 = █4411.

id=97129 | topic=Averages | difficulty=Easy | question=Find the average of 60, 91, 61, 36, 44, 69, 16, 19, 10, 64. | option_a=46 | option_b=49 | option_c=48 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 470 ÷ 10 = 47.

id=97130 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 29, 31, 34? | option_a=29 | option_b=27 | option_c=34 | option_d=31 | answer=C | explanation=The first three numbers increase by 2, so the next should be 33. Therefore 34 is the odd one out.

id=97131 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2866. If it is sold at a profit of 50%, what is its selling price? | option_a=4585 | option_b=4013 | option_c=4299 | option_d=2916 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2866 × 150/100 = █4299.

id=97132 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=40 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 4 = 45 km/h.

id=97133 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 18. | option_a=54 | option_b=72 | option_c=144 | option_d=80 | answer=B | explanation=LCM × HCF = 8×18; HCF(8,18) = 2, so LCM = 72.

id=97134 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 23, 32, 41, ? | option_a=59 | option_b=50 | option_c=51 | option_d=41 | answer=B | explanation=The common difference is 9. Therefore the next term is 41 + 9 = 50.

id=97135 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=43 | option_b=48 | option_c=96 | option_d=53 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=97136 | topic=Profit & Loss | difficulty=Easy | question=An article costs █592. If it is sold at a profit of 20%, what is its selling price? | option_a=651 | option_b=710 | option_c=612 | option_d=769 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 592 × 120/100 = █710.

id=97137 | topic=Averages | difficulty=Easy | question=Find the average of 93, 21, 77, 20, 85, 76. | option_a=62 | option_b=63 | option_c=64 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = 372 ÷ 6 = 62.

id=97138 | topic=Averages | difficulty=Easy | question=Find the average of 75, 46, 81, 16, 72, 82. | option_a=63 | option_b=64 | option_c=61 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 372 ÷ 6 = 62.

id=97139 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=24 | option_c=48 | option_d=29 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=97140 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=U | option_b=K | option_c=Z | option_d=P | answer=A | explanation=Move 5 positions forward from P; the resulting letter is U.

Aptitude Questions — Records 97,141-97,170 of 100,000

id=97141 | topic=Percentages | difficulty=Easy | question=What is 40% of 1646? | option_a=1316 | option_b=658 | option_c=648 | option_d=678 | answer=B | explanation=40% of 1646 = $(40/100) \times 1646 = 658$.

id=97142 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:1 and the first is 34, what is the second? | option_a=1 | option_b=19 | option_c=2 | option_d=36 | answer=C | explanation=Scale factor = $34/17 = 2$. Therefore second quantity = $1 \times 2 = 2$.

id=97143 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=180 | option_b=85 | option_c=95 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = $180 \div 2 = 90$ km/h.

id=97144 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = $90 \div 6 = 15$ km/h.

id=97145 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=Q | option_b=S | option_c=U | option_d=W | answer=C | explanation=Move 2 positions forward from S; the resulting letter is U.

id=97146 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=M | option_c=B | option_d=W | answer=D | explanation=Move 5 positions forward from R; the resulting letter is W.

id=97147 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**33258 at 8% per annum for 4 years. | option_a=10742 | option_b=43900 | option_c=10642 | option_d=10542 | answer=C | explanation=SI = $PRT/100 = 33258 \times 8 \times 4/100 = \text{₹}10642$.

id=97148 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

id=97149 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**35583 at 10% per annum for 3 years. | option_a=10774 | option_b=10674 | option_c=46257 | option_d=10574 | answer=B | explanation=SI = $PRT/100 = 35583 \times 10 \times 3/100 = \text{₹}10674$.

id=97150 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 15. | option_a=60 | option_b=180 | option_c=45 | option_d=72 | answer=A | explanation=LCM $\times$ HCF = 12×15 ; HCF(12,15) = 3, so LCM = 60.

id=97151 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=68 | option_b=58 | option_c=57 | option_d=46 | answer=C | explanation=The common difference is 11. Therefore the next term is $46 + 11 = 57$.

id=97152 | topic=Averages | difficulty=Easy | question=Find the average of 15, 68, 81, 19, 81, 90. | option_a=58 | option_b=60 | option_c=59 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = $354 \div 6 = 59$.

id=97153 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 21. | option_a=63 | option_b=252 | option_c=84 | option_d=96 | answer=C | explanation=LCM $\times$ HCF = 12×21 ; HCF(12,21) = 3, so LCM = 84.

id=97154 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=C | option_b=F | option_c=D | option_d=E | answer=D | explanation=Move 1 positions forward from D; the resulting letter is E.

id=97155 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:16 and the first is 90, what is the second? | option_a=246 | option_b=224 | option_c=240 | option_d=330 | answer=C | explanation=Scale factor = $90/6 = 15$. Therefore second quantity = $16 \times 15 = 240$.

id=97156 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**11570 at 6% per annum for 4 years. | option_a=14346 | option_b=2676 | option_c=2776 | option_d=2876 | answer=C | explanation=SI = $PRT/100 = 11570 \times 6 \times 4/100 = \text{₹}2776$.

id=97157 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2655. If it is sold at a profit of 15%, what is its selling price? | option_a=2788 | option_b=2670 | option_c=3318 | option_d=3053 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2655 \times 115/100 = \text{₹}3053$.

id=97158 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=21 | option_b=27 | option_c=24 | option_d=25 | answer=C | explanation=The common difference is 3. Therefore the next term is $21 + 3 = 24$.

id=97159 | topic=Averages | difficulty=Easy | question=Find the average of 44, 60, 34. | option_a=46 | option_b=48 | option_c=47 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = $138 \div 3 = 46$.

id=97160 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:9 and the first is 88, what is the second? | option_a=107 | option_b=99 | option_c=90 | option_d=187 | answer=B | explanation=Scale factor = $88/8 = 11$. Therefore second quantity = $9 \times 11 = 99$.

id=97161 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=J | option_c=H | option_d=K | answer=B | explanation=Move 1 positions forward from I; the resulting letter is J.

id=97162 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 20. | option_a=240 | option_b=40 | option_c=60 | option_d=72 | answer=C | explanation=LCM $\times$ HCF = 12×20 ; HCF(12,20) = 4, so LCM = 60.

id=97163 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:6 and the first is 208, what is the second? | option_a=94 | option_b=286 | option_c=72 | option_d=78 | answer=D | explanation=Scale factor = $208/16 = 13$. Therefore second quantity = $6 \times 13 = 78$.

id=97164 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**24192 at 12% per annum for 1 years. | option_a=27095 | option_b=3003 | option_c=2803 | option_d=2903 | answer=D | explanation=SI = $PRT/100 = 24192 \times 12 \times 1/100 = \text{₹}2903$.

id=97165 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:3 and the first is 119, what is the second? | option_a=48 | option_b=58 | option_c=170 | option_d=51 | answer=D | explanation=Scale factor = $119/7 = 17$. Therefore second quantity = $3 \times 17 = 51$.

id=97166 | topic=Averages | difficulty=Easy | question=Find the average of 76, 50, 88, 32, 19, 18, 53. | option_a=47 | option_b=49 | option_c=48 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = $336 \div 7 = 48$.

id=97167 | topic=Averages | difficulty=Easy | question=Find the average of 93, 44, 90, 94, 64. | option_a=78 | option_b=77 | option_c=79 | option_d=76 | answer=B | explanation=Average = sum of values ÷ number of values = $385 \div 5 = 77$.

id=97168 | topic=Percentages | difficulty=Easy | question=What is 12% of 1034? | option_a=124 | option_b=104 | option_c=248 | option_d=134 | answer=A | explanation=12% of 1034 = $(12/100) \times 1034 = 124$.

id=97169 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**38212 at 6% per annum for 3 years. | option_a=6978 | option_b=6878 | option_c=6778 | option_d=45090 | answer=B | explanation=SI = $PRT/100 = 38212 \times 6 \times 3/100 = \text{₹}6878$.

id=97170 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=24 | option_d=5 | answer=A | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

Aptitude Questions — Records 97,171-97,200 of 100,000

id=97171 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 22? | option_a=8 | option_b=2 | option_c=14 | option_d=22 | answer=D | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 22 is the odd one out.

id=97172 | topic=Averages | difficulty=Easy | question=Find the average of 54, 88, 22, 99, 38, 77, 83, 39, 13. | option_a=56 | option_b=57 | option_c=58 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 513 ÷ 9 = 57.

id=97173 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3980. If it is sold at a profit of 30%, what is its selling price? | option_a=4010 | option_b=4776 | option_c=5572 | option_d=5174 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3980 × 130/100 = █5174.

id=97174 | topic=Averages | difficulty=Easy | question=Find the average of 86, 98, 61, 100, 23, 98, 55, 100, 48, 61. | option_a=74 | option_b=73 | option_c=75 | option_d=72 | answer=B | explanation=Average = sum of values ÷ number of values = 730 ÷ 10 = 73.

id=97175 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1945. If it is sold at a profit of 40%, what is its selling price? | option_a=1985 | option_b=2723 | option_c=2529 | option_d=2917 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1945 × 140/100 = █2723.

id=97176 | topic=Percentages | difficulty=Easy | question=What is 5% of 1657? | option_a=102 | option_b=72 | option_c=82 | option_d=164 | answer=C | explanation=5% of 1657 = (5/100) × 1657 = 82.

id=97177 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=14 | option_b=12 | option_c=10 | option_d=13 | answer=B | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.

id=97178 | topic=Averages | difficulty=Easy | question=Find the average of 24, 34, 21, 47, 30, 99, 71, 74. | option_a=49 | option_b=51 | option_c=52 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 400 ÷ 8 = 50.

id=97179 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █18485 at 15% per annum for 5 years. | option_a=13863 | option_b=32348 | option_c=13963 | option_d=13763 | answer=A | explanation=SI = PRT/100 = 18485×15×5/100 = █13863.

id=97180 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=97181 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=97182 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=13 | option_b=14 | option_c=10 | option_d=12 | answer=D | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.

id=97183 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=40 | option_d=90 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=97184 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=97185 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=45 | option_b=35 | option_c=40 | option_d=80 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=97186 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=30 | option_b=26 | option_c=28 | option_d=29 | answer=C | explanation=The common difference is 2. Therefore the next term is 26 + 2 = 28.

id=97187 | topic=Averages | difficulty=Easy | question=Find the average of 83, 10, 60. | option_a=51 | option_b=52 | option_c=53 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 153 ÷ 3 = 51.

id=97188 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9929 at 6% per annum for 2 years. | option_a=1091 | option_b=1291 | option_c=1191 | option_d=11120 | answer=C | explanation=SI = PRT/100 = 9929×6×2/100 = █1191.

id=97189 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 24, 32, 40, ? | option_a=56 | option_b=48 | option_c=40 | option_d=49 | answer=B | explanation=The common difference is 8. Therefore the next term is 40 + 8 = 48.

id=97190 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 22, 24, 28? | option_a=22 | option_b=24 | option_c=28 | option_d=20 | answer=C | explanation=The first three numbers increase by 2, so the next should be 26. Therefore 28 is the odd one out.

id=97191 | topic=Profit & Loss | difficulty=Easy | question=An article costs █376. If it is sold at a profit of 15%, what is its selling price? | option_a=469 | option_b=395 | option_c=432 | option_d=391 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 376 × 115/100 = █432.

id=97192 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=31 | option_b=40 | option_c=49 | option_d=41 | answer=B | explanation=The common difference is 9. Therefore the next term is 31 + 9 = 40.

id=97193 | topic=Percentages | difficulty=Easy | question=What is 10% of 1176? | option_a=234 | option_b=137 | option_c=117 | option_d=107 | answer=C | explanation=10% of 1176 = (10/100) × 1176 = 117.

id=97194 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 18. | option_a=80 | option_b=72 | option_c=144 | option_d=54 | answer=B | explanation=LCM × HCF = 8×18; HCF(8,18) = 2, so LCM = 72.

id=97195 | topic=Averages | difficulty=Easy | question=Find the average of 31, 46, 46, 29. | option_a=38 | option_b=40 | option_c=37 | option_d=39 | answer=A | explanation=Average = sum of values ÷ number of values = 152 ÷ 4 = 38.

id=97196 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3376. If it is sold at a profit of 40%, what is its selling price? | option_a=5063 | option_b=4726 | option_c=3416 | option_d=4389 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3376 × 140/100 = █4726.

id=97197 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=U | option_b=R | option_c=T | option_d=S | answer=C | explanation=Move 1 positions forward from S; the resulting letter is T.

id=97198 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:1 and the first is 160, what is the second? | option_a=20 | option_b=19 | option_c=180 | option_d=28 | answer=A | explanation=Scale factor = 160/8 = 20. Therefore second quantity = 1×20 = 20.

id=97199 | topic=Averages | difficulty=Easy | question=Find the average of 94, 75, 58, 70, 50, 77, 60, 32, 75, 99. | option_a=69 | option_b=71 | option_c=68 | option_d=70 | answer=A | explanation=Average = sum of values ÷ number of values = 690 ÷ 10 = 69.

id=97200 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

Aptitude Questions — Records 97,201-97,230 of 100,000

id=97201 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:20 and the first is 68, what is the second? | option_a=97 | option_b=148 | option_c=60 | option_d=80 | answer=D | explanation=Scale factor = $68/17 = 4$. Therefore second quantity = $20 \times 4 = 80$.

id=97202 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=24 | option_b=27 | option_c=28 | option_d=30 | answer=B | explanation=The common difference is 3. Therefore the next term is $24 + 3 = 27$.

id=97203 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5166 at 10% per annum for 4 years. | option_a=7232 | option_b=1966 | option_c=2066 | option_d=2166 | answer=C | explanation=SI = $PRT/100 = 5166 \times 10 \times 4/100 =$ **■**2066.

id=97204 | topic=Percentages | difficulty=Easy | question=What is 30% of 1101? | option_a=325 | option_b=340 | option_c=660 | option_d=330 | answer=D | explanation=30% of 1101 = $(30/100) \times 1101 = 330$.

id=97205 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=97206 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=97207 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 10. | option_a=120 | option_b=240 | option_c=144 | option_d=110 | answer=A | explanation=LCM $\times$ HCF = 24×10 ; $HCF(24,10) = 2$, so LCM = 120.

id=97208 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:9 and the first is 152, what is the second? | option_a=323 | option_b=171 | option_c=179 | option_d=162 | answer=B | explanation=Scale factor = $152/8 = 19$. Therefore second quantity = $9 \times 19 = 171$.

id=97209 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=95 | option_c=180 | option_d=90 | answer=D | explanation=Speed = distance $\div$ time = $180 \div 2 = 90$ km/h.

id=97210 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=44 | option_b=36 | option_c=45 | option_d=52 | answer=A | explanation=The common difference is 8. Therefore the next term is $36 + 8 = 44$.

id=97211 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**25287 at 5% per annum for 2 years. | option_a=27815 | option_b=2428 | option_c=2528 | option_d=2628 | answer=C | explanation=SI = $PRT/100 = 25287 \times 5 \times 2/100 =$ **■**2528.

id=97212 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=45 | option_b=53 | option_c=37 | option_d=46 | answer=A | explanation=The common difference is 8. Therefore the next term is $37 + 8 = 45$.

id=97213 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=46 | option_b=39 | option_c=47 | option_d=53 | answer=A | explanation=The common difference is 7. Therefore the next term is $39 + 7 = 46$.

id=97214 | topic=Averages | difficulty=Easy | question=Find the average of 36, 24, 34, 79, 63, 82, 10, 83, 30. | option_a=48 | option_b=51 | option_c=49 | option_d=50 | answer=C | explanation=Average = sum of values $\div$ number of values = $441 \div 9 = 49$.

id=97215 | topic=Averages | difficulty=Easy | question=Find the average of 15, 14, 27, 82, 49, 83. | option_a=46 | option_b=44 | option_c=45 | option_d=47 | answer=C | explanation=Average = sum of values $\div$ number of values = $270 \div 6 = 45$.

id=97216 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**42489 at 4% per annum for 2 years. | option_a=3399 | option_b=3299 | option_c=45888 | option_d=3499 | answer=A | explanation=SI = $PRT/100 = 42489 \times 4 \times 2/100 =$ **■**3399.

id=97217 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 24. | option_a=1 | option_b=24 | option_c=48 | option_d=576 | answer=B | explanation=LCM $\times$ HCF = 24×24 ; $HCF(24,24) = 24$, so LCM = 24.

id=97218 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:7 and the first is 60, what is the second? | option_a=28 | option_b=43 | option_c=88 | option_d=21 | answer=A | explanation=Scale factor = $60/15 = 4$. Therefore second quantity = $7 \times 4 = 28$.

id=97219 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=K | option_b=O | option_c=W | option_d=S | answer=D | explanation=Move 4 positions forward from O; the resulting letter is S.

id=97220 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=96 | option_c=43 | option_d=48 | answer=D | explanation=Speed = distance $\div$ time = $240 \div 5 = 48$ km/h.

id=97221 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19944 at 4% per annum for 5 years. | option_a=23932 | option_b=3988 | option_c=3888 | option_d=4088 | answer=B | explanation=SI = $PRT/100 = 19944 \times 4 \times 5/100 =$ **■**3988.

id=97222 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:16 and the first is 30, what is the second? | option_a=96 | option_b=80 | option_c=126 | option_d=101 | answer=A | explanation=Scale factor = $30/5 = 6$. Therefore second quantity = $16 \times 6 = 96$.

id=97223 | topic=Averages | difficulty=Easy | question=Find the average of 76, 43, 65, 90, 48, 26. | option_a=60 | option_b=57 | option_c=58 | option_d=59 | answer=C | explanation=Average = sum of values $\div$ number of values = $348 \div 6 = 58$.

id=97224 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22664 at 4% per annum for 2 years. | option_a=1813 | option_b=1713 | option_c=24477 | option_d=1913 | answer=A | explanation=SI = $PRT/100 = 22664 \times 4 \times 2/100 =$ **■**1813.

id=97225 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=H | option_b=M | option_c=X | option_d=C | answer=A | explanation=Move 5 positions forward from C; the resulting letter is H.

id=97226 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=Q | option_b=N | option_c=O | option_d=P | answer=D | explanation=Move 1 positions forward from O; the resulting letter is P.

id=97227 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3465. If it is sold at a profit of 10%, what is its selling price? | option_a=3465 | option_b=3475 | option_c=3811 | option_d=4157 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3465 \times 110/100 =$ **■**3811.

id=97228 | topic=Averages | difficulty=Easy | question=Find the average of 97, 57, 79, 100, 20, 85, 26, 83, 74. | option_a=70 | option_b=68 | option_c=69 | option_d=71 | answer=C | explanation=Average = sum of values $\div$ number of values = $621 \div 9 = 69$.

id=97229 | topic=Averages | difficulty=Easy | question=Find the average of 67, 91, 68, 76, 76, 40, 61, 89. | option_a=70 | option_b=71 | option_c=72 | option_d=73 | answer=B | explanation=Average = sum of values $\div$ number of values = $568 \div 8 = 71$.

id=97230 | topic=Averages | difficulty=Easy | question=Find the average of 30, 67, 98, 65. | option_a=66 | option_b=65 | option_c=64 | option_d=67 | answer=B | explanation=Average = sum of values $\div$ number of values = $260 \div 4 = 65$.

Aptitude Questions — Records 97,231-97,260 of 100,000

id=97231 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=80 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=97232 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:11 and the first is 12, what is the second? | option_a=22 | option_b=28 | option_c=11 | option_d=34 | answer=A | explanation=Scale factor = 12/6 = 2. Therefore second quantity = 11×2 = 22.

id=97233 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=40 | option_b=15 | option_c=25 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=97234 | topic=Percentages | difficulty=Easy | question=What is 5% of 1271? | option_a=63 | option_b=43 | option_c=83 | option_d=126 | answer=A | explanation=5% of 1271 = (5/100) × 1271 = 63.

id=97235 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=97236 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 24? | option_a=17 | option_b=24 | option_c=5 | option_d=11 | answer=B | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 24 is the odd one out.

id=97237 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2267. If it is sold at a profit of 10%, what is its selling price? | option_a=2719 | option_b=2277 | option_c=2493 | option_d=2267 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2267 × 110/100 = █2493.

id=97238 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41400 at 10% per annum for 1 years. | option_a=4040 | option_b=45540 | option_c=4240 | option_d=4140 | answer=D | explanation=SI = PRT/100 = 41400×10×1/100 = █4140.

id=97239 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3458. If it is sold at a profit of 25%, what is its selling price? | option_a=4322 | option_b=3483 | option_c=4667 | option_d=3977 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3458 × 125/100 = █4322.

id=97240 | topic=Averages | difficulty=Easy | question=Find the average of 68, 72, 32, 12. | option_a=47 | option_b=48 | option_c=46 | option_d=45 | answer=C | explanation=Average = sum of values ÷ number of values = 184 ÷ 4 = 46.

id=97241 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=40 | option_b=32 | option_c=48 | option_d=41 | answer=A | explanation=The common difference is 8. Therefore the next term is 32 + 8 = 40.

id=97242 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=145 | option_c=155 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=97243 | topic=Averages | difficulty=Easy | question=Find the average of 49, 70, 13. | option_a=44 | option_b=45 | option_c=46 | option_d=43 | answer=A | explanation=Average = sum of values ÷ number of values = 132 ÷ 3 = 44.

id=97244 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 8, 11, 16? | option_a=8 | option_b=16 | option_c=11 | option_d=5 | answer=B | explanation=The first three numbers increase by 3, so the next should be 14. Therefore 16 is the odd one out.

id=97245 | topic=Averages | difficulty=Easy | question=Find the average of 70, 19, 66, 38, 92, 69, 17. | option_a=53 | option_b=54 | option_c=55 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 371 ÷ 7 = 53.

id=97246 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:8 and the first is 85, what is the second? | option_a=32 | option_b=57 | option_c=125 | option_d=40 | answer=D | explanation=Scale factor = 85/17 = 5. Therefore second quantity = 8×5 = 40.

id=97247 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=34 | option_b=28 | option_c=22 | option_d=29 | answer=B | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.

id=97248 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=85 | option_c=90 | option_d=95 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=97249 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=97250 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28649 at 8% per annum for 5 years. | option_a=40108 | option_b=11459 | option_c=11359 | option_d=11559 | answer=B | explanation=SI = PRT/100 = 28649×8×5/100 = █11459.

id=97251 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 36? | option_a=36 | option_b=9 | option_c=17 | option_d=25 | answer=A | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 36 is the odd one out.

id=97252 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19162 at 15% per annum for 2 years. | option_a=5848 | option_b=24910 | option_c=5648 | option_d=5748 | answer=D | explanation=SI = PRT/100 = 19162×15×2/100 = █5748.

id=97253 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=95 | option_c=200 | option_d=100 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=97254 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:14 and the first is 88, what is the second? | option_a=123 | option_b=112 | option_c=200 | option_d=98 | answer=B | explanation=Scale factor = 88/11 = 8. Therefore second quantity = 14×8 = 112.

id=97255 | topic=Profit & Loss | difficulty=Easy | question=An article costs █200. If it is sold at a profit of 15%, what is its selling price? | option_a=210 | option_b=215 | option_c=230 | option_d=250 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 200 × 115/100 = █230.

id=97256 | topic=Averages | difficulty=Easy | question=Find the average of 74, 34, 36, 92, 17, 53. | option_a=52 | option_b=51 | option_c=50 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 306 ÷ 6 = 51.

id=97257 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 49? | option_a=28 | option_b=49 | option_c=40 | option_d=34 | answer=B | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 49 is the odd one out.

id=97258 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 18, 28, 40? | option_a=8 | option_b=18 | option_c=28 | option_d=40 | answer=D | explanation=The first three numbers increase by 10, so the next should be 38. Therefore 40 is the odd one out.

id=97259 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █41952 at 6% per annum for 5 years. | option_a=12485 | option_b=12585 | option_c=12685 | option_d=54537 | answer=B | explanation=SI = PRT/100 = 41952×6×5/100 = █12585.

id=97260 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=41 | option_b=37 | option_c=31 | option_d=36 | answer=D | explanation=The common difference is 5. Therefore the next term is 31 + 5 = 36.

Aptitude Questions — Records 97,261-97,290 of 100,000

id=97261 | topic=Averages | difficulty=Easy | question=Find the average of 11, 74, 31, 66, 53, 57, 100. | option_a=58 | option_b=56 | option_c=55 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 392 ÷ 7 = 56.

id=97262 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=C | option_b=E | option_c=D | option_d=F | answer=B | explanation=Move 1 positions forward from D; the resulting letter is E.

id=97263 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:13 and the first is 132, what is the second? | option_a=167 | option_b=143 | option_c=156 | option_d=288 | answer=C | explanation=Scale factor = 132/11 = 12. Therefore second quantity = 13×12 = 156.

id=97264 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=5 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=97265 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=97266 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38843 at 5% per annum for 1 years. | option_a=40785 | option_b=2042 | option_c=1842 | option_d=1942 | answer=D | explanation=SI = PRT/100 = 38843×5×1/100 = **■**1942.

id=97267 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=Q | option_c=W | option_d=U | answer=D | explanation=Move 2 positions forward from S; the resulting letter is U.

id=97268 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=55 | option_d=100 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=97269 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 18, 26, 36? | option_a=26 | option_b=10 | option_c=18 | option_d=36 | answer=D | explanation=The first three numbers increase by 8, so the next should be 34. Therefore 36 is the odd one out.

id=97270 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 16. | option_a=18 | option_b=32 | option_c=16 | option_d=1 | answer=C | explanation=LCM × HCF = 2×16. HCF(2,16) = 2, so LCM = 16.

id=97271 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=H | option_c=D | option_d=J | answer=B | explanation=Move 2 positions forward from F; the resulting letter is H.

id=97272 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3601. If it is sold at a profit of 20%, what is its selling price? | option_a=4321 | option_b=3961 | option_c=3621 | option_d=4681 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3601 × 120/100 = **■**4321.

id=97273 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26955 at 12% per annum for 5 years. | option_a=16173 | option_b=16073 | option_c=16273 | option_d=43128 | answer=A | explanation=SI = PRT/100 = 26955×12×5/100 = **■**16173.

id=97274 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38951 at 8% per annum for 3 years. | option_a=9448 | option_b=48299 | option_c=9248 | option_d=9348 | answer=D | explanation=SI = PRT/100 = 38951×8×3/100 = **■**9348.

id=97275 | topic=Averages | difficulty=Easy | question=Find the average of 63, 100, 61, 27, 13, 72. | option_a=55 | option_b=58 | option_c=57 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = 336 ÷ 6 = 56.

id=97276 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=47 | option_b=46 | option_c=39 | option_d=53 | answer=B | explanation=The common difference is 7. Therefore the next term is 39 + 7 = 46.

id=97277 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 29, 38, 48? | option_a=38 | option_b=20 | option_c=48 | option_d=29 | answer=C | explanation=The first three numbers increase by 9, so the next should be 47. Therefore 48 is the odd one out.

id=97278 | topic=Percentages | difficulty=Easy | question=What is 15% of 644? | option_a=96 | option_b=106 | option_c=192 | option_d=76 | answer=A | explanation=15% of 644 = (15/100) × 644 = 96.

id=97279 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**30430 at 4% per annum for 2 years. | option_a=2534 | option_b=2434 | option_c=32864 | option_d=2334 | answer=B | explanation=SI = PRT/100 = 30430×4×2/100 = **■**2434.

id=97280 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8926 at 15% per annum for 2 years. | option_a=11603 | option_b=2577 | option_c=2777 | option_d=2677 | answer=D | explanation=SI = PRT/100 = 8926×15×2/100 = **■**2677.

id=97281 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=85 | option_c=90 | option_d=95 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=97282 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=38 | option_b=44 | option_c=39 | option_d=32 | answer=A | explanation=The common difference is 6. Therefore the next term is 32 + 6 = 38.

id=97283 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 9, 16, 26? | option_a=9 | option_b=26 | option_c=16 | option_d=2 | answer=B | explanation=The first three numbers increase by 7, so the next should be 23. Therefore 26 is the odd one out.

id=97284 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=T | option_c=E | option_d=O | answer=D | explanation=Move 5 positions forward from J; the resulting letter is O.

id=97285 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=97286 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=20 | option_d=5 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=97287 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 20, 29, 40? | option_a=20 | option_b=11 | option_c=40 | option_d=29 | answer=C | explanation=The first three numbers increase by 9, so the next should be 38. Therefore 40 is the odd one out.

id=97288 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:5 and the first is 63, what is the second? | option_a=98 | option_b=44 | option_c=35 | option_d=30 | answer=C | explanation=Scale factor = 63/9 = 7. Therefore second quantity = 5×7 = 35.

id=97289 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=90 | option_c=180 | option_d=95 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=97290 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

Aptitude Questions — Records 97,291-97,320 of 100,000

id=97291 | topic=Averages | difficulty=Easy | question=Find the average of 67, 90, 35, 99, 14, 93, 36. | option_a=61 | option_b=62 | option_c=64 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 434 ÷ 7 = 62.

id=97292 | topic=Percentages | difficulty=Easy | question=What is 40% of 1984? | option_a=788 | option_b=803 | option_c=1586 | option_d=793 | answer=D | explanation=40% of 1984 = (40/100) × 1984 = 793.

id=97293 | topic=Percentages | difficulty=Easy | question=What is 12% of 467? | option_a=56 | option_b=36 | option_c=112 | option_d=76 | answer=A | explanation=12% of 467 = (12/100) × 467 = 56.

id=97294 | topic=Averages | difficulty=Easy | question=Find the average of 11, 14, 35, 100, 41, 69, 68, 38. | option_a=48 | option_b=47 | option_c=46 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 376 ÷ 8 = 47.

id=97295 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:13 and the first is 252, what is the second? | option_a=169 | option_b=434 | option_c=182 | option_d=200 | answer=C | explanation=Scale factor = 252/18 = 14. Therefore second quantity = 13×14 = 182.

id=97296 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:20 and the first is 198, what is the second? | option_a=200 | option_b=238 | option_c=418 | option_d=220 | answer=D | explanation=Scale factor = 198/18 = 11. Therefore second quantity = 20×11 = 220.

id=97297 | topic=Averages | difficulty=Easy | question=Find the average of 62, 42, 20, 92. | option_a=55 | option_b=56 | option_c=54 | option_d=53 | answer=C | explanation=Average = sum of values ÷ number of values = 216 ÷ 4 = 54.

id=97298 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=J | option_c=H | option_d=D | answer=C | explanation=Move 2 positions forward from F; the resulting letter is H.

id=97299 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=97300 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 28, 34, 42? | option_a=22 | option_b=34 | option_c=42 | option_d=28 | answer=C | explanation=The first three numbers increase by 6, so the next should be 40. Therefore 42 is the odd one out.

id=97301 | topic=Averages | difficulty=Easy | question=Find the average of 86, 92, 51, 81, 67, 13, 69, 94, 91, 46. | option_a=68 | option_b=70 | option_c=69 | option_d=71 | answer=C | explanation=Average = sum of values ÷ number of values = 690 ÷ 10 = 69.

id=97302 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 15, 20, 26? | option_a=15 | option_b=20 | option_c=10 | option_d=26 | answer=D | explanation=The first three numbers increase by 5, so the next should be 25. Therefore 26 is the odd one out.

id=97303 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26605 at 8% per annum for 4 years. | option_a=8613 | option_b=8513 | option_c=35118 | option_d=8413 | answer=B | explanation=SI = PRT/100 = 26605×8×4/100 = **■**8513.

id=97304 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:6 and the first is 36, what is the second? | option_a=24 | option_b=33 | option_c=18 | option_d=60 | answer=A | explanation=Scale factor = 36/9 = 4. Therefore second quantity = 6×4 = 24.

id=97305 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13777 at 5% per annum for 1 years. | option_a=788 | option_b=588 | option_c=14465 | option_d=688 | answer=D | explanation=SI = PRT/100 = 13777×5×1/100 = **■**688.

id=97306 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=J | option_c=F | option_d=D | answer=A | explanation=Move 2 positions forward from F; the resulting letter is H.

id=97307 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:8 and the first is 280, what is the second? | option_a=174 | option_b=160 | option_c=152 | option_d=440 | answer=B | explanation=Scale factor = 280/14 = 20. Therefore second quantity = 8×20 = 160.

id=97308 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 17, 19, 21, ? | option_a=21 | option_b=24 | option_c=25 | option_d=23 | answer=D | explanation=The common difference is 2. Therefore the next term is 21 + 2 = 23.

id=97309 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 19, 23, 27, ? | option_a=27 | option_b=35 | option_c=32 | option_d=31 | answer=D | explanation=The common difference is 4. Therefore the next term is 27 + 4 = 31.

id=97310 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1121. If it is sold at a profit of 20%, what is its selling price? | option_a=1141 | option_b=1233 | option_c=1457 | option_d=1345 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1121 × 120/100 = **■**1345.

id=97311 | topic=Averages | difficulty=Easy | question=Find the average of 47, 14, 41. | option_a=35 | option_b=33 | option_c=34 | option_d=36 | answer=C | explanation=Average = sum of values ÷ number of values = 102 ÷ 3 = 34.

id=97312 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10157 at 10% per annum for 1 years. | option_a=11172 | option_b=915 | option_c=1015 | option_d=1115 | answer=C | explanation=SI = PRT/100 = 10157×10×1/100 = **■**1015.

id=97313 | topic=Averages | difficulty=Easy | question=Find the average of 78, 35, 13, 45, 64, 95, 55. | option_a=55 | option_b=57 | option_c=56 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 385 ÷ 7 = 55.

id=97314 | topic=Averages | difficulty=Easy | question=Find the average of 72, 25, 29, 50. | option_a=45 | option_b=43 | option_c=44 | option_d=46 | answer=C | explanation=Average = sum of values ÷ number of values = 176 ÷ 4 = 44.

id=97315 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:10 and the first is 65, what is the second? | option_a=115 | option_b=40 | option_c=63 | option_d=50 | answer=D | explanation=Scale factor = 65/13 = 5. Therefore second quantity = 10×5 = 50.

id=97316 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 14, 16, 21? | option_a=14 | option_b=16 | option_c=12 | option_d=21 | answer=D | explanation=The first three numbers increase by 2, so the next should be 18. Therefore 21 is the odd one out.

id=97317 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=97318 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:5 and the first is 143, what is the second? | option_a=60 | option_b=76 | option_c=208 | option_d=65 | answer=D | explanation=Scale factor = 143/11 = 13. Therefore second quantity = 5×13 = 65.

id=97319 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 44? | option_a=23 | option_b=29 | option_c=44 | option_d=35 | answer=C | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 44 is the odd one out.

id=97320 | topic=Averages | difficulty=Easy | question=Find the average of 77, 35, 10, 16, 27. | option_a=35 | option_b=33 | option_c=32 | option_d=34 | answer=B | explanation=Average = sum of values ÷ number of values = 165 ÷ 5 = 33.

Aptitude Questions — Records 97,321-97,350 of 100,000

id=97321 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:7 and the first is 176, what is the second? | option_a=123 | option_b=112 | option_c=105 | option_d=288 | answer=B | explanation=Scale factor = $176/11 = 16$. Therefore second quantity = $7 \times 16 = 112$.

id=97322 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 21, 24, 30? | option_a=30 | option_b=21 | option_c=18 | option_d=24 | answer=A | explanation=The first three numbers increase by 3, so the next should be 27. Therefore 30 is the odd one out.

id=97323 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=Q | option_c=O | option_d=M | answer=B | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=97324 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26778 at 12% per annum for 2 years. | option_a=33204 | option_b=6326 | option_c=6526 | option_d=6426 | answer=D | explanation=SI = $PRT/100 = 26778 \times 12 \times 2/100 = \text{■}6426$.

id=97325 | topic=Percentages | difficulty=Easy | question=What is 10% of 241? | option_a=29 | option_b=19 | option_c=48 | option_d=24 | answer=D | explanation=10% of 241 = $(10/100) \times 241 = 24$.

id=97326 | topic=Averages | difficulty=Easy | question=Find the average of 30, 85, 36, 58, 62, 99, 15. | option_a=54 | option_b=57 | option_c=55 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = $385 \div 7 = 55$.

id=97327 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 52? | option_a=19 | option_b=29 | option_c=39 | option_d=52 | answer=D | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 52 is the odd one out.

id=97328 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=44 | option_b=56 | option_c=57 | option_d=68 | answer=B | explanation=The common difference is 12. Therefore the next term is $44 + 12 = 56$.

id=97329 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17518 at 5% per annum for 4 years. | option_a=3603 | option_b=21021 | option_c=3503 | option_d=3403 | answer=C | explanation=SI = $PRT/100 = 17518 \times 5 \times 4/100 = \text{■}3503$.

id=97330 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 11, 15, 22? | option_a=22 | option_b=11 | option_c=7 | option_d=15 | answer=A | explanation=The first three numbers increase by 4, so the next should be 19. Therefore 22 is the odd one out.

id=97331 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 19, 23, 28? | option_a=15 | option_b=28 | option_c=19 | option_d=23 | answer=B | explanation=The first three numbers increase by 4, so the next should be 27. Therefore 28 is the odd one out.

id=97332 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=97333 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4671. If it is sold at a profit of 30%, what is its selling price? | option_a=6072 | option_b=4701 | option_c=5605 | option_d=6539 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4671 \times 130/100 = \text{■}6072$.

id=97334 | topic=Percentages | difficulty=Easy | question=What is 10% of 437? | option_a=33 | option_b=53 | option_c=86 | option_d=43 | answer=D | explanation=10% of 437 = $(10/100) \times 437 = 43$.

id=97335 | topic=Averages | difficulty=Easy | question=Find the average of 54, 98, 29, 53, 32, 84, 98. | option_a=65 | option_b=64 | option_c=63 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = $448 \div 7 = 64$.

id=97336 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=30 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = $120 \div 8 = 15$ km/h.

id=97337 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=55 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = $300 \div 6 = 50$ km/h.

id=97338 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=97339 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29560 at 5% per annum for 4 years. | option_a=6012 | option_b=5812 | option_c=5912 | option_d=35472 | answer=C | explanation=SI = $PRT/100 = 29560 \times 5 \times 4/100 = \text{■}5912$.

id=97340 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=D | option_b=F | option_c=B | option_d=Z | answer=A | explanation=Move 2 positions forward from B; the resulting letter is D.

id=97341 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47589 at 15% per annum for 3 years. | option_a=21415 | option_b=21315 | option_c=69004 | option_d=21515 | answer=A | explanation=SI = $PRT/100 = 47589 \times 15 \times 3/100 = \text{■}21415$.

id=97342 | topic=Percentages | difficulty=Easy | question=What is 40% of 1618? | option_a=657 | option_b=1294 | option_c=637 | option_d=647 | answer=D | explanation=40% of 1618 = $(40/100) \times 1618 = 647$.

id=97343 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10444 at 12% per annum for 5 years. | option_a=6366 | option_b=6266 | option_c=16710 | option_d=6166 | answer=B | explanation=SI = $PRT/100 = 10444 \times 12 \times 5/100 = \text{■}6266$.

id=97344 | topic=Averages | difficulty=Easy | question=Find the average of 31, 67, 23, 44, 55, 44, 64, 54, 14, 84. | option_a=47 | option_b=48 | option_c=50 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = $480 \div 10 = 48$.

id=97345 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=40 | option_c=45 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = $120 \div 3 = 40$ km/h.

id=97346 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=23 | option_b=30 | option_c=31 | option_d=37 | answer=B | explanation=The common difference is 7. Therefore the next term is $23 + 7 = 30$.

id=97347 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48847 at 5% per annum for 2 years. | option_a=53731 | option_b=4784 | option_c=4984 | option_d=4884 | answer=D | explanation=SI = $PRT/100 = 48847 \times 5 \times 2/100 = \text{■}4884$.

id=97348 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=40 | option_c=35 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = $240 \div 6 = 40$ km/h.

id=97349 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=97350 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:15 and the first is 36, what is the second? | option_a=180 | option_b=165 | option_c=216 | option_d=183 | answer=A | explanation=Scale factor = $36/3 = 12$. Therefore second quantity = $15 \times 12 = 180$.

Aptitude Questions — Records 97,351-97,380 of 100,000

id=97351 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 24. | option_a=338 | option_b=624 | option_c=288 | option_d=312 | answer=D | explanation= $LCM \times HCF = 26 \times 24$; $HCF(26,24) = 2$, so $LCM = 312$.

id=97352 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 33, 42, 53? | option_a=42 | option_b=24 | option_c=53 | option_d=33 | answer=C | explanation=The first three numbers increase by 9, so the next should be 51. Therefore 53 is the odd one out.

id=97353 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2242. If it is sold at a profit of 15%, what is its selling price? | option_a=2354 | option_b=2578 | option_c=2802 | option_d=2257 | answer=B | explanation= $Selling\ price = CP \times (100 + profit\%)/100 = 2242 \times 115/100 = \text{█}2578$.

id=97354 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=40 | option_c=50 | option_d=45 | answer=D | explanation= $Speed = distance \div time = 90 \div 2 = 45\ km/h$.

id=97355 | topic=Percentages | difficulty=Easy | question=What is 50% of 1976? | option_a=1976 | option_b=1008 | option_c=988 | option_d=968 | answer=C | explanation= 50% of 1976 = $(50/100) \times 1976 = 988$.

id=97356 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 42? | option_a=36 | option_b=42 | option_c=33 | option_d=30 | answer=B | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 42 is the odd one out.

id=97357 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=N | option_c=V | option_d=Z | answer=C | explanation=Move 4 positions forward from R; the resulting letter is V.

id=97358 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:15 and the first is 340, what is the second? | option_a=317 | option_b=640 | option_c=285 | option_d=300 | answer=D | explanation= $Scale\ factor = 340/17 = 20$. Therefore second quantity = $15 \times 20 = 300$.

id=97359 | topic=Percentages | difficulty=Easy | question=What is 12% of 1249? | option_a=298 | option_b=149 | option_c=144 | option_d=159 | answer=B | explanation= 12% of 1249 = $(12/100) \times 1249 = 149$.

id=97360 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4357. If it is sold at a profit of 5%, what is its selling price? | option_a=5009 | option_b=4574 | option_c=4139 | option_d=4362 | answer=B | explanation= $Selling\ price = CP \times (100 + profit\%)/100 = 4357 \times 105/100 = \text{█}4574$.

id=97361 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █25469 at 12% per annum for 2 years. | option_a=6012 | option_b=6112 | option_c=31581 | option_d=6212 | answer=B | explanation= $SI = PRT/100 = 25469 \times 12 \times 2/100 = \text{█}6112$.

id=97362 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 26. | option_a=156 | option_b=168 | option_c=130 | option_d=312 | answer=A | explanation= $LCM \times HCF = 12 \times 26$; $HCF(12,26) = 2$, so $LCM = 156$.

id=97363 | topic=Percentages | difficulty=Easy | question=What is 50% of 1553? | option_a=776 | option_b=781 | option_c=766 | option_d=1552 | answer=A | explanation= 50% of 1553 = $(50/100) \times 1553 = 776$.

id=97364 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=55 | option_b=56 | option_c=44 | option_d=66 | answer=A | explanation=The common difference is 11. Therefore the next term is $44 + 11 = 55$.

id=97365 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2253. If it is sold at a profit of 5%, what is its selling price? | option_a=2140 | option_b=2258 | option_c=2365 | option_d=2590 | answer=C | explanation= $Selling\ price = CP \times (100 + profit\%)/100 = 2253 \times 105/100 = \text{█}2365$.

id=97366 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation= $Speed = distance \div time = 300 \div 10 = 30\ km/h$.

id=97367 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation= $Speed = distance \div time = 300 \div 10 = 30\ km/h$.

id=97368 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation= $Speed = distance \div time = 240 \div 4 = 60\ km/h$.

id=97369 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █24753 at 4% per annum for 3 years. | option_a=3070 | option_b=2870 | option_c=27723 | option_d=2970 | answer=D | explanation= $SI = PRT/100 = 24753 \times 4 \times 3/100 = \text{█}2970$.

id=97370 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6244 at 8% per annum for 2 years. | option_a=999 | option_b=899 | option_c=1099 | option_d=7243 | answer=A | explanation= $SI = PRT/100 = 6244 \times 8 \times 2/100 = \text{█}999$.

id=97371 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=17 | option_b=24 | option_c=12 | option_d=7 | answer=C | explanation= $Speed = distance \div time = 60 \div 5 = 12\ km/h$.

id=97372 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39750 at 15% per annum for 3 years. | option_a=57637 | option_b=17887 | option_c=17987 | option_d=17787 | answer=B | explanation= $SI = PRT/100 = 39750 \times 15 \times 3/100 = \text{█}17887$.

id=97373 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:17 and the first is 45, what is the second? | option_a=66 | option_b=34 | option_c=51 | option_d=96 | answer=C | explanation= $Scale\ factor = 45/15 = 3$. Therefore second quantity = $17 \times 3 = 51$.

id=97374 | topic=Percentages | difficulty=Easy | question=What is 5% of 265? | option_a=8 | option_b=26 | option_c=13 | option_d=23 | answer=C | explanation= 5% of 265 = $(5/100) \times 265 = 13$.

id=97375 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45397 at 15% per annum for 1 years. | option_a=6909 | option_b=52206 | option_c=6709 | option_d=6809 | answer=D | explanation= $SI = PRT/100 = 45397 \times 15 \times 1/100 = \text{█}6809$.

id=97376 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=20 | option_c=40 | option_d=15 | answer=B | explanation= $Speed = distance \div time = 60 \div 3 = 20\ km/h$.

id=97377 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 33? | option_a=17 | option_b=10 | option_c=33 | option_d=24 | answer=C | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 33 is the odd one out.

id=97378 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=5 | option_d=24 | answer=A | explanation= $Combined\ rate = 1/12 + 1/12 = 24/144$. Time = $144/24 = 6\ days$.

id=97379 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:12 and the first is 289, what is the second? | option_a=493 | option_b=221 | option_c=192 | option_d=204 | answer=D | explanation= $Scale\ factor = 289/17 = 17$. Therefore second quantity = $12 \times 17 = 204$.

id=97380 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:12 and the first is 238, what is the second? | option_a=192 | option_b=204 | option_c=442 | option_d=218 | answer=B | explanation= $Scale\ factor = 238/14 = 17$. Therefore second quantity = $12 \times 17 = 204$.

Aptitude Questions — Records 97,381-97,410 of 100,000

id=97381 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=24 | option_d=7 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=97382 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14825 at 8% per annum for 5 years. | option_a=6030 | option_b=5930 | option_c=20755 | option_d=5830 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{14825 \times 8 \times 5}{100} = \text{■}5930$.

id=97383 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=12 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12} = 3$ days.

id=97384 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:11 and the first is 33, what is the second? | option_a=154 | option_b=121 | option_c=124 | option_d=110 | answer=B | explanation=Scale factor = $\frac{33}{3} = 11$. Therefore second quantity = $11 \times 11 = 121$.

id=97385 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=97386 | topic=Percentages | difficulty=Easy | question=What is 15% of 148? | option_a=44 | option_b=27 | option_c=22 | option_d=12 | answer=C | explanation=15% of 148 = $(\frac{15}{100}) \times 148 = 22$.

id=97387 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=G | option_b=V | option_c=L | option_d=Q | answer=D | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=97388 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=97389 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**40416 at 12% per annum for 3 years. | option_a=54965 | option_b=14549 | option_c=14449 | option_d=14649 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{40416 \times 12 \times 3}{100} = \text{■}14549$.

id=97390 | topic=Percentages | difficulty=Easy | question=What is 5% of 724? | option_a=36 | option_b=41 | option_c=72 | option_d=31 | answer=A | explanation=5% of 724 = $(\frac{5}{100}) \times 724 = 36$.

id=97391 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=55 | option_c=100 | option_d=45 | answer=A | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{300}{6} = 50$ km/h.

id=97392 | topic=Averages | difficulty=Easy | question=Find the average of 86, 50, 52, 11, 67, 24, 68, 75, 17. | option_a=52 | option_b=49 | option_c=50 | option_d=51 | answer=C | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{450}{9} = 50$.

id=97393 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 25? | option_a=25 | option_b=5 | option_c=11 | option_d=17 | answer=A | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 25 is the odd one out.

id=97394 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=97395 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 14. | option_a=182 | option_b=168 | option_c=364 | option_d=208 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 26 \times 14$; $\text{HCF}(26, 14) = 2$, so LCM = 182.

id=97396 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=18 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=97397 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1708. If it is sold at a profit of 5%, what is its selling price? | option_a=1623 | option_b=1963 | option_c=1793 | option_d=1713 | answer=C | explanation=Selling price = $\text{CP} \times (\frac{100 + \text{profit}\%}{100}) = 1708 \times \frac{105}{100} = \text{■}1793$.

id=97398 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 31, 43, 55, ? | option_a=67 | option_b=79 | option_c=68 | option_d=55 | answer=A | explanation=The common difference is 12. Therefore the next term is $55 + 12 = 67$.

id=97399 | topic=Percentages | difficulty=Easy | question=What is 12% of 665? | option_a=69 | option_b=158 | option_c=89 | option_d=79 | answer=D | explanation=12% of 665 = $(\frac{12}{100}) \times 665 = 79$.

id=97400 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37630 at 8% per annum for 3 years. | option_a=8931 | option_b=9031 | option_c=9131 | option_d=46661 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{37630 \times 8 \times 3}{100} = \text{■}9031$.

id=97401 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 17, 26, 38? | option_a=26 | option_b=17 | option_c=38 | option_d=8 | answer=C | explanation=The first three numbers increase by 9, so the next should be 35. Therefore 38 is the odd one out.

id=97402 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 35? | option_a=26 | option_b=35 | option_c=12 | option_d=19 | answer=B | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 35 is the odd one out.

id=97403 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 16, 21, 26, ? | option_a=36 | option_b=31 | option_c=32 | option_d=26 | answer=B | explanation=The common difference is 5. Therefore the next term is $26 + 5 = 31$.

id=97404 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=97405 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=97406 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3890. If it is sold at a profit of 30%, what is its selling price? | option_a=3920 | option_b=5057 | option_c=5446 | option_d=4668 | answer=B | explanation=Selling price = $\text{CP} \times (\frac{100 + \text{profit}\%}{100}) = 3890 \times \frac{130}{100} = \text{■}5057$.

id=97407 | topic=Averages | difficulty=Easy | question=Find the average of 100, 11, 31, 16, 30, 66, 40. | option_a=41 | option_b=43 | option_c=44 | option_d=42 | answer=D | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{294}{7} = 42$.

id=97408 | topic=Percentages | difficulty=Easy | question=What is 25% of 882? | option_a=215 | option_b=220 | option_c=225 | option_d=440 | answer=B | explanation=25% of 882 = $(\frac{25}{100}) \times 882 = 220$.

id=97409 | topic=Percentages | difficulty=Easy | question=What is 30% of 265? | option_a=158 | option_b=89 | option_c=59 | option_d=79 | answer=D | explanation=30% of 265 = $(\frac{30}{100}) \times 265 = 79$.

id=97410 | topic=Averages | difficulty=Easy | question=Find the average of 39, 84, 78. | option_a=69 | option_b=66 | option_c=68 | option_d=67 | answer=D | explanation=Average = $\frac{\text{sum of values}}{\text{number of values}} = \frac{201}{3} = 67$.

Aptitude Questions — Records 97,411-97,440 of 100,000

id=97411 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=50 | option_b=40 | option_c=90 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=97412 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=97413 | topic=Percentages | difficulty=Easy | question=What is 50% of 1574? | option_a=767 | option_b=787 | option_c=792 | option_d=1574 | answer=B | explanation=50% of 1574 = (50/100) × 1574 = 787.

id=97414 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4019. If it is sold at a profit of 10%, what is its selling price? | option_a=4019 | option_b=4420 | option_c=4029 | option_d=4821 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4019 × 110/100 = █4420.

id=97415 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 17, 22, 29? | option_a=17 | option_b=12 | option_c=22 | option_d=29 | answer=D | explanation=The first three numbers increase by 5, so the next should be 27. Therefore 29 is the odd one out.

id=97416 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 16. | option_a=208 | option_b=416 | option_c=192 | option_d=234 | answer=A | explanation=LCM × HCF = 26×16; HCF(26,16) = 2, so LCM = 208.

id=97417 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=T | option_c=P | option_d=N | answer=A | explanation=Move 2 positions forward from P; the resulting letter is R.

id=97418 | topic=Profit & Loss | difficulty=Easy | question=An article costs █703. If it is sold at a profit of 15%, what is its selling price? | option_a=808 | option_b=718 | option_c=878 | option_d=738 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 703 × 115/100 = █808.

id=97419 | topic=Percentages | difficulty=Easy | question=What is 20% of 408? | option_a=86 | option_b=81 | option_c=71 | option_d=162 | answer=B | explanation=20% of 408 = (20/100) × 408 = 81.

id=97420 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:5 and the first is 208, what is the second? | option_a=60 | option_b=81 | option_c=65 | option_d=273 | answer=C | explanation=Scale factor = 208/16 = 13. Therefore second quantity = 5×13 = 65.

id=97421 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=31 | option_c=36 | option_d=41 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=97422 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=19 | option_b=20 | option_c=21 | option_d=17 | answer=A | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=97423 | topic=Averages | difficulty=Easy | question=Find the average of 12, 94, 75, 87, 41, 25, 78, 70, 94. | option_a=64 | option_b=65 | option_c=66 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = 576 ÷ 9 = 64.

id=97424 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █10649 at 6% per annum for 5 years. | option_a=3094 | option_b=3294 | option_c=13843 | option_d=3194 | answer=D | explanation=SI = PRT/100 = 10649×6×5/100 = █3194.

id=97425 | topic=Averages | difficulty=Easy | question=Find the average of 71, 24, 32, 55, 29, 72, 18, 27. | option_a=43 | option_b=41 | option_c=40 | option_d=42 | answer=B | explanation=Average = sum of values ÷ number of values = 328 ÷ 8 = 41.

id=97426 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=97427 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=95 | option_c=105 | option_d=200 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=97428 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 33? | option_a=4 | option_b=22 | option_c=33 | option_d=13 | answer=C | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 33 is the odd one out.

id=97429 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

id=97430 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 31, 42, 53, ? | option_a=75 | option_b=64 | option_c=65 | option_d=53 | answer=B | explanation=The common difference is 11. Therefore the next term is 53 + 11 = 64.

id=97431 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2758. If it is sold at a profit of 20%, what is its selling price? | option_a=3309 | option_b=2778 | option_c=3584 | option_d=3034 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2758 × 120/100 = █3309.

id=97432 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 32, 34, 37? | option_a=37 | option_b=32 | option_c=34 | option_d=30 | answer=A | explanation=The first three numbers increase by 2, so the next should be 36. Therefore 37 is the odd one out.

id=97433 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 18, 25, 35? | option_a=35 | option_b=18 | option_c=25 | option_d=11 | answer=A | explanation=The first three numbers increase by 7, so the next should be 32. Therefore 35 is the odd one out.

id=97434 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █3343 at 8% per annum for 2 years. | option_a=434 | option_b=634 | option_c=534 | option_d=3877 | answer=C | explanation=SI = PRT/100 = 3343×8×2/100 = █534.

id=97435 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=R | option_c=N | option_d=P | answer=B | explanation=Move 2 positions forward from P; the resulting letter is R.

id=97436 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █49066 at 4% per annum for 2 years. | option_a=52991 | option_b=3825 | option_c=3925 | option_d=4025 | answer=C | explanation=SI = PRT/100 = 49066×4×2/100 = █3925.

id=97437 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █46682 at 5% per annum for 3 years. | option_a=6902 | option_b=7102 | option_c=7002 | option_d=53684 | answer=C | explanation=SI = PRT/100 = 46682×5×3/100 = █7002.

id=97438 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=97439 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=80 | option_d=150 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=97440 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 12. | option_a=15 | option_b=36 | option_c=12 | option_d=1 | answer=C | explanation=LCM × HCF = 3×12; HCF(3,12) = 3, so LCM = 12.

Aptitude Questions — Records 97,441-97,470 of 100,000

id=97441 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:17 and the first is 45, what is the second? | option_a=238 | option_b=255 | option_c=258 | option_d=300 | answer=B | explanation=Scale factor = $45/3 = 15$. Therefore second quantity = $17 \times 15 = 255$.

id=97442 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.

id=97443 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=K | option_b=I | option_c=E | option_d=G | answer=B | explanation=Move 2 positions forward from G; the resulting letter is I.

id=97444 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**255. If it is sold at a profit of 10%, what is its selling price? | option_a=280 | option_b=255 | option_c=265 | option_d=305 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 255 \times 110/100 = \text{₹}280$.

id=97445 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:15 and the first is 234, what is the second? | option_a=180 | option_b=195 | option_c=429 | option_d=213 | answer=B | explanation=Scale factor = $234/18 = 13$. Therefore second quantity = $15 \times 13 = 195$.

id=97446 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 20, 22, 25? | option_a=18 | option_b=22 | option_c=20 | option_d=25 | answer=D | explanation=The first three numbers increase by 2, so the next should be 24. Therefore 25 is the odd one out.

id=97447 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**9950 at 6% per annum for 1 years. | option_a=497 | option_b=697 | option_c=10547 | option_d=597 | answer=D | explanation=SI = $PRT/100 = 9950 \times 6 \times 1/100 = \text{₹}597$.

id=97448 | topic=Averages | difficulty=Easy | question=Find the average of 83, 93, 68, 65, 18, 54, 12, 79. | option_a=59 | option_b=61 | option_c=58 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = $472 \div 8 = 59$.

id=97449 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**1442 at 4% per annum for 1 years. | option_a=1499 | option_b=157 | option_c=57 | option_d=0 | answer=C | explanation=SI = $PRT/100 = 1442 \times 4 \times 1/100 = \text{₹}57$.

id=97450 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=E | option_c=A | option_d=M | answer=A | explanation=Move 4 positions forward from E; the resulting letter is I.

id=97451 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 41? | option_a=41 | option_b=22 | option_c=14 | option_d=30 | answer=A | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 41 is the odd one out.

id=97452 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 4, 6, 8, ? | option_a=11 | option_b=10 | option_c=12 | option_d=8 | answer=B | explanation=The common difference is 2. Therefore the next term is $8 + 2 = 10$.

id=97453 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**47736 at 6% per annum for 5 years. | option_a=14320 | option_b=14220 | option_c=14420 | option_d=62056 | answer=A | explanation=SI = $PRT/100 = 47736 \times 6 \times 5/100 = \text{₹}14320$.

id=97454 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2619. If it is sold at a profit of 20%, what is its selling price? | option_a=3142 | option_b=2639 | option_c=2881 | option_d=3403 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2619 \times 120/100 = \text{₹}3142$.

id=97455 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 20, 32, 44, ? | option_a=68 | option_b=56 | option_c=57 | option_d=44 | answer=B | explanation=The common difference is 12. Therefore the next term is $44 + 12 = 56$.

id=97456 | topic=Averages | difficulty=Easy | question=Find the average of 58, 30, 72, 60, 97, 65, 53, 69. | option_a=62 | option_b=63 | option_c=65 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = $504 \div 8 = 63$.

id=97457 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.

id=97458 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**43614 at 4% per annum for 2 years. | option_a=47103 | option_b=3489 | option_c=3389 | option_d=3589 | answer=B | explanation=SI = $PRT/100 = 43614 \times 4 \times 2/100 = \text{₹}3489$.

id=97459 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3838. If it is sold at a profit of 10%, what is its selling price? | option_a=4221 | option_b=4604 | option_c=3838 | option_d=3848 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3838 \times 110/100 = \text{₹}4221$.

id=97460 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2836. If it is sold at a profit of 15%, what is its selling price? | option_a=2978 | option_b=3261 | option_c=2851 | option_d=3544 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2836 \times 115/100 = \text{₹}3261$.

id=97461 | topic=Percentages | difficulty=Easy | question=What is 10% of 166? | option_a=36 | option_b=16 | option_c=11 | option_d=32 | answer=B | explanation=10% of 166 = $(10/100) \times 166 = 16$.

id=97462 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=25 | option_b=26 | option_c=27 | option_d=23 | answer=A | explanation=The common difference is 2. Therefore the next term is $23 + 2 = 25$.

id=97463 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=97464 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=30 | option_b=31 | option_c=26 | option_d=34 | answer=A | explanation=The common difference is 4. Therefore the next term is $26 + 4 = 30$.

id=97465 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=60 | option_b=47 | option_c=71 | option_d=59 | answer=D | explanation=The common difference is 12. Therefore the next term is $47 + 12 = 59$.

id=97466 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**1076. If it is sold at a profit of 15%, what is its selling price? | option_a=1130 | option_b=1091 | option_c=1237 | option_d=1344 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1076 \times 115/100 = \text{₹}1237$.

id=97467 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=H | option_b=T | option_c=L | option_d=P | answer=D | explanation=Move 4 positions forward from L; the resulting letter is P.

id=97468 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = $120 \div 2 = 60$ km/h.

id=97469 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=Q | option_b=L | option_c=G | option_d=V | answer=A | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=97470 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**12653 at 5% per annum for 3 years. | option_a=14550 | option_b=1997 | option_c=1897 | option_d=1797 | answer=C | explanation=SI = $PRT/100 = 12653 \times 5 \times 3/100 = \text{₹}1897$.

Aptitude Questions — Records 97,471-97,500 of 100,000

id=97471 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=36 | option_b=31 | option_c=24 | option_d=30 | answer=D | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.

id=97472 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=O | option_c=Y | option_d=D | answer=C | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=97473 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37213 at 5% per annum for 3 years. | option_a=5581 | option_b=5681 | option_c=5481 | option_d=42794 | answer=A | explanation=SI = $PRT/100 = 37213 \times 5 \times 3/100 = \text{■}5581$.

id=97474 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:4 and the first is 300, what is the second? | option_a=56 | option_b=60 | option_c=80 | option_d=360 | answer=B | explanation=Scale factor = $300/20 = 15$. Therefore second quantity = $4 \times 15 = 60$.

id=97475 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**34350 at 10% per annum for 3 years. | option_a=10205 | option_b=44655 | option_c=10405 | option_d=10305 | answer=D | explanation=SI = $PRT/100 = 34350 \times 10 \times 3/100 = \text{■}10305$.

id=97476 | topic=Averages | difficulty=Easy | question=Find the average of 84, 36, 37, 11, 11, 34, 25. | option_a=35 | option_b=36 | option_c=33 | option_d=34 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 238 \div 7 = 34$.

id=97477 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 18, 29, 40, ? | option_a=51 | option_b=62 | option_c=52 | option_d=40 | answer=A | explanation=The common difference is 11. Therefore the next term is 40 + 11 = 51.

id=97478 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=5 | option_d=20 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 60 \div 6 = 10 \text{ km/h}$.

id=97479 | topic=Percentages | difficulty=Easy | question=What is 30% of 1663? | option_a=478 | option_b=996 | option_c=503 | option_d=498 | answer=D | explanation=30% of 1663 = $(30/100) \times 1663 = 498$.

id=97480 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=J | option_c=S | option_d=P | answer=D | explanation=Move 3 positions forward from M; the resulting letter is P.

id=97481 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 8. | option_a=8 | option_b=64 | option_c=16 | option_d=1 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 8 \times 8$; $\text{HCF}(8,8) = 8$, so $\text{LCM} = 8$.

id=97482 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4047. If it is sold at a profit of 50%, what is its selling price? | option_a=6070 | option_b=4097 | option_c=5666 | option_d=6474 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4047 \times 150/100 = \text{■}6070$.

id=97483 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=J | option_c=I | option_d=G | answer=C | explanation=Move 1 positions forward from H; the resulting letter is I.

id=97484 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=40 | option_b=44 | option_c=39 | option_d=34 | answer=C | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

id=97485 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:2 and the first is 20, what is the second? | option_a=40 | option_b=41 | option_c=38 | option_d=60 | answer=A | explanation=Scale factor = $20/1 = 20$. Therefore second quantity = $2 \times 20 = 40$.

id=97486 | topic=Percentages | difficulty=Easy | question=What is 10% of 147? | option_a=9 | option_b=24 | option_c=14 | option_d=28 | answer=C | explanation=10% of 147 = $(10/100) \times 147 = 14$.

id=97487 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12835 at 8% per annum for 3 years. | option_a=3180 | option_b=3080 | option_c=2980 | option_d=15915 | answer=B | explanation=SI = $PRT/100 = 12835 \times 8 \times 3/100 = \text{■}3080$.

id=97488 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=18 | option_b=19 | option_c=17 | option_d=15 | answer=C | explanation=The common difference is 2. Therefore the next term is 15 + 2 = 17.

id=97489 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=35 | option_b=28 | option_c=40 | option_d=34 | answer=D | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.

id=97490 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=97491 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=97492 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:4 and the first is 36, what is the second? | option_a=25 | option_b=12 | option_c=16 | option_d=52 | answer=C | explanation=Scale factor = $36/9 = 4$. Therefore second quantity = $4 \times 4 = 16$.

id=97493 | topic=Percentages | difficulty=Easy | question=What is 12% of 391? | option_a=51 | option_b=46 | option_c=92 | option_d=26 | answer=B | explanation=12% of 391 = $(12/100) \times 391 = 46$.

id=97494 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=15 | option_b=13 | option_c=17 | option_d=16 | answer=A | explanation=The common difference is 2. Therefore the next term is 13 + 2 = 15.

id=97495 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 5. | option_a=30 | option_b=60 | option_c=25 | option_d=150 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 30 \times 5$; $\text{HCF}(30,5) = 5$, so $\text{LCM} = 30$.

id=97496 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = $1/6 + 1/6 = 12/36$. Time = $36/12 = 3$ days.

id=97497 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=5 | option_d=16 | answer=B | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=97498 | topic=Percentages | difficulty=Easy | question=What is 50% of 353? | option_a=352 | option_b=181 | option_c=176 | option_d=156 | answer=C | explanation=50% of 353 = $(50/100) \times 353 = 176$.

id=97499 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=65 | option_b=60 | option_c=55 | option_d=120 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 240 \div 4 = 60 \text{ km/h}$.

id=97500 | topic=Percentages | difficulty=Easy | question=What is 5% of 1939? | option_a=101 | option_b=86 | option_c=96 | option_d=192 | answer=C | explanation=5% of 1939 = $(5/100) \times 1939 = 96$.

Aptitude Questions — Records 97,501-97,530 of 100,000

id=97501 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:1 and the first is 80, what is the second? | option_a=18 | option_b=88 | option_c=7 | option_d=8 | answer=D | explanation=Scale factor = 80/10 = 8. Therefore second quantity = 1×8 = 8.

id=97502 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=30 | option_b=26 | option_c=22 | option_d=27 | answer=B | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.

id=97503 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 28. | option_a=168 | option_b=90 | option_c=56 | option_d=84 | answer=D | explanation=LCM × HCF = 6×28; HCF(6,28) = 2, so LCM = 84.

id=97504 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:20 and the first is 48, what is the second? | option_a=168 | option_b=100 | option_c=120 | option_d=128 | answer=C | explanation=Scale factor = 48/8 = 6. Therefore second quantity = 20×6 = 120.

id=97505 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 22, 32, 43? | option_a=43 | option_b=32 | option_c=22 | option_d=12 | answer=A | explanation=The first three numbers increase by 10, so the next should be 42. Therefore 43 is the odd one out.

id=97506 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33531 at 4% per annum for 1 years. | option_a=1241 | option_b=34872 | option_c=1341 | option_d=1441 | answer=C | explanation=SI = PRT/100 = 33531×4×1/100 = **■**1341.

id=97507 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=97508 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does "T" become? | option_a=W | option_b=Z | option_c=T | option_d=Q | answer=A | explanation=Move 3 positions forward from T; the resulting letter is W.

id=97509 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=31 | option_b=36 | option_c=72 | option_d=41 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=97510 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:2 and the first is 153, what is the second? | option_a=32 | option_b=34 | option_c=43 | option_d=187 | answer=B | explanation=Scale factor = 153/9 = 17. Therefore second quantity = 2×17 = 34.

id=97511 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 36, 43, 52? | option_a=36 | option_b=52 | option_c=29 | option_d=43 | answer=B | explanation=The first three numbers increase by 7, so the next should be 50. Therefore 52 is the odd one out.

id=97512 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:3 and the first is 117, what is the second? | option_a=27 | option_b=144 | option_c=24 | option_d=40 | answer=A | explanation=Scale factor = 117/13 = 9. Therefore second quantity = 3×9 = 27.

id=97513 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4405. If it is sold at a profit of 5%, what is its selling price? | option_a=5065 | option_b=4410 | option_c=4185 | option_d=4625 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4405 × 105/100 = **■**4625.

id=97514 | topic=Percentages | difficulty=Easy | question=What is 20% of 1016? | option_a=223 | option_b=406 | option_c=203 | option_d=193 | answer=C | explanation=20% of 1016 = (20/100) × 1016 = 203.

id=97515 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=97516 | topic=Averages | difficulty=Easy | question=Find the average of 31, 99, 91, 24, 86, 83, 48. | option_a=68 | option_b=66 | option_c=67 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 462 ÷ 7 = 66.

id=97517 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=54 | option_b=67 | option_c=66 | option_d=78 | answer=C | explanation=The common difference is 12. Therefore the next term is 54 + 12 = 66.

id=97518 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 26, 33, 43? | option_a=43 | option_b=19 | option_c=26 | option_d=33 | answer=A | explanation=The first three numbers increase by 7, so the next should be 40. Therefore 43 is the odd one out.

id=97519 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=28 | option_b=22 | option_c=34 | option_d=29 | answer=A | explanation=The common difference is 6. Therefore the next term is 22 + 6 = 28.

id=97520 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 27, 37, 47, ? | option_a=67 | option_b=58 | option_c=57 | option_d=47 | answer=C | explanation=The common difference is 10. Therefore the next term is 47 + 10 = 57.

id=97521 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:8 and the first is 168, what is the second? | option_a=264 | option_b=110 | option_c=88 | option_d=96 | answer=D | explanation=Scale factor = 168/14 = 12. Therefore second quantity = 8×12 = 96.

id=97522 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=240 | option_c=125 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=97523 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=31 | option_c=41 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=97524 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=97525 | topic=Averages | difficulty=Easy | question=Find the average of 20, 15, 54, 28, 88. | option_a=40 | option_b=42 | option_c=41 | option_d=43 | answer=C | explanation=Average = sum of values ÷ number of values = 205 ÷ 5 = 41.

id=97526 | topic=Number System | difficulty=Easy | question=Find the LCM of 11 and 22. | option_a=22 | option_b=242 | option_c=33 | option_d=1 | answer=A | explanation=LCM × HCF = 11×22; HCF(11,22) = 11, so LCM = 22.

id=97527 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=8 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=97528 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=13 | option_d=23 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=97529 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:18 and the first is 323, what is the second? | option_a=359 | option_b=324 | option_c=342 | option_d=665 | answer=C | explanation=Scale factor = 323/17 = 19. Therefore second quantity = 18×19 = 342.

id=97530 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 4. | option_a=16 | option_b=32 | option_c=12 | option_d=64 | answer=A | explanation=LCM × HCF = 16×4; HCF(16,4) = 4, so LCM = 16.

Aptitude Questions — Records 97,531-97,560 of 100,000

id=97531 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19036 at 4% per annum for 3 years. | option_a=2384 | option_b=2184 | option_c=2284 | option_d=21320 | answer=C | explanation=SI = $PRT/100 = 19036 \times 4 \times 3 / 100 =$ **■**2284.

id=97532 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4741. If it is sold at a profit of 5%, what is its selling price? | option_a=5452 | option_b=4978 | option_c=4746 | option_d=4504 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 4741 \times 105 / 100 =$ **■**4978.

id=97533 | topic=Averages | difficulty=Easy | question=Find the average of 35, 18, 88, 77, 37. | option_a=53 | option_b=50 | option_c=52 | option_d=51 | answer=D | explanation=Average = sum of values + number of values = $255 \div 5 = 51$.

id=97534 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1424. If it is sold at a profit of 20%, what is its selling price? | option_a=1566 | option_b=1850 | option_c=1444 | option_d=1708 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1424 \times 120 / 100 =$ **■**1708.

id=97535 | topic=Averages | difficulty=Easy | question=Find the average of 88, 86, 79, 91, 34, 24, 70, 30, 74. | option_a=66 | option_b=65 | option_c=64 | option_d=63 | answer=C | explanation=Average = sum of values + number of values = $576 \div 9 = 64$.

id=97536 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ?. | option_a=40 | option_b=34 | option_c=41 | option_d=46 | answer=A | explanation=The common difference is 6. Therefore the next term is $34 + 6 = 40$.

id=97537 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 41? | option_a=30 | option_b=22 | option_c=41 | option_d=14 | answer=C | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 41 is the odd one out.

id=97538 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 18, 24, 30, ?. | option_a=36 | option_b=37 | option_c=30 | option_d=42 | answer=A | explanation=The common difference is 6. Therefore the next term is $30 + 6 = 36$.

id=97539 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22702 at 10% per annum for 4 years. | option_a=8980 | option_b=9180 | option_c=31782 | option_d=9080 | answer=D | explanation=SI = $PRT/100 = 22702 \times 10 \times 4 / 100 =$ **■**9080.

id=97540 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:8 and the first is 140, what is the second? | option_a=48 | option_b=196 | option_c=76 | option_d=56 | answer=D | explanation=Scale factor = $140 / 20 = 7$. Therefore second quantity = $8 \times 7 = 56$.

id=97541 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1197. If it is sold at a profit of 5%, what is its selling price? | option_a=1137 | option_b=1256 | option_c=1202 | option_d=1375 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1197 \times 105 / 100 =$ **■**1256.

id=97542 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 25, 27, 31? | option_a=31 | option_b=25 | option_c=23 | option_d=27 | answer=A | explanation=The first three numbers increase by 2, so the next should be 29. Therefore 31 is the odd one out.

id=97543 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=Z | option_b=D | option_c=H | option_d=L | answer=C | explanation=Move 4 positions forward from D; the resulting letter is H.

id=97544 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18133 at 5% per annum for 3 years. | option_a=20852 | option_b=2619 | option_c=2819 | option_d=2719 | answer=D | explanation=SI = $PRT/100 = 18133 \times 5 \times 3 / 100 =$ **■**2719.

id=97545 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=O | option_c=I | option_d=M | answer=D | explanation=Move 2 positions forward from K; the resulting letter is M.

id=97546 | topic=Percentages | difficulty=Easy | question=What is 5% of 833? | option_a=82 | option_b=41 | option_c=61 | option_d=21 | answer=B | explanation=5% of 833 = $(5/100) \times 833 = 41$.

id=97547 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=A | option_c=G | option_d=C | answer=A | explanation=Move 2 positions forward from C; the resulting letter is E.

id=97548 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21569 at 12% per annum for 5 years. | option_a=34510 | option_b=12841 | option_c=12941 | option_d=13041 | answer=C | explanation=SI = $PRT/100 = 21569 \times 12 \times 5 / 100 =$ **■**12941.

id=97549 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance + time = $90 \div 3 = 30$ km/h.

id=97550 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 12. | option_a=72 | option_b=18 | option_c=12 | option_d=1 | answer=C | explanation=LCM $\times$ HCF = 6×12 ; HCF(6,12) = 6, so LCM = 12.

id=97551 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1904. If it is sold at a profit of 5%, what is its selling price? | option_a=1809 | option_b=2189 | option_c=1909 | option_d=1999 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100 = 1904 \times 105 / 100 =$ **■**1999.

id=97552 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:8 and the first is 182, what is the second? | option_a=96 | option_b=104 | option_c=286 | option_d=118 | answer=B | explanation=Scale factor = $182 / 14 = 13$. Therefore second quantity = $8 \times 13 = 104$.

id=97553 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:19 and the first is 182, what is the second? | option_a=228 | option_b=429 | option_c=247 | option_d=261 | answer=C | explanation=Scale factor = $182 / 14 = 13$. Therefore second quantity = $19 \times 13 = 247$.

id=97554 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 8, 10, 12, ?. | option_a=14 | option_b=16 | option_c=12 | option_d=15 | answer=A | explanation=The common difference is 2. Therefore the next term is $12 + 2 = 14$.

id=97555 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:11 and the first is 24, what is the second? | option_a=121 | option_b=134 | option_c=132 | option_d=156 | answer=C | explanation=Scale factor = $24 / 2 = 12$. Therefore second quantity = $11 \times 12 = 132$.

id=97556 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20432 at 15% per annum for 4 years. | option_a=12359 | option_b=32691 | option_c=12259 | option_d=12159 | answer=C | explanation=SI = $PRT/100 = 20432 \times 15 \times 4 / 100 =$ **■**12259.

id=97557 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 9. | option_a=9 | option_b=18 | option_c=36 | option_d=162 | answer=B | explanation=LCM $\times$ HCF = 18×9 ; HCF(18,9) = 9, so LCM = 18.

id=97558 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=97559 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15541 at 10% per annum for 4 years. | option_a=6316 | option_b=6116 | option_c=6216 | option_d=21757 | answer=C | explanation=SI = $PRT/100 = 15541 \times 10 \times 4 / 100 =$ **■**6216.

id=97560 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=360 | option_c=180 | option_d=185 | answer=C | explanation=Speed = distance + time = $360 \div 2 = 180$ km/h.

Aptitude Questions — Records 97,561-97,590 of 100,000

id=97561 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4052. If it is sold at a profit of 5%, what is its selling price? | option_a=4659 | option_b=4254 | option_c=4057 | option_d=3849 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4052 × 105/100 = ■4254.

id=97562 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1498. If it is sold at a profit of 40%, what is its selling price? | option_a=2097 | option_b=1948 | option_c=1538 | option_d=2246 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1498 × 140/100 = ■2097.

id=97563 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:10 and the first is 80, what is the second? | option_a=130 | option_b=66 | option_c=40 | option_d=50 | answer=D | explanation=Scale factor = 80/16 = 5. Therefore second quantity = 10×5 = 50.

id=97564 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 12. | option_a=240 | option_b=60 | option_c=48 | option_d=80 | answer=B | explanation=LCM × HCF = 20×12; HCF(20,12) = 4, so LCM = 60.

id=97565 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=Y | option_b=E | option_c=H | option_d=B | answer=B | explanation=Move 3 positions forward from B; the resulting letter is E.

id=97566 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=97567 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=4 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=97568 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 26. | option_a=308 | option_b=286 | option_c=572 | option_d=260 | answer=B | explanation=LCM × HCF = 22×26; HCF(22,26) = 2, so LCM = 286.

id=97569 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 18, 27, 38? | option_a=9 | option_b=38 | option_c=27 | option_d=18 | answer=B | explanation=The first three numbers increase by 9, so the next should be 36. Therefore 38 is the odd one out.

id=97570 | topic=Averages | difficulty=Easy | question=Find the average of 82, 56, 89, 86, 30, 95. | option_a=72 | option_b=74 | option_c=73 | option_d=75 | answer=C | explanation=Average = sum of values ÷ number of values = 438 ÷ 6 = 73.

id=97571 | topic=Percentages | difficulty=Easy | question=What is 12% of 1651? | option_a=396 | option_b=208 | option_c=188 | option_d=198 | answer=D | explanation=12% of 1651 = (12/100) × 1651 = 198.

id=97572 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 8, 14, 20, ? | option_a=27 | option_b=26 | option_c=32 | option_d=20 | answer=B | explanation=The common difference is 6. Therefore the next term is 20 + 6 = 26.

id=97573 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 22. | option_a=330 | option_b=360 | option_c=660 | option_d=308 | answer=A | explanation=LCM × HCF = 30×22; HCF(30,22) = 2, so LCM = 330.

id=97574 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=97575 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=20 | option_b=15 | option_c=23 | option_d=19 | answer=D | explanation=The common difference is 4. Therefore the next term is 15 + 4 = 19.

id=97576 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:6 and the first is 100, what is the second? | option_a=70 | option_b=160 | option_c=54 | option_d=60 | answer=D | explanation=Scale factor = 100/10 = 10. Therefore second quantity = 6×10 = 60.

id=97577 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 24, 32, 42? | option_a=42 | option_b=16 | option_c=32 | option_d=24 | answer=A | explanation=The first three numbers increase by 8, so the next should be 40. Therefore 42 is the odd one out.

id=97578 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=97579 | topic=Percentages | difficulty=Easy | question=What is 50% of 1406? | option_a=693 | option_b=1406 | option_c=703 | option_d=723 | answer=C | explanation=50% of 1406 = (50/100) × 1406 = 703.

id=97580 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=X | option_b=S | option_c=N | option_d=C | answer=A | explanation=Move 5 positions forward from S; the resulting letter is X.

id=97581 | topic=Percentages | difficulty=Easy | question=What is 20% of 421? | option_a=89 | option_b=84 | option_c=168 | option_d=64 | answer=B | explanation=20% of 421 = (20/100) × 421 = 84.

id=97582 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 26, 36, 47? | option_a=47 | option_b=26 | option_c=16 | option_d=36 | answer=A | explanation=The first three numbers increase by 10, so the next should be 46. Therefore 47 is the odd one out.

id=97583 | topic=Averages | difficulty=Easy | question=Find the average of 76, 28, 53, 23. | option_a=47 | option_b=44 | option_c=46 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 180 ÷ 4 = 45.

id=97584 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2158. If it is sold at a profit of 30%, what is its selling price? | option_a=3020 | option_b=2805 | option_c=2188 | option_d=2590 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2158 × 130/100 = ■2805.

id=97585 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 33, 43, 54? | option_a=33 | option_b=54 | option_c=43 | option_d=23 | answer=B | explanation=The first three numbers increase by 10, so the next should be 53. Therefore 54 is the odd one out.

id=97586 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■8009 at 15% per annum for 2 years. | option_a=10411 | option_b=2402 | option_c=2302 | option_d=2502 | answer=B | explanation=SI = PRT/100 = 8009×15×2/100 = ■2402.

id=97587 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 16, 23, 33? | option_a=23 | option_b=16 | option_c=9 | option_d=33 | answer=D | explanation=The first three numbers increase by 7, so the next should be 30. Therefore 33 is the odd one out.

id=97588 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■21188 at 12% per annum for 5 years. | option_a=12812 | option_b=12712 | option_c=12612 | option_d=33900 | answer=B | explanation=SI = PRT/100 = 21188×12×5/100 = ■12712.

id=97589 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=39 | option_b=61 | option_c=51 | option_d=50 | answer=D | explanation=The common difference is 11. Therefore the next term is 39 + 11 = 50.

id=97590 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■32874 at 6% per annum for 2 years. | option_a=3944 | option_b=36818 | option_c=3844 | option_d=4044 | answer=A | explanation=SI = PRT/100 = 32874×6×2/100 = ■3944.

Aptitude Questions — Records 97,591-97,620 of 100,000

id=97591 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32198 at 15% per annum for 4 years. | option_a=19218 | option_b=19318 | option_c=19418 | option_d=51516 | answer=B | explanation=SI = PRT/100 = 32198×15×4/100 = **■**19318.

id=97592 | topic=Averages | difficulty=Easy | question=Find the average of 58, 85, 67, 46, 41, 46, 58, 24, 25. | option_a=49 | option_b=52 | option_c=51 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 450 ÷ 9 = 50.

id=97593 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=97594 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=Q | option_b=L | option_c=G | option_d=V | answer=A | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=97595 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 37? | option_a=26 | option_b=22 | option_c=30 | option_d=37 | answer=D | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 37 is the odd one out.

id=97596 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=59 | option_b=60 | option_c=71 | option_d=47 | answer=A | explanation=The common difference is 12. Therefore the next term is 47 + 12 = 59.

id=97597 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37576 at 10% per annum for 1 years. | option_a=41333 | option_b=3857 | option_c=3657 | option_d=3757 | answer=D | explanation=SI = PRT/100 = 37576×10×1/100 = **■**3757.

id=97598 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1307. If it is sold at a profit of 40%, what is its selling price? | option_a=1829 | option_b=1699 | option_c=1347 | option_d=1959 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1307 × 140/100 = **■**1829.

id=97599 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=37 | option_b=32 | option_c=31 | option_d=25 | answer=C | explanation=The common difference is 6. Therefore the next term is 25 + 6 = 31.

id=97600 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14796 at 5% per annum for 2 years. | option_a=16275 | option_b=1379 | option_c=1479 | option_d=1579 | answer=C | explanation=SI = PRT/100 = 14796×5×2/100 = **■**1479.

id=97601 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:1 and the first is 272, what is the second? | option_a=33 | option_b=17 | option_c=16 | option_d=289 | answer=B | explanation=Scale factor = 272/16 = 17. Therefore second quantity = 1×17 = 17.

id=97602 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35829 at 15% per annum for 3 years. | option_a=16023 | option_b=16123 | option_c=16223 | option_d=51952 | answer=B | explanation=SI = PRT/100 = 35829×15×3/100 = **■**16123.

id=97603 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 5. | option_a=25 | option_b=20 | option_c=125 | option_d=50 | answer=A | explanation=LCM × HCF = 25×5; HCF(25,5) = 5, so LCM = 25.

id=97604 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:17 and the first is 126, what is the second? | option_a=119 | option_b=245 | option_c=102 | option_d=137 | answer=A | explanation=Scale factor = 126/18 = 7. Therefore second quantity = 17×7 = 119.

id=97605 | topic=Averages | difficulty=Easy | question=Find the average of 11, 77, 10, 75, 102. | option_a=54 | option_b=56 | option_c=55 | option_d=57 | answer=C | explanation=Average = sum of values ÷ number of values = 275 ÷ 5 = 55.

id=97606 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=36 | option_b=35 | option_c=40 | option_d=30 | answer=B | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=97607 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**15636 at 8% per annum for 4 years. | option_a=5103 | option_b=5003 | option_c=4903 | option_d=20639 | answer=B | explanation=SI = PRT/100 = 15636×8×4/100 = **■**5003.

id=97608 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 25, 35, 45, ? | option_a=65 | option_b=45 | option_c=56 | option_d=55 | answer=D | explanation=The common difference is 10. Therefore the next term is 45 + 10 = 55.

id=97609 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=97610 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3240. If it is sold at a profit of 15%, what is its selling price? | option_a=3726 | option_b=3402 | option_c=4050 | option_d=3255 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3240 × 115/100 = **■**3726.

id=97611 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7808 at 12% per annum for 4 years. | option_a=3847 | option_b=3747 | option_c=11555 | option_d=3647 | answer=B | explanation=SI = PRT/100 = 7808×12×4/100 = **■**3747.

id=97612 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:20 and the first is 10, what is the second? | option_a=110 | option_b=80 | option_c=102 | option_d=100 | answer=D | explanation=Scale factor = 10/2 = 5. Therefore second quantity = 20×5 = 100.

id=97613 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=6 | option_c=11 | option_d=12 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=97614 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:12 and the first is 48, what is the second? | option_a=48 | option_b=96 | option_c=60 | option_d=36 | answer=A | explanation=Scale factor = 48/12 = 4. Therefore second quantity = 12×4 = 48.

id=97615 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16745 at 10% per annum for 2 years. | option_a=3249 | option_b=20094 | option_c=3449 | option_d=3349 | answer=D | explanation=SI = PRT/100 = 16745×10×2/100 = **■**3349.

id=97616 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=H | option_b=M | option_c=W | option_d=R | answer=D | explanation=Move 5 positions forward from M; the resulting letter is R.

id=97617 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 11, 14, 17, ? | option_a=21 | option_b=20 | option_c=17 | option_d=23 | answer=B | explanation=The common difference is 3. Therefore the next term is 17 + 3 = 20.

id=97618 | topic=Averages | difficulty=Easy | question=Find the average of 45, 16, 64, 97, 13, 53, 55. | option_a=49 | option_b=48 | option_c=50 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 343 ÷ 7 = 49.

id=97619 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 27? | option_a=15 | option_b=18 | option_c=21 | option_d=27 | answer=D | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 27 is the odd one out.

id=97620 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=59 | option_b=70 | option_c=58 | option_d=46 | answer=C | explanation=The common difference is 12. Therefore the next term is 46 + 12 = 58.

Aptitude Questions — Records 97,621-97,650 of 100,000

id=97621 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19168 at 8% per annum for 2 years. | option_a=22234 | option_b=2966 | option_c=3166 | option_d=3066 | answer=D | explanation=SI = $\text{PRT}/100 = 19168 \times 8 \times 2 / 100 =$ **■**3066.

id=97622 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 12, 15, 18, ? | option_a=21 | option_b=24 | option_c=22 | option_d=18 | answer=A | explanation=The common difference is 3. Therefore the next term is $18 + 3 = 21$.

id=97623 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=19 | option_b=23 | option_c=25 | option_d=22 | answer=D | explanation=The common difference is 3. Therefore the next term is $19 + 3 = 22$.

id=97624 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**973. If it is sold at a profit of 50%, what is its selling price? | option_a=1556 | option_b=1023 | option_c=1459 | option_d=1362 | answer=C | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 973 \times 150 / 100 =$ **■**1459.

id=97625 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 25, 27, 32? | option_a=32 | option_b=25 | option_c=23 | option_d=27 | answer=A | explanation=The first three numbers increase by 2, so the next should be 29. Therefore 32 is the odd one out.

id=97626 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4162. If it is sold at a profit of 5%, what is its selling price? | option_a=3954 | option_b=4786 | option_c=4370 | option_d=4167 | answer=C | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 4162 \times 105 / 100 =$ **■**4370.

id=97627 | topic=Number System | difficulty=Easy | question=Find the LCM of 23 and 23. | option_a=529 | option_b=23 | option_c=46 | option_d=1 | answer=B | explanation= $\text{LCM} \times \text{HCF} = 23 \times 23$; $\text{HCF}(23, 23) = 23$, so $\text{LCM} = 23$.

id=97628 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 180 \div 6 = 30$ km/h.

id=97629 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 18, 27, 36, ? | option_a=46 | option_b=54 | option_c=36 | option_d=45 | answer=D | explanation=The common difference is 9. Therefore the next term is $36 + 9 = 45$.

id=97630 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 11, 13, 15, ? | option_a=19 | option_b=18 | option_c=17 | option_d=15 | answer=C | explanation=The common difference is 2. Therefore the next term is $15 + 2 = 17$.

id=97631 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 14, 20, 29? | option_a=29 | option_b=14 | option_c=8 | option_d=20 | answer=A | explanation=The first three numbers increase by 6, so the next should be 26. Therefore 29 is the odd one out.

id=97632 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:14 and the first is 228, what is the second? | option_a=187 | option_b=396 | option_c=154 | option_d=168 | answer=D | explanation=Scale factor = $228 / 19 = 12$. Therefore second quantity = $14 \times 12 = 168$.

id=97633 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=O | option_b=T | option_c=Y | option_d=D | answer=C | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=97634 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 39, 49, 61? | option_a=49 | option_b=61 | option_c=39 | option_d=29 | answer=B | explanation=The first three numbers increase by 10, so the next should be 59. Therefore 61 is the odd one out.

id=97635 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:10 and the first is 30, what is the second? | option_a=50 | option_b=40 | option_c=80 | option_d=56 | answer=A | explanation=Scale factor = $30 / 6 = 5$. Therefore second quantity = $10 \times 5 = 50$.

id=97636 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=97637 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3709. If it is sold at a profit of 10%, what is its selling price? | option_a=3709 | option_b=3719 | option_c=4079 | option_d=4449 | answer=C | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 3709 \times 110 / 100 =$ **■**4079.

id=97638 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 4 hours. What is its average speed? | option_a=40 | option_b=50 | option_c=45 | option_d=90 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 180 \div 4 = 45$ km/h.

id=97639 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2995. If it is sold at a profit of 25%, what is its selling price? | option_a=3020 | option_b=3444 | option_c=4042 | option_d=3743 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%) / 100 = 2995 \times 125 / 100 =$ **■**3743.

id=97640 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=1 | option_b=6 | option_c=11 | option_d=12 | answer=B | explanation=Speed = $\text{distance} \div \text{time} = 60 \div 10 = 6$ km/h.

id=97641 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37612 at 8% per annum for 2 years. | option_a=6117 | option_b=6017 | option_c=5917 | option_d=43629 | answer=B | explanation=SI = $\text{PRT}/100 = 37612 \times 8 \times 2 / 100 =$ **■**6017.

id=97642 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=T | option_c=P | option_d=V | answer=B | explanation=Move 2 positions forward from R; the resulting letter is T.

id=97643 | topic=Percentages | difficulty=Easy | question=What is 30% of 102? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=30% of 102 = $(30/100) \times 102 = 30$.

id=97644 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=36 | option_b=43 | option_c=35 | option_d=27 | answer=C | explanation=The common difference is 8. Therefore the next term is $27 + 8 = 35$.

id=97645 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=240 | option_c=120 | option_d=125 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 240 \div 2 = 120$ km/h.

id=97646 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**38084 at 8% per annum for 3 years. | option_a=9140 | option_b=9240 | option_c=47224 | option_d=9040 | answer=A | explanation=SI = $\text{PRT}/100 = 38084 \times 8 \times 3 / 100 =$ **■**9140.

id=97647 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 10, 16, 22, ? | option_a=29 | option_b=28 | option_c=34 | option_d=22 | answer=B | explanation=The common difference is 6. Therefore the next term is $22 + 6 = 28$.

id=97648 | topic=Percentages | difficulty=Easy | question=What is 25% of 1620? | option_a=405 | option_b=810 | option_c=415 | option_d=385 | answer=A | explanation=25% of 1620 = $(25/100) \times 1620 = 405$.

id=97649 | topic=Percentages | difficulty=Easy | question=What is 20% of 1567? | option_a=313 | option_b=626 | option_c=293 | option_d=323 | answer=A | explanation=20% of 1567 = $(20/100) \times 1567 = 313$.

id=97650 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:20 and the first is 60, what is the second? | option_a=60 | option_b=120 | option_c=40 | option_d=80 | answer=A | explanation=Scale factor = $60 / 20 = 3$. Therefore second quantity = $20 \times 3 = 60$.

Aptitude Questions — Records 97,651-97,680 of 100,000

id=97651 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:15 and the first is 176, what is the second? | option_a=416 | option_b=251 | option_c=225 | option_d=240 | answer=D | explanation=Scale factor = 176/11 = 16. Therefore second quantity = 15×16 = 240.

id=97652 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=50 | option_c=45 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=97653 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=97654 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■49547 at 6% per annum for 3 years. | option_a=8818 | option_b=58465 | option_c=9018 | option_d=8918 | answer=D | explanation=SI = PRT/100 = 49547×6×3/100 = ■8918.

id=97655 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 17, 21, 28? | option_a=28 | option_b=21 | option_c=13 | option_d=17 | answer=A | explanation=The first three numbers increase by 4, so the next should be 25. Therefore 28 is the odd one out.

id=97656 | topic=Averages | difficulty=Easy | question=Find the average of 30, 52, 15, 21, 19, 58, 51, 26. | option_a=35 | option_b=34 | option_c=36 | option_d=33 | answer=B | explanation=Average = sum of values ÷ number of values = 272 ÷ 8 = 34.

id=97657 | topic=Percentages | difficulty=Easy | question=What is 25% of 1970? | option_a=502 | option_b=984 | option_c=487 | option_d=492 | answer=D | explanation=25% of 1970 = (25/100) × 1970 = 492.

id=97658 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:6 and the first is 60, what is the second? | option_a=180 | option_b=114 | option_c=123 | option_d=120 | answer=D | explanation=Scale factor = 60/3 = 20. Therefore second quantity = 6×20 = 120.

id=97659 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=97660 | topic=Averages | difficulty=Easy | question=Find the average of 77, 89, 79, 38, 37, 22. | option_a=59 | option_b=57 | option_c=56 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 342 ÷ 6 = 57.

id=97661 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=I | option_b=L | option_c=O | option_d=R | answer=C | explanation=Move 3 positions forward from L; the resulting letter is O.

id=97662 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=175 | option_b=360 | option_c=185 | option_d=180 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=97663 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=Q | option_b=N | option_c=T | option_d=K | answer=A | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=97664 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=27 | option_b=26 | option_c=30 | option_d=22 | answer=B | explanation=The common difference is 4. Therefore the next term is 22 + 4 = 26.

id=97665 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:17 and the first is 3, what is the second? | option_a=51 | option_b=52 | option_c=54 | option_d=34 | answer=A | explanation=Scale factor = 3/1 = 3. Therefore second quantity = 17×3 = 51.

id=97666 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2017. If it is sold at a profit of 15%, what is its selling price? | option_a=2118 | option_b=2319 | option_c=2032 | option_d=2520 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2017 × 115/100 = ■2319.

id=97667 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■30320 at 4% per annum for 3 years. | option_a=3538 | option_b=3638 | option_c=33958 | option_d=3738 | answer=B | explanation=SI = PRT/100 = 30320×4×3/100 = ■3638.

id=97668 | topic=Percentages | difficulty=Easy | question=What is 50% of 272? | option_a=146 | option_b=116 | option_c=272 | option_d=136 | answer=D | explanation=50% of 272 = (50/100) × 272 = 136.

id=97669 | topic=Averages | difficulty=Easy | question=Find the average of 10, 18, 44, 36, 36, 58, 90, 52, 62, 34. | option_a=44 | option_b=43 | option_c=46 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 440 ÷ 10 = 44.

id=97670 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3604. If it is sold at a profit of 40%, what is its selling price? | option_a=5405 | option_b=4685 | option_c=5045 | option_d=3644 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3604 × 140/100 = ■5045.

id=97671 | topic=Averages | difficulty=Easy | question=Find the average of 12, 46, 100, 76, 70, 69, 47, 84, 95, 51. | option_a=66 | option_b=65 | option_c=64 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = 650 ÷ 10 = 65.

id=97672 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'C' become? | option_a=E | option_b=C | option_c=D | option_d=B | answer=C | explanation=Move 1 positions forward from C; the resulting letter is D.

id=97673 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=33 | option_b=31 | option_c=27 | option_d=30 | answer=D | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.

id=97674 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■9523 at 4% per annum for 5 years. | option_a=11427 | option_b=1804 | option_c=1904 | option_d=2004 | answer=C | explanation=SI = PRT/100 = 9523×4×5/100 = ■1904.

id=97675 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 19, 22, 25, ? | option_a=28 | option_b=29 | option_c=25 | option_d=31 | answer=A | explanation=The common difference is 3. Therefore the next term is 25 + 3 = 28.

id=97676 | topic=Percentages | difficulty=Easy | question=What is 12% of 935? | option_a=112 | option_b=117 | option_c=224 | option_d=102 | answer=A | explanation=12% of 935 = (12/100) × 935 = 112.

id=97677 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=85 | option_b=95 | option_c=180 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=97678 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=47 | option_b=48 | option_c=56 | option_d=38 | answer=A | explanation=The common difference is 9. Therefore the next term is 38 + 9 = 47.

id=97679 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 13, 19, 27? | option_a=19 | option_b=7 | option_c=13 | option_d=27 | answer=D | explanation=The first three numbers increase by 6, so the next should be 25. Therefore 27 is the odd one out.

id=97680 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=C | option_b=F | option_c=D | option_d=E | answer=D | explanation=Move 1 positions forward from D; the resulting letter is E.

Aptitude Questions — Records 97,681-97,710 of 100,000

id=97681 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=97682 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41611 at 4% per annum for 5 years. | option_a=8422 | option_b=49933 | option_c=8222 | option_d=8322 | answer=D | explanation=SI = PRT/100 = 41611×4×5/100 = **■**8322.

id=97683 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=125 | option_c=240 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=97684 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=43 | option_b=36 | option_c=27 | option_d=35 | answer=D | explanation=The common difference is 8. Therefore the next term is 27 + 8 = 35.

id=97685 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**633. If it is sold at a profit of 40%, what is its selling price? | option_a=886 | option_b=949 | option_c=823 | option_d=673 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 633 × 140/100 = **■**886.

id=97686 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 25? | option_a=17 | option_b=5 | option_c=25 | option_d=11 | answer=C | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 25 is the odd one out.

id=97687 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1108 at 8% per annum for 2 years. | option_a=277 | option_b=77 | option_c=177 | option_d=1285 | answer=C | explanation=SI = PRT/100 = 1108×8×2/100 = **■**177.

id=97688 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=K | option_c=H | option_d=B | answer=C | explanation=Move 3 positions forward from E; the resulting letter is H.

id=97689 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=97690 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:15 and the first is 323, what is the second? | option_a=302 | option_b=285 | option_c=270 | option_d=608 | answer=B | explanation=Scale factor = 323/17 = 19. Therefore second quantity = 15×19 = 285.

id=97691 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29420 at 5% per annum for 3 years. | option_a=4313 | option_b=33833 | option_c=4413 | option_d=4513 | answer=C | explanation=SI = PRT/100 = 29420×5×3/100 = **■**4413.

id=97692 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 13, 22, 31, ? | option_a=40 | option_b=49 | option_c=31 | option_d=41 | answer=A | explanation=The common difference is 9. Therefore the next term is 31 + 9 = 40.

id=97693 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3851. If it is sold at a profit of 30%, what is its selling price? | option_a=5006 | option_b=3881 | option_c=5391 | option_d=4621 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3851 × 130/100 = **■**5006.

id=97694 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=97695 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=I | option_c=C | option_d=L | answer=B | explanation=Move 3 positions forward from F; the resulting letter is I.

id=97696 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:14 and the first is 80, what is the second? | option_a=42 | option_b=56 | option_c=76 | option_d=136 | answer=B | explanation=Scale factor = 80/20 = 4. Therefore second quantity = 14×4 = 56.

id=97697 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43449 at 12% per annum for 3 years. | option_a=15541 | option_b=15641 | option_c=59090 | option_d=15741 | answer=B | explanation=SI = PRT/100 = 43449×12×3/100 = **■**15641.

id=97698 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 50? | option_a=29 | option_b=50 | option_c=19 | option_d=39 | answer=B | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 50 is the odd one out.

id=97699 | topic=Percentages | difficulty=Easy | question=What is 25% of 404? | option_a=202 | option_b=91 | option_c=111 | option_d=101 | answer=D | explanation=25% of 404 = (25/100) × 404 = 101.

id=97700 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=27 | option_b=25 | option_c=23 | option_d=26 | answer=B | explanation=The common difference is 2. Therefore the next term is 23 + 2 = 25.

id=97701 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 11, 15, 19, ? | option_a=24 | option_b=27 | option_c=19 | option_d=23 | answer=D | explanation=The common difference is 4. Therefore the next term is 19 + 4 = 23.

id=97702 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=97703 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=44 | option_b=45 | option_c=36 | option_d=52 | answer=A | explanation=The common difference is 8. Therefore the next term is 36 + 8 = 44.

id=97704 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=W | option_c=R | option_d=H | answer=C | explanation=Move 5 positions forward from M; the resulting letter is R.

id=97705 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=3 | option_d=1 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=97706 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=97707 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:5 and the first is 12, what is the second? | option_a=15 | option_b=19 | option_c=10 | option_d=27 | answer=A | explanation=Scale factor = 12/4 = 3. Therefore second quantity = 5×3 = 15.

id=97708 | topic=Averages | difficulty=Easy | question=Find the average of 55, 81, 27, 82, 50. | option_a=58 | option_b=60 | option_c=59 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 295 ÷ 5 = 59.

id=97709 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=97710 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=U | option_c=K | option_d=Z | answer=B | explanation=Move 5 positions forward from P; the resulting letter is U.

Aptitude Questions — Records 97,711-97,740 of 100,000

id=97711 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 27, 30, 35? | option_a=35 | option_b=30 | option_c=24 | option_d=27 | answer=A | explanation=The first three numbers increase by 3, so the next should be 33. Therefore 35 is the odd one out.

id=97712 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2625. If it is sold at a profit of 5%, what is its selling price? | option_a=2630 | option_b=2756 | option_c=3018 | option_d=2494 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2625 × 105/100 = █2756.

id=97713 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:6 and the first is 220, what is the second? | option_a=66 | option_b=286 | option_c=60 | option_d=86 | answer=A | explanation=Scale factor = 220/20 = 11. Therefore second quantity = 6×11 = 66.

id=97714 | topic=Averages | difficulty=Easy | question=Find the average of 62, 90, 97. | option_a=83 | option_b=82 | option_c=85 | option_d=84 | answer=A | explanation=Average = sum of values ÷ number of values = 249 ÷ 3 = 83.

id=97715 | topic=Profit & Loss | difficulty=Easy | question=An article costs █444. If it is sold at a profit of 15%, what is its selling price? | option_a=510 | option_b=554 | option_c=459 | option_d=466 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 444 × 115/100 = █510.

id=97716 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 25, 37, 49, ? | option_a=61 | option_b=62 | option_c=49 | option_d=73 | answer=A | explanation=The common difference is 12. Therefore the next term is 49 + 12 = 61.

id=97717 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1679. If it is sold at a profit of 50%, what is its selling price? | option_a=2518 | option_b=1729 | option_c=2685 | option_d=2351 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1679 × 150/100 = █2518.

id=97718 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=J | option_b=H | option_c=I | option_d=G | answer=C | explanation=Move 1 positions forward from H; the resulting letter is I.

id=97719 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=47 | option_b=57 | option_c=35 | option_d=46 | answer=D | explanation=The common difference is 11. Therefore the next term is 35 + 11 = 46.

id=97720 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 26, 33, 42? | option_a=19 | option_b=26 | option_c=33 | option_d=42 | answer=D | explanation=The first three numbers increase by 7, so the next should be 40. Therefore 42 is the odd one out.

id=97721 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=29 | option_c=19 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=97722 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 24, 30, 36, ? | option_a=42 | option_b=48 | option_c=43 | option_d=36 | answer=A | explanation=The common difference is 6. Therefore the next term is 36 + 6 = 42.

id=97723 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:18 and the first is 17, what is the second? | option_a=306 | option_b=323 | option_c=307 | option_d=288 | answer=A | explanation=Scale factor = 17/1 = 17. Therefore second quantity = 18×17 = 306.

id=97724 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=Z | option_c=A | option_d=B | answer=D | explanation=Move 1 positions forward from A; the resulting letter is B.

id=97725 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=55 | option_c=50 | option_d=100 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=97726 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=61 | option_b=70 | option_c=60 | option_d=50 | answer=C | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

id=97727 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=75 | option_c=70 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=97728 | topic=Percentages | difficulty=Easy | question=What is 5% of 1945? | option_a=97 | option_b=194 | option_c=87 | option_d=117 | answer=A | explanation=5% of 1945 = (5/100) × 1945 = 97.

id=97729 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2506. If it is sold at a profit of 50%, what is its selling price? | option_a=3759 | option_b=2556 | option_c=3509 | option_d=4009 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2506 × 150/100 = █3759.

id=97730 | topic=Percentages | difficulty=Easy | question=What is 40% of 1179? | option_a=471 | option_b=466 | option_c=942 | option_d=481 | answer=A | explanation=40% of 1179 = (40/100) × 1179 = 471.

id=97731 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=155 | option_b=150 | option_c=145 | option_d=300 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=97732 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=6 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=97733 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 19, 27, 37? | option_a=19 | option_b=11 | option_c=37 | option_d=27 | answer=C | explanation=The first three numbers increase by 8, so the next should be 35. Therefore 37 is the odd one out.

id=97734 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6058 at 5% per annum for 4 years. | option_a=1311 | option_b=7269 | option_c=1111 | option_d=1211 | answer=D | explanation=SI = PRT/100 = 6058×5×4/100 = █1211.

id=97735 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=I | option_b=E | option_c=Q | option_d=M | answer=D | explanation=Move 4 positions forward from I; the resulting letter is M.

id=97736 | topic=Averages | difficulty=Easy | question=Find the average of 10, 84, 36, 94, 46, 33, 21, 84. | option_a=50 | option_b=51 | option_c=53 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 408 ÷ 8 = 51.

id=97737 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4452. If it is sold at a profit of 30%, what is its selling price? | option_a=4482 | option_b=5342 | option_c=5787 | option_d=6232 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4452 × 130/100 = █5787.

id=97738 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=97739 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 13, 17, 21, ? | option_a=29 | option_b=25 | option_c=21 | option_d=26 | answer=B | explanation=The common difference is 4. Therefore the next term is 21 + 4 = 25.

id=97740 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

Aptitude Questions — Records 97,741-97,770 of 100,000

id=97741 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=97742 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:4 and the first is 117, what is the second? | option_a=48 | option_b=169 | option_c=52 | option_d=61 | answer=C | explanation=Scale factor = 117/9 = 13. Therefore second quantity = 4×13 = 52.

id=97743 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=40 | option_c=80 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=97744 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=20 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=97745 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=55 | option_b=45 | option_c=50 | option_d=100 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=97746 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:17 and the first is 120, what is the second? | option_a=151 | option_b=119 | option_c=136 | option_d=256 | answer=C | explanation=Scale factor = 120/15 = 8. Therefore second quantity = 17×8 = 136.

id=97747 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=D | option_b=E | option_c=G | option_d=F | answer=D | explanation=Move 1 positions forward from E; the resulting letter is F.

id=97748 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=40 | option_b=90 | option_c=50 | option_d=45 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=97749 | topic=Averages | difficulty=Easy | question=Find the average of 75, 42, 64, 93, 61. | option_a=67 | option_b=66 | option_c=68 | option_d=69 | answer=A | explanation=Average = sum of values ÷ number of values = 335 ÷ 5 = 67.

id=97750 | topic=Percentages | difficulty=Easy | question=What is 15% of 559? | option_a=78 | option_b=166 | option_c=103 | option_d=83 | answer=D | explanation=15% of 559 = (15/100) × 559 = 83.

id=97751 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=X | option_b=U | option_c=O | option_d=R | answer=B | explanation=Move 3 positions forward from R; the resulting letter is U.

id=97752 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■7934 at 8% per annum for 2 years. | option_a=1269 | option_b=9203 | option_c=1169 | option_d=1369 | answer=A | explanation=SI = PRT/100 = 7934×8×2/100 = ■1269.

id=97753 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=41 | option_b=32 | option_c=48 | option_d=40 | answer=D | explanation=The common difference is 8. Therefore the next term is 32 + 8 = 40.

id=97754 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 21. | option_a=56 | option_b=21 | option_c=294 | option_d=42 | answer=D | explanation=LCM × HCF = 14×21; HCF(14,21) = 7, so LCM = 42.

id=97755 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=U | option_c=T | option_d=V | answer=D | explanation=Move 1 positions forward from U; the resulting letter is V.

id=97756 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=34 | option_b=29 | option_c=35 | option_d=39 | answer=A | explanation=The common difference is 5. Therefore the next term is 29 + 5 = 34.

id=97757 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■901. If it is sold at a profit of 50%, what is its selling price? | option_a=1201 | option_b=1281 | option_c=1121 | option_d=851 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 801 × 150/100 = ■1201.

id=97758 | topic=Averages | difficulty=Easy | question=Find the average of 97, 66, 24, 36, 98, 88, 21, 22, 88. | option_a=61 | option_b=60 | option_c=59 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = 540 ÷ 9 = 60.

id=97759 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=30 | option_b=40 | option_c=36 | option_d=35 | answer=D | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=97760 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2076. If it is sold at a profit of 30%, what is its selling price? | option_a=2491 | option_b=2106 | option_c=2698 | option_d=2905 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2076 × 130/100 = ■2698.

id=97761 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=23 | option_b=26 | option_c=29 | option_d=27 | answer=B | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.

id=97762 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 20. | option_a=125 | option_b=80 | option_c=500 | option_d=100 | answer=D | explanation=LCM × HCF = 25×20; HCF(25,20) = 5, so LCM = 100.

id=97763 | topic=Averages | difficulty=Easy | question=Find the average of 71, 78, 91, 14, 84, 70, 99, 12, 48, 73. | option_a=66 | option_b=64 | option_c=65 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 640 ÷ 10 = 64.

id=97764 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:13 and the first is 48, what is the second? | option_a=78 | option_b=126 | option_c=65 | option_d=86 | answer=A | explanation=Scale factor = 48/8 = 6. Therefore second quantity = 13×6 = 78.

id=97765 | topic=Averages | difficulty=Easy | question=Find the average of 21, 72, 54. | option_a=51 | option_b=48 | option_c=49 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 147 ÷ 3 = 49.

id=97766 | topic=Percentages | difficulty=Easy | question=What is 20% of 932? | option_a=181 | option_b=186 | option_c=191 | option_d=372 | answer=B | explanation=20% of 932 = (20/100) × 932 = 186.

id=97767 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 47? | option_a=19 | option_b=47 | option_c=37 | option_d=28 | answer=B | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 47 is the odd one out.

id=97768 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4543. If it is sold at a profit of 50%, what is its selling price? | option_a=6360 | option_b=6814 | option_c=4593 | option_d=7268 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4543 × 150/100 = ■6814.

id=97769 | topic=Averages | difficulty=Easy | question=Find the average of 83, 84, 25, 22, 25, 55, 77, 43, 44, 32. | option_a=51 | option_b=48 | option_c=49 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 490 ÷ 10 = 49.

id=97770 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 10 = 30 km/h.

Aptitude Questions — Records 97,771-97,800 of 100,000

id=97771 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■41985 at 12% per annum for 2 years. | option_a=10176 | option_b=10076 | option_c=9976 | option_d=52061 | answer=B | explanation=SI = PRT/100 = 41985×12×2/100 = ■10076.

id=97772 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'U' become? | option_a=Y | option_b=U | option_c=C | option_d=Q | answer=A | explanation=Move 4 positions forward from U; the resulting letter is Y.

id=97773 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=75 | option_c=150 | option_d=80 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=97774 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■45747 at 12% per annum for 1 years. | option_a=5489 | option_b=51236 | option_c=5389 | option_d=5589 | answer=A | explanation=SI = PRT/100 = 45747×12×1/100 = ■5489.

id=97775 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4562. If it is sold at a profit of 25%, what is its selling price? | option_a=5702 | option_b=6158 | option_c=4587 | option_d=5246 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4562 × 125/100 = ■5702.

id=97776 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:8 and the first is 20, what is the second? | option_a=36 | option_b=8 | option_c=16 | option_d=26 | answer=C | explanation=Scale factor = 20/10 = 2. Therefore second quantity = 8×2 = 16.

id=97777 | topic=Percentages | difficulty=Easy | question=What is 25% of 1219? | option_a=324 | option_b=294 | option_c=304 | option_d=608 | answer=C | explanation=25% of 1219 = (25/100) × 1219 = 304.

id=97778 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 23, 34, 45, ? | option_a=45 | option_b=56 | option_c=57 | option_d=67 | answer=B | explanation=The common difference is 11. Therefore the next term is 45 + 11 = 56.

id=97779 | topic=Percentages | difficulty=Easy | question=What is 50% of 1320? | option_a=1320 | option_b=655 | option_c=665 | option_d=660 | answer=D | explanation=50% of 1320 = (50/100) × 1320 = 660.

id=97780 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=150 | option_c=80 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=97781 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=Q | option_c=V | option_d=G | answer=B | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=97782 | topic=Percentages | difficulty=Easy | question=What is 30% of 390? | option_a=112 | option_b=117 | option_c=234 | option_d=127 | answer=B | explanation=30% of 390 = (30/100) × 390 = 117.

id=97783 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1722. If it is sold at a profit of 15%, what is its selling price? | option_a=2152 | option_b=1980 | option_c=1808 | option_d=1737 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1722 × 115/100 = ■1980.

id=97784 | topic=Averages | difficulty=Easy | question=Find the average of 74, 23, 41, 32, 92, 100, 93. | option_a=65 | option_b=66 | option_c=67 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = 455 ÷ 7 = 65.

id=97785 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 9. | option_a=9 | option_b=1 | option_c=18 | option_d=81 | answer=A | explanation=LCM × HCF = 9×9; HCF(9,9) = 9, so LCM = 9.

id=97786 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:13 and the first is 220, what is the second? | option_a=247 | option_b=260 | option_c=480 | option_d=271 | answer=B | explanation=Scale factor = 220/11 = 20. Therefore second quantity = 13×20 = 260.

id=97787 | topic=Percentages | difficulty=Easy | question=What is 12% of 1215? | option_a=145 | option_b=135 | option_c=290 | option_d=150 | answer=A | explanation=12% of 1215 = (12/100) × 1215 = 145.

id=97788 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=28 | option_b=35 | option_c=40 | option_d=34 | answer=D | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.

id=97789 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■2167 at 8% per annum for 2 years. | option_a=346 | option_b=246 | option_c=446 | option_d=2513 | answer=A | explanation=SI = PRT/100 = 2167×8×2/100 = ■346.

id=97790 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 10. | option_a=60 | option_b=30 | option_c=36 | option_d=20 | answer=B | explanation=LCM × HCF = 6×10; HCF(6,10) = 2, so LCM = 30.

id=97791 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=25 | option_b=22 | option_c=23 | option_d=19 | answer=B | explanation=The common difference is 3. Therefore the next term is 19 + 3 = 22.

id=97792 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'E' become? | option_a=G | option_b=C | option_c=I | option_d=E | answer=A | explanation=Move 2 positions forward from E; the resulting letter is G.

id=97793 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 12. | option_a=36 | option_b=45 | option_c=108 | option_d=24 | answer=A | explanation=LCM × HCF = 9×12; HCF(9,12) = 3, so LCM = 36.

id=97794 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■5704 at 10% per annum for 1 years. | option_a=470 | option_b=6274 | option_c=570 | option_d=670 | answer=C | explanation=SI = PRT/100 = 5704×10×1/100 = ■570.

id=97795 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 35, 40, 48? | option_a=35 | option_b=40 | option_c=30 | option_d=48 | answer=D | explanation=The first three numbers increase by 5, so the next should be 45. Therefore 48 is the odd one out.

id=97796 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 25. | option_a=100 | option_b=75 | option_c=500 | option_d=120 | answer=A | explanation=LCM × HCF = 20×25; HCF(20,25) = 5, so LCM = 100.

id=97797 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=48 | option_c=24 | option_d=19 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=97798 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1119. If it is sold at a profit of 40%, what is its selling price? | option_a=1159 | option_b=1455 | option_c=1566 | option_d=1677 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1119 × 140/100 = ■1566.

id=97799 | topic=Percentages | difficulty=Easy | question=What is 40% of 1804? | option_a=726 | option_b=1442 | option_c=721 | option_d=716 | answer=C | explanation=40% of 1804 = (40/100) × 1804 = 721.

id=97800 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 36, 43, 52? | option_a=52 | option_b=36 | option_c=29 | option_d=43 | answer=A | explanation=The first three numbers increase by 7, so the next should be 50. Therefore 52 is the odd one out.

Aptitude Questions — Records 97,801-97,830 of 100,000

id=97801 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14383 at 10% per annum for 5 years. | option_a=7091 | option_b=21574 | option_c=7291 | option_d=7191 | answer=D | explanation=SI = PRT/100 = 14383×10×5/100 = ■7191.

id=97802 | topic=Averages | difficulty=Easy | question=Find the average of 56, 63, 36, 62, 48, 100, 20. | option_a=55 | option_b=54 | option_c=56 | option_d=57 | answer=A | explanation=Average = sum of values ÷ number of values = 385 ÷ 7 = 55.

id=97803 | topic=Percentages | difficulty=Easy | question=What is 5% of 467? | option_a=33 | option_b=46 | option_c=13 | option_d=23 | answer=D | explanation=5% of 467 = (5/100) × 467 = 23.

id=97804 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■20893 at 8% per annum for 2 years. | option_a=3442 | option_b=3342 | option_c=3242 | option_d=24235 | answer=B | explanation=SI = PRT/100 = 20893×8×2/100 = ■3342.

id=97805 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 30? | option_a=30 | option_b=19 | option_c=24 | option_d=14 | answer=A | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 30 is the odd one out.

id=97806 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 18, 28, 39? | option_a=8 | option_b=39 | option_c=18 | option_d=28 | answer=B | explanation=The first three numbers increase by 10, so the next should be 38. Therefore 39 is the odd one out.

id=97807 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=15 | option_c=40 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=97808 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 39, 49, 62? | option_a=62 | option_b=39 | option_c=49 | option_d=29 | answer=A | explanation=The first three numbers increase by 10, so the next should be 59. Therefore 62 is the odd one out.

id=97809 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=125 | option_b=240 | option_c=120 | option_d=115 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=97810 | topic=Averages | difficulty=Easy | question=Find the average of 45, 86, 23, 26, 34, 51, 41, 22. | option_a=42 | option_b=41 | option_c=40 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = 328 ÷ 8 = 41.

id=97811 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2603. If it is sold at a profit of 20%, what is its selling price? | option_a=2623 | option_b=3123 | option_c=2863 | option_d=3383 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2603 × 120/100 = ■3123.

id=97812 | topic=Averages | difficulty=Easy | question=Find the average of 85, 21, 24, 86. | option_a=53 | option_b=55 | option_c=56 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 216 ÷ 4 = 54.

id=97813 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 32, 40, 50? | option_a=40 | option_b=24 | option_c=50 | option_d=32 | answer=C | explanation=The first three numbers increase by 8, so the next should be 48. Therefore 50 is the odd one out.

id=97814 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:10 and the first is 15, what is the second? | option_a=30 | option_b=35 | option_c=20 | option_d=45 | answer=A | explanation=Scale factor = 15/5 = 3. Therefore second quantity = 10×3 = 30.

id=97815 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:16 and the first is 120, what is the second? | option_a=224 | option_b=360 | option_c=240 | option_d=248 | answer=C | explanation=Scale factor = 120/8 = 15. Therefore second quantity = 16×15 = 240.

id=97816 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=37 | option_b=30 | option_c=31 | option_d=23 | answer=B | explanation=The common difference is 7. Therefore the next term is 23 + 7 = 30.

id=97817 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:17 and the first is 220, what is the second? | option_a=187 | option_b=170 | option_c=407 | option_d=207 | answer=A | explanation=Scale factor = 220/20 = 11. Therefore second quantity = 17×11 = 187.

id=97818 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■14882 at 15% per annum for 3 years. | option_a=21578 | option_b=6696 | option_c=6796 | option_d=6596 | answer=B | explanation=SI = PRT/100 = 14882×15×3/100 = ■6696.

id=97819 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:15 and the first is 12, what is the second? | option_a=30 | option_b=45 | option_c=49 | option_d=57 | answer=B | explanation=Scale factor = 12/4 = 3. Therefore second quantity = 15×3 = 45.

id=97820 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=22 | option_b=27 | option_c=17 | option_d=23 | answer=A | explanation=The common difference is 5. Therefore the next term is 17 + 5 = 22.

id=97821 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■36606 at 15% per annum for 5 years. | option_a=27354 | option_b=64060 | option_c=27554 | option_d=27454 | answer=D | explanation=SI = PRT/100 = 36606×15×5/100 = ■27454.

id=97822 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 8, 13, 19? | option_a=8 | option_b=19 | option_c=13 | option_d=3 | answer=B | explanation=The first three numbers increase by 5, so the next should be 18. Therefore 19 is the odd one out.

id=97823 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=20 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=97824 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1821. If it is sold at a profit of 40%, what is its selling price? | option_a=2731 | option_b=2549 | option_c=2367 | option_d=1861 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1821 × 140/100 = ■2549.

id=97825 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'G' become? | option_a=D | option_b=M | option_c=G | option_d=J | answer=D | explanation=Move 3 positions forward from G; the resulting letter is J.

id=97826 | topic=Percentages | difficulty=Easy | question=What is 5% of 82? | option_a=0 | option_b=4 | option_c=8 | option_d=24 | answer=B | explanation=5% of 82 = (5/100) × 82 = 4.

id=97827 | topic=Percentages | difficulty=Easy | question=What is 50% of 1702? | option_a=851 | option_b=1702 | option_c=861 | option_d=846 | answer=A | explanation=50% of 1702 = (50/100) × 1702 = 851.

id=97828 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 27, 35, 43, ? | option_a=51 | option_b=59 | option_c=43 | option_d=52 | answer=A | explanation=The common difference is 8. Therefore the next term is 43 + 8 = 51.

id=97829 | topic=Averages | difficulty=Easy | question=Find the average of 67, 81, 44, 19, 42, 71. | option_a=54 | option_b=56 | option_c=55 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 324 ÷ 6 = 54.

id=97830 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:20 and the first is 156, what is the second? | option_a=416 | option_b=260 | option_c=240 | option_d=272 | answer=B | explanation=Scale factor = 156/12 = 13. Therefore second quantity = 20×13 = 260.

Aptitude Questions — Records 97,831-97,860 of 100,000

id=97831 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 19, 25, 34? | option_a=25 | option_b=19 | option_c=34 | option_d=13 | answer=C | explanation=The first three numbers increase by 6, so the next should be 31. Therefore 34 is the odd one out.

id=97832 | topic=Number System | difficulty=Easy | question=Find the LCM of 15 and 12. | option_a=180 | option_b=48 | option_c=60 | option_d=75 | answer=C | explanation=LCM × HCF = 15×12; HCF(15,12) = 3, so LCM = 60.

id=97833 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 18, 27, 38? | option_a=38 | option_b=18 | option_c=27 | option_d=9 | answer=A | explanation=The first three numbers increase by 9, so the next should be 36. Therefore 38 is the odd one out.

id=97834 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 21, 33, 45, ? | option_a=45 | option_b=58 | option_c=69 | option_d=57 | answer=D | explanation=The common difference is 12. Therefore the next term is 45 + 12 = 57.

id=97835 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 17, 24, 31, ? | option_a=31 | option_b=39 | option_c=45 | option_d=38 | answer=D | explanation=The common difference is 7. Therefore the next term is 31 + 7 = 38.

id=97836 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=U | option_b=K | option_c=Z | option_d=P | answer=A | explanation=Move 5 positions forward from P; the resulting letter is U.

id=97837 | topic=Percentages | difficulty=Easy | question=What is 12% of 968? | option_a=111 | option_b=126 | option_c=116 | option_d=232 | answer=C | explanation=12% of 968 = (12/100) × 968 = 116.

id=97838 | topic=Percentages | difficulty=Easy | question=What is 40% of 1954? | option_a=786 | option_b=776 | option_c=781 | option_d=1562 | answer=C | explanation=40% of 1954 = (40/100) × 1954 = 781.

id=97839 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=41 | option_c=31 | option_d=72 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=97840 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 49? | option_a=49 | option_b=34 | option_c=40 | option_d=28 | answer=A | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 49 is the odd one out.

id=97841 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=G | option_c=X | option_d=D | answer=D | explanation=Move 3 positions forward from A; the resulting letter is D.

id=97842 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:9 and the first is 18, what is the second? | option_a=18 | option_b=45 | option_c=33 | option_d=27 | answer=D | explanation=Scale factor = 18/6 = 3. Therefore second quantity = 9×3 = 27.

id=97843 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=100 | option_b=50 | option_c=55 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=97844 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 23, 27, 32? | option_a=32 | option_b=23 | option_c=19 | option_d=27 | answer=A | explanation=The first three numbers increase by 4, so the next should be 31. Therefore 32 is the odd one out.

id=97845 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 13, 20, 29? | option_a=13 | option_b=29 | option_c=6 | option_d=20 | answer=B | explanation=The first three numbers increase by 7, so the next should be 27. Therefore 29 is the odd one out.

id=97846 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=35 | option_b=30 | option_c=60 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=97847 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1217. If it is sold at a profit of 25%, what is its selling price? | option_a=1400 | option_b=1642 | option_c=1521 | option_d=1242 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1217 × 125/100 = █1521.

id=97848 | topic=Percentages | difficulty=Easy | question=What is 30% of 465? | option_a=278 | option_b=119 | option_c=159 | option_d=139 | answer=D | explanation=30% of 465 = (30/100) × 465 = 139.

id=97849 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:17 and the first is 323, what is the second? | option_a=340 | option_b=323 | option_c=646 | option_d=306 | answer=B | explanation=Scale factor = 323/17 = 19. Therefore second quantity = 17×19 = 323.

id=97850 | topic=Profit & Loss | difficulty=Easy | question=An article costs █842. If it is sold at a profit of 50%, what is its selling price? | option_a=1263 | option_b=892 | option_c=1179 | option_d=1347 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 842 × 150/100 = █1263.

id=97851 | topic=Averages | difficulty=Easy | question=Find the average of 90, 75, 79, 51, 48, 23, 20, 54. | option_a=54 | option_b=55 | option_c=56 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 440 ÷ 8 = 55.

id=97852 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=97853 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 33, 39, 46? | option_a=33 | option_b=46 | option_c=39 | option_d=27 | answer=B | explanation=The first three numbers increase by 6, so the next should be 45. Therefore 46 is the odd one out.

id=97854 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 14. | option_a=112 | option_b=128 | option_c=224 | option_d=98 | answer=A | explanation=LCM × HCF = 16×14; HCF(16,14) = 2, so LCM = 112.

id=97855 | topic=Averages | difficulty=Easy | question=Find the average of 74, 32, 21, 39, 58, 80, 54, 23, 87. | option_a=54 | option_b=51 | option_c=53 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 468 ÷ 9 = 52.

id=97856 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=H | option_b=I | option_c=G | option_d=F | answer=A | explanation=Move 1 positions forward from G; the resulting letter is H.

id=97857 | topic=Percentages | difficulty=Easy | question=What is 50% of 248? | option_a=104 | option_b=124 | option_c=134 | option_d=248 | answer=B | explanation=50% of 248 = (50/100) × 248 = 124.

id=97858 | topic=Percentages | difficulty=Easy | question=What is 12% of 546? | option_a=45 | option_b=130 | option_c=85 | option_d=65 | answer=D | explanation=12% of 546 = (12/100) × 546 = 65.

id=97859 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=24 | option_c=12 | option_d=17 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=97860 | topic=Averages | difficulty=Easy | question=Find the average of 67, 84, 19, 98. | option_a=66 | option_b=67 | option_c=69 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = 268 ÷ 4 = 67.

Aptitude Questions — Records 97,861-97,890 of 100,000

- id=97861 | topic=Profit & Loss | difficulty=Easy | question=An article costs █136. If it is sold at a profit of 30%, what is its selling price? | option_a=163 | option_b=189 | option_c=166 | option_d=176 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 136 × 130/100 = █176.
- id=97862 | topic=Percentages | difficulty=Easy | question=What is 5% of 678? | option_a=66 | option_b=33 | option_c=23 | option_d=43 | answer=B | explanation=5% of 678 = (5/100) × 678 = 33.
- id=97863 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 28, 40, 52, ? | option_a=64 | option_b=76 | option_c=52 | option_d=65 | answer=A | explanation=The common difference is 12. Therefore the next term is 52 + 12 = 64.
- id=97864 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:20 and the first is 72, what is the second? | option_a=100 | option_b=192 | option_c=132 | option_d=120 | answer=D | explanation=Scale factor = 72/12 = 6. Therefore second quantity = 20×6 = 120.
- id=97865 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2317. If it is sold at a profit of 25%, what is its selling price? | option_a=2896 | option_b=2665 | option_c=3127 | option_d=2342 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2317 × 125/100 = █2896.
- id=97866 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 32? | option_a=32 | option_b=17 | option_c=10 | option_d=24 | answer=A | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 32 is the odd one out.
- id=97867 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.
- id=97868 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=39 | option_b=46 | option_c=38 | option_d=30 | answer=C | explanation=The common difference is 8. Therefore the next term is 30 + 8 = 38.
- id=97869 | topic=Averages | difficulty=Easy | question=Find the average of 74, 92, 33, 60, 77, 74, 24, 54. | option_a=62 | option_b=63 | option_c=60 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 488 ÷ 8 = 61.
- id=97870 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 12, 15, 18, ? | option_a=22 | option_b=21 | option_c=24 | option_d=18 | answer=B | explanation=The common difference is 3. Therefore the next term is 18 + 3 = 21.
- id=97871 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:4 and the first is 34, what is the second? | option_a=68 | option_b=70 | option_c=64 | option_d=102 | answer=A | explanation=Scale factor = 34/2 = 17. Therefore second quantity = 4×17 = 68.
- id=97872 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39111 at 5% per annum for 2 years. | option_a=3811 | option_b=43022 | option_c=3911 | option_d=4011 | answer=C | explanation=SI = PRT/100 = 39111×5×2/100 = █3911.
- id=97873 | topic=Percentages | difficulty=Easy | question=What is 5% of 1020? | option_a=31 | option_b=102 | option_c=51 | option_d=71 | answer=C | explanation=5% of 1020 = (5/100) × 1020 = 51.
- id=97874 | topic=Percentages | difficulty=Easy | question=What is 12% of 485? | option_a=116 | option_b=48 | option_c=58 | option_d=63 | answer=C | explanation=12% of 485 = (12/100) × 485 = 58.
- id=97875 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=70 | option_c=150 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.
- id=97876 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 18. | option_a=100 | option_b=180 | option_c=72 | option_d=90 | answer=D | explanation=LCM × HCF = 10×18; HCF(10,18) = 2, so LCM = 90.
- id=97877 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3765. If it is sold at a profit of 15%, what is its selling price? | option_a=4329 | option_b=3953 | option_c=3780 | option_d=4705 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3765 × 115/100 = █4329.
- id=97878 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=R | option_c=P | option_d=N | answer=B | explanation=Move 2 positions forward from P; the resulting letter is R.
- id=97879 | topic=Averages | difficulty=Easy | question=Find the average of 58, 55, 49, 50, 37, 87, 11, 93. | option_a=57 | option_b=56 | option_c=55 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 440 ÷ 8 = 55.
- id=97880 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:20 and the first is 80, what is the second? | option_a=320 | option_b=400 | option_c=300 | option_d=325 | answer=A | explanation=Scale factor = 80/5 = 16. Therefore second quantity = 20×16 = 320.
- id=97881 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26885 at 5% per annum for 5 years. | option_a=6821 | option_b=6621 | option_c=33606 | option_d=6721 | answer=D | explanation=SI = PRT/100 = 26885×5×5/100 = █6721.
- id=97882 | topic=Averages | difficulty=Easy | question=Find the average of 94, 94, 94. | option_a=93 | option_b=94 | option_c=95 | option_d=96 | answer=B | explanation=Average = sum of values ÷ number of values = 282 ÷ 3 = 94.
- id=97883 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:15 and the first is 320, what is the second? | option_a=560 | option_b=260 | option_c=225 | option_d=240 | answer=D | explanation=Scale factor = 320/20 = 16. Therefore second quantity = 15×16 = 240.
- id=97884 | topic=Percentages | difficulty=Easy | question=What is 40% of 1195? | option_a=478 | option_b=473 | option_c=498 | option_d=956 | answer=A | explanation=40% of 1195 = (40/100) × 1195 = 478.
- id=97885 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 12, 21, 31? | option_a=12 | option_b=3 | option_c=21 | option_d=31 | answer=D | explanation=The first three numbers increase by 9, so the next should be 30. Therefore 31 is the odd one out.
- id=97886 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 27, 36, 45, ? | option_a=54 | option_b=63 | option_c=55 | option_d=45 | answer=A | explanation=The common difference is 9. Therefore the next term is 45 + 9 = 54.
- id=97887 | topic=Percentages | difficulty=Easy | question=What is 50% of 1338? | option_a=669 | option_b=649 | option_c=689 | option_d=1338 | answer=A | explanation=50% of 1338 = (50/100) × 1338 = 669.
- id=97888 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.
- id=97889 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2591. If it is sold at a profit of 20%, what is its selling price? | option_a=3368 | option_b=2850 | option_c=2611 | option_d=3109 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2591 × 120/100 = █3109.
- id=97890 | topic=Averages | difficulty=Easy | question=Find the average of 67, 56, 84, 33. | option_a=61 | option_b=60 | option_c=62 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 240 ÷ 4 = 60.

Aptitude Questions — Records 97,891-97,920 of 100,000

id=97891 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:1 and the first is 65, what is the second? | option_a=5 | option_b=70 | option_c=18 | option_d=4 | answer=A | explanation=Scale factor = 65/13 = 5. Therefore second quantity = 1×5 = 5.

id=97892 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=9 | option_d=1 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=97893 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 14, 21, 30? | option_a=14 | option_b=21 | option_c=7 | option_d=30 | answer=D | explanation=The first three numbers increase by 7, so the next should be 28. Therefore 30 is the odd one out.

id=97894 | topic=Percentages | difficulty=Easy | question=What is 5% of 167? | option_a=0 | option_b=28 | option_c=8 | option_d=16 | answer=C | explanation=5% of 167 = (5/100) × 167 = 8.

id=97895 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=S | option_b=Q | option_c=R | option_d=P | answer=C | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=97896 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=97897 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=97898 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=N | option_b=R | option_c=Z | option_d=V | answer=D | explanation=Move 4 positions forward from R; the resulting letter is V.

id=97899 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**41421 at 12% per annum for 1 years. | option_a=4970 | option_b=4870 | option_c=46391 | option_d=5070 | answer=A | explanation=SI = PRT/100 = 41421×12×1/100 = **■**4970.

id=97900 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2085. If it is sold at a profit of 30%, what is its selling price? | option_a=2918 | option_b=2115 | option_c=2502 | option_d=2710 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2085 × 130/100 = **■**2710.

id=97901 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 16, 22, 28, ? | option_a=28 | option_b=35 | option_c=34 | option_d=40 | answer=C | explanation=The common difference is 6. Therefore the next term is 28 + 6 = 34.

id=97902 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 2 hours. What is its average speed? | option_a=90 | option_b=95 | option_c=180 | option_d=85 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 2 = 90 km/h.

id=97903 | topic=Averages | difficulty=Easy | question=Find the average of 96, 27, 23, 14, 93, 44, 17, 74, 61, 21. | option_a=47 | option_b=46 | option_c=48 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 470 ÷ 10 = 47.

id=97904 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=72 | option_c=144 | option_d=67 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=97905 | topic=Percentages | difficulty=Easy | question=What is 25% of 1321? | option_a=325 | option_b=660 | option_c=335 | option_d=330 | answer=D | explanation=25% of 1321 = (25/100) × 1321 = 330.

id=97906 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=32 | option_b=31 | option_c=28 | option_d=34 | answer=B | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=97907 | topic=Averages | difficulty=Easy | question=Find the average of 96, 93, 38, 80, 86, 50, 70, 71. | option_a=74 | option_b=73 | option_c=72 | option_d=75 | answer=B | explanation=Average = sum of values ÷ number of values = 584 ÷ 8 = 73.

id=97908 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=T | option_c=K | option_d=Q | answer=D | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=97909 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44716 at 15% per annum for 2 years. | option_a=58130 | option_b=13314 | option_c=13514 | option_d=13414 | answer=D | explanation=SI = PRT/100 = 44716×15×2/100 = **■**13414.

id=97910 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:11 and the first is 60, what is the second? | option_a=116 | option_b=170 | option_c=99 | option_d=110 | answer=D | explanation=Scale factor = 60/6 = 10. Therefore second quantity = 11×10 = 110.

id=97911 | topic=Averages | difficulty=Easy | question=Find the average of 19, 95, 38, 90, 73, 39, 65, 85, 54. | option_a=63 | option_b=61 | option_c=62 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 558 ÷ 9 = 62.

id=97912 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'F' become? | option_a=P | option_b=F | option_c=A | option_d=K | answer=D | explanation=Move 5 positions forward from F; the resulting letter is K.

id=97913 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 37? | option_a=37 | option_b=4 | option_c=24 | option_d=14 | answer=A | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 37 is the odd one out.

id=97914 | topic=Percentages | difficulty=Easy | question=What is 30% of 124? | option_a=37 | option_b=42 | option_c=27 | option_d=74 | answer=A | explanation=30% of 124 = (30/100) × 124 = 37.

id=97915 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=D | option_b=H | option_c=J | option_d=F | answer=B | explanation=Move 2 positions forward from F; the resulting letter is H.

id=97916 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2073. If it is sold at a profit of 5%, what is its selling price? | option_a=2176 | option_b=2078 | option_c=1969 | option_d=2383 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2073 × 105/100 = **■**2176.

id=97917 | topic=Percentages | difficulty=Easy | question=What is 5% of 1016? | option_a=30 | option_b=100 | option_c=70 | option_d=50 | answer=D | explanation=5% of 1016 = (5/100) × 1016 = 50.

id=97918 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**722. If it is sold at a profit of 30%, what is its selling price? | option_a=1010 | option_b=866 | option_c=752 | option_d=938 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 722 × 130/100 = **■**938.

id=97919 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19015 at 15% per annum for 1 years. | option_a=2952 | option_b=21867 | option_c=2852 | option_d=2752 | answer=C | explanation=SI = PRT/100 = 19015×15×1/100 = **■**2852.

id=97920 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=20 | option_c=4 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

Aptitude Questions — Records 97,921-97,950 of 100,000

id=97921 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=O | option_b=W | option_c=S | option_d=A | answer=B | explanation=Move 4 positions forward from S; the resulting letter is W.

id=97922 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=35 | option_b=41 | option_c=29 | option_d=36 | answer=A | explanation=The common difference is 6. Therefore the next term is 29 + 6 = 35.

id=97923 | topic=Percentages | difficulty=Easy | question=What is 12% of 873? | option_a=104 | option_b=124 | option_c=208 | option_d=99 | answer=A | explanation=12% of 873 = (12/100) × 873 = 104.

id=97924 | topic=Averages | difficulty=Easy | question=Find the average of 86, 61, 12, 33. | option_a=47 | option_b=48 | option_c=50 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 192 ÷ 4 = 48.

id=97925 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=72 | option_c=36 | option_d=31 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=97926 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=57 | option_b=46 | option_c=56 | option_d=66 | answer=C | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=97927 | topic=Percentages | difficulty=Easy | question=What is 5% of 1476? | option_a=78 | option_b=146 | option_c=63 | option_d=73 | answer=D | explanation=5% of 1476 = (5/100) × 1476 = 73.

id=97928 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 30, 33, 37? | option_a=30 | option_b=33 | option_c=37 | option_d=27 | answer=C | explanation=The first three numbers increase by 3, so the next should be 36. Therefore 37 is the odd one out.

id=97929 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=7 | option_b=17 | option_c=24 | option_d=12 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=97930 | topic=Averages | difficulty=Easy | question=Find the average of 60, 73, 86, 22, 79, 10, 57, 29. | option_a=51 | option_b=52 | option_c=54 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 416 ÷ 8 = 52.

id=97931 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:17 and the first is 198, what is the second? | option_a=205 | option_b=385 | option_c=187 | option_d=170 | answer=C | explanation=Scale factor = 198/18 = 11. Therefore second quantity = 17×11 = 187.

id=97932 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=S | option_c=U | option_d=V | answer=C | explanation=Move 1 positions forward from T; the resulting letter is U.

id=97933 | topic=Averages | difficulty=Easy | question=Find the average of 30, 64, 60, 20, 52, 11, 78. | option_a=45 | option_b=47 | option_c=44 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = 315 ÷ 7 = 45.

id=97934 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4126. If it is sold at a profit of 10%, what is its selling price? | option_a=4126 | option_b=4538 | option_c=4950 | option_d=4136 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4126 × 110/100 = █4538.

id=97935 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 8, 11, 14, ? | option_a=17 | option_b=20 | option_c=18 | option_d=14 | answer=A | explanation=The common difference is 3. Therefore the next term is 14 + 3 = 17.

id=97936 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:1 and the first is 54, what is the second? | option_a=18 | option_b=21 | option_c=17 | option_d=72 | answer=A | explanation=Scale factor = 54/3 = 18. Therefore second quantity = 1×18 = 18.

id=97937 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 33? | option_a=15 | option_b=20 | option_c=33 | option_d=25 | answer=C | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 33 is the odd one out.

id=97938 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 33? | option_a=33 | option_b=24 | option_c=10 | option_d=17 | answer=A | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 33 is the odd one out.

id=97939 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3984. If it is sold at a profit of 20%, what is its selling price? | option_a=4382 | option_b=4780 | option_c=5178 | option_d=4004 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3984 × 120/100 = █4780.

id=97940 | topic=Percentages | difficulty=Easy | question=What is 20% of 1688? | option_a=317 | option_b=674 | option_c=347 | option_d=337 | answer=D | explanation=20% of 1688 = (20/100) × 1688 = 337.

id=97941 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=30 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=97942 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45523 at 8% per annum for 1 years. | option_a=49164 | option_b=3741 | option_c=3641 | option_d=3541 | answer=C | explanation=SI = PRT/100 = 45523×8×1/100 = █3641.

id=97943 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 5. | option_a=150 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=LCM × HCF = 30×5; HCF(30,5) = 5, so LCM = 30.

id=97944 | topic=Averages | difficulty=Easy | question=Find the average of 45, 45, 93. | option_a=60 | option_b=61 | option_c=62 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 183 ÷ 3 = 61.

id=97945 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 53? | option_a=32 | option_b=41 | option_c=53 | option_d=23 | answer=C | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 53 is the odd one out.

id=97946 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 33, 43, 54? | option_a=33 | option_b=54 | option_c=23 | option_d=43 | answer=B | explanation=The first three numbers increase by 10, so the next should be 53. Therefore 54 is the odd one out.

id=97947 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=120 | option_c=125 | option_d=240 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=97948 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 6. | option_a=6 | option_b=24 | option_c=72 | option_d=12 | answer=D | explanation=LCM × HCF = 12×6; HCF(12,6) = 6, so LCM = 12.

id=97949 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 29, 40, 51, ? | option_a=62 | option_b=73 | option_c=51 | option_d=63 | answer=A | explanation=The common difference is 11. Therefore the next term is 51 + 11 = 62.

id=97950 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 34, 41, 49? | option_a=49 | option_b=41 | option_c=27 | option_d=34 | answer=A | explanation=The first three numbers increase by 7, so the next should be 48. Therefore 49 is the odd one out.

Aptitude Questions — Records 97,951-97,980 of 100,000

id=97951 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=150 | option_b=70 | option_c=80 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=97952 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:18 and the first is 144, what is the second? | option_a=162 | option_b=288 | option_c=126 | option_d=144 | answer=D | explanation=Scale factor = 144/18 = 8. Therefore second quantity = 18×8 = 144.

id=97953 | topic=Percentages | difficulty=Easy | question=What is 30% of 1903? | option_a=570 | option_b=565 | option_c=590 | option_d=1140 | answer=A | explanation=30% of 1903 = (30/100) × 1903 = 570.

id=97954 | topic=Averages | difficulty=Easy | question=Find the average of 22, 37, 11, 35, 44, 51, 24. | option_a=33 | option_b=32 | option_c=34 | option_d=31 | answer=B | explanation=Average = sum of values ÷ number of values = 224 ÷ 7 = 32.

id=97955 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=I | option_b=L | option_c=J | option_d=K | answer=D | explanation=Move 1 positions forward from J; the resulting letter is K.

id=97956 | topic=Averages | difficulty=Easy | question=Find the average of 17, 86, 30, 56, 93, 89, 94, 43, 86. | option_a=65 | option_b=68 | option_c=66 | option_d=67 | answer=C | explanation=Average = sum of values ÷ number of values = 594 ÷ 9 = 66.

id=97957 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=25 | option_b=27 | option_c=26 | option_d=23 | answer=A | explanation=The common difference is 2. Therefore the next term is 23 + 2 = 25.

id=97958 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4729 at 12% per annum for 1 years. | option_a=5296 | option_b=467 | option_c=667 | option_d=567 | answer=D | explanation=SI = PRT/100 = 4729×12×1/100 = **■**567.

id=97959 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=T | option_c=U | option_d=R | answer=B | explanation=Move 1 positions forward from S; the resulting letter is T.

id=97960 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3076. If it is sold at a profit of 20%, what is its selling price? | option_a=3998 | option_b=3096 | option_c=3691 | option_d=3384 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3076 × 120/100 = **■**3691.

id=97961 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=V | option_c=P | option_d=T | answer=D | explanation=Move 2 positions forward from R; the resulting letter is T.

id=97962 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=O | option_c=G | option_d=S | answer=B | explanation=Move 4 positions forward from K; the resulting letter is O.

id=97963 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=Q | option_c=U | option_d=W | answer=C | explanation=Move 2 positions forward from S; the resulting letter is U.

id=97964 | topic=Averages | difficulty=Easy | question=Find the average of 14, 10, 97, 95, 49. | option_a=54 | option_b=55 | option_c=53 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 265 ÷ 5 = 53.

id=97965 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=97966 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32671 at 4% per annum for 4 years. | option_a=5127 | option_b=5227 | option_c=37898 | option_d=5327 | answer=B | explanation=SI = PRT/100 = 32671×4×4/100 = **■**5227.

id=97967 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=H | option_c=G | option_d=E | answer=C | explanation=Move 1 positions forward from F; the resulting letter is G.

id=97968 | topic=Percentages | difficulty=Easy | question=What is 15% of 828? | option_a=124 | option_b=248 | option_c=144 | option_d=104 | answer=A | explanation=15% of 828 = (15/100) × 828 = 124.

id=97969 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:11 and the first is 323, what is the second? | option_a=209 | option_b=532 | option_c=226 | option_d=198 | answer=A | explanation=Scale factor = 323/17 = 19. Therefore second quantity = 11×19 = 209.

id=97970 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=54 | option_b=66 | option_c=67 | option_d=78 | answer=B | explanation=The common difference is 12. Therefore the next term is 54 + 12 = 66.

id=97971 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=97972 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 6, 8, 11? | option_a=8 | option_b=11 | option_c=4 | option_d=6 | answer=B | explanation=The first three numbers increase by 2, so the next should be 10. Therefore 11 is the odd one out.

id=97973 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=20 | option_b=22 | option_c=18 | option_d=21 | answer=A | explanation=The common difference is 2. Therefore the next term is 18 + 2 = 20.

id=97974 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**223. If it is sold at a profit of 50%, what is its selling price? | option_a=334 | option_b=273 | option_c=356 | option_d=312 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 223 × 150/100 = **■**334.

id=97975 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=O | option_b=M | option_c=K | option_d=Q | answer=A | explanation=Move 2 positions forward from M; the resulting letter is O.

id=97976 | topic=Percentages | difficulty=Easy | question=What is 5% of 1994? | option_a=99 | option_b=89 | option_c=198 | option_d=119 | answer=A | explanation=5% of 1994 = (5/100) × 1994 = 99.

id=97977 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=U | option_c=S | option_d=V | answer=B | explanation=Move 1 positions forward from T; the resulting letter is U.

id=97978 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5021 at 4% per annum for 3 years. | option_a=602 | option_b=702 | option_c=502 | option_d=5623 | answer=A | explanation=SI = PRT/100 = 5021×4×3/100 = **■**602.

id=97979 | topic=Percentages | difficulty=Easy | question=What is 25% of 449? | option_a=224 | option_b=107 | option_c=117 | option_d=112 | answer=D | explanation=25% of 449 = (25/100) × 449 = 112.

id=97980 | topic=Percentages | difficulty=Easy | question=What is 10% of 1590? | option_a=159 | option_b=139 | option_c=318 | option_d=179 | answer=A | explanation=10% of 1590 = (10/100) × 1590 = 159.

Aptitude Questions — Records 97,981-98,010 of 100,000

id=97981 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=35 | option_b=80 | option_c=45 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=97982 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27285 at 12% per annum for 4 years. | option_a=40381 | option_b=13096 | option_c=13196 | option_d=12996 | answer=B | explanation=SI = $\frac{PRT}{100}$ = $\frac{27285 \times 12 \times 4}{100}$ = **■**13096.

id=97983 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=8 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=97984 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2534. If it is sold at a profit of 20%, what is its selling price? | option_a=2554 | option_b=3293 | option_c=2787 | option_d=3040 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100$ = $2534 \times \frac{120}{100}$ = **■**3040.

id=97985 | topic=Averages | difficulty=Easy | question=Find the average of 26, 74, 18, 69, 52, 98, 77, 53, 46. | option_a=57 | option_b=56 | option_c=59 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = $513 \div 9$ = 57.

id=97986 | topic=Percentages | difficulty=Easy | question=What is 12% of 824? | option_a=196 | option_b=108 | option_c=98 | option_d=93 | answer=C | explanation=12% of 824 = $(12/100) \times 824$ = 98.

id=97987 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1478. If it is sold at a profit of 25%, what is its selling price? | option_a=1994 | option_b=1700 | option_c=1847 | option_d=1503 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100$ = $1478 \times \frac{125}{100}$ = **■**1847.

id=97988 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36109 at 12% per annum for 2 years. | option_a=8666 | option_b=8566 | option_c=8766 | option_d=44775 | answer=A | explanation=SI = $\frac{PRT}{100}$ = $\frac{36109 \times 12 \times 2}{100}$ = **■**8666.

id=97989 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=K | option_b=I | option_c=J | option_d=L | answer=A | explanation=Move 1 positions forward from J; the resulting letter is K.

id=97990 | topic=Averages | difficulty=Easy | question=Find the average of 53, 87, 75, 41. | option_a=64 | option_b=65 | option_c=63 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = $256 \div 4$ = 64.

id=97991 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=97992 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:10 and the first is 48, what is the second? | option_a=60 | option_b=50 | option_c=108 | option_d=68 | answer=A | explanation=Scale factor = $48/8$ = 6. Therefore second quantity = 10×6 = 60.

id=97993 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:3 and the first is 255, what is the second? | option_a=300 | option_b=45 | option_c=62 | option_d=42 | answer=B | explanation=Scale factor = $255/17$ = 15. Therefore second quantity = 3×15 = 45.

id=97994 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 15, 19, 25? | option_a=25 | option_b=11 | option_c=15 | option_d=19 | answer=A | explanation=The first three numbers increase by 4, so the next should be 23. Therefore 25 is the odd one out.

id=97995 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=30 | option_b=15 | option_c=10 | option_d=20 | answer=B | explanation=Speed = distance ÷ time = $150 \div 10$ = 15 km/h.

id=97996 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 11, 16, 24? | option_a=11 | option_b=6 | option_c=24 | option_d=16 | answer=C | explanation=The first three numbers increase by 5, so the next should be 21. Therefore 24 is the odd one out.

id=97997 | topic=Averages | difficulty=Easy | question=Find the average of 66, 63, 81, 54, 94, 48, 46, 62, 84, 42. | option_a=64 | option_b=65 | option_c=66 | option_d=63 | answer=A | explanation=Average = sum of values ÷ number of values = $640 \div 10$ = 64.

id=97998 | topic=Averages | difficulty=Easy | question=Find the average of 58, 22, 76, 63, 19, 39, 40, 91. | option_a=53 | option_b=51 | option_c=52 | option_d=50 | answer=B | explanation=Average = sum of values ÷ number of values = $408 \div 8$ = 51.

id=97999 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11634 at 12% per annum for 4 years. | option_a=5484 | option_b=5684 | option_c=5584 | option_d=17218 | answer=C | explanation=SI = $\frac{PRT}{100}$ = $\frac{11634 \times 12 \times 4}{100}$ = **■**5584.

id=98000 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8115 at 6% per annum for 2 years. | option_a=9088 | option_b=973 | option_c=873 | option_d=1073 | answer=B | explanation=SI = $\frac{PRT}{100}$ = $\frac{8115 \times 6 \times 2}{100}$ = **■**973.

id=98001 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=G | option_c=A | option_d=E | answer=D | explanation=Move 2 positions forward from C; the resulting letter is E.

id=98002 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4730. If it is sold at a profit of 15%, what is its selling price? | option_a=4966 | option_b=5912 | option_c=4745 | option_d=5439 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100$ = $4730 \times \frac{115}{100}$ = **■**5439.

id=98003 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4540. If it is sold at a profit of 50%, what is its selling price? | option_a=7264 | option_b=4590 | option_c=6810 | option_d=6356 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100$ = $4540 \times \frac{150}{100}$ = **■**6810.

id=98004 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**7484 at 15% per annum for 1 years. | option_a=1222 | option_b=1122 | option_c=8606 | option_d=1022 | answer=B | explanation=SI = $\frac{PRT}{100}$ = $\frac{7484 \times 15 \times 1}{100}$ = **■**1122.

id=98005 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=75 | option_b=80 | option_c=70 | option_d=150 | answer=A | explanation=Speed = distance ÷ time = $300 \div 4$ = 75 km/h.

id=98006 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2880. If it is sold at a profit of 50%, what is its selling price? | option_a=4320 | option_b=4608 | option_c=2930 | option_d=4032 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%) / 100$ = $2880 \times \frac{150}{100}$ = **■**4320.

id=98007 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=7 | option_c=6 | option_d=24 | answer=C | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24}$ = 6 days.

id=98008 | topic=Averages | difficulty=Easy | question=Find the average of 89, 45, 38, 88, 65. | option_a=65 | option_b=64 | option_c=67 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = $325 \div 5$ = 65.

id=98009 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 3. | option_a=18 | option_b=36 | option_c=15 | option_d=54 | answer=A | explanation=LCM × HCF = 18×3 ; HCF(18,3) = 3, so LCM = 18.

id=98010 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=19 | option_b=23 | option_c=20 | option_d=15 | answer=A | explanation=The common difference is 4. Therefore the next term is $15 + 4$ = 19.

Aptitude Questions — Records 98,011-98,040 of 100,000

id=98011 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:9 and the first is 182, what is the second? | option_a=108 | option_b=117 | option_c=131 | option_d=299 | answer=B | explanation=Scale factor = $182/14 = 13$. Therefore second quantity = $9 \times 13 = 117$.

id=98012 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 32, 44, 56, ? | option_a=56 | option_b=68 | option_c=80 | option_d=69 | answer=B | explanation=The common difference is 12. Therefore the next term is $56 + 12 = 68$.

id=98013 | topic=Averages | difficulty=Easy | question=Find the average of 90, 45, 28, 70, 66, 91, 79, 51. | option_a=65 | option_b=67 | option_c=64 | option_d=66 | answer=A | explanation=Average = sum of values ÷ number of values = $520 \div 8 = 65$.

id=98014 | topic=Percentages | difficulty=Easy | question=What is 10% of 147? | option_a=28 | option_b=34 | option_c=14 | option_d=9 | answer=C | explanation=10% of 147 = $(10/100) \times 147 = 14$.

id=98015 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 11, 19, 29? | option_a=29 | option_b=11 | option_c=3 | option_d=19 | answer=A | explanation=The first three numbers increase by 8, so the next should be 27. Therefore 29 is the odd one out.

id=98016 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:9 and the first is 100, what is the second? | option_a=280 | option_b=185 | option_c=180 | option_d=171 | answer=C | explanation=Scale factor = $100/5 = 20$. Therefore second quantity = $9 \times 20 = 180$.

id=98017 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = $90 \div 3 = 30$ km/h.

id=98018 | topic=Averages | difficulty=Easy | question=Find the average of 64, 48, 32, 52, 91, 75, 93, 59, 68, 38. | option_a=64 | option_b=62 | option_c=63 | option_d=61 | answer=B | explanation=Average = sum of values ÷ number of values = $620 \div 10 = 62$.

id=98019 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=98020 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:7 and the first is 72, what is the second? | option_a=56 | option_b=63 | option_c=135 | option_d=71 | answer=B | explanation=Scale factor = $72/8 = 9$. Therefore second quantity = $7 \times 9 = 63$.

id=98021 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=98022 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**27462 at 4% per annum for 4 years. | option_a=4493 | option_b=4293 | option_c=31855 | option_d=4393 | answer=D | explanation=SI = $PRT/100 = 27462 \times 4 \times 4/100 = \text{₹}4393$.

id=98023 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 15, 24, 34? | option_a=34 | option_b=24 | option_c=6 | option_d=15 | answer=A | explanation=The first three numbers increase by 9, so the next should be 33. Therefore 34 is the odd one out.

id=98024 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:20 and the first is 170, what is the second? | option_a=180 | option_b=370 | option_c=217 | option_d=200 | answer=D | explanation=Scale factor = $170/17 = 10$. Therefore second quantity = $20 \times 10 = 200$.

id=98025 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=36 | option_b=72 | option_c=31 | option_d=41 | answer=A | explanation=Speed = distance ÷ time = $180 \div 5 = 36$ km/h.

id=98026 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:3 and the first is 10, what is the second? | option_a=25 | option_b=17 | option_c=12 | option_d=15 | answer=D | explanation=Scale factor = $10/2 = 5$. Therefore second quantity = $3 \times 5 = 15$.

id=98027 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 16, 19, 25? | option_a=19 | option_b=13 | option_c=25 | option_d=16 | answer=C | explanation=The first three numbers increase by 3, so the next should be 22. Therefore 25 is the odd one out.

id=98028 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 43? | option_a=35 | option_b=21 | option_c=43 | option_d=28 | answer=C | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 43 is the odd one out.

id=98029 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**36926 at 15% per annum for 4 years. | option_a=22055 | option_b=22155 | option_c=59081 | option_d=22255 | answer=B | explanation=SI = $PRT/100 = 36926 \times 15 \times 4/100 = \text{₹}22155$.

id=98030 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=98031 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=31 | option_b=23 | option_c=30 | option_d=37 | answer=C | explanation=The common difference is 7. Therefore the next term is $23 + 7 = 30$.

id=98032 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3742. If it is sold at a profit of 50%, what is its selling price? | option_a=3792 | option_b=5613 | option_c=5239 | option_d=5987 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3742 \times 150/100 = \text{₹}5613$.

id=98033 | topic=Percentages | difficulty=Easy | question=What is 15% of 292? | option_a=43 | option_b=48 | option_c=38 | option_d=86 | answer=A | explanation=15% of 292 = $(15/100) \times 292 = 43$.

id=98034 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**39631 at 4% per annum for 3 years. | option_a=4855 | option_b=4655 | option_c=44386 | option_d=4755 | answer=D | explanation=SI = $PRT/100 = 39631 \times 4 \times 3/100 = \text{₹}4755$.

id=98035 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 27, 33, 40? | option_a=27 | option_b=40 | option_c=33 | option_d=21 | answer=B | explanation=The first three numbers increase by 6, so the next should be 39. Therefore 40 is the odd one out.

id=98036 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=U | option_b=O | option_c=R | option_d=X | answer=A | explanation=Move 3 positions forward from R; the resulting letter is U.

id=98037 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=H | option_b=M | option_c=R | option_d=W | answer=C | explanation=Move 5 positions forward from M; the resulting letter is R.

id=98038 | topic=Averages | difficulty=Easy | question=Find the average of 39, 77, 20, 46, 46, 80, 70. | option_a=54 | option_b=55 | option_c=53 | option_d=56 | answer=A | explanation=Average = sum of values ÷ number of values = $378 \div 7 = 54$.

id=98039 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 24, 31, 38, ? | option_a=46 | option_b=38 | option_c=52 | option_d=45 | answer=D | explanation=The common difference is 7. Therefore the next term is $38 + 7 = 45$.

id=98040 | topic=Number System | difficulty=Easy | question=Find the LCM of 25 and 5. | option_a=125 | option_b=25 | option_c=20 | option_d=50 | answer=B | explanation= $LCM \times HCF = 25 \times 5$; $HCF(25,5) = 5$, so $LCM = 25$.

Aptitude Questions — Records 98,041-98,070 of 100,000

id=98041 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 5, 7, 9, ? | option_a=11 | option_b=9 | option_c=12 | option_d=13 | answer=A | explanation=The common difference is 2. Therefore the next term is 9 + 2 = 11.

id=98042 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 16, 27, 38, ? | option_a=49 | option_b=38 | option_c=60 | option_d=50 | answer=A | explanation=The common difference is 11. Therefore the next term is 38 + 11 = 49.

id=98043 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**22925 at 5% per annum for 5 years. | option_a=28656 | option_b=5631 | option_c=5731 | option_d=5831 | answer=C | explanation=SI = $PRT/100 = 22925 \times 5 \times 5/100 = \text{₹}5731$.

id=98044 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:6 and the first is 120, what is the second? | option_a=56 | option_b=156 | option_c=30 | option_d=36 | answer=D | explanation=Scale factor = $120/20 = 6$. Therefore second quantity = $6 \times 6 = 36$.

id=98045 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=16 | option_d=2 | answer=A | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=98046 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2800. If it is sold at a profit of 5%, what is its selling price? | option_a=2805 | option_b=2660 | option_c=2940 | option_d=3220 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2800 \times 105/100 = \text{₹}2940$.

id=98047 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=O | option_b=P | option_c=Q | option_d=R | answer=C | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=98048 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=98049 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 14, 20, 27? | option_a=14 | option_b=8 | option_c=20 | option_d=27 | answer=D | explanation=The first three numbers increase by 6, so the next should be 26. Therefore 27 is the odd one out.

id=98050 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:4 and the first is 110, what is the second? | option_a=54 | option_b=40 | option_c=154 | option_d=44 | answer=D | explanation=Scale factor = $110/10 = 11$. Therefore second quantity = $4 \times 11 = 44$.

id=98051 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=15 | option_d=10 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 60 \div 4 = 15$ km/h.

id=98052 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=58 | option_b=50 | option_c=40 | option_d=49 | answer=D | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

id=98053 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 21? | option_a=14 | option_b=2 | option_c=21 | option_d=8 | answer=C | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 21 is the odd one out.

id=98054 | topic=Percentages | difficulty=Easy | question=What is 25% of 1670? | option_a=417 | option_b=834 | option_c=407 | option_d=422 | answer=A | explanation= $25\% \text{ of } 1670 = (25/100) \times 1670 = 417$.

id=98055 | topic=Averages | difficulty=Easy | question=Find the average of 94, 23, 58, 65, 89, 81, 73. | option_a=68 | option_b=71 | option_c=70 | option_d=69 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 483 \div 7 = 69$.

id=98056 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=98057 | topic=Averages | difficulty=Easy | question=Find the average of 38, 46, 12, 19, 43, 86, 70, 51, 94. | option_a=50 | option_b=53 | option_c=52 | option_d=51 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 459 \div 9 = 51$.

id=98058 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=98059 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:18 and the first is 119, what is the second? | option_a=108 | option_b=245 | option_c=126 | option_d=143 | answer=C | explanation=Scale factor = $119/17 = 7$. Therefore second quantity = $18 \times 7 = 126$.

id=98060 | topic=Percentages | difficulty=Easy | question=What is 15% of 1976? | option_a=301 | option_b=296 | option_c=286 | option_d=592 | answer=B | explanation= $15\% \text{ of } 1976 = (15/100) \times 1976 = 296$.

id=98061 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:5 and the first is 36, what is the second? | option_a=45 | option_b=49 | option_c=81 | option_d=40 | answer=A | explanation=Scale factor = $36/4 = 9$. Therefore second quantity = $5 \times 9 = 45$.

id=98062 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=41 | option_c=36 | option_d=31 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 360 \div 10 = 36$ km/h.

id=98063 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=19 | option_c=48 | option_d=24 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 240 \div 10 = 24$ km/h.

id=98064 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 120 \div 2 = 60$ km/h.

id=98065 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2024. If it is sold at a profit of 25%, what is its selling price? | option_a=2732 | option_b=2328 | option_c=2530 | option_d=2049 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2024 \times 125/100 = \text{₹}2530$.

id=98066 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=10 | option_d=30 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 120 \div 8 = 15$ km/h.

id=98067 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**37860 at 8% per annum for 4 years. | option_a=49975 | option_b=12115 | option_c=12215 | option_d=12015 | answer=B | explanation=SI = $PRT/100 = 37860 \times 8 \times 4/100 = \text{₹}12115$.

id=98068 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=18 | option_c=9 | option_d=4 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 90 \div 10 = 9$ km/h.

id=98069 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:19 and the first is 15, what is the second? | option_a=110 | option_b=95 | option_c=98 | option_d=76 | answer=B | explanation=Scale factor = $15/3 = 5$. Therefore second quantity = $19 \times 5 = 95$.

id=98070 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2015. If it is sold at a profit of 30%, what is its selling price? | option_a=2045 | option_b=2418 | option_c=2619 | option_d=2820 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2015 \times 130/100 = \text{₹}2619$.

Aptitude Questions — Records 98,071-98,100 of 100,000

id=98071 | topic=Percentages | difficulty=Easy | question=What is 20% of 800? | option_a=320 | option_b=165 | option_c=160 | option_d=150 | answer=C | explanation=20% of 800 = (20/100) × 800 = 160.

id=98072 | topic=Percentages | difficulty=Easy | question=What is 15% of 414? | option_a=57 | option_b=62 | option_c=124 | option_d=72 | answer=B | explanation=15% of 414 = (15/100) × 414 = 62.

id=98073 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3449. If it is sold at a profit of 15%, what is its selling price? | option_a=3622 | option_b=4310 | option_c=3966 | option_d=3464 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3449 × 115/100 = █3966.

id=98074 | topic=Averages | difficulty=Easy | question=Find the average of 10, 26, 96, 24, 84. | option_a=47 | option_b=48 | option_c=50 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 240 ÷ 5 = 48.

id=98075 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 34? | option_a=25 | option_b=22 | option_c=28 | option_d=34 | answer=D | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 34 is the odd one out.

id=98076 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 19, 27, 36? | option_a=36 | option_b=27 | option_c=11 | option_d=19 | answer=A | explanation=The first three numbers increase by 8, so the next should be 35. Therefore 36 is the odd one out.

id=98077 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 21. | option_a=84 | option_b=252 | option_c=96 | option_d=63 | answer=A | explanation=LCM × HCF = 12×21; HCF(12,21) = 3, so LCM = 84.

id=98078 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=W | option_b=Q | option_c=N | option_d=T | answer=D | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=98079 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 21, 23, 28? | option_a=28 | option_b=21 | option_c=19 | option_d=23 | answer=A | explanation=The first three numbers increase by 2, so the next should be 25. Therefore 28 is the odd one out.

id=98080 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 19, 26, 36? | option_a=26 | option_b=19 | option_c=12 | option_d=36 | answer=D | explanation=The first three numbers increase by 7, so the next should be 33. Therefore 36 is the odd one out.

id=98081 | topic=Percentages | difficulty=Easy | question=What is 20% of 274? | option_a=108 | option_b=54 | option_c=74 | option_d=44 | answer=B | explanation=20% of 274 = (20/100) × 274 = 54.

id=98082 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 24, 36, 48, ? | option_a=60 | option_b=61 | option_c=72 | option_d=48 | answer=A | explanation=The common difference is 12. Therefore the next term is 48 + 12 = 60.

id=98083 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=R | option_b=S | option_c=P | option_d=Q | answer=A | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=98084 | topic=Averages | difficulty=Easy | question=Find the average of 54, 67, 31, 27, 42, 79, 39, 47, 64. | option_a=50 | option_b=52 | option_c=51 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 450 ÷ 9 = 50.

id=98085 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3053. If it is sold at a profit of 5%, what is its selling price? | option_a=3205 | option_b=3510 | option_c=2900 | option_d=3058 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3053 × 105/100 = █3205.

id=98086 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=98087 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=98088 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 17, 22, 27, ? | option_a=37 | option_b=27 | option_c=33 | option_d=32 | answer=D | explanation=The common difference is 5. Therefore the next term is 27 + 5 = 32.

id=98089 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=K | option_c=G | option_d=E | answer=A | explanation=Move 2 positions forward from G; the resulting letter is I.

id=98090 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=23 | option_b=17 | option_c=27 | option_d=22 | answer=D | explanation=The common difference is 5. Therefore the next term is 17 + 5 = 22.

id=98091 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36674 at 8% per annum for 1 years. | option_a=2833 | option_b=2933 | option_c=39607 | option_d=3033 | answer=B | explanation=SI = PRT/100 = 36674×8×1/100 = █2933.

id=98092 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:8 and the first is 36, what is the second? | option_a=16 | option_b=8 | option_c=34 | option_d=52 | answer=A | explanation=Scale factor = 36/18 = 2. Therefore second quantity = 8×2 = 16.

id=98093 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39432 at 10% per annum for 2 years. | option_a=7886 | option_b=47318 | option_c=7786 | option_d=7986 | answer=A | explanation=SI = PRT/100 = 39432×10×2/100 = █7886.

id=98094 | topic=Averages | difficulty=Easy | question=Find the average of 49, 78, 40, 50, 58. | option_a=54 | option_b=56 | option_c=57 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 275 ÷ 5 = 55.

id=98095 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=19 | option_b=29 | option_c=24 | option_d=48 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=98096 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30373 at 10% per annum for 3 years. | option_a=9011 | option_b=9111 | option_c=39484 | option_d=9211 | answer=B | explanation=SI = PRT/100 = 30373×10×3/100 = █9111.

id=98097 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:20 and the first is 5, what is the second? | option_a=80 | option_b=101 | option_c=100 | option_d=105 | answer=C | explanation=Scale factor = 5/1 = 5. Therefore second quantity = 20×5 = 100.

id=98098 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13785 at 15% per annum for 2 years. | option_a=4235 | option_b=4035 | option_c=17920 | option_d=4135 | answer=D | explanation=SI = PRT/100 = 13785×15×2/100 = █4135.

id=98099 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2392. If it is sold at a profit of 50%, what is its selling price? | option_a=2442 | option_b=3827 | option_c=3588 | option_d=3349 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2392 × 150/100 = █3588.

id=98100 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1061. If it is sold at a profit of 20%, what is its selling price? | option_a=1273 | option_b=1379 | option_c=1167 | option_d=1081 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1061 × 120/100 = █1273.

Aptitude Questions — Records 98,101-98,130 of 100,000

id=98101 | topic=Percentages | difficulty=Easy | question=What is 5% of 94? | option_a=9 | option_b=4 | option_c=0 | option_d=8 | answer=B | explanation=5% of 94 = (5/100) × 94 = 4.

id=98102 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2444. If it is sold at a profit of 20%, what is its selling price? | option_a=2464 | option_b=2688 | option_c=2932 | option_d=3176 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2444 × 120/100 = █2932.

id=98103 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 30. | option_a=240 | option_b=810 | option_c=297 | option_d=270 | answer=D | explanation=LCM × HCF = 27×30; HCF(27,30) = 3, so LCM = 270.

id=98104 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4271. If it is sold at a profit of 40%, what is its selling price? | option_a=4311 | option_b=5552 | option_c=5979 | option_d=6406 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4271 × 140/100 = █5979.

id=98105 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 51? | option_a=25 | option_b=41 | option_c=51 | option_d=33 | answer=C | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 51 is the odd one out.

id=98106 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:13 and the first is 216, what is the second? | option_a=174 | option_b=143 | option_c=156 | option_d=372 | answer=C | explanation=Scale factor = 216/18 = 12. Therefore second quantity = 13×12 = 156.

id=98107 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=98108 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:5 and the first is 78, what is the second? | option_a=143 | option_b=60 | option_c=71 | option_d=65 | answer=D | explanation=Scale factor = 78/6 = 13. Therefore second quantity = 5×13 = 65.

id=98109 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2959. If it is sold at a profit of 5%, what is its selling price? | option_a=2811 | option_b=2964 | option_c=3401 | option_d=3106 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2959 × 105/100 = █3106.

id=98110 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:7 and the first is 90, what is the second? | option_a=35 | option_b=42 | option_c=57 | option_d=132 | answer=B | explanation=Scale factor = 90/15 = 6. Therefore second quantity = 7×6 = 42.

id=98111 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=60 | option_d=120 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=98112 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=34 | option_b=42 | option_c=35 | option_d=26 | answer=A | explanation=The common difference is 8. Therefore the next term is 26 + 8 = 34.

id=98113 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:1 and the first is 120, what is the second? | option_a=23 | option_b=128 | option_c=7 | option_d=8 | answer=D | explanation=Scale factor = 120/15 = 8. Therefore second quantity = 1×8 = 8.

id=98114 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 7, 10, 14? | option_a=7 | option_b=10 | option_c=4 | option_d=14 | answer=D | explanation=The first three numbers increase by 3, so the next should be 13. Therefore 14 is the odd one out.

id=98115 | topic=Percentages | difficulty=Easy | question=What is 12% of 303? | option_a=31 | option_b=41 | option_c=72 | option_d=36 | answer=D | explanation=12% of 303 = (12/100) × 303 = 36.

id=98116 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:15 and the first is 64, what is the second? | option_a=124 | option_b=60 | option_c=45 | option_d=76 | answer=B | explanation=Scale factor = 64/16 = 4. Therefore second quantity = 15×4 = 60.

id=98117 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 17, 22, 29? | option_a=22 | option_b=12 | option_c=29 | option_d=17 | answer=C | explanation=The first three numbers increase by 5, so the next should be 27. Therefore 29 is the odd one out.

id=98118 | topic=Averages | difficulty=Easy | question=Find the average of 35, 97, 49, 41, 72, 41, 92. | option_a=61 | option_b=63 | option_c=60 | option_d=62 | answer=A | explanation=Average = sum of values ÷ number of values = 427 ÷ 7 = 61.

id=98119 | topic=Percentages | difficulty=Easy | question=What is 15% of 490? | option_a=83 | option_b=53 | option_c=73 | option_d=146 | answer=C | explanation=15% of 490 = (15/100) × 490 = 73.

id=98120 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 16, 19, 23? | option_a=19 | option_b=13 | option_c=16 | option_d=23 | answer=D | explanation=The first three numbers increase by 3, so the next should be 22. Therefore 23 is the odd one out.

id=98121 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=D | option_c=P | option_d=L | answer=D | explanation=Move 4 positions forward from H; the resulting letter is L.

id=98122 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=J | option_c=V | option_d=R | answer=D | explanation=Move 4 positions forward from N; the resulting letter is R.

id=98123 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 18, 23, 29? | option_a=13 | option_b=23 | option_c=29 | option_d=18 | answer=C | explanation=The first three numbers increase by 5, so the next should be 28. Therefore 29 is the odd one out.

id=98124 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:15 and the first is 165, what is the second? | option_a=330 | option_b=165 | option_c=180 | option_d=150 | answer=B | explanation=Scale factor = 165/15 = 11. Therefore second quantity = 15×11 = 165.

id=98125 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 19, 30, 41, ? | option_a=53 | option_b=41 | option_c=63 | option_d=52 | answer=D | explanation=The common difference is 11. Therefore the next term is 41 + 11 = 52.

id=98126 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=98127 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2344. If it is sold at a profit of 10%, what is its selling price? | option_a=2578 | option_b=2812 | option_c=2354 | option_d=2344 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2344 × 110/100 = █2578.

id=98128 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=G | option_b=H | option_c=I | option_d=J | answer=C | explanation=Move 1 positions forward from H; the resulting letter is I.

id=98129 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=24 | option_c=48 | option_d=29 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=98130 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

Aptitude Questions — Records 98,131-98,160 of 100,000

id=98131 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=W | option_b=M | option_c=R | option_d=H | answer=C | explanation=Move 5 positions forward from M; the resulting letter is R.

id=98132 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 46? | option_a=23 | option_b=46 | option_c=37 | option_d=30 | answer=B | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 46 is the odd one out.

id=98133 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=98134 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=S | option_b=X | option_c=N | option_d=I | answer=A | explanation=Move 5 positions forward from N; the resulting letter is S.

id=98135 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = $60 \div 2 = 30$ km/h.

id=98136 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=52 | option_b=43 | option_c=32 | option_d=42 | answer=D | explanation=The common difference is 10. Therefore the next term is $32 + 10 = 42$.

id=98137 | topic=Averages | difficulty=Easy | question=Find the average of 95, 34, 68, 78, 46, 65, 39, 92, 54, 19. | option_a=58 | option_b=60 | option_c=61 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = $590 \div 10 = 59$.

id=98138 | topic=Percentages | difficulty=Easy | question=What is 20% of 942? | option_a=208 | option_b=183 | option_c=376 | option_d=188 | answer=D | explanation=20% of 942 = $(20/100) \times 942 = 188$.

id=98139 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=H | option_c=F | option_d=I | answer=B | explanation=Move 1 positions forward from G; the resulting letter is H.

id=98140 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**897. If it is sold at a profit of 5%, what is its selling price? | option_a=941 | option_b=902 | option_c=852 | option_d=1030 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 897 \times 105/100 = \text{₹}941$.

id=98141 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 26, 33, 40, ? | option_a=48 | option_b=40 | option_c=47 | option_d=54 | answer=C | explanation=The common difference is 7. Therefore the next term is $40 + 7 = 47$.

id=98142 | topic=Averages | difficulty=Easy | question=Find the average of 93, 39, 36. | option_a=58 | option_b=57 | option_c=56 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = $168 \div 3 = 56$.

id=98143 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:18 and the first is 209, what is the second? | option_a=217 | option_b=407 | option_c=180 | option_d=198 | answer=D | explanation=Scale factor = $209/19 = 11$. Therefore second quantity = $18 \times 11 = 198$.

id=98144 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2147. If it is sold at a profit of 50%, what is its selling price? | option_a=2197 | option_b=3220 | option_c=3434 | option_d=3006 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2147 \times 150/100 = \text{₹}3220$.

id=98145 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $\frac{1}{4} + \frac{1}{4} = \frac{8}{16}$. Time = $\frac{16}{8} = 2$ days.

id=98146 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 63? | option_a=40 | option_b=50 | option_c=63 | option_d=30 | answer=C | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 63 is the odd one out.

id=98147 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**10768 at 10% per annum for 1 years. | option_a=1076 | option_b=11844 | option_c=976 | option_d=1176 | answer=A | explanation=SI = $PRT/100 = 10768 \times 10 \times 1/100 = \text{₹}1076$.

id=98148 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**44851 at 15% per annum for 3 years. | option_a=65033 | option_b=20282 | option_c=20182 | option_d=20082 | answer=C | explanation=SI = $PRT/100 = 44851 \times 15 \times 3/100 = \text{₹}20182$.

id=98149 | topic=Percentages | difficulty=Easy | question=What is 10% of 728? | option_a=67 | option_b=144 | option_c=92 | option_d=72 | answer=D | explanation=10% of 728 = $(10/100) \times 728 = 72$.

id=98150 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 18, 24, 32? | option_a=24 | option_b=32 | option_c=18 | option_d=12 | answer=B | explanation=The first three numbers increase by 6, so the next should be 30. Therefore 32 is the odd one out.

id=98151 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=Q | option_b=N | option_c=K | option_d=T | answer=A | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=98152 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 10, 14, 18, ? | option_a=26 | option_b=18 | option_c=22 | option_d=23 | answer=C | explanation=The common difference is 4. Therefore the next term is $18 + 4 = 22$.

id=98153 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:11 and the first is 102, what is the second? | option_a=168 | option_b=66 | option_c=55 | option_d=83 | answer=B | explanation=Scale factor = $102/17 = 6$. Therefore second quantity = $11 \times 6 = 66$.

id=98154 | topic=Averages | difficulty=Easy | question=Find the average of 33, 85, 94, 80. | option_a=75 | option_b=74 | option_c=72 | option_d=73 | answer=D | explanation=Average = sum of values ÷ number of values = $292 \div 4 = 73$.

id=98155 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**31521 at 6% per annum for 4 years. | option_a=7665 | option_b=7565 | option_c=39086 | option_d=7465 | answer=B | explanation=SI = $PRT/100 = 31521 \times 6 \times 4/100 = \text{₹}7565$.

id=98156 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=48 | option_b=39 | option_c=47 | option_d=55 | answer=C | explanation=The common difference is 8. Therefore the next term is $39 + 8 = 47$.

id=98157 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**2759. If it is sold at a profit of 50%, what is its selling price? | option_a=2809 | option_b=4413 | option_c=3863 | option_d=4138 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit\%})/100 = 2759 \times 150/100 = \text{₹}4138$.

id=98158 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'F' become? | option_a=C | option_b=L | option_c=I | option_d=F | answer=C | explanation=Move 3 positions forward from F; the resulting letter is I.

id=98159 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=115 | option_c=240 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = $360 \div 3 = 120$ km/h.

id=98160 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 23, 33, 43, ? | option_a=54 | option_b=43 | option_c=63 | option_d=53 | answer=D | explanation=The common difference is 10. Therefore the next term is $43 + 10 = 53$.

Aptitude Questions — Records 98,161-98,190 of 100,000

id=98161 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=X | option_c=R | option_d=T | answer=A | explanation=Move 2 positions forward from T; the resulting letter is V.

id=98162 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=98163 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3501. If it is sold at a profit of 50%, what is its selling price? | option_a=5251 | option_b=3551 | option_c=4901 | option_d=5601 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3501 × 150/100 = █5251.

id=98164 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=16 | option_d=3 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=98165 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:10 and the first is 16, what is the second? | option_a=36 | option_b=20 | option_c=28 | option_d=10 | answer=B | explanation=Scale factor = 16/8 = 2. Therefore second quantity = 10×2 = 20.

id=98166 | topic=Profit & Loss | difficulty=Easy | question=An article costs █719. If it is sold at a profit of 40%, what is its selling price? | option_a=759 | option_b=1077 | option_c=935 | option_d=1006 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 719 × 140/100 = █1006.

id=98167 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 25, 34, 43, ? | option_a=43 | option_b=53 | option_c=61 | option_d=52 | answer=D | explanation=The common difference is 9. Therefore the next term is 43 + 9 = 52.

id=98168 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=19 | option_c=29 | option_d=48 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=98169 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 24, 29, 36? | option_a=29 | option_b=36 | option_c=24 | option_d=19 | answer=B | explanation=The first three numbers increase by 5, so the next should be 34. Therefore 36 is the odd one out.

id=98170 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:16 and the first is 45, what is the second? | option_a=128 | option_b=144 | option_c=189 | option_d=149 | answer=B | explanation=Scale factor = 45/5 = 9. Therefore second quantity = 16×9 = 144.

id=98171 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=54 | option_b=55 | option_c=42 | option_d=66 | answer=A | explanation=The common difference is 12. Therefore the next term is 42 + 12 = 54.

id=98172 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 14. | option_a=192 | option_b=336 | option_c=154 | option_d=168 | answer=D | explanation=LCM × HCF = 24×14; HCF(24,14) = 2, so LCM = 168.

id=98173 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=9 | option_c=1 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=98174 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=U | option_b=F | option_c=K | option_d=P | answer=D | explanation=Move 5 positions forward from K; the resulting letter is P.

id=98175 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'i' become? | option_a=J | option_b=l | option_c=H | option_d=K | answer=A | explanation=Move 1 positions forward from I; the resulting letter is J.

id=98176 | topic=Averages | difficulty=Easy | question=Find the average of 25, 52, 91, 89, 34, 77, 80. | option_a=66 | option_b=63 | option_c=64 | option_d=65 | answer=C | explanation=Average = sum of values ÷ number of values = 448 ÷ 7 = 64.

id=98177 | topic=Percentages | difficulty=Easy | question=What is 15% of 1148? | option_a=344 | option_b=172 | option_c=177 | option_d=162 | answer=B | explanation=15% of 1148 = (15/100) × 1148 = 172.

id=98178 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=36 | option_b=33 | option_c=28 | option_d=32 | answer=D | explanation=The common difference is 4. Therefore the next term is 28 + 4 = 32.

id=98179 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31351 at 5% per annum for 1 years. | option_a=1467 | option_b=1567 | option_c=1667 | option_d=32918 | answer=B | explanation=SI = PRT/100 = 31351×5×1/100 = █1567.

id=98180 | topic=Averages | difficulty=Easy | question=Find the average of 92, 56, 15, 29. | option_a=50 | option_b=49 | option_c=47 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = 192 ÷ 4 = 48.

id=98181 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=l | option_b=K | option_c=O | option_d=M | answer=D | explanation=Move 2 positions forward from K; the resulting letter is M.

id=98182 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 10, 17, 24, ? | option_a=32 | option_b=24 | option_c=31 | option_d=38 | answer=C | explanation=The common difference is 7. Therefore the next term is 24 + 7 = 31.

id=98183 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:12 and the first is 21, what is the second? | option_a=57 | option_b=24 | option_c=36 | option_d=43 | answer=C | explanation=Scale factor = 21/7 = 3. Therefore second quantity = 12×3 = 36.

id=98184 | topic=Averages | difficulty=Easy | question=Find the average of 37, 38, 45, 20. | option_a=35 | option_b=37 | option_c=36 | option_d=34 | answer=A | explanation=Average = sum of values ÷ number of values = 140 ÷ 4 = 35.

id=98185 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:1 and the first is 55, what is the second? | option_a=5 | option_b=16 | option_c=60 | option_d=4 | answer=A | explanation=Scale factor = 55/11 = 5. Therefore second quantity = 1×5 = 5.

id=98186 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=U | option_c=Z | option_d=K | answer=B | explanation=Move 5 positions forward from P; the resulting letter is U.

id=98187 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=98188 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 4. | option_a=104 | option_b=78 | option_c=52 | option_d=48 | answer=C | explanation=LCM × HCF = 26×4; HCF(26,4) = 2, so LCM = 52.

id=98189 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=4 | option_d=20 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=98190 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 20, 26, 32, ? | option_a=44 | option_b=32 | option_c=39 | option_d=38 | answer=D | explanation=The common difference is 6. Therefore the next term is 32 + 6 = 38.

Aptitude Questions — Records 98,191-98,220 of 100,000

id=98191 | topic=Averages | difficulty=Easy | question=Find the average of 54, 48, 24. | option_a=43 | option_b=41 | option_c=44 | option_d=42 | answer=D | explanation=Average = sum of values ÷ number of values = 126 ÷ 3 = 42.

id=98192 | topic=Percentages | difficulty=Easy | question=What is 25% of 1318? | option_a=309 | option_b=349 | option_c=329 | option_d=658 | answer=C | explanation=25% of 1318 = (25/100) × 1318 = 329.

id=98193 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:17 and the first is 216, what is the second? | option_a=222 | option_b=204 | option_c=420 | option_d=187 | answer=B | explanation=Scale factor = 216/18 = 12. Therefore second quantity = 17×12 = 204.

id=98194 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=98195 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=X | option_b=T | option_c=P | option_d=B | answer=B | explanation=Move 4 positions forward from T; the resulting letter is X.

id=98196 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'C' become? | option_a=H | option_b=C | option_c=X | option_d=M | answer=A | explanation=Move 5 positions forward from C; the resulting letter is H.

id=98197 | topic=Percentages | difficulty=Easy | question=What is 5% of 1303? | option_a=65 | option_b=55 | option_c=70 | option_d=130 | answer=A | explanation=5% of 1303 = (5/100) × 1303 = 65.

id=98198 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3033. If it is sold at a profit of 50%, what is its selling price? | option_a=4852 | option_b=3083 | option_c=4549 | option_d=4246 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3033 × 150/100 = █4549.

id=98199 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:5 and the first is 4, what is the second? | option_a=21 | option_b=20 | option_c=24 | option_d=15 | answer=B | explanation=Scale factor = 4/1 = 4. Therefore second quantity = 5×4 = 20.

id=98200 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 35? | option_a=14 | option_b=4 | option_c=24 | option_d=35 | answer=D | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 35 is the odd one out.

id=98201 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19628 at 15% per annum for 2 years. | option_a=25516 | option_b=5888 | option_c=5988 | option_d=5788 | answer=B | explanation=SI = PRT/100 = 19628×15×2/100 = █5888.

id=98202 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:11 and the first is 119, what is the second? | option_a=196 | option_b=94 | option_c=66 | option_d=77 | answer=D | explanation=Scale factor = 119/17 = 7. Therefore second quantity = 11×7 = 77.

id=98203 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=B | option_b=W | option_c=R | option_d=M | answer=B | explanation=Move 5 positions forward from R; the resulting letter is W.

id=98204 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=Z | option_c=Q | option_d=W | answer=D | explanation=Move 3 positions forward from T; the resulting letter is W.

id=98205 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=58 | option_b=46 | option_c=68 | option_d=57 | answer=D | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.

id=98206 | topic=Percentages | difficulty=Easy | question=What is 50% of 928? | option_a=464 | option_b=484 | option_c=454 | option_d=928 | answer=A | explanation=50% of 928 = (50/100) × 928 = 464.

id=98207 | topic=Profit & Loss | difficulty=Easy | question=An article costs █191. If it is sold at a profit of 20%, what is its selling price? | option_a=229 | option_b=210 | option_c=248 | option_d=211 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 191 × 120/100 = █229.

id=98208 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 13, 24, 35, ? | option_a=57 | option_b=47 | option_c=46 | option_d=35 | answer=C | explanation=The common difference is 11. Therefore the next term is 35 + 11 = 46.

id=98209 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=98210 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:10 and the first is 150, what is the second? | option_a=100 | option_b=90 | option_c=115 | option_d=250 | answer=A | explanation=Scale factor = 150/15 = 10. Therefore second quantity = 10×10 = 100.

id=98211 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9396 at 4% per annum for 5 years. | option_a=1879 | option_b=11275 | option_c=1779 | option_d=1979 | answer=A | explanation=SI = PRT/100 = 9396×4×5/100 = █1879.

id=98212 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'M' become? | option_a=Q | option_b=M | option_c=Q | option_d=K | answer=C | explanation=Move 2 positions forward from M; the resulting letter is O.

id=98213 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=J | option_b=F | option_c=P | option_d=K | answer=C | explanation=Move 5 positions forward from K; the resulting letter is P.

id=98214 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:10 and the first is 152, what is the second? | option_a=190 | option_b=342 | option_c=180 | option_d=198 | answer=A | explanation=Scale factor = 152/8 = 19. Therefore second quantity = 10×19 = 190.

id=98215 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 15, 22, 31? | option_a=8 | option_b=31 | option_c=15 | option_d=22 | answer=B | explanation=The first three numbers increase by 7, so the next should be 29. Therefore 31 is the odd one out.

id=98216 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:5 and the first is 39, what is the second? | option_a=104 | option_b=68 | option_c=60 | option_d=65 | answer=D | explanation=Scale factor = 39/3 = 13. Therefore second quantity = 5×13 = 65.

id=98217 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42756 at 4% per annum for 5 years. | option_a=51307 | option_b=8651 | option_c=8551 | option_d=8451 | answer=C | explanation=SI = PRT/100 = 42756×4×5/100 = █8551.

id=98218 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16617 at 4% per annum for 2 years. | option_a=17946 | option_b=1329 | option_c=1229 | option_d=1429 | answer=B | explanation=SI = PRT/100 = 16617×4×2/100 = █1329.

id=98219 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3718. If it is sold at a profit of 5%, what is its selling price? | option_a=3723 | option_b=3532 | option_c=4274 | option_d=3903 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3718 × 105/100 = █3903.

id=98220 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=29 | option_b=47 | option_c=38 | option_d=39 | answer=C | explanation=The common difference is 9. Therefore the next term is 29 + 9 = 38.

Aptitude Questions — Records 98,221-98,250 of 100,000

id=98221 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1495. If it is sold at a profit of 40%, what is its selling price? | option_a=1535 | option_b=2242 | option_c=1944 | option_d=2093 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1495 × 140/100 = ■2093.

id=98222 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=115 | option_b=125 | option_c=240 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=98223 | topic=Averages | difficulty=Easy | question=Find the average of 54, 55, 82, 13. | option_a=53 | option_b=50 | option_c=51 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = 204 ÷ 4 = 51.

id=98224 | topic=Averages | difficulty=Easy | question=Find the average of 44, 95, 33, 18, 90. | option_a=56 | option_b=58 | option_c=57 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 280 ÷ 5 = 56.

id=98225 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=98226 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=J | option_b=O | option_c=Y | option_d=T | answer=D | explanation=Move 5 positions forward from O; the resulting letter is T.

id=98227 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■39308 at 12% per annum for 4 years. | option_a=18867 | option_b=18967 | option_c=18767 | option_d=58175 | answer=A | explanation=SI = PRT/100 = 39308×12×4/100 = ■18867.

id=98228 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=24 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=98229 | topic=Averages | difficulty=Easy | question=Find the average of 43, 26, 43, 80, 56, 33, 20, 11. | option_a=38 | option_b=40 | option_c=41 | option_d=39 | answer=D | explanation=Average = sum of values ÷ number of values = 312 ÷ 8 = 39.

id=98230 | topic=Percentages | difficulty=Easy | question=What is 5% of 917? | option_a=40 | option_b=90 | option_c=65 | option_d=45 | answer=D | explanation=5% of 917 = (5/100) × 917 = 45.

id=98231 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=98232 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 13, 19, 28? | option_a=19 | option_b=13 | option_c=28 | option_d=7 | answer=C | explanation=The first three numbers increase by 6, so the next should be 25. Therefore 28 is the odd one out.

id=98233 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■2177 at 12% per annum for 5 years. | option_a=1206 | option_b=3483 | option_c=1306 | option_d=1406 | answer=C | explanation=SI = PRT/100 = 2177×12×5/100 = ■1306.

id=98234 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=10 | option_b=30 | option_c=20 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=98235 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■12031 at 5% per annum for 3 years. | option_a=1704 | option_b=13835 | option_c=1904 | option_d=1804 | answer=D | explanation=SI = PRT/100 = 12031×5×3/100 = ■1804.

id=98236 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=15 | option_c=5 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=98237 | topic=Averages | difficulty=Easy | question=Find the average of 20, 95, 65, 21, 20, 64, 15, 76. | option_a=49 | option_b=46 | option_c=48 | option_d=47 | answer=D | explanation=Average = sum of values ÷ number of values = 376 ÷ 8 = 47.

id=98238 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 30, 41, 52, ? | option_a=52 | option_b=74 | option_c=63 | option_d=64 | answer=C | explanation=The common difference is 11. Therefore the next term is 52 + 11 = 63.

id=98239 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 28, 38, 48, ? | option_a=59 | option_b=58 | option_c=68 | option_d=48 | answer=B | explanation=The common difference is 10. Therefore the next term is 48 + 10 = 58.

id=98240 | topic=Averages | difficulty=Easy | question=Find the average of 48, 46, 81, 29, 28, 11, 90, 17, 37, 33. | option_a=44 | option_b=41 | option_c=43 | option_d=42 | answer=D | explanation=Average = sum of values ÷ number of values = 420 ÷ 10 = 42.

id=98241 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=3 | option_d=12 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=98242 | topic=Percentages | difficulty=Easy | question=What is 15% of 742? | option_a=111 | option_b=101 | option_c=116 | option_d=222 | answer=A | explanation=15% of 742 = (15/100) × 742 = 111.

id=98243 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■28779 at 12% per annum for 4 years. | option_a=13913 | option_b=13813 | option_c=42592 | option_d=13713 | answer=B | explanation=SI = PRT/100 = 28779×12×4/100 = ■13813.

id=98244 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=98245 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 30, 34, 41? | option_a=30 | option_b=26 | option_c=41 | option_d=34 | answer=C | explanation=The first three numbers increase by 4, so the next should be 38. Therefore 41 is the odd one out.

id=98246 | topic=Averages | difficulty=Easy | question=Find the average of 67, 100, 79. | option_a=83 | option_b=81 | option_c=84 | option_d=82 | answer=D | explanation=Average = sum of values ÷ number of values = 246 ÷ 3 = 82.

id=98247 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=98248 | topic=Averages | difficulty=Easy | question=Find the average of 31, 21, 71, 25, 91, 42, 45, 39, 78, 37. | option_a=49 | option_b=50 | option_c=47 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = 480 ÷ 10 = 48.

id=98249 | topic=Averages | difficulty=Easy | question=Find the average of 12, 63, 41, 21, 97, 88, 20, 66, 51. | option_a=52 | option_b=53 | option_c=51 | option_d=50 | answer=C | explanation=Average = sum of values ÷ number of values = 459 ÷ 9 = 51.

id=98250 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=C | option_b=O | option_c=G | option_d=K | answer=D | explanation=Move 4 positions forward from G; the resulting letter is K.

Aptitude Questions — Records 98,251-98,280 of 100,000

id=98251 | topic=Averages | difficulty=Easy | question=Find the average of 49, 70, 44, 44, 83. | option_a=57 | option_b=59 | option_c=58 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = 290 ÷ 5 = 58.

id=98252 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 28, 35, 44? | option_a=28 | option_b=44 | option_c=35 | option_d=21 | answer=B | explanation=The first three numbers increase by 7, so the next should be 42. Therefore 44 is the odd one out.

id=98253 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2372. If it is sold at a profit of 5%, what is its selling price? | option_a=2253 | option_b=2727 | option_c=2490 | option_d=2377 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2372 × 105/100 = █2490.

id=98254 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3513. If it is sold at a profit of 5%, what is its selling price? | option_a=3337 | option_b=4039 | option_c=3688 | option_d=3518 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3513 × 105/100 = █3688.

id=98255 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 28, 38, 48, ? | option_a=59 | option_b=68 | option_c=48 | option_d=58 | answer=D | explanation=The common difference is 10. Therefore the next term is 48 + 10 = 58.

id=98256 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █37577 at 8% per annum for 3 years. | option_a=9118 | option_b=46595 | option_c=8918 | option_d=9018 | answer=D | explanation=SI = PRT/100 = 37577×8×3/100 = █9018.

id=98257 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2803. If it is sold at a profit of 40%, what is its selling price? | option_a=4204 | option_b=2843 | option_c=3924 | option_d=3644 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2803 × 140/100 = █3924.

id=98258 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=C | option_b=K | option_c=G | option_d=O | answer=B | explanation=Move 4 positions forward from G; the resulting letter is K.

id=98259 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=24 | option_b=48 | option_c=29 | option_d=19 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=98260 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 19, 22, 25, ? | option_a=29 | option_b=28 | option_c=25 | option_d=31 | answer=B | explanation=The common difference is 3. Therefore the next term is 25 + 3 = 28.

id=98261 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 8. | option_a=1 | option_b=32 | option_c=8 | option_d=12 | answer=C | explanation=LCM × HCF = 4×8; HCF(4,8) = 4, so LCM = 8.

id=98262 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █30194 at 10% per annum for 1 years. | option_a=2919 | option_b=3019 | option_c=33213 | option_d=3119 | answer=B | explanation=SI = PRT/100 = 30194×10×1/100 = █3019.

id=98263 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2051. If it is sold at a profit of 50%, what is its selling price? | option_a=2101 | option_b=3281 | option_c=2871 | option_d=3076 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2051 × 150/100 = █3076.

id=98264 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 14, 23, 34? | option_a=34 | option_b=23 | option_c=14 | option_d=5 | answer=A | explanation=The first three numbers increase by 9, so the next should be 32. Therefore 34 is the odd one out.

id=98265 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=98266 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=Z | option_c=B | option_d=A | answer=C | explanation=Move 1 positions forward from A; the resulting letter is B.

id=98267 | topic=Averages | difficulty=Easy | question=Find the average of 91, 97, 65, 47. | option_a=74 | option_b=75 | option_c=76 | option_d=77 | answer=B | explanation=Average = sum of values ÷ number of values = 300 ÷ 4 = 75.

id=98268 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:19 and the first is 26, what is the second? | option_a=249 | option_b=247 | option_c=228 | option_d=273 | answer=B | explanation=Scale factor = 26/2 = 13. Therefore second quantity = 19×13 = 247.

id=98269 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █42812 at 4% per annum for 4 years. | option_a=49661 | option_b=6749 | option_c=6849 | option_d=6949 | answer=C | explanation=SI = PRT/100 = 42812×4×4/100 = █6849.

id=98270 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=33 | option_b=34 | option_c=29 | option_d=37 | answer=A | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=98271 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=98272 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 17, 29, 41, ? | option_a=53 | option_b=65 | option_c=54 | option_d=41 | answer=A | explanation=The common difference is 12. Therefore the next term is 41 + 12 = 53.

id=98273 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=80 | option_b=40 | option_c=45 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=98274 | topic=Averages | difficulty=Easy | question=Find the average of 10, 53, 45. | option_a=36 | option_b=38 | option_c=35 | option_d=37 | answer=A | explanation=Average = sum of values ÷ number of values = 108 ÷ 3 = 36.

id=98275 | topic=Percentages | difficulty=Easy | question=What is 5% of 1562? | option_a=78 | option_b=68 | option_c=156 | option_d=83 | answer=A | explanation=5% of 1562 = (5/100) × 1562 = 78.

id=98276 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:5 and the first is 190, what is the second? | option_a=240 | option_b=69 | option_c=50 | option_d=45 | answer=C | explanation=Scale factor = 190/19 = 10. Therefore second quantity = 5×10 = 50.

id=98277 | topic=Percentages | difficulty=Easy | question=What is 15% of 1865? | option_a=269 | option_b=558 | option_c=284 | option_d=279 | answer=D | explanation=15% of 1865 = (15/100) × 1865 = 279.

id=98278 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=Q | option_b=N | option_c=K | option_d=T | answer=A | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=98279 | topic=Percentages | difficulty=Easy | question=What is 5% of 292? | option_a=19 | option_b=28 | option_c=14 | option_d=9 | answer=C | explanation=5% of 292 = (5/100) × 292 = 14.

id=98280 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:15 and the first is 54, what is the second? | option_a=189 | option_b=141 | option_c=120 | option_d=135 | answer=D | explanation=Scale factor = 54/6 = 9. Therefore second quantity = 15×9 = 135.

Aptitude Questions — Records 98,281-98,310 of 100,000

id=98281 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:11 and the first is 52, what is the second? | option_a=96 | option_b=44 | option_c=57 | option_d=33 | answer=B | explanation=Scale factor = 52/13 = 4. Therefore second quantity = 11×4 = 44.

id=98282 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 32, 42, 53? | option_a=53 | option_b=22 | option_c=32 | option_d=42 | answer=A | explanation=The first three numbers increase by 10, so the next should be 52. Therefore 53 is the odd one out.

id=98283 | topic=Percentages | difficulty=Easy | question=What is 20% of 1524? | option_a=284 | option_b=309 | option_c=608 | option_d=304 | answer=D | explanation=20% of 1524 = (20/100) × 1524 = 304.

id=98284 | topic=Averages | difficulty=Easy | question=Find the average of 97, 94, 100. | option_a=98 | option_b=99 | option_c=96 | option_d=97 | answer=D | explanation=Average = sum of values ÷ number of values = 291 ÷ 3 = 97.

id=98285 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■28391 at 10% per annum for 5 years. | option_a=14195 | option_b=42586 | option_c=14295 | option_d=14095 | answer=A | explanation=SI = PRT/100 = 28391×10×5/100 = ■14195.

id=98286 | topic=Averages | difficulty=Easy | question=Find the average of 44, 71, 89, 83, 84, 91, 98. | option_a=81 | option_b=82 | option_c=80 | option_d=79 | answer=C | explanation=Average = sum of values ÷ number of values = 560 ÷ 7 = 80.

id=98287 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■1438 at 5% per annum for 1 years. | option_a=171 | option_b=0 | option_c=71 | option_d=1509 | answer=C | explanation=SI = PRT/100 = 1438×5×1/100 = ■71.

id=98288 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=16 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=98289 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■43979 at 8% per annum for 4 years. | option_a=58052 | option_b=13973 | option_c=14173 | option_d=14073 | answer=D | explanation=SI = PRT/100 = 43979×8×4/100 = ■14073.

id=98290 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:1 and the first is 280, what is the second? | option_a=20 | option_b=300 | option_c=34 | option_d=19 | answer=A | explanation=Scale factor = 280/14 = 20. Therefore second quantity = 1×20 = 20.

id=98291 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 7, 9, 12? | option_a=12 | option_b=9 | option_c=5 | option_d=7 | answer=A | explanation=The first three numbers increase by 2, so the next should be 11. Therefore 12 is the odd one out.

id=98292 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:5 and the first is 180, what is the second? | option_a=90 | option_b=85 | option_c=100 | option_d=270 | answer=A | explanation=Scale factor = 180/10 = 18. Therefore second quantity = 5×18 = 90.

id=98293 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=98294 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 12, 15, 19? | option_a=15 | option_b=19 | option_c=9 | option_d=12 | answer=B | explanation=The first three numbers increase by 3, so the next should be 18. Therefore 19 is the odd one out.

id=98295 | topic=Averages | difficulty=Easy | question=Find the average of 99, 59, 35, 91, 95, 81, 14, 98, 53, 25. | option_a=66 | option_b=65 | option_c=64 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = 650 ÷ 10 = 65.

id=98296 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 26. | option_a=364 | option_b=182 | option_c=196 | option_d=156 | answer=B | explanation=LCM × HCF = 14×26; HCF(14,26) = 2, so LCM = 182.

id=98297 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:1 and the first is 72, what is the second? | option_a=3 | option_b=22 | option_c=76 | option_d=4 | answer=D | explanation=Scale factor = 72/18 = 4. Therefore second quantity = 1×4 = 4.

id=98298 | topic=Percentages | difficulty=Easy | question=What is 15% of 165? | option_a=29 | option_b=19 | option_c=24 | option_d=48 | answer=C | explanation=15% of 165 = (15/100) × 165 = 24.

id=98299 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 27, 34, 42? | option_a=20 | option_b=27 | option_c=34 | option_d=42 | answer=D | explanation=The first three numbers increase by 7, so the next should be 41. Therefore 42 is the odd one out.

id=98300 | topic=Averages | difficulty=Easy | question=Find the average of 27, 19, 39, 53, 49, 47. | option_a=39 | option_b=40 | option_c=41 | option_d=38 | answer=A | explanation=Average = sum of values ÷ number of values = 234 ÷ 6 = 39.

id=98301 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 9, 11, 16? | option_a=7 | option_b=11 | option_c=16 | option_d=9 | answer=C | explanation=The first three numbers increase by 2, so the next should be 13. Therefore 16 is the odd one out.

id=98302 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=36 | option_b=18 | option_c=13 | option_d=23 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=98303 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2451. If it is sold at a profit of 5%, what is its selling price? | option_a=2573 | option_b=2818 | option_c=2328 | option_d=2456 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2451 × 105/100 = ■2573.

id=98304 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=185 | option_c=360 | option_d=175 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=98305 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 17, 19, 21, ? | option_a=23 | option_b=24 | option_c=25 | option_d=21 | answer=A | explanation=The common difference is 2. Therefore the next term is 21 + 2 = 23.

id=98306 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 11, 17, 26? | option_a=26 | option_b=17 | option_c=11 | option_d=5 | answer=A | explanation=The first three numbers increase by 6, so the next should be 23. Therefore 26 is the odd one out.

id=98307 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 25, 34, 43, ? | option_a=61 | option_b=52 | option_c=43 | option_d=53 | answer=B | explanation=The common difference is 9. Therefore the next term is 43 + 9 = 52.

id=98308 | topic=Percentages | difficulty=Easy | question=What is 15% of 1870? | option_a=300 | option_b=260 | option_c=280 | option_d=560 | answer=C | explanation=15% of 1870 = (15/100) × 1870 = 280.

id=98309 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=3 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=98310 | topic=Percentages | difficulty=Easy | question=What is 5% of 1826? | option_a=91 | option_b=182 | option_c=101 | option_d=71 | answer=A | explanation=5% of 1826 = (5/100) × 1826 = 91.

Aptitude Questions — Records 98,311-98,340 of 100,000

id=98311 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:14 and the first is 63, what is the second? | option_a=98 | option_b=107 | option_c=84 | option_d=161 | answer=A | explanation=Scale factor = 63/9 = 7. Therefore second quantity = 14×7 = 98.

id=98312 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=70 | option_b=150 | option_c=80 | option_d=75 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 4 = 75 km/h.

id=98313 | topic=Percentages | difficulty=Easy | question=What is 25% of 1879? | option_a=459 | option_b=469 | option_c=489 | option_d=938 | answer=B | explanation=25% of 1879 = (25/100) × 1879 = 469.

id=98314 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**11395 at 10% per annum for 2 years. | option_a=2179 | option_b=2379 | option_c=2279 | option_d=13674 | answer=C | explanation=SI = PRT/100 = 11395×10×2/100 = **■**2279.

id=98315 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=98316 | topic=Averages | difficulty=Easy | question=Find the average of 38, 64, 88, 54. | option_a=60 | option_b=61 | option_c=62 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 244 ÷ 4 = 61.

id=98317 | topic=Averages | difficulty=Easy | question=Find the average of 74, 37, 99. | option_a=72 | option_b=70 | option_c=69 | option_d=71 | answer=B | explanation=Average = sum of values ÷ number of values = 210 ÷ 3 = 70.

id=98318 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 7, 12, 20? | option_a=20 | option_b=7 | option_c=12 | option_d=2 | answer=A | explanation=The first three numbers increase by 5, so the next should be 17. Therefore 20 is the odd one out.

id=98319 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=85 | option_b=180 | option_c=95 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=98320 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:6 and the first is 240, what is the second? | option_a=72 | option_b=92 | option_c=312 | option_d=66 | answer=A | explanation=Scale factor = 240/20 = 12. Therefore second quantity = 6×12 = 72.

id=98321 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37275 at 4% per annum for 1 years. | option_a=1491 | option_b=38766 | option_c=1391 | option_d=1591 | answer=A | explanation=SI = PRT/100 = 37275×4×1/100 = **■**1491.

id=98322 | topic=Averages | difficulty=Easy | question=Find the average of 90, 10, 75, 97, 30, 52, 11, 67. | option_a=53 | option_b=56 | option_c=55 | option_d=54 | answer=D | explanation=Average = sum of values ÷ number of values = 432 ÷ 8 = 54.

id=98323 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2759. If it is sold at a profit of 25%, what is its selling price? | option_a=2784 | option_b=3173 | option_c=3448 | option_d=3723 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2759 × 125/100 = **■**3448.

id=98324 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=3 | option_d=8 | answer=B | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=98325 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=98326 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=98327 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=98328 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=O | option_c=I | option_d=M | answer=D | explanation=Move 2 positions forward from K; the resulting letter is M.

id=98329 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=67 | option_b=54 | option_c=78 | option_d=66 | answer=D | explanation=The common difference is 12. Therefore the next term is 54 + 12 = 66.

id=98330 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 18, 30, 42, ? | option_a=54 | option_b=66 | option_c=55 | option_d=42 | answer=A | explanation=The common difference is 12. Therefore the next term is 42 + 12 = 54.

id=98331 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 18, 28, 38, ? | option_a=58 | option_b=49 | option_c=48 | option_d=38 | answer=C | explanation=The common difference is 10. Therefore the next term is 38 + 10 = 48.

id=98332 | topic=Averages | difficulty=Easy | question=Find the average of 61, 90, 90, 59. | option_a=77 | option_b=75 | option_c=74 | option_d=76 | answer=B | explanation=Average = sum of values ÷ number of values = 300 ÷ 4 = 75.

id=98333 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 51? | option_a=30 | option_b=51 | option_c=21 | option_d=39 | answer=B | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 51 is the odd one out.

id=98334 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2949. If it is sold at a profit of 20%, what is its selling price? | option_a=3244 | option_b=2969 | option_c=3832 | option_d=3538 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2949 × 120/100 = **■**3538.

id=98335 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 3. | option_a=6 | option_b=3 | option_c=1 | option_d=9 | answer=B | explanation=LCM × HCF = 3×3; HCF(3,3) = 3, so LCM = 3.

id=98336 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=98337 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=46 | option_b=58 | option_c=57 | option_d=68 | answer=C | explanation=The common difference is 11. Therefore the next term is 46 + 11 = 57.

id=98338 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=98339 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 28. | option_a=672 | option_b=192 | option_c=168 | option_d=140 | answer=C | explanation=LCM × HCF = 24×28; HCF(24,28) = 4, so LCM = 168.

id=98340 | topic=Percentages | difficulty=Easy | question=What is 20% of 1577? | option_a=335 | option_b=315 | option_c=310 | option_d=630 | answer=B | explanation=20% of 1577 = (20/100) × 1577 = 315.

Aptitude Questions — Records 98,341-98,370 of 100,000

id=98341 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=31 | option_b=28 | option_c=32 | option_d=34 | answer=A | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=98342 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=98343 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:4 and the first is 168, what is the second? | option_a=62 | option_b=44 | option_c=48 | option_d=216 | answer=C | explanation=Scale factor = $\frac{168}{14} = 12$. Therefore second quantity = $4 \times 12 = 48$.

id=98344 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:13 and the first is 144, what is the second? | option_a=300 | option_b=156 | option_c=143 | option_d=168 | answer=B | explanation=Scale factor = $\frac{144}{12} = 12$. Therefore second quantity = $13 \times 12 = 156$.

id=98345 | topic=Averages | difficulty=Easy | question=Find the average of 85, 22, 22, 84, 28, 59. | option_a=50 | option_b=49 | option_c=51 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{300}{6} = 50$.

id=98346 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 28, 32, 38? | option_a=32 | option_b=24 | option_c=38 | option_d=28 | answer=C | explanation=The first three numbers increase by 4, so the next should be 36. Therefore 38 is the odd one out.

id=98347 | topic=Percentages | difficulty=Easy | question=What is 15% of 1660? | option_a=259 | option_b=498 | option_c=249 | option_d=244 | answer=C | explanation=15% of 1660 = $(\frac{15}{100}) \times 1660 = 249$.

id=98348 | topic=Averages | difficulty=Easy | question=Find the average of 24, 34, 46, 99, 30, 93, 101. | option_a=63 | option_b=60 | option_c=61 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{427}{7} = 61$.

id=98349 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 11, 20, 30? | option_a=2 | option_b=11 | option_c=20 | option_d=30 | answer=D | explanation=The first three numbers increase by 9, so the next should be 29. Therefore 30 is the odd one out.

id=98350 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 4. | option_a=16 | option_b=32 | option_c=12 | option_d=64 | answer=A | explanation=LCM $\times$ HCF = 16×4 ; HCF(16,4) = 4, so LCM = 16.

id=98351 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = $\frac{60}{4} = 15$ km/h.

id=98352 | topic=Averages | difficulty=Easy | question=Find the average of 28, 31, 40, 38, 37, 48, 41, 49. | option_a=41 | option_b=38 | option_c=40 | option_d=39 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{312}{8} = 39$.

id=98353 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:1 and the first is 14, what is the second? | option_a=7 | option_b=9 | option_c=6 | option_d=21 | answer=A | explanation=Scale factor = $\frac{14}{2} = 7$. Therefore second quantity = $1 \times 7 = 7$.

id=98354 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12277 at 15% per annum for 5 years. | option_a=21484 | option_b=9207 | option_c=9307 | option_d=9107 | answer=B | explanation=SI = $\frac{PRT}{100} = \frac{12277 \times 15 \times 5}{100} = \text{■}9207$.

id=98355 | topic=Percentages | difficulty=Easy | question=What is 5% of 306? | option_a=0 | option_b=15 | option_c=25 | option_d=30 | answer=B | explanation=5% of 306 = $(\frac{5}{100}) \times 306 = 15$.

id=98356 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=32 | option_b=28 | option_c=34 | option_d=31 | answer=D | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=98357 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**31455 at 6% per annum for 2 years. | option_a=35229 | option_b=3874 | option_c=3774 | option_d=3674 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{31455 \times 6 \times 2}{100} = \text{■}3774$.

id=98358 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.

id=98359 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=115 | option_c=125 | option_d=120 | answer=D | explanation=Speed = distance ÷ time = $\frac{360}{3} = 120$ km/h.

id=98360 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3629. If it is sold at a profit of 10%, what is its selling price? | option_a=3991 | option_b=3639 | option_c=4353 | option_d=3629 | answer=A | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 3629 \times \frac{110}{100} = \text{■}3991$.

id=98361 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**2332 at 12% per annum for 3 years. | option_a=3171 | option_b=739 | option_c=839 | option_d=939 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{2332 \times 12 \times 3}{100} = \text{■}839$.

id=98362 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=98363 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 24, 30, 36, ? | option_a=42 | option_b=43 | option_c=48 | option_d=36 | answer=A | explanation=The common difference is 6. Therefore the next term is 36 + 6 = 42.

id=98364 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:17 and the first is 63, what is the second? | option_a=136 | option_b=153 | option_c=216 | option_d=160 | answer=B | explanation=Scale factor = $\frac{63}{7} = 9$. Therefore second quantity = $17 \times 9 = 153$.

id=98365 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=35 | option_b=42 | option_c=43 | option_d=49 | answer=B | explanation=The common difference is 7. Therefore the next term is 35 + 7 = 42.

id=98366 | topic=Percentages | difficulty=Easy | question=What is 15% of 1841? | option_a=276 | option_b=296 | option_c=256 | option_d=552 | answer=A | explanation=15% of 1841 = $(\frac{15}{100}) \times 1841 = 276$.

id=98367 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20453 at 4% per annum for 3 years. | option_a=2354 | option_b=2554 | option_c=22907 | option_d=2454 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{20453 \times 4 \times 3}{100} = \text{■}2454$.

id=98368 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=55 | option_c=100 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = $\frac{150}{3} = 50$ km/h.

id=98369 | topic=Percentages | difficulty=Easy | question=What is 40% of 1490? | option_a=606 | option_b=596 | option_c=1192 | option_d=576 | answer=B | explanation=40% of 1490 = $(\frac{40}{100}) \times 1490 = 596$.

id=98370 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=6 | option_c=11 | option_d=1 | answer=B | explanation=Speed = distance ÷ time = $\frac{60}{10} = 6$ km/h.

Aptitude Questions — Records 98,371-98,400 of 100,000

id=98371 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=37 | option_b=59 | option_c=49 | option_d=48 | answer=D | explanation=The common difference is 11. Therefore the next term is 37 + 11 = 48.

id=98372 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=6 | option_c=1 | option_d=11 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=98373 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=40 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=98374 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:10 and the first is 50, what is the second? | option_a=105 | option_b=90 | option_c=100 | option_d=150 | answer=C | explanation=Scale factor = 50/5 = 10. Therefore second quantity = 10×10 = 100.

id=98375 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=65 | option_d=55 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=98376 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=32 | option_b=36 | option_c=33 | option_d=28 | answer=A | explanation=The common difference is 4. Therefore the next term is 28 + 4 = 32.

id=98377 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 10, 14, 19? | option_a=19 | option_b=14 | option_c=6 | option_d=10 | answer=A | explanation=The first three numbers increase by 4, so the next should be 18. Therefore 19 is the odd one out.

id=98378 | topic=Percentages | difficulty=Easy | question=What is 15% of 1946? | option_a=582 | option_b=311 | option_c=291 | option_d=271 | answer=C | explanation=15% of 1946 = (15/100) × 1946 = 291.

id=98379 | topic=Averages | difficulty=Easy | question=Find the average of 14, 55, 98, 33. | option_a=52 | option_b=51 | option_c=49 | option_d=50 | answer=D | explanation=Average = sum of values ÷ number of values = 200 ÷ 4 = 50.

id=98380 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=A | option_c=W | option_d=I | answer=A | explanation=Move 4 positions forward from A; the resulting letter is E.

id=98381 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 35, 41, 48? | option_a=35 | option_b=41 | option_c=29 | option_d=48 | answer=D | explanation=The first three numbers increase by 6, so the next should be 47. Therefore 48 is the odd one out.

id=98382 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=98383 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 34? | option_a=34 | option_b=24 | option_c=17 | option_d=10 | answer=A | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 34 is the odd one out.

id=98384 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37560 at 4% per annum for 4 years. | option_a=5909 | option_b=6109 | option_c=43569 | option_d=6009 | answer=D | explanation=SI = PRT/100 = 37560×4×4/100 = **■**6009.

id=98385 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10499 at 6% per annum for 3 years. | option_a=1989 | option_b=12388 | option_c=1789 | option_d=1889 | answer=D | explanation=SI = PRT/100 = 10499×6×3/100 = **■**1889.

id=98386 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=Q | option_b=K | option_c=T | option_d=N | answer=A | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=98387 | topic=Percentages | difficulty=Easy | question=What is 5% of 864? | option_a=43 | option_b=63 | option_c=86 | option_d=38 | answer=A | explanation=5% of 864 = (5/100) × 864 = 43.

id=98388 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 225, what is the second? | option_a=45 | option_b=270 | option_c=42 | option_d=60 | answer=A | explanation=Scale factor = 225/15 = 15. Therefore second quantity = 3×15 = 45.

id=98389 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=28 | option_b=20 | option_c=24 | option_d=25 | answer=C | explanation=The common difference is 4. Therefore the next term is 20 + 4 = 24.

id=98390 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=50 | option_b=38 | option_c=51 | option_d=62 | answer=A | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=98391 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:4 and the first is 45, what is the second? | option_a=60 | option_b=105 | option_c=63 | option_d=56 | answer=A | explanation=Scale factor = 45/3 = 15. Therefore second quantity = 4×15 = 60.

id=98392 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=C | option_b=D | option_c=B | option_d=A | answer=A | explanation=Move 1 positions forward from B; the resulting letter is C.

id=98393 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=4 | option_d=5 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=98394 | topic=Percentages | difficulty=Easy | question=What is 25% of 330? | option_a=82 | option_b=92 | option_c=164 | option_d=72 | answer=A | explanation=25% of 330 = (25/100) × 330 = 82.

id=98395 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2802. If it is sold at a profit of 10%, what is its selling price? | option_a=3362 | option_b=3082 | option_c=2802 | option_d=2812 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2802 × 110/100 = **■**3082.

id=98396 | topic=Averages | difficulty=Easy | question=Find the average of 49, 80, 32, 37, 34, 56. | option_a=49 | option_b=50 | option_c=47 | option_d=48 | answer=D | explanation=Average = sum of values ÷ number of values = 288 ÷ 6 = 48.

id=98397 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:20 and the first is 52, what is the second? | option_a=312 | option_b=264 | option_c=260 | option_d=240 | answer=C | explanation=Scale factor = 52/4 = 13. Therefore second quantity = 20×13 = 260.

id=98398 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 10. | option_a=60 | option_b=72 | option_c=120 | option_d=50 | answer=A | explanation=LCM × HCF = 12×10; HCF(12,10) = 2, so LCM = 60.

id=98399 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 28, 37, 46, ? | option_a=56 | option_b=55 | option_c=64 | option_d=46 | answer=B | explanation=The common difference is 9. Therefore the next term is 46 + 9 = 55.

id=98400 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39602 at 5% per annum for 4 years. | option_a=7820 | option_b=8020 | option_c=7920 | option_d=47522 | answer=C | explanation=SI = PRT/100 = 39602×5×4/100 = **■**7920.

Aptitude Questions — Records 98,401-98,430 of 100,000

id=98401 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4495. If it is sold at a profit of 40%, what is its selling price? | option_a=6293 | option_b=6742 | option_c=5844 | option_d=4535 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4495 \times 140/100 = \text{█}6293$.

id=98402 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4625. If it is sold at a profit of 15%, what is its selling price? | option_a=5780 | option_b=4856 | option_c=5318 | option_d=4640 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4625 \times 115/100 = \text{█}5318$.

id=98403 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=56 | option_b=47 | option_c=48 | option_d=38 | answer=B | explanation=The common difference is 9. Therefore the next term is $38 + 9 = 47$.

id=98404 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:17 and the first is 304, what is the second? | option_a=339 | option_b=323 | option_c=306 | option_d=627 | answer=B | explanation=Scale factor = $304/16 = 19$. Therefore second quantity = $17 \times 19 = 323$.

id=98405 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:13 and the first is 154, what is the second? | option_a=193 | option_b=182 | option_c=336 | option_d=169 | answer=B | explanation=Scale factor = $154/11 = 14$. Therefore second quantity = $13 \times 14 = 182$.

id=98406 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:15 and the first is 90, what is the second? | option_a=75 | option_b=165 | option_c=60 | option_d=93 | answer=A | explanation=Scale factor = $90/18 = 5$. Therefore second quantity = $15 \times 5 = 75$.

id=98407 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'F' become? | option_a=F | option_b=D | option_c=J | option_d=H | answer=D | explanation=Move 2 positions forward from F; the resulting letter is H.

id=98408 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:3 and the first is 32, what is the second? | option_a=9 | option_b=44 | option_c=20 | option_d=12 | answer=D | explanation=Scale factor = $32/8 = 4$. Therefore second quantity = $3 \times 4 = 12$.

id=98409 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=20 | option_b=18 | option_c=16 | option_d=19 | answer=B | explanation=The common difference is 2. Therefore the next term is $16 + 2 = 18$.

id=98410 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:11 and the first is 128, what is the second? | option_a=165 | option_b=184 | option_c=176 | option_d=304 | answer=C | explanation=Scale factor = $128/8 = 16$. Therefore second quantity = $11 \times 16 = 176$.

id=98411 | topic=Percentages | difficulty=Easy | question=What is 50% of 1248? | option_a=629 | option_b=619 | option_c=624 | option_d=1248 | answer=C | explanation= $50\% \text{ of } 1248 = (50/100) \times 1248 = 624$.

id=98412 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=20 | option_b=21 | option_c=19 | option_d=17 | answer=C | explanation=The common difference is 2. Therefore the next term is $17 + 2 = 19$.

id=98413 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 24? | option_a=9 | option_b=15 | option_c=3 | option_d=24 | answer=D | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 24 is the odd one out.

id=98414 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 31, 40, 50? | option_a=31 | option_b=50 | option_c=22 | option_d=40 | answer=B | explanation=The first three numbers increase by 9, so the next should be 49. Therefore 50 is the odd one out.

id=98415 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:20 and the first is 75, what is the second? | option_a=305 | option_b=375 | option_c=280 | option_d=300 | answer=D | explanation=Scale factor = $75/5 = 15$. Therefore second quantity = $20 \times 15 = 300$.

id=98416 | topic=Averages | difficulty=Easy | question=Find the average of 36, 90, 95, 51, 95, 80, 50. | option_a=73 | option_b=71 | option_c=70 | option_d=72 | answer=B | explanation=Average = $\text{sum of values} \div \text{number of values} = 497 \div 7 = 71$.

id=98417 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=98418 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=25 | option_c=40 | option_d=20 | answer=D | explanation=Speed = $\text{distance} \div \text{time} = 60 \div 3 = 20$ km/h.

id=98419 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = $1/12 + 1/6 = 18/72$. Time = $72/18 = 4$ days.

id=98420 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 50? | option_a=21 | option_b=30 | option_c=39 | option_d=50 | answer=D | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 50 is the odd one out.

id=98421 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'B' become? | option_a=E | option_b=H | option_c=B | option_d=Y | answer=A | explanation=Move 3 positions forward from B; the resulting letter is E.

id=98422 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █4726 at 5% per annum for 5 years. | option_a=1081 | option_b=1181 | option_c=1281 | option_d=5907 | answer=B | explanation=SI = $PRT/100 = 4726 \times 5 \times 5/100 = \text{█}1181$.

id=98423 | topic=Averages | difficulty=Easy | question=Find the average of 88, 57, 50, 77. | option_a=67 | option_b=69 | option_c=70 | option_d=68 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 272 \div 4 = 68$.

id=98424 | topic=Averages | difficulty=Easy | question=Find the average of 19, 94, 13. | option_a=44 | option_b=41 | option_c=43 | option_d=42 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 126 \div 3 = 42$.

id=98425 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4462. If it is sold at a profit of 15%, what is its selling price? | option_a=4477 | option_b=5577 | option_c=5131 | option_d=4685 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4462 \times 115/100 = \text{█}5131$.

id=98426 | topic=Averages | difficulty=Easy | question=Find the average of 66, 41, 83, 30. | option_a=54 | option_b=56 | option_c=57 | option_d=55 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 220 \div 4 = 55$.

id=98427 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:3 and the first is 30, what is the second? | option_a=45 | option_b=42 | option_c=47 | option_d=75 | answer=A | explanation=Scale factor = $30/2 = 15$. Therefore second quantity = $3 \times 15 = 45$.

id=98428 | topic=Percentages | difficulty=Easy | question=What is 5% of 1579? | option_a=58 | option_b=78 | option_c=83 | option_d=156 | answer=B | explanation= $5\% \text{ of } 1579 = (5/100) \times 1579 = 78$.

id=98429 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 31, 39, 48? | option_a=23 | option_b=39 | option_c=48 | option_d=31 | answer=C | explanation=The first three numbers increase by 8, so the next should be 47. Therefore 48 is the odd one out.

id=98430 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=7 | option_d=24 | answer=B | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

Aptitude Questions — Records 98,431-98,460 of 100,000

id=98431 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=K | option_c=G | option_d=S | answer=A | explanation=Move 4 positions forward from K; the resulting letter is O.

id=98432 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8982 at 12% per annum for 3 years. | option_a=3233 | option_b=3133 | option_c=12215 | option_d=3333 | answer=A | explanation=SI = $PRT/100 = 8982 \times 12 \times 3/100 = \text{■}3233$.

id=98433 | topic=Percentages | difficulty=Easy | question=What is 25% of 1889? | option_a=472 | option_b=477 | option_c=462 | option_d=944 | answer=A | explanation=25% of 1889 = $(25/100) \times 1889 = 472$.

id=98434 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**528. If it is sold at a profit of 10%, what is its selling price? | option_a=528 | option_b=538 | option_c=580 | option_d=632 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 528 \times 110/100 = \text{■}580$.

id=98435 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2052. If it is sold at a profit of 20%, what is its selling price? | option_a=2072 | option_b=2462 | option_c=2257 | option_d=2667 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2052 \times 120/100 = \text{■}2462$.

id=98436 | topic=Percentages | difficulty=Easy | question=What is 5% of 1285? | option_a=128 | option_b=64 | option_c=59 | option_d=84 | answer=B | explanation=5% of 1285 = $(5/100) \times 1285 = 64$.

id=98437 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:18 and the first is 198, what is the second? | option_a=180 | option_b=216 | option_c=396 | option_d=198 | answer=D | explanation=Scale factor = $198/18 = 11$. Therefore second quantity = $18 \times 11 = 198$.

id=98438 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29751 at 5% per annum for 2 years. | option_a=2875 | option_b=3075 | option_c=2975 | option_d=32726 | answer=C | explanation=SI = $PRT/100 = 29751 \times 5 \times 2/100 = \text{■}2975$.

id=98439 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:16 and the first is 216, what is the second? | option_a=288 | option_b=272 | option_c=300 | option_d=504 | answer=A | explanation=Scale factor = $216/12 = 18$. Therefore second quantity = $16 \times 18 = 288$.

id=98440 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = $\text{distance} \div \text{time} = 180 \div 3 = 60$ km/h.

id=98441 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 14, 16, 18, ? | option_a=21 | option_b=20 | option_c=18 | option_d=22 | answer=B | explanation=The common difference is 2. Therefore the next term is $18 + 2 = 20$.

id=98442 | topic=Averages | difficulty=Easy | question=Find the average of 68, 13, 63, 21, 52, 61, 62, 63, 17, 60. | option_a=47 | option_b=49 | option_c=50 | option_d=48 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 480 \div 10 = 48$.

id=98443 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 15. | option_a=45 | option_b=18 | option_c=15 | option_d=1 | answer=C | explanation= $\text{LCM} \times \text{HCF} = 3 \times 15$; $\text{HCF}(3,15) = 3$, so $\text{LCM} = 15$.

id=98444 | topic=Percentages | difficulty=Easy | question=What is 5% of 1218? | option_a=60 | option_b=120 | option_c=40 | option_d=80 | answer=A | explanation=5% of 1218 = $(5/100) \times 1218 = 60$.

id=98445 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 44? | option_a=38 | option_b=34 | option_c=44 | option_d=30 | answer=C | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 44 is the odd one out.

id=98446 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**19068 at 4% per annum for 1 years. | option_a=862 | option_b=19830 | option_c=662 | option_d=762 | answer=D | explanation=SI = $PRT/100 = 19068 \times 4 \times 1/100 = \text{■}762$.

id=98447 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=98448 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 18, 28, 38, ? | option_a=48 | option_b=49 | option_c=38 | option_d=58 | answer=A | explanation=The common difference is 10. Therefore the next term is $38 + 10 = 48$.

id=98449 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=24 | option_b=17 | option_c=12 | option_d=7 | answer=C | explanation=Speed = $\text{distance} \div \text{time} = 120 \div 10 = 12$ km/h.

id=98450 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 15. | option_a=126 | option_b=315 | option_c=90 | option_d=105 | answer=D | explanation= $\text{LCM} \times \text{HCF} = 21 \times 15$; $\text{HCF}(21,15) = 3$, so $\text{LCM} = 105$.

id=98451 | topic=Percentages | difficulty=Easy | question=What is 12% of 827? | option_a=99 | option_b=89 | option_c=119 | option_d=198 | answer=A | explanation=12% of 827 = $(12/100) \times 827 = 99$.

id=98452 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 3. | option_a=3 | option_b=12 | option_c=18 | option_d=6 | answer=D | explanation= $\text{LCM} \times \text{HCF} = 6 \times 3$; $\text{HCF}(6,3) = 3$, so $\text{LCM} = 6$.

id=98453 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 19, 21, 24? | option_a=19 | option_b=21 | option_c=17 | option_d=24 | answer=D | explanation=The first three numbers increase by 2, so the next should be 23. Therefore 24 is the odd one out.

id=98454 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**551. If it is sold at a profit of 25%, what is its selling price? | option_a=743 | option_b=576 | option_c=688 | option_d=633 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 551 \times 125/100 = \text{■}688$.

id=98455 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=31 | option_b=30 | option_c=36 | option_d=24 | answer=B | explanation=The common difference is 6. Therefore the next term is $24 + 6 = 30$.

id=98456 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=T | option_c=P | option_d=R | answer=B | explanation=Move 2 positions forward from R; the resulting letter is T.

id=98457 | topic=Averages | difficulty=Easy | question=Find the average of 56, 75, 29, 49, 20, 49, 26, 79, 17, 80. | option_a=49 | option_b=50 | option_c=47 | option_d=48 | answer=D | explanation=Average = $\text{sum of values} \div \text{number of values} = 480 \div 10 = 48$.

id=98458 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=I | option_b=E | option_c=M | option_d=A | answer=A | explanation=Move 4 positions forward from E; the resulting letter is I.

id=98459 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:4 and the first is 60, what is the second? | option_a=76 | option_b=80 | option_c=140 | option_d=83 | answer=B | explanation=Scale factor = $60/3 = 20$. Therefore second quantity = $4 \times 20 = 80$.

id=98460 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6158 at 12% per annum for 5 years. | option_a=3794 | option_b=3594 | option_c=9852 | option_d=3694 | answer=D | explanation=SI = $PRT/100 = 6158 \times 12 \times 5/100 = \text{■}3694$.

Aptitude Questions — Records 98,461-98,490 of 100,000

id=98461 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=180 | option_b=85 | option_c=95 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=98462 | topic=Averages | difficulty=Easy | question=Find the average of 84, 71, 52, 17, 88, 57, 39, 24. | option_a=56 | option_b=54 | option_c=55 | option_d=53 | answer=B | explanation=Average = sum of values ÷ number of values = 432 ÷ 8 = 54.

id=98463 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=98464 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3138. If it is sold at a profit of 50%, what is its selling price? | option_a=4394 | option_b=4707 | option_c=3188 | option_d=5020 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3138 × 150/100 = █4707.

id=98465 | topic=Percentages | difficulty=Easy | question=What is 15% of 143? | option_a=41 | option_b=21 | option_c=11 | option_d=42 | answer=B | explanation=15% of 143 = (15/100) × 143 = 21.

id=98466 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 33, 41, 50? | option_a=25 | option_b=33 | option_c=50 | option_d=41 | answer=C | explanation=The first three numbers increase by 8, so the next should be 49. Therefore 50 is the odd one out.

id=98467 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 10, 15, 23? | option_a=10 | option_b=15 | option_c=5 | option_d=23 | answer=D | explanation=The first three numbers increase by 5, so the next should be 20. Therefore 23 is the odd one out.

id=98468 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'T' become? | option_a=V | option_b=S | option_c=U | option_d=T | answer=C | explanation=Move 1 positions forward from T; the resulting letter is U.

id=98469 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3077. If it is sold at a profit of 50%, what is its selling price? | option_a=4922 | option_b=4308 | option_c=4615 | option_d=3127 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3077 × 150/100 = █4615.

id=98470 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=65 | option_b=120 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=98471 | topic=Averages | difficulty=Easy | question=Find the average of 27, 17, 73, 33, 44, 51, 60, 60, 58. | option_a=49 | option_b=47 | option_c=46 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 423 ÷ 9 = 47.

id=98472 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █28092 at 6% per annum for 1 years. | option_a=1585 | option_b=1685 | option_c=29777 | option_d=1785 | answer=B | explanation=SI = PRT/100 = 28092×6×1/100 = █1685.

id=98473 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:8 and the first is 81, what is the second? | option_a=64 | option_b=72 | option_c=153 | option_d=81 | answer=B | explanation=Scale factor = 81/9 = 9. Therefore second quantity = 8×9 = 72.

id=98474 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 38, 47, 57? | option_a=47 | option_b=57 | option_c=38 | option_d=29 | answer=B | explanation=The first three numbers increase by 9, so the next should be 56. Therefore 57 is the odd one out.

id=98475 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:19 and the first is 306, what is the second? | option_a=323 | option_b=341 | option_c=304 | option_d=629 | answer=A | explanation=Scale factor = 306/18 = 17. Therefore second quantity = 19×17 = 323.

id=98476 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=98477 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=C | option_b=X | option_c=S | option_d=N | answer=B | explanation=Move 5 positions forward from S; the resulting letter is X.

id=98478 | topic=Averages | difficulty=Easy | question=Find the average of 46, 14, 66, 91, 58, 11, 92. | option_a=55 | option_b=53 | option_c=54 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 378 ÷ 7 = 54.

id=98479 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1436. If it is sold at a profit of 5%, what is its selling price? | option_a=1650 | option_b=1364 | option_c=1507 | option_d=1441 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1436 × 105/100 = █1507.

id=98480 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3274. If it is sold at a profit of 30%, what is its selling price? | option_a=3304 | option_b=4256 | option_c=3929 | option_d=4583 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3274 × 130/100 = █4256.

id=98481 | topic=Averages | difficulty=Easy | question=Find the average of 56, 48, 96, 13, 97, 57, 19, 37, 32, 15. | option_a=48 | option_b=47 | option_c=49 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = 470 ÷ 10 = 47.

id=98482 | topic=Percentages | difficulty=Easy | question=What is 12% of 977? | option_a=117 | option_b=137 | option_c=107 | option_d=234 | answer=A | explanation=12% of 977 = (12/100) × 977 = 117.

id=98483 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3656. If it is sold at a profit of 20%, what is its selling price? | option_a=4022 | option_b=4752 | option_c=4387 | option_d=3676 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3656 × 120/100 = █4387.

id=98484 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=Q | option_c=Z | option_d=W | answer=D | explanation=Move 3 positions forward from T; the resulting letter is W.

id=98485 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 25, 28, 34? | option_a=25 | option_b=28 | option_c=34 | option_d=22 | answer=C | explanation=The first three numbers increase by 3, so the next should be 31. Therefore 34 is the odd one out.

id=98486 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'I' become? | option_a=H | option_b=I | option_c=J | option_d=K | answer=C | explanation=Move 1 positions forward from I; the resulting letter is J.

id=98487 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:2 and the first is 120, what is the second? | option_a=24 | option_b=34 | option_c=22 | option_d=144 | answer=A | explanation=Scale factor = 120/10 = 12. Therefore second quantity = 2×12 = 24.

id=98488 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4395. If it is sold at a profit of 30%, what is its selling price? | option_a=6152 | option_b=4425 | option_c=5713 | option_d=5274 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4395 × 130/100 = █5713.

id=98489 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 23, 25, 28? | option_a=25 | option_b=23 | option_c=21 | option_d=28 | answer=D | explanation=The first three numbers increase by 2, so the next should be 27. Therefore 28 is the odd one out.

id=98490 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=36 | option_b=23 | option_c=18 | option_d=13 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

Aptitude Questions — Records 98,491-98,520 of 100,000

id=98491 | topic=Percentages | difficulty=Easy | question=What is 20% of 425? | option_a=90 | option_b=85 | option_c=65 | option_d=170 | answer=B | explanation=20% of 425 = (20/100) × 425 = 85.

id=98492 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=7 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=98493 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 17, 25, 33, ? | option_a=41 | option_b=42 | option_c=49 | option_d=33 | answer=A | explanation=The common difference is 8. Therefore the next term is 33 + 8 = 41.

id=98494 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2440. If it is sold at a profit of 20%, what is its selling price? | option_a=3172 | option_b=2684 | option_c=2460 | option_d=2928 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2440 × 120/100 = █2928.

id=98495 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █5623 at 5% per annum for 2 years. | option_a=6185 | option_b=462 | option_c=662 | option_d=562 | answer=D | explanation=SI = PRT/100 = 5623×5×2/100 = █562.

id=98496 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 26. | option_a=728 | option_b=338 | option_c=364 | option_d=392 | answer=C | explanation=LCM × HCF = 28×26; HCF(28,26) = 2, so LCM = 364.

id=98497 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █26819 at 12% per annum for 5 years. | option_a=42910 | option_b=16091 | option_c=15991 | option_d=16191 | answer=B | explanation=SI = PRT/100 = 26819×12×5/100 = █16091.

id=98498 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=24 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=98499 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=7 | option_b=12 | option_c=17 | option_d=24 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 10 = 12 km/h.

id=98500 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4605. If it is sold at a profit of 20%, what is its selling price? | option_a=5986 | option_b=5066 | option_c=4625 | option_d=5526 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4605 × 120/100 = █5526.

id=98501 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2388. If it is sold at a profit of 50%, what is its selling price? | option_a=3344 | option_b=3582 | option_c=3820 | option_d=2438 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2388 × 150/100 = █3582.

id=98502 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:20 and the first is 30, what is the second? | option_a=70 | option_b=55 | option_c=20 | option_d=40 | answer=D | explanation=Scale factor = 30/15 = 2. Therefore second quantity = 20×2 = 40.

id=98503 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=W | option_c=S | option_d=K | answer=C | explanation=Move 4 positions forward from O; the resulting letter is S.

id=98504 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:5 and the first is 50, what is the second? | option_a=25 | option_b=75 | option_c=35 | option_d=20 | answer=A | explanation=Scale factor = 50/10 = 5. Therefore second quantity = 5×5 = 25.

id=98505 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 12. | option_a=18 | option_b=12 | option_c=72 | option_d=1 | answer=B | explanation=LCM × HCF = 6×12; HCF(6,12) = 6, so LCM = 12.

id=98506 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=6 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=98507 | topic=Number System | difficulty=Easy | question=Find the LCM of 14 and 20. | option_a=140 | option_b=120 | option_c=280 | option_d=154 | answer=A | explanation=LCM × HCF = 14×20; HCF(14,20) = 2, so LCM = 140.

id=98508 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █48278 at 15% per annum for 2 years. | option_a=62761 | option_b=14483 | option_c=14383 | option_d=14583 | answer=B | explanation=SI = PRT/100 = 48278×15×2/100 = █14483.

id=98509 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2949. If it is sold at a profit of 50%, what is its selling price? | option_a=4717 | option_b=4129 | option_c=2999 | option_d=4423 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2949 × 150/100 = █4423.

id=98510 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:4 and the first is 4, what is the second? | option_a=4 | option_b=10 | option_c=8 | option_d=12 | answer=C | explanation=Scale factor = 4/2 = 2. Therefore second quantity = 4×2 = 8.

id=98511 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 46? | option_a=13 | option_b=33 | option_c=46 | option_d=23 | answer=C | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 46 is the odd one out.

id=98512 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 22, 28, 35? | option_a=16 | option_b=35 | option_c=28 | option_d=22 | answer=B | explanation=The first three numbers increase by 6, so the next should be 34. Therefore 35 is the odd one out.

id=98513 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=35 | option_b=44 | option_c=53 | option_d=45 | answer=B | explanation=The common difference is 9. Therefore the next term is 35 + 9 = 44.

id=98514 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2571. If it is sold at a profit of 5%, what is its selling price? | option_a=2576 | option_b=2442 | option_c=2699 | option_d=2956 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2571 × 105/100 = █2699.

id=98515 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 23, 32, 42? | option_a=32 | option_b=23 | option_c=14 | option_d=42 | answer=D | explanation=The first three numbers increase by 9, so the next should be 41. Therefore 42 is the odd one out.

id=98516 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 14. | option_a=182 | option_b=364 | option_c=168 | option_d=208 | answer=A | explanation=LCM × HCF = 26×14; HCF(26,14) = 2, so LCM = 182.

id=98517 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 12, 22, 34? | option_a=34 | option_b=2 | option_c=22 | option_d=12 | answer=A | explanation=The first three numbers increase by 10, so the next should be 32. Therefore 34 is the odd one out.

id=98518 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4335. If it is sold at a profit of 15%, what is its selling price? | option_a=4985 | option_b=4552 | option_c=4350 | option_d=5418 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4335 × 115/100 = █4985.

id=98519 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:18 and the first is 42, what is the second? | option_a=126 | option_b=132 | option_c=108 | option_d=168 | answer=A | explanation=Scale factor = 42/6 = 7. Therefore second quantity = 18×7 = 126.

id=98520 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:18 and the first is 132, what is the second? | option_a=216 | option_b=348 | option_c=198 | option_d=227 | answer=A | explanation=Scale factor = 132/11 = 12. Therefore second quantity = 18×12 = 216.

Aptitude Questions — Records 98,521-98,550 of 100,000

id=98521 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=30 | option_b=10 | option_c=15 | option_d=20 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 8 = 15 km/h.

id=98522 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:14 and the first is 39, what is the second? | option_a=28 | option_b=81 | option_c=42 | option_d=55 | answer=C | explanation=Scale factor = 39/13 = 3. Therefore second quantity = 14×3 = 42.

id=98523 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4415. If it is sold at a profit of 40%, what is its selling price? | option_a=4455 | option_b=5740 | option_c=6622 | option_d=6181 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4415 × 140/100 = █6181.

id=98524 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 20, 25, 31? | option_a=25 | option_b=31 | option_c=15 | option_d=20 | answer=B | explanation=The first three numbers increase by 5, so the next should be 30. Therefore 31 is the odd one out.

id=98525 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:7 and the first is 208, what is the second? | option_a=320 | option_b=112 | option_c=125 | option_d=105 | answer=B | explanation=Scale factor = 208/13 = 16. Therefore second quantity = 7×16 = 112.

id=98526 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █39071 at 4% per annum for 5 years. | option_a=46885 | option_b=7814 | option_c=7914 | option_d=7714 | answer=B | explanation=SI = PRT/100 = 39071×4×5/100 = █7814.

id=98527 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 16, 25, 34, ? | option_a=43 | option_b=44 | option_c=52 | option_d=34 | answer=A | explanation=The common difference is 9. Therefore the next term is 34 + 9 = 43.

id=98528 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:2 and the first is 51, what is the second? | option_a=37 | option_b=85 | option_c=34 | option_d=32 | answer=C | explanation=Scale factor = 51/3 = 17. Therefore second quantity = 2×17 = 34.

id=98529 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █1782 at 6% per annum for 2 years. | option_a=113 | option_b=1995 | option_c=313 | option_d=213 | answer=D | explanation=SI = PRT/100 = 1782×6×2/100 = █213.

id=98530 | topic=Profit & Loss | difficulty=Easy | question=An article costs █230. If it is sold at a profit of 25%, what is its selling price? | option_a=255 | option_b=264 | option_c=287 | option_d=310 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 230 × 125/100 = █287.

id=98531 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:14 and the first is 96, what is the second? | option_a=320 | option_b=224 | option_c=230 | option_d=210 | answer=B | explanation=Scale factor = 96/6 = 16. Therefore second quantity = 14×16 = 224.

id=98532 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 23, 29, 35, ? | option_a=42 | option_b=47 | option_c=35 | option_d=41 | answer=D | explanation=The common difference is 6. Therefore the next term is 35 + 6 = 41.

id=98533 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44469 at 12% per annum for 5 years. | option_a=26781 | option_b=26681 | option_c=26581 | option_d=71150 | answer=B | explanation=SI = PRT/100 = 44469×12×5/100 = █26681.

id=98534 | topic=Percentages | difficulty=Easy | question=What is 25% of 1839? | option_a=459 | option_b=454 | option_c=918 | option_d=464 | answer=A | explanation=25% of 1839 = (25/100) × 1839 = 459.

id=98535 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 39? | option_a=39 | option_b=30 | option_c=22 | option_d=14 | answer=A | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 39 is the odd one out.

id=98536 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:2 and the first is 304, what is the second? | option_a=342 | option_b=36 | option_c=38 | option_d=54 | answer=C | explanation=Scale factor = 304/16 = 19. Therefore second quantity = 2×19 = 38.

id=98537 | topic=Percentages | difficulty=Easy | question=What is 10% of 156? | option_a=25 | option_b=15 | option_c=0 | option_d=30 | answer=B | explanation=10% of 156 = (10/100) × 156 = 15.

id=98538 | topic=Percentages | difficulty=Easy | question=What is 15% of 1243? | option_a=166 | option_b=186 | option_c=206 | option_d=372 | answer=B | explanation=15% of 1243 = (15/100) × 1243 = 186.

id=98539 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:4 and the first is 84, what is the second? | option_a=24 | option_b=28 | option_c=112 | option_d=40 | answer=B | explanation=Scale factor = 84/12 = 7. Therefore second quantity = 4×7 = 28.

id=98540 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=150 | option_b=75 | option_c=80 | option_d=70 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=98541 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=35 | option_b=55 | option_c=45 | option_d=46 | answer=C | explanation=The common difference is 10. Therefore the next term is 35 + 10 = 45.

id=98542 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:11 and the first is 143, what is the second? | option_a=121 | option_b=110 | option_c=134 | option_d=264 | answer=A | explanation=Scale factor = 143/13 = 11. Therefore second quantity = 11×11 = 121.

id=98543 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 13, 22, 32? | option_a=4 | option_b=22 | option_c=13 | option_d=32 | answer=D | explanation=The first three numbers increase by 9, so the next should be 31. Therefore 32 is the odd one out.

id=98544 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=98545 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=125 | option_b=240 | option_c=120 | option_d=115 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=98546 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 36, 44, 53? | option_a=53 | option_b=36 | option_c=28 | option_d=44 | answer=A | explanation=The first three numbers increase by 8, so the next should be 52. Therefore 53 is the odd one out.

id=98547 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:7 and the first is 247, what is the second? | option_a=126 | option_b=146 | option_c=133 | option_d=380 | answer=C | explanation=Scale factor = 247/13 = 19. Therefore second quantity = 7×19 = 133.

id=98548 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=38 | option_b=39 | option_c=29 | option_d=47 | answer=A | explanation=The common difference is 9. Therefore the next term is 29 + 9 = 38.

id=98549 | topic=Percentages | difficulty=Easy | question=What is 50% of 1748? | option_a=1748 | option_b=864 | option_c=894 | option_d=874 | answer=D | explanation=50% of 1748 = (50/100) × 1748 = 874.

id=98550 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2028. If it is sold at a profit of 5%, what is its selling price? | option_a=2129 | option_b=2331 | option_c=2033 | option_d=1927 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2028 × 105/100 = █2129.

Aptitude Questions — Records 98,551-98,580 of 100,000

id=98551 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=98552 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**18319 at 12% per annum for 3 years. | option_a=6594 | option_b=24913 | option_c=6694 | option_d=6494 | answer=A | explanation=SI = PRT/100 = 18319×12×3/100 = **■**6594.

id=98553 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=4 | option_c=18 | option_d=9 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=98554 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=98555 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=9 | answer=A | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=98556 | topic=Averages | difficulty=Easy | question=Find the average of 93, 36, 57. | option_a=64 | option_b=61 | option_c=63 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 186 ÷ 3 = 62.

id=98557 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 9. | option_a=18 | option_b=27 | option_c=54 | option_d=243 | answer=B | explanation=LCM × HCF = 27×9; HCF(27,9) = 9, so LCM = 27.

id=98558 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=35 | option_d=60 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=98559 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 21? | option_a=21 | option_b=14 | option_c=16 | option_d=18 | answer=A | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 21 is the odd one out.

id=98560 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 32, 41, 53? | option_a=23 | option_b=53 | option_c=32 | option_d=41 | answer=B | explanation=The first three numbers increase by 9, so the next should be 50. Therefore 53 is the odd one out.

id=98561 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=M | option_b=I | option_c=E | option_d=A | answer=B | explanation=Move 4 positions forward from E; the resulting letter is I.

id=98562 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 15, 18, 21, ? | option_a=27 | option_b=21 | option_c=25 | option_d=24 | answer=D | explanation=The common difference is 3. Therefore the next term is 21 + 3 = 24.

id=98563 | topic=Percentages | difficulty=Easy | question=What is 50% of 232? | option_a=106 | option_b=116 | option_c=121 | option_d=232 | answer=B | explanation=50% of 232 = (50/100) × 232 = 116.

id=98564 | topic=Averages | difficulty=Easy | question=Find the average of 11, 86, 90, 57, 22, 40, 16, 73, 78, 77. | option_a=54 | option_b=55 | option_c=56 | option_d=57 | answer=B | explanation=Average = sum of values ÷ number of values = 550 ÷ 10 = 55.

id=98565 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'K' become? | option_a=O | option_b=K | option_c=S | option_d=G | answer=A | explanation=Move 4 positions forward from K; the resulting letter is O.

id=98566 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 32, 38, 45? | option_a=45 | option_b=38 | option_c=26 | option_d=32 | answer=A | explanation=The first three numbers increase by 6, so the next should be 44. Therefore 45 is the odd one out.

id=98567 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:9 and the first is 300, what is the second? | option_a=195 | option_b=171 | option_c=480 | option_d=180 | answer=D | explanation=Scale factor = 300/15 = 20. Therefore second quantity = 9×20 = 180.

id=98568 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 19, 25, 31, ? | option_a=43 | option_b=38 | option_c=37 | option_d=31 | answer=C | explanation=The common difference is 6. Therefore the next term is 31 + 6 = 37.

id=98569 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=24 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=98570 | topic=Percentages | difficulty=Easy | question=What is 25% of 1527? | option_a=371 | option_b=401 | option_c=381 | option_d=762 | answer=C | explanation=25% of 1527 = (25/100) × 1527 = 381.

id=98571 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=15 | option_b=10 | option_c=30 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 6 = 15 km/h.

id=98572 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=55 | option_d=100 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 3 = 50 km/h.

id=98573 | topic=Averages | difficulty=Easy | question=Find the average of 33, 65, 38, 84. | option_a=57 | option_b=55 | option_c=54 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 220 ÷ 4 = 55.

id=98574 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=36 | option_c=18 | option_d=23 | answer=C | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=98575 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=L | option_b=O | option_c=M | option_d=N | answer=D | explanation=Move 1 positions forward from M; the resulting letter is N.

id=98576 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2012. If it is sold at a profit of 25%, what is its selling price? | option_a=2515 | option_b=2716 | option_c=2314 | option_d=2037 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2012 × 125/100 = **■**2515.

id=98577 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 22, 25, 30? | option_a=22 | option_b=25 | option_c=19 | option_d=30 | answer=D | explanation=The first three numbers increase by 3, so the next should be 28. Therefore 30 is the odd one out.

id=98578 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 30? | option_a=10 | option_b=16 | option_c=30 | option_d=22 | answer=C | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 30 is the odd one out.

id=98579 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3598. If it is sold at a profit of 5%, what is its selling price? | option_a=3603 | option_b=3777 | option_c=3418 | option_d=4136 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3598 × 105/100 = **■**3777.

id=98580 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**12946 at 5% per annum for 5 years. | option_a=3336 | option_b=16182 | option_c=3136 | option_d=3236 | answer=D | explanation=SI = PRT/100 = 12946×5×5/100 = **■**3236.

Aptitude Questions — Records 98,581-98,610 of 100,000

id=98581 | topic=Percentages | difficulty=Easy | question=What is 15% of 1620? | option_a=243 | option_b=233 | option_c=486 | option_d=248 | answer=A | explanation=15% of 1620 = (15/100) × 1620 = 243.

id=98582 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=Y | option_b=T | option_c=D | option_d=O | answer=A | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=98583 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

id=98584 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 18, 21, 27? | option_a=27 | option_b=18 | option_c=21 | option_d=15 | answer=A | explanation=The first three numbers increase by 3, so the next should be 24. Therefore 27 is the odd one out.

id=98585 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 17, 24, 34? | option_a=17 | option_b=10 | option_c=34 | option_d=24 | answer=C | explanation=The first three numbers increase by 7, so the next should be 31. Therefore 34 is the odd one out.

id=98586 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=S | option_b=N | option_c=I | option_d=D | answer=B | explanation=Move 5 positions forward from I; the resulting letter is N.

id=98587 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 21, 30, 39, ? | option_a=49 | option_b=48 | option_c=39 | option_d=57 | answer=B | explanation=The common difference is 9. Therefore the next term is $39 + 9 = 48$.

id=98588 | topic=Averages | difficulty=Easy | question=Find the average of 76, 23, 41, 42, 28, 54. | option_a=46 | option_b=44 | option_c=45 | option_d=43 | answer=B | explanation=Average = sum of values ÷ number of values = $\frac{264}{6} = 44$.

id=98589 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = $\frac{150}{5} = 30$ km/h.

id=98590 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 31, 37, 45? | option_a=25 | option_b=37 | option_c=45 | option_d=31 | answer=C | explanation=The first three numbers increase by 6, so the next should be 43. Therefore 45 is the odd one out.

id=98591 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**9512 at 15% per annum for 4 years. | option_a=5707 | option_b=5807 | option_c=15219 | option_d=5607 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{9512 \times 15 \times 4}{100} = \text{■}5707$.

id=98592 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**47385 at 15% per annum for 2 years. | option_a=14115 | option_b=61600 | option_c=14215 | option_d=14315 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{47385 \times 15 \times 2}{100} = \text{■}14215$.

id=98593 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:12 and the first is 17, what is the second? | option_a=205 | option_b=204 | option_c=192 | option_d=221 | answer=B | explanation=Scale factor = $\frac{17}{1} = 17$. Therefore second quantity = $12 \times 17 = 204$.

id=98594 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33513 at 5% per annum for 5 years. | option_a=8378 | option_b=41891 | option_c=8478 | option_d=8278 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{33513 \times 5 \times 5}{100} = \text{■}8378$.

id=98595 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20821 at 10% per annum for 2 years. | option_a=24985 | option_b=4264 | option_c=4164 | option_d=4064 | answer=C | explanation=SI = $\frac{PRT}{100} = \frac{20821 \times 10 \times 2}{100} = \text{■}4164$.

id=98596 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=24 | option_b=17 | option_c=12 | option_d=7 | answer=C | explanation=Speed = distance ÷ time = $\frac{60}{5} = 12$ km/h.

id=98597 | topic=Averages | difficulty=Easy | question=Find the average of 88, 25, 12, 99. | option_a=57 | option_b=55 | option_c=58 | option_d=56 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{224}{4} = 56$.

id=98598 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

id=98599 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 29, 41, 53, ? | option_a=77 | option_b=53 | option_c=66 | option_d=65 | answer=D | explanation=The common difference is 12. Therefore the next term is $53 + 12 = 65$.

id=98600 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

id=98601 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:11 and the first is 260, what is the second? | option_a=143 | option_b=132 | option_c=403 | option_d=163 | answer=A | explanation=Scale factor = $\frac{260}{20} = 13$. Therefore second quantity = $11 \times 13 = 143$.

id=98602 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:6 and the first is 240, what is the second? | option_a=66 | option_b=92 | option_c=72 | option_d=312 | answer=C | explanation=Scale factor = $\frac{240}{20} = 12$. Therefore second quantity = $6 \times 12 = 72$.

id=98603 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 9, 16, 23, ? | option_a=37 | option_b=31 | option_c=23 | option_d=30 | answer=D | explanation=The common difference is 7. Therefore the next term is $23 + 7 = 30$.

id=98604 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

id=98605 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=40 | option_c=80 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = $\frac{240}{6} = 40$ km/h.

id=98606 | topic=Averages | difficulty=Easy | question=Find the average of 12, 48, 10, 18. | option_a=22 | option_b=23 | option_c=21 | option_d=24 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{88}{4} = 22$.

id=98607 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:2 and the first is 225, what is the second? | option_a=30 | option_b=255 | option_c=45 | option_d=28 | answer=A | explanation=Scale factor = $\frac{225}{15} = 15$. Therefore second quantity = $2 \times 15 = 30$.

id=98608 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=H | option_c=N | option_d=Q | answer=C | explanation=Move 3 positions forward from K; the resulting letter is N.

id=98609 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20386 at 12% per annum for 5 years. | option_a=12331 | option_b=12131 | option_c=32617 | option_d=12231 | answer=D | explanation=SI = $\frac{PRT}{100} = \frac{20386 \times 12 \times 5}{100} = \text{■}12231$.

id=98610 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $\frac{1}{12} + \frac{1}{4} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

Aptitude Questions — Records 98,611-98,640 of 100,000

id=98611 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1927. If it is sold at a profit of 50%, what is its selling price? | option_a=2890 | option_b=1977 | option_c=2698 | option_d=3082 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1927 × 150/100 = ■2890.

id=98612 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:8 and the first is 27, what is the second? | option_a=33 | option_b=51 | option_c=16 | option_d=24 | answer=D | explanation=Scale factor = 27/9 = 3. Therefore second quantity = 8×3 = 24.

id=98613 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4211. If it is sold at a profit of 20%, what is its selling price? | option_a=5053 | option_b=4632 | option_c=4231 | option_d=5474 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4211 × 120/100 = ■5053.

id=98614 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 11, 19, 28? | option_a=28 | option_b=3 | option_c=19 | option_d=11 | answer=A | explanation=The first three numbers increase by 8, so the next should be 27. Therefore 28 is the odd one out.

id=98615 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:10 and the first is 285, what is the second? | option_a=169 | option_b=435 | option_c=140 | option_d=150 | answer=D | explanation=Scale factor = 285/19 = 15. Therefore second quantity = 10×15 = 150.

id=98616 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:15 and the first is 266, what is the second? | option_a=229 | option_b=476 | option_c=210 | option_d=195 | answer=C | explanation=Scale factor = 266/19 = 14. Therefore second quantity = 15×14 = 210.

id=98617 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=30 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=98618 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 10, 12, 17? | option_a=10 | option_b=8 | option_c=12 | option_d=17 | answer=D | explanation=The first three numbers increase by 2, so the next should be 14. Therefore 17 is the odd one out.

id=98619 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=46 | option_b=35 | option_c=55 | option_d=45 | answer=D | explanation=The common difference is 10. Therefore the next term is 35 + 10 = 45.

id=98620 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 23, 30, 39? | option_a=39 | option_b=30 | option_c=23 | option_d=16 | answer=A | explanation=The first three numbers increase by 7, so the next should be 37. Therefore 39 is the odd one out.

id=98621 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=C | option_c=E | option_d=F | answer=C | explanation=Move 1 positions forward from D; the resulting letter is E.

id=98622 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=98623 | topic=Percentages | difficulty=Easy | question=What is 15% of 1319? | option_a=197 | option_b=177 | option_c=394 | option_d=207 | answer=A | explanation=15% of 1319 = (15/100) × 1319 = 197.

id=98624 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=33 | option_b=43 | option_c=53 | option_d=44 | answer=B | explanation=The common difference is 10. Therefore the next term is 33 + 10 = 43.

id=98625 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=8 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=98626 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=98627 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 22? | option_a=22 | option_b=17 | option_c=15 | option_d=19 | answer=A | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 22 is the odd one out.

id=98628 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 19, 24, 31? | option_a=31 | option_b=24 | option_c=14 | option_d=19 | answer=A | explanation=The first three numbers increase by 5, so the next should be 29. Therefore 31 is the odd one out.

id=98629 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 35, 44, 54? | option_a=35 | option_b=44 | option_c=26 | option_d=54 | answer=D | explanation=The first three numbers increase by 9, so the next should be 53. Therefore 54 is the odd one out.

id=98630 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 23, 28, 35? | option_a=23 | option_b=28 | option_c=35 | option_d=18 | answer=C | explanation=The first three numbers increase by 5, so the next should be 33. Therefore 35 is the odd one out.

id=98631 | topic=Percentages | difficulty=Easy | question=What is 10% of 995? | option_a=198 | option_b=104 | option_c=89 | option_d=99 | answer=D | explanation=10% of 995 = (10/100) × 995 = 99.

id=98632 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 16, 24, 32, ? | option_a=41 | option_b=48 | option_c=40 | option_d=32 | answer=C | explanation=The common difference is 8. Therefore the next term is 32 + 8 = 40.

id=98633 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=98634 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=98635 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 21, 24, 27, ? | option_a=31 | option_b=27 | option_c=33 | option_d=30 | answer=D | explanation=The common difference is 3. Therefore the next term is 27 + 3 = 30.

id=98636 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=80 | option_b=40 | option_c=35 | option_d=45 | answer=B | explanation=Speed = distance ÷ time = 240 ÷ 6 = 40 km/h.

id=98637 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:20 and the first is 20, what is the second? | option_a=220 | option_b=180 | option_c=202 | option_d=200 | answer=D | explanation=Scale factor = 20/2 = 10. Therefore second quantity = 20×10 = 200.

id=98638 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2200. If it is sold at a profit of 25%, what is its selling price? | option_a=2530 | option_b=2225 | option_c=2970 | option_d=2750 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2200 × 125/100 = ■2750.

id=98639 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:9 and the first is 99, what is the second? | option_a=90 | option_b=108 | option_c=198 | option_d=99 | answer=D | explanation=Scale factor = 99/9 = 11. Therefore second quantity = 9×11 = 99.

id=98640 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=Y | option_c=V | option_d=P | answer=C | explanation=Move 3 positions forward from S; the resulting letter is V.

Aptitude Questions — Records 98,641-98,670 of 100,000

id=98641 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:18 and the first is 280, what is the second? | option_a=342 | option_b=374 | option_c=360 | option_d=640 | answer=C | explanation=Scale factor = 280/14 = 20. Therefore second quantity = 18×20 = 360.

id=98642 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■32627 at 10% per annum for 5 years. | option_a=16313 | option_b=48940 | option_c=16213 | option_d=16413 | answer=A | explanation=SI = PRT/100 = 32627×10×5/100 = ■16313.

id=98643 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■29789 at 5% per annum for 3 years. | option_a=4368 | option_b=4468 | option_c=34257 | option_d=4568 | answer=B | explanation=SI = PRT/100 = 29789×5×3/100 = ■4468.

id=98644 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=360 | option_c=180 | option_d=175 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=98645 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=31 | option_c=41 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=98646 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=7 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=98647 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■7832 at 5% per annum for 5 years. | option_a=1958 | option_b=1858 | option_c=9790 | option_d=2058 | answer=A | explanation=SI = PRT/100 = 7832×5×5/100 = ■1958.

id=98648 | topic=Percentages | difficulty=Easy | question=What is 30% of 1890? | option_a=567 | option_b=1134 | option_c=547 | option_d=572 | answer=A | explanation=30% of 1890 = (30/100) × 1890 = 567.

id=98649 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=29 | option_c=24 | option_d=19 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=98650 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 27, 34, 41, ? | option_a=55 | option_b=48 | option_c=41 | option_d=49 | answer=B | explanation=The common difference is 7. Therefore the next term is 41 + 7 = 48.

id=98651 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2137. If it is sold at a profit of 5%, what is its selling price? | option_a=2456 | option_b=2142 | option_c=2030 | option_d=2243 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2137 × 105/100 = ■2243.

id=98652 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 4. | option_a=120 | option_b=90 | option_c=56 | option_d=60 | answer=D | explanation=LCM × HCF = 30×4; HCF(30,4) = 2, so LCM = 60.

id=98653 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=31 | option_b=37 | option_c=25 | option_d=32 | answer=A | explanation=The common difference is 6. Therefore the next term is 25 + 6 = 31.

id=98654 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 14, 26, 38, ? | option_a=62 | option_b=51 | option_c=38 | option_d=50 | answer=D | explanation=The common difference is 12. Therefore the next term is 38 + 12 = 50.

id=98655 | topic=Number System | difficulty=Easy | question=Find the LCM of 22 and 10. | option_a=132 | option_b=100 | option_c=220 | option_d=110 | answer=D | explanation=LCM × HCF = 22×10; HCF(22,10) = 2, so LCM = 110.

id=98656 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4592. If it is sold at a profit of 30%, what is its selling price? | option_a=4622 | option_b=5510 | option_c=6428 | option_d=5969 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 4592 × 130/100 = ■5969.

id=98657 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 24. | option_a=24 | option_b=96 | option_c=28 | option_d=1 | answer=A | explanation=LCM × HCF = 4×24; HCF(4,24) = 4, so LCM = 24.

id=98658 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=6 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=98659 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:19 and the first is 342, what is the second? | option_a=684 | option_b=361 | option_c=342 | option_d=323 | answer=C | explanation=Scale factor = 342/19 = 18. Therefore second quantity = 19×18 = 342.

id=98660 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=98661 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■48708 at 15% per annum for 3 years. | option_a=21918 | option_b=22018 | option_c=21818 | option_d=70626 | answer=A | explanation=SI = PRT/100 = 48708×15×3/100 = ■21918.

id=98662 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 18? | option_a=9 | option_b=13 | option_c=11 | option_d=18 | answer=D | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 18 is the odd one out.

id=98663 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'U' become? | option_a=X | option_b=R | option_c=U | option_d=A | answer=A | explanation=Move 3 positions forward from U; the resulting letter is X.

id=98664 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:18 and the first is 20, what is the second? | option_a=18 | option_b=56 | option_c=36 | option_d=46 | answer=C | explanation=Scale factor = 20/10 = 2. Therefore second quantity = 18×2 = 36.

id=98665 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=98666 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■16747 at 15% per annum for 3 years. | option_a=7636 | option_b=24283 | option_c=7536 | option_d=7436 | answer=C | explanation=SI = PRT/100 = 16747×15×3/100 = ■7536.

id=98667 | topic=Percentages | difficulty=Easy | question=What is 25% of 1771? | option_a=452 | option_b=884 | option_c=432 | option_d=442 | answer=D | explanation=25% of 1771 = (25/100) × 1771 = 442.

id=98668 | topic=Percentages | difficulty=Easy | question=What is 30% of 626? | option_a=374 | option_b=207 | option_c=182 | option_d=187 | answer=D | explanation=30% of 626 = (30/100) × 626 = 187.

id=98669 | topic=Averages | difficulty=Easy | question=Find the average of 23, 93, 61, 24, 59, 37, 65, 38, 68. | option_a=52 | option_b=53 | option_c=54 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 468 ÷ 9 = 52.

id=98670 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 40, 50, 63? | option_a=40 | option_b=63 | option_c=30 | option_d=50 | answer=B | explanation=The first three numbers increase by 10, so the next should be 60. Therefore 63 is the odd one out.

Aptitude Questions — Records 98,671-98,700 of 100,000

id=98671 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'P' become? | option_a=R | option_b=T | option_c=N | option_d=P | answer=A | explanation=Move 2 positions forward from P; the resulting letter is R.

id=98672 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 24, 32, 40, ? | option_a=40 | option_b=56 | option_c=49 | option_d=48 | answer=D | explanation=The common difference is 8. Therefore the next term is 40 + 8 = 48.

id=98673 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=5 | option_d=7 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=98674 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=98675 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=46 | option_b=39 | option_c=30 | option_d=38 | answer=D | explanation=The common difference is 8. Therefore the next term is 30 + 8 = 38.

id=98676 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:19 and the first is 78, what is the second? | option_a=127 | option_b=114 | option_c=192 | option_d=95 | answer=B | explanation=Scale factor = $\frac{78}{13} = 6$. Therefore second quantity = $19 \times 6 = 114$.

id=98677 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=60 | option_c=55 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = $\frac{120}{2} = 60$ km/h.

id=98678 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=23 | option_b=13 | option_c=18 | option_d=36 | answer=C | explanation=Speed = distance ÷ time = $\frac{90}{5} = 18$ km/h.

id=98679 | topic=Averages | difficulty=Easy | question=Find the average of 24, 89, 54, 50, 19, 10, 62. | option_a=43 | option_b=46 | option_c=45 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{308}{7} = 44$.

id=98680 | topic=Percentages | difficulty=Easy | question=What is 40% of 1268? | option_a=507 | option_b=1014 | option_c=512 | option_d=502 | answer=A | explanation=40% of 1268 = $(\frac{40}{100}) \times 1268 = 507$.

id=98681 | topic=Averages | difficulty=Easy | question=Find the average of 82, 20, 27, 58, 46, 86, 62, 14, 66, 69. | option_a=55 | option_b=54 | option_c=53 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = $\frac{530}{10} = 53$.

id=98682 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=145 | option_b=150 | option_c=300 | option_d=155 | answer=B | explanation=Speed = distance ÷ time = $\frac{300}{2} = 150$ km/h.

id=98683 | topic=Profit & Loss | difficulty=Easy | question=An article costs █936. If it is sold at a profit of 25%, what is its selling price? | option_a=1263 | option_b=961 | option_c=1077 | option_d=1170 | answer=D | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 936 \times \frac{125}{100} = \text{█}1170$.

id=98684 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = $\frac{60}{4} = 15$ km/h.

id=98685 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=4 | option_d=20 | answer=B | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.

id=98686 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=9 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=98687 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=U | option_b=F | option_c=K | option_d=P | answer=D | explanation=Move 5 positions forward from K; the resulting letter is P.

id=98688 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22075 at 4% per annum for 4 years. | option_a=3532 | option_b=25607 | option_c=3432 | option_d=3632 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{22075 \times 4 \times 4}{100} = \text{█}3532$.

id=98689 | topic=Averages | difficulty=Easy | question=Find the average of 68, 29, 85, 62, 46, 22. | option_a=52 | option_b=54 | option_c=53 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{312}{6} = 52$.

id=98690 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=150 | option_c=75 | option_d=70 | answer=C | explanation=Speed = distance ÷ time = $\frac{300}{4} = 75$ km/h.

id=98691 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 17, 25, 35? | option_a=9 | option_b=25 | option_c=17 | option_d=35 | answer=D | explanation=The first three numbers increase by 8, so the next should be 33. Therefore 35 is the odd one out.

id=98692 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 14. | option_a=168 | option_b=182 | option_c=208 | option_d=364 | answer=B | explanation= $LCM \times HCF = 26 \times 14$; $HCF(26,14) = 2$, so $LCM = 182$.

id=98693 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=N | option_b=S | option_c=D | option_d=I | answer=A | explanation=Move 5 positions forward from I; the resulting letter is N.

id=98694 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=36 | option_c=31 | option_d=72 | answer=B | explanation=Speed = distance ÷ time = $\frac{180}{5} = 36$ km/h.

id=98695 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:10 and the first is 6, what is the second? | option_a=20 | option_b=32 | option_c=36 | option_d=30 | answer=D | explanation=Scale factor = $\frac{6}{2} = 3$. Therefore second quantity = $10 \times 3 = 30$.

id=98696 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=V | option_b=L | option_c=Q | option_d=G | answer=C | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=98697 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4231. If it is sold at a profit of 10%, what is its selling price? | option_a=4231 | option_b=5077 | option_c=4654 | option_d=4241 | answer=C | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 4231 \times \frac{110}{100} = \text{█}4654$.

id=98698 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █45606 at 10% per annum for 3 years. | option_a=13681 | option_b=59287 | option_c=13581 | option_d=13781 | answer=A | explanation=SI = $\frac{PRT}{100} = \frac{45606 \times 10 \times 3}{100} = \text{█}13681$.

id=98699 | topic=Averages | difficulty=Easy | question=Find the average of 99, 32, 43, 26, 31, 33. | option_a=46 | option_b=45 | option_c=43 | option_d=44 | answer=D | explanation=Average = sum of values ÷ number of values = $\frac{264}{6} = 44$.

id=98700 | topic=Averages | difficulty=Easy | question=Find the average of 15, 48, 59, 95, 59, 84, 51, 69. | option_a=60 | option_b=59 | option_c=62 | option_d=61 | answer=A | explanation=Average = sum of values ÷ number of values = $\frac{480}{8} = 60$.

Aptitude Questions — Records 98,701-98,730 of 100,000

id=98701 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 46? | option_a=19 | option_b=46 | option_c=27 | option_d=35 | answer=B | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 46 is the odd one out.

id=98702 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=G | option_c=F | option_d=D | answer=C | explanation=Move 1 positions forward from E; the resulting letter is F.

id=98703 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 10, 15, 22? | option_a=10 | option_b=15 | option_c=22 | option_d=5 | answer=C | explanation=The first three numbers increase by 5, so the next should be 20. Therefore 22 is the odd one out.

id=98704 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

id=98705 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=32 | option_b=33 | option_c=26 | option_d=38 | answer=A | explanation=The common difference is 6. Therefore the next term is $26 + 6 = 32$.

id=98706 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:1 and the first is 55, what is the second? | option_a=4 | option_b=5 | option_c=16 | option_d=60 | answer=B | explanation=Scale factor = $\frac{55}{11} = 5$. Therefore second quantity = $1 \times 5 = 5$.

id=98707 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:8 and the first is 180, what is the second? | option_a=252 | option_b=72 | option_c=92 | option_d=64 | answer=B | explanation=Scale factor = $\frac{180}{20} = 9$. Therefore second quantity = $8 \times 9 = 72$.

id=98708 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:1 and the first is 75, what is the second? | option_a=14 | option_b=90 | option_c=15 | option_d=20 | answer=C | explanation=Scale factor = $\frac{75}{5} = 15$. Therefore second quantity = $1 \times 15 = 15$.

id=98709 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=M | option_c=W | option_d=B | answer=C | explanation=Move 5 positions forward from R; the resulting letter is W.

id=98710 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:15 and the first is 99, what is the second? | option_a=174 | option_b=165 | option_c=150 | option_d=264 | answer=B | explanation=Scale factor = $\frac{99}{9} = 11$. Therefore second quantity = $15 \times 11 = 165$.

id=98711 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on $\text{₹}34239$ at 8% per annum for 3 years. | option_a=42456 | option_b=8217 | option_c=8117 | option_d=8317 | answer=B | explanation= $SI = \frac{PRT}{100} = \frac{34239 \times 8 \times 3}{100} = \text{₹}8217$.

id=98712 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 27, 35, 46? | option_a=46 | option_b=35 | option_c=19 | option_d=27 | answer=A | explanation=The first three numbers increase by 8, so the next should be 43. Therefore 46 is the odd one out.

id=98713 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=6 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.

id=98714 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:12 and the first is 26, what is the second? | option_a=182 | option_b=158 | option_c=144 | option_d=156 | answer=D | explanation=Scale factor = $\frac{26}{2} = 13$. Therefore second quantity = $12 \times 13 = 156$.

id=98715 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 37? | option_a=26 | option_b=22 | option_c=30 | option_d=37 | answer=D | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 37 is the odd one out.

id=98716 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{4} + \frac{1}{12} = \frac{16}{48}$. Time = $\frac{48}{16} = 3$ days.

id=98717 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=40 | option_b=47 | option_c=39 | option_d=31 | answer=C | explanation=The common difference is 8. Therefore the next term is $31 + 8 = 39$.

id=98718 | topic=Profit & Loss | difficulty=Easy | question=An article costs $\text{₹}4077$. If it is sold at a profit of 25%, what is its selling price? | option_a=5096 | option_b=4689 | option_c=5503 | option_d=4102 | answer=A | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 4077 \times \frac{125}{100} = \text{₹}5096$.

id=98719 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:11 and the first is 66, what is the second? | option_a=66 | option_b=132 | option_c=55 | option_d=77 | answer=A | explanation=Scale factor = $\frac{66}{11} = 6$. Therefore second quantity = $11 \times 6 = 66$.

id=98720 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 7, 10, 14? | option_a=14 | option_b=7 | option_c=4 | option_d=10 | answer=A | explanation=The first three numbers increase by 3, so the next should be 13. Therefore 14 is the odd one out.

id=98721 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 20, 28, 36, ? | option_a=45 | option_b=36 | option_c=44 | option_d=52 | answer=C | explanation=The common difference is 8. Therefore the next term is $36 + 8 = 44$.

id=98722 | topic=Profit & Loss | difficulty=Easy | question=An article costs $\text{₹}3135$. If it is sold at a profit of 20%, what is its selling price? | option_a=3449 | option_b=3155 | option_c=4075 | option_d=3762 | answer=D | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 3135 \times \frac{120}{100} = \text{₹}3762$.

id=98723 | topic=Profit & Loss | difficulty=Easy | question=An article costs $\text{₹}1688$. If it is sold at a profit of 50%, what is its selling price? | option_a=2364 | option_b=2532 | option_c=1738 | option_d=2700 | answer=B | explanation=Selling price = $CP \times (\frac{100 + \text{profit}\%}{100}) = 1688 \times \frac{150}{100} = \text{₹}2532$.

id=98724 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 16. | option_a=208 | option_b=234 | option_c=416 | option_d=192 | answer=A | explanation= $LCM \times HCF = 26 \times 16$; $HCF(26,16) = 2$, so $LCM = 208$.

id=98725 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{3} = \frac{9}{18}$. Time = $\frac{18}{9} = 2$ days.

id=98726 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 28, 33, 41? | option_a=28 | option_b=41 | option_c=23 | option_d=33 | answer=B | explanation=The first three numbers increase by 5, so the next should be 38. Therefore 41 is the odd one out.

id=98727 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=45 | option_b=80 | option_c=40 | option_d=35 | answer=C | explanation=Speed = $\frac{\text{distance}}{\text{time}} = \frac{120}{3} = 40$ km/h.

id=98728 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 7, 11, 15, ? | option_a=23 | option_b=19 | option_c=15 | option_d=20 | answer=B | explanation=The common difference is 4. Therefore the next term is $15 + 4 = 19$.

id=98729 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 26, 28, 33? | option_a=33 | option_b=28 | option_c=26 | option_d=24 | answer=A | explanation=The first three numbers increase by 2, so the next should be 30. Therefore 33 is the odd one out.

id=98730 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 12, 19, 28? | option_a=12 | option_b=28 | option_c=5 | option_d=19 | answer=B | explanation=The first three numbers increase by 7, so the next should be 26. Therefore 28 is the odd one out.

Aptitude Questions — Records 98,731-98,760 of 100,000

id=98731 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:8 and the first is 8, what is the second? | option_a=24 | option_b=40 | option_c=34 | option_d=32 | answer=D | explanation=Scale factor = $8/2 = 4$. Therefore second quantity = $8 \times 4 = 32$.

id=98732 | topic=Averages | difficulty=Easy | question=Find the average of 99, 49, 92, 32, 50, 10, 39. | option_a=53 | option_b=55 | option_c=54 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = $371 \div 7 = 53$.

id=98733 | topic=Percentages | difficulty=Easy | question=What is 20% of 1227? | option_a=255 | option_b=225 | option_c=490 | option_d=245 | answer=D | explanation=20% of 1227 = $(20/100) \times 1227 = 245$.

id=98734 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 12, 20, 31? | option_a=4 | option_b=20 | option_c=31 | option_d=12 | answer=C | explanation=The first three numbers increase by 8, so the next should be 28. Therefore 31 is the odd one out.

id=98735 | topic=Averages | difficulty=Easy | question=Find the average of 18, 100, 82, 24, 38, 64, 77, 93, 89. | option_a=65 | option_b=64 | option_c=66 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = $585 \div 9 = 65$.

id=98736 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'P' become? | option_a=T | option_b=P | option_c=L | option_d=X | answer=A | explanation=Move 4 positions forward from P; the resulting letter is T.

id=98737 | topic=Profit & Loss | difficulty=Easy | question=An article costs █111. If it is sold at a profit of 40%, what is its selling price? | option_a=166 | option_b=144 | option_c=151 | option_d=155 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit})/100 = 111 \times 140/100 = \text{█}155$.

id=98738 | topic=Profit & Loss | difficulty=Easy | question=An article costs █759. If it is sold at a profit of 25%, what is its selling price? | option_a=1023 | option_b=948 | option_c=784 | option_d=873 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit})/100 = 759 \times 125/100 = \text{█}948$.

id=98739 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 16, 22, 30? | option_a=10 | option_b=30 | option_c=22 | option_d=16 | answer=B | explanation=The first three numbers increase by 6, so the next should be 28. Therefore 30 is the odd one out.

id=98740 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=O | option_b=F | option_c=I | option_d=L | answer=D | explanation=Move 3 positions forward from I; the resulting letter is L.

id=98741 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:20 and the first is 40, what is the second? | option_a=160 | option_b=140 | option_c=200 | option_d=165 | answer=A | explanation=Scale factor = $40/5 = 8$. Therefore second quantity = $20 \times 8 = 160$.

id=98742 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 7, 12, 19? | option_a=7 | option_b=2 | option_c=19 | option_d=12 | answer=C | explanation=The first three numbers increase by 5, so the next should be 17. Therefore 19 is the odd one out.

id=98743 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=98744 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1055. If it is sold at a profit of 20%, what is its selling price? | option_a=1161 | option_b=1371 | option_c=1266 | option_d=1075 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit})/100 = 1055 \times 120/100 = \text{█}1266$.

id=98745 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 8, 14, 23? | option_a=23 | option_b=14 | option_c=2 | option_d=8 | answer=A | explanation=The first three numbers increase by 6, so the next should be 20. Therefore 23 is the odd one out.

id=98746 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=98747 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=E | option_b=Z | option_c=O | option_d=J | answer=D | explanation=Move 5 positions forward from E; the resulting letter is J.

id=98748 | topic=Percentages | difficulty=Easy | question=What is 20% of 53? | option_a=10 | option_b=20 | option_c=15 | option_d=0 | answer=A | explanation=20% of 53 = $(20/100) \times 53 = 10$.

id=98749 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=20 | option_b=19 | option_c=21 | option_d=17 | answer=B | explanation=The common difference is 2. Therefore the next term is $17 + 2 = 19$.

id=98750 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:1 and the first is 15, what is the second? | option_a=4 | option_b=20 | option_c=8 | option_d=5 | answer=D | explanation=Scale factor = $15/3 = 5$. Therefore second quantity = $1 \times 5 = 5$.

id=98751 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=8 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=98752 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=65 | option_c=120 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $180 \div 3 = 60$ km/h.

id=98753 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=25 | option_b=60 | option_c=30 | option_d=35 | answer=C | explanation=Speed = distance ÷ time = $180 \div 6 = 30$ km/h.

id=98754 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 21, 32, 43, ? | option_a=65 | option_b=54 | option_c=43 | option_d=55 | answer=B | explanation=The common difference is 11. Therefore the next term is $43 + 11 = 54$.

id=98755 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 11, 19, 27, ? | option_a=43 | option_b=27 | option_c=36 | option_d=35 | answer=D | explanation=The common difference is 8. Therefore the next term is $27 + 8 = 35$.

id=98756 | topic=Percentages | difficulty=Easy | question=What is 20% of 618? | option_a=123 | option_b=103 | option_c=246 | option_d=128 | answer=A | explanation=20% of 618 = $(20/100) \times 618 = 123$.

id=98757 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:10 and the first is 66, what is the second? | option_a=71 | option_b=50 | option_c=126 | option_d=60 | answer=D | explanation=Scale factor = $66/11 = 6$. Therefore second quantity = $10 \times 6 = 60$.

id=98758 | topic=Percentages | difficulty=Easy | question=What is 5% of 1447? | option_a=82 | option_b=52 | option_c=144 | option_d=72 | answer=D | explanation=5% of 1447 = $(5/100) \times 1447 = 72$.

id=98759 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=4 | option_c=20 | option_d=5 | answer=D | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=98760 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = $1/6 + 1/12 = 18/72$. Time = $72/18 = 4$ days.

Aptitude Questions — Records 98,761-98,790 of 100,000

id=98761 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=V | option_b=S | option_c=M | option_d=P | answer=B | explanation=Move 3 positions forward from P; the resulting letter is S.

id=98762 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=98763 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 26, 32, 41? | option_a=20 | option_b=26 | option_c=41 | option_d=32 | answer=C | explanation=The first three numbers increase by 6, so the next should be 38. Therefore 41 is the odd one out.

id=98764 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 4. | option_a=40 | option_b=16 | option_c=20 | option_d=30 | answer=C | explanation=LCM × HCF = 10×4; HCF(10,4) = 2, so LCM = 20.

id=98765 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=65 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=98766 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 25, 29, 36? | option_a=36 | option_b=25 | option_c=29 | option_d=21 | answer=A | explanation=The first three numbers increase by 4, so the next should be 33. Therefore 36 is the odd one out.

id=98767 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 18, 20, 25? | option_a=18 | option_b=25 | option_c=20 | option_d=16 | answer=B | explanation=The first three numbers increase by 2, so the next should be 22. Therefore 25 is the odd one out.

id=98768 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=98769 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=B | option_b=J | option_c=F | option_d=N | answer=B | explanation=Move 4 positions forward from F; the resulting letter is J.

id=98770 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=60 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=98771 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 24, 28, 33? | option_a=24 | option_b=33 | option_c=20 | option_d=28 | answer=B | explanation=The first three numbers increase by 4, so the next should be 32. Therefore 33 is the odd one out.

id=98772 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 20. | option_a=480 | option_b=100 | option_c=120 | option_d=144 | answer=C | explanation=LCM × HCF = 24×20; HCF(24,20) = 4, so LCM = 120.

id=98773 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 3 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=25 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 90 ÷ 3 = 30 km/h.

id=98774 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=4 | option_d=5 | answer=D | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=98775 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=65 | option_d=120 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=98776 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 16. | option_a=16 | option_b=256 | option_c=32 | option_d=1 | answer=A | explanation=LCM × HCF = 16×16; HCF(16,16) = 16, so LCM = 16.

id=98777 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 41? | option_a=41 | option_b=25 | option_c=32 | option_d=18 | answer=A | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 41 is the odd one out.

id=98778 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 8, 13, 18, ? | option_a=23 | option_b=18 | option_c=28 | option_d=24 | answer=A | explanation=The common difference is 5. Therefore the next term is 18 + 5 = 23.

id=98779 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 26, 38, 50, ? | option_a=74 | option_b=50 | option_c=63 | option_d=62 | answer=D | explanation=The common difference is 12. Therefore the next term is 50 + 12 = 62.

id=98780 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=30 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=98781 | topic=Averages | difficulty=Easy | question=Find the average of 69, 24, 78. | option_a=56 | option_b=58 | option_c=57 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 171 ÷ 3 = 57.

id=98782 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=72 | option_c=36 | option_d=41 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=98783 | topic=Averages | difficulty=Easy | question=Find the average of 22, 100, 77, 78, 48, 78, 17, 21, 54. | option_a=54 | option_b=56 | option_c=57 | option_d=55 | answer=D | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.

id=98784 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 31, 42, 53, ? | option_a=64 | option_b=53 | option_c=65 | option_d=75 | answer=A | explanation=The common difference is 11. Therefore the next term is 53 + 11 = 64.

id=98785 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 28. | option_a=112 | option_b=150 | option_c=140 | option_d=280 | answer=C | explanation=LCM × HCF = 10×28; HCF(10,28) = 2, so LCM = 140.

id=98786 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=7 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=98787 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=98788 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 14, 16, 19? | option_a=16 | option_b=14 | option_c=12 | option_d=19 | answer=D | explanation=The first three numbers increase by 2, so the next should be 18. Therefore 19 is the odd one out.

id=98789 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■48220 at 6% per annum for 4 years. | option_a=59792 | option_b=11672 | option_c=11572 | option_d=11472 | answer=C | explanation=SI = PRT/100 = 48220×6×4/100 = ■11572.

id=98790 | topic=Percentages | difficulty=Easy | question=What is 15% of 1535? | option_a=250 | option_b=225 | option_c=230 | option_d=460 | answer=C | explanation=15% of 1535 = (15/100) × 1535 = 230.

Aptitude Questions — Records 98,791-98,820 of 100,000

id=98791 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 26, 30, 37? | option_a=22 | option_b=37 | option_c=30 | option_d=26 | answer=B | explanation=The first three numbers increase by 4, so the next should be 34. Therefore 37 is the odd one out.

id=98792 | topic=Averages | difficulty=Easy | question=Find the average of 32, 48, 78, 15, 95, 86. | option_a=61 | option_b=59 | option_c=58 | option_d=60 | answer=B | explanation=Average = sum of values + number of values = 354 ÷ 6 = 59.

id=98793 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:9 and the first is 48, what is the second? | option_a=45 | option_b=62 | option_c=102 | option_d=54 | answer=D | explanation=Scale factor = 48/8 = 6. Therefore second quantity = 9×6 = 54.

id=98794 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:15 and the first is 60, what is the second? | option_a=75 | option_b=45 | option_c=60 | option_d=120 | answer=C | explanation=Scale factor = 60/15 = 4. Therefore second quantity = 15×4 = 60.

id=98795 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=F | option_c=E | option_d=C | answer=C | explanation=Move 1 positions forward from D; the resulting letter is E.

id=98796 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**21543 at 12% per annum for 2 years. | option_a=26713 | option_b=5070 | option_c=5170 | option_d=5270 | answer=C | explanation=SI = PRT/100 = 21543×12×2/100 = **₹**5170.

id=98797 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:14 and the first is 34, what is the second? | option_a=238 | option_b=224 | option_c=272 | option_d=240 | answer=A | explanation=Scale factor = 34/2 = 17. Therefore second quantity = 14×17 = 238.

id=98798 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=2 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=98799 | topic=Percentages | difficulty=Easy | question=What is 10% of 932? | option_a=186 | option_b=103 | option_c=88 | option_d=93 | answer=D | explanation=10% of 932 = (10/100) × 932 = 93.

id=98800 | topic=Averages | difficulty=Easy | question=Find the average of 90, 39, 63, 78, 49, 41, 22, 42. | option_a=52 | option_b=53 | option_c=55 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.

id=98801 | topic=Percentages | difficulty=Easy | question=What is 12% of 594? | option_a=66 | option_b=71 | option_c=142 | option_d=91 | answer=B | explanation=12% of 594 = (12/100) × 594 = 71.

id=98802 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=8 | option_d=1 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=98803 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 20, 29, 38, ? | option_a=48 | option_b=47 | option_c=56 | option_d=38 | answer=B | explanation=The common difference is 9. Therefore the next term is 38 + 9 = 47.

id=98804 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**2559 at 5% per annum for 2 years. | option_a=355 | option_b=155 | option_c=2814 | option_d=255 | answer=D | explanation=SI = PRT/100 = 2559×5×2/100 = **₹**255.

id=98805 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=B | option_c=Q | option_d=L | answer=D | explanation=Move 5 positions forward from G; the resulting letter is L.

id=98806 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=98807 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=40 | option_c=15 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=98808 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 24? | option_a=15 | option_b=3 | option_c=9 | option_d=24 | answer=D | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 24 is the odd one out.

id=98809 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**34640 at 4% per annum for 3 years. | option_a=38796 | option_b=4256 | option_c=4156 | option_d=4056 | answer=C | explanation=SI = PRT/100 = 34640×4×3/100 = **₹**4156.

id=98810 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 24. | option_a=1 | option_b=24 | option_c=27 | option_d=72 | answer=B | explanation=LCM × HCF = 3×24; HCF(3,24) = 3, so LCM = 24.

id=98811 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:20 and the first is 15, what is the second? | option_a=60 | option_b=65 | option_c=75 | option_d=40 | answer=A | explanation=Scale factor = 15/5 = 3. Therefore second quantity = 20×3 = 60.

id=98812 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 22, 32, 45? | option_a=32 | option_b=22 | option_c=12 | option_d=45 | answer=D | explanation=The first three numbers increase by 10, so the next should be 42. Therefore 45 is the odd one out.

id=98813 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=H | option_b=G | option_c=I | option_d=F | answer=A | explanation=Move 1 positions forward from G; the resulting letter is H.

id=98814 | topic=Averages | difficulty=Easy | question=Find the average of 79, 46, 37, 42, 11, 73. | option_a=47 | option_b=49 | option_c=48 | option_d=50 | answer=C | explanation=Average = sum of values + number of values = 288 ÷ 6 = 48.

id=98815 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:13 and the first is 95, what is the second? | option_a=160 | option_b=84 | option_c=52 | option_d=65 | answer=D | explanation=Scale factor = 95/19 = 5. Therefore second quantity = 13×5 = 65.

id=98816 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=98817 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 24, 31, 40? | option_a=40 | option_b=24 | option_c=31 | option_d=17 | answer=A | explanation=The first three numbers increase by 7, so the next should be 38. Therefore 40 is the odd one out.

id=98818 | topic=Percentages | difficulty=Easy | question=What is 30% of 1678? | option_a=493 | option_b=503 | option_c=1006 | option_d=523 | answer=B | explanation=30% of 1678 = (30/100) × 1678 = 503.

id=98819 | topic=Number System | difficulty=Easy | question=Find the LCM of 8 and 6. | option_a=48 | option_b=32 | option_c=24 | option_d=18 | answer=C | explanation=LCM × HCF = 8×6; HCF(8,6) = 2, so LCM = 24.

id=98820 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=10 | option_b=5 | option_c=20 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

Aptitude Questions — Records 98,821-98,850 of 100,000

id=98821 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=3 | option_d=18 | answer=A | explanation=Combined rate = $\frac{1}{12} + \frac{1}{6} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=98822 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2111. If it is sold at a profit of 10%, what is its selling price? | option_a=2121 | option_b=2533 | option_c=2111 | option_d=2322 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2111 \times 110/100 =$ █2322.

id=98823 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'D' become? | option_a=D | option_b=A | option_c=J | option_d=G | answer=D | explanation=Move 3 positions forward from D; the resulting letter is G.

id=98824 | topic=Percentages | difficulty=Easy | question=What is 25% of 1531? | option_a=382 | option_b=764 | option_c=392 | option_d=372 | answer=A | explanation=25% of 1531 = $(25/100) \times 1531 = 382$.

id=98825 | topic=Percentages | difficulty=Easy | question=What is 12% of 1011? | option_a=131 | option_b=121 | option_c=111 | option_d=242 | answer=B | explanation=12% of 1011 = $(12/100) \times 1011 = 121$.

id=98826 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=12 | option_b=11 | option_c=6 | option_d=1 | answer=C | explanation=Speed = distance ÷ time = $60 \div 10 = 6$ km/h.

id=98827 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=U | option_c=R | option_d=T | answer=D | explanation=Move 1 positions forward from S; the resulting letter is T.

id=98828 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 5:3 and the first is 90, what is the second? | option_a=144 | option_b=51 | option_c=59 | option_d=54 | answer=D | explanation=Scale factor = $90/5 = 18$. Therefore second quantity = $3 \times 18 = 54$.

id=98829 | topic=Averages | difficulty=Easy | question=Find the average of 75, 40, 83, 74, 73. | option_a=70 | option_b=69 | option_c=71 | option_d=68 | answer=B | explanation=Average = sum of values ÷ number of values = $345 \div 5 = 69$.

id=98830 | topic=Percentages | difficulty=Easy | question=What is 15% of 838? | option_a=130 | option_b=125 | option_c=250 | option_d=105 | answer=B | explanation=15% of 838 = $(15/100) \times 838 = 125$.

id=98831 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 19, 21, 23, ? | option_a=23 | option_b=25 | option_c=27 | option_d=26 | answer=B | explanation=The common difference is 2. Therefore the next term is $23 + 2 = 25$.

id=98832 | topic=Percentages | difficulty=Easy | question=What is 40% of 159? | option_a=63 | option_b=126 | option_c=83 | option_d=58 | answer=A | explanation=40% of 159 = $(40/100) \times 159 = 63$.

id=98833 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2521. If it is sold at a profit of 25%, what is its selling price? | option_a=2546 | option_b=3151 | option_c=3403 | option_d=2899 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2521 \times 125/100 =$ █3151.

id=98834 | topic=Averages | difficulty=Easy | question=Find the average of 76, 68, 44, 80, 22. | option_a=59 | option_b=57 | option_c=58 | option_d=60 | answer=C | explanation=Average = sum of values ÷ number of values = $290 \div 5 = 58$.

id=98835 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=26 | option_b=30 | option_c=22 | option_d=27 | answer=A | explanation=The common difference is 4. Therefore the next term is $22 + 4 = 26$.

id=98836 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3967. If it is sold at a profit of 10%, what is its selling price? | option_a=4759 | option_b=3977 | option_c=3967 | option_d=4363 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3967 \times 110/100 =$ █4363.

id=98837 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 20, 23, 26, ? | option_a=26 | option_b=32 | option_c=29 | option_d=30 | answer=C | explanation=The common difference is 3. Therefore the next term is $26 + 3 = 29$.

id=98838 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 18, 22, 27? | option_a=22 | option_b=14 | option_c=27 | option_d=18 | answer=C | explanation=The first three numbers increase by 4, so the next should be 26. Therefore 27 is the odd one out.

id=98839 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1489. If it is sold at a profit of 30%, what is its selling price? | option_a=2083 | option_b=1787 | option_c=1935 | option_d=1519 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1489 \times 130/100 =$ █1935.

id=98840 | topic=Averages | difficulty=Easy | question=Find the average of 83, 76, 24. | option_a=63 | option_b=61 | option_c=60 | option_d=62 | answer=B | explanation=Average = sum of values ÷ number of values = $183 \div 3 = 61$.

id=98841 | topic=Averages | difficulty=Easy | question=Find the average of 15, 78, 46, 92, 99, 15, 72, 91, 88, 74. | option_a=68 | option_b=66 | option_c=69 | option_d=67 | answer=D | explanation=Average = sum of values ÷ number of values = $670 \div 10 = 67$.

id=98842 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 14, 20, 26, ? | option_a=33 | option_b=38 | option_c=32 | option_d=26 | answer=C | explanation=The common difference is 6. Therefore the next term is $26 + 6 = 32$.

id=98843 | topic=Percentages | difficulty=Easy | question=What is 15% of 1593? | option_a=258 | option_b=218 | option_c=476 | option_d=238 | answer=D | explanation=15% of 1593 = $(15/100) \times 1593 = 238$.

id=98844 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=27 | option_b=26 | option_c=29 | option_d=23 | answer=B | explanation=The common difference is 3. Therefore the next term is $23 + 3 = 26$.

id=98845 | topic=Profit & Loss | difficulty=Easy | question=An article costs █658. If it is sold at a profit of 5%, what is its selling price? | option_a=755 | option_b=663 | option_c=690 | option_d=625 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 658 \times 105/100 =$ █690.

id=98846 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2831. If it is sold at a profit of 40%, what is its selling price? | option_a=3963 | option_b=3680 | option_c=4246 | option_d=2871 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2831 \times 140/100 =$ █3963.

id=98847 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:15 and the first is 72, what is the second? | option_a=135 | option_b=120 | option_c=143 | option_d=207 | answer=A | explanation=Scale factor = $72/8 = 9$. Therefore second quantity = $15 \times 9 = 135$.

id=98848 | topic=Averages | difficulty=Easy | question=Find the average of 83, 52, 87. | option_a=76 | option_b=73 | option_c=74 | option_d=75 | answer=C | explanation=Average = sum of values ÷ number of values = $222 \div 3 = 74$.

id=98849 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3616. If it is sold at a profit of 15%, what is its selling price? | option_a=4158 | option_b=4519 | option_c=3797 | option_d=3631 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3616 \times 115/100 =$ █4158.

id=98850 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 29, 38, 49? | option_a=20 | option_b=29 | option_c=38 | option_d=49 | answer=D | explanation=The first three numbers increase by 9, so the next should be 47. Therefore 49 is the odd one out.

Aptitude Questions — Records 98,851-98,880 of 100,000

id=98851 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3534. If it is sold at a profit of 30%, what is its selling price? | option_a=3564 | option_b=4241 | option_c=4594 | option_d=4947 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3534 × 130/100 = █4594.

id=98852 | topic=Percentages | difficulty=Easy | question=What is 40% of 1473? | option_a=599 | option_b=589 | option_c=1178 | option_d=579 | answer=B | explanation=40% of 1473 = (40/100) × 1473 = 589.

id=98853 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 9, 15, 22? | option_a=3 | option_b=15 | option_c=22 | option_d=9 | answer=C | explanation=The first three numbers increase by 6, so the next should be 21. Therefore 22 is the odd one out.

id=98854 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=98855 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █32756 at 6% per annum for 3 years. | option_a=5896 | option_b=5996 | option_c=5796 | option_d=38652 | answer=A | explanation=SI = PRT/100 = 32756×6×3/100 = █5896.

id=98856 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 10, 16, 25? | option_a=10 | option_b=4 | option_c=25 | option_d=16 | answer=C | explanation=The first three numbers increase by 6, so the next should be 22. Therefore 25 is the odd one out.

id=98857 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=P | option_c=E | option_d=Z | answer=D | explanation=Move 5 positions forward from U; the resulting letter is Z.

id=98858 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44505 at 15% per annum for 1 years. | option_a=6775 | option_b=6575 | option_c=51180 | option_d=6675 | answer=D | explanation=SI = PRT/100 = 44505×15×1/100 = █6675.

id=98859 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 25, 33, 43? | option_a=33 | option_b=43 | option_c=17 | option_d=25 | answer=B | explanation=The first three numbers increase by 8, so the next should be 41. Therefore 43 is the odd one out.

id=98860 | topic=Averages | difficulty=Easy | question=Find the average of 10, 76, 91, 94, 70, 52, 100, 27. | option_a=67 | option_b=65 | option_c=66 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 520 ÷ 8 = 65.

id=98861 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'M' become? | option_a=M | option_b=W | option_c=P | option_d=H | answer=C | explanation=Move 5 positions forward from M; the resulting letter is R.

id=98862 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 15? | option_a=6 | option_b=9 | option_c=3 | option_d=15 | answer=D | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 15 is the odd one out.

id=98863 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 4. | option_a=12 | option_b=64 | option_c=32 | option_d=16 | answer=D | explanation=LCM × HCF = 16×4; HCF(16,4) = 4, so LCM = 16.

id=98864 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 10, 15, 20, ? | option_a=30 | option_b=26 | option_c=20 | option_d=25 | answer=D | explanation=The common difference is 5. Therefore the next term is 20 + 5 = 25.

id=98865 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=98866 | topic=Averages | difficulty=Easy | question=Find the average of 89, 13, 48. | option_a=49 | option_b=50 | option_c=51 | option_d=52 | answer=B | explanation=Average = sum of values ÷ number of values = 150 ÷ 3 = 50.

id=98867 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 20, 26, 35? | option_a=20 | option_b=14 | option_c=35 | option_d=26 | answer=C | explanation=The first three numbers increase by 6, so the next should be 32. Therefore 35 is the odd one out.

id=98868 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 5 hours. What is its average speed? | option_a=41 | option_b=31 | option_c=72 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 5 = 36 km/h.

id=98869 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=L | option_c=P | option_d=R | answer=C | explanation=Move 2 positions forward from N; the resulting letter is P.

id=98870 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 31, 41, 54? | option_a=54 | option_b=41 | option_c=31 | option_d=21 | answer=A | explanation=The first three numbers increase by 10, so the next should be 51. Therefore 54 is the odd one out.

id=98871 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 21, 30, 42? | option_a=21 | option_b=30 | option_c=12 | option_d=42 | answer=D | explanation=The first three numbers increase by 9, so the next should be 39. Therefore 42 is the odd one out.

id=98872 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 17, 23, 29, ? | option_a=36 | option_b=41 | option_c=35 | option_d=29 | answer=C | explanation=The common difference is 6. Therefore the next term is 29 + 6 = 35.

id=98873 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 15, 22, 29, ? | option_a=29 | option_b=43 | option_c=36 | option_d=37 | answer=C | explanation=The common difference is 7. Therefore the next term is 29 + 7 = 36.

id=98874 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=98875 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=22 | option_b=24 | option_c=25 | option_d=26 | answer=B | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.

id=98876 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=H | option_b=Q | option_c=K | option_d=N | answer=D | explanation=Move 3 positions forward from K; the resulting letter is N.

id=98877 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:4 and the first is 57, what is the second? | option_a=8 | option_b=69 | option_c=31 | option_d=12 | answer=D | explanation=Scale factor = 57/19 = 3. Therefore second quantity = 4×3 = 12.

id=98878 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 21, 23, 25, ? | option_a=25 | option_b=28 | option_c=29 | option_d=27 | answer=D | explanation=The common difference is 2. Therefore the next term is 25 + 2 = 27.

id=98879 | topic=Averages | difficulty=Easy | question=Find the average of 48, 69, 62, 47, 34, 34. | option_a=50 | option_b=49 | option_c=51 | option_d=48 | answer=B | explanation=Average = sum of values ÷ number of values = 294 ÷ 6 = 49.

id=98880 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1955. If it is sold at a profit of 30%, what is its selling price? | option_a=2541 | option_b=1985 | option_c=2736 | option_d=2346 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1955 × 130/100 = █2541.

Aptitude Questions — Records 98,881-98,910 of 100,000

id=98881 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 6. | option_a=48 | option_b=162 | option_c=54 | option_d=81 | answer=C | explanation=LCM × HCF = 27×6; HCF(27,6) = 3, so LCM = 54.

id=98882 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 6. | option_a=63 | option_b=42 | option_c=36 | option_d=126 | answer=B | explanation=LCM × HCF = 21×6; HCF(21,6) = 3, so LCM = 42.

id=98883 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=40 | option_b=47 | option_c=39 | option_d=31 | answer=C | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

id=98884 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2771. If it is sold at a profit of 30%, what is its selling price? | option_a=2801 | option_b=3879 | option_c=3325 | option_d=3602 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2771 × 130/100 = █3602.

id=98885 | topic=Percentages | difficulty=Easy | question=What is 20% of 1682? | option_a=672 | option_b=346 | option_c=331 | option_d=336 | answer=D | explanation=20% of 1682 = (20/100) × 1682 = 336.

id=98886 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:19 and the first is 120, what is the second? | option_a=95 | option_b=114 | option_c=134 | option_d=234 | answer=B | explanation=Scale factor = 120/20 = 6. Therefore second quantity = 19×6 = 114.

id=98887 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 19, 31, 43, ? | option_a=67 | option_b=43 | option_c=55 | option_d=56 | answer=C | explanation=The common difference is 12. Therefore the next term is 43 + 12 = 55.

id=98888 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1947. If it is sold at a profit of 5%, what is its selling price? | option_a=2044 | option_b=1952 | option_c=1850 | option_d=2238 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1947 × 105/100 = █2044.

id=98889 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'F' become? | option_a=H | option_b=F | option_c=E | option_d=G | answer=D | explanation=Move 1 positions forward from F; the resulting letter is G.

id=98890 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19538 at 6% per annum for 3 years. | option_a=3416 | option_b=3616 | option_c=3516 | option_d=23054 | answer=C | explanation=SI = PRT/100 = 19538×6×3/100 = █3516.

id=98891 | topic=Profit & Loss | difficulty=Easy | question=An article costs █119. If it is sold at a profit of 30%, what is its selling price? | option_a=154 | option_b=149 | option_c=143 | option_d=165 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 119 × 130/100 = █154.

id=98892 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 15, 22, 32? | option_a=8 | option_b=32 | option_c=15 | option_d=22 | answer=B | explanation=The first three numbers increase by 7, so the next should be 29. Therefore 32 is the odd one out.

id=98893 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:4 and the first is 247, what is the second? | option_a=76 | option_b=323 | option_c=89 | option_d=72 | answer=A | explanation=Scale factor = 247/13 = 19. Therefore second quantity = 4×19 = 76.

id=98894 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=98895 | topic=Percentages | difficulty=Easy | question=What is 30% of 542? | option_a=162 | option_b=157 | option_c=324 | option_d=182 | answer=A | explanation=30% of 542 = (30/100) × 542 = 162.

id=98896 | topic=Percentages | difficulty=Easy | question=What is 50% of 566? | option_a=273 | option_b=566 | option_c=293 | option_d=283 | answer=D | explanation=50% of 566 = (50/100) × 566 = 283.

id=98897 | topic=Percentages | difficulty=Easy | question=What is 15% of 1188? | option_a=178 | option_b=356 | option_c=158 | option_d=188 | answer=A | explanation=15% of 1188 = (15/100) × 1188 = 178.

id=98898 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=P | option_b=B | option_c=T | option_d=X | answer=D | explanation=Move 4 positions forward from T; the resulting letter is X.

id=98899 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:7 and the first is 8, what is the second? | option_a=18 | option_b=14 | option_c=7 | option_d=22 | answer=B | explanation=Scale factor = 8/4 = 2. Therefore second quantity = 7×2 = 14.

id=98900 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=I | option_b=D | option_c=Y | option_d=N | answer=A | explanation=Move 5 positions forward from D; the resulting letter is I.

id=98901 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:20 and the first is 77, what is the second? | option_a=120 | option_b=140 | option_c=217 | option_d=151 | answer=B | explanation=Scale factor = 77/11 = 7. Therefore second quantity = 20×7 = 140.

id=98902 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=180 | option_c=85 | option_d=90 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=98903 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2418. If it is sold at a profit of 15%, what is its selling price? | option_a=3021 | option_b=2539 | option_c=2780 | option_d=2433 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2418 × 115/100 = █2780.

id=98904 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 16, 26, 38? | option_a=6 | option_b=38 | option_c=16 | option_d=26 | answer=B | explanation=The first three numbers increase by 10, so the next should be 36. Therefore 38 is the odd one out.

id=98905 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=98906 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=24 | option_b=30 | option_c=28 | option_d=27 | answer=D | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=98907 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=98908 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'P' become? | option_a=M | option_b=S | option_c=V | option_d=P | answer=B | explanation=Move 3 positions forward from P; the resulting letter is S.

id=98909 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 16, 23, 30, ? | option_a=44 | option_b=37 | option_c=38 | option_d=30 | answer=B | explanation=The common difference is 7. Therefore the next term is 30 + 7 = 37.

id=98910 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=20 | option_d=4 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

Aptitude Questions — Records 98,911-98,940 of 100,000

id=98911 | topic=Averages | difficulty=Easy | question=Find the average of 36, 72, 88, 40, 83, 83, 97, 85, 73, 73. | option_a=74 | option_b=72 | option_c=75 | option_d=73 | answer=D | explanation=Average = sum of values ÷ number of values = 730 ÷ 10 = 73.

id=98912 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:3 and the first is 3, what is the second? | option_a=9 | option_b=12 | option_c=6 | option_d=10 | answer=A | explanation=Scale factor = 3/1 = 3. Therefore second quantity = 3×3 = 9.

id=98913 | topic=Percentages | difficulty=Easy | question=What is 10% of 693? | option_a=49 | option_b=138 | option_c=69 | option_d=89 | answer=C | explanation=10% of 693 = (10/100) × 693 = 69.

id=98914 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:1 and the first is 77, what is the second? | option_a=7 | option_b=18 | option_c=6 | option_d=84 | answer=A | explanation=Scale factor = 77/11 = 7. Therefore second quantity = 1×7 = 7.

id=98915 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=60 | option_c=35 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=98916 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=98917 | topic=Averages | difficulty=Easy | question=Find the average of 76, 59, 47, 99, 60, 20, 25, 23, 95. | option_a=58 | option_b=56 | option_c=57 | option_d=55 | answer=B | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=98918 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=185 | option_b=360 | option_c=175 | option_d=180 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=98919 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=20 | option_d=6 | answer=A | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=98920 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 22, 31, 42? | option_a=13 | option_b=42 | option_c=31 | option_d=22 | answer=B | explanation=The first three numbers increase by 9, so the next should be 40. Therefore 42 is the odd one out.

id=98921 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**13461 at 4% per annum for 1 years. | option_a=438 | option_b=538 | option_c=638 | option_d=13999 | answer=B | explanation=SI = PRT/100 = 13461×4×1/100 = **■**538.

id=98922 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=98923 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 20, 23, 28? | option_a=20 | option_b=28 | option_c=17 | option_d=23 | answer=B | explanation=The first three numbers increase by 3, so the next should be 26. Therefore 28 is the odd one out.

id=98924 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=40 | option_b=53 | option_c=52 | option_d=64 | answer=C | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.

id=98925 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=G | option_b=K | option_c=O | option_d=C | answer=B | explanation=Move 4 positions forward from G; the resulting letter is K.

id=98926 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 11, 13, 17? | option_a=13 | option_b=9 | option_c=17 | option_d=11 | answer=C | explanation=The first three numbers increase by 2, so the next should be 15. Therefore 17 is the odd one out.

id=98927 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 30, 33, 39? | option_a=30 | option_b=27 | option_c=39 | option_d=33 | answer=C | explanation=The first three numbers increase by 3, so the next should be 36. Therefore 39 is the odd one out.

id=98928 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:16 and the first is 144, what is the second? | option_a=336 | option_b=192 | option_c=204 | option_d=176 | answer=B | explanation=Scale factor = 144/12 = 12. Therefore second quantity = 16×12 = 192.

id=98929 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 33, 36, 42? | option_a=33 | option_b=36 | option_c=30 | option_d=42 | answer=D | explanation=The first three numbers increase by 3, so the next should be 39. Therefore 42 is the odd one out.

id=98930 | topic=Percentages | difficulty=Easy | question=What is 12% of 1375? | option_a=330 | option_b=170 | option_c=165 | option_d=160 | answer=C | explanation=12% of 1375 = (12/100) × 1375 = 165.

id=98931 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=98932 | topic=Percentages | difficulty=Easy | question=What is 20% of 1104? | option_a=230 | option_b=220 | option_c=210 | option_d=440 | answer=B | explanation=20% of 1104 = (20/100) × 1104 = 220.

id=98933 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 31, 36, 44? | option_a=26 | option_b=31 | option_c=36 | option_d=44 | answer=D | explanation=The first three numbers increase by 5, so the next should be 41. Therefore 44 is the odd one out.

id=98934 | topic=Percentages | difficulty=Easy | question=What is 5% of 125? | option_a=6 | option_b=12 | option_c=1 | option_d=16 | answer=A | explanation=5% of 125 = (5/100) × 125 = 6.

id=98935 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4520. If it is sold at a profit of 50%, what is its selling price? | option_a=7232 | option_b=4570 | option_c=6780 | option_d=6328 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4520 × 150/100 = **■**6780.

id=98936 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16104 at 10% per annum for 3 years. | option_a=4931 | option_b=20935 | option_c=4731 | option_d=4831 | answer=D | explanation=SI = PRT/100 = 16104×10×3/100 = **■**4831.

id=98937 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33171 at 15% per annum for 2 years. | option_a=43122 | option_b=9951 | option_c=9851 | option_d=10051 | answer=B | explanation=SI = PRT/100 = 33171×15×2/100 = **■**9951.

id=98938 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:2 and the first is 51, what is the second? | option_a=57 | option_b=4 | option_c=23 | option_d=6 | answer=D | explanation=Scale factor = 51/17 = 3. Therefore second quantity = 2×3 = 6.

id=98939 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 22, 26, 31? | option_a=31 | option_b=18 | option_c=26 | option_d=22 | answer=A | explanation=The first three numbers increase by 4, so the next should be 30. Therefore 31 is the odd one out.

id=98940 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:12 and the first is 300, what is the second? | option_a=480 | option_b=200 | option_c=180 | option_d=168 | answer=C | explanation=Scale factor = 300/20 = 15. Therefore second quantity = 12×15 = 180.

Aptitude Questions — Records 98,941-98,970 of 100,000

id=98941 | topic=Averages | difficulty=Easy | question=Find the average of 97, 34, 14, 40, 46, 14, 95, 20. | option_a=46 | option_b=47 | option_c=44 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 360 ÷ 8 = 45.

id=98942 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46548 at 15% per annum for 1 years. | option_a=7082 | option_b=6882 | option_c=6982 | option_d=53530 | answer=C | explanation=SI = $PRT/100 = 46548 \times 15 \times 1/100 =$ **■**6982.

id=98943 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39961 at 8% per annum for 4 years. | option_a=12687 | option_b=12887 | option_c=12787 | option_d=52748 | answer=C | explanation=SI = $PRT/100 = 39961 \times 8 \times 4/100 =$ **■**12787.

id=98944 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:19 and the first is 180, what is the second? | option_a=370 | option_b=171 | option_c=190 | option_d=208 | answer=C | explanation=Scale factor = $180/18 = 10$. Therefore second quantity = $19 \times 10 = 190$.

id=98945 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8519 at 10% per annum for 3 years. | option_a=2455 | option_b=11074 | option_c=2655 | option_d=2555 | answer=D | explanation=SI = $PRT/100 = 8519 \times 10 \times 3/100 =$ **■**2555.

id=98946 | topic=Number Series | difficulty=Easy | question=Find the next number: 9, 17, 25, 33, ? | option_a=33 | option_b=41 | option_c=42 | option_d=49 | answer=B | explanation=The common difference is 8. Therefore the next term is $33 + 8 = 41$.

id=98947 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:14 and the first is 68, what is the second? | option_a=124 | option_b=73 | option_c=42 | option_d=56 | answer=D | explanation=Scale factor = $68/17 = 4$. Therefore second quantity = $14 \times 4 = 56$.

id=98948 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=O | option_b=L | option_c=I | option_d=F | answer=B | explanation=Move 3 positions forward from I; the resulting letter is L.

id=98949 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 8 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=10 | option_d=30 | answer=B | explanation=Speed = distance ÷ time = $120 \div 8 = 15$ km/h.

id=98950 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 18, 22, 26, ? | option_a=34 | option_b=31 | option_c=30 | option_d=26 | answer=C | explanation=The common difference is 4. Therefore the next term is $26 + 4 = 30$.

id=98951 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2815. If it is sold at a profit of 50%, what is its selling price? | option_a=4222 | option_b=4503 | option_c=3941 | option_d=2865 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2815 \times 150/100 =$ **■**4222.

id=98952 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=50 | option_c=20 | option_d=30 | answer=A | explanation=Speed = distance ÷ time = $150 \div 6 = 25$ km/h.

id=98953 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=35 | option_b=34 | option_c=29 | option_d=39 | answer=B | explanation=The common difference is 5. Therefore the next term is $29 + 5 = 34$.

id=98954 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=8 | option_d=1 | answer=B | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=98955 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 24, 33, 43? | option_a=43 | option_b=15 | option_c=24 | option_d=33 | answer=A | explanation=The first three numbers increase by 9, so the next should be 42. Therefore 43 is the odd one out.

id=98956 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:4 and the first is 84, what is the second? | option_a=40 | option_b=28 | option_c=24 | option_d=112 | answer=B | explanation=Scale factor = $84/12 = 7$. Therefore second quantity = $4 \times 7 = 28$.

id=98957 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=M | option_c=Y | option_d=Q | answer=A | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=98958 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 13, 16, 19, ? | option_a=23 | option_b=19 | option_c=25 | option_d=22 | answer=D | explanation=The common difference is 3. Therefore the next term is $19 + 3 = 22$.

id=98959 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2081. If it is sold at a profit of 5%, what is its selling price? | option_a=2393 | option_b=2185 | option_c=1977 | option_d=2086 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2081 \times 105/100 =$ **■**2185.

id=98960 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 13, 21, 32? | option_a=13 | option_b=5 | option_c=21 | option_d=32 | answer=D | explanation=The first three numbers increase by 8, so the next should be 29. Therefore 32 is the odd one out.

id=98961 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 25, 32, 41? | option_a=41 | option_b=25 | option_c=18 | option_d=32 | answer=A | explanation=The first three numbers increase by 7, so the next should be 39. Therefore 41 is the odd one out.

id=98962 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=20 | option_b=5 | option_c=6 | option_d=4 | answer=B | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=98963 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**48614 at 12% per annum for 3 years. | option_a=17501 | option_b=17401 | option_c=66115 | option_d=17601 | answer=A | explanation=SI = $PRT/100 = 48614 \times 12 \times 3/100 =$ **■**17501.

id=98964 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=6 | option_c=5 | option_d=20 | answer=C | explanation=Combined rate = $1/10 + 1/10 = 20/100$. Time = $100/20 = 5$ days.

id=98965 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 27, 29, 33? | option_a=29 | option_b=27 | option_c=33 | option_d=25 | answer=C | explanation=The first three numbers increase by 2, so the next should be 31. Therefore 33 is the odd one out.

id=98966 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:4 and the first is 150, what is the second? | option_a=210 | option_b=56 | option_c=60 | option_d=70 | answer=C | explanation=Scale factor = $150/10 = 15$. Therefore second quantity = $4 \times 15 = 60$.

id=98967 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4321. If it is sold at a profit of 50%, what is its selling price? | option_a=4371 | option_b=6049 | option_c=6481 | option_d=6913 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4321 \times 150/100 =$ **■**6481.

id=98968 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 26, 29, 35? | option_a=26 | option_b=23 | option_c=29 | option_d=35 | answer=D | explanation=The first three numbers increase by 3, so the next should be 32. Therefore 35 is the odd one out.

id=98969 | topic=Averages | difficulty=Easy | question=Find the average of 74, 50, 99, 66, 81. | option_a=75 | option_b=74 | option_c=73 | option_d=76 | answer=B | explanation=Average = sum of values ÷ number of values = $370 \div 5 = 74$.

id=98970 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 40? | option_a=14 | option_b=40 | option_c=22 | option_d=30 | answer=B | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 40 is the odd one out.

Aptitude Questions — Records 98,971-99,000 of 100,000

id=98971 | topic=Averages | difficulty=Easy | question=Find the average of 21, 24, 51, 10, 84, 67, 56, 85, 52. | option_a=50 | option_b=52 | option_c=49 | option_d=51 | answer=A | explanation=Average = sum of values ÷ number of values = 450 ÷ 9 = 50.

id=98972 | topic=Averages | difficulty=Easy | question=Find the average of 40, 35, 99, 84, 100, 55, 97, 34. | option_a=70 | option_b=67 | option_c=68 | option_d=69 | answer=C | explanation=Average = sum of values ÷ number of values = 544 ÷ 8 = 68.

id=98973 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=9 | option_d=3 | answer=A | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=98974 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1434. If it is sold at a profit of 40%, what is its selling price? | option_a=2150 | option_b=1474 | option_c=1864 | option_d=2007 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1434 × 140/100 = █2007.

id=98975 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=98976 | topic=Averages | difficulty=Easy | question=Find the average of 75, 38, 10, 13, 44. | option_a=37 | option_b=36 | option_c=38 | option_d=35 | answer=B | explanation=Average = sum of values ÷ number of values = 180 ÷ 5 = 36.

id=98977 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=2 | option_d=16 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=98978 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=16 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=98979 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=50 | option_b=51 | option_c=39 | option_d=61 | answer=A | explanation=The common difference is 11. Therefore the next term is 39 + 11 = 50.

id=98980 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=20 | option_d=6 | answer=B | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=98981 | topic=Percentages | difficulty=Easy | question=What is 50% of 488? | option_a=488 | option_b=244 | option_c=249 | option_d=224 | answer=B | explanation=50% of 488 = (50/100) × 488 = 244.

id=98982 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=98983 | topic=Averages | difficulty=Easy | question=Find the average of 19, 55, 60, 61, 53, 40. | option_a=49 | option_b=50 | option_c=48 | option_d=47 | answer=C | explanation=Average = sum of values ÷ number of values = 288 ÷ 6 = 48.

id=98984 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 24, 33, 42, ? | option_a=42 | option_b=60 | option_c=51 | option_d=52 | answer=C | explanation=The common difference is 9. Therefore the next term is 42 + 9 = 51.

id=98985 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:4 and the first is 6, what is the second? | option_a=25 | option_b=20 | option_c=24 | option_d=30 | answer=C | explanation=Scale factor = 6/1 = 6. Therefore second quantity = 4×6 = 24.

id=98986 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=I | option_b=E | option_c=K | option_d=G | answer=A | explanation=Move 2 positions forward from G; the resulting letter is I.

id=98987 | topic=Percentages | difficulty=Easy | question=What is 12% of 430? | option_a=102 | option_b=31 | option_c=51 | option_d=61 | answer=C | explanation=12% of 430 = (12/100) × 430 = 51.

id=98988 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=36 | option_c=18 | option_d=23 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=98989 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 18, 21, 24, ? | option_a=24 | option_b=30 | option_c=27 | option_d=28 | answer=C | explanation=The common difference is 3. Therefore the next term is 24 + 3 = 27.

id=98990 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 9, 14, 20? | option_a=4 | option_b=9 | option_c=20 | option_d=14 | answer=C | explanation=The first three numbers increase by 5, so the next should be 19. Therefore 20 is the odd one out.

id=98991 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:2 and the first is 91, what is the second? | option_a=27 | option_b=12 | option_c=105 | option_d=14 | answer=D | explanation=Scale factor = 91/13 = 7. Therefore second quantity = 2×7 = 14.

id=98992 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:20 and the first is 288, what is the second? | option_a=340 | option_b=360 | option_c=648 | option_d=376 | answer=B | explanation=Scale factor = 288/16 = 18. Therefore second quantity = 20×18 = 360.

id=98993 | topic=Averages | difficulty=Easy | question=Find the average of 24, 51, 21, 32, 33, 19, 96, 90, 86, 48. | option_a=49 | option_b=50 | option_c=52 | option_d=51 | answer=B | explanation=Average = sum of values ÷ number of values = 500 ÷ 10 = 50.

id=98994 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=45 | option_c=35 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=98995 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=98996 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=300 | option_b=155 | option_c=145 | option_d=150 | answer=D | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=98997 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:14 and the first is 170, what is the second? | option_a=238 | option_b=224 | option_c=248 | option_d=408 | answer=A | explanation=Scale factor = 170/10 = 17. Therefore second quantity = 14×17 = 238.

id=98998 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=45 | option_b=37 | option_c=53 | option_d=46 | answer=A | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=98999 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=240 | option_b=120 | option_c=115 | option_d=125 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=99000 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 29? | option_a=29 | option_b=24 | option_c=20 | option_d=16 | answer=A | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 29 is the odd one out.

Aptitude Questions — Records 99,001-99,030 of 100,000

id=99001 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:14 and the first is 220, what is the second? | option_a=500 | option_b=291 | option_c=266 | option_d=280 | answer=D | explanation=Scale factor = 220/11 = 20. Therefore second quantity = 14×20 = 280.

id=99002 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 24, 30, 38? | option_a=30 | option_b=18 | option_c=38 | option_d=24 | answer=C | explanation=The first three numbers increase by 6, so the next should be 36. Therefore 38 is the odd one out.

id=99003 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 25, 30, 35, ? | option_a=41 | option_b=40 | option_c=35 | option_d=45 | answer=B | explanation=The common difference is 5. Therefore the next term is 35 + 5 = 40.

id=99004 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=R | option_b=O | option_c=U | option_d=L | answer=A | explanation=Move 3 positions forward from O; the resulting letter is R.

id=99005 | topic=Percentages | difficulty=Easy | question=What is 25% of 693? | option_a=173 | option_b=153 | option_c=346 | option_d=178 | answer=A | explanation=25% of 693 = (25/100) × 693 = 173.

id=99006 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 15, 25, 38? | option_a=5 | option_b=25 | option_c=38 | option_d=15 | answer=C | explanation=The first three numbers increase by 10, so the next should be 35. Therefore 38 is the odd one out.

id=99007 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 26, 28, 33? | option_a=28 | option_b=26 | option_c=33 | option_d=24 | answer=C | explanation=The first three numbers increase by 2, so the next should be 30. Therefore 33 is the odd one out.

id=99008 | topic=Percentages | difficulty=Easy | question=What is 30% of 1404? | option_a=842 | option_b=416 | option_c=421 | option_d=431 | answer=C | explanation=30% of 1404 = (30/100) × 1404 = 421.

id=99009 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**33956 at 5% per annum for 2 years. | option_a=3295 | option_b=37351 | option_c=3495 | option_d=3395 | answer=D | explanation=SI = PRT/100 = 33956×5×2/100 = **■**3395.

id=99010 | topic=Averages | difficulty=Easy | question=Find the average of 97, 45, 56. | option_a=66 | option_b=65 | option_c=67 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = 198 ÷ 3 = 66.

id=99011 | topic=Averages | difficulty=Easy | question=Find the average of 65, 98, 82, 23. | option_a=67 | option_b=66 | option_c=69 | option_d=68 | answer=A | explanation=Average = sum of values ÷ number of values = 268 ÷ 4 = 67.

id=99012 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**8754 at 6% per annum for 3 years. | option_a=1575 | option_b=1475 | option_c=10329 | option_d=1675 | answer=A | explanation=SI = PRT/100 = 8754×6×3/100 = **■**1575.

id=99013 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43803 at 10% per annum for 5 years. | option_a=22001 | option_b=21801 | option_c=65704 | option_d=21901 | answer=D | explanation=SI = PRT/100 = 43803×10×5/100 = **■**21901.

id=99014 | topic=Percentages | difficulty=Easy | question=What is 20% of 959? | option_a=201 | option_b=191 | option_c=186 | option_d=382 | answer=B | explanation=20% of 959 = (20/100) × 959 = 191.

id=99015 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 33, 37, 42? | option_a=37 | option_b=42 | option_c=29 | option_d=33 | answer=B | explanation=The first three numbers increase by 4, so the next should be 41. Therefore 42 is the odd one out.

id=99016 | topic=Averages | difficulty=Easy | question=Find the average of 95, 69, 62, 30. | option_a=66 | option_b=64 | option_c=63 | option_d=65 | answer=B | explanation=Average = sum of values ÷ number of values = 256 ÷ 4 = 64.

id=99017 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:10 and the first is 320, what is the second? | option_a=520 | option_b=216 | option_c=200 | option_d=190 | answer=C | explanation=Scale factor = 320/16 = 20. Therefore second quantity = 10×20 = 200.

id=99018 | topic=Percentages | difficulty=Easy | question=What is 40% of 195? | option_a=83 | option_b=156 | option_c=58 | option_d=78 | answer=D | explanation=40% of 195 = (40/100) × 195 = 78.

id=99019 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=31 | option_b=32 | option_c=25 | option_d=37 | answer=A | explanation=The common difference is 6. Therefore the next term is 25 + 6 = 31.

id=99020 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=19 | option_b=24 | option_c=29 | option_d=48 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=99021 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 9. | option_a=36 | option_b=9 | option_c=162 | option_d=18 | answer=D | explanation=LCM × HCF = 18×9, HCF(18,9) = 9, so LCM = 18.

id=99022 | topic=Percentages | difficulty=Easy | question=What is 5% of 876? | option_a=86 | option_b=53 | option_c=43 | option_d=33 | answer=C | explanation=5% of 876 = (5/100) × 876 = 43.

id=99023 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=99024 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=28 | option_b=29 | option_c=26 | option_d=30 | answer=A | explanation=The common difference is 2. Therefore the next term is 26 + 2 = 28.

id=99025 | topic=Percentages | difficulty=Easy | question=What is 40% of 1291? | option_a=526 | option_b=496 | option_c=1032 | option_d=516 | answer=D | explanation=40% of 1291 = (40/100) × 1291 = 516.

id=99026 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3139. If it is sold at a profit of 25%, what is its selling price? | option_a=3923 | option_b=4236 | option_c=3164 | option_d=3610 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3139 × 125/100 = **■**3923.

id=99027 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1054. If it is sold at a profit of 30%, what is its selling price? | option_a=1084 | option_b=1265 | option_c=1370 | option_d=1475 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1054 × 130/100 = **■**1370.

id=99028 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=99029 | topic=Percentages | difficulty=Easy | question=What is 30% of 98? | option_a=39 | option_b=9 | option_c=29 | option_d=58 | answer=C | explanation=30% of 98 = (30/100) × 98 = 29.

id=99030 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:3 and the first is 180, what is the second? | option_a=47 | option_b=27 | option_c=24 | option_d=207 | answer=B | explanation=Scale factor = 180/20 = 9. Therefore second quantity = 3×9 = 27.

Aptitude Questions — Records 99,031-99,060 of 100,000

id=99031 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■8395 at 15% per annum for 4 years. | option_a=5037 | option_b=4937 | option_c=13432 | option_d=5137 | answer=A | explanation=SI = PRT/100 = 8395×15×4/100 = ■5037.

id=99032 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■523. If it is sold at a profit of 20%, what is its selling price? | option_a=575 | option_b=627 | option_c=679 | option_d=543 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 523 × 120/100 = ■627.

id=99033 | topic=Averages | difficulty=Easy | question=Find the average of 25, 47, 53, 73, 79, 69, 18. | option_a=53 | option_b=54 | option_c=51 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 364 ÷ 7 = 52.

id=99034 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=99035 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=5 | option_c=16 | option_d=3 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=99036 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=99037 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 9, 12, 15, ? | option_a=15 | option_b=19 | option_c=18 | option_d=21 | answer=C | explanation=The common difference is 3. Therefore the next term is 15 + 3 = 18.

id=99038 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 25, 32, 39, ? | option_a=53 | option_b=39 | option_c=46 | option_d=47 | answer=C | explanation=The common difference is 7. Therefore the next term is 39 + 7 = 46.

id=99039 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=99040 | topic=Percentages | difficulty=Easy | question=What is 12% of 666? | option_a=158 | option_b=74 | option_c=99 | option_d=79 | answer=D | explanation=12% of 666 = (12/100) × 666 = 79.

id=99041 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:16 and the first is 380, what is the second? | option_a=320 | option_b=339 | option_c=304 | option_d=700 | answer=A | explanation=Scale factor = 380/19 = 20. Therefore second quantity = 16×20 = 320.

id=99042 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:11 and the first is 33, what is the second? | option_a=22 | option_b=66 | option_c=33 | option_d=44 | answer=C | explanation=Scale factor = 33/11 = 3. Therefore second quantity = 11×3 = 33.

id=99043 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=7 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=99044 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2363. If it is sold at a profit of 40%, what is its selling price? | option_a=3072 | option_b=3544 | option_c=3308 | option_d=2403 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2363 × 140/100 = ■3308.

id=99045 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 20, 25, 30, ? | option_a=40 | option_b=36 | option_c=30 | option_d=35 | answer=D | explanation=The common difference is 5. Therefore the next term is 30 + 5 = 35.

id=99046 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 17, 23, 31? | option_a=11 | option_b=23 | option_c=17 | option_d=31 | answer=D | explanation=The first three numbers increase by 6, so the next should be 29. Therefore 31 is the odd one out.

id=99047 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=Z | option_b=H | option_c=L | option_d=D | answer=B | explanation=Move 4 positions forward from D; the resulting letter is H.

id=99048 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 28, 36, 45? | option_a=45 | option_b=28 | option_c=36 | option_d=20 | answer=A | explanation=The first three numbers increase by 8, so the next should be 44. Therefore 45 is the odd one out.

id=99049 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 17, 28, 39, ? | option_a=61 | option_b=51 | option_c=50 | option_d=39 | answer=C | explanation=The common difference is 11. Therefore the next term is 39 + 11 = 50.

id=99050 | topic=Averages | difficulty=Easy | question=Find the average of 45, 81, 15, 96, 48, 51, 98. | option_a=61 | option_b=63 | option_c=64 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 434 ÷ 7 = 62.

id=99051 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 31, 33, 38? | option_a=33 | option_b=29 | option_c=38 | option_d=31 | answer=C | explanation=The first three numbers increase by 2, so the next should be 35. Therefore 38 is the odd one out.

id=99052 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2184. If it is sold at a profit of 30%, what is its selling price? | option_a=2839 | option_b=3057 | option_c=2214 | option_d=2621 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2184 × 130/100 = ■2839.

id=99053 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=37 | option_b=32 | option_c=31 | option_d=25 | answer=C | explanation=The common difference is 6. Therefore the next term is 25 + 6 = 31.

id=99054 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=99055 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■7069 at 10% per annum for 5 years. | option_a=10603 | option_b=3634 | option_c=3534 | option_d=3434 | answer=C | explanation=SI = PRT/100 = 7069×10×5/100 = ■3534.

id=99056 | topic=Averages | difficulty=Easy | question=Find the average of 19, 23, 77, 71, 63, 41, 100, 38. | option_a=55 | option_b=53 | option_c=54 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 432 ÷ 8 = 54.

id=99057 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4873. If it is sold at a profit of 25%, what is its selling price? | option_a=6091 | option_b=5604 | option_c=6578 | option_d=4898 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4873 × 125/100 = ■6091.

id=99058 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 14, 22, 30, ? | option_a=30 | option_b=39 | option_c=38 | option_d=46 | answer=C | explanation=The common difference is 8. Therefore the next term is 30 + 8 = 38.

id=99059 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■41510 at 6% per annum for 2 years. | option_a=5081 | option_b=4981 | option_c=46491 | option_d=4881 | answer=B | explanation=SI = PRT/100 = 41510×6×2/100 = ■4981.

id=99060 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4133. If it is sold at a profit of 15%, what is its selling price? | option_a=4148 | option_b=4752 | option_c=5165 | option_d=4339 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4133 × 115/100 = ■4752.

Aptitude Questions — Records 99,061-99,090 of 100,000

id=99061 | topic=Averages | difficulty=Easy | question=Find the average of 24, 61, 14, 15, 48, 89, 13, 64. | option_a=41 | option_b=43 | option_c=40 | option_d=42 | answer=A | explanation=Average = sum of values ÷ number of values = 328 ÷ 8 = 41.

id=99062 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=99063 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:7 and the first is 247, what is the second? | option_a=110 | option_b=84 | option_c=338 | option_d=91 | answer=D | explanation=Scale factor = 247/19 = 13. Therefore second quantity = 7×13 = 91.

id=99064 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=99065 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6962 at 10% per annum for 3 years. | option_a=9050 | option_b=1988 | option_c=2188 | option_d=2088 | answer=D | explanation=SI = PRT/100 = 6962×10×3/100 = **■**2088.

id=99066 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 11, 15, 19, 25? | option_a=19 | option_b=25 | option_c=11 | option_d=15 | answer=B | explanation=The first three numbers increase by 4, so the next should be 23. Therefore 25 is the odd one out.

id=99067 | topic=Percentages | difficulty=Easy | question=What is 40% of 977? | option_a=390 | option_b=780 | option_c=395 | option_d=380 | answer=A | explanation=40% of 977 = (40/100) × 977 = 390.

id=99068 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=155 | option_c=145 | option_d=300 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=99069 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 20. | option_a=198 | option_b=360 | option_c=180 | option_d=160 | answer=C | explanation=LCM × HCF = 18×20; HCF(18,20) = 2, so LCM = 180.

id=99070 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'L' become? | option_a=Q | option_b=V | option_c=L | option_d=G | answer=A | explanation=Move 5 positions forward from L; the resulting letter is Q.

id=99071 | topic=Percentages | difficulty=Easy | question=What is 12% of 981? | option_a=234 | option_b=127 | option_c=112 | option_d=117 | answer=D | explanation=12% of 981 = (12/100) × 981 = 117.

id=99072 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=99073 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**16247 at 10% per annum for 1 years. | option_a=1624 | option_b=1524 | option_c=1724 | option_d=17871 | answer=A | explanation=SI = PRT/100 = 16247×10×1/100 = **■**1624.

id=99074 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'B' become? | option_a=C | option_b=D | option_c=A | option_d=B | answer=A | explanation=Move 1 positions forward from B; the resulting letter is C.

id=99075 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=99076 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=6 | option_b=20 | option_c=5 | option_d=4 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=99077 | topic=Percentages | difficulty=Easy | question=What is 20% of 1051? | option_a=200 | option_b=210 | option_c=420 | option_d=230 | answer=B | explanation=20% of 1051 = (20/100) × 1051 = 210.

id=99078 | topic=Averages | difficulty=Easy | question=Find the average of 30, 82, 96, 96. | option_a=75 | option_b=76 | option_c=78 | option_d=77 | answer=B | explanation=Average = sum of values ÷ number of values = 304 ÷ 4 = 76.

id=99079 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=37 | option_b=33 | option_c=34 | option_d=29 | answer=B | explanation=The common difference is 4. Therefore the next term is 29 + 4 = 33.

id=99080 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=50 | option_c=30 | option_d=20 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=99081 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 24, 27, 32? | option_a=24 | option_b=32 | option_c=27 | option_d=21 | answer=B | explanation=The first three numbers increase by 3, so the next should be 30. Therefore 32 is the odd one out.

id=99082 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:12 and the first is 84, what is the second? | option_a=132 | option_b=144 | option_c=228 | option_d=151 | answer=B | explanation=Scale factor = 84/7 = 12. Therefore second quantity = 12×12 = 144.

id=99083 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=Q | option_b=H | option_c=N | option_d=K | answer=C | explanation=Move 3 positions forward from K; the resulting letter is N.

id=99084 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39520 at 8% per annum for 2 years. | option_a=6223 | option_b=6423 | option_c=45843 | option_d=6323 | answer=D | explanation=SI = PRT/100 = 39520×8×2/100 = **■**6323.

id=99085 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=60 | option_d=35 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 8 = 30 km/h.

id=99086 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=T | option_b=N | option_c=K | option_d=Q | answer=D | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=99087 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3942. If it is sold at a profit of 10%, what is its selling price? | option_a=3952 | option_b=4730 | option_c=4336 | option_d=3942 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3942 × 110/100 = **■**4336.

id=99088 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=O | option_c=M | option_d=Q | answer=D | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=99089 | topic=Averages | difficulty=Easy | question=Find the average of 78, 90, 24, 69, 28, 65. | option_a=61 | option_b=60 | option_c=59 | option_d=58 | answer=C | explanation=Average = sum of values ÷ number of values = 354 ÷ 6 = 59.

id=99090 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=8 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

Aptitude Questions — Records 99,091-99,120 of 100,000

id=99091 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=6 | option_c=7 | option_d=5 | answer=B | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $\frac{144}{24} = 6$ days.

id=99092 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=5 | option_b=6 | option_c=20 | option_d=4 | answer=A | explanation=Combined rate = $\frac{1}{10} + \frac{1}{10} = \frac{20}{100}$. Time = $\frac{100}{20} = 5$ days.

id=99093 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1338. If it is sold at a profit of 10%, what is its selling price? | option_a=1471 | option_b=1348 | option_c=1338 | option_d=1604 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1338 \times \frac{110}{100} = \text{█}1471$.

id=99094 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=24 | option_c=19 | option_d=29 | answer=B | explanation=Speed = distance ÷ time = $120 \div 5 = 24$ km/h.

id=99095 | topic=Profit & Loss | difficulty=Easy | question=An article costs █722. If it is sold at a profit of 50%, what is its selling price? | option_a=1155 | option_b=1083 | option_c=1011 | option_d=772 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 722 \times \frac{150}{100} = \text{█}1083$.

id=99096 | topic=Averages | difficulty=Easy | question=Find the average of 66, 72, 80, 38. | option_a=65 | option_b=63 | option_c=66 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = $256 \div 4 = 64$.

id=99097 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=35 | option_b=25 | option_c=60 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $120 \div 4 = 30$ km/h.

id=99098 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3275. If it is sold at a profit of 20%, what is its selling price? | option_a=4257 | option_b=3295 | option_c=3930 | option_d=3603 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3275 \times \frac{120}{100} = \text{█}3930$.

id=99099 | topic=Percentages | difficulty=Easy | question=What is 30% of 1865? | option_a=559 | option_b=554 | option_c=564 | option_d=1118 | answer=A | explanation=30% of 1865 = $(30/100) \times 1865 = 559$.

id=99100 | topic=Averages | difficulty=Easy | question=Find the average of 26, 78, 24, 88, 89, 89, 85, 39, 75, 67. | option_a=65 | option_b=66 | option_c=68 | option_d=67 | answer=B | explanation=Average = sum of values ÷ number of values = $660 \div 10 = 66$.

id=99101 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 14, 24, 37? | option_a=24 | option_b=4 | option_c=37 | option_d=14 | answer=C | explanation=The first three numbers increase by 10, so the next should be 34. Therefore 37 is the odd one out.

id=99102 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2526. If it is sold at a profit of 30%, what is its selling price? | option_a=3031 | option_b=3283 | option_c=2556 | option_d=3535 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2526 \times \frac{130}{100} = \text{█}3283$.

id=99103 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 10, 18, 26, ? | option_a=26 | option_b=42 | option_c=35 | option_d=34 | answer=D | explanation=The common difference is 8. Therefore the next term is $26 + 8 = 34$.

id=99104 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{12} = \frac{18}{72}$. Time = $\frac{72}{18} = 4$ days.

id=99105 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=35 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = $300 \div 10 = 30$ km/h.

id=99106 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = $240 \div 8 = 30$ km/h.

id=99107 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 10 hours. What is its average speed? | option_a=12 | option_b=7 | option_c=17 | option_d=24 | answer=A | explanation=Speed = distance ÷ time = $120 \div 10 = 12$ km/h.

id=99108 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 14, 18, 22, ? | option_a=30 | option_b=26 | option_c=22 | option_d=27 | answer=B | explanation=The common difference is 4. Therefore the next term is $22 + 4 = 26$.

id=99109 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 14, 21, 31? | option_a=14 | option_b=7 | option_c=21 | option_d=31 | answer=D | explanation=The first three numbers increase by 7, so the next should be 28. Therefore 31 is the odd one out.

id=99110 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:5 and the first is 255, what is the second? | option_a=80 | option_b=85 | option_c=100 | option_d=340 | answer=B | explanation=Scale factor = $255/15 = 17$. Therefore second quantity = $5 \times 17 = 85$.

id=99111 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1383. If it is sold at a profit of 15%, what is its selling price? | option_a=1398 | option_b=1452 | option_c=1728 | option_d=1590 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1383 \times \frac{115}{100} = \text{█}1590$.

id=99112 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:1 and the first is 30, what is the second? | option_a=45 | option_b=15 | option_c=14 | option_d=17 | answer=B | explanation=Scale factor = $30/2 = 15$. Therefore second quantity = $1 \times 15 = 15$.

id=99113 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █47683 at 6% per annum for 3 years. | option_a=56265 | option_b=8682 | option_c=8582 | option_d=8482 | answer=C | explanation=SI = $PRT/100 = 47683 \times 6 \times 3/100 = \text{█}8582$.

id=99114 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=2 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $\frac{36}{12} = 3$ days.

id=99115 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:9 and the first is 104, what is the second? | option_a=117 | option_b=125 | option_c=108 | option_d=221 | answer=A | explanation=Scale factor = $104/8 = 13$. Therefore second quantity = $9 \times 13 = 117$.

id=99116 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=96 | option_b=48 | option_c=43 | option_d=53 | answer=B | explanation=Speed = distance ÷ time = $240 \div 5 = 48$ km/h.

id=99117 | topic=Percentages | difficulty=Easy | question=What is 15% of 155? | option_a=46 | option_b=33 | option_c=23 | option_d=18 | answer=C | explanation=15% of 155 = $(15/100) \times 155 = 23$.

id=99118 | topic=Averages | difficulty=Easy | question=Find the average of 33, 20, 26, 99, 77, 34, 100, 66, 85. | option_a=59 | option_b=61 | option_c=60 | option_d=62 | answer=C | explanation=Average = sum of values ÷ number of values = $540 \div 9 = 60$.

id=99119 | topic=Averages | difficulty=Easy | question=Find the average of 54, 80, 79. | option_a=70 | option_b=72 | option_c=71 | option_d=73 | answer=C | explanation=Average = sum of values ÷ number of values = $213 \div 3 = 71$.

id=99120 | topic=Percentages | difficulty=Easy | question=What is 50% of 1897? | option_a=1896 | option_b=948 | option_c=968 | option_d=928 | answer=B | explanation=50% of 1897 = $(50/100) \times 1897 = 948$.

Aptitude Questions — Records 99,121-99,150 of 100,000

id=99121 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:15 and the first is 40, what is the second? | option_a=60 | option_b=83 | option_c=75 | option_d=115 | answer=C | explanation=Scale factor = 40/8 = 5. Therefore second quantity = 15×5 = 75.

id=99122 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 5, 10, 15, 23? | option_a=5 | option_b=15 | option_c=10 | option_d=23 | answer=D | explanation=The first three numbers increase by 5, so the next should be 20. Therefore 23 is the odd one out.

id=99123 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=20 | option_b=15 | option_c=30 | option_d=10 | answer=B | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=99124 | topic=Averages | difficulty=Easy | question=Find the average of 98, 35, 88, 69, 48, 72, 14, 57, 95. | option_a=66 | option_b=63 | option_c=65 | option_d=64 | answer=D | explanation=Average = sum of values ÷ number of values = 576 ÷ 9 = 64.

id=99125 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:18 and the first is 140, what is the second? | option_a=162 | option_b=180 | option_c=194 | option_d=320 | answer=B | explanation=Scale factor = 140/14 = 10. Therefore second quantity = 18×10 = 180.

id=99126 | topic=Percentages | difficulty=Easy | question=What is 5% of 1944? | option_a=87 | option_b=102 | option_c=97 | option_d=194 | answer=C | explanation=5% of 1944 = (5/100) × 1944 = 97.

id=99127 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=L | option_c=R | option_d=P | answer=D | explanation=Move 2 positions forward from N; the resulting letter is P.

id=99128 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2477. If it is sold at a profit of 20%, what is its selling price? | option_a=2972 | option_b=3219 | option_c=2497 | option_d=2725 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2477 × 120/100 = █2972.

id=99129 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=7 | option_c=5 | option_d=24 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=99130 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=2 | option_d=3 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=99131 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 47? | option_a=40 | option_b=47 | option_c=34 | option_d=28 | answer=B | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 47 is the odd one out.

id=99132 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 12, 18, 27? | option_a=18 | option_b=27 | option_c=6 | option_d=12 | answer=B | explanation=The first three numbers increase by 6, so the next should be 24. Therefore 27 is the odd one out.

id=99133 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=30 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=99134 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 3 hours. What is its average speed? | option_a=115 | option_b=120 | option_c=240 | option_d=125 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 3 = 120 km/h.

id=99135 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 26, 36, 48? | option_a=48 | option_b=36 | option_c=16 | option_d=26 | answer=A | explanation=The first three numbers increase by 10, so the next should be 46. Therefore 48 is the odd one out.

id=99136 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:13 and the first is 4, what is the second? | option_a=13 | option_b=28 | option_c=30 | option_d=26 | answer=D | explanation=Scale factor = 4/2 = 2. Therefore second quantity = 13×2 = 26.

id=99137 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 25, 31, 37, ? | option_a=44 | option_b=43 | option_c=49 | option_d=37 | answer=B | explanation=The common difference is 6. Therefore the next term is 37 + 6 = 43.

id=99138 | topic=Percentages | difficulty=Easy | question=What is 15% of 55? | option_a=16 | option_b=3 | option_c=8 | option_d=18 | answer=C | explanation=15% of 55 = (15/100) × 55 = 8.

id=99139 | topic=Percentages | difficulty=Easy | question=What is 40% of 250? | option_a=200 | option_b=95 | option_c=100 | option_d=120 | answer=C | explanation=40% of 250 = (40/100) × 250 = 100.

id=99140 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=99141 | topic=Profit & Loss | difficulty=Easy | question=An article costs █693. If it is sold at a profit of 25%, what is its selling price? | option_a=935 | option_b=718 | option_c=797 | option_d=866 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 693 × 125/100 = █866.

id=99142 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=65 | option_d=120 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=99143 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=99144 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=9 | option_c=4 | option_d=18 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=99145 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=31 | option_b=41 | option_c=36 | option_d=72 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=99146 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:14 and the first is 22, what is the second? | option_a=176 | option_b=154 | option_c=156 | option_d=140 | answer=B | explanation=Scale factor = 22/2 = 11. Therefore second quantity = 14×11 = 154.

id=99147 | topic=Averages | difficulty=Easy | question=Find the average of 65, 13, 96, 80, 12, 88, 94. | option_a=63 | option_b=65 | option_c=64 | option_d=66 | answer=C | explanation=Average = sum of values ÷ number of values = 448 ÷ 7 = 64.

id=99148 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=99149 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 28, 38, 51? | option_a=38 | option_b=51 | option_c=18 | option_d=28 | answer=B | explanation=The first three numbers increase by 10, so the next should be 48. Therefore 51 is the odd one out.

id=99150 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'I' become? | option_a=L | option_b=I | option_c=O | option_d=F | answer=A | explanation=Move 3 positions forward from I; the resulting letter is L.

Aptitude Questions — Records 99,151-99,180 of 100,000

id=99151 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■23170 at 4% per annum for 4 years. | option_a=3707 | option_b=26877 | option_c=3807 | option_d=3607 | answer=A | explanation=SI = PRT/100 = 23170×4×4/100 = ■3707.

id=99152 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 26, 36, 46, ? | option_a=57 | option_b=56 | option_c=66 | option_d=46 | answer=B | explanation=The common difference is 10. Therefore the next term is 46 + 10 = 56.

id=99153 | topic=Percentages | difficulty=Easy | question=What is 12% of 978? | option_a=97 | option_b=117 | option_c=234 | option_d=137 | answer=B | explanation=12% of 978 = (12/100) × 978 = 117.

id=99154 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=99155 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 19, 24, 29, ? | option_a=29 | option_b=35 | option_c=39 | option_d=34 | answer=D | explanation=The common difference is 5. Therefore the next term is 29 + 5 = 34.

id=99156 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 6, 8, 10, ? | option_a=10 | option_b=12 | option_c=13 | option_d=14 | answer=B | explanation=The common difference is 2. Therefore the next term is 10 + 2 = 12.

id=99157 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■10505 at 15% per annum for 5 years. | option_a=7878 | option_b=7978 | option_c=18383 | option_d=7778 | answer=A | explanation=SI = PRT/100 = 10505×15×5/100 = ■7878.

id=99158 | topic=Averages | difficulty=Easy | question=Find the average of 94, 21, 79, 57, 64. | option_a=62 | option_b=63 | option_c=65 | option_d=64 | answer=B | explanation=Average = sum of values ÷ number of values = 315 ÷ 5 = 63.

id=99159 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=9 | option_d=1 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=99160 | topic=Percentages | difficulty=Easy | question=What is 12% of 223? | option_a=21 | option_b=46 | option_c=52 | option_d=26 | answer=D | explanation=12% of 223 = (12/100) × 223 = 26.

id=99161 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=P | option_c=V | option_d=T | answer=D | explanation=Move 2 positions forward from R; the resulting letter is T.

id=99162 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=23 | option_b=18 | option_c=13 | option_d=36 | answer=B | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=99163 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 22, 31, 40, ? | option_a=49 | option_b=40 | option_c=50 | option_d=58 | answer=A | explanation=The common difference is 9. Therefore the next term is 40 + 9 = 49.

id=99164 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=D | option_c=Y | option_d=O | answer=C | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=99165 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■15073 at 12% per annum for 3 years. | option_a=20499 | option_b=5326 | option_c=5526 | option_d=5426 | answer=D | explanation=SI = PRT/100 = 15073×12×3/100 = ■5426.

id=99166 | topic=Number System | difficulty=Easy | question=Find the LCM of 5 and 5. | option_a=10 | option_b=5 | option_c=25 | option_d=1 | answer=B | explanation=LCM × HCF = 5×5; HCF(5,5) = 5, so LCM = 5.

id=99167 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 28, 30, 35? | option_a=35 | option_b=26 | option_c=30 | option_d=28 | answer=A | explanation=The first three numbers increase by 2, so the next should be 32. Therefore 35 is the odd one out.

id=99168 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=33 | option_b=44 | option_c=43 | option_d=53 | answer=C | explanation=The common difference is 10. Therefore the next term is 33 + 10 = 43.

id=99169 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 21, 25, 30? | option_a=30 | option_b=25 | option_c=21 | option_d=17 | answer=A | explanation=The first three numbers increase by 4, so the next should be 29. Therefore 30 is the odd one out.

id=99170 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:5 and the first is 6, what is the second? | option_a=36 | option_b=25 | option_c=31 | option_d=30 | answer=D | explanation=Scale factor = 6/1 = 6. Therefore second quantity = 5×6 = 30.

id=99171 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■272. If it is sold at a profit of 30%, what is its selling price? | option_a=302 | option_b=353 | option_c=380 | option_d=326 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 272 × 130/100 = ■353.

id=99172 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:2 and the first is 187, what is the second? | option_a=20 | option_b=209 | option_c=22 | option_d=39 | answer=C | explanation=Scale factor = 187/17 = 11. Therefore second quantity = 2×11 = 22.

id=99173 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'R' become? | option_a=M | option_b=W | option_c=B | option_d=R | answer=B | explanation=Move 5 positions forward from R; the resulting letter is W.

id=99174 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:15 and the first is 165, what is the second? | option_a=150 | option_b=330 | option_c=165 | option_d=180 | answer=C | explanation=Scale factor = 165/15 = 11. Therefore second quantity = 15×11 = 165.

id=99175 | topic=Percentages | difficulty=Easy | question=What is 10% of 1003? | option_a=200 | option_b=95 | option_c=100 | option_d=110 | answer=C | explanation=10% of 1003 = (10/100) × 1003 = 100.

id=99176 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=M | option_b=K | option_c=L | option_d=N | answer=A | explanation=Move 1 positions forward from L; the resulting letter is M.

id=99177 | topic=Percentages | difficulty=Easy | question=What is 25% of 1679? | option_a=424 | option_b=838 | option_c=419 | option_d=409 | answer=C | explanation=25% of 1679 = (25/100) × 1679 = 419.

id=99178 | topic=Averages | difficulty=Easy | question=Find the average of 91, 32, 97, 85, 80. | option_a=77 | option_b=78 | option_c=79 | option_d=76 | answer=A | explanation=Average = sum of values ÷ number of values = 385 ÷ 5 = 77.

id=99179 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1691. If it is sold at a profit of 50%, what is its selling price? | option_a=2367 | option_b=2705 | option_c=1741 | option_d=2536 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1691 × 150/100 = ■2536.

id=99180 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■640. If it is sold at a profit of 5%, what is its selling price? | option_a=608 | option_b=672 | option_c=736 | option_d=645 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 640 × 105/100 = ■672.

Aptitude Questions — Records 99,181-99,210 of 100,000

id=99181 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 10, 20, 30, 41? | option_a=10 | option_b=30 | option_c=20 | option_d=41 | answer=D | explanation=The first three numbers increase by 10, so the next should be 40. Therefore 41 is the odd one out.

id=99182 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 9, 14, 22? | option_a=14 | option_b=4 | option_c=22 | option_d=9 | answer=C | explanation=The first three numbers increase by 5, so the next should be 19. Therefore 22 is the odd one out.

id=99183 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:2 and the first is 224, what is the second? | option_a=32 | option_b=256 | option_c=30 | option_d=46 | answer=A | explanation=Scale factor = $224/14 = 16$. Therefore second quantity = $2 \times 16 = 32$.

id=99184 | topic=Averages | difficulty=Easy | question=Find the average of 93, 69, 95, 54, 32, 30, 61, 97, 36. | option_a=63 | option_b=62 | option_c=65 | option_d=64 | answer=A | explanation=Average = sum of values ÷ number of values = $567 \div 9 = 63$.

id=99185 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**9431 at 5% per annum for 1 years. | option_a=571 | option_b=9902 | option_c=471 | option_d=371 | answer=C | explanation=SI = $PRT/100 = 9431 \times 5 \times 1/100 = \text{₹}471$.

id=99186 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 17, 29, 41, ? | option_a=41 | option_b=53 | option_c=54 | option_d=65 | answer=B | explanation=The common difference is 12. Therefore the next term is $41 + 12 = 53$.

id=99187 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:16 and the first is 190, what is the second? | option_a=144 | option_b=160 | option_c=350 | option_d=179 | answer=B | explanation=Scale factor = $190/19 = 10$. Therefore second quantity = $16 \times 10 = 160$.

id=99188 | topic=Percentages | difficulty=Easy | question=What is 5% of 1001? | option_a=50 | option_b=40 | option_c=100 | option_d=70 | answer=A | explanation=5% of 1001 = $(5/100) \times 1001 = 50$.

id=99189 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 6 hours. What is its average speed? | option_a=35 | option_b=45 | option_c=80 | option_d=40 | answer=D | explanation=Speed = distance ÷ time = $240 \div 6 = 40$ km/h.

id=99190 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 16. | option_a=162 | option_b=144 | option_c=288 | option_d=128 | answer=B | explanation= $LCM \times HCF = 18 \times 16$; $HCF(18,16) = 2$, so $LCM = 144$.

id=99191 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=45 | option_b=100 | option_c=50 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = $300 \div 6 = 50$ km/h.

id=99192 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=24 | option_b=29 | option_c=48 | option_d=19 | answer=A | explanation=Speed = distance ÷ time = $120 \div 5 = 24$ km/h.

id=99193 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:8 and the first is 26, what is the second? | option_a=29 | option_b=16 | option_c=8 | option_d=42 | answer=B | explanation=Scale factor = $26/13 = 2$. Therefore second quantity = $8 \times 2 = 16$.

id=99194 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**1409 at 10% per annum for 4 years. | option_a=563 | option_b=463 | option_c=1972 | option_d=663 | answer=A | explanation=SI = $PRT/100 = 1409 \times 10 \times 4/100 = \text{₹}563$.

id=99195 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $120 \div 2 = 60$ km/h.

id=99196 | topic=Averages | difficulty=Easy | question=Find the average of 52, 45, 10, 26, 12. | option_a=28 | option_b=30 | option_c=31 | option_d=29 | answer=D | explanation=Average = sum of values ÷ number of values = $145 \div 5 = 29$.

id=99197 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**355. If it is sold at a profit of 40%, what is its selling price? | option_a=462 | option_b=497 | option_c=395 | option_d=532 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 355 \times 140/100 = \text{₹}497$.

id=99198 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**278. If it is sold at a profit of 5%, what is its selling price? | option_a=283 | option_b=291 | option_c=264 | option_d=318 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 278 \times 105/100 = \text{₹}291$.

id=99199 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=60 | option_d=25 | answer=A | explanation=Speed = distance ÷ time = $300 \div 10 = 30$ km/h.

id=99200 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 21, 30, 41? | option_a=30 | option_b=12 | option_c=41 | option_d=21 | answer=C | explanation=The first three numbers increase by 9, so the next should be 39. Therefore 41 is the odd one out.

id=99201 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'B' become? | option_a=F | option_b=B | option_c=D | option_d=Z | answer=C | explanation=Move 2 positions forward from B; the resulting letter is D.

id=99202 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = $1/6 + 1/3 = 9/18$. Time = $18/9 = 2$ days.

id=99203 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'B' become? | option_a=J | option_b=F | option_c=B | option_d=X | answer=B | explanation=Move 4 positions forward from B; the resulting letter is F.

id=99204 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:20 and the first is 210, what is the second? | option_a=280 | option_b=300 | option_c=314 | option_d=510 | answer=B | explanation=Scale factor = $210/14 = 15$. Therefore second quantity = $20 \times 15 = 300$.

id=99205 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 21. | option_a=63 | option_b=24 | option_c=21 | option_d=1 | answer=C | explanation= $LCM \times HCF = 3 \times 21$; $HCF(3,21) = 3$, so $LCM = 21$.

id=99206 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'L' become? | option_a=H | option_b=T | option_c=P | option_d=L | answer=C | explanation=Move 4 positions forward from L; the resulting letter is P.

id=99207 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=S | option_b=O | option_c=K | option_d=W | answer=A | explanation=Move 4 positions forward from O; the resulting letter is S.

id=99208 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:8 and the first is 34, what is the second? | option_a=136 | option_b=128 | option_c=170 | option_d=138 | answer=A | explanation=Scale factor = $34/2 = 17$. Therefore second quantity = $8 \times 17 = 136$.

id=99209 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:9 and the first is 240, what is the second? | option_a=420 | option_b=192 | option_c=180 | option_d=171 | answer=C | explanation=Scale factor = $240/12 = 20$. Therefore second quantity = $9 \times 20 = 180$.

id=99210 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=30 | option_b=25 | option_c=35 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = $150 \div 5 = 30$ km/h.

Aptitude Questions — Records 99,211-99,240 of 100,000

id=99211 | topic=Percentages | difficulty=Easy | question=What is 30% of 1316? | option_a=374 | option_b=404 | option_c=788 | option_d=394 | answer=D | explanation=30% of 1316 = (30/100) × 1316 = 394.

id=99212 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 14, 23, 32, ? | option_a=32 | option_b=41 | option_c=42 | option_d=50 | answer=B | explanation=The common difference is 9. Therefore the next term is 32 + 9 = 41.

id=99213 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=1 | option_d=2 | answer=D | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=99214 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 10 hours. What is its average speed? | option_a=14 | option_b=9 | option_c=18 | option_d=4 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 10 = 9 km/h.

id=99215 | topic=Percentages | difficulty=Easy | question=What is 20% of 563? | option_a=107 | option_b=122 | option_c=224 | option_d=112 | answer=D | explanation=20% of 563 = (20/100) × 563 = 112.

id=99216 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=41 | option_b=36 | option_c=31 | option_d=37 | answer=B | explanation=The common difference is 5. Therefore the next term is 31 + 5 = 36.

id=99217 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29532 at 6% per annum for 5 years. | option_a=8859 | option_b=38391 | option_c=8959 | option_d=8759 | answer=A | explanation=SI = PRT/100 = 29532×6×5/100 = **■**8859.

id=99218 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 30. | option_a=256 | option_b=480 | option_c=240 | option_d=210 | answer=C | explanation=LCM × HCF = 16×30; HCF(16,30) = 2, so LCM = 240.

id=99219 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 18, 28, 38, ? | option_a=49 | option_b=48 | option_c=38 | option_d=58 | answer=B | explanation=The common difference is 10. Therefore the next term is 38 + 10 = 48.

id=99220 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'H' become? | option_a=H | option_b=E | option_c=K | option_d=N | answer=C | explanation=Move 3 positions forward from H; the resulting letter is K.

id=99221 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=12 | answer=B | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=99222 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2491. If it is sold at a profit of 15%, what is its selling price? | option_a=3113 | option_b=2615 | option_c=2864 | option_d=2506 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2491 × 115/100 = **■**2864.

id=99223 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=48 | option_b=29 | option_c=19 | option_d=24 | answer=D | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=99224 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**22914 at 15% per annum for 4 years. | option_a=13848 | option_b=36662 | option_c=13648 | option_d=13748 | answer=D | explanation=SI = PRT/100 = 22914×15×4/100 = **■**13748.

id=99225 | topic=Averages | difficulty=Easy | question=Find the average of 42, 87, 17, 67, 57, 89, 40, 49, 74. | option_a=60 | option_b=57 | option_c=58 | option_d=59 | answer=C | explanation=Average = sum of values ÷ number of values = 522 ÷ 9 = 58.

id=99226 | topic=Percentages | difficulty=Easy | question=What is 25% of 404? | option_a=121 | option_b=202 | option_c=81 | option_d=101 | answer=D | explanation=25% of 404 = (25/100) × 404 = 101.

id=99227 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**10309 at 4% per annum for 2 years. | option_a=724 | option_b=11133 | option_c=924 | option_d=824 | answer=D | explanation=SI = PRT/100 = 10309×4×2/100 = **■**824.

id=99228 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37337 at 5% per annum for 3 years. | option_a=5500 | option_b=5700 | option_c=5600 | option_d=42937 | answer=C | explanation=SI = PRT/100 = 37337×5×3/100 = **■**5600.

id=99229 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29332 at 12% per annum for 1 years. | option_a=32851 | option_b=3619 | option_c=3519 | option_d=3419 | answer=C | explanation=SI = PRT/100 = 29332×12×1/100 = **■**3519.

id=99230 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 28, 31, 37? | option_a=31 | option_b=37 | option_c=25 | option_d=28 | answer=B | explanation=The first three numbers increase by 3, so the next should be 34. Therefore 37 is the odd one out.

id=99231 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=1 | option_d=8 | answer=A | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=99232 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20678 at 10% per annum for 4 years. | option_a=8371 | option_b=28949 | option_c=8271 | option_d=8171 | answer=C | explanation=SI = PRT/100 = 20678×10×4/100 = **■**8271.

id=99233 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'B' become? | option_a=B | option_b=G | option_c=L | option_d=W | answer=B | explanation=Move 5 positions forward from B; the resulting letter is G.

id=99234 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5958 at 6% per annum for 2 years. | option_a=714 | option_b=814 | option_c=6672 | option_d=614 | answer=A | explanation=SI = PRT/100 = 5958×6×2/100 = **■**714.

id=99235 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1070 at 12% per annum for 3 years. | option_a=385 | option_b=1455 | option_c=285 | option_d=485 | answer=A | explanation=SI = PRT/100 = 1070×12×3/100 = **■**385.

id=99236 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4049. If it is sold at a profit of 25%, what is its selling price? | option_a=4074 | option_b=4657 | option_c=5061 | option_d=5465 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4049 × 125/100 = **■**5061.

id=99237 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**44539 at 4% per annum for 2 years. | option_a=3663 | option_b=48102 | option_c=3563 | option_d=3463 | answer=C | explanation=SI = PRT/100 = 44539×4×2/100 = **■**3563.

id=99238 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=J | option_b=N | option_c=B | option_d=F | answer=A | explanation=Move 4 positions forward from F; the resulting letter is J.

id=99239 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 22, 24, 26, ? | option_a=28 | option_b=29 | option_c=26 | option_d=30 | answer=A | explanation=The common difference is 2. Therefore the next term is 26 + 2 = 28.

id=99240 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=Y | option_c=Q | option_d=M | answer=A | explanation=Move 4 positions forward from Q; the resulting letter is U.

Aptitude Questions — Records 99,241-99,270 of 100,000

id=99241 | topic=Averages | difficulty=Easy | question=Find the average of 61, 86, 33, 94, 36. | option_a=61 | option_b=62 | option_c=64 | option_d=63 | answer=B | explanation=Average = sum of values ÷ number of values = 310 ÷ 5 = 62.

id=99242 | topic=Averages | difficulty=Easy | question=Find the average of 47, 25, 74, 84, 14, 35, 52, 17, 78, 24. | option_a=46 | option_b=47 | option_c=44 | option_d=45 | answer=D | explanation=Average = sum of values ÷ number of values = 450 ÷ 10 = 45.

id=99243 | topic=Percentages | difficulty=Easy | question=What is 30% of 1767? | option_a=1060 | option_b=535 | option_c=530 | option_d=510 | answer=C | explanation=30% of 1767 = (30/100) × 1767 = 530.

id=99244 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=60 | option_b=120 | option_c=55 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=99245 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'I' become? | option_a=M | option_b=I | option_c=E | option_d=Q | answer=A | explanation=Move 4 positions forward from I; the resulting letter is M.

id=99246 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'L' become? | option_a=K | option_b=M | option_c=N | option_d=L | answer=B | explanation=Move 1 positions forward from L; the resulting letter is M.

id=99247 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=40 | option_c=25 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=99248 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=99249 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=40 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=99250 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹7703 at 6% per annum for 2 years. | option_a=924 | option_b=824 | option_c=1024 | option_d=8627 | answer=A | explanation=SI = PRT/100 = 7703×6×2/100 = ₹924.

id=99251 | topic=Number System | difficulty=Easy | question=Find the LCM of 20 and 28. | option_a=160 | option_b=112 | option_c=560 | option_d=140 | answer=D | explanation=LCM × HCF = 20×28; HCF(20,28) = 4, so LCM = 140.

id=99252 | topic=Averages | difficulty=Easy | question=Find the average of 38, 34, 25, 64, 29, 65, 58, 80, 47, 100. | option_a=55 | option_b=53 | option_c=54 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 540 ÷ 10 = 54.

id=99253 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=D | option_b=I | option_c=N | option_d=S | answer=C | explanation=Move 5 positions forward from I; the resulting letter is N.

id=99254 | topic=Averages | difficulty=Easy | question=Find the average of 64, 72, 55, 79, 45. | option_a=62 | option_b=64 | option_c=65 | option_d=63 | answer=D | explanation=Average = sum of values ÷ number of values = 315 ÷ 5 = 63.

id=99255 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'N' become? | option_a=L | option_b=R | option_c=N | option_d=P | answer=D | explanation=Move 2 positions forward from N; the resulting letter is P.

id=99256 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹43811 at 6% per annum for 4 years. | option_a=10614 | option_b=10414 | option_c=10514 | option_d=54325 | answer=C | explanation=SI = PRT/100 = 43811×6×4/100 = ₹10514.

id=99257 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹27649 at 15% per annum for 3 years. | option_a=12542 | option_b=12442 | option_c=12342 | option_d=40091 | answer=B | explanation=SI = PRT/100 = 27649×15×3/100 = ₹12442.

id=99258 | topic=Percentages | difficulty=Easy | question=What is 20% of 286? | option_a=62 | option_b=57 | option_c=114 | option_d=37 | answer=B | explanation=20% of 286 = (20/100) × 286 = 57.

id=99259 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹4828. If it is sold at a profit of 50%, what is its selling price? | option_a=6760 | option_b=4878 | option_c=7242 | option_d=7724 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4828 × 150/100 = ₹7242.

id=99260 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹1304. If it is sold at a profit of 25%, what is its selling price? | option_a=1760 | option_b=1329 | option_c=1630 | option_d=1500 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1304 × 125/100 = ₹1630.

id=99261 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=30 | option_b=35 | option_c=25 | option_d=60 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=99262 | topic=Averages | difficulty=Easy | question=Find the average of 17, 35, 96, 21, 93, 19, 60, 56, 51, 62. | option_a=51 | option_b=53 | option_c=50 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

id=99263 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹34875 at 15% per annum for 3 years. | option_a=15693 | option_b=15793 | option_c=15593 | option_d=50568 | answer=A | explanation=SI = PRT/100 = 34875×15×3/100 = ₹15693.

id=99264 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=18 | option_c=36 | option_d=23 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=99265 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=Y | option_c=G | option_d=K | answer=C | explanation=Move 4 positions forward from C; the resulting letter is G.

id=99266 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹4327. If it is sold at a profit of 10%, what is its selling price? | option_a=4759 | option_b=4337 | option_c=4327 | option_d=5191 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4327 × 110/100 = ₹4759.

id=99267 | topic=Averages | difficulty=Easy | question=Find the average of 15, 84, 36, 22, 82, 35, 90. | option_a=52 | option_b=53 | option_c=51 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 364 ÷ 7 = 52.

id=99268 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=K | option_c=I | option_d=L | answer=B | explanation=Move 1 positions forward from J; the resulting letter is K.

id=99269 | topic=Averages | difficulty=Easy | question=Find the average of 79, 18, 24, 98, 66. | option_a=58 | option_b=59 | option_c=57 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 285 ÷ 5 = 57.

id=99270 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 25, 33, 41, ? | option_a=49 | option_b=50 | option_c=41 | option_d=57 | answer=A | explanation=The common difference is 8. Therefore the next term is 41 + 8 = 49.

Aptitude Questions — Records 99,271-99,300 of 100,000

id=99271 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2693. If it is sold at a profit of 10%, what is its selling price? | option_a=3231 | option_b=2693 | option_c=2703 | option_d=2962 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2693 × 110/100 = ■2962.

id=99272 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4010. If it is sold at a profit of 20%, what is its selling price? | option_a=5213 | option_b=4411 | option_c=4812 | option_d=4030 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4010 × 120/100 = ■4812.

id=99273 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 31, 40, 52? | option_a=52 | option_b=40 | option_c=31 | option_d=22 | answer=A | explanation=The first three numbers increase by 9, so the next should be 49. Therefore 52 is the odd one out.

id=99274 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■26410 at 10% per annum for 3 years. | option_a=7923 | option_b=8023 | option_c=34333 | option_d=7823 | answer=A | explanation=SI = PRT/100 = 26410×10×3/100 = ■7923.

id=99275 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:6 and the first is 28, what is the second? | option_a=112 | option_b=78 | option_c=86 | option_d=84 | answer=D | explanation=Scale factor = 28/2 = 14. Therefore second quantity = 6×14 = 84.

id=99276 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=65 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=99277 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'R' become? | option_a=V | option_b=R | option_c=T | option_d=P | answer=C | explanation=Move 2 positions forward from R; the resulting letter is T.

id=99278 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■860. If it is sold at a profit of 30%, what is its selling price? | option_a=1032 | option_b=1204 | option_c=890 | option_d=1118 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 860 × 130/100 = ■1118.

id=99279 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 22, 29, 36, ? | option_a=43 | option_b=44 | option_c=50 | option_d=36 | answer=A | explanation=The common difference is 7. Therefore the next term is 36 + 7 = 43.

id=99280 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1127. If it is sold at a profit of 25%, what is its selling price? | option_a=1152 | option_b=1296 | option_c=1408 | option_d=1520 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1127 × 125/100 = ■1408.

id=99281 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 10 hours. What is its average speed? | option_a=6 | option_b=1 | option_c=11 | option_d=12 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 10 = 6 km/h.

id=99282 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 23? | option_a=23 | option_b=17 | option_c=19 | option_d=15 | answer=A | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 23 is the odd one out.

id=99283 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 13, 23, 33, ? | option_a=53 | option_b=43 | option_c=33 | option_d=44 | answer=B | explanation=The common difference is 10. Therefore the next term is 33 + 10 = 43.

id=99284 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:13 and the first is 4, what is the second? | option_a=26 | option_b=13 | option_c=30 | option_d=28 | answer=A | explanation=Scale factor = 4/2 = 2. Therefore second quantity = 13×2 = 26.

id=99285 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=99286 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=4 | option_c=18 | option_d=5 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=99287 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3599. If it is sold at a profit of 15%, what is its selling price? | option_a=3614 | option_b=4497 | option_c=4138 | option_d=3779 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3599 × 115/100 = ■4138.

id=99288 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 26, 32, 39? | option_a=26 | option_b=39 | option_c=32 | option_d=20 | answer=B | explanation=The first three numbers increase by 6, so the next should be 38. Therefore 39 is the odd one out.

id=99289 | topic=Averages | difficulty=Easy | question=Find the average of 67, 12, 69, 100, 82, 56, 57, 93, 103. | option_a=72 | option_b=70 | option_c=71 | option_d=73 | answer=C | explanation=Average = sum of values ÷ number of values = 639 ÷ 9 = 71.

id=99290 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 6, 9, 14? | option_a=9 | option_b=14 | option_c=3 | option_d=6 | answer=B | explanation=The first three numbers increase by 3, so the next should be 12. Therefore 14 is the odd one out.

id=99291 | topic=Averages | difficulty=Easy | question=Find the average of 72, 31, 14, 28, 30. | option_a=37 | option_b=36 | option_c=34 | option_d=35 | answer=D | explanation=Average = sum of values ÷ number of values = 175 ÷ 5 = 35.

id=99292 | topic=Percentages | difficulty=Easy | question=What is 15% of 1327? | option_a=219 | option_b=398 | option_c=199 | option_d=179 | answer=C | explanation=15% of 1327 = (15/100) × 1327 = 199.

id=99293 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=99294 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:3 and the first is 240, what is the second? | option_a=48 | option_b=63 | option_c=45 | option_d=288 | answer=A | explanation=Scale factor = 240/15 = 16. Therefore second quantity = 3×16 = 48.

id=99295 | topic=Percentages | difficulty=Easy | question=What is 5% of 1390? | option_a=74 | option_b=69 | option_c=59 | option_d=138 | answer=B | explanation=5% of 1390 = (5/100) × 1390 = 69.

id=99296 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:6 and the first is 91, what is the second? | option_a=72 | option_b=78 | option_c=85 | option_d=169 | answer=B | explanation=Scale factor = 91/7 = 13. Therefore second quantity = 6×13 = 78.

id=99297 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'K' become? | option_a=J | option_b=M | option_c=L | option_d=K | answer=C | explanation=Move 1 positions forward from K; the resulting letter is L.

id=99298 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■33972 at 6% per annum for 3 years. | option_a=6214 | option_b=6014 | option_c=6114 | option_d=40086 | answer=C | explanation=SI = PRT/100 = 33972×6×3/100 = ■6114.

id=99299 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=N | option_b=T | option_c=K | option_d=Q | answer=D | explanation=Move 3 positions forward from N; the resulting letter is Q.

id=99300 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 21, 31, 41, ? | option_a=41 | option_b=61 | option_c=51 | option_d=52 | answer=C | explanation=The common difference is 10. Therefore the next term is 41 + 10 = 51.

Aptitude Questions — Records 99,301-99,330 of 100,000

id=99301 | topic=Averages | difficulty=Easy | question=Find the average of 46, 26, 81, 11, 99, 73, 98, 38. | option_a=58 | option_b=60 | option_c=59 | option_d=61 | answer=C | explanation=Average = sum of values ÷ number of values = 472 ÷ 8 = 59.

id=99302 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 28, 37, 49? | option_a=49 | option_b=28 | option_c=37 | option_d=19 | answer=A | explanation=The first three numbers increase by 9, so the next should be 46. Therefore 49 is the odd one out.

id=99303 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:18 and the first is 39, what is the second? | option_a=36 | option_b=67 | option_c=54 | option_d=93 | answer=C | explanation=Scale factor = 39/13 = 3. Therefore second quantity = 18×3 = 54.

id=99304 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 16, 20, 26? | option_a=16 | option_b=12 | option_c=20 | option_d=26 | answer=D | explanation=The first three numbers increase by 4, so the next should be 24. Therefore 26 is the odd one out.

id=99305 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'C' become? | option_a=C | option_b=A | option_c=E | option_d=G | answer=C | explanation=Move 2 positions forward from C; the resulting letter is E.

id=99306 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 10 hours. What is its average speed? | option_a=10 | option_b=20 | option_c=15 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 10 = 15 km/h.

id=99307 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4788 at 5% per annum for 1 years. | option_a=239 | option_b=5027 | option_c=139 | option_d=339 | answer=A | explanation=SI = PRT/100 = 4788×5×1/100 = **■**239.

id=99308 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 2 hours. What is its average speed? | option_a=50 | option_b=45 | option_c=40 | option_d=90 | answer=B | explanation=Speed = distance ÷ time = 90 ÷ 2 = 45 km/h.

id=99309 | topic=Averages | difficulty=Easy | question=Find the average of 35, 77, 74, 94. | option_a=71 | option_b=72 | option_c=70 | option_d=69 | answer=C | explanation=Average = sum of values ÷ number of values = 280 ÷ 4 = 70.

id=99310 | topic=Number System | difficulty=Easy | question=Find the LCM of 9 and 24. | option_a=72 | option_b=216 | option_c=48 | option_d=81 | answer=A | explanation=LCM × HCF = 9×24; HCF(9,24) = 3, so LCM = 72.

id=99311 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 9, 15, 21, ? | option_a=28 | option_b=33 | option_c=21 | option_d=27 | answer=D | explanation=The common difference is 6. Therefore the next term is 21 + 6 = 27.

id=99312 | topic=Percentages | difficulty=Easy | question=What is 50% of 498? | option_a=244 | option_b=249 | option_c=254 | option_d=498 | answer=B | explanation=50% of 498 = (50/100) × 498 = 249.

id=99313 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=25 | option_b=30 | option_c=20 | option_d=50 | answer=A | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=99314 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 8, 12, 16, ? | option_a=20 | option_b=24 | option_c=21 | option_d=16 | answer=A | explanation=The common difference is 4. Therefore the next term is 16 + 4 = 20.

id=99315 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 15, 17, 19, ? | option_a=22 | option_b=21 | option_c=23 | option_d=19 | answer=B | explanation=The common difference is 2. Therefore the next term is 19 + 2 = 21.

id=99316 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**6460 at 12% per annum for 1 years. | option_a=775 | option_b=675 | option_c=7235 | option_d=875 | answer=A | explanation=SI = PRT/100 = 6460×12×1/100 = **■**775.

id=99317 | topic=Percentages | difficulty=Easy | question=What is 12% of 278? | option_a=23 | option_b=33 | option_c=53 | option_d=66 | answer=B | explanation=12% of 278 = (12/100) × 278 = 33.

id=99318 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 3 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=60 | option_d=55 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 3 = 60 km/h.

id=99319 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 22, 32, 42, 55? | option_a=55 | option_b=32 | option_c=42 | option_d=22 | answer=A | explanation=The first three numbers increase by 10, so the next should be 52. Therefore 55 is the odd one out.

id=99320 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4746. If it is sold at a profit of 25%, what is its selling price? | option_a=5458 | option_b=5932 | option_c=4771 | option_d=6406 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 4746 × 125/100 = **■**5932.

id=99321 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 13, 17, 22? | option_a=17 | option_b=9 | option_c=13 | option_d=22 | answer=D | explanation=The first three numbers increase by 4, so the next should be 21. Therefore 22 is the odd one out.

id=99322 | topic=Averages | difficulty=Easy | question=Find the average of 49, 58, 22, 56, 60. | option_a=51 | option_b=48 | option_c=50 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 245 ÷ 5 = 49.

id=99323 | topic=Averages | difficulty=Easy | question=Find the average of 100, 77, 35, 72. | option_a=72 | option_b=71 | option_c=73 | option_d=70 | answer=B | explanation=Average = sum of values ÷ number of values = 284 ÷ 4 = 71.

id=99324 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 2, 11, 20, 31? | option_a=2 | option_b=31 | option_c=11 | option_d=20 | answer=B | explanation=The first three numbers increase by 9, so the next should be 29. Therefore 31 is the odd one out.

id=99325 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:15 and the first is 128, what is the second? | option_a=136 | option_b=120 | option_c=248 | option_d=105 | answer=B | explanation=Scale factor = 128/16 = 8. Therefore second quantity = 15×8 = 120.

id=99326 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**1999 at 8% per annum for 5 years. | option_a=799 | option_b=2798 | option_c=899 | option_d=699 | answer=A | explanation=SI = PRT/100 = 1999×8×5/100 = **■**799.

id=99327 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1466. If it is sold at a profit of 15%, what is its selling price? | option_a=1539 | option_b=1685 | option_c=1831 | option_d=1481 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1466 × 115/100 = **■**1685.

id=99328 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=15 | option_b=5 | option_c=20 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=99329 | topic=Number Series | difficulty=Easy | question=Find the next number: 15, 23, 31, 39, ? | option_a=48 | option_b=47 | option_c=39 | option_d=55 | answer=B | explanation=The common difference is 8. Therefore the next term is 39 + 8 = 47.

id=99330 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=77 | option_b=72 | option_c=144 | option_d=67 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

Aptitude Questions — Records 99,331-99,360 of 100,000

id=99331 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 35, 42, 51? | option_a=51 | option_b=42 | option_c=35 | option_d=28 | answer=A | explanation=The first three numbers increase by 7, so the next should be 49. Therefore 51 is the odd one out.

id=99332 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=50 | option_d=40 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=99333 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4709. If it is sold at a profit of 10%, what is its selling price? | option_a=5179 | option_b=4719 | option_c=4709 | option_d=5649 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4709 × 110/100 = █5179.

id=99334 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 26, 35, 45? | option_a=45 | option_b=26 | option_c=17 | option_d=35 | answer=A | explanation=The first three numbers increase by 9, so the next should be 44. Therefore 45 is the odd one out.

id=99335 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 22, 27, 34? | option_a=17 | option_b=34 | option_c=27 | option_d=22 | answer=B | explanation=The first three numbers increase by 5, so the next should be 32. Therefore 34 is the odd one out.

id=99336 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'U' become? | option_a=W | option_b=V | option_c=U | option_d=T | answer=B | explanation=Move 1 positions forward from U; the resulting letter is V.

id=99337 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3846. If it is sold at a profit of 10%, what is its selling price? | option_a=4230 | option_b=3856 | option_c=4614 | option_d=3846 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3846 × 110/100 = █4230.

id=99338 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 38? | option_a=13 | option_b=38 | option_c=21 | option_d=29 | answer=B | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 38 is the odd one out.

id=99339 | topic=Percentages | difficulty=Easy | question=What is 12% of 153? | option_a=0 | option_b=36 | option_c=18 | option_d=38 | answer=C | explanation=12% of 153 = (12/100) × 153 = 18.

id=99340 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=4 | option_c=3 | option_d=18 | answer=B | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=99341 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=95 | option_c=100 | option_d=200 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=99342 | topic=Percentages | difficulty=Easy | question=What is 12% of 1888? | option_a=226 | option_b=452 | option_c=236 | option_d=206 | answer=A | explanation=12% of 1888 = (12/100) × 1888 = 226.

id=99343 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:19 and the first is 132, what is the second? | option_a=239 | option_b=209 | option_c=228 | option_d=360 | answer=C | explanation=Scale factor = 132/11 = 12. Therefore second quantity = 19×12 = 228.

id=99344 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 17, 26, 35, ? | option_a=44 | option_b=35 | option_c=45 | option_d=53 | answer=A | explanation=The common difference is 9. Therefore the next term is 35 + 9 = 44.

id=99345 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █6238 at 4% per annum for 1 years. | option_a=349 | option_b=249 | option_c=6487 | option_d=149 | answer=B | explanation=SI = PRT/100 = 6238×4×1/100 = █249.

id=99346 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 23, 35, 47, ? | option_a=47 | option_b=59 | option_c=60 | option_d=71 | answer=B | explanation=The common difference is 12. Therefore the next term is 47 + 12 = 59.

id=99347 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:5 and the first is 72, what is the second? | option_a=132 | option_b=55 | option_c=66 | option_d=60 | answer=D | explanation=Scale factor = 72/6 = 12. Therefore second quantity = 5×12 = 60.

id=99348 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 10 hours. What is its average speed? | option_a=29 | option_b=19 | option_c=24 | option_d=48 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 10 = 24 km/h.

id=99349 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 21, 30, 40? | option_a=40 | option_b=21 | option_c=30 | option_d=12 | answer=A | explanation=The first three numbers increase by 9, so the next should be 39. Therefore 40 is the odd one out.

id=99350 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=S | option_b=N | option_c=I | option_d=D | answer=B | explanation=Move 5 positions forward from I; the resulting letter is N.

id=99351 | topic=Number System | difficulty=Easy | question=Find the LCM of 11 and 11. | option_a=1 | option_b=121 | option_c=22 | option_d=11 | answer=D | explanation=LCM × HCF = 11×11; HCF(11,11) = 11, so LCM = 11.

id=99352 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 2 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 2 = 60 km/h.

id=99353 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1010. If it is sold at a profit of 5%, what is its selling price? | option_a=1060 | option_b=1015 | option_c=959 | option_d=1161 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1010 × 105/100 = █1060.

id=99354 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 20, 24, 30? | option_a=20 | option_b=16 | option_c=30 | option_d=24 | answer=C | explanation=The first three numbers increase by 4, so the next should be 28. Therefore 30 is the odd one out.

id=99355 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1117. If it is sold at a profit of 5%, what is its selling price? | option_a=1172 | option_b=1061 | option_c=1283 | option_d=1122 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1117 × 105/100 = █1172.

id=99356 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=5 | option_b=24 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=99357 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 24. | option_a=192 | option_b=648 | option_c=216 | option_d=243 | answer=C | explanation=LCM × HCF = 27×24; HCF(27,24) = 3, so LCM = 216.

id=99358 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 17, 26, 38? | option_a=38 | option_b=8 | option_c=26 | option_d=17 | answer=A | explanation=The first three numbers increase by 9, so the next should be 35. Therefore 38 is the odd one out.

id=99359 | topic=Averages | difficulty=Easy | question=Find the average of 99, 77, 100. | option_a=93 | option_b=94 | option_c=92 | option_d=91 | answer=C | explanation=Average = sum of values ÷ number of values = 276 ÷ 3 = 92.

id=99360 | topic=Number Series | difficulty=Easy | question=Find the next number: 12, 24, 36, 48, ? | option_a=72 | option_b=61 | option_c=48 | option_d=60 | answer=D | explanation=The common difference is 12. Therefore the next term is 48 + 12 = 60.

Aptitude Questions — Records 99,361-99,390 of 100,000

id=99361 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:9 and the first is 306, what is the second? | option_a=144 | option_b=153 | option_c=459 | option_d=171 | answer=B | explanation=Scale factor = $306/18 = 17$. Therefore second quantity = $9 \times 17 = 153$.

id=99362 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=U | option_b=Z | option_c=K | option_d=P | answer=A | explanation=Move 5 positions forward from P; the resulting letter is U.

id=99363 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:16 and the first is 21, what is the second? | option_a=32 | option_b=48 | option_c=55 | option_d=69 | answer=B | explanation=Scale factor = $21/7 = 3$. Therefore second quantity = $16 \times 3 = 48$.

id=99364 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:5 and the first is 126, what is the second? | option_a=196 | option_b=65 | option_c=79 | option_d=70 | answer=D | explanation=Scale factor = $126/9 = 14$. Therefore second quantity = $5 \times 14 = 70$.

id=99365 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'P' become? | option_a=O | option_b=Q | option_c=R | option_d=P | answer=B | explanation=Move 1 positions forward from P; the resulting letter is Q.

id=99366 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**3429. If it is sold at a profit of 5%, what is its selling price? | option_a=3258 | option_b=3434 | option_c=3600 | option_d=3942 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3429 \times 105/100 = \text{₹}3600$.

id=99367 | topic=Percentages | difficulty=Easy | question=What is 50% of 1267? | option_a=613 | option_b=643 | option_c=1266 | option_d=633 | answer=D | explanation= 50% of 1267 = $(50/100) \times 1267 = 633$.

id=99368 | topic=Averages | difficulty=Easy | question=Find the average of 15, 34, 93, 76, 78, 69, 59, 58, 32, 76. | option_a=59 | option_b=61 | option_c=58 | option_d=60 | answer=A | explanation=Average = sum of values ÷ number of values = $590 \div 10 = 59$.

id=99369 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 26, 36, 48? | option_a=16 | option_b=36 | option_c=26 | option_d=48 | answer=D | explanation=The first three numbers increase by 10, so the next should be 46. Therefore 48 is the odd one out.

id=99370 | topic=Percentages | difficulty=Easy | question=What is 5% of 1436? | option_a=142 | option_b=71 | option_c=91 | option_d=61 | answer=B | explanation= 5% of 1436 = $(5/100) \times 1436 = 71$.

id=99371 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:10 and the first is 54, what is the second? | option_a=114 | option_b=60 | option_c=50 | option_d=69 | answer=B | explanation=Scale factor = $54/9 = 6$. Therefore second quantity = $10 \times 6 = 60$.

id=99372 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 27. | option_a=27 | option_b=486 | option_c=54 | option_d=72 | answer=C | explanation= $LCM \times HCF = 18 \times 27$; $HCF(18,27) = 9$, so $LCM = 54$.

id=99373 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=3 | option_d=9 | answer=A | explanation=Combined rate = $1/3 + 1/6 = 9/18$. Time = $18/9 = 2$ days.

id=99374 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 30, 34, 39? | option_a=30 | option_b=39 | option_c=34 | option_d=26 | answer=B | explanation=The first three numbers increase by 4, so the next should be 38. Therefore 39 is the odd one out.

id=99375 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=43 | option_b=42 | option_c=52 | option_d=32 | answer=B | explanation=The common difference is 10. Therefore the next term is $32 + 10 = 42$.

id=99376 | topic=Averages | difficulty=Easy | question=Find the average of 22, 96, 66, 25, 77, 78, 13, 35, 12, 76. | option_a=51 | option_b=49 | option_c=50 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = $500 \div 10 = 50$.

id=99377 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 15. | option_a=450 | option_b=15 | option_c=60 | option_d=30 | answer=D | explanation= $LCM \times HCF = 30 \times 15$; $HCF(30,15) = 15$, so $LCM = 30$.

id=99378 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 20, 30, 40, ? | option_a=40 | option_b=50 | option_c=51 | option_d=60 | answer=B | explanation=The common difference is 10. Therefore the next term is $40 + 10 = 50$.

id=99379 | topic=Percentages | difficulty=Easy | question=What is 20% of 1300? | option_a=260 | option_b=280 | option_c=255 | option_d=520 | answer=A | explanation= 20% of 1300 = $(20/100) \times 1300 = 260$.

id=99380 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=65 | option_c=55 | option_d=60 | answer=D | explanation=Speed = distance ÷ time = $300 \div 5 = 60$ km/h.

id=99381 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 14. | option_a=240 | option_b=420 | option_c=210 | option_d=196 | answer=C | explanation= $LCM \times HCF = 30 \times 14$; $HCF(30,14) = 2$, so $LCM = 210$.

id=99382 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 6 hours. What is its average speed? | option_a=30 | option_b=20 | option_c=10 | option_d=15 | answer=D | explanation=Speed = distance ÷ time = $90 \div 6 = 15$ km/h.

id=99383 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=23 | option_b=29 | option_c=35 | option_d=30 | answer=B | explanation=The common difference is 6. Therefore the next term is $23 + 6 = 29$.

id=99384 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 8. | option_a=72 | option_b=90 | option_c=64 | option_d=144 | answer=A | explanation= $LCM \times HCF = 18 \times 8$; $HCF(18,8) = 2$, so $LCM = 72$.

id=99385 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:19 and the first is 60, what is the second? | option_a=174 | option_b=114 | option_c=95 | option_d=124 | answer=B | explanation=Scale factor = $60/10 = 6$. Therefore second quantity = $19 \times 6 = 114$.

id=99386 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:2 and the first is 38, what is the second? | option_a=36 | option_b=38 | option_c=76 | option_d=40 | answer=B | explanation=Scale factor = $38/2 = 19$. Therefore second quantity = $2 \times 19 = 38$.

id=99387 | topic=Profit & Loss | difficulty=Easy | question=An article costs **₹**4908. If it is sold at a profit of 50%, what is its selling price? | option_a=6872 | option_b=7362 | option_c=7852 | option_d=4958 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4908 \times 150/100 = \text{₹}7362$.

id=99388 | topic=Percentages | difficulty=Easy | question=What is 50% of 251? | option_a=125 | option_b=250 | option_c=145 | option_d=105 | answer=A | explanation= 50% of 251 = $(50/100) \times 251 = 125$.

id=99389 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **₹**2466 at 4% per annum for 3 years. | option_a=2761 | option_b=295 | option_c=195 | option_d=395 | answer=B | explanation= $SI = PRT/100 = 2466 \times 4 \times 3/100 = \text{₹}295$.

id=99390 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:13 and the first is 98, what is the second? | option_a=91 | option_b=189 | option_c=105 | option_d=78 | answer=A | explanation=Scale factor = $98/14 = 7$. Therefore second quantity = $13 \times 7 = 91$.

Aptitude Questions — Records 99,391-99,420 of 100,000

id=99391 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2000. If it is sold at a profit of 5%, what is its selling price? | option_a=2100 | option_b=1900 | option_c=2300 | option_d=2005 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2000 × 105/100 = ■2100.

id=99392 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=20 | option_c=15 | option_d=10 | answer=D | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=99393 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=2 | option_c=9 | option_d=3 | answer=B | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=99394 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 30, 40, 50, ? | option_a=60 | option_b=70 | option_c=50 | option_d=61 | answer=A | explanation=The common difference is 10. Therefore the next term is 50 + 10 = 60.

id=99395 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 25, 27, 30? | option_a=27 | option_b=23 | option_c=30 | option_d=25 | answer=C | explanation=The first three numbers increase by 2, so the next should be 29. Therefore 30 is the odd one out.

id=99396 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'S' become? | option_a=S | option_b=A | option_c=W | option_d=O | answer=C | explanation=Move 4 positions forward from S; the resulting letter is W.

id=99397 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 15:17 and the first is 180, what is the second? | option_a=187 | option_b=219 | option_c=204 | option_d=384 | answer=C | explanation=Scale factor = 180/15 = 12. Therefore second quantity = 17×12 = 204.

id=99398 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■596. If it is sold at a profit of 50%, what is its selling price? | option_a=894 | option_b=835 | option_c=953 | option_d=646 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 596 × 150/100 = ■894.

id=99399 | topic=Percentages | difficulty=Easy | question=What is 50% of 666? | option_a=666 | option_b=353 | option_c=313 | option_d=333 | answer=D | explanation=50% of 666 = (50/100) × 666 = 333.

id=99400 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=99401 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=99402 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 12, 17, 24? | option_a=17 | option_b=24 | option_c=7 | option_d=12 | answer=B | explanation=The first three numbers increase by 5, so the next should be 22. Therefore 24 is the odd one out.

id=99403 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=5 | option_c=24 | option_d=7 | answer=A | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=99404 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=D | option_b=X | option_c=A | option_d=G | answer=A | explanation=Move 3 positions forward from A; the resulting letter is D.

id=99405 | topic=Averages | difficulty=Easy | question=Find the average of 85, 52, 14, 74, 20, 86, 39, 68, 30. | option_a=52 | option_b=51 | option_c=54 | option_d=53 | answer=A | explanation=Average = sum of values ÷ number of values = 468 ÷ 9 = 52.

id=99406 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=18 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=99407 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1143. If it is sold at a profit of 15%, what is its selling price? | option_a=1158 | option_b=1200 | option_c=1314 | option_d=1428 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1143 × 115/100 = ■1314.

id=99408 | topic=Averages | difficulty=Easy | question=Find the average of 19, 45, 26, 34, 88, 45, 28, 33, 91, 61. | option_a=48 | option_b=47 | option_c=46 | option_d=49 | answer=B | explanation=Average = sum of values ÷ number of values = 470 ÷ 10 = 47.

id=99409 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=99410 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=L | option_c=V | option_d=A | answer=C | explanation=Move 5 positions forward from Q; the resulting letter is V.

id=99411 | topic=Averages | difficulty=Easy | question=Find the average of 88, 12, 65, 42, 66, 52, 63, 19, 93, 70. | option_a=58 | option_b=59 | option_c=57 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 570 ÷ 10 = 57.

id=99412 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 33, 40, 48? | option_a=26 | option_b=33 | option_c=48 | option_d=40 | answer=C | explanation=The first three numbers increase by 7, so the next should be 47. Therefore 48 is the odd one out.

id=99413 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'O' become? | option_a=Q | option_b=P | option_c=O | option_d=N | answer=B | explanation=Move 1 positions forward from O; the resulting letter is P.

id=99414 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 36, 43, 52? | option_a=52 | option_b=43 | option_c=29 | option_d=36 | answer=A | explanation=The first three numbers increase by 7, so the next should be 50. Therefore 52 is the odd one out.

id=99415 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:11 and the first is 4, what is the second? | option_a=33 | option_b=44 | option_c=45 | option_d=48 | answer=B | explanation=Scale factor = 4/1 = 4. Therefore second quantity = 11×4 = 44.

id=99416 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 15. | option_a=315 | option_b=90 | option_c=126 | option_d=105 | answer=D | explanation=LCM × HCF = 21×15; HCF(21,15) = 3, so LCM = 105.

id=99417 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=N | option_b=O | option_c=L | option_d=M | answer=A | explanation=Move 1 positions forward from M; the resulting letter is N.

id=99418 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2319. If it is sold at a profit of 5%, what is its selling price? | option_a=2203 | option_b=2665 | option_c=2434 | option_d=2324 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2319 × 105/100 = ■2434.

id=99419 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=52 | option_b=43 | option_c=42 | option_d=32 | answer=C | explanation=The common difference is 10. Therefore the next term is 32 + 10 = 42.

id=99420 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

Aptitude Questions — Records 99,421-99,450 of 100,000

id=99421 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 5 hours. What is its average speed? | option_a=60 | option_b=25 | option_c=35 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 150 ÷ 5 = 30 km/h.

id=99422 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 2 hours. What is its average speed? | option_a=150 | option_b=155 | option_c=300 | option_d=145 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 2 = 150 km/h.

id=99423 | topic=Percentages | difficulty=Easy | question=What is 50% of 1876? | option_a=1876 | option_b=938 | option_c=958 | option_d=918 | answer=B | explanation=50% of 1876 = (50/100) × 1876 = 938.

id=99424 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 10 days and B can complete it in 10 days. How many days will they take together? | option_a=4 | option_b=20 | option_c=5 | option_d=6 | answer=C | explanation=Combined rate = 1/10 + 1/10 = 20/100. Time = 100/20 = 5 days.

id=99425 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 5 hours. What is its average speed? | option_a=48 | option_b=24 | option_c=29 | option_d=19 | answer=B | explanation=Speed = distance ÷ time = 120 ÷ 5 = 24 km/h.

id=99426 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 7, 9, 11, ? | option_a=13 | option_b=15 | option_c=11 | option_d=14 | answer=A | explanation=The common difference is 2. Therefore the next term is 11 + 2 = 13.

id=99427 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 21, 29, 37, ? | option_a=53 | option_b=45 | option_c=46 | option_d=37 | answer=B | explanation=The common difference is 8. Therefore the next term is 37 + 8 = 45.

id=99428 | topic=Percentages | difficulty=Easy | question=What is 10% of 803? | option_a=75 | option_b=160 | option_c=80 | option_d=85 | answer=C | explanation=10% of 803 = (10/100) × 803 = 80.

id=99429 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1320. If it is sold at a profit of 30%, what is its selling price? | option_a=1848 | option_b=1350 | option_c=1716 | option_d=1584 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1320 × 130/100 = █1716.

id=99430 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 12, 21, 31? | option_a=12 | option_b=3 | option_c=21 | option_d=31 | answer=D | explanation=The first three numbers increase by 9, so the next should be 30. Therefore 31 is the odd one out.

id=99431 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=4 | option_d=2 | answer=A | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=99432 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=3 | option_b=16 | option_c=2 | option_d=4 | answer=A | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=99433 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=U | option_c=P | option_d=F | answer=C | explanation=Move 5 positions forward from K; the resulting letter is P.

id=99434 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'E' become? | option_a=M | option_b=I | option_c=E | option_d=A | answer=B | explanation=Move 4 positions forward from E; the resulting letter is I.

id=99435 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 25. | option_a=180 | option_b=750 | option_c=125 | option_d=150 | answer=D | explanation=LCM × HCF = 30×25; HCF(30,25) = 5, so LCM = 150.

id=99436 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 10, 14, 19? | option_a=6 | option_b=10 | option_c=19 | option_d=14 | answer=C | explanation=The first three numbers increase by 4, so the next should be 18. Therefore 19 is the odd one out.

id=99437 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=H | option_b=K | option_c=B | option_d=E | answer=A | explanation=Move 3 positions forward from E; the resulting letter is H.

id=99438 | topic=Number System | difficulty=Easy | question=Find the LCM of 26 and 13. | option_a=52 | option_b=338 | option_c=13 | option_d=26 | answer=D | explanation=LCM × HCF = 26×13; HCF(26,13) = 13, so LCM = 26.

id=99439 | topic=Averages | difficulty=Easy | question=Find the average of 18, 30, 66, 96, 50. | option_a=51 | option_b=53 | option_c=52 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = 260 ÷ 5 = 52.

id=99440 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13209 at 12% per annum for 1 years. | option_a=1685 | option_b=1485 | option_c=14794 | option_d=1585 | answer=D | explanation=SI = PRT/100 = 13209×12×1/100 = █1585.

id=99441 | topic=Percentages | difficulty=Easy | question=What is 10% of 506? | option_a=100 | option_b=60 | option_c=50 | option_d=40 | answer=C | explanation=10% of 506 = (10/100) × 506 = 50.

id=99442 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=18 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=99443 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 37, 45, 56? | option_a=37 | option_b=29 | option_c=56 | option_d=45 | answer=C | explanation=The first three numbers increase by 8, so the next should be 53. Therefore 56 is the odd one out.

id=99444 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:20 and the first is 180, what is the second? | option_a=340 | option_b=540 | option_c=360 | option_d=370 | answer=C | explanation=Scale factor = 180/10 = 18. Therefore second quantity = 20×18 = 360.

id=99445 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=36 | option_c=18 | option_d=23 | answer=C | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=99446 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=80 | option_b=150 | option_c=75 | option_d=70 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=99447 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 21, 28, 35, ? | option_a=43 | option_b=42 | option_c=35 | option_d=49 | answer=B | explanation=The common difference is 7. Therefore the next term is 35 + 7 = 42.

id=99448 | topic=Percentages | difficulty=Easy | question=What is 12% of 669? | option_a=160 | option_b=80 | option_c=90 | option_d=75 | answer=B | explanation=12% of 669 = (12/100) × 669 = 80.

id=99449 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3285. If it is sold at a profit of 50%, what is its selling price? | option_a=4599 | option_b=3335 | option_c=4927 | option_d=5255 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3285 × 150/100 = █4927.

id=99450 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:7 and the first is 12, what is the second? | option_a=7 | option_b=20 | option_c=14 | option_d=26 | answer=C | explanation=Scale factor = 12/6 = 2. Therefore second quantity = 7×2 = 14.

Aptitude Questions — Records 99,451-99,480 of 100,000

id=99451 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'D' become? | option_a=Z | option_b=H | option_c=D | option_d=L | answer=B | explanation=Move 4 positions forward from D; the resulting letter is H.

id=99452 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5179 at 15% per annum for 1 years. | option_a=876 | option_b=776 | option_c=676 | option_d=5955 | answer=B | explanation=SI = $PRT/100 = 5179 \times 15 \times 1/100 = \text{■}776$.

id=99453 | topic=Averages | difficulty=Easy | question=Find the average of 72, 12, 21, 55. | option_a=41 | option_b=42 | option_c=40 | option_d=39 | answer=C | explanation=Average = sum of values ÷ number of values = $160 \div 4 = 40$.

id=99454 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 21, 25, 29, ? | option_a=37 | option_b=34 | option_c=29 | option_d=33 | answer=D | explanation=The common difference is 4. Therefore the next term is $29 + 4 = 33$.

id=99455 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**29678 at 6% per annum for 2 years. | option_a=3561 | option_b=33239 | option_c=3461 | option_d=3661 | answer=A | explanation=SI = $PRT/100 = 29678 \times 6 \times 2/100 = \text{■}3561$.

id=99456 | topic=Number Series | difficulty=Easy | question=Find the next number: 3, 15, 27, 39, ? | option_a=52 | option_b=39 | option_c=63 | option_d=51 | answer=D | explanation=The common difference is 12. Therefore the next term is $39 + 12 = 51$.

id=99457 | topic=Number Series | difficulty=Easy | question=Find the next number: 20, 24, 28, 32, ? | option_a=40 | option_b=32 | option_c=37 | option_d=36 | answer=D | explanation=The common difference is 4. Therefore the next term is $32 + 4 = 36$.

id=99458 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'G' become? | option_a=C | option_b=O | option_c=K | option_d=G | answer=C | explanation=Move 4 positions forward from G; the resulting letter is K.

id=99459 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'T' become? | option_a=T | option_b=B | option_c=P | option_d=X | answer=D | explanation=Move 4 positions forward from T; the resulting letter is X.

id=99460 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 18, 26, 34, ? | option_a=43 | option_b=34 | option_c=50 | option_d=42 | answer=D | explanation=The common difference is 8. Therefore the next term is $34 + 8 = 42$.

id=99461 | topic=Averages | difficulty=Easy | question=Find the average of 18, 43, 62. | option_a=40 | option_b=42 | option_c=41 | option_d=43 | answer=C | explanation=Average = sum of values ÷ number of values = $123 \div 3 = 41$.

id=99462 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 28, 31, 37? | option_a=25 | option_b=37 | option_c=28 | option_d=31 | answer=B | explanation=The first three numbers increase by 3, so the next should be 34. Therefore 37 is the odd one out.

id=99463 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 19, 29, 39, 51? | option_a=29 | option_b=19 | option_c=51 | option_d=39 | answer=C | explanation=The first three numbers increase by 10, so the next should be 49. Therefore 51 is the odd one out.

id=99464 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=43 | option_c=96 | option_d=48 | answer=D | explanation=Speed = distance ÷ time = $240 \div 5 = 48$ km/h.

id=99465 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 9, 11, 16? | option_a=11 | option_b=7 | option_c=16 | option_d=9 | answer=C | explanation=The first three numbers increase by 2, so the next should be 13. Therefore 16 is the odd one out.

id=99466 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'N' become? | option_a=X | option_b=I | option_c=N | option_d=S | answer=D | explanation=Move 5 positions forward from N; the resulting letter is S.

id=99467 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 22. | option_a=336 | option_b=286 | option_c=308 | option_d=616 | answer=C | explanation= $LCM \times HCF = 28 \times 22$; $HCF(28,22) = 2$, so $LCM = 308$.

id=99468 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=6 | option_b=24 | option_c=5 | option_d=7 | answer=A | explanation=Combined rate = $1/12 + 1/12 = 24/144$. Time = $144/24 = 6$ days.

id=99469 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:8 and the first is 91, what is the second? | option_a=96 | option_b=111 | option_c=195 | option_d=104 | answer=D | explanation=Scale factor = $91/7 = 13$. Therefore second quantity = $8 \times 13 = 104$.

id=99470 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:15 and the first is 84, what is the second? | option_a=180 | option_b=187 | option_c=264 | option_d=165 | answer=A | explanation=Scale factor = $84/7 = 12$. Therefore second quantity = $15 \times 12 = 180$.

id=99471 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:5 and the first is 28, what is the second? | option_a=15 | option_b=48 | option_c=27 | option_d=20 | answer=D | explanation=Scale factor = $28/7 = 4$. Therefore second quantity = $5 \times 4 = 20$.

id=99472 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=4 | option_d=16 | answer=A | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=99473 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**712. If it is sold at a profit of 25%, what is its selling price? | option_a=890 | option_b=961 | option_c=737 | option_d=819 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 712 \times 125/100 = \text{■}890$.

id=99474 | topic=Percentages | difficulty=Easy | question=What is 12% of 537? | option_a=128 | option_b=64 | option_c=74 | option_d=44 | answer=B | explanation= $12\% \text{ of } 537 = (12/100) \times 537 = 64$.

id=99475 | topic=Percentages | difficulty=Easy | question=What is 10% of 1463? | option_a=141 | option_b=292 | option_c=151 | option_d=146 | answer=D | explanation= $10\% \text{ of } 1463 = (10/100) \times 1463 = 146$.

id=99476 | topic=Averages | difficulty=Easy | question=Find the average of 50, 70, 10, 69, 16, 33, 94, 73, 56, 19. | option_a=50 | option_b=48 | option_c=49 | option_d=51 | answer=C | explanation=Average = sum of values ÷ number of values = $490 \div 10 = 49$.

id=99477 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'K' become? | option_a=K | option_b=H | option_c=Q | option_d=N | answer=D | explanation=Move 3 positions forward from K; the resulting letter is N.

id=99478 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'O' become? | option_a=W | option_b=S | option_c=K | option_d=O | answer=B | explanation=Move 4 positions forward from O; the resulting letter is S.

id=99479 | topic=Averages | difficulty=Easy | question=Find the average of 94, 29, 51. | option_a=60 | option_b=58 | option_c=57 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = $174 \div 3 = 58$.

id=99480 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14921 at 12% per annum for 3 years. | option_a=5471 | option_b=5371 | option_c=5271 | option_d=20292 | answer=B | explanation=SI = $PRT/100 = 14921 \times 12 \times 3/100 = \text{■}5371$.

Aptitude Questions — Records 99,481-99,510 of 100,000

id=99481 | topic=Averages | difficulty=Easy | question=Find the average of 94, 28, 86, 48, 90, 93, 56, 10, 28, 77. | option_a=62 | option_b=60 | option_c=63 | option_d=61 | answer=D | explanation=Average = sum of values ÷ number of values = 610 ÷ 10 = 61.

id=99482 | topic=Averages | difficulty=Easy | question=Find the average of 10, 73, 34, 96, 64, 45, 77. | option_a=58 | option_b=59 | option_c=57 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 399 ÷ 7 = 57.

id=99483 | topic=Averages | difficulty=Easy | question=Find the average of 72, 47, 76, 66, 12, 92, 17, 14, 38, 96. | option_a=53 | option_b=52 | option_c=55 | option_d=54 | answer=A | explanation=Average = sum of values ÷ number of values = 530 ÷ 10 = 53.

id=99484 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 29, 33, 39? | option_a=33 | option_b=29 | option_c=25 | option_d=39 | answer=D | explanation=The first three numbers increase by 4, so the next should be 37. Therefore 39 is the odd one out.

id=99485 | topic=Percentages | difficulty=Easy | question=What is 25% of 1825? | option_a=912 | option_b=466 | option_c=436 | option_d=456 | answer=D | explanation=25% of 1825 = (25/100) × 1825 = 456.

id=99486 | topic=Percentages | difficulty=Easy | question=What is 20% of 1814? | option_a=724 | option_b=367 | option_c=362 | option_d=352 | answer=C | explanation=20% of 1814 = (20/100) × 1814 = 362.

id=99487 | topic=Averages | difficulty=Easy | question=Find the average of 59, 81, 87, 69, 46, 12, 94. | option_a=65 | option_b=66 | option_c=64 | option_d=63 | answer=C | explanation=Average = sum of values ÷ number of values = 448 ÷ 7 = 64.

id=99488 | topic=Profit & Loss | difficulty=Easy | question=An article costs ₹2548. If it is sold at a profit of 10%, what is its selling price? | option_a=3056 | option_b=2548 | option_c=2558 | option_d=2802 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2548 × 110/100 = ₹2802.

id=99489 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:18 and the first is 80, what is the second? | option_a=90 | option_b=106 | option_c=72 | option_d=170 | answer=A | explanation=Scale factor = 80/16 = 5. Therefore second quantity = 18×5 = 90.

id=99490 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹6475 at 10% per annum for 5 years. | option_a=3237 | option_b=9712 | option_c=3337 | option_d=3137 | answer=A | explanation=SI = PRT/100 = 6475×10×5/100 = ₹3237.

id=99491 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=17 | option_c=7 | option_d=24 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=99492 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 4 hours. What is its average speed? | option_a=15 | option_b=30 | option_c=20 | option_d=10 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 4 = 15 km/h.

id=99493 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=23 | option_c=36 | option_d=13 | answer=A | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=99494 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹32896 at 12% per annum for 4 years. | option_a=48686 | option_b=15890 | option_c=15690 | option_d=15790 | answer=D | explanation=SI = PRT/100 = 32896×12×4/100 = ₹15790.

id=99495 | topic=Percentages | difficulty=Easy | question=What is 25% of 812? | option_a=203 | option_b=208 | option_c=183 | option_d=406 | answer=A | explanation=25% of 812 = (25/100) × 812 = 203.

id=99496 | topic=Percentages | difficulty=Easy | question=What is 5% of 1614? | option_a=90 | option_b=160 | option_c=70 | option_d=80 | answer=D | explanation=5% of 1614 = (5/100) × 1614 = 80.

id=99497 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 5 hours. What is its average speed? | option_a=12 | option_b=24 | option_c=17 | option_d=7 | answer=A | explanation=Speed = distance ÷ time = 60 ÷ 5 = 12 km/h.

id=99498 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:12 and the first is 12, what is the second? | option_a=30 | option_b=24 | option_c=12 | option_d=36 | answer=B | explanation=Scale factor = 12/6 = 2. Therefore second quantity = 12×2 = 24.

id=99499 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=60 | option_b=65 | option_c=120 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=99500 | topic=Number Series | difficulty=Easy | question=Find the next number: 6, 12, 18, 24, ? | option_a=24 | option_b=30 | option_c=31 | option_d=36 | answer=B | explanation=The common difference is 6. Therefore the next term is 24 + 6 = 30.

id=99501 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=1 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=99502 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 13, 19, 25, ? | option_a=25 | option_b=32 | option_c=31 | option_d=37 | answer=C | explanation=The common difference is 6. Therefore the next term is 25 + 6 = 31.

id=99503 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:5 and the first is 54, what is the second? | option_a=45 | option_b=40 | option_c=99 | option_d=51 | answer=A | explanation=Scale factor = 54/6 = 9. Therefore second quantity = 5×9 = 45.

id=99504 | topic=Averages | difficulty=Easy | question=Find the average of 92, 60, 12, 10, 83, 74, 35, 94, 44. | option_a=55 | option_b=56 | option_c=57 | option_d=58 | answer=B | explanation=Average = sum of values ÷ number of values = 504 ÷ 9 = 56.

id=99505 | topic=Averages | difficulty=Easy | question=Find the average of 42, 40, 88, 63, 18, 33, 24, 81, 48, 73. | option_a=51 | option_b=53 | option_c=50 | option_d=52 | answer=A | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

id=99506 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹44495 at 5% per annum for 5 years. | option_a=11223 | option_b=11023 | option_c=11123 | option_d=55618 | answer=C | explanation=SI = PRT/100 = 44495×5×5/100 = ₹11123.

id=99507 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:20 and the first is 130, what is the second? | option_a=270 | option_b=240 | option_c=260 | option_d=390 | answer=C | explanation=Scale factor = 130/10 = 13. Therefore second quantity = 20×13 = 260.

id=99508 | topic=Number System | difficulty=Easy | question=Find the LCM of 6 and 27. | option_a=60 | option_b=27 | option_c=54 | option_d=162 | answer=C | explanation=LCM × HCF = 6×27; HCF(6,27) = 3, so LCM = 54.

id=99509 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 2 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=30 | option_d=25 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 2 = 30 km/h.

id=99510 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 12, 21, 30, 41? | option_a=21 | option_b=30 | option_c=12 | option_d=41 | answer=D | explanation=The first three numbers increase by 9, so the next should be 39. Therefore 41 is the odd one out.

Aptitude Questions — Records 99,511-99,540 of 100,000

id=99511 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 16, 23, 31? | option_a=9 | option_b=16 | option_c=31 | option_d=23 | answer=C | explanation=The first three numbers increase by 7, so the next should be 30. Therefore 31 is the odd one out.

id=99512 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'G' become? | option_a=F | option_b=H | option_c=G | option_d=I | answer=B | explanation=Move 1 positions forward from G; the resulting letter is H.

id=99513 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**5907 at 12% per annum for 5 years. | option_a=9451 | option_b=3444 | option_c=3644 | option_d=3544 | answer=D | explanation=SI = PRT/100 = 5907×12×5/100 = **■**3544.

id=99514 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=4 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=99515 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 15, 25, 35, ? | option_a=55 | option_b=35 | option_c=45 | option_d=46 | answer=C | explanation=The common difference is 10. Therefore the next term is 35 + 10 = 45.

id=99516 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2285. If it is sold at a profit of 40%, what is its selling price? | option_a=2971 | option_b=3199 | option_c=3427 | option_d=2325 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2285 × 140/100 = **■**3199.

id=99517 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 12, 16, 23? | option_a=23 | option_b=16 | option_c=12 | option_d=8 | answer=A | explanation=The first three numbers increase by 4, so the next should be 20. Therefore 23 is the odd one out.

id=99518 | topic=Averages | difficulty=Easy | question=Find the average of 47, 94, 61, 82, 86, 49, 39, 80, 61, 51. | option_a=64 | option_b=65 | option_c=67 | option_d=66 | answer=B | explanation=Average = sum of values ÷ number of values = 650 ÷ 10 = 65.

id=99519 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3959. If it is sold at a profit of 20%, what is its selling price? | option_a=3979 | option_b=4750 | option_c=5145 | option_d=4355 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 3959 × 120/100 = **■**4750.

id=99520 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=25 | option_b=35 | option_c=30 | option_d=60 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=99521 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=20 | option_b=25 | option_c=40 | option_d=15 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=99522 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2878. If it is sold at a profit of 10%, what is its selling price? | option_a=3452 | option_b=3165 | option_c=2888 | option_d=2878 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 2878 × 110/100 = **■**3165.

id=99523 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4666. If it is sold at a profit of 25%, what is its selling price? | option_a=5832 | option_b=6298 | option_c=4691 | option_d=5366 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4666 × 125/100 = **■**5832.

id=99524 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'O' become? | option_a=Y | option_b=J | option_c=T | option_d=O | answer=C | explanation=Move 5 positions forward from O; the resulting letter is T.

id=99525 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=9 | option_b=1 | option_c=3 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.

id=99526 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**14923 at 6% per annum for 4 years. | option_a=3581 | option_b=3681 | option_c=3481 | option_d=18504 | answer=A | explanation=SI = PRT/100 = 14923×6×4/100 = **■**3581.

id=99527 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 35, 44, 55? | option_a=44 | option_b=55 | option_c=26 | option_d=35 | answer=B | explanation=The first three numbers increase by 9, so the next should be 53. Therefore 55 is the odd one out.

id=99528 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=99529 | topic=Averages | difficulty=Easy | question=Find the average of 49, 11, 100, 10, 72, 85, 70, 75. | option_a=60 | option_b=61 | option_c=58 | option_d=59 | answer=D | explanation=Average = sum of values ÷ number of values = 472 ÷ 8 = 59.

id=99530 | topic=Percentages | difficulty=Easy | question=What is 30% of 566? | option_a=169 | option_b=149 | option_c=338 | option_d=189 | answer=A | explanation=30% of 566 = (30/100) × 566 = 169.

id=99531 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:3 and the first is 84, what is the second? | option_a=15 | option_b=102 | option_c=32 | option_d=18 | answer=D | explanation=Scale factor = 84/14 = 6. Therefore second quantity = 3×6 = 18.

id=99532 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:18 and the first is 120, what is the second? | option_a=336 | option_b=226 | option_c=198 | option_d=216 | answer=D | explanation=Scale factor = 120/10 = 12. Therefore second quantity = 18×12 = 216.

id=99533 | topic=Percentages | difficulty=Easy | question=What is 40% of 1765? | option_a=706 | option_b=1412 | option_c=716 | option_d=696 | answer=A | explanation=40% of 1765 = (40/100) × 1765 = 706.

id=99534 | topic=Averages | difficulty=Easy | question=Find the average of 73, 100, 63, 49, 89, 89, 29, 52. | option_a=67 | option_b=68 | option_c=69 | option_d=70 | answer=B | explanation=Average = sum of values ÷ number of values = 544 ÷ 8 = 68.

id=99535 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=4 | option_d=18 | answer=C | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=99536 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 12, 14, 16, ? | option_a=20 | option_b=19 | option_c=18 | option_d=16 | answer=C | explanation=The common difference is 2. Therefore the next term is 16 + 2 = 18.

id=99537 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17739 at 8% per annum for 5 years. | option_a=7095 | option_b=6995 | option_c=7195 | option_d=24834 | answer=A | explanation=SI = PRT/100 = 17739×8×5/100 = **■**7095.

id=99538 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:8 and the first is 340, what is the second? | option_a=156 | option_b=128 | option_c=136 | option_d=476 | answer=C | explanation=Scale factor = 340/20 = 17. Therefore second quantity = 8×17 = 136.

id=99539 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'O' become? | option_a=O | option_b=U | option_c=L | option_d=R | answer=D | explanation=Move 3 positions forward from O; the resulting letter is R.

id=99540 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=8 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

Aptitude Questions — Records 99,541-99,570 of 100,000

id=99541 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2348. If it is sold at a profit of 15%, what is its selling price? | option_a=2466 | option_b=2700 | option_c=2363 | option_d=2934 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2348 \times 115/100 = \text{█}2700$.

id=99542 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'M' become? | option_a=I | option_b=Q | option_c=M | option_d=U | answer=B | explanation=Move 4 positions forward from M; the resulting letter is Q.

id=99543 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2320. If it is sold at a profit of 20%, what is its selling price? | option_a=2340 | option_b=2552 | option_c=3016 | option_d=2784 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 2320 \times 120/100 = \text{█}2784$.

id=99544 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=31 | option_c=41 | option_d=36 | answer=D | explanation=Speed = distance ÷ time = $360 \div 10 = 36$ km/h.

id=99545 | topic=Percentages | difficulty=Easy | question=What is 5% of 844? | option_a=42 | option_b=84 | option_c=62 | option_d=32 | answer=A | explanation=5% of 844 = $(5/100) \times 844 = 42$.

id=99546 | topic=Profit & Loss | difficulty=Easy | question=An article costs █839. If it is sold at a profit of 50%, what is its selling price? | option_a=889 | option_b=1175 | option_c=1258 | option_d=1341 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 839 \times 150/100 = \text{█}1258$.

id=99547 | topic=Number System | difficulty=Easy | question=Find the LCM of 4 and 22. | option_a=44 | option_b=48 | option_c=88 | option_d=22 | answer=A | explanation=LCM $\times$ HCF = 4×22 ; $HCF(4,22) = 2$, so LCM = 44.

id=99548 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █16438 at 8% per annum for 4 years. | option_a=5160 | option_b=5360 | option_c=5260 | option_d=21698 | answer=C | explanation=SI = $PRT/100 = 16438 \times 8 \times 4/100 = \text{█}5260$.

id=99549 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 35, 40, 46? | option_a=35 | option_b=46 | option_c=30 | option_d=40 | answer=B | explanation=The first three numbers increase by 5, so the next should be 45. Therefore 46 is the odd one out.

id=99550 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=25 | option_b=15 | option_c=40 | option_d=20 | answer=D | explanation=Speed = distance ÷ time = $60 \div 3 = 20$ km/h.

id=99551 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 18, 26, 34, 43? | option_a=43 | option_b=34 | option_c=18 | option_d=26 | answer=A | explanation=The first three numbers increase by 8, so the next should be 42. Therefore 43 is the odd one out.

id=99552 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3324. If it is sold at a profit of 10%, what is its selling price? | option_a=3988 | option_b=3656 | option_c=3324 | option_d=3334 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3324 \times 110/100 = \text{█}3656$.

id=99553 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'E' become? | option_a=K | option_b=H | option_c=E | option_d=B | answer=B | explanation=Move 3 positions forward from E; the resulting letter is H.

id=99554 | topic=Averages | difficulty=Easy | question=Find the average of 85, 87, 54, 65, 13, 17, 92. | option_a=58 | option_b=59 | option_c=61 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = $413 \div 7 = 59$.

id=99555 | topic=Percentages | difficulty=Easy | question=What is 25% of 1667? | option_a=416 | option_b=832 | option_c=436 | option_d=406 | answer=A | explanation=25% of 1667 = $(25/100) \times 1667 = 416$.

id=99556 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22311 at 4% per annum for 4 years. | option_a=3669 | option_b=25880 | option_c=3469 | option_d=3569 | answer=D | explanation=SI = $PRT/100 = 22311 \times 4 \times 4/100 = \text{█}3569$.

id=99557 | topic=Percentages | difficulty=Easy | question=What is 50% of 1573? | option_a=1572 | option_b=786 | option_c=806 | option_d=766 | answer=B | explanation=50% of 1573 = $(50/100) \times 1573 = 786$.

id=99558 | topic=Profit & Loss | difficulty=Easy | question=An article costs █889. If it is sold at a profit of 10%, what is its selling price? | option_a=889 | option_b=1065 | option_c=899 | option_d=977 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 889 \times 110/100 = \text{█}977$.

id=99559 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=28 | option_b=33 | option_c=36 | option_d=32 | answer=D | explanation=The common difference is 4. Therefore the next term is $28 + 4 = 32$.

id=99560 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 8 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = $240 \div 8 = 30$ km/h.

id=99561 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █8702 at 5% per annum for 4 years. | option_a=1740 | option_b=1640 | option_c=10442 | option_d=1840 | answer=A | explanation=SI = $PRT/100 = 8702 \times 5 \times 4/100 = \text{█}1740$.

id=99562 | topic=Percentages | difficulty=Easy | question=What is 12% of 1742? | option_a=418 | option_b=229 | option_c=209 | option_d=199 | answer=C | explanation=12% of 1742 = $(12/100) \times 1742 = 209$.

id=99563 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 10. | option_a=300 | option_b=20 | option_c=30 | option_d=60 | answer=C | explanation=LCM $\times$ HCF = 30×10 ; $HCF(30,10) = 10$, so LCM = 30.

id=99564 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 11, 19, 30? | option_a=30 | option_b=19 | option_c=11 | option_d=3 | answer=A | explanation=The first three numbers increase by 8, so the next should be 27. Therefore 30 is the odd one out.

id=99565 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3212. If it is sold at a profit of 30%, what is its selling price? | option_a=3854 | option_b=3242 | option_c=4175 | option_d=4496 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 3212 \times 130/100 = \text{█}4175$.

id=99566 | topic=Averages | difficulty=Easy | question=Find the average of 61, 56, 98, 48, 49, 45, 57, 42. | option_a=58 | option_b=56 | option_c=59 | option_d=57 | answer=D | explanation=Average = sum of values ÷ number of values = $456 \div 8 = 57$.

id=99567 | topic=Percentages | difficulty=Easy | question=What is 15% of 735? | option_a=110 | option_b=120 | option_c=220 | option_d=105 | answer=A | explanation=15% of 735 = $(15/100) \times 735 = 110$.

id=99568 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █21454 at 5% per annum for 1 years. | option_a=972 | option_b=22526 | option_c=1072 | option_d=1172 | answer=C | explanation=SI = $PRT/100 = 21454 \times 5 \times 1/100 = \text{█}1072$.

id=99569 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:20 and the first is 238, what is the second? | option_a=354 | option_b=340 | option_c=320 | option_d=578 | answer=B | explanation=Scale factor = $238/14 = 17$. Therefore second quantity = $20 \times 17 = 340$.

id=99570 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1930. If it is sold at a profit of 40%, what is its selling price? | option_a=2895 | option_b=1970 | option_c=2509 | option_d=2702 | answer=D | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1930 \times 140/100 = \text{█}2702$.

Aptitude Questions — Records 99,571-99,600 of 100,000

id=99571 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:11 and the first is 187, what is the second? | option_a=176 | option_b=374 | option_c=198 | option_d=187 | answer=D | explanation=Scale factor = $187/11 = 17$. Therefore second quantity = $11 \times 17 = 187$.

id=99572 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 16:9 and the first is 288, what is the second? | option_a=153 | option_b=450 | option_c=162 | option_d=178 | answer=C | explanation=Scale factor = $288/16 = 18$. Therefore second quantity = $9 \times 18 = 162$.

id=99573 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'M' become? | option_a=L | option_b=O | option_c=M | option_d=N | answer=D | explanation=Move 1 positions forward from M; the resulting letter is N.

id=99574 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=J | option_b=E | option_c=O | option_d=Z | answer=A | explanation=Move 5 positions forward from E; the resulting letter is J.

id=99575 | topic=Percentages | difficulty=Easy | question=What is 40% of 1550? | option_a=600 | option_b=1240 | option_c=630 | option_d=620 | answer=D | explanation= $40\% \text{ of } 1550 = (40/100) \times 1550 = 620$.

id=99576 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 11, 16, 24? | option_a=6 | option_b=24 | option_c=11 | option_d=16 | answer=B | explanation=The first three numbers increase by 5, so the next should be 21. Therefore 24 is the odd one out.

id=99577 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 18. | option_a=72 | option_b=432 | option_c=54 | option_d=96 | answer=A | explanation= $\text{LCM} \times \text{HCF} = 24 \times 18$; $\text{HCF}(24,18) = 6$, so $\text{LCM} = 72$.

id=99578 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=4 | option_d=2 | answer=B | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=99579 | topic=Averages | difficulty=Easy | question=Find the average of 47, 78, 22, 12, 27, 51, 24, 32, 71, 56. | option_a=42 | option_b=44 | option_c=43 | option_d=41 | answer=A | explanation=Average = sum of values ÷ number of values = $420 \div 10 = 42$.

id=99580 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4340. If it is sold at a profit of 10%, what is its selling price? | option_a=4774 | option_b=5208 | option_c=4340 | option_d=4350 | answer=A | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 4340 \times 110/100 = \text{█}4774$.

id=99581 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █9891 at 10% per annum for 1 years. | option_a=889 | option_b=10880 | option_c=989 | option_d=1089 | answer=C | explanation= $\text{SI} = \text{PRT}/100 = 9891 \times 10 \times 1/100 = \text{█}989$.

id=99582 | topic=Percentages | difficulty=Easy | question=What is 30% of 240? | option_a=144 | option_b=92 | option_c=62 | option_d=72 | answer=D | explanation= $30\% \text{ of } 240 = (30/100) \times 240 = 72$.

id=99583 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 15, 22, 30? | option_a=22 | option_b=30 | option_c=8 | option_d=15 | answer=B | explanation=The first three numbers increase by 7, so the next should be 29. Therefore 30 is the odd one out.

id=99584 | topic=Percentages | difficulty=Easy | question=What is 25% of 1595? | option_a=378 | option_b=796 | option_c=403 | option_d=398 | answer=D | explanation= $25\% \text{ of } 1595 = (25/100) \times 1595 = 398$.

id=99585 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=45 | option_d=55 | answer=A | explanation=Speed = distance ÷ time = $300 \div 6 = 50$ km/h.

id=99586 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:3 and the first is 156, what is the second? | option_a=51 | option_b=195 | option_c=39 | option_d=36 | answer=C | explanation=Scale factor = $156/12 = 13$. Therefore second quantity = $3 \times 13 = 39$.

id=99587 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=2 | answer=C | explanation=Combined rate = $1/12 + 1/4 = 16/48$. Time = $48/16 = 3$ days.

id=99588 | topic=Averages | difficulty=Easy | question=Find the average of 78, 61, 93, 69, 82, 97. | option_a=79 | option_b=81 | option_c=82 | option_d=80 | answer=D | explanation=Average = sum of values ÷ number of values = $480 \div 6 = 80$.

id=99589 | topic=Averages | difficulty=Easy | question=Find the average of 74, 14, 21, 20, 74, 97. | option_a=50 | option_b=51 | option_c=52 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = $300 \div 6 = 50$.

id=99590 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █33667 at 5% per annum for 3 years. | option_a=5050 | option_b=4950 | option_c=5150 | option_d=38717 | answer=A | explanation= $\text{SI} = \text{PRT}/100 = 33667 \times 5 \times 3/100 = \text{█}5050$.

id=99591 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=1 | option_c=8 | option_d=3 | answer=A | explanation=Combined rate = $1/4 + 1/4 = 8/16$. Time = $16/8 = 2$ days.

id=99592 | topic=Number System | difficulty=Easy | question=Find the LCM of 11 and 11. | option_a=22 | option_b=11 | option_c=121 | option_d=1 | answer=B | explanation= $\text{LCM} \times \text{HCF} = 11 \times 11$; $\text{HCF}(11,11) = 11$, so $\text{LCM} = 11$.

id=99593 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 3, 11, 19, 29? | option_a=19 | option_b=29 | option_c=3 | option_d=11 | answer=B | explanation=The first three numbers increase by 8, so the next should be 27. Therefore 29 is the odd one out.

id=99594 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=5 | answer=A | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=99595 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'O' become? | option_a=Q | option_b=O | option_c=S | option_d=M | answer=A | explanation=Move 2 positions forward from O; the resulting letter is Q.

id=99596 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █13668 at 15% per annum for 1 years. | option_a=15718 | option_b=2150 | option_c=2050 | option_d=1950 | answer=C | explanation= $\text{SI} = \text{PRT}/100 = 13668 \times 15 \times 1/100 = \text{█}2050$.

id=99597 | topic=Averages | difficulty=Easy | question=Find the average of 61, 32, 37, 88, 28, 36. | option_a=47 | option_b=48 | option_c=49 | option_d=46 | answer=A | explanation=Average = sum of values ÷ number of values = $282 \div 6 = 47$.

id=99598 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4402. If it is sold at a profit of 10%, what is its selling price? | option_a=4402 | option_b=4412 | option_c=5282 | option_d=4842 | answer=D | explanation=Selling price = $\text{CP} \times (100 + \text{profit}\%)/100 = 4402 \times 110/100 = \text{█}4842$.

id=99599 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 29, 34, 41? | option_a=41 | option_b=29 | option_c=24 | option_d=34 | answer=A | explanation=The first three numbers increase by 5, so the next should be 39. Therefore 41 is the odd one out.

id=99600 | topic=Percentages | difficulty=Easy | question=What is 40% of 371? | option_a=148 | option_b=296 | option_c=128 | option_d=168 | answer=A | explanation= $40\% \text{ of } 371 = (40/100) \times 371 = 148$.

Aptitude Questions — Records 99,601-99,630 of 100,000

- id=99601 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:3 and the first is 60, what is the second? | option_a=90 | option_b=27 | option_c=36 | option_d=30 | answer=D | explanation=Scale factor = 60/6 = 10. Therefore second quantity = 3×10 = 30.
- id=99602 | topic=Percentages | difficulty=Easy | question=What is 12% of 1740? | option_a=416 | option_b=208 | option_c=203 | option_d=228 | answer=B | explanation=12% of 1740 = (12/100) × 1740 = 208.
- id=99603 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 23, 33, 45? | option_a=45 | option_b=33 | option_c=23 | option_d=13 | answer=A | explanation=The first three numbers increase by 10, so the next should be 43. Therefore 45 is the odd one out.
- id=99604 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■7035 at 8% per annum for 3 years. | option_a=1588 | option_b=8723 | option_c=1688 | option_d=1788 | answer=C | explanation=SI = PRT/100 = 7035×8×3/100 = ■1688.
- id=99605 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 11, 20, 29, ? | option_a=47 | option_b=38 | option_c=29 | option_d=39 | answer=B | explanation=The common difference is 9. Therefore the next term is 29 + 9 = 38.
- id=99606 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=O | option_b=Y | option_c=T | option_d=D | answer=B | explanation=Move 5 positions forward from T; the resulting letter is Y.
- id=99607 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 3 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=9 | option_d=2 | answer=D | explanation=Combined rate = 1/6 + 1/3 = 9/18. Time = 18/9 = 2 days.
- id=99608 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=59 | option_b=58 | option_c=69 | option_d=47 | answer=B | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.
- id=99609 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 28, 34, 40, 47? | option_a=47 | option_b=34 | option_c=40 | option_d=28 | answer=A | explanation=The first three numbers increase by 6, so the next should be 46. Therefore 47 is the odd one out.
- id=99610 | topic=Percentages | difficulty=Easy | question=What is 10% of 641? | option_a=59 | option_b=64 | option_c=128 | option_d=69 | answer=B | explanation=10% of 641 = (10/100) × 641 = 64.
- id=99611 | topic=Percentages | difficulty=Easy | question=What is 5% of 1895? | option_a=74 | option_b=188 | option_c=99 | option_d=94 | answer=D | explanation=5% of 1895 = (5/100) × 1895 = 94.
- id=99612 | topic=Percentages | difficulty=Easy | question=What is 12% of 1324? | option_a=178 | option_b=316 | option_c=148 | option_d=158 | answer=D | explanation=12% of 1324 = (12/100) × 1324 = 158.
- id=99613 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 21, 29, 38? | option_a=38 | option_b=29 | option_c=13 | option_d=21 | answer=A | explanation=The first three numbers increase by 8, so the next should be 37. Therefore 38 is the odd one out.
- id=99614 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'U' become? | option_a=U | option_b=Y | option_c=W | option_d=S | answer=C | explanation=Move 2 positions forward from U; the resulting letter is W.
- id=99615 | topic=Percentages | difficulty=Easy | question=What is 30% of 1421? | option_a=416 | option_b=431 | option_c=852 | option_d=426 | answer=D | explanation=30% of 1421 = (30/100) × 1421 = 426.
- id=99616 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.
- id=99617 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■12867 at 5% per annum for 1 years. | option_a=13510 | option_b=543 | option_c=643 | option_d=743 | answer=C | explanation=SI = PRT/100 = 12867×5×1/100 = ■643.
- id=99618 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:16 and the first is 220, what is the second? | option_a=540 | option_b=331 | option_c=304 | option_d=320 | answer=D | explanation=Scale factor = 220/11 = 20. Therefore second quantity = 16×20 = 320.
- id=99619 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■17133 at 4% per annum for 3 years. | option_a=19188 | option_b=2155 | option_c=1955 | option_d=2055 | answer=D | explanation=SI = PRT/100 = 17133×4×3/100 = ■2055.
- id=99620 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 15, 26, 37, ? | option_a=49 | option_b=48 | option_c=59 | option_d=37 | answer=B | explanation=The common difference is 11. Therefore the next term is 37 + 11 = 48.
- id=99621 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:18 and the first is 187, what is the second? | option_a=306 | option_b=288 | option_c=317 | option_d=493 | answer=A | explanation=Scale factor = 187/11 = 17. Therefore second quantity = 18×17 = 306.
- id=99622 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■452. If it is sold at a profit of 40%, what is its selling price? | option_a=492 | option_b=587 | option_c=677 | option_d=632 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 452 × 140/100 = ■632.
- id=99623 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=N | option_b=D | option_c=I | option_d=Y | answer=C | explanation=Move 5 positions forward from D; the resulting letter is I.
- id=99624 | topic=Percentages | difficulty=Easy | question=What is 15% of 1060? | option_a=149 | option_b=159 | option_c=318 | option_d=164 | answer=B | explanation=15% of 1060 = (15/100) × 1060 = 159.
- id=99625 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=12 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.
- id=99626 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 25, 35, 45, 58? | option_a=35 | option_b=45 | option_c=58 | option_d=25 | answer=C | explanation=The first three numbers increase by 10, so the next should be 55. Therefore 58 is the odd one out.
- id=99627 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:15 and the first is 11, what is the second? | option_a=166 | option_b=150 | option_c=165 | option_d=176 | answer=C | explanation=Scale factor = 11/1 = 11. Therefore second quantity = 15×11 = 165.
- id=99628 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 36, 42, 51? | option_a=30 | option_b=51 | option_c=36 | option_d=42 | answer=B | explanation=The first three numbers increase by 6, so the next should be 48. Therefore 51 is the odd one out.
- id=99629 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:19 and the first is 198, what is the second? | option_a=323 | option_b=353 | option_c=342 | option_d=540 | answer=C | explanation=Scale factor = 198/11 = 18. Therefore second quantity = 19×18 = 342.
- id=99630 | topic=Averages | difficulty=Easy | question=Find the average of 42, 44, 92, 96, 30, 98, 59, 36, 52. | option_a=63 | option_b=61 | option_c=62 | option_d=60 | answer=B | explanation=Average = sum of values ÷ number of values = 549 ÷ 9 = 61.

Aptitude Questions — Records 99,631-99,660 of 100,000

id=99631 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■253. If it is sold at a profit of 30%, what is its selling price? | option_a=283 | option_b=328 | option_c=303 | option_d=353 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 253 × 130/100 = ■328.

id=99632 | topic=Averages | difficulty=Easy | question=Find the average of 26, 35, 13, 71, 52, 71, 103. | option_a=53 | option_b=54 | option_c=52 | option_d=55 | answer=A | explanation=Average = sum of values ÷ number of values = 371 ÷ 7 = 53.

id=99633 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 15, 21, 29? | option_a=15 | option_b=9 | option_c=21 | option_d=29 | answer=D | explanation=The first three numbers increase by 6, so the next should be 27. Therefore 29 is the odd one out.

id=99634 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:17 and the first is 27, what is the second? | option_a=136 | option_b=153 | option_c=156 | option_d=180 | answer=B | explanation=Scale factor = 27/3 = 9. Therefore second quantity = 17×9 = 153.

id=99635 | topic=Number System | difficulty=Easy | question=Find the LCM of 17 and 17. | option_a=289 | option_b=34 | option_c=17 | option_d=1 | answer=C | explanation=LCM × HCF = 17×17; HCF(17,17) = 17, so LCM = 17.

id=99636 | topic=Averages | difficulty=Easy | question=Find the average of 86, 77, 22, 83, 36, 43, 88, 10, 14. | option_a=51 | option_b=52 | option_c=53 | option_d=50 | answer=A | explanation=Average = sum of values + number of values = 459 ÷ 9 = 51.

id=99637 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■2817. If it is sold at a profit of 10%, what is its selling price? | option_a=3379 | option_b=2817 | option_c=3098 | option_d=2827 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2817 × 110/100 = ■3098.

id=99638 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 15, 23, 31, ? | option_a=40 | option_b=39 | option_c=47 | option_d=31 | answer=B | explanation=The common difference is 8. Therefore the next term is 31 + 8 = 39.

id=99639 | topic=Averages | difficulty=Easy | question=Find the average of 81, 73, 98, 41, 54, 71, 93. | option_a=74 | option_b=75 | option_c=72 | option_d=73 | answer=D | explanation=Average = sum of values + number of values = 511 ÷ 7 = 73.

id=99640 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'H' become? | option_a=I | option_b=H | option_c=J | option_d=G | answer=A | explanation=Move 1 positions forward from H; the resulting letter is I.

id=99641 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 17, 27, 40? | option_a=17 | option_b=7 | option_c=40 | option_d=27 | answer=C | explanation=The first three numbers increase by 10, so the next should be 37. Therefore 40 is the odd one out.

id=99642 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■4004. If it is sold at a profit of 10%, what is its selling price? | option_a=4404 | option_b=4804 | option_c=4014 | option_d=4004 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 4004 × 110/100 = ■4404.

id=99643 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'Q' become? | option_a=R | option_b=Q | option_c=S | option_d=P | answer=A | explanation=Move 1 positions forward from Q; the resulting letter is R.

id=99644 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=100 | option_b=200 | option_c=95 | option_d=105 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=99645 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=16 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=99646 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=F | option_b=I | option_c=C | option_d=Z | answer=A | explanation=Move 3 positions forward from C; the resulting letter is F.

id=99647 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 9. | option_a=36 | option_b=48 | option_c=108 | option_d=27 | answer=A | explanation=LCM × HCF = 12×9; HCF(12,9) = 3, so LCM = 36.

id=99648 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=7 | option_b=5 | option_c=24 | option_d=6 | answer=D | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=99649 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 11, 18, 25, ? | option_a=25 | option_b=33 | option_c=32 | option_d=39 | answer=C | explanation=The common difference is 7. Therefore the next term is 25 + 7 = 32.

id=99650 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 12. | option_a=192 | option_b=48 | option_c=64 | option_d=36 | answer=B | explanation=LCM × HCF = 16×12; HCF(16,12) = 4, so LCM = 48.

id=99651 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=36 | option_b=31 | option_c=41 | option_d=37 | answer=A | explanation=The common difference is 5. Therefore the next term is 31 + 5 = 36.

id=99652 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 9, 11, 15? | option_a=15 | option_b=9 | option_c=11 | option_d=7 | answer=A | explanation=The first three numbers increase by 2, so the next should be 13. Therefore 15 is the odd one out.

id=99653 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■7112 at 15% per annum for 2 years. | option_a=2133 | option_b=9245 | option_c=2233 | option_d=2033 | answer=A | explanation=SI = PRT/100 = 7112×15×2/100 = ■2133.

id=99654 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:17 and the first is 64, what is the second? | option_a=336 | option_b=276 | option_c=255 | option_d=272 | answer=D | explanation=Scale factor = 64/4 = 16. Therefore second quantity = 17×16 = 272.

id=99655 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■3917. If it is sold at a profit of 10%, what is its selling price? | option_a=3917 | option_b=3927 | option_c=4308 | option_d=4699 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 3917 × 110/100 = ■4308.

id=99656 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■3220 at 15% per annum for 2 years. | option_a=4186 | option_b=866 | option_c=1066 | option_d=966 | answer=D | explanation=SI = PRT/100 = 3220×15×2/100 = ■966.

id=99657 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 15, 21, 28? | option_a=15 | option_b=28 | option_c=9 | option_d=21 | answer=B | explanation=The first three numbers increase by 6, so the next should be 27. Therefore 28 is the odd one out.

id=99658 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 20, 22, 24, ? | option_a=26 | option_b=27 | option_c=28 | option_d=24 | answer=A | explanation=The common difference is 2. Therefore the next term is 24 + 2 = 26.

id=99659 | topic=Averages | difficulty=Easy | question=Find the average of 61, 35, 63. | option_a=54 | option_b=55 | option_c=52 | option_d=53 | answer=D | explanation=Average = sum of values + number of values = 159 ÷ 3 = 53.

id=99660 | topic=Percentages | difficulty=Easy | question=What is 10% of 1594? | option_a=318 | option_b=159 | option_c=154 | option_d=169 | answer=B | explanation=10% of 1594 = (10/100) × 1594 = 159.

Aptitude Questions — Records 99,661-99,690 of 100,000

id=99661 | topic=Percentages | difficulty=Easy | question=What is 30% of 1588? | option_a=952 | option_b=476 | option_c=456 | option_d=496 | answer=B | explanation=30% of 1588 = (30/100) × 1588 = 476.

id=99662 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**21896 at 12% per annum for 1 years. | option_a=2727 | option_b=2527 | option_c=24523 | option_d=2627 | answer=D | explanation=SI = PRT/100 = 21896×12×1/100 = **■**2627.

id=99663 | topic=Averages | difficulty=Easy | question=Find the average of 46, 89, 95, 92, 26, 34, 16, 20, 53, 39. | option_a=51 | option_b=52 | option_c=53 | option_d=50 | answer=A | explanation=Average = sum of values ÷ number of values = 510 ÷ 10 = 51.

id=99664 | topic=Averages | difficulty=Easy | question=Find the average of 56, 34, 79, 51. | option_a=57 | option_b=54 | option_c=55 | option_d=56 | answer=C | explanation=Average = sum of values ÷ number of values = 220 ÷ 4 = 55.

id=99665 | topic=Percentages | difficulty=Easy | question=What is 20% of 1353? | option_a=250 | option_b=275 | option_c=270 | option_d=540 | answer=C | explanation=20% of 1353 = (20/100) × 1353 = 270.

id=99666 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=3 | option_d=5 | answer=A | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=99667 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**23591 at 15% per annum for 4 years. | option_a=14154 | option_b=14054 | option_c=37745 | option_d=14254 | answer=A | explanation=SI = PRT/100 = 23591×15×4/100 = **■**14154.

id=99668 | topic=Averages | difficulty=Easy | question=Find the average of 19, 54, 34, 13, 74, 84, 36, 14. | option_a=41 | option_b=40 | option_c=43 | option_d=42 | answer=A | explanation=Average = sum of values ÷ number of values = 328 ÷ 8 = 41.

id=99669 | topic=Averages | difficulty=Easy | question=Find the average of 91, 99, 88, 46, 99, 13, 19. | option_a=66 | option_b=67 | option_c=65 | option_d=64 | answer=C | explanation=Average = sum of values ÷ number of values = 455 ÷ 7 = 65.

id=99670 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'J' become? | option_a=M | option_b=J | option_c=P | option_d=G | answer=A | explanation=Move 3 positions forward from J; the resulting letter is M.

id=99671 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:6 and the first is 13, what is the second? | option_a=78 | option_b=79 | option_c=72 | option_d=91 | answer=A | explanation=Scale factor = 13/1 = 13. Therefore second quantity = 6×13 = 78.

id=99672 | topic=Percentages | difficulty=Easy | question=What is 50% of 1678? | option_a=844 | option_b=839 | option_c=1678 | option_d=819 | answer=B | explanation=50% of 1678 = (50/100) × 1678 = 839.

id=99673 | topic=Averages | difficulty=Easy | question=Find the average of 47, 56, 64, 22, 13, 85, 52, 85. | option_a=52 | option_b=53 | option_c=55 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = 424 ÷ 8 = 53.

id=99674 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 2 hours. What is its average speed? | option_a=70 | option_b=80 | option_c=75 | option_d=150 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 2 = 75 km/h.

id=99675 | topic=Percentages | difficulty=Easy | question=What is 15% of 423? | option_a=63 | option_b=83 | option_c=126 | option_d=53 | answer=A | explanation=15% of 423 = (15/100) × 423 = 63.

id=99676 | topic=Averages | difficulty=Easy | question=Find the average of 49, 55, 65, 79. | option_a=63 | option_b=64 | option_c=61 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 248 ÷ 4 = 62.

id=99677 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'D' become? | option_a=I | option_b=N | option_c=D | option_d=Y | answer=A | explanation=Move 5 positions forward from D; the resulting letter is I.

id=99678 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1885. If it is sold at a profit of 15%, what is its selling price? | option_a=1979 | option_b=1900 | option_c=2167 | option_d=2355 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 1885 × 115/100 = **■**2167.

id=99679 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 24. | option_a=96 | option_b=240 | option_c=130 | option_d=120 | answer=D | explanation=LCM × HCF = 10×24; HCF(10,24) = 2, so LCM = 120.

id=99680 | topic=Averages | difficulty=Easy | question=Find the average of 24, 59, 85, 16. | option_a=46 | option_b=47 | option_c=48 | option_d=45 | answer=A | explanation=Average = sum of values ÷ number of values = 184 ÷ 4 = 46.

id=99681 | topic=Averages | difficulty=Easy | question=Find the average of 17, 28, 58, 19, 11, 83. | option_a=35 | option_b=37 | option_c=36 | option_d=38 | answer=C | explanation=Average = sum of values ÷ number of values = 216 ÷ 6 = 36.

id=99682 | topic=Averages | difficulty=Easy | question=Find the average of 95, 12, 28, 85, 15. | option_a=47 | option_b=46 | option_c=48 | option_d=49 | answer=A | explanation=Average = sum of values ÷ number of values = 235 ÷ 5 = 47.

id=99683 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 6:8 and the first is 114, what is the second? | option_a=152 | option_b=266 | option_c=158 | option_d=144 | answer=A | explanation=Scale factor = 114/6 = 19. Therefore second quantity = 8×19 = 152.

id=99684 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**43839 at 6% per annum for 5 years. | option_a=13251 | option_b=13151 | option_c=56990 | option_d=13051 | answer=B | explanation=SI = PRT/100 = 43839×6×5/100 = **■**13151.

id=99685 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 21, 26, 34? | option_a=34 | option_b=21 | option_c=26 | option_d=16 | answer=A | explanation=The first three numbers increase by 5, so the next should be 31. Therefore 34 is the odd one out.

id=99686 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 12, 19, 26, ? | option_a=26 | option_b=40 | option_c=34 | option_d=33 | answer=D | explanation=The common difference is 7. Therefore the next term is 26 + 7 = 33.

id=99687 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 16, 28, 40, ? | option_a=40 | option_b=53 | option_c=64 | option_d=52 | answer=D | explanation=The common difference is 12. Therefore the next term is 40 + 12 = 52.

id=99688 | topic=Number System | difficulty=Easy | question=Find the LCM of 21 and 14. | option_a=63 | option_b=42 | option_c=294 | option_d=28 | answer=B | explanation=LCM × HCF = 21×14; HCF(21,14) = 7, so LCM = 42.

id=99689 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2653. If it is sold at a profit of 10%, what is its selling price? | option_a=2918 | option_b=2663 | option_c=2653 | option_d=3183 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2653 × 110/100 = **■**2918.

id=99690 | topic=Averages | difficulty=Easy | question=Find the average of 13, 71, 46, 26, 35, 20, 40, 61. | option_a=39 | option_b=38 | option_c=41 | option_d=40 | answer=A | explanation=Average = sum of values ÷ number of values = 312 ÷ 8 = 39.

Aptitude Questions — Records 99,691-99,720 of 100,000

id=99691 | topic=Number System | difficulty=Easy | question=Find the LCM of 2 and 16. | option_a=32 | option_b=18 | option_c=16 | option_d=1 | answer=C | explanation=LCM × HCF = 2×16; HCF(2,16) = 2, so LCM = 16.

id=99692 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=3 | option_d=16 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=99693 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 7:3 and the first is 77, what is the second? | option_a=40 | option_b=33 | option_c=110 | option_d=30 | answer=B | explanation=Scale factor = 77/7 = 11. Therefore second quantity = 3×11 = 33.

id=99694 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=1 | option_b=3 | option_c=2 | option_d=9 | answer=C | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=99695 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 22, 25, 28, ? | option_a=34 | option_b=32 | option_c=28 | option_d=31 | answer=D | explanation=The common difference is 3. Therefore the next term is 28 + 3 = 31.

id=99696 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 13, 21, 29, ? | option_a=29 | option_b=38 | option_c=45 | option_d=37 | answer=D | explanation=The common difference is 8. Therefore the next term is 29 + 8 = 37.

id=99697 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**4912 at 12% per annum for 5 years. | option_a=7859 | option_b=3047 | option_c=2847 | option_d=2947 | answer=D | explanation=SI = PRT/100 = 4912×12×5/100 = **■**2947.

id=99698 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:3 and the first is 60, what is the second? | option_a=75 | option_b=15 | option_c=27 | option_d=12 | answer=B | explanation=Scale factor = 60/12 = 5. Therefore second quantity = 3×5 = 15.

id=99699 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=18 | option_d=5 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=99700 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:17 and the first is 54, what is the second? | option_a=360 | option_b=289 | option_c=306 | option_d=309 | answer=C | explanation=Scale factor = 54/3 = 18. Therefore second quantity = 17×18 = 306.

id=99701 | topic=Number System | difficulty=Easy | question=Find the LCM of 11 and 22. | option_a=242 | option_b=1 | option_c=33 | option_d=22 | answer=D | explanation=LCM × HCF = 11×22; HCF(11,22) = 11, so LCM = 22.

id=99702 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 4 hours. What is its average speed? | option_a=95 | option_b=90 | option_c=85 | option_d=180 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 4 = 90 km/h.

id=99703 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=60 | option_b=55 | option_c=120 | option_d=65 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 4 = 60 km/h.

id=99704 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 35, 40, 46? | option_a=40 | option_b=46 | option_c=35 | option_d=30 | answer=B | explanation=The first three numbers increase by 5, so the next should be 45. Therefore 46 is the odd one out.

id=99705 | topic=Number Series | difficulty=Easy | question=Find the next number: 5, 11, 17, 23, ? | option_a=29 | option_b=23 | option_c=35 | option_d=30 | answer=A | explanation=The common difference is 6. Therefore the next term is 23 + 6 = 29.

id=99706 | topic=Percentages | difficulty=Easy | question=What is 40% of 1126? | option_a=445 | option_b=900 | option_c=450 | option_d=470 | answer=C | explanation=40% of 1126 = (40/100) × 1126 = 450.

id=99707 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=53 | option_b=62 | option_c=44 | option_d=54 | answer=A | explanation=The common difference is 9. Therefore the next term is 44 + 9 = 53.

id=99708 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 8. | option_a=84 | option_b=56 | option_c=48 | option_d=224 | answer=B | explanation=LCM × HCF = 28×8; HCF(28,8) = 4, so LCM = 56.

id=99709 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=20 | option_b=50 | option_c=25 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=99710 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 31, 36, 44? | option_a=44 | option_b=36 | option_c=26 | option_d=31 | answer=A | explanation=The first three numbers increase by 5, so the next should be 41. Therefore 44 is the odd one out.

id=99711 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 26, 34, 42, ? | option_a=51 | option_b=50 | option_c=58 | option_d=42 | answer=B | explanation=The common difference is 8. Therefore the next term is 42 + 8 = 50.

id=99712 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 7, 14, 21, 31? | option_a=31 | option_b=7 | option_c=21 | option_d=14 | answer=A | explanation=The first three numbers increase by 7, so the next should be 28. Therefore 31 is the odd one out.

id=99713 | topic=Number System | difficulty=Easy | question=Find the LCM of 30 and 6. | option_a=24 | option_b=30 | option_c=180 | option_d=60 | answer=B | explanation=LCM × HCF = 30×6; HCF(30,6) = 6, so LCM = 30.

id=99714 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**32967 at 5% per annum for 2 years. | option_a=36263 | option_b=3396 | option_c=3296 | option_d=3196 | answer=C | explanation=SI = PRT/100 = 32967×5×2/100 = **■**3296.

id=99715 | topic=Percentages | difficulty=Easy | question=What is 10% of 824? | option_a=92 | option_b=164 | option_c=82 | option_d=62 | answer=C | explanation=10% of 824 = (10/100) × 824 = 82.

id=99716 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 8 hours. What is its average speed? | option_a=90 | option_b=45 | option_c=40 | option_d=50 | answer=B | explanation=Speed = distance ÷ time = 360 ÷ 8 = 45 km/h.

id=99717 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=25 | option_c=20 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=99718 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 22, 27, 32, ? | option_a=37 | option_b=38 | option_c=42 | option_d=32 | answer=A | explanation=The common difference is 5. Therefore the next term is 32 + 5 = 37.

id=99719 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 24, 28, 32, 38? | option_a=24 | option_b=28 | option_c=38 | option_d=32 | answer=C | explanation=The first three numbers increase by 4, so the next should be 36. Therefore 38 is the odd one out.

id=99720 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

Aptitude Questions — Records 99,721-99,750 of 100,000

id=99721 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:3 and the first is 28, what is the second? | option_a=70 | option_b=44 | option_c=39 | option_d=42 | answer=D | explanation=Scale factor = 28/2 = 14. Therefore second quantity = 3×14 = 42.

id=99722 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 2 hours. What is its average speed? | option_a=120 | option_b=115 | option_c=125 | option_d=240 | answer=A | explanation=Speed = distance ÷ time = 240 ÷ 2 = 120 km/h.

id=99723 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=5 | option_c=6 | option_d=7 | answer=C | explanation=Combined rate = 1/12 + 1/12 = 24/144. Time = 144/24 = 6 days.

id=99724 | topic=Number System | difficulty=Easy | question=Find the LCM of 16 and 24. | option_a=384 | option_b=48 | option_c=64 | option_d=24 | answer=B | explanation=LCM × HCF = 16×24; HCF(16,24) = 8, so LCM = 48.

id=99725 | topic=Averages | difficulty=Easy | question=Find the average of 79, 10, 91, 52, 50, 91, 33. | option_a=60 | option_b=58 | option_c=57 | option_d=59 | answer=B | explanation=Average = sum of values ÷ number of values = 406 ÷ 7 = 58.

id=99726 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=18 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=99727 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ₹10924 at 12% per annum for 2 years. | option_a=2621 | option_b=2521 | option_c=13545 | option_d=2721 | answer=A | explanation=SI = PRT/100 = 10924×12×2/100 = ₹2621.

id=99728 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'C' become? | option_a=I | option_b=Z | option_c=C | option_d=F | answer=D | explanation=Move 3 positions forward from C; the resulting letter is F.

id=99729 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=Q | option_b=N | option_c=T | option_d=W | answer=C | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=99730 | topic=Percentages | difficulty=Easy | question=What is 50% of 1995? | option_a=1007 | option_b=987 | option_c=1994 | option_d=997 | answer=D | explanation=50% of 1995 = (50/100) × 1995 = 997.

id=99731 | topic=Percentages | difficulty=Easy | question=What is 10% of 244? | option_a=34 | option_b=24 | option_c=48 | option_d=4 | answer=B | explanation=10% of 244 = (10/100) × 244 = 24.

id=99732 | topic=Averages | difficulty=Easy | question=Find the average of 85, 64, 58, 25, 70, 58, 82, 59, 39. | option_a=59 | option_b=61 | option_c=62 | option_d=60 | answer=D | explanation=Average = sum of values ÷ number of values = 540 ÷ 9 = 60.

id=99733 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 29, 32, 35, 40? | option_a=32 | option_b=29 | option_c=40 | option_d=35 | answer=C | explanation=The first three numbers increase by 3, so the next should be 38. Therefore 40 is the odd one out.

id=99734 | topic=Percentages | difficulty=Easy | question=What is 5% of 564? | option_a=33 | option_b=56 | option_c=28 | option_d=8 | answer=C | explanation=5% of 564 = (5/100) × 564 = 28.

id=99735 | topic=Averages | difficulty=Easy | question=Find the average of 65, 88, 28, 60, 69. | option_a=63 | option_b=61 | option_c=64 | option_d=62 | answer=D | explanation=Average = sum of values ÷ number of values = 310 ÷ 5 = 62.

id=99736 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 1 positions forward in the alphabet, what does 'R' become? | option_a=R | option_b=Q | option_c=T | option_d=S | answer=D | explanation=Move 1 positions forward from R; the resulting letter is S.

id=99737 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=3 | option_b=18 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=99738 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 26, 34, 42, 51? | option_a=26 | option_b=34 | option_c=51 | option_d=42 | answer=C | explanation=The first three numbers increase by 8, so the next should be 50. Therefore 51 is the odd one out.

id=99739 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=3 | option_d=5 | answer=B | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=99740 | topic=Percentages | difficulty=Easy | question=What is 12% of 1967? | option_a=472 | option_b=226 | option_c=256 | option_d=236 | answer=D | explanation=12% of 1967 = (12/100) × 1967 = 236.

id=99741 | topic=Averages | difficulty=Easy | question=Find the average of 62, 84, 83, 55, 20, 11, 100, 82, 25. | option_a=59 | option_b=60 | option_c=57 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 522 ÷ 9 = 58.

id=99742 | topic=Percentages | difficulty=Easy | question=What is 25% of 257? | option_a=84 | option_b=128 | option_c=64 | option_d=44 | answer=C | explanation=25% of 257 = (25/100) × 257 = 64.

id=99743 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 4 days. How many days will they take together? | option_a=2 | option_b=3 | option_c=16 | option_d=4 | answer=B | explanation=Combined rate = 1/12 + 1/4 = 16/48. Time = 48/16 = 3 days.

id=99744 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 23, 25, 29? | option_a=25 | option_b=21 | option_c=23 | option_d=29 | answer=D | explanation=The first three numbers increase by 2, so the next should be 27. Therefore 29 is the odd one out.

id=99745 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 6 hours. What is its average speed? | option_a=35 | option_b=60 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 6 = 30 km/h.

id=99746 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 6 hours. What is its average speed? | option_a=50 | option_b=100 | option_c=55 | option_d=45 | answer=A | explanation=Speed = distance ÷ time = 300 ÷ 6 = 50 km/h.

id=99747 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:17 and the first is 32, what is the second? | option_a=304 | option_b=272 | option_c=255 | option_d=274 | answer=B | explanation=Scale factor = 32/2 = 16. Therefore second quantity = 17×16 = 272.

id=99748 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 13, 15, 17, 22? | option_a=15 | option_b=22 | option_c=13 | option_d=17 | answer=B | explanation=The first three numbers increase by 2, so the next should be 19. Therefore 22 is the odd one out.

id=99749 | topic=Averages | difficulty=Easy | question=Find the average of 40, 36, 30, 51, 10, 61. | option_a=37 | option_b=38 | option_c=39 | option_d=40 | answer=B | explanation=Average = sum of values ÷ number of values = 228 ÷ 6 = 38.

id=99750 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:5 and the first is 10, what is the second? | option_a=20 | option_b=35 | option_c=27 | option_d=25 | answer=D | explanation=Scale factor = 10/2 = 5. Therefore second quantity = 5×5 = 25.

Aptitude Questions — Records 99,751-99,780 of 100,000

id=99751 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■967. If it is sold at a profit of 15%, what is its selling price? | option_a=1112 | option_b=1016 | option_c=982 | option_d=1208 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 967 × 115/100 = ■1112.

id=99752 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 30, 37, 45? | option_a=30 | option_b=45 | option_c=23 | option_d=37 | answer=B | explanation=The first three numbers increase by 7, so the next should be 44. Therefore 45 is the odd one out.

id=99753 | topic=Percentages | difficulty=Easy | question=What is 40% of 173? | option_a=49 | option_b=138 | option_c=69 | option_d=89 | answer=C | explanation=40% of 173 = (40/100) × 173 = 69.

id=99754 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:17 and the first is 285, what is the second? | option_a=255 | option_b=274 | option_c=540 | option_d=238 | answer=A | explanation=Scale factor = 285/19 = 15. Therefore second quantity = 17×15 = 255.

id=99755 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=4 | option_b=18 | option_c=5 | option_d=3 | answer=A | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=99756 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 16, 24, 32, 42? | option_a=24 | option_b=16 | option_c=32 | option_d=42 | answer=D | explanation=The first three numbers increase by 8, so the next should be 40. Therefore 42 is the odd one out.

id=99757 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does "T" become? | option_a=X | option_b=T | option_c=B | option_d=P | answer=A | explanation=Move 4 positions forward from T; the resulting letter is X.

id=99758 | topic=Percentages | difficulty=Easy | question=What is 50% of 279? | option_a=278 | option_b=134 | option_c=149 | option_d=139 | answer=D | explanation=50% of 279 = (50/100) × 279 = 139.

id=99759 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 22, 28, 34, ? | option_a=34 | option_b=41 | option_c=40 | option_d=46 | answer=C | explanation=The common difference is 6. Therefore the next term is 34 + 6 = 40.

id=99760 | topic=Percentages | difficulty=Easy | question=What is 15% of 1868? | option_a=560 | option_b=300 | option_c=270 | option_d=280 | answer=D | explanation=15% of 1868 = (15/100) × 1868 = 280.

id=99761 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 12, 22, 32, ? | option_a=42 | option_b=52 | option_c=43 | option_d=32 | answer=A | explanation=The common difference is 10. Therefore the next term is 32 + 10 = 42.

id=99762 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 25, 36, 47, ? | option_a=47 | option_b=59 | option_c=69 | option_d=58 | answer=D | explanation=The common difference is 11. Therefore the next term is 47 + 11 = 58.

id=99763 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1422. If it is sold at a profit of 5%, what is its selling price? | option_a=1351 | option_b=1493 | option_c=1635 | option_d=1427 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 1422 × 105/100 = ■1493.

id=99764 | topic=Number System | difficulty=Easy | question=Find the LCM of 3 and 24. | option_a=72 | option_b=27 | option_c=24 | option_d=1 | answer=C | explanation=LCM × HCF = 3×24; HCF(3,24) = 3, so LCM = 24.

id=99765 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 6 hours. What is its average speed? | option_a=50 | option_b=20 | option_c=25 | option_d=30 | answer=C | explanation=Speed = distance ÷ time = 150 ÷ 6 = 25 km/h.

id=99766 | topic=Percentages | difficulty=Easy | question=What is 50% of 781? | option_a=780 | option_b=390 | option_c=385 | option_d=400 | answer=B | explanation=50% of 781 = (50/100) × 781 = 390.

id=99767 | topic=Percentages | difficulty=Easy | question=What is 30% of 667? | option_a=400 | option_b=200 | option_c=210 | option_d=180 | answer=B | explanation=30% of 667 = (30/100) × 667 = 200.

id=99768 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=2 | option_b=12 | option_c=4 | option_d=3 | answer=D | explanation=Combined rate = 1/6 + 1/6 = 12/36. Time = 36/12 = 3 days.

id=99769 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■20102 at 8% per annum for 4 years. | option_a=6532 | option_b=6432 | option_c=26534 | option_d=6332 | answer=B | explanation=SI = PRT/100 = 20102×8×4/100 = ■6432.

id=99770 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:2 and the first is 80, what is the second? | option_a=16 | option_b=96 | option_c=26 | option_d=14 | answer=A | explanation=Scale factor = 80/10 = 8. Therefore second quantity = 2×8 = 16.

id=99771 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■28675 at 8% per annum for 1 years. | option_a=2194 | option_b=30969 | option_c=2294 | option_d=2394 | answer=C | explanation=SI = PRT/100 = 28675×8×1/100 = ■2294.

id=99772 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on ■30572 at 12% per annum for 4 years. | option_a=45246 | option_b=14774 | option_c=14574 | option_d=14674 | answer=D | explanation=SI = PRT/100 = 30572×12×4/100 = ■14674.

id=99773 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 90 km in 5 hours. What is its average speed? | option_a=13 | option_b=36 | option_c=23 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 90 ÷ 5 = 18 km/h.

id=99774 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■1913. If it is sold at a profit of 15%, what is its selling price? | option_a=2199 | option_b=2008 | option_c=2390 | option_d=1928 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1913 × 115/100 = ■2199.

id=99775 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:10 and the first is 196, what is the second? | option_a=140 | option_b=154 | option_c=130 | option_d=336 | answer=A | explanation=Scale factor = 196/14 = 14. Therefore second quantity = 10×14 = 140.

id=99776 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=120 | option_b=55 | option_c=60 | option_d=65 | answer=C | explanation=Speed = distance ÷ time = 300 ÷ 5 = 60 km/h.

id=99777 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:16 and the first is 168, what is the second? | option_a=206 | option_b=192 | option_c=360 | option_d=176 | answer=B | explanation=Scale factor = 168/14 = 12. Therefore second quantity = 16×12 = 192.

id=99778 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 18, 20, 22, ? | option_a=25 | option_b=24 | option_c=26 | option_d=22 | answer=B | explanation=The common difference is 2. Therefore the next term is 22 + 2 = 24.

id=99779 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 10 hours. What is its average speed? | option_a=72 | option_b=41 | option_c=36 | option_d=31 | answer=C | explanation=Speed = distance ÷ time = 360 ÷ 10 = 36 km/h.

id=99780 | topic=Profit & Loss | difficulty=Easy | question=An article costs ■617. If it is sold at a profit of 25%, what is its selling price? | option_a=771 | option_b=710 | option_c=642 | option_d=832 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 617 × 125/100 = ■771.

Aptitude Questions — Records 99,781-99,810 of 100,000

id=99781 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 16, 18, 22? | option_a=14 | option_b=22 | option_c=18 | option_d=16 | answer=B | explanation=The first three numbers increase by 2, so the next should be 20. Therefore 22 is the odd one out.

id=99782 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=U | option_b=Y | option_c=M | option_d=Q | answer=A | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=99783 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $\frac{1}{3} + \frac{1}{6} = \frac{9}{18}$. Time = $18/9 = 2$ days.

id=99784 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=15 | option_b=20 | option_c=40 | option_d=25 | answer=B | explanation=Speed = distance ÷ time = $120 \div 6 = 20$ km/h.

id=99785 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**35024 at 10% per annum for 1 years. | option_a=38526 | option_b=3502 | option_c=3602 | option_d=3402 | answer=B | explanation=SI = $PRT/100 = 35024 \times 10 \times 1/100 = \text{■}3502$.

id=99786 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=5 | option_b=16 | option_c=4 | option_d=3 | answer=C | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $64/16 = 4$ days.

id=99787 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**349. If it is sold at a profit of 5%, what is its selling price? | option_a=400 | option_b=332 | option_c=366 | option_d=354 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 349 \times 105/100 = \text{■}366$.

id=99788 | topic=Averages | difficulty=Easy | question=Find the average of 10, 96, 16, 57, 82, 10, 85, 45, 30, 89. | option_a=51 | option_b=53 | option_c=52 | option_d=54 | answer=C | explanation=Average = sum of values ÷ number of values = $520 \div 10 = 52$.

id=99789 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1656. If it is sold at a profit of 15%, what is its selling price? | option_a=1904 | option_b=1671 | option_c=1739 | option_d=2069 | answer=A | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1656 \times 115/100 = \text{■}1904$.

id=99790 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=4 | option_c=5 | option_d=3 | answer=B | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $64/16 = 4$ days.

id=99791 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 4 hours. What is its average speed? | option_a=80 | option_b=75 | option_c=150 | option_d=70 | answer=B | explanation=Speed = distance ÷ time = $300 \div 4 = 75$ km/h.

id=99792 | topic=Averages | difficulty=Easy | question=Find the average of 47, 39, 63, 27, 30, 48, 23, 35. | option_a=39 | option_b=40 | option_c=41 | option_d=38 | answer=A | explanation=Average = sum of values ÷ number of values = $312 \div 8 = 39$.

id=99793 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=5 | option_d=16 | answer=A | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $64/16 = 4$ days.

id=99794 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 24, 35, 46, ? | option_a=46 | option_b=57 | option_c=58 | option_d=68 | answer=B | explanation=The common difference is 11. Therefore the next term is $46 + 11 = 57$.

id=99795 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 3:17 and the first is 57, what is the second? | option_a=326 | option_b=380 | option_c=306 | option_d=323 | answer=D | explanation=Scale factor = $57/3 = 19$. Therefore second quantity = $17 \times 19 = 323$.

id=99796 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'L' become? | option_a=L | option_b=O | option_c=I | option_d=R | answer=B | explanation=Move 3 positions forward from L; the resulting letter is O.

id=99797 | topic=Averages | difficulty=Easy | question=Find the average of 99, 22, 27, 55, 72. | option_a=56 | option_b=55 | option_c=57 | option_d=54 | answer=B | explanation=Average = sum of values ÷ number of values = $275 \div 5 = 55$.

id=99798 | topic=Averages | difficulty=Easy | question=Find the average of 95, 14, 86, 74, 91. | option_a=72 | option_b=71 | option_c=74 | option_d=73 | answer=A | explanation=Average = sum of values ÷ number of values = $360 \div 5 = 72$.

id=99799 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=C | option_b=Y | option_c=A | option_d=E | answer=A | explanation=Move 2 positions forward from A; the resulting letter is C.

id=99800 | topic=Percentages | difficulty=Easy | question=What is 25% of 1178? | option_a=314 | option_b=588 | option_c=289 | option_d=294 | answer=D | explanation=25% of 1178 = $(25/100) \times 1178 = 294$.

id=99801 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 12 days. How many days will they take together? | option_a=24 | option_b=7 | option_c=5 | option_d=6 | answer=D | explanation=Combined rate = $\frac{1}{12} + \frac{1}{12} = \frac{24}{144}$. Time = $144/24 = 6$ days.

id=99802 | topic=Averages | difficulty=Easy | question=Find the average of 33, 59, 11, 66, 51. | option_a=45 | option_b=44 | option_c=43 | option_d=46 | answer=B | explanation=Average = sum of values ÷ number of values = $220 \div 5 = 44$.

id=99803 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 20:16 and the first is 400, what is the second? | option_a=304 | option_b=320 | option_c=340 | option_d=720 | answer=B | explanation=Scale factor = $400/20 = 20$. Therefore second quantity = $16 \times 20 = 320$.

id=99804 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**17183 at 15% per annum for 1 years. | option_a=19760 | option_b=2577 | option_c=2477 | option_d=2677 | answer=B | explanation=SI = $PRT/100 = 17183 \times 15 \times 1/100 = \text{■}2577$.

id=99805 | topic=Averages | difficulty=Easy | question=Find the average of 16, 14, 55, 68, 82, 71. | option_a=53 | option_b=50 | option_c=51 | option_d=52 | answer=C | explanation=Average = sum of values ÷ number of values = $306 \div 6 = 51$.

id=99806 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=18 | option_b=36 | option_c=23 | option_d=13 | answer=A | explanation=Speed = distance ÷ time = $180 \div 10 = 18$ km/h.

id=99807 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=Z | option_b=K | option_c=P | option_d=U | answer=D | explanation=Move 5 positions forward from P; the resulting letter is U.

id=99808 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'S' become? | option_a=N | option_b=X | option_c=S | option_d=C | answer=B | explanation=Move 5 positions forward from S; the resulting letter is X.

id=99809 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 6 days. How many days will they take together? | option_a=12 | option_b=3 | option_c=2 | option_d=4 | answer=B | explanation=Combined rate = $\frac{1}{6} + \frac{1}{6} = \frac{12}{36}$. Time = $36/12 = 3$ days.

id=99810 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'K' become? | option_a=I | option_b=K | option_c=M | option_d=O | answer=C | explanation=Move 2 positions forward from K; the resulting letter is M.

Aptitude Questions — Records 99,811-99,840 of 100,000

id=99811 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 20, 27, 34, ? | option_a=48 | option_b=34 | option_c=41 | option_d=42 | answer=C | explanation=The common difference is 7. Therefore the next term is 34 + 7 = 41.

id=99812 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'R' become? | option_a=Z | option_b=R | option_c=N | option_d=V | answer=D | explanation=Move 4 positions forward from R; the resulting letter is V.

id=99813 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 17, 20, 23, ? | option_a=26 | option_b=29 | option_c=27 | option_d=23 | answer=A | explanation=The common difference is 3. Therefore the next term is 23 + 3 = 26.

id=99814 | topic=Percentages | difficulty=Easy | question=What is 40% of 108? | option_a=43 | option_b=86 | option_c=48 | option_d=23 | answer=A | explanation=40% of 108 = (40/100) × 108 = 43.

id=99815 | topic=Averages | difficulty=Easy | question=Find the average of 81, 78, 99, 81, 40, 76, 70. | option_a=74 | option_b=75 | option_c=77 | option_d=76 | answer=B | explanation=Average = sum of values ÷ number of values = 525 ÷ 7 = 75.

id=99816 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=V | option_b=A | option_c=V | option_d=K | answer=A | explanation=Move 5 positions forward from A; the resulting letter is F.

id=99817 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**36709 at 10% per annum for 1 years. | option_a=3670 | option_b=3770 | option_c=3570 | option_d=40379 | answer=A | explanation=SI = $PRT/100 = 36709 \times 10 \times 1/100 = \text{■}3670$.

id=99818 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 21, 26, 31, ? | option_a=31 | option_b=41 | option_c=36 | option_d=37 | answer=C | explanation=The common difference is 5. Therefore the next term is 31 + 5 = 36.

id=99819 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 2:5 and the first is 18, what is the second? | option_a=45 | option_b=63 | option_c=47 | option_d=40 | answer=A | explanation=Scale factor = $18/2 = 9$. Therefore second quantity = $5 \times 9 = 45$.

id=99820 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'J' become? | option_a=J | option_b=R | option_c=N | option_d=F | answer=C | explanation=Move 4 positions forward from J; the resulting letter is N.

id=99821 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 21, 30, 39, 49? | option_a=30 | option_b=49 | option_c=21 | option_d=39 | answer=B | explanation=The first three numbers increase by 9, so the next should be 48. Therefore 49 is the odd one out.

id=99822 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'A' become? | option_a=V | option_b=A | option_c=F | option_d=K | answer=C | explanation=Move 5 positions forward from A; the resulting letter is F.

id=99823 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'F' become? | option_a=J | option_b=N | option_c=F | option_d=B | answer=A | explanation=Move 4 positions forward from F; the resulting letter is J.

id=99824 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 18:9 and the first is 288, what is the second? | option_a=144 | option_b=162 | option_c=135 | option_d=432 | answer=A | explanation=Scale factor = $288/18 = 16$. Therefore second quantity = $9 \times 16 = 144$.

id=99825 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'I' become? | option_a=D | option_b=S | option_c=N | option_d=I | answer=C | explanation=Move 5 positions forward from I; the resulting letter is N.

id=99826 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 17, 27, 37, 50? | option_a=37 | option_b=50 | option_c=27 | option_d=17 | answer=B | explanation=The first three numbers increase by 10, so the next should be 47. Therefore 50 is the odd one out.

id=99827 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'G' become? | option_a=E | option_b=K | option_c=G | option_d=I | answer=D | explanation=Move 2 positions forward from G; the resulting letter is I.

id=99828 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:2 and the first is 36, what is the second? | option_a=6 | option_b=8 | option_c=17 | option_d=44 | answer=B | explanation=Scale factor = $36/9 = 4$. Therefore second quantity = $2 \times 4 = 8$.

id=99829 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1010. If it is sold at a profit of 15%, what is its selling price? | option_a=1262 | option_b=1161 | option_c=1060 | option_d=1025 | answer=B | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1010 \times 115/100 = \text{■}1161$.

id=99830 | topic=Percentages | difficulty=Easy | question=What is 5% of 883? | option_a=49 | option_b=34 | option_c=88 | option_d=44 | answer=D | explanation=5% of 883 = $(5/100) \times 883 = 44$.

id=99831 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 11, 14, 20? | option_a=8 | option_b=14 | option_c=11 | option_d=20 | answer=D | explanation=The first three numbers increase by 3, so the next should be 17. Therefore 20 is the odd one out.

id=99832 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**20894 at 12% per annum for 1 years. | option_a=2507 | option_b=2407 | option_c=2607 | option_d=23401 | answer=A | explanation=SI = $PRT/100 = 20894 \times 12 \times 1/100 = \text{■}2507$.

id=99833 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'R' become? | option_a=U | option_b=R | option_c=O | option_d=X | answer=A | explanation=Move 3 positions forward from R; the resulting letter is U.

id=99834 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 4 hours. What is its average speed? | option_a=55 | option_b=60 | option_c=120 | option_d=65 | answer=B | explanation=Speed = distance ÷ time = $240 \div 4 = 60$ km/h.

id=99835 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**1239. If it is sold at a profit of 50%, what is its selling price? | option_a=1289 | option_b=1735 | option_c=1858 | option_d=1981 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 1239 \times 150/100 = \text{■}1858$.

id=99836 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=16 | option_c=2 | option_d=3 | answer=D | explanation=Combined rate = $1/4 + 1/12 = 16/48$. Time = $48/16 = 3$ days.

id=99837 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = $1/8 + 1/8 = 16/64$. Time = $64/16 = 4$ days.

id=99838 | topic=Percentages | difficulty=Easy | question=What is 20% of 1151? | option_a=460 | option_b=230 | option_c=250 | option_d=225 | answer=B | explanation=20% of 1151 = $(20/100) \times 1151 = 230$.

id=99839 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4285. If it is sold at a profit of 15%, what is its selling price? | option_a=4499 | option_b=5355 | option_c=4927 | option_d=4300 | answer=C | explanation=Selling price = $CP \times (100 + \text{profit}\%)/100 = 4285 \times 115/100 = \text{■}4927$.

id=99840 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 6, 9, 12, 17? | option_a=12 | option_b=9 | option_c=6 | option_d=17 | answer=D | explanation=The first three numbers increase by 3, so the next should be 15. Therefore 17 is the odd one out.

Aptitude Questions — Records 99,841-99,870 of 100,000

id=99841 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 23, 26, 30? | option_a=30 | option_b=23 | option_c=20 | option_d=26 | answer=A | explanation=The first three numbers increase by 3, so the next should be 29. Therefore 30 is the odd one out.

id=99842 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=16 | option_b=5 | option_c=3 | option_d=4 | answer=D | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

id=99843 | topic=Number System | difficulty=Easy | question=Find the LCM of 27 and 18. | option_a=486 | option_b=36 | option_c=81 | option_d=54 | answer=D | explanation= $\text{LCM} \times \text{HCF} = 27 \times 18$; $\text{HCF}(27, 18) = 9$, so $\text{LCM} = 54$.

id=99844 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:17 and the first is 143, what is the second? | option_a=364 | option_b=204 | option_c=221 | option_d=232 | answer=C | explanation=Scale factor = $\frac{143}{11} = 13$. Therefore second quantity = $17 \times 13 = 221$.

id=99845 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**26401 at 6% per annum for 4 years. | option_a=6436 | option_b=6336 | option_c=32737 | option_d=6236 | answer=B | explanation= $\text{SI} = \frac{\text{PRT}}{100} = \frac{26401 \times 6 \times 4}{100} = \text{■}6336$.

id=99846 | topic=Percentages | difficulty=Easy | question=What is 12% of 324? | option_a=76 | option_b=28 | option_c=58 | option_d=38 | answer=D | explanation= $12\% \text{ of } 324 = \frac{(12/100) \times 324}{1} = 38$.

id=99847 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 5 hours. What is its average speed? | option_a=65 | option_b=55 | option_c=60 | option_d=120 | answer=C | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{300}{5} = 60 \text{ km/h}$.

id=99848 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:1 and the first is 221, what is the second? | option_a=16 | option_b=30 | option_c=17 | option_d=238 | answer=C | explanation=Scale factor = $\frac{221}{13} = 17$. Therefore second quantity = $1 \times 17 = 17$.

id=99849 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**2715. If it is sold at a profit of 10%, what is its selling price? | option_a=2725 | option_b=2986 | option_c=2715 | option_d=3257 | answer=B | explanation= $\text{Selling price} = \text{CP} \times (100 + \text{profit}\%)/100 = 2715 \times \frac{110}{100} = \text{■}2986$.

id=99850 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 8, 16, 24, 34? | option_a=8 | option_b=24 | option_c=16 | option_d=34 | answer=D | explanation=The first three numbers increase by 8, so the next should be 32. Therefore 34 is the odd one out.

id=99851 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**3408. If it is sold at a profit of 50%, what is its selling price? | option_a=3458 | option_b=5452 | option_c=5112 | option_d=4772 | answer=C | explanation= $\text{Selling price} = \text{CP} \times (100 + \text{profit}\%)/100 = 3408 \times \frac{150}{100} = \text{■}5112$.

id=99852 | topic=Averages | difficulty=Easy | question=Find the average of 31, 17, 44, 24. | option_a=31 | option_b=28 | option_c=30 | option_d=29 | answer=D | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{116}{4} = 29$.

id=99853 | topic=Percentages | difficulty=Easy | question=What is 40% of 726? | option_a=285 | option_b=290 | option_c=310 | option_d=580 | answer=B | explanation= $40\% \text{ of } 726 = \frac{(40/100) \times 726}{1} = 290$.

id=99854 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'A' become? | option_a=E | option_b=I | option_c=A | option_d=W | answer=A | explanation=Move 4 positions forward from A; the resulting letter is E.

id=99855 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**4458. If it is sold at a profit of 10%, what is its selling price? | option_a=4468 | option_b=5348 | option_c=4458 | option_d=4903 | answer=D | explanation= $\text{Selling price} = \text{CP} \times (100 + \text{profit}\%)/100 = 4458 \times \frac{110}{100} = \text{■}4903$.

id=99856 | topic=Percentages | difficulty=Easy | question=What is 5% of 910? | option_a=45 | option_b=50 | option_c=35 | option_d=90 | answer=A | explanation= $5\% \text{ of } 910 = \frac{(5/100) \times 910}{1} = 45$.

id=99857 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 2 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=E | option_c=C | option_d=Y | answer=C | explanation=Move 2 positions forward from A; the resulting letter is C.

id=99858 | topic=Percentages | difficulty=Easy | question=What is 5% of 1112? | option_a=110 | option_b=75 | option_c=35 | option_d=55 | answer=D | explanation= $5\% \text{ of } 1112 = \frac{(5/100) \times 1112}{1} = 55$.

id=99859 | topic=Percentages | difficulty=Easy | question=What is 15% of 1621? | option_a=248 | option_b=243 | option_c=238 | option_d=486 | answer=B | explanation= $15\% \text{ of } 1621 = \frac{(15/100) \times 1621}{1} = 243$.

id=99860 | topic=Averages | difficulty=Easy | question=Find the average of 54, 18, 65, 45, 74, 40, 89. | option_a=55 | option_b=56 | option_c=54 | option_d=57 | answer=A | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{385}{7} = 55$.

id=99861 | topic=Percentages | difficulty=Easy | question=What is 40% of 361? | option_a=144 | option_b=288 | option_c=149 | option_d=134 | answer=A | explanation= $40\% \text{ of } 361 = \frac{(40/100) \times 361}{1} = 144$.

id=99862 | topic=Averages | difficulty=Easy | question=Find the average of 97, 94, 91. | option_a=94 | option_b=95 | option_c=93 | option_d=96 | answer=A | explanation= $\text{Average} = \frac{\text{sum of values}}{\text{number of values}} = \frac{282}{3} = 94$.

id=99863 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 10 hours. What is its average speed? | option_a=60 | option_b=30 | option_c=25 | option_d=35 | answer=B | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{300}{10} = 30 \text{ km/h}$.

id=99864 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=20 | option_b=5 | option_c=15 | option_d=10 | answer=D | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{60}{6} = 10 \text{ km/h}$.

id=99865 | topic=Percentages | difficulty=Easy | question=What is 25% of 1570? | option_a=784 | option_b=402 | option_c=372 | option_d=392 | answer=D | explanation= $25\% \text{ of } 1570 = \frac{(25/100) \times 1570}{1} = 392$.

id=99866 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 150 km in 3 hours. What is its average speed? | option_a=100 | option_b=50 | option_c=45 | option_d=55 | answer=B | explanation= $\text{Speed} = \frac{\text{distance}}{\text{time}} = \frac{150}{3} = 50 \text{ km/h}$.

id=99867 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = $\frac{1}{4} + \frac{1}{4} = \frac{8}{16}$. Time = $\frac{16}{8} = 2$ days.

id=99868 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=16 | option_d=5 | answer=A | explanation=Combined rate = $\frac{1}{8} + \frac{1}{8} = \frac{16}{64}$. Time = $\frac{64}{16} = 4$ days.

id=99869 | topic=Percentages | difficulty=Easy | question=What is 50% of 944? | option_a=452 | option_b=944 | option_c=477 | option_d=472 | answer=D | explanation= $50\% \text{ of } 944 = \frac{(50/100) \times 944}{1} = 472$.

id=99870 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**27490 at 12% per annum for 3 years. | option_a=9896 | option_b=37386 | option_c=9796 | option_d=9996 | answer=A | explanation= $\text{SI} = \frac{\text{PRT}}{100} = \frac{27490 \times 12 \times 3}{100} = \text{■}9896$.

Aptitude Questions — Records 99,871-99,900 of 100,000

id=99871 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 14:3 and the first is 84, what is the second? | option_a=32 | option_b=18 | option_c=15 | option_d=102 | answer=B | explanation=Scale factor = 84/14 = 6. Therefore second quantity = 3×6 = 18.

id=99872 | topic=Percentages | difficulty=Easy | question=What is 25% of 1011? | option_a=252 | option_b=257 | option_c=504 | option_d=247 | answer=A | explanation=25% of 1011 = (25/100) × 1011 = 252.

id=99873 | topic=Percentages | difficulty=Easy | question=What is 30% of 1025? | option_a=614 | option_b=302 | option_c=312 | option_d=307 | answer=D | explanation=30% of 1025 = (30/100) × 1025 = 307.

id=99874 | topic=Profit & Loss | difficulty=Easy | question=An article costs █830. If it is sold at a profit of 30%, what is its selling price? | option_a=1162 | option_b=1079 | option_c=996 | option_d=860 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 830 × 130/100 = █1079.

id=99875 | topic=Number Series | difficulty=Easy | question=Find the next number: 16, 20, 24, 28, ? | option_a=36 | option_b=33 | option_c=32 | option_d=28 | answer=C | explanation=The common difference is 4. Therefore the next term is 28 + 4 = 32.

id=99876 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 14, 22, 30, 39? | option_a=14 | option_b=30 | option_c=22 | option_d=39 | answer=D | explanation=The first three numbers increase by 8, so the next should be 38. Therefore 39 is the odd one out.

id=99877 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █36827 at 8% per annum for 3 years. | option_a=8838 | option_b=8938 | option_c=8738 | option_d=45665 | answer=A | explanation=SI = PRT/100 = 36827×8×3/100 = █8838.

id=99878 | topic=Percentages | difficulty=Easy | question=What is 12% of 1711? | option_a=205 | option_b=410 | option_c=185 | option_d=225 | answer=A | explanation=12% of 1711 = (12/100) × 1711 = 205.

id=99879 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:3 and the first is 24, what is the second? | option_a=17 | option_b=9 | option_c=6 | option_d=33 | answer=B | explanation=Scale factor = 24/8 = 3. Therefore second quantity = 3×3 = 9.

id=99880 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=4 | option_b=3 | option_c=2 | option_d=16 | answer=B | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=99881 | topic=Averages | difficulty=Easy | question=Find the average of 16, 38, 99, 90, 45, 30. | option_a=54 | option_b=52 | option_c=53 | option_d=55 | answer=C | explanation=Average = sum of values ÷ number of values = 318 ÷ 6 = 53.

id=99882 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 8 days and B can complete it in 8 days. How many days will they take together? | option_a=3 | option_b=5 | option_c=16 | option_d=4 | answer=D | explanation=Combined rate = 1/8 + 1/8 = 16/64. Time = 64/16 = 4 days.

id=99883 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=9 | option_b=2 | option_c=1 | option_d=3 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=99884 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 6 hours. What is its average speed? | option_a=25 | option_b=15 | option_c=20 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 120 ÷ 6 = 20 km/h.

id=99885 | topic=Percentages | difficulty=Easy | question=What is 30% of 1973? | option_a=591 | option_b=601 | option_c=1182 | option_d=571 | answer=A | explanation=30% of 1973 = (30/100) × 1973 = 591.

id=99886 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 19:20 and the first is 171, what is the second? | option_a=180 | option_b=351 | option_c=160 | option_d=199 | answer=A | explanation=Scale factor = 171/19 = 9. Therefore second quantity = 20×9 = 180.

id=99887 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=2 | option_b=4 | option_c=16 | option_d=3 | answer=D | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=99888 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 13, 15, 17, ? | option_a=19 | option_b=17 | option_c=21 | option_d=20 | answer=A | explanation=The common difference is 2. Therefore the next term is 17 + 2 = 19.

id=99889 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 31, 35, 40? | option_a=35 | option_b=31 | option_c=40 | option_d=27 | answer=C | explanation=The first three numbers increase by 4, so the next should be 39. Therefore 40 is the odd one out.

id=99890 | topic=Profit & Loss | difficulty=Easy | question=An article costs █4984. If it is sold at a profit of 30%, what is its selling price? | option_a=5981 | option_b=6977 | option_c=6479 | option_d=5014 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 4984 × 130/100 = █6479.

id=99891 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 9:6 and the first is 144, what is the second? | option_a=105 | option_b=90 | option_c=240 | option_d=96 | answer=D | explanation=Scale factor = 144/9 = 16. Therefore second quantity = 6×16 = 96.

id=99892 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:10 and the first is 144, what is the second? | option_a=132 | option_b=264 | option_c=110 | option_d=120 | answer=D | explanation=Scale factor = 144/12 = 12. Therefore second quantity = 10×12 = 120.

id=99893 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 15, 17, 19, 24? | option_a=19 | option_b=24 | option_c=17 | option_d=15 | answer=B | explanation=The first three numbers increase by 2, so the next should be 21. Therefore 24 is the odd one out.

id=99894 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 4:3 and the first is 28, what is the second? | option_a=21 | option_b=25 | option_c=18 | option_d=49 | answer=A | explanation=Scale factor = 28/4 = 7. Therefore second quantity = 3×7 = 21.

id=99895 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 3 hours. What is its average speed? | option_a=15 | option_b=25 | option_c=20 | option_d=40 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 3 = 20 km/h.

id=99896 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 30, 34, 38, 43? | option_a=43 | option_b=38 | option_c=30 | option_d=34 | answer=A | explanation=The first three numbers increase by 4, so the next should be 42. Therefore 43 is the odd one out.

id=99897 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █22624 at 4% per annum for 2 years. | option_a=1709 | option_b=1909 | option_c=1809 | option_d=24433 | answer=C | explanation=SI = PRT/100 = 22624×4×2/100 = █1809.

id=99898 | topic=Percentages | difficulty=Easy | question=What is 15% of 967? | option_a=145 | option_b=155 | option_c=135 | option_d=290 | answer=A | explanation=15% of 967 = (15/100) × 967 = 145.

id=99899 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 11:14 and the first is 220, what is the second? | option_a=280 | option_b=291 | option_c=500 | option_d=266 | answer=A | explanation=Scale factor = 220/11 = 20. Therefore second quantity = 14×20 = 280.

id=99900 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=25 | option_b=28 | option_c=22 | option_d=26 | answer=A | explanation=The common difference is 3. Therefore the next term is 22 + 3 = 25.

Aptitude Questions — Records 99,901-99,930 of 100,000

id=99901 | topic=Number Series | difficulty=Easy | question=Find the next number: 17, 26, 35, 44, ? | option_a=53 | option_b=44 | option_c=62 | option_d=54 | answer=A | explanation=The common difference is 9. Therefore the next term is 44 + 9 = 53.

id=99902 | topic=Number Series | difficulty=Easy | question=Find the next number: 11, 22, 33, 44, ? | option_a=55 | option_b=66 | option_c=44 | option_d=56 | answer=A | explanation=The common difference is 11. Therefore the next term is 44 + 11 = 55.

id=99903 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'P' become? | option_a=P | option_b=K | option_c=Z | option_d=U | answer=D | explanation=Move 5 positions forward from P; the resulting letter is U.

id=99904 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1038. If it is sold at a profit of 10%, what is its selling price? | option_a=1141 | option_b=1048 | option_c=1244 | option_d=1038 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 1038 × 110/100 = █1141.

id=99905 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3843. If it is sold at a profit of 50%, what is its selling price? | option_a=3893 | option_b=5380 | option_c=6148 | option_d=5764 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 3843 × 150/100 = █5764.

id=99906 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 300 km in 3 hours. What is its average speed? | option_a=105 | option_b=100 | option_c=95 | option_d=200 | answer=B | explanation=Speed = distance ÷ time = 300 ÷ 3 = 100 km/h.

id=99907 | topic=Averages | difficulty=Easy | question=Find the average of 42, 11, 87, 97, 64, 28, 20, 84, 94, 53. | option_a=57 | option_b=59 | option_c=60 | option_d=58 | answer=D | explanation=Average = sum of values ÷ number of values = 580 ÷ 10 = 58.

id=99908 | topic=Averages | difficulty=Easy | question=Find the average of 38, 37, 72, 90, 36, 56, 48, 79. | option_a=59 | option_b=57 | option_c=58 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 456 ÷ 8 = 57.

id=99909 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 4 days. How many days will they take together? | option_a=8 | option_b=3 | option_c=2 | option_d=1 | answer=C | explanation=Combined rate = 1/4 + 1/4 = 8/16. Time = 16/8 = 2 days.

id=99910 | topic=Number Series | difficulty=Easy | question=Find the next number: 4, 9, 14, 19, ? | option_a=25 | option_b=24 | option_c=29 | option_d=19 | answer=B | explanation=The common difference is 5. Therefore the next term is 19 + 5 = 24.

id=99911 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:14 and the first is 117, what is the second? | option_a=139 | option_b=243 | option_c=112 | option_d=126 | answer=D | explanation=Scale factor = 117/13 = 9. Therefore second quantity = 14×9 = 126.

id=99912 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 20, 30, 40, 53? | option_a=20 | option_b=53 | option_c=30 | option_d=40 | answer=B | explanation=The first three numbers increase by 10, so the next should be 50. Therefore 53 is the odd one out.

id=99913 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 10:5 and the first is 30, what is the second? | option_a=25 | option_b=15 | option_c=45 | option_d=10 | answer=B | explanation=Scale factor = 30/10 = 3. Therefore second quantity = 5×3 = 15.

id=99914 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █40583 at 8% per annum for 3 years. | option_a=9839 | option_b=9739 | option_c=9639 | option_d=50322 | answer=B | explanation=SI = PRT/100 = 40583×8×3/100 = █9739.

id=99915 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 60 km in 6 hours. What is its average speed? | option_a=5 | option_b=20 | option_c=10 | option_d=15 | answer=C | explanation=Speed = distance ÷ time = 60 ÷ 6 = 10 km/h.

id=99916 | topic=Percentages | difficulty=Easy | question=What is 50% of 751? | option_a=355 | option_b=375 | option_c=395 | option_d=750 | answer=B | explanation=50% of 751 = (50/100) × 751 = 375.

id=99917 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'Q' become? | option_a=M | option_b=U | option_c=Y | option_d=Q | answer=B | explanation=Move 4 positions forward from Q; the resulting letter is U.

id=99918 | topic=Averages | difficulty=Easy | question=Find the average of 60, 83, 90, 71, 62, 96. | option_a=77 | option_b=76 | option_c=79 | option_d=78 | answer=A | explanation=Average = sum of values ÷ number of values = 462 ÷ 6 = 77.

id=99919 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'N' become? | option_a=R | option_b=J | option_c=N | option_d=V | answer=A | explanation=Move 4 positions forward from N; the resulting letter is R.

id=99920 | topic=Number System | difficulty=Easy | question=Find the LCM of 24 and 26. | option_a=312 | option_b=286 | option_c=624 | option_d=336 | answer=A | explanation=LCM × HCF = 24×26; HCF(24,26) = 2, so LCM = 312.

id=99921 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █44213 at 15% per annum for 3 years. | option_a=19895 | option_b=19995 | option_c=19795 | option_d=64108 | answer=A | explanation=SI = PRT/100 = 44213×15×3/100 = █19895.

id=99922 | topic=Number System | difficulty=Easy | question=Find the LCM of 10 and 20. | option_a=1 | option_b=30 | option_c=200 | option_d=20 | answer=D | explanation=LCM × HCF = 10×20; HCF(10,20) = 10, so LCM = 20.

id=99923 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 16, 19, 22, ? | option_a=26 | option_b=22 | option_c=25 | option_d=28 | answer=C | explanation=The common difference is 3. Therefore the next term is 22 + 3 = 25.

id=99924 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'A' become? | option_a=A | option_b=X | option_c=G | option_d=D | answer=D | explanation=Move 3 positions forward from A; the resulting letter is D.

id=99925 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 180 km in 10 hours. What is its average speed? | option_a=13 | option_b=23 | option_c=36 | option_d=18 | answer=D | explanation=Speed = distance ÷ time = 180 ÷ 10 = 18 km/h.

id=99926 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 12:4 and the first is 204, what is the second? | option_a=272 | option_b=80 | option_c=68 | option_d=64 | answer=C | explanation=Scale factor = 204/12 = 17. Therefore second quantity = 4×17 = 68.

id=99927 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:10 and the first is 34, what is the second? | option_a=20 | option_b=10 | option_c=37 | option_d=54 | answer=A | explanation=Scale factor = 34/17 = 2. Therefore second quantity = 10×2 = 20.

id=99928 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 240 km in 5 hours. What is its average speed? | option_a=53 | option_b=43 | option_c=48 | option_d=96 | answer=C | explanation=Speed = distance ÷ time = 240 ÷ 5 = 48 km/h.

id=99929 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=P | option_b=L | option_c=D | option_d=H | answer=B | explanation=Move 4 positions forward from H; the resulting letter is L.

id=99930 | topic=Averages | difficulty=Easy | question=Find the average of 14, 99, 47, 86, 12, 77, 70, 75. | option_a=60 | option_b=62 | option_c=61 | option_d=59 | answer=A | explanation=Average = sum of values ÷ number of values = 480 ÷ 8 = 60.

Aptitude Questions — Records 99,931-99,960 of 100,000

id=99931 | topic=Percentages | difficulty=Easy | question=What is 5% of 796? | option_a=78 | option_b=39 | option_c=44 | option_d=29 | answer=B | explanation=5% of 796 = (5/100) × 796 = 39.

id=99932 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'G' become? | option_a=L | option_b=Q | option_c=B | option_d=G | answer=A | explanation=Move 5 positions forward from G; the resulting letter is L.

id=99933 | topic=Averages | difficulty=Easy | question=Find the average of 98, 85, 67, 35, 73, 56. | option_a=68 | option_b=69 | option_c=70 | option_d=71 | answer=B | explanation=Average = sum of values ÷ number of values = 414 ÷ 6 = 69.

id=99934 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █19297 at 4% per annum for 1 years. | option_a=671 | option_b=871 | option_c=20068 | option_d=771 | answer=D | explanation=SI = $\frac{PRT}{100}$ = $\frac{19297 \times 4 \times 1}{100}$ = █771.

id=99935 | topic=Percentages | difficulty=Easy | question=What is 50% of 1902? | option_a=1902 | option_b=941 | option_c=971 | option_d=951 | answer=D | explanation=50% of 1902 = (50/100) × 1902 = 951.

id=99936 | topic=Averages | difficulty=Easy | question=Find the average of 26, 14, 33, 15. | option_a=22 | option_b=21 | option_c=24 | option_d=23 | answer=A | explanation=Average = sum of values ÷ number of values = 88 ÷ 4 = 22.

id=99937 | topic=Averages | difficulty=Easy | question=Find the average of 97, 91, 34, 87, 14, 29, 60, 50, 33. | option_a=57 | option_b=55 | option_c=54 | option_d=56 | answer=B | explanation=Average = sum of values ÷ number of values = 495 ÷ 9 = 55.

id=99938 | topic=Averages | difficulty=Easy | question=Find the average of 71, 68, 10, 58, 32, 71, 84, 58, 16. | option_a=54 | option_b=51 | option_c=53 | option_d=52 | answer=D | explanation=Average = sum of values ÷ number of values = 468 ÷ 9 = 52.

id=99939 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15120 at 4% per annum for 5 years. | option_a=3024 | option_b=3124 | option_c=18144 | option_d=2924 | answer=A | explanation=SI = $\frac{PRT}{100}$ = $\frac{15120 \times 4 \times 5}{100}$ = █3024.

id=99940 | topic=Number Series | difficulty=Easy | question=Find the next number: 7, 9, 11, 13, ? | option_a=15 | option_b=16 | option_c=17 | option_d=13 | answer=A | explanation=The common difference is 2. Therefore the next term is 13 + 2 = 15.

id=99941 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 22, 26, 30, ? | option_a=35 | option_b=34 | option_c=30 | option_d=38 | answer=B | explanation=The common difference is 4. Therefore the next term is 30 + 4 = 34.

id=99942 | topic=Averages | difficulty=Easy | question=Find the average of 67, 37, 60, 96. | option_a=65 | option_b=64 | option_c=66 | option_d=67 | answer=A | explanation=Average = sum of values ÷ number of values = 260 ÷ 4 = 65.

id=99943 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2799. If it is sold at a profit of 40%, what is its selling price? | option_a=3639 | option_b=2839 | option_c=3918 | option_d=4197 | answer=C | explanation=Selling price = CP × (100 + profit%)/100 = 2799 × 140/100 = █3918.

id=99944 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 20. | option_a=120 | option_b=168 | option_c=140 | option_d=560 | answer=C | explanation=LCM × HCF = 28×20; HCF(28,20) = 4, so LCM = 140.

id=99945 | topic=Number System | difficulty=Easy | question=Find the LCM of 18 and 14. | option_a=112 | option_b=252 | option_c=144 | option_d=126 | answer=D | explanation=LCM × HCF = 18×14; HCF(18,14) = 2, so LCM = 126.

id=99946 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 6 days and B can complete it in 12 days. How many days will they take together? | option_a=18 | option_b=3 | option_c=5 | option_d=4 | answer=D | explanation=Combined rate = 1/6 + 1/12 = 18/72. Time = 72/18 = 4 days.

id=99947 | topic=Profit & Loss | difficulty=Easy | question=An article costs █3818. If it is sold at a profit of 50%, what is its selling price? | option_a=5727 | option_b=6108 | option_c=3868 | option_d=5346 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 3818 × 150/100 = █5727.

id=99948 | topic=Percentages | difficulty=Easy | question=What is 50% of 895? | option_a=467 | option_b=447 | option_c=894 | option_d=437 | answer=B | explanation=50% of 895 = (50/100) × 895 = 447.

id=99949 | topic=Averages | difficulty=Easy | question=Find the average of 30, 42, 20, 40. | option_a=34 | option_b=32 | option_c=35 | option_d=33 | answer=D | explanation=Average = sum of values ÷ number of values = 132 ÷ 4 = 33.

id=99950 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 9, 14, 19, 25? | option_a=9 | option_b=19 | option_c=14 | option_d=25 | answer=D | explanation=The first three numbers increase by 5, so the next should be 24. Therefore 25 is the odd one out.

id=99951 | topic=Averages | difficulty=Easy | question=Find the average of 19, 21, 35, 41, 13, 87, 27, 44, 56, 47. | option_a=41 | option_b=40 | option_c=39 | option_d=38 | answer=C | explanation=Average = sum of values ÷ number of values = 390 ÷ 10 = 39.

id=99952 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:4 and the first is 14, what is the second? | option_a=52 | option_b=57 | option_c=70 | option_d=56 | answer=D | explanation=Scale factor = 14/1 = 14. Therefore second quantity = 4×14 = 56.

id=99953 | topic=Percentages | difficulty=Easy | question=What is 15% of 469? | option_a=140 | option_b=80 | option_c=60 | option_d=70 | answer=D | explanation=15% of 469 = (15/100) × 469 = 70.

id=99954 | topic=Number Series | difficulty=Easy | question=Find the next number: 2, 7, 12, 17, ? | option_a=23 | option_b=22 | option_c=17 | option_d=27 | answer=B | explanation=The common difference is 5. Therefore the next term is 17 + 5 = 22.

id=99955 | topic=Number Series | difficulty=Easy | question=Find the next number: 14, 22, 30, 38, ? | option_a=54 | option_b=38 | option_c=47 | option_d=46 | answer=D | explanation=The common difference is 8. Therefore the next term is 38 + 8 = 46.

id=99956 | topic=Averages | difficulty=Easy | question=Find the average of 69, 99, 72, 100, 41, 57. | option_a=74 | option_b=73 | option_c=72 | option_d=75 | answer=B | explanation=Average = sum of values ÷ number of values = 438 ÷ 6 = 73.

id=99957 | topic=Averages | difficulty=Easy | question=Find the average of 83, 46, 36, 75, 88, 21, 23, 47, 22. | option_a=51 | option_b=50 | option_c=48 | option_d=49 | answer=D | explanation=Average = sum of values ÷ number of values = 441 ÷ 9 = 49.

id=99958 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █31311 at 15% per annum for 2 years. | option_a=9493 | option_b=40704 | option_c=9293 | option_d=9393 | answer=D | explanation=SI = $\frac{PRT}{100}$ = $\frac{31311 \times 15 \times 2}{100}$ = █9393.

id=99959 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 3 hours. What is its average speed? | option_a=40 | option_b=35 | option_c=45 | option_d=80 | answer=A | explanation=Speed = distance ÷ time = 120 ÷ 3 = 40 km/h.

id=99960 | topic=Number System | difficulty=Easy | question=Find the LCM of 28 and 12. | option_a=336 | option_b=84 | option_c=112 | option_d=72 | answer=B | explanation=LCM × HCF = 28×12; HCF(28,12) = 4, so LCM = 84.

Aptitude Questions — Records 99,961-99,990 of 100,000

id=99961 | topic=Profit & Loss | difficulty=Easy | question=An article costs █876. If it is sold at a profit of 10%, what is its selling price? | option_a=876 | option_b=963 | option_c=886 | option_d=1050 | answer=B | explanation=Selling price = CP × (100 + profit%)/100 = 876 × 110/100 = █963.

id=99962 | topic=Percentages | difficulty=Easy | question=What is 10% of 1844? | option_a=184 | option_b=189 | option_c=179 | option_d=368 | answer=A | explanation=10% of 1844 = (10/100) × 1844 = 184.

id=99963 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 3 days and B can complete it in 6 days. How many days will they take together? | option_a=3 | option_b=2 | option_c=1 | option_d=9 | answer=B | explanation=Combined rate = 1/3 + 1/6 = 9/18. Time = 18/9 = 2 days.

id=99964 | topic=Profit & Loss | difficulty=Easy | question=An article costs █1439. If it is sold at a profit of 20%, what is its selling price? | option_a=1583 | option_b=1459 | option_c=1869 | option_d=1726 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 1439 × 120/100 = █1726.

id=99965 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on █15770 at 6% per annum for 2 years. | option_a=1992 | option_b=17662 | option_c=1892 | option_d=1792 | answer=C | explanation=SI = PRT/100 = 15770×6×2/100 = █1892.

id=99966 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 12 days and B can complete it in 6 days. How many days will they take together? | option_a=5 | option_b=3 | option_c=18 | option_d=4 | answer=D | explanation=Combined rate = 1/12 + 1/6 = 18/72. Time = 72/18 = 4 days.

id=99967 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2990. If it is sold at a profit of 25%, what is its selling price? | option_a=4036 | option_b=3438 | option_c=3015 | option_d=3737 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 2990 × 125/100 = █3737.

id=99968 | topic=Number Series | difficulty=Easy | question=Find the next number: 18, 30, 42, 54, ? | option_a=78 | option_b=66 | option_c=54 | option_d=67 | answer=B | explanation=The common difference is 12. Therefore the next term is 54 + 12 = 66.

id=99969 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 13, 18, 23, ? | option_a=28 | option_b=29 | option_c=33 | option_d=23 | answer=A | explanation=The common difference is 5. Therefore the next term is 23 + 5 = 28.

id=99970 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'E' become? | option_a=O | option_b=E | option_c=Z | option_d=J | answer=D | explanation=Move 5 positions forward from E; the resulting letter is J.

id=99971 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 23, 27, 31, ? | option_a=31 | option_b=35 | option_c=36 | option_d=39 | answer=B | explanation=The common difference is 4. Therefore the next term is 31 + 4 = 35.

id=99972 | topic=Number Series | difficulty=Easy | question=Find the next number: 8, 12, 16, 20, ? | option_a=28 | option_b=24 | option_c=25 | option_d=20 | answer=B | explanation=The common difference is 4. Therefore the next term is 20 + 4 = 24.

id=99973 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 4, 8, 12, 19? | option_a=12 | option_b=4 | option_c=19 | option_d=8 | answer=C | explanation=The first three numbers increase by 4, so the next should be 16. Therefore 19 is the odd one out.

id=99974 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 5 positions forward in the alphabet, what does 'T' become? | option_a=O | option_b=Y | option_c=T | option_d=D | answer=B | explanation=Move 5 positions forward from T; the resulting letter is Y.

id=99975 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 4 positions forward in the alphabet, what does 'H' become? | option_a=P | option_b=H | option_c=D | option_d=L | answer=D | explanation=Move 4 positions forward from H; the resulting letter is L.

id=99976 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 27, 37, 47, 60? | option_a=37 | option_b=60 | option_c=47 | option_d=27 | answer=B | explanation=The first three numbers increase by 10, so the next should be 57. Therefore 60 is the odd one out.

id=99977 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 13:5 and the first is 143, what is the second? | option_a=68 | option_b=198 | option_c=55 | option_d=50 | answer=C | explanation=Scale factor = 143/13 = 11. Therefore second quantity = 5×11 = 55.

id=99978 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'Q' become? | option_a=W | option_b=N | option_c=Q | option_d=T | answer=D | explanation=Move 3 positions forward from Q; the resulting letter is T.

id=99979 | topic=Percentages | difficulty=Easy | question=What is 10% of 224? | option_a=17 | option_b=22 | option_c=27 | option_d=44 | answer=B | explanation=10% of 224 = (10/100) × 224 = 22.

id=99980 | topic=Profit & Loss | difficulty=Easy | question=An article costs █2655. If it is sold at a profit of 10%, what is its selling price? | option_a=2920 | option_b=2665 | option_c=3185 | option_d=2655 | answer=A | explanation=Selling price = CP × (100 + profit%)/100 = 2655 × 110/100 = █2920.

id=99981 | topic=Number System | difficulty=Easy | question=Find the LCM of 12 and 16. | option_a=192 | option_b=60 | option_c=32 | option_d=48 | answer=D | explanation=LCM × HCF = 12×16; HCF(12,16) = 4, so LCM = 48.

id=99982 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 120 km in 4 hours. What is its average speed? | option_a=60 | option_b=35 | option_c=25 | option_d=30 | answer=D | explanation=Speed = distance ÷ time = 120 ÷ 4 = 30 km/h.

id=99983 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 17:11 and the first is 68, what is the second? | option_a=112 | option_b=33 | option_c=44 | option_d=61 | answer=C | explanation=Scale factor = 68/17 = 4. Therefore second quantity = 11×4 = 44.

id=99984 | topic=Averages | difficulty=Easy | question=Find the average of 18, 11, 26, 42, 77, 90. | option_a=46 | option_b=44 | option_c=43 | option_d=45 | answer=B | explanation=Average = sum of values ÷ number of values = 264 ÷ 6 = 44.

id=99985 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 2 hours. What is its average speed? | option_a=180 | option_b=175 | option_c=185 | option_d=360 | answer=A | explanation=Speed = distance ÷ time = 360 ÷ 2 = 180 km/h.

id=99986 | topic=Averages | difficulty=Easy | question=Find the average of 56, 61, 13, 60, 100, 66, 36. | option_a=56 | option_b=57 | option_c=55 | option_d=58 | answer=A | explanation=Average = sum of values ÷ number of values = 392 ÷ 7 = 56.

id=99987 | topic=Time, Speed & Distance | difficulty=Easy | question=A vehicle travels 360 km in 5 hours. What is its average speed? | option_a=144 | option_b=67 | option_c=77 | option_d=72 | answer=D | explanation=Speed = distance ÷ time = 360 ÷ 5 = 72 km/h.

id=99988 | topic=Time & Work | difficulty=Medium | question=A can complete a job in 4 days and B can complete it in 12 days. How many days will they take together? | option_a=16 | option_b=2 | option_c=3 | option_d=4 | answer=C | explanation=Combined rate = 1/4 + 1/12 = 16/48. Time = 48/16 = 3 days.

id=99989 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 8:4 and the first is 144, what is the second? | option_a=68 | option_b=72 | option_c=216 | option_d=80 | answer=B | explanation=Scale factor = 144/8 = 18. Therefore second quantity = 4×18 = 72.

id=99990 | topic=Number Series | difficulty=Easy | question=Find the next number: 10, 22, 34, 46, ? | option_a=58 | option_b=70 | option_c=59 | option_d=46 | answer=A | explanation=The common difference is 12. Therefore the next term is 46 + 12 = 58.

Aptitude Questions — Records 99,991-100,000 of 100,000

id=99991 | topic=Number Series | difficulty=Easy | question=Find the next number: 13, 17, 21, 25, ? | option_a=30 | option_b=33 | option_c=29 | option_d=25 | answer=C | explanation=The common difference is 4. Therefore the next term is 25 + 4 = 29.

id=99992 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**46399 at 4% per annum for 3 years. | option_a=51966 | option_b=5567 | option_c=5467 | option_d=5667 | answer=B | explanation=SI = PRT/100 = 46399×4×3/100 = **■**5567.

id=99993 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**37313 at 8% per annum for 4 years. | option_a=11840 | option_b=12040 | option_c=11940 | option_d=49253 | answer=C | explanation=SI = PRT/100 = 37313×8×4/100 = **■**11940.

id=99994 | topic=Logical Reasoning | difficulty=Easy | question=Which number does not follow the pattern 23, 29, 35, 44? | option_a=23 | option_b=29 | option_c=44 | option_d=35 | answer=C | explanation=The first three numbers increase by 6, so the next should be 41. Therefore 44 is the odd one out.

id=99995 | topic=Profit & Loss | difficulty=Easy | question=An article costs **■**862. If it is sold at a profit of 10%, what is its selling price? | option_a=872 | option_b=862 | option_c=1034 | option_d=948 | answer=D | explanation=Selling price = CP × (100 + profit%)/100 = 862 × 110/100 = **■**948.

id=99996 | topic=Percentages | difficulty=Easy | question=What is 12% of 230? | option_a=54 | option_b=37 | option_c=27 | option_d=17 | answer=C | explanation=12% of 230 = (12/100) × 230 = 27.

id=99997 | topic=Ratio & Proportion | difficulty=Easy | question=If two quantities are in the ratio 1:4 and the first is 19, what is the second? | option_a=77 | option_b=76 | option_c=95 | option_d=72 | answer=B | explanation=Scale factor = 19/1 = 19. Therefore second quantity = 4×19 = 76.

id=99998 | topic=Number Series | difficulty=Easy | question=Find the next number: 19, 24, 29, 34, ? | option_a=44 | option_b=39 | option_c=40 | option_d=34 | answer=B | explanation=The common difference is 5. Therefore the next term is 34 + 5 = 39.

id=99999 | topic=Simple Interest | difficulty=Easy | question=Find the simple interest on **■**39664 at 10% per annum for 1 years. | option_a=4066 | option_b=43630 | option_c=3966 | option_d=3866 | answer=C | explanation=SI = PRT/100 = 39664×10×1/100 = **■**3966.

id=100000 | topic=Coding-Decoding | difficulty=Easy | question=If each letter is shifted 3 positions forward in the alphabet, what does 'N' become? | option_a=Q | option_b=T | option_c=K | option_d=N | answer=A | explanation=Move 3 positions forward from N; the resulting letter is Q.